



**State of Indiana
Department of Natural Resources**



DNR 30-DAY PUBLIC NOTICE

The Department of Natural Resources serves the DNR 30-Day Public Notice in order to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3.

The DNR 30-Day Public Notice is published weekly to serve notice of the latest permit applications received at the DNR, Division of Water. This Notice can be viewed on the web at <http://www.in.gov/dnr/water/> and can be provided by email upon written request. To receive the DNR 30-Day Public Notice as a weekly email attachment, email your full name and a valid email address to DNRPublicNoticeRecipient@dnr.IN.gov.

The permit applications and supporting documentation is available for public viewing on-line at <https://dowunity.dnr.in.gov/#>. For questions concerning a permit application, contact the Division of Water, Technical Services Section, at (317) 232-4160 or toll free at 1-877-928-3755 and select 1 during the recorded menu narrative.

Petition for Public Hearing

A pre-action public hearing on an application may be requested by filing a written petition. For a petition to be considered valid it must:

1. contain the typed or legibly printed name and complete mailing address of each petitioner;
2. be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. affirm that each signatory to the petition satisfies the requirements of item 2; and
4. identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted. To request a pre-action public hearing, send the petition by email to water_inquiry@dnr.in.gov or by mail to:

IDNR, Division of Water
Technical Services Section
402 West Washington Street, Room W264
Indianapolis, Indiana 46204-2641

Notification of Department Action

A person may request that the Department notify them when a Department Action is issued. To be notified of a Department Action, send a request that includes the permit application number or the applicant name, project description and county to email address water_inquiry@dnr.in.gov or by mail to the address above.

Permit Application Numbers with a prefix of:

FW are being reviewed under the Flood Control Act, IC 14-28-1 and the Flood Plain Management Rule, 312 IAC 10

PL are being reviewed under the Lake Preservation Act, IC 14-26-2 and the Public Freshwater Lake Rule, 312 IAC 11

DR are being reviewed under the Lowering of the Ten Acre Lake Act, IC 14-26-5

NW are being reviewed under the Navigable Waterways Act, IC 14-29-1

LM are being reviewed under the Navigable Waterways Act, IC 14-29-1 related to Lake Michigan

SG are being reviewed under the Sand and Gravel Permits Act, IC 14-29-3

AC are being reviewed under the Construction of Channels Act, IC14-29-4



**State of Indiana
Department of Natural Resources**



DNR 30-DAY PUBLIC NOTICE

Date: 4/3/2024

Application #: FW-32594-0

Waterbody: Farlow Ditch

Applicant: David L Schwartz, 6739 South 300 East, Berne, IN, 46711

Received Date: 2/7/2024

County: Adams

Project Description: A culvert crossing will be installed over Farlow Ditch to provide an access to the property. The culvert will be 25' long and have an 8' diameter.

Project Location: 6739 South 300 East near Berne

Application #: FW-32596-0

Waterbody: Prairie Creek

Applicant: Indiana Department of Transportation, Crystal Rehder, 100 North Senate Avenue, Room 758-ES, , , Indianapolis, IN, 46204

Received Date: 2/8/2024

County: Boone

Project Description: The existing southbound structure (DES. No. 2300281; Lead 2200176) will be widened to accommodate an additional ramp lane. The existing structure is a single span prestressed hybrid bulb tee bridge with span length of 110', an O/O coping of 62'-4", and a 17.5 degree skew right. The proposed rehabilitation includes widening the existing deck 12'-0" along the outside shoulder, replacing of TFT concrete railing, adding one 48" HBT beam at a 10'-6" spacing to the existing exterior beam, widening of the existing end bents, and replacement of wingwalls. Spill slopes will be extended to accommodate widening, the spill slopes will be coated with 24" deep Class I riprap as necessary. Excavation will be necessary to extend the existing end bents and the roadway embankment on the southwest quadrant of the structure will be extended totaling 0.01 acres. In addition, there will be temporary sandbag cofferdams in place for approximately 3 to 6 months. They will be approximately 69' by 3' by 2' and 61' by 3' by 2'.

Project Location: At the I-65 stream crossing at Lebanon

Application #: FW-32632-0

Waterbody: Sand Creek

Applicant: Blue Sky Casino, LLC, , 8670 West State Road 56, French Lick, IN, 47432

Received Date: 2/27/2024

County: Orange

Project Description: Construction of a 9-hole pitch & putt golf course has begun to replace existing recreational features. Within the floodway, regrading will occur to create greens, tees, traps, and fairways. This project also includes two 30' long pedestrian bridges over ditches and a lined water feature approximately 100' in diameter and average 4' deep with an outlet drainage swale along the east bank of the creek. Additionally, irrigation lines will be installed, and some trees will be removed and replaced with other vegetative plants.

Project Location: 8670 West State Road 56 near French Lick

Application #: FW-32637-0

Received Date: 3/5/2024

Waterbody: Indian Creek

County: Harrison

Applicant: Town of Corydon, Bruce Cunningham, 219 North Capitol Avenue, Corydon, IN, 47112

Project Description: The town of Corydon will be replacing a water main to increase the reliability and capacity of the town's distribution system. The water main will cross Indian Creek, then run parallel to the south bank of the creek for approximately 200 feet. The replacement will be a 12" ductile iron class 350 water main with polyethylene encasement and tracer wire. The water main will be installed at a minimum of 36" below grade and in a 3'-4' wide open trench. The excavated material will be transported outside of the floodway, and the trench will be backfilled with INDOT No. 8 crushed stone and capped with a layer of lean concrete/flowable fill. This project will not result in any permanent impacts. Temporary impacts are expected to last between 30-60 days.

Project Location: Approximately 110' east of the Capitol Avenue crossing over Indian Creek near Corydon

Application #: FW-32649-0

Received Date: 3/11/2024

Waterbody: Otter Creek

County: Vigo

Applicant: Vigo County, Larry Robbins, 3250 East Haythorne Avenue, , Terre Haute, IN, 47805

Project Description: The existing 93' long, 25' wide, two (2) span concrete arch bridge carrying Hasselburger Avenue (Vigo County Bridge 205) over Otter Creek will be replaced. The new structure will be a one (1) span continuous prestressed hybrid bulb-tee structure that will be 120' long and 31' wide. The structure will have an out-to-out length of 31' and a clear roadway width of 28'. The spill through abutments will have 2:1 side slopes armored with revetment riprap. The abutments and piers will be skewed 0 degrees to align with streamflow. An 8' wide, 47' long stone temporary construction access crossing will be placed within the right-of-way on the downstream (north) side of the new bridge. Also, temporary cofferdams will be placed on the east and west side in two phases. The west side will be placed first and will be 165' long, 3' wide and 5' high. The east side cofferdam will be 210' long, 3' wide and 5' high. Both the temporary access road and the cofferdams will be removed upon completion of the project and the disturbed areas will be seeded.

Project Location: At the Hasselburger Avenue crossing over Otter Creek at Terre Haute

Application #: FW-32650-0

Received Date: 3/11/2024

Waterbody: Ohio River

County: Clark

Applicant: Douglas and Tandra Lyons, 8115 Bethany Road, Charlestown, IN, 47111

Project Description: An existing 30' long by 24' wide metal carport will be replaced with a 48' long by 30' wide by 14' tall open-frame carport. The structure will sit on an existing gravel pad. The frame will be made of pole barn metal and wood. The electrical will also be elevated.

Project Location: 304 Circle Road Charlestown