



**State of Indiana
Department of Natural Resources**



DNR 30-DAY PUBLIC NOTICE

The Department of Natural Resources serves the DNR 30-Day Public Notice in order to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3.

The DNR 30-Day Public Notice is published weekly to serve notice of the latest permit applications received at the DNR, Division of Water. This Notice can be viewed on the web at <http://www.in.gov/dnr/water/> and can be provided by email upon written request. To receive the DNR 30-Day Public Notice as a weekly email attachment, email your full name and a valid email address to DNRPublicNoticeRecipient@dnr.IN.gov.

The permit applications and supporting documentation is available for public viewing on-line at <https://dowunity.dnr.in.gov/#>. For questions concerning a permit application, contact the Division of Water, Technical Services Section, at (317) 232-4160 or toll free at 1-877-928-3755 and select 1 during the recorded menu narrative.

Petition for Public Hearing

A pre-action public hearing on an application may be requested by filing a written petition. For a petition to be considered valid it must:

1. contain the typed or legibly printed name and complete mailing address of each petitioner;
2. be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. affirm that each signatory to the petition satisfies the requirements of item 2; and
4. identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted. To request a pre-action public hearing, send the petition by email to water_inquiry@dnr.in.gov or by mail to:

IDNR, Division of Water
Technical Services Section
402 West Washington Street, Room W264
Indianapolis, Indiana 46204-2641

Notification of Department Action

A person may request that the Department notify them when a Department Action is issued. To be notified of a Department Action, send a request that includes the permit application number or the applicant name, project description and county to email address water_inquiry@dnr.in.gov or by mail to the address above.

Permit Application Numbers with a prefix of:

FW are being reviewed under the Flood Control Act, IC 14-28-1 and the Flood Plain Management Rule, 312 IAC 10

PL are being reviewed under the Lake Preservation Act, IC 14-26-2 and the Public Freshwater Lake Rule, 312 IAC 11

DR are being reviewed under the Lowering of the Ten Acre Lake Act, IC 14-26-5

NW are being reviewed under the Navigable Waterways Act, IC 14-29-1

LM are being reviewed under the Navigable Waterways Act, IC 14-29-1 related to Lake Michigan

SG are being reviewed under the Sand and Gravel Permits Act, IC 14-29-3

AC are being reviewed under the Construction of Channels Act, IC14-29-4



**State of Indiana
Department of Natural Resources**



DNR 30-DAY PUBLIC NOTICE

Date: 4/8/2026

Application #: DR-594-0

Received Date: 3/18/2026

Waterbody: Unnamed Tributary Cotton Lake

County: Lagrange, Lagrange

Applicant: Cory Stewart, 114 West Michigan Street, Lagrange, IN, 46761

Project Description: Dredging approximately 0.5 miles of the Brandeberry Ditch into Cotton Lake. Sediment removal will take place from the Western and Southern bank with an excavator. The spoils will be side cast within the 75-foot drainage easement into agricultural and pasture fields. The depth and grade of the cuts will conform with the existing grade and depth of the unobstructed portions of the ditch. Maximum amount of removed material will be 7,920 cubic feet, or 293 cubic yards.

Project Location: The project begins at the North County Road 850 West stream crossing and extends downstream to its inlet into Cotton Lake. near Shipshewana

Application #: DR-595-0

Received Date: 3/18/2026

Waterbody: Unnamed Tributary Little Turkey Lake

County: Lagrange, Lagrange

Applicant: Cory Stewart, 114 West Michigan Street, Lagrange, IN, 46761

Project Description: Dredging approximately 1.35 miles of the Charles Cochran ditch from Little Turkey Lake to Mud Lake. Sediment and log jam removal will take place from the Eastern bank with an excavator. The spoils will be side cast within the 75-foot drainage easement into agricultural and pasture fields. Any removed tree debris will be burned on site. The depth and grade of the cuts will conform with the existing grade and depth of the unobstructed portions of the ditch. Maximum amount of removed material will be 28,512 cubic feet, or 1,056 cubic yards.

Project Location: The project begins at the outlet of Mud Lake and extends downstream 50' south of the East County Road 350 South stream crossing. near Lagrange

Application #: DR-596-0

Received Date: 3/18/2026

Waterbody: Unnamed Tributary Mud Lake

County: Lagrange, Lagrange

Applicant: Cory Stewart, 114 West Michigan Street, Lagrange, IN, 46761

Project Description: Dredging approximately 0.5 miles of the Reinhart Ditch into Mud Lake. Sediment and log jam removal will take place from the Northern bank with an excavator. The spoils will be side cast within the 75-foot drainage easement into agricultural and pasture fields. Any removed tree debris will be burned on site. The depth and grade of the cuts will conform with the existing grade and depth of the unobstructed portions of the ditch. Maximum amount of removed material will be 7,920 cubic feet, or 293 cubic yards.

Project Location: The project begins at the inlet to Mud Lake and extends upstream to the South County Road 1100 East stream crossing near Wolcottville

Application #: FW-33659-0

Waterbody: Eagle Creek

Applicant: Indianapolis Department of Public Works, Natalie K Stephen, City County Building, 200 East Washington Street, , Indianapolis, IN, 46204

Received Date: 3/9/2026

County: Marion

Project Description: The existing 12' by 5.7' by 22' three-sided culvert carrying Noel Road over a UNT Tributary to Eagle Creek will be replaced with a new three-sided culvert. The new crossing will consist of a 12' by 8' by 47' long three-sided culvert sumped 2' with wingwalls. The new culvert will have an upstream and downstream invert of 791.581', NGVD and 791.285', NGVD respectively. The culvert and wingwalls will be skewed 78.31 degrees from the roadway centerline to align with streamflow. Channel grading will occur both downstream and upstream of the new culvert to improve the flow transition at the crossing. The shaping will be confined to the construction right-of-way. The reshaped areas will be stabilized with an 36" thick layer of riprap Type 2 placed over a geotextile fabric. The roadway will be remaining at the existing elevations. The crown of the roadway over the new culvert will be at 799.0', NGVD. MGS W-beam guardrails will be placed along each side of the roadway over the channel.

Project Location: At the stream crossing of the UNT of Eagle Creek under Noel Road near Indianapolis

Application #: FW-33660-0

Waterbody: Unnamed Tributary Clear Creek

Applicant: Stephen Donovan, Charles D Graham, 6611 South Rockport Road, , Bloomington, IN, 47403

Received Date: 3/9/2026

County: Monroe

Project Description: A 926 square foot existing crushed stone parking lot and drive will be removed and 6" of dirt will be excavated. The crushed stone will then be placed back in its original place at grade. The excavated dirt will be removed and placed outside of the floodway.

Project Location: 6611 South Rockport Road at Bloomington

Application #: FW-33663-0

Waterbody: Fourteenmile Creek

Applicant:

Received Date: 3/10/2026

County: Clark

Project Description: An existing 3-span, prestressed concrete, multi-beam bridge will be rehabilitated in the Fourteenmile Creek floodway (Des. 2300810). The existing bridge is 250' long, with a deck coping width of 46.5' and 12' wide travel lanes. It also includes aluminum guardrails and 10' paved shoulders on both sides. The rehabilitation of the existing structure will include by installing a new rigid bridge deck overlay, replacing bridge copings, and replacing bridge barrier railings. The approach slabs will also be replaced along with upgraded guardrails. End bents will be converted from expansion to semi-integral. New riprap turnouts will be installed at each corner around the wingwalls. Riprap for drainage turnouts will be class 1 and placed at each quadrant of the structure. The northwest quadrant will have fill covering two sections that will fill an area 47' long, 12' wide, and 1.5' deep and an area 11' long, 5' wide, and 2' deep. This quadrant will be graded in areas that is 46' long, 267' wide, 1' deep and 47' long, 23' wide, 1' deep. The northeast quadrant will have riprap in an area covering 76' long, 12' wide, and 1.5' deep. This quadrant will also be graded in areas that cover 63' long, 76' wide, and 1' deep as well as 83' long, 23' wide, and 1' deep. This quadrant will also be graded in areas that cover 63' long, 76' wide, and 1' deep as well as 83' long, 23' wide, and 1' deep. The southwest quadrant will include an area outside a wetland that is 11' long, 5' wide, and 2' deep and an area 31' long, 12' wide, and 1.5' deep. The area outside the wetland will be graded in areas 38' long, 85' wide, 1' deep and 43' long, 24' wide, and 1' deep. The area within the delineated wetland will cover a 20' long, 12' wide, and 1.5' deep area. The graded areas within the wetland will cover 30' long, 13' wide, 1' deep and 20' long, 15' wide, and 1' deep. The southeast quadrant will have two areas filled one will cover an area 11' long, 5' wide, and 2' deep and the other will cover an area 25' long, 12' wide, and 1.5' deep. The grading in this quadrant will 33' long, 23' wide, 1' deep and 25' long, 104' wide, 1' deep. No temporary impacts are anticipated below the base flood elevation. Disturbed areas will be reseeded with "Seed Mix R" and with "Modified Wetland Seed Mix" as appropriate.

Project Location: At the State Road 62 stream crossing over Fourteenmile Creek near Charlestown

Application #: FW-33674-0

Received Date: 3/17/2026

Waterbody: Kankakee River

County: Starke

Applicant: Kankakee River Basin and Yellow River Basin Development Commission, Scott Pelath, 6100 Southport Road, Portage, IN, 46368

Project Description: This project will excavate a notch within an existing berm in the Kankakee Fish and Wildlife Area (KFWA) and raise the Kankakee River spillway sill. Work will reduce flooding and erosion on the Kankakee River. The proposed notch will be approximately 275' long and 6' deep. The surface of the excavated area will be revetment riprap or stabilized with turf reinforcement mat and seed. The top of the berm will be restored to its original gravel road surface. The Kankakee River spillway sill downstream will be raised by about 3' with a concrete wall structure.

Project Location: Approximately 2.2 mile upstream of the confluence of the Yellow and Kankakee River. The site is located along the "Levee Trail" between the Yellow River and Kankakee River and approximately 0.7 miles upstream of the confluence at the Kankakee River Spillway. at North Judson

Application #: FW-33691-0

Received Date: 4/2/2026

Waterbody: West Fork White River

County: Marion

Applicant: Ted Piha, 415 Massachusetts Ave, , Indianapolis, IN, 46204

Project Description: This project is a rework of a gravel sidewalk at Virginia B. Fairbanks Art & Nature Park. A current gravel sidewalk will be topped in different places with 3" of new asphalt and 4" of concrete. For the heavy duty concrete locations the stone path will be stripped down approximately 6.5" and built back up to match new grades. The changes are minimal, therefore the BFE effect would be a minor.

Project Location: At the Virginia B. Fairbanks Art & Nature Park located off of Michigan & 38th Street at Indianapolis

Application #: PL-25394-0

Received Date: 3/6/2026

Waterbody: Sylvan Lake

County: Noble

Applicant: Stephen Smith, 1220 Illsley Drive, Fort Wayne, IN, 46807

Project Description: An existing channel on Sylvan Lake will be dredged. The dredging will be conducted in 25' by 100' area. The dredging will restore the center channel depth to 4.5' with sideslopes beginning 1.5' deep. The extracted material will be stored on site dry landward of the shoreline and then hauled off site.

Project Location: 1080 North Shore Drive near Rome City

Application #: PL-25398-0

Received Date: 3/16/2026

Waterbody: Big Long Lake

County: Lagrange

Applicant:

Project Description: An existing concrete seawall will be refaced across 85' of shoreline on Big Long Lake. The reface will consist of a 12" thick layer of concrete that will be slanted on the lakeward face.

Project Location: 10060 East 600 South near Hudson

Application #: PL-25399-0

Received Date: 3/16/2026

Waterbody: Clear Lake

County: Steuben

Applicant: Jennifer Brady, 920Veterans Way Unit 303, Carmel, IN, 46032

Project Description: An existing concrete seawall will be refaced along 85' of shoreline along Clear Lake. The reface will consist of a 12" thick layer of concrete and will be slanted on the lakeward face.

Project Location: 458 Point Park Drive near Fremont

Application #: PL-25400-0

Waterbody: Big Long Lake

Applicant: John & Martha Nill, 10070 East 600 South, Hudson, IN, 46747

Received Date: 3/16/2026

County: Lagrange

Project Description: An existing concrete seawall will be refaced along 97' of shoreline on Big Long Lake. The reface will consist of a 12" thick layer of concrete and will be slanted on the lakeward face.

Project Location: 10070 East 600 South near Hudson

Application #: PL-25408-0

Waterbody: Lake Pleasant

Applicant: Antonio Oritz, 514 Wood Street, Toledo, OH, 43615

Received Date: 3/31/2026

County: Steuben

Project Description: An existing 40' concrete seawall will be refaced with concrete. The lakeward face of the refaced seawall will be located along the lake's legal shoreline.

Project Location: 7665 North County Road 450 West near Fremont