



## **DNR 30-DAY PUBLIC NOTICE**

The Department of Natural Resources serves the DNR 30-Day Public Notice in order to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3.

The DNR 30-Day Public Notice is published weekly to serve notice of the latest permit applications received at the DNR, Division of Water. This Notice can be viewed on the web at <http://www.in.gov/dnr/water/> and can be provided by email upon written request. To receive the DNR 30-Day Public Notice as a weekly email attachment, email your full name and a valid email address to [DNRPublicNoticeRecipient@dnr.IN.gov](mailto:DNRPublicNoticeRecipient@dnr.IN.gov).

The permit applications and supporting documentation is available for public viewing on-line at <https://dowunity.dnr.in.gov/#>. For questions concerning a permit application, contact the Division of Water, Technical Services Section, at (317) 232-4160 or toll free at 1-877-928-3755 and select 1 during the recorded menu narrative.

---

### Petition for Public Hearing

A pre-action public hearing on an application may be requested by filing a written petition. For a petition to be considered valid it must:

1. contain the typed or legibly printed name and complete mailing address of each petitioner;
2. be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. affirm that each signatory to the petition satisfies the requirements of item 2; and
4. identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted. To request a pre-action public hearing, send the petition by email to [water\\_inquiry@dnr.in.gov](mailto:water_inquiry@dnr.in.gov) or by mail to:

IDNR, Division of Water  
Technical Services Section  
402 West Washington Street, Room W264  
Indianapolis, Indiana 46204-2641

### Notification of Department Action

A person may request that the Department notify them when a Department Action is issued. To be notified of a Department Action, send a request that includes the permit application number or the applicant name, project description and county to email address [water\\_inquiry@dnr.in.gov](mailto:water_inquiry@dnr.in.gov) or by mail to the address above.

Permit Application Numbers with a prefix of:

FW are being reviewed under the Flood Control Act, IC 14-28-1 and the Flood Plain Management Rule, 312 IAC 10

PL are being reviewed under the Lake Preservation Act, IC 14-26-2 and the Public Freshwater Lake Rule, 312 IAC 11

DR are being reviewed under the Lowering of the Ten Acre Lake Act, IC 14-26-5

NW are being reviewed under the Navigable Waterways Act, IC 14-29-1

LM are being reviewed under the Navigable Waterways Act, IC 14-29-1 related to Lake Michigan

SG are being reviewed under the Sand and Gravel Permits Act, IC 14-29-3

AC are being reviewed under the Construction of Channels Act, IC14-29-4



**DNR 30-DAY PUBLIC NOTICE**

Date: 6/3/2026

**Application #: FW-33670-0**

Waterbody: Ohio River

Applicant: James Faith, 480 Long Court, New Albany, IN, 47150

Received Date: 3/17/2026

County: Harrison

Project Description: A new residential addition will be constructed above an existing building. The second-floor addition will be 40' by 20' and elevated to Flood Protection Grade (FPG) or 445.15' NAVD 88. The first floor will only be used for limited storage not habitation. All utilities will be at or above FPG. Temporary impacts will be in place for approximately three months, they include a stockpile area, construction entrance, and a concrete washout area.

Project Location: 11605 Rosewood Road Southeast at Elizabeth

**Application #: FW-33712-0**

Waterbody: East Fork White River

Applicant: William Seegers, 7970 South Rowe Street, Edinburgh, IN, 46124

Received Date: 4/14/2026

County: Jackson

Project Description: A new 15' wide by 80' long by 6" deep pre-cast concrete boat ramp will be constructed. Additionally, rip rap bank stabilization will be done on both sides of the canoe/kayak launch. The riprap will measure approximately 15' by 6" by 15' on both sides. A new 17' wide by 20' long concrete ADA parking pad will also be constructed.

Project Location: Rockford Public Access Site near Seymour

**Application #: FW-33713-0**

Waterbody: Unnamed Tributary West Creek

Applicant: Christopher Koerner, 17882 White Oak Avenue, , , Lowell, IN, 46356

Received Date: 4/15/2026

County: Lake

Project Description: A new pond will be excavated. It will have an approximate diameter of 120' to 140' and an average depth of approximately 10'. It will have a 3:1 slope and approximately 5,000 cubic yards will be excavated. Spoils will be distributed and graded outside of any designated floodplain areas to ensure no disruption to natural floodwater storage or conveyance. Proper erosion control measures will be implemented during and after construction to stabilize disturbed soils and prevent sediment runoff. The primary purposes of the pond are wildlife habitat, livestock watering, agricultural use, and fire protection.

Project Location: Approximately 820' northwest of the intersection of White Oak Avenue and West 181st Avenue at Lowell

**Application #: FW-33729-0**

Waterbody: St. Joseph River

Applicant: Ronald Bacewic, 12616 Jefferson Boulevard, , Mishawaka, IN, 46545

Received Date: 4/23/2026

County: St. Joseph

Project Description: An existing railroad tie seawall will be removed and replaced with a new vinyl seawall along 125' of the north bank. The new wall will be approximately 3' high, as measured from the riverbed, and will have the same alignment as the existing wall. It will tie into existing seawalls located on adjacent properties located to the east and the west. The piling will be driven approximately 3' into the riverbed and will be anchored with deadmen spaced at 12' intervals. A whaler will be placed across the face of the wall to further stabilize the vinyl panels. Clean fill will be brought onsite to backfill the area landward of the new seawall. The fill will be leveled with the top of the wall at the river and will be tapered back to existing ground elevations within the project site.

Project Location: 12616 Jefferson Road at Mishawaka

**Application #: FW-33733-0**

Waterbody: Silver Creek

Applicant: South Central Regional Airport Authority, John Secor, 6003 Propeller Lane, , Sellersburg, IN, 47172

Received Date: 4/24/2026

County: Clark

Project Description: A new wildlife fence will be constructed along the perimeter of Clark Regional Airport. The fence will consist of approximately 22,000 linear feet of 10' high wildlife fence with 1.5' barbed wire mounted on top, bringing the total height to approximately 11.5'. The majority of the fence within the floodway will be constructed parallel to the flow direction of Silver Creek. However, approximately 550 linear feet of fence within the floodway is proposed perpendicular to the flow direction of Silver Creek, and therefore will be designed to breakaway in the event of a flood. Additionally, to facilitate the fence crossing tributary ditches to Silver Creek, turf stabilized embankments and culverts are proposed in said tributary ditches (not in Silver Creek). The total amount of fill proposed at the tributary culvert crossings within the floodway of Silver Creek is approximately 2,400 CY, and the side slopes of the upstream and downstream faces of the embankments are 5:1 (H:V).

Project Location: At the Clark Regional Airport at Sellersburg

**Application #: FW-33734-0**

Waterbody: West Fork White River

Applicant: City of Anderson, Ryan Paschal, 120 East 8th Street, , Anderson, IN, 46012

Received Date: 4/28/2026

County: Madison

Project Description: Approximately 130' of a 42" diameter sanitary sewer line will be placed beneath Imel Drive to provide routing for the combined sewer to the wastewater treatment facility. The line will be placed by the open trench method. No part of this project will be located under the streambed. The entire line will be buried at minimum 6' throughout the floodway. Because the line is not underneath the streambed, there will be no encasement.

Project Location: Beginning approximately 265' south of the Imel Drive and Martin Drive intersection and continuing south to the north bank of the West Fork White River at Anderson

**Application #: FW-33748-0**

Waterbody: Big Lick Creek

Applicant: Jackson Township Regional Sewer District, Ethan Cox, 102 North East Street, , Hartford City, IN, 47348

Received Date: 5/8/2026

County: Blackford

Project Description: The Jackson Township Regional Sewer District currently operates a septic tank effluent pump (STEP) collection system and wastewater is treated at the District's constructed wetlands, which discharges into Big Lick Creek. The effluent pumps in the collection system are failing regularly and most of the equipment at the constructed wetlands is nearing or has exceeded its useful life. The WWTP improvements that involve new structures include two (2) new septic tanks and a new effluent metering manhole. The "in kind" replacements of existing structures include replacement of existing influent and effluent meters, replacement of existing blowers, and replacement of the UV disinfection system. Nuisance plants/invasive species will also be removed from the constructed wetlands as part of this project.

Project Location: Approximately 1030' north and 180' west of South County Road 500 East creek crossing

**Application #: FW-33749-0**

Waterbody: Foster Ditch

Applicant: Anthony Harris, 106 North 31st Street, New Castle, IN, 47362

Received Date: 5/11/2026

County: Henry

Project Description: On site grading will be done to create an earthen berm to protect the existing residential structure from flooding. The berm will be constructed to an elevation of 1069.5' NAVD 88.

Project Location: 106 North 31st Street New Castle

**Application #: FW-33750-0**

Waterbody: Iroquois River

Applicant: Jasper County Highway Department, Jack Haberlin, 2676 West Clark Street, , Rensselaer, IN, 47978

Received Date: 5/8/2026

County: Jasper

Project Description: This project involves maintenance to the existing bridge carrying CR 500 W (Melville Street) over the stream channel. The project includes a bridge deck overlay, end bent joint corrections, and rehabilitation of the existing concrete slope wall above the ordinary high water mark underneath the bridge. Revetment riprap will be installed along the slopes above OHWM. No work will occur below the ordinary high water mark.

Project Location: At the County Road 500 West/South Melville Street stream crossing at Rensselaer

**Application #: FW-33754-0**

Waterbody: Fall Creek

Applicant:

Received Date: 5/12/2026

County: Madison

Project Description: Maintenance will be done on the 165' long concrete slab bridge, Des. No. 2400487. The work will consist of the installation of scour countermeasures, patching of the existing structure, and the removal of existing drift deposits and large branches from Fall Creek. Riprap will be installed around the existing bridge piers, abutments, and spill slopes of each side of the bridge structure. Revetment riprap will be placed at the sloping abutment at a depth of 1.5'. Class 1 riprap will be placed around the four (4) piers at a depth of 3' and a width of 6'. Construction access will be established on the north and south sides of the stream. Temporary cofferdams and dewatering equipment will also be needed to complete the project. Wildlife passages beneath the bridge will be maintained with a 5' width and 6' height clearance with compacted aggregate fill (#2 stone) over riprap and maintaining the existing clearance for animal crossings. The minimum elevation for the wildlife passage is 851.10', approximately 6.5' above the flowline elevation. Due to the elevation of slope on the north side of the bridge, a wildlife passage is only designed on the south side of the bridge. Mitigation will be done to compensate for the tree removal needed to complete the project.

Project Location: At the State Road 67 crossing Pendleton

**Application #: FW-33758-0**

Waterbody: Flatfork Creek

Applicant: Reynolds Construction LLC, Doug Tischbein, 12220 North Meridian, Suite 175, , Carmel, IN, 46032

Received Date: 5/21/2026

County: Hancock

Project Description: The existing steel beam bridge will be replaced with a new structure on essentially the same alignment to improve pedestrian flow. The new structure will be a single span steel truss bridge with a span length of 32'. The structure will have an out-to-out length of 7' and a clear roadway width of 6'. The spill through abutments will have 3:1 sideslopes armored with revetment riprap. The abutments and piers will be skewed 0 degrees to align with the streamflow. The new approach roads will be elevated a maximum of 1.33' above the existing approaches. The existing structure will be completely removed.

Project Location: At the North School Street creek crossing at Fortville

**Application #: FW-33763-0**

Waterbody: Crooked Creek

Applicant: Brent Freeman, 1010 West 64th Street, , Indianapolis, IN, 46260

Received Date: 5/22/2026

County: Marion

Project Description: An existing pond will be expanded and enhanced to increase on-site water storage capacity while maintaining and improving overall flood conveyance.

Project Location: At 1010 West 64th Street, northeast of the West 64th Street creek crossing and Crooked Creek at Indianapolis

**Application #: FW-33764-0**

Waterbody: Little Eagle Creek

Applicant: Hamilton Southeastern Utilities Inc, Thomas Kallio, 11901 Lakeside Drive, , Fishers, IN, 46038

Received Date: 5/27/2026

County: Hamilton

Project Description: Hamilton Southeastern Utilities is proposing to conduct sanitary sewer work, including the installation of a new sanitary sewer force main and connection to an existing raw sewage pump station. Approximately 1,582 linear feet (LF) of force main and an air release valve (AR3) will be installed within the floodway of Little Eagle Creek, totaling approximately 1.27 acres of ground disturbance within the floodway. All surface areas disturbed for sanitary sewer installation will be restored to match existing conditions. Horizontal Directional Drilling (HDD) will be used where possible to minimize environmental impacts. In addition, temporary Best Management Practices, including silt fence and fiber filtration tubes, will be in place during construction. Additional work outside the floodway associated with this project is also included on the plan sheets.

Note that this project also includes work within the floodway of Woodruff Branch. This work is proposed under the Utility Line Crossing General License and is not included in this application.

Project Location: The project is located in the City of Zionsville, Boone County and the City of Westfield, Hamilton County. More specifically, the project begins along West 156th Street approximately 1,230' west of the intersection of West 156th Street and South 1200 East and ends at the Citizen's Energy Group Westfield Wastewater Treatment Plant, 3511 West. 166th Street at Westfield

**Application #: FW-33766-0**

Waterbody: West Fork White River

Applicant: Indiana American Water, Jonny Norris, 153 North Emerson Avenue, , Greenwood, IN, 46143

Received Date: 5/27/2026

County: Hamilton

Project Description: Construction of two (2) new wells for the Indiana American Water Noblesville water supply system. The new wells will be installed in a new well field within the floodway of the White River. Construction within the floodway will consist of the two new wells with elevated platforms, stair access, security fencing, and associated underground piping to convey raw water to the existing treatment facility northeast of the well field. The two proposed wells will be approximately 90' deep. The well platforms for Wells 1 and 2 will be located above the 500 year flood elevation. Gravel drives to be used to access the wells will also be installed as part of this project.

Project Location: Approximately 2,000' west of the intersection of Allisonville Road and East 191st Street at Noblesville

**Application #: FW-33769-0**

Waterbody: West Fork White Lick Creek

Applicant: Town of Danville, Will Lacey, 49 North Wayne Street, , Danville, IN, 46122

Received Date: 5/28/2026

County: Hendricks

Project Description: A new bridge will be constructed over West Fork of White Lick Creek to carry pedestrians across the stream. The new structure will be a single-span prefabricated bridge with a span of 150' and a clear width of 15.67'. The spill through abutments will have 1.8:1 side slopes armored with Class 1 riprap. The trail boardwalk is a maximum of 11.6' above the existing grade.

Project Location: Approximately 150' upstream of the US Highway 36 crossing at Danville

**Application #: FW-33772-0**

Waterbody: West Fork Sly Run

Applicant: M/I Homes of Indiana, LP, Matt Howard, 8425 Woodfield Crossing Boulevard 100 West, , Indianapolis, IN, 46240

Received Date: 5/29/2026

County: Hamilton

Project Description: A 10" diameter sanitary sewer line will be placed beneath West Fork Sly Run to provide sanitary sewer service to the proposed Bending Branch Subdivision. The proposed sanitary sewer line will also be installed generally along the banks from the proposed subdivision east to the intersection of SR 38 (Sheridan Rd) and Little Chicago Road. The line will be placed by the open cut method except at the crossing of State Road 38 and Little Chicago Road where it will be bored beneath both roads. It will have 7' of cover beneath the streambed and 10' in the banks. The line will have a 6" concrete encasement for the section below the streambed.

Project Location: From the intersection of State Road 38 (Sheridan Road) and Little Chicago Road, the project generally follows along the north side of West Fork Sly Run upstream for approximately 2500'. It then crosses to the south side of West Fork Sly Run and continues upstream generally along the south side for approximately 1800' until reaching the proposed Bending Branch Section 1 Subdivision. Also, from the intersection of State Road 38 (Sheridan Road) and Little Chicago Road, the project proceeds north along the west side of Little Chicago Road for approximately 500' and then crosses Little Chicago Road and connects to an existing sanitary sewer manhole on the east side of Little Chicago Road at Noblesville

**Application #: FW-33773-0**

Waterbody: Grant Creek

Applicant: Town of La Fontaine, John Krhin, 13 West Branson Street, La Fontaine, IN, 46940

Received Date: 5/29/2026

County: Wabash

Project Description: Approximately 190' of a concrete sidewalk will be constructed in the floodway. The sidewalk will be 5' wide and will match existing grade. The sidewalk will connect to an existing bridge over Grant Creek and continue south for approximately 58.5' and then continue east for approximately 129.5'. Additional sidewalk will be constructed outside of the floodway around the pickleball courts, basketball court, play ground area and splash pad.

Project Location: Within Cook-Crumley Park, 504 Western Avenue at La Fontaine

**Application #: FW-33774-0**

Waterbody: Big Creek

Applicant: Timber Ridge Enterprises LLC, Sean N Baylor, 3110 East Wabash Street, , Frankfort, IN, 46041

Received Date: 5/29/2026

County: White

Project Description: A 38' by 51' area will be filled in the south east central floodplain of the Big Creek floodplain for the installation of an inground swimming pool. The fill will vary in depth from 12" on the landward side to approximately 3' on the streamward side. It will be set approximately 232' back from the top of the bank and will have 1:20 sideslopes. The finished elevation of the fill will be approximately 680', NGVD. The swimming pool will be constructed on top of the completed fill. The fill material will be obtained by excavating a borrow pit at the native site of the swimming pool. The pit will be approximately 18' x 40' with an average depth of 5'. The shoreline will be maintained at a shallow slope to encourage the development of wetland vegetation.

Project Location: 4331 South 300 East near Chalmers

**Application #: PL-25438-0**

Waterbody: Sylvan Lake

Applicant:

Received Date: 5/6/2026

County: Noble

Project Description: A new 200' long rock seawall will be constructed along 200' of the shoreline frontage. The lakeward face of the wall will be located at the lake's legal shoreline.

Project Location: 3363 East 900 North at Rome City