



**State of Indiana  
Department of Natural Resources**



**DNR 30-DAY PUBLIC NOTICE**

The Department of Natural Resources serves the DNR 30-Day Public Notice in order to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3.

The DNR 30-Day Public Notice is published weekly to serve notice of the latest permit applications received at the DNR, Division of Water. This Notice can be viewed on the web at <http://www.in.gov/dnr/water/> and can be provided by email upon written request. To receive the DNR 30-Day Public Notice as a weekly email attachment, email your full name and a valid email address to [DNRPublicNoticeRecipient@dnr.IN.gov](mailto:DNRPublicNoticeRecipient@dnr.IN.gov).

The permit applications and supporting documentation is available for public viewing on-line at <https://downunity.dnr.in.gov/#>. For questions concerning a permit application, contact the Division of Water, Technical Services Section, at (317) 232-4160 or toll free at 1-877-928-3755 and select 1 during the recorded menu narrative.

---

**Petition for Public Hearing**

A pre-action public hearing on an application may be requested by filing a written petition. For a petition to be considered valid it must:

1. contain the typed or legibly printed name and complete mailing address of each petitioner;
2. be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. affirm that each signatory to the petition satisfies the requirements of item 2; and
4. identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted. To request a pre-action public hearing, send the petition by email to [water\\_inquiry@dnr.in.gov](mailto:water_inquiry@dnr.in.gov) or by mail to:

IDNR, Division of Water  
Technical Services Section  
402 West Washington Street, Room W264  
Indianapolis, Indiana 46204-2641

**Notification of Department Action**

A person may request that the Department notify them when a Department Action is issued. To be notified of a Department Action, send a request that includes the permit application number or the applicant name, project description and county to email address [water\\_inquiry@dnr.in.gov](mailto:water_inquiry@dnr.in.gov) or by mail to the address above.

Permit Application Numbers with a prefix of:

FW are being reviewed under the Flood Control Act, IC 14-28-1 and the Flood Plain Management Rule, 312 IAC 10

PL are being reviewed under the Lake Preservation Act, IC 14-26-2 and the Public Freshwater Lake Rule, 312 IAC 11

DR are being reviewed under the Lowering of the Ten Acre Lake Act, IC 14-26-5

NW are being reviewed under the Navigable Waterways Act, IC 14-29-1

LM are being reviewed under the Navigable Waterways Act, IC 14-29-1 related to Lake Michigan

SG are being reviewed under the Sand and Gravel Permits Act, IC 14-29-3

AC are being reviewed under the Construction of Channels Act, IC14-29-4



**DNR 30-DAY PUBLIC NOTICE**

Date: 7/7/2021

**Application #: FW-31040-0**

Received Date: 4/20/2021

Waterbody: Unnamed Tributary White Lick Creek

County: Hendricks

Applicant: Crystal Bay Umbrella HOA Inc, Marcia Gustafson, 1931 Crystal Bay East Drive, Plainfield, IN, 46168

Project Description: Riprap will be installed within a channel located in the floodway of White Lick Creek for a length of approximately 120'. The channel width varies from 1' to 4' wide, and from 1' to 3' deep. Riprap will be installed to match the existing grade of the channel and will span the width of the channel. Disturbed areas will be covered with erosion control blankets and will be seeded upon completion.

Project Location: Approximately 560' west and 175' north of the intersection of East Hadley Road and South Center Street at Plainfield

**Application #: FW-31121-0**

Received Date: 6/3/2021

Waterbody: Rowe-Eden Ditch

County: Lagrange

Applicant: Jason Miller, 4540 South 900 West, , , Topeka, IN

Project Description: This project proposes to install a 10' wide crushed limestone private drive in place of an existing dirt and sod farm lane. The top 6" of the existing lane will be replaced with the crushed limestone. The drive will cross the stream channel above an existing 9' diameter boiler pipe that will remain in place. The existing ground level above the current ditch crossing is above the base flood elevation. A minimum of 18" of cover must be maintained over the boiler pipe at all times, with a 36" depth of cover to be installed as a temporary construction drive at the stream crossing location during the time of construction to preserve the integrity of the pipe.

Project Location: Beginning approximately 1,000' upstream from the West 500 South stream crossing and extending downstream to a point approximately 200' east from the West 500 South stream crossing near Millersburg

**Application #: FW-31123-0**

Received Date: 6/4/2021

Waterbody: South Fork Wildcat Creek

County: Tippecanoe

Applicant: Enterprise Products Company, Larry Booher, 1270 Washington Street, , , Columbus, IN, 47201

Project Description: This project proposes maintenance on the partially exposed P-35 14" diameter pipeline for erosion protection. The area will be prepared, and the exposed pipeline will be covered with a 40' by 45' articulating grout mat and riprap on the upstream and downstream ends of the mat. Channel shaping, grading, cut, and fill will take place prior to the installation of the mat. Any dredged material will be deposited in a contained upland disposal area to prevent sediment run-off. All open trenches will be backfilled and compacted post-construction. A temporary pump-around featuring cofferdams will be utilized to facilitate construction activities. Disturbed areas will be seeded and returned to pre-construction conditions where possible.

Project Location: Approximately 8,500' downstream from the East County Road 200 South stream crossing near Lafayette

**Application #: FW-31125-0**

Waterbody: St. Joseph River

Applicant: City of Mishawaka, Christine Jamrose, 600 East Third Street, Mishawaka, IN, 46544

Received Date: 6/4/2021

County: St. Joseph

Project Description: This project is part of the Mishawaka River East Extension and consists of three components. First, it includes the construction of a short extension of the Riverwalk along the north bank of the St. Joseph River and under the north end of the Cedar Street Bridge, with stairs leading up to the Edgewater Drive at the northeast corner of the Cedar Street Bridge. Second, the Cedar Street Bridge will be widened on the west side to allow for a multi-use path. Finally, a pedestrian overlook will be constructed in the southwest quadrant of the bridge, which will include the construction of a retaining wall. The overlook will connect into a future project to be done by the City, which will extend the Riverwalk. This project will increase the usability and enhance the Mishawaka Riverwalk. The trail under the bridge will provide a safer means for pedestrians using the trail to cross Cedar Street. The riprap under the bridge will provide erosion control for the riverbanks and the overlook with retaining wall on the south side of the bridge will enhance the user experience of the Riverwalk. The native plantings in the overlook area will provide erosion control for the riverbank and will also increase the beauty of the surroundings. Compensatory mitigation for this project will occur as part of the City of Mishawaka's overall Compensatory Mitigation Plan for its various planned projects via the utilization of their IDNR In-Lieu fee Mitigation Program credits.

Project Location: At the Cedar Street stream crossing at Mishawaka

**Application #: FW-31127-0**

Waterbody: Ohio River

Applicant: INDOT, Jennifer Curry, 100 N. Senate Avenue, N758-ES, , Indianapolis, IN, 46204

Received Date: 6/7/2021

County: Floyd

Project Description: INDOT will preform bridge rehabilitation on multiple structures on I-64 in both directions. The Sherman Minton bridge (DES: 1702255, 1592187) is a double-deck bridge that is 2,053' long by 94' tall with 3 eastbound and 3 westbound lanes that measure 42' wide each. The dimensions and skew of the bridge will remain unchanged. Rehabilitation includes the replacement of the bridge deck with new barriers, structural steel repairs, replacement of hanger cable assemblies, new bearings, bridge cleaning and painting and new expansion joints. In addition, the 2 eastbound and 1 westbound approaches will be rehabilitated (DES: 1702257, 1702258, 1702259). The bridges are steel-girder bridges, with the westbound and eastbound approaches having dimensions of 651' long by 58' tall by 42' wide, 168' long by 17' tall by 42' wide and 294' long by 35' tall by 51'-1 3/4" to 58'-7 1/2" wide with varying shoulders. The dimensions and skew of the bridge will remain unchanged. Rehabilitation taking place on these structures includes; bridge deck overlay, structural repairs, new bearings, new expansion joints, removal and replacement of the approach slabs, bridge cleaning and painting. No work will take place below the ordinary high water mark (OHWM) of the Ohio River. No trees will be removed. Temporary impacts total approximately 0.55 acres and will be restored to pre-construction conditions at the end of construction.

Project Location: Beginning at the intersection of State Road 111 and I-64 and continuing south across the stream crossing of the Ohio River near New Albany

**Application #: FW-31128-0**

Waterbody: Mississinewa River

Applicant: Indiana Department of Transportation, Jennifer Curry, 100 North Senate Avenue N758-ES, Indianapolis, IN, 46204

Received Date: 6/8/2021

County: Delaware

Project Description: Bridge replacement is proposed (INDOT Des. No. 1701336). The existing bridge dimensions are 276' long by 41.67' wide by 15.89' high. Proposed bridge dimensions are 280.5' long by 43' wide by 15.91' high. The existing and proposed bridges are both 4 spans. Permanent impacts will occur below the base flood elevation (1,034 cubic yards, 95 linear feet, 0.167 acre). Class I riprap will be placed around both end bents. New abutment and pier footings will be constructed. Drainage turnouts constructed with revetment riprap on all 4 quadrants. A temporary construction entrance is required in the northeast quadrant. The construction entrance will continue as a temporary causeway. Temporary cofferdams will be required to construct the footings. Cofferdams will require dewatering with a pump, filter bag, and secondary containment. Temporary impacts will be in place approximately 4 weeks. Floodplain Seed Mix will be applied for all disturbed areas below the base flood elevation and above the ordinary high water mark. Project Location: At the State Road 28 stream crossing near Albany

**Application #: PL-24301-0**

Waterbody: Lake Manitou

Applicant: Deborah Applegate, 18032 Benton Oak Drive, , Noblesville, IN, 46062

Received Date: 4/20/2021

County: Fulton

Project Description: An existing 10' wide and 30' long portion of the channel connected to Lake Manitou will have approximately 1' of material removed by dredging. The center of the channel will be dredged until it reaches a depth of approximately 2' below the legal lake level, and will slope to reach a depth of 1' below the legal lake level at the shoreline. The excavated material will be removed and disposed off site. Additionally, a new seawall will be constructed along 30' of the shoreline the channel. The seawall will consist of 7' vinyl sheets to be anchored to deadman anchors 12' into the yard. The vinyl sheets will be driven with 3' being left exposed. The area landward of the wall will be backfilled with approximately 30' by 1' by 3' of clean pea gravel. Project Location: Fords Court Lot 8 near Rochester

**Application #: PL-24348-0**

Waterbody: Upper Fish Lake

Applicant: Richard Greep, 8203 Schreiber Drive, , Munster, IN, 46321

Received Date: 6/3/2021

County: LaPorte

Project Description: An existing railroad tie seawall will be removed and replaced with a glacial stone seawall along 36' of the shoreline. The seawall will be composed of 3" to 6" diameter glacial stone. The lakeward face of the seawall will be located along the lake's legal shoreline. Project Location: 124 Lakeside Drive at Walkerton

**Application #: PL-24353-0**

Waterbody: Big Barbee Lake

Applicant: Erin Shelton and Randall Woods, , 35 Ems B1 A Lane, Leesburg, IN, 46538

Received Date: 6/9/2021

County: Kosciusko

Project Description: An existing concrete seawall will be refaced across 93' with re-enforced concrete which will be tied to the existing wall with 1/2" re-rod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 36" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Project Location: 35 EMS B1A Lane near North Webster

**Application #: PL-24354-0**

Waterbody: Webster Lake

Applicant: Mark Terry, 756 East Willis Park, , , North Webster, IN, 46555

Received Date: 6/9/2021

County: Kosciusko

Project Description: An existing wooded seawall will be refaced across 45' with re-enforced concrete tied to the existing wall with 1/2" re-rod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 36" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall.  
Project Location: 756 East Willis Park at North Webster

**Application #: PL-24355-0**

Waterbody: Big Chapman Lake

Applicant: Dennis Polk, 1681 Chapman Lake Drive, , , Warsaw, IN, 46582

Received Date: 6/9/2021

County: Kosciusko

Project Description: An existing wooded seawall will be refaced across 125' with re-enforced concrete which will be tied to the existing wall with 1/2" re-rod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 36" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall.  
Project Location: 1681 Chapman Lake Drive at Warsaw

**Application #: PL-24358-0**

Waterbody: Pine Lake

Applicant: Scott Siefker, 402 Oak Drive, La Porte, IN, 46350

Received Date: 6/15/2021

County: LaPorte

Project Description: A new steel sheet piling seawall will be constructed along 87' of the shoreline. The lakeward face of the seawall will be located along the lake's legal shoreline.  
Project Location: 402 Oak Drive at La Porte

**Application #: PL-24359-0**

Waterbody: Wawasee Lake

Applicant: Dan Morrison, 11742 Sunrise Drive, , , Syracuse, IN, 46567

Received Date: 6/15/2021

County: Kosciusko

Project Description: An existing concrete seawall will be refaced across 260' with re-enforced concrete which will be tied to the existing wall with 1/2" re-rod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 24" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall.  
Project Location: 11742 North Sunrise Drive at Syracuse

**Application #: PL-24360-0**

Waterbody: Clear Lake

Applicant: Ryan and Elaine Rolf, 16488 Quarry Boulevard, Hometown, IN, 46748

Received Date: 6/17/2021

County: Steuben

Project Description: An existing concrete seawall will be refaced using concrete along 46' of shoreline. The lakeward face of the wall will be along the lake's legal shoreline.  
Project Location: 824 South Clear Lake Drive near Fremont

**Application #: PL-24363-0**

Received Date: 6/21/2021

Waterbody: Pine Lake

County: LaPorte

Applicant: Jeff Dunifon, 513 Lakeside Street, , , Laporte, IN

Project Description: A new vinyl seawall will be constructed along 134' of the shoreline. The wall will consist of 8' vinyl sheets which will be driven to allow 4' exposure and be anchored to deadman anchors 12' into the yard. The lakeward face of the wall will be located along the lake's legal shoreline. The area behind the wall will be backfilled with clean peastone.

Project Location: 513 Lakeside Street near Laporte