



## **DNR 30-DAY PUBLIC NOTICE**

The Department of Natural Resources serves the DNR 30-Day Public Notice in order to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3.

The DNR 30-Day Public Notice is published weekly to serve notice of the latest permit applications received at the DNR, Division of Water. This Notice can be viewed on the web at <http://www.in.gov/dnr/water/> and can be provided by email upon written request. To receive the DNR 30-Day Public Notice as a weekly email attachment, email your full name and a valid email address to [DNRPublicNoticeRecipient@dnr.IN.gov](mailto:DNRPublicNoticeRecipient@dnr.IN.gov).

The permit applications and supporting documentation is available for public viewing on-line at <https://dowunity.dnr.in.gov/#>. For questions concerning a permit application, contact the Division of Water, Technical Services Section, at (317) 232-4160 or toll free at 1-877-928-3755 and select 1 during the recorded menu narrative.

---

### **Petition for Public Hearing**

A pre-action public hearing on an application may be requested by filing a written petition. For a petition to be considered valid it must:

1. contain the typed or legibly printed name and complete mailing address of each petitioner;
2. be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. affirm that each signatory to the petition satisfies the requirements of item 2; and
4. identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted. To request a pre-action public hearing, send the petition by email to [water\\_inquiry@dnr.in.gov](mailto:water_inquiry@dnr.in.gov) or by mail to:

IDNR, Division of Water  
Technical Services Section  
402 West Washington Street, Room W264  
Indianapolis, Indiana 46204-2641

### **Notification of Department Action**

A person may request that the Department notify them when a Department Action is issued. To be notified of a Department Action, send a request that includes the permit application number or the applicant name, project description and county to email address [water\\_inquiry@dnr.in.gov](mailto:water_inquiry@dnr.in.gov) or by mail to the address above.

Permit Application Numbers with a prefix of:

FW are being reviewed under the Flood Control Act, IC 14-28-1 and the Flood Plain Management Rule, 312 IAC 10  
PL are being reviewed under the Lake Preservation Act, IC 14-26-2 and the Public Freshwater Lake Rule, 312 IAC 11  
DR are being reviewed under the Lowering of the Ten Acre Lake Act, IC 14-26-5  
NW are being reviewed under the Navigable Waterways Act, IC 14-29-1  
LM are being reviewed under the Navigable Waterways Act, IC 14-29-1 related to Lake Michigan  
SG are being reviewed under the Sand and Gravel Permits Act, IC 14-29-3  
AC are being reviewed under the Construction of Channels Act, IC14-29-4



**State of Indiana  
Department of Natural Resources**



**DNR 30-DAY PUBLIC NOTICE**

Date: 10/13/2021

**Application #: FW-31226-0**

Waterbody: Behner Brook

Applicant: 96th Street Investors LLC, David George, 805 City Center Drive, Suite160, , , Carmel, IN, 46032

Received Date: 8/23/2021

County: Hamilton

Project Description: A new concrete box culvert crossing will be placed in Behner Brook to carry a new roadway across the stream. The new crossing will be 8' high, 17' wide and 145' long and set in concrete headwalls with 45-degree wing walls. It will have upstream and downstream invert elevations of 747.22' and 746.39' NAVD, respectively. It will be sumped 1 foot below the existing creek flow line. A 2' wide riprap bench set at ordinary high water will be installed along each side of the stream within the box culvert section. Minor channel shaping will be confined to the construction limits of the new crossing. The shaped areas will be lined with 24" thick layer of riprap placed over geotextile fabric. The low crown of the roadway over the culvert will be 760.30' NAVD. Additionally, a 410' long segment of stream immediately downstream of the new crossing is currently encapsulated by an 8' by 16' concrete box culvert. The existing encapsulation will be removed as a part of this project. An open channel will be restored through this 410' segment of Behner Brook. The new channel dimensions will be 2' deep, with a 7' bottom width and 3:1 side slopes. The channel will be excavated along the existing encapsulation alignment and will utilize a pump around to manage base flow and sediment control during construction. Material excavated from the construction of the new channel will be stockpiled outside of the floodplain for later use as fill. In addition, the project includes new storm sewer, water and sanitary that will serve future development.

Project Location: Approximately 880' north/northwest (downstream) of the Allisonville Road crossing near Fishers

**Application #: FW-31264-0**

Waterbody: Ohio River

Applicant: Richard and Carie Heimabach, 2661 South Harrell Street, Hanover, IN, 47243

Received Date: 9/23/2021

County: Jefferson

Project Description: A new 40' by 50' elevated residential structure will be constructed.

Project Location: 2661 South Harrell Street near Hanover

**Application #: FW-31266-0**

Waterbody: Blue River

Applicant: Martha Rothrack Byerley, 4295 Mount Solomon Road Northwest, Corydon, IN, 47112

Received Date: 9/24/2021

County: Harrison

Project Description: A 24' by 36' open sided shelter will be constructed.

Project Location: Begins north of 1774 Harrison Spring Road North West near Corydon

**Application #: FW-31270-0**

Waterbody: Blue River

Applicant: Ben and Carrie Spencer, 3654 Country Lane Northeast, Lanesville, IN, 47136

Received Date: 9/27/2021

County: Harrison

Project Description: A new 42' by 50' shelter will be installed on top of a concrete pad.

Project Location: Beginning approximately 650' northeast of the stream crossing of Blue River and Harrison Spring Road near Lanesville

**Application #: FW-31274-0**

Waterbody: Opossum Creek

Applicant: Joli Development, Joe Conner, 4511 East Base Road, , , Columbus, IN, 47201

Received Date: 9/28/2021

County: Bartholomew

Project Description: A new culvert will be constructed over Opossum Creek near the new Wildflower Ridge Subdivision. The culvert will be a 7' tall by 10' wide by 52' long, four sided concrete box culvert with vertical abutments and will be skewed 7 degrees with stream flow. The culvert will be countersunk 2' below the flowline elevation of 617.0' NGVD29. Concrete wing walls will tie the culvert to the streambank at all four corners. A 2' thick layer of riprap will be placed along the channel through the bridge opening, extending 25' upstream and downstream of each bridge face. Riprap will also be placed on the stream banks along the inside of the wing walls and on each side of the approach roads. The existing overbanks will be filled from 0.5' to 3.5' with compacted earthen fill and will have side slopes of 4:1. The top of road elevation will vary from 624.2 to 626.1' NGVD29. The approach roads will be 25' wide with 5' sidewalks on either side. No guardrails will be installed.

Project Location: Beginning just north of the dead end of Periwinkle Road in the Wildflower Estates Subdivision near Columbus

**Application #: FW-31277-0**

Waterbody: Ohio River

Applicant: Duke Energy LLC, William B Taylor, 1000 East Main Street, Plainfield, IN, 46168

Received Date: 9/28/2021

County: Floyd

Project Description: All buildings and smokestacks will be removed except for the switchyard area. The discharge tunnel and intake flumes will be grouted-in-place and approximately 1.75 acres of trees will be removed.

Project Location: Begins approximately 2,240' southwest of the intersection of Jackson Street and Galiger Station Road and extends approximately 2,600' south near New Albany

**Application #: FW-31287-0**

Waterbody: McClure Ditch

Applicant: Tippecanoe County Highway Department, Stewart W Kline, 20 North 3rd Street, , Lafayette, IN, 47901

Received Date: 10/5/2021

County: Tippecanoe

Project Description: This project proposes work associated with the construction of Yeager Road from 1,775' north of Kalberer Road (County Road 350 N) to County Road 500 North. Improvements include asphalt roadway, curb and gutter, sidewalks, multi-use path, and storm sewer systems. Within the regulatory floodway, the project also includes the placement of new box culvert within the stream channel under the new roadway. The existing triple corrugated metal pipe culverts carrying the stream under County Road 140 West will also be removed as a part of this project.

Project Location: Approximately 200' upstream from the North County Road 140 West stream crossing near West Lafayette

**Application #: FW-31291-0**

Waterbody: Flaugh Ditch

Applicant: Fort Wayne Parks &amp; Recreation, Dave Weadock, 705 East State Boulevard, Fort Wayne, IN, 46805

Received Date: 10/5/2021

County: Allen

Project Description: This project proposes the construction of an asphalt trail at Buckner Park. Approximately 20 linear feet of the Linnemeier-Lunz Drain and 6 linear feet along the west bank of Flaugh Ditch will be impacted for a culvert crossing. A 20 linear foot 4' by 6' concrete box culvert

will replace an existing 4' diameter iron pipe culvert. The new culvert will be sumped 6". Approximately 38.22 cubic yards of original soil and existing concrete and riprap will be excavated below the Ordinary High Water Mark (OHWM) and 34.31 cubic yards of excavated soil and culvert will be placed below the OHWM. Glacial stones and riprap will be placed on the sides of the culvert for aesthetic purposes. No glacial stones or riprap will be placed below the OHWM.

Project Location: Approximately 1,250' upstream from the Interstate 69 stream crossing at Fort Wayne

**Application #: FW-31293-0**

Waterbody: Willow Creek

Applicant: Porter County, Robert W Thompson, 155 Indiana Avenue, Suite 311, , , Valparaiso, IN, 46383

Received Date: 10/6/2021

County: Porter

Project Description: The existing bridge carrying Central Avenue over the stream channel will be replaced with a new structure on essentially the same alignment to improve traffic flow. The new structure will be a single-span pre-stressed concrete I-Beam bridge with span lengths of approximately 70'. The structure will have an out-to-out length of 134' and a clear roadway width of 28'. The spill-through abutments will have 2:1 sideslopes armored with revetment riprap. The abutments and piers were skewed 29 degrees to align with the streamflow. The existing structure will be completely removed. The proposed bridge will be approximately 35' upstream of the existing bridge and the roadway aligned with the new structure. The project is federally funded.

Project Location: At the Central Avenue stream crossing at Portage

**Application #: PL-24442-0**

Waterbody: Westler Lake

Applicant: Brian Klein, 0865 East 680 South, Wolcottville, IN, 46795

Received Date: 9/8/2021

County: Lagrange

Project Description: A new sloping gravel pad will be installed along 50' of the shoreline. Additionally, a 24' wide by 24' long underwater beach will be installed. Finally, broken concrete material will be removed from within the lake and shoreline as the result of the removal of a concrete seawall, boatwell and pier.

Project Location: 865 East 680 South at Wolcottville

**Application #: PL-24456-0**

Waterbody: Kuhn Lake

Applicant:

Received Date: 9/22/2021

County: Kosciusko

Project Description: An existing 65' by 35' portion of a channel will be dredged to a depth of 6'. Approximately 500 cubic yards of sediment will be removed from the channel bed by dredging to a maximum depth of 6' at the center of the channel and sloping uniformly to a depth of 6 inches at the shoreline. The excavated material will be transported to an upland containment area for dewatering and disposal. An earthen plug will be utilized during constriction and removed upon project completion.

Project Location: 20 EMS B9 Lane at Pierceton

**Application #: PL-24458-0**

Waterbody: Winona Lake

Applicant: Kevin Harney, 2 Trail Side Drive, , , Winona Lake, IN, 46590

Received Date: 9/22/2021

County: Kosciusko

Project Description: A new 200' vinyl sheet piling seawall will be constructed. The wall will consist of 10' long sheets anchored to deadman anchors 12' into the yard. Vinyl sheets will be driven with 3.5' exposed. The area behind the wall will be backfilled with clean peastone.

Project Location: 2303 Westwood Road at Warsaw

**Application #: PL-24459-0**

Waterbody: Witmer Lake

Applicant: David Kauffman, 7800 South140 East, , , Wolcottville, IN, 46795

Received Date: 9/22/2021

County: Lagrange

Project Description: A new vinyl seawall will be constructed across 108' of the shoreline. The wall will consist of 7' vinyl sheets that will be anchored to deadman anchors 12' landward and will have a 3' exposure. The lakeward face of the wall will be located along the lake's legal shoreline. The area behind the wall will be backfilled with clean pea gravel.

Project Location: 7800 South 140 East at Wolcottville

**Application #: PL-24461-0**

Waterbody: Wawasee Lake

Applicant: Kevin Holmes, 8199 East Rosella Street, , , Syracuse, IN, 46567

Received Date: 9/27/2021

County: Kosciusko

Project Description: An existing concrete seawall will be refaced across 50' of shoreline. The refacing will consist of reinforced concrete which will be tied to the existing wall with 1/2" re-rod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 36" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall.

Project Location: 8199 East Rosella Street near Syracuse

**Application #: PL-24462-0**

Waterbody: Wawasee Lake

Applicant: Amy Snider, 6259 East Pickwick Park Drive, , , Syracuse, IN, 46567

Received Date: 9/28/2021

County: Kosciusko

Project Description: An existing concrete seawall will be refaced across 50' of shoreline. The refacing will consist of reinforced concrete which will be tied to the existing wall with 1/2" re-rod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 36" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall.

Project Location: 6259 East Pickwick Park Drive near Syracuse

**Application #: PL-24463-0**

Waterbody: Webster Lake

Applicant: John Dean, 205 Short Street, , , North Webster, IN, 46555

Received Date: 9/28/2021

County: Kosciusko

Project Description: An existing concrete seawall will be refaced across 55' of shoreline. The refacing will consist of reinforced concrete which will be tied to the existing wall with 1/2" re-rod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 36" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall.

Project Location: 205 North Short Street at North Webster

**Application #: PL-24464-0**

Waterbody: Syracuse Lake

Applicant: Marcia &amp; Terry Weiss, 1259 East Northshore Drive, , , Syracuse, IN, 46567

Received Date: 9/28/2021

County: Kosciusko

Project Description: An existing concrete seawall will be refaced across 95' of shoreline. The refacing will consist of reinforced concrete which will be tied to the existing wall with 1/2" re-rod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 24" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. The project was previously approved under PL-23646.

Project Location: 1259 East Northshore Drive at Syracuse

**Application #: PL-24465-0**

Waterbody: Wawasee Lake

Applicant: Mark Kramer, 12337 Kings Drive, , , Syracuse, IN, 46567

Received Date: 9/28/2021

County: Kosciusko

Project Description: An existing concrete seawall will be refaced across 85' of shoreline. The refacing will consist of reinforced concrete which will be tied to the existing wall with 1/2" re-rod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 36" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall.

Project Location: 12337 Kings Drive at Syracuse

**Application #: PL-24468-0**

Waterbody: Chapman Lake

Applicant: Tracie Hawblitzel, 2072 Pheasant Ridge Drive, , , Warsaw, IN, 46580

Received Date: 10/1/2021

County: Kosciusko

Project Description: An area measuring approximately 30' by 232' will undergo maintenance dredging. Approximately 437 cubic yards of accumulated muck and debris will be removed from the lake bed by dredging to a depth of 4' below the average water level of the lake at distance of 100' from the shoreline and uniformly sloping back to the shoreline. The excavated material will be transported off-site.

Project Location: Extending lakeward from 1041 Chapman Lake Drive near Warsaw

**Application #: PL-24470-0**

Waterbody: Lake Wawasee

Applicant: Stephen V and Carroll A Wills, 8608 East Hatchery Road, Syracuse, IN, 46567

Received Date: 10/6/2021

County: Kosciusko

Project Description: An existing concrete seawall will be refaced across 338' of the shoreline. The reface layer will have a maximum thickness of 12" and will be sloped on the lakeward side. A 36" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Existing glacial stone will be retained to use as toe protection along the portion of the seawall facing the lake rather than the channel.

Project Location: 8608 East Hatchery Road near Syracuse