



DNR 30-DAY PUBLIC NOTICE

The Department of Natural Resources serves the DNR 30-Day Public Notice in order to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3.

The DNR 30-Day Public Notice is published weekly to serve notice of the latest permit applications received at the DNR, Division of Water. This Notice can be viewed on the web at <http://www.in.gov/dnr/water/> and can be provided by email upon written request. To receive the DNR 30-Day Public Notice as a weekly email attachment, email your full name and a valid email address to DNRPublicNoticeRecipient@dnr.IN.gov.

The permit applications and supporting documentation is available for public viewing on-line at <https://dowunity.dnr.in.gov/#>. For questions concerning a permit application, contact the Division of Water, Technical Services Section, at (317) 232-4160 or toll free at 1-877-928-3755 and select 1 during the recorded menu narrative.

Petition for Public Hearing

A pre-action public hearing on an application may be requested by filing a written petition. For a petition to be considered valid it must:

1. contain the typed or legibly printed name and complete mailing address of each petitioner;
2. be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. affirm that each signatory to the petition satisfies the requirements of item 2; and
4. identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted. To request a pre-action public hearing, send the petition by email to water_inquiry@dnr.in.gov or by mail to:

IDNR, Division of Water
Technical Services Section
402 West Washington Street, Room W264
Indianapolis, Indiana 46204-2641

Notification of Department Action

A person may request that the Department notify them when a Department Action is issued. To be notified of a Department Action, send a request that includes the permit application number or the applicant name, project description and county to email address water_inquiry@dnr.in.gov or by mail to the address above.

Permit Application Numbers with a prefix of:

FW are being reviewed under the Flood Control Act, IC 14-28-1 and the Flood Plain Management Rule, 312 IAC 10

PL are being reviewed under the Lake Preservation Act, IC 14-26-2 and the Public Freshwater Lake Rule, 312 IAC 11

DR are being reviewed under the Lowering of the Ten Acre Lake Act, IC 14-26-5

NW are being reviewed under the Navigable Waterways Act, IC 14-29-1

LM are being reviewed under the Navigable Waterways Act, IC 14-29-1 related to Lake Michigan

SG are being reviewed under the Sand and Gravel Permits Act, IC 14-29-3

AC are being reviewed under the Construction of Channels Act, IC14-29-4



DNR 30-DAY PUBLIC NOTICE

Date: 12/10/2025

Application #: DR-588-0

Received Date: 9/17/2025

Waterbody: Wyland Ditch

County: Kosciusko

Applicant: Kosciusko County Drainage Board, James Moyer, 100 West Center Street, Warsaw, IN, 46580

Project Description: 2,700' of the county regulated drain Wyland Ditch will be debrushed and bottom dipped of accumulated sediment 1.5' deep. Spoil will be deposited 25' west from the banks.

Project Location: Directly north of the crossing of CR 500 S to the south side of the crossing of CR 450 S and Wyland Ditch near Warsaw

Application #: FW-33523-0

Received Date: 10/31/2025

Waterbody: Haueisen Ditch

County: Marion

Applicant: Sukhwinder Singh, 5595 Noble Drive, , Indianapolis, IN, 46234

Project Description: A new parking lot will be built in the Haueisen Ditch floodway. Approximately 1.515 acres of the parking lot will be located within the floodway limits. Drainage will be facilitated by 125' of 15" diameter concrete pipe and 76' of 18" diameter concrete pipe will be installed subgrade and connect to a dry basin outside the floodway. An inlet structure with riprap scour protection will also be conduct overflow from Haueisen Ditch through 114' of 12" diameter concrete pipe. All trenches and borrow will be backfilled with granular material. No trees will be removed.

Project Location: 1600 West Thompson Street at Indianapolis

Application #: FW-33526-0

Received Date: 11/3/2025

Waterbody: North Harrison Lake

County: Bartholomew

Applicant: Harrison Lake Dam Committee, Zack Ellison, PO Box 2572, , Columbus, IN, 47202

Project Description: A new spillway will be installed at the outlet of the existing Harrison Lake North Dam. The new spillway will include a 64' weir with an overflow elevation of 698.80', the installation of revetment riprap around the inlet, and sheet piling protection around the inlet driven to a depth of at least 46'. The outlet will include twin, 84" reinforced concrete pipes connected by manholes for energy dissipation. The last section of pipe will be jointless welded steel with air relief structures to minimize cavitation. The outlet of the proposed spillway will be connected to the outlet of the existing spillway, and the existing riprap will be replaced by a concrete baffle block energy dissipator and class 2 riprap along the shore of Williams Pond.

Project Location: 828 South Country Club Road near Columbus

Application #: FW-33528-0

Received Date: 11/17/2025

Waterbody: Wildcat Creek

County: Carroll

Applicant: Indiana Department of Transportation, Crystal Rehder, 100 North Senate Avenue, Room N758-ES, , , Indianapolis, IN, 46204

Project Description: The existing 76' long concrete box culvert will be rehabilitated by placing a rigid deck overlay and completing substructure repairs (INDOT Des. No. 2002010). Also, approximately 410 cubic yards of riprap will be placed on the slope walls, around the bridge piers and for the installation of 6 splash pads. The riprap splash pads will be 6' by 6' and 1.5' deep. In addition, A 6' wide level wildlife passage will be installed along the north abutment of the bridge with 6" of compacted aggregate, No. 53, where there is an existing shelf above the ordinary high water mark on top. All disturbed areas will be revegetated. Total permanent impacts will total approximately 408.3 cubic yards due to riprap placement around bridge piers, abutment slope, tree removal and the riprap splash pads. Temporary impacts will total approximately 75.4 cubic yards due to cofferdams, dewatering equipment and construction access. Temporary impact will be in place for approximately 4 weeks. Approximately 0.007 acres of tree removal will be required.

Project Location: At the South State Road 29 crossing at Burlington

Application #: FW-33529-0

Received Date: 11/17/2025

Waterbody: East Fork White River

County: Jackson, Jackson

Applicant: Jackson County Water Authority, , 1119 West Spring Street, Brownstown, IN, 47220

Project Description: The proposed 2025 Well Field Improvements project consists of Division I Wells and Division II Raw Water Mains. Six (6) 16"-diameter, 500-gpm wells will be constructed with elevated platforms at 3' above the 100-year flood elevation of 544', NAVD88. An electrical/control building and generator will be mounted on a platform at the same 547' elevation as the well platforms. All six (6) existing active wells located adjacent to the WTP on the south side of the East Fork White River will be decommissioned. While the existing well field is located on JCWA property, adjacent to the water treatment plant (WTP) building, the proposed well field will be located on the north side of the East Fork White River. A pair of parallel raw water mains will connect the new well field to the existing WTP. The water mains will be installed by open cut with the exception of a section that will be installed by horizontal directional drilling (HDD) under the East Fork White River. A minimum 10' cover between the river bed and water main will be maintained at the crossing site.

Project Location: Beginning approximately 4,400" north from the U.S. Route 50 stream crossing and extending south to a point approximately 3,000' southeast from the U.S. Route 50 stream crossing near Brownstown

Application #: FW-33537-0

Received Date: 11/12/2025

Waterbody: Ohio River

County: Floyd

Applicant: City of New Albany, Brad Fair, 37 West 10th Street, New Albany, IN, 47150

Project Description: The proposed project is to install a 4' wide by 30' long seasonal gangway and 8' wide by 24' long boat dock to the recently completed boat ramp constructed along the Ohio River. The dock will be attached to the existing boat ramp and anchored to shore via a wire frame to a post placed in the bank area adjacent to the boat ramp. The gangway and dock will be removed in the springtime during the wet weather events that raise the Ohio River water level to the high-water mark.

Project Location: 100 East Water Street near New Albany

Application #: FW-33540-0

Waterbody: Ohio River

Applicant: Duke Energy Indiana, LLC, William Taylor, 1000 East Main Street, , Plainfield, IN, 46168

Received Date: 11/17/2025

County: Floyd

Project Description: The Ash Pond Closure Plan involves capping the North Ash Pond, Primary Pond, and Primary Pond Ash Fill with a composite cover system. Existing ditches will be removed, and stormwater will be managed using riprap splash pads. Ash Pond A will be excavated, with CCR material relocated to the RWS I Landfill, then covered with vegetated soil and graded for drainage. A stabilization berm and drainage channels will be added. Additional work includes placing structural fill, abandoning existing infrastructure. A composite final cover system consisting of a geomembrane liner with an integrated drainage layer covered by a geotextile and a 3' thick layer of vegetated cover soils will be constructed over the existing CCR material at a minimum 2% slope at the RWS I Landfill.

Project Location: 30 Jackson Street at New Albany

Application #: FW-33542-0

Waterbody: Pogues Run

Applicant: Friends of Brookside and Spades Parks, Alyssa Geisler, 842 North Hamilton Avenue, , Indianapolis, IN, 46201

Received Date: 11/19/2025

County: Marion

Project Description: The existing pedestrian bridge carrying a trail in Brookside Park over Pogue's Run will be replaced with a new superstructure on the same alignment for the public's safety and to help with traffic flow. The new superstructure will be a 1-span prefabricated truss bridge with span length of 92'. The structure will have an out-to-out length of 94' and a clear roadway width of 12'. The abutments will rest on the original concrete arch ends. The abutments will be skewed 0 degrees with the streamflow to match the existing structure. The new approach trail will be elevated a maximum of 1' above the existing approaches. The existing structure will not be completely removed. This project is privately funded in a public park. Approximately 0.06 acres of non wetland tree removal will be required.

Project Location: Approximately 500' east of Brookside Parkway North Drive and 1,000' north of Brookside Parkway South Drive near Indianapolis

Application #: FW-33543-0

Waterbody: Evers Ditch

Applicant: DeMotte Christian Schools, Lemuel Hucks, 1223 Begonia Street Southeast, , Demotte, IN

Received Date: 11/20/2025

County: Jasper

Project Description: A new bridge will be constructed over Evers Ditch to carry pedestrians across the stream. The new structure will be a 45' long, 8' wide aluminum bridge with concrete foundations. The structure will be placed above the ditch banks, perpendicular to flow. The approach walkways will be elevated a maximum of approximately 3' above the existing grade.

Project Location: Approximately 550' east and 230' south of the intersection of Hickory Street Southwest and 19th Street near Demotte

Application #: FW-33545-0

Waterbody: Yellow Creek

Applicant: Elkhart County Highway Department, Vincent DiVaccaro, 610 Steury Avenue, Goshen, IN

Received Date: 12/3/2025

County: Elkhart

Project Description: The bridge carrying County Road 18 over Yellow Creek will be removed and replaced. The new bridge will be a single span, 60' long prestressed concrete box beam bridge. The width will measure 52' including two 12' travel lanes, 8' shoulders and 6' sidewalks for both east and westbound lanes. Riprap will be used for scour protection along south of the roadway on the north bank of Yellow Creek. Additionally, 287' of riprap will be placed for erosion prevention to the roadway. Total permanent impacts will total approximately 0.664 acres. Temporary impacts will include cofferdams along banks with no stream blockage. A 5' wide wildlife crossing will also be installed on the west side. Approximately 0.549 acres of tree clearing will be required. Approximately 0.027 acres of wetland impacts are anticipated.

Project Location: At the stream crossing of County Road 18 over Yellow Creek at Elkhart

Application #: FW-33555-0

Received Date: 12/1/2025

Waterbody: West Fork White River

County: Madison

Applicant: Madison County Parks and Recreation Department, Jessica Bastin, 16 East 9th Street, Anderson, IN, 46016

Project Description: An existing agricultural field will be converted into a public park. The project includes the installation of a boat and kayak launch, access drive, parking area, trail system, fishing node and five (5) overlook areas. Also, two 12" RCP culverts will be placed. A wetland retention area will be constructed for stormwater management. To complete the project, a temporary cofferdam and dewatering may be required to install the fishing node.

Project Location: Directly north and west of the intersection of North Layton Road and West 8th Street Road

Lat/Long: 40.121462, -85.751640 near Anderson

Application #: PL-25339-0

Received Date: 11/17/2025

Waterbody: Dewart Lake

County: Kosciusko

Applicant: Jon Shenk, 722 Beinbridge Place, , , Goshen, IN, 46526

Project Description: An existing glacial stone seawall along Dewart Lake will be repaired. The wall will be composed of 6" to 34" diameter and will be approximately 50' long. Glacial stone on top of the existing washed river rock.

Project Location: 65 EMS D12 Lane

Below the system would not let me put in Syracuse for the city. at Syracuse

Application #: PL-25350-0

Received Date: 12/4/2025

Waterbody: Lake Maxinkuckee

County: Marshall

Applicant: Fred and Dawn Irving, 2114 East Shore Lane, Culver, IN, 46511

Project Description: An existing concrete seawall will be refaced with concrete and integrated glacial stone panels across 50' of shoreline on Lake Maxinkuckee. The reface layer will consist of 10" thick panels bolted to the existing seawall and further secured with poured concrete. The embedded glacial stone will be 6"-12" in diameter with 90% of the stone being embedded into the concrete. A footer will be excavated and poured below the lake bed for stabilization.

Project Location: 2114 East Shore Drive near Culver