

Sticker Agent

For Use with Hercon® Disrupt Micro-Flake® Mating Disruption Products

Principal Functioning Agents:

Acrylic copolymer	65%
Constituents ineffective as Sticker	35%
Total	100%

All ingredients are exempt from the requirements of a tolerance under 40 CFR 180

DPR Reg No. 8730-50004-AA Net contents 1 gallons ☐ 2.5 gallons ☐

C A U T I O N FIRST AID

IF SWALLOWED

- Call a poison control center or doctor immediately for treatment advice
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by a poison control center or doctor.
 - Do not give anything to an unconscious person

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor immediately for treatment advice

IF ON SKIN

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor immediately for treatment advice.

IF INHALED

- Move person to fresh air.
- If a person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible
- Call a poison control center or doctor immediately for further treatment advice

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information concerning this product, call the National Pesticide Information Center (NPIC) at 1-800-858-7378 seven days a week, 6:30 am to 4:30 pm Pacific Time (NPIC Web site: www.npic.orst.edu). After 4:30 pm call your poison control center at 1-800-222-1222.

PRECAUTIONARY STATEMENTS

CAUTION. Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing. Wear protective eyewear (goggles or face shield), long-sleeved shirt and long pants, shoes plus socks and chemical-resistant gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

DIRECTIONS FOR USE

Hercon® Micro-Tac™ is a proprietary product that functions as a sticker. Micro-Tac™ is intended for use with Hercon® Disrupt Micro-Flake® mating disruptant products that are labeled for agricultural, forestry, non-cropland, ornamental, right-of-way and turf uses. Not for aquatic use. It can be used with a thickening agent such as Micro-Thic™.

Recommended Use Rates: For ground application: Use approved equipment only when applying the Hercon® Disrupt Micro-Flake® mating disruption products and Micro-Tac $^{\text{TM}}$. Use 8-48 oz of Micro-Tac $^{\text{TM}}$ per acre.

For Aerial Application: Use approved equipment only when applying the Hercon[®] Disrupt Micro-Flake[®] mating disruption and Micro-Tac[™]. Use 1-24 oz of Micro-Tac[™] per acre.

Environmental Hazards: Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

Storage and Disposal: Store in original container only. Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. This product is freeze sensitive. Storage conditions are between 50-90 degrees F (10-32 degrees C). After prolonged storage (greater than 6 months) product tends to settle and may require agitation to re-disperse.

Distributed by: Hercon Environmental Aberdeen Rd Emigsville, PA 17318 USA

Rev 091609