

Endangered, Threatened, Rare and Extirpated Plants of Indiana

| <u>Species Name</u> | <u>Common Name</u> | <u>GRANK</u> | <u>SRANK</u> | <u>FEDERAL</u> | <u>STATE</u> |
|-------------------------------|----------------------------|--------------|--------------|----------------|--------------|
| Acalypha deamii | Mercury | G4? | S3 | | WL |
| Aconitum uncinatum | Blue Monkshood | G4 | S1 | | SE |
| Acorus americanus | Sweetflag | G5 | SU | | WL |
| Actaea racemosa | Black Bugbane | G4 | S3 | | WL |
| Actaea rubra | Red Baneberry | G5 | S2 | | ST |
| Adlumia fungosa | Climbing Fumatory | G4 | SX | | SX |
| Aesculus octandra | Yellow Buckeye | G5 | S3 | | WL |
| Agalinis auriculata | Earleaf Foxglove | G3 | S2 | | ST |
| Agalinis fasciculata | Clustered Foxglove | G5 | S3 | | WL |
| Agalinis gattingeri | Roundstem Foxglove | G4 | S3 | | SR |
| Agalinis skinneriana | Pale False Foxglove | G3G4 | S2 | | ST |
| Agrostis scabra | Rough Bentgrass | G5 | SU | | WL |
| Alnus incana ssp. rugosa | Speckled Alder | G5T5 | S3 | | WL |
| Amelanchier humilis | Running Serviceberry | G5 | S1 | | SE |
| Ammophila breviligulata | Marram Grass | G5 | S3 | | WL |
| Anaphalis margaritacea | Pearly Everlasting | G5 | SU | | WL |
| Andromeda glaucophylla | Bog Rosemary | G5T5 | S2 | | ST |
| Andropogon ternarius | Silver Bluestem | G5 | S3 | | WL |
| Androsace occidentalis | Western Rockjasmine | G5 | S2 | | ST |
| Anemone caroliniana | Carolina Anemone | G5 | SX | | SX |
| Antennaria solitaria | Single-head Pussytoes | G5 | S3 | | WL |
| Anticlea elegans var. glaucus | White Camas | G5T4T5 | S3 | | SR |
| Arabis patens | Spreading Rockcress | G3 | S1 | | SE |
| Aralia hispida | Bristly Sarsaparilla | G5 | S1 | | SE |
| Arctostaphylos uva-ursi | Bearberry | G5 | S3 | | SR |
| Arethusa bulbosa | Swamp-pink | G5 | SX | | SX |
| Aristida intermedia | Slim-spike Three-awn Grass | GNR | S3 | | WL |
| Aristida tuberculosa | Seabeach Needlegrass | G5 | S3 | | SR |
| Aristolochia tomentosa | Woolly Dutchman's-pipe | G5 | S3 | | WL |
| Asclepias meadii | Mead's Milkweed | G2 | SX | LT | SRE |
| Asclepias variegata | White Milkweed | G5 | S3 | | WL |
| Asclepias viridis | Green Milkweed | G4G5 | S1 | | SE |

GRANK: G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank

SRANK: S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,

STATE: SX=extirpated, SE=endangered, ST=threatened, SR=rare, SRE = reintroduced, WL = watch list

FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, Rare and Extirpated Plants of Indiana

| <u>Species Name</u> | <u>Common Name</u> | <u>GRANK</u> | <u>SRANK</u> | <u>FEDERAL</u> | <u>STATE</u> |
|--|-----------------------------|--------------|--------------|----------------|--------------|
| <i>Asplenium bradleyi</i> | Bradley's Spleenwort | G4 | S1 | | SE |
| <i>Asplenium montanum</i> | Mountain Spleenwort | G5 | S1 | | SE |
| <i>Asplenium resiliens</i> | Black-stem Spleenwort | G5 | S2 | | ST |
| <i>Asplenium ruta-muraria</i> | Wallrue Spleenwort | G5 | S3 | | SR |
| <i>Astragalus tennesseensis</i> | Tennessee Milk-vetch | G3 | SX | | SRE |
| <i>Aureolaria grandiflora</i> var. <i>pulchra</i> | Large-flower False-foxglove | G4G5T4T5 | SX | | SX |
| <i>Azolla caroliniana</i> | Carolina Mosquito-fern | G5 | S3 | | SR |
| <i>Bacopa rotundifolia</i> | Roundleaf Water-hyssop | G5 | S2 | | ST |
| <i>Baptisia australis</i> | Wild False Indigo | G5 | S3 | | SR |
| <i>Baptisia bracteata</i> var. <i>leucophaea</i> | Cream Wild-indigo | G4G5T4T5 | S3 | | WL |
| <i>Baptisia tinctoria</i> | Yellow Wild-indigo | G5 | S3 | | WL |
| <i>Bartonia paniculata</i> | Twining Bartonia | G5 | S3 | | WL |
| <i>Berberis canadensis</i> | American Barberry | G3 | S1 | | SE |
| <i>Besseyia bullii</i> | Kitten Tails | G3 | S1 | | SE |
| <i>Betula papyrifera</i> | Paper Birch | G5 | S3 | | SR |
| <i>Betula populifolia</i> | Gray Birch | G5 | S1 | | WL |
| <i>Bidens beckii</i> | Beck Water-marigold | G5 | S1 | | SE |
| <i>Boechera stricta</i> | Drummond Rockcress | G5 | S1 | | SE |
| <i>Boltonia asteroides</i> | White Boltonia | G5 | S3 | | WL |
| <i>Borodinia missouriensis</i> | Missouri Rockcress | G5 | S1 | | SE |
| <i>Botrychium matricariifolium</i> | Chamomile Grape-fern | G5 | S3 | | SR |
| <i>Botrychium multifidum</i> var. <i>intermedium</i> | Leathery Grape-fern | G5T4? | SX | | SX |
| <i>Botrychium simplex</i> | Least Grape-fern | G5 | S1 | | SE |
| <i>Brachyelytrum aristosum</i> | Northern shorthusk | G5 | S1 | | SE |
| <i>Buchnera americana</i> | Bluehearts | G5? | S1 | | SE |
| <i>Bumelia lycioides</i> | Buckthorn | G5 | S1 | | SE |
| <i>Cakile edentula</i> var. <i>lacustris</i> | American Sea-rocket | G5T3T5 | S3 | | WL |
| <i>Calamagrostis porteri</i> ssp. <i>insperata</i> | Reed Bent Grass | G4T3 | S1 | | SE |
| <i>Calamagrostis porteri</i> ssp. <i>porteri</i> | Porter's reedgrass | G4T4 | S1 | | SE |
| <i>Calla palustris</i> | Wild Calla | G5 | S1 | | SE |
| <i>Callirhoe triangulata</i> | Clustered Poppy-mallow | G3 | S1 | | SE |
| <i>Calopogon oklahomensis</i> | Oklahoma grass-pink | G3 | SX | | SX |

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank

SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,

STATE: SX=extirpated, SE=endangered, ST=threatened, SR=rare, SRE = reintroduced, WL = watch list

FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, Rare and Extirpated Plants of Indiana

| <u>Species Name</u> | <u>Common Name</u> | <u>GRANK</u> | <u>SRANK</u> | <u>FEDERAL</u> | <u>STATE</u> |
|--|------------------------|--------------|--------------|----------------|--------------|
| <i>Calycocarpum lyonii</i> | Cup-seed | G5 | S2 | | ST |
| <i>Calylophus serrulatus</i> | | G5 | SU | | WL |
| <i>Camassia angusta</i> | Wild Hyacinth | G5?Q | S1 | | SE |
| <i>Cardamine pratensis</i> var. <i>palustris</i> | Cuckoo Flower | G5T5 | S3 | | SR |
| <i>Carex abscondita</i> | Thicket Sedge | G4G5 | S3 | | WL |
| <i>Carex alata</i> | Broadwing Sedge | G5 | S3 | | WL |
| <i>Carex alopecoidea</i> | Foxtail Sedge | G5 | S1 | | SE |
| <i>Carex arctata</i> | Black Sedge | G5 | S2 | | ST |
| <i>Carex atherodes</i> | Awned Sedge | G5 | S1 | | SE |
| <i>Carex atlantica</i> ssp. <i>atlantica</i> | Atlantic Sedge | G5T5 | S1 | | SE |
| <i>Carex atlantica</i> ssp. <i>capillacea</i> | Howe Sedge | G5T5? | S1 | | SE |
| <i>Carex aurea</i> | Golden-fruited Sedge | G5 | S3 | | SR |
| <i>Carex aureolensis</i> | Land of Gold Sedge | GNR | S1 | | SE |
| <i>Carex bebbii</i> | Bebb's Sedge | G5 | S3 | | SR |
| <i>Carex brunnescens</i> | Brownish Sedge | G5 | S2 | | ST |
| <i>Carex bushii</i> | Bush's Sedge | G4 | S2 | | ST |
| <i>Carex castanea</i> | Chestnut colored sedge | G5 | SU | | WL |
| <i>Carex cephaloidea</i> | Thinleaf Sedge | G5 | S2 | | ST |
| <i>Carex chordorrhiza</i> | Creeping Sedge | G5 | S1 | | SE |
| <i>Carex conoidea</i> | Prairie Gray Sedge | G5 | S2 | | ST |
| <i>Carex crawei</i> | Crawe Sedge | G5 | S2 | | ST |
| <i>Carex cumulata</i> | Clustered Sedge | G4G5 | S1 | | SE |
| <i>Carex debilis</i> var. <i>rudgei</i> | White-edge Sedge | G5T5 | S3 | | WL |
| <i>Carex decomposita</i> | Cypress-knee Sedge | G3G4 | S2 | | ST |
| <i>Carex disperma</i> | Softleaf Sedge | G5 | S1 | | SE |
| <i>Carex eburnea</i> | Ebony Sedge | G5 | S3 | | SR |
| <i>Carex echinata</i> | Little Prickly Sedge | G5 | S1 | | SE |
| <i>Carex flava</i> | Yellow Sedge | G5 | S2 | | ST |
| <i>Carex folliculata</i> | Long Sedge | G5 | S3 | | SR |
| <i>Carex garberi</i> | Elk Sedge | G5 | S1 | | SE |
| <i>Carex gigantea</i> | Large Sedge | G4 | S1 | | SE |
| <i>Carex gravida</i> | Heavy Sedge | G5 | S1 | | SE |

GRANK: G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank

SRANK: S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,

STATE: SX=extirpated, SE=endangered, ST=threatened, SR=rare, SRE = reintroduced, WL = watch list

FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, Rare and Extirpated Plants of Indiana

| <u>Species Name</u> | <u>Common Name</u> | <u>GRANK</u> | <u>SRANK</u> | <u>FEDERAL</u> | <u>STATE</u> |
|---------------------------------------|----------------------|--------------|--------------|----------------|--------------|
| Carex leptalea | Bristly-stalk Sedge | G5 | S3 | | WL |
| Carex leptoneuria | Finely-nerved Sedge | G5 | S1 | | SE |
| Carex limosa | Mud Sedge | G5 | S1 | | SE |
| Carex livida | Livid Sedge | G5 | S1 | | SE |
| Carex louisianica | Louisiana Sedge | G5 | S3 | | WL |
| Carex lupuliformis | False Hop Sedge | G4 | S2 | | ST |
| Carex missouriensis | Missouri Sedge | G4 | SU | | WL |
| Carex oklahomensis | Oklahoma Sedge | G4 | S1 | | SE |
| Carex pauciflora | Few-flower Sedge | G5 | SX | | SX |
| Carex pedunculata | Longstalk Sedge | G5 | S3 | | WL |
| Carex projecta | | G5 | SU | | WL |
| Carex pseudocyperus | Cyperus-like Sedge | G5 | S1 | | SE |
| Carex retroflexa | | G5 | S3 | | WL |
| Carex retrorsa | Retrorse Sedge | G5 | S1 | | SE |
| Carex richardsonii | Richardson Sedge | G5 | S2 | | ST |
| Carex scabrata | Rough Sedge | G5 | S1 | | SE |
| Carex seorsa | Weak Stellate Sedge | G5 | S3 | | SR |
| Carex socialis | Social Sedge | G4 | S2 | | ST |
| Carex straminea | Straw Sedge | G5 | S2 | | ST |
| Carex timida | Timid Sedge | G2G4 | S1 | | SE |
| Carex trichocarpa | Hairy-fruit Sedge | G4 | S3 | | WL |
| Carex trisperma | Three-seed Sedge | G5 | S3 | | WL |
| Carex viridistellata | Green Star Sedge | G2G3 | SU | | WL |
| Carex woodii | Pretty Sedge | G4 | S3 | | WL |
| Carya pallida | Sand Hickory | G5 | S1 | | SE |
| Castanea dentata | American Chestnut | G4 | S1 | | SE |
| Catalpa speciosa | Northern Catalpa | G4? | S3 | | SR |
| Caulophyllum giganteum | Giant blue cohosh | G4G5 | SU | | WL |
| Ceanothus herbaceus | Prairie Redroot | G5 | S1 | | SE |
| Ceratophyllum echinatum | Prickly Hornwort | G4 | S3 | | WL |
| Chaerophyllum shortii | Wild Chervil | G5T3T4Q | S2 | | ST |
| Chamaecrista nictitans var. nictitans | Wild Sensitive Plant | G5T5 | S3 | | WL |

GRANK: G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank

SRANK: S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,

STATE: SX=extirpated, SE=endangered, ST=threatened, SR=rare, SRE = reintroduced, WL = watch list

FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, Rare and Extirpated Plants of Indiana

| <u>Species Name</u> | <u>Common Name</u> | <u>GRANK</u> | <u>SRANK</u> | <u>FEDERAL</u> | <u>STATE</u> |
|--|------------------------------|--------------|--------------|----------------|--------------|
| <i>Chamaelirium luteum</i> | Devil's-bit | G5 | S1 | | SE |
| <i>Chamaesyce polygonifolia</i> | Seaside Spurge | G5? | S2 | | ST |
| <i>Chamerion angustifolium</i> | Fireweed | G5 | S1 | | SE |
| <i>Cheilanthes lanosa</i> | Hairy Lipfern | G5 | S3 | | SR |
| <i>Chelone obliqua</i> var. <i>speciosa</i> | Rose Turtlehead | G4T3 | S3 | | WL |
| <i>Chimaphila maculata</i> | Spotted Wintergreen | G5 | S3 | | WL |
| <i>Chimaphila umbellata</i> ssp. <i>cisatlantica</i> | Pipsissewa | G5T5 | S1 | | SE |
| <i>Chrysosplenium americanum</i> | American Golden-saxifrage | G5 | S2 | | ST |
| <i>Cimicifuga rubifolia</i> | Appalachian Bugbane | G3 | S1 | | SE |
| <i>Circaea alpina</i> | Small Enchanter's Nightshade | G5 | SX | | SX |
| <i>Cirsium carolinianum</i> | Carolina Thistle | G5 | S3 | | SR |
| <i>Cirsium hillii</i> | Hill's Thistle | G3 | S1 | | SE |
| <i>Cirsium pitcheri</i> | Dune Thistle | G2G3 | S1 | LT | SE |
| <i>Cladrastis kentukea</i> | Yellowwood | G4 | S1 | | SE |
| <i>Clematis pitcheri</i> | Pitcher Leather-flower | G4G5 | S3 | | SR |
| <i>Clinopodium arkansanum</i> | Calamint | G5 | S2 | | ST |
| <i>Clinopodium vulgare</i> | American Wild Basil | G5 | S3 | | WL |
| <i>Clintonia borealis</i> | Clinton Lily | G5 | S1 | | SE |
| <i>Clitoria mariana</i> | Maryland Butterfly-pea | G5 | S3 | | WL |
| <i>Cocculus carolinus</i> | Red-berried Moonseed | G5 | S3 | | WL |
| <i>Coleataenia longifolia</i> ssp. <i>longifolia</i> | Long-leaved Panic-grass | G5T5? | SX | | SX |
| <i>Comptonia peregrina</i> | Sweet Fern | G5 | S3 | | WL |
| <i>Conioselinum chinense</i> | Hemlock Parsley | G5 | S1 | | SE |
| <i>Coptis trifolia</i> var. <i>groenlandica</i> | Goldthread | G5T5 | S3 | | SR |
| <i>Cornus amomum</i> ssp. <i>amomum</i> | Silky Dogwood | G5T5 | S1 | | SE |
| <i>Cornus canadensis</i> | Bunchberry | G5 | S1 | | SE |
| <i>Cornus rugosa</i> | Roundleaf Dogwood | G5 | S3 | | SR |
| <i>Corydalis sempervirens</i> | Pale Corydalis | G5 | S1 | | SE |
| <i>Crataegus chrysoarpa</i> | Fineberry Hawthorn | G5 | S1 | | SE |
| <i>Crataegus coccinea</i> var. <i>coccinea</i> | Scarlet Hawthorn | G5 | S2 | | ST |
| <i>Crataegus intricata</i> | A Hawthorn | G5 | S3 | | SR |
| <i>Crataegus iracunda</i> | Illinois Hawthorn | GNR | S1 | | SE |

GRANK: G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank

SRANK: S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,

STATE: SX=extirpated, SE=endangered, ST=threatened, SR=rare, SRE = reintroduced, WL = watch list

FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, Rare and Extirpated Plants of Indiana

| <u>Species Name</u> | <u>Common Name</u> | <u>GRANK</u> | <u>SRANK</u> | <u>FEDERAL</u> | <u>STATE</u> |
|--|-----------------------------|--------------|--------------|----------------|--------------|
| <i>Crataegus succulenta</i> var. <i>succulenta</i> | Fleshy Hawthorn | G5T5 | S3 | | SR |
| <i>Crataegus viridis</i> var. <i>viridis</i> | Green Hawthorn | G5T5 | S2 | | ST |
| <i>Croton michauxii</i> var. <i>elliptica</i> | Elliptical Rushfoil | G5 | S1 | | SE |
| <i>Cuscuta cuspidata</i> | Cusp Dodder | G5 | S1 | | SE |
| <i>Cuscuta indecora</i> | Pretty Dodder | G5 | S1 | | SE |
| <i>Cyperus acuminatus</i> | Short-point Flatsedge | G5 | S3 | | WL |
| <i>Cyperus dentatus</i> | Toothed Sedge | G4 | S1 | | SE |
| <i>Cyperus houghtonii</i> | Houghton's Nutsedge | G4? | S2 | | SE |
| <i>Cyperus pseudovegetus</i> | Green Flatsedge | G5 | S2 | | SR |
| <i>Cypripedium acaule</i> | Pink Lady's-slipper | G5 | S1 | | SE |
| <i>Cypripedium candidum</i> | Small White Lady's-slipper | G4 | S3 | | SR |
| <i>Cypripedium parviflorum</i> var. <i>makasin</i> | Small Yellow Lady's-slipper | G5T4T5 | S3 | | SR |
| <i>Cypripedium parviflorum</i> var. <i>pubescens</i> | Large Yellow Lady's-slipper | G5T5 | S3 | | WL |
| <i>Cypripedium reginae</i> | Showy Lady's-slipper | G4G5 | S3 | | SR |
| <i>Dactylorhiza viridis</i> | Long-bract Green Orchis | G5 | S1 | | SE |
| <i>Dendrolycopodium dendroideum</i> | Treelike Clubmoss | G5 | S1 | | SE |
| <i>Dendrolycopodium hickeyi</i> | Hickey's Clubmoss | G5 | S3 | | SR |
| <i>Dendrolycopodium obscurum</i> | Tree Clubmoss | G5 | S3 | | SR |
| <i>Dennstaedtia punctilobula</i> | Eastern Hay-scented Fern | G5 | S3 | | WL |
| <i>Dentaria diphylla</i> | Two-leaf Toothwort | G5 | S3 | | WL |
| <i>Dentaria multifida</i> | Divided Toothwort | G4? | S1 | | SE |
| <i>Deschampsia cespitosa</i> | Tufted Hairgrass | G5 | S3 | | SR |
| <i>Desmodium laevigatum</i> | Smooth Tick-trefoil | G5 | S3 | | WL |
| <i>Desmodium viridiflorum</i> | Velvety Tick-trefoil | G5? | S3 | | WL |
| <i>Dichanthelium annulum</i> | A Panic-grass | G4 | S1 | | SE |
| <i>Dichanthelium bicknellii</i> | A Panic-grass | G4?Q | S1 | | SE |
| <i>Dichanthelium boreale</i> | Northern Witchgrass | G5 | S3 | | SR |
| <i>Dichanthelium commonsianum</i> | Commons' Panic-grass | G5 | SU | | SE |
| <i>Dichanthelium deamii</i> | Deam's Panic Grass | GNR | SU | | WL |
| <i>Dichanthelium leibergii</i> | Leiberg's Witchgrass | G4 | S2 | | ST |
| <i>Dichanthelium lucidum</i> | Shining Panic-grass | G4 | S1 | | SE |
| <i>Dichanthelium mattamuskeetense</i> | A Panic-grass | G4? | SX | | SX |

GRANK: G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank

SRANK: S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,

STATE: SX=extirpated, SE=endangered, ST=threatened, SR=rare, SRE = reintroduced, WL = watch list

FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, Rare and Extirpated Plants of Indiana

| <u>Species Name</u> | <u>Common Name</u> | <u>GRANK</u> | <u>SRANK</u> | <u>FEDERAL</u> | <u>STATE</u> |
|---------------------------|---------------------------|--------------|--------------|----------------|--------------|
| Dichanthelium ovale | Egg-leaf Witchgrass | G5T5 | SU | | WL |
| Dichanthelium scoparium | Broom Panic-grass | G5 | S1 | | SE |
| Dichanthelium subvillosum | A Panic-grass | GNRQ | S1 | | SE |
| Dichanthelium wilcoxianum | Blood Witchgrass | G5 | S3 | | SR |
| Dichanthelium yadkinense | A Panic-grass | G4Q | S1 | | SE |
| Dicliptera brachiata | Wild Mudwort | G5 | S1 | | SE |
| Didiplis diandra | Water-purslane | G5 | S1 | | SE |
| Diervilla lonicera | Northern Bush-honeysuckle | G5 | S3 | | WL |
| Digitaria filiformis | Slender Crabgrass | G5 | SU | | WL |
| Diodia virginiana | Buttonweed | G5 | S3 | | WL |
| Diphasiastrum tristachyum | Deep-root Clubmoss | G5 | S2 | | ST |
| Dodecatheon frenchii | French's Shootingstar | G3 | S3 | | SR |
| Drosera intermedia | Spoon-leaved Sundew | G5 | S3 | | SR |
| Drosera rotundifolia | Roundleaf Sundew | G5 | S3 | | WL |
| Drymocallis arguta | | G5T5 | SU | | WL |
| Dryopteris celsa | Log Fern | G4 | S1 | | SE |
| Dryopteris clintoniana | Clinton Woodfern | G5 | S1 | | SE |
| Echinacea simulata | | G4 | SU | | WL |
| Echinodorus berteroi | Burhead | G5 | S1 | | SE |
| Echinodorus cordifolius | Creeping Bur-head | G5 | S1 | | SE |
| Echinodorus parvulus | Little Bur-head | G3Q | SX | | SX |
| Eleocharis bifida | Glades spikerush | G3G4 | S1 | | SE |
| Eleocharis equisetoides | Horse-tail Spikerush | G4 | S1 | | SE |
| Eleocharis geniculata | Capitate Spike-rush | G5 | S2 | | ST |
| Eleocharis melanocarpa | Black-fruited Spike-rush | G4 | S2 | | ST |
| Eleocharis microcarpa | Small-fruited Spike-rush | G5 | S1 | | SE |
| Eleocharis parvula | Small spikerush | G5 | SU | | WL |
| Eleocharis quinqueflora | Fewflower Spikerush | G5 | S3 | | WL |
| Eleocharis robbinsii | Robbins Spikerush | G4G5 | S2 | | ST |
| Eleocharis wolfii | Wolf Spikerush | G3G5 | S2 | | ST |
| Epigaea repens | Trailing Arbutus | G5 | S3 | | SR |
| Epilobium strictum | | G5 | SU | | WL |

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank

SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,

STATE: SX=extirpated, SE=endangered, ST=threatened, SR=rare, SRE = reintroduced, WL = watch list

FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, Rare and Extirpated Plants of Indiana

| <u>Species Name</u> | <u>Common Name</u> | <u>GRANK</u> | <u>SRANK</u> | <u>FEDERAL</u> | <u>STATE</u> |
|--|--------------------------------|--------------|--------------|----------------|--------------|
| <i>Equisetum sylvaticum</i> | Woodland Horsetail | G5 | S1 | | SE |
| <i>Equisetum variegatum</i> var. <i>variegatum</i> | Variiegated Horsetail | G5T5 | S1 | | SE |
| <i>Eriocaulon aquaticum</i> | Pipewort | G5 | S1 | | SE |
| <i>Eriophorum angustifolium</i> | Narrow-leaved Cotton-grass | G5 | S2 | | SR |
| <i>Eriophorum gracile</i> | Slender Cotton-grass | G5 | S2 | | ST |
| <i>Eriophorum spissum</i> | Dense Cotton-grass | G5T5 | SX | | SX |
| <i>Eriophorum viridicarinatum</i> | Green-keeled Cotton-grass | G5 | S2 | | SR |
| <i>Erysimum capitatum</i> | Prairie-rocket Wallflower | G5 | S1 | | SE |
| <i>Eupatorium album</i> | White Thoroughwort | G5 | S2 | | SR |
| <i>Eupatorium rotundifolium</i> | Round-leaved Boneset | G5 | S3 | | WL |
| <i>Eurybia furcata</i> | Forked Aster | G3 | S3 | | SR |
| <i>Eurybia schreberi</i> | Schreber Aster | G4 | S1 | | SE |
| <i>Euthamia caroliniana</i> | | G5 | SU | | WL |
| <i>Fallopia cili nodis</i> | Fringed Black Bindweed | G5 | S1 | | SE |
| <i>Festuca paradoxa</i> | Cluster Fescue | G5 | S2 | | ST |
| <i>Filipendula rubra</i> | Queen-of-the-prairie | G4G5 | S3 | | WL |
| <i>Fimbristylis annua</i> | Annual Fimbry | G5 | S1 | | SE |
| <i>Fimbristylis puberula</i> | Carolina Fimbry | G5 | SX | | SX |
| <i>Fleischmannia incarnata</i> | Pink Thoroughwort | G5 | S2 | | ST |
| <i>Fragaria vesca</i> var. <i>americana</i> | Woodland Strawberry | G5T5 | S1 | | SE |
| <i>Frangula caroliniana</i> | Carolina Buckthorn | G5 | S3 | | WL |
| <i>Fuirena pumila</i> | Dwarf Umbrella-sedge | G4 | S2 | | ST |
| <i>Galactia regularis</i> | Eastern Milk-pea | G5 | S3 | | WL |
| <i>Galium labradoricum</i> | Bog Bedstraw | G5 | SU | | WL |
| <i>Gaura filipes</i> | Slender-stalked Gaura | G5 | S2 | | SE |
| <i>Gentiana alba</i> | Yellow Gentian | G4 | S3 | | SR |
| <i>Gentiana puberulenta</i> | Downy Gentian | G4G5 | S1 | | SE |
| <i>Gentiana villosa</i> | Striped Gentian | G4 | S1 | | SE |
| <i>Geranium bicknellii</i> | Bicknell Northern Crane's-bill | G5 | S1 | | SE |
| <i>Geranium robertianum</i> | Herb-robert | G5 | S3 | | SR |
| <i>Geum aleppicum</i> | Yellow Avens | G5 | SU | | WL |
| <i>Geum rivale</i> | Purple Avens | G5 | S1 | | SE |

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank

SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,

STATE: SX=extirpated, SE=endangered, ST=threatened, SR=rare, SRE = reintroduced, WL = watch list

FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, Rare and Extirpated Plants of Indiana

| <u>Species Name</u> | <u>Common Name</u> | <u>GRANK</u> | <u>SRANK</u> | <u>FEDERAL</u> | <u>STATE</u> |
|--|----------------------------|--------------|--------------|----------------|--------------|
| <i>Gleditsia aquatica</i> | Water-locust | G5 | S1 | | SE |
| <i>Glyceria acutiflora</i> | Sharp-scaled Manna-grass | G5 | S1 | | SE |
| <i>Glyceria borealis</i> | Small Floating Manna-grass | G5 | S1 | | SE |
| <i>Glyceria grandis</i> | American Manna-grass | G5 | S1 | | SE |
| <i>Gymnopogon ambiguus</i> | Broadleaf Beardgrass | G4 | SX | | SX |
| <i>Helenium virginicum</i> | Virginia Sneezeweed | G3 | SU | LT | ST |
| <i>Helianthus angustifolius</i> | Swamp Sunflower | G5 | S1 | | SE |
| <i>Heliotropium tenellum</i> | Slender Heliotrope | G5 | S2 | | ST |
| <i>Hesperostipa comata</i> | Sewing Needlegrass | G5 | SX | | SX |
| <i>Heteranthera reniformis</i> | Kidney leaf Mud-plantain | G5 | SU | | WL |
| <i>Heterotheca camporum</i> var. <i>camporum</i> | Hairy Golden-aster | G5TNR | S3 | | ST |
| <i>Heuchera parviflora</i> var. <i>rugelii</i> | Alumroot | G4TNR | S3 | | WL |
| <i>Heuchera villosa</i> | Hairy Alumroot | G5 | S3 | | WL |
| <i>Hexalectris spicata</i> | Crested Coralroot | G5 | S3 | | SR |
| <i>Hibiscus moscheutos</i> ssp. <i>lasiocarpus</i> | Hairy-fruited Hibiscus | G5T4 | S1 | | SE |
| <i>Hieracium venosum</i> | Rattlesnake Hawkweed | G5 | S3 | | WL |
| <i>Hippuris vulgaris</i> | Common Mare's-tail | G5 | SX | | SX |
| <i>Hottonia inflata</i> | Featherfoil | G4 | S2 | | ST |
| <i>Houstonia nigricans</i> | Narrowleaf Summer Bluets | G5 | S3 | | SR |
| <i>Hudsonia tomentosa</i> | Sand-heather | G5 | S2 | | ST |
| <i>Huperzia lucidula</i> | Shining Clubmoss | G5 | S3 | | WL |
| <i>Huperzia porophila</i> | Rock Clubmoss | G4 | S3 | | WL |
| <i>Hydrastis canadensis</i> | Golden Seal | G3G4 | S3 | | WL |
| <i>Hydrocotyle americana</i> | American Water-pennywort | G5 | S1 | | SE |
| <i>Hylotelephium telephioides</i> | Allegheny Stonecrop | G4 | S3 | | SR |
| <i>Hymenocallis occidentalis</i> | Carolina Spider-lily | G4? | S3 | | WL |
| <i>Hymenopappus scabiosaeus</i> | Carolina Woollywhite | G4G5 | S1 | | SE |
| <i>Hypericum adpressum</i> | Creeping St. John's-wort | G3 | S1 | | SE |
| <i>Hypericum boreale</i> | Northern St. John's-wort | G5 | SU | | WL |
| <i>Hypericum canadense</i> | Canadian St. John's-wort | G5 | SU | | WL |
| <i>Hypericum dolabriforme</i> | Stragglng St. John's-wort | G4 | S3 | | ST |
| <i>Hypericum frondosum</i> | Golden St. John's-wort | G4 | SX | | SX |

GRANK: G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank

SRANK: S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,

STATE: SX=extirpated, SE=endangered, ST=threatened, SR=rare, SRE = reintroduced, WL = watch list

FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, Rare and Extirpated Plants of Indiana

| <u>Species Name</u> | <u>Common Name</u> | <u>GRANK</u> | <u>SRANK</u> | <u>FEDERAL</u> | <u>STATE</u> |
|--|---------------------------------|--------------|--------------|----------------|--------------|
| <i>Hypericum gymnanthum</i> | Clasping-leaved St. John's-wort | G4 | S1 | | SE |
| <i>Hypericum kalmianum</i> | Kalm St. John's-wort | G4 | S3 | | WL |
| <i>Hypericum pyramidatum</i> | Great St. John's-wort | G4 | S2 | | ST |
| <i>Hypericum swinkianum</i> | Swink's St. John's Wort | GNR | SU | | WL |
| <i>Hypericum virgatum</i> | Coppery St. John's-wort | G4? | S2 | | ST |
| <i>Hypopitys monotropa</i> | American Pinesap | G5 | S3 | | WL |
| <i>Ilex decidua</i> | Deciduous Holly | G5 | S3 | | WL |
| <i>Ilex mucronata</i> | Mountain Holly | G5 | S3 | | SR |
| <i>Iresine rhizomatosa</i> | Eastern Bloodleaf | G5 | S3 | | ST |
| <i>Isoetes engelmannii</i> | Appalachian Quillwort | G4 | S1 | | SE |
| <i>Isoetes melanopoda</i> | Blackfoot Quillwort | G5 | S2 | | ST |
| <i>Isotria verticillata</i> | Large Whorled Pogonia | G5 | S3 | | WL |
| <i>Itea virginica</i> | Virginia Willow | G4 | S1 | | SE |
| <i>Juglans cinerea</i> | Butternut | G4 | S2 | | ST |
| <i>Juncus articulatus</i> | Jointed Rush | G5 | S1 | | SE |
| <i>Juncus balticus</i> var. <i>littoralis</i> | Baltic Rush | G5T5 | S3 | | WL |
| <i>Juncus militaris</i> | Bayonet Rush | G4 | S1 | | SE |
| <i>Juncus nodatus</i> | Stout rush | G5 | SU | | WL |
| <i>Juncus pelocarpus</i> | Brown-fruited Rush | G5 | S1 | | SE |
| <i>Juncus scirpoides</i> | Scirpus-like Rush | G5 | S2 | | ST |
| <i>Juncus secundus</i> | Secund Rush | G5? | S1 | | SE |
| <i>Juniperus communis</i> var. <i>depressa</i> | Ground Juniper | G5T5 | S3 | | SR |
| <i>Kalmia latifolia</i> | Mountain Laurel | G5 | S3 | | SR |
| <i>Lactuca hirsuta</i> | Hairy lettuce | G5? | SU | | WL |
| <i>Lactuca ludoviciana</i> | Western Lettuce | G4G5 | SX | | SX |
| <i>Larix laricina</i> | Tamarack | G5 | S2 | | ST |
| <i>Lathyrus japonicus</i> | Beach Peavine | G5T4T5 | S1 | | SE |
| <i>Lathyrus ochroleucus</i> | Pale Vetchling Peavine | G5 | S1 | | SE |
| <i>Lathyrus venosus</i> | Smooth Veiny Pea | G5 | S1 | | SE |
| <i>Leavenworthia uniflora</i> | Michaux Leavenworthia | G4 | S1 | | SE |
| <i>Lechea racemulosa</i> | Illinois Pinweed | G5 | S1 | | SE |
| <i>Lechea stricta</i> | Upright Pinweed | G4? | SX | | SX |

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank

SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,

STATE: SX=extirpated, SE=endangered, ST=threatened, SR=rare, SRE = reintroduced, WL = watch list

FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, Rare and Extirpated Plants of Indiana

| <u>Species Name</u> | <u>Common Name</u> | <u>GRANK</u> | <u>SRANK</u> | <u>FEDERAL</u> | <u>STATE</u> |
|---------------------------|---------------------------------|--------------|--------------|----------------|--------------|
| Lemna gibba | Inflated Duckweed | G4G5 | SU | | WL |
| Lemna minuta | Least Duckweed | G4 | S1 | | SE |
| Lemna perpusilla | Minute Duckweed | G5 | SX | | SX |
| Lemna valdiviana | Pale Duckweed | G5 | S1 | | SE |
| Leptochloa panicoides | Amazon Sprangle-top | G5 | S1 | | SE |
| Lespedeza stuevei | Tall Bush-clover | G4? | SX | | SX |
| Liatris pycnostachya | Cattail Gay-feather | G5 | S1 | | SE |
| Liatris squarrosa | Scaly Gay-feather | G5 | S3 | | WL |
| Ligusticum canadense | Nondo Lovage | G4 | S1 | | SE |
| Lilium canadense | Canada Lily | G5 | S3 | | SR |
| Lilium philadelphicum | Wood Lily | G5 | SU | | WL |
| Lilium superbum | Turk's Cap Lily | G5 | S3 | | WL |
| Limnobiium spongia | American Frog's-bit | G4 | S1 | | SE |
| Linnaea borealis | Twinflower | G5 | SX | | SX |
| Linum intercursum | Sandplain Flax | G4 | S1 | | SE |
| Linum striatum | Ridged Yellow Flax | G5 | S3 | | WL |
| Linum sulcatum | Grooved Yellow Flax | G5 | S3 | | SR |
| Liparis loeselii | Loesel's Twayblade | G5 | S3 | | WL |
| Lipocarpha drummondii | Drummond Hemicarpha | G4G5 | S1 | | SE |
| Lithospermum incisum | Narrow-leaved Puccoon | G5 | S1 | | SE |
| Lonicera canadensis | American Fly-honeysuckle | G5 | S1 | | SE |
| Ludwigia decurrens | Primrose Willow | G5 | S3 | | WL |
| Ludwigia glandulosa | Cylindric-fruited Seedbox | G5 | S2 | | ST |
| Ludwigia sphaerocarpa | Globe-fruited False-loosestrife | G5 | S1 | | SE |
| Luzula acuminata | Hairy Woodrush | G5 | S1 | | SE |
| Lycopodiella inundata | Northern Bog Clubmoss | G5 | S2 | | ST |
| Lycopodiella margueritiae | Marguerite's clubmoss | G1G2 | SU | | WL |
| Lycopodiella subappressa | Northern Appressed Bog Clubmoss | G2 | S1 | | SE |
| Lycopodium clavatum | Running Pine | G5 | S3 | | WL |
| Lycopus amplexans | Sessile-leaved Bugleweed | G5 | S1 | | SE |
| Lygodium palmatum | Climbing Fern | G4 | S1 | | SE |
| Magnolia acuminata | Cucumber Magnolia | G5 | S1 | | SE |

GRANK: G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank

SRANK: S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,

STATE: SX=extirpated, SE=endangered, ST=threatened, SR=rare, SRE = reintroduced, WL = watch list

FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, Rare and Extirpated Plants of Indiana

| <u>Species Name</u> | <u>Common Name</u> | <u>GRANK</u> | <u>SRANK</u> | <u>FEDERAL</u> | <u>STATE</u> |
|------------------------------------|----------------------------|--------------|--------------|----------------|--------------|
| Magnolia tripetala | Umbrella Magnolia | G5 | S1 | | SE |
| Malaxis unifolia | Green Adder's-mouth Orchid | G5 | S1 | | SE |
| Manfreda virginica | Virginia Tube-rose | G5 | S3 | | WL |
| Matelea obliqua | Angle Pod | G4? | S3 | | SR |
| Matelea suberosa | Angular-fruited Milkvine | G5 | S3 | | SR |
| Matteuccia struthiopteris | Ostrich Fern | G5 | S3 | | SR |
| Mecardonia acuminata | Striped Hedge Hyssop | G5 | S1 | | SE |
| Melampyrum lineare | American Cow-wheat | G5 | S1 | | SE |
| Melanthium virginicum | Virginia Bunchflower | G5 | S1 | | SE |
| Melica mutica | Narrow Melic Grass | G5 | S3 | | WL |
| Melica nitens | Three-flower Melic Grass | G5 | S1 | | SE |
| Melothria pendula | Creeping Cucumber | G5? | S2 | | ST |
| Menyanthes trifoliata | Buckbean | G5 | S3 | | WL |
| Micranthes virginiensis | Virginia Saxifrage | G5 | S3 | | WL |
| Mikania scandens | Climbing Hempweed | G5 | S1 | | SE |
| Milium effusum | Tall Millet-grass | G5 | S1 | | ST |
| Minuartia michauxii var. michauxii | Michaux's Stitchwort | G5T5 | S2 | | ST |
| Minuartia patula | Pitcher's Stitchwort | G4 | S1 | | SE |
| Monarda bradburiana | Eastern Bee-balm | G5 | S1 | | SE |
| Muhlenbergia capillaris | Long-awn Hairgrass | G5 | S1 | | SE |
| Muhlenbergia cuspidata | Plains Muhlenbergia | G5 | S1 | | SE |
| Myosotis laxa | Smaller Forget-me-not | G5 | S2 | | ST |
| Myosotis macrosperma | Large-seeded Forget-me-not | G5 | S3 | | WL |
| Myriophyllum pinnatum | Cutleaf Water-milfoil | G5 | S1 | | SE |
| Myriophyllum tenellum | Slender Water-milfoil | G5 | S1 | | SE |
| Myriophyllum verticillatum | Whorled Water-milfoil | G5 | S2 | | SR |
| Najas gracillima | Thread-like Naiad | G5? | S3 | | SR |
| Napaea dioica | Glade Mallow | G4 | S2 | | ST |
| Nelumbo lutea | American Lotus | G4 | S3 | | WL |
| Nothoscordum bivalve | Crow-poison | G4 | S3 | | SR |
| Oenothera perennis | Small Sundrops | G5 | S3 | | SR |
| Oenothera triloba | Stemless Evening-primrose | G4 | SX | | SX |

GRANK: G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank

SRANK: S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,

STATE: SX=extirpated, SE=endangered, ST=threatened, SR=rare, SRE = reintroduced, WL = watch list

FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, Rare and Extirpated Plants of Indiana

| <u>Species Name</u> | <u>Common Name</u> | <u>GRANK</u> | <u>SRANK</u> | <u>FEDERAL</u> | <u>STATE</u> |
|-----------------------------|----------------------------------|--------------|--------------|----------------|--------------|
| Oligoneuron album | Prairie Goldenrod | G5 | S3 | | SR |
| Onosmodium hispidissimum | Shaggy False-gromwell | G4G5T4 | S1 | | SE |
| Ophioglossum engelmannii | Limestone Adder's-tongue | G5 | S3 | | SR |
| Ophioglossum pusillum | Northern Adder's-tongue | G5 | SU | | WL |
| Orobanche fasciculata | Clustered Broomrape | G4G5 | S1 | | SE |
| Orobanche riparia | Bottomland Broomrape | G4? | S1 | | SE |
| Orthilia secunda | One-sided Wintergreen | G5 | SX | | SX |
| Oryzopsis asperifolia | White-grained Mountain-ricegrass | G5 | S1 | | SE |
| Oxalis illinoensis | Illinois Woodsorrel | G4Q | S3 | | WL |
| Oxydendrum arboreum | Sourwood | G5 | S2 | | SR |
| Pachysandra procumbens | Allegheny Spurge | G4G5 | S1 | | SE |
| Packera anonyma | Small's Ragwort | G5 | S3 | | WL |
| Panax quinquefolius | American Ginseng | G3G4 | S3 | | WL |
| Panax trifolius | Dwarf Ginseng | G5 | S3 | | WL |
| Panicum tuckermanii | Tuckerman's Panicgrass | G3G5 | SU | | WL |
| Panicum verrucosum | Warty Panic-grass | G4 | S2 | | ST |
| Passiflora incarnata | Purple Passion-flower | G5 | S3 | | WL |
| Penstemon canescens | Gray Beardtongue | G4 | S1 | | SE |
| Penstemon deamii | Deam Beardtongue | G1 | S1 | | SE |
| Penstemon tubaeflorus | Tube Penstemon | G5 | S1 | | SE |
| Perideridia americana | Eastern Eulophus | G4 | S1 | | SE |
| Persicaria careyi | Carey's Smartweed | G4 | S2 | | ST |
| Persicaria opelousana | Northeastern Smartweed | G5TNRQ | S2 | | ST |
| Persicaria robustior | Stout Smartweed | G4G5 | SU | | WL |
| Persicaria setacea | Swamp Smartweed | G5 | S1 | | SE |
| Phacelia covillei | Buttercup scorpionweed | G3 | S1 | | SE |
| Phacelia ranunculacea | Blue Scorpion-weed | G4 | S1 | | SE |
| Phemeranthus rugospermus | Prairie Fame-flower | G3G4 | S1 | | SE |
| Phlox amplifolia | Large-leaved Phlox | G3G5 | S3 | | SR |
| Phlox bifida ssp. stellaria | Cleft Phlox | G5?T3 | S1 | | SE |
| Phlox ovata | Mountain Phlox | G4 | S1 | | SE |
| Phlox pilosa ssp. deamii | Deam's phlox | G5T3T4 | S1 | | SE |

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank

SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,

STATE: SX=extirpated, SE=endangered, ST=threatened, SR=rare, SRE = reintroduced, WL = watch list

FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, Rare and Extirpated Plants of Indiana

| <u>Species Name</u> | <u>Common Name</u> | <u>GRANK</u> | <u>SRANK</u> | <u>FEDERAL</u> | <u>STATE</u> |
|---------------------------------|--------------------------------|--------------|--------------|----------------|--------------|
| Phoradendron serotinum | American Mistletoe | G5 | S3 | | WL |
| Physaria globosa | Short's bladderpod | G2 | S1 | LE | SE |
| Pinus banksiana | Jack Pine | G5 | S3 | | SR |
| Pinus strobus | Eastern White Pine | G5 | S3 | | SR |
| Pinus virginiana | Virginia Pine | G5 | S3 | | WL |
| Piptatherum pungens | Slender Mountain-ricegrass | G5 | SX | | SX |
| Piptatherum racemosum | Black-fruit Mountain-ricegrass | G5 | S3 | | SR |
| Piptochaetium avenaceum | Blackseed Needlegrass | G5 | S3 | | SR |
| Plantago cordata | Heart-leaved Plantain | G4 | S1 | | SE |
| Platanthera aquilonis | Leafy Northern Green Orchis | G5 | S2 | | ST |
| Platanthera ciliaris | Yellow-fringe Orchis | G5 | S1 | | SE |
| Platanthera clavellata | Small Green Woodland Orchis | G5 | S3 | | WL |
| Platanthera dilatata | Leafy White Orchis | G5 | SX | | SX |
| Platanthera flava var. flava | Southern Rein Orchid | G4?T4?Q | S1 | | SE |
| Platanthera flava var. herbiola | Pale Green Orchis | G4?T4Q | S3 | | WL |
| Platanthera hookeri | Hooker Orchis | G4 | SX | | SX |
| Platanthera lacera | Green-fringe Orchis | G5 | S3 | | WL |
| Platanthera leucophaea | Prairie White-fringed Orchid | G2G3 | S1 | LT | SE |
| Platanthera orbiculata | Large Roundleaf Orchid | G5 | SX | | SX |
| Platanthera peramoena | Purple Fringeless Orchis | G5 | S3 | | WL |
| Platanthera psycodes | Small Purple-fringe Orchis | G5 | S2 | | SR |
| Pleopeltis polypodioides | Resurrection Fern | G5 | S3 | | WL |
| Poa alsodes | Grove Meadow Grass | G4G5 | S3 | | SR |
| Poa cuspidata | Bluegrass | G5 | SX | | SX |
| Poa paludigena | Bog Bluegrass | G3 | S3 | | SR |
| Poa wolfii | Wolf Bluegrass | G4 | S3 | | SR |
| Pogonia ophioglossoides | Rose Pogonia | G5 | S2 | | SR |
| Polygala incarnata | Pink Milkwort | G5 | S1 | | SE |
| Polygala paucifolia | Gay-wing Milkwort | G5 | S1 | | SE |
| Polygonella articulata | Eastern Jointweed | G5 | S3 | | SR |
| Polytaenia nuttallii | Prairie Parsley | G5 | S1 | | SE |
| Populus balsamifera | Balsam Poplar | G5 | S1 | | SE |

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank

SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,

STATE: SX=extirpated, SE=endangered, ST=threatened, SR=rare, SRE = reintroduced, WL = watch list

FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, Rare and Extirpated Plants of Indiana

| <u>Species Name</u> | <u>Common Name</u> | <u>GRANK</u> | <u>SRANK</u> | <u>FEDERAL</u> | <u>STATE</u> |
|---|-------------------------------|--------------|--------------|----------------|--------------|
| Potamogeton bicupulatus | Snail-seed Pondweed | G4 | S1 | | SE |
| Potamogeton epihydrus | Nuttall Pondweed | G5 | S1 | | SE |
| Potamogeton friesii | Fries' Pondweed | G5 | S1 | | SE |
| Potamogeton oakesianus | Oakes Pondweed | G5 | S1 | | SE |
| Potamogeton praelongus | White-stem Pondweed | G5 | S1 | | ST |
| Potamogeton pulcher | Spotted Pondweed | G5 | S2 | | ST |
| Potamogeton pusillus | Slender Pondweed | G5 | S2 | | WL |
| Potamogeton richardsonii | Redheadgrass | G5 | S2 | | SR |
| Potamogeton robbinsii | Flatleaf Pondweed | G5 | S3 | | SR |
| Potamogeton strictifolius | Straight-leaf Pondweed | G5 | S2 | | ST |
| Potamogeton vaseyi | Vasey's Pondweed | G4 | S1 | | SE |
| Potentilla anserina | Silverweed | G5 | S2 | | ST |
| Prenanthes aspera | Rough Rattlesnake-root | G4? | S3 | | SR |
| Prenanthes crepidinea | Nodding Rattlesnake-root | G4 | S2 | | WL |
| Proboscidea louisianica | Louisiana Unicorn-plant | GU | SX | | SX |
| Prunus pensylvanica | Fire Cherry | G5 | S3 | | SR |
| Pseudognaphalium macounii | Winged Cudweed | G5 | SX | | SX |
| Psoraleidum tenuiflorum | Few-flowered Scurf-pea | G5 | SX | | SX |
| Pteridium aquilinum var. pseudocaudatum | Bracken Fern | G5T5 | SX | | SX |
| Pyrola americana | American Wintergreen | G5 | S2 | | ST |
| Pyrola asarifolia | Pink Wintergreen | G5 | S1 | | SE |
| Pyrola elliptica | Elliptical-leaf Wintergreen | G5 | S3 | | WL |
| Pyrola virens | Greenish-flowered Wintergreen | G5 | SX | | SX |
| Quercus lyrata | Overcup Oak | G5 | S3 | | WL |
| Quercus pagoda | Cherry-bark Oak | G5 | S3 | | WL |
| Quercus prinoides | Dwarf Chinquapin Oak | G5 | S1 | | SE |
| Ranunculus harveyi | Harvey's Buttercup | G4 | S1 | | SE |
| Ranunculus laxicaulis | Mississippi Buttercup | G5? | S1 | | SE |
| Ranunculus pusillus | Pursh Buttercup | G5 | S1 | | SE |
| Rhamnus alnifolia | Alderleaf Buckthorn | G5 | S3 | | SR |
| Rhamnus lanceolata | Lance-leaved Buckthorn | G5 | S3 | | WL |
| Rhexia mariana var. interior | Showy Meadow-beauty | G5T4T5 | S3 | | WL |

GRANK: G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank

SRANK: S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,

STATE: SX=extirpated, SE=endangered, ST=threatened, SR=rare, SRE = reintroduced, WL = watch list

FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, Rare and Extirpated Plants of Indiana

| <u>Species Name</u> | <u>Common Name</u> | <u>GRANK</u> | <u>SRANK</u> | <u>FEDERAL</u> | <u>STATE</u> |
|--|----------------------------|--------------|--------------|----------------|--------------|
| <i>Rhexia mariana</i> var. <i>mariana</i> | Maryland Meadow Beauty | G5T5 | S1 | | ST |
| <i>Rhus aromatica</i> var. <i>arenaria</i> | Beach Sumac | G5T3Q | S3 | | SR |
| <i>Rhynchospora corniculata</i> var. <i>interior</i> | Short-bristle Horned-rush | G5TNR | S2 | | ST |
| <i>Rhynchospora fusca</i> | Brown beakrush | G4G5 | SX | | SX |
| <i>Rhynchospora macrostachya</i> | Tall Beaked-rush | G4 | S3 | | SR |
| <i>Rhynchospora nitens</i> | Short-beaked Bald-rush | G4? | S1 | | SE |
| <i>Rhynchospora recognita</i> | Globe Beaked-rush | G5? | S1 | | SE |
| <i>Rhynchospora scirpoides</i> | Long-beaked Baldrush | G4 | S3 | | SR |
| <i>Ribes hirtellum</i> | Smooth Gooseberry | G5 | S3 | | WL |
| <i>Ripariosida hermaphrodita</i> | Virginia Mallow | G3 | S1 | | SE |
| <i>Rorippa aquatica</i> | Lake Cress | G4? | S1 | | SE |
| <i>Rubus odoratus</i> | Purple Flowering Raspberry | G5 | S2 | | ST |
| <i>Rubus setosus</i> | Small Bristleberry | G5 | S1 | | SE |
| <i>Rudbeckia fulgida</i> var. <i>fulgida</i> | Orange Coneflower | G5T4? | S3 | | WL |
| <i>Rudbeckia fulgida</i> var. <i>umbrosa</i> | Coneflower | G5T4T5 | S1 | | SE |
| <i>Sabatia campanulata</i> | Slender Marsh Pink | G5 | SX | | SX |
| <i>Saccharum alopecuroidum</i> | Woolly Beardgrass | G5 | S3 | | WL |
| <i>Sagittaria australis</i> | Longbeak Arrowhead | G5 | S3 | | SR |
| <i>Salix caroliniana</i> | Carolina Willow | G5 | S3 | | WL |
| <i>Salix cordata</i> | Heartleaf Willow | G4 | S1 | | SE |
| <i>Salix serissima</i> | Autumn Willow | G5 | S2 | | ST |
| <i>Sanguisorba canadensis</i> | Canada Burnet | G5 | S1 | | SE |
| <i>Sanicula smallii</i> | Small's Snakeroot | G5 | S3 | | SR |
| <i>Sarracenia purpurea</i> | Northern Pitcher-plant | G5 | S2 | | SR |
| <i>Saxifraga forbesii</i> | Forbes Saxifrage | G4Q | S1 | | SE |
| <i>Sceptridium biternatum</i> | Sparse-lobe Grape-fern | G5 | S3 | | WL |
| <i>Sceptridium oneidense</i> | Blunt-lobe Grape-fern | G4 | S3 | | WL |
| <i>Sceptridium rugulosum</i> | Ternate Grapefern | G3 | S3 | | WL |
| <i>Scheuchzeria palustris</i> ssp. <i>americana</i> | American Scheuchzeria | G5T5 | S1 | | SE |
| <i>Schizachne purpurascens</i> | Purple Oat | G5 | S1 | | SE |
| <i>Schoenoplectiella hallii</i> | Hall's Bulrush | G2G3 | S1 | C | SE |
| <i>Schoenoplectiella purshiana</i> | Weakstalk Bulrush | G4G5 | S3 | | SR |

GRANK: G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank

SRANK: S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,

STATE: SX=extirpated, SE=endangered, ST=threatened, SR=rare, SRE = reintroduced, WL = watch list

FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, Rare and Extirpated Plants of Indiana

| <u>Species Name</u> | <u>Common Name</u> | <u>GRANK</u> | <u>SRANK</u> | <u>FEDERAL</u> | <u>STATE</u> |
|--|-------------------------|--------------|--------------|----------------|--------------|
| <i>Schoenoplectiella smithii</i> | Smith's Bulrush | G5? | S2 | | ST |
| <i>Schoenoplectus subterminalis</i> | Water Bulrush | G5 | S3 | | SR |
| <i>Schoenoplectus torreyi</i> | Torrey's Bulrush | G5? | S1 | | SE |
| <i>Scirpus expansus</i> | Bulrush | G4 | S1 | | SE |
| <i>Scleria muehlenbergii</i> | Muehlenberg's Nutrush | G5 | S1 | | SE |
| <i>Scleria oligantha</i> | Little-headed Nutrush | G5 | S3 | | WL |
| <i>Scleria pauciflora</i> | Fewflower Nutrush | G5 | S3 | | WL |
| <i>Scleria reticularis</i> | Reticulated Nutrush | G4 | S2 | | ST |
| <i>Scutellaria parvula</i> var. <i>australis</i> | Southern Skullcap | G4T4? | S2 | | WL |
| <i>Scutellaria parvula</i> var. <i>parvula</i> | Small Skullcap | G4T4 | S1 | | SE |
| <i>Scutellaria saxatilis</i> | Rock Skullcap | G3 | S1 | | SE |
| <i>Selaginella apoda</i> | Meadow Spike-moss | G5 | S1 | | WL |
| <i>Selaginella rupestris</i> | Ledge Spike-moss | G5 | S1 | | SE |
| <i>Sericocarpus linifolius</i> | Narrowleaf Aster | G5 | S3 | | WL |
| <i>Setaria geniculata</i> | Bristly Foxtail | G5 | S3 | | WL |
| <i>Shepherdia canadensis</i> | Canada Buffalo-berry | G5 | SX | | SX |
| <i>Silene ovata</i> | Ovate Catchfly | G3 | S1 | | SE |
| <i>Silene regia</i> | Royal Catchfly | G3 | S1 | | SE |
| <i>Sisyrinchium montanum</i> | Strict Blue-eyed-grass | G5 | S1 | | SE |
| <i>Smilax bona-nox</i> | Saw Greenbrier | G5 | S3 | | WL |
| <i>Solidago buckleyi</i> | Buckley's Goldenrod | G4 | S1 | | SE |
| <i>Solidago hispida</i> | Hairy Goldenrod | G5 | S3 | | WL |
| <i>Solidago missouriensis</i> | Missouri Goldenrod | G5 | SU | | WL |
| <i>Solidago rupestris</i> | Rock Goldenrod | G4? | SX | | SX |
| <i>Solidago shortii</i> | Short's Goldenrod | G1 | S1 | LE | SE |
| <i>Solidago simplex</i> var. <i>gillmanii</i> | Sticky Goldenrod | G5T3? | S2 | | ST |
| <i>Solidago speciosa</i> | Showy Goldenrod | G5 | SU | | WL |
| <i>Solidago squarrosa</i> | Stout-ragged Goldenrod | G4G5 | S1 | | SE |
| <i>Sorbus decora</i> | Northern Mountain-ash | G5 | SX | | SX |
| <i>Sparganium androcladum</i> | Branching Bur-reed | G4G5 | S2 | | ST |
| <i>Spigelia marilandica</i> | Woodland Pinkroot | G4 | S1 | | SE |
| <i>Spiranthes lucida</i> | Shining Ladies'-tresses | G4 | S3 | | SR |

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank

SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,

STATE: SX=extirpated, SE=endangered, ST=threatened, SR=rare, SRE = reintroduced, WL = watch list

FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, Rare and Extirpated Plants of Indiana

| <u>Species Name</u> | <u>Common Name</u> | <u>GRANK</u> | <u>SRANK</u> | <u>FEDERAL</u> | <u>STATE</u> |
|---|--------------------------------|--------------|--------------|----------------|--------------|
| <i>Spiranthes magnicamporum</i> | Great Plains Ladies'-tresses | G3G4 | S1 | | SE |
| <i>Spiranthes ochroleuca</i> | Yellow Nodding Ladies'-tresses | G4 | S2 | | ST |
| <i>Spiranthes romanzoffiana</i> | Hooded Ladies'-tresses | G5 | S1 | | SE |
| <i>Spiranthes tuberosa</i> | Little Ladies'-tresses | G5 | S3 | | WL |
| <i>Spiranthes vernalis</i> | Grassleaf Ladies'-tresses | G5 | S3 | | WL |
| <i>Stachys clingmanii</i> | Clingman Hedge-nettle | G2 | S3 | | WL |
| <i>Stellaria corei</i> | Tennessee chickweed | G4 | SU | | WL |
| <i>Stenanthium gramineum</i> | Eastern Featherbells | G4G5 | S1 | | ST |
| <i>Strophostyles leiosperma</i> | Slick-seed Wild-bean | G5 | S3 | | WL |
| <i>Styrax americanus</i> | American Snowbell | G5 | S3 | | SR |
| <i>Styrax grandifolius</i> | Large-leaf Snowbell | G5 | S1 | | SE |
| <i>Sullivantia sullivantii</i> | Sullivantia | G4 | S2 | | ST |
| <i>Symphotrichum boreale</i> | Rushlike Aster | G5 | S2 | | ST |
| <i>Symphotrichum oblongifolium</i> | Aromatic Aster | G5 | S3 | | SR |
| <i>Symphotrichum phlogifolium</i> | Thin leaf late purple aster | G5 | S3 | | WL |
| <i>Symphotrichum sericeum</i> | Western Silvery Aster | G5 | S2 | | ST |
| <i>Symphotrichum undulatum</i> | Waxy-leaved Aster | G5 | S3 | | WL |
| <i>Synandra hispidula</i> | Gyandotte Beauty | G4 | S3 | | WL |
| <i>Taxodium distichum</i> var. <i>distichum</i> | Bald Cypress | G5 | S2 | | ST |
| <i>Taxus canadensis</i> | American Yew | G5 | S1 | | SE |
| <i>Thalictrum pubescens</i> | Tall Meadowrue | G5 | S3 | | SR |
| <i>Thuja occidentalis</i> | Northern White Cedar | G5 | S1 | | SE |
| <i>Thyrsanthella difformis</i> | Climbing Dogbane | G4G5 | S3 | | SR |
| <i>Tragia cordata</i> | Heart-leaved Noseburn | G4 | S3 | | WL |
| <i>Trautvetteria caroliniensis</i> | Carolina Tassel-rue | G5 | SX | | SX |
| <i>Triadenum tubulosum</i> | Large Marsh St. John's-wort | G4? | S3 | | WL |
| <i>Triadenum walteri</i> | Walter's St. John's-wort | G5 | S3 | | WL |
| <i>Triantha glutinosa</i> | False Asphodel | G5 | S2 | | ST |
| <i>Trichomanes boschianum</i> | Filmy Fern | G4 | S1 | | SE |
| <i>Trichostema dichotomum</i> | Forked Bluecurl | G5 | S3 | | WL |
| <i>Trifolium reflexum</i> var. <i>glabrum</i> | Buffalo Clover | G5T2T4Q | S1 | | SE |
| <i>Trifolium stoloniferum</i> | Running Buffalo Clover | G3 | S1 | LE | SE |

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank

SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,

STATE: SX=extirpated, SE=endangered, ST=threatened, SR=rare, SRE = reintroduced, WL = watch list

FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, Rare and Extirpated Plants of Indiana

| <u>Species Name</u> | <u>Common Name</u> | <u>GRANK</u> | <u>SRANK</u> | <u>FEDERAL</u> | <u>STATE</u> |
|----------------------------------|----------------------------|--------------|--------------|----------------|--------------|
| Triglochin palustris | Marsh Arrow-grass | G5 | S2 | | ST |
| Trillium cernuum var. macranthum | Nodding Trillium | G5T4 | S1 | | SE |
| Tsuga canadensis | Eastern Hemlock | G5 | S3 | | WL |
| Turritis glabra | Tower-mustard | G5 | S3 | | WL |
| Utricularia cornuta | Horned Bladderwort | G5 | S1 | | SE |
| Utricularia geminiscapa | Hidden-fruited Bladderwort | G4G5 | S1 | | SE |
| Utricularia intermedia | Flatleaf Bladderwort | G5 | S3 | | WL |
| Utricularia minor | Lesser Bladderwort | G5 | S1 | | ST |
| Utricularia purpurea | Purple Bladderwort | G5 | S3 | | SR |
| Utricularia radiata | Small Swollen Bladderwort | G4 | S1 | | SE |
| Utricularia resupinata | Northeastern Bladderwort | G4 | S1 | | SE |
| Utricularia subulata | Zigzag Bladderwort | G5 | S2 | | ST |
| Uvularia perfoliata | Bellwort | G5 | S1 | | SE |
| Vaccinium arboreum | Farkleberry | G5 | S3 | | WL |
| Vaccinium macrocarpon | Large Cranberry | G5 | S3 | | SR |
| Vaccinium myrtilloides | Velvetleaf Blueberry | G5 | S1 | | SE |
| Vaccinium oxycoccos | Small Cranberry | G5 | S2 | | ST |
| Valeriana edulis var. ciliata | Hairy Valerian | G5T3 | S1 | | SE |
| Valeriana uliginosa | Marsh Valerian | G4 | S1 | | SE |
| Valerianella chenopodiifolia | Goose-foot Corn-salad | G4 | S3 | | WL |
| Veratrum woodii | False Hellebore | G5 | S3 | | WL |
| Verbesina occidentalis | Yellow crownbeard | G5 | SU | | WL |
| Verbesina virginica | White Crownbeard | G5? | S3 | | WL |
| Veronica americana | American Speedwell | G5 | SX | | SX |
| Viburnum cassinoides | Northern Wild-raisin | G5T5 | S1 | | SE |
| Viburnum molle | Softleaf Arrow-wood | G5 | S3 | | SR |
| Viburnum opulus var. americanum | Highbush-cranberry | G5T5 | S1 | | SE |
| Viola blanda | Smooth White Violet | G5 | S3 | | WL |
| Viola egglestonii | Eggleston's Violet | G4 | S1 | | SE |
| Viola hirsutula | Southern Wood Violet | G4 | S1 | | SE |
| Viola pedatifida | Prairie Violet | G5 | S2 | | ST |
| Viola primulifolia | Primrose-leaf Violet | G5 | S3 | | SR |

GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank

SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,

STATE: SX=extirpated, SE=endangered, ST=threatened, SR=rare, SRE = reintroduced, WL = watch list

FEDERAL: LE=endangered, LT=threatened, C=candidate species

Endangered, Threatened, Rare and Extirpated Plants of Indiana

| <u>Species Name</u> | <u>Common Name</u> | <u>GRANK</u> | <u>SRANK</u> | <u>FEDERAL</u> | <u>STATE</u> |
|--------------------------|----------------------------|--------------|--------------|----------------|--------------|
| Vitis palmata | Catbird Grape | G4 | S3 | | SR |
| Vitis rupestris | Sand Grape | G3 | S1 | | SE |
| Vittaria appalachiana | Appalachian Vittaria | G4 | S2 | | ST |
| Waldsteinia fragarioides | Barren Strawberry | G5 | S3 | | SR |
| Wisteria frutescens | American Wisteria | G5 | S3 | | SR |
| Wolffiella gladiata | Sword Bogmat | G5 | S1 | | SE |
| Woodwardia areolata | Netted Chainfern | G5 | S3 | | SR |
| Xyris difformis | Carolina Yellow-eyed Grass | G5 | S2 | | ST |
| Zizania palustris | Northern Wild Rice | G5 | SU | | WL |
| Zizia aptera | Golden Alexanders | G5 | S3 | | WL |



GRANK G1=critically imperiled globally, G2=imperiled globally, G3=rare or uncommon, G4= widespread but with long term concerns, G5=widespread and secure, T ranks indicate taxonomic subunit rank, ? or Q=questionable rank, NR=not ranked or uncertain rank

SRANK S1=critically imperiled in state, S2=imperiled in state, SX=extirpated,

STATE: SX=extirpated, SE=endangered, ST=threatened, SR=rare, SRE = reintroduced, WL = watch list

FEDERAL: LE=endangered, LT=threatened, C=candidate species