ASTHMA MANAGEMENT PLAN & AUTHORIZATION FOR MEDICATION

Г:			
	Date of Birth	_School	Grade
	🗆 School Fax ()		
	Phone (H)	Phone (W)
E-mail			
	Relationship		Phone
	🗖 Office Phone ())	_
	🗆 Office Fax ()	(please mark best contact)
	_E-mail	Date of Birth Date of Birth School Fax () Phone (H) E-mail Relationship Office Phone ()	Date of Birth School

TO BE COMPLETED BY ASTHMA CARE PROVIDER RESCUE (quick-relief) MEDICATION:				
ONITORING	TREATMENT			
 RED ZONE: DANGER SIGNS Very short of breath, or Rescue medicines have not helped, or Cannot do usual activities, or Symptoms are same or get worse after 24 hours in Yellow Zone RED ZONE: EMERGENCY SIGNS Lips and fingernails are blue or gray Trouble walking and talking due to shortness of breath Loss of consciousness 	 Give rescue medication: 2 2 4 6 puffs (1 min between puffs) or 1 nebulizer treatment Call parent and/or Asthma Care Provider Call 911 NOW if: Unable to reach medical care provider after arriving in the red zone Child is struggling to breathe and there is no improvement after taking albuterol May repeat rescue medication every 10 minutes if symptoms do not improve, until medical assistance has arrived or you are at the emergency department 			
 YELLOW ZONE: CAUTION Cough, wheeze, chest tightness, or shortness of breath, or Waking at night due to asthma, or Can do some, but not all, usual activities 	 Continue daily controller medications Give rescue medication: □ 2 □ 4 □ 6 puffs (1 min between puffs) OR 1 nebulizer treatment every 4 hours as needed Wait 10 minutes and recheck symptoms If not better, go to RED ZONE If symptoms improve, may return to class or normal activity, or			
	MEDICATION	HOW MUCH	WHEN	
 GREEN ZONE: WELL No cough, wheeze, chest tightness, or shortness of breath during the day or night Can do usual activities 	DAILY CONTROLLER MEDICATION	HOW MUCH	Before Exercise Recess PE/Sports (not to exceed every 4 hours) WHEN	
	Imaca Care PROVIDER RESCURES ONITORING RED ZONE: DANGER SIGNS • Very short of breath, or • Rescue medicines have not helped, or • Cannot do usual activities, or • Symptoms are same or get worse after 24 hours in Yellow Zone RED ZONE: EMERGENCY SIGNS • Lips and fingernails are blue or gray • Trouble walking and talking due to shortness of breath • Loss of consciousness YELLOW ZONE: CAUTION • Cough, wheeze, chest tightness, or shortness of breath, or • Waking at night due to asthma, or • Can do some, but not all, usual activities GREEN ZONE: WELL • No cough, wheeze, chest tightness, or shortness of breath during the day or night	Imma care provider Rescue (quick-retier) medication: ONITORING TREATMENT RED ZONE: DANGER SIGNS • Give rescue medication: 2 □ 4 □ • Very short of breath, or • Call parent and/or Asthma Care P • Call parent and/or Asthma Care P • Call 911 NOW if: • Cannot do usual activities, or • Call 911 NOW if: • Symptoms are same or get worse after 24 hours in Yellow Zone • Call 911 NOW if: RED ZONE: EMERGENCY SIGNS • Unable to reach medical care production end until medical assistance has arrive • Loss of consciousness • Continue daily controller medication oshortness of breath, or YELLOW ZONE: CAUTION • Cough, wheeze, chest tightness, or shortness of breath, or • Waking at night due to asthma, or • Condo some, but not all, usual activities • Waking at night due to asthma, or • If symptoms are not gone after □2 • MedicAtions • Parent/School Nurse: If needed, co for □ 2 □ 3 days, if symptoms remu- e. If symptoms are not gone after □2 • No cough, wheeze, chest tightness, or shortness of breath during the day or night • DAILY CONTROLLER MEDICATION	CHMA CARE PROVIDER RESCUE (quick-retuer) MEDICATION: ONITORING TREATMENT RED ZONE: DANGER SIGNS • Give rescue medication: □ 2 □ 4 □ 6 puffs (1 min between • Call parent and/or Asthma Care Provider • Call parent Provider • Call parent Provider • Call parent and there is no improver • 3. May repeat rescue medications • Give rescue medications: □ 2 □ 4 □ 6 puffs (1 min between every 4 hours as needed • Wait 10 minutes and recheck symptoms • If not better, go to RED ZONE • If symptoms improver, may return to class or normal acti for □ 2 □ 3 days, if sympto	

□ Administer medications as instructed above

□ Student has been instructed in the proper use of all his/her asthma medications, and in my opinion, the student <u>can carry and use his/her inhaler at school</u> □ Student needs supervision or assistance to use his/her inhaler medication

Student should **<u>NOT</u>** carry his/her inhaler while at school

□ Have student use spacer with inhaler medication

ASTHMA CARE PROVIDER SIGNATURE

PLEASE PRINT PROVIDER NAME

DATE

I give permission for the school nurse and any pertinent staff caring for my child to follow this plan, administer medication and care for my child, contact my asthma care provider if necessary and for this form to be faxed/emailed to my child's school or be shared with school staff per FERPA guidelines. I assume full responsibility for providing the school with prescribed medication and delivery/monitoring devices.

PARENT SIGNATURE

DATE