



DEPARTMENT OF EDUCATION

Dr. Jennifer McCormick
Superintendent of Public Instruction

Working Together for Student Success

MEMORANDUM

TO: Superintendents, Principals, School Nurses, and Speech-Language Pathologists

FROM: Steve Balko, Director of School Building Security

DATE: November 9, 2020

SUBJECT: Hearing Screening Guidance During the COVID-19 Pandemic

Indiana law regarding hearing screenings has not changed for this school year. Thus, hearing screening requirements remain in effect for all students in the required grade levels (this includes both in-person and virtual learners). Hearing screening is required for all accredited public and accredited non-public schools for students in grades 1, 4, 7, and 10.

Although it is best practice to complete hearing screenings in the fall, the law does not stipulate a specific date by which these annual screenings must be completed. Schools can choose to wait until the spring semester to screen students and will have until the end of the school year to complete the screening process.

If students will be virtual learners for the entire school year, schools will need to work with parents to develop a time when students can come to school to obtain their hearing screening. No student should be required to submit to a hearing screening test if written objection by the parent/guardian is submitted to the proper school authority.

As long as schools develop procedures to safely conduct screenings during the COVID-19 pandemic, schools may begin to screen students at any time during the school year.

The following information, adapted from the Kansas Department of Health and Environment, offers considerations for modifying existing school-based hearing screening practices during the COVID-19 pandemic. Each school setting is unique and not all strategies will be applicable in every setting.

Please contact Jolene Bracale at jbracale@doe.in.gov with any questions you may have.

Indiana Department of Education

Indiana State Capitol • 200 W Washington Street, Room 225 • Indianapolis, IN 46204

doe.in.gov

Guidance for School-based Hearing Screening During the COVID-19 Pandemic

Planning

- Consider moving screening location to a large, open space such as a library. Such a space would allow for minimum ambient noise while maintaining an open environment for air circulation. If such a space is not available, leave doors or windows open to increase air circulation.
- If it is necessary for students to wait in line to be screened, ensure they are spaced 6-feet apart. Mark floors to provide a visual guide for maintaining 6-foot distancing while waiting in line.
- Determine if the location enables separate entrance and exit doors. If possible, label doors clearly to ensure one-way foot traffic.
- Identify the records that need to be maintained in the event contact tracing is required and request or create a template for managing documentation.
- Because hearing screening requires specialized training, it may not be possible to train additional staff to perform screenings. Explore possible community partners to assist with hearing screenings.

Hand Hygiene

- Children must wash hands for at least 20 seconds with soap and water before and after screening.
- Technicians must wash hands for at least 20 seconds with soap and water before screening, after any child contact, and at regular intervals throughout the day. Gloves may be worn during exams but use of gloves does not negate the need for hand hygiene before and after testing.
- If soap and water are unavailable, hand sanitizer that contains at least 60% alcohol can be used.

Face Coverings

- Technicians and children should wear cloth face masks during screening. Technicians should not conduct hearing screenings if they cannot wear a mask.
- Perform hand hygiene before putting on and after removing face masks.
- To put children at ease, technician's may consider wearing a badge or sign with a smiling photo of their face.

Cleaning the Screening Location

- Ensure the physical location is cleaned and sanitized using [EPA-registered disinfectants](#) prior to use.
- Clean surfaces using [EPA-registered disinfectants](#).
- Develop a schedule for increased routine cleaning and disinfection, with special attention paid to high-touch areas such as doorknobs and tabletops.

- Sanitize chairs used during hearing screening between each use. Wash hands after sanitizing objects. Alternatively, students may stand for the screening.
- Cleaning products should be secured and out of reach of children.
- If pods or cohorts of students are used, clean and disinfect the screening area before children from another pod or cohort arrive.
- When possible, have no-touch trash cans available.
- Do not allow food, beverages, or personal items (bags, stuffed animals, books) in the screening room.

Screening Instruments

- Otoscope should be cleaned and disinfected after each use.
- Otoscope specula should be disposed of after each use, as with normal practice.
- Consider ordering disposable covers for headsets and earphones. If disposable covers are not available, headsets and earphones, including bands, should be cleaned and disinfected after each test. Headsets and earphones should be disinfected using an alcohol-free antiseptic solution. A quaternary ammonia compound or a hydrogen peroxide-based cleaner are recommended. Refer to [this list](#) of qualified disinfectants for specific products and their EPA registration numbers. More information can also be found on the list of [EPA-registered disinfectants](#).
- For play audiometry, have a large amount of equipment available. Equipment must be cleaned and disinfected after each use, so having a large amount available would reduce the need to clean as often.
- Tympanometer probe tips must be cleaned and disinfected after each use. Refer to [this list](#) of qualified disinfectants for specific products and their EPA registration numbers. They can also be cleaned of visible soil by washing in a solution of warm water and a mild detergent/soap. To disinfect ear tips, soak tips in a 10% bleach solution not to exceed one hour. Be sure tips are dry before placing them on probe. More information can also be found on the list of [EPA-registered disinfectants](#).

References

Centers for Disease Control and Prevention. Operating schools during COVID- 19: CDC's Considerations. Retrieved September 2020 from <https://www.cdc.gov/coronavirus/2019-ncov/community/schools- childcare/schools.html>.

Kansas Department of Health and Environment. Cleaning and Disinfecting Your Business/Facility. Retrieved September 2020 from <https://www.coronavirus.kdheks.gov/DocumentCenter/View/991/Cleaning-and-Disinfecting-Your-Business-PDF---4-29-2020>.

Kansas State Department of Education. Hearing Screening Guidelines and Resource Manual. Retrieved September 2020 from <https://www.ksde.org/Portals/0/SES/Senses/HearingScreeningGuidelines.pdf>.

American Speech-Language-Hearing Association. Audiology Service Delivery Considerations in Health Care During COVID-19. Retrieved September 2020 from <https://www.asha.org/aud/Audiology-Service-Delivery-Considerations-in-Health-Care-During-Coronavirus-COVID-19/>.

National Hearing Conservation Association. Best Practices Guidelines for Safely Conducting Hearing Testing During the COVID-19 Pandemic. Retrieved September 2020 from <https://nhc.memberclicks.net/assets/NHCA%20TF%20COVID-19%20Guidelines%20Letterhead.pdf>.

American Speech-Language-Hearing Association. Infection Prevention and Control for Audiology Equipment. Retrieved September 2020 from <https://www.asha.org/uploadedFiles/Infection-Prevention-and-Control-for-Audiology-Equipment.pdf>.

Oaktree Products. Qualified Disinfectants for COVID-19. Retrieved October 2020 from <https://www.oaktreeproducts.com/covid-19-qualified-disinfectants>.