

INDIANA DEPARTMENT OF LABOR - IOSHA

TOP-50 CONSTRUCTION STANDARDS CITED IN 2006

		TOTAL	SE	WI	RE	OT
1*	1910.1200(e)(1) - No written Haz Com program	74	20	0	0	54
2*	1910.1200(h)(1) - Employee training in Haz Com	52	19	0	0	33
3*	1910.1200(f)(5)(i) - Container labeling in Haz Com	46	11	0	0	35
4*	Indiana Code 22-8-1.1 - General Duty Clause	41	41	0	0	0
5*	1910.1200(f)(5)(ii) - Appropriate hazard warnings	41	10	0	0	31
6	1926.451(g)(1)(vii) - No employee protection- scaffold >10'	36	35	0	0	1
7	1926.501(b)(13) - Protection - residential construction >6'	36	35	0	0	1
8*	1910.1200(g)(8) - MSDS readily accessible	32	3	0	0	29
9*	1910.1200(g)(1) - No MSDS in the workplace	28	6	0	0	22
10	1926.100(a) - Use of protective helmets	28	27	0	1	0
11	1926.501(b)(1) - Protect employee from falls >6	25	24	0	1	0
12*	610 IAC 4-6-14 - OSHA #300, or #300A, or #301	23	0	0	0	23
13	1926.451(e)(1) - No access to scaffold platforms	23	23	0	0	0
14	1926.652(a)(1) - Protect employee from cave-ins	22	20	0	2	0
15	1926.451(b)(1) - Plank/decking of scaffolds	18	17	0	0	1
16	1926.454(a) - No scaffold training for the employee	17	17	0	0	0
17	1926.404(f)(6) - No permanent/continuous grounding	16	2	0	1	13
18	1926.503(a)(2) - Train by competent person - fall hazards	16	16	0	0	0
19	1926.453(b)(2)(v) - No daily test of platform lift controls	15	15	0	0	0
20	1926.21(b)(2) - Train to recognize unsafe conditions	14	14	0	0	0
21	1926.150(c)(1)(i) - Provide / locate fire extinguisher	13	1	0	0	12
22	1926.404(b)(1)(ii) - GFCI on 15- and 20-amp receptacles	13	13	0	0	0
23	1926.452(c)(2) - Secure bracing for scaffolding	13	11	0	0	2
24	1926.1053(b)(1) - Extend ladder at least 3' past landing	13	13	0	0	0
25	1910.178 (l)(1)(i) - Forklift operator training	12	10	0	0	2

26	1926.152(g)(9) - Post sign to prohibit smoking - refueling	12	0	0	0	12
27	1926.451(c)(2)(iv) - Equipment for scaffold support	12	11	0	1	0
28	1926.454(b) - No training for scaffolding hazards	12	12	0	0	0
29	1926.503(a)(1) - Training for exposure to fall hazards	12	12	0	0	0
30	1926.503(b)(1) - Certificate of training for fall hazards	12	3	0	0	9
31	1926.651(k)(1) - No daily inspections of excavations	12	9	0	1	2
32	1926.602(a)(9)(i) - No alarms on bidirectional machines	11	0	0	0	11
33	1926.20(b)(1) - Maintain accident prevention program	10	9	0	0	1
34	1926.451(c)(1) - Restrain scaffolds from tipping	10	10	0	0	0
35	1926.150(e)(1) - No fire alarm system	9	1	0	0	8
36	1926.405(g)(2)(iv) - No strain relief on flexible cords	9	1	0	0	8
37	1926.416(e)(1) - Worn or frayed electrical cords	9	1	0	0	8
38	1926.451(c)(2) - Support scaffold leg on firm foundation	9	7	0	0	2
39	1926.451(h)(2)(ii) - No toeboard on scaffold	8	8	0	0	0
40	1926.451(c)(2)(v) - Prohibit fork lifts to support scaffolds	7	7	0	0	0
41	1926.451(h)(2)(i) - Barricade area below scaffolding	7	7	0	0	0
42	1926.50(d)(1) - First aid supplies not easily accessible	6	0	0	0	6
43	1926.152(d)(4) - No extinguisher on tank truck - flam/com	6	0	0	0	6
44	1926.405(b)(2) - No covers on electrical boxes	6	2	0	0	4
45	1926.451(a)(6) - Scaffolds designed by qualified person	6	6	0	0	0
46	1926.503(c)(3) - Retrain employee on fall hazards	6	5	0	0	1
47	1926.651(c)(2) - Means of egress from trench excavations	6	5	0	1	0
48	1926.651(j)(2) - Hazards at edge of excavation, within 2'	6	4	0	1	1
49	1926.701(b) - Guard re-rod from impalement hazard	6	5	0	0	1
50	1926.760(a)(1) - No steel erection protection > 15'	6	5	0	0	1

Hazard communication, recordkeeping, and general duty, in the construction industry, are cited using the same standard as general industry.

(*) written for general industry and construction