



INDIANA DEPARTMENT OF TRANSPORTATION

Driving Indiana's Economic Growth

100 North Senate Avenue
Room N925
Indianapolis, Indiana 46204

PHONE: (317) 232-5456
FAX: (317) 232-5551

Michael R. Pence, Governor
Karl B. Browning, Commissioner

December 12, 2013

CONSTRUCTION MEMORANDUM 13-15

TO: District Deputy Commissioners
District Construction Directors
District Technical Services Directors
District Testing Engineers
District Area Engineers
District LPA Coordinators
Field Engineers
Project Engineers/Supervisors
Office of Materials Management

FROM: Mark A. Miller, Director *Mark Miller*
Division of Construction Management

SUBJECT: Guidance for Archaeological Clearance of Borrow and Disposal Sites per Standard Specification 203.08

Per Standard Specification 203.08, archaeological clearance is required prior to approval of proposed borrow and disposal sites unless a commercial source is utilized. To assist Project Engineer/Supervisors in approving sites in a streamlined and consistent manner, the Cultural Resources Office (CRO) is providing the following guidance for complying with 203.08:

- The Contractor, or their qualified archaeologist, shall submit the completed archeological survey report for the proposed borrow and/or disposal site(s) to the Project Engineer/Supervisor who will submit the completed archaeological survey report to CRO. Please send the report to the archaeological team lead or CRO manager. CRO will review the report within 2-5 days and ensure that the survey report meets the Division of Natural Resources (DNR)-Division of Historic Preservation and Archaeology (DHPA) standards.
- Before approval, the report may need to be revised based on CRO review comments. Once a report is approved, CRO will send an email notification to the Project Engineer/Supervisor who will forward it to the Contractor and/or their qualified archaeologist. This email should be attached to the Request for Approval of Borrow or Disposal Site form (INDOT form IC-203) per Item B. 8. This will constitute archaeological clearance and written authorization per the Approval of Borrow or Disposal Site form.
- In cases where there are potential archaeological issues with a survey or site location, at their discretion CRO may choose to consult with DHPA regarding clearance. Consultation with DHPA will be completed expeditiously.

- As DHPA is the repository of all archaeological work in the state, INDOT-CRO will request through the Project Engineer/Supervisor that the archaeologist submit the approved report to DHPA for their records only. No review by DHPA will be necessary.

Please contact the Cultural Resources Office with any questions:

CRO Manager
317-233-2061

Archaeology Team Lead
317-233-6795

MAM/GGP