



Project Name: Sample Backfill Calculations No. Structure Backfill Program

Structure Backfill, Method 1, Trench, Circular Pipe [715-BKFL-01]

Made By: PWD Date: 7/1/2025 Checked By:  Date:

**EXAMPLE:**

Interior Dia.	= 36 in. [3 ft]	Rock	= N
Wall Thickness	= 4 in.	T <sub>C</sub>	= 6 ft
B <sub>C</sub> & H <sub>C</sub>	= 44 in. [3.67 ft]	L <sub>E3</sub>	= 85 ft
Pipe Length (L)	= 200 ft	L <sub>B</sub>	= 60 ft

**① CALCULATE THE TRENCH END AREA**

$$\begin{aligned}
 W &= 0.3B_C = 0.3(3.67) = 1.1 \text{ ft} \\
 W_b &= B_C + 2W = 3.67 + 2(1.1) = 5.87 \text{ ft} \\
 K &= W_b + H_C/6 = 5.87 + 3.67/6 = 6.48 \text{ ft} \\
 W_t &= K + T_C/6 = 6.48 + 6/6 = 7.48 \text{ ft} \\
 B_{CT} &= (W_t + K)T_C/2 \\
 &= (7.48 + 6.48)(6)/2 = 41.88 \text{ ft}^2 \\
 B_{BC} &= (H_C)(K + W_b)/2 - \pi(H_C/2)^2 \\
 &= (3.67)(6.48 + 5.87)/2 - \pi(3.67/2)^2 = 12.08 \text{ ft}^2
 \end{aligned}$$

**② CALCULATE THE VOLUME OF STRUCTURE BACKFILL**

$$\begin{aligned}
 L_B &= 60 \text{ ft} \\
 L_{B2} &= L_B - 4H_C = 60 - (4)(3.67) = 45.32 \text{ ft} \\
 L_{B3} &= L_{B2} - 4T_C = 45.32 - (4)(6) = 21.32 \text{ ft} \\
 V_{CT} &= (L_{B2} + L_{B3})(B_{CT})/54 \\
 &= (45.32 + 21.32)(41.88)/54 = 51.68 \text{ cys} \\
 V_{BC} &= (L_B + L_{B2})(B_{BC})/54 \\
 &= (60.00 + 45.32)(12.08)/54 = 23.56 \text{ cys}
 \end{aligned}$$

$$\xrightarrow{V_{CT} + V_{BC}} 75.2 \text{ cys}$$

**③ CALCULATE THE VOLUME OF COMPACTED EARTH BACKFILL**

$$\begin{aligned}
 L_{E1} &= L = 200 \text{ ft} \\
 L_{E2} &= L_{E1} = 200 \text{ ft} \\
 L_{E3} &= 85 \text{ ft} \\
 V_{ET} &= (L_{E2} + L_{E3})(B_{CT})/54 - V_{CT} \\
 &= (200 + 85)(41.88)/54 - 51.68 = 169.35 \text{ cys} \\
 V_{EB} &= (L_{E1} + L_{E2})(B_{BC})/54 - V_{BC} \\
 &= (200 + 200)(12.08)/54 - 23.56 = 65.92 \text{ cys}
 \end{aligned}$$

$$\xrightarrow{V_{ET} + V_{EB}} 235.3 \text{ cys}$$

Project Name: Sample Backfill Calculations No. Structure Backfill Program

Structure Backfill, Method 1, Embankment, Circular Pipe [715-BKFL-02]

Made By: PWD Date: 8/27/2025 Checked By:  Date:

① CALCULATE THE TRENCH END AREA


$W_b = B_c + 2W$	(Trench width at bottom of trench, ft)
$K = W_b + H_c/6$	(Trench width at top of pipe, ft)
$K_3 = K + V_c/6$	(Trench width at top of trench, ft)
$B_{CV} = (K_3 + K)(V_c)/2$	(Trench sectional area above top of pipe, ft <sup>2</sup> )
$B_{BC} = (H_c)(W_b + K)/2 - \pi(H_c/2)^2$	(Trench sectional area below top of pipe, ft <sup>2</sup> )
$B_F = (W_b)(A) - A^2/12$	(Trench sectional area below pipe, if req'd., ft <sup>2</sup> )

② CALCULATE THE VOLUME OF STRUCTURE BACKFILL

$L_B$	(Length of Str. Backfill at bottom of trench, measured, ft)
$L_{B2} = L_B - 4H_c$	(Length of Str. Backfill at top of pipe, ft)
$L_{B3} = L_{B2} - 4T_c$	(Length of Str. Backfill at top of trench, ft)
$L_{E1} = L$	(Trench length at bottom of trench, measured, ft)
$V_{CV} = (L_{B2} + L_{B3})(B_{CV})/54$	(Str. Backfill volume above top of pipe, cys)
$V_{BC} = (L_B + L_{B2})(B_{BC})/54$	(Str. Backfill volume below top of pipe, cys)
$V_F = (L_{E1})(B_F)/27$	(Str. Backfill volume below pipe, if req'd., cys)

③ CALCULATE THE VOLUME OF COMPACTED EARTH BACKFILL

$L_{E1} = L$	(Trench length at bottom of trench, measured, ft)
$L_{E2} = L_{E1}$	(Trench length at top of pipe, ft)
$L_{E3}$	(Trench length at top of trench, measured, ft)
$V_{EV} = (L_{E2} + L_{E3})(B_{CV})/54 - V_{CV}$	(Encasement volume above top of pipe, cys)
$V_{EB} = (L_{E1} + L_{E2})(B_{BC})/54 - V_{BC}$	(Encasement volume below top of pipe, cys)



Project Name: Sample Backfill Calculations No. Structure Backfill Program

Structure Backfill, Method 1, Embankment, Circular Pipe [715-BKFL-02]

Made By: PWD Date: 8/27/2025 Checked By:  Date:

**EXAMPLE:**

Interior Dia.	= 18 in. [1.5 ft]	Rock	= N
Wall Thickness	= 2.5 in.	V <sub>C</sub>	= 1.5 ft
B <sub>C</sub> & H <sub>C</sub>	= 23 in. [1.92 ft]	L <sub>E1</sub>	= 58 ft
Pipe Length (L)	= 70 ft	L <sub>B</sub>	= 54 ft

**① CALCULATE THE TRENCH END AREA**

$$\begin{aligned}
 W &= 0.3B_C &= 0.3(1.92) &= 0.75 \text{ ft (min.)} \\
 W_b &= B_C + 2W &= 1.92 + 2(0.75) &= 3.42 \text{ ft} \\
 K &= W_b + H_C/6 &= 3.42 + (1.92)/6 &= 3.74 \text{ ft} \\
 K_3 &= K + V_C/6 &= 3.74 + (1.5)/6 &= 3.99 \text{ ft}
 \end{aligned}$$

$$\begin{aligned}
 B_{CV} &= (K_3 + K)(V_C)/2 \\
 &= (3.99 + 3.74)(1.5)/2 &= 5.80 \text{ ft}^2
 \end{aligned}$$

$$\begin{aligned}
 B_{BC} &= (H_C)(W_b + K)/2 - \pi(H_C/2)^2 \\
 &= (1.92)(3.74 + 3.42)/2 - \pi(1.92/2)^2 &= 3.98 \text{ ft}^2
 \end{aligned}$$

**② CALCULATE THE VOLUME OF STRUCTURE BACKFILL**

$$\begin{aligned}
 L_B &= 54 \text{ ft} \\
 L_{B2} &= L_B - 4H_C &= 54.00 - (4)(1.92) &= 46.32 \text{ ft} \\
 L_{B3} &= L_{B2} - 4T_C &= 46.32 - (4)(1.5) &= 40.32 \text{ ft}
 \end{aligned}$$

$$\begin{aligned}
 V_{CV} &= (L_{B2} + L_{B3})(B_{CV})/54 \\
 &= (46.32 + 40.32)(5.80)/54 &= 9.31 \text{ cys}
 \end{aligned}$$

$$\begin{aligned}
 V_{BC} &= (L_B + L_{B2})(B_{BC})/54 \\
 &= (54.00 + 46.32)(3.98)/54 &= 7.39 \text{ cys}
 \end{aligned}$$

$$\xrightarrow{V_{CV} + V_{BC}} 16.7 \text{ cys}$$

**③ CALCULATE THE VOLUME OF COMPACTED EARTH BACKFILL**

$$\begin{aligned}
 L_{E1} &= L &= 70 \text{ ft} \\
 L_{E2} &= L_{E1} &= 70 \text{ ft} \\
 L_{E3} &= &= 58 \text{ ft}
 \end{aligned}$$

$$\begin{aligned}
 V_{EV} &= (L_{E2} + L_{E3})(B_{CV})/54 - V_{CV} \\
 &= (70 + 58)(5.80)/54 - 9.31 &= 4.44 \text{ cys}
 \end{aligned}$$

$$\begin{aligned}
 V_{EB} &= (L_{E1} + L_{E2})(B_{BC})/54 - V_{BC} \\
 &= (70 + 70)(3.98)/54 - 7.39 &= 2.93 \text{ cys}
 \end{aligned}$$

$$\xrightarrow{V_{EV} + V_{EB}} 7.4 \text{ cys}$$

Project Name: Sample Backfill Calculations No. Structure Backfill Program

Structure Backfill, Method 1, Exist. Rdwy. Trench, Circular Pipe [715-BKFL-03, 04 & 05]


Made By: PWD Date: 9/16/2025 Checked By:            Date:           

① CALCULATE THE TRENCH END AREA

$W_b = B_c + 2W$	(Trench width at bottom of trench, ft)
$K = W_b + H_c/6$	(Trench width at top of pipe, ft)
$W_t = K + T_c/6$	(Trench width at top of trench, ft)
$B_{CT} = (W_t + K)(T_c)/2$	(Trench sectional area above top of pipe, ft <sup>2</sup> )
$B_{BC} = (H_c)(W_b + K)/2 - \pi(H_c/2)^2$	(Trench sectional area below top of pipe, ft <sup>2</sup> )

② CALCULATE THE VOLUME OF STRUCTURE BACKFILL

$L_B$	(Length of Str. Backfill at bottom of trench, measured, ft)
$V_{CT} = (L_B)(B_{CT})/27$	(Str. Backfill volume above top of pipe, cys)
$V_{BC} = (L_B)(B_{BC})/27$	(Str. Backfill volume below top of pipe, cys)



Project Name: Sample Backfill Calculations No. Structure Backfill Program

Structure Backfill, Method 1, Exist. Rdwy. Trench, Circular Pipe [715-BKFL-03, 04 & 05]

Made By: PWD Date: 9/16/2025 Checked By:            Date:           

EXAMPLE:

Interior Dia.	= 18 in. [1.5 ft]	$T_C$	= 7 ft
Wall Thickness	= 2.5 in.	$L_B$	= 48 ft
$B_C$ & $H_C$	= 23 in. [1.92 ft]		
Pipe Length (L)	= 50 ft		

① CALCULATE THE TRENCH END AREA

$W$	= $0.3B_C$	= $0.3(1.92)$	= 0.75 ft (min.)
$W_b$	= $B_C + 2W$	= $1.92 + 2(0.75)$	= 3.42 ft
$K$	= $W_b + H_C/6$	= $3.42 + 1.92/6$	= 3.74 ft
$W_t$	= $K + T_C/6$	= $3.74 + 7/6$	= 4.91 ft

$B_{CT} = (W_t + K)(T_C)/2$   
 $= (4.91 + 3.74)(7)/2 = 30.28 \text{ ft}^2$

$B_{BC} = (H_C)(W_b + K)/2 - \pi(H_C/2)^2$   
 $= (1.92)(3.74 + 3.42)/2 - \pi(1.92/2)^2 = 3.98 \text{ ft}^2$

② CALCULATE THE VOLUME OF STRUCTURE BACKFILL

$L_B = 48 \text{ ft}$

$V_{CT} = (L_B)(B_{CT})/27$   
 $= (48)(30.28)/27 = 53.83 \text{ cys}$

$V_{BC} = (L_B)(B_{BC})/27$   
 $= (48)(3.98)/27 = 7.08 \text{ cys}$

$V_{CT} + V_{BC} \rightarrow 60.9 \text{ cys}$

Project Name: Sample Backfill Calculations No. Structure Backfill Program

Structure Backfill, Method 2, Trench, Circular Pipe [715-BKFL-06]

Made By: PWD Date: 8/27/2025 Checked By:            Date:           

① CALCULATE THE TRENCH END AREA


$W_b = B_c + 2W$	(Trench width at bottom of trench, ft)
$K = W_b + H_c/6$	(Trench width at top of pipe, ft)
$W_t = K + T_c/6$	(Trench width at top of trench, ft)
$B_{CT} = (W_t + K)(T_c)/2$	(Trench sectional area above top of pipe, ft <sup>2</sup> )
$B_{BC} = (H_c)(W_b + K)/2 - \pi(H_c/2)^2$	(Trench sectional area below top of pipe, ft <sup>2</sup> )
$B_F = (W_b)(A) - A^2/12$	(Trench sectional area below pipe, if req'd., ft <sup>2</sup> )

② CALCULATE THE VOLUME OF STRUCTURE BACKFILL

$L_B$	(Length of Str. Backfill at bottom of trench, measured, ft)
$L_{B2} = L_B - 4H_c$	(Length of Str. Backfill at top of pipe, ft)
$L_{E1} = L$	(Trench length at bottom of trench, measured, ft)
$V_{BC} = (L_B + L_{B2})(B_{BC})/54$	(Str. Backfill volume below top of pipe, cys)
$V_F = (L_{E1})(B_F)/27$	(Str. Backfill volume below pipe, if req'd., cys)

③ CALCULATE THE VOLUME OF COMPACTED EARTH BACKFILL

$L_{E1} = L$	(Trench length at bottom of trench, measured, ft)
$L_{E2} = L_{E1}$	(Trench length at top of pipe, ft)
$L_{E3}$	(Trench length at top of trench, measured, ft)
$V_{ET} = (L_{E2} + L_{E3})(B_{CT})/54$	(Encasement volume above top of pipe, cys)
$V_{EB} = (L_{E1} + L_{E2})(B_{BC})/54 - V_{BC}$	(Encasement volume below top of pipe, cys)



Project Name: Sample Backfill Calculations No. Structure Backfill Program

Structure Backfill, Method 2, Trench, Circular Pipe [715-BKFL-06]

Made By: PWD Date: 9/16/2025 Checked By:  Date:

**EXAMPLE:**

Interior Dia.	= 24 in. [2 ft]	Rock	= N
Wall Thickness	= 3 in.	T <sub>C</sub>	= 5 ft
B <sub>C</sub> & H <sub>C</sub>	= 30 in. [2.5 ft]	L <sub>E1</sub>	= 60 ft
Pipe Length (L)	= 70 ft	L <sub>B</sub>	= 40 ft

**① CALCULATE THE TRENCH END AREA**

$$\begin{aligned}
 W &= 0.3B_C = 0.3(2.50) = 0.75 \text{ ft} \\
 W_b &= B_C + 2W = 2.50 + 2(0.75) = 4.00 \text{ ft} \\
 K &= W_b + H_C/6 = 4.00 + 2.50/6 = 4.42 \text{ ft} \\
 W_t &= K + T_C/6 = 4.42 + 5/6 = 5.25 \text{ ft} \\
 B_{CT} &= (W_t + K)T_C/2 \\
 &= (5.25 + 4.42)(5)/2 = 24.18 \text{ ft}^2 \\
 B_{BC} &= (H_C)(W_b + K)/2 - \pi(H_C/2)^2 \\
 &= (2.5)(4.42 + 4.00)/2 - \pi(2.5/2)^2 = 5.62 \text{ ft}^2
 \end{aligned}$$

**② CALCULATE THE VOLUME OF STRUCTURE BACKFILL**

$$\begin{aligned}
 L_B &= 40 \text{ ft} \\
 L_{B2} &= L_B - 4H_C = 60 - (4)(2.5) = 30 \text{ ft} \\
 V_{BC} &= (L_B + L_{B2})(B_{BC})/54 \\
 &= (40 + 30)(5.62)/54 = 7.29 \text{ cys} \longrightarrow 7.3 \text{ cys}
 \end{aligned}$$

**③ CALCULATE THE VOLUME OF COMPACTED EARTH BACKFILL**

$$\begin{aligned}
 L_{E1} &= L = 70 \text{ ft} \\
 L_{E2} &= L_{E1} = 70 \text{ ft} \\
 L_{E3} &= 60 \text{ ft} \\
 V_{ET} &= (L_{E2} + L_{E3})(B_{CT})/54 \\
 &= (70 + 60)(24.18)/54 = 58.21 \text{ cys} \\
 V_{EB} &= (L_{E1} + L_{E2})(B_{BC})/54 - V_{BC} \\
 &= (70 + 70)(5.62)/54 - 7.29 = 7.28 \text{ cys} \xrightarrow{V_{ET} + V_{EB}} 65.5 \text{ cys}
 \end{aligned}$$





Project Name: Sample Backfill Calculations No. Structure Backfill Program

Structure Backfill, Method 2, Embankment, Circular Pipe [715-BKFL-07]

Made By: PWD Date: 9/16/2025 Checked By:  Date:

EXAMPLE:

Interior Dia.	= 18 in. [1.5 ft]	Rock	= N
Wall Thickness	= 2.5 in.	V <sub>C</sub>	= 1.5 ft
B <sub>C</sub> & H <sub>C</sub>	= 23 in. [1.92 ft]	L <sub>E2</sub>	= 60 ft
Pipe Length (L)	= 70 ft	L <sub>B</sub>	= 40 ft

① CALCULATE THE TRENCH END AREA

W	= 0.3B <sub>C</sub>	= 0.3(1.92)	= 0.75 ft (min.)
W <sub>b</sub>	= B <sub>C</sub> + 2W	= 1.92 + 2(0.75)	= 3.42 ft
K	= W <sub>b</sub> + H <sub>C</sub> /6	= 3.42 + 1.92/6	= 3.74 ft
K <sub>3</sub>	= K + V <sub>C</sub> /6	= 3.74 + 1.5/6	= 3.99 ft

B<sub>CV</sub> = (K<sub>3</sub> + K)(V<sub>C</sub>)/2  
 = (3.99 + 3.74)(1.5)/2 = 5.80 ft<sup>2</sup>

B<sub>BC</sub> = (H<sub>C</sub>)(W<sub>b</sub> + K)/2 - π(H<sub>C</sub>/2)<sup>2</sup>  
 = (1.92)(3.74 + 3.42)/2 - π(1.92/2)<sup>2</sup> = 3.98 ft<sup>2</sup>

② CALCULATE THE VOLUME OF STRUCTURE BACKFILL

L<sub>B</sub> = 40 ft  
 L<sub>B2</sub> = L<sub>B</sub> - 4H<sub>C</sub> = 40 - (4)(1.92) = 32.32 ft

V<sub>BC</sub> = (L<sub>B</sub> + L<sub>B2</sub>)(B<sub>BC</sub>)/54  
 = (40 + 32.32)(3.98)/54 = 5.33 cys → 5.3 cys

③ CALCULATE THE VOLUME OF COMPACTED EARTH BACKFILL

L<sub>E1</sub> = L = 70 ft  
 L<sub>E2</sub> = L<sub>E1</sub> = 70 ft  
 L<sub>E3</sub> = 60 ft

V<sub>ET</sub> = (L<sub>E2</sub> + L<sub>E3</sub>)(B<sub>CT</sub>)/54  
 = (70 + 60)(5.80)/54 = 13.96 cys

V<sub>EB</sub> = (L<sub>E1</sub> + L<sub>E2</sub>)(B<sub>BC</sub>)/54 - V<sub>BC</sub>  
 = (70 + 70)(3.98)/54 - 5.33 = 4.99 cys → V<sub>ET</sub> + V<sub>EB</sub> → 19.0 cys

Project Name: Sample Backfill Calculations No. Structure Backfill Program

Structure Backfill, Method 3, Median Trench, Circular Pipe [715-BKFL-08]

Made By: PWD Date: 9/17/2025 Checked By:            Date:           

① CALCULATE THE TRENCH END AREA



$W_b = B_c + 2W$	(Trench width at bottom of trench, ft)
$K = W_b + H_c/6$	(Trench width at top of pipe, ft)
$K_3 = K + V_c/6$	(Trench width at top of str. bkfl., ft)
$W_t = K + T_c/6$	(Trench width at top of trench, ft)
$B_{CV} = (K_3 + K)(V_c)/2$	(Trench sectional area above pipe and below earth bkfl., ft <sup>2</sup> )
$B_{VT} = (W_t + K_3)(T_c - V_c)/2$	(Trench sectional area above top of str. bkfl., ft <sup>2</sup> )
$B_{BC} = (H_c)(W_b + K)/2 - \pi(H_c/2)^2$	(Trench sectional area below top of pipe, ft <sup>2</sup> )
$B_F = (W_b)(A) - A^2/12$	(Trench sectional area below pipe, if req'd., ft <sup>2</sup> )

② CALCULATE THE VOLUME OF STRUCTURE BACKFILL

$L_B$	(Length of Str. Backfill at bottom of trench, measured, ft)
$L_{B2} = L_B - 4V_c$	(Length of Str. Backfill at top of pipe, ft)
$L_{B3} = L_{B2} - 4H_c$	(Length of Str. Backfill at top of trench, ft)
$V_{CV} = (L_B + L_{B2})(B_{CV})/54$	(Str. Backfill volume above top of pipe, cys)
$V_{BC} = (L_{B2} + L_{B3})(B_{BC})/54$	(Str. Backfill volume below top of pipe, cys)
$V_F = (L_{B3})(B_F)/27$	(Str. Backfill volume below pipe, if req'd., cys)

③ CALCULATE THE VOLUME OF COMPACTED EARTH BACKFILL

$L_{E1} = L_B + (4)(T_c - V_c)$	(Trench length at top of trench, ft)
$V_{ET} = (L_B + L_{E1})(B_{VT})/54$	(Encasement volume above top of pipe, cys)



Project Name: Sample Backfill Calculations No. Structure Backfill Program

Structure Backfill, Method 3, Median Trench, Circular Pipe [715-BKFL-08]

Made By: PWD Date: 9/18/2025 Checked By:  Date:

**EXAMPLE:**

Interior Dia.	= 48 in. [4 ft]	Rock	= N
Wall Thickness	= 5 in.	T <sub>C</sub>	= 3 ft
B <sub>C</sub> & H <sub>C</sub>	= 58 in. [4.83 ft]	L <sub>B</sub>	= 250 ft
Pipe Length (L)	= 400 ft		

**① CALCULATE THE TRENCH END AREA**

$$\begin{aligned}
 W &= 0.3B_C = 0.3(4.83) = 1.45 \text{ ft} \\
 W_b &= B_C + 2W = 4.83 + 2(1.45) = 7.73 \text{ ft} \\
 K &= W_b + H_C/6 = 7.73 + 4.83/6 = 8.54 \text{ ft} \\
 K_3 &= K + V_C/6 = 8.54 + 1.5/6 = 8.79 \text{ ft} \\
 W_t &= K + T_C/6 = 8.54 + 3/6 = 9.04 \text{ ft}
 \end{aligned}$$

$$\begin{aligned}
 B_{CV} &= (K_3 + K)(V_C)/2 \\
 &= (8.79 + 8.54)(1.5)/2 = 13.00 \text{ ft}^2
 \end{aligned}$$

$$\begin{aligned}
 B_{VT} &= (W_t + K_3)(T_C - V_C)/2 \\
 &= (9.04 + 8.79)(3 - 1.5)/2 = 13.37 \text{ ft}^2
 \end{aligned}$$

$$\begin{aligned}
 B_{BC} &= (H_C)(W_b + K)/2 - \pi(H_C/2)^2 \\
 &= (4.83)(8.54 + 7.73)/2 - \pi(4.83/2)^2 = 20.97 \text{ ft}^2
 \end{aligned}$$

**② CALCULATE THE VOLUME OF STRUCTURE BACKFILL**

$$\begin{aligned}
 L_B &= 250.00 \text{ ft} \\
 L_{B2} &= L_B - 4V_C = 250 - (4)(1.5) = 244.00 \text{ ft} \\
 L_{B3} &= L_{B2} - 4H_C = 238 - (4)(4.83) = 224.68 \text{ ft}
 \end{aligned}$$

$$\begin{aligned}
 V_{CV} &= (L_B + L_{B2})(B_{CV})/54 \\
 &= (250.00 + 244.00)(13.00)/54 = 118.93 \text{ cys}
 \end{aligned}$$

$$\begin{aligned}
 V_{BC} &= (L_{B2} + L_{B3})(B_{BC})/54 \\
 &= (244.00 + 224.68)(20.97)/54 = 182.00 \text{ cys}
 \end{aligned}$$

$$\xrightarrow{V_{BC} + V_{CV}} 300.9 \text{ cys}$$

**③ CALCULATE THE VOLUME OF COMPACTED EARTH BACKFILL**

$$L_{E1} = L_B + (4)(T_C - V_C) = 250 + (4)(3 - 1.5) = 256.00 \text{ ft}$$

$$\begin{aligned}
 V_{ET} &= (L_B + L_{E1})(B_{VT})/54 \\
 &= (250 + 256)(13.37)/54 = 125.28 \text{ cys}
 \end{aligned}$$

Project Name: Sample Backfill Calculations No. Structure Backfill Program

Structure Backfill, Method 1, Median Embankment, Circular Pipe [715-BKFL-09]


Made By: PWD Date: 9/17/2025 Checked By:            Date:           

① CALCULATE THE TRENCH END AREA

$W_b = B_c + 2W$	(Trench width at bottom of trench, ft)
$K = W_b + H_c/6$	(Trench width at top of pipe, ft)
$K_3 = K + V_c/6$	(Trench width at top of trench, ft)
$B_{CV} = (K_3 + K)(V_c)/2$	(Trench sectional area above top of pipe, ft <sup>2</sup> )
$B_{BC} = (H_c)(W_b + K)/2 - \pi(H_c/2)^2$	(Trench sectional area below top of pipe, ft <sup>2</sup> )
$B_F = (W_b)(A) - A^2/12$	(Trench sectional area below pipe, if req'd., ft <sup>2</sup> )

② CALCULATE THE VOLUME OF STRUCTURE BACKFILL

$L_B$	(Length of Str. Backfill at bottom of trench, measured, ft)
$L_{B2} = L_B - 4V_c$	(Length of Str. Backfill at top of pipe, ft)
$L_{B3} = L_{B2} - 4H_c$	(Length of Str. Backfill at top of trench, ft)
$V_{CV} = (L_B + L_{B2})(B_{CV})/54$	(Str. Backfill volume above top of pipe, cys)
$V_{BC} = (L_{B2} + L_{B3})(B_{BC})/54$	(Str. Backfill volume below top of pipe, cys)
$V_F = (L_{B3})(B_F)/27$	(Str. Backfill volume below pipe, if req'd., cys)



Project Name: Sample Backfill Calculations No. Structure Backfill Program

Structure Backfill, Method 1, Median Embankment, Circular Pipe [715-BKFL-09]

Made By: PWD Date: 9/18/2025 Checked By:            Date:           

EXAMPLE:

Interior Dia.	= 54 in. [4.5 ft]	Rock	= N
Wall Thickness	= 5.5 in.	$V_C$	= 1.5 ft
$B_C$ & $H_C$	= 65 in. [5.42 ft]	$L_B$	= 200 ft
Pipe Length (L)	= 400 ft		

① CALCULATE THE TRENCH END AREA

$W$	$= 0.3B_C$	$= 0.3(5.42)$	$= 1.63$ ft
$W_b$	$= B_C + 2W$	$= 5.42 + 2(1.63)$	$= 8.68$ ft
$K$	$= W_b + H_C/6$	$= 8.68 + 5.42/6$	$= 9.58$ ft
$K_3$	$= K + V_C/6$	$= 9.58 + 1.5/6$	$= 9.83$ ft

$B_{CV} = (K_3 + K)(V_C)/2$   
 $= (9.83 + 9.58)(1.5)/2 = 14.56 \text{ ft}^2$

$B_{BC} = (H_C)(W_b + K)/2 - \pi(H_C/2)^2$   
 $= (5.42)(8.68+9.58)/2 - \pi(5.42/2)^2 = 26.41 \text{ ft}^2$

② CALCULATE THE VOLUME OF STRUCTURE BACKFILL

$L_B$		$= 200.00$ ft
$L_{B2}$	$= L_B - 4V_C$	$= 200 - (4)(1.5) = 194.00$ ft
$L_{B3}$	$= L_{B2} - 4H_C$	$= 194 - (4)(5.42) = 172.32$ ft

$V_{CV} = (L_B + L_{B2})(B_{CV})/54$   
 $= (200.00 + 194.00)(14.56)/54 = 106.23$  cys

$V_{BC} = (L_{B2} + L_{B3})(B_{BC})/54$   
 $= (194.00 + 172.32)(26.41)/54 = 179.16$  cys

$V_{CV} + V_{BC} \rightarrow 285.4$  cys

## Structure Backfill Quantities

Contract No. R-XXXXX

Project No. 1234567

Des. No. 9999999

Project Description: General Road from the intersection with First Street to the intersection with Last Road. RP109+05 to RP112+87

Prepared by First Last, EIT, Date: 11/30/25

Checked by First Last, PE, Date: 12/31/25

Structure No.	Structure Size	Shape	Rock Fdn.	Backfill Type	Backfill Method	Structure Length (ft.)	Trench Cover (ft.)	Structure Backfill (CYS)	Compacted Earth Fill (CYS)	Rock Fdn. Backfill (CYS)
1	36 in.	Circular	N	2	Method 1 - New Roadway, Trench	200.0	6.0	75.2	235.3	
2	18 in.	Circular	N	1	Method 1 - New Roadway, Embankment	70.0	3.1	16.7	7.4	
3	18 in.	Circular	N	2	Method 1 - Existing Roadway, Trench	50.0	7.0	60.9		
6	24 in.	Circular	N	2	Method 2 - New or Existing Drive, Trench	70.0	5.0	7.3	65.5	
7	18 in.	Circular	N	1	Method 2 - New or Existing Drive, Embankment	70.0	1.5	5.3	19	
8	48 in.	Circular	N	2	Method 3 - Median Installation, Trench	400.0	3.0	300.9	125.3	
9	54 in.	Circular	N	1	Method 1 - Median Installation, Embankment	400.0	3.0	285.4		