

TABLE OF CONTENTS

| Section                                 | Title                               | Page |
|---|-------------------------------------|------|
| <b>SECTION 100 – GENERAL PROVISIONS</b> |                                     |      |
| SECTION 101 – DEFINITIONS AND TERMS     |                                     | 1    |
| 101.01                                  | Abbreviations                       | 1    |
| 101.02                                  | Above Normal Inclement Weather Days | 3    |
| 101.03                                  | Blank                               | 4    |
| 101.04                                  | Bid Bond                            | 4    |
| 101.05                                  | Bidder                              | 4    |
| 101.06                                  | Bridge                              | 4    |
|   | (a) Length                          | 4    |
|   | (b) Roadway Width                   | 4    |
| 101.07                                  | Business Day                        | 4    |
| 101.08                                  | Calendar Day                        | 4    |
| 101.09                                  | Change Order                        | 4    |
| 101.10                                  | Construction Limits                 | 4    |
| 101.11                                  | Contract                            | 4    |
| 101.12                                  | Contract Information Book           | 5    |
| 101.13                                  | Contract Item (Pay Item)            | 5    |
| 101.14                                  | Contract Time                       | 5    |
| 101.15                                  | Contractor                          | 5    |
| 101.16                                  | Culvert                             | 5    |
| 101.17                                  | Commissioner                        | 5    |
| 101.18                                  | Department                          | 5    |
| 101.19                                  | Embankment Foundation               | 5    |
| 101.20                                  | Engineer                            | 6    |
| 101.21                                  | Equipment                           | 6    |
| 101.22                                  | Extra Work                          | 6    |
| 101.23                                  | Failed Material                     | 6    |
| 101.24                                  | Force Account Work                  | 6    |
| 101.25                                  | Frequency Manual                    | 6    |
| 101.26                                  | Holidays                            | 6    |
| 101.27                                  | Invitation for Bids                 | 7    |
| 101.28                                  | Itemized Proposal                   | 7    |
| 101.29                                  | Laboratory                          | 7    |
| 101.30                                  | Major and Minor Contract Items      | 7    |
| 101.31                                  | Materials                           | 7    |
| 101.32                                  | Notice to Proceed                   | 7    |
| 101.33                                  | Open to Unrestricted Traffic        | 7    |
| 101.34                                  | Pavement Structure                  | 7    |
| 101.35                                  | Performance Bond                    | 8    |
| 101.36                                  | Plans                               | 8    |
| 101.37                                  | Professional Engineer               | 8    |
| 101.38                                  | Profile Grade                       | 8    |
| 101.39                                  | Project                             | 8    |
| 101.40                                  | Proposal                            | 8    |

## TABLE OF CONTENTS

| Section   | Title  | Page |
|---|--|------|
| 101.41  | Proposal Book.....   | 8    |
| 101.42  | Quality Assurances Adjustments .....   | 8    |
| 101.43  | Reasonably Close Conformance.....  | 8    |
| 101.44  | Right-of-Way.....  | 9    |
| 101.45  | Road.....  | 9    |
| 101.46  | Roadbed.....   | 9    |
| 101.47  | Roadside .....   | 9    |
| 101.48  | Roadside Development.....  | 9    |
| 101.49  | Roadway .....  | 9    |
| 101.50  | Schedule of Pay Items .....  | 9    |
| 101.51  | Shoulder.....  | 9    |
| 101.52  | Sidewalk .....   | 10   |
| 101.53  | Special Provisions.....  | 10   |
| 101.54  | Specifications.....  | 10   |
| 101.55  | Specified Completion Date.....   | 10   |
| 101.56  | State .....  | 10   |
| 101.57  | Street.....  | 10   |
| 101.58  | Structures .....   | 10   |
| 101.59  | Substantial Completion.....  | 10   |
| 101.60  | Blank.....   | 10   |
| 101.61  | Subcontractor.....   | 10   |
| 101.62  | Subgrade .....   | 10   |
| 101.63  | Substructure .....   | 11   |
| 101.64  | Superintendent.....  | 11   |
| 101.65  | Superstructure.....  | 11   |
| 101.66  | Supplemental Specifications.....   | 11   |
| 101.67  | Surety.....  | 11   |
| 101.68  | Technician or Inspector .....  | 11   |
| 101.69  | Titles (Headings) .....  | 11   |
| 101.70  | Township, Town, City .....   | 11   |
| 101.71  | Traveled Way .....   | 11   |
| 101.72  | Work.....  | 11   |
| 101.73  | Work Day .....   | 12   |
| 101.74  | Working Drawings.....  | 12   |
| SECTION 102 – BIDDING REQUIREMENTS AND CONDITIONS ..... |  | 12   |
| 102.01  | Prequalification and Bidding .....   | 12   |
| 102.02  | Certification Regarding Lobbying for Contracts, Grants,<br>Loans, and Cooperative Agreements ..... | 12   |
| SECTION 103 – AWARD AND EXECUTION OF CONTRACT.....      |  | 12   |
| 103.01  | Disadvantaged Business Enterprise Program .....  | 12   |
| (a)   | General Requirements.....  | 12   |
| (b)   | Definitions .....  | 13   |
| 1.  | DBE .....  | 13   |
| 2.  | Small Business Concern .....   | 13   |

## TABLE OF CONTENTS

| Section                          | Title  | Page |
|----------------------------------|--|------|
|                                  | 3. Socially and Economically Disadvantaged Individuals.....  | 13   |
|                                  | 4. Certified DBE.....  | 14   |
| (c)                              | Goal.....  | 14   |
|                                  | 1. DBE Joint Venture Type A.....   | 14   |
|                                  | 2. DBE Joint Venture Type B.....   | 14   |
| (d)                              | Affirmative Actions.....   | 15   |
| (e)                              | Guidelines for Determining Good Faith Efforts.....   | 15   |
| (f)                              | Affirmative Action Certification.....  | 18   |
| (g)                              | Subcontracts.....  | 18   |
| (h)                              | Leases and Rentals.....  | 18   |
| (i)                              | Records and Reports.....   | 19   |
| 103.02                           | Specific Equal Employment Opportunity Responsibilities.....  | 19   |
| 103.03                           | Blank.....   | 20   |
| 103.04                           | Insurance.....   | 20   |
|                                  | (a) Worker’s Compensation and Employer’s Liability.....  | 20   |
|                                  | (b) Commercial General Liability.....  | 21   |
|                                  | (c) Business Automobile Liability.....   | 21   |
|                                  | (d) Railroad’s Protective Liability.....   | 21   |
|                                  | (e) Owner’s and Contractor’s Protective Liability Insurance<br>Coverage for Operations of Designated Contractor..... | 21   |
|                                  | (f) Basis of Payment.....  | 22   |
| 103.05                           | Waiver of Damages.....   | 22   |
| 103.06                           | Wage and Labor Requirements.....   | 23   |
|                                  | (a) Non-discrimination of Employees.....   | 23   |
|                                  | (b) Affidavits and Payrolls.....   | 23   |
|                                  | (c) Wage Stipulations.....   | 24   |
|                                  | 1. General Decision Included in Contract Information Book.....   | 24   |
|                                  | 2. General Decision Not Included in Contract Information Book.....   | 24   |
| 103.07                           | Accident Prevention and Safety.....  | 24   |
| SECTION 104 – SCOPE OF WORK..... |  | 25   |
| 104.01                           | Intent of Contract.....  | 25   |
| 104.02                           | Changed Conditions.....  | 25   |
|                                  | (a) Differing Site Conditions.....   | 26   |
|                                  | (b) Suspensions of Work Ordered by the Engineer.....   | 26   |
|                                  | (c) Significant Changes in the Character of Work.....  | 27   |
|                                  | (d) Pre-established Remedies to Changed Conditions.....  | 28   |
|                                  | 1. Acceleration.....   | 29   |
|                                  | 2. Inefficiencies.....   | 29   |
|                                  | 3. Unrecoverable Costs.....  | 29   |
|                                  | 4. Unacceptable Cost Calculation Methods.....  | 30   |
| 104.03                           | Extra Work.....  | 30   |
| 104.04                           | Maintenance of Traffic.....  | 30   |
|                                  | (a) Special Detours.....   | 31   |
|                                  | (b) Maintenance Directed by the Engineer.....  | 31   |

## TABLE OF CONTENTS

| Section                                 | Title   | Page |
|---|---|------|
|   | (c) Blank .....   | 32   |
|   | (d) Traffic Control for Patching on a Two-Lane Roadway .....    | 32   |
| 104.05                                  | Removal and Disposal of Structures and Obstructions.....        | 32   |
| 104.06                                  | Removal and Disposal of Regulated Materials.....                | 32   |
|   | (a) For Such Materials which are Identified in the Proposal     |      |
|   | Book as Being Present on the Project Site .....                 | 33   |
|   | (b) For Such Materials which are not Identified in the Proposal |      |
|   | Book as Being Present on the Project Site .....                 | 34   |
| 104.07                                  | Rights in and Use of Materials Found in the Project Site.....   | 36   |
| 104.08                                  | Final Clean-Up .....  | 36   |
| SECTION 105 – CONTROL OF WORK.....      |   | 37   |
| 105.01                                  | Authority of the Engineer .....                                 | 37   |
| 105.02                                  | Plans and Working Drawings .....                                | 37   |
| 105.03                                  | Conformance with Plans and Specifications.....                  | 38   |
| 105.04                                  | Coordination of Plans, Standard Specifications, Supplemental    |      |
|   | Specifications, and Special Provisions .....                    | 39   |
| 105.05                                  | Cooperation by Contractor .....                                 | 40   |
| 105.06                                  | Cooperation with Utilities.....                                 | 40   |
| 105.07                                  | Cooperation Between Contractors .....                           | 41   |
| 105.08                                  | Construction Stakes, Lines, and Grades .....                    | 42   |
|   | (a) Construction Engineering by the State.....                  | 42   |
|   | (b) Construction Engineering by the Contractor.....             | 42   |
|   | (c) Production Staking by the Contractor .....                  | 45   |
| 105.09                                  | Duties of Technician and Inspector .....                        | 46   |
| 105.10                                  | Inspection of Work .....  | 47   |
| 105.11                                  | Removal of Unacceptable and Unauthorized Work .....             | 47   |
| 105.12                                  | Load Restrictions.....  | 48   |
| 105.13                                  | Maintenance During Construction.....                            | 48   |
| 105.14                                  | Failure to Maintain Roadway, Structures, Barricades, and        |      |
|   | Construction Signs.....   | 49   |
| 105.15                                  | Acceptance and Final Inspection .....                           | 49   |
|   | (a) Partial Acceptance.....                                     | 49   |
|   | (b) Final Acceptance.....                                       | 50   |
| 105.16                                  | Notice of Changed Conditions and Claims.....                    | 50   |
|   | (a) Contractual Notice of a Changed Condition .....             | 50   |
|   | (b) Claims .....  | 51   |
|   | 1. Required Documentation .....                                 | 51   |
|   | 2. Auditing of Claims .....                                     | 52   |
|   | (c) Claim Resolution Process .....                              | 52   |
|   | 1. Project Level Review.....                                    | 52   |
|   | 2. District Office Review .....                                 | 53   |
|   | 3. Central Office Review .....                                  | 54   |
| SECTION 106 – CONTROL OF MATERIAL ..... |   | 55   |
| 106.01                                  | Source of Supply and Quality Requirements.....                  | 55   |

## TABLE OF CONTENTS

| Section  | Title   | Page |
|--|---|------|
|  | (a) Approved or Prequalified Materials .....                        | 55   |
|  | (b) Material Records .....  | 56   |
|  | 1. Documentation of Material Delivery .....                         | 56   |
|  | 2. Delivery Ticket Information .....                                | 56   |
|  | 3. Payment Procedures .....   | 57   |
|  | (c) Buy America Requirement .....                                   | 57   |
| 106.02   | Samples, Tests, Cited Specifications .....                          | 57   |
| 106.03   | Plant Inspection .....  | 58   |
| 106.04   | Blank .....   | 59   |
| 106.05   | Storage of Materials .....  | 59   |
| 106.06   | Handling of Materials .....   | 59   |
| 106.07   | Unacceptable Materials .....  | 59   |
| 106.08   | Hazard Communication Program .....                                  | 60   |
| 106.09   | Department Furnished Materials .....                                | 60   |
| 106.10   | Proportioning Materials .....                                       | 60   |
| 106.11   | Sample Asbestos Exclusion Letter .....                              | 60   |
| SECTION 107 – LEGAL RELATIONS AND RESPONSIBILITY TO PUBLIC ... |   | 60   |
| 107.01   | Laws to be Observed .....   | 60   |
| 107.02   | Permits, Licenses, and Taxes .....                                  | 62   |
| 107.03   | Patented Devices, Materials, and Processes .....                    | 63   |
| 107.04   | Restoration of Surfaces Opened by Permit .....                      | 63   |
| 107.05   | Federal Aid Provisions .....  | 63   |
| 107.06   | Equal Employment Opportunity Trainees .....                         | 63   |
| 107.07   | Sanitary Conditions Requirements .....                              | 65   |
| 107.08   | Public Convenience and Safety .....                                 | 66   |
|  | (a) Worker Safety .....   | 66   |
|  | (b) Dust and Air Pollution .....                                    | 66   |
|  | (c) Protection to Traffic .....                                     | 66   |
|  | (d) Notice to Local Public Officials .....                          | 67   |
|  | (e) Convenience to Traffic and Property Owners .....                | 67   |
| 107.09   | Railroad-Highway Requirements .....                                 | 68   |
|  | (a) Protection of Track Ballast .....                               | 68   |
|  | (b) Hold Harmless Clause .....                                      | 69   |
| 107.10   | Archaeological Artifacts .....                                      | 69   |
| 107.11   | Bridges over Navigable Waters .....                                 | 69   |
| 107.12   | Traffic Control Devices .....                                       | 69   |
| 107.13   | Use of Explosives .....   | 71   |
| 107.14   | Protection and Restoration of Property and Landscape .....          | 71   |
| 107.15   | Erosion Control Plan and Proof of Publication .....                 | 72   |
| 107.16   | Forest Protection .....   | 72   |
| 107.17   | Responsibility for Damage Claims .....                              | 73   |
| 107.18   | Opening Sections of Project to Traffic .....                        | 74   |
| 107.19   | Contractor’s Responsibility for Work .....                          | 74   |
| 107.20   | Contractor’s Responsibility for Utility Property and Services ..... | 75   |

## TABLE OF CONTENTS

| Section                                      | Title   | Page |
|--|---|------|
| 107.21                                       | Furnishing Right-of-Way.....                                | 76   |
| 107.22                                       | Personal Liability of Public Officials .....                | 76   |
| 107.23                                       | Waiver of Legal Rights.....                                 | 76   |
| 107.24                                       | Governing Law .....   | 77   |
| 107.25                                       | Severability .....  | 77   |
| SECTION 108 – PROSECUTION AND PROGRESS ..... |   | 77   |
| 108.01                                       | Subletting of Contract.....                                 | 77   |
| 108.02                                       | Release of Retainage to Subcontractors.....                 | 77   |
| 108.03                                       | Notice to Proceed.....                                      | 78   |
| 108.04                                       | Prosecution of the Work .....                               | 78   |
| 108.05                                       | Pre-phase Site Construction Meetings .....                  | 82   |
| 108.06                                       | Limitation of Operations.....                               | 82   |
| 108.07                                       | Character of Workers, Methods, and Equipment.....           | 83   |
| 108.08                                       | Determination and Extension of Contract Time .....          | 84   |
|  | (a) Excusable, Non-Compensable Delays .....                 | 87   |
|  | (b) Excusable, Compensable Delays .....                     | 88   |
|  | (c) Non-Excusable Delays.....                               | 88   |
|  | (d) Concurrent Delays .....                                 | 89   |
| 108.09                                       | Failure to Complete on Time .....                           | 89   |
| 108.10                                       | Default and Termination of Contract.....                    | 90   |
| 108.11                                       | Termination of Contractor’s Responsibility .....            | 91   |
| 108.12                                       | Contract Documentation.....                                 | 92   |
| SECTION 109 – MEASUREMENT AND PAYMENT .....  |   | 92   |
| 109.01                                       | Measurement of Quantities .....                             | 92   |
|  | (a) General Requirements.....                               | 92   |
|  | (b) Scales and Measurement by Weight (Mass).....            | 94   |
|  | (c) Measurement by Volume .....                             | 95   |
|  | (d) Measurement of Asphalt Materials .....                  | 96   |
|  | (e) Measurement of PCC .....                                | 96   |
|  | (f) Measurement of Aggregates.....                          | 97   |
|  | (g) Measurement of Timber or Lumber.....                    | 98   |
|  | (h) Rental of Equipment .....                               | 98   |
|  | (i) Manufactured Materials.....                             | 98   |
| 109.02                                       | Scope of Payment .....                                      | 98   |
| 109.03                                       | Compensation for Altered Quantities .....                   | 99   |
| 109.04                                       | Cost Reduction Incentive, CRI .....                         | 99   |
|  | (a) CRI Initial Requirements .....                          | 100  |
|  | (b) CRI Formal Proposal Requirements .....                  | 101  |
|  | (c) Approval of Formal CRI Proposal .....                   | 102  |
|  | (d) Payment for Design of Formal Proposal, if Rejected..... | 104  |
|  | (e) Other Conditions .....                                  | 104  |
|  | (f) Time Savings Proposals .....                            | 105  |
|  | (g) Adjustments to Contract Time .....                      | 105  |
|  | (h) Method of Measurement .....                             | 105  |

## TABLE OF CONTENTS

| Section   | Title   | Page |
|---|---|------|
|   | (i) Basis of Payment .....                                    | 105  |
| 109.05  | Payment for Extra Work .....                                  | 106  |
|   | (a) Agreed Price .....  | 106  |
|   | (b) Force Account .....                                       | 107  |
|   | 1. Labor Costs .....  | 107  |
|   | 2. Bond and Insurance .....                                   | 107  |
|   | 3. Materials .....  | 107  |
|   | 4. Equipment .....  | 107  |
|   | 5. Miscellaneous .....  | 108  |
|   | 6. Subcontracting .....                                       | 108  |
|   | 7. Compensation .....   | 108  |
|   | 8. Statements .....   | 108  |
| 109.05.1  | Quality Adjustments .....                                     | 109  |
|   | (a) HMA .....   | 110  |
|   | (b) PCCP .....  | 110  |
|   | (c) Superstructure Concrete, SC .....                         | 110  |
|   | (d) Temporary Traffic Control Devices, TTCD .....             | 110  |
|   | (e) Failed Materials, FM .....                                | 110  |
|   | (f) Pavement Traffic Markings, PTM .....                      | 110  |
|   | (g) Erosion and Sediment Control, E&SC .....                  | 110  |
| 109.05.2  | Delay Costs .....   | 110  |
|   | (a) Allowable Delay Costs .....                               | 111  |
|   | 1. Labor .....  | 111  |
|   | 2. Insurance .....  | 111  |
|   | 3. Equipment .....  | 111  |
|   | 4. Field Office Costs .....                                   | 111  |
|   | 5. Escalation Costs .....                                     | 111  |
|   | a. Labor Escalation .....                                     | 112  |
|   | b. Materials Escalation or Storage .....                      | 112  |
|   | c. Equipment Escalation .....                                 | 112  |
|   | (b) Blank .....   | 112  |
| 109.06  | Eliminated Pay Items .....                                    | 112  |
| 109.07  | Partial Payments .....  | 112  |
| 109.08  | Final Payment .....   | 113  |
| SECTION 110 – MOBILIZATION AND DEMOBILIZATION ..... |   | 114  |
|   | 110.01 Description .....                                      | 114  |
|   | 110.02 Limitations .....                                      | 114  |
|   | 110.03 Method of Measurement .....                            | 114  |
|   | 110.04 Basis of Payment .....                                 | 114  |
| SECTION 111 – STOCKPILED MATERIALS .....            |   | 114  |
|   | 111.01 Description .....                                      | 114  |
|   | 111.02 General Requirements .....                             | 114  |
|   | 111.03 Structural Steel and Concrete Structural Members ..... | 115  |
|   | (a) Delivered to the Job Site .....                           | 115  |

## TABLE OF CONTENTS

| Section                                   | Title   | Page |
|---|---|------|
|   | (b) Acceptably Stored at the Fabricator's or Manufacturer's Storage Facilities .....  | 115  |
| 111.04                                    | Dowel Bar Assemblies .....  | 115  |
| 111.05                                    | Granular Base, Subbase Materials, and Aggregates for HMA and Concrete Pavements ..... | 115  |
| 111.06                                    | Bridge Expansion Joints .....   | 116  |
|   | (a) Type SS .....   | 116  |
|   | (b) Type M .....  | 116  |
| 111.07                                    | Structural Supports for Signals, Signs, and Luminaires .....                          | 116  |
| 111.08                                    | Precast Concrete Median Barrier .....   | 116  |
| 111.09                                    | Concrete Face Panels and Ground Reinforcement for MSE Walls .....                     | 117  |
| 111.10                                    | Additional Requirements .....   | 117  |
| 111.11                                    | Method of Measurement .....   | 117  |
| 111.12                                    | Basis of Payment .....  | 118  |
| SECTION 112 – BLANK .....                 |   | 118  |
| SECTION 113 – PARTNERING OVERHEAD .....   |   | 118  |
| 113.01                                    | Description .....   | 118  |
| 113.02                                    | Requirements .....  | 118  |
|   | (a) Meeting Room .....  | 118  |
|   | (b) Meeting Length .....  | 119  |
|   | (c) Facilitator .....   | 119  |
| 113.03                                    | Method of Measurement .....   | 119  |
| 113.04                                    | Basis of Payment .....  | 119  |
| <b>SECTION 200 – EARTHWORK</b>            |   |      |
| SECTION 201 – CLEARING AND GRUBBING ..... |   | 120  |
| 201.01                                    | Description .....   | 120  |
| 201.02                                    | General .....   | 120  |
| 201.03                                    | Clearing and Grubbing .....   | 120  |
| 201.04                                    | Scalping .....  | 121  |
| 201.05                                    | Hedge Removal .....   | 121  |
| 201.06                                    | Method of Measurement .....   | 121  |
|   | (a) Area Basis .....  | 121  |
|   | (b) Lump Sum Basis .....  | 121  |
|   | (c) Linear Basis .....  | 121  |
|   | (d) Individual Unit Basis .....   | 122  |
| 201.07                                    | Basis of Payment .....  | 122  |
|   | (a) Area Basis .....  | 122  |
|   | (b) Lump Sum Basis .....  | 122  |
|   | (c) Linear Basis .....  | 123  |
|   | (d) Individual Unit Basis .....   | 123  |
|   | (e) Clearing Right-of-Way .....   | 123  |
|   | (f) Exclusions .....  | 123  |



## TABLE OF CONTENTS

| Section  | Title   | Page |
|--|---|------|
| SECTION 202 – REMOVAL OF STRUCTURES AND OBSTRUCTIONS |   | 124  |
| 202.01   | Description   | 124  |
| 202.02   | General Requirements  | 124  |
|  | (a) Type Y Waste  | 125  |
|  | (b) Type Z Waste  | 125  |
| 202.03   | Removal of Bridges, Culverts, and Other Drainage Structures                                     | 126  |
|  | (a) Complete  | 126  |
|  | (b) Portions  | 126  |
|  | (c) Disposal of Concrete  | 127  |
| 202.04   | Removal of Pipe and Tile Drains   | 127  |
| 202.05   | Removal of PCCP, Sidewalks, Curbs, RCBA, and Reinforced Concrete Moment Slabs                   | 128  |
| 202.06   | Removal of Houses and Buildings   | 129  |
| 202.07   | Inspection and Removal of Asbestos  | 129  |
| 202.08   | Removal of Underground Storage Tanks Containing Petroleum Products or Other Hazardous Chemicals | 130  |
|  | (a) Type A Waste  | 132  |
|  | (b) Type B Waste  | 132  |
|  | (c) Type C Waste  | 132  |
| 202.09   | Remediation of Contaminated Soil and Groundwater  | 132  |
| 202.10   | Remediation of Other Regulated Materials  | 133  |
| 202.11   | Transportation and Disposal of Regulated Materials  | 133  |
| 202.12   | Blank   | 134  |
| 202.13   | Method of Measurement   | 134  |
| 202.14   | Basis of Payment  | 135  |
| SECTION 203 – EXCAVATION AND EMBANKMENT              |   | 140  |
| 203.01   | Description   | 140  |
| 203.02   | Common Excavation   | 140  |
| 203.03   | Rock Excavation   | 140  |
| 203.04   | Unclassified Excavation   | 140  |
| 203.05   | Peat Excavation   | 140  |
| 203.06   | Waterway Excavation   | 141  |
| 203.07   | Class Y Excavation  | 141  |
| 203.08   | Borrow or Disposal  | 141  |
| 203.08.1   | Linear Grading  | 143  |
| 203.09   | General Requirements  | 144  |
| 203.10   | Disposal of Excavated Material Except Waterway and Peat Excavation                              | 146  |
| 203.11   | Disposal of Waterway Excavation   | 147  |
| 203.12   | Disposal of Peat  | 147  |
| 203.13   | Slides  | 147  |
| 203.14   | Drainage  | 147  |
| 203.15   | Excavating Rock   | 148  |
| 203.16   | Peat Deposit Treatment  | 151  |

## TABLE OF CONTENTS

| Section  | Title   | Page |
|--|---|------|
|  | (a) Treatment of Existing Fills.....  | 151  |
|  | (b) Treatment by Removal.....   | 151  |
|  | (c) Treatment by Displacement .....   | 152  |
| 203.17   | Cased Test Holes .....  | 153  |
| 203.18   | Embankment Construction .....   | 153  |
| 203.19   | Embankment Over and Around Structures .....   | 153  |
| 203.20   | Rock and Shale Embankment.....  | 154  |
|  | (a) Rock Embankment.....  | 154  |
|  | (b) Shale, Shale and Soft Rock Mixtures, or Soft Rock .....                             | 155  |
|  | (c) Shale and Thinly Layered Limestone.....   | 156  |
| 203.21   | Embankment on Hillsides or Slopes .....   | 156  |
| 203.22   | Embankment Over Existing Roadbeds .....   | 157  |
| 203.23   | Embankment Other Than Rock and Shale, With Density Control .....                        | 158  |
| 203.24   | Method of Making Density Tests .....  | 159  |
|  | (a) Laboratory.....   | 159  |
|  | (b) Field.....  | 159  |
| 203.25   | Embankment Without Density Control .....  | 160  |
| 203.26   | Proofrolling.....   | 160  |
| 203.27   | Method of Measurement.....  | 160  |
|  | (a) Contract Quantity .....   | 160  |
|  | (b) Measured Quantities .....   | 160  |
|  | (c) Measurement on a Linear Basis .....   | 161  |
|  | (d) Measurement of Excavation Items on a Weight Basis.....                              | 162  |
|  | (e) Measurement of Embankments.....   | 162  |
|  | (f) Measurement of Borrow.....  | 162  |
|  | (g) Measurement of Embankment Foundation Soils Treatment.....                           | 163  |
|  | (h) Measurement of Water for Shale, Shale and Soft Rock Mixtures,<br>or Soft Rock ..... | 163  |
|  | (i) Lump Sum .....  | 163  |
|  | (j) Measurement of Exploratory Cores .....  | 163  |
| 203.28   | Basis of Payment .....  | 163  |
| SECTION 204 – GEOTECHNICAL INSTRUMENTATION.....            |   | 167  |
| 204.01   | Description.....  | 167  |
| 204.02   | Materials .....   | 167  |
| 204.03   | Settlement Plates.....  | 168  |
|  | (a) Installation Requirements.....  | 168  |
|  | (b) Instrument Readings and Settlement Period .....                                     | 168  |
| 204.04   | Standpipe Piezometers.....  | 169  |
|  | (a) Installation Requirements.....  | 169  |
|  | (b) Readings and Maintenance of Piezometer .....  | 171  |
| 204.05   | Method of Measurement.....  | 171  |
| 204.06   | Basis of Payment .....  | 171  |
| SECTION 205 – TEMPORARY EROSION AND SEDIMENT CONTROL ..... |   | 172  |
| 205.01   | Description.....  | 172  |

## TABLE OF CONTENTS

| Section                                  | Title   | Page |
|--|---|------|
| 205.02                                   | Materials .....                                   | 172  |
| 205.03                                   | General Requirements .....                        | 172  |
| 205.04                                   | Temporary Surface Stabilization .....             | 173  |
|  | (a) Seed.....                                     | 173  |
|  | 1. Spring Mix.....                                | 174  |
|  | 2. Fall Mix .....                                 | 174  |
|  | (b) Mulch.....                                    | 174  |
|  | 1. Type A .....                                   | 175  |
|  | 2. Type B .....                                   | 175  |
|  | 3. Type C .....                                   | 175  |
|  | (c) Manufactured Surface Protection Products..... | 175  |
|  | 1. Excelsior Blanket.....                         | 176  |
|  | 2. Straw Blanket .....                            | 176  |
|  | 3. Rolled Erosion Control Products .....          | 176  |
|  | 4. Geotextile.....                                | 176  |
| 205.05                                   | Concentrated Flow Protection .....                | 177  |
|  | (a) Check Dam.....                                | 177  |
|  | (b) Check Dam, Traversable.....                   | 177  |
|  | (c) Diversion Interceptors.....                   | 177  |
|  | (d) Sediment Traps .....                          | 177  |
|  | (e) Sediment Basins.....                          | 177  |
|  | (f) Slope Drains .....                            | 177  |
|  | (g) Vegetative Filter Strips .....                | 178  |
|  | (h) Splashpads .....                              | 178  |
|  | (i) Inlet Protection .....                        | 178  |
|  | (j) Retention Ponds .....                         | 178  |
| 205.06                                   | Perimeter Protection .....                        | 178  |
|  | (a) Silt Fence .....                              | 178  |
|  | (b) Filter Berm.....                              | 178  |
| 205.07                                   | Maintenance.....                                  | 179  |
|  | (a) Silt Fence .....                              | 179  |
|  | (b) Sediment Basin .....                          | 179  |
|  | (c) Filter Berm .....                             | 179  |
|  | (d) Inlet Protection.....                         | 179  |
|  | (e) Sediment Traps .....                          | 179  |
|  | (f) Concrete Washout .....                        | 179  |
|  | (g) Check Dams.....                               | 180  |
| 205.08                                   | Quality Adjustments .....                         | 180  |
| 205.09                                   | Removal.....                                      | 181  |
| 205.10                                   | Method of Measurement.....                        | 181  |
| 205.11                                   | Basis of Payment .....                            | 181  |
| SECTION 206 – STRUCTURE EXCAVATION ..... |   | 183  |
| 206.01                                   | Description.....                                  | 183  |
| 206.02                                   | Class X Excavation.....                           | 183  |

## TABLE OF CONTENTS

| Section | Title  | Page       |
|---------|--|------------|
|         | (a) General Excavation .....                                       | 183        |
|         | (b) Excavation for Foundation of Traffic Support Structures.....   | 184        |
|         | 206.03 Wet Excavation.....   | 184        |
|         | 206.04 Dry Excavation.....   | 185        |
|         | 206.05 Foundation Excavation, Unclassified .....                   | 185        |
|         | 206.06 General Requirements .....                                  | 185        |
|         | 206.07 Disposal of Excavated Material.....                         | 186        |
|         | 206.08 Preparation of Foundation Surfaces.....                     | 186        |
|         | 206.09 Cofferdams and Temporary Construction Dikes .....           | 187        |
|         | 206.10 Method of Measurement.....                                  | 188        |
|         | 206.11 Basis of Payment .....                                      | 189        |
|         | (a) Culverts .....   | 192        |
|         | (b) Bridges.....   | 192        |
|         | (c) Traffic Structure Supports.....                                | 193        |
|         | <b>SECTION 207 – SUBGRADE .....</b>                                | <b>194</b> |
|         | 207.01 Description.....  | 194        |
|         | 207.02 Materials .....   | 194        |
|         | 207.03 General Requirements .....                                  | 194        |
|         | 207.04 Subgrade Treatments .....                                   | 195        |
|         | 207.05 Method of Measurement.....                                  | 197        |
|         | 207.06 Basis of Payment .....                                      | 197        |
|         | <b>SECTION 208 – FINISHING SHOULDERS, DITCHES, AND SLOPES.....</b> | <b>198</b> |
|         | 208.01 Description.....  | 198        |
|         | 208.02 Finishing Shoulders .....                                   | 198        |
|         | 208.03 Finishing Ditches .....                                     | 198        |
|         | 208.04 Finishing Slopes .....                                      | 199        |
|         | 208.05 Blank.....  | 199        |
|         | 208.06 Finishing at Contract Drainage Structures.....              | 199        |
|         | 208.07 Method of Measurement.....                                  | 199        |
|         | 208.08 Basis of Payment .....                                      | 199        |
|         | <b>SECTION 209 – FINISHING EARTH GRADED ROADS .....</b>            | <b>199</b> |
|         | 209.01 Description.....  | 199        |
|         | 209.02 Construction Requirements.....                              | 199        |
|         | 209.03 Method of Measurement.....                                  | 200        |
|         | 209.04 Basis of Payment .....                                      | 200        |
|         | <b>SECTION 210 – FINAL TRIMMING AND CLEANING .....</b>             | <b>200</b> |
|         | 210.01 Description.....  | 200        |
|         | 210.02 Construction Requirements.....                              | 200        |
|         | 210.03 Method of Measurement.....                                  | 201        |
|         | 210.04 Basis of Payment .....                                      | 201        |
|         | <b>SECTION 211 – B BORROW AND STRUCTURE BACKFILL .....</b>         | <b>201</b> |
|         | 211.01 Description.....  | 201        |

## TABLE OF CONTENTS

| Section  | Title   | Page |
|--|---|------|
| 211.02   | Materials .....   | 201  |
| 211.03   | General Requirements .....                                      | 202  |
| 211.03.1   | Structure Backfill Types .....                                  | 203  |
|  | (a) Type 1 .....  | 203  |
|  | (b) Type 2 .....  | 203  |
|  | (c) Type 3 .....  | 203  |
|  | (d) Type 4 .....  | 204  |
|  | (e) Type 5 .....  | 204  |
| 211.04   | Compaction.....   | 204  |
| 211.05   | Embankment for Bridges.....                                     | 205  |
| 211.06   | B Borrow Around Bents .....                                     | 205  |
| 211.07   | Blank.....  | 205  |
| 211.08   | Spandrel Filling .....  | 205  |
| 211.09   | Method of Measurement.....                                      | 205  |
| 211.10   | Basis of Payment .....  | 206  |
| SECTION 212 – STOCKPILED SELECTED MATERIALS..... |   | 207  |
| 212.01   | Description.....  | 207  |
| 212.02   | Materials .....   | 207  |
| 212.03   | Construction Requirements.....                                  | 207  |
| 212.04   | Method of Measurement.....                                      | 208  |
| 212.05   | Basis of Payment .....  | 208  |
| SECTION 213 – FLOWABLE BACKFILL .....            |   | 208  |
| 213.01   | Description.....  | 208  |
| 213.02   | Materials .....   | 208  |
| 213.03   | Flowable Backfill Mix Design.....                               | 209  |
| 213.04   | Flowable Backfill Mix Criteria.....                             | 209  |
|  | (a) Flow Consistency .....                                      | 209  |
|  | (b) Lightweight Dynamic Cone Penetration Blow Count Number..... | 209  |
|  | (c) Removability Modulus.....                                   | 210  |
| 213.05   | Flowable Backfill Trial Batch.....                              | 210  |
| 213.06   | Mixing Equipment.....   | 211  |
| 213.07   | Placement .....   | 211  |
| 213.08   | Method of Measurement.....                                      | 211  |
| 213.09   | Basis of Payment .....  | 212  |
| SECTION 214 – GEOGRID.....                       |   | 212  |
| 214.01   | Description.....  | 212  |
| 214.02   | Materials .....   | 212  |
| 214.03   | Foundation Preparation.....                                     | 212  |
| 214.04   | Geogrid Placement.....  | 213  |
| 214.05   | Fill Placement .....  | 213  |
| 214.06   | Method of Measurement.....                                      | 214  |
| 214.07   | Basis of Payment .....  | 214  |

## TABLE OF CONTENTS

| Section   | Title | Page |
|---|-------|------|
| SECTION 215 – CHEMICAL MODIFICATION OF SOILS..... |       | 214  |
| 215.01 Description.....                           |       | 214  |
| 215.02 Materials .....                            |       | 214  |
| 215.03 Testing and Mix Design.....                |       | 215  |
| 215.04 Storage and Handling .....                 |       | 215  |
| 215.05 Weather Limitations .....                  |       | 215  |
| 215.06 Preparation of Soils.....                  |       | 215  |
| 215.07 Spreading of Chemical Modifiers.....       |       | 216  |
| 215.08 Mixing .....                               |       | 216  |
| 215.09 Compaction.....                            |       | 216  |
| 215.10 Method of Measurement.....                 |       | 217  |
| 215.11 Basis of Payment .....                     |       | 217  |
| SECTION 216 – CELLULAR CONCRETE, CCF .....        |       | 218  |
| 216.01 Description.....                           |       | 218  |
| 216.02 Materials .....                            |       | 218  |
| 216.03 Mix Design .....                           |       | 218  |
| 216.04 Properties and Tests.....                  |       | 218  |
| (a) CCF Cast Density.....                         |       | 219  |
| (b) Foam Density .....                            |       | 219  |
| 216.05 Storage and Handling .....                 |       | 219  |
| 216.06 Weather Limitations .....                  |       | 219  |
| 216.07 Preparation of Subgrade .....              |       | 219  |
| 216.08 Installation .....                         |       | 219  |
| 216.09 Lots.....                                  |       | 219  |
| 216.10 Testing .....                              |       | 219  |
| 216.11 Method of Measurement.....                 |       | 220  |
| 216.12 Basis of Payment .....                     |       | 220  |
| <b>SECTION 300 – AGGREGATE PAVEMENT AND BASES</b> |       |      |
| SECTION 301 – AGGREGATE BASE .....                |       | 221  |
| 301.01 Description.....                           |       | 221  |
| 301.02 Materials .....                            |       | 221  |
| 301.03 Preparation of Subgrade .....              |       | 221  |
| 301.04 Temperature Limitations .....              |       | 221  |
| 301.05 Spreading.....                             |       | 221  |
| 301.06 Compacting.....                            |       | 221  |
| 301.07 Checking and Correcting Base .....         |       | 222  |
| 301.08 Priming .....                              |       | 222  |
| 301.09 Method of Measurement.....                 |       | 222  |
| 301.10 Basis of Payment .....                     |       | 222  |
| SECTION 302 – SUBBASE.....                        |       | 222  |
| 302.01 Description.....                           |       | 222  |
| 302.02 Materials .....                            |       | 223  |
| 302.03 Preparation of Subgrade .....              |       | 223  |

## TABLE OF CONTENTS

| Section   | Title   | Page |
|---|---|------|
| 302.04  | Temperature Limitations .....                                 | 223  |
| 302.05  | Spreading .....   | 223  |
| 302.06  | Compacting.....   | 223  |
|   | (a) Aggregate Separation Layers and Dense Graded Subbase..... | 223  |
|   | (b) Aggregate Drainage Layers .....                           | 223  |
| 302.07  | Checking and Correcting Subbase .....                         | 224  |
| 302.08  | Method of Measurement.....                                    | 224  |
| 302.09  | Basis of Payment .....  | 224  |
| SECTION 303 – AGGREGATE PAVEMENTS OR SHOULDERS..... |   | 224  |
| 303.01  | Description.....  | 224  |
| 303.02  | Materials .....   | 224  |
| 303.03  | Preparation of Subgrade .....                                 | 225  |
| 303.04  | Temperature Limitations .....                                 | 225  |
| 303.05  | Spreading.....  | 225  |
| 303.06  | Compacting.....   | 225  |
| 303.07  | Checking and Correcting Base and Surface.....                 | 225  |
| 303.08  | Dust Palliative.....  | 225  |
| 303.09  | Method of Measurement.....                                    | 226  |
| 303.10  | Basis of Payment .....  | 226  |
| SECTION 304 – ASPHALT BASES .....                   |   | 226  |
| 304.01  | Description.....  | 226  |
| 304.02  | Materials .....   | 226  |
| 304.03  | Sealing Cracks and Joints .....                               | 226  |
| 304.04  | Patching .....  | 226  |
| 304.05  | Widening .....  | 227  |
| 304.06  | Method of Measurement.....                                    | 228  |
| 304.07  | Basis of Payment .....  | 228  |
| SECTION 305 – CONCRETE BASES .....                  |   | 229  |
| 305.01  | Description.....  | 229  |
| 305.02  | Materials .....   | 229  |
| 305.03  | New PCC Base .....  | 229  |
| 305.04  | Existing PCCP .....   | 229  |
|   | (a) Patching.....   | 229  |
|   | (b) Surface Milling .....                                     | 229  |
|   | (c) Retrofit Load Transfer .....                              | 230  |
|   | (d) Rubblizing Existing PCCP.....                             | 230  |
| 305.05  | Widening With PCC Base .....                                  | 231  |
| 305.06  | Method of Measurement.....                                    | 232  |
| 305.07  | Basis of Payment .....  | 232  |
| SECTION 306 – MILLING.....                          |   | 233  |
| 306.01  | Description.....  | 233  |
| 306.02  | General .....   | 233  |
| 306.03  | Equipment.....  | 234  |

## TABLE OF CONTENTS

| Section   | Title   | Page |
|---|---|------|
|   | (a) Roadway Milling Machine.....                                  | 234  |
|   | (b) Power Saw .....   | 234  |
|   | (c) Rotary Power Broom .....                                      | 234  |
|   | (d) Straightedge .....  | 234  |
|   | 1. Straightedge – 16 ft.....                                      | 234  |
|   | 2. Straightedge – 10 ft.....                                      | 234  |
| 306.04  | Asphalt Scarification and Profile Preparation.....                | 234  |
| 306.04.1  | Approach Milling.....   | 235  |
| 306.05  | Asphalt Milling.....  | 235  |
| 306.06  | Asphalt Removal .....   | 236  |
| 306.07  | PCCP Milling .....  | 236  |
| 306.08  | Transition Milling.....   | 237  |
| 306.09  | Method of Measurement.....  | 237  |
| 306.10  | Basis of Payment .....  | 237  |
| <b>SECTION 400 – ASPHALT PAVEMENTS</b>                  |   |      |
| SECTION 401 – QUALITY CONTROL/QUALITY ASSURANCE, QC/QA, |   |      |
| HOT MIX ASPHALT, HMA, PAVEMENT .....                    |   |      |
|   | 401.01 Description.....   | 239  |
|   | 401.02 Quality Control .....                                      | 239  |
|   | 401.03 Materials .....  | 239  |
|   | 401.04 Design Mix Formula.....                                    | 239  |
|   | 401.05 Volumetric Mix Design .....                                | 240  |
|   | 401.06 Recycled Materials .....                                   | 243  |
|   | 401.07 Lots and Sublots .....                                     | 245  |
|   | 401.08 Job Mix Formula .....                                      | 245  |
|   | 401.09 Acceptance of Mixtures.....                                | 245  |
|   | 401.10 General .....  | 246  |
|   | 401.11 Preparation of Surfaces to be Overlaid .....               | 247  |
|   | 401.12 Process Control.....                                       | 248  |
|   | 401.13 Weather Limitations .....                                  | 248  |
|   | 401.14 Spreading and Finishing.....                               | 248  |
|   | 401.15 Joints.....  | 249  |
|   | 401.16 Density.....   | 249  |
|   | 401.17 Shoulder Corrugations.....                                 | 250  |
|   | 401.18 Pavement Smoothness .....                                  | 251  |
|   | (a) Profilograph .....  | 251  |
|   | (b) 16 ft Straightedge and 10 ft Straightedge.....                | 252  |
|   | (c) Smoothness Correction .....                                   | 253  |
|   | 401.19 Pay Factors .....  | 253  |
|   | (a) Dense Graded Mixture $\geq$ One Lot.....                      | 253  |
|   | (b) Dense Graded Mixture $<$ One Lot and Open Graded Mixture..... | 254  |
|   | (c) Smoothness .....  | 257  |
|   | 401.20 Appeals .....  | 259  |
|   | (a) MSG.....  | 259  |



## TABLE OF CONTENTS

| Section   | Title  | Page |
|---|--|------|
|   | (b) BSG of the Gyrotory Specimen .....                           | 259  |
|   | (c) Binder Content .....   | 259  |
|   | (d) BSG of the Density Core .....                                | 259  |
| 401.21  | Method of Measurement .....                                      | 259  |
| 401.22  | Basis of Payment .....   | 260  |
| SECTION 402 – HOT MIX ASPHALT, HMA, PAVEMENT .....  |  | 261  |
| 402.01  | Description .....  | 261  |
| 402.02  | Quality Control .....  | 261  |
| 402.03  | Materials .....  | 261  |
| 402.04  | Design Mix Formula .....   | 262  |
| 402.05  | Volumetric Mix Design .....                                      | 262  |
| 402.06  | <b>Job Mix Formula</b> .....                                     | 263  |
| 402.07  | Mix Criteria .....   | 263  |
|   | (a) Composition Limits for HMA Rumble Strip Mixtures .....       | 263  |
|   | (b) Composition Limits for HMA Wedge and Leveling Mixtures ..... | 263  |
|   | (c) Composition Limits for Temporary HMA Mixtures .....          | 263  |
|   | (d) Composition Limits for HMA Curbing Mixes .....               | 263  |
| 402.08  | Recycled Materials .....   | 264  |
| 402.09  | Acceptance of Mixtures .....                                     | 265  |
| 402.10  | General .....  | 265  |
| 402.11  | Preparation of Surfaces to be Overlaid .....                     | 266  |
| 402.12  | Weather Limitations .....  | 266  |
| 402.13  | Spreading and Finishing .....                                    | 267  |
| 402.14  | Joints .....   | 268  |
| 402.15  | Compaction .....   | 268  |
| 402.16  | Low Temperature Compaction Requirements .....                    | 269  |
| 402.17  | Shoulder Corrugations .....                                      | 270  |
| 402.18  | Pavement Smoothness .....  | 271  |
| 402.19  | Method of Measurement .....                                      | 271  |
| 402.20  | <b>Basis of Payment</b> .....                                    | 271  |
| SECTION 403 – COLD MIX ASPHALT, CMA, PAVEMENT ..... |  | 272  |
| 403.01  | Description .....  | 272  |
| 403.02  | Materials .....  | 272  |
| 403.03  | Weather Limitations .....  | 272  |
| 403.04  | Equipment .....  | 272  |
| 403.05  | Preparation of Mixtures .....                                    | 272  |
| 403.06  | Preparation of Subgrade or Base .....                            | 273  |
| 403.07  | Spreading Mixture .....  | 273  |
| 403.08  | Curing .....   | 273  |
| 403.09  | Compaction .....   | 274  |
| 403.10  | Surface Tolerances .....   | 274  |
| 403.11  | Method of Measurement .....                                      | 274  |
| 403.12  | Basis of Payment .....   | 274  |

## TABLE OF CONTENTS

| Section                       | Title                           | Page |
|-------------------------------|---------------------------------|------|
| SECTION 404 – SEAL COAT       |                                 | 274  |
| 404.01                        | Description                     | 274  |
| 404.02                        | Quality Control                 | 274  |
| 404.03                        | Asphalt Material                | 274  |
| 404.04                        | Cover Aggregate                 | 275  |
| 404.05                        | Weather Limitations             | 275  |
| 404.06                        | Equipment                       | 275  |
| 404.07                        | Preparation of Surface          | 276  |
| 404.08                        | Applying Asphalt Material       | 276  |
| 404.09                        | Application of Cover Aggregate  | 276  |
| 404.10                        | Rolling Operation               | 276  |
| 404.11                        | Sweeping Operation              | 276  |
| 404.12                        | Protection of Surface           | 277  |
| 404.13                        | Method of Measurement           | 277  |
| 404.14                        | Basis of Payment                | 277  |
| SECTION 405 – PRIME COAT      |                                 | 277  |
| 405.01                        | Description                     | 277  |
| 405.02                        | Asphalt Materials               | 277  |
| 405.03                        | Cover Aggregate                 | 278  |
| 405.04                        | Weather Limitations             | 278  |
| 405.05                        | Equipment                       | 278  |
| 405.06                        | Preparation of Surface          | 278  |
| 405.07                        | Application of Asphalt Material | 278  |
| 405.08                        | Cover Aggregate                 | 278  |
| 405.09                        | Method of Measurement           | 278  |
| 405.10                        | Basis of Payment                | 279  |
| SECTION 406 – TACK COAT       |                                 | 279  |
| 406.01                        | Description                     | 279  |
| 406.02                        | Materials                       | 279  |
| 406.03                        | Equipment                       | 279  |
| 406.04                        | Preparation of Surface          | 279  |
| 406.05                        | Application of Asphalt Material | 279  |
| 406.06                        | Method of Measurement           | 280  |
| 406.07                        | Basis of Payment                | 280  |
| SECTION 407 – DUST PALLIATIVE |                                 | 280  |
| 407.01                        | Description                     | 280  |
| 407.02                        | Asphalt Material                | 280  |
| 407.03                        | Weather Limitations             | 280  |
| 407.04                        | Equipment                       | 280  |
| 407.05                        | Preparation of Surface          | 280  |
| 407.06                        | Application of Asphalt Material | 280  |
| 407.07                        | Method of Measurement           | 281  |
| 407.08                        | Basis of Payment                | 281  |

## TABLE OF CONTENTS

| Section   | Title   | Page |
|---|---|------|
| SECTION 408 – SEALING CRACKS AND JOINTS   |   | 281  |
| 408.01  | Description   | 281  |
| 408.02  | Materials   | 281  |
| 408.03  | Equipment   | 281  |
| 408.04  | Weather Limitations   | 281  |
| 408.05  | Routing and Filling Cracks and Joints                       | 282  |
| 408.06  | Sealing Cracks and Joints                                   | 282  |
| 408.07  | Method of Measurement                                       | 282  |
| 408.08  | Basis of Payment  | 282  |
| SECTION 409 – EQUIPMENT   |   | 283  |
| 409.01  | Production, Transportation, and Laydown of Asphalt Mixtures | 283  |
| 409.02  | Mixing Plant  | 283  |
| (a)   | Certified HMA Plant   | 283  |
| (b)   | CMA Mixing Plant  | 283  |
| 409.03  | HMA Laydown Operations                                      | 283  |
| (a)   | Distributor   | 283  |
| (b)   | Hauling Equipment   | 283  |
| (c)   | Laydown Equipment   | 283  |
| 1.  | Paver   | 284  |
| 2.  | Widener   | 284  |
| 3.  | Other Mechanical Devices                                    | 284  |
| (d)   | Compaction Equipment  | 284  |
| 1.  | Tandem Roller   | 285  |
| 2.  | Three Wheel Roller  | 285  |
| 3.  | Pneumatic Tire Roller                                       | 285  |
| 4.  | Vibratory Roller  | 285  |
| 5.  | Oscillatory Roller  | 285  |
| 6.  | Trench Roller   | 285  |
| 7.  | Specialty Roller/Compactor                                  | 285  |
| (e)   | Miscellaneous Equipment                                     | 285  |
| 1.  | Aggregate Spreader  | 285  |
| 2.  | Rotary Power Broom  | 285  |
| (f)   | Smoothness Equipment  | 286  |
| 1.  | Profilograph  | 286  |
| 2.  | Straightedge – 16 ft  | 286  |
| 3.  | Straightedge – 10 ft  | 286  |
| SECTION 410 – QUALITY CONTROL/QUALITY ASSURANCE, QC/QA,<br>HMA SURFACE – SMA PAVEMENT |   | 286  |
| 410.01  | Description   | 286  |
| 410.02  | Quality Control   | 286  |
| 410.03  | Materials   | 286  |
| 410.04  | Design Mix Formula  | 287  |
| 410.05  | SMA Mix Design  | 287  |
| 410.06  | Recycled Materials  | 289  |

## TABLE OF CONTENTS

| Section  | Title   | Page       |
|--|---|------------|
| 410.07   | Lots and Sublots .....  | 290        |
| 410.08   | Job Mix Formula .....   | 290        |
| 410.09   | Acceptance of Mixtures .....                                      | 291        |
| 410.10   | General .....   | 292        |
| 410.11   | Preparation of Surfaces to be Overlaid .....                      | 293        |
| 410.12   | Process Control .....   | 293        |
| 410.13   | Weather Limitations .....   | 293        |
| 410.14   | Spreading and Finishing .....                                     | 293        |
| 410.15   | Joints .....  | 294        |
| 410.16   | Density .....   | 294        |
| 410.17   | Shoulder Corrugations .....                                       | 295        |
| 410.18   | Pavement Smoothness .....   | 295        |
| 410.19   | Adjusted Points .....   | 295        |
|  | (a) Mixture .....   | 296        |
|  | (b) Density .....   | 297        |
| 410.20   | Appeals .....   | 298        |
|  | (a) MSG .....   | 298        |
|  | (b) Binder Content and Gradation .....                            | 298        |
|  | (c) BSG of the Density Core .....                                 | 298        |
| 410.21   | Method of Measurement .....                                       | 298        |
| 410.22   | Basis of Payment .....  | 298        |
| <b>SECTION 411 – WARRANTED MICRO-SURFACING .....</b> |   | <b>299</b> |
| 411.01   | Description .....   | 299        |
| 411.02   | Materials .....   | 300        |
| 411.03   | Design Mix Formula .....  | 301        |
| 411.04   | Equipment .....   | 302        |
| 411.05   | Pre-Paving Coordination .....                                     | 302        |
| 411.06   | Preparation of Surfaces .....                                     | 302        |
| 411.07   | Opening to Traffic .....  | 302        |
| 411.08   | Finished Pavement Properties .....                                | 302        |
| 411.09   | Warranty .....  | 303        |
| 411.10   | Conflict Resolution Team .....                                    | 303        |
| 411.11   | Warranty Work .....   | 304        |
| 411.12   | Pavement Distress Indicators, Thresholds, and Remedial Work ..... | 304        |
| 411.13   | Department Maintenance .....                                      | 305        |
| 411.14   | Method of Measurement .....                                       | 305        |
| 411.15   | Basis of Payment .....  | 306        |
| 411.16   | Final Warranty Acceptance .....                                   | 306        |
| <b>SECTION 412 – FOG SEAL .....</b>                  |   | <b>306</b> |
| 412.01   | Description .....   | 306        |
| 412.02   | Materials .....   | 306        |
| 412.03   | Equipment .....   | 306        |
| 412.04   | Weather Limitations .....   | 306        |
| 412.05   | Preparation of Surface .....                                      | 307        |

## TABLE OF CONTENTS

| Section   | Title  | Page       |
|---|--|------------|
| 412.06  | Application of Asphalt Material                              | 307        |
| 412.07  | Protection of Surface  | 307        |
| 412.08  | Application of Pavement Markings                             | 307        |
| 412.09  | Method of Measurement  | 307        |
| 412.10  | Basis of Payment   | 307        |
| SECTION 413 – BLANK   |  | 307        |
| <b>SECTION 414 - ULTRATHIN BONDED WEARING COURSE, WARRANTED</b> |  |            |
| 414.01  | Description  | 308        |
| 414.02  | Materials  | 308        |
|   | (a) Asphalt Emulsion   | 308        |
|   | (b) Asphalt Materials  | 309        |
|   | (c) Coarse Aggregates  | 309        |
| 414.03  | Job Mix Formula  | 309        |
| 414.04  | Mix Design   | 309        |
| 414.05  | Use of Recycled Materials                                    | 310        |
| 414.06  | Quality Control  | 311        |
| 414.07  | Equipment  | 312        |
| 414.08  | Preparation of Surface                                       | 312        |
| 414.09  | Asphalt Emulsion   | 312        |
| 414.10  | Pre-Paving Meeting   | 313        |
| 414.11  | Mixture Placement  | 313        |
| 414.12  | Mixture Finishing  | 313        |
| 414.13  | Smoothness   | 313        |
| 414.14  | Warranty   | 314        |
| 414.15  | Conflict Resolution Team                                     | 314        |
| 414.16  | Warranty Work  | 314        |
| 414.17  | Pavement Distress Indicators, Thresholds and Remedial Action | 315        |
| 414.18  | Department Maintenance                                       | 316        |
| 414.19  | Method of Measurement  | 316        |
| 414.20  | Basis of Payment   | 316        |
| 414.21  | Final Warranty Acceptance                                    | 317        |
| <b>SECTION 415 – BASE SEAL</b>                                  |  | <b>317</b> |
| 415.01  | Description  | 317        |
| 415.02  | Materials  | 317        |
| 415.03  | Equipment  | 317        |
| 415.04  | Weather Limitations  | 317        |
| 415.05  | Preparation of Surface                                       | 317        |
| 415.06  | Application of Asphalt Material                              | 317        |
| 415.07  | Protection of Surface  | 318        |
| 415.08  | Method of Measurement  | 318        |
| 415.09  | Basis of Payment   | 318        |

TABLE OF CONTENTS

| Section  | Title  | Page |
|--|--|------|
| <b>SECTION 500 – CONCRETE PAVEMENT</b>   |  |      |
| SECTION 501 – QUALITY CONTROL/QUALITY ASSURANCE, QC/QA,<br>PORTLAND CEMENT CONCRETE PAVEMENT, PCCP ..... |  |      |
|  |  | 319  |
| 501.01   | Description.....                                   | 319  |
| 501.02   | Quality Control .....                              | 319  |
| 501.03   | Materials .....                                    | 319  |
| 501.04   | Concrete Mix Design .....                          | 319  |
|  | (a) Change in Materials .....                      | 320  |
|  | (b) Adjustments to Materials .....                 | 320  |
|  | (c) Other Adjustments .....                        | 321  |
| 501.05   | Concrete Mix Criteria .....                        | 321  |
| 501.06   | Trial Batch .....                                  | 322  |
| 501.07   | Lots and Sublots .....                             | 323  |
| 501.08   | Acceptance.....                                    | 323  |
| 501.09   | General .....                                      | 323  |
| 501.10   | Preparation of Grade.....                          | 323  |
| 501.11   | Preparation of Subbase .....                       | 324  |
| 501.12   | Placement .....                                    | 324  |
| 501.13   | Process Control.....                               | 324  |
| 501.14   | Concrete Mixing and Transportation.....            | 324  |
| 501.15   | Weather Limitations .....                          | 325  |
| 501.16   | Placing Concrete.....                              | 325  |
| 501.17   | Blank.....   | 326  |
| 501.18   | Joints.....  | 326  |
| 501.19   | Finishing .....                                    | 326  |
| 501.20   | Curing.....  | 326  |
| 501.21   | Form Removal .....                                 | 326  |
| 501.22   | Pavement Inspection.....                           | 326  |
| 501.23   | Opening to Traffic .....                           | 326  |
|  | (a) Construction .....                             | 326  |
|  | (b) Non-Construction.....                          | 327  |
| 501.24   | Shoulder Corrugations .....                        | 327  |
| 501.25   | Pavement Smoothness .....                          | 327  |
|  | (a) Profilograph .....                             | 327  |
|  | (b) 16 ft Straightedge and 10 ft Straightedge..... | 328  |
|  | (c) Smoothness Correction .....                    | 329  |
| 501.26   | Pavement Thickness .....                           | 329  |
| 501.27   | Tolerance .....                                    | 330  |
|  | (a) Plastic Unit Weight .....                      | 330  |
|  | (b) Water to Cementitious Ratio.....               | 330  |
|  | (c) Flexural Strength.....                         | 330  |
|  | (d) Air Content .....                              | 330  |
| 501.28   | Pay Factors .....                                  | 330  |
|  | (a) Flexural Strength.....                         | 331  |

## TABLE OF CONTENTS

| Section   | Title                                    | Page |
|---|--|------|
|   | 1. Lots .....                            | 332  |
|   | 2. Sublots .....                         | 332  |
|   | (b) Air Content .....                    | 332  |
|   | 1. Lots .....                            | 332  |
|   | 2. Sublots .....                         | 333  |
|   | (c) Thickness .....                      | 333  |
|   | (d) Smoothness .....                     | 333  |
| 501.29  | Appeals .....                            | 334  |
|   | (a) Flexural Strength .....              | 334  |
|   | (b) Air Content .....                    | 335  |
| 501.30  | Method of Measurement .....              | 336  |
| 501.31  | Basis of Payment .....                   | 336  |
| SECTION 502 – PORTLAND CEMENT CONCRETE PAVEMENT, PCCP ..... |  | 337  |
| 502.01  | Description .....                        | 337  |
| 502.02  | Materials .....                          | 337  |
| 502.03  | Concrete Mix Design .....                | 337  |
| 502.04  | Concrete Mix Criteria .....              | 338  |
|   | (a) Portland Cement Concrete .....       | 338  |
|   | (b) High-Early Strength Concrete .....   | 339  |
| 502.05  | Job Control .....                        | 339  |
| 502.06  | General .....                            | 340  |
| 502.07  | Preparation of Grade .....               | 340  |
| 502.08  | Preparation of Subbase .....             | 340  |
| 502.09  | Placement .....                          | 340  |
| 502.10  | Concrete Mixing and Transportation ..... | 341  |
|   | (a) Central Mixed Concrete .....         | 342  |
|   | (b) Shrink Mixed Concrete .....          | 342  |
|   | (c) Transit Mixed Concrete .....         | 342  |
| 502.11  | Weather Limitations .....                | 343  |
| 502.12  | Placing Concrete .....                   | 343  |
| 502.13  | Joints .....                             | 344  |
| 502.14  | Finishing .....                          | 344  |
| 502.15  | Curing .....                             | 344  |
| 502.16  | Form Removal .....                       | 344  |
| 502.17  | Pavement Inspection .....                | 344  |
| 502.18  | Opening to Traffic .....                 | 344  |
|   | (a) Construction .....                   | 344  |
|   | (b) Non-Construction .....               | 344  |
| 502.19  | Shoulder Corrugations .....              | 345  |
| 502.20  | Pavement Smoothness .....                | 345  |
| 502.21  | Pavement Thickness .....                 | 345  |
|   | (a) Sections .....                       | 345  |
|   | (b) Average PCCP Thickness .....         | 346  |
|   | (c) PCCP Adjusted Payment .....          | 346  |

## TABLE OF CONTENTS

| Section                                       | Title                             | Page |
|---|-----------------------------------|------|
|   | (d) PCCP Non-Payment .....        | 346  |
|   | (e) PCCP Removal .....            | 347  |
|   | 502.22 Method of Measurement..... | 347  |
|   | 502.23 Basis of Payment .....     | 347  |
| SECTION 503 – PCCP JOINTS.....                |                                   | 348  |
| 503.01 Description.....                       |                                   | 348  |
| 503.02 Materials .....                        |                                   | 348  |
| 503.03 Joints.....                            |                                   | 349  |
| (a) Type D-1 Contraction Joint.....           |                                   | 349  |
| (b) Longitudinal Joint.....                   |                                   | 349  |
| (c) Transverse Construction Joints .....      |                                   | 350  |
| (d) Longitudinal Construction Joint .....     |                                   | 350  |
| (e) Terminal Joints.....                      |                                   | 351  |
| (f) Expansion Joints.....                     |                                   | 351  |
| (g) Retrofitted Tie Bars .....                |                                   | 351  |
| 503.04 Dowel Bar Assemblies .....             |                                   | 351  |
| 503.05 Sealing Cracks and Joints .....        |                                   | 353  |
| 503.06 Random Crack Remediation.....          |                                   | 353  |
| (a) Transverse .....                          |                                   | 353  |
| (b) Longitudinal.....                         |                                   | 353  |
| 503.07 Method of Measurement.....             |                                   | 353  |
| 503.08 Basis of Payment .....                 |                                   | 353  |
| SECTION 504 – PCCP FINISHING AND CURING ..... |                                   | 354  |
| 504.01 Description.....                       |                                   | 354  |
| 504.02 Materials .....                        |                                   | 354  |
| 504.03 Finishing .....                        |                                   | 354  |
| 504.04 Curing .....                           |                                   | 355  |
| (a) Liquid Membrane Forming Compounds.....    |                                   | 356  |
| (b) Double Burlap.....                        |                                   | 356  |
| (c) Waterproof Covers.....                    |                                   | 356  |
| (d) Straw .....                               |                                   | 356  |
| 504.05 Method of Measurement.....             |                                   | 357  |
| 504.06 Basis of Payment .....                 |                                   | 357  |
| SECTION 505 – TESTS AND PROCEDURES .....      |                                   | 357  |
| 505.01 Test Methods and Procedures .....      |                                   | 357  |
| (a) Exceptions to AASHTO T 23 .....           |                                   | 357  |
| (b) Exceptions to AASHTO T 97 .....           |                                   | 358  |
| (c) Exceptions to AASHTO T 121 .....          |                                   | 358  |
| (d) Exceptions to AASHTO R 60.....            |                                   | 358  |
| (e) Exceptions to AASHTO T 152 .....          |                                   | 358  |
| SECTION 506 – PCCP PATCHING.....              |                                   | 359  |
| 506.01 Description.....                       |                                   | 359  |
| 506.02 Materials .....                        |                                   | 359  |



## TABLE OF CONTENTS

| Section                              | Title   | Page |
|--------------------------------------|---|------|
| 506.03                               | Concrete Mix Design .....                                       | 359  |
|                                      | (a) Change in Materials .....                                   | 360  |
|                                      | (b) Adjustments to Materials .....                              | 360  |
|                                      | (c) Other Adjustments .....                                     | 361  |
| 506.04                               | Concrete Mix Criteria .....                                     | 361  |
| 506.05                               | Trial Batch .....   | 361  |
| 506.06                               | Job Control .....   | 362  |
| 506.07                               | PCCP Removal .....  | 362  |
|                                      | (a) Partial Depth Removal .....                                 | 362  |
|                                      | (b) Full Depth Removal .....                                    | 363  |
| 506.08                               | Concrete Mixing and Transportation .....                        | 363  |
|                                      | (a) Central Mixed Concrete .....                                | 364  |
|                                      | (b) Shrink Mixed Concrete .....                                 | 364  |
|                                      | (c) Transit Mixed Concrete .....                                | 364  |
| 506.09                               | Weather Limitations .....                                       | 364  |
| 506.10                               | Placing Concrete .....  | 364  |
|                                      | (a) Partial Depth .....   | 364  |
|                                      | (b) Full Depth .....  | 364  |
| 506.11                               | Opening to Traffic .....  | 365  |
| 506.12                               | Method of Measurement .....                                     | 365  |
| 506.13                               | Basis of Payment .....  | 366  |
| SECTION 507 – PCCP RESTORATION ..... |   | 366  |
| 507.01                               | Description .....   | 366  |
| 507.02                               | Materials .....   | 366  |
| 507.03                               | Cracks .....  | 367  |
|                                      | (a) Routing, Cleaning and Sealing .....                         | 367  |
|                                      | (b) Cleaning and Filling .....                                  | 367  |
| 507.04                               | Joints .....  | 368  |
|                                      | (a) Sawing, Cleaning and Sealing .....                          | 368  |
|                                      | (b) Cleaning and Filling .....                                  | 368  |
| 507.05                               | PCCP Patching .....   | 368  |
|                                      | (a) Full Depth Patching .....                                   | 368  |
|                                      | (b) Partial Depth Patching .....                                | 369  |
| 507.06                               | Profiling .....   | 369  |
| 507.07                               | Undersealing .....  | 369  |
| 507.08                               | Retrofit Load Transfer for PCCP .....                           | 369  |
| 507.09                               | Method of Measurement .....                                     | 370  |
| 507.10                               | Basis of Payment .....  | 370  |
| SECTION 508 – EQUIPMENT .....        |   | 372  |
| 508.01                               | Production, Transportation, and Placement of PCC Mixtures ..... | 372  |
| 508.02                               | Mixing Plant .....  | 372  |
|                                      | (a) Plant Inspection .....                                      | 372  |
|                                      | (b) Proportioning System .....                                  | 372  |
|                                      | (c) Material Storage .....                                      | 372  |

## TABLE OF CONTENTS

| Section | Title                                      | Page |
|---------|--|------|
|         | 1. Aggregates .....                        | 372  |
|         | 2. Cementitious Materials .....            | 373  |
|         | 3. Admixtures .....                        | 373  |
|         | (d) Hoppers .....                          | 373  |
|         | (e) Mixing System .....                    | 373  |
|         | 1. Central or Stationary Mixers .....      | 373  |
|         | 2. Truck Mixers .....                      | 373  |
| 508.03  | Transportation .....                       | 373  |
|         | (a) Truck Mixers and Truck Agitators ..... | 373  |
|         | (b) Non-Agitator Trucks .....              | 373  |
| 508.04  | Placement Equipment .....                  | 374  |
|         | (a) Slipform .....                         | 374  |
|         | (b) Form Riding Equipment .....            | 374  |
|         | (c) Hand Placement .....                   | 375  |
|         | 1. Steel Forms .....                       | 375  |
|         | 2. Wood Forms .....                        | 375  |
|         | 3. Finishing Equipment .....               | 375  |
|         | 4. Vibrators .....                         | 376  |
| 508.05  | Curing .....                               | 376  |
| 508.06  | Texturing Equipment .....                  | 376  |
| 508.07  | Sawing Equipment .....                     | 376  |
| 508.08  | Miscellaneous Equipment .....              | 377  |
|         | (a) Hand Tools .....                       | 377  |
|         | (b) Joint Sealing .....                    | 377  |
|         | (c) Grinding .....                         | 377  |
| 508.09  | Testing Facility and Equipment .....       | 377  |
|         | (a) Testing Facility .....                 | 377  |
|         | (b) Testing Equipment .....                | 377  |
|         | (c) Profilograph .....                     | 378  |
|         | (d) Straightedge – 16 ft .....             | 378  |
|         | (e) Straightedge – 10 ft .....             | 378  |

### SECTION 600 – INCIDENTAL CONSTRUCTION

|             |   |     |
|-------------|---|-----|
| SECTION 601 | – GUARDRAIL .....                         | 379 |
| 601.01      | Description .....                         | 379 |
| 601.02      | Materials .....                           | 379 |
| 601.03      | General Requirements .....                | 380 |
| 601.04      | Guardrail Erection .....                  | 381 |
| 601.05      | Curved W-Beam Guardrail Systems .....     | 381 |
| 601.06      | Guardrail Transitions .....               | 381 |
| 601.07      | Guardrail End Treatments .....            | 381 |
| 601.08      | Impact Attenuators .....                  | 382 |
| 601.09      | Extension of Existing Guardrail .....     | 383 |
| 601.10      | Removal of Existing Guardrail .....       | 383 |
| 601.11      | Adjusting Existing Guardrail Height ..... | 383 |

## TABLE OF CONTENTS

| Section  | Title   | Page |
|--|---|------|
| 601.12   | Resetting Guardrail.....  | 384  |
| 601.13   | Method of Measurement.....  | 384  |
| 601.14   | Basis of Payment.....   | 384  |
| SECTION 602 – CONCRETE BARRIER.....                            |   | 386  |
| 602.01   | Description.....  | 386  |
| 602.02   | Materials.....  | 386  |
| 602.03   | Concrete Barrier and Concrete Glare Screen.....                   | 387  |
|  | (a) Precast Concrete Barrier and Concrete Glare Screen.....       | 387  |
|  | (b) Cast-in-Place Concrete Barrier and Concrete Glare Screen..... | 387  |
|  | (c) Finishing.....  | 388  |
|  | (d) Sealing.....  | 388  |
|  | (e) Joints.....   | 388  |
|  | (f) Reflectorization.....   | 388  |
| 602.04   | Blank.....  | 388  |
| 602.05   | Method of Measurement.....  | 388  |
| 602.06   | Basis of Payment.....   | 388  |
| SECTION 603 – FENCES.....                                      |   | 389  |
| 603.01   | Description.....  | 389  |
| 603.02   | Materials.....  | 389  |
| 603.03   | General Requirements.....   | 389  |
| 603.04   | Setting Posts.....  | 390  |
| 603.05   | Placing Barbed and Tension Wire and Fabric.....                   | 391  |
| 603.06   | Resetting Fence.....  | 391  |
| 603.07   | Method of Measurement.....  | 392  |
| 603.08   | Basis of Payment.....   | 392  |
| SECTION 604 – SIDEWALKS, CURB RAMPS, STEPS, AND HANDRAILS..... |   | 393  |
| 604.01   | Description.....  | 393  |
| 604.02   | Materials.....  | 393  |
| 604.03   | Portland Cement Concrete Sidewalks and Curb Ramps.....            | 393  |
|  | (a) General Requirements.....                                     | 393  |
|  | (b) Excavation.....   | 394  |
|  | (c) Forms.....  | 394  |
|  | (d) Placing Concrete.....   | 394  |
|  | (e) Finishing.....  | 394  |
|  | (f) Joints.....   | 394  |
|  | (g) Detectable Warning Elements.....                              | 395  |
|  | (h) Curing.....   | 396  |
|  | (i) Painting.....   | 396  |
| 604.04   | PCC Steps.....  | 396  |
| 604.05   | Reconstructed PCC Sidewalk.....                                   | 396  |
| 604.06   | Re-Laid Sidewalk.....   | 396  |
| 604.07   | HMA Sidewalk.....   | 397  |
|  | (a) Excavation and Forms.....                                     | 397  |

## TABLE OF CONTENTS

| Section                                   | Title  | Page |
|---|--|------|
|   | (b) Bed Course.....  | 397  |
|   | (c) Placing HMA Sidewalk .....                                       | 397  |
| 604.08                                    | Backfilling and Finishing Shoulders and Slopes .....                 | 397  |
| 604.09                                    | Hand Rails .....   | 397  |
| 604.10                                    | Method of Measurement.....   | 398  |
| 604.11                                    | Basis of Payment .....   | 398  |
| SECTION 605 – CURBING.....                |  | 400  |
| 605.01                                    | Description.....   | 400  |
| 605.02                                    | Materials .....  | 400  |
| 605.03                                    | Precast Cement Concrete Curbing .....                                | 400  |
|   | (a) Excavation.....  | 400  |
|   | (b) Installation .....   | 400  |
|   | (c) Joints .....   | 400  |
|   | (d) Backfilling .....  | 400  |
| 605.04                                    | Cast in Place Cement Concrete Curbing.....                           | 401  |
|   | (a) Excavation.....  | 401  |
|   | (b) Forms .....  | 401  |
|   | (c) Proportioning and Placing.....                                   | 401  |
|   | (d) Curb Turnouts and Combined Concrete Curb and Gutter Turnouts ... | 402  |
|   | (e) Joints .....   | 402  |
|   | (f) Curing.....  | 402  |
|   | (g) Backfilling .....  | 402  |
|   | (h) Curb Machine .....   | 402  |
| 605.05                                    | Reflecting Cement Concrete Curbing.....                              | 402  |
| 605.06                                    | Concrete Center Curbing .....  | 403  |
| 605.07                                    | HMA Curbing.....   | 403  |
|   | (a) Excavation.....  | 403  |
|   | (b) Preparation of Bed .....   | 403  |
|   | (c) Mixture.....   | 403  |
|   | (d) Placing .....  | 404  |
|   | (e) Painting and Sealing.....  | 404  |
| 605.08                                    | Resetting Curbing .....  | 404  |
|   | (a) Salvage of Curbing.....  | 404  |
|   | (b) Curb Removal .....   | 404  |
|   | (c) Excavation.....  | 405  |
|   | (d) Resetting .....  | 405  |
|   | (e) Backfilling.....   | 405  |
| 605.09                                    | Method of Measurement.....   | 405  |
| 605.10                                    | Basis of Payment .....   | 405  |
| SECTION 606 – SHOULDER CORRUGATIONS ..... |  | 406  |
| 606.01                                    | Description.....   | 406  |
| 606.02                                    | Method of Measurement.....   | 406  |
| 606.03                                    | Basis of Payment .....   | 406  |

## TABLE OF CONTENTS

| Section   | Title | Page |
|---|-------|------|
| SECTION 607 – PAVED SIDE DITCH OR CONCRETE GUTTER .....   |       | 407  |
| 607.01 Description.....                                   |       | 407  |
| 607.02 Materials .....                                    |       | 407  |
| 607.03 General Requirements .....                         |       | 407  |
| 607.04 Cement Concrete Gutter and Turnout.....            |       | 408  |
| 607.05 Method of Measurement.....                         |       | 408  |
| 607.06 Basis of Payment .....                             |       | 408  |
| SECTION 608 – SHOULDER DRAINS.....                        |       | 409  |
| 608.01 Description.....                                   |       | 409  |
| 608.02 Materials .....                                    |       | 409  |
| 608.03 General Requirements .....                         |       | 409  |
| 608.04 Method of Measurement.....                         |       | 409  |
| 608.05 Basis of Payment .....                             |       | 409  |
| SECTION 609 – REINFORCED CONCRETE BRIDGE APPROACHES ..... |       | 410  |
| 609.01 Description.....                                   |       | 410  |
| 609.02 Materials .....                                    |       | 410  |
| 609.03 General Requirements .....                         |       | 410  |
| 609.04 Forms .....  |       | 410  |
| 609.05 Joints.....  |       | 410  |
| 609.06 Reinforcing Bars.....                              |       | 411  |
| 609.07 Thickness .....                                    |       | 411  |
| 609.08 Concrete Placement .....                           |       | 411  |
| 609.09 Finishing .....                                    |       | 411  |
| 609.10 Curing .....                                       |       | 411  |
| 609.11 Smoothness .....                                   |       | 412  |
| 609.12 Opening to Traffic .....                           |       | 412  |
| 609.13 Method of Measurement.....                         |       | 412  |
| 609.14 Basis of Payment .....                             |       | 412  |
| SECTION 610 – APPROACHES AND CROSSOVERS .....             |       | 413  |
| 610.01 Description.....                                   |       | 413  |
| 610.02 Materials .....                                    |       | 413  |
| 610.03 General Requirements .....                         |       | 413  |
| 610.04 Existing Approaches and Crossovers.....            |       | 414  |
| 610.05 Method of Measurement.....                         |       | 414  |
| 610.06 Basis of Payment .....                             |       | 414  |
| SECTION 611 – MAILBOX INSTALLATIONS.....                  |       | 415  |
| 611.01 Description.....                                   |       | 415  |
| 611.02 Materials .....                                    |       | 415  |
| 611.03 Mailbox Assembly.....                              |       | 416  |
| 611.04 Method of Measurement.....                         |       | 416  |
| 611.05 Basis of Payment .....                             |       | 416  |

## TABLE OF CONTENTS

| Section  | Title   | Page |
|--|---|------|
| SECTION 612 – UNDERSEALING                             |   | 417  |
| 612.01   | Description                                     | 417  |
| 612.02   | Materials                                       | 417  |
| 612.03   | Shoulders                                       | 417  |
| 612.04   | Drilled Holes                                   | 417  |
| 612.05   | Pumping Asphalt                                 | 417  |
| 612.06   | Method of Measurement                           | 418  |
| 612.07   | Basis of Payment                                | 419  |
| SECTION 613 – SALVAGED ROAD MATERIALS                  |   | 419  |
| 613.01   | Description                                     | 419  |
| 613.02   | Materials                                       | 419  |
| 613.03   | Construction Requirements                       | 419  |
| 613.04   | Method of Measurement                           | 420  |
| 613.05   | Basis of Payment                                | 420  |
| SECTION 614 – CONCRETE HEADER                          |   | 420  |
| 614.01   | Description                                     | 420  |
| 614.02   | Materials                                       | 420  |
| 614.03   | PCC Header                                      | 421  |
| 614.04   | Reconstructed Cement Concrete Header            | 421  |
| 614.05   | Method of Measurement                           | 421  |
| 614.06   | Basis of Payment                                | 421  |
| SECTION 615 – MONUMENTS, MARKERS, AND PARKING BARRIERS |   | 422  |
| 615.01   | Description                                     | 422  |
| 615.02   | Materials                                       | 422  |
| 615.03   | Reinforced Cement Concrete Right-of-Way Markers | 422  |
| 615.04   | Monuments                                       | 423  |
| 615.05   | Bench Mark Posts                                | 423  |
| 615.06   | Parking Barriers                                | 423  |
| 615.07   | Setting Right-of-Way Markers                    | 423  |
| 615.08   | Resetting Right-of-Way Markers                  | 424  |
| 615.09   | Setting Monuments                               | 424  |
| 615.10   | Re-Established Monuments                        | 424  |
| 615.11   | Setting Bench Mark Posts and Tablets            | 425  |
| 615.12   | Reset Bench Mark Posts                          | 425  |
| 615.13   | Method of Measurement                           | 425  |
| 615.14   | Basis of Payment                                | 425  |
| SECTION 616 – RIPRAP AND SLOPEWALL                     |   | 426  |
| 616.01   | Description                                     | 426  |
| 616.02   | Materials                                       | 426  |
| 616.03   | Placing Dumped Riprap                           | 426  |
| 616.04   | Placing Grouted Riprap                          | 426  |
| 616.05   | Placing Revetment, Class 1, and Class 2 Riprap  | 426  |
| 616.06   | Placing Uniform Riprap                          | 427  |

## TABLE OF CONTENTS

| Section                                   | Title   | Page |
|---|---|------|
| 616.07                                    | Blank.....  | 427  |
| 616.08                                    | Placing Precast Cement Concrete Riprap .....                        | 427  |
| 616.09                                    | Slopedwall .....  | 427  |
| 616.10                                    | Undermined Paved Side Ditch.....                                    | 427  |
| 616.11                                    | Installation of Geotextile Under Riprap.....                        | 428  |
| 616.12                                    | Method of Measurement.....  | 429  |
| 616.13                                    | Basis of Payment .....  | 429  |
| SECTION 617 – BLANK.....                  |   | 430  |
| SECTION 618 – BLANK.....                  |   | 430  |
| SECTION 619 – PAINTING BRIDGE STEEL ..... |   | 431  |
| 619.01                                    | Description.....  | 431  |
| 619.02                                    | Materials .....   | 431  |
| 619.03                                    | Quality Control and Quality Assurance.....                          | 431  |
|   | (a) Test Methods and Procedures .....                               | 432  |
|   | (b) Acceptance Testing.....   | 433  |
| 619.04                                    | Prosecution of Work.....  | 433  |
| 619.05                                    | Inspection Access to Bridges.....                                   | 433  |
| 619.06                                    | Maintaining Traffic.....  | 433  |
| 619.07                                    | Environmental and Safety Requirements.....                          | 434  |
|   | (a) Pollution Control.....  | 434  |
|   | (b) Waste Disposal .....  | 435  |
|   | 1. Laws to be Observed .....  | 435  |
|   | 2. Time Limitations .....   | 435  |
|   | 3. Marking of Spent Material Containers .....                       | 435  |
|   | 4. Instruction for Disposal of Paint Waste Residue .....            | 436  |
|   | 5. Instructions for Disposal of Other Project Generated Waste ..... | 437  |
| 619.08                                    | Surface Preparation.....  | 437  |
|   | (a) Pressure Washing.....   | 438  |
|   | (b) Solvent Cleaning.....   | 438  |
|   | (c) Near-White Blast Cleaning .....                                 | 438  |
|   | (d) Commercial Blast Cleaning .....                                 | 438  |
|   | (e) Hand Tool Cleaning .....  | 438  |
|   | (f) Brush-Off Blast Cleaning.....                                   | 438  |
|   | (g) Power Tool Cleaning .....                                       | 438  |
|   | (h) Power Tool Cleaning to Bare Metal .....                         | 438  |
| 619.09                                    | Paint Systems.....  | 439  |
|   | (a) Structural Steel Paint System.....                              | 439  |
|   | (b) Partial Paint System.....                                       | 439  |
| 619.10                                    | Painting.....   | 439  |
|   | (a) Weather Limitations.....  | 440  |
|   | (b) Storage .....   | 440  |
|   | (c) Mixing.....   | 440  |
|   | (d) Thinning.....   | 440  |

TABLE OF CONTENTS

| Section                                 | Title  | Page |
|---|--|------|
|   | (e) Application of Paint .....   | 441  |
|   | 1. Stripe Coat .....   | 441  |
|   | (f) Curing Time .....  | 442  |
|   | (g) Stencil Identification.....  | 442  |
| 619.11                                  | Shop Painting.....   | 442  |
|   | (a) Non-Weathering Steel.....  | 442  |
|   | (b) Weathering Steel.....  | 443  |
| 619.12                                  | Field Painting New Steel Bridge .....  | 443  |
| 619.13                                  | Painting Existing Steel Bridges .....  | 443  |
| 619.14                                  | Drain Castings Treatment .....   | 444  |
| 619.15                                  | Responsibility for Damage .....  | 444  |
| 619.16                                  | Blank.....   | 444  |
| 619.17                                  | Method of Measurement.....   | 444  |
| 619.18                                  | Basis of Payment .....   | 445  |
|   | (a) Pre-Established Remedies for Changed Conditions.....   | 445  |
|   | 1. Discovery of Hazardous Materials but No Mill Scale on a Site<br>Advertised as Non-Hazardous ..... | 445  |
|   | 2. Discovery of Mill Scale but No Hazardous Materials on a Site<br>Advertised as Non-Hazardous ..... | 445  |
|   | 3. Discovery of Hazardous Materials and Mill Scale on a Site<br>Advertised as Non-Hazardous .....    | 446  |
|   | (b) Prices used in Pre-Established Remedies to Changed Conditions .....                              | 446  |
| SECTION 620 – BLANK.....                |  | 447  |
| SECTION 621 – SEEDING AND SODDING ..... |  | 448  |
| 621.01                                  | Description.....   | 448  |
| 621.02                                  | Materials .....  | 448  |
| 621.03                                  | Preparation of Ground Before Seeding.....  | 448  |
| 621.04                                  | Preparation of Ground Before Applying Erosion Control Blankets .....                                 | 448  |
| 621.05                                  | Applying Fertilizer, Seed, and Mulch.....  | 449  |
|   | (a) Fertilizer .....   | 449  |
|   | (b) Seed .....   | 449  |
|   | (c) Mulch .....  | 449  |
|   | 1. Method A.....   | 450  |
|   | 2. Method B .....  | 450  |
|   | 3. Method C .....  | 450  |
|   | 4. Method D.....   | 450  |
|   | 5. Method E .....  | 451  |
|   | (d) Excelsior Blankets .....   | 451  |
|   | (e) Paper Mat .....  | 451  |
|   | (f) Straw Mat .....  | 452  |
|   | (g) Wood Cellulose Fiber Mulch.....  | 452  |
| 621.06                                  | Seed Mixtures .....  | 452  |
|   | (a) Seed Mixture R .....   | 452  |
|   | (b) Seed Mixture U.....  | 453  |



## TABLE OF CONTENTS

| Section     | Title   | Page |
|-------------|---|------|
|             | (c) Seed Mixture P.....   | 453  |
|             | (d) Blank.....  | 453  |
|             | (e) Seed Mixture D.....   | 453  |
|             | (f) Blank.....  | 453  |
|             | (g) Seed Mixture Grass.....   | 453  |
|             | 1. Type 1.....  | 454  |
|             | 2. Type 2.....  | 454  |
|             | (h) Seed Mixture Legume.....  | 454  |
|             | 1. Type 1.....  | 454  |
|             | 2. Type 2.....  | 454  |
| 621.07      | Mulched Seeding.....  | 454  |
| 621.08      | Preparation of Ground Before Sodding.....                           | 454  |
| 621.09      | Laying Sod.....   | 455  |
| 621.10      | Watering Sod.....   | 455  |
| 621.11      | Seeding or Sodding Disturbed Areas Outside Construction Limits..... | 456  |
| 621.12      | Seasonal Limitations.....   | 456  |
| 621.13      | Method of Measurement.....  | 456  |
| 621.14      | Basis of Payment.....   | 456  |
|             | (a) Warranty Bond.....  | 458  |
|             | (b) Changed Fertilizer.....   | 458  |
|             | (c) Mulching.....   | 459  |
| SECTION 622 | – PLANTING TREES, SHRUBS, AND VINES.....                            | 459  |
| 622.01      | Description.....  | 459  |
| 622.02      | Materials.....  | 459  |
| 622.03      | Care and Handling of Plants.....                                    | 460  |
|             | (a) Bare Rooted Plants.....   | 460  |
|             | (b) Balled and Burlapped Plants and Container Grown Plants.....     | 460  |
| 622.04      | Collected Plants.....   | 461  |
| 622.05      | Excavation for Plant Holes.....                                     | 461  |
| 622.06      | Planting Season.....  | 461  |
| 622.07      | Pruning.....  | 462  |
| 622.08      | Planting, Backfilling, and Watering.....                            | 462  |
|             | (a) Plants with Bare Roots.....                                     | 463  |
|             | (b) Balled and Burlapped Plants.....                                | 463  |
|             | (c) Seedlings for Wildlife Habitat.....                             | 464  |
| 622.09      | Liquid Fertilizer Application.....                                  | 464  |
| 622.10      | Mulching.....   | 464  |
| 622.11      | Guying and Staking.....   | 464  |
| 622.12      | Plant Protection.....   | 464  |
|             | (a) Borer Control Coatings.....                                     | 464  |
|             | (b) Wrapping for Rodent Protection.....                             | 465  |
| 622.13      | Retaining Walls and Tree Wells.....                                 | 465  |
| 622.14      | Tree Root Protection.....   | 465  |
| 622.15      | Pipe Underdrains.....   | 466  |

## TABLE OF CONTENTS

| Section     | Title   | Page |
|-------------|---|------|
| 622.16      | Damage to Plants .....  | 466  |
| 622.17      | Grass and Weed Control .....  | 466  |
| 622.18      | Care, Inspection, and Replacement.....  | 466  |
| (a)         | Care.....   | 466  |
| (b)         | Inspection and Replacement .....  | 467  |
| 622.19      | Crown Vetch Plants and Seedlings.....   | 467  |
| 622.20      | “Do Not Mow or Spray” Signs and “Do Not Disturb” Signs .....                                      | 468  |
| 622.21      | Method of Measurement.....  | 468  |
| 622.22      | Basis of Payment .....  | 468  |
| SECTION 623 | – BLANK.....  | 469  |
| SECTION 624 | – BLANK.....  | 469  |
| SECTION 625 | – BLANK.....  | 470  |
| SECTION 626 | – BLANK.....  | 470  |
| SECTION 627 | – BLANK.....  | 470  |
| SECTION 628 | – FIELD OFFICE, FIELD LABORATORY, COMPUTER<br>SYSTEMS, OFFICE MACHINES AND<br>COMMUNICATIONS..... | 470  |
| 628.01      | Description.....  | 470  |
| 628.02      | Field Office and Laboratory Requirements .....  | 470  |
| (a)         | Field Office .....  | 470  |
| (b)         | Field Office Equipment and Supplies .....   | 472  |
| (c)         | Field Office Computer System.....   | 474  |
| 1.          | Field Office Desktop Computer System .....  | 474  |
| 2.          | Field Office Laptop Computer System .....   | 474  |
| 3.          | Computer Software.....  | 475  |
| 4.          | Miscellaneous Computer Requirements .....   | 475  |
| (d)         | Field Office Internet Service.....  | 476  |
| (e)         | Field Office Machines.....  | 476  |
| 1.          | Copier .....  | 476  |
| 2.          | Printer .....   | 476  |
| 3.          | Document Scanner.....   | 477  |
| 4.          | Fax Machine .....   | 477  |
| 5.          | Miscellaneous Office Machine Requirements .....   | 477  |
| (f)         | Field Laboratory .....  | 477  |
| 628.03      | Additional Computer Systems and Mobile Internet Service.....                                      | 478  |
| (a)         | Additional Field Office Computer System.....  | 478  |
| (b)         | Mobile Laptop Computer System.....  | 478  |
| (c)         | Mobile Internet Service.....  | 478  |
| 628.04      | Cellular Telephones .....   | 479  |
| (a)         | Type A .....  | 479  |
| (b)         | Type B .....  | 479  |
| 628.05      | Method of Measurement.....  | 480  |

TABLE OF CONTENTS

| Section                         | Title  | Page |
|---------------------------------|--|------|
| 628.06                          | Basis of Payment .....                               | 480  |
| <b>SECTION 700 – STRUCTURES</b> |  |      |
| SECTION 701                     | – DRIVEN PILING .....                                | 483  |
| 701.01                          | Description.....                                     | 483  |
| 701.02                          | Materials .....                                      | 483  |
| 701.03                          | Handling of Epoxy Coated Piles.....                  | 483  |
| 701.04                          | Equipment for Driving Piles .....                    | 484  |
| (a)                             | Approval of Pile Driving Equipment .....             | 484  |
| 1.                              | Dynamic Formula Method.....                          | 485  |
| 2.                              | Wave Equation Analysis Method .....                  | 485  |
| (b)                             | Pile Hammers.....                                    | 486  |
| 1.                              | Gravity Hammers.....                                 | 486  |
| 2.                              | Single or Double Acting Steam and Air Hammers.....   | 486  |
| 3.                              | Diesel Hammers.....                                  | 486  |
| 4.                              | Hydraulic Hammers .....                              | 487  |
| 5.                              | Vibratory Hammers .....                              | 487  |
| (c)                             | Pile Driving Aids .....                              | 487  |
| 1.                              | Hammer Cushion .....                                 | 487  |
| 2.                              | Helmet .....   | 488  |
| 3.                              | Pile Cushion.....                                    | 488  |
| 4.                              | Leads.....   | 488  |
| 5.                              | Followers .....                                      | 489  |
| 6.                              | Jets .....   | 489  |
| 7.                              | Collars.....   | 489  |
| 8.                              | Pile Shoes, End Plates, and Conical Pile Tips .....  | 489  |
| 701.05                          | Nominal Driving Resistance of a Driven Pile.....     | 490  |
| (a)                             | Dynamic Formula .....                                | 490  |
| (b)                             | Dynamic Pile Load Test.....                          | 491  |
| 1.                              | Scheduling .....                                     | 491  |
| 2.                              | Dynamic Monitoring .....                             | 491  |
| 3.                              | Restrike.....  | 492  |
| (c)                             | Static Load Test .....                               | 492  |
| 1.                              | Load Test Procedure .....                            | 493  |
| 2.                              | Hydraulic Jacks, Pressure Gauges, and Load Cell..... | 494  |
| 3.                              | General Requirements .....                           | 494  |
| 701.06                          | Blank.....   | 494  |
| 701.07                          | Piling Length .....                                  | 495  |
| 701.08                          | Nominal Driving Resistance of Production Piles ..... | 495  |
| 701.09                          | Preparation and Driving.....                         | 496  |
| (a)                             | Pilot Holes.....                                     | 496  |
| 1.                              | Preboring .....                                      | 496  |
| 2.                              | Predrilling.....                                     | 497  |
| 3.                              | Cored Hole in Rock .....                             | 498  |
| (b)                             | Location and Alignment Tolerance.....                | 498  |

## TABLE OF CONTENTS

| Section                                 | Title                            | Page |
|---|----------------------------------|------|
|   | (c) Heaved Piles.....            | 498  |
|   | (d) Installation Sequence .....  | 498  |
|   | (e) Inspection.....              | 499  |
|   | (f) Pouring Concrete .....       | 499  |
| 701.10                                  | Unsatisfactory Piles .....       | 499  |
| 701.11                                  | Splicing Piles .....             | 499  |
|   | (a) Steel Piles.....             | 500  |
|   | (b) Timber Piles.....            | 500  |
|   | (c) Concrete Piles .....         | 500  |
| 701.12                                  | Blank.....                       | 500  |
| 701.13                                  | Cut-Off Lengths.....             | 500  |
| 701.14                                  | Method of Measurement.....       | 501  |
| 701.15                                  | Basis of Payment .....           | 501  |
| SECTION 702 – STRUCTURAL CONCRETE ..... |                                  | 504  |
| 702.01                                  | Description.....                 | 504  |
| 702.02                                  | Classes of Concrete.....         | 504  |
| 702.03                                  | Materials .....                  | 504  |
| 702.04                                  | Shipping and Storage.....        | 505  |
| 702.05                                  | Proportioning.....               | 505  |
| 702.06                                  | Measuring and Batching.....      | 507  |
|   | (a) Portland Cement.....         | 508  |
|   | (b) Water .....                  | 508  |
|   | (c) Aggregates .....             | 508  |
|   | (d) Bins and Scales.....         | 508  |
|   | (e) Batching .....               | 509  |
| 702.07                                  | Mixing .....                     | 509  |
| 702.08                                  | Mixing at Site of Work.....      | 510  |
| 702.09                                  | Ready-Mixed Concrete.....        | 511  |
|   | (a) General Requirements.....    | 511  |
|   | (b) Mixers and Agitators .....   | 511  |
|   | (c) Mixing and Delivery .....    | 512  |
|   | (d) Non-Agitating Equipment..... | 513  |
| 702.10                                  | Pumping Concrete .....           | 514  |
| 702.11                                  | Cold Weather Concrete.....       | 515  |
| 702.12                                  | Consistency.....                 | 516  |
| 702.13                                  | Forms .....                      | 516  |
|   | (a) Construction.....            | 516  |
|   | (b) Ties .....                   | 517  |
|   | (c) Walls .....                  | 517  |
|   | (d) Surface Treatment.....       | 517  |
|   | (e) Metal Forms .....            | 517  |
|   | 1. Removable .....               | 517  |
|   | 2. Permanent .....               | 517  |
|   | (f) Blank .....                  | 520  |

## TABLE OF CONTENTS

| Section                              | Title  | Page |
|--------------------------------------|--|------|
|                                      | (g) Removal and Re-Use of Forms .....                        | 520  |
|                                      | (h) Test Beams .....   | 520  |
| 702.14                               | Falsework and Centering .....                                | 521  |
|                                      | (a) Design and Construction .....                            | 521  |
|                                      | (b) Removal .....  | 522  |
| 702.15                               | Joints .....   | 523  |
|                                      | (a) Construction Joints .....                                | 523  |
|                                      | (b) Expansion Joints .....                                   | 524  |
|                                      | (c) Folded Metal Joints .....                                | 524  |
|                                      | (d) Sliding Joints .....                                     | 524  |
|                                      | (e) Polychloroprene Joint Membrane .....                     | 525  |
| 702.16                               | Drainage Pipes Through Concrete Masonry .....                | 525  |
| 702.17                               | Incased Pipes and Conduits .....                             | 525  |
| 702.18                               | Roadway Surface Drainage .....                               | 525  |
| 702.19                               | Pouring Bent Caps .....                                      | 525  |
| 702.20                               | Placing Concrete .....                                       | 525  |
|                                      | (a) General Requirements .....                               | 525  |
|                                      | (b) Chutes and Troughs .....                                 | 526  |
|                                      | (c) Vibrating .....  | 527  |
|                                      | (d) Depositing Concrete Under Water .....                    | 527  |
|                                      | (e) Placing Footing Concrete .....                           | 528  |
|                                      | (f) Concrete Foundation Seal .....                           | 528  |
| 702.21                               | Finishing Concrete Surfaces .....                            | 529  |
| 702.22                               | Curing Concrete .....  | 529  |
|                                      | (a) Protective Covering Curing Methods .....                 | 530  |
|                                      | 1. Water Curing Method .....                                 | 530  |
|                                      | 2. Membrane Forming Curing Compound .....                    | 530  |
|                                      | (b) Curing-Sealing Materials .....                           | 531  |
| 702.23                               | Waterproofing .....  | 531  |
| 702.24                               | Application of Loads to and Acceptance of New Concrete ..... | 532  |
| 702.25                               | Field Drilled Holes in Concrete .....                        | 533  |
| 702.26                               | Artificial Lighting .....                                    | 534  |
| 702.27                               | Method of Measurement .....                                  | 534  |
| 702.28                               | Basis of Payment .....                                       | 534  |
| SECTION 703 – REINFORCING BARS ..... |  | 536  |
| 703.01                               | Description .....  | 536  |
| 703.02                               | Materials .....  | 536  |
| 703.03                               | Bar List .....   | 536  |
| 703.04                               | Protection of Materials .....                                | 536  |
| 703.05                               | Bending .....  | 537  |
| 703.06                               | Placing and Fastening .....                                  | 537  |
| 703.07                               | Method of Measurement .....                                  | 538  |
| 703.08                               | Basis of Payment .....                                       | 539  |





## TABLE OF CONTENTS

| Section                              | Title   | Page |
|--------------------------------------|---|------|
| 710.04                               | Repointing Rubble Masonry .....   | 569  |
| 710.05                               | Repointing Dressed Stone and Brick Masonry .....                              | 569  |
| 710.06                               | Method of Measurement .....   | 569  |
| 710.07                               | Basis of Payment .....  | 569  |
| SECTION 711 – STEEL STRUCTURES ..... |   | 571  |
| 711.01                               | Description .....   | 571  |
| 711.02                               | Materials .....   | 571  |
| 711.03                               | General Requirements .....  | 571  |
| 711.04                               | Certification of Fabricators .....  | 572  |
|                                      | (a) General Information .....   | 572  |
|                                      | (b) Contract Letting Date On or After July 1, 2014 .....                      | 572  |
|                                      | 1. Simple Bridges .....   | 572  |
|                                      | 2. Intermediate Bridges .....   | 573  |
|                                      | 3. Advanced Bridges .....   | 573  |
|                                      | (c) Contract Letting Date Before July 1, 2014 .....                           | 573  |
| 711.05                               | Working Drawings .....  | 574  |
| 711.06                               | Storage of Materials .....  | 574  |
| 711.07                               | Mill Orders and Shipping Statements .....                                     | 574  |
| 711.08                               | Mill Test Reports .....   | 574  |
| 711.09                               | Notice of Beginning Work .....  | 575  |
| 711.10                               | Facilities for Inspection .....   | 575  |
| 711.11                               | Straightening Material .....  | 575  |
| 711.12                               | Finish .....  | 575  |
| 711.13                               | Flame Cutting .....   | 576  |
| 711.14                               | Edge Planing .....  | 576  |
| 711.15                               | Abutting Joints .....   | 577  |
| 711.16                               | End Connection Angles .....   | 577  |
| 711.17                               | Blank .....   | 577  |
| 711.18                               | Blank .....   | 577  |
| 711.19                               | Bent Plates .....   | 577  |
| 711.20                               | Fit of Stiffeners .....   | 578  |
| 711.21                               | Bolt Holes .....  | 578  |
|                                      | (a) High Tensile Strength Bolts, and Unfinished Bolts .....                   | 578  |
|                                      | (b) Ribbed Bolts, Turned Bolts, or other Approved<br>Bearing-Type Bolts ..... | 579  |
| 711.22                               | Punched Holes .....   | 579  |
| 711.23                               | Reamed or Drilled Holes .....   | 579  |
| 711.24                               | Subpunching and Reaming of Field Connections .....                            | 580  |
| 711.25                               | Accuracy of Punched or Subdrilled Holes .....                                 | 580  |
| 711.26                               | Accuracy of Reamed Holes and Holes Drilled Full Size .....                    | 580  |
| 711.27                               | Fitting for Bolting .....   | 580  |
| 711.28                               | Filler Plates .....   | 580  |
| 711.29                               | Toothed Expansion Plates .....  | 581  |
| 711.30                               | Blank .....   | 581  |



## TABLE OF CONTENTS

| Section | Title  | Page |
|---------|--|------|
| 711.31  | Peening Welds by Means of Ultrasonic Impact Treatment, UIT ..... | 581  |
| 711.32  | Welds .....  | 581  |
|         | (a) AWS Requirements.....  | 581  |
|         | (b) Welding of High Performance Steel .....                      | 582  |
|         | (c) Field Welding.....   | 583  |
| 711.33  | Stud Shear Connectors.....                                       | 584  |
| 711.34  | Annealing and Stress Relieving .....                             | 584  |
| 711.35  | Eyebars .....  | 584  |
| 711.36  | Facing of Bearing Surfaces.....                                  | 584  |
| 711.37  | Pins and Rollers .....   | 585  |
| 711.38  | Boring Pin Holes .....   | 585  |
| 711.39  | Pin Clearances .....   | 585  |
| 711.40  | Threads for Bolts and Pins.....                                  | 585  |
| 711.41  | Pilot and Driving Nuts .....                                     | 586  |
| 711.42  | Finishing Cast Steel.....  | 586  |
| 711.43  | Finished Members .....   | 586  |
| 711.44  | Shop Assembling.....   | 586  |
|         | (a) Full Truss or Girder Assembly.....                           | 586  |
|         | (b) Progressive Beam or Girder Assembly .....                    | 587  |
|         | (c) Full Chord Assembly .....                                    | 587  |
|         | (d) Progressive Chord Assembly.....                              | 587  |
|         | (e) Special Complete Structure Assembly.....                     | 588  |
| 711.45  | Drifting of Holes.....   | 588  |
| 711.46  | Match Marking .....  | 588  |
| 711.47  | Shop Cleaning and Painting.....                                  | 588  |
| 711.48  | Shop Cleaning and Storage of Weathering Steel.....               | 588  |
|         | (a) Hot Rolled Products .....                                    | 588  |
|         | (b) Welded Area .....  | 588  |
| 711.49  | Furnishing Bolts .....   | 588  |
| 711.50  | Weighing of Members .....  | 589  |
| 711.51  | Full Size Tests .....  | 589  |
| 711.52  | Acceptance.....  | 589  |
| 711.53  | Shipping.....  | 589  |
| 711.54  | General Requirements .....                                       | 589  |
| 711.55  | Delivery of Materials.....                                       | 590  |
| 711.56  | Handling and Storing.....  | 590  |
| 711.57  | Falsework.....   | 590  |
| 711.58  | Bearings and Anchorages .....                                    | 590  |
| 711.59  | Field Straightening Material .....                               | 591  |
| 711.60  | Field Assembly of Steel.....                                     | 591  |
| 711.61  | Misfits.....   | 591  |
| 711.62  | Pin Connections.....   | 592  |
| 711.63  | Blank.....   | 592  |
| 711.64  | Diaphragm Connections .....                                      | 592  |
| 711.65  | Bolted Connections Using High Strength Bolts .....               | 592  |

## TABLE OF CONTENTS

| Section     | Title   | Page |
|-------------|---|------|
|             | (a) General.....  | 592  |
|             | (b) Bolts, Nuts, and Washers.....   | 592  |
|             | (c) Bolted Parts.....   | 592  |
|             | (d) Installation.....   | 593  |
|             | 1. Bolt Tension.....  | 593  |
|             | 2. Washers.....   | 594  |
|             | 3. Calibrated Wrench Tightening.....  | 594  |
|             | 4. Turn-of-Nut Tightening.....  | 594  |
|             | (e) Inspection.....   | 595  |
| 711.66      | Bolted Connections Using Other Than High Strength Bolts.....  | 596  |
| 711.67      | Final Clean-Up.....   | 596  |
| 711.68      | Structural Steel Cutting, Rivet and Bolt Removal, and<br>Drilled Bolt Holes in Repair Projects..... | 596  |
| 711.69      | Jacking and Supporting Beams.....   | 596  |
| 711.70      | Field Cleaning and Storage of Weathering Steel.....   | 596  |
| 711.71      | Painting.....   | 597  |
| 711.72      | Method of Measurement.....  | 597  |
| 711.73      | Basis of Payment.....   | 597  |
|             | (a) Lump Sum Basis.....   | 598  |
|             | (b) Unit Weight Basis.....  | 599  |
| SECTION 712 | TIMBER STRUCTURES.....  | 600  |
| 712.01      | Description.....  | 600  |
| 712.02      | Materials.....  | 600  |
| 712.03      | General Requirements.....   | 600  |
| 712.04      | Caps.....   | 602  |
| 712.05      | Stringers.....  | 602  |
| 712.06      | Bents.....  | 602  |
| 712.07      | Wheel Guards and Railings.....  | 603  |
| 712.08      | Painting.....   | 603  |
| 712.09      | Single-Ply Plank Floors.....  | 603  |
| 712.10      | Two-Ply Plank Floors.....   | 604  |
| 712.11      | Method of Measurement.....  | 604  |
| 712.12      | Basis of Payment.....   | 604  |
| SECTION 713 | TEMPORARY BRIDGES AND APPROACHES.....   | 604  |
| 713.01      | Description.....  | 604  |
| 713.02      | Materials.....  | 604  |
| 713.03      | General Requirements.....   | 605  |
| 713.04      | Temporary Bridge.....   | 605  |
| 713.05      | Temporary Pipe.....   | 605  |
|             | (a) Corrugated Steel Circular Pipe.....   | 605  |
|             | (b) Corrugated Steel Pipe-Arch, 3 in. by 1 in. Corrugations.....                                    | 606  |
|             | (c) Structural Plate Pipe-Arch 6 in. by 2 in. Corrugations.....                                     | 606  |
| 713.06      | Temporary Approaches.....   | 606  |
| 713.07      | Maintenance.....  | 606  |

## TABLE OF CONTENTS

| Section  | Title  | Page       |
|--|--|------------|
| 713.08   | Removal.....   | 606        |
| 713.09   | Method of Measurement.....   | 607        |
| 713.10   | Basis of Payment.....  | 607        |
| <b>SECTION 714 – REINFORCED CONCRETE BOX STRUCTURES.....</b>               |  | <b>608</b> |
| 714.01   | Description.....   | 608        |
| 714.02   | Materials.....   | 608        |
| 714.03   | General Requirements.....  | 609        |
| 714.04   | Design Requirements.....   | 610        |
|  | (a) Box Structure.....   | 610        |
|  | (b) Concrete Headwalls, Wingwalls, and Footings.....                   | 610        |
|  | (c) Working Drawings.....  | 611        |
| 714.05   | Erection Requirements.....   | 612        |
| 714.06   | Precast Concrete Headwalls, Wingwalls, and Footings.....               | 612        |
|  | (a) Headwall Reinforcement Placement Relative to Top of Structure..... | 612        |
|  | (b) Wingwall Placement.....  | 612        |
| 714.07   | Rejection.....   | 613        |
| 714.08   | Repairs.....   | 614        |
| 714.09   | Extension of Existing Structure.....                                   | 614        |
|  | (a) Precast Reinforced Concrete Box Structure Extension.....           | 614        |
|  | (b) Cast-In-Place Concrete Structure Extension.....                    | 615        |
| 714.10   | Precast Reinforced-Concrete Box Structure Section Joints.....          | 615        |
| 714.11   | Method of Measurement.....   | 615        |
| 714.12   | Basis of Payment.....  | 616        |
| <b>SECTION 715 – PIPE CULVERTS, AND STORM AND<br/>SANITARY SEWERS.....</b> |  | <b>617</b> |
| 715.01   | Description.....   | 617        |
| 715.02   | Materials.....   | 617        |
|  | (a) Type 1 Pipe.....   | 618        |
|  | (b) Type 2 Pipe.....   | 618        |
|  | (c) Type 3 Pipe.....   | 619        |
|  | (d) Type 4 Pipe.....   | 619        |
|  | (e) Type 5 Pipe.....   | 619        |
|  | (f) Slotted Drain Pipe.....  | 620        |
|  | (g) Slotted Vane Drain Pipe.....                                       | 620        |
|  | (h) End Bent Drain Pipe.....   | 620        |
|  | (i) Underdrain Outlet Pipe.....  | 620        |
|  | (j) Grated Box End Sections.....                                       | 620        |
|  | (k) Pipe End Sections.....   | 621        |
|  | (l) Roadway Drain Casting Extensions.....                              | 621        |
|  | (m) Drainage Pipe through Concrete Masonry.....                        | 621        |
|  | (n) Bridge Deck Drain System.....                                      | 621        |
| 715.03   | General Requirements.....  | 621        |
| 715.04   | Excavation.....  | 622        |
| 715.05   | Laying Pipe.....   | 622        |

## TABLE OF CONTENTS

| Section   | Title  | Page |
|---|--|------|
| 715.06  | Joining Pipe .....   | 623  |
| 715.07  | Tee and Stub-Tee Connections .....   | 624  |
| 715.08  | Blank.....   | 624  |
| 715.09  | Backfilling .....  | 625  |
| 715.10  | Pipe End Sections, Anchors, Grated Box End Sections, and<br>Safety Metal End Sections..... | 626  |
| 715.11  | Re-Laid Pipe .....   | 627  |
| 715.12  | Pavement Replacement.....  | 627  |
| 715.13  | Method of Measurement.....   | 628  |
| 715.14  | Basis of Payment .....   | 629  |
| SECTION 716 – TRENCHLESS PIPE INSTALLATION .....                      |  | 632  |
| 716.01  | Description.....   | 632  |
|   | (a) Auger Boring .....   | 633  |
|   | (b) Carrier Pipe .....   | 633  |
|   | (c) Casing Pipe .....  | 633  |
|   | (d) Drive Shaft.....   | 633  |
|   | (e) Guided Boring.....   | 633  |
|   | (f) Horizontal Directional Drilling .....  | 633  |
|   | (g) Microtunneling .....   | 633  |
|   | (h) Pipe Jacking .....   | 633  |
|   | (i) Pipe Ramming .....   | 633  |
|   | (j) Reception Shaft.....   | 634  |
|   | (k) Response Levels .....  | 634  |
|   | (l) Spoils .....   | 634  |
| 716.02  | Materials .....  | 634  |
| 716.03  | General Requirements .....   | 635  |
| 716.04  | Method of Measurement.....   | 636  |
| 716.05  | Basis of Payment .....   | 636  |
| SECTION 717 – STRUCTURAL PLATE PIPE, PIPE-ARCHES,<br>AND ARCHES ..... |  | 637  |
| 717.01  | Description.....   | 637  |
| 717.02  | Materials .....  | 637  |
| 717.03  | General Requirements .....   | 638  |
| 717.04  | Backfill .....   | 639  |
| 717.05  | Relaid Pipe and Pipe-Arch.....   | 639  |
| 717.06  | Blank.....   | 640  |
| 717.07  | Concrete Paved Inverts.....  | 640  |
| 717.08  | Method of Measurement.....   | 640  |
| 717.09  | Basis of Payment .....   | 640  |
| SECTION 718 – UNDERDRAINS .....                                       |  | 641  |
| 718.01  | Description.....   | 641  |
| 718.02  | Materials .....  | 641  |
| 718.03  | Pipe Installation .....  | 642  |

## TABLE OF CONTENTS

| Section            | Title  | Page       |
|--------------------|--|------------|
|                    | (a) Locations Outside MSE Wall Ground Reinforcement Limits.....  | 642        |
|                    | (b) Underdrains Within MSE Wall Ground Reinforcement Limits..... | 642        |
| 718.04             | Geotextile.....  | 642        |
| 718.05             | Underdrain Outlets.....  | 643        |
| 718.06             | Underdrain Outlet Protectors.....                                | 643        |
| 718.07             | Video Inspection.....  | 643        |
| 718.08             | Patching Underdrains.....  | 644        |
| 718.09             | Method of Measurement.....                                       | 644        |
| 718.10             | Basis of Payment.....  | 644        |
| <b>SECTION 719</b> | <b>– TILE DRAINS.....</b>  | <b>646</b> |
| 719.01             | Description.....   | 646        |
| 719.02             | Materials.....   | 646        |
| 719.03             | Trench Excavation.....   | 646        |
| 719.04             | Laying Tile.....   | 647        |
| 719.05             | Backfilling.....   | 647        |
| 719.06             | Blank.....   | 647        |
| 719.07             | Method of Measurement.....                                       | 647        |
| 719.08             | Basis of Payment.....  | 648        |
| <b>SECTION 720</b> | <b>– MANHOLES, INLETS, AND CATCH BASINS.....</b>                 | <b>648</b> |
| 720.01             | Description.....   | 648        |
| 720.02             | Materials.....   | 648        |
| 720.03             | General Requirements.....  | 649        |
| 720.04             | Grade Adjustment of Existing Structures.....                     | 652        |
| 720.05             | Capping Existing Structures.....                                 | 652        |
| 720.06             | Method of Measurement.....                                       | 653        |
| 720.07             | Basis of Payment.....  | 653        |
| <b>SECTION 721</b> | <b>– AUTOMATIC DRAINAGE GATES.....</b>                           | <b>654</b> |
| 721.01             | Description.....   | 654        |
| 721.02             | Materials.....   | 654        |
| 721.03             | Construction Requirements.....                                   | 654        |
| 721.04             | Method of Measurement.....                                       | 655        |
| 721.05             | Basis of Payment.....  | 655        |
| <b>SECTION 722</b> | <b>– LATEX MODIFIED CONCRETE BRIDGE DECK<br/>OVERLAYS.....</b>   | <b>655</b> |
| 722.01             | Description.....   | 655        |
| 722.02             | Materials.....   | 655        |
| 722.03             | Storage and Handling of Materials.....                           | 655        |
| 722.04             | Proportioning.....   | 656        |
| 722.05             | Preparation of the Bridge Floor.....                             | 657        |
|                    | (a) Concrete Removal.....  | 657        |
|                    | 1. Deck Surface.....   | 657        |
|                    | 2. Bridge Floor.....   | 657        |
|                    | (b) Cleaning.....  | 658        |

## TABLE OF CONTENTS

| Section  | Title  | Page       |
|--|--|------------|
| 722.06   | Patching of the Bridge Floor.....                | 658        |
| (a)  | Full Depth Patching .....                        | 658        |
| 1.   | Patching with Bridge Deck Patching Concrete..... | 659        |
| 2.   | Patching with Latex Modified Concrete .....      | 659        |
| (b)  | Partial Depth Patching .....                     | 659        |
| 1.   | Patching with Bridge Deck Patching Concrete..... | 659        |
| 2.   | Patching with Latex Modified Concrete .....      | 659        |
| 722.07   | Overlay Dam.....                                 | 659        |
| 722.08   | Mixing .....                                     | 660        |
| 722.09   | Placing and Finishing .....                      | 660        |
| 722.10   | Texturing .....                                  | 661        |
| 722.11   | Curing .....                                     | 662        |
| 722.12   | Calibration of Continuous Mixers .....           | 663        |
| (a)  | Frequency.....                                   | 663        |
| (b)  | Equipment.....                                   | 663        |
| (c)  | Pre-calibration.....                             | 663        |
| (d)  | Calibration .....                                | 663        |
| 1.   | Cement Meter .....                               | 663        |
| 2.   | Water Flow Meter.....                            | 664        |
| 3.   | Aggregate Bin Gates.....                         | 664        |
| 4.   | Latex Throttling Valve .....                     | 665        |
| 5.   | Admixture Dispensers .....                       | 665        |
| 722.13   | Patching an Existing Bridge Deck Overlay .....   | 665        |
| (a)  | Materials .....                                  | 665        |
| (b)  | Storage and Handling of Materials .....          | 665        |
| (c)  | Proportioning .....                              | 665        |
| (d)  | Preparation of the Bridge Floor .....            | 665        |
| (e)  | Patching.....                                    | 665        |
| (f)  | Mixing.....                                      | 665        |
| (g)  | Placing and Finishing.....                       | 665        |
| (h)  | Texturing.....                                   | 665        |
| (i)  | Curing .....                                     | 666        |
| (j)  | Calibration of Continuous Mixers .....           | 666        |
| 722.14   | Method of Measurement.....                       | 666        |
| 722.15   | Basis of Payment .....                           | 666        |
| <b>SECTION 723 – REINFORCED CONCRETE THREE-SIDED</b> |  |            |
|  | <b>STRUCTURES .....</b>                          | <b>668</b> |
| 723.01   | Description.....                                 | 668        |
| 723.02   | Materials .....                                  | 668        |
| 723.03   | General Requirements .....                       | 670        |
| 723.04   | Design Requirements.....                         | 670        |
| (a)  | Placement of Reinforcement.....                  | 671        |
| (b)  | Splicing and Spacing of Reinforcement.....       | 671        |
| (c)  | Working Drawings.....                            | 672        |

## TABLE OF CONTENTS

| Section  | Title   | Page |
|--|---|------|
| 723.05   | Manufacture.....  | 673  |
| 723.06   | Rejection.....  | 673  |
| 723.07   | Repairs.....  | 673  |
| 723.08   | Trench Compaction .....   | 673  |
| 723.09   | Footings .....  | 674  |
| 723.10   | Pedestals .....   | 674  |
| 723.11   | Placement of Structure Sections and Wingwalls .....                   | 674  |
| 723.12   | Extension of Existing Structure .....                                 | 675  |
|  | (a) Precast Reinforced Concrete Three-Sided Structure Extension ..... | 676  |
|  | (b) Cast-In-Place Concrete Three-Sided Structure Extension .....      | 676  |
| 723.13   | Blank.....  | 676  |
| 723.14   | Joints.....   | 676  |
| 723.15   | Backfilling .....   | 677  |
| 723.16   | Scour Protection .....  | 677  |
| 723.17   | Method of Measurement.....  | 677  |
| 723.18   | Basis of Payment .....  | 678  |
| SECTION 724 – STRUCTURAL EXPANSION JOINTS.....   |   | 680  |
| 724.01   | Description.....  | 680  |
|  | (a) Structural Expansion Joint .....                                  | 680  |
|  | (b) Replacement of Existing Structural Expansion Joint.....           | 680  |
|  | (c) Replacement of Existing Structural Expansion Joint Seal .....     | 680  |
| 724.02   | Materials .....   | 680  |
|  | (a) Expansion Joint SS.....   | 680  |
|  | (b) Expansion Joint M .....   | 681  |
| 724.03   | General Requirements .....  | 681  |
|  | (a) Replacement of Existing Structural Expansion Joint.....           | 681  |
|  | (b) Replacement of Existing Structural Expansion Joint Seal .....     | 681  |
| 724.04   | Method of Measurement.....  | 681  |
| 724.05   | Basis of Payment .....  | 681  |
| SECTION 725 – SLIP LINING OF EXISTING PIPE ..... |   | 682  |
| 725.01   | Description.....  | 682  |
| 725.02   | Materials .....   | 682  |
| 725.03   | Right-of-Entry Areas .....  | 684  |
| 725.04   | Quality Control .....   | 684  |
| 725.05   | Filling of Cavities Outside of the Existing Pipe .....                | 684  |
| 725.06   | Joining Liner Pipe.....   | 684  |
|  | (a) Welder, Butt Fuser, or Joiner Joint Testing.....                  | 684  |
|  | (b) Solid Wall HDPE Liner Pipe .....                                  | 685  |
|  | (c) Profile Wall HDPE Liner Pipe.....                                 | 685  |
| 725.07   | Cellular Concrete Grout.....  | 685  |
| 725.08   | Liner Pipe Installation.....  | 686  |
| 725.09   | Method of Measurement.....  | 687  |
| 725.10   | Basis of Payment .....  | 688  |

## TABLE OF CONTENTS

| Section  | Title | Page |
|--|-------|------|
| SECTION 726 – BEARING ASSEMBLIES.....                                |       | 689  |
| 726.01 Description.....  |       | 689  |
| 726.02 Materials .....   |       | 689  |
| 726.03 Construction Requirements.....                                |       | 690  |
| 726.04 Method of Measurement.....                                    |       | 690  |
| 726.05 Basis of Payment .....  |       | 690  |
| SECTION 727 – STRUCTURAL CONCRETE REPAIR BY<br>EPOXY INJECTION ..... |       | 691  |
| 727.01 Description.....  |       | 691  |
| 727.02 Materials .....   |       | 691  |
| 727.03 Approvals.....  |       | 691  |
| 727.04 Construction Requirements.....                                |       | 691  |
| 727.05 Method of Measurement.....                                    |       | 692  |
| 727.06 Basis of Payment .....  |       | 692  |
| SECTION 728 – BLANK.....   |       | 692  |
| SECTION 729 – BLANK.....   |       | 692  |
| SECTION 730 – BLANK.....   |       | 692  |
| SECTION 731 – MECHANICALLY STABILIZED EARTH<br>RETAINING WALLS ..... |       | 692  |
| 731.01 Description.....  |       | 692  |
| 731.02 General Design Requirements .....                             |       | 692  |
| 731.03 Design Criteria.....  |       | 693  |
| (a) Geotechnical Considerations.....                                 |       | 694  |
| (b) Height of Wall .....   |       | 694  |
| 731.04 Submittals .....  |       | 695  |
| 731.05 Materials .....   |       | 696  |
| 731.06 General Requirements .....                                    |       | 697  |
| 731.07 Foundation Preparation.....                                   |       | 697  |
| 731.08 Retaining Wall Excavation.....                                |       | 698  |
| 731.09 Wall Erection.....  |       | 698  |
| 731.10 Joint Spacers and Joint Covering for Wall Panels.....         |       | 699  |
| 731.11 Backfill Placement.....                                       |       | 699  |
| 731.12 Method of Measurement.....                                    |       | 701  |
| 731.13 Basis of Payment .....  |       | 701  |
| SECTION 732 – BLANK.....   |       | 702  |
| SECTION 733 – STEEL BIN-TYPE RETAINING WALL .....                    |       | 702  |
| 733.01 Description.....  |       | 702  |
| 733.02 Materials .....   |       | 702  |
| 733.03 General .....   |       | 702  |
| 733.04 Foundation Preparation.....                                   |       | 703  |
| 733.05 Retaining Wall Excavation.....                                |       | 703  |



## TABLE OF CONTENTS

| Section   | Title   | Page |
|---|---|------|
| 733.06  | Backfill Placement.....                         | 703  |
| 733.07  | Method of Measurement.....                      | 703  |
| 733.08  | Basis of Payment .....                          | 704  |
| SECTION 734 – PERMANENT EARTH RETENTION SYSTEM    |   |      |
|   | FOR CUT-WALL APPLICATION .....                  | 704  |
| 734.01  | Description.....                                | 704  |
| 734.02  | Contractor Design Requirements.....             | 704  |
|   | (a) Design Calculations .....                   | 705  |
|   | (b) Working Drawings.....                       | 706  |
|   | (c) Submittals .....                            | 707  |
|   | 1. Personnel Qualifications .....               | 708  |
|   | 2. Verification Testing Program .....           | 708  |
| 734.03  | Materials .....                                 | 708  |
| 734.04  | General Requirements .....                      | 708  |
| 734.05  | Performance Monitoring During Construction..... | 709  |
| 734.06  | Performance Monitoring After Construction.....  | 709  |
| 734.07  | Method of Measurement.....                      | 709  |
| 734.08  | Basis of Payment .....                          | 709  |
| SECTION 735 – TEMPORARY WIRE-FACED MECHANICALLY   |   |      |
|   | STABILIZED EARTH RETAINING WALLS .....          | 710  |
| 735.01  | Description.....                                | 710  |
| 735.02  | General Design Requirements .....               | 710  |
| 735.03  | Design Criteria.....                            | 710  |
| 735.04  | Submittals .....                                | 711  |
| 735.05  | Materials .....                                 | 711  |
| 735.06  | General Requirements .....                      | 712  |
| 735.07  | Wall Erection.....                              | 712  |
| 735.08  | Method of Measurement.....                      | 712  |
| 735.09  | Basis of Payment .....                          | 713  |
| SECTION 736 – BLANK.....                          |   |      |
|   |   | 713  |
| SECTION 737 - WELDED WIRE REINFORCEMENT, WWR..... |   |      |
|   |   | 714  |
| 737.01  | Description.....                                | 714  |
| 737.02  | Materials .....                                 | 714  |
| 737.03  | Design Requirements.....                        | 714  |
| 737.04  | Working Drawings.....                           | 714  |
| 737.05  | Fabrication .....                               | 714  |
| 737.06  | Handling and Storage .....                      | 715  |
| 737.07  | Placing and Securing .....                      | 715  |
| 737.08  | Repair of Coated WWR.....                       | 716  |
|   | (a) Epoxy-Coated .....                          | 716  |
|   | (b) Galvanized .....                            | 716  |
| 737.09  | Final Inspection .....                          | 716  |
| 737.10  | Method of Measurement.....                      | 716  |

TABLE OF CONTENTS

| Section   | Title  | Page |
|---|--|------|
| 737.11  | Basis of Payment .....                               | 716  |
| <b>SECTION 800 – TRAFFIC CONTROL DEVICES AND LIGHTING</b> |  |      |
| SECTION 801 – TRAFFIC CONTROLS FOR CONSTRUCTION AND       |  |      |
|   | MAINTENANCE OPERATIONS .....                         | 718  |
| 801.01  | Description.....                                     | 718  |
| 801.02  | Materials .....                                      | 718  |
| 801.03  | General Requirements .....                           | 719  |
| 801.04  | Construction Signs.....                              | 721  |
|   | (a) Type A .....                                     | 722  |
|   | (b) Type B .....                                     | 722  |
|   | (c) Type C.....                                      | 722  |
|   | (d) Type D .....                                     | 722  |
|   | (e) Temporary Panel Sign.....                        | 722  |
| 801.05  | Detour Route Marker Assembly .....                   | 722  |
| 801.06  | Road Closure Sign Assembly .....                     | 722  |
| 801.07  | Barricades .....                                     | 723  |
|   | (a) Type III-A Barricade.....                        | 723  |
|   | (b) Type III-B Barricade.....                        | 723  |
|   | (c) Permanent Type III Barricade.....                | 723  |
| 801.08  | Cones and Tubular Markers.....                       | 723  |
| 801.09  | Drums .....  | 724  |
| 801.10  | Temporary Traffic Barriers.....                      | 725  |
|   | (a) Placement .....                                  | 726  |
|   | (b) Connection .....                                 | 726  |
|   | (c) Anchorage .....                                  | 727  |
|   | (d) Delineation.....                                 | 727  |
|   | (e) End Treatment.....                               | 728  |
|   | (f) Storage.....                                     | 728  |
| 801.10.1  | Construction Zone Energy Absorbing Terminal, CZ..... | 728  |
| 801.11  | Temporary Crossovers.....                            | 729  |
| 801.12  | Temporary Pavement Marking .....                     | 730  |
|   | (a) Temporary Pavement Marking Methods.....          | 730  |
|   | 1. Paint.....  | 731  |
|   | 2. Temporary Pavement Marking Tape .....             | 731  |
|   | a. Type I.....                                       | 731  |
|   | b. Type II.....                                      | 731  |
|   | 3. Temporary Raised Pavement Marker .....            | 731  |
|   | 4. Temporary Buzz Strips .....                       | 731  |
|   | (b) Quality Assurance Unit.....                      | 732  |
| 801.13  | Temporary Illumination.....                          | 732  |
| 801.14  | Construction Warning Lights.....                     | 732  |
|   | (a) Type A .....                                     | 732  |
|   | (b) Type B .....                                     | 732  |
|   | (c) Type C.....                                      | 732  |

## TABLE OF CONTENTS

| Section     | Title  | Page |
|-------------|--|------|
|             | (d) Vehicle Warning Lights .....                           | 733  |
| 801.15      | Electronic Devices .....                                   | 733  |
|             | (a) Flashing Arrow Sign .....                              | 733  |
|             | <b>(b) Portable Changeable Message Signs, PCMS</b> .....   | 733  |
|             | (c) Temporary Worksite Speed Limit Sign Assembly .....     | 733  |
|             | (d) Temporary Traffic Signals .....                        | 734  |
| 801.16      | Temporary Traffic Control Zone .....                       | 735  |
|             | (a) Temporary Traffic Control Signs .....                  | 735  |
|             | (b) Maintenance of Traffic for Mobile Operations .....     | 735  |
|             | (c) Traffic Control for Temporary Traffic Stoppage .....   | 736  |
|             | 1. On Multi-Lane Divided Highways .....                    | 736  |
|             | 2. On Non-Divided Highways .....                           | 736  |
| 801.17      | Method of Measurement .....                                | 736  |
| 801.18      | Basis of Payment .....                                     | 738  |
| SECTION 802 | – SIGNS .....  | 743  |
| 802.01      | Description .....  | 743  |
| 802.02      | Materials .....  | 743  |
| 802.03      | Location of Signs and Sign Structures .....                | 744  |
| 802.04      | Working Drawings .....                                     | 744  |
| 802.05      | Excavation and Backfill .....                              | 744  |
| 802.06      | Placing Concrete .....                                     | 744  |
| 802.07      | Installing Supports .....                                  | 745  |
|             | (a) Posts .....  | 745  |
|             | <b>(b) Overhead Sign Structures</b> .....                  | 745  |
|             | 1. Trusses .....   | 746  |
|             | 2. Monotube .....  | 747  |
|             | 3. Cantilever Arms .....                                   | 747  |
|             | 4. Bridge Brackets .....                                   | 747  |
| 802.08      | Installing Signs .....                                     | 747  |
|             | (a) Sheet Signs .....                                      | 747  |
|             | (b) Panel Signs .....                                      | 748  |
| 802.09      | Removal or Relocation of Signs or Support Assemblies ..... | 748  |
| 802.10      | Roadway and Bridge Reference Signs .....                   | 748  |
| 802.11      | Method of Measurement .....                                | 748  |
| 802.12      | Basis of Payment .....                                     | 749  |
| SECTION 803 | – WELDING ALUMINUM ALLOYS .....                            | 752  |
| 803.01      | Description .....  | 752  |
| 803.02      | Materials .....  | 753  |
| 803.03      | Welding Processes .....                                    | 753  |
|             | (a) Preparation of Materials .....                         | 753  |
|             | (b) Welding Procedure .....                                | 753  |
|             | (c) Weld Quality .....                                     | 754  |
|             | (d) Inspection .....                                       | 755  |
|             | (e) Corrections .....                                      | 755  |

## TABLE OF CONTENTS

| Section                             | Title  | Page |
|-------------------------------------|--|------|
|                                     | 1. Cracks in Welds or Base Metal.....  | 755  |
|                                     | 2. Excessive Porosity and Lack of Fusion .....                                     | 755  |
|                                     | 3. Copper or Tungsten Inclusions .....   | 755  |
|                                     | 4. Excessive Concavity of Crater, Undercut and Undersize Weld.....                 | 755  |
|                                     | 5. Overlap .....   | 755  |
| 803.04                              | Qualification of Procedures, Welders, and Welding Operators .....                  | 756  |
| SECTION 804 – DELINEATORS .....     |  | 756  |
| 804.01                              | Description.....   | 756  |
| 804.02                              | Materials .....  | 756  |
| 804.03                              | Delineator Visibility .....  | 756  |
| 804.04                              | Posts.....   | 757  |
| 804.05                              | Flexible Delineator Posts.....   | 757  |
| 804.06                              | Method of Measurement.....   | 757  |
| 804.07                              | Basis of Payment .....   | 757  |
| SECTION 805 – TRAFFIC SIGNALS ..... |  | 757  |
| 805.01                              | Description.....   | 757  |
| 805.02                              | Materials .....  | 757  |
| 805.03                              | General Requirements .....   | 758  |
| 805.04                              | Pole Installation .....  | 761  |
| 805.05                              | Placing Signal Heads .....   | 761  |
| 805.06                              | Grounding.....   | 762  |
| 805.07                              | Wire and Cable Installations.....  | 762  |
| 805.08                              | Controller Cabinet, Signal Service, and Detector<br>Housing Installation.....      | 763  |
| 805.09                              | Loop Wire Detector Installation .....  | 764  |
|                                     | (a) Layout .....   | 764  |
|                                     | (b) Installation .....   | 765  |
|                                     | (c) Splices.....   | 765  |
|                                     | (d) Testing and Acceptance .....   | 766  |
|                                     | 1. Electrical Testing.....   | 766  |
|                                     | a. Megohm Test Before Splice is Made at Detector<br>Housing for Loop Wire.....     | 766  |
|                                     | b. Megohm Test Before Splice is Made at Detector<br>Housing for Lead-in Cable..... | 766  |
|                                     | c. Megohm Test After Splice is Completed at Cabinet.....                           | 767  |
|                                     | 2. Delay Amplifier Settings and Vehicle Simulator Test.....                        | 767  |
|                                     | 3. Acceptance Criteria .....   | 768  |
| 805.10                              | Other Vehicle Detection Systems .....  | 768  |
| 805.11                              | Steel Conduit .....  | 768  |
| 805.12                              | PVC, HDPE, and Fiberglass Conduit .....  | 769  |
| 805.13                              | Foundations .....  | 769  |
| 805.14                              | Final Clean-Up .....   | 770  |
| 805.15                              | Method of Measurement.....   | 770  |
| 805.16                              | Basis of Payment .....   | 771  |

## TABLE OF CONTENTS

| Section                            | Title  | Page |
|------------------------------------|--|------|
| SECTION 806 – BLANK                |  | 775  |
| SECTION 807 – HIGHWAY ILLUMINATION |  | 775  |
| 807.01                             | Description  | 775  |
| 807.02                             | Materials  | 775  |
| 807.03                             | Working Drawings   | 776  |
| 807.04                             | Excavation   | 777  |
| (a)                                | Trench Excavation  | 777  |
| (b)                                | Foundation Excavation  | 778  |
| (c)                                | Landscape Replacement  | 778  |
| 807.05                             | Backfilling  | 778  |
| 807.06                             | Placing Conduit  | 779  |
| 807.07                             | Connections in Base of Lighting Standards                                | 779  |
| 807.08                             | Placing Wire and Cable   | 781  |
| (a)                                | Underground Through Cable-duct   | 781  |
| 1.                                 | Cable-duct   | 781  |
| 2.                                 | Cable Markers  | 781  |
| (b)                                | Underground Through Conduit  | 782  |
| 1.                                 | Cable-duct   | 782  |
| 2.                                 | Cable Markers  | 782  |
| (c)                                | In Conduit Risers  | 782  |
| (d)                                | Through Conduit in Bridge Coping   | 782  |
| (e)                                | Aerial Cable   | 783  |
| 807.09                             | Lighting Handholes   | 783  |
| 807.10                             | Concrete Foundations For Lighting Standards                              | 783  |
| (a)                                | Cast-in-Place Foundations  | 784  |
| (b)                                | Precast Foundations  | 784  |
| (c)                                | Grading of Foundations   | 784  |
| 807.11                             | Placing Lighting Standards   | 784  |
| (a)                                | Lighting Standards Under 80 ft in Height                                 | 784  |
| (b)                                | High Mast Lighting Standards of 80 ft Height and Over                    | 785  |
| 807.12                             | Grounding  | 785  |
| 807.13                             | Luminaire Installation   | 787  |
| (a)                                | Roadway Luminaires   | 787  |
| (b)                                | Sign Luminaires  | 787  |
| (c)                                | Underpass Luminaires   | 788  |
| (d)                                | High Mast Luminaires   | 788  |
| 807.14                             | Sign, Underpass, Roadway, and High Mast Lighting Location Identification | 788  |
| 807.15                             | Service Point Power Entry  | 788  |
| (a)                                | Types of Service Points  | 789  |
| 1.                                 | Type I Service Point   | 789  |
| 2.                                 | Type II Service Point  | 789  |
| (b)                                | Sign and Underpass Circuits  | 789  |
| (c)                                | Multiple Relay Switches  | 790  |

## TABLE OF CONTENTS

| Section                                       | Title  | Page |
|---|--|------|
| 807.16  | Testing of Highway Lighting System .....   | 790  |
| (a)   | Testing Lighting Circuitry.....  | 790  |
| (b)   | Testing and Inspecting Luminaires .....  | 791  |
| 807.17  | Pay Item and Installation Summary Sheets.....  | 791  |
| 807.18  | Method of Measurement.....   | 791  |
| 807.19  | Basis of Payment .....   | 792  |
| SECTION 808 – PAVEMENT TRAFFIC MARKINGS ..... |  | 794  |
| 808.01  | Description.....   | 794  |
| 808.02  | Materials .....  | 794  |
| 808.03  | General Requirements .....   | 795  |
| 808.04  | Longitudinal Markings .....  | 795  |
| (a)   | Center Lines .....   | 795  |
| (b)   | Lane Lines .....   | 796  |
| (c)   | Edge Lines .....   | 796  |
| (d)   | Barrier Lines .....  | 796  |
| 808.05  | Transverse Markings .....  | 796  |
| 808.06  | Curb Markings.....   | 797  |
| 808.07  | Pavement Marking Material Application, Equipment, and<br>Performance Requirements..... | 797  |
| (a)   | Traffic Paint .....  | 798  |
| 1.  | Application .....  | 798  |
| 2.  | Equipment.....   | 799  |
| 3.  | Performance Requirements.....  | 799  |
| (b)   | Durable Pavement Marking Material.....   | 799  |
| 1.  | Thermoplastic .....  | 800  |
| a.  | Application.....   | 800  |
| b.  | Equipment.....   | 800  |
| c.  | Performance Requirements .....   | 800  |
| 2.  | Preformed Plastic and Extended Warranty Preformed Plastic.....                         | 800  |
| a.  | Application.....   | 800  |
| b.  | Performance Requirements .....   | 801  |
| 3.  | Multi-Component .....  | 801  |
| a.  | Application.....   | 801  |
| b.  | Equipment.....   | 801  |
| c.  | Performance Requirements .....   | 801  |
| 808.08  | Marking Protection and Maintenance of Traffic.....                                     | 802  |
| (a)   | Vehicle Signs .....  | 802  |
| (b)   | Vehicle Warning Lights.....  | 802  |
| (c)   | Cones .....  | 802  |
| (d)   | Front Escort Vehicles.....   | 803  |
| (e)   | Marking Application Vehicles .....   | 803  |
| (f)   | Rear Escort Vehicles .....   | 803  |
| 808.09  | Warranty for Durable Pavement Marking Material.....                                    | 803  |

## TABLE OF CONTENTS

| Section  | Title   | Page       |
|--|---|------------|
| 808.09.1   | Extended Warranty for Preformed Plastic Pavement Marking Material ..... | 804        |
| 808.10   | Removal of Pavement Markings.....                                       | 804        |
| 808.11   | Snowplowable Raised Pavement Markers.....                               | 805        |
|  | (a) Surface Preparation .....   | 805        |
|  | (b) Location .....  | 805        |
|  | (c) Reflector Color.....  | 805        |
|  | (d) Installation .....  | 805        |
|  | (e) Removal of Markers.....   | 806        |
|  | (f) Replacement of Prismatic Reflectors.....                            | 806        |
| 808.12   | Method of Measurement.....  | 807        |
| 808.13   | Basis of Payment .....  | 807        |
| <b>SECTION 809 – ITS CONTROLLER CABINETS AND FOUNDATIONS .....</b> |   | <b>809</b> |
| 809.01   | Description.....  | 809        |
| 809.02   | Materials .....   | 809        |
| 809.03   | General .....   | 809        |
| 809.04   | Grounding.....  | 810        |
| 809.05   | Cabinet Wiring .....  | 810        |
| 809.06   | Field Testing .....   | 810        |
| 809.07   | Clean-Up.....   | 811        |
| 809.08   | Method of Measurement.....  | 811        |
| 809.09   | Basis of Payment .....  | 811        |
| <b>SECTION 900 – MATERIALS DETAILS</b>                             |   |            |
| <b>SECTION 901 – PCC MATERIALS .....</b>                           |   | <b>812</b> |
| 901.01   | Hydraulic Cement.....   | 812        |
|  | (a) General.....  | 812        |
|  | (b) Portland Cement .....   | 812        |
|  | 1. Requirements .....   | 812        |
|  | 2. Acceptance Criteria .....  | 813        |
|  | a. General Requirements.....  | 813        |
|  | b. Requirements for Domestic Source Qualification.....                  | 814        |
|  | c. Requirements for Foreign Source Qualification.....                   | 814        |
|  | d. Certification .....  | 815        |
|  | (c) Masonry Cement.....   | 815        |
| 901.02   | Fly Ash Used as a Pozzolan.....   | 815        |
|  | (a) General.....  | 815        |
|  | (b) Acceptance Criteria.....  | 815        |
|  | 1. Requirements .....   | 816        |
|  | 2. Test and Calibration Procedure.....                                  | 816        |
|  | 3. Documentation.....   | 816        |
| 901.03   | Ground Granulated Blast Furnace Slag Used As a Pozzolan.....            | 817        |
|  | (a) General.....  | 817        |
|  | (b) Acceptance Criteria.....  | 818        |

## TABLE OF CONTENTS

| Section                              | Title   | Page |
|--------------------------------------|---|------|
|                                      | 1. Requirements .....   | 818  |
|                                      | 2. Test and Calibration Procedure.....                          | 818  |
|                                      | 3. Documentation.....   | 818  |
| 901.04                               | Silica Fume Used As a Pozzolanic Mineral Admixture.....         | 819  |
|                                      | (a) General.....  | 819  |
|                                      | (b) Acceptance Criteria.....                                    | 820  |
|                                      | 1. Requirements .....   | 820  |
|                                      | 2. Frequency of Testing.....                                    | 820  |
|                                      | 3. Test and Calibration Procedure.....                          | 821  |
|                                      | 4. Documentation.....   | 821  |
| 901.05                               | Chemical Anchor System .....                                    | 822  |
|                                      | (a) Requirements .....  | 822  |
|                                      | (b) Laboratory Testing.....                                     | 822  |
| 901.06                               | PCC Sealer/Healers .....  | 822  |
|                                      | (a) Requirements .....  | 822  |
|                                      | (b) Laboratory Testing.....                                     | 823  |
| 901.07                               | Rapid Setting Patch Materials.....                              | 823  |
|                                      | (a) Normal Weather Mixes.....                                   | 823  |
|                                      | (b) Hot Weather Mixes.....                                      | 823  |
|                                      | (c) Requirements .....  | 823  |
|                                      | (d) Test Report.....  | 824  |
| 901.08                               | Packaged, Dry, Combined Materials for Mortar and Concrete ..... | 825  |
| 901.09                               | Air-Cooled Blast Furnace Slag for Retaining Walls.....          | 825  |
| 901.10                               | Components of MSE Retaining Walls.....                          | 825  |
|                                      | (a) PCC Components.....   | 825  |
|                                      | 1. Face Panels .....  | 825  |
|                                      | a. Production Control Testing and Inspection.....               | 826  |
|                                      | b. Casting .....  | 826  |
|                                      | c. Curing.....  | 826  |
|                                      | d. Removal of Forms.....  | 826  |
|                                      | e. Concrete Finish .....  | 827  |
|                                      | f. Tolerances.....  | 827  |
|                                      | g. Compressive Strength Verification.....                       | 827  |
|                                      | h. Rejection .....  | 828  |
|                                      | i. Marking.....   | 828  |
|                                      | j. Handling, Storage, and Shipping .....                        | 828  |
|                                      | 2. Coping .....   | 828  |
|                                      | (b) Joint Spacers and Joint Covering.....                       | 828  |
| SECTION 902 – ASPHALT MATERIALS..... |   | 829  |
| 902.01                               | Asphalt.....  | 829  |
|                                      | (a) Performance Graded Asphalt Binders.....                     | 829  |
|                                      | 1. Lots and Sublots .....                                       | 830  |
|                                      | 2. Sampling.....  | 830  |
|                                      | 3. PG Binder Testing .....                                      | 830  |



## TABLE OF CONTENTS

| Section                                     | Title   | Page |
|---|---|------|
|   | 4. Appeals .....  | 831  |
|   | (b) Asphalt Emulsions .....   | 831  |
|   | (c) Cutback Asphalts .....  | 835  |
|   | 1. Medium Curing Asphalts With and Without Additives.....   | 835  |
|   | 2. Slow Curing Asphalts With and Without Additives .....  | 835  |
|   | (d) Utility Asphalt .....   | 836  |
|   | (e) Asphalt for Coating Corrugated Metal Pipe.....  | 836  |
| 902.02                                      | Sampling and Testing Asphalt Materials .....  | 837  |
| 902.03                                      | Application Temperatures .....  | 842  |
| SECTION 903 – CLASSIFICATION OF SOILS ..... |   | 843  |
| 903.01                                      | Definitions .....   | 843  |
| 903.02                                      | Soils Having 0% to 19% Retained on No. 10 (2.00 mm) Sieve .....   | 843  |
| 903.03                                      | Soils Having 20% or More Retained on No 10 (2.00 mm) Sieve<br>and More Than 20% Passing No. 200 (75 µm) Sieve.....  | 844  |
| 903.04                                      | Soils Having 20% or More Retained on No. 10 (2.00 mm) Sieve<br>and Less Than 20% Passing No. 200 (75 µm) Sieve..... | 844  |
| 903.05                                      | Organic Soils .....   | 844  |
| 903.06                                      | Marly Soils .....   | 844  |
| SECTION 904 – AGGREGATES .....              |   | 845  |
| 904.01                                      | Aggregates .....  | 845  |
| 904.02                                      | Fine Aggregates .....   | 847  |
|   | (a) For Portland Cement Concrete.....   | 847  |
|   | (b) For HMA Mixtures .....  | 847  |
|   | (c) For SMA Mixtures .....  | 848  |
|   | (d) For Pneumatically Placed Mortar .....   | 848  |
|   | (e) Mortar Sand .....   | 849  |
|   | (f) Mineral Filler for SMA .....  | 849  |
|   | (g) Snow and Ice Abrasives.....   | 849  |
|   | (h) Sizes of Fine Aggregates .....  | 849  |
|   | (i) Sampling and Testing .....  | 849  |
| 904.03                                      | Coarse Aggregates .....   | 850  |
|   | (a) Classification of Aggregates .....  | 851  |
|   | (b) Coarse Aggregate Angularity for HMA and SMA .....   | 853  |
|   | (c) Flat and Elongated .....  | 853  |
|   | (d) Surface Aggregate Requirements.....   | 853  |
|   | 1. HMA Coarse Aggregate .....   | 854  |
|   | 2. SMA Coarse Aggregate.....  | 854  |
|   | (e) Sizes of Coarse Aggregates.....   | 855  |
|   | (f) Sampling and Testing.....   | 856  |
| 904.04                                      | Riprap .....  | 856  |
|   | (a) Dumped Riprap .....   | 856  |
|   | (b) Grouted Riprap .....  | 856  |
|   | (c) Revetment, Class 1, and Class 2 Riprap.....   | 856  |
|   | (d) Uniform Riprap.....   | 857  |

## TABLE OF CONTENTS

| Section                            | Title   | Page |
|------------------------------------|---|------|
|                                    | (e) Precast Concrete Riprap.....  | 857  |
|                                    | (f) Sizes of Riprap .....   | 857  |
| 904.05                             | Structure Backfill.....   | 857  |
| 904.06                             | Exceptions to AASHTO Standard Methods .....                                 | 858  |
|                                    | (a) Exceptions to AASHTO T 2 .....  | 858  |
|                                    | (b) Exceptions to AASHTO T 11, T 27, and T 37.....                          | 858  |
|                                    | (c) Exceptions to AASHTO T 27 for Coarse Aggregates.....                    | 858  |
|                                    | (d) Exceptions to AASHTO T 85 .....   | 859  |
|                                    | (e) Exceptions to AASHTO T 103 and 104.....                                 | 859  |
| SECTION 905 – MASONRY UNITS .....  |   | 859  |
| 905.01                             | Clay or Shale Brick.....  | 859  |
|                                    | (a) Sewer Brick.....  | 859  |
|                                    | (b) Manhole Brick .....   | 859  |
|                                    | (c) Building Brick.....   | 859  |
| 905.02                             | Concrete Brick.....   | 860  |
| 905.03                             | Concrete Masonry Blocks.....  | 860  |
| 905.04                             | Precast Concrete Curbing .....  | 860  |
| 905.05                             | Detectable Warning Elements .....   | 860  |
| 905.06                             | Precast Concrete Units Not Otherwise Covered .....                          | 861  |
| SECTION 906 – JOINT MATERIALS..... |   | 862  |
| 906.01                             | Joint Fillers .....   | 862  |
| 906.02                             | Joint Sealing Materials .....   | 862  |
|                                    | (a) Joint Sealers .....   | 862  |
|                                    | 1. Silicone Joint Sealants .....  | 862  |
|                                    | a. Physical Requirements .....  | 862  |
|                                    | b. Field Evaluation.....  | 862  |
|                                    | c. Specific Requirements for Installation of Silicone<br>Joint Sealant..... | 862  |
|                                    | 2. Hot Poured Joint Sealant.....  | 863  |
|                                    | a. General Requirements .....   | 863  |
|                                    | b. Packaging and Marking .....  | 863  |
|                                    | c. Requirements for Installation.....                                       | 863  |
|                                    | d. Sampling and Testing .....   | 863  |
|                                    | 3. Preformed Elastomeric Joint Seals .....                                  | 863  |
|                                    | 4. Polychloroprene Joint Membrane and Adhesive .....                        | 863  |
|                                    | (b) Backer Rod .....  | 864  |
|                                    | 1. Requirements .....   | 864  |
|                                    | 2. Certification .....  | 864  |
| 906.03                             | Blank.....  | 864  |
| 906.04                             | Blank.....  | 864  |
| 906.05                             | Blank.....  | 864  |
| 906.06                             | Blank.....  | 864  |
| 906.07                             | Bridge Expansion Joints .....   | 864  |
|                                    | (a) Type SS.....  | 865  |

## TABLE OF CONTENTS

| Section   | Title  | Page |
|---|--|------|
|   | (b) Type M.....  | 865  |
|   | 906.08 High Density Bearing Strip.....   | 867  |
| <b>SECTION 907 – CONCRETE, CLAY, AND PLASTIC DRAINAGE</b> |  |      |
|   | COMPONENTS.....  | 867  |
|   | 907.01 Non-Reinforced Concrete Pipe.....   | 867  |
|   | 907.02 Reinforced Concrete Pipe.....   | 867  |
|   | 907.03 Reinforced Concrete Horizontal Elliptical Pipe.....                                   | 868  |
|   | 907.04 Precast Concrete Manholes, Inlets, and Catch Basins.....                              | 868  |
|   | 907.05 Precast Reinforced Concrete Structure Sections.....                                   | 869  |
|   | (a) Box.....   | 869  |
|   | (b) Three-Sided.....   | 869  |
|   | 907.06 Precast Reinforced Concrete Headwalls, Wingwalls,<br>Footings and Spandrel Walls..... | 870  |
|   | 907.07 Joint Membrane System for Precast Reinforced<br>Concrete Box Structure Sections.....  | 870  |
|   | 907.08 Clay Pipe.....  | 871  |
|   | 907.09 Perforated Clay Pipe.....   | 871  |
|   | 907.10 Drain Tile.....   | 871  |
|   | 907.11 Pipe Joint Sealant.....   | 871  |
|   | (a) Preformed Flexible Joint Sealants.....   | 871  |
|   | (b) Bituminous Mastic Sealant.....   | 872  |
|   | 907.12 Joint Mortar.....   | 873  |
|   | 907.13 Rubber Type Gaskets.....  | 873  |
|   | 907.14 Blank.....  | 873  |
|   | 907.15 Blank.....  | 873  |
|   | 907.16 Thermoplastic Pipe Requirements.....  | 873  |
|   | 907.17 Corrugated Polyethylene Drainage Tubing.....  | 874  |
|   | 907.18 Perforated PVC Semicircular Pipe.....   | 874  |
|   | 907.19 Corrugated Polyethylene Pipe.....   | 875  |
|   | 907.20 Ribbed Polyethylene Pipe.....   | 875  |
|   | 907.21 Smooth Wall Polyethylene Pipe.....  | 875  |
|   | 907.22 Profile Wall PVC Pipe.....  | 875  |
|   | 907.23 Smooth Wall PVC Pipe.....   | 875  |
|   | 907.24 Smooth Wall Pipe for Outlets.....   | 875  |
|   | (a) Type PSM PVC Pipe and Fittings.....  | 875  |
|   | (b) Schedule 40 PVC Pipe.....  | 875  |
|   | 907.25 Thermoplastic Liner Pipe.....   | 876  |
|   | (a) Solid Wall HDPE Liner Pipe.....  | 876  |
|   | (b) Profile Wall HDPE Liner Pipe.....  | 876  |
|   | (c) Profile Wall PVC Liner Pipe.....   | 876  |
|   | 907.26 Solvent Cements for PVC Pipe and Pipe Fittings.....                                   | 876  |
|   | 907.27 Elastomeric Seals.....  | 876  |
|   | 907.28 Reinforced Thermosetting Resin Pipe and Pipe Fittings.....                            | 877  |

## TABLE OF CONTENTS

| Section   | Title | Page |
|---|-------|------|
| SECTION 908 – METAL PIPE.....   |       | 878  |
| 908.01 Blank.....   |       | 878  |
| 908.02 Corrugated Steel Pipe and Pipe-Arches.....   |       | 878  |
| 908.03 Blank.....   |       | 879  |
| 908.04 Corrugated Aluminum Alloy Pipe and Pipe-Arches.....                                |       | 879  |
| 908.05 Blank.....   |       | 879  |
| 908.06 Metal End Sections.....  |       | 879  |
| 908.07 Fully Bituminous Coated Corrugated and Lined Steel Pipe<br>and Pipe-Arches.....    |       | 879  |
| 908.08 Polymer Precoated Galvanized Corrugated Steel<br>Culvert Pipe and Pipe-Arches..... |       | 880  |
| 908.09 Structural Plate Pipe, Pipe-Arches, and Arches.....                                |       | 881  |
| (a) Steel.....  |       | 881  |
| (b) Aluminum Alloy.....   |       | 881  |
| 908.10 Cast Iron Soil Pipe.....   |       | 881  |
| 908.11 Steel Pipe.....  |       | 881  |
| 908.12 Straps, Hook Bolts and Nuts Used in Anchors.....                                   |       | 882  |
| 908.13 Blank.....   |       | 882  |
| 908.14 Slotted Drain or Slotted Vane Drain Pipe.....                                      |       | 882  |
| SECTION 909 – PAINT AND LIQUID EPOXY.....   |       | 882  |
| 909.01 General Requirements.....  |       | 882  |
| 909.02 For Metal.....   |       | 883  |
| (a) Zinc Primers.....   |       | 883  |
| 1. Multi-Component Inorganic Zinc Silicate Primer.....                                    |       | 883  |
| 2. Organic Zinc Primer.....   |       | 883  |
| 3. Approval of Formulation.....   |       | 884  |
| (b) Epoxy Intermediate Paint.....   |       | 885  |
| (c) Polyurethane Finish Coat.....   |       | 885  |
| (d) Waterborne Finish Paint.....  |       | 886  |
| 1. Vehicle Component.....   |       | 886  |
| 2. Pigment Component.....   |       | 886  |
| 3. Mixed Paint Properties.....  |       | 886  |
| 4. Color.....   |       | 887  |
| 5. Approval of Formulation.....   |       | 887  |
| (e) Finish Coat for Weathering Steel.....   |       | 887  |
| 909.03 Structural Steel Coating System.....   |       | 888  |
| (a) Toxicity.....   |       | 888  |
| (b) Resistance.....   |       | 888  |
| (c) Approval of Structural Steel Coating System.....                                      |       | 888  |
| 909.04 Field Paint for Wood or Metal.....   |       | 888  |
| 909.05 White and Yellow Traffic Paint.....  |       | 889  |
| (a) Blank.....  |       | 889  |
| (b) Fast Dry Traffic Paint.....   |       | 889  |
| 1. General Requirements.....  |       | 889  |

## TABLE OF CONTENTS

| Section                             | Title  | Page |
|-------------------------------------|--|------|
|                                     | 2. Specific Requirements .....   | 889  |
|                                     | (c) White and Yellow Waterborne Traffic Paint .....                                | 891  |
|                                     | 1. Composition Requirements.....   | 892  |
|                                     | 2. Specific Requirements .....   | 892  |
|                                     | 3. Formulation Approval .....  | 894  |
| 909.06                              | Blank.....   | 894  |
| 909.07                              | Blank.....   | 894  |
| 909.08                              | Blank.....   | 894  |
| 909.09                              | Epoxy Penetrating Sealers .....  | 894  |
|                                     | (a) Polysulfide Type .....   | 894  |
|                                     | (b) Unmodified Type.....   | 895  |
|                                     | (c) Specific Requirements .....  | 895  |
|                                     | (d) Low Temperature Epoxy Penetrating Sealer .....                                 | 897  |
|                                     | (e) Packaging and Marking .....  | 897  |
|                                     | (f) Approval of Formulation.....   | 897  |
| 909.10                              | Non-Epoxy PCC Sealers.....   | 897  |
|                                     | (a) Properties .....   | 897  |
|                                     | (b) Test Report.....   | 898  |
| 909.11                              | Epoxy-Resin-Base System for Bonding Plastic Concrete<br>to Hardened Concrete ..... | 898  |
| 909.12                              | Epoxy Resin Additives for Injection into Concrete .....                            | 898  |
| SECTION 910 – METAL MATERIALS ..... |  | 898  |
| 910.01                              | Reinforcing Bars, Dowel Bars and WWR .....   | 898  |
|                                     | (a) General.....   | 898  |
|                                     | (b) Specific Requirements .....  | 899  |
|                                     | 1. Billet Steel Bars .....   | 899  |
|                                     | 2. Threaded Tie Bar Assembly .....   | 899  |
|                                     | 3. Splicing Systems.....   | 899  |
|                                     | 4. Blank.....  | 899  |
|                                     | 5. Deformed and Smooth Steel WWR.....  | 899  |
|                                     | 6. Blank.....  | 900  |
|                                     | 7. Uncoated Seven-Wire Strand.....   | 900  |
|                                     | 8. Steel Spiral Reinforcement .....  | 900  |
|                                     | 9. Epoxy Coated Reinforcing Bars .....   | 900  |
|                                     | 10. Dowel Bars .....   | 901  |
|                                     | (c) Inspection, Sampling, and Testing .....  | 902  |
| 910.02                              | Structural Steel .....   | 902  |
|                                     | (a) Structural Steel.....  | 902  |
|                                     | (b) Weathering Steel.....  | 902  |
|                                     | (c) High Strength Structural Steel .....   | 902  |
|                                     | (d) High Performance Steel .....   | 902  |
|                                     | (e) Charpy V-Notch Toughness Tests .....   | 903  |
|                                     | (f) Mill Test Reports.....   | 903  |
|                                     | (g) High Strength Bolts, Nuts, and Washers.....                                    | 903  |

## TABLE OF CONTENTS

| Section | Title  | Page |
|---------|--|------|
|         | 1. General Use .....   | 903  |
|         | 2. Assembly of Structural Steel in Bridges .....                         | 904  |
|         | a. Bolts .....   | 904  |
|         | b. Nuts .....  | 904  |
|         | c. Tests .....   | 904  |
|         | d. Certification .....   | 904  |
|         | (h) Bolts other than High Strength Bolts .....                           | 905  |
|         | 1. General .....   | 905  |
|         | 2. Unfinished Bolts .....  | 905  |
|         | 3. Turned Bolts .....  | 905  |
|         | 4. Ribbed Bolts .....  | 905  |
| 910.03  | Permanent Metal Forms .....  | 905  |
| 910.04  | Steel Forgings and Steel Shafting .....                                  | 906  |
|         | (a) Carbon Steel Forgings .....  | 906  |
|         | (b) Cold Finished Carbon Steel Shafting .....                            | 906  |
|         | (c) Alloy Steel Forgings .....   | 906  |
|         | (d) Certification .....  | 906  |
| 910.05  | Castings .....   | 906  |
|         | (a) Steel Castings .....   | 907  |
|         | (b) Iron Castings .....  | 907  |
|         | (c) Ductile Iron Castings .....  | 907  |
|         | (d) Malleable Castings .....   | 908  |
|         | (e) Carbon Steel Castings .....  | 908  |
| 910.06  | Bronze and Copper Alloy .....  | 908  |
|         | (a) Bronze Castings .....  | 908  |
|         | (b) Copper Alloy Plates .....  | 908  |
| 910.07  | Steel Components of MSE Retaining Walls .....                            | 908  |
|         | (a) Backing Mats, Clevis Connector, Connector Bar, and Wire-Facing ..... | 908  |
|         | 1. Backing Mats .....  | 908  |
|         | 2. Clevis Connector .....  | 909  |
|         | 3. Connector Bar .....   | 909  |
|         | 4. Wire-Facing .....   | 909  |
|         | (b) Ground Reinforcement .....   | 909  |
|         | (c) Fasteners .....  | 910  |
|         | (d) Alignment Pins .....   | 910  |
| 910.08  | Steel Bin-Type Retaining Wall Units .....                                | 910  |
| 910.09  | Guardrail .....  | 911  |
| 910.10  | Guardrail Posts .....  | 911  |
|         | (a) Steel Guardrail Posts .....  | 911  |
|         | (b) Wood Guardrail Posts .....   | 912  |
| 910.11  | Guardrail Accessories, Fittings, and Hardware .....                      | 912  |
|         | (a) For Steel Beam Guardrail .....                                       | 912  |
|         | (b) For Steel Tube Guardrail .....                                       | 914  |
| 910.12  | Certification of Guardrail Suppliers .....                               | 915  |
| 910.13  | Steel Fence Posts .....  | 915  |

## TABLE OF CONTENTS

| Section | Title  | Page |
|---------|--|------|
|         | (a) Line Posts.....  | 915  |
|         | (b) Tubular Steel Fence Posts.....   | 915  |
|         | 1. Group 1 .....   | 916  |
|         | 2. Group 2 .....   | 916  |
|         | (c) Fence Fastenings .....   | 916  |
| 910.14  | Sign Posts .....   | 916  |
|         | (a) Steel, Flanged, Channel Posts .....  | 916  |
|         | 1. General Requirements .....  | 916  |
|         | 2. Deflection Test Requirements .....  | 918  |
|         | 3. Type of Posts .....   | 918  |
|         | (b) Wide Flange Posts .....  | 919  |
|         | (c) Structural Steel Posts .....   | 919  |
|         | (d) Structural Aluminum Posts.....   | 919  |
|         | (e) Square Steel Posts .....   | 919  |
|         | 1. Steel .....   | 919  |
|         | 2. Fabrication .....   | 920  |
|         | 3. Protective Coating .....  | 920  |
|         | (f) Portable Construction Sign Trailer .....   | 921  |
| 910.15  | Delineator Posts .....   | 921  |
| 910.16  | Copper Flashing.....   | 921  |
| 910.17  | Bronze or Copper Alloy Plates .....  | 921  |
| 910.18  | Fence, Fittings, and Gates.....  | 922  |
|         | (a) Farm Field or Woven Wire Fence.....  | 922  |
|         | (b) Steel Fabric Chain Link Fence.....   | 923  |
|         | 1. Tension Wire .....  | 923  |
|         | 2. Stretcher Bars, Truss Rods, and Turnbuckles.....  | 923  |
|         | 3. Braces .....  | 923  |
|         | 4. Barbed Wire.....  | 924  |
|         | 5. Bridge Railing Pedestrian Fence.....  | 924  |
|         | (c) Aluminum Fabric Chain Link Fence.....  | 924  |
|         | (d) Gates .....  | 925  |
|         | 1. Steel Gates .....   | 926  |
|         | 2. Aluminum Gates.....   | 926  |
|         | (e) Control Procedures for Furnishing Fence and Accessories.....   | 926  |
|         | 1. General Requirements .....  | 926  |
|         | 2. Suppliers of Pretested Approved Stockpiled Material .....   | 926  |
|         | 3. Suppliers Not Furnishing Pretested Approved Stockpiled Material .....   | 927  |
| 910.19  | Overhead Sign Structures .....   | 927  |
|         | (a) Aluminum Trusses for Overhead Sign Structures,<br>Box Truss and Dynamic Message Sign Structure Truss.....  | 928  |
|         | (b) Steel Overhead Sign Structures, Cantilever, Monotube,<br>Tri-Chord, Bridge Attached, and End-Supports for Box Truss and<br>Dynamic Message Sign Structure..... | 928  |
| 910.20  | Steel Bridge Railing Components.....   | 931  |
| 910.21  | Steel Sheet Piling.....  | 932  |

## TABLE OF CONTENTS

| Section  | Title | Page |
|--|-------|------|
| SECTION 911 – WOOD MATERIALS   |       | 932  |
| 911.01 Untreated Lumber  |       | 932  |
| (a) General  |       | 932  |
| 1. Boards  |       | 932  |
| 2. Dimension Lumber  |       | 933  |
| 3. Structural Lumber   |       | 933  |
| 4. Sawn Timbers  |       | 933  |
| 5. Timbers, Round  |       | 933  |
| 6. Yard Lumber   |       | 933  |
| 7. Surfaced or Dressed Lumber  |       | 933  |
| 8. Rough Sawn Lumber   |       | 933  |
| (b) Species and Grade  |       | 933  |
| (c) Inspection   |       | 934  |
| (d) Tolerances   |       | 934  |
| (e) Untreated Piling   |       | 935  |
| 911.02 Treated Lumber  |       | 935  |
| (a) General  |       | 935  |
| (b) Bridge Lumber  |       | 936  |
| (c) Piling   |       | 936  |
| (d) Guardrail Posts, Braces, and Battens                                 |       | 936  |
| (e) Sign Posts   |       | 937  |
| (f) Sawed Timber Posts and Blocks for Thrie-Beam and<br>W-Beam Guardrail |       | 937  |
| 1. Species and Grades  |       | 937  |
| 2. Department Grade GRP  |       | 939  |
| a. Splits  |       | 939  |
| b. Checks  |       | 939  |
| c. Shakes  |       | 939  |
| d. Stains  |       | 940  |
| e. Slope of Grain  |       | 940  |
| f. Wane  |       | 940  |
| g. Knots   |       | 940  |
| 3. Department Grade GRB  |       | 940  |
| a. Splits  |       | 940  |
| b. Checks  |       | 940  |
| c. Shakes  |       | 940  |
| d. Stains  |       | 940  |
| e. Wane  |       | 940  |
| f. Knots   |       | 940  |
| 4. General Requirements  |       | 940  |
| a. Decay   |       | 941  |
| b. Unsound Wood  |       | 941  |
| c. Crook or Bow  |       | 941  |
| d. Dimensional Tolerances  |       | 941  |
| 5. Pressure Treating Posts and Blocks                                    |       | 941  |



TABLE OF CONTENTS

| Section   | Title   | Page |
|---|---|------|
|   | a. Machining .....  | 941  |
|   | b. Blank .....  | 941  |
|   | c. Inspection Before Treatment .....                              | 941  |
|   | d. Test for Moisture Content .....                                | 941  |
|   | e. Preservative Treatment .....                                   | 941  |
|   | f. Material for Preservative Treatments .....                     | 942  |
|   | g. Treatment Methods .....  | 942  |
|   | h. Sorting and Spacing .....                                      | 942  |
|   | i. Conditioning .....   | 942  |
|   | j. Blank .....  | 942  |
|   | k. Inspection During Treatment .....                              | 942  |
|   | l. Retentions .....   | 943  |
|   | m. Penetration .....  | 943  |
|   | n. Inspection After Treatment .....                               | 943  |
|   | o. Branding .....   | 943  |
|   | p. Conformance .....  | 944  |
|   | q. Records .....  | 944  |
|   | r. Independent Inspections .....                                  | 944  |
|   | 6. Field Treatment of Posts and Blocks .....                      | 944  |
|   | 7. Rejection for Degrade After Treatment .....                    | 944  |
| (g)   | Recreational Applications .....                                   | 945  |
| (h)   | Preservatives .....   | 945  |
| <br>SECTION 912 – CONCRETE CURING MATERIALS AND |   |      |
|   | ADMIXTURES .....  | 945  |
| 912.01  | Curing Materials .....  | 945  |
|   | (a) Burlap Cloth made from Jute or Kenaf .....                    | 945  |
|   | (b) Waterproof Paper Blankets .....                               | 945  |
|   | (c) White Polyethylene Sheeting, Film .....                       | 946  |
|   | (d) White Burlap Polyethylene Sheet .....                         | 946  |
|   | (e) Liquid Membrane Forming Compounds .....                       | 946  |
|   | (f) Polyethylene Film .....                                       | 946  |
| 912.02  | Curing-Sealing Materials .....                                    | 946  |
| 912.03  | Admixtures for Use in Concrete .....                              | 947  |
|   | (a) Air Entraining Admixtures .....                               | 947  |
|   | (b) Chemical Admixtures for Concrete .....                        | 947  |
|   | 1. Type A .....   | 947  |
|   | 2. Type B .....   | 947  |
|   | 3. Type C .....   | 947  |
|   | 4. Type D .....   | 947  |
|   | 5. Type E .....   | 947  |
|   | 6. Type F .....   | 947  |
|   | 7. Type G .....   | 948  |
|   | 8. High Range Water Reducing Admixture System .....               | 948  |
|   | 9. High Range Water Reducing and Retarding Admixture System ..... | 948  |

## TABLE OF CONTENTS

| Section  | Title  | Page |
|--|--|------|
|  | (c) Test Report.....                             | 948  |
| 912.04   | Latex Modifiers .....                            | 949  |
| 912.05   | Foaming Agent .....                              | 949  |
| SECTION 913 – SOIL TREATMENT MATERIALS .....       |  | 949  |
| 913.01   | Water .....                                      | 949  |
| 913.02   | Calcium Chloride.....                            | 950  |
| 913.03   | Sodium Chloride.....                             | 950  |
| 913.04   | Lime.....  | 950  |
|  | (a) Hydrated Lime for Masonry.....               | 950  |
|  | (b) Lime for Soil Modification .....             | 950  |
|  | 1. Hydrated Lime and Quicklime .....             | 950  |
|  | 2. Lime By-Products.....                         | 950  |
| 913.05   | Blank.....                                       | 951  |
| 913.06   | Bentonite Grout .....                            | 951  |
| SECTION 914 – ROADSIDE DEVELOPMENT MATERIALS ..... |  | 951  |
| 914.01   | Special Topsoil for Roadside Development .....   | 951  |
| 914.02   | Temporary Seed.....                              | 951  |
| 914.03   | Fertilizer.....                                  | 951  |
| 914.04   | Grass and Legume Seed.....                       | 951  |
| 914.05   | Mulch.....                                       | 955  |
|  | (a) Mulch for Seeding.....                       | 955  |
|  | 1. Excelsior Mulch.....                          | 955  |
|  | 2. Wood Cellulose Fiber .....                    | 955  |
|  | 3. Excelsior Blanket.....                        | 956  |
|  | 4. Paper Mat.....                                | 956  |
|  | 5. Straw Mat .....                               | 956  |
|  | 6. Compost Mulch .....                           | 956  |
|  | (b) Mulch for Plants.....                        | 957  |
| 914.06   | Leguminous Inoculants.....                       | 957  |
| 914.07   | Sod.....   | 957  |
| 914.08   | Plant Materials.....                             | 957  |
|  | (a) Quality of Plant Material.....               | 958  |
|  | (b) Plant Names .....                            | 958  |
|  | (c) Substitutions.....                           | 958  |
|  | (d) Grading Standards.....                       | 959  |
|  | (e) Nursery Inspection and Plant Quarantine..... | 959  |
|  | (f) Balled and Burlapped Plants.....             | 959  |
|  | (g) Container Grown Plants.....                  | 959  |
|  | (h) Bare Rooted Plants.....                      | 959  |
|  | (i) Collected Plants .....                       | 959  |
|  | (j) Forms, Shapes, and Condition of Plants ..... | 960  |
|  | (k) Inspection.....                              | 960  |
|  | (l) Shipment.....                                | 960  |
|  | (m) Certification .....                          | 961  |

## TABLE OF CONTENTS

| Section                                      | Title   | Page |
|--|---|------|
| 914.09                                       | Miscellaneous Material.....   | 961  |
|  | (a) Water.....  | 961  |
|  | (b) Stakes for Bracing and Anchoring.....                                       | 961  |
|  | (c) Tree Wound Dressing.....  | 961  |
|  | (d) Porous Material.....  | 961  |
|  | (e) Pipe.....   | 961  |
|  | (f) Staples.....  | 962  |
|  | (g) Plastic Net.....  | 962  |
|  | (h) Filter Sock.....  | 962  |
| SECTION 915 – BRIDGE PILES AND BEARINGS..... |   | 962  |
| 915.01                                       | Steel Pipe Piles and Epoxy Coated Steel Pipe Piles.....                         | 962  |
|  | (a) General Requirements.....   | 962  |
|  | 1. End Plates.....  | 963  |
|  | 2. Conical Pile Tips.....   | 963  |
|  | (b) Fluted Steel Pipe Piles.....  | 963  |
|  | (c) Rounded Steel Pipe Piles.....   | 964  |
|  | (d) Epoxy Coating for Piles.....  | 964  |
|  | 1. Prequalification of Organic Coatings for Steel Piles.....                    | 964  |
|  | a. Product Data Sheet.....  | 964  |
|  | b. Fingerprint.....   | 964  |
|  | c. Materials Safety Data Sheet.....   | 964  |
|  | d. Laboratory Report.....   | 964  |
|  | 2. Application.....   | 965  |
|  | a. Surface Preparation.....   | 965  |
|  | b. Coating Application.....   | 965  |
|  | 3. Certification.....   | 966  |
| 915.02                                       | Steel H Piles and Epoxy Coated Steel H Piles.....                               | 966  |
| 915.03                                       | Pile Shoes.....   | 966  |
| 915.04                                       | Elastomeric Bearings.....   | 967  |
|  | (a) Description.....  | 967  |
|  | (b) Materials.....  | 967  |
|  | 1. Elastomer.....   | 967  |
|  | 2. Structural Steel.....  | 970  |
|  | 3. Internal Steel Shims.....  | 970  |
|  | 4. Threaded Stud.....   | 970  |
|  | 5. Side Retainer.....   | 970  |
|  | (c) Manufacturing Requirements.....   | 970  |
|  | (d) Appearance and Dimensions.....  | 971  |
|  | (e) Quality Assurance.....  | 971  |
|  | (f) Certification.....  | 971  |
| 915.05                                       | Bearing Assemblies with Polytetrafluoroethylene, PTFE,<br>Sliding Surfaces..... | 972  |
| SECTION 916 – MATERIALS CERTIFICATIONS.....  |   | 973  |
| 916.01                                       | General.....  | 973  |

## TABLE OF CONTENTS

| Section   | Title  | Page |
|---|--|------|
| 916.02  | Types of Certifications .....                            | 973  |
|   | (a) Type A .....   | 973  |
|   | (b) Type B .....   | 973  |
|   | (c) Type C .....   | 974  |
|   | (d) Type D .....   | 974  |
|   | (e) Other Types .....                                    | 974  |
|   | (f) Requirements for Small Quantities of Materials ..... | 974  |
|   | (g) Buy America Requirement .....                        | 974  |
| 916.03  | Sample Forms .....                                       | 974  |
|   | (a) For Buy America Requirement .....                    | 974  |
|   | (b) Sample Type A Certification Form .....               | 975  |
|   | (c) Sample Type B Certification Form .....               | 976  |
|   | (d) Sample Type C Certification Form .....               | 977  |
|   | (e) Sample Type D Certification Form .....               | 978  |
|   | (f) Sample Asbestos Exclusion Letter .....               | 979  |
| SECTION 917 – QUALITY ASSURANCE AGGREGATE CERTIFICATION ..... |  | 980  |
| 917.01  | General Requirements .....                               | 980  |
| 917.02  | Quality Control Plan .....                               | 980  |
| 917.03  | Source Approval Requirements .....                       | 980  |
|   | (a) Step 1 .....   | 981  |
|   | (b) Step 2 .....   | 981  |
|   | (c) Step 3 .....   | 981  |
| 917.04  | Removal from Certified Producer Status .....             | 981  |
| 917.05  | Appeals .....  | 982  |
| SECTION 918 – SOIL FABRICS .....                              |  | 982  |
| 918.01  | Fabric for Waterproofing .....                           | 982  |
| 918.02  | Geotextile for Use Under Riprap .....                    | 982  |
| 918.03  | Geotextile for Use With Underdrains .....                | 983  |
| 918.04  | Geotextile for Silt Fence .....                          | 984  |
| 918.05  | Geogrid .....  | 985  |
|   | (a) Type IA and Type IB .....                            | 986  |
|   | (b) Type II .....  | 986  |
|   | (c) Type III .....                                       | 986  |
| SECTION 919 – TRAFFIC SIGNS .....                             |  | 987  |
| 919.01  | Traffic Signs .....                                      | 987  |
|   | (a) Backing Material .....                               | 988  |
|   | 1. Sheet Signs .....                                     | 988  |
|   | 2. Panel Signs .....                                     | 988  |
|   | 3. Demountable Letters, Numbers, and Symbols .....       | 989  |
|   | (b) Sheeting Material .....                              | 989  |
|   | 1. Reflective Sheeting .....                             | 989  |
|   | 2. Non-reflective Sheeting .....                         | 989  |
|   | 3. Transparent Sheeting .....                            | 989  |

## TABLE OF CONTENTS

| Section  | Title   | Page |
|--|---|------|
|  | (c) Letters, Numbers, Symbols, and Accessories .....            | 989  |
|  | (d) Fasteners .....   | 990  |
|  | 1. Sheet Signs .....  | 990  |
|  | 2. Panel Signs and Temporary Panel Signs .....                  | 990  |
|  | 3. Aluminum Rivets.....   | 990  |
|  | (e) Basis for Use .....   | 990  |
| SECTION 920 – HIGHWAY ILLUMINATION MATERIALS ..... |   | 990  |
|  | 920.01 Highway Illumination Materials .....                     | 990  |
|  | (a) Lighting Standards and Mast Arms, under 80 ft (24.4 m)..... | 991  |
|  | 1. General Requirements .....                                   | 991  |
|  | 2. Aluminum Lighting Standards.....                             | 993  |
|  | a. Round Seamless .....   | 993  |
|  | b. Single Longitudinal Welded .....                             | 993  |
|  | 3. Stainless Steel Lighting Standards.....                      | 993  |
|  | 4. Galvanized Steel Lighting Standards.....                     | 994  |
|  | 5. Wood Pole Lighting Standards .....                           | 994  |
|  | 6. Frangible Breakaway Bases.....                               | 994  |
|  | a. Cast Aluminum Transformer Base.....                          | 995  |
|  | b. Breakaway Coupling.....                                      | 995  |
|  | 7. Anchor Bolts.....  | 995  |
|  | (b) High Mast Standards of 80 ft and Over .....                 | 995  |
|  | 1. High Mast Poles.....   | 996  |
|  | 2. Welding .....  | 996  |
|  | a. Inspection .....   | 997  |
|  | b. Blank.....   | 997  |
|  | 3. Handholes .....  | 997  |
|  | 4. Luminaire Ring Assembly .....                                | 997  |
|  | 5. Head Frame Assembly.....                                     | 997  |
|  | 6. Winch Assembly.....  | 998  |
|  | 7. External Drive System .....                                  | 998  |
|  | 8. Cable Terminator .....                                       | 999  |
|  | 9. Lightning Rod Assembly and Grounding System.....             | 999  |
|  | 10. Anchor Bolts.....   | 1000 |
|  | (c) Wire and Cable .....  | 1000 |
|  | 1. Polyethylene Conduit.....                                    | 1000 |
|  | 2. Conductors in Cable-Duct .....                               | 1000 |
|  | 3. Lighting Standard Circuit Wiring .....                       | 1001 |
|  | 4. Sign and Underpass Wiring .....                              | 1001 |
|  | 5. Aerial Cable.....  | 1001 |
|  | 6. High Mast Tower Luminaire Ring Conductors .....              | 1001 |
|  | 7. Power Cable-High Mast Poles .....                            | 1001 |
|  | 8. Electrical Connectors.....                                   | 1002 |
|  | (d) Luminaires .....  | 1002 |
|  | 1. General Requirements .....                                   | 1002 |

## TABLE OF CONTENTS

| Section  | Title   | Page |
|--|---|------|
|  | 2. Roadway Lighting Luminaires .....  | 1002 |
|  | 3. Sign Luminaires.....   | 1003 |
|  | 4. Underpass Luminaires .....   | 1003 |
|  | 5. High Mast Luminaires .....   | 1003 |
| (e)  | Circuit Breakers and Enclosure.....   | 1003 |
|  | 1. Circuit Breakers for Type II Service Point .....                                     | 1003 |
|  | 2. Circuit Breakers for Sign and Underpass Circuits .....                               | 1004 |
|  | 3. Circuit Breakers for High Mast Poles.....  | 1004 |
|  | 4. E-Series Magnetic Circuit Breakers.....  | 1004 |
| (f)  | Multiple Relay Switches with Photocell Receptacles.....                                 | 1004 |
| (g)  | Materials Certification .....   | 1004 |
| (h)  | Junction Box .....  | 1005 |
| SECTION 921 – PAVEMENT MARKING MATERIALS .....             |   | 1005 |
| 921.01   | Blank.....  | 1005 |
| 921.02   | Durable Marking Material .....  | 1005 |
| (a)  | Thermoplastic .....   | 1005 |
| (b)  | Preformed Plastic and Extended Warranty Preformed Plastic .....                         | 1005 |
|  | 1. Packaging.....   | 1006 |
|  | 2. Basis For Use.....   | 1006 |
| (c)  | Multi-Component.....  | 1006 |
| (d)  | Snowplowable Raised Pavement Marker and Cast Metal Base.....                            | 1007 |
|  | 1. Epoxy Adhesive.....  | 1007 |
|  | 2. Blank.....   | 1007 |
| (e)  | Pavement Marking Beads .....  | 1007 |
|  | 1. Standard Beads .....   | 1007 |
|  | 2. Modified Standard Beads.....   | 1007 |
|  | 3. Supplemental Beads.....  | 1007 |
|  | 4. Supplemental Elements .....  | 1007 |
| SECTION 922 – TRAFFIC SIGNAL MATERIALS AND EQUIPMENT ..... |   | 1008 |
| 922.01   | Description.....  | 1008 |
| 922.02   | Traffic Signal Control Equipment .....  | 1008 |
| (a)  | Model Approval .....  | 1008 |
| (b)  | Controller Assemblies or Major Units Furnished and<br>Installed by the Contractor ..... | 1009 |
| (c)  | Warranty .....  | 1010 |
| (d)  | Certification of NEMA TS2 Traffic Control Equipment .....                               | 1010 |
|  | 1. Certification of a Production Run Model.....   | 1010 |
|  | 2. Certification of Environmental Testing .....   | 1010 |
| (e)  | NEMA TS2 Fully Actuated Solid State Controller Unit, CU .....                           | 1011 |
|  | 1. General Requirements .....   | 1011 |
|  | 2. CU Requirements.....   | 1011 |
|  | 3. Internal Modules.....  | 1012 |
|  | 4. CU Enclosure.....  | 1012 |
|  | 5. Firmware and Software Revisions .....  | 1013 |

## TABLE OF CONTENTS

| Section | Title  | Page |
|---------|--|------|
| (f)     | NEMA TS2 Cabinet, Auxiliary Equipment, and Terminal and Facilities, TF, Requirements ..... | 1013 |
| 1.      | Controller Cabinet Requirements .....  | 1013 |
| a.      | General .....  | 1013 |
| b.      | Switches, Auxiliary, and Environmental Feature Requirements .....                          | 1014 |
| c.      | Receptacle .....   | 1014 |
| d.      | Fan and Filter .....   | 1015 |
| 2.      | Load Switch and Flasher Requirements .....   | 1015 |
| 3.      | Terminal and Facilities Requirements .....   | 1015 |
| a.      | General Requirements .....   | 1015 |
| b.      | Power Panel Requirements .....   | 1016 |
| 4.      | MMU Requirements .....   | 1017 |
| 5.      | BIU Requirements .....   | 1017 |
| 6.      | Loop Amplifier Units and Rack Requirements.....  | 1017 |
| a.      | General .....  | 1017 |
| b.      | Loop Termination Panel.....  | 1018 |
| c.      | Detector Rack.....   | 1019 |
| 7.      | Cabinet Power Supply Requirements .....  | 1019 |
| (g)     | Cabinets .....   | 1019 |
| 1.      | G Cabinet (Size 3) .....   | 1019 |
| 2.      | M Cabinet (Size 5).....  | 1019 |
| 3.      | P-1 Cabinet (Size 6).....  | 1020 |
| 4.      | R Cabinet (Size 7).....  | 1020 |
| 5.      | Flasher - Two Circuit Alternating Flasher .....  | 1021 |
| a.      | General .....  | 1021 |
| b.      | Cabinet Requirements .....   | 1021 |
| 922.03  | Signal Head Components .....   | 1022 |
| (a)     | General.....   | 1022 |
| (b)     | Housing, Door, and Visor .....   | 1022 |
| (c)     | Signal Indications.....  | 1022 |
| 1.      | LED Signal Indications.....  | 1022 |
| 2.      | Incandescent Signal Indications.....   | 1023 |
| (d)     | Wiring.....  | 1023 |
| (e)     | Section Coupling.....  | 1023 |
| (f)     | Terminal Block.....  | 1023 |
| (g)     | Material Requirements.....   | 1023 |
| 1.      | Polycarbonate Signal Head.....   | 1023 |
| 2.      | Die-Cast Aluminum Signal Head .....  | 1024 |
| (h)     | Signal Backplates.....   | 1024 |
| (i)     | Certification .....  | 1024 |
| 922.04  | Pedestrian Signal Components .....   | 1024 |
| (a)     | Pedestrian Signal Head .....   | 1024 |
| 1.      | Housing, Door, and Visor .....   | 1025 |
| 2.      | Message .....  | 1025 |
| (b)     | Pedestrian Push-Button.....  | 1025 |

## TABLE OF CONTENTS

| Section | Title  | Page |
|---------|--|------|
|         | 1. Housing.....                                      | 1026 |
|         | 2. Latching LED .....                                | 1026 |
|         | 3. Actuator .....                                    | 1026 |
|         | 4. Sign.....   | 1026 |
| 922.05  | Blank.....   | 1026 |
| 922.06  | Disconnect Hanger Junction Box .....                 | 1026 |
| 922.07  | Free Swinging Signal Support Assemblies.....         | 1027 |
|         | (a) Clearance.....                                   | 1027 |
|         | (b) Balance Adjuster.....                            | 1027 |
|         | (c) Span Hanger.....                                 | 1027 |
|         | (d) Tether Bracket .....                             | 1028 |
|         | (e) Pipe Arm Assemblies.....                         | 1028 |
| 922.08  | Signal Cantilever Mount Signal Bracket .....         | 1028 |
| 922.09  | Pedestal Poles and Cast Aluminum Pedestal Bases..... | 1029 |
|         | (a) Cast Aluminum Pedestal Base .....                | 1029 |
|         | (b) Pedestal Pole.....                               | 1030 |
|         | (c) Pole Cap.....                                    | 1030 |
| 922.10  | Signal Supports.....                                 | 1031 |
|         | (a) Steel Strain Pole.....                           | 1031 |
|         | (b) Wood Strain Pole.....                            | 1032 |
|         | (c) Signal Cantilever Structures.....                | 1032 |
|         | 1. General.....                                      | 1032 |
|         | 2. Base Plate .....                                  | 1033 |
|         | 3. Materials .....                                   | 1033 |
|         | 4. Hardware .....                                    | 1033 |
|         | 5. Anchor Bolts.....                                 | 1033 |
|         | 6. Finish .....                                      | 1034 |
|         | 7. Working Drawings.....                             | 1034 |
|         | (d) Downguys, Anchors, Rods, and Guards .....        | 1034 |
|         | (e) Support Cable.....                               | 1034 |
|         | 1. Messenger Cable.....                              | 1034 |
|         | 2. Span, Catenary, and Downguy Cable .....           | 1034 |
|         | 3. Tether and Support Cable .....                    | 1035 |
|         | 4. Cable Hardware .....                              | 1035 |
|         | a. Messenger Hangers .....                           | 1035 |
|         | b. Cable Ring .....                                  | 1035 |
|         | c. Clamps .....                                      | 1035 |
|         | d. Servi-Sleeves .....                               | 1035 |
|         | e. Straight Eye-Bolts .....                          | 1035 |
|         | f. Hub-Eyes .....                                    | 1036 |
| 922.11  | Signal Cable.....                                    | 1036 |
|         | (a) Hook-up Wire .....                               | 1036 |
|         | (b) Signal Control Cable.....                        | 1036 |
|         | (c) Service Cable .....                              | 1036 |
| 922.12  | Signal Interconnect.....                             | 1036 |



## TABLE OF CONTENTS

| Section   | Title   | Page |
|---|---|------|
|   | (a) Integral Messenger Interconnect Cable .....                 | 1036 |
|   | (b) 6 Pair/19 Telemetry Cable .....                             | 1036 |
|   | (c) Fiber Optic Interconnect Cable .....                        | 1036 |
|   | (d) Radio Interconnect Using Spread Spectrum Radio Modems ..... | 1037 |
| 922.13  | Detection Components.....                                       | 1037 |
|   | (a) Loop Detector Lead-in Cable.....                            | 1037 |
|   | (b) Roadway Loop Wire.....                                      | 1037 |
|   | (c) Other Vehicle Detection Systems .....                       | 1037 |
| 922.14  | Ground Wire .....   | 1037 |
| 922.15  | Splicing Kit.....   | 1037 |
| 922.16  | Ground Rod and Connections.....                                 | 1038 |
| 922.17  | Handholes .....   | 1038 |
|   | (a) Type I (Concrete Handhole).....                             | 1038 |
|   | (b) Type II (Polymer Concrete Handhole).....                    | 1038 |
|   | 1. Polymer Concrete Handhole Box .....                          | 1039 |
|   | 2. Polymer Concrete Handhole Cover .....                        | 1039 |
| 922.18  | Entrance Switch.....  | 1039 |
| 922.19  | Conduit and Fittings .....                                      | 1039 |
|   | (a) Steel Conduit.....  | 1039 |
|   | (b) PVC Schedule 40 or 80 Conduit .....                         | 1040 |
|   | (c) Fiberglass Conduit .....                                    | 1040 |
|   | (d) HDPE Schedule 40 or 80 Conduit .....                        | 1040 |
| 922.20  | Detector Housing.....   | 1040 |
| 922.21  | Certification.....  | 1040 |
| SECTION 923 – TEMPORARY TRAFFIC CONTROL DEVICES ..... |   | 1040 |
| 923.01  | Temporary Pavement Marking Tape .....                           | 1040 |
| 923.02  | Temporary Raised Pavement Marker .....                          | 1041 |
| 923.03  | Construction Warning Lights.....                                | 1041 |
|   | (a) Flash Requirements.....                                     | 1041 |
|   | 1. Flash Rate .....   | 1041 |
|   | 2. On-Time.....   | 1041 |
|   | a. Type A.....  | 1041 |
|   | b. Type B.....  | 1041 |
|   | (b) Optical Requirements .....                                  | 1041 |
|   | 1. Effective Intensity.....                                     | 1041 |
|   | 2. Lens Illumination.....                                       | 1042 |
|   | 3. Reflex-Reflective Performance.....                           | 1042 |
|   | 4. Testing Procedure .....                                      | 1042 |
|   | (c) Lens Requirements.....                                      | 1042 |
|   | 1. Size of Lens .....   | 1042 |
|   | 2. Directional Lenses .....                                     | 1042 |
|   | 3. Lens Chromaticity .....                                      | 1043 |
|   | 4. Lens Luminous Transmittance.....                             | 1043 |
|   | 5. Lens Material .....  | 1043 |

## TABLE OF CONTENTS

| Section     | Title  | Page |
|-------------|--|------|
|             | (d) Head and Case .....                              | 1043 |
|             | 1. Swivel Head.....                                  | 1043 |
|             | 2. Case .....  | 1043 |
|             | (e) Photoelectric Controls.....                      | 1043 |
| 923.04      | Flashing Arrow Sign.....                             | 1044 |
|             | (a) Solar Powered .....                              | 1044 |
|             | (b) Diesel Powered .....                             | 1045 |
|             | (c) AC Powered .....                                 | 1045 |
| 923.05      | Portable Changeable Message Sign.....                | 1047 |
| 923.06      | Temporary Worksite Speed Limit Sign Assembly .....   | 1047 |
| 923.07      | Tubular Marker .....                                 | 1047 |
| 923.08      | Acceptance of Temporary Traffic Control Devices..... | 1047 |
| SECTION 924 | – WELDING SUPPLIES .....                             | 1047 |
| 924.01      | Welding Supplies.....                                | 1047 |
|             | (a) Aluminum Alloy Base Metals.....                  | 1047 |
|             | 1. Bare Wire Electrodes and Welding Rods .....       | 1047 |
|             | 2. Filler Metal .....                                | 1047 |
|             | 3. Shielding Gases .....                             | 1048 |
| SECTION 925 | – ITS CONTROLLER CABINET .....                       | 1048 |
| 925.01      | General Requirements .....                           | 1048 |
| 925.02      | Model Approval.....                                  | 1050 |
| 925.03      | Warranty .....                                       | 1051 |
| 925.04      | Cabinet Accessories.....                             | 1051 |
|             | (a) Rack Frame Assembly .....                        | 1051 |
|             | (b) Equipment Shelves .....                          | 1051 |
|             | (c) Sunshield.....                                   | 1051 |
|             | (d) Side Panels.....                                 | 1051 |
|             | (e) Data Pocket .....                                | 1051 |
|             | (f) Equipment Labels.....                            | 1051 |
|             | (g) Primary Power Terminal Block .....               | 1052 |
|             | (h) Ground Lug.....                                  | 1052 |
|             | (i) Ground Bus.....                                  | 1052 |
|             | (j) Transient Voltage Surge Suppression.....         | 1052 |
|             | (k) Load Center Main Breaker.....                    | 1053 |
|             | (l) Load Center Panelboard .....                     | 1053 |
|             | (m) GFI Duplex Receptacle.....                       | 1053 |
|             | (n) Duplex Receptacle .....                          | 1053 |
|             | (o) Terminal Strip Surge Protector .....             | 1053 |
|             | (p) Door Open Switches .....                         | 1053 |
|             | (q) Light Switch.....                                | 1054 |
|             | (r) Lamp Holders .....                               | 1054 |
|             | (s) Lamps.....                                       | 1054 |
|             | (t) Circulating Fans.....                            | 1054 |
|             | (u) Enclosure Heaters .....                          | 1054 |

TABLE OF CONTENTS

| Section            | Title   | Page |
|--------------------|---|------|
|                    | (v) Heater Relays.....                          | 1054 |
|                    | (w) Thermostats.....                            | 1054 |
|                    | (x) Detector Card DIN Rail Terminal Blocks..... | 1055 |
|                    | (y) I/O Module.....                             | 1055 |
|                    | (z) Detector Card Rack.....                     | 1055 |
|                    | (aa) Padlocks .....                             | 1055 |
|                    | (bb) Other Cabinet Equipment .....              | 1055 |
| 925.05             | Cabinet Wiring .....                            | 1055 |
| 925.06             | Drawings.....                                   | 1056 |
| SECTION 926        | – MISCELLANEOUS MATERIALS.....                  | 1056 |
| 926.01             | Flexible Delineator Posts.....                  | 1056 |
| 926.02             | Delineators.....                                | 1057 |
|                    | (a) Acrylic Plastic Delineators.....            | 1057 |
|                    | (b) Reflective Sheeting Delineators.....        | 1058 |
|                    | (c) Barrier Delineators.....                    | 1058 |
|                    | (d) Temporary Barrier Delineator.....           | 1058 |
| 926.03             | Alternate Material Guardrail Blocks.....        | 1059 |
| INDEX OF PAY ITEMS | .....   | 1061 |