



1


Standards & Policy Housekeeping Reminders


- Design Consultant Listserv (link available from Design Manual webpage)
 - Communication
 - Design Memos changes to design policies, procedures, and criteria
 - Training opportunities, surveys
- 2020 Standard Drawings September 2020
 - Published every year
- 2020 Standard Specifications September 2019 (Constr. Management)
 - Published on 2-year cycle
 - Get the news first from Standards Committee webpage
- Recurring Special Provisions Menu (Constr. Management)
 - Quarterly updates
 - Applicable menu is based on contract letting date, not RFC date. Available from the Standards Committee webpage






































19-05 Spare Parts Packages
Department no longer requires spare part packages for guardrail end treatments and impact attenuators.



19-08: Bridge Railing

- Revisions to IDM Section 404-4.0
 - Updated to include information on MASH implementation
 - Test level no longer requires a formal design exception but should be coordinated with the Bridge Design Division.
 - Test level selection procedures revised




19-08: Bridge Railing

If	And	Minimum (MASH) test level is	INDOT Standard Bridge Railing	Notes
Bridge carries interstate mainline or system interchange ramp traffic		TL-5	Type FT Type TF-2	Once the minimum test level is determined, use the evaluation criteria listed below to assess if a higher test level is appropriate. A higher test level railing may be used to satisfy lower test level requirements.
The design speed is ≥ 50 mph		TL-3	Type FC Type PF-1 Type PS-1	
The design speed is ≤ 45 mph	The route is on the NHS	TL-3	Type FC Type PF-1 Type PS-1	
The design speed is ≤ 45 mph	The route is not on the NHS	TL-2	Type TX*	*successfully MASH tested

19

19-09: Preprint Changes

- Preprint changes will not be accepted within 7 days of advertisement.
- [gentle reminder] the time period after RFC should not be used as an extension of the design phase.





19-11 Proprietary Materials

- 23 CFR 635.411 (a)-(e) revised such that Federal funds participation no longer restricted when State DOTs specify a trade name for approval in Federal-aid contracts.
- INDOT's process is unchanged, except
 - Highway Design Division will continue to coordinate all requests during design.
 - Traffic Division will approve traffic items, Highway Design all others
 - FHWA signatures no longer required
 - Applicable to LPA projects



21

20-01 Pavement Design

- Reorganized Chapter 304 into a standalone Part 6
- Catalog design process for small structure replacement projects. (605-1.09)
 - Based on district, ESALs and design speed
- Guidance on standard vs. minor/abbreviated pavement design for bridge deck overlay and bridge rehabilitation/replacement projects. (605-1.10 and 605-1.11)





