



GENERAL NOTES

1. See Standard Drawing RCBA-02 for reinforcement details.
- ② Subbase for PCCP shall only be used when underdrains are specified or existing.
- ③ Terminal joint elevation shall match elevation of adjacent panels.
- ④ Depth d_{AS} must equal d_{MP} . However, if d_{MP} is less than 12 in., d_{AS} must be 12 in.
- ⑤ Limits of polyethylene bond breaker.



TERMINAL JOINT FOR REINFORCED PCCP AT BRIDGE STRUCTURE



INDIANA DEPARTMENT OF TRANSPORTATION											
BRIDGE APPROACH SLAB AND TERMINAL JOINT											
MARCH 2002											
STANDARD DRAWING NO. E 610-RCBA-02											
	<table border="0" style="width: 100%;"> <tr> <td style="width: 80%;">/s/ Richard L. VanCleave</td> <td style="width: 20%;">3-01-02</td> </tr> <tr> <td>DESIGN STANDARDS ENGINEER</td> <td>DATE</td> </tr> <tr> <td colspan="2"> </td> </tr> <tr> <td>/s/ Richard K. Smutzer</td> <td>3-01-02</td> </tr> <tr> <td>CHIEF HIGHWAY ENGINEER</td> <td>DATE</td> </tr> </table>	/s/ Richard L. VanCleave	3-01-02	DESIGN STANDARDS ENGINEER	DATE			/s/ Richard K. Smutzer	3-01-02	CHIEF HIGHWAY ENGINEER	DATE
/s/ Richard L. VanCleave	3-01-02										
DESIGN STANDARDS ENGINEER	DATE										
/s/ Richard K. Smutzer	3-01-02										
CHIEF HIGHWAY ENGINEER	DATE										
DESIGN STANDARDS ENGINEER											