

Safety Data Sheet



Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

| | |
|--------------------------------------|---|
| Product Name | ● Splice Wash SW-100 Cleaner |
| Synonyms | ● Light Aliphatic; Solvent Naptha (Petroleum) |
| CAS Number | ● 64742-89-8 |
| EC Number | ● 265-192-2 |
| REACH Pre-Registration Number | ● 05-2115991350-46-0000 |
| Product Description | ● Thin, light colored liquid, hydrocarbon odor. |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| | |
|-----------------------------------|---|
| Relevant identified use(s) | ● Splice Wash SW-100 is designed to clean and prepare Firestone single ply membranes to receive adhesives as specified by Firestone Specifications and Details. |
|-----------------------------------|---|

1.3 Details of the supplier of the safety data sheet

| | |
|----------------------------|--|
| Manufacturer | ● Firestone Building Products Company 250 West 96th Street Indianapolis, IN 46260 United States firestonemsds@bfdp.com |
| Telephone (General) | ● 800-428-4442 |

1.4 Emergency telephone number

| | |
|---------------------|---|
| Manufacturer | ● (800) 424-9300 - CHEMTREC |
| Manufacturer | ● (703) 527-3887 - CHEMTREC - International |

Section 2: Hazards Identification

EU/EEC

According to EU Directive 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]
According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

| | |
|----------------|--|
| CLP | ● Flammable Liquids 2 - H225 Aspiration 1 - H304 Skin Irritation 2 - H315 Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation - H335 Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects - H336 Hazardous to the aquatic environment Chronic 2 - H411 |
| DSD/DPD | ● Flammable Irritant (Xi) Harmful (Xn) |

Dangerous to the Environment (N)
R38, R65, R67, R11, R51/53

2.2 Label Elements

CLP

DANGER



- Hazard statements**
- H225 - Highly flammable liquid and vapour
 - H304 - May be fatal if swallowed and enters airways
 - H315 - Causes skin irritation
 - H335 - May cause respiratory irritation
 - H336 - May cause drowsiness or dizziness
 - H411 - Toxic to aquatic life with long lasting effects

Precautionary statements

- Prevention**
- P261 - Avoid breathing dust, fume, gas, mist, vapours and/or spray.
 - P264 - Wash thoroughly after handling.
 - P273 - Avoid release to the environment.
 - P240 - Ground and/or bond container and receiving equipment.
 - P210 - Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking.
- Response**
- P321 - Specific treatment, see supplemental first aid information.
 - P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 - P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 - P362 - Take off contaminated clothing and wash before reuse.
 - P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Storage/Disposal**
- P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
 - P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

DSD/DPD



- Risk phrases**
- R38 - Irritating to skin.
 - R65 - Harmful: may cause lung damage if swallowed.
 - R67 - Vapours may cause drowsiness and dizziness.
 - R11 - Highly flammable.
 - R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.3 Other Hazards

CLP

- According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.

DSD/DPD

- This product is considered dangerous according to the European Directive 67/548/EEC.

UN GHS

According to Third Revised Edition

2.1 Classification of the substance or mixture

UN GHS

- Flammable Liquids 2 - H225
- Skin Irritation 2 - H315
- Eye Irritation 2A - H319

Aspiration 1 - H304

Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects - H336

Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation - H335

Hazardous to the aquatic environment Chronic 2 - H411

2.2 Label elements

UN GHS

DANGER



- Hazard statements**
- H225 - Highly flammable liquid and vapour
 - H315 - Causes skin irritation
 - H319 - Causes serious eye irritation
 - H304 - May be fatal if swallowed and enters airways
 - H335+H336 - May cause respiratory irritation and drowsiness or dizziness
 - H411 - Toxic to aquatic life with long lasting effects

Precautionary statements

- Prevention**
- P261 - Avoid breathing dust, fume, gas, mist, vapours and/or spray.
 - P233 - Keep container tightly closed.
 - P271 - Use only outdoors or in a well-ventilated area.
 - P264 - Wash : thoroughly after handling.
 - P280 - Wear protective gloves and eye/face protection , .
- Response**
- P321 - Specific treatment, see supplemental first aid information.
 - P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 - P312 - Call a POISON CENTER or doctor/physician if you feel unwell.
 - P332+P313 - If skin irritation occurs: Get medical advice/attention.
 - P352 - Wash with plenty of soap and water.
 - P362 - Take off contaminated clothing and wash before reuse.
 - P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - P337+P313 - If eye irritation persists: Get medical advice/attention.
- Storage/Disposal**
- P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
 - P405 - Store locked up.
 - P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

2.3 Other hazards

UN GHS

- According to the Globally Harmonized System for Classification and Labeling (GHS) this product is considered hazardous.

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 1994

- Flammable Liquid
Flammable/Combustible Class IB
Irritant

2.2 Label elements

OSHA HCS 1994

- Not required

2.3 Other hazards

OSHA HCS 1994

- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Canada

According to WHMIS

2.1 Classification of the substance or mixture

WHMIS

- Flammable Liquids - B2
- Other Toxic Effects - D2B

2.2 Label elements

WHMIS




- Flammable Liquids - B2
- Other Toxic Effects - D2B

2.3 Other hazards

WHMIS

- In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

2.4 Other information



See Section 12 for Ecological Information.

Section 3 - Composition/Information on Ingredients

3.1 Substances

| Hazardous Components | | | | | |
|---------------------------------|---|-----------|-----------|--|----------|
| Chemical Name | Identifiers | %(weight) | LD50/LC50 | Classifications According to Regulation/Directive | Comments |
| Light aliphatic solvent naphtha | CAS:64742-89-8 EC Number:265-192-2 EINECS:265-192-2 | 100% | NDA | UN GHS: Eye Irrit 2A, Skin Irrit 2, Asp Tox. 1, STOT SE 3: Narc, STOT SE 3: Resp. Irrit, Flam Liq. 3 EU DSD/DPD: Self Classified Xi R38, Xn R67, R65, N; R51/53, F R11 EU CLP: Self Classified Skin Irrit 2, Asp Tox. 1, STOT SE 3: Narc, Aquatic Chronic 2, Flam Liq. 3 | NDA |

3.2 Mixtures

- Material does not meet the criteria of a mixture according to United Nations Globally Harmonized System of Classification and Labelling of Chemicals (GHS) Material does not meet the criteria of a mixture in accordance with Regulation (EC) No 1272/2008.

See Section 11 for Toxicological Information.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

- Do not use mouth-to-mouth method if victim inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Get medical attention if artificial oxygen is administered.

Skin

- In case of contact with substance, immediately flush skin with running water for at least 20 minutes. For minor skin contact, avoid spreading material on unaffected skin. Remove and isolate contaminated clothing and shoes. Call 911 or emergency medical service.

Eye

- In case of contact with substance, immediately flush eyes with running water for at least 20 minutes.

Ingestion

- Do NOT induce vomiting. Do not use mouth-to-mouth method if victim ingested the substance. Get medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed**Notes to Physician**

- If material is ingested and aspirated into the lungs it may cause chemical pneumonitis. Treat appropriately.

Section 5 - Firefighting Measures**5.1 Extinguishing media**

- Suitable Extinguishing Media**
- LARGE FIRE: Water spray, fog or regular foam.
 - SMALL FIRES: Dry chemical, CO₂, water spray or regular foam.

Unsuitable Extinguishing Media

- No data available.

5.2 Special hazards arising from the substance or mixture

- Unusual Fire and Explosion Hazards**
- Heat builds up pressure in closed containers. Cool with water stream. Toxic fumes and vapors may be produced.

Hazardous Combustion Products

- Carbon dioxide, carbon monoxide, acrid smoke, irritating fumes.

5.3 Advice for firefighters

- Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.
Wear positive pressure self-contained breathing apparatus (SCBA).
Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.
Runoff from fire control may cause pollution.
LARGE FIRES: Dike fire-control water for later disposal.

Section 6 - Accidental Release Measures**6.1 Personal precautions, protective equipment and emergency procedures****Personal Precautions**

- Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate enclosed areas.

Emergency Procedures

- As an immediate precautionary measure, isolate spill or leak area in all directions for at least 50 meters (150 feet) for liquids and at least 25 meters (75 feet) for solids. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area) Stay upwind. Keep out of low areas. Keep unauthorized personnel away.

Ventilate closed spaces before entering.

6.2 Environmental precautions

- Avoid run off to waterways and sewers.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures

- **SMALL SPILLS:** Take up with sand or other non-combustible absorbent material and place into containers for later disposal. Use clean non-sparking tools to collect absorbed material. All equipment used when handling the product must be grounded.
- **LARGE SPILLS:** Dike far ahead of spill for later disposal. A vapor suppressing foam may be used to reduce vapors.

6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling

- Keep away from heat, sparks, and flame – No Smoking. Keep containers closed. Vapors of this material are heavier than air and will collect in low or confined areas. Containers, even those that have been emptied, can contain explosive vapors. Do not cut, drill, grind, weld or perform similar operations near container. Static electricity may accumulate and create a fire hazard. Take precautionary measures against static charges. Bond and ground all transfer containers and equipment. Use only with adequate ventilation. Do not breathe (dust, vapor or spray mist) Ground fixed equipment.

7.2 Conditions for safe storage, including any incompatibilities

Storage

- Store in a cool/low-temperature, well-ventilated place away from heat and ignition sources. Store locked up. Keep container closed when not in use. Keep away from incompatible materials.

7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits/Guidelines

- No exposure limits/guidelines available for the material or the components.

8.2 Exposure controls

Engineering Measures/Controls

- Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.

Personal Protective Equipment

Pictograms

- 

Respiratory

- In case of insufficient ventilation, wear suitable respiratory equipment.

Eye/Face

- Wear safety glasses.

Hands

- Wear appropriate gloves.

Skin/Body

- Wear protective clothing

Environmental Exposure Controls

- Follow best practice for site management and disposal of waste. Avoid release to the environment.

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

| Material Description | | | |
|--|---|-------------------------------------|---|
| Physical Form | Liquid | Appearance/Description | Thin, light colored liquid, hydrocarbon odor. |
| Color | Light color. | Odor | Hydrocarbon |
| Taste | No data available | Particulate Type | No data available |
| Particulate Size | No data available | Aerosol Type | No data available |
| Odor Threshold | No data available | Physical and Chemical Properties | No data available |
| General Properties | | | |
| Boiling Point | 247 to 282 F(119.4444 to 138.8889 C) | Melting Point | No data available |
| Decomposition Temperature | No data available | Heat of Decomposition | No data available |
| pH | No data available | Specific Gravity/Relative Density | 0.715 to 0.791 Water=1 |
| Density | No data available | Bulk Density | No data available |
| Water Solubility | No data available | Solvent Solubility | Negligible |
| Viscosity | No data available | Explosive Properties | No data available |
| Oxidizing Properties: | No data available | | |
| Volatility | | | |
| Vapor Pressure | 26 mmHg (torr) @ 100 F(37.7778 C) | Vapor Density | 3.8 Air=1 |
| Evaporation Rate | 1.2 n-Butyl Acetate = 1 | VOC (Wt.) | No data available |
| VOC (Vol.) | No data available | Volatiles (Wt.) | 100 % |
| Volatiles (Vol.) | No data available | | |
| Flammability | | | |
| Flash Point | 12 C(53.6 F) TCC (Tagliabue Closed Cup) | UEL | 7 % |
| LEL | 1 % | Heat of Combustion (ΔH_c) | No data available |
| Flame Extension | No data available | Autoignition | No data available |
| Self-Accelerating Decomposition Temperature (SADT) | No data available | Burning Time | No data available |
| Flame Height | No data available | Ignition Distance | No data available |
| Flame Duration | No data available | Flammability (solid, gas) | No data available |
| Environmental | | | |
| Half-Life | No data available | Octanol/Water Partition coefficient | No data available |
| Coefficient of water/oil distribution | No data available | Bioaccumulation Factor | No data available |
| Bioconcentration Factor | No data available | Biochemical Oxygen Demand BOD/BOD5 | No data available |
| Chemical Oxygen Demand | No data available | Persistence | No data available |
| Degradation | No data available | | |

9.2 Other Information

- No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

- Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

10.4 Conditions to avoid

- Avoid flames, sparks, or other sources of ignition. Excess heat. Incompatible materials.

10.5 Incompatible materials

- Acids, alkalies, strong oxidizers.

10.6 Hazardous decomposition products

- Hazardous decomposition will not occur.

Section 11 - Toxicological Information**11.1 Information on toxicological effects****Splice Wash SW-100 Cleaner 64742-89-8**

| Test Type | Dosage | Route | Species | Duration | Results | Test Class | Target Organs | Comments |
|----------------|------------|----------------|---------|-----------|---------|------------|---------------|----------|
| Acute Toxicity | = 3400 ppm | Inhalation | Rat | 4 Hour(s) | LC50 | NDA | NDA | NDA |
| Acute Toxicity | > 8 g/kg | Ingestion/Oral | Rat | NDA | LD50 | NDA | NDA | NDA |

| GHS Properties | Classification |
|---------------------------|--|
| Acute toxicity | EU/CLP • Classification criteria not met UN GHS • Classification criteria not met |
| Aspiration Hazard | EU/CLP • Aspiration 1 UN GHS • Aspiration 1 |
| Carcinogenicity | EU/CLP • Classification criteria not met UN GHS • Classification criteria not met |
| Germ Cell Mutagenicity | EU/CLP • Data lacking UN GHS • Data lacking |
| Skin corrosion/Irritation | EU/CLP • Skin Irritation 2 UN GHS • Skin Irritation 2 |
| Skin sensitization | EU/CLP • Data lacking UN GHS • Data lacking |
| STOT-RE | EU/CLP • Data lacking UN GHS • Data lacking |
| STOT-SE | EU/CLP • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects UN GHS • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects; Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation |
| Toxicity for Reproduction | EU/CLP • Data lacking UN GHS • Data lacking |
| Respiratory sensitization | EU/CLP • Data lacking UN GHS • Data lacking |

| | |
|--------------------------------------|--|
| Serious eye damage/Irritation | EU/CLP • Classification criteria not met UN GHS • Eye Irritation 2A |
|--------------------------------------|--|

Potential Health Effects**Inhalation**

- Acute (Immediate)** ● May cause respiratory irritation. May affect the central nervous system. Symptoms may include dizziness, drowsiness, lethargy, coma and death.
- Chronic (Delayed)** ● No data available.

Skin

- Acute (Immediate)** ● Causes skin irritation.
- Chronic (Delayed)** ● No data available.

Eye

- Acute (Immediate)** ● Causes serious eye irritation.
- Chronic (Delayed)** ● No data available.

Ingestion

- Acute (Immediate)** ● Material may be aspirated into the lungs during ingestion and/or subsequent vomiting. Aspiration of this material will cause severe lung injury, chemical pneumonitis, pulmonary edema or death.
- Chronic (Delayed)** ● No data available.

Section 12 - Ecological Information**12.1 Toxicity**

| Splice Wash SW-100 Cleaner | | | 64742-89-8 | | |
|----------------------------|--------------------------|-----------|------------|---------------------|----------|
| Dosage | Species | Duration | Results | Exposure Conditions | Comments |
| = 3.8 mg/L | Crustacea: Daphnia magna | 21 Day(s) | NOEC | NDA | NDA |

12.2 Persistence and degradability

- No data available

12.3 Bioaccumulative potential

- No data available.

12.4 Mobility in Soil

- No data available.

12.5 Results of PBT and vPvB assessment

- No PBT and vPvB assessment has been conducted by the manufacturer.

12.6 Other adverse effects

- Potential Environmental Effects** ● May cause long lasting harmful effects to aquatic life.

Section 13 - Disposal Considerations**13.1 Waste treatment methods**

- Product waste** ● Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

- Containers, even those that have been emptied, can contain explosive vapors. Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

| | 14.1 UN number | 14.2 UN proper shipping name | 14.3 Transport hazard class(es) | 14.4 Packing group | 14.5 Environmental hazards |
|-----------|----------------|--|---------------------------------|--------------------|----------------------------|
| DOT | UN1268 | Petroleum distillates, n.o.s. or Petroleum products, n.o.s. | 3 | II | NDA |
| TDG | UN1268 | PETROLEUM DISTILLATES, N.O.S.; or PETROLEUM PRODUCTS, N.O.S. | 3 | II | Potential Marine Pollutant |
| IMO/IMDG | UN1268 | Petroleum Distillates, N.O.S | 3 | II | NDA |
| IATA/ICAO | UN1268 | Petroleum Distillates, N.O.S | 3 | II | NDA |

14.6 Special precautions for user

- None specified.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

- This product is provided only in non-bulk containers.

Section 15 - Regulatory Information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

| State Right To Know | | | | |
|---------------------------------|------------|----|----|----|
| Component | CAS | MA | NJ | PA |
| Light aliphatic solvent naphtha | 64742-89-8 | No | No | No |

| Inventory | | | | | | |
|---------------------------------|------------|------------|-------------|-------|-----------|-----------|
| Component | CAS | Canada DSL | Canada NDSL | China | EU EINECS | EU ELNICS |
| Light aliphatic solvent naphtha | 64742-89-8 | Yes | No | Yes | Yes | No |

| Inventory (Con't.) | | | | |
|---------------------------------|------------|------------|------------|------|
| Component | CAS | Japan ENCS | Korea KECL | TSCA |
| Light aliphatic solvent naphtha | 64742-89-8 | No | Yes | Yes |

Canada**Labor****Canada - WHMIS - Classifications of Substances**

- Light aliphatic solvent naphtha 64742-89-8 100% B2

Canada - WHMIS - Ingredient Disclosure List

- Light aliphatic solvent naphtha 64742-89-8 100% Not Listed

Environment

Canada - CEPA - Priority Substances List

- Light aliphatic solvent naphtha 64742-89-8 100% Not Listed

Denmark

Environment

Denmark - List of Undesirable Substances - Product Groups/Function

- Light aliphatic solvent naphtha 64742-89-8 100% Not Listed

Europe

Other

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification

- Light aliphatic solvent naphtha 64742-89-8 100% Carc.Cat.2; R45 Muta.Cat.2; R46 Xn; R65

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits

- Light aliphatic solvent naphtha 64742-89-8 100% Not Listed

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling

- Light aliphatic solvent naphtha 64742-89-8 100% T R:45-46-65 S:53-45

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations

- Light aliphatic solvent naphtha 64742-89-8 100% H, P

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases

- Light aliphatic solvent naphtha 64742-89-8 100% S:53-45

Mexico

Other

Mexico - Hazard Classifications

- Light aliphatic solvent naphtha 64742-89-8 100% Not Listed

Mexico - Regulated Substances

- Light aliphatic solvent naphtha 64742-89-8 100% Not Listed

United States

Labor

U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals

- Light aliphatic solvent naphtha 64742-89-8 100% Not Listed

U.S. - OSHA - Specifically Regulated Chemicals

- Light aliphatic solvent naphtha 64742-89-8 100% Not Listed

Environment

U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

- Light aliphatic solvent naphtha 64742-89-8 100% Not Listed

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

- Light aliphatic solvent naphtha 64742-89-8 100% Not Listed

U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities

- Light aliphatic solvent naphtha 64742-89-8 100% Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

- Light aliphatic solvent naphtha 64742-89-8 100% Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

- Light aliphatic solvent naphtha 64742-89-8 100% Not Listed

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

- Light aliphatic solvent naphtha 64742-89-8 100% Not Listed

U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing

- Light aliphatic solvent naphtha 64742-89-8 100% Not Listed

United States - California

Environment

U.S. - California - Proposition 65 - Carcinogens List

- Light aliphatic solvent naphtha 64742-89-8 100% Not Listed

U.S. - California - Proposition 65 - Developmental Toxicity

- Light aliphatic solvent naphtha 64742-89-8 100% Not Listed

U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)

- Light aliphatic solvent naphtha 64742-89-8 100% Not Listed

U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)

- Light aliphatic solvent naphtha 64742-89-8 100% Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Female

- Light aliphatic solvent naphtha 64742-89-8 100% Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Male

- Light aliphatic solvent naphtha 64742-89-8 100% Not Listed

United States - Pennsylvania

Labor

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

- Light aliphatic solvent naphtha 64742-89-8 100% Not Listed

U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances

- Light aliphatic solvent naphtha 64742-89-8 100% Not Listed

United States - Rhode Island

Labor

U.S. - Rhode Island - Hazardous Substance List

- Light aliphatic solvent naphtha 64742-89-8 100% Not Listed

15.2 Chemical Safety Assessment

- No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

Section 16 - Other Information

Last Revision Date

- 16/August/2012

Preparation Date

- 17/July/2008

Disclaimer/Statement of Liability

- The information contained herein is based on data considered accurate which has been obtained from other companies and organizations. However, no warranty or representation is expressed or implied that the information, is accurate, complete or representative. Firestone Building Products, a subsidiary of Firestone Diversified Products, LLC, assumes no responsibility for injury to the buyer, the buyer employees, or any third persons, if reasonable safety procedures are not followed. Additionally, Firestone Building Products Company assumes no responsibility for injury to buyer, the buyer's employees, or any third persons caused by abnormal use of the material, even if reasonable safety procedures are followed.

Key to abbreviations

NDA = No Data Available