

# PENRAY BATTERY CLEANER - 7012

MSDS Number: 7012

Revision Date: 09/20/2007

Page 1 of 4

# PRODUCT AND COMPANY IDENTIFICATION

### **Manufacturer**

The Penray Companies, Inc.

440 Denniston Ct. Wheeling, IL 60090

Contact: EH&S Manager Telephone Number:847-459-5000 FAX Number: 847-459-5043

E-Mail:

Web penray.com

PENRAY BATTERY CLEANER - 7012 **Product Name:** 

09/20/2007 **Revision Date:** 

7012 MSDS Number:

AEROSOL BATTERY CLEANER Common Name: F538 Chemical Formula:

EMERGENCY PHONE NUMBER (800) 752-7869

NFPA 704M RATING:

HEALTH:3 FIRE:4 REACTIVITY: 0 SPECIAL:

O=INSIGNIFICANT 1=SLIGHT 2=MODERATE 3=HIGH 4=EXTREME

2 COMPOSI	TION/INFORMAT	N/INFORMATION ON INGREDIENTS	
INGREDIENT	CAS #	PERCENT BY WEIGHT	
WATER SODIUM BENZOATE TRISODIUM PHOSPHATE DODECAHYDRATE AMMONIUM HYDROXIDE SODIUM HYDROXIDE TETRASODIUM SALT OF ETHYLENEDIAMINE TRISODIUM PHOSPHATE 2-BUTOXYETHANOL ISOBUTANE (Propellant)	7732-18-5 532-32-1 10101-89-0 1336-21-6 1310-73-2 64-02-8 7601-54-9 111-76-2 75-28-5	74% - 94% 0% - 05% 0% - 05% <1.0% <0.1% <1.0% 01% - 05% 0% - 10% 0% - 10%	



## PENRAY BATTERY CLEANER - 7012

MSDS Number: 7012

Revision Date: 09/20/2007

Page 2 of 4

# HAZARDS IDENTIFICATION

Route of Entry:

Skin absorption and inhalation

**Target Organs:** 

Lungs, kidneys, liver and nervous system.

Inhalation:

Respiratory irritation and dizziness

Skin Contact:

Prolonged contact with skin can cause irritation. Repeated skin contact may cause persistent irritation

and dermatitis

**Eye Contact:** 

Will cause irritation upon contact.

Ingestion:

Product may cause discomfort, nausea, vomiting and diarrhea.

CHRONIC HEALTH EFFECTS: Over exposure to the ingredients in this product may cause liver

abnormalities

and kidney damage CARCINOGENICITY: Product is not considered a carcinogen by OSHA, NTP or IARC.

MEDICAL CONDITIONS: Pre-existing eye or skin conditions may be aggravated by over-exposure

to this product.

## FIRST AID MEASURES

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. Seek medical attention. Inhalation hazard

unlikely due to low volatility of product.

Skin Contact:

Wash area with soap and water, seek medical attention if irritation persists

**Eye Contact:** 

Immediately flush eyes with plenty of water for 15 minutes. Seek medical attention.

Ingestion:

DO NOT induce vomiting. Only give CONSCIOUS victim two glasses of water and seek medical attention.

NEVER give UNCONSCIOUS anything by mouth.

### FIRE FIGHTING MEASURES

Flash Point:

6

NG

Flash Point Method:

TCC

EXTINGUISHING MEDIA: Carbon Dioxide (CO2) Dry Chemical, Foam.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Vapors are heavier than air and can collect in low areas

FIRE FIGHTING INSTRUCTIONS: Containers can build up pressure if exposed to fire. Containers should be cooled with water supply.

FIRE FIGHTING EQUIPMENT: Self- contained breathing apparatus with full face piece operated in positive pressure mode.

# **ACCIDENTAL RELEASE MEASURES**

SPILL/LEAK PROCEDURES: Notify safety personnel ,evacuate all unnecessary personnel and provide adequate ventilation. If feasible, and without risk, clean-up personnel should stop leak. All clean up personnel should wear proper personal protective equipment. SMALL SPILLS: Clean with inert absorbent and place in recovery drums for disposal.

LARGE SPILLS: Dike to prevent further migration of material. DO NOT release into waterways or sewers. Follow applicable federal and state regulations.

## HANDLING AND STORAGE

Handling Precautions:

Wash thoroughly after handling. Do not get into eyes, on skin or on clothing.. Do not smoke

while using this product. Do not use near excessive heat, sparks, or open flame.

Storage Requirements:

Store in clean, dry locations away from excessive heat. Store in areas designated for the storage of Level III aerosols according to NFPA 30B (Manufacturing and Storage of Aerosol

Products.)



# PENRAY BATTERY CLEANER - 7012

MSDS Number: 7012

Revision Date: 09/20/2007

Page 3 of 4

# **EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Engineering Controls:** 

Eve wash station and safety shower.

Strong general ventilation or local exhaust.

**Protective Equipment:** 

EYE: Chemical splash goggles with indirect or no ventilation.

SKIN :Chemical resistant gloves such as nitrile.

RESPIRATORY: Organic vapor air purifying respiator if vapors are a nuisance or if the

concentrations are above PEL or TLV. Never eat drink or smoke in the work area.

Exposure Guidelines/Other: Never eat, drink or smoke in work area.

# PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

White opaque

10

**Physical State:** 

liquid

Odor: pH:

slight ammonia odor

Vapor Pressure: Vapor Density:

**Boiling Point:** 

Solubility:

>212 F

Freezing/Melting Pt.: <32 F

Completely soluble in water

Spec Grav./Density: >1.0

#### STABILITY AND REACTIVITY 10

Stability:

Material is stable.

Conditions to avoid:

Excessive heat and open flame.

Materials to avoid (incompatability):

Strong oxidizing agents.

Hazardous Decomposition products:

Carbon Monoxide and Carbon Dioxide

Hazardous Polymerization:

Cannot occur.

#### TOXICOLOGICAL INFORMATION 11

LD50

2-Butoxyethanol 1.48 g/km (oral)

#### **ECOLOGICAL INFORMATION** 12

No data.



# PENRAY BATTERY CLEANER - 7012

MSDS Number: 7012

Revision Date: 09/20/2007

Page 4 of 4

### DISPOSAL CONSIDERATIONS

All used and unused product and container should be disposed of in accordance with all applicable federal, state and local regulations. Do not dump in drains, sewers, on the ground or into any body of water

## 14

## TRANSPORT INFORMATION

DOMESTIC:

CONSUMER COMMODITY ORM-D

EXPORT:

UN1950, AEROSOL DISPENSERS, CLASS 2.1, LIMITED QUANTITY

## 15

## REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

OSHA: Considered to be a hazardous material as defined by 29CFR1910.1200

EPA SARA TITLE III

Section 311-312 (40CFR370): If stored in excess of the threshold quantities, this product should be reported as a(n):

IMMEDIATE (acute) HEALTH HAZARD

FIRE HAZARD

SUDDEN RELEASE HAZARD

Section 313(40CFR372) This product does not contains ingredients which are subject to the reporting requirements of SAR@

2-Butoxyethanol

Ammonia

111-76-2

4.455%

7664-41-7

0.713%

## 16

### OTHER INFORMATION

CALIFORNIA PROPOSITION 65: This product does not contain ingredients which are on the current Proposition 65 list.

Notes:

NG= NOT GIVEN

BT= BETWEEN

<= LESS THAN

>= GREATER THAN

USERS RESPONSIBILITY; This MSDS provides environmental, health and safety information. This product is to be used in applications consistent with our product literature and container label. Individuals handling this product should be informed to the recommended safety precautions and have access to this MSDS. Please contact your local sales representative of our EH&S Department for further information.

END OF MSDS