

Paint Jewels Liquid Lead

Delta Technical Coatings, Inc.

Material Safety Data Sheet

IDENTITY (As Used on label and List) Delta Paint Jewels Liquid Lead (white, gold, pewter)	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
---	---

SECTION I	
Manufacturer's Name Delta Technical Coatings, Inc.	Emergency Telephone Number (800) 423-4135
Address 2550 Pellissier Place	Telephone Number for Information (562) 695-7969
Whittier, California 90601-1505	Date Prepared 7/9/2001
Signature of Preparer (optional)	

SECTION II - Hazardous Ingredients/Identify Information				
Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits	% (optional)
no reportable quantities of hazardous ingredients are present.				

SECTION III - Physical/Chemical Characteristics			
Boiling Point	N/A	Specific Gravity (H ₂ O = 1)	1.12
Vapor Pressure (mm Hg.)	N/A	Melting Point	N/A
Vapor Density (AIR = 1)	>1	Evaporation Rate (Butyl Acetate = 1)	<1
Solubility in Water			
Dilutable			
Appearance and Odor			
A viscous liquid with a mild acrylic odor.			

SECTION IV - Fire and Explosion Hazard Data				
Flash Point (Method Used)	N/A	Flammable Limits	LEL	UEL
Extinguishing Media				
Dry chemical, CO ₂ , water fog				
Special Fire Fighting Procedures				
N/A				

Unusual Fire and Explosion Hazards

Product will not burn but may spatter if temperature exceeds boiling point. Dry film may burn and give off oxides of Carbon/Nitrogen.

SECTION V - Reactivity Data

Paint Jewels Liquid Lead

Stability	Unstable	<input type="checkbox"/>	Conditions to Avoid N/A
	Stable	<input checked="" type="checkbox"/>	

Incompatibility (Materials to Avoid)

Strong acids and alkalis.

Hazardous Decomposition or Byproducts

N/A

Hazardous Polymerization	May Occur	<input type="checkbox"/>	Conditions to Avoid N/A
	Will Not Occur	<input checked="" type="checkbox"/>	

SECTION VI -Health Hazard Data

Route(s) of Entry:	Inhalation? No	Skin? No	Ingestion? No
--------------------	-------------------	-------------	------------------

Health Hazards (Acute and Chronic)

N/A

Carcinogenicity:	NTP? No	IARC Monographs No	OSHA Regulated? No
------------------	------------	-----------------------	-----------------------

Signs and Symptoms of Exposure

Inhalation: No known signs or symptoms associated with exposure to product.

Skin & Eye: No known signs or symptoms associated with exposure to product.

Ingestion: No known signs or symptoms associated with exposure to product.

Medical Conditions Generally Aggravated by Exposure

N/A

Emergency and First Aid Procedures

Inhalation: Move subject to fresh air. Eye contact: Flush eyes with a large amount of water for at least 15 minutes.

Skin Contact: Wash affected areas thoroughly with soap and water.

Ingestion: If swallowed, give two glasses of water to drink. Consult a physician. Never give anything by mouth to an unconscious person.

Paint Jewels Liquid Lead

SECTION VII - Precautions for Safe Handling and Use

Steps To Be Taken in Case Material Is Released or Spilled

Control spill with paper towel. Dried refuse may be disposed of according to local, state and federal regulations.

Waste Disposal Method

Dried refuse may be disposed of according to local, state and federal regulations. Check with local authorities for details on disposal.

Precautions to Be Taken in Handling and Storing

Avoid storing in areas exposed to direct sunlight. Keep from freezing temperatures. Store in a cool, dry place.

Other Precautions

Keep container tightly closed when not in use.

KEEP OUT OF REACH OF CHILDREN.

SECTION VIII - Control Measures

Respiratory Protection (Specify Type)

Ventilation	Local Exhaust	Recommended	Special	None
	Mechanical (General)	May be used.	Other	None

Protective Gloves

Impervious plastic or rubber.

Protective Glasses

Safety glasses may be worn to avoid eye contact.

Other Protective Clothing or Equipment

Long sleeve garments may be worn to avoid contact with skin.

Work/Hygenic Practices

Clean-up with soap and water. Wash hands with soap and water after using product. Close container tightly.

SECTION IX - Disclaimer

Delta Technical Coatings, Inc. Assumes no responsibility for personal injury or property damage to vendees,

users or third parties caused by the product. Such vendees assumes all risks associated with the use of this product.

HMIS SYMBOL	RATING	Transportation Information:						
<table border="1" style="display: inline-table;"> <tr> <td>HEALTH</td> <td style="text-align: center;">0</td> </tr> <tr> <td>FLAMMABILITY</td> <td style="text-align: center;">0</td> </tr> <tr> <td>REACTIVITY</td> <td style="text-align: center;">0</td> </tr> </table>	HEALTH	0	FLAMMABILITY	0	REACTIVITY	0	SEVERE 4 SERIOUS 3 MODERATE 2 SLIGHT 1 MINIMAL 0	D.O.T. : Not Regulated I.A.T.A.: Not Regulated CERCLA RQ: None
HEALTH	0							
FLAMMABILITY	0							
REACTIVITY	0							