



I - PRODUCT IDENTIFICATION AND USE				MSDS ID: 1255
PRODUCT NAME: SACTIF EXACT FURNITURE POLISH				
USE: Furniture Polish				
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada			EMERGENCY PHONE: 1-800-668-7171	
WHMIS CLASSIFICATION: D2B CHEMICAL FAMILY: Solvent/oil			TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable	
II - HAZARDOUS INGREDIENTS				
HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species
Hydrotreated heavy naptha	3-7	064742-48-9	LD50 >5000 mg/kg	oral/rat
Alcool ethoxylate	0.5- 1.5	068439-46-3	LD50 1400 mg/kg	oral/rat
III - HANDLING AND DISPOSAL PROCEDURES				
PERSONAL PROTECTIVE EQUIPMENT: Gloves: natural rubber, neoprene or nitrile Eye: safety glasses Footwear: not required Respiratory: If mists are generated, use NIOSH approved mask. Other: not required				
SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Do not breathe spray.				
VENTILATION REQUIREMENTS: general ventilation				
INCOMPATIBILITY (Material to Avoid): oxidizing materials and reducing agents				
SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal.				
WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.				
STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. Avoid freezing.				
IV - PHYSICAL PROPERTIES				
APPEARANCE / ODOUR: White opaque, slightly viscous liquid				
S.G. / BULK DENSITY(g/cc): 1.05		pH: 6.0 ± 0.5		
VAPOUR PRESSURE (mmHg): not available		VAPOUR DENSITY (air=1): not available		
ODOUR THRESHOLD: not available		BOILING POINT: not available		
FREEZING POINT: not available		PERCENT VOLATILE: approx. 85%		
SOLUBILITY IN WATER: dispersable		EVAPORATION RATE (water=1): not available		
V - TOXICOLOGICAL PROPERTIES				
EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: May cause irritation. SKIN: Repeated or prolonged contact may result in irritation. INGESTION: May cause severe irritation of the digestive tract. INHALATION: Inhalation of spray or mist may cause irritation of the respiratory tract.				
LD50 (calculated): >58,333 mg/kg		LC50 (calculated): not applicable		

OTHER TOXIC EFFECTS: TLV (hydrotreated heavy naphtha) 300 ppm

EFFECTS OF CHRONIC none known

EXPOSURE TO MATERIAL:

VI - FIRST AID MEASURES

EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.

SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.

INGESTION: Drink large volumes of water. Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.

INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.

VII - FIRE AND EXPLOSION DATA

FLAMMABLE: No

FLASH POINT, °C: >93.3°C

AUTO IGNITION TEMPERATURE, °C: N/Ap

EXTINGUISHING MEDIA: Water [] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.

EXPLOSIVE SENSITIVITY TO: not applicable

VIII - REACTIVITY DATA

STABILITY: Stable [X] Unstable []

CONDITIONS TO AVOID: High temperatures, freezing.

INCOMPATIBILITY (Material to Avoid) : oxidizing materials and reducing agents

HAZARDOUS DECOMPOSITION PRODUCTS: Heat released on contact with oxidizing materials.

REACTIVITY: not dangerously reactive

IX - MSDS PREPARATION

SOURCES USED: RTECS, Supplier MSDS

PREPARED BY: JohnsonDiversey Canada. Inc.
Regulatory Department
Institutional Division
Phone (905) 829-1200

PREPARATION DATE: June 20, 2002

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.