

Table 1 All Cancer Mortality

All Cancer Mortality 2016-2020

County	Count	Age-Adjusted Rate
Indiana	66,816	165.2
Adams	381	187.6
Allen	3,342	156.9*
Bartholomew	773	153.0*
Benton	97	169.3
Blackford	213	239.4*
Boone	580	161.3
Brown	236	192.3*
Carroll	267	188.9*
Cass	461	123.9.
Clark	1,239	171.2
Clay	353	199.7*
Clinton	378	186.2*
Crawford	148	193.9
Daviess	310	160.3
Dearborn	605	178.7*
Decatur	290	170.8
DeKalb	488	178.0
Delaware	1,277	178.8*
Dubois	438	157.2
Elkhart	1,875	162.0
Fayette	300	187.0*
Floyd	751	156.0
Fountain	277	234.7*
Franklin	238	153.8
Fulton	265	182.8
Gibson	377	170.9
Grant	863	191.6*



Greene	434	188.9*
Hamilton	1,893	113.8*
Hancock	713	147.5*
Harrison	419	158.8
Hendricks	1,335	146.1*
Henry	657	197.5*
Howard	1,046	185.5*
Huntington	434	180.4
Jackson	479	172.7
Jasper	358	162.4
Jay	236	173.4
Jefferson	442	207.4*
Jennings	332	190.5*
Johnson	1,330	149.9*
Knox	441	181.2
Kosciusko	725	147.0*
LaGrange	344	167.5
Lake	5,235	169.4
LaPorte	1,304	178.7*
Lawrence	557	169.1
Madison	1,500	174.2*
Marion	8,429	170.4*
Marshall	488	157.9
Martin	124	167.8
Miami	399	173.4
Monroe	1,007	139.4*
Montgomery	391	149.4
Morgan	782	171.3
Newton	168	163.8
Noble	509	173.4
Ohio	75	155.7
Orange	281	206.5



Owen	257	173.7
Parke	183	155.1
Perry	228	173.2
Pike	173	185.0
Porter	1,686	157.5
Posey	294	166.1
Pulaski	186	205.6*
Putnam	457	192.2*
Randolph	330	183.1
Ripley	256	133.2*
Rush	184	162.0
Scott	303	195.7*
Shelby	546	184.8*
Spencer	240	164.0
St. Joseph	2,754	171.2
Starke	302	186.5*
Steuben	370	152.6
Sullivan	265	193.9*
Switzerland	112	153.9
Tippecanoe	1,245	144.4*
Tipton	180	166.0
Union	105	208.0*
Vanderburgh	1,973	170.3
Vermillion	223	203.8*
Vigo	1,175	179.4*
Wabash	391	175.1
Warren	86	140.9
Warrick	593	143.9*
Washington	281	156.5
Wayne	774	171.4
Wells	298	155.1



White	307	165.2
Whitley	366	160.3

Data Source: Indiana State Cancer Registry

Excludes in situ and benign tumors

Rates are Age-adjusted per 100,000 people to 2000 Standard Population

**Statistically significantly different (high or low) compared to Indiana ($p < 0.05$)*

U Rates for case counts less than 20 are unstable and thus cannot be reported

Table 2 Lung and Bronchus Cancer Mortality

Lung Cancer Mortality 2016-2020

County	Count	Age-Adjusted Rate
Indiana	18,007	43.5
Adams	96	46.6
Allen	791	36.3*
Bartholomew	212	40.9
Benton	23	40.1
Blackford	65	70.4*
Boone	136	37.4
Brown	79	59.9*
Carroll	72	50.1
Cass	108	41.9
Clark	384	51.7*
Clay	108	59.8*
Clinton	104	50.5
Crawford	54	68.6*
Daviess	81	40.4
Dearborn	182	54.7*
Decatur	76	44.1
DeKalb	131	46.6
Delaware	364	49.6*
Dubois	84	28.8*



Elkhart	473	39.7
Fayette	95	57.2*
Floyd	223	44.9
Fountain	61	50.1
Franklin	51	31.0*
Fulton	80	53.0
Gibson	96	41.9
Grant	242	53.4*
Greene	130	55.8*
Hamilton	387	23.2*
Hancock	201	41.0
Harrison	127	45.0
Hendricks	361	39.1*
Henry	199	57.4*
Howard	277	46.8
Huntington	107	43.0
Jackson	129	44.7
Jasper	95	42.1
Jay	61	42.9
Jefferson	130	58.6*
Jennings	124	69.6*
Johnson	359	39.9
Knox	125	49.7
Kosciusko	210	41.2
LaGrange	91	42.9
Lake	1,258	40.1*
LaPorte	342	45.2
Lawrence	166	49.3
Madison	456	51.7*
Marion	2,280	46.1*
Marshall	121	38.3
Martin	43	56.8



Miami	109	45.6
Monroe	275	37.6*
Montgomery	101	37.7
Morgan	228	49.7
Newton	58	53.7
Noble	145	47.2
Ohio	24	50.7
Orange	83	58.6*
Owen	77	49.3
Parke	62	48.4
Perry	71	52.6
Pike	56	55.8
Porter	441	39.5*
Posey	79	42.9
Pulaski	46	52.8
Putnam	136	55.4*
Randolph	98	54.3*
Ripley	68	34.1*
Rush	48	41.2
St. Joseph	709	43.1
Scott	104	63.6*
Shelby	178	59.1*
Spencer	66	42.9
Starke	109	63.7*
Steuben	101	41.1
Sullivan	74	53.5
Switzerland	38	49.8
Tippecanoe	324	37.4*
Tipton	34	31.9
Union	25	44.8
Vanderburgh	528	45.6
Vermillion	61	55.3



Vigo	325	47.6
Wabash	102	45.2
Warren	31	48.3
Warrick	155	34.9*
Washington	100	52.6
Wayne	221	46.9
Wells	74	37.6
White	87	51.1
Whitley	105	46.1

Data Source: Indiana State Cancer Registry

Excludes in situ and benign tumors

Rates are Age-adjusted per 100,000 people to 2000 Standard Population

**Statistically significantly different (high or low) compared to Indiana ($p < 0.05$)*

U Rates for case counts less than 20 are unstable and thus cannot be reported

Table 3 Colorectal Cancer Mortality

Colorectal Cancer Mortality 2016-2020

County	Count	Age-Adjusted Rate
Indiana	4,430	11.1
Adams	14	6.7U
Allen	171	8.1*
Bartholomew	58	12.0
Benton	X	X
Blackford	14	16.6U
Boone	40	11.0
Brown	14	14.0U
Carroll	18	13.2U
Cass	25	10.1
Clark	70	9.5
Clay	18	9.4U



Clinton	22	10.9
Crawford	11	16.0U
Daviess	27	13.9
Dearborn	26	8.0
Decatur	15	8.7U
DeKalb	30	10.9
Delaware	74	10.4
Dubois	45	15.5*
Elkhart	121	10.7
Fayette	18	10.9U*
Floyd	60	13.0
Fountain	18	14.0U
Franklin	14	9.9U
Fulton	17	12.6U
Gibson	30	13.6
Grant	57	12.1
Greene	33	15.2
Hamilton	131	8.0*
Hancock	33	6.7*
Harrison	28	10.3
Hendricks	73	8.5*
Henry	47	14.1
Howard	81	15.2*
Huntington	16	6.5U*
Jackson	39	13.6
Jasper	19	9.2U
Jay	19	13.7U
Jefferson	34	17.1*
Jennings	19	10.2U
Johnson	81	9.1
Knox	31	12.3
Kosciusko	58	11.7



LaGrange	27	13.4
Lake	393	12.8*
LaPorte	96	13.3
Lawrence	30	9.3
Madison	86	10.0
Marion	487	9.9*
Marshall	37	13.0
Martin	10	13.4U
Miami	30	13.1
Monroe	58	8.1*
Montgomery	27	9.9
Morgan	44	10.2
Newton	11	11.5U
Noble	36	13.3
Ohio	5	12.6U
Orange	28	21.4*
Owen	18	12.7U
Parke	15	11.4U
Perry	14	10.4U
Pike	8	9.5U
Porter	130	12.1
Posey	23	14.5
Pulaski	17	20.1U*
Putnam	37	16.5*
Randolph	17	10.0U
Ripley	17	9.1U
Rush	15	12.0U
St. Joseph	199	12.9*
Scott	20	14.3
Shelby	36	11.7
Spencer	17	11.5U
Starke	27	18.1*



Steuben	30	10.9
Sullivan	29	21.8*
Switzerland	7	11.0U
Tippecanoe	99	11.6
Tipton	17	14.1U
Union	X	X
Vanderburgh	128	10.4
Vermillion	18	16.7U
Vigo	85	12.8
Wabash	32	13.5
Warren	0	0.0
Warrick	36	9.1
Washington	23	11.9
Wayne	61	13.6
Wells	24	11.8
White	20	10.7U
Whitley	28	12.6

Data Source: Indiana State Cancer Registry

Excludes in situ and benign tumors

Rates are Age-adjusted per 100,000 people to 2000 Standard Population

**Statistically significantly different (high or low) compared to Indiana ($p < 0.05$)*

U Rates for case counts less than 20 are unstable and thus cannot be reported

Table 4 Female Breast Cancer Mortality

Female Breast Cancer Mortality 2016-2020

County	Count	Age-Adjusted Rate
Indiana	4,398	12.5
Adams	28	16.0
Allen	247	13.4
Bartholomew	57	12.9



Benton	6	12.3U
Blackford	8	9.9U
Boone	43	12.8
Brown	10	9.8U
Carroll	12	10.0U
Cass	22	9.3
Clark	78	12.1
Clay	19	12.7U
Clinton	17	9.2U
Crawford	7	9.8U
Daviess	21	13.1
Dearborn	26	8.4
Decatur	23	14.4
DeKalb	23	10.8
Delaware	62	10.5
Dubois	30	12.4
Elkhart	119	11.5
Fayette	18	12.6U
Floyd	37	9.1
Fountain	19	19.6U
Franklin	23	17.2
Fulton	24	20.2*
Gibson	25	14.2
Grant	69	17.9*
Greene	29	14.1
Hamilton	141	9.1*
Hancock	42	9.5
Harrison	30	13.4
Hendricks	92	10.8
Henry	43	15.2
Howard	68	14.4
Huntington	29	14.4



Jackson	18	8.1U
Jasper	26	13.3
Jay	17	15.1U
Jefferson	31	17.3
Jennings	16	11.4U
Johnson	90	11.9
Knox	30	12.8
Kosciusko	41	10.0
LaGrange	23	14.0
Lake	382	14.0*
LaPorte	74	11.5
Lawrence	38	14.2
Madison	103	13.9
Marion	586	13.2
Marshall	37	13.8
Martin	X	X
Miami	20	10.1
Monroe	69	10.9
Montgomery	22	10.9
Morgan	57	13.9
Newton	6	7.5U
Noble	27	10.8
Ohio	X	X
Orange	19	17.4U
Owen	17	14.9U
Parke	13	13.0U
Perry	17	15.4U
Pike	14	16.9U
Porter	121	12.9
Posey	15	9.4U
Pulaski	12	14.7U
Putnam	27	12.3



Randolph	26	15.8
Ripley	10	5.9U*
Rush	18	19.6U
St. Joseph	203	14.2
Scott	17	13.5U
Shelby	21	8.5
Spencer	9	8.4U
Starke	17	12.2U
Steuben	17	9.5U*
Sullivan	14	10.5U
Switzerland	5	7.8U
Tippecanoe	72	9.0*
Tipton	18	19.0U
Union	8	23.3U
Vanderburgh	123	12.0
Vermillion	13	14.0U
Vigo	85	14.7
Wabash	18	9.5U
Warren	6	12.8U
Warrick	48	13.5
Washington	18	11.7U
Wayne	45	12.6
Wells	26	15.8
White	11	8.2U
Whitley	25	12.5

Data Source: Indiana State Cancer Registry

Excludes in situ and benign tumors

Rates are Age-adjusted per 100,000 people to 2000 Standard Population

**Statistically significantly different (high or low) compared to Indiana ($p < 0.05$)*

U Rates for case counts less than 20 are unstable and thus cannot be reported



Table 5 Prostate Cancer Mortality

Prostate Cancer Mortality 2016-2020

County	Count	Age-Adjusted Rate
Indiana	3,147	14.4
Adams	12	9.6U
Allen	212	19.0*
Bartholomew	36	12.8
Benton	5	14.9U
Blackford	11	21.0
Boone	27	13.3
Brown	7	9.2U
Carroll	18	23.2U*
Cass	20	14.3
Clark	37	10.3*
Clay	15	14.7U
Clinton	19	17.4U
Crawford	5	12.0U
Daviess	14	13.9U
Dearborn	25	13.4
Decatur	15	16.4U
DeKalb	11	8.5U
Delaware	58	14.7
Dubois	21	14.1
Elkhart	82	13.3
Fayette	11	11.8U
Floyd	31	11.5
Fountain	18	25.3U*
Franklin	12	13.6U
Fulton	11	13.3U
Gibson	25	20.9
Grant	42	16.4



Greene	23	17.0
Hamilton	105	12.1
Hancock	33	12.2
Harrison	16	10.7U
Hendricks	52	10.8*
Henry	20	10.2
Howard	51	16.1
Huntington	19	14.7U
Jackson	18	12.2U
Jasper	15	12.3U
Jay	14	18.2U
Jefferson	16	14.6U
Jennings	19	19.5U
Johnson	64	13.7
Knox	13	9.0U
Kosciusko	29	10.9
LaGrange	15	14.0U
Lake	270	16.3
LaPorte	59	14.8
Lawrence	14	7.5U*
Madison	58	12.2
Marion	430	17.2*
Marshall	30	17.8
Martin	X	X
Miami	25	19.0
Monroe	46	12.0
Montgomery	26	19.0
Morgan	29	12.6
Newton	7	11.5U
Noble	31	19.0
Ohio	6	30.2U
Orange	15	19.0U



Owen	15	19.1U
Parke	5	7.1U
Perry	5	7.3U*
Pike	5	10.0U
Porter	81	13.8
Posey	15	16.0U
Pulaski	10	18.3U
Putnam	21	15.0
Randolph	17	16.8U
Ripley	13	12.0U
Rush	8	13.0U
St. Joseph	149	17.3*
Scott	12	15.0U
Shelby	20	13.0
Spencer	7	8.2U
Starke	10	10.5U
Steuben	16	11.7U
Sullivan	7	10.0U
Switzerland	0	0.0
Tippecanoe	49	11.0
Tipton	X	X
Union	6	23.0U
Vanderburgh	96	15.2
Vermillion	9	15.3U
Vigo	49	14.1
Wabash	18	14.4U
Warren	5	13.4U
Warrick	30	14.2
Washington	8	7.0U
Wayne	39	16.1
Wells	13	11.2U



White	14	13.1U
Whitley	12	10.0U

Data Source: Indiana State Cancer Registry

Excludes in situ and benign tumors

Rates are Age-adjusted per 100,000 people to 2000 Standard Population

**Statistically significantly different (high or low) compared to Indiana ($p < 0.05$)*

U Rates for case counts less than 20 are unstable and thus cannot be reported

