



Mike Braun
Governor

Lindsay M. Weaver, MD, FACEP
State Health Commissioner

February 4, 2025

Jim King
Eljen Corporation
90 Meadow Road
Windsor, CT 06095

Dear Mr. King:

Re: Approval of the *Eljen GSF*® Geotextile Sand Filter Indiana *Design and Installation Manual*, January 2025, for use in residential and commercial on-site sewage systems

The *Eljen GSF*® *Geotextile Sand Filter Indiana Design and Installation Manual*, January 2025 is hereby approved by the Indiana State Department of Health (department), under the provisions of 410 IAC 6-8.3-52(h), 410 IAC 6-10.1-49(h) and the *Indiana Standards for Eljen GSF* published by the department on April 13, 2020, and revised on February 4, 2025. The final revision to this manual bears the publication date of January 2025.

This approval is for the use of the *Eljen GSF*® System in individual residential and commercial onsite sewage systems. This approval is effective the 4th day of February, 2025. This approval is subject to the conditions listed below:

- I. Eljen Corporation is required to:
 - a. Certify manufacturers, distributors, designers, installers and service providers;
 - b. Submit to the department a list of all certified installers, distributors, service providers and manufacturers for the State of Indiana on an annual basis; and notify the department immediately of the removal of any certified installer, distributor, service providers or manufacturer;
 - c. Submit for review and approval of the department any proposed changes to any system component or the *Eljen GSF*® *Geotextile Sand Filter Indiana Design and Installation Manual* prior to implementation of the changes;

To **promote**, **protect**, and **improve** the health and safety of all Hoosiers.



- d. Notify the department of any scheduled training event at least 10 working days prior to the event;
 - e. Provide on-going consultation to health department staffs, designers, installers, and service providers;
 - f. Submit to the department on a quarterly basis the installation of any onsite sewage system installed that includes an Eljen GSF System using a data format provided by the department.
- II. The Eljen GSF System is subject to:
- a. The applicable provisions of ISDH Rules 410 IAC 6-8.3 and 410 IAC 6-10.1;
 - b. Receiving and dispersing only domestic and residential strength wastewater;
 - c. The *Eljen GSF® Geotextile Sand Filter Indiana Design and Installation Manual, January 2025*.
- III. The Eljen GSF System manufacturer, designer, distributor, installer, and service provider is subject to:
- a. Eljen Corporation Certification;
 - b. Maintaining a status of good standing with Eljen Corporation.

This approval may be revoked or modified by the department for non-compliance, or if it is documented that it would not be in the best interests of public health for approvals to continue.

If you wish to request administrative review of this *Approval* pursuant to Indiana Code 4-21.5-3-5, you must file a petition for review within fifteen (15) days after this *Approval* is received.

The petition for review must be in writing and must include facts demonstrating that:

- The petitioner is a person to whom the *Approval* is specifically directed;
- The petitioner is aggrieved or adversely effected by the *Approval*; or
- The petitioner is entitled to review under any law.

Any petition for review should be submitted in writing to the State of Indiana Office of Administrative Law Proceedings in one of the following ways:

1. Go online to www.in.gov/oalp and complete a Petition for Review (State Form 56961 (5-20));



2. Mail your petition for review to the Office of Administrative Law Proceedings at 100 N. Senate Avenue, Suite N-802, Indianapolis, Indiana 46204; or
3. Appear in person at the Office of Administrative Law Proceedings at 100 N. Senate Avenue Suite N-802, Indianapolis, Indiana 46204, and file your petition for review. You will need this document to complete your petition.

If you do not object to this product approval, you do not need to take any further action.

Sincerely,

Michael Mettler, REHS
Director
Environmental Public Health Division
317/233-7183
mmettler@health.in.gov