




**Indiana**  
**Department**  
**of**  
**Health**



Eric J. Holcomb  
Governor

Kristina M. Box, MD, FACOG  
State Health Commissioner

September 23, 2021

Jim King  
Eljen Corporation, Inc.  
90 Meadow Road  
Windsor, CT 06095

Dear Mr. King:

Re: Approval of the *Eljen GSF*® Geotextile Sand Filter Indiana *Design and Installation Manual*, April, 2020, for use in residential and commercial on-site sewage systems

The *Eljen GSF*® Geotextile Sand Filter Indiana *Design and Installation Manual*, April, 2020 is hereby approved by the Indiana Department of Health (department), under the provisions of 410 IAC 6-8.3-52(h), 410 IAC 6-10.1-49(h) and the *Indiana Standards for Eljen GSF* published by the department on March 25, 2014, and revised on April 13, 2020. The final revision to this manual bears the publication date of April, 2020.

This approval is for the use of the *Eljen GSF*® System in individual residential and commercial onsite sewage systems. This approval is effective the 1<sup>st</sup> day of May, 2021 and expires and is subject to renewal by the department no later than the 30<sup>st</sup> day of September, 2022. This approval is subject to the conditions listed below:

- I. Eljen Corporation, Inc. is required to:
  - a) Certify manufacturers, distributors, designers, installers and service providers;
  - b) Submit to the department a list of all certified installers, distributors, service providers and manufacturers for the State of Indiana on an annual basis; and notify the department immediately of the removal of any certified installer, distributor, service providers or manufacturer;
  - c) Submit for review and approval of the department any proposed changes to any system component or the *Eljen GSF*® Geotextile Sand Filter Indiana *Design and Installation Manual* prior to implementation of the changes;
  - d) Notify the department of any scheduled training event at least 10 working days prior to the event;
  - e) Provide on-going consultation to health department staffs, designers, installers, and service providers;
  - f) Submit to the department on a quarterly basis the installation of any onsite sewage system installed that includes an *Eljen GSF* System using a data format provided by

To **promote**, **protect**, and **improve** the health and safety of all Hoosiers.



the department.

- II. The Eljen GSF System is subject to:
  - a) The applicable provisions of IDOH Rules 410 IAC 6-8.3 and 410 IAC 6-10.1;
  - b) Receiving and dispersing only domestic and residential strength wastewater;
  - c) The *Eljen GSF*® *Geotextile Sand Filter Indiana Design and Installation Manual*, April, 2020.
  
- III. The Eljen GSF System manufacturer, designer, distributor, installer, and service provider is subject to:
  - a) Eljen Corporation, Inc. Certification;
  - b) Maintaining a status of good standing with Eljen Corporation, Inc.

This approval may be revoked or modified by the department for non-compliance, or if it is documented that it would not be in the best interests of public health for approvals to continue.

If you wish to request administrative review of this *Approval* pursuant to Indiana Code 4-21.5-3-5, you must file a petition for review within fifteen (15) days after this *Approval* is received.

The petition for review must be in writing and must include facts demonstrating that:

- The petitioner is a person to whom the *Approval* is specifically directed;
- The petitioner is aggrieved or adversely affected by the *Approval*; or
- The petitioner is entitled to review under any law.

If the petition for review is not filed timely, this *Approval* becomes FINAL. Any petition for review and petition for stay of effectiveness must be submitted in writing to:

Court Administrator  
Office of Legal Affairs, #3H  
Indiana Department of Health  
2 North Meridian Street  
Indianapolis, IN 46204

If you do not object to this product approval, you do not need to take any further action.

Sincerely,

Michael Mettler, REHS  
Director  
Environmental Public Health Division  
317/233-7183  
mmettler@isdh.in.gov

