



**Indiana
Department
of
Health**



Mike Braun

Governor

Lindsay M. Weaver, MD, FACEP

State Health Commissioner

May 5, 2025

Jeanne Allen
Infiltrator Water Technologies, LLC
4 Business Park Road
PO Box 768
Old Saybrook, CT 06475

Dear Ms. Allen:

Re: Approval renewal of the *Design and Installation Manual for the Infiltrator ATL™ System in Indiana*, March, 2015, for use in residential and commercial on-site sewage systems

The *Design and Installation Manual for the Infiltrator ATL™ System in Indiana* approval is renewed by the Indiana Department of Health (department), under the provisions of 410 IAC 6-8.3-52(h), 410 IAC 6-10.1-49(h) and the *Indiana Standards for Infiltrator ATL Systems* published by the department on August 19, 2014, revised several times with the latest renewal on April 13, 2020. The final revision to this manual bears the publication date of March, 2015.

This approval renewal is for the use of the Infiltrator ATL™ System in individual residential and commercial onsite sewage systems. This approval is effective the 1st day of May, 2025. This approval is subject to the conditions listed below:

- I. Infiltrator Systems, Inc. is required to:
 - a) Certify manufacturers, distributors, designers, installers and service providers;
 - b) Submit to the department a list of all certified installers, distributors, service providers and manufacturers for the State of Indiana on a quarterly basis the first year and annually after that; and notify the department immediately of the removal of any certified installer, distributor, service providers or manufacturer;
 - c) Submit for review and approval of the department any proposed changes to any system component or the *Design and Installation Manual for the Infiltrator ATL™ System in Indiana* prior to implementation of the changes;
 - d) Notify the department of any scheduled training event at least 10 working days prior to the event;
 - e) Provide on-going consultation to health department staffs, designers, installers, and service providers;
 - f) Submit to the department on a quarterly basis the installation of any onsite sewage system installed that includes an Infiltrator ATL System using a data format provided by the department.
- II. The Infiltrator ATL System is subject to:

To **promote, protect, and improve** the health and safety of all Hoosiers.



- a) The applicable provisions of IDOH Rules 410 IAC 6-8.3 and 410 IAC 6-10.1;
- b) Receiving and dispersing only domestic and residential strength wastewater;
- c) The *Design and Installation Manual for the Infiltrator ATL™ System in Indiana*, March, 2015;
- d) The Infiltrator Water Technologies, Inc., September 30, 2019 memorandum outlining Dosing Volume Recommendations and the 4-inch diameter allowance for the observation ports required in ATL systems.

III. The Infiltrator ATL System manufacturer, designer, distributor, installer, and service provider is subject to:

- a) Infiltrator Systems, Inc. Certification;
- b) Maintaining a status of good standing with Infiltrator Systems, Inc.

This approval may be revoked or modified by the department for non-compliance, or if it is documented that it would not be in the best interests of public health for approvals to continue.

If you wish to request administrative review of this *Approval* pursuant to Indiana Code 4-21.5-3-5, you must file a petition for review within fifteen (15) days after this *Approval* is received.

The petition for review must be in writing and must include facts demonstrating that:

- The petitioner is a person to whom the *Approval* is specifically directed;
- The petitioner is aggrieved or adversely effected by the *Approval*; or
- The petitioner is entitled to review under any law.

Any petition for review should be submitted in writing to the State of Indiana Office of Administrative Law Proceedings in one of the following ways:

1. Go online to www.in.gov/oalp and complete a Petition for Review (State Form 56961 (5-20));
2. Mail your petition for review to the Office of Administrative Law Proceedings at 100 N. Senate Avenue, Suite N-802, Indianapolis, Indiana 46204; or
3. Appear in person at the Office of Administrative Law Proceedings at 100 N. Senate Avenue Suite N-802, Indianapolis, Indiana 46204 and file your petition for review. You will need this document to complete your petition.

If you do not object to this product approval, you do not need to take any further action.

Sincerely,

Michael J. Mettler

Michael Mettler, REHS
Director
Environmental Public Health Division
317/233-7183
mmettler@isdh.in.gov