
2022 Epidemiology of TB in Indiana




Indiana TB 10-Year Trend, 2013-2022













Overview of TB in Indiana, 2022

- Total TB Cases: 99
 - Top Jurisdictions:
 - 1. Marion (38)
 - 2. Allen (12)
 - 3. Hendrick and St. Joseph (5)
 - Incidence Rate: 1.5 cases of TB per 100,000 population


- Total Reported LTBI Cases: 1458 (preliminary report)
 - Top Jurisdictions:
 - 1. Marion (417)
 - 2. Tippecanoe (139)
 - 3. Hendricks (117)
 - 4. Hamilton (104)
 - 5. St. Joseph (96)



TB Cases by Site of Disease, Indiana, 2022


Extrapulmonary sites include:

- Lymphatic (35.0%), adenitis
- Pleural (22.5%)
- Meningeal (10.0%)
- Peritoneal (7.5%)
- Eye and Ear Appendages (5.0%)







Number of Tuberculosis Deaths, Indiana, 2018-2022








TB Cases by Hispanic Ethnicity and Non-Hispanic Race, Indiana, 2022




- Non Hispanic Asian
- Non Hispanic Black or African American
- Hispanic or Latino
 - Non Hispanic White
 - Multi Race
 - Native Hawaiian or Other Pacific Islander

TB Case Counts and Rates by Country of Birth, Indiana, 2018-2022



10

Tuberculosis by HIV Status, Indiana, 2022



Most Commonly Reported Risk Factors among TB Cases, Indiana, 2022


Risk Factor	Percent of Cases
Diabetes Mellitus	22.2%
Contact of Infectious TB Patient	9.1%
Immunosuppression (not HIV/AIDS)	6.1%
End-Stage Renal Disease	5.1%
History of Homelessness	5.1%
Excess Alcohol Use (past year)	4.0%
Non-injection Drug Use (past year)	4.0%
Incomplete LTBI Therapy	2.0%
Missed Contact	2.0%




TB Cases with Diabetes, Indiana, 2013-2022







TB Cases by Country of Birth, Indiana, 2022



TB Incidence Rate by Age Group, Indiana, 2018-2022

