

Epidemiology of TB in Indiana- 2021

Biak Chinpar, MPH

3/30/22

OUR MISSION:

To promote, protect, and improve the health and safety of all Hoosiers.

OUR VISION:

Every Hoosier reaches optimal health regardless of where they live, learn, work, or play.



Overview

- World and national TB data
- II. Indiana TB epidemiology updates
- III. Genotyping
- IV. Tabby2 webtool









World and national TB data

Annual tuberculosis incidence (per 100,000 population), worldwide, 2020





Reported Tuberculosis (TB) Cases and Rates United States, 1993-2021





CDC Reported Tuberculosis in the United States, 2022

Impact of COVID-19 on TB cases

- National total TB case count decreased by 20 percent in 2020 compared to 2019
 - Largest decrease in 10-year period
 - TB cases in US had been steady from 2016 to 2019
- Possible explanation of sudden decrease:
 - Under-detection of actual TB cases
 - Limited access to healthcare during pandemic



TB trends, United States, 2020

Minority populations continue to be disproportionately affected by TB disease.


- Percent of total cases for race group:
 - Non-Hispanic Asian (35.8 percent) and Hispanics (29.7 percent)
 - Non-Hispanic African American (19.6 percent) and White (11.0 percent)
 - Downward trend for Native Hawaiian/other Pacific Islander and American Indian/Alaska Native

22.5% of cases reported having diabetes.

71.5% of cases occurred among non-U.S.-born people.



Majority of TB cases occur in four states, United States, 2020











Indiana TB epidemiology updates

Indiana TB 10-year trend, 2012-2021






Indiana TB cases: 2012 to 2021





Indiana 2021 TB cases





Overview of TB in Indiana, 2021

- Total TB cases: 127
 - Top jurisdictions:
 - 1. Marion (47)
 - 2. Allen (11)
 - 3. Elkhart and Johnson (7)
 - 4. Lake and St. Joseph (5)
 - Incidence rate: 1.9 cases of TB per 100,000 population

- Total reported LTBI cases:
 1,159 (preliminary report)
 - Top jurisdictions:
 - 1. Marion (334)
 - 2. Tippecanoe (207)
 - 3. Hendricks (70)
 - 4. Hamilton (44)
 - 5. Elkhart (42)




TB cases by site of disease, Indiana, 2021

29.1%


Extrapulmonary sites include:

- Bone and/or joint (57.1 percent)
- Lymphatic (8.9 percent)
- Pleural (8.9 percent)
- Peritoneal (7.1 percent)
- Eye and ear appendages (3.6 percent)
- Meningeal (3.6 percent)
- Liver (3.6 percent)






Number of tuberculosis deaths, Indiana, 2017-2021






TB cases by age group, Indiana, 2021




TB incidence rate by age group, Indiana, 2017-2021







TB cases by Hispanic ethnicity and non-Hispanic race, Indiana, 2021



TB cases by country of birth, Indiana, 2021




TB case counts and rates by country of birth, Indiana, 2017-2021





Tuberculosis by HIV status, Indiana, 2021






Most commonly-reported risk factors among TB Cases, Indiana, 2021

Risk Factor	Percent of Cases
Diabetes Mellitus	26.8%
Bone Graft	23.6%
Excess Alcohol Use (past year)	11.0%
Immunosuppression (not HIV/AIDS)	8.7%
Non-injection Drug Use (past year)	7.9%
Incomplete LTBI Therapy	7.9%
Contact of Infectious TB Patient	7.1%
History of Homelessness	3.1%
Correctional Facility	3.1%




TB cases with diabetes, Indiana, 2012-2021





Number of TB cases by drug resistance, Indiana, 2021



TB treatment indicators, Indiana, 2020 to 2021

	Percent of Cases	National Average	Program Goal
Initiate RIPE (2021)	95.0%	91.2%	94.0%
<pre>culture Conversion < 60 Days (2020)</pre>	64.4%	61.1%	73%
Completion of Therapy <1 Year (2020)	94.4%	77.7%	95.0%



Contact investigation indicators, Indiana, 2020

	Percent of Cases	Program Goal
Contacts Elicited	95.2%	95%
Contacts Evaluated	79.5%	75%
LTBI Treatment Initiated	85.4%	93%
LTBI Treatment Completed	91.4%	97%







Genotyping

TB genotyping

 Laboratory-based approach to analyze the genetic material (DNA) of Mycobacterium Tuberculosis

- Each culture confirmed case is genotyped
 - Help us determine transmission and similarity between strains
 - Assist us with identifying outbreak and contact investigation
 - Detect laboratory cross-contamination



Genotyping, Indiana, 2021

Among 95 cases which were genotyped

- 56.8 percent of genotyped cases were identified as part of a cluster
 - 16 were part of bone graft cluster
 - 13 new genotype clusters were identified
 - No ongoing outbreaks
 - Recurring cases from previous outbreaks



Clusters of Interest-IN_0204 (MTBC016498)

16 cases in Indiana (2021)

- Risk factor
 - Implanted affected bone graft in their body
 - 30 patients received MTB affected bone graft



Cluster of interest- IN_0162 (MTBC002466)

- 12 cases in IN (2015-2021)
 - Two cases from 2021
- Risk factors:
 - Unknown connection (four cases within 2020 and 2021)
 - Close contact with index case (seven cases)
- Index risk factor:
 - Came to U.S. from Congo (2012)








Tabby2 webtool

Tabby2 webtool


- It allows users to estimate future TB and LTBI cases in the US based on a published TB transmission model
 - Available at https://ppmltools.org/tabby2/
- This model is built to fit data from all US states and Washington, D.C.
 - Data current through 2019
- There are two type of scenarios:
 - Predefined scenarios and custom scenarios
- It also allows users to calculate costs for various LTBI and TB interventions




1. LTBI treatment for new migrants




2. Improved LTBI treatment in the U.S.




3. Enhanced TB treatment



4. Enhanced case detection



The four modeled scenarios



Summary

- The number of TB cases and deaths increased in 2021
 - Cases increase directly related to bone graft outbreak
- Proportion of U.S.-born cases increased
- Risk factors: diabetes and excess alcohol use are increasing
- Continued success in TB treatment and case management indicators:
 - HIV testing
 - Genotyping
 - Completion of treatment
 - Contact Investigation



Questions?

Contact Information:

Biak Chinpar, MPH

TB Prevention and Care Program Epidemiologist

Office: 317-233-7841

Mobile: 317-779-4553

Fax: 317-233-7747

Bchinpar@isdh.in.gov

