

INDIANA

2023 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

June 14, 2024



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023**

MODULE 2: DIABETES CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE	PAGE
ACCORDING TO YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL, WHAT TYPE OF DIABETES DO YOU HAVE? (DIABTYPE)	
1 MALES AND FEMALES	4
2 MALES ONLY	5
3 FEMALES ONLY	6
ARE YOU NOW TAKING INSULIN? (INSULIN1)	
4 MALES AND FEMALES	7
5 MALES ONLY	8
6 FEMALES ONLY	9
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)	
7 MALES AND FEMALES	10
8 MALES ONLY	11
9 FEMALES ONLY	12
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)	
10 MALES AND FEMALES	13
11 MALES ONLY	14
12 FEMALES ONLY	15
WHEN WAS THE LAST TIME A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TOOK A PHOTO OF THE BACK OF YOUR EYE WITH A SPECIALIZED CAMERA? (DIABEYE1)	
13 MALES AND FEMALES	16
14 MALES ONLY	17
15 FEMALES ONLY	18
WHEN WAS THE LAST TIME YOU TOOK A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU1)	
16 MALES AND FEMALES	19
17 MALES ONLY	20
18 FEMALES ONLY	21

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023

MODULE 2: DIABETES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)	
19	MALES AND FEMALES	22
20	MALES ONLY	23
21	FEMALES ONLY	24

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 2: DIABETES**

**TABLE 1: ACCORDING TO YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL, WHAT TYPE OF DIABETES DO YOU HAVE? (DIABTYPE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Type 1			Type 2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1613	623,910	127	9.0	07.0-11.0	1486	91.0	89.0-93.0
Male	735	286,916	59	8.4	06.0-10.8	676	91.6	89.2-94.0
Female	878	336,994	68	9.5	06.8-12.2	810	90.5	87.8-93.2
White/Non-Hisp	1266	471,922	95	8.0	06.2-09.8	1171	92.0	90.2-93.8
Black or Afr. Am./Non-Hisp	184	72,954	14	11.0	03.4-18.6	170	89.0	81.4-96.6
Hispanic	94	44,410	13	15.9	06.9-24.9	81	84.1	75.1-93.1
35-44	79	46,243	11	16.4	05.6-27.2	68	83.6	72.8-94.4
45-54	207	98,176	32	16.5	10.6-22.4	175	83.5	77.6-89.4
55-64	388	162,734	25	7.2	04.1-10.3	363	92.8	89.7-95.9
65+	908	288,054	50	4.2	02.8-05.6	858	95.8	94.4-97.2
Less Than H.S.	135	89,160	17	12.7	06.2-19.2	118	87.3	80.8-93.8
H.S. or G.E.D.	523	204,455	34	7.8	04.5-11.1	489	92.2	88.9-95.5
Some Post-H.S.	445	199,371	25	7.0	04.1-09.9	420	93.0	90.1-95.9
College Graduate	502	129,166	49	11.4	07.9-14.9	453	88.6	85.1-92.1
Less than \$15,000	89	41,919	10	14.6	04.2-25.0	79	85.4	75.0-95.8
\$15,000- 24,999	199	77,267	17	11.6	04.9-18.3	182	88.4	81.7-95.1
\$25,000- 34,999	205	79,028	9	3.8	01.1-06.5	196	96.2	93.5-98.9
\$35,000- 49,999	209	77,920	20	10.4	05.3-15.5	189	89.6	84.5-94.7
\$50,000- 99,999	362	132,872	28	8.8	05.1-12.5	334	91.2	87.5-94.9
\$100,000- 199,999	170	68,874	13	7.6	02.9-12.3	157	92.4	87.7-97.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 2: DIABETES**

TABLE 2: ACCORDING TO YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL, WHAT TYPE OF DIABETES DO YOU HAVE? (DIABTYPE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Type 1			Type 2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	735	286,916	59	8.4	06.0-10.8	676	91.6	89.2-94.0
White/Non-Hisp	598	223,996	44	7.9	05.4-10.4	554	92.1	89.6-94.6
Black or Afr. Am./Non-Hisp	64	26,473	5	5.2	00.0-11.5	59	94.8	88.5-0100
45-54	95	49,026	15	16.9	07.7-26.1	80	83.1	73.9-92.3
55-64	181	79,878	13	7.3	03.2-11.4	168	92.7	88.6-96.8
65+	417	132,233	25	4.8	02.6-07.0	392	95.2	93.0-97.4
H.S. or G.E.D.	237	95,276	13	5.4	02.1-08.7	224	94.6	91.3-97.9
Some Post-H.S.	188	91,100	10	6.5	02.2-10.8	178	93.5	89.2-97.8
College Graduate	258	69,367	24	9.8	05.7-13.9	234	90.2	86.1-94.3
\$15,000- 24,999	74	26,948	7	14.1	02.1-26.1	67	85.9	73.9-97.9
\$25,000- 34,999	85	35,336	2	2.8	00.0-06.7	83	97.2	93.3-0100
\$35,000- 49,999	96	33,459	10	13.6	04.4-22.8	86	86.4	77.2-95.6
\$50,000- 99,999	193	72,199	11	5.9	02.2-09.6	182	94.1	90.4-97.8
\$100,000- 199,999	101	43,225	10	7.4	02.5-12.3	91	92.6	87.7-97.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 2: DIABETES**

TABLE 3: ACCORDING TO YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL, WHAT TYPE OF DIABETES DO YOU HAVE? (DIABTYPE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Type 1			Type 2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	878	336,994	68	9.5	06.8-12.2	810	90.5	87.8-93.2
White/Non-Hisp	668	247,926	51	8.0	05.5-10.5	617	92.0	89.5-94.5
Black or Afr. Am./Non-Hisp	120	46,481	9	14.4	03.2-25.6	111	85.6	74.4-96.8
Hispanic	53	26,971	5	9.6	00.2-19.0	48	90.4	81.0-99.8
35-44	50	31,451	9	21.4	06.7-36.1	41	78.6	63.9-93.3
45-54	112	49,150	17	16.0	08.6-23.4	95	84.0	76.6-91.4
55-64	207	82,857	12	7.1	02.4-11.8	195	92.9	88.2-97.6
65+	491	155,822	25	3.7	02.1-05.3	466	96.3	94.7-97.9
Less Than H.S.	86	58,404	7	9.3	01.7-16.9	79	90.7	83.1-98.3
H.S. or G.E.D.	286	109,179	21	9.8	04.3-15.3	265	90.2	84.7-95.7
Some Post-H.S.	257	108,272	15	7.3	03.2-11.4	242	92.7	88.6-96.8
College Graduate	244	59,799	25	13.2	07.5-18.9	219	86.8	81.1-92.5
Less than \$15,000	54	25,349	6	18.7	02.8-34.6	48	81.3	65.4-97.2
\$15,000- 24,999	125	50,319	10	10.3	02.3-18.3	115	89.7	81.7-97.7
\$25,000- 34,999	120	43,692	7	4.6	00.9-08.3	113	95.4	91.7-99.1
\$35,000- 49,999	113	44,462	10	8.0	02.3-13.7	103	92.0	86.3-97.7
\$50,000- 99,999	169	60,673	17	12.3	05.6-19.0	152	87.7	81.0-94.4
\$100,000- 199,999	69	25,649	3	8.0	00.0-17.4	66	92.0	82.6-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 2: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN1)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1740	681,602	578	34.0	31.3-36.7	1162	66.0	63.3-68.7
Male	795	314,324	266	33.5	29.4-37.6	529	66.5	62.4-70.6
Female	945	367,279	312	34.5	30.6-38.4	633	65.5	61.6-69.4
White/Non-Hisp	1355	511,145	455	32.9	30.0-35.8	900	67.1	64.2-70.0
Black or Afr. Am./Non-Hisp	203	79,652	65	41.1	31.1-51.1	138	58.9	48.9-68.9
Hispanic	106	52,646	38	34.8	23.6-46.0	68	65.2	54.0-76.4
35-44	94	57,403	29	33.2	21.0-45.4	65	66.8	54.6-79.0
45-54	225	108,157	80	36.7	29.3-44.1	145	63.3	55.9-70.7
55-64	412	171,707	136	32.7	27.2-38.2	276	67.3	61.8-72.8
65+	974	312,976	315	31.7	28.2-35.2	659	68.3	64.8-71.8
Less Than H.S.	161	107,710	61	35.2	26.6-43.8	100	64.8	56.2-73.4
H.S. or G.E.D.	572	226,267	196	32.0	27.5-36.5	376	68.0	63.5-72.5
Some Post-H.S.	468	208,791	157	39.1	33.4-44.8	311	60.9	55.2-66.6
College Graduate	528	135,746	162	29.2	24.7-33.7	366	70.8	66.3-75.3
Less than \$15,000	101	47,285	49	56.7	44.4-69.0	52	43.3	31.0-55.6
\$15,000- 24,999	213	83,983	85	33.7	25.7-41.7	128	66.3	58.3-74.3
\$25,000- 34,999	219	83,654	80	41.8	33.4-50.2	139	58.2	49.8-66.6
\$35,000- 49,999	225	87,105	69	32.3	24.9-39.7	156	67.7	60.3-75.1
\$50,000- 99,999	382	141,582	104	26.1	21.0-31.2	278	73.9	68.8-79.0
\$100,000- 199,999	179	74,209	52	28.6	20.4-36.8	127	71.4	63.2-79.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 2: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	795	314,324	266	33.5	29.4-37.6	529	66.5	62.4-70.6
White/Non-Hisp	646	246,178	216	32.6	28.3-36.9	430	67.4	63.1-71.7
Black or Afr. Am./Non-Hisp	70	28,881	24	39.3	22.4-56.2	46	60.7	43.8-77.6
45-54	103	52,944	37	41.0	29.4-52.6	66	59.0	47.4-70.6
55-64	193	83,760	66	32.2	24.6-39.8	127	67.8	60.2-75.4
65+	448	144,391	147	32.1	27.0-37.2	301	67.9	62.8-73.0
Less Than H.S.	59	38,945	17	30.7	16.6-44.8	42	69.3	55.2-83.4
H.S. or G.E.D.	262	107,481	85	27.1	21.2-33.0	177	72.9	67.0-78.8
Some Post-H.S.	199	94,666	73	42.4	34.0-50.8	126	57.6	49.2-66.0
College Graduate	270	72,085	90	33.0	26.5-39.5	180	67.0	60.5-73.5
\$15,000- 24,999	79	28,449	37	42.2	28.7-55.7	42	57.8	44.3-71.3
\$25,000- 34,999	89	37,412	33	43.2	30.3-56.1	56	56.8	43.9-69.7
\$35,000- 49,999	108	40,509	34	30.0	20.0-40.0	74	70.0	60.0-80.0
\$50,000- 99,999	205	77,393	53	26.6	19.5-33.7	152	73.4	66.3-80.5
\$100,000- 199,999	108	47,359	35	31.3	20.7-41.9	73	68.7	58.1-79.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 2: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	945	367,279	312	34.5	30.6-38.4	633	65.5	61.6-69.4
White/Non-Hisp	709	264,967	239	33.1	28.8-37.4	470	66.9	62.6-71.2
Black or Afr. Am./Non-Hisp	133	50,771	41	42.1	29.6-54.6	92	57.9	45.4-70.4
Hispanic	61	32,643	24	40.4	25.3-55.5	37	59.6	44.5-74.7
35-44	57	35,952	19	37.5	22.2-52.8	38	62.5	47.2-77.8
45-54	122	55,213	43	32.6	23.2-42.0	79	67.4	58.0-76.8
55-64	219	87,947	70	33.2	25.6-40.8	149	66.8	59.2-74.4
65+	526	168,585	168	31.4	26.3-36.5	358	68.6	63.5-73.7
Less Than H.S.	102	68,765	44	37.8	26.8-48.8	58	62.2	51.2-73.2
H.S. or G.E.D.	310	118,786	111	36.4	29.9-42.9	199	63.6	57.1-70.1
Some Post-H.S.	269	114,125	84	36.3	28.9-43.7	185	63.7	56.3-71.1
College Graduate	258	63,662	72	24.9	18.6-31.2	186	75.1	68.8-81.4
Less than \$15,000	64	30,383	32	58.2	42.5-73.9	32	41.8	26.1-57.5
\$15,000- 24,999	134	55,533	48	29.4	20.2-38.6	86	70.6	61.4-79.8
\$25,000- 34,999	130	46,242	47	40.7	29.7-51.7	83	59.3	48.3-70.3
\$35,000- 49,999	117	46,596	35	34.4	23.4-45.4	82	65.6	54.6-76.6
\$50,000- 99,999	177	64,189	51	25.4	18.1-32.7	126	74.6	67.3-81.9
\$100,000- 199,999	71	26,850	17	23.9	11.6-36.2	54	76.1	63.8-88.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1659	653,803	895	53.7	50.8-56.6	601	35.8	32.9-38.7	65	3.9	02.7-05.1	30	1.6	01.0-02.2	63	4.6	03.2-06.0	5	0.5	00.1-00.9
Male	757	300,240	423	56.3	52.0-60.6	251	31.7	27.6-35.8	30	4.1	02.5-05.7	18	2.3	01.1-03.5	31	4.9	02.9-06.9	4	0.7	00.0-01.5
Female	902	353,563	472	51.5	47.4-55.6	350	39.2	35.1-43.3	35	3.8	02.4-05.2	12	0.9	00.3-01.5	32	4.3	02.5-06.1	1	0.3	00.0-00.9
White/Non-Hisp	1311	498,589	714	55.1	51.8-58.4	478	35.7	32.6-38.8	55	4.2	03.0-05.4	24	1.8	01.0-02.6	39	3.1	01.9-04.3	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	188	75,037	107	53.0	42.8-63.2	62	37.2	26.8-47.6	6	2.6	00.2-05.0	4	1.6	00.0-03.6	9	5.6	01.1-10.1			
Hispanic	91	44,807	39	42.0	29.5-54.5	33	32.5	20.3-44.7	3	5.1	00.0-11.4				12	14.7	05.5-23.9	4	5.8	00.0-11.7
35-44	91	55,528	46	51.3	38.6-64.0	32	31.1	19.1-43.1	4	4.4	00.1-08.7	1	0.8	00.0-02.4	8	12.4	03.2-21.6			
45-54	214	103,240	116	57.0	49.2-64.8	80	35.1	27.7-42.5	5	1.9	00.1-03.7	2	1.0	00.0-02.6	8	3.1	00.6-05.6	3	1.9	00.0-04.3
55-64	394	164,947	210	55.2	49.5-60.9	143	34.8	29.3-40.3	18	3.8	01.8-05.8	6	1.1	00.1-02.1	16	4.9	02.2-07.6	1	0.4	00.0-01.2
65+	925	298,856	512	54.4	50.5-58.3	330	35.8	32.1-39.5	36	4.6	02.8-06.4	21	2.3	01.1-03.5	25	2.8	01.4-04.2	1	0.1	00.0-00.3
Less Than H.S.	143	100,396	62	47.4	37.8-57.0	51	34.2	25.2-43.2	7	3.8	00.5-07.1	3	2.3	00.0-04.8	17	10.0	04.7-15.3	3	2.3	00.0-05.0
H.S. or G.E.D.	541	214,439	307	56.2	51.3-61.1	170	31.8	27.1-36.5	30	5.2	03.2-07.2	11	1.4	00.4-02.4	22	5.2	02.5-07.9	1	0.2	00.0-00.6
Some Post-H.S.	452	203,450	239	52.7	47.2-58.2	176	39.2	33.7-44.7	16	3.8	01.8-05.8	10	1.5	00.5-02.5	11	2.8	01.0-04.6			
College Graduate	513	132,770	284	56.6	51.5-61.7	199	37.9	33.0-42.8	11	1.8	00.4-03.2	6	1.5	00.1-02.9	12	2.0	00.6-03.4	1	0.2	00.0-00.6
Less than \$15,000	97	44,568	39	40.3	27.6-53.0	38	37.3	24.4-50.2	8	6.7	01.8-11.6	5	5.8	00.1-11.5	5	6.0	00.3-11.7	2	4.0	00.0-09.5
\$15,000- 24,999	193	74,980	95	47.3	38.3-56.3	73	38.4	29.2-47.6	12	6.0	02.3-09.7	3	1.9	00.0-04.3	8	5.1	01.4-08.8	2	1.3	00.0-03.1
\$25,000- 34,999	208	81,568	103	47.2	38.4-56.0	85	42.9	34.1-51.7	5	2.7	00.2-05.2	4	1.2	00.0-02.8	10	5.7	01.8-09.6	1	0.3	00.0-00.9
\$35,000- 49,999	216	83,243	115	53.1	44.9-61.3	84	39.6	31.4-47.8	5	2.5	00.3-04.7	4	1.5	00.0-03.1	8	3.3	00.6-06.0			
\$50,000- 99,999	379	140,497	229	62.2	56.5-67.9	120	29.7	24.4-35.0	16	4.6	02.1-07.1	6	1.3	00.1-02.5	8	2.2	00.2-04.2			
\$100,000- 199,999	178	73,789	96	58.5	49.9-67.1	72	35.9	27.7-44.1	4	2.7	00.0-05.8	2	0.7	00.0-01.7	4	2.2	00.0-05.1			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	757	300,240	423	56.3	52.0-60.6	251	31.7	27.6-35.8	30	4.1	02.3-05.9	18	2.3	01.1-03.5	31	4.9	02.9-06.9	4	0.7	00.0-01.5
White/Non-Hisp	623	239,200	354	58.2	53.5-62.9	208	32.2	27.9-36.5	25	3.8	02.2-05.4	16	2.6	01.2-04.0	19	3.1	01.5-04.7	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	63	26,784	35	48.2	31.0-65.4	18	32.3	14.7-49.9	3	5.2	00.0-11.3	2	2.7	00.0-07.2	5	11.6	00.0-23.2			
45-54	100	51,512	52	58.1	46.7-69.5	39	35.4	24.4-46.4	2	1.4	00.0-03.4	1	0.6	00.0-01.8	4	2.5	00.0-05.6	2	2.0	00.0-05.1
55-64	184	79,598	107	58.2	49.8-66.6	56	28.8	21.5-36.1	8	4.0	01.3-06.7	3	1.3	00.0-02.9	9	7.0	01.9-12.1	1	0.7	00.0-02.1
65+	424	136,949	243	57.6	51.9-63.3	138	30.6	25.5-35.7	19	5.8	02.7-08.9	13	3.7	01.3-06.1	10	2.1	00.7-03.5	1	0.3	00.0-00.9
Less Than H.S.	51	34,066	19	41.7	26.6-56.8	15	24.5	12.2-36.8	3	6.2	00.0-14.2	3	6.6	00.0-14.0	9	16.9	05.5-28.3	2	4.1	00.0-09.8
H.S. or G.E.D.	249	101,682	150	61.4	54.3-68.5	68	26.0	19.5-32.5	12	5.0	02.1-07.9	6	2.0	00.2-03.8	12	5.3	02.0-08.6	1	0.3	00.0-00.9
Some Post-H.S.	190	92,709	107	56.1	47.5-64.7	68	36.5	28.1-44.9	7	3.1	00.7-05.5	6	2.3	00.3-04.3	2	2.0	00.0-04.7			
College Graduate	262	70,636	145	56.6	49.5-63.7	98	37.3	30.4-44.2	7	2.6	00.2-05.0	3	0.8	00.0-01.8	8	2.5	00.5-04.5	1	0.3	00.0-00.9
\$15,000- 24,999	72	25,462	34	47.2	33.1-61.3	26	33.5	19.0-48.0	4	4.4	00.0-09.3	2	3.7	00.0-09.4	4	7.6	00.0-15.2	2	3.7	00.0-08.8
\$25,000- 34,999	85	35,779	44	44.0	31.1-56.9	33	43.6	30.1-57.1	2	2.7	00.0-05.4	1	1.7	00.0-05.0	4	7.3	00.0-14.6	1	0.7	00.0-02.1
\$35,000- 49,999	104	39,056	63	63.8	53.0-74.6	33	29.2	19.0-39.4	2	2.0	00.0-04.7	2	1.5	00.0-03.9	4	3.5	00.0-07.8			
\$50,000- 99,999	203	76,580	126	64.0	56.2-71.8	57	25.3	18.6-32.0	10	6.0	01.7-10.3	4	2.1	00.0-04.3	6	2.7	00.0-05.8			
\$100,000- 199,999	108	47,256	57	58.0	47.0-69.0	45	36.4	25.8-47.0	2	1.6	00.0-04.0	1	0.6	00.0-01.8	3	3.3	00.0-07.8			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	902	353,563	472	51.5	47.4-55.6	350	39.2	35.1-43.3	35	3.8	02.4-05.2	12	0.9	00.3-01.5	32	4.3	02.5-06.1	1	0.3	00.0-00.9
White/Non-Hisp	688	259,390	360	52.2	47.7-56.7	270	38.9	34.4-43.4	30	4.6	02.8-06.4	8	1.0	00.2-01.8	20	3.2	01.6-04.8			
Black or Afr. Am./Non-Hisp	125	48,253	72	55.7	43.0-68.4	44	40.0	27.3-52.7	3	1.1	00.0-02.7	2	1.0	00.0-02.6	4	2.2	00.0-04.6			
Hispanic	52	28,212	25	45.4	28.7-62.1	19	37.5	21.0-54.0	1	1.9	00.0-05.6				6	11.8	01.0-22.6	1	3.4	00.0-10.1
35-44	56	35,124	30	55.4	39.5-71.3	20	29.2	15.3-43.1	3	5.8	00.0-12.3				3	9.6	00.0-21.2			
45-54	114	51,729	64	55.9	45.3-66.5	41	34.7	24.5-44.9	3	2.3	00.0-05.2	1	1.5	00.0-04.2	4	3.7	00.0-07.6	1	1.9	00.0-05.4
55-64	210	85,350	103	52.3	44.3-60.3	87	40.4	32.6-48.2	10	3.6	01.1-06.1	3	0.8	00.0-01.8	7	2.9	00.4-05.4			
65+	501	161,907	269	51.7	46.0-57.4	192	40.2	34.7-45.7	17	3.5	01.7-05.3	8	1.1	00.1-02.1	15	3.5	01.3-05.7			
Less Than H.S.	92	66,330	43	50.4	38.2-62.6	36	39.2	27.0-51.4	4	2.6	00.1-05.1				8	6.4	01.1-11.7	1	1.5	00.0-04.4
H.S. or G.E.D.	292	112,757	157	51.5	44.6-58.4	102	37.0	30.3-43.7	18	5.4	02.7-08.1	5	1.0	00.0-02.0	10	5.1	01.0-09.2			
Some Post-H.S.	262	110,741	132	49.9	42.5-57.3	108	41.5	34.2-48.8	9	4.5	01.4-07.6	4	0.8	00.0-01.8	9	3.4	01.0-05.8			
College Graduate	251	62,134	139	56.7	49.4-64.0	101	38.6	31.5-45.7	4	1.0	00.0-02.2	3	2.2	00.0-04.9	4	1.6	00.0-03.4			
Less than \$15,000	63	30,202	29	43.9	27.6-60.2	24	38.7	22.0-55.4	3	3.4	00.0-07.5	3	4.1	00.0-09.6	3	6.8	00.0-14.6	1	3.2	00.0-09.3
\$15,000- 24,999	121	49,518	61	47.4	36.0-58.8	47	41.0	29.6-52.4	8	6.8	01.7-11.9	1	1.0	00.0-03.0	4	3.8	00.0-07.7			
\$25,000- 34,999	123	45,789	59	49.6	37.8-61.4	52	42.4	30.6-54.2	3	2.6	00.0-06.1	3	0.9	00.0-01.9	6	4.5	00.0-09.0			
\$35,000- 49,999	112	44,187	52	43.7	32.3-55.1	51	48.8	37.2-60.4	3	3.0	00.0-06.5	2	1.4	00.0-03.4	4	3.1	00.0-06.2			
\$50,000- 99,999	176	63,917	103	60.1	51.7-68.5	63	35.0	26.8-43.2	6	3.0	00.3-05.7	2	0.5	00.0-01.1	2	1.5	00.0-03.7			
\$100,000- 199,999	70	26,533	39	59.4	45.5-73.3	27	34.8	21.5-48.1	2	4.7	00.0-12.5	1	0.9	00.0-02.7	1	0.2	00.0-00.6			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 2: DIABETES**

TABLE 10: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1722	678,320	383	20.6	18.2-23.0	847	47.3	44.4-50.2	215	13.0	11.0-15.0	219	14.5	12.3-16.7	58	4.6	03.2-06.0
Male	794	315,908	185	21.2	17.9-24.5	376	47.3	43.0-51.6	91	10.4	08.0-12.8	108	15.5	12.4-18.6	34	5.5	03.3-07.7
Female	928	362,412	198	20.1	17.0-23.2	471	47.3	43.2-51.4	124	15.2	12.1-18.3	111	13.7	10.8-16.6	24	3.7	01.7-05.7
White/Non-Hisp	1341	508,878	304	20.8	18.3-23.3	658	48.0	44.7-51.3	169	12.8	10.6-15.0	173	14.6	12.2-17.0	37	3.8	02.2-05.4
Black or Afr. Am./Non-Hisp	200	79,163	53	25.4	17.2-33.6	101	47.6	37.8-57.4	26	15.2	07.4-23.0	17	10.1	03.6-16.6	3	1.7	00.0-04.2
Hispanic	104	51,003	14	16.0	07.0-25.0	49	41.0	29.4-52.6	14	12.9	05.1-20.7	13	15.1	06.5-23.7	14	15.0	06.6-23.4
35-44	92	56,774	10	8.2	02.7-13.7	40	48.2	35.7-60.7	14	16.6	06.6-26.6	12	10.1	03.6-16.6	16	16.9	07.9-25.9
45-54	223	106,632	38	15.5	10.0-21.0	101	47.1	39.3-54.9	33	12.8	08.3-17.3	35	16.9	11.0-22.8	16	7.6	03.5-11.7
55-64	407	171,511	77	18.1	13.6-22.6	196	46.0	40.3-51.7	63	14.8	11.1-18.5	57	17.5	12.8-22.2	14	3.5	01.3-05.7
65+	965	310,480	253	27.0	23.5-30.5	502	51.0	47.1-54.9	99	9.9	07.7-12.1	103	11.4	08.9-13.9	8	0.7	00.1-01.3
Less Than H.S.	156	106,988	32	22.0	14.4-29.6	68	41.3	32.3-50.3	23	14.6	07.7-21.5	21	13.6	07.5-19.7	12	8.5	03.4-13.6
H.S. or G.E.D.	564	223,292	115	20.5	16.6-24.4	273	45.1	40.2-50.0	63	10.8	07.7-13.9	90	18.1	14.2-22.0	23	5.5	03.0-08.0
Some Post-H.S.	467	210,436	97	18.2	14.3-22.1	238	50.6	45.1-56.1	67	15.1	11.2-19.0	57	13.6	09.7-17.5	8	2.5	00.1-04.9
College Graduate	524	134,516	138	23.7	19.6-27.8	261	50.5	45.4-55.6	62	12.3	09.0-15.6	49	10.6	07.3-13.9	14	2.8	01.2-04.4
Less than \$15,000	99	46,754	24	18.7	10.1-27.3	37	36.0	23.3-48.7	14	18.0	07.0-29.0	22	25.8	14.0-37.6	2	1.5	00.0-03.7
\$15,000- 24,999	209	82,082	34	15.3	08.8-21.8	107	48.3	39.5-57.1	29	13.2	08.1-18.3	33	16.7	10.6-22.8	6	6.6	00.3-12.9
\$25,000- 34,999	219	85,086	42	18.2	12.1-24.3	110	46.5	37.9-55.1	33	16.4	09.3-23.5	27	13.4	07.9-18.9	7	5.6	00.9-10.3
\$35,000- 49,999	223	86,822	62	23.8	17.7-29.9	114	51.6	43.6-59.6	23	10.7	05.6-15.8	17	8.4	03.9-12.9	7	5.5	01.4-09.6
\$50,000- 99,999	380	140,870	89	22.1	17.2-27.0	186	48.1	42.2-54.0	48	11.8	08.3-15.3	43	14.1	09.6-18.6	14	3.9	01.5-06.3
\$100,000- 199,999	179	73,915	37	16.6	10.9-22.3	93	53.4	44.8-62.0	19	10.9	05.6-16.2	21	13.1	07.0-19.2	9	6.0	01.7-10.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 2: DIABETES**

TABLE 11: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	794	315,908	185	21.2	17.9-24.5	376	47.3	43.0-51.6	91	10.4	08.0-12.8	108	15.5	12.4-18.6	34	5.5	03.3-07.7
White/Non-Hisp	645	246,729	156	21.7	18.2-25.2	307	48.0	43.5-52.5	77	11.5	08.8-14.2	89	15.4	11.9-18.9	16	3.4	01.4-05.4
Black or Afr. Am./Non-Hisp	69	28,797	19	26.6	13.7-39.5	32	52.1	35.8-68.4	9	7.0	01.3-12.7	6	9.8	00.0-21.0	3	4.6	00.0-11.5
45-54	102	52,584	15	11.9	05.6-18.2	50	53.6	42.2-65.0	11	9.7	03.6-15.8	17	17.3	08.5-26.1	9	7.5	02.2-12.8
55-64	194	85,829	38	17.5	11.8-23.2	95	47.2	39.2-55.2	31	14.7	09.2-20.2	22	15.8	09.3-22.3	8	4.7	01.2-08.2
65+	448	144,740	125	28.9	23.8-34.0	215	47.6	42.1-53.1	45	9.5	06.6-12.4	57	12.7	09.0-16.4	6	1.3	00.1-02.5
Less Than H.S.	57	38,326	12	22.8	10.5-35.1	20	37.5	23.0-52.0	7	8.3	02.0-14.6	9	16.8	05.8-27.8	9	14.5	04.7-24.3
H.S. or G.E.D.	263	107,987	50	19.1	13.6-24.6	118	40.8	34.1-47.5	28	10.0	06.1-13.9	53	22.2	16.1-28.3	14	7.8	03.3-12.3
Some Post-H.S.	200	96,418	45	19.9	13.8-26.0	110	57.0	48.8-65.2	20	10.2	05.5-14.9	22	11.7	06.0-17.4	3	1.3	00.0-03.3
College Graduate	269	72,030	78	25.7	20.0-31.4	124	49.0	41.9-56.1	36	12.5	08.2-16.8	24	10.3	05.4-15.2	7	2.5	00.5-04.5
\$15,000- 24,999	79	28,689	8	9.9	02.5-17.3	41	49.2	35.7-62.7	9	11.6	03.4-19.8	17	23.3	11.7-34.9	4	6.0	00.0-12.1
\$25,000- 34,999	90	37,503	16	17.2	09.0-25.4	40	44.6	31.7-57.5	14	10.5	04.6-16.4	16	19.3	09.5-29.1	4	8.4	00.0-17.4
\$35,000- 49,999	108	40,909	33	27.8	18.4-37.2	52	47.3	36.1-58.5	9	8.6	02.7-14.5	11	11.1	03.7-18.5	3	5.4	00.0-11.3
\$50,000- 99,999	206	77,767	54	24.2	17.5-30.9	94	46.5	38.5-54.5	24	9.8	05.5-14.1	24	14.1	08.0-20.2	10	5.4	01.5-09.3
\$100,000- 199,999	109	47,451	23	15.0	08.5-21.5	60	58.8	48.0-69.6	11	10.7	04.0-17.4	11	11.3	04.2-18.4	4	4.2	00.0-09.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 2: DIABETES**

TABLE 12: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	928	362,412	198	20.1	17.0-23.2	471	47.3	43.2-51.4	124	15.2	12.1-18.3	111	13.7	10.8-16.6	24	3.7	01.7-05.7
White/Non-Hisp	696	262,149	148	19.9	16.4-23.4	351	48.0	43.5-52.5	92	14.0	10.7-17.3	84	13.8	10.7-16.9	21	4.3	01.9-06.7
Black or Afr. Am./Non-Hisp	131	50,366	34	24.7	14.1-35.3	69	45.0	33.0-57.0	17	20.0	08.4-31.6	11	10.4	02.6-18.2			
Hispanic	59	30,999	8	12.2	02.6-21.8	29	50.0	34.1-65.9	10	15.2	04.2-26.2	9	15.2	04.0-26.4	3	7.5	00.0-16.5
35-44	56	35,797	6	9.6	01.6-17.6	26	47.0	31.5-62.5	11	23.5	09.0-38.0	6	9.2	01.0-17.4	7	10.8	01.6-20.0
45-54	121	54,048	23	19.1	10.5-27.7	51	40.8	30.4-51.2	22	15.8	08.9-22.7	18	16.4	08.8-24.0	7	7.8	01.7-13.9
55-64	213	85,682	39	18.7	11.8-25.6	101	44.8	37.0-52.6	32	14.9	09.6-20.2	35	19.2	12.3-26.1	6	2.3	00.3-04.3
65+	517	165,740	128	25.3	20.4-30.2	287	54.0	48.7-59.3	54	10.1	07.0-13.2	46	10.4	06.9-13.9	2	0.2	00.0-00.4
Less Than H.S.	99	68,662	20	21.6	11.8-31.4	48	43.4	31.8-55.0	16	18.1	08.3-27.9	12	11.8	04.4-19.2	3	5.2	00.0-11.1
H.S. or G.E.D.	301	115,305	65	21.7	16.2-27.2	155	49.1	42.2-56.0	35	11.5	06.8-16.2	37	14.2	09.3-19.1	9	3.4	01.0-05.8
Some Post-H.S.	267	114,018	52	16.8	11.5-22.1	128	45.2	37.9-52.5	47	19.2	13.1-25.3	35	15.3	10.0-20.6	5	3.5	00.0-07.4
College Graduate	255	62,485	60	21.5	15.8-27.2	137	52.3	45.0-59.6	26	12.1	07.2-17.0	25	11.0	06.1-15.9	7	3.1	00.7-05.5
Less than \$15,000	62	29,852	15	17.0	06.6-27.4	22	34.2	18.3-50.1	10	23.5	07.6-39.4	14	24.0	09.7-38.3	1	1.3	00.0-03.8
\$15,000- 24,999	130	53,392	26	18.3	09.5-27.1	66	47.8	36.6-59.0	20	14.0	07.3-20.7	16	13.1	06.8-19.4	2	6.9	00.0-16.1
\$25,000- 34,999	129	47,583	26	18.9	10.3-27.5	70	48.0	36.6-59.4	19	21.1	09.9-32.3	11	8.7	03.0-14.4	3	3.3	00.0-07.4
\$35,000- 49,999	115	45,913	29	20.3	12.7-27.9	62	55.5	44.1-66.9	14	12.6	04.6-20.6	6	6.0	00.9-11.1	4	5.6	00.0-11.5
\$50,000- 99,999	174	63,103	35	19.4	12.3-26.5	92	50.0	41.4-58.6	24	14.3	08.6-20.0	19	14.1	07.2-21.0	4	2.1	00.0-04.5
\$100,000- 199,999	70	26,464	14	19.4	08.6-30.2	33	43.8	30.5-57.1	8	11.0	03.0-19.0	10	16.4	05.0-27.8	5	9.4	01.0-17.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 2: DIABETES**

TABLE 13: WHEN WAS THE LAST TIME A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TOOK A PHOTO OF THE BACK OF YOUR EYE WITH A SPECIALIZED CAMERA? (DIABEYE1)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1567	617,412	301	17.2	15.0-19.4	739	46.0	42.9-49.1	184	12.1	10.1-14.1	185	12.8	10.6-15.0	158	11.9	09.7-14.1
Male	719	286,116	140	17.6	14.5-20.7	324	45.2	40.7-49.7	79	11.2	08.5-13.9	84	12.2	09.1-15.3	92	13.8	10.7-16.9
Female	848	331,296	161	16.8	13.9-19.7	415	46.7	42.4-51.0	105	12.8	09.9-15.7	101	13.4	10.5-16.3	66	10.3	07.2-13.4
White/Non-Hisp	1211	460,247	237	17.9	15.4-20.4	572	46.6	43.3-49.9	153	13.4	11.0-15.8	141	12.7	10.3-15.1	108	9.4	07.2-11.6
Black or Afr. Am./Non-Hisp	187	75,660	44	17.6	10.9-24.3	92	47.7	37.7-57.7	19	9.7	04.4-15.0	17	12.3	04.5-20.1	15	12.7	04.9-20.5
Hispanic	99	46,485	9	9.8	02.2-17.4	44	41.6	29.8-53.4	7	5.4	00.7-10.1	11	7.0	02.1-11.9	28	36.2	24.2-48.2
35-44	88	53,636	14	10.3	04.4-16.2	35	43.1	30.2-56.0	11	16.0	05.4-26.6	6	6.3	01.0-11.6	22	24.3	13.5-35.1
45-54	200	95,872	26	10.9	06.4-15.4	98	49.2	41.0-57.4	27	12.0	07.3-16.7	26	14.1	08.2-20.0	23	13.7	07.8-19.6
55-64	380	159,416	70	16.9	12.6-21.2	182	47.4	41.5-53.3	52	12.8	09.1-16.5	43	13.3	09.0-17.6	33	9.6	05.9-13.3
65+	867	278,286	188	21.7	18.2-25.2	414	46.9	42.8-51.0	91	10.9	08.4-13.4	101	11.7	09.2-14.2	73	8.7	06.3-11.1
Less Than H.S.	141	98,665	17	12.1	05.6-18.6	62	43.3	33.9-52.7	18	12.7	06.0-19.4	18	11.3	05.0-17.6	26	20.6	13.0-28.2
H.S. or G.E.D.	511	203,066	96	18.9	15.0-22.8	222	41.3	36.2-46.4	64	12.4	08.9-15.9	70	15.4	11.5-19.3	59	12.0	08.7-15.3
Some Post-H.S.	419	189,522	79	15.8	12.1-19.5	202	47.3	41.4-53.2	56	14.0	10.1-17.9	54	13.5	09.4-17.6	28	9.4	05.3-13.5
College Graduate	487	123,638	109	20.8	16.7-24.9	248	53.8	48.7-58.9	46	8.4	05.7-11.1	41	8.5	05.6-11.4	43	8.5	05.6-11.4
Less than \$15,000	95	45,062	19	14.1	06.7-21.5	36	36.1	23.0-49.2	13	10.6	03.7-17.5	14	21.5	09.2-33.8	13	17.7	07.3-28.1
\$15,000- 24,999	191	74,863	29	12.9	07.0-18.8	89	44.3	35.1-53.5	28	14.7	08.8-20.6	25	13.1	07.2-19.0	20	15.0	07.2-22.8
\$25,000- 34,999	200	79,880	32	12.9	07.0-18.8	92	45.7	36.7-54.7	30	19.2	11.4-27.0	26	10.1	05.8-14.4	20	12.2	06.5-17.9
\$35,000- 49,999	201	76,113	41	17.1	11.6-22.6	104	50.1	41.9-58.3	20	10.2	05.1-15.3	16	9.9	04.4-15.4	20	12.7	06.6-18.8
\$50,000- 99,999	356	132,812	76	21.2	16.3-26.1	169	46.7	40.6-52.8	39	9.8	06.7-12.9	41	13.2	08.7-17.7	31	9.1	05.4-12.8
\$100,000- 199,999	170	70,969	32	15.3	09.6-21.0	90	56.9	48.1-65.7	18	11.5	05.8-17.2	17	9.4	03.9-14.9	13	6.9	02.4-11.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 2: DIABETES**

TABLE 14: WHEN WAS THE LAST TIME A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TOOK A PHOTO OF THE BACK OF YOUR EYE WITH A SPECIALIZED CAMERA? (DIABEYE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	719	286,116	140	17.6	14.5-20.7	324	45.2	40.7-49.7	79	11.2	08.5-13.9	84	12.2	09.1-15.3	92	13.8	10.7-16.9
White/Non-Hisp	581	222,318	115	18.4	14.9-21.9	265	45.7	40.8-50.6	69	12.6	09.3-15.9	66	11.7	08.4-15.0	66	11.6	08.5-14.7
Black or Afr. Am./Non-Hisp	62	27,181	17	21.2	10.2-32.2	28	52.5	35.6-69.4	6	8.3	00.0-17.3	5	8.1	00.0-19.5	6	10.0	00.8-19.2
45-54	87	44,572	11	9.5	03.4-15.6	44	52.8	40.5-65.1	10	11.2	04.3-18.1	12	14.8	05.6-24.0	10	11.6	04.0-19.2
55-64	182	81,500	34	17.3	11.2-23.4	87	46.7	38.5-54.9	25	12.8	07.5-18.1	15	10.0	04.7-15.3	21	13.1	07.0-19.2
65+	403	129,742	87	21.7	17.0-26.4	178	43.4	37.7-49.1	41	11.6	07.3-15.9	51	11.1	07.6-14.6	46	12.2	08.3-16.1
Less Than H.S.	54	36,766	6	12.1	02.3-21.9	19	35.8	20.9-50.7	8	13.9	04.1-23.7	7	8.5	01.4-15.6	14	29.6	15.9-43.3
H.S. or G.E.D.	236	97,422	40	17.3	11.8-22.8	94	38.0	30.9-45.1	29	12.0	07.3-16.7	35	15.5	09.8-21.2	38	17.2	11.5-22.9
Some Post-H.S.	177	85,711	40	18.6	12.7-24.5	89	51.2	42.4-60.0	16	11.0	05.5-16.5	20	12.7	06.2-19.2	12	6.6	02.7-10.5
College Graduate	248	65,238	54	20.2	14.7-25.7	120	53.2	45.9-60.5	26	8.9	05.2-12.6	22	9.0	04.9-13.1	26	8.7	05.0-12.4
\$15,000- 24,999	69	23,771	8	9.7	02.8-16.6	27	37.9	24.0-51.8	9	16.5	05.5-27.5	13	18.6	07.2-30.0	12	17.2	07.0-27.4
\$25,000- 34,999	84	35,919	12	12.1	03.3-20.9	33	41.3	27.8-54.8	15	17.8	09.0-26.6	14	12.0	05.3-18.7	10	16.7	06.3-27.1
\$35,000- 49,999	95	35,316	21	21.0	12.0-30.0	47	47.6	35.8-59.4	9	9.2	02.5-15.9	10	10.9	02.9-18.9	8	11.2	02.6-19.8
\$50,000- 99,999	189	71,965	46	26.1	18.7-33.5	85	45.0	36.6-53.4	15	5.7	02.4-09.0	20	11.1	05.4-16.8	23	12.1	06.6-17.6
\$100,000- 199,999	104	45,404	18	11.8	05.9-17.7	57	59.1	47.9-70.3	14	14.7	06.7-22.7	7	7.0	01.1-12.9	8	7.4	01.1-13.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 2: DIABETES**

TABLE 15: WHEN WAS THE LAST TIME A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TOOK A PHOTO OF THE BACK OF YOUR EYE WITH A SPECIALIZED CAMERA? (DIABEYE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	848	331,296	161	16.8	13.9-19.7	415	46.7	42.4-51.0	105	12.8	09.9-15.7	101	13.4	10.3-16.5	66	10.3	07.2-13.4
White/Non-Hisp	630	237,928	122	17.5	14.0-21.0	307	47.4	42.7-52.1	84	14.1	10.6-17.6	75	13.7	10.4-17.0	42	7.3	04.4-10.2
Black or Afr. Am./Non-Hisp	125	48,480	27	15.6	07.4-23.8	64	45.1	32.8-57.4	13	10.4	03.7-17.1	12	14.7	04.5-24.9	9	14.2	03.4-25.0
Hispanic	55	27,364	6	8.8	00.4-17.2	25	48.1	32.0-64.2	4	4.3	00.0-09.4	7	6.8	00.7-12.9	13	32.0	16.3-47.7
35-44	54	33,934	8	10.6	02.6-18.6	24	43.1	27.2-59.0	8	21.1	06.0-36.2	5	7.6	00.5-14.7	9	17.6	05.3-29.9
45-54	113	51,300	15	12.1	05.4-18.8	54	46.1	35.3-56.9	17	12.6	06.3-18.9	14	13.6	06.2-21.0	13	15.5	06.9-24.1
55-64	198	77,916	36	16.5	10.2-22.8	95	48.2	40.0-56.4	27	12.7	07.6-17.8	28	16.7	09.8-23.6	12	5.9	01.8-10.0
65+	464	148,544	101	21.8	16.9-26.7	236	50.0	44.3-55.7	50	10.3	07.2-13.4	50	12.3	08.4-16.2	27	5.7	03.2-08.2
Less Than H.S.	87	61,899	11	12.2	03.8-20.6	43	47.7	35.4-60.0	10	12.0	03.2-20.8	11	12.9	03.9-21.9	12	15.2	06.6-23.8
H.S. or G.E.D.	275	105,644	56	20.4	14.7-26.1	128	44.4	37.1-51.7	35	12.7	07.8-17.6	35	15.3	10.0-20.6	21	7.1	03.4-10.8
Some Post-H.S.	242	103,812	39	13.5	08.6-18.4	113	44.2	36.8-51.6	40	16.4	10.9-21.9	34	14.2	08.9-19.5	16	11.7	05.0-18.4
College Graduate	239	58,399	55	21.3	15.4-27.2	128	54.5	47.1-61.9	20	8.0	04.3-11.7	19	7.9	03.8-12.0	17	8.4	03.9-12.9
Less than \$15,000	61	29,384	13	11.8	04.2-19.4	23	38.7	22.0-55.4	8	9.4	01.4-17.4	10	21.7	06.0-37.4	7	18.3	04.2-32.4
\$15,000- 24,999	122	51,093	21	14.3	06.5-22.1	62	47.3	35.5-59.1	19	13.8	07.1-20.5	12	10.5	04.8-16.2	8	14.1	03.3-24.9
\$25,000- 34,999	116	43,961	20	13.6	06.0-21.2	59	49.2	37.2-61.2	15	20.3	08.3-32.3	12	8.5	03.0-14.0	10	8.5	02.6-14.4
\$35,000- 49,999	106	40,797	20	13.8	07.3-20.3	57	52.2	40.6-63.8	11	11.0	03.4-18.6	6	9.1	01.5-16.7	12	13.9	05.5-22.3
\$50,000- 99,999	167	60,848	30	15.3	09.2-21.4	84	48.7	39.9-57.5	24	14.6	08.9-20.3	21	15.8	08.7-22.9	8	5.6	00.7-10.5
\$100,000- 199,999	66	25,565	14	21.4	10.0-32.8	33	52.9	38.8-67.0	4	5.9	00.0-12.2	10	13.9	02.9-24.9	5	6.0	00.0-12.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 2: DIABETES**

TABLE 16: WHEN WAS THE LAST TIME YOU TOOK A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU1)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past year (LT 12 months ago)			Within last 2 yrs (1 yr but LT 2 yrs)			Within last 3 yrs (2 yrs LT 3 yrs)			Within last 5 yrs (3 to 4 yrs but LT 5 yrs)			Within last 10 yrs (5 to 9 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1674	660,644	173	11.1	09.1-13.1	97	6.1	04.7-07.5	79	4.8	03.6-06.0	111	6.4	05.0-07.8	120	7.6	05.8-09.4	1094	64.0	61.1-66.9
Male	769	304,663	72	9.9	07.2-12.6	40	5.2	03.2-07.2	30	3.2	01.8-04.6	43	5.5	03.5-07.5	56	7.6	05.1-10.1	528	68.5	64.4-72.6
Female	905	355,981	101	12.1	09.4-14.8	57	6.8	04.6-09.0	49	6.1	04.1-08.1	68	7.3	05.1-09.5	64	7.6	05.2-10.0	566	60.2	56.1-64.3
White/Non-Hisp	1303	494,787	111	9.2	07.2-11.2	65	5.5	03.9-07.1	63	4.8	03.4-06.2	92	7.3	05.5-09.1	101	7.6	05.8-09.4	871	65.6	62.5-68.7
Black or Afr. Am./Non-Hisp	195	76,743	35	19.5	11.5-27.5	20	9.4	04.3-14.5	11	6.0	00.9-11.1	12	5.0	01.1-08.9	13	12.2	03.6-20.8	104	47.9	37.9-57.9
Hispanic	101	50,209	19	18.2	09.2-27.2	5	2.4	00.0-04.9	2	2.7	00.0-06.6	4	2.6	00.0-05.3	4	3.7	00.0-08.2	67	70.4	59.8-81.0
35-44	91	55,621	17	18.8	09.2-28.4	6	4.8	00.5-09.1	4	5.8	00.1-11.5	7	9.6	01.8-17.4	11	12.7	02.9-22.5	46	48.4	35.9-60.9
45-54	216	104,810	31	14.5	08.8-20.2	17	5.6	02.5-08.7	13	5.8	02.5-09.1	13	7.0	02.9-11.1	15	8.3	03.8-12.8	127	58.8	51.0-66.6
55-64	407	171,253	42	10.7	07.0-14.4	25	7.5	04.2-10.8	14	2.5	00.9-04.1	31	7.8	04.7-10.9	31	7.7	04.8-10.6	264	63.8	58.3-69.3
65+	926	297,665	77	8.9	06.5-11.3	46	5.4	03.4-07.4	44	4.5	02.9-06.1	60	5.5	03.9-07.1	62	6.5	04.5-08.5	637	69.1	65.4-72.8
Less Than H.S.	156	105,585	26	16.2	09.5-22.9	12	7.9	02.4-13.4	1	0.5	00.0-01.5	10	6.6	01.9-11.3	6	4.0	00.7-07.3	101	64.9	56.1-73.7
H.S. or G.E.D.	550	217,911	48	9.6	06.7-12.5	25	4.2	02.4-06.0	27	6.0	03.3-08.7	35	5.4	03.4-07.4	29	5.1	02.9-07.3	386	69.7	65.2-74.2
Some Post-H.S.	448	202,379	47	10.0	06.7-13.3	33	7.3	04.4-10.2	23	5.0	02.6-07.4	26	6.3	03.8-08.8	43	11.6	07.3-15.9	276	59.8	54.1-65.5
College Graduate	511	132,130	52	11.5	08.0-15.0	27	5.7	03.2-08.2	28	5.8	03.4-08.2	40	8.4	05.3-11.5	41	8.3	05.4-11.2	323	60.1	55.0-65.2
Less than \$15,000	95	43,958	15	18.7	07.3-30.1	4	8.5	00.0-18.1	6	3.1	00.6-05.6	6	3.9	00.0-07.8	4	5.3	00.0-10.6	60	60.6	47.1-74.1
\$15,000- 24,999	210	83,540	29	15.7	09.0-22.4	11	4.8	01.7-07.9	9	4.8	00.1-09.5	17	7.7	03.4-12.0	13	5.1	01.6-08.6	131	61.7	53.1-70.3
\$25,000- 34,999	207	81,638	23	11.8	06.9-16.7	12	4.5	01.6-07.4	9	4.3	00.4-08.2	10	5.9	00.8-11.0	14	9.7	02.8-16.6	139	63.7	54.9-72.5
\$35,000- 49,999	215	84,255	21	8.3	04.4-12.2	13	5.6	01.5-09.7	6	4.0	00.7-07.3	14	6.0	02.7-09.3	22	10.0	05.3-14.7	139	66.1	58.7-73.5
\$50,000- 99,999	375	137,912	28	7.6	04.3-10.9	25	7.6	04.5-10.7	19	4.4	02.0-06.8	32	8.8	05.5-12.1	24	7.1	03.8-10.4	247	64.5	58.8-70.2
\$100,000- 199,999	178	73,725	20	10.8	05.7-15.9	9	5.5	01.6-09.4	10	6.4	02.1-10.7	14	10.1	04.4-15.8	13	7.1	02.6-11.6	112	60.1	51.5-68.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 2: DIABETES**

TABLE 17: WHEN WAS THE LAST TIME YOU TOOK A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past year (LT 12 months ago)			Within last 2 yrs (1 yr but LT 2 yrs)			Within last 3 yrs (2 yrs LT 3 yrs)			Within last 5 yrs (3 to 4 yrs but LT 5 yrs)			Within last 10 yrs (5 to 9 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	769	304,663	72	9.9	07.2-12.6	40	5.2	03.2-07.2	30	3.2	01.8-04.6	43	5.5	03.5-07.5	56	7.6	05.1-10.1	528	68.5	64.4-72.6
White/Non-Hisp	623	236,791	49	8.0	05.5-10.5	24	3.6	02.0-05.2	26	3.7	01.9-05.5	35	5.7	03.5-07.9	50	7.5	05.1-09.9	439	71.4	67.3-75.5
Black or Afr. Am./Non-Hisp	70	28,881	11	17.0	05.0-29.0	9	11.7	02.3-21.1	3	1.7	00.0-03.7	4	6.0	00.0-12.3	4	15.5	00.0-32.6	39	48.1	32.0-64.2
45-54	98	50,651	14	12.3	04.7-19.9	5	3.4	00.1-06.7	5	3.9	00.4-07.4	7	9.0	02.1-15.9	8	9.1	02.4-15.8	59	62.4	51.2-73.6
55-64	192	85,048	16	8.2	03.7-12.7	12	7.4	02.1-12.7	6	1.5	00.1-02.9	12	6.1	02.6-09.6	14	7.7	03.0-12.4	132	69.0	61.2-76.8
65+	431	138,414	34	8.6	05.1-12.1	19	4.3	01.9-06.7	18	3.7	01.7-05.7	23	4.7	02.5-06.9	28	6.0	03.5-08.5	309	72.7	67.6-77.8
Less Than H.S.	56	36,910	11	16.3	05.7-26.9	3	7.4	00.0-18.0	1	1.3	00.0-03.8	2	3.0	00.0-07.3	2	3.9	00.0-09.2	37	68.1	53.8-82.4
H.S. or G.E.D.	255	104,354	19	8.4	04.1-12.7	13	4.8	01.9-07.7	10	3.7	00.8-06.6	16	5.8	02.7-08.9	12	5.3	02.0-08.6	185	72.0	65.5-78.5
Some Post-H.S.	190	91,686	19	9.2	04.5-13.9	13	6.1	02.4-09.8	8	3.1	00.6-05.6	7	4.2	00.7-07.7	15	10.2	03.7-16.7	128	67.2	59.0-75.4
College Graduate	265	71,014	23	10.0	05.3-14.7	11	3.4	01.0-05.8	11	3.7	01.2-06.2	18	7.9	03.6-12.2	27	9.8	05.7-13.9	175	65.1	58.2-72.0
\$15,000- 24,999	78	28,312	10	13.7	02.7-24.7	4	4.6	00.0-09.3	4	3.4	00.0-07.3	5	5.9	00.4-11.4	3	1.6	00.0-04.0	52	70.8	58.3-83.3
\$25,000- 34,999	85	35,570	8	10.6	04.9-16.3	3	2.6	00.0-05.7	5	6.4	00.0-14.2	5	4.1	00.0-08.6	7	13.1	00.0-26.4	57	63.2	49.5-76.9
\$35,000- 49,999	105	40,018	8	6.4	01.5-11.3	6	4.0	00.5-07.5	2	1.5	00.0-03.9	6	5.9	00.8-11.0	8	7.4	02.1-12.7	75	74.8	65.8-83.8
\$50,000- 99,999	200	74,519	14	7.9	03.0-12.8	14	8.2	03.5-12.9	8	2.8	00.6-05.0	10	5.2	01.9-08.5	16	8.6	03.7-13.5	138	67.2	59.4-75.0
\$100,000- 199,999	107	46,876	10	9.3	03.0-15.6	5	4.3	00.2-08.4	6	4.3	00.8-07.8	11	12.5	04.7-20.3	8	8.1	01.8-14.4	67	61.5	50.5-72.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 2: DIABETES**

TABLE 18: WHEN WAS THE LAST TIME YOU TOOK A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past year (LT 12 months ago)			Within last 2 yrs (1 yr but LT 2 yrs)			Within last 3 yrs (2 yrs LT 3 yrs)			Within last 5 yrs (3 to 4 yrs but LT 5 yrs)			Within last 10 yrs (5 to 9 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	905	355,981	101	12.1	09.4-14.8	57	6.8	04.6-09.0	49	6.1	04.1-08.1	68	7.3	05.1-09.5	64	7.6	05.2-10.0	566	60.2	56.1-64.3
White/Non-Hisp	680	257,996	62	10.3	07.4-13.2	41	7.3	04.8-09.8	37	5.7	03.5-07.9	57	8.8	06.1-11.5	51	7.6	05.2-10.0	432	60.3	55.8-64.8
Black or Afr. Am./Non-Hisp	125	47,862	24	21.0	10.4-31.6	11	8.1	02.4-13.8	8	8.6	00.6-16.6	8	4.4	00.0-09.3	9	10.2	01.4-19.0	65	47.8	35.1-60.5
Hispanic	59	31,285	10	16.5	05.7-27.3	2	1.8	00.0-04.9	1	2.8	00.0-08.3	3	3.1	00.0-07.0	2	2.9	00.0-08.2	41	72.9	59.8-86.0
35-44	55	34,743	12	19.4	06.9-31.9	2	2.6	00.0-06.3	4	9.3	00.3-18.3	6	14.2	02.2-26.2	5	9.2	01.2-17.2	26	45.3	29.6-61.0
45-54	118	54,160	17	16.5	08.1-24.9	12	7.6	02.5-12.7	8	7.7	02.2-13.2	6	5.1	00.4-09.8	7	7.7	01.4-14.0	68	55.4	44.6-66.2
55-64	215	86,206	26	13.1	07.0-19.2	13	7.6	03.3-11.9	8	3.5	00.8-06.2	19	9.5	04.6-14.4	17	7.6	03.7-11.5	132	58.6	50.6-66.6
65+	495	159,250	43	9.2	06.1-12.3	27	6.4	03.3-09.5	26	5.2	03.0-07.4	37	6.3	04.1-08.5	34	7.0	04.1-09.9	328	66.0	60.9-71.1
Less Than H.S.	100	68,674	15	16.1	07.5-24.7	9	8.2	02.1-14.3				8	8.4	01.7-15.1	4	4.1	00.0-08.4	64	63.2	51.8-74.6
H.S. or G.E.D.	295	113,557	29	10.6	06.3-14.9	12	3.7	01.3-06.1	17	8.2	03.9-12.5	19	4.9	02.2-07.6	17	5.0	02.3-07.7	201	67.6	61.1-74.1
Some Post-H.S.	258	110,693	28	10.7	06.0-15.4	20	8.3	04.2-12.4	15	6.6	02.9-10.3	19	8.0	04.1-11.9	28	12.7	07.2-18.2	148	53.7	46.1-61.3
College Graduate	246	61,116	29	13.3	08.2-18.4	16	8.4	03.7-13.1	17	8.3	04.0-12.6	22	9.0	04.7-13.3	14	6.6	02.7-10.5	148	54.3	46.9-61.7
Less than \$15,000	61	28,578	9	20.3	04.4-36.2	3	5.9	00.0-13.2	4	3.2	00.0-06.5	5	5.5	00.0-11.6	1	2.5	00.0-07.4	39	62.5	45.6-79.4
\$15,000- 24,999	132	55,228	19	16.8	08.4-25.2	7	4.9	00.8-09.0	5	5.6	00.0-12.3	12	8.7	02.6-14.8	10	7.0	01.9-12.1	79	57.1	46.1-68.1
\$25,000- 34,999	122	46,069	15	12.8	05.5-20.1	9	6.0	01.3-10.7	4	2.7	00.0-05.4	5	7.3	00.0-15.5	7	7.1	00.8-13.4	82	64.1	52.9-75.3
\$35,000- 49,999	110	44,237	13	10.1	04.0-16.2	7	7.1	00.0-14.2	4	6.3	00.6-12.0	8	6.0	01.5-10.5	14	12.3	04.7-19.9	64	58.3	46.9-69.7
\$50,000- 99,999	175	63,394	14	7.1	02.8-11.4	11	6.9	02.8-11.0	11	6.3	02.2-10.4	22	13.0	07.1-18.9	8	5.3	01.2-09.4	109	61.4	53.0-69.8
\$100,000- 199,999	71	26,850	10	13.3	04.7-21.9	4	7.6	00.0-15.4	4	10.0	00.4-19.6	3	5.9	00.0-13.2	5	5.5	00.2-10.8	45	57.6	43.7-71.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 2: DIABETES**

TABLE 19: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1747	686,405	143	8.8	07.0-10.6	1604	91.2	89.4-93.0
Male	800	317,191	73	9.2	06.7-11.7	727	90.8	88.3-93.3
Female	947	369,214	70	8.5	06.0-11.0	877	91.5	89.0-94.0
White/Non-Hisp	1363	516,155	113	9.2	07.0-11.4	1250	90.8	88.6-93.0
Black or Afr. Am./Non-Hisp	202	78,820	12	4.4	01.5-07.3	190	95.6	92.7-98.5
Hispanic	106	52,646	7	6.9	00.4-13.4	99	93.1	86.6-99.6
35-44	94	57,403	10	14.2	05.0-23.4	84	85.8	76.6-95.0
45-54	225	108,157	24	11.0	06.1-15.9	201	89.0	84.1-93.9
55-64	413	173,408	47	11.5	07.6-15.4	366	88.5	84.6-92.4
65+	979	314,036	59	5.2	03.6-06.8	920	94.8	93.2-96.4
Less Than H.S.	162	109,751	19	12.1	06.0-18.2	143	87.9	81.8-94.0
H.S. or G.E.D.	575	227,158	52	8.4	05.7-11.1	523	91.6	88.9-94.3
Some Post-H.S.	470	210,515	39	10.3	06.4-14.2	431	89.7	85.8-93.6
College Graduate	529	135,893	32	4.6	02.8-06.4	497	95.4	93.6-97.2
Less than \$15,000	101	47,285	16	17.1	05.7-28.5	85	82.9	71.5-94.3
\$15,000- 24,999	213	83,814	28	11.8	05.7-17.9	185	88.2	82.1-94.3
\$25,000- 34,999	221	85,786	17	8.2	03.7-12.7	204	91.8	87.3-96.3
\$35,000- 49,999	226	87,865	19	9.5	04.2-14.8	207	90.5	85.2-95.8
\$50,000- 99,999	385	142,485	23	6.6	03.5-09.7	362	93.4	90.3-96.5
\$100,000- 199,999	180	74,301	10	7.8	02.3-13.3	170	92.2	86.7-97.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 2: DIABETES**

TABLE 20: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	800	317,191	73	9.2	06.7-11.7	727	90.8	88.3-93.3
White/Non-Hisp	651	248,421	63	9.5	06.8-12.2	588	90.5	87.8-93.2
Black or Afr. Am./Non-Hisp	70	28,881	2	3.6	00.0-08.5	68	96.4	91.5-0100
45-54	103	52,944	16	14.6	06.6-22.6	87	85.4	77.4-93.4
55-64	194	85,461	19	10.6	04.5-16.7	175	89.4	83.3-95.5
65+	452	145,557	32	5.7	03.5-07.9	420	94.3	92.1-96.5
Less Than H.S.	59	38,945	9	18.6	06.1-31.1	50	81.4	68.9-93.9
H.S. or G.E.D.	266	109,203	28	8.4	04.9-11.9	238	91.6	88.1-95.1
Some Post-H.S.	200	95,843	17	9.4	04.5-14.3	183	90.6	85.7-95.5
College Graduate	270	72,052	19	5.2	02.5-07.9	251	94.8	92.1-97.5
\$15,000- 24,999	79	28,281	13	11.8	04.4-19.2	66	88.2	80.8-95.6
\$25,000- 34,999	90	37,503	7	7.5	01.0-14.0	83	92.5	86.0-99.0
\$35,000- 49,999	109	41,269	7	6.6	00.7-12.5	102	93.4	87.5-99.3
\$50,000- 99,999	207	78,116	15	7.5	03.2-11.8	192	92.5	88.2-96.8
\$100,000- 199,999	109	47,451	10	12.2	03.8-20.6	99	87.8	79.4-96.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 2: DIABETES**

TABLE 21: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	947	369,214	70	8.5	06.0-11.0	877	91.5	89.0-94.0
White/Non-Hisp	712	267,735	50	9.0	05.9-12.1	662	91.0	87.9-94.1
Black or Afr. Am./Non-Hisp	132	49,939	10	5.0	01.3-08.7	122	95.0	91.3-98.7
Hispanic	61	32,643	3	6.6	00.0-15.0	58	93.4	85.0-100.0
35-44	57	35,952	4	11.2	00.0-22.8	53	88.8	77.2-100.0
45-54	122	55,213	8	7.5	01.8-13.2	114	92.5	86.8-98.2
55-64	219	87,947	28	12.3	07.0-17.6	191	87.7	82.4-93.0
65+	527	168,479	27	4.9	02.5-07.3	500	95.1	92.7-97.5
Less Than H.S.	103	70,806	10	8.6	02.5-14.7	93	91.4	85.3-97.5
H.S. or G.E.D.	309	117,955	24	8.5	04.6-12.4	285	91.5	87.6-95.4
Some Post-H.S.	270	114,672	22	11.1	05.2-17.0	248	88.9	83.0-94.8
College Graduate	259	63,841	13	3.9	01.4-06.4	246	96.1	93.6-98.6
Less than \$15,000	64	30,383	6	12.5	00.0-25.2	58	87.5	74.8-100.0
\$15,000- 24,999	134	55,533	15	11.8	03.6-20.0	119	88.2	80.0-96.4
\$25,000- 34,999	131	48,283	10	8.8	02.3-15.3	121	91.2	84.7-97.7
\$35,000- 49,999	117	46,596	12	12.1	03.9-20.3	105	87.9	79.7-96.1
\$50,000- 99,999	178	64,369	8	5.6	00.9-10.3	170	94.4	89.7-99.1
\$100,000- 199,999	71	26,850				71	100.0	0100-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023

MODULE 06: PROSTATE CANCER SCREENING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU EVER HAD A P.S.A. TEST? (PSATEST1)	
1	MALES ONLY	26
	ABOUT HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT P.S.A. TEST? (PSATIME1)	
2	MALES ONLY	27
	WHAT WAS THE MAIN REASON YOU HAD THIS P.S.A. TEST - WAS IT ...? (PCPSARS2)	
3	MALES ONLY	28
	WHO FIRST SUGGESTED (A OR THIS) P.S.A. TEST: YOU, YOUR DOCTOR, OR SOMEONE ELSE? (PSASUGS1)	
4	MALES ONLY	29
	WHEN YOU MET WITH A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL, DID THEY EVER TALK ABOUT THE ADVANTAGES, THE DISADVANTAGES, OR BOTH ADVANTAGES AND DISADVANTAGES OF THE PROSTATE-SPECIFIC ANTIGEN OR P.S.A. TEST? (PCSTALK2)	
5	MALES ONLY	30

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 06: PROSTATE CANCER SCREENING**

TABLE 1: HAVE YOU EVER HAD A P.S.A. TEST? (PSATEST1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes	
	TOTAL	WEIGHTED		%	C.I. (95%)
Male	1775	659,522	1775	100.0	0100-0100
White/Non-Hisp	1541	565,620	1541	100.0	0100-0100
Black or Afr. Am./Non-Hisp	119	41,434	119	100.0	0100-0100
45-54	207	97,363	207	100.0	0100-0100
55-64	426	195,702	426	100.0	0100-0100
65+	1113	351,038	1113	100.0	0100-0100
Less Than H.S.	64	49,265	64	100.0	0100-0100
H.S. or G.E.D.	449	199,639	449	100.0	0100-0100
Some Post-H.S.	415	185,198	415	100.0	0100-0100
College Graduate	846	225,114	846	100.0	0100-0100
\$15,000- 24,999	113	42,021	113	100.0	0100-0100
\$25,000- 34,999	149	61,820	149	100.0	0100-0100
\$35,000- 49,999	218	78,616	218	100.0	0100-0100
\$50,000- 99,999	513	175,387	513	100.0	0100-0100
\$100,000- 199,999	371	151,685	371	100.0	0100-0100
\$200,000+	100	36,534	100	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 06: PROSTATE CANCER SCREENING**

TABLE 2: ABOUT HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT P.S.A. TEST? (PSATIME1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1704	633,239	1122	65.7	63.0-68.4	254	15.2	13.2-17.2	126	7.3	05.9-08.7	85	5.8	04.2-07.4	117	6.1	04.7-07.5
White/Non-Hisp	1478	541,987	976	65.9	63.0-68.8	218	14.8	12.6-17.0	111	7.5	05.9-09.1	78	6.2	04.6-07.8	95	5.7	04.3-07.1
Black or Afr. Am./Non-Hisp	113	39,161	74	61.2	49.6-72.8	17	20.7	10.1-31.3	7	7.1	01.4-12.8	2	1.3	00.0-03.3	13	9.8	03.1-16.5
45-54	204	95,351	122	59.4	51.6-67.2	39	18.6	12.5-24.7	18	9.2	04.9-13.5	8	4.6	01.1-08.1	17	8.3	04.0-12.6
55-64	417	190,835	273	66.6	61.3-71.9	72	16.4	12.3-20.5	33	7.2	04.7-09.7	22	6.5	03.4-09.6	17	3.2	01.4-05.0
65+	1054	331,634	712	67.6	64.1-71.1	138	13.6	11.1-16.1	71	6.5	04.7-08.3	52	5.1	03.5-06.7	81	7.3	05.5-09.1
Less Than H.S.	59	46,131	34	65.3	50.8-79.8	11	10.9	03.5-18.3	5	6.5	00.2-12.8	4	9.4	00.0-19.2	5	7.9	00.0-15.9
H.S. or G.E.D.	422	188,759	283	68.3	63.2-73.4	53	12.3	08.8-15.8	29	6.2	03.7-08.7	27	6.7	03.8-09.6	30	6.5	04.0-09.0
Some Post-H.S.	402	180,024	250	61.1	55.8-66.4	66	18.6	14.1-23.1	34	8.0	05.3-10.7	22	5.9	03.2-08.6	30	6.3	03.8-08.8
College Graduate	820	218,019	555	67.5	63.8-71.2	124	15.8	12.9-18.7	58	7.7	05.5-09.9	32	4.1	02.5-05.7	51	5.0	03.4-06.6
\$15,000- 24,999	109	40,680	70	64.3	53.5-75.1	13	10.3	04.0-16.6	9	9.4	02.3-16.5	8	8.2	02.1-14.3	9	7.9	01.8-14.0
\$25,000- 34,999	142	58,352	81	56.2	45.4-67.0	18	13.3	07.6-19.0	14	7.0	03.1-10.9	8	8.0	00.6-15.4	21	15.6	08.2-23.0
\$35,000- 49,999	204	72,971	133	67.0	59.4-74.6	23	11.3	06.0-16.6	18	7.5	03.8-11.2	15	8.2	03.9-12.5	15	6.0	02.5-09.5
\$50,000- 99,999	493	168,939	329	67.0	62.1-71.9	74	14.9	11.4-18.4	37	7.8	05.1-10.5	22	4.6	02.4-06.8	31	5.7	03.3-08.1
\$100,000- 199,999	367	150,659	240	65.5	59.8-71.2	63	18.2	13.5-22.9	25	6.4	03.5-09.3	20	6.6	03.3-09.9	19	3.4	01.6-05.2
\$200,000+	99	35,428	71	71.0	60.8-81.2	18	18.5	09.9-27.1	6	7.2	01.3-13.1	2	1.8	00.0-04.3	2	1.6	00.0-03.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 06: PROSTATE CANCER SCREENING**

TABLE 3: WHAT WAS THE MAIN REASON YOU HAD THIS P.S.A. TEST – WAS IT ...? (PCPSARS2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 = Part of a routine exam			Because of a problem			Some other reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1755	651,442	1428	81.2	78.8-83.6	191	11.0	09.2-12.8	136	7.9	06.3-09.5
White/Non-Hisp	1530	562,069	1256	81.7	79.3-84.1	165	11.2	09.2-13.2	109	7.2	05.6-08.8
Black or Afr. Am./Non-Hisp	114	38,862	90	76.2	66.2-86.2	11	9.9	03.0-16.8	13	13.9	05.5-22.3
45-54	205	96,752	160	78.3	71.6-85.0	17	7.2	03.5-10.9	28	14.5	08.6-20.4
55-64	421	192,218	344	82.2	77.9-86.5	40	9.5	06.0-13.0	37	8.4	05.3-11.5
65+	1100	347,053	904	81.8	79.1-84.5	129	12.5	10.0-15.0	67	5.7	04.1-07.3
Less Than H.S.	60	46,792	44	78.0	65.5-90.5	12	16.6	05.0-28.2	4	5.4	00.0-11.5
H.S. or G.E.D.	442	196,129	361	79.5	74.8-84.2	45	11.0	07.3-14.7	36	9.6	06.3-12.9
Some Post-H.S.	413	184,331	326	79.4	74.9-83.9	52	12.3	08.8-15.8	35	8.4	05.3-11.5
College Graduate	839	223,885	696	84.7	82.2-87.2	82	8.7	06.7-10.7	61	6.6	04.8-08.4
\$15,000- 24,999	110	40,967	78	67.5	56.5-78.5	16	13.8	06.5-21.1	16	18.6	08.4-28.8
\$25,000- 34,999	145	59,611	112	73.9	63.3-84.5	21	19.2	09.0-29.4	12	6.9	02.6-11.2
\$35,000- 49,999	215	77,256	169	78.0	71.1-84.9	36	17.7	11.2-24.2	10	4.3	01.6-07.0
\$50,000- 99,999	511	174,861	431	83.6	79.7-87.5	47	8.3	05.6-11.0	33	8.1	05.0-11.2
\$100,000- 199,999	371	151,685	313	85.6	81.5-89.7	29	7.4	04.3-10.5	29	6.9	03.8-10.0
\$200,000+	100	36,534	85	86.6	79.5-93.7	8	7.4	01.9-12.9	7	5.9	01.0-10.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 06: PROSTATE CANCER SCREENING**

TABLE 4: WHO FIRST SUGGESTED (A OR THIS) P.S.A. TEST: YOU, YOUR DOCTOR, OR SOMEONE ELSE? (PSASUGS1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Self			Doctor, nurse, health care professional			Someone else		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1736	643,062	176	10.0	08.2-11.8	1480	85.0	83.0-87.0	80	5.1	03.9-06.3
White/Non-Hisp	1506	551,297	142	9.6	07.8-11.4	1301	85.6	83.4-87.8	63	4.8	03.4-06.2
Black or Afr. Am./Non-Hisp	116	40,196	19	14.5	07.1-21.9	90	78.8	70.0-87.6	7	6.7	01.0-12.4
45-54	200	93,518	25	11.1	06.6-15.6	152	76.7	70.0-83.4	23	12.2	06.7-17.7
55-64	422	192,893	53	12.6	08.9-16.3	349	82.9	78.8-87.0	20	4.5	02.3-06.7
65+	1086	341,644	93	7.9	05.9-09.9	960	89.2	87.0-91.4	33	2.9	01.7-04.1
Less Than H.S.	63	48,655	9	11.5	03.9-19.1	51	84.4	75.4-93.4	3	4.1	00.0-09.2
H.S. or G.E.D.	436	192,916	34	8.2	05.3-11.1	383	86.5	82.6-90.4	19	5.4	02.7-08.1
Some Post-H.S.	406	180,283	39	9.2	06.3-12.1	344	84.6	80.7-88.5	23	6.2	03.5-08.9
College Graduate	830	220,902	94	11.9	09.2-14.6	701	84.1	81.2-87.0	35	4.1	02.7-05.5
\$15,000- 24,999	109	40,774	11	8.7	02.8-14.6	92	85.0	77.4-92.6	6	6.2	00.7-11.7
\$25,000- 34,999	144	59,156	17	10.9	05.2-16.6	122	86.5	80.4-92.6	5	2.7	00.2-05.2
\$35,000- 49,999	211	76,094	18	5.7	02.6-08.8	188	90.8	86.3-95.3	5	3.4	00.1-06.7
\$50,000- 99,999	509	173,941	55	11.7	08.4-15.0	433	83.5	79.6-87.4	21	4.8	02.4-07.2
\$100,000- 199,999	366	149,160	36	9.1	05.8-12.4	307	83.6	79.1-88.1	23	7.3	04.0-10.6
\$200,000+	98	35,538	16	21.2	10.0-32.4	76	74.0	62.6-85.4	6	4.8	00.9-08.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 06: PROSTATE CANCER SCREENING**

TABLE 5: WHEN YOU MET WITH A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL, DID THEY EVER TALK ABOUT THE ADVANTAGES, THE DISADVANTAGES, OR BOTH ADVANTAGES AND DISADVANTAGES OF THE PROSTATE-SPECIFIC ANTIGEN OR P.S.A. TEST? (PCSTALK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Advantages			Disadvantages			Both Advantages and Disadvantages			Neither		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1552	578,294	352	22.7	20.2-25.2	5	0.5	00.0-01.3	638	39.9	37.0-42.8	557	36.9	34.0-39.8
White/Non-Hisp	1350	496,845	304	22.0	19.5-24.5	3	0.2	00.0-00.4	545	40.3	37.2-43.4	498	37.5	34.6-40.4
Black or Afr. Am./Non-Hisp	101	35,719	24	30.0	18.2-41.8	1	0.4	00.0-01.2	55	48.1	36.1-60.1	21	21.5	11.9-31.1
45-54	176	83,834	31	16.0	09.9-22.1	1	0.2	00.0-00.6	73	42.6	34.2-51.0	71	41.2	32.8-49.6
55-64	380	173,788	99	27.3	22.2-32.4	1	1.2	00.0-03.6	165	40.7	35.0-46.4	115	30.8	25.3-36.3
65+	969	306,569	216	22.0	18.7-25.3	3	0.3	00.0-00.7	387	38.4	34.7-42.1	363	39.4	35.9-42.9
Less Than H.S.	58	45,194	7	13.3	01.5-25.1	1	4.5	00.0-12.9	21	35.0	20.1-49.9	29	47.2	33.1-61.3
H.S. or G.E.D.	390	172,515	90	24.2	19.3-29.1	4	0.6	00.0-01.2	138	34.8	29.3-40.3	158	40.4	34.9-45.9
Some Post-H.S.	366	164,364	94	25.3	20.2-30.4				147	40.3	34.6-46.0	125	34.4	28.9-39.9
College Graduate	738	196,221	161	21.3	18.0-24.6				332	45.1	41.0-49.2	245	33.6	29.7-37.5
\$15,000- 24,999	103	38,847	14	14.1	06.3-21.9	1	0.4	00.0-01.2	42	35.7	24.9-46.5	46	49.8	38.2-61.4
\$25,000- 34,999	126	52,522	21	17.7	07.5-27.9	1	0.7	00.0-02.1	49	40.2	28.6-51.8	55	41.4	31.4-51.4
\$35,000- 49,999	192	70,311	50	26.9	19.5-34.3	2	0.8	00.0-02.0	59	29.0	21.7-36.3	81	43.3	34.5-52.1
\$50,000- 99,999	448	155,784	115	25.8	21.1-30.5				192	41.1	35.8-46.4	141	33.1	28.0-38.2
\$100,000- 199,999	332	132,894	75	24.0	18.5-29.5				147	42.6	36.3-48.9	110	33.4	27.5-39.3
\$200,000+	91	32,611	21	22.2	12.6-31.8				44	47.4	35.4-59.4	26	30.3	18.5-42.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023

MODULE 08: CANCER SURVIVORSHIP: TYPE OF CANCER CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIFF)	
1	MALES AND FEMALES	32
2	MALES ONLY	33
3	FEMALES ONLY	34
	AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)	
4	MALES AND FEMALES	35
5	MALES ONLY	36
6	FEMALES ONLY	37
	WHAT KIND OF CANCER IS IT? (CNCRTYP2)	
7	MALES AND FEMALES	38
8	MALES ONLY	39
9	FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 08: CANCER SURVIVORSHIP: TYPE OF CANCER
TABLE 1: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1578	551,922	1236	78.2	75.7-80.7	280	17.5	15.1-19.9	62	4.3	02.9-05.7
Male	653	230,643	495	76.4	72.5-80.3	129	18.8	15.3-22.3	29	4.8	02.4-07.2
Female	925	321,279	741	79.6	76.3-82.9	151	16.6	13.5-19.7	33	3.9	02.5-05.3
White/Non-Hisp	1439	495,955	1125	78.1	75.6-80.6	258	18.1	15.7-20.5	56	3.9	02.7-05.1
Black or Afr. Am./Non-Hisp	52	21,811	45	88.2	78.2-98.2	5	8.0	00.0-16.6	2	3.8	00.0-09.1
45-54	141	63,438	123	86.1	79.6-92.6	12	9.5	03.8-15.2	6	4.4	00.9-07.9
55-64	268	111,022	223	80.5	74.2-86.8	39	14.6	09.3-19.9	6	4.9	00.4-09.4
65+	1102	327,448	830	74.0	70.9-77.1	222	21.3	18.4-24.2	50	4.7	03.3-06.1
Less Than H.S.	59	38,522	46	67.9	52.2-83.6	10	24.7	10.4-39.0	3	7.4	00.0-17.6
H.S. or G.E.D.	473	183,583	365	77.9	73.6-82.2	92	19.2	15.1-23.3	16	3.0	01.4-04.6
Some Post-H.S.	411	180,799	329	80.5	76.2-84.8	63	14.5	10.6-18.4	19	5.0	02.6-07.4
College Graduate	630	147,332	491	78.3	74.6-82.0	115	17.5	14.2-20.8	24	4.2	02.2-06.2
Less than \$15,000	51	20,680	38	60.6	41.2-80.0	8	22.9	06.0-39.8	5	16.4	00.0-34.2
\$15,000- 24,999	132	42,004	104	73.8	64.0-83.6	22	21.4	11.8-31.0	6	4.8	00.7-08.9
\$25,000- 34,999	172	59,559	134	76.4	68.4-84.4	33	20.6	12.8-28.4	5	3.0	00.3-05.7
\$35,000- 49,999	183	63,295	136	74.7	67.1-82.3	41	21.6	14.5-28.7	6	3.7	00.4-07.0
\$50,000- 99,999	420	147,185	327	80.7	76.4-85.0	76	15.6	11.7-19.5	17	3.7	01.7-05.7
\$100,000- 199,999	218	79,088	174	81.8	76.1-87.5	36	14.3	09.4-19.2	8	3.9	00.6-07.2
\$200,000+	62	24,377	50	81.1	68.6-93.6	8	13.7	01.7-25.7	4	5.2	00.0-10.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 08: CANCER SURVIVORSHIP: TYPE OF CANCER**

TABLE 2: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIFF)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	653	230,643	495	76.4	72.5-80.3	129	18.8	15.3-22.3	29	4.8	02.4-07.2
Female	656	237,311	512	77.2	73.3-81.1	116	18.4	14.5-22.3	28	4.4	02.6-06.2
White/Non-Hisp	1184	416,284	907	76.4	73.5-79.3	226	19.5	16.8-22.2	51	4.1	02.7-05.5
45-54	106	47,867	89	82.6	74.4-90.8	12	12.6	05.2-20.0	5	4.8	00.7-08.9
55-64	220	92,968	182	80.3	73.2-87.4	33	14.1	08.8-19.4	5	5.6	00.3-10.9
65+	924	281,735	684	72.6	69.1-76.1	193	22.4	19.1-25.7	47	5.0	03.4-06.6
Less Than H.S.	51	35,875	39	66.9	50.2-83.6	10	26.6	11.3-41.9	2	6.6	00.0-17.4
H.S. or G.E.D.	390	153,572	294	76.0	71.1-80.9	83	21.3	16.6-26.0	13	2.7	01.1-04.3
Some Post-H.S.	345	154,058	273	79.7	75.0-84.4	53	14.5	10.4-18.6	19	5.9	03.2-08.6
College Graduate	518	122,763	396	76.7	72.6-80.8	99	18.4	14.7-22.1	23	4.9	02.7-07.1
\$15,000- 24,999	106	35,014	86	75.3	64.3-86.3	17	22.6	11.6-33.6	3	2.1	00.0-04.6
\$25,000- 34,999	143	51,277	108	73.5	64.3-82.7	30	23.0	14.2-31.8	5	3.5	00.2-06.8
\$35,000- 49,999	158	56,971	113	72.3	63.9-80.7	39	23.6	15.8-31.4	6	4.2	00.5-07.9
\$50,000- 99,999	359	127,442	277	79.9	75.2-84.6	65	15.8	11.5-20.1	17	4.3	02.1-06.5
\$100,000- 199,999	182	65,800	145	81.3	74.8-87.8	29	14.0	08.5-19.5	8	4.7	00.6-08.8
\$200,000+	52	19,159	41	83.5	73.3-93.7	7	9.9	01.9-17.9	4	6.6	00.0-13.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 08: CANCER SURVIVORSHIP: TYPE OF CANCER**

TABLE 3: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	462	164,871	334	73.4	68.3-78.5	102	20.7	16.4-25.0	26	6.0	02.9-09.1
Female	925	321,279	741	79.6	76.3-82.9	151	16.6	13.5-19.7	33	3.9	02.5-05.3
White/Non-Hisp	1258	434,060	972	77.2	74.5-79.9	232	18.5	15.8-21.2	54	4.3	02.9-05.7
Black or Afr. Am./Non-Hisp	52	21,811	45	88.2	78.2-98.2	5	8.0	00.0-16.8	2	3.8	00.0-09.1
45-54	127	56,582	110	84.6	77.3-91.9	11	10.5	04.0-17.0	6	4.9	01.0-08.8
55-64	235	97,956	194	79.7	72.8-86.6	35	14.8	09.1-20.5	6	5.5	00.6-10.4
65+	962	283,928	715	73.2	69.9-76.5	200	21.9	18.8-25.0	47	5.0	03.4-06.6
Less Than H.S.	54	36,114	41	65.7	49.0-82.4	10	26.4	11.3-41.5	3	7.9	00.0-18.9
H.S. or G.E.D.	419	160,313	323	77.8	73.3-82.3	81	19.1	14.8-23.4	15	3.1	01.3-04.9
Some Post-H.S.	374	164,608	298	80.0	75.3-84.7	58	14.8	10.7-18.9	18	5.1	02.6-07.6
College Graduate	536	123,626	409	76.8	72.7-80.9	104	18.4	14.7-22.1	23	4.9	02.7-07.1
\$15,000- 24,999	120	38,506	93	73.0	62.6-83.4	21	21.8	11.8-31.8	6	5.2	00.7-09.7
\$25,000- 34,999	158	54,569	122	75.5	66.9-84.1	32	22.2	13.8-30.6	4	2.4	00.0-04.9
\$35,000- 49,999	159	55,079	120	76.5	68.5-84.5	34	20.3	12.7-27.9	5	3.2	00.0-06.5
\$50,000- 99,999	365	127,855	278	79.4	74.7-84.1	70	16.3	12.0-20.6	17	4.3	02.1-06.5
\$100,000- 199,999	182	67,001	142	81.1	74.6-87.6	33	14.5	09.2-19.8	7	4.4	00.5-08.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 08: CANCER SURVIVORSHIP: TYPE OF CANCER
TABLE 4: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1485	521,189	20	3.3	01.3-05.3	121	10.4	08.2-12.6	366	26.8	24.1-29.5	534	35.8	32.9-38.7	432	23.1	20.7-25.5	12	0.6	00.2-01.0
Male	622	220,902	8	4.3	00.6-08.0	25	5.8	03.3-08.3	124	21.4	17.5-25.3	247	40.3	35.6-45.0	211	27.6	23.7-31.5	7	0.7	00.1-01.3
Female	863	300,287	12	2.6	00.8-04.4	96	13.8	10.7-16.9	242	30.8	27.1-34.5	287	32.5	28.6-36.4	221	19.8	16.9-22.7	5	0.5	00.0-01.1
White/Non-Hisp	1358	469,542	17	2.9	01.1-04.7	106	10.1	07.9-12.3	335	26.6	23.9-29.3	487	35.6	32.7-38.5	402	24.1	21.6-26.6	11	0.6	00.2-01.0
45-54	136	61,295	4	2.9	00.0-06.0	26	19.4	12.1-26.7	88	65.5	56.9-74.1	17	11.9	06.2-17.6	1	0.4	00.0-01.2			
55-64	259	108,061	1	0.5	00.0-01.5	28	9.3	05.4-13.2	91	35.2	28.1-42.3	139	55.0	47.7-62.3						
65+	1024	302,319	3	0.3	00.0-00.7	34	3.4	02.0-04.8	166	15.9	13.4-18.4	378	39.6	36.1-43.1	431	39.8	36.3-43.3	12	1.0	00.4-01.6
Less Than H.S.	56	35,587	3	10.8	00.0-25.9	5	9.3	00.0-19.1	11	21.3	07.6-35.0	19	35.2	19.7-50.7	17	22.3	10.3-34.3	1	1.1	00.0-03.3
H.S. or G.E.D.	429	168,569	6	3.7	00.4-07.0	36	11.0	07.1-14.9	94	23.4	18.7-28.1	151	33.6	28.5-38.7	138	27.5	22.8-32.2	4	0.8	00.0-01.8
Some Post-H.S.	385	172,003	5	2.8	00.0-05.9	32	10.4	06.5-14.3	105	28.7	23.4-34.0	148	38.6	32.9-44.3	93	19.2	15.1-23.3	2	0.2	00.0-00.6
College Graduate	610	143,344	6	1.6	00.2-03.0	48	10.2	07.3-13.1	155	30.1	25.8-34.4	215	35.2	30.9-39.5	181	22.3	19.0-25.6	5	0.6	00.0-01.2
\$15,000- 24,999	119	38,400				11	10.7	03.4-18.0	15	13.0	06.9-19.1	44	35.8	25.2-46.4	46	37.5	26.9-48.1	3	3.0	00.0-06.7
\$25,000- 34,999	157	54,418	3	6.9	00.0-15.9	13	10.7	04.2-17.2	37	23.6	15.6-31.6	47	27.7	19.5-35.9	56	30.6	22.0-39.2	1	0.6	00.0-01.8
\$35,000- 49,999	171	59,105	2	3.0	00.0-07.3	10	10.3	03.0-17.6	42	26.3	18.1-34.5	55	28.8	21.0-36.6	61	31.2	23.0-39.4	1	0.4	00.0-01.2
\$50,000- 99,999	411	144,068	4	1.4	00.0-03.0	33	9.7	06.0-13.4	101	25.4	20.3-30.5	160	42.4	36.7-48.1	110	20.8	16.7-24.9	3	0.4	00.0-00.8
\$100,000- 199,999	216	78,848	1	3.7	00.0-10.8	22	11.7	06.6-16.8	65	34.1	26.3-41.9	86	37.3	29.5-45.1	41	13.1	08.2-18.0	1	0.1	00.0-00.3
\$200,000+	61	23,721	2	2.5	00.0-06.4	7	13.9	03.7-24.1	21	40.5	25.4-55.6	26	38.8	24.9-52.7	5	4.4	00.0-08.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 08: CANCER SURVIVORSHIP: TYPE OF CANCER**

TABLE 5: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	622	220,902	8	4.3	00.6-08.0	25	5.8	03.3-08.3	124	21.4	17.5-25.3	247	40.3	35.6-45.0	211	27.6	23.7-31.5	7	0.7	00.1-01.3			
White/Non-Hisp	566	196,149	7	3.5	00.2-06.8	21	5.4	02.9-07.9	116	21.6	17.7-25.5	221	40.0	35.3-44.7	195	28.7	24.6-32.8	6	0.7	00.1-01.3			
55-64	105	43,552				9	9.4	02.5-16.3	31	29.4	18.4-40.4	65	61.2	49.8-72.6									
65+	461	142,344				6	2.0	00.0-04.0	62	12.6	09.5-15.7	175	41.4	36.3-46.5	211	42.8	37.7-47.9	7	1.1	00.1-02.1			
H.S. or G.E.D.	178	73,429	2	2.8	00.0-06.7	9	7.1	01.6-12.6	35	18.4	12.5-24.3	67	39.1	31.1-47.1	63	31.6	24.0-39.2	2	1.1	00.0-02.7			
Some Post-H.S.	140	66,060	2	4.9	00.0-12.3	6	5.5	00.6-10.4	31	21.4	13.6-29.2	60	44.9	35.3-54.5	40	23.0	15.7-30.3	1	0.2	00.0-00.6			
College Graduate	281	66,279	2	0.8	00.0-02.0	8	5.2	01.5-08.9	53	23.1	17.2-29.0	113	40.9	34.4-47.4	101	29.2	23.5-34.9	4	0.9	00.0-01.9			
\$25,000- 34,999	62	23,996	2	13.5	00.0-32.5	3	6.9	00.0-16.7	7	9.2	01.6-16.8	21	33.2	18.3-48.1	28	35.9	21.2-50.6	1	1.4	00.0-04.1			
\$35,000- 49,999	68	22,755	1	5.5	00.0-15.9	1	1.7	00.0-05.0	11	15.0	06.4-23.6	25	34.4	21.9-46.9	29	42.4	29.1-55.7	1	1.0	00.0-03.0			
\$50,000- 99,999	192	64,698	1	0.6	00.0-01.8	9	6.8	02.1-11.5	38	19.2	12.9-25.5	80	45.1	37.1-53.1	62	27.9	21.0-34.8	2	0.4	00.0-01.0			
\$100,000- 199,999	115	43,172	1	6.8	00.0-19.3	7	8.9	01.8-16.0	29	29.7	18.7-40.7	50	37.4	26.4-48.4	27	17.0	09.2-24.8	1	0.2	00.0-00.6			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 08: CANCER SURVIVORSHIP: TYPE OF CANCER**

TABLE 6: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? (CNCRAGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	863	300,287	12	2.6	00.8-04.4	96	13.8	10.9-16.7	242	30.8	27.1-34.5	287	32.5	28.8-36.2	221	19.8	16.9-22.7	5	0.5	00.0-01.1			
White/Non-Hisp	792	273,393	10	2.4	00.4-04.4	85	13.5	10.4-16.6	219	30.2	26.3-34.1	266	32.5	28.6-36.4	207	20.8	17.7-23.9	5	0.6	00.0-01.2			
45-54	99	44,066	2	2.2	00.0-05.3	23	24.5	15.1-33.9	63	63.8	53.4-74.2	10	8.9	03.2-14.6	1	0.6	00.0-01.8						
55-64	154	64,509	1	0.8	00.0-02.4	19	9.2	04.7-13.7	60	39.2	30.0-48.4	74	50.9	41.5-60.3									
65+	563	159,976	3	0.6	00.0-01.2	28	4.7	02.7-06.7	104	18.7	15.0-22.4	203	38.0	32.9-43.1	220	37.0	32.1-41.9	5	1.0	00.0-02.0			
H.S. or G.E.D.	251	95,141	4	4.3	00.0-09.4	27	14.0	08.7-19.3	59	27.2	20.5-33.9	84	29.4	23.1-35.7	75	24.4	18.7-30.1	2	0.7	00.0-01.9			
Some Post-H.S.	245	105,943	3	1.4	00.0-03.0	26	13.4	07.7-19.1	74	33.3	26.2-40.4	88	34.8	27.7-41.9	53	16.9	12.0-21.8	1	0.3	00.0-00.9			
College Graduate	329	77,065	4	2.4	00.0-04.8	40	14.5	10.0-19.0	102	36.1	30.0-42.2	102	30.3	24.6-36.0	80	16.4	12.5-20.3	1	0.4	00.0-01.2			
\$15,000- 24,999	83	27,419				11	15.0	05.2-24.8	12	14.6	07.2-22.0	31	36.2	23.5-48.9	28	32.3	20.1-44.5	1	2.0	00.0-05.9			
\$25,000- 34,999	95	30,422	1	1.6	00.0-04.7	10	13.7	05.5-21.9	30	35.0	23.6-46.4	26	23.3	14.5-32.1	28	26.4	16.0-36.8						
\$35,000- 49,999	103	36,350	1	1.4	00.0-04.1	9	15.6	04.2-27.0	31	33.4	21.8-45.0	30	25.4	15.6-35.2	32	24.2	14.2-34.2						
\$50,000- 99,999	219	79,370	3	2.0	00.0-04.5	24	12.0	06.3-17.7	63	30.4	22.8-38.0	80	40.3	32.1-48.5	48	15.0	10.3-19.7	1	0.4	00.0-01.2			
\$100,000- 199,999	101	35,676				15	15.0	07.6-22.4	36	39.5	28.5-50.5	36	37.1	25.9-48.3	14	8.4	03.1-13.7						

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 08: CANCER SURVIVORSHIP: TYPE OF CANCER
TABLE 7: WHAT KIND OF CANCER IS IT? (CNCRTYP2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1521	529,640	291	18.2	15.8-20.6	128	9.1	07.3-10.9	105	7.4	05.6-09.2	288	19.2	16.8-21.6	511	31.6	28.9-34.3	198	14.5	12.1-16.9
Male	619	215,366	32	4.4	02.6-06.2	45	7.3	04.9-09.7	49	8.9	05.6-12.2	197	30.5	26.0-35.0	227	34.7	30.2-39.2	69	14.1	10.2-18.0
Female	902	314,274	259	27.7	24.0-31.4	83	10.3	07.8-12.8	56	6.3	04.1-08.5	91	11.4	08.7-14.1	284	29.5	26.0-33.0	129	14.7	12.0-17.4
White/Non-Hisp	1392	479,069	255	17.4	14.9-19.9	113	9.0	07.0-11.0	93	7.0	05.2-08.8	262	19.0	16.5-21.5	491	33.2	30.3-36.1	178	14.4	12.0-16.8
Black or Afr. Am./Non-Hisp	50	20,754	18	36.1	18.5-53.7	6	10.8	01.2-20.4	5	17.6	00.0-39.0	10	17.4	03.5-31.3	2	2.9	00.0-07.0	9	15.3	03.5-27.1
45-54	134	59,969	23	17.2	09.8-24.6	11	6.7	02.6-10.8	8	6.7	01.8-11.6	17	12.9	06.8-19.0	46	35.8	27.0-44.6	29	20.7	13.3-28.1
55-64	259	106,324	47	19.9	13.8-26.0	31	11.8	07.3-16.3	14	6.1	02.4-09.8	40	16.6	11.1-22.1	84	31.1	24.6-37.6	43	14.4	09.7-19.1
65+	1064	316,046	213	18.5	15.8-21.2	74	7.7	05.7-09.7	77	7.0	05.0-09.0	217	21.3	18.4-24.2	372	34.0	30.7-37.3	111	11.5	09.1-13.9
Less Than H.S.	54	34,433	13	20.1	07.9-32.3	7	14.2	02.4-26.0	6	14.1	02.3-25.9	9	15.9	04.3-27.5	13	19.5	08.1-30.9	6	16.2	00.3-32.1
H.S. or G.E.D.	448	174,263	84	17.0	12.7-21.3	39	9.2	06.1-12.3	33	6.7	04.0-09.4	79	17.5	13.4-21.6	158	34.8	29.7-39.9	55	14.7	10.6-18.8
Some Post-H.S.	402	176,131	84	20.6	15.9-25.3	43	9.5	06.2-12.8	25	7.5	03.8-11.2	77	21.6	16.9-26.3	118	28.0	22.9-33.1	55	12.9	09.4-16.4
College Graduate	612	143,127	108	16.2	12.9-19.5	39	7.4	04.9-09.9	41	6.5	04.1-08.9	121	18.8	15.3-22.3	221	35.2	30.9-39.5	82	15.9	12.4-19.4
\$15,000- 24,999	131	41,367	31	20.0	12.4-27.6	15	10.8	04.5-17.1	9	13.4	04.0-22.8	16	16.8	09.2-24.4	41	25.7	17.5-33.9	19	13.2	06.7-19.7
\$25,000- 34,999	163	56,605	38	18.6	12.1-25.1	18	11.8	05.7-17.9	18	13.2	04.2-22.2	28	20.9	12.5-29.3	45	25.4	17.4-33.4	16	10.1	04.4-15.8
\$35,000- 49,999	179	61,658	42	19.1	12.2-26.0	6	4.7	00.4-09.0	10	4.0	01.3-06.7	34	23.0	14.8-31.2	64	34.6	26.2-43.0	23	14.7	08.0-21.4
\$50,000- 99,999	406	142,129	83	23.6	18.3-28.9	31	8.6	05.1-12.1	27	5.4	03.0-07.8	85	18.3	13.8-22.8	126	30.5	25.4-35.6	54	13.6	09.7-17.5
\$100,000- 199,999	214	76,486	24	9.4	05.1-13.7	17	7.9	04.0-11.8	11	6.6	02.3-10.9	50	22.3	15.4-29.2	80	34.0	26.6-41.4	32	19.8	11.6-28.0
\$200,000+	62	24,377	10	12.9	04.5-21.3	1	2.3	00.0-06.8	2	3.4	00.0-08.1	12	20.3	08.9-31.7	28	44.7	30.0-59.4	9	16.5	04.9-28.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 08: CANCER SURVIVORSHIP: TYPE OF CANCER
TABLE 8: WHAT KIND OF CANCER IS IT? (CNCRTYP2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	619	215,366	32	4.4	02.6-06.2	45	7.3	04.9-09.7	49	8.9	05.6-12.2	197	30.5	26.2-34.8	227	34.7	30.4-39.0	69	14.1	10.2-18.0
White/Non-Hisp	567	194,014	25	3.9	02.3-05.5	39	6.8	04.4-09.2	43	7.9	05.4-10.4	179	30.3	25.8-34.8	216	36.2	31.7-40.7	65	14.8	10.5-19.1
55-64	98	39,312	5	3.8	00.3-07.3	10	10.2	03.7-16.7	8	9.4	03.1-15.7	27	30.3	19.3-41.3	34	34.8	24.2-45.4	14	11.7	05.0-18.4
65+	471	145,441	25	5.2	03.0-07.4	33	7.7	04.8-10.6	37	7.4	04.7-10.1	159	33.1	28.0-38.2	175	35.7	30.8-40.6	42	10.9	07.4-14.4
H.S. or G.E.D.	175	72,118	7	3.5	00.8-06.2	16	9.8	04.9-14.7	12	6.6	02.7-10.5	54	28.8	21.4-36.2	68	39.2	31.2-47.2	18	12.2	06.1-18.3
Some Post-H.S.	146	65,993	8	4.2	01.1-07.3	11	6.6	02.1-11.1	16	14.5	06.1-22.9	48	33.5	24.7-42.3	46	28.0	20.0-36.0	17	13.1	06.8-19.4
College Graduate	278	64,961	13	4.8	02.1-07.5	17	6.1	03.0-09.2	19	6.1	03.0-09.2	89	29.6	23.7-35.5	109	39.7	33.0-46.4	31	13.6	08.5-18.7
\$25,000- 34,999	59	23,158	4	3.8	00.0-08.1	5	4.3	00.2-08.4	8	19.9	01.1-38.7	19	39.8	23.7-55.9	21	31.0	17.1-44.9	2	1.2	00.0-02.8
\$35,000- 49,999	70	22,955	4	4.8	00.0-10.1	3	3.3	00.0-07.2	4	3.9	00.0-08.2	21	29.8	17.8-41.8	29	40.5	27.6-53.4	9	17.6	05.3-29.9
\$50,000- 99,999	187	62,814	13	7.1	03.2-11.0	12	7.9	03.4-12.4	21	10.3	05.6-15.0	58	27.5	20.2-34.8	61	33.5	25.9-41.1	22	13.7	07.4-20.0
\$100,000- 199,999	112	40,623	3	1.9	00.0-04.1	9	8.5	02.6-14.4	7	7.4	01.1-13.7	36	28.8	18.4-39.2	44	33.7	23.3-44.1	13	19.7	06.2-33.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 08: CANCER SURVIVORSHIP: TYPE OF CANCER
TABLE 9: WHAT KIND OF CANCER IS IT? (CNCRTYP2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-30		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	902	314,274	259	27.7	24.0-31.4	83	10.3	07.8-12.8	56	6.3	04.1-08.5	91	11.4	08.7-14.1	284	29.5	26.0-33.0	129	14.7	12.0-17.4
White/Non-Hisp	825	285,055	230	26.6	22.9-30.3	74	10.5	07.8-13.2	50	6.4	04.2-08.6	83	11.3	08.6-14.0	275	31.1	27.4-34.8	113	14.1	11.2-17.0
45-54	100	44,420	21	22.0	12.4-31.6	10	8.4	02.9-13.9	6	6.3	01.0-11.6	9	8.3	02.6-14.0	31	31.6	21.6-41.6	23	23.3	14.1-32.5
55-64	161	67,012	42	29.4	20.8-38.0	21	12.8	06.5-19.1	6	4.2	00.0-08.7	13	8.6	03.3-13.9	50	29.0	21.0-37.0	29	16.0	09.9-22.1
65+	593	170,604	188	29.9	25.4-34.4	41	7.6	05.1-10.1	40	6.7	04.0-09.4	58	11.2	07.9-14.5	197	32.5	28.0-37.0	69	12.0	08.7-15.3
H.S. or G.E.D.	273	102,146	77	26.6	19.9-33.3	23	8.8	04.9-12.7	21	6.8	03.3-10.3	25	9.5	05.4-13.6	90	31.7	25.2-38.2	37	16.6	10.9-22.3
Some Post-H.S.	256	110,138	76	30.4	23.7-37.1	32	11.1	06.8-15.4	9	3.3	00.9-05.7	29	14.4	08.9-19.9	72	28.1	21.6-34.6	38	12.7	08.4-17.0
College Graduate	334	78,165	95	25.6	20.3-30.9	22	8.5	04.8-12.2	22	6.8	03.5-10.1	32	9.9	06.0-13.8	112	31.4	25.9-36.9	51	17.7	12.8-22.6
\$15,000- 24,999	91	29,083	28	24.4	14.6-34.2	8	9.0	01.9-16.1	8	16.5	04.3-28.7	7	13.3	04.9-21.7	25	22.0	12.6-31.4	15	14.9	07.1-22.7
\$25,000- 34,999	104	33,446	34	28.9	19.1-38.7	13	17.0	07.6-26.4	10	8.5	02.2-14.8	9	7.8	01.7-13.9	24	21.5	11.9-31.1	14	16.3	07.3-25.3
\$35,000- 49,999	109	38,703	38	27.5	17.3-37.7	3	5.5	00.0-11.6	6	4.0	00.3-07.7	13	19.0	07.8-30.2	35	31.1	20.1-42.1	14	12.9	05.3-20.5
\$50,000- 99,999	219	79,315	70	36.6	28.6-44.6	19	9.2	04.3-14.1	6	1.5	00.0-03.1	27	11.1	06.0-16.2	65	28.1	21.2-35.0	32	13.5	08.4-18.6
\$100,000- 199,999	102	35,863	21	17.8	09.2-26.4	8	7.2	01.9-12.5	4	5.7	00.0-11.8	14	15.0	06.2-23.8	36	34.3	23.7-44.9	19	19.9	11.3-28.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023

MODULE 10: CANCER SURVIVORSHIP: PAIN MANAGEMENT CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)	
1	MALES AND FEMALES	42
2	MALES ONLY	43
3	FEMALES ONLY	44
	WOULD YOU SAY YOUR PAIN IS CURRENTLY UNDER CONTROL...? (CSRVCTL2)	
4	MALES AND FEMALES	45
5	MALES ONLY	46
6	FEMALES ONLY	47

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA MODULE QUESTIONS DATA REPORT, 2023

MODULE 10: CANCER SURVIVORSHIP: PAIN MANAGEMENT

TABLE 1: DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1589	556,539	145	10.4	08.4-12.4	1444	89.6	87.6-91.6
Male	661	234,292	47	8.7	05.8-11.6	614	91.3	88.4-94.2
Female	928	322,247	98	11.6	09.1-14.1	830	88.4	85.9-90.9
White/Non-Hisp	1452	499,287	121	9.9	07.9-11.9	1331	90.1	88.1-92.1
Black or Afr. Am./Non-Hisp	52	23,510	9	11.6	01.8-21.4	43	88.4	78.6-98.2
45-54	138	62,644	25	17.9	10.8-25.0	113	82.1	75.0-89.2
55-64	273	113,721	36	14.6	08.9-20.3	237	85.4	79.7-91.1
65+	1112	330,210	71	6.5	04.7-08.3	1041	93.5	91.7-95.3
Less Than H.S.	58	39,759	10	18.6	05.7-31.5	48	81.4	68.5-94.3
H.S. or G.E.D.	477	187,623	45	10.3	07.0-13.6	432	89.7	86.4-93.0
Some Post-H.S.	410	179,012	38	9.5	06.2-12.8	372	90.5	87.2-93.8
College Graduate	639	148,459	52	9.4	06.7-12.1	587	90.6	87.9-93.3
Less than \$15,000	51	20,603	11	33.9	14.9-52.9	40	66.1	47.1-85.1
\$15,000- 24,999	136	43,701	17	13.8	05.8-21.8	119	86.2	78.2-94.2
\$25,000- 34,999	173	61,493	21	10.0	04.9-15.1	152	90.0	84.9-95.1
\$35,000- 49,999	183	64,236	16	9.8	04.3-15.3	167	90.2	84.7-95.7
\$50,000- 99,999	420	147,537	38	9.9	06.4-13.4	382	90.1	86.6-93.6
\$100,000- 199,999	218	77,204	11	6.7	02.6-10.8	207	93.3	89.2-97.4
\$200,000+	63	25,020	5	8.8	00.6-17.0	58	91.2	83.0-99.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 10: CANCER SURVIVORSHIP: PAIN MANAGEMENT**

TABLE 2: DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	661	234,292	47	8.7	05.8-11.6	614	91.3	88.4-94.2
White/Non-Hisp	603	206,838	41	8.3	05.6-11.0	562	91.7	89.0-94.4
55-64	109	45,611	14	14.8	05.2-24.4	95	85.2	75.6-94.8
65+	496	152,941	26	6.2	03.7-08.7	470	93.8	91.3-96.3
H.S. or G.E.D.	194	80,594	18	8.7	04.4-13.0	176	91.3	87.0-95.6
Some Post-H.S.	153	69,643	12	8.7	03.6-13.8	141	91.3	86.2-96.4
College Graduate	292	68,248	13	5.0	02.1-07.9	279	95.0	92.1-97.9
\$25,000- 34,999	66	26,135	6	6.3	00.0-12.6	60	93.7	87.4-100.0
\$35,000- 49,999	74	25,134	5	6.3	00.6-12.0	69	93.7	88.0-99.4
\$50,000- 99,999	196	66,661	13	8.3	03.4-13.2	183	91.7	86.8-96.6
\$100,000- 199,999	115	41,285	5	5.5	00.6-10.4	110	94.5	89.6-99.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 10: CANCER SURVIVORSHIP: PAIN MANAGEMENT**

TABLE 3: DO YOU CURRENTLY HAVE PHYSICAL PAIN CAUSED BY YOUR CANCER OR CANCER TREATMENT? (CSRVPAIN)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	928	322,247	98	11.6	09.1-14.1	830	88.4	85.9-90.9
White/Non-Hisp	849	292,448	80	11.0	08.3-13.7	769	89.0	86.3-91.7
45-54	101	45,063	20	19.4	10.8-28.0	81	80.6	72.0-89.2
55-64	164	68,111	22	14.5	07.8-21.2	142	85.5	78.8-92.2
65+	616	177,269	45	6.8	04.4-09.2	571	93.2	90.8-95.6
H.S. or G.E.D.	283	107,029	27	11.5	06.8-16.2	256	88.5	83.8-93.2
Some Post-H.S.	257	109,369	26	10.0	05.7-14.3	231	90.0	85.7-94.3
College Graduate	347	80,211	39	13.2	08.7-17.7	308	86.8	82.3-91.3
\$15,000- 24,999	94	30,685	15	17.0	06.4-27.6	79	83.0	72.4-93.6
\$25,000- 34,999	107	35,358	15	12.8	05.5-20.1	92	87.2	79.9-94.5
\$35,000- 49,999	109	39,102	11	12.1	03.7-20.5	98	87.9	79.5-96.3
\$50,000- 99,999	224	80,876	25	11.2	06.3-16.1	199	88.8	83.9-93.7
\$100,000- 199,999	103	35,919	6	8.1	01.6-14.6	97	91.9	85.4-98.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 10: CANCER SURVIVORSHIP: PAIN MANAGEMENT
TABLE 4: WOULD YOU SAY YOUR PAIN IS CURRENTLY UNDER CONTROL...? (CSRVCTL2)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, medication (or treatment)			Yes, without meds. (or treatment)			No, with medication (or treatment)			No, without meds. (or treatment)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	139	55,364	54	35.8	27.4-44.2	39	30.8	21.6-40.0	14	11.1	02.9-19.3	32	22.3	14.5-30.1
Female	95	36,815	43	45.1	34.1-56.1	25	28.5	16.9-40.1	10	9.6	02.5-16.7	17	16.8	08.8-24.8
White/Non-Hisp	115	46,922	42	34.8	25.4-44.2	37	34.2	24.0-44.4	10	6.6	01.5-11.7	26	24.4	15.4-33.4
65+	67	20,241	26	34.2	20.9-47.5	19	32.5	18.4-46.6	7	6.4	00.5-12.3	15	26.8	13.5-40.1
College Graduate	50	13,721	21	37.8	25.5-50.1	15	36.7	23.0-50.4	7	11.1	01.7-20.5	7	14.3	07.0-21.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 10: CANCER SURVIVORSHIP: PAIN MANAGEMENT
TABLE 5: WOULD YOU SAY YOUR PAIN IS CURRENTLY UNDER CONTROL...? (CSRVCTL2)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 10: CANCER SURVIVORSHIP: PAIN MANAGEMENT
TABLE 6: WOULD YOU SAY YOUR PAIN IS CURRENTLY UNDER CONTROL...? (CSRVCTL2)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, medication (or treatment)			Yes, without meds. (or treatment)			No, with medication (or treatment)			No, without meds. (or treatment)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	95	36,815	43	45.1	34.7-55.5	25	28.5	17.1-39.9	10	9.6	02.5-16.7	17	16.8	08.8-24.8
White/Non-Hisp	77	31,497	32	42.5	30.9-54.1	24	31.7	18.8-44.6	8	8.4	01.0-15.8	13	17.3	08.1-26.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023**

MODULE 13: COGNITIVE DECLINE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED DIFFICULTIES WITH THINKING OR MEMORY THAT ARE HAPPENING MORE OFTEN OR ARE GETTING WORSE? (CIMEMLO1)	
1	MALES AND FEMALES	49
2	MALES ONLY	50
3	FEMALES ONLY	51
	ARE YOU WORRIED ABOUT THESE DIFFICULTIES WITH THINKING OR MEMORY? (CDWORRY)	
4	MALES AND FEMALES	52
5	MALES ONLY	53
6	FEMALES ONLY	54
	HAVE YOU OR ANYONE ELSE DISCUSSED YOUR DIFFICULTIES WITH THINKING OR MEMORY WITH A HEALTH CARE PROVIDER? (CDDISCU1)	
7	MALES AND FEMALES	55
8	MALES ONLY	56
9	FEMALES ONLY	57
	DURING THE PAST 12 MONTHS, HAVE YOUR DIFFICULTIES WITH THINKING OR MEMORY INTERFERED WITH DAY-TO-DAY ACTIVITIES, SUCH AS MANAGING MEDICATIONS, PAYING BILLS, OR KEEPING TRACK OF APPOINTMENTS? (CDHOUS1)	
10	MALES AND FEMALES	58
11	MALES ONLY	59
12	FEMALES ONLY	60
	DURING THE PAST 12 MONTHS, HAVE YOUR DIFFICULTIES WITH THINKING OR MEMORY INTERFERED WITH YOUR ABILITY TO WORK OR VOLUNTEER? (CDSOCIA1)	
13	MALES AND FEMALES	61
14	MALES ONLY	62
15	FEMALES ONLY	63

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 13: COGNITIVE DECLINE**

TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED DIFFICULTIES WITH THINKING OR MEMORY THAT ARE HAPPENING MORE OFTEN OR ARE GETTING WORSE? (C1MEMLO1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6595	2,457,015	1145	17.8	16.6-19.0	5450	82.2	81.0-83.4
Male	2913	1,154,408	483	16.4	14.8-18.0	2430	83.6	82.0-85.2
Female	3682	1,302,607	662	19.0	17.4-20.6	3020	81.0	79.4-82.6
White/Non-Hisp	5483	2,017,524	970	17.8	16.6-19.0	4513	82.2	81.0-83.4
Black or Afr. Am./Non-Hisp	549	185,400	80	17.3	12.8-21.8	469	82.7	78.2-87.2
Oth. Race/Non-Hisp.	136	74,620	17	13.1	05.7-20.5	119	86.9	79.5-94.3
MultiRacial/Non-Hisp.	85	48,145	20	20.5	10.5-30.5	65	79.5	69.5-89.5
Hispanic	251	97,134	40	19.0	11.9-26.1	211	81.0	73.9-88.1
45-54	1339	634,491	224	17.2	14.7-19.7	1115	82.8	80.3-85.3
55-64	1722	731,756	301	18.2	16.0-20.4	1421	81.8	79.6-84.0
65+	3534	1,090,768	620	17.9	16.3-19.5	2914	82.1	80.5-83.7
Less Than H.S.	364	248,968	104	29.4	23.5-35.3	260	70.6	64.7-76.5
H.S. or G.E.D.	2057	831,344	395	19.1	17.1-21.1	1662	80.9	78.9-82.9
Some Post-H.S.	1700	726,633	320	17.6	15.4-19.8	1380	82.4	80.2-84.6
College Graduate	2459	645,410	323	11.9	10.5-13.3	2136	88.1	86.7-89.5
Less than \$15,000	273	99,495	93	37.5	30.1-44.9	180	62.5	55.1-69.9
\$15,000- 24,999	647	229,593	172	27.2	22.5-31.9	475	72.8	68.1-77.5
\$25,000- 34,999	721	259,702	154	22.4	18.5-26.3	567	77.6	73.7-81.5
\$35,000- 49,999	782	290,213	144	18.5	15.2-21.8	638	81.5	78.2-84.8
\$50,000- 99,999	1637	619,072	241	14.6	12.4-16.8	1396	85.4	83.2-87.6
\$100,000- 199,999	1037	417,258	109	10.5	08.3-12.7	928	89.5	87.3-91.7
\$200,000+	261	101,032	23	11.2	06.3-16.1	238	88.8	83.9-93.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 13: COGNITIVE DECLINE**

TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED DIFFICULTIES WITH THINKING OR MEMORY THAT ARE HAPPENING MORE OFTEN OR ARE GETTING WORSE? (C1MEMLO1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2913	1,154,408	483	16.4	14.8-18.0	2430	83.6	82.0-85.2
White/Non-Hisp	2421	937,386	408	16.0	14.4-17.6	2013	84.0	82.4-85.6
Black or Afr. Am./Non-Hisp	216	82,575	29	16.0	09.7-22.3	187	84.0	77.7-90.3
Oth. Race/Non-Hisp.	62	40,415	8	16.2	04.2-28.2	54	83.8	71.8-95.8
MultiRacial/Non-Hisp.	51	29,631	12	24.1	10.0-38.2	39	75.9	61.8-90.0
Hispanic	112	43,528	18	18.1	08.5-27.7	94	81.9	72.3-91.5
45-54	618	313,103	87	14.3	11.0-17.6	531	85.7	82.4-89.0
55-64	777	355,092	123	15.4	12.5-18.3	654	84.6	81.7-87.5
65+	1518	486,212	273	18.5	16.1-20.9	1245	81.5	79.1-83.9
Less Than H.S.	154	116,130	41	25.5	17.7-33.3	113	74.5	66.7-82.3
H.S. or G.E.D.	891	389,852	166	18.1	15.4-20.8	725	81.9	79.2-84.6
Some Post-H.S.	688	319,909	118	16.3	13.2-19.4	570	83.7	80.6-86.8
College Graduate	1175	327,273	157	11.4	09.4-13.4	1018	88.6	86.6-90.6
Less than \$15,000	101	38,448	38	42.3	30.5-54.1	63	57.7	45.9-69.5
\$15,000- 24,999	237	89,951	62	24.9	18.4-31.4	175	75.1	68.6-81.6
\$25,000- 34,999	294	118,468	55	17.0	11.9-22.1	239	83.0	77.9-88.1
\$35,000- 49,999	321	122,885	60	18.5	13.6-23.4	261	81.5	76.6-86.4
\$50,000- 99,999	798	316,324	113	13.3	10.6-16.0	685	86.7	84.0-89.4
\$100,000- 199,999	573	244,146	58	10.1	07.2-13.0	515	89.9	87.0-92.8
\$200,000+	155	61,446	15	11.7	05.6-17.8	140	88.3	82.2-94.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 13: COGNITIVE DECLINE**

TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED DIFFICULTIES WITH THINKING OR MEMORY THAT ARE HAPPENING MORE OFTEN OR ARE GETTING WORSE? (C1MEMLO1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3682	1,302,607	662	19.0	17.4-20.6	3020	81.0	79.4-82.6
White/Non-Hisp	3062	1,080,138	562	19.5	17.7-21.3	2500	80.5	78.7-82.3
Black or Afr. Am./Non-Hisp	333	102,825	51	18.2	11.9-24.5	282	81.8	75.5-88.1
Oth. Race/Non-Hisp.	74	34,205	9	9.4	02.3-16.5	65	90.6	83.5-97.7
Hispanic	139	53,606	22	19.8	09.6-30.0	117	80.2	70.0-90.4
45-54	721	321,387	137	20.0	16.1-23.9	584	80.0	76.1-83.9
55-64	945	376,664	178	20.8	17.5-24.1	767	79.2	75.9-82.5
65+	2016	604,556	347	17.5	15.3-19.7	1669	82.5	80.3-84.7
Less Than H.S.	210	132,838	63	32.8	24.6-41.0	147	67.2	59.0-75.4
H.S. or G.E.D.	1166	441,492	229	20.1	17.4-22.8	937	79.9	77.2-82.6
Some Post-H.S.	1012	406,724	202	18.6	15.9-21.3	810	81.4	78.7-84.1
College Graduate	1284	318,137	166	12.4	10.2-14.6	1118	87.6	85.4-89.8
Less than \$15,000	172	61,047	55	34.5	25.5-43.5	117	65.5	56.5-74.5
\$15,000- 24,999	410	139,642	110	28.7	22.0-35.4	300	71.3	64.6-78.0
\$25,000- 34,999	427	141,234	99	26.9	21.4-32.4	328	73.1	67.6-78.6
\$35,000- 49,999	461	167,328	84	18.5	14.2-22.8	377	81.5	77.2-85.8
\$50,000- 99,999	839	302,748	128	16.0	12.9-19.1	711	84.0	80.9-87.1
\$100,000- 199,999	464	173,112	51	11.0	07.7-14.3	413	89.0	85.7-92.3
\$200,000+	106	39,586	8	10.6	02.8-18.4	98	89.4	81.6-97.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 13: COGNITIVE DECLINE**

TABLE 4: ARE YOU WORRIED ABOUT THESE DIFFICULTIES WITH THINKING OR MEMORY? (CDWORRY)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1138	434,328	629	57.5	54.0-61.0	509	42.5	39.0-46.0
Male	479	187,787	254	54.7	49.2-60.2	225	45.3	39.8-50.8
Female	659	246,541	375	59.6	54.9-64.3	284	40.4	35.7-45.1
White/Non-Hisp	965	357,653	532	56.5	52.6-60.4	433	43.5	39.6-47.4
Black or Afr. Am./Non-Hisp	79	31,671	46	65.5	52.0-79.0	33	34.5	21.0-48.0
45-54	222	108,168	143	66.2	58.8-73.6	79	33.8	26.4-41.2
55-64	298	131,766	196	66.6	59.9-73.3	102	33.4	26.7-40.1
65+	618	194,394	290	46.4	41.5-51.3	328	53.6	48.7-58.5
Less Than H.S.	104	73,151	60	57.7	46.3-69.1	44	42.3	30.9-53.7
H.S. or G.E.D.	393	158,407	225	59.2	53.5-64.9	168	40.8	35.1-46.5
Some Post-H.S.	316	125,585	165	55.2	48.5-61.9	151	44.8	38.1-51.5
College Graduate	322	76,220	177	57.0	50.7-63.3	145	43.0	36.7-49.3
Less than \$15,000	92	37,058	61	65.7	53.2-78.2	31	34.3	21.8-46.8
\$15,000- 24,999	171	61,944	105	66.9	57.7-76.1	66	33.1	23.9-42.3
\$25,000- 34,999	154	58,106	84	54.3	44.1-64.5	70	45.7	35.5-55.9
\$35,000- 49,999	142	52,794	78	54.3	44.5-64.1	64	45.7	35.9-55.5
\$50,000- 99,999	241	90,537	135	59.7	52.4-67.0	106	40.3	33.0-47.6
\$100,000- 199,999	109	43,631	56	57.3	46.3-68.3	53	42.7	31.7-53.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 13: COGNITIVE DECLINE**

TABLE 5: ARE YOU WORRIED ABOUT THESE DIFFICULTIES WITH THINKING OR MEMORY? (CDWORRY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	479	187,787	254	54.7	49.4-60.0	225	45.3	40.0-50.6
White/Non-Hisp	406	148,899	213	53.4	47.9-58.9	193	46.6	41.1-52.1
45-54	87	44,882	59	69.7	58.7-80.7	28	30.3	19.3-41.3
55-64	121	54,071	74	60.2	49.8-70.6	47	39.8	29.4-50.2
65+	271	88,835	121	43.9	37.0-50.8	150	56.1	49.2-63.0
H.S. or G.E.D.	164	69,802	90	58.4	50.0-66.8	74	41.6	33.2-50.0
Some Post-H.S.	117	51,320	59	50.1	39.5-60.7	58	49.9	39.3-60.5
College Graduate	156	36,873	83	56.5	47.9-65.1	73	43.5	34.9-52.1
\$15,000- 24,999	62	22,428	35	57.6	42.5-72.7	27	42.4	27.3-57.5
\$25,000- 34,999	55	20,179	27	45.6	30.9-60.3	28	54.4	39.7-69.1
\$35,000- 49,999	60	22,708	30	51.2	36.5-65.9	30	48.8	34.1-63.5
\$50,000- 99,999	113	42,175	59	56.5	45.7-67.3	54	43.5	32.7-54.3
\$100,000- 199,999	58	24,552	32	61.8	46.9-76.7	26	38.2	23.3-53.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 13: COGNITIVE DECLINE**

TABLE 6: ARE YOU WORRIED ABOUT THESE DIFFICULTIES WITH THINKING OR MEMORY? (CDWORRY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	659	246,541	375	59.6	54.9-64.3	284	40.4	35.7-45.1
White/Non-Hisp	559	208,754	319	58.8	53.7-63.9	240	41.2	36.1-46.3
Black or Afr. Am./Non-Hisp	51	18,764	29	61.4	42.8-80.0	22	38.6	20.0-57.2
45-54	135	63,287	84	63.6	53.2-74.0	51	36.4	26.0-46.8
55-64	177	77,696	122	71.1	63.3-78.9	55	28.9	21.1-36.7
65+	347	105,559	169	48.6	42.1-55.1	178	51.4	44.9-57.9
Less Than H.S.	63	43,527	38	61.4	46.7-76.1	25	38.6	23.9-53.3
H.S. or G.E.D.	229	88,606	135	59.8	52.4-67.2	94	40.2	32.8-47.6
Some Post-H.S.	199	74,265	106	58.8	51.0-66.6	93	41.2	33.4-49.0
College Graduate	166	39,347	94	57.5	48.7-66.3	72	42.5	33.7-51.3
Less than \$15,000	55	21,068	40	74.3	60.2-88.4	15	25.7	11.6-39.8
\$15,000- 24,999	109	39,516	70	72.1	61.7-82.5	39	27.9	17.5-38.3
\$25,000- 34,999	99	37,927	57	58.9	46.4-71.4	42	41.1	28.6-53.6
\$35,000- 49,999	82	30,086	48	56.6	43.9-69.3	34	43.4	30.7-56.1
\$50,000- 99,999	128	48,362	76	62.4	53.0-71.8	52	37.6	28.2-47.0
\$100,000- 199,999	51	19,079	24	51.6	35.3-67.9	27	48.4	32.1-64.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 13: COGNITIVE DECLINE**

TABLE 7: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR DIFFICULTIES WITH THINKING OR MEMORY WITH A HEALTH CARE PROVIDER? (CDDISCU1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1141	434,562	496	43.6	40.1-47.1	645	56.4	52.9-59.9
Male	481	187,195	178	33.3	28.4-38.2	303	66.7	61.8-71.6
Female	660	247,367	318	51.4	46.7-56.1	342	48.6	43.9-53.3
White/Non-Hisp	966	357,226	426	44.7	40.8-48.6	540	55.3	51.4-59.2
Black or Afr. Am./Non-Hisp	80	32,010	30	40.7	26.2-55.2	50	59.3	44.8-73.8
45-54	223	108,646	91	40.3	32.1-48.5	132	59.7	51.5-67.9
55-64	300	131,401	147	52.0	45.3-58.7	153	48.0	41.3-54.7
65+	618	194,516	258	39.8	35.1-44.5	360	60.2	55.5-64.9
Less Than H.S.	104	73,151	33	39.8	27.6-52.0	71	60.2	48.0-72.4
H.S. or G.E.D.	393	158,115	160	40.5	35.0-46.0	233	59.5	54.0-65.0
Some Post-H.S.	318	125,789	143	44.5	38.0-51.0	175	55.5	49.0-62.0
College Graduate	323	76,543	158	51.7	45.4-58.0	165	48.3	42.0-54.6
Less than \$15,000	92	35,818	52	55.1	42.2-68.0	40	44.9	32.0-57.8
\$15,000- 24,999	171	62,292	73	46.5	35.5-57.5	98	53.5	42.5-64.5
\$25,000- 34,999	154	58,106	69	45.4	35.4-55.4	85	54.6	44.6-64.6
\$35,000- 49,999	143	53,271	57	40.7	31.1-50.3	86	59.3	49.7-68.9
\$50,000- 99,999	241	90,537	111	44.9	37.6-52.2	130	55.1	47.8-62.4
\$100,000- 199,999	109	43,631	39	36.5	25.5-47.5	70	63.5	52.5-74.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 13: COGNITIVE DECLINE**

TABLE 8: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR DIFFICULTIES WITH THINKING OR MEMORY WITH A HEALTH CARE PROVIDER? (CDDISCU1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	481	187,195	178	33.3	28.4-38.2	303	66.7	61.8-71.6
White/Non-Hisp	406	147,646	151	34.2	28.9-39.5	255	65.8	60.5-71.1
45-54	87	44,882	20	19.5	10.3-28.7	67	80.5	71.3-89.7
55-64	122	53,170	54	44.7	34.1-55.3	68	55.3	44.7-65.9
65+	272	89,144	104	33.5	27.4-39.6	168	66.5	60.4-72.6
H.S. or G.E.D.	165	69,696	47	26.1	19.0-33.2	118	73.9	66.8-81.0
Some Post-H.S.	117	50,512	52	41.3	31.1-51.5	65	58.7	48.5-68.9
College Graduate	157	37,195	70	44.1	35.3-52.9	87	55.9	47.1-64.7
\$15,000- 24,999	62	22,428	21	30.1	16.4-43.8	41	69.9	56.2-83.6
\$25,000- 34,999	55	20,179	13	20.3	08.5-32.1	42	79.7	67.9-91.5
\$35,000- 49,999	60	22,708	24	40.1	25.8-54.4	36	59.9	45.6-74.2
\$50,000- 99,999	113	42,175	46	33.5	24.1-42.9	67	66.5	57.1-75.9
\$100,000- 199,999	58	24,552	18	29.4	15.3-43.5	40	70.6	56.5-84.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 13: COGNITIVE DECLINE**

TABLE 9: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR DIFFICULTIES WITH THINKING OR MEMORY WITH A HEALTH CARE PROVIDER? (CDDISCU1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	660	247,367	318	51.4	46.7-56.1	342	48.6	43.9-53.3
White/Non-Hisp	560	209,579	275	52.2	47.1-57.3	285	47.8	42.7-52.9
Black or Afr. Am./Non-Hisp	51	18,764	22	54.0	35.0-73.0	29	46.0	27.0-65.0
45-54	136	63,764	71	54.9	44.3-65.5	65	45.1	34.5-55.7
55-64	178	78,231	93	56.9	48.7-65.1	85	43.1	34.9-51.3
65+	346	105,372	154	45.2	38.7-51.7	192	54.8	48.3-61.3
Less Than H.S.	63	43,527	24	51.0	35.3-66.7	39	49.0	33.3-64.7
H.S. or G.E.D.	228	88,419	113	51.8	44.4-59.2	115	48.2	40.8-55.6
Some Post-H.S.	201	75,277	91	46.7	38.9-54.5	110	53.3	45.5-61.1
College Graduate	166	39,347	88	58.9	50.3-67.5	78	41.1	32.5-49.7
Less than \$15,000	55	21,068	32	55.3	38.6-72.0	23	44.7	28.0-61.4
\$15,000- 24,999	109	39,864	52	55.7	42.0-69.4	57	44.3	30.6-58.0
\$25,000- 34,999	99	37,927	56	58.8	46.8-70.8	43	41.2	29.2-53.2
\$35,000- 49,999	83	30,563	33	41.2	28.7-53.7	50	58.8	46.3-71.3
\$50,000- 99,999	128	48,362	65	54.7	45.1-64.3	63	45.3	35.7-54.9
\$100,000- 199,999	51	19,079	21	45.6	29.1-62.1	30	54.4	37.9-70.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 13: COGNITIVE DECLINE**

TABLE 10: DURING THE PAST 12 MONTHS, HAVE YOUR DIFFICULTIES WITH THINKING OR MEMORY INTERFERED WITH DAY-TO-DAY ACTIVITIES, SUCH AS MANAGING MEDICATIONS, PAYING BILLS, OR KEEPING TRACK OF APPOINTMENTS? (CDHOUS1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1131	431,188	358	34.3	30.8-37.8	773	65.7	62.2-69.2
Male	476	186,556	141	30.4	25.5-35.3	335	69.6	64.7-74.5
Female	655	244,632	217	37.2	32.3-42.1	438	62.8	57.9-67.7
White/Non-Hisp	958	355,281	292	33.5	29.8-37.2	666	66.5	62.8-70.2
Black or Afr. Am./Non-Hisp	79	31,019	29	40.1	25.8-54.4	50	59.9	45.6-74.2
45-54	220	107,100	107	51.1	42.9-59.3	113	48.9	40.7-57.1
55-64	299	132,063	122	39.8	33.3-46.3	177	60.2	53.7-66.7
65+	612	192,025	129	21.1	17.2-25.0	483	78.9	75.0-82.8
Less Than H.S.	102	71,722	46	45.6	33.6-57.6	56	54.4	42.4-66.4
H.S. or G.E.D.	389	156,283	126	33.2	27.9-38.5	263	66.8	61.5-72.1
Some Post-H.S.	315	125,847	108	35.1	28.8-41.4	207	64.9	58.6-71.2
College Graduate	322	76,372	76	23.9	18.4-29.4	246	76.1	70.6-81.6
Less than \$15,000	92	36,899	54	56.8	43.5-70.1	38	43.2	29.9-56.5
\$15,000- 24,999	170	61,854	78	51.8	41.2-62.4	92	48.2	37.6-58.8
\$25,000- 34,999	153	57,768	52	37.0	27.4-46.6	101	63.0	53.4-72.6
\$35,000- 49,999	140	52,160	40	30.8	21.8-39.8	100	69.2	60.2-78.2
\$50,000- 99,999	240	89,960	59	25.7	19.2-32.2	181	74.3	67.8-80.8
\$100,000- 199,999	109	43,631	19	20.0	10.4-29.6	90	80.0	70.4-89.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 13: COGNITIVE DECLINE**

TABLE 11: DURING THE PAST 12 MONTHS, HAVE YOUR DIFFICULTIES WITH THINKING OR MEMORY INTERFERED WITH DAY-TO-DAY ACTIVITIES, SUCH AS MANAGING MEDICATIONS, PAYING BILLS, OR KEEPING TRACK OF APPOINTMENTS? (CDHOUS1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	476	186,556	141	30.4	25.5-35.3	335	69.6	64.7-74.5
White/Non-Hisp	402	147,444	108	27.2	22.3-32.1	294	72.8	67.9-77.7
45-54	86	44,444	42	45.1	32.9-57.3	44	54.9	42.7-67.1
55-64	121	53,832	47	37.3	26.9-47.7	74	62.7	52.3-73.1
65+	269	88,279	52	18.9	13.6-24.2	217	81.1	75.8-86.4
H.S. or G.E.D.	164	69,270	53	31.5	23.9-39.1	111	68.5	60.9-76.1
Some Post-H.S.	115	50,907	30	26.1	16.5-35.7	85	73.9	64.3-83.5
College Graduate	156	37,024	39	24.6	17.2-32.0	117	75.4	68.0-82.8
\$15,000- 24,999	61	21,990	29	48.8	33.5-64.1	32	51.2	35.9-66.5
\$25,000- 34,999	55	20,179	19	30.3	17.2-43.4	36	69.7	56.6-82.8
\$35,000- 49,999	57	21,597	17	32.0	18.1-45.9	40	68.0	54.1-81.9
\$50,000- 99,999	113	42,175	21	19.7	11.1-28.3	92	80.3	71.7-88.9
\$100,000- 199,999	58	24,552	11	21.7	08.2-35.2	47	78.3	64.8-91.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 13: COGNITIVE DECLINE**

TABLE 12: DURING THE PAST 12 MONTHS, HAVE YOUR DIFFICULTIES WITH THINKING OR MEMORY INTERFERED WITH DAY-TO-DAY ACTIVITIES, SUCH AS MANAGING MEDICATIONS, PAYING BILLS, OR KEEPING TRACK OF APPOINTMENTS? (CDHOUS1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	655	244,632	217	37.2	32.3-42.1	438	62.8	57.9-67.7
White/Non-Hisp	556	207,836	184	37.9	32.6-43.2	372	62.1	56.8-67.4
Black or Afr. Am./Non-Hisp	50	17,772	18	41.2	21.8-60.6	32	58.8	39.4-78.2
45-54	134	62,656	65	55.3	44.5-66.1	69	44.7	33.9-55.5
55-64	178	78,231	75	41.5	33.3-49.7	103	58.5	50.3-66.7
65+	343	103,745	77	23.0	17.3-28.7	266	77.0	71.3-82.7
Less Than H.S.	62	42,535	27	47.3	31.0-63.6	35	52.7	36.4-69.0
H.S. or G.E.D.	225	87,013	73	34.5	27.2-41.8	152	65.5	58.2-72.8
Some Post-H.S.	200	74,940	78	41.2	33.2-49.2	122	58.8	50.8-66.8
College Graduate	166	39,347	37	23.3	15.3-31.3	129	76.7	68.7-84.7
Less than \$15,000	55	21,068	34	58.4	41.3-75.5	21	41.6	24.5-58.7
\$15,000- 24,999	109	39,864	49	53.5	39.6-67.4	60	46.5	32.6-60.4
\$25,000- 34,999	98	37,590	33	40.6	27.9-53.3	65	59.4	46.7-72.1
\$35,000- 49,999	83	30,563	23	30.0	18.4-41.6	60	70.0	58.4-81.6
\$50,000- 99,999	127	47,785	38	30.9	21.7-40.1	89	69.1	59.9-78.3
\$100,000- 199,999	51	19,079	8	17.7	04.2-31.2	43	82.3	68.8-95.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 13: COGNITIVE DECLINE**

TABLE 13: DURING THE PAST 12 MONTHS, HAVE YOUR DIFFICULTIES WITH THINKING OR MEMORY INTERFERED WITH YOUR ABILITY TO WORK OR VOLUNTEER? (CDSOCIA1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1123	429,383	238	23.7	20.4-27.0	885	76.3	73.0-79.6
Male	476	187,012	92	19.5	15.2-23.8	384	80.5	76.2-84.8
Female	647	242,371	146	27.0	22.1-31.9	501	73.0	68.1-77.9
White/Non-Hisp	950	353,076	191	23.4	19.7-27.1	759	76.6	72.9-80.3
Black or Afr. Am./Non-Hisp	80	32,010	19	21.5	10.7-32.3	61	78.5	67.7-89.3
45-54	216	105,475	78	35.9	27.5-44.3	138	64.1	55.7-72.5
55-64	297	130,940	90	29.4	23.1-35.7	207	70.6	64.3-76.9
65+	610	192,967	70	13.2	09.5-16.9	540	86.8	83.1-90.5
Less Than H.S.	102	72,119	31	34.2	21.9-46.5	71	65.8	53.5-78.1
H.S. or G.E.D.	387	156,095	80	21.1	16.4-25.8	307	78.9	74.2-83.6
Some Post-H.S.	313	124,556	74	24.3	18.6-30.0	239	75.7	70.0-81.4
College Graduate	318	75,648	53	18.4	13.3-23.5	265	81.6	76.5-86.7
Less than \$15,000	90	36,400	45	45.0	31.7-58.3	45	55.0	41.7-68.3
\$15,000- 24,999	169	61,354	45	33.8	22.0-45.6	124	66.2	54.4-78.0
\$25,000- 34,999	150	56,287	28	20.6	12.2-29.0	122	79.4	71.0-87.8
\$35,000- 49,999	143	53,271	24	20.7	12.5-28.9	119	79.3	71.1-87.5
\$50,000- 99,999	238	89,482	43	19.0	12.9-25.1	195	81.0	74.9-87.1
\$100,000- 199,999	108	43,432	12	15.2	06.2-24.2	96	84.8	75.8-93.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 13: COGNITIVE DECLINE**

TABLE 14: DURING THE PAST 12 MONTHS, HAVE YOUR DIFFICULTIES WITH THINKING OR MEMORY INTERFERED WITH YOUR ABILITY TO WORK OR VOLUNTEER? (CDSOCIA1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	476	187,012	92	19.5	15.2-23.8	384	80.5	76.2-84.8
White/Non-Hisp	402	147,901	68	16.0	11.9-20.1	334	84.0	79.9-88.1
45-54	84	43,549	24	26.3	15.7-36.9	60	73.7	63.1-84.3
55-64	122	54,251	36	28.3	18.3-38.3	86	71.7	61.7-81.7
65+	270	89,212	32	10.8	06.9-14.7	238	89.2	85.3-93.1
H.S. or G.E.D.	163	69,087	33	17.7	11.4-24.0	130	82.3	76.0-88.6
Some Post-H.S.	117	51,699	21	16.8	08.6-25.0	96	83.2	75.0-91.4
College Graduate	155	36,872	25	17.7	10.8-24.6	130	82.3	75.4-89.2
\$15,000- 24,999	61	21,990	17	26.8	13.5-40.1	44	73.2	59.9-86.5
\$25,000- 34,999	55	20,179	8	11.9	02.9-20.9	47	88.1	79.1-97.1
\$35,000- 49,999	60	22,708	7	12.4	02.6-22.2	53	87.6	77.8-97.4
\$50,000- 99,999	113	42,175	17	16.3	08.5-24.1	96	83.7	75.9-91.5
\$100,000- 199,999	57	24,353	7	14.8	02.3-27.3	50	85.2	72.7-97.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 13: COGNITIVE DECLINE**

TABLE 15: DURING THE PAST 12 MONTHS, HAVE YOUR DIFFICULTIES WITH THINKING OR MEMORY INTERFERED WITH YOUR ABILITY TO WORK OR VOLUNTEER? (CDSOCIA1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	647	242,371	146	27.0	22.1-31.9	501	73.0	68.1-77.9
White/Non-Hisp	548	205,175	123	28.7	23.4-34.0	425	71.3	66.0-76.6
Black or Afr. Am./Non-Hisp	51	18,764	11	18.7	05.2-32.2	40	81.3	67.8-94.8
45-54	132	61,927	54	42.7	31.1-54.3	78	57.3	45.7-68.9
55-64	175	76,689	54	30.3	22.3-38.3	121	69.7	61.7-77.7
65+	340	103,755	38	15.3	09.6-21.0	302	84.7	79.0-90.4
Less Than H.S.	62	42,932	18	36.6	19.5-53.7	44	63.4	46.3-80.5
H.S. or G.E.D.	224	87,008	47	23.8	16.9-30.7	177	76.2	69.3-83.1
Some Post-H.S.	196	72,857	53	29.7	22.1-37.3	143	70.3	62.7-77.9
College Graduate	163	38,777	28	19.0	11.4-26.6	135	81.0	73.4-88.6
Less than \$15,000	54	20,889	29	46.9	30.0-63.8	25	53.1	36.2-70.0
\$15,000- 24,999	108	39,363	28	37.8	21.7-53.9	80	62.2	46.1-78.3
\$25,000- 34,999	95	36,109	20	25.4	13.4-37.4	75	74.6	62.6-86.6
\$35,000- 49,999	83	30,563	17	26.8	15.0-38.6	66	73.2	61.4-85.0
\$50,000- 99,999	125	47,308	26	21.4	12.8-30.0	99	78.6	70.0-87.2
\$100,000- 199,999	51	19,079	5	15.6	02.1-29.1	46	84.4	70.9-97.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023

MODULE 15: TOBACCO CESSATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
1	MALES AND FEMALES	65
2	MALES ONLY	66
3	FEMALES ONLY	67
	DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
4	MALES AND FEMALES	68
5	MALES ONLY	69
6	FEMALES ONLY	70

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 15: TOBACCO CESSATION**

TABLE 1: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1 lt 5 years ago			5 lt 10 years ago			10+ years ago			Never smoked regular		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2636	1,158,622	278	13.9	12.1-15.7	414	20.3	18.1-22.5	261	11.2	09.6-12.8	1672	54.3	51.9-56.7	11	0.4	00.2-00.6
Male	1353	626,629	145	14.6	12.1-17.1	204	19.5	16.6-22.4	120	10.0	08.0-12.0	880	55.5	52.2-58.8	4	0.4	00.0-00.8
Female	1283	531,993	133	13.0	10.5-15.5	210	21.2	18.3-24.1	141	12.5	10.1-14.9	792	52.8	49.5-56.1	7	0.4	00.0-00.8
White/Non-Hisp	2242	970,973	223	13.3	11.3-15.3	341	19.5	17.3-21.7	215	10.9	09.3-12.5	1454	55.8	53.3-58.3	9	0.5	00.1-00.9
Black or Afr. Am./Non-Hisp	162	61,706	19	14.9	07.6-22.2	26	18.9	10.3-27.5	17	10.8	04.5-17.1	99	55.2	45.0-65.4	1	0.3	00.0-00.9
Hispanic	98	44,513	18	22.2	11.4-33.0	24	24.4	13.0-35.8	11	14.0	05.2-22.8	44	39.2	26.9-51.5	1	0.2	00.0-00.6
25-34	178	151,609	57	31.0	23.2-38.8	83	45.6	37.2-54.0	19	10.6	05.7-15.5	19	12.8	06.9-18.7			
35-44	294	184,176	54	16.8	11.9-21.7	91	30.6	24.3-36.9	62	22.4	16.9-27.9	86	29.6	23.5-35.7	1	0.5	00.0-01.5
45-54	350	172,105	53	14.5	10.2-18.8	65	19.5	14.4-24.6	45	13.1	09.2-17.0	185	52.3	46.2-58.4	2	0.6	00.0-01.4
55-64	473	205,650	49	11.2	07.7-14.7	66	13.0	09.5-16.5	58	10.1	07.4-12.8	298	65.4	60.5-70.3	2	0.3	00.0-00.9
65+	1307	409,487	48	4.3	02.9-05.7	95	8.3	06.3-10.3	76	6.5	04.7-08.3	1083	80.5	77.8-83.2	5	0.3	00.0-00.7
Less Than H.S.	144	114,979	25	20.5	12.3-28.7	22	25.5	15.5-35.5	12	7.5	02.8-12.2	85	46.5	36.7-56.3			
H.S. or G.E.D.	897	418,932	93	13.8	10.9-16.7	163	21.2	17.7-24.7	87	11.1	08.6-13.6	551	53.4	49.5-57.3	3	0.5	00.0-01.1
Some Post-H.S.	739	377,497	74	13.1	09.8-16.4	126	21.7	18.0-25.4	95	13.7	10.8-16.6	441	51.1	46.8-55.4	3	0.4	00.0-01.0
College Graduate	848	244,370	83	11.7	09.2-14.2	103	14.4	11.5-17.3	67	9.2	06.8-11.6	590	64.1	60.2-68.0	5	0.6	00.0-01.2
Less than \$15,000	108	45,108	17	15.2	07.6-22.8	21	23.2	12.2-34.2	10	10.7	03.6-17.8	60	51.0	38.8-63.2			
\$15,000- 24,999	233	87,251	30	16.3	10.0-22.6	38	20.0	13.5-26.5	14	4.9	02.0-07.8	150	58.5	50.7-66.3	1	0.2	00.0-00.6
\$25,000- 34,999	297	126,693	42	19.7	13.6-25.8	51	19.1	13.2-25.0	25	7.3	04.0-10.6	176	53.0	45.9-60.1	3	0.9	00.0-02.1
\$35,000- 49,999	304	128,425	25	10.7	06.2-15.2	54	22.8	16.3-29.3	41	17.0	11.3-22.7	183	49.4	42.3-56.5	1	0.1	00.0-00.3
\$50,000- 99,999	719	340,636	72	13.4	09.9-16.9	113	22.2	17.7-26.7	73	12.1	09.0-15.2	461	52.3	47.6-57.0			
\$100,000- 199,999	439	215,557	47	13.8	09.7-17.9	66	18.0	13.5-22.5	62	14.9	11.0-18.8	261	52.6	47.1-58.1	3	0.8	00.0-01.8
\$200,000+	91	42,127	10	11.8	03.2-20.4	16	21.8	11.2-32.4	7	8.0	01.9-14.1	57	57.1	45.1-69.1	1	1.3	00.0-03.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 15: TOBACCO CESSATION**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1 to 5 years ago			5 to 10 years ago			10+ years ago			Never smoked regular		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1353	626,629	145	14.6	12.1-17.1	204	19.5	16.6-22.4	120	10.0	08.0-12.0	880	55.5	52.2-58.8	4	0.4	00.0-00.8
White/Non-Hisp	1135	516,791	112	13.8	11.1-16.5	161	18.1	15.0-21.2	96	9.9	07.7-12.1	762	57.8	54.1-61.5	4	0.5	00.1-00.9
Black or Afr. Am./Non-Hisp	79	31,661	8	10.9	02.1-19.7	10	16.5	05.7-27.3	9	14.3	03.5-25.1	52	58.4	44.3-72.5			
Hispanic	63	28,754	13	25.4	11.1-39.7	20	33.4	17.7-49.1	5	6.0	00.5-11.5	25	35.2	19.9-50.5			
25-34	94	81,736	29	30.9	20.1-41.7	44	44.8	33.0-56.6	13	12.8	05.5-20.1	8	11.5	03.9-19.1			
35-44	155	98,701	29	15.8	09.3-22.3	49	32.1	22.9-41.3	31	21.8	14.0-29.6	45	29.5	21.1-37.9	1	0.9	00.0-02.7
45-54	188	97,465	25	13.7	07.6-19.8	33	17.9	11.0-24.8	22	11.2	06.5-15.9	107	56.6	48.4-64.8	1	0.6	00.0-01.8
55-64	227	107,102	25	12.2	06.7-17.7	27	12.8	07.3-18.3	19	7.2	03.7-10.7	155	67.3	59.9-74.7	1	0.5	00.0-01.5
65+	668	219,951	24	4.5	02.5-06.5	44	7.2	04.8-09.6	35	5.6	03.4-07.8	564	82.5	79.0-86.0	1	0.2	00.0-00.6
Less Than H.S.	77	70,017	18	25.0	13.8-36.2	13	27.2	13.5-40.9	5	5.5	00.2-10.8	41	42.3	29.8-54.8			
H.S. or G.E.D.	457	226,464	45	14.2	09.9-18.5	77	18.7	14.2-23.2	40	10.0	06.5-13.5	293	56.6	51.1-62.1	2	0.5	00.0-01.1
Some Post-H.S.	353	192,638	38	13.8	09.1-18.5	59	21.3	15.8-26.8	39	12.3	08.4-16.2	216	52.2	46.1-58.3	1	0.5	00.0-01.5
College Graduate	463	136,510	43	10.6	07.3-13.9	55	14.4	10.5-18.3	36	9.3	06.2-12.4	328	65.4	60.3-70.5	1	0.3	00.0-00.9
\$15,000- 24,999	104	42,149	14	17.8	07.4-28.2	15	17.3	08.1-26.5	7	6.5	01.0-12.0	68	58.4	46.4-70.4			
\$25,000- 34,999	136	67,226	21	23.2	13.6-32.8	20	14.1	07.4-20.8	9	6.7	02.0-11.4	84	54.4	44.4-64.4	2	1.6	00.0-03.8
\$35,000- 49,999	157	63,303	13	9.8	03.9-15.7	21	16.2	08.2-24.2	15	9.2	04.1-14.3	108	64.8	55.4-74.2			
\$50,000- 99,999	405	197,941	34	12.1	07.6-16.6	66	24.8	18.3-31.3	40	12.3	08.0-16.6	265	50.7	44.4-57.0			
\$100,000- 199,999	259	134,355	28	13.5	08.4-18.6	40	17.4	11.7-23.1	35	14.5	09.4-19.6	154	53.6	46.5-60.7	2	1.0	00.0-02.4
\$200,000+	66	30,014	8	11.8	02.6-21.0	12	20.9	08.7-33.1	5	7.6	00.5-14.7	41	59.7	45.8-73.6			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 15: TOBACCO CESSATION**

**TABLE 3: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1 to 5 years ago			5 to 10 years ago			10+ years ago			Never smoked regular		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1283	531,993	133	13.0	10.5-15.5	210	21.2	18.3-24.1	141	12.5	10.1-14.9	792	52.8	49.5-56.1	7	0.4	00.0-00.8
White/Non-Hisp	1107	454,183	111	12.7	10.2-15.2	180	21.1	18.0-24.2	119	12.1	09.7-14.5	692	53.6	50.1-57.1	5	0.5	00.1-00.9
Black or Afr. Am./Non-Hisp	83	30,045	11	19.1	07.5-30.7	16	21.5	08.2-34.8	8	7.1	01.6-12.6	47	51.8	37.1-66.5	1	0.5	00.0-01.5
25-34	84	69,873	28	31.1	19.9-42.3	39	46.4	34.2-58.6	6	8.1	01.6-14.6	11	14.4	05.6-23.2			
35-44	139	85,475	25	18.0	10.6-25.4	42	29.0	20.6-37.4	31	23.2	15.4-31.0	41	29.8	21.2-38.4			
45-54	162	74,640	28	15.4	09.1-21.7	32	21.6	13.8-29.4	23	15.6	09.3-21.9	78	46.6	37.6-55.6	1	0.7	00.0-02.1
55-64	246	98,548	24	10.2	05.9-14.5	39	13.2	08.7-17.7	39	13.2	08.9-17.5	143	63.3	56.6-70.0	1	0.2	00.0-00.6
65+	639	189,536	24	4.1	02.3-05.9	51	9.6	06.5-12.7	41	7.6	04.9-10.3	519	78.2	74.1-82.3	4	0.4	00.0-00.8
Less Than H.S.	67	44,962	7	13.5	02.3-24.7	9	22.7	09.2-36.2	7	10.6	02.2-19.0	44	53.2	38.5-67.9			
H.S. or G.E.D.	440	192,468	48	13.4	09.5-17.3	86	24.1	18.8-29.4	47	12.3	08.6-16.0	258	49.7	44.0-55.4	1	0.5	00.0-01.5
Some Post-H.S.	386	184,860	36	12.5	08.0-17.0	67	22.1	16.8-27.4	56	15.2	10.9-19.5	225	50.0	43.9-56.1	2	0.2	00.0-00.6
College Graduate	385	107,860	40	13.1	09.0-17.2	48	14.4	10.1-18.7	31	9.1	05.6-12.6	262	62.5	56.6-68.4	4	1.0	00.0-02.2
Less than \$15,000	74	31,109	9	11.3	03.7-18.9	11	17.7	06.5-28.9	10	15.5	05.7-25.3	44	55.5	41.2-69.8			
\$15,000- 24,999	129	45,103	16	14.9	07.5-22.3	23	22.6	13.4-31.8	7	3.4	00.9-05.9	82	58.7	48.3-69.1	1	0.4	00.0-01.2
\$25,000- 34,999	161	59,467	21	15.6	08.7-22.5	31	24.7	15.1-34.3	16	8.1	03.6-12.6	92	51.5	41.7-61.3	1	0.1	00.0-00.3
\$35,000- 49,999	147	65,122	12	11.7	04.8-18.6	33	29.2	19.4-39.0	26	24.6	15.2-34.0	75	34.3	25.7-42.9	1	0.2	00.0-00.6
\$50,000- 99,999	314	142,695	38	15.1	09.4-20.8	47	18.5	12.8-24.2	33	11.8	07.3-16.3	196	54.5	47.4-61.6			
\$100,000- 199,999	180	81,202	19	14.3	07.2-21.4	26	19.0	11.6-26.4	27	15.5	09.2-21.8	107	50.9	42.1-59.7	1	0.4	00.0-01.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 15: TOBACCO CESSATION**

TABLE 4: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1315	668,476	652	51.2	47.9-54.5	663	48.8	45.5-52.1
Male	620	331,330	282	48.7	44.0-53.4	338	51.3	46.6-56.0
Female	695	337,147	370	53.6	48.9-58.3	325	46.4	41.7-51.1
White/Non-Hisp	1069	534,250	495	47.3	43.6-51.0	574	52.7	49.0-56.4
Black or Afr. Am./Non-Hisp	126	60,921	90	81.4	74.0-88.8	36	18.6	11.2-26.0
25-34	93	75,669	55	60.5	49.1-71.9	38	39.5	28.1-50.9
35-44	208	137,889	101	50.6	42.4-58.8	107	49.4	41.2-57.6
45-54	277	144,494	134	44.7	38.0-51.4	143	55.3	48.6-62.0
55-64	342	152,669	170	51.1	44.8-57.4	172	48.9	42.6-55.2
65+	372	126,694	173	47.7	41.4-54.0	199	52.3	46.0-58.6
Less Than H.S.	160	134,358	85	56.2	47.0-65.4	75	43.8	34.6-53.0
H.S. or G.E.D.	559	276,673	274	48.9	44.0-53.8	285	51.1	46.2-56.0
Some Post-H.S.	384	191,935	197	52.8	46.9-58.7	187	47.2	41.3-53.1
College Graduate	207	62,921	93	45.7	37.7-53.7	114	54.3	46.3-62.3
Less than \$15,000	119	59,016	74	66.5	56.5-76.5	45	33.5	23.5-43.5
\$15,000- 24,999	207	91,535	123	59.3	50.9-67.7	84	40.7	32.3-49.1
\$25,000- 34,999	201	98,916	91	47.7	39.3-56.1	110	52.3	43.9-60.7
\$35,000- 49,999	182	94,155	92	54.1	45.3-62.9	90	45.9	37.1-54.7
\$50,000- 99,999	259	144,285	121	46.0	38.4-53.6	138	54.0	46.4-61.6
\$100,000- 199,999	136	71,361	54	41.6	31.8-51.4	82	58.4	48.6-68.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 15: TOBACCO CESSATION**

TABLE 5: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	620	331,330	282	48.7	44.0-53.4	338	51.3	46.6-56.0
White/Non-Hisp	488	254,832	201	44.3	39.0-49.6	287	55.7	50.4-61.0
Black or Afr. Am./Non-Hisp	60	28,436	44	82.5	72.7-92.3	16	17.5	07.7-27.3
35-44	120	79,796	58	47.6	37.2-58.0	62	52.4	42.0-62.8
45-54	126	70,457	54	41.8	31.8-51.8	72	58.2	48.2-68.2
55-64	170	80,973	73	45.6	36.8-54.4	97	54.4	45.6-63.2
65+	154	53,654	62	43.7	34.7-52.7	92	56.3	47.3-65.3
Less Than H.S.	82	71,037	41	54.8	42.1-67.5	41	45.2	32.5-57.9
H.S. or G.E.D.	274	143,062	126	46.9	40.2-53.6	148	53.1	46.4-59.8
Some Post-H.S.	161	84,415	73	48.4	39.6-57.2	88	51.6	42.8-60.4
College Graduate	100	31,600	39	41.7	29.9-53.5	61	58.3	46.5-70.1
\$15,000- 24,999	91	41,679	47	55.4	43.6-67.2	44	44.6	32.8-56.4
\$25,000- 34,999	95	47,276	40	43.6	31.8-55.4	55	56.4	44.6-68.2
\$35,000- 49,999	77	41,663	33	46.9	33.8-60.0	44	53.1	40.0-66.2
\$50,000- 99,999	141	87,603	69	50.0	40.2-59.8	72	50.0	40.2-59.8
\$100,000- 199,999	81	45,895	26	40.7	27.8-53.6	55	59.3	46.4-72.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 15: TOBACCO CESSATION**

TABLE 6: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	695	337,147	370	53.6	48.9-58.3	325	46.4	41.7-51.1
White/Non-Hisp	581	279,418	294	50.1	45.0-55.2	287	49.9	44.8-55.0
Black or Afr. Am./Non-Hisp	66	32,485	46	80.4	69.0-91.8	20	19.6	08.2-31.0
25-34	53	40,067	29	55.6	40.7-70.5	24	44.4	29.5-59.3
35-44	88	58,093	43	54.8	42.1-67.5	45	45.2	32.5-57.9
45-54	151	74,037	80	47.4	38.4-56.4	71	52.6	43.6-61.6
55-64	172	71,696	97	57.3	48.7-65.9	75	42.7	34.1-51.3
65+	218	73,041	111	50.5	42.5-58.5	107	49.5	41.5-57.5
Less Than H.S.	78	63,321	44	57.7	44.4-71.0	34	42.3	29.0-55.6
H.S. or G.E.D.	285	133,611	148	51.0	43.7-58.3	137	49.0	41.7-56.3
Some Post-H.S.	223	107,520	124	56.2	48.4-64.0	99	43.8	36.0-51.6
College Graduate	107	31,320	54	49.7	38.7-60.7	53	50.3	39.3-61.3
Less than \$15,000	72	37,463	51	74.4	62.6-86.2	21	25.6	13.8-37.4
\$15,000- 24,999	116	49,856	76	62.6	50.6-74.6	40	37.4	25.4-49.4
\$25,000- 34,999	106	51,640	51	51.6	39.6-63.6	55	48.4	36.4-60.4
\$35,000- 49,999	105	52,493	59	59.8	48.4-71.2	46	40.2	28.8-51.6
\$50,000- 99,999	118	56,682	52	39.8	28.4-51.2	66	60.2	48.8-71.6
\$100,000- 199,999	55	25,467	28	43.2	28.7-57.7	27	56.8	42.3-71.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023

MODULE 16: OTHER TOBACCO USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	CURRENTLY, WHEN YOU SMOKE CIGARETTES, DO YOU USUALLY SMOKE MENTHOL CIGARETTES? (MENTCIGS)	
1	MALES AND FEMALES	72
2	MALES ONLY	73
3	FEMALES ONLY	74
	CURRENTLY, WHEN YOU USE E-CIGARETTES, DO YOU USUALLY USE MENTHOL E-CIGARETTES? (MENTECIG)	
4	MALES AND FEMALES	75
5	MALES ONLY	76
6	FEMALES ONLY	77
	BEFORE TODAY, HAVE YOU HEARD OF HEATED TOBACCO PRODUCTS? (HEATTBCO)	
7	MALES AND FEMALES	78
8	MALES ONLY	79
9	FEMALES ONLY	80

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 16: OTHER TOBACCO USE**

TABLE 1: CURRENTLY, WHEN YOU SMOKE CIGARETTES, DO YOU USUALLY SMOKE MENTHOL CIGARETTES? (MENTCIGS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1308	667,650	391	29.2	26.1-32.3	917	70.8	67.7-73.9
Male	616	330,399	163	27.4	23.1-31.7	453	72.6	68.3-76.9
Female	692	337,251	228	31.0	26.5-35.5	464	69.0	64.5-73.5
White/Non-Hisp	1064	533,287	246	21.5	18.6-24.4	818	78.5	75.6-81.4
Black or Afr. Am./Non-Hisp	122	59,825	101	88.4	81.5-95.3	21	11.6	04.7-18.5
25-34	91	75,147	39	45.0	33.0-57.0	52	55.0	43.0-67.0
35-44	209	138,523	68	29.0	21.7-36.3	141	71.0	63.7-78.3
45-54	277	145,277	75	24.9	19.0-30.8	202	75.1	69.2-81.0
55-64	338	150,709	89	23.9	18.8-29.0	249	76.1	71.0-81.2
65+	369	126,335	110	27.1	21.8-32.4	259	72.9	67.6-78.2
Less Than H.S.	161	134,970	40	27.8	18.8-36.8	121	72.2	63.2-81.2
H.S. or G.E.D.	556	275,453	170	28.8	24.5-33.1	386	71.2	66.9-75.5
Some Post-H.S.	382	192,363	111	30.5	24.8-36.2	271	69.5	63.8-75.2
College Graduate	204	62,273	69	30.4	23.1-37.7	135	69.6	62.3-76.9
Less than \$15,000	118	59,175	30	24.6	15.2-34.0	88	75.4	66.0-84.8
\$15,000- 24,999	205	90,406	65	31.0	22.8-39.2	140	69.0	60.8-77.2
\$25,000- 34,999	200	98,479	67	33.0	24.8-41.2	133	67.0	58.8-75.2
\$35,000- 49,999	181	93,806	52	28.9	20.3-37.5	129	71.1	62.5-79.7
\$50,000- 99,999	255	143,182	71	27.2	20.3-34.1	184	72.8	65.9-79.7
\$100,000- 199,999	138	72,619	37	27.2	18.4-36.0	101	72.8	64.0-81.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 16: OTHER TOBACCO USE**

TABLE 2: CURRENTLY, WHEN YOU SMOKE CIGARETTES, DO YOU USUALLY SMOKE MENTHOL CIGARETTES? (MENTCIGS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	616	330,399	163	27.4	23.1-31.7	453	72.6	68.3-76.9
White/Non-Hisp	487	254,798	94	18.8	14.9-22.7	393	81.2	77.3-85.1
Black or Afr. Am./Non-Hisp	57	27,540	48	91.5	85.2-97.8	9	8.5	02.2-14.8
35-44	120	79,796	34	25.0	16.6-33.4	86	75.0	66.6-83.4
45-54	124	69,893	34	26.4	17.4-35.4	90	73.6	64.6-82.6
55-64	169	80,641	36	20.9	14.2-27.6	133	79.1	72.4-85.8
65+	153	53,619	39	24.4	17.1-31.7	114	75.6	68.3-82.9
Less Than H.S.	82	71,037	21	28.4	15.9-40.9	61	71.6	59.1-84.1
H.S. or G.E.D.	272	142,278	73	28.7	22.4-35.0	199	71.3	65.0-77.6
Some Post-H.S.	159	84,267	43	26.0	18.7-33.3	116	74.0	66.7-81.3
College Graduate	100	31,600	25	22.5	13.5-31.5	75	77.5	68.5-86.5
\$15,000- 24,999	90	41,294	21	23.2	13.2-33.2	69	76.8	66.8-86.8
\$25,000- 34,999	95	47,276	26	26.2	16.8-35.6	69	73.8	64.4-83.2
\$35,000- 49,999	76	41,314	21	28.3	16.0-40.6	55	71.7	59.4-84.0
\$50,000- 99,999	140	87,271	37	26.0	16.6-35.4	103	74.0	64.6-83.4
\$100,000- 199,999	81	45,895	15	23.5	11.7-35.3	66	76.5	64.7-88.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 16: OTHER TOBACCO USE**

TABLE 3: CURRENTLY, WHEN YOU SMOKE CIGARETTES, DO YOU USUALLY SMOKE MENTHOL CIGARETTES? (MENTCIGS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	692	337,251	228	31.0	26.7-35.3	464	69.0	64.7-73.3
White/Non-Hisp	577	278,489	152	24.0	19.9-28.1	425	76.0	71.9-80.1
Black or Afr. Am./Non-Hisp	65	32,286	53	85.7	73.9-97.5	12	14.3	02.5-26.1
25-34	51	39,544	22	40.7	25.2-56.2	29	59.3	43.8-74.8
35-44	89	58,727	34	34.4	22.1-46.7	55	65.6	53.3-77.9
45-54	153	75,384	41	23.5	16.1-30.9	112	76.5	69.1-83.9
55-64	169	70,069	53	27.3	19.3-35.3	116	72.7	64.7-80.7
65+	216	72,716	71	29.1	22.2-36.0	145	70.9	64.0-77.8
Less Than H.S.	79	63,933	19	27.1	14.4-39.8	60	72.9	60.2-85.6
H.S. or G.E.D.	284	133,175	97	29.0	22.9-35.1	187	71.0	64.9-77.1
Some Post-H.S.	223	108,096	68	34.0	26.0-42.0	155	66.0	58.0-74.0
College Graduate	104	30,672	44	38.6	28.0-49.2	60	61.4	50.8-72.0
Less than \$15,000	73	38,186	18	22.8	10.1-35.5	55	77.2	64.5-89.9
\$15,000- 24,999	115	49,112	44	37.6	25.4-49.8	71	62.4	50.2-74.6
\$25,000- 34,999	105	51,203	41	39.1	26.9-51.3	64	60.9	48.7-73.1
\$35,000- 49,999	105	52,493	31	29.5	17.7-41.3	74	70.5	58.7-82.3
\$50,000- 99,999	115	55,911	34	29.0	18.6-39.4	81	71.0	60.6-81.4
\$100,000- 199,999	57	26,725	22	33.4	20.1-46.7	35	66.6	53.3-79.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 16: OTHER TOBACCO USE**

TABLE 4: CURRENTLY, WHEN YOU USE E-CIGARETTES, DO YOU USUALLY USE MENTHOL E-CIGARETTES? (MENTECIG)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	554	374,093	135	24.7	20.2-29.2	419	75.3	70.8-79.8
Male	260	177,457	64	26.2	19.5-32.9	196	73.8	67.1-80.5
Female	294	196,636	71	23.3	17.4-29.2	223	76.7	70.8-82.6
White/Non-Hisp	448	297,149	99	22.8	18.1-27.5	349	77.2	72.5-81.9
18-24	101	110,076	32	30.4	20.0-40.8	69	69.6	59.2-80.0
25-34	136	102,693	35	25.2	17.2-33.2	101	74.8	66.8-82.8
35-44	120	74,728	28	21.1	12.9-29.3	92	78.9	70.7-87.1
45-54	81	44,366	17	23.5	11.7-35.3	64	76.5	64.7-88.3
55-64	68	28,378	11	11.9	04.1-19.7	57	88.1	80.3-95.9
H.S. or G.E.D.	208	155,191	57	27.9	20.5-35.3	151	72.1	64.7-79.5
Some Post-H.S.	165	122,067	32	19.7	12.6-26.8	133	80.3	73.2-87.4
College Graduate	138	53,590	31	19.9	12.6-27.2	107	80.1	72.8-87.4
\$25,000- 34,999	69	39,777	17	27.1	14.2-40.0	52	72.9	60.0-85.8
\$35,000- 49,999	74	54,466	17	18.5	08.7-28.3	57	81.5	71.7-91.3
\$50,000- 99,999	139	108,183	23	18.5	10.1-26.9	116	81.5	73.1-89.9
\$100,000- 199,999	83	51,963	22	32.9	20.0-45.8	61	67.1	54.2-80.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 16: OTHER TOBACCO USE**

TABLE 5: CURRENTLY, WHEN YOU USE E-CIGARETTES, DO YOU USUALLY USE MENTHOL E-CIGARETTES? (MENTECIG)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	260	177,457	64	26.2	19.5-32.9	196	73.8	67.1-80.5
White/Non-Hisp	206	141,330	47	26.0	18.7-33.3	159	74.0	66.7-81.3
25-34	69	53,138	20	30.4	17.9-42.9	49	69.6	57.1-82.1
35-44	55	35,613	13	18.2	07.4-29.0	42	81.8	71.0-92.6
H.S. or G.E.D.	97	72,940	27	30.4	19.4-41.4	70	69.6	58.6-80.6
Some Post-H.S.	73	53,573	15	19.6	09.2-30.0	58	80.4	70.0-90.8
College Graduate	68	26,172	13	17.8	07.8-27.8	55	82.2	72.2-92.2
\$50,000- 99,999	80	63,769	14	16.0	06.8-25.2	66	84.0	74.8-93.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 16: OTHER TOBACCO USE**

TABLE 6: CURRENTLY, WHEN YOU USE E-CIGARETTES, DO YOU USUALLY USE MENTHOL E-CIGARETTES? (MENTECIG)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	294	196,636	71	23.3	17.4-29.2	223	76.7	70.8-82.6
White/Non-Hisp	242	155,819	52	19.8	14.1-25.5	190	80.2	74.5-85.9
18-24	54	61,453	15	27.7	14.0-41.4	39	72.3	58.6-86.0
25-34	67	49,556	15	19.7	10.1-29.3	52	80.3	70.7-89.9
35-44	65	39,115	15	23.8	11.5-36.1	50	76.2	63.9-88.5
H.S. or G.E.D.	111	82,251	30	25.7	15.9-35.5	81	74.3	64.5-84.1
Some Post-H.S.	92	68,494	17	19.7	10.5-28.9	75	80.3	71.1-89.5
College Graduate	70	27,418	18	21.8	11.4-32.2	52	78.2	67.8-88.6
\$50,000- 99,999	59	44,414	9	22.2	06.9-37.5	50	77.8	62.5-93.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 16: OTHER TOBACCO USE**

TABLE 7: BEFORE TODAY, HAVE YOU HEARD OF HEATED TOBACCO PRODUCTS? (HEATTBCO)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9757	4,617,944	1094	10.7	09.9-11.5	8663	89.3	88.5-90.1
Male	4477	2,239,785	617	13.2	12.0-14.4	3860	86.8	85.6-88.0
Female	5280	2,378,159	477	8.4	07.4-09.4	4803	91.6	90.6-92.6
White/Non-Hisp	7704	3,544,956	862	10.8	10.0-11.6	6842	89.2	88.4-90.0
Black or Afr. Am./Non-Hisp	870	397,976	122	13.8	10.7-16.9	748	86.2	83.1-89.3
Oth. Race/Non-Hisp.	235	158,897	16	6.6	02.9-10.3	219	93.4	89.7-97.1
MultiRacial/Non-Hisp.	163	118,972	21	11.3	05.4-17.2	142	88.7	82.8-94.6
Hispanic	618	323,476	51	8.1	05.2-11.0	567	91.9	89.0-94.8
18-24	543	580,013	44	8.2	05.7-10.7	499	91.8	89.3-94.3
25-34	945	692,964	82	9.0	06.8-11.2	863	91.0	88.8-93.2
35-44	1209	710,235	132	10.2	08.2-12.2	1077	89.8	87.8-91.8
45-54	1499	708,599	165	11.0	09.0-13.0	1334	89.0	87.0-91.0
55-64	1821	776,341	221	12.0	10.2-13.8	1600	88.0	86.2-89.8
65+	3740	1,149,793	450	12.2	10.8-13.6	3290	87.8	86.4-89.2
Less Than H.S.	549	478,325	45	8.7	05.8-11.6	504	91.3	88.4-94.2
H.S. or G.E.D.	2997	1,563,686	323	10.3	08.9-11.7	2674	89.7	88.3-91.1
Some Post-H.S.	2503	1,371,183	286	11.3	09.7-12.9	2217	88.7	87.1-90.3
College Graduate	3672	1,191,329	437	11.3	10.1-12.5	3235	88.7	87.5-89.9
Less than \$15,000	412	200,862	40	9.1	05.8-12.4	372	90.9	87.6-94.2
\$15,000- 24,999	828	347,378	94	9.7	07.3-12.1	734	90.3	87.9-92.7
\$25,000- 34,999	1033	482,169	124	12.4	09.7-15.1	909	87.6	84.9-90.3
\$35,000- 49,999	1100	517,908	117	9.9	07.7-12.1	983	90.1	87.9-92.3
\$50,000- 99,999	2477	1,209,976	292	11.6	10.0-13.2	2185	88.4	86.8-90.0
\$100,000- 199,999	1635	812,377	186	11.0	09.2-12.8	1449	89.0	87.2-90.8
\$200,000+	416	198,770	50	10.3	07.2-13.4	366	89.7	86.6-92.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 16: OTHER TOBACCO USE**

TABLE 8: BEFORE TODAY, HAVE YOU HEARD OF HEATED TOBACCO PRODUCTS? (HEATTBCO)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4477	2,239,785	617	13.2	12.0-14.4	3860	86.8	85.6-88.0
White/Non-Hisp	3547	1,711,983	481	13.2	11.8-14.6	3066	86.8	85.4-88.2
Black or Afr. Am./Non-Hisp	356	189,118	65	16.5	11.6-21.4	291	83.5	78.6-88.4
Oth. Race/Non-Hisp.	118	88,517	10	8.0	02.7-13.3	108	92.0	86.7-97.3
MultiRacial/Non-Hisp.	84	61,389	12	13.6	04.6-22.6	72	86.4	77.4-95.4
Hispanic	284	142,983	32	11.2	06.3-16.1	252	88.8	83.9-93.7
18-24	321	300,030	32	10.0	06.5-13.5	289	90.0	86.5-93.5
25-34	445	348,838	51	10.4	07.1-13.7	394	89.6	86.3-92.9
35-44	587	351,768	79	12.5	09.4-15.6	508	87.5	84.4-90.6
45-54	697	350,734	85	12.3	09.4-15.2	612	87.7	84.8-90.6
55-64	829	377,927	125	15.4	12.5-18.3	704	84.6	81.7-87.5
65+	1598	510,489	245	16.3	14.1-18.5	1353	83.7	81.5-85.9
Less Than H.S.	248	232,109	32	13.2	08.1-18.3	216	86.8	81.7-91.9
H.S. or G.E.D.	1398	793,033	189	12.8	10.8-14.8	1209	87.2	85.2-89.2
Some Post-H.S.	1078	641,212	146	12.7	10.3-15.1	932	87.3	84.9-89.7
College Graduate	1736	567,607	249	14.3	12.3-16.3	1487	85.7	83.7-87.7
Less than \$15,000	153	76,036	24	13.2	06.7-19.7	129	86.8	80.3-93.3
\$15,000- 24,999	314	139,584	41	12.3	08.2-16.4	273	87.7	83.6-91.8
\$25,000- 34,999	439	227,098	62	14.3	10.2-18.4	377	85.7	81.6-89.8
\$35,000- 49,999	457	219,923	52	9.8	06.9-12.7	405	90.2	87.3-93.1
\$50,000- 99,999	1243	634,563	186	14.6	12.1-17.1	1057	85.4	82.9-87.9
\$100,000- 199,999	898	462,794	116	12.8	10.3-15.3	782	87.2	84.7-89.7
\$200,000+	237	111,046	31	12.2	07.5-16.9	206	87.8	83.1-92.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 16: OTHER TOBACCO USE**

TABLE 9: BEFORE TODAY, HAVE YOU HEARD OF HEATED TOBACCO PRODUCTS? (HEATTBCO)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5280	2,378,159	477	8.4	07.4-09.4	4803	91.6	90.6-92.6
White/Non-Hisp	4157	1,832,974	381	8.5	07.5-09.5	3776	91.5	90.5-92.5
Black or Afr. Am./Non-Hisp	514	208,857	57	11.3	07.4-15.2	457	88.7	84.8-92.6
Oth. Race/Non-Hisp.	117	70,379	6	4.9	00.0-10.0	111	95.1	90.0-0100
MultiRacial/Non-Hisp.	79	57,583	9	8.8	01.4-16.2	70	91.2	83.8-98.6
Hispanic	334	180,493	19	5.7	02.4-09.0	315	94.3	91.0-97.6
18-24	222	279,983	12	6.3	02.6-10.0	210	93.7	90.0-97.4
25-34	500	344,126	31	7.6	04.7-10.5	469	92.4	89.5-95.3
35-44	622	358,467	53	7.9	05.5-10.3	569	92.1	89.7-94.5
45-54	802	357,865	80	9.7	07.2-12.2	722	90.3	87.8-92.8
55-64	992	398,414	96	8.8	06.8-10.8	896	91.2	89.2-93.2
65+	2142	639,304	205	9.0	07.4-10.6	1937	91.0	89.4-92.6
Less Than H.S.	301	246,216	13	4.5	01.6-07.4	288	95.5	92.6-98.4
H.S. or G.E.D.	1599	770,653	134	7.8	06.2-09.4	1465	92.2	90.6-93.8
Some Post-H.S.	1425	729,971	140	10.0	08.0-12.0	1285	90.0	88.0-92.0
College Graduate	1936	623,722	188	8.6	07.0-10.2	1748	91.4	89.8-93.0
Less than \$15,000	259	124,825	16	6.6	02.9-10.3	243	93.4	89.7-97.1
\$15,000- 24,999	514	207,794	53	7.9	05.0-10.8	461	92.1	89.2-95.0
\$25,000- 34,999	594	255,071	62	10.8	07.3-14.3	532	89.2	85.7-92.7
\$35,000- 49,999	643	297,985	65	9.9	07.0-12.8	578	90.1	87.2-93.0
\$50,000- 99,999	1234	575,413	106	8.2	06.2-10.2	1128	91.8	89.8-93.8
\$100,000- 199,999	737	349,583	70	8.6	06.1-11.1	667	91.4	88.9-93.9
\$200,000+	179	87,725	19	8.0	03.9-12.1	160	92.0	87.9-96.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023

MODULE 17: FIREARM SAFETY CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ARE ANY FIREARMS NOW KEPT IN OR AROUND YOUR HOME? (FIREARM5)	
1	MALES AND FEMALES	82
2	MALES ONLY	83
3	FEMALES ONLY	84
	ARE ANY OF THESE FIREARMS NOW LOADED? (GUNLOAD)	
4	MALES AND FEMALES	85
5	MALES ONLY	86
6	FEMALES ONLY	87
	ARE ANY OF THESE LOADED FIREARMS ALSO UNLOCKED? (LOADULK2)	
7	MALES AND FEMALES	88
8	MALES ONLY	89
9	FEMALES ONLY	90

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 17: FIREARM SAFETY**

**TABLE 1: ARE ANY FIREARMS NOW KEPT IN OR AROUND YOUR HOME? (FIREARM5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8325	3,902,029	3503	45.0	43.6-46.4	4822	55.0	53.6-56.4
Male	3671	1,822,974	1817	51.3	49.3-53.3	1854	48.7	46.7-50.7
Female	4654	2,079,056	1686	39.5	37.7-41.3	2968	60.5	58.7-62.3
White/Non-Hisp	6583	2,999,691	2981	49.4	47.8-51.0	3602	50.6	49.0-52.2
Black or Afr. Am./Non-Hisp	762	343,101	264	35.2	30.5-39.9	498	64.8	60.1-69.5
Oth. Race/Non-Hisp.	203	136,424	68	35.4	27.4-43.4	135	64.6	56.6-72.6
MultiRacial/Non-Hisp.	135	94,998	50	40.9	30.1-51.7	85	59.1	48.3-69.9
Hispanic	525	274,916	95	15.9	12.0-19.8	430	84.1	80.2-88.0
18-24	462	487,996	166	40.7	35.4-46.0	296	59.3	54.0-64.6
25-34	813	591,826	302	40.1	36.2-44.0	511	59.9	56.0-63.8
35-44	1032	605,028	436	44.1	40.6-47.6	596	55.9	52.4-59.4
45-54	1232	578,934	532	46.7	43.4-50.0	700	53.3	50.0-56.6
55-64	1532	649,478	754	52.6	49.7-55.5	778	47.4	44.5-50.3
65+	3254	988,767	1313	44.6	42.4-46.8	1941	55.4	53.2-57.6
Less Than H.S.	453	386,364	120	31.4	25.9-36.9	333	68.6	63.1-74.1
H.S. or G.E.D.	2537	1,331,378	1095	46.4	44.0-48.8	1442	53.6	51.2-56.0
Some Post-H.S.	2119	1,138,538	954	48.9	46.4-51.4	1165	51.1	48.6-53.6
College Graduate	3197	1,039,203	1329	44.0	42.0-46.0	1868	56.0	54.0-58.0
Less than \$15,000	362	172,487	79	18.5	13.8-23.2	283	81.5	76.8-86.2
\$15,000- 24,999	741	302,864	204	27.1	23.2-31.0	537	72.9	69.0-76.8
\$25,000- 34,999	904	415,271	307	37.0	32.9-41.1	597	63.0	58.9-67.1
\$35,000- 49,999	971	449,428	407	42.6	38.7-46.5	564	57.4	53.5-61.3
\$50,000- 99,999	2157	1,032,883	1013	50.4	47.7-53.1	1144	49.6	46.9-52.3
\$100,000- 199,999	1428	702,700	791	59.5	56.4-62.6	637	40.5	37.4-43.6
\$200,000+	357	170,895	196	58.7	52.6-64.8	161	41.3	35.2-47.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 17: FIREARM SAFETY**

TABLE 2: ARE ANY FIREARMS NOW KEPT IN OR AROUND YOUR HOME? (FIREARM5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3671	1,822,974	1817	51.3	49.3-53.3	1854	48.7	46.7-50.7
White/Non-Hisp	2916	1,395,087	1537	56.1	53.9-58.3	1379	43.9	41.7-46.1
Black or Afr. Am./Non-Hisp	297	156,744	134	43.0	35.6-50.4	163	57.0	49.6-64.4
Oth. Race/Non-Hisp.	100	74,204	34	30.6	20.4-40.8	66	69.4	59.2-79.6
MultiRacial/Non-Hisp.	67	47,349	33	54.9	39.6-70.2	34	45.1	29.8-60.4
Hispanic	234	118,164	53	20.2	13.9-26.5	181	79.8	73.5-86.1
18-24	273	253,908	106	42.2	35.3-49.1	167	57.8	50.9-64.7
25-34	373	285,223	159	46.6	40.5-52.7	214	53.4	47.3-59.5
35-44	489	293,191	219	47.6	42.3-52.9	270	52.4	47.1-57.7
45-54	541	267,836	267	53.2	48.3-58.1	274	46.8	41.9-51.7
55-64	666	305,150	374	58.9	54.6-63.2	292	41.1	36.8-45.4
65+	1329	417,666	692	55.7	52.6-58.8	637	44.3	41.2-47.4
Less Than H.S.	197	183,305	68	38.4	30.0-46.8	129	61.6	53.2-70.0
H.S. or G.E.D.	1158	663,269	615	53.7	50.2-57.2	543	46.3	42.8-49.8
Some Post-H.S.	863	502,047	468	56.3	52.4-60.2	395	43.7	39.8-47.6
College Graduate	1443	471,315	663	47.6	44.7-50.5	780	52.4	49.5-55.3
Less than \$15,000	126	60,870	41	27.3	18.3-36.3	85	72.7	63.7-81.7
\$15,000- 24,999	271	118,107	92	33.3	26.6-40.0	179	66.7	60.0-73.4
\$25,000- 34,999	372	192,324	163	45.1	38.6-51.6	209	54.9	48.4-61.4
\$35,000- 49,999	397	188,331	205	50.4	44.3-56.5	192	49.6	43.5-55.7
\$50,000- 99,999	1049	525,514	551	54.8	51.1-58.5	498	45.2	41.5-48.9
\$100,000- 199,999	750	386,471	433	62.5	58.4-66.6	317	37.5	33.4-41.6
\$200,000+	202	92,837	121	63.2	55.4-71.0	81	36.8	29.0-44.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 17: FIREARM SAFETY**

TABLE 3: ARE ANY FIREARMS NOW KEPT IN OR AROUND YOUR HOME? (FIREARM5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4654	2,079,056	1686	39.5	37.7-41.3	2968	60.5	58.7-62.3
White/Non-Hisp	3667	1,604,603	1444	43.6	41.4-45.8	2223	56.4	54.2-58.6
Black or Afr. Am./Non-Hisp	465	186,357	130	28.7	23.0-34.4	335	71.3	65.6-77.0
Oth. Race/Non-Hisp.	103	62,221	34	41.1	28.6-53.6	69	58.9	46.4-71.4
MultiRacial/Non-Hisp.	68	47,649	17	27.1	13.6-40.6	51	72.9	59.4-86.4
Hispanic	291	156,752	42	12.6	07.9-17.3	249	87.4	82.7-92.1
18-24	189	234,089	60	39.1	30.9-47.3	129	60.9	52.7-69.1
25-34	440	306,603	143	33.9	28.6-39.2	297	66.1	60.8-71.4
35-44	543	311,836	217	40.9	36.2-45.6	326	59.1	54.4-63.8
45-54	691	311,099	265	41.1	36.6-45.6	426	58.9	54.4-63.4
55-64	866	344,328	380	47.0	43.1-50.9	486	53.0	49.1-56.9
65+	1925	571,101	621	36.5	34.0-39.0	1304	63.5	61.0-66.0
Less Than H.S.	256	203,059	52	25.2	17.9-32.5	204	74.8	67.5-82.1
H.S. or G.E.D.	1379	668,109	480	39.2	35.9-42.5	899	60.8	57.5-64.1
Some Post-H.S.	1256	636,491	486	43.1	39.8-46.4	770	56.9	53.6-60.2
College Graduate	1754	567,888	666	41.0	38.3-43.7	1088	59.0	56.3-61.7
Less than \$15,000	236	111,617	38	13.7	08.4-19.0	198	86.3	81.0-91.6
\$15,000- 24,999	470	184,757	112	23.1	18.4-27.8	358	76.9	72.2-81.6
\$25,000- 34,999	532	222,948	144	30.1	25.0-35.2	388	69.9	64.8-75.0
\$35,000- 49,999	574	261,097	202	37.1	32.0-42.2	372	62.9	57.8-68.0
\$50,000- 99,999	1108	507,368	462	45.8	41.9-49.7	646	54.2	50.3-58.1
\$100,000- 199,999	678	316,229	358	55.9	51.4-60.4	320	44.1	39.6-48.6
\$200,000+	155	78,058	75	53.5	43.5-63.5	80	46.5	36.5-56.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 17: FIREARM SAFETY**

TABLE 4: ARE ANY OF THESE FIREARMS NOW LOADED? (GUNLOAD)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting not having firearms in the house

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3386	1,687,536	1350	40.1	37.9-42.3	2036	59.9	57.7-62.1
Male	1784	910,529	819	46.5	43.6-49.4	965	53.5	50.6-56.4
Female	1602	777,007	531	32.6	29.7-35.5	1071	67.4	64.5-70.3
White/Non-Hisp	2887	1,431,426	1093	38.2	36.0-40.4	1794	61.8	59.6-64.0
Black or Afr. Am./Non-Hisp	259	117,196	157	59.6	51.6-67.6	102	40.4	32.4-48.4
Oth. Race/Non-Hisp.	64	45,505	26	36.1	21.4-50.8	38	63.9	49.2-78.6
Hispanic	88	38,450	35	49.3	35.6-63.0	53	50.7	37.0-64.4
18-24	153	183,643	48	33.5	24.9-42.1	105	66.5	57.9-75.1
25-34	287	227,107	114	41.6	35.1-48.1	173	58.4	51.9-64.9
35-44	428	261,270	172	40.3	35.0-45.6	256	59.7	54.4-65.0
45-54	518	262,111	236	45.1	40.2-50.0	282	54.9	50.0-59.8
55-64	730	329,722	313	42.8	38.5-47.1	417	57.2	52.9-61.5
65+	1270	423,683	467	37.0	33.9-40.1	803	63.0	59.9-66.1
Less Than H.S.	114	116,628	41	32.0	22.0-42.0	73	68.0	58.0-78.0
H.S. or G.E.D.	1054	587,973	458	44.2	40.5-47.9	596	55.8	52.1-59.5
Some Post-H.S.	920	535,081	374	40.2	36.5-43.9	546	59.8	56.1-63.5
College Graduate	1293	446,295	477	37.0	33.9-40.1	816	63.0	59.9-66.1
Less than \$15,000	77	31,083	39	47.4	33.7-61.1	38	52.6	38.9-66.3
\$15,000- 24,999	203	81,719	91	42.4	34.2-50.6	112	57.6	49.4-65.8
\$25,000- 34,999	300	149,244	111	37.8	30.7-44.9	189	62.2	55.1-69.3
\$35,000- 49,999	398	185,154	165	43.2	37.3-49.1	233	56.8	50.9-62.7
\$50,000- 99,999	982	505,672	397	41.2	37.3-45.1	585	58.8	54.9-62.7
\$100,000- 199,999	769	404,863	320	42.3	38.0-46.6	449	57.7	53.4-62.0
\$200,000+	193	99,377	75	37.1	28.7-45.5	118	62.9	54.5-71.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 17: FIREARM SAFETY**

TABLE 5: ARE ANY OF THESE FIREARMS NOW LOADED? (GUNLOAD)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting not having firearms in the house

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1784	910,529	819	46.5	43.6-49.4	965	53.5	50.6-56.4
White/Non-Hisp	1514	766,248	674	45.0	41.9-48.1	840	55.0	51.9-58.1
Black or Afr. Am./Non-Hisp	133	66,743	83	65.2	55.0-75.4	50	34.8	24.6-45.0
18-24	98	100,938	38	47.2	35.6-58.8	60	52.8	41.2-64.4
25-34	152	127,659	67	44.4	35.4-53.4	85	55.6	46.6-64.6
35-44	217	137,111	103	48.2	40.6-55.8	114	51.8	44.2-59.4
45-54	263	138,399	135	49.6	42.7-56.5	128	50.4	43.5-57.3
55-64	368	175,566	182	48.6	42.7-54.5	186	51.4	45.5-57.3
65+	686	230,856	294	43.0	38.7-47.3	392	57.0	52.7-61.3
Less Than H.S.	68	70,348	30	41.3	27.8-54.8	38	58.7	45.2-72.2
H.S. or G.E.D.	597	341,065	298	51.3	46.4-56.2	299	48.7	43.8-53.6
Some Post-H.S.	459	276,061	216	46.8	41.5-52.1	243	53.2	47.9-58.5
College Graduate	657	222,007	275	40.8	36.5-45.1	382	59.2	54.9-63.5
\$15,000- 24,999	91	39,109	43	44.0	31.8-56.2	48	56.0	43.8-68.2
\$25,000- 34,999	161	84,596	67	41.8	32.4-51.2	94	58.2	48.8-67.6
\$35,000- 49,999	203	93,582	98	48.9	40.7-57.1	105	51.1	42.9-59.3
\$50,000- 99,999	547	285,105	250	46.9	41.6-52.2	297	53.1	47.8-58.4
\$100,000- 199,999	425	235,282	217	52.0	46.3-57.7	208	48.0	42.3-53.7
\$200,000+	121	58,628	53	43.7	33.3-54.1	68	56.3	45.9-66.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 17: FIREARM SAFETY**

TABLE 6: ARE ANY OF THESE FIREARMS NOW LOADED? (GUNLOAD)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting not having firearms in the house

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1784	910,529	819	46.5	43.6-49.4	965	53.5	50.6-56.4
White/Non-Hisp	1514	766,248	674	45.0	41.9-48.1	840	55.0	51.9-58.1
Black or Afr. Am./Non-Hisp	133	66,743	83	65.2	55.0-75.4	50	34.8	24.6-45.0
18-24	98	100,938	38	47.2	35.6-58.8	60	52.8	41.2-64.4
25-34	152	127,659	67	44.4	35.4-53.4	85	55.6	46.6-64.6
35-44	217	137,111	103	48.2	40.6-55.8	114	51.8	44.2-59.4
45-54	263	138,399	135	49.6	42.7-56.5	128	50.4	43.5-57.3
55-64	368	175,566	182	48.6	42.7-54.5	186	51.4	45.5-57.3
65+	686	230,856	294	43.0	38.7-47.3	392	57.0	52.7-61.3
Less Than H.S.	68	70,348	30	41.3	27.8-54.8	38	58.7	45.2-72.2
H.S. or G.E.D.	597	341,065	298	51.3	46.4-56.2	299	48.7	43.8-53.6
Some Post-H.S.	459	276,061	216	46.8	41.5-52.1	243	53.2	47.9-58.5
College Graduate	657	222,007	275	40.8	36.5-45.1	382	59.2	54.9-63.5
\$15,000- 24,999	91	39,109	43	44.0	31.8-56.2	48	56.0	43.8-68.2
\$25,000- 34,999	161	84,596	67	41.8	32.4-51.2	94	58.2	48.8-67.6
\$35,000- 49,999	203	93,582	98	48.9	40.7-57.1	105	51.1	42.9-59.3
\$50,000- 99,999	547	285,105	250	46.9	41.6-52.2	297	53.1	47.8-58.4
\$100,000- 199,999	425	235,282	217	52.0	46.3-57.7	208	48.0	42.3-53.7
\$200,000+	121	58,628	53	43.7	33.3-54.1	68	56.3	45.9-66.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 17: FIREARM SAFETY**

TABLE 7: ARE ANY OF THESE LOADED FIREARMS ALSO UNLOCKED? (LOADULK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting not having firearms in the house

Denominator excludes: Respondents reporting no firearms currently loaded

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1342	674,693	671	48.6	45.3-51.9	671	51.4	48.1-54.7
Male	815	422,442	445	54.3	50.2-58.4	370	45.7	41.6-49.8
Female	527	252,251	226	39.1	34.0-44.2	301	60.9	55.8-66.0
White/Non-Hisp	1087	544,865	552	48.9	45.4-52.4	535	51.1	47.6-54.6
Black or Afr. Am./Non-Hisp	156	69,280	75	48.4	37.6-59.2	81	51.6	40.8-62.4
25-34	113	93,703	40	35.6	26.0-45.2	73	64.4	54.8-74.0
35-44	172	105,387	55	32.7	24.9-40.5	117	67.3	59.5-75.1
45-54	235	117,965	106	48.6	41.3-55.9	129	51.4	44.1-58.7
55-64	310	140,030	166	54.4	47.9-60.9	144	45.6	39.1-52.1
65+	464	156,018	287	64.3	59.2-69.4	177	35.7	30.6-40.8
H.S. or G.E.D.	457	259,342	251	53.1	47.6-58.6	206	46.9	41.4-52.4
Some Post-H.S.	372	214,789	189	48.2	42.1-54.3	183	51.8	45.7-57.9
College Graduate	472	163,235	209	40.4	35.3-45.5	263	59.6	54.5-64.7
\$15,000- 24,999	89	34,179	50	56.2	43.1-69.3	39	43.8	30.7-56.9
\$25,000- 34,999	111	56,484	65	53.4	41.6-65.2	46	46.6	34.8-58.4
\$35,000- 49,999	162	79,272	86	50.6	41.2-60.0	76	49.4	40.0-58.8
\$50,000- 99,999	397	208,499	197	49.1	43.2-55.0	200	50.9	45.0-56.8
\$100,000- 199,999	319	170,552	145	44.1	37.4-50.8	174	55.9	49.2-62.6
\$200,000+	75	36,837	31	43.3	30.0-56.6	44	56.7	43.4-70.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 17: FIREARM SAFETY**

TABLE 8: ARE ANY OF THESE LOADED FIREARMS ALSO UNLOCKED? (LOADULK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having firearms in the house
Denominator excludes: Respondents reporting no firearms currently loaded

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	815	422,442	445	54.3	50.2-58.4	370	45.7	41.6-49.8
White/Non-Hisp	672	344,434	367	54.3	49.8-58.8	305	45.7	41.2-50.2
Black or Afr. Am./Non-Hisp	82	42,885	47	57.2	42.9-71.5	35	42.8	28.5-57.1
25-34	67	56,624	29	44.3	31.4-57.2	38	55.7	42.8-68.6
35-44	103	66,129	43	43.0	32.4-53.6	60	57.0	46.4-67.6
45-54	134	68,556	69	57.2	48.0-66.4	65	42.8	33.6-52.0
55-64	180	84,551	102	59.2	51.0-67.4	78	40.8	32.6-49.0
65+	293	98,977	188	66.6	60.5-72.7	105	33.4	27.3-39.5
H.S. or G.E.D.	297	174,574	180	58.4	51.7-65.1	117	41.6	34.9-48.3
Some Post-H.S.	216	129,198	120	53.4	45.6-61.2	96	46.6	38.8-54.4
College Graduate	272	89,595	127	45.5	38.6-52.4	145	54.5	47.6-61.4
\$25,000- 34,999	67	35,360	44	63.0	48.9-77.1	23	37.0	22.9-51.1
\$35,000- 49,999	98	45,787	59	59.6	47.6-71.6	39	40.4	28.4-52.4
\$50,000- 99,999	250	133,841	128	51.4	44.1-58.7	122	48.6	41.3-55.9
\$100,000- 199,999	217	122,312	107	48.8	40.6-57.0	110	51.2	43.0-59.4
\$200,000+	53	25,594	27	56.8	40.9-72.7	26	43.2	27.3-59.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 17: FIREARM SAFETY**

TABLE 9: ARE ANY OF THESE LOADED FIREARMS ALSO UNLOCKED? (LOADULK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having firearms in the house
Denominator excludes: Respondents reporting no firearms currently loaded

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	527	252,251	226	39.1	34.0-44.2	301	60.9	55.8-66.0
White/Non-Hisp	415	200,431	185	39.7	34.2-45.2	230	60.3	54.8-65.8
Black or Afr. Am./Non-Hisp	74	26,395	28	34.1	20.6-47.6	46	65.9	52.4-79.4
35-44	69	39,258	12	15.3	06.7-23.9	57	84.7	76.1-93.3
45-54	101	49,409	37	36.6	25.8-47.4	64	63.4	52.6-74.2
55-64	130	55,479	64	47.0	36.8-57.2	66	53.0	42.8-63.2
65+	171	57,040	99	60.2	52.2-68.2	72	39.8	31.8-47.8
H.S. or G.E.D.	160	84,769	71	42.2	33.0-51.4	89	57.8	48.6-67.0
Some Post-H.S.	156	85,591	69	40.3	31.1-49.5	87	59.7	50.5-68.9
College Graduate	200	73,640	82	34.1	26.7-41.5	118	65.9	58.5-73.3
\$35,000- 49,999	64	33,484	27	38.4	24.3-52.5	37	61.6	47.5-75.7
\$50,000- 99,999	147	74,658	69	44.9	34.9-54.9	78	55.1	45.1-65.1
\$100,000- 199,999	102	48,240	38	32.1	22.1-42.1	64	67.9	57.9-77.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023

MODULE 21: SEX AT BIRTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHAT WAS YOUR SEX AT BIRTH? WAS IT MALE OR FEMALE? (BIRTHSEX)	
1	MALES AND FEMALES	92
2	MALES ONLY	93
3	FEMALES ONLY	94

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 21: SEX AT BIRTH**

**TABLE 1: WHAT WAS YOUR SEX AT BIRTH? WAS IT MALE OR FEMALE? (BIRTHSEX)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Boy Male		N	Girl Female	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	10637	5,116,061	4872	48.4	47.2-49.6	5765	51.6	50.4-52.8
Male	4872	2,474,636	4872	100.0	0100-0100			
Female	5765	2,641,425				5765	100.0	0100-0100
White/Non-Hisp	8305	3,866,624	3815	48.2	46.8-49.6	4490	51.8	50.4-53.2
Black or Afr. Am./Non-Hisp	986	463,170	401	46.3	42.0-50.6	585	53.7	49.4-58.0
Oth. Race/Non-Hisp.	267	183,961	137	56.2	48.9-63.5	130	43.8	36.5-51.1
MultiRacial/Non-Hisp.	178	133,014	90	51.4	41.8-61.0	88	48.6	39.0-58.2
Hispanic	719	387,201	329	44.1	39.4-48.8	390	55.9	51.2-60.6
18-24	593	640,863	349	50.5	45.8-55.2	244	49.5	44.8-54.2
25-34	1070	796,446	502	50.0	46.5-53.5	568	50.0	46.5-53.5
35-44	1387	827,340	666	49.3	46.2-52.4	721	50.7	47.6-53.8
45-54	1657	793,833	779	49.7	46.8-52.6	878	50.3	47.4-53.2
55-64	1954	832,184	884	48.6	46.1-51.1	1070	51.4	48.9-53.9
65+	3976	1,225,394	1692	44.6	42.6-46.6	2284	55.4	53.4-57.4
Less Than H.S.	630	550,957	288	49.1	44.2-54.0	342	50.9	46.0-55.8
H.S. or G.E.D.	3295	1,736,140	1543	50.6	48.4-52.8	1752	49.4	47.2-51.6
Some Post-H.S.	2726	1,517,723	1177	46.5	44.1-48.9	1549	53.5	51.1-55.9
College Graduate	3942	1,292,051	1842	47.2	45.4-49.0	2100	52.8	51.0-54.6
Less than \$15,000	429	205,786	159	38.0	32.1-43.9	270	62.0	56.1-67.9
\$15,000- 24,999	861	364,605	327	39.7	35.6-43.8	534	60.3	56.2-64.4
\$25,000- 34,999	1090	511,481	461	46.9	43.0-50.8	629	53.1	49.2-57.0
\$35,000- 49,999	1150	541,905	478	42.1	38.4-45.8	672	57.9	54.2-61.6
\$50,000- 99,999	2578	1,263,534	1291	52.2	49.7-54.7	1287	47.8	45.3-50.3
\$100,000- 199,999	1687	839,783	923	56.7	53.8-59.6	764	43.3	40.4-46.2
\$200,000+	427	205,101	242	55.9	50.0-61.8	185	44.1	38.2-50.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 21: SEX AT BIRTH**

TABLE 2: WHAT WAS YOUR SEX AT BIRTH? WAS IT MALE OR FEMALE? (BIRTHSEX)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Boy Male %	C.I. (95%)
	TOTAL	WEIGHTED			
Male	4872	2,474,636	4872	100.0	0100-0100
White/Non-Hisp	3815	1,864,701	3815	100.0	0100-0100
Black or Afr. Am./Non-Hisp	401	214,290	401	100.0	0100-0100
Oth. Race/Non-Hisp.	137	103,323	137	100.0	0100-0100
MultiRacial/Non-Hisp.	90	68,431	90	100.0	0100-0100
Hispanic	329	170,852	329	100.0	0100-0100
18-24	349	323,604	349	100.0	0100-0100
25-34	502	398,250	502	100.0	0100-0100
35-44	666	407,830	666	100.0	0100-0100
45-54	779	394,183	779	100.0	0100-0100
55-64	884	404,271	884	100.0	0100-0100
65+	1692	546,498	1692	100.0	0100-0100
Less Than H.S.	288	270,539	288	100.0	0100-0100
H.S. or G.E.D.	1543	878,401	1543	100.0	0100-0100
Some Post-H.S.	1177	705,529	1177	100.0	0100-0100
College Graduate	1842	610,333	1842	100.0	0100-0100
Less than \$15,000	159	78,191	159	100.0	0100-0100
\$15,000- 24,999	327	144,733	327	100.0	0100-0100
\$25,000- 34,999	461	239,776	461	100.0	0100-0100
\$35,000- 49,999	478	228,090	478	100.0	0100-0100
\$50,000- 99,999	1291	660,121	1291	100.0	0100-0100
\$100,000- 199,999	923	475,800	923	100.0	0100-0100
\$200,000+	242	114,633	242	100.0	0100-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 21: SEX AT BIRTH**

TABLE 3: WHAT WAS YOUR SEX AT BIRTH? WAS IT MALE OR FEMALE? (BIRTHSEX)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Girl Female	
	TOTAL	WEIGHTED		%	C.I. (95%)
Female	5765	2,641,425	5765	100.0	0100-0100
White/Non-Hisp	4490	2,001,923	4490	100.0	0100-0100
Black or Afr. Am./Non-Hisp	585	248,880	585	100.0	0100-0100
Oth. Race/Non-Hisp.	130	80,637	130	100.0	0100-0100
MultiRacial/Non-Hisp.	88	64,583	88	100.0	0100-0100
Hispanic	390	216,350	390	100.0	0100-0100
18-24	244	317,259	244	100.0	0100-0100
25-34	568	398,197	568	100.0	0100-0100
35-44	721	419,510	721	100.0	0100-0100
45-54	878	399,650	878	100.0	0100-0100
55-64	1070	427,913	1070	100.0	0100-0100
65+	2284	678,896	2284	100.0	0100-0100
Less Than H.S.	342	280,418	342	100.0	0100-0100
H.S. or G.E.D.	1752	857,739	1752	100.0	0100-0100
Some Post-H.S.	1549	812,194	1549	100.0	0100-0100
College Graduate	2100	681,718	2100	100.0	0100-0100
Less than \$15,000	270	127,595	270	100.0	0100-0100
\$15,000- 24,999	534	219,872	534	100.0	0100-0100
\$25,000- 34,999	629	271,706	629	100.0	0100-0100
\$35,000- 49,999	672	313,815	672	100.0	0100-0100
\$50,000- 99,999	1287	603,413	1287	100.0	0100-0100
\$100,000- 199,999	764	363,984	764	100.0	0100-0100
\$200,000+	185	90,468	185	100.0	0100-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023

MODULE 22: SEXUAL ORIENTATION AND GENDER IDENTITY CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	M22.01.a Which of the following best represents how you think of yourself? (SOMALE)	
1	MALES AND FEMALES	96
2	MALES ONLY	97
3	FEMALES ONLY	98
	M22.01.b Which of the following best represents how you think of yourself? (SOFEMALE)	
4	MALES AND FEMALES	99
5	MALES ONLY	100
6	FEMALES ONLY	101
	M22.02 Do you consider yourself to be transgender? (TRNSGNDR)	
7	MALES AND FEMALES	102
8	MALES ONLY	103
9	FEMALES ONLY	104

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 22: SEXUAL ORIENTATION AND GENDER IDENTITY**

TABLE 1: M22.01.a Which of the following best represents how you think of yourself? (SOMALE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Gay			Straight, that is, not gay			Bisexual			Something else		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	4725	2,405,986	103	1.9	01.5-02.3	4447	93.5	92.5-94.5	97	2.4	01.8-03.0	78	2.2	01.6-02.8	
White/Non-Hisp	3737	1,828,801	82	2.0	01.4-02.6	3530	93.9	92.9-94.9	75	2.4	01.8-03.0	50	1.7	01.1-02.3	
Black or Afr. Am./Non-Hisp	393	210,327	5	0.7	00.0-01.5	373	94.6	91.5-97.7	9	2.6	00.6-04.6	6	2.0	00.0-04.5	
Oth. Race/Non-Hisp.	128	95,204	7	5.5	01.2-09.8	117	90.4	84.1-96.7	1	0.8	00.0-02.4	3	3.3	00.0-07.8	
MultiRacial/Non-Hisp.	87	66,505	2	1.2	00.0-03.2	82	93.8	87.1-0100	1	2.9	00.0-08.4	2	2.1	00.0-05.4	
Hispanic	304	160,868	6	1.0	00.0-02.0	273	87.4	81.5-93.3	11	3.6	01.2-06.0	14	8.0	02.5-13.5	
18-24	343	318,599	9	2.4	00.6-04.2	296	86.6	82.7-90.5	23	6.8	03.9-09.7	15	4.2	01.8-06.6	
25-34	492	389,397	24	3.8	02.0-05.6	431	88.7	85.4-92.0	19	3.2	01.6-04.8	18	4.3	01.8-06.8	
35-44	652	400,851	20	2.1	00.9-03.3	605	93.3	90.8-95.8	16	2.1	00.9-03.3	11	2.5	00.5-04.5	
45-54	755	379,513	13	1.1	00.3-01.9	726	97.1	95.9-98.3	10	1.2	00.4-02.0	6	0.6	00.0-01.2	
55-64	860	394,101	16	1.1	00.5-01.7	825	96.7	95.3-98.1	12	1.0	00.2-01.8	7	1.1	00.0-02.3	
65+	1623	523,525	21	1.2	00.6-01.8	1564	96.3	95.1-97.5	17	1.2	00.4-02.0	21	1.3	00.7-01.9	
Less Than H.S.	267	257,524	5	2.0	00.2-03.8	247	90.9	86.2-95.6	4	1.3	00.0-02.7	11	5.8	01.7-09.9	
H.S. or G.E.D.	1502	854,707	22	1.5	00.7-02.3	1426	93.9	92.3-95.5	26	2.5	01.5-03.5	28	2.0	01.2-02.8	
Some Post-H.S.	1152	692,624	19	1.2	00.6-01.8	1083	93.6	91.8-95.4	31	3.0	01.8-04.2	19	2.2	01.0-03.4	
College Graduate	1793	597,131	56	3.2	02.2-04.2	1681	93.8	92.6-95.0	36	1.9	01.1-02.7	20	1.1	00.5-01.7	
Less than \$15,000	151	74,379	3	3.1	00.0-07.2	141	88.2	80.4-96.0	2	2.6	00.0-06.1	5	6.1	00.0-12.4	
\$15,000- 24,999	315	140,110	6	2.2	00.2-04.2	295	93.0	89.7-96.3	7	2.1	00.3-03.9	7	2.8	00.6-05.0	
\$25,000- 34,999	439	229,623	9	2.0	00.2-03.8	408	91.6	87.9-95.3	9	2.5	00.5-04.5	13	3.9	01.0-06.8	
\$35,000- 49,999	466	223,195	4	0.9	00.0-01.9	431	91.4	88.3-94.5	17	4.4	02.0-06.8	14	3.3	01.1-05.5	
\$50,000- 99,999	1270	647,492	35	2.5	01.5-03.5	1197	93.5	91.7-95.3	24	2.3	01.1-03.5	14	1.7	00.5-02.9	
\$100,000- 199,999	911	471,998	18	1.4	00.6-02.2	873	96.7	95.5-97.9	14	1.0	00.4-01.6	6	0.9	00.1-01.7	
\$200,000+	240	113,487	7	2.4	00.2-04.6	229	96.2	93.7-98.7	1	0.3	00.0-00.9	3	1.1	00.0-02.3	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 22: SEXUAL ORIENTATION AND GENDER IDENTITY**

TABLE 2: M22.01.b Which of the following best represents how you think of yourself? (SOFEMALE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Male respondents

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Lesbian or Gay			Straight, that is, not gay			Bisexual			Something else		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5551	2,549,073	68	1.3	00.9-01.7	5144	89.7	88.5-90.9	245	6.7	05.7-07.7	94	2.3	01.7-02.9
White/Non-Hisp	4345	1,944,085	51	1.2	00.8-01.6	4036	89.8	88.4-91.2	191	7.0	05.8-08.2	67	2.0	01.4-02.6
Black or Afr. Am./Non-Hisp	572	244,847	8	1.4	00.0-02.8	534	88.8	84.3-93.3	22	5.4	02.7-08.1	8	4.4	00.7-08.1
Oth. Race/Non-Hisp.	122	76,473	3	6.6	00.0-14.4	112	89.1	80.7-97.5	4	3.3	00.0-07.2	3	1.0	00.0-02.4
MultiRacial/Non-Hisp.	85	63,649	1	0.6	00.0-01.8	73	85.2	74.2-96.2	9	12.7	01.9-23.5	2	1.5	00.0-03.9
Hispanic	357	195,489	5	0.8	00.0-01.6	323	91.3	87.8-94.8	16	4.5	01.8-07.2	13	3.4	01.2-05.6
18-24	237	305,203	10	3.8	01.1-06.5	150	65.2	58.3-72.1	60	23.7	17.6-29.8	17	7.2	03.5-10.9
25-34	546	384,923	9	0.9	00.1-01.7	444	83.4	79.9-86.9	77	12.6	09.7-15.5	16	3.1	01.3-04.9
35-44	706	409,243	14	1.5	00.5-02.5	620	89.4	87.0-91.8	53	6.8	04.8-08.8	19	2.2	01.0-03.4
45-54	855	388,546	9	1.0	00.4-01.6	812	95.1	93.5-96.7	25	3.0	01.6-04.4	9	0.9	00.1-01.7
55-64	1043	416,074	19	1.5	00.5-02.5	1005	96.5	95.1-97.9	7	0.6	00.0-01.2	12	1.4	00.4-02.4
65+	2164	645,084	7	0.3	00.1-00.5	2113	97.7	96.9-98.5	23	1.0	00.4-01.6	21	1.0	00.4-01.6
Less Than H.S.	317	259,308	3	0.7	00.0-01.5	294	91.3	87.0-95.6	13	5.0	01.5-08.5	7	3.0	00.5-05.5
H.S. or G.E.D.	1667	820,359	20	1.5	00.5-02.5	1532	87.6	85.2-90.0	77	8.4	06.2-10.6	38	2.6	01.6-03.6
Some Post-H.S.	1505	795,975	14	1.1	00.3-01.9	1391	89.4	87.2-91.6	79	7.1	05.3-08.9	21	2.3	01.1-03.5
College Graduate	2047	667,303	31	1.6	01.0-02.2	1913	92.2	90.8-93.6	76	4.7	03.5-05.9	27	1.6	00.8-02.4
Less than \$15,000	254	118,754	4	0.8	00.0-01.6	227	85.6	79.5-91.7	15	9.1	04.2-14.0	8	4.6	00.7-08.5
\$15,000- 24,999	515	212,219	7	1.9	00.1-03.7	475	89.2	85.3-93.1	25	7.1	03.8-10.4	8	1.8	00.4-03.2
\$25,000- 34,999	610	265,734	10	2.1	00.5-03.7	568	89.8	85.7-93.9	21	5.9	02.4-09.4	11	2.2	00.4-04.0
\$35,000- 49,999	642	299,985	7	1.0	00.2-01.8	574	85.1	81.2-89.0	44	11.2	07.7-14.7	17	2.8	01.0-04.6
\$50,000- 99,999	1266	593,639	14	1.5	00.3-02.7	1173	90.8	88.4-93.2	64	6.5	04.5-08.5	15	1.2	00.4-02.0
\$100,000- 199,999	756	360,520	19	2.0	00.8-03.2	705	91.4	88.5-94.3	23	4.1	02.1-06.1	9	2.5	00.3-04.7
\$200,000+	184	90,356	2	2.1	00.0-05.4	179	96.6	92.9-0100	3	1.3	00.0-02.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 22: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 3: M22.02 Do you consider yourself to be transgender? (TRNSGNDR)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10525	5,070,693	12	0.1	00.1-00.1	14	0.2	00.0-00.4	24	0.4	00.2-00.6	10475	99.2	99.0-99.4
Male	4814	2,451,450	11	0.3	00.1-00.5	4	0.1	00.0-00.3	9	0.4	00.0-00.8	4790	99.2	98.8-99.6
Female	5711	2,619,243	1	0.0	00.0-00.0	10	0.4	00.2-00.6	15	0.4	00.2-00.6	5685	99.2	98.8-99.6
White/Non-Hisp	8233	3,838,708	9	0.1	00.1-00.1	9	0.2	00.0-00.4	17	0.3	00.1-00.5	8198	99.3	99.1-99.5
Black or Afr. Am./Non-Hisp	979	459,041				3	0.4	00.0-00.8				976	99.6	99.2-0100
Oth. Race/Non-Hisp.	263	180,407							1	0.1	00.0-00.3	262	99.9	99.7-0100
MultiRacial/Non-Hisp.	174	131,198										174	100.0	0100-0100
Hispanic	711	384,720	3	0.7	00.0-01.7	1	0.3	00.0-00.9	5	1.5	00.0-03.7	702	97.4	95.0-99.8
18-24	590	638,893	3	0.3	00.0-00.7	5	1.1	00.1-02.1	7	0.9	00.1-01.7	575	97.7	96.3-99.1
25-34	1060	788,848	1	0.1	00.0-00.3	1	0.1	00.0-00.3	9	1.3	00.1-02.5	1049	98.5	97.3-99.7
35-44	1376	821,247	3	0.1	00.0-00.3	1	0.1	00.0-00.3	4	0.3	00.0-00.7	1368	99.5	99.1-99.9
45-54	1637	783,576	1	0.2	00.0-00.6	4	0.2	00.0-00.4	2	0.1	00.0-00.3	1630	99.5	99.1-99.9
55-64	1938	827,332	2	0.2	00.0-00.4	3	0.2	00.0-00.4				1933	99.7	99.3-0100
65+	3924	1,210,797	2	0.0	00.0-00.0				2	0.1	00.0-00.3	3920	99.9	99.7-0100
Less Than H.S.	624	545,563	3	0.5	00.0-01.1	3	0.6	00.0-01.4	4	1.2	00.0-02.8	614	97.6	95.8-99.4
H.S. or G.E.D.	3269	1,724,461	2	0.1	00.0-00.3	6	0.3	00.0-00.7	5	0.3	00.1-00.5	3256	99.3	98.9-99.7
Some Post-H.S.	2704	1,510,266	3	0.1	00.1-00.1	3	0.1	00.0-00.3	7	0.4	00.0-00.8	2691	99.4	99.0-99.8
College Graduate	3894	1,276,149	4	0.1	00.1-00.1	1	0.0	00.0-00.0	8	0.2	00.0-00.4	3881	99.7	99.5-99.9
Less than \$15,000	427	205,237	2	1.0	00.0-02.4	1	0.4	00.0-01.2				424	98.7	97.1-0100
\$15,000- 24,999	854	361,930				1	0.2	00.0-00.6	2	0.8	00.0-01.8	851	99.0	97.8-0100
\$25,000- 34,999	1084	509,303	2	0.3	00.0-00.7	2	0.5	00.0-01.3	2	0.1	00.0-00.3	1078	99.0	98.0-0100
\$35,000- 49,999	1141	539,606	2	0.2	00.0-00.4				7	0.5	00.1-00.9	1132	99.3	98.7-99.9
\$50,000- 99,999	2559	1,255,705	3	0.1	00.0-00.3	3	0.3	00.0-00.7	3	0.3	00.0-00.7	2550	99.2	98.6-99.8
\$100,000- 199,999	1678	836,940	1	0.0	00.0-00.0	3	0.2	00.0-00.4	4	0.3	00.1-00.5	1670	99.5	99.1-99.9
\$200,000+	426	204,992										426	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 22: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 5: M22.02 Do you consider yourself to be transgender? (TRNSGNDR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4814	2,451,450	11	0.3	00.1-00.5	4	0.1	00.0-00.3	9	0.4	00.0-00.8	4790	99.2	98.8-99.6
White/Non-Hisp	3786	1,854,975	8	0.2	00.0-00.4	1	0.0	00.0-00.0	6	0.2	00.0-00.4	3771	99.6	99.4-99.8
Black or Afr. Am./Non-Hisp	397	210,468				2	0.6	00.0-01.6				395	99.4	98.4-0100
Oth. Race/Non-Hisp.	135	101,164										135	100.0	0100-0100
MultiRacial/Non-Hisp.	87	66,967										87	100.0	0100-0100
Hispanic	324	170,000	3	1.7	00.0-03.9	1	0.7	00.0-02.1	2	2.4	00.0-06.7	318	95.2	90.3-0100
18-24	347	322,493	3	0.6	00.0-01.6	2	0.7	00.0-01.7	1	0.1	00.0-00.3	341	98.5	97.1-99.9
25-34	497	393,289	1	0.1	00.0-00.3				3	1.4	00.0-03.4	493	98.5	96.5-0100
35-44	661	405,565	2	0.1	00.0-00.3				2	0.5	00.0-01.3	657	99.4	98.6-0100
45-54	769	389,989	1	0.3	00.0-00.9	1	0.1	00.0-00.3	1	0.1	00.0-00.3	766	99.5	98.9-0100
55-64	874	400,857	2	0.3	00.0-00.9	1	0.1	00.0-00.3				871	99.5	98.9-0100
65+	1666	539,257	2	0.1	00.0-00.3				2	0.2	00.0-00.6	1662	99.7	99.3-0100
Less Than H.S.	284	268,638	3	1.1	00.0-02.5	1	0.2	00.0-00.6	3	1.9	00.0-04.6	277	96.9	93.8-0100
H.S. or G.E.D.	1528	870,939	2	0.2	00.0-00.4	3	0.3	00.0-00.7				1523	99.5	99.1-99.9
Some Post-H.S.	1171	703,868	3	0.2	00.0-00.4				4	0.5	00.0-01.1	1164	99.3	98.7-99.9
College Graduate	1815	601,841	3	0.1	00.0-00.3				2	0.1	00.0-00.3	1810	99.8	99.6-0100
Less than \$15,000	157	77,642	2	2.6	00.0-06.3							155	97.4	93.7-0100
\$15,000- 24,999	323	143,166							1	0.7	00.0-02.1	322	99.3	97.9-0100
\$25,000- 34,999	455	237,861	1	0.5	00.0-01.5	1	0.2	00.0-00.6	1	0.2	00.0-00.6	452	99.1	97.9-0100
\$35,000- 49,999	474	226,818	2	0.4	00.0-01.0				1	0.2	00.0-00.6	471	99.5	98.9-0100
\$50,000- 99,999	1283	656,758	3	0.2	00.0-00.6	1	0.2	00.0-00.6	2	0.4	00.0-01.0	1277	99.2	98.4-0100
\$100,000- 199,999	918	474,838	1	0.0	00.0-00.0	2	0.3	00.0-00.7	1	0.0	00.0-00.0	914	99.7	99.3-0100
\$200,000+	242	114,696										242	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 22: SEXUAL ORIENTATION AND GENDER IDENTITY
TABLE 6: M22.02 Do you consider yourself to be transgender? (TRNSGNDR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5711	2,619,243	1	0.0	00.0-00.0	10	0.4	00.2-00.6	15	0.4	00.2-00.6	5685	99.2	98.8-99.6
White/Non-Hisp	4447	1,983,732	1	0.0	00.0-00.0	8	0.4	00.0-00.8	11	0.5	00.3-00.7	4427	99.1	98.7-99.5
Black or Afr. Am./Non-Hisp	582	248,573				1	0.2	00.0-00.6				581	99.8	99.4-0100
Oth. Race/Non-Hisp.	128	79,244							1	0.3	00.0-00.9	127	99.7	99.1-0100
MultiRacial/Non-Hisp.	87	64,231										87	100.0	0100-0100
Hispanic	387	214,720							3	0.8	00.0-02.4	384	99.2	97.6-0100
18-24	243	316,400				3	1.6	00.0-03.6	6	1.6	00.2-03.0	234	96.8	94.4-99.2
25-34	563	395,559				1	0.2	00.0-00.6	6	1.3	00.1-02.5	556	98.5	97.3-99.7
35-44	715	415,682	1	0.1	00.0-00.3	1	0.2	00.0-00.6	2	0.1	00.0-00.3	711	99.6	99.2-0100
45-54	868	393,587				3	0.4	00.0-00.8	1	0.1	00.0-00.3	864	99.5	98.9-0100
55-64	1064	426,475				2	0.2	00.0-00.6				1062	99.8	99.4-0100
65+	2258	671,540										2258	100.0	0100-0100
Less Than H.S.	340	276,925				2	1.0	00.0-02.6	1	0.6	00.0-01.8	337	98.4	96.4-0100
H.S. or G.E.D.	1741	853,521				3	0.4	00.0-01.0	5	0.5	00.0-01.1	1733	99.0	98.2-99.8
Some Post-H.S.	1533	806,397				3	0.2	00.0-00.4	3	0.3	00.0-00.7	1527	99.5	99.1-99.9
College Graduate	2079	674,309	1	0.1	00.0-00.3	1	0.1	00.0-00.3	6	0.4	00.0-00.8	2071	99.5	99.1-99.9
Less than \$15,000	270	127,595				1	0.6	00.0-01.8				269	99.4	98.2-0100
\$15,000- 24,999	531	218,764				1	0.3	00.0-00.9	1	0.8	00.0-02.4	529	98.9	97.3-0100
\$25,000- 34,999	629	271,443	1	0.1	00.0-00.3	1	0.8	00.0-02.2	1	0.1	00.0-00.3	626	99.0	97.4-0100
\$35,000- 49,999	667	312,788							6	0.8	00.0-01.6	661	99.2	98.4-0100
\$50,000- 99,999	1276	598,947				2	0.5	00.0-01.3	1	0.2	00.0-00.6	1273	99.3	98.5-0100
\$100,000- 199,999	760	362,101				1	0.1	00.0-00.3	3	0.6	00.0-01.2	756	99.3	98.5-0100
\$200,000+	184	90,297										184	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023**

MODULE 23: MARIJUANA USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)	
1 MALES AND FEMALES	106
2 MALES ONLY	107
3 FEMALES ONLY	108
DURING THE PAST 30 DAYS, DID YOU SMOKE IT (FOR EXAMPLE, IN A JOINT, BONG, PIPE, OR BLUNT)? (MARJSMOK)	
4 MALES AND FEMALES	109
5 MALES ONLY	110
6 FEMALES ONLY	111
DID YOU EAT IT OR DRINK IT (FOR EXAMPLE, IN BROWNIES, CAKES, COOKIES, OR CANDY, OR IN TEA, COLA, OR ALCOHOL)? (MARJEAT)	
7 MALES AND FEMALES	112
8 MALES ONLY	113
9 FEMALES ONLY	114
DID YOU VAPORIZE IT (FOR EXAMPLE, IN AN E-CIGARETTE-LIKE VAPORIZER OR ANOTHER VAPORIZING DEVICE) (MARJVAPE)	
10 MALES AND FEMALES	115
11 MALES ONLY	116
12 FEMALES ONLY	117
DID YOU DAB IT (FOR EXAMPLE, USING A DABBING RIG, KNIFE, OR DAB PEN)? (MARJDAB)	
13 MALES AND FEMALES	118
14 MALES ONLY	119
15 FEMALES ONLY	120
DID YOU USE IT IN SOME OTHER WAY? (MARJOTHR)	
16 MALES AND FEMALES	121
17 MALES ONLY	122
18 FEMALES ONLY	123
DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU... (USEMRJN4)	
19 MALES AND FEMALES	124
20 MALES ONLY	125
21 FEMALES ONLY	126

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 23: MARIJUANA USE**

**TABLE 1: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			Data was weighted using _LLCPWT.						6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	1 Day		2-5 Days		6-10 Days		11-20 Days		21-30 Days						
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9348	4,425,329	8408	87.8	86.8-88.8	104	1.3	01.1-01.5	242	3.0	02.6-03.4	90	1.1	00.9-01.3	132	1.6	01.2-02.0	372	5.2	04.6-05.8
Male	4259	2,141,337	3728	85.9	84.5-87.3	61	1.7	01.1-02.3	131	3.3	02.7-03.9	51	1.4	01.0-01.8	77	1.6	01.2-02.0	211	6.2	05.2-07.2
Female	5089	2,283,991	4680	89.6	88.4-90.8	43	0.9	00.5-01.3	111	2.7	01.9-03.5	39	0.9	00.5-01.3	55	1.6	01.0-02.2	161	4.3	03.5-05.1
White/Non-Hisp	7416	3,415,021	6689	87.7	86.7-88.7	79	1.2	00.8-01.6	196	3.2	02.6-03.8	72	1.2	00.8-01.6	103	1.6	01.2-02.0	277	5.1	04.3-05.9
Black or Afr. Am./Non-Hisp	823	373,990	714	82.9	79.2-86.6	12	2.2	00.4-04.0	23	3.1	01.3-04.9	8	1.5	00.3-02.7	12	1.5	00.5-02.5	54	8.9	06.0-11.8
Oth. Race/Non-Hisp.	225	151,293	205	91.3	86.4-96.2	2	0.3	00.0-00.7	4	2.4	00.0-05.9	2	1.1	00.0-02.7	1	0.4	00.0-01.2	11	4.5	01.4-07.6
MultiRacial/Non-Hisp.	150	108,305	126	85.1	77.5-92.7	3	1.2	00.0-02.8	3	1.0	00.0-02.4	1	0.5	00.0-01.5	7	6.1	00.0-12.4	10	6.1	01.8-10.4
Hispanic	581	308,608	532	92.9	90.5-95.3	8	1.2	00.2-02.2	13	1.8	00.6-03.0	6	0.6	00.0-01.4	6	0.9	00.1-01.7	16	2.6	01.0-04.2
18-24	519	554,081	410	78.2	74.1-82.3	15	2.8	01.2-04.4	24	5.0	02.6-07.4	13	2.0	00.8-03.2	17	3.2	01.4-05.0	40	8.8	05.9-11.7
25-34	910	664,092	712	79.7	76.8-82.6	23	1.9	01.1-02.7	50	4.7	03.1-06.3	17	1.9	00.9-02.9	25	2.6	01.4-03.8	83	9.2	07.0-11.4
35-44	1170	690,077	993	86.5	84.3-88.7	22	1.6	00.8-02.4	47	3.7	02.5-04.9	13	0.9	00.3-01.5	22	1.4	00.8-02.0	73	5.9	04.3-07.5
45-54	1413	672,668	1262	89.3	87.5-91.1	15	0.9	00.3-01.5	39	2.7	01.7-03.7	11	0.8	00.2-01.4	20	1.4	00.8-02.0	66	4.9	03.5-06.3
55-64	1736	736,270	1567	89.9	88.3-91.5	19	1.1	00.5-01.7	41	2.4	01.4-03.4	20	1.2	00.6-01.8	23	1.3	00.7-01.9	66	4.1	02.9-05.3
65+	3600	1,108,141	3464	95.9	95.1-96.7	10	0.2	00.0-00.4	41	1.1	00.7-01.5	16	0.5	00.3-00.7	25	0.7	00.3-01.1	44	1.6	01.0-02.2
Less Than H.S.	523	457,926	464	88.8	85.7-91.9	2	0.2	00.0-00.6	15	2.3	00.9-03.7	5	0.9	00.1-01.7	3	0.4	00.0-00.8	34	7.4	04.7-10.1
H.S. or G.E.D.	2850	1,489,006	2546	86.2	84.4-88.0	34	1.6	01.0-02.2	71	3.1	02.1-04.1	22	1.0	00.6-01.4	40	1.7	01.1-02.3	137	6.4	05.2-07.6
Some Post-H.S.	2401	1,311,828	2122	87.0	85.2-88.8	22	0.9	00.5-01.3	70	3.4	02.4-04.4	32	1.6	01.0-02.2	43	2.0	01.2-02.8	112	5.1	04.1-06.1
College Graduate	3538	1,152,769	3241	90.4	89.2-91.6	46	1.6	01.0-02.2	86	2.7	02.1-03.3	30	0.8	00.4-01.2	46	1.5	00.9-02.1	89	3.0	02.2-03.8
Less than \$15,000	392	191,002	343	84.6	80.1-89.1	2	0.4	00.0-01.0	8	3.3	00.6-06.0	6	2.0	00.2-03.8	8	1.8	00.4-03.2	25	7.8	04.5-11.1
\$15,000- 24,999	800	335,066	713	85.2	81.7-88.7	11	1.9	00.3-03.5	19	2.9	01.3-04.5	4	0.3	00.0-00.7	12	1.8	00.6-03.0	41	7.9	05.2-10.6
\$25,000- 34,999	987	457,602	877	87.1	84.4-89.8	7	0.5	00.1-00.9	25	2.3	01.3-03.3	7	0.9	00.1-01.7	14	1.5	00.5-02.5	57	7.7	05.3-10.1
\$35,000- 49,999	1060	495,708	924	83.8	80.9-86.7	13	1.3	00.5-02.1	28	3.3	01.7-04.9	10	1.0	00.2-01.8	20	2.6	01.4-03.8	65	8.0	05.6-10.4
\$50,000- 99,999	2382	1,162,575	2136	87.7	85.7-89.7	29	1.3	00.7-01.9	78	4.0	02.8-05.2	26	1.3	00.7-01.9	37	1.6	00.8-02.4	76	4.0	02.8-05.2
\$100,000- 199,999	1585	785,821	1419	88.3	86.3-90.3	26	1.8	01.0-02.6	44	3.1	02.1-04.1	22	1.3	00.7-01.9	18	1.1	00.5-01.7	56	4.3	02.9-05.7
\$200,000+	396	189,652	357	90.0	86.5-93.5	5	1.1	00.0-02.3	12	2.8	01.2-04.4	5	0.9	00.0-01.9	5	0.8	00.2-01.4	12	4.5	01.6-07.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 23: MARIJUANA USE**

**TABLE 2: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4259	2,141,337	3728	85.9	84.5-87.3	61	1.7	01.1-02.3	131	3.3	02.7-03.9	51	1.4	01.0-01.8	77	1.6	01.2-02.0	211	6.2	05.2-07.2
White/Non-Hisp	3388	1,640,500	2972	85.7	84.1-87.3	45	1.5	01.1-01.9	108	3.6	02.8-04.4	41	1.5	00.9-02.1	63	1.8	01.2-02.4	159	6.0	05.0-07.0
Black or Afr. Am./Non-Hisp	332	177,695	277	79.3	73.2-85.4	8	4.1	00.4-07.8	10	3.0	00.8-05.2	4	0.9	00.0-02.1	5	1.2	00.0-02.4	28	11.3	06.6-16.0
Oth. Race/Non-Hisp.	113	85,541	103	93.9	89.6-98.2				3	1.1	00.0-02.5	1	1.0	00.0-03.0	1	0.7	00.0-02.1	5	3.4	00.1-06.7
MultiRacial/Non-Hisp.	81	58,908	65	84.8	76.2-93.4	3	2.2	00.0-05.1	1	0.2	00.0-00.6	1	0.9	00.0-02.7	3	1.6	00.0-03.6	8	10.3	02.5-18.1
Hispanic	267	137,597	239	91.1	87.4-94.8	5	2.0	00.2-03.8	7	2.1	00.3-03.9	4	1.2	00.0-02.8	3	0.9	00.0-01.9	9	2.7	00.5-04.9
18-24	308	290,455	245	79.2	73.9-84.5	10	3.5	01.0-06.0	14	3.7	01.5-05.9	8	2.4	00.4-04.4	8	1.6	00.2-03.0	23	9.5	05.4-13.6
25-34	430	333,334	323	77.9	73.6-82.2	14	2.6	01.0-04.2	25	5.1	02.9-07.3	8	1.8	00.4-03.2	15	2.8	01.2-04.4	45	9.8	06.7-12.9
35-44	566	341,728	468	84.2	80.9-87.5	12	1.8	00.6-03.0	21	3.9	02.1-05.7	11	1.6	00.4-02.8	12	1.6	00.6-02.6	42	7.0	04.6-09.4
45-54	652	332,664	572	88.2	85.5-90.9	6	0.7	00.0-01.5	21	3.0	01.6-04.4	5	0.7	00.1-01.3	12	1.7	00.7-02.7	36	5.7	03.7-07.7
55-64	775	354,365	679	87.0	84.3-89.7	12	1.7	00.7-02.7	24	2.9	01.5-04.3	11	1.7	00.5-02.9	14	1.6	00.8-02.4	35	5.2	03.2-07.2
65+	1528	488,791	1441	94.3	92.9-95.7	7	0.4	00.0-00.8	26	1.8	01.0-02.6	8	0.6	00.2-01.0	16	0.9	00.5-01.3	30	2.1	01.3-02.9
Less Than H.S.	235	222,735	198	84.5	79.2-89.8	2	0.5	00.0-01.3	9	3.5	01.1-05.9	2	0.8	00.0-02.0	2	0.4	00.0-01.0	22	10.2	05.5-14.9
H.S. or G.E.D.	1327	755,835	1137	83.8	81.4-86.2	25	2.6	01.4-03.8	46	3.4	02.2-04.6	14	1.2	00.4-02.0	17	1.4	00.6-02.2	88	7.7	05.9-09.5
Some Post-H.S.	1028	611,567	893	86.8	84.4-89.2	10	1.0	00.2-01.8	30	3.1	01.9-04.3	18	2.0	01.0-03.0	22	1.7	00.9-02.5	55	5.5	03.9-07.1
College Graduate	1652	544,997	1484	88.5	86.7-90.3	24	1.6	00.8-02.4	46	3.3	02.3-04.3	16	1.0	00.4-01.6	36	2.4	01.4-03.4	46	3.2	02.2-04.2
Less than \$15,000	142	71,014	119	80.6	72.8-88.4	1	0.8	00.0-02.4	2	2.0	00.0-04.7	3	2.5	00.0-05.6	4	2.4	00.0-04.8	13	11.7	05.0-18.4
\$15,000- 24,999	298	132,392	252	80.3	74.2-86.4	7	3.7	00.2-07.2	10	3.1	00.7-05.5	2	0.5	00.0-01.3	5	1.5	00.1-02.9	22	10.9	06.2-15.6
\$25,000- 34,999	412	212,523	358	85.2	80.9-89.5	4	0.9	00.0-01.9	13	3.6	01.6-05.6	3	0.9	00.0-01.9	5	1.1	00.1-02.1	29	8.4	04.7-12.1
\$35,000- 49,999	446	212,532	372	80.9	76.0-85.8	11	2.6	01.0-04.2	13	3.1	00.9-05.3	5	1.0	00.0-02.0	8	2.4	00.4-04.4	37	10.1	06.2-14.0
\$50,000- 99,999	1194	610,638	1049	87.4	85.0-89.8	13	1.0	00.4-01.6	47	4.3	02.9-05.7	16	1.3	00.5-02.1	27	1.7	00.9-02.5	42	4.1	02.7-05.5
\$100,000- 199,999	861	447,746	759	86.5	83.8-89.2	15	1.8	00.8-02.8	22	3.0	01.6-04.4	13	1.7	00.7-02.7	14	1.6	00.6-02.6	38	5.4	03.4-07.4
\$200,000+	225	104,502	198	87.4	82.1-92.7	2	1.0	00.0-02.6	8	3.3	00.9-05.7	3	1.0	00.0-02.4	5	1.4	00.2-02.6	9	6.0	01.7-10.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 23: MARIJUANA USE**

**TABLE 3: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5089	2,283,991	4680	89.6	88.4-90.8	43	0.9	00.5-01.3	111	2.7	01.9-03.5	39	0.9	00.5-01.3	55	1.6	01.0-02.2	161	4.3	03.5-05.1
White/Non-Hisp	4028	1,774,521	3717	89.6	88.2-91.0	34	1.0	00.6-01.4	88	2.8	02.0-03.6	31	0.8	00.4-01.2	40	1.4	00.8-02.0	118	4.3	03.3-05.3
Black or Afr. Am./Non-Hisp	491	196,295	437	86.1	81.4-90.8	4	0.5	00.0-01.3	13	3.1	00.6-05.6	4	1.9	00.0-04.1	7	1.8	00.2-03.4	26	6.6	03.3-09.9
Oth. Race/Non-Hisp.	112	65,752	102	88.0	78.6-97.4	2	0.6	00.0-01.4	1	4.1	00.0-11.9	1	1.3	00.0-03.8				6	6.1	00.4-11.8
MultiRacial/Non-Hisp.	69	49,398	61	85.4	72.5-98.3				2	1.8	00.0-04.5				4	11.6	00.0-24.3	2	1.2	00.0-03.2
Hispanic	314	171,011	293	94.3	91.4-97.2	3	0.6	00.0-01.6	6	1.6	00.0-03.2	2	0.2	00.0-00.4	3	0.9	00.0-01.9	7	2.4	00.2-04.6
18-24	211	263,627	165	77.0	70.3-83.7	5	2.0	00.0-04.0	10	6.3	01.8-10.8	5	1.6	00.0-03.2	9	5.0	01.5-08.5	17	8.0	04.1-11.9
25-34	480	330,758	389	81.6	77.7-85.5	9	1.2	00.4-02.0	25	4.3	02.3-06.3	9	1.9	00.3-03.5	10	2.4	00.8-04.0	38	8.7	05.8-11.6
35-44	604	348,349	525	88.8	86.1-91.5	10	1.4	00.4-02.4	26	3.5	01.9-05.1	2	0.2	00.0-00.6	10	1.2	00.4-02.0	31	4.9	02.9-06.9
45-54	761	340,003	690	90.4	88.0-92.8	9	1.0	00.2-01.8	18	2.4	01.2-03.6	6	0.9	00.1-01.7	8	1.1	00.3-01.9	30	4.1	02.3-05.9
55-64	961	381,905	888	92.7	90.7-94.7	7	0.6	00.0-01.2	17	1.9	00.7-03.1	9	0.7	00.1-01.3	9	1.0	00.2-01.8	31	3.1	01.9-04.3
65+	2072	619,349	2023	97.2	96.2-98.2	3	0.1	00.0-00.3	15	0.7	00.3-01.1	8	0.4	00.0-00.8	9	0.5	00.1-00.9	14	1.1	00.3-01.9
Less Than H.S.	288	235,191	266	92.8	89.3-96.3				6	1.1	00.0-02.5	3	1.0	00.0-02.2	1	0.3	00.0-00.9	12	4.8	01.7-07.9
H.S. or G.E.D.	1523	733,171	1409	88.7	86.2-91.2	9	0.7	00.1-01.3	25	2.7	01.1-04.3	8	0.7	00.1-01.3	23	2.1	00.9-03.3	49	5.1	03.5-06.7
Some Post-H.S.	1373	700,260	1229	87.1	84.7-89.5	12	0.8	00.2-01.4	40	3.8	02.4-05.2	14	1.3	00.5-02.1	21	2.2	01.0-03.4	57	4.8	03.4-06.2
College Graduate	1886	607,772	1757	92.1	90.5-93.7	22	1.5	00.7-02.3	40	2.3	01.5-03.1	14	0.6	00.2-01.0	10	0.7	00.3-01.1	43	2.8	01.8-03.8
Less than \$15,000	250	119,988	224	86.9	81.2-92.6	1	0.2	00.0-00.6	6	4.2	00.3-08.1	3	1.7	00.0-03.7	4	1.5	00.0-03.1	12	5.5	02.0-09.0
\$15,000- 24,999	502	202,674	461	88.4	84.3-92.5	4	0.8	00.0-02.0	9	2.7	00.5-04.9	2	0.2	00.0-00.6	7	1.9	00.5-03.3	19	6.0	02.9-09.1
\$25,000- 34,999	575	245,079	519	88.7	85.2-92.2	3	0.2	00.0-00.4	12	1.2	00.4-02.0	4	0.9	00.0-01.9	9	1.9	00.3-03.5	28	7.1	04.0-10.2
\$35,000- 49,999	614	283,176	552	86.0	82.3-89.7	2	0.3	00.0-00.9	15	3.5	01.3-05.7	5	1.0	00.0-02.0	12	2.8	01.0-04.6	28	6.5	03.8-09.2
\$50,000- 99,999	1188	551,937	1087	88.0	85.1-90.9	16	1.5	00.7-02.3	31	3.7	01.7-05.7	10	1.3	00.1-02.5	10	1.5	00.1-02.9	34	3.9	02.1-05.7
\$100,000- 199,999	724	338,075	660	90.8	88.3-93.3	11	1.9	00.5-03.3	22	3.1	01.5-04.7	9	0.8	00.2-01.4	4	0.5	00.1-00.9	18	3.0	01.4-04.6
\$200,000+	171	85,150	159	93.1	88.4-97.8	3	1.2	00.0-02.8	4	2.2	00.0-04.6	2	0.9	00.0-02.3				3	2.6	00.0-06.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 23: MARIJUANA USE**

TABLE 4: DURING THE PAST 30 DAYS, DID YOU SMOKE IT (FOR EXAMPLE, IN A JOINT, BONG, PIPE, OR BLUNT)? (MARJSMOK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	938	538,696	731	80.6	77.7-83.5	207	19.4	16.5-22.3
Male	529	300,572	420	82.6	79.1-86.1	109	17.4	13.9-20.9
Female	409	238,124	311	78.0	73.1-82.9	98	22.0	17.1-26.9
White/Non-Hisp	725	418,676	549	78.8	75.5-82.1	176	21.2	17.9-24.5
Black or Afr. Am./Non-Hisp	109	64,088	96	87.6	78.6-96.6	13	12.4	03.4-21.4
18-24	109	120,927	89	82.2	74.2-90.2	20	17.8	09.8-25.8
25-34	198	134,581	161	83.0	77.5-88.5	37	17.0	11.5-22.5
35-44	176	92,597	119	70.2	62.8-77.6	57	29.8	22.4-37.2
45-54	150	71,437	121	84.0	77.9-90.1	29	16.0	09.9-22.1
55-64	169	74,228	140	84.1	77.6-90.6	29	15.9	09.4-22.4
65+	136	44,925	101	79.1	71.8-86.4	35	20.9	13.6-28.2
Less Than H.S.	59	51,392	55	97.2	94.1-100	4	2.8	00.0-05.9
H.S. or G.E.D.	304	205,514	265	88.8	84.9-92.7	39	11.2	07.3-15.1
Some Post-H.S.	279	170,939	222	77.3	71.2-83.4	57	22.7	16.6-28.8
College Graduate	295	110,026	189	63.1	56.6-69.6	106	36.9	30.4-43.4
\$15,000- 24,999	87	49,650	80	88.5	79.1-97.9	7	11.5	02.1-20.9
\$25,000- 34,999	110	59,167	95	90.5	85.2-95.8	15	9.5	04.2-14.8
\$35,000- 49,999	136	80,430	111	85.3	78.2-92.4	25	14.7	07.6-21.8
\$50,000- 99,999	246	142,889	191	82.8	77.7-87.9	55	17.2	12.1-22.3
\$100,000- 199,999	165	91,188	101	63.1	54.5-71.7	64	36.9	28.3-45.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 23: MARIJUANA USE**

TABLE 5: DURING THE PAST 30 DAYS, DID YOU SMOKE IT (FOR EXAMPLE, IN A JOINT, BONG, PIPE, OR BLUNT)? (MARJSMOK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	529	300,572	420	82.6	79.1-86.1	109	17.4	13.9-20.9
White/Non-Hisp	414	234,680	323	81.3	77.2-85.4	91	18.7	14.6-22.8
Black or Afr. Am./Non-Hisp	55	36,716	49	90.8	79.6-100	6	9.2	00.0-20.4
18-24	63	60,382	52	85.1	75.7-94.5	11	14.9	05.5-24.3
25-34	107	73,820	91	85.0	77.7-92.3	16	15.0	07.7-22.3
35-44	97	53,485	69	76.2	67.2-85.2	28	23.8	14.8-32.8
45-54	79	38,877	61	80.8	71.8-89.8	18	19.2	10.2-28.2
55-64	96	46,194	83	87.6	80.3-94.9	13	12.4	05.1-19.7
65+	87	27,815	64	77.5	67.7-87.3	23	22.5	12.7-32.3
H.S. or G.E.D.	190	122,651	167	88.8	83.5-94.1	23	11.2	05.9-16.5
Some Post-H.S.	135	80,772	109	79.9	72.3-87.5	26	20.1	12.5-27.7
College Graduate	166	61,850	108	66.1	57.9-74.3	58	33.9	25.7-42.1
\$25,000- 34,999	54	31,484	48	92.4	85.7-99.1	6	7.6	00.9-14.3
\$35,000- 49,999	74	40,672	59	87.0	79.4-94.6	15	13.0	05.4-20.6
\$50,000- 99,999	145	76,744	116	83.9	77.4-90.4	29	16.1	09.6-22.6
\$100,000- 199,999	101	60,000	66	69.9	60.1-79.7	35	30.1	20.3-39.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 23: MARIJUANA USE**

TABLE 6: DURING THE PAST 30 DAYS, DID YOU SMOKE IT (FOR EXAMPLE, IN A JOINT, BONG, PIPE, OR BLUNT)? (MARJSMOK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	409	238,124	311	78.0	73.1-82.9	98	22.0	17.1-26.9
White/Non-Hisp	311	183,996	226	75.7	70.0-81.4	85	24.3	18.6-30.0
Black or Afr. Am./Non-Hisp	54	27,372	47	83.2	68.3-98.1	7	16.8	01.9-31.7
25-34	91	60,761	70	80.4	71.8-89.0	21	19.6	11.0-28.2
35-44	79	39,113	50	62.0	49.8-74.2	29	38.0	25.8-50.2
45-54	71	32,560	60	87.8	80.4-95.2	11	12.2	04.8-19.6
55-64	73	28,035	57	78.5	66.2-90.8	16	21.5	09.2-33.8
H.S. or G.E.D.	114	82,864	98	88.8	82.5-95.1	16	11.2	04.9-17.5
Some Post-H.S.	144	90,167	113	75.0	65.8-84.2	31	25.0	15.8-34.2
College Graduate	129	48,177	81	59.2	49.0-69.4	48	40.8	30.6-51.0
\$25,000- 34,999	56	27,683	47	88.3	79.7-96.9	9	11.7	03.1-20.3
\$35,000- 49,999	62	39,758	52	83.6	72.0-95.2	10	16.4	04.8-28.0
\$50,000- 99,999	101	66,145	75	81.6	73.2-90.0	26	18.4	10.0-26.8
\$100,000- 199,999	64	31,188	35	50.1	35.2-65.0	29	49.9	35.0-64.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 23: MARIJUANA USE**

**TABLE 7: DID YOU EAT IT OR DRINK IT (FOR EXAMPLE, IN BROWNIES, CAKES, COOKIES, OR CANDY, OR IN TEA, COLA, OR ALCOHOL)? (MARJEAT)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	939	539,107	404	41.2	37.3-45.1	535	58.8	54.9-62.7
Male	530	300,984	213	38.8	33.9-43.7	317	61.2	56.3-66.1
Female	409	238,124	191	44.3	38.0-50.6	218	55.7	49.4-62.0
White/Non-Hisp	726	419,087	336	45.4	41.1-49.7	390	54.6	50.3-58.9
Black or Afr. Am./Non-Hisp	109	64,088	30	21.7	12.1-31.3	79	78.3	68.7-87.9
18-24	109	120,927	40	34.5	24.1-44.9	69	65.5	55.1-75.9
25-34	198	134,581	93	47.9	40.1-55.7	105	52.1	44.3-59.9
35-44	177	93,009	95	51.6	43.2-60.0	82	48.4	40.0-56.8
45-54	150	71,437	76	48.7	39.7-57.7	74	51.3	42.3-60.3
55-64	169	74,228	54	26.9	19.6-34.2	115	73.1	65.8-80.4
65+	136	44,925	46	29.7	21.3-38.1	90	70.3	61.9-78.7
Less Than H.S.	59	51,392	13	24.1	11.0-37.2	46	75.9	62.8-89.0
H.S. or G.E.D.	304	205,514	92	31.5	25.0-38.0	212	68.5	62.0-75.0
Some Post-H.S.	279	170,939	121	45.3	38.4-52.2	158	54.7	47.8-61.6
College Graduate	296	110,438	178	61.4	55.1-67.7	118	38.6	32.3-44.9
\$15,000- 24,999	87	49,650	18	19.8	10.2-29.4	69	80.2	70.6-89.8
\$25,000- 34,999	110	59,167	37	34.6	23.6-45.6	73	65.4	54.4-76.4
\$35,000- 49,999	136	80,430	49	33.5	24.1-42.9	87	66.5	57.1-75.9
\$50,000- 99,999	246	142,889	112	44.3	36.1-52.5	134	55.7	47.5-63.9
\$100,000- 199,999	166	91,599	104	59.2	50.4-68.0	62	40.8	32.0-49.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 23: MARIJUANA USE**

**TABLE 8: DID YOU EAT IT OR DRINK IT (FOR EXAMPLE, IN BROWNIES, CAKES, COOKIES, OR CANDY, OR IN TEA, COLA, OR ALCOHOL)? (MARJEAT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	530	300,984	213	38.8	33.9-43.7	317	61.2	56.3-66.1
White/Non-Hisp	415	235,091	182	43.0	37.5-48.5	233	57.0	51.5-62.5
Black or Afr. Am./Non-Hisp	55	36,716	12	16.1	05.3-26.9	43	83.9	73.1-94.7
18-24	63	60,382	20	26.2	14.6-37.8	43	73.8	62.2-85.4
25-34	107	73,820	53	54.7	44.1-65.3	54	45.3	34.7-55.9
35-44	98	53,896	47	44.8	33.6-56.0	51	55.2	44.0-66.4
45-54	79	38,877	43	50.1	37.8-62.4	36	49.9	37.6-62.2
55-64	96	46,194	23	20.6	12.2-29.0	73	79.4	71.0-87.8
65+	87	27,815	27	27.0	16.6-37.4	60	73.0	62.6-83.4
H.S. or G.E.D.	190	122,651	51	28.0	20.6-35.4	139	72.0	64.6-79.4
Some Post-H.S.	135	80,772	60	48.0	38.2-57.8	75	52.0	42.2-61.8
College Graduate	167	62,261	95	59.0	50.6-67.4	72	41.0	32.6-49.4
\$25,000- 34,999	54	31,484	15	28.3	14.4-42.2	39	71.7	57.8-85.6
\$35,000- 49,999	74	40,672	27	35.5	22.4-48.6	47	64.5	51.4-77.6
\$50,000- 99,999	145	76,744	63	45.4	35.8-55.0	82	54.6	45.0-64.2
\$100,000- 199,999	102	60,411	60	53.0	42.0-64.0	42	47.0	36.0-58.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 23: MARIJUANA USE**

**TABLE 9: DID YOU EAT IT OR DRINK IT (FOR EXAMPLE, IN BROWNIES, CAKES, COOKIES, OR CANDY, OR IN TEA, COLA, OR ALCOHOL)? (MARJEAT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	409	238,124	191	44.3	38.2-50.4	218	55.7	49.6-61.8
White/Non-Hisp	311	183,996	154	48.5	41.6-55.4	157	51.5	44.6-58.4
Black or Afr. Am./Non-Hisp	54	27,372	18	29.2	12.7-45.7	36	70.8	54.3-87.3
25-34	91	60,761	40	39.6	28.2-51.0	51	60.4	49.0-71.8
35-44	79	39,113	48	61.1	48.9-73.3	31	38.9	26.7-51.1
45-54	71	32,560	33	46.9	33.8-60.0	38	53.1	40.0-66.2
55-64	73	28,035	31	37.3	25.9-48.7	42	62.7	51.3-74.1
H.S. or G.E.D.	114	82,864	41	36.7	24.9-48.5	73	63.3	51.5-75.1
Some Post-H.S.	144	90,167	61	42.8	33.0-52.6	83	57.2	47.4-67.0
College Graduate	129	48,177	83	64.4	54.8-74.0	46	35.6	26.0-45.2
\$25,000- 34,999	56	27,683	22	41.8	24.6-59.0	34	58.2	41.0-75.4
\$35,000- 49,999	62	39,758	22	31.5	18.2-44.8	40	68.5	55.2-81.8
\$50,000- 99,999	101	66,145	49	43.1	29.4-56.8	52	56.9	43.2-70.6
\$100,000- 199,999	64	31,188	44	71.2	58.1-84.3	20	28.8	15.7-41.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 23: MARIJUANA USE**

**TABLE 10: DID YOU VAPORIZE IT (FOR EXAMPLE, IN AN E-CIGARETTE-LIKE VAPORIZER OR ANOTHER VAPORIZING DEVICE) (MARJVAPE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	938	538,605	286	33.7	30.0-37.4	652	66.3	62.6-70.0
Male	530	300,984	157	31.2	26.5-35.9	373	68.8	64.1-73.5
Female	408	237,622	129	36.9	30.8-43.0	279	63.1	57.0-69.2
White/Non-Hisp	725	418,585	223	33.3	29.2-37.4	502	66.7	62.6-70.8
Black or Afr. Am./Non-Hisp	109	64,088	20	21.6	10.6-32.6	89	78.4	67.4-89.4
18-24	109	120,927	53	47.3	36.3-58.3	56	52.7	41.7-63.7
25-34	198	134,581	90	46.4	38.6-54.2	108	53.6	45.8-61.4
35-44	176	92,507	61	30.6	23.2-38.0	115	69.4	62.0-76.8
45-54	150	71,437	33	22.5	14.9-30.1	117	77.5	69.9-85.1
55-64	169	74,228	29	14.0	08.7-19.3	140	86.0	80.7-91.3
65+	136	44,925	20	16.3	09.6-23.0	116	83.7	77.0-90.4
Less Than H.S.	59	51,392	12	24.2	11.1-37.3	47	75.8	62.7-88.9
H.S. or G.E.D.	304	205,514	81	31.6	24.9-38.3	223	68.4	61.7-75.1
Some Post-H.S.	278	170,437	97	38.8	31.9-45.7	181	61.2	54.3-68.1
College Graduate	296	110,438	96	34.4	28.3-40.5	200	65.6	59.5-71.7
\$15,000- 24,999	87	49,650	14	16.7	08.5-24.9	73	83.3	75.1-91.5
\$25,000- 34,999	109	58,665	30	34.7	23.1-46.3	79	65.3	53.7-76.9
\$35,000- 49,999	136	80,430	51	40.3	30.5-50.1	85	59.7	49.9-69.5
\$50,000- 99,999	246	142,889	79	36.1	28.1-44.1	167	63.9	55.9-71.9
\$100,000- 199,999	166	91,599	54	32.0	23.8-40.2	112	68.0	59.8-76.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 23: MARIJUANA USE**

**TABLE 11: DID YOU VAPORIZE IT (FOR EXAMPLE, IN AN E-CIGARETTE-LIKE VAPORIZER OR ANOTHER VAPORIZING DEVICE) (MARJVAPE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	530	300,984	157	31.2	26.5-35.9	373	68.8	64.1-73.5
White/Non-Hisp	415	235,091	125	31.5	26.2-36.8	290	68.5	63.2-73.8
Black or Afr. Am./Non-Hisp	55	36,716	10	22.2	07.3-37.1	45	77.8	62.9-92.7
18-24	63	60,382	27	39.5	26.0-53.0	36	60.5	47.0-74.0
25-34	107	73,820	48	45.6	34.8-56.4	59	54.4	43.6-65.2
35-44	98	53,896	38	33.5	23.1-43.9	60	66.5	56.1-76.9
45-54	79	38,877	16	22.1	11.5-32.7	63	77.9	67.3-88.5
55-64	96	46,194	15	13.2	06.1-20.3	81	86.8	79.7-93.9
65+	87	27,815	13	13.1	05.7-20.5	74	86.9	79.5-94.3
H.S. or G.E.D.	190	122,651	47	28.9	21.1-36.7	143	71.1	63.3-78.9
Some Post-H.S.	135	80,772	48	35.3	26.1-44.5	87	64.7	55.5-73.9
College Graduate	167	62,261	54	35.8	27.4-44.2	113	64.2	55.8-72.6
\$25,000- 34,999	54	31,484	16	31.3	16.6-46.0	38	68.7	54.0-83.4
\$35,000- 49,999	74	40,672	31	44.4	30.5-58.3	43	55.6	41.7-69.5
\$50,000- 99,999	145	76,744	38	32.1	22.5-41.7	107	67.9	58.3-77.5
\$100,000- 199,999	102	60,411	33	30.4	20.4-40.4	69	69.6	59.6-79.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 23: MARIJUANA USE**

**TABLE 12: DID YOU VAPORIZE IT (FOR EXAMPLE, IN AN E-CIGARETTE-LIKE VAPORIZER OR ANOTHER VAPORIZING DEVICE) (MARJVAPE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	408	237,622	129	36.9	30.8-43.0	279	63.1	57.0-69.2
White/Non-Hisp	310	183,494	98	35.7	29.0-42.4	212	64.3	57.6-71.0
Black or Afr. Am./Non-Hisp	54	27,372	10	20.8	04.5-37.1	44	79.2	62.9-95.5
25-34	91	60,761	42	47.2	35.4-59.0	49	52.8	41.0-64.6
35-44	78	38,611	23	26.4	16.2-36.6	55	73.6	63.4-83.8
45-54	71	32,560	17	23.0	11.8-34.2	54	77.0	65.8-88.2
55-64	73	28,035	14	15.2	07.0-23.4	59	84.8	76.6-93.0
H.S. or G.E.D.	114	82,864	34	35.7	23.9-47.5	80	64.3	52.5-76.1
Some Post-H.S.	143	89,665	49	41.8	31.8-51.8	94	58.2	48.2-68.2
College Graduate	129	48,177	42	32.7	23.9-41.5	87	67.3	58.5-76.1
\$25,000- 34,999	55	27,181	14	38.6	21.0-56.2	41	61.4	43.8-79.0
\$35,000- 49,999	62	39,758	20	36.2	22.3-50.1	42	63.8	49.9-77.7
\$50,000- 99,999	101	66,145	41	40.8	27.3-54.3	60	59.2	45.7-72.7
\$100,000- 199,999	64	31,188	21	35.0	20.9-49.1	43	65.0	50.9-79.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 23: MARIJUANA USE**

**TABLE 13: DID YOU DAB IT (FOR EXAMPLE, USING A DABBING RIG, KNIFE, OR DAB PEN)? (MARJDAB)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	938	538,605	286	33.7	30.0-37.4	652	66.3	62.6-70.0
Male	530	300,984	157	31.2	26.5-35.9	373	68.8	64.1-73.5
Female	408	237,622	129	36.9	30.8-43.0	279	63.1	57.0-69.2
White/Non-Hisp	725	418,585	223	33.3	29.2-37.4	502	66.7	62.6-70.8
Black or Afr. Am./Non-Hisp	109	64,088	20	21.6	10.6-32.6	89	78.4	67.4-89.4
18-24	109	120,927	53	47.3	36.3-58.3	56	52.7	41.7-63.7
25-34	198	134,581	90	46.4	38.6-54.2	108	53.6	45.8-61.4
35-44	176	92,507	61	30.6	23.2-38.0	115	69.4	62.0-76.8
45-54	150	71,437	33	22.5	14.9-30.1	117	77.5	69.9-85.1
55-64	169	74,228	29	14.0	08.7-19.3	140	86.0	80.7-91.3
65+	136	44,925	20	16.3	09.6-23.0	116	83.7	77.0-90.4
Less Than H.S.	59	51,392	12	24.2	11.1-37.3	47	75.8	62.7-88.9
H.S. or G.E.D.	304	205,514	81	31.6	24.9-38.3	223	68.4	61.7-75.1
Some Post-H.S.	278	170,437	97	38.8	31.9-45.7	181	61.2	54.3-68.1
College Graduate	296	110,438	96	34.4	28.3-40.5	200	65.6	59.5-71.7
\$15,000- 24,999	87	49,650	14	16.7	08.5-24.9	73	83.3	75.1-91.5
\$25,000- 34,999	109	58,665	30	34.7	23.1-46.3	79	65.3	53.7-76.9
\$35,000- 49,999	136	80,430	51	40.3	30.5-50.1	85	59.7	49.9-69.5
\$50,000- 99,999	246	142,889	79	36.1	28.1-44.1	167	63.9	55.9-71.9
\$100,000- 199,999	166	91,599	54	32.0	23.8-40.2	112	68.0	59.8-76.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 23: MARIJUANA USE**

TABLE 14: DID YOU DAB IT (FOR EXAMPLE, USING A DABBING RIG, KNIFE, OR DAB PEN)? (MARJDAB)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	530	300,984	157	31.2	26.5-35.9	373	68.8	64.1-73.5
White/Non-Hisp	415	235,091	125	31.5	26.2-36.8	290	68.5	63.2-73.8
Black or Afr. Am./Non-Hisp	55	36,716	10	22.2	07.3-37.1	45	77.8	62.9-92.7
18-24	63	60,382	27	39.5	26.0-53.0	36	60.5	47.0-74.0
25-34	107	73,820	48	45.6	34.8-56.4	59	54.4	43.6-65.2
35-44	98	53,896	38	33.5	23.1-43.9	60	66.5	56.1-76.9
45-54	79	38,877	16	22.1	11.5-32.7	63	77.9	67.3-88.5
55-64	96	46,194	15	13.2	06.1-20.3	81	86.8	79.7-93.9
65+	87	27,815	13	13.1	05.7-20.5	74	86.9	79.5-94.3
H.S. or G.E.D.	190	122,651	47	28.9	21.1-36.7	143	71.1	63.3-78.9
Some Post-H.S.	135	80,772	48	35.3	26.1-44.5	87	64.7	55.5-73.9
College Graduate	167	62,261	54	35.8	27.4-44.2	113	64.2	55.8-72.6
\$25,000- 34,999	54	31,484	16	31.3	16.6-46.0	38	68.7	54.0-83.4
\$35,000- 49,999	74	40,672	31	44.4	30.5-58.3	43	55.6	41.7-69.5
\$50,000- 99,999	145	76,744	38	32.1	22.5-41.7	107	67.9	58.3-77.5
\$100,000- 199,999	102	60,411	33	30.4	20.4-40.4	69	69.6	59.6-79.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 23: MARIJUANA USE**

TABLE 15: DID YOU DAB IT (FOR EXAMPLE, USING A DABBING RIG, KNIFE, OR DAB PEN)? (MARJDAB)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	408	237,622	129	36.9	30.8-43.0	279	63.1	57.0-69.2
White/Non-Hisp	310	183,494	98	35.7	29.0-42.4	212	64.3	57.6-71.0
Black or Afr. Am./Non-Hisp	54	27,372	10	20.8	04.5-37.1	44	79.2	62.9-95.5
25-34	91	60,761	42	47.2	35.4-59.0	49	52.8	41.0-64.6
35-44	78	38,611	23	26.4	16.2-36.6	55	73.6	63.4-83.8
45-54	71	32,560	17	23.0	11.8-34.2	54	77.0	65.8-88.2
55-64	73	28,035	14	15.2	07.0-23.4	59	84.8	76.6-93.0
H.S. or G.E.D.	114	82,864	34	35.7	23.9-47.5	80	64.3	52.5-76.1
Some Post-H.S.	143	89,665	49	41.8	31.8-51.8	94	58.2	48.2-68.2
College Graduate	129	48,177	42	32.7	23.9-41.5	87	67.3	58.5-76.1
\$25,000- 34,999	55	27,181	14	38.6	21.0-56.2	41	61.4	43.8-79.0
\$35,000- 49,999	62	39,758	20	36.2	22.3-50.1	42	63.8	49.9-77.7
\$50,000- 99,999	101	66,145	41	40.8	27.3-54.3	60	59.2	45.7-72.7
\$100,000- 199,999	64	31,188	21	35.0	20.9-49.1	43	65.0	50.9-79.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 23: MARIJUANA USE**

TABLE 16: DID YOU USE IT IN SOME OTHER WAY? (MARJOTHR)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	938	538,605	286	33.7	30.0-37.4	652	66.3	62.6-70.0
Male	530	300,984	157	31.2	26.5-35.9	373	68.8	64.1-73.5
Female	408	237,622	129	36.9	30.8-43.0	279	63.1	57.0-69.2
White/Non-Hisp	725	418,585	223	33.3	29.2-37.4	502	66.7	62.6-70.8
Black or Afr. Am./Non-Hisp	109	64,088	20	21.6	10.6-32.6	89	78.4	67.4-89.4
18-24	109	120,927	53	47.3	36.3-58.3	56	52.7	41.7-63.7
25-34	198	134,581	90	46.4	38.6-54.2	108	53.6	45.8-61.4
35-44	176	92,507	61	30.6	23.2-38.0	115	69.4	62.0-76.8
45-54	150	71,437	33	22.5	14.9-30.1	117	77.5	69.9-85.1
55-64	169	74,228	29	14.0	08.7-19.3	140	86.0	80.7-91.3
65+	136	44,925	20	16.3	09.6-23.0	116	83.7	77.0-90.4
Less Than H.S.	59	51,392	12	24.2	11.1-37.3	47	75.8	62.7-88.9
H.S. or G.E.D.	304	205,514	81	31.6	24.9-38.3	223	68.4	61.7-75.1
Some Post-H.S.	278	170,437	97	38.8	31.9-45.7	181	61.2	54.3-68.1
College Graduate	296	110,438	96	34.4	28.3-40.5	200	65.6	59.5-71.7
\$15,000- 24,999	87	49,650	14	16.7	08.5-24.9	73	83.3	75.1-91.5
\$25,000- 34,999	109	58,665	30	34.7	23.1-46.3	79	65.3	53.7-76.9
\$35,000- 49,999	136	80,430	51	40.3	30.5-50.1	85	59.7	49.9-69.5
\$50,000- 99,999	246	142,889	79	36.1	28.1-44.1	167	63.9	55.9-71.9
\$100,000- 199,999	166	91,599	54	32.0	23.8-40.2	112	68.0	59.8-76.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 23: MARIJUANA USE**

TABLE 17: DID YOU USE IT IN SOME OTHER WAY? (MARJOTHR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	530	300,984	157	31.2	26.5-35.9	373	68.8	64.1-73.5
White/Non-Hisp	415	235,091	125	31.5	26.2-36.8	290	68.5	63.2-73.8
Black or Afr. Am./Non-Hisp	55	36,716	10	22.2	07.3-37.1	45	77.8	62.9-92.7
18-24	63	60,382	27	39.5	26.0-53.0	36	60.5	47.0-74.0
25-34	107	73,820	48	45.6	34.8-56.4	59	54.4	43.6-65.2
35-44	98	53,896	38	33.5	23.1-43.9	60	66.5	56.1-76.9
45-54	79	38,877	16	22.1	11.5-32.7	63	77.9	67.3-88.5
55-64	96	46,194	15	13.2	06.1-20.3	81	86.8	79.7-93.9
65+	87	27,815	13	13.1	05.7-20.5	74	86.9	79.5-94.3
H.S. or G.E.D.	190	122,651	47	28.9	21.1-36.7	143	71.1	63.3-78.9
Some Post-H.S.	135	80,772	48	35.3	26.1-44.5	87	64.7	55.5-73.9
College Graduate	167	62,261	54	35.8	27.4-44.2	113	64.2	55.8-72.6
\$25,000- 34,999	54	31,484	16	31.3	16.6-46.0	38	68.7	54.0-83.4
\$35,000- 49,999	74	40,672	31	44.4	30.5-58.3	43	55.6	41.7-69.5
\$50,000- 99,999	145	76,744	38	32.1	22.5-41.7	107	67.9	58.3-77.5
\$100,000- 199,999	102	60,411	33	30.4	20.4-40.4	69	69.6	59.6-79.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 23: MARIJUANA USE**

TABLE 18: DID YOU USE IT IN SOME OTHER WAY? (MARJOTHR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	408	237,622	129	36.9	30.8-43.0	279	63.1	57.0-69.2
White/Non-Hisp	310	183,494	98	35.7	29.0-42.4	212	64.3	57.6-71.0
Black or Afr. Am./Non-Hisp	54	27,372	10	20.8	04.5-37.1	44	79.2	62.9-95.5
25-34	91	60,761	42	47.2	35.4-59.0	49	52.8	41.0-64.6
35-44	78	38,611	23	26.4	16.2-36.6	55	73.6	63.4-83.8
45-54	71	32,560	17	23.0	11.8-34.2	54	77.0	65.8-88.2
55-64	73	28,035	14	15.2	07.0-23.4	59	84.8	76.6-93.0
H.S. or G.E.D.	114	82,864	34	35.7	23.9-47.5	80	64.3	52.5-76.1
Some Post-H.S.	143	89,665	49	41.8	31.8-51.8	94	58.2	48.2-68.2
College Graduate	129	48,177	42	32.7	23.9-41.5	87	67.3	58.5-76.1
\$25,000- 34,999	55	27,181	14	38.6	21.0-56.2	41	61.4	43.8-79.0
\$35,000- 49,999	62	39,758	20	36.2	22.3-50.1	42	63.8	49.9-77.7
\$50,000- 99,999	101	66,145	41	40.8	27.3-54.3	60	59.2	45.7-72.7
\$100,000- 199,999	64	31,188	21	35.0	20.9-49.1	43	65.0	50.9-79.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 23: MARIJUANA USE**

TABLE 19: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU... (USEMRJN4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It Drink It			Vaporize it			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	425	257,868	245	58.3	52.6-64.0	78	13.6	10.1-17.1	79	21.0	16.3-25.7	18	6.5	03.2-09.8	5	0.6	00.0-01.2
Male	232	139,243	136	61.2	53.9-68.5	42	14.0	09.3-18.7	43	19.9	13.8-26.0	9	4.4	01.5-07.3	2	0.5	00.0-01.3
Female	193	118,625	109	55.0	45.8-64.2	36	13.2	07.7-18.7	36	22.2	14.6-29.8	9	8.9	02.6-15.2	3	0.7	00.0-01.5
White/Non-Hisp	339	206,755	192	57.0	50.7-63.3	66	15.3	11.0-19.6	62	21.0	15.7-26.3	14	5.9	02.6-09.2	5	0.7	00.1-01.3
18-24	64	71,552	27	46.2	31.9-60.5	6	5.9	00.2-11.6	23	33.7	21.0-46.4	8	14.2	04.2-24.2			
25-34	110	77,702	62	60.9	50.7-71.1	17	12.9	05.8-20.0	24	20.2	12.2-28.2	7	6.0	01.1-10.9			
35-44	87	42,733	59	68.7	57.7-79.7	15	15.7	07.5-23.9	9	10.2	02.9-17.5	3	4.4	00.0-09.5	1	0.9	00.0-02.7
45-54	64	31,267	44	67.7	54.4-81.0	13	20.7	09.1-32.3	7	11.6	02.2-21.0						
55-64	62	22,009	37	63.6	50.7-76.5	14	18.3	08.7-27.9	10	17.0	06.8-27.2				1	1.1	00.0-03.3
H.S. or G.E.D.	124	96,669	78	63.7	53.5-73.9	10	8.6	02.9-14.3	27	18.7	11.1-26.3	7	8.4	01.5-15.3	2	0.6	00.0-01.4
Some Post-H.S.	143	91,437	89	59.6	50.0-69.2	24	10.1	05.6-14.6	22	23.0	14.0-32.0	7	6.9	01.6-12.2	1	0.4	00.0-01.2
College Graduate	137	50,955	63	42.5	33.1-51.9	41	28.7	20.1-37.3	27	23.1	14.7-31.5	4	4.4	00.0-08.9	2	1.3	00.0-03.1
\$35,000- 49,999	63	40,011	41	65.3	51.4-79.2	6	3.9	00.2-07.6	10	16.8	06.6-27.0	6	14.0	02.8-25.2			
\$50,000- 99,999	117	74,338	65	61.2	49.6-72.8	22	13.0	06.3-19.7	22	17.0	09.2-24.8	5	7.6	00.0-15.4	3	1.3	00.0-02.9
\$100,000- 199,999	85	47,432	45	54.7	42.4-67.0	18	17.8	09.2-26.4	18	21.6	11.4-31.8	3	5.1	00.0-11.2	1	0.8	00.0-02.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 23: MARIJUANA USE**

TABLE 20: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU... (USEMRJN4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It Drink It			Vaporize it			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	232	139,243	136	61.2	53.9-68.5	42	14.0	09.3-18.7	43	19.9	13.8-26.0	9	4.4	01.5-07.3	2	0.5	00.0-01.3
White/Non-Hisp	192	114,890	115	61.4	53.6-69.2	35	14.6	09.3-19.9	33	19.1	12.6-25.6	7	4.3	01.0-07.6	2	0.7	00.0-01.7
25-34	63	45,868	33	60.8	48.1-73.5	12	15.6	06.4-24.8	13	18.1	08.7-27.5	5	5.5	00.6-10.4			
H.S. or G.E.D.	74	54,018	47	62.0	50.0-74.0	5	8.4	00.8-16.0	17	23.2	12.0-34.4	4	5.9	00.0-12.0	1	0.6	00.0-02.0
Some Post-H.S.	67	41,625	45	70.1	57.9-82.3	10	10.1	03.6-16.6	10	16.7	06.7-26.7	2	3.1	00.0-07.4			
College Graduate	76	30,325	32	39.5	27.0-52.0	26	32.8	20.6-45.0	14	20.8	09.8-31.8	3	5.6	00.0-12.1	1	1.3	00.0-03.8
\$50,000- 99,999	63	38,374	34	55.9	41.4-70.4	10	13.4	04.2-22.6	15	25.2	12.3-38.1	3	4.5	00.0-09.8	1	0.9	00.0-02.7
\$100,000- 199,999	55	32,297	30	56.3	41.2-71.4	11	17.3	06.7-27.9	11	19.4	08.2-30.6	2	5.7	00.0-14.1	1	1.2	00.0-03.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 23: MARIJUANA USE**

TABLE 21: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU... (USEMRJN4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It Drink It			Vaporize it			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	193	118,625	109	55.0	45.8-64.2	36	13.2	07.7-18.7	36	22.2	14.6-29.8	9	8.9	02.6-15.2	3	0.7	00.0-01.5
White/Non-Hisp	147	91,865	77	51.6	41.2-62.0	31	16.3	09.4-23.2	29	23.3	14.7-31.9	7	8.0	01.9-14.1	3	0.9	00.0-01.9
H.S. or G.E.D.	50	42,651	31	65.9	49.2-82.6	5	8.9	00.1-17.7	10	13.0	03.8-22.2	3	11.7	00.0-25.2	1	0.5	00.3-00.7
Some Post-H.S.	76	49,812	44	50.7	37.0-64.4	14	10.2	03.7-16.7	12	28.2	14.3-42.1	5	10.1	01.1-19.1	1	0.7	00.0-02.1
College Graduate	61	20,630	31	46.8	32.7-60.9	15	22.8	11.2-34.4	13	26.5	13.6-39.4	1	2.8	00.0-08.1	1	1.2	00.0-03.6
\$50,000- 99,999	54	35,964	31	66.7	48.9-84.5	12	12.5	02.9-22.1	7	8.2	01.3-15.1	2	10.9	00.0-26.0	2	1.7	00.0-04.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023**

MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)	
1 MALES AND FEMALES	129
2 MALES ONLY	130
3 FEMALES ONLY	131
HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)	
4 MALES AND FEMALES	132
5 MALES ONLY	133
6 FEMALES ONLY	134
HOW OFTEN DO YOU FEEL LONELY? IS IT... (SDLONELY)	
7 MALES AND FEMALES	135
8 MALES ONLY	136
9 FEMALES ONLY	137
IN THE PAST 12 MONTHS HAVE YOU LOST EMPLOYMENT OR HAD HOURS REDUCED? (SDHEMPLY)	
10 MALES AND FEMALES	138
11 MALES ONLY	139
12 FEMALES ONLY	140
DURING THE PAST 12 MONTHS, HAVE YOU RECEIVED FOOD STAMPS, ALSO CALLED SNAP, THE SUPPLEMENTAL NUTRITION ASSISTANCE PROGRAM ON AN EBT CARD? (FOODSTMP)	
13 MALES AND FEMALES	141
14 MALES ONLY	142
15 FEMALES ONLY	143
DURING THE PAST 12 MONTHS HOW OFTEN DID THE FOOD THAT YOU BOUGHT NOT LAST, AND YOU DIDN'T HAVE MONEY TO GET MORE? WAS THAT... (SDHFOOD1)	
16 MALES AND FEMALES	144
17 MALES ONLY	145
18 FEMALES ONLY	146

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023**

MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE LAST 12 MONTHS, WAS THERE A TIME WHEN YOU WERE NOT ABLE TO PAY YOUR MORTGAGE, RENT OR UTILITY BILLS? (SDHBILLS)	
19	MALES AND FEMALES	147
20	MALES ONLY	148
21	FEMALES ONLY	149
	DURING THE LAST 12 MONTHS WAS THERE A TIME WHEN AN ELECTRIC, GAS, OIL, OR WATER COMPANY THREATENED TO SHUT OFF SERVICES? (SDHUTILS)	
22	MALES AND FEMALES	150
23	MALES ONLY	151
24	FEMALES ONLY	152
	DURING THE PAST 12 MONTHS HAS A LACK OF RELIABLE TRANSPORTATION KEPT YOU FROM MEDICAL APPOINTMENTS, MEETINGS, WORK, OR FROM GETTING THINGS NEEDED FOR DAILY LIVING? (SDHTRNSP)	
25	MALES AND FEMALES	153
26	MALES ONLY	154
27	FEMALES ONLY	155
	STRESS MEANS A SITUATION IN WHICH A PERSON FEELS TENSE, RESTLESS, NERVOUS, OR ANXIOUS, OR IS UNABLE TO SLEEP AT NIGHT BECAUSE HIS/HER MIND IS TROUBLED ALL THE TIME. WITHIN THE LAST 30 DAYS, HOW OFTEN HAVE YOU FELT THIS KIND OF STRESS? (SDHSTRE1)	
28	MALES AND FEMALES	156
29	MALES ONLY	157
30	FEMALES ONLY	158

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY
TABLE 1: IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9348	4,432,718	3916	40.2	39.0-41.4	4877	53.2	51.8-54.6	451	5.4	04.8-06.0	104	1.3	00.9-01.7
Male	4258	2,142,254	1752	40.4	38.6-42.2	2264	53.6	51.6-55.6	195	4.8	04.0-05.6	47	1.3	00.9-01.7
Female	5090	2,290,464	2164	39.9	38.1-41.7	2613	52.8	51.0-54.6	256	5.9	04.9-06.9	57	1.3	00.9-01.7
White/Non-Hisp	7407	3,415,746	3168	41.1	39.7-42.5	3802	52.2	50.8-53.6	358	5.4	04.8-06.0	79	1.3	00.9-01.7
Black or Afr. Am./Non-Hisp	825	377,922	315	36.0	31.5-40.5	459	57.3	52.6-62.0	41	5.6	03.2-08.0	10	1.0	00.2-01.8
Oth. Race/Non-Hisp.	225	151,421	96	42.8	35.0-50.6	114	49.3	41.5-57.1	13	6.7	02.8-10.6	2	1.2	00.0-03.2
MultiRacial/Non-Hisp.	155	111,475	56	32.0	23.0-41.0	84	56.7	46.3-67.1	12	6.5	01.0-12.0	3	4.8	00.0-11.5
Hispanic	583	308,253	221	36.3	31.4-41.2	336	59.4	54.3-64.5	19	3.6	01.8-05.4	7	0.7	00.1-01.3
18-24	519	553,442	129	27.5	22.8-32.2	345	63.0	58.1-67.9	41	8.7	05.8-11.6	4	0.8	00.0-01.6
25-34	921	676,307	316	34.1	30.6-37.6	525	57.7	54.0-61.4	64	6.3	04.5-08.1	16	2.0	00.8-03.2
35-44	1168	689,302	487	42.7	39.4-46.0	605	50.0	46.7-53.3	66	6.0	04.4-07.6	10	1.3	00.1-02.5
45-54	1411	670,714	567	40.4	37.3-43.5	745	52.8	49.7-55.9	73	5.1	03.7-06.5	26	1.6	00.8-02.4
55-64	1733	735,999	750	43.6	40.9-46.3	870	50.0	47.3-52.7	83	4.6	03.4-05.8	30	1.7	00.9-02.5
65+	3596	1,106,954	1667	46.1	44.1-48.1	1787	49.7	47.7-51.7	124	3.5	02.7-04.3	18	0.7	00.3-01.1
Less Than H.S.	523	456,843	142	29.7	24.8-34.6	324	57.8	52.5-63.1	44	8.9	05.8-12.0	13	3.5	01.1-05.9
H.S. or G.E.D.	2844	1,492,707	1046	36.6	34.4-38.8	1609	56.5	54.1-58.9	151	5.6	04.6-06.6	38	1.3	00.7-01.9
Some Post-H.S.	2401	1,314,021	966	39.8	37.4-42.2	1267	53.3	50.9-55.7	136	5.6	04.4-06.8	32	1.2	00.6-01.8
College Graduate	3549	1,158,344	1751	49.3	47.3-51.3	1658	46.6	44.6-48.6	119	3.5	02.7-04.3	21	0.6	00.4-00.8
Less than \$15,000	392	191,798	103	28.6	22.9-34.3	225	53.0	46.7-59.3	45	12.7	08.6-16.8	19	5.8	02.7-08.9
\$15,000- 24,999	796	334,124	203	25.9	22.0-29.8	497	62.6	58.3-66.9	79	9.3	06.9-11.7	17	2.2	01.0-03.4
\$25,000- 34,999	981	457,470	310	29.0	25.3-32.7	592	61.7	57.8-65.6	68	7.8	05.3-10.3	11	1.5	00.5-02.5
\$35,000- 49,999	1065	498,333	374	32.5	28.8-36.2	610	59.6	55.9-63.3	66	6.5	04.7-08.3	15	1.4	00.6-02.2
\$50,000- 99,999	2386	1,166,333	1070	43.0	40.5-45.5	1218	52.4	49.9-54.9	84	3.9	02.9-04.9	14	0.7	00.1-01.3
\$100,000- 199,999	1586	786,416	853	53.5	50.6-56.4	705	44.2	41.3-47.1	23	2.0	01.0-03.0	5	0.3	00.1-00.5
\$200,000+	395	189,385	267	62.1	55.8-68.4	121	35.7	29.6-41.8	6	2.0	00.2-03.8	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY
TABLE 2: IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)**
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4258	2,142,254	1752	40.4	38.6-42.2	2264	53.6	51.6-55.6	195	4.8	04.0-05.6	47	1.3	00.9-01.7
White/Non-Hisp	3388	1,644,096	1419	41.1	39.1-43.1	1779	53.1	50.9-55.3	158	4.6	03.8-05.4	32	1.2	00.6-01.8
Black or Afr. Am./Non-Hisp	330	176,770	117	35.2	28.3-42.1	189	56.8	49.5-64.1	18	6.3	02.4-10.2	6	1.7	00.1-03.3
Oth. Race/Non-Hisp.	111	83,479	44	38.5	27.9-49.1	60	53.6	42.8-64.4	6	6.1	00.8-11.4	1	1.8	00.0-05.3
MultiRacial/Non-Hisp.	83	60,134	34	36.1	23.2-49.0	46	56.8	43.1-70.5	2	5.2	00.0-14.2	1	1.9	00.0-05.4
Hispanic	267	136,697	107	40.3	32.7-47.9	148	56.2	48.6-63.8	8	2.9	00.7-05.1	4	0.6	00.0-01.2
18-24	308	289,884	82	30.7	24.4-37.0	200	60.3	53.8-66.8	23	7.9	04.4-11.4	3	1.1	00.0-02.3
25-34	435	338,835	147	35.2	29.9-40.5	246	56.2	50.7-61.7	34	6.3	03.9-08.7	8	2.3	00.3-04.3
35-44	565	341,259	243	44.0	39.1-48.9	287	49.3	44.4-54.2	30	5.8	03.3-08.3	5	0.9	00.0-01.9
45-54	648	330,020	266	42.4	37.9-46.9	346	53.1	48.6-57.6	24	3.0	01.4-04.6	12	1.5	00.5-02.5
55-64	778	355,555	330	41.7	37.6-45.8	404	52.9	48.8-57.0	29	3.3	01.9-04.7	15	2.1	00.7-03.5
65+	1524	486,701	684	44.9	42.0-47.8	781	51.4	48.5-54.3	55	3.5	02.5-04.5	4	0.2	00.0-00.4
Less Than H.S.	234	221,419	70	33.3	25.7-40.9	142	57.4	49.6-65.2	16	6.2	02.7-09.7	6	3.1	00.2-06.0
H.S. or G.E.D.	1325	758,705	455	35.6	32.5-38.7	778	57.4	54.3-60.5	72	5.3	03.9-06.7	20	1.6	00.8-02.4
Some Post-H.S.	1022	609,869	401	40.8	37.3-44.3	557	53.2	49.7-56.7	53	5.1	03.5-06.7	11	0.9	00.3-01.5
College Graduate	1664	548,428	820	49.2	46.5-51.9	780	47.1	44.4-49.8	54	3.2	02.2-04.2	10	0.6	00.2-01.0
Less than \$15,000	143	71,550	35	29.1	19.3-38.9	89	56.5	46.1-66.9	14	8.1	03.4-12.8	5	6.3	00.2-12.4
\$15,000- 24,999	295	131,462	68	26.8	20.1-33.5	189	61.6	54.5-68.7	29	8.7	05.2-12.2	9	3.0	00.8-05.2
\$25,000- 34,999	407	211,308	117	28.6	22.9-34.3	260	63.5	57.4-69.6	27	6.9	03.4-10.4	3	1.0	00.0-02.4
\$35,000- 49,999	447	214,348	130	30.6	24.9-36.3	284	62.1	56.2-68.0	28	6.0	03.5-08.5	5	1.2	00.0-02.6
\$50,000- 99,999	1197	613,628	524	41.5	38.0-45.0	622	53.4	49.9-56.9	43	4.2	02.8-05.6	8	0.9	00.0-01.9
\$100,000- 199,999	863	447,509	444	51.4	47.3-55.5	404	46.7	42.8-50.6	12	1.4	00.4-02.4	3	0.4	00.0-00.8
\$200,000+	223	103,954	153	64.9	57.5-72.3	66	32.3	25.0-39.6	4	2.8	00.0-05.9			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA MODULE QUESTIONS DATA REPORT, 2023

MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY

TABLE 3: IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Very Satisfied			Satisfied			Dissatisfied			Very dissatisfied		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5090	2,290,464	2164	39.9	38.1-41.7	2613	52.8	51.0-54.6	256	5.9	04.9-06.9	57	1.3	00.9-01.7
White/Non-Hisp	4019	1,771,651	1749	41.1	39.1-43.1	2023	51.5	49.5-53.5	200	6.1	05.1-07.1	47	1.3	00.9-01.7
Black or Afr. Am./Non-Hisp	495	201,152	198	36.8	31.1-42.5	270	57.8	51.9-63.7	23	4.9	02.0-07.8	4	0.4	00.0-00.8
Oth. Race/Non-Hisp.	114	67,942	52	48.0	36.4-59.6	54	44.1	32.9-55.3	7	7.5	01.6-13.4	1	0.4	00.0-01.2
MultiRacial/Non-Hisp.	72	51,341	22	27.1	14.6-39.6	38	56.6	41.1-72.1	10	8.0	01.7-14.3	2	8.3	00.0-21.6
Hispanic	316	171,556	114	33.0	26.5-39.5	188	61.9	55.0-68.8	11	4.2	01.5-06.9	3	0.9	00.0-01.9
18-24	211	263,558	47	23.9	17.0-30.8	145	65.9	58.5-73.3	18	9.7	04.8-14.6	1	0.5	00.0-01.5
25-34	486	337,473	169	33.0	28.3-37.7	279	59.2	54.1-64.3	30	6.2	03.7-08.7	8	1.6	00.4-02.8
35-44	603	348,043	244	41.5	36.8-46.2	318	50.7	46.0-55.4	36	6.1	03.9-08.3	5	1.7	00.0-03.9
45-54	763	340,694	301	38.5	34.4-42.6	399	52.5	48.2-56.8	49	7.2	05.0-09.4	14	1.8	00.8-02.8
55-64	955	380,443	420	45.5	41.8-49.2	466	47.3	43.6-51.0	54	5.8	04.0-07.6	15	1.4	00.6-02.2
65+	2072	620,254	983	47.1	44.6-49.6	1006	48.3	45.6-51.0	69	3.5	02.5-04.5	14	1.1	00.3-01.9
Less Than H.S.	289	235,424	72	26.3	19.8-32.8	182	58.3	51.0-65.6	28	11.5	06.6-16.4	7	3.9	00.4-07.4
H.S. or G.E.D.	1519	734,002	591	37.5	34.4-40.6	831	55.6	52.5-58.7	79	5.9	04.3-07.5	18	1.0	00.4-01.6
Some Post-H.S.	1379	704,152	565	39.0	35.9-42.1	710	53.5	50.2-56.8	83	6.0	04.4-07.6	21	1.5	00.7-02.3
College Graduate	1885	609,916	931	49.5	46.8-52.2	878	46.1	43.4-48.8	65	3.9	02.7-05.1	11	0.6	00.2-01.0
Less than \$15,000	249	120,248	68	28.2	21.1-35.3	136	50.9	43.1-58.7	31	15.4	09.5-21.3	14	5.5	02.2-08.8
\$15,000- 24,999	501	202,662	135	25.3	20.4-30.2	308	63.3	57.8-68.8	50	9.7	06.8-12.6	8	1.7	00.3-03.1
\$25,000- 34,999	574	246,162	193	29.4	24.7-34.1	332	60.1	54.8-65.4	41	8.6	04.9-12.3	8	1.9	00.3-03.5
\$35,000- 49,999	618	283,986	244	33.9	29.2-38.6	326	57.7	52.6-62.8	38	6.9	04.4-09.4	10	1.5	00.5-02.5
\$50,000- 99,999	1189	552,704	546	44.7	41.0-48.4	596	51.4	47.7-55.1	41	3.5	02.3-04.7	6	0.4	00.0-00.8
\$100,000- 199,999	723	338,907	409	56.3	52.0-60.6	301	40.9	36.6-45.2	11	2.7	00.7-04.7	2	0.1	00.0-00.3
\$200,000+	172	85,430	114	58.7	48.7-68.7	55	40.0	30.0-50.0	2	1.0	00.0-02.6	1	0.4	00.0-01.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY
TABLE 4: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9292	4,408,088	4561	46.9	45.5-48.3	2850	30.8	29.6-32.0	1151	13.6	12.6-14.6	399	4.9	04.3-05.5	331	3.8	03.2-04.4
Male	4223	2,128,933	2063	46.9	44.9-48.9	1240	29.3	27.5-31.1	501	13.1	11.7-14.5	209	5.6	04.6-06.6	210	5.1	04.1-06.1
Female	5069	2,279,155	2498	46.8	45.0-48.6	1610	32.2	30.4-34.0	650	14.2	12.8-15.6	190	4.2	03.4-05.0	121	2.6	02.0-03.2
White/Non-Hisp	7366	3,404,167	3622	47.1	45.7-48.5	2372	32.5	31.1-33.9	846	12.6	11.6-13.6	302	4.5	03.9-05.1	224	3.3	02.7-03.9
Black or Afr. Am./Non-Hisp	822	375,692	415	46.7	42.0-51.4	190	22.2	18.3-26.1	133	17.9	14.4-21.4	45	8.2	05.3-11.1	39	4.9	02.9-06.9
Oth. Race/Non-Hisp.	225	151,405	98	41.9	34.3-49.5	62	30.3	22.9-37.7	39	16.6	10.9-22.3	10	4.1	01.0-07.2	16	7.0	02.7-11.3
MultiRacial/Non-Hisp.	152	106,976	57	37.2	27.4-47.0	47	34.4	24.2-44.6	29	17.7	09.7-25.7	13	6.7	02.2-11.2	6	4.1	00.6-07.6
Hispanic	578	304,355	297	49.6	44.3-54.9	137	22.9	18.4-27.4	83	16.8	12.9-20.7	22	4.4	02.2-06.6	39	6.2	03.7-08.7
18-24	523	557,833	176	33.7	29.0-38.4	202	37.7	32.8-42.6	96	18.3	14.6-22.0	40	8.2	05.5-10.9	9	2.2	00.6-03.8
25-34	916	672,000	364	40.2	36.5-43.9	313	33.3	29.8-36.8	165	18.0	15.1-20.9	44	4.5	03.1-05.9	30	4.0	02.4-05.6
35-44	1169	685,185	500	42.9	39.6-46.2	408	33.5	30.4-36.6	144	12.8	10.6-15.0	78	7.2	05.2-09.2	39	3.6	02.2-05.0
45-54	1412	670,575	661	48.6	45.5-51.7	444	30.1	27.4-32.8	190	12.8	10.8-14.8	70	4.6	03.4-05.8	47	3.9	02.3-05.5
55-64	1729	733,291	874	51.5	48.8-54.2	501	27.8	25.3-30.3	228	13.2	11.2-15.2	68	3.8	02.8-04.8	58	3.7	02.7-04.7
65+	3543	1,089,205	1986	56.1	54.1-58.1	982	26.6	24.8-28.4	328	9.8	08.6-11.0	99	2.8	02.2-03.4	148	4.7	03.9-05.5
Less Than H.S.	515	446,335	247	48.3	43.0-53.6	98	20.0	15.7-24.3	99	19.3	15.0-23.6	26	4.9	02.5-07.3	45	7.5	04.6-10.4
H.S. or G.E.D.	2826	1,488,096	1429	47.3	44.9-49.7	721	27.6	25.4-29.8	397	15.1	13.5-16.7	142	5.3	04.3-06.3	137	4.7	03.7-05.7
Some Post-H.S.	2387	1,306,435	1144	45.2	42.8-47.6	712	32.2	29.8-34.6	323	13.4	11.8-15.0	131	6.0	04.8-07.2	77	3.3	02.5-04.1
College Graduate	3531	1,155,481	1720	47.5	45.5-49.5	1313	37.8	35.8-39.8	328	9.8	08.6-11.0	100	3.0	02.2-03.8	70	1.8	01.2-02.4
Less than \$15,000	389	189,186	161	41.5	35.4-47.6	81	19.5	14.6-24.4	88	23.1	17.8-28.4	35	9.4	05.5-13.3	24	6.5	03.2-09.8
\$15,000- 24,999	798	335,521	351	42.9	38.4-47.4	203	24.7	21.0-28.4	139	18.4	14.9-21.9	51	6.3	04.3-08.3	54	7.7	05.3-10.1
\$25,000- 34,999	978	457,111	416	39.9	36.0-43.8	287	28.6	24.9-32.3	162	18.3	15.0-21.6	70	8.9	06.4-11.4	43	4.4	02.6-06.2
\$35,000- 49,999	1058	496,558	499	43.9	40.0-47.8	329	31.4	27.9-34.9	138	15.0	12.3-17.7	41	4.3	02.7-05.9	51	5.3	03.5-07.1
\$50,000- 99,999	2378	1,163,842	1186	47.7	45.2-50.2	794	33.2	30.7-35.7	264	12.1	10.3-13.9	80	4.0	03.0-05.0	54	3.0	01.8-04.2
\$100,000- 199,999	1580	781,830	795	49.6	46.7-52.5	592	36.8	33.9-39.7	121	8.5	06.7-10.3	46	3.5	02.3-04.7	26	1.7	00.9-02.5
\$200,000+	391	188,178	226	55.5	49.4-61.6	126	32.9	26.8-39.0	25	8.1	04.6-11.6	8	1.5	00.3-02.7	6	2.0	00.2-03.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY**

TABLE 5: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4223	2,128,933	2063	46.9	44.9-48.9	1240	29.3	27.5-31.1	501	13.1	11.7-14.5	209	5.6	04.6-06.6	210	5.1	04.1-06.1
White/Non-Hisp	3364	1,635,634	1672	47.9	45.7-50.1	1024	30.5	28.5-32.5	363	11.8	10.4-13.2	161	5.3	04.3-06.3	144	4.5	03.5-05.5
Black or Afr. Am./Non-Hisp	328	176,499	149	43.0	35.9-50.1	75	22.1	15.8-28.4	58	18.4	13.1-23.7	20	8.6	03.9-13.3	26	7.9	04.0-11.8
Oth. Race/Non-Hisp.	111	83,462	45	40.1	29.5-50.7	34	31.1	21.1-41.1	18	16.9	08.7-25.1	6	4.6	00.3-08.9	8	7.2	01.3-13.1
MultiRacial/Non-Hisp.	80	58,843	27	35.1	21.6-48.6	26	30.0	17.3-42.7	15	21.0	08.5-33.5	8	8.6	01.7-15.5	4	5.3	00.0-10.6
Hispanic	266	136,016	129	47.0	39.4-54.6	62	24.1	17.2-31.0	39	16.7	11.0-22.4	11	4.0	01.3-06.7	25	8.1	04.4-11.8
18-24	311	293,080	100	33.2	27.1-39.3	129	39.6	33.3-45.9	54	16.0	11.7-20.3	22	8.3	04.6-12.0	6	2.9	00.5-05.3
25-34	432	336,606	161	38.7	33.4-44.0	142	32.2	27.1-37.3	83	18.4	14.1-22.7	28	5.5	03.3-07.7	18	5.1	02.6-07.6
35-44	567	340,862	251	46.3	41.4-51.2	182	28.6	24.3-32.9	65	12.0	08.9-15.1	43	8.6	05.5-11.7	26	4.5	02.5-06.5
45-54	648	329,219	312	48.1	43.6-52.6	186	28.4	24.5-32.3	82	12.6	09.5-15.7	37	5.1	03.3-06.9	31	5.9	02.8-09.0
55-64	772	351,561	397	52.7	48.6-56.8	214	26.1	22.6-29.6	94	12.3	09.6-15.0	33	4.1	02.5-05.7	34	4.7	02.9-06.5
65+	1493	477,605	842	56.3	53.4-59.2	387	24.6	22.1-27.1	123	9.1	07.1-11.1	46	3.1	02.1-04.1	95	6.8	05.2-08.4
Less Than H.S.	230	218,096	109	45.3	37.5-53.1	45	22.5	15.8-29.2	40	18.0	12.1-23.9	13	5.7	02.0-09.4	23	8.5	03.6-13.4
H.S. or G.E.D.	1312	755,582	627	45.5	42.4-48.6	322	25.9	23.0-28.8	193	15.5	13.1-17.9	84	6.8	05.0-08.6	86	6.2	04.6-07.8
Some Post-H.S.	1014	605,231	488	47.0	43.5-50.5	302	30.9	27.6-34.2	118	11.3	09.1-13.5	55	5.9	04.1-07.7	51	4.9	03.3-06.5
College Graduate	1653	545,879	830	49.2	46.5-51.9	569	35.2	32.5-37.9	148	9.6	07.8-11.4	57	3.4	02.4-04.4	49	2.6	01.6-03.6
Less than \$15,000	141	69,264	57	39.9	29.9-49.9	33	24.1	15.1-33.1	30	22.3	13.7-30.9	8	3.5	00.8-06.2	13	10.2	03.3-17.1
\$15,000- 24,999	298	133,017	121	41.6	34.5-48.7	69	21.5	16.0-27.0	56	19.0	13.7-24.3	21	7.3	04.0-10.6	31	10.6	06.7-14.5
\$25,000- 34,999	405	210,807	163	37.0	31.1-42.9	110	28.6	22.9-34.3	68	17.1	12.4-21.8	38	12.0	07.5-16.5	26	5.2	02.8-07.6
\$35,000- 49,999	444	213,731	210	47.8	41.9-53.7	143	31.0	25.7-36.3	47	11.8	08.1-15.5	17	3.4	01.6-05.2	27	6.0	03.1-08.9
\$50,000- 99,999	1192	612,283	599	48.2	44.7-51.7	363	28.5	25.4-31.6	138	13.3	10.8-15.8	48	5.2	03.4-07.0	44	4.9	02.9-06.9
\$100,000- 199,999	857	443,222	437	49.9	45.8-54.0	295	33.9	30.2-37.6	68	8.8	06.4-11.2	36	4.7	02.9-06.5	21	2.7	01.3-04.1
\$200,000+	219	102,748	130	58.0	50.2-65.8	63	27.4	20.5-34.3	17	10.1	04.8-15.4	5	1.9	00.1-03.7	4	2.6	00.0-05.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY**

TABLE 6: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Female	5069	2,279,155	2498	46.8	45.0-48.6	1610	32.2	30.4-34.0	650	14.2	12.8-15.6	190	4.2	03.4-05.0	121	2.6	02.0-03.2
White/Non-Hisp	4002	1,768,533	1950	46.4	44.4-48.4	1348	34.3	32.3-36.3	483	13.4	12.0-14.8	141	3.7	02.9-04.5	80	2.2	01.6-02.8
Black or Afr. Am./Non-Hisp	494	199,193	266	50.1	44.0-56.2	115	22.3	17.2-27.4	75	17.5	12.6-22.4	25	7.8	03.9-11.7	13	2.3	00.7-03.9
Oth. Race/Non-Hisp.	114	67,942	53	44.1	32.7-55.5	28	29.3	17.9-40.7	21	16.2	08.8-23.6	4	3.6	00.0-07.9	8	6.8	00.5-13.1
MultiRacial/Non-Hisp.	72	48,133	30	39.7	25.4-54.0	21	39.9	24.2-55.6	14	13.6	05.4-21.8	5	4.2	00.0-09.1	2	2.6	00.0-06.7
Hispanic	312	168,339	168	51.7	44.4-59.0	75	21.9	16.0-27.8	44	16.9	11.4-22.4	11	4.8	01.7-07.9	14	4.7	01.4-08.0
18-24	212	264,752	76	34.1	26.8-41.4	73	35.5	27.9-43.1	42	20.9	14.6-27.2	18	8.0	04.1-11.9	3	1.4	00.0-03.2
25-34	484	335,394	203	41.7	36.6-46.8	171	34.5	29.6-39.4	82	17.5	13.6-21.4	16	3.4	01.6-05.2	12	2.9	01.1-04.7
35-44	602	344,323	249	39.6	35.1-44.1	226	38.3	33.8-42.8	79	13.6	10.5-16.7	35	5.8	03.6-08.0	13	2.7	00.9-04.5
45-54	764	341,356	349	49.0	44.7-53.3	258	31.7	27.8-35.6	108	13.0	10.3-15.7	33	4.2	02.6-05.8	16	2.0	00.8-03.2
55-64	957	381,730	477	50.3	46.6-54.0	287	29.4	26.1-32.7	134	14.1	11.6-16.6	35	3.5	02.1-04.9	24	2.7	01.5-03.9
65+	2050	611,601	1144	55.9	53.2-58.6	595	28.2	25.8-30.6	205	10.4	08.6-12.2	53	2.5	01.7-03.3	53	3.0	02.0-04.0
Less Than H.S.	285	228,239	138	51.2	43.9-58.5	53	17.6	12.3-22.9	59	20.6	14.5-26.7	13	4.2	01.5-06.9	22	6.4	03.3-09.5
H.S. or G.E.D.	1514	732,514	802	49.1	45.8-52.4	399	29.4	26.3-32.5	204	14.6	12.2-17.0	58	3.7	02.5-04.9	51	3.2	02.2-04.2
Some Post-H.S.	1373	701,204	656	43.6	40.5-46.7	410	33.2	30.1-36.3	205	15.2	12.8-17.6	76	6.1	04.3-07.9	26	1.9	01.1-02.7
College Graduate	1878	609,601	890	46.1	43.4-48.8	744	40.1	37.4-42.8	180	10.0	08.2-11.8	43	2.6	01.6-03.6	21	1.1	00.5-01.7
Less than \$15,000	248	119,922	104	42.4	34.8-50.0	48	16.8	11.3-22.3	58	23.5	16.6-30.4	27	12.8	07.1-18.5	11	4.4	01.3-07.5
\$15,000- 24,999	500	202,504	230	43.8	37.9-49.7	134	26.7	21.6-31.8	83	18.0	13.5-22.5	30	5.7	03.5-07.9	23	5.8	03.1-08.5
\$25,000- 34,999	573	246,304	253	42.4	36.9-47.9	177	28.5	23.8-33.2	94	19.3	14.6-24.0	32	6.2	03.8-08.6	17	3.6	01.2-06.0
\$35,000- 49,999	614	282,827	289	41.0	36.1-45.9	186	31.7	26.8-36.6	91	17.5	13.4-21.6	24	5.1	02.7-07.5	24	4.8	02.6-07.0
\$50,000- 99,999	1186	551,558	587	47.1	43.4-50.8	431	38.5	34.8-42.2	126	10.8	08.6-13.0	32	2.7	01.5-03.9	10	0.9	00.3-01.5
\$100,000- 199,999	723	338,608	358	49.2	44.9-53.5	297	40.5	36.2-44.8	53	8.1	05.6-10.6	10	1.9	00.3-03.5	5	0.3	00.0-00.7
\$200,000+	172	85,430	96	52.4	42.8-62.0	63	39.5	29.7-49.3	8	5.7	01.4-10.0	3	1.1	00.0-02.5	2	1.4	00.0-03.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY
TABLE 7: HOW OFTEN DO YOU FEEL LONELY? IS IT... (SDLONELY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9347	4,429,240	242	3.0	02.6-03.4	331	4.1	03.5-04.7	2141	23.8	22.6-25.0	2941	30.7	29.5-31.9	3692	38.3	37.1-39.5
Male	4261	2,144,401	128	3.5	02.7-04.3	140	4.0	03.2-04.8	840	20.2	18.6-21.8	1268	29.1	27.3-30.9	1885	43.3	41.5-45.1
Female	5086	2,284,839	114	2.6	02.0-03.2	191	4.3	03.5-05.1	1301	27.3	25.7-28.9	1673	32.2	30.6-33.8	1807	33.7	32.1-35.3
White/Non-Hisp	7405	3,413,534	159	2.5	02.1-02.9	248	3.8	03.2-04.4	1671	23.6	22.4-24.8	2457	32.8	31.4-34.2	2870	37.4	36.0-38.8
Black or Afr. Am./Non-Hisp	826	377,885	18	2.8	01.2-04.4	27	4.7	02.3-07.1	221	29.0	24.7-33.3	198	21.3	17.6-25.0	362	42.3	37.6-47.0
Oth. Race/Non-Hisp.	227	152,496	9	2.6	00.6-04.6	14	6.0	02.1-09.9	45	19.9	13.4-26.4	71	33.4	26.0-40.8	88	38.2	30.6-45.8
MultiRacial/Non-Hisp.	155	111,703	5	5.3	00.0-12.0	9	6.4	00.7-12.1	37	21.7	13.5-29.9	47	28.2	18.8-37.6	57	38.4	28.6-48.2
Hispanic	584	307,845	44	8.5	05.6-11.4	26	4.4	02.4-06.4	129	23.0	18.5-27.5	135	21.5	17.2-25.8	250	42.7	37.6-47.8
18-24	522	555,485	22	4.3	02.3-06.3	43	8.4	05.5-11.3	175	33.8	29.1-38.5	171	31.8	27.1-36.5	111	21.7	17.6-25.8
25-34	918	673,889	31	3.6	02.2-05.0	52	5.7	03.9-07.5	267	27.9	24.6-31.2	314	33.3	29.8-36.8	254	29.4	25.9-32.9
35-44	1166	685,300	39	3.8	02.2-05.4	52	5.1	03.5-06.7	280	23.5	20.8-26.2	364	28.8	25.9-31.7	431	38.8	35.5-42.1
45-54	1415	673,810	36	2.7	01.7-03.7	56	3.6	02.6-04.6	285	19.7	17.2-22.2	473	32.5	29.8-35.2	565	41.5	38.4-44.6
55-64	1734	734,794	56	3.4	02.4-04.4	50	2.3	01.5-03.1	365	20.2	18.0-22.4	540	29.8	27.3-32.3	723	44.3	41.6-47.0
65+	3592	1,105,962	58	1.5	01.1-01.9	78	2.0	01.4-02.6	769	21.4	19.8-23.0	1079	29.2	27.4-31.0	1608	45.9	43.9-47.9
Less Than H.S.	524	457,773	47	8.9	05.8-12.0	31	7.5	04.4-10.6	144	25.5	21.0-30.0	82	16.5	12.4-20.6	220	41.6	36.3-46.9
H.S. or G.E.D.	2845	1,495,474	102	3.7	02.9-04.5	113	3.9	03.1-04.7	750	26.8	24.6-29.0	696	25.8	23.8-27.8	1184	39.9	37.7-42.1
Some Post-H.S.	2402	1,309,876	53	1.9	01.3-02.5	97	4.6	03.4-05.8	577	23.9	21.7-26.1	769	33.0	30.6-35.4	906	36.6	34.2-39.0
College Graduate	3545	1,156,011	38	1.1	00.7-01.5	90	2.7	01.9-03.5	665	19.2	17.6-20.8	1388	40.2	38.2-42.2	1364	36.9	34.9-38.9
Less than \$15,000	393	190,576	28	8.2	04.7-11.7	28	8.6	04.9-12.3	125	33.6	27.5-39.7	73	16.6	12.1-21.1	139	33.0	27.3-38.7
\$15,000- 24,999	797	334,045	43	5.9	03.9-07.9	54	7.5	05.0-10.0	256	29.7	25.6-33.8	177	22.0	18.5-25.5	267	34.9	30.6-39.2
\$25,000- 34,999	985	459,123	45	5.6	03.4-07.8	46	6.0	03.6-08.4	295	29.8	26.1-33.5	265	26.6	23.1-30.1	334	31.9	28.2-35.6
\$35,000- 49,999	1067	500,025	23	2.9	01.5-04.3	47	4.5	02.7-06.3	273	25.7	22.4-29.0	349	30.6	27.1-34.1	375	36.4	32.7-40.1
\$50,000- 99,999	2386	1,166,954	32	1.7	00.9-02.5	62	2.8	02.0-03.6	502	22.4	20.2-24.6	816	33.7	31.2-36.2	974	39.4	36.9-41.9
\$100,000- 199,999	1583	782,563	9	0.6	00.2-01.0	27	1.8	01.0-02.6	245	17.1	14.7-19.5	613	37.9	35.0-40.8	689	42.6	39.7-45.5
\$200,000+	393	188,786	7	1.6	00.4-02.8	2	0.8	00.0-02.2	45	13.7	08.6-18.8	153	38.4	32.5-44.3	186	45.6	39.5-51.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY
TABLE 8: HOW OFTEN DO YOU FEEL LONELY? IS IT... (SDLONELY)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4261	2,144,401	128	3.5	02.7-04.3	140	4.0	03.2-04.8	840	20.2	18.6-21.8	1268	29.1	27.3-30.9	1885	43.3	41.5-45.1
White/Non-Hisp	3389	1,645,224	82	2.9	02.1-03.7	110	3.8	03.0-04.6	643	19.5	17.9-21.1	1062	31.2	29.2-33.2	1492	42.6	40.6-44.6
Black or Afr. Am./Non-Hisp	331	176,815	12	4.2	01.5-06.9	11	5.5	01.4-09.6	86	25.1	18.8-31.4	70	18.6	13.3-23.9	152	46.6	39.3-53.9
Oth. Race/Non-Hisp.	113	85,086	3	2.2	00.0-04.7	4	4.9	00.0-10.2	25	20.7	12.3-29.1	33	29.9	20.1-39.7	48	42.2	31.6-52.8
MultiRacial/Non-Hisp.	83	60,134	2	2.1	00.0-05.8	5	7.8	00.0-17.2	15	17.8	06.6-29.0	23	23.6	12.6-34.6	38	48.7	34.8-62.6
Hispanic	269	137,508	25	10.7	05.8-15.6	8	2.1	00.3-03.9	57	21.8	15.5-28.1	63	22.4	16.1-28.7	116	43.0	35.4-50.6
18-24	311	293,080	12	4.5	01.8-07.2	30	9.7	06.0-13.4	93	28.5	22.8-34.2	102	31.6	25.7-37.5	74	25.7	20.0-31.4
25-34	434	337,490	20	5.0	02.6-07.4	22	4.8	02.6-07.0	115	25.1	20.4-29.8	147	32.4	27.3-37.5	130	32.7	27.4-38.0
35-44	566	340,612	25	4.1	02.1-06.1	25	5.0	02.6-07.4	125	20.1	16.4-23.8	156	25.0	20.9-29.1	235	45.7	40.8-50.6
45-54	651	332,475	20	2.9	01.5-04.3	18	2.3	01.1-03.5	108	16.0	12.7-19.3	204	30.8	26.7-34.9	301	48.0	43.5-52.5
55-64	775	354,152	26	3.6	02.0-05.2	17	2.1	00.9-03.3	140	16.7	13.6-19.8	223	27.6	23.9-31.3	369	50.0	45.9-54.1
65+	1524	486,591	25	1.7	00.9-02.5	28	1.8	01.0-02.6	259	17.0	14.6-19.4	436	28.0	25.3-30.7	776	51.5	48.6-54.4
Less Than H.S.	237	224,729	24	9.7	05.2-14.2	12	5.2	01.9-08.5	58	24.6	17.9-31.3	40	18.1	12.4-23.8	103	42.3	34.7-49.9
H.S. or G.E.D.	1327	760,108	61	4.8	03.4-06.2	56	4.1	02.9-05.3	291	21.9	19.2-24.6	316	26.4	23.5-29.3	603	42.8	39.7-45.9
Some Post-H.S.	1025	608,960	21	1.6	00.8-02.4	36	4.9	03.1-06.7	201	18.5	15.8-21.2	311	30.0	26.7-33.3	456	44.9	41.4-48.4
College Graduate	1658	546,598	21	1.1	00.5-01.7	36	2.4	01.6-03.2	289	17.8	15.6-20.0	598	36.3	33.6-39.0	714	42.4	39.7-45.1
Less than \$15,000	143	70,817	13	11.1	04.2-18.0	6	5.9	00.6-11.2	43	30.4	20.6-40.2	24	14.1	07.4-20.8	57	38.5	28.7-48.3
\$15,000- 24,999	299	133,415	18	7.1	03.6-10.6	24	8.1	04.4-11.8	81	24.5	18.8-30.2	68	21.7	16.2-27.2	108	38.6	31.5-45.7
\$25,000- 34,999	410	212,586	25	6.9	03.4-10.4	15	4.9	01.8-08.0	112	27.8	22.1-33.5	96	24.9	19.4-30.4	162	35.5	29.8-41.2
\$35,000- 49,999	449	214,583	10	3.3	00.9-05.7	14	4.0	01.5-06.5	116	21.6	17.3-25.9	145	31.8	26.5-37.1	164	39.3	33.4-45.2
\$50,000- 99,999	1198	614,876	23	2.5	01.1-03.9	35	3.1	01.9-04.3	215	17.9	15.2-20.6	366	30.3	27.0-33.6	559	46.3	42.8-49.8
\$100,000- 199,999	862	446,787	4	0.5	00.0-01.1	17	2.1	00.9-03.3	124	16.3	13.2-19.4	298	33.1	29.4-36.8	419	48.1	44.2-52.0
\$200,000+	221	103,356	3	1.0	00.0-02.2	1	1.3	00.0-03.8	19	9.8	04.9-14.7	85	37.4	30.0-44.8	113	50.4	42.6-58.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY
TABLE 9: HOW OFTEN DO YOU FEEL LONELY? IS IT... (SDLONELY)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5086	2,284,839	114	2.6	02.0-03.2	191	4.3	03.5-05.1	1301	27.3	25.7-28.9	1673	32.2	30.6-33.8	1807	33.7	32.1-35.3
White/Non-Hisp	4016	1,768,310	77	2.1	01.5-02.7	138	3.9	02.9-04.9	1028	27.3	25.5-29.1	1395	34.2	32.2-36.2	1378	32.5	30.7-34.3
Black or Afr. Am./Non-Hisp	495	201,070	6	1.6	00.2-03.0	16	3.9	01.4-06.4	135	32.4	26.5-38.3	128	23.7	18.6-28.8	210	38.5	32.8-44.2
Oth. Race/Non-Hisp.	114	67,410	6	3.0	00.1-05.9	10	7.3	01.0-13.6	20	18.9	09.1-28.7	38	37.8	26.6-49.0	40	33.0	22.4-43.6
MultiRacial/Non-Hisp.	72	51,569	3	9.0	00.0-22.3	4	4.8	00.0-10.5	22	26.2	13.9-38.5	24	33.5	18.2-48.8	19	26.5	13.8-39.2
Hispanic	315	170,336	19	6.8	03.3-10.3	18	6.3	03.0-09.6	72	23.9	17.6-30.2	72	20.7	14.8-26.6	134	42.3	35.2-49.4
18-24	211	262,405	10	4.0	01.3-06.7	13	7.0	02.7-11.3	82	39.7	32.1-47.3	69	32.0	24.7-39.3	37	17.3	11.4-23.2
25-34	484	336,399	11	2.2	00.6-03.8	30	6.6	03.9-09.3	152	30.7	26.0-35.4	167	34.2	29.3-39.1	124	26.2	21.7-30.7
35-44	600	344,688	14	3.5	01.0-06.0	27	5.1	02.7-07.5	155	26.7	22.6-30.8	208	32.7	28.4-37.0	196	31.9	27.6-36.2
45-54	764	341,335	16	2.5	01.1-03.9	38	4.8	03.0-06.6	177	23.4	19.7-27.1	269	34.2	30.3-38.1	264	35.2	31.1-39.3
55-64	959	380,642	30	3.3	01.9-04.7	33	2.5	01.5-03.5	225	23.4	20.3-26.5	317	31.8	28.3-35.3	354	39.1	35.4-42.8
65+	2068	619,372	33	1.3	00.7-01.9	50	2.1	01.3-02.9	510	24.9	22.5-27.3	643	30.1	27.7-32.5	832	41.6	39.1-44.1
Less Than H.S.	287	233,044	23	8.2	03.9-12.5	19	9.7	04.8-14.6	86	26.3	20.0-32.6	42	15.0	09.3-20.7	117	40.8	33.5-48.1
H.S. or G.E.D.	1518	735,366	41	2.5	01.5-03.5	57	3.6	02.4-04.8	459	31.9	28.8-35.0	380	25.1	22.4-27.8	581	36.9	33.8-40.0
Some Post-H.S.	1377	700,917	32	2.2	01.4-03.0	61	4.3	02.9-05.7	376	28.6	25.7-31.5	458	35.5	32.4-38.6	450	29.4	26.5-32.3
College Graduate	1887	609,413	17	1.0	00.4-01.6	54	3.0	02.0-04.0	376	20.5	18.3-22.7	790	43.6	40.9-46.3	650	31.9	29.4-34.4
Less than \$15,000	250	119,759	15	6.5	02.8-10.2	22	10.2	05.3-15.1	82	35.5	27.9-43.1	49	18.1	12.0-24.2	82	29.7	22.8-36.6
\$15,000- 24,999	498	200,630	25	5.1	02.7-07.5	30	7.1	03.8-10.4	175	33.1	27.4-38.8	109	22.2	17.5-26.9	159	32.5	27.0-38.0
\$25,000- 34,999	575	246,536	20	4.5	02.0-07.0	31	7.0	03.5-10.5	183	31.6	26.7-36.5	169	28.0	23.1-32.9	172	28.9	24.0-33.8
\$35,000- 49,999	618	285,442	13	2.6	00.8-04.4	33	4.9	02.5-07.3	157	28.7	24.0-33.4	204	29.6	25.1-34.1	211	34.2	29.3-39.1
\$50,000- 99,999	1188	552,078	9	0.8	00.2-01.4	27	2.5	01.3-03.7	287	27.4	23.9-30.9	450	37.5	33.8-41.2	415	31.8	28.5-35.1
\$100,000- 199,999	721	335,776	5	0.8	00.0-01.6	10	1.3	00.0-02.7	121	18.1	14.6-21.6	315	44.4	40.1-48.7	270	35.3	31.2-39.4
\$200,000+	172	85,430	4	2.2	00.0-04.6	1	0.2	00.0-00.6	26	18.3	08.7-27.9	68	39.5	30.5-48.5	73	39.8	30.8-48.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY**

**TABLE 10: IN THE PAST 12 MONTHS HAVE YOU LOST EMPLOYMENT OR HAD HOURS REDUCED? (SDHEMPLY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9317	4,416,897	834	11.7	10.7-12.7	8483	88.3	87.3-89.3
Male	4246	2,137,529	416	12.3	10.9-13.7	3830	87.7	86.3-89.1
Female	5071	2,279,368	418	11.0	09.8-12.2	4653	89.0	87.8-90.2
White/Non-Hisp	7390	3,407,919	544	9.8	08.8-10.8	6846	90.2	89.2-91.2
Black or Afr. Am./Non-Hisp	817	373,393	116	18.8	14.7-22.9	701	81.2	77.1-85.3
Oth. Race/Non-Hisp.	229	154,051	22	9.2	05.1-13.3	207	90.8	86.7-94.9
MultiRacial/Non-Hisp.	155	111,183	23	15.9	07.7-24.1	132	84.1	75.9-92.3
Hispanic	581	306,664	118	24.3	19.4-29.2	463	75.7	70.8-80.6
18-24	522	558,359	118	22.8	18.7-26.9	404	77.2	73.1-81.3
25-34	913	671,370	175	19.2	16.1-22.3	738	80.8	77.7-83.9
35-44	1166	684,788	153	13.9	11.5-16.3	1013	86.1	83.7-88.5
45-54	1405	667,941	173	12.0	10.0-14.0	1232	88.0	86.0-90.0
55-64	1727	732,620	149	8.7	07.1-10.3	1578	91.3	89.7-92.9
65+	3584	1,101,820	66	1.7	01.3-02.1	3518	98.3	97.9-98.7
Less Than H.S.	521	456,392	88	18.1	14.0-22.2	433	81.9	77.8-86.0
H.S. or G.E.D.	2832	1,490,289	297	13.0	11.2-14.8	2535	87.0	85.2-88.8
Some Post-H.S.	2392	1,306,143	250	12.5	10.7-14.3	2142	87.5	85.7-89.3
College Graduate	3540	1,153,464	198	6.4	05.4-07.4	3342	93.6	92.6-94.6
Less than \$15,000	388	186,832	88	27.4	21.5-33.3	300	72.6	66.7-78.5
\$15,000- 24,999	795	333,184	115	18.0	14.5-21.5	680	82.0	78.5-85.5
\$25,000- 34,999	984	459,367	136	17.1	13.8-20.4	848	82.9	79.6-86.2
\$35,000- 49,999	1066	499,832	95	12.4	09.7-15.1	971	87.6	84.9-90.3
\$50,000- 99,999	2383	1,164,533	182	10.4	08.6-12.2	2201	89.6	87.8-91.4
\$100,000- 199,999	1580	782,879	66	5.1	03.7-06.5	1514	94.9	93.5-96.3
\$200,000+	392	188,469	13	3.8	01.4-06.2	379	96.2	93.8-98.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY**

TABLE 11: IN THE PAST 12 MONTHS HAVE YOU LOST EMPLOYMENT OR HAD HOURS REDUCED? (SDHEMPLY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4246	2,137,529	416	12.3	10.9-13.7	3830	87.7	86.3-89.1
White/Non-Hisp	3381	1,642,051	274	10.4	09.0-11.8	3107	89.6	88.2-91.0
Black or Afr. Am./Non-Hisp	326	173,665	47	18.9	12.6-25.2	279	81.1	74.8-87.4
Oth. Race/Non-Hisp.	114	85,910	12	9.9	03.8-16.0	102	90.1	84.0-96.2
MultiRacial/Non-Hisp.	82	59,359	11	16.5	04.3-28.7	71	83.5	71.3-95.7
Hispanic	269	137,886	65	27.3	20.2-34.4	204	72.7	65.6-79.8
18-24	312	294,392	71	22.9	17.6-28.2	241	77.1	71.8-82.4
25-34	432	336,522	88	19.6	15.3-23.9	344	80.4	76.1-84.7
35-44	565	340,306	73	14.6	10.9-18.3	492	85.4	81.7-89.1
45-54	646	328,695	74	10.8	08.1-13.5	572	89.2	86.5-91.9
55-64	773	354,312	72	9.3	06.8-11.8	701	90.7	88.2-93.2
65+	1518	483,301	38	2.4	01.4-03.4	1480	97.6	96.6-98.6
Less Than H.S.	235	223,505	46	19.1	13.0-25.2	189	80.9	74.8-87.0
H.S. or G.E.D.	1320	758,295	176	15.7	13.2-18.2	1144	84.3	81.8-86.8
Some Post-H.S.	1019	606,370	97	11.1	08.6-13.6	922	88.9	86.4-91.4
College Graduate	1656	544,249	96	6.2	04.8-07.6	1560	93.8	92.4-95.2
Less than \$15,000	142	70,969	36	26.5	17.5-35.5	106	73.5	64.5-82.5
\$15,000- 24,999	299	133,901	60	23.6	17.5-29.7	239	76.4	70.3-82.5
\$25,000- 34,999	413	213,848	65	16.5	11.8-21.2	348	83.5	78.8-88.2
\$35,000- 49,999	449	214,583	45	14.8	10.1-19.5	404	85.2	80.5-89.9
\$50,000- 99,999	1194	612,163	96	10.4	07.9-12.9	1098	89.6	87.1-92.1
\$100,000- 199,999	858	444,798	39	6.0	03.8-08.2	819	94.0	91.8-96.2
\$200,000+	221	103,356	6	4.3	00.8-07.8	215	95.7	92.2-99.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY**

TABLE 12: IN THE PAST 12 MONTHS HAVE YOU LOST EMPLOYMENT OR HAD HOURS REDUCED? (SDHEMPLY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5071	2,279,368	418	11.0	09.8-12.2	4653	89.0	87.8-90.2
White/Non-Hisp	4009	1,765,868	270	9.2	07.8-10.6	3739	90.8	89.4-92.2
Black or Afr. Am./Non-Hisp	491	199,728	69	18.6	13.3-23.9	422	81.4	76.1-86.7
Oth. Race/Non-Hisp.	115	68,141	10	8.3	02.8-13.8	105	91.7	86.2-97.2
MultiRacial/Non-Hisp.	73	51,824	12	15.3	04.3-26.3	61	84.7	73.7-95.7
Hispanic	312	168,778	53	21.8	15.1-28.5	259	78.2	71.5-84.9
18-24	210	263,966	47	22.6	16.1-29.1	163	77.4	70.9-83.9
25-34	481	334,848	87	18.9	14.6-23.2	394	81.1	76.8-85.4
35-44	601	344,481	80	13.2	10.3-16.1	521	86.8	83.9-89.7
45-54	759	339,246	99	13.3	10.6-16.0	660	86.7	84.0-89.4
55-64	954	378,308	77	8.2	06.0-10.4	877	91.8	89.6-94.0
65+	2066	618,518	28	1.1	00.5-01.7	2038	98.9	98.3-99.5
Less Than H.S.	286	232,887	42	17.2	11.7-22.7	244	82.8	77.3-88.3
H.S. or G.E.D.	1512	731,993	121	10.2	07.8-12.6	1391	89.8	87.4-92.2
Some Post-H.S.	1373	699,773	153	13.8	11.4-16.2	1220	86.2	83.8-88.6
College Graduate	1884	609,215	102	6.6	05.2-08.0	1782	93.4	92.0-94.8
Less than \$15,000	246	115,863	52	28.0	20.4-35.6	194	72.0	64.4-79.6
\$15,000- 24,999	496	199,282	55	14.3	10.0-18.6	441	85.7	81.4-90.0
\$25,000- 34,999	571	245,519	71	17.7	13.0-22.4	500	82.3	77.6-87.0
\$35,000- 49,999	617	285,249	50	10.5	07.2-13.8	567	89.5	86.2-92.8
\$50,000- 99,999	1189	552,370	86	10.5	07.8-13.2	1103	89.5	86.8-92.2
\$100,000- 199,999	722	338,081	27	3.9	02.1-05.7	695	96.1	94.3-97.9
\$200,000+	171	85,113	7	3.3	00.8-05.8	164	96.7	94.2-99.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY**

**TABLE 13: DURING THE PAST 12 MONTHS, HAVE YOU RECEIVED FOOD STAMPS, ALSO CALLED SNAP, THE SUPPLEMENTAL NUTRITION ASSISTANCE PROGRAM ON AN EBT CARD?
(FOODSTMP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9344	4,428,367	624	7.2	06.4-08.0	8720	92.8	92.0-93.6
Male	4258	2,144,108	192	4.4	03.6-05.2	4066	95.6	94.8-96.4
Female	5086	2,284,259	432	9.8	08.6-11.0	4654	90.2	89.0-91.4
White/Non-Hisp	7398	3,409,539	383	5.8	05.0-06.6	7015	94.2	93.4-95.0
Black or Afr. Am./Non-Hisp	827	377,894	136	16.3	13.0-19.6	691	83.7	80.4-87.0
Oth. Race/Non-Hisp.	229	154,051	16	7.0	02.9-11.1	213	93.0	88.9-97.1
MultiRacial/Non-Hisp.	156	111,959	17	12.4	04.6-20.2	139	87.6	79.8-95.4
Hispanic	583	308,914	62	10.3	07.4-13.2	521	89.7	86.8-92.6
18-24	521	556,823	30	6.2	03.7-08.7	491	93.8	91.3-96.3
25-34	915	673,225	80	8.8	06.6-11.0	835	91.2	89.0-93.4
35-44	1168	685,686	125	10.6	08.4-12.8	1043	89.4	87.2-91.6
45-54	1413	671,561	130	9.1	07.1-11.1	1283	90.9	88.9-92.9
55-64	1733	735,453	144	7.8	06.2-09.4	1589	92.2	90.6-93.8
65+	3594	1,105,618	115	3.1	02.3-03.9	3479	96.9	96.1-97.7
Less Than H.S.	524	457,876	114	19.7	15.6-23.8	410	80.3	76.2-84.4
H.S. or G.E.D.	2838	1,492,341	252	8.0	06.8-09.2	2586	92.0	90.8-93.2
Some Post-H.S.	2399	1,309,917	183	6.6	05.4-07.8	2216	93.4	92.2-94.6
College Graduate	3549	1,156,455	74	1.9	01.3-02.5	3475	98.1	97.5-98.7
Less than \$15,000	390	187,919	194	49.3	43.0-55.6	196	50.7	44.4-57.0
\$15,000- 24,999	797	334,424	143	20.7	16.8-24.6	654	79.3	75.4-83.2
\$25,000- 34,999	983	458,039	92	10.0	07.6-12.4	891	90.0	87.6-92.4
\$35,000- 49,999	1067	500,398	44	5.7	03.7-07.7	1023	94.3	92.3-96.3
\$50,000- 99,999	2385	1,165,458	26	1.6	00.8-02.4	2359	98.4	97.6-99.2
\$100,000- 199,999	1582	783,752	12	1.0	00.2-01.8	1570	99.0	98.2-99.8
\$200,000+	392	188,224	1	0.2	00.0-00.6	391	99.8	99.4-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY**

**TABLE 14: DURING THE PAST 12 MONTHS, HAVE YOU RECEIVED FOOD STAMPS, ALSO CALLED SNAP, THE SUPPLEMENTAL NUTRITION ASSISTANCE PROGRAM ON AN EBT CARD?
(FOODSTMP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4258	2,144,108	192	4.4	03.6-05.2	4066	95.6	94.8-96.4
White/Non-Hisp	3385	1,644,036	120	3.5	02.7-04.3	3265	96.5	95.7-97.3
Black or Afr. Am./Non-Hisp	331	176,711	40	10.4	06.5-14.3	291	89.6	85.7-93.5
Oth. Race/Non-Hisp.	114	85,910	6	7.0	00.7-13.3	108	93.0	86.7-99.3
MultiRacial/Non-Hisp.	83	60,134	6	6.8	00.0-14.1	77	93.2	85.9-0100
Hispanic	267	137,357	17	5.5	02.4-08.6	250	94.5	91.4-97.6
18-24	310	293,394	10	4.3	01.4-07.2	300	95.7	92.8-98.6
25-34	432	337,273	16	3.8	01.6-06.0	416	96.2	94.0-98.4
35-44	567	341,205	33	5.0	03.0-07.0	534	95.0	93.0-97.0
45-54	649	330,322	45	6.4	04.2-08.6	604	93.6	91.4-95.8
55-64	775	354,878	55	6.5	04.3-08.7	720	93.5	91.3-95.7
65+	1525	487,036	33	1.7	01.1-02.3	1492	98.3	97.7-98.9
Less Than H.S.	237	224,729	34	12.5	07.6-17.4	203	87.5	82.6-92.4
H.S. or G.E.D.	1322	759,133	83	5.0	03.6-06.4	1239	95.0	93.6-96.4
Some Post-H.S.	1024	609,838	46	3.3	02.1-04.5	978	96.7	95.5-97.9
College Graduate	1659	545,358	29	1.7	00.9-02.5	1630	98.3	97.5-99.1
Less than \$15,000	143	71,111	59	40.6	30.2-51.0	84	59.4	49.0-69.8
\$15,000- 24,999	300	134,054	42	13.7	09.2-18.2	258	86.3	81.8-90.8
\$25,000- 34,999	411	212,809	27	6.5	03.6-09.4	384	93.5	90.6-96.4
\$35,000- 49,999	447	213,868	9	2.3	00.5-04.1	438	97.7	95.9-99.5
\$50,000- 99,999	1197	614,533	13	1.4	00.4-02.4	1184	98.6	97.6-99.6
\$100,000- 199,999	859	445,193	7	1.3	00.0-02.7	852	98.7	97.3-0100
\$200,000+	220	102,794	1	0.3	00.0-00.9	219	99.7	99.1-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY**

**TABLE 15: DURING THE PAST 12 MONTHS, HAVE YOU RECEIVED FOOD STAMPS, ALSO CALLED SNAP, THE SUPPLEMENTAL NUTRITION ASSISTANCE PROGRAM ON AN EBT CARD?
(FOODSTMP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5086	2,284,259	432	9.8	08.6-11.0	4654	90.2	89.0-91.4
White/Non-Hisp	4013	1,765,503	263	7.8	06.6-09.0	3750	92.2	91.0-93.4
Black or Afr. Am./Non-Hisp	496	201,183	96	21.5	16.2-26.8	400	78.5	73.2-83.8
Oth. Race/Non-Hisp.	115	68,141	10	7.0	02.1-11.9	105	93.0	88.1-97.9
MultiRacial/Non-Hisp.	73	51,824	11	18.9	04.6-33.2	62	81.1	66.8-95.4
Hispanic	316	171,556	45	14.2	09.5-18.9	271	85.8	81.1-90.5
18-24	211	263,429	20	8.3	04.2-12.4	191	91.7	87.6-95.8
25-34	483	335,952	64	13.7	10.2-17.2	419	86.3	82.8-89.8
35-44	601	344,481	92	16.2	12.5-19.9	509	83.8	80.1-87.5
45-54	764	341,239	85	11.7	08.4-15.0	679	88.3	85.0-91.6
55-64	958	380,575	89	8.9	06.5-11.3	869	91.1	88.7-93.5
65+	2069	618,582	82	4.2	03.0-05.4	1987	95.8	94.6-97.0
Less Than H.S.	287	233,147	80	26.7	20.0-33.4	207	73.3	66.6-80.0
H.S. or G.E.D.	1516	733,209	169	11.0	09.0-13.0	1347	89.0	87.0-91.0
Some Post-H.S.	1375	700,079	137	9.5	07.7-11.3	1238	90.5	88.7-92.3
College Graduate	1890	611,097	45	2.1	01.3-02.9	1845	97.9	97.1-98.7
Less than \$15,000	247	116,808	135	54.6	46.8-62.4	112	45.4	37.6-53.2
\$15,000- 24,999	497	200,370	101	25.3	19.6-31.0	396	74.7	69.0-80.4
\$25,000- 34,999	572	245,231	65	13.1	09.4-16.8	507	86.9	83.2-90.6
\$35,000- 49,999	620	286,529	35	8.2	05.1-11.3	585	91.8	88.7-94.9
\$50,000- 99,999	1188	550,925	13	1.7	00.7-02.7	1175	98.3	97.3-99.3
\$100,000- 199,999	723	338,560	5	0.7	00.1-01.3	718	99.3	98.7-99.9
\$200,000+	172	85,430				172	100.0	0100-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY**

**TABLE 16: DURING THE PAST 12 MONTHS HOW OFTEN DID THE FOOD THAT YOU BOUGHT NOT LAST, AND YOU DIDN'T HAVE MONEY TO GET MORE? WAS THAT... (SDHFOOD1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9307	4,408,800	215	2.7	02.3-03.1	174	2.3	01.9-02.7	724	8.7	07.9-09.5	811	9.9	09.1-10.7	7383	76.4	75.2-77.6
Male	4242	2,135,961	106	2.9	02.3-03.5	60	1.7	01.3-02.1	265	6.7	05.7-07.7	312	8.5	07.3-09.7	3499	80.2	78.6-81.8
Female	5065	2,272,839	109	2.5	01.9-03.1	114	2.8	02.2-03.4	459	10.6	09.4-11.8	499	11.2	10.0-12.4	3884	72.9	71.1-74.7
White/Non-Hisp	7375	3,400,104	139	2.2	01.8-02.6	116	2.0	01.6-02.4	436	6.8	06.0-07.6	548	8.6	07.8-09.4	6136	80.4	79.2-81.6
Black or Afr. Am./Non-Hisp	825	374,483	44	6.0	03.8-08.2	21	2.6	01.0-04.2	124	15.1	11.8-18.4	114	17.3	13.4-21.2	522	59.0	54.3-63.7
Oth. Race/Non-Hisp.	226	151,633	12	5.6	01.9-09.3	4	1.8	00.0-04.2	23	8.8	04.7-12.9	19	6.9	03.2-10.6	168	76.9	70.4-83.4
MultiRacial/Non-Hisp.	154	111,053	3	1.3	00.0-02.9	3	1.2	00.0-02.6	19	12.5	06.0-19.0	21	13.6	06.5-20.7	108	71.5	62.5-80.5
Hispanic	580	307,418	8	1.6	00.2-03.0	28	6.1	03.6-08.6	109	21.0	16.7-25.3	95	16.2	12.5-19.9	340	55.1	49.8-60.4
18-24	518	551,092	6	1.1	00.1-02.1	10	2.4	00.8-04.0	73	13.7	10.4-17.0	85	16.1	12.4-19.8	344	66.7	62.0-71.4
25-34	913	672,697	30	4.0	02.4-05.6	30	3.5	02.1-04.9	94	10.5	08.1-12.9	121	12.6	10.2-15.0	638	69.4	65.9-72.9
35-44	1161	682,289	34	3.3	02.1-04.5	31	3.2	02.0-04.4	106	9.6	07.6-11.6	127	11.4	09.2-13.6	863	72.5	69.4-75.6
45-54	1410	670,055	46	3.0	02.0-04.0	37	2.7	01.7-03.7	124	8.6	06.6-10.6	130	9.6	07.6-11.6	1073	76.1	73.4-78.8
55-64	1723	731,285	53	3.8	02.4-05.2	37	2.1	01.3-02.9	165	8.6	07.0-10.2	144	7.9	06.3-09.5	1324	77.6	75.2-80.0
65+	3582	1,101,382	46	1.4	00.8-02.0	29	0.8	00.4-01.2	162	4.6	03.6-05.6	204	5.8	04.8-06.8	3141	87.4	86.0-88.8
Less Than H.S.	523	457,243	32	7.0	04.3-09.7	38	6.9	04.4-09.4	122	20.3	16.2-24.4	71	13.2	09.9-16.5	260	52.5	47.2-57.8
H.S. or G.E.D.	2826	1,487,727	95	2.9	02.3-03.5	64	2.5	01.7-03.3	307	10.7	09.3-12.1	308	12.0	10.4-13.6	2052	71.9	69.7-74.1
Some Post-H.S.	2388	1,300,609	60	2.7	01.9-03.5	49	1.7	01.1-02.3	189	7.7	06.3-09.1	242	10.4	08.8-12.0	1848	77.4	75.2-79.6
College Graduate	3540	1,153,166	26	0.6	00.4-00.8	23	0.7	00.3-01.1	103	2.7	02.1-03.3	188	5.4	04.4-06.4	3200	90.6	89.4-91.8
Less than \$15,000	390	187,970	44	13.7	09.0-18.4	27	8.7	05.0-12.4	108	27.1	21.6-32.6	64	16.0	11.5-20.5	147	34.5	28.6-40.4
\$15,000- 24,999	793	332,389	51	6.9	04.5-09.3	31	4.0	02.2-05.8	186	25.9	21.6-30.2	116	15.2	12.1-18.3	409	48.0	43.5-52.5
\$25,000- 34,999	981	456,911	27	2.7	01.5-03.9	34	4.9	02.9-06.9	117	13.8	10.9-16.7	160	19.4	16.1-22.7	643	59.3	55.2-63.4
\$35,000- 49,999	1065	498,832	23	2.7	01.5-03.9	25	3.5	01.9-05.1	84	11.5	08.6-14.4	114	11.0	08.6-13.4	819	71.3	67.6-75.0
\$50,000- 99,999	2380	1,162,502	16	0.9	00.3-01.5	14	0.7	00.3-01.1	76	3.5	02.5-04.5	157	8.1	06.5-09.7	2117	86.9	84.9-88.9
\$100,000- 199,999	1579	782,259	10	0.6	00.2-01.0	3	0.2	00.0-00.4	11	0.9	00.3-01.5	44	4.3	02.7-05.9	1511	94.0	92.4-95.6
\$200,000+	390	186,389	3	0.9	00.0-02.1				3	1.2	00.0-02.8	4	0.9	00.1-01.7	380	97.0	94.8-99.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY**

TABLE 17: DURING THE PAST 12 MONTHS HOW OFTEN DID THE FOOD THAT YOU BOUGHT NOT LAST, AND YOU DIDN'T HAVE MONEY TO GET MORE? WAS THAT... (SDHFOOD1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4242	2,135,961	106	2.9	02.3-03.5	60	1.7	01.3-02.1	265	6.7	05.7-07.7	312	8.5	07.3-09.7	3499	80.2	78.6-81.8
White/Non-Hisp	3373	1,638,831	64	2.0	01.4-02.6	37	1.4	01.0-01.8	161	5.0	04.0-06.0	210	7.3	06.1-08.5	2901	84.4	82.8-86.0
Black or Afr. Am./Non-Hisp	330	175,379	23	9.1	05.0-13.2	8	2.6	00.2-05.0	40	11.9	07.0-16.8	38	15.6	09.7-21.5	221	60.9	53.6-68.2
Oth. Race/Non-Hisp.	113	85,086	8	8.1	02.0-14.2	2	1.1	00.0-02.7	11	9.1	03.4-14.8	10	8.0	02.5-13.5	82	73.6	64.4-82.8
MultiRacial/Non-Hisp.	83	60,134	1	1.2	00.0-03.6	1	1.2	00.0-03.6	4	4.7	00.0-10.2	11	11.9	03.1-20.7	66	81.0	70.6-91.4
Hispanic	266	136,883	4	1.6	00.0-03.4	12	5.4	01.9-08.9	43	19.8	13.3-26.3	39	14.8	09.5-20.1	168	58.4	50.8-66.0
18-24	309	290,720	2	0.6	00.0-01.4	3	1.2	00.0-02.6	30	8.3	05.0-11.6	48	15.4	10.7-20.1	226	74.6	69.1-80.1
25-34	430	336,584	14	3.8	01.4-06.2	11	2.6	00.8-04.4	34	8.2	05.1-11.3	38	8.1	05.2-11.0	333	77.2	72.5-81.9
35-44	564	340,226	15	3.2	01.2-05.2	13	2.6	01.0-04.2	40	8.7	05.8-11.6	49	10.5	07.2-13.8	447	75.1	70.6-79.6
45-54	649	330,184	22	3.1	01.7-04.5	13	1.8	00.6-03.0	41	6.2	04.0-08.4	46	7.2	04.8-09.6	527	81.7	78.2-85.2
55-64	768	352,088	29	4.9	02.7-07.1	12	1.6	00.6-02.6	57	6.6	04.6-08.6	56	7.3	05.1-09.5	614	79.6	76.1-83.1
65+	1522	486,159	24	2.0	01.0-03.0	8	0.7	00.1-01.3	63	3.7	02.7-04.7	75	5.0	03.6-06.4	1352	88.6	86.6-90.6
Less Than H.S.	237	224,729	17	8.1	04.0-12.2	11	3.7	01.3-06.1	47	16.1	11.0-21.2	30	12.3	07.6-17.0	132	59.8	52.5-67.1
H.S. or G.E.D.	1317	756,733	48	3.2	02.2-04.2	28	2.3	01.3-03.3	125	8.6	06.8-10.4	131	10.8	08.6-13.0	985	75.1	72.4-77.8
Some Post-H.S.	1020	606,310	23	2.5	01.3-03.7	13	1.1	00.3-01.9	50	4.9	03.3-06.5	85	8.4	06.4-10.4	849	83.1	80.4-85.8
College Graduate	1656	544,861	17	0.9	00.5-01.3	8	0.6	00.2-01.0	41	2.0	01.2-02.8	66	4.0	02.8-05.2	1524	92.5	91.1-93.9
Less than \$15,000	144	71,444	25	20.6	11.6-29.6	5	3.9	00.4-07.4	32	21.7	13.1-30.3	14	8.3	03.2-13.4	68	45.5	35.3-55.7
\$15,000- 24,999	299	133,753	22	8.7	04.2-13.2	10	3.1	00.9-05.3	67	22.4	16.7-28.1	40	13.9	09.4-18.4	160	51.9	45.0-58.8
\$25,000- 34,999	410	212,087	12	2.7	00.9-04.5	14	3.9	01.4-06.4	48	12.4	08.3-16.5	61	17.8	12.7-22.9	275	63.2	57.1-69.3
\$35,000- 49,999	447	214,077	10	2.7	00.9-04.5	7	2.3	00.3-04.3	31	9.0	05.3-12.7	41	9.4	06.1-12.7	358	76.5	71.4-81.6
\$50,000- 99,999	1193	612,245	7	0.8	00.0-01.6	7	0.6	00.2-01.0	31	2.5	01.5-03.5	74	7.0	05.0-09.0	1074	89.1	86.7-91.5
\$100,000- 199,999	857	444,194	6	0.6	00.0-01.2	2	0.3	00.0-00.7	4	0.6	00.0-01.2	25	4.4	02.4-06.4	820	94.1	91.9-96.3
\$200,000+	218	100,959	3	1.7	00.0-03.9				2	1.7	00.0-04.4	2	0.7	00.0-01.7	211	95.9	92.4-99.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY**

TABLE 18: DURING THE PAST 12 MONTHS HOW OFTEN DID THE FOOD THAT YOU BOUGHT NOT LAST, AND YOU DIDN'T HAVE MONEY TO GET MORE? WAS THAT... (SDHFOOD1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5065	2,272,839	109	2.5	01.9-03.1	114	2.8	02.2-03.4	459	10.6	09.4-11.8	499	11.2	10.0-12.4	3884	72.9	71.1-74.7
White/Non-Hisp	4002	1,761,273	75	2.4	01.8-03.0	79	2.5	01.7-03.3	275	8.4	07.2-09.6	338	9.8	08.4-11.2	3235	76.7	74.9-78.5
Black or Afr. Am./Non-Hisp	495	199,104	21	3.2	01.6-04.8	13	2.7	00.5-04.9	84	17.9	13.2-22.6	76	18.9	13.8-24.0	301	57.3	51.2-63.4
Oth. Race/Non-Hisp.	113	66,547	4	2.4	00.0-04.8	2	2.7	00.0-07.8	12	8.4	02.7-14.1	9	5.6	01.1-10.1	86	80.9	72.3-89.5
MultiRacial/Non-Hisp.	71	50,918	2	1.4	00.0-03.4	2	1.2	00.0-03.0	15	21.7	09.4-34.0	10	15.5	04.5-26.5	42	60.2	45.1-75.3
Hispanic	314	170,535	4	1.7	00.0-03.5	16	6.6	02.9-10.3	66	22.0	16.1-27.9	56	17.4	12.1-22.7	172	52.4	45.1-59.7
18-24	209	260,372	4	1.7	00.0-03.5	7	3.8	00.7-06.9	43	19.7	13.6-25.8	37	16.9	11.0-22.8	118	57.9	50.3-65.5
25-34	483	336,113	16	4.1	01.9-06.3	19	4.3	02.1-06.5	60	12.8	09.3-16.3	83	17.2	13.3-21.1	305	61.6	56.5-66.7
35-44	597	342,063	19	3.3	01.7-04.9	18	3.9	01.9-05.9	66	10.5	07.8-13.2	78	12.4	09.3-15.5	416	69.9	65.6-74.2
45-54	761	339,871	24	3.0	01.6-04.4	24	3.5	01.9-05.1	83	10.9	07.6-14.2	84	11.9	09.0-14.8	546	70.7	66.6-74.8
55-64	955	379,198	24	2.9	01.3-04.5	25	2.6	01.2-04.0	108	10.4	08.2-12.6	88	8.3	06.3-10.3	710	75.8	72.5-79.1
65+	2060	615,223	22	1.0	00.6-01.4	21	0.8	00.4-01.2	99	5.4	04.0-06.8	129	6.3	04.9-07.7	1789	86.5	84.5-88.5
Less Than H.S.	286	232,514	15	6.0	02.5-09.5	27	10.1	05.6-14.6	75	24.4	18.1-30.7	41	14.1	09.4-18.8	128	45.4	38.0-52.8
H.S. or G.E.D.	1509	730,994	47	2.7	01.7-03.7	36	2.7	01.7-03.7	182	12.8	10.6-15.0	177	13.2	10.8-15.6	1067	68.6	65.5-71.7
Some Post-H.S.	1368	694,299	37	2.9	01.9-03.9	36	2.3	01.3-03.3	139	10.1	08.1-12.1	157	12.3	10.1-14.5	999	72.5	69.6-75.4
College Graduate	1884	608,305	9	0.4	00.2-00.6	15	0.9	00.5-01.3	62	3.2	02.2-04.2	122	6.6	05.2-08.0	1676	88.9	87.1-90.7
Less than \$15,000	246	116,526	19	9.5	04.6-14.4	22	11.6	05.9-17.3	76	30.4	23.1-37.7	50	20.7	14.2-27.2	79	27.8	21.1-34.5
\$15,000- 24,999	494	198,636	29	5.7	03.3-08.1	21	4.6	02.1-07.1	119	28.2	22.3-34.1	76	16.1	11.8-20.4	249	45.4	39.7-51.1
\$25,000- 34,999	571	244,824	15	2.7	01.1-04.3	20	5.7	02.8-08.6	69	15.1	10.8-19.4	99	20.7	16.2-25.2	368	55.9	50.4-61.4
\$35,000- 49,999	618	284,754	13	2.7	00.9-04.5	18	4.3	02.1-06.5	53	13.5	09.4-17.6	73	12.1	09.0-15.2	461	67.4	62.3-72.5
\$50,000- 99,999	1187	550,257	9	1.1	00.3-01.9	7	0.8	00.2-01.4	45	4.5	02.9-06.1	83	9.2	06.7-11.7	1043	84.5	81.4-87.6
\$100,000- 199,999	722	338,065	4	0.6	00.0-01.4	1	0.1	00.0-00.3	7	1.2	00.2-02.2	19	4.3	02.1-06.5	691	93.8	91.3-96.3
\$200,000+	172	85,430							1	0.6	00.0-01.8	2	1.0	00.0-02.6	169	98.4	96.4-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY**

**TABLE 19: DURING THE LAST 12 MONTHS, WAS THERE A TIME WHEN YOU WERE NOT ABLE TO PAY YOUR MORTGAGE, RENT OR UTILITY BILLS? (SDHBILLS)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9312	4,405,932	797	10.7	09.9-11.5	8515	89.3	88.5-90.1
Male	4238	2,128,453	319	8.7	07.5-09.9	3919	91.3	90.1-92.5
Female	5074	2,277,479	478	12.5	11.1-13.9	4596	87.5	86.1-88.9
White/Non-Hisp	7372	3,396,539	488	8.7	07.7-09.7	6884	91.3	90.3-92.3
Black or Afr. Am./Non-Hisp	822	372,195	130	17.5	14.0-21.0	692	82.5	79.0-86.0
Oth. Race/Non-Hisp.	228	153,227	20	9.2	04.5-13.9	208	90.8	86.1-95.5
MultiRacial/Non-Hisp.	154	108,493	24	14.2	07.3-21.1	130	85.8	78.9-92.7
Hispanic	583	308,785	122	24.3	19.8-28.8	461	75.7	71.2-80.2
18-24	514	545,122	64	14.1	10.6-17.6	450	85.9	82.4-89.4
25-34	914	671,782	139	16.7	13.8-19.6	775	83.3	80.4-86.2
35-44	1163	683,772	162	14.9	12.5-17.3	1001	85.1	82.7-87.5
45-54	1410	670,068	201	13.5	11.5-15.5	1209	86.5	84.5-88.5
55-64	1723	731,571	157	9.1	07.3-10.9	1566	90.9	89.1-92.7
65+	3588	1,103,617	74	2.0	01.4-02.6	3514	98.0	97.4-98.6
Less Than H.S.	522	453,599	117	23.5	19.0-28.0	405	76.5	72.0-81.0
H.S. or G.E.D.	2828	1,486,037	301	11.8	10.2-13.4	2527	88.2	86.6-89.8
Some Post-H.S.	2389	1,301,360	238	11.0	09.4-12.6	2151	89.0	87.4-90.6
College Graduate	3541	1,154,274	137	3.8	03.0-04.6	3404	96.2	95.4-97.0
Less than \$15,000	390	186,894	115	35.9	29.6-42.2	275	64.1	57.8-70.4
\$15,000- 24,999	797	334,214	163	24.3	20.4-28.2	634	75.7	71.8-79.6
\$25,000- 34,999	982	457,659	138	17.5	14.2-20.8	844	82.5	79.2-85.8
\$35,000- 49,999	1066	500,119	114	15.5	12.4-18.6	952	84.5	81.4-87.6
\$50,000- 99,999	2378	1,163,127	116	6.0	04.6-07.4	2262	94.0	92.6-95.4
\$100,000- 199,999	1580	782,124	25	1.8	01.0-02.6	1555	98.2	97.4-99.0
\$200,000+	391	186,787	4	1.4	00.0-03.0	387	98.6	97.0-100.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY**

TABLE 20: DURING THE LAST 12 MONTHS, WAS THERE A TIME WHEN YOU WERE NOT ABLE TO PAY YOUR MORTGAGE, RENT OR UTILITY BILLS? (SDHBILLS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4238	2,128,453	319	8.7	07.5-09.9	3919	91.3	90.1-92.5
White/Non-Hisp	3368	1,634,695	188	6.6	05.4-07.8	3180	93.4	92.2-94.6
Black or Afr. Am./Non-Hisp	329	173,837	53	18.1	12.6-23.6	276	81.9	76.4-87.4
Oth. Race/Non-Hisp.	113	85,086	10	9.1	02.6-15.6	103	90.9	84.4-97.4
MultiRacial/Non-Hisp.	81	56,668	6	5.9	00.0-12.0	75	94.1	88.0-0100
Hispanic	268	137,617	55	22.9	16.4-29.4	213	77.1	70.6-83.6
18-24	304	283,772	30	10.0	06.3-13.7	274	90.0	86.3-93.7
25-34	432	336,895	49	12.3	08.6-16.0	383	87.7	84.0-91.4
35-44	564	339,909	69	13.5	10.2-16.8	495	86.5	83.2-89.8
45-54	649	329,859	75	10.0	07.5-12.5	574	90.0	87.5-92.5
55-64	768	352,056	64	8.1	05.7-10.5	704	91.9	89.5-94.3
65+	1521	485,962	32	1.8	01.0-02.6	1489	98.2	97.4-99.0
Less Than H.S.	235	220,452	47	19.1	13.4-24.8	188	80.9	75.2-86.6
H.S. or G.E.D.	1316	753,992	145	11.3	09.3-13.3	1171	88.7	86.7-90.7
Some Post-H.S.	1017	605,232	73	7.2	05.2-09.2	944	92.8	90.8-94.8
College Graduate	1655	544,485	51	2.6	01.8-03.4	1604	97.4	96.6-98.2
Less than \$15,000	143	70,087	41	33.7	23.5-43.9	102	66.3	56.1-76.5
\$15,000- 24,999	300	134,054	63	24.0	17.9-30.1	237	76.0	69.9-82.1
\$25,000- 34,999	411	212,844	57	14.6	10.3-18.9	354	85.4	81.1-89.7
\$35,000- 49,999	447	213,898	40	11.3	07.6-15.0	407	88.7	85.0-92.4
\$50,000- 99,999	1190	612,202	53	5.2	03.4-07.0	1137	94.8	93.0-96.6
\$100,000- 199,999	857	443,564	10	1.4	00.2-02.6	847	98.6	97.4-99.8
\$200,000+	219	101,357	2	1.9	00.0-04.6	217	98.1	95.4-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY**

TABLE 21: DURING THE LAST 12 MONTHS, WAS THERE A TIME WHEN YOU WERE NOT ABLE TO PAY YOUR MORTGAGE, RENT OR UTILITY BILLS? (SDHBILLS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5074	2,277,479	478	12.5	11.1-13.9	4596	87.5	86.1-88.9
White/Non-Hisp	4004	1,761,844	300	10.6	09.2-12.0	3704	89.4	88.0-90.8
Black or Afr. Am./Non-Hisp	493	198,357	77	17.0	12.1-21.9	416	83.0	78.1-87.9
Oth. Race/Non-Hisp.	115	68,141	10	9.4	02.7-16.1	105	90.6	83.9-97.3
MultiRacial/Non-Hisp.	73	51,824	18	23.3	11.0-35.6	55	76.7	64.4-89.0
Hispanic	315	171,168	67	25.5	19.0-32.0	248	74.5	68.0-81.0
18-24	210	261,350	34	18.5	12.2-24.8	176	81.5	75.2-87.8
25-34	482	334,887	90	21.1	16.6-25.6	392	78.9	74.4-83.4
35-44	599	343,863	93	16.3	12.8-19.8	506	83.7	80.2-87.2
45-54	761	340,209	126	16.9	13.8-20.0	635	83.1	80.0-86.2
55-64	955	379,515	93	9.9	07.4-12.4	862	90.1	87.6-92.6
65+	2067	617,655	42	2.2	01.4-03.0	2025	97.8	97.0-98.6
Less Than H.S.	287	233,147	70	27.8	21.1-34.5	217	72.2	65.5-78.9
H.S. or G.E.D.	1512	732,045	156	12.2	10.0-14.4	1356	87.8	85.6-90.0
Some Post-H.S.	1372	696,128	165	14.3	11.9-16.7	1207	85.7	83.3-88.1
College Graduate	1886	609,789	86	4.9	03.7-06.1	1800	95.1	93.9-96.3
Less than \$15,000	247	116,808	74	37.2	29.4-45.0	173	62.8	55.0-70.6
\$15,000- 24,999	497	200,160	100	24.6	19.5-29.7	397	75.4	70.3-80.5
\$25,000- 34,999	571	244,815	81	20.0	14.9-25.1	490	80.0	74.9-85.1
\$35,000- 49,999	619	286,222	74	18.7	14.2-23.2	545	81.3	76.8-85.8
\$50,000- 99,999	1188	550,925	63	6.9	04.9-08.9	1125	93.1	91.1-95.1
\$100,000- 199,999	723	338,560	15	2.3	00.9-03.7	708	97.7	96.3-99.1
\$200,000+	172	85,430	2	0.7	00.0-01.7	170	99.3	98.3-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY**

**TABLE 22: DURING THE LAST 12 MONTHS WAS THERE A TIME WHEN AN ELECTRIC, GAS, OIL, OR WATER COMPANY THREATENED TO SHUT OFF SERVICES? (SDHUTILS)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9308	4,402,697	659	8.4	07.6-09.2	8649	91.6	90.8-92.4
Male	4237	2,130,058	250	6.7	05.7-07.7	3987	93.3	92.3-94.3
Female	5071	2,272,639	409	9.9	08.7-11.1	4662	90.1	88.9-91.3
White/Non-Hisp	7369	3,392,757	413	7.0	06.2-07.8	6956	93.0	92.2-93.8
Black or Afr. Am./Non-Hisp	824	374,524	127	14.6	11.5-17.7	697	85.4	82.3-88.5
Oth. Race/Non-Hisp.	228	153,227	14	6.5	02.6-10.4	214	93.5	89.6-97.4
MultiRacial/Non-Hisp.	155	108,268	20	12.6	05.5-19.7	135	87.4	80.3-94.5
Hispanic	580	307,425	72	16.1	12.0-20.2	508	83.9	79.8-88.0
18-24	517	549,522	40	8.7	06.0-11.4	477	91.3	88.6-94.0
25-34	915	672,605	99	11.7	09.2-14.2	816	88.3	85.8-90.8
35-44	1161	678,616	135	12.9	10.5-15.3	1026	87.1	84.7-89.5
45-54	1403	667,640	168	11.1	09.1-13.1	1235	88.9	86.9-90.9
55-64	1721	729,979	134	7.8	06.2-09.4	1587	92.2	90.6-93.8
65+	3591	1,104,335	83	2.2	01.6-02.8	3508	97.8	97.2-98.4
Less Than H.S.	520	451,331	86	16.2	12.5-19.9	434	83.8	80.1-87.5
H.S. or G.E.D.	2833	1,488,948	234	9.3	07.9-10.7	2599	90.7	89.3-92.1
Some Post-H.S.	2385	1,298,721	214	9.2	07.8-10.6	2171	90.8	89.4-92.2
College Graduate	3539	1,153,233	121	3.2	02.6-03.8	3418	96.8	96.2-97.4
Less than \$15,000	388	186,371	87	26.3	20.6-32.0	301	73.7	68.0-79.4
\$15,000- 24,999	795	333,127	135	20.2	16.5-23.9	660	79.8	76.1-83.5
\$25,000- 34,999	983	458,074	118	14.3	11.4-17.2	865	85.7	82.8-88.6
\$35,000- 49,999	1065	499,109	95	12.1	09.4-14.8	970	87.9	85.2-90.6
\$50,000- 99,999	2377	1,162,453	96	4.5	03.3-05.7	2281	95.5	94.3-96.7
\$100,000- 199,999	1577	779,899	32	2.1	01.3-02.9	1545	97.9	97.1-98.7
\$200,000+	389	186,211	6	1.5	00.1-02.9	383	98.5	97.1-99.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY**

TABLE 23: DURING THE LAST 12 MONTHS WAS THERE A TIME WHEN AN ELECTRIC, GAS, OIL, OR WATER COMPANY THREATENED TO SHUT OFF SERVICES? (SDHUTILS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4237	2,130,058	250	6.7	05.7-07.7	3987	93.3	92.3-94.3
White/Non-Hisp	3366	1,631,735	152	5.1	04.1-06.1	3214	94.9	93.9-95.9
Black or Afr. Am./Non-Hisp	330	175,506	47	14.2	09.5-18.9	283	85.8	81.1-90.5
Oth. Race/Non-Hisp.	113	85,086	6	7.4	01.1-13.7	107	92.6	86.3-98.9
MultiRacial/Non-Hisp.	83	60,134	7	7.1	00.4-13.8	76	92.9	86.2-99.6
Hispanic	267	137,245	30	14.7	09.0-20.4	237	85.3	79.6-91.0
18-24	307	288,172	16	5.5	02.8-08.2	291	94.5	91.8-97.2
25-34	433	337,138	33	8.4	05.3-11.5	400	91.6	88.5-94.7
35-44	563	338,995	58	11.5	08.4-14.6	505	88.5	85.4-91.6
45-54	646	328,639	65	8.5	06.3-10.7	581	91.5	89.3-93.7
55-64	767	351,149	52	7.6	05.2-10.0	715	92.4	90.0-94.8
65+	1521	485,964	26	1.3	00.7-01.9	1495	98.7	98.1-99.3
Less Than H.S.	235	222,521	33	13.9	08.8-19.0	202	86.1	81.0-91.2
H.S. or G.E.D.	1317	755,611	108	8.7	06.9-10.5	1209	91.3	89.5-93.1
Some Post-H.S.	1018	604,494	58	5.5	03.9-07.1	960	94.5	92.9-96.1
College Graduate	1653	543,338	49	2.5	01.7-03.3	1604	97.5	96.7-98.3
Less than \$15,000	143	70,087	27	21.7	12.7-30.7	116	78.3	69.3-87.3
\$15,000- 24,999	298	133,309	43	16.7	11.4-22.0	255	83.3	78.0-88.6
\$25,000- 34,999	411	212,844	45	13.7	09.2-18.2	366	86.3	81.8-90.8
\$35,000- 49,999	446	213,110	33	8.3	05.2-11.4	413	91.7	88.6-94.8
\$50,000- 99,999	1190	612,249	43	3.6	02.4-04.8	1147	96.4	95.2-97.6
\$100,000- 199,999	855	442,152	12	1.5	00.5-02.5	843	98.5	97.5-99.5
\$200,000+	218	101,129	4	2.0	00.0-04.4	214	98.0	95.6-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY**

TABLE 24: DURING THE LAST 12 MONTHS WAS THERE A TIME WHEN AN ELECTRIC, GAS, OIL, OR WATER COMPANY THREATENED TO SHUT OFF SERVICES? (SDHUTILS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5071	2,272,639	409	9.9	08.7-11.1	4662	90.1	88.9-91.3
White/Non-Hisp	4003	1,761,022	261	8.7	07.5-09.9	3742	91.3	90.1-92.5
Black or Afr. Am./Non-Hisp	494	199,018	80	14.9	10.6-19.2	414	85.1	80.8-89.4
Oth. Race/Non-Hisp.	115	68,141	8	5.3	01.2-09.4	107	94.7	90.6-98.8
MultiRacial/Non-Hisp.	72	48,133	13	19.5	06.4-32.6	59	80.5	67.4-93.6
Hispanic	313	170,180	42	17.2	11.5-22.9	271	82.8	77.1-88.5
18-24	210	261,350	24	12.2	07.1-17.3	186	87.8	82.7-92.9
25-34	482	335,467	66	15.1	11.2-19.0	416	84.9	81.0-88.8
35-44	598	339,621	77	14.3	11.0-17.6	521	85.7	82.4-89.0
45-54	757	339,001	103	13.6	10.7-16.5	654	86.4	83.5-89.3
55-64	954	378,830	82	8.0	06.0-10.0	872	92.0	90.0-94.0
65+	2070	618,371	57	2.9	01.9-03.9	2013	97.1	96.1-98.1
Less Than H.S.	285	228,810	53	18.5	13.0-24.0	232	81.5	76.0-87.0
H.S. or G.E.D.	1516	733,337	126	9.9	07.7-12.1	1390	90.1	87.9-92.3
Some Post-H.S.	1367	694,228	156	12.5	10.3-14.7	1211	87.5	85.3-89.7
College Graduate	1886	609,894	72	3.8	02.8-04.8	1814	96.2	95.2-97.2
Less than \$15,000	245	116,285	60	29.1	21.7-36.5	185	70.9	63.5-78.3
\$15,000- 24,999	497	199,818	92	22.6	17.7-27.5	405	77.4	72.5-82.3
\$25,000- 34,999	572	245,231	73	14.8	10.7-18.9	499	85.2	81.1-89.3
\$35,000- 49,999	619	285,999	62	15.0	10.9-19.1	557	85.0	80.9-89.1
\$50,000- 99,999	1187	550,204	53	5.6	03.6-07.6	1134	94.4	92.4-96.4
\$100,000- 199,999	722	337,747	20	2.9	01.5-04.3	702	97.1	95.7-98.5
\$200,000+	171	85,081	2	1.0	00.0-02.4	169	99.0	97.6-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY**

TABLE 25: DURING THE PAST 12 MONTHS HAS A LACK OF RELIABLE TRANSPORTATION KEPT YOU FROM MEDICAL APPOINTMENTS, MEETINGS, WORK, OR FROM GETTING THINGS NEEDED FOR DAILY LIVING? (SDHTRNSP)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9294	4,397,383	547	6.7	05.9-07.5	8747	93.3	92.5-94.1
Male	4229	2,122,914	199	4.9	04.1-05.7	4030	95.1	94.3-95.9
Female	5065	2,274,469	348	8.4	07.2-09.6	4717	91.6	90.4-92.8
White/Non-Hisp	7361	3,386,303	355	5.4	04.6-06.2	7006	94.6	93.8-95.4
Black or Afr. Am./Non-Hisp	826	376,735	86	12.9	09.6-16.2	740	87.1	83.8-90.4
Oth. Race/Non-Hisp.	225	151,071	12	5.4	01.9-08.9	213	94.6	91.1-98.1
MultiRacial/Non-Hisp.	156	111,959	16	8.7	03.4-14.0	140	91.3	86.0-96.6
Hispanic	574	304,872	67	13.9	10.2-17.6	507	86.1	82.4-89.8
18-24	516	548,857	52	10.4	07.3-13.5	464	89.6	86.5-92.7
25-34	910	668,448	81	8.1	06.1-10.1	829	91.9	89.9-93.9
35-44	1158	680,446	95	8.7	06.7-10.7	1063	91.3	89.3-93.3
45-54	1405	667,715	112	8.4	06.6-10.2	1293	91.6	89.8-93.4
55-64	1722	730,840	101	5.4	04.0-06.8	1621	94.6	93.2-96.0
65+	3583	1,101,077	106	2.7	02.1-03.3	3477	97.3	96.7-97.9
Less Than H.S.	519	451,045	66	13.1	09.6-16.6	453	86.9	83.4-90.4
H.S. or G.E.D.	2830	1,485,950	212	8.1	06.7-09.5	2618	91.9	90.5-93.3
Some Post-H.S.	2383	1,299,004	169	6.5	05.3-07.7	2214	93.5	92.3-94.7
College Graduate	3531	1,150,521	96	2.7	02.1-03.3	3435	97.3	96.7-97.9
Less than \$15,000	388	185,294	97	28.0	22.3-33.7	291	72.0	66.3-77.7
\$15,000- 24,999	794	331,971	120	15.7	12.4-19.0	674	84.3	81.0-87.6
\$25,000- 34,999	981	455,652	89	11.7	08.6-14.8	892	88.3	85.2-91.4
\$35,000- 49,999	1061	496,271	68	8.5	06.1-10.9	993	91.5	89.1-93.9
\$50,000- 99,999	2375	1,161,197	54	2.6	01.8-03.4	2321	97.4	96.6-98.2
\$100,000- 199,999	1573	777,940	16	1.5	00.7-02.3	1557	98.5	97.7-99.3
\$200,000+	388	185,852	5	1.8	00.0-03.6	383	98.2	96.4-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY**

TABLE 26: DURING THE PAST 12 MONTHS HAS A LACK OF RELIABLE TRANSPORTATION KEPT YOU FROM MEDICAL APPOINTMENTS, MEETINGS, WORK, OR FROM GETTING THINGS NEEDED FOR DAILY LIVING? (SDHTRNSP)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4229	2,122,914	199	4.9	04.1-05.7	4030	95.1	94.3-95.9
White/Non-Hisp	3360	1,626,593	129	3.7	02.9-04.5	3231	96.3	95.5-97.1
Black or Afr. Am./Non-Hisp	331	175,659	27	10.4	05.7-15.1	304	89.6	84.9-94.3
Oth. Race/Non-Hisp.	112	84,107	5	5.4	00.1-10.7	107	94.6	89.3-99.9
MultiRacial/Non-Hisp.	83	60,134	6	5.7	00.2-11.2	77	94.3	88.8-99.8
Hispanic	264	135,870	28	11.6	06.9-16.3	236	88.4	83.7-93.1
18-24	307	286,868	23	6.4	03.5-09.3	284	93.6	90.7-96.5
25-34	429	333,504	29	4.9	02.9-06.9	400	95.1	93.1-97.1
35-44	560	337,579	39	7.3	04.6-10.0	521	92.7	90.0-95.4
45-54	646	328,272	39	6.3	04.1-08.5	607	93.7	91.5-95.9
55-64	770	353,254	35	4.5	02.7-06.3	735	95.5	93.7-97.3
65+	1517	483,438	34	1.7	01.1-02.3	1483	98.3	97.7-98.9
Less Than H.S.	232	217,898	25	9.3	05.4-13.2	207	90.7	86.8-94.6
H.S. or G.E.D.	1317	754,321	79	5.6	04.2-07.0	1238	94.4	93.0-95.8
Some Post-H.S.	1016	603,964	47	4.5	02.9-06.1	969	95.5	93.9-97.1
College Graduate	1650	542,344	46	2.7	01.7-03.7	1604	97.3	96.3-98.3
Less than \$15,000	142	68,576	31	25.2	16.0-34.4	111	74.8	65.6-84.0
\$15,000- 24,999	298	133,059	38	11.3	07.4-15.2	260	88.7	84.8-92.6
\$25,000- 34,999	410	211,190	40	10.6	06.5-14.7	370	89.4	85.3-93.5
\$35,000- 49,999	444	210,656	20	4.3	01.9-06.7	424	95.7	93.3-98.1
\$50,000- 99,999	1190	611,924	28	2.8	01.6-04.0	1162	97.2	96.0-98.4
\$100,000- 199,999	851	440,193	7	0.9	00.1-01.7	844	99.1	98.3-99.9
\$200,000+	217	100,771	2	1.9	00.0-04.4	215	98.1	95.6-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY**

TABLE 27: DURING THE PAST 12 MONTHS HAS A LACK OF RELIABLE TRANSPORTATION KEPT YOU FROM MEDICAL APPOINTMENTS, MEETINGS, WORK, OR FROM GETTING THINGS NEEDED FOR DAILY LIVING? (SDHTRNSP)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5065	2,274,469	348	8.4	07.2-09.6	4717	91.6	90.4-92.8
White/Non-Hisp	4001	1,759,709	226	7.0	05.8-08.2	3775	93.0	91.8-94.2
Black or Afr. Am./Non-Hisp	495	201,076	59	15.1	10.4-19.8	436	84.9	80.2-89.6
Oth. Race/Non-Hisp.	113	66,963	7	5.4	01.1-09.7	106	94.6	90.3-98.9
MultiRacial/Non-Hisp.	73	51,824	10	12.3	03.1-21.5	63	87.7	78.5-96.9
Hispanic	310	169,002	39	15.7	10.2-21.2	271	84.3	78.8-89.8
18-24	209	261,990	29	14.7	09.2-20.2	180	85.3	79.8-90.8
25-34	481	334,944	52	11.2	07.9-14.5	429	88.8	85.5-92.1
35-44	598	342,867	56	10.0	07.3-12.7	542	90.0	87.3-92.7
45-54	759	339,443	73	10.4	07.7-13.1	686	89.6	86.9-92.3
55-64	952	377,585	66	6.3	04.5-08.1	886	93.7	91.9-95.5
65+	2066	617,639	72	3.6	02.6-04.6	1994	96.4	95.4-97.4
Less Than H.S.	287	233,147	41	16.8	11.1-22.5	246	83.2	77.5-88.9
H.S. or G.E.D.	1513	731,629	133	10.6	08.4-12.8	1380	89.4	87.2-91.6
Some Post-H.S.	1367	695,040	122	8.2	06.4-10.0	1245	91.8	90.0-93.6
College Graduate	1881	608,176	50	2.7	01.7-03.7	1831	97.3	96.3-98.3
Less than \$15,000	246	116,718	66	29.6	22.2-37.0	180	70.4	63.0-77.8
\$15,000- 24,999	496	198,911	82	18.6	13.9-23.3	414	81.4	76.7-86.1
\$25,000- 34,999	571	244,462	49	12.7	08.2-17.2	522	87.3	82.8-91.8
\$35,000- 49,999	617	285,615	48	11.7	08.0-15.4	569	88.3	84.6-92.0
\$50,000- 99,999	1185	549,273	26	2.4	01.2-03.6	1159	97.6	96.4-98.8
\$100,000- 199,999	722	337,747	9	2.1	00.5-03.7	713	97.9	96.3-99.5
\$200,000+	171	85,081	3	1.7	00.0-03.7	168	98.3	96.3-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY**

TABLE 28: STRESS MEANS A SITUATION IN WHICH A PERSON FEELS TENSE, RESTLESS, NERVOUS, OR ANXIOUS, OR IS UNABLE TO SLEEP AT NIGHT BECAUSE HIS/HER MIND IS TROUBLED ALL THE TIME. WITHIN THE LAST 30 DAYS, HOW OFTEN HAVE YOU FELT THIS KIND OF STRESS? (SDHSTRE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always						Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	9249	4,370,303	444	5.6	05.0-06.2	615	8.5	07.7-09.3	2031	23.2	22.0-24.4	2520	25.6	24.4-26.8	3639	37.0	35.8-38.2			
Male	4203	2,107,103	173	4.7	03.9-05.5	231	6.5	05.5-07.5	764	19.3	17.7-20.9	1124	25.4	23.8-27.0	1911	44.1	42.1-46.1			
Female	5046	2,263,199	271	6.5	05.5-07.5	384	10.3	08.9-11.7	1267	26.9	25.3-28.5	1396	25.9	24.3-27.5	1728	30.4	28.8-32.0			
White/Non-Hisp	7326	3,362,784	325	5.3	04.7-05.9	481	8.5	07.5-09.5	1562	22.8	21.6-24.0	2102	27.2	26.0-28.4	2856	36.3	34.9-37.7			
Black or Afr. Am./Non-Hisp	822	375,724	54	6.4	04.2-08.6	48	7.4	04.7-10.1	184	23.0	19.1-26.9	171	20.1	16.4-23.8	365	43.2	38.5-47.9			
Oth. Race/Non-Hisp.	226	152,204	19	10.4	05.3-15.5	18	9.7	05.0-14.4	47	18.4	12.5-24.3	45	17.1	11.6-22.6	97	44.5	36.7-52.3			
MultiRacial/Non-Hisp.	153	110,444	10	8.9	01.3-16.5	13	9.1	02.8-15.4	41	22.3	14.1-30.5	41	31.1	21.3-40.9	48	28.8	19.8-37.8			
Hispanic	573	303,804	25	4.4	02.2-06.6	43	8.8	05.7-11.9	172	33.1	28.0-38.2	123	18.9	15.0-22.8	210	34.8	29.9-39.7			
18-24	512	542,938	29	6.2	03.7-08.7	77	17.4	13.3-21.5	148	26.2	22.1-30.3	113	21.7	17.6-25.8	145	28.5	24.0-33.0			
25-34	909	667,634	62	6.9	04.9-08.9	121	13.2	10.7-15.7	244	26.5	23.2-29.8	230	23.8	20.7-26.9	252	29.6	26.1-33.1			
35-44	1152	677,153	74	7.4	05.4-09.4	114	9.3	07.5-11.1	318	26.5	23.6-29.4	292	24.7	21.8-27.6	354	32.1	29.0-35.2			
45-54	1395	659,981	112	8.3	06.5-10.1	107	7.3	05.5-09.1	342	23.5	21.0-26.0	387	27.6	24.9-30.3	447	33.3	30.4-36.2			
55-64	1715	728,798	103	5.9	04.5-07.3	109	6.7	05.3-08.1	397	23.8	21.4-26.2	474	25.3	22.9-27.7	632	38.2	35.5-40.9			
65+	3566	1,093,799	64	1.7	01.1-02.3	87	2.6	02.0-03.2	582	17.2	15.6-18.8	1024	28.3	26.5-30.1	1809	50.2	48.2-52.2			
Less Than H.S.	513	443,533	46	10.1	06.6-13.6	48	11.3	07.6-15.0	154	27.1	22.6-31.6	83	16.2	12.3-20.1	182	35.3	30.2-40.4			
H.S. or G.E.D.	2814	1,480,748	169	6.1	05.1-07.1	170	7.6	06.2-09.0	634	23.7	21.7-25.7	692	24.3	22.3-26.3	1149	38.3	36.1-40.5			
Some Post-H.S.	2371	1,288,246	141	6.1	04.9-07.3	189	10.1	08.5-11.7	504	21.9	19.9-23.9	629	25.3	23.1-27.5	908	36.6	34.2-39.0			
College Graduate	3520	1,147,287	87	2.8	02.2-03.4	207	6.8	05.8-07.8	730	22.6	21.0-24.2	1113	31.5	29.7-33.3	1383	36.4	34.4-38.4			
Less than \$15,000	386	184,700	56	16.7	11.8-21.6	41	13.5	08.8-18.2	117	29.9	24.2-35.6	57	13.0	09.1-16.9	115	26.9	21.4-32.4			
\$15,000- 24,999	794	332,381	75	10.2	07.5-12.9	79	11.1	07.8-14.4	217	29.8	25.7-33.9	155	17.5	14.4-20.6	268	31.3	27.2-35.4			
\$25,000- 34,999	979	455,067	59	7.4	04.9-09.9	85	11.1	08.4-13.8	237	26.9	23.2-30.6	266	25.3	22.0-28.6	332	29.3	25.8-32.8			
\$35,000- 49,999	1056	494,359	60	7.5	05.3-09.7	79	10.0	07.5-12.5	204	21.0	17.9-24.1	301	24.8	21.7-27.9	412	36.7	33.0-40.4			
\$50,000- 99,999	2361	1,151,399	81	3.8	02.8-04.8	128	7.3	05.7-08.9	474	21.5	19.3-23.7	680	26.8	24.6-29.0	998	40.7	38.2-43.2			
\$100,000- 199,999	1567	772,890	33	2.6	01.6-03.6	83	6.1	04.5-07.7	332	21.0	18.6-23.4	497	30.7	28.0-33.4	622	39.6	36.7-42.5			
\$200,000+	388	185,728	11	3.1	01.1-05.1	17	5.0	02.3-07.7	83	23.4	18.3-28.5	137	36.0	29.9-42.1	140	32.5	27.0-38.0			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY**

TABLE 29: STRESS MEANS A SITUATION IN WHICH A PERSON FEELS TENSE, RESTLESS, NERVOUS, OR ANXIOUS, OR IS UNABLE TO SLEEP AT NIGHT BECAUSE HIS/HER MIND IS TROUBLED ALL THE TIME. WITHIN THE LAST 30 DAYS, HOW OFTEN HAVE YOU FELT THIS KIND OF STRESS? (SDHSTRE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always						Usually			Sometimes			Rarely		Never	
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	4203	2,107,103	173	4.7	03.9-05.5	231	6.5	05.5-07.5	764	19.3	17.7-20.9	1124	25.4	23.8-27.0	1911	44.1	42.1-46.1	
White/Non-Hisp	3343	1,613,018	120	4.2	03.2-05.2	186	6.5	05.3-07.7	583	18.6	17.0-20.2	949	27.2	25.4-29.0	1505	43.4	41.4-45.4	
Black or Afr. Am./Non-Hisp	327	174,758	21	5.6	02.7-08.5	13	4.2	01.3-07.1	64	21.9	15.6-28.2	60	18.0	12.1-23.9	169	50.4	43.1-57.7	
Oth. Race/Non-Hisp.	112	84,794	11	10.5	03.4-17.6	9	8.6	02.7-14.5	15	13.8	06.4-21.2	24	18.0	10.2-25.8	53	49.1	38.3-59.9	
MultiRacial/Non-Hisp.	80	58,619	2	2.8	00.0-07.5	6	8.9	00.0-18.9	18	22.9	10.6-35.2	22	29.1	16.4-41.8	32	36.2	23.1-49.3	
Hispanic	264	136,265	11	3.8	01.1-06.5	14	6.5	02.8-10.2	74	29.7	22.6-36.8	52	18.2	12.3-24.1	113	41.8	34.2-49.4	
18-24	305	286,042	14	5.0	02.3-07.7	35	12.1	07.8-16.4	74	21.9	16.8-27.0	72	23.5	18.0-29.0	110	37.5	31.2-43.8	
25-34	429	334,184	28	6.6	03.9-09.3	45	9.6	06.5-12.7	102	23.1	18.4-27.8	115	25.4	20.7-30.1	139	35.2	29.9-40.5	
35-44	556	334,813	30	5.5	03.1-07.9	47	7.8	05.3-10.3	131	22.9	18.8-27.0	132	23.0	18.9-27.1	216	40.8	35.9-45.7	
45-54	640	322,505	45	6.9	04.5-09.3	30	4.1	02.3-05.9	129	18.9	15.4-22.4	175	27.7	23.8-31.6	261	42.3	37.8-46.8	
55-64	766	351,300	31	4.1	02.3-05.9	44	6.1	04.1-08.1	144	18.7	15.6-21.8	205	25.1	21.6-28.6	342	46.0	41.9-50.1	
65+	1507	478,260	25	1.7	00.9-02.5	30	1.8	01.0-02.6	184	13.3	11.1-15.5	425	26.7	24.2-29.2	843	56.4	53.5-59.3	
Less Than H.S.	231	213,984	22	9.3	04.8-13.8	18	9.3	04.4-14.2	62	24.7	18.2-31.2	34	16.0	10.3-21.7	95	40.7	33.1-48.3	
H.S. or G.E.D.	1309	751,234	68	5.5	04.1-06.9	69	5.5	03.9-07.1	258	20.8	18.1-23.5	325	24.5	21.8-27.2	589	43.7	40.6-46.8	
Some Post-H.S.	1008	598,174	50	4.7	03.1-06.3	57	6.6	04.6-08.6	164	16.7	14.0-19.4	270	26.0	22.9-29.1	467	46.0	42.3-49.7	
College Graduate	1641	539,705	32	1.9	01.1-02.7	86	6.5	04.9-08.1	275	18.0	15.8-20.2	495	29.8	27.3-32.3	753	43.8	41.1-46.5	
Less than \$15,000	141	69,181	19	15.3	07.1-23.5	13	11.9	04.6-19.2	36	22.4	14.4-30.4	19	13.1	06.2-20.0	54	37.4	27.4-47.4	
\$15,000- 24,999	299	133,766	25	10.4	06.1-14.7	29	8.3	05.0-11.6	78	26.0	20.1-31.9	55	16.2	11.3-21.1	112	39.2	32.3-46.1	
\$25,000- 34,999	408	209,974	23	6.3	03.0-09.6	27	8.9	05.0-12.8	92	26.5	20.6-32.4	108	25.3	20.2-30.4	158	33.0	27.5-38.5	
\$35,000- 49,999	440	208,974	18	4.6	02.2-07.0	24	6.9	03.6-10.2	73	15.0	11.3-18.7	124	26.0	21.1-30.9	201	47.5	41.6-53.4	
\$50,000- 99,999	1182	606,204	36	3.6	02.2-05.0	51	5.3	03.7-06.9	191	18.1	15.2-21.0	331	25.7	22.8-28.6	573	47.4	43.9-50.9	
\$100,000- 199,999	849	438,443	14	1.9	00.7-03.1	36	4.7	02.9-06.5	146	17.5	14.6-20.4	257	29.2	25.5-32.9	396	46.6	42.5-50.7	
\$200,000+	218	101,129	5	3.1	00.2-06.0	11	5.5	01.8-09.2	35	18.9	12.6-25.2	73	33.2	25.8-40.6	94	39.3	31.7-46.9	

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 29: SOCIAL DETERMINANTS AND HEALTH EQUITY**

TABLE 30: STRESS MEANS A SITUATION IN WHICH A PERSON FEELS TENSE, RESTLESS, OR NERVOUS, OR ANXIOUS, OR IS UNABLE TO SLEEP AT NIGHT BECAUSE HIS/HER MIND IS TROUBLED ALL THE TIME. WITHIN THE LAST 30 DAYS, HOW OFTEN HAVE YOU FELT THIS KIND OF STRESS? (SDHSTRE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always		Usually			Sometimes			Rarely		Never				
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	5046	2,263,199	271	6.5	05.5-07.5	384	10.3	08.9-11.7	1267	26.9	25.3-28.5	1396	25.9	24.3-27.5	1728	30.4	28.8-32.0
White/Non-Hisp	3983	1,749,765	205	6.2	05.2-07.2	295	10.3	08.9-11.7	979	26.6	24.8-28.4	1153	27.1	25.3-28.9	1351	29.7	27.9-31.5
Black or Afr. Am./Non-Hisp	495	200,966	33	7.1	03.8-10.4	35	10.1	05.8-14.4	120	23.9	19.0-28.8	111	21.9	17.0-26.8	196	36.9	31.0-42.8
Oth. Race/Non-Hisp.	114	67,410	8	10.2	02.8-17.6	9	11.0	03.4-18.6	32	24.2	14.8-33.6	21	15.9	08.1-23.7	44	38.7	27.3-50.1
MultiRacial/Non-Hisp.	73	51,824	8	15.7	01.4-30.0	7	9.2	01.6-16.8	23	21.5	11.1-31.9	19	33.2	17.9-48.5	16	20.4	08.6-32.2
Hispanic	309	167,539	14	5.0	01.9-08.1	29	10.7	06.0-15.4	98	35.9	28.6-43.2	71	19.4	13.9-24.9	97	29.1	22.6-35.6
18-24	207	256,897	15	7.6	03.3-11.9	42	23.4	16.5-30.3	74	31.0	24.3-37.7	41	19.6	13.1-26.1	35	18.4	11.9-24.9
25-34	480	333,450	34	7.3	04.8-09.8	76	16.7	12.6-20.8	142	29.8	24.9-34.7	115	22.2	18.1-26.3	113	24.0	19.5-28.5
35-44	596	342,340	44	9.3	06.2-12.4	67	10.7	08.0-13.4	187	30.1	26.0-34.2	160	26.3	22.2-30.4	138	23.6	19.5-27.7
45-54	755	337,477	67	9.6	07.1-12.1	77	10.4	07.3-13.5	213	27.9	24.2-31.6	212	27.5	23.6-31.4	186	24.7	21.0-28.4
55-64	949	377,497	72	7.5	05.5-09.5	65	7.3	05.1-09.5	253	28.7	25.2-32.2	269	25.5	22.4-28.6	290	31.0	27.5-34.5
65+	2059	615,539	39	1.7	01.1-02.3	57	3.1	02.1-04.1	398	20.2	18.0-22.4	599	29.6	27.1-32.1	966	45.4	42.9-47.9
Less Than H.S.	282	229,549	24	10.9	05.6-16.2	30	13.1	07.6-18.6	92	29.3	22.8-35.8	49	16.4	11.1-21.7	87	30.4	23.3-37.5
H.S. or G.E.D.	1505	729,515	101	6.8	05.2-08.4	101	9.7	07.3-12.1	376	26.8	23.9-29.7	367	24.0	21.1-26.9	560	32.7	29.8-35.6
Some Post-H.S.	1363	690,071	91	7.4	05.6-09.2	132	13.1	10.6-15.6	340	26.4	23.5-29.3	359	24.7	22.0-27.4	441	28.4	25.5-31.3
College Graduate	1879	607,582	55	3.5	02.5-04.5	121	7.0	05.6-08.4	455	26.7	24.2-29.2	618	33.0	30.5-35.5	630	29.7	27.3-32.1
Less than \$15,000	245	115,519	37	17.5	11.4-23.6	28	14.5	08.2-20.8	81	34.4	26.8-42.0	38	13.0	08.1-17.9	61	20.6	14.7-26.5
\$15,000- 24,999	495	198,615	50	10.2	06.9-13.5	50	13.0	08.1-17.9	139	32.4	26.9-37.9	100	18.4	14.1-22.7	156	26.0	21.1-30.9
\$25,000- 34,999	571	245,093	36	8.4	04.5-12.3	58	13.0	09.1-16.9	145	27.3	22.4-32.2	158	25.3	20.8-29.8	174	26.1	21.6-30.6
\$35,000- 49,999	616	285,386	42	9.6	06.3-12.9	55	12.3	08.6-16.0	131	25.4	20.9-29.9	177	23.9	19.8-28.0	211	28.8	24.3-33.3
\$50,000- 99,999	1179	545,195	45	4.1	02.7-05.5	77	9.5	07.0-12.0	283	25.3	22.2-28.4	349	28.0	24.7-31.3	425	33.1	29.6-36.6
\$100,000- 199,999	718	334,447	19	3.4	01.6-05.2	47	7.8	05.1-10.5	186	25.7	22.0-29.4	240	32.6	28.5-36.7	226	30.5	26.6-34.4
\$200,000+	170	84,599	6	3.1	00.6-05.6	6	4.4	00.3-08.5	48	28.8	20.4-37.2	64	39.4	29.6-49.2	46	24.3	16.9-31.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023**

MODULE 30: REACTIONS TO RACE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW DO OTHER PEOPLE USUALLY CLASSIFY YOU IN THIS COUNTRY? WOULD YOU SAY WHITE, BLACK OR AFRICAN AMERICAN, HISPANIC OR LATINO, ASIAN, NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER, AMERICAN INDIAN OR ALASKA NATIVE, OR SOME OTHER GROUP? (RRCLASS3)	
1 MALES AND FEMALES	160
2 MALES ONLY	161
3 FEMALES ONLY	162
HOW OFTEN DO YOU THINK ABOUT YOUR RACE? WOULD YOU SAY NEVER, ONCE A YEAR, ONCE A MONTH, ONCE A WEEK, ONCE A DAY, ONCE AN HOUR, OR CONSTANTLY? (RRCOGNT2)	
4 MALES AND FEMALES	163
5 MALES ONLY	164
6 FEMALES ONLY	165
WITHIN THE PAST 12 MONTHS, DO YOU FEEL THAT IN GENERAL YOU WERE TREATED WORSE THAN, THE SAME AS, OR BETTER THAN PEOPLE OF OTHER RACES? (RRTREAT)	
7 MALES AND FEMALES	166
8 MALES ONLY	167
9 FEMALES ONLY	168
WITHIN THE PAST 12 MONTHS AT WORK, DO YOU FEEL YOU WERE TREATED WORSE THAN, THE SAME AS, OR BETTER THAN PEOPLE OF OTHER RACES? (RRATWRK2)	
10 MALES AND FEMALES	169
11 MALES ONLY	170
12 FEMALES ONLY	171
WITHIN THE PAST 12 MONTHS WHEN SEEKING HEALTH CARE, DO YOU FEEL YOUR EXPERIENCES WERE WORSE THAN, THE SAME AS, OR BETTER THAN FOR PEOPLE OF OTHER RACES? (RRHCARE4)	
13 MALES AND FEMALES	172
14 MALES ONLY	173
15 FEMALES ONLY	174
WITHIN THE PAST 30 DAYS, HAVE YOU EXPERIENCED ANY PHYSICAL SYMPTOMS, FOR EXAMPLE, A HEADACHE, AN UPSET STOMACH, TENSING OF YOUR MUSCLES, OR A POUNDING HEART, AS A RESULT OF HOW YOU WERE TREATED BASED ON YOUR RACE? (RRPHYSM2)	
16 MALES AND FEMALES	175
17 MALES ONLY	176
18 FEMALES ONLY	177

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 30: REACTIONS TO RACE**

TABLE 1: HOW DO OTHER PEOPLE USUALLY CLASSIFY YOU IN THIS COUNTRY? WOULD YOU SAY WHITE, BLACK OR AFRICAN AMERICAN, HISPANIC OR LATINO, ASIAN, NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER, AMERICAN INDIAN OR ALASKA NATIVE, OR SOME OTHER GROUP? (RRCLASS3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			White			Black or African American			Hispanic or Latino			Asian			Native Hawaiian or Other Pacific Islander			Amer. Indian or Alaska Native, Mixed or Some Other Group		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	9061	4,290,795	7471	80.9	79.7-82.1	851	9.0	08.2-09.8	481	6.2	05.6-06.8	98	1.8	01.4-02.2	9	0.1	00.0-00.3	151	1.9	01.5-02.3	
Male	4113	2,065,646	3404	80.4	78.8-82.0	348	9.3	08.1-10.5	230	6.0	05.0-07.0	53	2.2	01.6-02.8	4	0.1	00.0-00.3	74	2.0	01.4-02.6	
Female	4948	2,225,148	4067	81.5	80.1-82.9	503	8.8	07.8-09.8	251	6.3	05.3-07.3	45	1.4	00.8-02.0	5	0.2	00.0-00.4	77	1.9	01.3-02.5	
White/Non-Hisp	7246	3,335,062	7170	98.7	98.3-99.1	14	0.2	00.0-00.4	19	0.3	00.1-00.5	3	0.1	00.1-00.1	2	0.1	00.1-00.1	38	0.7	00.5-00.9	
Black or Afr. Am./Non-Hisp	807	364,652	2	0.3	00.0-00.7	778	95.8	93.6-98.0	3	0.3	00.0-00.7	1	0.6	00.0-01.8	2	0.2	00.0-00.6	21	2.8	01.0-04.6	
Oth. Race/Non-Hisp.	207	141,836	63	30.2	22.8-37.6	7	1.7	00.1-03.3	10	6.3	02.0-10.6	84	43.8	35.8-51.8	4	1.8	00.0-03.8	39	16.2	09.9-22.5	
MultiRacial/Non-Hisp.	151	107,336	77	53.1	42.5-63.7	25	15.0	07.6-22.4	10	6.0	01.5-10.5	8	9.2	01.9-16.5	1	0.7	00.0-02.1	30	16.0	09.1-22.9	
Hispanic	552	293,888	95	17.2	13.3-21.1	16	2.3	00.9-03.7	427	78.5	74.4-82.6	1	0.1	00.0-00.3				13	1.9	00.7-03.1	
18-24	510	542,919	363	73.2	68.7-77.7	51	11.6	08.1-15.1	66	9.7	07.0-12.4	17	3.0	01.4-04.6	2	0.4	00.0-01.0	11	2.2	00.8-03.6	
25-34	900	659,851	633	73.1	69.8-76.4	96	10.1	07.7-12.5	118	10.6	08.2-13.0	32	3.5	02.1-04.9				21	2.7	01.3-04.1	
35-44	1131	661,934	847	76.0	73.1-78.9	137	9.6	07.6-11.6	101	9.4	07.2-11.6	17	2.3	01.1-03.5	3	0.3	00.0-00.7	26	2.5	01.3-03.7	
45-54	1358	644,384	1051	79.4	76.9-81.9	169	10.2	08.2-12.2	95	6.6	05.0-08.2	17	2.2	01.0-03.4	2	0.1	00.0-00.3	24	1.5	00.7-02.3	
55-64	1678	714,393	1412	85.2	83.0-87.4	161	8.0	06.4-09.6	53	3.0	01.8-04.2	8	0.8	00.0-01.6	2	0.2	00.0-00.6	42	2.7	01.7-03.7	
65+	3484	1,067,312	3165	90.9	89.7-92.1	237	6.6	05.6-07.6	48	1.5	00.9-02.1	7	0.2	00.0-00.4				27	0.7	00.3-01.1	
Less Than H.S.	496	429,136	312	64.6	59.5-69.7	45	8.1	05.2-11.0	126	24.2	19.7-28.7	1	0.5	00.0-01.5				12	2.7	00.9-04.5	
H.S. or G.E.D.	2778	1,462,394	2295	81.9	79.9-83.9	253	9.2	07.8-10.6	174	6.2	05.0-07.4	12	0.9	00.3-01.5	3	0.1	00.0-00.3	41	1.8	01.0-02.6	
Some Post-H.S.	2322	1,268,766	1913	82.7	80.7-84.7	273	10.5	08.9-12.1	70	3.2	02.2-04.2	14	1.2	00.6-01.8	4	0.3	00.1-00.5	48	2.1	01.3-02.9	
College Graduate	3447	1,124,230	2939	84.1	82.5-85.7	276	7.4	06.4-08.4	110	2.7	02.1-03.3	70	4.1	03.1-05.1	2	0.1	00.0-00.3	50	1.7	01.1-02.3	
Less than \$15,000	377	178,873	253	63.0	56.5-69.5	56	13.2	08.7-17.7	49	16.9	12.0-21.8	1	0.4	00.0-01.2				18	6.5	02.8-10.2	
\$15,000- 24,999	779	324,710	571	70.5	66.2-74.8	111	14.8	11.3-18.3	77	12.2	09.1-15.3	8	1.0	00.2-01.8	1	0.1	00.0-00.3	11	1.3	00.5-02.1	
\$25,000- 34,999	961	447,228	752	75.7	72.0-79.4	102	10.4	07.7-13.1	74	9.5	06.8-12.2	7	1.4	00.2-02.6	1	0.2	00.0-00.6	25	2.9	01.3-04.5	
\$35,000- 49,999	1042	484,935	849	79.8	76.5-83.1	108	10.2	07.7-12.7	59	7.1	04.7-09.5	8	1.0	00.2-01.8	4	0.6	00.0-01.2	14	1.3	00.5-02.1	
\$50,000- 99,999	2333	1,140,833	1998	85.4	83.4-87.4	208	7.7	06.3-09.1	79	4.1	02.9-05.3	19	1.4	00.6-02.2	1	0.1	00.0-00.3	28	1.4	00.6-02.2	
\$100,000- 199,999	1546	764,705	1367	87.5	85.3-89.7	92	5.3	03.9-06.7	42	2.7	01.7-03.7	21	2.3	01.1-03.5				24	2.2	01.2-03.2	
\$200,000+	387	184,398	340	84.2	79.3-89.1	23	6.4	03.5-09.3	5	0.9	00.0-01.9	11	6.0	02.5-09.5				8	2.5	00.3-04.7	

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 30: REACTIONS TO RACE**

TABLE 2: HOW DO OTHER PEOPLE USUALLY CLASSIFY YOU IN THIS COUNTRY? WOULD YOU SAY WHITE, BLACK OR AFRICAN AMERICAN, HISPANIC OR LATINO, ASIAN, NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER, AMERICAN INDIAN OR ALASKA NATIVE, OR SOME OTHER GROUP? (RRCLASS3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Hispanic or Latino			Asian			Native Hawaiian or Other Pacific Islander			Amer. Indian or Alaska Native, Mixed or Some Other Group		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4113	2,065,646	3404	80.4	78.8-82.0	348	9.3	08.1-10.5	230	6.0	05.0-07.0	53	2.2	01.6-02.8	4	0.1	00.0-00.3	74	2.0	01.4-02.6
White/Non-Hisp	3305	1,598,305	3263	98.4	97.8-99.0	10	0.3	00.1-00.5	11	0.4	00.0-00.8	2	0.1	00.0-00.3				19	0.8	00.4-01.2
Black or Afr. Am./Non-Hisp	322	171,969				313	97.7	95.9-99.5	1	0.2	00.0-00.6				1	0.3	00.0-00.9	7	1.9	00.1-03.7
Oth. Race/Non-Hisp.	103	77,472	26	25.2	15.6-34.8	2	2.0	00.0-04.7	6	7.3	00.8-13.8	46	49.3	38.1-60.5	2	1.6	00.0-03.8	21	14.6	07.3-21.9
MultiRacial/Non-Hisp.	80	57,169	45	55.9	41.6-70.2	12	15.0	04.0-26.0	2	3.8	00.0-09.3	4	8.1	00.0-16.5	1	1.2	00.0-03.6	16	15.9	06.1-25.7
Hispanic	251	130,620	38	15.2	09.7-20.7	7	3.0	00.5-05.5	201	79.9	73.8-86.0							5	1.9	00.0-03.9
18-24	302	283,675	209	68.8	62.5-75.1	32	15.3	09.8-20.8	41	10.1	06.6-13.6	15	4.3	02.1-06.5				5	1.6	00.0-03.2
25-34	429	333,741	319	76.9	72.2-81.6	38	9.3	06.0-12.6	47	8.2	05.3-11.1	14	3.0	01.2-04.8				11	2.5	00.7-04.3
35-44	542	324,524	412	75.9	71.4-80.4	58	8.9	06.0-11.8	51	10.0	06.9-13.1	8	2.3	00.3-04.3	2	0.4	00.0-01.0	11	2.5	00.7-04.3
45-54	622	313,877	477	77.7	73.8-81.6	79	11.1	08.4-13.8	39	5.9	03.7-08.1	12	3.7	01.3-06.1	1	0.1	00.0-00.3	14	1.6	00.6-02.6
55-64	751	344,827	642	85.3	82.2-88.4	58	7.7	05.3-10.1	26	2.5	01.1-03.9	3	1.0	00.0-02.2	1	0.2	00.0-00.6	21	3.4	01.6-05.2
65+	1467	465,003	1345	91.3	89.5-93.1	83	5.7	04.1-07.3	26	2.0	01.0-03.0	1	0.0	00.0-00.0				12	0.9	00.3-01.5
Less Than H.S.	222	206,668	135	64.3	57.0-71.6	23	9.8	05.1-14.5	55	20.7	14.8-26.6	1	1.0	00.0-03.0				8	4.2	01.1-07.3
H.S. or G.E.D.	1299	743,864	1052	80.0	77.3-82.7	130	10.7	08.3-13.1	86	6.4	04.8-08.0	8	1.0	00.2-01.8	2	0.2	00.0-00.4	21	1.8	01.0-02.6
Some Post-H.S.	989	588,661	828	82.1	79.0-85.2	95	10.2	07.7-12.7	30	3.3	01.9-04.7	9	1.8	00.6-03.0	1	0.1	00.0-00.3	26	2.4	01.2-03.6
College Graduate	1596	524,463	1386	85.5	83.1-87.9	98	5.8	04.4-07.2	58	2.8	02.0-03.6	34	4.7	02.9-06.5	1	0.1	00.0-00.3	19	1.1	00.5-01.7
Less than \$15,000	139	67,721	93	61.5	50.9-72.1	14	8.5	03.2-13.8	18	17.0	08.8-25.2	1	1.1	00.0-03.3				13	12.0	04.0-20.0
\$15,000- 24,999	296	131,789	212	68.8	61.9-75.7	37	14.2	08.3-20.1	40	14.5	09.6-19.4	2	0.7	00.0-01.7				5	1.8	00.2-03.4
\$25,000- 34,999	401	206,471	308	73.7	68.0-79.4	38	10.2	05.9-14.5	38	11.2	06.9-15.5	3	1.4	00.0-03.0				14	3.5	01.3-05.7
\$35,000- 49,999	435	205,530	353	78.8	73.5-84.1	44	11.7	07.2-16.2	26	6.5	03.2-09.8	4	0.9	00.0-01.9	2	0.6	00.0-01.4	6	1.5	00.3-02.7
\$50,000- 99,999	1164	598,370	1008	85.6	83.1-88.1	92	7.9	05.9-09.9	43	4.1	02.5-05.7	11	1.6	00.4-02.8				10	0.8	00.2-01.4
\$100,000- 199,999	832	430,416	735	86.5	83.4-89.6	43	4.5	02.7-06.3	27	3.5	01.7-05.3	14	3.2	01.2-05.2				13	2.3	00.7-03.9
\$200,000+	217	100,121	191	83.9	77.0-90.8	14	7.3	03.0-11.6	3	1.0	00.0-02.4	6	7.2	01.5-12.9				3	0.6	00.0-01.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 30: REACTIONS TO RACE**

TABLE 3: HOW DO OTHER PEOPLE USUALLY CLASSIFY YOU IN THIS COUNTRY? WOULD YOU SAY WHITE, BLACK OR AFRICAN AMERICAN, HISPANIC OR LATINO, ASIAN, NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER, AMERICAN INDIAN OR ALASKA NATIVE, OR SOME OTHER GROUP? (RRCLASS3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Hispanic or Latino			Asian			Native Hawaiian or Other Pacific Islander			Amer. Indian or Alaska Native, Mixed or Some Other Group		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4948	2,225,148	4067	81.5	80.1-82.9	503	8.8	07.8-09.8	251	6.3	05.3-07.3	45	1.4	00.8-02.0	5	0.2	00.0-00.4	77	1.9	01.3-02.5
White/Non-Hisp	3941	1,736,757	3907	99.0	98.6-99.4	4	0.0	00.0-00.0	8	0.3	00.1-00.5	1	0.0	00.0-00.0	2	0.1	00.0-00.3	19	0.6	00.2-01.0
Black or Afr. Am./Non-Hisp	485	192,683	2	0.5	00.0-01.3	465	94.0	90.5-97.5	2	0.5	00.0-01.3	1	1.1	00.0-03.3	1	0.2	00.0-00.6	14	3.7	01.0-06.4
Oth. Race/Non-Hisp.	104	64,364	37	36.1	24.7-47.5	5	1.5	00.0-03.1	4	5.0	00.0-10.9	38	37.3	25.9-48.7	2	2.2	00.0-05.3	18	18.0	07.4-28.6
MultiRacial/Non-Hisp.	71	50,168	32	50.0	34.1-65.9	13	15.1	04.9-25.3	8	8.4	01.0-15.8	4	10.3	00.0-22.6				14	16.1	06.7-25.5
Hispanic	301	163,268	57	18.8	13.3-24.3	9	1.7	00.3-03.1	226	77.4	71.7-83.1	1	0.2	00.0-00.6				8	1.9	00.3-03.5
18-24	208	259,244	154	78.0	71.7-84.3	19	7.5	03.6-11.4	25	9.3	05.2-13.4	2	1.6	00.0-04.1	2	0.8	00.0-02.0	6	2.8	00.3-05.3
25-34	471	326,110	314	69.2	64.3-74.1	58	10.8	07.7-13.9	71	13.1	09.4-16.8	18	4.0	01.8-06.2				10	2.9	00.7-05.1
35-44	589	337,410	435	76.0	71.9-80.1	79	10.2	07.7-12.7	50	8.8	05.9-11.7	9	2.2	00.6-03.8	1	0.1	00.0-00.3	15	2.6	01.0-04.2
45-54	736	330,507	574	81.0	77.7-84.3	90	9.4	06.9-11.9	56	7.2	04.8-09.6	5	0.8	00.0-01.6	1	0.1	00.0-00.3	10	1.4	00.4-02.4
55-64	927	369,567	770	85.2	82.3-88.1	103	8.4	06.2-10.6	27	3.6	01.8-05.4	5	0.7	00.0-01.5	1	0.2	00.0-00.6	21	2.0	01.0-03.0
65+	2017	602,310	1820	90.6	89.0-92.2	154	7.3	05.9-08.7	22	1.1	00.3-01.9	6	0.3	00.0-00.7				15	0.6	00.2-01.0
Less Than H.S.	274	222,468	177	64.8	57.7-71.9	22	6.5	03.2-09.8	71	27.4	20.9-33.9							4	1.3	00.0-03.1
H.S. or G.E.D.	1479	718,530	1243	83.9	81.4-86.4	123	7.6	06.0-09.2	88	6.0	04.4-07.6	4	0.8	00.0-01.8	1	0.1	00.0-00.3	20	1.7	00.5-02.9
Some Post-H.S.	1333	680,106	1085	83.2	80.7-85.7	178	10.8	08.6-13.0	40	3.1	01.7-04.5	5	0.6	00.0-01.2	3	0.4	00.0-01.0	22	1.8	00.8-02.8
College Graduate	1851	599,767	1553	82.8	80.6-85.0	178	8.7	07.1-10.3	52	2.6	01.6-03.6	36	3.6	02.2-05.0	1	0.1	00.0-00.3	31	2.2	01.4-03.0
Less than \$15,000	238	111,153	160	63.9	55.9-71.9	42	16.1	09.6-22.6	31	16.8	10.5-23.1							5	3.1	00.0-06.6
\$15,000- 24,999	483	192,921	359	71.6	65.9-77.3	74	15.3	10.8-19.8	37	10.7	06.6-14.8	6	1.3	00.1-02.5	1	0.2	00.0-00.6	6	1.0	00.2-01.8
\$25,000- 34,999	560	240,758	444	77.3	72.2-82.4	64	10.6	07.3-13.9	36	7.9	04.2-11.6	4	1.4	00.0-03.0	1	0.4	00.0-01.2	11	2.4	00.2-04.6
\$35,000- 49,999	607	279,405	496	80.6	76.3-84.9	64	9.1	06.2-12.0	33	7.5	04.4-10.6	4	1.1	00.0-02.3	2	0.6	00.0-01.4	8	1.1	00.1-02.1
\$50,000- 99,999	1169	542,463	990	85.1	82.2-88.0	116	7.4	05.6-09.2	36	4.0	02.2-05.8	8	1.2	00.0-02.4	1	0.2	00.0-00.6	18	2.1	00.7-03.5
\$100,000- 199,999	714	334,290	632	88.8	85.9-91.7	49	6.3	03.9-08.7	15	1.7	00.7-02.7	7	1.2	00.0-02.4				11	2.0	00.8-03.2
\$200,000+	170	84,277	149	84.7	77.8-91.6	9	5.4	01.3-09.5	2	0.7	00.0-01.9	5	4.5	00.6-08.4				5	4.8	00.3-09.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 30: REACTIONS TO RACE**

**TABLE 4: HOW OFTEN DO YOU THINK ABOUT YOUR RACE? WOULD YOU SAY NEVER, ONCE A YEAR, ONCE A MONTH, ONCE A WEEK, ONCE A DAY, ONCE AN HOUR, OR CONSTANTLY?
(RRCOGNT2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once a Year			Once a Month			Once a Week			Once a Day			Once an Hour, Constantly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8965	4,246,517	5754	62.7	61.3-64.1	746	8.7	07.9-09.5	889	10.4	09.6-11.2	674	7.7	06.9-08.5	461	5.1	04.5-05.7	441	5.4	04.8-06.0
Male	4083	2,046,735	2609	63.0	61.2-64.8	354	9.2	08.0-10.4	375	9.3	08.3-10.3	313	7.6	06.6-08.6	213	5.1	04.3-05.9	219	5.9	04.9-06.9
Female	4882	2,199,782	3145	62.4	60.6-64.2	392	8.2	07.2-09.2	514	11.5	10.3-12.7	361	7.9	06.9-08.9	248	5.1	04.3-05.9	222	4.9	04.1-05.7
White/Non-Hisp	7143	3,284,540	4951	68.3	66.9-69.7	597	8.7	07.7-09.7	717	10.6	09.6-11.6	522	7.4	06.6-08.2	269	3.7	03.1-04.3	87	1.4	01.0-01.8
Black or Afr. Am./Non-Hisp	775	359,282	316	40.6	35.9-45.3	48	6.3	03.9-08.7	51	7.0	04.5-09.5	51	7.9	05.0-10.8	110	13.1	10.2-16.0	199	25.2	21.1-29.3
Oth. Race/Non-Hisp.	214	143,172	101	44.6	36.6-52.6	16	8.0	03.7-12.3	36	14.7	09.4-20.0	15	8.9	03.8-14.0	19	10.7	05.0-16.4	27	13.1	07.6-18.6
MultiRacial/Non-Hisp.	148	106,429	68	46.0	35.2-56.8	15	12.8	05.7-19.9	14	9.9	03.0-16.8	22	12.5	06.0-19.0	18	12.6	05.3-19.9	11	6.1	02.2-10.0
Hispanic	548	290,169	221	39.5	34.2-44.8	64	11.7	08.4-15.0	56	11.6	07.9-15.3	58	9.2	06.3-12.1	41	6.7	04.2-09.2	108	21.3	16.8-25.8
18-24	506	534,058	247	50.7	45.6-55.8	59	12.6	09.1-16.1	83	15.6	12.1-19.1	57	10.5	07.6-13.4	31	5.8	03.3-08.3	29	4.7	02.7-06.7
25-34	880	642,983	391	49.1	45.2-53.0	83	9.1	06.9-11.3	144	14.9	12.4-17.4	124	12.2	09.8-14.6	69	6.8	05.0-08.6	69	7.9	05.7-10.1
35-44	1125	657,597	622	58.5	55.2-61.8	95	9.2	07.0-11.4	136	11.1	09.1-13.1	109	8.2	06.4-10.0	83	6.0	04.4-07.6	80	6.9	05.1-08.7
45-54	1348	640,276	788	60.3	57.2-63.4	117	8.1	06.5-09.7	146	9.9	08.1-11.7	116	8.6	06.8-10.4	83	5.5	04.1-06.9	98	7.6	05.8-09.4
55-64	1671	712,454	1100	68.0	65.5-70.5	141	7.9	06.3-09.5	160	8.9	07.3-10.5	114	6.3	04.9-07.7	83	4.6	03.4-05.8	73	4.3	03.1-05.5
65+	3435	1,059,151	2606	77.4	75.6-79.2	251	7.1	06.1-08.1	220	6.1	05.1-07.1	154	3.7	03.1-04.3	112	3.2	02.4-04.0	92	2.5	01.9-03.1
Less Than H.S.	490	424,453	320	62.5	57.2-67.8	34	8.8	05.1-12.5	24	5.3	02.9-07.7	17	3.4	01.6-05.2	22	5.6	02.9-08.3	73	14.4	10.9-17.9
H.S. or G.E.D.	2735	1,439,266	2056	71.3	69.1-73.5	183	7.7	06.3-09.1	173	7.9	06.5-09.3	104	4.6	03.6-05.6	85	3.7	02.7-04.7	134	4.8	03.8-05.8
Some Post-H.S.	2303	1,256,493	1539	64.7	62.3-67.1	193	8.5	07.1-09.9	204	9.5	08.1-10.9	151	8.4	06.8-10.0	103	4.1	03.1-05.1	113	4.8	03.8-05.8
College Graduate	3410	1,117,579	1817	49.1	47.1-51.1	336	10.4	09.0-11.8	488	16.7	15.1-18.3	401	12.7	11.3-14.1	249	7.8	06.6-09.0	119	3.3	02.5-04.1
Less than \$15,000	375	179,770	248	61.6	55.3-67.9	29	7.9	04.4-11.4	28	6.8	03.9-09.7	13	5.2	02.1-08.3	18	5.2	02.3-08.1	39	13.4	08.5-18.3
\$15,000- 24,999	769	322,270	526	67.7	63.4-72.0	65	7.4	05.2-09.6	45	6.0	03.8-08.2	35	5.3	03.3-07.3	34	4.2	02.6-05.8	64	9.4	06.7-12.1
\$25,000- 34,999	950	443,042	672	67.3	63.2-71.4	62	7.1	04.9-09.3	73	7.9	05.5-10.3	41	4.3	02.5-06.1	41	5.6	03.2-08.0	61	7.8	05.4-10.2
\$35,000- 49,999	1034	484,113	702	66.1	62.4-69.8	91	7.8	05.6-10.0	86	9.5	07.1-11.9	57	5.7	03.7-07.7	49	5.4	03.6-07.2	49	5.5	03.5-07.5
\$50,000- 99,999	2305	1,123,937	1416	61.7	59.2-64.2	213	9.8	08.0-11.6	259	11.4	09.8-13.0	191	8.2	06.8-09.6	124	4.7	03.5-05.9	102	4.2	03.2-05.2
\$100,000- 199,999	1529	752,963	850	54.8	51.9-57.7	133	9.9	07.9-11.9	214	14.1	12.1-16.1	185	12.2	10.2-14.2	109	6.4	05.0-07.8	38	2.5	01.5-03.5
\$200,000+	385	183,831	204	50.5	44.4-56.6	34	9.7	06.2-13.2	65	20.3	14.6-26.0	49	10.9	07.6-14.2	21	5.6	02.9-08.3	12	2.9	00.9-04.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 30: REACTIONS TO RACE**

**TABLE 5: HOW OFTEN DO YOU THINK ABOUT YOUR RACE? WOULD YOU SAY NEVER, ONCE A YEAR, ONCE A MONTH, ONCE A WEEK, ONCE A DAY, ONCE AN HOUR, OR CONSTANTLY?
(RRCOGNT2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once a Year			Once a Month			Once a Week			Once a Day			Once an Hour, Constantly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4083	2,046,735	2609	63.0	61.2-64.8	354	9.2	08.0-10.4	375	9.3	08.3-10.3	313	7.6	06.6-08.6	213	5.1	04.3-05.9	219	5.9	04.9-06.9
White/Non-Hisp	3263	1,572,018	2278	70.0	68.0-72.0	280	8.8	07.4-10.2	303	9.2	08.0-10.4	239	7.1	06.1-08.1	124	3.5	02.7-04.3	39	1.4	00.8-02.0
Black or Afr. Am./Non-Hisp	307	167,612	102	36.1	28.7-43.5	19	7.1	03.2-11.0	19	7.0	03.1-10.9	23	9.2	04.3-14.1	53	14.6	09.9-19.3	91	25.9	19.8-32.0
Oth. Race/Non-Hisp.	107	79,849	47	39.7	29.1-50.3	9	10.1	03.4-16.8	17	14.9	07.3-22.5	7	8.6	01.5-15.7	9	9.3	02.0-16.6	18	17.4	09.0-25.8
MultiRacial/Non-Hisp.	81	57,696	35	40.6	26.7-54.5	10	17.0	06.0-28.0	7	7.3	01.4-13.2	14	12.6	05.0-20.2	8	14.1	02.3-25.9	7	8.5	02.0-15.0
Hispanic	250	129,962	94	35.1	27.7-42.5	33	14.2	08.7-19.7	22	10.8	05.1-16.5	26	10.0	05.5-14.5	17	5.7	02.4-09.0	58	24.1	17.6-30.6
18-24	300	278,945	156	54.1	47.6-60.6	39	14.4	09.5-19.3	38	11.1	07.4-14.8	30	9.5	05.8-13.2	17	5.3	02.2-08.4	20	5.6	03.1-08.1
25-34	409	316,365	197	53.2	47.5-58.9	34	8.7	05.4-12.0	58	13.0	09.5-16.5	60	12.6	09.1-16.1	26	4.8	02.6-07.0	34	7.6	04.7-10.5
35-44	544	328,291	317	61.3	56.4-66.2	39	8.9	05.8-12.0	65	10.0	07.5-12.5	47	7.0	04.6-09.4	31	4.6	02.4-06.8	45	8.2	05.5-10.9
45-54	619	312,304	350	58.7	54.2-63.2	63	9.9	07.2-12.6	69	9.7	07.2-12.2	49	7.6	05.2-10.0	43	6.9	04.4-09.4	45	7.2	04.7-09.7
55-64	752	346,643	509	68.9	65.0-72.8	63	7.2	05.2-09.2	61	7.7	05.5-09.9	51	6.3	04.3-08.3	33	4.3	02.5-06.1	35	5.5	03.3-07.7
65+	1459	464,187	1080	74.5	71.8-77.2	116	7.7	05.9-09.5	84	5.9	04.3-07.5	76	4.5	03.3-05.7	63	4.7	03.3-06.1	40	2.6	01.6-03.6
Less Than H.S.	219	205,285	133	58.8	51.0-66.6	19	11.7	05.6-17.8	9	5.1	01.6-08.6	9	3.8	01.3-06.3	10	5.3	01.4-09.2	39	15.2	09.9-20.5
H.S. or G.E.D.	1277	729,716	913	69.3	66.2-72.4	93	8.4	06.4-10.4	78	6.6	05.0-08.2	59	5.0	03.6-06.4	56	4.5	03.1-05.9	78	6.2	04.6-07.8
Some Post-H.S.	985	582,861	647	64.8	61.3-68.3	90	9.4	07.2-11.6	83	8.7	06.7-10.7	68	8.4	06.0-10.8	46	4.1	02.7-05.5	51	4.6	03.2-06.0
College Graduate	1588	524,483	903	53.4	50.5-56.3	152	9.2	07.6-10.8	205	15.3	13.1-17.5	177	11.9	09.9-13.9	101	6.9	05.3-08.5	50	3.3	02.1-04.5
Less than \$15,000	139	66,354	80	52.8	42.2-63.4	14	12.2	04.8-19.6	12	7.0	02.3-11.7	6	5.4	00.7-10.1	7	4.2	00.9-07.5	20	18.4	09.2-27.6
\$15,000- 24,999	290	128,923	185	66.5	60.0-73.0	26	8.4	04.5-12.3	13	3.9	01.2-06.6	17	5.5	02.8-08.2	18	5.4	02.7-08.1	31	10.3	06.2-14.4
\$25,000- 34,999	397	206,411	277	66.4	60.3-72.5	29	7.9	04.2-11.6	27	7.0	03.7-10.3	17	4.8	01.7-07.9	17	5.0	02.3-07.7	30	8.9	05.2-12.6
\$35,000- 49,999	430	206,711	291	66.3	60.6-72.0	36	8.2	04.9-11.5	35	8.9	05.6-12.2	23	5.2	02.7-07.7	19	4.9	02.4-07.4	26	6.5	03.4-09.6
\$50,000- 99,999	1150	587,224	735	64.2	60.7-67.7	112	10.4	07.9-12.9	105	8.4	06.6-10.2	86	7.1	05.3-08.9	60	4.8	03.2-06.4	52	5.1	03.5-06.7
\$100,000- 199,999	826	423,787	485	58.5	54.4-62.6	73	10.1	07.2-13.0	102	12.5	10.0-15.0	96	10.9	08.5-13.3	51	5.8	03.8-07.8	19	2.2	01.0-03.4
\$200,000+	216	100,669	125	53.8	46.0-61.6	17	10.0	04.9-15.1	34	17.3	11.2-23.4	24	11.2	06.3-16.1	8	4.0	00.7-07.3	8	3.6	00.7-06.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 30: REACTIONS TO RACE**

**TABLE 6: HOW OFTEN DO YOU THINK ABOUT YOUR RACE? WOULD YOU SAY NEVER, ONCE A YEAR, ONCE A MONTH, ONCE A WEEK, ONCE A DAY, ONCE AN HOUR, OR CONSTANTLY?
(RRCOGNT2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once a Year			Once a Month			Once a Week			Once a Day			Once an Hour, Constantly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4882	2,199,782	3145	62.4	60.6-64.2	392	8.2	07.2-09.2	514	11.5	10.3-12.7	361	7.9	06.9-08.9	248	5.1	04.3-05.9	222	4.9	04.1-05.7
White/Non-Hisp	3880	1,712,522	2673	66.8	64.8-68.8	317	8.5	07.3-09.7	414	11.9	10.5-13.3	283	7.7	06.7-08.7	145	3.7	02.9-04.5	48	1.3	00.9-01.7
Black or Afr. Am./Non-Hisp	468	191,670	214	44.4	38.3-50.5	29	5.6	02.9-08.3	32	6.9	03.8-10.0	28	6.7	03.6-09.8	57	11.7	07.8-15.6	108	24.6	19.1-30.1
Oth. Race/Non-Hisp.	107	63,323	54	50.9	38.9-62.9	7	5.4	00.3-10.5	19	14.4	07.1-21.7	8	9.2	01.9-16.5	10	12.5	03.7-21.3	9	7.6	01.3-13.9
MultiRacial/Non-Hisp.	67	48,732	33	52.4	36.1-68.7	5	7.8	00.4-15.2	7	13.1	00.2-26.0	8	12.4	01.4-23.4	10	10.9	03.5-18.3	4	3.4	00.0-07.3
Hispanic	298	160,207	127	43.0	35.6-50.4	31	9.7	05.6-13.8	34	12.2	07.1-17.3	32	8.6	05.1-12.1	24	7.5	04.0-11.0	50	19.0	12.9-25.1
18-24	206	255,113	91	47.0	39.2-54.8	20	10.7	05.6-15.8	45	20.5	14.2-26.8	27	11.7	07.2-16.2	14	6.5	02.4-10.6	9	3.7	00.8-06.6
25-34	471	326,618	194	45.1	39.8-50.4	49	9.6	06.7-12.5	86	16.7	13.0-20.4	64	11.8	08.5-15.1	43	8.7	05.8-11.6	35	8.1	05.0-11.2
35-44	581	329,305	305	55.8	51.1-60.5	56	9.5	06.8-12.2	71	12.1	09.2-15.0	62	9.4	06.9-11.9	52	7.4	05.0-09.8	35	5.7	03.3-08.1
45-54	729	327,971	438	61.7	57.6-65.8	54	6.5	04.5-08.5	77	10.1	07.7-12.5	67	9.6	07.1-12.1	40	4.2	02.6-05.8	53	7.9	05.4-10.4
55-64	919	365,811	591	67.1	63.6-70.6	78	8.5	06.1-10.9	99	10.1	07.7-12.5	63	6.4	04.6-08.2	50	4.8	03.2-06.4	38	3.1	01.9-04.3
65+	1976	594,964	1526	79.6	77.4-81.8	135	6.6	05.2-08.0	136	6.2	04.8-07.6	78	3.1	02.3-03.9	49	2.0	01.2-02.8	52	2.5	01.7-03.3
Less Than H.S.	271	219,168	187	65.9	58.6-73.2	15	6.1	02.0-10.2	15	5.5	02.2-08.8	8	3.1	00.9-05.3	12	5.8	01.9-09.7	34	13.6	08.7-18.5
H.S. or G.E.D.	1458	709,550	1143	73.4	70.3-76.5	90	6.9	05.1-08.7	95	9.3	06.9-11.7	45	4.1	02.5-05.7	29	2.8	01.4-04.2	56	3.4	02.2-04.6
Some Post-H.S.	1318	673,632	892	64.7	61.6-67.8	103	7.6	05.8-09.4	121	10.2	08.2-12.2	83	8.5	06.3-10.7	57	4.1	02.7-05.5	62	4.9	03.3-06.5
College Graduate	1822	593,095	914	45.2	42.5-47.9	184	11.4	09.4-13.4	283	18.0	15.8-20.2	224	13.4	11.4-15.4	148	8.6	07.0-10.2	69	3.4	02.4-04.4
Less than \$15,000	236	113,416	168	66.8	59.0-74.6	15	5.3	01.8-08.8	16	6.6	02.7-10.5	7	5.1	01.2-09.0	11	5.8	01.7-09.9	19	10.4	04.9-15.9
\$15,000- 24,999	479	193,346	341	68.6	62.9-74.3	39	6.8	04.1-09.5	32	7.3	04.2-10.4	18	5.2	02.5-07.9	16	3.3	01.1-05.5	33	8.8	04.9-12.7
\$25,000- 34,999	553	236,631	395	68.0	62.5-73.5	33	6.4	03.9-08.9	46	8.8	05.5-12.1	24	3.9	02.1-05.7	24	6.1	02.4-09.8	31	6.8	03.7-09.9
\$35,000- 49,999	604	277,402	411	65.9	60.8-71.0	55	7.5	05.0-10.0	51	10.0	06.7-13.3	34	6.2	03.5-08.9	30	5.7	03.2-08.2	23	4.8	02.4-07.2
\$50,000- 99,999	1155	536,713	681	59.0	55.3-62.7	101	9.2	06.8-11.6	154	14.8	12.1-17.5	105	9.4	07.2-11.6	64	4.5	02.9-06.1	50	3.1	02.1-04.1
\$100,000- 199,999	703	329,175	365	50.1	45.6-54.6	60	9.7	06.8-12.6	112	16.2	13.1-19.3	89	13.8	10.5-17.1	58	7.2	05.0-09.4	19	3.0	01.4-04.6
\$200,000+	169	83,162	79	46.5	36.9-56.1	17	9.4	04.5-14.3	31	23.8	13.6-34.0	25	10.6	06.1-15.1	13	7.6	02.9-12.3	4	2.1	00.0-04.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 30: REACTIONS TO RACE**

TABLE 7: WITHIN THE PAST 12 MONTHS, DO YOU FEEL THAT IN GENERAL YOU WERE TREATED WORSE THAN, THE SAME AS, OR BETTER THAN PEOPLE OF OTHER RACES? (RRTREAT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8312	3,982,843	493	6.1	05.5-06.7	5946	72.9	71.7-74.1	1787	19.9	18.9-20.9	65	0.8	00.6-01.0	21	0.2	00.0-00.4
Male	3776	1,916,845	228	6.1	05.1-07.1	2818	76.4	74.8-78.0	687	16.4	15.0-17.8	35	1.0	00.6-01.4	8	0.1	00.0-00.3
Female	4536	2,065,998	265	6.1	05.1-07.1	3128	69.8	68.0-71.6	1100	23.2	21.6-24.8	30	0.6	00.4-00.8	13	0.3	00.1-00.5
White/Non-Hisp	6635	3,080,239	190	3.2	02.6-03.8	4775	73.1	71.7-74.5	1630	23.1	21.9-24.3	24	0.3	00.1-00.5	16	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	715	335,041	218	29.2	24.9-33.5	434	62.6	57.9-67.3	34	4.9	02.5-07.3	26	3.1	01.7-04.5	3	0.2	00.0-00.4
Oth. Race/Non-Hisp.	200	138,742	20	9.5	04.6-14.4	157	78.2	71.1-85.3	21	11.6	06.1-17.1	2	0.7	00.0-01.7			
MultiRacial/Non-Hisp.	140	103,730	18	13.9	06.1-21.7	105	77.6	68.6-86.6	12	6.1	00.8-11.4	4	2.2	00.0-04.6	1	0.2	00.0-00.6
Hispanic	522	280,772	38	5.7	03.3-08.1	403	77.8	73.3-82.3	73	13.8	10.1-17.5	8	2.7	00.5-04.9			
18-24	487	520,003	33	7.1	04.6-09.6	353	73.6	69.3-77.9	97	18.7	14.8-22.6	4	0.6	00.0-01.2			
25-34	847	626,501	73	7.8	05.6-10.0	529	65.3	61.6-69.0	232	24.8	21.5-28.1	10	1.4	00.4-02.4	3	0.6	00.0-01.4
35-44	1053	622,807	86	6.9	05.1-08.7	688	70.4	67.3-73.5	269	22.0	19.3-24.7	9	0.7	00.1-01.3	1	0.1	00.0-00.3
45-54	1258	598,199	89	6.7	04.9-08.5	880	72.4	69.7-75.1	280	20.2	17.7-22.7	8	0.6	00.2-01.0	1	0.1	00.0-00.3
55-64	1552	657,882	108	6.3	04.9-07.7	1149	76.0	73.5-78.5	274	16.5	14.3-18.7	20	1.2	00.6-01.8	1	0.1	00.0-00.3
65+	3115	957,450	104	3.4	02.6-04.2	2347	77.5	75.7-79.3	635	18.4	16.8-20.0	14	0.4	00.2-00.6	15	0.4	00.2-00.6
Less Than H.S.	454	400,658	30	7.0	04.1-09.9	362	80.2	75.9-84.5	59	11.8	08.5-15.1	2	0.9	00.0-02.1	1	0.2	00.0-00.6
H.S. or G.E.D.	2503	1,339,995	133	5.9	04.7-07.1	2049	80.4	78.4-82.4	293	12.6	11.0-14.2	20	0.7	00.3-01.1	8	0.4	00.0-00.8
Some Post-H.S.	2123	1,177,428	147	6.6	05.2-08.0	1548	72.9	70.5-75.3	401	19.4	17.4-21.4	20	1.0	00.4-01.6	7	0.1	00.1-00.1
College Graduate	3214	1,059,271	180	5.4	04.4-06.4	1976	60.9	58.9-62.9	1031	32.9	30.9-34.9	22	0.7	00.3-01.1	5	0.1	00.0-00.3
Less than \$15,000	340	166,518	39	13.0	08.3-17.7	240	68.9	62.6-75.2	54	16.2	11.3-21.1	5	1.4	00.0-03.2	2	0.6	00.0-01.4
\$15,000- 24,999	712	300,851	66	8.7	06.2-11.2	547	77.7	74.0-81.4	86	12.3	09.4-15.2	9	1.0	00.4-01.6	4	0.3	00.0-00.7
\$25,000- 34,999	861	407,912	57	7.2	05.0-09.4	671	78.1	74.6-81.6	126	13.6	10.7-16.5	6	1.1	00.0-02.3	1	0.0	00.0-00.0
\$35,000- 49,999	956	448,258	59	6.2	04.2-08.2	704	74.5	71.0-78.0	177	17.4	14.3-20.5	10	1.1	00.3-01.9	6	0.8	00.0-01.8
\$50,000- 99,999	2185	1,074,292	117	5.0	03.8-06.2	1522	72.5	70.1-74.9	527	21.6	19.4-23.8	16	0.8	00.4-01.2	3	0.1	00.0-00.3
\$100,000- 199,999	1470	730,012	71	4.9	03.5-06.3	922	65.7	62.8-68.6	467	28.9	26.2-31.6	9	0.4	00.2-00.6	1	0.0	00.0-00.0
\$200,000+	368	176,242	17	4.9	02.2-07.6	227	65.4	59.7-71.1	121	28.6	23.3-33.9	3	1.1	00.0-02.5			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 30: REACTIONS TO RACE**

TABLE 8: WITHIN THE PAST 12 MONTHS, DO YOU FEEL THAT IN GENERAL YOU WERE TREATED WORSE THAN, THE SAME AS, OR BETTER THAN PEOPLE OF OTHER RACES? (RRTREAT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3776	1,916,845	228	6.1	05.1-07.1	2818	76.4	74.8-78.0	687	16.4	15.0-17.8	35	1.0	00.6-01.4	8	0.1	00.0-00.3
White/Non-Hisp	3029	1,475,735	107	3.6	02.8-04.4	2276	76.9	75.1-78.7	630	19.0	17.4-20.6	10	0.4	00.2-00.6	6	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	283	159,043	79	23.4	17.3-29.5	174	67.1	60.0-74.2	13	6.1	01.8-10.4	15	3.0	01.2-04.8	2	0.4	00.0-01.0
Oth. Race/Non-Hisp.	99	75,807	11	10.1	03.6-16.6	78	77.5	67.9-87.1	9	11.7	03.9-19.5	1	0.8	00.0-02.4			
MultiRacial/Non-Hisp.	79	56,811	13	19.1	07.1-31.1	60	77.6	65.4-89.8	4	1.4	00.0-03.0	2	1.9	00.0-04.6			
Hispanic	234	123,734	15	5.5	02.2-08.8	188	79.2	72.3-86.1	24	10.2	05.3-15.1	7	5.2	00.5-09.9			
18-24	291	274,273	21	7.0	03.7-10.3	228	78.8	73.3-84.3	38	13.0	08.3-17.7	4	1.2	00.0-02.6			
25-34	404	318,159	35	8.6	05.5-11.7	261	67.6	62.5-72.7	101	21.8	17.3-26.3	6	1.9	00.1-03.7	1	0.2	00.0-00.6
35-44	498	302,637	35	6.0	03.6-08.4	342	74.0	69.7-78.3	117	19.3	15.6-23.0	4	0.6	00.0-01.4			
45-54	573	287,767	34	5.0	03.0-07.0	429	78.3	74.6-82.0	104	15.9	12.6-19.2	5	0.6	00.0-01.2	1	0.2	00.0-00.6
55-64	689	316,501	53	6.9	04.7-09.1	530	79.5	76.2-82.8	96	12.5	09.8-15.2	9	1.0	00.2-01.8	1	0.1	00.0-00.3
65+	1321	417,508	50	3.8	02.4-05.2	1028	79.6	77.1-82.1	231	15.8	13.6-18.0	7	0.5	00.1-00.9	5	0.3	00.1-00.5
Less Than H.S.	203	193,208	13	6.7	02.4-11.0	164	79.7	72.8-86.6	24	11.8	06.5-17.1	2	1.8	00.0-04.3			
H.S. or G.E.D.	1175	685,037	82	7.6	05.8-09.4	968	81.4	78.7-84.1	111	10.0	07.8-12.2	11	0.8	00.2-01.4	3	0.2	00.0-00.4
Some Post-H.S.	910	545,757	57	5.1	03.5-06.7	688	77.2	74.1-80.3	150	16.4	13.7-19.1	12	1.2	00.4-02.0	3	0.1	00.0-00.3
College Graduate	1479	490,606	75	4.9	03.5-06.3	992	67.2	64.5-69.9	401	27.2	24.7-29.7	9	0.5	00.1-00.9	2	0.2	00.0-00.4
Less than \$15,000	122	60,849	17	14.3	07.0-21.6	87	69.5	58.9-80.1	15	13.2	04.8-21.6	2	2.3	00.0-06.2	1	0.7	00.0-02.1
\$15,000- 24,999	267	117,338	30	9.8	05.7-13.9	197	77.1	71.4-82.8	35	11.6	07.3-15.9	4	1.2	00.0-02.4	1	0.4	00.0-01.2
\$25,000- 34,999	357	189,372	25	7.2	04.1-10.3	289	80.1	74.8-85.4	39	10.6	06.7-14.5	4	2.1	00.0-04.8			
\$35,000- 49,999	401	192,687	23	5.5	02.8-08.2	315	80.2	75.5-84.9	56	12.8	08.9-16.7	5	1.2	00.0-02.6	2	0.3	00.0-00.7
\$50,000- 99,999	1083	561,580	60	5.3	03.5-07.1	801	76.5	73.4-79.6	212	17.1	14.4-19.8	8	0.9	00.1-01.7	2	0.1	00.0-00.3
\$100,000- 199,999	783	408,495	33	4.0	02.4-05.6	542	72.4	68.7-76.1	200	23.0	19.5-26.5	7	0.6	00.2-01.0	1	0.1	00.0-00.3
\$200,000+	203	94,401	10	5.5	01.6-09.4	137	70.3	63.0-77.6	55	23.8	17.1-30.5	1	0.4	00.0-01.2			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 30: REACTIONS TO RACE**

TABLE 9: WITHIN THE PAST 12 MONTHS, DO YOU FEEL THAT IN GENERAL YOU WERE TREATED WORSE THAN, THE SAME AS, OR BETTER THAN PEOPLE OF OTHER RACES? (RRTREAT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4536	2,065,998	265	6.1	05.1-07.1	3128	69.8	68.0-71.6	1100	23.2	21.6-24.8	30	0.6	00.4-00.8	13	0.3	00.1-00.5
White/Non-Hisp	3606	1,604,504	83	2.8	02.0-03.6	2499	69.7	67.7-71.7	1000	26.9	25.1-28.7	14	0.3	00.1-00.5	10	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	432	175,999	139	34.4	28.3-40.5	260	58.5	52.2-64.8	21	3.8	01.8-05.8	11	3.2	01.0-05.4	1	0.1	00.0-00.3
Oth. Race/Non-Hisp.	101	62,935	9	8.7	00.9-16.5	79	79.2	69.0-89.4	12	11.5	03.9-19.1	1	0.6	00.0-01.8			
MultiRacial/Non-Hisp.	61	46,918	5	7.6	00.0-16.2	45	77.5	63.8-91.2	8	11.8	00.8-22.8	2	2.6	00.0-06.7	1	0.5	00.0-01.5
Hispanic	288	157,038	23	5.9	02.8-09.0	215	76.7	70.6-82.8	49	16.7	11.4-22.0	1	0.7	00.0-02.1			
18-24	196	245,730	12	7.2	03.1-11.3	125	67.8	60.7-74.9	59	25.0	18.7-31.3						
25-34	443	308,342	38	7.0	04.3-09.7	268	63.0	57.7-68.3	131	28.0	23.3-32.7	4	0.9	00.0-01.9	2	1.0	00.0-02.6
35-44	555	320,170	51	7.8	05.3-10.3	346	66.9	62.6-71.2	152	24.5	20.6-28.4	5	0.7	00.0-01.5	1	0.2	00.0-00.6
45-54	685	310,432	55	8.2	05.5-10.9	451	67.0	62.9-71.1	176	24.1	20.4-27.8	3	0.6	00.0-01.4			
55-64	863	341,381	55	5.8	04.0-07.6	619	72.7	69.2-76.2	178	20.2	17.1-23.3	11	1.3	00.3-02.3			
65+	1794	539,942	54	3.0	02.0-04.0	1319	75.9	73.5-78.3	404	20.3	18.1-22.5	7	0.3	00.1-00.5	10	0.5	00.1-00.9
Less Than H.S.	251	207,450	17	7.3	03.6-11.0	198	80.6	75.1-86.1	35	11.8	07.5-16.1				1	0.3	00.0-00.9
H.S. or G.E.D.	1328	654,958	51	4.1	02.7-05.5	1081	79.4	76.5-82.3	182	15.3	12.8-17.8	9	0.6	00.2-01.0	5	0.6	00.0-01.4
Some Post-H.S.	1213	631,671	90	7.9	05.9-09.9	860	69.2	65.9-72.5	251	22.0	19.1-24.9	8	0.8	00.2-01.4	4	0.1	00.0-00.3
College Graduate	1735	568,665	105	5.8	04.4-07.2	984	55.5	52.8-58.2	630	37.8	35.1-40.5	13	0.8	00.2-01.4	3	0.1	00.0-00.3
Less than \$15,000	218	105,669	22	12.3	06.0-18.6	153	68.5	60.7-76.3	39	17.9	11.8-24.0	3	0.8	00.0-02.2	1	0.5	00.0-01.5
\$15,000- 24,999	445	183,513	36	8.0	04.9-11.1	350	78.1	73.2-83.0	51	12.7	08.6-16.8	5	0.9	00.1-01.7	3	0.3	00.0-00.7
\$25,000- 34,999	504	218,540	32	7.2	04.1-10.3	382	76.3	71.4-81.2	87	16.2	12.1-20.3	2	0.2	00.0-00.4	1	0.1	00.0-00.3
\$35,000- 49,999	555	255,571	36	6.8	03.9-09.7	389	70.2	65.1-75.3	121	20.9	16.4-25.4	5	1.0	00.0-02.2	4	1.2	00.0-03.0
\$50,000- 99,999	1102	512,711	57	4.7	03.1-06.3	721	68.1	64.6-71.6	315	26.5	23.4-29.6	8	0.7	00.1-01.3	1	0.1	00.0-00.3
\$100,000- 199,999	687	321,517	38	6.1	03.7-08.5	380	57.2	52.7-61.7	267	36.5	32.2-40.8	2	0.2	00.0-00.6			
\$200,000+	165	81,842	7	4.2	00.5-07.9	90	59.7	50.5-68.9	66	34.2	25.6-42.8	2	1.9	00.0-04.6			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 30: REACTIONS TO RACE**

TABLE 10: WITHIN THE PAST 12 MONTHS AT WORK, DO YOU FEEL YOU WERE TREATED WORSE THAN, THE SAME AS, OR BETTER THAN PEOPLE OF OTHER RACES? (RRATWRK2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3744	2,068,050	177	4.5	03.7-05.3	3321	89.3	88.1-90.5	205	4.9	04.1-05.7	15	0.5	00.3-00.7	26	0.8	00.4-01.2
Male	1853	1,089,022	78	3.9	02.9-04.9	1662	90.1	88.5-91.7	94	4.8	03.6-06.0	9	0.6	00.2-01.0	10	0.6	00.2-01.0
Female	1891	979,028	99	5.1	03.7-06.5	1659	88.5	86.7-90.3	111	5.1	03.9-06.3	6	0.3	00.0-00.7	16	1.0	00.4-01.6
White/Non-Hisp	2890	1,576,443	60	2.1	01.5-02.7	2643	91.9	90.7-93.1	158	4.9	04.1-05.7	4	0.2	00.0-00.4	25	0.9	00.5-01.3
Black or Afr. Am./Non-Hisp	373	193,959	81	20.6	15.1-26.1	271	73.3	67.2-79.4	15	4.4	01.7-07.1	5	0.6	00.0-01.2	1	1.1	00.0-03.3
Oth. Race/Non-Hisp.	95	69,683	11	9.7	03.0-16.4	79	84.6	76.4-92.8	5	5.7	00.4-11.0						
MultiRacial/Non-Hisp.	74	58,567	2	1.7	00.0-04.2	66	91.8	85.3-98.3	4	4.8	00.0-10.1	2	1.7	00.0-04.2			
Hispanic	275	148,699	21	6.8	03.3-10.3	230	83.7	78.2-89.2	20	6.6	02.9-10.3	4	2.8	00.0-05.7			
18-24	296	295,548	15	4.3	01.8-06.8	262	90.0	86.5-93.5	16	5.0	02.5-07.5	2	0.5	00.0-01.3	1	0.2	00.0-00.6
25-34	639	468,051	27	4.8	02.6-07.0	567	88.6	85.7-91.5	37	4.9	03.1-06.7	3	0.8	00.0-01.8	5	0.9	00.0-01.9
35-44	795	461,440	44	4.9	03.1-06.7	692	88.4	86.0-90.8	49	5.5	03.7-07.3	2	0.1	00.0-00.3	8	1.1	00.3-01.9
45-54	857	394,528	47	5.0	03.4-06.6	749	87.6	85.1-90.1	53	6.0	04.0-08.0	4	0.7	00.0-01.5	4	0.7	00.0-01.5
55-64	824	343,225	36	4.0	02.4-05.6	742	91.4	89.2-93.6	36	3.4	02.0-04.8	4	0.4	00.0-00.8	6	0.8	00.0-01.6
65+	333	105,257	8	1.3	00.3-02.3	309	94.8	92.3-97.3	14	3.3	01.1-05.5				2	0.6	00.0-01.6
Less Than H.S.	123	140,055	7	4.7	00.6-08.8	105	88.6	82.9-94.3	10	5.9	02.0-09.8	1	0.8	00.0-02.4			
H.S. or G.E.D.	944	626,566	46	4.9	03.3-06.5	858	91.2	89.0-93.4	32	2.8	01.6-04.0	2	0.3	00.0-00.7	6	0.8	00.0-01.6
Some Post-H.S.	979	645,527	52	4.8	03.2-06.4	874	89.5	87.1-91.9	38	4.1	02.7-05.5	8	0.9	00.1-01.7	7	0.8	00.2-01.4
College Graduate	1698	655,902	72	3.7	02.7-04.7	1484	87.6	85.8-89.4	125	7.6	06.0-09.2	4	0.2	00.0-00.4	13	0.9	00.3-01.5
Less than \$15,000	51	34,499	4	7.6	00.0-16.0	39	79.1	66.6-91.6	7	11.8	02.0-21.6				1	1.4	00.0-04.1
\$15,000- 24,999	129	70,803	11	8.1	03.2-13.0	114	90.3	85.0-95.6	4	1.6	00.0-03.8						
\$25,000- 34,999	284	173,888	18	6.5	02.6-10.4	249	87.5	82.4-92.6	15	4.9	01.8-08.0	1	0.7	00.0-02.1	1	0.5	00.0-01.3
\$35,000- 49,999	360	204,257	20	4.3	01.9-06.7	317	88.2	84.3-92.1	15	4.6	02.1-07.1	5	1.6	00.0-03.4	3	1.2	00.0-02.6
\$50,000- 99,999	1180	661,876	60	4.8	03.2-06.4	1050	89.6	87.4-91.8	55	4.2	02.8-05.6	6	0.6	00.0-01.2	9	0.8	00.2-01.4
\$100,000- 199,999	1055	548,519	42	3.6	02.2-05.0	937	90.2	88.2-92.2	66	5.3	03.9-06.7	2	0.1	00.0-00.3	8	0.7	00.1-01.3
\$200,000+	254	118,195	6	2.9	00.4-05.4	221	87.6	83.1-92.1	26	9.1	05.4-12.8				1	0.4	00.0-01.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 30: REACTIONS TO RACE**

TABLE 11: WITHIN THE PAST 12 MONTHS AT WORK, DO YOU FEEL YOU WERE TREATED WORSE THAN, THE SAME AS, OR BETTER THAN PEOPLE OF OTHER RACES? (RRATWRK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1853	1,089,022	78	3.9	02.9-04.9	1662	90.1	88.5-91.7	94	4.8	03.6-06.0	9	0.6	00.2-01.0	10	0.6	00.2-01.0
White/Non-Hisp	1441	825,135	31	2.3	01.3-03.3	1328	92.1	90.5-93.7	69	4.4	03.2-05.6	3	0.4	00.0-00.8	10	0.8	00.2-01.4
Black or Afr. Am./Non-Hisp	162	99,133	24	12.0	06.1-17.9	126	82.4	75.3-89.5	9	5.1	01.2-09.0	3	0.6	00.0-01.2			
Oth. Race/Non-Hisp.	55	44,979	7	7.8	01.7-13.9	44	83.8	73.8-93.8	4	8.4	00.4-16.4						
Hispanic	137	75,464	13	9.0	03.1-14.9	114	80.9	72.5-89.3	8	6.9	01.4-12.4	2	3.1	00.0-07.4			
18-24	176	158,434	6	2.3	00.3-04.3	158	90.5	86.0-95.0	11	6.5	02.6-10.4	1	0.7	00.0-02.1			
25-34	328	260,690	13	5.1	02.2-08.0	294	88.8	84.9-92.7	17	4.8	02.3-07.3	2	0.9	00.0-02.1	2	0.4	00.0-01.0
35-44	402	240,679	20	3.9	01.9-05.9	355	90.4	87.5-93.3	25	5.1	02.9-07.3				2	0.6	00.0-01.4
45-54	407	203,653	19	4.4	02.0-06.8	360	88.0	84.3-91.7	23	5.5	03.0-08.0	3	1.1	00.0-02.5	2	1.1	00.0-02.5
55-64	378	173,498	16	3.8	01.6-06.0	345	92.1	89.2-95.0	11	2.5	00.7-04.3	3	0.6	00.0-01.4	3	0.9	00.0-02.1
65+	162	52,068	4	1.6	00.0-03.4	150	94.5	91.0-98.0	7	3.2	00.7-05.7				1	0.7	00.0-02.1
Less Than H.S.	73	84,272	4	5.1	00.0-11.0	63	88.2	80.2-96.2	5	5.4	00.3-10.5	1	1.3	00.0-03.8			
H.S. or G.E.D.	523	364,628	28	5.4	03.2-07.6	472	90.2	87.3-93.1	18	3.4	01.6-05.2	2	0.5	00.0-01.3	3	0.5	00.0-01.3
Some Post-H.S.	459	325,178	18	2.9	01.3-04.5	417	91.7	89.0-94.4	16	3.5	01.7-05.3	5	1.0	00.0-02.2	3	0.9	00.0-01.9
College Graduate	798	314,944	28	2.9	01.7-04.1	710	88.7	86.2-91.2	55	7.6	05.4-09.8	1	0.1	00.0-00.3	4	0.6	00.0-01.2
\$25,000- 34,999	110	75,201	6	4.6	00.7-08.5	94	86.3	79.0-93.6	8	6.3	01.2-11.4	1	1.7	00.0-05.0	1	1.0	00.0-03.0
\$35,000- 49,999	151	89,096	6	2.8	00.0-05.7	139	92.4	87.1-97.7	3	2.3	00.0-05.4	2	1.3	00.0-03.7	1	1.1	00.0-03.3
\$50,000- 99,999	597	363,669	31	4.6	02.6-06.6	533	89.6	86.7-92.5	25	4.1	02.3-05.9	4	0.9	00.0-01.9	4	0.7	00.0-01.5
\$100,000- 199,999	582	323,186	20	2.9	01.3-04.5	528	92.2	89.8-94.6	31	4.4	02.6-06.2	1	0.1	00.0-00.3	2	0.4	00.0-01.0
\$200,000+	144	66,617	1	0.7	00.0-02.1	130	89.7	84.0-95.4	12	9.0	03.5-14.5				1	0.6	00.0-01.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 30: REACTIONS TO RACE**

TABLE 12: WITHIN THE PAST 12 MONTHS AT WORK, DO YOU FEEL YOU WERE TREATED WORSE THAN, THE SAME AS, OR BETTER THAN PEOPLE OF OTHER RACES? (RRATWRK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1891	979,028	99	5.1	03.9-06.3	1659	88.5	86.7-90.3	111	5.1	03.9-06.3	6	0.3	00.0-00.7	16	1.0	00.4-01.6
White/Non-Hisp	1449	751,308	29	1.9	01.1-02.7	1315	91.7	90.1-93.3	89	5.4	04.0-06.8	1	0.1	00.0-00.3	15	1.0	00.4-01.6
Black or Afr. Am./Non-Hisp	211	94,826	57	29.7	21.1-38.3	145	63.8	54.6-73.0	6	3.6	00.0-07.5	2	0.6	00.0-01.6	1	2.3	00.0-06.6
Hispanic	138	73,235	8	4.6	00.5-08.7	116	86.6	79.5-93.7	12	6.3	01.6-11.0	2	2.5	00.0-06.2			
18-24	120	137,114	9	6.6	01.9-11.3	104	89.4	83.7-95.1	5	3.2	00.1-06.3	1	0.4	00.0-01.2	1	0.4	00.0-01.2
25-34	311	207,362	14	4.4	01.5-07.3	273	88.3	83.8-92.8	20	5.1	02.4-07.8	1	0.6	00.0-01.8	3	1.6	00.0-03.8
35-44	393	220,762	24	6.0	03.3-08.7	337	86.2	82.3-90.1	24	5.9	03.4-08.4	2	0.3	00.0-00.7	6	1.6	00.2-03.0
45-54	450	190,875	28	5.7	03.3-08.1	389	87.1	83.6-90.6	30	6.6	03.9-09.3	1	0.3	00.0-00.9	2	0.3	00.0-00.7
55-64	446	169,726	20	4.1	01.7-06.5	397	90.7	87.6-93.8	25	4.4	02.4-06.4	1	0.2	00.0-00.6	3	0.7	00.0-01.5
65+	171	53,189	4	0.9	00.0-01.9	159	95.2	91.7-98.7	7	3.3	00.0-06.6				1	0.5	00.0-01.5
Less Than H.S.	50	55,783	3	4.1	00.0-09.0	42	89.2	81.2-97.2	5	6.7	00.2-13.2						
H.S. or G.E.D.	421	261,938	18	4.3	01.9-06.7	386	92.5	89.4-95.6	14	2.0	00.6-03.4				3	1.1	00.0-02.7
Some Post-H.S.	520	320,348	34	6.7	03.8-09.6	457	87.2	83.7-90.7	22	4.6	02.4-06.8	3	0.7	00.0-01.7	4	0.8	00.0-01.6
College Graduate	900	340,958	44	4.4	02.8-06.0	774	86.6	84.1-89.1	70	7.6	05.6-09.6	3	0.3	00.0-00.7	9	1.1	00.3-01.9
\$15,000- 24,999	83	44,325	5	6.0	00.7-11.3	76	93.5	88.0-99.0	2	0.5	00.0-01.3						
\$25,000- 34,999	174	98,687	12	7.9	01.8-14.0	155	88.4	81.3-95.5	7	3.8	00.0-07.7						
\$35,000- 49,999	209	115,161	14	5.5	02.0-09.0	178	85.0	79.1-90.9	12	6.3	02.4-10.2	3	1.8	00.0-04.2	2	1.3	00.0-03.1
\$50,000- 99,999	583	298,207	29	5.1	02.7-07.5	517	89.6	86.7-92.5	30	4.3	02.3-06.3	2	0.2	00.0-00.6	5	0.8	00.0-01.6
\$100,000- 199,999	473	225,333	22	4.6	02.1-07.1	409	87.5	84.0-91.0	35	6.6	04.2-09.0	1	0.2	00.0-00.6	6	1.1	00.1-02.1
\$200,000+	110	51,578	5	5.8	00.3-11.3	91	85.0	77.7-92.3	14	9.2	04.1-14.3						

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 30: REACTIONS TO RACE**

TABLE 13: WITHIN THE PAST 12 MONTHS WHEN SEEKING HEALTH CARE, DO YOU FEEL YOUR EXPERIENCES WERE WORSE THAN, THE SAME AS, OR BETTER THAN FOR PEOPLE OF OTHER RACES? (RRHCARE4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8063	3,867,789	194	2.4	02.0-02.8	6614	84.1	83.1-85.1	1220	13.1	12.3-13.9	16	0.2	00.0-00.4	19	0.2	00.0-00.4
Male	3675	1,867,814	87	2.4	01.8-03.0	3139	87.7	86.5-88.9	437	9.7	08.7-10.7	6	0.1	00.0-00.3	6	0.1	00.0-00.3
Female	4388	1,999,975	107	2.4	01.8-03.0	3475	80.7	79.3-82.1	783	16.3	14.9-17.7	10	0.2	00.0-00.4	13	0.3	00.1-00.5
White/Non-Hisp	6403	2,983,220	77	1.2	00.8-01.6	5236	84.0	83.0-85.0	1072	14.5	13.5-15.5	4	0.1	00.1-00.1	14	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	734	340,375	82	12.0	08.9-15.1	607	82.7	79.0-86.4	35	4.1	02.3-05.9	8	0.4	00.0-00.8	2	0.7	00.0-01.9
Oth. Race/Non-Hisp.	197	136,404	10	4.1	00.8-07.4	169	86.3	80.4-92.2	17	9.4	04.3-14.5	1	0.3	00.0-00.9			
MultiRacial/Non-Hisp.	129	95,843	5	3.0	00.1-05.9	109	88.1	81.8-94.4	13	7.9	02.4-13.4	1	0.7	00.0-02.1	1	0.2	00.0-00.6
Hispanic	502	269,415	17	2.1	00.7-03.5	417	83.3	79.0-87.6	66	13.7	09.8-17.6	2	0.9	00.0-02.1			
18-24	474	505,481	8	1.5	00.3-02.7	399	86.3	83.0-89.6	66	12.2	09.1-15.3	1	0.1	00.0-00.3			
25-34	817	601,135	18	2.0	00.8-03.2	670	84.0	81.3-86.7	124	13.2	10.7-15.7	3	0.4	00.0-01.0	2	0.5	00.0-01.3
35-44	1015	599,366	34	3.2	01.8-04.6	818	83.4	80.9-85.9	156	12.9	10.7-15.1	5	0.3	00.0-00.7	2	0.2	00.0-00.6
45-54	1220	581,253	48	3.6	02.4-04.8	1015	84.8	82.4-87.2	153	11.3	09.3-13.3	2	0.1	00.0-00.3	2	0.1	00.0-00.3
55-64	1520	650,437	50	3.4	02.2-04.6	1306	86.0	83.8-88.2	162	10.5	08.5-12.5	2	0.1	00.0-00.3			
65+	3017	930,118	36	1.1	00.7-01.5	2406	81.6	80.0-83.2	559	16.8	15.2-18.4	3	0.1	00.0-00.3	13	0.5	00.3-00.7
Less Than H.S.	436	383,103	15	3.1	01.3-04.9	366	86.4	82.9-89.9	54	10.3	07.2-13.4				1	0.1	00.0-00.3
H.S. or G.E.D.	2452	1,317,835	60	2.4	01.6-03.2	2148	88.6	87.0-90.2	239	8.7	07.3-10.1				5	0.2	00.0-00.6
Some Post-H.S.	2092	1,148,340	62	2.7	01.9-03.5	1748	84.2	82.2-86.2	266	12.4	10.6-14.2	8	0.4	00.0-00.8	8	0.3	00.1-00.5
College Graduate	3069	1,013,727	56	1.7	01.1-02.3	2339	77.1	75.3-78.9	661	20.8	19.0-22.6	8	0.2	00.0-00.4	5	0.2	00.0-00.4
Less than \$15,000	322	159,322	20	6.0	03.1-08.9	255	79.2	73.7-84.7	45	14.4	09.5-19.3				2	0.4	00.0-01.0
\$15,000- 24,999	694	290,307	34	4.5	02.5-06.5	580	85.5	82.2-88.8	78	9.7	07.0-12.4	2	0.2	00.0-00.6			
\$25,000- 34,999	853	407,313	30	3.8	01.8-05.8	734	86.7	83.6-89.8	87	9.3	06.8-11.8	1	0.0	00.0-00.0	1	0.1	00.0-00.3
\$35,000- 49,999	942	442,125	19	1.5	00.7-02.3	777	84.6	81.9-87.3	141	12.9	10.4-15.4	3	0.6	00.0-01.4	2	0.4	00.0-01.0
\$50,000- 99,999	2104	1,030,969	32	1.7	00.9-02.5	1734	85.2	83.4-87.0	326	12.7	11.1-14.3	5	0.1	00.0-00.3	7	0.2	00.0-00.4
\$100,000- 199,999	1411	702,742	14	0.6	00.2-01.0	1112	81.5	79.1-83.9	282	17.7	15.3-20.1	2	0.1	00.1-00.1	1	0.1	00.0-00.3
\$200,000+	359	172,066	7	2.6	00.4-04.8	267	77.2	72.1-82.3	84	20.0	15.3-24.7				1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 30: REACTIONS TO RACE**

TABLE 14: WITHIN THE PAST 12 MONTHS WHEN SEEKING HEALTH CARE, DO YOU FEEL YOUR EXPERIENCES WERE WORSE THAN, THE SAME AS, OR BETTER THAN FOR PEOPLE OF OTHER RACES? (RRHCARE4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3675	1,867,814	87	2.4	01.8-03.0	3139	87.7	86.5-88.9	437	9.7	08.7-10.7	6	0.1	00.0-00.3	6	0.1	00.0-00.3
White/Non-Hisp	2944	1,432,178	35	1.2	00.6-01.8	2523	88.2	86.8-89.6	381	10.5	09.3-11.7				5	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	288	160,887	33	11.3	06.0-16.6	235	83.5	77.6-89.4	16	4.6	01.7-07.5	4	0.6	00.0-01.4			
Oth. Race/Non-Hisp.	102	80,014	4	3.3	00.0-06.8	88	85.8	78.0-93.6	10	10.9	03.6-18.2						
MultiRacial/Non-Hisp.	70	49,882	4	4.5	00.0-09.6	60	88.9	80.7-97.1	5	5.3	00.0-11.4	1	1.4	00.0-04.1			
Hispanic	220	119,475	10	3.3	00.8-05.8	190	86.6	81.1-92.1	19	9.1	04.6-13.6	1	0.9	00.0-02.7			
18-24	282	264,961	4	1.5	00.0-03.1	257	93.1	90.2-96.0	20	5.2	02.7-07.7	1	0.2	00.0-00.6			
25-34	382	300,645	11	2.8	00.6-05.0	326	87.1	83.4-90.8	43	9.8	06.7-12.9	1	0.2	00.0-00.6	1	0.2	00.0-00.6
35-44	475	290,643	12	3.0	00.8-05.2	403	86.7	83.2-90.2	58	9.8	07.1-12.5	2	0.4	00.0-01.2			
45-54	548	277,543	19	2.9	01.3-04.5	474	88.1	85.2-91.0	54	8.9	06.4-11.4	1	0.1	00.0-00.3			
55-64	685	318,829	28	3.9	02.1-05.7	606	89.3	86.6-92.0	51	6.8	04.4-09.2						
65+	1303	415,193	13	0.7	00.3-01.1	1073	83.7	81.3-86.1	211	15.2	12.8-17.6	1	0.0	00.0-00.0	5	0.5	00.1-00.9
Less Than H.S.	194	185,312	7	3.4	00.5-06.3	168	89.4	84.5-94.3	19	7.2	03.3-11.1						
H.S. or G.E.D.	1154	673,442	29	2.6	01.4-03.8	1034	90.5	88.5-92.5	91	6.9	05.3-08.5						
Some Post-H.S.	889	532,080	25	2.7	01.3-04.1	769	88.0	85.6-90.4	89	8.7	06.7-10.7	3	0.4	00.0-00.8	3	0.3	00.0-00.7
College Graduate	1433	475,597	26	1.3	00.7-01.9	1163	82.6	80.4-84.8	238	15.7	13.5-17.9	3	0.2	00.0-00.4	3	0.2	00.0-00.4
Less than \$15,000	118	60,743	9	8.3	02.4-14.2	96	79.9	70.5-89.3	13	11.9	03.7-20.1						
\$15,000- 24,999	258	114,530	16	6.3	02.6-10.0	208	82.1	76.4-87.8	34	11.7	07.2-16.2						
\$25,000- 34,999	355	190,022	9	2.9	00.2-05.6	320	89.7	85.4-94.0	25	7.3	04.0-10.6	1	0.0	00.0-00.0			
\$35,000- 49,999	396	193,009	6	0.9	00.0-01.9	341	88.4	84.7-92.1	46	9.7	06.4-13.0	2	0.6	00.0-01.4	1	0.4	00.0-01.2
\$50,000- 99,999	1051	535,636	15	1.7	00.5-02.9	907	89.0	86.8-91.2	126	9.1	07.1-11.1				3	0.2	00.0-00.4
\$100,000- 199,999	759	397,551	6	0.2	00.0-00.4	642	87.5	85.0-90.0	109	12.2	09.7-14.7	2	0.1	00.0-00.3			
\$200,000+	199	93,032	3	2.0	00.0-04.5	160	82.6	76.7-88.5	36	15.5	10.0-21.0						

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 30: REACTIONS TO RACE**

TABLE 15: WITHIN THE PAST 12 MONTHS WHEN SEEKING HEALTH CARE, DO YOU FEEL YOUR EXPERIENCES WERE WORSE THAN, THE SAME AS, OR BETTER THAN FOR PEOPLE OF OTHER RACES? (RRHCARE4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4388	1,999,975	107	2.4	01.8-03.0	3475	80.7	79.3-82.1	783	16.3	14.9-17.7	10	0.2	00.0-00.4	13	0.3	00.1-00.5
White/Non-Hisp	3459	1,551,042	42	1.3	00.9-01.7	2713	80.2	78.6-81.8	691	18.2	16.6-19.8	4	0.1	00.0-00.3	9	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	446	179,488	49	12.7	08.8-16.6	372	82.1	77.4-86.8	19	3.7	01.7-05.7	4	0.3	00.1-00.5	2	1.3	00.0-03.7
Oth. Race/Non-Hisp.	95	56,390	6	5.3	00.0-11.6	81	86.8	78.0-95.6	7	7.2	00.5-13.9	1	0.6	00.0-01.8			
MultiRacial/Non-Hisp.	59	45,961	1	1.5	00.0-04.4	49	87.4	77.8-97.0	8	10.7	01.5-19.9				1	0.5	00.0-01.5
Hispanic	282	149,940	7	1.1	00.0-02.5	227	80.6	74.3-86.9	47	17.4	11.3-23.5	1	0.9	00.0-02.7			
18-24	192	240,520	4	1.5	00.0-03.3	142	78.7	72.6-84.8	46	19.8	13.9-25.7						
25-34	435	300,490	7	1.2	00.2-02.2	344	80.8	76.7-84.9	81	16.7	13.0-20.4	2	0.6	00.0-01.6	1	0.7	00.0-02.1
35-44	540	308,723	22	3.4	01.6-05.2	415	80.2	76.5-83.9	98	15.8	12.5-19.1	3	0.2	00.0-00.6	2	0.4	00.0-01.0
45-54	672	303,709	29	4.3	02.5-06.1	541	81.8	78.5-85.1	99	13.5	10.6-16.4	1	0.1	00.0-00.3	2	0.2	00.0-00.6
55-64	835	331,608	22	3.0	01.4-04.6	700	82.7	79.4-86.0	111	14.0	11.1-16.9	2	0.3	00.0-00.7			
65+	1714	514,925	23	1.5	00.7-02.3	1333	79.8	77.6-82.0	348	18.0	15.8-20.2	2	0.1	00.0-00.3	8	0.5	00.1-00.9
Less Than H.S.	242	197,791	8	2.8	00.6-05.0	198	83.6	78.3-88.9	35	13.3	08.4-18.2				1	0.3	00.0-00.9
H.S. or G.E.D.	1298	644,393	31	2.3	01.3-03.3	1114	86.6	84.2-89.0	148	10.6	08.6-12.6				5	0.5	00.0-01.1
Some Post-H.S.	1203	616,260	37	2.6	01.4-03.8	979	80.9	78.2-83.6	177	15.6	13.1-18.1	5	0.5	00.0-01.1	5	0.4	00.0-00.8
College Graduate	1636	538,129	30	2.1	01.3-02.9	1176	72.2	69.7-74.7	423	25.3	22.8-27.8	5	0.2	00.0-00.4	2	0.1	00.0-00.3
Less than \$15,000	204	98,579	11	4.7	01.8-07.6	159	78.7	72.0-85.4	32	16.0	09.7-22.3				2	0.6	00.0-01.6
\$15,000- 24,999	436	175,777	18	3.4	01.4-05.4	372	87.7	83.8-91.6	44	8.5	05.0-12.0	2	0.4	00.0-01.0			
\$25,000- 34,999	498	217,291	21	4.6	01.9-07.3	414	84.0	79.7-88.3	62	11.1	07.4-14.8				1	0.3	00.0-00.9
\$35,000- 49,999	546	249,116	13	1.9	00.5-03.3	436	81.8	77.9-85.7	95	15.5	11.8-19.2	1	0.5	00.0-01.5	1	0.3	00.0-00.9
\$50,000- 99,999	1053	495,332	17	1.8	00.8-02.8	827	81.1	78.4-83.8	200	16.6	13.9-19.3	5	0.3	00.0-00.7	4	0.2	00.0-00.4
\$100,000- 199,999	652	305,191	8	1.2	00.2-02.2	470	73.7	69.8-77.6	173	24.9	21.0-28.8				1	0.1	00.0-00.3
\$200,000+	160	79,033	4	3.3	00.0-06.6	107	70.9	62.5-79.3	48	25.4	17.4-33.4				1	0.4	00.0-01.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 30: REACTIONS TO RACE**

TABLE 16: WITHIN THE PAST 30 DAYS, HAVE YOU EXPERIENCED ANY PHYSICAL SYMPTOMS, FOR EXAMPLE, A HEADACHE, AN UPSET STOMACH, TENSING OF YOUR MUSCLES, OR A POUNDING HEART, AS A RESULT OF HOW YOU WERE TREATED BASED ON YOUR RACE? (RRPHYSM2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9058	4,279,721	277	3.4	02.8-04.0	8781	96.6	96.0-97.2
Male	4122	2,066,378	114	3.0	02.2-03.8	4008	97.0	96.2-97.8
Female	4936	2,213,343	163	3.8	03.0-04.6	4773	96.2	95.4-97.0
White/Non-Hisp	7193	3,300,101	108	1.6	01.2-02.0	7085	98.4	98.0-98.8
Black or Afr. Am./Non-Hisp	801	363,073	79	10.2	07.3-13.1	722	89.8	86.9-92.7
Oth. Race/Non-Hisp.	220	149,471	16	8.3	03.4-13.2	204	91.7	86.8-96.6
MultiRacial/Non-Hisp.	147	108,785	10	5.6	01.7-09.5	137	94.4	90.5-98.3
Hispanic	562	297,619	59	11.7	08.2-15.2	503	88.3	84.8-91.8
18-24	503	531,765	18	3.8	01.8-05.8	485	96.2	94.2-98.2
25-34	887	651,511	40	4.6	02.8-06.4	847	95.4	93.6-97.2
35-44	1119	657,141	48	3.9	02.5-05.3	1071	96.1	94.7-97.5
45-54	1368	649,382	61	4.7	03.3-06.1	1307	95.3	93.9-96.7
55-64	1676	713,827	55	3.2	02.2-04.2	1621	96.8	95.8-97.8
65+	3505	1,076,095	55	1.5	00.9-02.1	3450	98.5	97.9-99.1
Less Than H.S.	492	421,324	41	8.3	05.4-11.2	451	91.7	88.8-94.6
H.S. or G.E.D.	2752	1,454,256	81	2.7	01.9-03.5	2671	97.3	96.5-98.1
Some Post-H.S.	2327	1,269,335	72	3.4	02.4-04.4	2255	96.6	95.6-97.6
College Graduate	3464	1,127,937	80	2.4	01.8-03.0	3384	97.6	97.0-98.2
Less than \$15,000	379	179,240	42	12.6	08.1-17.1	337	87.4	82.9-91.9
\$15,000- 24,999	775	321,573	50	6.9	04.7-09.1	725	93.1	90.9-95.3
\$25,000- 34,999	955	443,885	42	5.6	03.4-07.8	913	94.4	92.2-96.6
\$35,000- 49,999	1035	481,936	31	2.7	01.5-03.9	1004	97.3	96.1-98.5
\$50,000- 99,999	2332	1,134,796	56	2.6	01.8-03.4	2276	97.4	96.6-98.2
\$100,000- 199,999	1544	765,494	21	2.0	00.8-03.2	1523	98.0	96.8-99.2
\$200,000+	383	182,998	5	1.3	00.0-02.7	378	98.7	97.3-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 30: REACTIONS TO RACE**

TABLE 17: WITHIN THE PAST 30 DAYS, HAVE YOU EXPERIENCED ANY PHYSICAL SYMPTOMS, FOR EXAMPLE, A HEADACHE, AN UPSET STOMACH, TENSING OF YOUR MUSCLES, OR A POUNDING HEART, AS A RESULT OF HOW YOU WERE TREATED BASED ON YOUR RACE? (RRPHYSM2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4122	2,066,378	114	3.0	02.2-03.8	4008	97.0	96.2-97.8
White/Non-Hisp	3287	1,582,871	50	1.5	00.9-02.1	3237	98.5	97.9-99.1
Black or Afr. Am./Non-Hisp	317	170,674	21	5.1	02.2-08.0	296	94.9	92.0-97.8
Oth. Race/Non-Hisp.	111	83,903	9	10.2	02.8-17.6	102	89.8	82.4-97.2
MultiRacial/Non-Hisp.	81	59,483	5	5.2	00.0-10.7	76	94.8	89.3-0100
Hispanic	256	132,177	27	12.4	06.7-18.1	229	87.6	81.9-93.3
18-24	299	279,916	8	2.5	00.5-04.5	291	97.5	95.5-99.5
25-34	422	327,247	15	4.3	01.8-06.8	407	95.7	93.2-98.2
35-44	536	324,508	21	3.7	01.5-05.9	515	96.3	94.1-98.5
45-54	629	317,093	22	3.6	01.6-05.6	607	96.4	94.4-98.4
55-64	749	345,337	21	2.6	01.2-04.0	728	97.4	96.0-98.8
65+	1487	472,278	27	1.8	01.0-02.6	1460	98.2	97.4-99.0
Less Than H.S.	220	205,860	18	7.7	03.6-11.8	202	92.3	88.2-96.4
H.S. or G.E.D.	1292	740,992	45	3.4	02.2-04.6	1247	96.6	95.4-97.8
Some Post-H.S.	992	589,362	20	2.1	00.9-03.3	972	97.9	96.7-99.1
College Graduate	1607	527,183	29	1.6	00.8-02.4	1578	98.4	97.6-99.2
Less than \$15,000	138	66,458	15	10.8	04.7-16.9	123	89.2	83.1-95.3
\$15,000- 24,999	291	128,790	23	8.2	04.5-11.9	268	91.8	88.1-95.5
\$25,000- 34,999	398	205,517	19	5.4	02.3-08.5	379	94.6	91.5-97.7
\$35,000- 49,999	436	208,405	12	3.0	00.8-05.2	424	97.0	94.8-99.2
\$50,000- 99,999	1162	593,031	25	2.1	00.9-03.3	1137	97.9	96.7-99.1
\$100,000- 199,999	829	430,153	10	2.2	00.4-04.0	819	97.8	96.0-99.6
\$200,000+	217	100,541	2	0.7	00.0-01.7	215	99.3	98.3-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023
MODULE 30: REACTIONS TO RACE**

TABLE 18: WITHIN THE PAST 30 DAYS, HAVE YOU EXPERIENCED ANY PHYSICAL SYMPTOMS, FOR EXAMPLE, A HEADACHE, AN UPSET STOMACH, TENSING OF YOUR MUSCLES, OR A POUNDING HEART, AS A RESULT OF HOW YOU WERE TREATED BASED ON YOUR RACE? (RRPHYSM2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4936	2,213,343	163	3.8	03.0-04.6	4773	96.2	95.4-97.0
White/Non-Hisp	3906	1,717,230	58	1.7	01.1-02.3	3848	98.3	97.7-98.9
Black or Afr. Am./Non-Hisp	484	192,399	58	14.8	10.1-19.5	426	85.2	80.5-89.9
Oth. Race/Non-Hisp.	109	65,568	7	5.9	00.2-11.6	102	94.1	88.4-99.8
MultiRacial/Non-Hisp.	66	49,302	5	6.2	00.3-12.1	61	93.8	87.9-99.7
Hispanic	306	165,442	32	11.2	06.5-15.9	274	88.8	84.1-93.5
18-24	204	251,849	10	5.2	01.9-08.5	194	94.8	91.5-98.1
25-34	465	324,264	25	4.9	02.5-07.3	440	95.1	92.7-97.5
35-44	583	332,633	27	4.1	02.1-06.1	556	95.9	93.9-97.9
45-54	739	332,290	39	5.8	03.6-08.0	700	94.2	92.0-96.4
55-64	927	368,490	34	3.8	02.2-05.4	893	96.2	94.6-97.8
65+	2018	603,817	28	1.2	00.6-01.8	1990	98.8	98.2-99.4
Less Than H.S.	272	215,464	23	8.9	05.0-12.8	249	91.1	87.2-95.0
H.S. or G.E.D.	1460	713,265	36	2.0	01.2-02.8	1424	98.0	97.2-98.8
Some Post-H.S.	1335	679,973	52	4.6	03.0-06.2	1283	95.4	93.8-97.0
College Graduate	1857	600,753	51	3.1	02.1-04.1	1806	96.9	95.9-97.9
Less than \$15,000	241	112,783	27	13.6	07.5-19.7	214	86.4	80.3-92.5
\$15,000- 24,999	484	192,783	27	6.0	03.5-08.5	457	94.0	91.5-96.5
\$25,000- 34,999	557	238,368	23	5.8	02.9-08.7	534	94.2	91.3-97.1
\$35,000- 49,999	599	273,532	19	2.5	01.1-03.9	580	97.5	96.1-98.9
\$50,000- 99,999	1170	541,765	31	3.1	01.9-04.3	1139	96.9	95.7-98.1
\$100,000- 199,999	715	335,340	11	1.7	00.3-03.1	704	98.3	96.9-99.7
\$200,000+	166	82,456	3	1.9	00.0-04.4	163	98.1	95.6-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA MODULE QUESTIONS DATA REPORT, 2023**

End of Module Data Report