

INDIANA

2023 Calculated Variables Report

Behavioral Risk Factor Surveillance System

June 14, 2024



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10965	5,307,220	8623	79.7	78.7-80.7	2342	20.3	19.3-21.3
Male	5056	2,585,681	4071	81.9	80.5-83.3	985	18.1	16.7-19.5
Female	5909	2,721,539	4552	77.6	76.2-79.0	1357	22.4	21.0-23.8
White/Non-Hisp	8537	3,988,913	6777	80.5	79.5-81.5	1760	19.5	18.5-20.5
Black or Afr. Am./Non-Hisp	1011	485,687	763	77.7	74.2-81.2	248	22.3	18.8-25.8
Oth. Race/Non-Hisp.	294	203,319	243	84.1	79.0-89.2	51	15.9	10.8-21.0
MultiRacial/Non-Hisp.	183	134,282	141	81.5	75.0-88.0	42	18.5	12.0-25.0
Hispanic	747	406,166	557	73.3	69.2-77.4	190	26.7	22.6-30.8
18-24	662	706,107	577	86.2	83.1-89.3	85	13.8	10.7-16.9
25-34	1136	846,219	975	86.6	84.4-88.8	161	13.4	11.2-15.6
35-44	1429	845,838	1206	83.0	80.6-85.4	223	17.0	14.6-19.4
45-54	1698	811,726	1322	78.0	75.6-80.4	376	22.0	19.6-24.4
55-64	1995	849,644	1502	74.2	71.8-76.6	493	25.8	23.4-28.2
65+	4045	1,247,686	3041	74.2	72.4-76.0	1004	25.8	24.0-27.6
Less Than H.S.	659	577,409	379	64.1	59.8-68.4	280	35.9	31.6-40.2
H.S. or G.E.D.	3366	1,781,561	2456	77.0	75.2-78.8	910	23.0	21.2-24.8
Some Post-H.S.	2809	1,576,317	2174	80.3	78.5-82.1	635	19.7	17.9-21.5
College Graduate	4083	1,348,658	3580	89.5	88.3-90.7	503	10.5	9.3-11.7
Less than \$15,000	458	226,491	235	53.6	47.9-59.3	223	46.4	40.7-52.1
\$15,000-24,999	894	385,632	513	59.5	55.4-63.6	381	40.5	36.4-44.6
\$25,000-34,999	1116	526,974	787	69.9	66.4-73.4	329	30.1	26.6-33.6
\$35,000-49,999	1184	561,067	889	74.9	71.8-78.0	295	25.1	22.0-28.2
\$50,000-99,999	2663	1,315,070	2271	86.3	84.7-87.9	392	13.7	12.1-15.3
\$100,000-199,999	1739	866,545	1604	92.4	90.8-94.0	135	7.6	6.0-9.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5056	2,585,681	4071	81.9	80.5-83.3	985	18.1	16.7-19.5
White/Non-Hisp	3938	1,929,084	3188	82.2	80.8-83.6	750	17.8	16.4-19.2
Black or Afr. Am./Non-Hisp	414	226,679	330	82.9	78.4-87.4	84	17.1	12.6-21.6
Oth. Race/Non-Hisp.	157	117,840	141	89.3	83.4-95.2	16	10.7	4.8-16.6
MultiRacial/Non-Hisp.	95	72,390	77	86.0	78.6-93.4	18	14.0	6.6-21.4
Hispanic	345	182,664	254	73.0	67.1-78.9	91	27.0	21.1-32.9
18-24	391	359,810	350	90.4	87.3-93.5	41	9.6	6.5-12.7
25-34	534	425,931	474	90.0	87.3-92.7	60	10.0	7.3-12.7
35-44	695	423,518	597	83.9	80.4-87.4	98	16.1	12.6-19.6
45-54	803	403,727	656	81.6	78.5-84.7	147	18.4	15.3-21.5
55-64	908	414,449	695	74.8	71.3-78.3	213	25.2	21.7-28.7
65+	1725	558,245	1299	74.4	71.9-76.9	426	25.6	23.1-28.1
Less Than H.S.	307	287,911	184	65.9	59.8-72.0	123	34.1	28.0-40.2
H.S. or G.E.D.	1581	903,061	1186	79.4	77.2-81.6	395	20.6	18.4-22.8
Some Post-H.S.	1227	743,104	993	84.2	81.8-86.6	234	15.8	13.4-18.2
College Graduate	1917	639,840	1693	90.2	88.8-91.6	224	9.8	8.4-11.2
Less than \$15,000	173	86,031	88	52.3	43.1-61.5	85	47.7	38.5-56.9
\$15,000- 24,999	344	157,246	201	60.5	54.2-66.8	143	39.5	33.2-45.8
\$25,000- 34,999	474	248,822	338	70.4	65.1-75.7	136	29.6	24.3-34.9
\$35,000- 49,999	496	239,431	370	74.5	69.6-79.4	126	25.5	20.6-30.4
\$50,000- 99,999	1338	689,248	1145	87.3	85.1-89.5	193	12.7	10.5-14.9
\$100,000 - 199,999	957	493,521	886	93.6	91.8-95.4	71	6.4	4.6- 8.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5909	2,721,539	4552	77.6	76.2-79.0	1357	22.4	21.0-23.8
White/Non-Hisp	4599	2,059,829	3589	78.9	77.3-80.5	1010	21.1	19.5-22.7
Black or Afr. Am./Non-Hisp	597	259,008	433	73.0	68.1-77.9	164	27.0	22.1-31.9
Oth. Race/Non-Hisp.	137	85,479	102	77.1	68.1-86.1	35	22.9	13.9-31.9
MultiRacial/Non-Hisp.	88	61,893	64	76.2	65.4-87.0	24	23.8	13.0-34.6
Hispanic	402	223,502	303	73.4	67.7-79.1	99	26.6	20.9-32.3
18-24	271	346,297	227	81.8	76.3-87.3	44	18.2	12.7-23.7
25-34	602	420,287	501	83.2	79.7-86.7	101	16.8	13.3-20.3
35-44	734	422,320	609	82.1	78.8-85.4	125	17.9	14.6-21.2
45-54	895	407,999	666	74.4	70.9-77.9	229	25.6	22.1-29.1
55-64	1087	435,195	807	73.6	70.5-76.7	280	26.4	23.3-29.5
65+	2320	689,441	1742	74.0	71.6-76.4	578	26.0	23.6-28.4
Less Than H.S.	352	289,498	195	62.3	56.2-68.4	157	37.7	31.6-43.8
H.S. or G.E.D.	1785	878,501	1270	74.4	71.9-76.9	515	25.6	23.1-28.1
Some Post-H.S.	1582	833,213	1181	76.8	74.3-79.3	401	23.2	20.7-25.7
College Graduate	2166	708,817	1887	88.9	87.3-90.5	279	11.1	9.5-12.7
Less than \$15,000	285	140,460	147	54.4	47.1-61.7	138	45.6	38.3-52.9
\$15,000- 24,999	550	228,386	312	58.7	53.4-64.0	238	41.3	36.0-46.6
\$25,000- 34,999	642	278,152	449	69.4	64.7-74.1	193	30.6	25.9-35.3
\$35,000- 49,999	688	321,636	519	75.3	71.2-79.4	169	24.7	20.6-28.8
\$50,000- 99,999	1325	625,822	1126	85.2	82.7-87.7	199	14.8	12.3-17.3
\$100,000 - 199,999	782	373,025	718	90.9	88.0-93.8	64	9.1	6.2-12.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023

SECTION 2: HEALTHY DAYS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 2: HEALTHY DAYS**

**TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10722	5,204,404	6470	60.1	58.9-61.3	2693	25.8	24.8-26.8	1559	14.1	13.3-14.9
Male	4947	2,534,909	3211	64.8	63.2-66.4	1125	23.6	22.0-25.2	611	11.6	10.4-12.8
Female	5775	2,669,495	3259	55.6	53.8-57.4	1568	27.9	26.3-29.5	948	16.6	15.4-17.8
White/Non-Hisp	8371	3,927,357	5027	59.8	58.4-61.2	2113	26.0	24.8-27.2	1231	14.2	13.2-15.2
Black or Afr. Am./Non-Hisp	976	462,359	603	62.4	58.3-66.5	236	24.4	20.7-28.1	137	13.2	10.5-15.9
Oth. Race/Non-Hisp.	289	200,659	177	58.6	51.7-65.5	71	25.5	19.4-31.6	41	15.9	10.8-21.0
MultiRacial/Non-Hisp.	182	136,433	107	58.4	48.8-68.0	46	27.9	19.1-36.7	29	13.7	6.6-20.8
Hispanic	722	394,282	444	60.8	56.1-65.5	186	24.8	20.7-28.9	92	14.4	11.1-17.7
18-24	655	694,910	386	57.1	52.8-61.4	225	34.9	30.6-39.2	44	8.0	5.5-10.5
25-34	1123	831,651	673	61.1	57.8-64.4	354	30.0	26.9-33.1	96	9.0	7.0-11.0
35-44	1418	844,337	913	63.5	60.6-66.4	357	23.8	21.3-26.3	148	12.6	10.4-14.8
45-54	1675	800,819	1024	61.5	58.8-64.2	410	23.4	21.0-25.8	241	15.0	12.8-17.2
55-64	1946	827,776	1111	57.0	54.5-59.5	465	23.4	21.2-25.6	370	19.6	17.4-21.8
65+	3905	1,204,911	2363	59.8	58.0-61.6	882	22.3	20.7-23.9	660	17.9	16.3-19.5
Less Than H.S.	626	558,630	327	53.8	48.9-58.7	139	22.7	18.6-26.8	160	23.5	19.6-27.4
H.S. or G.E.D.	3266	1,736,448	1894	58.7	56.5-60.9	805	26.3	24.3-28.3	567	15.1	13.7-16.5
Some Post-H.S.	2761	1,555,419	1585	58.8	56.6-61.0	699	25.5	23.5-27.5	477	15.6	14.0-17.2
College Graduate	4025	1,335,474	2635	65.8	64.0-67.6	1041	26.8	25.2-28.4	349	7.3	6.3- 8.3
Less than \$15,000	446	220,857	169	36.9	31.2-42.6	126	29.0	23.7-34.3	151	34.0	28.5-39.5
\$15,000-24,999	865	376,579	392	45.5	41.2-49.8	219	24.7	21.0-28.4	254	29.9	26.0-33.8
\$25,000-34,999	1088	517,396	577	51.1	47.2-55.0	284	27.7	24.2-31.2	227	21.2	18.1-24.3
\$35,000-49,999	1152	548,407	657	54.7	51.0-58.4	307	28.8	25.3-32.3	188	16.5	13.8-19.2
\$50,000-99,999	2625	1,302,339	1670	64.5	62.1-66.9	680	25.8	23.6-28.0	275	9.7	8.3-11.1
\$100,000-199,999	1726	860,544	1194	69.4	66.9-71.9	434	25.6	23.1-28.1	98	5.1	3.9- 6.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 2: HEALTHY DAYS**

TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4947	2,534,909	3211	64.8	63.2-66.4	1125	23.6	22.0-25.2	611	11.6	10.4-12.8
White/Non-Hisp	3869	1,903,036	2499	64.7	62.9-66.5	891	23.8	22.2-25.4	479	11.5	10.3-12.7
Black or Afr. Am./Non-Hisp	398	217,249	266	69.0	62.9-75.1	81	20.0	14.7-25.3	51	11.0	7.3-14.7
Oth. Race/Non-Hisp.	152	115,157	101	60.5	51.5-69.5	34	25.0	17.0-33.0	17	14.5	7.6-21.4
MultiRacial/Non-Hisp.	92	70,294	58	63.4	50.5-76.3	25	27.4	15.4-39.4	9	9.1	0.9-17.3
Hispanic	336	177,480	223	64.1	57.2-71.0	73	23.9	17.4-30.4	40	12.0	7.7-16.3
18-24	390	359,273	249	62.7	57.2-68.2	127	33.1	27.8-38.4	14	4.2	1.8- 6.6
25-34	530	420,253	338	64.8	59.9-69.7	158	28.0	23.5-32.5	34	7.3	4.6-10.0
35-44	687	418,794	481	69.2	65.1-73.3	151	20.1	16.8-23.4	55	10.7	7.6-13.8
45-54	789	396,806	525	66.8	62.9-70.7	176	22.4	19.1-25.7	88	10.8	8.3-13.3
55-64	883	402,287	552	62.9	59.2-66.6	181	20.3	17.2-23.4	150	16.9	14.0-19.8
65+	1668	537,496	1066	62.7	60.0-65.4	332	20.1	17.7-22.5	270	17.2	15.0-19.4
Less Than H.S.	295	278,188	168	58.3	51.6-65.0	52	20.3	14.4-26.2	75	21.5	16.4-26.6
H.S. or G.E.D.	1529	879,528	933	61.8	58.9-64.7	356	25.0	22.3-27.7	240	13.2	11.2-15.2
Some Post-H.S.	1211	736,876	786	66.4	63.3-69.5	271	22.7	20.0-25.4	154	10.9	8.9-12.9
College Graduate	1892	633,246	1310	69.9	67.5-72.3	443	24.4	22.0-26.8	139	5.7	4.5- 6.9
Less than \$15,000	169	84,433	72	42.6	33.4-51.8	42	26.0	17.8-34.2	55	31.5	22.9-40.1
\$15,000- 24,999	330	152,398	169	50.2	43.5-56.9	66	20.7	15.4-26.0	95	29.1	23.0-35.2
\$25,000- 34,999	464	244,755	261	54.4	48.7-60.1	120	28.1	22.6-33.6	83	17.5	13.2-21.8
\$35,000- 49,999	475	230,769	284	58.5	52.8-64.2	109	25.3	20.0-30.6	82	16.2	12.3-20.1
\$50,000- 99,999	1319	682,684	886	68.3	65.2-71.4	319	24.2	21.3-27.1	114	7.5	5.7- 9.3
\$100,000 - 199,999	950	489,839	693	72.3	68.8-75.8	208	23.2	19.9-26.5	49	4.5	2.9- 6.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 2: HEALTHY DAYS**

TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5775	2,669,495	3259	55.6	53.8-57.4	1568	27.9	26.3-29.5	948	16.6	15.4-17.8
White/Non-Hisp	4502	2,024,321	2528	55.2	53.2-57.2	1222	28.1	26.3-29.9	752	16.7	15.3-18.1
Black or Afr. Am./Non-Hisp	578	245,111	337	56.6	50.9-62.3	155	28.3	23.2-33.4	86	15.1	11.0-19.2
Oth. Race/Non-Hisp.	137	85,501	76	56.0	45.6-66.4	37	26.1	16.9-35.3	24	17.8	10.0-25.6
MultiRacial/Non-Hisp.	90	66,139	49	53.0	39.1-66.9	21	28.5	15.6-41.4	20	18.5	6.9-30.1
Hispanic	386	216,802	221	58.1	51.8-64.4	113	25.5	20.2-30.8	52	16.4	11.5-21.3
18-24	265	335,637	137	51.0	44.1-57.9	98	36.9	30.2-43.6	30	12.1	7.8-16.4
25-34	593	411,398	335	57.3	52.6-62.0	196	32.1	27.8-36.4	62	10.7	7.8-13.6
35-44	731	425,543	432	58.0	53.7-62.3	206	27.5	23.8-31.2	93	14.6	11.3-17.9
45-54	886	404,013	499	56.3	52.4-60.2	234	24.5	21.2-27.8	153	19.2	15.9-22.5
55-64	1063	425,490	559	51.4	47.9-54.9	284	26.3	23.2-29.4	220	22.3	19.2-25.4
65+	2237	667,414	1297	57.4	54.9-59.9	550	24.0	21.8-26.2	390	18.5	16.5-20.5
Less Than H.S.	331	280,442	159	49.3	42.4-56.2	87	25.2	19.3-31.1	85	25.5	19.6-31.4
H.S. or G.E.D.	1737	856,920	961	55.5	52.6-58.4	449	27.5	24.8-30.2	327	17.0	14.8-19.2
Some Post-H.S.	1550	818,543	799	52.0	48.9-55.1	428	28.1	25.4-30.8	323	19.9	17.5-22.3
College Graduate	2133	702,228	1325	62.2	59.7-64.7	598	29.0	26.6-31.4	210	8.8	7.4-10.2
Less than \$15,000	277	136,424	97	33.4	26.3-40.5	84	30.9	24.0-37.8	96	35.6	28.5-42.7
\$15,000- 24,999	535	224,181	223	42.2	36.5-47.9	153	27.4	22.3-32.5	159	30.4	25.1-35.7
\$25,000- 34,999	624	272,641	316	48.1	42.8-53.4	164	27.4	22.7-32.1	144	24.5	20.0-29.0
\$35,000- 49,999	677	317,638	373	51.9	47.0-56.8	198	31.3	26.8-35.8	106	16.8	13.1-20.5
\$50,000- 99,999	1306	619,655	784	60.3	57.0-63.6	361	27.5	24.4-30.6	161	12.1	9.9-14.3
\$100,000 - 199,999	776	370,705	501	65.5	61.4-69.6	226	28.7	24.8-32.6	49	5.9	3.9- 7.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10828	5,240,812	6457	55.3	54.1-56.5	2787	27.7	26.5-28.9	1584	17.0	16.0-18.0
Male	4995	2,554,768	3307	62.5	60.7-64.3	1118	25.0	23.4-26.6	570	12.5	11.3-13.7
Female	5833	2,686,044	3150	48.5	46.9-50.1	1669	30.2	28.6-31.8	1014	21.3	19.7-22.9
White/Non-Hisp	8441	3,943,307	5030	54.7	53.3-56.1	2177	28.0	26.8-29.2	1234	17.3	16.1-18.5
Black or Afr. Am./Non-Hisp	991	476,197	586	55.1	50.8-59.4	257	29.2	25.1-33.3	148	15.7	12.6-18.8
Oth. Race/Non-Hisp.	292	201,535	185	61.3	54.6-68.0	72	25.8	19.7-31.9	35	12.9	8.2-17.6
MultiRacial/Non-Hisp.	180	136,742	92	48.5	39.1-57.9	41	24.2	15.6-32.8	47	27.4	18.6-36.2
Hispanic	735	396,604	450	60.9	56.4-65.4	198	25.3	21.4-29.2	87	13.8	10.3-17.3
18-24	656	694,365	237	35.1	30.8-39.4	260	38.4	34.1-42.7	159	26.5	22.6-30.4
25-34	1129	837,018	433	40.4	37.1-43.7	453	37.8	34.5-41.1	243	21.8	19.1-24.5
35-44	1413	842,142	697	51.4	48.3-54.5	474	31.7	29.0-34.4	242	16.9	14.5-19.3
45-54	1678	802,143	923	56.1	53.4-58.8	462	26.2	23.8-28.6	293	17.6	15.2-20.0
55-64	1968	836,407	1206	62.0	59.5-64.5	449	22.4	20.2-24.6	313	15.6	13.6-17.6
65+	3984	1,228,738	2961	74.5	72.9-76.1	689	16.4	15.0-17.8	334	9.1	7.9-10.3
Less Than H.S.	639	562,955	368	56.6	51.9-61.3	129	20.0	16.3-23.7	142	23.4	19.3-27.5
H.S. or G.E.D.	3315	1,759,450	2010	55.4	53.2-57.6	761	25.9	23.9-27.9	544	18.7	16.9-20.5
Some Post-H.S.	2772	1,556,083	1592	53.9	51.5-56.3	702	27.7	25.5-29.9	478	18.4	16.6-20.2
College Graduate	4056	1,342,079	2458	56.2	54.4-58.0	1186	33.3	31.5-35.1	412	10.5	9.3-11.7
Less than \$15,000	447	216,240	186	38.4	32.7-44.1	114	25.0	20.1-29.9	147	36.6	30.9-42.3
\$15,000-24,999	876	380,468	469	51.4	47.1-55.7	209	23.9	20.2-27.6	198	24.7	20.8-28.6
\$25,000-34,999	1103	517,212	616	52.5	48.6-56.4	265	25.5	22.2-28.8	222	22.0	18.9-25.1
\$35,000-49,999	1170	555,616	684	52.9	49.2-56.6	292	26.4	23.1-29.7	194	20.6	17.5-23.7
\$50,000-99,999	2645	1,307,111	1573	54.4	51.9-56.9	751	31.3	28.9-33.7	321	14.2	12.4-16.0
\$100,000-199,999	1733	861,640	1086	60.0	57.3-62.7	509	31.1	28.4-33.8	138	8.9	7.1-10.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 2: HEALTHY DAYS**

TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4995	2,554,768	3307	62.5	60.7-64.3	1118	25.0	23.4-26.6	570	12.5	11.3-13.7
White/Non-Hisp	3897	1,908,518	2580	62.0	60.0-64.0	879	25.5	23.7-27.3	438	12.5	11.1-13.9
Black or Afr. Am./Non-Hisp	402	221,355	267	64.4	57.9-70.9	83	23.8	17.7-29.9	52	11.8	7.9-15.7
Oth. Race/Non-Hisp.	155	116,498	106	66.1	57.5-74.7	37	26.9	18.7-35.1	12	7.0	2.7-11.3
MultiRacial/Non-Hisp.	92	70,837	54	59.0	46.1-71.9	17	15.3	5.7-24.9	21	25.6	13.8-37.4
Hispanic	343	181,548	234	66.3	59.6-73.0	80	23.1	17.4-28.8	29	10.6	5.5-15.7
18-24	390	357,442	174	44.0	38.3-49.7	150	38.4	32.9-43.9	66	17.6	13.3-21.9
25-34	530	420,687	244	49.1	44.0-54.2	197	34.5	29.8-39.2	89	16.3	12.6-20.0
35-44	685	419,074	382	58.5	54.2-62.8	218	29.7	25.8-33.6	85	11.8	9.1-14.5
45-54	793	399,105	509	65.1	61.2-69.0	180	22.6	19.3-25.9	104	12.3	9.8-14.8
55-64	895	408,946	618	69.5	66.0-73.0	167	18.6	15.7-21.5	110	11.8	9.4-14.2
65+	1702	549,514	1380	80.7	78.3-83.1	206	11.7	9.9-13.5	116	7.6	6.0- 9.2
Less Than H.S.	301	284,168	186	59.1	52.4-65.8	56	20.4	14.9-25.9	59	20.5	14.8-26.2
H.S. or G.E.D.	1560	891,629	1020	60.8	57.9-63.7	325	24.9	22.2-27.6	215	14.2	12.2-16.2
Some Post-H.S.	1211	734,363	811	64.8	61.5-68.1	249	23.5	20.6-26.4	151	11.8	9.6-14.0
College Graduate	1901	635,254	1275	63.5	61.0-66.0	486	29.1	26.7-31.5	140	7.4	6.0- 8.8
Less than \$15,000	166	80,373	78	47.0	37.8-56.2	37	21.3	13.9-28.7	51	31.7	22.9-40.5
\$15,000- 24,999	337	154,890	208	59.5	52.8-66.2	72	24.4	18.1-30.7	57	16.0	11.5-20.5
\$25,000- 34,999	467	244,286	296	58.4	52.7-64.1	91	24.3	19.0-29.6	80	17.3	13.0-21.6
\$35,000- 49,999	489	237,148	329	62.5	57.0-68.0	102	23.1	18.2-28.0	58	14.4	10.3-18.5
\$50,000- 99,999	1332	685,896	883	62.7	59.4-66.0	323	26.8	23.7-29.9	126	10.5	8.3-12.7
\$100,000 - 199,999	954	492,270	660	67.3	63.6-71.0	243	26.3	23.0-29.6	51	6.4	4.4- 8.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 2: HEALTHY DAYS**

TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5833	2,686,044	3150	48.5	46.9-50.1	1669	30.2	28.6-31.8	1014	21.3	19.7-22.9
White/Non-Hisp	4544	2,034,789	2450	47.9	46.1-49.7	1298	30.3	28.5-32.1	796	21.8	20.0-23.6
Black or Afr. Am./Non-Hisp	589	254,842	319	47.0	41.3-52.7	174	33.9	28.4-39.4	96	19.1	14.4-23.8
Oth. Race/Non-Hisp.	137	85,037	79	54.8	44.2-65.4	35	24.2	15.2-33.2	23	21.0	12.2-29.8
MultiRacial/Non-Hisp.	88	65,905	38	37.1	24.6-49.6	24	33.7	20.0-47.4	26	29.2	16.3-42.1
Hispanic	392	215,056	216	56.3	50.0-62.6	118	27.1	21.6-32.6	58	16.6	11.5-21.7
18-24	266	336,923	63	25.7	19.4-32.0	110	38.4	31.9-44.9	93	35.8	29.1-42.5
25-34	599	416,331	189	31.6	27.3-35.9	256	41.1	36.4-45.8	154	27.4	23.3-31.5
35-44	728	423,068	315	44.3	40.0-48.6	256	33.7	29.8-37.6	157	22.0	18.3-25.7
45-54	885	403,038	414	47.3	43.4-51.2	282	29.8	26.3-33.3	189	22.9	19.4-26.4
55-64	1073	427,461	588	54.8	51.3-58.3	282	26.0	22.9-29.1	203	19.3	16.4-22.2
65+	2282	679,224	1581	69.5	67.1-71.9	483	20.3	18.3-22.3	218	10.2	8.6-11.8
Less Than H.S.	338	278,787	182	54.1	47.4-60.8	73	19.5	14.4-24.6	83	26.4	20.3-32.5
H.S. or G.E.D.	1755	867,822	990	49.9	47.0-52.8	436	26.9	24.2-29.6	329	23.2	20.5-25.9
Some Post-H.S.	1561	821,720	781	44.1	41.2-47.0	453	31.5	28.6-34.4	327	24.4	21.7-27.1
College Graduate	2155	706,825	1183	49.6	47.1-52.1	700	37.1	34.6-39.6	272	13.4	11.6-15.2
Less than \$15,000	281	135,867	108	33.4	26.5-40.3	77	27.2	20.7-33.7	96	39.5	32.1-46.9
\$15,000- 24,999	539	225,578	261	45.8	40.1-51.5	137	23.6	19.1-28.1	141	30.6	25.1-36.1
\$25,000- 34,999	636	272,926	320	47.3	42.2-52.4	174	26.6	22.3-30.9	142	26.2	21.7-30.7
\$35,000- 49,999	681	318,468	355	45.8	40.9-50.7	190	28.9	24.4-33.4	136	25.2	20.7-29.7
\$50,000- 99,999	1313	621,216	690	45.4	41.9-48.9	428	36.3	32.8-39.8	195	18.3	15.4-21.2
\$100,000 - 199,999	779	369,370	426	50.3	46.0-54.6	266	37.4	33.1-41.7	87	12.3	9.4-15.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPL1)	
1 MALES AND FEMALES	14
2 MALES ONLY	15
3 FEMALES ONLY	16
RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU653)	
4 MALES AND FEMALES	17
5 MALES ONLY	18
6 FEMALES ONLY	19

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPL1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10414	4,985,608	9894	92.9	92.1-93.7	520	7.1	6.3- 7.9
Male	4777	2,410,733	4474	91.4	90.2-92.6	303	8.6	7.4- 9.8
Female	5637	2,574,875	5420	94.3	93.3-95.3	217	5.7	4.7- 6.7
White/Non-Hisp	8140	3,764,295	7878	95.0	94.2-95.8	262	5.0	4.2- 5.8
Black or Afr. Am./Non-Hisp	963	452,336	915	93.3	90.9-95.7	48	6.7	4.3- 9.1
Oth. Race/Non-Hisp.	273	190,436	253	91.6	87.7-95.5	20	8.4	4.5-12.3
MultiRacial/Non-Hisp.	177	129,644	161	87.9	81.4-94.4	16	12.1	5.6-18.6
Hispanic	688	367,545	526	73.4	69.3-77.5	162	26.6	22.5-30.7
18-24	544	579,652	492	89.1	86.0-92.2	52	10.9	7.8-14.0
25-34	1097	804,469	969	87.5	85.1-89.9	128	12.5	10.1-14.9
35-44	1405	835,882	1277	89.6	87.4-91.8	128	10.4	8.2-12.6
45-54	1617	772,034	1507	92.4	90.8-94.0	110	7.6	6.0- 9.2
55-64	1916	813,266	1835	95.4	94.2-96.6	81	4.6	3.4- 5.8
65+	3835	1,180,305	3814	99.4	99.0-99.8	21	0.6	0.2- 1.0
Less Than H.S.	603	522,005	483	77.3	73.2-81.4	120	22.7	18.6-26.8
H.S. or G.E.D.	3128	1,642,993	2931	92.1	90.9-93.3	197	7.9	6.7- 9.1
Some Post-H.S.	2674	1,488,538	2566	95.2	94.2-96.2	108	4.8	3.8- 5.8
College Graduate	3966	1,313,321	3875	97.6	97.0-98.2	91	2.4	1.8- 3.0
Less than \$15,000	430	210,912	390	87.6	83.5-91.7	40	12.4	8.3-16.5
\$15,000-24,999	849	368,165	786	90.4	87.7-93.1	63	9.6	6.9-12.3
\$25,000-34,999	1062	497,212	984	90.4	87.9-92.9	78	9.6	7.1-12.1
\$35,000-49,999	1145	540,235	1075	91.4	89.0-93.8	70	8.6	6.2-11.0
\$50,000-99,999	2586	1,256,367	2490	94.5	93.1-95.9	96	5.5	4.1- 6.9
\$100,000-199,999	1708	846,550	1676	97.2	96.0-98.4	32	2.8	1.6- 4.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPL1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4777	2,410,733	4474	91.4	90.2-92.6	303	8.6	7.4- 9.8
White/Non-Hisp	3757	1,818,613	3592	93.6	92.4-94.8	165	6.4	5.2- 7.6
Black or Afr. Am./Non-Hisp	384	204,763	357	90.9	87.0-94.8	27	9.1	5.2-13.0
Oth. Race/Non-Hisp.	143	108,755	133	92.0	86.7-97.3	10	8.0	2.7-13.3
MultiRacial/Non-Hisp.	90	66,535	78	83.8	73.8-93.8	12	16.2	6.2-26.2
Hispanic	307	159,912	225	70.2	63.7-76.7	82	29.8	23.3-36.3
18-24	311	291,909	278	88.6	84.5-92.7	33	11.4	7.3-15.5
25-34	512	400,177	440	84.7	80.8-88.6	72	15.3	11.4-19.2
35-44	674	411,048	594	86.9	83.6-90.2	80	13.1	9.8-16.4
45-54	758	380,767	697	91.7	89.3-94.1	61	8.3	5.9-10.7
55-64	868	394,654	826	94.4	92.4-96.4	42	5.6	3.6- 7.6
65+	1654	532,179	1639	99.0	98.4-99.6	15	1.0	0.4- 1.6
Less Than H.S.	275	253,644	203	70.0	63.3-76.7	72	30.0	23.3-36.7
H.S. or G.E.D.	1469	833,836	1347	90.5	88.5-92.5	122	9.5	7.5-11.5
Some Post-H.S.	1152	693,084	1094	95.0	93.6-96.4	58	5.0	3.6- 6.4
College Graduate	1862	622,202	1814	97.4	96.6-98.2	48	2.6	1.8- 3.4
Less than \$15,000	161	80,457	143	86.0	79.3-92.7	18	14.0	7.3-20.7
\$15,000- 24,999	322	147,508	283	87.2	82.5-91.9	39	12.8	8.1-17.5
\$25,000- 34,999	444	230,762	398	87.3	83.2-91.4	46	12.7	8.6-16.8
\$35,000- 49,999	476	227,306	433	87.0	82.7-91.3	43	13.0	8.7-17.3
\$50,000- 99,999	1298	659,579	1236	93.2	91.0-95.4	62	6.8	4.6- 9.0
\$100,000 - 199,999	934	479,518	916	97.3	95.7-98.9	18	2.7	1.1- 4.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPL1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5637	2,574,875	5420	94.3	93.3-95.3	217	5.7	4.7- 6.7
White/Non-Hisp	4383	1,945,681	4286	96.4	95.4-97.4	97	3.6	2.6- 4.6
Black or Afr. Am./Non-Hisp	579	247,572	558	95.3	92.6-98.0	21	4.7	2.0- 7.4
Oth. Race/Non-Hisp.	130	81,681	120	91.2	85.1-97.3	10	8.8	2.7-14.9
MultiRacial/Non-Hisp.	87	63,109	83	92.3	84.5- 100	4	7.7	0.0-15.5
Hispanic	381	207,633	301	75.8	70.3-81.3	80	24.2	18.7-29.7
18-24	233	287,743	214	89.7	84.8-94.6	19	10.3	5.4-15.2
25-34	585	404,292	529	90.4	87.5-93.3	56	9.6	6.7-12.5
35-44	731	424,835	683	92.1	89.7-94.5	48	7.9	5.5-10.3
45-54	859	391,267	810	93.1	90.9-95.3	49	6.9	4.7- 9.1
55-64	1048	418,612	1009	96.3	94.9-97.7	39	3.7	2.3- 5.1
65+	2181	648,126	2175	99.8	99.6- 100	6	0.2	0.0- 0.4
Less Than H.S.	328	268,361	280	84.2	79.3-89.1	48	15.8	10.9-20.7
H.S. or G.E.D.	1659	809,157	1584	93.7	91.9-95.5	75	6.3	4.5- 8.1
Some Post-H.S.	1522	795,454	1472	95.3	93.7-96.9	50	4.7	3.1- 6.3
College Graduate	2104	691,119	2061	97.8	97.0-98.6	43	2.2	1.4- 3.0
Less than \$15,000	269	130,455	247	88.5	83.4-93.6	22	11.5	6.4-16.6
\$15,000- 24,999	527	220,657	503	92.6	89.5-95.7	24	7.4	4.3-10.5
\$25,000- 34,999	618	266,449	586	93.1	90.4-95.8	32	6.9	4.2- 9.6
\$35,000- 49,999	669	312,930	642	94.6	92.2-97.0	27	5.4	3.0- 7.8
\$50,000- 99,999	1288	596,788	1254	96.0	94.2-97.8	34	4.0	2.2- 5.8
\$100,000 - 199,999	774	367,031	760	97.0	95.2-98.8	14	3.0	1.2- 4.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 3: HEALTH CARE ACCESS**

**TABLE 4: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU653)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6455	3,741,226	5964	90.9	89.9-91.9	491	9.1	8.1-10.1
Male	3060	1,842,588	2778	89.2	87.8-90.6	282	10.8	9.4-12.2
Female	3395	1,898,638	3186	92.5	91.3-93.7	209	7.5	6.3- 8.7
White/Non-Hisp	4736	2,718,316	4491	93.3	92.3-94.3	245	6.7	5.7- 7.7
Black or Afr. Am./Non-Hisp	692	366,727	647	91.9	89.0-94.8	45	8.1	5.2-11.0
Oth. Race/Non-Hisp.	202	155,957	186	91.1	86.4-95.8	16	8.9	4.2-13.6
MultiRacial/Non-Hisp.	135	110,489	120	86.9	79.5-94.3	15	13.1	5.7-20.5
Hispanic	606	342,478	448	71.8	67.5-76.1	158	28.2	23.9-32.5
18-24	544	579,652	492	89.1	86.0-92.2	52	10.9	7.8-14.0
25-34	1096	804,091	968	87.5	85.1-89.9	128	12.5	10.1-14.9
35-44	1395	828,574	1267	89.5	87.3-91.7	128	10.5	8.3-12.7
45-54	1524	724,370	1421	92.4	90.8-94.0	103	7.6	6.0- 9.2
55-64	1896	804,539	1816	95.4	94.2-96.6	80	4.6	3.4- 5.8
Less Than H.S.	424	419,131	311	72.6	67.5-77.7	113	27.4	22.3-32.5
H.S. or G.E.D.	1809	1,183,521	1621	89.3	87.5-91.1	188	10.7	8.9-12.5
Some Post-H.S.	1654	1,115,225	1552	93.8	92.4-95.2	102	6.2	4.8- 7.6
College Graduate	2551	1,015,328	2467	97.0	96.2-97.8	84	3.0	2.2- 3.8
Less than \$15,000	325	181,473	286	85.7	81.0-90.4	39	14.3	9.6-19.0
\$15,000-24,999	446	242,794	387	85.9	82.0-89.8	59	14.1	10.2-18.0
\$25,000-34,999	554	327,578	479	85.9	82.2-89.6	75	14.1	10.4-17.8
\$35,000-49,999	593	364,710	524	87.2	83.9-90.5	69	12.8	9.5-16.1
\$50,000-99,999	1653	972,948	1567	93.3	91.5-95.1	86	6.7	4.9- 8.5
\$100,000-199,999	1365	743,212	1335	97.0	95.6-98.4	30	3.0	1.6- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU653)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3060	1,842,588	2778	89.2	87.8-90.6	282	10.8	9.4-12.2
White/Non-Hisp	2270	1,338,969	2117	91.7	90.1-93.3	153	8.3	6.7- 9.9
Black or Afr. Am./Non-Hisp	288	172,898	264	89.6	84.9-94.3	24	10.4	5.7-15.1
Oth. Race/Non-Hisp.	112	91,092	104	91.8	85.7-97.9	8	8.2	2.1-14.3
MultiRacial/Non-Hisp.	71	59,766	59	81.9	70.7-93.1	12	18.1	6.9-29.3
Hispanic	269	147,552	191	68.7	61.8-75.6	78	31.3	24.4-38.2
18-24	311	291,909	278	88.6	84.5-92.7	33	11.4	7.3-15.5
25-34	511	399,799	439	84.7	80.8-88.6	72	15.3	11.4-19.2
35-44	667	405,062	587	86.7	83.4-90.0	80	13.3	10.0-16.6
45-54	711	355,044	656	92.0	89.6-94.4	55	8.0	5.6-10.4
55-64	860	390,774	818	94.3	92.5-96.1	42	5.7	3.9- 7.5
Less Than H.S.	198	207,583	131	64.9	57.1-72.7	67	35.1	27.3-42.9
H.S. or G.E.D.	953	641,890	838	88.0	85.6-90.4	115	12.0	9.6-14.4
Some Post-H.S.	741	524,787	687	93.8	92.0-95.6	54	6.2	4.4- 8.0
College Graduate	1162	465,511	1119	96.8	95.6-98.0	43	3.2	2.0- 4.4
Less than \$15,000	128	71,028	111	84.4	77.0-91.8	17	15.6	8.2-23.0
\$15,000- 24,999	188	103,773	152	82.4	75.9-88.9	36	17.6	11.1-24.1
\$25,000- 34,999	233	149,540	190	81.3	75.2-87.4	43	18.7	12.6-24.8
\$35,000- 49,999	244	151,826	202	80.6	74.7-86.5	42	19.4	13.5-25.3
\$50,000- 99,999	808	506,298	752	91.5	88.8-94.2	56	8.5	5.8-11.2
\$100,000 - 199,999	732	415,343	715	97.0	95.2-98.8	17	3.0	1.2- 4.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU653)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3395	1,898,638	3186	92.5	91.3-93.7	209	7.5	6.3- 8.7
White/Non-Hisp	2466	1,379,347	2374	95.0	93.8-96.2	92	5.0	3.8- 6.2
Black or Afr. Am./Non-Hisp	404	193,829	383	94.0	90.5-97.5	21	6.0	2.5- 9.5
Oth. Race/Non-Hisp.	90	64,865	82	90.0	82.6-97.4	8	10.0	2.6-17.4
MultiRacial/Non-Hisp.	64	50,722	61	92.8	84.0- 100	3	7.2	0.0-16.0
Hispanic	337	194,926	257	74.2	68.5-79.9	80	25.8	20.1-31.5
18-24	233	287,743	214	89.7	84.8-94.6	19	10.3	5.4-15.2
25-34	585	404,292	529	90.4	87.5-93.3	56	9.6	6.7-12.5
35-44	728	423,512	680	92.1	89.7-94.5	48	7.9	5.5-10.3
45-54	813	369,326	765	92.8	90.6-95.0	48	7.2	5.0- 9.4
55-64	1036	413,765	998	96.5	95.1-97.9	38	3.5	2.1- 4.9
Less Than H.S.	226	211,547	180	80.2	74.1-86.3	46	19.8	13.7-25.9
H.S. or G.E.D.	856	541,631	783	90.9	88.5-93.3	73	9.1	6.7-11.5
Some Post-H.S.	913	590,439	865	93.8	91.6-96.0	48	6.2	4.0- 8.4
College Graduate	1389	549,817	1348	97.3	96.3-98.3	41	2.7	1.7- 3.7
Less than \$15,000	197	110,445	175	86.4	80.3-92.5	22	13.6	7.5-19.7
\$15,000- 24,999	258	139,021	235	88.5	83.6-93.4	23	11.5	6.6-16.4
\$25,000- 34,999	321	178,038	289	89.7	85.6-93.8	32	10.3	6.2-14.4
\$35,000- 49,999	349	212,885	322	92.0	88.5-95.5	27	8.0	4.5-11.5
\$50,000- 99,999	845	466,651	815	95.1	92.7-97.5	30	4.9	2.5- 7.3
\$100,000 - 199,999	633	327,869	620	97.0	95.0-99.0	13	3.0	1.0- 5.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023**

SECTION 4: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1 MALES AND FEMALES	21
2 MALES ONLY	22
3 FEMALES ONLY	23
5	
4 MALES AND FEMALES	24
5 MALES ONLY	25
6 FEMALES ONLY	26
9	
7 MALES AND FEMALES	27
8 MALES ONLY	28
9 FEMALES ONLY	29
13	
10 MALES AND FEMALES	30
11 MALES ONLY	31
12 FEMALES ONLY	32
17	
13 MALES AND FEMALES	33
14 MALES ONLY	34
15 FEMALES ONLY	35
21	
16 MALES AND FEMALES	36
17 MALES ONLY	37
18 FEMALES ONLY	38

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023**

SECTION 4: EXERCISE

TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10955	5,309,298	8174	75.6	74.6-76.6	2781	24.4	23.4-25.4
Male	5054	2,585,553	3968	79.4	78.0-80.8	1086	20.6	19.2-22.0
Female	5901	2,723,745	4206	71.9	70.3-73.5	1695	28.1	26.5-29.7
White/Non-Hisp	8528	3,989,559	6438	77.2	76.0-78.4	2090	22.8	21.6-24.0
Black or Afr. Am./Non-Hisp	1006	482,332	706	71.2	67.3-75.1	300	28.8	24.9-32.7
Oth. Race/Non-Hisp.	295	203,424	234	79.1	73.2-85.0	61	20.9	15.0-26.8
MultiRacial/Non-Hisp.	184	138,269	140	75.4	67.0-83.8	44	24.6	16.2-33.0
Hispanic	747	405,973	510	63.5	59.0-68.0	237	36.5	32.0-41.0
18-24	664	708,123	565	83.9	80.6-87.2	99	16.1	12.8-19.4
25-34	1137	847,246	929	80.1	77.4-82.8	208	19.9	17.2-22.6
35-44	1429	848,645	1169	81.4	79.0-83.8	260	18.6	16.2-21.0
45-54	1693	810,327	1292	73.5	71.0-76.0	401	26.5	24.0-29.0
55-64	1995	849,908	1451	71.6	69.2-74.0	544	28.4	26.0-30.8
65+	4037	1,245,049	2768	67.8	66.0-69.6	1269	32.2	30.4-34.0
Less Than H.S.	658	579,833	358	60.0	55.5-64.5	300	40.0	35.5-44.5
H.S. or G.E.D.	3361	1,780,895	2212	69.4	67.4-71.4	1149	30.6	28.6-32.6
Some Post-H.S.	2804	1,576,019	2086	78.4	76.6-80.2	718	21.6	19.8-23.4
College Graduate	4084	1,349,426	3480	87.1	85.9-88.3	604	12.9	11.7-14.1
Less than \$15,000	457	225,718	270	60.8	55.3-66.3	187	39.2	33.7-44.7
\$15,000-24,999	889	384,890	515	57.1	52.8-61.4	374	42.9	38.6-47.2
\$25,000-34,999	1110	523,776	717	66.7	63.2-70.2	393	33.3	29.8-36.8
\$35,000-49,999	1184	562,394	832	72.1	69.0-75.2	352	27.9	24.8-31.0
\$50,000-99,999	2661	1,314,681	2139	80.6	78.6-82.6	522	19.4	17.4-21.4
\$100,000-199,999	1738	866,143	1520	88.3	86.5-90.1	218	11.7	9.9-13.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 4: EXERCISE**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5054	2,585,553	3968	79.4	78.0-80.8	1086	20.6	19.2-22.0
White/Non-Hisp	3941	1,932,345	3129	81.2	79.8-82.6	812	18.8	17.4-20.2
Black or Afr. Am./Non-Hisp	409	223,487	308	72.2	66.1-78.3	101	27.8	21.7-33.9
Oth. Race/Non-Hisp.	157	117,840	128	81.2	74.1-88.3	29	18.8	11.7-25.9
MultiRacial/Non-Hisp.	95	72,390	76	80.6	71.0-90.2	19	19.4	9.8-29.0
Hispanic	345	182,472	250	71.5	65.6-77.4	95	28.5	22.6-34.4
18-24	394	362,685	347	87.1	83.2-91.0	47	12.9	9.0-16.8
25-34	534	426,444	456	84.6	81.1-88.1	78	15.4	11.9-18.9
35-44	692	420,737	579	83.8	80.7-86.9	113	16.2	13.1-19.3
45-54	802	403,288	645	78.1	74.6-81.6	157	21.9	18.4-25.4
55-64	907	414,653	690	75.5	72.2-78.8	217	24.5	21.2-27.8
65+	1725	557,747	1251	71.1	68.6-73.6	474	28.9	26.4-31.4
Less Than H.S.	306	286,933	199	72.3	66.8-77.8	107	27.7	22.2-33.2
H.S. or G.E.D.	1584	904,446	1109	73.1	70.6-75.6	475	26.9	24.4-29.4
Some Post-H.S.	1223	742,575	969	82.4	80.0-84.8	254	17.6	15.2-20.0
College Graduate	1919	640,421	1675	88.6	87.0-90.2	244	11.4	9.8-13.0
Less than \$15,000	172	85,385	117	73.8	66.4-81.2	55	26.2	18.8-33.6
\$15,000- 24,999	342	156,698	212	60.1	53.6-66.6	130	39.9	33.4-46.4
\$25,000- 34,999	470	246,044	316	69.8	64.5-75.1	154	30.2	24.9-35.5
\$35,000- 49,999	495	239,856	352	74.4	69.9-78.9	143	25.6	21.1-30.1
\$50,000- 99,999	1339	689,758	1100	83.0	80.5-85.5	239	17.0	14.5-19.5
\$100,000 - 199,999	957	493,521	849	90.0	87.8-92.2	108	10.0	7.8-12.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 4: EXERCISE**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5901	2,723,745	4206	71.9	70.3-73.5	1695	28.1	26.5-29.7
White/Non-Hisp	4587	2,057,214	3309	73.5	71.9-75.1	1278	26.5	24.9-28.1
Black or Afr. Am./Non-Hisp	597	258,846	398	70.4	65.3-75.5	199	29.6	24.5-34.7
Oth. Race/Non-Hisp.	138	85,584	106	76.2	66.6-85.8	32	23.8	14.2-33.4
MultiRacial/Non-Hisp.	89	65,880	64	69.6	56.1-83.1	25	30.4	16.9-43.9
Hispanic	402	223,502	260	57.0	50.5-63.5	142	43.0	36.5-49.5
18-24	270	345,438	218	80.5	75.0-86.0	52	19.5	14.0-25.0
25-34	603	420,802	473	75.5	71.2-79.8	130	24.5	20.2-28.8
35-44	737	427,908	590	79.0	75.5-82.5	147	21.0	17.5-24.5
45-54	891	407,039	647	69.0	65.1-72.9	244	31.0	27.1-34.9
55-64	1088	435,255	761	67.9	64.6-71.2	327	32.1	28.8-35.4
65+	2312	687,302	1517	65.1	62.7-67.5	795	34.9	32.5-37.3
Less Than H.S.	352	292,900	159	47.9	41.2-54.6	193	52.1	45.4-58.8
H.S. or G.E.D.	1777	876,449	1103	65.6	62.9-68.3	674	34.4	31.7-37.1
Some Post-H.S.	1581	833,443	1117	74.8	72.3-77.3	464	25.2	22.7-27.7
College Graduate	2165	709,005	1805	85.9	84.1-87.7	360	14.1	12.3-15.9
Less than \$15,000	285	140,333	153	52.9	45.5-60.3	132	47.1	39.7-54.5
\$15,000- 24,999	547	228,192	303	55.1	49.4-60.8	244	44.9	39.2-50.6
\$25,000- 34,999	640	277,732	401	64.0	59.1-68.9	239	36.0	31.1-40.9
\$35,000- 49,999	689	322,538	480	70.4	66.1-74.7	209	29.6	25.3-33.9
\$50,000- 99,999	1322	624,923	1039	78.0	74.9-81.1	283	22.0	18.9-25.1
\$100,000 - 199,999	781	372,623	671	85.9	83.0-88.8	110	14.1	11.2-17.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023

SECTION 5: HYPERTENSION AWARENESS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE6)	
1	MALES AND FEMALES	109
2	MALES ONLY	110
3	FEMALES ONLY	111

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10942	5,297,503	5988	62.4	61.2-63.6	4954	37.6	36.4-38.8
Male	5050	2,579,733	2668	60.1	58.5-61.7	2382	39.9	38.3-41.5
Female	5892	2,717,770	3320	64.6	63.0-66.2	2572	35.4	33.8-37.0
White/Non-Hisp	8516	3,982,373	4542	60.4	59.2-61.6	3974	39.6	38.4-40.8
Black or Afr. Am./Non-Hisp	1011	482,109	470	57.2	53.1-61.3	541	42.8	38.7-46.9
Oth. Race/Non-Hisp.	294	202,989	193	72.4	66.5-78.3	101	27.6	21.7-33.5
MultiRacial/Non-Hisp.	184	137,332	111	67.4	58.8-76.0	73	32.6	24.0-41.2
Hispanic	747	406,175	564	81.7	78.4-85.0	183	18.3	15.0-21.6
18-24	662	704,550	604	92.6	90.6-94.6	58	7.4	5.4-9.4
25-34	1137	846,003	966	85.8	83.4-88.2	171	14.2	11.8-16.6
35-44	1433	851,700	1060	72.8	69.9-75.7	373	27.2	24.3-30.1
45-54	1686	805,922	1021	61.5	58.8-64.2	665	38.5	35.8-41.2
55-64	1989	845,637	923	45.5	43.0-48.0	1066	54.5	52.0-57.0
65+	4035	1,243,691	1414	34.2	32.4-36.0	2621	65.8	64.0-67.6
Less Than H.S.	655	578,707	347	59.9	55.4-64.4	308	40.1	35.6-44.6
H.S. or G.E.D.	3359	1,776,649	1701	60.8	58.8-62.8	1658	39.2	37.2-41.2
Some Post-H.S.	2806	1,573,177	1487	61.8	59.6-64.0	1319	38.2	36.0-40.4
College Graduate	4074	1,345,917	2428	66.2	64.6-67.8	1646	33.8	32.2-35.4
Less than \$15,000	456	224,069	218	56.5	50.8-62.2	238	43.5	37.8-49.2
\$15,000-24,999	891	385,368	380	48.8	44.5-53.1	511	51.2	46.9-55.5
\$25,000-34,999	1116	527,256	552	56.9	53.2-60.6	564	43.1	39.4-46.8
\$35,000-49,999	1183	560,982	619	61.4	58.1-64.7	564	38.6	35.3-41.9
\$50,000-99,999	2662	1,314,855	1498	64.7	62.5-66.9	1164	35.3	33.1-37.5
\$100,000-199,999	1734	863,892	1095	68.2	65.7-70.7	639	31.8	29.3-34.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5050	2,579,733	2668	60.1	58.5-61.7	2382	39.9	38.3-41.5
White/Non-Hisp	3936	1,927,911	2007	57.3	55.5-59.1	1929	42.7	40.9-44.5
Black or Afr. Am./Non-Hisp	414	224,896	200	62.3	56.4-68.2	214	37.7	31.8-43.6
Oth. Race/Non-Hisp.	156	117,405	108	73.3	65.7-80.9	48	26.7	19.1-34.3
MultiRacial/Non-Hisp.	95	72,390	52	65.0	53.4-76.6	43	35.0	23.4-46.6
Hispanic	345	182,674	242	76.1	70.6-81.6	103	23.9	18.4-29.4
18-24	392	360,332	355	92.4	89.9-94.9	37	7.6	5.1-10.1
25-34	535	425,555	430	82.2	78.7-85.7	105	17.8	14.3-21.3
35-44	695	423,505	478	67.1	62.8-71.4	217	32.9	28.6-37.2
45-54	795	399,280	452	58.5	54.6-62.4	343	41.5	37.6-45.4
55-64	907	413,457	377	40.3	36.6-44.0	530	59.7	56.0-63.4
65+	1726	557,602	576	32.6	30.1-35.1	1150	67.4	64.9-69.9
Less Than H.S.	303	285,615	163	62.0	55.7-68.3	140	38.0	31.7-44.3
H.S. or G.E.D.	1582	901,182	804	59.4	56.7-62.1	778	40.6	37.9-43.3
Some Post-H.S.	1226	742,558	647	60.7	57.6-63.8	579	39.3	36.2-42.4
College Graduate	1917	639,273	1042	59.2	56.7-61.7	875	40.8	38.3-43.3
Less than \$15,000	170	83,505	84	54.8	45.6-64.0	86	45.2	36.0-54.4
\$15,000- 24,999	342	156,705	147	48.4	41.7-55.1	195	51.6	44.9-58.3
\$25,000- 34,999	475	249,519	226	55.8	50.3-61.3	249	44.2	38.7-49.7
\$35,000- 49,999	495	238,933	246	57.2	51.9-62.5	249	42.8	37.5-48.1
\$50,000- 99,999	1340	690,168	711	61.7	58.6-64.8	629	38.3	35.2-41.4
\$100,000 - 199,999	956	493,117	553	62.8	59.3-66.3	403	37.2	33.7-40.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 5: HYPERTENSION AWARENESS**

TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5892	2,717,770	3320	64.6	63.0-66.2	2572	35.4	33.8-37.0
White/Non-Hisp	4580	2,054,462	2535	63.2	61.4-65.0	2045	36.8	35.0-38.6
Black or Afr. Am./Non-Hisp	597	257,212	270	52.8	47.3-58.3	327	47.2	41.7-52.7
Oth. Race/Non-Hisp.	138	85,584	85	71.0	62.0-80.0	53	29.0	20.0-38.0
MultiRacial/Non-Hisp.	89	64,943	59	70.1	57.2-83.0	30	29.9	17.0-42.8
Hispanic	402	223,502	322	86.3	82.4-90.2	80	13.7	9.8-17.6
18-24	270	344,218	249	92.8	89.7-95.9	21	7.2	4.1-10.3
25-34	602	420,447	536	89.4	86.5-92.3	66	10.6	7.7-13.5
35-44	738	428,195	582	78.3	74.6-82.0	156	21.7	18.0-25.4
45-54	891	406,641	569	64.4	60.5-68.3	322	35.6	31.7-39.5
55-64	1082	432,180	546	50.6	47.1-54.1	536	49.4	45.9-52.9
65+	2309	686,089	838	35.5	33.1-37.9	1471	64.5	62.1-66.9
Less Than H.S.	352	293,092	184	57.8	51.3-64.3	168	42.2	35.7-48.7
H.S. or G.E.D.	1777	875,467	897	62.3	59.6-65.0	880	37.7	35.0-40.4
Some Post-H.S.	1580	830,619	840	62.8	60.1-65.5	740	37.2	34.5-39.9
College Graduate	2157	706,644	1386	72.4	70.2-74.6	771	27.6	25.4-29.8
Less than \$15,000	286	140,565	134	57.5	50.4-64.6	152	42.5	35.4-49.6
\$15,000- 24,999	549	228,663	233	49.1	43.6-54.6	316	50.9	45.4-56.4
\$25,000- 34,999	641	277,737	326	58.0	53.1-62.9	315	42.0	37.1-46.9
\$35,000- 49,999	688	322,049	373	64.6	60.3-68.9	315	35.4	31.1-39.7
\$50,000- 99,999	1322	624,687	787	68.0	65.1-70.9	535	32.0	29.1-34.9
\$100,000 - 199,999	778	370,775	542	75.3	72.0-78.6	236	24.7	21.4-28.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023

SECTION 6: CHOLESTEROL AWARENESS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH3)	
1	MALES AND FEMALES	113
2	MALES ONLY	114
3	FEMALES ONLY	115
	ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL3)	
4	MALES AND FEMALES	116
5	MALES ONLY	117
6	FEMALES ONLY	118

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 6: CHOLESTEROL AWARENESS**

**TABLE 1: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10153	4,756,915	9262	86.8	85.8-87.8	258	3.2	2.6- 3.8	633	10.0	9.0-11.0
Male	4651	2,308,782	4095	82.8	81.2-84.4	159	3.8	3.0- 4.6	397	13.3	11.9-14.7
Female	5502	2,448,133	5167	90.4	89.2-91.6	99	2.7	1.9- 3.5	236	6.9	5.9- 7.9
White/Non-Hisp	7947	3,593,889	7327	87.7	86.5-88.9	187	3.0	2.4- 3.6	433	9.3	8.3-10.3
Black or Afr. Am./Non-Hisp	925	417,856	848	87.1	83.6-90.6	22	2.8	1.4- 4.2	55	10.1	6.8-13.4
Oth. Race/Non-Hisp.	273	184,287	240	86.4	81.7-91.1	8	2.7	0.7- 4.7	25	10.9	6.4-15.4
MultiRacial/Non-Hisp.	165	118,058	130	76.9	68.7-85.1	9	6.1	1.4-10.8	26	17.0	9.7-24.3
Hispanic	668	362,842	564	80.6	76.3-84.9	27	5.5	2.8- 8.2	77	13.8	10.1-17.5
18-24	463	493,467	298	63.0	57.9-68.1	14	4.0	1.5- 6.5	151	33.0	28.1-37.9
25-34	965	710,576	733	73.8	70.5-77.1	39	3.9	2.3- 5.5	193	22.3	19.2-25.4
35-44	1323	783,097	1146	85.9	83.7-88.1	55	4.0	2.8- 5.2	122	10.0	8.0-12.0
45-54	1617	769,010	1494	91.0	89.0-93.0	51	4.2	2.8- 5.6	72	4.9	3.3- 6.5
55-64	1919	814,535	1814	93.2	91.8-94.6	59	3.8	2.6- 5.0	46	3.0	2.0- 4.0
65+	3866	1,186,231	3777	97.7	97.1-98.3	40	0.9	0.5- 1.3	49	1.3	0.9- 1.7
Less Than H.S.	581	497,257	482	76.5	71.8-81.2	27	6.5	3.6- 9.4	72	17.1	12.8-21.4
H.S. or G.E.D.	3014	1,531,297	2689	84.4	82.6-86.2	92	3.7	2.7- 4.7	233	11.9	10.3-13.5
Some Post-H.S.	2611	1,435,821	2378	87.6	85.8-89.4	54	2.3	1.5- 3.1	179	10.1	8.5-11.7
College Graduate	3907	1,274,634	3676	92.6	91.6-93.6	85	2.4	1.8- 3.0	146	5.0	4.2- 5.8
Less than \$15,000	403	193,887	356	85.3	80.6-90.0	15	3.4	1.2- 5.6	32	11.3	7.0-15.6
\$15,000-24,999	824	343,003	765	90.3	87.6-93.0	19	2.2	1.0- 3.4	40	7.4	4.9- 9.9
\$25,000-34,999	1040	479,331	916	84.0	80.9-87.1	40	4.3	2.5- 6.1	84	11.7	9.0-14.4
\$35,000-49,999	1106	510,257	1009	87.2	84.5-89.9	32	4.0	2.2- 5.8	65	8.7	6.3-11.1
\$50,000-99,999	2523	1,210,484	2327	86.8	84.6-89.0	52	3.1	1.9- 4.3	144	10.2	8.2-12.2
\$100,000-199,999	1663	807,191	1541	88.9	86.7-91.1	42	3.6	2.4- 4.8	80	7.5	5.7- 9.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 2: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4651	2,308,782	4095	82.8	81.2-84.4	159	3.8	3.0- 4.6	397	13.3	11.9-14.7
White/Non-Hisp	3649	1,736,331	3266	84.2	82.4-86.0	110	3.4	2.6- 4.2	273	12.4	10.8-14.0
Black or Afr. Am./Non-Hisp	373	191,528	329	82.4	76.3-88.5	15	5.1	2.2- 8.0	29	12.5	6.8-18.2
Oth. Race/Non-Hisp.	144	105,129	120	82.4	75.5-89.3	7	3.8	0.9- 6.7	17	13.8	7.3-20.3
MultiRacial/Non-Hisp.	86	62,627	62	67.1	54.2-80.0	6	9.5	1.1-17.9	18	23.4	11.8-35.0
Hispanic	303	161,700	239	75.5	68.6-82.4	17	5.1	2.2- 8.0	47	19.4	12.9-25.9
18-24	268	244,615	155	55.2	48.3-62.1	10	4.0	1.3- 6.7	103	40.8	33.9-47.7
25-34	447	355,707	310	66.7	61.4-72.0	20	4.5	2.0- 7.0	117	28.8	23.7-33.9
35-44	638	391,690	515	80.1	76.4-83.8	38	5.1	3.1- 7.1	85	14.9	11.6-18.2
45-54	763	382,843	691	89.5	86.4-92.6	31	4.2	2.6- 5.8	41	6.2	3.5- 8.9
55-64	871	397,749	806	90.9	88.5-93.3	39	5.2	3.4- 7.0	26	3.9	2.1- 5.7
65+	1664	536,177	1618	97.4	96.6-98.2	21	1.1	0.5- 1.7	25	1.6	1.0- 2.2
Less Than H.S.	269	244,290	206	68.7	61.4-76.0	12	5.6	1.9- 9.3	51	25.7	18.6-32.8
H.S. or G.E.D.	1406	777,977	1192	80.0	77.3-82.7	59	4.5	3.1- 5.9	155	15.5	13.0-18.0
Some Post-H.S.	1134	676,940	988	83.7	81.0-86.4	31	2.9	1.7- 4.1	115	13.4	10.9-15.9
College Graduate	1826	602,676	1694	91.1	89.5-92.7	57	3.4	2.4- 4.4	75	5.5	4.1- 6.9
Less than \$15,000	147	73,882	121	81.0	73.2-88.8	10	6.0	1.7-10.3	16	13.0	6.1-19.9
\$15,000- 24,999	310	139,680	280	88.7	84.4-93.0	10	2.8	0.8- 4.8	20	8.5	4.6-12.4
\$25,000- 34,999	442	229,036	365	77.5	72.4-82.6	25	5.0	2.6- 7.4	52	17.5	12.6-22.4
\$35,000- 49,999	467	219,921	412	83.6	78.9-88.3	14	3.3	1.1- 5.5	41	13.1	8.8-17.4
\$50,000- 99,999	1255	626,823	1122	82.0	78.7-85.3	35	3.5	1.9- 5.1	98	14.6	11.5-17.7
\$100,000 - 199,999	913	460,902	831	87.2	84.3-90.1	30	4.4	2.6- 6.2	52	8.3	5.8-10.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 3: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5502	2,448,133	5167	90.4	89.2-91.6	99	2.7	1.9- 3.5	236	6.9	5.9- 7.9
White/Non-Hisp	4298	1,857,558	4061	91.0	89.6-92.4	77	2.7	1.9- 3.5	160	6.4	5.2- 7.6
Black or Afr. Am./Non-Hisp	552	226,329	519	91.0	87.1-94.9	7	0.8	0.0- 1.6	26	8.2	4.3-12.1
Oth. Race/Non-Hisp.	129	79,158	120	91.7	85.6-97.8	1	1.3	0.0- 3.7	8	7.0	1.3-12.7
MultiRacial/Non-Hisp.	79	55,431	68	88.1	80.3-95.9	3	2.1	0.0- 4.8	8	9.8	2.4-17.2
Hispanic	365	201,142	325	84.7	79.4-90.0	10	5.9	1.6-10.2	30	9.3	5.6-13.0
18-24	195	248,852	143	70.7	63.3-78.1	4	4.1	0.0- 8.6	48	25.2	18.3-32.1
25-34	518	354,868	423	80.9	76.8-85.0	19	3.3	1.1- 5.5	76	15.8	12.1-19.5
35-44	685	391,407	631	91.8	89.4-94.2	17	3.0	1.4- 4.6	37	5.2	3.2- 7.2
45-54	854	386,167	803	92.4	89.7-95.1	20	4.1	1.7- 6.5	31	3.5	2.1- 4.9
55-64	1048	416,785	1008	95.4	93.8-97.0	20	2.5	1.3- 3.7	20	2.1	1.1- 3.1
65+	2202	650,054	2159	98.1	97.5-98.7	19	0.9	0.5- 1.3	24	1.1	0.5- 1.7
Less Than H.S.	312	252,967	276	84.0	78.1-89.9	15	7.4	2.9-11.9	21	8.7	4.4-13.0
H.S. or G.E.D.	1608	753,320	1497	88.9	86.5-91.3	33	3.0	1.6- 4.4	78	8.1	6.1-10.1
Some Post-H.S.	1477	758,881	1390	91.0	88.8-93.2	23	1.8	0.8- 2.8	64	7.1	5.1- 9.1
College Graduate	2081	671,958	1982	93.9	92.5-95.3	28	1.6	0.8- 2.4	71	4.5	3.3- 5.7
Less than \$15,000	256	120,005	235	88.0	82.1-93.9	5	1.8	0.0- 3.8	16	10.2	4.5-15.9
\$15,000- 24,999	514	203,323	485	91.5	88.0-95.0	9	1.8	0.4- 3.2	20	6.7	3.4-10.0
\$25,000- 34,999	598	250,295	551	89.9	86.4-93.4	15	3.6	0.9- 6.3	32	6.5	4.0- 9.0
\$35,000- 49,999	639	290,337	597	90.0	86.5-93.5	18	4.6	2.1- 7.1	24	5.4	3.0- 7.8
\$50,000- 99,999	1268	583,661	1205	91.9	89.4-94.4	17	2.6	0.6- 4.6	46	5.5	3.7- 7.3
\$100,000 - 199,999	750	346,289	710	91.2	88.3-94.1	12	2.5	0.9- 4.1	28	6.3	3.8- 8.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 4: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL3)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9437	4,247,708	5268	60.7	59.5-61.9	4169	39.3	38.1-40.5
Male	4218	1,986,318	2327	59.9	58.1-61.7	1891	40.1	38.3-41.9
Female	5219	2,261,390	2941	61.3	59.7-62.9	2278	38.7	37.1-40.3
White/Non-Hisp	7448	3,234,734	4007	58.5	57.1-59.9	3441	41.5	40.1-42.9
Black or Afr. Am./Non-Hisp	860	371,388	528	66.4	62.3-70.5	332	33.6	29.5-37.7
Oth. Race/Non-Hisp.	247	164,097	146	62.2	54.9-69.5	101	37.8	30.5-45.1
MultiRacial/Non-Hisp.	138	97,841	99	79.5	71.9-87.1	39	20.5	12.9-28.1
Hispanic	589	311,918	391	67.7	62.8-72.6	198	32.3	27.4-37.2
18-24	310	328,008	279	90.9	87.4-94.4	31	9.1	5.6-12.6
25-34	769	550,720	639	83.6	80.5-86.7	130	16.4	13.3-19.5
35-44	1194	700,188	873	71.9	68.8-75.0	321	28.1	25.0-31.2
45-54	1536	728,097	949	60.9	58.0-63.8	587	39.1	36.2-42.0
55-64	1859	784,403	918	49.4	46.7-52.1	941	50.6	47.9-53.3
65+	3769	1,156,290	1610	41.7	39.7-43.7	2159	58.3	56.3-60.3
Less Than H.S.	502	408,671	267	56.7	51.4-62.0	235	43.3	38.0-48.6
H.S. or G.E.D.	2751	1,337,211	1455	58.9	56.7-61.1	1296	41.1	38.9-43.3
Some Post-H.S.	2414	1,282,899	1355	61.5	59.1-63.9	1059	38.5	36.1-40.9
College Graduate	3735	1,203,878	2172	63.0	61.2-64.8	1563	37.0	35.2-38.8
Less than \$15,000	368	171,490	186	56.2	49.9-62.5	182	43.8	37.5-50.1
\$15,000-24,999	779	315,078	376	51.7	47.0-56.4	403	48.3	43.6-53.0
\$25,000-34,999	950	420,594	490	58.1	54.0-62.2	460	41.9	37.8-46.0
\$35,000-49,999	1035	464,143	577	58.5	54.8-62.2	458	41.5	37.8-45.2
\$50,000-99,999	2361	1,079,695	1304	61.5	59.1-63.9	1057	38.5	36.1-40.9
\$100,000-199,999	1577	742,833	966	65.2	62.5-67.9	611	34.8	32.1-37.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 5: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL3)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4218	1,986,318	2327	59.9	58.1-61.7	1891	40.1	38.3-41.9
White/Non-Hisp	3349	1,510,283	1780	57.4	55.4-59.4	1569	42.6	40.6-44.6
Black or Afr. Am./Non-Hisp	337	165,390	208	70.2	64.3-76.1	129	29.8	23.9-35.7
Oth. Race/Non-Hisp.	126	90,492	74	62.0	52.2-71.8	52	38.0	28.2-47.8
MultiRacial/Non-Hisp.	68	47,975	50	78.2	66.4-90.0	18	21.8	10.0-33.6
Hispanic	256	130,327	160	64.4	57.0-71.8	96	35.6	28.2-43.0
18-24	165	144,740	150	92.6	88.5-96.7	15	7.4	3.3-11.5
25-34	328	251,977	270	84.2	79.9-88.5	58	15.8	11.5-20.1
35-44	550	331,267	394	70.7	66.2-75.2	156	29.3	24.8-33.8
45-54	720	358,416	428	57.7	53.6-61.8	292	42.3	38.2-46.4
55-64	836	377,764	414	49.6	45.7-53.5	422	50.4	46.5-54.3
65+	1619	522,153	671	41.3	38.6-44.0	948	58.7	56.0-61.4
Less Than H.S.	216	180,011	119	56.1	48.3-63.9	97	43.9	36.1-51.7
H.S. or G.E.D.	1238	651,994	672	59.5	56.4-62.6	566	40.5	37.4-43.6
Some Post-H.S.	1008	581,982	582	64.1	60.8-67.4	426	35.9	32.6-39.2
College Graduate	1742	566,744	948	57.5	54.8-60.2	794	42.5	39.8-45.2
Less than \$15,000	128	63,703	69	59.3	48.9-69.7	59	40.7	30.3-51.1
\$15,000- 24,999	287	126,783	148	57.5	50.4-64.6	139	42.5	35.4-49.6
\$25,000- 34,999	389	188,687	210	57.6	51.3-63.9	179	42.4	36.1-48.7
\$35,000- 49,999	422	189,532	229	58.6	52.9-64.3	193	41.4	35.7-47.1
\$50,000- 99,999	1149	531,681	599	59.1	55.8-62.4	550	40.9	37.6-44.2
\$100,000 - 199,999	859	421,680	498	61.7	58.0-65.4	361	38.3	34.6-42.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 6: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL3)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5219	2,261,390	2941	61.3	59.7-62.9	2278	38.7	37.1-40.3
White/Non-Hisp	4099	1,724,451	2227	59.5	57.7-61.3	1872	40.5	38.7-42.3
Black or Afr. Am./Non-Hisp	523	205,998	320	63.3	57.6-69.0	203	36.7	31.0-42.4
Oth. Race/Non-Hisp.	121	73,605	72	62.3	51.7-72.9	49	37.7	27.1-48.3
MultiRacial/Non-Hisp.	70	49,866	49	80.7	71.1-90.3	21	19.3	9.7-28.9
Hispanic	333	181,590	231	70.1	63.6-76.6	102	29.9	23.4-36.4
18-24	145	183,269	129	89.6	84.3-94.9	16	10.4	5.1-15.7
25-34	441	298,743	369	83.2	78.9-87.5	72	16.8	12.5-21.1
35-44	644	368,921	479	72.9	68.8-77.0	165	27.1	23.0-31.2
45-54	816	369,681	521	64.0	59.9-68.1	295	36.0	31.9-40.1
55-64	1023	406,639	504	49.3	45.6-53.0	519	50.7	47.0-54.4
65+	2150	634,137	939	42.1	39.6-44.6	1211	57.9	55.4-60.4
Less Than H.S.	286	228,661	148	57.3	50.2-64.4	138	42.7	35.6-49.8
H.S. or G.E.D.	1513	685,216	783	58.3	55.2-61.4	730	41.7	38.6-44.8
Some Post-H.S.	1406	700,917	773	59.4	56.3-62.5	633	40.6	37.5-43.7
College Graduate	1993	637,134	1224	67.8	65.4-70.2	769	32.2	29.8-34.6
Less than \$15,000	240	107,786	117	54.3	46.5-62.1	123	45.7	37.9-53.5
\$15,000- 24,999	492	188,296	228	47.8	41.9-53.7	264	52.2	46.3-58.1
\$25,000- 34,999	561	231,906	280	58.6	53.3-63.9	281	41.4	36.1-46.7
\$35,000- 49,999	613	274,611	348	58.4	53.3-63.5	265	41.6	36.5-46.7
\$50,000- 99,999	1212	548,014	705	63.8	60.5-67.1	507	36.2	32.9-39.5
\$100,000 - 199,999	718	321,153	468	69.8	66.1-73.5	250	30.2	26.5-33.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023**

SECTION 7: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	120
2 MALES ONLY	121
3 FEMALES ONLY	122
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	123
5 MALES ONLY	124
6 FEMALES ONLY	125
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	126
8 MALES ONLY	127
9 FEMALES ONLY	128
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	129
11 MALES ONLY	130
12 FEMALES ONLY	131
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)	
13 MALES AND FEMALES	132
14 MALES ONLY	133
15 FEMALES ONLY	134

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10858	5,262,157	1024	7.7	7.1- 8.3	9834	92.3	91.7-92.9
Male	5006	2,558,987	564	8.9	7.9- 9.9	4442	91.1	90.1-92.1
Female	5852	2,703,170	460	6.6	5.8- 7.4	5392	93.4	92.6-94.2
White/Non-Hisp	8459	3,958,069	850	8.0	7.4- 8.6	7609	92.0	91.4-92.6
Black or Afr. Am./Non-Hisp	1004	482,950	83	6.5	4.7- 8.3	921	93.5	91.7-95.3
Oth. Race/Non-Hisp.	285	196,614	26	7.5	4.0-11.0	259	92.5	89.0-96.0
MultiRacial/Non-Hisp.	181	135,695	17	10.3	5.0-15.6	164	89.7	84.4-95.0
Hispanic	743	403,840	30	5.0	2.5- 7.5	713	95.0	92.5-97.5
18-24	660	703,528	3	0.6	0.0- 1.2	657	99.4	98.8- 100
25-34	1135	844,753	8	1.0	0.0- 2.0	1127	99.0	98.0- 100
35-44	1425	844,490	33	3.0	1.8- 4.2	1392	97.0	95.8-98.2
45-54	1683	805,008	102	6.5	5.1- 7.9	1581	93.5	92.1-94.9
55-64	1971	837,168	214	11.4	9.6-13.2	1757	88.6	86.8-90.4
65+	3984	1,227,210	664	17.9	16.3-19.5	3320	82.1	80.5-83.7
Less Than H.S.	640	566,930	88	11.1	8.4-13.8	552	88.9	86.2-91.6
H.S. or G.E.D.	3315	1,757,815	364	8.2	7.2- 9.2	2951	91.8	90.8-92.8
Some Post-H.S.	2788	1,568,436	291	8.2	7.2- 9.2	2497	91.8	90.8-92.8
College Graduate	4065	1,345,449	276	5.1	4.3- 5.9	3789	94.9	94.1-95.7
Less than \$15,000	452	223,044	60	9.4	6.7-12.1	392	90.6	87.9-93.3
\$15,000-24,999	873	376,958	154	15.6	12.7-18.5	719	84.4	81.5-87.3
\$25,000-34,999	1101	521,885	139	10.9	8.7-13.1	962	89.1	86.9-91.3
\$35,000-49,999	1170	557,714	123	8.7	6.9-10.5	1047	91.3	89.5-93.1
\$50,000-99,999	2650	1,306,868	228	6.5	5.5- 7.5	2422	93.5	92.5-94.5
\$100,000-199,999	1730	862,594	67	2.9	2.1- 3.7	1663	97.1	96.3-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5006	2,558,987	564	8.9	7.9- 9.9	4442	91.1	90.1-92.1
White/Non-Hisp	3907	1,913,923	482	9.5	8.5-10.5	3425	90.5	89.5-91.5
Black or Afr. Am./Non-Hisp	410	225,358	38	7.3	4.6-10.0	372	92.7	90.0-95.4
Oth. Race/Non-Hisp.	151	113,226	12	6.7	2.4-11.0	139	93.3	89.0-97.6
MultiRacial/Non-Hisp.	91	69,557	7	7.5	1.4-13.6	84	92.5	86.4-98.6
Hispanic	345	183,172	12	5.4	0.7-10.1	333	94.6	89.9-99.3
18-24	390	357,901	2	0.8	0.0- 2.0	388	99.2	98.0- 100
25-34	532	423,951	4	1.4	0.0- 3.2	528	98.6	96.8- 100
35-44	689	417,534	16	3.1	1.3- 4.9	673	96.9	95.1-98.7
45-54	798	401,601	51	6.4	4.4- 8.4	747	93.6	91.6-95.6
55-64	896	408,567	117	13.5	10.8-16.2	779	86.5	83.8-89.2
65+	1701	549,433	374	22.5	20.1-24.9	1327	77.5	75.1-79.9
Less Than H.S.	300	283,047	39	10.2	6.1-14.3	261	89.8	85.7-93.9
H.S. or G.E.D.	1556	888,166	196	9.2	7.8-10.6	1360	90.8	89.4-92.2
Some Post-H.S.	1217	738,823	148	9.3	7.5-11.1	1069	90.7	88.9-92.5
College Graduate	1909	637,371	179	7.4	6.2- 8.6	1730	92.6	91.4-93.8
Less than \$15,000	170	84,106	25	11.1	6.0-16.2	145	88.9	83.8-94.0
\$15,000- 24,999	337	154,400	65	16.1	11.6-20.6	272	83.9	79.4-88.4
\$25,000- 34,999	468	246,942	73	12.2	8.9-15.5	395	87.8	84.5-91.1
\$35,000- 49,999	489	237,660	71	12.1	8.8-15.4	418	87.9	84.6-91.2
\$50,000- 99,999	1331	682,983	147	7.8	6.2- 9.4	1184	92.2	90.6-93.8
\$100,000 - 199,999	952	491,131	44	3.6	2.4- 4.8	908	96.4	95.2-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5852	2,703,170	460	6.6	5.8- 7.4	5392	93.4	92.6-94.2
White/Non-Hisp	4552	2,044,146	368	6.6	5.8- 7.4	4184	93.4	92.6-94.2
Black or Afr. Am./Non-Hisp	594	257,593	45	5.7	3.5- 7.9	549	94.3	92.1-96.5
Oth. Race/Non-Hisp.	134	83,388	14	8.6	2.7-14.5	120	91.4	85.5-97.3
MultiRacial/Non-Hisp.	90	66,139	10	13.2	4.4-22.0	80	86.8	78.0-95.6
Hispanic	398	220,668	18	4.7	1.8- 7.6	380	95.3	92.4-98.2
18-24	270	345,627	1	0.3	0.0- 0.9	269	99.7	99.1- 100
25-34	603	420,802	4	0.6	0.0- 1.2	599	99.4	98.8- 100
35-44	736	426,956	17	2.9	1.3- 4.5	719	97.1	95.5-98.7
45-54	885	403,407	51	6.5	4.5- 8.5	834	93.5	91.5-95.5
55-64	1075	428,601	97	9.4	7.2-11.6	978	90.6	88.4-92.8
65+	2283	677,777	290	14.2	12.2-16.2	1993	85.8	83.8-87.8
Less Than H.S.	340	283,883	49	11.9	8.2-15.6	291	88.1	84.4-91.8
H.S. or G.E.D.	1759	869,648	168	7.3	5.9- 8.7	1591	92.7	91.3-94.1
Some Post-H.S.	1571	829,613	143	7.2	5.8- 8.6	1428	92.8	91.4-94.2
College Graduate	2156	708,078	97	3.0	2.2- 3.8	2059	97.0	96.2-97.8
Less than \$15,000	282	138,938	35	8.3	5.0-11.6	247	91.7	88.4-95.0
\$15,000- 24,999	536	222,558	89	15.3	11.6-19.0	447	84.7	81.0-88.4
\$25,000- 34,999	633	274,943	66	9.7	6.8-12.6	567	90.3	87.4-93.2
\$35,000- 49,999	681	320,055	52	6.1	4.1- 8.1	629	93.9	91.9-95.9
\$50,000- 99,999	1319	623,884	81	5.1	3.7- 6.5	1238	94.9	93.5-96.3
\$100,000 - 199,999	778	371,463	23	2.0	1.0- 3.0	755	98.0	97.0-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10944	5,299,997	9232	83.4	82.4-84.4	1712	16.6	15.6-17.6
Male	5050	2,583,384	4426	86.7	85.5-87.9	624	13.3	12.1-14.5
Female	5894	2,716,613	4806	80.3	78.9-81.7	1088	19.7	18.3-21.1
White/Non-Hisp	8515	3,981,629	7193	83.4	82.4-84.4	1322	16.6	15.6-17.6
Black or Afr. Am./Non-Hisp	1013	485,938	829	80.0	76.3-83.7	184	20.0	16.3-23.7
Oth. Race/Non-Hisp.	291	201,484	254	89.6	85.3-93.9	37	10.4	6.1-14.7
MultiRacial/Non-Hisp.	185	138,528	152	83.0	75.9-90.1	33	17.0	9.9-24.1
Hispanic	748	404,366	649	85.0	81.5-88.5	99	15.0	11.5-18.5
18-24	658	702,068	524	78.9	75.2-82.6	134	21.1	17.4-24.8
25-34	1137	846,004	917	80.6	77.9-83.3	220	19.4	16.7-22.1
35-44	1430	850,220	1200	84.1	81.7-86.5	230	15.9	13.5-18.3
45-54	1692	809,914	1397	82.7	80.5-84.9	295	17.3	15.1-19.5
55-64	1993	848,107	1670	83.6	81.6-85.6	323	16.4	14.4-18.4
65+	4034	1,243,684	3524	87.8	86.6-89.0	510	12.2	11.0-13.4
Less Than H.S.	654	575,996	539	80.8	76.9-84.7	115	19.2	15.3-23.1
H.S. or G.E.D.	3362	1,780,421	2847	84.1	82.5-85.7	515	15.9	14.3-17.5
Some Post-H.S.	2803	1,573,623	2307	82.1	80.3-83.9	496	17.9	16.1-19.7
College Graduate	4077	1,347,374	3498	85.2	83.8-86.6	579	14.8	13.4-16.2
Less than \$15,000	455	223,157	335	72.1	66.8-77.4	120	27.9	22.6-33.2
\$15,000-24,999	885	382,520	716	80.1	76.8-83.4	169	19.9	16.6-23.2
\$25,000-34,999	1116	527,051	932	82.3	79.2-85.4	184	17.7	14.6-20.8
\$35,000-49,999	1179	559,291	977	82.6	79.9-85.3	202	17.4	14.7-20.1
\$50,000-99,999	2660	1,313,858	2281	83.9	81.9-85.9	379	16.1	14.1-18.1
\$100,000-199,999	1739	866,545	1502	87.2	85.4-89.0	237	12.8	11.0-14.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5050	2,583,384	4426	86.7	85.5-87.9	624	13.3	12.1-14.5
White/Non-Hisp	3929	1,926,049	3433	86.4	85.0-87.8	496	13.6	12.2-15.0
Black or Afr. Am./Non-Hisp	415	226,846	354	82.6	77.1-88.1	61	17.4	11.9-22.9
Oth. Race/Non-Hisp.	156	117,346	147	95.5	92.4-98.6	9	4.5	1.4- 7.6
MultiRacial/Non-Hisp.	95	72,390	82	89.0	81.9-96.1	13	11.0	3.9-18.1
Hispanic	348	183,707	315	88.4	83.7-93.1	33	11.6	6.9-16.3
18-24	389	358,616	318	81.2	76.7-85.7	71	18.8	14.3-23.3
25-34	535	426,432	456	84.7	81.0-88.4	79	15.3	11.6-19.0
35-44	694	422,945	610	88.1	85.4-90.8	84	11.9	9.2-14.6
45-54	801	402,712	702	87.1	84.2-90.0	99	12.9	10.0-15.8
55-64	909	415,272	790	86.8	84.3-89.3	119	13.2	10.7-15.7
65+	1722	557,406	1550	90.4	88.8-92.0	172	9.6	8.0-11.2
Less Than H.S.	305	286,584	254	83.3	78.0-88.6	51	16.7	11.4-22.0
H.S. or G.E.D.	1582	903,487	1376	86.6	84.6-88.6	206	13.4	11.4-15.4
Some Post-H.S.	1223	742,318	1082	87.2	84.8-89.6	141	12.8	10.4-15.2
College Graduate	1916	639,415	1692	87.8	86.0-89.6	224	12.2	10.4-14.0
Less than \$15,000	173	86,031	142	80.9	73.3-88.5	31	19.1	11.5-26.7
\$15,000- 24,999	342	156,389	295	86.6	82.1-91.1	47	13.4	8.9-17.9
\$25,000- 34,999	474	248,899	404	84.7	80.4-89.0	70	15.3	11.0-19.6
\$35,000- 49,999	492	237,551	430	86.5	82.8-90.2	62	13.5	9.8-17.2
\$50,000- 99,999	1339	690,232	1177	85.3	82.6-88.0	162	14.7	12.0-17.4
\$100,000 - 199,999	957	493,521	854	89.3	86.9-91.7	103	10.7	8.3-13.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5894	2,716,613	4806	80.3	78.9-81.7	1088	19.7	18.3-21.1
White/Non-Hisp	4586	2,055,580	3760	80.6	79.0-82.2	826	19.4	17.8-21.0
Black or Afr. Am./Non-Hisp	598	259,092	475	77.7	72.6-82.8	123	22.3	17.2-27.4
Oth. Race/Non-Hisp.	135	84,138	107	81.4	72.6-90.2	28	18.6	9.8-27.4
MultiRacial/Non-Hisp.	90	66,139	70	76.5	64.2-88.8	20	23.5	11.2-35.8
Hispanic	400	220,660	334	82.1	77.0-87.2	66	17.9	12.8-23.0
18-24	269	343,452	206	76.4	70.7-82.1	63	23.6	17.9-29.3
25-34	602	419,571	461	76.5	72.6-80.4	141	23.5	19.6-27.4
35-44	736	427,275	590	80.2	76.7-83.7	146	19.8	16.3-23.3
45-54	891	407,202	695	78.3	75.0-81.6	196	21.7	18.4-25.0
55-64	1084	432,835	880	80.6	77.7-83.5	204	19.4	16.5-22.3
65+	2312	686,278	1974	85.7	83.9-87.5	338	14.3	12.5-16.1
Less Than H.S.	349	289,412	285	78.3	72.4-84.2	64	21.7	15.8-27.6
H.S. or G.E.D.	1780	876,934	1471	81.5	79.1-83.9	309	18.5	16.1-20.9
Some Post-H.S.	1580	831,304	1225	77.6	75.1-80.1	355	22.4	19.9-24.9
College Graduate	2161	707,959	1806	82.9	80.9-84.9	355	17.1	15.1-19.1
Less than \$15,000	282	137,126	193	66.6	59.5-73.7	89	33.4	26.3-40.5
\$15,000- 24,999	543	226,131	421	75.5	70.8-80.2	122	24.5	19.8-29.2
\$25,000- 34,999	642	278,152	528	80.2	75.7-84.7	114	19.8	15.3-24.3
\$35,000- 49,999	687	321,740	547	79.8	75.9-83.7	140	20.2	16.3-24.1
\$50,000- 99,999	1321	623,626	1104	82.4	79.7-85.1	217	17.6	14.9-20.3
\$100,000 - 199,999	782	373,025	648	84.4	81.5-87.3	134	15.6	12.7-18.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10883	5,269,336	9671	88.5	87.7-89.3	1212	11.5	10.7-12.3
Male	5022	2,566,847	4647	92.2	91.2-93.2	375	7.8	6.8- 8.8
Female	5861	2,702,488	5024	85.0	83.8-86.2	837	15.0	13.8-16.2
White/Non-Hisp	8467	3,957,425	7528	88.4	87.4-89.4	939	11.6	10.6-12.6
Black or Afr. Am./Non-Hisp	1008	483,716	869	86.0	82.9-89.1	139	14.0	10.9-17.1
Oth. Race/Non-Hisp.	290	200,994	261	92.3	88.4-96.2	29	7.7	3.8-11.6
MultiRacial/Non-Hisp.	182	136,391	158	87.1	80.4-93.8	24	12.9	6.2-19.6
Hispanic	746	403,271	692	91.4	88.5-94.3	54	8.6	5.7-11.5
18-24	651	696,186	574	87.4	84.5-90.3	77	12.6	9.7-15.5
25-34	1127	839,358	995	88.0	85.6-90.4	132	12.0	9.6-14.4
35-44	1422	846,058	1270	89.6	87.6-91.6	152	10.4	8.4-12.4
45-54	1679	803,474	1468	87.3	85.3-89.3	211	12.7	10.7-14.7
55-64	1986	844,487	1730	87.0	85.2-88.8	256	13.0	11.2-14.8
65+	4018	1,239,772	3634	90.6	89.4-91.8	384	9.4	8.2-10.6
Less Than H.S.	653	574,973	571	86.5	83.0-90.0	82	13.5	10.0-17.0
H.S. or G.E.D.	3349	1,774,204	2983	88.9	87.5-90.3	366	11.1	9.7-12.5
Some Post-H.S.	2775	1,556,607	2415	87.3	85.7-88.9	360	12.7	11.1-14.3
College Graduate	4058	1,340,968	3660	90.3	89.3-91.3	398	9.7	8.7-10.7
Less than \$15,000	449	219,970	357	79.2	74.5-83.9	92	20.8	16.1-25.5
\$15,000-24,999	883	381,733	748	84.2	81.1-87.3	135	15.8	12.7-18.9
\$25,000-34,999	1106	524,115	977	88.0	85.3-90.7	129	12.0	9.3-14.7
\$35,000-49,999	1173	554,872	1026	88.1	85.7-90.5	147	11.9	9.5-14.3
\$50,000-99,999	2645	1,304,313	2391	89.3	87.7-90.9	254	10.7	9.1-12.3
\$100,000-199,999	1735	864,395	1570	91.8	90.4-93.2	165	8.2	6.8- 9.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5022	2,566,847	4647	92.2	91.2-93.2	375	7.8	6.8- 8.8
White/Non-Hisp	3905	1,912,606	3607	91.9	90.7-93.1	298	8.1	6.9- 9.3
Black or Afr. Am./Non-Hisp	415	226,846	374	88.9	84.2-93.6	41	11.1	6.4-15.8
Oth. Race/Non-Hisp.	156	117,346	151	97.9	95.7- 100	5	2.1	0.0- 4.3
MultiRacial/Non-Hisp.	93	70,392	85	94.6	90.1-99.1	8	5.4	0.9- 9.9
Hispanic	346	182,611	333	95.2	92.1-98.3	13	4.8	1.7- 7.9
18-24	384	355,204	348	90.3	87.0-93.6	36	9.7	6.4-13.0
25-34	529	421,224	495	92.6	89.7-95.5	34	7.4	4.5-10.3
35-44	692	421,985	649	93.9	91.7-96.1	43	6.1	3.9- 8.3
45-54	793	398,899	730	91.3	88.6-94.0	63	8.7	6.0-11.4
55-64	905	412,837	828	91.3	89.1-93.5	77	8.7	6.5-10.9
65+	1719	556,698	1597	93.0	91.6-94.4	122	7.0	5.6- 8.4
Less Than H.S.	304	285,561	273	90.7	86.6-94.8	31	9.3	5.2-13.4
H.S. or G.E.D.	1578	901,129	1448	91.7	90.1-93.3	130	8.3	6.7- 9.9
Some Post-H.S.	1208	732,378	1123	92.4	90.4-94.4	85	7.6	5.6- 9.6
College Graduate	1908	636,199	1781	93.3	91.9-94.7	127	6.7	5.3- 8.1
Less than \$15,000	169	83,385	150	88.6	82.5-94.7	19	11.4	5.3-17.5
\$15,000- 24,999	341	156,106	308	90.2	86.1-94.3	33	9.8	5.7-13.9
\$25,000- 34,999	472	248,300	428	91.4	88.3-94.5	44	8.6	5.5-11.7
\$35,000- 49,999	489	236,079	448	91.1	88.0-94.2	41	8.9	5.8-12.0
\$50,000- 99,999	1332	685,353	1239	91.3	88.9-93.7	93	8.7	6.3-11.1
\$100,000 - 199,999	954	491,586	889	94.2	92.6-95.8	65	5.8	4.2- 7.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5861	2,702,488	5024	85.0	83.8-86.2	837	15.0	13.8-16.2
White/Non-Hisp	4562	2,044,819	3921	85.1	83.7-86.5	641	14.9	13.5-16.3
Black or Afr. Am./Non-Hisp	593	256,870	495	83.4	79.1-87.7	98	16.6	12.3-20.9
Oth. Race/Non-Hisp.	134	83,648	110	84.4	76.0-92.8	24	15.6	7.2-24.0
MultiRacial/Non-Hisp.	89	65,999	73	79.1	66.9-91.3	16	20.9	8.7-33.1
Hispanic	400	220,660	359	88.2	83.7-92.7	41	11.8	7.3-16.3
18-24	267	340,981	226	84.2	79.1-89.3	41	15.8	10.7-20.9
25-34	598	418,134	500	83.4	80.1-86.7	98	16.6	13.3-19.9
35-44	730	424,073	621	85.4	82.1-88.7	109	14.6	11.3-17.9
45-54	886	404,576	738	83.3	80.4-86.2	148	16.7	13.8-19.6
55-64	1081	431,650	902	82.9	80.2-85.6	179	17.1	14.4-19.8
65+	2299	683,074	2037	88.6	87.0-90.2	262	11.4	9.8-13.0
Less Than H.S.	349	289,412	298	82.3	76.8-87.8	51	17.7	12.2-23.2
H.S. or G.E.D.	1771	873,074	1535	86.1	83.9-88.3	236	13.9	11.7-16.1
Some Post-H.S.	1567	824,230	1292	82.7	80.3-85.1	275	17.3	14.9-19.7
College Graduate	2150	704,769	1879	87.6	86.0-89.2	271	12.4	10.8-14.0
Less than \$15,000	280	136,585	207	73.4	66.9-79.9	73	26.6	20.1-33.1
\$15,000- 24,999	542	225,627	440	80.1	75.8-84.4	102	19.9	15.6-24.2
\$25,000- 34,999	634	275,814	549	85.0	80.9-89.1	85	15.0	10.9-19.1
\$35,000- 49,999	684	318,792	578	85.8	82.5-89.1	106	14.2	10.9-17.5
\$50,000- 99,999	1313	618,959	1152	87.1	84.7-89.5	161	12.9	10.5-15.3
\$100,000 - 199,999	781	372,809	681	88.6	86.1-91.1	100	11.4	8.9-13.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10883	5,269,336	1212	11.5	10.7-12.3	439	4.6	4.0- 5.2	9232	83.9	82.9-84.9
Male	5022	2,566,847	375	7.8	6.8- 8.8	221	4.9	4.1- 5.7	4426	87.3	86.1-88.5
Female	5861	2,702,488	837	15.0	13.8-16.2	218	4.3	3.5- 5.1	4806	80.7	79.3-82.1
White/Non-Hisp	8467	3,957,425	939	11.6	10.6-12.6	335	4.4	3.8- 5.0	7193	83.9	82.9-84.9
Black or Afr. Am./Non-Hisp	1008	483,716	139	14.0	10.9-17.1	40	5.6	3.2- 8.0	829	80.4	76.7-84.1
Oth. Race/Non-Hisp.	290	200,994	29	7.7	3.8-11.6	7	2.4	0.4- 4.4	254	89.8	85.5-94.1
MultiRacial/Non-Hisp.	182	136,391	24	12.9	6.2-19.6	6	2.8	0.1- 5.5	152	84.3	77.2-91.4
Hispanic	746	403,271	54	8.6	5.7-11.5	43	6.2	3.8- 8.6	649	85.2	81.7-88.7
18-24	651	696,186	77	12.6	9.7-15.5	50	7.8	5.4-10.2	524	79.5	76.0-83.0
25-34	1127	839,358	132	12.0	9.6-14.4	78	6.8	5.0- 8.6	917	81.3	78.6-84.0
35-44	1422	846,058	152	10.4	8.4-12.4	70	5.1	3.7- 6.5	1200	84.6	82.2-87.0
45-54	1679	803,474	211	12.7	10.7-14.7	71	3.9	2.9- 4.9	1397	83.3	81.1-85.5
55-64	1986	844,487	256	13.0	11.2-14.8	60	3.0	2.0- 4.0	1670	84.0	82.0-86.0
65+	4018	1,239,772	384	9.4	8.2-10.6	110	2.5	1.9- 3.1	3524	88.1	86.9-89.3
Less Than H.S.	653	574,973	82	13.5	10.0-17.0	32	5.5	3.1- 7.9	539	81.0	77.1-84.9
H.S. or G.E.D.	3349	1,774,204	366	11.1	9.7-12.5	136	4.5	3.5- 5.5	2847	84.4	82.8-86.0
Some Post-H.S.	2775	1,556,607	360	12.7	11.1-14.3	108	4.3	3.3- 5.3	2307	83.0	81.2-84.8
College Graduate	4058	1,340,968	398	9.7	8.7-10.7	162	4.7	3.9- 5.5	3498	85.6	84.2-87.0
Less than \$15,000	449	219,970	92	20.8	16.1-25.5	22	6.0	2.9- 9.1	335	73.2	67.9-78.5
\$15,000-24,999	883	381,733	135	15.8	12.7-18.9	32	4.0	2.2- 5.8	716	80.2	76.9-83.5
\$25,000-34,999	1106	524,115	129	12.0	9.3-14.7	45	5.2	3.2- 7.2	932	82.8	79.7-85.9
\$35,000-49,999	1173	554,872	147	11.9	9.5-14.3	49	4.8	3.2- 6.4	977	83.3	80.6-86.0
\$50,000-99,999	2645	1,304,313	254	10.7	9.1-12.3	110	4.8	3.8- 5.8	2281	84.5	82.5-86.5
\$100,000-199,999	1735	864,395	165	8.2	6.8- 9.6	68	4.4	3.0- 5.8	1502	87.4	85.6-89.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5022	2,566,847	375	7.8	6.8- 8.8	221	4.9	4.1- 5.7	4426	87.3	86.1-88.5
White/Non-Hisp	3905	1,912,606	298	8.1	6.9- 9.3	174	4.8	4.0- 5.6	3433	87.0	85.6-88.4
Black or Afr. Am./Non-Hisp	415	226,846	41	11.1	6.4-15.8	20	6.3	2.8- 9.8	354	82.6	77.1-88.1
Oth. Race/Non-Hisp.	156	117,346	5	2.1	0.0- 4.3	4	2.4	0.0- 4.8	147	95.5	92.4-98.6
MultiRacial/Non-Hisp.	93	70,392	8	5.4	0.9- 9.9	3	3.1	0.0- 7.4	82	91.5	85.4-97.6
Hispanic	346	182,611	13	4.8	1.7- 7.9	18	6.3	2.6-10.0	315	88.9	84.2-93.6
18-24	384	355,204	36	9.7	6.4-13.0	30	8.3	5.0-11.6	318	82.0	77.5-86.5
25-34	529	421,224	34	7.4	4.5-10.3	39	6.8	4.4- 9.2	456	85.8	82.1-89.5
35-44	692	421,985	43	6.1	3.9- 8.3	39	5.6	3.6- 7.6	610	88.3	85.6-91.0
45-54	793	398,899	63	8.7	6.0-11.4	28	3.4	2.0- 4.8	702	88.0	85.1-90.9
55-64	905	412,837	77	8.7	6.5-10.9	38	4.0	2.4- 5.6	790	87.3	84.8-89.8
65+	1719	556,698	122	7.0	5.6- 8.4	47	2.5	1.7- 3.3	1550	90.6	89.0-92.2
Less Than H.S.	304	285,561	31	9.3	5.2-13.4	19	7.0	3.3-10.7	254	83.6	78.3-88.9
H.S. or G.E.D.	1578	901,129	130	8.3	6.7- 9.9	72	4.8	3.6- 6.0	1376	86.9	84.9-88.9
Some Post-H.S.	1208	732,378	85	7.6	5.6- 9.6	41	4.0	2.6- 5.4	1082	88.4	86.0-90.8
College Graduate	1908	636,199	127	6.7	5.3- 8.1	89	5.1	3.9- 6.3	1692	88.2	86.4-90.0
Less than \$15,000	169	83,385	19	11.4	5.3-17.5	8	5.2	0.5- 9.9	142	83.5	76.2-90.8
\$15,000- 24,999	341	156,106	33	9.8	5.7-13.9	13	3.4	1.4- 5.4	295	86.7	82.2-91.2
\$25,000- 34,999	472	248,300	44	8.6	5.5-11.7	24	6.5	3.2- 9.8	404	84.9	80.6-89.2
\$35,000- 49,999	489	236,079	41	8.9	5.8-12.0	18	4.1	1.7- 6.5	430	87.0	83.3-90.7
\$50,000- 99,999	1332	685,353	93	8.7	6.3-11.1	62	5.4	3.8- 7.0	1177	85.9	83.2-88.6
\$100,000 - 199,999	954	491,586	65	5.8	4.2- 7.4	35	4.5	2.5- 6.5	854	89.7	87.3-92.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5861	2,702,488	837	15.0	13.8-16.2	218	4.3	3.5- 5.1	4806	80.7	79.3-82.1
White/Non-Hisp	4562	2,044,819	641	14.9	13.5-16.3	161	4.0	3.2- 4.8	3760	81.1	79.5-82.7
Black or Afr. Am./Non-Hisp	593	256,870	98	16.6	12.3-20.9	20	5.1	1.8- 8.4	475	78.4	73.3-83.5
Oth. Race/Non-Hisp.	134	83,648	24	15.6	7.2-24.0	3	2.5	0.0- 5.4	107	81.9	73.1-90.7
MultiRacial/Non-Hisp.	89	65,999	16	20.9	8.7-33.1	3	2.5	0.0- 5.4	70	76.6	64.3-88.9
Hispanic	400	220,660	41	11.8	7.3-16.3	25	6.1	3.4- 8.8	334	82.1	77.0-87.2
18-24	267	340,981	41	15.8	10.7-20.9	20	7.3	4.0-10.6	206	76.9	71.2-82.6
25-34	598	418,134	98	16.6	13.3-19.9	39	6.7	4.3- 9.1	461	76.7	72.8-80.6
35-44	730	424,073	109	14.6	11.3-17.9	31	4.6	2.8- 6.4	590	80.8	77.3-84.3
45-54	886	404,576	148	16.7	13.8-19.6	43	4.5	2.9- 6.1	695	78.8	75.5-82.1
55-64	1081	431,650	179	17.1	14.4-19.8	22	2.1	1.1- 3.1	880	80.8	77.9-83.7
65+	2299	683,074	262	11.4	9.8-13.0	63	2.5	1.7- 3.3	1974	86.1	84.3-87.9
Less Than H.S.	349	289,412	51	17.7	12.2-23.2	13	4.0	1.1- 6.9	285	78.3	72.4-84.2
H.S. or G.E.D.	1771	873,074	236	13.9	11.7-16.1	64	4.3	2.9- 5.7	1471	81.9	79.5-84.3
Some Post-H.S.	1567	824,230	275	17.3	14.9-19.7	67	4.5	3.1- 5.9	1225	78.3	75.8-80.8
College Graduate	2150	704,769	271	12.4	10.8-14.0	73	4.3	3.1- 5.5	1806	83.3	81.3-85.3
Less than \$15,000	280	136,585	73	26.6	20.1-33.1	14	6.6	2.5-10.7	193	66.9	59.8-74.0
\$15,000- 24,999	542	225,627	102	19.9	15.6-24.2	19	4.4	1.9- 6.9	421	75.7	71.0-80.4
\$25,000- 34,999	634	275,814	85	15.0	10.9-19.1	21	4.1	1.9- 6.3	528	80.9	76.4-85.4
\$35,000- 49,999	684	318,792	106	14.2	10.9-17.5	31	5.3	3.1- 7.5	547	80.6	76.9-84.3
\$50,000- 99,999	1313	618,959	161	12.9	10.5-15.3	48	4.1	2.7- 5.5	1104	83.0	80.5-85.5
\$100,000 - 199,999	781	372,809	100	11.4	8.9-13.9	33	4.2	2.4- 6.0	648	84.4	81.5-87.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10936	5,295,951	3919	29.2	28.2-30.2	7017	70.8	69.8-71.8
Male	5043	2,583,384	1493	24.2	22.8-25.6	3550	75.8	74.4-77.2
Female	5893	2,712,567	2426	33.9	32.3-35.5	3467	66.1	64.5-67.7
White/Non-Hisp	8511	3,977,064	3276	32.0	30.8-33.2	5235	68.0	66.8-69.2
Black or Afr. Am./Non-Hisp	1011	484,906	333	24.3	21.0-27.6	678	75.7	72.4-79.0
Oth. Race/Non-Hisp.	292	202,433	71	19.9	14.8-25.0	221	80.1	75.0-85.2
MultiRacial/Non-Hisp.	184	138,417	59	30.0	21.6-38.4	125	70.0	61.6-78.4
Hispanic	746	404,705	112	12.7	9.6-15.8	634	87.3	84.2-90.4
18-24	661	704,592	24	4.3	2.3- 6.3	637	95.7	93.7-97.7
25-34	1132	841,073	81	7.9	5.9- 9.9	1051	92.1	90.1-94.1
35-44	1429	848,747	226	17.1	14.7-19.5	1203	82.9	80.5-85.3
45-54	1687	808,763	520	30.5	28.0-33.0	1167	69.5	67.0-72.0
55-64	1992	848,168	850	43.5	41.0-46.0	1142	56.5	54.0-59.0
65+	4035	1,244,606	2218	55.3	53.5-57.1	1817	44.7	42.9-46.5
Less Than H.S.	655	575,765	233	29.7	25.6-33.8	422	70.3	66.2-74.4
H.S. or G.E.D.	3363	1,779,454	1337	31.0	29.2-32.8	2026	69.0	67.2-70.8
Some Post-H.S.	2797	1,571,127	1126	32.6	30.6-34.6	1671	67.4	65.4-69.4
College Graduate	4073	1,346,568	1213	22.7	21.3-24.1	2860	77.3	75.9-78.7
Less than \$15,000	457	225,515	224	41.6	35.9-47.3	233	58.4	52.7-64.1
\$15,000-24,999	891	384,125	454	44.0	39.9-48.1	437	56.0	51.9-60.1
\$25,000-34,999	1112	523,405	484	36.2	32.7-39.7	628	63.8	60.3-67.3
\$35,000-49,999	1181	560,627	488	34.5	31.2-37.8	693	65.5	62.2-68.8
\$50,000-99,999	2659	1,313,152	876	26.2	24.2-28.2	1783	73.8	71.8-75.8
\$100,000-199,999	1734	864,460	434	21.4	19.2-23.6	1300	78.6	76.4-80.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5043	2,583,384	1493	24.2	22.8-25.6	3550	75.8	74.4-77.2
White/Non-Hisp	3929	1,928,128	1265	27.0	25.4-28.6	2664	73.0	71.4-74.6
Black or Afr. Am./Non-Hisp	412	226,198	105	17.6	13.5-21.7	307	82.4	78.3-86.5
Oth. Race/Non-Hisp.	155	117,373	27	16.4	9.7-23.1	128	83.6	76.9-90.3
MultiRacial/Non-Hisp.	95	72,390	23	19.4	10.0-28.8	72	80.6	71.2-90.0
Hispanic	345	182,249	42	10.1	6.4-13.8	303	89.9	86.2-93.6
18-24	392	361,160	6	1.8	0.2-3.4	386	98.2	96.6-99.8
25-34	535	426,922	29	5.4	3.2-7.6	506	94.6	92.4-96.8
35-44	694	422,404	87	13.8	10.9-16.7	607	86.2	83.3-89.1
45-54	797	402,180	191	23.7	20.2-27.2	606	76.3	72.8-79.8
55-64	906	414,458	340	38.9	35.2-42.6	566	61.1	57.4-64.8
65+	1719	556,260	840	50.3	47.6-53.0	879	49.7	47.0-52.4
Less Than H.S.	305	287,256	87	24.2	18.9-29.5	218	75.8	70.5-81.1
H.S. or G.E.D.	1584	904,897	503	25.1	22.7-27.5	1081	74.9	72.5-77.3
Some Post-H.S.	1220	741,434	402	27.0	24.3-29.7	818	73.0	70.3-75.7
College Graduate	1911	638,391	497	20.0	18.2-21.8	1414	80.0	78.2-81.8
Less than \$15,000	172	85,857	67	35.4	26.6-44.2	105	64.6	55.8-73.4
\$15,000- 24,999	344	157,246	145	38.3	32.0-44.6	199	61.7	55.4-68.0
\$25,000- 34,999	475	249,661	163	28.3	23.6-33.0	312	71.7	67.0-76.4
\$35,000- 49,999	494	239,194	175	29.6	24.9-34.3	319	70.4	65.7-75.1
\$50,000- 99,999	1334	687,331	382	22.7	20.2-25.2	952	77.3	74.8-79.8
\$100,000 - 199,999	955	492,743	234	21.3	18.4-24.2	721	78.7	75.8-81.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5893	2,712,567	2426	33.9	32.3-35.5	3467	66.1	64.5-67.7
White/Non-Hisp	4582	2,048,936	2011	36.6	34.8-38.4	2571	63.4	61.6-65.2
Black or Afr. Am./Non-Hisp	599	258,708	228	30.1	25.2-35.0	371	69.9	65.0-74.8
Oth. Race/Non-Hisp.	137	85,060	44	24.7	16.5-32.9	93	75.3	67.1-83.5
MultiRacial/Non-Hisp.	89	66,028	36	41.6	28.1-55.1	53	58.4	44.9-71.9
Hispanic	401	222,456	70	14.9	10.2-19.6	331	85.1	80.4-89.8
18-24	269	343,432	18	6.9	3.4-10.4	251	93.1	89.6-96.6
25-34	597	414,151	52	10.4	7.3-13.5	545	89.6	86.5-92.7
35-44	735	426,344	139	20.4	16.7-24.1	596	79.6	75.9-83.3
45-54	890	406,583	329	37.2	33.3-41.1	561	62.8	58.9-66.7
55-64	1086	433,710	510	47.8	44.3-51.3	576	52.2	48.7-55.7
65+	2316	688,346	1378	59.3	56.9-61.7	938	40.7	38.3-43.1
Less Than H.S.	350	288,509	146	35.2	29.1-41.3	204	64.8	58.7-70.9
H.S. or G.E.D.	1779	874,557	834	37.2	34.5-39.9	945	62.8	60.1-65.5
Some Post-H.S.	1577	829,693	724	37.6	34.7-40.5	853	62.4	59.5-65.3
College Graduate	2162	708,178	716	25.2	23.2-27.2	1446	74.8	72.8-76.8
Less than \$15,000	285	139,658	157	45.5	38.2-52.8	128	54.5	47.2-61.8
\$15,000- 24,999	547	226,879	309	48.0	42.5-53.5	238	52.0	46.5-57.5
\$25,000- 34,999	637	273,744	321	43.4	38.5-48.3	316	56.6	51.7-61.5
\$35,000- 49,999	687	321,433	313	38.2	33.7-42.7	374	61.8	57.3-66.3
\$50,000- 99,999	1325	625,822	494	30.1	27.2-33.0	831	69.9	67.0-72.8
\$100,000 - 199,999	779	371,717	200	21.6	18.3-24.9	579	78.4	75.1-81.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023

SECTION 11: TOBACCO USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	136
2	MALES ONLY	137
3	FEMALES ONLY	138
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	139
5	MALES ONLY	140
6	FEMALES ONLY	141
	ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECI2)	
7	MALES AND FEMALES	142
8	MALES ONLY	143
9	FEMALES ONLY	144

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 11: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10182	4,861,914	1015	10.5	9.7-11.3	359	3.9	3.3- 4.5	2722	24.6	23.6-25.6	6086	60.9	59.7-62.1
Male	4691	2,365,875	498	11.0	9.8-12.2	159	3.9	3.1- 4.7	1401	27.5	25.9-29.1	2633	57.7	55.9-59.5
Female	5491	2,496,039	517	10.1	9.1-11.1	200	4.0	3.2- 4.8	1321	21.9	20.5-23.3	3453	64.1	62.5-65.7
White/Non-Hisp	8009	3,706,866	852	11.4	10.6-12.2	258	3.6	3.0- 4.2	2309	27.0	25.8-28.2	4590	58.0	56.6-59.4
Black or Afr. Am./Non-Hisp	910	428,282	84	9.7	7.0-12.4	47	5.4	3.2- 7.6	169	14.9	12.2-17.6	610	70.0	65.9-74.1
Oth. Race/Non-Hisp.	260	176,301	25	9.7	5.6-13.8	11	4.0	1.3- 6.7	44	15.6	10.3-20.9	180	70.7	64.2-77.2
MultiRacial/Non-Hisp.	171	124,982	16	8.1	3.2-13.0	11	9.4	2.0-16.8	48	28.1	19.7-36.5	96	54.5	44.7-64.3
Hispanic	659	348,307	27	4.0	2.2- 5.8	23	3.4	1.8- 5.0	102	13.6	10.5-16.7	507	79.0	75.3-82.7
18-24	619	655,582	8	2.1	0.3- 3.9	18	3.1	1.5- 4.7	39	6.1	4.1- 8.1	554	88.8	85.9-91.7
25-34	1033	756,025	64	7.1	5.3- 8.9	39	4.1	2.5- 5.7	190	21.3	18.2-24.4	740	67.5	64.0-71.0
35-44	1266	739,689	169	14.8	12.4-17.2	49	4.7	3.1- 6.3	307	25.9	23.0-28.8	741	54.7	51.4-58.0
45-54	1545	728,533	217	15.4	13.2-17.6	75	5.4	4.0- 6.8	356	24.0	21.5-26.5	897	55.2	52.3-58.1
55-64	1887	802,975	273	15.3	13.3-17.3	82	4.5	3.3- 5.7	489	26.3	23.9-28.7	1043	53.9	51.2-56.6
65+	3832	1,179,111	284	8.4	7.2- 9.6	96	2.6	2.0- 3.2	1341	35.5	33.7-37.3	2111	53.5	51.5-55.5
Less Than H.S.	582	510,688	127	20.8	16.9-24.7	42	7.1	4.6- 9.6	150	23.3	19.2-27.4	263	48.7	43.6-53.8
H.S. or G.E.D.	3112	1,633,145	442	13.3	11.9-14.7	136	4.3	3.5- 5.1	922	26.4	24.6-28.2	1612	55.9	53.7-58.1
Some Post-H.S.	2606	1,444,013	298	9.8	8.6-11.0	109	4.3	3.3- 5.3	762	26.9	24.9-28.9	1437	58.9	56.5-61.3
College Graduate	3844	1,258,908	145	3.4	2.8- 4.0	70	1.7	1.1- 2.3	879	20.2	18.8-21.6	2750	74.7	73.1-76.3
Less than \$15,000	438	219,415	92	20.0	15.5-24.5	34	8.8	5.3-12.3	115	22.2	17.5-26.9	197	49.0	43.1-54.9
\$15,000-24,999	868	375,667	161	19.5	16.2-22.8	57	6.9	4.5- 9.3	242	24.0	20.7-27.3	408	49.6	45.3-53.9
\$25,000-34,999	1073	504,655	160	15.2	12.5-17.9	46	4.9	3.1- 6.7	306	25.9	22.6-29.2	561	53.9	50.0-57.8
\$35,000-49,999	1150	542,250	141	13.8	11.3-16.3	49	4.3	2.9- 5.7	309	24.1	21.2-27.0	651	57.8	54.3-61.3
\$50,000-99,999	2594	1,277,935	204	8.7	7.3-10.1	65	3.0	2.0- 4.0	742	27.3	25.1-29.5	1583	61.0	58.6-63.4
\$100,000-199,999	1698	848,139	107	6.6	5.2- 8.0	36	2.3	1.5- 3.1	449	26.0	23.5-28.5	1106	65.1	62.4-67.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 11: TOBACCO USE**

TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4691	2,365,875	498	11.0	9.8-12.2	159	3.9	3.1- 4.7	1401	27.5	25.9-29.1	2633	57.7	55.9-59.5
White/Non-Hisp	3690	1,788,168	405	11.6	10.2-13.0	108	3.3	2.5- 4.1	1171	29.9	28.1-31.7	2006	55.2	53.2-57.2
Black or Afr. Am./Non-Hisp	381	204,252	44	10.0	6.5-13.5	20	4.9	2.2- 7.6	83	15.9	11.6-20.2	234	69.1	63.2-75.0
Oth. Race/Non-Hisp.	138	103,361	12	11.0	4.9-17.1	8	5.7	1.2-10.2	23	13.5	7.2-19.8	95	69.7	60.9-78.5
MultiRacial/Non-Hisp.	90	66,416	12	9.9	2.6-17.2	5	8.1	0.0-17.3	26	32.3	20.1-44.5	47	49.7	36.6-62.8
Hispanic	300	154,093	19	6.0	3.1- 8.9	12	5.4	2.1- 8.7	66	20.3	14.6-26.0	203	68.3	61.8-74.8
18-24	366	339,342	4	1.5	0.0- 3.1	8	2.3	0.5- 4.1	25	7.3	4.4-10.2	329	88.9	85.2-92.6
25-34	484	380,285	25	6.1	3.6- 8.6	21	4.6	2.2- 7.0	99	22.9	18.4-27.4	339	66.5	61.4-71.6
35-44	620	370,674	97	17.1	13.6-20.6	28	5.2	3.2- 7.2	165	28.1	23.8-32.4	330	49.6	44.9-54.3
45-54	724	360,773	108	16.2	13.1-19.3	27	4.4	2.4- 6.4	194	27.7	23.8-31.6	395	51.8	47.5-56.1
55-64	862	391,852	141	17.1	14.2-20.0	39	5.0	3.2- 6.8	233	27.9	24.4-31.4	449	50.1	46.2-54.0
65+	1635	522,947	123	8.1	6.5- 9.7	36	2.5	1.5- 3.5	685	43.0	40.3-45.7	791	46.4	43.7-49.1
Less Than H.S.	266	248,305	62	21.5	15.8-27.2	24	8.5	4.6-12.4	81	29.1	22.6-35.6	99	40.9	33.6-48.2
H.S. or G.E.D.	1462	829,720	226	13.9	11.9-15.9	60	4.3	3.1- 5.5	471	28.2	25.5-30.9	705	53.6	50.7-56.5
Some Post-H.S.	1137	683,334	135	10.1	8.1-12.1	41	3.4	2.2- 4.6	366	29.3	26.4-32.2	595	57.2	53.9-60.5
College Graduate	1809	598,125	73	3.5	2.5- 4.5	33	2.0	1.2- 2.8	479	23.8	21.6-26.0	1224	70.7	68.3-73.1
Less than \$15,000	163	80,975	36	20.0	12.7-27.3	14	8.2	3.3-13.1	35	17.8	10.7-24.9	78	53.9	44.5-63.3
\$15,000- 24,999	332	151,657	75	23.4	18.1-28.7	21	6.7	3.6- 9.8	107	28.3	22.4-34.2	129	41.6	34.9-48.3
\$25,000- 34,999	456	238,755	80	16.3	12.4-20.2	20	4.8	2.4- 7.2	141	29.2	24.1-34.3	215	49.7	43.8-55.6
\$35,000- 49,999	478	231,363	62	14.9	11.0-18.8	19	4.2	2.0- 6.4	159	28.0	23.3-32.7	238	53.0	47.3-58.7
\$50,000- 99,999	1306	671,954	115	10.0	8.0-12.0	35	3.6	2.0- 5.2	420	30.3	27.2-33.4	736	56.0	52.5-59.5
\$100,000 - 199,999	936	484,993	65	7.1	5.1- 9.1	20	2.6	1.4- 3.8	266	28.6	25.1-32.1	585	61.6	57.9-65.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 11: TOBACCO USE**

TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5491	2,496,039	517	10.1	9.1-11.1	200	4.0	3.2- 4.8	1321	21.9	20.5-23.3	3453	64.1	62.5-65.7
White/Non-Hisp	4319	1,918,698	447	11.2	10.0-12.4	150	3.8	3.0- 4.6	1138	24.3	22.7-25.9	2584	60.7	58.9-62.5
Black or Afr. Am./Non-Hisp	529	224,030	40	9.3	5.2-13.4	27	5.9	2.4- 9.4	86	14.0	10.3-17.7	376	70.8	65.1-76.5
Oth. Race/Non-Hisp.	122	72,940	13	7.9	3.2-12.6	3	1.6	0.0- 3.6	21	18.6	9.8-27.4	85	71.9	62.3-81.5
MultiRacial/Non-Hisp.	81	58,565	4	6.0	0.0-12.7	6	10.8	0.0-23.0	22	23.3	11.7-34.9	49	59.9	45.2-74.6
Hispanic	359	194,214	8	2.4	0.2- 4.6	11	1.9	0.5- 3.3	36	8.2	4.9-11.5	304	87.5	83.4-91.6
18-24	253	316,239	4	2.6	0.0- 5.7	10	3.9	1.4- 6.4	14	4.8	2.3- 7.3	225	88.7	84.2-93.2
25-34	549	375,740	39	8.2	5.5-10.9	18	3.6	1.6- 5.6	91	19.7	15.6-23.8	401	68.5	63.8-73.2
35-44	646	369,014	72	12.4	9.3-15.5	21	4.2	1.7- 6.7	142	23.7	19.8-27.6	411	59.8	55.3-64.3
45-54	821	367,759	109	14.7	11.8-17.6	48	6.5	4.5- 8.5	162	20.3	17.0-23.6	502	58.5	54.4-62.6
55-64	1025	411,123	132	13.7	11.2-16.2	43	4.0	2.6- 5.4	256	24.8	21.7-27.9	594	57.5	54.0-61.0
65+	2197	656,164	161	8.6	7.0-10.2	60	2.7	1.9- 3.5	656	29.5	27.1-31.9	1320	59.2	56.7-61.7
Less Than H.S.	316	262,382	65	20.1	14.8-25.4	18	5.9	2.4- 9.4	69	17.8	13.1-22.5	164	56.1	49.2-63.0
H.S. or G.E.D.	1650	803,425	216	12.8	10.8-14.8	76	4.3	3.1- 5.5	451	24.6	22.1-27.1	907	58.3	55.4-61.2
Some Post-H.S.	1469	760,679	163	9.6	7.8-11.4	68	5.1	3.5- 6.7	396	24.8	22.1-27.5	842	60.5	57.4-63.6
College Graduate	2035	660,783	72	3.4	2.4- 4.4	37	1.5	0.9- 2.1	400	16.9	15.1-18.7	1526	78.3	76.3-80.3
Less than \$15,000	275	138,440	56	20.0	14.3-25.7	20	9.1	4.4-13.8	80	24.8	18.7-30.9	119	46.1	38.7-53.5
\$15,000- 24,999	536	224,010	86	16.8	12.7-20.9	36	7.1	4.0-10.2	135	21.1	17.0-25.2	279	54.9	49.4-60.4
\$25,000- 34,999	617	265,900	80	14.3	10.8-17.8	26	5.1	2.6- 7.6	165	22.9	18.8-27.0	346	57.6	52.5-62.7
\$35,000- 49,999	672	310,887	79	13.0	9.7-16.3	30	4.5	2.7- 6.3	150	21.2	17.3-25.1	413	61.3	56.6-66.0
\$50,000- 99,999	1288	605,980	89	7.2	5.2- 9.2	30	2.3	1.3- 3.3	322	24.0	21.1-26.9	847	66.5	63.2-69.8
\$100,000 - 199,999	762	363,147	42	5.8	3.8- 7.8	16	1.8	0.8- 2.8	183	22.6	19.1-26.1	521	69.8	65.9-73.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 11: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10182	4,861,914	8808	85.5	84.7-86.3	1374	14.5	13.7-15.3
Male	4691	2,365,875	4034	85.1	83.9-86.3	657	14.9	13.7-16.1
Female	5491	2,496,039	4774	86.0	84.8-87.2	717	14.0	12.8-15.2
White/Non-Hisp	8009	3,706,866	6899	85.0	84.0-86.0	1110	15.0	14.0-16.0
Black or Afr. Am./Non-Hisp	910	428,282	779	84.9	81.6-88.2	131	15.1	11.8-18.4
Oth. Race/Non-Hisp.	260	176,301	224	86.3	81.4-91.2	36	13.7	8.8-18.6
MultiRacial/Non-Hisp.	171	124,982	144	82.6	74.2-91.0	27	17.4	9.0-25.8
Hispanic	659	348,307	609	92.6	90.2-95.0	50	7.4	5.0- 9.8
18-24	619	655,582	593	94.8	92.6-97.0	26	5.2	3.0- 7.4
25-34	1033	756,025	930	88.8	86.4-91.2	103	11.2	8.8-13.6
35-44	1266	739,689	1048	80.5	77.8-83.2	218	19.5	16.8-22.2
45-54	1545	728,533	1253	79.1	76.7-81.5	292	20.9	18.5-23.3
55-64	1887	802,975	1532	80.2	78.0-82.4	355	19.8	17.6-22.0
65+	3832	1,179,111	3452	89.0	87.8-90.2	380	11.0	9.8-12.2
Less Than H.S.	582	510,688	413	72.0	67.7-76.3	169	28.0	23.7-32.3
H.S. or G.E.D.	3112	1,633,145	2534	82.4	80.8-84.0	578	17.6	16.0-19.2
Some Post-H.S.	2606	1,444,013	2199	85.9	84.3-87.5	407	14.1	12.5-15.7
College Graduate	3844	1,258,908	3629	94.8	94.0-95.6	215	5.2	4.4- 6.0
Less than \$15,000	438	219,415	312	71.2	65.9-76.5	126	28.8	23.5-34.1
\$15,000-24,999	868	375,667	650	73.6	69.9-77.3	218	26.4	22.7-30.1
\$25,000-34,999	1073	504,655	867	79.8	76.7-82.9	206	20.2	17.1-23.3
\$35,000-49,999	1150	542,250	960	81.9	79.2-84.6	190	18.1	15.4-20.8
\$50,000-99,999	2594	1,277,935	2325	88.3	86.7-89.9	269	11.7	10.1-13.3
\$100,000-199,999	1698	848,139	1555	91.2	89.6-92.8	143	8.8	7.2-10.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 11: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4691	2,365,875	4034	85.1	83.9-86.3	657	14.9	13.7-16.1
White/Non-Hisp	3690	1,788,168	3177	85.1	83.7-86.5	513	14.9	13.5-16.3
Black or Afr. Am./Non-Hisp	381	204,252	317	85.0	80.7-89.3	64	15.0	10.7-19.3
Oth. Race/Non-Hisp.	138	103,361	118	83.3	76.0-90.6	20	16.7	9.4-24.0
MultiRacial/Non-Hisp.	90	66,416	73	82.0	71.0-93.0	17	18.0	7.0-29.0
Hispanic	300	154,093	269	88.6	84.3-92.9	31	11.4	7.1-15.7
18-24	366	339,342	354	96.2	93.8-98.6	12	3.8	1.4- 6.2
25-34	484	380,285	438	89.3	86.0-92.6	46	10.7	7.4-14.0
35-44	620	370,674	495	77.7	73.8-81.6	125	22.3	18.4-26.2
45-54	724	360,773	589	79.4	75.9-82.9	135	20.6	17.1-24.1
55-64	862	391,852	682	78.0	74.7-81.3	180	22.0	18.7-25.3
65+	1635	522,947	1476	89.4	87.6-91.2	159	10.6	8.8-12.4
Less Than H.S.	266	248,305	180	70.0	63.5-76.5	86	30.0	23.5-36.5
H.S. or G.E.D.	1462	829,720	1176	81.8	79.6-84.0	286	18.2	16.0-20.4
Some Post-H.S.	1137	683,334	961	86.5	84.3-88.7	176	13.5	11.3-15.7
College Graduate	1809	598,125	1703	94.5	93.3-95.7	106	5.5	4.3- 6.7
Less than \$15,000	163	80,975	113	71.7	63.5-79.9	50	28.3	20.1-36.5
\$15,000- 24,999	332	151,657	236	69.9	64.0-75.8	96	30.1	24.2-36.0
\$25,000- 34,999	456	238,755	356	78.9	74.4-83.4	100	21.1	16.6-25.6
\$35,000- 49,999	478	231,363	397	81.0	76.7-85.3	81	19.0	14.7-23.3
\$50,000- 99,999	1306	671,954	1156	86.4	84.0-88.8	150	13.6	11.2-16.0
\$100,000 - 199,999	936	484,993	851	90.2	87.8-92.6	85	9.8	7.4-12.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 11: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5491	2,496,039	4774	86.0	84.8-87.2	717	14.0	12.8-15.2
White/Non-Hisp	4319	1,918,698	3722	85.0	83.6-86.4	597	15.0	13.6-16.4
Black or Afr. Am./Non-Hisp	529	224,030	462	84.8	79.7-89.9	67	15.2	10.1-20.3
Oth. Race/Non-Hisp.	122	72,940	106	90.5	85.4-95.6	16	9.5	4.4-14.6
MultiRacial/Non-Hisp.	81	58,565	71	83.2	70.3-96.1	10	16.8	3.9-29.7
Hispanic	359	194,214	340	95.7	93.2-98.2	19	4.3	1.8- 6.8
18-24	253	316,239	239	93.4	89.5-97.3	14	6.6	2.7-10.5
25-34	549	375,740	492	88.3	85.2-91.4	57	11.7	8.6-14.8
35-44	646	369,014	553	83.4	79.7-87.1	93	16.6	12.9-20.3
45-54	821	367,759	664	78.8	75.5-82.1	157	21.2	17.9-24.5
55-64	1025	411,123	850	82.3	79.6-85.0	175	17.7	15.0-20.4
65+	2197	656,164	1976	88.7	86.9-90.5	221	11.3	9.5-13.1
Less Than H.S.	316	262,382	233	74.0	68.1-79.9	83	26.0	20.1-31.9
H.S. or G.E.D.	1650	803,425	1358	82.9	80.5-85.3	292	17.1	14.7-19.5
Some Post-H.S.	1469	760,679	1238	85.3	83.1-87.5	231	14.7	12.5-16.9
College Graduate	2035	660,783	1926	95.1	94.1-96.1	109	4.9	3.9- 5.9
Less than \$15,000	275	138,440	199	70.9	64.0-77.8	76	29.1	22.2-36.0
\$15,000- 24,999	536	224,010	414	76.1	71.2-81.0	122	23.9	19.0-28.8
\$25,000- 34,999	617	265,900	511	80.6	76.5-84.7	106	19.4	15.3-23.5
\$35,000- 49,999	672	310,887	563	82.6	78.9-86.3	109	17.4	13.7-21.1
\$50,000- 99,999	1288	605,980	1169	90.5	88.3-92.7	119	9.5	7.3-11.7
\$100,000 - 199,999	762	363,147	704	92.4	90.2-94.6	58	7.6	5.4- 9.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 11: TOBACCO USE**

**TABLE 7: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECI2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10184	4,860,199	9581	91.5	90.7-92.3	603	8.5	7.7- 9.3
Male	4697	2,369,372	4413	91.8	90.6-93.0	284	8.2	7.0- 9.4
Female	5487	2,490,827	5168	91.2	90.0-92.4	319	8.8	7.6-10.0
White/Non-Hisp	8021	3,711,207	7539	91.3	90.3-92.3	482	8.7	7.7- 9.7
Black or Afr. Am./Non-Hisp	908	428,400	870	92.4	89.5-95.3	38	7.6	4.7-10.5
Oth. Race/Non-Hisp.	263	178,475	247	93.5	90.0-97.0	16	6.5	3.0-10.0
MultiRacial/Non-Hisp.	170	121,326	153	85.6	77.8-93.4	17	14.4	6.6-22.2
Hispanic	651	345,487	609	93.2	90.7-95.7	42	6.8	4.3- 9.3
18-24	618	655,975	496	80.2	76.7-83.7	122	19.8	16.3-23.3
25-34	1032	757,013	882	84.9	82.4-87.4	150	15.1	12.6-17.6
35-44	1266	739,202	1140	89.5	87.3-91.7	126	10.5	8.3-12.7
45-54	1547	729,341	1461	93.5	91.9-95.1	86	6.5	4.9- 8.1
55-64	1878	798,504	1809	96.4	95.4-97.4	69	3.6	2.6- 4.6
65+	3843	1,180,164	3793	98.8	98.4-99.2	50	1.2	0.8- 1.6
Less Than H.S.	580	506,182	533	90.4	87.3-93.5	47	9.6	6.5-12.7
H.S. or G.E.D.	3107	1,631,310	2885	89.8	88.2-91.4	222	10.2	8.6-11.8
Some Post-H.S.	2611	1,448,203	2426	90.4	88.8-92.0	185	9.6	8.0-11.2
College Graduate	3848	1,260,087	3700	95.4	94.6-96.2	148	4.6	3.8- 5.4
Less than \$15,000	441	220,365	394	86.8	82.7-90.9	47	13.2	9.1-17.3
\$15,000-24,999	868	374,691	814	90.9	88.2-93.6	54	9.1	6.4-11.8
\$25,000-34,999	1070	503,504	997	91.4	89.0-93.8	73	8.6	6.2-11.0
\$35,000-49,999	1144	541,180	1064	89.2	86.7-91.7	80	10.8	8.3-13.3
\$50,000-99,999	2598	1,281,073	2448	90.8	89.0-92.6	150	9.2	7.4-11.0
\$100,000-199,999	1700	849,660	1612	93.6	92.0-95.2	88	6.4	4.8- 8.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 11: TOBACCO USE**

TABLE 8: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECI2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4697	2,369,372	4413	91.8	90.6-93.0	284	8.2	7.0- 9.4
White/Non-Hisp	3704	1,794,621	3483	91.5	90.1-92.9	221	8.5	7.1- 9.9
Black or Afr. Am./Non-Hisp	375	203,913	357	92.7	88.6-96.8	18	7.3	3.2-11.4
Oth. Race/Non-Hisp.	139	103,595	133	95.2	91.3-99.1	6	4.8	0.9- 8.7
MultiRacial/Non-Hisp.	90	66,452	81	88.7	80.5-96.9	9	11.3	3.1-19.5
Hispanic	300	154,803	277	92.9	89.4-96.4	23	7.1	3.6-10.6
18-24	367	340,981	306	82.7	78.0-87.4	61	17.3	12.6-22.0
25-34	484	381,772	408	84.8	81.1-88.5	76	15.2	11.5-18.9
35-44	622	371,628	565	90.2	87.3-93.1	57	9.8	6.9-12.7
45-54	725	360,926	686	94.6	92.6-96.6	39	5.4	3.4- 7.4
55-64	860	390,288	828	96.2	94.6-97.8	32	3.8	2.2- 5.4
65+	1639	523,776	1620	98.8	98.2-99.4	19	1.2	0.6- 1.8
Less Than H.S.	265	247,922	243	89.7	85.0-94.4	22	10.3	5.6-15.0
H.S. or G.E.D.	1461	830,963	1356	90.4	88.2-92.6	105	9.6	7.4-11.8
Some Post-H.S.	1137	685,184	1056	91.4	89.2-93.6	81	8.6	6.4-10.8
College Graduate	1816	599,411	1741	95.2	94.0-96.4	75	4.8	3.6- 6.0
Less than \$15,000	163	81,576	150	93.4	89.3-97.5	13	6.6	2.5-10.7
\$15,000- 24,999	330	151,375	315	94.8	91.9-97.7	15	5.2	2.3- 8.1
\$25,000- 34,999	456	238,341	423	91.1	87.6-94.6	33	8.9	5.4-12.4
\$35,000- 49,999	478	233,094	441	89.3	85.6-93.0	37	10.7	7.0-14.4
\$50,000- 99,999	1306	672,485	1221	89.9	87.4-92.4	85	10.1	7.6-12.6
\$100,000 - 199,999	939	486,189	891	93.4	91.2-95.6	48	6.6	4.4- 8.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 11: TOBACCO USE**

TABLE 9: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECI2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5487	2,490,827	5168	91.2	90.0-92.4	319	8.8	7.6-10.0
White/Non-Hisp	4317	1,916,586	4056	91.1	89.9-92.3	261	8.9	7.7-10.1
Black or Afr. Am./Non-Hisp	533	224,487	513	92.1	88.0-96.2	20	7.9	3.8-12.0
Oth. Race/Non-Hisp.	124	74,880	114	91.0	84.7-97.3	10	9.0	2.7-15.3
MultiRacial/Non-Hisp.	80	54,875	72	81.7	68.0-95.4	8	18.3	4.6-32.0
Hispanic	351	190,684	332	93.5	90.0-97.0	19	6.5	3.0-10.0
18-24	251	314,994	190	77.5	71.8-83.2	61	22.5	16.8-28.2
25-34	548	375,241	474	85.0	81.5-88.5	74	15.0	11.5-18.5
35-44	644	367,574	575	88.7	85.8-91.6	69	11.3	8.4-14.2
45-54	822	368,415	775	92.4	90.0-94.8	47	7.6	5.2-10.0
55-64	1018	408,216	981	96.6	95.2-98.0	37	3.4	2.0-4.8
65+	2204	656,388	2173	98.7	98.1-99.3	31	1.3	0.7- 1.9
Less Than H.S.	315	258,260	290	91.0	87.1-94.9	25	9.0	5.1-12.9
H.S. or G.E.D.	1646	800,347	1529	89.1	86.9-91.3	117	10.9	8.7-13.1
Some Post-H.S.	1474	763,019	1370	89.6	87.4-91.8	104	10.4	8.2-12.6
College Graduate	2032	660,676	1959	95.6	94.4-96.8	73	4.4	3.2- 5.6
Less than \$15,000	278	138,789	244	82.9	77.0-88.8	34	17.1	11.2-23.0
\$15,000- 24,999	538	223,316	499	88.3	84.0-92.6	39	11.7	7.4-16.0
\$25,000- 34,999	614	265,163	574	91.6	88.7-94.5	40	8.4	5.5-11.3
\$35,000- 49,999	666	308,086	623	89.1	85.6-92.6	43	10.9	7.4-14.4
\$50,000- 99,999	1292	608,588	1227	91.8	89.4-94.2	65	8.2	5.8-10.6
\$100,000 - 199,999	761	363,470	721	93.9	91.7-96.1	40	6.1	3.9- 8.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023**

SECTION 12: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY6)	
1 MALES AND FEMALES	146
2 MALES ONLY	147
3 FEMALES ONLY	148
DRINK-OCCASIONS-PER-DAY (DROCDY4_)	
4 MALES AND FEMALES	149
5 MALES ONLY	150
6 FEMALES ONLY	151
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING6)	
7 MALES AND FEMALES	152
8 MALES ONLY	153
9 FEMALES ONLY	154
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK2)	
10 MALES AND FEMALES	155
11 MALES ONLY	156
12 FEMALES ONLY	157
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV8)	
13 MALES AND FEMALES	158
14 MALES ONLY	159
15 FEMALES ONLY	160

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9986	4,760,117	4948	49.5	48.3-50.7	5038	50.5	49.3-51.7
Male	4605	2,318,708	2602	55.2	53.4-57.0	2003	44.8	43.0-46.6
Female	5381	2,441,410	2346	44.0	42.2-45.8	3035	56.0	54.2-57.8
White/Non-Hisp	7885	3,648,946	4028	51.2	49.8-52.6	3857	48.8	47.4-50.2
Black or Afr. Am./Non-Hisp	880	409,773	395	44.8	40.3-49.3	485	55.2	50.7-59.7
Oth. Race/Non-Hisp.	258	174,202	106	42.7	35.4-50.0	152	57.3	50.0-64.6
MultiRacial/Non-Hisp.	167	120,411	83	54.9	45.1-64.7	84	45.1	35.3-54.9
Hispanic	630	333,624	269	39.9	35.0-44.8	361	60.1	55.2-65.0
18-24	606	642,109	306	47.1	42.6-51.6	300	52.9	48.4-57.4
25-34	1005	737,457	602	57.9	54.4-61.4	403	42.1	38.6-45.6
35-44	1235	721,644	727	56.0	52.7-59.3	508	44.0	40.7-47.3
45-54	1516	714,591	840	53.5	50.6-56.4	676	46.5	43.6-49.4
55-64	1840	781,952	900	48.1	45.4-50.8	940	51.9	49.2-54.6
65+	3784	1,162,364	1573	39.9	38.1-41.7	2211	60.1	58.3-61.9
Less Than H.S.	564	495,342	158	28.9	24.2-33.6	406	71.1	66.4-75.8
H.S. or G.E.D.	3048	1,601,477	1220	43.0	40.8-45.2	1828	57.0	54.8-59.2
Some Post-H.S.	2558	1,413,112	1242	51.5	49.1-53.9	1316	48.5	46.1-50.9
College Graduate	3780	1,236,400	2313	63.9	62.1-65.7	1467	36.1	34.3-37.9
Less than \$15,000	431	216,301	119	26.3	21.0-31.6	312	73.7	68.4-79.0
\$15,000-24,999	851	363,934	272	35.4	31.1-39.7	579	64.6	60.3-68.9
\$25,000-34,999	1049	491,196	402	36.6	32.9-40.3	647	63.4	59.7-67.1
\$35,000-49,999	1130	534,240	504	44.3	40.6-48.0	626	55.7	52.0-59.4
\$50,000-99,999	2552	1,257,955	1428	56.3	53.8-58.8	1124	43.7	41.2-46.2
\$100,000-199,999	1677	832,481	1142	65.7	63.0-68.4	535	34.3	31.6-37.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4605	2,318,708	2602	55.2	53.4-57.0	2003	44.8	43.0-46.6
White/Non-Hisp	3642	1,763,978	2131	57.7	55.7-59.7	1511	42.3	40.3-44.3
Black or Afr. Am./Non-Hisp	362	196,240	166	44.0	37.1-50.9	196	56.0	49.1-62.9
Oth. Race/Non-Hisp.	135	100,684	59	40.1	30.7-49.5	76	59.9	50.5-69.3
MultiRacial/Non-Hisp.	88	63,994	51	66.1	53.8-78.4	37	33.9	21.6-46.2
Hispanic	291	149,054	151	49.1	41.8-56.4	140	50.9	43.6-58.2
18-24	360	336,085	171	43.0	37.1-48.9	189	57.0	51.1-62.9
25-34	474	370,993	317	64.6	59.5-69.7	157	35.4	30.3-40.5
35-44	603	360,115	376	60.0	55.3-64.7	227	40.0	35.3-44.7
45-54	710	354,976	428	58.1	53.8-62.4	282	41.9	37.6-46.2
55-64	839	381,370	469	55.8	51.9-59.7	370	44.2	40.3-48.1
65+	1619	515,168	841	50.7	47.8-53.6	778	49.3	46.4-52.2
Less Than H.S.	260	242,364	97	36.4	29.3-43.5	163	63.6	56.5-70.7
H.S. or G.E.D.	1425	810,537	707	50.8	47.7-53.9	718	49.2	46.1-52.3
Some Post-H.S.	1111	668,933	615	56.8	53.3-60.3	496	43.2	39.7-46.7
College Graduate	1792	591,262	1178	67.4	64.9-69.9	614	32.6	30.1-35.1
Less than \$15,000	157	78,742	49	27.9	19.5-36.3	108	72.1	63.7-80.5
\$15,000- 24,999	322	146,947	136	44.1	37.2-51.0	186	55.9	49.0-62.8
\$25,000- 34,999	451	234,530	198	39.9	34.4-45.4	253	60.1	54.6-65.6
\$35,000- 49,999	472	228,885	241	48.3	42.6-54.0	231	51.7	46.0-57.4
\$50,000- 99,999	1287	662,720	756	59.3	56.0-62.6	531	40.7	37.4-44.0
\$100,000 - 199,999	924	476,727	651	68.4	64.7-72.1	273	31.6	27.9-35.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5381	2,441,410	2346	44.0	42.2-45.8	3035	56.0	54.2-57.8
White/Non-Hisp	4243	1,884,968	1897	45.1	43.1-47.1	2346	54.9	52.9-56.9
Black or Afr. Am./Non-Hisp	518	213,533	229	45.6	39.7-51.5	289	54.4	48.5-60.3
Oth. Race/Non-Hisp.	123	73,518	47	46.2	35.0-57.4	76	53.8	42.6-65.0
MultiRacial/Non-Hisp.	79	56,418	32	42.1	27.4-56.8	47	57.9	43.2-72.6
Hispanic	339	184,570	118	32.6	26.1-39.1	221	67.4	60.9-73.9
18-24	246	306,024	135	51.5	44.2-58.8	111	48.5	41.2-55.8
25-34	531	366,464	285	51.1	46.2-56.0	246	48.9	44.0-53.8
35-44	632	361,529	351	52.0	47.5-56.5	281	48.0	43.5-52.5
45-54	806	359,615	412	48.9	44.8-53.0	394	51.1	47.0-55.2
55-64	1001	400,582	431	40.9	37.4-44.4	570	59.1	55.6-62.6
65+	2165	647,196	732	31.4	29.0-33.8	1433	68.6	66.2-71.0
Less Than H.S.	304	252,978	61	21.8	15.7-27.9	243	78.2	72.1-84.3
H.S. or G.E.D.	1623	790,940	513	35.0	32.1-37.9	1110	65.0	62.1-67.9
Some Post-H.S.	1447	744,179	627	46.7	43.6-49.8	820	53.3	50.2-56.4
College Graduate	1988	645,138	1135	60.7	58.2-63.2	853	39.3	36.8-41.8
Less than \$15,000	274	137,559	70	25.3	18.6-32.0	204	74.7	68.0-81.4
\$15,000- 24,999	529	216,988	136	29.5	24.2-34.8	393	70.5	65.2-75.8
\$25,000- 34,999	598	256,666	204	33.6	28.7-38.5	394	66.4	61.5-71.3
\$35,000- 49,999	658	305,356	263	41.3	36.4-46.2	395	58.7	53.8-63.6
\$50,000- 99,999	1265	595,235	672	53.0	49.5-56.5	593	47.0	43.5-50.5
\$100,000 - 199,999	753	355,754	491	62.1	57.8-66.4	262	37.9	33.6-42.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 12: ALCOHOL CONSUMPTION
TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY4_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9986	4,760,117	3020	31.0	29.8-32.2	1046	10.7	9.9-11.5	402	3.8	3.4- 4.2	480	4.1	3.7- 4.5	5038	50.5	49.3-51.7
Male	4605	2,318,708	1394	30.6	29.0-32.2	623	13.6	12.4-14.8	252	4.8	4.0- 5.6	333	6.2	5.4- 7.0	2003	44.8	43.0-46.6
Female	5381	2,441,410	1626	31.3	29.7-32.9	423	7.9	6.9- 8.9	150	2.7	2.1- 3.3	147	2.1	1.7- 2.5	3035	56.0	54.2-57.8
White/Non-Hisp	7885	3,648,946	2400	31.4	30.0-32.8	868	11.2	10.4-12.0	349	4.2	3.6- 4.8	411	4.4	3.8- 5.0	3857	48.8	47.4-50.2
Black or Afr. Am./Non-Hisp	880	409,773	279	30.3	26.2-34.4	70	9.8	6.7-12.9	23	2.3	0.9- 3.7	23	2.4	1.2- 3.6	485	55.2	50.7-59.7
Oth. Race/Non-Hisp.	258	174,202	71	29.9	23.0-36.8	19	7.8	4.1-11.5	6	2.2	0.2- 4.2	10	2.8	0.6- 5.0	152	57.3	50.0-64.6
MultiRacial/Non-Hisp.	167	120,411	54	40.1	30.1-50.1	14	7.1	3.0-11.2	5	2.4	0.0- 4.8	10	5.3	0.8- 9.8	84	45.1	35.3-54.9
Hispanic	630	333,624	174	25.4	21.1-29.7	64	10.2	7.3-13.1	16	2.3	0.9- 3.7	15	2.0	0.8- 3.2	361	60.1	55.2-65.0
18-24	606	642,109	213	34.1	29.8-38.4	75	10.2	7.7-12.7	11	1.7	0.5- 2.9	7	1.0	0.2- 1.8	300	52.9	48.4-57.4
25-34	1005	737,457	403	38.4	34.9-41.9	127	12.7	10.2-15.2	39	3.8	2.4- 5.2	33	3.1	1.9- 4.3	403	42.1	38.6-45.6
35-44	1235	721,644	421	33.3	30.2-36.4	186	13.7	11.5-15.9	64	4.5	3.3- 5.7	56	4.5	3.1- 5.9	508	44.0	40.7-47.3
45-54	1516	714,591	535	34.0	31.3-36.7	175	11.0	9.2-12.8	71	4.8	3.6- 6.0	59	3.7	2.5- 4.9	676	46.5	43.6-49.4
55-64	1840	781,952	534	28.0	25.6-30.4	191	10.9	9.1-12.7	93	4.7	3.5- 5.9	82	4.5	3.5- 5.5	940	51.9	49.2-54.6
65+	3784	1,162,364	914	23.2	21.6-24.8	292	7.6	6.6- 8.6	124	3.1	2.5- 3.7	243	6.1	5.3- 6.9	2211	60.1	58.3-61.9
Less Than H.S.	564	495,342	112	20.8	16.5-25.1	25	4.7	2.5- 6.9	8	1.4	0.4- 2.4	13	2.0	0.8- 3.2	406	71.1	66.4-75.8
H.S. or G.E.D.	3048	1,601,477	783	27.4	25.4-29.4	242	8.8	7.6-10.0	77	2.9	2.1- 3.7	118	3.8	3.0- 4.6	1828	57.0	54.8-59.2
Some Post-H.S.	2558	1,413,112	796	32.7	30.5-34.9	231	10.7	9.1-12.3	90	3.8	2.8- 4.8	125	4.3	3.5- 5.1	1316	48.5	46.1-50.9
College Graduate	3780	1,236,400	1317	37.5	35.7-39.3	547	15.7	14.3-17.1	227	5.8	5.0- 6.6	222	4.9	4.1- 5.7	1467	36.1	34.3-37.9
Less than \$15,000	431	216,301	85	18.3	13.8-22.8	23	5.6	2.7- 8.5	4	1.3	0.0- 2.7	7	1.0	0.2- 1.8	312	73.7	68.4-79.0
\$15,000-24,999	851	363,934	190	23.9	20.0-27.8	41	6.2	3.8- 8.6	11	1.5	0.5- 2.5	30	3.8	2.2- 5.4	579	64.6	60.3-68.9
\$25,000-34,999	1049	491,196	269	23.6	20.5-26.7	74	7.6	5.4- 9.8	16	1.7	0.7- 2.7	43	3.7	2.3- 5.1	647	63.4	59.7-67.1
\$35,000-49,999	1130	534,240	327	29.9	26.6-33.2	96	8.5	6.3-10.7	34	2.7	1.5- 3.9	47	3.2	2.0- 4.4	626	55.7	52.0-59.4
\$50,000-99,999	2552	1,257,955	859	35.4	33.0-37.8	281	11.1	9.5-12.7	120	4.3	3.3- 5.3	168	5.6	4.6- 6.6	1124	43.7	41.2-46.2
\$100,000-199,999	1677	832,481	639	37.4	34.7-40.1	293	17.6	15.4-19.8	123	6.6	5.2- 8.0	87	4.1	3.1- 5.1	535	34.3	31.6-37.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 12: ALCOHOL CONSUMPTION
TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY4_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4605	2,318,708	1394	30.6	29.0-32.2	623	13.6	12.4-14.8	252	4.8	4.0- 5.6	333	6.2	5.4- 7.0	2003	44.8	43.0-46.6
White/Non-Hisp	3642	1,763,978	1115	31.2	29.4-33.0	511	14.2	12.8-15.6	223	5.6	4.8- 6.4	282	6.7	5.7- 7.7	1511	42.3	40.3-44.3
Black or Afr. Am./Non-Hisp	362	196,240	102	26.1	20.2-32.0	38	11.5	6.6-16.4	10	2.5	0.5- 4.5	16	3.9	1.4- 6.4	196	56.0	49.1-62.9
Oth. Race/Non-Hisp.	135	100,684	33	23.0	15.2-30.8	14	10.7	4.8-16.6	4	2.2	0.0- 4.6	8	4.2	0.7- 7.7	76	59.9	50.5-69.3
MultiRacial/Non-Hisp.	88	63,994	28	43.8	30.3-57.3	12	12.1	4.7-19.5	5	4.5	0.2- 8.8	6	5.7	0.0-12.0	37	33.9	21.6-46.2
Hispanic	291	149,054	93	30.3	23.6-37.0	40	14.1	9.0-19.2	7	1.7	0.7- 2.7	11	2.9	0.7- 5.1	140	50.9	43.6-58.2
18-24	360	336,085	110	28.4	23.1-33.7	50	11.7	8.2-15.2	6	1.4	0.2- 2.6	5	1.5	0.1- 2.9	189	57.0	51.1-62.9
25-34	474	370,993	201	40.6	35.5-45.7	68	15.0	11.1-18.9	22	4.0	2.0- 6.0	26	5.0	2.8- 7.2	157	35.4	30.3-40.5
35-44	603	360,115	191	30.9	26.6-35.2	103	15.4	12.1-18.7	42	6.6	4.4- 8.8	40	7.1	4.6- 9.6	227	40.0	35.3-44.7
45-54	710	354,976	235	32.0	28.1-35.9	111	14.7	11.8-17.6	46	6.7	4.7- 8.7	36	4.7	3.1- 6.3	282	41.9	37.6-46.2
55-64	839	381,370	243	28.2	24.7-31.7	109	14.5	11.6-17.4	58	6.0	4.2- 7.8	59	7.1	5.1- 9.1	370	44.2	40.3-48.1
65+	1619	515,168	414	25.3	22.8-27.8	182	11.2	9.4-13.0	78	4.3	3.1- 5.5	167	9.8	8.2-11.4	778	49.3	46.4-52.2
Less Than H.S.	260	242,364	63	24.5	18.2-30.8	17	6.8	3.3-10.3	5	1.3	0.3- 2.3	12	3.7	1.3- 6.1	163	63.6	56.5-70.7
H.S. or G.E.D.	1425	810,537	402	28.9	26.2-31.6	162	12.1	10.1-14.1	53	4.0	2.8- 5.2	90	5.9	4.5- 7.3	718	49.2	46.1-52.3
Some Post-H.S.	1111	668,933	344	31.7	28.6-34.8	134	14.0	11.5-16.5	54	4.7	3.3- 6.1	83	6.5	4.9- 8.1	496	43.2	39.7-46.7
College Graduate	1792	591,262	582	34.2	31.7-36.7	309	18.3	16.1-20.5	140	7.7	6.3- 9.1	147	7.2	5.8- 8.6	614	32.6	30.1-35.1
Less than \$15,000	157	78,742	28	17.3	9.9-24.7	13	7.0	2.5-11.5	2	1.1	0.0- 2.7	6	2.5	0.3- 4.7	108	72.1	63.7-80.5
\$15,000- 24,999	322	146,947	82	26.5	20.0-33.0	23	7.7	4.2-11.2	8	2.3	0.9- 3.7	23	7.5	4.2-10.8	186	55.9	49.0-62.8
\$25,000- 34,999	451	234,530	116	22.4	17.9-26.9	43	9.9	6.6-13.2	8	1.7	0.1- 3.3	31	5.8	3.4- 8.2	253	60.1	54.6-65.6
\$35,000- 49,999	472	228,885	136	28.8	23.9-33.7	49	9.9	6.6-13.2	24	4.2	2.0- 6.4	32	5.4	3.2- 7.6	231	51.7	46.0-57.4
\$50,000- 99,999	1287	662,720	404	33.6	30.3-36.9	158	12.7	10.3-15.1	80	5.5	4.1- 6.9	114	7.6	5.8- 9.4	531	40.7	37.4-44.0
\$100,000 - 199,999	924	476,727	323	34.2	30.5-37.9	188	20.9	17.8-24.0	77	7.8	5.8- 9.8	63	5.6	4.0- 7.2	273	31.6	27.9-35.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 12: ALCOHOL CONSUMPTION
TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY4_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5381	2,441,410	1626	31.3	29.7-32.9	423	7.9	6.9- 8.9	150	2.7	2.1- 3.3	147	2.1	1.7- 2.5	3035	56.0	54.2-57.8
White/Non-Hisp	4243	1,884,968	1285	31.6	29.8-33.4	357	8.3	7.3- 9.3	126	2.9	2.3- 3.5	129	2.3	1.9- 2.7	2346	54.9	52.9-56.9
Black or Afr. Am./Non-Hisp	518	213,533	177	34.2	28.7-39.7	32	8.3	4.4-12.2	13	2.1	0.3- 3.9	7	0.9	0.1- 1.7	289	54.4	48.5-60.3
Oth. Race/Non-Hisp.	123	73,518	38	39.3	27.9-50.7	5	3.8	0.1- 7.5	2	2.3	0.0- 5.4	2	0.8	0.0- 2.0	76	53.8	42.6-65.0
MultiRacial/Non-Hisp.	79	56,418	26	35.8	21.5-50.1	2	1.4	0.0- 3.8				4	4.9	0.0-11.6	47	57.9	43.2-72.6
Hispanic	339	184,570	81	21.5	15.8-27.2	24	7.0	3.5-10.5	9	2.8	0.4- 5.2	4	1.2	0.0- 2.6	221	67.4	60.9-73.9
18-24	246	306,024	103	40.4	33.5-47.3	25	8.6	5.1-12.1	5	2.1	0.1- 4.1	2	0.5	0.0- 1.3	111	48.5	41.2-55.8
25-34	531	366,464	202	36.2	31.5-40.9	59	10.3	7.4-13.2	17	3.5	1.5- 5.5	7	1.1	0.1- 2.1	246	48.9	44.0-53.8
35-44	632	361,529	230	35.7	31.4-40.0	83	12.0	9.3-14.7	22	2.4	1.2- 3.6	16	1.9	0.9- 2.9	281	48.0	43.5-52.5
45-54	806	359,615	300	36.0	32.1-39.9	64	7.3	5.3- 9.3	25	2.9	1.5- 4.3	23	2.7	1.3- 4.1	394	51.1	47.0-55.2
55-64	1001	400,582	291	27.8	24.5-31.1	82	7.5	5.7- 9.3	35	3.5	2.1- 4.9	23	2.1	1.1- 3.1	570	59.1	55.6-62.6
65+	2165	647,196	500	21.5	19.5-23.5	110	4.6	3.6- 5.6	46	2.2	1.4- 3.0	76	3.1	2.3- 3.9	1433	68.6	66.2-71.0
Less Than H.S.	304	252,978	49	17.3	11.6-23.0	8	2.6	0.4- 4.8	3	1.4	0.0- 3.0	1	0.4	0.0- 1.2	243	78.2	72.1-84.3
H.S. or G.E.D.	1623	790,940	381	26.0	23.3-28.7	80	5.5	4.1- 6.9	24	1.8	1.0- 2.6	28	1.6	0.8- 2.4	1110	65.0	62.1-67.9
Some Post-H.S.	1447	744,179	452	33.6	30.5-36.7	97	7.8	6.0- 9.6	36	3.0	1.8- 4.2	42	2.4	1.6- 3.2	820	53.3	50.2-56.4
College Graduate	1988	645,138	735	40.5	38.0-43.0	238	13.3	11.5-15.1	87	4.1	3.1- 5.1	75	2.9	2.1- 3.7	853	39.3	36.8-41.8
Less than \$15,000	274	137,559	57	18.9	13.2-24.6	10	4.9	1.2- 8.6	2	1.5	0.0- 3.5	1	0.1	0.0- 0.3	204	74.7	68.0-81.4
\$15,000- 24,999	529	216,988	108	22.0	17.3-26.7	18	5.2	2.3- 8.1	3	1.0	0.0- 2.4	7	1.3	0.1- 2.5	393	70.5	65.2-75.8
\$25,000- 34,999	598	256,666	153	24.7	20.2-29.2	31	5.5	3.0- 8.0	8	1.6	0.0- 3.2	12	1.8	0.6- 3.0	394	66.4	61.5-71.3
\$35,000- 49,999	658	305,356	191	30.7	26.2-35.2	47	7.6	4.9-10.3	10	1.5	0.3- 2.7	15	1.5	0.1- 2.9	395	58.7	53.8-63.6
\$50,000- 99,999	1265	595,235	455	37.4	33.9-40.9	123	9.3	7.3-11.3	40	3.0	1.8- 4.2	54	3.3	2.3- 4.3	593	47.0	43.5-50.5
\$100,000 - 199,999	753	355,754	316	41.8	37.5-46.1	105	13.1	10.4-15.8	46	5.1	3.3- 6.9	24	2.1	1.1- 3.1	262	37.9	33.6-42.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9901	4,718,516	8598	84.8	83.8-85.8	1303	15.2	14.2-16.2
Male	4565	2,297,772	3756	80.4	79.0-81.8	809	19.6	18.2-21.0
Female	5336	2,420,743	4842	89.0	87.8-90.2	494	11.0	9.8-12.2
White/Non-Hisp	7823	3,619,875	6794	84.5	83.5-85.5	1029	15.5	14.5-16.5
Black or Afr. Am./Non-Hisp	873	404,898	768	86.4	83.1-89.7	105	13.6	10.3-16.9
Oth. Race/Non-Hisp.	256	173,311	231	89.1	84.2-94.0	25	10.9	6.0-15.8
MultiRacial/Non-Hisp.	164	118,704	136	81.5	73.7-89.3	28	18.5	10.7-26.3
Hispanic	621	330,605	520	85.1	81.8-88.4	101	14.9	11.6-18.2
18-24	602	636,838	480	82.1	78.8-85.4	122	17.9	14.6-21.2
25-34	990	728,179	744	75.8	72.7-78.9	246	24.2	21.1-27.3
35-44	1225	715,601	955	78.7	76.0-81.4	270	21.3	18.6-24.0
45-54	1499	707,790	1243	83.3	81.1-85.5	256	16.7	14.5-18.9
55-64	1821	774,133	1600	87.0	85.2-88.8	221	13.0	11.2-14.8
65+	3764	1,155,975	3576	95.1	94.3-95.9	188	4.9	4.1- 5.7
Less Than H.S.	560	491,414	504	89.9	87.0-92.8	56	10.1	7.2-13.0
H.S. or G.E.D.	3015	1,585,912	2656	85.5	83.9-87.1	359	14.5	12.9-16.1
Some Post-H.S.	2538	1,400,783	2209	83.9	81.9-85.9	329	16.1	14.1-18.1
College Graduate	3753	1,227,111	3197	82.8	81.2-84.4	556	17.2	15.6-18.8
Less than \$15,000	429	215,591	395	93.1	90.4-95.8	34	6.9	4.2- 9.6
\$15,000-24,999	847	359,811	767	86.5	83.2-89.8	80	13.5	10.2-16.8
\$25,000-34,999	1039	487,753	926	87.9	85.4-90.4	113	12.1	9.6-14.6
\$35,000-49,999	1125	531,965	1007	86.9	84.2-89.6	118	13.1	10.4-15.8
\$50,000-99,999	2529	1,244,697	2168	83.1	81.1-85.1	361	16.9	14.9-18.9
\$100,000-199,999	1667	828,141	1317	77.9	75.5-80.3	350	22.1	19.7-24.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4565	2,297,772	3756	80.4	79.0-81.8	809	19.6	18.2-21.0
White/Non-Hisp	3612	1,748,611	2958	79.4	77.6-81.2	654	20.6	18.8-22.4
Black or Afr. Am./Non-Hisp	360	195,339	316	86.8	81.7-91.9	44	13.2	8.1-18.3
Oth. Race/Non-Hisp.	133	99,794	117	88.6	82.7-94.5	16	11.4	5.5-17.3
MultiRacial/Non-Hisp.	87	63,243	69	78.1	67.1-89.1	18	21.9	10.9-32.9
Hispanic	288	148,065	222	77.2	71.3-83.1	66	22.8	16.9-28.7
18-24	358	333,850	293	83.0	78.7-87.3	65	17.0	12.7-21.3
25-34	465	365,353	326	71.8	67.1-76.5	139	28.2	23.5-32.9
35-44	600	357,371	420	70.2	65.9-74.5	180	29.8	25.5-34.1
45-54	705	353,072	549	78.7	75.2-82.2	156	21.3	17.8-24.8
55-64	830	377,458	690	82.0	78.9-85.1	140	18.0	14.9-21.1
65+	1607	510,668	1478	91.8	90.2-93.4	129	8.2	6.6- 9.8
Less Than H.S.	258	240,629	216	84.5	79.4-89.6	42	15.5	10.4-20.6
H.S. or G.E.D.	1406	800,847	1175	81.1	78.6-83.6	231	18.9	16.4-21.4
Some Post-H.S.	1101	662,496	906	79.7	76.8-82.6	195	20.3	17.4-23.2
College Graduate	1784	588,680	1443	78.3	75.9-80.7	341	21.7	19.3-24.1
Less than \$15,000	157	78,742	139	91.5	87.2-95.8	18	8.5	4.2-12.8
\$15,000- 24,999	321	145,566	275	81.0	75.1-86.9	46	19.0	13.1-24.9
\$25,000- 34,999	443	231,711	384	86.0	82.1-89.9	59	14.0	10.1-17.9
\$35,000- 49,999	471	228,794	399	83.6	79.5-87.7	72	16.4	12.3-20.5
\$50,000- 99,999	1278	655,858	1053	79.4	76.5-82.3	225	20.6	17.7-23.5
\$100,000 - 199,999	918	474,044	693	74.4	71.1-77.7	225	25.6	22.3-28.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5336	2,420,743	4842	89.0	87.8-90.2	494	11.0	9.8-12.2
White/Non-Hisp	4211	1,871,263	3836	89.2	88.0-90.4	375	10.8	9.6-12.0
Black or Afr. Am./Non-Hisp	513	209,558	452	85.9	81.6-90.2	61	14.1	9.8-18.4
Oth. Race/Non-Hisp.	123	73,518	114	89.9	81.9-97.9	9	10.1	2.1-18.1
MultiRacial/Non-Hisp.	77	55,461	67	85.4	74.2-96.6	10	14.6	3.4-25.8
Hispanic	333	182,540	298	91.4	87.9-94.9	35	8.6	5.1-12.1
18-24	244	302,988	187	81.1	76.0-86.2	57	18.9	13.8-24.0
25-34	525	362,826	418	79.9	75.8-84.0	107	20.1	16.0-24.2
35-44	625	358,229	535	87.2	84.3-90.1	90	12.8	9.9-15.7
45-54	794	354,718	694	88.0	85.5-90.5	100	12.0	9.5-14.5
55-64	991	396,676	910	91.7	89.7-93.7	81	8.3	6.3-10.3
65+	2157	645,306	2098	97.7	96.9-98.5	59	2.3	1.5- 3.1
Less Than H.S.	302	250,785	288	95.1	92.4-97.8	14	4.9	2.2- 7.6
H.S. or G.E.D.	1609	785,065	1481	90.0	88.0-92.0	128	10.0	8.0-12.0
Some Post-H.S.	1437	738,287	1303	87.6	85.2-90.0	134	12.4	10.0-14.8
College Graduate	1969	638,431	1754	87.0	85.0-89.0	215	13.0	11.0-15.0
Less than \$15,000	272	136,849	256	94.0	90.7-97.3	16	6.0	2.7- 9.3
\$15,000- 24,999	526	214,245	492	90.3	86.8-93.8	34	9.7	6.2-13.2
\$25,000- 34,999	596	256,042	542	89.6	86.3-92.9	54	10.4	7.1-13.7
\$35,000- 49,999	654	303,171	608	89.4	85.9-92.9	46	10.6	7.1-14.1
\$50,000- 99,999	1251	588,839	1115	87.3	84.8-89.8	136	12.7	10.2-15.2
\$100,000 - 199,999	749	354,097	624	82.6	79.3-85.9	125	17.4	14.1-20.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=1		>1, <=2			>2, <=5			>5, <=10			>10			None			
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9908	4,718,798	1935	18.8	17.8-19.8	659	6.6	6.0- 7.2	958	10.1	9.3-10.9	727	7.5	6.9- 8.1	585	6.0	5.4- 6.6	5044	51.0	49.8-52.2
Male	4552	2,290,967	786	16.4	15.0-17.8	323	6.7	5.9- 7.5	536	11.6	10.4-12.8	454	10.3	9.1-11.5	449	9.8	8.8-10.8	2004	45.3	43.5-47.1
Female	5356	2,427,831	1149	21.0	19.6-22.4	336	6.6	5.8- 7.4	422	8.8	7.8- 9.8	273	4.9	4.1- 5.7	136	2.4	1.8- 3.0	3040	56.3	54.5-58.1
White/Non-Hisp	7843	3,629,407	1558	19.3	18.3-20.3	546	7.1	6.3- 7.9	783	10.4	9.6-11.2	624	8.1	7.3- 8.9	469	6.0	5.4- 6.6	3863	49.1	47.7-50.5
Black or Afr. Am./Non-Hisp	859	395,803	185	19.0	15.7-22.3	48	5.3	3.3- 7.3	60	8.4	5.7-11.1	43	5.6	3.1- 8.1	38	4.6	2.8- 6.4	485	57.1	52.6-61.6
Oth. Race/Non-Hisp.	258	174,202	43	17.2	11.5-22.9	17	7.4	3.5-11.3	22	8.8	4.9-12.7	10	4.4	0.9- 7.9	14	4.9	2.0- 7.8	152	57.3	50.0-64.6
MultiRacial/Non-Hisp.	166	119,586	34	22.2	14.0-30.4	8	4.7	1.0- 8.4	14	13.0	5.2-20.8	11	7.4	2.5-12.3	15	7.3	2.8-11.8	84	45.5	35.7-55.3
Hispanic	621	329,432	84	13.5	10.0-17.0	35	4.1	2.3- 5.9	69	9.7	7.0-12.4	33	4.7	2.5- 6.9	39	7.3	4.8- 9.8	361	60.8	55.9-65.7
18-24	597	632,835	110	18.2	14.7-21.7	50	6.6	4.4- 8.8	59	9.6	6.9-12.3	54	8.3	5.9-10.7	23	3.5	1.9- 5.1	301	53.8	49.3-58.3
25-34	994	729,702	192	18.6	15.9-21.3	97	8.6	6.6-10.6	150	15.6	12.9-18.3	86	8.3	6.3-10.3	66	6.4	4.6- 8.2	403	42.5	39.0-46.0
35-44	1227	717,208	245	19.3	16.8-21.8	94	6.8	5.2- 8.4	165	12.6	10.4-14.8	98	7.3	5.5- 9.1	116	9.6	7.6-11.6	509	44.4	41.1-47.7
45-54	1499	707,035	315	20.4	18.0-22.8	117	7.5	5.9- 9.1	165	10.2	8.4-12.0	127	8.4	6.8-10.0	98	6.4	5.0- 7.8	677	47.1	44.0-50.2
55-64	1824	775,551	354	18.1	16.1-20.1	107	6.5	5.1- 7.9	175	8.9	7.3-10.5	137	7.8	6.4- 9.2	110	6.4	5.0- 7.8	941	52.3	49.6-55.0
65+	3767	1,156,467	719	18.5	17.1-19.9	194	4.8	4.0- 5.6	244	6.1	5.3- 6.9	225	5.9	5.1- 6.7	172	4.3	3.5- 5.1	2213	60.4	58.6-62.2
Less Than H.S.	558	490,408	69	12.9	9.4-16.4	12	2.5	0.9- 4.1	30	5.3	3.1- 7.5	18	3.3	1.5- 5.1	23	4.3	2.3- 6.3	406	71.8	67.1-76.5
H.S. or G.E.D.	3016	1,584,426	497	16.6	15.0-18.2	152	5.2	4.2- 6.2	222	8.7	7.3-10.1	155	5.8	4.8- 6.8	162	6.1	5.1- 7.1	1828	57.6	55.4-59.8
Some Post-H.S.	2537	1,400,107	507	19.3	17.5-21.1	167	6.8	5.6- 8.0	218	10.3	8.7-11.9	167	8.0	6.6- 9.4	160	6.6	5.4- 7.8	1318	49.1	46.7-51.5
College Graduate	3761	1,230,071	853	23.3	21.7-24.9	325	9.8	8.6-11.0	487	13.9	12.5-15.3	387	10.8	9.6-12.0	238	5.8	5.0- 6.6	1471	36.3	34.5-38.1
Less than \$15,000	427	214,801	56	11.3	7.6-15.0	11	2.2	0.6- 3.8	27	6.3	3.4- 9.2	10	3.1	0.7- 5.5	11	2.8	0.8- 4.8	312	74.3	69.2-79.4
\$15,000-24,999	847	361,002	126	13.7	10.8-16.6	28	3.5	1.9- 5.1	44	6.9	4.5- 9.3	27	4.1	1.9- 6.3	42	6.4	4.2- 8.6	580	65.3	61.2-69.4
\$25,000-34,999	1042	488,282	169	13.9	11.4-16.4	55	5.6	3.8- 7.4	68	5.6	4.0- 7.2	53	6.2	4.2- 8.2	50	4.8	3.2- 6.4	647	63.8	60.1-67.5
\$35,000-49,999	1120	528,562	217	18.4	15.7-21.1	79	7.7	5.7- 9.7	83	8.1	5.9-10.3	62	4.6	3.2- 6.0	52	4.7	3.1- 6.3	627	56.4	52.7-60.1
\$50,000-99,999	2531	1,245,812	557	21.3	19.3-23.3	184	7.3	6.1- 8.5	268	11.7	9.9-13.5	210	8.6	7.0-10.2	186	7.0	5.8- 8.2	1126	44.1	41.6-46.6
\$100,000-199,999	1665	825,210	379	21.4	19.0-23.8	146	8.7	7.1-10.3	280	16.3	14.1-18.5	186	10.9	9.1-12.7	137	8.0	6.4- 9.6	537	34.7	31.8-37.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4552	2,290,967	786	16.4	15.0-17.8	323	6.7	5.9- 7.5	536	11.6	10.4-12.8	454	10.3	9.1-11.5	449	9.8	8.8-10.8	2004	45.3	43.5-47.1
White/Non-Hisp	3612	1,748,929	638	16.8	15.4-18.2	267	7.2	6.2- 8.2	441	12.0	10.6-13.4	389	11.2	9.8-12.6	365	10.1	8.9-11.3	1512	42.7	40.7-44.7
Black or Afr. Am./Non-Hisp	351	189,486	58	14.4	9.9-18.9	18	4.2	1.7- 6.7	32	9.3	5.2-13.4	22	7.5	3.0-12.0	25	6.6	3.5- 9.7	196	58.0	50.9-65.1
Oth. Race/Non-Hisp.	135	100,684	17	11.6	5.7-17.5	9	6.2	1.7-10.7	13	10.2	4.3-16.1	9	5.0	1.5- 8.5	11	7.2	2.5-11.9	76	59.9	50.5-69.3
MultiRacial/Non-Hisp.	88	63,994	19	28.4	15.5-41.3	4	5.1	0.0-10.6	8	10.8	2.0-19.6	9	12.7	3.9-21.5	11	9.2	3.1-15.3	37	33.9	21.6-46.2
Hispanic	284	145,908	40	13.5	8.4-18.6	21	5.4	2.5- 8.3	35	11.4	6.9-15.9	19	5.8	2.5- 9.1	29	11.9	7.2-16.6	140	52.0	44.7-59.3
18-24	354	331,562	57	14.8	10.9-18.7	23	4.4	2.0- 6.8	31	8.3	5.2-11.4	34	9.0	5.7-12.3	19	5.5	3.0- 8.0	190	58.0	52.1-63.9
25-34	463	363,238	85	17.8	13.7-21.9	47	9.7	6.8-12.6	70	15.2	11.5-18.9	55	11.3	7.8-14.8	49	9.9	7.0-12.8	157	36.1	30.8-41.4
35-44	600	358,228	92	14.6	11.5-17.7	34	4.6	2.8- 6.4	90	13.7	10.8-16.6	64	10.5	7.6-13.4	93	16.3	12.8-19.8	227	40.2	35.5-44.9
45-54	700	350,549	114	15.8	12.7-18.9	57	7.6	5.4- 9.8	93	12.7	9.8-15.6	82	12.0	9.3-14.7	72	9.4	7.0-11.8	282	42.4	37.9-46.9
55-64	829	377,533	144	16.2	13.5-18.9	51	6.5	4.5- 8.5	97	11.4	8.9-13.9	88	11.8	9.3-14.3	79	9.5	7.3-11.7	370	44.6	40.7-48.5
65+	1606	509,857	294	18.4	16.2-20.6	111	6.8	5.4- 8.2	155	8.8	7.2-10.4	131	7.9	6.3- 9.5	137	8.3	6.7- 9.9	778	49.8	46.9-52.7
Less Than H.S.	255	239,580	32	12.9	7.8-18.0	7	3.0	0.6- 5.4	19	6.7	3.2-10.2	13	5.3	1.8- 8.8	21	7.7	4.2-11.2	163	64.4	57.3-71.5
H.S. or G.E.D.	1401	796,494	226	15.9	13.7-18.1	84	5.7	4.1- 7.3	136	10.1	8.1-12.1	107	8.2	6.4-10.0	130	10.0	8.0-12.0	718	50.1	47.0-53.2
Some Post-H.S.	1098	661,697	188	16.0	13.6-18.4	81	7.4	5.6- 9.2	113	11.3	9.1-13.5	100	10.9	8.4-13.4	119	10.7	8.5-12.9	497	43.7	40.2-47.2
College Graduate	1781	587,586	337	19.1	16.9-21.3	151	8.6	7.0-10.2	267	15.9	13.9-17.9	234	14.4	12.4-16.4	178	9.2	7.6-10.8	614	32.8	30.3-35.3
Less than \$15,000	153	77,242	15	6.9	2.6-11.2	3	1.4	0.0- 3.2	12	8.6	2.5-14.7	6	4.2	0.7- 7.7	9	5.5	1.4- 9.6	108	73.5	65.1-81.9
\$15,000- 24,999	321	146,517	48	12.5	8.4-16.6	12	2.9	1.1- 4.7	23	8.4	4.3-12.5	16	6.7	2.0-11.4	35	12.9	8.4-17.4	187	56.6	49.7-63.5
\$25,000- 34,999	445	231,703	70	13.8	9.9-17.7	18	3.6	1.8- 5.4	37	5.7	3.7- 7.7	32	8.4	5.1-11.7	35	7.7	4.8-10.6	253	60.8	55.1-66.5
\$35,000- 49,999	464	224,485	78	16.2	12.3-20.1	36	7.4	4.5-10.3	45	8.8	5.7-11.9	32	5.9	3.5- 8.3	42	9.0	5.7-12.3	231	52.7	47.0-58.4
\$50,000- 99,999	1275	654,273	237	18.6	15.9-21.3	98	7.8	5.8- 9.8	141	11.6	9.4-13.8	130	10.6	8.2-13.0	138	10.1	8.1-12.1	531	41.2	37.7-44.7
\$100,000 - 199,999	916	472,772	169	16.7	14.0-19.4	75	8.1	6.1-10.1	165	17.5	14.6-20.4	124	14.2	11.5-16.9	110	11.8	9.4-14.2	273	31.8	28.1-35.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5356	2,427,831	1149	21.0	19.6-22.4	336	6.6	5.8- 7.4	422	8.8	7.8- 9.8	273	4.9	4.1- 5.7	136	2.4	1.8- 3.0	3040	56.3	54.5-58.1
White/Non-Hisp	4231	1,880,478	920	21.5	19.9-23.1	279	7.0	6.0- 8.0	342	8.8	7.6-10.0	235	5.3	4.5- 6.1	104	2.2	1.6- 2.8	2351	55.1	53.1-57.1
Black or Afr. Am./Non-Hisp	508	206,316	127	23.1	18.4-27.8	30	6.4	3.7- 9.1	28	7.6	3.9-11.3	21	3.9	1.4- 6.4	13	2.7	0.7- 4.7	289	56.3	50.4-62.2
Oth. Race/Non-Hisp.	123	73,518	26	24.8	14.6-35.0	8	9.0	2.1-15.9	9	6.9	2.2-11.6	1	3.7	0.0-10.8	3	1.8	0.0- 4.0	76	53.8	42.6-65.0
MultiRacial/Non-Hisp.	78	55,592	15	15.2	6.8-23.6	4	4.2	0.0-9.1	6	15.5	2.0-29.0	2	1.2	0.0-3.0	4	5.1	0.0-12.2	47	58.8	44.1-73.5
Hispanic	337	183,524	44	13.4	8.3-18.5	14	3.1	1.1- 5.1	34	8.3	5.0-11.6	14	3.8	1.3- 6.3	10	3.6	1.1- 6.1	221	67.8	61.3-74.3
18-24	243	301,273	53	21.9	16.0-27.8	27	9.1	5.6-12.6	28	11.0	6.7-15.3	20	7.4	3.9-10.9	4	1.4	0.0- 2.8	111	49.2	41.9-56.5
25-34	531	366,464	107	19.3	15.4-23.2	50	7.5	5.1- 9.9	80	16.1	12.4-19.8	31	5.3	3.1- 7.5	17	2.9	1.1- 4.7	246	48.9	44.0-53.8
35-44	627	358,980	153	24.0	20.1-27.9	60	9.0	6.6-11.4	75	11.6	8.7-14.5	34	4.1	2.7- 5.5	23	2.8	1.4- 4.2	282	48.5	43.8-53.2
45-54	799	356,486	201	24.9	21.4-28.4	60	7.3	5.3- 9.3	72	7.8	5.8- 9.8	45	4.9	3.3- 6.5	26	3.5	1.9- 5.1	395	51.6	47.5-55.7
55-64	995	398,018	210	19.9	17.0-22.8	56	6.4	4.6- 8.2	78	6.6	5.0- 8.2	49	4.1	2.7- 5.5	31	3.4	2.0- 4.8	571	59.6	56.1-63.1
65+	2161	646,610	425	18.5	16.5-20.5	83	3.1	2.3- 3.9	89	4.0	3.0- 5.0	94	4.3	3.3- 5.3	35	1.3	0.9- 1.7	1435	68.8	66.4-71.2
Less Than H.S.	303	250,829	37	12.9	7.8-18.0	5	1.9	0.0- 3.9	11	3.9	1.4- 6.4	5	1.3	0.1- 2.5	2	1.1	0.0- 2.7	243	78.9	73.0-84.8
H.S. or G.E.D.	1615	787,932	271	17.2	14.8-19.6	68	4.6	3.4- 5.8	86	7.2	5.4- 9.0	48	3.4	2.2- 4.6	32	2.2	1.2- 3.2	1110	65.3	62.4-68.2
Some Post-H.S.	1439	738,410	319	22.3	19.6-25.0	86	6.3	4.7- 7.9	105	9.3	7.3-11.3	67	5.4	3.8- 7.0	41	2.9	1.9- 3.9	821	53.8	50.7-56.9
College Graduate	1980	642,486	516	27.2	24.8-29.6	174	10.9	9.1-12.7	220	12.2	10.4-14.0	153	7.5	6.1- 8.9	60	2.7	1.9- 3.5	857	39.6	37.1-42.1
Less than \$15,000	274	137,559	41	13.8	8.7-18.9	8	2.7	0.5- 4.9	15	5.0	2.1- 7.9	4	2.5	0.0- 5.6	2	1.3	0.0- 3.1	204	74.7	68.0-81.4
\$15,000- 24,999	526	214,485	78	14.6	10.7-18.5	16	3.9	1.5- 6.3	21	5.9	3.0- 8.8	11	2.4	0.6- 4.2	7	2.0	0.0- 4.0	393	71.3	66.2-76.4
\$25,000- 34,999	597	256,579	99	14.1	10.8-17.4	37	7.5	4.4-10.6	31	5.6	3.2- 8.0	21	4.1	1.9- 6.3	15	2.3	0.7- 3.9	394	66.4	61.5-71.3
\$35,000- 49,999	656	304,077	139	20.0	16.3-23.7	43	8.0	5.3-10.7	38	7.6	4.7-10.5	30	3.7	1.9- 5.5	10	1.6	0.2- 3.0	396	59.1	54.2-64.0
\$50,000- 99,999	1256	591,539	320	24.4	21.5-27.3	86	6.6	5.0- 8.2	127	11.7	9.2-14.2	80	6.4	4.6- 8.2	48	3.5	2.3- 4.7	595	47.4	43.9-50.9
\$100,000 - 199,999	749	352,438	210	27.6	23.7-31.5	71	9.6	7.2-12.0	115	14.9	11.8-18.0	62	6.5	4.7- 8.3	27	3.0	1.6- 4.4	264	38.5	34.2-42.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV8)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9908	4,718,798	9406	94.8	94.2-95.4	502	5.2	4.6- 5.8
Male	4552	2,290,967	4284	93.7	92.9-94.5	268	6.3	5.5- 7.1
Female	5356	2,427,831	5122	95.8	95.2-96.4	234	4.2	3.6- 4.8
White/Non-Hisp	7843	3,629,407	7434	94.6	94.0-95.2	409	5.4	4.8- 6.0
Black or Afr. Am./Non-Hisp	859	395,803	826	96.5	94.9-98.1	33	3.5	1.9- 5.1
Oth. Race/Non-Hisp.	258	174,202	249	96.6	94.1-99.1	9	3.4	0.9- 5.9
MultiRacial/Non-Hisp.	166	119,586	156	95.5	91.6-99.4	10	4.5	0.6- 8.4
Hispanic	621	329,432	589	94.0	91.6-96.4	32	6.0	3.6- 8.4
18-24	597	632,835	571	95.9	94.1-97.7	26	4.1	2.3- 5.9
25-34	994	729,702	928	94.0	92.4-95.6	66	6.0	4.4- 7.6
35-44	1227	717,208	1129	92.0	90.2-93.8	98	8.0	6.2- 9.8
45-54	1499	707,035	1417	95.0	93.8-96.2	82	5.0	3.8- 6.2
55-64	1824	775,551	1721	94.1	92.9-95.3	103	5.9	4.7- 7.1
65+	3767	1,156,467	3640	96.7	96.1-97.3	127	3.3	2.7- 3.9
Less Than H.S.	558	490,408	542	96.9	95.3-98.5	16	3.1	1.5- 4.7
H.S. or G.E.D.	3016	1,584,426	2877	94.7	93.7-95.7	139	5.3	4.3- 6.3
Some Post-H.S.	2537	1,400,107	2394	94.1	92.9-95.3	143	5.9	4.7- 7.1
College Graduate	3761	1,230,071	3558	94.7	93.9-95.5	203	5.3	4.5- 6.1
Less than \$15,000	427	214,801	418	97.6	95.8-99.4	9	2.4	0.6- 4.2
\$15,000-24,999	847	361,002	809	94.0	91.8-96.2	38	6.0	3.8- 8.2
\$25,000-34,999	1042	488,282	998	95.8	94.2-97.4	44	4.2	2.6- 5.8
\$35,000-49,999	1120	528,562	1077	96.0	94.4-97.6	43	4.0	2.4- 5.6
\$50,000-99,999	2531	1,245,812	2384	93.9	92.7-95.1	147	6.1	4.9- 7.3
\$100,000-199,999	1665	825,210	1536	92.7	91.3-94.1	129	7.3	5.9- 8.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV8)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4552	2,290,967	4284	93.7	92.9-94.5	268	6.3	5.5- 7.1
White/Non-Hisp	3612	1,748,929	3393	93.4	92.4-94.4	219	6.6	5.6- 7.6
Black or Afr. Am./Non-Hisp	351	189,486	339	97.0	95.0-99.0	12	3.0	1.0- 5.0
Oth. Race/Non-Hisp.	135	100,684	129	95.4	91.5-99.3	6	4.6	0.7- 8.5
MultiRacial/Non-Hisp.	88	63,994	82	96.0	92.1-99.9	6	4.0	0.1- 7.9
Hispanic	284	145,908	266	91.6	87.3-95.9	18	8.4	4.1-12.7
18-24	354	331,562	339	95.7	93.3-98.1	15	4.3	1.9- 6.7
25-34	463	363,238	426	92.8	90.3-95.3	37	7.2	4.7- 9.7
35-44	600	358,228	539	88.6	85.5-91.7	61	11.4	8.3-14.5
45-54	700	350,549	663	95.4	93.8-97.0	37	4.6	3.0- 6.2
55-64	829	377,533	778	93.3	91.3-95.3	51	6.7	4.7- 8.7
65+	1606	509,857	1539	95.7	94.5-96.9	67	4.3	3.1- 5.5
Less Than H.S.	255	239,580	243	95.2	92.3-98.1	12	4.8	1.9- 7.7
H.S. or G.E.D.	1401	796,494	1310	92.9	91.3-94.5	91	7.1	5.5- 8.7
Some Post-H.S.	1098	661,697	1022	93.0	91.2-94.8	76	7.0	5.2- 8.8
College Graduate	1781	587,586	1692	94.9	93.7-96.1	89	5.1	3.9- 6.3
Less than \$15,000	153	77,242	148	97.2	94.7-99.7	5	2.8	0.3- 5.3
\$15,000- 24,999	321	146,517	296	90.0	85.9-94.1	25	10.0	5.9-14.1
\$25,000- 34,999	445	231,703	422	95.1	92.6-97.6	23	4.9	2.4- 7.4
\$35,000- 49,999	464	224,485	440	94.4	91.7-97.1	24	5.6	2.9- 8.3
\$50,000- 99,999	1275	654,273	1197	93.3	91.5-95.1	78	6.7	4.9- 8.5
\$100,000 - 199,999	916	472,772	845	92.1	90.1-94.1	71	7.9	5.9- 9.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 12: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV8)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5356	2,427,831	5122	95.8	95.2-96.4	234	4.2	3.6- 4.8
White/Non-Hisp	4231	1,880,478	4041	95.6	94.8-96.4	190	4.4	3.6- 5.2
Black or Afr. Am./Non-Hisp	508	206,316	487	95.9	93.7-98.1	21	4.1	1.9- 6.3
Oth. Race/Non-Hisp.	123	73,518	120	98.2	96.0- 100	3	1.8	0.0- 4.0
MultiRacial/Non-Hisp.	78	55,592	74	94.9	87.8- 100	4	5.1	0.0-12.2
Hispanic	337	183,524	323	95.9	93.4-98.4	14	4.1	1.6- 6.6
18-24	243	301,273	232	96.1	93.7-98.5	11	3.9	1.5- 6.3
25-34	531	366,464	502	95.2	93.0-97.4	29	4.8	2.6- 7.0
35-44	627	358,980	590	95.4	93.8-97.0	37	4.6	3.0- 6.2
45-54	799	356,486	754	94.5	92.5-96.5	45	5.5	3.5- 7.5
55-64	995	398,018	943	94.9	93.3-96.5	52	5.1	3.5- 6.7
65+	2161	646,610	2101	97.5	96.7-98.3	60	2.5	1.7- 3.3
Less Than H.S.	303	250,829	299	98.6	97.0- 100	4	1.4	0.0- 3.0
H.S. or G.E.D.	1615	787,932	1567	96.5	95.3-97.7	48	3.5	2.3- 4.7
Some Post-H.S.	1439	738,410	1372	95.1	93.7-96.5	67	4.9	3.5- 6.3
College Graduate	1980	642,486	1866	94.6	93.4-95.8	114	5.4	4.2- 6.6
Less than \$15,000	274	137,559	270	97.8	95.4- 100	4	2.2	0.0- 4.6
\$15,000- 24,999	526	214,485	513	96.7	94.5-98.9	13	3.3	1.1- 5.5
\$25,000- 34,999	597	256,579	576	96.4	94.4-98.4	21	3.6	1.6- 5.6
\$35,000- 49,999	656	304,077	637	97.2	95.4-99.0	19	2.8	1.0- 4.6
\$50,000- 99,999	1256	591,539	1187	94.7	93.1-96.3	69	5.3	3.7- 6.9
\$100,000 - 199,999	749	352,438	691	93.5	91.5-95.5	58	6.5	4.5- 8.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023

SECTION 13: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)	
1	MALES AND FEMALES	162
2	MALES ONLY	163
3	FEMALES ONLY	164
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)	
4	MALES AND FEMALES	165
5	MALES ONLY	166
6	FEMALES ONLY	167

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 13: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3707	1,142,762	2320	61.4	59.4-63.4	1387	38.6	36.6-40.6
Male	1602	512,405	1032	62.8	60.1-65.5	570	37.2	34.5-39.9
Female	2105	630,357	1288	60.3	57.8-62.8	817	39.7	37.2-42.2
White/Non-Hisp	3225	980,328	2081	63.1	61.1-65.1	1144	36.9	34.9-38.9
Black or Afr. Am./Non-Hisp	243	73,618	113	45.3	37.3-53.3	130	54.7	46.7-62.7
Oth. Race/Non-Hisp.	66	30,690	32	45.0	31.1-58.9	34	55.0	41.1-68.9
Hispanic	72	21,814	42	71.6	58.7-84.5	30	28.4	15.5-41.3
65+	3707	1,142,762	2320	61.4	59.4-63.4	1387	38.6	36.6-40.6
Less Than H.S.	173	97,513	94	56.1	47.1-65.1	79	43.9	34.9-52.9
H.S. or G.E.D.	1260	431,243	742	59.2	56.1-62.3	518	40.8	37.7-43.9
Some Post-H.S.	941	340,026	574	60.4	56.9-63.9	367	39.6	36.1-43.1
College Graduate	1322	270,932	905	68.5	65.6-71.4	417	31.5	28.6-34.4
Less than \$15,000	95	26,745	52	48.9	36.7-61.1	43	51.1	38.9-63.3
\$15,000-24,999	405	124,119	215	51.7	45.8-57.6	190	48.3	42.4-54.2
\$25,000-34,999	487	160,078	289	61.1	55.6-66.6	198	38.9	33.4-44.4
\$35,000-49,999	542	172,004	349	63.9	59.0-68.8	193	36.1	31.2-41.0
\$50,000-99,999	898	269,890	606	64.8	61.1-68.5	292	35.2	31.5-38.9
\$100,000-199,999	323	93,253	227	66.4	60.1-72.7	96	33.6	27.3-39.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 13: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1602	512,405	1032	62.8	60.1-65.5	570	37.2	34.5-39.9
White/Non-Hisp	1406	444,329	933	64.7	61.8-67.6	473	35.3	32.4-38.2
Black or Afr. Am./Non-Hisp	88	28,212	39	40.7	28.0-53.4	49	59.3	46.6-72.0
65+	1602	512,405	1032	62.8	60.1-65.5	570	37.2	34.5-39.9
Less Than H.S.	67	39,410	40	59.0	44.5-73.5	27	41.0	26.5-55.5
H.S. or G.E.D.	482	176,725	289	59.7	54.8-64.6	193	40.3	35.4-45.2
Some Post-H.S.	380	149,724	237	61.0	55.5-66.5	143	39.0	33.5-44.5
College Graduate	668	145,625	463	69.5	65.6-73.4	205	30.5	26.6-34.4
\$15,000- 24,999	133	42,211	66	46.0	36.0-56.0	67	54.0	44.0-64.0
\$25,000- 34,999	199	75,074	122	61.0	52.2-69.8	77	39.0	30.2-47.8
\$35,000- 49,999	232	74,998	152	66.5	59.6-73.4	80	33.5	26.6-40.4
\$50,000- 99,999	471	144,628	318	64.9	59.8-70.0	153	35.1	30.0-40.2
\$100,000 - 199,999	189	56,588	135	67.8	59.8-75.8	54	32.2	24.2-40.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 13: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2105	630,357	1288	60.3	57.8-62.8	817	39.7	37.2-42.2
White/Non-Hisp	1819	535,999	1148	61.9	59.2-64.6	671	38.1	35.4-40.8
Black or Afr. Am./Non-Hisp	155	45,406	74	48.2	38.0-58.4	81	51.8	41.6-62.0
65+	2105	630,357	1288	60.3	57.8-62.8	817	39.7	37.2-42.2
Less Than H.S.	106	58,104	54	54.2	42.6-65.8	52	45.8	34.2-57.4
H.S. or G.E.D.	778	254,518	453	58.8	54.7-62.9	325	41.2	37.1-45.3
Some Post-H.S.	561	190,302	337	59.8	55.1-64.5	224	40.2	35.5-44.9
College Graduate	654	125,307	442	67.3	63.2-71.4	212	32.7	28.6-36.8
Less than \$15,000	68	19,000	38	48.7	34.2-63.2	30	51.3	36.8-65.8
\$15,000- 24,999	272	81,907	149	54.6	47.3-61.9	123	45.4	38.1-52.7
\$25,000- 34,999	288	85,005	167	61.1	54.0-68.2	121	38.9	31.8-46.0
\$35,000- 49,999	310	97,006	197	61.9	55.4-68.4	113	38.1	31.6-44.6
\$50,000- 99,999	427	125,262	288	64.8	59.3-70.3	139	35.2	29.7-40.7
\$100,000 - 199,999	134	36,665	92	64.2	54.4-74.0	42	35.8	26.0-45.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 13: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3616	1,116,396	2655	72.6	70.8-74.4	961	27.4	25.6-29.2
Male	1548	496,589	1082	69.1	66.4-71.8	466	30.9	28.2-33.6
Female	2068	619,807	1573	75.3	72.9-77.7	495	24.7	22.3-27.1
White/Non-Hisp	3149	957,507	2358	73.5	71.7-75.3	791	26.5	24.7-28.3
Black or Afr. Am./Non-Hisp	236	71,783	152	67.3	59.9-74.7	84	32.7	25.3-40.1
Oth. Race/Non-Hisp.	66	31,268	45	67.8	54.3-81.3	21	32.2	18.7-45.7
Hispanic	68	21,434	40	69.7	56.0-83.4	28	30.3	16.6-44.0
65+	3616	1,116,396	2655	72.6	70.8-74.4	961	27.4	25.6-29.2
Less Than H.S.	167	96,033	114	72.0	64.2-79.8	53	28.0	20.2-35.8
H.S. or G.E.D.	1230	421,051	867	69.9	67.0-72.8	363	30.1	27.2-33.0
Some Post-H.S.	924	332,538	671	72.2	68.9-75.5	253	27.8	24.5-31.1
College Graduate	1284	263,726	997	77.8	75.3-80.3	287	22.2	19.7-24.7
Less than \$15,000	93	25,622	72	76.3	65.7-86.9	21	23.7	13.1-34.3
\$15,000-24,999	397	123,201	282	69.7	64.0-75.4	115	30.3	24.6-36.0
\$25,000-34,999	472	156,446	335	70.5	65.4-75.6	137	29.5	24.4-34.6
\$35,000-49,999	529	168,079	388	72.7	68.2-77.2	141	27.3	22.8-31.8
\$50,000-99,999	880	264,493	675	74.7	71.4-78.0	205	25.3	22.0-28.6
\$100,000-199,999	319	92,159	234	71.5	65.6-77.4	85	28.5	22.6-34.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 13: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1548	496,589	1082	69.1	66.4-71.8	466	30.9	28.2-33.6
White/Non-Hisp	1361	430,364	977	70.3	67.4-73.2	384	29.7	26.8-32.6
Black or Afr. Am./Non-Hisp	84	27,009	49	63.2	50.7-75.7	35	36.8	24.3-49.3
65+	1548	496,589	1082	69.1	66.4-71.8	466	30.9	28.2-33.6
Less Than H.S.	63	38,223	42	71.8	58.9-84.7	21	28.2	15.3-41.1
H.S. or G.E.D.	471	172,874	303	63.5	58.8-68.2	168	36.5	31.8-41.2
Some Post-H.S.	367	144,112	255	69.5	64.2-74.8	112	30.5	25.2-35.8
College Graduate	642	140,460	479	75.0	71.3-78.7	163	25.0	21.3-28.7
\$15,000- 24,999	127	40,972	83	62.7	52.5-72.9	44	37.3	27.1-47.5
\$25,000- 34,999	192	72,969	127	67.6	59.6-75.6	65	32.4	24.4-40.4
\$35,000- 49,999	224	73,041	151	68.8	61.7-75.9	73	31.2	24.1-38.3
\$50,000- 99,999	460	142,137	340	71.9	67.2-76.6	120	28.1	23.4-32.8
\$100,000 - 199,999	186	55,629	131	68.6	60.6-76.6	55	31.4	23.4-39.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 13: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2068	619,807	1573	75.3	72.9-77.7	495	24.7	22.3-27.1
White/Non-Hisp	1788	527,143	1381	76.2	73.8-78.6	407	23.8	21.4-26.2
Black or Afr. Am./Non-Hisp	152	44,775	103	69.7	60.5-78.9	49	30.3	21.1-39.5
65+	2068	619,807	1573	75.3	72.9-77.7	495	24.7	22.3-27.1
Less Than H.S.	104	57,810	72	72.2	62.2-82.2	32	27.8	17.8-37.8
H.S. or G.E.D.	759	248,178	564	74.3	70.6-78.0	195	25.7	22.0-29.4
Some Post-H.S.	557	188,426	416	74.3	70.0-78.6	141	25.7	21.4-30.0
College Graduate	642	123,266	518	80.9	77.4-84.4	124	19.1	15.6-22.6
Less than \$15,000	66	17,781	52	75.1	61.6-88.6	14	24.9	11.4-38.4
\$15,000- 24,999	270	82,229	199	73.2	66.5-79.9	71	26.8	20.1-33.5
\$25,000- 34,999	280	83,477	208	73.0	66.5-79.5	72	27.0	20.5-33.5
\$35,000- 49,999	305	95,038	237	75.6	69.3-81.9	68	24.4	18.1-30.7
\$50,000- 99,999	420	122,356	335	78.0	73.1-82.9	85	22.0	17.1-26.9
\$100,000 - 199,999	133	36,531	103	75.8	67.2-84.4	30	24.2	15.6-32.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023

SECTION 14: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)	
1	MALES AND FEMALES	169
2	MALES ONLY	170
3	FEMALES ONLY	171

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 14: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9387	4,495,551	2956	32.9	31.7-34.1	6431	67.1	65.9-68.3
Male	4340	2,199,604	1385	31.8	30.0-33.6	2955	68.2	66.4-70.0
Female	5047	2,295,948	1571	34.0	32.2-35.8	3476	66.0	64.2-67.8
White/Non-Hisp	7369	3,420,546	2053	29.8	28.4-31.2	5316	70.2	68.8-71.6
Black or Afr. Am./Non-Hisp	850	400,366	452	51.5	46.8-56.2	398	48.5	43.8-53.2
Oth. Race/Non-Hisp.	244	167,345	70	29.5	22.6-36.4	174	70.5	63.6-77.4
MultiRacial/Non-Hisp.	155	112,416	74	47.4	37.0-57.8	81	52.6	42.2-63.0
Hispanic	615	325,363	255	38.9	34.0-43.8	360	61.1	56.2-66.0
18-24	574	608,060	141	24.8	20.7-28.9	433	75.2	71.1-79.3
25-34	958	699,986	427	43.3	39.6-47.0	531	56.7	53.0-60.4
35-44	1185	690,053	603	48.4	45.1-51.7	582	51.6	48.3-54.9
45-54	1438	679,895	637	42.4	39.5-45.3	801	57.6	54.7-60.5
55-64	1717	733,405	575	31.2	28.7-33.7	1142	68.8	66.3-71.3
65+	3515	1,084,152	573	16.1	14.7-17.5	2942	83.9	82.5-85.3
Less Than H.S.	540	479,863	181	31.5	26.8-36.2	359	68.5	63.8-73.2
H.S. or G.E.D.	2860	1,503,061	777	29.7	27.5-31.9	2083	70.3	68.1-72.5
Some Post-H.S.	2387	1,325,735	854	36.5	34.1-38.9	1533	63.5	61.1-65.9
College Graduate	3564	1,173,024	1130	33.4	31.6-35.2	2434	66.6	64.8-68.4
Less than \$15,000	409	207,279	197	49.2	43.1-55.3	212	50.8	44.7-56.9
\$15,000-24,999	796	343,040	273	34.7	30.6-38.8	523	65.3	61.2-69.4
\$25,000-34,999	995	469,038	322	35.1	31.2-39.0	673	64.9	61.0-68.8
\$35,000-49,999	1073	509,123	341	35.8	32.1-39.5	732	64.2	60.5-67.9
\$50,000-99,999	2396	1,181,124	763	32.0	29.6-34.4	1633	68.0	65.6-70.4
\$100,000-199,999	1587	793,175	518	34.3	31.4-37.2	1069	65.7	62.8-68.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 14: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4340	2,199,604	1385	31.8	30.0-33.6	2955	68.2	66.4-70.0
White/Non-Hisp	3404	1,659,007	984	29.1	27.3-30.9	2420	70.9	69.1-72.7
Black or Afr. Am./Non-Hisp	350	191,906	191	49.7	42.6-56.8	159	50.3	43.2-57.4
Oth. Race/Non-Hisp.	131	97,686	37	30.1	20.9-39.3	94	69.9	60.7-79.1
MultiRacial/Non-Hisp.	85	61,878	32	35.2	22.1-48.3	53	64.8	51.7-77.9
Hispanic	287	146,709	111	37.6	30.5-44.7	176	62.4	55.3-69.5
18-24	338	315,384	71	19.8	14.9-24.7	267	80.2	75.3-85.1
25-34	454	354,839	177	37.5	32.2-42.8	277	62.5	57.2-67.8
35-44	577	342,979	270	44.6	39.9-49.3	307	55.4	50.7-60.1
45-54	693	349,674	274	37.6	33.5-41.7	419	62.4	58.3-66.5
55-64	786	359,027	285	33.9	30.0-37.8	501	66.1	62.2-70.0
65+	1492	477,701	308	20.7	18.3-23.1	1184	79.3	76.9-81.7
Less Than H.S.	253	239,504	88	32.8	25.9-39.7	165	67.2	60.3-74.1
H.S. or G.E.D.	1341	767,686	407	29.9	27.0-32.8	934	70.1	67.2-73.0
Some Post-H.S.	1038	626,121	370	34.6	31.3-37.9	668	65.4	62.1-68.7
College Graduate	1691	560,708	512	30.8	28.3-33.3	1179	69.2	66.7-71.7
Less than \$15,000	152	75,807	78	52.5	42.7-62.3	74	47.5	37.7-57.3
\$15,000- 24,999	301	138,281	112	37.6	30.9-44.3	189	62.4	55.7-69.1
\$25,000- 34,999	417	219,755	125	30.5	24.8-36.2	292	69.5	63.8-75.2
\$35,000- 49,999	453	221,368	146	33.1	27.6-38.6	307	66.9	61.4-72.4
\$50,000- 99,999	1210	623,407	394	32.1	28.8-35.4	816	67.9	64.6-71.2
\$100,000 - 199,999	880	460,759	254	30.2	26.5-33.9	626	69.8	66.1-73.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 14: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5047	2,295,948	1571	34.0	32.2-35.8	3476	66.0	64.2-67.8
White/Non-Hisp	3965	1,761,539	1069	30.4	28.4-32.4	2896	69.6	67.6-71.6
Black or Afr. Am./Non-Hisp	500	208,460	261	53.2	47.1-59.3	239	46.8	40.7-52.9
Oth. Race/Non-Hisp.	113	69,659	33	28.7	18.3-39.1	80	71.3	60.9-81.7
MultiRacial/Non-Hisp.	70	50,538	42	62.2	46.5-77.9	28	37.8	22.1-53.5
Hispanic	328	178,654	144	39.9	33.2-46.6	184	60.1	53.4-66.8
18-24	236	292,675	70	30.3	23.4-37.2	166	69.7	62.8-76.6
25-34	504	345,148	250	49.3	44.2-54.4	254	50.7	45.6-55.8
35-44	608	347,074	333	52.2	47.5-56.9	275	47.8	43.1-52.5
45-54	745	330,222	363	47.5	43.2-51.8	382	52.5	48.2-56.8
55-64	931	374,378	290	28.6	25.3-31.9	641	71.4	68.1-74.7
65+	2023	606,451	265	12.5	10.7-14.3	1758	87.5	85.7-89.3
Less Than H.S.	287	240,359	93	30.3	23.8-36.8	194	69.7	63.2-76.2
H.S. or G.E.D.	1519	735,375	370	29.6	26.5-32.7	1149	70.4	67.3-73.5
Some Post-H.S.	1349	699,614	484	38.2	34.9-41.5	865	61.8	58.5-65.1
College Graduate	1873	612,317	618	35.8	33.1-38.5	1255	64.2	61.5-66.9
Less than \$15,000	257	131,472	119	47.4	39.8-55.0	138	52.6	45.0-60.2
\$15,000- 24,999	495	204,759	161	32.7	27.4-38.0	334	67.3	62.0-72.6
\$25,000- 34,999	578	249,283	197	39.1	33.6-44.6	381	60.9	55.4-66.4
\$35,000- 49,999	620	287,755	195	37.9	32.8-43.0	425	62.1	57.0-67.2
\$50,000- 99,999	1186	557,717	369	32.0	28.5-35.5	817	68.0	64.5-71.5
\$100,000 - 199,999	707	332,416	264	39.9	35.6-44.2	443	60.1	55.8-64.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023

SECTION 15: SEATBELT USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	173
2	MALES ONLY	174
3	FEMALES ONLY	175
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	176
5	MALES ONLY	177
6	FEMALES ONLY	178
	DRINKING AND DRIVING (_DRNKDRV)	
7	MALES AND FEMALES	179
8	MALES ONLY	180
9	FEMALES ONLY	181

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023**

SECTION 15: SEATBELT USE

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9921	4,733,501	9354	93.4	92.8-94.0	567	6.6	6.0- 7.2
Male	4585	2,317,201	4233	91.1	89.9-92.3	352	8.9	7.7-10.1
Female	5336	2,416,300	5121	95.6	94.8-96.4	215	4.4	3.6- 5.2
White/Non-Hisp	7833	3,626,559	7390	93.4	92.6-94.2	443	6.6	5.8- 7.4
Black or Afr. Am./Non-Hisp	871	407,156	812	91.7	89.0-94.4	59	8.3	5.6-11.0
Oth. Race/Non-Hisp.	256	172,869	239	93.3	89.8-96.8	17	6.7	3.2-10.2
MultiRacial/Non-Hisp.	163	116,644	151	92.6	87.5-97.7	12	7.4	2.3-12.5
Hispanic	629	335,470	604	95.2	92.8-97.6	25	4.8	2.4- 7.2
18-24	600	632,361	561	93.3	90.9-95.7	39	6.7	4.3- 9.1
25-34	1001	737,430	942	93.3	91.3-95.3	59	6.7	4.7- 8.7
35-44	1229	720,151	1149	92.2	90.2-94.2	80	7.8	5.8- 9.8
45-54	1502	709,804	1407	92.6	91.0-94.2	95	7.4	5.8- 9.0
55-64	1824	778,293	1717	93.0	91.4-94.6	107	7.0	5.4- 8.6
65+	3765	1,155,463	3578	94.7	93.7-95.7	187	5.3	4.3- 6.3
Less Than H.S.	566	498,360	521	91.1	88.2-94.0	45	8.9	6.0-11.8
H.S. or G.E.D.	3013	1,586,461	2767	91.2	90.0-92.4	246	8.8	7.6-10.0
Some Post-H.S.	2537	1,399,080	2394	93.4	92.2-94.6	143	6.6	5.4- 7.8
College Graduate	3768	1,235,347	3640	97.0	96.4-97.6	128	3.0	2.4- 3.6
Less than \$15,000	432	216,926	406	93.1	90.0-96.2	26	6.9	3.8-10.0
\$15,000-24,999	845	361,677	790	93.8	91.8-95.8	55	6.2	4.2- 8.2
\$25,000-34,999	1035	484,645	967	92.7	90.7-94.7	68	7.3	5.3- 9.3
\$35,000-49,999	1117	528,071	1039	92.9	90.9-94.9	78	7.1	5.1- 9.1
\$50,000-99,999	2527	1,244,146	2382	92.6	91.2-94.0	145	7.4	6.0- 8.8
\$100,000-199,999	1669	829,436	1592	94.0	92.4-95.6	77	6.0	4.4- 7.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 15: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4585	2,317,201	4233	91.1	89.9-92.3	352	8.9	7.7-10.1
White/Non-Hisp	3624	1,761,204	3347	90.8	89.6-92.0	277	9.2	8.0-10.4
Black or Afr. Am./Non-Hisp	356	194,387	323	89.6	85.3-93.9	33	10.4	6.1-14.7
Oth. Race/Non-Hisp.	135	100,751	124	91.6	86.3-96.9	11	8.4	3.1-13.7
MultiRacial/Non-Hisp.	88	63,994	81	93.1	86.0- 100	7	6.9	0.0-14.0
Hispanic	293	151,041	278	94.3	90.8-97.8	15	5.7	2.2- 9.2
18-24	359	333,849	331	91.2	87.9-94.5	28	8.8	5.5-12.1
25-34	475	373,399	437	91.1	87.8-94.4	38	8.9	5.6-12.2
35-44	602	360,219	549	88.8	85.5-92.1	53	11.2	7.9-14.5
45-54	710	356,491	657	91.3	88.8-93.8	53	8.7	6.2-11.2
55-64	829	380,017	759	90.2	87.7-92.7	70	9.8	7.3-12.3
65+	1610	513,225	1500	93.0	91.4-94.6	110	7.0	5.4- 8.6
Less Than H.S.	261	245,298	229	86.4	81.1-91.7	32	13.6	8.3-18.9
H.S. or G.E.D.	1414	808,547	1248	87.6	85.4-89.8	166	12.4	10.2-14.6
Some Post-H.S.	1106	666,671	1025	92.1	90.1-94.1	81	7.9	5.9- 9.9
College Graduate	1788	591,202	1717	96.6	95.6-97.6	71	3.4	2.4- 4.4
Less than \$15,000	158	79,367	142	89.5	83.4-95.6	16	10.5	4.4-16.6
\$15,000- 24,999	321	147,290	297	92.8	89.5-96.1	24	7.2	3.9-10.5
\$25,000- 34,999	435	228,210	386	88.3	84.6-92.0	49	11.7	8.0-15.4
\$35,000- 49,999	472	228,550	426	90.1	86.6-93.6	46	9.9	6.4-13.4
\$50,000- 99,999	1280	657,982	1181	89.7	87.3-92.1	99	10.3	7.9-12.7
\$100,000 - 199,999	923	478,889	866	92.6	90.4-94.8	57	7.4	5.2- 9.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023**

SECTION 15: SEATBELT USE

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5336	2,416,300	5121	95.6	94.8-96.4	215	4.4	3.6- 5.2
White/Non-Hisp	4209	1,865,355	4043	95.8	95.0-96.6	166	4.2	3.4- 5.0
Black or Afr. Am./Non-Hisp	515	212,769	489	93.5	90.0-97.0	26	6.5	3.0-10.0
Oth. Race/Non-Hisp.	121	72,118	115	95.8	92.1-99.5	6	4.2	0.5- 7.9
MultiRacial/Non-Hisp.	75	52,651	70	92.0	84.6-99.4	5	8.0	0.6-15.4
Hispanic	336	184,428	326	95.9	92.8-99.0	10	4.1	1.0- 7.2
18-24	241	298,512	230	95.7	92.8-98.6	11	4.3	1.4- 7.2
25-34	526	364,031	505	95.6	93.6-97.6	21	4.4	2.4- 6.4
35-44	627	359,932	600	95.7	93.9-97.5	27	4.3	2.5- 6.1
45-54	792	353,313	750	94.0	92.0-96.0	42	6.0	4.0- 8.0
55-64	995	398,276	958	95.7	93.9-97.5	37	4.3	2.5- 6.1
65+	2155	642,237	2078	96.1	94.9-97.3	77	3.9	2.7- 5.1
Less Than H.S.	305	253,062	292	95.7	93.0-98.4	13	4.3	1.6- 7.0
H.S. or G.E.D.	1599	777,914	1519	95.0	93.6-96.4	80	5.0	3.6- 6.4
Some Post-H.S.	1431	732,410	1369	94.6	93.0-96.2	62	5.4	3.8- 7.0
College Graduate	1980	644,145	1923	97.4	96.6-98.2	57	2.6	1.8- 3.4
Less than \$15,000	274	137,559	264	95.2	91.9-98.5	10	4.8	1.5- 8.1
\$15,000- 24,999	524	214,387	493	94.4	91.9-96.9	31	5.6	3.1- 8.1
\$25,000- 34,999	600	256,435	581	96.6	94.6-98.6	19	3.4	1.4- 5.4
\$35,000- 49,999	645	299,520	613	95.1	93.1-97.1	32	4.9	2.9- 6.9
\$50,000- 99,999	1247	586,164	1201	95.9	94.5-97.3	46	4.1	2.7- 5.5
\$100,000 - 199,999	746	350,547	726	96.0	94.0-98.0	20	4.0	2.0- 6.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023**

SECTION 15: SEATBELT USE

TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9921	4,733,501	8683	85.4	84.4-86.4	1238	14.6	13.6-15.6
Male	4585	2,317,201	3866	82.0	80.4-83.6	719	18.0	16.4-19.6
Female	5336	2,416,300	4817	88.5	87.3-89.7	519	11.5	10.3-12.7
White/Non-Hisp	7833	3,626,559	6862	85.4	84.4-86.4	971	14.6	13.6-15.6
Black or Afr. Am./Non-Hisp	871	407,156	739	81.7	77.8-85.6	132	18.3	14.4-22.2
Oth. Race/Non-Hisp.	256	172,869	223	87.5	82.8-92.2	33	12.5	7.8-17.2
MultiRacial/Non-Hisp.	163	116,644	136	80.1	71.5-88.7	27	19.9	11.3-28.5
Hispanic	629	335,470	570	88.9	85.6-92.2	59	11.1	7.8-14.4
18-24	600	632,361	491	80.7	77.0-84.4	109	19.3	15.6-23.0
25-34	1001	737,430	846	82.8	79.9-85.7	155	17.2	14.3-20.1
35-44	1229	720,151	1059	85.2	82.8-87.6	170	14.8	12.4-17.2
45-54	1502	709,804	1276	84.0	81.6-86.4	226	16.0	13.6-18.4
55-64	1824	778,293	1618	87.2	85.2-89.2	206	12.8	10.8-14.8
65+	3765	1,155,463	3393	89.2	88.0-90.4	372	10.8	9.6-12.0
Less Than H.S.	566	498,360	479	81.1	76.8-85.4	87	18.9	14.6-23.2
H.S. or G.E.D.	3013	1,586,461	2537	82.7	80.9-84.5	476	17.3	15.5-19.1
Some Post-H.S.	2537	1,399,080	2194	84.3	82.5-86.1	343	15.7	13.9-17.5
College Graduate	3768	1,235,347	3441	91.7	90.7-92.7	327	8.3	7.3-9.3
Less than \$15,000	432	216,926	373	85.4	81.1-89.7	59	14.6	10.3-18.9
\$15,000-24,999	845	361,677	731	85.5	82.2-88.8	114	14.5	11.2-17.8
\$25,000-34,999	1035	484,645	884	83.9	81.0-86.8	151	16.1	13.2-19.0
\$35,000-49,999	1117	528,071	956	84.4	81.7-87.1	161	15.6	12.9-18.3
\$50,000-99,999	2527	1,244,146	2209	84.1	82.1-86.1	318	15.9	13.9-17.9
\$100,000-199,999	1669	829,436	1490	87.0	84.8-89.2	179	13.0	10.8-15.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 15: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4585	2,317,201	3866	82.0	80.4-83.6	719	18.0	16.4-19.6
White/Non-Hisp	3624	1,761,204	3049	81.8	80.2-83.4	575	18.2	16.6-19.8
Black or Afr. Am./Non-Hisp	356	194,387	287	77.8	71.5-84.1	69	22.2	15.9-28.5
Oth. Race/Non-Hisp.	135	100,751	115	84.3	77.2-91.4	20	15.7	8.6-22.8
MultiRacial/Non-Hisp.	88	63,994	71	75.8	62.7-88.9	17	24.2	11.1-37.3
Hispanic	293	151,041	266	89.8	85.3-94.3	27	10.2	5.7-14.7
18-24	359	333,849	295	80.2	75.3-85.1	64	19.8	14.9-24.7
25-34	475	373,399	388	79.1	74.4-83.8	87	20.9	16.2-25.6
35-44	602	360,219	495	80.4	76.5-84.3	107	19.6	15.7-23.5
45-54	710	356,491	582	80.8	77.3-84.3	128	19.2	15.7-22.7
55-64	829	380,017	705	83.6	80.7-86.5	124	16.4	13.5-19.3
65+	1610	513,225	1401	86.2	84.0-88.4	209	13.8	11.6-16.0
Less Than H.S.	261	245,298	209	76.0	69.3-82.7	52	24.0	17.3-30.7
H.S. or G.E.D.	1414	808,547	1112	77.7	75.2-80.2	302	22.3	19.8-24.8
Some Post-H.S.	1106	666,671	932	82.5	79.8-85.2	174	17.5	14.8-20.2
College Graduate	1788	591,202	1599	89.9	88.3-91.5	189	10.1	8.5-11.7
Less than \$15,000	158	79,367	128	80.2	72.4-88.0	30	19.8	12.0-27.6
\$15,000- 24,999	321	147,290	264	80.7	74.6-86.8	57	19.3	13.2-25.4
\$25,000- 34,999	435	228,210	348	79.6	74.9-84.3	87	20.4	15.7-25.1
\$35,000- 49,999	472	228,550	388	81.9	77.4-86.4	84	18.1	13.6-22.6
\$50,000- 99,999	1280	657,982	1076	79.5	76.4-82.6	204	20.5	17.4-23.6
\$100,000 - 199,999	923	478,889	800	84.6	81.7-87.5	123	15.4	12.5-18.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 15: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5336	2,416,300	4817	88.5	87.3-89.7	519	11.5	10.3-12.7
White/Non-Hisp	4209	1,865,355	3813	88.9	87.5-90.3	396	11.1	9.7-12.5
Black or Afr. Am./Non-Hisp	515	212,769	452	85.2	80.7-89.7	63	14.8	10.3-19.3
Oth. Race/Non-Hisp.	121	72,118	108	91.9	87.0-96.8	13	8.1	3.2-13.0
MultiRacial/Non-Hisp.	75	52,651	65	85.4	75.8-95.0	10	14.6	5.0-24.2
Hispanic	336	184,428	304	88.1	83.4-92.8	32	11.9	7.2-16.6
18-24	241	298,512	196	81.2	75.5-86.9	45	18.8	13.1-24.5
25-34	526	364,031	458	86.7	83.4-90.0	68	13.3	10.0-16.6
35-44	627	359,932	564	90.0	87.3-92.7	63	10.0	7.3-12.7
45-54	792	353,313	694	87.1	84.2-90.0	98	12.9	10.0-15.8
55-64	995	398,276	913	90.7	88.3-93.1	82	9.3	6.9-11.7
65+	2155	642,237	1992	91.6	90.0-93.2	163	8.4	6.8-10.0
Less Than H.S.	305	253,062	270	86.0	80.7-91.3	35	14.0	8.7-19.3
H.S. or G.E.D.	1599	777,914	1425	87.9	85.7-90.1	174	12.1	9.9-14.3
Some Post-H.S.	1431	732,410	1262	85.9	83.5-88.3	169	14.1	11.7-16.5
College Graduate	1980	644,145	1842	93.5	92.1-94.9	138	6.5	5.1-7.9
Less than \$15,000	274	137,559	245	88.5	83.4-93.6	29	11.5	6.4-16.6
\$15,000- 24,999	524	214,387	467	88.9	85.4-92.4	57	11.1	7.6-14.6
\$25,000- 34,999	600	256,435	536	87.8	84.3-91.3	64	12.2	8.7-15.7
\$35,000- 49,999	645	299,520	568	86.4	83.1-89.7	77	13.6	10.3-16.9
\$50,000- 99,999	1247	586,164	1133	89.2	86.7-91.7	114	10.8	8.3-13.3
\$100,000 - 199,999	746	350,547	690	90.3	87.4-93.2	56	9.7	6.8-12.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 15: SEATBELT USE**

TABLE 7: DRINKING AND DRIVING (_DRNKDRV)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4909	2,339,320	164	3.5	2.9- 4.1	4745	96.5	95.9-97.1
Male	2590	1,280,113	122	5.0	4.0- 6.0	2468	95.0	94.0-96.0
Female	2319	1,059,207	42	1.6	1.0- 2.2	2277	98.4	97.8-99.0
White/Non-Hisp	3991	1,851,737	132	3.4	2.8- 4.0	3859	96.6	96.0-97.2
Black or Afr. Am./Non-Hisp	388	181,144	17	5.5	2.2- 8.8	371	94.5	91.2-97.8
Oth. Race/Non-Hisp.	107	74,750	1	0.2	0.0- 0.6	106	99.8	99.4- 100
MultiRacial/Non-Hisp.	80	62,577	2	1.7	0.0- 4.6	78	98.3	95.4- 100
Hispanic	272	136,518	9	4.0	1.6- 6.4	263	96.0	93.6-98.4
18-24	303	297,244	12	3.6	1.4- 5.8	291	96.4	94.2-98.6
25-34	594	424,308	32	4.7	2.7- 6.7	562	95.3	93.3-97.3
35-44	728	406,657	37	4.7	3.1- 6.3	691	95.3	93.7-96.9
45-54	827	377,167	28	3.5	2.1- 4.9	799	96.5	95.1-97.9
55-64	891	373,788	21	2.4	1.2- 3.6	870	97.6	96.4-98.8
65+	1566	460,157	34	2.1	1.3- 2.9	1532	97.9	97.1-98.7
Less Than H.S.	160	146,245	7	3.5	1.0- 6.0	153	96.5	94.0-99.0
H.S. or G.E.D.	1200	680,938	42	4.3	2.9- 5.7	1158	95.7	94.3-97.1
Some Post-H.S.	1229	717,142	35	2.8	1.8- 3.8	1194	97.2	96.2-98.2
College Graduate	2302	787,943	78	3.3	2.5- 4.1	2224	96.7	95.9-97.5
Less than \$15,000	120	57,479	3	2.0	0.0- 4.5	117	98.0	95.5- 100
\$15,000-24,999	266	126,653	8	3.5	1.1- 5.9	258	96.5	94.1-98.9
\$25,000-34,999	393	174,009	18	5.5	2.6- 8.4	375	94.5	91.6-97.4
\$35,000-49,999	496	233,733	12	2.2	0.8- 3.6	484	97.8	96.4-99.2
\$50,000-99,999	1408	696,796	51	3.4	2.4- 4.4	1357	96.6	95.6-97.6
\$100,000-199,999	1136	546,007	49	4.5	2.9- 6.1	1087	95.5	93.9-97.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 15: SEATBELT USE**

TABLE 8: DRINKING AND DRIVING (_DRNKDRV)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2590	1,280,113	122	5.0	4.0- 6.0	2468	95.0	94.0-96.0
White/Non-Hisp	2118	1,015,192	102	5.0	3.8- 6.2	2016	95.0	93.8-96.2
Black or Afr. Am./Non-Hisp	161	84,219	9	7.9	1.8-14.0	152	92.1	86.0-98.2
Oth. Race/Non-Hisp.	60	41,296				60	100.0	100.0- 100
MultiRacial/Non-Hisp.	51	42,323	2	2.5	0.0- 6.8	49	97.5	93.2- 100
Hispanic	154	75,731	7	5.3	2.0- 8.6	147	94.7	91.4-98.0
18-24	170	143,061	7	4.8	1.3- 8.3	163	95.2	91.7-98.7
25-34	316	240,747	21	6.3	3.2- 9.4	295	93.7	90.6-96.8
35-44	379	219,120	28	7.1	4.4- 9.8	351	92.9	90.2-95.6
45-54	425	205,754	22	5.4	3.0- 7.8	403	94.6	92.2-97.0
55-64	464	211,891	18	3.8	1.8- 5.8	446	96.2	94.2-98.2
65+	836	259,541	26	2.9	1.7- 4.1	810	97.1	95.9-98.3
Less Than H.S.	97	90,401	7	5.7	1.8- 9.6	90	94.3	90.4-98.2
H.S. or G.E.D.	701	411,735	34	6.1	3.9- 8.3	667	93.9	91.7-96.1
Some Post-H.S.	614	379,120	24	3.7	1.9- 5.5	590	96.3	94.5-98.1
College Graduate	1172	396,954	56	5.0	3.6- 6.4	1116	95.0	93.6-96.4
Less than \$15,000	51	23,258	3	5.0	0.0-11.3	48	95.0	88.7- 100
\$15,000- 24,999	134	64,260	6	5.2	1.3- 9.1	128	94.8	90.9-98.7
\$25,000- 34,999	186	87,939	11	7.5	2.6-12.4	175	92.5	87.6-97.4
\$35,000- 49,999	241	110,993	10	3.8	1.1- 6.5	231	96.2	93.5-98.9
\$50,000- 99,999	751	389,688	36	4.6	3.0- 6.2	715	95.4	93.8-97.0
\$100,000 - 199,999	650	327,678	40	6.6	4.2- 9.0	610	93.4	91.0-95.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023
SECTION 15: SEATBELT USE**

TABLE 9: DRINKING AND DRIVING (_DRNKDRV)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2319	1,059,207	42	1.6	1.0- 2.2	2277	98.4	97.8-99.0
White/Non-Hisp	1873	836,545	30	1.5	0.9- 2.1	1843	98.5	97.9-99.1
Black or Afr. Am./Non-Hisp	227	96,924	8	3.4	0.7- 6.1	219	96.6	93.9-99.3
Hispanic	118	60,787	2	2.3	0.0- 5.4	116	97.7	94.6- 100
18-24	133	154,183	5	2.5	0.1- 4.9	128	97.5	95.1-99.9
25-34	278	183,561	11	2.6	0.8- 4.4	267	97.4	95.6-99.2
35-44	349	187,537	9	1.9	0.5- 3.3	340	98.1	96.7-99.5
45-54	402	171,412	6	1.1	0.1- 2.1	396	98.9	97.9-99.9
55-64	427	161,897	3	0.5	0.0- 1.1	424	99.5	98.9- 100
65+	730	200,616	8	1.1	0.3- 1.9	722	98.9	98.1-99.7
Less Than H.S.	63	55,844				63	100.0	100.0- 100
H.S. or G.E.D.	499	269,203	8	1.6	0.2- 3.0	491	98.4	97.0-99.8
Some Post-H.S.	615	338,022	11	1.8	0.6- 3.0	604	98.2	97.0-99.4
College Graduate	1130	390,989	22	1.6	0.8- 2.4	1108	98.4	97.6-99.2
Less than \$15,000	69	34,221				69	100.0	100.0- 100
\$15,000- 24,999	132	62,393	2	1.9	0.0- 4.6	130	98.1	95.4- 100
\$25,000- 34,999	207	86,070	7	3.6	0.7- 6.5	200	96.4	93.5-99.3
\$35,000- 49,999	255	122,740	2	0.8	0.0- 2.0	253	99.2	98.0- 100
\$50,000- 99,999	657	307,108	15	2.0	0.8- 3.2	642	98.0	96.8-99.2
\$100,000 - 199,999	486	218,328	9	1.3	0.1- 2.5	477	98.7	97.5-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2023**

End of Calculated Variable Data Report