

INDIANA

2011 Calculated Variables Report

Behavioral Risk Factor Surveillance System

July 26, 2012

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011

SECTION 1: HEALTH STATUS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 1: HEALTH STATUS**

**TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8451	4,873,114	6582	81.1	79.9-82.3	1869	18.9	17.7-20.1
Male	3280	2,370,143	2588	82.5	80.9-84.1	692	17.5	15.9-19.1
Female	5171	2,502,971	3994	79.8	78.2-81.4	1177	20.2	18.6-21.8
White/Non-Hisp	6825	4,043,627	5429	82.2	81.0-83.4	1396	17.8	16.6-19.0
Black or Afr. Am./Non-Hisp	959	397,677	669	76.9	72.4-81.4	290	23.1	18.6-27.6
Oth. Race/Non-Hisp.	130	75,053	100	70.4	58.1-82.7	30	29.6	17.3-41.9
MultiRacial/Non-Hisp.	106	54,298	66	67.2	55.2-79.2	40	32.8	20.8-44.8
Hispanic	286	235,484	217	80.1	74.0-86.2	69	19.9	13.8-26.0
18-24	379	650,969	339	88.9	85.2-92.6	40	11.1	07.4-14.8
25-34	827	835,462	731	87.9	85.2-90.6	96	12.1	09.4-14.8
35-44	1033	833,462	875	83.5	80.8-86.2	158	16.5	13.8-19.2
45-54	1548	921,643	1218	79.7	77.2-82.2	330	20.3	17.8-22.8
55-64	1852	731,528	1401	76.7	74.3-79.1	451	23.3	20.9-25.7
65+	2725	862,207	1942	71.2	69.0-73.4	783	28.8	26.6-31.0
Less Than H.S.	852	704,401	470	65.1	60.8-69.4	382	34.9	30.6-39.2
H.S. or G.E.D.	3142	1,720,861	2354	78.9	76.9-80.9	788	21.1	19.1-23.1
Some Post-H.S.	2090	1,435,991	1660	84.2	82.2-86.2	430	15.8	13.8-17.8
College Graduate	2338	998,809	2077	91.9	90.7-93.1	261	8.1	06.9-09.3
Less than \$15,000	1000	551,255	545	60.1	55.8-64.4	455	39.9	35.6-44.2
\$15,000- 24,999	1506	782,427	1012	73.5	70.6-76.4	494	26.5	23.6-29.4
\$25,000- 34,999	904	511,570	713	80.8	77.3-84.3	191	19.2	15.7-22.7
\$35,000- 49,999	1144	640,499	957	83.3	80.4-86.2	187	16.7	13.8-19.6
\$50,000- 74,999	1066	648,461	949	89.0	86.3-91.7	117	11.0	08.3-13.7
\$75,000+	1509	966,932	1421	95.0	93.6-96.4	88	5.0	03.6-06.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 1: HEALTH STATUS**

**TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3280	2,370,143	2588	82.5	80.9-84.1	692	17.5	15.9-19.1
White/Non-Hisp	2685	1,927,258	2154	83.5	81.7-85.3	531	16.5	14.7-18.3
Black or Afr. Am./Non-Hisp	305	189,669	215	79.7	72.6-86.8	90	20.3	13.2-27.4
Oth. Race/Non-Hisp.	70	53,748	57	69.7	53.6-85.8	13	30.3	14.2-46.4
Hispanic	112	132,779	87	82.5	74.1-90.9	25	17.5	09.1-25.9
18-24	179	332,077	164	90.9	86.2-95.6	15	9.1	04.4-13.8
25-34	320	422,190	282	87.2	82.7-91.7	38	12.8	08.3-17.3
35-44	437	423,199	366	83.6	79.5-87.7	71	16.4	12.3-20.5
45-54	665	456,088	532	81.7	78.2-85.2	133	18.3	14.8-21.8
55-64	726	361,317	564	79.7	76.2-83.2	162	20.3	16.8-23.8
65+	927	362,586	658	71.5	68.0-75.0	269	28.5	25.0-32.0
Less Than H.S.	355	382,161	207	68.4	62.5-74.3	148	31.6	25.7-37.5
H.S. or G.E.D.	1160	840,672	874	80.3	77.6-83.0	286	19.7	17.0-22.4
Some Post-H.S.	771	654,737	626	86.4	83.7-89.1	145	13.6	10.9-16.3
College Graduate	983	486,595	872	92.0	90.2-93.8	111	8.0	06.2-09.8
Less than \$15,000	324	240,101	173	61.3	54.2-68.4	151	38.7	31.6-45.8
\$15,000- 24,999	523	357,108	353	74.7	70.0-79.4	170	25.3	20.6-30.0
\$25,000- 34,999	368	259,560	273	78.2	72.9-83.5	95	21.8	16.5-27.1
\$35,000- 49,999	489	339,300	411	85.2	80.9-89.5	78	14.8	10.5-19.1
\$50,000- 74,999	455	335,234	402	90.0	86.7-93.3	53	10.0	06.7-13.3
\$75,000+	716	502,739	673	94.9	92.9-96.9	43	5.1	03.1-07.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 1: HEALTH STATUS**

**TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5171	2,502,971	3994	79.8	78.2-81.4	1177	20.2	18.6-21.8
White/Non-Hisp	4140	2,116,370	3275	81.0	79.4-82.6	865	19.0	17.4-20.6
Black or Afr. Am./Non-Hisp	654	208,008	454	74.3	68.4-80.2	200	25.7	19.8-31.6
Oth. Race/Non-Hisp.	60	21,304	43	72.4	57.7-87.1	17	27.6	12.9-42.3
MultiRacial/Non-Hisp.	67	25,218	39	58.0	42.9-73.1	28	42.0	26.9-57.1
Hispanic	174	102,705	130	76.9	68.5-85.3	44	23.1	14.7-31.5
18-24	200	318,892	175	86.9	81.2-92.6	25	13.1	07.4-18.8
25-34	507	413,272	449	88.6	85.3-91.9	58	11.4	08.1-14.7
35-44	596	410,264	509	83.5	79.8-87.2	87	16.5	12.8-20.2
45-54	883	465,555	686	77.8	74.3-81.3	197	22.2	18.7-25.7
55-64	1126	370,211	837	73.7	70.4-77.0	289	26.3	23.0-29.6
65+	1798	499,621	1284	71.0	68.3-73.7	514	29.0	26.3-31.7
Less Than H.S.	497	322,240	263	61.2	55.1-67.3	234	38.8	32.7-44.9
H.S. or G.E.D.	1982	880,189	1480	77.5	75.0-80.0	502	22.5	20.0-25.0
Some Post-H.S.	1319	781,254	1034	82.4	79.9-84.9	285	17.6	15.1-20.1
College Graduate	1355	512,213	1205	91.8	90.2-93.4	150	8.2	06.6-09.8
Less than \$15,000	676	311,154	372	59.2	53.9-64.5	304	40.8	35.5-46.1
\$15,000- 24,999	983	425,319	659	72.4	68.7-76.1	324	27.6	23.9-31.3
\$25,000- 34,999	536	252,010	440	83.4	79.1-87.7	96	16.6	12.3-20.9
\$35,000- 49,999	655	301,199	546	81.2	77.1-85.3	109	18.8	14.7-22.9
\$50,000- 74,999	611	313,227	547	88.0	83.7-92.3	64	12.0	07.7-16.3
\$75,000+	793	464,193	748	95.1	93.3-96.9	45	4.9	03.1-06.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011

SECTION 3: HEALTH CARE ACCESS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU651)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5646	3,970,479	4540	76.4	74.8-78.0	1106	23.6	22.0-25.2
Male	2327	1,991,734	1815	73.2	70.8-75.6	512	26.8	24.4-29.2
Female	3319	1,978,745	2725	79.6	77.6-81.6	594	20.4	18.4-22.4
White/Non-Hisp	4503	3,246,714	3722	79.0	77.4-80.6	781	21.0	19.4-22.6
Black or Afr. Am./Non-Hisp	643	346,730	471	68.5	62.4-74.6	172	31.5	25.4-37.6
Oth. Race/Non-Hisp.	97	63,184	72	70.0	56.5-83.5	25	30.0	16.5-43.5
MultiRacial/Non-Hisp.	87	50,280	67	75.3	63.0-87.6	20	24.7	12.4-37.0
Hispanic	237	216,935	150	55.1	46.3-63.9	87	44.9	36.1-53.7
18-24	372	634,330	275	74.5	69.6-79.4	97	25.5	20.6-30.4
25-34	828	837,441	586	63.1	59.0-67.2	242	36.9	32.8-41.0
35-44	1036	834,270	824	77.0	73.9-80.1	212	23.0	19.9-26.1
45-54	1554	926,814	1279	82.7	80.3-85.1	275	17.3	14.9-19.7
55-64	1856	737,624	1576	84.7	82.5-86.9	280	15.3	13.1-17.5
Less Than H.S.	534	575,778	333	56.9	51.6-62.2	201	43.1	37.8-48.4
H.S. or G.E.D.	1897	1,319,834	1438	72.4	69.7-75.1	459	27.6	24.9-30.3
Some Post-H.S.	1510	1,220,681	1224	79.7	77.0-82.4	286	20.3	17.6-23.0
College Graduate	1692	846,482	1533	91.0	89.2-92.8	159	9.0	07.2-10.8
Less than \$15,000	686	468,518	421	53.6	48.5-58.7	265	46.4	41.3-51.5
\$15,000- 24,999	833	577,532	515	55.8	51.3-60.3	318	44.2	39.7-48.7
\$25,000- 34,999	559	402,446	411	68.1	62.6-73.6	148	31.9	26.4-37.4
\$35,000- 49,999	780	513,146	660	80.1	76.2-84.0	120	19.9	16.0-23.8
\$50,000- 74,999	836	567,882	763	88.2	84.9-91.5	73	11.8	08.5-15.1
\$75,000+	1325	900,797	1290	97.0	95.8-98.2	35	3.0	01.8-04.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU651)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2327	1,991,734	1815	73.2	70.8-75.6	512	26.8	24.4-29.2
White/Non-Hisp	1898	1,596,892	1518	76.4	73.9-78.9	380	23.6	21.1-26.1
Black or Afr. Am./Non-Hisp	202	168,071	147	63.6	53.4-73.8	55	36.4	26.2-46.6
Oth. Race/Non-Hisp.	55	46,058	37	62.3	44.9-79.7	18	37.7	20.3-55.1
Hispanic	98	123,951	60	54.3	41.6-67.0	38	45.7	33.0-58.4
18-24	174	322,195	121	71.6	64.3-78.9	53	28.4	21.1-35.7
25-34	321	424,169	204	55.3	49.0-61.6	117	44.7	38.4-51.0
35-44	438	422,078	342	74.9	70.0-79.8	96	25.1	20.2-30.0
45-54	667	459,464	538	81.4	77.9-84.9	129	18.6	15.1-22.1
55-64	727	363,828	610	83.4	80.1-86.7	117	16.6	13.3-19.9
Less Than H.S.	250	324,383	154	56.3	48.9-63.7	96	43.7	36.3-51.1
H.S. or G.E.D.	803	691,393	580	68.2	64.1-72.3	223	31.8	27.7-35.9
Some Post-H.S.	575	566,281	459	77.3	73.0-81.6	116	22.7	18.4-27.0
College Graduate	693	405,413	616	89.3	86.4-92.2	77	10.7	07.8-13.6
Less than \$15,000	256	218,484	145	43.1	35.5-50.7	111	56.9	49.3-64.5
\$15,000- 24,999	318	277,132	185	51.9	44.8-59.0	133	48.1	41.0-55.2
\$25,000- 34,999	232	207,893	155	62.9	54.5-71.3	77	37.1	28.7-45.5
\$35,000- 49,999	323	271,633	258	75.1	69.0-81.2	65	24.9	18.8-31.0
\$50,000- 74,999	349	291,753	309	86.5	81.4-91.6	40	13.5	08.4-18.6
\$75,000+	608	459,065	586	96.6	95.0-98.2	22	3.4	01.8-05.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU651)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3319	1,978,745	2725	79.6	77.6-81.6	594	20.4	18.4-22.4
White/Non-Hisp	2605	1,649,822	2204	81.5	79.5-83.5	401	18.5	16.5-20.5
Black or Afr. Am./Non-Hisp	441	178,659	324	73.1	66.0-80.2	117	26.9	19.8-34.0
MultiRacial/Non-Hisp.	52	22,192	40	77.9	65.0-90.8	12	22.1	09.2-35.0
Hispanic	139	92,984	90	56.2	44.6-67.8	49	43.8	32.2-55.4
18-24	198	312,134	154	77.5	70.8-84.2	44	22.5	15.8-29.2
25-34	507	413,272	382	71.0	66.1-75.9	125	29.0	24.1-33.9
35-44	598	412,192	482	79.3	75.2-83.4	116	20.7	16.6-24.8
45-54	887	467,350	741	83.9	81.0-86.8	146	16.1	13.2-19.0
55-64	1129	373,796	966	85.9	83.2-88.6	163	14.1	11.4-16.8
Less Than H.S.	284	251,395	179	57.8	50.2-65.4	105	42.2	34.6-49.8
H.S. or G.E.D.	1094	628,441	858	76.9	73.4-80.4	236	23.1	19.6-26.6
Some Post-H.S.	935	654,400	765	81.8	78.5-85.1	170	18.2	14.9-21.5
College Graduate	999	441,070	917	92.6	90.6-94.6	82	7.4	05.4-09.4
Less than \$15,000	430	250,034	276	62.7	56.4-69.0	154	37.3	31.0-43.6
\$15,000- 24,999	515	300,400	330	59.4	53.5-65.3	185	40.6	34.7-46.5
\$25,000- 34,999	327	194,553	256	73.6	66.7-80.5	71	26.4	19.5-33.3
\$35,000- 49,999	457	241,513	402	85.7	81.0-90.4	55	14.3	09.6-19.0
\$50,000- 74,999	487	276,129	454	89.9	85.6-94.2	33	10.1	05.8-14.4
\$75,000+	717	441,733	704	97.5	95.9-99.1	13	2.5	00.9-04.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011

SECTION 4: HYPERTENSION AWARENESS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (\_RFHYPE5)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8476	4,893,957	4792	67.2	65.8-68.6	3684	32.8	31.4-34.2
Male	3291	2,382,974	1859	65.6	63.6-67.6	1432	34.4	32.4-36.4
Female	5185	2,510,983	2933	68.7	67.1-70.3	2252	31.3	29.7-32.9
White/Non-Hisp	6848	4,057,848	3938	66.7	65.3-68.1	2910	33.3	31.9-34.7
Black or Afr. Am./Non-Hisp	965	403,642	421	63.4	58.3-68.5	544	36.6	31.5-41.7
Oth. Race/Non-Hisp.	128	74,713	80	68.0	56.4-79.6	48	32.0	20.4-43.6
MultiRacial/Non-Hisp.	106	53,975	67	68.7	56.5-80.9	39	31.3	19.1-43.5
Hispanic	287	237,463	203	82.3	77.2-87.4	84	17.7	12.6-22.8
18-24	380	654,605	347	91.7	88.6-94.8	33	8.3	05.2-11.4
25-34	827	837,348	729	88.0	85.3-90.7	98	12.0	09.3-14.7
35-44	1034	834,341	825	78.8	75.7-81.9	209	21.2	18.1-24.3
45-54	1553	925,746	1015	65.3	62.4-68.2	538	34.7	31.8-37.6
55-64	1862	740,163	889	49.5	46.6-52.4	973	50.5	47.6-53.4
65+	2733	863,911	936	34.8	32.6-37.0	1797	65.2	63.0-67.4
Less Than H.S.	862	711,674	431	67.5	63.6-71.4	431	32.5	28.6-36.4
H.S. or G.E.D.	3151	1,729,906	1625	63.5	61.3-65.7	1526	36.5	34.3-38.7
Some Post-H.S.	2094	1,439,543	1185	66.7	64.2-69.2	909	33.3	30.8-35.8
College Graduate	2340	999,782	1539	74.5	72.3-76.7	801	25.5	23.3-27.7
Less than \$15,000	1004	556,425	480	61.8	57.7-65.9	524	38.2	34.1-42.3
\$15,000- 24,999	1509	784,274	705	60.6	57.3-63.9	804	39.4	36.1-42.7
\$25,000- 34,999	907	513,745	488	65.2	61.1-69.3	419	34.8	30.7-38.9
\$35,000- 49,999	1146	641,054	642	64.4	60.9-67.9	504	35.6	32.1-39.1
\$50,000- 74,999	1073	653,533	680	70.9	67.4-74.4	393	29.1	25.6-32.6
\$75,000+	1515	970,196	1076	75.3	72.6-78.0	439	24.7	22.0-27.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (\_RFHYPE5)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3291	2,382,974	1859	65.6	63.6-67.6	1432	34.4	32.4-36.4
White/Non-Hisp	2693	1,932,960	1527	64.3	62.1-66.5	1166	35.7	33.5-37.9
Black or Afr. Am./Non-Hisp	308	195,454	134	63.9	55.7-72.1	174	36.1	27.9-44.3
Oth. Race/Non-Hisp.	69	53,559	47	68.9	53.8-84.0	22	31.1	16.0-46.2
Hispanic	113	134,758	83	83.7	76.3-91.1	30	16.3	08.9-23.7
18-24	180	335,713	156	87.1	81.4-92.8	24	12.9	07.2-18.6
25-34	321	424,169	277	86.3	82.0-90.6	44	13.7	09.4-18.0
35-44	436	421,745	326	74.2	69.3-79.1	110	25.8	20.9-30.7
45-54	668	459,545	419	62.4	57.9-66.9	249	37.6	33.1-42.1
55-64	732	365,936	340	46.8	42.5-51.1	392	53.2	48.9-57.5
65+	928	363,180	324	34.7	31.0-38.4	604	65.3	61.6-69.0
Less Than H.S.	360	388,247	204	70.2	64.7-75.7	156	29.8	24.3-35.3
H.S. or G.E.D.	1163	846,667	616	63.2	59.9-66.5	547	36.8	33.5-40.1
Some Post-H.S.	774	655,884	427	63.5	59.2-67.8	347	36.5	32.2-40.8
College Graduate	983	486,198	606	69.3	66.0-72.6	377	30.7	27.4-34.0
Less than \$15,000	327	245,193	163	60.5	53.6-67.4	164	39.5	32.6-46.4
\$15,000- 24,999	523	357,108	270	65.8	60.7-70.9	253	34.2	29.1-39.3
\$25,000- 34,999	368	259,560	183	60.3	53.6-67.0	185	39.7	33.0-46.4
\$35,000- 49,999	490	339,770	259	62.2	57.1-67.3	231	37.8	32.7-42.9
\$50,000- 74,999	458	337,261	278	68.1	63.0-73.2	180	31.9	26.8-37.0
\$75,000+	719	504,657	472	69.2	64.9-73.5	247	30.8	26.5-35.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (\_RFHYPE5)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5185	2,510,983	2933	68.7	67.1-70.3	2252	31.3	29.7-32.9
White/Non-Hisp	4155	2,124,888	2411	68.8	67.0-70.6	1744	31.2	29.4-33.0
Black or Afr. Am./Non-Hisp	657	208,188	287	63.0	56.7-69.3	370	37.0	30.7-43.3
Oth. Race/Non-Hisp.	59	21,153	33	65.8	50.5-81.1	26	34.2	18.9-49.5
MultiRacial/Non-Hisp.	67	24,895	44	77.2	66.4-88.0	23	22.8	12.0-33.6
Hispanic	174	102,705	120	80.5	73.4-87.6	54	19.5	12.4-26.6
18-24	200	318,892	191	96.5	94.1-98.9	9	3.5	01.1-05.9
25-34	506	413,179	452	89.7	86.6-92.8	54	10.3	07.2-13.4
35-44	598	412,596	499	83.6	79.9-87.3	99	16.4	12.7-20.1
45-54	885	466,200	596	68.2	64.3-72.1	289	31.8	27.9-35.7
55-64	1130	374,227	549	52.2	48.7-55.7	581	47.8	44.3-51.3
65+	1805	500,731	612	34.8	32.1-37.5	1193	65.2	62.5-67.9
Less Than H.S.	502	323,427	227	64.4	58.9-69.9	275	35.6	30.1-41.1
H.S. or G.E.D.	1988	883,238	1009	63.9	61.2-66.6	979	36.1	33.4-38.8
Some Post-H.S.	1320	783,658	758	69.3	66.2-72.4	562	30.7	27.6-33.8
College Graduate	1357	513,584	933	79.4	77.0-81.8	424	20.6	18.2-23.0
Less than \$15,000	677	311,232	317	62.9	58.0-67.8	360	37.1	32.2-42.0
\$15,000- 24,999	986	427,165	435	56.3	52.0-60.6	551	43.7	39.4-48.0
\$25,000- 34,999	539	254,184	305	70.1	65.2-75.0	234	29.9	25.0-34.8
\$35,000- 49,999	656	301,284	383	66.9	62.4-71.4	273	33.1	28.6-37.6
\$50,000- 74,999	615	316,272	402	73.9	69.4-78.4	213	26.1	21.6-30.6
\$75,000+	796	465,539	604	81.8	78.9-84.7	192	18.2	15.3-21.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)	
1	MALES AND FEMALES	15
2	MALES ONLY	16
3	FEMALES ONLY	17
	ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)	
4	MALES AND FEMALES	18
5	MALES ONLY	19
6	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 1: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (\_CHOLCHK)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8222	4,690,436	6815	72.8	71.2-74.4	283	3.8	03.2-04.4	1124	23.4	22.0-24.8
Male	3207	2,297,906	2580	69.9	67.5-72.3	116	4.1	03.1-05.1	511	26.0	23.6-28.4
Female	5015	2,392,530	4235	75.6	73.6-77.6	167	3.4	02.8-04.0	613	20.9	19.1-22.7
White/Non-Hisp	6645	3,884,700	5581	75.0	73.4-76.6	243	4.1	03.5-04.7	821	20.9	19.3-22.5
Black or Afr. Am./Non-Hisp	942	393,902	782	68.0	62.1-73.9	21	2.0	00.6-03.4	139	30.0	24.1-35.9
Oth. Race/Non-Hisp.	122	71,313	84	58.4	45.9-70.9	2	2.5	00.0-06.2	36	39.0	26.5-51.5
MultiRacial/Non-Hisp.	102	52,816	70	54.7	41.2-68.2	5	1.9	00.0-04.3	27	43.4	29.7-57.1
Hispanic	276	228,978	185	51.7	43.1-60.3	4	0.5	00.0-01.1	87	47.8	39.2-56.4
18-24	341	590,234	119	33.0	27.3-38.7	7	2.2	00.4-04.0	215	64.8	58.9-70.7
25-34	761	773,977	433	51.9	47.6-56.2	40	5.3	03.3-07.3	288	42.8	38.5-47.1
35-44	1005	809,203	744	71.4	67.9-74.9	44	4.7	03.1-06.3	217	23.9	20.6-27.2
45-54	1528	911,247	1265	83.1	80.7-85.5	81	4.5	03.3-05.7	182	12.4	10.4-14.4
55-64	1844	728,956	1671	90.3	88.5-92.1	69	3.8	02.6-05.0	104	5.9	04.5-07.3
65+	2660	841,878	2509	94.5	93.5-95.5	40	1.6	01.0-02.2	111	4.0	03.0-05.0
Less Than H.S.	823	670,842	581	55.5	50.6-60.4	23	2.7	01.1-04.3	219	41.8	36.9-46.7
H.S. or G.E.D.	3056	1,665,819	2511	71.8	69.3-74.3	107	4.0	03.0-05.0	438	24.2	21.7-26.7
Some Post-H.S.	2033	1,372,711	1683	75.2	72.5-77.9	76	3.7	02.7-04.7	274	21.0	18.5-23.5
College Graduate	2283	968,522	2018	83.3	81.1-85.5	76	4.0	02.8-05.2	189	12.7	10.5-14.9
Less than \$15,000	967	525,464	699	58.3	53.6-63.0	40	3.9	02.1-05.7	228	37.8	33.1-42.5
\$15,000- 24,999	1474	761,582	1184	67.4	63.7-71.1	52	3.8	02.4-05.2	238	28.8	25.1-32.5
\$25,000- 34,999	885	495,753	737	69.5	64.6-74.4	29	4.4	02.4-06.4	119	26.1	21.2-31.0
\$35,000- 49,999	1113	613,734	934	78.0	74.7-81.3	46	4.9	03.3-06.5	133	17.2	14.1-20.3
\$50,000- 74,999	1053	637,334	915	80.3	76.6-84.0	34	3.4	02.0-04.8	104	16.3	12.8-19.8
\$75,000+	1497	958,970	1327	83.7	81.0-86.4	41	2.8	01.8-03.8	129	13.5	11.0-16.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 2: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (\_CHOLCHK)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3207	2,297,906	2580	69.9	67.5-72.3	116	4.1	03.1-05.1	511	26.0	23.8-28.2
White/Non-Hisp	2629	1,862,122	2151	72.8	70.4-75.2	103	4.7	03.5-05.9	375	22.5	20.1-24.9
Black or Afr. Am./Non-Hisp	300	191,464	246	63.6	54.2-73.0	6	0.9	00.0-01.9	48	35.5	26.1-44.9
Oth. Race/Non-Hisp.	69	53,559	43	55.6	40.1-71.1	1	2.4	00.0-07.1	25	42.0	26.5-57.5
Hispanic	107	128,423	65	46.9	34.6-59.2	1	0.5	00.0-01.5	41	52.6	40.3-64.9
18-24	167	312,077	56	31.4	23.4-39.4	5	3.1	00.4-05.8	106	65.5	57.3-73.7
25-34	300	396,153	152	46.0	39.5-52.5	22	6.9	03.8-10.0	126	47.2	40.7-53.7
35-44	425	410,145	312	70.3	65.2-75.4	17	4.5	02.1-06.9	96	25.2	20.3-30.1
45-54	657	452,301	538	82.2	78.9-85.5	34	4.1	02.5-05.7	85	13.6	10.5-16.7
55-64	723	360,620	649	89.5	86.6-92.4	22	3.7	01.5-05.9	52	6.8	04.6-09.0
65+	911	356,118	852	93.6	91.6-95.6	16	1.9	00.7-03.1	43	4.5	02.9-06.1
Less Than H.S.	344	365,208	230	53.6	46.7-60.5	10	3.3	00.8-05.8	104	43.1	36.2-50.0
H.S. or G.E.D.	1129	815,195	881	67.3	63.4-71.2	43	4.3	02.7-05.9	205	28.5	24.6-32.4
Some Post-H.S.	757	637,641	615	74.3	70.0-78.6	27	4.1	02.1-06.1	115	21.6	17.5-25.7
College Graduate	966	473,884	846	81.1	77.6-84.6	35	4.3	02.5-06.1	85	14.5	11.2-17.8
Less than \$15,000	315	234,094	215	53.2	45.8-60.6	13	4.4	01.3-07.5	87	42.4	34.8-50.0
\$15,000- 24,999	513	348,351	390	63.1	57.0-69.2	14	3.2	00.8-05.6	109	33.7	27.8-39.6
\$25,000- 34,999	356	248,943	285	67.2	59.6-74.8	14	5.6	02.1-09.1	57	27.3	19.9-34.7
\$35,000- 49,999	483	333,900	393	74.3	69.2-79.4	22	5.2	02.7-07.7	68	20.5	15.6-25.4
\$50,000- 74,999	447	326,215	383	78.8	73.3-84.3	16	3.7	01.5-05.9	48	17.5	12.2-22.8
\$75,000+	716	502,993	634	83.4	79.5-87.3	19	2.6	01.0-04.2	63	13.9	10.2-17.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 3: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (\_CHOLCHK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5015	2,392,530	4235	75.6	73.6-77.6	167	3.4	02.8-04.0	613	20.9	19.1-22.7
White/Non-Hisp	4016	2,022,579	3430	77.1	75.1-79.1	140	3.5	02.7-04.3	446	19.4	17.4-21.4
Black or Afr. Am./Non-Hisp	642	202,438	536	72.1	65.2-79.0	15	3.0	00.5-05.5	91	24.8	18.1-31.5
Oth. Race/Non-Hisp.	53	17,753	41	67.0	47.8-86.2	1	2.8	00.0-08.3	11	30.1	10.9-49.3
MultiRacial/Non-Hisp.	67	25,345	47	57.4	41.7-73.1	4	3.6	00.0-08.3	16	39.0	23.1-54.9
Hispanic	169	100,556	120	57.7	46.7-68.7	3	0.6	00.0-01.4	46	41.6	30.6-52.6
18-24	174	278,157	63	34.7	26.7-42.7	2	1.2	00.0-02.8	109	64.1	55.9-72.3
25-34	461	377,823	281	58.1	52.6-63.6	18	3.7	01.7-05.7	162	38.2	32.9-43.5
35-44	580	399,059	432	72.6	68.1-77.1	27	4.8	02.8-06.8	121	22.6	18.3-26.9
45-54	871	458,946	727	84.0	81.1-86.9	47	4.9	03.3-06.5	97	11.1	08.6-13.6
55-64	1121	368,337	1022	91.1	88.9-93.3	47	3.9	02.5-05.3	52	5.0	03.4-06.6
65+	1749	485,760	1657	95.1	93.9-96.3	24	1.3	00.7-01.9	68	3.6	02.6-04.6
Less Than H.S.	479	305,634	351	57.7	51.0-64.4	13	2.0	00.6-03.4	115	40.3	33.6-47.0
H.S. or G.E.D.	1927	850,624	1630	76.1	73.0-79.2	64	3.8	02.6-05.0	233	20.1	17.2-23.0
Some Post-H.S.	1276	735,070	1068	76.1	72.8-79.4	49	3.4	02.2-04.6	159	20.5	17.2-23.8
College Graduate	1317	494,638	1172	85.3	82.6-88.0	41	3.7	02.3-05.1	104	11.0	08.6-13.4
Less than \$15,000	652	291,370	484	62.4	56.7-68.1	27	3.4	01.4-05.4	141	34.1	28.4-39.8
\$15,000- 24,999	961	413,231	794	71.0	66.5-75.5	38	4.3	02.5-06.1	129	24.7	20.2-29.2
\$25,000- 34,999	529	246,810	452	71.9	65.6-78.2	15	3.2	01.2-05.2	62	25.0	18.7-31.3
\$35,000- 49,999	630	279,834	541	82.3	78.2-86.4	24	4.5	02.3-06.7	65	13.2	09.5-16.9
\$50,000- 74,999	606	311,119	532	81.8	76.9-86.7	18	3.1	01.5-04.7	56	15.1	10.2-20.0
\$75,000+	781	455,977	693	84.1	80.4-87.8	22	2.9	01.3-04.5	66	13.0	09.5-16.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 4: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (\_RFCHOL)**

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7096	3,605,087	3895	61.1	59.5-62.7	3201	38.9	37.3-40.5
Male	2691	1,706,014	1457	59.9	57.5-62.3	1234	40.1	37.7-42.5
Female	4405	1,899,072	2438	62.1	60.1-64.1	1967	37.9	35.9-39.9
White/Non-Hisp	5831	3,086,276	3126	59.8	58.2-61.4	2705	40.2	38.6-41.8
Black or Afr. Am./Non-Hisp	796	275,200	473	68.4	62.9-73.9	323	31.6	26.1-37.1
Oth. Race/Non-Hisp.	86	42,987	56	60.1	44.2-76.0	30	39.9	24.0-55.8
MultiRacial/Non-Hisp.	75	29,900	44	65.6	52.1-79.1	31	34.4	20.9-47.9
Hispanic	189	120,917	118	70.2	61.6-78.8	71	29.8	21.2-38.4
18-24	133	218,491	123	93.4	88.1-98.7	10	6.6	01.3-11.9
25-34	476	447,669	408	85.2	81.3-89.1	68	14.8	10.9-18.7
35-44	790	615,984	572	71.2	67.3-75.1	218	28.8	24.9-32.7
45-54	1338	793,418	823	60.4	57.1-63.7	515	39.6	36.3-42.9
55-64	1738	686,723	838	47.7	44.8-50.6	900	52.3	49.4-55.2
65+	2542	807,882	1077	42.6	40.2-45.0	1465	57.4	55.0-59.8
Less Than H.S.	597	388,311	293	56.7	51.2-62.2	304	43.3	37.8-48.8
H.S. or G.E.D.	2612	1,260,424	1325	56.4	53.9-58.9	1287	43.6	41.1-46.1
Some Post-H.S.	1763	1,098,620	1013	64.6	61.7-67.5	750	35.4	32.5-38.3
College Graduate	2101	848,503	1253	65.4	62.9-67.9	848	34.6	32.1-37.1
Less than \$15,000	736	324,879	360	55.9	50.8-61.0	376	44.1	39.0-49.2
\$15,000- 24,999	1226	539,270	602	56.0	52.3-59.7	624	44.0	40.3-47.7
\$25,000- 34,999	767	369,020	411	60.5	55.8-65.2	356	39.5	34.8-44.2
\$35,000- 49,999	985	512,315	529	59.9	56.0-63.8	456	40.1	36.2-44.0
\$50,000- 74,999	942	528,723	534	62.6	58.7-66.5	408	37.4	33.5-41.3
\$75,000+	1373	831,961	880	66.6	63.5-69.7	493	33.4	30.3-36.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 5: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (\_RFCHOL)**

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2691	1,706,014	1457	59.9	57.5-62.3	1234	40.1	37.7-42.5
White/Non-Hisp	2251	1,448,026	1195	59.0	56.5-61.5	1056	41.0	38.5-43.5
Black or Afr. Am./Non-Hisp	252	123,776	145	63.6	53.8-73.4	107	36.4	26.6-46.2
Hispanic	65	61,994	33	62.3	47.8-76.8	32	37.7	23.2-52.2
18-24	64	112,722	59	94.7	89.2-100.0	5	5.3	0.0-10.8
25-34	177	214,296	148	83.4	77.1-89.7	29	16.6	10.3-22.9
35-44	328	305,421	221	66.6	60.3-72.9	107	33.4	27.1-39.7
45-54	566	386,426	320	56.2	51.1-61.3	246	43.8	38.7-48.9
55-64	669	336,686	311	46.0	41.3-50.7	358	54.0	49.3-58.7
65+	865	339,390	382	44.3	40.2-48.4	483	55.7	51.6-59.8
Less Than H.S.	235	206,044	127	61.4	53.6-69.2	108	38.6	30.8-46.4
H.S. or G.E.D.	923	583,602	456	53.5	49.4-57.6	467	46.5	42.4-50.6
Some Post-H.S.	643	505,924	369	65.6	60.9-70.3	274	34.4	29.7-39.1
College Graduate	881	406,251	498	60.8	56.9-64.7	383	39.2	35.3-43.1
Less than \$15,000	225	133,976	111	55.6	46.8-64.4	114	44.4	35.6-53.2
\$15,000- 24,999	398	228,461	200	55.9	49.4-62.4	198	44.1	37.6-50.6
\$25,000- 34,999	302	184,614	161	58.7	51.3-66.1	141	41.3	33.9-48.7
\$35,000- 49,999	417	266,712	206	56.1	50.0-62.2	211	43.9	37.8-50.0
\$50,000- 74,999	397	267,508	216	63.2	57.5-68.9	181	36.8	31.1-42.5
\$75,000+	653	432,716	396	62.3	57.6-67.0	257	37.7	33.0-42.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 6: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (\_RFCHOL)**

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4405	1,899,072	2438	62.1	60.1-64.1	1967	37.9	35.9-39.9
White/Non-Hisp	3580	1,638,250	1931	60.5	58.5-62.5	1649	39.5	37.5-41.5
Black or Afr. Am./Non-Hisp	544	151,423	328	72.3	66.2-78.4	216	27.7	21.6-33.8
MultiRacial/Non-Hisp.	51	15,468	28	61.1	45.4-76.8	23	38.9	23.2-54.6
Hispanic	124	58,923	85	78.6	69.6-87.6	39	21.4	12.4-30.4
18-24	69	105,769	64	92.1	83.1-0100	5	7.9	00.0-16.9
25-34	299	233,373	260	86.8	82.3-91.3	39	13.2	08.7-17.7
35-44	462	310,564	351	75.8	71.1-80.5	111	24.2	19.5-28.9
45-54	772	406,991	503	64.4	60.1-68.7	269	35.6	31.3-39.9
55-64	1069	350,036	527	49.3	45.6-53.0	542	50.7	47.0-54.4
65+	1677	468,492	695	41.3	38.4-44.2	982	58.7	55.8-61.6
Less Than H.S.	362	182,268	166	51.4	43.8-59.0	196	48.6	41.0-56.2
H.S. or G.E.D.	1689	676,823	869	58.9	56.0-61.8	820	41.1	38.2-44.0
Some Post-H.S.	1120	592,696	644	63.7	60.2-67.2	476	36.3	32.8-39.8
College Graduate	1220	442,251	755	69.6	66.5-72.7	465	30.4	27.3-33.5
Less than \$15,000	511	190,903	249	56.2	50.1-62.3	262	43.8	37.7-49.9
\$15,000- 24,999	828	310,809	402	56.0	51.5-60.5	426	44.0	39.5-48.5
\$25,000- 34,999	465	184,406	250	62.4	56.7-68.1	215	37.6	31.9-43.3
\$35,000- 49,999	568	245,604	323	64.0	58.9-69.1	245	36.0	30.9-41.1
\$50,000- 74,999	545	261,215	318	62.0	56.7-67.3	227	38.0	32.7-43.3
\$75,000+	720	399,245	484	71.2	67.3-75.1	236	28.8	24.9-32.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011**

**SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
1 MALES AND FEMALES	22
2 MALES ONLY	23
3 FEMALES ONLY	24
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
4 MALES AND FEMALES	25
5 MALES ONLY	26
6 FEMALES ONLY	27
COMPUTED ASTHMA STATUS (_ASTHMS1)	
7 MALES AND FEMALES	28
8 MALES ONLY	29
9 FEMALES ONLY	30
RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
10 MALES AND FEMALES	31
11 MALES ONLY	32
12 FEMALES ONLY	33

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8466	4,879,344	7327	86.1	85.1-87.1	1139	13.9	12.9-14.9
Male	3281	2,369,170	2936	89.0	87.4-90.6	345	11.0	09.4-12.6
Female	5185	2,510,174	4391	83.4	81.8-85.0	794	16.6	15.0-18.2
White/Non-Hisp	6840	4,054,599	5974	86.5	85.3-87.7	866	13.5	12.3-14.7
Black or Afr. Am./Non-Hisp	961	401,375	793	82.9	78.6-87.2	168	17.1	12.8-21.4
Oth. Race/Non-Hisp.	130	75,053	111	82.6	72.0-93.2	19	17.4	06.8-28.0
MultiRacial/Non-Hisp.	107	54,527	80	76.4	66.2-86.6	27	23.6	13.4-33.8
Hispanic	284	228,476	246	88.4	83.5-93.3	38	11.6	06.7-16.5
18-24	376	644,527	305	81.2	76.7-85.7	71	18.8	14.3-23.3
25-34	825	832,855	713	86.9	84.2-89.6	112	13.1	10.4-15.8
35-44	1037	836,885	892	86.4	83.9-88.9	145	13.6	11.1-16.1
45-54	1553	925,752	1313	85.2	83.0-87.4	240	14.8	12.6-17.0
55-64	1862	739,664	1602	87.0	85.2-88.8	260	13.0	11.2-14.8
65+	2726	861,818	2427	88.9	87.3-90.5	299	11.1	09.5-12.7
Less Than H.S.	856	705,675	691	80.9	77.4-84.4	165	19.1	15.6-22.6
H.S. or G.E.D.	3146	1,720,665	2773	88.4	86.8-90.0	373	11.6	10.0-13.2
Some Post-H.S.	2097	1,440,419	1769	84.4	82.2-86.6	328	15.6	13.4-17.8
College Graduate	2340	1,000,280	2070	88.3	86.5-90.1	270	11.7	09.9-13.5
Less than \$15,000	1008	558,692	781	74.1	70.2-78.0	227	25.9	22.0-29.8
\$15,000- 24,999	1504	779,455	1273	84.2	81.5-86.9	231	15.8	13.1-18.5
\$25,000- 34,999	905	507,528	783	85.9	82.6-89.2	122	14.1	10.8-17.4
\$35,000- 49,999	1143	638,974	1033	90.4	88.0-92.8	110	9.6	07.2-12.0
\$50,000- 74,999	1071	652,063	966	90.1	87.6-92.6	105	9.9	07.4-12.4
\$75,000+	1515	970,712	1361	89.9	88.1-91.7	154	10.1	08.3-11.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3281	2,369,170	2936	89.0	87.4-90.6	345	11.0	09.4-12.6
White/Non-Hisp	2687	1,931,257	2419	89.2	87.6-90.8	268	10.8	09.2-12.4
Black or Afr. Am./Non-Hisp	306	193,245	258	84.5	78.0-91.0	48	15.5	09.0-22.0
Oth. Race/Non-Hisp.	70	53,748	62	82.6	68.5-96.7	8	17.4	03.3-31.5
Hispanic	110	125,771	100	94.0	89.5-98.5	10	6.0	01.5-10.5
18-24	177	327,236	152	84.7	78.4-91.0	25	15.3	09.0-21.6
25-34	318	419,583	283	88.6	84.5-92.7	35	11.4	07.3-15.5
35-44	439	424,168	395	90.4	87.3-93.5	44	9.6	06.5-12.7
45-54	666	458,075	581	88.1	85.2-91.0	85	11.9	09.0-14.8
55-64	731	365,816	656	91.0	88.6-93.4	75	9.0	06.6-11.4
65+	924	361,607	843	90.4	87.9-92.9	81	9.6	07.1-12.1
Less Than H.S.	356	382,682	293	83.6	78.9-88.3	63	16.4	11.7-21.1
H.S. or G.E.D.	1157	838,076	1060	91.8	89.8-93.8	97	8.2	06.2-10.2
Some Post-H.S.	773	655,842	692	88.2	85.1-91.3	81	11.8	08.7-14.9
College Graduate	985	487,219	881	89.3	86.9-91.7	104	10.7	08.3-13.1
Less than \$15,000	327	245,825	261	77.6	71.3-83.9	66	22.4	16.1-28.7
\$15,000- 24,999	521	355,047	456	87.1	83.2-91.0	65	12.9	09.0-16.8
\$25,000- 34,999	365	253,199	329	88.3	83.6-93.0	36	11.7	07.0-16.4
\$35,000- 49,999	489	338,090	457	92.7	89.6-95.8	32	7.3	04.2-10.4
\$50,000- 74,999	456	335,791	429	93.9	91.0-96.8	27	6.1	03.2-09.0
\$75,000+	721	505,846	656	92.0	89.6-94.4	65	8.0	05.6-10.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5185	2,510,174	4391	83.4	81.8-85.0	794	16.6	15.0-18.2
White/Non-Hisp	4153	2,123,343	3555	84.1	82.5-85.7	598	15.9	14.3-17.5
Black or Afr. Am./Non-Hisp	655	208,130	535	81.3	75.8-86.8	120	18.7	13.2-24.2
Oth. Race/Non-Hisp.	60	21,304	49	82.7	70.7-94.7	11	17.3	05.3-29.3
MultiRacial/Non-Hisp.	68	25,446	48	65.2	50.3-80.1	20	34.8	19.9-49.7
Hispanic	174	102,705	146	81.6	72.8-90.4	28	18.4	09.6-27.2
18-24	199	317,291	153	77.6	71.1-84.1	46	22.4	15.9-28.9
25-34	507	413,272	430	85.1	81.4-88.8	77	14.9	11.2-18.6
35-44	598	412,717	497	82.4	78.7-86.1	101	17.6	13.9-21.3
45-54	887	467,677	732	82.5	79.2-85.8	155	17.5	14.2-20.8
55-64	1131	373,848	946	83.2	80.5-85.9	185	16.8	14.1-19.5
65+	1802	500,211	1584	87.9	85.9-89.9	218	12.1	10.1-14.1
Less Than H.S.	500	322,993	398	77.8	72.5-83.1	102	22.2	16.9-27.5
H.S. or G.E.D.	1989	882,589	1713	85.2	83.0-87.4	276	14.8	12.6-17.0
Some Post-H.S.	1324	784,577	1077	81.2	78.3-84.1	247	18.8	15.9-21.7
College Graduate	1355	513,061	1189	87.4	85.0-89.8	166	12.6	10.2-15.0
Less than \$15,000	681	312,868	520	71.2	66.1-76.3	161	28.8	23.7-33.9
\$15,000- 24,999	983	424,408	817	81.8	78.3-85.3	166	18.2	14.7-21.7
\$25,000- 34,999	540	254,329	454	83.5	78.8-88.2	86	16.5	11.8-21.2
\$35,000- 49,999	654	300,885	576	87.7	84.4-91.0	78	12.3	09.0-15.6
\$50,000- 74,999	615	316,272	537	86.1	82.0-90.2	78	13.9	09.8-18.0
\$75,000+	794	464,866	705	87.6	84.7-90.5	89	12.4	09.5-15.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8424	4,849,382	7593	90.4	89.6-91.2	831	9.6	08.8-10.4
Male	3264	2,353,711	3052	93.8	92.8-94.8	212	6.2	05.2-07.2
Female	5160	2,495,671	4541	87.2	85.8-88.6	619	12.8	11.4-14.2
White/Non-Hisp	6811	4,033,602	6177	90.8	89.8-91.8	634	9.2	08.2-10.2
Black or Afr. Am./Non-Hisp	952	396,485	834	87.3	83.6-91.0	118	12.7	09.0-16.4
Oth. Race/Non-Hisp.	130	75,053	116	89.9	82.8-97.0	14	10.1	03.0-17.2
MultiRacial/Non-Hisp.	107	54,527	88	83.4	74.8-92.0	19	16.6	08.0-25.2
Hispanic	281	224,538	254	93.0	89.3-96.7	27	7.0	03.3-10.7
18-24	373	639,929	328	89.9	86.8-93.0	45	10.1	07.0-13.2
25-34	817	825,012	749	92.0	89.8-94.2	68	8.0	05.8-10.2
35-44	1031	832,743	925	89.8	87.6-92.0	106	10.2	08.0-12.4
45-54	1543	919,279	1373	89.6	87.6-91.6	170	10.4	08.4-12.4
55-64	1851	734,287	1653	90.2	88.6-91.8	198	9.8	08.2-11.4
65+	2722	860,290	2489	91.1	89.7-92.5	233	8.9	07.5-10.3
Less Than H.S.	848	698,214	719	86.6	83.7-89.5	129	13.4	10.5-16.3
H.S. or G.E.D.	3134	1,714,833	2859	91.7	90.3-93.1	275	8.3	06.9-09.7
Some Post-H.S.	2082	1,427,077	1845	89.4	87.6-91.2	237	10.6	08.8-12.4
College Graduate	2333	996,954	2145	92.4	91.0-93.8	188	7.6	06.2-09.0
Less than \$15,000	998	552,582	816	80.2	76.7-83.7	182	19.8	16.3-23.3
\$15,000- 24,999	1493	768,941	1332	89.5	87.3-91.7	161	10.5	08.3-12.7
\$25,000- 34,999	901	504,127	808	89.3	86.4-92.2	93	10.7	07.8-13.6
\$35,000- 49,999	1141	638,416	1063	93.6	91.8-95.4	78	6.4	04.6-08.2
\$50,000- 74,999	1066	647,545	992	93.4	91.2-95.6	74	6.6	04.4-08.8
\$75,000+	1509	967,110	1408	93.5	91.9-95.1	101	6.5	04.9-08.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 5: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3264	2,353,711	3052	93.8	92.8-94.8	212	6.2	05.2-07.2
White/Non-Hisp	2675	1,920,831	2508	94.0	92.8-95.2	167	6.0	04.8-07.2
Black or Afr. Am./Non-Hisp	302	189,713	276	91.3	86.0-96.6	26	8.7	03.4-14.0
Oth. Race/Non-Hisp.	70	53,748	65	92.0	83.4-0100	5	8.0	00.0-16.6
Hispanic	109	124,269	103	96.9	93.8-0100	6	3.1	00.0-06.2
18-24	175	324,388	163	94.5	91.2-97.8	12	5.5	02.2-08.8
25-34	314	414,664	295	94.3	91.4-97.2	19	5.7	02.8-08.6
35-44	436	422,014	409	94.1	91.6-96.6	27	5.9	03.4-08.4
45-54	662	455,058	611	92.8	90.4-95.2	51	7.2	04.8-09.6
55-64	727	363,294	680	94.2	92.2-96.2	47	5.8	03.8-07.8
65+	924	361,607	868	93.0	90.8-95.2	56	7.0	04.8-09.2
Less Than H.S.	353	378,929	306	89.2	85.7-92.7	47	10.8	07.3-14.3
H.S. or G.E.D.	1151	835,154	1094	95.3	93.7-96.9	57	4.7	03.1-06.3
Some Post-H.S.	766	647,855	722	94.5	92.5-96.5	44	5.5	03.5-07.5
College Graduate	984	486,422	920	94.0	92.2-95.8	64	6.0	04.2-07.8
Less than \$15,000	322	241,861	280	86.5	81.8-91.2	42	13.5	08.8-18.2
\$15,000- 24,999	516	349,867	478	93.1	90.4-95.8	38	6.9	04.2-09.6
\$25,000- 34,999	364	251,254	337	91.9	88.0-95.8	27	8.1	04.2-12.0
\$35,000- 49,999	489	338,090	470	96.7	95.1-98.3	19	3.3	01.7-04.9
\$50,000- 74,999	454	333,476	438	96.4	94.2-98.6	16	3.6	01.4-05.8
\$75,000+	718	504,229	682	95.8	94.0-97.6	36	4.2	02.4-06.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 6: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5160	2,495,671	4541	87.2	85.8-88.6	619	12.8	11.4-14.2
White/Non-Hisp	4136	2,112,771	3669	87.9	86.5-89.3	467	12.1	10.7-13.5
Black or Afr. Am./Non-Hisp	650	206,772	558	83.6	78.1-89.1	92	16.4	10.9-21.9
Oth. Race/Non-Hisp.	60	21,304	51	84.5	72.7-96.3	9	15.5	03.7-27.3
MultiRacial/Non-Hisp.	68	25,446	54	78.9	66.4-91.4	14	21.1	08.6-33.6
Hispanic	172	100,269	151	88.2	81.3-95.1	21	11.8	04.9-18.7
18-24	198	315,540	165	85.2	79.9-90.5	33	14.8	09.5-20.1
25-34	503	410,347	454	89.7	86.4-93.0	49	10.3	07.0-13.6
35-44	595	410,729	516	85.4	81.9-88.9	79	14.6	11.1-18.1
45-54	881	464,221	762	86.4	83.3-89.5	119	13.6	10.5-16.7
55-64	1124	370,993	973	86.3	83.8-88.8	151	13.7	11.2-16.2
65+	1798	498,684	1621	89.7	87.9-91.5	177	10.3	08.5-12.1
Less Than H.S.	495	319,286	413	83.5	79.0-88.0	82	16.5	12.0-21.0
H.S. or G.E.D.	1983	879,678	1765	88.3	86.3-90.3	218	11.7	09.7-13.7
Some Post-H.S.	1316	779,223	1123	85.2	82.7-87.7	193	14.8	12.3-17.3
College Graduate	1349	510,532	1225	90.9	88.9-92.9	124	9.1	07.1-11.1
Less than \$15,000	676	310,721	536	75.3	70.4-80.2	140	24.7	19.8-29.6
\$15,000- 24,999	977	419,074	854	86.5	83.4-89.6	123	13.5	10.4-16.6
\$25,000- 34,999	537	252,873	471	86.7	82.6-90.8	66	13.3	09.2-17.4
\$35,000- 49,999	652	300,327	593	90.0	86.7-93.3	59	10.0	06.7-13.3
\$50,000- 74,999	612	314,069	554	90.1	86.4-93.8	58	9.9	06.2-13.6
\$75,000+	791	462,881	726	91.1	88.6-93.6	65	8.9	06.4-11.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 7: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8424	4,849,382	831	9.6	08.8-10.4	266	3.8	03.2-04.4	7327	86.7	85.7-87.7
Male	3264	2,353,711	212	6.2	05.2-07.2	116	4.3	03.3-05.3	2936	89.6	88.2-91.0
Female	5160	2,495,671	619	12.8	11.4-14.2	150	3.3	02.5-04.1	4391	83.9	82.5-85.3
White/Non-Hisp	6811	4,033,602	634	9.2	08.2-10.2	203	3.8	03.0-04.6	5974	87.0	85.8-88.2
Black or Afr. Am./Non-Hisp	952	396,485	118	12.7	09.0-16.4	41	3.4	01.4-05.4	793	83.9	79.8-88.0
Oth. Race/Non-Hisp.	130	75,053	14	10.1	03.0-17.2	5	7.2	00.0-16.2	111	82.6	72.0-93.2
MultiRacial/Non-Hisp.	107	54,527	19	16.6	08.0-25.2	8	7.0	00.9-13.1	80	76.4	66.2-86.6
Hispanic	281	224,538	27	7.0	03.3-10.7	8	3.0	00.1-05.9	246	90.0	85.5-94.5
18-24	373	639,929	45	10.1	07.0-13.2	23	8.1	04.6-11.6	305	81.8	77.3-86.3
25-34	817	825,012	68	8.0	05.8-10.2	36	4.3	02.5-06.1	713	87.7	85.0-90.4
35-44	1031	832,743	106	10.2	08.0-12.4	33	3.0	01.8-04.2	892	86.9	84.5-89.3
45-54	1543	919,279	170	10.4	08.4-12.4	60	3.7	02.7-04.7	1313	85.8	83.6-88.0
55-64	1851	734,287	198	9.8	08.2-11.4	51	2.5	01.7-03.3	1602	87.7	85.9-89.5
65+	2722	860,290	233	8.9	07.5-10.3	62	2.0	01.4-02.6	2427	89.1	87.5-90.7
Less Than H.S.	848	698,214	129	13.4	10.5-16.3	28	4.8	02.4-07.2	691	81.8	78.3-85.3
H.S. or G.E.D.	3134	1,714,833	275	8.3	06.9-09.7	86	3.0	02.2-03.8	2773	88.7	87.1-90.3
Some Post-H.S.	2082	1,427,077	237	10.6	08.8-12.4	76	4.2	02.8-05.6	1769	85.2	83.0-87.4
College Graduate	2333	996,954	188	7.6	06.2-09.0	75	3.8	02.8-04.8	2070	88.6	87.0-90.2
Less than \$15,000	998	552,582	182	19.8	16.3-23.3	35	5.3	02.9-07.7	781	74.9	71.0-78.8
\$15,000- 24,999	1493	768,941	161	10.5	08.3-12.7	59	4.1	02.5-05.7	1273	85.4	82.9-87.9
\$25,000- 34,999	901	504,127	93	10.7	07.8-13.6	25	2.8	01.0-04.6	783	86.5	83.2-89.8
\$35,000- 49,999	1141	638,416	78	6.4	04.6-08.2	30	3.1	01.5-04.7	1033	90.4	88.0-92.8
\$50,000- 74,999	1066	647,545	74	6.6	04.4-08.8	26	2.6	01.2-04.0	966	90.7	88.2-93.2
\$75,000+	1509	967,110	101	6.5	04.9-08.1	47	3.3	02.3-04.3	1361	90.3	88.5-92.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 8: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3264	2,353,711	212	6.2	05.2-07.2	116	4.3	03.3-05.3	2936	89.6	88.2-91.0
White/Non-Hisp	2675	1,920,831	167	6.0	04.8-07.2	89	4.3	03.1-05.5	2419	89.6	88.0-91.2
Black or Afr. Am./Non-Hisp	302	189,713	26	8.7	03.4-14.0	18	5.2	01.3-09.1	258	86.1	79.8-92.4
Oth. Race/Non-Hisp.	70	53,748	5	8.0	00.0-16.6	3	9.4	00.0-21.7	62	82.6	68.5-96.7
Hispanic	109	124,269	6	3.1	00.0-06.2	3	1.8	00.0-04.2	100	95.1	91.2-99.0
18-24	175	324,388	12	5.5	02.2-08.8	11	9.0	03.5-14.5	152	85.4	79.1-91.7
25-34	314	414,664	19	5.7	02.8-08.6	12	4.6	01.9-07.3	283	89.7	85.8-93.6
35-44	436	422,014	27	5.9	03.4-08.4	14	3.2	01.2-05.2	395	90.9	87.8-94.0
45-54	662	455,058	51	7.2	04.8-09.6	30	4.2	02.4-06.0	581	88.7	86.0-91.4
55-64	727	363,294	47	5.8	03.8-07.8	24	2.6	01.4-03.8	656	91.6	89.2-94.0
65+	924	361,607	56	7.0	04.8-09.2	25	2.6	01.4-03.8	843	90.4	87.9-92.9
Less Than H.S.	353	378,929	47	10.8	07.3-14.3	13	4.8	01.5-08.1	293	84.4	79.7-89.1
H.S. or G.E.D.	1151	835,154	57	4.7	03.1-06.3	34	3.1	01.7-04.5	1060	92.2	90.2-94.2
Some Post-H.S.	766	647,855	44	5.5	03.5-07.5	30	5.2	02.7-07.7	692	89.2	86.1-92.3
College Graduate	984	486,422	64	6.0	04.2-07.8	39	4.5	02.9-06.1	881	89.5	87.1-91.9
Less than \$15,000	322	241,861	42	13.5	08.8-18.2	19	7.6	03.1-12.1	261	78.9	72.8-85.0
\$15,000- 24,999	516	349,867	38	6.9	04.2-09.6	22	4.7	02.0-07.4	456	88.4	84.7-92.1
\$25,000- 34,999	364	251,254	27	8.1	04.2-12.0	8	2.9	00.5-05.3	329	89.0	84.5-93.5
\$35,000- 49,999	489	338,090	19	3.3	01.7-04.9	13	4.0	01.1-06.9	457	92.7	89.6-95.8
\$50,000- 74,999	454	333,476	16	3.6	01.4-05.8	9	1.8	00.0-03.6	429	94.6	91.9-97.3
\$75,000+	718	504,229	36	4.2	02.4-06.0	26	3.5	01.9-05.1	656	92.3	90.1-94.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 9: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5160	2,495,671	619	12.8	11.4-14.2	150	3.3	02.5-04.1	4391	83.9	82.5-85.3
White/Non-Hisp	4136	2,112,771	467	12.1	10.7-13.5	114	3.3	02.5-04.1	3555	84.5	82.9-86.1
Black or Afr. Am./Non-Hisp	650	206,772	92	16.4	10.9-21.9	23	1.7	00.5-02.9	535	81.9	76.4-87.4
Oth. Race/Non-Hisp.	60	21,304	9	15.5	03.7-27.3	2	1.8	00.0-04.5	49	82.7	70.7-94.7
MultiRacial/Non-Hisp.	68	25,446	14	21.1	08.6-33.6	6	13.6	01.6-25.6	48	65.2	50.3-80.1
Hispanic	172	100,269	21	11.8	04.9-18.7	5	4.6	00.0-10.5	146	83.6	75.0-92.2
18-24	198	315,540	33	14.8	09.5-20.1	12	7.2	02.9-11.5	153	78.0	71.5-84.5
25-34	503	410,347	49	10.3	07.0-13.6	24	4.0	01.8-06.2	430	85.7	82.0-89.4
35-44	595	410,729	79	14.6	11.1-18.1	19	2.7	01.3-04.1	497	82.8	79.1-86.5
45-54	881	464,221	119	13.6	10.5-16.7	30	3.3	01.9-04.7	732	83.1	79.8-86.4
55-64	1124	370,993	151	13.7	11.2-16.2	27	2.5	01.3-03.7	946	83.8	81.1-86.5
65+	1798	498,684	177	10.3	08.5-12.1	37	1.6	01.0-02.2	1584	88.2	86.2-90.2
Less Than H.S.	495	319,286	82	16.5	12.0-21.0	15	4.7	01.4-08.0	398	78.7	73.4-84.0
H.S. or G.E.D.	1983	879,678	218	11.7	09.7-13.7	52	2.8	01.6-04.0	1713	85.5	83.3-87.7
Some Post-H.S.	1316	779,223	193	14.8	12.3-17.3	46	3.4	02.0-04.8	1077	81.8	78.9-84.7
College Graduate	1349	510,532	124	9.1	07.1-11.1	36	3.1	01.9-04.3	1189	87.8	85.4-90.2
Less than \$15,000	676	310,721	140	24.7	19.8-29.6	16	3.6	01.4-05.8	520	71.7	66.6-76.8
\$15,000- 24,999	977	419,074	123	13.5	10.4-16.6	37	3.7	01.9-05.5	817	82.8	79.5-86.1
\$25,000- 34,999	537	252,873	66	13.3	09.2-17.4	17	2.7	00.3-05.1	454	84.0	79.3-88.7
\$35,000- 49,999	652	300,327	59	10.0	06.7-13.3	17	2.2	01.0-03.4	576	87.9	84.6-91.2
\$50,000- 74,999	612	314,069	58	9.9	06.2-13.6	17	3.4	01.0-05.8	537	86.7	82.6-90.8
\$75,000+	791	462,881	65	8.9	06.4-11.4	21	3.0	01.6-04.4	705	88.0	85.3-90.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 10: RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR1)**

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		YES			NO		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8425	4,865,391	3059	27.5	26.3-28.7	5366	72.5	71.3-73.7
Male	3268	2,367,726	975	23.0	21.2-24.8	2293	77.0	75.2-78.8
Female	5157	2,497,665	2084	31.6	30.0-33.2	3073	68.4	66.8-70.0
White/Non-Hisp	6806	4,033,272	2505	28.4	27.0-29.8	4301	71.6	70.2-73.0
Black or Afr. Am./Non-Hisp	959	400,375	376	27.4	22.7-32.1	583	72.6	67.9-77.3
Oth. Race/Non-Hisp.	128	74,532	36	26.1	14.7-37.5	92	73.9	62.5-85.3
MultiRacial/Non-Hisp.	105	53,914	44	29.5	18.7-40.3	61	70.5	59.7-81.3
Hispanic	285	236,935	53	10.4	06.7-14.1	232	89.6	85.9-93.3
18-24	377	651,736	16	4.0	01.8-06.2	361	96.0	93.8-98.2
25-34	822	831,793	64	7.8	05.6-10.0	758	92.2	90.0-94.4
35-44	1031	830,958	176	17.9	15.0-20.8	855	82.1	79.2-85.0
45-54	1537	917,275	486	31.4	28.5-34.3	1051	68.6	65.7-71.5
55-64	1855	736,908	834	45.3	42.4-48.2	1021	54.7	51.8-57.6
65+	2716	858,878	1459	54.2	51.8-56.6	1257	45.8	43.4-48.2
Less Than H.S.	851	706,263	371	28.2	24.5-31.9	480	71.8	68.1-75.5
H.S. or G.E.D.	3130	1,714,252	1278	32.4	30.2-34.6	1852	67.6	65.4-69.8
Some Post-H.S.	2087	1,435,500	765	26.7	24.3-29.1	1322	73.3	70.9-75.7
College Graduate	2328	996,324	631	19.6	17.8-21.4	1697	80.4	78.6-82.2
Less than \$15,000	1000	554,222	445	32.8	28.9-36.7	555	67.2	63.3-71.1
\$15,000- 24,999	1495	779,068	688	34.0	30.9-37.1	807	66.0	62.9-69.1
\$25,000- 34,999	901	509,787	352	30.4	26.5-34.3	549	69.6	65.7-73.5
\$35,000- 49,999	1141	638,224	405	30.1	26.8-33.4	736	69.9	66.6-73.2
\$50,000- 74,999	1068	650,054	313	22.3	19.4-25.2	755	77.7	74.8-80.6
\$75,000+	1506	964,922	329	18.4	16.0-20.8	1177	81.6	79.2-84.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 11: RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR1)**

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		YES			NO		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3268	2,367,726	975	23.0	21.2-24.8	2293	77.0	75.2-78.8
White/Non-Hisp	2673	1,917,929	808	24.0	22.0-26.0	1865	76.0	74.0-78.0
Black or Afr. Am./Non-Hisp	306	195,180	108	23.6	16.3-30.9	198	76.4	69.1-83.7
Oth. Race/Non-Hisp.	70	53,748	18	27.4	12.5-42.3	52	72.6	57.7-87.5
Hispanic	112	134,669	16	8.7	03.6-13.8	96	91.3	86.2-96.4
18-24	179	334,973	9	4.1	01.0-07.2	170	95.9	92.8-99.0
25-34	318	420,942	20	7.7	04.2-11.2	298	92.3	88.8-95.8
35-44	435	419,830	59	15.2	11.1-19.3	376	84.8	80.7-88.9
45-54	660	454,235	176	25.8	21.7-29.9	484	74.2	70.1-78.3
55-64	729	364,510	279	39.7	35.4-44.0	450	60.3	56.0-64.6
65+	921	360,549	426	47.5	43.6-51.4	495	52.5	48.6-56.4
Less Than H.S.	355	385,631	120	23.0	17.9-28.1	235	77.0	71.9-82.1
H.S. or G.E.D.	1152	838,112	380	25.9	23.0-28.8	772	74.1	71.2-77.0
Some Post-H.S.	769	652,290	249	23.9	20.4-27.4	520	76.1	72.6-79.6
College Graduate	981	485,715	223	17.1	14.6-19.6	758	82.9	80.4-85.4
Less than \$15,000	325	245,204	122	28.1	21.8-34.4	203	71.9	65.6-78.2
\$15,000- 24,999	516	354,276	196	28.2	23.5-32.9	320	71.8	67.1-76.5
\$25,000- 34,999	364	257,532	129	27.9	22.0-33.8	235	72.1	66.2-78.0
\$35,000- 49,999	489	338,027	163	27.5	22.6-32.4	326	72.5	67.6-77.4
\$50,000- 74,999	457	336,065	103	17.5	13.6-21.4	354	82.5	78.6-86.4
\$75,000+	716	500,978	135	15.6	12.3-18.9	581	84.4	81.1-87.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 12: RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR1)**

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		YES			NO		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5157	2,497,665	2084	31.6	30.0-33.2	3073	68.4	66.8-70.0
White/Non-Hisp	4133	2,115,343	1697	32.4	30.6-34.2	2436	67.6	65.8-69.4
Black or Afr. Am./Non-Hisp	653	205,196	268	31.0	24.9-37.1	385	69.0	62.9-75.1
Oth. Race/Non-Hisp.	58	20,784	18	22.7	10.5-34.9	40	77.3	65.1-89.5
MultiRacial/Non-Hisp.	66	24,834	30	34.7	21.4-48.0	36	65.3	52.0-78.6
Hispanic	173	102,266	37	12.6	07.3-17.9	136	87.4	82.1-92.7
18-24	198	316,763	7	3.9	00.8-07.0	191	96.1	93.0-99.2
25-34	504	410,850	44	8.0	05.3-10.7	460	92.0	89.3-94.7
35-44	596	411,128	117	20.6	16.5-24.7	479	79.4	75.3-83.5
45-54	877	463,040	310	36.9	32.8-41.0	567	63.1	59.0-67.2
55-64	1126	372,398	555	50.8	47.1-54.5	571	49.2	45.5-52.9
65+	1795	498,329	1033	59.0	56.3-61.7	762	41.0	38.3-43.7
Less Than H.S.	496	320,632	251	34.5	29.0-40.0	245	65.5	60.0-71.0
H.S. or G.E.D.	1978	876,140	898	38.6	35.9-41.3	1080	61.4	58.7-64.1
Some Post-H.S.	1318	783,210	516	28.9	26.0-31.8	802	71.1	68.2-74.0
College Graduate	1347	510,609	408	21.9	19.4-24.4	939	78.1	75.6-80.6
Less than \$15,000	675	309,017	323	36.5	31.6-41.4	352	63.5	58.6-68.4
\$15,000- 24,999	979	424,791	492	38.9	34.8-43.0	487	61.1	57.0-65.2
\$25,000- 34,999	537	252,255	223	32.8	27.7-37.9	314	67.2	62.1-72.3
\$35,000- 49,999	652	300,196	242	32.9	28.2-37.6	410	67.1	62.4-71.8
\$50,000- 74,999	611	313,989	210	27.5	23.0-32.0	401	72.5	68.0-77.0
\$75,000+	790	463,944	194	21.4	18.1-24.7	596	78.6	75.3-81.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011

SECTION 7: TOBACCO USE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	35
2	MALES ONLY	36
3	FEMALES ONLY	37
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	38
5	MALES ONLY	39
6	FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 7: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8444	4,876,220	1324	19.4	18.2-20.6	422	6.2	05.4-07.0	2378	24.7	23.5-25.9	4320	49.7	48.1-51.3
Male	3274	2,373,783	597	21.2	19.2-23.2	157	6.4	05.0-07.8	1101	28.1	26.1-30.1	1419	44.4	42.0-46.8
Female	5170	2,502,437	727	17.7	16.1-19.3	265	6.1	05.1-07.1	1277	21.6	20.2-23.0	2901	54.7	52.7-56.7
White/Non-Hisp	6824	4,046,054	1080	19.6	18.2-21.0	285	5.4	04.6-06.2	1960	25.7	24.3-27.1	3499	49.3	47.7-50.9
Black or Afr. Am./Non-Hisp	961	401,683	142	20.3	15.4-25.2	92	11.1	07.6-14.6	241	16.9	13.0-20.8	486	51.7	46.0-57.4
Oth. Race/Non-Hisp.	129	74,902	25	21.5	11.3-31.7	8	7.4	00.7-14.1	34	26.3	14.9-37.7	62	44.8	33.0-56.6
MultiRacial/Non-Hisp.	106	54,379	24	30.4	17.3-43.5	8	9.2	01.8-16.6	31	21.0	11.8-30.2	43	39.3	26.8-51.8
Hispanic	282	232,485	30	11.2	06.1-16.3	21	11.2	04.9-17.5	66	21.4	14.3-28.5	165	56.2	47.8-64.6
18-24	378	652,014	71	18.4	14.1-22.7	33	10.6	06.9-14.3	31	7.7	04.8-10.6	243	63.3	57.8-68.8
25-34	824	833,500	180	24.8	21.1-28.5	58	7.7	05.3-10.1	139	17.9	14.8-21.0	447	49.6	45.5-53.7
35-44	1033	831,797	201	23.0	19.7-26.3	54	6.4	04.2-08.6	205	21.0	17.9-24.1	573	49.7	46.0-53.4
45-54	1552	925,562	351	23.8	21.1-26.5	94	5.7	04.1-07.3	346	23.5	20.8-26.2	761	47.0	43.9-50.1
55-64	1858	739,193	287	17.0	14.8-19.2	103	5.4	04.0-06.8	589	34.3	31.6-37.0	879	43.3	40.6-46.0
65+	2713	856,959	225	8.8	07.4-10.2	76	2.7	01.9-03.5	1037	40.6	38.2-43.0	1375	47.9	45.5-50.3
Less Than H.S.	856	707,826	251	34.0	29.7-38.3	63	7.5	05.1-09.9	233	21.5	18.0-25.0	309	36.9	32.2-41.6
H.S. or G.E.D.	3140	1,722,491	576	22.5	20.3-24.7	178	7.6	06.0-09.2	898	25.4	23.4-27.4	1488	44.6	42.2-47.0
Some Post-H.S.	2089	1,434,726	347	17.9	15.7-20.1	114	6.5	04.9-08.1	643	27.6	25.1-30.1	985	48.1	45.2-51.0
College Graduate	2330	998,124	147	5.9	04.7-07.1	64	2.5	01.7-03.3	595	21.7	19.7-23.7	1524	69.8	67.4-72.2
Less than \$15,000	1004	556,532	247	30.2	26.1-34.3	96	10.4	07.5-13.3	269	21.7	18.2-25.2	392	37.8	33.5-42.1
\$15,000- 24,999	1500	779,997	293	24.3	21.2-27.4	89	5.9	04.1-07.7	425	24.3	21.6-27.0	693	45.4	41.9-48.9
\$25,000- 34,999	899	507,793	163	24.5	20.2-28.8	48	6.7	03.8-09.6	276	28.9	24.8-33.0	412	39.9	35.4-44.4
\$35,000- 49,999	1143	640,010	179	19.4	16.1-22.7	52	7.3	04.9-09.7	343	27.0	23.7-30.3	569	46.3	42.4-50.2
\$50,000- 74,999	1068	651,704	132	14.9	12.0-17.8	44	5.8	03.4-08.2	313	28.3	24.8-31.8	579	51.1	47.2-55.0
\$75,000+	1515	969,285	128	9.8	07.8-11.8	42	3.6	02.0-05.2	403	24.8	22.3-27.3	942	61.8	58.7-64.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 7: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3274	2,373,783	597	21.2	19.2-23.2	157	6.4	05.0-07.8	1101	28.1	26.1-30.1	1419	44.4	42.0-46.8
White/Non-Hisp	2681	1,926,866	493	21.8	19.8-23.8	97	4.8	03.6-06.0	911	28.8	26.8-30.8	1180	44.7	42.3-47.1
Black or Afr. Am./Non-Hisp	308	195,454	57	21.5	13.9-29.1	34	13.0	06.9-19.1	94	21.1	14.2-28.0	123	44.4	35.4-53.4
Oth. Race/Non-Hisp.	70	53,748	11	18.5	05.8-31.2	6	10.0	00.8-19.2	23	30.8	15.9-45.7	30	40.7	26.0-55.4
Hispanic	110	131,338	14	10.4	03.9-16.9	14	16.2	06.0-26.4	31	27.7	16.3-39.1	51	45.7	33.4-58.0
18-24	180	335,713	38	18.2	12.3-24.1	15	10.6	04.9-16.3	19	9.6	05.1-14.1	108	61.5	53.5-69.5
25-34	319	421,590	75	25.9	20.4-31.4	29	9.9	06.2-13.6	59	18.5	13.6-23.4	156	45.6	39.3-51.9
35-44	435	419,780	100	26.1	21.2-31.0	20	5.7	02.6-08.8	100	24.3	19.4-29.2	215	43.9	38.4-49.4
45-54	667	459,465	159	24.5	20.6-28.4	39	5.7	03.5-07.9	162	25.0	20.9-29.1	307	44.8	40.3-49.3
55-64	730	365,475	126	18.5	15.0-22.0	33	4.2	02.4-06.0	282	41.2	36.9-45.5	289	36.1	32.0-40.2
65+	917	359,073	95	11.1	08.6-13.6	20	2.3	00.9-03.7	470	51.5	47.6-55.4	332	35.1	31.4-38.8
Less Than H.S.	356	384,819	123	36.1	29.8-42.4	27	7.6	04.1-11.1	110	23.8	18.3-29.3	96	32.5	25.8-39.2
H.S. or G.E.D.	1157	842,075	264	25.0	21.7-28.3	69	8.6	06.1-11.1	409	28.1	25.0-31.2	415	38.3	34.6-42.0
Some Post-H.S.	770	653,853	141	18.8	15.5-22.1	34	5.5	03.0-08.0	299	33.4	29.3-37.5	296	42.2	37.5-46.9
College Graduate	980	487,057	68	6.1	04.3-07.9	25	2.6	01.4-03.8	279	24.1	21.0-27.2	608	67.2	63.7-70.7
Less than \$15,000	326	244,231	100	35.1	28.0-42.2	37	11.7	06.8-16.6	92	22.2	16.3-28.1	97	31.0	24.1-37.9
\$15,000- 24,999	518	355,263	131	29.2	23.7-34.7	32	5.7	03.2-08.2	175	27.9	23.0-32.8	180	37.3	31.4-43.2
\$25,000- 34,999	365	257,744	74	26.2	19.5-32.9	18	7.9	02.6-13.2	150	36.0	29.3-42.7	123	29.9	23.6-36.2
\$35,000- 49,999	488	339,173	79	17.1	12.8-21.4	22	8.5	04.8-12.2	175	30.0	25.1-34.9	212	44.4	38.7-50.1
\$50,000- 74,999	457	336,948	63	16.3	12.0-20.6	15	4.5	02.0-07.0	169	33.8	28.5-39.1	210	45.3	39.4-51.2
\$75,000+	719	503,746	71	10.6	07.9-13.3	17	3.8	01.1-06.5	223	27.2	23.3-31.1	408	58.4	53.9-62.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 7: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5170	2,502,437	727	17.7	16.1-19.3	265	6.1	05.1-07.1	1277	21.6	20.2-23.0	2901	54.7	52.7-56.7
White/Non-Hisp	4143	2,119,188	587	17.7	15.9-19.5	188	5.9	04.7-07.1	1049	22.8	21.2-24.4	2319	53.6	51.6-55.6
Black or Afr. Am./Non-Hisp	653	206,229	85	19.2	12.7-25.7	58	9.3	05.8-12.8	147	12.9	09.2-16.6	363	58.6	51.7-65.5
Oth. Race/Non-Hisp.	59	21,153	14	29.2	13.7-44.7	2	0.7	00.0-01.7	11	14.9	03.5-26.3	32	55.2	38.3-72.1
MultiRacial/Non-Hisp.	68	25,446	11	17.0	06.4-27.6	6	12.1	00.5-23.7	20	22.8	11.4-34.2	31	48.1	33.0-63.2
Hispanic	172	101,147	16	12.3	04.3-20.3	7	4.6	00.0-09.3	35	13.2	06.7-19.7	114	69.9	59.9-79.9
18-24	198	316,300	33	18.6	12.3-24.9	18	10.7	05.6-15.8	12	5.6	02.3-08.9	135	65.1	57.5-72.7
25-34	505	411,910	105	23.7	19.0-28.4	29	5.5	03.1-07.9	80	17.2	13.3-21.1	291	53.6	48.5-58.7
35-44	598	412,017	101	19.9	15.8-24.0	34	7.0	04.3-09.7	105	17.5	13.8-21.2	358	55.6	50.7-60.5
45-54	885	466,097	192	23.0	19.5-26.5	55	5.7	03.7-07.7	184	22.0	18.5-25.5	454	49.3	45.2-53.4
55-64	1128	373,717	161	15.6	12.9-18.3	70	6.5	04.5-08.5	307	27.5	24.2-30.8	590	50.4	46.7-54.1
65+	1796	497,886	130	7.1	05.7-08.5	56	3.0	02.0-04.0	567	32.7	30.0-35.4	1043	57.2	54.3-60.1
Less Than H.S.	500	323,007	128	31.6	25.5-37.7	36	7.4	04.1-10.7	123	18.8	14.5-23.1	213	42.1	35.6-48.6
H.S. or G.E.D.	1983	880,416	312	20.1	17.4-22.8	109	6.6	04.8-08.4	489	22.8	20.4-25.2	1073	50.5	47.4-53.6
Some Post-H.S.	1319	780,872	206	17.1	14.4-19.8	80	7.3	05.1-09.5	344	22.7	19.8-25.6	689	53.0	49.5-56.5
College Graduate	1350	511,067	79	5.8	04.2-07.4	39	2.5	01.5-03.5	316	19.4	16.9-21.9	916	72.3	69.4-75.2
Less than \$15,000	678	312,301	147	26.3	21.4-31.2	59	9.4	06.1-12.7	177	21.3	17.0-25.6	295	43.1	37.6-48.6
\$15,000- 24,999	982	424,734	162	20.3	16.8-23.8	57	6.2	04.0-08.4	250	21.3	18.0-24.6	513	52.2	47.7-56.7
\$25,000- 34,999	534	250,049	89	22.7	16.8-28.6	30	5.4	03.0-07.8	126	21.6	17.1-26.1	289	50.3	44.2-56.4
\$35,000- 49,999	655	300,838	100	22.1	17.2-27.0	30	5.9	03.2-08.6	168	23.6	19.5-27.7	357	48.4	43.3-53.5
\$50,000- 74,999	611	314,756	69	13.3	09.4-17.2	29	7.2	03.5-10.9	144	22.3	18.0-26.6	369	57.2	51.7-62.7
\$75,000+	796	465,539	57	9.1	06.6-11.6	25	3.4	01.6-05.2	180	22.2	18.7-25.7	534	65.4	61.3-69.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 7: TOBACCO USE**

**TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8444	4,876,220	6698	74.4	73.0-75.8	1746	25.6	24.2-27.0
Male	3274	2,373,783	2520	72.4	70.2-74.6	754	27.6	25.4-29.8
Female	5170	2,502,437	4178	76.2	74.4-78.0	992	23.8	22.0-25.6
White/Non-Hisp	6824	4,046,054	5459	75.0	73.6-76.4	1365	25.0	23.6-26.4
Black or Afr. Am./Non-Hisp	961	401,683	727	68.6	63.1-74.1	234	31.4	25.9-36.9
Oth. Race/Non-Hisp.	129	74,902	96	71.1	59.9-82.3	33	28.9	17.7-40.1
MultiRacial/Non-Hisp.	106	54,379	74	60.4	47.1-73.7	32	39.6	26.3-52.9
Hispanic	282	232,485	231	77.6	70.2-85.0	51	22.4	15.0-29.8
18-24	378	652,014	274	71.0	65.7-76.3	104	29.0	23.7-34.3
25-34	824	833,500	586	67.4	63.5-71.3	238	32.6	28.7-36.5
35-44	1033	831,797	778	70.6	67.1-74.1	255	29.4	25.9-32.9
45-54	1552	925,562	1107	70.5	67.6-73.4	445	29.5	26.6-32.4
55-64	1858	739,193	1468	77.6	75.2-80.0	390	22.4	20.0-24.8
65+	2713	856,959	2412	88.5	86.9-90.1	301	11.5	09.9-13.1
Less Than H.S.	856	707,826	542	58.4	53.9-62.9	314	41.6	37.1-46.1
H.S. or G.E.D.	3140	1,722,491	2386	70.0	67.6-72.4	754	30.0	27.6-32.4
Some Post-H.S.	2089	1,434,726	1628	75.7	73.2-78.2	461	24.3	21.8-26.8
College Graduate	2330	998,124	2119	91.5	90.1-92.9	211	8.5	07.1-09.9
Less than \$15,000	1004	556,532	661	59.5	55.0-64.0	343	40.5	36.0-45.0
\$15,000- 24,999	1500	779,997	1118	69.7	66.4-73.0	382	30.3	27.0-33.6
\$25,000- 34,999	899	507,793	688	68.8	64.1-73.5	211	31.2	26.5-35.9
\$35,000- 49,999	1143	640,010	912	73.3	69.6-77.0	231	26.7	23.0-30.4
\$50,000- 74,999	1068	651,704	892	79.3	75.8-82.8	176	20.7	17.2-24.2
\$75,000+	1515	969,285	1345	86.6	84.2-89.0	170	13.4	11.0-15.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 7: TOBACCO USE**

**TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3274	2,373,783	2520	72.4	70.2-74.6	754	27.6	25.4-29.8
White/Non-Hisp	2681	1,926,866	2091	73.4	71.2-75.6	590	26.6	24.4-28.8
Black or Afr. Am./Non-Hisp	308	195,454	217	65.5	56.9-74.1	91	34.5	25.9-43.1
Oth. Race/Non-Hisp.	70	53,748	53	71.5	57.0-86.0	17	28.5	14.0-43.0
Hispanic	110	131,338	82	73.4	62.2-84.6	28	26.6	15.4-37.8
18-24	180	335,713	127	71.2	63.8-78.6	53	28.8	21.4-36.2
25-34	319	421,590	215	64.1	58.0-70.2	104	35.9	29.8-42.0
35-44	435	419,780	315	68.2	62.9-73.5	120	31.8	26.5-37.1
45-54	667	459,465	469	69.8	65.5-74.1	198	30.2	25.9-34.5
55-64	730	365,475	571	77.3	73.6-81.0	159	22.7	19.0-26.4
65+	917	359,073	802	86.6	83.9-89.3	115	13.4	10.7-16.1
Less Than H.S.	356	384,819	206	56.3	49.6-63.0	150	43.7	37.0-50.4
H.S. or G.E.D.	1157	842,075	824	66.5	62.8-70.2	333	33.5	29.8-37.2
Some Post-H.S.	770	653,853	595	75.7	71.8-79.6	175	24.3	20.4-28.2
College Graduate	980	487,057	887	91.3	89.1-93.5	93	8.7	06.5-10.9
Less than \$15,000	326	244,231	189	53.2	45.9-60.5	137	46.8	39.5-54.1
\$15,000- 24,999	518	355,263	355	65.2	59.5-70.9	163	34.8	29.1-40.5
\$25,000- 34,999	365	257,744	273	65.9	58.6-73.2	92	34.1	26.8-41.4
\$35,000- 49,999	488	339,173	387	74.4	69.1-79.7	101	25.6	20.3-30.9
\$50,000- 74,999	457	336,948	379	79.2	74.3-84.1	78	20.8	15.9-25.7
\$75,000+	719	503,746	631	85.6	81.9-89.3	88	14.4	10.7-18.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 7: TOBACCO USE**

**TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5170	2,502,437	4178	76.2	74.4-78.0	992	23.8	22.0-25.6
White/Non-Hisp	4143	2,119,188	3368	76.4	74.4-78.4	775	23.6	21.6-25.6
Black or Afr. Am./Non-Hisp	653	206,229	510	71.5	64.8-78.2	143	28.5	21.8-35.2
Oth. Race/Non-Hisp.	59	21,153	43	70.1	54.6-85.6	16	29.9	14.4-45.4
MultiRacial/Non-Hisp.	68	25,446	51	70.9	56.8-85.0	17	29.1	15.0-43.2
Hispanic	172	101,147	149	83.1	74.3-91.9	23	16.9	08.1-25.7
18-24	198	316,300	147	70.8	63.4-78.2	51	29.2	21.8-36.6
25-34	505	411,910	371	70.8	65.9-75.7	134	29.2	24.3-34.1
35-44	598	412,017	463	73.1	68.4-77.8	135	26.9	22.2-31.6
45-54	885	466,097	638	71.3	67.6-75.0	247	28.7	25.0-32.4
55-64	1128	373,717	897	77.9	74.8-81.0	231	22.1	19.0-25.2
65+	1796	497,886	1610	89.9	88.1-91.7	186	10.1	08.3-11.9
Less Than H.S.	500	323,007	336	60.9	54.6-67.2	164	39.1	32.8-45.4
H.S. or G.E.D.	1983	880,416	1562	73.3	70.4-76.2	421	26.7	23.8-29.6
Some Post-H.S.	1319	780,872	1033	75.7	72.6-78.8	286	24.3	21.2-27.4
College Graduate	1350	511,067	1232	91.7	89.9-93.5	118	8.3	06.5-10.1
Less than \$15,000	678	312,301	472	64.4	58.9-69.9	206	35.6	30.1-41.1
\$15,000- 24,999	982	424,734	763	73.5	69.6-77.4	219	26.5	22.6-30.4
\$25,000- 34,999	534	250,049	415	71.9	66.0-77.8	119	28.1	22.2-34.0
\$35,000- 49,999	655	300,838	525	72.0	66.9-77.1	130	28.0	22.9-33.1
\$50,000- 74,999	611	314,756	513	79.5	74.4-84.6	98	20.5	15.4-25.6
\$75,000+	796	465,539	714	87.6	84.5-90.7	82	12.4	09.3-15.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE).	
1 MALES AND FEMALES	44
2 MALES ONLY	45
3 FEMALES ONLY	46
MULTIRACIAL RACE CATEGORIZATION (_MRACE).	
4 MALES AND FEMALES	47
5 MALES ONLY	48
6 FEMALES ONLY	49
RACE/ETHNICITY CATEGORIES (RACE2).	
7 MALES AND FEMALES	50
8 MALES ONLY	51
9 FEMALES ONLY	52
WHITE/HISPANIC RACE GROUP (_RACEG2).	
10 MALES AND FEMALES	53
11 MALES ONLY	54
12 FEMALES ONLY	55
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)	
13 MALES AND FEMALES	56
14 MALES ONLY	57
15 FEMALES ONLY	58
NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).	
16 MALES AND FEMALES	59
17 MALES ONLY	60
18 FEMALES ONLY	61

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).	
19 MALES AND FEMALES	62
20 MALES ONLY	63
21 FEMALES ONLY	64
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
22 MALES AND FEMALES	65
23 MALES ONLY	66
24 FEMALES ONLY	67
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
25 MALES AND FEMALES	68
26 MALES ONLY	69
27 FEMALES ONLY	70
REPORTED HEIGHT IN INCHES (HTIN4).	
28 MALES AND FEMALES	71
29 MALES ONLY	72
30 FEMALES ONLY	73
REPORTED HEIGHT IN METERS (HTM4).	
31 MALES AND FEMALES	74
32 MALES ONLY	75
33 FEMALES ONLY	76
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
34 MALES AND FEMALES	77
35 MALES ONLY	78
36 FEMALES ONLY	79
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
37 MALES AND FEMALES	80
38 MALES ONLY	81
39 FEMALES ONLY	82

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011

SECTION 8: DEMOGRAPHICS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
40	MALES AND FEMALES	83
41	MALES ONLY	84
42	FEMALES ONLY	85
	RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
43	MALES AND FEMALES	86
44	MALES ONLY	87
45	FEMALES ONLY	88
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).	
46	MALES AND FEMALES	89
47	MALES ONLY	90
48	FEMALES ONLY	91

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (\_PRACE).**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8332	4,809,550	7147	88.9	87.9-89.9	1004	8.9	07.9-09.9	60	0.7	00.5-00.9	10	0.2	00.0-00.4	90	1.1	00.7-01.5	21	0.3	00.1-00.5
Male	3224	2,336,238	2811	87.9	86.3-89.5	321	8.9	07.5-10.3	31	0.9	00.5-01.3	6	0.3	00.1-00.5	45	1.5	00.9-02.1	10	0.4	00.0-00.8
Female	5108	2,473,312	4336	89.8	88.6-91.0	683	8.8	07.6-10.0	29	0.6	00.4-00.8	4	0.1	00.1-00.1	45	0.6	00.4-00.8	11	0.2	00.0-00.4
18-24	373	648,066	307	85.9	82.0-89.8	47	10.4	06.9-13.9	9	1.6	00.4-02.8	1	0.2	00.0-00.6	7	1.3	00.3-02.3	2	0.5	00.0-01.3
25-34	805	812,867	664	84.6	81.5-87.7	101	11.6	08.7-14.5	17	1.3	00.5-02.1	4	0.3	00.0-00.7	14	1.4	00.4-02.4	5	0.7	00.0-01.5
35-44	1013	819,570	870	88.6	86.2-91.0	112	8.8	06.6-11.0	12	0.7	00.1-01.3	2	0.2	00.0-00.6	12	1.3	00.3-02.3	5	0.4	00.0-00.8
45-54	1524	910,607	1319	89.6	87.4-91.8	178	9.2	07.0-11.4	8	0.3	00.0-00.7	1	0.2	00.0-00.6	15	0.6	00.2-01.0	3	0.1	00.0-00.3
55-64	1837	732,318	1574	92.3	90.9-93.7	239	6.7	05.3-08.1	7	0.3	00.0-00.7	2	0.1	00.0-00.3	12	0.5	00.1-00.9	3	0.1	00.0-00.3
65+	2706	853,965	2352	92.0	90.6-93.4	316	6.3	05.1-07.5	7	0.4	00.0-00.8				29	1.3	00.5-02.1	2	0.0	00.0-00.0
Less Than H.S.	832	685,967	663	84.9	81.6-88.2	145	12.0	09.1-14.9	2	0.2	00.0-00.6	2	0.5	00.0-01.3	18	2.2	00.6-03.8	2	0.2	00.0-00.6
H.S. or G.E.D.	3114	1,707,149	2671	88.8	87.0-90.6	394	9.3	07.7-10.9	7	0.3	00.1-00.5	4	0.2	00.0-00.4	30	0.9	00.5-01.3	8	0.5	00.1-00.9
Some Post-H.S.	2057	1,418,900	1724	88.7	86.7-90.7	290	9.4	07.6-11.2	11	0.6	00.2-01.0	1	0.0	00.0-00.0	25	1.0	00.4-01.6	6	0.3	00.1-00.5
College Graduate	2304	985,897	2070	92.2	90.6-93.8	172	5.1	03.9-06.3	38	2.1	01.3-02.9	3	0.1	00.0-00.3	17	0.5	00.1-00.9	4	0.1	00.0-00.3
Less than \$15,000	979	540,316	725	77.5	73.6-81.4	222	19.3	15.6-23.0	8	1.0	00.0-02.0	2	0.1	00.0-00.3	17	1.5	00.1-02.9	5	0.6	00.0-01.4
\$15,000- 24,999	1484	769,776	1192	85.0	82.3-87.7	256	12.3	09.8-14.8	7	0.5	00.1-00.9	1	0.2	00.0-00.6	25	1.6	00.6-02.6	3	0.3	00.0-00.7
\$25,000- 34,999	887	502,999	749	88.5	85.2-91.8	127	10.3	07.0-13.6	2	0.2	00.0-00.6				6	0.6	00.0-01.2	3	0.4	00.0-01.0
\$35,000- 49,999	1132	632,442	1000	91.5	89.1-93.9	109	6.2	04.2-08.2	8	0.7	00.1-01.3	1	0.1	00.0-00.3	11	1.1	00.3-01.9	3	0.4	00.0-00.8
\$50,000- 74,999	1062	647,268	953	93.9	91.9-95.9	98	5.6	03.6-07.6	6	0.3	00.0-00.7				4	0.2	00.0-00.4	1	0.0	00.0-00.0
\$75,000+	1502	961,351	1393	93.1	91.3-94.9	77	4.4	02.8-06.0	20	1.3	00.5-02.1	3	0.2	00.0-00.6	9	1.0	00.2-01.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 2: PREFERRED RACE CATEGORY (\_PRACE).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3224	2,336,238	2811	87.9	86.3-89.5	321	8.9	07.5-10.3	31	0.9	00.5-01.3	6	0.3	00.1-00.5	45	1.5	00.9-02.1	10	0.4	00.0-00.8
18-24	177	332,017	148	85.9	80.2-91.6	19	9.8	04.7-14.9	3	1.1	00.0-02.5	1	0.5	00.0-01.5	4	1.7	00.0-03.5	2	1.0	00.0-02.6
25-34	310	408,952	259	83.5	78.6-88.4	26	10.5	06.2-14.8	12	2.2	00.8-03.6	1	0.4	00.0-01.2	9	2.2	00.2-04.2	3	1.1	00.0-02.5
35-44	429	415,587	377	88.6	84.9-92.3	36	7.8	04.7-10.9	7	0.9	00.1-01.7	1	0.3	00.0-00.9	7	2.0	00.2-03.8	1	0.3	00.0-00.9
45-54	658	451,778	587	88.3	84.6-92.0	59	10.1	06.6-13.6	1	0.3	00.0-00.9	1	0.4	00.0-01.2	9	0.8	00.0-01.6	1	0.1	00.0-00.3
55-64	717	361,725	630	91.8	89.3-94.3	75	6.9	04.5-09.3	4	0.5	00.0-01.1	2	0.2	00.0-00.4	4	0.5	00.0-01.1	2	0.1	00.0-00.3
65+	913	357,256	794	90.1	87.4-92.8	104	7.6	05.2-10.0	4	0.5	00.0-01.1				11	1.8	00.4-03.2			
Less Than H.S.	348	376,936	286	85.3	80.4-90.2	50	10.2	06.1-14.3				2	1.0	00.0-02.4	10	3.5	00.8-06.2			
H.S. or G.E.D.	1140	830,612	984	87.5	84.8-90.2	127	9.5	07.0-12.0	4	0.3	00.0-00.7	2	0.3	00.0-00.7	18	1.4	00.6-02.2	5	0.9	00.1-01.7
Some Post-H.S.	759	643,910	646	86.8	83.5-90.1	96	10.9	07.8-14.0	4	0.7	00.0-01.5				10	1.1	00.3-01.9	3	0.5	00.0-01.1
College Graduate	969	480,049	890	92.5	90.3-94.7	47	3.7	01.9-05.5	22	2.9	01.5-04.3	2	0.1	00.0-00.3	7	0.7	00.1-01.3	1	0.0	00.0-00.0
Less than \$15,000	317	235,663	244	78.1	71.4-84.8	63	18.2	12.1-24.3	2	0.6	00.0-01.6				7	2.3	00.0-05.2	1	0.8	00.0-02.2
\$15,000- 24,999	516	351,527	420	83.2	78.3-88.1	77	12.7	08.2-17.2	4	0.7	00.0-01.5	1	0.5	00.0-01.5	12	2.5	00.5-04.5	2	0.5	00.0-01.3
\$25,000- 34,999	359	253,786	312	91.1	87.0-95.2	40	7.2	03.3-11.1	1	0.3	00.0-00.9				5	0.9	00.0-01.9	1	0.5	00.0-01.5
\$35,000- 49,999	481	333,144	429	91.0	87.7-94.3	39	5.7	03.0-08.4	4	1.0	00.0-02.2				7	1.8	00.2-03.4	2	0.6	00.0-01.4
\$50,000- 74,999	453	333,588	410	92.7	89.2-96.2	37	6.5	03.0-10.0	4	0.6	00.0-01.2				2	0.2	00.0-00.6			
\$75,000+	710	498,579	655	90.8	87.7-93.9	33	5.4	02.9-07.9	11	1.6	00.4-02.8	3	0.4	00.0-01.0	8	1.7	00.3-03.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 3: PREFERRED RACE CATEGORY (\_PRACE).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5108	2,473,312	4336	89.8	88.6-91.0	683	8.8	07.6-10.0	29	0.6	00.4-00.8	4	0.1	00.1-00.1	45	0.6	00.4-00.8	11	0.2	00.0-00.4
18-24	196	316,049	159	86.0	80.7-91.3	28	11.1	06.2-16.0	6	2.1	00.3-03.9				3	0.8	00.0-01.8			
25-34	495	403,914	405	85.7	82.0-89.4	75	12.8	09.1-16.5	5	0.3	00.0-00.7	3	0.2	00.0-00.4	5	0.6	00.0-01.2	2	0.3	00.0-00.7
35-44	584	403,983	493	88.5	85.4-91.6	76	9.9	06.8-13.0	5	0.5	00.0-01.1	1	0.1	00.0-00.3	5	0.5	00.0-01.1	4	0.5	00.0-01.1
45-54	866	458,829	732	90.9	88.5-93.3	119	8.3	05.9-10.7	7	0.4	00.0-00.8				6	0.4	00.0-00.8	2	0.0	00.0-00.0
55-64	1120	370,593	944	92.8	91.2-94.4	164	6.5	04.9-08.1	3	0.2	00.0-00.4				8	0.5	00.1-00.9	1	0.1	00.0-00.3
65+	1793	496,710	1558	93.3	91.9-94.7	212	5.5	04.5-06.5	3	0.3	00.0-00.7				18	0.9	00.1-01.7	2	0.0	00.0-00.0
Less Than H.S.	484	309,031	377	84.4	79.9-88.9	95	14.1	09.6-18.6	2	0.4	00.0-01.0				8	0.6	00.0-01.2	2	0.4	00.0-01.0
H.S. or G.E.D.	1974	876,537	1687	90.1	88.1-92.1	267	9.0	07.0-11.0	3	0.2	00.0-00.6	2	0.1	00.0-00.3	12	0.5	00.1-00.9	3	0.1	00.0-00.3
Some Post-H.S.	1298	774,990	1078	90.2	88.0-92.4	194	8.1	06.1-10.1	7	0.5	00.1-00.9	1	0.0	00.0-00.0	15	1.0	00.4-01.6	3	0.1	00.0-00.3
College Graduate	1335	505,847	1180	91.9	89.9-93.9	125	6.3	04.5-08.1	16	1.3	00.5-02.1	1	0.1	00.0-00.3	10	0.3	00.1-00.5	3	0.2	00.0-00.6
Less than \$15,000	662	304,653	481	77.1	72.2-82.0	159	20.1	15.4-24.8	6	1.4	00.0-02.8	2	0.2	00.0-00.6	10	0.8	00.0-01.6	4	0.4	00.0-01.0
\$15,000- 24,999	968	418,249	772	86.6	83.7-89.5	179	12.0	09.3-14.7	3	0.4	00.0-00.8				13	0.9	00.3-01.5	1	0.2	00.0-00.6
\$25,000- 34,999	528	249,214	437	86.0	80.7-91.3	87	13.4	08.3-18.5	1	0.1	00.0-00.3				1	0.3	00.0-00.9	2	0.3	00.0-00.7
\$35,000- 49,999	651	299,298	571	92.1	89.0-95.2	70	6.8	03.9-09.7	4	0.4	00.0-01.0	1	0.1	00.0-00.3	4	0.4	00.0-01.0	1	0.1	00.0-00.3
\$50,000- 74,999	609	313,680	543	95.1	93.1-97.1	61	4.6	02.6-06.6	2	0.0	00.0-00.0				2	0.2	00.0-00.6	1	0.0	00.0-00.0
\$75,000+	792	462,773	738	95.5	93.7-97.3	44	3.3	01.7-04.9	9	1.0	00.2-01.8				1	0.2	00.0-00.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (\_MRACE).**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8332	4,809,550	7082	88.2	87.2-89.2	982	8.6	07.6-09.6	57	0.7	00.5-00.9	10	0.2	00.0-00.4	80	1.0	00.6-01.4	121	1.3	00.9-01.7
Male	3224	2,336,238	2788	87.2	85.6-88.8	312	8.6	07.2-10.0	29	0.8	00.4-01.2	6	0.3	00.1-00.5	44	1.5	00.9-02.1	45	1.5	00.9-02.1
Female	5108	2,473,312	4294	89.2	88.0-90.4	670	8.6	07.4-09.8	28	0.6	00.4-00.8	4	0.1	00.1-00.1	36	0.4	00.2-00.6	76	1.1	00.7-01.5
18-24	373	648,066	305	85.4	81.5-89.3	40	9.6	06.1-13.1	8	1.3	00.3-02.3	1	0.2	00.0-00.6	6	1.1	00.1-02.1	13	2.2	00.8-03.6
25-34	805	812,867	653	83.6	80.5-86.7	101	11.6	08.7-14.5	16	1.3	00.5-02.1	4	0.3	00.0-00.7	12	1.2	00.2-02.2	19	2.0	00.8-03.2
35-44	1013	819,570	863	88.0	85.5-90.5	107	8.6	06.4-10.8	11	0.7	00.1-01.3	2	0.2	00.0-00.6	10	1.1	00.1-02.1	20	1.4	00.6-02.2
45-54	1524	910,607	1302	88.9	86.7-91.1	176	9.1	06.9-11.3	8	0.3	00.0-00.7	1	0.2	00.0-00.6	14	0.6	00.2-01.0	23	0.9	00.5-01.3
55-64	1837	732,318	1563	91.7	90.1-93.3	235	6.4	05.0-07.8	7	0.3	00.0-00.7	2	0.1	00.0-00.3	9	0.4	00.0-00.8	21	1.0	00.4-01.6
65+	2706	853,965	2335	91.4	90.0-92.8	312	6.3	05.1-07.5	7	0.4	00.0-00.8				28	1.3	00.5-02.1	24	0.7	00.3-01.1
Less Than H.S.	832	685,967	653	84.4	81.1-87.7	144	11.8	08.9-14.7	2	0.2	00.0-00.6	2	0.5	00.0-01.3	17	2.2	00.6-03.8	14	0.9	00.3-01.5
H.S. or G.E.D.	3114	1,707,149	2643	87.8	86.0-89.6	387	9.1	07.5-10.7	7	0.3	00.1-00.5	4	0.2	00.0-00.4	25	0.8	00.4-01.2	48	1.9	01.1-02.7
Some Post-H.S.	2057	1,418,900	1709	88.3	86.3-90.3	284	9.2	07.4-11.0	9	0.5	00.1-00.9	1	0.0	00.0-00.0	22	0.9	00.5-01.3	32	1.1	00.5-01.7
College Graduate	2304	985,897	2058	91.7	90.1-93.3	164	4.8	03.6-06.0	37	2.1	01.3-02.9	3	0.1	00.0-00.3	16	0.5	00.1-00.9	26	0.9	00.5-01.3
Less than \$15,000	979	540,316	711	76.7	72.8-80.6	215	18.6	14.9-22.3	8	1.0	00.0-02.0	2	0.1	00.0-00.3	14	1.2	00.0-02.6	29	2.4	01.2-03.6
\$15,000- 24,999	1484	769,776	1180	84.3	81.6-87.0	250	11.9	09.4-14.4	7	0.5	00.1-00.9	1	0.2	00.0-00.6	23	1.5	00.5-02.5	23	1.6	00.8-02.4
\$25,000- 34,999	887	502,999	742	87.9	84.6-91.2	124	9.9	06.8-13.0	2	0.2	00.0-00.6				5	0.5	00.1-00.9	14	1.5	00.5-02.5
\$35,000- 49,999	1132	632,442	994	91.1	88.7-93.5	109	6.2	04.2-08.2	7	0.7	00.1-01.3	1	0.1	00.0-00.3	10	1.1	00.3-01.9	11	0.8	00.2-01.4
\$50,000- 74,999	1062	647,268	946	93.4	91.2-95.6	96	5.5	03.5-07.5	6	0.3	00.0-00.7				4	0.2	00.0-00.4	10	0.6	00.2-01.0
\$75,000+	1502	961,351	1387	92.7	90.7-94.7	74	4.4	02.8-06.0	18	1.1	00.5-01.7	3	0.2	00.0-00.6	8	0.9	00.1-01.7	12	0.7	00.1-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 5: MULTIRACIAL RACE CATEGORIZATION (\_MRACE).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3224	2,336,238	2788	87.2	85.6-88.8	312	8.6	07.2-10.0	29	0.8	00.4-01.2	6	0.3	00.1-00.5	44	1.5	00.9-02.1	45	1.5	00.9-02.1
18-24	177	332,017	147	85.3	79.6-91.0	16	9.2	04.3-14.1	2	0.6	00.0-01.4	1	0.5	00.0-01.5	4	1.7	00.0-03.5	7	2.7	00.3-05.1
25-34	310	408,952	255	82.3	77.2-87.4	26	10.5	06.2-14.8	12	2.2	00.8-03.6	1	0.4	00.0-01.2	9	2.2	00.2-04.2	7	2.4	00.4-04.4
35-44	429	415,587	373	87.7	84.0-91.4	34	7.4	04.3-10.5	6	0.9	00.1-01.7	1	0.3	00.0-00.9	7	2.0	00.2-03.8	8	1.7	00.3-03.1
45-54	658	451,778	579	87.5	83.8-91.2	59	10.1	06.6-13.6	1	0.3	00.0-00.9	1	0.4	00.0-01.2	9	0.8	00.0-01.6	9	1.0	00.2-01.8
55-64	717	361,725	627	91.4	88.9-93.9	72	6.4	04.2-08.6	4	0.5	00.0-01.1	2	0.2	00.0-00.4	3	0.4	00.0-00.8	9	1.1	00.1-02.1
65+	913	357,256	791	89.7	87.0-92.4	103	7.5	05.1-09.9	4	0.5	00.0-01.1				11	1.8	00.4-03.2	4	0.5	00.0-01.1
Less Than H.S.	348	376,936	285	84.9	80.0-89.8	50	10.2	06.1-14.3				2	1.0	00.0-02.4	10	3.5	00.8-06.2	1	0.4	00.0-01.2
H.S. or G.E.D.	1140	830,612	971	86.1	83.2-89.0	122	9.2	06.7-11.7	4	0.3	00.0-00.7	2	0.3	00.0-00.7	17	1.4	00.6-02.2	24	2.7	01.3-04.1
Some Post-H.S.	759	643,910	641	86.4	83.1-89.7	94	10.7	07.6-13.8	3	0.5	00.0-01.1				10	1.1	00.3-01.9	11	1.3	00.3-02.3
College Graduate	969	480,049	886	92.1	89.9-94.3	45	3.6	01.8-05.4	21	2.9	01.5-04.3	2	0.1	00.0-00.3	7	0.7	00.1-01.3	8	0.6	00.0-01.2
Less than \$15,000	317	235,663	243	77.6	70.9-84.3	62	17.6	11.5-23.7	2	0.6	00.0-01.6				7	2.3	00.0-05.2	3	1.9	00.0-04.1
\$15,000- 24,999	516	351,527	413	82.2	77.3-87.1	73	12.1	07.6-16.6	4	0.7	00.0-01.5	1	0.5	00.0-01.5	12	2.5	00.5-04.5	13	1.9	00.5-03.3
\$25,000- 34,999	359	253,786	310	90.4	86.3-94.5	39	6.6	02.9-10.3	1	0.3	00.0-00.9				5	0.9	00.0-01.9	4	1.7	00.0-03.5
\$35,000- 49,999	481	333,144	427	90.5	87.2-93.8	39	5.7	03.0-08.4	4	1.0	00.0-02.2				7	1.8	00.2-03.4	4	1.0	00.0-02.2
\$50,000- 74,999	453	333,588	409	92.5	89.0-96.0	36	6.4	02.9-09.9	4	0.6	00.0-01.2				2	0.2	00.0-00.6	2	0.3	00.0-00.7
\$75,000+	710	498,579	652	90.2	87.1-93.3	32	5.4	02.9-07.9	9	1.2	00.4-02.0	3	0.4	00.0-01.0	7	1.6	00.2-03.0	7	1.1	00.1-02.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 6: MULTIRACIAL RACE CATEGORIZATION (\_MRACE).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5108	2,473,312	4294	89.2	88.0-90.4	670	8.6	07.4-09.8	28	0.6	00.4-00.8	4	0.1	00.1-00.1	36	0.4	00.2-00.6	76	1.1	00.7-01.5
18-24	196	316,049	158	85.5	80.2-90.8	24	10.1	05.2-15.0	6	2.1	00.3-03.9				2	0.6	00.0-01.4	6	1.7	00.1-03.3
25-34	495	403,914	398	84.9	81.2-88.6	75	12.8	09.1-16.5	4	0.3	00.0-00.7	3	0.2	00.0-00.4	3	0.2	00.0-00.4	12	1.6	00.6-02.6
35-44	584	403,983	490	88.3	85.2-91.4	73	9.7	06.6-12.8	5	0.5	00.0-01.1	1	0.1	00.0-00.3	3	0.2	00.0-00.6	12	1.1	00.3-01.9
45-54	866	458,829	723	90.2	87.8-92.6	117	8.1	05.7-10.5	7	0.4	00.0-00.8				5	0.3	00.0-00.7	14	0.9	00.3-01.5
55-64	1120	370,593	936	92.0	90.4-93.6	163	6.4	04.8-08.0	3	0.2	00.0-00.4				6	0.4	00.0-00.8	12	0.9	00.3-01.5
65+	1793	496,710	1544	92.7	91.3-94.1	209	5.4	04.4-06.4	3	0.3	00.0-00.7				17	0.9	00.3-01.5	20	0.8	00.4-01.2
Less Than H.S.	484	309,031	368	83.7	79.0-88.4	94	13.7	09.2-18.2	2	0.4	00.0-01.0				7	0.6	00.0-01.2	13	1.6	00.4-02.8
H.S. or G.E.D.	1974	876,537	1672	89.3	87.3-91.3	265	9.0	07.0-11.0	3	0.2	00.0-00.6	2	0.1	00.0-00.3	8	0.3	00.1-00.5	24	1.1	00.5-01.7
Some Post-H.S.	1298	774,990	1068	89.8	87.6-92.0	190	8.0	06.0-10.0	6	0.5	00.1-00.9	1	0.0	00.0-00.0	12	0.7	00.1-01.3	21	1.0	00.4-01.6
College Graduate	1335	505,847	1172	91.4	89.4-93.4	119	5.9	04.1-07.7	16	1.3	00.5-02.1	1	0.1	00.0-00.3	9	0.3	00.1-00.5	18	1.1	00.5-01.7
Less than \$15,000	662	304,653	468	76.0	71.1-80.9	153	19.3	14.6-24.0	6	1.4	00.0-02.8	2	0.2	00.0-00.6	7	0.4	00.0-00.8	26	2.7	01.3-04.1
\$15,000- 24,999	968	418,249	767	86.0	83.1-88.9	177	11.7	09.0-14.4	3	0.4	00.0-00.8				11	0.7	00.1-01.3	10	1.3	00.3-02.3
\$25,000- 34,999	528	249,214	432	85.3	80.0-90.6	85	13.3	08.2-18.4	1	0.1	00.0-00.3							10	1.3	00.3-02.3
\$35,000- 49,999	651	299,298	567	91.9	88.8-95.0	70	6.8	03.9-09.7	3	0.4	00.0-01.0	1	0.1	00.0-00.3	3	0.3	00.0-00.9	7	0.5	00.1-00.9
\$50,000- 74,999	609	313,680	537	94.3	92.3-96.3	60	4.4	02.4-06.4	2	0.0	00.0-00.0				2	0.2	00.0-00.6	8	0.9	00.1-01.7
\$75,000+	792	462,773	735	95.3	93.5-97.1	42	3.2	01.6-04.8	9	1.0	00.2-01.8				1	0.2	00.0-00.6	5	0.3	00.0-00.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (RACE2).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8062	4,595,805	6859	88.4	87.4-89.4	966	8.8	07.8-09.8	52	0.6	00.4-00.8	8	0.1	00.0-00.3	69	0.8	00.4-01.2	108	1.2	00.8-01.6
Male	3114	2,213,430	2697	87.4	85.6-89.2	308	8.8	07.2-10.4	26	0.8	00.4-01.2	5	0.2	00.0-00.4	38	1.4	00.8-02.0	40	1.4	00.8-02.0
Female	4948	2,382,375	4162	89.3	88.1-90.5	658	8.7	07.5-09.9	26	0.5	00.3-00.7	3	0.0	00.0-00.0	31	0.3	00.1-00.5	68	1.1	00.7-01.5
18-24	348	599,481	285	85.5	81.4-89.6	37	9.6	05.9-13.3	6	1.0	00.2-01.8	1	0.3	00.0-00.9	6	1.2	00.0-02.4	13	2.4	00.8-04.0
25-34	757	752,405	614	83.8	80.5-87.1	100	12.3	09.2-15.4	15	1.2	00.4-02.0	3	0.1	00.0-00.3	9	1.0	00.0-02.0	16	1.5	00.5-02.5
35-44	958	773,906	817	87.6	85.1-90.1	104	9.0	06.6-11.4	10	0.7	00.1-01.3	1	0.2	00.0-00.6	9	1.1	00.1-02.1	17	1.3	00.5-02.1
45-54	1483	888,557	1268	89.1	86.9-91.3	173	9.1	06.9-11.3	8	0.3	00.0-00.7	1	0.2	00.0-00.6	10	0.3	00.1-00.5	23	0.9	00.5-01.3
55-64	1804	719,015	1536	91.8	90.2-93.4	232	6.5	05.1-07.9	7	0.4	00.0-00.8	2	0.1	00.0-00.3	8	0.3	00.1-00.5	19	0.9	00.3-01.5
65+	2639	832,116	2278	91.7	90.3-93.1	310	6.4	05.2-07.6	6	0.3	00.1-00.5				26	1.1	00.5-01.7	19	0.5	00.3-00.7
Less Than H.S.	753	594,865	584	83.3	79.6-87.0	140	12.9	09.6-16.2	2	0.2	00.0-00.6	1	0.3	00.0-00.9	15	2.4	00.6-04.2	11	0.9	00.1-01.7
H.S. or G.E.D.	3022	1,648,910	2569	88.2	86.4-90.0	381	9.2	07.6-10.8	6	0.2	00.0-00.4	3	0.2	00.0-00.4	20	0.6	00.2-01.0	43	1.7	01.1-02.3
Some Post-H.S.	2008	1,375,693	1668	88.4	86.4-90.4	280	9.3	07.5-11.1	9	0.5	00.1-00.9	1	0.0	00.0-00.0	20	0.7	00.3-01.1	30	1.0	00.4-01.6
College Graduate	2255	964,822	2020	92.1	90.5-93.7	162	4.8	03.6-06.0	33	1.8	01.0-02.6	3	0.1	00.0-00.3	14	0.3	00.1-00.5	23	0.8	00.4-01.2
Less than \$15,000	926	500,126	671	76.7	72.6-80.8	210	19.3	15.4-23.2	7	0.8	00.0-01.6	1	0.1	00.0-00.3	12	1.2	00.0-02.6	25	2.0	01.0-03.0
\$15,000- 24,999	1409	702,547	1115	84.0	81.1-86.9	247	12.6	09.9-15.3	7	0.6	00.2-01.0				20	1.4	00.4-02.4	20	1.5	00.7-02.3
\$25,000- 34,999	860	471,458	716	87.4	83.9-90.9	123	10.3	07.0-13.6	2	0.3	00.0-00.7				5	0.5	00.0-01.1	14	1.6	00.6-02.6
\$35,000- 49,999	1099	610,845	970	91.9	89.7-94.1	106	6.1	04.1-08.1	7	0.7	00.1-01.3	1	0.1	00.0-00.3	7	0.8	00.0-01.6	8	0.5	00.1-00.9
\$50,000- 74,999	1043	632,807	931	93.3	91.1-95.5	94	5.6	03.6-07.6	5	0.3	00.0-00.7				4	0.2	00.0-00.4	9	0.6	00.2-01.0
\$75,000+	1488	953,217	1374	92.7	90.7-94.7	74	4.4	02.8-06.0	17	1.0	00.4-01.6	3	0.2	00.0-00.6	8	0.9	00.1-01.7	12	0.7	00.1-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 8: RACE/ETHNICITY CATEGORIES (RACE2).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3114	2,213,430	2697	87.4	85.6-89.2	308	8.8	07.2-10.4	26	0.8	00.4-01.2	5	0.2	00.0-00.4	38	1.4	00.8-02.0	40	1.4	00.8-02.0
18-24	164	302,521	136	84.8	78.7-90.9	15	9.4	04.1-14.7	1	0.4	00.0-01.2	1	0.5	00.0-01.5	4	1.9	00.0-03.9	7	3.0	00.5-05.5
25-34	289	374,167	243	83.8	78.5-89.1	25	11.0	06.3-15.7	11	2.1	00.7-03.5	6	1.8	00.0-03.8	4	1.3	00.0-02.9	4	1.3	00.0-02.9
35-44	406	385,663	350	86.7	82.8-90.6	34	8.0	04.7-11.3	6	1.0	00.0-02.0	1	0.3	00.0-00.9	7	2.1	00.1-04.1	8	1.9	00.5-03.3
45-54	638	439,204	563	87.8	84.1-91.5	58	10.1	06.6-13.6	1	0.3	00.0-00.9	1	0.5	00.0-01.5	6	0.3	00.0-00.7	9	1.0	00.2-01.8
55-64	705	355,150	616	91.3	88.8-93.8	72	6.6	04.2-09.0	4	0.5	00.0-01.1	2	0.2	00.0-00.4	3	0.4	00.0-00.8	8	1.0	00.0-02.0
65+	893	349,634	773	90.0	87.3-92.7	103	7.7	05.3-10.1	3	0.2	00.0-00.4				11	1.8	00.2-03.4	3	0.3	00.0-00.7
Less Than H.S.	316	325,320	257	84.4	78.9-89.9	48	10.7	06.2-15.2				1	0.6	00.0-01.8	9	3.8	00.7-06.9	1	0.4	00.0-01.2
H.S. or G.E.D.	1102	799,644	941	86.5	83.6-89.4	121	9.4	06.9-11.9	4	0.3	00.0-00.7	2	0.4	00.0-01.0	13	1.1	00.3-01.9	21	2.3	01.1-03.5
Some Post-H.S.	739	616,680	623	86.3	83.0-89.6	93	10.9	07.8-14.0	3	0.5	00.0-01.1				10	1.1	00.3-01.9	10	1.2	00.2-02.2
College Graduate	949	467,057	871	92.7	90.5-94.9	45	3.7	01.9-05.5	18	2.4	01.2-03.6	2	0.1	00.0-00.3	6	0.5	00.1-00.9	7	0.6	00.0-01.2
Less than \$15,000	297	218,039	226	77.7	70.8-84.6	61	18.2	11.9-24.5	2	0.7	00.0-01.9				6	2.2	00.0-05.3	2	1.3	00.0-03.1
\$15,000- 24,999	479	309,245	383	81.9	76.6-87.2	72	13.5	08.6-18.4	4	0.8	00.0-01.6				9	2.1	00.0-04.3	11	1.7	00.3-03.1
\$25,000- 34,999	344	230,650	295	89.5	85.0-94.0	39	7.3	03.2-11.4	1	0.4	00.0-01.2				5	1.0	00.0-02.0	4	1.8	00.0-03.6
\$35,000- 49,999	471	321,344	421	91.6	88.5-94.7	38	5.3	02.8-07.8	4	1.0	00.0-02.2				5	1.4	00.0-02.8	3	0.7	00.0-01.5
\$50,000- 74,999	447	325,219	403	92.3	88.8-95.8	36	6.6	03.1-10.1	4	0.6	00.0-01.2				2	0.2	00.0-00.6	2	0.3	00.0-00.7
\$75,000+	702	492,935	645	90.3	87.2-93.4	32	5.5	03.0-08.0	8	1.1	00.3-01.9	3	0.4	00.0-01.0	7	1.7	00.3-03.1	7	1.1	00.1-02.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 9: RACE/ETHNICITY CATEGORIES (RACE2).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4948	2,382,375	4162	89.3	88.1-90.5	658	8.7	07.5-09.9	26	0.5	00.3-00.7	3	0.0	00.0-00.0	31	0.3	00.1-00.5	68	1.1	00.7-01.5
18-24	184	296,959	149	86.2	80.7-91.7	22	9.7	04.6-14.8	5	1.7	00.1-03.3				2	0.6	00.0-01.4	6	1.8	00.2-03.4
25-34	468	378,238	371	83.9	80.0-87.8	75	13.6	09.7-17.5	4	0.4	00.0-00.8	3	0.3	00.0-00.7	3	0.2	00.0-00.4	12	1.7	00.7-02.7
35-44	552	388,243	467	88.5	85.2-91.8	70	10.0	06.9-13.1	4	0.5	00.0-01.1				2	0.1	00.1-00.1	9	0.8	00.2-01.4
45-54	845	449,353	705	90.3	87.9-92.7	115	8.1	05.7-10.5	7	0.4	00.0-00.8				4	0.3	00.0-00.7	14	0.9	00.3-01.5
55-64	1099	363,866	920	92.3	90.7-93.9	160	6.4	04.8-08.0	3	0.2	00.0-00.4				5	0.3	00.1-00.5	11	0.9	00.3-01.5
65+	1746	482,483	1505	93.0	91.6-94.4	207	5.5	04.3-06.7	3	0.3	00.0-00.7				15	0.6	00.2-01.0	16	0.7	00.3-01.1
Less Than H.S.	437	269,546	327	82.1	77.0-87.2	92	15.5	10.6-20.4	2	0.5	00.0-01.3				6	0.6	00.0-01.2	10	1.4	00.2-02.6
H.S. or G.E.D.	1920	849,266	1628	89.7	87.7-91.7	260	8.9	06.9-10.9	2	0.0	00.0-00.0	1	0.0	00.0-00.0	7	0.2	00.0-00.4	22	1.1	00.5-01.7
Some Post-H.S.	1269	759,013	1045	90.1	87.9-92.3	187	8.0	06.0-10.0	6	0.5	00.1-00.9	1	0.0	00.0-00.0	10	0.4	00.0-00.8	20	0.9	00.3-01.5
College Graduate	1306	497,764	1149	91.4	89.2-93.6	117	6.0	04.2-07.8	15	1.3	00.5-02.1	1	0.1	00.0-00.3	8	0.2	00.0-00.4	16	1.0	00.4-01.6
Less than \$15,000	629	282,087	445	75.9	70.8-81.0	149	20.2	15.3-25.1	5	0.9	00.0-01.9	1	0.1	00.0-00.3	6	0.4	00.0-00.8	23	2.5	01.1-03.9
\$15,000- 24,999	930	393,302	732	85.6	82.5-88.7	175	12.0	09.1-14.9	3	0.4	00.0-00.8				11	0.7	00.1-01.3	9	1.3	00.1-02.5
\$25,000- 34,999	516	240,808	421	85.4	80.1-90.7	84	13.2	07.9-18.5	1	0.1	00.0-00.3							10	1.3	00.3-02.3
\$35,000- 49,999	628	289,501	549	92.1	89.0-95.2	68	7.0	04.1-09.9	3	0.4	00.0-01.0	1	0.1	00.0-00.3	2	0.1	00.1-00.1	5	0.3	00.0-00.7
\$50,000- 74,999	596	307,588	528	94.3	92.1-96.5	58	4.5	02.5-06.5	1	0.0	00.0-00.0				2	0.2	00.0-00.6	7	0.9	00.1-01.7
\$75,000+	786	460,283	729	95.2	93.4-97.0	42	3.3	01.7-04.9	9	1.0	00.2-01.8				1	0.2	00.0-00.6	5	0.3	00.0-00.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 10: WHITE/HISPANIC RACE GROUP (\_RACEG2).**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8349	4,833,268	6859	84.1	82.9-85.3	1490	15.9	14.7-17.1
Male	3227	2,348,188	2697	84.2	80.4-84.4	530	17.6	15.6-19.6
Female	5122	2,485,080	4162	85.6	84.2-87.0	960	14.4	13.0-15.8
18-24	375	648,720	285	79.0	74.3-83.7	90	21.0	16.3-25.7
25-34	817	826,225	614	76.3	72.6-80.0	203	23.7	20.0-27.4
35-44	1023	827,556	817	81.9	79.0-84.8	206	18.1	15.2-21.0
45-54	1535	915,848	1268	86.4	84.0-88.8	267	13.6	11.2-16.0
55-64	1837	731,950	1536	90.2	88.4-92.0	301	9.8	08.0-11.6
65+	2686	848,588	2278	89.9	88.3-91.5	408	10.1	08.5-11.7
Less Than H.S.	842	700,382	584	70.8	66.5-75.1	258	29.2	24.9-33.5
H.S. or G.E.D.	3116	1,712,047	2569	84.9	82.9-86.9	547	15.1	13.1-17.1
Some Post-H.S.	2063	1,422,641	1668	85.5	83.3-87.7	395	14.5	12.3-16.7
College Graduate	2304	986,683	2020	90.0	88.4-91.6	284	10.0	08.4-11.6
Less than \$15,000	982	547,016	671	70.1	65.8-74.4	311	29.9	25.6-34.2
\$15,000- 24,999	1489	775,057	1115	76.1	72.8-79.4	374	23.9	20.6-27.2
\$25,000- 34,999	893	506,942	716	81.3	76.8-85.8	177	18.7	14.2-23.2
\$35,000- 49,999	1132	633,865	970	88.5	86.0-91.0	162	11.5	09.0-14.0
\$50,000- 74,999	1067	647,999	931	91.1	88.6-93.6	136	8.9	06.4-11.4
\$75,000+	1504	962,903	1374	91.7	89.7-93.7	130	8.3	06.3-10.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 11: WHITE/HISPANIC RACE GROUP (\_RACEG2).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3227	2,348,188	2697	82.4	80.4-84.4	530	17.6	15.6-19.6
18-24	177	332,052	136	77.2	69.9-84.5	41	22.8	15.5-30.1
25-34	314	414,948	243	75.5	69.8-81.2	71	24.5	18.8-30.2
35-44	432	418,478	350	79.9	75.0-84.8	82	20.1	15.2-25.0
45-54	661	454,206	563	84.9	81.2-88.6	98	15.1	11.4-18.8
55-64	716	360,972	616	89.8	87.1-92.5	100	10.2	07.5-12.9
65+	906	356,522	773	88.2	85.3-91.1	133	11.8	08.9-14.7
Less Than H.S.	353	383,169	257	71.7	65.2-78.2	96	28.3	21.8-34.8
H.S. or G.E.D.	1140	835,510	941	82.8	79.5-86.1	199	17.2	13.9-20.5
Some Post-H.S.	758	645,178	623	82.5	78.8-86.2	135	17.5	13.8-21.2
College Graduate	968	479,602	871	90.3	87.8-92.8	97	9.7	07.2-12.2
Less than \$15,000	319	240,284	226	70.5	63.4-77.6	93	29.5	22.4-36.6
\$15,000- 24,999	515	352,571	383	71.9	66.0-77.8	132	28.1	22.2-34.0
\$25,000- 34,999	360	254,862	295	81.0	74.1-87.9	65	19.0	12.1-25.9
\$35,000- 49,999	482	335,425	421	87.8	83.9-91.7	61	12.2	08.3-16.1
\$50,000- 74,999	454	333,520	403	90.0	85.9-94.1	51	10.0	05.9-14.1
\$75,000+	711	499,680	645	89.1	85.8-92.4	66	10.9	07.6-14.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 12: WHITE/HISPANIC RACE GROUP (\_RACE2).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5122	2,485,080	4162	85.6	84.2-87.0	960	14.4	13.0-15.8
18-24	198	316,667	149	80.8	74.7-86.9	49	19.2	13.1-25.3
25-34	503	411,277	371	77.1	72.6-81.6	132	22.9	18.4-27.4
35-44	591	409,078	467	84.0	80.5-87.5	124	16.0	12.5-19.5
45-54	874	461,642	705	87.9	85.4-90.4	169	12.1	09.6-14.6
55-64	1121	370,978	920	90.6	88.8-92.4	201	9.4	07.6-11.2
65+	1780	492,066	1505	91.1	89.5-92.7	275	8.9	07.3-10.5
Less Than H.S.	489	317,213	327	69.7	63.8-75.6	162	30.3	24.4-36.2
H.S. or G.E.D.	1976	876,537	1628	86.9	84.7-89.1	348	13.1	10.9-15.3
Some Post-H.S.	1305	777,463	1045	88.0	85.6-90.4	260	12.0	09.6-14.4
College Graduate	1336	507,081	1149	89.8	87.6-92.0	187	10.2	08.0-12.4
Less than \$15,000	663	306,732	445	69.8	64.5-75.1	218	30.2	24.9-35.5
\$15,000- 24,999	974	422,486	732	79.7	76.0-83.4	242	20.3	16.6-24.0
\$25,000- 34,999	533	252,080	421	81.5	76.0-87.0	112	18.5	13.0-24.0
\$35,000- 49,999	650	298,440	549	89.3	86.0-92.6	101	10.7	07.4-14.0
\$50,000- 74,999	613	314,479	528	92.3	89.6-95.0	85	7.7	05.0-10.4
\$75,000+	793	463,223	729	94.6	92.6-96.6	64	5.4	03.4-07.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR2.)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8349	4,833,268	6859	84.1	82.9-85.3	966	8.4	07.4-09.4	130	1.6	01.2-02.0	107	1.1	00.9-01.3	287	4.9	04.1-05.7
Male	3227	2,348,188	2697	82.4	80.4-84.4	308	8.3	06.9-09.7	70	2.3	01.5-03.1	39	1.2	00.6-01.8	113	5.7	04.3-07.1
Female	5122	2,485,080	4162	85.6	84.2-87.0	658	8.4	07.2-09.6	60	0.9	00.7-01.1	68	1.0	00.6-01.4	174	4.1	03.3-04.9
18-24	375	648,720	285	79.0	74.3-83.7	37	8.9	05.6-12.2	14	2.5	01.1-03.9	12	2.1	00.7-03.5	27	7.6	04.3-10.9
25-34	817	826,225	614	76.3	72.6-80.0	100	11.2	08.5-13.9	27	2.2	01.0-03.4	16	1.4	00.6-02.2	60	8.9	06.4-11.4
35-44	1023	827,556	817	81.9	79.0-84.8	104	8.4	06.2-10.6	20	1.9	00.9-02.9	17	1.3	00.5-02.1	65	6.5	04.3-08.7
45-54	1535	915,848	1268	86.4	84.0-88.8	173	8.8	06.6-11.0	19	0.9	00.3-01.5	23	0.9	00.5-01.3	52	3.0	02.0-04.0
55-64	1837	731,950	1536	90.2	88.4-92.0	232	6.3	04.9-07.7	17	0.8	00.4-01.2	19	0.9	00.3-01.5	33	1.8	01.0-02.6
65+	2686	848,588	2278	89.9	88.3-91.5	310	6.3	05.1-07.5	32	1.3	00.5-02.1	19	0.5	00.3-00.7	47	1.9	01.1-02.7
Less Than H.S.	842	700,382	584	70.8	66.5-75.1	140	10.9	08.0-13.8	18	2.5	00.9-04.1	11	0.7	00.1-01.3	89	15.1	11.4-18.8
H.S. or G.E.D.	3116	1,712,047	2569	84.9	82.9-86.9	381	8.8	07.2-10.4	30	1.0	00.4-01.6	42	1.6	01.0-02.2	94	3.7	02.5-04.9
Some Post-H.S.	2063	1,422,641	1668	85.5	83.3-87.7	280	9.0	07.2-10.8	30	1.2	00.6-01.8	30	1.0	00.4-01.6	55	3.3	02.1-04.5
College Graduate	2304	986,683	2020	90.0	88.4-91.6	162	4.7	03.5-05.9	50	2.2	01.4-03.0	23	0.8	00.4-01.2	49	2.2	01.4-03.0
Less than \$15,000	982	547,016	671	70.1	65.8-74.4	210	17.7	14.0-21.4	20	1.8	00.4-03.2	25	1.8	00.8-02.8	56	8.6	05.9-11.3
\$15,000- 24,999	1489	775,057	1115	76.1	72.8-79.4	247	11.5	09.0-14.0	27	1.7	00.7-02.7	20	1.3	00.5-02.1	80	9.4	06.9-11.9
\$25,000- 34,999	893	506,942	716	81.3	76.8-85.8	123	9.6	06.5-12.7	8	0.9	00.1-01.7	13	1.2	00.4-02.0	33	7.0	03.5-10.5
\$35,000- 49,999	1132	633,865	970	88.5	86.0-91.0	106	5.9	03.9-07.9	15	1.5	00.5-02.5	8	0.5	00.1-00.9	33	3.6	02.0-05.2
\$50,000- 74,999	1067	647,999	931	91.1	88.6-93.6	94	5.4	03.4-07.4	9	0.5	00.1-00.9	9	0.6	00.2-01.0	24	2.3	00.7-03.9
\$75,000+	1504	962,903	1374	91.7	89.7-93.7	74	4.4	02.8-06.0	28	2.2	01.2-03.2	12	0.7	00.1-01.3	16	1.0	00.4-01.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR2.)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3227	2,348,188	2697	82.4	80.4-84.4	308	8.3	06.9-09.7	70	2.3	01.5-03.1	39	1.2	00.6-01.8	113	5.7	04.3-07.1
18-24	177	332,052	136	77.2	69.9-84.5	15	8.6	03.7-13.5	7	2.9	00.5-05.3	6	2.4	00.2-04.6	13	8.9	03.4-14.4
25-34	314	414,948	243	75.5	69.8-81.2	25	9.9	05.6-14.2	17	3.5	01.3-05.7	4	1.2	00.0-02.6	25	9.8	05.9-13.7
35-44	432	418,478	350	79.9	75.0-84.8	34	7.4	04.3-10.5	14	3.2	01.2-05.2	8	1.7	00.5-02.9	26	7.8	04.3-11.3
45-54	661	454,206	563	84.9	81.2-88.6	58	9.8	06.3-13.3	8	1.0	00.0-02.0	9	1.0	00.2-01.8	23	3.3	01.7-04.9
55-64	716	360,972	616	89.8	87.1-92.5	72	6.5	04.3-08.7	9	1.1	00.3-01.9	8	1.0	00.0-02.0	11	1.6	00.2-03.0
65+	906	356,522	773	88.2	85.3-91.1	103	7.5	05.1-09.9	14	2.0	00.4-03.6	3	0.3	00.0-00.7	13	1.9	00.7-03.1
Less Than H.S.	353	383,169	257	71.7	65.2-78.2	48	9.1	05.2-13.0	10	3.8	00.9-06.7	1	0.4	00.0-01.2	37	15.1	09.6-20.6
H.S. or G.E.D.	1140	835,510	941	82.8	79.5-86.1	121	9.0	06.5-11.5	20	1.8	00.8-02.8	20	2.1	00.9-03.3	38	4.3	02.3-06.3
Some Post-H.S.	758	645,178	623	82.5	78.8-86.2	93	10.4	07.3-13.5	13	1.5	00.5-02.5	10	1.1	00.1-02.1	19	4.4	02.2-06.6
College Graduate	968	479,602	871	90.3	87.8-92.8	45	3.6	01.8-05.4	26	2.9	01.7-04.1	7	0.6	00.0-01.2	19	2.6	01.2-04.0
Less than \$15,000	319	240,284	226	70.5	63.4-77.6	61	16.5	10.6-22.4	8	2.6	00.0-05.5	2	1.1	00.0-02.7	22	9.3	04.8-13.8
\$15,000- 24,999	515	352,571	383	71.9	66.0-77.8	72	11.8	07.5-16.1	13	2.6	00.6-04.6	11	1.5	00.3-02.7	36	12.3	07.8-16.8
\$25,000- 34,999	360	254,862	295	81.0	74.1-87.9	39	6.6	02.9-10.3	7	1.7	00.3-03.1	3	1.2	00.0-02.6	16	9.5	03.2-15.8
\$35,000- 49,999	482	335,425	421	87.8	83.9-91.7	38	5.1	02.6-07.6	9	2.3	00.5-04.1	3	0.6	00.0-01.4	11	4.2	01.5-06.9
\$50,000- 74,999	454	333,520	403	90.0	85.9-94.1	36	6.4	02.9-09.9	6	0.8	00.2-01.4	2	0.3	00.0-00.7	7	2.5	00.1-04.9
\$75,000+	711	499,680	645	89.1	85.8-92.4	32	5.4	02.9-07.9	18	3.1	01.3-04.9	7	1.1	00.1-02.1	9	1.3	00.1-02.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR2.)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5122	2,485,080	4162	85.6	84.2-87.0	658	8.4	07.2-09.6	60	0.9	00.7-01.1	68	1.0	00.6-01.4	174	4.1	03.3-04.9
18-24	198	316,667	149	80.8	74.7-86.9	22	9.1	04.4-13.8	7	2.1	00.5-03.7	6	1.7	00.1-03.3	14	6.2	02.7-09.7
25-34	503	411,277	371	77.1	72.6-81.6	75	12.5	09.0-16.0	10	0.8	00.2-01.4	12	1.5	00.5-02.5	35	8.0	04.7-11.3
35-44	591	409,078	467	84.0	80.5-87.5	70	9.5	06.6-12.4	6	0.6	00.0-01.2	9	0.8	00.2-01.4	39	5.1	02.9-07.3
45-54	874	461,642	705	87.9	85.4-90.4	115	7.9	05.5-10.3	11	0.7	00.1-01.3	14	0.9	00.3-01.5	29	2.7	01.5-03.9
55-64	1121	370,978	920	90.6	88.8-92.4	160	6.2	04.8-07.6	8	0.4	00.0-00.8	11	0.8	00.2-01.4	22	1.9	00.9-02.9
65+	1780	492,066	1505	91.1	89.5-92.7	207	5.4	04.4-06.4	18	0.8	00.2-01.4	16	0.7	00.3-01.1	34	1.9	00.9-02.9
Less Than H.S.	489	317,213	327	69.7	63.8-75.6	92	13.1	08.8-17.4	8	0.9	00.1-01.7	10	1.2	00.2-02.2	52	15.0	10.3-19.7
H.S. or G.E.D.	1976	876,537	1628	86.9	84.7-89.1	260	8.7	06.7-10.7	10	0.3	00.1-00.5	22	1.1	00.5-01.7	56	3.1	01.9-04.3
Some Post-H.S.	1305	777,463	1045	88.0	85.6-90.4	187	7.8	05.8-09.8	17	0.9	00.3-01.5	20	0.9	00.3-01.5	36	2.4	01.2-03.6
College Graduate	1336	507,081	1149	89.8	87.6-92.0	117	5.8	04.0-07.6	24	1.5	00.7-02.3	16	1.0	00.4-01.6	30	1.8	01.0-02.6
Less than \$15,000	663	306,732	445	69.8	64.5-75.1	149	18.6	13.9-23.3	12	1.2	00.2-02.2	23	2.3	01.1-03.5	34	8.0	04.5-11.5
\$15,000- 24,999	974	422,486	732	79.7	76.0-83.4	175	11.2	08.5-13.9	14	1.0	00.2-01.8	9	1.2	00.2-02.2	44	6.9	04.2-09.6
\$25,000- 34,999	533	252,080	421	81.5	76.0-87.0	84	12.6	07.5-17.7	1	0.1	00.0-00.3	10	1.3	00.3-02.3	17	4.5	02.0-07.0
\$35,000- 49,999	650	298,440	549	89.3	86.0-92.6	68	6.8	03.9-09.7	6	0.6	00.0-01.2	5	0.3	00.0-00.7	22	3.0	01.4-04.6
\$50,000- 74,999	613	314,479	528	92.3	89.6-95.0	58	4.4	02.6-06.2	3	0.3	00.0-00.7	7	0.9	00.1-01.7	17	2.2	00.2-04.2
\$75,000+	793	463,223	729	94.6	92.6-96.6	42	3.2	01.6-04.8	10	1.2	00.2-02.2	5	0.3	00.0-00.7	7	0.6	00.0-01.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 16: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (\_CNRACE).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories			Four Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8328	4,804,690	8215	98.8	98.4-99.2	101	1.1	00.9-01.3	10	0.1	00.1-00.1	2	0.0	00.0-00.0
Male	3221	2,330,892	3180	98.7	98.1-99.3	37	1.2	00.6-01.8	4	0.1	00.0-00.3			
Female	5107	2,473,798	5035	98.9	98.5-99.3	64	1.0	00.6-01.4	6	0.1	00.1-00.1	2	0.0	00.0-00.0
18-24	372	646,920	360	97.9	96.5-99.3	11	2.0	00.6-03.4				1	0.1	00.0-00.3
25-34	802	808,202	786	98.6	97.8-99.4	15	1.3	00.5-02.1	1	0.1	00.0-00.3			
35-44	1011	819,405	993	98.6	97.8-99.4	14	1.1	00.3-01.9	4	0.3	00.0-00.7			
45-54	1525	911,259	1503	99.1	98.7-99.5	21	0.9	00.5-01.3	1	0.0	00.0-00.0			
55-64	1837	732,318	1817	99.1	98.5-99.7	20	0.9	00.3-01.5						
65+	2707	854,431	2683	99.3	98.9-99.7	20	0.5	00.3-00.7	3	0.2	00.0-00.4	1	0.0	00.0-00.0
Less Than H.S.	831	685,878	818	99.1	98.5-99.7	13	0.9	00.3-01.5						
H.S. or G.E.D.	3111	1,702,708	3066	98.4	97.8-99.0	40	1.5	00.9-02.1	5	0.2	00.0-00.4			
Some Post-H.S.	2057	1,417,995	2027	99.0	98.4-99.6	28	1.0	00.6-01.4	2	0.1	00.1-00.1			
College Graduate	2304	986,472	2280	99.2	98.8-99.6	20	0.7	00.3-01.1	2	0.1	00.0-00.3	2	0.1	00.0-00.3
Less than \$15,000	978	538,546	950	98.0	97.0-99.0	25	1.9	00.9-02.9	2	0.0	00.0-00.0	1	0.1	00.0-00.3
\$15,000- 24,999	1483	768,252	1461	98.6	97.8-99.4	19	1.1	00.3-01.9	3	0.3	00.0-00.7			
\$25,000- 34,999	888	502,970	875	98.8	98.0-99.6	11	1.1	00.3-01.9	1	0.1	00.0-00.3	1	0.0	00.0-00.0
\$35,000- 49,999	1131	631,072	1122	99.5	99.1-99.9	8	0.5	00.1-00.9	1	0.0	00.0-00.0			
\$50,000- 74,999	1061	647,192	1052	99.4	99.0-99.8	9	0.6	00.2-01.0						
\$75,000+	1502	961,351	1491	99.3	98.7-99.9	10	0.7	00.1-01.3	1	0.0	00.0-00.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 17: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (\_CNRACE).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3221	2,330,892	3180	98.7	98.1-99.3	37	1.2	00.6-01.8	4	0.1	00.0-00.3
18-24	176	330,871	170	97.6	95.4-99.8	6	2.4	00.2-04.6			
25-34	307	404,288	303	98.8	97.4-0100	4	1.2	00.0-02.6			
35-44	429	415,587	421	98.3	96.9-99.7	6	1.4	00.2-02.6	2	0.4	00.0-01.0
45-54	658	451,778	649	99.0	98.2-99.8	9	1.0	00.2-01.8			
55-64	717	361,725	708	98.9	97.9-99.9	9	1.1	00.1-02.1			
65+	914	357,721	910	99.5	98.9-0100	3	0.3	00.0-00.7	1	0.3	00.0-00.9
Less Than H.S.	348	376,936	347	99.6	98.8-0100	1	0.4	00.0-01.2			
H.S. or G.E.D.	1137	826,172	1116	97.8	96.6-99.0	19	2.0	00.8-03.2	2	0.2	00.0-00.6
Some Post-H.S.	759	643,005	749	98.9	97.9-99.9	10	1.1	00.1-02.1			
College Graduate	969	480,049	961	99.4	98.8-0100	7	0.5	00.1-00.9	1	0.1	00.0-00.3
Less than \$15,000	316	233,893	314	98.8	97.2-0100	2	1.2	00.0-02.8			
\$15,000- 24,999	515	350,003	503	98.5	97.3-99.7	10	1.1	00.1-02.1	2	0.4	00.0-01.0
\$25,000- 34,999	359	253,105	356	98.8	97.4-0100	3	1.2	00.0-02.6			
\$35,000- 49,999	480	331,774	477	99.4	98.6-0100	3	0.6	00.0-01.4			
\$50,000- 74,999	453	333,588	451	99.7	99.3-0100	2	0.3	00.0-00.7			
\$75,000+	710	498,579	703	98.9	97.9-99.9	7	1.1	00.1-02.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 18: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (\_CNRACE).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories			Four Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5107	2,473,798	5035	98.9	98.5-99.3	64	1.0	00.6-01.4	6	0.1	00.1-00.1	2	0.0	00.0-00.0
18-24	196	316,049	190	98.3	96.7-99.9	5	1.5	00.1-02.9				1	0.2	00.0-00.6
25-34	495	403,914	483	98.4	97.4-99.4	11	1.4	00.4-02.4	1	0.1	00.0-00.3			
35-44	582	403,818	572	98.9	98.1-99.7	8	0.9	00.1-01.7	2	0.2	00.0-00.6			
45-54	867	459,481	854	99.2	98.6-99.8	12	0.8	00.2-01.4	1	0.0	00.0-00.0			
55-64	1120	370,593	1109	99.2	98.6-99.8	11	0.8	00.2-01.4						
65+	1793	496,710	1773	99.2	98.8-99.6	17	0.7	00.3-01.1	2	0.1	00.0-00.3	1	0.0	00.0-00.0
Less Than H.S.	483	308,942	471	98.4	97.2-99.6	12	1.6	00.4-02.8						
H.S. or G.E.D.	1974	876,537	1950	98.9	98.3-99.5	21	1.0	00.4-01.6	3	0.1	00.0-00.3			
Some Post-H.S.	1298	774,990	1278	99.1	98.5-99.7	18	0.8	00.4-01.2	2	0.1	00.0-00.3			
College Graduate	1335	506,422	1319	99.0	98.4-99.6	13	0.8	00.2-01.4	1	0.1	00.0-00.3	2	0.1	00.0-00.3
Less than \$15,000	662	304,653	636	97.3	95.9-98.7	23	2.4	01.0-03.8	2	0.1	00.1-00.1	1	0.2	00.0-00.6
\$15,000- 24,999	968	418,249	958	98.7	97.7-99.7	9	1.1	00.1-02.1	1	0.2	00.0-00.6			
\$25,000- 34,999	529	249,865	519	98.7	97.7-99.7	8	1.0	00.0-02.0	1	0.2	00.0-00.6	1	0.0	00.0-00.0
\$35,000- 49,999	651	299,298	645	99.6	99.2-0100	5	0.3	00.0-00.7	1	0.1	00.0-00.3			
\$50,000- 74,999	608	313,604	601	99.1	98.3-99.9	7	0.9	00.1-01.7						
\$75,000+	792	462,773	788	99.7	99.3-0100	3	0.2	00.0-00.6	1	0.1	00.0-00.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011**

**SECTION 8: DEMOGRAPHICS**

**TABLE 19: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (\_CNRACEC).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8328	4,804,690	8215	98.8	98.4-99.2	113	1.2	00.8-01.6
Male	3221	2,330,892	3180	98.7	98.1-99.3	41	1.3	00.7-01.9
Female	5107	2,473,798	5035	98.9	98.5-99.3	72	1.1	00.7-01.5
18-24	372	646,920	360	97.9	96.5-99.3	12	2.1	00.7-03.5
25-34	802	808,202	786	98.6	97.8-99.4	16	1.4	00.6-02.2
35-44	1011	819,405	993	98.6	97.8-99.4	18	1.4	00.6-02.2
45-54	1525	911,259	1503	99.1	98.7-99.5	22	0.9	00.5-01.3
55-64	1837	732,318	1817	99.1	98.5-99.7	20	0.9	00.3-01.5
65+	2707	854,431	2683	99.3	98.9-99.7	24	0.7	00.3-01.1
Less Than H.S.	831	685,878	818	99.1	98.5-99.7	13	0.9	00.3-01.5
H.S. or G.E.D.	3111	1,702,708	3066	98.4	97.8-99.0	45	1.6	01.0-02.2
Some Post-H.S.	2057	1,417,995	2027	99.0	98.4-99.6	30	1.0	00.4-01.6
College Graduate	2304	986,472	2280	99.2	98.8-99.6	24	0.8	00.4-01.2
Less than \$15,000	978	538,546	950	98.0	97.0-99.0	28	2.0	01.0-03.0
\$15,000- 24,999	1483	768,252	1461	98.6	97.8-99.4	22	1.4	00.6-02.2
\$25,000- 34,999	888	502,970	875	98.8	98.0-99.6	13	1.2	00.4-02.0
\$35,000- 49,999	1131	631,072	1122	99.5	99.1-99.9	9	0.5	00.1-00.9
\$50,000- 74,999	1061	647,192	1052	99.4	99.0-99.8	9	0.6	00.2-01.0
\$75,000+	1502	961,351	1491	99.3	98.7-99.9	11	0.7	00.1-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 20: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (\_CNRACEC).**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3221	2,330,892	3180	98.7	98.1-99.3	41	1.3	00.7-01.9
18-24	176	330,871	170	97.6	95.4-99.8	6	2.4	00.2-04.6
25-34	307	404,288	303	98.8	97.4-0100	4	1.2	00.0-02.6
35-44	429	415,587	421	98.3	96.9-99.7	8	1.7	00.3-03.1
45-54	658	451,778	649	99.0	98.2-99.8	9	1.0	00.2-01.8
55-64	717	361,725	708	98.9	97.9-99.9	9	1.1	00.1-02.1
65+	914	357,721	910	99.5	98.9-0100	4	0.5	00.0-01.1
Less Than H.S.	348	376,936	347	99.6	98.8-0100	1	0.4	00.0-01.2
H.S. or G.E.D.	1137	826,172	1116	97.8	96.6-99.0	21	2.2	01.0-03.4
Some Post-H.S.	759	643,005	749	98.9	97.9-99.9	10	1.1	00.1-02.1
College Graduate	969	480,049	961	99.4	98.8-0100	8	0.6	00.0-01.2
Less than \$15,000	316	233,893	314	98.8	97.2-0100	2	1.2	00.0-02.8
\$15,000- 24,999	515	350,003	503	98.5	97.3-99.7	12	1.5	00.3-02.7
\$25,000- 34,999	359	253,105	356	98.8	97.4-0100	3	1.2	00.0-02.6
\$35,000- 49,999	480	331,774	477	99.4	98.6-0100	3	0.6	00.0-01.4
\$50,000- 74,999	453	333,588	451	99.7	99.3-0100	2	0.3	00.0-00.7
\$75,000+	710	498,579	703	98.9	97.9-99.9	7	1.1	00.1-02.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 21: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (\_CNRACEC).**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5107	2,473,798	5035	98.9	98.5-99.3	72	1.1	00.7-01.5
18-24	196	316,049	190	98.3	96.7-99.9	6	1.7	00.1-03.3
25-34	495	403,914	483	98.4	97.4-99.4	12	1.6	00.6-02.6
35-44	582	403,818	572	98.9	98.1-99.7	10	1.1	00.3-01.9
45-54	867	459,481	854	99.2	98.6-99.8	13	0.8	00.2-01.4
55-64	1120	370,593	1109	99.2	98.6-99.8	11	0.8	00.2-01.4
65+	1793	496,710	1773	99.2	98.8-99.6	20	0.8	00.4-01.2
Less Than H.S.	483	308,942	471	98.4	97.2-99.6	12	1.6	00.4-02.8
H.S. or G.E.D.	1974	876,537	1950	98.9	98.3-99.5	24	1.1	00.5-01.7
Some Post-H.S.	1298	774,990	1278	99.1	98.5-99.7	20	0.9	00.3-01.5
College Graduate	1335	506,422	1319	99.0	98.4-99.6	16	1.0	00.4-01.6
Less than \$15,000	662	304,653	636	97.3	95.9-98.7	26	2.7	01.3-04.1
\$15,000- 24,999	968	418,249	958	98.7	97.7-99.7	10	1.3	00.3-02.3
\$25,000- 34,999	529	249,865	519	98.7	97.7-99.7	10	1.3	00.3-02.3
\$35,000- 49,999	651	299,298	645	99.6	99.2-0100	6	0.4	00.0-00.8
\$50,000- 74,999	608	313,604	601	99.1	98.3-99.9	7	0.9	00.1-01.7
\$75,000+	792	462,773	788	99.7	99.3-0100	4	0.3	00.0-00.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 22: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
TOTAL	8408	4,862,728	776	22.2	20.6-23.8	925	16.4	15.2-17.6	1224	17.5	16.3-18.7	1825	18.9	17.9-19.9	1690	12.4	11.6-13.2	1968	12.6	12.0-13.2
Male	3271	2,373,438	351	23.6	21.2-26.0	344	16.3	14.5-18.1	529	18.0	16.2-19.8	755	19.4	17.8-21.0	641	12.4	11.2-13.6	651	10.3	09.3-11.3
Female	5137	2,489,290	425	20.9	18.9-22.9	581	16.5	15.1-17.9	695	17.0	15.6-18.4	1070	18.5	17.1-19.9	1049	12.5	11.5-13.5	1317	14.7	13.7-15.7
White/Non-Hisp	6798	4,035,724	581	20.7	19.1-22.3	693	15.0	13.8-16.2	984	17.7	16.5-18.9	1498	19.9	18.7-21.1	1388	13.2	12.4-14.0	1654	13.5	12.7-14.3
Black or Afr. Am./Non-Hisp	956	400,669	78	22.6	16.9-28.3	115	24.1	19.0-29.2	126	16.6	12.5-20.7	215	18.2	14.1-22.3	214	10.3	07.8-12.8	208	8.2	06.2-10.2
Oth. Race/Non-Hisp.	129	74,632	27	37.8	25.5-50.1	22	15.8	07.8-23.8	21	19.4	09.0-29.8	22	9.2	04.7-13.7	22	12.1	04.8-19.4	15	5.7	01.8-09.6
MultiRacial/Non-Hisp.	106	54,455	19	37.1	23.2-51.0	16	15.9	07.3-24.5	21	20.7	11.1-30.3	20	13.0	05.6-20.4	21	9.0	04.1-13.9	9	4.3	00.6-08.0
Hispanic	284	233,407	59	40.1	31.5-48.7	69	28.1	20.5-35.7	52	13.7	09.0-18.4	42	8.3	04.8-11.8	23	3.8	01.8-05.8	39	5.9	03.4-08.4
Less Than H.S.	860	710,688	121	32.1	27.2-37.0	99	18.9	15.0-22.8	113	14.6	11.7-17.5	135	11.8	09.3-14.3	140	9.2	07.2-11.2	252	13.4	11.2-15.6
H.S. or G.E.D.	3133	1,719,997	228	19.6	17.1-22.1	226	11.8	10.0-13.6	404	16.6	14.8-18.4	679	20.8	19.0-22.6	660	14.1	12.7-15.5	936	17.1	15.7-18.5
Some Post-H.S.	2073	1,427,826	227	24.1	21.2-27.0	249	16.9	14.7-19.1	317	18.2	16.0-20.4	492	19.8	17.8-21.8	430	12.4	11.0-13.8	358	8.6	07.4-09.8
College Graduate	2317	992,004	200	17.1	14.7-19.5	348	21.8	19.6-24.0	387	20.2	18.0-22.4	513	19.3	17.3-21.3	459	11.9	10.5-13.3	410	9.6	08.4-10.8
Less than \$15,000	1008	558,696	131	30.2	25.5-34.9	111	18.4	14.7-22.1	140	15.2	12.3-18.1	213	15.5	12.8-18.2	182	10.2	08.2-12.2	231	10.6	08.8-12.4
\$15,000- 24,999	1498	777,798	148	25.0	21.3-28.7	121	14.1	11.2-17.0	160	13.6	11.1-16.1	260	15.4	13.0-17.8	289	11.8	10.0-13.6	520	20.1	17.9-22.3
\$25,000- 34,999	904	513,151	75	22.1	17.2-27.0	82	14.8	11.1-18.5	116	16.6	13.3-19.9	175	16.6	13.7-19.5	211	14.4	11.9-16.9	245	15.5	13.0-18.0
\$35,000- 49,999	1141	637,059	99	17.4	13.9-20.9	125	17.1	14.0-20.2	148	15.6	12.7-18.5	264	20.4	17.5-23.3	272	17.2	14.7-19.7	233	12.4	10.4-14.4
\$50,000- 74,999	1065	650,680	89	18.1	14.2-22.0	164	21.7	18.2-25.2	179	19.6	16.5-22.7	261	20.8	17.9-23.7	238	13.7	11.5-15.9	134	6.1	04.7-07.5
\$75,000+	1514	968,838	77	10.1	07.6-12.6	242	19.9	17.4-22.4	375	27.8	24.9-30.7	468	28.2	25.5-30.9	256	10.6	09.0-12.2	96	3.3	02.5-04.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 23: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Male	3271	2,373,438	351	23.6	21.2-26.0	344	16.3	14.5-18.1	529	18.0	16.2-19.8	755	19.4	17.8-21.0	641	12.4	11.2-13.6	651	10.3	09.3-11.3
White/Non-Hisp	2681	1,928,643	264	22.0	19.5-24.5	266	14.8	13.0-16.6	430	18.1	16.3-19.9	642	20.6	18.8-22.4	534	13.3	11.9-14.7	545	11.2	10.0-12.4
Black or Afr. Am./Non-Hisp	307	195,358	25	20.9	12.5-29.3	33	22.6	14.4-30.8	45	17.6	10.9-24.3	65	19.4	12.5-26.3	70	11.5	07.2-15.8	69	7.9	04.6-11.2
Oth. Race/Non-Hisp.	69	53,328	17	37.7	21.8-53.6	12	15.9	05.7-26.1	13	22.9	09.2-36.6	10	6.7	01.8-11.6	12	14.3	04.3-24.3	5	2.4	00.2-04.6
Hispanic	111	130,839	28	39.8	27.1-52.5	25	30.7	18.9-42.5	25	15.1	07.8-22.4	14	7.5	02.4-12.6	7	2.1	00.1-04.1	12	5.0	01.7-08.3
Less Than H.S.	359	387,464	59	31.9	25.0-38.8	50	21.8	15.9-27.7	55	14.8	10.5-19.1	62	12.3	08.6-16.0	49	8.7	05.8-11.6	84	10.5	07.8-13.2
H.S. or G.E.D.	1156	842,157	115	22.8	18.9-26.7	101	13.9	11.0-16.8	172	16.9	14.2-19.6	296	21.6	18.9-24.3	224	12.9	10.9-14.9	248	11.8	10.0-13.6
Some Post-H.S.	768	652,611	82	23.4	18.7-28.1	82	15.6	12.3-18.9	129	19.3	15.6-23.0	183	20.4	17.1-23.7	177	13.9	11.5-16.3	115	7.5	05.7-09.3
College Graduate	979	485,356	95	18.7	15.2-22.2	110	17.2	14.1-20.3	172	20.8	17.7-23.9	210	19.5	16.6-22.4	191	12.5	10.3-14.7	201	11.3	09.5-13.1
Less than \$15,000	328	245,966	47	29.3	21.9-36.7	33	18.8	12.5-25.1	56	17.0	11.9-22.1	88	17.6	12.9-22.3	53	10.8	07.3-14.3	51	6.5	04.1-08.9
\$15,000- 24,999	521	356,023	58	26.4	20.5-32.3	47	15.5	10.8-20.2	62	14.2	10.3-18.1	105	16.1	12.4-19.8	98	10.8	08.3-13.3	151	17.0	13.5-20.5
\$25,000- 34,999	366	259,080	32	20.3	13.2-27.4	35	17.6	11.1-24.1	54	18.5	13.2-23.8	66	15.6	11.3-19.9	76	13.7	09.8-17.6	103	14.3	10.8-17.8
\$35,000- 49,999	488	337,980	52	20.6	15.3-25.9	52	17.0	12.3-21.7	55	13.3	09.4-17.2	105	19.6	15.3-23.9	110	16.6	12.9-20.3	114	12.9	10.2-15.6
\$50,000- 74,999	456	336,437	44	18.5	13.2-23.8	58	21.1	15.8-26.4	86	20.5	16.0-25.0	104	19.5	15.4-23.6	97	13.5	10.4-16.6	67	6.7	04.7-08.7
\$75,000+	720	504,997	38	10.8	06.9-14.7	94	16.6	13.1-20.1	172	26.8	22.7-30.9	220	28.9	24.8-33.0	140	13.0	10.5-15.5	56	3.9	02.7-05.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 24: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Female	5137	2,489,290	425	20.9	18.9-22.9	581	16.5	15.1-17.9	695	17.0	15.6-18.4	1070	18.5	17.1-19.9	1049	12.5	11.5-13.5	1317	14.7	13.7-15.7
White/Non-Hisp	4117	2,107,080	317	19.4	17.2-21.6	427	15.2	13.6-16.8	554	17.4	15.8-19.0	856	19.2	17.8-20.6	854	13.2	12.2-14.2	1109	15.6	14.4-16.8
Black or Afr. Am./Non-Hisp	649	205,311	53	24.3	16.9-31.7	82	25.5	19.2-31.8	81	15.6	10.5-20.7	150	17.0	12.7-21.3	144	9.1	06.7-11.5	139	8.6	06.2-11.0
Oth. Race/Non-Hisp.	60	21,304	10	37.9	20.1-55.7	10	15.5	04.1-26.9	8	10.5	01.3-19.7	12	15.4	05.6-25.2	10	6.8	01.5-12.1	10	13.8	02.4-25.2
MultiRacial/Non-Hisp.	68	25,446	10	29.9	14.0-45.8	12	21.4	09.2-33.6	13	19.4	08.4-30.4	13	13.3	04.9-21.7	12	9.2	03.1-15.3	8	6.8	00.7-12.9
Hispanic	173	102,568	31	40.7	29.5-51.9	44	24.8	16.2-33.4	27	12.0	06.3-17.7	28	9.4	04.5-14.3	16	5.9	02.4-09.4	27	7.2	03.1-11.3
Less Than H.S.	501	323,223	62	32.3	25.4-39.2	49	15.5	10.8-20.2	58	14.2	09.9-18.5	73	11.2	07.9-14.5	91	9.9	07.2-12.6	168	16.9	13.6-20.2
H.S. or G.E.D.	1977	877,840	113	16.5	13.4-19.6	125	9.8	07.8-11.8	232	16.3	13.9-18.7	383	20.1	17.7-22.5	436	15.2	13.4-17.0	688	22.1	20.1-24.1
Some Post-H.S.	1305	775,215	145	24.7	21.0-28.4	167	18.0	15.1-20.9	188	17.2	14.5-19.9	309	19.3	16.8-21.8	253	11.2	09.4-13.0	243	9.5	07.9-11.1
College Graduate	1338	506,648	105	15.6	12.7-18.5	238	26.3	23.2-29.4	215	19.7	17.0-22.4	303	19.1	16.6-21.6	268	11.3	09.7-12.9	209	8.0	06.6-09.4
Less than \$15,000	680	312,729	84	31.0	25.1-36.9	78	18.0	13.5-22.5	84	13.7	10.2-17.2	125	13.9	10.8-17.0	129	9.7	07.5-11.9	180	13.7	11.2-16.2
\$15,000- 24,999	977	421,775	90	23.9	19.2-28.6	74	12.9	09.6-16.2	98	13.1	10.0-16.2	155	14.7	12.0-17.4	191	12.7	10.5-14.9	369	22.7	19.8-25.6
\$25,000- 34,999	538	254,070	43	24.0	17.1-30.9	47	12.0	08.1-15.9	62	14.6	10.5-18.7	109	17.7	13.6-21.8	135	15.1	12.0-18.2	142	16.7	13.4-20.0
\$35,000- 49,999	653	299,078	47	13.8	09.5-18.1	73	17.2	12.9-21.5	93	18.2	13.9-22.5	159	21.3	17.4-25.2	162	17.7	14.4-21.0	119	11.8	09.3-14.3
\$50,000- 74,999	609	314,243	45	17.6	12.1-23.1	106	22.2	17.7-26.7	93	18.7	14.4-23.0	157	22.2	18.3-26.1	141	13.8	11.1-16.5	67	5.5	03.9-07.1
\$75,000+	794	463,841	39	9.3	06.2-12.4	148	23.5	19.8-27.2	203	29.0	25.1-32.9	248	27.5	24.0-31.0	116	8.1	06.3-09.9	40	2.7	01.7-03.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 25: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8408	4,862,728	5667	82.2	81.4-83.0	2741	17.8	17.0-18.6
Male	3271	2,373,438	2340	84.7	83.5-85.9	931	15.3	14.1-16.5
Female	5137	2,489,290	3327	79.8	78.6-81.0	1810	20.2	19.0-21.4
White/Non-Hisp	6798	4,035,724	4520	81.1	80.1-82.1	2278	18.9	17.9-19.9
Black or Afr. Am./Non-Hisp	956	400,669	646	86.7	84.0-89.4	310	13.3	10.6-16.0
Oth. Race/Non-Hisp.	129	74,632	97	84.7	77.1-92.3	32	15.3	07.7-22.9
MultiRacial/Non-Hisp.	106	54,455	87	92.3	87.8-96.8	19	7.7	03.2-12.2
Hispanic	284	233,407	237	92.9	90.2-95.6	47	7.1	04.4-09.8
Less Than H.S.	860	710,688	537	82.3	79.8-84.8	323	17.7	15.2-20.2
H.S. or G.E.D.	3133	1,719,997	1904	77.1	75.5-78.7	1229	22.9	21.3-24.5
Some Post-H.S.	2073	1,427,826	1517	86.2	84.8-87.6	556	13.8	12.4-15.2
College Graduate	2317	992,004	1696	85.4	84.0-86.8	621	14.6	13.2-16.0
Less than \$15,000	1008	558,696	690	85.3	83.1-87.5	318	14.7	12.5-16.9
\$15,000- 24,999	1498	777,798	835	74.3	71.8-76.8	663	25.7	23.2-28.2
\$25,000- 34,999	904	513,151	561	78.6	75.7-81.5	343	21.4	18.5-24.3
\$35,000- 49,999	1141	637,059	780	80.5	78.1-82.9	361	19.5	17.1-21.9
\$50,000- 74,999	1065	650,680	839	88.4	86.4-90.4	226	11.6	09.6-13.6
\$75,000+	1514	968,838	1325	93.0	91.8-94.2	189	7.0	05.8-08.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 26: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3271	2,373,438	2340	84.7	83.5-85.9	931	15.3	14.1-16.5
White/Non-Hisp	2681	1,928,643	1908	83.7	82.3-85.1	773	16.3	14.9-17.7
Black or Afr. Am./Non-Hisp	307	195,358	204	86.2	81.7-90.7	103	13.8	09.3-18.3
Oth. Race/Non-Hisp.	69	53,328	55	86.4	76.8-96.0	14	13.6	04.0-23.2
Hispanic	111	130,839	98	94.7	91.2-98.2	13	5.3	01.8-08.8
Less Than H.S.	359	387,464	252	85.3	81.8-88.8	107	14.7	11.2-18.2
H.S. or G.E.D.	1156	842,157	808	82.9	80.7-85.1	348	17.1	14.9-19.3
Some Post-H.S.	768	652,611	579	87.5	85.3-89.7	189	12.5	10.3-14.7
College Graduate	979	485,356	695	83.6	81.4-85.8	284	16.4	14.2-18.6
Less than \$15,000	328	245,966	259	90.4	87.5-93.3	69	9.6	06.7-12.5
\$15,000- 24,999	521	356,023	319	77.9	74.0-81.8	202	22.1	18.2-26.0
\$25,000- 34,999	366	259,080	233	80.5	76.4-84.6	133	19.5	15.4-23.6
\$35,000- 49,999	488	337,980	323	80.4	76.9-83.9	165	19.6	16.1-23.1
\$50,000- 74,999	456	336,437	351	88.1	85.4-90.8	105	11.9	09.2-14.6
\$75,000+	720	504,997	608	90.9	88.7-93.1	112	9.1	06.9-11.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 27: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5137	2,489,290	3327	79.8	78.6-81.0	1810	20.2	19.0-21.4
White/Non-Hisp	4117	2,107,080	2612	78.7	77.3-80.1	1505	21.3	19.9-22.7
Black or Afr. Am./Non-Hisp	649	205,311	442	87.1	84.2-90.0	207	12.9	10.0-15.8
Oth. Race/Non-Hisp.	60	21,304	42	80.4	68.2-92.6	18	19.6	07.4-31.8
MultiRacial/Non-Hisp.	68	25,446	52	87.2	79.6-94.8	16	12.8	05.2-20.4
Hispanic	173	102,568	139	90.7	86.0-95.4	34	9.3	04.6-14.0
Less Than H.S.	501	323,223	285	78.7	74.8-82.6	216	21.3	17.4-25.2
H.S. or G.E.D.	1977	877,840	1096	71.6	69.2-74.0	881	28.4	26.0-30.8
Some Post-H.S.	1305	775,215	938	85.1	83.1-87.1	367	14.9	12.9-16.9
College Graduate	1338	506,648	1001	87.2	85.6-88.8	337	12.8	11.2-14.4
Less than \$15,000	680	312,729	431	81.2	78.1-84.3	249	18.8	15.7-21.9
\$15,000- 24,999	977	421,775	516	71.3	68.0-74.6	461	28.7	25.4-32.0
\$25,000- 34,999	538	254,070	328	76.6	72.7-80.5	210	23.4	19.5-27.3
\$35,000- 49,999	653	299,078	457	80.8	77.5-84.1	196	19.2	15.9-22.5
\$50,000- 74,999	609	314,243	488	88.8	86.3-91.3	121	11.2	08.7-13.7
\$75,000+	794	463,841	717	95.2	93.8-96.6	77	4.8	03.4-06.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 28: REPORTED HEIGHT IN INCHES (HTIN4).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8377	4,809,642	2	0.0	00.0-00.0	462	3.8	03.2-04.4	3990	41.6	40.2-43.0	3284	44.4	42.8-46.0	639	10.2	09.2-11.2
Male	3249	2,334,371	1	0.0	00.0-00.0	5	0.2	00.0-00.4	299	9.7	08.3-11.1	2317	69.3	67.1-71.5	627	20.7	18.7-22.7
Female	5128	2,475,271	1	0.0	00.0-00.0	457	7.2	06.2-08.2	3691	71.6	69.8-73.4	967	20.9	19.3-22.5	12	0.3	00.1-00.5
White/Non-Hisp	6810	4,039,392	2	0.0	00.0-00.0	351	3.4	03.0-03.8	3207	41.8	40.2-43.4	2721	44.7	43.1-46.3	529	10.1	08.9-11.3
Black or Afr. Am./Non-Hisp	962	402,574				60	6.0	02.9-09.1	486	39.3	34.0-44.6	347	41.9	36.2-47.6	69	12.7	08.4-17.0
Oth. Race/Non-Hisp.	127	70,904				8	4.0	00.5-07.5	57	36.6	25.4-47.8	51	50.6	38.3-62.9	11	8.8	01.9-15.7
MultiRacial/Non-Hisp.	107	54,527				10	5.1	00.8-09.4	51	38.9	26.7-51.1	37	47.5	34.4-60.6	9	8.5	01.8-15.2
Hispanic	238	179,334				22	7.8	03.3-12.3	133	45.7	36.5-54.9	75	38.7	29.1-48.3	8	7.8	00.9-14.7
18-24	374	645,567				11	2.6	00.6-04.6	151	39.2	33.5-44.9	163	42.7	37.0-48.4	49	15.5	11.0-20.0
25-34	801	797,964				32	3.0	01.8-04.2	344	36.8	32.9-40.7	343	47.9	43.8-52.0	82	12.3	09.6-15.0
35-44	1024	823,821				36	2.2	01.2-03.2	450	40.7	37.2-44.2	445	46.5	42.8-50.2	93	10.6	08.1-13.1
45-54	1536	918,157	2	0.1	00.0-00.3	58	3.0	02.0-04.0	659	40.4	37.5-43.3	677	46.3	43.2-49.4	140	10.2	08.2-12.2
55-64	1855	736,209				93	4.4	03.2-05.6	908	42.3	39.6-45.0	721	44.6	41.7-47.5	133	8.7	06.9-10.5
65+	2716	857,059				228	7.1	05.9-08.3	1442	49.3	46.9-51.7	908	38.1	35.7-40.5	138	5.5	04.3-06.7
Less Than H.S.	821	662,303	1	0.1	00.0-00.3	67	5.5	03.5-07.5	399	41.2	36.5-45.9	308	43.6	38.7-48.5	46	9.6	06.3-12.9
H.S. or G.E.D.	3124	1,709,354	1	0.0	00.0-00.0	199	4.6	03.6-05.6	1584	43.6	41.2-46.0	1135	42.6	40.2-45.0	205	9.3	07.7-10.9
Some Post-H.S.	2082	1,430,483				98	2.5	01.7-03.3	980	41.5	38.8-44.2	844	45.3	42.4-48.2	160	10.8	08.6-13.0
College Graduate	2323	994,947				96	3.0	02.2-03.8	1014	38.5	36.0-41.0	989	47.0	44.5-49.5	224	11.5	09.7-13.3
Less than \$15,000	984	535,356				81	6.4	04.4-08.4	489	43.0	38.5-47.5	359	43.5	39.0-48.0	55	7.1	04.7-09.5
\$15,000- 24,999	1486	758,919	1	0.0	00.0-00.0	108	5.6	04.0-07.2	778	45.8	42.3-49.3	515	40.3	36.6-44.0	84	8.3	06.1-10.5
\$25,000- 34,999	905	510,329	1	0.1	00.0-00.3	50	4.2	02.0-06.4	440	42.3	37.8-46.8	353	45.1	40.4-49.8	61	8.3	05.6-11.0
\$35,000- 49,999	1140	634,893				58	3.5	02.3-04.7	499	38.9	35.2-42.6	498	48.5	44.6-52.4	85	9.1	06.7-11.5
\$50,000- 74,999	1069	651,373				35	2.2	01.2-03.2	476	39.3	35.4-43.2	452	46.2	42.3-50.1	106	12.4	09.5-15.3
\$75,000+	1512	969,434				35	1.8	01.0-02.6	604	36.4	33.5-39.3	702	47.9	44.8-51.0	171	14.0	11.5-16.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 29: REPORTED HEIGHT IN INCHES (HTIN4).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3249	2,334,371	1	0.0	00.0-00.0	5	0.2	00.0-00.4	299	9.7	08.3-11.1	2317	69.3	67.1-71.5	627	20.7	18.7-22.7
White/Non-Hisp	2678	1,923,116	1	0.0	00.0-00.0	3	0.1	00.0-00.3	223	8.8	07.4-10.2	1928	70.0	67.6-72.4	523	21.0	18.8-23.2
Black or Afr. Am./Non-Hisp	308	195,454				1	0.1	00.0-00.3	28	7.8	03.1-12.5	214	66.4	57.8-75.0	65	25.7	17.5-33.9
Oth. Race/Non-Hisp.	68	50,643							14	25.0	11.7-38.3	43	62.6	47.7-77.5	11	12.4	03.0-21.8
Hispanic	90	99,787				1	1.8	00.0-05.3	21	20.9	10.9-30.9	61	64.8	51.1-78.5	7	12.5	00.7-24.3
18-24	175	327,719							17	9.9	05.0-14.8	112	60.4	52.0-68.8	46	29.7	21.7-37.7
25-34	308	402,006				1	0.4	00.0-01.2	22	8.3	04.8-11.8	204	67.4	61.5-73.3	81	23.9	18.8-29.0
35-44	434	417,083				1	0.3	00.0-00.9	41	9.6	06.5-12.7	302	69.5	64.2-74.8	90	20.5	15.8-25.2
45-54	660	453,996	1	0.1	00.0-00.3	1	0.0	00.0-00.0	55	9.3	06.6-12.0	465	70.0	65.7-74.3	138	20.6	16.7-24.5
55-64	728	363,977				2	0.3	00.0-00.7	78	10.3	07.6-13.0	516	72.1	68.2-76.0	132	17.3	14.0-20.6
65+	922	360,398							84	11.4	08.5-14.3	702	75.6	72.1-79.1	136	13.0	10.5-15.5
Less Than H.S.	341	360,331	1	0.1	00.0-00.3	1	0.4	00.0-01.2	51	15.7	11.0-20.4	245	66.9	60.2-73.6	43	16.8	10.9-22.7
H.S. or G.E.D.	1151	832,141				3	0.2	00.0-00.4	116	10.5	08.1-12.9	831	70.6	67.1-74.1	201	18.7	15.8-21.6
Some Post-H.S.	770	652,830				1	0.3	00.0-00.9	50	7.1	04.7-09.5	561	69.3	64.8-73.8	158	23.4	19.3-27.5
College Graduate	977	483,509							81	7.5	05.5-09.5	674	69.1	65.6-72.6	222	23.4	20.1-26.7
Less than \$15,000	319	233,056				3	1.4	00.0-03.4	34	12.2	07.3-17.1	229	70.0	63.1-76.9	53	16.3	11.0-21.6
\$15,000- 24,999	508	340,201							58	12.2	08.3-16.1	369	69.7	64.2-75.2	81	18.1	13.6-22.6
\$25,000- 34,999	366	256,951	1	0.2	00.0-00.6				44	11.6	07.5-15.7	262	72.4	66.1-78.7	59	15.8	10.5-21.1
\$35,000- 49,999	487	334,725				1	0.1	00.0-00.3	37	8.6	05.3-11.9	364	73.9	68.8-79.0	85	17.3	13.0-21.6
\$50,000- 74,999	456	336,551				1	0.2	00.0-00.6	36	8.2	05.1-11.3	314	67.7	62.0-73.4	105	23.9	18.6-29.2
\$75,000+	718	504,334							47	6.6	04.2-09.0	503	67.3	62.6-72.0	168	26.1	21.6-30.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 30: REPORTED HEIGHT IN INCHES (HTIN4).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5128	2,475,271	1	0.0	00.0-00.0	457	7.2	06.2-08.2	3691	71.6	69.8-73.4	967	20.9	19.3-22.5	12	0.3	00.1-00.5
White/Non-Hisp	4132	2,116,276	1	0.0	00.0-00.0	348	6.3	05.5-07.1	2984	71.8	70.0-73.6	793	21.7	19.9-23.5	6	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	654	207,120				59	11.6	05.7-17.5	458	69.0	62.1-75.9	133	18.8	13.5-24.1	4	0.5	00.0-01.3
Oth. Race/Non-Hisp.	59	20,260				8	14.0	02.2-25.8	43	65.4	48.0-82.8	8	20.6	04.1-37.1			
MultiRacial/Non-Hisp.	68	25,446				10	10.9	02.1-19.7	48	72.8	59.9-85.7	10	16.4	05.8-27.0			
Hispanic	148	79,548				21	15.4	06.6-24.2	112	76.8	66.8-86.8	14	6.0	01.1-10.9	1	1.8	00.0-05.3
18-24	199	317,848				11	5.3	01.4-09.2	134	69.3	61.9-76.7	51	24.5	17.6-31.4	3	0.9	00.0-02.1
25-34	493	395,959				31	5.7	03.3-08.1	322	65.7	60.8-70.6	139	28.2	23.5-32.9	1	0.4	00.0-01.2
35-44	590	406,738				35	4.1	02.1-06.1	409	72.6	68.3-76.9	143	22.9	18.8-27.0	3	0.4	00.0-01.0
45-54	876	464,161	1	0.0	00.0-00.0	57	6.0	04.0-08.0	604	70.7	67.0-74.4	212	23.2	19.9-26.5	2	0.1	00.0-00.3
55-64	1127	372,232				91	8.4	06.2-10.6	830	73.6	70.5-76.7	205	17.8	15.1-20.5	1	0.2	00.0-00.6
65+	1794	496,661				228	12.2	10.2-14.2	1358	76.8	74.4-79.2	206	10.9	09.1-12.7	2	0.1	00.0-00.3
Less Than H.S.	480	301,973				66	11.7	07.8-15.6	348	71.5	65.4-77.6	63	15.8	10.5-21.1	3	1.0	00.0-02.2
H.S. or G.E.D.	1973	877,213	1	0.0	00.0-00.0	196	8.8	07.0-10.6	1468	74.9	72.2-77.6	304	16.0	13.8-18.2	4	0.3	00.0-00.7
Some Post-H.S.	1312	777,653				97	4.3	03.1-05.5	930	70.4	67.1-73.7	283	25.1	21.8-28.4	2	0.2	00.0-00.6
College Graduate	1346	511,438				96	5.9	04.3-07.5	933	67.8	64.7-70.9	315	26.1	23.0-29.2	2	0.2	00.0-00.6
Less than \$15,000	665	302,300				78	10.1	07.0-13.2	455	66.8	61.7-71.9	130	23.0	18.3-27.7	2	0.1	00.1-00.1
\$15,000- 24,999	978	418,718	1	0.0	00.0-00.0	108	10.2	07.5-12.9	720	73.1	69.0-77.2	146	16.4	12.9-19.9	3	0.3	00.0-00.7
\$25,000- 34,999	539	253,378				50	8.5	04.4-12.6	396	73.4	67.9-78.9	91	17.5	13.0-22.0	2	0.6	00.0-01.8
\$35,000- 49,999	653	300,168				57	7.3	04.8-09.8	462	72.6	68.1-77.1	134	20.1	16.0-24.2			
\$50,000- 74,999	613	314,822				34	4.2	02.4-06.0	440	72.5	67.8-77.2	138	23.2	18.7-27.7	1	0.1	00.0-00.3
\$75,000+	794	465,100				35	3.7	02.1-05.3	557	68.6	64.5-72.7	199	26.9	23.0-30.8	3	0.8	00.0-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 31: REPORTED HEIGHT IN METERS (HTM4).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8407	4,843,633	4	0.0	00.0-00.0	467	3.9	03.3-04.5	4000	41.5	40.1-42.9	3297	44.4	42.8-46.0	639	10.2	09.2-11.2
Male	3269	2,359,650	2	0.1	00.0-00.3	6	0.2	00.0-00.4	304	9.9	08.5-11.3	2330	69.3	67.1-71.5	627	20.5	18.5-22.5
Female	5138	2,483,983	2	0.0	00.0-00.0	461	7.4	06.4-08.4	3696	71.4	69.6-73.2	967	20.8	19.2-22.4	12	0.3	00.1-00.5
White/Non-Hisp	6813	4,043,169	2	0.0	00.0-00.0	351	3.4	03.0-03.8	3207	41.8	40.2-43.4	2724	44.7	43.1-46.3	529	10.1	08.9-11.3
Black or Afr. Am./Non-Hisp	962	402,574				60	6.0	02.9-09.1	486	39.3	34.0-44.6	347	41.9	36.2-47.6	69	12.7	08.4-17.0
Oth. Race/Non-Hisp.	128	71,948				8	3.9	00.4-07.4	58	37.5	26.3-48.7	51	49.9	37.7-62.1	11	8.7	02.0-15.4
MultiRacial/Non-Hisp.	107	54,527				10	5.1	00.8-09.4	51	38.9	26.7-51.1	37	47.5	34.4-60.6	9	8.5	01.8-15.2
Hispanic	262	207,012	2	0.7	00.0-02.1	27	10.1	05.0-15.2	141	43.3	34.9-51.7	84	39.1	30.1-48.1	8	6.7	00.6-12.8
18-24	378	650,484				11	2.6	00.6-04.6	152	39.0	33.5-44.5	166	43.0	37.3-48.7	49	15.4	10.9-19.9
25-34	814	817,570				36	3.8	02.2-05.4	349	36.6	32.9-40.3	347	47.7	43.6-51.8	82	12.0	09.3-14.7
35-44	1030	829,755				37	2.2	01.2-03.2	453	40.7	37.2-44.2	447	46.5	42.8-50.2	93	10.5	08.0-13.0
45-54	1543	921,691	4	0.2	00.0-00.6	58	3.0	02.0-04.0	660	40.2	37.3-43.1	681	46.4	43.3-49.5	140	10.2	08.2-12.2
55-64	1855	736,209				93	4.4	03.2-05.6	908	42.3	39.6-45.0	721	44.6	41.7-47.5	133	8.7	06.9-10.5
65+	2716	857,059				228	7.1	05.9-08.3	1442	49.3	46.9-51.7	908	38.1	35.7-40.5	138	5.5	04.3-06.7
Less Than H.S.	834	681,117	2	0.3	00.0-00.7	70	6.1	03.9-08.3	404	41.1	36.6-45.6	312	43.2	38.5-47.9	46	9.3	06.0-12.6
H.S. or G.E.D.	3131	1,718,092	1	0.0	00.0-00.0	201	4.7	03.7-05.7	1586	43.4	41.0-45.8	1138	42.7	40.3-45.1	205	9.2	07.6-10.8
Some Post-H.S.	2085	1,433,604				98	2.5	01.7-03.3	981	41.5	38.8-44.2	846	45.3	42.4-48.2	160	10.7	08.5-12.9
College Graduate	2330	998,265	1	0.0	00.0-00.0	96	3.0	02.2-03.8	1016	38.4	35.9-40.9	993	47.1	44.6-49.6	224	11.4	09.6-13.2
Less than \$15,000	991	544,291				82	6.4	04.4-08.4	493	43.1	38.6-47.6	361	43.4	38.9-47.9	55	7.0	04.6-09.4
\$15,000- 24,999	1497	771,580	2	0.0	00.0-00.0	110	6.0	04.2-07.8	780	45.4	41.9-48.9	521	40.4	36.9-43.9	84	8.2	06.0-10.4
\$25,000- 34,999	908	513,890	1	0.1	00.0-00.3	51	4.4	02.2-06.6	440	42.0	37.5-46.5	355	45.3	40.6-50.0	61	8.2	05.5-10.9
\$35,000- 49,999	1140	634,893				58	3.5	02.3-04.7	499	38.9	35.2-42.6	498	48.5	44.6-52.4	85	9.1	06.7-11.5
\$50,000- 74,999	1069	651,373				35	2.2	01.2-03.2	476	39.3	35.4-43.2	452	46.2	42.3-50.1	106	12.4	09.5-15.3
\$75,000+	1513	970,078				35	1.8	01.0-02.6	604	36.3	33.4-39.2	703	47.9	44.8-51.0	171	14.0	11.5-16.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 32: REPORTED HEIGHT IN METERS (HTM4).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3269	2,359,650	2	0.1	00.0-00.3	6	0.2	00.0-00.4	304	9.9	08.5-11.3	2330	69.3	67.1-71.5	627	20.5	18.5-22.5
White/Non-Hisp	2681	1,926,893	1	0.0	00.0-00.0	3	0.1	00.0-00.3	223	8.8	07.4-10.2	1931	70.1	67.7-72.5	523	21.0	18.8-23.2
Black or Afr. Am./Non-Hisp	308	195,454				1	0.1	00.0-00.3	28	7.8	03.1-12.5	214	66.4	57.8-75.0	65	25.7	17.5-33.9
Oth. Race/Non-Hisp.	68	50,643							14	25.0	11.7-38.3	43	62.6	47.7-77.5	11	12.4	03.0-21.8
Hispanic	106	120,548	1	1.1	00.0-03.3	2	1.9	00.0-04.8	26	23.5	13.9-33.1	70	63.1	50.8-75.4	7	10.4	00.6-20.2
18-24	178	331,592							17	9.8	04.9-14.7	115	60.9	52.7-69.1	46	29.3	21.3-37.3
25-34	316	414,952				1	0.4	00.0-01.2	26	9.4	05.9-12.9	208	67.0	61.3-72.7	81	23.2	18.1-28.3
35-44	438	422,188				2	0.5	00.0-01.3	42	9.9	06.8-13.0	304	69.4	64.3-74.5	90	20.3	15.6-25.0
45-54	665	457,351	2	0.4	00.0-01.0	1	0.0	00.0-00.0	55	9.3	06.6-12.0	469	69.9	65.6-74.2	138	20.4	16.5-24.3
55-64	728	363,977				2	0.3	00.0-00.7	78	10.3	07.6-13.0	516	72.1	68.2-76.0	132	17.3	14.0-20.6
65+	922	360,398							84	11.4	08.5-14.3	702	75.6	72.1-79.1	136	13.0	10.5-15.5
Less Than H.S.	351	373,861	2	0.5	00.0-01.3	2	0.5	00.0-01.3	55	16.9	12.2-21.6	249	65.9	59.4-72.4	43	16.2	10.5-21.9
H.S. or G.E.D.	1155	838,801				3	0.2	00.0-00.4	117	10.5	08.1-12.9	834	70.7	67.2-74.2	201	18.6	15.7-21.5
Some Post-H.S.	772	654,907				1	0.3	00.0-00.9	50	7.0	04.6-09.4	563	69.4	64.9-73.9	158	23.3	19.2-27.4
College Graduate	981	486,521							81	7.5	05.5-09.5	678	69.3	65.8-72.8	222	23.3	20.0-26.6
Less than \$15,000	323	240,112				3	1.4	00.0-03.2	36	13.3	08.2-18.4	231	69.5	62.6-76.4	53	15.8	10.5-21.1
\$15,000- 24,999	517	349,533				1	0.1	00.0-00.3	60	12.6	08.7-16.5	375	69.7	64.2-75.2	81	17.6	13.1-22.1
\$25,000- 34,999	368	259,560	1	0.2	00.0-00.6				44	11.5	07.4-15.6	264	72.7	66.4-79.0	59	15.6	10.3-20.9
\$35,000- 49,999	487	334,725				1	0.1	00.0-00.3	37	8.6	05.3-11.9	364	73.9	68.8-79.0	85	17.3	13.0-21.6
\$50,000- 74,999	456	336,551				1	0.2	00.0-00.6	36	8.2	05.1-11.3	314	67.7	62.0-73.4	105	23.9	18.6-29.2
\$75,000+	719	504,978							47	6.6	04.2-09.0	504	67.3	62.6-72.0	168	26.1	21.6-30.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 33: REPORTED HEIGHT IN METERS (HTM4).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5138	2,483,983	2	0.0	00.0-00.0	461	7.4	06.4-08.4	3696	71.4	69.6-73.2	967	20.8	19.2-22.4	12	0.3	00.1-00.5
White/Non-Hisp	4132	2,116,276	1	0.0	00.0-00.0	348	6.3	05.5-07.1	2984	71.8	70.0-73.6	793	21.7	19.9-23.5	6	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	654	207,120				59	11.6	05.7-17.5	458	69.0	62.1-75.9	133	18.8	13.5-24.1	4	0.5	00.0-01.3
Oth. Race/Non-Hisp.	60	21,304				8	13.3	01.9-24.7	44	67.1	50.0-84.2	8	19.6	03.7-35.5			
MultiRacial/Non-Hisp.	68	25,446				10	10.9	02.1-19.7	48	72.8	59.9-85.7	10	16.4	05.8-27.0			
Hispanic	156	86,464	1	0.1	00.0-00.3	25	21.7	11.1-32.3	115	71.0	60.0-82.0	14	5.5	01.0-10.0	1	1.7	00.0-05.0
18-24	200	318,892				11	5.3	01.4-09.2	135	69.4	62.1-76.7	51	24.4	17.5-31.3	3	0.9	00.0-02.1
25-34	498	402,618				35	7.2	04.5-09.9	323	64.6	59.7-69.5	139	27.7	23.0-32.4	1	0.4	00.0-01.2
35-44	592	407,567				35	4.1	02.1-06.1	411	72.6	68.3-76.9	143	22.9	18.8-27.0	3	0.4	00.0-01.0
45-54	878	464,341	2	0.0	00.0-00.0	57	6.0	04.0-08.0	605	70.7	67.0-74.4	212	23.2	19.9-26.5	2	0.1	00.0-00.3
55-64	1127	372,232				91	8.4	06.2-10.6	830	73.6	70.5-76.7	205	17.8	15.1-20.5	1	0.2	00.0-00.6
65+	1794	496,661				228	12.2	10.2-14.2	1358	76.8	74.4-79.2	206	10.9	09.1-12.7	2	0.1	00.0-00.3
Less Than H.S.	483	307,257				68	13.0	08.7-17.3	349	70.5	64.2-76.8	63	15.5	10.2-20.8	3	1.0	00.0-02.2
H.S. or G.E.D.	1976	879,291	1	0.0	00.0-00.0	198	9.0	07.2-10.8	1469	74.7	72.0-77.4	304	16.0	13.8-18.2	4	0.3	00.0-00.7
Some Post-H.S.	1313	778,697				97	4.3	03.1-05.5	931	70.4	67.1-73.7	283	25.1	21.8-28.4	2	0.2	00.0-00.6
College Graduate	1349	511,744	1	0.0	00.0-00.0	96	5.9	04.3-07.5	935	67.8	64.7-70.9	315	26.1	23.0-29.2	2	0.2	00.0-00.6
Less than \$15,000	668	304,179				79	10.4	07.1-13.7	457	66.6	61.5-71.7	130	22.9	18.4-27.4	2	0.1	00.1-00.1
\$15,000- 24,999	980	422,047	2	0.1	00.1-00.1	109	10.9	07.8-14.0	720	72.5	68.2-76.8	146	16.2	12.7-19.7	3	0.3	00.0-00.7
\$25,000- 34,999	540	254,329				51	8.8	04.7-12.9	396	73.1	67.6-78.6	91	17.5	13.0-22.0	2	0.6	00.0-01.8
\$35,000- 49,999	653	300,168				57	7.3	04.8-09.8	462	72.6	68.1-77.1	134	20.1	16.0-24.2			
\$50,000- 74,999	613	314,822				34	4.2	02.4-06.0	440	72.5	67.8-77.2	138	23.2	18.7-27.7	1	0.1	00.0-00.3
\$75,000+	794	465,100				35	3.7	02.1-05.3	557	68.6	64.5-72.7	199	26.9	23.0-30.8	3	0.8	00.0-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 34: REPORTED WEIGHT IN KILOGRAMS (WTKG3).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8139	4,711,492	78	0.9	00.7-01.1	2456	28.4	27.0-29.8	3591	43.9	42.3-45.5	1531	20.0	18.8-21.2	360	4.7	04.1-05.3	123	2.0	01.6-02.4
Male	3256	2,357,699	2	0.0	00.0-00.0	345	11.9	10.3-13.5	1614	49.5	47.1-51.9	989	29.2	27.0-31.4	229	6.4	05.4-07.4	77	3.0	02.2-03.8
Female	4883	2,353,793	76	1.8	01.2-02.4	2111	45.0	43.0-47.0	1977	38.3	36.3-40.3	542	10.8	09.6-12.0	131	3.0	02.2-03.8	46	1.1	00.7-01.5
White/Non-Hisp	6573	3,912,866	68	0.9	00.5-01.3	2035	29.1	27.7-30.5	2902	44.0	42.4-45.6	1192	19.6	18.2-21.0	281	4.5	03.9-05.1	95	1.9	01.5-02.3
Black or Afr. Am./Non-Hisp	934	391,152	1	0.0	00.0-00.0	231	24.4	19.1-29.7	386	37.1	31.6-42.6	239	26.4	21.3-31.5	58	8.8	05.3-12.3	19	3.3	00.9-05.7
Oth. Race/Non-Hisp.	124	71,639				41	30.4	20.0-40.8	57	42.9	30.9-54.9	20	19.6	09.2-30.0	4	1.8	00.0-03.8	2	5.3	00.0-14.5
MultiRacial/Non-Hisp.	104	53,682	2	0.3	00.0-00.7	27	19.3	09.9-28.7	50	48.9	35.8-62.0	16	18.4	07.6-29.2	4	4.5	00.0-09.4	5	8.7	00.0-18.7
Hispanic	273	220,976	4	1.9	00.0-04.4	85	25.4	18.7-32.1	133	52.7	44.1-61.3	44	18.6	11.3-25.9	6	1.2	00.0-02.4	1	0.2	00.0-00.6
18-24	369	636,785	4	1.2	00.0-02.4	154	41.9	36.2-47.6	138	35.4	29.9-40.9	60	17.4	12.7-22.1	9	2.7	00.7-04.7	4	1.3	00.0-02.7
25-34	796	807,829	6	0.6	00.0-01.2	249	28.1	24.6-31.6	344	44.9	40.8-49.0	139	18.4	15.3-21.5	35	4.3	02.7-05.9	23	3.6	01.8-05.4
35-44	1001	811,704	5	0.7	00.1-01.3	271	25.1	22.0-28.2	448	45.1	41.4-48.8	201	21.9	18.6-25.2	57	5.3	03.5-07.1	19	2.0	01.0-03.0
45-54	1490	890,404	11	0.9	00.1-01.7	394	23.5	21.0-26.0	627	43.0	39.9-46.1	331	23.0	20.3-25.7	87	6.5	04.9-08.1	40	3.1	01.9-04.3
55-64	1773	702,827	12	0.7	00.3-01.1	427	21.8	19.4-24.2	799	46.0	43.1-48.9	411	24.2	21.7-26.7	98	5.6	04.2-07.0	26	1.7	00.9-02.5
65+	2665	841,954	39	1.4	00.8-02.0	937	32.0	29.8-34.2	1222	47.5	45.1-49.9	385	15.6	13.8-17.4	71	3.1	02.3-03.9	11	0.4	00.0-00.8
Less Than H.S.	827	680,860	14	1.7	00.5-02.9	252	30.2	25.9-34.5	360	42.9	38.2-47.6	149	19.0	15.3-22.7	35	3.6	01.8-05.4	17	2.6	01.0-04.2
H.S. or G.E.D.	3020	1,663,476	36	1.2	00.6-01.8	940	28.7	26.5-30.9	1298	42.3	39.9-44.7	557	20.3	18.3-22.3	137	5.0	04.0-06.0	52	2.5	01.7-03.3
Some Post-H.S.	2008	1,384,800	12	0.5	00.1-00.9	565	26.7	24.2-29.2	883	43.9	41.0-46.8	409	21.0	18.5-23.5	112	6.0	04.6-07.4	27	1.8	01.0-02.6
College Graduate	2263	972,239	16	0.5	00.3-00.7	690	28.9	26.5-31.3	1041	47.3	44.8-49.8	414	19.1	16.9-21.3	75	2.9	02.1-03.7	27	1.3	00.7-01.9
Less than \$15,000	976	539,253	18	2.4	00.8-04.0	296	30.3	26.0-34.6	400	40.9	36.4-45.4	176	17.1	14.0-20.2	57	5.8	03.8-07.8	29	3.6	01.6-05.6
\$15,000- 24,999	1460	757,893	15	0.7	00.0-01.5	422	27.5	24.2-30.8	669	46.2	42.5-49.9	260	17.9	15.0-20.8	60	4.7	03.3-06.1	34	3.0	01.8-04.2
\$25,000- 34,999	883	501,095	9	1.2	00.2-02.2	258	27.0	22.9-31.1	396	45.3	40.4-50.2	174	20.6	16.9-24.3	35	4.4	02.6-06.2	11	1.6	00.4-02.8
\$35,000- 49,999	1115	624,626	11	1.2	00.2-02.2	302	26.4	23.1-29.7	519	44.2	40.3-48.1	217	21.0	17.7-24.3	53	5.3	03.5-07.1	13	1.9	00.5-03.3
\$50,000- 74,999	1041	638,756	2	0.2	00.0-00.4	288	25.2	21.7-28.7	460	44.0	40.1-47.9	216	22.3	18.8-25.8	61	6.1	04.3-07.9	14	2.3	00.7-03.9
\$75,000+	1480	946,028	6	0.2	00.0-00.4	420	25.7	23.0-28.4	676	46.6	43.5-49.7	314	23.4	20.5-26.3	55	3.6	02.2-05.0	9	0.5	00.1-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 35: REPORTED WEIGHT IN KILOGRAMS (WTKG3).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3256	2,357,699	2	0.0	00.0-00.0	345	11.9	10.3-13.5	1614	49.5	47.1-51.9	989	29.2	27.0-31.4	229	6.4	05.4-07.4	77	3.0	02.2-03.8
White/Non-Hisp	2669	1,919,688				262	11.0	09.4-12.6	1343	50.1	47.6-52.6	814	29.6	27.4-31.8	186	6.5	05.3-07.7	64	2.7	01.9-03.5
Black or Afr. Am./Non-Hisp	304	192,896	1	0.0	00.0-00.0	36	15.3	08.2-22.4	123	38.6	29.8-47.4	111	32.9	24.7-41.1	26	8.7	02.8-14.6	7	4.4	00.1-08.7
Oth. Race/Non-Hisp.	69	51,707				14	20.7	09.1-32.3	32	43.3	28.0-58.6	17	26.2	12.3-40.1	4	2.5	00.0-05.2	2	7.4	00.0-19.9
Hispanic	109	127,833				17	13.9	06.3-21.5	63	61.1	48.9-73.3	25	23.0	11.8-34.2	3	1.6	00.0-03.6	1	0.4	00.0-01.2
18-24	176	330,416				42	24.7	17.6-31.8	87	47.4	39.0-55.8	39	22.7	15.3-30.1	5	3.0	00.3-05.7	3	2.3	00.0-04.8
25-34	318	421,828				41	13.2	08.9-17.5	159	51.0	44.7-57.3	84	25.5	20.2-30.8	17	4.6	02.2-07.0	17	5.7	02.6-08.8
35-44	434	419,447				44	9.3	06.2-12.4	217	49.8	44.1-55.5	131	32.4	27.1-37.7	32	6.4	03.9-08.9	10	2.2	00.6-03.8
45-54	660	452,522				63	7.9	05.5-10.3	295	46.2	41.5-50.9	219	31.9	27.6-36.2	56	9.5	06.6-12.4	27	4.5	02.3-06.7
55-64	726	363,342				50	6.5	04.3-08.7	344	48.9	44.4-53.4	257	34.3	30.2-38.4	60	7.9	05.5-10.3	15	2.3	00.9-03.7
65+	924	361,570	2	0.0	00.0-00.0	99	11.6	08.9-14.3	507	54.5	50.6-58.4	255	27.7	24.2-31.2	56	5.7	03.9-07.5	5	0.5	00.0-01.1
Less Than H.S.	352	379,920	1	0.0	00.0-00.0	65	20.8	15.3-26.3	163	47.4	40.7-54.1	90	24.7	19.0-30.4	21	3.5	01.5-05.5	12	3.7	01.0-06.4
H.S. or G.E.D.	1153	837,294	1	0.0	00.0-00.0	136	12.5	09.8-15.2	547	46.5	42.8-50.2	356	30.7	27.2-34.2	80	6.6	04.8-08.4	33	3.7	02.1-05.3
Some Post-H.S.	769	654,440				59	8.6	06.1-11.1	366	49.6	45.1-54.1	258	30.0	25.9-34.1	72	9.2	06.7-11.7	14	2.6	01.0-04.2
College Graduate	974	481,501				84	8.1	05.9-10.3	533	56.2	52.3-60.1	284	29.3	25.8-32.8	55	4.4	03.0-05.8	18	2.0	00.8-03.2
Less than \$15,000	324	242,659	1	0.0	00.0-00.0	53	20.3	14.0-26.6	154	48.9	41.6-56.2	79	20.2	14.9-25.5	23	6.0	02.9-09.1	14	4.6	00.9-08.3
\$15,000- 24,999	516	353,956	1	0.0	00.0-00.0	70	12.9	09.0-16.8	250	52.5	46.6-58.4	138	24.3	19.2-29.4	38	6.6	04.1-09.1	19	3.7	01.5-05.9
\$25,000- 34,999	366	257,712				45	11.9	07.8-16.0	185	52.3	45.2-59.4	114	29.2	23.1-35.3	17	4.2	01.5-06.9	5	2.4	00.2-04.6
\$35,000- 49,999	486	334,467				39	10.7	06.8-14.6	246	46.8	41.1-52.5	153	31.6	26.3-36.9	38	7.7	04.8-10.6	10	3.2	00.7-05.7
\$50,000- 74,999	457	337,032				31	6.7	03.6-09.8	216	47.3	41.4-53.2	152	32.1	26.6-37.6	47	10.0	06.7-13.3	11	3.8	01.1-06.5
\$75,000+	719	504,672				45	5.8	03.6-08.0	379	52.3	47.6-57.0	243	35.6	31.1-40.1	43	5.3	03.1-07.5	9	1.0	00.2-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 36: REPORTED WEIGHT IN KILOGRAMS (WTKG3).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4883	2,353,793	76	1.8	01.2-02.4	2111	45.0	43.0-47.0	1977	38.3	36.3-40.3	542	10.8	09.6-12.0	131	3.0	02.2-03.8	46	1.1	00.7-01.5
White/Non-Hisp	3904	1,993,178	68	1.9	01.3-02.5	1773	46.5	44.3-48.7	1559	38.1	36.1-40.1	378	9.9	08.5-11.3	95	2.6	01.8-03.4	31	1.0	00.6-01.4
Black or Afr. Am./Non-Hisp	630	198,256				195	33.3	25.9-40.7	263	35.6	28.9-42.3	128	20.1	14.6-25.6	32	8.8	04.7-12.9	12	2.3	00.5-04.1
Oth. Race/Non-Hisp.	55	19,932				27	55.6	38.5-72.7	25	41.9	24.8-59.0	3	2.5	00.0-05.6						
MultiRacial/Non-Hisp.	66	24,673	2	0.7	00.0-01.7	19	26.6	13.5-39.7	34	55.4	39.9-70.9	7	13.8	00.9-26.7	1	0.4	00.0-01.2	3	3.1	00.0-07.2
Hispanic	164	93,144	4	4.5	00.0-10.2	68	41.2	30.6-51.8	70	41.3	30.5-52.1	19	12.5	04.9-20.1	3	0.5	00.0-01.1			
18-24	193	306,369	4	2.5	00.0-05.0	112	60.5	52.7-68.3	51	22.5	16.0-29.0	21	11.7	06.4-17.0	4	2.4	00.0-05.3	1	0.3	00.0-00.9
25-34	478	386,001	6	1.3	00.1-02.5	208	44.4	39.1-49.7	185	38.3	33.0-43.6	55	10.7	07.4-14.0	18	3.9	01.7-06.1	6	1.4	00.0-02.8
35-44	567	392,257	5	1.4	00.0-02.8	227	41.9	37.0-46.8	231	40.2	35.3-45.1	70	10.6	07.7-13.5	25	4.1	01.9-06.3	9	1.8	00.4-03.2
45-54	830	437,881	11	1.8	00.4-03.2	331	39.7	35.6-43.8	332	39.8	35.7-43.9	112	13.7	10.6-16.8	31	3.4	02.0-04.8	13	1.6	00.6-02.6
55-64	1047	339,485	12	1.4	00.4-02.4	377	38.1	34.4-41.8	455	42.9	39.2-46.6	154	13.3	10.8-15.8	38	3.2	01.8-04.6	11	1.0	00.2-01.8
65+	1741	480,384	37	2.4	01.4-03.4	838	47.4	44.5-50.3	715	42.3	39.4-45.2	130	6.5	05.1-07.9	15	1.1	00.5-01.7	6	0.3	00.0-00.7
Less Than H.S.	475	300,940	13	3.8	01.1-06.5	187	42.2	35.5-48.9	197	37.3	31.0-43.6	59	11.8	07.3-16.3	14	3.8	00.7-06.9	5	1.2	00.0-02.4
H.S. or G.E.D.	1867	826,181	35	2.4	01.2-03.6	804	45.1	42.0-48.2	751	38.1	35.2-41.0	201	9.8	08.0-11.6	57	3.3	02.1-04.5	19	1.3	00.5-02.1
Some Post-H.S.	1239	730,360	12	0.9	00.1-01.7	506	43.0	39.3-46.7	517	38.8	35.3-42.3	151	12.9	10.2-15.6	40	3.2	01.8-04.6	13	1.1	00.3-01.9
College Graduate	1289	490,737	16	1.0	00.4-01.6	606	49.3	45.8-52.8	508	38.5	35.2-41.8	130	9.1	07.1-11.1	20	1.5	00.7-02.3	9	0.6	00.2-01.0
Less than \$15,000	652	296,593	17	4.4	01.7-07.1	243	38.5	32.8-44.2	246	34.3	29.0-39.6	97	14.6	10.7-18.5	34	5.6	03.1-08.1	15	2.7	00.9-04.5
\$15,000- 24,999	944	403,937	14	1.3	00.0-02.7	352	40.2	35.7-44.7	419	40.7	36.2-45.2	122	12.3	09.4-15.2	22	3.0	01.4-04.6	15	2.4	01.0-03.8
\$25,000- 34,999	517	243,383	9	2.5	00.5-04.5	213	42.9	36.6-49.2	211	37.9	32.0-43.8	60	11.3	07.6-15.0	18	4.7	02.2-07.2	6	0.7	00.0-01.5
\$35,000- 49,999	629	290,159	11	2.7	00.5-04.9	263	44.5	39.2-49.8	273	41.2	36.1-46.3	64	8.7	05.8-11.6	15	2.6	00.8-04.4	3	0.3	00.0-00.7
\$50,000- 74,999	584	301,724	2	0.4	00.0-01.0	257	45.7	40.2-51.2	244	40.2	34.9-45.5	64	11.4	07.3-15.5	14	1.7	00.7-02.7	3	0.6	00.0-01.4
\$75,000+	761	441,356	6	0.4	00.0-00.8	375	48.5	44.2-52.8	297	40.0	35.7-44.3	71	9.4	06.7-12.1	12	1.7	00.3-03.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 37: BODY MASS INDEX (kilograms per meter-squared) (\_BMI5).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8048	4,633,217	85	1.2	00.8-01.6	2521	33.2	31.8-34.6	2863	34.8	33.4-36.2	1532	18.4	17.2-19.6	1047	12.3	11.3-13.3
Male	3242	2,342,807	18	0.6	00.2-01.0	864	28.8	26.6-31.0	1344	39.8	37.6-42.0	672	20.5	18.7-22.3	344	10.2	08.8-11.6
Female	4806	2,290,410	67	1.9	01.3-02.5	1657	37.7	35.7-39.7	1519	29.7	27.9-31.5	860	16.3	14.9-17.7	703	14.5	13.1-15.9
White/Non-Hisp	6518	3,868,900	76	1.3	00.9-01.7	2119	34.4	32.8-36.0	2339	34.9	33.3-36.5	1198	17.8	16.6-19.0	786	11.6	10.6-12.6
Black or Afr. Am./Non-Hisp	926	386,362	2	0.1	00.0-00.3	226	26.5	21.2-31.8	288	31.2	25.7-36.7	224	21.0	16.5-25.5	186	21.1	16.4-25.8
Oth. Race/Non-Hisp.	122	69,558				45	39.1	27.1-51.1	48	34.9	23.5-46.3	20	17.9	08.1-27.7	9	8.1	00.0-17.5
MultiRacial/Non-Hisp.	103	53,048	2	1.8	00.0-04.7	26	18.9	09.1-28.7	33	34.0	22.0-46.0	25	25.7	13.5-37.9	17	19.6	08.0-31.2
Hispanic	251	195,373	3	1.9	00.0-04.6	60	24.2	16.2-32.2	106	40.1	31.3-48.9	46	23.9	15.3-32.5	36	9.9	05.4-14.4
18-24	357	618,401	8	2.7	00.7-04.7	183	51.4	45.5-57.3	91	26.6	21.3-31.9	46	11.3	07.6-15.0	29	8.0	04.7-11.3
25-34	756	767,084	9	1.0	00.4-01.6	279	37.9	33.8-42.0	235	30.4	26.5-34.3	132	18.0	14.7-21.3	101	12.7	09.8-15.6
35-44	990	802,742	7	0.9	00.1-01.7	312	30.9	27.4-34.4	336	35.1	31.4-38.8	196	21.0	17.9-24.1	139	12.1	09.7-14.5
45-54	1481	885,555	12	0.9	00.3-01.5	442	27.9	25.2-30.6	506	35.5	32.6-38.4	281	18.9	16.5-21.3	240	16.8	14.3-19.3
55-64	1771	702,166	12	0.6	00.2-01.0	424	23.7	21.2-26.2	649	38.6	35.7-41.5	399	22.6	20.1-25.1	287	14.5	12.5-16.5
65+	2648	837,280	34	1.5	00.7-02.3	860	30.9	28.7-33.1	1033	41.1	38.7-43.5	474	17.7	15.9-19.5	247	8.9	07.5-10.3
Less Than H.S.	795	644,966	16	3.0	01.2-04.8	239	36.1	31.4-40.8	236	24.7	20.6-28.8	181	23.4	19.3-27.5	123	12.8	09.7-15.9
H.S. or G.E.D.	2992	1,643,736	35	1.1	00.5-01.7	882	31.4	29.0-33.8	1079	35.4	33.0-37.8	585	18.8	16.8-20.8	411	13.3	11.7-14.9
Some Post-H.S.	1998	1,374,903	14	0.9	00.3-01.5	598	31.4	28.7-34.1	700	36.1	33.2-39.0	391	17.8	15.6-20.0	295	13.9	11.9-15.9
College Graduate	2242	959,495	20	0.9	00.5-01.3	795	37.0	34.5-39.5	838	38.7	36.2-41.2	372	15.2	13.4-17.0	217	8.3	06.9-09.7
Less than \$15,000	949	516,663	22	3.4	01.6-05.2	273	32.3	27.8-36.8	292	29.4	25.3-33.5	176	17.2	13.9-20.5	186	17.8	14.3-21.3
\$15,000- 24,999	1450	744,895	22	2.0	00.6-03.4	413	30.9	27.4-34.4	482	32.1	28.8-35.4	292	19.1	16.2-22.0	241	15.9	13.4-18.4
\$25,000- 34,999	878	497,447	6	0.9	00.0-01.9	266	30.9	26.4-35.4	310	36.4	31.7-41.1	180	20.1	16.4-23.8	116	11.8	09.1-14.5
\$35,000- 49,999	1106	616,823	7	1.0	00.0-02.0	360	33.0	29.3-36.7	399	35.9	32.2-39.6	208	18.0	15.1-20.9	132	12.0	09.3-14.7
\$50,000- 74,999	1035	633,682	5	0.5	00.0-01.1	308	30.2	26.5-33.9	382	37.2	33.3-41.1	208	19.1	16.0-22.2	132	12.9	10.0-15.8
\$75,000+	1466	937,541	7	0.3	00.1-00.5	486	32.8	29.9-35.7	586	40.5	37.4-43.6	269	18.9	16.4-21.4	118	7.4	05.6-09.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 38: BODY MASS INDEX (kilograms per meter-squared) (\_BMI5).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3242	2,342,807	18	0.6	00.2-01.0	864	28.8	26.6-31.0	1344	39.8	37.6-42.0	672	20.5	18.7-22.3	344	10.2	08.8-11.6
White/Non-Hisp	2662	1,916,177	13	0.6	00.2-01.0	713	29.3	26.9-31.7	1105	39.8	37.4-42.2	555	20.4	18.4-22.4	276	9.9	08.5-11.3
Black or Afr. Am./Non-Hisp	304	192,896	2	0.2	00.0-00.4	73	27.2	18.8-35.6	115	37.5	28.7-46.3	77	21.2	14.3-28.1	37	13.9	06.8-21.0
Oth. Race/Non-Hisp.	68	50,643				24	38.4	23.3-53.5	29	35.0	20.7-49.3	9	16.5	04.2-28.8	6	10.1	00.0-22.8
Hispanic	104	117,791				26	24.9	13.3-36.5	49	45.9	33.2-58.6	16	22.0	09.8-34.2	13	7.2	02.3-12.1
18-24	176	330,416	3	2.0	00.0-04.4	88	49.4	41.0-57.8	53	30.3	22.5-38.1	23	12.9	07.2-18.6	9	5.4	01.5-09.3
25-34	314	413,337	3	0.7	00.0-01.7	105	35.1	29.0-41.2	112	33.8	27.9-39.7	62	19.7	14.8-24.6	32	10.8	06.7-14.9
35-44	433	417,467	1	0.0	00.0-00.0	113	24.8	20.1-29.5	176	41.8	36.3-47.3	98	25.2	20.1-30.3	45	8.2	05.5-10.9
45-54	657	450,328	2	0.1	00.0-00.3	157	21.0	17.5-24.5	263	42.6	37.9-47.3	141	20.8	17.1-24.5	94	15.5	12.0-19.0
55-64	725	363,067	1	0.1	00.0-00.3	145	19.8	16.3-23.3	317	43.8	39.5-48.1	174	23.9	20.0-27.8	88	12.3	09.4-15.2
65+	919	359,619	6	0.9	00.0-02.1	247	25.8	22.5-29.1	422	46.7	42.8-50.6	172	19.3	16.2-22.4	72	7.3	05.3-09.3
Less Than H.S.	345	368,484	5	2.3	00.0-04.7	116	38.3	31.6-45.0	108	26.6	20.7-32.5	76	23.5	17.8-29.2	40	9.2	05.7-12.7
H.S. or G.E.D.	1147	834,280	7	0.2	00.0-00.4	291	27.3	23.8-30.8	466	39.6	35.9-43.3	250	21.0	18.1-23.9	133	11.9	09.4-14.4
Some Post-H.S.	769	654,440	4	0.5	00.0-01.1	179	24.9	21.0-28.8	326	43.4	38.9-47.9	168	20.2	16.5-23.9	92	11.1	08.4-13.8
College Graduate	973	481,060	2	0.3	00.0-00.7	276	29.7	26.0-33.4	439	45.4	41.5-49.3	178	17.8	14.9-20.7	78	6.8	04.8-08.8
Less than \$15,000	319	236,805	3	0.5	00.0-01.1	108	39.0	31.6-46.4	107	30.8	24.1-37.5	59	18.6	13.1-24.1	42	11.1	06.6-15.6
\$15,000- 24,999	513	348,432	9	2.8	00.4-05.2	152	30.7	25.2-36.2	187	36.2	30.5-41.9	100	18.4	13.9-22.9	65	11.9	08.4-15.4
\$25,000- 34,999	366	257,712	1	0.1	00.0-00.3	94	26.9	20.2-33.6	159	42.6	35.5-49.7	76	21.7	16.0-27.4	36	8.8	05.3-12.3
\$35,000- 49,999	485	333,403	1	0.6	00.0-01.8	129	27.3	22.2-32.4	205	41.0	35.5-46.5	99	20.0	15.5-24.5	51	11.2	07.5-14.9
\$50,000- 74,999	456	336,551	1	0.2	00.0-00.6	99	21.4	16.5-26.3	195	42.8	37.1-48.5	103	22.3	17.4-27.2	58	13.4	09.5-17.3
\$75,000+	718	504,230				162	22.8	18.9-26.7	342	47.7	43.0-52.4	162	23.2	19.1-27.3	52	6.2	04.0-08.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 39: BODY MASS INDEX (kilograms per meter-squared) (\_BMI5).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4806	2,290,410	67	1.9	01.3-02.5	1657	37.7	35.7-39.7	1519	29.7	27.9-31.5	860	16.3	14.9-17.7	703	14.5	13.1-15.9
White/Non-Hisp	3856	1,952,724	63	2.0	01.4-02.6	1406	39.4	37.2-41.6	1234	30.1	28.1-32.1	643	15.2	13.8-16.6	510	13.3	11.7-14.9
Black or Afr. Am./Non-Hisp	622	193,466				153	25.8	19.1-32.5	173	25.0	18.3-31.7	147	20.9	15.2-26.6	149	28.4	21.9-34.9
Oth. Race/Non-Hisp.	54	18,915				21	40.9	23.5-58.3	19	34.7	18.0-51.4	11	21.7	07.0-36.4	3	2.6	00.0-05.9
MultiRacial/Non-Hisp.	65	24,039	1	0.6	00.0-01.8	15	20.2	08.0-32.4	17	27.8	14.7-40.9	19	31.4	16.1-46.7	13	20.0	07.7-32.3
Hispanic	147	77,582	3	4.8	00.0-11.7	34	23.2	13.6-32.8	57	31.4	21.0-41.8	30	26.7	15.3-38.1	23	14.0	05.4-22.6
18-24	181	287,985	5	3.5	00.4-06.6	95	53.8	45.6-62.0	38	22.3	15.4-29.2	23	9.6	05.3-13.9	20	10.8	05.5-16.1
25-34	442	353,747	6	1.3	00.3-02.3	174	41.3	35.8-46.8	123	26.4	21.5-31.3	70	16.0	11.7-20.3	69	15.0	10.9-19.1
35-44	557	385,276	6	1.9	00.3-03.5	199	37.4	32.5-42.3	160	27.9	23.4-32.4	98	16.4	12.7-20.1	94	16.4	12.7-20.1
45-54	824	435,227	10	1.7	00.3-03.1	285	35.0	30.9-39.1	243	28.2	24.5-31.9	140	17.0	13.9-20.1	146	18.2	14.7-21.7
55-64	1046	339,099	11	1.2	00.4-02.0	279	27.9	24.6-31.2	332	33.0	29.5-36.5	225	21.2	18.1-24.3	199	16.8	14.1-19.5
65+	1729	477,661	28	1.9	00.9-02.9	613	34.7	32.0-37.4	611	36.8	33.9-39.7	302	16.4	14.2-18.6	175	10.1	08.1-12.1
Less Than H.S.	450	276,482	11	3.9	01.0-06.8	123	33.2	26.5-39.9	128	22.1	17.0-27.2	105	23.2	17.5-28.9	83	17.6	12.5-22.7
H.S. or G.E.D.	1845	809,456	28	1.9	00.9-02.9	591	35.6	32.5-38.7	613	31.2	28.3-34.1	335	16.6	14.2-19.0	278	14.7	12.5-16.9
Some Post-H.S.	1229	720,463	10	1.2	00.2-02.2	419	37.3	33.6-41.0	374	29.5	26.2-32.8	223	15.6	13.1-18.1	203	16.4	13.5-19.3
College Graduate	1269	478,435	18	1.5	00.7-02.3	519	44.3	40.8-47.8	399	31.9	28.6-35.2	194	12.6	10.4-14.8	139	9.7	07.7-11.7
Less than \$15,000	630	279,858	19	5.8	02.5-09.1	165	26.6	21.3-31.9	185	28.2	23.1-33.3	117	16.0	12.1-19.9	144	23.4	18.5-28.3
\$15,000- 24,999	937	396,463	13	1.4	00.0-02.8	261	31.1	26.6-35.6	295	28.4	24.5-32.3	192	19.8	16.1-23.5	176	19.4	15.9-22.9
\$25,000- 34,999	512	239,735	5	1.8	00.0-03.6	172	35.2	29.1-41.3	151	29.7	23.8-35.6	104	18.3	13.8-22.8	80	15.0	10.9-19.1
\$35,000- 49,999	621	283,420	6	1.6	00.0-03.4	231	39.7	34.4-45.0	194	30.0	25.3-34.7	109	15.6	11.9-19.3	81	13.0	09.3-16.7
\$50,000- 74,999	579	297,131	4	1.0	00.0-02.0	209	40.2	34.7-45.7	187	30.9	26.0-35.8	105	15.5	11.8-19.2	74	12.4	08.3-16.5
\$75,000+	748	433,311	7	0.7	00.1-01.3	324	44.5	40.2-48.8	244	32.1	28.0-36.2	107	13.9	11.0-16.8	66	8.8	06.1-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 40: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI5CAT).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8048	4,633,217	131	2.0	01.6-02.4	2467	32.4	31.0-33.8	2865	34.8	33.4-36.2	2585	30.8	29.4-32.2
Male	3242	2,342,807	30	1.2	00.6-01.8	846	28.2	26.0-30.4	1345	39.7	37.5-41.9	1021	30.9	28.7-33.1
Female	4806	2,290,410	101	2.7	01.9-03.5	1621	36.7	34.7-38.7	1520	29.7	27.9-31.5	1564	30.8	29.0-32.6
White/Non-Hisp	6518	3,868,900	117	2.1	01.5-02.7	2071	33.6	32.0-35.2	2342	34.9	33.3-36.5	1988	29.5	28.1-30.9
Black or Afr. Am./Non-Hisp	926	386,362	5	0.9	00.0-02.1	222	25.6	20.3-30.9	288	31.3	25.8-36.8	411	42.2	36.5-47.9
Oth. Race/Non-Hisp.	122	69,558	45	39.1	27.1-51.1	48	34.9	23.5-46.3	29	26.0	13.8-38.2	29	26.0	13.8-38.2
MultiRacial/Non-Hisp.	103	53,048	2	1.8	00.0-04.7	26	18.9	09.1-28.7	33	34.0	22.0-46.0	42	45.4	31.9-58.9
Hispanic	251	195,373	4	1.9	00.0-04.6	59	24.2	16.2-32.2	105	39.1	30.5-47.7	83	34.7	25.7-43.7
18-24	357	618,401	15	4.3	01.9-06.7	176	49.8	43.9-55.7	90	26.3	21.0-31.6	76	19.6	14.9-24.3
25-34	756	767,084	14	1.8	00.8-02.8	274	37.1	33.0-41.2	234	30.2	26.3-34.1	234	30.9	27.0-34.8
35-44	990	802,742	12	1.7	00.5-02.9	306	30.1	26.8-33.4	337	35.1	31.4-38.8	335	33.1	29.6-36.6
45-54	1481	885,555	19	1.4	00.6-02.2	433	27.2	24.5-29.9	506	35.5	32.6-38.4	523	35.9	32.8-39.0
55-64	1771	702,166	18	0.9	00.3-01.5	414	23.3	20.9-25.7	653	38.8	35.9-41.7	686	37.0	34.3-39.7
65+	2648	837,280	48	2.1	01.3-02.9	845	30.3	28.1-32.5	1032	41.0	38.6-43.4	723	26.6	24.4-28.8
Less Than H.S.	795	644,966	19	3.3	01.3-05.3	236	35.8	31.1-40.5	236	24.7	20.6-28.8	304	36.2	31.5-40.9
H.S. or G.E.D.	2992	1,643,736	55	2.1	01.3-02.9	860	30.3	27.9-32.7	1079	35.3	32.9-37.7	998	32.3	29.9-34.7
Some Post-H.S.	1998	1,374,903	28	1.6	00.8-02.4	584	30.6	27.9-33.3	697	35.9	33.0-38.8	689	31.8	29.1-34.5
College Graduate	2242	959,495	29	1.3	00.7-01.9	780	36.3	33.8-38.8	843	38.9	36.4-41.4	590	23.5	21.3-25.7
Less than \$15,000	949	516,663	27	4.5	02.3-06.7	267	31.2	26.7-35.7	293	29.4	25.3-33.5	362	35.0	30.7-39.3
\$15,000- 24,999	1450	744,895	28	2.3	00.9-03.7	407	30.6	27.1-34.1	481	31.8	28.5-35.1	534	35.3	31.8-38.8
\$25,000- 34,999	878	497,447	10	1.2	00.2-02.2	260	30.4	25.9-34.9	311	36.4	31.7-41.1	297	32.0	27.7-36.3
\$35,000- 49,999	1106	616,823	13	2.0	00.6-03.4	352	31.9	28.2-35.6	399	35.7	32.0-39.4	342	30.3	26.8-33.8
\$50,000- 74,999	1035	633,682	9	0.9	00.3-01.5	303	29.8	26.1-33.5	383	37.3	33.4-41.2	340	32.0	28.3-35.7
\$75,000+	1466	937,541	11	0.7	00.1-01.3	480	32.4	29.5-35.3	586	40.5	37.4-43.6	389	26.4	23.5-29.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 41: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI5CAT).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3242	2,342,807	30	1.2	00.6-01.8	846	28.2	26.0-30.4	1345	39.7	37.5-41.9	1021	30.9	28.3-33.1
White/Non-Hisp	2662	1,916,177	22	1.2	00.6-01.8	698	28.6	26.2-31.0	1108	39.7	37.3-42.1	834	30.5	28.3-32.7
Black or Afr. Am./Non-Hisp	304	192,896	4	1.6	00.0-04.0	71	25.8	17.6-34.0	114	37.4	28.6-46.2	115	35.2	26.6-43.8
Oth. Race/Non-Hisp.	68	50,643				24	38.4	23.3-53.5	29	35.0	20.7-49.3	15	26.6	10.9-42.3
Hispanic	104	117,791	1	0.1	00.0-00.3	25	24.8	13.2-36.4	48	44.2	31.5-56.9	30	30.9	18.4-43.4
18-24	176	330,416	7	4.2	01.1-07.3	84	47.1	38.7-55.5	52	29.7	22.1-37.3	33	18.9	12.2-25.6
25-34	314	413,337	5	1.2	00.0-02.4	103	34.6	28.5-40.7	111	33.4	27.7-39.1	95	30.8	24.9-36.7
35-44	433	417,467	3	0.8	00.0-02.0	111	24.1	19.4-28.8	176	41.8	36.3-47.3	143	33.4	28.1-38.7
45-54	657	450,328	4	0.3	00.0-00.7	154	20.6	17.1-24.1	262	42.4	37.7-47.1	237	36.6	32.1-41.1
55-64	725	363,067	1	0.1	00.0-00.3	141	19.5	16.0-23.0	321	44.2	39.9-48.5	262	36.2	31.9-40.5
65+	919	359,619	8	1.2	00.0-02.4	244	25.5	22.2-28.8	422	46.7	42.8-50.6	245	26.6	23.1-30.1
Less Than H.S.	345	368,484	5	2.3	00.0-04.7	116	38.3	31.6-45.0	108	26.6	20.7-32.5	116	32.7	26.4-39.0
H.S. or G.E.D.	1147	834,280	12	1.1	00.1-02.1	285	26.4	22.9-29.9	465	39.3	35.6-43.0	385	33.2	29.7-36.7
Some Post-H.S.	769	654,440	8	1.1	00.1-02.1	175	24.3	20.4-28.2	324	43.1	38.6-47.6	262	31.6	27.3-35.9
College Graduate	973	481,060	5	0.8	00.0-01.6	268	28.8	25.1-32.5	443	45.7	41.8-49.6	257	24.7	21.4-28.0
Less than \$15,000	319	236,805	5	2.2	00.0-04.6	105	37.2	29.8-44.6	108	30.8	24.1-37.5	101	29.8	23.1-36.5
\$15,000- 24,999	513	348,432	12	3.3	00.8-05.8	149	30.1	24.8-35.4	186	35.7	30.2-41.2	166	30.9	25.6-36.2
\$25,000- 34,999	366	257,712	1	0.1	00.0-00.3	93	26.6	19.9-33.3	159	42.5	35.4-49.6	113	30.9	24.6-37.2
\$35,000- 49,999	485	333,403	3	1.2	00.0-02.6	125	26.5	21.4-31.6	206	40.7	35.2-46.2	151	31.6	26.3-36.9
\$50,000- 74,999	456	336,551	3	0.5	00.0-01.1	96	20.9	16.0-25.8	196	42.9	37.2-48.6	161	35.7	30.2-41.2
\$75,000+	718	504,230				161	22.7	18.8-26.6	341	47.7	43.0-52.4	216	29.6	25.3-33.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 42: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI5CAT).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4806	2,290,410	101	2.7	01.9-03.5	1621	36.7	34.7-38.7	1520	29.7	27.9-31.5	1564	30.8	29.0-32.6
White/Non-Hisp	3856	1,952,724	95	2.9	02.1-03.7	1373	38.4	36.2-40.6	1234	30.1	28.1-32.1	1154	28.5	26.5-30.5
Black or Afr. Am./Non-Hisp	622	193,466	1	0.2	00.0-00.6	151	25.4	18.7-32.1	174	25.1	18.4-31.8	296	49.2	41.8-56.6
Oth. Race/Non-Hisp.	54	18,915				21	40.9	23.5-58.3	19	34.7	18.0-51.4	14	24.4	09.5-39.3
MultiRacial/Non-Hisp.	65	24,039	1	0.6	00.0-01.8	15	20.2	08.0-32.4	17	27.8	14.7-40.9	32	51.4	35.9-66.9
Hispanic	147	77,582	3	4.8	00.0-11.7	34	23.2	13.6-32.8	57	31.4	21.0-41.8	53	40.6	28.4-52.8
18-24	181	287,985	8	4.4	01.1-07.7	92	52.9	44.7-61.1	38	22.3	15.4-29.2	43	20.4	13.7-27.1
25-34	442	353,747	9	2.6	00.8-04.4	171	39.9	34.4-45.4	123	26.4	21.5-31.3	139	31.0	25.7-36.3
35-44	557	385,276	9	2.7	00.7-04.7	195	36.6	31.7-41.5	161	27.9	23.4-32.4	192	32.8	28.1-37.5
45-54	824	435,227	15	2.5	00.9-04.1	279	34.0	30.1-37.9	244	28.3	24.6-32.0	286	35.2	31.1-39.3
55-64	1046	339,099	17	1.8	00.8-02.8	273	27.3	24.0-30.6	332	33.0	29.5-36.5	424	37.9	34.2-41.6
65+	1729	477,661	40	2.8	01.6-04.0	601	33.9	31.2-36.6	610	36.7	33.8-39.6	478	26.7	24.2-29.2
Less Than H.S.	450	276,482	14	4.6	01.5-07.7	120	32.5	25.8-39.2	128	22.1	17.0-27.2	188	40.8	34.1-47.5
H.S. or G.E.D.	1845	809,456	43	3.2	01.8-04.6	575	34.3	31.2-37.4	614	31.2	28.3-34.1	613	31.3	28.4-34.2
Some Post-H.S.	1229	720,463	20	2.1	00.9-03.3	409	36.4	32.7-40.1	373	29.4	26.1-32.7	427	32.0	28.5-35.5
College Graduate	1269	478,435	24	1.9	01.1-02.7	512	43.8	40.3-47.3	400	32.0	28.7-35.3	333	22.3	19.6-25.0
Less than \$15,000	630	279,858	22	6.4	03.1-09.7	162	26.0	20.7-31.3	185	28.2	23.1-33.3	261	39.4	33.7-45.1
\$15,000- 24,999	937	396,463	16	1.5	00.1-02.9	258	31.0	26.5-35.5	295	28.4	24.5-32.3	368	39.1	34.6-43.6
\$25,000- 34,999	512	239,735	9	2.5	00.5-04.5	167	34.5	28.4-40.6	152	29.8	23.9-35.7	184	33.3	27.6-39.0
\$35,000- 49,999	621	283,420	10	3.1	00.7-05.5	227	38.3	33.0-43.6	193	29.8	25.1-34.5	191	28.8	24.1-33.5
\$50,000- 74,999	579	297,131	6	1.4	00.0-02.8	207	39.8	34.3-45.3	187	30.9	26.0-35.8	179	27.9	22.8-33.0
\$75,000+	748	433,311	11	1.5	00.3-02.7	319	43.6	39.3-47.9	245	32.2	28.1-36.3	173	22.7	19.0-26.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI5).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8048	4,633,217	2598	34.4	32.8-36.0	5450	65.6	64.0-67.2
Male	3242	2,342,807	876	29.4	27.2-31.6	2366	70.6	68.4-72.8
Female	4806	2,290,410	1722	39.5	37.5-41.5	3084	60.5	58.5-62.5
White/Non-Hisp	6518	3,868,900	2188	35.6	34.0-37.2	4330	64.4	62.8-66.0
Black or Afr. Am./Non-Hisp	926	386,362	227	26.5	21.2-31.8	699	73.5	68.2-78.8
Oth. Race/Non-Hisp.	122	69,558	45	39.1	27.1-51.1	77	60.9	48.9-72.9
MultiRacial/Non-Hisp.	103	53,048	28	20.7	10.7-30.7	75	79.3	69.3-89.3
Hispanic	251	195,373	63	26.1	17.9-34.3	188	73.9	65.7-82.1
18-24	357	618,401	191	54.1	48.2-60.0	166	45.9	40.0-51.8
25-34	756	767,084	288	38.9	34.8-43.0	468	61.1	57.0-65.2
35-44	990	802,742	318	31.7	28.2-35.2	672	68.3	64.8-71.8
45-54	1481	885,555	452	28.6	25.9-31.3	1029	71.4	68.7-74.1
55-64	1771	702,166	432	24.2	21.7-26.7	1339	75.8	73.3-78.3
65+	2648	837,280	893	32.4	30.2-34.6	1755	67.6	65.4-69.8
Less Than H.S.	795	644,966	255	39.1	34.2-44.0	540	60.9	56.0-65.8
H.S. or G.E.D.	2992	1,643,736	915	32.4	30.0-34.8	2077	67.6	65.2-70.0
Some Post-H.S.	1998	1,374,903	612	32.3	29.6-35.0	1386	67.7	65.0-70.4
College Graduate	2242	959,495	809	37.6	35.1-40.1	1433	62.4	59.9-64.9
Less than \$15,000	949	516,663	294	35.6	31.1-40.1	655	64.4	59.9-68.9
\$15,000- 24,999	1450	744,895	435	32.9	29.4-36.4	1015	67.1	63.6-70.6
\$25,000- 34,999	878	497,447	270	31.6	27.1-36.1	608	68.4	63.9-72.9
\$35,000- 49,999	1106	616,823	365	33.9	30.2-37.6	741	66.1	62.4-69.8
\$50,000- 74,999	1035	633,682	312	30.7	27.0-34.4	723	69.3	65.6-73.0
\$75,000+	1466	937,541	491	33.1	30.2-36.0	975	66.9	64.0-69.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 44: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI5).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3242	2,342,807	876	29.4	27.2-31.6	2366	70.6	68.4-72.8
White/Non-Hisp	2662	1,916,177	720	29.8	27.4-32.2	1942	70.2	67.8-72.6
Black or Afr. Am./Non-Hisp	304	192,896	75	27.4	19.0-35.8	229	72.6	64.2-81.0
Oth. Race/Non-Hisp.	68	50,643	24	38.4	23.3-53.5	44	61.6	46.5-76.7
Hispanic	104	117,791	26	24.9	13.3-36.5	78	75.1	63.5-86.7
18-24	176	330,416	91	51.4	43.0-59.8	85	48.6	40.2-57.0
25-34	314	413,337	108	35.8	29.7-41.9	206	64.2	58.1-70.3
35-44	433	417,467	114	24.8	20.1-29.5	319	75.2	70.5-79.9
45-54	657	450,328	158	21.0	17.5-24.5	499	79.0	75.5-82.5
55-64	725	363,067	142	19.6	16.1-23.1	583	80.4	76.9-83.9
65+	919	359,619	252	26.7	23.2-30.2	667	73.3	69.8-76.8
Less Than H.S.	345	368,484	121	40.6	33.9-47.3	224	59.4	52.7-66.1
H.S. or G.E.D.	1147	834,280	297	27.5	24.0-31.0	850	72.5	69.0-76.0
Some Post-H.S.	769	654,440	183	25.4	21.3-29.5	586	74.6	70.5-78.7
College Graduate	973	481,060	273	29.6	25.9-33.3	700	70.4	66.7-74.1
Less than \$15,000	319	236,805	110	39.4	32.0-46.8	209	60.6	53.2-68.0
\$15,000- 24,999	513	348,432	161	33.4	27.7-39.1	352	66.6	60.9-72.3
\$25,000- 34,999	366	257,712	94	26.7	20.0-33.4	272	73.3	66.6-80.0
\$35,000- 49,999	485	333,403	128	27.6	22.5-32.7	357	72.4	67.3-77.5
\$50,000- 74,999	456	336,551	99	21.5	16.6-26.4	357	78.5	73.6-83.4
\$75,000+	718	504,230	161	22.7	18.8-26.6	557	77.3	73.4-81.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 45: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI5).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4806	2,290,410	1722	39.5	37.5-41.5	3084	60.5	58.5-62.5
White/Non-Hisp	3856	1,952,724	1468	41.4	39.2-43.6	2388	58.6	56.4-60.8
Black or Afr. Am./Non-Hisp	622	193,466	152	25.7	19.0-32.4	470	74.3	67.6-81.0
Oth. Race/Non-Hisp.	54	18,915	21	40.9	23.5-58.3	33	59.1	41.7-76.5
MultiRacial/Non-Hisp.	65	24,039	16	20.8	08.5-33.1	49	79.2	66.9-91.5
Hispanic	147	77,582	37	28.0	17.0-39.0	110	72.0	61.0-83.0
18-24	181	287,985	100	57.2	49.0-65.4	81	42.8	34.6-51.0
25-34	442	353,747	180	42.6	37.1-48.1	262	57.4	51.9-62.9
35-44	557	385,276	204	39.2	34.3-44.1	353	60.8	55.9-65.7
45-54	824	435,227	294	36.5	32.4-40.6	530	63.5	59.4-67.6
55-64	1046	339,099	290	29.1	25.6-32.6	756	70.9	67.4-74.4
65+	1729	477,661	641	36.7	34.0-39.4	1088	63.3	60.6-66.0
Less Than H.S.	450	276,482	134	37.1	30.2-44.0	316	62.9	56.0-69.8
H.S. or G.E.D.	1845	809,456	618	37.5	34.4-40.6	1227	62.5	59.4-65.6
Some Post-H.S.	1229	720,463	429	38.5	34.8-42.2	800	61.5	57.8-65.2
College Graduate	1269	478,435	536	45.7	42.2-49.2	733	54.3	50.8-57.8
Less than \$15,000	630	279,858	184	32.4	26.7-38.1	446	67.6	61.9-73.3
\$15,000- 24,999	937	396,463	274	32.5	28.0-37.0	663	67.5	63.0-72.0
\$25,000- 34,999	512	239,735	176	36.9	30.6-43.2	336	63.1	56.8-69.4
\$35,000- 49,999	621	283,420	237	41.4	36.1-46.7	384	58.6	53.3-63.9
\$50,000- 74,999	579	297,131	213	41.2	35.7-46.7	366	58.8	53.3-64.3
\$75,000+	748	433,311	330	45.1	40.8-49.4	418	54.9	50.6-59.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 46: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (\_CHLDCNT).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8474	4,890,808	6257	61.9	60.3-63.5	893	14.9	13.7-16.1	759	13.0	12.0-14.0	372	6.8	06.0-07.6	134	2.3	01.9-02.7	59	1.0	00.6-01.4
Male	3287	2,382,615	2463	64.4	62.0-66.8	330	13.5	11.9-15.1	296	12.7	11.1-14.3	135	6.4	05.2-07.6	45	2.0	01.2-02.8	18	1.0	00.4-01.6
Female	5187	2,508,194	3794	59.6	57.6-61.6	563	16.1	14.5-17.7	463	13.4	12.0-14.8	237	7.2	06.0-08.4	89	2.6	02.0-03.2	41	1.0	00.6-01.4
White/Non-Hisp	6841	4,053,839	5146	64.2	62.6-65.8	694	14.6	13.4-15.8	593	12.3	11.1-13.5	270	6.1	05.3-06.9	100	2.0	01.6-02.4	38	0.7	00.5-00.9
Black or Afr. Am./Non-Hisp	966	403,787	703	53.5	47.8-59.2	103	15.1	10.8-19.4	81	16.6	11.9-21.3	51	9.3	05.8-12.8	18	3.9	01.4-06.4	10	1.6	00.2-03.0
Oth. Race/Non-Hisp.	129	74,045	88	62.4	50.1-74.7	20	13.0	05.6-20.4	15	22.4	10.4-34.4	5	2.1	00.0-04.6				1	0.1	00.0-00.3
MultiRacial/Non-Hisp.	107	54,527	71	60.4	47.5-73.3	12	15.9	05.9-25.9	12	11.0	02.2-19.8	6	5.5	00.4-10.6	1	0.5	00.0-01.5	5	6.8	00.1-13.5
Hispanic	287	237,463	140	36.2	28.6-43.8	48	19.6	13.1-26.1	48	18.4	12.1-24.7	36	18.3	11.4-25.2	12	4.6	01.3-07.9	3	2.9	00.0-07.2
18-24	379	653,597	228	58.4	52.7-64.1	80	22.4	17.5-27.3	41	11.1	07.6-14.6	20	5.0	02.5-07.5	6	1.6	00.2-03.0	4	1.5	00.0-03.3
25-34	826	835,349	284	36.3	32.4-40.2	168	19.9	16.8-23.0	196	22.9	19.6-26.2	116	14.3	11.4-17.2	40	4.7	02.9-06.5	22	1.9	00.9-02.9
35-44	1036	835,982	286	28.4	25.1-31.7	199	18.6	15.9-21.3	307	29.7	26.4-33.0	161	16.1	13.4-18.8	61	5.3	03.7-06.9	22	1.9	00.9-02.9
45-54	1552	925,392	1011	61.9	59.0-64.8	292	20.1	17.6-22.6	167	11.7	09.5-13.9	57	4.3	02.9-05.7	18	1.5	00.7-02.3	7	0.5	00.1-00.9
55-64	1862	739,565	1707	90.0	88.0-92.0	107	7.1	05.5-08.7	29	1.5	00.7-02.3	9	0.6	00.2-01.0	8	0.7	00.1-01.3	2	0.2	00.0-00.4
65+	2738	865,353	2674	97.3	96.5-98.1	40	1.7	01.1-02.3	16	0.6	00.2-01.0	6	0.2	00.0-00.4	1	0.1	00.0-00.3	1	0.1	00.0-00.3
Less Than H.S.	862	711,674	595	51.2	46.5-55.9	101	16.3	12.8-19.8	78	14.1	10.8-17.4	50	11.4	08.1-14.7	21	3.9	01.9-05.9	17	3.1	01.1-05.1
H.S. or G.E.D.	3153	1,729,261	2501	67.0	64.5-69.5	304	15.3	13.3-17.3	192	10.1	08.3-11.9	109	5.7	04.5-06.9	32	1.3	00.7-01.9	15	0.6	00.2-01.0
Some Post-H.S.	2096	1,439,657	1509	62.9	60.2-65.6	227	14.0	11.8-16.2	212	13.7	11.7-15.7	93	6.2	04.6-07.8	41	2.5	01.5-03.5	14	0.7	00.3-01.1
College Graduate	2337	999,463	1634	59.5	57.0-62.0	258	14.4	12.4-16.4	274	16.4	14.4-18.4	120	6.6	05.2-08.0	39	2.5	01.7-03.3	12	0.5	00.1-00.9
Less than \$15,000	1008	558,458	766	64.8	60.3-69.3	114	16.2	12.7-19.7	66	9.9	07.0-12.8	38	5.1	02.9-07.3	18	3.7	01.7-05.7	6	0.3	00.0-00.7
\$15,000- 24,999	1509	783,877	1194	66.7	63.0-70.4	131	12.7	10.2-15.2	98	10.9	08.4-13.4	52	6.0	04.0-08.0	21	2.2	01.0-03.4	13	1.3	00.3-02.3
\$25,000- 34,999	907	512,695	698	61.3	56.4-66.2	93	16.5	12.6-20.4	59	9.6	06.9-12.3	41	10.2	06.5-13.9	9	1.3	00.3-02.3	7	1.0	00.2-01.8
\$35,000- 49,999	1146	641,420	874	65.8	61.9-69.7	121	14.8	11.7-17.9	86	11.0	08.5-13.5	43	5.7	03.7-07.7	10	1.0	00.2-01.8	12	1.8	00.6-03.0
\$50,000- 74,999	1073	653,533	726	55.0	50.9-59.1	124	15.5	12.6-18.4	125	16.6	13.3-19.9	67	8.9	06.4-11.4	25	2.8	01.4-04.2	6	1.0	00.0-02.0
\$75,000+	1516	971,048	901	51.6	48.5-54.7	221	16.7	14.3-19.1	253	20.3	17.6-23.0	96	7.9	06.1-09.7	37	3.1	01.9-04.3	8	0.4	00.2-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 47: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (\_CHLDCNT).  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3287	2,382,615	2463	64.4	62.0-66.8	330	13.5	11.9-15.1	296	12.7	11.1-14.3	135	6.4	05.2-07.6	45	2.0	01.2-02.8	18	1.0	00.4-01.6
White/Non-Hisp	2689	1,931,792	2025	66.5	64.1-68.9	279	14.1	12.3-15.9	242	11.7	10.1-13.3	100	5.6	04.4-06.8	32	1.6	01.0-02.2	11	0.6	00.2-01.0
Black or Afr. Am./Non-Hisp	308	195,454	247	60.5	51.3-69.7	18	7.0	02.3-11.7	24	19.4	11.2-27.6	11	7.4	02.5-12.3	7	4.6	00.3-08.9	1	1.1	00.0-03.3
Oth. Race/Non-Hisp.	70	53,748	49	61.8	46.1-77.5	7	9.3	00.9-17.7	10	26.4	10.9-41.9	4	2.5	00.0-05.8						
Hispanic	113	134,758	59	40.1	28.3-51.9	21	19.1	10.1-28.1	12	12.2	05.1-19.3	16	20.1	09.5-30.7	4	4.7	00.0-09.8	1	3.8	00.0-11.1
18-24	180	335,713	119	62.2	54.2-70.2	29	19.0	12.5-25.5	20	11.8	06.5-17.1	7	3.6	00.5-06.7	3	1.3	00.0-03.3	2	2.1	00.0-05.2
25-34	321	424,169	165	50.1	43.8-56.4	52	15.4	10.9-19.9	53	17.3	12.6-22.0	33	11.9	07.8-16.0	13	3.9	01.4-06.4	5	1.4	00.0-02.8
35-44	438	423,488	161	35.2	29.9-40.5	67	15.4	11.5-19.3	126	28.5	23.6-33.4	58	15.0	10.7-19.3	20	4.3	02.1-06.5	6	1.6	00.0-03.2
45-54	665	457,997	421	60.2	55.7-64.7	119	19.4	15.7-23.1	82	13.4	10.1-16.7	32	5.0	03.0-07.0	7	1.3	00.3-02.3	4	0.7	00.0-01.5
55-64	732	365,936	667	89.3	86.4-92.2	50	8.6	05.9-11.3	12	1.6	00.6-02.6	1	0.1	00.0-00.3	2	0.5	00.0-01.3			
65+	928	363,668	911	97.6	96.2-99.0	12	1.7	00.5-02.9	2	0.2	00.0-00.4	2	0.3	00.0-00.7				1	0.2	00.0-00.6
Less Than H.S.	360	388,247	252	53.0	46.3-59.7	38	15.5	10.4-20.6	33	13.2	08.5-17.9	22	10.9	06.0-15.8	8	3.7	01.0-06.4	7	3.7	00.4-07.0
H.S. or G.E.D.	1161	845,920	900	68.0	64.3-71.7	124	14.5	11.8-17.2	84	11.1	08.4-13.8	38	4.9	03.1-06.7	10	1.1	00.3-01.9	5	0.5	00.0-01.1
Some Post-H.S.	772	655,611	580	66.2	61.7-70.7	70	12.2	09.1-15.3	74	13.0	09.9-16.1	32	6.1	03.7-08.5	12	1.9	00.5-03.3	4	0.6	00.0-01.2
College Graduate	984	487,804	723	65.1	61.4-68.8	97	12.1	09.6-14.6	105	14.6	11.7-17.5	43	6.1	04.1-08.1	14	2.0	00.8-03.2	2	0.2	00.0-00.4
Less than \$15,000	328	245,966	279	75.1	68.2-82.0	25	11.7	06.6-16.8	12	6.3	02.0-10.6	7	4.2	00.9-07.5	5	2.8	00.1-05.5			
\$15,000- 24,999	523	357,108	423	68.3	62.4-74.2	41	11.7	07.6-15.8	34	11.0	06.7-15.3	18	5.9	02.6-09.2	5	2.2	00.0-04.4	2	0.8	00.0-02.0
\$25,000- 34,999	368	259,560	283	61.9	54.6-69.2	37	15.0	09.5-20.5	26	11.2	06.5-15.9	18	10.3	04.8-15.8	2	0.6	00.0-01.6	2	1.0	00.0-02.4
\$35,000- 49,999	490	340,136	384	67.0	61.3-72.7	44	13.9	09.4-18.4	38	11.7	07.8-15.6	14	5.1	02.4-07.8	4	0.7	00.0-01.5	6	1.6	00.2-03.0
\$50,000- 74,999	458	337,261	311	57.3	51.4-63.2	58	15.2	10.9-19.5	48	14.0	09.7-18.3	29	9.5	05.8-13.2	10	3.1	00.9-05.3	2	1.0	00.0-02.6
\$75,000+	720	505,510	457	56.6	51.9-61.3	93	14.5	11.4-17.6	114	19.5	15.6-23.4	39	6.9	04.4-09.4	15	2.3	00.9-03.7	2	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 48: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (\_CHLDCNT).  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5187	2,508,194	3794	59.6	57.6-61.6	563	16.1	14.5-17.7	463	13.4	12.0-14.8	237	7.2	06.0-08.4	89	2.6	02.0-03.2	41	1.0	00.6-01.4
White/Non-Hisp	4152	2,122,047	3121	62.2	60.0-64.4	415	15.1	13.5-16.7	351	12.8	11.2-14.4	170	6.6	05.4-07.8	68	2.5	01.9-03.1	27	0.9	00.5-01.3
Black or Afr. Am./Non-Hisp	658	208,333	456	46.9	40.0-53.8	85	22.8	15.9-29.7	57	13.9	09.2-18.6	40	11.1	06.0-16.2	11	3.3	00.4-06.2	9	2.0	00.0-04.0
Oth. Race/Non-Hisp.	59	20,296	39	64.0	46.9-81.1	13	22.9	07.6-38.2	5	11.6	00.0-23.9	1	1.1	00.0-03.3				1	0.4	00.0-01.2
MultiRacial/Non-Hisp.	68	25,446	43	58.5	43.4-73.6	10	22.5	08.2-36.8	9	11.2	02.8-19.6	4	4.8	00.0-10.5				2	3.0	00.0-08.1
Hispanic	174	102,705	81	30.9	22.1-39.7	27	20.3	11.5-29.1	36	26.7	16.3-37.1	20	16.0	08.2-23.8	8	4.4	00.1-08.7	2	1.7	00.0-04.1
18-24	199	317,884	109	54.5	46.5-62.5	51	26.0	18.9-33.1	21	10.3	05.4-15.2	13	6.4	02.3-10.5	3	1.9	00.0-04.1	2	1.0	00.0-02.4
25-34	505	411,180	119	22.0	17.9-26.1	116	24.6	20.1-29.1	143	28.7	24.0-33.4	83	16.7	12.8-20.6	27	5.4	03.0-07.8	17	2.5	00.9-04.1
35-44	598	412,495	125	21.4	17.3-25.5	132	22.0	17.9-26.1	181	30.9	26.4-35.4	103	17.3	13.6-21.0	41	6.3	04.1-08.5	16	2.2	00.8-03.6
45-54	887	467,395	590	63.7	59.8-67.6	173	20.7	17.4-24.0	85	10.0	07.5-12.5	25	3.5	01.5-05.5	11	1.7	00.5-02.9	3	0.3	00.0-00.7
55-64	1130	373,628	1040	90.7	88.2-93.2	57	5.6	03.6-07.6	17	1.5	00.3-02.7	8	1.0	00.0-02.0	6	0.9	00.1-01.7	2	0.3	00.0-00.7
65+	1810	501,685	1763	97.1	95.9-98.3	28	1.8	01.0-02.6	14	1.0	00.2-01.8	4	0.1	00.0-00.3	1	0.1	00.0-00.3			
Less Than H.S.	502	323,427	343	48.9	42.6-55.2	63	17.3	12.4-22.2	45	15.3	10.4-20.2	28	12.1	07.2-17.0	13	4.1	01.6-06.6	10	2.4	00.8-04.0
H.S. or G.E.D.	1992	883,341	1601	66.1	62.8-69.4	180	16.1	13.4-18.8	108	9.0	07.0-11.0	71	6.4	04.6-08.2	22	1.6	00.8-02.4	10	0.7	00.1-01.3
Some Post-H.S.	1324	784,046	929	60.1	56.6-63.6	157	15.5	12.8-18.2	138	14.4	11.7-17.1	61	6.3	04.3-08.3	29	3.0	01.6-04.4	10	0.8	00.0-01.6
College Graduate	1353	511,660	911	54.3	50.8-57.8	161	16.5	13.8-19.2	169	18.2	15.3-21.1	77	7.1	05.3-08.9	25	3.0	01.6-04.4	10	0.9	00.3-01.5
Less than \$15,000	680	312,492	487	56.7	51.0-62.4	89	19.8	14.9-24.7	54	12.7	08.6-16.8	31	5.9	03.2-08.6	13	4.4	01.7-07.1	6	0.5	00.0-01.1
\$15,000- 24,999	986	426,768	771	65.4	60.9-69.9	90	13.5	10.2-16.8	64	10.9	07.6-14.2	34	6.1	03.6-08.6	16	2.2	00.8-03.6	11	1.8	00.4-03.2
\$25,000- 34,999	539	253,135	415	60.7	54.2-67.2	56	18.0	12.5-23.5	33	8.0	04.7-11.3	23	10.1	05.0-15.2	7	2.1	00.1-04.1	5	1.0	00.0-02.0
\$35,000- 49,999	656	301,284	490	64.3	59.2-69.4	77	15.8	11.7-19.9	48	10.2	06.9-13.5	29	6.3	03.6-09.0	6	1.3	00.1-02.5	6	2.0	00.0-04.0
\$50,000- 74,999	615	316,272	415	52.7	47.2-58.2	66	15.9	12.0-19.8	77	19.5	14.6-24.4	38	8.4	04.9-11.9	15	2.6	01.2-04.0	4	1.1	00.0-02.3
\$75,000+	796	465,539	444	46.2	42.1-50.3	128	19.2	15.7-22.7	139	21.1	17.6-24.6	57	9.1	06.6-11.6	22	3.9	02.1-05.7	6	0.6	00.2-01.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 49: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (\_EDUCAG).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8466	4,887,519	862	14.6	13.4-15.8	3158	35.4	34.0-36.8	2101	29.5	28.1-30.9	2345	20.5	19.5-21.5
Male	3286	2,380,146	360	16.3	14.3-18.3	1164	35.6	33.4-37.8	775	27.6	25.4-29.8	987	20.5	18.9-22.1
Female	5180	2,507,373	502	12.9	11.3-14.5	1994	35.3	33.5-37.1	1326	31.3	29.5-33.1	1358	20.5	19.1-21.9
White/Non-Hisp	6841	4,054,006	584	12.2	11.0-13.4	2569	35.9	34.3-37.5	1668	30.0	28.4-31.6	2020	21.9	20.7-23.1
Black or Afr. Am./Non-Hisp	963	401,957	140	19.0	14.3-23.7	381	37.6	31.9-43.3	280	31.8	26.5-37.1	162	11.6	08.5-14.7
Oth. Race/Non-Hisp.	128	73,872	18	23.5	10.8-36.2	30	23.8	13.4-34.2	30	23.3	13.7-32.9	50	29.4	19.8-39.0
MultiRacial/Non-Hisp.	106	54,455	11	9.5	02.1-16.9	42	49.1	36.0-62.2	30	26.4	15.2-37.6	23	14.9	07.6-22.2
Hispanic	287	237,463	89	44.4	36.0-52.8	94	26.6	19.5-33.7	55	19.8	13.3-26.3	49	9.2	05.7-12.7
18-24	380	654,605	63	22.1	17.0-27.2	126	32.4	26.9-37.9	126	35.2	29.7-40.7	65	10.3	07.6-13.0
25-34	826	835,176	101	17.5	14.0-21.0	221	29.8	26.1-33.5	213	28.3	24.6-32.0	291	24.4	21.5-27.3
35-44	1037	836,905	106	15.7	12.6-18.8	269	26.1	22.8-29.4	285	31.1	27.6-34.6	377	27.1	24.2-30.0
45-54	1551	924,348	134	10.9	08.7-13.1	578	37.7	34.8-40.6	393	29.4	26.5-32.3	446	21.9	19.5-24.3
55-64	1860	738,398	133	8.4	06.6-10.2	710	40.4	37.7-43.1	500	31.3	28.6-34.0	517	19.9	17.9-21.9
65+	2729	861,082	323	14.6	12.6-16.6	1229	45.7	43.3-48.1	556	22.9	20.9-24.9	621	16.8	15.2-18.4
Less Than H.S.	862	711,674	862	100.0	0100-0100									
H.S. or G.E.D.	3158	1,731,593				3158	100.0	0100-0100						
Some Post-H.S.	2101	1,441,764							2101	100.0	0100-0100			
College Graduate	2345	1,002,488										2345	100.0	0100-0100
Less than \$15,000	1007	557,056	248	31.2	26.9-35.5	446	36.6	32.5-40.7	218	25.1	21.0-29.2	95	7.1	04.9-09.3
\$15,000- 24,999	1504	782,128	228	21.8	18.5-25.1	721	42.3	38.8-45.8	369	28.2	24.9-31.5	186	7.7	06.1-09.3
\$25,000- 34,999	907	513,816	72	12.7	09.0-16.4	437	50.4	45.7-55.1	237	26.1	22.0-30.2	161	10.8	08.6-13.0
\$35,000- 49,999	1145	640,852	74	10.8	07.9-13.7	443	39.9	36.2-43.6	327	31.2	27.7-34.7	301	18.1	15.6-20.6
\$50,000- 74,999	1072	652,906	30	5.8	03.4-08.2	309	30.5	27.0-34.0	316	38.5	34.6-42.4	417	25.2	22.3-28.1
\$75,000+	1516	970,337	20	2.2	01.0-03.4	265	20.2	17.5-22.9	334	30.4	27.3-33.5	897	47.2	44.1-50.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 50: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (\_EDUCAG).  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3286	2,380,146	360	16.3	14.3-18.3	1164	35.6	33.4-37.8	775	27.6	25.4-29.8	987	20.5	18.9-22.1
White/Non-Hisp	2692	1,931,989	257	14.2	12.2-16.2	941	35.8	33.4-38.2	623	27.6	25.2-30.0	871	22.4	20.6-24.2
Black or Afr. Am./Non-Hisp	307	194,087	48	18.0	10.9-25.1	121	38.7	29.7-47.7	93	34.5	25.7-43.3	45	8.8	04.7-12.9
Oth. Race/Non-Hisp.	69	53,615	10	27.0	10.3-43.7	20	28.6	14.9-42.3	13	18.5	07.5-29.5	26	25.9	14.7-37.1
Hispanic	113	134,758	37	42.9	30.6-55.2	38	26.6	16.0-37.2	19	21.1	11.3-30.9	19	9.3	04.0-14.6
18-24	180	335,713	35	24.2	16.8-31.6	65	34.9	27.1-42.7	48	30.6	22.8-38.4	32	10.3	06.4-14.2
25-34	320	422,802	45	19.0	13.7-24.3	100	34.7	28.6-40.8	68	24.3	19.0-29.6	107	22.0	17.7-26.3
35-44	439	424,168	57	19.9	14.8-25.0	119	26.1	21.4-30.8	112	29.6	24.3-34.9	151	24.4	20.3-28.5
45-54	666	457,973	64	11.8	08.5-15.1	264	40.0	35.5-44.5	149	26.4	22.1-30.7	189	21.7	18.4-25.0
55-64	729	364,611	51	8.4	05.7-11.1	260	38.4	34.1-42.7	202	32.5	28.2-36.8	216	20.7	17.6-23.8
65+	928	362,321	107	15.8	12.5-19.1	348	39.7	35.8-43.6	189	22.6	19.3-25.9	284	21.9	19.2-24.6
Less Than H.S.	360	388,247	360	100.0	0100-0100									
H.S. or G.E.D.	1164	846,755				1164	100.0	0100-0100						
Some Post-H.S.	775	656,334							775	100.0	0100-0100			
College Graduate	987	488,810										987	100.0	0100-0100
Less than \$15,000	327	244,599	97	36.3	29.0-43.6	127	34.8	28.1-41.5	68	20.4	14.5-26.3	35	8.5	04.6-12.4
\$15,000- 24,999	522	356,690	88	26.3	20.6-32.0	246	41.8	36.1-47.5	127	25.6	20.5-30.7	61	6.3	04.1-08.5
\$25,000- 34,999	368	259,560	40	16.0	09.9-22.1	177	49.8	42.5-57.1	77	23.3	17.2-29.4	74	11.0	07.9-14.1
\$35,000- 49,999	489	339,568	47	14.8	10.1-19.5	209	42.6	36.9-48.3	117	26.5	21.6-31.4	116	16.2	12.7-19.7
\$50,000- 74,999	457	336,634	15	6.6	03.1-10.1	138	31.9	26.6-37.2	145	39.5	33.6-45.4	159	22.0	17.9-26.1
\$75,000+	721	505,846	10	2.7	00.7-04.7	123	21.0	17.1-24.9	143	28.6	23.9-33.3	445	47.8	43.3-52.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 51: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (\_EDUCAG).  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5180	2,507,373	502	12.9	11.3-14.5	1994	35.3	33.5-37.1	1326	31.3	29.5-33.1	1358	20.5	19.1-21.9
White/Non-Hisp	4149	2,122,017	327	10.4	08.8-12.0	1628	35.9	33.9-37.9	1045	32.2	30.2-34.2	1149	21.4	20.0-22.8
Black or Afr. Am./Non-Hisp	656	207,869	92	20.0	13.9-26.1	260	36.5	29.6-43.4	187	29.2	22.9-35.5	117	14.2	09.9-18.5
Oth. Race/Non-Hisp.	59	20,257	8	14.3	02.3-26.3	10	11.0	02.2-19.8	17	36.0	18.9-53.1	24	38.7	22.2-55.2
MultiRacial/Non-Hisp.	68	25,446	10	14.9	03.3-26.5	22	37.0	22.1-51.9	20	27.9	14.6-41.2	16	20.2	09.4-31.0
Hispanic	174	102,705	52	46.4	35.6-57.2	56	26.6	17.6-35.6	36	18.0	10.0-26.0	30	9.1	05.0-13.2
18-24	200	318,892	28	19.8	12.7-26.9	61	29.8	22.5-37.1	78	40.1	32.5-47.7	33	10.2	06.5-13.9
25-34	506	412,374	56	15.9	11.6-20.2	121	24.7	20.2-29.2	145	32.5	27.6-37.4	184	26.9	22.8-31.0
35-44	598	412,737	49	11.4	08.1-14.7	150	26.1	21.8-30.4	173	32.6	27.9-37.3	226	30.0	25.9-34.1
45-54	885	466,375	70	10.0	07.3-12.7	314	35.5	31.6-39.4	244	32.4	28.5-36.3	257	22.1	19.2-25.0
55-64	1131	373,788	82	8.5	06.3-10.7	450	42.4	38.9-45.9	298	30.1	26.6-33.6	301	19.0	16.6-21.4
65+	1801	498,761	216	13.8	11.6-16.0	881	50.0	47.1-52.9	367	23.2	20.7-25.7	337	13.0	11.4-14.6
Less Than H.S.	502	323,427	502	100.0	0100-0100									
H.S. or G.E.D.	1994	884,838				1994	100.0	0100-0100						
Some Post-H.S.	1326	785,430							1326	100.0	0100-0100			
College Graduate	1358	513,678										1358	100.0	0100-0100
Less than \$15,000	680	312,457	151	27.2	22.1-32.3	319	38.1	33.0-43.2	150	28.7	23.2-34.2	60	6.0	03.8-08.2
\$15,000- 24,999	982	425,438	140	18.1	14.4-21.8	475	42.7	38.4-47.0	242	30.4	26.1-34.7	125	8.8	06.6-11.0
\$25,000- 34,999	539	254,256	32	9.3	05.0-13.6	260	51.0	44.9-57.1	160	29.1	23.6-34.6	87	10.6	07.7-13.5
\$35,000- 49,999	656	301,284	27	6.4	03.3-09.5	234	36.8	31.9-41.7	210	36.5	31.4-41.6	185	20.3	16.8-23.8
\$50,000- 74,999	615	316,272	15	5.0	01.9-08.1	171	28.9	24.0-33.8	171	37.4	31.9-42.9	258	28.7	24.4-33.0
\$75,000+	795	464,491	10	1.7	00.3-03.1	142	19.3	15.8-22.8	191	32.4	28.3-36.5	452	46.6	42.5-50.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 52: RISK FACTOR FOR INCOME CATEGORIES (\_INCOMG).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 lt 25,000			\$25,000 lt 35,000			\$35,000 lt 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7164	4,123,478	1009	13.6	12.4-14.8	1510	19.0	17.8-20.2	908	12.5	11.3-13.7	1147	15.6	14.4-16.8	2590	39.4	37.8-41.0
Male	2889	2,045,962	328	12.0	10.4-13.6	523	17.5	15.7-19.3	368	12.7	10.9-14.5	491	16.6	14.8-18.4	1179	41.2	38.8-43.6
Female	4275	2,077,516	681	15.1	13.5-16.7	987	20.6	19.0-22.2	540	12.2	10.8-13.6	656	14.5	13.1-15.9	1411	37.6	35.6-39.6
White/Non-Hisp	5777	3,420,482	671	11.2	10.0-12.4	1115	17.2	16.0-18.4	716	12.0	10.8-13.2	970	16.4	15.2-17.6	2305	43.1	41.5-44.7
Black or Afr. Am./Non-Hisp	854	348,427	210	27.8	22.3-33.3	247	25.5	20.4-30.6	123	13.9	09.4-18.4	106	10.7	07.2-14.2	168	22.1	17.0-27.2
Oth. Race/Non-Hisp.	107	62,084	20	16.2	04.8-27.6	27	21.6	10.6-32.6	8	7.6	01.7-13.5	15	15.2	06.0-24.4	37	39.3	26.6-52.0
MultiRacial/Non-Hisp.	87	40,008	25	24.5	12.7-36.3	20	25.6	12.9-38.3	13	15.6	05.4-25.8	8	7.7	01.2-14.2	21	26.6	13.7-39.5
Hispanic	242	202,781	56	23.1	15.8-30.4	80	35.8	27.4-44.2	33	17.5	09.5-25.5	33	11.4	06.5-16.3	40	12.3	06.6-18.0
18-24	274	440,576	75	24.5	19.0-30.0	70	25.0	19.3-30.7	37	15.2	09.9-20.5	31	10.3	06.4-14.2	61	25.1	19.0-31.2
25-34	736	739,486	116	16.3	13.0-19.6	140	20.2	16.7-23.7	81	12.7	09.6-15.8	129	16.1	13.2-19.0	270	34.7	30.8-38.6
35-44	952	766,437	106	10.9	08.4-13.4	130	13.8	11.3-16.3	86	9.5	07.1-11.9	129	14.2	11.5-16.9	501	51.6	47.7-55.5
45-54	1418	844,421	199	11.7	09.7-13.7	211	13.6	11.4-15.8	146	10.4	08.4-12.4	209	14.0	11.6-16.4	653	50.1	47.0-53.2
55-64	1650	656,233	194	9.9	08.1-11.7	284	14.9	12.9-16.9	211	12.5	10.5-14.5	282	18.4	16.0-20.8	679	44.3	41.4-47.2
65+	2100	659,067	318	12.5	10.7-14.3	663	30.3	27.8-32.8	343	16.7	14.7-18.7	361	18.8	16.6-21.0	415	21.7	19.3-24.1
Less Than H.S.	672	538,872	248	32.3	27.6-37.0	228	31.7	27.0-36.4	72	12.1	08.6-15.6	74	12.9	09.4-16.4	50	11.1	07.6-14.6
H.S. or G.E.D.	2621	1,443,951	446	14.1	12.3-15.9	721	22.9	20.7-25.1	437	17.9	15.7-20.1	443	17.7	15.7-19.7	574	27.3	24.9-29.7
Some Post-H.S.	1801	1,240,209	218	11.3	09.3-13.3	369	17.8	15.4-20.2	237	10.8	09.0-12.6	327	16.1	13.9-18.3	650	44.0	40.9-47.1
College Graduate	2057	894,064	95	4.4	03.0-05.8	186	6.7	05.3-08.1	161	6.2	05.0-07.4	301	13.0	11.2-14.8	1314	69.6	67.1-72.1
Less than \$15,000	1009	558,834	1009	100.0	0100-0100												
\$15,000- 24,999	1510	784,332				1510	100.0	0100-0100									
\$25,000- 34,999	908	513,890							908	100.0	0100-0100						
\$35,000- 49,999	1147	641,504										1147	100.0	0100-0100			
\$50,000- 74,999	1073	653,533													1073	100.0	0100-0100
\$75,000+	1517	971,385													1517	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 53: RISK FACTOR FOR INCOME CATEGORIES (\_INCOMG).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2889	2,045,962	328	12.0	10.4-13.6	523	17.5	15.7-19.3	368	12.7	10.9-14.5	491	16.6	14.8-18.4	1179	41.2	38.8-43.6
White/Non-Hisp	2373	1,668,893	226	10.1	08.5-11.7	383	15.2	13.4-17.0	295	12.4	10.6-14.2	421	17.6	15.6-19.6	1048	44.7	42.2-47.2
Black or Afr. Am./Non-Hisp	278	163,489	61	24.3	16.1-32.5	72	25.5	16.9-34.1	39	10.3	04.6-16.0	38	10.4	05.3-15.5	68	29.6	20.6-38.6
Oth. Race/Non-Hisp.	61	45,621	8	13.7	00.0-28.4	13	19.8	06.1-33.5	7	9.6	01.8-17.4	9	17.0	05.2-28.8	24	39.8	23.7-55.9
Hispanic	101	118,909	22	18.7	09.7-27.7	36	36.4	24.4-48.4	16	20.4	08.1-32.7	11	11.8	04.2-19.4	16	12.7	04.7-20.7
18-24	122	211,974	25	17.3	10.2-24.4	27	23.4	15.0-31.8	16	14.0	06.4-21.6	18	13.7	07.0-20.4	36	31.5	21.9-41.1
25-34	286	376,474	38	16.5	11.2-21.8	58	20.9	15.4-26.4	31	13.1	08.4-17.8	57	17.8	13.1-22.5	102	31.7	25.8-37.6
35-44	409	394,228	45	11.4	07.7-15.1	49	13.1	09.2-17.0	44	11.7	07.6-15.8	53	13.7	09.8-17.6	218	50.1	44.4-55.8
45-54	613	420,500	79	11.0	08.1-13.9	87	12.9	09.8-16.0	60	9.9	07.2-12.6	85	14.9	11.4-18.4	302	51.4	46.7-56.1
55-64	663	332,321	72	9.9	07.2-12.6	98	13.0	10.1-15.9	82	12.6	09.3-15.9	110	17.7	14.2-21.2	301	46.8	42.3-51.3
65+	786	304,987	69	7.7	05.5-09.9	202	25.8	21.9-29.7	133	16.6	13.5-19.7	165	21.8	18.3-25.3	217	28.2	24.3-32.1
Less Than H.S.	297	310,087	97	28.6	22.1-35.1	88	30.3	23.6-37.0	40	13.4	08.3-18.5	47	16.2	10.9-21.5	25	11.5	06.6-16.4
H.S. or G.E.D.	1020	721,506	127	11.8	09.3-14.3	246	20.7	17.6-23.8	177	17.9	14.6-21.2	209	20.0	16.9-23.1	261	29.6	26.1-33.1
Some Post-H.S.	677	568,927	68	8.8	06.1-11.5	127	16.0	12.7-19.3	77	10.6	07.7-13.5	117	15.8	12.7-18.9	288	48.8	43.9-53.7
College Graduate	890	442,379	35	4.7	02.5-06.9	61	5.1	03.3-06.9	74	6.4	04.6-08.2	116	12.4	09.9-14.9	604	71.3	67.6-75.0
Less than \$15,000	328	245,966	328	100.0	0100-0100												
\$15,000- 24,999	523	357,108				523	100.0	0100-0100									
\$25,000- 34,999	368	259,560							368	100.0	0100-0100						
\$35,000- 49,999	491	340,220										491	100.0	0100-0100			
\$50,000- 74,999	458	337,261													458	100.0	0100-0100
\$75,000+	721	505,846													721	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 8: DEMOGRAPHICS**

**TABLE 54: RISK FACTOR FOR INCOME CATEGORIES (\_INCOMG).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4275	2,077,516	681	15.1	13.5-16.7	987	20.6	19.0-22.2	540	12.2	10.8-13.6	656	14.5	13.1-15.9	1411	37.6	35.6-39.6
White/Non-Hisp	3404	1,751,590	445	12.2	10.6-13.8	732	19.2	17.4-21.0	421	11.7	10.3-13.1	549	15.2	13.6-16.8	1257	41.6	39.4-43.8
Black or Afr. Am./Non-Hisp	576	184,938	149	30.8	23.7-37.9	175	25.5	19.6-31.4	84	17.1	10.4-23.8	68	10.9	06.2-15.6	100	15.5	10.6-20.4
MultiRacial/Non-Hisp.	59	20,578	23	34.3	19.2-49.4	9	24.4	07.3-41.5	10	15.6	04.2-27.0	5	4.6	00.0-09.7	12	21.1	08.6-33.6
Hispanic	141	83,872	34	29.4	18.2-40.6	44	34.8	23.2-46.4	17	13.4	06.0-20.8	22	10.7	05.2-16.2	24	11.7	04.1-19.3
18-24	152	228,603	50	31.2	23.0-39.4	43	26.5	18.9-34.1	21	16.2	09.1-23.3	13	7.1	03.0-11.2	25	19.1	11.5-26.7
25-34	450	363,012	78	16.1	12.2-20.0	82	19.5	15.0-24.0	50	12.3	08.4-16.2	72	14.3	10.6-18.0	168	37.8	32.5-43.1
35-44	543	372,209	61	10.4	07.1-13.7	81	14.5	11.0-18.0	42	7.1	04.6-09.6	76	14.8	10.9-18.7	283	53.2	48.1-58.3
45-54	805	423,921	120	12.5	10.0-15.0	124	14.4	11.5-17.3	86	11.0	08.3-13.7	124	13.2	10.5-15.9	351	48.8	44.5-53.1
55-64	987	323,911	122	9.9	07.7-12.1	186	16.9	14.2-19.6	129	12.3	09.9-14.7	172	19.2	16.1-22.3	378	41.7	38.0-45.4
65+	1314	354,080	249	16.6	14.2-19.0	461	34.2	31.1-37.3	210	16.8	14.3-19.3	196	16.3	13.8-18.8	198	16.2	13.7-18.7
Less Than H.S.	375	228,785	151	37.2	30.3-44.1	140	33.7	27.2-40.2	32	10.3	05.6-15.0	27	8.4	04.3-12.5	25	10.5	05.4-15.6
H.S. or G.E.D.	1601	722,445	319	16.5	14.1-18.9	475	25.1	22.4-27.8	260	18.0	15.3-20.7	234	15.4	13.0-17.8	313	25.1	22.0-28.2
Some Post-H.S.	1124	671,282	150	13.4	10.5-16.3	242	19.2	16.1-22.3	160	11.0	08.6-13.4	210	16.4	13.7-19.1	362	40.0	36.3-43.7
College Graduate	1167	451,686	60	4.1	02.7-05.5	125	8.3	06.3-10.3	87	6.0	04.4-07.6	185	13.5	11.1-15.9	710	68.0	64.7-71.3
Less than \$15,000	681	312,868	681	100.0	0100-0100												
\$15,000- 24,999	987	427,224				987	100.0	0100-0100									
\$25,000- 34,999	540	254,329							540	100.0	0100-0100						
\$35,000- 49,999	656	301,284										656	100.0	0100-0100			
\$50,000- 74,999	615	316,272													615	100.0	0100-0100
\$75,000+	796	465,539													796	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011**

**SECTION 9: FRUITS AND VEGETABLES CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)	
1 MALES AND FEMALES	94
2 MALES ONLY	95
3 FEMALES ONLY	96
FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)	
4 MALES AND FEMALES	97
5 MALES ONLY	98
6 FEMALES ONLY	99
BEAN INTAKE IN TIMES PER DAY (BEANDAY_)	
7 MALES AND FEMALES	100
8 MALES ONLY	101
9 FEMALES ONLY	102
DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)	
10 MALES AND FEMALES	103
11 MALES ONLY	104
12 FEMALES ONLY	105
ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)	
13 MALES AND FEMALES	106
14 MALES ONLY	107
15 FEMALES ONLY	108
VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)	
16 MALES AND FEMALES	109
17 MALES ONLY	110
18 FEMALES ONLY	111

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011

SECTION 9: FRUITS AND VEGETABLES CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)	
19	MALES AND FEMALES	112
20	MALES ONLY	113
21	FEMALES ONLY	114
	TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)	
22	MALES AND FEMALES	115
23	MALES ONLY	116
24	FEMALES ONLY	117

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 1: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1\_)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8017	4,604,598	3279	45.4	43.8-47.0	1894	20.2	19.0-21.4	91	0.9	0.7-01.1	36	0.5	0.3-0.07	3	0.1	0.0-0.03	2714	32.9	31.5-34.3
Male	3091	2,222,245	1336	47.5	45.1-49.9	744	19.8	18.0-21.6	33	0.9	0.5-01.3	17	0.4	0.2-0.06	2	0.1	0.0-0.03	959	31.2	29.0-33.4
Female	4926	2,382,353	1943	43.4	41.4-45.4	1150	20.6	19.0-22.2	58	0.9	0.5-01.3	19	0.5	0.1-0.09	1	0.1	0.0-0.03	1755	34.5	32.7-36.3
White/Non-Hisp	6524	3,840,812	2640	44.4	42.8-46.0	1521	20.2	19.0-21.4	43	0.7	0.5-0.09	25	0.4	0.2-0.06				2295	34.3	32.7-35.9
Black or Afr. Am./Non-Hisp	871	358,373	384	51.4	45.3-57.5	225	21.0	16.1-25.9	33	2.4	0.6-04.2	6	0.9	0.0-0.23	1	0.7	0.0-0.21	222	23.5	18.4-28.6
Oth. Race/Non-Hisp.	124	71,926	48	40.2	28.2-52.2	38	26.1	15.5-36.7	2	0.2	0.0-0.04				1	0.6	0.0-0.18	35	33.0	20.7-45.3
MultiRacial/Non-Hisp.	97	47,856	37	45.1	31.2-59.0	20	20.5	09.5-31.5	1	0.2	0.0-0.06	2	0.3	0.0-0.07				37	33.9	21.6-46.2
Hispanic	268	224,048	121	55.2	46.8-63.6	51	14.4	09.5-19.3	7	1.2	0.2-0.22	2	1.2	0.0-0.28	1	0.8	0.0-0.24	86	27.3	20.0-34.6
18-24	356	610,491	200	55.8	49.9-61.7	65	18.9	14.2-23.6	6	0.9	0.0-0.19	3	0.6	0.0-0.14	3	0.7	0.0-0.17	79	23.1	18.0-28.2
25-34	773	774,512	404	52.9	48.8-57.0	141	16.8	13.9-19.7	15	1.5	0.5-02.5	4	0.5	0.1-0.09				209	28.3	24.6-32.0
35-44	980	786,216	483	48.8	45.1-52.5	147	14.7	12.0-17.4	8	0.8	0.2-0.14	5	0.3	0.0-0.07				337	35.4	31.7-39.1
45-54	1490	885,506	660	43.7	40.6-46.8	274	18.0	15.5-20.5	17	0.7	0.3-0.11	7	0.6	0.0-0.12				532	36.9	34.0-39.8
55-64	1781	705,539	733	42.1	39.2-45.0	387	20.5	18.1-22.9	21	0.8	0.4-0.12	11	0.4	0.0-0.08				629	36.3	33.6-39.0
65+	2563	808,547	772	31.8	29.4-34.2	857	31.5	29.3-33.7	23	0.8	0.4-0.12	5	0.3	0.0-0.07				906	35.5	33.1-37.9
Less Than H.S.	790	654,454	296	42.6	37.7-47.5	150	15.0	11.7-18.3	16	1.8	0.6-0.30	5	1.0	0.0-0.20				323	39.7	35.0-44.4
H.S. or G.E.D.	2938	1,609,245	1112	42.7	40.2-45.2	681	20.6	18.6-22.6	38	1.1	0.5-0.17	11	0.3	0.1-0.05	2	0.3	0.0-0.07	1094	35.0	32.6-37.4
Some Post-H.S.	1985	1,362,142	849	47.4	44.5-50.3	468	20.7	18.3-23.1	26	0.7	0.3-0.11	6	0.3	0.0-0.07				636	30.9	28.2-33.6
College Graduate	2278	967,352	1013	48.9	46.4-51.4	592	22.4	20.2-24.6	11	0.3	0.1-0.05	14	0.6	0.2-0.10	1	0.0	0.0-0.00	647	27.7	25.3-30.1
Less than \$15,000	947	523,019	359	43.2	38.5-47.9	188	16.1	13.0-19.2	21	1.8	0.6-0.30	5	0.8	0.0-0.18	2	0.8	0.0-0.20	372	37.4	32.9-41.9
\$15,000- 24,999	1408	730,712	539	46.1	42.4-49.8	351	21.2	18.3-24.1	20	1.6	0.6-0.26	6	0.3	0.0-0.07				492	30.8	27.5-34.1
\$25,000- 34,999	864	491,026	336	43.9	39.0-48.8	223	22.7	18.8-26.6	7	0.8	0.0-0.16	3	0.5	0.0-0.13				295	32.1	27.8-36.4
\$35,000- 49,999	1095	605,989	456	45.5	41.6-49.4	257	21.6	18.5-24.7	10	0.8	0.0-0.18	6	0.2	0.0-0.04				366	31.8	28.3-35.3
\$50,000- 74,999	1035	624,730	462	47.2	43.1-51.3	236	20.3	17.2-23.4	10	0.7	0.1-0.13							327	31.9	28.2-35.6
\$75,000+	1475	937,881	707	48.1	45.0-51.2	312	19.4	16.9-21.9	7	0.4	0.2-0.06	9	0.8	0.2-0.14	1	0.0	0.0-0.00	439	31.4	28.5-34.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 9: FRUITS AND VEGETABLES  
TABLE 2: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3091	2,222,245	1336	47.5	45.1-49.9	744	19.8	18.0-21.6	33	0.9	0.5-01.3	17	0.4	0.2-00.6	2	0.1	0.0-00.3	959	31.2	29.0-33.4
White/Non-Hisp	2554	1,811,831	1080	45.6	43.1-48.1	620	20.4	18.4-22.4	22	0.9	0.5-01.3	13	0.4	0.2-00.6				819	32.7	30.3-35.1
Black or Afr. Am./Non-Hisp	269	171,972	136	59.3	49.9-68.7	60	16.1	09.2-23.0	6	0.6	0.0-01.2	2	0.3	0.0-00.7	1	1.4	0.0-04.1	64	22.3	13.9-30.7
Oth. Race/Non-Hisp.	66	50,911	25	38.7	23.6-53.8	21	28.1	14.2-42.0							1	0.8	0.0-02.4	19	32.5	16.2-48.8
Hispanic	105	127,553	56	61.4	49.6-73.2	16	12.1	05.2-19.0	3	1.2	0.0-02.8							30	25.3	15.1-35.5
18-24	169	309,166	90	56.1	47.7-64.5	36	18.8	12.3-25.3	3	0.6	0.0-01.4	1	0.1	0.0-00.3	2	0.9	0.0-02.5	37	23.5	16.2-30.8
25-34	292	381,805	155	54.2	47.7-60.7	53	15.3	11.0-19.6	5	1.0	0.0-02.2	2	0.5	0.0-01.3				77	28.9	22.8-35.0
35-44	406	393,596	203	49.8	44.1-55.5	63	14.5	10.6-18.4	5	1.4	0.0-02.8	1	0.4	0.0-01.2				134	34.0	28.5-39.5
45-54	637	436,708	297	46.3	41.6-51.0	114	17.9	14.2-21.6	7	1.0	0.2-01.8	3	0.1	0.0-00.3				216	34.8	30.3-39.3
55-64	696	349,911	292	42.7	38.2-47.2	175	23.2	19.5-26.9	3	0.3	0.0-00.7	6	0.6	0.0-01.2				220	33.2	28.9-37.5
65+	870	339,599	291	36.2	32.3-40.1	297	30.5	27.0-34.0	10	1.2	0.2-02.2	3	0.4	0.0-00.8				269	31.6	27.9-35.3
Less Than H.S.	324	353,405	130	44.9	37.8-52.0	49	12.6	08.1-17.1	8	1.9	0.3-03.5	1	0.1	0.0-00.3				136	40.5	33.8-47.2
H.S. or G.E.D.	1079	785,264	459	47.1	43.2-51.0	238	19.0	16.3-21.7	12	1.1	0.3-01.9	6	0.4	0.0-00.8	1	0.3	0.0-00.9	363	32.1	28.6-35.6
Some Post-H.S.	721	609,143	324	49.7	45.0-54.4	180	21.1	17.4-24.8	7	0.6	0.0-01.2	3	0.3	0.0-00.9				207	28.3	24.0-32.6
College Graduate	958	469,471	420	47.3	43.4-51.2	277	25.2	21.9-28.5	6	0.5	0.1-00.9	7	0.6	0.0-01.2	1	0.1	0.0-00.3	247	26.4	23.1-29.7
Less than \$15,000	301	227,608	129	44.8	37.2-52.4	49	12.9	08.2-17.6	3	0.5	0.0-01.1	3	0.6	0.0-01.4	1	1.1	0.0-03.3	116	40.3	32.9-47.7
\$15,000- 24,999	488	336,275	206	51.3	45.2-57.4	122	19.9	15.4-24.4	9	2.2	0.4-04.0	2	0.1	0.0-00.3				149	26.5	21.2-31.8
\$25,000- 34,999	357	249,772	142	47.1	39.8-54.4	95	23.3	17.6-29.0	3	1.4	0.0-03.0	2	0.3	0.0-00.7				115	27.8	21.9-33.7
\$35,000- 49,999	459	315,243	193	47.8	41.9-53.7	123	21.9	17.4-26.4	2	0.3	0.0-00.7	3	0.3	0.0-00.7				138	29.7	24.4-35.0
\$50,000- 74,999	434	316,602	198	48.0	41.9-54.1	109	19.2	15.1-23.3	5	1.0	0.0-02.2							122	31.8	26.1-37.5
\$75,000+	696	481,974	333	47.8	43.1-52.5	166	22.4	18.5-26.3	5	0.5	0.1-00.9	4	0.7	0.0-01.5	1	0.1	0.0-00.3	187	28.5	24.2-32.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 9: FRUITS AND VEGETABLES  
TABLE 3: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4926	2,382,353	1943	43.4	41.4-45.4	1150	20.6	19.0-22.2	58	0.9	0.5-01.3	19	0.5	0.1-00.9	1	0.1	0.0-00.3	1755	34.5	32.7-36.3
White/Non-Hisp	3970	2,028,981	1560	43.3	41.1-45.5	901	20.1	18.3-21.9	21	0.6	0.2-01.0	12	0.3	0.1-00.5				1476	35.7	33.7-37.7
Black or Afr. Am./Non-Hisp	602	186,401	248	44.1	36.8-51.4	165	25.6	18.7-32.5	27	4.1	01.0-07.2	4	1.5	0.0-04.2				158	24.7	18.6-30.8
Oth. Race/Non-Hisp.	58	21,016	23	43.9	26.7-61.1	17	21.2	07.9-34.5	2	0.7	0.0-01.7							16	34.2	17.9-50.5
MultiRacial/Non-Hisp.	63	22,100	25	42.1	26.8-57.4	11	21.9	06.8-37.0	1	0.4	0.0-01.2	1	0.3	0.0-00.9				25	35.2	20.7-49.7
Hispanic	163	96,495	65	47.0	35.8-58.2	35	17.5	10.4-24.6	4	1.0	0.0-02.2	2	2.7	0.0-06.4	1	1.8	0.0-05.3	56	30.0	20.0-40.0
18-24	187	301,326	110	55.4	47.2-63.6	29	19.0	11.9-26.1	3	1.3	0.0-03.1	2	1.0	0.0-02.8	1	0.6	0.0-01.8	42	22.7	15.8-29.6
25-34	481	392,707	249	51.6	46.3-56.9	88	18.3	14.2-22.4	10	1.9	0.3-03.5	2	0.4	0.0-01.0				132	27.8	23.1-32.5
35-44	574	392,620	280	47.8	42.9-52.7	84	14.9	11.2-18.6	3	0.1	0.0-00.3	4	0.2	0.0-00.6				203	36.9	32.0-41.8
45-54	853	448,798	363	41.3	37.2-45.4	160	18.2	14.9-21.5	10	0.4	0.0-00.8	4	1.1	0.0-02.3				316	39.0	34.9-43.1
55-64	1085	355,628	441	41.5	37.8-45.2	212	17.8	15.1-20.5	18	1.2	0.4-02.0	5	0.2	0.0-00.4				409	39.3	35.8-42.8
65+	1693	468,948	481	28.7	26.0-31.4	560	32.2	29.5-34.9	13	0.6	0.2-01.0	2	0.3	0.0-00.9				637	38.3	35.4-41.2
Less Than H.S.	466	301,049	166	40.0	33.5-46.5	101	17.7	12.6-22.8	8	1.6	0.0-03.4	4	2.0	0.0-04.2				187	38.7	32.2-45.2
H.S. or G.E.D.	1859	823,981	653	38.6	35.5-41.7	443	22.2	19.5-24.9	26	1.1	0.3-01.9	5	0.2	0.0-00.4	1	0.2	0.0-00.6	731	37.7	34.8-40.6
Some Post-H.S.	1264	752,998	525	45.5	41.8-49.2	288	20.5	17.6-23.4	19	0.8	0.2-01.4	3	0.2	0.0-00.6				429	33.0	29.5-36.5
College Graduate	1320	497,881	593	50.5	47.0-54.0	315	19.8	17.3-22.3	5	0.2	0.0-00.4	7	0.7	0.1-01.3				400	28.9	25.8-32.0
Less than \$15,000	646	295,411	230	42.0	36.3-47.7	139	18.6	14.5-22.7	18	2.8	0.6-05.0	2	0.9	0.0-02.7	1	0.6	0.0-01.8	256	35.2	29.9-40.5
\$15,000- 24,999	920	394,437	333	41.7	37.2-46.2	229	22.3	18.4-26.2	11	1.0	0.2-01.8	4	0.4	0.0-01.0				343	34.6	30.3-38.9
\$25,000- 34,999	507	241,254	194	40.5	34.4-46.6	128	22.1	16.8-27.4	4	0.3	0.0-00.7	1	0.7	0.0-02.1				180	36.4	30.3-42.5
\$35,000- 49,999	636	290,746	263	43.1	38.0-48.2	134	21.3	17.0-25.6	8	1.4	0.0-03.2	3	0.2	0.0-00.4				228	34.2	29.5-38.9
\$50,000- 74,999	601	308,129	264	46.3	40.8-51.8	127	21.3	16.6-26.0	5	0.4	0.0-00.8							205	32.0	27.1-36.9
\$75,000+	779	455,907	374	48.4	44.1-52.7	146	16.2	13.1-19.3	2	0.2	0.0-00.6	5	0.9	0.1-01.7				252	34.4	30.3-38.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 9: FRUITS AND VEGETABLES  
TABLE 4: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8055	4,641,962	3750	48.3	46.7-49.9	3339	38.8	37.4-40.2	459	5.2	04.6-05.8	159	2.1	01.7-02.5	2	0.0	00.0-00.0	346	5.6	04.8-06.4
Male	3102	2,240,450	1661	53.8	51.4-56.2	1096	33.3	31.1-35.5	110	3.6	02.6-04.6	37	1.6	00.8-02.4	1	0.0	00.0-00.0	197	7.6	06.2-09.0
Female	4953	2,401,512	2089	43.1	41.1-45.1	2243	43.9	41.9-45.9	349	6.7	05.7-07.7	122	2.6	02.0-03.2	1	0.0	00.0-00.0	149	3.7	02.9-04.5
White/Non-Hisp	6539	3,864,671	3004	48.3	46.7-49.9	2778	39.1	37.5-40.7	375	5.4	04.6-06.2	118	2.0	01.4-02.6	2	0.0	00.0-00.0	262	5.2	04.4-06.0
Black or Afr. Am./Non-Hisp	895	373,748	471	52.7	46.8-58.6	307	33.9	28.2-39.6	42	2.4	01.2-03.6	22	2.0	00.2-03.8				53	9.0	05.1-12.9
Oth. Race/Non-Hisp.	125	70,676	51	45.3	32.8-57.8	56	37.8	26.4-49.2	9	9.3	01.9-16.7	1	0.1	00.0-00.3				8	7.5	00.6-14.4
MultiRacial/Non-Hisp.	96	47,797	44	44.4	30.5-58.3	34	39.4	25.9-52.9	6	2.6	00.1-05.1	5	4.7	00.0-09.4				7	8.9	01.3-16.5
Hispanic	270	224,272	125	44.5	35.9-53.1	109	40.8	32.4-49.2	15	4.4	01.5-07.3	12	4.6	01.5-07.7				9	5.7	01.8-09.6
18-24	355	611,848	183	51.0	44.9-57.1	123	34.0	28.3-39.7	17	5.5	02.6-08.4	7	2.4	00.6-04.2				25	7.1	04.2-10.0
25-34	784	789,859	375	48.9	44.8-53.0	291	35.9	32.0-39.8	48	5.5	03.7-07.3	28	3.0	01.8-04.2				42	6.7	04.5-08.9
35-44	993	798,380	484	48.2	44.5-51.9	396	38.8	35.1-42.5	57	5.4	03.8-07.0	15	1.8	00.4-03.2				41	5.7	03.7-07.7
45-54	1493	887,758	728	48.2	45.1-51.3	574	38.8	35.7-41.9	72	4.3	02.9-05.7	41	2.6	01.6-03.6	2	0.2	00.0-00.4	76	5.8	04.2-07.4
55-64	1786	710,551	857	49.9	47.0-52.8	708	37.6	34.9-40.3	105	5.4	04.2-06.6	31	1.5	00.9-02.1				85	5.5	04.1-06.9
65+	2566	807,684	1086	44.0	41.6-46.4	1213	46.3	43.9-48.7	153	5.1	04.1-06.1	37	1.3	00.7-01.9				77	3.3	02.3-04.3
Less Than H.S.	782	651,046	403	50.7	45.8-55.6	263	35.0	30.3-39.7	32	2.8	01.4-04.2	7	0.8	00.0-01.6				77	10.7	07.8-13.6
H.S. or G.E.D.	2962	1,625,207	1469	50.2	47.7-52.7	1155	36.9	34.5-39.3	130	4.2	03.2-05.2	41	1.5	00.7-02.3	2	0.1	00.0-00.3	165	7.0	05.6-08.4
Some Post-H.S.	1997	1,378,531	965	49.9	47.0-52.8	814	37.6	34.9-40.3	112	5.7	04.1-07.3	47	2.6	01.4-03.8				59	4.3	02.9-05.7
College Graduate	2288	975,561	902	41.2	38.7-43.7	1096	46.2	43.7-48.7	183	7.8	06.4-09.2	63	3.1	02.1-04.1				44	1.7	01.1-02.3
Less than \$15,000	953	525,987	511	52.9	48.4-57.4	304	31.4	27.3-35.5	40	2.7	01.5-03.9	23	2.3	00.9-03.7				75	10.7	07.6-13.8
\$15,000- 24,999	1415	733,782	689	52.1	48.4-55.8	563	36.2	32.7-39.7	69	4.0	02.6-05.4	20	1.6	00.4-02.8	1	0.1	00.0-00.3	73	6.0	04.0-08.0
\$25,000- 34,999	871	498,319	409	50.6	45.7-55.5	363	38.7	34.0-43.4	45	3.8	02.2-05.4	18	2.0	00.8-03.2				36	4.9	02.9-06.9
\$35,000- 49,999	1101	613,221	536	50.9	47.0-54.8	448	38.6	34.9-42.3	59	5.2	03.4-07.0	22	1.8	01.0-02.6				36	3.4	02.0-04.8
\$50,000- 74,999	1041	631,802	474	48.1	44.0-52.2	462	39.6	35.7-43.5	59	6.0	03.8-08.2	18	1.7	00.7-02.7				28	4.7	02.5-06.9
\$75,000+	1480	943,607	606	40.0	36.9-43.1	676	45.7	42.6-48.8	118	8.0	06.0-10.0	40	2.9	01.5-04.3	1	0.1	00.0-00.3	39	3.3	01.9-04.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 9: FRUITS AND VEGETABLES  
TABLE 5: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1\_)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3102	2,240,450	1661	53.8	51.4-56.2	1096	33.3	31.1-35.5	110	3.6	02.6-04.6	37	1.6	00.8-02.4	1	0.0	00.0-00.0	197	7.6	06.2-09.0
White/Non-Hisp	2555	1,824,244	1353	54.0	51.5-56.5	929	33.5	31.1-35.9	88	3.8	02.8-04.8	26	1.3	00.5-02.1	1	0.0	00.0-00.0	158	7.3	05.9-08.7
Black or Afr. Am./Non-Hisp	278	179,364	177	58.6	49.2-68.0	68	27.7	19.1-36.3	7	1.0	00.2-01.8	5	2.4	00.0-05.5				21	10.4	03.9-16.9
Oth. Race/Non-Hisp.	66	49,470	28	49.8	33.7-65.9	27	31.9	18.0-45.8	6	9.7	00.7-18.7							5	8.6	00.0-17.8
Hispanic	107	127,859	51	46.8	34.3-59.3	39	37.4	25.2-49.6	5	2.5	00.0-05.0	5	5.3	00.4-10.2				7	8.0	01.9-14.1
18-24	167	308,439	83	51.0	42.4-59.6	55	31.1	23.3-38.9	10	5.9	01.6-10.2	4	3.1	00.0-06.2				15	8.9	04.0-13.8
25-34	298	392,992	165	56.3	49.8-62.8	86	28.0	22.1-33.9	10	3.3	01.1-05.5	8	2.0	00.6-03.4				29	10.3	06.4-14.2
35-44	413	400,654	219	51.7	46.0-57.4	143	34.3	28.8-39.8	18	4.1	01.9-06.3	4	2.1	00.0-04.8				29	7.7	04.6-10.8
45-54	637	436,878	340	52.8	48.1-57.5	222	35.0	30.5-39.5	21	3.0	01.4-04.6	8	1.1	00.3-01.9	1	0.1	00.0-00.3	45	8.0	05.3-10.7
55-64	702	352,826	394	57.8	53.3-62.3	235	32.0	27.9-36.1	24	3.2	01.6-04.8	7	0.8	00.2-01.4				42	6.2	04.0-08.4
65+	862	336,547	445	53.0	48.9-57.1	347	39.4	35.5-43.3	27	2.6	01.4-03.8	6	0.7	00.0-01.5				37	4.3	02.7-05.9
Less Than H.S.	324	350,835	181	51.4	44.3-58.5	82	30.5	23.6-37.4	11	1.9	00.1-03.7	3	1.0	00.0-02.2				47	15.3	10.4-20.2
H.S. or G.E.D.	1085	793,959	627	56.2	52.3-60.1	331	30.7	27.2-34.2	26	2.7	01.3-04.1	10	1.3	00.1-02.5	1	0.1	00.0-00.3	90	9.0	06.8-11.2
Some Post-H.S.	725	619,389	407	56.6	51.9-61.3	249	31.5	27.2-35.8	28	4.5	02.3-06.7	9	2.1	00.3-03.9				32	5.3	02.9-07.7
College Graduate	960	471,724	445	48.6	44.7-52.5	430	42.2	38.3-46.1	44	5.1	03.1-07.1	14	1.7	00.7-02.7				27	2.4	01.2-03.6
Less than \$15,000	305	229,930	175	54.2	46.8-61.6	74	27.0	20.3-33.7	12	1.5	00.5-02.5	4	1.4	00.0-03.0				40	16.0	10.3-21.7
\$15,000- 24,999	493	338,566	286	59.0	53.1-64.9	154	28.8	23.5-34.1	11	2.0	00.2-03.8	7	2.2	00.0-04.4	1	0.2	00.0-00.6	34	7.8	04.3-11.3
\$25,000- 34,999	356	254,333	198	57.2	49.9-64.5	122	32.4	25.5-39.3	5	2.0	00.0-04.2	4	1.1	00.0-02.5				27	7.3	04.0-10.6
\$35,000- 49,999	463	319,448	249	56.8	51.1-62.5	169	32.7	27.4-38.0	20	5.4	02.7-08.1	5	0.9	00.0-01.9				20	4.2	01.8-06.6
\$50,000- 74,999	439	322,095	239	54.8	48.9-60.7	164	33.8	28.3-39.3	15	3.3	01.3-05.3	3	0.9	00.0-02.1				18	7.3	03.6-11.0
\$75,000+	697	485,165	328	44.9	40.2-49.6	299	43.2	38.5-47.9	34	5.6	03.1-08.1	11	2.3	00.1-04.5				25	3.9	01.7-06.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 9: FRUITS AND VEGETABLES  
TABLE 6: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4953	2,401,512	2089	43.1	41.1-45.1	2243	43.9	41.9-45.9	349	6.7	05.7-07.7	122	2.6	02.0-03.2	1	0.0	00.0-00.0	149	3.7	02.9-04.5
White/Non-Hisp	3984	2,040,427	1651	43.2	41.0-45.4	1849	44.0	41.8-46.2	287	6.8	05.6-08.0	92	2.6	02.0-03.2	1	0.0	00.0-00.0	104	3.3	02.5-04.1
Black or Afr. Am./Non-Hisp	617	194,384	294	47.3	40.0-54.6	239	39.7	32.4-47.0	35	3.6	01.6-05.6	17	1.6	00.2-03.0				32	7.7	03.2-12.2
Oth. Race/Non-Hisp.	59	21,205	23	34.9	19.2-50.6	29	51.7	34.6-68.8	3	8.3	00.0-21.2	1	0.4	00.0-01.2				3	4.7	00.0-11.2
MultiRacial/Non-Hisp.	61	21,809	25	31.4	17.7-45.1	23	45.5	29.4-61.6	5	4.5	00.0-09.6	4	8.6	00.0-17.8				4	10.0	00.0-20.0
Hispanic	163	96,412	74	41.5	30.7-52.3	70	45.2	34.2-56.2	10	6.9	00.8-13.0	7	3.8	00.3-07.3				2	2.7	00.0-06.4
18-24	188	303,409	100	51.0	42.8-59.2	68	36.9	28.9-44.9	7	5.1	01.2-09.0	3	1.7	00.0-03.7				10	5.3	01.8-08.8
25-34	486	396,867	210	41.6	36.3-46.9	205	43.7	38.4-49.0	38	7.6	04.7-10.5	20	4.0	02.0-06.0				13	3.2	01.2-05.2
35-44	580	397,727	265	44.7	39.8-49.6	253	43.4	38.5-48.3	39	6.7	04.2-09.2	11	1.5	00.5-02.5				12	3.6	01.4-05.8
45-54	856	450,880	388	43.9	39.8-48.0	352	42.4	38.3-46.5	51	5.6	03.4-07.8	33	4.2	02.4-06.0	1	0.2	00.0-00.6	31	3.7	01.7-05.7
55-64	1084	357,725	463	42.1	38.6-45.6	473	43.2	39.5-46.9	81	7.6	05.6-09.6	24	2.1	01.1-03.1				43	4.9	02.9-06.9
65+	1704	471,137	641	37.6	34.7-40.5	866	51.2	48.3-54.1	126	6.9	05.3-08.5	31	1.8	01.0-02.6				40	2.5	01.5-03.5
Less Than H.S.	458	300,211	222	50.0	43.3-56.7	181	40.2	33.5-46.9	21	3.8	01.8-05.8	4	0.6	00.0-01.4				30	5.4	02.7-08.1
H.S. or G.E.D.	1877	831,247	842	44.5	41.4-47.6	824	42.9	39.8-46.0	104	5.6	04.0-07.2	31	1.8	01.0-02.6	1	0.1	00.0-00.3	75	5.1	03.5-06.7
Some Post-H.S.	1272	759,142	558	44.4	40.7-48.1	565	42.5	39.0-46.0	84	6.6	04.6-08.6	38	3.0	01.8-04.2				27	3.4	01.8-05.0
College Graduate	1328	503,838	457	34.3	31.0-37.6	666	49.9	46.4-53.4	139	10.4	08.2-12.6	49	4.4	02.8-06.0				17	1.0	00.4-01.6
Less than \$15,000	648	296,057	336	51.8	46.1-57.5	230	34.9	29.6-40.2	28	3.6	01.6-05.6	19	3.1	00.9-05.3				35	6.6	03.5-09.7
\$15,000- 24,999	922	395,216	403	46.2	41.7-50.7	409	42.6	38.1-47.1	58	5.7	03.5-07.9	13	1.1	00.3-01.9				39	4.4	02.6-06.2
\$25,000- 34,999	515	243,985	211	43.8	37.7-49.9	241	45.3	39.0-51.6	40	5.6	03.4-07.8	14	2.9	00.9-04.9				9	2.5	00.1-04.9
\$35,000- 49,999	638	293,773	287	44.6	39.5-49.7	279	45.1	39.8-50.4	39	5.1	03.1-07.1	17	2.7	01.1-04.3				16	2.5	01.1-03.9
\$50,000- 74,999	602	309,707	235	41.3	36.0-46.6	298	45.6	40.1-51.1	44	8.8	05.1-12.5	15	2.5	01.1-03.9				10	1.9	00.3-03.5
\$75,000+	783	458,442	278	34.8	30.7-38.9	377	48.3	44.0-52.6	84	10.6	07.9-13.3	29	3.5	02.1-04.9	1	0.2	00.0-00.6	14	2.6	01.0-04.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 9: FRUITS AND VEGETABLES  
TABLE 7: BEAN INTAKE IN TIMES PER DAY (BEANDAY\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7982	4,605,109	6127	76.4	75.0-77.8	364	4.5	03.9-05.1	19	0.2	00.0-00.4	7	0.1	00.1-00.1	1	0.0	00.0-00.0	1464	18.8	17.6-20.0
Male	3080	2,220,942	2394	77.0	75.0-79.0	139	4.4	03.4-05.4	6	0.2	00.0-00.4	3	0.1	00.1-00.1	1	0.0	00.0-00.0	537	18.3	16.5-20.1
Female	4902	2,384,167	3733	75.9	74.1-77.7	225	4.7	03.9-05.5	13	0.2	00.0-00.4	4	0.1	00.0-00.3				927	19.2	17.6-20.8
White/Non-Hisp	6487	3,838,747	5092	77.8	76.4-79.2	261	3.8	03.2-04.4	11	0.1	00.1-00.1	5	0.1	00.1-00.1				1118	18.2	16.8-19.6
Black or Afr. Am./Non-Hisp	879	363,988	602	66.4	60.7-72.1	35	3.0	00.8-05.2	3	0.1	00.1-00.1							239	30.5	25.0-36.0
Oth. Race/Non-Hisp.	122	72,367	82	70.7	59.9-81.5	15	11.5	04.6-18.4										25	17.8	08.8-26.8
MultiRacial/Non-Hisp.	95	47,685	67	74.4	63.6-85.2	6	6.3	00.6-12.0				1	0.8	00.0-02.4				21	18.4	08.8-28.0
Hispanic	268	222,944	191	74.3	66.9-81.7	38	15.6	09.1-22.1	5	1.7	00.0-03.7	1	0.3	00.0-00.9	1	0.1	00.0-00.3	32	8.0	04.1-11.9
18-24	356	610,376	246	70.0	64.7-75.3	10	2.8	01.0-04.6										100	27.2	21.9-32.5
25-34	783	786,473	581	75.4	71.9-78.9	50	5.5	03.7-07.3	1	0.1	00.0-00.3	1	0.0	00.0-00.0				150	18.9	15.6-22.2
35-44	989	792,905	774	77.6	74.3-80.9	52	5.9	03.7-08.1	3	0.3	00.0-00.9	2	0.2	00.0-00.4				158	16.0	13.3-18.7
45-54	1482	878,131	1141	78.2	75.7-80.7	64	4.4	03.2-05.6	7	0.3	00.1-00.5	3	0.2	00.0-00.4	1	0.0	00.0-00.0	266	16.9	14.5-19.3
55-64	1778	707,392	1382	77.2	74.7-79.7	73	4.0	02.8-05.2	3	0.1	00.0-00.3	1	0.2	00.0-00.6				319	18.5	16.1-20.9
65+	2522	795,676	1946	78.4	76.4-80.4	110	4.0	03.0-05.0	5	0.2	00.0-00.4							461	17.4	15.6-19.2
Less Than H.S.	787	651,613	542	68.2	63.7-72.7	46	6.5	04.0-09.0	9	0.8	00.0-01.6	1	0.1	00.0-00.3				189	24.5	20.4-28.6
H.S. or G.E.D.	2910	1,598,136	2163	74.6	72.4-76.8	128	4.0	03.0-05.0	5	0.1	00.0-00.3	2	0.0	00.0-00.0	1	0.0	00.0-00.0	611	21.3	19.1-23.5
Some Post-H.S.	1985	1,370,835	1559	78.7	76.2-81.2	70	3.5	02.3-04.7	4	0.1	00.0-00.3	2	0.1	00.0-00.3				350	17.5	15.1-19.9
College Graduate	2277	973,950	1846	81.7	79.7-83.7	120	5.7	04.5-06.9	1	0.0	00.0-00.0	2	0.1	00.0-00.3				308	12.5	10.7-14.3
Less than \$15,000	947	522,961	639	66.2	61.7-70.7	43	4.2	02.6-05.8	3	0.1	00.0-00.3	1	0.1	00.0-00.3				261	29.3	25.0-33.6
\$15,000- 24,999	1404	728,840	1050	75.6	72.5-78.7	65	4.6	03.0-06.2	8	0.6	00.0-01.2							281	19.2	16.3-22.1
\$25,000- 34,999	860	492,378	653	75.4	71.3-79.5	46	6.0	03.3-08.7				1	0.1	00.0-00.3				160	18.5	15.0-22.0
\$35,000- 49,999	1092	607,633	857	78.2	74.9-81.5	50	4.5	02.9-06.1	1	0.1	00.0-00.3							184	17.2	14.1-20.3
\$50,000- 74,999	1040	631,197	852	80.4	77.1-83.7	41	3.4	02.0-04.8	2	0.2	00.0-00.4				1	0.0	00.0-00.0	144	15.9	12.8-19.0
\$75,000+	1474	941,033	1212	82.4	79.9-84.9	67	4.9	03.3-06.5	1	0.0	00.0-00.0	3	0.2	00.0-00.4				191	12.4	10.2-14.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 9: FRUITS AND VEGETABLES  
TABLE 8: BEAN INTAKE IN TIMES PER DAY (BEANDAY\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3080	2,220,942	2394	77.0	75.0-79.0	139	4.4	03.4-05.4	6	0.2	00.0-00.4	3	0.1	00.1-00.1	1	0.0	00.0-00.0	537	18.3	16.5-20.1
White/Non-Hisp	2539	1,813,263	2002	77.6	75.4-79.8	102	3.7	02.7-04.7	3	0.1	00.0-00.3	2	0.1	00.1-00.1				430	18.6	16.6-20.6
Black or Afr. Am./Non-Hisp	272	170,503	191	71.1	62.1-80.1	11	2.5	00.0-05.6	1	0.0	00.0-00.0							69	26.4	17.6-35.2
Oth. Race/Non-Hisp.	67	52,188	44	69.2	55.7-82.7	9	10.8	03.0-18.6										14	20.0	08.0-32.0
Hispanic	106	127,286	81	78.0	67.4-88.6	14	14.0	04.4-23.6	2	2.2	00.0-05.5				1	0.2	00.0-00.6	8	5.5	00.6-10.4
18-24	167	307,738	115	69.3	61.5-77.1	5	2.8	00.1-05.5										47	27.9	20.3-35.5
25-34	295	387,190	226	76.8	71.3-82.3	16	4.9	02.2-07.6	1	0.2	00.0-00.6							52	18.1	13.0-23.2
35-44	410	396,710	323	77.6	72.5-82.7	22	6.6	02.7-10.5	1	0.5	00.0-01.5	1	0.2	00.0-00.6				63	15.1	11.2-19.0
45-54	634	432,742	484	77.7	73.8-81.6	23	3.7	01.9-05.5	1	0.2	00.0-00.6	2	0.2	00.0-00.4	1	0.1	00.0-00.3	123	18.2	14.7-21.7
55-64	701	352,379	565	80.4	76.7-84.1	26	3.3	01.7-04.9	1	0.0	00.0-00.0							109	16.4	12.9-19.9
65+	852	332,428	664	79.1	75.8-82.4	46	4.5	02.9-06.1	2	0.2	00.0-00.4							140	16.2	13.1-19.3
Less Than H.S.	328	352,755	233	68.5	61.8-75.2	17	6.3	02.4-10.2	4	1.0	00.0-02.2							74	24.2	18.3-30.1
H.S. or G.E.D.	1067	778,257	798	75.0	71.7-78.3	47	3.8	02.4-05.2	2	0.1	00.0-00.3	1	0.1	00.0-00.3	1	0.0	00.0-00.0	218	21.0	17.9-24.1
Some Post-H.S.	720	614,964	577	79.6	75.7-83.5	27	3.7	01.7-05.7				1	0.1	00.0-00.3				115	16.6	13.1-20.1
College Graduate	958	470,748	780	83.2	80.5-85.9	48	4.8	03.2-06.4				1	0.1	00.0-00.3				129	12.0	09.6-14.4
Less than \$15,000	305	227,675	216	70.5	63.6-77.4	15	3.3	01.1-05.5	1	0.1	00.0-00.3							73	26.1	19.4-32.8
\$15,000- 24,999	481	333,205	377	76.9	71.6-82.2	22	4.7	01.8-07.6	3	0.9	00.0-02.3							79	17.5	12.8-22.2
\$25,000- 34,999	352	249,391	260	73.8	67.1-80.5	27	8.1	03.2-13.0				1	0.3	00.0-00.9				64	17.8	12.5-23.1
\$35,000- 49,999	459	316,199	360	78.1	73.2-83.0	15	3.3	01.3-05.3										84	18.6	13.9-23.3
\$50,000- 74,999	439	321,749	356	81.6	77.1-86.1	16	3.3	01.3-05.3	1	0.3	00.0-00.9				1	0.1	00.0-00.3	65	14.8	10.5-19.1
\$75,000+	694	483,830	577	83.3	79.6-87.0	30	4.8	02.3-07.3				1	0.1	00.0-00.3				86	11.7	08.6-14.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 9: FRUITS AND VEGETABLES  
TABLE 9: BEAN INTAKE IN TIMES PER DAY (BEANDAY\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4902	2,384,167	3733	75.9	74.1-77.7	225	4.7	03.9-05.5	13	0.2	00.0-00.4	4	0.1	00.0-00.3	927	19.2	17.6-20.8
White/Non-Hisp	3948	2,025,484	3090	77.9	76.1-79.7	159	3.9	03.1-04.7	8	0.2	00.0-00.4	3	0.1	00.0-00.3	688	17.9	16.3-19.5
Black or Afr. Am./Non-Hisp	607	193,485	411	62.3	55.0-69.6	24	3.6	00.7-06.5	2	0.1	00.0-00.3				170	34.1	27.0-41.2
Oth. Race/Non-Hisp.	55	20,179	38	74.6	58.7-90.5	6	13.2	00.0-27.3							11	12.2	02.4-22.0
MultiRacial/Non-Hisp.	60	21,696	39	63.3	48.2-78.4	5	11.0	00.4-21.6							16	25.7	12.4-39.0
Hispanic	162	95,658	110	69.3	59.5-79.1	24	17.7	09.5-25.9	3	0.9	00.0-02.1	1	0.7	00.0-02.1	24	11.3	04.8-17.8
18-24	189	302,638	131	70.7	63.3-78.1	5	2.8	00.3-05.3							53	26.5	19.2-33.8
25-34	488	399,283	355	74.1	69.4-78.8	34	6.1	03.7-08.5				1	0.0	00.0-00.0	98	19.7	15.4-24.0
35-44	579	396,195	451	77.6	73.3-81.9	30	5.2	03.0-07.4	2	0.1	00.0-00.3	1	0.1	00.0-00.3	95	16.9	13.0-20.8
45-54	848	445,388	657	78.7	75.4-82.0	41	5.0	03.0-07.0	6	0.4	00.0-00.8	1	0.2	00.0-00.6	143	15.8	12.9-18.7
55-64	1077	355,013	817	74.1	70.8-77.4	47	4.7	03.1-06.3	2	0.2	00.0-00.6	1	0.3	00.0-00.9	210	20.7	17.6-23.8
65+	1670	463,248	1282	77.8	75.4-80.2	64	3.6	02.6-04.6	3	0.3	00.0-00.7				321	18.3	15.9-20.7
Less Than H.S.	459	298,858	309	67.7	61.6-73.8	29	6.7	03.8-09.6	5	0.6	00.0-01.2	1	0.2	00.0-00.6	115	24.7	19.0-30.4
H.S. or G.E.D.	1843	819,879	1365	74.1	71.2-77.0	81	4.1	02.7-05.5	3	0.1	00.0-00.3	1	0.0	00.0-00.0	393	21.7	19.0-24.4
Some Post-H.S.	1265	755,872	982	78.0	74.9-81.1	43	3.3	02.1-04.5	4	0.2	00.0-00.4	1	0.1	00.0-00.3	235	18.3	15.4-21.2
College Graduate	1319	503,203	1066	80.3	77.6-83.0	72	6.5	04.7-08.3	1	0.0	00.0-00.0	1	0.1	00.0-00.3	179	13.1	10.7-15.5
Less than \$15,000	642	295,285	423	62.9	57.2-68.6	28	4.9	02.7-07.1	2	0.2	00.0-00.4	1	0.2	00.0-00.6	188	31.8	26.1-37.5
\$15,000- 24,999	923	395,635	673	74.5	70.6-78.4	43	4.6	02.6-06.6	5	0.4	00.0-00.8				202	20.5	17.0-24.0
\$25,000- 34,999	508	242,987	393	77.0	71.9-82.1	19	3.8	01.4-06.2							96	19.2	14.5-23.9
\$35,000- 49,999	633	291,434	497	78.3	73.8-82.8	35	5.8	03.3-08.3	1	0.2	00.0-00.6				100	15.7	11.8-19.6
\$50,000- 74,999	601	309,449	496	79.3	74.4-84.2	25	3.4	01.8-05.0	1	0.1	00.0-00.3				79	17.2	12.5-21.9
\$75,000+	780	457,204	635	81.5	78.2-84.8	37	4.9	02.9-06.9	1	0.1	00.0-00.3	2	0.4	00.0-01.0	105	13.1	10.2-16.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 10: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY\_)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8036	4,616,680	5831	72.6	71.2-74.0	1415	16.3	15.1-17.5	43	0.6	0.4-0.8	23	0.4	0.2-0.6	2	0.0	0.0-0.0	722	10.0	0.0-11.0
Male	3095	2,227,290	2254	72.1	69.9-74.3	449	13.9	12.3-15.5	9	0.4	0.0-0.8	8	0.5	0.0-0.1	1	0.0	0.0-0.0	374	13.1	11.5-14.7
Female	4941	2,389,390	3577	73.1	71.3-74.9	966	18.4	16.8-20.0	34	0.9	0.5-1.3	15	0.4	0.2-0.6	1	0.0	0.0-0.0	348	7.2	0.6-8.2
White/Non-Hisp	6519	3,841,346	4747	72.9	71.5-74.3	1118	15.9	14.7-17.1	32	0.7	0.3-0.1	17	0.4	0.0-0.8				605	10.2	0.9-11.2
Black or Afr. Am./Non-Hisp	897	371,534	669	75.8	70.5-81.1	160	16.7	12.2-21.2	6	0.2	0.0-0.4	3	0.4	0.0-0.1	1	0.0	0.0-0.0	58	6.9	0.8-10.0
Oth. Race/Non-Hisp.	125	73,000	76	58.6	46.1-71.1	33	22.1	12.3-31.9				1	0.7	0.0-0.2				15	18.6	0.8-30.4
MultiRacial/Non-Hisp.	96	47,887	62	66.3	54.1-78.5	20	17.4	0.9-25.8	1	1.3	0.0-0.3				1	0.8	0.0-0.2	12	14.2	0.5-23.4
Hispanic	266	221,923	184	68.8	60.4-77.2	55	18.5	10.9-26.1	3	1.1	0.0-0.2	2	1.1	0.0-0.2				22	10.5	0.5-15.6
18-24	356	609,835	254	69.3	63.6-75.0	50	16.2	11.3-21.1	2	1.0	0.0-0.2	2	0.5	0.0-0.1				48	13.0	0.9-16.7
25-34	785	789,530	568	71.6	67.9-75.3	132	14.8	12.1-17.5	11	1.5	0.5-0.2	3	0.2	0.0-0.6				71	11.8	0.8-14.7
35-44	983	789,914	732	73.3	69.8-76.8	159	16.2	13.3-19.1	4	0.2	0.0-0.4	5	1.1	0.0-0.2				83	9.2	0.7-11.4
45-54	1485	877,988	1067	72.7	70.0-75.4	263	17.4	15.0-19.8	11	0.7	0.1-0.1	7	0.5	0.1-0.9	2	0.1	0.1-0.1	135	8.7	0.6-10.5
55-64	1778	704,582	1305	74.8	72.3-77.3	310	15.4	13.4-17.4	6	0.3	0.1-0.5	2	0.1	0.0-0.3				155	9.4	0.7-11.2
65+	2574	809,898	1852	73.2	71.0-75.4	482	17.0	15.2-18.8	9	0.3	0.1-0.5	4	0.2	0.0-0.4				227	9.3	0.7-10.7
Less Than H.S.	792	650,949	556	71.2	66.7-75.7	96	11.7	0.8-15.0	2	0.2	0.0-0.4	2	0.4	0.0-0.1				136	16.6	1.3-20.1
H.S. or G.E.D.	2936	1,606,493	2109	70.8	68.4-73.2	454	15.4	13.4-17.4	10	0.5	0.1-0.9	4	0.1	0.0-0.3	1	0.0	0.0-0.0	358	13.1	1.1-14.9
Some Post-H.S.	1999	1,373,970	1505	75.4	72.9-77.9	338	15.2	13.0-17.4	18	1.1	0.3-0.1	8	0.9	0.1-0.1				130	7.5	0.5-9.1
College Graduate	2284	973,885	1638	72.4	70.0-74.8	525	22.2	20.0-24.4	13	0.6	0.2-0.1	9	0.4	0.0-0.8	1	0.0	0.0-0.0	98	4.3	0.3-0.5
Less than \$15,000	954	525,594	661	70.1	66.0-74.2	138	12.2	0.9-15.1	5	0.7	0.0-0.1	1	0.0	0.0-0.0				149	17.0	1.3-20.5
\$15,000- 24,999	1420	730,711	1025	73.6	70.5-76.7	223	13.9	11.4-16.4	6	0.4	0.0-0.8	2	0.1	0.0-0.3				164	12.0	0.9-14.4
\$25,000- 34,999	872	497,708	606	66.7	62.0-71.4	153	17.7	13.6-21.8	3	0.5	0.0-0.1	4	0.6	0.0-0.1				106	14.5	1.1-18.0
\$35,000- 49,999	1092	607,044	847	78.2	74.9-81.5	166	13.7	11.0-16.4	3	0.3	0.0-0.9	2	0.1	0.0-0.3				74	7.7	0.5-10.1
\$50,000- 74,999	1039	629,388	788	76.0	72.5-79.5	178	15.6	12.7-18.5	10	1.2	0.2-0.2	1	0.1	0.0-0.3				62	7.2	0.5-0.9
\$75,000+	1472	937,820	1070	73.1	70.2-76.0	326	20.4	17.9-22.9	11	1.0	0.0-0.2	9	1.2	0.0-0.2	1	0.0	0.0-0.0	55	4.2	0.2-0.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 11: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3095	2,227,290	2254	72.1	69.9-74.3	449	13.9	12.3-15.5	9	0.4	00.0-00.8	8	0.5	00.0-01.1	1	0.0	00.0-00.0	374	13.1	11.5-14.7
White/Non-Hisp	2547	1,813,449	1863	72.3	69.9-74.7	359	13.4	11.6-15.2	6	0.4	00.0-01.0	7	0.6	00.0-01.2				312	13.3	11.5-15.1
Black or Afr. Am./Non-Hisp	279	175,489	214	78.2	70.2-86.2	33	12.4	05.9-18.9	2	0.2	00.0-00.4							30	9.2	03.5-14.9
Oth. Race/Non-Hisp.	67	52,298	38	59.1	43.0-75.2	18	19.5	07.7-31.3				1	1.0	00.0-03.0				10	20.5	05.2-35.8
Hispanic	107	127,487	74	65.9	53.4-78.4	20	20.6	08.6-32.6	1	0.7	00.0-02.1							12	12.8	05.0-20.6
18-24	168	309,375	115	67.2	59.0-75.4	23	14.7	08.0-21.4	1	1.5	00.0-04.4	1	0.7	00.0-02.1				28	15.9	09.8-22.0
25-34	298	390,625	209	69.2	63.1-75.3	41	12.6	08.5-16.7	1	0.4	00.0-01.2							47	17.9	12.8-23.0
35-44	405	394,528	299	73.5	68.2-78.8	60	13.9	09.6-18.2	1	0.2	00.0-00.6	1	1.3	00.0-03.8				44	11.1	07.6-14.6
45-54	633	433,002	449	71.5	67.4-75.6	102	16.9	13.4-20.4	2	0.2	00.0-00.6	3	0.4	00.0-01.0	1	0.1	00.0-00.3	76	10.8	08.1-13.5
55-64	699	349,695	525	76.3	72.4-80.2	97	12.0	09.3-14.7				2	0.3	00.0-00.7				75	11.5	08.4-14.6
65+	870	338,007	640	74.6	71.1-78.1	123	13.0	10.5-15.5	4	0.3	00.1-00.5	1	0.1	00.0-00.3				102	12.1	09.4-14.8
Less Than H.S.	329	350,646	229	70.2	63.7-76.7	32	10.3	05.6-15.0										68	19.5	14.2-24.8
H.S. or G.E.D.	1073	783,025	751	68.4	64.7-72.1	135	13.4	10.5-16.3	5	0.5	00.0-01.1	1	0.1	00.0-00.3				181	17.6	14.7-20.5
Some Post-H.S.	728	619,108	558	75.7	71.4-80.0	95	12.7	09.6-15.8	3	0.8	00.0-02.2	4	1.3	00.0-03.1				68	9.5	06.8-12.2
College Graduate	958	470,201	709	74.7	71.4-78.0	187	19.4	16.3-22.5	1	0.0	00.0-00.0	3	0.3	00.0-00.7	1	0.1	00.0-00.3	57	5.5	03.7-07.3
Less than \$15,000	308	228,609	206	69.2	62.1-76.3	40	9.9	05.6-14.2										62	20.9	14.6-27.2
\$15,000- 24,999	492	333,422	342	70.6	65.1-76.1	67	13.1	09.0-17.2	2	0.1	00.0-00.3							81	16.2	11.7-20.7
\$25,000- 34,999	356	252,718	245	65.8	58.5-73.1	48	15.0	08.5-21.5	1	0.4	00.0-01.2	1	0.1	00.0-00.3				61	18.7	13.0-24.4
\$35,000- 49,999	457	314,583	346	76.7	71.8-81.6	63	12.9	09.2-16.6	1	0.5	00.0-01.5	1	0.1	00.0-00.3				46	9.7	06.2-13.2
\$50,000- 74,999	436	319,336	344	76.7	71.6-81.8	51	12.1	08.4-15.8	2	0.3	00.0-00.9	1	0.2	00.0-00.6				38	10.7	06.8-14.6
\$75,000+	693	483,452	524	74.8	70.5-79.1	128	17.4	13.9-20.9	3	1.1	00.0-03.1	4	1.5	00.0-03.7	1	0.1	00.0-00.3	33	5.2	03.2-07.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 12: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4941	2,389,390	3577	73.1	71.3-74.9	966	18.4	16.8-20.0	34	0.9	0.5-01.3	15	0.4	0.2-00.6	1	0.0	0.0-00.0	348	7.2	0.6-20.2
White/Non-Hisp	3972	2,027,897	2884	73.4	71.4-75.4	759	18.1	16.5-19.7	26	0.9	0.5-01.3	10	0.3	0.1-00.5				293	7.3	0.6-18.5
Black or Afr. Am./Non-Hisp	618	196,045	455	73.7	67.0-80.4	127	20.5	14.2-26.8	4	0.3	0.0-00.7	3	0.7	0.0-01.9	1	0.1	0.0-00.3	28	4.7	0.6-07.8
Oth. Race/Non-Hisp.	58	20,702	38	57.2	39.4-75.0	15	28.7	11.6-45.8										5	14.0	0.5-27.5
MultiRacial/Non-Hisp.	61	21,898	37	56.4	40.9-71.9	17	32.2	17.7-46.7	1	2.9	0.0-08.4							6	8.6	0.8-16.4
Hispanic	159	94,436	110	72.8	63.2-82.4	35	15.7	08.4-23.0	2	1.6	0.0-04.3	2	2.5	0.0-06.4				10	7.4	0.1-13.5
18-24	188	300,461	139	71.4	63.8-79.0	27	17.6	10.7-24.5	1	0.6	0.0-01.8	1	0.4	0.0-01.2				20	10.0	0.5-14.7
25-34	487	398,904	359	74.0	69.5-78.5	91	17.0	13.3-20.7	10	2.6	0.8-04.4	3	0.5	0.0-01.1				24	5.9	0.3-08.6
35-44	578	395,386	433	73.2	68.7-77.7	99	18.5	14.6-22.4	3	0.1	0.0-00.3	4	0.9	0.0-02.1				39	7.3	0.4-09.8
45-54	852	444,986	618	73.8	70.3-77.3	161	17.9	14.8-21.0	9	1.1	0.1-02.1	4	0.6	0.0-01.2	1	0.0	0.0-00.0	59	6.6	0.4-08.8
55-64	1079	354,888	780	73.4	70.3-76.5	213	18.8	16.1-21.5	6	0.5	0.1-00.9							80	7.3	0.5-09.3
65+	1704	471,890	1212	72.2	69.7-74.7	359	19.9	17.5-22.3	5	0.3	0.0-00.7	3	0.2	0.0-00.4				125	7.3	0.5-08.9
Less Than H.S.	463	300,302	327	72.3	66.4-78.2	64	13.4	08.5-18.3	2	0.4	0.0-01.0	2	0.8	0.0-02.0				68	13.2	0.9-17.3
H.S. or G.E.D.	1863	823,468	1358	73.0	70.1-75.9	319	17.4	14.9-19.9	5	0.5	0.0-01.1	3	0.2	0.0-00.4	1	0.0	0.0-00.0	177	8.9	0.7-10.7
Some Post-H.S.	1271	754,862	947	75.2	72.1-78.3	243	17.2	14.5-19.9	15	1.3	0.5-02.1	4	0.5	0.0-01.1				62	5.8	0.3-07.8
College Graduate	1326	503,683	929	70.2	67.1-73.3	338	24.9	22.0-27.8	12	1.1	0.1-02.1	6	0.5	0.0-01.1				41	3.2	0.2-04.4
Less than \$15,000	646	296,985	455	70.8	65.7-75.9	98	14.0	10.3-17.7	5	1.2	0.0-02.6	1	0.0	0.0-00.0				87	14.0	1.0-17.9
\$15,000- 24,999	928	397,289	683	76.1	72.4-79.8	156	14.6	11.7-17.5	4	0.6	0.0-01.4	2	0.2	0.0-00.4				83	8.6	0.6-11.0
\$25,000- 34,999	516	244,990	361	67.7	61.6-73.8	105	20.4	15.3-25.5	2	0.7	0.0-01.9	3	1.0	0.0-02.2				45	10.2	0.6-14.3
\$35,000- 49,999	635	292,461	501	79.7	75.2-84.2	103	14.6	10.7-18.5	2	0.1	0.0-00.3	1	0.0	0.0-00.0				28	5.6	0.2-08.3
\$50,000- 74,999	603	310,053	444	75.2	70.5-79.9	127	19.2	14.9-23.5	8	2.0	0.2-03.8							24	3.5	0.1-05.3
\$75,000+	779	454,368	546	71.3	67.4-75.2	198	23.6	20.1-27.1	8	1.0	0.2-01.8	5	1.0	0.2-01.8				22	3.1	0.1-04.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**INDIANA CALCULATED VARIABLE DATA REPORT, 2011**  
**SECTION 9: FRUITS AND VEGETABLES**  
**TABLE 13: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY\_)**  
**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8027	4,608,046	6138	74.9	73.5-76.3	497	5.4	04.8-06.0	14	0.1	00.1-00.1	7	0.2	00.0-00.4	2	0.0	00.0-00.0	1369	19.5	18.3-20.7
Male	3095	2,224,907	2266	72.0	69.8-74.2	150	4.4	03.4-05.4	6	0.1	00.0-00.3	3	0.1	00.0-00.3	1	0.0	00.0-00.0	669	23.4	21.4-25.4
Female	4932	2,383,139	3872	77.6	76.0-79.2	347	6.2	05.4-07.0	8	0.1	00.1-00.1	4	0.2	00.0-00.4	1	0.0	00.0-00.0	700	15.9	14.3-17.5
White/Non-Hisp	6511	3,830,591	5044	75.6	74.2-77.0	395	5.4	04.6-06.2	5	0.0	00.0-00.0	5	0.1	00.0-00.3	1	0.0	00.0-00.0	1061	18.9	17.5-20.3
Black or Afr. Am./Non-Hisp	894	372,785	660	73.5	68.4-78.6	46	3.8	01.8-05.8	5	0.2	00.0-00.4				1	0.0	00.0-00.0	182	22.5	17.6-27.4
Oth. Race/Non-Hisp.	126	73,278	88	65.9	53.4-78.4	12	6.2	00.7-11.7										26	27.9	15.6-40.2
MultiRacial/Non-Hisp.	97	47,306	66	70.4	58.6-82.2	12	12.2	04.6-19.8										19	17.4	07.6-27.2
Hispanic	269	223,434	189	69.2	61.6-76.8	19	5.2	02.3-08.1	4	1.3	00.0-02.9	2	1.3	00.0-03.1				55	23.0	15.9-30.1
18-24	357	610,306	250	71.3	66.0-76.6	20	3.7	01.9-05.5	1	0.3	00.0-00.9	2	0.6	00.0-01.4				84	24.2	19.1-29.3
25-34	785	789,134	559	69.2	65.3-73.1	46	5.6	03.6-07.6	3	0.1	00.0-00.3	3	0.4	00.0-00.8				174	24.7	21.0-28.4
35-44	986	788,409	750	74.7	71.4-78.0	50	5.0	03.0-07.0	1	0.0	00.0-00.0							185	20.2	17.1-23.3
45-54	1485	877,696	1116	76.0	73.5-78.5	85	6.2	04.6-07.8	3	0.1	00.0-00.3	1	0.0	00.0-00.0	2	0.1	00.0-00.3	278	17.6	15.2-20.0
55-64	1777	703,740	1369	77.4	75.0-79.8	97	4.9	03.7-06.1	1	0.1	00.0-00.3	1	0.1	00.0-00.3				309	17.6	15.2-20.0
65+	2563	805,605	2035	79.4	77.4-81.4	192	6.1	05.1-07.1	5	0.1	00.1-00.1							331	14.4	12.6-16.2
Less Than H.S.	786	641,776	517	66.6	62.1-71.1	31	2.7	01.5-03.9	4	0.3	00.1-00.5							234	30.4	25.9-34.9
H.S. or G.E.D.	2939	1,609,580	2175	72.9	70.7-75.1	162	5.5	04.3-06.7	4	0.1	00.0-00.3				2	0.0	00.0-00.0	595	21.4	19.4-23.4
Some Post-H.S.	1997	1,374,242	1567	76.4	73.9-78.9	114	4.7	03.5-05.9	2	0.0	00.0-00.0	2	0.2	00.0-00.6				312	18.7	16.3-21.1
College Graduate	2282	972,648	1863	81.3	79.1-83.5	188	7.8	06.4-09.2	4	0.2	00.0-00.6	4	0.3	00.0-00.7				223	10.3	08.5-12.1
Less than \$15,000	954	526,679	663	65.8	61.3-70.3	50	4.3	02.7-05.9	7	0.6	00.0-01.2	2	0.7	00.0-01.7				232	28.6	24.3-32.9
\$15,000- 24,999	1418	731,796	1034	72.5	69.2-75.8	88	5.2	03.8-06.6	1	0.1	00.0-00.3				1	0.1	00.0-00.3	294	22.2	19.1-25.3
\$25,000- 34,999	869	493,323	659	72.2	67.7-76.7	57	5.7	03.3-08.1	1	0.0	00.0-00.0	2	0.3	00.0-00.7				150	21.8	17.7-25.9
\$35,000- 49,999	1093	608,067	859	77.6	74.3-80.9	56	4.5	02.7-06.3										178	17.9	14.8-21.0
\$50,000- 74,999	1041	630,288	850	80.1	76.8-83.4	53	4.2	02.8-05.6	2	0.1	00.0-00.3							136	15.6	12.5-18.7
\$75,000+	1473	937,490	1192	79.2	76.5-81.9	102	7.2	05.4-09.0	2	0.1	00.1-00.1	2	0.1	00.0-00.3				175	13.4	11.0-15.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 14: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3095	2,224,907	2266	72.0	69.8-74.2	150	4.4	03.4-05.4	6	0.1	00.0-00.3	3	0.1	00.0-00.3	1	0.0	00.0-00.0	669	23.4	21.4-25.4
White/Non-Hisp	2550	1,812,673	1879	71.7	69.3-74.1	121	4.5	03.3-05.7	2	0.1	00.1-00.1	2	0.0	00.0-00.0	1	0.0	00.0-00.0	545	23.6	21.4-25.8
Black or Afr. Am./Non-Hisp	277	176,049	199	79.4	72.0-86.8	11	2.9	00.0-06.0	3	0.3	00.0-00.7							64	17.4	10.5-24.3
Oth. Race/Non-Hisp.	68	52,576	48	61.7	45.6-77.8	4	6.1	00.0-13.5										16	32.2	16.3-48.1
Hispanic	106	125,427	73	68.0	56.6-79.4	7	4.0	00.7-07.3	1	1.2	00.0-03.6	1	0.9	00.0-02.7				24	25.9	15.1-36.7
18-24	168	310,044	112	70.1	62.5-77.7	10	3.8	01.3-06.3	1	0.5	00.0-01.5							45	25.5	18.2-32.8
25-34	298	391,479	195	63.8	57.5-70.1	16	5.2	02.3-08.1	1	0.1	00.0-00.3	1	0.3	00.0-00.9				85	30.6	24.5-36.7
35-44	406	392,150	303	73.4	68.1-78.7	16	3.9	01.0-06.8										87	22.6	17.9-27.3
45-54	634	432,713	454	73.5	69.4-77.6	32	5.3	03.1-07.5	3	0.3	00.0-00.7	1	0.1	00.0-00.3	1	0.2	00.0-00.6	143	20.8	17.1-24.5
55-64	696	349,186	520	75.7	72.0-79.4	28	3.4	02.0-04.8				1	0.2	00.0-00.6				147	20.7	17.0-24.4
65+	872	339,364	666	75.1	71.4-78.8	48	4.8	03.0-06.6	1	0.0	00.0-00.0							157	20.1	16.6-23.6
Less Than H.S.	324	344,682	207	65.7	59.2-72.2	8	0.8	00.2-01.4	1	0.1	00.0-00.3							108	33.5	27.0-40.0
H.S. or G.E.D.	1077	785,606	734	68.8	65.3-72.3	53	5.8	03.8-07.8	4	0.2	00.0-00.4				1	0.1	00.0-00.3	285	25.2	21.9-28.5
Some Post-H.S.	729	620,639	545	73.2	68.9-77.5	25	3.2	01.2-05.2				1	0.1	00.0-00.3				158	23.5	19.4-27.6
College Graduate	959	470,356	777	80.2	76.9-83.5	63	6.4	04.4-08.4	1	0.3	00.0-00.9	2	0.3	00.0-00.7				116	12.8	09.9-15.7
Less than \$15,000	306	228,337	201	63.1	55.7-70.5	14	3.6	01.4-05.8	3	0.8	00.0-02.2							88	32.5	25.2-39.8
\$15,000- 24,999	490	332,818	337	71.3	65.8-76.8	22	3.8	01.6-06.0							1	0.2	00.0-00.6	130	24.7	19.4-30.0
\$25,000- 34,999	352	248,207	245	67.5	60.6-74.4	20	6.1	02.2-10.0				1	0.1	00.0-00.3				86	26.3	20.0-32.6
\$35,000- 49,999	459	315,308	337	73.0	67.9-78.1	17	3.2	01.4-05.0										105	23.8	18.9-28.7
\$50,000- 74,999	438	320,393	351	77.9	72.8-83.0	15	2.5	00.9-04.1	2	0.3	00.0-00.9							70	19.3	14.4-24.2
\$75,000+	695	484,181	547	76.6	72.5-80.7	46	7.2	04.5-09.9	1	0.1	00.0-00.3	1	0.1	00.0-00.3				100	15.9	12.4-19.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 15: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4932	2,383,139	3872	77.6	76.0-79.2	347	6.2	05.4-07.0	8	0.1	00.1-00.1	4	0.2	00.0-00.4	1	0.0	00.0-00.0	700	15.9	14.3-17.5
White/Non-Hisp	3961	2,017,918	3165	79.0	77.2-80.8	274	6.2	05.2-07.2	3	0.0	00.0-00.0	3	0.2	00.0-00.4				516	14.6	13.0-16.2
Black or Afr. Am./Non-Hisp	617	196,735	461	68.3	61.2-75.4	35	4.5	01.8-07.2	2	0.1	00.0-00.3				1	0.1	00.0-00.3	118	27.0	20.1-33.9
Oth. Race/Non-Hisp.	58	20,702	40	76.6	63.1-90.1	8	6.5	00.8-12.2										10	16.9	04.4-29.4
MultiRacial/Non-Hisp.	63	22,100	39	57.6	42.1-73.1	11	24.4	10.5-38.3										13	18.0	06.2-29.8
Hispanic	163	98,007	116	70.8	61.4-80.2	12	6.7	01.4-12.0	3	1.3	00.0-02.9	1	1.8	00.0-05.3				31	19.4	11.6-27.2
18-24	189	300,262	138	72.4	65.1-79.7	10	3.5	01.1-05.9				2	1.3	00.0-03.1				39	22.8	15.9-29.7
25-34	487	397,655	364	74.6	69.9-79.3	30	6.0	03.6-08.4	2	0.2	00.0-00.6	2	0.4	00.0-01.0				89	18.8	14.7-22.9
35-44	580	396,259	447	76.1	71.8-80.4	34	6.1	03.6-08.6	1	0.1	00.0-00.3							98	17.8	13.9-21.7
45-54	851	444,983	662	78.4	75.1-81.7	53	7.1	04.9-09.3							1	0.0	00.0-00.0	135	14.5	11.8-17.2
55-64	1081	354,554	849	79.0	76.1-81.9	69	6.4	04.6-08.2	1	0.1	00.0-00.3							162	14.5	11.8-17.2
65+	1691	466,241	1369	82.5	80.3-84.7	144	7.1	05.7-08.5	4	0.1	00.0-00.3							174	10.2	08.4-12.0
Less Than H.S.	462	297,094	310	67.8	61.5-74.1	23	5.0	02.5-07.5	3	0.4	00.0-01.0							126	26.8	20.9-32.7
H.S. or G.E.D.	1862	823,975	1441	76.9	74.2-79.6	109	5.2	03.8-06.6				1	0.2	00.0-00.6	1	0.0	00.0-00.0	310	17.7	15.2-20.2
Some Post-H.S.	1268	753,602	1022	79.0	75.9-82.1	89	5.9	04.3-07.5	2	0.0	00.0-00.0	1	0.3	00.0-00.9				154	14.8	12.1-17.5
College Graduate	1323	502,292	1086	82.4	79.7-85.1	125	9.1	07.1-11.1	3	0.1	00.0-00.3	2	0.3	00.0-00.9				107	8.0	06.0-10.0
Less than \$15,000	648	298,342	462	67.8	62.5-73.1	36	4.9	02.7-07.1	4	0.4	00.0-00.8	2	1.3	00.0-03.1				144	25.6	20.5-30.7
\$15,000- 24,999	928	398,978	697	73.5	69.4-77.6	66	6.3	04.3-08.3	1	0.1	00.0-00.3							164	20.1	16.4-23.8
\$25,000- 34,999	517	245,115	414	77.0	71.3-82.7	37	5.3	02.9-07.7	1	0.1	00.0-00.3	1	0.5	00.0-01.5				64	17.3	11.8-22.8
\$35,000- 49,999	634	292,759	522	82.4	78.3-86.5	39	6.0	03.1-08.9										73	11.6	08.3-14.9
\$50,000- 74,999	603	309,894	499	82.3	78.4-86.2	38	6.0	03.6-08.4										66	11.7	08.4-15.0
\$75,000+	778	453,309	645	82.0	78.7-85.3	56	7.2	05.0-09.4	1	0.1	00.0-00.3	1	0.1	00.0-00.3				75	10.6	07.7-13.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 9: FRUITS AND VEGETABLES  
TABLE 16: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7963	4,591,555	4457	56.8	55.2-58.4	3195	38.6	37.2-40.0	133	1.7	01.3-02.1	60	0.8	00.6-01.0	1	0.0	00.0-00.0	117	2.0	01.4-02.6
Male	3077	2,217,701	1856	60.5	58.1-62.9	1103	34.4	32.2-36.6	40	1.8	01.0-02.6	14	0.5	00.3-00.7				64	2.9	01.9-03.9
Female	4886	2,373,854	2601	53.4	51.4-55.4	2092	42.6	40.6-44.6	93	1.6	01.2-02.0	46	1.1	00.7-01.5	1	0.0	00.0-00.0	53	1.2	00.8-01.6
White/Non-Hisp	6476	3,825,053	3501	55.3	53.7-56.9	2739	40.7	39.1-42.3	107	1.6	01.2-02.0	51	0.8	00.6-01.0	1	0.0	00.0-00.0	77	1.6	01.2-02.0
Black or Afr. Am./Non-Hisp	867	363,087	604	66.2	60.3-72.1	219	25.9	20.6-31.2	13	2.1	00.3-03.9	8	1.3	00.0-02.7				23	4.5	01.4-07.6
Oth. Race/Non-Hisp.	124	72,486	64	54.7	42.5-66.9	52	39.2	27.4-51.0	5	1.9	00.0-03.9							3	4.2	00.0-09.5
MultiRacial/Non-Hisp.	96	47,878	45	50.6	36.9-64.3	46	45.8	32.1-59.5	4	3.2	00.0-06.7							1	0.5	00.0-01.5
Hispanic	268	221,796	168	68.9	61.3-76.5	84	22.6	16.1-29.1	3	3.0	00.0-07.3	1	0.8	00.0-02.4				12	4.7	01.4-08.0
18-24	356	611,335	227	62.4	56.5-68.3	104	30.6	24.9-36.3	9	1.9	00.3-03.5	5	1.4	00.2-02.6				11	3.6	01.4-05.8
25-34	780	786,887	434	58.2	54.1-62.3	310	36.5	32.6-40.4	8	1.0	00.0-02.0	10	1.0	00.2-01.8				18	3.3	01.5-05.1
35-44	985	790,494	551	54.5	50.8-58.2	395	40.4	36.7-44.1	16	2.5	00.7-04.3	6	0.4	00.0-00.8				17	2.2	01.0-03.4
45-54	1471	870,221	829	56.1	53.0-59.2	567	39.3	36.2-42.4	29	1.8	01.0-02.6	19	1.1	00.5-01.7	1	0.1	00.0-00.3	26	1.5	00.7-02.3
55-64	1771	703,018	982	56.0	53.1-58.9	735	40.7	38.0-43.4	28	1.9	01.1-02.7	10	0.6	00.2-01.0				16	0.9	00.3-01.5
65+	2528	797,306	1391	54.9	52.5-57.3	1057	42.7	40.3-45.1	41	1.3	00.7-01.9	10	0.3	00.1-00.5				29	0.9	00.5-01.3
Less Than H.S.	779	644,837	515	64.2	59.5-68.9	225	30.3	25.8-34.8	8	1.4	00.0-03.0	2	0.1	00.0-00.3	1	0.1	00.0-00.3	28	3.9	02.1-05.7
H.S. or G.E.D.	2889	1,591,733	1690	57.0	54.5-59.5	1095	38.8	36.3-41.3	34	1.2	00.6-01.8	18	0.7	00.3-01.1				52	2.2	01.4-03.0
Some Post-H.S.	1996	1,374,640	1106	56.7	53.8-59.6	822	38.9	36.2-41.6	32	2.0	01.0-03.0	12	0.8	00.2-01.4				24	1.7	00.9-02.5
College Graduate	2276	969,939	1130	51.7	49.2-54.2	1046	43.5	41.0-46.0	59	2.5	01.7-03.3	28	1.4	00.8-02.0				13	0.9	00.1-01.7
Less than \$15,000	941	523,703	598	65.1	60.8-69.4	291	27.6	23.7-31.5	13	0.7	00.1-01.3	6	1.2	00.0-02.4				33	5.4	02.9-07.9
\$15,000- 24,999	1405	726,846	848	61.2	57.7-64.7	513	35.9	32.4-39.4	14	1.1	00.3-01.9	13	0.7	00.3-01.1	1	0.1	00.0-00.3	16	1.0	00.2-01.8
\$25,000- 34,999	864	496,347	479	55.3	50.6-60.0	357	40.1	35.4-44.8	11	2.2	00.0-04.4	3	0.7	00.0-01.7				14	1.8	00.4-03.2
\$35,000- 49,999	1087	603,492	625	58.6	54.7-62.5	433	38.8	35.1-42.5	17	1.3	00.5-02.1	5	0.4	00.0-00.8				7	0.8	00.0-01.6
\$50,000- 74,999	1036	627,995	525	49.7	45.6-53.8	472	44.7	40.8-48.6	18	2.1	00.5-03.7	12	1.4	00.4-02.4				9	2.0	00.4-03.6
\$75,000+	1464	931,291	747	52.5	49.2-55.8	659	43.2	40.1-46.3	34	2.5	01.1-03.9	14	1.0	00.4-01.6				10	0.8	00.2-01.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 9: FRUITS AND VEGETABLES  
TABLE 17: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1\_)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3077	2,217,701	1856	60.5	58.1-62.9	1103	34.4	32.2-36.6	40	1.8	01.0-02.6	14	0.5	00.3-00.7	64	2.9	01.9-03.9
White/Non-Hisp	2539	1,810,493	1511	59.3	56.8-61.8	944	36.3	33.9-38.7	29	1.5	00.7-02.3	10	0.4	00.2-00.6	45	2.5	01.5-03.5
Black or Afr. Am./Non-Hisp	270	170,550	194	68.6	59.4-77.8	55	19.5	11.9-27.1	6	3.2	00.0-06.7	4	1.9	00.0-04.4	11	6.8	01.1-12.5
Oth. Race/Non-Hisp.	67	52,251	30	49.7	33.8-65.6	32	43.0	27.7-58.3	2	1.6	00.0-03.8				3	5.8	00.0-13.2
Hispanic	105	125,050	66	70.3	59.1-81.5	32	21.3	12.1-30.5	2	5.0	00.0-12.6				5	3.4	00.0-07.1
18-24	167	309,129	100	60.9	52.5-69.3	52	30.6	22.6-38.6	8	3.6	00.7-06.5				7	4.9	01.2-08.6
25-34	295	389,193	185	63.8	57.5-70.1	93	29.2	23.5-34.9	1	0.9	00.0-02.7	2	0.5	00.0-01.3	14	5.6	02.3-08.9
35-44	409	397,066	236	56.6	50.9-62.3	158	37.1	31.6-42.6	7	3.8	00.3-07.3				8	2.5	00.5-04.5
45-54	626	427,708	388	59.6	54.9-64.3	211	36.6	32.1-41.1	6	0.6	00.0-01.2	7	1.2	00.0-02.4	14	2.0	00.6-03.4
55-64	698	349,711	426	63.3	59.0-67.6	252	33.1	29.0-37.2	8	1.7	00.3-03.1	3	0.6	00.0-01.4	9	1.3	00.3-02.3
65+	861	334,925	506	59.2	55.3-63.1	332	38.8	34.9-42.7	9	0.6	00.2-01.0	2	0.2	00.0-00.6	12	1.1	00.3-01.9
Less Than H.S.	324	347,900	216	65.4	58.7-72.1	86	27.4	21.1-33.7	5	2.2	00.0-05.1				17	5.1	02.2-08.0
H.S. or G.E.D.	1061	776,831	654	59.3	55.4-63.2	360	35.1	31.4-38.8	12	1.6	00.4-02.8	6	0.6	00.0-01.2	29	3.3	01.7-04.9
Some Post-H.S.	729	619,558	445	61.3	56.6-66.0	259	33.6	29.1-38.1	9	2.4	00.2-04.6	2	0.2	00.0-00.6	14	2.4	00.8-04.0
College Graduate	956	469,103	536	57.7	53.8-61.6	396	39.3	35.4-43.2	14	1.1	00.3-01.9	6	0.8	00.0-01.6	4	1.1	00.0-02.7
Less than \$15,000	304	227,886	196	66.5	59.4-73.6	85	25.1	19.0-31.2	2	0.2	00.0-00.6	1	0.1	00.0-00.3	20	8.1	03.2-13.0
\$15,000- 24,999	484	330,947	312	64.8	58.9-70.7	157	31.7	26.0-37.4	6	1.6	00.0-03.2	2	0.2	00.0-00.6	7	1.6	00.0-03.4
\$25,000- 34,999	357	253,392	212	60.0	52.9-67.1	130	33.6	27.1-40.1	6	3.6	00.0-07.7	1	0.8	00.0-02.4	8	2.0	00.0-04.0
\$35,000- 49,999	454	310,905	283	64.2	58.7-69.7	163	33.7	28.4-39.0	4	0.8	00.0-01.8				4	1.3	00.0-02.9
\$50,000- 74,999	434	318,492	241	52.8	46.7-58.9	175	40.1	34.2-46.0	8	2.8	00.1-05.5	4	1.2	00.0-02.4	6	3.1	00.4-05.8
\$75,000+	691	481,000	396	57.4	52.5-62.3	277	39.5	34.8-44.2	7	1.6	00.0-03.8	6	0.7	00.1-01.3	5	0.9	00.1-01.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 18: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4886	2,373,854	2601	53.4	51.4-55.4	2092	42.6	40.6-44.6	93	1.6	01.2-02.0	46	1.1	00.7-01.5	1	0.0	00.0-00.0	53	1.2	00.8-01.6
White/Non-Hisp	3937	2,014,561	1990	51.6	49.4-53.8	1795	44.6	42.4-46.8	78	1.7	01.3-02.1	41	1.2	00.8-01.6	1	0.0	00.0-00.0	32	0.8	00.4-01.2
Black or Afr. Am./Non-Hisp	597	192,537	410	64.0	56.6-71.4	164	31.6	24.3-38.9	7	1.2	00.0-02.6	4	0.8	00.0-02.0				12	2.4	00.0-05.1
Oth. Race/Non-Hisp.	57	20,235	34	67.7	52.0-83.4	20	29.4	14.1-44.7	3	2.9	00.0-07.2									
MultiRacial/Non-Hisp.	61	21,890	23	34.7	20.0-49.4	34	59.0	43.7-74.3	3	5.3	00.0-12.2							1	1.0	00.0-03.0
Hispanic	163	96,746	102	67.1	57.1-77.1	52	24.3	15.5-33.1	1	0.5	00.0-01.5	1	1.8	00.0-05.3				7	6.4	00.9-11.9
18-24	189	302,205	127	64.0	56.0-72.0	52	30.6	22.8-38.4	1	0.2	00.0-00.6	5	2.8	00.3-05.3				4	2.4	00.0-04.8
25-34	485	397,694	249	52.6	47.3-57.9	217	43.7	38.4-49.0	7	1.1	00.1-02.1	8	1.5	00.3-02.7				4	1.1	00.0-02.3
35-44	576	393,428	315	52.3	47.4-57.2	237	43.7	38.8-48.6	9	1.2	00.2-02.2	6	0.9	00.1-01.7				9	1.8	00.4-03.2
45-54	845	442,513	441	52.8	48.7-56.9	356	42.0	37.9-46.1	23	3.0	01.6-04.4	12	1.0	00.4-01.6	1	0.1	00.0-00.3	12	1.0	00.2-01.8
55-64	1073	353,307	556	48.7	45.0-52.4	483	48.1	44.4-51.8	20	2.1	01.1-03.1	7	0.6	00.0-01.2				7	0.4	00.0-00.8
65+	1667	462,381	885	51.8	48.9-54.7	725	45.4	42.5-48.3	32	1.8	01.0-02.6	8	0.4	00.0-00.8				17	0.7	00.3-01.1
Less Than H.S.	455	296,937	299	62.8	56.3-69.3	139	33.7	27.4-40.0	3	0.6	00.0-01.2	2	0.2	00.0-00.6	1	0.2	00.0-00.6	11	2.4	00.6-04.2
H.S. or G.E.D.	1828	814,902	1036	54.9	51.8-58.0	735	42.3	39.2-45.4	22	0.8	00.4-01.2	12	0.8	00.2-01.4				23	1.2	00.4-02.0
Some Post-H.S.	1267	755,082	661	52.9	49.2-56.6	563	43.2	39.5-46.9	23	1.6	00.8-02.4	10	1.2	00.2-02.2				10	1.0	00.0-02.0
College Graduate	1320	500,836	594	46.1	42.6-49.6	650	47.4	43.9-50.9	45	3.7	02.3-05.1	22	2.0	01.0-03.0				9	0.8	00.2-01.4
Less than \$15,000	637	295,816	402	64.0	58.5-69.5	206	29.5	24.4-34.6	11	1.1	00.1-02.1	5	2.0	00.0-04.2				13	3.3	00.9-05.7
\$15,000- 24,999	921	395,899	536	58.2	53.7-62.7	356	39.4	34.9-43.9	8	0.7	00.1-01.3	11	1.1	00.3-01.9	1	0.2	00.0-00.6	9	0.5	00.1-00.9
\$25,000- 34,999	507	242,955	267	50.4	44.1-56.7	227	46.8	40.5-53.1	5	0.6	00.0-01.2	2	0.6	00.0-01.6				6	1.6	00.0-03.8
\$35,000- 49,999	633	292,587	342	52.7	47.4-58.0	270	44.3	39.0-49.6	13	1.9	00.5-03.3	5	0.9	00.1-01.7				3	0.3	00.0-00.9
\$50,000- 74,999	602	309,503	284	46.6	41.1-52.1	297	49.5	44.0-55.0	10	1.3	00.3-02.3	8	1.7	00.3-03.1				3	0.9	00.0-01.9
\$75,000+	773	450,291	351	47.2	42.9-51.5	382	47.2	42.9-51.5	27	3.5	01.9-05.1	8	1.2	00.2-02.2				5	0.8	00.0-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 19: TOTAL FRUITS CONSUMED PER DAY (\_FRUTSUM)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8159	4,686,570	2858	37.7	36.3-39.1	3343	38.2	36.8-39.6	1066	12.6	11.6-13.6	595	6.9	06.1-07.7	16	0.3	00.1-00.5	281	4.3	03.7-04.9
Male	3148	2,266,870	1260	41.4	39.0-43.8	1234	36.3	34.1-38.5	323	10.9	09.3-12.5	166	5.2	04.2-06.2	7	0.3	00.1-00.5	158	5.9	04.7-07.1
Female	5011	2,419,701	1598	34.3	32.5-36.1	2109	39.9	37.9-41.9	743	14.3	12.9-15.7	429	8.5	07.3-09.7	9	0.2	00.0-00.4	123	2.8	02.0-03.6
White/Non-Hisp	6618	3,897,793	2292	38.0	36.4-39.6	2801	38.7	37.1-40.3	859	12.3	11.3-13.3	439	6.7	05.9-07.5	11	0.2	00.0-00.4	216	4.0	03.4-04.6
Black or Afr. Am./Non-Hisp	906	375,517	351	40.8	35.1-46.5	305	31.8	26.3-37.3	117	13.6	09.3-17.9	91	6.7	04.0-09.4	3	0.7	00.0-01.9	39	6.4	03.1-09.7
Oth. Race/Non-Hisp.	127	73,781	42	38.0	25.5-50.5	48	37.7	26.1-49.3	21	12.8	05.5-20.1	10	7.0	00.9-13.1	1	0.5	00.0-01.5	5	4.1	00.0-08.6
MultiRacial/Non-Hisp.	98	48,089	36	42.1	28.2-56.0	36	36.8	24.1-49.5	8	10.0	01.0-19.0	12	7.3	02.2-12.4				6	3.8	00.1-07.5
Hispanic	275	229,663	96	30.9	23.3-38.5	98	36.3	27.9-44.7	42	16.6	10.3-22.9	28	9.6	05.3-13.9	1	0.8	00.0-02.4	10	5.9	02.0-09.8
18-24	361	620,459	143	39.6	33.9-45.3	120	31.8	26.3-37.3	53	15.6	11.3-19.9	27	7.9	04.6-11.2	3	0.7	00.0-01.7	15	4.4	02.0-06.8
25-34	791	795,659	307	40.1	36.0-44.2	276	34.4	30.5-38.3	112	13.1	10.6-15.6	69	7.8	05.8-09.8	1	0.1	00.0-00.3	26	4.6	02.6-06.6
35-44	995	799,968	386	38.4	34.7-42.1	379	37.6	34.1-41.1	129	12.4	09.9-14.9	63	6.2	04.2-08.2	3	0.3	00.0-00.7	35	5.1	03.3-06.9
45-54	1503	890,974	597	39.4	36.5-42.3	552	37.1	34.2-40.0	182	11.7	09.7-13.7	110	6.8	05.0-08.6	4	0.3	00.0-00.7	58	4.6	03.0-06.2
55-64	1803	715,990	656	39.5	36.6-42.4	716	39.1	36.4-41.8	226	10.8	09.0-12.6	136	6.8	05.4-08.2	3	0.0	00.0-00.0	66	3.8	02.6-05.0
65+	2627	827,546	741	30.1	27.9-32.3	1272	47.6	45.2-50.0	350	12.5	10.9-14.1	182	6.3	05.1-07.5	2	0.1	00.0-00.3	80	3.4	02.4-04.4
Less Than H.S.	809	665,202	348	43.1	38.4-47.8	262	31.6	27.1-36.1	86	11.9	08.6-15.2	43	4.4	02.6-06.2				70	9.0	06.3-11.7
H.S. or G.E.D.	3007	1,642,756	1140	39.7	37.3-42.1	1212	37.7	35.3-40.1	332	10.6	09.0-12.2	186	6.4	05.0-07.8	6	0.4	00.0-00.8	131	5.3	04.1-06.5
Some Post-H.S.	2017	1,387,199	743	38.8	35.9-41.7	811	38.0	35.3-40.7	254	12.6	10.6-14.6	157	7.4	05.8-09.0	3	0.2	00.0-00.4	49	3.0	01.8-04.2
College Graduate	2299	979,378	617	29.3	26.9-31.7	1046	43.7	41.2-46.2	391	16.5	14.5-18.5	207	8.9	07.3-10.5	7	0.4	00.0-00.8	31	1.3	00.7-01.9
Less than \$15,000	967	532,774	413	44.4	39.9-48.9	322	31.7	27.6-35.8	99	9.2	06.7-11.7	70	6.1	03.9-08.3	3	0.8	00.0-02.0	60	7.9	05.2-10.6
\$15,000- 24,999	1437	740,732	523	40.4	36.9-43.9	581	37.2	33.7-40.7	168	10.8	08.4-13.2	99	6.8	04.8-08.8	2	0.1	00.0-00.3	64	4.6	02.8-06.4
\$25,000- 34,999	878	499,744	309	37.1	32.6-41.6	341	37.9	33.2-42.6	141	15.6	11.9-19.3	53	5.2	03.2-07.2	1	0.1	00.0-00.3	33	4.2	02.2-06.2
\$35,000- 49,999	1111	618,557	408	39.9	36.0-43.8	465	39.3	35.6-43.0	130	11.2	08.8-13.6	81	6.8	04.8-08.8	2	0.1	00.0-00.3	25	2.7	01.3-04.1
\$50,000- 74,999	1046	633,757	363	37.7	33.8-41.6	445	38.9	35.0-42.8	139	12.0	09.5-14.5	78	7.9	05.4-10.4				21	3.6	01.6-05.6
\$75,000+	1485	945,618	429	29.8	26.9-32.7	671	42.7	39.6-45.8	226	16.6	14.1-19.1	128	8.5	06.5-10.5	7	0.6	00.2-01.0	24	1.8	01.0-02.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 20: TOTAL FRUITS CONSUMED PER DAY (\_FRUTSUM)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3148	2,266,870	1260	41.4	39.0-43.8	1234	36.3	34.1-38.5	323	10.9	09.3-12.5	166	5.2	04.2-06.2	7	0.3	00.1-00.5	158	5.9	04.7-07.1
White/Non-Hisp	2590	1,842,919	1028	42.0	39.5-44.5	1043	36.7	34.3-39.1	262	10.4	08.8-12.0	127	5.1	03.9-06.3	5	0.2	00.0-00.4	125	5.6	04.4-06.8
Black or Afr. Am./Non-Hisp	281	179,709	130	42.0	32.8-51.2	88	32.9	23.9-41.9	25	11.7	05.6-17.8	19	3.9	00.6-07.2	1	1.3	00.0-03.8	18	8.2	02.3-14.1
Oth. Race/Non-Hisp.	68	52,576	24	42.3	26.2-58.4	29	37.2	22.5-51.9	8	9.0	00.8-17.2	3	5.6	00.0-12.3	1	0.8	00.0-02.4	3	5.1	00.0-11.4
Hispanic	109	131,310	41	33.5	21.9-45.1	33	32.3	20.1-44.5	18	18.1	08.3-27.9	9	7.0	01.9-12.1				8	9.1	02.6-15.6
18-24	171	314,764	66	38.8	30.6-47.0	53	31.2	23.0-39.4	29	17.2	10.7-23.7	13	6.6	02.7-10.5	2	0.9	00.0-02.5	8	5.4	01.7-09.1
25-34	300	395,499	132	45.4	38.9-51.9	94	32.2	26.1-38.3	35	10.0	06.5-13.5	18	4.7	02.3-07.1				21	7.8	04.3-11.3
35-44	414	402,113	171	40.2	34.7-45.7	154	35.6	30.3-40.9	40	9.9	06.2-13.6	22	6.7	03.4-10.0	2	0.5	00.0-01.3	25	7.1	04.0-10.2
45-54	642	439,458	271	41.2	36.7-45.7	235	37.2	32.7-41.7	65	10.2	07.3-13.1	32	4.6	02.6-06.6	2	0.2	00.0-00.6	37	6.6	04.1-09.1
55-64	709	355,449	295	44.8	40.3-49.3	278	37.4	33.1-41.7	66	8.9	06.4-11.4	39	4.8	03.0-06.6				31	4.1	02.3-05.9
65+	889	347,472	313	37.2	33.3-41.1	414	44.7	40.8-48.6	84	9.6	07.1-12.1	41	4.2	02.6-05.8	1	0.2	00.0-00.6	36	4.1	02.5-05.7
Less Than H.S.	334	359,071	164	44.6	37.7-51.5	83	26.5	20.2-32.8	34	13.5	08.0-19.0	13	2.5	00.9-04.1				40	12.9	08.4-17.4
H.S. or G.E.D.	1104	803,321	479	43.3	39.4-47.2	409	35.5	31.8-39.2	87	8.8	06.6-11.0	56	5.2	03.4-07.0	2	0.4	00.0-01.0	71	6.8	04.8-08.8
Some Post-H.S.	736	625,975	311	42.3	37.8-46.8	287	38.4	33.9-42.9	70	9.5	06.6-12.4	39	5.6	03.2-08.0	2	0.3	00.0-00.9	27	3.9	01.9-05.9
College Graduate	965	473,542	303	34.6	30.9-38.3	451	42.5	38.6-46.4	131	14.1	11.4-16.8	57	6.6	04.4-08.8	3	0.2	00.0-00.4	20	1.9	00.9-02.9
Less than \$15,000	310	233,021	142	46.6	39.2-54.0	88	28.0	21.3-34.7	29	8.6	04.5-12.7	16	3.0	01.0-05.0	1	1.0	00.0-03.0	34	12.8	07.7-17.9
\$15,000- 24,999	500	341,112	219	45.1	39.2-51.0	181	34.1	28.4-39.8	42	8.1	05.0-11.2	30	6.8	03.7-09.9	1	0.2	00.0-00.6	27	5.7	02.6-08.8
\$25,000- 34,999	360	255,391	141	37.5	30.6-44.4	135	39.9	32.6-47.2	44	12.5	07.2-17.8	16	4.3	01.8-06.8				24	5.9	03.0-08.8
\$35,000- 49,999	468	322,152	192	45.5	39.8-51.2	199	36.8	31.3-42.3	41	9.5	06.2-12.8	24	5.1	02.7-07.5	1	0.2	00.0-00.6	11	3.0	01.0-05.0
\$50,000- 74,999	441	323,017	181	42.5	36.6-48.4	184	39.1	33.4-44.8	37	7.1	04.4-09.8	24	5.0	02.5-07.5				15	6.3	02.8-09.8
\$75,000+	700	486,402	229	32.6	28.3-36.9	315	41.3	36.6-46.0	93	16.5	12.6-20.4	43	6.9	04.2-09.6	3	0.4	00.0-01.0	17	2.2	01.0-03.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 21: TOTAL FRUITS CONSUMED PER DAY (\_FRUTSUM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5011	2,419,701	1598	34.3	32.5-36.1	2109	39.9	37.9-41.9	743	14.3	12.9-15.7	429	8.5	07.3-09.7	9	0.2	00.0-00.4	123	2.8	02.0-03.6
White/Non-Hisp	4028	2,054,873	1264	34.4	32.4-36.4	1758	40.6	38.6-42.6	597	14.1	12.7-15.5	312	8.1	06.9-09.3	6	0.2	00.0-00.4	91	2.6	01.8-03.4
Black or Afr. Am./Non-Hisp	625	195,808	221	39.8	32.7-46.9	217	30.9	24.6-37.2	92	15.3	09.4-21.2	72	9.2	04.9-13.5	2	0.1	00.0-00.3	21	4.8	01.1-08.5
Oth. Race/Non-Hisp.	59	21,205	18	27.2	12.9-41.5	19	38.7	22.0-55.4	13	22.0	08.5-35.5	7	10.6	00.0-23.7				2	1.5	00.0-03.9
MultiRacial/Non-Hisp.	63	22,100	22	31.2	17.1-45.3	22	38.0	22.9-53.1	6	13.1	00.2-26.0	9	12.4	02.6-22.2				4	5.4	00.0-11.5
Hispanic	166	98,353	55	27.4	18.2-36.6	65	41.5	30.5-52.5	24	14.7	07.6-21.8	19	13.0	05.6-20.4	1	1.8	00.0-05.3	2	1.7	00.0-04.6
18-24	190	305,695	77	40.4	32.4-48.4	67	32.4	25.0-39.8	24	13.9	08.0-19.8	14	9.3	04.0-14.6	1	0.6	00.0-01.8	7	3.3	00.4-06.2
25-34	491	400,159	175	34.8	29.7-39.9	182	36.6	31.5-41.7	77	16.1	12.4-19.8	51	10.8	07.5-14.1	1	0.1	00.0-00.3	5	1.5	00.1-02.9
35-44	581	397,855	215	36.6	31.9-41.3	225	39.7	34.8-44.6	89	14.9	11.6-18.2	41	5.7	03.5-07.9	1	0.1	00.0-00.3	10	3.0	01.0-05.0
45-54	861	451,516	326	37.6	33.7-41.5	317	37.0	33.1-40.9	117	13.2	10.5-15.9	78	9.0	06.3-11.7	2	0.5	00.0-01.1	21	2.7	00.9-04.5
55-64	1094	360,541	361	34.2	30.7-37.7	438	40.8	37.3-44.3	160	12.7	10.3-15.1	97	8.8	06.6-11.0	3	0.1	00.0-00.3	35	3.5	02.1-04.9
65+	1738	480,074	428	24.9	22.4-27.4	858	49.8	46.9-52.7	266	14.6	12.6-16.6	141	7.8	06.2-09.4	1	0.1	00.0-00.3	44	2.9	01.7-04.1
Less Than H.S.	475	306,131	184	41.3	34.8-47.8	179	37.7	31.2-44.2	52	10.0	06.3-13.7	30	6.6	03.3-09.9				30	4.4	02.2-06.6
H.S. or G.E.D.	1903	839,435	661	36.2	33.3-39.1	803	39.8	36.7-42.9	245	12.3	10.1-14.5	130	7.5	05.5-09.5	4	0.4	00.0-00.8	60	3.8	02.4-05.2
Some Post-H.S.	1281	761,225	432	36.0	32.5-39.5	524	37.6	34.1-41.1	184	15.1	12.4-17.8	118	8.9	06.7-11.1	1	0.0	00.0-00.0	22	2.3	00.9-03.7
College Graduate	1334	505,836	314	24.3	21.4-27.2	595	44.8	41.5-48.1	260	18.8	16.1-21.5	150	10.9	08.7-13.1	4	0.5	00.0-01.1	11	0.7	00.1-01.3
Less than \$15,000	657	299,753	271	42.6	36.9-48.3	234	34.6	29.3-39.9	70	9.6	06.7-12.5	54	8.5	05.0-12.0	2	0.6	00.0-01.8	26	4.1	01.7-06.5
\$15,000- 24,999	937	399,621	304	36.5	32.2-40.8	400	39.9	35.4-44.4	126	13.1	09.8-16.4	69	6.8	04.6-09.0	1	0.0	00.0-00.0	37	3.7	02.1-05.3
\$25,000- 34,999	518	244,354	168	36.7	30.6-42.8	206	35.9	30.0-41.8	97	18.9	13.8-24.0	37	6.1	03.2-09.0	1	0.1	00.0-00.3	9	2.4	00.0-04.8
\$35,000- 49,999	643	296,406	216	33.8	28.9-38.7	266	42.0	36.9-47.1	89	13.0	09.7-16.3	57	8.7	05.8-11.6	1	0.0	00.0-00.0	14	2.5	00.9-04.1
\$50,000- 74,999	605	310,740	182	32.6	27.5-37.7	261	38.7	33.6-43.8	102	17.1	12.8-21.4	54	10.8	06.5-15.1				6	0.8	00.0-01.6
\$75,000+	785	459,216	200	26.9	23.0-30.8	356	44.2	39.9-48.5	133	16.7	13.6-19.8	85	10.1	07.6-12.6	4	0.7	00.0-01.5	7	1.4	00.2-02.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 22: TOTAL VEGETABLES CONSUMED PER DAY (\_VEGESUM)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8126	4,667,107	2091	26.8	25.4-28.2	3342	41.6	40.0-43.2	1601	18.5	17.3-19.7	1000	11.4	10.4-12.4	35	0.5	0.3-0.7	57	1.1	0.7-1.5
Male	3134	2,255,208	929	30.7	28.5-32.9	1329	41.8	39.4-44.2	546	16.2	14.4-18.0	287	9.2	07.8-10.6	11	0.4	0.0-0.8	32	1.7	0.9-2.5
Female	4992	2,411,899	1162	23.2	21.6-24.8	2013	41.5	39.5-43.5	1055	20.6	19.0-22.2	713	13.4	12.2-14.6	24	0.6	0.2-0.1.0	25	0.6	0.2-0.1.0
White/Non-Hisp	6587	3,878,179	1577	25.8	24.4-27.2	2781	42.6	41.0-44.2	1353	18.9	17.7-20.1	812	11.3	10.3-12.3	22	0.5	0.1-0.0.9	42	0.9	0.5-0.1.3
Black or Afr. Am./Non-Hisp	905	375,539	357	36.0	30.5-41.5	307	35.1	29.4-40.8	131	14.6	10.3-18.9	93	10.1	06.6-13.6	5	0.2	0.0-0.0.4	12	4.1	0.1.0-0.7.2
Oth. Race/Non-Hisp.	126	73,278	21	23.0	11.8-34.2	55	39.0	27.0-51.0	34	31.1	19.7-42.5	16	6.8	02.7-10.9						
MultiRacial/Non-Hisp.	98	48,089	28	36.6	22.9-50.3	34	35.7	22.2-49.2	12	8.8	02.5-15.1	22	17.9	09.3-26.5	1	0.8	0.0-0.2.4	1	0.2	0.0-0.0.6
Hispanic	274	229,575	70	30.1	22.1-38.1	109	37.4	29.4-45.4	46	15.4	08.9-21.9	41	14.4	08.1-20.7	6	1.8	0.0-0.3.6	2	1.0	0.0-0.2.6
18-24	362	622,714	130	34.9	29.4-40.4	142	38.0	32.3-43.7	46	14.1	09.6-18.6	32	8.8	05.5-12.1	3	0.9	0.0-0.1.9	9	3.4	0.1.2-0.5.6
25-34	792	795,255	203	28.5	24.6-32.4	318	40.5	36.4-44.6	151	16.7	13.8-19.6	107	12.0	09.5-14.5	4	0.4	0.0-0.0.8	9	1.9	0.0.5-0.3.3
35-44	992	794,982	231	23.6	20.5-26.7	441	44.5	40.8-48.2	198	19.2	16.3-22.1	108	10.8	08.3-13.3	7	1.0	0.0-0.2.4	7	0.9	0.0.1-0.1.7
45-54	1497	884,736	377	25.0	22.3-27.7	618	41.3	38.2-44.4	280	18.6	16.1-21.1	200	13.9	11.7-16.1	13	0.6	0.2-0.1.0	9	0.5	0.0.1-0.0.9
55-64	1795	712,787	452	25.4	22.9-27.9	746	42.9	40.0-45.8	358	19.5	17.1-21.9	229	11.8	10.0-13.6	3	0.2	0.0-0.0.4	7	0.2	0.0-0.0.4
65+	2612	821,336	682	25.9	23.7-28.1	1042	41.3	38.9-43.7	556	22.0	20.0-24.0	311	10.1	08.7-11.5	5	0.1	0.0-0.0.3	16	0.5	0.0.1-0.0.9
Less Than H.S.	805	661,025	343	40.8	36.1-45.5	291	37.6	32.9-42.3	94	12.2	08.9-15.5	58	6.7	04.2-09.2	4	0.4	0.0-0.0.8	15	2.3	0.0.7-0.3.9
H.S. or G.E.D.	2986	1,633,596	899	28.6	26.4-30.8	1220	42.3	39.8-44.8	531	17.8	15.8-19.8	296	9.4	07.8-11.0	10	0.4	0.0-0.0.8	30	1.5	0.0.7-0.2.3
Some Post-H.S.	2015	1,382,913	488	25.6	23.1-28.1	854	42.1	39.2-45.0	406	18.7	16.5-20.9	249	12.0	10.0-14.0	8	0.7	0.0-0.1.5	10	0.9	0.0.1-0.1.7
College Graduate	2294	977,594	348	16.0	14.0-18.0	968	42.6	40.1-45.1	568	23.8	21.6-26.0	395	16.9	14.9-18.9	13	0.6	0.2-0.1.0	2	0.1	0.0-0.0.3
Less than \$15,000	966	533,102	372	40.9	36.4-45.4	347	36.2	31.9-40.5	137	12.8	09.9-15.7	87	6.2	04.4-08.0	9	1.5	0.3-0.2.7	14	2.4	0.0.6-0.4.2
\$15,000- 24,999	1434	739,652	458	32.1	28.6-35.6	565	40.0	36.5-43.5	246	16.2	13.7-18.7	146	10.0	07.8-12.2	7	0.5	0.0.1-0.0.9	12	1.3	0.0.1-0.2.5
\$25,000- 34,999	877	498,951	243	28.7	24.4-33.0	333	37.4	32.9-41.9	172	19.7	15.6-23.8	120	12.7	09.6-15.8	2	0.3	0.0-0.0.7	7	1.2	0.0-0.2.6
\$35,000- 49,999	1107	615,980	262	25.1	21.6-28.6	515	47.1	43.2-51.0	208	17.1	14.4-19.8	119	10.3	07.8-12.8	1	0.1	0.0-0.0.3	2	0.4	0.0-0.1.2
\$50,000- 74,999	1045	632,471	207	20.4	17.3-23.5	462	45.6	41.7-49.5	240	21.4	18.1-24.7	130	11.6	09.1-14.1	3	0.2	0.0-0.0.4	3	0.8	0.0-0.2.0
\$75,000+	1479	942,846	226	16.6	14.1-19.1	643	44.4	41.3-47.5	355	22.0	19.5-24.5	244	15.9	13.5-18.3	9	1.0	0.0-0.2.2	2	0.1	0.0-0.0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 23: TOTAL VEGETABLES CONSUMED PER DAY (\_VEGESUM)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3134	2,255,208	929	30.7	28.5-32.9	1329	41.8	39.4-44.2	546	16.2	14.4-18.0	287	9.2	07.8-10.6	11	0.4	00.0-00.8	32	1.7	00.9-02.5
White/Non-Hisp	2579	1,834,949	735	30.2	27.8-32.6	1127	42.9	40.4-45.4	459	16.2	14.4-18.0	226	8.7	07.3-10.1	7	0.5	00.0-01.1	25	1.5	00.7-02.3
Black or Afr. Am./Non-Hisp	280	176,350	128	37.6	28.8-46.4	88	36.8	27.4-46.2	34	11.7	05.6-17.8	23	8.3	03.2-13.4	2	0.2	00.0-00.4	5	5.5	00.2-10.8
Oth. Race/Non-Hisp.	68	52,576	11	24.3	10.0-38.6	27	35.9	20.8-51.0	22	33.7	19.0-48.4	8	6.1	01.2-11.0						
Hispanic	109	131,310	26	31.7	19.7-43.7	43	32.8	21.8-43.8	17	15.2	05.6-24.8	20	18.4	08.4-28.4	1	0.2	00.0-00.6	2	1.7	00.0-04.4
18-24	171	315,995	61	35.4	27.2-43.6	61	35.1	27.1-43.1	22	13.8	07.1-20.5	21	11.2	05.9-16.5				6	4.5	01.0-08.0
25-34	300	394,076	93	33.8	27.5-40.1	129	41.3	35.0-47.6	42	12.8	08.7-16.9	28	8.9	05.2-12.6				8	3.2	00.8-05.6
35-44	411	397,933	104	26.0	21.1-30.9	189	45.3	39.6-51.0	70	16.6	12.5-20.7	41	9.2	05.7-12.7	1	1.3	00.0-03.8	6	1.6	00.0-03.2
45-54	639	436,449	186	28.8	24.7-32.9	271	41.3	36.6-46.0	106	17.6	13.9-21.3	63	10.7	07.8-13.6	7	0.8	00.2-01.4	6	0.8	00.0-01.6
55-64	707	354,870	210	30.9	26.6-35.2	303	44.0	39.5-48.5	131	16.5	13.4-19.6	61	8.2	05.8-10.6	1	0.2	00.0-00.6	1	0.2	00.0-00.6
65+	884	343,827	269	31.0	27.3-34.7	365	41.9	38.0-45.8	172	19.8	16.7-22.9	71	6.7	04.7-08.7	2	0.1	00.0-00.3	5	0.5	00.1-00.9
Less Than H.S.	334	356,406	165	47.1	40.2-54.0	100	31.5	25.2-37.8	34	10.4	05.9-14.9	26	7.7	03.6-11.8				9	3.3	00.8-05.8
H.S. or G.E.D.	1095	798,955	367	30.7	27.2-34.2	464	43.6	39.7-47.5	153	14.4	11.5-17.3	89	8.6	06.4-10.8	5	0.3	00.1-00.5	17	2.4	01.0-03.8
Some Post-H.S.	734	622,412	216	30.2	25.9-34.5	320	41.9	37.4-46.4	128	16.6	13.3-19.9	63	9.2	06.3-12.1	2	0.9	00.0-02.5	5	1.2	00.0-02.6
College Graduate	963	472,531	176	18.6	15.5-21.7	443	46.3	42.4-50.2	230	23.2	19.9-26.5	109	11.3	08.9-13.7	4	0.3	00.0-00.7	1	0.3	00.0-00.9
Less than \$15,000	313	233,907	134	44.4	37.0-51.8	112	37.8	30.5-45.1	33	9.6	05.3-13.9	25	4.5	02.1-06.9	1	0.1	00.0-00.3	8	3.6	00.5-06.7
\$15,000- 24,999	495	337,135	187	37.6	31.7-43.5	182	35.5	29.8-41.2	76	14.7	10.4-19.0	45	10.4	06.7-14.1	1	0.2	00.0-00.6	4	1.7	00.0-03.7
\$25,000- 34,999	358	253,617	116	31.9	25.2-38.6	137	36.7	29.8-43.6	62	18.3	12.2-24.4	39	11.9	06.6-17.2	1	0.1	00.0-00.3	3	1.1	00.0-02.7
\$35,000- 49,999	467	321,385	137	30.9	25.4-36.4	225	48.0	42.3-53.7	69	13.3	09.8-16.8	35	7.0	04.3-09.7				1	0.7	00.0-02.1
\$50,000- 74,999	441	322,103	113	23.2	18.5-27.9	211	49.1	43.2-55.0	74	15.8	11.5-20.1	37	9.9	06.0-13.8	3	0.4	00.0-01.0	3	1.6	00.0-03.8
\$75,000+	696	484,680	122	18.2	14.5-21.9	329	47.5	42.8-52.2	164	21.7	18.0-25.4	77	11.1	08.0-14.2	4	1.4	00.0-03.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 24: TOTAL VEGETABLES CONSUMED PER DAY (\_VEGESUM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4992	2,411,899	1162	23.2	21.6-24.8	2013	41.5	39.5-43.5	1055	20.6	19.0-22.2	713	13.4	12.2-14.6	24	0.6	0.2-01.0	25	0.6	0.2-01.0
White/Non-Hisp	4008	2,043,231	842	21.8	20.0-23.6	1654	42.3	40.1-44.5	894	21.3	19.7-22.9	586	13.7	12.3-15.1	15	0.5	0.1-00.9	17	0.4	0.2-00.6
Black or Afr. Am./Non-Hisp	625	199,188	229	34.6	27.9-41.3	219	33.6	27.1-40.1	97	17.1	10.8-23.4	70	11.7	07.2-16.2	3	0.1	0.0-00.3	7	2.8	0.0-06.1
Oth. Race/Non-Hisp.	58	20,702	10	19.8	05.7-33.9	28	47.0	29.8-64.2	12	24.6	08.5-40.7	8	8.6	01.3-15.9						
MultiRacial/Non-Hisp.	63	22,100	16	26.7	13.0-40.4	16	25.2	10.5-39.9	9	10.6	02.6-18.6	21	37.0	21.9-52.1				1	0.5	0.0-01.5
Hispanic	165	98,265	44	27.9	18.5-37.3	66	43.6	32.6-54.6	29	15.6	08.0-23.2	21	9.1	03.6-14.6	5	3.8	0.0-07.9			
18-24	191	306,719	69	34.3	26.7-41.9	81	41.0	33.0-49.0	24	14.4	08.1-20.7	11	6.2	02.1-10.3	3	1.8	0.0-03.8	3	2.2	0.0-04.7
25-34	492	401,179	110	23.4	18.9-27.9	189	39.8	34.5-45.1	109	20.5	16.4-24.6	79	15.0	11.3-18.7	4	0.8	0.0-01.6	1	0.5	0.0-01.5
35-44	581	397,049	127	21.3	17.2-25.4	252	43.7	38.8-48.6	128	21.7	17.8-25.6	67	12.5	09.0-16.0	6	0.6	0.0-01.2	1	0.2	0.0-00.6
45-54	858	448,286	191	21.4	17.9-24.9	347	41.4	37.3-45.5	174	19.6	16.3-22.9	137	17.0	13.9-20.1	6	0.5	0.1-00.9	3	0.1	0.0-00.3
55-64	1088	357,916	242	19.9	17.2-22.6	443	41.8	38.1-45.5	227	22.4	19.3-25.5	168	15.3	12.8-17.8	2	0.3	0.0-00.7	6	0.3	0.1-00.5
65+	1728	477,509	413	22.1	19.7-24.5	677	40.9	38.0-43.8	384	23.6	21.1-26.1	240	12.6	10.8-14.4	3	0.1	0.0-00.3	11	0.6	0.2-01.0
Less Than H.S.	471	304,619	178	33.5	27.4-39.6	191	44.8	38.1-51.5	60	14.3	09.4-19.2	32	5.4	03.0-07.8	4	0.8	0.0-01.6	6	1.1	0.0-02.7
H.S. or G.E.D.	1891	834,641	532	26.5	23.8-29.2	756	41.1	38.0-44.2	378	21.0	18.5-23.5	207	10.2	08.2-12.2	5	0.6	0.0-01.2	13	0.7	0.1-01.3
Some Post-H.S.	1281	760,502	272	21.8	18.7-24.9	534	42.3	38.6-46.0	278	20.5	17.6-23.4	186	14.4	11.9-16.9	6	0.5	0.0-01.1	5	0.6	0.0-01.4
College Graduate	1331	505,063	172	13.5	11.0-16.0	525	39.2	35.9-42.5	338	24.3	21.4-27.2	286	22.1	19.2-25.0	9	0.8	0.2-01.4	1	0.0	0.0-00.0
Less than \$15,000	653	299,195	238	38.1	32.4-43.8	235	35.0	29.7-40.3	104	15.3	11.2-19.4	62	7.6	05.2-10.0	8	2.5	0.3-04.7	6	1.5	0.0-03.3
\$15,000- 24,999	939	402,517	271	27.6	23.5-31.7	383	43.7	39.2-48.2	170	17.5	14.2-20.8	101	9.6	07.1-12.1	6	0.7	0.1-01.3	8	0.9	0.0-02.1
\$25,000- 34,999	519	245,335	127	25.3	19.8-30.8	196	38.2	32.3-44.1	110	21.1	15.6-26.6	81	13.5	09.8-17.2	1	0.5	0.0-01.5	4	1.4	0.0-03.6
\$35,000- 49,999	640	294,595	125	18.8	14.9-22.7	290	46.0	40.9-51.1	139	21.3	17.2-25.4	84	13.7	09.6-17.8	1	0.2	0.0-00.6	1	0.0	0.0-00.0
\$50,000- 74,999	604	310,368	94	17.5	13.0-22.0	251	42.0	36.7-47.3	166	27.2	22.3-32.1	93	13.3	10.0-16.6						
\$75,000+	783	458,166	104	14.9	11.6-18.2	314	41.1	36.8-45.4	191	22.2	18.9-25.5	167	21.0	17.5-24.5	5	0.6	0.0-01.2	2	0.2	0.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011**

**SECTION 10: EXERCISE CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1 MALES AND FEMALES	144
2 MALES ONLY	145
3 FEMALES ONLY	146
ESTIMATED ACTIVITY INTENSITY FOR FIRST ACTIVITY (ACTINT1_)	
4 MALES AND FEMALES	147
5 MALES ONLY	148
6 FEMALES ONLY	149
ESTIMATED ACTIVITY INTENSITY FOR SECOND ACTIVITY (ACTINT2_)	
7 MALES AND FEMALES	150
8 MALES ONLY	151
9 FEMALES ONLY	152
PHYSICAL ACTIVITY CATEGORIES (_PACAT)	
10 MALES AND FEMALES	153
11 MALES ONLY	154
12 FEMALES ONLY	155
PHYSICAL ACTIVITY INDEX (_PAINDEX)	
13 MALES AND FEMALES	156
14 MALES ONLY	157
15 FEMALES ONLY	158
MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)	
16 MALES AND FEMALES	159
17 MALES ONLY	160
18 FEMALES ONLY	161

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011

SECTION 10: EXERCISE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	AEROBIC AND STRENGTHENING GUIDELINE (_PAREC)	
19	MALES AND FEMALES	162
20	MALES ONLY	163
21	FEMALES ONLY	164
	AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAER)	
22	MALES AND FEMALES	165
23	MALES ONLY	166
24	FEMALES ONLY	167

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 10: EXERCISE**

**TABLE 1: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Some Physical Activity or Exercise			No Physical Activity or Exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8004	4,599,212	5470	70.8	69.4-72.2	2534	29.2	27.8-30.6
Male	3090	2,220,889	2166	70.8	68.6-73.0	924	29.2	27.0-31.4
Female	4914	2,378,323	3304	70.7	68.9-72.5	1610	29.3	27.5-31.1
White/Non-Hisp	6508	3,834,425	4509	71.4	70.0-72.8	1999	28.6	27.2-30.0
Black or Afr. Am./Non-Hisp	878	365,471	565	69.1	63.6-74.6	313	30.9	25.4-36.4
Oth. Race/Non-Hisp.	124	72,486	92	73.7	63.1-84.3	32	26.3	15.7-36.9
MultiRacial/Non-Hisp.	97	47,989	63	73.7	63.3-84.1	34	26.3	15.9-36.7
Hispanic	265	217,207	153	62.0	54.0-70.0	112	38.0	30.0-46.0
18-24	357	612,674	293	83.3	79.0-87.6	64	16.7	12.4-21.0
25-34	778	781,503	578	73.2	69.5-76.9	200	26.8	23.1-30.5
35-44	979	785,430	731	73.2	69.9-76.5	248	26.8	23.5-30.1
45-54	1477	873,286	1027	68.8	65.9-71.7	450	31.2	28.3-34.1
55-64	1773	703,478	1202	66.9	64.2-69.6	571	33.1	30.4-35.8
65+	2563	809,292	1577	61.9	59.5-64.3	986	38.1	35.7-40.5
Less Than H.S.	789	649,689	417	60.6	55.9-65.3	372	39.4	34.7-44.1
H.S. or G.E.D.	2933	1,607,100	1825	65.6	63.2-68.0	1108	34.4	32.0-36.8
Some Post-H.S.	1989	1,367,582	1392	72.7	70.2-75.2	597	27.3	24.8-29.8
College Graduate	2268	963,457	1821	83.6	81.8-85.4	447	16.4	14.6-18.2
Less than \$15,000	948	524,901	534	59.2	54.7-63.7	414	40.8	36.3-45.3
\$15,000- 24,999	1404	723,273	820	64.0	60.5-67.5	584	36.0	32.5-39.5
\$25,000- 34,999	866	493,981	559	66.7	62.4-71.0	307	33.3	29.0-37.6
\$35,000- 49,999	1086	602,280	773	72.3	68.8-75.8	313	27.7	24.2-31.2
\$50,000- 74,999	1029	620,912	784	75.9	72.4-79.4	245	24.1	20.6-27.6
\$75,000+	1467	933,785	1198	81.5	79.0-84.0	269	18.5	16.0-21.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 10: EXERCISE**

**TABLE 2: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Some Physical Activity or Exercise			No Physical Activity or Exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3090	2,220,889	2166	70.8	68.6-73.0	924	29.2	27.0-31.4
White/Non-Hisp	2546	1,811,249	1795	71.0	68.8-73.2	751	29.0	26.8-31.2
Black or Afr. Am./Non-Hisp	275	172,326	181	69.3	60.1-78.5	94	30.7	21.5-39.9
Oth. Race/Non-Hisp.	67	52,251	52	78.1	65.2-91.0	15	21.9	09.0-34.8
Hispanic	107	125,775	67	63.7	52.1-75.3	40	36.3	24.7-47.9
18-24	169	310,307	145	85.8	79.9-91.7	24	14.2	08.3-20.1
25-34	295	388,343	210	69.2	63.1-75.3	85	30.8	24.7-36.9
35-44	407	396,236	300	71.7	66.6-76.8	107	28.3	23.2-33.4
45-54	629	428,179	435	67.8	63.3-72.3	194	32.2	27.7-36.7
55-64	699	348,669	491	67.6	63.3-71.9	208	32.4	28.1-36.7
65+	870	339,184	570	65.1	61.2-69.0	300	34.9	31.0-38.8
Less Than H.S.	330	352,266	185	61.1	54.4-67.8	145	38.9	32.2-45.6
H.S. or G.E.D.	1074	783,922	682	66.2	62.7-69.7	392	33.8	30.3-37.3
Some Post-H.S.	726	614,064	509	72.0	67.9-76.1	217	28.0	23.9-32.1
College Graduate	953	466,328	787	84.8	82.1-87.5	166	15.2	12.5-17.9
Less than \$15,000	307	231,285	187	62.2	54.9-69.5	120	37.8	30.5-45.1
\$15,000- 24,999	488	330,148	299	65.4	59.9-70.9	189	34.6	29.1-40.1
\$25,000- 34,999	353	250,679	217	64.5	57.6-71.4	136	35.5	28.6-42.4
\$35,000- 49,999	457	311,772	326	71.0	65.7-76.3	131	29.0	23.7-34.3
\$50,000- 74,999	430	313,235	318	72.1	66.6-77.6	112	27.9	22.4-33.4
\$75,000+	692	482,053	572	80.5	76.6-84.4	120	19.5	15.6-23.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 10: EXERCISE**

**TABLE 3: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Some Physical Activity or Exercise			No Physical Activity or Exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4914	2,378,323	3304	70.7	68.9-72.5	1610	29.3	27.5-31.1
White/Non-Hisp	3962	2,023,176	2714	71.7	69.9-73.5	1248	28.3	26.5-30.1
Black or Afr. Am./Non-Hisp	603	193,145	384	69.0	62.5-75.5	219	31.0	24.5-37.5
Oth. Race/Non-Hisp.	57	20,235	40	62.3	45.1-79.5	17	37.7	20.5-54.9
MultiRacial/Non-Hisp.	62	22,000	35	58.9	43.8-74.0	27	41.1	26.0-56.2
Hispanic	158	91,432	86	59.6	49.0-70.2	72	40.4	29.8-51.0
18-24	188	302,368	148	80.6	74.1-87.1	40	19.4	12.9-25.9
25-34	483	393,160	368	77.2	72.7-81.7	115	22.8	18.3-27.3
35-44	572	389,194	431	74.7	70.2-79.2	141	25.3	20.8-29.8
45-54	848	445,106	592	69.7	65.8-73.6	256	30.3	26.4-34.2
55-64	1074	354,809	711	66.3	62.8-69.8	363	33.7	30.2-37.2
65+	1693	470,108	1007	59.5	56.6-62.4	686	40.5	37.6-43.4
Less Than H.S.	459	297,423	232	60.0	53.5-66.5	227	40.0	33.5-46.5
H.S. or G.E.D.	1859	823,178	1143	65.1	62.2-68.0	716	34.9	32.0-37.8
Some Post-H.S.	1263	753,519	883	73.4	70.3-76.5	380	26.6	23.5-29.7
College Graduate	1315	497,128	1034	82.4	80.0-84.8	281	17.6	15.2-20.0
Less than \$15,000	641	293,616	347	56.8	51.3-62.3	294	43.2	37.7-48.7
\$15,000- 24,999	916	393,125	521	62.7	58.4-67.0	395	37.3	33.0-41.6
\$25,000- 34,999	513	243,302	342	69.1	63.6-74.6	171	30.9	25.4-36.4
\$35,000- 49,999	629	290,508	447	73.8	69.1-78.5	182	26.2	21.5-30.9
\$50,000- 74,999	599	307,677	466	79.7	75.6-83.8	133	20.3	16.2-24.4
\$75,000+	775	451,732	626	82.6	79.5-85.7	149	17.4	14.3-20.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 10: EXERCISE**

**TABLE 4: ESTIMATED ACTIVITY INTENSITY FOR FIRST ACTIVITY (ACTINT1\_)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Moderate nor Vigorous or No Activity			Moderate			Vigorous		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5350	3,204,463	213	4.9	04.1-05.7	3488	72.9	71.3-74.5	1649	22.1	20.7-23.5
Male	2123	1,549,207	125	7.2	05.6-08.8	1363	72.7	70.3-75.1	635	20.0	18.0-22.0
Female	3227	1,655,256	88	2.8	02.0-03.6	2125	73.1	71.1-75.1	1014	24.1	22.1-26.1
White/Non-Hisp	4417	2,697,025	178	4.9	03.9-05.9	2840	72.2	70.6-73.8	1399	22.9	21.5-24.3
Black or Afr. Am./Non-Hisp	552	250,063	20	5.2	01.9-08.5	379	75.9	70.0-81.8	153	18.9	13.8-24.0
Oth. Race/Non-Hisp.	90	52,523	7	14.6	03.6-25.6	67	72.0	58.3-85.7	16	13.4	03.0-23.8
MultiRacial/Non-Hisp.	62	34,049	3	1.9	00.0-04.3	46	80.8	69.2-92.4	13	17.2	05.8-28.6
Hispanic	150	132,274	4	3.0	00.0-06.5	110	81.0	73.2-88.8	36	16.0	08.7-23.3
18-24	291	508,135	32	9.3	06.0-12.6	244	85.1	80.6-89.6	15	5.6	02.5-08.7
25-34	576	571,904	29	5.0	02.8-07.2	504	88.5	85.6-91.4	43	6.5	04.1-08.9
35-44	729	571,890	29	4.7	02.7-06.7	572	78.2	74.5-81.9	128	17.1	13.8-20.4
45-54	1018	595,644	50	5.4	03.6-07.2	781	74.8	71.5-78.1	187	19.8	16.7-22.9
55-64	1190	464,859	47	3.6	02.4-04.8	858	71.8	68.7-74.9	285	24.6	21.7-27.5
65+	1546	492,031	26	1.3	00.7-01.9	529	35.1	32.2-38.0	991	63.6	60.7-66.5
Less Than H.S.	408	389,418	11	2.8	00.8-04.8	281	78.3	73.4-83.2	116	18.9	14.2-23.6
H.S. or G.E.D.	1794	1,041,153	48	3.6	02.2-05.0	1143	72.9	70.4-75.4	603	23.4	21.0-25.8
Some Post-H.S.	1357	975,530	57	6.3	04.3-08.3	945	74.3	71.4-77.2	355	19.3	16.8-21.8
College Graduate	1778	791,677	97	5.9	04.5-07.3	1112	68.8	66.3-71.3	569	25.3	22.9-27.7
Less than \$15,000	523	305,152	10	3.3	00.9-05.7	387	81.0	76.5-85.5	126	15.7	11.8-19.6
\$15,000- 24,999	803	454,555	30	5.0	02.6-07.4	492	71.6	67.5-75.7	281	23.4	19.9-26.9
\$25,000- 34,999	553	328,249	24	6.9	03.8-10.0	341	69.6	64.5-74.7	188	23.5	19.0-28.0
\$35,000- 49,999	765	431,233	24	4.1	01.9-06.3	524	75.5	71.8-79.2	217	20.4	17.1-23.7
\$50,000- 74,999	768	467,293	26	3.7	02.1-05.3	540	75.8	72.1-79.5	202	20.5	17.0-24.0
\$75,000+	1187	754,312	70	6.0	04.2-07.8	798	70.9	67.8-74.0	319	23.1	20.4-25.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 10: EXERCISE**

**TABLE 5: ESTIMATED ACTIVITY INTENSITY FOR FIRST ACTIVITY (ACTINT1\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Moderate nor Vigorous or No Activity			Moderate			Vigorous		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2123	1,549,207	125	7.2	05.6-08.8	1363	72.7	70.3-75.1	635	20.0	18.0-22.0
White/Non-Hisp	1762	1,270,093	101	7.1	05.5-08.7	1124	72.2	69.7-74.7	537	20.7	18.7-22.7
Black or Afr. Am./Non-Hisp	181	119,393	13	9.8	03.1-16.5	114	72.4	63.0-81.8	54	17.8	10.2-25.4
Oth. Race/Non-Hisp.	50	39,913	5	16.6	02.5-30.7	39	73.5	56.4-90.6	6	9.9	00.0-22.4
Hispanic	65	77,908	3	3.7	00.0-09.0	47	80.1	68.7-91.5	15	16.2	06.0-26.4
18-24	143	264,326	26	14.8	08.9-20.7	117	85.2	79.3-91.1			
25-34	210	268,572	20	8.3	04.2-12.4	186	89.4	84.7-94.1	4	2.3	00.0-05.0
35-44	298	281,223	17	6.8	03.3-10.3	246	80.6	75.1-86.1	35	12.6	08.1-17.1
45-54	431	287,428	30	6.9	04.0-09.8	312	70.5	65.2-75.8	89	22.6	17.7-27.5
55-64	483	230,693	21	3.7	01.9-05.5	341	71.4	66.5-76.3	121	25.0	20.3-29.7
65+	558	216,965	11	1.3	00.3-02.3	161	31.2	26.5-35.9	386	67.5	62.8-72.2
Less Than H.S.	182	212,771	8	4.8	01.1-08.5	123	78.7	72.0-85.4	51	16.5	10.6-22.4
H.S. or G.E.D.	672	512,476	32	6.1	03.7-08.5	445	74.9	71.0-78.8	195	19.0	15.9-22.1
Some Post-H.S.	498	433,354	31	9.8	06.1-13.5	343	71.8	66.9-76.7	124	18.4	14.5-22.3
College Graduate	768	388,964	54	7.1	04.9-09.3	450	67.8	64.1-71.5	264	25.1	21.8-28.4
Less than \$15,000	181	139,737	8	5.4	01.3-09.5	133	81.5	75.0-88.0	40	13.1	07.8-18.4
\$15,000- 24,999	295	213,165	17	7.5	03.0-12.0	183	70.8	64.1-77.5	95	21.6	16.1-27.1
\$25,000- 34,999	215	161,084	15	9.9	04.2-15.6	124	66.3	57.9-74.7	76	23.8	16.9-30.7
\$35,000- 49,999	324	219,525	17	7.1	03.2-11.0	209	73.7	68.0-79.4	98	19.2	14.5-23.9
\$50,000- 74,999	311	224,578	15	6.0	02.9-09.1	207	72.8	66.9-78.7	89	21.3	16.2-26.4
\$75,000+	564	383,430	37	6.8	04.1-09.5	378	71.9	67.4-76.4	149	21.3	17.4-25.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 10: EXERCISE**

**TABLE 6: ESTIMATED ACTIVITY INTENSITY FOR FIRST ACTIVITY (ACTINT1\_)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Moderate nor Vigorous or No Activity			Moderate			Vigorous		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3227	1,655,256	88	2.8	02.0-03.6	2125	73.1	71.1-75.1	1014	24.1	22.3-25.9
White/Non-Hisp	2655	1,426,932	77	3.0	02.2-03.8	1716	72.3	70.1-74.5	862	24.8	22.8-26.8
Black or Afr. Am./Non-Hisp	371	130,669	7	1.0	00.0-02.2	265	79.1	72.0-86.2	99	19.9	13.0-26.8
Hispanic	85	54,367	1	2.1	00.0-06.2	63	82.3	71.9-92.7	21	15.7	06.1-25.3
18-24	148	243,808	6	3.3	00.6-06.0	127	85.0	78.3-91.7	15	11.8	05.5-18.1
25-34	366	303,332	9	2.1	00.7-03.5	318	87.7	84.0-91.4	39	10.2	06.7-13.7
35-44	431	290,667	12	2.7	00.5-04.9	326	75.8	70.9-80.7	93	21.5	17.0-26.0
45-54	587	308,217	20	4.0	02.0-06.0	469	78.8	74.7-82.9	98	17.2	13.5-20.9
55-64	707	234,166	26	3.6	01.8-05.4	517	72.2	68.1-76.3	164	24.2	20.3-28.1
65+	988	275,066	15	1.3	00.5-02.1	368	38.2	34.3-42.1	605	60.5	56.6-64.4
Less Than H.S.	226	176,647	3	0.4	00.0-01.0	158	77.8	70.5-85.1	65	21.8	14.5-29.1
H.S. or G.E.D.	1122	528,676	16	1.3	00.5-02.1	698	71.0	67.7-74.3	408	27.7	24.4-31.0
Some Post-H.S.	859	542,176	26	3.6	01.8-05.4	602	76.3	72.8-79.8	231	20.1	16.8-23.4
College Graduate	1010	402,713	43	4.9	03.1-06.7	662	69.7	66.2-73.2	305	25.4	22.1-28.7
Less than \$15,000	342	165,415	2	1.6	00.0-04.1	254	80.6	74.5-86.7	86	17.9	12.2-23.6
\$15,000- 24,999	508	241,390	13	2.7	00.7-04.7	309	72.3	67.4-77.2	186	25.0	20.3-29.7
\$25,000- 34,999	338	167,164	9	4.1	01.0-07.2	217	72.7	66.6-78.8	112	23.2	17.7-28.7
\$35,000- 49,999	441	211,708	7	1.0	00.0-02.0	315	77.2	72.7-81.7	119	21.8	17.3-26.3
\$50,000- 74,999	457	242,716	11	1.6	00.4-02.8	333	78.6	73.9-83.3	113	19.9	15.2-24.6
\$75,000+	623	370,882	33	5.2	02.8-07.6	420	69.8	65.5-74.1	170	24.9	21.0-28.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 10: EXERCISE**

**TABLE 7: ESTIMATED ACTIVITY INTENSITY FOR SECOND ACTIVITY (ACTINT2\_)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Moderate nor Vigorous or No Activity			Moderate			Vigorous		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5199	3,121,718	2286	43.9	41.9-45.9	1517	36.6	34.6-38.6	1396	19.5	18.3-20.7
Male	2072	1,513,951	902	43.5	40.6-46.4	686	40.3	37.4-43.2	484	16.2	14.4-18.0
Female	3127	1,607,766	1384	44.3	41.9-46.7	831	33.1	30.7-35.5	912	22.6	20.8-24.4
White/Non-Hisp	4297	2,626,406	1854	43.8	41.8-45.8	1252	36.2	34.2-38.2	1191	20.0	18.6-21.4
Black or Afr. Am./Non-Hisp	537	246,016	273	48.4	41.0-55.8	126	29.3	22.6-36.0	138	22.4	16.3-28.5
Oth. Race/Non-Hisp.	86	50,516	32	38.7	23.4-54.0	40	54.1	39.0-69.2	14	7.2	02.5-11.9
MultiRacial/Non-Hisp.	59	32,124	23	34.7	17.8-51.6	28	55.5	37.7-73.3	8	9.8	00.4-19.2
Hispanic	146	130,651	71	45.2	33.4-57.0	52	45.6	33.3-57.9	23	9.2	04.1-14.3
18-24	287	499,212	118	43.1	36.4-49.8	159	53.4	46.7-60.1	10	3.5	01.1-05.9
25-34	557	553,028	239	45.4	40.5-50.3	264	46.2	41.3-51.1	54	8.4	05.9-10.9
35-44	708	555,708	292	41.0	36.5-45.5	298	44.1	39.6-48.6	118	14.9	12.0-17.8
45-54	991	580,186	435	43.8	39.9-47.7	349	35.1	31.4-38.8	207	21.1	18.0-24.2
55-64	1164	453,689	523	44.9	41.4-48.4	299	26.7	23.6-29.8	342	28.4	25.3-31.5
65+	1492	479,894	679	45.8	42.7-48.9	148	10.6	08.6-12.6	665	43.6	40.5-46.7
Less Than H.S.	384	366,417	221	55.6	48.7-62.5	86	32.4	25.5-39.3	77	12.0	08.5-15.5
H.S. or G.E.D.	1731	1,008,123	829	45.9	42.6-49.2	421	33.1	29.8-36.4	481	21.0	18.6-23.4
Some Post-H.S.	1331	963,875	561	42.0	38.5-45.5	425	40.2	36.7-43.7	345	17.9	15.5-20.3
College Graduate	1741	777,036	669	38.2	35.3-41.1	582	38.8	35.9-41.7	490	23.0	20.6-25.4
Less than \$15,000	510	300,107	280	51.5	45.2-57.8	124	33.5	27.2-39.8	106	15.0	11.1-18.9
\$15,000- 24,999	775	440,214	382	51.9	47.0-56.8	185	30.8	26.1-35.5	208	17.3	14.2-20.4
\$25,000- 34,999	539	321,449	228	41.2	35.1-47.3	142	35.2	28.9-41.5	169	23.6	18.9-28.3
\$35,000- 49,999	748	420,379	334	43.3	38.6-48.0	212	35.7	31.0-40.4	202	21.0	17.7-24.3
\$50,000- 74,999	750	453,835	309	43.6	38.9-48.3	238	35.8	31.3-40.3	203	20.6	17.3-23.9
\$75,000+	1165	741,906	431	38.4	34.9-41.9	441	41.8	38.1-45.5	293	19.8	17.3-22.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 10: EXERCISE**

**TABLE 8: ESTIMATED ACTIVITY INTENSITY FOR SECOND ACTIVITY (ACTINT2\_)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Moderate nor Vigorous or No Activity			Moderate			Vigorous		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2072	1,513,951	902	43.5	40.6-46.4	686	40.3	37.4-43.2	484	16.2	14.4-18.0
White/Non-Hisp	1719	1,239,677	739	43.9	40.8-47.0	563	39.2	36.1-42.3	417	16.9	15.1-18.7
Black or Afr. Am./Non-Hisp	179	118,702	89	47.3	36.1-58.5	45	32.1	21.5-42.7	45	20.7	11.9-29.5
Hispanic	65	77,908	36	42.5	26.2-58.8	25	54.1	37.4-70.8	4	3.4	00.0-07.1
18-24	140	257,741	59	45.0	35.6-54.4	81	55.0	45.6-64.4			
25-34	203	261,984	82	42.0	34.2-49.8	119	57.0	49.2-64.8	2	0.9	00.0-02.3
35-44	292	276,094	126	43.2	36.3-50.1	133	46.6	39.7-53.5	33	10.2	06.3-14.1
45-54	418	278,802	188	43.7	38.0-49.4	156	36.0	30.5-41.5	74	20.2	15.3-25.1
55-64	472	225,737	209	44.3	38.8-49.8	144	30.3	25.4-35.2	119	25.4	20.7-30.1
65+	547	213,594	238	42.7	37.6-47.8	53	10.3	07.4-13.2	256	47.0	41.9-52.1
Less Than H.S.	177	205,901	96	52.9	43.3-62.5	51	39.6	29.8-49.4	30	7.5	04.4-10.6
H.S. or G.E.D.	649	495,489	304	44.5	39.4-49.6	196	38.7	33.6-43.8	149	16.7	13.6-19.8
Some Post-H.S.	492	430,493	220	42.7	37.0-48.4	168	41.8	36.1-47.5	104	15.5	12.0-19.0
College Graduate	752	380,844	282	38.1	33.8-42.4	269	41.0	36.7-45.3	201	20.9	17.6-24.2
Less than \$15,000	178	138,822	104	53.3	43.7-62.9	50	35.6	26.2-45.0	24	11.1	05.6-16.6
\$15,000- 24,999	292	211,978	141	51.3	43.5-59.1	87	35.1	27.5-42.7	64	13.6	09.3-17.9
\$25,000- 34,999	208	155,888	90	39.9	30.7-49.1	59	40.4	30.4-50.4	59	19.7	13.4-26.0
\$35,000- 49,999	316	213,514	147	45.3	38.2-52.4	92	37.1	30.0-44.2	77	17.6	13.1-22.1
\$50,000- 74,999	305	218,592	128	44.8	37.7-51.9	104	38.4	31.5-45.3	73	16.8	12.3-21.3
\$75,000+	550	376,348	199	36.5	31.2-41.8	218	44.7	39.2-50.2	133	18.8	15.3-22.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 10: EXERCISE**

**TABLE 9: ESTIMATED ACTIVITY INTENSITY FOR SECOND ACTIVITY (ACTINT2\_)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Moderate nor Vigorous or No Activity			Moderate			Vigorous		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3127	1,607,766	1384	44.3	41.9-46.7	831	33.1	30.7-35.5	912	22.6	20.8-24.4
White/Non-Hisp	2578	1,386,729	1115	43.7	41.2-46.2	689	33.6	31.1-36.1	774	22.8	20.8-24.8
Black or Afr. Am./Non-Hisp	358	127,315	184	49.4	39.8-59.0	81	26.7	18.3-35.1	93	24.0	16.0-32.0
Hispanic	81	52,743	35	49.2	33.1-65.3	27	33.0	17.7-48.3	19	17.8	07.0-28.6
18-24	147	241,471	59	41.0	32.0-50.0	78	51.7	42.5-60.9	10	7.3	02.6-12.0
25-34	354	291,044	157	48.4	42.3-54.5	145	36.5	30.8-42.2	52	15.1	10.8-19.4
35-44	416	279,615	166	38.8	33.3-44.3	165	41.6	35.7-47.5	85	19.6	15.1-24.1
45-54	573	301,384	247	43.8	38.7-48.9	193	34.3	29.4-39.2	133	21.9	17.8-26.0
55-64	692	227,952	314	45.5	41.0-50.0	155	23.0	19.1-26.9	223	31.4	27.1-35.7
65+	945	266,300	441	48.3	44.4-52.2	95	10.8	08.3-13.3	409	40.9	37.0-44.8
Less Than H.S.	207	160,515	125	59.0	49.6-68.4	35	23.2	14.6-31.8	47	17.8	11.1-24.5
H.S. or G.E.D.	1082	512,634	525	47.2	42.9-51.5	225	27.7	23.8-31.6	332	25.1	21.8-28.4
Some Post-H.S.	839	533,382	341	41.4	36.9-45.9	257	38.8	34.3-43.3	241	19.8	16.7-22.9
College Graduate	989	396,192	387	38.2	34.3-42.1	313	36.8	32.9-40.7	289	25.0	21.7-28.3
Less than \$15,000	332	161,285	176	49.9	41.7-58.1	74	31.7	23.5-39.9	82	18.3	12.6-24.0
\$15,000- 24,999	483	228,237	241	52.6	46.3-58.9	98	26.8	20.7-32.9	144	20.7	16.2-25.2
\$25,000- 34,999	331	165,561	138	42.4	34.4-50.4	83	30.3	23.2-37.4	110	27.3	20.4-34.2
\$35,000- 49,999	432	206,865	187	41.3	35.2-47.4	120	34.2	28.1-40.3	125	24.5	19.6-29.4
\$50,000- 74,999	445	235,243	181	42.5	36.0-49.0	134	33.4	27.3-39.5	130	24.1	19.2-29.0
\$75,000+	615	365,559	232	40.3	35.6-45.0	223	38.9	34.0-43.8	160	20.8	17.3-24.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 10: EXERCISE**

**TABLE 10: PHYSICAL ACTIVITY CATEGORIES (\_PACAT)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7579	4,381,603	2090	27.5	26.1-28.9	1311	18.2	17.0-19.4	1544	22.3	20.9-23.7	2634	32.0	30.6-33.4
Male	2940	2,124,153	893	28.7	26.5-30.9	493	17.5	15.7-19.3	589	21.7	19.7-23.7	965	32.2	30.0-34.4
Female	4639	2,257,449	1197	26.3	24.5-28.1	818	18.8	17.2-20.4	955	23.0	21.2-24.8	1669	31.9	30.1-33.7
White/Non-Hisp	6176	3,657,497	1726	27.6	26.0-29.2	1097	18.4	17.0-19.8	1274	22.6	21.2-24.0	2079	31.3	29.7-32.9
Black or Afr. Am./Non-Hisp	831	349,644	214	29.1	23.6-34.6	121	14.5	10.2-18.8	169	22.6	17.3-27.9	327	33.7	28.0-39.4
Oth. Race/Non-Hisp.	115	67,768	41	32.9	20.9-44.9	23	16.7	08.1-25.3	17	16.5	06.9-26.1	34	33.9	21.0-46.8
MultiRacial/Non-Hisp.	92	44,767	26	28.5	15.8-41.2	15	22.6	09.5-35.7	16	20.6	08.1-33.1	35	28.4	17.4-39.4
Hispanic	251	208,049	48	19.1	11.7-26.5	41	20.5	12.9-28.1	47	19.8	12.2-27.4	115	40.7	32.3-49.1
18-24	343	586,979	102	31.4	25.7-37.1	71	19.9	15.2-24.6	99	29.7	24.2-35.2	71	19.0	14.3-23.7
25-34	750	756,885	184	23.9	20.4-27.4	165	21.4	18.1-24.7	189	25.1	21.4-28.8	212	29.6	25.7-33.5
35-44	948	759,850	257	26.9	23.4-30.4	182	20.5	17.2-23.8	249	23.5	20.4-26.6	260	29.1	25.6-32.6
45-54	1417	835,340	359	24.7	22.0-27.4	275	19.2	16.7-21.7	312	22.2	19.5-24.9	471	33.9	30.8-37.0
55-64	1709	673,449	463	28.1	25.4-30.8	287	15.3	13.3-17.3	370	21.2	18.8-23.6	589	35.4	32.5-38.3
65+	2397	761,437	725	31.4	29.0-33.8	331	12.9	11.3-14.5	325	14.1	12.3-15.9	1016	41.7	39.2-44.2
Less Than H.S.	733	606,080	146	22.8	18.5-27.1	80	14.0	10.1-17.9	120	18.8	14.7-22.9	387	44.5	39.6-49.4
H.S. or G.E.D.	2776	1,526,797	716	27.4	25.0-29.8	412	15.7	13.9-17.5	500	19.3	17.1-21.5	1148	37.6	35.2-40.0
Some Post-H.S.	1889	1,314,958	520	26.9	24.2-29.6	347	20.0	17.5-22.5	406	23.8	21.3-26.3	616	29.3	26.6-32.0
College Graduate	2160	923,869	704	31.5	29.0-34.0	468	22.4	20.2-24.6	515	27.6	25.1-30.1	473	18.5	16.5-20.5
Less than \$15,000	902	504,433	207	24.9	20.8-29.0	109	13.0	09.7-16.3	158	17.3	13.8-20.8	428	44.8	40.1-49.5
\$15,000- 24,999	1323	686,092	309	24.4	21.1-27.7	191	17.0	13.9-20.1	218	19.7	16.4-23.0	605	38.9	35.4-42.4
\$25,000- 34,999	842	484,132	226	26.7	22.4-31.0	137	16.3	12.6-20.0	162	21.8	17.5-26.1	317	35.2	30.7-39.7
\$35,000- 49,999	1045	572,858	295	26.6	23.1-30.1	202	20.9	17.6-24.2	220	21.1	17.8-24.4	328	31.3	27.6-35.0
\$50,000- 74,999	984	598,644	284	26.4	22.9-29.9	194	20.0	16.7-23.3	249	27.3	23.6-31.0	257	26.3	22.6-30.0
\$75,000+	1421	907,019	471	31.5	28.4-34.6	325	22.5	19.8-25.2	346	26.2	23.3-29.1	279	19.7	17.2-22.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 10: EXERCISE**

**TABLE 11: PHYSICAL ACTIVITY CATEGORIES (\_PACAT)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2940	2,124,153	893	28.7	26.5-30.9	493	17.5	15.7-19.3	589	21.7	19.7-23.7	965	32.2	30.0-34.4
White/Non-Hisp	2427	1,737,246	746	28.5	26.1-30.9	412	17.7	15.7-19.7	485	21.9	19.7-24.1	784	31.8	29.4-34.2
Black or Afr. Am./Non-Hisp	267	166,272	78	37.2	27.8-46.6	36	8.8	03.9-13.7	54	20.8	13.0-28.6	99	33.2	23.6-42.8
Oth. Race/Non-Hisp.	61	47,837	23	33.9	18.4-49.4	12	15.5	05.1-25.9	10	19.4	06.5-32.3	16	31.3	14.4-48.2
Hispanic	101	120,025	15	14.9	04.7-25.1	21	26.1	14.5-37.7	24	20.5	09.3-31.7	41	38.4	26.4-50.4
18-24	162	298,167	51	32.1	23.7-40.5	34	19.6	12.7-26.5	48	30.9	22.7-39.1	29	17.3	10.8-23.8
25-34	286	380,850	71	23.6	18.1-29.1	54	19.8	14.7-24.9	71	22.8	17.3-28.3	90	33.8	27.3-40.3
35-44	393	382,329	105	25.0	19.9-30.1	70	19.8	14.7-24.9	106	24.1	19.4-28.8	112	31.0	25.5-36.5
45-54	601	407,467	157	25.5	21.2-29.8	113	18.7	15.0-22.4	125	20.5	16.6-24.4	206	35.3	30.6-40.0
55-64	670	332,308	208	31.2	26.9-35.5	114	14.6	11.7-17.5	134	19.3	15.8-22.8	214	35.0	30.5-39.5
65+	822	320,172	301	37.7	33.6-41.8	108	11.5	09.0-14.0	105	12.9	10.0-15.8	308	37.9	33.8-42.0
Less Than H.S.	309	332,819	72	23.1	17.2-29.0	30	12.9	07.6-18.2	53	19.9	13.8-26.0	154	44.1	37.0-51.2
H.S. or G.E.D.	1028	752,063	291	28.9	25.2-32.6	149	15.6	12.7-18.5	181	18.4	15.3-21.5	407	37.1	33.4-40.8
Some Post-H.S.	692	592,065	195	27.3	22.8-31.8	127	19.9	16.0-23.8	144	22.4	18.3-26.5	226	30.4	26.1-34.7
College Graduate	905	443,315	335	34.6	30.9-38.3	185	20.7	17.4-24.0	211	27.8	23.9-31.7	174	16.9	14.0-19.8
Less than \$15,000	291	220,980	73	27.6	20.7-34.5	39	14.1	08.6-19.6	53	14.8	09.5-20.1	126	43.5	35.9-51.1
\$15,000- 24,999	472	321,900	120	25.6	20.3-30.9	72	18.5	13.6-23.4	82	19.5	14.2-24.8	198	36.3	30.6-42.0
\$25,000- 34,999	343	244,318	92	26.6	19.9-33.3	50	16.7	10.8-22.6	59	18.5	12.6-24.4	142	38.2	31.1-45.3
\$35,000- 49,999	434	293,661	128	25.3	20.4-30.2	80	19.3	14.4-24.2	87	21.3	16.2-26.4	139	34.2	28.3-40.1
\$50,000- 74,999	415	305,032	121	23.4	18.5-28.3	74	19.7	14.8-24.6	105	27.2	21.9-32.5	115	29.8	24.1-35.5
\$75,000+	662	465,689	249	34.5	29.8-39.2	135	18.7	15.2-22.2	154	26.0	21.7-30.3	124	20.9	17.0-24.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 10: EXERCISE**

**TABLE 12: PHYSICAL ACTIVITY CATEGORIES (\_PACAT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4639	2,257,449	1197	26.3	24.5-28.1	818	18.8	17.2-20.4	955	23.0	21.2-24.8	1669	31.9	30.1-33.7
White/Non-Hisp	3749	1,920,251	980	26.8	24.8-28.8	685	19.1	17.3-20.9	789	23.3	21.3-25.3	1295	30.9	28.9-32.9
Black or Afr. Am./Non-Hisp	564	183,372	136	21.9	16.0-27.8	85	19.8	13.3-26.3	115	24.2	17.3-31.1	228	34.1	27.4-40.8
Oth. Race/Non-Hisp.	54	19,930	18	30.5	14.4-46.6	11	19.5	04.4-34.6	7	9.7	01.1-18.3	18	40.3	22.7-57.9
MultiRacial/Non-Hisp.	60	21,587	13	22.2	07.7-36.7	11	18.0	06.0-30.0	9	17.9	05.0-30.8	27	41.9	26.4-57.4
Hispanic	150	88,024	33	24.7	14.1-35.3	20	12.8	04.4-21.2	23	18.8	09.2-28.4	74	43.7	32.5-54.9
18-24	181	288,812	51	30.6	23.0-38.2	37	20.2	13.5-26.9	51	28.5	20.9-36.1	42	20.7	14.0-27.4
25-34	464	376,034	113	24.2	19.7-28.7	111	23.0	18.5-27.5	118	27.3	22.4-32.2	122	25.5	20.8-30.2
35-44	555	377,521	152	28.9	24.2-33.6	112	21.1	17.0-25.2	143	22.8	18.7-26.9	148	27.1	22.4-31.8
45-54	816	427,873	202	23.9	20.4-27.4	162	19.6	16.3-22.9	187	23.9	20.2-27.6	265	32.5	28.6-36.4
55-64	1039	341,141	255	25.1	21.8-28.4	173	16.0	13.3-18.7	236	23.1	20.0-26.2	375	35.8	32.1-39.5
65+	1575	441,265	424	26.8	24.1-29.5	223	13.8	11.6-16.0	220	14.9	12.5-17.3	708	44.4	41.3-47.5
Less Than H.S.	424	273,261	74	22.4	16.3-28.5	50	15.3	09.8-20.8	67	17.4	12.3-22.5	233	44.8	37.9-51.7
H.S. or G.E.D.	1748	774,734	425	26.0	23.1-28.9	263	15.7	13.5-17.9	319	20.2	17.3-23.1	741	38.1	35.0-41.2
Some Post-H.S.	1197	722,893	325	26.6	23.3-29.9	220	20.1	17.0-23.2	262	25.0	21.7-28.3	390	28.4	25.1-31.7
College Graduate	1255	480,555	369	28.7	25.6-31.8	283	23.9	20.8-27.0	304	27.5	24.4-30.6	299	20.0	17.3-22.7
Less than \$15,000	611	283,453	134	22.8	17.7-27.9	70	12.2	07.9-16.5	105	19.3	14.6-24.0	302	45.8	40.1-51.5
\$15,000- 24,999	851	364,192	189	23.4	19.3-27.5	119	15.6	11.7-19.5	136	19.8	15.9-23.7	407	41.1	36.6-45.6
\$25,000- 34,999	499	239,814	134	26.9	21.2-32.6	87	15.9	11.4-20.4	103	25.2	19.1-31.3	175	32.1	26.6-37.6
\$35,000- 49,999	611	279,197	167	28.0	23.1-32.9	122	22.7	18.4-27.0	133	20.9	16.8-25.0	189	28.4	23.7-33.1
\$50,000- 74,999	569	293,612	163	29.5	24.4-34.6	120	20.5	16.0-25.0	144	27.5	22.2-32.8	142	22.6	18.1-27.1
\$75,000+	759	441,331	222	28.3	24.4-32.2	190	26.6	22.7-30.5	192	26.5	22.6-30.4	155	18.5	15.2-21.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 10: EXERCISE**

**TABLE 13: PHYSICAL ACTIVITY INDEX (\_PAINDEX)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7640	4,407,839	3462	46.0	44.4-47.6	4178	54.0	52.4-55.6
Male	2955	2,133,919	1401	46.4	44.0-48.8	1554	53.6	51.2-56.0
Female	4685	2,273,920	2061	45.5	43.5-47.5	2624	54.5	52.5-56.5
White/Non-Hisp	6226	3,681,519	2873	46.4	44.8-48.0	3353	53.6	52.0-55.2
Black or Afr. Am./Non-Hisp	836	350,864	340	43.9	37.8-50.0	496	56.1	50.0-62.2
Oth. Race/Non-Hisp.	117	67,993	66	49.7	36.8-62.6	51	50.3	37.4-63.2
MultiRacial/Non-Hisp.	92	44,767	41	51.0	36.7-65.3	51	49.0	34.7-63.3
Hispanic	253	208,409	91	39.6	30.6-48.6	162	60.4	51.4-69.4
18-24	345	590,181	175	51.6	45.5-57.7	170	48.4	42.3-54.5
25-34	754	758,804	353	45.4	41.3-49.5	401	54.6	50.5-58.7
35-44	953	762,320	444	47.6	43.7-51.5	509	52.4	48.5-56.3
45-54	1427	842,224	644	44.3	41.2-47.4	783	55.7	52.6-58.8
55-64	1716	677,487	757	43.7	40.8-46.6	959	56.3	53.4-59.2
65+	2430	769,160	1089	44.8	42.3-47.3	1341	55.2	52.7-57.7
Less Than H.S.	736	608,145	229	37.0	32.1-41.9	507	63.0	58.1-67.9
H.S. or G.E.D.	2808	1,542,457	1160	43.7	41.2-46.2	1648	56.3	53.8-58.8
Some Post-H.S.	1897	1,317,712	875	47.0	44.1-49.9	1022	53.0	50.1-55.9
College Graduate	2178	929,627	1190	54.1	51.4-56.8	988	45.9	43.2-48.6
Less than \$15,000	905	504,973	319	38.0	33.3-42.7	586	62.0	57.3-66.7
\$15,000- 24,999	1335	689,044	512	41.7	38.0-45.4	823	58.3	54.6-62.0
\$25,000- 34,999	846	487,073	367	43.4	38.5-48.3	479	56.6	51.7-61.5
\$35,000- 49,999	1050	576,500	502	47.9	44.0-51.8	548	52.1	48.2-56.0
\$50,000- 74,999	991	601,965	485	46.7	42.6-50.8	506	53.3	49.2-57.4
\$75,000+	1431	912,947	806	54.3	51.0-57.6	625	45.7	42.4-49.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 10: EXERCISE**

**TABLE 14: PHYSICAL ACTIVITY INDEX (\_PAINDEX)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2955	2,133,919	1401	46.4	44.0-48.8	1554	53.6	51.2-56.0
White/Non-Hisp	2440	1,745,863	1171	46.5	44.0-49.0	1269	53.5	51.0-56.0
Black or Afr. Am./Non-Hisp	268	167,153	115	46.2	36.4-56.0	153	53.8	44.0-63.6
Oth. Race/Non-Hisp.	61	47,837	35	49.3	32.6-66.0	26	50.7	34.0-67.4
Hispanic	101	120,025	36	41.0	28.1-53.9	65	59.0	46.1-71.9
18-24	164	301,369	87	52.3	43.5-61.1	77	47.7	38.9-56.5
25-34	287	381,780	126	43.5	37.0-50.0	161	56.5	50.0-63.0
35-44	395	383,642	177	45.0	39.1-50.9	218	55.0	49.1-60.9
45-54	606	410,503	275	44.6	39.9-49.3	331	55.4	50.7-60.1
55-64	671	332,905	323	45.8	41.3-50.3	348	54.2	49.7-58.7
65+	826	320,859	413	49.3	45.2-53.4	413	50.7	46.6-54.8
Less Than H.S.	310	334,488	103	36.3	29.2-43.4	207	63.7	56.6-70.8
H.S. or G.E.D.	1035	756,583	447	44.9	41.0-48.8	588	55.1	51.2-59.0
Some Post-H.S.	693	592,817	323	47.3	42.4-52.2	370	52.7	47.8-57.6
College Graduate	911	446,140	526	55.6	51.5-59.7	385	44.4	40.3-48.5
Less than \$15,000	291	220,980	112	41.7	34.1-49.3	179	58.3	50.7-65.9
\$15,000- 24,999	472	321,900	192	44.1	38.0-50.2	280	55.9	49.8-62.0
\$25,000- 34,999	345	246,822	144	43.9	36.5-51.3	201	56.1	48.7-63.5
\$35,000- 49,999	437	296,169	211	45.0	39.1-50.9	226	55.0	49.1-60.9
\$50,000- 74,999	415	305,032	195	43.0	37.1-48.9	220	57.0	51.1-62.9
\$75,000+	668	468,539	390	53.4	48.5-58.3	278	46.6	41.7-51.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 10: EXERCISE**

**TABLE 15: PHYSICAL ACTIVITY INDEX (\_PAINDEX)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4685	2,273,920	2061	45.5	43.5-47.5	2624	54.5	52.5-56.5
White/Non-Hisp	3786	1,935,656	1702	46.3	44.1-48.5	2084	53.7	51.5-55.9
Black or Afr. Am./Non-Hisp	568	183,711	225	41.8	34.4-49.2	343	58.2	50.8-65.6
Oth. Race/Non-Hisp.	56	20,156	31	50.5	32.9-68.1	25	49.5	31.9-67.1
MultiRacial/Non-Hisp.	60	21,587	24	40.2	24.3-56.1	36	59.8	43.9-75.7
Hispanic	152	88,383	55	37.7	26.1-49.3	97	62.3	50.7-73.9
18-24	181	288,812	88	50.8	42.4-59.2	93	49.2	40.8-57.6
25-34	467	377,024	227	47.3	42.0-52.6	240	52.7	47.4-58.0
35-44	558	378,678	267	50.2	45.1-55.3	291	49.8	44.7-54.9
45-54	821	431,721	369	44.1	40.0-48.2	452	55.9	51.8-60.0
55-64	1045	344,581	434	41.7	38.0-45.4	611	58.3	54.6-62.0
65+	1604	448,301	676	41.6	38.7-44.5	928	58.4	55.5-61.3
Less Than H.S.	426	273,657	126	37.8	30.7-44.9	300	62.2	55.1-69.3
H.S. or G.E.D.	1773	785,874	713	42.5	39.4-45.6	1060	57.5	54.4-60.6
Some Post-H.S.	1204	724,896	552	46.8	43.1-50.5	652	53.2	49.5-56.9
College Graduate	1267	483,487	664	52.8	49.3-56.3	603	47.2	43.7-50.7
Less than \$15,000	614	283,994	207	35.1	29.2-41.0	407	64.9	59.0-70.8
\$15,000- 24,999	863	367,144	320	39.5	34.8-44.2	543	60.5	55.8-65.2
\$25,000- 34,999	501	240,250	223	42.9	36.6-49.2	278	57.1	50.8-63.4
\$35,000- 49,999	613	280,332	291	50.9	45.6-56.2	322	49.1	43.8-54.4
\$50,000- 74,999	576	296,933	290	50.5	45.0-56.0	286	49.5	44.0-55.0
\$75,000+	763	444,408	416	55.2	50.9-59.5	347	44.8	40.5-49.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 10: EXERCISE**

**TABLE 16: MUSCLE STRENGTHENING RECOMMENDATION (\_PASTRNG)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7897	4,534,267	1795	26.0	24.6-27.4	6102	74.0	72.6-75.4
Male	3053	2,188,769	820	29.5	27.3-31.7	2233	70.5	68.3-72.7
Female	4844	2,345,498	975	22.8	21.0-24.6	3869	77.2	75.4-79.0
White/Non-Hisp	6422	3,781,083	1447	25.8	24.2-27.4	4975	74.2	72.6-75.8
Black or Afr. Am./Non-Hisp	861	357,466	206	31.0	25.3-36.7	655	69.0	63.3-74.7
Oth. Race/Non-Hisp.	123	72,208	39	33.5	22.1-44.9	84	66.5	55.1-77.9
MultiRacial/Non-Hisp.	97	47,989	23	31.3	17.8-44.8	74	68.7	55.2-82.2
Hispanic	262	214,703	55	18.4	12.1-24.7	207	81.6	75.3-87.9
18-24	352	601,037	154	43.8	37.9-49.7	198	56.2	50.3-62.1
25-34	769	772,497	239	30.5	26.6-34.4	530	69.5	65.6-73.4
35-44	970	776,680	216	21.9	18.8-25.0	754	78.1	75.0-81.2
45-54	1455	860,274	326	22.8	20.1-25.5	1129	77.2	74.5-79.9
55-64	1766	698,196	381	22.4	19.9-24.9	1385	77.6	75.1-80.1
65+	2513	793,412	464	19.2	17.2-21.2	2049	80.8	78.8-82.8
Less Than H.S.	768	633,007	114	18.7	14.6-22.8	654	81.3	77.2-85.4
H.S. or G.E.D.	2876	1,580,368	503	20.6	18.4-22.8	2373	79.4	77.2-81.6
Some Post-H.S.	1971	1,350,277	485	30.8	27.9-33.7	1486	69.2	66.3-72.1
College Graduate	2258	959,311	690	33.2	30.7-35.7	1568	66.8	64.3-69.3
Less than \$15,000	932	513,868	175	23.2	18.9-27.5	757	76.8	72.5-81.1
\$15,000- 24,999	1383	711,244	257	22.9	19.6-26.2	1126	77.1	73.8-80.4
\$25,000- 34,999	855	487,611	172	22.0	17.9-26.1	683	78.0	73.9-82.1
\$35,000- 49,999	1080	598,198	231	23.8	20.3-27.3	849	76.2	72.7-79.7
\$50,000- 74,999	1028	619,377	264	27.8	23.9-31.7	764	72.2	68.3-76.1
\$75,000+	1452	919,778	440	31.3	28.4-34.2	1012	68.7	65.8-71.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 10: EXERCISE**

**TABLE 17: MUSCLE STRENGTHENING RECOMMENDATION (\_PASTRNG)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3053	2,188,769	820	29.5	27.3-31.7	2233	70.5	68.3-72.7
White/Non-Hisp	2518	1,786,733	658	29.0	26.6-31.4	1860	71.0	68.6-73.4
Black or Afr. Am./Non-Hisp	267	165,239	84	39.2	29.6-48.8	183	60.8	51.2-70.4
Oth. Race/Non-Hisp.	66	51,973	27	37.8	23.1-52.5	39	62.2	47.5-76.9
Hispanic	107	125,775	25	19.3	10.7-27.9	82	80.7	72.1-89.3
18-24	165	301,117	96	55.8	47.0-64.6	69	44.2	35.4-53.0
25-34	292	383,519	97	31.7	25.6-37.8	195	68.3	62.2-74.4
35-44	405	395,265	103	23.7	18.8-28.6	302	76.3	71.4-81.2
45-54	620	421,262	152	23.8	19.9-27.7	468	76.2	72.3-80.1
55-64	697	346,937	169	24.8	20.9-28.7	528	75.2	71.3-79.1
65+	855	331,841	201	22.5	19.2-25.8	654	77.5	74.2-80.8
Less Than H.S.	324	343,413	57	21.5	15.4-27.6	267	78.5	72.4-84.6
H.S. or G.E.D.	1056	770,058	223	24.2	20.7-27.7	833	75.8	72.3-79.3
Some Post-H.S.	719	607,369	204	34.7	30.0-39.4	515	65.3	60.6-70.0
College Graduate	947	463,620	335	37.3	33.4-41.2	612	62.7	58.8-66.6
Less than \$15,000	302	228,264	79	30.2	22.9-37.5	223	69.8	62.5-77.1
\$15,000- 24,999	482	326,248	111	27.0	21.3-32.7	371	73.0	67.3-78.7
\$25,000- 34,999	348	245,494	76	23.7	17.4-30.0	272	76.3	70.0-82.6
\$35,000- 49,999	452	307,930	111	26.8	21.5-32.1	341	73.2	67.9-78.5
\$50,000- 74,999	431	313,805	116	27.8	22.3-33.3	315	72.2	66.7-77.7
\$75,000+	684	473,466	222	32.9	28.4-37.4	462	67.1	62.6-71.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 10: EXERCISE**

**TABLE 18: MUSCLE STRENGTHENING RECOMMENDATION (\_PASTRNG)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4844	2,345,498	975	22.8	21.0-24.6	3869	77.2	75.4-79.0
White/Non-Hisp	3904	1,994,350	789	23.0	21.2-24.8	3115	77.0	75.2-78.8
Black or Afr. Am./Non-Hisp	594	192,227	122	23.9	17.2-30.6	472	76.1	69.4-82.8
Oth. Race/Non-Hisp.	57	20,235	12	22.2	07.1-37.3	45	77.8	62.7-92.9
MultiRacial/Non-Hisp.	62	22,000	8	12.1	02.1-22.1	54	87.9	77.9-97.9
Hispanic	155	88,928	30	17.1	07.9-26.3	125	82.9	73.7-92.1
18-24	187	299,920	58	31.7	24.1-39.3	129	68.3	60.7-75.9
25-34	477	388,978	142	29.3	24.4-34.2	335	70.7	65.8-75.6
35-44	565	381,415	113	20.1	16.2-24.0	452	79.9	76.0-83.8
45-54	835	439,011	174	21.7	18.0-25.4	661	78.3	74.6-82.0
55-64	1069	351,259	212	20.0	17.1-22.9	857	80.0	77.1-82.9
65+	1658	461,571	263	16.8	14.4-19.2	1395	83.2	80.8-85.6
Less Than H.S.	444	289,594	57	15.4	10.3-20.5	387	84.6	79.5-89.7
H.S. or G.E.D.	1820	810,310	280	17.1	14.6-19.6	1540	82.9	80.4-85.4
Some Post-H.S.	1252	742,907	281	27.5	24.0-31.0	971	72.5	69.0-76.0
College Graduate	1311	495,692	355	29.4	26.3-32.5	956	70.6	67.5-73.7
Less than \$15,000	630	285,604	96	17.7	12.8-22.6	534	82.3	77.4-87.2
\$15,000- 24,999	901	384,996	146	19.4	15.3-23.5	755	80.6	76.5-84.7
\$25,000- 34,999	507	242,117	96	20.3	15.0-25.6	411	79.7	74.4-85.0
\$35,000- 49,999	628	290,268	120	20.6	16.3-24.9	508	79.4	75.1-83.7
\$50,000- 74,999	597	305,572	148	27.7	22.4-33.0	449	72.3	67.0-77.6
\$75,000+	768	446,312	218	29.7	25.8-33.6	550	70.3	66.4-74.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 10: EXERCISE**

**TABLE 19: AEROBIC AND STRENGTHENING GUIDELINE (\_PAREC)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7553	4,356,254	1132	17.3	16.1-18.5	2292	28.6	27.2-30.0	561	8.6	07.6-09.6	3568	45.6	44.0-47.2
Male	2926	2,108,004	518	19.6	17.6-21.6	870	26.7	24.5-28.9	254	9.6	08.2-11.0	1284	44.2	41.8-46.6
Female	4627	2,248,250	614	15.1	13.5-16.7	1422	30.3	28.5-32.1	307	7.6	06.4-08.8	2284	46.9	44.9-48.9
White/Non-Hisp	6155	3,637,587	908	16.9	15.5-18.3	1931	29.3	27.7-30.9	460	8.8	07.8-09.8	2856	45.0	43.4-46.6
Black or Afr. Am./Non-Hisp	824	344,520	128	21.4	16.1-26.7	209	22.5	17.6-27.4	68	10.4	06.3-14.5	419	45.7	39.6-51.8
Oth. Race/Non-Hisp.	116	67,715	29	27.2	16.2-38.2	37	22.7	12.3-33.1	7	5.6	00.3-10.9	43	44.5	31.4-57.6
MultiRacial/Non-Hisp.	92	44,767	16	24.8	11.1-38.5	25	26.3	14.0-38.6	3	2.2	00.0-05.1	48	46.7	32.6-60.8
Hispanic	252	208,341	38	14.0	08.1-19.9	53	25.7	17.3-34.1	15	4.8	01.7-07.9	146	55.6	46.6-64.6
18-24	339	577,276	93	28.3	22.6-34.0	77	22.6	17.5-27.7	56	15.7	11.4-20.0	113	33.4	27.5-39.3
25-34	749	751,754	157	20.1	16.8-23.4	193	25.3	21.8-28.8	76	10.4	07.9-12.9	323	44.1	39.8-48.4
35-44	946	756,607	155	16.3	13.4-19.2	287	31.2	27.5-34.9	55	5.4	03.8-07.0	449	47.2	43.3-51.1
45-54	1409	831,684	212	15.0	12.6-17.4	423	29.2	26.3-32.1	102	7.7	05.9-09.5	672	48.2	45.1-51.3
55-64	1710	675,409	235	14.6	12.4-16.8	521	29.1	26.6-31.6	129	7.4	05.8-09.0	825	48.8	45.9-51.7
65+	2385	755,861	280	12.0	10.4-13.6	791	32.8	30.4-35.2	142	6.6	05.2-08.0	1172	48.6	46.1-51.1
Less Than H.S.	718	594,385	57	10.9	07.6-14.2	164	25.3	20.8-29.8	43	7.6	04.7-10.5	454	56.2	51.1-61.3
H.S. or G.E.D.	2765	1,522,477	297	13.4	11.4-15.4	847	30.1	27.7-32.5	180	7.2	05.8-08.6	1441	49.3	46.8-51.8
Some Post-H.S.	1882	1,303,755	306	20.6	17.9-23.3	563	26.5	24.0-29.0	154	9.9	07.9-11.9	859	43.0	40.1-45.9
College Graduate	2167	925,739	471	23.2	20.8-25.6	711	30.8	28.3-33.3	183	9.7	08.1-11.3	802	36.2	33.7-38.7
Less than \$15,000	895	497,788	89	13.6	09.9-17.3	226	24.4	20.5-28.3	76	9.4	06.5-12.3	504	52.6	47.9-57.3
\$15,000- 24,999	1317	680,743	159	15.1	12.0-18.2	348	26.5	23.2-29.8	86	7.6	05.4-09.8	724	50.8	46.9-54.7
\$25,000- 34,999	836	479,782	106	13.7	10.2-17.2	253	29.0	24.5-33.5	58	8.1	05.4-10.8	419	49.1	44.2-54.0
\$35,000- 49,999	1044	574,423	145	15.4	12.5-18.3	354	32.4	28.7-36.1	78	8.6	06.2-11.0	467	43.6	39.7-47.5
\$50,000- 74,999	989	600,732	162	16.5	13.4-19.6	321	30.1	26.4-33.8	88	11.2	08.3-14.1	418	42.2	38.1-46.3
\$75,000+	1420	901,742	322	24.1	21.2-27.0	477	29.8	26.9-32.7	103	7.0	05.4-08.6	518	39.0	35.7-42.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 10: EXERCISE**

**TABLE 20: AEROBIC AND STRENGTHENING GUIDELINE (\_PAREC)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2926	2,108,004	518	19.6	17.6-21.6	870	26.7	24.5-28.9	254	9.6	08.2-11.0	1284	44.2	41.8-46.6
White/Non-Hisp	2419	1,725,873	415	18.9	16.7-21.1	745	27.3	25.1-29.5	206	9.7	08.1-11.3	1053	44.1	41.6-46.6
Black or Afr. Am./Non-Hisp	262	161,815	53	26.7	17.9-35.5	61	19.8	12.4-27.2	30	13.0	05.9-20.1	118	40.5	30.7-50.3
Oth. Race/Non-Hisp.	60	47,560	19	30.7	16.2-45.2	16	18.9	06.2-31.6	5	6.5	00.0-13.6	20	43.9	26.8-61.0
Hispanic	101	120,025	15	13.3	05.7-20.9	21	27.8	15.1-40.5	9	6.7	01.6-11.8	56	52.3	39.4-65.2
18-24	160	292,180	58	36.1	27.5-44.7	25	14.6	08.3-20.9	35	19.8	13.3-26.3	42	29.5	21.1-37.9
25-34	284	376,576	58	20.3	15.0-25.6	67	23.6	18.1-29.1	37	11.5	07.4-15.6	122	44.6	37.9-51.3
35-44	393	383,067	67	16.3	11.8-20.8	110	28.9	23.4-34.4	30	6.6	04.1-09.1	186	48.3	42.4-54.2
45-54	598	404,778	93	15.5	12.0-19.0	179	28.9	24.6-33.2	52	7.9	05.4-10.4	274	47.7	42.8-52.6
55-64	670	332,421	109	16.8	13.5-20.1	214	29.1	25.0-33.2	51	7.6	05.2-10.0	296	46.5	41.8-51.2
65+	815	316,121	133	15.7	12.8-18.6	275	33.5	29.6-37.4	49	5.9	03.9-07.9	358	45.0	40.7-49.3
Less Than H.S.	304	326,012	28	11.5	06.6-16.4	71	23.4	17.3-29.5	23	9.3	04.8-13.8	182	55.9	48.6-63.2
H.S. or G.E.D.	1020	745,676	136	16.4	13.3-19.5	304	28.4	24.9-31.9	76	7.8	05.6-10.0	504	47.5	43.6-51.4
Some Post-H.S.	688	587,920	122	22.9	18.4-27.4	200	24.5	20.6-28.4	72	11.6	08.5-14.7	294	41.0	36.3-45.7
College Graduate	908	444,504	232	26.6	23.1-30.1	293	29.0	25.5-32.5	83	10.3	07.8-12.8	300	34.2	30.3-38.1
Less than \$15,000	287	219,369	40	18.3	12.0-24.6	71	23.5	17.2-29.8	34	11.4	06.1-16.7	142	46.8	39.2-54.4
\$15,000- 24,999	467	318,783	64	17.0	12.1-21.9	127	27.1	21.8-32.4	41	9.7	05.8-13.6	235	46.3	40.2-52.4
\$25,000- 34,999	340	241,751	55	17.6	11.9-23.3	85	25.4	18.3-32.5	19	6.2	02.7-09.7	181	50.8	43.4-58.2
\$35,000- 49,999	435	294,647	65	15.7	11.2-20.2	144	29.1	23.8-34.4	41	11.0	07.1-14.9	185	44.2	38.1-50.3
\$50,000- 74,999	415	305,032	69	15.9	11.4-20.4	126	27.1	21.8-32.4	40	12.0	07.9-16.1	180	44.9	38.8-51.0
\$75,000+	662	461,366	159	24.9	20.4-29.4	227	28.0	24.1-31.9	51	7.5	05.1-09.9	225	39.6	34.7-44.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 10: EXERCISE**

**TABLE 21: AEROBIC AND STRENGTHENING GUIDELINE (\_PAREC)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4627	2,248,250	614	15.1	13.5-16.7	1422	30.3	28.5-32.1	307	7.6	06.4-08.8	2284	46.9	44.9-48.9
White/Non-Hisp	3736	1,911,715	493	15.0	13.4-16.6	1186	31.2	29.2-33.2	254	7.9	06.7-09.1	1803	45.9	43.7-48.1
Black or Afr. Am./Non-Hisp	562	182,705	75	16.6	10.5-22.7	148	25.0	18.7-31.3	38	8.1	03.8-12.4	301	50.3	42.9-57.7
Oth. Race/Non-Hisp.	56	20,156	10	18.8	04.1-33.5	21	31.7	15.4-48.0	2	3.5	00.0-09.4	23	46.0	28.6-63.4
MultiRacial/Non-Hisp.	60	21,587	6	8.9	00.1-17.7	18	31.3	15.8-46.8	1	2.9	00.0-08.4	35	56.9	40.8-73.0
Hispanic	151	88,316	23	14.9	05.7-24.1	32	22.9	12.9-32.9	6	2.2	00.2-04.2	90	60.1	48.5-71.7
18-24	179	285,096	35	20.4	13.7-27.1	52	30.7	22.9-38.5	21	11.5	06.0-17.0	71	37.4	29.4-45.4
25-34	465	375,178	99	20.0	15.7-24.3	126	27.1	22.4-31.8	39	9.3	06.2-12.4	201	43.7	38.4-49.0
35-44	553	373,540	88	16.4	12.7-20.1	177	33.5	28.8-38.2	25	4.2	02.4-06.0	263	45.9	40.8-51.0
45-54	811	426,906	119	14.5	11.4-17.6	244	29.3	25.6-33.0	50	7.5	05.0-10.0	398	48.7	44.4-53.0
55-64	1040	342,987	126	12.6	10.1-15.1	307	29.2	25.9-32.5	78	7.2	05.2-09.2	529	51.0	47.3-54.7
65+	1570	439,740	147	9.3	07.5-11.1	516	32.4	29.5-35.3	93	7.2	05.4-09.0	814	51.2	48.1-54.3
Less Than H.S.	414	268,372	29	10.2	05.7-14.7	93	27.6	20.9-34.3	20	5.5	02.0-09.0	272	56.7	49.6-63.8
H.S. or G.E.D.	1745	776,801	161	10.5	08.3-12.7	543	31.8	28.9-34.7	104	6.7	04.9-08.5	937	51.0	47.7-54.3
Some Post-H.S.	1194	715,835	184	18.7	15.6-21.8	363	28.2	24.9-31.5	82	8.4	06.0-10.8	565	44.7	41.0-48.4
College Graduate	1259	481,235	239	20.1	17.4-22.8	418	32.6	29.3-35.9	100	9.2	07.0-11.4	502	38.2	34.9-41.5
Less than \$15,000	608	278,419	49	9.8	05.3-14.3	155	25.2	20.1-30.3	42	7.9	04.8-11.0	362	57.1	51.2-63.0
\$15,000- 24,999	850	361,960	95	13.5	09.8-17.2	221	25.9	21.6-30.2	45	5.8	03.6-08.0	489	54.8	49.9-59.7
\$25,000- 34,999	496	238,031	51	9.8	05.9-13.7	168	32.7	26.8-38.6	39	10.1	05.8-14.4	238	47.4	41.1-53.7
\$35,000- 49,999	609	279,776	80	15.1	11.2-19.0	210	35.8	30.7-40.9	37	6.0	03.6-08.4	282	43.0	37.7-48.3
\$50,000- 74,999	574	295,700	93	17.1	12.8-21.4	195	33.2	28.1-38.3	48	10.4	05.9-14.9	238	39.3	34.0-44.6
\$75,000+	758	440,376	163	23.2	19.5-26.9	250	31.8	27.7-35.9	52	6.6	04.6-08.6	293	38.4	34.1-42.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 10: EXERCISE**

**TABLE 22: AEROBIC AND STRENGTHENING (2-LEVEL) (\_PASTAER)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7553	4,356,254	1132	17.3	16.1-18.5	6421	82.7	81.5-83.9
Male	2926	2,108,004	518	19.6	17.6-21.6	2408	80.4	78.4-82.4
Female	4627	2,248,250	614	15.1	13.5-16.7	4013	84.9	83.3-86.5
White/Non-Hisp	6155	3,637,587	908	16.9	15.5-18.3	5247	83.1	81.7-84.5
Black or Afr. Am./Non-Hisp	824	344,520	128	21.4	16.1-26.7	696	78.6	73.3-83.9
Oth. Race/Non-Hisp.	116	67,715	29	27.2	16.2-38.2	87	72.8	61.8-83.8
MultiRacial/Non-Hisp.	92	44,767	16	24.8	11.1-38.5	76	75.2	61.5-88.9
Hispanic	252	208,341	38	14.0	08.1-19.9	214	86.0	80.1-91.9
18-24	339	577,276	93	28.3	22.6-34.0	246	71.7	66.0-77.4
25-34	749	751,754	157	20.1	16.8-23.4	592	79.9	76.6-83.2
35-44	946	756,607	155	16.3	13.4-19.2	791	83.7	80.8-86.6
45-54	1409	831,684	212	15.0	12.6-17.4	1197	85.0	82.6-87.4
55-64	1710	675,409	235	14.6	12.4-16.8	1475	85.4	83.2-87.6
65+	2385	755,861	280	12.0	10.4-13.6	2105	88.0	86.4-89.6
Less Than H.S.	718	594,385	57	10.9	07.6-14.2	661	89.1	85.8-92.4
H.S. or G.E.D.	2765	1,522,477	297	13.4	11.4-15.4	2468	86.6	84.6-88.6
Some Post-H.S.	1882	1,303,755	306	20.6	17.9-23.3	1576	79.4	76.7-82.1
College Graduate	2167	925,739	471	23.2	20.8-25.6	1696	76.8	74.4-79.2
Less than \$15,000	895	497,788	89	13.6	09.9-17.3	806	86.4	82.7-90.1
\$15,000- 24,999	1317	680,743	159	15.1	12.0-18.2	1158	84.9	81.8-88.0
\$25,000- 34,999	836	479,782	106	13.7	10.2-17.2	730	86.3	82.8-89.8
\$35,000- 49,999	1044	574,423	145	15.4	12.5-18.3	899	84.6	81.7-87.5
\$50,000- 74,999	989	600,732	162	16.5	13.4-19.6	827	83.5	80.4-86.6
\$75,000+	1420	901,742	322	24.1	21.2-27.0	1098	75.9	73.0-78.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 10: EXERCISE**

**TABLE 23: AEROBIC AND STRENGTHENING (2-LEVEL) (\_PASTAER)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2926	2,108,004	518	19.6	17.6-21.6	2408	80.4	78.4-82.4
White/Non-Hisp	2419	1,725,873	415	18.9	16.7-21.1	2004	81.1	78.9-83.3
Black or Afr. Am./Non-Hisp	262	161,815	53	26.7	17.9-35.5	209	73.3	64.5-82.1
Oth. Race/Non-Hisp.	60	47,560	19	30.7	16.2-45.2	41	69.3	54.8-83.8
Hispanic	101	120,025	15	13.3	05.7-20.9	86	86.7	79.1-94.3
18-24	160	292,180	58	36.1	27.5-44.7	102	63.9	55.3-72.5
25-34	284	376,576	58	20.3	15.0-25.6	226	79.7	74.4-85.0
35-44	393	383,067	67	16.3	11.8-20.8	326	83.7	79.2-88.2
45-54	598	404,778	93	15.5	12.0-19.0	505	84.5	81.0-88.0
55-64	670	332,421	109	16.8	13.5-20.1	561	83.2	79.9-86.5
65+	815	316,121	133	15.7	12.8-18.6	682	84.3	81.4-87.2
Less Than H.S.	304	326,012	28	11.5	06.6-16.4	276	88.5	83.6-93.4
H.S. or G.E.D.	1020	745,676	136	16.4	13.3-19.5	884	83.6	80.5-86.7
Some Post-H.S.	688	587,920	122	22.9	18.4-27.4	566	77.1	72.6-81.6
College Graduate	908	444,504	232	26.6	23.1-30.1	676	73.4	69.9-76.9
Less than \$15,000	287	219,369	40	18.3	12.0-24.6	247	81.7	75.4-88.0
\$15,000- 24,999	467	318,783	64	17.0	12.1-21.9	403	83.0	78.1-87.9
\$25,000- 34,999	340	241,751	55	17.6	11.9-23.3	285	82.4	76.7-88.1
\$35,000- 49,999	435	294,647	65	15.7	11.2-20.2	370	84.3	79.8-88.8
\$50,000- 74,999	415	305,032	69	15.9	11.4-20.4	346	84.1	79.6-88.6
\$75,000+	662	461,366	159	24.9	20.4-29.4	503	75.1	70.6-79.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 10: EXERCISE**

**TABLE 24: AEROBIC AND STRENGTHENING (2-LEVEL) (\_PASTAER)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4627	2,248,250	614	15.1	13.5-16.7	4013	84.9	83.3-86.5
White/Non-Hisp	3736	1,911,715	493	15.0	13.4-16.6	3243	85.0	83.4-86.6
Black or Afr. Am./Non-Hisp	562	182,705	75	16.6	10.5-22.7	487	83.4	77.3-89.5
Oth. Race/Non-Hisp.	56	20,156	10	18.8	04.1-33.5	46	81.2	66.5-95.9
MultiRacial/Non-Hisp.	60	21,587	6	8.9	00.1-17.7	54	91.1	82.3-99.9
Hispanic	151	88,316	23	14.9	05.7-24.1	128	85.1	75.9-94.3
18-24	179	285,096	35	20.4	13.7-27.1	144	79.6	72.9-86.3
25-34	465	375,178	99	20.0	15.7-24.3	366	80.0	75.7-84.3
35-44	553	373,540	88	16.4	12.7-20.1	465	83.6	79.9-87.3
45-54	811	426,906	119	14.5	11.4-17.6	692	85.5	82.4-88.6
55-64	1040	342,987	126	12.6	10.1-15.1	914	87.4	84.9-89.9
65+	1570	439,740	147	9.3	07.5-11.1	1423	90.7	88.9-92.5
Less Than H.S.	414	268,372	29	10.2	05.7-14.7	385	89.8	85.3-94.3
H.S. or G.E.D.	1745	776,801	161	10.5	08.3-12.7	1584	89.5	87.3-91.7
Some Post-H.S.	1194	715,835	184	18.7	15.6-21.8	1010	81.3	78.2-84.4
College Graduate	1259	481,235	239	20.1	17.4-22.8	1020	79.9	77.2-82.6
Less than \$15,000	608	278,419	49	9.8	05.3-14.3	559	90.2	85.7-94.7
\$15,000- 24,999	850	361,960	95	13.5	09.8-17.2	755	86.5	82.8-90.2
\$25,000- 34,999	496	238,031	51	9.8	05.9-13.7	445	90.2	86.3-94.1
\$35,000- 49,999	609	279,776	80	15.1	11.2-19.0	529	84.9	81.0-88.8
\$50,000- 74,999	574	295,700	93	17.1	12.8-21.4	481	82.9	78.6-87.2
\$75,000+	758	440,376	163	23.2	19.5-26.9	595	76.8	73.1-80.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011

SECTION 13: SEATBELT USE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	232
2	MALES ONLY	233
3	FEMALES ONLY	234
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	235
5	MALES ONLY	236
6	FEMALES ONLY	237

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 13: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7875	4,520,932	7475	93.9	93.1-94.7	400	6.1	05.3-06.9
Male	3051	2,191,305	2814	91.3	89.9-92.7	237	8.7	07.3-10.1
Female	4824	2,329,627	4661	96.3	95.5-97.1	163	3.7	02.9-04.5
White/Non-Hisp	6405	3,765,992	6090	94.1	93.3-94.9	315	5.9	05.1-06.7
Black or Afr. Am./Non-Hisp	858	362,934	819	95.1	92.6-97.6	39	4.9	02.4-07.4
Oth. Race/Non-Hisp.	123	71,192	113	87.8	77.4-98.2	10	12.2	01.8-22.6
MultiRacial/Non-Hisp.	97	47,989	86	89.8	82.0-97.6	11	10.2	02.4-18.0
Hispanic	260	211,981	246	92.2	86.1-98.3	14	7.8	01.7-13.9
18-24	353	606,856	319	90.2	86.5-93.9	34	9.8	06.1-13.5
25-34	767	770,872	724	92.8	90.3-95.3	43	7.2	04.7-09.7
35-44	962	766,782	922	95.7	94.1-97.3	40	4.3	02.7-05.9
45-54	1449	854,123	1378	94.6	93.0-96.2	71	5.4	03.8-07.0
55-64	1754	692,822	1674	94.7	93.3-96.1	80	5.3	03.9-06.7
65+	2515	796,245	2384	94.4	93.2-95.6	131	5.6	04.4-06.8
Less Than H.S.	772	637,587	698	88.7	85.6-91.8	74	11.3	08.2-14.4
H.S. or G.E.D.	2868	1,572,063	2701	92.5	90.9-94.1	167	7.5	05.9-09.1
Some Post-H.S.	1957	1,345,375	1863	95.1	93.7-96.5	94	4.9	03.5-06.3
College Graduate	2253	954,523	2191	98.0	97.4-98.6	62	2.0	01.4-02.6
Less than \$15,000	930	512,131	857	90.3	87.2-93.4	73	9.7	06.6-12.8
\$15,000- 24,999	1375	707,846	1291	93.9	92.1-95.7	84	6.1	04.3-07.9
\$25,000- 34,999	848	484,078	806	93.3	90.2-96.4	42	6.7	03.6-09.8
\$35,000- 49,999	1075	596,796	1027	94.2	92.0-96.4	48	5.8	03.6-08.0
\$50,000- 74,999	1021	614,908	968	92.5	90.0-95.0	53	7.5	05.0-10.0
\$75,000+	1447	917,680	1399	96.8	95.6-98.0	48	3.2	02.0-04.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 13: SEATBELT USE**

**TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3051	2,191,305	2814	91.3	89.9-92.7	237	8.7	07.3-10.1
White/Non-Hisp	2512	1,784,425	2311	91.1	89.5-92.7	201	8.9	07.3-10.5
Black or Afr. Am./Non-Hisp	271	171,641	256	96.5	93.6-99.4	15	3.5	00.6-06.4
Oth. Race/Non-Hisp.	66	50,957	62	88.3	74.4-0100	4	11.7	00.0-25.6
Hispanic	106	124,924	97	89.4	79.8-99.0	9	10.6	01.0-20.2
18-24	167	307,063	148	88.4	82.5-94.3	19	11.6	05.7-17.5
25-34	292	385,440	267	89.0	84.5-93.5	25	11.0	06.5-15.5
35-44	404	392,004	379	93.6	90.9-96.3	25	6.4	03.7-09.1
45-54	619	418,897	568	91.8	89.3-94.3	51	8.2	05.7-10.7
55-64	693	344,311	646	92.7	90.3-95.1	47	7.3	04.9-09.7
65+	855	333,619	785	91.8	89.4-94.2	70	8.2	05.8-10.6
Less Than H.S.	326	349,258	285	85.7	80.8-90.6	41	14.3	09.4-19.2
H.S. or G.E.D.	1055	769,677	951	89.2	86.5-91.9	104	10.8	08.1-13.5
Some Post-H.S.	716	604,577	661	92.8	90.4-95.2	55	7.2	04.8-09.6
College Graduate	947	463,485	912	97.4	96.2-98.6	35	2.6	01.4-03.8
Less than \$15,000	302	228,899	267	88.6	83.3-93.9	35	11.4	06.1-16.7
\$15,000- 24,999	480	324,430	434	91.3	88.0-94.6	46	8.7	05.4-12.0
\$25,000- 34,999	346	243,521	326	91.2	85.7-96.7	20	8.8	03.3-14.3
\$35,000- 49,999	451	308,741	422	91.6	87.9-95.3	29	8.4	04.7-12.1
\$50,000- 74,999	429	312,979	389	87.5	83.2-91.8	40	12.5	08.2-16.8
\$75,000+	684	475,246	647	95.3	93.5-97.1	37	4.7	02.9-06.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 13: SEATBELT USE**

**TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4824	2,329,627	4661	96.3	95.5-97.1	163	3.7	02.9-04.5
White/Non-Hisp	3893	1,981,567	3779	96.8	96.0-97.6	114	3.2	02.4-04.0
Black or Afr. Am./Non-Hisp	587	191,293	563	93.8	89.7-97.9	24	6.2	02.1-10.3
Oth. Race/Non-Hisp.	57	20,235	51	86.7	74.7-98.7	6	13.3	01.3-25.3
MultiRacial/Non-Hisp.	62	22,000	54	91.5	84.8-98.2	8	8.5	01.8-15.2
Hispanic	154	87,057	149	96.3	92.0-0100	5	3.7	00.0-08.0
18-24	186	299,793	171	92.1	87.6-96.6	15	7.9	03.4-12.4
25-34	475	385,432	457	96.6	94.6-98.6	18	3.4	01.4-05.4
35-44	558	374,777	543	97.8	96.6-99.0	15	2.2	01.0-03.4
45-54	830	435,226	810	97.3	95.9-98.7	20	2.7	01.3-04.1
55-64	1061	348,511	1028	96.7	95.3-98.1	33	3.3	01.9-04.7
65+	1660	462,626	1599	96.2	94.8-97.6	61	3.8	02.4-05.2
Less Than H.S.	446	288,329	413	92.5	88.8-96.2	33	7.5	03.8-11.2
H.S. or G.E.D.	1813	802,386	1750	95.7	94.1-97.3	63	4.3	02.7-05.9
Some Post-H.S.	1241	740,799	1202	97.0	95.8-98.2	39	3.0	01.8-04.2
College Graduate	1306	491,039	1279	98.4	97.6-99.2	27	1.6	00.8-02.4
Less than \$15,000	628	283,232	590	91.7	88.2-95.2	38	8.3	04.8-11.8
\$15,000- 24,999	895	383,416	857	96.0	94.4-97.6	38	4.0	02.4-05.6
\$25,000- 34,999	502	240,557	480	95.4	92.3-98.5	22	4.6	01.5-07.7
\$35,000- 49,999	624	288,055	605	97.1	95.3-98.9	19	2.9	01.1-04.7
\$50,000- 74,999	592	301,929	579	97.6	95.4-99.8	13	2.4	00.2-04.6
\$75,000+	763	442,435	752	98.5	97.3-99.7	11	1.5	00.3-02.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 13: SEATBELT USE**

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7875	4,520,932	6971	86.8	85.6-88.0	904	13.2	12.0-14.4
Male	3051	2,191,305	2540	82.1	80.1-84.1	511	17.9	15.9-19.9
Female	4824	2,329,627	4431	91.1	89.9-92.3	393	8.9	07.7-10.1
White/Non-Hisp	6405	3,765,992	5686	87.2	86.0-88.4	719	12.8	11.6-14.0
Black or Afr. Am./Non-Hisp	858	362,934	758	84.7	80.2-89.2	100	15.3	10.8-19.8
Oth. Race/Non-Hisp.	123	71,192	110	86.8	76.2-97.4	13	13.2	02.6-23.8
MultiRacial/Non-Hisp.	97	47,989	80	83.0	73.0-93.0	17	17.0	07.0-27.0
Hispanic	260	211,981	229	85.9	79.0-92.8	31	14.1	07.2-21.0
18-24	353	606,856	286	80.7	76.0-85.4	67	19.3	14.6-24.0
25-34	767	770,872	656	83.6	80.3-86.9	111	16.4	13.1-19.7
35-44	962	766,782	844	87.7	85.2-90.2	118	12.3	09.8-14.8
45-54	1449	854,123	1285	88.1	85.9-90.3	164	11.9	09.7-14.1
55-64	1754	692,822	1577	89.5	87.7-91.3	177	10.5	08.7-12.3
65+	2515	796,245	2252	89.3	87.7-90.9	263	10.7	09.1-12.3
Less Than H.S.	772	637,587	650	81.3	77.4-85.2	122	18.7	14.8-22.6
H.S. or G.E.D.	2868	1,572,063	2508	85.0	83.0-87.0	360	15.0	13.0-17.0
Some Post-H.S.	1957	1,345,375	1726	87.4	85.4-89.4	231	12.6	10.6-14.6
College Graduate	2253	954,523	2065	92.4	91.0-93.8	188	7.6	06.2-09.0
Less than \$15,000	930	512,131	788	82.7	79.0-86.4	142	17.3	13.6-21.0
\$15,000- 24,999	1375	707,846	1214	88.3	85.9-90.7	161	11.7	09.3-14.1
\$25,000- 34,999	848	484,078	749	85.7	81.8-89.6	99	14.3	10.4-18.2
\$35,000- 49,999	1075	596,796	949	86.3	83.4-89.2	126	13.7	10.8-16.6
\$50,000- 74,999	1021	614,908	903	84.3	81.0-87.6	118	15.7	12.4-19.0
\$75,000+	1447	917,680	1306	90.0	88.0-92.0	141	10.0	08.0-12.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 13: SEATBELT USE**

**TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3051	2,191,305	2540	82.1	80.1-84.1	511	17.9	15.9-19.9
White/Non-Hisp	2512	1,784,425	2080	81.7	79.7-83.7	432	18.3	16.3-20.3
Black or Afr. Am./Non-Hisp	271	171,641	232	83.4	76.1-90.7	39	16.6	09.3-23.9
Oth. Race/Non-Hisp.	66	50,957	60	86.9	73.0-0100	6	13.1	00.0-27.0
Hispanic	106	124,924	89	84.5	74.3-94.7	17	15.5	05.3-25.7
18-24	167	307,063	129	77.6	70.3-84.9	38	22.4	15.1-29.7
25-34	292	385,440	231	77.1	71.4-82.8	61	22.9	17.2-28.6
35-44	404	392,004	334	82.6	78.3-86.9	70	17.4	13.1-21.7
45-54	619	418,897	509	83.3	79.8-86.8	110	16.7	13.2-20.2
55-64	693	344,311	593	86.3	83.2-89.4	100	13.7	10.6-16.8
65+	855	333,619	726	85.5	82.6-88.4	129	14.5	11.6-17.4
Less Than H.S.	326	349,258	261	78.5	72.8-84.2	65	21.5	15.8-27.2
H.S. or G.E.D.	1055	769,677	844	78.6	75.3-81.9	211	21.4	18.1-24.7
Some Post-H.S.	716	604,577	598	82.9	79.2-86.6	118	17.1	13.4-20.8
College Graduate	947	463,485	832	89.5	87.1-91.9	115	10.5	08.1-12.9
Less than \$15,000	302	228,899	237	79.8	73.5-86.1	65	20.2	13.9-26.5
\$15,000- 24,999	480	324,430	404	85.9	81.8-90.0	76	14.1	10.0-18.2
\$25,000- 34,999	346	243,521	289	79.2	72.3-86.1	57	20.8	13.9-27.7
\$35,000- 49,999	451	308,741	380	81.5	76.6-86.4	71	18.5	13.6-23.4
\$50,000- 74,999	429	312,979	348	76.4	70.9-81.9	81	23.6	18.1-29.1
\$75,000+	684	475,246	581	85.9	82.8-89.0	103	14.1	11.0-17.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 13: SEATBELT USE**

**TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4824	2,329,627	4431	91.1	89.9-92.3	393	8.9	07.7-10.1
White/Non-Hisp	3893	1,981,567	3606	92.1	90.9-93.3	287	7.9	06.7-09.1
Black or Afr. Am./Non-Hisp	587	191,293	526	85.9	80.2-91.6	61	14.1	08.4-19.8
Oth. Race/Non-Hisp.	57	20,235	50	86.3	74.3-98.3	7	13.7	01.7-25.7
MultiRacial/Non-Hisp.	62	22,000	51	81.4	67.7-95.1	11	18.6	04.9-32.3
Hispanic	154	87,057	140	87.9	79.7-96.1	14	12.1	03.9-20.3
18-24	186	299,793	157	83.9	77.8-90.0	29	16.1	10.0-22.2
25-34	475	385,432	425	90.2	87.1-93.3	50	9.8	06.7-12.9
35-44	558	374,777	510	93.0	90.6-95.4	48	7.0	04.6-09.4
45-54	830	435,226	776	92.8	90.4-95.2	54	7.2	04.8-09.6
55-64	1061	348,511	984	92.7	90.7-94.7	77	7.3	05.3-09.3
65+	1660	462,626	1526	92.0	90.2-93.8	134	8.0	06.2-09.8
Less Than H.S.	446	288,329	389	84.6	79.3-89.9	57	15.4	10.1-20.7
H.S. or G.E.D.	1813	802,386	1664	91.1	89.1-93.1	149	8.9	06.9-10.9
Some Post-H.S.	1241	740,799	1128	91.1	89.1-93.1	113	8.9	06.9-10.9
College Graduate	1306	491,039	1233	95.2	93.8-96.6	73	4.8	03.4-06.2
Less than \$15,000	628	283,232	551	85.1	80.6-89.6	77	14.9	10.4-19.4
\$15,000- 24,999	895	383,416	810	90.3	87.6-93.0	85	9.7	07.0-12.4
\$25,000- 34,999	502	240,557	460	92.2	88.7-95.7	42	7.8	04.3-11.3
\$35,000- 49,999	624	288,055	569	91.3	88.4-94.2	55	8.7	05.8-11.6
\$50,000- 74,999	592	301,929	555	92.4	89.1-95.7	37	7.6	04.3-10.9
\$75,000+	763	442,435	725	94.5	92.1-96.9	38	5.5	03.1-07.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011

SECTION 14: IMMUNIZATION CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT5)	
1	MALES AND FEMALES	239
2	MALES ONLY	240
3	FEMALES ONLY	241
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	242
5	MALES ONLY	243
6	FEMALES ONLY	244

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 14: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT5)  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2510	793,961	1499	60.6	58.2-63.0	1011	39.4	37.0-41.8
Male	851	331,267	532	63.2	59.3-67.1	319	36.8	32.9-40.7
Female	1659	462,694	967	58.7	55.8-61.6	692	41.3	38.4-44.2
White/Non-Hisp	2103	702,890	1323	62.4	59.9-64.9	780	37.6	35.1-40.1
Black or Afr. Am./Non-Hisp	268	46,864	113	46.2	35.6-56.8	155	53.8	43.2-64.4
65+	2510	793,961	1499	60.6	58.2-63.0	1011	39.4	37.0-41.8
Less Than H.S.	287	113,494	156	53.7	46.1-61.3	131	46.3	38.7-53.9
H.S. or G.E.D.	1111	358,727	642	59.2	55.7-62.7	469	40.8	37.3-44.3
Some Post-H.S.	510	181,361	287	60.2	55.1-65.3	223	39.8	34.7-44.9
College Graduate	590	135,870	406	70.9	66.6-75.2	184	29.1	24.8-33.4
Less than \$15,000	287	76,144	151	57.5	50.2-64.8	136	42.5	35.2-49.8
\$15,000- 24,999	609	183,250	350	56.5	51.4-61.6	259	43.5	38.4-48.6
\$25,000- 34,999	317	103,462	203	67.4	61.3-73.5	114	32.6	26.5-38.7
\$35,000- 49,999	341	117,945	202	59.7	53.2-66.2	139	40.3	33.8-46.8
\$50,000- 74,999	214	71,225	131	60.9	52.7-69.1	83	39.1	30.9-47.3
\$75,000+	179	64,265	121	65.3	56.1-74.5	58	34.7	25.5-43.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 14: IMMUNIZATION**

**TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT5)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	851	331,267	532	63.2	59.1-67.3	319	36.8	32.7-40.9
White/Non-Hisp	713	286,562	462	64.7	60.6-68.8	251	35.3	31.2-39.4
Black or Afr. Am./Non-Hisp	88	23,746	44	47.8	30.0-65.6	44	52.2	34.4-70.0
65+	851	331,267	532	63.2	59.1-67.3	319	36.8	32.7-40.9
Less Than H.S.	94	51,049	57	59.1	46.6-71.6	37	40.9	28.4-53.4
H.S. or G.E.D.	309	129,003	186	61.9	55.4-68.4	123	38.1	31.6-44.6
Some Post-H.S.	174	74,835	100	60.8	52.2-69.4	74	39.2	30.6-47.8
College Graduate	271	74,795	188	71.5	65.2-77.8	83	28.5	22.2-34.8
Less than \$15,000	59	21,293	34	62.5	47.4-77.6	25	37.5	22.4-52.6
\$15,000- 24,999	181	71,427	99	56.5	47.1-65.9	82	43.5	34.1-52.9
\$25,000- 34,999	126	48,242	79	65.3	55.3-75.3	47	34.7	24.7-44.7
\$35,000- 49,999	154	62,153	98	61.8	52.6-71.0	56	38.2	29.0-47.4
\$50,000- 74,999	100	37,363	67	64.8	52.8-76.8	33	35.2	23.2-47.2
\$75,000+	107	43,716	73	65.1	53.3-76.9	34	34.9	23.1-46.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 14: IMMUNIZATION**

**TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT5)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1659	462,694	967	58.7	55.8-61.6	692	41.3	38.4-44.2
White/Non-Hisp	1390	416,329	861	60.7	57.6-63.8	529	39.3	36.2-42.4
Black or Afr. Am./Non-Hisp	180	23,118	69	44.6	33.0-56.2	111	55.4	43.8-67.0
65+	1659	462,694	967	58.7	55.8-61.6	692	41.3	38.4-44.2
Less Than H.S.	193	62,445	99	49.2	40.0-58.4	94	50.8	41.6-60.0
H.S. or G.E.D.	802	229,724	456	57.6	53.5-61.7	346	42.4	38.3-46.5
Some Post-H.S.	336	106,526	187	59.7	53.2-66.2	149	40.3	33.8-46.8
College Graduate	319	61,075	218	70.2	64.3-76.1	101	29.8	23.9-35.7
Less than \$15,000	228	54,851	117	55.5	47.3-63.7	111	44.5	36.3-52.7
\$15,000- 24,999	428	111,824	251	56.5	50.4-62.6	177	43.5	37.4-49.6
\$25,000- 34,999	191	55,219	124	69.3	61.9-76.7	67	30.7	23.3-38.1
\$35,000- 49,999	187	55,792	104	57.3	48.5-66.1	83	42.7	33.9-51.5
\$50,000- 74,999	114	33,861	64	56.6	45.2-68.0	50	43.4	32.0-54.8
\$75,000+	72	20,549	48	65.9	51.8-80.0	24	34.1	20.0-48.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 14: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2426	770,343	1675	70.4	68.0-72.8	751	29.6	27.2-32.0
Male	807	316,962	545	68.3	64.4-72.2	262	31.7	27.8-35.6
Female	1619	453,381	1130	72.0	69.3-74.7	489	28.0	25.3-30.7
White/Non-Hisp	2036	682,403	1464	71.5	69.1-73.9	572	28.5	26.1-30.9
Black or Afr. Am./Non-Hisp	262	46,142	131	52.5	41.7-63.3	131	47.5	36.7-58.3
65+	2426	770,343	1675	70.4	68.0-72.8	751	29.6	27.2-32.0
Less Than H.S.	281	111,689	177	66.9	59.6-74.2	104	33.1	25.8-40.4
H.S. or G.E.D.	1077	349,912	723	67.8	64.3-71.3	354	32.2	28.7-35.7
Some Post-H.S.	492	176,415	344	73.3	68.6-78.0	148	26.7	22.0-31.4
College Graduate	565	127,939	423	76.9	73.0-80.8	142	23.1	19.2-27.0
Less than \$15,000	276	73,814	189	73.6	67.1-80.1	87	26.4	19.9-32.9
\$15,000- 24,999	595	179,638	411	68.7	63.8-73.6	184	31.3	26.4-36.2
\$25,000- 34,999	309	100,443	217	73.2	67.3-79.1	92	26.8	20.9-32.7
\$35,000- 49,999	330	114,382	220	66.7	60.4-73.0	110	33.3	27.0-39.6
\$50,000- 74,999	203	67,924	132	64.7	56.3-73.1	71	35.3	26.9-43.7
\$75,000+	168	59,495	113	67.3	57.9-76.7	55	32.7	23.3-42.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 14: IMMUNIZATION**

**TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	807	316,962	545	68.3	64.4-72.2	262	31.7	27.8-35.6
White/Non-Hisp	677	274,449	470	69.7	65.8-73.6	207	30.3	26.4-34.2
Black or Afr. Am./Non-Hisp	85	23,092	47	46.3	28.9-63.7	38	53.7	36.3-71.1
65+	807	316,962	545	68.3	64.4-72.2	262	31.7	27.8-35.6
Less Than H.S.	92	50,181	55	62.7	50.4-75.0	37	37.3	25.0-49.6
H.S. or G.E.D.	298	124,950	191	64.1	57.6-70.6	107	35.9	29.4-42.4
Some Post-H.S.	160	71,402	117	75.4	67.2-83.6	43	24.6	16.4-32.8
College Graduate	254	68,843	181	73.4	67.3-79.5	73	26.6	20.5-32.7
Less than \$15,000	55	20,058	36	71.7	58.0-85.4	19	28.3	14.6-42.0
\$15,000- 24,999	175	68,935	115	63.2	53.8-72.6	60	36.8	27.4-46.2
\$25,000- 34,999	121	46,411	82	70.9	61.7-80.1	39	29.1	19.9-38.3
\$35,000- 49,999	145	59,068	100	68.1	59.1-77.1	45	31.9	22.9-40.9
\$50,000- 74,999	90	34,668	60	66.7	54.4-79.0	30	33.3	21.0-45.6
\$75,000+	99	40,015	66	65.9	53.4-78.4	33	34.1	21.6-46.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 14: IMMUNIZATION**

**TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1619	453,381	1130	72.0	69.3-74.7	489	28.0	25.3-30.7
White/Non-Hisp	1359	407,955	994	72.6	69.7-75.5	365	27.4	24.5-30.3
Black or Afr. Am./Non-Hisp	177	23,050	84	58.6	48.0-69.2	93	41.4	30.8-52.0
65+	1619	453,381	1130	72.0	69.3-74.7	489	28.0	25.3-30.7
Less Than H.S.	189	61,507	122	70.2	61.8-78.6	67	29.8	21.4-38.2
H.S. or G.E.D.	779	224,962	532	69.8	65.9-73.7	247	30.2	26.3-34.1
Some Post-H.S.	332	105,013	227	71.8	65.9-77.7	105	28.2	22.3-34.1
College Graduate	311	59,096	242	81.0	76.1-85.9	69	19.0	14.1-23.9
Less than \$15,000	221	53,755	153	74.3	67.0-81.6	68	25.7	18.4-33.0
\$15,000- 24,999	420	110,703	296	72.1	66.6-77.6	124	27.9	22.4-33.4
\$25,000- 34,999	188	54,032	135	75.2	67.8-82.6	53	24.8	17.4-32.2
\$35,000- 49,999	185	55,314	120	65.2	56.8-73.6	65	34.8	26.4-43.2
\$50,000- 74,999	113	33,257	72	62.6	51.2-74.0	41	37.4	26.0-48.8
\$75,000+	69	19,481	47	70.2	56.7-83.7	22	29.8	16.3-43.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011**

**SECTION 15: ALCOHOL CONSUMPTION CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
ADULTS THAT REPORT HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	247
2 MALES ONLY	248
3 FEMALES ONLY	249
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	250
5 MALES ONLY	251
6 FEMALES ONLY	252
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	253
8 MALES ONLY	254
9 FEMALES ONLY	255
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)	
10 MALES AND FEMALES	256
11 MALES ONLY	257
12 FEMALES ONLY	258
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)	
13 MALES AND FEMALES	259
14 MALES ONLY	260
15 FEMALES ONLY	261

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011

SECTION 15: ALCOHOL CONSUMPTION CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)	
16	MALES ONLY	262
	ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN4)	
17	FEMALES ONLY	263

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011

SECTION 15: ALCOHOL CONSUMPTION CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
17	ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN4) FEMALES ONLY	263

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS THAT REPORT HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7803	4,472,440	3661	51.6	50.0-53.2	4142	48.4	46.8-50.0
Male	3005	2,157,504	1679	58.0	55.6-60.4	1326	42.0	39.6-44.4
Female	4798	2,314,936	1982	45.7	43.7-47.7	2816	54.3	52.3-56.3
White/Non-Hisp	6357	3,735,918	3048	51.8	50.2-53.4	3309	48.2	46.6-49.8
Black or Afr. Am./Non-Hisp	842	350,919	345	51.2	45.1-57.3	497	48.8	42.7-54.9
Oth. Race/Non-Hisp.	121	69,068	60	54.6	42.3-66.9	61	45.4	33.1-57.7
MultiRacial/Non-Hisp.	97	47,989	40	43.9	30.0-57.8	57	56.1	42.2-70.0
Hispanic	256	207,871	115	48.8	40.0-57.6	141	51.2	42.4-60.0
18-24	348	594,942	193	52.9	46.8-59.0	155	47.1	41.0-53.2
25-34	763	766,224	461	61.2	57.1-65.3	302	38.8	34.7-42.9
35-44	955	762,437	540	58.4	54.7-62.1	415	41.6	37.9-45.3
45-54	1431	841,443	776	55.8	52.7-58.9	655	44.2	41.1-47.3
55-64	1732	685,703	812	48.1	45.2-51.0	920	51.9	49.0-54.8
65+	2501	790,938	851	33.9	31.5-36.3	1650	66.1	63.7-68.5
Less Than H.S.	765	628,613	198	35.1	30.2-40.0	567	64.9	60.0-69.8
H.S. or G.E.D.	2840	1,556,924	1082	44.5	42.0-47.0	1758	55.5	53.0-58.0
Some Post-H.S.	1934	1,324,230	981	57.0	54.1-59.9	953	43.0	40.1-45.9
College Graduate	2239	951,289	1392	66.9	64.5-69.3	847	33.1	30.7-35.5
Less than \$15,000	920	504,479	294	39.3	34.6-44.0	626	60.7	56.0-65.4
\$15,000- 24,999	1364	699,708	474	40.0	36.3-43.7	890	60.0	56.3-63.7
\$25,000- 34,999	844	483,232	388	52.3	47.4-57.2	456	47.7	42.8-52.6
\$35,000- 49,999	1064	590,348	506	51.1	47.2-55.0	558	48.9	45.0-52.8
\$50,000- 74,999	1013	610,606	575	60.4	56.5-64.3	438	39.6	35.7-43.5
\$75,000+	1438	911,158	991	68.2	65.1-71.3	447	31.8	28.7-34.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS THAT REPORT HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3005	2,157,504	1679	58.0	55.6-60.4	1326	42.0	39.6-44.4
White/Non-Hisp	2482	1,765,523	1409	58.1	55.6-60.6	1073	41.9	39.4-44.4
Black or Afr. Am./Non-Hisp	261	162,978	127	57.5	47.9-67.1	134	42.5	32.9-52.1
Oth. Race/Non-Hisp.	64	48,832	39	60.7	45.4-76.0	25	39.3	24.0-54.6
Hispanic	103	120,882	60	57.9	45.2-70.6	43	42.1	29.4-54.8
18-24	165	302,083	98	55.2	46.4-64.0	67	44.8	36.0-53.6
25-34	289	380,491	196	66.5	60.2-72.8	93	33.5	27.2-39.8
35-44	399	388,603	250	63.9	58.4-69.4	149	36.1	30.6-41.6
45-54	610	409,432	364	60.5	55.8-65.2	246	39.5	34.8-44.2
55-64	677	338,744	373	55.5	51.0-60.0	304	44.5	40.0-49.0
65+	845	330,012	392	43.9	39.8-48.0	453	56.1	52.0-60.2
Less Than H.S.	321	345,926	111	42.6	35.5-49.7	210	57.4	50.3-64.5
H.S. or G.E.D.	1038	758,478	505	52.4	48.5-56.3	533	47.6	43.7-51.5
Some Post-H.S.	699	587,176	417	63.7	59.2-68.2	282	36.3	31.8-40.8
College Graduate	940	461,614	643	71.9	68.4-75.4	297	28.1	24.6-31.6
Less than \$15,000	294	222,048	118	43.4	35.8-51.0	176	56.6	49.0-64.2
\$15,000- 24,999	473	319,378	205	44.8	38.7-50.9	268	55.2	49.1-61.3
\$25,000- 34,999	344	242,851	182	59.9	53.0-66.8	162	40.1	33.2-47.0
\$35,000- 49,999	445	304,273	234	53.9	48.0-59.8	211	46.1	40.2-52.0
\$50,000- 74,999	426	310,908	266	66.5	61.0-72.0	160	33.5	28.0-39.0
\$75,000+	678	470,467	505	73.1	68.6-77.6	173	26.9	22.4-31.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS THAT REPORT HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4798	2,314,936	1982	45.7	43.7-47.7	2816	54.3	52.3-56.3
White/Non-Hisp	3875	1,970,395	1639	46.2	44.0-48.4	2236	53.8	51.6-56.0
Black or Afr. Am./Non-Hisp	581	187,940	218	45.7	38.3-53.1	363	54.3	46.9-61.7
Oth. Race/Non-Hisp.	57	20,235	21	39.6	22.5-56.7	36	60.4	43.3-77.5
MultiRacial/Non-Hisp.	62	22,000	25	37.2	22.5-51.9	37	62.8	48.1-77.5
Hispanic	153	86,990	55	36.1	24.9-47.3	98	63.9	52.7-75.1
18-24	183	292,860	95	50.5	42.3-58.7	88	49.5	41.3-57.7
25-34	474	385,733	265	55.9	50.6-61.2	209	44.1	38.8-49.4
35-44	556	373,834	290	52.6	47.5-57.7	266	47.4	42.3-52.5
45-54	821	432,011	412	51.3	47.0-55.6	409	48.7	44.4-53.0
55-64	1055	346,960	439	40.8	37.1-44.5	616	59.2	55.5-62.9
65+	1656	460,926	459	26.8	24.3-29.3	1197	73.2	70.7-75.7
Less Than H.S.	444	282,687	87	25.9	19.8-32.0	357	74.1	68.0-80.2
H.S. or G.E.D.	1802	798,445	577	37.0	33.9-40.1	1225	63.0	59.9-66.1
Some Post-H.S.	1235	737,054	564	51.7	48.0-55.4	671	48.3	44.6-52.0
College Graduate	1299	489,675	749	62.3	59.0-65.6	550	37.7	34.4-41.0
Less than \$15,000	626	282,430	176	36.0	30.1-41.9	450	64.0	58.1-69.9
\$15,000- 24,999	891	380,330	269	35.9	31.2-40.6	622	64.1	59.4-68.8
\$25,000- 34,999	500	240,381	206	44.7	38.4-51.0	294	55.3	49.0-61.6
\$35,000- 49,999	619	286,074	272	48.1	42.8-53.4	347	51.9	46.6-57.2
\$50,000- 74,999	587	299,698	309	54.1	48.6-59.6	278	45.9	40.4-51.4
\$75,000+	760	440,691	486	62.9	58.6-67.2	274	37.1	32.8-41.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 15: ALCOHOL CONSUMPTION  
TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7803	4,472,440	2214	31.9	30.5-33.3	793	11.4	10.4-12.4	265	3.4	02.8-04.0	389	4.9	04.3-05.5	4142	48.4	46.8-50.0
Male	3005	2,157,504	846	30.4	28.2-32.6	419	15.1	13.3-16.9	150	4.8	03.8-05.8	264	7.7	06.5-08.9	1326	42.0	39.6-44.4
Female	4798	2,314,936	1368	33.4	31.4-35.4	374	8.0	07.0-09.0	115	2.1	01.5-02.7	125	2.2	01.8-02.6	2816	54.3	52.3-56.3
White/Non-Hisp	6357	3,735,918	1780	31.5	29.9-33.1	689	11.9	10.7-13.1	234	3.5	02.9-04.1	345	4.9	04.3-05.5	3309	48.2	46.6-49.8
Black or Afr. Am./Non-Hisp	842	350,919	256	37.4	31.5-43.3	57	6.9	03.4-10.4	16	2.9	00.7-05.1	16	4.0	01.3-06.7	497	48.8	42.7-54.9
Oth. Race/Non-Hisp.	121	69,068	33	28.7	17.7-39.7	15	11.0	02.8-19.2	1	0.2	00.0-00.6	11	14.7	03.5-25.9	61	45.4	33.1-57.7
MultiRacial/Non-Hisp.	97	47,989	30	32.9	19.2-46.6	4	4.5	00.0-09.2	4	4.8	00.0-11.1	2	1.8	00.0-04.2	57	56.1	42.2-70.0
Hispanic	256	207,871	85	30.8	23.2-38.4	15	11.1	04.4-17.8	6	4.6	00.0-10.1	9	2.2	00.4-04.0	141	51.2	42.4-60.0
18-24	348	594,942	136	38.5	32.6-44.4	38	9.0	05.9-12.1	11	3.3	00.9-05.7	8	2.1	00.5-03.7	155	47.1	41.0-53.2
25-34	763	766,224	304	37.3	33.2-41.4	107	16.5	13.2-19.8	24	3.0	01.6-04.4	26	4.5	02.5-06.5	302	38.8	34.7-42.9
35-44	955	762,437	356	37.2	33.5-40.9	124	14.3	11.4-17.2	38	4.0	02.6-05.4	22	2.9	01.5-04.3	415	41.6	37.9-45.3
45-54	1431	841,443	463	33.8	30.9-36.7	184	12.7	10.7-14.7	52	3.5	02.3-04.7	77	5.8	04.4-07.2	655	44.2	41.1-47.3
55-64	1732	685,703	470	27.4	24.7-30.1	178	9.9	08.1-11.7	63	3.7	02.5-04.9	101	7.1	05.5-08.7	920	51.9	49.0-54.8
65+	2501	790,938	471	19.0	17.0-21.0	155	5.7	04.7-06.7	76	3.2	02.4-04.0	149	6.1	04.9-07.3	1650	66.1	63.7-68.5
Less Than H.S.	765	628,613	144	24.5	20.2-28.8	32	6.6	03.7-09.5	4	0.8	00.0-01.8	18	3.3	01.3-05.3	567	64.9	60.0-69.8
H.S. or G.E.D.	2840	1,556,924	690	28.1	25.7-30.5	217	9.3	07.7-10.9	63	2.5	01.5-03.5	112	4.5	03.5-05.5	1758	55.5	53.0-58.0
Some Post-H.S.	1934	1,324,230	627	37.1	34.2-40.0	193	11.6	09.6-13.6	76	3.9	02.9-04.9	85	4.5	03.3-05.7	953	43.0	40.1-45.9
College Graduate	2239	951,289	750	36.2	33.7-38.7	349	17.9	15.7-20.1	121	6.0	04.6-07.4	172	6.9	05.7-08.1	847	33.1	30.7-35.5
Less than \$15,000	920	504,479	210	27.8	23.5-32.1	42	5.2	03.0-07.4	12	1.3	00.3-02.3	30	4.9	02.5-07.3	626	60.7	56.0-65.4
\$15,000- 24,999	1364	699,708	298	25.6	22.3-28.9	88	8.0	05.8-10.2	46	3.5	02.1-04.9	42	2.8	01.6-04.0	890	60.0	56.3-63.7
\$25,000- 34,999	844	483,232	234	30.1	25.6-34.6	86	14.0	10.1-17.9	23	3.5	01.0-06.0	45	4.7	02.7-06.7	456	47.7	42.8-52.6
\$35,000- 49,999	1064	590,348	308	30.8	27.1-34.5	121	13.5	10.6-16.4	28	2.4	01.2-03.6	49	4.4	02.8-06.0	558	48.9	45.0-52.8
\$50,000- 74,999	1013	610,606	347	37.2	33.1-41.3	122	12.6	09.9-15.3	39	4.2	02.6-05.8	67	6.4	04.2-08.6	438	39.6	35.7-43.5
\$75,000+	1438	911,158	534	38.1	35.0-41.2	259	17.1	14.7-19.5	84	5.9	04.5-07.3	114	7.0	05.4-08.6	447	31.8	28.7-34.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 15: ALCOHOL CONSUMPTION  
TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3\_)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3005	2,157,504	846	30.4	28.2-32.6	419	15.1	13.3-16.9	150	4.8	03.8-05.8	264	7.7	06.5-08.9	1326	42.0	39.6-44.4
White/Non-Hisp	2482	1,765,523	689	30.0	27.6-32.4	358	15.5	13.5-17.5	131	4.7	03.7-05.7	231	7.8	06.6-09.0	1073	41.9	39.4-44.4
Black or Afr. Am./Non-Hisp	261	162,978	80	35.5	26.1-44.9	30	10.9	04.0-17.8	7	4.3	00.0-08.6	10	6.8	01.3-12.3	134	42.5	32.9-52.1
Oth. Race/Non-Hisp.	64	48,832	18	28.4	14.5-42.3	10	12.1	01.1-23.1	1	0.3	00.0-00.9	10	20.0	04.7-35.3	25	39.3	24.0-54.6
Hispanic	103	120,882	35	28.2	17.8-38.6	13	18.8	08.0-29.6	5	7.3	00.0-16.5	7	3.6	00.5-06.7	43	42.1	29.4-54.8
18-24	165	302,083	62	36.2	27.8-44.6	23	10.5	05.8-15.2	8	5.9	01.2-10.6	5	2.6	00.2-05.0	67	44.8	36.0-53.6
25-34	289	380,491	88	27.9	22.2-33.6	67	25.0	19.1-30.9	20	5.3	02.8-07.8	21	8.3	04.4-12.2	93	33.5	27.2-39.8
35-44	399	388,603	133	33.6	28.1-39.1	79	21.0	15.9-26.1	18	4.0	02.0-06.0	20	5.4	02.7-08.1	149	36.1	30.6-41.6
45-54	610	409,432	198	35.0	30.3-39.7	91	13.4	10.3-16.5	25	4.0	02.2-05.8	50	8.3	05.8-10.8	246	39.5	34.8-44.2
55-64	677	338,744	182	28.2	23.9-32.5	85	11.7	09.0-14.4	36	5.0	03.0-07.0	70	10.5	07.6-13.4	304	44.5	40.0-49.0
65+	845	330,012	182	21.1	17.8-24.4	72	7.0	05.0-09.0	42	4.8	03.0-06.6	96	11.1	08.6-13.6	453	56.1	52.0-60.2
Less Than H.S.	321	345,926	67	24.7	18.6-30.8	23	10.5	05.6-15.4	3	1.5	00.0-03.3	18	5.9	02.4-09.4	210	57.4	50.3-64.5
H.S. or G.E.D.	1038	758,478	265	27.3	23.8-30.8	123	13.5	10.6-16.4	38	4.2	02.2-06.2	79	7.4	05.4-09.4	533	47.6	43.7-51.5
Some Post-H.S.	699	587,176	228	36.0	31.3-40.7	96	15.1	11.6-18.6	41	5.5	03.5-07.5	52	7.0	04.6-09.4	282	36.3	31.8-40.8
College Graduate	940	461,614	285	32.6	28.9-36.3	176	21.3	18.0-24.6	68	7.4	05.2-09.6	114	10.5	08.3-12.7	297	28.1	24.6-31.6
Less than \$15,000	294	222,048	70	25.8	19.1-32.5	23	7.5	03.4-11.6	6	2.1	00.0-04.3	19	8.2	03.5-12.9	176	56.6	49.0-64.2
\$15,000- 24,999	473	319,378	105	23.1	18.2-28.0	50	12.2	07.9-16.5	23	5.1	02.6-07.6	27	4.5	02.1-06.9	268	55.2	49.1-61.3
\$25,000- 34,999	344	242,851	92	27.1	20.6-33.6	46	19.9	13.0-26.8	12	5.9	00.8-11.0	32	6.9	03.6-10.2	162	40.1	33.2-47.0
\$35,000- 49,999	445	304,273	118	26.5	21.2-31.8	65	17.3	12.6-22.0	16	3.4	01.2-05.6	35	6.7	04.0-09.4	211	46.1	40.2-52.0
\$50,000- 74,999	426	310,908	133	34.1	28.2-40.0	63	15.8	11.3-20.3	24	6.3	03.4-09.2	46	10.3	06.6-14.0	160	33.5	28.0-39.0
\$75,000+	678	470,467	230	35.8	31.3-40.3	139	19.9	16.0-23.8	51	6.7	04.5-08.9	85	10.7	08.2-13.2	173	26.9	22.4-31.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 15: ALCOHOL CONSUMPTION  
TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3\_)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4798	2,314,936	1368	33.4	31.4-35.4	374	8.0	07.0-09.0	115	2.1	01.5-02.7	125	2.2	01.8-02.6	2816	54.3	52.3-56.3
White/Non-Hisp	3875	1,970,395	1091	32.9	30.9-34.9	331	8.7	07.5-09.9	103	2.3	01.7-02.9	114	2.3	01.7-02.9	2236	53.8	51.6-56.0
Black or Afr. Am./Non-Hisp	581	187,940	176	38.9	31.5-46.3	27	3.4	01.2-05.6	9	1.7	00.1-03.3	6	1.7	00.0-03.9	363	54.3	46.9-61.7
Oth. Race/Non-Hisp.	57	20,235	15	29.4	13.1-45.7	5	8.4	00.0-16.8				1	1.8	00.0-05.3	36	60.4	43.3-77.5
MultiRacial/Non-Hisp.	62	22,000	20	28.5	15.2-41.8	3	6.5	00.0-14.5	1	0.3	00.0-00.9	1	1.8	00.0-05.3	37	62.8	48.1-77.5
Hispanic	153	86,990	50	34.5	23.3-45.7	2	0.5	00.0-01.3	1	0.9	00.0-02.7	2	0.2	00.0-00.6	98	63.9	52.7-75.1
18-24	183	292,860	74	40.8	32.8-48.8	15	7.4	03.5-11.3	3	0.6	00.0-01.6	3	1.7	00.0-03.7	88	49.5	41.3-57.7
25-34	474	385,733	216	46.5	41.2-51.8	40	8.1	05.4-10.8	4	0.7	00.0-01.5	5	0.7	00.0-01.5	209	44.1	38.8-49.4
35-44	556	373,834	223	41.0	36.1-45.9	45	7.4	04.9-09.9	20	3.9	01.9-05.9	2	0.3	00.0-00.7	266	47.4	42.3-52.5
45-54	821	432,011	265	32.7	28.8-36.6	93	12.0	09.3-14.7	27	3.1	01.7-04.5	27	3.5	01.9-05.1	409	48.7	44.4-53.0
55-64	1055	346,960	288	26.6	23.5-29.7	93	8.2	06.2-10.2	27	2.3	01.3-03.3	31	3.7	02.1-05.3	616	59.2	55.5-62.9
65+	1656	460,926	289	17.4	15.0-19.8	83	4.7	03.5-05.9	34	2.0	01.2-02.8	53	2.6	01.8-03.4	1197	73.2	70.7-75.7
Less Than H.S.	444	282,687	77	24.2	18.3-30.1	9	1.7	00.1-03.3	1	0.0	00.0-00.0				357	74.1	68.0-80.2
H.S. or G.E.D.	1802	798,445	425	28.9	25.8-32.0	94	5.4	04.0-06.8	25	1.0	00.6-01.4	33	1.7	00.9-02.5	1225	63.0	59.9-66.1
Some Post-H.S.	1235	737,054	399	37.9	34.2-41.6	97	8.7	06.5-10.9	35	2.5	01.5-03.5	33	2.5	01.5-03.5	671	48.3	44.6-52.0
College Graduate	1299	489,675	465	39.5	36.0-43.0	173	14.7	12.2-17.2	53	4.6	03.0-06.2	58	3.6	02.4-04.8	550	37.7	34.4-41.0
Less than \$15,000	626	282,430	140	29.4	23.7-35.1	19	3.5	01.3-05.7	6	0.8	00.2-01.4	11	2.4	00.6-04.2	450	64.0	58.1-69.9
\$15,000- 24,999	891	380,330	193	27.8	23.3-32.3	38	4.6	02.6-06.6	23	2.1	00.9-03.3	15	1.4	00.4-02.4	622	64.1	59.4-68.8
\$25,000- 34,999	500	240,381	142	33.1	26.8-39.4	40	8.0	04.9-11.1	11	1.1	00.3-01.9	13	2.4	00.8-04.0	294	55.3	49.0-61.6
\$35,000- 49,999	619	286,074	190	35.4	30.1-40.7	56	9.5	06.4-12.6	12	1.4	00.4-02.4	14	1.9	00.7-03.1	347	51.9	46.6-57.2
\$50,000- 74,999	587	299,698	214	40.5	35.0-46.0	59	9.3	06.4-12.2	15	2.0	00.6-03.4	21	2.3	01.1-03.5	278	45.9	40.4-51.4
\$75,000+	760	440,691	304	40.6	36.3-44.9	120	14.1	11.4-16.8	33	5.2	03.2-07.2	29	3.0	01.6-04.4	274	37.1	32.8-41.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING5)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7736	4,427,964	6819	82.2	80.8-83.6	917	17.8	16.4-19.2
Male	2966	2,125,383	2437	76.6	74.4-78.8	529	23.4	21.2-25.6
Female	4770	2,302,580	4382	87.5	85.9-89.1	388	12.5	10.9-14.1
White/Non-Hisp	6312	3,708,521	5559	82.7	81.3-84.1	753	17.3	15.9-18.7
Black or Afr. Am./Non-Hisp	828	345,350	750	82.0	76.7-87.3	78	18.0	12.7-23.3
Oth. Race/Non-Hisp.	119	63,527	104	83.3	72.7-93.9	15	16.7	06.1-27.3
MultiRacial/Non-Hisp.	97	47,989	84	76.6	62.7-90.5	13	23.4	09.5-37.3
Hispanic	253	203,070	211	76.6	68.4-84.8	42	23.4	15.2-31.6
18-24	342	586,873	248	72.6	67.3-77.9	94	27.4	22.1-32.7
25-34	752	753,330	583	72.9	69.0-76.8	169	27.1	23.2-31.0
35-44	949	756,424	759	77.9	74.6-81.2	190	22.1	18.8-25.4
45-54	1421	836,638	1197	82.6	80.2-85.0	224	17.4	15.0-19.8
55-64	1716	678,333	1559	88.4	86.2-90.6	157	11.6	09.4-13.8
65+	2484	785,975	2409	96.5	95.5-97.5	75	3.5	02.5-04.5
Less Than H.S.	753	615,687	681	84.3	80.4-88.2	72	15.7	11.8-19.6
H.S. or G.E.D.	2809	1,539,049	2477	81.8	79.4-84.2	332	18.2	15.8-20.6
Some Post-H.S.	1920	1,316,277	1664	80.7	78.2-83.2	256	19.3	16.8-21.8
College Graduate	2229	945,567	1975	83.7	81.5-85.9	254	16.3	14.1-18.5
Less than \$15,000	906	491,148	821	86.7	83.4-90.0	85	13.3	10.0-16.6
\$15,000- 24,999	1358	695,473	1211	83.5	80.4-86.6	147	16.5	13.4-19.6
\$25,000- 34,999	835	480,577	726	77.5	72.8-82.2	109	22.5	17.8-27.2
\$35,000- 49,999	1057	586,390	944	83.3	79.8-86.8	113	16.7	13.2-20.2
\$50,000- 74,999	1004	606,758	870	78.7	74.8-82.6	134	21.3	17.4-25.2
\$75,000+	1431	905,548	1181	79.6	76.9-82.3	250	20.4	17.7-23.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING5)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2966	2,125,383	2437	76.6	74.4-78.8	529	23.4	21.2-25.6
White/Non-Hisp	2455	1,748,648	2026	77.5	75.3-79.7	429	22.5	20.3-24.7
Black or Afr. Am./Non-Hisp	256	158,686	218	75.2	66.0-84.4	38	24.8	15.6-34.0
Oth. Race/Non-Hisp.	62	43,291	49	76.9	62.2-91.6	13	23.1	08.4-37.8
Hispanic	100	116,080	69	68.5	56.0-81.0	31	31.5	19.0-44.0
18-24	161	295,449	102	65.8	57.6-74.0	59	34.2	26.0-42.4
25-34	284	371,173	189	64.1	57.6-70.6	95	35.9	29.4-42.4
35-44	395	384,368	287	72.5	67.4-77.6	108	27.5	22.4-32.6
45-54	603	405,573	483	79.3	75.4-83.2	120	20.7	16.8-24.6
55-64	669	334,509	571	83.5	79.8-87.2	98	16.5	12.8-20.2
65+	835	326,534	788	94.4	92.6-96.2	47	5.6	03.8-07.4
Less Than H.S.	314	335,420	268	79.8	73.9-85.7	46	20.2	14.3-26.1
H.S. or G.E.D.	1020	745,989	813	74.2	70.5-77.9	207	25.8	22.1-29.5
Some Post-H.S.	691	581,323	561	75.3	71.0-79.6	130	24.7	20.4-29.0
College Graduate	934	458,342	788	79.4	75.9-82.9	146	20.6	17.1-24.1
Less than \$15,000	287	211,689	241	80.9	74.6-87.2	46	19.1	12.8-25.4
\$15,000- 24,999	471	316,888	390	78.3	73.2-83.4	81	21.7	16.6-26.8
\$25,000- 34,999	338	240,679	273	71.0	63.4-78.6	65	29.0	21.4-36.6
\$35,000- 49,999	440	301,030	375	78.1	72.8-83.4	65	21.9	16.6-27.2
\$50,000- 74,999	422	310,102	334	70.5	64.6-76.4	88	29.5	23.6-35.4
\$75,000+	675	467,640	533	77.2	73.3-81.1	142	22.8	18.9-26.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING5)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4770	2,302,580	4382	87.5	85.9-89.1	388	12.5	10.9-14.1
White/Non-Hisp	3857	1,959,873	3533	87.4	85.8-89.0	324	12.6	11.0-14.2
Black or Afr. Am./Non-Hisp	572	186,664	532	87.8	82.3-93.3	40	12.2	06.7-17.7
Oth. Race/Non-Hisp.	57	20,235	55	97.1	92.2-0100	2	2.9	00.0-07.8
MultiRacial/Non-Hisp.	62	22,000	58	88.7	78.1-99.3	4	11.3	00.7-21.9
Hispanic	153	86,990	142	87.4	77.6-97.2	11	12.6	02.8-22.4
18-24	181	291,424	146	79.6	72.9-86.3	35	20.4	13.7-27.1
25-34	468	382,157	394	81.4	76.9-85.9	74	18.6	14.1-23.1
35-44	554	372,056	472	83.5	79.6-87.4	82	16.5	12.6-20.4
45-54	818	431,066	714	85.8	82.9-88.7	104	14.2	11.3-17.1
55-64	1047	343,824	988	93.3	91.3-95.3	59	6.7	04.7-08.7
65+	1649	459,441	1621	98.0	97.2-98.8	28	2.0	01.2-02.8
Less Than H.S.	439	280,267	413	89.7	85.2-94.2	26	10.3	05.8-14.8
H.S. or G.E.D.	1789	793,060	1664	88.9	86.4-91.4	125	11.1	08.6-13.6
Some Post-H.S.	1229	734,954	1103	85.0	82.1-87.9	126	15.0	12.1-17.9
College Graduate	1295	487,225	1187	87.8	85.3-90.3	108	12.2	09.7-14.7
Less than \$15,000	619	279,460	580	91.2	87.9-94.5	39	8.8	05.5-12.1
\$15,000- 24,999	887	378,585	821	87.8	84.1-91.5	66	12.2	08.5-15.9
\$25,000- 34,999	497	239,898	453	84.0	78.5-89.5	44	16.0	10.5-21.5
\$35,000- 49,999	617	285,359	569	88.6	84.5-92.7	48	11.4	07.3-15.5
\$50,000- 74,999	582	296,656	536	87.3	82.6-92.0	46	12.7	08.0-17.4
\$75,000+	756	437,908	648	82.2	78.7-85.7	108	17.8	14.3-21.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (\_DRNKDY4)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7749	4,432,471	2844	39.1	37.5-40.7	518	7.5	06.7-08.3	199	3.8	03.2-04.4	35	0.6	00.4-00.8	11	0.2	00.0-00.4	4142	48.8	47.2-50.4
Male	2971	2,129,666	1114	37.6	35.2-40.0	328	11.4	09.8-13.0	163	7.0	05.6-08.4	30	1.1	00.5-01.7	10	0.4	00.0-00.8	1326	42.5	40.1-44.9
Female	4778	2,302,805	1730	40.4	38.4-42.4	190	3.9	03.1-04.7	36	0.9	00.5-01.3	5	0.1	00.0-00.3	1	0.0	00.0-00.0	2816	54.6	52.6-56.6
White/Non-Hisp	6324	3,712,127	2353	39.4	37.8-41.0	448	7.6	06.6-08.6	179	3.8	03.2-04.4	27	0.6	00.4-00.8	8	0.1	00.0-00.3	3309	48.5	46.9-50.1
Black or Afr. Am./Non-Hisp	827	341,303	294	42.7	36.6-48.8	29	4.9	01.8-08.0	3	1.0	00.0-02.6	3	1.1	00.0-02.7	1	0.0	00.0-00.0	497	50.2	44.1-56.3
Oth. Race/Non-Hisp.	120	68,797	43	32.7	21.7-43.7	10	10.2	01.2-19.2	1	3.0	00.0-08.7	3	2.8	00.0-06.9	2	5.7	00.0-15.3	61	45.6	33.3-57.9
MultiRacial/Non-Hisp.	96	47,368	32	30.7	18.2-43.2	4	6.9	00.0-17.1	3	5.6	00.0-12.3							57	56.9	42.8-71.0
Hispanic	253	202,562	84	30.3	22.3-38.3	16	8.3	03.6-13.0	11	8.5	02.0-15.0	1	0.4	00.0-01.2				141	52.5	43.5-61.5
18-24	340	584,458	133	37.8	31.9-43.7	27	7.0	04.1-09.9	20	5.9	03.0-08.8	4	1.3	00.1-02.5	1	0.1	00.0-00.3	155	48.0	41.9-54.1
25-34	754	753,447	357	43.6	39.5-47.7	59	10.6	07.7-13.5	28	5.2	03.2-07.2	6	0.7	00.0-01.5	2	0.5	00.0-01.5	302	39.5	35.4-43.6
35-44	953	760,989	443	46.9	43.0-50.8	60	6.5	04.5-08.5	30	4.1	02.5-05.7	4	0.7	00.0-01.5	1	0.2	00.0-00.6	415	41.7	38.0-45.4
45-54	1421	835,772	591	43.0	39.9-46.1	113	7.9	06.3-09.5	51	4.0	02.8-05.2	8	0.5	00.1-00.9	3	0.2	00.0-00.4	655	44.5	41.4-47.6
55-64	1724	682,301	639	36.4	33.7-39.1	123	8.1	06.3-09.9	34	2.7	01.5-03.9	6	0.5	00.1-00.9	2	0.1	00.0-00.3	920	52.2	49.3-55.1
65+	2486	785,745	661	26.5	24.3-28.7	131	5.0	04.0-06.0	36	1.7	01.1-02.3	6	0.3	00.0-00.7	2	0.1	00.0-00.3	1650	66.5	64.1-68.9
Less Than H.S.	757	622,345	149	26.0	21.5-30.5	18	3.6	01.6-05.6	14	3.0	01.2-04.8	5	1.1	00.0-02.3	4	0.9	00.0-02.1	567	65.5	60.6-70.4
H.S. or G.E.D.	2820	1,539,493	815	31.6	29.2-34.0	157	7.3	05.7-08.9	72	4.1	02.9-05.3	15	0.7	00.1-01.3	3	0.1	00.0-00.3	1758	56.2	53.7-58.7
Some Post-H.S.	1923	1,315,876	784	44.8	41.9-47.7	118	7.3	05.7-08.9	55	4.0	02.8-05.2	11	0.6	00.2-01.0	2	0.0	00.0-00.0	953	43.3	40.4-46.2
College Graduate	2226	944,690	1091	52.0	49.5-54.5	224	10.8	09.2-12.4	58	3.7	02.5-04.9	4	0.1	00.0-00.3	2	0.1	00.1-00.1	847	33.3	30.8-35.8
Less than \$15,000	914	499,772	232	29.7	25.2-34.2	34	4.9	02.9-06.9	13	2.0	00.6-03.4	7	1.3	00.0-02.7	2	0.8	00.0-02.2	626	61.3	56.6-66.0
\$15,000- 24,999	1354	689,194	357	29.3	25.8-32.8	64	5.3	03.3-07.3	35	4.2	02.4-06.0	7	0.2	00.0-00.4	1	0.1	00.0-00.3	890	61.0	57.3-64.7
\$25,000- 34,999	836	479,554	295	36.8	32.1-41.5	56	9.2	05.9-12.5	22	5.1	02.0-08.2	6	0.6	00.0-01.4	1	0.2	00.0-00.6	456	48.1	43.2-53.0
\$35,000- 49,999	1059	587,285	393	38.4	34.5-42.3	73	7.6	05.2-10.0	29	3.8	02.2-05.4	5	0.9	00.1-01.7	1	0.1	00.0-00.3	558	49.2	45.3-53.1
\$50,000- 74,999	1005	606,888	457	46.1	42.0-50.2	71	7.9	05.5-10.3	32	5.0	03.0-07.0	5	0.9	00.0-01.9	2	0.1	00.0-00.3	438	39.8	35.9-43.7
\$75,000+	1435	909,300	768	53.1	49.8-56.4	167	10.9	08.9-12.9	48	3.8	02.6-05.0	3	0.3	00.0-00.7	2	0.1	00.0-00.3	447	31.9	28.8-35.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (\_DRNKDY4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2971	2,129,666	1114	37.6	35.2-40.0	328	11.4	09.8-13.0	163	7.0	05.6-08.4	30	1.1	00.5-01.7	10	0.4	00.0-00.8	1326	42.5	40.1-44.9
White/Non-Hisp	2462	1,750,501	928	38.0	35.5-40.5	283	11.4	09.8-13.0	147	7.0	05.6-08.4	24	1.1	00.5-01.7	7	0.2	00.0-00.4	1073	42.2	39.7-44.7
Black or Afr. Am./Non-Hisp	252	156,105	99	43.4	33.4-53.4	14	7.6	01.5-13.7	2	2.2	00.0-05.5	2	2.4	00.0-05.7	1	0.1	00.0-00.3	134	44.4	34.4-54.4
Oth. Race/Non-Hisp.	63	48,561	23	30.6	16.9-44.3	9	13.8	01.5-26.1	1	4.2	00.0-12.2	3	4.0	00.0-09.7	2	8.0	00.0-21.3	25	39.5	24.0-55.0
Hispanic	100	115,573	34	28.5	17.1-39.9	12	12.5	04.7-20.3	11	15.0	04.0-26.0							43	44.0	30.9-57.1
18-24	160	294,100	57	33.1	24.9-41.3	16	8.9	04.2-13.6	15	9.2	03.9-14.5	4	2.5	00.0-05.0	1	0.1	00.0-00.3	67	46.1	37.1-55.1
25-34	283	371,259	112	34.7	28.6-40.8	44	18.3	12.8-23.8	28	10.5	06.6-14.4	4	1.2	00.0-02.6	2	1.0	00.0-02.8	93	34.3	28.0-40.6
35-44	398	387,446	180	45.8	39.9-51.7	39	9.2	05.9-12.5	26	7.3	04.4-10.2	3	1.1	00.0-02.7	1	0.4	00.0-01.2	149	36.2	30.7-41.7
45-54	604	406,527	245	42.0	37.3-46.7	70	11.0	08.3-13.7	34	6.3	03.9-08.7	6	0.6	00.0-01.2	3	0.3	00.0-00.7	246	39.7	35.0-44.4
55-64	672	336,542	256	37.6	33.1-42.1	74	11.5	08.4-14.6	30	4.9	02.7-07.1	6	1.0	00.0-02.0	2	0.2	00.0-00.6	304	44.8	40.3-49.3
65+	835	326,014	262	30.1	26.4-33.8	83	8.7	06.5-10.9	30	3.5	01.9-05.1	6	0.7	00.0-01.5	1	0.1	00.0-00.3	453	56.8	52.7-60.9
Less Than H.S.	315	340,273	71	27.2	20.7-33.7	13	5.6	02.3-08.9	12	5.4	02.1-08.7	5	1.9	00.0-04.1	4	1.7	00.0-03.9	210	58.3	51.2-65.4
H.S. or G.E.D.	1026	746,878	311	30.0	26.5-33.5	107	12.4	09.5-15.3	59	7.6	05.1-10.1	13	1.4	00.4-02.4	3	0.2	00.0-00.4	533	48.4	44.5-52.3
Some Post-H.S.	693	582,013	297	44.6	39.7-49.5	62	10.4	07.3-13.5	42	7.3	04.9-09.7	8	1.0	00.2-01.8	2	0.1	00.0-00.3	282	36.6	31.9-41.3
College Graduate	931	456,877	433	48.9	45.0-52.8	146	15.5	12.8-18.2	50	6.8	04.6-09.0	4	0.3	00.0-00.7	1	0.1	00.0-00.3	297	28.4	24.9-31.9
Less than \$15,000	292	220,121	83	29.2	22.1-36.3	15	5.3	02.2-08.4	9	3.7	00.8-06.6	7	3.0	00.1-05.9	2	1.7	00.0-04.8	176	57.1	49.5-64.7
\$15,000- 24,999	467	312,431	131	27.7	22.4-33.0	36	7.8	04.3-11.3	27	7.7	04.4-11.0	4	0.2	00.0-00.4	1	0.1	00.0-00.3	268	56.5	50.4-62.6
\$25,000- 34,999	338	240,443	117	34.5	27.4-41.6	35	14.5	08.4-20.6	17	8.9	03.2-14.6	6	1.3	00.0-02.9	1	0.3	00.0-00.9	162	40.6	33.5-47.7
\$35,000- 49,999	441	301,502	149	33.0	27.5-38.5	51	11.8	07.7-15.9	25	6.9	03.8-10.0	4	1.4	00.0-03.0	1	0.2	00.0-00.6	211	46.5	40.6-52.4
\$50,000- 74,999	421	308,271	178	42.4	36.3-48.5	47	12.3	08.2-16.4	29	9.5	05.6-13.4	5	1.8	00.0-03.8	2	0.2	00.0-00.4	160	33.8	28.3-39.3
\$75,000+	677	469,917	344	51.0	46.1-55.9	116	15.5	12.4-18.6	40	6.1	03.9-08.3	2	0.4	00.0-01.0	2	0.2	00.0-00.4	173	26.9	22.4-31.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (\_DRNKDY4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4778	2,302,805	1730	40.4	38.4-42.4	190	3.9	0.3-04.7	36	0.9	0.0-01.3	5	0.1	0.0-00.3	1	0.0	0.0-00.0	2816	54.6	52.6-56.6
White/Non-Hisp	3862	1,961,626	1425	40.7	38.5-42.9	165	4.1	0.3-04.9	32	1.0	0.0-01.4	3	0.1	0.0-00.3	1	0.0	0.0-00.0	2236	54.0	51.8-56.2
Black or Afr. Am./Non-Hisp	575	185,198	195	42.1	34.7-49.5	15	2.7	0.0-05.2	1	0.0	0.0-00.0	1	0.1	0.0-00.3				363	55.1	47.5-62.7
Oth. Race/Non-Hisp.	57	20,235	20	37.8	20.7-54.9	1	1.8	0.0-05.3										36	60.4	43.3-77.5
MultiRacial/Non-Hisp.	61	21,380	22	32.9	18.6-47.2	1	0.5	0.0-01.5	1	1.9	0.0-05.6							37	64.7	50.0-79.4
Hispanic	153	86,990	50	32.6	21.6-43.6	4	2.6	0.0-05.9				1	0.9	0.0-02.7				98	63.9	52.7-75.1
18-24	180	290,358	76	42.5	34.3-50.7	11	5.1	0.1-08.4	5	2.5	0.0-04.7							88	49.9	41.5-58.3
25-34	471	382,187	245	52.2	46.9-57.5	15	3.1	0.1-04.9				2	0.2	0.0-00.6				209	44.5	39.2-49.8
35-44	555	373,543	263	48.0	42.9-53.1	21	3.6	0.1-05.6	4	0.7	0.0-01.5	1	0.2	0.0-00.6				266	47.4	42.3-52.5
45-54	817	429,244	346	43.8	39.7-47.9	43	4.9	0.3-06.7	17	1.8	0.0-03.0	2	0.3	0.0-00.9				409	49.1	44.8-53.4
55-64	1052	345,759	383	35.2	31.7-38.7	49	4.8	0.3-06.4	4	0.6	0.0-01.4							616	59.4	55.7-63.1
65+	1651	459,731	399	23.9	21.4-26.4	48	2.3	0.1-03.1	6	0.4	0.0-00.8				1	0.0	0.0-00.0	1197	73.4	70.9-75.9
Less Than H.S.	442	282,072	78	24.5	18.4-30.6	5	1.2	0.0-02.4	2	0.1	0.0-00.1							357	74.2	68.1-80.3
H.S. or G.E.D.	1794	792,614	504	33.0	29.9-36.1	50	2.4	0.1-03.4	13	0.9	0.0-01.5	2	0.1	0.0-00.3				1225	63.5	60.4-66.6
Some Post-H.S.	1230	733,863	487	44.9	41.2-48.6	56	4.9	0.3-06.5	13	1.4	0.0-02.2	3	0.3	0.0-00.7				671	48.5	44.8-52.2
College Graduate	1295	487,813	658	55.0	51.5-58.5	78	6.3	0.4-08.1	8	0.8	0.0-01.6				1	0.0	0.0-00.0	550	37.8	34.5-41.1
Less than \$15,000	622	279,651	149	30.2	24.5-35.9	19	4.5	0.1-07.2	4	0.6	0.0-01.4							450	64.7	58.8-70.6
\$15,000- 24,999	887	376,763	226	30.6	26.1-35.1	28	3.2	0.1-05.0	8	1.3	0.0-02.5	3	0.2	0.0-00.6				622	64.7	60.0-69.4
\$25,000- 34,999	498	239,111	178	39.1	32.8-45.4	21	3.9	0.1-06.3	5	1.4	0.0-03.2							294	55.6	49.3-61.9
\$35,000- 49,999	618	285,784	244	44.2	38.9-49.5	22	3.2	0.1-04.8	4	0.5	0.0-01.1	1	0.3	0.0-00.9				347	51.9	46.6-57.2
\$50,000- 74,999	584	298,616	279	50.0	44.5-55.5	24	3.4	0.1-05.2	3	0.4	0.0-01.0							278	46.1	40.6-51.6
\$75,000+	758	439,383	424	55.3	51.0-59.6	51	5.9	0.3-07.9	8	1.3	0.0-02.3	1	0.3	0.0-00.9				274	37.2	32.9-41.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 13: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (\_DRNKMO4)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7749	4,432,471	1476	18.9	17.7-20.1	820	12.5	11.5-13.5	703	9.7	08.7-10.7	363	5.5	04.7-06.3	245	4.6	03.8-05.4	4142	48.8	47.2-50.4
Male	2971	2,129,666	484	15.7	13.9-17.5	349	12.5	10.9-14.1	370	12.2	10.6-13.8	239	8.6	07.2-10.0	203	8.5	07.1-09.9	1326	42.5	40.1-44.9
Female	4778	2,302,805	992	21.8	20.2-23.4	471	12.5	11.1-13.9	333	7.3	06.3-08.3	124	2.7	02.1-03.3	42	1.1	00.7-01.5	2816	54.6	52.6-56.6
White/Non-Hisp	6324	3,712,127	1204	18.9	17.7-20.1	686	12.7	11.5-13.9	597	9.8	08.8-10.8	314	5.6	04.8-06.4	214	4.5	03.7-05.3	3309	48.5	46.9-50.1
Black or Afr. Am./Non-Hisp	827	341,303	173	21.9	16.8-27.0	73	13.0	08.7-17.3	58	9.8	05.9-13.7	19	2.9	00.4-05.4	7	2.2	00.0-04.4	497	50.2	44.1-56.3
Oth. Race/Non-Hisp.	120	68,797	21	15.8	07.4-24.2	12	8.9	02.4-15.4	12	8.6	02.9-14.3	8	9.6	00.8-18.4	6	11.4	00.2-22.6	61	45.6	33.3-57.9
MultiRacial/Non-Hisp.	96	47,368	18	19.5	07.9-31.1	9	5.3	01.0-09.6	6	6.1	00.6-11.6	3	6.6	00.0-16.8	3	5.6	00.0-12.3	57	56.9	42.8-71.0
Hispanic	253	202,562	42	13.8	08.3-19.3	26	9.6	03.9-15.3	21	8.9	03.8-14.0	11	6.3	02.2-10.4	12	8.9	02.4-15.4	141	52.5	43.5-61.5
18-24	340	584,458	65	18.3	13.6-23.0	50	14.1	09.8-18.4	21	6.4	03.7-09.1	24	6.1	03.4-08.8	25	7.2	04.1-10.3	155	48.0	41.9-54.1
25-34	754	753,447	170	19.7	16.4-23.0	126	15.8	12.9-18.7	74	10.8	08.1-13.5	46	7.9	05.4-10.4	36	6.4	04.0-08.8	302	39.5	35.4-43.6
35-44	953	760,989	210	20.6	17.7-23.5	137	15.4	12.5-18.3	102	11.6	08.9-14.3	54	5.8	04.0-07.6	35	5.0	03.2-06.8	415	41.7	38.0-45.4
45-54	1421	835,772	291	20.1	17.6-22.6	169	13.5	11.3-15.7	170	12.4	10.4-14.4	74	4.9	03.5-06.3	62	4.6	03.2-06.0	655	44.5	41.4-47.6
55-64	1724	682,301	346	18.7	16.5-20.9	174	11.2	09.2-13.2	158	8.9	07.3-10.5	84	5.7	04.1-07.3	42	3.3	02.1-04.5	920	52.2	49.3-55.1
65+	2486	785,745	382	15.7	13.9-17.5	159	5.7	04.7-06.7	173	6.9	05.7-08.1	78	3.1	02.3-03.9	44	2.0	01.2-02.8	1650	66.5	64.1-68.9
Less Than H.S.	757	622,345	81	13.6	10.1-17.1	46	8.1	05.4-10.8	26	4.5	02.3-06.7	14	3.3	01.3-05.3	23	4.9	02.5-07.3	567	65.5	60.6-70.4
H.S. or G.E.D.	2820	1,539,493	439	15.8	14.0-17.6	226	9.6	08.0-11.2	187	7.7	06.3-09.1	120	5.8	04.4-07.2	90	5.0	03.6-06.4	1758	56.2	53.7-58.7
Some Post-H.S.	1923	1,315,876	413	21.1	18.7-23.5	226	14.8	12.4-17.2	181	11.1	09.1-13.1	82	5.1	03.7-06.5	68	4.6	03.4-05.8	953	43.3	40.4-46.2
College Graduate	2226	944,690	540	24.2	22.0-26.4	322	17.1	14.9-19.3	307	14.3	12.5-16.1	146	7.1	05.7-08.5	64	3.9	02.7-05.1	847	33.3	30.8-35.8
Less than \$15,000	914	499,772	138	15.5	12.2-18.8	60	8.0	05.3-10.7	44	8.4	05.5-11.3	24	2.7	01.3-04.1	22	4.1	01.7-06.5	626	61.3	56.6-66.0
\$15,000- 24,999	1354	689,194	186	13.7	11.2-16.2	100	9.3	06.9-11.7	83	7.0	05.0-09.0	52	4.6	02.8-06.4	43	4.4	02.6-06.2	890	61.0	57.3-64.7
\$25,000- 34,999	836	479,554	155	17.0	13.5-20.5	87	13.2	09.5-16.9	71	8.2	05.7-10.7	38	7.6	04.3-10.9	29	5.9	02.8-09.0	456	48.1	43.2-53.0
\$35,000- 49,999	1059	587,285	209	18.8	15.7-21.9	112	11.7	09.2-14.2	99	10.7	08.0-13.4	46	4.9	02.9-06.9	35	4.8	03.0-06.6	558	49.2	45.3-53.1
\$50,000- 74,999	1005	606,888	236	23.2	19.7-26.7	126	13.1	10.2-16.0	115	12.0	09.3-14.7	51	5.7	03.7-07.7	39	6.1	03.9-08.3	438	39.8	35.9-43.7
\$75,000+	1435	909,300	350	22.4	19.9-24.9	247	19.2	16.7-21.7	222	14.6	12.2-17.0	116	7.7	06.1-09.3	53	4.2	02.8-05.6	447	31.9	28.8-35.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 14: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (\_DRNKMO4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2971	2,129,666	484	15.7	13.9-17.5	349	12.5	10.9-14.1	370	12.2	10.6-13.8	239	8.6	07.2-10.0	203	8.5	07.1-09.9	1326	42.5	40.1-44.9
White/Non-Hisp	2462	1,750,501	411	16.1	14.1-18.1	292	12.6	10.8-14.4	300	12.1	10.5-13.7	208	8.6	07.0-10.2	178	8.3	06.9-09.7	1073	42.2	39.7-44.7
Black or Afr. Am./Non-Hisp	252	156,105	41	15.4	08.1-22.7	26	14.6	07.3-21.9	38	16.2	08.6-23.8	8	4.7	00.0-09.8	5	4.7	00.0-09.4	134	44.4	34.4-54.4
Oth. Race/Non-Hisp.	63	48,561	9	11.8	02.4-21.2	7	10.1	01.3-18.9	9	9.7	02.3-17.1	7	12.8	00.5-25.1	6	16.2	00.9-31.5	25	39.5	24.0-55.0
Hispanic	100	115,573	11	10.5	03.6-17.4	12	10.1	01.3-18.9	15	11.4	04.3-18.5	8	9.1	02.2-16.0	11	15.0	04.0-26.0	43	44.0	30.9-57.1
18-24	160	294,100	21	14.1	07.8-20.4	24	12.0	06.3-17.7	13	7.6	03.5-11.7	15	8.4	03.9-12.9	20	11.9	06.0-17.8	67	46.1	37.1-55.1
25-34	283	371,259	39	12.7	08.4-17.0	43	12.6	08.5-16.7	40	14.3	09.6-19.0	34	13.4	08.5-18.3	34	12.7	08.2-17.2	93	34.3	28.0-40.6
35-44	398	387,446	62	15.6	11.5-19.7	58	15.8	11.3-20.3	64	15.4	11.1-19.7	35	8.2	05.1-11.3	30	8.8	05.5-12.1	149	36.2	30.7-41.7
45-54	604	406,527	105	18.1	14.4-21.8	72	13.2	09.9-16.5	93	15.0	11.7-18.3	45	6.7	04.5-08.9	43	7.2	04.8-09.6	246	39.7	35.0-44.4
55-64	672	336,542	117	17.1	13.8-20.4	82	13.1	10.0-16.2	78	10.1	07.6-12.6	53	8.8	05.9-11.7	38	6.1	03.7-08.5	304	44.8	40.3-49.3
65+	835	326,014	139	16.5	13.4-19.6	69	7.4	05.4-09.4	82	9.2	06.8-11.6	55	5.8	04.0-07.6	37	4.4	02.6-06.2	453	56.8	52.7-60.9
Less Than H.S.	315	340,273	38	13.6	08.7-18.5	22	9.0	04.7-13.3	13	5.0	01.9-08.1	11	5.2	01.9-08.5	21	9.0	04.7-13.3	210	58.3	51.2-65.4
H.S. or G.E.D.	1026	746,878	134	13.0	10.3-15.7	93	9.1	06.9-11.3	106	10.3	07.9-12.7	85	10.1	07.6-12.6	75	9.2	06.7-11.7	533	48.4	44.5-52.3
Some Post-H.S.	693	582,013	131	17.5	13.8-21.2	93	14.8	11.1-18.5	90	15.1	11.4-18.8	45	7.6	04.9-10.3	52	8.4	05.9-10.9	282	36.6	31.9-41.3
College Graduate	931	456,877	180	19.3	16.2-22.4	141	17.7	14.6-20.8	160	17.2	14.3-20.1	98	10.1	07.7-12.5	55	7.2	05.0-09.4	297	28.4	24.9-31.9
Less than \$15,000	292	220,121	35	9.8	05.7-13.9	23	6.9	03.4-10.4	31	15.4	09.3-21.5	9	2.4	00.4-04.4	18	8.5	03.6-13.4	176	57.1	49.5-64.7
\$15,000- 24,999	467	312,431	54	11.2	07.5-14.9	38	8.9	05.4-12.4	47	8.8	05.7-11.9	28	6.5	03.2-09.8	32	8.0	04.7-11.3	268	56.5	50.4-62.6
\$25,000- 34,999	338	240,443	53	15.2	09.9-20.5	37	11.5	06.2-16.8	36	9.6	05.9-13.3	26	12.6	06.7-18.5	24	10.5	04.6-16.4	162	40.6	33.5-47.7
\$35,000- 49,999	441	301,502	69	13.8	09.7-17.9	49	11.8	07.9-15.7	50	11.8	07.9-15.7	32	7.5	04.2-10.8	30	8.6	05.1-12.1	211	46.5	40.6-52.4
\$50,000- 74,999	421	308,271	82	19.3	14.6-24.0	50	11.3	07.6-15.0	60	15.4	10.9-19.9	33	8.7	05.2-12.2	36	11.5	07.2-15.8	160	33.8	28.3-39.3
\$75,000+	677	469,917	134	18.6	15.1-22.1	118	19.8	15.9-23.7	122	16.6	13.1-20.1	86	11.4	08.7-14.1	44	6.6	04.4-08.8	173	26.9	22.4-31.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 15: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (\_DRNKMO4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4778	2,302,805	992	21.8	20.2-23.4	471	12.5	11.1-13.9	333	7.3	06.3-08.3	124	2.7	02.1-03.3	42	1.1	00.7-01.5	2816	54.6	52.6-56.6
White/Non-Hisp	3862	1,961,626	793	21.4	19.6-23.2	394	12.9	11.3-14.5	297	7.7	06.5-08.9	106	2.9	02.1-03.7	36	1.1	00.7-01.5	2236	54.0	51.8-56.2
Black or Afr. Am./Non-Hisp	575	185,198	132	27.3	20.2-34.4	47	11.7	06.6-16.8	20	4.4	01.3-07.5	11	1.4	00.0-02.8	2	0.1	00.0-00.3	363	55.1	47.5-62.7
Oth. Race/Non-Hisp.	57	20,235	12	25.6	09.5-41.7	5	6.3	00.0-12.8	3	5.9	00.0-13.5	1	1.8	00.0-05.3				36	60.4	43.3-77.5
MultiRacial/Non-Hisp.	61	21,380	13	16.9	06.5-27.3	6	9.5	00.7-18.3	4	7.0	00.0-15.2				1	1.9	00.0-05.6	37	64.7	50.0-79.4
Hispanic	153	86,990	31	18.3	09.7-26.9	14	9.0	02.9-15.1	6	5.5	00.0-12.8	3	2.5	00.0-05.8	1	0.9	00.0-02.7	98	63.9	52.7-75.1
18-24	180	290,358	44	22.5	15.8-29.2	26	16.1	09.8-22.4	8	5.2	01.5-08.9	9	3.8	01.1-06.5	5	2.5	00.3-04.7	88	49.9	41.5-58.3
25-34	471	382,187	131	26.5	21.8-31.2	83	18.9	14.6-23.2	34	7.3	04.4-10.2	12	2.6	01.0-04.2	2	0.2	00.0-00.6	209	44.5	39.2-49.8
35-44	555	373,543	148	25.7	21.4-30.0	79	15.0	11.3-18.7	38	7.7	04.8-10.6	19	3.2	01.4-05.0	5	0.9	00.0-01.9	266	47.4	42.3-52.5
45-54	817	429,244	186	21.9	18.6-25.2	97	13.7	10.8-16.6	77	10.0	07.6-12.4	29	3.2	01.8-04.6	19	2.2	01.0-03.4	409	49.1	44.8-53.4
55-64	1052	345,759	229	20.4	17.5-23.3	92	9.4	07.2-11.6	80	7.7	05.7-09.7	31	2.6	01.6-03.6	4	0.6	00.0-01.4	616	59.4	55.7-63.1
65+	1651	459,731	243	15.1	12.9-17.3	90	4.5	03.3-05.7	91	5.3	03.9-06.7	23	1.2	00.6-01.8	7	0.4	00.0-00.8	1197	73.4	70.9-75.9
Less Than H.S.	442	282,072	43	13.7	08.8-18.6	24	7.2	03.9-10.5	13	3.9	01.0-06.8	3	1.0	00.0-02.2	2	0.1	00.1-00.1	357	74.2	68.1-80.3
H.S. or G.E.D.	1794	792,614	305	18.4	15.9-20.9	133	10.1	07.9-12.3	81	5.2	03.6-06.8	35	1.8	01.0-02.6	15	1.0	00.2-01.8	1225	63.5	60.4-66.6
Some Post-H.S.	1230	733,863	282	23.9	20.8-27.0	133	14.7	11.8-17.6	91	8.0	06.0-10.0	37	3.1	01.7-04.5	16	1.7	00.7-02.7	671	48.5	44.8-52.2
College Graduate	1295	487,813	360	28.9	25.8-32.0	181	16.6	13.9-19.3	147	11.6	09.4-13.8	48	4.3	02.7-05.9	9	0.8	00.0-01.6	550	37.8	34.5-41.1
Less than \$15,000	622	279,651	103	20.0	15.1-24.9	37	9.0	05.1-12.9	13	2.8	00.6-05.0	15	2.9	00.9-04.9	4	0.6	00.0-01.4	450	64.7	58.8-70.6
\$15,000- 24,999	887	376,763	132	15.8	12.5-19.1	62	9.6	06.5-12.7	36	5.4	02.9-07.9	24	3.0	01.2-04.8	11	1.5	00.3-02.7	622	64.7	60.0-69.4
\$25,000- 34,999	498	239,111	102	18.8	14.1-23.5	50	14.9	09.8-20.0	35	6.8	03.7-09.9	12	2.5	00.3-04.7	5	1.4	00.0-03.2	294	55.6	49.3-61.9
\$35,000- 49,999	618	285,784	140	24.1	19.6-28.6	63	11.6	08.1-15.1	49	9.6	05.9-13.3	14	2.1	00.9-03.3	5	0.7	00.0-01.5	347	51.9	46.6-57.2
\$50,000- 74,999	584	298,616	154	27.3	22.4-32.2	76	14.9	10.4-19.4	55	8.6	05.9-11.3	18	2.7	01.1-04.3	3	0.4	00.0-01.0	278	46.1	40.6-51.6
\$75,000+	758	439,383	216	26.3	22.6-30.0	129	18.5	15.0-22.0	100	12.5	09.8-15.2	30	3.9	02.3-05.5	9	1.6	00.4-02.8	274	37.2	32.9-41.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 16: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRHV4)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7749	4,432,471	7380	94.0	93.2-94.8	369	6.0	05.2-06.8
Male	2971	2,129,666	2768	91.5	90.1-92.9	203	8.5	07.1-09.9
Female	4778	2,302,805	4612	96.2	95.4-97.0	166	3.8	03.0-04.6
White/Non-Hisp	6324	3,712,127	6004	94.0	93.2-94.8	320	6.0	05.2-06.8
Black or Afr. Am./Non-Hisp	827	341,303	809	97.1	94.7-99.5	18	2.9	00.5-05.3
Oth. Race/Non-Hisp.	120	68,797	113	88.0	76.8-99.2	7	12.0	00.8-23.2
MultiRacial/Non-Hisp.	96	47,368	93	94.4	87.7-0100	3	5.6	00.0-12.3
Hispanic	253	202,562	238	90.0	83.3-96.7	15	10.0	03.3-16.7
18-24	340	584,458	306	90.9	87.4-94.4	34	9.1	05.6-12.6
25-34	754	753,447	706	92.3	89.9-94.7	48	7.7	05.3-10.1
35-44	953	760,989	899	93.5	91.5-95.5	54	6.5	04.5-08.5
45-54	1421	835,772	1330	93.7	92.1-95.3	91	6.3	04.7-07.9
55-64	1724	682,301	1651	95.3	93.9-96.7	73	4.7	03.3-06.1
65+	2486	785,745	2419	97.2	96.4-98.0	67	2.8	02.0-03.6
Less Than H.S.	757	622,345	731	94.6	92.1-97.1	26	5.4	02.9-07.9
H.S. or G.E.D.	2820	1,539,493	2695	94.1	92.7-95.5	125	5.9	04.5-07.3
Some Post-H.S.	1923	1,315,876	1818	93.6	92.2-95.0	105	6.4	05.0-07.8
College Graduate	2226	944,690	2114	93.9	92.5-95.3	112	6.1	04.7-07.5
Less than \$15,000	914	499,772	877	94.3	91.8-96.8	37	5.7	03.2-08.2
\$15,000- 24,999	1354	689,194	1287	93.9	91.9-95.9	67	6.1	04.1-08.1
\$25,000- 34,999	836	479,554	795	92.8	89.5-96.1	41	7.2	03.9-10.5
\$35,000- 49,999	1059	587,285	1010	94.2	92.2-96.2	49	5.8	03.8-07.8
\$50,000- 74,999	1005	606,888	948	92.6	90.2-95.0	57	7.4	05.0-09.8
\$75,000+	1435	909,300	1352	93.9	92.3-95.5	83	6.1	04.5-07.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 17: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRHV4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2971	2,129,666	2768	91.5	90.1-92.9	203	8.5	07.1-09.9
White/Non-Hisp	2462	1,750,501	2284	91.7	90.3-93.1	178	8.3	06.9-09.7
Black or Afr. Am./Non-Hisp	252	156,105	247	95.3	90.6-0100	5	4.7	00.0-09.4
Oth. Race/Non-Hisp.	63	48,561	57	83.8	68.5-99.1	6	16.2	00.9-31.5
Hispanic	100	115,573	89	85.0	74.0-96.0	11	15.0	04.0-26.0
18-24	160	294,100	140	88.1	82.2-94.0	20	11.9	06.0-17.8
25-34	283	371,259	249	87.3	82.8-91.8	34	12.7	08.2-17.2
35-44	398	387,446	368	91.2	87.9-94.5	30	8.8	05.5-12.1
45-54	604	406,527	561	92.8	90.4-95.2	43	7.2	04.8-09.6
55-64	672	336,542	634	93.9	91.5-96.3	38	6.1	03.7-08.5
65+	835	326,014	798	95.6	93.8-97.4	37	4.4	02.6-06.2
Less Than H.S.	315	340,273	294	91.0	86.7-95.3	21	9.0	04.7-13.3
H.S. or G.E.D.	1026	746,878	951	90.8	88.3-93.3	75	9.2	06.7-11.7
Some Post-H.S.	693	582,013	641	91.6	89.1-94.1	52	8.4	05.9-10.9
College Graduate	931	456,877	876	92.8	90.6-95.0	55	7.2	05.0-09.4
Less than \$15,000	292	220,121	274	91.5	86.6-96.4	18	8.5	03.6-13.4
\$15,000- 24,999	467	312,431	435	92.0	88.7-95.3	32	8.0	04.7-11.3
\$25,000- 34,999	338	240,443	314	89.5	83.6-95.4	24	10.5	04.6-16.4
\$35,000- 49,999	441	301,502	411	91.4	87.9-94.9	30	8.6	05.1-12.1
\$50,000- 74,999	421	308,271	385	88.5	84.2-92.8	36	11.5	07.2-15.8
\$75,000+	677	469,917	633	93.4	91.2-95.6	44	6.6	04.4-08.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 18: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRHV4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4778	2,302,805	4612	96.2	95.4-97.0	166	3.8	03.0-04.6
White/Non-Hisp	3862	1,961,626	3720	96.0	95.2-96.8	142	4.0	03.2-04.8
Black or Afr. Am./Non-Hisp	575	185,198	562	98.5	97.1-99.9	13	1.5	00.1-02.9
Oth. Race/Non-Hisp.	57	20,235	56	98.2	94.7-0100	1	1.8	00.0-05.3
MultiRacial/Non-Hisp.	61	21,380	60	98.1	94.4-0100	1	1.9	00.0-05.6
Hispanic	153	86,990	149	96.6	92.9-0100	4	3.4	00.0-07.1
18-24	180	290,358	166	93.8	90.3-97.3	14	6.2	02.7-09.7
25-34	471	382,187	457	97.2	95.6-98.8	14	2.8	01.2-04.4
35-44	555	373,543	531	95.8	93.8-97.8	24	4.2	02.2-06.2
45-54	817	429,244	769	94.6	92.8-96.4	48	5.4	03.6-07.2
55-64	1052	345,759	1017	96.8	95.6-98.0	35	3.2	02.0-04.4
65+	1651	459,731	1621	98.4	97.8-99.0	30	1.6	01.0-02.2
Less Than H.S.	442	282,072	437	99.0	97.8-0100	5	1.0	00.0-02.2
H.S. or G.E.D.	1794	792,614	1744	97.2	96.2-98.2	50	2.8	01.8-03.8
Some Post-H.S.	1230	733,863	1177	95.2	93.6-96.8	53	4.8	03.2-06.4
College Graduate	1295	487,813	1238	94.8	93.2-96.4	57	5.2	03.6-06.8
Less than \$15,000	622	279,651	603	96.4	94.4-98.4	19	3.6	01.6-05.6
\$15,000- 24,999	887	376,763	852	95.5	93.3-97.7	35	4.5	02.3-06.7
\$25,000- 34,999	498	239,111	481	96.1	93.4-98.8	17	3.9	01.2-06.6
\$35,000- 49,999	618	285,784	599	97.2	95.6-98.8	19	2.8	01.2-04.4
\$50,000- 74,999	584	298,616	563	96.9	95.1-98.7	21	3.1	01.3-04.9
\$75,000+	758	439,383	719	94.6	92.6-96.6	39	5.4	03.4-07.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 19: ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (\_RFDRMN4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2971	2,129,666	2768	91.5	90.1-92.9	203	8.5	07.1-09.9
White/Non-Hisp	2462	1,750,501	2284	91.7	90.3-93.1	178	8.3	06.9-09.7
Black or Afr. Am./Non-Hisp	252	156,105	247	95.3	90.6-0100	5	4.7	00.0-09.4
Oth. Race/Non-Hisp.	63	48,561	57	83.8	68.5-99.1	6	16.2	00.9-31.5
Hispanic	100	115,573	89	85.0	74.0-96.0	11	15.0	04.0-26.0
18-24	160	294,100	140	88.1	82.2-94.0	20	11.9	06.0-17.8
25-34	283	371,259	249	87.3	82.8-91.8	34	12.7	08.2-17.2
35-44	398	387,446	368	91.2	87.9-94.5	30	8.8	05.5-12.1
45-54	604	406,527	561	92.8	90.4-95.2	43	7.2	04.8-09.6
55-64	672	336,542	634	93.9	91.5-96.3	38	6.1	03.7-08.5
65+	835	326,014	798	95.6	93.8-97.4	37	4.4	02.6-06.2
Less Than H.S.	315	340,273	294	91.0	86.7-95.3	21	9.0	04.7-13.3
H.S. or G.E.D.	1026	746,878	951	90.8	88.3-93.3	75	9.2	06.7-11.7
Some Post-H.S.	693	582,013	641	91.6	89.1-94.1	52	8.4	05.9-10.9
College Graduate	931	456,877	876	92.8	90.6-95.0	55	7.2	05.0-09.4
Less than \$15,000	292	220,121	274	91.5	86.6-96.4	18	8.5	03.6-13.4
\$15,000- 24,999	467	312,431	435	92.0	88.7-95.3	32	8.0	04.7-11.3
\$25,000- 34,999	338	240,443	314	89.5	83.6-95.4	24	10.5	04.6-16.4
\$35,000- 49,999	441	301,502	411	91.4	87.9-94.9	30	8.6	05.1-12.1
\$50,000- 74,999	421	308,271	385	88.5	84.2-92.8	36	11.5	07.2-15.8
\$75,000+	677	469,917	633	93.4	91.2-95.6	44	6.6	04.4-08.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 20: ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRWM4)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4778	2,302,805	4612	96.2	95.4-97.0	166	3.8	03.0-04.6
White/Non-Hisp	3862	1,961,626	3720	96.0	95.2-96.8	142	4.0	03.2-04.8
Black or Afr. Am./Non-Hisp	575	185,198	562	98.5	97.1-99.9	13	1.5	00.1-02.9
Oth. Race/Non-Hisp.	57	20,235	56	98.2	94.7-0100	1	1.8	00.0-05.3
MultiRacial/Non-Hisp.	61	21,380	60	98.1	94.4-0100	1	1.9	00.0-05.6
Hispanic	153	86,990	149	96.6	92.9-0100	4	3.4	00.0-07.1
18-24	180	290,358	166	93.8	90.3-97.3	14	6.2	02.7-09.7
25-34	471	382,187	457	97.2	95.6-98.8	14	2.8	01.2-04.4
35-44	555	373,543	531	95.8	93.8-97.8	24	4.2	02.2-06.2
45-54	817	429,244	769	94.6	92.8-96.4	48	5.4	03.6-07.2
55-64	1052	345,759	1017	96.8	95.6-98.0	35	3.2	02.0-04.4
65+	1651	459,731	1621	98.4	97.8-99.0	30	1.6	01.0-02.2
Less Than H.S.	442	282,072	437	99.0	97.8-0100	5	1.0	00.0-02.2
H.S. or G.E.D.	1794	792,614	1744	97.2	96.2-98.2	50	2.8	01.8-03.8
Some Post-H.S.	1230	733,863	1177	95.2	93.6-96.8	53	4.8	03.2-06.4
College Graduate	1295	487,813	1238	94.8	93.2-96.4	57	5.2	03.6-06.8
Less than \$15,000	622	279,651	603	96.4	94.4-98.4	19	3.6	01.6-05.6
\$15,000- 24,999	887	376,763	852	95.5	93.3-97.7	35	4.5	02.3-06.7
\$25,000- 34,999	498	239,111	481	96.1	93.4-98.8	17	3.9	01.2-06.6
\$35,000- 49,999	618	285,784	599	97.2	95.6-98.8	19	2.8	01.2-04.4
\$50,000- 74,999	584	298,616	563	96.9	95.1-98.7	21	3.1	01.3-04.9
\$75,000+	758	439,383	719	94.6	92.6-96.6	39	5.4	03.4-07.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011

SECTION 16: HIV/AIDS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	268
2	MALES ONLY	269
3	FEMALES ONLY	270

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 16: HIV/AIDS**

**TABLE 1: ADULTS THAT HAVE EVER BEEN TESTED FOR HIV (\_AIDTST3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7576	4,345,645	1901	30.6	29.0-32.2	5675	69.4	67.8-71.0
Male	2910	2,099,371	744	28.6	26.4-30.8	2166	71.4	69.2-73.6
Female	4666	2,246,274	1157	32.5	30.5-34.5	3509	67.5	65.5-69.5
White/Non-Hisp	6175	3,628,697	1340	27.5	25.9-29.1	4835	72.5	70.9-74.1
Black or Afr. Am./Non-Hisp	810	339,216	342	56.6	50.5-62.7	468	43.4	37.3-49.5
Oth. Race/Non-Hisp.	119	64,401	42	35.9	24.3-47.5	77	64.1	52.5-75.7
MultiRacial/Non-Hisp.	91	44,997	44	50.2	35.9-64.5	47	49.8	35.5-64.1
Hispanic	257	209,973	102	37.9	29.5-46.3	155	62.1	53.7-70.5
18-24	338	576,014	103	27.2	21.9-32.5	235	72.8	67.5-78.1
25-34	734	735,012	389	51.1	46.8-55.4	345	48.9	44.6-53.2
35-44	928	746,709	466	49.3	45.4-53.2	462	50.7	46.8-54.6
45-54	1397	822,211	450	31.2	28.1-34.3	947	68.8	65.7-71.9
55-64	1680	665,959	308	16.6	14.4-18.8	1372	83.4	81.2-85.6
65+	2428	767,461	175	7.4	06.0-08.8	2253	92.6	91.2-94.0
Less Than H.S.	733	603,694	194	32.7	28.0-37.4	539	67.3	62.6-72.0
H.S. or G.E.D.	2763	1,513,716	513	24.3	21.9-26.7	2250	75.7	73.3-78.1
Some Post-H.S.	1876	1,293,176	581	35.8	32.9-38.7	1295	64.2	61.3-67.1
College Graduate	2181	923,877	611	32.6	30.1-35.1	1570	67.4	64.9-69.9
Less than \$15,000	888	484,151	303	39.7	35.0-44.4	585	60.3	55.6-65.0
\$15,000- 24,999	1337	687,133	316	29.7	26.2-33.2	1021	70.3	66.8-73.8
\$25,000- 34,999	816	472,393	199	32.2	27.3-37.1	617	67.8	62.9-72.7
\$35,000- 49,999	1042	579,250	239	27.5	23.8-31.2	803	72.5	68.8-76.2
\$50,000- 74,999	982	590,963	240	30.2	26.1-34.3	742	69.8	65.7-73.9
\$75,000+	1398	887,763	411	32.9	29.8-36.0	987	67.1	64.0-70.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 16: HIV/AIDS**

**TABLE 2: ADULTS THAT HAVE EVER BEEN TESTED FOR HIV (\_AIDTST3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2910	2,099,371	744	28.6	26.4-30.8	2166	71.4	69.2-73.6
White/Non-Hisp	2403	1,719,118	542	26.2	23.8-28.6	1861	73.8	71.4-76.2
Black or Afr. Am./Non-Hisp	251	156,987	119	52.5	42.5-62.5	132	47.5	37.5-57.5
Oth. Race/Non-Hisp.	62	44,166	23	36.4	21.3-51.5	39	63.6	48.5-78.7
Hispanic	105	123,109	33	28.9	17.5-40.3	72	71.1	59.7-82.5
18-24	159	290,243	40	19.7	13.0-26.4	119	80.3	73.6-87.0
25-34	278	367,755	109	40.3	33.6-47.0	169	59.7	53.0-66.4
35-44	392	385,885	159	42.7	36.8-48.6	233	57.3	51.4-63.2
45-54	594	400,729	206	34.3	29.6-39.0	388	65.7	61.0-70.4
55-64	650	326,806	137	17.6	14.1-21.1	513	82.4	78.9-85.9
65+	818	318,463	91	10.4	07.9-12.9	727	89.6	87.1-92.1
Less Than H.S.	313	336,434	87	29.2	22.7-35.7	226	70.8	64.3-77.3
H.S. or G.E.D.	1007	738,512	228	25.6	22.1-29.1	779	74.4	70.9-77.9
Some Post-H.S.	672	572,063	212	34.2	29.5-38.9	460	65.8	61.1-70.5
College Graduate	911	448,052	217	26.3	22.8-29.8	694	73.7	70.2-77.2
Less than \$15,000	285	213,855	108	37.7	30.1-45.3	177	62.3	54.7-69.9
\$15,000- 24,999	463	313,465	130	29.0	23.5-34.5	333	71.0	65.5-76.5
\$25,000- 34,999	329	236,225	88	31.8	24.4-39.2	241	68.2	60.8-75.6
\$35,000- 49,999	436	301,336	86	22.4	17.1-27.7	350	77.6	72.3-82.9
\$50,000- 74,999	413	302,254	94	28.0	22.3-33.7	319	72.0	66.3-77.7
\$75,000+	653	457,648	167	28.8	24.1-33.5	486	71.2	66.5-75.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011  
SECTION 16: HIV/AIDS**

**TABLE 3: ADULTS THAT HAVE EVER BEEN TESTED FOR HIV (\_AIDTST3)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4666	2,246,274	1157	32.5	30.5-34.5	3509	67.5	65.5-69.5
White/Non-Hisp	3772	1,909,580	798	28.8	26.8-30.8	2974	71.2	69.2-73.2
Black or Afr. Am./Non-Hisp	559	182,229	223	60.1	53.0-67.2	336	39.9	32.8-47.0
Oth. Race/Non-Hisp.	57	20,235	19	34.8	18.5-51.1	38	65.2	48.9-81.5
MultiRacial/Non-Hisp.	60	21,329	28	49.4	33.3-65.5	32	50.6	34.5-66.7
Hispanic	152	86,864	69	50.7	39.1-62.3	83	49.3	37.7-60.9
18-24	179	285,772	63	34.9	26.9-42.9	116	65.1	57.1-73.1
25-34	456	367,258	280	61.9	56.6-67.2	176	38.1	32.8-43.4
35-44	536	360,824	307	56.4	51.3-61.5	229	43.6	38.5-48.7
45-54	803	421,482	244	28.3	24.4-32.2	559	71.7	67.8-75.6
55-64	1030	339,153	171	15.7	13.0-18.4	859	84.3	81.6-87.0
65+	1610	448,998	84	5.2	03.8-06.6	1526	94.8	93.4-96.2
Less Than H.S.	420	267,260	107	37.0	30.1-43.9	313	63.0	56.1-69.9
H.S. or G.E.D.	1756	775,203	285	23.1	20.0-26.2	1471	76.9	73.8-80.0
Some Post-H.S.	1204	721,113	369	37.1	33.4-40.8	835	62.9	59.2-66.6
College Graduate	1270	475,825	394	38.5	35.0-42.0	876	61.5	58.0-65.0
Less than \$15,000	603	270,296	195	41.3	35.4-47.2	408	58.7	52.8-64.6
\$15,000- 24,999	874	373,668	186	30.3	25.8-34.8	688	69.7	65.2-74.2
\$25,000- 34,999	487	236,168	111	32.6	25.9-39.3	376	67.4	60.7-74.1
\$35,000- 49,999	606	277,914	153	33.0	27.7-38.3	453	67.0	61.7-72.3
\$50,000- 74,999	569	288,709	146	32.5	26.8-38.2	423	67.5	61.8-73.2
\$75,000+	745	430,115	244	37.2	32.9-41.5	501	62.8	58.5-67.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CALCULATED VARIABLE DATA REPORT, 2011**

End of Calculated Variable Data Report