


INDIANA

2011 Core Variables Report

Behavioral Risk Factor Surveillance System

July 24, 2012



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8451	4,873,114	1202	15.5	14.3-16.7	2592	32.5	31.1-33.9	2788	33.1	31.7-34.5	1289	13.4	12.4-14.4	580	5.5	04.9-06.1
Male	3280	2,370,143	465	15.5	13.7-17.3	1015	32.3	30.1-34.5	1108	34.7	32.5-36.9	477	12.4	11.0-13.8	215	5.1	04.1-06.1
Female	5171	2,502,971	737	15.6	14.2-17.0	1577	32.7	30.9-34.5	1680	31.6	29.8-33.4	812	14.3	12.9-15.7	365	5.8	05.0-06.6
White/Non-Hisp	6825	4,043,627	1002	15.6	14.4-16.8	2228	34.1	32.5-35.7	2199	32.4	30.8-34.0	948	12.6	11.6-13.6	448	5.2	04.6-05.8
Black or Afr. Am./Non-Hisp	959	397,677	109	15.0	10.7-19.3	213	25.8	20.5-31.1	347	36.0	30.5-41.5	225	19.1	14.8-23.4	65	4.0	02.0-06.0
Oth. Race/Non-Hisp.	130	75,053	29	21.0	11.8-30.2	33	21.7	12.3-31.1	38	27.7	17.7-37.7	22	20.6	10.2-31.0	8	8.9	00.0-18.5
MultiRacial/Non-Hisp.	106	54,298	10	13.3	04.3-22.3	29	29.3	17.0-41.6	27	24.6	13.6-35.6	22	19.2	08.6-29.8	18	13.6	05.8-21.4
Hispanic	286	235,484	35	14.3	07.8-20.8	62	24.4	16.6-32.2	120	41.3	33.3-49.3	47	12.7	08.0-17.4	22	7.2	03.1-11.3
18-24	379	650,969	68	17.9	13.4-22.4	143	39.9	34.2-45.6	128	31.1	25.8-36.4	35	9.3	06.0-12.6	5	1.7	00.0-03.5
25-34	827	835,462	169	20.9	17.8-24.0	281	31.4	27.7-35.1	281	35.6	31.7-39.5	80	9.6	07.1-12.1	16	2.6	01.0-04.2
35-44	1033	833,462	210	18.3	15.6-21.0	352	34.4	30.9-37.9	313	30.9	27.6-34.2	124	13.2	10.7-15.7	34	3.3	01.9-04.7
45-54	1548	921,643	238	14.9	12.7-17.1	495	33.5	30.6-36.4	485	31.4	28.5-34.3	215	13.7	11.5-15.9	115	6.5	05.1-07.9
55-64	1852	731,528	237	12.0	10.2-13.8	556	31.5	28.8-34.2	608	33.2	30.5-35.9	300	15.2	13.2-17.2	151	8.1	06.5-09.7
65+	2725	862,207	264	9.4	08.0-10.8	742	26.3	24.3-28.3	936	35.6	33.2-38.0	525	18.8	17.0-20.6	258	9.9	08.3-11.5
Less Than H.S.	852	704,401	46	6.8	04.3-09.3	155	26.4	21.9-30.9	269	31.8	27.5-36.1	228	22.2	18.5-25.9	154	12.7	10.0-15.4
H.S. or G.E.D.	3142	1,720,861	330	12.2	10.4-14.0	856	29.3	27.1-31.5	1168	37.4	35.0-39.8	556	15.6	13.8-17.4	232	5.6	04.6-06.6
Some Post-H.S.	2090	1,435,991	290	17.4	15.0-19.8	655	33.3	30.6-36.0	715	33.5	30.8-36.2	307	11.4	09.6-13.2	123	4.4	03.4-05.4
College Graduate	2338	998,809	531	24.6	22.4-26.8	920	41.3	38.8-43.8	626	26.0	23.6-28.4	194	6.4	05.2-07.6	67	1.7	01.1-02.3
Less than \$15,000	1000	551,255	74	9.2	06.5-11.9	171	19.3	15.6-23.0	300	31.5	27.2-35.8	261	23.0	19.5-26.5	194	16.9	13.8-20.0
\$15,000- 24,999	1506	782,427	124	10.0	07.8-12.2	344	24.7	21.4-28.0	544	38.8	35.3-42.3	338	17.8	15.3-20.3	156	8.8	07.0-10.6
\$25,000- 34,999	904	511,570	102	12.7	09.2-16.2	279	34.4	29.7-39.1	332	33.6	29.3-37.9	141	15.1	12.0-18.2	50	4.1	02.7-05.5
\$35,000- 49,999	1144	640,499	164	14.2	11.7-16.7	356	32.4	28.7-36.1	437	36.7	33.0-40.4	143	12.8	10.1-15.5	44	3.9	02.5-05.3
\$50,000- 74,999	1066	648,461	182	15.9	13.2-18.6	424	41.9	38.0-45.8	343	31.2	27.7-34.7	96	8.9	06.5-11.3	21	2.1	00.5-03.7
\$75,000+	1509	966,932	387	25.5	22.8-28.2	637	42.2	39.1-45.3	397	27.3	24.4-30.2	73	4.5	03.3-05.7	15	0.5	00.1-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3280	2,370,143	465	15.5	13.7-17.3	1015	32.3	30.1-34.5	1108	34.7	32.5-36.9	477	12.4	11.0-13.8	215	5.1	04.1-06.1
White/Non-Hisp	2685	1,927,258	386	15.3	13.5-17.1	879	33.7	31.3-36.1	889	34.5	32.1-36.9	361	11.7	10.1-13.3	170	4.8	04.0-05.6
Black or Afr. Am./Non-Hisp	305	189,669	31	15.1	08.0-22.2	66	25.9	17.9-33.9	118	38.7	29.9-47.5	70	16.8	10.3-23.3	20	3.5	00.8-06.2
Oth. Race/Non-Hisp.	70	53,748	18	21.7	10.1-33.3	23	26.2	13.5-38.9	16	21.7	09.9-33.5	10	20.4	06.9-33.9	3	9.9	00.0-22.8
Hispanic	112	132,779	18	18.7	08.3-29.1	20	25.2	13.0-37.4	49	38.6	27.2-50.0	17	11.0	04.9-17.1	8	6.5	00.4-12.6
18-24	179	332,077	39	21.8	14.7-28.9	65	37.9	29.7-46.1	60	31.2	23.6-38.8	14	8.4	03.9-12.9	1	0.7	00.0-02.1
25-34	320	422,190	73	21.5	16.6-26.4	95	28.9	23.2-34.6	114	36.8	30.9-42.7	31	9.6	05.9-13.3	7	3.2	00.5-05.9
35-44	437	423,199	72	14.8	10.7-18.9	163	36.3	31.0-41.6	131	32.5	27.4-37.6	57	13.7	10.0-17.4	14	2.7	00.9-04.5
45-54	665	456,088	95	13.7	10.6-16.8	221	35.0	30.5-39.5	216	33.0	28.5-37.5	88	12.3	09.2-15.4	45	6.0	04.0-08.0
55-64	726	361,317	93	11.9	09.2-14.6	220	30.8	26.7-34.9	251	36.9	32.6-41.2	102	11.8	09.1-14.5	60	8.4	05.9-10.9
65+	927	362,586	90	9.5	07.3-11.7	243	25.0	21.7-28.3	325	37.0	33.1-40.9	182	18.9	16.0-21.8	87	9.5	07.0-12.0
Less Than H.S.	355	382,161	22	8.3	04.4-12.2	69	27.0	20.5-33.5	116	33.0	26.7-39.3	90	19.8	14.9-24.7	58	11.9	08.0-15.8
H.S. or G.E.D.	1160	840,672	114	12.4	09.7-15.1	305	28.5	25.0-32.0	455	39.4	35.7-43.1	201	14.6	12.1-17.1	85	5.1	03.7-06.5
Some Post-H.S.	771	654,737	101	17.0	13.3-20.7	242	33.1	28.8-37.4	283	36.3	32.0-40.6	105	10.1	07.6-12.6	40	3.5	02.1-04.9
College Graduate	983	486,595	224	24.1	20.8-27.4	395	41.9	38.2-45.6	253	26.0	22.5-29.5	80	6.2	04.6-07.8	31	1.8	01.0-02.6
Less than \$15,000	324	240,101	29	10.6	06.1-15.1	47	15.4	10.1-20.7	97	35.3	28.0-42.6	81	20.5	14.8-26.2	70	18.2	12.9-23.5
\$15,000- 24,999	523	357,108	40	8.6	05.3-11.9	117	26.0	20.5-31.5	196	40.2	34.5-45.9	112	16.6	12.7-20.5	58	8.7	05.8-11.6
\$25,000- 34,999	368	259,560	42	14.5	08.6-20.4	107	32.1	25.0-39.2	124	31.6	25.3-37.9	65	16.1	11.2-21.0	30	5.7	03.2-08.2
\$35,000- 49,999	489	339,300	62	13.3	09.6-17.0	154	32.7	27.4-38.0	195	39.2	33.7-44.7	60	11.6	07.7-15.5	18	3.2	01.2-05.2
\$50,000- 74,999	455	335,234	69	15.5	11.2-19.8	162	37.5	31.8-43.2	171	37.0	31.5-42.5	45	8.7	05.4-12.0	8	1.4	00.2-02.6
\$75,000+	716	502,739	176	24.1	20.2-28.0	303	43.3	38.6-48.0	194	27.5	23.2-31.8	38	4.7	02.9-06.5	5	0.5	00.1-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5171	2,502,971	737	15.6	14.2-17.0	1577	32.7	30.9-34.5	1680	31.6	29.8-33.4	812	14.3	12.9-15.7	365	5.8	05.0-06.6
White/Non-Hisp	4140	2,116,370	616	16.0	14.4-17.6	1349	34.5	32.5-36.5	1310	30.6	28.6-32.6	587	13.4	12.0-14.8	278	5.6	04.6-06.6
Black or Afr. Am./Non-Hisp	654	208,008	78	15.0	10.1-19.9	147	25.7	18.8-32.6	229	33.6	27.1-40.1	155	21.3	15.8-26.8	45	4.4	01.9-06.9
Oth. Race/Non-Hisp.	60	21,304	11	19.4	04.5-34.3	10	10.2	02.4-18.0	22	42.8	25.9-59.7	12	21.2	07.3-35.1	5	6.5	00.0-13.2
MultiRacial/Non-Hisp.	67	25,218	5	9.6	01.0-18.2	18	22.2	10.4-34.0	16	26.1	12.2-40.0	15	21.6	08.5-34.7	13	20.4	08.6-32.2
Hispanic	174	102,705	17	8.6	02.9-14.3	42	23.5	14.5-32.5	71	44.8	34.0-55.6	30	15.0	08.1-21.9	14	8.1	02.6-13.6
18-24	200	318,892	29	13.9	08.6-19.2	78	42.0	34.2-49.8	68	31.0	23.9-38.1	21	10.3	05.4-15.2	4	2.8	00.0-05.9
25-34	507	413,272	96	20.2	16.1-24.3	186	33.9	29.0-38.8	167	34.5	29.6-39.4	49	9.6	06.5-12.7	9	1.9	00.5-03.3
35-44	596	410,264	138	21.8	17.9-25.7	189	32.5	27.8-37.2	182	29.2	24.9-33.5	67	12.6	09.3-15.9	20	3.9	01.9-05.9
45-54	883	465,555	143	16.0	13.1-18.9	274	32.0	28.3-35.7	269	29.7	26.0-33.4	127	15.1	12.0-18.2	70	7.1	05.1-09.1
55-64	1126	370,211	144	12.1	09.7-14.5	336	32.1	28.6-35.6	357	29.5	26.2-32.8	198	18.5	15.6-21.4	91	7.9	05.9-09.9
65+	1798	499,621	174	9.3	07.7-10.9	499	27.2	24.7-29.7	611	34.5	31.8-37.2	343	18.8	16.4-21.2	171	10.2	08.4-12.0
Less Than H.S.	497	322,240	24	5.1	02.4-07.8	86	25.7	19.4-32.0	153	30.4	24.7-36.1	138	25.1	19.6-30.6	96	13.7	10.0-17.4
H.S. or G.E.D.	1982	880,189	216	12.0	10.0-14.0	551	30.0	27.1-32.9	713	35.4	32.5-38.3	355	16.5	14.3-18.7	147	6.0	04.4-07.6
Some Post-H.S.	1319	781,254	189	17.7	14.8-20.6	413	33.6	30.1-37.1	432	31.1	27.8-34.4	202	12.5	10.1-14.9	83	5.1	03.7-06.5
College Graduate	1355	512,213	307	25.1	22.2-28.0	525	40.7	37.4-44.0	373	26.0	23.1-28.9	114	6.6	05.0-08.2	36	1.6	01.0-02.2
Less than \$15,000	676	311,154	45	8.1	04.8-11.4	124	22.4	17.3-27.5	203	28.7	23.6-33.8	180	24.9	20.4-29.4	124	15.9	12.2-19.6
\$15,000- 24,999	983	425,319	84	11.1	08.2-14.0	227	23.7	19.8-27.6	348	37.7	33.4-42.0	226	18.8	15.7-21.9	98	8.8	06.6-11.0
\$25,000- 34,999	536	252,010	60	10.9	07.2-14.6	172	36.8	30.5-43.1	208	35.6	29.9-41.3	76	14.1	10.0-18.2	20	2.5	01.1-03.9
\$35,000- 49,999	655	301,199	102	15.2	11.7-18.7	202	32.1	27.2-37.0	242	33.9	29.2-38.6	83	14.2	10.5-17.9	26	4.6	02.4-06.8
\$50,000- 74,999	611	313,227	113	16.4	12.9-19.9	262	46.6	41.3-51.9	172	24.9	20.4-29.4	51	9.1	05.6-12.6	13	2.9	00.0-05.8
\$75,000+	793	464,193	211	27.0	23.3-30.7	334	41.1	37.0-45.2	203	27.0	23.1-30.9	35	4.3	02.5-06.1	10	0.6	00.2-01.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	8177	4,751,863	4965	61.5	60.1-62.9	791	10.4	09.4-11.4	911	12.0	11.0-13.0	837	9.2	08.4-10.0	673	6.9	06.1-07.7	
Male	3178	2,301,988	2049	65.4	63.2-67.6	314	10.4	09.0-11.8	314	10.7	09.1-12.3	255	7.0	05.8-08.2	246	6.6	05.6-07.6	
Female	4999	2,449,875	2916	57.9	55.9-59.9	477	10.4	09.2-11.6	597	13.2	11.8-14.6	582	11.2	10.0-12.4	427	7.3	06.3-08.3	
White/Non-Hisp	6637	3,963,244	4071	61.4	59.8-63.0	657	10.6	09.6-11.6	711	11.8	10.6-13.0	660	9.4	08.4-10.4	538	6.9	06.1-07.7	
Black or Afr. Am./Non-Hisp	917	390,599	528	65.2	59.9-70.5	82	8.6	05.7-11.5	114	10.4	07.1-13.7	123	10.1	07.0-13.2	70	5.7	03.3-08.1	
Oth. Race/Non-Hisp.	125	69,556	83	68.3	56.3-80.3	13	6.9	02.2-11.6	15	11.9	04.5-19.3	7	3.1	00.0-06.2	7	9.7	00.0-20.1	
MultiRacial/Non-Hisp.	104	52,968	47	47.1	33.8-60.4	6	10.3	00.7-19.9	14	14.6	04.8-24.4	15	14.4	05.8-23.0	22	13.7	06.1-21.3	
Hispanic	264	213,412	161	61.0	52.2-69.8	22	10.4	03.9-16.9	42	17.9	10.8-25.0	20	4.6	01.5-07.7	19	6.1	02.2-10.0	
18-24	374	643,030	226	58.1	52.2-64.0	56	14.6	10.5-18.7	63	19.1	14.4-23.8	22	5.9	03.2-08.6	7	2.2	00.2-04.2	
25-34	817	823,059	528	65.6	61.7-69.5	102	11.6	09.1-14.1	101	12.1	09.4-14.8	51	5.9	03.9-07.9	35	4.8	02.8-06.8	
35-44	1018	814,171	632	61.6	58.1-65.1	128	12.9	10.4-15.4	116	10.8	08.6-13.0	92	9.6	07.4-11.8	50	5.1	03.5-06.7	
45-54	1520	904,516	925	62.4	59.5-65.3	149	9.0	07.2-10.8	158	10.8	08.8-12.8	161	10.1	08.1-12.1	127	7.7	06.1-09.3	
55-64	1813	719,371	1086	60.3	57.6-63.0	152	7.5	06.1-08.9	195	10.4	08.6-12.2	207	11.8	09.8-13.8	173	10.1	08.3-11.9	
65+	2551	810,870	1503	59.3	56.9-61.7	201	7.5	06.3-08.7	269	10.6	09.0-12.2	299	11.4	09.8-13.0	279	11.2	09.6-12.8	
Less Than H.S.	792	670,604	365	50.0	45.1-54.9	56	8.7	05.8-11.6	108	13.9	10.4-17.4	141	15.0	11.9-18.1	122	12.3	09.4-15.2	
H.S. or G.E.D.	3015	1,670,376	1820	62.0	59.6-64.4	226	8.4	06.8-10.0	324	11.7	09.9-13.5	362	10.6	09.2-12.0	283	7.2	06.0-08.4	
Some Post-H.S.	2034	1,407,091	1225	62.6	59.9-65.3	209	10.4	08.6-12.2	244	12.6	10.6-14.6	200	8.0	06.4-09.6	156	6.4	05.2-07.6	
College Graduate	2311	993,210	1539	66.9	64.4-69.4	298	14.7	12.7-16.7	234	10.6	08.8-12.4	132	4.3	03.3-05.3	108	3.5	02.7-04.3	
Less than \$15,000	956	533,882	391	42.0	37.5-46.5	69	8.4	05.9-10.9	125	14.1	10.8-17.4	202	19.9	16.4-23.4	169	15.6	12.5-18.7	
\$15,000- 24,999	1432	748,693	741	54.0	50.3-57.7	116	9.1	06.9-11.3	209	15.5	12.8-18.2	198	11.8	09.6-14.0	168	9.7	07.7-11.7	
\$25,000- 34,999	880	497,902	543	61.1	56.4-65.8	87	10.6	07.3-13.9	93	11.8	08.7-14.9	89	9.6	07.1-12.1	68	6.9	04.7-09.1	
\$35,000- 49,999	1122	630,341	750	67.0	63.3-70.7	103	10.4	07.9-12.9	117	9.9	07.5-12.3	90	7.3	05.5-09.1	62	5.4	03.6-07.2	
\$50,000- 74,999	1055	643,613	724	68.5	64.8-72.2	109	9.7	07.3-12.1	110	11.1	08.6-13.6	67	6.4	04.4-08.4	45	4.3	02.5-06.1	
\$75,000+	1501	963,463	1054	70.1	67.2-73.0	196	12.9	10.7-15.1	143	10.7	08.5-12.9	67	3.7	02.7-04.7	41	2.5	01.5-03.5	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2011

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	3178	2,301,988	2049	65.4	63.2-67.6	314	10.4	09.0-11.8	314	10.7	09.1-12.3	255	7.0	05.8-08.2	246	6.6	05.6-07.6	
White/Non-Hisp	2620	1,886,991	1693	64.6	62.2-67.0	269	10.8	09.2-12.4	253	10.7	08.9-12.5	201	7.3	06.1-08.5	204	6.7	05.5-07.9	
Black or Afr. Am./Non-Hisp	293	187,186	185	75.1	67.8-82.4	24	5.8	02.3-09.3	27	7.6	03.1-12.1	37	7.0	02.9-11.1	20	4.6	01.5-07.7	
Oth. Race/Non-Hisp.	67	48,424	50	71.4	55.7-87.1	4	4.1	00.0-08.4	7	12.3	02.1-22.5	3	1.1	00.0-02.5	3	11.0	00.0-25.3	
Hispanic	100	117,807	67	66.7	53.6-79.8	7	10.3	00.3-20.3	16	14.6	04.8-24.4	6	4.1	00.0-08.8	4	4.3	00.0-10.0	
18-24	176	327,068	110	61.7	53.3-70.1	30	14.8	08.7-20.9	28	18.4	11.3-25.5	6	3.8	00.7-06.9	2	1.3	00.0-03.1	
25-34	317	414,283	223	69.2	63.3-75.1	35	9.9	06.6-13.2	36	11.6	07.5-15.7	10	3.7	01.3-06.1	13	5.6	02.3-08.9	
35-44	425	406,497	284	65.5	60.2-70.8	53	13.5	09.6-17.4	41	9.0	05.9-12.1	30	8.3	05.2-11.4	17	3.6	01.6-05.6	
45-54	648	444,841	413	66.9	62.6-71.2	65	9.4	06.9-11.9	61	8.5	06.0-11.0	58	8.0	05.6-10.4	51	7.1	04.7-09.5	
55-64	709	353,974	444	62.8	58.5-67.1	71	8.5	06.1-10.9	59	9.6	06.9-12.3	62	8.0	05.6-10.4	73	11.0	08.1-13.9	
65+	878	342,941	556	64.0	60.1-67.9	59	6.2	04.4-08.0	88	8.8	06.6-11.0	86	9.8	07.3-12.3	89	11.1	08.4-13.8	
Less Than H.S.	330	361,776	169	55.9	49.0-62.8	21	6.7	03.0-10.4	38	13.0	08.1-17.9	54	12.0	08.1-15.9	48	12.3	08.0-16.6	
H.S. or G.E.D.	1115	813,752	728	66.3	62.6-70.0	83	9.3	06.8-11.8	101	10.1	07.6-12.6	101	7.7	05.9-09.5	102	6.5	04.9-08.1	
Some Post-H.S.	744	636,338	470	67.0	62.7-71.3	89	10.9	08.2-13.6	74	9.7	06.6-12.8	54	6.1	03.9-08.3	57	6.4	04.4-08.4	
College Graduate	980	485,928	676	68.7	65.0-72.4	120	14.0	11.1-16.9	101	11.7	09.0-14.4	45	3.1	01.9-04.3	38	2.6	01.6-03.6	
Less than \$15,000	308	234,859	135	47.6	40.2-55.0	23	7.3	03.6-11.0	36	11.7	06.8-16.6	53	16.7	11.0-22.4	61	16.6	11.5-21.7	
\$15,000- 24,999	490	332,349	265	55.7	49.8-61.6	38	9.5	05.8-13.2	67	15.4	10.7-20.1	60	10.0	06.9-13.1	60	9.4	06.3-12.5	
\$25,000- 34,999	354	248,821	215	62.4	55.3-69.5	34	10.2	04.9-15.5	37	10.8	06.1-15.5	33	8.5	05.0-12.0	35	8.1	04.8-11.4	
\$35,000- 49,999	482	334,319	348	71.0	65.7-76.3	40	11.0	07.1-14.9	40	8.9	05.4-12.4	33	5.3	03.1-07.5	21	3.9	01.7-06.1	
\$50,000- 74,999	449	330,419	329	73.3	68.0-78.6	42	9.4	05.9-12.9	42	10.3	06.6-14.0	19	3.4	01.6-05.2	17	3.6	01.4-05.8	
\$75,000+	713	501,822	508	71.3	67.0-75.6	96	13.3	10.2-16.4	63	9.9	07.0-12.8	28	3.1	01.7-04.5	18	2.4	01.2-03.6	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2011

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4999	2,449,875	2916	57.9	55.9-59.9	477	10.4	09.2-11.6	597	13.2	11.8-14.6	582	11.2	10.0-12.4	427	7.3	06.3-08.3
White/Non-Hisp	4017	2,076,253	2378	58.4	56.2-60.6	388	10.4	09.0-11.8	458	12.8	11.2-14.4	459	11.3	09.9-12.7	334	7.1	06.1-08.1
Black or Afr. Am./Non-Hisp	624	203,413	343	56.1	49.0-63.2	58	11.2	06.7-15.7	87	13.1	08.4-17.8	86	12.9	08.4-17.4	50	6.7	03.6-09.8
Oth. Race/Non-Hisp.	58	21,132	33	61.2	44.9-77.5	9	13.2	02.0-24.4	8	10.9	02.5-19.3	4	7.8	00.0-17.4	4	6.9	00.0-14.5
MultiRacial/Non-Hisp.	67	25,200	27	40.5	25.4-55.6	1	3.0	00.0-08.9	10	16.7	04.2-29.2	13	21.2	09.0-33.4	16	18.7	08.3-29.1
Hispanic	164	95,606	94	53.8	42.6-65.0	15	10.6	02.8-18.4	26	21.8	12.0-31.6	14	5.3	01.2-09.4	15	8.4	02.9-13.9
18-24	198	315,961	116	54.5	46.5-62.5	26	14.4	08.7-20.1	35	19.9	13.4-26.4	16	8.0	03.7-12.3	5	3.2	00.0-06.5
25-34	500	408,776	305	61.9	56.8-67.0	67	13.3	09.8-16.8	65	12.5	09.2-15.8	41	8.2	05.3-11.1	22	4.0	02.2-05.8
35-44	593	407,674	348	57.8	53.1-62.5	75	12.3	09.4-15.2	75	12.5	09.4-15.6	62	10.8	07.9-13.7	33	6.5	04.0-09.0
45-54	872	459,675	512	58.0	53.9-62.1	84	8.6	06.4-10.8	97	13.0	10.1-15.9	103	12.1	09.2-15.0	76	8.3	06.1-10.5
55-64	1104	365,396	642	57.8	54.1-61.5	81	6.4	04.6-08.2	136	11.1	08.7-13.5	145	15.4	12.5-18.3	100	9.3	07.1-11.5
65+	1673	467,929	947	55.9	53.0-58.8	142	8.5	06.7-10.3	181	11.9	09.9-13.9	213	12.6	10.6-14.6	190	11.2	09.2-13.2
Less Than H.S.	462	308,828	196	43.1	36.6-49.6	35	11.0	06.3-15.7	70	15.0	10.1-19.9	87	18.6	13.7-23.5	74	12.4	08.7-16.1
H.S. or G.E.D.	1900	856,624	1092	57.9	54.8-61.0	143	7.6	06.0-09.2	223	13.2	10.8-15.6	261	13.4	11.4-15.4	181	7.9	06.3-09.5
Some Post-H.S.	1290	770,753	755	59.0	55.5-62.5	120	10.0	07.6-12.4	170	15.0	12.3-17.7	146	9.6	07.4-11.8	99	6.4	04.8-08.0
College Graduate	1331	507,282	863	65.2	61.9-68.5	178	15.4	12.9-17.9	133	9.6	07.6-11.6	87	5.5	04.1-06.9	70	4.3	03.1-05.5
Less than \$15,000	648	299,023	256	37.5	32.0-43.0	46	9.3	05.6-13.0	89	16.0	11.7-20.3	149	22.5	17.8-27.2	108	14.8	11.1-18.5
\$15,000- 24,999	942	416,344	476	52.6	48.1-57.1	78	8.8	06.1-11.5	142	15.5	12.0-19.0	138	13.2	10.5-15.9	108	9.8	07.3-12.3
\$25,000- 34,999	526	249,081	328	59.9	53.8-66.0	53	11.0	06.7-15.3	56	12.8	08.7-16.9	56	10.6	06.9-14.3	33	5.6	03.2-08.0
\$35,000- 49,999	640	296,022	402	62.6	57.5-67.7	63	9.9	06.8-13.0	77	11.0	07.9-14.1	57	9.5	06.6-12.4	41	7.1	04.4-09.8
\$50,000- 74,999	606	313,194	395	63.5	58.2-68.8	67	10.0	07.3-12.7	68	12.0	08.7-15.3	48	9.6	06.1-13.1	28	5.0	01.9-08.1
\$75,000+	788	461,641	546	68.7	64.6-72.8	100	12.6	09.9-15.3	80	11.7	08.6-14.8	39	4.4	02.8-06.0	23	2.6	01.4-03.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8249	4,786,860	5463	62.2	60.6-63.8	712	9.4	08.4-10.4	828	11.3	10.3-12.3	776	10.6	09.6-11.6	470	6.5	05.7-07.3
Male	3212	2,330,441	2286	67.1	64.9-69.3	255	9.4	07.8-11.0	268	9.8	08.4-11.2	249	8.3	07.1-09.5	154	5.4	04.4-06.4
Female	5037	2,456,419	3177	57.6	55.6-59.6	457	9.4	08.2-10.6	560	12.7	11.3-14.1	527	12.7	11.3-14.1	316	7.6	06.4-08.8
White/Non-Hisp	6680	3,982,233	4466	62.8	61.2-64.4	561	8.9	07.9-09.9	656	11.2	10.2-12.2	627	10.6	09.6-11.6	370	6.5	05.7-07.3
Black or Afr. Am./Non-Hisp	934	394,373	604	63.0	57.3-68.7	85	8.5	05.4-11.6	106	12.5	08.6-16.4	90	9.6	06.3-12.9	49	6.4	03.7-09.1
Oth. Race/Non-Hisp.	128	72,642	95	67.3	54.8-79.8	6	6.7	00.0-13.6	8	5.6	00.3-10.9	6	7.8	00.0-16.0	13	12.5	02.5-22.5
MultiRacial/Non-Hisp.	102	53,014	55	46.9	33.8-60.0	13	18.6	06.3-30.9	11	12.8	04.4-21.2	12	14.2	03.8-24.6	11	7.5	02.2-12.8
Hispanic	271	219,930	163	56.2	47.6-64.8	28	13.7	07.2-20.2	39	14.2	08.7-19.7	28	11.6	05.7-17.5	13	4.3	01.4-07.2
18-24	374	647,448	185	48.5	42.6-54.4	51	14.6	10.3-18.9	56	16.1	11.8-20.4	58	14.0	10.3-17.7	24	6.8	03.9-09.7
25-34	812	817,643	469	57.6	53.5-61.7	84	9.7	07.3-12.1	119	13.9	11.2-16.6	88	10.7	08.2-13.2	52	8.0	05.6-10.4
35-44	1021	822,855	605	58.2	54.5-61.9	115	10.6	08.4-12.8	123	12.0	09.6-14.4	105	11.7	09.2-14.2	73	7.5	05.5-09.5
45-54	1520	903,774	935	61.6	58.7-64.5	137	8.3	06.7-09.9	151	10.3	08.3-12.3	186	12.5	10.5-14.5	111	7.3	05.5-09.1
55-64	1813	722,468	1188	65.7	63.0-68.4	145	8.0	06.4-09.6	189	10.4	08.6-12.2	170	9.5	07.7-11.3	121	6.4	05.0-07.8
65+	2624	835,833	2010	77.9	75.9-79.9	176	6.5	05.3-07.7	187	6.4	05.2-07.6	165	5.8	04.6-07.0	86	3.3	02.5-04.1
Less Than H.S.	810	680,384	445	53.5	48.8-58.2	60	8.1	05.4-10.8	95	10.9	08.0-13.8	124	16.5	13.0-20.0	86	11.0	07.9-14.1
H.S. or G.E.D.	3044	1,681,054	2069	64.7	62.3-67.1	239	8.5	07.1-09.9	261	9.7	08.1-11.3	298	10.5	08.9-12.1	177	6.6	05.4-07.8
Some Post-H.S.	2057	1,421,241	1301	59.3	56.4-62.2	179	9.7	07.9-11.5	249	13.5	11.3-15.7	200	10.7	08.9-12.5	128	6.8	05.4-08.2
College Graduate	2311	992,550	1632	68.3	65.9-70.7	230	11.1	09.3-12.9	222	11.2	09.4-13.0	149	6.3	05.1-07.5	78	3.1	02.3-03.9
Less than \$15,000	961	533,258	462	44.6	40.1-49.1	81	8.9	06.4-11.4	114	12.0	09.1-14.9	176	19.1	15.6-22.6	128	15.5	12.2-18.8
\$15,000- 24,999	1449	757,334	892	56.3	52.6-60.0	108	7.2	05.2-09.2	163	12.9	10.4-15.4	168	14.3	11.6-17.0	118	9.2	07.0-11.4
\$25,000- 34,999	889	506,529	595	62.5	57.8-67.2	81	9.5	06.8-12.2	85	11.1	08.2-14.0	86	11.3	08.4-14.2	42	5.7	03.3-08.1
\$35,000- 49,999	1124	631,460	810	66.7	63.0-70.4	87	9.3	06.9-11.7	104	10.4	07.9-12.9	88	9.8	07.3-12.3	35	3.9	02.3-05.5
\$50,000- 74,999	1064	646,689	753	67.8	64.1-71.5	88	8.6	06.2-11.0	100	10.7	08.2-13.2	76	7.9	05.9-09.9	47	5.1	03.1-07.1
\$75,000+	1502	963,783	1075	68.9	65.8-72.0	159	11.6	09.4-13.8	141	10.7	08.5-12.9	91	6.0	04.4-07.6	36	2.8	01.6-04.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2011

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	3212	2,330,441	2286	67.1	64.9-69.3	255	9.4	07.8-11.0	268	9.8	08.4-11.2	249	8.3	07.1-09.5	154	5.4	04.4-06.4	
White/Non-Hisp	2635	1,901,697	1902	67.6	65.2-70.0	197	8.7	07.1-10.3	217	9.8	08.2-11.4	196	8.3	06.9-09.7	123	5.5	04.3-06.7	
Black or Afr. Am./Non-Hisp	298	189,579	208	73.5	65.7-81.3	26	6.8	02.7-10.9	27	10.5	04.6-16.4	28	6.7	02.8-10.6	9	2.5	00.0-05.4	
Oth. Race/Non-Hisp.	69	51,759	52	67.5	51.2-83.8	3	7.6	00.0-16.8	3	5.6	00.0-12.5	5	10.3	00.0-21.5	6	9.0	00.0-21.5	
Hispanic	106	122,292	64	59.5	47.2-71.8	15	17.7	07.1-28.3	13	11.2	04.5-17.9	10	7.3	00.8-13.8	4	4.4	00.0-09.1	
18-24	178	332,654	90	51.1	42.7-59.5	34	20.6	13.5-27.7	27	14.9	08.8-21.0	21	10.1	05.4-14.8	6	3.3	00.6-06.0	
25-34	315	412,255	200	62.1	56.0-68.2	31	9.6	06.1-13.1	40	12.4	08.3-16.5	21	6.5	03.4-09.6	23	9.4	05.5-13.3	
35-44	428	412,923	292	66.1	60.8-71.4	35	7.9	05.0-10.8	44	10.9	07.6-14.2	30	8.6	05.3-11.9	27	6.5	03.8-09.2	
45-54	650	445,929	436	67.7	63.4-72.0	56	7.4	05.2-09.6	45	7.6	05.1-10.1	74	12.2	09.1-15.3	39	5.1	03.1-07.1	
55-64	714	359,649	522	72.6	68.7-76.5	45	6.7	04.3-09.1	66	9.3	06.8-11.8	52	6.7	04.5-08.9	29	4.7	02.7-06.7	
65+	901	354,346	726	82.2	79.3-85.1	52	5.6	03.8-07.4	44	4.1	02.7-05.5	50	5.2	03.4-07.0	29	2.9	01.5-04.3	
Less Than H.S.	338	367,199	190	54.6	47.7-61.5	31	9.7	05.4-14.0	34	11.3	06.8-15.8	53	16.5	11.6-21.4	30	8.0	04.5-11.5	
H.S. or G.E.D.	1125	821,441	812	69.9	66.4-73.4	81	8.4	06.0-10.8	83	8.7	06.5-10.9	93	7.8	05.8-09.8	56	5.3	03.5-07.1	
Some Post-H.S.	765	652,206	520	64.4	59.9-68.9	64	10.3	07.0-13.6	80	11.5	08.4-14.6	59	7.4	05.0-09.8	42	6.4	04.0-08.8	
College Graduate	974	484,984	757	75.6	72.1-79.1	78	9.4	06.9-11.9	71	8.5	06.3-10.7	43	4.1	02.7-05.5	25	2.4	01.2-03.6	
Less than \$15,000	306	230,701	146	47.6	40.0-55.2	28	8.9	04.8-13.0	32	10.3	06.0-14.6	61	17.4	12.1-22.7	39	15.8	09.9-21.7	
\$15,000- 24,999	504	344,423	318	57.3	51.4-63.2	32	7.2	04.1-10.3	51	13.7	09.4-18.0	61	13.3	09.0-17.6	42	8.4	05.3-11.5	
\$25,000- 34,999	362	257,017	253	67.3	60.6-74.0	33	9.9	05.4-14.4	33	10.1	05.8-14.4	30	9.1	05.2-13.0	13	3.6	01.2-06.0	
\$35,000- 49,999	484	338,673	378	71.5	66.0-77.0	35	9.5	05.8-13.2	39	10.5	06.6-14.4	25	7.4	04.1-10.7	7	1.1	00.1-02.1	
\$50,000- 74,999	454	332,581	340	71.5	66.2-76.8	38	9.5	05.8-13.2	33	8.3	05.0-11.6	26	6.5	03.8-09.2	17	4.2	01.8-06.6	
\$75,000+	712	500,463	571	76.6	72.3-80.9	56	10.0	06.9-13.1	48	7.6	04.9-10.3	23	3.1	01.5-04.7	14	2.8	01.2-04.4	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2011

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5037	2,456,419	3177	57.6	55.6-59.6	457	9.4	08.2-10.6	560	12.7	11.3-14.1	527	12.7	11.3-14.1	316	7.6	06.4-08.8
White/Non-Hisp	4045	2,080,536	2564	58.3	56.1-60.5	364	9.1	07.9-10.3	439	12.5	11.1-13.9	431	12.7	11.3-14.1	247	7.4	06.2-08.6
Black or Afr. Am./Non-Hisp	636	204,794	396	53.3	46.0-60.6	59	10.1	05.6-14.6	79	14.3	09.0-19.6	62	12.4	07.3-17.5	40	10.0	05.5-14.5
Oth. Race/Non-Hisp.	59	20,882	43	66.8	50.1-83.5	3	4.5	00.0-11.0	5	5.7	00.0-12.2	1	1.7	00.0-05.0	7	21.4	05.5-37.3
MultiRacial/Non-Hisp.	65	24,718	36	50.2	34.7-65.7	8	11.8	02.8-20.8	6	13.4	02.0-24.8	9	17.1	03.8-30.4	6	7.5	00.4-14.6
Hispanic	165	97,638	99	52.1	40.9-63.3	13	8.8	02.7-14.9	26	17.9	09.1-26.7	18	17.0	07.0-27.0	9	4.2	00.9-07.5
18-24	196	314,793	95	45.7	37.7-53.7	17	8.2	03.7-12.7	29	17.4	11.1-23.7	37	18.2	12.3-24.1	18	10.5	05.4-15.6
25-34	497	405,388	269	53.1	47.8-58.4	53	9.8	06.9-12.7	79	15.4	11.7-19.1	67	15.0	10.9-19.1	29	6.7	03.8-09.6
35-44	593	409,932	313	50.3	45.4-55.2	80	13.2	09.9-16.5	79	13.1	10.0-16.2	75	14.8	11.3-18.3	46	8.6	05.9-11.3
45-54	870	457,845	499	55.7	51.6-59.8	81	9.1	06.7-11.5	106	13.0	10.1-15.9	112	12.8	10.1-15.5	72	9.4	06.7-12.1
55-64	1099	362,819	666	58.9	55.2-62.6	100	9.2	07.0-11.4	123	11.5	09.1-13.9	118	12.3	09.8-14.8	92	8.1	06.1-10.1
65+	1723	481,488	1284	74.8	72.3-77.3	124	7.1	05.5-08.7	143	8.2	06.6-09.8	115	6.3	04.9-07.7	57	3.6	02.4-04.8
Less Than H.S.	472	313,185	255	52.2	45.7-58.7	29	6.2	02.7-09.7	61	10.5	06.8-14.2	71	16.5	11.6-21.4	56	14.6	09.5-19.7
H.S. or G.E.D.	1919	859,613	1257	59.7	56.6-62.8	158	8.7	06.9-10.5	178	10.7	08.5-12.9	205	13.2	11.0-15.4	121	7.8	06.0-09.6
Some Post-H.S.	1292	769,036	781	55.0	51.3-58.7	115	9.1	07.1-11.1	169	15.3	12.4-18.2	141	13.6	10.9-16.3	86	7.1	05.3-08.9
College Graduate	1337	507,566	875	61.4	58.1-64.7	152	12.8	10.4-15.2	151	13.7	11.2-16.2	106	8.4	06.4-10.4	53	3.8	02.6-05.0
Less than \$15,000	655	302,557	316	42.3	36.8-47.8	53	8.9	05.6-12.2	82	13.2	09.3-17.1	115	20.4	15.7-25.1	89	15.2	11.3-19.1
\$15,000- 24,999	945	412,911	574	55.4	50.9-59.9	76	7.2	04.8-09.6	112	12.3	09.4-15.2	107	15.1	11.4-18.8	76	9.9	07.2-12.6
\$25,000- 34,999	527	249,512	342	57.5	51.2-63.8	48	9.0	05.9-12.1	52	12.1	07.8-16.4	56	13.5	09.0-18.0	29	7.8	03.9-11.7
\$35,000- 49,999	640	292,787	432	61.0	55.7-66.3	52	8.9	05.8-12.0	65	10.2	07.1-13.3	63	12.6	08.9-16.3	28	7.2	04.3-10.1
\$50,000- 74,999	610	314,108	413	63.8	58.5-69.1	50	7.6	05.1-10.1	67	13.2	09.3-17.1	50	9.4	06.3-12.5	30	6.0	02.9-09.1
\$75,000+	790	463,320	504	60.6	56.3-64.9	103	13.3	10.6-16.0	93	14.1	10.8-17.4	68	9.2	06.7-11.7	22	2.9	01.3-04.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2011

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4611	2,751,208	2696	58.7	56.7-60.7	438	10.7	09.3-12.1	472	11.0	09.6-12.4	617	12.3	11.1-13.5	388	7.3	06.3-08.3
Male	1610	1,212,501	946	59.6	56.5-62.7	159	10.8	08.6-13.0	157	10.4	08.4-12.4	193	10.6	08.6-12.6	155	8.5	06.7-10.3
Female	3001	1,538,707	1750	58.1	55.6-60.6	279	10.5	08.7-12.3	315	11.5	09.9-13.1	424	13.6	11.8-15.4	233	6.3	05.3-07.3
White/Non-Hisp	3690	2,280,929	2170	59.1	56.9-61.3	366	10.7	09.3-12.1	368	10.7	09.3-12.1	483	12.6	11.2-14.0	303	6.9	05.9-07.9
Black or Afr. Am./Non-Hisp	531	206,417	308	57.8	50.4-65.2	39	7.8	03.5-12.1	69	17.0	10.9-23.1	78	10.2	06.3-14.1	37	7.2	03.5-10.9
Oth. Race/Non-Hisp.	62	38,031	36	58.3	39.9-76.7	2	1.9	00.0-04.6	6	14.0	01.7-26.3	9	9.6	01.4-17.8	9	16.2	00.0-32.9
MultiRacial/Non-Hisp.	72	36,869	35	44.5	28.2-60.8	4	4.8	00.0-10.3	4	9.0	00.0-21.0	15	22.3	10.1-34.5	14	19.5	06.2-32.8
Hispanic	174	148,959	103	55.8	44.8-66.8	16	17.5	06.9-28.1	19	8.9	03.4-14.4	24	10.2	03.7-16.7	12	7.5	01.8-13.2
18-24	250	434,473	156	62.7	55.6-69.8	33	15.2	09.7-20.7	32	11.7	07.2-16.2	23	7.9	04.2-11.6	6	2.5	00.5-04.5
25-34	479	480,200	293	59.8	54.5-65.1	59	12.4	08.9-15.9	58	12.4	08.7-16.1	53	10.4	07.1-13.7	16	5.0	02.3-07.7
35-44	608	500,710	355	58.7	54.0-63.4	74	10.0	07.3-12.7	65	12.1	09.0-15.2	75	12.5	09.4-15.6	39	6.7	04.3-09.1
45-54	862	499,589	469	54.3	50.2-58.4	92	11.3	08.6-14.0	89	11.0	08.5-13.5	127	14.7	11.6-17.8	85	8.7	06.5-10.9
55-64	997	394,998	555	56.2	52.3-60.1	85	8.4	06.4-10.4	104	9.4	07.2-11.6	153	15.3	12.4-18.2	100	10.7	08.2-13.2
65+	1386	430,443	848	60.7	57.4-64.0	92	6.4	04.8-08.0	123	9.1	07.1-11.1	182	13.2	11.0-15.4	141	10.6	08.4-12.8
Less Than H.S.	564	464,527	264	46.2	40.5-51.9	41	11.5	07.2-15.8	65	14.2	09.9-18.5	107	15.0	11.3-18.7	87	13.2	09.5-16.9
H.S. or G.E.D.	1685	937,310	984	58.5	55.2-61.8	126	9.6	07.2-12.0	159	10.1	08.1-12.1	267	14.8	12.4-17.2	149	6.9	05.5-08.3
Some Post-H.S.	1190	834,114	706	61.3	57.6-65.0	95	8.1	06.1-10.1	132	11.3	08.9-13.7	161	12.6	10.2-15.0	96	6.7	04.9-08.5
College Graduate	1154	506,507	729	66.4	63.1-69.7	175	16.0	13.3-18.7	116	9.5	07.3-11.7	81	4.8	03.4-06.2	53	3.3	02.1-04.5
Less than \$15,000	722	411,292	307	44.4	39.1-49.7	33	5.2	02.8-07.6	89	14.0	10.3-17.7	176	21.4	17.3-25.5	117	15.0	11.5-18.5
\$15,000- 24,999	955	508,572	532	54.0	49.5-58.5	67	9.5	06.4-12.6	87	10.0	07.3-12.7	155	15.9	12.6-19.2	114	10.6	08.1-13.1
\$25,000- 34,999	491	293,406	292	57.5	51.2-63.8	55	14.0	08.5-19.5	48	10.7	06.6-14.8	61	12.4	08.5-16.3	35	5.4	03.2-07.6
\$35,000- 49,999	551	325,328	351	63.7	58.4-69.0	61	9.6	06.7-12.5	57	12.5	08.4-16.6	55	9.6	06.5-12.7	27	4.7	02.3-07.1
\$50,000- 74,999	527	338,053	331	62.8	57.3-68.3	70	11.4	08.1-14.7	59	11.9	08.0-15.8	42	9.4	05.5-13.3	25	4.4	02.2-06.6
\$75,000+	701	461,528	484	70.0	65.7-74.3	98	14.4	11.1-17.7	64	9.1	06.4-11.8	40	4.6	02.8-06.4	15	1.8	00.6-03.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2011

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1610	1,212,501	946	59.6	56.5-62.7	159	10.8	08.6-13.0	157	10.4	08.4-12.4	193	10.6	08.6-12.6	155	8.5	06.7-10.3
White/Non-Hisp	1305	988,203	776	60.2	56.9-63.5	137	10.8	08.6-13.0	120	10.4	08.2-12.6	152	10.9	08.9-12.9	120	7.7	05.9-09.5
Black or Afr. Am./Non-Hisp	150	77,115	85	56.8	43.7-69.9	6	5.7	00.0-12.8	23	17.0	06.4-27.6	22	9.3	02.2-16.4	14	11.3	03.3-19.3
Hispanic	65	79,462	39	54.7	38.0-71.4	6	19.3	02.4-36.2	7	5.0	00.1-09.9	10	13.1	02.1-24.1	3	7.9	00.0-17.3
18-24	114	210,400	77	69.2	59.2-79.2	15	14.8	06.4-23.2	11	7.0	01.9-12.1	7	5.1	01.2-09.0	4	3.9	00.2-07.6
25-34	164	216,956	99	55.3	46.5-64.1	23	13.8	08.1-19.5	18	12.9	06.6-19.2	15	9.6	04.3-14.9	9	8.3	02.6-14.0
35-44	223	232,659	136	64.6	57.5-71.7	23	8.3	04.2-12.4	26	12.1	07.2-17.0	21	8.6	04.5-12.7	17	6.4	02.9-09.9
45-54	337	215,883	181	51.7	45.2-58.2	38	11.1	07.2-15.0	38	13.2	08.5-17.9	47	14.8	10.1-19.5	33	9.1	05.6-12.6
55-64	349	176,524	195	54.8	48.3-61.3	33	9.6	06.1-13.1	28	8.4	04.7-12.1	51	14.1	09.6-18.6	42	13.1	08.6-17.6
65+	414	157,195	252	60.9	55.0-66.8	26	6.3	03.2-09.4	36	7.7	04.6-10.8	50	12.8	08.7-16.9	50	12.2	08.3-16.1
Less Than H.S.	228	241,484	109	49.2	41.0-57.4	20	11.7	05.8-17.6	25	13.2	07.3-19.1	41	12.5	07.4-17.6	33	13.3	07.6-19.0
H.S. or G.E.D.	550	410,467	325	59.5	54.0-65.0	41	10.5	06.4-14.6	45	9.7	06.4-13.0	76	12.2	08.9-15.5	63	8.1	05.6-10.6
Some Post-H.S.	411	343,277	242	62.2	56.1-68.3	32	7.0	04.1-09.9	48	10.7	07.0-14.4	48	11.3	07.6-15.0	41	8.8	05.5-12.1
College Graduate	415	213,392	265	67.1	61.6-72.6	66	16.9	12.4-21.4	39	8.5	05.2-11.8	28	4.6	02.6-06.6	17	2.9	01.1-04.7
Less than \$15,000	230	169,568	97	43.9	35.3-52.5	12	5.6	01.9-09.3	25	11.3	06.0-16.6	50	18.7	12.2-25.2	46	20.5	13.4-27.6
\$15,000- 24,999	314	227,117	167	52.0	44.6-59.4	28	12.7	07.2-18.2	24	8.1	04.2-12.0	52	16.4	10.9-21.9	43	10.8	06.3-15.3
\$25,000- 34,999	198	139,231	112	53.7	43.9-63.5	22	17.1	07.9-26.3	19	9.2	03.5-14.9	28	13.7	07.8-19.6	17	6.2	02.7-09.7
\$35,000- 49,999	200	152,477	135	68.1	59.7-76.5	18	8.7	04.2-13.2	23	16.0	08.6-23.4	15	5.4	01.3-09.5	9	1.9	00.5-03.3
\$50,000- 74,999	202	158,811	133	69.2	61.4-77.0	18	6.2	02.7-09.7	22	11.2	05.3-17.1	14	6.3	02.6-10.0	15	7.1	03.0-11.2
\$75,000+	281	206,427	191	70.0	63.3-76.7	42	13.6	08.7-18.5	26	9.1	05.0-13.2	17	5.6	02.5-08.7	5	1.8	00.0-03.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2011

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3001	1,538,707	1750	58.1	55.6-60.6	279	10.5	08.7-12.3	315	11.5	09.9-13.1	424	13.6	11.8-15.4	233	6.3	05.3-07.3
White/Non-Hisp	2385	1,292,725	1394	58.3	55.6-61.0	229	10.6	08.8-12.4	248	11.0	09.2-12.8	331	13.8	11.8-15.8	183	6.3	05.1-07.5
Black or Afr. Am./Non-Hisp	381	129,302	223	58.5	49.5-67.5	33	9.0	03.5-14.5	46	17.0	09.6-24.4	56	10.8	05.9-15.7	23	4.8	01.5-08.1
Hispanic	109	69,498	64	57.1	43.6-70.6	10	15.4	03.6-27.2	12	13.4	03.6-23.2	14	6.9	01.2-12.6	9	7.2	01.1-13.3
18-24	136	224,073	79	56.6	47.0-66.2	18	15.5	08.1-22.9	21	16.2	09.1-23.3	16	10.5	04.6-16.4	2	1.2	00.0-03.0
25-34	315	263,244	194	63.4	57.1-69.7	36	11.2	06.9-15.5	40	12.0	07.9-16.1	38	11.0	06.9-15.1	7	2.3	00.5-04.1
35-44	385	268,051	219	53.5	47.6-59.4	51	11.5	08.0-15.0	39	12.1	08.0-16.2	54	16.0	11.5-20.5	22	7.0	03.7-10.3
45-54	525	283,706	288	56.3	51.0-61.6	54	11.4	07.7-15.1	51	9.2	06.3-12.1	80	14.5	10.4-18.6	52	8.5	05.8-11.2
55-64	648	218,474	360	57.3	52.6-62.0	52	7.4	05.0-09.8	76	10.2	07.5-12.9	102	16.2	12.5-19.9	58	8.9	06.2-11.6
65+	972	273,248	596	60.5	56.6-64.4	66	6.4	04.6-08.2	87	10.0	07.5-12.5	132	13.4	10.9-15.9	91	9.7	07.2-12.2
Less Than H.S.	336	223,044	155	42.9	35.3-50.5	21	11.2	04.9-17.5	40	15.3	09.2-21.4	66	17.6	12.3-22.9	54	13.0	08.5-17.5
H.S. or G.E.D.	1135	526,843	659	57.7	53.6-61.8	85	9.0	06.5-11.5	114	10.5	08.0-13.0	191	16.9	13.8-20.0	86	6.0	04.4-07.6
Some Post-H.S.	779	490,837	464	60.6	56.1-65.1	63	8.9	06.2-11.6	84	11.7	08.6-14.8	113	13.5	10.4-16.6	55	5.2	03.6-06.8
College Graduate	739	293,115	464	65.9	61.6-70.2	109	15.4	12.1-18.7	77	10.2	07.5-12.9	53	4.9	03.1-06.7	36	3.5	02.1-04.9
Less than \$15,000	492	241,724	210	44.7	38.2-51.2	21	4.9	02.0-07.8	64	15.9	10.8-21.0	126	23.4	18.1-28.7	71	11.2	07.7-14.7
\$15,000- 24,999	641	281,455	365	55.6	50.1-61.1	39	6.9	03.6-10.2	63	11.6	07.7-15.5	103	15.5	11.8-19.2	71	10.5	07.4-13.6
\$25,000- 34,999	293	154,175	180	60.9	52.9-68.9	33	11.2	05.3-17.1	29	12.1	06.4-17.8	33	11.2	06.1-16.3	18	4.6	02.1-07.1
\$35,000- 49,999	351	172,851	216	59.7	53.0-66.4	43	10.4	06.7-14.1	34	9.5	05.8-13.2	40	13.3	08.6-18.0	18	7.1	02.8-11.4
\$50,000- 74,999	325	179,242	198	57.2	49.8-64.6	52	16.0	10.9-21.1	37	12.6	07.5-17.7	28	12.1	05.8-18.4	10	2.1	00.5-03.7
\$75,000+	420	255,102	293	70.1	64.6-75.6	56	15.1	10.6-19.6	38	9.1	05.6-12.6	23	3.8	01.6-06.0	10	1.9	00.5-03.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1	MALES AND FEMALES	17
2	MALES ONLY	18
3	FEMALES ONLY	19
	DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4	MALES AND FEMALES	20
5	MALES ONLY	21
6	FEMALES ONLY	22
	WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7	MALES AND FEMALES	23
8	MALES ONLY	24
9	FEMALES ONLY	25
	ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10	MALES AND FEMALES	26
11	MALES ONLY	27
12	FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8463	4,870,759	7270	80.2	78.8-81.6	1193	19.8	18.4-21.2
Male	3279	2,366,749	2734	76.8	74.6-79.0	545	23.2	21.0-25.4
Female	5184	2,504,010	4536	83.4	81.8-85.0	648	16.6	15.0-18.2
White/Non-Hisp	6833	4,033,652	5996	82.7	81.3-84.1	837	17.3	15.9-18.7
Black or Afr. Am./Non-Hisp	962	403,220	770	72.0	66.7-77.3	192	28.0	22.7-33.3
Oth. Race/Non-Hisp.	130	75,053	105	74.8	62.8-86.8	25	25.2	13.2-37.2
MultiRacial/Non-Hisp.	107	54,527	86	77.1	65.5-88.7	21	22.9	11.3-34.5
Hispanic	287	237,463	193	56.7	48.5-64.9	94	43.3	35.1-51.5
18-24	372	634,330	275	74.5	69.6-79.4	97	25.5	20.6-30.4
25-34	828	837,441	586	63.1	59.0-67.2	242	36.9	32.8-41.0
35-44	1036	834,270	824	77.0	73.9-80.1	212	23.0	19.9-26.1
45-54	1554	926,814	1279	82.7	80.3-85.1	275	17.3	14.9-19.7
55-64	1856	737,624	1576	84.7	82.5-86.9	280	15.3	13.1-17.5
65+	2731	862,760	2652	97.3	96.5-98.1	79	2.7	01.9-03.5
Less Than H.S.	856	701,640	641	64.0	59.5-68.5	215	36.0	31.5-40.5
H.S. or G.E.D.	3145	1,723,164	2647	78.2	76.0-80.4	498	21.8	19.6-24.0
Some Post-H.S.	2094	1,432,036	1789	82.1	79.7-84.5	305	17.9	15.5-20.3
College Graduate	2340	1,001,284	2167	92.0	90.4-93.6	173	8.0	06.4-09.6
Less than \$15,000	1001	549,598	720	59.9	55.4-64.4	281	40.1	35.6-44.6
\$15,000- 24,999	1507	783,218	1171	66.7	63.2-70.2	336	33.3	29.8-36.8
\$25,000- 34,999	906	513,154	748	74.3	69.8-78.8	158	25.7	21.2-30.2
\$35,000- 49,999	1147	641,504	1022	83.9	80.8-87.0	125	16.1	13.0-19.2
\$50,000- 74,999	1070	645,905	994	89.4	86.5-92.3	76	10.6	07.7-13.5
\$75,000+	1517	971,385	1479	97.2	96.2-98.2	38	2.8	01.8-03.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3279	2,366,749	2734	76.8	74.8-78.8	545	23.2	21.2-25.2
White/Non-Hisp	2683	1,916,615	2282	79.8	77.6-82.0	401	20.2	18.0-22.4
Black or Afr. Am./Non-Hisp	306	195,070	245	67.9	59.1-76.7	61	32.1	23.3-40.9
Oth. Race/Non-Hisp.	70	53,748	52	67.7	52.0-83.4	18	32.3	16.6-48.0
Hispanic	113	134,758	71	55.1	43.1-67.1	42	44.9	32.9-56.9
18-24	174	322,195	121	71.6	64.3-78.9	53	28.4	21.1-35.7
25-34	321	424,169	204	55.3	49.0-61.6	117	44.7	38.4-51.0
35-44	438	422,078	342	74.9	70.0-79.8	96	25.1	20.2-30.0
45-54	667	459,464	538	81.4	77.9-84.9	129	18.6	15.1-22.1
55-64	727	363,828	610	83.4	80.1-86.7	117	16.6	13.3-19.9
65+	927	362,652	897	96.5	94.9-98.1	30	3.5	01.9-05.1
Less Than H.S.	357	381,866	256	62.2	55.7-68.7	101	37.8	31.3-44.3
H.S. or G.E.D.	1157	839,325	924	73.2	69.7-76.7	233	26.8	23.3-30.3
Some Post-H.S.	771	651,864	645	79.5	75.6-83.4	126	20.5	16.6-24.4
College Graduate	984	488,134	900	90.6	88.1-93.1	84	9.4	06.9-11.9
Less than \$15,000	324	241,819	209	48.0	40.7-55.3	115	52.0	44.7-59.3
\$15,000- 24,999	521	356,416	381	61.9	56.0-67.8	140	38.1	32.2-44.0
\$25,000- 34,999	367	258,939	285	69.4	62.5-76.3	82	30.6	23.7-37.5
\$35,000- 49,999	491	340,220	425	80.0	75.1-84.9	66	20.0	15.1-24.9
\$50,000- 74,999	456	332,511	413	87.8	83.3-92.3	43	12.2	07.7-16.7
\$75,000+	721	505,846	697	96.8	95.2-98.4	24	3.2	01.6-04.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5184	2,504,010	4536	83.4	81.8-85.0	648	16.6	15.0-18.2
White/Non-Hisp	4150	2,117,038	3714	85.2	83.6-86.8	436	14.8	13.2-16.4
Black or Afr. Am./Non-Hisp	656	208,150	525	75.9	69.8-82.0	131	24.1	18.0-30.2
Oth. Race/Non-Hisp.	60	21,304	53	92.8	86.3-99.3	7	7.2	00.7-13.7
MultiRacial/Non-Hisp.	68	25,446	56	80.7	69.3-92.1	12	19.3	07.9-30.7
Hispanic	174	102,705	122	58.7	47.9-69.5	52	41.3	30.5-52.1
18-24	198	312,134	154	77.5	70.8-84.2	44	22.5	15.8-29.2
25-34	507	413,272	382	71.0	66.1-75.9	125	29.0	24.1-33.9
35-44	598	412,192	482	79.3	75.2-83.4	116	20.7	16.6-24.8
45-54	887	467,350	741	83.9	81.0-86.8	146	16.1	13.2-19.0
55-64	1129	373,796	966	85.9	83.2-88.6	163	14.1	11.4-16.8
65+	1804	500,108	1755	98.0	97.0-99.0	49	2.0	01.0-03.0
Less Than H.S.	499	319,774	385	66.1	60.0-72.2	114	33.9	27.8-40.0
H.S. or G.E.D.	1988	883,839	1723	83.0	80.5-85.5	265	17.0	14.5-19.5
Some Post-H.S.	1323	780,173	1144	84.2	81.5-86.9	179	15.8	13.1-18.5
College Graduate	1356	513,150	1267	93.4	91.6-95.2	89	6.6	04.8-08.4
Less than \$15,000	677	307,779	511	69.2	63.9-74.5	166	30.8	25.5-36.1
\$15,000- 24,999	986	426,802	790	70.7	66.2-75.2	196	29.3	24.8-33.8
\$25,000- 34,999	539	254,215	463	79.4	74.1-84.7	76	20.6	15.3-25.9
\$35,000- 49,999	656	301,284	597	88.4	84.7-92.1	59	11.6	07.9-15.3
\$50,000- 74,999	614	313,394	581	91.1	87.2-95.0	33	8.9	05.0-12.8
\$75,000+	796	465,539	782	97.6	96.0-99.2	14	2.4	00.8-04.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8452	4,879,438	6809	75.5	74.1-76.9	515	5.4	04.8-06.0	1128	19.1	17.9-20.3
Male	3277	2,374,526	2467	70.5	68.3-72.7	213	5.2	04.2-06.2	597	24.2	22.2-26.2
Female	5175	2,504,912	4342	80.2	78.6-81.8	302	5.5	04.7-06.3	531	14.3	12.7-15.9
White/Non-Hisp	6831	4,045,808	5639	78.6	77.2-80.0	407	5.2	04.6-05.8	785	16.2	15.0-17.4
Black or Afr. Am./Non-Hisp	957	401,719	728	64.6	58.7-70.5	64	5.7	03.3-08.1	165	29.8	23.9-35.7
Oth. Race/Non-Hisp.	128	74,170	82	54.4	42.1-66.7	9	11.7	01.5-21.9	37	33.8	22.2-45.4
MultiRacial/Non-Hisp.	106	54,427	78	65.7	52.4-79.0	8	5.9	01.2-10.6	20	28.4	15.1-41.7
Hispanic	286	237,059	177	52.5	44.3-60.7	18	5.5	02.2-08.8	91	42.0	33.8-50.2
18-24	379	654,169	222	60.5	55.0-66.0	11	3.1	00.9-05.3	146	36.4	30.9-41.9
25-34	825	833,049	529	60.4	56.3-64.5	43	5.8	03.8-07.8	253	33.8	29.9-37.7
35-44	1036	836,291	799	75.5	72.2-78.8	42	3.7	02.3-05.1	195	20.8	17.7-23.9
45-54	1552	923,728	1267	81.7	79.3-84.1	65	4.6	03.2-06.0	220	13.7	11.5-15.9
55-64	1857	737,063	1584	85.7	83.7-87.7	106	4.9	03.7-06.1	167	9.3	07.5-11.1
65+	2716	857,295	2333	85.5	83.7-87.3	245	9.6	08.2-11.0	138	4.9	03.9-05.9
Less Than H.S.	850	706,791	600	64.7	60.2-69.2	77	6.7	04.5-08.9	173	28.6	24.1-33.1
H.S. or G.E.D.	3138	1,719,742	2545	75.7	73.5-77.9	184	5.2	04.0-06.4	409	19.1	16.9-21.3
Some Post-H.S.	2095	1,440,250	1689	77.1	74.6-79.6	116	5.1	03.9-06.3	290	17.8	15.4-20.2
College Graduate	2340	999,604	1951	80.4	78.2-82.6	136	5.1	04.1-06.1	253	14.5	12.5-16.5
Less than \$15,000	995	553,732	712	60.5	56.0-65.0	65	6.9	04.5-09.3	218	32.6	28.1-37.1
\$15,000- 24,999	1504	780,746	1149	67.6	64.1-71.1	101	6.4	04.6-08.2	254	26.0	22.5-29.5
\$25,000- 34,999	905	513,314	726	72.7	68.2-77.2	49	5.0	03.0-07.0	130	22.3	18.0-26.6
\$35,000- 49,999	1143	639,878	952	80.1	76.8-83.4	59	4.9	03.3-06.5	132	15.0	12.1-17.9
\$50,000- 74,999	1072	653,129	913	82.7	79.4-86.0	59	4.9	03.1-06.7	100	12.4	09.5-15.3
\$75,000+	1513	967,717	1321	86.0	83.6-88.4	70	4.0	02.8-05.2	122	10.0	07.8-12.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3277	2,374,526	2467	70.5	68.3-72.7	213	5.2	04.2-06.2	597	24.2	22.2-26.2
White/Non-Hisp	2683	1,925,365	2095	74.7	72.5-76.9	166	5.0	04.0-06.0	422	20.3	18.3-22.3
Black or Afr. Am./Non-Hisp	302	193,638	207	57.4	48.2-66.6	28	5.1	01.8-08.4	67	37.5	28.1-46.9
Oth. Race/Non-Hisp.	70	53,748	35	44.4	29.3-59.5	7	15.7	02.0-29.4	28	39.9	25.0-54.8
Hispanic	113	134,758	55	44.9	32.6-57.2	7	5.9	00.6-11.2	51	49.2	37.0-61.4
18-24	179	335,278	93	57.4	49.4-65.4	4	1.7	00.0-03.9	82	40.9	32.9-48.9
25-34	320	421,913	169	51.1	44.8-57.4	16	5.9	02.8-09.0	135	43.0	36.9-49.1
35-44	438	423,895	315	70.7	65.6-75.8	14	3.5	01.3-05.7	109	25.9	21.0-30.8
45-54	666	456,717	523	79.0	75.3-82.7	28	4.2	02.4-06.0	115	16.8	13.5-20.1
55-64	727	363,407	598	83.4	80.3-86.5	40	4.9	03.1-06.7	89	11.8	09.1-14.5
65+	921	360,632	749	81.2	78.1-84.3	110	11.5	09.0-14.0	62	7.3	05.1-09.5
Less Than H.S.	355	385,672	230	60.0	53.3-66.7	35	6.4	03.5-09.3	90	33.5	27.0-40.0
H.S. or G.E.D.	1154	839,143	852	69.0	65.5-72.5	72	4.7	03.3-06.1	230	26.3	22.8-29.8
Some Post-H.S.	772	655,446	574	72.4	68.3-76.5	52	6.1	03.9-08.3	146	21.5	17.8-25.2
College Graduate	985	488,287	802	78.5	75.4-81.6	54	4.1	02.7-05.5	129	17.4	14.3-20.5
Less than \$15,000	321	242,987	190	47.0	39.7-54.3	28	8.9	04.6-13.2	103	44.1	36.7-51.5
\$15,000- 24,999	519	354,173	352	60.3	54.4-66.2	47	6.8	04.3-09.3	120	32.9	27.0-38.8
\$25,000- 34,999	367	259,416	270	69.0	62.3-75.7	27	5.7	02.8-08.6	70	25.3	19.0-31.6
\$35,000- 49,999	488	338,860	381	75.0	69.9-80.1	28	4.8	02.4-07.2	79	20.2	15.5-24.9
\$50,000- 74,999	458	337,261	370	76.8	71.5-82.1	26	5.3	02.6-08.0	62	17.9	13.0-22.8
\$75,000+	718	502,554	620	85.7	82.4-89.0	25	2.7	01.3-04.1	73	11.6	08.5-14.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5175	2,504,912	4342	80.2	78.6-81.8	302	5.5	04.7-06.3	531	14.3	12.7-15.9
White/Non-Hisp	4148	2,120,443	3544	82.1	80.3-83.9	241	5.3	04.3-06.3	363	12.6	11.0-14.2
Black or Afr. Am./Non-Hisp	655	208,081	521	71.2	64.1-78.3	36	6.2	02.7-09.7	98	22.6	15.9-29.3
Oth. Race/Non-Hisp.	58	20,422	47	80.8	66.7-94.9	2	1.4	00.0-03.6	9	17.8	03.7-31.9
MultiRacial/Non-Hisp.	67	25,346	49	68.1	53.6-82.6	6	9.9	01.3-18.5	12	21.9	08.4-35.4
Hispanic	173	102,301	122	62.5	51.9-73.1	11	5.0	01.1-08.9	40	32.5	22.1-42.9
18-24	200	318,892	129	63.7	56.1-71.3	7	4.6	00.9-08.3	64	31.7	24.3-39.1
25-34	505	411,137	360	70.0	65.1-74.9	27	5.7	03.3-08.1	118	24.3	19.8-28.8
35-44	598	412,396	484	80.5	76.6-84.4	28	3.9	02.3-05.5	86	15.6	11.9-19.3
45-54	886	467,012	744	84.3	81.4-87.2	37	4.9	03.1-06.7	105	10.7	08.3-13.1
55-64	1130	373,656	986	88.0	85.6-90.4	66	5.0	03.4-06.6	78	7.0	05.0-09.0
65+	1795	496,663	1584	88.7	86.7-90.7	135	8.2	06.4-10.0	76	3.1	02.3-03.9
Less Than H.S.	495	321,119	370	70.3	64.2-76.4	42	7.0	04.1-09.9	83	22.7	17.0-28.4
H.S. or G.E.D.	1984	880,599	1693	82.0	79.3-84.7	112	5.7	04.1-07.3	179	12.3	09.9-14.7
Some Post-H.S.	1323	784,804	1115	81.0	77.9-84.1	64	4.3	02.9-05.7	144	14.7	11.8-17.6
College Graduate	1355	511,317	1149	82.2	79.5-84.9	82	6.0	04.4-07.6	124	11.8	09.4-14.2
Less than \$15,000	674	310,745	522	71.1	65.6-76.6	37	5.3	02.8-07.8	115	23.6	18.5-28.7
\$15,000- 24,999	985	426,573	797	73.6	69.3-77.9	54	6.2	04.0-08.4	134	20.2	16.3-24.1
\$25,000- 34,999	538	253,898	456	76.4	70.1-82.7	22	4.3	01.8-06.8	60	19.3	13.2-25.4
\$35,000- 49,999	655	301,018	571	85.8	81.7-89.9	31	5.0	02.6-07.4	53	9.1	05.6-12.6
\$50,000- 74,999	614	315,868	543	89.0	85.7-92.3	33	4.4	02.4-06.4	38	6.5	03.8-09.2
\$75,000+	795	465,162	701	86.4	83.3-89.5	45	5.3	03.3-07.3	49	8.3	05.6-11.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8464	4,887,814	1219	17.5	16.3-18.7	7245	82.5	81.3-83.7
Male	3286	2,380,174	426	15.9	14.1-17.7	2860	84.1	82.3-85.9
Female	5178	2,507,640	793	18.9	17.3-20.5	4385	81.1	79.5-82.7
White/Non-Hisp	6838	4,052,535	866	16.2	15.0-17.4	5972	83.8	82.6-85.0
Black or Afr. Am./Non-Hisp	961	403,389	189	22.2	17.5-26.9	772	77.8	73.1-82.5
Oth. Race/Non-Hisp.	130	75,053	29	23.2	12.2-34.2	101	76.8	65.8-87.8
MultiRacial/Non-Hisp.	107	54,527	33	30.1	18.3-41.9	74	69.9	58.1-81.7
Hispanic	285	236,467	71	23.5	16.8-30.2	214	76.5	69.8-83.2
18-24	379	652,863	71	16.6	12.7-20.5	308	83.4	79.5-87.3
25-34	826	837,049	193	24.6	21.1-28.1	633	75.4	71.9-78.9
35-44	1032	831,205	214	22.5	19.4-25.6	818	77.5	74.4-80.6
45-54	1552	926,411	334	22.4	19.9-24.9	1218	77.6	75.1-80.1
55-64	1860	739,571	273	13.7	11.7-15.7	1587	86.3	84.3-88.3
65+	2729	862,992	126	4.7	03.7-05.7	2603	95.3	94.3-96.3
Less Than H.S.	858	710,912	196	26.6	22.5-30.7	662	73.4	69.3-77.5
H.S. or G.E.D.	3140	1,724,029	483	19.3	17.3-21.3	2657	80.7	78.7-82.7
Some Post-H.S.	2097	1,438,727	361	17.8	15.6-20.0	1736	82.2	80.0-84.4
College Graduate	2341	1,001,511	172	7.2	05.8-08.6	2169	92.8	91.4-94.2
Less than \$15,000	999	555,073	298	36.6	32.3-40.9	701	63.4	59.1-67.7
\$15,000- 24,999	1507	783,291	369	30.3	27.0-33.6	1138	69.7	66.4-73.0
\$25,000- 34,999	905	511,967	152	21.3	17.4-25.2	753	78.7	74.8-82.6
\$35,000- 49,999	1145	640,862	122	14.6	11.7-17.5	1023	85.4	82.5-88.3
\$50,000- 74,999	1072	653,161	68	8.7	06.2-11.2	1004	91.3	88.8-93.8
\$75,000+	1516	971,223	49	3.7	02.5-04.9	1467	96.3	95.1-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3286	2,380,174	426	15.9	14.1-17.7	2860	84.1	82.3-85.9
White/Non-Hisp	2688	1,931,049	311	14.6	12.8-16.4	2377	85.4	83.6-87.2
Black or Afr. Am./Non-Hisp	308	195,454	45	17.5	10.2-24.8	263	82.5	75.2-89.8
Oth. Race/Non-Hisp.	70	53,748	16	24.1	09.8-38.4	54	75.9	61.6-90.2
Hispanic	112	133,843	27	21.8	12.4-31.2	85	78.2	68.8-87.6
18-24	179	333,971	32	15.2	09.9-20.5	147	84.8	79.5-90.1
25-34	321	424,169	69	23.9	18.4-29.4	252	76.1	70.6-81.6
35-44	436	421,636	74	18.6	14.3-22.9	362	81.4	77.1-85.7
45-54	667	459,383	131	20.5	16.8-24.2	536	79.5	75.8-83.2
55-64	731	365,727	81	10.9	08.2-13.6	650	89.1	86.4-91.8
65+	927	362,722	38	3.9	02.3-05.5	889	96.1	94.5-97.7
Less Than H.S.	359	388,122	78	23.5	17.8-29.2	281	76.5	70.8-82.2
H.S. or G.E.D.	1157	842,840	173	18.7	15.8-21.6	984	81.3	78.4-84.2
Some Post-H.S.	773	654,842	114	15.5	12.4-18.6	659	84.5	81.4-87.6
College Graduate	987	488,810	58	5.2	03.6-06.8	929	94.8	93.2-96.4
Less than \$15,000	326	244,099	105	40.7	33.4-48.0	221	59.3	52.0-66.6
\$15,000- 24,999	521	356,482	126	29.1	23.8-34.4	395	70.9	65.6-76.2
\$25,000- 34,999	366	257,709	59	19.7	14.0-25.4	307	80.3	74.6-86.0
\$35,000- 49,999	489	339,578	42	11.8	07.9-15.7	447	88.2	84.3-92.1
\$50,000- 74,999	458	337,261	27	6.6	03.7-09.5	431	93.4	90.5-96.3
\$75,000+	720	505,684	14	2.3	00.9-03.7	706	97.7	96.3-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5178	2,507,640	793	18.9	17.3-20.5	4385	81.1	79.5-82.7
White/Non-Hisp	4150	2,121,487	555	17.6	16.0-19.2	3595	82.4	80.8-84.0
Black or Afr. Am./Non-Hisp	653	207,935	144	26.7	20.4-33.0	509	73.3	67.0-79.6
Oth. Race/Non-Hisp.	60	21,304	13	20.9	08.0-33.8	47	79.1	66.2-92.0
MultiRacial/Non-Hisp.	68	25,446	20	30.1	16.8-43.4	48	69.9	56.6-83.2
Hispanic	173	102,624	44	25.6	16.6-34.6	129	74.4	65.4-83.4
18-24	200	318,892	39	18.0	12.1-23.9	161	82.0	76.1-87.9
25-34	505	412,880	124	25.3	20.8-29.8	381	74.7	70.2-79.2
35-44	596	409,569	140	26.5	22.0-31.0	456	73.5	69.0-78.0
45-54	885	467,027	203	24.4	20.7-28.1	682	75.6	71.9-79.3
55-64	1129	373,844	192	16.4	13.7-19.1	937	83.6	80.9-86.3
65+	1802	500,270	88	5.2	03.8-06.6	1714	94.8	93.4-96.2
Less Than H.S.	499	322,790	118	30.3	24.6-36.0	381	69.7	64.0-75.4
H.S. or G.E.D.	1983	881,190	310	19.8	17.1-22.5	1673	80.2	77.5-82.9
Some Post-H.S.	1324	783,885	247	19.7	16.8-22.6	1077	80.3	77.4-83.2
College Graduate	1354	512,701	114	9.1	07.1-11.1	1240	90.9	88.9-92.9
Less than \$15,000	673	310,974	193	33.4	28.1-38.7	480	66.6	61.3-71.9
\$15,000- 24,999	986	426,809	243	31.3	27.0-35.6	743	68.7	64.4-73.0
\$25,000- 34,999	539	254,258	93	22.9	17.6-28.2	446	77.1	71.8-82.4
\$35,000- 49,999	656	301,284	80	17.8	13.3-22.3	576	82.2	77.7-86.7
\$50,000- 74,999	614	315,900	41	11.0	06.7-15.3	573	89.0	84.7-93.3
\$75,000+	796	465,539	35	5.3	03.3-07.3	761	94.7	92.7-96.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8413	4,855,802	5884	62.1	60.5-63.7	971	14.3	13.1-15.5	689	10.3	09.3-11.3	812	12.4	11.4-13.4	57	0.9	00.7-01.1
Male	3267	2,363,626	2108	56.8	54.4-59.2	399	15.0	13.2-16.8	314	11.7	10.1-13.3	420	15.4	13.6-17.2	26	1.1	00.7-01.5
Female	5146	2,492,175	3776	67.2	65.2-69.2	572	13.7	12.3-15.1	375	9.0	07.8-10.2	392	9.5	08.3-10.7	31	0.7	00.5-00.9
White/Non-Hisp	6794	4,025,453	4736	62.5	60.9-64.1	765	14.1	12.9-15.3	571	10.3	09.3-11.3	683	12.4	11.2-13.6	39	0.7	00.5-00.9
Black or Afr. Am./Non-Hisp	960	402,876	741	69.8	64.1-75.5	108	13.0	09.1-16.9	58	7.9	04.4-11.4	50	9.2	05.1-13.3	3	0.2	00.0-00.4
Oth. Race/Non-Hisp.	129	74,528	76	58.3	46.1-70.5	22	14.0	06.9-21.1	9	8.9	00.0-18.3	17	13.1	04.7-21.5	5	5.7	00.0-11.4
MultiRacial/Non-Hisp.	106	54,129	73	66.3	53.4-79.2	13	10.6	03.3-17.9	8	11.8	00.2-23.4	12	11.3	04.0-18.6			
Hispanic	283	234,640	159	42.8	34.8-50.8	47	21.4	14.0-28.8	37	15.7	09.6-21.8	33	17.3	10.4-24.2	7	2.9	00.5-05.3
18-24	374	643,530	186	49.1	43.2-55.0	78	22.4	17.5-27.3	61	15.8	11.9-19.7	47	12.2	08.5-15.9	2	0.4	00.0-01.0
25-34	819	830,094	424	47.4	43.3-51.5	131	15.7	12.8-18.6	109	14.5	11.6-17.4	142	20.6	17.1-24.1	13	1.7	00.7-02.7
35-44	1032	831,540	605	56.7	53.0-60.4	173	16.8	14.1-19.5	103	10.2	08.0-12.4	144	15.2	12.5-17.9	7	1.1	00.3-01.9
45-54	1543	921,797	979	61.2	58.3-64.1	204	15.2	12.8-17.6	157	10.3	08.5-12.1	191	12.3	10.3-14.3	12	0.9	00.3-01.5
55-64	1854	736,596	1373	72.3	69.8-74.8	193	10.6	08.8-12.4	128	7.6	06.0-09.2	150	8.8	07.0-10.6	10	0.6	00.2-01.0
65+	2705	854,929	2253	83.3	81.5-85.1	184	7.0	05.8-08.2	123	4.3	03.3-05.3	132	5.0	04.0-06.0	13	0.4	00.0-00.8
Less Than H.S.	844	700,970	538	52.7	48.0-57.4	99	15.5	12.0-19.0	84	12.1	09.0-15.2	104	17.1	13.4-20.8	19	2.6	01.2-04.0
H.S. or G.E.D.	3132	1,718,109	2209	62.5	60.0-65.0	335	13.4	11.4-15.4	243	10.2	08.6-11.8	324	13.1	11.3-14.9	21	0.9	00.5-01.3
Some Post-H.S.	2081	1,430,328	1441	63.1	60.2-66.0	260	15.4	13.2-17.6	169	9.1	07.5-10.7	201	11.8	09.8-13.8	10	0.5	00.1-00.9
College Graduate	2327	993,342	1676	66.8	64.3-69.3	272	13.5	11.7-15.3	189	10.8	09.0-12.6	183	8.7	07.1-10.3	7	0.2	00.0-00.4
Less than \$15,000	995	550,105	636	52.5	48.0-57.0	127	15.4	12.1-18.7	91	13.0	09.7-16.3	132	17.8	14.3-21.3	9	1.3	00.1-02.5
\$15,000- 24,999	1496	778,704	1008	57.3	53.6-61.0	170	14.1	11.4-16.8	143	12.7	10.2-15.2	162	14.7	12.0-17.4	13	1.2	00.4-02.0
\$25,000- 34,999	904	510,432	636	60.8	56.1-65.5	93	12.9	09.2-16.6	69	11.3	08.2-14.4	99	13.8	10.5-17.1	7	1.2	00.2-02.2
\$35,000- 49,999	1140	636,573	811	64.4	60.7-68.1	130	14.8	11.9-17.7	83	8.4	06.2-10.6	111	12.0	09.5-14.5	5	0.4	00.0-00.8
\$50,000- 74,999	1070	652,820	763	64.0	60.1-67.9	118	14.1	11.2-17.0	84	8.5	06.3-10.7	97	12.4	09.5-15.3	8	1.1	00.3-01.9
\$75,000+	1509	968,313	1092	70.7	67.8-73.6	200	13.3	11.1-15.5	102	7.5	05.7-09.3	110	8.1	06.1-10.1	5	0.4	00.0-00.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3267	2,363,626	2108	56.8	54.4-59.2	399	15.0	13.2-16.8	314	11.7	10.1-13.3	420	15.4	13.6-17.2	26	1.1	00.7-01.5
White/Non-Hisp	2674	1,917,781	1724	58.1	55.7-60.5	324	14.6	12.8-16.4	260	11.5	09.9-13.1	348	14.9	13.1-16.7	18	1.0	00.4-01.6
Black or Afr. Am./Non-Hisp	306	194,941	228	59.5	50.3-68.7	34	15.3	08.8-21.8	22	9.1	03.4-14.8	22	16.1	08.3-23.9			
Oth. Race/Non-Hisp.	70	53,748	35	53.8	38.3-69.3	11	12.7	04.3-21.1	7	11.4	00.0-23.9	14	16.8	05.4-28.2	3	5.3	00.0-12.4
Hispanic	111	132,662	48	33.4	22.2-44.6	20	23.6	12.2-35.0	17	17.2	08.2-26.2	22	22.3	11.7-32.9	4	3.4	00.0-07.1
18-24	178	331,062	83	45.7	37.3-54.1	37	22.9	15.5-30.3	31	17.3	11.4-23.2	26	13.6	07.9-19.3	1	0.6	00.0-01.8
25-34	317	418,722	132	39.6	33.5-45.7	56	15.8	11.3-20.3	44	15.9	11.0-20.8	77	26.3	20.6-32.0	8	2.4	00.6-04.2
35-44	434	418,745	222	51.0	45.5-56.5	76	17.5	13.4-21.6	49	10.7	07.4-14.0	82	19.3	14.8-23.8	5	1.6	00.2-03.0
45-54	664	458,021	369	54.9	50.4-59.4	101	17.5	14.0-21.0	91	12.6	09.7-15.5	98	14.1	11.0-17.2	5	0.8	00.0-01.6
55-64	728	364,715	519	68.8	64.7-72.9	74	11.0	08.3-13.7	53	8.7	06.0-11.4	77	10.8	07.9-13.7	5	0.8	00.0-01.6
65+	920	359,677	762	83.3	80.4-86.2	54	5.4	03.6-07.2	44	4.7	02.9-06.5	58	6.4	04.4-08.4	2	0.2	00.0-00.6
Less Than H.S.	353	382,693	198	45.7	39.0-52.4	43	15.8	10.9-20.7	37	12.7	08.0-17.4	63	22.0	16.3-27.7	12	3.8	01.4-06.2
H.S. or G.E.D.	1159	840,652	746	57.0	53.3-60.7	132	13.8	10.9-16.7	108	12.1	09.6-14.6	165	16.1	13.4-18.8	8	0.9	00.1-01.7
Some Post-H.S.	767	649,999	495	59.2	54.7-63.7	101	16.3	12.8-19.8	71	9.9	07.2-12.6	97	14.2	10.7-17.7	3	0.4	00.0-00.8
College Graduate	977	484,305	661	62.1	58.2-66.0	121	14.6	11.9-17.3	97	12.2	09.3-15.1	95	10.8	08.4-13.2	3	0.2	00.0-00.6
Less than \$15,000	321	240,346	175	38.2	31.3-45.1	40	17.1	11.2-23.0	42	17.3	11.2-23.4	60	25.5	18.8-32.2	4	1.9	00.0-04.1
\$15,000- 24,999	518	354,459	320	54.1	48.2-60.0	58	12.1	08.2-16.0	50	12.1	07.8-16.4	85	20.1	15.4-24.8	5	1.6	00.0-03.2
\$25,000- 34,999	367	257,547	240	55.1	47.8-62.4	34	14.1	07.8-20.4	38	13.6	08.9-18.3	50	15.3	09.8-20.8	5	2.0	00.0-04.0
\$35,000- 49,999	487	336,711	324	60.8	55.3-66.3	61	15.6	11.3-19.9	41	9.5	06.2-12.8	59	13.9	10.0-17.8	2	0.3	00.0-00.7
\$50,000- 74,999	458	337,261	299	59.4	53.5-65.3	60	15.7	11.2-20.2	40	9.4	06.1-12.7	53	13.7	09.4-18.0	6	1.8	00.2-03.4
\$75,000+	717	504,512	499	68.7	64.4-73.0	96	13.4	10.5-16.3	61	8.8	06.3-11.3	59	9.0	06.1-11.9	2	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5146	2,492,175	3776	67.2	65.2-69.2	572	13.7	12.3-15.1	375	9.0	07.8-10.2	392	9.5	08.3-10.7	31	0.7	00.5-00.9
White/Non-Hisp	4120	2,107,672	3012	66.5	64.5-68.5	441	13.6	12.0-15.2	311	9.2	08.0-10.4	335	10.2	08.8-11.6	21	0.5	00.3-00.7
Black or Afr. Am./Non-Hisp	654	207,935	513	79.5	73.8-85.2	74	10.8	06.5-15.1	36	6.7	02.8-10.6	28	2.7	01.1-04.3	3	0.3	00.0-00.7
Oth. Race/Non-Hisp.	59	20,780	41	69.9	54.6-85.2	11	17.4	05.2-29.6	2	2.7	00.0-07.2	3	3.4	00.0-08.3	2	6.6	00.0-16.6
MultiRacial/Non-Hisp.	67	25,048	48	71.5	58.0-85.0	7	10.5	01.7-19.3	3	2.1	00.0-05.0	9	15.9	04.5-27.3			
Hispanic	172	101,979	111	55.0	44.2-65.8	27	18.5	09.7-27.3	20	13.6	06.3-20.9	11	10.7	03.1-18.3	3	2.2	00.0-04.9
18-24	196	312,469	103	52.7	44.7-60.7	41	21.9	15.2-28.6	30	14.3	09.2-19.4	21	10.8	05.9-15.7	1	0.3	00.0-00.9
25-34	502	411,372	292	55.4	50.3-60.5	75	15.6	11.9-19.3	65	13.1	09.6-16.6	65	14.8	10.9-18.7	5	1.0	00.0-02.0
35-44	598	412,796	383	62.5	57.8-67.2	97	16.1	12.4-19.8	54	9.8	06.9-12.7	62	11.2	08.1-14.3	2	0.5	00.0-01.3
45-54	879	463,776	610	67.3	63.4-71.2	103	13.1	10.0-16.2	66	8.0	05.8-10.2	93	10.6	08.1-13.1	7	1.0	00.2-01.8
55-64	1126	371,881	854	75.8	72.7-78.9	119	10.2	08.0-12.4	75	6.6	04.8-08.4	73	7.0	04.8-09.2	5	0.5	00.0-01.1
65+	1785	495,252	1491	83.3	81.1-85.5	130	8.1	06.3-09.9	79	3.9	02.7-05.1	74	4.0	02.8-05.2	11	0.6	00.2-01.0
Less Than H.S.	491	318,277	340	61.2	54.9-67.5	56	15.0	10.3-19.7	47	11.3	07.4-15.2	41	11.3	07.2-15.4	7	1.2	00.2-02.2
H.S. or G.E.D.	1973	877,457	1463	67.8	64.7-70.9	203	13.0	10.6-15.4	135	8.3	06.5-10.1	159	10.2	08.2-12.2	13	0.8	00.2-01.4
Some Post-H.S.	1314	780,329	946	66.4	62.9-69.9	159	14.7	12.0-17.4	98	8.4	06.4-10.4	104	9.9	07.5-12.3	7	0.7	00.1-01.3
College Graduate	1350	509,038	1015	71.3	68.2-74.4	151	12.4	10.0-14.8	92	9.3	07.1-11.5	88	6.8	05.0-08.6	4	0.2	00.0-00.4
Less than \$15,000	674	309,759	461	63.6	58.1-69.1	87	14.0	10.1-17.9	49	9.7	06.0-13.4	72	11.9	08.4-15.4	5	0.8	00.0-01.8
\$15,000- 24,999	978	424,245	688	60.0	55.5-64.5	112	15.8	12.1-19.5	93	13.2	10.1-16.3	77	10.2	07.3-13.1	8	0.8	00.2-01.4
\$25,000- 34,999	537	252,885	396	66.7	60.8-72.6	59	11.6	07.7-15.5	31	8.9	05.0-12.8	49	12.4	08.3-16.5	2	0.4	00.0-01.0
\$35,000- 49,999	653	299,863	487	68.4	63.3-73.5	69	14.0	09.9-18.1	42	7.2	04.5-09.9	52	10.0	06.7-13.3	3	0.4	00.0-01.0
\$50,000- 74,999	612	315,559	464	68.9	63.4-74.4	58	12.4	08.3-16.5	44	7.4	04.9-09.9	44	11.0	06.9-15.1	2	0.3	00.0-00.9
\$75,000+	792	463,802	593	72.8	68.9-76.7	104	13.2	10.3-16.1	41	6.2	04.0-08.4	51	7.1	04.7-09.5	3	0.7	00.0-01.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011

SECTION 4: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32
	ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)	
4	MALES AND FEMALES	33
5	MALES ONLY	34
6	FEMALES ONLY	35

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8476	4,893,957	3684	32.8	31.4-34.2	86	1.4	01.0-01.8	4604	64.7	63.3-66.1	102	1.1	00.9-01.3
Male	3291	2,382,974	1432	34.4	32.4-36.4	2	0.0	00.0-00.0	1804	64.3	62.1-66.5	53	1.3	00.9-01.7
Female	5185	2,510,983	2252	31.3	29.7-32.9	84	2.7	01.9-03.5	2800	65.1	63.3-66.9	49	0.9	00.5-01.3
White/Non-Hisp	6848	4,057,848	2910	33.3	31.9-34.7	64	1.2	00.8-01.6	3782	64.3	62.9-65.7	92	1.3	00.9-01.7
Black or Afr. Am./Non-Hisp	965	403,642	544	36.6	31.5-41.7	11	3.6	00.7-06.5	402	59.3	53.8-64.8	8	0.6	00.0-01.2
Oth. Race/Non-Hisp.	128	74,713	48	32.0	20.4-43.6	1	1.2	00.0-03.6	79	66.9	55.1-78.7			
MultiRacial/Non-Hisp.	106	53,975	39	31.3	19.1-43.5	4	2.7	00.0-05.8	62	63.5	51.0-76.0	1	2.5	00.0-07.4
Hispanic	287	237,463	84	17.7	12.6-22.8	6	2.3	00.1-04.5	197	80.0	74.5-85.5			
18-24	380	654,605	33	8.3	05.2-11.4	13	3.0	01.0-05.0	333	88.3	84.6-92.0	1	0.3	00.0-00.9
25-34	827	837,348	98	12.0	09.3-14.7	33	3.5	02.1-04.9	684	83.0	80.1-85.9	12	1.5	00.5-02.5
35-44	1034	834,341	209	21.2	18.1-24.3	22	1.6	00.8-02.4	791	76.1	73.0-79.2	12	1.1	00.3-01.9
45-54	1553	925,746	538	34.7	31.8-37.6	8	0.4	00.0-00.8	986	63.7	60.8-66.6	21	1.2	00.6-01.8
55-64	1862	740,163	973	50.5	47.6-53.4	3	0.1	00.0-00.3	864	48.1	45.2-51.0	22	1.3	00.7-01.9
65+	2733	863,911	1797	65.2	63.0-67.4	7	0.2	00.0-00.4	896	33.4	31.2-35.6	33	1.1	00.7-01.5
Less Than H.S.	862	711,674	431	32.5	28.6-36.4	11	1.5	00.3-02.7	414	65.2	61.1-69.3	6	0.8	00.0-01.6
H.S. or G.E.D.	3151	1,729,906	1526	36.5	34.3-38.7	24	1.3	00.5-02.1	1561	61.1	58.9-63.3	40	1.2	00.8-01.6
Some Post-H.S.	2094	1,439,543	909	33.3	30.8-35.8	26	1.6	00.8-02.4	1137	64.1	61.4-66.8	22	1.0	00.6-01.4
College Graduate	2340	999,782	801	25.5	23.3-27.7	25	1.3	00.7-01.9	1480	71.7	69.5-73.9	34	1.5	00.9-02.1
Less than \$15,000	1004	556,425	524	38.2	34.1-42.3	14	2.2	00.6-03.8	453	58.4	54.1-62.7	13	1.3	00.3-02.3
\$15,000- 24,999	1509	784,274	804	39.4	36.1-42.7	16	2.0	00.8-03.2	679	58.2	54.9-61.5	10	0.4	00.0-00.8
\$25,000- 34,999	907	513,745	419	34.8	30.7-38.9	8	1.7	00.0-03.5	467	62.2	57.9-66.5	13	1.3	00.5-02.1
\$35,000- 49,999	1146	641,054	504	35.6	32.1-39.1	10	1.6	00.4-02.8	619	62.0	58.5-65.5	13	0.8	00.2-01.4
\$50,000- 74,999	1073	653,533	393	29.1	25.6-32.6	6	0.6	00.0-01.2	661	68.6	65.1-72.1	13	1.7	00.7-02.7
\$75,000+	1515	970,196	439	24.7	22.0-27.4	21	1.2	00.6-01.8	1034	72.9	70.2-75.6	21	1.2	00.6-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 4: HYPERTENSION AWARENESS**

TABLE 2. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3291	2,382,974	1432	34.4	32.4-36.4	2	0.0	00.0-00.0	1804	64.3	62.1-66.5	53	1.3	00.9-01.7
White/Non-Hisp	2693	1,932,960	1166	35.7	33.5-37.9	2	0.1	00.1-00.1	1477	62.7	60.3-65.1	48	1.5	00.9-02.1
Black or Afr. Am./Non-Hisp	308	195,454	174	36.1	27.9-44.3				130	63.5	55.3-71.7	4	0.4	00.0-00.8
Oth. Race/Non-Hisp.	69	53,559	22	31.1	16.0-46.2				47	68.9	53.8-84.0			
Hispanic	113	134,758	30	16.3	08.9-23.7				83	83.7	76.3-91.1			
18-24	180	335,713	24	12.9	07.2-18.6				156	87.1	81.4-92.8			
25-34	321	424,169	44	13.7	09.4-18.0				268	84.0	79.5-88.5	9	2.2	00.6-03.8
35-44	436	421,745	110	25.8	20.9-30.7				318	72.8	67.7-77.9	8	1.4	00.2-02.6
45-54	668	459,545	249	37.6	33.1-42.1				405	60.8	56.3-65.3	14	1.6	00.6-02.6
55-64	732	365,936	392	53.2	48.9-57.5	1	0.2	00.0-00.6	328	45.2	40.9-49.5	11	1.4	00.4-02.4
65+	928	363,180	604	65.3	61.6-69.0	1	0.2	00.0-00.6	313	33.6	29.9-37.3	10	0.9	00.3-01.5
Less Than H.S.	360	388,247	156	29.8	24.3-35.3				202	69.8	64.3-75.3	2	0.3	00.0-00.9
H.S. or G.E.D.	1163	846,667	547	36.8	33.5-40.1	1	0.1	00.0-00.3	597	61.8	58.3-65.3	18	1.3	00.5-02.1
Some Post-H.S.	774	655,884	347	36.5	32.2-40.8	1	0.1	00.0-00.3	414	62.1	57.8-66.4	12	1.4	00.6-02.2
College Graduate	983	486,198	377	30.7	27.4-34.0				585	67.2	63.7-70.7	21	2.1	01.1-03.1
Less than \$15,000	327	245,193	164	39.5	32.6-46.4				159	59.8	52.9-66.7	4	0.7	00.0-01.5
\$15,000- 24,999	523	357,108	253	34.2	29.1-39.3	1	0.2	00.0-00.6	264	64.9	59.8-70.0	5	0.7	00.0-01.5
\$25,000- 34,999	368	259,560	185	39.7	33.0-46.4				178	59.5	52.8-66.2	5	0.8	00.0-01.6
\$35,000- 49,999	490	339,770	231	37.8	32.7-42.9	1	0.2	00.0-00.6	250	61.0	55.7-66.3	8	1.1	00.3-01.9
\$50,000- 74,999	458	337,261	180	31.9	26.8-37.0				272	66.2	60.9-71.5	6	1.9	00.1-03.7
\$75,000+	719	504,657	247	30.8	26.5-35.1				456	67.4	63.1-71.7	16	1.8	00.8-02.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 4: HYPERTENSION AWARENESS**

TABLE 3. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5185	2,510,983	2252	31.3	29.7-32.9	84	2.7	01.9-03.5	2800	65.1	63.3-66.9	49	0.9	00.5-01.3
White/Non-Hisp	4155	2,124,888	1744	31.2	29.4-33.0	62	2.1	01.5-02.7	2305	65.6	63.8-67.4	44	1.0	00.6-01.4
Black or Afr. Am./Non-Hisp	657	208,188	370	37.0	30.7-43.3	11	6.9	01.6-12.2	272	55.3	48.4-62.2	4	0.7	00.0-01.9
Oth. Race/Non-Hisp.	59	21,153	26	34.2	18.9-49.5	1	4.1	00.0-11.9	32	61.7	45.6-77.8			
MultiRacial/Non-Hisp.	67	24,895	23	22.8	12.0-33.6	4	5.8	00.0-12.5	40	71.4	59.2-83.6			
Hispanic	174	102,705	54	19.5	12.4-26.6	6	5.4	00.5-10.3	114	75.2	67.0-83.4			
18-24	200	318,892	9	3.5	01.1-05.9	13	6.2	02.3-10.1	177	89.6	84.9-94.3	1	0.7	00.0-02.1
25-34	506	413,179	54	10.3	07.2-13.4	33	7.1	04.6-09.6	416	81.9	78.0-85.8	3	0.7	00.0-01.5
35-44	598	412,596	99	16.4	12.7-20.1	22	3.2	01.4-05.0	473	79.5	75.6-83.4	4	0.9	00.0-01.9
45-54	885	466,200	289	31.8	27.9-35.7	8	0.8	00.2-01.4	581	66.6	62.7-70.5	7	0.8	00.0-01.6
55-64	1130	374,227	581	47.8	44.3-51.3	2	0.1	00.0-00.3	536	50.9	47.4-54.4	11	1.1	00.3-01.9
65+	1805	500,731	1193	65.2	62.5-67.9	6	0.3	00.1-00.5	583	33.3	30.6-36.0	23	1.3	00.7-01.9
Less Than H.S.	502	323,427	275	35.6	30.1-41.1	11	3.4	01.0-05.8	212	59.7	53.8-65.6	4	1.4	00.0-03.2
H.S. or G.E.D.	1988	883,238	979	36.1	33.4-38.8	23	2.5	01.1-03.9	964	60.4	57.5-63.3	22	1.0	00.4-01.6
Some Post-H.S.	1320	783,658	562	30.7	27.6-33.8	25	2.8	01.4-04.2	723	65.8	62.7-68.9	10	0.7	00.1-01.3
College Graduate	1357	513,584	424	20.6	18.2-23.0	25	2.5	01.3-03.7	895	76.0	73.5-78.5	13	0.9	00.3-01.5
Less than \$15,000	677	311,232	360	37.1	32.2-42.0	14	3.9	01.2-06.6	294	57.3	52.0-62.6	9	1.7	00.3-03.1
\$15,000- 24,999	986	427,165	551	43.7	39.4-48.0	15	3.5	01.5-05.5	415	52.5	48.2-56.8	5	0.2	00.0-00.4
\$25,000- 34,999	539	254,184	234	29.9	25.0-34.8	8	3.5	00.0-07.0	289	64.8	59.3-70.3	8	1.8	00.2-03.4
\$35,000- 49,999	656	301,284	273	33.1	28.6-37.6	9	3.2	00.8-05.6	369	63.1	58.4-67.8	5	0.6	00.0-01.2
\$50,000- 74,999	615	316,272	213	26.1	21.6-30.6	6	1.3	00.1-02.5	389	71.2	66.7-75.7	7	1.4	00.2-02.6
\$75,000+	796	465,539	192	18.2	15.3-21.1	21	2.5	01.3-03.7	578	78.8	75.7-81.9	5	0.5	00.1-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2011

SECTION 4: HYPERTENSION AWARENESS

TABLE 4. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3676	1,600,225	3184	79.4	77.2-81.6	492	20.6	18.4-22.8
Male	1427	816,710	1177	73.8	70.5-77.1	250	26.2	22.9-29.5
Female	2249	783,515	2007	85.3	83.1-87.5	242	14.7	12.5-16.9
White/Non-Hisp	2904	1,348,673	2516	80.4	78.2-82.6	388	19.6	17.4-21.8
Black or Afr. Am./Non-Hisp	542	147,523	492	82.7	75.8-89.6	50	17.3	10.4-24.2
Hispanic	84	41,968	56	47.9	33.2-62.6	28	52.1	37.4-66.8
25-34	98	100,876	45	37.6	26.6-48.6	53	62.4	51.4-73.4
35-44	209	176,642	130	58.8	50.4-67.2	79	41.2	32.8-49.6
45-54	537	319,996	412	76.7	72.4-81.0	125	23.3	19.0-27.6
55-64	971	371,778	857	88.4	85.9-90.9	114	11.6	09.1-14.1
65+	1793	562,616	1706	95.4	94.2-96.6	87	4.6	03.4-05.8
Less Than H.S.	431	230,950	373	79.4	73.3-85.5	58	20.6	14.5-26.7
H.S. or G.E.D.	1521	628,089	1332	81.8	78.9-84.7	189	18.2	15.3-21.1
Some Post-H.S.	907	478,841	778	76.6	72.1-81.1	129	23.4	18.9-27.9
College Graduate	800	254,806	688	79.1	75.0-83.2	112	20.9	16.8-25.0
Less than \$15,000	523	211,481	436	72.1	65.8-78.4	87	27.9	21.6-34.2
\$15,000- 24,999	801	308,141	695	81.2	76.9-85.5	106	18.8	14.5-23.1
\$25,000- 34,999	418	178,074	369	79.5	73.0-86.0	49	20.5	14.0-27.0
\$35,000- 49,999	504	228,288	448	83.6	78.9-88.3	56	16.4	11.7-21.1
\$50,000- 74,999	392	189,238	330	75.9	69.4-82.4	62	24.1	17.6-30.6
\$75,000+	439	240,111	371	78.6	72.9-84.3	68	21.4	15.7-27.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 4: HYPERTENSION AWARENESS**

TABLE 5. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1427	816,710	1177	73.8	70.5-77.1	250	26.2	22.9-29.5
White/Non-Hisp	1163	687,547	959	74.6	71.1-78.1	204	25.4	21.9-28.9
Black or Afr. Am./Non-Hisp	172	70,443	151	81.5	70.5-92.5	21	18.5	07.5-29.5
35-44	110	108,893	61	52.9	41.5-64.3	49	47.1	35.7-58.5
45-54	248	171,910	184	75.2	68.9-81.5	64	24.8	18.5-31.1
55-64	391	193,828	341	88.2	84.3-92.1	50	11.8	07.9-15.7
65+	602	237,113	570	94.4	92.0-96.8	32	5.6	03.2-08.0
Less Than H.S.	156	115,819	126	71.7	61.5-81.9	30	28.3	18.1-38.5
H.S. or G.E.D.	545	310,981	459	77.5	72.6-82.4	86	22.5	17.6-27.4
Some Post-H.S.	345	238,255	274	68.7	61.3-76.1	71	31.3	23.9-38.7
College Graduate	376	148,846	315	75.9	69.8-82.0	61	24.1	18.0-30.2
Less than \$15,000	164	96,790	125	62.8	52.0-73.6	39	37.2	26.4-48.0
\$15,000- 24,999	252	122,123	210	76.3	68.3-84.3	42	23.7	15.7-31.7
\$25,000- 34,999	184	102,075	158	75.9	66.5-85.3	26	24.1	14.7-33.5
\$35,000- 49,999	231	128,488	205	81.9	75.0-88.8	26	18.1	11.2-25.0
\$50,000- 74,999	179	106,720	142	69.7	60.1-79.3	37	30.3	20.7-39.9
\$75,000+	247	155,430	199	73.9	65.9-81.9	48	26.1	18.1-34.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2011

SECTION 4: HYPERTENSION AWARENESS

TABLE 6. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2249	783,515	2007	85.3	83.1-87.5	242	14.7	12.5-16.9
White/Non-Hisp	1741	661,126	1557	86.4	84.0-88.8	184	13.6	11.2-16.0
Black or Afr. Am./Non-Hisp	370	77,080	341	83.7	75.3-92.1	29	16.3	07.9-24.7
Hispanic	54	19,981	37	57.4	38.6-76.2	17	42.6	23.8-61.4
25-34	54	42,640	34	61.9	46.2-77.6	20	38.1	22.4-53.8
35-44	99	67,749	69	68.3	56.7-79.9	30	31.7	20.1-43.3
45-54	289	148,086	228	78.4	72.5-84.3	61	21.6	15.7-27.5
55-64	580	177,949	516	88.7	85.6-91.8	64	11.3	08.2-14.4
65+	1191	325,503	1136	96.1	94.9-97.3	55	3.9	02.7-05.1
Less Than H.S.	275	115,131	247	87.2	81.7-92.7	28	12.8	07.3-18.3
H.S. or G.E.D.	976	317,107	873	85.9	82.8-89.0	103	14.1	11.0-17.2
Some Post-H.S.	562	240,587	504	84.5	79.8-89.2	58	15.5	10.8-20.2
College Graduate	424	105,960	373	83.5	78.4-88.6	51	16.5	11.4-21.6
Less than \$15,000	359	114,690	311	80.0	73.3-86.7	48	20.0	13.3-26.7
\$15,000- 24,999	549	186,019	485	84.4	79.7-89.1	64	15.6	10.9-20.3
\$25,000- 34,999	234	76,000	211	84.3	76.7-91.9	23	15.7	08.1-23.3
\$35,000- 49,999	273	99,800	243	85.7	79.8-91.6	30	14.3	08.4-20.2
\$50,000- 74,999	213	82,518	188	83.9	76.8-91.0	25	16.1	09.0-23.2
\$75,000+	192	84,681	172	87.4	81.5-93.3	20	12.6	06.7-18.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)	
1	MALES AND FEMALES	37
2	MALES ONLY	38
3	FEMALES ONLY	39
	ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)	
4	MALES AND FEMALES	40
5	MALES ONLY	41
6	FEMALES ONLY	42
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)	
7	MALES AND FEMALES	43
8	MALES ONLY	44
9	FEMALES ONLY	45

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 1: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8297	4,732,032	7173	76.8	75.4-78.2	1124	23.2	21.8-24.6
Male	3233	2,317,848	2722	74.2	72.0-76.4	511	25.8	23.6-28.0
Female	5064	2,414,185	4451	79.3	77.5-81.1	613	20.7	18.9-22.5
White/Non-Hisp	6707	3,920,960	5886	79.3	77.7-80.9	821	20.7	19.1-22.3
Black or Afr. Am./Non-Hisp	946	394,938	807	70.1	64.2-76.0	139	29.9	24.0-35.8
Oth. Race/Non-Hisp.	123	71,502	87	61.1	48.6-73.6	36	38.9	26.4-51.4
MultiRacial/Non-Hisp.	104	53,051	77	56.8	43.1-70.5	27	43.2	29.5-56.9
Hispanic	278	231,058	191	52.6	44.0-61.2	87	47.4	38.8-56.0
18-24	348	601,194	133	36.3	30.4-42.2	215	63.7	57.8-69.6
25-34	768	781,307	480	57.6	53.5-61.7	288	42.4	38.3-46.5
35-44	1010	811,897	793	76.2	72.9-79.5	217	23.8	20.5-27.1
45-54	1534	913,070	1352	87.7	85.7-89.7	182	12.3	10.3-14.3
55-64	1855	734,373	1751	94.2	92.8-95.6	104	5.8	04.4-07.2
65+	2696	852,710	2585	96.1	95.3-96.9	111	3.9	03.1-04.7
Less Than H.S.	831	673,719	612	58.4	53.5-63.3	219	41.6	36.7-46.5
H.S. or G.E.D.	3080	1,675,174	2642	75.9	73.5-78.3	438	24.1	21.7-26.5
Some Post-H.S.	2056	1,393,619	1782	79.3	76.8-81.8	274	20.7	18.2-23.2
College Graduate	2303	976,979	2114	87.4	85.4-89.4	189	12.6	10.6-14.6
Less than \$15,000	976	527,998	748	62.4	57.7-67.1	228	37.6	32.9-42.3
\$15,000- 24,999	1481	762,850	1243	71.3	67.6-75.0	238	28.7	25.0-32.4
\$25,000- 34,999	893	500,462	774	74.1	69.2-79.0	119	25.9	21.0-30.8
\$35,000- 49,999	1121	619,289	988	83.0	79.9-86.1	133	17.0	13.9-20.1
\$50,000- 74,999	1059	640,638	955	83.8	80.3-87.3	104	16.2	12.7-19.7
\$75,000+	1504	962,055	1375	86.6	84.1-89.1	129	13.4	10.9-15.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 2: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3233	2,317,848	2722	74.2	72.0-76.4	511	25.8	23.6-28.0
White/Non-Hisp	2649	1,878,879	2274	77.7	75.3-80.1	375	22.3	19.9-24.7
Black or Afr. Am./Non-Hisp	302	192,393	254	64.7	55.3-74.1	48	35.3	25.9-44.7
Oth. Race/Non-Hisp.	70	53,748	45	58.2	42.9-73.5	25	41.8	26.5-57.1
Hispanic	108	130,254	67	48.1	35.8-60.4	41	51.9	39.6-64.2
18-24	170	317,158	64	35.5	27.3-43.7	106	64.5	56.3-72.7
25-34	304	401,811	178	53.5	47.0-60.0	126	46.5	40.0-53.0
35-44	426	410,722	330	74.8	69.9-79.7	96	25.2	20.3-30.1
45-54	660	453,165	575	86.4	83.3-89.5	85	13.6	10.5-16.7
55-64	728	363,806	676	93.3	91.1-95.5	52	6.7	04.5-08.9
65+	920	358,862	877	95.6	94.0-97.2	43	4.4	02.8-06.0
Less Than H.S.	346	366,080	242	57.0	50.1-63.9	104	43.0	36.1-49.9
H.S. or G.E.D.	1137	820,314	932	71.7	67.8-75.6	205	28.3	24.4-32.2
Some Post-H.S.	765	646,968	650	78.7	74.6-82.8	115	21.3	17.2-25.4
College Graduate	974	478,508	889	85.6	82.3-88.9	85	14.4	11.1-17.7
Less than \$15,000	318	235,108	231	57.8	50.2-65.4	87	42.2	34.6-49.8
\$15,000- 24,999	514	348,448	405	66.4	60.5-72.3	109	33.6	27.7-39.5
\$25,000- 34,999	361	252,870	304	73.2	65.9-80.5	57	26.8	19.5-34.1
\$35,000- 49,999	486	335,854	418	79.6	74.7-84.5	68	20.4	15.5-25.3
\$50,000- 74,999	450	328,492	402	82.6	77.3-87.9	48	17.4	12.1-22.7
\$75,000+	718	503,521	655	86.1	82.4-89.8	63	13.9	10.2-17.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 3: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5064	2,414,185	4451	79.3	77.5-81.1	613	20.7	18.9-22.5
White/Non-Hisp	4058	2,042,081	3612	80.8	78.8-82.8	446	19.2	17.2-21.2
Black or Afr. Am./Non-Hisp	644	202,545	553	75.2	68.5-81.9	91	24.8	18.1-31.5
Oth. Race/Non-Hisp.	53	17,753	42	69.9	50.7-89.1	11	30.1	10.9-49.3
MultiRacial/Non-Hisp.	67	25,345	51	61.0	45.1-76.9	16	39.0	23.1-54.9
Hispanic	170	100,804	124	58.5	47.5-69.5	46	41.5	30.5-52.5
18-24	178	284,036	69	37.2	29.2-45.2	109	62.8	54.8-70.8
25-34	464	379,495	302	61.9	56.6-67.2	162	38.1	32.8-43.4
35-44	584	401,176	463	77.5	73.2-81.8	121	22.5	18.2-26.8
45-54	874	459,905	777	88.9	86.4-91.4	97	11.1	08.6-13.6
55-64	1127	370,567	1075	95.0	93.4-96.6	52	5.0	03.4-06.6
65+	1776	493,848	1708	96.5	95.5-97.5	68	3.5	02.5-04.5
Less Than H.S.	485	307,640	370	60.0	53.3-66.7	115	40.0	33.3-46.7
H.S. or G.E.D.	1943	854,860	1710	80.0	77.1-82.9	233	20.0	17.1-22.9
Some Post-H.S.	1291	746,651	1132	79.8	76.5-83.1	159	20.2	16.9-23.5
College Graduate	1329	498,471	1225	89.1	86.7-91.5	104	10.9	08.5-13.3
Less than \$15,000	658	292,891	517	66.0	60.3-71.7	141	34.0	28.3-39.7
\$15,000- 24,999	967	414,402	838	75.4	70.9-79.9	129	24.6	20.1-29.1
\$25,000- 34,999	532	247,592	470	75.1	68.8-81.4	62	24.9	18.6-31.2
\$35,000- 49,999	635	283,435	570	87.0	83.3-90.7	65	13.0	09.3-16.7
\$50,000- 74,999	609	312,146	553	85.0	80.1-89.9	56	15.0	10.1-19.9
\$75,000+	786	458,534	720	87.1	83.6-90.6	66	12.9	09.4-16.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 4: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7098	3,591,383	5462	71.6	70.0-73.2	790	14.1	12.9-15.3	563	9.5	08.5-10.5	283	4.9	04.1-05.7
Male	2696	1,699,728	2084	70.9	68.5-73.3	285	13.6	11.6-15.6	211	10.0	08.4-11.6	116	5.5	04.3-06.7
Female	4402	1,891,655	3378	72.2	70.2-74.2	505	14.5	12.9-16.1	352	9.0	07.8-10.2	167	4.3	03.5-05.1
White/Non-Hisp	5824	3,072,791	4460	71.4	69.8-73.0	653	14.1	12.7-15.5	468	9.3	08.3-10.3	243	5.2	04.4-06.0
Black or Afr. Am./Non-Hisp	803	275,677	644	73.9	67.8-80.0	88	15.4	10.1-20.7	50	7.8	04.5-11.1	21	2.9	00.9-04.9
Oth. Race/Non-Hisp.	86	43,474	60	60.2	44.1-76.3	14	21.2	08.3-34.1	10	14.5	00.0-29.2	2	4.1	00.0-10.2
MultiRacial/Non-Hisp.	75	29,889	59	90.3	84.2-96.4	6	3.5	00.4-06.6	5	2.8	00.0-05.7	5	3.4	00.0-07.5
Hispanic	189	119,546	143	70.2	60.6-79.8	21	12.8	06.1-19.5	21	15.9	07.9-23.9	4	1.0	00.0-02.2
18-24	126	207,531	70	54.5	44.3-64.7	29	27.0	17.8-36.2	20	12.3	06.4-18.2	7	6.2	01.5-10.9
25-34	473	442,643	276	58.7	53.4-64.0	81	16.0	12.3-19.7	76	16.0	11.9-20.1	40	9.3	06.2-12.4
35-44	788	615,576	483	60.0	55.7-64.3	146	19.9	16.4-23.4	115	13.9	11.0-16.8	44	6.1	04.1-08.1
45-54	1346	798,664	937	68.2	65.1-71.3	205	17.4	14.7-20.1	123	9.2	07.4-11.0	81	5.1	03.7-06.5
55-64	1740	686,010	1381	79.0	76.5-81.5	156	8.7	07.1-10.3	134	8.2	06.4-10.0	69	4.1	02.7-05.5
65+	2549	808,578	2253	88.5	86.9-90.1	166	6.7	05.3-08.1	90	3.2	02.4-04.0	40	1.6	01.0-02.2
Less Than H.S.	604	390,312	475	68.8	63.1-74.5	69	18.5	13.6-23.4	37	8.0	04.5-11.5	23	4.7	02.2-07.2
H.S. or G.E.D.	2618	1,262,638	2045	73.0	70.6-75.4	282	13.1	11.1-15.1	184	8.6	07.0-10.2	107	5.3	04.1-06.5
Some Post-H.S.	1759	1,084,143	1324	70.3	67.4-73.2	207	15.2	12.7-17.7	152	9.8	08.0-11.6	76	4.7	03.3-06.1
College Graduate	2094	845,061	1599	72.4	69.9-74.9	231	12.1	10.3-13.9	188	10.9	09.1-12.7	76	4.6	03.4-05.8
Less than \$15,000	739	326,720	574	69.5	64.2-74.8	71	13.7	09.8-17.6	54	10.6	06.7-14.5	40	6.2	03.5-08.9
\$15,000- 24,999	1236	542,289	956	71.3	67.6-75.0	132	14.1	11.2-17.0	96	9.3	06.9-11.7	52	5.4	03.4-07.4
\$25,000- 34,999	766	366,297	598	70.3	65.2-75.4	87	13.1	09.2-17.0	52	10.6	07.1-14.1	29	5.9	03.2-08.6
\$35,000- 49,999	980	508,378	736	69.7	65.6-73.8	123	15.6	12.1-19.1	75	8.9	06.4-11.4	46	5.9	03.9-07.9
\$50,000- 74,999	949	533,455	725	71.8	68.1-75.5	109	14.6	11.5-17.7	81	9.5	07.0-12.0	34	4.1	02.5-05.7
\$75,000+	1368	829,574	1027	72.1	69.0-75.2	171	14.9	12.4-17.4	129	9.8	07.8-11.8	41	3.2	02.0-04.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 5: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2696	1,699,728	2084	70.9	68.5-73.3	285	13.6	11.6-15.6	211	10.0	08.4-11.6	116	5.5	04.3-06.7
White/Non-Hisp	2254	1,442,716	1732	70.9	68.4-73.4	240	13.3	11.3-15.3	179	9.7	08.1-11.3	103	6.1	04.7-07.5
Black or Afr. Am./Non-Hisp	252	123,486	209	74.7	65.3-84.1	26	16.9	08.7-25.1	11	6.9	01.2-12.6	6	1.5	00.0-03.1
Hispanic	66	60,871	49	65.3	50.0-80.6	5	12.9	01.9-23.9	11	20.8	07.7-33.9	1	1.0	00.0-03.0
18-24	61	107,641	29	47.8	32.9-62.7	16	29.5	16.0-43.0	11	13.8	04.6-23.0	5	8.9	01.1-16.7
25-34	174	209,251	91	51.7	43.1-60.3	29	14.6	08.9-20.3	32	20.7	13.3-28.1	22	13.0	07.3-18.7
35-44	329	306,590	210	60.4	53.9-66.9	52	19.3	13.6-25.0	50	14.4	10.1-18.7	17	6.0	02.9-09.1
45-54	572	390,663	395	69.5	65.0-74.0	92	17.1	13.4-20.8	51	8.5	06.0-11.0	34	4.8	03.0-06.6
55-64	671	336,128	558	81.3	77.6-85.0	50	7.2	04.8-09.6	41	7.5	05.0-10.0	22	4.0	01.6-06.4
65+	868	340,214	784	90.1	87.6-92.6	43	5.3	03.3-07.3	25	2.6	01.4-03.8	16	2.0	00.8-03.2
Less Than H.S.	240	207,755	178	61.7	53.1-70.3	37	23.1	15.5-30.7	15	9.4	03.7-15.1	10	5.8	01.5-10.1
H.S. or G.E.D.	924	583,054	715	72.3	68.4-76.2	100	12.0	09.3-14.7	66	9.7	06.8-12.6	43	6.0	03.8-08.2
Some Post-H.S.	642	499,750	483	69.2	64.3-74.1	66	14.6	10.5-18.7	66	10.9	08.0-13.8	27	5.3	02.9-07.7
College Graduate	881	404,976	701	75.6	72.1-79.1	82	9.9	07.5-12.3	63	9.5	07.0-12.0	35	5.1	03.1-07.1
Less than \$15,000	228	134,821	170	62.8	53.6-72.0	24	15.5	08.6-22.4	21	14.0	06.6-21.4	13	7.6	02.3-12.9
\$15,000- 24,999	404	231,115	316	72.7	66.4-79.0	46	14.8	09.7-19.9	28	7.6	04.1-11.1	14	4.8	01.3-08.3
\$25,000- 34,999	299	181,089	234	67.6	59.8-75.4	32	13.3	08.0-18.6	19	11.4	05.3-17.5	14	7.7	03.0-12.4
\$35,000- 49,999	415	265,484	311	67.5	61.4-73.6	49	15.5	10.4-20.6	33	10.4	06.5-14.3	22	6.6	03.5-09.7
\$50,000- 74,999	399	269,176	313	73.0	67.3-78.7	35	10.9	07.0-14.8	35	11.6	07.5-15.7	16	4.5	02.0-07.0
\$75,000+	653	432,887	512	74.3	69.8-78.8	67	13.6	09.7-17.5	55	9.0	06.3-11.7	19	3.1	01.3-04.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 6: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4402	1,891,655	3378	72.2	70.2-74.2	505	14.5	12.9-16.1	352	9.0	07.8-10.2	167	4.3	03.5-05.1
White/Non-Hisp	3570	1,630,075	2728	71.8	69.8-73.8	413	14.8	13.2-16.4	289	9.0	07.8-10.2	140	4.3	03.5-05.1
Black or Afr. Am./Non-Hisp	551	152,191	435	73.3	65.7-80.9	62	14.1	07.0-21.2	39	8.6	04.5-12.7	15	4.0	00.7-07.3
MultiRacial/Non-Hisp.	51	15,468	39	85.2	75.0-95.4	4	4.7	00.0-09.6	4	4.2	00.0-09.3	4	5.9	00.0-13.5
Hispanic	123	58,675	94	75.2	64.4-86.0	16	12.8	05.2-20.4	10	10.9	02.1-19.7	3	1.1	00.0-02.7
18-24	65	99,890	41	61.6	48.1-75.1	13	24.3	12.0-36.6	9	10.8	03.4-18.2	2	3.4	00.0-07.9
25-34	299	233,393	185	64.9	58.6-71.2	52	17.3	12.2-22.4	44	11.8	07.7-15.9	18	6.0	02.9-09.1
35-44	459	308,986	273	59.7	54.2-65.2	94	20.6	16.1-25.1	65	13.5	09.8-17.2	27	6.3	03.8-08.8
45-54	774	408,002	542	66.9	62.6-71.2	113	17.7	14.0-21.4	72	9.9	07.4-12.4	47	5.5	03.7-07.3
55-64	1069	349,882	823	76.9	73.8-80.0	106	10.1	07.7-12.5	93	8.9	06.7-11.1	47	4.1	02.7-05.5
65+	1681	468,364	1469	87.4	85.4-89.4	123	7.8	06.0-09.6	65	3.6	02.6-04.6	24	1.3	00.7-01.9
Less Than H.S.	364	182,557	297	76.8	70.1-83.5	32	13.3	07.8-18.8	22	6.5	02.4-10.6	13	3.4	01.2-05.6
H.S. or G.E.D.	1694	679,585	1330	73.6	70.7-76.5	182	14.1	11.6-16.6	118	7.6	06.0-09.2	64	4.8	03.2-06.4
Some Post-H.S.	1117	584,394	841	71.2	67.5-74.9	141	15.7	12.6-18.8	86	8.9	06.5-11.3	49	4.3	02.9-05.7
College Graduate	1213	440,085	898	69.5	66.0-73.0	149	14.1	11.6-16.6	125	12.3	09.8-14.8	41	4.1	02.5-05.7
Less than \$15,000	511	191,898	404	74.2	68.3-80.1	47	12.5	07.8-17.2	33	8.1	04.4-11.8	27	5.2	02.5-07.9
\$15,000- 24,999	832	311,174	640	70.2	65.7-74.7	86	13.6	10.1-17.1	68	10.5	07.4-13.6	38	5.8	03.4-08.2
\$25,000- 34,999	467	185,208	364	73.0	66.7-79.3	55	13.0	07.5-18.5	33	9.8	05.9-13.7	15	4.2	01.7-06.7
\$35,000- 49,999	565	242,894	425	72.0	66.7-77.3	74	15.7	11.0-20.4	42	7.2	04.5-09.9	24	5.1	02.7-07.5
\$50,000- 74,999	550	264,279	412	70.6	65.5-75.7	74	18.3	13.6-23.0	46	7.4	04.9-09.9	18	3.7	01.7-05.7
\$75,000+	715	396,687	515	69.7	65.6-73.8	104	16.3	13.0-19.6	74	10.6	07.9-13.3	22	3.4	01.6-05.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 7: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7096	3,605,087	3201	38.9	37.3-40.5	3895	61.1	59.5-62.7
Male	2691	1,706,014	1234	40.1	37.7-42.5	1457	59.9	57.5-62.3
Female	4405	1,899,072	1967	37.9	35.9-39.9	2438	62.1	60.1-64.1
White/Non-Hisp	5831	3,086,276	2705	40.2	38.6-41.8	3126	59.8	58.2-61.4
Black or Afr. Am./Non-Hisp	796	275,200	323	31.6	26.1-37.1	473	68.4	62.9-73.9
Oth. Race/Non-Hisp.	86	42,987	30	39.9	24.0-55.8	56	60.1	44.2-76.0
MultiRacial/Non-Hisp.	75	29,900	31	34.4	20.9-47.9	44	65.6	52.1-79.1
Hispanic	189	120,917	71	29.8	21.2-38.4	118	70.2	61.6-78.8
18-24	133	218,491	10	6.6	01.3-11.9	123	93.4	88.1-98.7
25-34	476	447,669	68	14.8	10.9-18.7	408	85.2	81.3-89.1
35-44	790	615,984	218	28.8	24.9-32.7	572	71.2	67.3-75.1
45-54	1338	793,418	515	39.6	36.3-42.9	823	60.4	57.1-63.7
55-64	1738	686,723	900	52.3	49.4-55.2	838	47.7	44.8-50.6
65+	2542	807,882	1465	57.4	55.0-59.8	1077	42.6	40.2-45.0
Less Than H.S.	597	388,311	304	43.3	37.8-48.8	293	56.7	51.2-62.2
H.S. or G.E.D.	2612	1,260,424	1287	43.6	41.1-46.1	1325	56.4	53.9-58.9
Some Post-H.S.	1763	1,098,620	750	35.4	32.5-38.3	1013	64.6	61.7-67.5
College Graduate	2101	848,503	848	34.6	32.1-37.1	1253	65.4	62.9-67.9
Less than \$15,000	736	324,879	376	44.1	39.0-49.2	360	55.9	50.8-61.0
\$15,000- 24,999	1226	539,270	624	44.0	40.3-47.7	602	56.0	52.3-59.7
\$25,000- 34,999	767	369,020	356	39.5	34.8-44.2	411	60.5	55.8-65.2
\$35,000- 49,999	985	512,315	456	40.1	36.2-44.0	529	59.9	56.0-63.8
\$50,000- 74,999	942	528,723	408	37.4	33.5-41.3	534	62.6	58.7-66.5
\$75,000+	1373	831,961	493	33.4	30.3-36.5	880	66.6	63.5-69.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 8: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2691	1,706,014	1234	40.1	37.7-42.5	1457	59.9	57.5-62.3
White/Non-Hisp	2251	1,448,026	1056	41.0	38.5-43.5	1195	59.0	56.5-61.5
Black or Afr. Am./Non-Hisp	252	123,776	107	36.4	26.6-46.2	145	63.6	53.8-73.4
Hispanic	65	61,994	32	37.7	23.2-52.2	33	62.3	47.8-76.8
18-24	64	112,722	5	5.3	00.0-10.8	59	94.7	89.2-0100
25-34	177	214,296	29	16.6	10.3-22.9	148	83.4	77.1-89.7
35-44	328	305,421	107	33.4	27.1-39.7	221	66.6	60.3-72.9
45-54	566	386,426	246	43.8	38.7-48.9	320	56.2	51.1-61.3
55-64	669	336,686	358	54.0	49.3-58.7	311	46.0	41.3-50.7
65+	865	339,390	483	55.7	51.6-59.8	382	44.3	40.2-48.4
Less Than H.S.	235	206,044	108	38.6	30.8-46.4	127	61.4	53.6-69.2
H.S. or G.E.D.	923	583,602	467	46.5	42.4-50.6	456	53.5	49.4-57.6
Some Post-H.S.	643	505,924	274	34.4	29.7-39.1	369	65.6	60.9-70.3
College Graduate	881	406,251	383	39.2	35.3-43.1	498	60.8	56.9-64.7
Less than \$15,000	225	133,976	114	44.4	35.6-53.2	111	55.6	46.8-64.4
\$15,000- 24,999	398	228,461	198	44.1	37.6-50.6	200	55.9	49.4-62.4
\$25,000- 34,999	302	184,614	141	41.3	33.9-48.7	161	58.7	51.3-66.1
\$35,000- 49,999	417	266,712	211	43.9	37.8-50.0	206	56.1	50.0-62.2
\$50,000- 74,999	397	267,508	181	36.8	31.1-42.5	216	63.2	57.5-68.9
\$75,000+	653	432,716	257	37.7	33.0-42.4	396	62.3	57.6-67.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 9: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4405	1,899,072	1967	37.9	35.9-39.9	2438	62.1	60.1-64.1
White/Non-Hisp	3580	1,638,250	1649	39.5	37.5-41.5	1931	60.5	58.5-62.5
Black or Afr. Am./Non-Hisp	544	151,423	216	27.7	21.6-33.8	328	72.3	66.2-78.4
MultiRacial/Non-Hisp.	51	15,468	23	38.9	23.2-54.6	28	61.1	45.4-76.8
Hispanic	124	58,923	39	21.4	12.4-30.4	85	78.6	69.6-87.6
18-24	69	105,769	5	7.9	00.0-16.9	64	92.1	83.1-100.0
25-34	299	233,373	39	13.2	08.7-17.7	260	86.8	82.3-91.3
35-44	462	310,564	111	24.2	19.5-28.9	351	75.8	71.1-80.5
45-54	772	406,991	269	35.6	31.3-39.9	503	64.4	60.1-68.7
55-64	1069	350,036	542	50.7	47.0-54.4	527	49.3	45.6-53.0
65+	1677	468,492	982	58.7	55.8-61.6	695	41.3	38.4-44.2
Less Than H.S.	362	182,268	196	48.6	41.0-56.2	166	51.4	43.8-59.0
H.S. or G.E.D.	1689	676,823	820	41.1	38.2-44.0	869	58.9	56.0-61.8
Some Post-H.S.	1120	592,696	476	36.3	32.8-39.8	644	63.7	60.2-67.2
College Graduate	1220	442,251	465	30.4	27.3-33.5	755	69.6	66.5-72.7
Less than \$15,000	511	190,903	262	43.8	37.7-49.9	249	56.2	50.1-62.3
\$15,000- 24,999	828	310,809	426	44.0	39.5-48.5	402	56.0	51.5-60.5
\$25,000- 34,999	465	184,406	215	37.6	31.9-43.3	250	62.4	56.7-68.1
\$35,000- 49,999	568	245,604	245	36.0	30.9-41.1	323	64.0	58.9-69.1
\$50,000- 74,999	545	261,215	227	38.0	32.7-43.3	318	62.0	56.7-67.3
\$75,000+	720	399,245	236	28.8	24.9-32.7	484	71.2	67.3-75.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	48
2 MALES ONLY	49
3 FEMALES ONLY	50
(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	51
5 MALES ONLY	52
6 FEMALES ONLY	53
(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	54
8 MALES ONLY	55
9 FEMALES ONLY	56
(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	57
11 MALES ONLY	58
12 FEMALES ONLY	59
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	60
14 MALES ONLY	61
15 FEMALES ONLY	62
(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16 MALES AND FEMALES	63
17 MALES ONLY	64
18 FEMALES ONLY	65
(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19 MALES AND FEMALES	66
20 MALES ONLY	67
21 FEMALES ONLY	68

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
(EVER TOLD) YOU HAVE (COPD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD)	
22 MALES AND FEMALES	69
23 MALES ONLY	70
24 FEMALES ONLY	71
(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25 MALES AND FEMALES	72
26 MALES ONLY	73
27 FEMALES ONLY	74
(EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)	
28 MALES AND FEMALES	75
29 MALES ONLY	76
30 FEMALES ONLY	77
(EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)	
31 MALES AND FEMALES	78
32 MALES ONLY	79
33 FEMALES ONLY	80
HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT YOU HAVE VISION IMPAIRMENT IN ONE OR BOTH EYES, EVEN WHEN WEARING GLASSES? (CHCVISON)	
34 MALES AND FEMALES	81
35 MALES ONLY	82
36 FEMALES ONLY	83
(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
37 MALES AND FEMALES	84
38 MALES ONLY	85
39 FEMALES ONLY	86

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8445	4,876,829	598	5.5	04.9-06.1	7847	94.5	93.9-95.1
Male	3272	2,372,964	304	7.0	06.0-08.0	2968	93.0	92.0-94.0
Female	5173	2,503,865	294	4.1	03.5-04.7	4879	95.9	95.3-96.5
18-24	380	654,605	4	1.1	00.0-02.3	376	98.9	97.7-0100
25-34	826	835,198	8	1.4	00.4-02.4	818	98.6	97.6-99.6
35-44	1033	830,623	25	2.8	01.4-04.2	1008	97.2	95.8-98.6
45-54	1552	925,433	63	4.1	02.9-05.3	1489	95.9	94.7-97.1
55-64	1852	736,589	129	8.1	06.5-09.7	1723	91.9	90.3-93.5
65+	2715	856,539	366	15.0	13.2-16.8	2349	85.0	83.2-86.8
Less Than H.S.	845	701,681	104	8.7	06.5-10.9	741	91.3	89.1-93.5
H.S. or G.E.D.	3143	1,726,413	266	6.8	05.8-07.8	2877	93.2	92.2-94.2
Some Post-H.S.	2091	1,436,438	137	4.4	03.4-05.4	1954	95.6	94.6-96.6
College Graduate	2337	999,244	87	2.7	01.9-03.5	2250	97.3	96.5-98.1
Less than \$15,000	998	552,963	111	8.7	06.5-10.9	887	91.3	89.1-93.5
\$15,000- 24,999	1499	780,112	143	7.1	05.5-08.7	1356	92.9	91.3-94.5
\$25,000- 34,999	902	511,005	70	7.0	05.0-09.0	832	93.0	91.0-95.0
\$35,000- 49,999	1142	638,263	68	4.9	03.5-06.3	1074	95.1	93.7-96.5
\$50,000- 74,999	1070	650,120	41	3.7	02.3-05.1	1029	96.3	94.9-97.7
\$75,000+	1515	970,417	43	2.2	01.2-03.2	1472	97.8	96.8-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3272	2,372,964	304	7.0	06.0-08.0	2968	93.0	92.0-94.0
18-24	180	335,713	1	0.9	00.0-02.5	179	99.1	97.5-0100
25-34	320	422,754	6	2.4	00.4-04.4	314	97.6	95.6-99.6
35-44	437	420,780	13	3.2	01.2-05.2	424	96.8	94.8-98.8
45-54	665	458,186	30	5.0	03.0-07.0	635	95.0	93.0-97.0
55-64	724	363,835	76	11.3	08.6-14.0	648	88.7	86.0-91.4
65+	920	359,011	178	21.2	17.9-24.5	742	78.8	75.5-82.1
Less Than H.S.	355	384,054	52	10.3	07.0-13.6	303	89.7	86.4-93.0
H.S. or G.E.D.	1158	844,177	119	7.8	06.0-09.6	1039	92.2	90.4-94.0
Some Post-H.S.	767	652,139	70	6.0	04.2-07.8	697	94.0	92.2-95.8
College Graduate	981	486,617	62	4.3	02.7-05.9	919	95.7	94.1-97.3
Less than \$15,000	325	245,258	49	11.3	07.2-15.4	276	88.7	84.6-92.8
\$15,000- 24,999	520	355,448	59	8.2	05.7-10.7	461	91.8	89.3-94.3
\$25,000- 34,999	363	257,722	43	9.6	06.1-13.1	320	90.4	86.9-93.9
\$35,000- 49,999	488	337,989	43	6.3	04.1-08.5	445	93.7	91.5-95.9
\$50,000- 74,999	456	334,070	33	5.4	03.2-07.6	423	94.6	92.4-96.8
\$75,000+	719	504,878	30	3.5	01.9-05.1	689	96.5	94.9-98.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5173	2,503,865	294	4.1	03.5-04.7	4879	95.9	95.3-96.5
18-24	200	318,892	3	1.3	00.0-02.9	197	98.7	97.1-0100
25-34	506	412,443	2	0.5	00.0-01.3	504	99.5	98.7-0100
35-44	596	409,843	12	2.4	00.8-04.0	584	97.6	96.0-99.2
45-54	887	467,247	33	3.3	01.9-04.7	854	96.7	95.3-98.1
55-64	1128	372,755	53	5.0	03.4-06.6	1075	95.0	93.4-96.6
65+	1795	497,528	188	10.5	08.7-12.3	1607	89.5	87.7-91.3
Less Than H.S.	490	317,628	52	6.7	04.2-09.2	438	93.3	90.8-95.8
H.S. or G.E.D.	1985	882,237	147	5.8	04.6-07.0	1838	94.2	93.0-95.4
Some Post-H.S.	1324	784,299	67	3.1	02.1-04.1	1257	96.9	95.9-97.9
College Graduate	1356	512,627	25	1.1	00.5-01.7	1331	98.9	98.3-99.5
Less than \$15,000	673	307,705	62	6.5	04.3-08.7	611	93.5	91.3-95.7
\$15,000- 24,999	979	424,664	84	6.3	04.5-08.1	895	93.7	91.9-95.5
\$25,000- 34,999	539	253,283	27	4.4	02.2-06.6	512	95.6	93.4-97.8
\$35,000- 49,999	654	300,273	25	3.3	01.5-05.1	629	96.7	94.9-98.5
\$50,000- 74,999	614	316,051	8	1.8	00.4-03.2	606	98.2	96.8-99.6
\$75,000+	796	465,539	13	0.8	00.2-01.4	783	99.2	98.6-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8367	4,848,222	582	4.8	04.2-05.4	7785	95.2	94.6-95.8
Male	3254	2,363,375	277	5.8	05.0-06.6	2977	94.2	93.4-95.0
Female	5113	2,484,847	305	3.9	03.3-04.5	4808	96.1	95.5-96.7
18-24	380	654,605	1	0.1	00.0-00.3	379	99.9	99.7-0100
25-34	825	835,705	1	0.0	00.0-00.0	824	100.0	0100-0100
35-44	1030	828,868	22	2.3	01.1-03.5	1008	97.7	96.5-98.9
45-54	1542	918,127	55	3.3	02.3-04.3	1487	96.7	95.7-97.7
55-64	1845	733,455	145	8.5	06.9-10.1	1700	91.5	89.9-93.1
65+	2659	839,739	355	14.3	12.5-16.1	2304	85.7	83.9-87.5
Less Than H.S.	830	691,175	69	4.5	03.1-05.9	761	95.5	94.1-96.9
H.S. or G.E.D.	3088	1,709,236	243	6.2	05.2-07.2	2845	93.8	92.8-94.8
Some Post-H.S.	2085	1,435,233	143	4.2	03.4-05.0	1942	95.8	95.0-96.6
College Graduate	2336	1,000,164	126	3.7	02.9-04.5	2210	96.3	95.5-97.1
Less than \$15,000	976	544,932	97	7.0	05.0-09.0	879	93.0	91.0-95.0
\$15,000- 24,999	1479	774,999	134	6.9	05.3-08.5	1345	93.1	91.5-94.7
\$25,000- 34,999	903	511,178	71	5.8	04.2-07.4	832	94.2	92.6-95.8
\$35,000- 49,999	1133	637,624	63	4.4	03.0-05.8	1070	95.6	94.2-97.0
\$50,000- 74,999	1068	651,538	61	4.3	02.9-05.7	1007	95.7	94.3-97.1
\$75,000+	1515	970,533	48	2.1	01.3-02.9	1467	97.9	97.1-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3254	2,363,375	277	5.8	05.0-06.6	2977	94.2	93.4-95.0
18-24	180	335,713	1	0.1	00.0-00.3	179	99.9	99.7-0100
25-34	319	422,983				319	100.0	0100-0100
35-44	437	420,569	13	2.7	00.9-04.5	424	97.3	95.5-99.1
45-54	662	454,366	27	4.1	02.3-05.9	635	95.9	94.1-97.7
55-64	723	362,452	76	10.5	07.8-13.2	647	89.5	86.8-92.2
65+	907	354,606	160	19.2	16.1-22.3	747	80.8	77.7-83.9
Less Than H.S.	349	378,322	27	4.9	02.7-07.1	322	95.1	92.9-97.3
H.S. or G.E.D.	1151	841,612	99	6.6	05.0-08.2	1052	93.4	91.8-95.0
Some Post-H.S.	763	650,760	69	5.6	04.0-07.2	694	94.4	92.8-96.0
College Graduate	980	486,703	82	5.4	04.0-06.8	898	94.6	93.2-96.0
Less than \$15,000	320	241,549	37	8.9	05.2-12.6	283	91.1	87.4-94.8
\$15,000- 24,999	513	352,909	45	6.6	04.2-09.0	468	93.4	91.0-95.8
\$25,000- 34,999	364	256,934	42	7.4	04.7-10.1	322	92.6	89.9-95.3
\$35,000- 49,999	482	337,576	34	5.0	03.0-07.0	448	95.0	93.0-97.0
\$50,000- 74,999	455	336,329	42	6.7	04.3-09.1	413	93.3	90.9-95.7
\$75,000+	720	505,217	33	2.9	01.7-04.1	687	97.1	95.9-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2011

SECTION 6: CHRONIC HEALTH CONDITIONS

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5113	2,484,847	305	3.9	03.3-04.5	4808	96.1	95.5-96.7
18-24	200	318,892				200	100.0	0100-0100
25-34	506	412,723	1	0.0	00.0-00.0	505	100.0	0100-0100
35-44	593	408,299	9	1.9	00.5-03.3	584	98.1	96.7-99.5
45-54	880	463,761	28	2.6	01.4-03.8	852	97.4	96.2-98.6
55-64	1122	371,004	69	6.6	04.8-08.4	1053	93.4	91.6-95.2
65+	1752	485,132	195	10.7	08.9-12.5	1557	89.3	87.5-91.1
Less Than H.S.	481	312,853	42	4.1	02.5-05.7	439	95.9	94.3-97.5
H.S. or G.E.D.	1937	867,623	144	5.8	04.6-07.0	1793	94.2	93.0-95.4
Some Post-H.S.	1322	784,474	74	3.1	02.1-04.1	1248	96.9	95.9-97.9
College Graduate	1356	513,461	44	2.1	01.3-02.9	1312	97.9	97.1-98.7
Less than \$15,000	656	303,383	60	5.4	03.6-07.2	596	94.6	92.8-96.4
\$15,000- 24,999	966	422,090	89	7.1	05.1-09.1	877	92.9	90.9-94.9
\$25,000- 34,999	539	254,244	29	4.3	02.5-06.1	510	95.7	93.9-97.5
\$35,000- 49,999	651	300,048	29	3.7	01.9-05.5	622	96.3	94.5-98.1
\$50,000- 74,999	613	315,208	19	1.8	00.8-02.8	594	98.2	97.2-99.2
\$75,000+	795	465,316	15	1.3	00.5-02.1	780	98.7	97.9-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8468	4,889,428	416	3.4	03.0-03.8	8052	96.6	96.2-97.0
Male	3288	2,380,806	160	3.3	02.7-03.9	3128	96.7	96.1-97.3
Female	5180	2,508,622	256	3.5	02.9-04.1	4924	96.5	95.9-97.1
18-24	380	654,605	4	0.7	00.0-01.7	376	99.3	98.3-0100
25-34	825	834,173	4	0.3	00.0-00.7	821	99.7	99.3-0100
35-44	1036	836,417	18	2.2	01.0-03.4	1018	97.8	96.6-99.0
45-54	1553	925,533	45	2.3	01.5-03.1	1508	97.7	96.9-98.5
55-64	1861	738,929	103	5.5	04.1-06.9	1758	94.5	93.1-95.9
65+	2726	861,928	239	8.7	07.3-10.1	2487	91.3	89.9-92.7
Less Than H.S.	858	709,748	74	4.8	03.4-06.2	784	95.2	93.8-96.6
H.S. or G.E.D.	3145	1,727,740	180	4.0	03.2-04.8	2965	96.0	95.2-96.8
Some Post-H.S.	2095	1,438,097	102	2.9	02.1-03.7	1993	97.1	96.3-97.9
College Graduate	2341	1,000,791	58	1.9	01.3-02.5	2283	98.1	97.5-98.7
Less than \$15,000	1004	557,195	110	7.2	05.2-09.2	894	92.8	90.8-94.8
\$15,000- 24,999	1505	783,399	104	5.3	03.9-06.7	1401	94.7	93.3-96.1
\$25,000- 34,999	905	512,563	48	4.0	02.4-05.6	857	96.0	94.4-97.6
\$35,000- 49,999	1145	639,598	40	3.1	01.9-04.3	1105	96.9	95.7-98.1
\$50,000- 74,999	1071	652,686	20	1.1	00.5-01.7	1051	98.9	98.3-99.5
\$75,000+	1517	971,385	20	1.0	00.4-01.6	1497	99.0	98.4-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3288	2,380,806	160	3.3	02.7-03.9	3128	96.7	96.1-97.3
18-24	180	335,713	2	0.9	00.0-02.5	178	99.1	97.5-0100
25-34	319	421,972	1	0.4	00.0-01.2	318	99.6	98.8-0100
35-44	437	423,269	6	1.5	00.3-02.7	431	98.5	97.3-99.7
45-54	666	458,377	16	2.1	00.9-03.3	650	97.9	96.7-99.1
55-64	731	365,481	46	5.4	03.4-07.4	685	94.6	92.6-96.6
65+	929	363,307	88	10.2	07.8-12.6	841	89.8	87.4-92.2
Less Than H.S.	358	387,484	32	4.7	02.7-06.7	326	95.3	93.3-97.3
H.S. or G.E.D.	1162	845,587	68	4.4	03.0-05.8	1094	95.6	94.2-97.0
Some Post-H.S.	772	654,184	35	2.1	01.3-02.9	737	97.9	97.1-98.7
College Graduate	985	487,573	25	1.8	01.0-02.6	960	98.2	97.4-99.0
Less than \$15,000	327	245,695	35	6.3	03.6-09.0	292	93.7	91.0-96.4
\$15,000- 24,999	522	356,789	41	6.2	03.7-08.7	481	93.8	91.3-96.3
\$25,000- 34,999	366	258,304	24	4.1	01.9-06.3	342	95.9	93.7-98.1
\$35,000- 49,999	489	338,314	23	3.6	01.8-05.4	466	96.4	94.6-98.2
\$50,000- 74,999	457	336,806	7	0.8	00.2-01.4	450	99.2	98.6-99.8
\$75,000+	721	505,846	11	1.1	00.3-01.9	710	98.9	98.1-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	5180	2,508,622	256	3.5	02.9-04.1	4924	96.5	95.9-97.1	
18-24	200	318,892	2	0.5	00.0-01.3	198	99.5	98.7-0100	
25-34	506	412,201	3	0.3	00.0-00.7	503	99.7	99.3-0100	
35-44	599	413,148	12	2.9	00.9-04.9	587	97.1	95.1-99.1	
45-54	887	467,156	29	2.5	01.3-03.7	858	97.5	96.3-98.7	
55-64	1130	373,447	57	5.5	03.7-07.3	1073	94.5	92.7-96.3	
65+	1797	498,621	151	7.6	06.0-09.2	1646	92.4	90.8-94.0	
Less Than H.S.	500	322,264	42	4.9	02.9-06.9	458	95.1	93.1-97.1	
H.S. or G.E.D.	1983	882,153	112	3.7	02.7-04.7	1871	96.3	95.3-97.3	
Some Post-H.S.	1323	783,913	67	3.5	02.3-04.7	1256	96.5	95.3-97.7	
College Graduate	1356	513,218	33	1.9	01.1-02.7	1323	98.1	97.3-98.9	
Less than \$15,000	677	311,500	75	7.9	05.2-10.6	602	92.1	89.4-94.8	
\$15,000- 24,999	983	426,610	63	4.6	03.2-06.0	920	95.4	94.0-96.8	
\$25,000- 34,999	539	254,259	24	3.8	01.8-05.8	515	96.2	94.2-98.2	
\$35,000- 49,999	656	301,284	17	2.6	00.8-04.4	639	97.4	95.6-99.2	
\$50,000- 74,999	614	315,880	13	1.4	00.4-02.4	601	98.6	97.6-99.6	
\$75,000+	796	465,539	9	0.8	00.0-01.6	787	99.2	98.4-0100	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)
Denominator Excludes: Respondents reporting only one race
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8466	4,879,344	1139	13.9	12.9-14.9	7327	86.1	85.1-87.1
Male	3281	2,369,170	345	11.0	09.4-12.6	2936	89.0	87.4-90.6
Female	5185	2,510,174	794	16.6	15.0-18.2	4391	83.4	81.8-85.0
18-24	376	644,527	71	18.8	14.3-23.3	305	81.2	76.7-85.7
25-34	825	832,855	112	13.1	10.4-15.8	713	86.9	84.2-89.6
35-44	1037	836,885	145	13.6	11.1-16.1	892	86.4	83.9-88.9
45-54	1553	925,752	240	14.8	12.6-17.0	1313	85.2	83.0-87.4
55-64	1862	739,664	260	13.0	11.2-14.8	1602	87.0	85.2-88.8
65+	2726	861,818	299	11.1	09.5-12.7	2427	88.9	87.3-90.5
Less Than H.S.	856	705,675	165	19.1	15.6-22.6	691	80.9	77.4-84.4
H.S. or G.E.D.	3146	1,720,665	373	11.6	10.0-13.2	2773	88.4	86.8-90.0
Some Post-H.S.	2097	1,440,419	328	15.6	13.4-17.8	1769	84.4	82.2-86.6
College Graduate	2340	1,000,280	270	11.7	09.9-13.5	2070	88.3	86.5-90.1
Less than \$15,000	1008	558,692	227	25.9	22.0-29.8	781	74.1	70.2-78.0
\$15,000- 24,999	1504	779,455	231	15.8	13.1-18.5	1273	84.2	81.5-86.9
\$25,000- 34,999	905	507,528	122	14.1	10.8-17.4	783	85.9	82.6-89.2
\$35,000- 49,999	1143	638,974	110	9.6	07.2-12.0	1033	90.4	88.0-92.8
\$50,000- 74,999	1071	652,063	105	9.9	07.4-12.4	966	90.1	87.6-92.6
\$75,000+	1515	970,712	154	10.1	08.3-11.9	1361	89.9	88.1-91.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)
Denominator Excludes: Respondents reporting only one race**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3281	2,369,170	345	11.0	09.4-12.6	2936	89.0	87.4-90.6
18-24	177	327,236	25	15.3	09.0-21.6	152	84.7	78.4-91.0
25-34	318	419,583	35	11.4	07.3-15.5	283	88.6	84.5-92.7
35-44	439	424,168	44	9.6	06.5-12.7	395	90.4	87.3-93.5
45-54	666	458,075	85	11.9	09.0-14.8	581	88.1	85.2-91.0
55-64	731	365,816	75	9.0	06.6-11.4	656	91.0	88.6-93.4
65+	924	361,607	81	9.6	07.1-12.1	843	90.4	87.9-92.9
Less Than H.S.	356	382,682	63	16.4	11.7-21.1	293	83.6	78.9-88.3
H.S. or G.E.D.	1157	838,076	97	8.2	06.2-10.2	1060	91.8	89.8-93.8
Some Post-H.S.	773	655,842	81	11.8	08.7-14.9	692	88.2	85.1-91.3
College Graduate	985	487,219	104	10.7	08.3-13.1	881	89.3	86.9-91.7
Less than \$15,000	327	245,825	66	22.4	16.1-28.7	261	77.6	71.3-83.9
\$15,000- 24,999	521	355,047	65	12.9	09.0-16.8	456	87.1	83.2-91.0
\$25,000- 34,999	365	253,199	36	11.7	07.0-16.4	329	88.3	83.6-93.0
\$35,000- 49,999	489	338,090	32	7.3	04.2-10.4	457	92.7	89.6-95.8
\$50,000- 74,999	456	335,791	27	6.1	03.2-09.0	429	93.9	91.0-96.8
\$75,000+	721	505,846	65	8.0	05.6-10.4	656	92.0	89.6-94.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5185	2,510,174	794	16.6	15.0-18.2	4391	83.4	81.8-85.0
18-24	199	317,291	46	22.4	15.9-28.9	153	77.6	71.1-84.1
25-34	507	413,272	77	14.9	11.2-18.6	430	85.1	81.4-88.8
35-44	598	412,717	101	17.6	13.9-21.3	497	82.4	78.7-86.1
45-54	887	467,677	155	17.5	14.2-20.8	732	82.5	79.2-85.8
55-64	1131	373,848	185	16.8	14.1-19.5	946	83.2	80.5-85.9
65+	1802	500,211	218	12.1	10.1-14.1	1584	87.9	85.9-89.9
Less Than H.S.	500	322,993	102	22.2	16.9-27.5	398	77.8	72.5-83.1
H.S. or G.E.D.	1989	882,589	276	14.8	12.6-17.0	1713	85.2	83.0-87.4
Some Post-H.S.	1324	784,577	247	18.8	15.9-21.7	1077	81.2	78.3-84.1
College Graduate	1355	513,061	166	12.6	10.2-15.0	1189	87.4	85.0-89.8
Less than \$15,000	681	312,868	161	28.8	23.7-33.9	520	71.2	66.1-76.3
\$15,000- 24,999	983	424,408	166	18.2	14.7-21.7	817	81.8	78.3-85.3
\$25,000- 34,999	540	254,329	86	16.5	11.8-21.2	454	83.5	78.8-88.2
\$35,000- 49,999	654	300,885	78	12.3	09.0-15.6	576	87.7	84.4-91.0
\$50,000- 74,999	615	316,272	78	13.9	09.8-18.0	537	86.1	82.0-90.2
\$75,000+	794	464,866	89	12.4	09.5-15.3	705	87.6	84.7-90.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1097	646,762	831	71.8	67.7-75.9	266	28.2	24.1-32.3
Male	328	245,510	212	59.2	51.6-66.8	116	40.8	33.2-48.4
Female	769	401,252	619	79.5	75.2-83.8	150	20.5	16.2-24.8
18-24	68	116,748	45	55.5	41.6-69.4	23	44.5	30.6-58.4
25-34	104	101,486	68	64.8	53.2-76.4	36	35.2	23.6-46.8
35-44	139	109,308	106	77.5	69.5-85.5	33	22.5	14.5-30.5
45-54	230	130,214	170	73.7	66.8-80.6	60	26.3	19.4-33.2
55-64	249	90,550	198	79.6	73.5-85.7	51	20.4	14.3-26.5
65+	295	93,862	233	81.5	76.2-86.8	62	18.5	13.2-23.8
Less Than H.S.	157	127,041	129	73.8	63.0-84.6	28	26.2	15.4-37.0
H.S. or G.E.D.	361	193,311	275	73.7	67.0-80.4	86	26.3	19.6-33.0
Some Post-H.S.	313	211,650	237	71.6	63.8-79.4	76	28.4	20.6-36.2
College Graduate	263	113,486	188	66.8	59.4-74.2	75	33.2	25.8-40.6
Less than \$15,000	217	138,846	182	78.8	70.6-87.0	35	21.2	13.0-29.4
\$15,000- 24,999	220	112,501	161	71.7	62.7-80.7	59	28.3	19.3-37.3
\$25,000- 34,999	118	68,116	93	79.2	68.0-90.4	25	20.8	09.6-32.0
\$35,000- 49,999	108	61,099	78	67.3	54.0-80.6	30	32.7	19.4-46.0
\$50,000- 74,999	100	59,917	74	71.7	58.4-85.0	26	28.3	15.0-41.6
\$75,000+	148	94,090	101	66.5	57.5-75.5	47	33.5	24.5-42.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	328	245,510	212	59.2	51.6-66.8	116	40.8	33.2-48.4
45-54	81	51,644	51	63.1	50.6-75.6	30	36.9	24.4-49.4
55-64	71	30,432	47	69.2	56.1-82.3	24	30.8	17.7-43.9
65+	81	34,858	56	72.6	61.4-83.8	25	27.4	16.2-38.6
Less Than H.S.	60	59,093	47	69.2	52.3-86.1	13	30.8	13.9-47.7
H.S. or G.E.D.	91	65,459	57	59.8	46.1-73.5	34	40.2	26.5-53.9
Some Post-H.S.	74	69,675	44	51.6	35.5-67.7	30	48.4	32.3-64.5
College Graduate	103	51,283	64	57.0	45.0-69.0	39	43.0	31.0-55.0
Less than \$15,000	61	50,981	42	63.9	47.0-80.8	19	36.1	19.2-53.0
\$15,000- 24,999	60	40,587	38	59.4	41.4-77.4	22	40.6	22.6-58.6
\$75,000+	62	38,618	36	54.9	41.6-68.2	26	45.1	31.8-58.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	769	401,252	619	79.5	75.2-83.8	150	20.5	16.2-24.8
25-34	73	58,767	49	72.1	59.0-85.2	24	27.9	14.8-41.0
35-44	98	70,779	79	84.5	76.9-92.1	19	15.5	07.9-23.1
45-54	149	78,570	119	80.6	73.2-88.0	30	19.4	12.0-26.8
55-64	178	60,118	151	84.9	78.6-91.2	27	15.1	08.8-21.4
65+	214	59,004	177	86.7	81.8-91.6	37	13.3	08.4-18.2
Less Than H.S.	97	67,947	82	77.7	64.0-91.4	15	22.3	08.6-36.0
H.S. or G.E.D.	270	127,852	218	80.7	73.8-87.6	52	19.3	12.4-26.2
Some Post-H.S.	239	141,975	193	81.4	74.3-88.5	46	18.6	11.5-25.7
College Graduate	160	62,203	124	74.8	66.0-83.6	36	25.2	16.4-34.0
Less than \$15,000	156	87,865	140	87.4	80.1-94.7	16	12.6	05.3-19.9
\$15,000- 24,999	160	71,914	123	78.6	69.4-87.8	37	21.4	12.2-30.6
\$25,000- 34,999	83	40,506	66	82.9	69.2-96.6	17	17.1	03.4-30.8
\$35,000- 49,999	76	36,481	59	82.2	72.6-91.8	17	17.8	08.2-27.4
\$50,000- 74,999	75	41,824	58	74.1	58.8-89.4	17	25.9	10.6-41.2
\$75,000+	86	55,472	65	74.6	63.8-85.4	21	25.4	14.6-36.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8479	4,890,255	630	5.4	04.8-06.0	7849	94.6	94.0-95.2
Male	3290	2,380,314	277	5.5	04.7-06.3	3013	94.5	93.7-95.3
Female	5189	2,509,941	353	5.2	04.6-05.8	4836	94.8	94.2-95.4
White/Non-Hisp	6846	4,056,611	609	6.2	05.6-06.8	6237	93.8	93.2-94.4
Black or Afr. Am./Non-Hisp	966	403,787	2	0.3	00.0-00.9	964	99.7	99.1-0100
Oth. Race/Non-Hisp.	130	75,053				130	100.0	0100-0100
MultiRacial/Non-Hisp.	106	53,659	3	0.8	00.0-02.0	103	99.2	98.0-0100
Hispanic	286	234,170	6	1.6	00.2-03.0	280	98.4	97.0-99.8
18-24	379	653,738	4	1.2	00.0-02.4	375	98.8	97.6-0100
25-34	827	834,148	3	0.2	00.0-00.4	824	99.8	99.6-0100
35-44	1038	837,316	22	2.0	01.0-03.0	1016	98.0	97.0-99.0
45-54	1553	925,280	76	4.5	03.3-05.7	1477	95.5	94.3-96.7
55-64	1862	738,245	115	6.4	05.0-07.8	1747	93.6	92.2-95.0
65+	2733	863,686	405	16.8	15.0-18.6	2328	83.2	81.4-85.0
Less Than H.S.	858	707,010	55	4.8	03.2-06.4	803	95.2	93.6-96.8
H.S. or G.E.D.	3155	1,729,714	236	5.8	04.8-06.8	2919	94.2	93.2-95.2
Some Post-H.S.	2095	1,439,413	140	4.8	03.8-05.8	1955	95.2	94.2-96.2
College Graduate	2342	1,001,066	197	5.9	04.9-06.9	2145	94.1	93.1-95.1
Less than \$15,000	1006	557,674	64	4.5	02.9-06.1	942	95.5	93.9-97.1
\$15,000- 24,999	1506	779,111	119	6.7	05.1-08.3	1387	93.3	91.7-94.9
\$25,000- 34,999	908	513,890	71	5.9	04.1-07.7	837	94.1	92.3-95.9
\$35,000- 49,999	1146	641,240	86	5.6	04.2-07.0	1060	94.4	93.0-95.8
\$50,000- 74,999	1073	653,533	79	5.9	04.3-07.5	994	94.1	92.5-95.7
\$75,000+	1515	970,275	96	4.3	03.3-05.3	1419	95.7	94.7-96.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3290	2,380,314	277	5.5	04.7-06.3	3013	94.5	93.7-95.3
White/Non-Hisp	2692	1,932,958	270	6.6	05.6-07.6	2422	93.4	92.4-94.4
Black or Afr. Am./Non-Hisp	308	195,454				308	100.0	0100-0100
Oth. Race/Non-Hisp.	70	53,748				70	100.0	0100-0100
Hispanic	112	131,465	2	1.5	00.0-03.7	110	98.5	96.3-0100
18-24	180	335,713	2	1.3	00.0-03.1	178	98.7	96.9-0100
25-34	320	420,876				320	100.0	0100-0100
35-44	439	424,168	7	1.5	00.3-02.7	432	98.5	97.3-99.7
45-54	666	458,631	32	4.4	02.6-06.2	634	95.6	93.8-97.4
55-64	730	364,925	55	6.9	04.7-09.1	675	93.1	90.9-95.3
65+	929	363,316	181	20.9	17.8-24.0	748	79.1	76.0-82.2
Less Than H.S.	359	384,954	30	5.5	03.1-07.9	329	94.5	92.1-96.9
H.S. or G.E.D.	1162	845,744	92	5.6	04.2-07.0	1070	94.4	93.0-95.8
Some Post-H.S.	773	655,839	57	4.9	03.5-06.3	716	95.1	93.7-96.5
College Graduate	985	487,799	97	6.3	04.7-07.9	888	93.7	92.1-95.3
Less than \$15,000	327	245,799	26	5.2	02.5-07.9	301	94.8	92.1-97.5
\$15,000- 24,999	521	353,166	49	8.1	05.4-10.8	472	91.9	89.2-94.6
\$25,000- 34,999	368	259,560	27	4.5	02.5-06.5	341	95.5	93.5-97.5
\$35,000- 49,999	490	339,957	49	6.6	04.4-08.8	441	93.4	91.2-95.6
\$50,000- 74,999	458	337,261	37	5.1	03.1-07.1	421	94.9	92.9-96.9
\$75,000+	719	504,737	52	4.7	03.1-06.3	667	95.3	93.7-96.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5189	2,509,941	353	5.2	04.6-05.8	4836	94.8	94.2-95.4
White/Non-Hisp	4154	2,123,653	339	5.9	05.1-06.7	3815	94.1	93.3-94.9
Black or Afr. Am./Non-Hisp	658	208,333	2	0.7	00.0-01.9	656	99.3	98.1-0100
Oth. Race/Non-Hisp.	60	21,304				60	100.0	0100-0100
MultiRacial/Non-Hisp.	67	24,579	3	1.7	00.0-04.1	64	98.3	95.9-0100
Hispanic	174	102,705	4	1.7	00.0-03.7	170	98.3	96.3-0100
18-24	199	318,025	2	1.0	00.0-02.4	197	99.0	97.6-0100
25-34	507	413,272	3	0.4	00.0-00.8	504	99.6	99.2-0100
35-44	599	413,148	15	2.6	01.0-04.2	584	97.4	95.8-99.0
45-54	887	466,649	44	4.6	03.0-06.2	843	95.4	93.8-97.0
55-64	1132	373,320	60	5.9	04.1-07.7	1072	94.1	92.3-95.9
65+	1804	500,370	224	13.9	11.9-15.9	1580	86.1	84.1-88.1
Less Than H.S.	499	322,056	25	3.9	01.9-05.9	474	96.1	94.1-98.1
H.S. or G.E.D.	1993	883,971	144	6.0	04.8-07.2	1849	94.0	92.8-95.2
Some Post-H.S.	1322	783,574	83	4.6	03.4-05.8	1239	95.4	94.2-96.6
College Graduate	1357	513,266	100	5.6	04.2-07.0	1257	94.4	93.0-95.8
Less than \$15,000	679	311,875	38	4.0	02.2-05.8	641	96.0	94.2-97.8
\$15,000- 24,999	985	425,945	70	5.6	04.0-07.2	915	94.4	92.8-96.0
\$25,000- 34,999	540	254,329	44	7.3	04.6-10.0	496	92.7	90.0-95.4
\$35,000- 49,999	656	301,284	37	4.4	02.8-06.0	619	95.6	94.0-97.2
\$50,000- 74,999	615	316,272	42	6.8	04.3-09.3	573	93.2	90.7-95.7
\$75,000+	796	465,539	44	3.9	02.5-05.3	752	96.1	94.7-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8469	4,884,813	765	6.3	05.7-06.9	7704	93.7	93.1-94.3
Male	3285	2,380,973	234	4.6	03.8-05.4	3051	95.4	94.6-96.2
Female	5184	2,503,839	531	7.9	06.9-08.9	4653	92.1	91.1-93.1
White/Non-Hisp	6840	4,049,381	640	6.6	06.0-07.2	6200	93.4	92.8-94.0
Black or Afr. Am./Non-Hisp	960	401,826	83	6.1	03.7-08.5	877	93.9	91.5-96.3
Oth. Race/Non-Hisp.	130	75,053	8	5.3	00.0-10.6	122	94.7	89.4-0100
MultiRacial/Non-Hisp.	107	54,527	12	8.4	02.9-13.9	95	91.6	86.1-97.1
Hispanic	287	237,463	10	1.3	00.3-02.3	277	98.7	97.7-99.7
18-24	376	648,164	3	0.5	00.0-01.3	373	99.5	98.7-0100
25-34	826	834,880	19	2.1	01.1-03.1	807	97.9	96.9-98.9
35-44	1037	836,050	23	2.7	01.5-03.9	1014	97.3	96.1-98.5
45-54	1552	925,946	88	5.4	04.0-06.8	1464	94.6	93.2-96.0
55-64	1859	738,477	162	9.1	07.5-10.7	1697	90.9	89.3-92.5
65+	2732	863,453	464	16.5	14.7-18.3	2268	83.5	81.7-85.3
Less Than H.S.	858	707,810	102	7.7	05.5-09.9	756	92.3	90.1-94.5
H.S. or G.E.D.	3151	1,728,944	286	6.4	05.4-07.4	2865	93.6	92.6-94.6
Some Post-H.S.	2092	1,434,726	181	6.2	05.0-07.4	1911	93.8	92.6-95.0
College Graduate	2339	1,000,280	192	5.1	04.1-06.1	2147	94.9	93.9-95.9
Less than \$15,000	1004	556,693	93	6.4	04.6-08.2	911	93.6	91.8-95.4
\$15,000- 24,999	1506	783,163	170	8.3	06.7-09.9	1336	91.7	90.1-93.3
\$25,000- 34,999	906	513,183	87	7.0	05.2-08.8	819	93.0	91.2-94.8
\$35,000- 49,999	1144	639,195	108	7.0	05.2-08.8	1036	93.0	91.2-94.8
\$50,000- 74,999	1070	648,918	76	4.6	03.2-06.0	994	95.4	94.0-96.8
\$75,000+	1517	971,385	86	4.3	03.1-05.5	1431	95.7	94.5-96.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3285	2,380,973	234	4.6	03.8-05.4	3051	95.4	94.6-96.2
White/Non-Hisp	2689	1,931,309	197	4.8	04.0-05.6	2492	95.2	94.4-96.0
Black or Afr. Am./Non-Hisp	305	194,882	28	6.0	02.7-09.3	277	94.0	90.7-97.3
Oth. Race/Non-Hisp.	70	53,748	2	3.6	00.0-09.7	68	96.4	90.3-0100
Hispanic	113	134,758	1	0.4	00.0-01.2	112	99.6	98.8-0100
18-24	179	334,973	2	0.9	00.0-02.5	177	99.1	97.5-0100
25-34	320	422,754	2	0.5	00.0-01.3	318	99.5	98.7-0100
35-44	439	424,168	3	0.9	00.0-01.9	436	99.1	98.1-0100
45-54	666	459,143	17	2.7	01.1-04.3	649	97.3	95.7-98.9
55-64	727	364,682	52	8.1	05.7-10.5	675	91.9	89.5-94.3
65+	928	362,567	158	15.9	13.0-18.8	770	84.1	81.2-87.0
Less Than H.S.	357	387,246	33	5.4	02.9-07.9	324	94.6	92.1-97.1
H.S. or G.E.D.	1161	846,112	79	4.7	03.5-05.9	1082	95.3	94.1-96.5
Some Post-H.S.	772	654,538	44	3.8	02.4-05.2	728	96.2	94.8-97.6
College Graduate	984	487,100	78	4.8	03.4-06.2	906	95.2	93.8-96.6
Less than \$15,000	325	245,261	24	5.5	02.6-08.4	301	94.5	91.6-97.4
\$15,000- 24,999	522	356,789	40	5.1	03.1-07.1	482	94.9	92.9-96.9
\$25,000- 34,999	366	258,853	30	4.5	02.3-06.7	336	95.5	93.3-97.7
\$35,000- 49,999	490	338,805	38	4.7	02.7-06.7	452	95.3	93.3-97.3
\$50,000- 74,999	457	337,133	28	3.7	01.7-05.7	429	96.3	94.3-98.3
\$75,000+	721	505,846	44	4.7	03.1-06.3	677	95.3	93.7-96.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5184	2,503,839	531	7.9	06.9-08.9	4653	92.1	91.1-93.1
White/Non-Hisp	4151	2,118,073	443	8.3	07.3-09.3	3708	91.7	90.7-92.7
Black or Afr. Am./Non-Hisp	655	206,944	55	6.2	02.9-09.5	600	93.8	90.5-97.1
Oth. Race/Non-Hisp.	60	21,304	6	9.5	00.0-19.7	54	90.5	80.3-0100
MultiRacial/Non-Hisp.	68	25,446	12	17.9	06.9-28.9	56	82.1	71.1-93.1
Hispanic	174	102,705	9	2.3	00.5-04.1	165	97.7	95.9-99.5
18-24	197	313,191	1	0.1	00.0-00.3	196	99.9	99.7-0100
25-34	506	412,126	17	3.7	01.7-05.7	489	96.3	94.3-98.3
35-44	598	411,882	20	4.5	02.1-06.9	578	95.5	93.1-97.9
45-54	886	466,802	71	8.1	05.7-10.5	815	91.9	89.5-94.3
55-64	1132	373,795	110	10.2	08.0-12.4	1022	89.8	87.6-92.0
65+	1804	500,886	306	17.0	14.8-19.2	1498	83.0	80.8-85.2
Less Than H.S.	501	320,564	69	10.6	07.1-14.1	432	89.4	85.9-92.9
H.S. or G.E.D.	1990	882,833	207	8.0	06.6-09.4	1783	92.0	90.6-93.4
Some Post-H.S.	1320	780,188	137	8.2	06.4-10.0	1183	91.8	90.0-93.6
College Graduate	1355	513,180	114	5.4	04.2-06.6	1241	94.6	93.4-95.8
Less than \$15,000	679	311,431	69	7.0	04.6-09.4	610	93.0	90.6-95.4
\$15,000- 24,999	984	426,374	130	10.9	08.4-13.4	854	89.1	86.6-91.6
\$25,000- 34,999	540	254,329	57	9.7	06.8-12.6	483	90.3	87.4-93.2
\$35,000- 49,999	654	300,390	70	9.5	06.6-12.4	584	90.5	87.6-93.4
\$50,000- 74,999	613	311,785	48	5.7	03.7-07.7	565	94.3	92.3-96.3
\$75,000+	796	465,539	42	4.0	02.6-05.4	754	96.0	94.6-97.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) YOU HAVE (COPD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8433	4,865,036	857	8.3	07.5-09.1	7576	91.7	90.9-92.5
Male	3262	2,363,398	253	6.3	05.3-07.3	3009	93.7	92.7-94.7
Female	5171	2,501,637	604	10.1	09.1-11.1	4567	89.9	88.9-90.9
White/Non-Hisp	6814	4,039,601	694	8.3	07.5-09.1	6120	91.7	90.9-92.5
Black or Afr. Am./Non-Hisp	956	396,518	92	8.3	05.2-11.4	864	91.7	88.6-94.8
Oth. Race/Non-Hisp.	128	71,260	14	9.9	03.0-16.8	114	90.1	83.2-97.0
MultiRacial/Non-Hisp.	105	54,064	24	17.9	09.3-26.5	81	82.1	73.5-90.7
Hispanic	287	237,463	17	4.1	01.6-06.6	270	95.9	93.4-98.4
18-24	378	651,108	10	1.7	00.5-02.9	368	98.3	97.1-99.5
25-34	821	827,510	36	4.9	03.1-06.7	785	95.1	93.3-96.9
35-44	1034	832,812	57	5.4	03.8-07.0	977	94.6	93.0-96.2
45-54	1547	922,654	151	10.5	08.5-12.5	1396	89.5	87.5-91.5
55-64	1851	734,798	221	11.5	09.7-13.3	1630	88.5	86.7-90.3
65+	2716	858,383	378	14.4	12.6-16.2	2338	85.6	83.8-87.4
Less Than H.S.	845	699,076	173	14.7	11.8-17.6	672	85.3	82.4-88.2
H.S. or G.E.D.	3131	1,717,292	359	8.9	07.7-10.1	2772	91.1	89.9-92.3
Some Post-H.S.	2090	1,435,877	206	7.7	06.3-09.1	1884	92.3	90.9-93.7
College Graduate	2339	999,810	114	3.4	02.6-04.2	2225	96.6	95.8-97.4
Less than \$15,000	990	547,011	207	18.8	15.7-21.9	783	81.2	78.1-84.3
\$15,000- 24,999	1496	777,444	207	11.2	09.2-13.2	1289	88.8	86.8-90.8
\$25,000- 34,999	906	513,467	105	9.7	07.3-12.1	801	90.3	87.9-92.7
\$35,000- 49,999	1141	638,588	94	7.3	05.3-09.3	1047	92.7	90.7-94.7
\$50,000- 74,999	1070	652,154	44	3.6	02.0-05.2	1026	96.4	94.8-98.0
\$75,000+	1515	969,498	50	2.7	01.7-03.7	1465	97.3	96.3-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) YOU HAVE (COPD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3262	2,363,398	253	6.3	05.3-07.3	3009	93.7	92.7-94.7
White/Non-Hisp	2672	1,921,768	211	6.5	05.5-07.5	2461	93.5	92.5-94.5
Black or Afr. Am./Non-Hisp	303	190,635	22	6.8	02.5-11.1	281	93.2	88.9-97.5
Oth. Race/Non-Hisp.	68	49,956	5	6.7	00.0-14.7	63	93.3	85.3-0100
Hispanic	113	134,758	4	2.5	00.0-05.4	109	97.5	94.6-0100
18-24	179	334,014	7	2.2	00.2-04.2	172	97.8	95.8-99.8
25-34	317	416,527	15	5.0	02.3-07.7	302	95.0	92.3-97.7
35-44	436	420,797	11	2.1	00.7-03.5	425	97.9	96.5-99.3
45-54	663	457,341	58	9.2	06.5-11.9	605	90.8	88.1-93.5
55-64	725	362,574	59	7.3	05.1-09.5	666	92.7	90.5-94.9
65+	917	359,530	101	12.2	09.5-14.9	816	87.8	85.1-90.5
Less Than H.S.	349	378,004	57	11.3	07.8-14.8	292	88.7	85.2-92.2
H.S. or G.E.D.	1152	838,492	89	5.7	04.1-07.3	1063	94.3	92.7-95.9
Some Post-H.S.	770	654,864	60	6.5	04.5-08.5	710	93.5	91.5-95.5
College Graduate	981	486,132	46	3.4	02.2-04.6	935	96.6	95.4-97.8
Less than \$15,000	318	238,886	63	18.3	13.0-23.6	255	81.7	76.4-87.0
\$15,000- 24,999	515	353,348	56	8.7	05.8-11.6	459	91.3	88.4-94.2
\$25,000- 34,999	367	259,221	31	6.6	03.7-09.5	336	93.4	90.5-96.3
\$35,000- 49,999	487	337,965	34	4.9	02.7-07.1	453	95.1	92.9-97.3
\$50,000- 74,999	456	336,804	14	3.0	01.2-04.8	442	97.0	95.2-98.8
\$75,000+	720	504,344	22	2.2	01.0-03.4	698	97.8	96.6-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) YOU HAVE (COPD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5171	2,501,637	604	10.1	09.1-11.1	4567	89.9	88.9-90.9
White/Non-Hisp	4142	2,117,833	483	9.9	08.7-11.1	3659	90.1	88.9-91.3
Black or Afr. Am./Non-Hisp	653	205,882	70	9.7	05.4-14.0	583	90.3	86.0-94.6
Oth. Race/Non-Hisp.	60	21,304	9	17.3	04.6-30.0	51	82.7	70.0-95.4
MultiRacial/Non-Hisp.	67	25,055	18	25.6	12.9-38.3	49	74.4	61.7-87.1
Hispanic	174	102,705	13	6.3	02.0-10.6	161	93.7	89.4-98.0
18-24	199	317,094	3	1.2	00.0-02.6	196	98.8	97.4-0100
25-34	504	410,983	21	4.7	02.3-07.1	483	95.3	92.9-97.7
35-44	598	412,014	46	8.7	05.8-11.6	552	91.3	88.4-94.2
45-54	884	465,313	93	11.7	08.8-14.6	791	88.3	85.4-91.2
55-64	1126	372,224	162	15.6	12.9-18.3	964	84.4	81.7-87.1
65+	1799	498,853	277	15.9	13.7-18.1	1522	84.1	81.9-86.3
Less Than H.S.	496	321,072	116	18.7	14.2-23.2	380	81.3	76.8-85.8
H.S. or G.E.D.	1979	878,800	270	11.9	10.1-13.7	1709	88.1	86.3-89.9
Some Post-H.S.	1320	781,014	146	8.7	06.9-10.5	1174	91.3	89.5-93.1
College Graduate	1358	513,678	68	3.4	02.2-04.6	1290	96.6	95.4-97.8
Less than \$15,000	672	308,125	144	19.2	15.3-23.1	528	80.8	76.9-84.7
\$15,000- 24,999	981	424,095	151	13.3	10.6-16.0	830	86.7	84.0-89.4
\$25,000- 34,999	539	254,245	74	12.9	09.0-16.8	465	87.1	83.2-91.0
\$35,000- 49,999	654	300,623	60	10.0	06.9-13.1	594	90.0	86.9-93.1
\$50,000- 74,999	614	315,349	30	4.2	01.7-06.7	584	95.8	93.3-98.3
\$75,000+	795	465,153	28	3.2	01.6-04.8	767	96.8	95.2-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8425	4,865,391	3059	27.5	26.3-28.7	5366	72.5	71.3-73.7
Male	3268	2,367,726	975	23.0	21.2-24.8	2293	77.0	75.2-78.8
Female	5157	2,497,665	2084	31.6	30.0-33.2	3073	68.4	66.8-70.0
White/Non-Hisp	6806	4,033,272	2505	28.4	27.0-29.8	4301	71.6	70.2-73.0
Black or Afr. Am./Non-Hisp	959	400,375	376	27.4	22.7-32.1	583	72.6	67.9-77.3
Oth. Race/Non-Hisp.	128	74,532	36	26.1	14.7-37.5	92	73.9	62.5-85.3
MultiRacial/Non-Hisp.	105	53,914	44	29.5	18.7-40.3	61	70.5	59.7-81.3
Hispanic	285	236,935	53	10.4	06.7-14.1	232	89.6	85.9-93.3
18-24	377	651,736	16	4.0	01.8-06.2	361	96.0	93.8-98.2
25-34	822	831,793	64	7.8	05.6-10.0	758	92.2	90.0-94.4
35-44	1031	830,958	176	17.9	15.0-20.8	855	82.1	79.2-85.0
45-54	1537	917,275	486	31.4	28.5-34.3	1051	68.6	65.7-71.5
55-64	1855	736,908	834	45.3	42.4-48.2	1021	54.7	51.8-57.6
65+	2716	858,878	1459	54.2	51.8-56.6	1257	45.8	43.4-48.2
Less Than H.S.	851	706,263	371	28.2	24.5-31.9	480	71.8	68.1-75.5
H.S. or G.E.D.	3130	1,714,252	1278	32.4	30.2-34.6	1852	67.6	65.4-69.8
Some Post-H.S.	2087	1,435,500	765	26.7	24.3-29.1	1322	73.3	70.9-75.7
College Graduate	2328	996,324	631	19.6	17.8-21.4	1697	80.4	78.6-82.2
Less than \$15,000	1000	554,222	445	32.8	28.9-36.7	555	67.2	63.3-71.1
\$15,000- 24,999	1495	779,068	688	34.0	30.9-37.1	807	66.0	62.9-69.1
\$25,000- 34,999	901	509,787	352	30.4	26.5-34.3	549	69.6	65.7-73.5
\$35,000- 49,999	1141	638,224	405	30.1	26.8-33.4	736	69.9	66.6-73.2
\$50,000- 74,999	1068	650,054	313	22.3	19.4-25.2	755	77.7	74.8-80.6
\$75,000+	1506	964,922	329	18.4	16.0-20.8	1177	81.6	79.2-84.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3268	2,367,726	975	23.0	21.2-24.8	2293	77.0	75.2-78.8
White/Non-Hisp	2673	1,917,929	808	24.0	22.0-26.0	1865	76.0	74.0-78.0
Black or Afr. Am./Non-Hisp	306	195,180	108	23.6	16.3-30.9	198	76.4	69.1-83.7
Oth. Race/Non-Hisp.	70	53,748	18	27.4	12.5-42.3	52	72.6	57.7-87.5
Hispanic	112	134,669	16	8.7	03.6-13.8	96	91.3	86.2-96.4
18-24	179	334,973	9	4.1	01.0-07.2	170	95.9	92.8-99.0
25-34	318	420,942	20	7.7	04.2-11.2	298	92.3	88.8-95.8
35-44	435	419,830	59	15.2	11.1-19.3	376	84.8	80.7-88.9
45-54	660	454,235	176	25.8	21.7-29.9	484	74.2	70.1-78.3
55-64	729	364,510	279	39.7	35.4-44.0	450	60.3	56.0-64.6
65+	921	360,549	426	47.5	43.6-51.4	495	52.5	48.6-56.4
Less Than H.S.	355	385,631	120	23.0	17.9-28.1	235	77.0	71.9-82.1
H.S. or G.E.D.	1152	838,112	380	25.9	23.0-28.8	772	74.1	71.2-77.0
Some Post-H.S.	769	652,290	249	23.9	20.4-27.4	520	76.1	72.6-79.6
College Graduate	981	485,715	223	17.1	14.6-19.6	758	82.9	80.4-85.4
Less than \$15,000	325	245,204	122	28.1	21.8-34.4	203	71.9	65.6-78.2
\$15,000- 24,999	516	354,276	196	28.2	23.5-32.9	320	71.8	67.1-76.5
\$25,000- 34,999	364	257,532	129	27.9	22.0-33.8	235	72.1	66.2-78.0
\$35,000- 49,999	489	338,027	163	27.5	22.6-32.4	326	72.5	67.6-77.4
\$50,000- 74,999	457	336,065	103	17.5	13.6-21.4	354	82.5	78.6-86.4
\$75,000+	716	500,978	135	15.6	12.3-18.9	581	84.4	81.1-87.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5157	2,497,665	2084	31.6	30.0-33.2	3073	68.4	66.8-70.0
White/Non-Hisp	4133	2,115,343	1697	32.4	30.6-34.2	2436	67.6	65.8-69.4
Black or Afr. Am./Non-Hisp	653	205,196	268	31.0	24.9-37.1	385	69.0	62.9-75.1
Oth. Race/Non-Hisp.	58	20,784	18	22.7	10.5-34.9	40	77.3	65.1-89.5
MultiRacial/Non-Hisp.	66	24,834	30	34.7	21.4-48.0	36	65.3	52.0-78.6
Hispanic	173	102,266	37	12.6	07.3-17.9	136	87.4	82.1-92.7
18-24	198	316,763	7	3.9	00.8-07.0	191	96.1	93.0-99.2
25-34	504	410,850	44	8.0	05.3-10.7	460	92.0	89.3-94.7
35-44	596	411,128	117	20.6	16.5-24.7	479	79.4	75.3-83.5
45-54	877	463,040	310	36.9	32.8-41.0	567	63.1	59.0-67.2
55-64	1126	372,398	555	50.8	47.1-54.5	571	49.2	45.5-52.9
65+	1795	498,329	1033	59.0	56.3-61.7	762	41.0	38.3-43.7
Less Than H.S.	496	320,632	251	34.5	29.0-40.0	245	65.5	60.0-71.0
H.S. or G.E.D.	1978	876,140	898	38.6	35.9-41.3	1080	61.4	58.7-64.1
Some Post-H.S.	1318	783,210	516	28.9	26.0-31.8	802	71.1	68.2-74.0
College Graduate	1347	510,609	408	21.9	19.4-24.4	939	78.1	75.6-80.6
Less than \$15,000	675	309,017	323	36.5	31.6-41.4	352	63.5	58.6-68.4
\$15,000- 24,999	979	424,791	492	38.9	34.8-43.0	487	61.1	57.0-65.2
\$25,000- 34,999	537	252,255	223	32.8	27.7-37.9	314	67.2	62.1-72.3
\$35,000- 49,999	652	300,196	242	32.9	28.2-37.6	410	67.1	62.4-71.8
\$50,000- 74,999	611	313,989	210	27.5	23.0-32.0	401	72.5	68.0-77.0
\$75,000+	790	463,944	194	21.4	18.1-24.7	596	78.6	75.3-81.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 28: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8450	4,875,094	1717	20.8	19.6-22.0	6733	79.2	78.0-80.4
Male	3278	2,372,289	483	14.9	13.3-16.5	2795	85.1	83.5-86.7
Female	5172	2,502,805	1234	26.3	24.5-28.1	3938	73.7	71.9-75.5
White/Non-Hisp	6823	4,040,761	1441	21.5	20.1-22.9	5382	78.5	77.1-79.9
Black or Afr. Am./Non-Hisp	963	403,464	144	16.4	12.3-20.5	819	83.6	79.5-87.7
Oth. Race/Non-Hisp.	129	74,760	21	18.4	07.8-29.0	108	81.6	71.0-92.2
MultiRacial/Non-Hisp.	106	54,288	35	33.0	20.1-45.9	71	67.0	54.1-79.9
Hispanic	286	235,836	46	12.2	07.7-16.7	240	87.8	83.3-92.3
18-24	375	647,679	72	19.3	14.8-23.8	303	80.7	76.2-85.2
25-34	824	833,568	170	19.6	16.3-22.9	654	80.4	77.1-83.7
35-44	1035	834,553	236	23.6	20.5-26.7	799	76.4	73.3-79.5
45-54	1547	922,925	372	23.2	20.7-25.7	1175	76.8	74.3-79.3
55-64	1860	738,580	466	24.1	21.7-26.5	1394	75.9	73.5-78.3
65+	2724	861,036	392	15.2	13.4-17.0	2332	84.8	83.0-86.6
Less Than H.S.	853	706,261	225	23.1	19.4-26.8	628	76.9	73.2-80.6
H.S. or G.E.D.	3141	1,721,389	659	21.9	19.9-23.9	2482	78.1	76.1-80.1
Some Post-H.S.	2092	1,437,173	474	22.6	20.2-25.0	1618	77.4	75.0-79.8
College Graduate	2335	997,219	356	14.5	12.7-16.3	1979	85.5	83.7-87.3
Less than \$15,000	1004	555,170	354	36.1	31.8-40.4	650	63.9	59.6-68.2
\$15,000- 24,999	1498	778,518	359	22.7	20.0-25.4	1139	77.3	74.6-80.0
\$25,000- 34,999	906	512,862	183	22.5	18.6-26.4	723	77.5	73.6-81.4
\$35,000- 49,999	1141	639,322	201	18.1	15.2-21.0	940	81.9	79.0-84.8
\$50,000- 74,999	1071	651,822	181	17.8	14.7-20.9	890	82.2	79.1-85.3
\$75,000+	1516	969,883	203	13.7	11.5-15.9	1313	86.3	84.1-88.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3278	2,372,289	483	14.9	13.3-16.5	2795	85.1	83.5-86.7
White/Non-Hisp	2681	1,922,472	405	15.5	13.7-17.3	2276	84.5	82.7-86.3
Black or Afr. Am./Non-Hisp	307	195,327	38	10.9	05.8-16.0	269	89.1	84.0-94.2
Oth. Race/Non-Hisp.	69	53,456	8	15.9	02.0-29.8	61	84.1	70.2-98.0
Hispanic	113	134,758	13	8.0	02.7-13.3	100	92.0	86.7-97.3
18-24	177	331,264	27	12.6	07.5-17.7	150	87.4	82.3-92.5
25-34	319	422,330	47	17.2	12.3-22.1	272	82.8	77.9-87.7
35-44	436	421,405	67	15.7	11.8-19.6	369	84.3	80.4-88.2
45-54	665	457,228	103	14.6	11.7-17.5	562	85.4	82.5-88.3
55-64	729	364,792	129	17.5	14.2-20.8	600	82.5	79.2-85.8
65+	926	362,583	109	11.8	09.3-14.3	817	88.2	85.7-90.7
Less Than H.S.	357	386,260	72	16.3	11.8-20.8	285	83.7	79.2-88.2
H.S. or G.E.D.	1155	839,779	187	16.9	14.2-19.6	968	83.1	80.4-85.8
Some Post-H.S.	772	653,541	125	15.2	12.1-18.3	647	84.8	81.7-87.9
College Graduate	983	486,732	98	9.9	07.5-12.3	885	90.1	87.7-92.5
Less than \$15,000	325	243,950	103	30.7	24.0-37.4	222	69.3	62.6-76.0
\$15,000- 24,999	519	354,002	107	18.1	14.0-22.2	412	81.9	77.8-86.0
\$25,000- 34,999	367	258,614	66	19.2	13.7-24.7	301	80.8	75.3-86.3
\$35,000- 49,999	489	339,854	55	11.2	07.7-14.7	434	88.8	85.3-92.3
\$50,000- 74,999	457	336,198	49	11.8	08.1-15.5	408	88.2	84.5-91.9
\$75,000+	720	504,344	46	6.8	04.6-09.0	674	93.2	91.0-95.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5172	2,502,805	1234	26.3	24.5-28.1	3938	73.7	71.9-75.5
White/Non-Hisp	4142	2,118,289	1036	27.0	25.0-29.0	3106	73.0	71.0-75.0
Black or Afr. Am./Non-Hisp	656	208,138	106	21.5	15.2-27.8	550	78.5	72.2-84.8
Oth. Race/Non-Hisp.	60	21,304	13	24.7	10.2-39.2	47	75.3	60.8-89.8
MultiRacial/Non-Hisp.	67	25,207	24	33.8	19.3-48.3	43	66.2	51.7-80.7
Hispanic	173	101,078	33	17.8	10.2-25.4	140	82.2	74.6-89.8
18-24	198	316,415	45	26.3	19.0-33.6	153	73.7	66.4-81.0
25-34	505	411,238	123	22.1	18.0-26.2	382	77.9	73.8-82.0
35-44	599	413,148	169	31.6	26.9-36.3	430	68.4	63.7-73.1
45-54	882	465,696	269	31.8	27.9-35.7	613	68.2	64.3-72.1
55-64	1131	373,787	337	30.6	27.3-33.9	794	69.4	66.1-72.7
65+	1798	498,453	283	17.7	15.3-20.1	1515	82.3	79.9-84.7
Less Than H.S.	496	320,002	153	31.3	25.2-37.4	343	68.7	62.6-74.8
H.S. or G.E.D.	1986	881,610	472	26.7	23.8-29.6	1514	73.3	70.4-76.2
Some Post-H.S.	1320	783,632	349	28.8	25.5-32.1	971	71.2	67.9-74.5
College Graduate	1352	510,487	258	18.8	16.1-21.5	1094	81.2	78.5-83.9
Less than \$15,000	679	311,220	251	40.4	34.9-45.9	428	59.6	54.1-65.1
\$15,000- 24,999	979	424,516	252	26.5	22.8-30.2	727	73.5	69.8-77.2
\$25,000- 34,999	539	254,249	117	25.8	20.1-31.5	422	74.2	68.5-79.9
\$35,000- 49,999	652	299,468	146	25.9	21.2-30.6	506	74.1	69.4-78.8
\$50,000- 74,999	614	315,624	132	24.1	19.2-29.0	482	75.9	71.0-80.8
\$75,000+	796	465,539	157	21.2	17.5-24.9	639	78.8	75.1-82.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8471	4,888,660	276	2.1	01.7-02.5	8195	97.9	97.5-98.3
Male	3290	2,381,628	101	1.8	01.4-02.2	3189	98.2	97.8-98.6
Female	5181	2,507,032	175	2.4	01.8-03.0	5006	97.6	97.0-98.2
White/Non-Hisp	6843	4,052,592	209	2.2	01.8-02.6	6634	97.8	97.4-98.2
Black or Afr. Am./Non-Hisp	962	403,078	45	2.2	01.2-03.2	917	97.8	96.8-98.8
Oth. Race/Non-Hisp.	129	74,973	4	1.4	00.0-03.0	125	98.6	97.0-0100
MultiRacial/Non-Hisp.	107	54,527	8	3.6	00.1-07.1	99	96.4	92.9-99.9
Hispanic	286	236,963	6	0.7	00.1-01.3	280	99.3	98.7-99.9
18-24	379	651,707	2	0.5	00.0-01.3	377	99.5	98.7-0100
25-34	827	836,375	6	0.3	00.0-00.7	821	99.7	99.3-0100
35-44	1038	837,316	18	1.7	00.7-02.7	1020	98.3	97.3-99.3
45-54	1548	924,553	34	1.8	01.0-02.6	1514	98.2	97.4-99.0
55-64	1862	738,792	73	3.3	02.3-04.3	1789	96.7	95.7-97.7
65+	2730	862,075	142	5.0	04.0-06.0	2588	95.0	94.0-96.0
Less Than H.S.	855	707,238	42	2.4	01.4-03.4	813	97.6	96.6-98.6
H.S. or G.E.D.	3153	1,729,466	108	2.1	01.7-02.5	3045	97.9	97.5-98.3
Some Post-H.S.	2092	1,436,801	71	2.1	01.5-02.7	2021	97.9	97.3-98.5
College Graduate	2343	1,002,224	54	1.9	01.1-02.7	2289	98.1	97.3-98.9
Less than \$15,000	999	554,245	59	3.7	02.3-05.1	940	96.3	94.9-97.7
\$15,000- 24,999	1506	782,819	78	2.9	02.1-03.7	1428	97.1	96.3-97.9
\$25,000- 34,999	908	513,890	33	3.3	01.9-04.7	875	96.7	95.3-98.1
\$35,000- 49,999	1145	641,214	31	2.0	01.2-02.8	1114	98.0	97.2-98.8
\$50,000- 74,999	1072	652,709	19	0.8	00.4-01.2	1053	99.2	98.8-99.6
\$75,000+	1516	971,180	19	1.3	00.5-02.1	1497	98.7	97.9-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3290	2,381,628	101	1.8	01.4-02.2	3189	98.2	97.8-98.6
White/Non-Hisp	2692	1,931,674	76	1.8	01.2-02.4	2616	98.2	97.6-98.8
Black or Afr. Am./Non-Hisp	307	195,085	15	1.7	00.3-03.1	292	98.3	96.9-99.7
Oth. Race/Non-Hisp.	70	53,748	3	1.9	00.0-04.1	67	98.1	95.9-0100
Hispanic	113	134,758	4	0.9	00.0-02.1	109	99.1	97.9-0100
18-24	180	335,713	1	0.1	00.0-00.3	179	99.9	99.7-0100
25-34	320	423,103				320	100.0	0100-0100
35-44	439	424,168	6	1.0	00.2-01.8	433	99.0	98.2-99.8
45-54	666	458,168	22	2.1	00.9-03.3	644	97.9	96.7-99.1
55-64	731	365,112	26	3.4	01.6-05.2	705	96.6	94.8-98.4
65+	928	362,678	46	4.3	02.7-05.9	882	95.7	94.1-97.3
Less Than H.S.	357	385,888	16	2.0	00.8-03.2	341	98.0	96.8-99.2
H.S. or G.E.D.	1163	845,931	35	1.7	01.1-02.3	1128	98.3	97.7-98.9
Some Post-H.S.	773	655,226	27	1.9	00.9-02.9	746	98.1	97.1-99.1
College Graduate	986	488,605	23	1.6	00.8-02.4	963	98.4	97.6-99.2
Less than \$15,000	324	243,154	17	2.9	01.3-04.5	307	97.1	95.5-98.7
\$15,000- 24,999	523	357,108	28	2.7	01.3-04.1	495	97.3	95.9-98.7
\$25,000- 34,999	368	259,560	18	3.7	01.7-05.7	350	96.3	94.3-98.3
\$35,000- 49,999	491	340,220	14	1.9	00.7-03.1	477	98.1	96.9-99.3
\$50,000- 74,999	457	336,437	7	0.4	00.2-00.6	450	99.6	99.4-99.8
\$75,000+	720	505,641	7	0.7	00.0-01.5	713	99.3	98.5-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	5181	2,507,032	175	2.4	01.8-03.0	5006	97.6	97.0-98.2	
White/Non-Hisp	4151	2,120,918	133	2.5	01.9-03.1	4018	97.5	96.9-98.1	
Black or Afr. Am./Non-Hisp	655	207,993	30	2.6	01.2-04.0	625	97.4	96.0-98.8	
Oth. Race/Non-Hisp.	59	21,225	1	0.3	00.0-00.9	58	99.7	99.1-0100	
MultiRacial/Non-Hisp.	68	25,446	5	1.8	00.2-03.4	63	98.2	96.6-99.8	
Hispanic	173	102,205	2	0.4	00.0-01.0	171	99.6	99.0-0100	
18-24	199	315,994	1	0.8	00.0-02.4	198	99.2	97.6-0100	
25-34	507	413,272	6	0.6	00.0-01.2	501	99.4	98.8-0100	
35-44	599	413,148	12	2.4	00.8-04.0	587	97.6	96.0-99.2	
45-54	882	466,384	12	1.5	00.5-02.5	870	98.5	97.5-99.5	
55-64	1131	373,680	47	3.2	02.0-04.4	1084	96.8	95.6-98.0	
65+	1802	499,397	96	5.5	04.1-06.9	1706	94.5	93.1-95.9	
Less Than H.S.	498	321,350	26	3.0	01.0-05.0	472	97.0	95.0-99.0	
H.S. or G.E.D.	1990	883,535	73	2.5	01.7-03.3	1917	97.5	96.7-98.3	
Some Post-H.S.	1319	781,575	44	2.3	01.3-03.3	1275	97.7	96.7-98.7	
College Graduate	1357	513,619	31	2.1	00.9-03.3	1326	97.9	96.7-99.1	
Less than \$15,000	675	311,091	42	4.3	02.1-06.5	633	95.7	93.5-97.9	
\$15,000- 24,999	983	425,711	50	3.1	02.1-04.1	933	96.9	95.9-97.9	
\$25,000- 34,999	540	254,329	15	2.9	01.1-04.7	525	97.1	95.3-98.9	
\$35,000- 49,999	654	300,994	17	2.1	00.7-03.5	637	97.9	96.5-99.3	
\$50,000- 74,999	615	316,272	12	1.2	00.4-02.0	603	98.8	98.0-99.6	
\$75,000+	796	465,539	12	2.0	00.6-03.4	784	98.0	96.6-99.4	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 34: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT YOU HAVE VISION IMPAIRMENT IN ONE OR BOTH EYES, EVEN WHEN WEARING GLASSES?
(CHCVISON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Respondent is blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8338	4,819,499	1890	18.8	17.6-20.0	6431	81.0	79.8-82.2	17	0.2	00.0-00.4
Male	3244	2,346,114	695	18.4	16.6-20.2	2540	81.4	79.6-83.2	9	0.2	00.0-00.4
Female	5094	2,473,385	1195	19.2	17.8-20.6	3891	80.7	79.3-82.1	8	0.2	00.0-00.4
White/Non-Hisp	6735	4,000,950	1517	19.0	17.8-20.2	5209	80.8	79.6-82.0	9	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	951	399,358	238	19.7	15.4-24.0	708	79.9	75.6-84.2	5	0.4	00.0-01.0
Oth. Race/Non-Hisp.	130	75,053	27	11.8	06.1-17.5	103	88.2	82.5-93.9			
MultiRacial/Non-Hisp.	105	53,662	26	20.7	09.5-31.9	78	79.1	67.9-90.3	1	0.2	00.0-00.6
Hispanic	278	226,245	49	14.0	08.5-19.5	227	85.4	79.7-91.1	2	0.6	00.0-01.6
18-24	375	646,329	45	11.2	07.7-14.7	330	88.8	85.3-92.3			
25-34	813	820,172	116	13.5	10.8-16.2	695	86.2	83.5-88.9	2	0.3	00.0-00.7
35-44	1033	830,757	127	12.8	10.3-15.3	903	86.8	84.1-89.5	3	0.4	00.0-01.0
45-54	1533	913,034	308	20.1	17.6-22.6	1223	79.9	77.4-82.4	2	0.0	00.0-00.0
55-64	1841	729,378	411	21.7	19.3-24.1	1428	78.3	75.9-80.7	2	0.1	00.0-00.3
65+	2658	842,537	869	32.1	29.9-34.3	1781	67.6	65.4-69.8	8	0.3	00.1-00.5
Less Than H.S.	840	696,517	235	22.0	18.3-25.7	601	77.9	74.2-81.6	4	0.2	00.0-00.4
H.S. or G.E.D.	3091	1,702,200	725	19.1	17.3-20.9	2359	80.6	78.8-82.4	7	0.4	00.0-00.8
Some Post-H.S.	2063	1,417,377	449	18.5	16.3-20.7	1612	81.5	79.3-83.7	2	0.0	00.0-00.0
College Graduate	2316	991,719	474	16.4	14.6-18.2	1839	83.4	81.6-85.2	3	0.2	00.0-00.4
Less than \$15,000	984	543,947	319	27.4	23.5-31.3	660	72.1	68.2-76.0	5	0.4	00.0-01.0
\$15,000- 24,999	1488	773,358	435	25.2	22.3-28.1	1049	74.7	71.8-77.6	4	0.1	00.0-00.3
\$25,000- 34,999	893	506,357	221	20.0	16.7-23.3	672	80.0	76.7-83.3			
\$35,000- 49,999	1132	633,866	219	16.8	14.1-19.5	911	82.8	80.1-85.5	2	0.3	00.0-00.9
\$50,000- 74,999	1055	645,120	190	15.0	12.5-17.5	864	84.8	82.3-87.3	1	0.2	00.0-00.6
\$75,000+	1505	963,973	205	12.8	10.6-15.0	1299	87.0	84.8-89.2	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 35: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT YOU HAVE VISION IMPAIRMENT IN ONE OR BOTH EYES, EVEN WHEN WEARING GLASSES?
(CHCVISON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Respondent is blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3244	2,346,114	695	18.4	16.6-20.2	2540	81.4	79.6-83.2	9	0.2	00.0-00.4
White/Non-Hisp	2657	1,909,126	564	18.7	16.9-20.5	2087	81.1	79.3-82.9	6	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	305	192,246	71	19.4	12.3-26.5	232	80.5	73.4-87.6	2	0.1	00.0-00.3
Oth. Race/Non-Hisp.	70	53,748	14	10.7	03.6-17.8	56	89.3	82.2-96.4			
Hispanic	107	126,641	18	11.5	04.1-18.9	88	87.8	80.4-95.2	1	0.8	00.0-02.4
18-24	177	331,059	25	12.4	07.1-17.7	152	87.6	82.3-92.9			
25-34	313	410,581	44	13.5	09.2-17.8	268	86.2	81.9-90.5	1	0.4	00.0-01.2
35-44	438	422,398	56	13.9	09.8-18.0	380	85.7	81.6-89.8	2	0.3	00.0-00.9
45-54	662	455,620	128	20.3	16.6-24.0	532	79.6	75.9-83.3	2	0.1	00.0-00.3
55-64	723	358,535	160	21.6	18.1-25.1	563	78.4	74.9-81.9			
65+	905	355,235	281	30.0	26.3-33.7	620	69.5	65.8-73.2	4	0.5	00.0-01.1
Less Than H.S.	352	380,666	93	21.0	15.9-26.1	256	78.8	73.7-83.9	3	0.2	00.0-00.4
H.S. or G.E.D.	1144	831,819	237	17.7	15.0-20.4	904	82.0	79.3-84.7	3	0.3	00.0-00.7
Some Post-H.S.	760	645,148	166	19.2	15.7-22.7	593	80.8	77.3-84.3	1	0.0	00.0-00.0
College Graduate	978	483,870	196	16.5	13.8-19.2	780	83.2	80.5-85.9	2	0.3	00.0-00.7
Less than \$15,000	319	236,443	102	27.4	21.1-33.7	213	71.7	65.2-78.2	4	0.9	00.0-02.3
\$15,000- 24,999	513	350,389	154	27.3	22.2-32.4	359	72.7	67.6-77.8			
\$25,000- 34,999	363	254,313	91	19.0	14.1-23.9	272	81.0	76.1-85.9			
\$35,000- 49,999	485	337,164	96	16.8	12.7-20.9	388	83.1	79.0-87.2	1	0.1	00.0-00.3
\$50,000- 74,999	451	333,223	86	16.0	12.1-19.9	365	84.0	80.1-87.9			
\$75,000+	717	503,247	87	12.1	09.0-15.2	629	87.7	84.4-91.0	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 36: HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL EVER SAID THAT YOU HAVE VISION IMPAIRMENT IN ONE OR BOTH EYES, EVEN WHEN WEARING GLASSES?
(CHCVISON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Respondent is blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5094	2,473,385	1195	19.2	17.8-20.6	3891	80.7	79.3-82.1	8	0.2	00.0-00.4
White/Non-Hisp	4078	2,091,824	953	19.3	17.7-20.9	3122	80.6	79.0-82.2	3	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	646	207,112	167	19.9	14.8-25.0	476	79.4	74.3-84.5	3	0.7	00.0-01.7
Oth. Race/Non-Hisp.	60	21,304	13	14.8	05.2-24.4	47	85.2	75.6-94.8			
MultiRacial/Non-Hisp.	67	24,813	17	13.4	05.2-21.6	49	86.1	77.9-94.3	1	0.5	00.0-01.5
Hispanic	171	99,605	31	17.3	09.1-25.5	139	82.3	74.1-90.5	1	0.4	00.0-01.2
18-24	198	315,271	20	10.0	05.3-14.7	178	90.0	85.3-94.7			
25-34	500	409,591	72	13.5	10.0-17.0	427	86.2	82.7-89.7	1	0.3	00.0-00.9
35-44	595	408,359	71	11.7	08.6-14.8	523	87.9	84.8-91.0	1	0.5	00.0-01.5
45-54	871	457,414	180	19.8	16.5-23.1	691	80.2	76.9-83.5			
55-64	1118	370,843	251	21.7	18.6-24.8	865	78.2	75.1-81.3	2	0.1	00.0-00.3
65+	1753	487,302	588	33.6	30.9-36.3	1161	66.3	63.6-69.0	4	0.1	00.0-00.3
Less Than H.S.	488	315,852	142	23.1	18.0-28.2	345	76.7	71.6-81.8	1	0.1	00.0-00.3
H.S. or G.E.D.	1947	870,381	488	20.4	18.0-22.8	1455	79.2	76.8-81.6	4	0.4	00.0-00.8
Some Post-H.S.	1303	772,229	283	18.0	15.5-20.5	1019	82.0	79.5-84.5	1	0.0	00.0-00.0
College Graduate	1338	507,849	278	16.4	14.0-18.8	1059	83.5	81.1-85.9	1	0.0	00.0-00.0
Less than \$15,000	665	307,503	217	27.5	22.8-32.2	447	72.5	67.8-77.2	1	0.1	00.0-00.3
\$15,000- 24,999	975	422,969	281	23.4	19.9-26.9	690	76.4	72.9-79.9	4	0.2	00.0-00.4
\$25,000- 34,999	530	252,043	130	21.0	16.3-25.7	400	79.0	74.3-83.7			
\$35,000- 49,999	647	296,703	123	16.8	13.1-20.5	523	82.5	78.6-86.4	1	0.6	00.0-01.8
\$50,000- 74,999	604	311,897	104	14.0	10.7-17.3	499	85.6	82.3-88.9	1	0.3	00.0-00.9
\$75,000+	788	460,726	118	13.7	10.8-16.6	670	86.3	83.4-89.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 37: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8482	4,893,825	1181	10.2	09.4-11.0	59	0.9	00.5-01.3	7125	87.8	87.0-88.6	117	1.1	00.9-01.3
Male	3292	2,381,543	471	10.2	09.0-11.4				2777	88.6	87.4-89.8	44	1.2	00.8-01.6
Female	5190	2,512,282	710	10.2	09.2-11.2	59	1.7	01.1-02.3	4348	87.1	85.9-88.3	73	1.1	00.7-01.5
White/Non-Hisp	6852	4,060,313	893	9.9	09.1-10.7	47	0.9	00.5-01.3	5817	88.0	87.0-89.0	95	1.2	00.8-01.6
Black or Afr. Am./Non-Hisp	964	403,564	199	12.8	09.3-16.3	6	0.5	00.0-01.1	749	86.1	82.6-89.6	10	0.6	00.0-01.2
Oth. Race/Non-Hisp.	129	74,902	13	11.1	03.1-19.1				115	88.4	80.4-96.4	1	0.5	00.0-01.5
MultiRacial/Non-Hisp.	106	52,205	16	13.9	05.3-22.5	2	1.0	00.0-02.6	87	85.0	76.2-93.8	1	0.1	00.0-00.3
Hispanic	286	235,632	33	8.1	04.2-12.0	3	1.0	00.0-02.4	244	90.0	85.9-94.1	6	1.0	00.0-02.0
18-24	379	652,284	7	1.7	00.3-03.1	4	1.1	00.0-02.5	367	96.8	94.6-99.0	1	0.4	00.0-01.2
25-34	827	837,348	20	2.3	01.1-03.5	17	1.5	00.7-02.3	786	95.9	94.3-97.5	4	0.3	00.0-00.7
35-44	1038	837,316	64	5.7	04.1-07.3	16	1.3	00.5-02.1	947	92.0	90.0-94.0	11	1.0	00.2-01.8
45-54	1556	927,317	159	11.6	09.4-13.8	13	0.8	00.2-01.4	1355	85.8	83.4-88.2	29	1.8	01.0-02.6
55-64	1863	740,045	335	17.0	14.8-19.2	2	0.1	00.0-00.3	1502	81.7	79.5-83.9	24	1.2	00.6-01.8
65+	2733	863,503	589	21.3	19.3-23.3	6	0.3	00.0-00.7	2091	76.7	74.7-78.7	47	1.7	01.1-02.3
Less Than H.S.	859	710,444	162	11.9	09.4-14.4	3	1.0	00.0-02.4	684	86.4	83.5-89.3	10	0.7	00.0-01.5
H.S. or G.E.D.	3155	1,728,943	498	11.7	10.3-13.1	12	0.5	00.1-00.9	2590	86.3	84.9-87.7	55	1.5	01.1-01.9
Some Post-H.S.	2098	1,439,553	287	9.8	08.2-11.4	20	1.0	00.4-01.6	1765	88.1	86.3-89.9	26	1.1	00.5-01.7
College Graduate	2341	1,001,832	229	6.9	05.7-08.1	22	1.0	00.4-01.6	2064	91.2	89.8-92.6	26	0.9	00.5-01.3
Less than \$15,000	1008	558,573	198	14.0	11.5-16.5	8	1.1	00.3-01.9	781	83.1	80.2-86.0	21	1.8	00.8-02.8
\$15,000- 24,999	1507	783,688	289	13.8	11.6-16.0	9	0.9	00.1-01.7	1186	84.1	81.7-86.5	23	1.2	00.6-01.8
\$25,000- 34,999	908	513,890	137	11.4	08.9-13.9	9	1.1	00.3-01.9	751	86.5	83.8-89.2	11	1.1	00.3-01.9
\$35,000- 49,999	1147	641,504	146	10.9	08.7-13.1	4	0.2	00.0-00.4	975	86.9	84.4-89.4	22	2.0	00.8-03.2
\$50,000- 74,999	1073	653,533	114	7.8	05.8-09.8	7	0.6	00.0-01.2	939	90.4	88.2-92.6	13	1.2	00.4-02.0
\$75,000+	1515	970,954	101	5.7	04.3-07.1	13	0.9	00.3-01.5	1397	93.3	91.7-94.9	4	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 38: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3292	2,381,543	471	10.2	09.0-11.4	2777	88.6	87.4-89.8	44	1.2	00.8-01.6
White/Non-Hisp	2696	1,934,942	363	9.9	08.7-11.1	2295	88.8	87.4-90.2	38	1.3	00.7-01.9
Black or Afr. Am./Non-Hisp	306	195,231	67	12.4	06.7-18.1	238	87.3	81.6-93.0	1	0.2	00.0-00.6
Oth. Race/Non-Hisp.	70	53,748	8	13.6	02.8-24.4	62	86.4	75.6-97.2			
Hispanic	112	132,927	11	6.8	01.7-11.9	98	92.0	86.7-97.3	3	1.2	00.0-02.6
18-24	179	333,392	4	1.8	00.0-03.8	175	98.2	96.2-0100			
25-34	321	424,169	1	0.6	00.0-01.6	317	98.9	97.5-0100	3	0.6	00.0-01.6
35-44	439	424,168	27	5.2	03.0-07.4	409	93.9	91.4-96.4	3	0.9	00.0-02.1
45-54	668	459,545	75	13.4	09.9-16.9	578	84.3	80.6-88.0	15	2.4	01.0-03.8
55-64	732	365,936	130	16.9	13.6-20.2	595	81.9	78.6-85.2	7	1.2	00.2-02.2
65+	928	363,478	231	24.6	21.3-27.9	682	73.9	70.4-77.4	15	1.5	00.5-02.5
Less Than H.S.	359	388,091	62	10.4	07.1-13.7	293	88.6	85.1-92.1	4	0.9	00.0-02.1
H.S. or G.E.D.	1162	844,366	184	11.2	09.2-13.2	959	87.3	85.1-89.5	19	1.5	00.7-02.3
Some Post-H.S.	774	654,503	109	10.3	07.8-12.8	654	88.6	86.1-91.1	11	1.1	00.3-01.9
College Graduate	986	488,605	115	8.5	06.5-10.5	861	90.7	88.7-92.7	10	0.8	00.2-01.4
Less than \$15,000	328	245,966	57	10.9	07.4-14.4	265	87.1	83.2-91.0	6	2.0	00.0-04.0
\$15,000- 24,999	521	356,885	106	14.1	10.6-17.6	408	84.9	81.2-88.6	7	1.1	00.1-02.1
\$25,000- 34,999	368	259,560	67	12.9	09.0-16.8	295	85.7	81.6-89.8	6	1.4	00.2-02.6
\$35,000- 49,999	491	340,220	68	11.4	08.1-14.7	416	87.0	83.5-90.5	7	1.6	00.0-03.2
\$50,000- 74,999	458	337,261	47	7.2	04.8-09.6	402	90.9	88.2-93.6	9	1.9	00.5-03.3
\$75,000+	720	505,641	60	6.8	04.4-09.2	658	93.1	90.7-95.5	2	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 39: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5190	2,512,282	710	10.2	09.2-11.2	59	1.7	01.1-02.3	4348	87.1	85.9-88.3	73	1.1	00.7-01.5
White/Non-Hisp	4156	2,125,371	530	9.9	08.9-10.9	47	1.7	01.1-02.3	3522	87.3	85.9-88.7	57	1.1	00.7-01.5
Black or Afr. Am./Non-Hisp	658	208,333	132	13.1	08.8-17.4	6	0.9	00.0-02.1	511	85.0	80.5-89.5	9	1.0	00.0-02.0
Oth. Race/Non-Hisp.	59	21,153	5	5.0	00.0-10.5				53	93.2	86.7-99.7	1	1.7	00.0-05.0
MultiRacial/Non-Hisp.	68	25,446	8	8.1	01.4-14.8	2	2.0	00.0-05.3	57	89.7	82.3-97.1	1	0.2	00.0-00.6
Hispanic	174	102,705	22	9.6	03.9-15.3	3	2.2	00.0-05.1	146	87.3	81.0-93.6	3	0.9	00.0-02.1
18-24	200	318,892	3	1.6	00.0-03.6	4	2.2	00.0-05.1	192	95.3	91.6-99.0	1	0.8	00.0-02.4
25-34	506	413,179	19	4.2	02.0-06.4	17	2.9	01.3-04.5	469	92.9	90.2-95.6	1	0.0	00.0-00.0
35-44	599	413,148	37	6.2	03.8-08.6	16	2.7	01.1-04.3	538	90.1	87.2-93.0	8	1.0	00.0-02.0
45-54	888	467,772	84	9.8	07.1-12.5	13	1.5	00.3-02.7	777	87.3	84.4-90.2	14	1.3	00.3-02.3
55-64	1131	374,109	205	17.1	14.4-19.8	2	0.2	00.0-00.4	907	81.5	78.8-84.2	17	1.2	00.4-02.0
65+	1805	500,025	358	18.9	16.7-21.1	6	0.6	00.0-01.4	1409	78.7	76.3-81.1	32	1.8	01.0-02.6
Less Than H.S.	500	322,353	100	13.8	09.9-17.7	3	2.2	00.0-05.1	391	83.6	78.9-88.3	6	0.4	00.0-00.8
H.S. or G.E.D.	1993	884,577	314	12.1	10.3-13.9	12	1.0	00.2-01.8	1631	85.4	83.4-87.4	36	1.4	00.8-02.0
Some Post-H.S.	1324	785,050	178	9.5	07.5-11.5	20	1.8	00.8-02.8	1111	87.7	85.5-89.9	15	1.0	00.2-01.8
College Graduate	1355	513,227	114	5.3	04.1-06.5	22	2.0	01.0-03.0	1203	91.7	90.1-93.3	16	1.0	00.4-01.6
Less than \$15,000	680	312,607	141	16.4	12.7-20.1	8	1.9	00.3-03.5	516	80.0	76.1-83.9	15	1.7	00.7-02.7
\$15,000- 24,999	986	426,803	183	13.6	11.1-16.1	9	1.7	00.3-03.1	778	83.4	80.5-86.3	16	1.2	00.4-02.0
\$25,000- 34,999	540	254,329	70	9.8	06.9-12.7	9	2.1	00.3-03.9	456	87.3	83.8-90.8	5	0.8	00.0-01.6
\$35,000- 49,999	656	301,284	78	10.3	07.4-13.2	4	0.5	00.0-01.1	559	86.8	83.3-90.3	15	2.4	00.4-04.4
\$50,000- 74,999	615	316,272	67	8.4	05.5-11.3	7	1.3	00.1-02.5	537	89.8	86.5-93.1	4	0.6	00.0-01.4
\$75,000+	795	465,313	41	4.5	02.7-06.3	13	1.9	00.7-03.1	739	93.5	91.3-95.7	2	0.2	00.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011**

SECTION 7: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	84
2 MALES ONLY	85
3 FEMALES ONLY	86
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	87
5 MALES ONLY	88
6 FEMALES ONLY	89
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7 MALES AND FEMALES	90
8 MALES ONLY	91
9 FEMALES ONLY	92
HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10 MALES AND FEMALES	93
11 MALES ONLY	94
12 FEMALES ONLY	95
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13 MALES AND FEMALES	96
14 MALES ONLY	97
15 FEMALES ONLY	98

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8449	4,878,185	4129	50.4	48.8-52.0	4320	49.6	48.0-51.2
Male	3276	2,374,647	1857	55.6	53.2-58.0	1419	44.4	42.0-46.8
Female	5173	2,503,538	2272	45.4	43.4-47.4	2901	54.6	52.6-56.6
White/Non-Hisp	6828	4,047,946	3329	50.7	49.1-52.3	3499	49.3	47.7-50.9
Black or Afr. Am./Non-Hisp	962	401,756	476	48.3	42.6-54.0	486	51.7	46.0-57.4
Oth. Race/Non-Hisp.	129	74,902	67	55.2	43.4-67.0	62	44.8	33.0-56.6
MultiRacial/Non-Hisp.	106	54,379	63	60.7	48.2-73.2	43	39.3	26.8-51.8
Hispanic	282	232,485	117	43.8	35.4-52.2	165	56.2	47.8-64.6
18-24	378	652,014	135	36.7	31.2-42.2	243	63.3	57.8-68.8
25-34	824	833,500	377	50.4	46.3-54.5	447	49.6	45.5-53.7
35-44	1033	831,797	460	50.3	46.6-54.0	573	49.7	46.0-53.4
45-54	1553	926,194	792	53.0	49.9-56.1	761	47.0	43.9-50.1
55-64	1860	739,579	981	56.7	54.0-59.4	879	43.3	40.6-46.0
65+	2715	857,906	1340	52.2	49.8-54.6	1375	47.8	45.4-50.2
Less Than H.S.	856	707,826	547	63.1	58.4-67.8	309	36.9	32.2-41.6
H.S. or G.E.D.	3141	1,722,564	1653	55.4	53.0-57.8	1488	44.6	42.2-47.0
Some Post-H.S.	2091	1,435,755	1106	52.0	49.1-54.9	985	48.0	45.1-50.9
College Graduate	2332	998,988	808	30.3	27.9-32.7	1524	69.7	67.3-72.1
Less than \$15,000	1004	556,532	612	62.2	57.9-66.5	392	37.8	33.5-42.1
\$15,000- 24,999	1501	780,629	808	54.6	51.1-58.1	693	45.4	41.9-48.9
\$25,000- 34,999	900	508,190	488	60.1	55.6-64.6	412	39.9	35.4-44.4
\$35,000- 49,999	1143	640,010	574	53.7	49.8-57.6	569	46.3	42.4-50.2
\$50,000- 74,999	1069	652,017	490	49.0	45.1-52.9	579	51.0	47.1-54.9
\$75,000+	1516	969,835	574	38.3	35.2-41.4	942	61.7	58.6-64.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3276	2,374,647	1857	55.6	53.2-58.0	1419	44.4	42.0-46.8
White/Non-Hisp	2683	1,927,729	1503	55.4	53.0-57.8	1180	44.6	42.2-47.0
Black or Afr. Am./Non-Hisp	308	195,454	185	55.6	46.6-64.6	123	44.4	35.4-53.4
Oth. Race/Non-Hisp.	70	53,748	40	59.3	44.6-74.0	30	40.7	26.0-55.4
Hispanic	110	131,338	59	54.3	42.0-66.6	51	45.7	33.4-58.0
18-24	180	335,713	72	38.5	30.5-46.5	108	61.5	53.5-69.5
25-34	319	421,590	163	54.4	48.1-60.7	156	45.6	39.3-51.9
35-44	435	419,780	220	56.1	50.6-61.6	215	43.9	38.4-49.4
45-54	667	459,465	360	55.2	50.7-59.7	307	44.8	40.3-49.3
55-64	731	365,788	442	63.9	59.8-68.0	289	36.1	32.0-40.2
65+	918	359,623	586	65.0	61.3-68.7	332	35.0	31.3-38.7
Less Than H.S.	356	384,819	260	67.5	60.8-74.2	96	32.5	25.8-39.2
H.S. or G.E.D.	1157	842,075	742	61.7	58.0-65.4	415	38.3	34.6-42.0
Some Post-H.S.	770	653,853	474	57.8	53.1-62.5	296	42.2	37.5-46.9
College Graduate	982	487,921	374	33.0	29.5-36.5	608	67.0	63.5-70.5
Less than \$15,000	326	244,231	229	69.0	62.1-75.9	97	31.0	24.1-37.9
\$15,000- 24,999	518	355,263	338	62.7	56.8-68.6	180	37.3	31.4-43.2
\$25,000- 34,999	365	257,744	242	70.1	63.8-76.4	123	29.9	23.6-36.2
\$35,000- 49,999	488	339,173	276	55.6	49.9-61.3	212	44.4	38.7-50.1
\$50,000- 74,999	458	337,261	248	54.7	48.8-60.6	210	45.3	39.4-51.2
\$75,000+	720	504,296	312	41.7	37.2-46.2	408	58.3	53.8-62.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5173	2,503,538	2272	45.4	43.4-47.4	2901	54.6	52.6-56.6
White/Non-Hisp	4145	2,120,217	1826	46.4	44.4-48.4	2319	53.6	51.6-55.6
Black or Afr. Am./Non-Hisp	654	206,301	291	41.4	34.5-48.3	363	58.6	51.7-65.5
Oth. Race/Non-Hisp.	59	21,153	27	44.8	27.9-61.7	32	55.2	38.3-72.1
MultiRacial/Non-Hisp.	68	25,446	37	51.9	36.8-67.0	31	48.1	33.0-63.2
Hispanic	172	101,147	58	30.1	20.1-40.1	114	69.9	59.9-79.9
18-24	198	316,300	63	34.9	27.3-42.5	135	65.1	57.5-72.7
25-34	505	411,910	214	46.4	41.3-51.5	291	53.6	48.5-58.7
35-44	598	412,017	240	44.4	39.5-49.3	358	55.6	50.7-60.5
45-54	886	466,729	432	50.8	46.7-54.9	454	49.2	45.1-53.3
55-64	1129	373,790	539	49.6	45.9-53.3	590	50.4	46.7-54.1
65+	1797	498,283	754	42.9	40.0-45.8	1043	57.1	54.2-60.0
Less Than H.S.	500	323,007	287	57.9	51.4-64.4	213	42.1	35.6-48.6
H.S. or G.E.D.	1984	880,489	911	49.5	46.4-52.6	1073	50.5	47.4-53.6
Some Post-H.S.	1321	781,901	632	47.1	43.6-50.6	689	52.9	49.4-56.4
College Graduate	1350	511,067	434	27.7	24.8-30.6	916	72.3	69.4-75.2
Less than \$15,000	678	312,301	383	56.9	51.4-62.4	295	43.1	37.6-48.6
\$15,000- 24,999	983	425,366	470	47.9	43.4-52.4	513	52.1	47.6-56.6
\$25,000- 34,999	535	250,447	246	49.8	43.7-55.9	289	50.2	44.1-56.3
\$35,000- 49,999	655	300,838	298	51.6	46.5-56.7	357	48.4	43.3-53.5
\$50,000- 74,999	611	314,756	242	42.8	37.3-48.3	369	57.2	51.7-62.7
\$75,000+	796	465,539	262	34.6	30.5-38.7	534	65.4	61.3-69.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4124	2,455,059	1324	38.5	36.3-40.7	422	12.4	10.8-14.0	2378	49.1	47.1-51.1
Male	1855	1,320,518	597	38.1	35.2-41.0	157	11.5	09.1-13.9	1101	50.4	47.5-53.3
Female	2269	1,134,541	727	39.1	36.2-42.0	265	13.4	11.2-15.6	1277	47.6	44.9-50.3
White/Non-Hisp	3325	2,050,087	1080	38.8	36.6-41.0	285	10.6	09.0-12.2	1960	50.7	48.5-52.9
Black or Afr. Am./Non-Hisp	475	194,162	142	42.1	33.9-50.3	92	23.0	16.1-29.9	241	35.0	27.7-42.3
Oth. Race/Non-Hisp.	67	41,321	25	39.1	22.2-56.0	8	13.3	01.5-25.1	34	47.6	30.2-65.0
MultiRacial/Non-Hisp.	63	32,986	24	50.1	32.9-67.3	8	15.2	03.2-27.2	31	34.7	19.8-49.6
Hispanic	117	101,757	30	25.6	14.6-36.6	21	25.5	12.8-38.2	66	48.9	35.4-62.4
18-24	135	239,419	71	50.1	40.7-59.5	33	29.0	20.0-38.0	31	20.9	13.6-28.2
25-34	377	420,269	180	49.3	43.4-55.2	58	15.3	11.0-19.6	139	35.4	29.9-40.9
35-44	460	418,539	201	45.7	40.2-51.2	54	12.6	08.7-16.5	205	41.7	36.2-47.2
45-54	791	490,146	351	44.8	40.5-49.1	94	10.8	08.1-13.5	346	44.4	40.1-48.7
55-64	979	418,928	287	30.1	26.6-33.6	103	9.4	07.0-11.8	589	60.5	56.6-64.4
65+	1338	446,452	225	16.8	14.3-19.3	76	5.2	03.6-06.8	1037	77.9	75.2-80.6
Less Than H.S.	547	446,623	251	54.0	48.3-59.7	63	11.9	08.2-15.6	233	34.1	28.8-39.4
H.S. or G.E.D.	1652	954,741	576	40.5	37.2-43.8	178	13.6	10.9-16.3	898	45.8	42.7-48.9
Some Post-H.S.	1104	744,891	347	34.4	30.7-38.1	114	12.5	09.6-15.4	643	53.1	49.2-57.0
College Graduate	806	301,545	147	19.7	16.2-23.2	64	8.4	06.0-10.8	595	71.9	68.0-75.8
Less than \$15,000	612	346,367	247	48.4	42.7-54.1	96	16.7	12.4-21.0	269	34.9	29.6-40.2
\$15,000- 24,999	807	425,949	293	44.6	39.9-49.3	89	10.9	08.0-13.8	425	44.5	40.0-49.0
\$25,000- 34,999	487	305,005	163	40.8	34.3-47.3	48	11.1	06.4-15.8	276	48.1	41.6-54.6
\$35,000- 49,999	574	343,696	179	36.2	30.9-41.5	52	13.6	09.3-17.9	343	50.3	44.8-55.8
\$50,000- 74,999	489	318,974	132	30.3	24.8-35.8	44	11.9	07.4-16.4	313	57.7	51.8-63.6
\$75,000+	573	370,739	128	25.7	21.2-30.2	42	9.4	05.3-13.5	403	64.9	59.6-70.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1855	1,320,518	597	38.1	35.2-41.0	157	11.5	09.1-13.9	1101	50.4	47.5-53.3
White/Non-Hisp	1501	1,066,423	493	39.3	36.2-42.4	97	8.7	06.5-10.9	911	52.0	48.9-55.1
Black or Afr. Am./Non-Hisp	185	108,757	57	38.7	26.9-50.5	34	23.4	13.2-33.6	94	37.9	26.9-48.9
Hispanic	59	71,337	14	19.2	07.4-31.0	14	29.8	12.9-46.7	31	51.0	33.6-68.4
18-24	72	129,157	38	47.4	34.7-60.1	15	27.6	14.9-40.3	19	25.0	14.0-36.0
25-34	163	229,284	75	47.7	39.1-56.3	29	18.3	11.6-25.0	59	34.1	26.1-42.1
35-44	220	235,522	100	46.5	38.9-54.1	20	10.1	04.6-15.6	100	43.4	35.8-51.0
45-54	360	253,818	159	44.3	38.2-50.4	39	10.3	06.4-14.2	162	45.3	39.0-51.6
55-64	441	233,507	126	28.9	23.8-34.0	33	6.6	03.9-09.3	282	64.5	59.0-70.0
65+	585	233,165	95	17.1	13.2-21.0	20	3.6	01.6-05.6	470	79.4	75.3-83.5
Less Than H.S.	260	259,656	123	53.5	45.9-61.1	27	11.3	06.4-16.2	110	35.3	28.0-42.6
H.S. or G.E.D.	742	519,312	264	40.5	35.8-45.2	69	13.9	10.0-17.8	409	45.6	41.1-50.1
Some Post-H.S.	474	377,828	141	32.6	27.3-37.9	34	9.5	05.2-13.8	299	57.9	52.2-63.6
College Graduate	372	159,925	68	18.6	13.7-23.5	25	8.0	04.7-11.3	279	73.5	68.0-79.0
Less than \$15,000	229	168,557	100	50.9	42.1-59.7	37	16.9	10.0-23.8	92	32.2	24.2-40.2
\$15,000- 24,999	338	222,908	131	46.5	39.4-53.6	32	9.0	04.9-13.1	175	44.5	37.6-51.4
\$25,000- 34,999	242	180,672	74	37.4	28.6-46.2	18	11.2	03.8-18.6	150	51.3	42.3-60.3
\$35,000- 49,999	276	188,521	79	30.7	23.6-37.8	22	15.3	08.8-21.8	175	54.0	46.4-61.6
\$50,000- 74,999	247	184,239	63	29.8	22.5-37.1	15	8.3	03.6-13.0	169	61.9	54.3-69.5
\$75,000+	311	209,764	71	25.4	19.3-31.5	17	9.2	03.1-15.3	223	65.4	58.1-72.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2269	1,134,541	727	39.1	36.2-42.0	265	13.4	11.2-15.6	1277	47.6	44.9-50.3
White/Non-Hisp	1824	983,664	587	38.2	35.1-41.3	188	12.6	10.2-15.0	1049	49.2	46.3-52.1
Black or Afr. Am./Non-Hisp	290	85,405	85	46.4	35.2-57.6	58	22.4	14.2-30.6	147	31.2	22.6-39.8
Hispanic	58	30,420	16	40.8	20.2-61.4	7	15.3	00.8-29.8	35	43.9	24.7-63.1
18-24	63	110,263	33	53.2	39.7-66.7	18	30.6	17.9-43.3	12	16.1	06.9-25.3
25-34	214	190,986	105	51.2	43.4-59.0	29	11.8	06.7-16.9	80	37.0	29.4-44.6
35-44	240	183,017	101	44.7	36.9-52.5	34	15.9	10.0-21.8	105	39.4	32.0-46.8
45-54	431	236,328	192	45.4	39.5-51.3	55	11.2	07.5-14.9	184	43.4	37.5-49.3
55-64	538	185,420	161	31.5	26.6-36.4	70	13.1	09.4-16.8	307	55.4	50.1-60.7
65+	753	213,287	130	16.6	13.5-19.7	56	7.0	04.6-09.4	567	76.4	72.7-80.1
Less Than H.S.	287	186,967	128	54.6	46.6-62.6	36	12.8	07.3-18.3	123	32.5	25.4-39.6
H.S. or G.E.D.	910	435,428	312	40.6	36.1-45.1	109	13.4	09.9-16.9	489	46.0	41.7-50.3
Some Post-H.S.	630	367,063	206	36.3	31.2-41.4	80	15.5	11.4-19.6	344	48.2	43.1-53.3
College Graduate	434	141,620	79	20.9	15.6-26.2	39	8.9	05.6-12.2	316	70.2	64.5-75.9
Less than \$15,000	383	177,810	147	46.1	38.8-53.4	59	16.5	10.8-22.2	177	37.4	30.5-44.3
\$15,000- 24,999	469	203,041	162	42.4	36.3-48.5	57	13.0	08.5-17.5	250	44.6	38.5-50.7
\$25,000- 34,999	245	124,333	89	45.7	36.7-54.7	30	10.9	06.0-15.8	126	43.4	35.0-51.8
\$35,000- 49,999	298	155,175	100	42.8	35.0-50.6	30	11.4	06.3-16.5	168	45.8	38.4-53.2
\$50,000- 74,999	242	134,736	69	31.1	22.9-39.3	29	16.9	08.7-25.1	144	52.1	43.1-61.1
\$75,000+	262	160,976	57	26.2	19.5-32.9	25	9.7	04.8-14.6	180	64.1	56.7-71.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1744	1,248,342	985	57.5	54.4-60.6	759	42.5	39.4-45.6
Male	753	653,601	376	52.4	47.9-56.9	377	47.6	43.1-52.1
Female	991	594,741	609	63.0	58.9-67.1	382	37.0	32.9-41.1
White/Non-Hisp	1363	1,010,438	743	56.3	53.0-59.6	620	43.7	40.4-47.0
Black or Afr. Am./Non-Hisp	234	126,294	159	73.7	64.7-82.7	75	26.3	17.3-35.3
Hispanic	51	52,024	28	45.6	27.0-64.2	23	54.4	35.8-73.0
18-24	104	189,285	69	64.1	53.5-74.7	35	35.9	25.3-46.5
25-34	238	271,449	137	59.2	51.9-66.5	101	40.8	33.5-48.1
35-44	254	243,089	158	62.1	54.8-69.4	96	37.9	30.6-45.2
45-54	445	272,651	244	52.7	46.8-58.6	201	47.3	41.4-53.2
55-64	390	165,574	228	53.9	47.6-60.2	162	46.1	39.8-52.4
65+	300	98,310	142	47.5	40.2-54.8	158	52.5	45.2-59.8
Less Than H.S.	314	294,232	183	58.4	51.3-65.5	131	41.6	34.5-48.7
H.S. or G.E.D.	753	516,362	401	55.0	50.3-59.7	352	45.0	40.3-49.7
Some Post-H.S.	460	349,051	272	59.4	53.7-65.1	188	40.6	34.9-46.3
College Graduate	211	84,632	123	59.4	51.2-67.6	88	40.6	32.4-48.8
Less than \$15,000	342	225,473	194	56.5	49.2-63.8	148	43.5	36.2-50.8
\$15,000- 24,999	382	236,196	225	60.1	53.6-66.6	157	39.9	33.4-46.4
\$25,000- 34,999	211	158,253	98	46.1	36.5-55.7	113	53.9	44.3-63.5
\$35,000- 49,999	231	170,908	137	66.1	58.5-73.7	94	33.9	26.3-41.5
\$50,000- 74,999	176	134,830	105	55.0	45.2-64.8	71	45.0	35.2-54.8
\$75,000+	170	130,253	99	59.8	50.6-69.0	71	40.2	31.0-49.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	753	653,601	376	52.4	47.7-57.1	377	47.6	42.9-52.3
White/Non-Hisp	589	511,110	277	50.2	45.1-55.3	312	49.8	44.7-54.9
Black or Afr. Am./Non-Hisp	91	67,512	62	78.9	67.1-90.7	29	21.1	09.3-32.9
18-24	53	96,827	35	64.0	48.9-79.1	18	36.0	20.9-51.1
25-34	104	151,178	53	54.2	43.6-64.8	51	45.8	35.2-56.4
35-44	119	132,263	63	53.5	42.9-64.1	56	46.5	35.9-57.1
45-54	198	138,823	101	48.9	40.5-57.3	97	51.1	42.7-59.5
55-64	159	82,908	75	42.8	33.4-52.2	84	57.2	47.8-66.6
65+	115	48,106	48	46.6	35.0-58.2	67	53.4	41.8-65.0
Less Than H.S.	150	168,089	83	56.0	46.4-65.6	67	44.0	34.4-53.6
H.S. or G.E.D.	332	281,356	155	50.6	43.7-57.5	177	49.4	42.5-56.3
Some Post-H.S.	175	159,153	85	51.3	42.1-60.5	90	48.7	39.5-57.9
College Graduate	93	42,414	50	50.8	38.5-63.1	43	49.2	36.9-61.5
Less than \$15,000	137	114,343	74	53.6	42.8-64.4	63	46.4	35.6-57.2
\$15,000- 24,999	163	123,717	88	58.2	48.4-68.0	75	41.8	32.0-51.6
\$25,000- 34,999	92	87,919	31	34.0	21.1-46.9	61	66.0	53.1-78.9
\$35,000- 49,999	101	86,790	54	61.3	49.7-72.9	47	38.7	27.1-50.3
\$50,000- 74,999	78	70,246	38	45.7	32.6-58.8	40	54.3	41.2-67.4
\$75,000+	88	72,510	42	52.5	38.8-66.2	46	47.5	33.8-61.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	991	594,741	609	63.0	58.9-67.1	382	37.0	32.9-41.1
White/Non-Hisp	774	499,329	466	62.6	58.1-67.1	308	37.4	32.9-41.9
Black or Afr. Am./Non-Hisp	143	58,782	97	67.6	54.1-81.1	46	32.4	18.9-45.9
18-24	51	92,458	34	64.2	49.1-79.3	17	35.8	20.7-50.9
25-34	134	120,271	84	65.4	55.8-75.0	50	34.6	25.0-44.2
35-44	135	110,825	95	72.2	63.2-81.2	40	27.8	18.8-36.8
45-54	247	133,828	143	56.6	48.8-64.4	104	43.4	35.6-51.2
55-64	231	82,666	153	65.0	57.2-72.8	78	35.0	27.2-42.8
65+	185	50,205	94	48.3	39.3-57.3	91	51.7	42.7-60.7
Less Than H.S.	164	126,144	100	61.5	51.1-71.9	64	38.5	28.1-48.9
H.S. or G.E.D.	421	235,005	246	60.2	53.7-66.7	175	39.8	33.3-46.3
Some Post-H.S.	285	189,898	187	66.2	58.9-73.5	98	33.8	26.5-41.1
College Graduate	118	42,218	73	68.0	57.8-78.2	45	32.0	21.8-42.2
Less than \$15,000	205	111,130	120	59.4	50.0-68.8	85	40.6	31.2-50.0
\$15,000- 24,999	219	112,479	137	62.1	53.7-70.5	82	37.9	29.5-46.3
\$25,000- 34,999	119	70,333	67	61.3	48.8-73.8	52	38.7	26.2-51.2
\$35,000- 49,999	130	84,119	83	71.1	61.5-80.7	47	28.9	19.3-38.5
\$50,000- 74,999	98	64,584	67	65.2	50.7-79.7	31	34.8	20.3-49.3
\$75,000+	82	57,744	57	68.9	56.7-81.1	25	31.1	18.9-43.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never a regular smoker		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2371	1,203,207	263	15.7	13.5-17.9	374	19.2	16.8-21.6	231	9.6	08.0-11.2	1490	54.9	52.2-57.6	13	0.7	00.1-01.3
Male	1099	665,354	121	15.6	12.3-18.9	164	18.8	15.5-22.1	96	9.3	07.1-11.5	713	55.7	51.8-59.6	5	0.7	00.1-01.3
Female	1272	537,852	142	15.8	12.9-18.7	210	19.6	16.5-22.7	135	10.0	07.8-12.2	777	53.8	50.1-57.5	8	0.7	00.0-01.5
White/Non-Hisp	1954	1,036,332	204	14.3	12.1-16.5	298	18.5	16.1-20.9	188	9.9	08.1-11.7	1254	56.8	54.1-59.5	10	0.5	00.1-00.9
Black or Afr. Am./Non-Hisp	240	67,674	33	19.5	08.7-30.3	38	16.3	07.9-24.7	25	8.4	03.5-13.3	144	55.8	43.8-67.8			
Hispanic	66	49,733	11	26.3	09.2-43.4	12	34.7	14.7-54.7	8	6.3	00.0-12.8	33	28.5	14.2-42.8	2	4.1	00.0-11.7
25-34	139	148,820	49	38.4	28.8-48.0	52	37.8	28.6-47.0	25	14.0	07.5-20.5	11	7.2	02.7-11.7	2	2.7	00.0-06.4
35-44	205	174,404	50	22.8	16.1-29.5	52	27.6	19.8-35.4	29	12.5	07.4-17.6	72	36.8	28.8-44.8	2	0.4	00.0-01.0
45-54	346	217,495	47	11.9	08.2-15.6	73	19.0	14.1-23.9	38	10.1	06.4-13.8	186	58.8	52.5-65.1	2	0.2	00.0-00.6
55-64	587	252,580	56	8.4	05.5-11.3	95	16.0	12.3-19.7	54	10.0	06.9-13.1	379	64.9	60.0-69.8	3	0.7	00.0-01.5
65+	1032	346,452	43	4.6	02.8-06.4	86	7.1	05.3-08.9	81	7.0	05.0-09.0	818	80.8	77.9-83.7	4	0.4	00.0-01.0
Less Than H.S.	231	151,757	31	22.6	14.0-31.2	40	22.6	13.8-31.4	22	8.3	04.2-12.4	137	45.2	36.4-54.0	1	1.3	00.0-03.8
H.S. or G.E.D.	896	436,838	88	11.7	08.8-14.6	149	19.4	15.9-22.9	92	9.8	07.3-12.3	561	58.5	54.2-62.8	6	0.5	00.0-01.1
Some Post-H.S.	640	394,504	85	18.8	14.5-23.1	105	19.4	15.3-23.5	63	9.8	06.7-12.9	384	51.2	46.1-56.3	3	0.8	00.0-01.8
College Graduate	595	216,913	58	12.8	09.1-16.5	78	16.0	12.1-19.9	51	9.4	06.3-12.5	405	61.3	56.2-66.4	3	0.5	00.0-01.1
Less than \$15,000	268	120,516	42	27.1	18.1-36.1	50	21.4	14.1-28.7	32	12.2	06.3-18.1	141	35.9	28.5-43.3	3	3.4	00.0-07.9
\$15,000- 24,999	423	188,618	44	13.2	08.1-18.3	72	22.4	16.3-28.5	52	10.0	06.5-13.5	253	54.0	47.5-60.5	2	0.4	00.0-01.0
\$25,000- 34,999	275	146,486	25	17.2	10.3-24.1	46	23.3	15.1-31.5	25	6.9	03.6-10.2	179	52.6	44.4-60.8			
\$35,000- 49,999	343	172,788	34	13.0	07.9-18.1	52	15.1	10.2-20.0	31	11.0	06.3-15.7	224	60.5	53.6-67.4	2	0.4	00.0-01.0
\$50,000- 74,999	313	184,144	41	18.8	12.3-25.3	41	15.4	10.3-20.5	29	9.4	05.3-13.5	200	56.1	48.8-63.4	2	0.4	00.0-01.0
\$75,000+	403	240,486	51	12.4	08.7-16.1	65	19.8	14.9-24.7	36	10.1	06.6-13.6	249	57.3	51.4-63.2	2	0.5	00.0-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never a regular smoker		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1099	665,354	121	15.6	12.5-18.7	164	18.8	15.5-22.1	96	9.3	07.1-11.5	713	55.7	51.8-59.6	5	0.7	00.1-01.3
White/Non-Hisp	909	553,750	94	14.1	11.0-17.2	128	17.4	14.1-20.7	75	9.2	06.8-11.6	609	58.9	54.8-63.0	3	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	94	41,245	13	17.4	01.9-32.9	16	17.1	05.1-29.1	11	11.5	03.3-19.7	54	54.0	36.8-71.2			
25-34	59	78,106	19	34.8	20.7-48.9	24	39.5	25.6-53.4	11	17.7	07.1-28.3	4	5.5	00.0-11.2	1	2.5	00.0-07.4
35-44	100	102,213	24	19.9	11.3-28.5	25	28.5	17.1-39.9	15	13.7	06.3-21.1	35	37.4	26.2-48.6	1	0.6	00.0-01.8
45-54	162	114,995	23	12.2	06.9-17.5	32	18.5	11.2-25.8	15	9.3	04.2-14.4	92	60.0	51.2-68.8			
55-64	281	150,522	23	8.1	03.8-12.4	43	15.7	10.6-20.8	25	9.0	05.1-12.9	187	66.0	59.1-72.9	3	1.2	00.0-02.6
65+	469	184,620	18	3.5	01.5-05.5	33	6.5	04.0-09.0	30	5.2	03.0-07.4	388	84.8	81.1-88.5			
Less Than H.S.	109	91,128	15	23.7	11.5-35.9	18	24.1	11.4-36.8	7	4.6	00.7-08.5	68	45.5	33.2-57.8	1	2.2	00.0-06.3
H.S. or G.E.D.	409	236,910	36	10.6	06.5-14.7	69	19.2	14.1-24.3	39	10.1	06.4-13.8	263	59.6	53.5-65.7	2	0.5	00.0-01.1
Some Post-H.S.	298	218,597	43	19.5	13.2-25.8	46	18.4	12.7-24.1	28	10.8	06.1-15.5	180	51.1	43.8-58.4	1	0.3	00.0-00.9
College Graduate	279	117,511	27	12.3	07.2-17.4	30	14.4	08.9-19.9	22	8.4	04.3-12.5	199	64.4	57.3-71.5	1	0.5	00.0-01.5
Less than \$15,000	92	54,214	18	30.2	15.1-45.3	14	17.0	06.4-27.6	10	14.5	03.5-25.5	49	34.7	22.5-46.9	1	3.7	00.0-10.8
\$15,000- 24,999	174	98,752	17	13.7	06.3-21.1	35	24.4	15.2-33.6	18	7.8	03.5-12.1	103	53.5	43.9-63.1	1	0.6	00.0-01.8
\$25,000- 34,999	150	92,753	13	16.0	07.0-25.0	23	26.0	14.2-37.8	15	7.2	02.9-11.5	99	50.9	39.7-62.1			
\$35,000- 49,999	175	101,731	16	11.9	05.0-18.8	18	12.5	06.2-18.8	14	9.3	03.2-15.4	126	65.8	56.6-75.0	1	0.6	00.0-01.8
\$50,000- 74,999	169	113,992	22	18.2	09.4-27.0	21	14.4	07.7-21.1	16	11.2	05.1-17.3	110	56.2	46.6-65.8			
\$75,000+	223	137,254	24	10.7	06.0-15.4	35	19.1	12.6-25.6	16	8.9	04.2-13.6	146	60.3	52.5-68.1	2	0.9	00.0-02.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never a regular smoker		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1272	537,852	142	15.8	12.9-18.7	210	19.6	16.5-22.7	135	10.0	07.8-12.2	777	53.8	50.1-57.5	8	0.7	00.0-01.5
White/Non-Hisp	1045	482,582	110	14.6	11.5-17.7	170	19.7	16.4-23.0	113	10.7	08.3-13.1	645	54.3	50.4-58.2	7	0.8	00.0-01.8
Black or Afr. Am./Non-Hisp	146	26,429	20	22.8	08.7-36.9	22	14.9	04.7-25.1	14	3.6	01.4-05.8	90	58.7	44.2-73.2			
25-34	80	70,714	30	42.3	29.8-54.8	28	35.8	23.8-47.8	14	10.0	03.3-16.7	7	9.1	02.0-16.2	1	2.9	00.0-08.4
35-44	105	72,191	26	26.9	16.5-37.3	27	26.3	16.1-36.5	14	10.7	04.2-17.2	37	36.0	24.8-47.2	1	0.1	00.0-00.3
45-54	184	102,500	24	11.6	06.3-16.9	41	19.6	13.1-26.1	23	11.0	05.3-16.7	94	57.4	48.6-66.2	2	0.4	00.0-01.2
55-64	306	102,058	33	8.8	05.1-12.5	52	16.5	11.0-22.0	29	11.3	06.0-16.6	192	63.4	56.3-70.5			
65+	563	161,831	25	5.8	02.9-08.7	53	7.9	05.4-10.4	51	9.2	06.1-12.3	430	76.4	71.9-80.9	4	0.8	00.0-01.8
Less Than H.S.	122	60,630	16	21.1	09.3-32.9	22	20.3	09.9-30.7	15	13.8	05.8-21.8	69	44.9	32.7-57.1			
H.S. or G.E.D.	487	199,928	52	13.2	08.9-17.5	80	19.5	14.4-24.6	53	9.5	06.2-12.8	298	57.3	51.4-63.2	4	0.5	00.0-01.3
Some Post-H.S.	342	175,907	42	18.0	12.3-23.7	59	20.7	14.8-26.6	35	8.5	04.8-12.2	204	51.4	44.3-58.5	2	1.4	00.0-03.8
College Graduate	316	99,402	31	13.3	07.8-18.8	48	17.9	12.4-23.4	29	10.7	05.8-15.6	206	57.7	50.4-65.0	2	0.5	00.0-01.3
Less than \$15,000	176	66,303	24	24.6	14.0-35.2	36	24.9	14.9-34.9	22	10.3	04.6-16.0	92	37.0	27.6-46.4	2	3.2	00.0-09.1
\$15,000- 24,999	249	89,866	27	12.8	05.9-19.7	37	20.2	12.8-27.6	34	12.3	06.6-18.0	150	54.6	46.0-63.2	1	0.1	00.0-00.3
\$25,000- 34,999	125	53,733	12	19.3	08.5-30.1	23	18.8	10.2-27.4	10	6.5	01.4-11.6	80	55.4	43.8-67.0			
\$35,000- 49,999	168	71,057	18	14.5	07.4-21.6	34	18.9	10.9-26.9	17	13.6	06.2-21.0	98	52.9	43.1-62.7	1	0.1	00.0-00.3
\$50,000- 74,999	144	70,152	19	19.7	10.5-28.9	20	16.9	08.9-24.9	13	6.4	01.7-11.1	90	56.0	45.0-67.0	2	1.0	00.0-02.4
\$75,000+	180	103,232	27	14.5	08.4-20.6	30	20.7	13.1-28.3	20	11.5	05.8-17.2	103	53.3	44.3-62.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8471	4,890,110	139	2.4	01.8-03.0	120	2.6	02.0-03.2	8212	95.0	94.2-95.8
Male	3286	2,380,559	126	4.5	03.5-05.5	104	4.9	03.7-06.1	3056	90.5	89.1-91.9
Female	5185	2,509,552	13	0.4	00.0-00.8	16	0.4	00.2-00.6	5156	99.2	98.8-99.6
White/Non-Hisp	6843	4,056,095	123	2.5	01.9-03.1	97	2.6	02.0-03.2	6623	94.9	94.1-95.7
Black or Afr. Am./Non-Hisp	963	403,598	4	1.2	00.0-02.8	11	2.1	00.3-03.9	948	96.7	94.3-99.1
Oth. Race/Non-Hisp.	129	74,665	3	6.3	00.0-15.5	1	0.6	00.0-01.8	125	93.1	83.9-0100
MultiRacial/Non-Hisp.	107	54,527	1	0.3	00.0-00.9	2	3.3	00.0-08.2	104	96.4	91.5-0100
Hispanic	286	234,170	1	0.2	00.0-00.6	5	4.2	00.3-08.1	280	95.7	91.8-99.6
18-24	380	654,605	8	2.5	00.7-04.3	19	5.4	02.9-07.9	353	92.1	89.0-95.2
25-34	826	834,055	17	3.0	01.4-04.6	23	4.8	02.6-07.0	786	92.2	89.7-94.7
35-44	1037	836,538	27	3.4	02.0-04.8	17	2.2	01.0-03.4	993	94.3	92.5-96.1
45-54	1553	925,418	28	2.3	01.3-03.3	24	1.7	00.9-02.5	1501	96.0	94.6-97.4
55-64	1863	739,251	26	1.8	01.0-02.6	17	1.2	00.6-01.8	1820	97.1	96.1-98.1
65+	2726	862,521	32	1.5	00.9-02.1	19	1.0	00.4-01.6	2675	97.5	96.7-98.3
Less Than H.S.	856	707,312	30	5.9	03.4-08.4	23	5.0	02.6-07.4	803	89.1	85.8-92.4
H.S. or G.E.D.	3148	1,727,993	58	2.1	01.5-02.7	60	3.4	02.4-04.4	3030	94.5	93.3-95.7
Some Post-H.S.	2097	1,440,743	34	2.0	01.2-02.8	23	1.7	00.9-02.5	2040	96.3	95.1-97.5
College Graduate	2341	1,001,010	17	1.0	00.4-01.6	13	1.0	00.4-01.6	2311	98.1	97.3-98.9
Less than \$15,000	1006	558,040	17	3.1	01.1-05.1	19	3.7	01.7-05.7	970	93.2	90.5-95.9
\$15,000- 24,999	1505	780,104	23	2.5	01.1-03.9	18	2.5	00.9-04.1	1464	95.1	93.1-97.1
\$25,000- 34,999	904	511,775	20	3.3	01.1-05.5	9	2.4	00.4-04.4	875	94.3	91.4-97.2
\$35,000- 49,999	1145	641,332	31	4.1	02.3-05.9	25	3.2	01.6-04.8	1089	92.7	90.5-94.9
\$50,000- 74,999	1072	653,195	16	1.7	00.5-02.9	18	3.2	01.4-05.0	1038	95.1	92.9-97.3
\$75,000+	1516	970,788	20	1.8	01.0-02.6	13	1.1	00.3-01.9	1483	97.1	95.9-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3286	2,380,559	126	4.5	03.5-05.5	104	4.9	03.7-06.1	3056	90.5	89.1-91.9
White/Non-Hisp	2690	1,933,386	114	4.9	03.7-06.1	84	5.0	03.8-06.2	2492	90.1	88.5-91.7
Black or Afr. Am./Non-Hisp	307	195,400	1	1.4	00.0-03.9	9	4.0	00.7-07.3	297	94.7	90.4-99.0
Oth. Race/Non-Hisp.	69	53,361	2	8.7	00.0-21.2	1	0.9	00.0-02.7	66	90.4	77.9-0100
Hispanic	112	131,465	1	0.3	00.0-00.9	5	7.4	00.5-14.3	106	92.3	85.2-99.4
18-24	180	335,713	7	3.7	01.0-06.4	14	8.7	04.2-13.2	159	87.6	82.3-92.9
25-34	320	420,876	15	5.1	02.2-08.0	22	9.5	05.4-13.6	283	85.4	80.5-90.3
35-44	439	424,168	27	6.8	04.1-09.5	17	4.4	02.0-06.8	395	88.8	85.3-92.3
45-54	668	459,545	26	4.6	02.4-06.8	19	3.0	01.4-04.6	623	92.5	90.0-95.0
55-64	731	365,339	22	3.3	01.7-04.9	15	2.2	00.8-03.6	694	94.5	92.5-96.5
65+	923	362,351	28	3.3	01.7-04.9	16	2.1	00.9-03.3	879	94.5	92.5-96.5
Less Than H.S.	357	384,441	26	9.4	05.3-13.5	21	8.6	04.5-12.7	310	82.0	76.5-87.5
H.S. or G.E.D.	1160	845,880	53	4.0	02.6-05.4	52	6.4	04.2-08.6	1055	89.6	87.2-92.0
Some Post-H.S.	773	656,055	31	4.3	02.5-06.1	19	3.4	01.6-05.2	723	92.3	89.8-94.8
College Graduate	985	488,204	16	2.0	00.8-03.2	11	1.6	00.6-02.6	958	96.5	94.9-98.1
Less than \$15,000	327	245,841	13	6.4	02.1-10.7	17	7.4	03.3-11.5	297	86.2	80.5-91.9
\$15,000- 24,999	520	353,374	20	5.2	02.3-08.1	13	4.7	01.6-07.8	487	90.1	86.0-94.2
\$25,000- 34,999	367	259,336	16	4.2	01.7-06.7	8	4.5	00.6-08.4	343	91.3	86.6-96.0
\$35,000- 49,999	490	340,133	30	7.7	04.6-10.8	22	5.7	03.0-08.4	438	86.6	82.5-90.7
\$50,000- 74,999	457	336,922	16	3.2	01.0-05.4	16	6.0	02.7-09.3	425	90.8	86.9-94.7
\$75,000+	720	505,249	19	3.4	01.8-05.0	12	2.2	00.8-03.6	689	94.4	92.2-96.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 7: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5185	2,509,552	13	0.4	00.0-00.8	16	0.4	00.2-00.6	5156	99.2	98.8-99.6
White/Non-Hisp	4153	2,122,709	9	0.3	00.0-00.7	13	0.4	00.0-00.8	4131	99.3	98.9-99.7
Black or Afr. Am./Non-Hisp	656	208,198	3	1.1	00.0-02.9	2	0.3	00.0-00.7	651	98.7	96.9-0100
Oth. Race/Non-Hisp.	60	21,304	1	0.3	00.0-00.9				59	99.7	99.1-0100
MultiRacial/Non-Hisp.	68	25,446				1	1.9	00.0-05.6	67	98.1	94.4-0100
Hispanic	174	102,705							174	100.0	0100-0100
18-24	200	318,892	1	1.2	00.0-03.6	5	1.9	00.1-03.7	194	96.9	94.0-99.8
25-34	506	413,179	2	0.8	00.0-01.8	1	0.1	00.0-00.3	503	99.1	97.9-0100
35-44	598	412,370							598	100.0	0100-0100
45-54	885	465,872	2	0.1	00.0-00.3	5	0.4	00.0-00.8	878	99.5	99.1-99.9
55-64	1132	373,912	4	0.3	00.1-00.5	2	0.2	00.0-00.6	1126	99.6	99.2-0100
65+	1803	500,169	4	0.2	00.0-00.4	3	0.1	00.0-00.3	1796	99.7	99.5-99.9
Less Than H.S.	499	322,871	4	1.9	00.0-04.4	2	0.7	00.0-02.1	493	97.4	94.5-0100
H.S. or G.E.D.	1988	882,113	5	0.3	00.0-00.7	8	0.4	00.0-00.8	1975	99.3	98.7-99.9
Some Post-H.S.	1324	784,687	3	0.1	00.0-00.3	4	0.2	00.0-00.4	1317	99.7	99.5-99.9
College Graduate	1356	512,806	1	0.0	00.0-00.0	2	0.4	00.0-01.0	1353	99.6	99.0-0100
Less than \$15,000	679	312,199	4	0.5	00.0-01.3	2	0.8	00.0-02.2	673	98.7	97.1-0100
\$15,000- 24,999	985	426,730	3	0.2	00.0-00.4	5	0.6	00.0-01.2	977	99.2	98.4-0100
\$25,000- 34,999	537	252,439	4	2.4	00.0-05.7	1	0.2	00.0-00.6	532	97.4	94.1-0100
\$35,000- 49,999	655	301,199	1	0.1	00.0-00.3	3	0.4	00.0-00.8	651	99.6	99.2-0100
\$50,000- 74,999	615	316,272				2	0.3	00.0-00.7	613	99.7	99.3-0100
\$75,000+	796	465,539	1	0.1	00.0-00.3	1	0.0	00.0-00.0	794	99.9	99.7-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
WHAT IS YOUR AGE? (AGE)	
1 MALES AND FEMALES	102
2 MALES ONLY	103
3 FEMALES ONLY	104
ARE YOU HISPANIC OR LATINO? (HISPANC2)	
4 MALES AND FEMALES	105
5 MALES ONLY	106
6 FEMALES ONLY	107
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)	
7 MALES AND FEMALES	108
8 MALES ONLY	109
9 FEMALES ONLY	110
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)	
10 MALES AND FEMALES	111
11 MALES ONLY	112
12 FEMALES ONLY	113
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)	
13 MALES AND FEMALES	114
14 MALES ONLY	115
15 FEMALES ONLY	116
ARE YOU: (MARITAL STATUS) (MARITAL)	
16 MALES AND FEMALES	117
17 MALES ONLY	118
18 FEMALES ONLY	119
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
19 MALES AND FEMALES	120
20 MALES ONLY	121
21 FEMALES ONLY	122

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
22	MALES AND FEMALES	123
23	MALES ONLY	124
24	FEMALES ONLY	125
	ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)	
25	MALES AND FEMALES	126
26	MALES ONLY	127
27	FEMALES ONLY	128
	IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
28	MALES AND FEMALES	129
29	MALES ONLY	130
30	FEMALES ONLY	131
	ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
31	MALES AND FEMALES	132
32	MALES ONLY	133
33	FEMALES ONLY	134
	ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
34	MALES AND FEMALES	135
35	MALES ONLY	136
36	FEMALES ONLY	137
	WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)	
37	MALES AND FEMALES	138
38	MALES ONLY	139
39	FEMALES ONLY	140
	WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
40	MALES AND FEMALES	141
41	MALES ONLY	142
42	FEMALES ONLY	143

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
43	MALES AND FEMALES	144
44	MALES ONLY	145
45	FEMALES ONLY	146
	HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
46	MALES AND FEMALES	147
	DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)	
47	FEMALES ONLY	148
	DO YOU SHARE A CELL PHONE FOR PERSONAL USE (AT LEAST ONE-THIRD OF THE TIME) WITH OTHER ADULTS? (CPDEMO2)	
52	MALES AND FEMALES	153
53	MALES ONLY	154
54	FEMALES ONLY	155
	DO YOU USUALLY SHARE THIS CELL PHONE (AT LEAST ONE-THIRD OF THE TIME) WITH ANY OTHER ADULTS? (CPDEMO3)	
55	MALES AND FEMALES	156
56	MALES ONLY	157
57	FEMALES ONLY	158
	THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)	
58	MALES AND FEMALES	159
59	MALES ONLY	160
60	FEMALES ONLY	161
	DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
61	MALES AND FEMALES	162
62	MALES ONLY	163
63	FEMALES ONLY	164
	INDICATE SEX OF RESPONDENT. (SEX)	
64	MALES AND FEMALES	165
65	MALES ONLY	166
66	FEMALES ONLY	167
	TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
67	MALES AND FEMALES	168
68	MALES ONLY	169
69	FEMALES ONLY	170

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
TOTAL	8408	4,862,728	380	13.5	12.1-14.9	828	17.2	16.0-18.4	1038	17.2	16.0-18.4	1556	19.1	17.9-20.3	1865	15.2	14.4-16.0	2741	17.8	17.0-18.6
Male	3271	2,373,438	180	14.1	11.9-16.3	321	17.9	15.9-19.9	439	17.9	16.1-19.7	668	19.4	17.8-21.0	732	15.4	14.0-16.8	931	15.3	14.1-16.5
Female	5137	2,489,290	200	12.8	11.0-14.6	507	16.6	15.0-18.2	599	16.6	15.2-18.0	888	18.8	17.4-20.2	1133	15.0	14.0-16.0	1810	20.2	19.0-21.4
White/Non-Hisp	6798	4,035,724	285	12.7	11.1-14.3	614	15.6	14.4-16.8	817	16.8	15.6-18.0	1268	19.6	18.4-20.8	1536	16.4	15.4-17.4	2278	18.9	17.9-19.9
Black or Afr. Am./Non-Hisp	956	400,669	37	14.3	09.2-19.4	100	23.1	17.8-28.4	104	17.4	13.1-21.7	173	20.2	15.7-24.7	232	11.6	09.1-14.1	310	13.3	10.6-16.0
Oth. Race/Non-Hisp.	129	74,632	14	21.9	11.3-32.5	27	23.8	13.0-34.6	20	20.8	10.4-31.2	19	10.5	03.6-17.4	17	7.6	03.3-11.9	32	15.3	07.7-22.9
MultiRacial/Non-Hisp.	106	54,455	12	24.5	11.4-37.6	16	20.7	09.3-32.1	17	19.2	09.2-29.2	23	15.5	08.1-22.9	19	12.5	05.2-19.8	19	7.7	03.2-12.2
Hispanic	284	233,407	27	21.1	12.9-29.3	60	31.6	23.8-39.4	65	23.0	16.1-29.9	52	11.7	07.6-15.8	33	5.5	02.8-08.2	47	7.1	04.4-09.8
Less Than H.S.	860	710,688	63	20.3	15.6-25.0	101	20.5	16.6-24.4	106	18.5	14.8-22.2	134	14.2	11.3-17.1	133	8.8	06.8-10.8	323	17.7	15.2-20.2
H.S. or G.E.D.	3133	1,719,997	126	12.3	10.1-14.5	221	14.5	12.5-16.5	269	12.7	10.9-14.5	578	20.3	18.5-22.1	710	17.3	15.7-18.9	1229	22.9	21.3-24.5
Some Post-H.S.	2073	1,427,826	126	16.2	13.5-18.9	213	16.6	14.2-19.0	285	18.2	15.8-20.6	393	19.1	16.9-21.3	500	16.2	14.4-18.0	556	13.8	12.4-15.2
College Graduate	2317	992,004	65	6.8	05.0-08.6	291	20.5	18.1-22.9	377	22.9	20.5-25.3	446	20.4	18.4-22.4	517	14.8	13.2-16.4	621	14.6	13.2-16.0
Less than \$15,000	1008	558,696	75	19.3	15.0-23.6	116	21.6	17.5-25.7	106	15.0	11.7-18.3	199	17.7	14.8-20.6	194	11.6	09.4-13.8	318	14.7	12.5-16.9
\$15,000- 24,999	1498	777,798	70	14.2	10.9-17.5	140	19.2	15.9-22.5	130	13.6	11.1-16.1	211	14.8	12.4-17.2	284	12.6	10.8-14.4	663	25.7	23.2-28.2
\$25,000- 34,999	904	513,151	37	13.0	08.7-17.3	81	18.3	14.2-22.4	86	14.1	10.6-17.6	146	17.2	14.1-20.3	211	16.0	13.3-18.7	343	21.4	18.5-24.3
\$35,000- 49,999	1141	637,059	31	7.1	04.4-09.8	129	18.7	15.4-22.0	129	17.1	14.0-20.2	209	18.6	15.7-21.5	282	19.0	16.5-21.5	361	19.5	17.1-21.9
\$50,000- 74,999	1065	650,680	33	9.1	05.8-12.4	128	19.9	16.4-23.4	176	21.2	17.9-24.5	207	20.0	17.1-22.9	295	18.2	15.7-20.7	226	11.6	09.6-13.6
\$75,000+	1514	968,838	28	5.3	03.1-07.5	142	13.1	10.9-15.3	325	26.6	23.7-29.5	446	30.3	27.4-33.2	384	17.8	15.6-20.0	189	7.0	05.8-08.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS
TABLE 2: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Male	3271	2,373,438	180	14.1	11.9-16.3	321	17.9	15.9-19.9	439	17.9	16.1-19.7	668	19.4	17.8-21.0	732	15.4	14.0-16.8	931	15.3	14.1-16.5
White/Non-Hisp	2681	1,928,643	136	13.3	11.1-15.5	243	16.3	14.3-18.3	350	17.3	15.3-19.3	563	20.0	18.2-21.8	616	16.8	15.2-18.4	773	16.3	14.9-17.7
Black or Afr. Am./Non-Hisp	307	195,358	15	14.6	06.8-22.4	25	21.1	12.9-29.3	34	15.8	09.5-22.1	58	22.8	15.2-30.4	72	11.9	07.6-16.2	103	13.8	09.3-18.3
Oth. Race/Non-Hisp.	69	53,328	7	18.1	05.4-30.8	17	27.4	12.9-41.9	14	24.8	11.1-38.5	8	8.6	00.0-17.2	9	7.5	02.2-12.8	14	13.6	04.0-23.2
Hispanic	111	130,839	13	22.6	10.3-34.9	25	31.2	19.8-42.6	26	25.1	14.5-35.7	23	11.5	05.8-17.2	11	4.5	00.6-08.4	13	5.3	01.8-08.8
Less Than H.S.	359	387,464	35	21.0	14.7-27.3	45	20.7	14.8-26.6	57	21.7	16.2-27.2	64	13.9	10.0-17.8	51	7.9	05.4-10.4	107	14.7	11.2-18.2
H.S. or G.E.D.	1156	842,157	65	13.9	10.4-17.4	100	17.4	14.1-20.7	119	13.2	10.7-15.7	264	21.8	18.9-24.7	260	16.6	14.2-19.0	348	17.1	14.9-19.3
Some Post-H.S.	768	652,611	48	15.7	11.4-20.0	68	15.7	12.2-19.2	112	19.3	15.6-23.0	149	18.5	15.2-21.8	202	18.2	15.3-21.1	189	12.5	10.3-14.7
College Graduate	979	485,356	32	7.1	04.6-09.6	107	19.1	15.6-22.6	151	21.3	18.0-24.6	189	20.5	17.4-23.6	216	15.6	13.2-18.0	284	16.4	14.2-18.6
Less than \$15,000	328	245,966	25	14.9	09.0-20.8	38	25.2	17.9-32.5	45	18.2	12.5-23.9	79	18.7	13.8-23.6	72	13.3	09.4-17.2	69	9.6	06.7-12.5
\$15,000- 24,999	521	356,023	27	14.0	08.9-19.1	58	22.1	16.6-27.6	49	14.5	10.2-18.8	87	15.2	11.5-18.9	98	12.1	09.2-15.0	202	22.1	18.2-26.0
\$25,000- 34,999	366	259,080	16	11.5	05.2-17.8	31	19.0	12.5-25.5	44	17.8	11.9-23.7	60	16.0	11.5-20.5	82	16.2	11.9-20.5	133	19.5	15.4-23.6
\$35,000- 49,999	488	337,980	18	8.6	04.5-12.7	57	19.9	15.0-24.8	53	16.0	11.7-20.3	85	18.5	14.2-22.8	110	17.4	13.7-21.1	165	19.6	16.1-23.1
\$50,000- 74,999	456	336,437	18	9.3	04.8-13.8	52	20.2	14.9-25.5	76	21.8	16.9-26.7	91	19.2	14.9-23.5	114	17.5	14.0-21.0	105	11.9	09.2-14.6
\$75,000+	720	504,997	18	7.0	03.3-10.7	50	10.1	07.2-13.0	142	24.6	20.5-28.7	211	30.0	25.9-34.1	187	19.1	16.0-22.2	112	9.1	06.9-11.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS
TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Female	5137	2,489,290	200	12.8	11.0-14.6	507	16.6	15.0-18.2	599	16.6	15.2-18.0	888	18.8	17.4-20.2	1133	15.0	14.0-16.0	1810	20.2	19.0-21.4
White/Non-Hisp	4117	2,107,080	149	12.1	10.1-14.1	371	15.1	13.5-16.7	467	16.3	14.7-17.9	705	19.3	17.7-20.9	920	15.9	14.7-17.1	1505	21.3	19.9-22.7
Black or Afr. Am./Non-Hisp	649	205,311	22	14.1	07.2-21.0	75	25.1	18.6-31.6	70	19.0	13.3-24.7	115	17.7	12.6-22.8	160	11.3	08.4-14.2	207	12.9	10.0-15.8
Oth. Race/Non-Hisp.	60	21,304	7	31.6	13.4-49.8	10	14.7	05.1-24.3	6	10.8	00.0-21.8	11	15.4	05.0-25.8	8	7.8	01.3-14.3	18	19.6	07.4-31.8
MultiRacial/Non-Hisp.	68	25,446	6	21.5	06.2-36.8	12	24.9	11.6-38.2	9	12.8	03.2-22.4	14	15.8	06.6-25.0	11	12.2	03.8-20.6	16	12.8	05.2-20.4
Hispanic	173	102,568	14	19.2	09.4-29.0	35	32.2	21.6-42.8	39	20.3	12.5-28.1	29	12.0	06.3-17.7	22	6.9	03.4-10.4	34	9.3	04.6-14.0
Less Than H.S.	501	323,223	28	19.6	12.7-26.5	56	20.3	15.0-25.6	49	14.6	10.3-18.9	70	14.4	10.3-18.5	82	9.8	07.1-12.5	216	21.3	17.4-25.2
H.S. or G.E.D.	1977	877,840	61	10.8	07.9-13.7	121	11.6	09.2-14.0	150	12.3	10.1-14.5	314	18.8	16.4-21.2	450	18.0	16.0-20.0	881	28.4	26.0-30.8
Some Post-H.S.	1305	775,215	78	16.5	13.0-20.0	145	17.3	14.4-20.2	173	17.3	14.6-20.0	244	19.5	16.8-22.2	298	14.5	12.5-16.5	367	14.9	12.9-16.9
College Graduate	1338	506,648	33	6.4	04.2-08.6	184	21.9	18.8-25.0	226	24.4	21.3-27.5	257	20.3	17.6-23.0	301	14.0	12.2-15.8	337	12.8	11.2-14.4
Less than \$15,000	680	312,729	50	22.8	16.9-28.7	78	18.7	14.2-23.2	61	12.4	08.5-16.3	120	17.0	13.5-20.5	122	10.3	07.9-12.7	249	18.8	15.7-21.9
\$15,000- 24,999	977	421,775	43	14.4	10.1-18.7	82	16.8	12.9-20.7	81	12.8	09.7-15.9	124	14.5	11.6-17.4	186	13.0	10.6-15.4	461	28.7	25.4-32.0
\$25,000- 34,999	538	254,070	21	14.6	08.3-20.9	50	17.6	12.3-22.9	42	10.4	06.9-13.9	86	18.4	13.9-22.9	129	15.7	12.4-19.0	210	23.4	19.5-27.3
\$35,000- 49,999	653	299,078	13	5.4	02.3-08.5	72	17.4	13.1-21.7	76	18.5	13.8-23.2	124	18.7	15.0-22.4	172	20.8	17.3-24.3	196	19.2	15.9-22.5
\$50,000- 74,999	609	314,243	15	8.9	04.2-13.6	76	19.6	15.1-24.1	100	20.6	16.3-24.9	116	20.8	16.5-25.1	181	18.9	15.6-22.2	121	11.2	08.7-13.7
\$75,000+	794	463,841	10	3.4	01.0-05.8	92	16.3	13.0-19.6	183	28.7	24.8-32.6	235	30.5	26.6-34.4	197	16.3	13.6-19.0	77	4.8	03.4-06.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 4: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8432	4,873,503	287	4.9	04.1-05.7	8145	95.1	94.3-95.9
Male	3268	2,372,121	113	5.7	04.3-07.1	3155	94.3	92.9-95.7
Female	5164	2,501,383	174	4.1	03.3-04.9	4990	95.9	95.1-96.7
18-24	376	649,007	27	7.6	04.3-10.9	349	92.4	89.1-95.7
25-34	826	835,638	60	8.8	06.3-11.3	766	91.2	88.7-93.7
35-44	1032	833,855	65	6.4	04.2-08.6	967	93.6	91.4-95.8
45-54	1551	925,232	52	2.9	01.9-03.9	1499	97.1	96.1-98.1
55-64	1856	737,211	33	1.8	01.0-02.6	1823	98.2	97.4-99.0
65+	2708	856,126	47	1.9	01.1-02.7	2661	98.1	97.3-98.9
Less Than H.S.	845	701,580	89	15.0	11.3-18.7	756	85.0	81.3-88.7
H.S. or G.E.D.	3136	1,722,953	94	3.7	02.5-04.9	3042	96.3	95.1-97.5
Some Post-H.S.	2094	1,439,120	55	3.3	02.1-04.5	2039	96.7	95.5-97.9
College Graduate	2332	997,740	49	2.2	01.4-03.0	2283	97.8	97.0-98.6
Less than \$15,000	996	552,648	56	8.5	05.8-11.2	940	91.5	88.8-94.2
\$15,000- 24,999	1499	780,246	80	9.3	06.8-11.8	1419	90.7	88.2-93.2
\$25,000- 34,999	906	513,503	33	6.9	03.6-10.2	873	93.1	89.8-96.4
\$35,000- 49,999	1141	637,734	33	3.6	02.0-05.2	1108	96.4	94.8-98.0
\$50,000- 74,999	1071	651,073	24	2.3	00.7-03.9	1047	97.7	96.1-99.3
\$75,000+	1515	970,417	16	1.0	00.4-01.6	1499	99.0	98.4-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 5: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3268	2,372,121	113	5.7	04.3-07.1	3155	94.3	92.9-95.7
18-24	177	332,052	13	8.9	03.4-14.4	164	91.1	85.6-96.6
25-34	320	422,459	25	9.7	05.8-13.6	295	90.3	86.4-94.2
35-44	438	422,761	26	7.8	04.3-11.3	412	92.2	88.7-95.7
45-54	667	459,037	23	3.3	01.7-04.9	644	96.7	95.1-98.3
55-64	727	364,069	11	1.6	00.2-03.0	716	98.4	97.0-99.8
65+	915	359,964	13	1.9	00.7-03.1	902	98.1	96.9-99.3
Less Than H.S.	355	384,072	37	15.1	09.6-20.6	318	84.9	79.4-90.4
H.S. or G.E.D.	1153	843,184	38	4.3	02.3-06.3	1115	95.7	93.7-97.7
Some Post-H.S.	771	654,594	19	4.4	02.2-06.6	752	95.6	93.4-97.8
College Graduate	980	484,947	19	2.6	01.2-04.0	961	97.4	96.0-98.8
Less than \$15,000	324	243,915	22	9.1	04.6-13.6	302	90.9	86.4-95.4
\$15,000- 24,999	518	354,627	36	12.2	07.7-16.7	482	87.8	83.3-92.3
\$25,000- 34,999	367	259,252	16	9.3	03.2-15.4	351	90.7	84.6-96.8
\$35,000- 49,999	487	337,723	11	4.2	01.5-06.9	476	95.8	93.1-98.5
\$50,000- 74,999	457	335,551	7	2.5	00.1-04.9	450	97.5	95.1-99.9
\$75,000+	719	504,878	9	1.3	00.1-02.5	710	98.7	97.5-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 6: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5164	2,501,383	174	4.1	03.3-04.9	4990	95.9	95.1-96.7
18-24	199	316,955	14	6.2	02.7-09.7	185	93.8	90.3-97.3
25-34	506	413,179	35	8.0	04.9-11.1	471	92.0	88.9-95.1
35-44	594	411,094	39	5.1	03.1-07.1	555	94.9	92.9-96.9
45-54	884	466,196	29	2.6	01.4-03.8	855	97.4	96.2-98.6
55-64	1129	373,142	22	1.9	00.9-02.9	1107	98.1	97.1-99.1
65+	1793	496,163	34	1.9	00.9-02.9	1759	98.1	97.1-99.1
Less Than H.S.	490	317,508	52	15.0	10.3-19.7	438	85.0	80.3-89.7
H.S. or G.E.D.	1983	879,769	56	3.1	01.9-04.3	1927	96.9	95.7-98.1
Some Post-H.S.	1323	784,526	36	2.4	01.2-03.6	1287	97.6	96.4-98.8
College Graduate	1352	512,793	30	1.8	01.0-02.6	1322	98.2	97.4-99.0
Less than \$15,000	672	308,733	34	8.0	04.5-11.5	638	92.0	88.5-95.5
\$15,000- 24,999	981	425,619	44	6.9	04.2-09.6	937	93.1	90.4-95.8
\$25,000- 34,999	539	254,251	17	4.4	01.9-06.9	522	95.6	93.1-98.1
\$35,000- 49,999	654	300,011	22	3.0	01.4-04.6	632	97.0	95.4-98.6
\$50,000- 74,999	614	315,522	17	2.2	00.2-04.2	597	97.8	95.8-99.8
\$75,000+	796	465,539	7	0.6	00.0-01.2	789	99.4	98.8-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8495	4,900,571	8380	98.8	98.4-99.2	115	1.2	00.8-01.6
Male	3297	2,386,124	3256	98.7	98.1-99.3	41	1.3	00.7-01.9
Female	5198	2,514,447	5124	98.9	98.5-99.3	74	1.1	00.7-01.5
18-24	380	654,605	368	98.0	96.6-99.4	12	2.0	00.6-03.4
25-34	828	837,441	812	98.7	97.9-99.5	16	1.3	00.5-02.1
35-44	1038	837,316	1020	98.6	97.8-99.4	18	1.4	00.6-02.2
45-54	1556	927,317	1533	99.1	98.7-99.5	23	0.9	00.5-01.3
55-64	1865	740,457	1844	99.0	98.4-99.6	21	1.0	00.4-01.6
65+	2741	865,591	2717	99.3	98.9-99.7	24	0.7	00.3-01.1
Less Than H.S.	862	711,674	849	99.1	98.5-99.7	13	0.9	00.3-01.5
H.S. or G.E.D.	3158	1,731,593	3113	98.4	97.8-99.0	45	1.6	01.0-02.2
Some Post-H.S.	2101	1,441,764	2070	99.0	98.6-99.4	31	1.0	00.6-01.4
College Graduate	2345	1,002,488	2320	99.2	98.8-99.6	25	0.8	00.4-01.2
Less than \$15,000	1009	558,834	981	98.0	97.0-99.0	28	2.0	01.0-03.0
\$15,000- 24,999	1510	784,332	1488	98.6	97.8-99.4	22	1.4	00.6-02.2
\$25,000- 34,999	908	513,890	895	98.8	98.0-99.6	13	1.2	00.4-02.0
\$35,000- 49,999	1147	641,504	1137	99.4	99.0-99.8	10	0.6	00.2-01.0
\$50,000- 74,999	1073	653,533	1064	99.4	99.0-99.8	9	0.6	00.2-01.0
\$75,000+	1517	971,385	1505	99.3	98.7-99.9	12	0.7	00.1-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3297	2,386,124	3256	98.7	98.1-99.3	41	1.3	00.7-01.9
18-24	180	335,713	174	97.7	95.5-99.9	6	2.3	00.1-04.5
25-34	321	424,169	317	98.8	97.4-0100	4	1.2	00.0-02.6
35-44	439	424,168	431	98.3	97.1-99.5	8	1.7	00.5-02.9
45-54	668	459,545	659	99.0	98.2-99.8	9	1.0	00.2-01.8
55-64	732	365,936	723	99.0	98.0-0100	9	1.0	00.0-02.0
65+	931	363,906	927	99.5	98.9-0100	4	0.5	00.0-01.1
Less Than H.S.	360	388,247	359	99.6	98.8-0100	1	0.4	00.0-01.2
H.S. or G.E.D.	1164	846,755	1143	97.8	96.6-99.0	21	2.2	01.0-03.4
Some Post-H.S.	775	656,334	765	98.9	98.1-99.7	10	1.1	00.3-01.9
College Graduate	987	488,810	979	99.4	98.8-0100	8	0.6	00.0-01.2
Less than \$15,000	328	245,966	326	98.9	97.3-0100	2	1.1	00.0-02.7
\$15,000- 24,999	523	357,108	511	98.5	97.3-99.7	12	1.5	00.3-02.7
\$25,000- 34,999	368	259,560	365	98.8	97.4-0100	3	1.2	00.0-02.6
\$35,000- 49,999	491	340,220	488	99.4	98.6-0100	3	0.6	00.0-01.4
\$50,000- 74,999	458	337,261	456	99.7	99.3-0100	2	0.3	00.0-00.7
\$75,000+	721	505,846	714	98.9	97.9-99.9	7	1.1	00.1-02.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5198	2,514,447	5124	98.9	98.5-99.3	74	1.1	00.7-01.5
18-24	200	318,892	194	98.3	96.9-99.7	6	1.7	00.3-03.1
25-34	507	413,272	495	98.5	97.5-99.5	12	1.5	00.5-02.5
35-44	599	413,148	589	99.0	98.2-99.8	10	1.0	00.2-01.8
45-54	888	467,772	874	99.1	98.5-99.7	14	0.9	00.3-01.5
55-64	1133	374,521	1121	99.1	98.5-99.7	12	0.9	00.3-01.5
65+	1810	501,685	1790	99.2	98.8-99.6	20	0.8	00.4-01.2
Less Than H.S.	502	323,427	490	98.5	97.3-99.7	12	1.5	00.3-02.7
H.S. or G.E.D.	1994	884,838	1970	98.9	98.3-99.5	24	1.1	00.5-01.7
Some Post-H.S.	1326	785,430	1305	99.1	98.5-99.7	21	0.9	00.3-01.5
College Graduate	1358	513,678	1341	99.0	98.4-99.6	17	1.0	00.4-01.6
Less than \$15,000	681	312,868	655	97.4	96.0-98.8	26	2.6	01.2-04.0
\$15,000- 24,999	987	427,224	977	98.8	97.8-99.8	10	1.2	00.2-02.2
\$25,000- 34,999	540	254,329	530	98.7	97.7-99.7	10	1.3	00.3-02.3
\$35,000- 49,999	656	301,284	649	99.5	99.1-99.9	7	0.5	00.1-00.9
\$50,000- 74,999	615	316,272	608	99.1	98.3-99.9	7	0.9	00.1-01.7
\$75,000+	796	465,539	791	99.7	99.3-0100	5	0.3	00.0-00.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2011

SECTION 8: DEMOGRAPHICS

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian		Am. Indian or Alaskan Native			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	101	49,469	65	65.0	53.4-76.6	22	20.5	09.9-31.1	3	3.9	00.0-10.6	11	10.5	03.4-17.6
Female	65	23,742	42	60.7	45.4-76.0	13	20.2	06.9-33.5	1	0.3	00.0-00.9	9	18.9	06.2-31.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2011

SECTION 8: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2011

SECTION 8: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		Black or African American			N	Asian		Am. Indian or Alaskan Native		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)		%	C.I. (95%)	N	%	C.I. (95%)
Female	65	23,742	42	60.7	45.6-75.8	13	20.2	06.9-33.5	1	0.3	00.0-00.9	9	18.9	06.2-31.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 13: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8486	4,895,410	985	10.7	09.9-11.5	7501	89.3	88.5-90.1
Male	3291	2,382,918	922	20.6	19.0-22.2	2369	79.4	77.8-81.0
Female	5195	2,512,492	63	1.2	00.8-01.6	5132	98.8	98.4-99.2
18-24	380	654,605	11	2.4	00.8-04.0	369	97.6	96.0-99.2
25-34	827	836,262	38	5.9	03.7-08.1	789	94.1	91.9-96.3
35-44	1038	837,316	61	7.5	05.3-09.7	977	92.5	90.3-94.7
45-54	1556	927,317	121	8.7	06.9-10.5	1435	91.3	89.5-93.1
55-64	1859	736,876	231	16.1	13.7-18.5	1628	83.9	81.5-86.3
65+	2740	865,263	515	22.3	20.3-24.3	2225	77.7	75.7-79.7
Less Than H.S.	861	709,886	59	4.8	03.0-06.6	802	95.2	93.4-97.0
H.S. or G.E.D.	3155	1,730,838	389	11.9	10.3-13.5	2766	88.1	86.5-89.7
Some Post-H.S.	2098	1,439,271	293	13.0	11.0-15.0	1805	87.0	85.0-89.0
College Graduate	2344	1,002,434	241	9.4	08.0-10.8	2103	90.6	89.2-92.0
Less than \$15,000	1006	557,262	87	6.8	04.6-09.0	919	93.2	91.0-95.4
\$15,000- 24,999	1509	784,004	187	10.7	08.7-12.7	1322	89.3	87.3-91.3
\$25,000- 34,999	907	513,298	133	14.2	11.1-17.3	774	85.8	82.7-88.9
\$35,000- 49,999	1147	641,504	159	12.3	09.9-14.7	988	87.7	85.3-90.1
\$50,000- 74,999	1072	653,446	140	13.2	10.7-15.7	932	86.8	84.3-89.3
\$75,000+	1516	970,662	155	10.1	08.1-12.1	1361	89.9	87.9-91.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 14: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3291	2,382,918	922	20.6	19.0-22.2	2369	79.4	77.8-81.0
18-24	180	335,713	10	4.4	01.5-07.3	170	95.6	92.7-98.5
25-34	321	424,169	28	9.6	05.7-13.5	293	90.4	86.5-94.3
35-44	439	424,168	56	13.9	09.8-18.0	383	86.1	82.0-90.2
45-54	668	459,545	102	15.4	12.1-18.7	566	84.6	81.3-87.9
55-64	728	363,131	221	31.9	27.8-36.0	507	68.1	64.0-72.2
65+	930	363,577	499	52.0	48.1-55.9	431	48.0	44.1-51.9
Less Than H.S.	359	386,459	59	8.8	05.7-11.9	300	91.2	88.1-94.3
H.S. or G.E.D.	1161	846,000	372	23.7	20.8-26.6	789	76.3	73.4-79.2
Some Post-H.S.	774	655,743	267	26.2	22.5-29.9	507	73.8	70.1-77.5
College Graduate	987	488,810	221	17.3	14.6-20.0	766	82.7	80.0-85.4
Less than \$15,000	327	245,627	79	14.1	09.6-18.6	248	85.9	81.4-90.4
\$15,000- 24,999	522	356,779	172	22.0	17.9-26.1	350	78.0	73.9-82.1
\$25,000- 34,999	367	258,969	128	27.3	21.2-33.4	239	72.7	66.6-78.8
\$35,000- 49,999	491	340,220	151	22.3	18.0-26.6	340	77.7	73.4-82.0
\$50,000- 74,999	457	337,174	132	23.7	19.0-28.4	325	76.3	71.6-81.0
\$75,000+	721	505,846	142	18.1	14.6-21.6	579	81.9	78.4-85.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 15: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5195	2,512,492	63	1.2	00.8-01.6	5132	98.8	98.4-99.2
18-24	200	318,892	1	0.2	00.0-00.6	199	99.8	99.4-0100
25-34	506	412,093	10	2.2	00.6-03.8	496	97.8	96.2-99.4
35-44	599	413,148	5	1.1	00.1-02.1	594	98.9	97.9-99.9
45-54	888	467,772	19	2.1	01.1-03.1	869	97.9	96.9-98.9
55-64	1131	373,745	10	0.7	00.1-01.3	1121	99.3	98.7-99.9
65+	1810	501,685	16	0.8	00.4-01.2	1794	99.2	98.8-99.6
Less Than H.S.	502	323,427				502	100.0	0100-0100
H.S. or G.E.D.	1994	884,838	17	0.7	00.3-01.1	1977	99.3	98.9-99.7
Some Post-H.S.	1324	783,528	26	2.0	01.0-03.0	1298	98.0	97.0-99.0
College Graduate	1357	513,624	20	1.8	00.8-02.8	1337	98.2	97.2-99.2
Less than \$15,000	679	311,635	8	0.9	00.1-01.7	671	99.1	98.3-99.9
\$15,000- 24,999	987	427,224	15	1.2	00.4-02.0	972	98.8	98.0-99.6
\$25,000- 34,999	540	254,329	5	1.0	00.0-02.2	535	99.0	97.8-0100
\$35,000- 49,999	656	301,284	8	1.1	00.1-02.1	648	98.9	97.9-99.9
\$50,000- 74,999	615	316,272	8	2.0	00.4-03.6	607	98.0	96.4-99.6
\$75,000+	795	464,816	13	1.5	00.5-02.5	782	98.5	97.5-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8452	4,884,915	4323	53.0	51.6-54.4	1314	11.4	10.6-12.2	1308	7.5	06.9-08.1	147	1.9	01.5-02.3	1179	22.1	20.7-23.5	181	4.1	03.3-04.9
Male	3280	2,377,083	1858	53.7	51.3-56.1	474	10.7	09.5-11.9	250	4.0	03.4-04.6	51	1.7	01.1-02.3	566	25.5	23.1-27.9	81	4.4	03.4-05.4
Female	5172	2,507,832	2465	52.4	50.4-54.4	840	12.1	10.9-13.3	1058	10.8	10.0-11.6	96	2.1	01.5-02.7	613	18.8	17.0-20.6	100	3.8	02.8-04.8
White/Non-Hisp	6831	4,049,126	3767	56.3	54.7-57.9	983	11.2	10.2-12.2	1079	8.0	07.4-08.6	85	1.6	01.2-02.0	778	19.1	17.5-20.7	139	3.9	03.1-04.7
Black or Afr. Am./Non-Hisp	959	403,272	256	29.9	24.8-35.0	243	17.3	13.6-21.0	150	4.6	03.4-05.8	41	4.2	02.0-06.4	259	42.0	36.1-47.9	10	2.0	00.2-03.8
Oth. Race/Non-Hisp.	129	73,759	59	41.1	29.3-52.9	14	8.3	03.0-13.6	15	8.8	00.0-17.8	3	0.9	00.0-02.1	30	30.2	18.8-41.6	8	10.6	02.8-18.4
MultiRacial/Non-Hisp.	106	54,455	36	32.2	20.8-43.6	21	14.7	06.9-22.5	9	2.5	00.5-04.5	7	4.4	00.0-08.9	27	36.8	23.3-50.3	6	9.6	01.0-18.2
Hispanic	286	237,375	147	46.6	38.4-54.8	29	4.8	02.4-07.2	21	3.1	01.1-05.1	9	4.2	01.3-07.1	67	34.8	26.4-43.2	13	6.6	02.3-10.9
18-24	379	652,520	44	8.6	05.9-11.3	5	0.9	00.0-01.9	2	0.2	00.0-00.6	6	0.9	00.1-01.7	282	79.3	75.0-83.6	40	10.1	06.8-13.4
25-34	828	837,441	420	46.3	42.4-50.2	67	8.1	05.9-10.3	3	0.7	00.0-01.7	30	2.7	01.5-03.9	259	34.8	30.9-38.7	49	7.4	05.0-09.8
35-44	1034	833,985	664	66.1	62.6-69.6	159	14.0	11.5-16.5	5	0.5	00.0-01.1	25	3.2	01.8-04.6	158	12.6	10.2-15.0	23	3.5	01.9-05.1
45-54	1553	926,171	918	65.4	62.5-68.3	290	16.0	13.8-18.2	54	3.0	02.0-04.0	42	3.0	01.8-04.2	215	10.1	08.3-11.9	34	2.5	01.5-03.5
55-64	1858	738,727	1085	67.3	64.8-69.8	404	16.7	14.7-18.7	168	6.9	05.5-08.3	22	0.9	00.3-01.5	151	6.1	04.7-07.5	28	2.1	01.3-02.9
65+	2726	862,848	1158	54.8	52.4-57.2	375	10.5	09.1-11.9	1062	31.1	28.9-33.3	21	0.5	00.3-00.7	104	2.7	01.9-03.5	6	0.4	00.0-00.8
Less Than H.S.	853	708,158	304	36.5	32.2-40.8	148	12.3	09.6-15.0	197	10.0	08.0-12.0	35	4.5	02.7-06.3	148	31.5	26.6-36.4	21	5.1	02.7-07.5
H.S. or G.E.D.	3147	1,726,960	1499	51.9	49.5-54.3	505	12.6	11.2-14.0	664	10.2	09.2-11.2	56	2.0	01.4-02.6	378	20.0	17.6-22.4	45	3.4	02.2-04.6
Some Post-H.S.	2092	1,438,727	1067	52.6	49.7-55.5	376	12.3	10.7-13.9	244	5.4	04.4-06.4	34	1.2	00.6-01.8	309	23.6	20.7-26.5	62	4.9	03.5-06.3
College Graduate	2335	999,172	1440	67.2	64.7-69.7	281	7.6	06.4-08.8	199	3.9	03.1-04.7	21	0.8	00.4-01.2	341	17.0	14.8-19.2	53	3.4	02.2-04.6
Less than \$15,000	1001	557,195	144	17.9	14.6-21.2	289	21.1	18.0-24.2	225	10.8	08.6-13.0	41	4.6	02.8-06.4	273	39.5	35.0-44.0	29	6.0	03.5-08.5
\$15,000- 24,999	1505	783,729	457	34.8	31.5-38.1	341	16.7	14.3-19.1	393	14.5	12.5-16.5	39	2.5	01.5-03.5	243	26.5	23.0-30.0	32	4.9	02.9-06.9
\$25,000- 34,999	907	512,455	399	44.9	40.2-49.6	165	14.1	11.2-17.0	148	9.0	07.0-11.0	23	3.1	01.5-04.7	145	22.4	17.7-27.1	27	6.6	03.9-09.3
\$35,000- 49,999	1142	639,278	679	61.4	57.5-65.3	170	12.2	09.8-14.6	126	5.6	04.4-06.8	16	2.1	00.7-03.5	134	16.0	12.7-19.3	17	2.6	01.0-04.2
\$50,000- 74,999	1071	651,262	753	71.0	67.1-74.9	131	9.2	07.0-11.4	55	2.0	01.2-02.8	6	0.5	00.0-01.1	97	13.1	09.8-16.4	29	4.2	02.2-06.2
\$75,000+	1517	971,385	1291	84.6	81.9-87.3	72	3.5	02.3-04.7	35	1.2	00.6-01.8	7	0.3	00.1-00.5	81	7.4	05.0-09.8	31	3.1	01.9-04.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS
TABLE 17: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3280	2,377,083	1858	53.7	51.5-55.9	474	10.7	09.5-11.9	250	4.0	03.4-04.6	51	1.7	01.1-02.3	566	25.5	23.1-27.9	81	4.4	03.4-05.4
White/Non-Hisp	2685	1,927,733	1622	56.9	54.5-59.3	357	10.8	09.4-12.2	203	4.1	03.3-04.9	34	1.5	00.9-02.1	405	22.4	20.0-24.8	64	4.3	03.1-05.5
Black or Afr. Am./Non-Hisp	307	195,334	99	33.3	24.9-41.7	80	14.9	09.6-20.2	28	2.1	00.9-03.3	12	2.6	00.4-04.8	84	45.6	36.4-54.8	4	1.5	00.0-03.7
Oth. Race/Non-Hisp.	69	52,455	33	43.0	27.9-58.1	9	8.2	01.5-14.9	3	8.7	00.0-21.2				19	29.2	14.9-43.5	5	10.9	00.9-20.9
Hispanic	113	134,758	55	48.4	36.2-60.6	11	4.0	00.9-07.1	5	2.7	00.0-05.4	4	3.6	00.0-07.3	33	35.5	23.2-47.8	5	5.8	00.5-11.1
18-24	179	333,628	17	6.9	03.4-10.4	2	0.2	00.0-00.4	2	0.5	00.0-01.3	2	0.5	00.0-01.3	136	81.8	76.1-87.5	20	10.2	05.5-14.9
25-34	321	424,169	141	38.8	32.9-44.7	23	7.6	04.3-10.9	2	1.1	00.0-02.9	8	2.4	00.6-04.2	125	42.8	36.5-49.1	22	7.3	04.2-10.4
35-44	435	420,838	278	65.6	60.3-70.9	63	12.8	09.3-16.3	1	0.5	00.0-01.5	13	3.9	01.7-06.1	68	12.8	09.3-16.3	12	4.4	01.7-07.1
45-54	666	458,480	395	64.6	60.3-68.9	117	16.3	13.0-19.6	17	2.3	00.9-03.7	11	1.4	00.4-02.4	112	12.7	09.8-15.6	14	2.6	01.0-04.2
55-64	728	364,637	467	71.1	67.2-75.0	143	15.1	12.2-18.0	29	3.5	01.9-05.1	8	1.0	00.0-02.0	70	7.4	05.2-09.6	11	1.9	00.5-03.3
65+	929	363,697	551	68.9	65.4-72.4	123	10.1	07.7-12.5	195	16.8	14.1-19.5	9	0.6	00.2-01.0	49	3.1	01.9-04.3	2	0.5	00.0-01.1
Less Than H.S.	357	385,860	147	38.6	32.3-44.9	64	12.3	08.4-16.2	45	6.8	04.1-09.5	12	3.9	01.5-06.3	75	32.0	25.3-38.7	14	6.3	03.0-09.6
H.S. or G.E.D.	1160	843,407	616	51.8	48.1-55.5	190	12.3	10.1-14.5	115	4.7	03.5-05.9	24	1.8	00.8-02.8	194	25.9	22.0-29.8	21	3.5	01.9-05.1
Some Post-H.S.	772	655,270	429	53.6	49.1-58.1	130	10.9	08.5-13.3	41	2.5	01.5-03.5	9	0.9	00.1-01.7	138	26.7	22.0-31.4	25	5.4	03.2-07.6
College Graduate	983	487,642	660	69.0	65.3-72.7	89	6.4	04.8-08.0	49	2.5	01.5-03.5	5	0.7	00.0-01.5	159	18.3	15.0-21.6	21	3.1	01.3-04.9
Less than \$15,000	324	244,871	63	19.9	14.4-25.4	90	19.2	14.1-24.3	29	5.2	01.9-08.5	12	5.0	01.9-08.1	116	42.4	35.0-49.8	14	8.3	03.8-12.8
\$15,000- 24,999	522	356,931	213	40.6	34.9-46.3	109	13.7	10.4-17.0	71	8.3	05.8-10.8	15	2.2	00.8-03.6	98	30.4	24.5-36.3	16	4.9	02.2-07.6
\$25,000- 34,999	367	258,126	171	46.1	39.0-53.2	58	11.9	07.6-16.2	42	6.2	03.7-08.7	7	1.6	00.0-03.2	75	26.6	19.5-33.7	14	7.6	03.5-11.7
\$35,000- 49,999	488	339,475	309	61.8	56.1-67.5	60	10.9	07.6-14.2	37	3.4	02.0-04.8	7	2.3	00.3-04.3	69	19.4	14.3-24.5	6	2.2	00.2-04.2
\$50,000- 74,999	456	334,990	319	68.1	62.2-74.0	60	10.9	07.4-14.4	18	1.2	00.4-02.0	3	0.9	00.0-02.1	43	14.7	09.6-19.8	13	4.2	01.7-06.7
\$75,000+	721	505,846	603	81.5	77.2-85.8	43	5.1	03.1-07.1	9	0.9	00.1-01.7	3	0.4	00.0-01.0	50	9.0	05.5-12.5	13	3.1	01.1-05.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS
TABLE 18: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5172	2,507,832	2465	52.4	50.4-54.4	840	12.1	10.9-13.3	1058	10.8	10.0-11.6	96	2.1	01.5-02.7	613	18.8	17.0-20.6	100	3.8	02.8-04.8
White/Non-Hisp	4146	2,121,394	2145	55.8	53.8-57.8	626	11.6	10.4-12.8	876	11.5	10.5-12.5	51	1.6	01.0-02.2	373	16.1	14.1-18.1	75	3.5	02.5-04.5
Black or Afr. Am./Non-Hisp	652	207,938	157	26.6	20.5-32.7	163	19.6	14.5-24.7	122	6.9	04.9-08.9	29	5.6	01.9-09.3	175	38.7	31.4-46.0	6	2.5	00.0-05.4
Oth. Race/Non-Hisp.	60	21,304	26	36.6	20.9-52.3	5	8.7	00.5-16.9	12	9.1	03.0-15.2	3	3.0	00.0-07.1	11	32.6	15.0-50.2	3	10.0	00.0-21.6
MultiRacial/Non-Hisp.	68	25,446	22	33.9	20.4-47.4	13	15.0	05.4-24.6	9	5.3	01.0-09.6	6	5.0	00.0-10.1	13	27.6	12.9-42.3	5	13.2	01.0-25.4
Hispanic	173	102,617	92	44.2	34.0-54.4	18	5.8	02.3-09.3	16	3.5	01.1-05.9	5	4.9	00.2-09.6	34	33.8	22.8-44.8	8	7.7	00.6-14.8
18-24	200	318,892	27	10.3	06.2-14.4	3	1.7	00.0-03.7				4	1.3	00.0-02.9	146	76.8	70.5-83.1	20	9.9	05.2-14.6
25-34	507	413,272	279	54.0	48.7-59.3	44	8.5	05.6-11.4	1	0.4	00.0-01.2	22	3.0	01.4-04.6	134	26.6	21.9-31.3	27	7.6	04.3-10.9
35-44	599	413,148	386	66.7	62.0-71.4	96	15.2	11.7-18.7	4	0.6	00.0-01.2	12	2.6	01.0-04.2	90	12.4	09.3-15.5	11	2.6	00.8-04.4
45-54	887	467,691	523	66.3	62.6-70.0	173	15.6	12.9-18.3	37	3.7	02.3-05.1	31	4.5	02.5-06.5	103	7.5	05.5-09.5	20	2.4	01.2-03.6
55-64	1130	374,090	618	63.6	60.3-66.9	261	18.2	15.5-20.9	139	10.2	08.0-12.4	14	0.9	00.3-01.5	81	4.8	03.4-06.2	17	2.3	01.1-03.5
65+	1797	499,151	607	44.6	41.7-47.5	252	10.8	09.2-12.4	867	41.5	38.8-44.2	12	0.3	00.1-00.5	55	2.5	01.5-03.5	4	0.3	00.0-00.7
Less Than H.S.	496	322,298	157	34.0	28.3-39.7	84	12.3	08.8-15.8	152	13.9	11.0-16.8	23	5.3	02.6-08.0	73	30.8	23.9-37.7	7	3.7	00.6-06.8
H.S. or G.E.D.	1987	883,553	883	52.1	49.0-55.2	315	12.8	10.8-14.8	549	15.4	13.8-17.0	32	2.1	01.1-03.1	184	14.3	11.6-17.0	24	3.3	01.7-04.9
Some Post-H.S.	1320	783,457	638	51.7	48.2-55.2	246	13.4	11.2-15.6	203	7.9	06.5-09.3	25	1.6	00.8-02.4	171	20.9	17.4-24.4	37	4.5	02.9-06.1
College Graduate	1352	511,529	780	65.5	62.4-68.6	192	8.8	07.2-10.4	150	5.2	04.2-06.2	16	1.0	00.4-01.6	182	15.8	13.1-18.5	32	3.8	02.4-05.2
Less than \$15,000	677	312,324	81	16.4	12.5-20.3	199	22.7	18.6-26.8	196	15.2	12.5-17.9	29	4.3	02.1-06.5	157	37.3	31.4-43.2	15	4.1	01.6-06.6
\$15,000- 24,999	983	426,798	244	30.0	26.1-33.9	232	19.2	15.9-22.5	322	19.8	17.1-22.5	24	2.8	01.4-04.2	145	23.4	19.1-27.7	16	4.9	02.2-07.6
\$25,000- 34,999	540	254,329	228	43.7	37.8-49.6	107	16.3	12.0-20.6	106	11.9	09.0-14.8	16	4.5	01.8-07.2	70	18.1	12.2-24.0	13	5.5	02.0-09.0
\$35,000- 49,999	654	299,804	370	60.9	55.8-66.0	110	13.8	10.3-17.3	89	8.2	06.0-10.4	9	1.9	00.3-03.5	65	12.2	08.5-15.9	11	3.1	00.7-05.5
\$50,000- 74,999	615	316,272	434	74.0	68.7-79.3	71	7.4	05.2-09.6	37	2.8	01.6-04.0	3	0.1	00.1-00.1	54	11.5	07.0-16.0	16	4.2	01.1-07.3
\$75,000+	796	465,539	688	87.9	84.8-91.0	29	1.6	00.8-02.4	26	1.4	00.6-02.2	4	0.2	00.0-00.4	31	5.8	03.3-08.3	18	3.0	01.4-04.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 19: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8474	4,890,808	893	14.9	13.7-16.1	759	13.0	12.0-14.0	372	6.8	06.0-07.6	134	2.3	01.9-02.7	59	1.0	00.6-01.4	6257	61.9	60.3-63.5
Male	3287	2,382,615	330	13.5	11.9-15.1	296	12.7	11.1-14.3	135	6.4	05.2-07.6	45	2.0	01.2-02.8	18	1.0	00.4-01.6	2463	64.4	62.0-66.8
Female	5187	2,508,194	563	16.1	14.5-17.7	463	13.4	12.0-14.8	237	7.2	06.0-08.4	89	2.6	02.0-03.2	41	1.0	00.6-01.4	3794	59.6	57.6-61.6
White/Non-Hisp	6841	4,053,839	694	14.6	13.4-15.8	593	12.3	11.1-13.5	270	6.1	05.3-06.9	100	2.0	01.6-02.4	38	0.7	00.5-00.9	5146	64.2	62.6-65.8
Black or Afr. Am./Non-Hisp	966	403,787	103	15.1	10.8-19.4	81	16.6	11.9-21.3	51	9.3	05.8-12.8	18	3.9	01.4-06.4	10	1.6	00.2-03.0	703	53.5	47.8-59.2
Oth. Race/Non-Hisp.	129	74,045	20	13.0	05.6-20.4	15	22.4	10.4-34.4	5	2.1	00.0-04.6				1	0.1	00.0-00.3	88	62.4	50.1-74.7
MultiRacial/Non-Hisp.	107	54,527	12	15.9	05.9-25.9	12	11.0	02.2-19.8	6	5.5	00.4-10.6	1	0.5	00.0-01.5	5	6.8	00.1-13.5	71	60.4	47.5-73.3
Hispanic	287	237,463	48	19.6	13.1-26.1	48	18.4	12.1-24.7	36	18.3	11.4-25.2	12	4.6	01.3-07.9	3	2.9	00.0-07.2	140	36.2	28.6-43.8
18-24	379	653,597	80	22.4	17.5-27.3	41	11.1	07.6-14.6	20	5.0	02.5-07.5	6	1.6	00.2-03.0	4	1.5	00.0-03.3	228	58.4	52.7-64.1
25-34	826	835,349	168	19.9	16.8-23.0	196	22.9	19.6-26.2	116	14.3	11.4-17.2	40	4.7	02.9-06.5	22	1.9	00.9-02.9	284	36.3	32.4-40.2
35-44	1036	835,982	199	18.6	15.9-21.3	307	29.7	26.4-33.0	161	16.1	13.4-18.8	61	5.3	03.7-06.9	22	1.9	00.9-02.9	286	28.4	25.1-31.7
45-54	1552	925,392	292	20.1	17.6-22.6	167	11.7	09.5-13.9	57	4.3	02.9-05.7	18	1.5	00.7-02.3	7	0.5	00.1-00.9	1011	61.9	59.0-64.8
55-64	1862	739,565	107	7.1	05.5-08.7	29	1.5	00.7-02.3	9	0.6	00.2-01.0	8	0.7	00.1-01.3	2	0.2	00.0-00.4	1707	90.0	88.0-92.0
65+	2738	865,353	40	1.7	01.1-02.3	16	0.6	00.2-01.0	6	0.2	00.0-00.4	1	0.1	00.0-00.3	1	0.1	00.0-00.3	2674	97.3	96.5-98.1
Less Than H.S.	862	711,674	101	16.3	12.8-19.8	78	14.1	10.8-17.4	50	11.4	08.1-14.7	21	3.9	01.9-05.9	17	3.1	01.1-05.1	595	51.2	46.5-55.9
H.S. or G.E.D.	3153	1,729,261	304	15.3	13.3-17.3	192	10.1	08.3-11.9	109	5.7	04.5-06.9	32	1.3	00.7-01.9	15	0.6	00.2-01.0	2501	67.0	64.5-69.5
Some Post-H.S.	2096	1,439,657	227	14.0	11.8-16.2	212	13.7	11.7-15.7	93	6.2	04.6-07.8	41	2.5	01.5-03.5	14	0.7	00.3-01.1	1509	62.9	60.2-65.6
College Graduate	2337	999,463	258	14.4	12.4-16.4	274	16.4	14.4-18.4	120	6.6	05.2-08.0	39	2.5	01.7-03.3	12	0.5	00.1-00.9	1634	59.5	57.0-62.0
Less than \$15,000	1008	558,458	114	16.2	12.7-19.7	66	9.9	07.0-12.8	38	5.1	02.9-07.3	18	3.7	01.7-05.7	6	0.3	00.0-00.7	766	64.8	60.3-69.3
\$15,000- 24,999	1509	783,877	131	12.7	10.2-15.2	98	10.9	08.4-13.4	52	6.0	04.0-08.0	21	2.2	01.0-03.4	13	1.3	00.3-02.3	1194	66.7	63.0-70.4
\$25,000- 34,999	907	512,695	93	16.5	12.6-20.4	59	9.6	06.9-12.3	41	10.2	06.5-13.9	9	1.3	00.3-02.3	7	1.0	00.2-01.8	698	61.3	56.4-66.2
\$35,000- 49,999	1146	641,420	121	14.8	11.7-17.9	86	11.0	08.5-13.5	43	5.7	03.7-07.7	10	1.0	00.2-01.8	12	1.8	00.6-03.0	874	65.8	61.9-69.7
\$50,000- 74,999	1073	653,533	124	15.5	12.6-18.4	125	16.6	13.3-19.9	67	8.9	06.4-11.4	25	2.8	01.4-04.2	6	1.0	00.0-02.0	726	55.0	50.9-59.1
\$75,000+	1516	971,048	221	16.7	14.3-19.1	253	20.3	17.6-23.0	96	7.9	06.1-09.7	37	3.1	01.9-04.3	8	0.4	00.2-00.6	901	51.6	48.5-54.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 20: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3287	2,382,615	330	13.5	11.9-15.1	296	12.7	11.1-14.3	135	6.4	05.2-07.6	45	2.0	01.2-02.8	18	1.0	00.4-01.6	2463	64.4	62.0-66.8
White/Non-Hisp	2689	1,931,792	279	14.1	12.3-15.9	242	11.7	10.1-13.3	100	5.6	04.4-06.8	32	1.6	01.0-02.2	11	0.6	00.2-01.0	2025	66.5	64.1-68.9
Black or Afr. Am./Non-Hisp	308	195,454	18	7.0	02.3-11.7	24	19.4	11.2-27.6	11	7.4	02.5-12.3	7	4.6	00.3-08.9	1	1.1	00.0-03.3	247	60.5	51.3-69.7
Oth. Race/Non-Hisp.	70	53,748	7	9.3	00.9-17.7	10	26.4	10.9-41.9	4	2.5	00.0-05.8							49	61.8	46.1-77.5
Hispanic	113	134,758	21	19.1	10.1-28.1	12	12.2	05.1-19.3	16	20.1	09.5-30.7	4	4.7	00.0-09.8	1	3.8	00.0-11.1	59	40.1	28.3-51.9
18-24	180	335,713	29	19.0	12.5-25.5	20	11.8	06.5-17.1	7	3.6	00.5-06.7	3	1.3	00.0-03.3	2	2.1	00.0-05.2	119	62.2	54.2-70.2
25-34	321	424,169	52	15.4	10.9-19.9	53	17.3	12.6-22.0	33	11.9	07.8-16.0	13	3.9	01.4-06.4	5	1.4	00.0-02.8	165	50.1	43.8-56.4
35-44	438	423,488	67	15.4	11.5-19.3	126	28.5	23.6-33.4	58	15.0	10.7-19.3	20	4.3	02.1-06.5	6	1.6	00.0-03.2	161	35.2	29.9-40.5
45-54	665	457,997	119	19.4	15.7-23.1	82	13.4	10.1-16.7	32	5.0	03.0-07.0	7	1.3	00.3-02.3	4	0.7	00.0-01.5	421	60.2	55.7-64.7
55-64	732	365,936	50	8.6	05.9-11.3	12	1.6	00.6-02.6	1	0.1	00.0-00.3	2	0.5	00.0-01.3				667	89.3	86.4-92.2
65+	928	363,668	12	1.7	00.5-02.9	2	0.2	00.0-00.4	2	0.3	00.0-00.7				1	0.2	00.0-00.6	911	97.6	96.2-99.0
Less Than H.S.	360	388,247	38	15.5	10.4-20.6	33	13.2	08.5-17.9	22	10.9	06.0-15.8	8	3.7	01.0-06.4	7	3.7	00.4-07.0	252	53.0	46.3-59.7
H.S. or G.E.D.	1161	845,920	124	14.5	11.8-17.2	84	11.1	08.4-13.8	38	4.9	03.1-06.7	10	1.1	00.3-01.9	5	0.5	00.0-01.1	900	68.0	64.3-71.7
Some Post-H.S.	772	655,611	70	12.2	09.1-15.3	74	13.0	09.9-16.1	32	6.1	03.7-08.5	12	1.9	00.5-03.3	4	0.6	00.0-01.2	580	66.2	61.7-70.7
College Graduate	984	487,804	97	12.1	09.6-14.6	105	14.6	11.7-17.5	43	6.1	04.1-08.1	14	2.0	00.8-03.2	2	0.2	00.0-00.4	723	65.1	61.4-68.8
Less than \$15,000	328	245,966	25	11.7	06.6-16.8	12	6.3	02.0-10.6	7	4.2	00.9-07.5	5	2.8	00.1-05.5				279	75.1	68.2-82.0
\$15,000- 24,999	523	357,108	41	11.7	07.6-15.8	34	11.0	06.7-15.3	18	5.9	02.6-09.2	5	2.2	00.0-04.4	2	0.8	00.0-02.0	423	68.3	62.4-74.2
\$25,000- 34,999	368	259,560	37	15.0	09.5-20.5	26	11.2	06.5-15.9	18	10.3	04.8-15.8	2	0.6	00.0-01.6	2	1.0	00.0-02.4	283	61.9	54.6-69.2
\$35,000- 49,999	490	340,136	44	13.9	09.4-18.4	38	11.7	07.8-15.6	14	5.1	02.4-07.8	4	0.7	00.0-01.5	6	1.6	00.2-03.0	384	67.0	61.3-72.7
\$50,000- 74,999	458	337,261	58	15.2	10.9-19.5	48	14.0	09.7-18.3	29	9.5	05.8-13.2	10	3.1	00.9-05.3	2	1.0	00.0-02.6	311	57.3	51.4-63.2
\$75,000+	720	505,510	93	14.5	11.4-17.6	114	19.5	15.6-23.4	39	6.9	04.4-09.4	15	2.3	00.9-03.7	2	0.2	00.0-00.6	457	56.6	51.9-61.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 21: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5187	2,508,194	563	16.1	14.5-17.7	463	13.4	12.0-14.8	237	7.2	06.0-08.4	89	2.6	02.0-03.2	41	1.0	00.6-01.4	3794	59.6	57.6-61.6
White/Non-Hisp	4152	2,122,047	415	15.1	13.5-16.7	351	12.8	11.2-14.4	170	6.6	05.4-07.8	68	2.5	01.9-03.1	27	0.9	00.5-01.3	3121	62.2	60.0-64.4
Black or Afr. Am./Non-Hisp	658	208,333	85	22.8	15.9-29.7	57	13.9	09.2-18.6	40	11.1	06.0-16.2	11	3.3	00.4-06.2	9	2.0	00.0-04.0	456	46.9	40.0-53.8
Oth. Race/Non-Hisp.	59	20,296	13	22.9	07.6-38.2	5	11.6	00.0-23.9	1	1.1	00.0-03.3				1	0.4	00.0-01.2	39	64.0	46.9-81.1
MultiRacial/Non-Hisp.	68	25,446	10	22.5	08.2-36.8	9	11.2	02.8-19.6	4	4.8	00.0-10.5				2	3.0	00.0-08.1	43	58.5	43.4-73.6
Hispanic	174	102,705	27	20.3	11.5-29.1	36	26.7	16.3-37.1	20	16.0	08.2-23.8	8	4.4	00.1-08.7	2	1.7	00.0-04.1	81	30.9	22.1-39.7
18-24	199	317,884	51	26.0	18.9-33.1	21	10.3	05.4-15.2	13	6.4	02.3-10.5	3	1.9	00.0-04.1	2	1.0	00.0-02.4	109	54.5	46.5-62.5
25-34	505	411,180	116	24.6	20.1-29.1	143	28.7	24.0-33.4	83	16.7	12.8-20.6	27	5.4	03.0-07.8	17	2.5	00.9-04.1	119	22.0	17.9-26.1
35-44	598	412,495	132	22.0	17.9-26.1	181	30.9	26.4-35.4	103	17.3	13.6-21.0	41	6.3	04.1-08.5	16	2.2	00.8-03.6	125	21.4	17.3-25.5
45-54	887	467,395	173	20.7	17.4-24.0	85	10.0	07.5-12.5	25	3.5	01.5-05.5	11	1.7	00.5-02.9	3	0.3	00.0-00.7	590	63.7	59.8-67.6
55-64	1130	373,628	57	5.6	03.6-07.6	17	1.5	00.3-02.7	8	1.0	00.0-02.0	6	0.9	00.1-01.7	2	0.3	00.0-00.7	1040	90.7	88.2-93.2
65+	1810	501,685	28	1.8	01.0-02.6	14	1.0	00.2-01.8	4	0.1	00.0-00.3	1	0.1	00.0-00.3				1763	97.1	95.9-98.3
Less Than H.S.	502	323,427	63	17.3	12.4-22.2	45	15.3	10.4-20.2	28	12.1	07.2-17.0	13	4.1	01.6-06.6	10	2.4	00.8-04.0	343	48.9	42.6-55.2
H.S. or G.E.D.	1992	883,341	180	16.1	13.4-18.8	108	9.0	07.0-11.0	71	6.4	04.6-08.2	22	1.6	00.8-02.4	10	0.7	00.1-01.3	1601	66.1	62.8-69.4
Some Post-H.S.	1324	784,046	157	15.5	12.8-18.2	138	14.4	11.7-17.1	61	6.3	04.3-08.3	29	3.0	01.6-04.4	10	0.8	00.0-01.6	929	60.1	56.6-63.6
College Graduate	1353	511,660	161	16.5	13.8-19.2	169	18.2	15.3-21.1	77	7.1	05.3-08.9	25	3.0	01.6-04.4	10	0.9	00.3-01.5	911	54.3	50.8-57.8
Less than \$15,000	680	312,492	89	19.8	14.9-24.7	54	12.7	08.6-16.8	31	5.9	03.2-08.6	13	4.4	01.7-07.1	6	0.5	00.0-01.1	487	56.7	51.0-62.4
\$15,000- 24,999	986	426,768	90	13.5	10.2-16.8	64	10.9	07.6-14.2	34	6.1	03.6-08.6	16	2.2	00.8-03.6	11	1.8	00.4-03.2	771	65.4	60.9-69.9
\$25,000- 34,999	539	253,135	56	18.0	12.5-23.5	33	8.0	04.7-11.3	23	10.1	05.0-15.2	7	2.1	00.1-04.1	5	1.0	00.0-02.0	415	60.7	54.2-67.2
\$35,000- 49,999	656	301,284	77	15.8	11.7-19.9	48	10.2	06.9-13.5	29	6.3	03.6-09.0	6	1.3	00.1-02.5	6	2.0	00.0-04.0	490	64.3	59.2-69.4
\$50,000- 74,999	615	316,272	66	15.9	12.0-19.8	77	19.5	14.6-24.4	38	8.4	04.9-11.9	15	2.6	01.2-04.0	4	1.1	00.0-02.3	415	52.7	47.2-58.2
\$75,000+	796	465,539	128	19.2	15.7-22.7	139	21.1	17.6-24.6	57	9.1	06.6-11.6	22	3.9	02.1-05.7	6	0.6	00.2-01.0	444	46.2	42.1-50.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 22: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8466	4,887,519	2	0.0	00.0-00.0	193	3.0	02.4-03.6	667	11.6	10.4-12.8	3158	35.4	34.0-36.8	2101	29.5	28.1-30.9	2345	20.5	19.5-21.5
Male	3286	2,380,146	1	0.0	00.0-00.0	93	3.8	02.8-04.8	266	12.5	10.7-14.3	1164	35.6	33.4-37.8	775	27.6	25.4-29.8	987	20.5	18.9-22.1
Female	5180	2,507,373	1	0.0	00.0-00.0	100	2.1	01.5-02.7	401	10.7	09.3-12.1	1994	35.3	33.5-37.1	1326	31.3	29.5-33.1	1358	20.5	19.1-21.9
White/Non-Hisp	6841	4,054,006				123	2.1	01.7-02.5	461	10.2	09.0-11.4	2569	35.9	34.3-37.5	1668	30.0	28.4-31.6	2020	21.9	20.7-23.1
Black or Afr. Am./Non-Hisp	963	401,957	1	0.0	00.0-00.0	14	0.8	00.2-01.4	125	18.3	13.6-23.0	381	37.6	31.9-43.3	280	31.8	26.5-37.1	162	11.6	08.5-14.7
Oth. Race/Non-Hisp.	128	73,872				7	11.3	00.5-22.1	11	12.2	02.6-21.8	30	23.8	13.4-34.2	30	23.3	13.7-32.9	50	29.4	19.8-39.0
MultiRacial/Non-Hisp.	106	54,455				4	1.6	00.0-03.6	7	7.9	00.6-15.2	42	49.1	36.0-62.2	30	26.4	15.2-37.6	23	14.9	07.6-22.2
Hispanic	287	237,463	1	0.4	00.0-01.2	37	17.9	11.4-24.4	51	26.2	18.2-34.2	94	26.6	19.5-33.7	55	19.8	13.3-26.3	49	9.2	05.7-12.7
18-24	380	654,605				5	1.5	00.1-02.9	58	20.6	15.5-25.7	126	32.4	26.9-37.9	126	35.2	29.7-40.7	65	10.3	07.6-13.0
25-34	826	835,176				25	4.8	02.6-07.0	76	12.6	09.7-15.5	221	29.8	26.1-33.5	213	28.3	24.6-32.0	291	24.4	21.5-27.3
35-44	1037	836,905	1	0.1	00.0-00.3	24	3.0	01.6-04.4	81	12.6	09.7-15.5	269	26.1	22.8-29.4	285	31.1	27.6-34.6	377	27.1	24.2-30.0
45-54	1551	924,348				30	2.5	01.3-03.7	104	8.4	06.4-10.4	578	37.7	34.8-40.6	393	29.4	26.5-32.3	446	21.9	19.5-24.3
55-64	1860	738,398				22	1.4	00.6-02.2	111	7.1	05.5-08.7	710	40.4	37.7-43.1	500	31.3	28.6-34.0	517	19.9	17.9-21.9
65+	2729	861,082	1	0.0	00.0-00.0	86	4.2	03.0-05.4	236	10.5	08.9-12.1	1229	45.7	43.3-48.1	556	22.9	20.9-24.9	621	16.8	15.2-18.4
Less than \$15,000	1007	557,056				65	7.4	05.0-09.8	183	23.8	19.7-27.9	446	36.6	32.5-40.7	218	25.1	21.0-29.2	95	7.1	04.9-09.3
\$15,000- 24,999	1504	782,128	1	0.1	00.0-00.3	47	4.9	03.1-06.7	180	16.9	14.0-19.8	721	42.3	38.8-45.8	369	28.2	24.9-31.5	186	7.7	06.1-09.3
\$25,000- 34,999	907	513,816	1	0.0	00.0-00.0	7	1.1	00.1-02.1	64	11.6	07.9-15.3	437	50.4	45.7-55.1	237	26.1	22.0-30.2	161	10.8	08.6-13.0
\$35,000- 49,999	1145	640,852				12	2.1	00.7-03.5	62	8.7	06.2-11.2	443	39.9	36.2-43.6	327	31.2	27.7-34.7	301	18.1	15.6-20.6
\$50,000- 74,999	1072	652,906				5	0.8	00.0-01.6	25	5.0	02.6-07.4	309	30.5	27.0-34.0	316	38.5	34.6-42.4	417	25.2	22.3-28.1
\$75,000+	1516	970,337				5	0.4	00.0-00.8	15	1.8	00.6-03.0	265	20.2	17.5-22.9	334	30.4	27.3-33.5	897	47.2	44.1-50.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 23: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3286	2,380,146	1	0.0	00.0-00.0	93	3.8	02.8-04.8	266	12.5	10.7-14.3	1164	35.6	33.4-37.8	775	27.6	25.4-29.8	987	20.5	18.9-22.1
White/Non-Hisp	2692	1,931,989				61	2.8	02.0-03.6	196	11.4	09.6-13.2	941	35.8	33.4-38.2	623	27.6	25.2-30.0	871	22.4	20.6-24.2
Black or Afr. Am./Non-Hisp	307	194,087				7	1.2	00.0-02.4	41	16.8	09.7-23.9	121	38.7	29.7-47.7	93	34.5	25.7-43.3	45	8.8	04.7-12.9
Oth. Race/Non-Hisp.	69	53,615				4	13.9	00.0-28.2	6	13.1	00.8-25.4	20	28.6	14.9-42.3	13	18.5	07.5-29.5	26	25.9	14.7-37.1
Hispanic	113	134,758	1	0.7	00.0-02.1	17	18.3	09.1-27.5	19	23.9	12.3-35.5	38	26.6	16.0-37.2	19	21.1	11.3-30.9	19	9.3	04.0-14.6
18-24	180	335,713				4	2.1	00.0-04.3	31	22.1	14.8-29.4	65	34.9	27.1-42.7	48	30.6	22.8-38.4	32	10.3	06.4-14.2
25-34	320	422,802				15	6.7	03.2-10.2	30	12.3	07.8-16.8	100	34.7	28.6-40.8	68	24.3	19.0-29.6	107	22.0	17.7-26.3
35-44	439	424,168	1	0.2	00.0-00.6	13	3.5	01.3-05.7	43	16.1	11.4-20.8	119	26.1	21.4-30.8	112	29.6	24.3-34.9	151	24.4	20.3-28.5
45-54	666	457,973				18	3.6	01.6-05.6	46	8.2	05.5-10.9	264	40.0	35.5-44.5	149	26.4	22.1-30.7	189	21.7	18.4-25.0
55-64	729	364,611				10	1.5	00.5-02.5	41	6.9	04.4-09.4	260	38.4	34.1-42.7	202	32.5	28.2-36.8	216	20.7	17.6-23.8
65+	928	362,321				32	4.8	02.8-06.8	75	10.9	08.0-13.8	348	39.7	35.8-43.6	189	22.6	19.3-25.9	284	21.9	19.2-24.6
Less than \$15,000	327	244,599				33	10.4	05.9-14.9	64	25.9	19.0-32.8	127	34.8	28.1-41.5	68	20.4	14.5-26.3	35	8.5	04.6-12.4
\$15,000- 24,999	522	356,690	1	0.3	00.0-00.9	24	7.6	03.9-11.3	63	18.4	13.5-23.3	246	41.8	36.1-47.5	127	25.6	20.5-30.7	61	6.3	04.1-08.5
\$25,000- 34,999	368	259,560				4	1.3	00.0-02.7	36	14.7	08.8-20.6	177	49.8	42.5-57.1	77	23.3	17.2-29.4	74	11.0	07.9-14.1
\$35,000- 49,999	489	339,568				9	3.2	00.8-05.6	38	11.6	07.3-15.9	209	42.6	36.9-48.3	117	26.5	21.6-31.4	116	16.2	12.7-19.7
\$50,000- 74,999	457	336,634				3	1.1	00.0-02.5	12	5.5	02.2-08.8	138	31.9	26.6-37.2	145	39.5	33.6-45.4	159	22.0	17.9-26.1
\$75,000+	721	505,846				2	0.4	00.0-01.0	8	2.3	00.3-04.3	123	21.0	17.1-24.9	143	28.6	23.9-33.3	445	47.8	43.3-52.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 24: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5180	2,507,373	1	0.0	00.0-00.0	100	2.1	01.5-02.7	401	10.7	09.3-12.1	1994	35.3	33.5-37.1	1326	31.3	29.5-33.1	1358	20.5	19.1-21.9
White/Non-Hisp	4149	2,122,017				62	1.5	01.1-01.9	265	9.0	07.6-10.4	1628	35.9	33.9-37.9	1045	32.2	30.2-34.2	1149	21.4	20.0-22.8
Black or Afr. Am./Non-Hisp	656	207,869	1	0.0	00.0-00.0	7	0.4	00.0-00.8	84	19.6	13.5-25.7	260	36.5	29.6-43.4	187	29.2	22.9-35.5	117	14.2	09.9-18.5
Oth. Race/Non-Hisp.	59	20,257				3	4.4	00.0-10.3	5	9.9	00.0-20.7	10	11.0	02.2-19.8	17	36.0	18.9-53.1	24	38.7	22.2-55.2
MultiRacial/Non-Hisp.	68	25,446				4	3.5	00.0-07.4	6	11.4	00.2-22.6	22	37.0	22.1-51.9	20	27.9	14.6-41.2	16	20.2	09.4-31.0
Hispanic	174	102,705				20	17.3	09.1-25.5	32	29.1	18.7-39.5	56	26.6	17.6-35.6	36	18.0	10.0-26.0	30	9.1	05.0-13.2
18-24	200	318,892				1	0.8	00.0-02.4	27	19.1	12.0-26.2	61	29.8	22.5-37.1	78	40.1	32.5-47.7	33	10.2	06.5-13.9
25-34	506	412,374				10	2.9	00.9-04.9	46	13.0	09.1-16.9	121	24.7	20.2-29.2	145	32.5	27.6-37.4	184	26.9	22.8-31.0
35-44	598	412,737				11	2.4	00.8-04.0	38	9.0	05.9-12.1	150	26.1	21.8-30.4	173	32.6	27.9-37.3	226	30.0	25.9-34.1
45-54	885	466,375				12	1.4	00.4-02.4	58	8.6	05.9-11.3	314	35.5	31.6-39.4	244	32.4	28.5-36.3	257	22.1	19.2-25.0
55-64	1131	373,788				12	1.2	00.2-02.2	70	7.3	05.3-09.3	450	42.4	38.9-45.9	298	30.1	26.6-33.6	301	19.0	16.6-21.4
65+	1801	498,761	1	0.0	00.0-00.0	54	3.7	02.3-05.1	161	10.1	08.1-12.1	881	50.0	47.1-52.9	367	23.2	20.7-25.7	337	13.0	11.4-14.6
Less than \$15,000	680	312,457				32	5.1	02.7-07.5	119	22.1	17.2-27.0	319	38.1	33.0-43.2	150	28.7	23.2-34.2	60	6.0	03.8-08.2
\$15,000- 24,999	982	425,438				23	2.6	01.4-03.8	117	15.5	12.0-19.0	475	42.7	38.4-47.0	242	30.4	26.1-34.7	125	8.8	06.6-11.0
\$25,000- 34,999	539	254,256	1	0.0	00.0-00.0	3	0.8	00.0-02.2	28	8.4	04.3-12.5	260	51.0	44.9-57.1	160	29.1	23.6-34.6	87	10.6	07.7-13.5
\$35,000- 49,999	656	301,284				3	0.9	00.0-02.1	24	5.5	02.6-08.4	234	36.8	31.9-41.7	210	36.5	31.4-41.6	185	20.3	16.8-23.8
\$50,000- 74,999	615	316,272				2	0.5	00.0-01.3	13	4.5	01.4-07.6	171	28.9	24.0-33.8	171	37.4	31.9-42.9	258	28.7	24.4-33.0
\$75,000+	795	464,491				3	0.4	00.0-01.2	7	1.3	00.1-02.5	142	19.3	15.8-22.8	191	32.4	28.3-36.5	452	46.6	42.5-50.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 25: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8449	4,870,301	3878	53.8	52.4-55.2	586	9.2	08.2-10.2	621	7.1	06.3-07.9	222	6.7	05.7-07.7	2411	16.3	15.5-17.1	731	6.9	06.3-07.5
Male	3278	2,367,633	1723	60.0	57.8-62.2	244	10.0	08.4-11.6	12	0.4	00.2-00.6	89	6.6	05.0-08.2	946	16.4	15.0-17.8	264	6.5	05.5-07.5
Female	5171	2,502,668	2155	48.0	46.0-50.0	342	8.3	07.1-09.5	609	13.4	12.0-14.8	133	6.8	05.4-08.2	1465	16.2	15.2-17.2	467	7.3	06.3-08.3
White/Non-Hisp	6834	4,043,515	3208	54.1	52.5-55.7	402	8.0	07.0-09.0	521	7.4	06.6-08.2	165	6.6	05.4-07.8	2012	17.4	16.4-18.4	526	6.5	05.7-07.3
Black or Afr. Am./Non-Hisp	957	398,156	347	50.9	45.2-56.6	119	16.6	12.3-20.9	42	3.2	01.4-05.0	24	4.3	01.8-06.8	293	13.4	10.7-16.1	132	11.6	08.3-14.9
Oth. Race/Non-Hisp.	127	74,245	64	52.1	39.9-64.3	11	9.1	02.0-16.2	5	4.6	00.1-09.1	10	11.8	04.2-19.4	24	15.5	05.5-25.5	13	6.8	00.9-12.7
MultiRacial/Non-Hisp.	106	53,902	43	46.3	33.2-59.4	13	17.6	06.6-28.6	7	4.3	00.8-07.8	6	10.6	01.8-19.4	11	7.0	01.1-12.9	26	14.2	07.3-21.1
Hispanic	285	234,959	149	53.8	45.4-62.2	34	15.9	09.6-22.2	36	10.4	06.3-14.5	15	12.6	05.2-20.0	33	4.5	02.3-06.7	18	2.8	01.0-04.6
18-24	377	648,424	166	41.0	35.3-46.7	59	15.0	10.9-19.1	14	3.7	01.7-05.7	132	39.1	33.2-45.0				6	1.1	00.1-02.1
25-34	822	830,790	536	66.3	62.4-70.2	105	13.7	10.8-16.6	91	9.8	07.6-12.0	54	5.9	04.1-07.7	1	0.4	00.0-01.2	35	4.0	02.4-05.6
35-44	1036	835,765	752	73.8	70.5-77.1	88	9.8	07.4-12.2	93	7.7	05.9-09.5	21	2.2	01.0-03.4	5	0.3	00.0-00.7	77	6.2	04.4-08.0
45-54	1550	922,225	1092	72.1	69.4-74.8	149	9.3	07.5-11.1	78	5.3	03.7-06.9	9	0.3	00.0-00.7	26	1.9	00.9-02.9	196	11.0	09.0-13.0
55-64	1860	737,647	961	53.4	50.7-56.1	137	7.1	05.5-08.7	93	5.0	03.8-06.2	6	0.5	00.1-00.9	411	21.2	18.8-23.6	252	12.8	10.8-14.8
65+	2724	860,526	328	12.4	10.8-14.0	45	1.5	00.9-02.1	250	10.3	08.7-11.9				1938	70.3	68.1-72.5	163	5.4	04.4-06.4
Less Than H.S.	855	708,273	224	35.0	30.5-39.5	83	15.1	11.6-18.6	110	10.9	08.4-13.4	29	11.2	07.3-15.1	218	13.8	11.3-16.3	191	14.0	11.3-16.7
H.S. or G.E.D.	3141	1,719,905	1217	49.2	46.8-51.6	238	10.2	08.6-11.8	274	8.1	06.9-09.3	49	4.2	02.8-05.6	1064	20.6	19.0-22.2	299	7.7	06.5-08.9
Some Post-H.S.	2088	1,429,496	1007	57.1	54.4-59.8	174	8.9	07.1-10.7	125	5.4	04.2-06.6	89	9.2	07.0-11.4	524	13.7	12.3-15.1	169	5.7	04.5-06.9
College Graduate	2336	999,574	1419	70.6	68.4-72.8	89	3.6	02.6-04.6	110	5.0	03.8-06.2	55	4.5	03.1-05.9	596	14.4	13.0-15.8	67	1.8	01.2-02.4
Less than \$15,000	1000	551,108	179	27.2	22.9-31.5	181	23.6	19.7-27.5	69	5.7	03.7-07.7	36	7.2	04.5-09.9	227	11.6	09.4-13.8	308	24.7	21.2-28.2
\$15,000- 24,999	1504	782,512	438	40.1	36.4-43.8	140	12.7	10.0-15.4	101	6.7	04.9-08.5	56	7.9	05.5-10.3	580	22.6	20.2-25.0	189	10.0	08.2-11.8
\$25,000- 34,999	905	511,700	398	53.6	48.9-58.3	54	7.1	04.7-09.5	51	6.0	03.8-08.2	20	6.2	02.9-09.5	325	21.2	18.3-24.1	57	5.8	03.8-07.8
\$35,000- 49,999	1142	636,729	599	58.4	54.7-62.1	58	7.3	04.9-09.7	68	6.1	04.3-07.9	17	4.0	01.8-06.2	357	20.1	17.6-22.6	43	4.0	02.4-05.6
\$50,000- 74,999	1072	653,463	707	71.2	67.7-74.7	32	4.1	02.1-06.1	75	7.1	05.3-08.9	22	4.7	02.3-07.1	215	10.8	09.0-12.6	21	2.1	01.1-03.1
\$75,000+	1515	970,456	1178	79.4	76.7-82.1	29	2.1	01.1-03.1	103	6.8	05.2-08.4	22	3.8	01.8-05.8	173	7.5	06.1-08.9	10	0.3	00.1-00.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 26: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3278	2,367,633	1723	60.0	57.8-62.2	244	10.0	08.4-11.6	12	0.4	00.2-00.6	89	6.6	05.0-08.2	946	16.4	15.0-17.8	264	6.5	05.5-07.5
White/Non-Hisp	2685	1,922,358	1449	59.9	57.5-62.3	174	9.2	07.6-10.8	10	0.4	00.0-00.8	68	6.4	04.6-08.2	781	17.4	16.0-18.8	203	6.6	05.4-07.8
Black or Afr. Am./Non-Hisp	304	192,356	106	56.0	47.2-64.8	40	15.2	08.7-21.7	1	0.1	00.0-00.3	4	3.1	00.0-07.0	114	15.6	10.7-20.5	39	9.9	05.2-14.6
Oth. Race/Non-Hisp.	70	53,748	40	58.6	43.1-74.1	6	8.8	00.0-17.6				6	10.0	01.8-18.2	13	17.7	04.2-31.2	5	4.9	00.0-12.2
Hispanic	112	133,433	74	66.0	53.7-78.3	13	14.2	05.6-22.8	1	0.9	00.0-02.7	6	12.8	01.6-24.0	13	5.0	01.7-08.3	5	1.2	00.0-02.4
18-24	177	329,533	84	43.0	34.8-51.2	30	16.3	10.2-22.4	1	0.7	00.0-02.1	60	39.3	30.9-47.7				2	0.6	00.0-01.6
25-34	318	419,168	240	75.1	69.6-80.6	43	14.5	09.8-19.2	3	0.6	00.0-01.2	19	4.7	02.3-07.1	1	0.8	00.0-02.4	12	4.3	01.8-06.8
35-44	437	422,617	345	78.8	74.3-83.3	48	13.1	09.2-17.0	4	0.8	00.0-01.6	3	0.8	00.0-01.8	3	0.4	00.0-01.0	34	6.1	03.6-08.6
45-54	667	458,220	501	76.7	72.8-80.6	66	9.1	06.6-11.6				3	0.4	00.0-01.0	16	3.0	01.2-04.8	81	10.8	08.1-13.5
55-64	729	363,604	392	57.3	53.0-61.6	46	6.2	03.8-08.6	2	0.2	00.0-00.6	4	0.7	00.0-01.5	187	23.5	20.0-27.0	98	12.2	09.3-15.1
65+	924	361,805	142	16.7	13.8-19.6	10	0.9	00.3-01.5	2	0.3	00.0-00.9				733	78.1	74.8-81.4	37	4.0	02.4-05.6
Less Than H.S.	357	385,448	120	42.7	36.0-49.4	42	15.6	10.5-20.7	4	1.3	00.0-02.7	18	12.8	07.1-18.5	102	15.7	11.8-19.6	71	11.9	08.4-15.4
H.S. or G.E.D.	1155	837,257	555	57.3	53.6-61.0	102	12.3	09.6-15.0	3	0.1	00.0-00.3	20	4.2	01.8-06.6	366	18.8	16.4-21.2	109	7.2	05.4-09.0
Some Post-H.S.	769	650,580	411	63.5	59.2-67.8	68	8.8	06.1-11.5	1	0.1	00.0-00.3	24	7.4	04.3-10.5	203	14.1	11.7-16.5	62	6.1	04.1-08.1
College Graduate	986	488,369	631	73.7	70.6-76.8	32	3.4	02.0-04.8	4	0.6	00.0-01.2	27	5.0	02.8-07.2	272	15.9	13.7-18.1	20	1.3	00.5-02.1
Less than \$15,000	324	242,634	65	29.5	22.4-36.6	73	25.5	19.0-32.0	2	1.0	00.0-02.8	11	6.4	02.5-10.3	61	11.0	07.1-14.9	112	26.7	20.8-32.6
\$15,000- 24,999	521	356,795	156	41.8	35.9-47.7	60	15.8	11.1-20.5	2	0.6	00.0-01.4	23	8.1	04.4-11.8	216	24.3	20.2-28.4	64	9.4	06.5-12.3
\$25,000- 34,999	367	258,126	165	59.7	52.8-66.6	25	8.2	04.3-12.1	1	0.6	00.0-01.8	6	4.4	00.0-09.1	138	20.7	16.4-25.0	32	6.5	03.8-09.2
\$35,000- 49,999	488	337,414	255	62.9	57.6-68.2	29	9.1	05.4-12.8				7	3.3	00.6-06.0	184	22.5	18.6-26.4	13	2.2	00.6-03.8
\$50,000- 74,999	457	337,191	317	77.0	72.3-81.7	8	3.4	00.5-06.3	1	0.1	00.0-00.3	9	4.3	01.4-07.2	114	13.1	10.2-16.0	8	2.1	00.5-03.7
\$75,000+	720	505,319	595	84.2	80.3-88.1	8	1.5	00.0-03.1	4	0.5	00.0-01.1	8	4.0	00.9-07.1	101	9.5	07.1-11.9	4	0.4	00.0-00.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 27: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5171	2,502,668	2155	48.0	46.0-50.0	342	8.3	07.1-09.5	609	13.4	12.0-14.8	133	6.8	05.4-08.2	1465	16.2	15.2-17.2	467	7.3	06.3-08.3
White/Non-Hisp	4149	2,121,157	1759	48.8	46.8-50.8	228	6.9	05.7-08.1	511	13.7	12.3-15.1	97	6.7	05.1-08.3	1231	17.5	16.3-18.7	323	6.5	05.5-07.5
Black or Afr. Am./Non-Hisp	653	205,800	241	46.0	38.9-53.1	79	17.9	12.2-23.6	41	6.2	02.9-09.5	20	5.4	01.9-08.9	179	11.3	08.6-14.0	93	13.1	08.4-17.8
Oth. Race/Non-Hisp.	57	20,497	24	35.1	19.4-50.8	5	10.1	00.0-20.5	5	16.8	01.9-31.7	4	16.3	00.2-32.4	11	9.9	02.1-17.7	8	11.8	02.2-21.4
MultiRacial/Non-Hisp.	68	25,446	24	37.9	23.0-52.8	6	15.1	02.8-27.4	7	9.1	01.8-16.4	2	5.9	00.0-13.9	8	6.8	00.7-12.9	21	25.2	13.0-37.4
Hispanic	173	101,526	75	37.7	27.7-47.7	21	18.2	08.8-27.6	35	22.9	14.3-31.5	9	12.4	03.8-21.0	20	3.9	01.7-06.1	13	5.0	01.1-08.9
18-24	200	318,892	82	38.9	31.3-46.5	29	13.6	08.1-19.1	13	6.9	03.0-10.8	72	39.0	31.2-46.8				4	1.6	00.0-03.6
25-34	504	411,622	296	57.3	52.2-62.4	62	12.8	09.1-16.5	88	19.1	15.0-23.2	35	7.0	04.3-09.7				23	3.7	01.7-05.7
35-44	599	413,148	407	68.6	64.1-73.1	40	6.4	03.9-08.9	89	14.8	11.5-18.1	18	3.7	01.7-05.7	2	0.1	00.0-00.3	43	6.4	04.0-08.8
45-54	883	464,004	591	67.6	63.7-71.5	83	9.6	07.2-12.0	78	10.6	07.7-13.5	6	0.2	00.0-00.4	10	0.9	00.3-01.5	115	11.1	08.6-13.6
55-64	1131	374,043	569	49.6	45.9-53.3	91	8.0	06.0-10.0	91	9.7	07.3-12.1	2	0.2	00.0-00.6	224	19.0	16.3-21.7	154	13.4	10.9-15.9
65+	1800	498,721	186	9.3	07.7-10.9	35	2.0	01.2-02.8	248	17.6	15.2-20.0				1205	64.7	62.0-67.4	126	6.4	04.8-08.0
Less Than H.S.	498	322,825	104	25.8	20.5-31.1	41	14.5	09.2-19.8	106	22.4	17.3-27.5	11	9.4	03.9-14.9	116	11.5	08.8-14.2	120	16.5	12.4-20.6
H.S. or G.E.D.	1986	882,648	662	41.5	38.4-44.6	136	8.1	06.3-09.9	271	15.7	13.3-18.1	29	4.1	02.3-05.9	698	22.4	20.4-24.4	190	8.2	06.6-09.8
Some Post-H.S.	1319	778,916	596	51.8	48.3-55.3	106	8.9	06.7-11.1	124	9.7	07.7-11.7	65	10.7	08.0-13.4	321	13.4	11.6-15.2	107	5.4	04.0-06.8
College Graduate	1350	511,205	788	67.7	64.6-70.8	57	3.8	02.4-05.2	106	9.3	07.3-11.3	28	4.0	02.2-05.8	324	13.0	11.2-14.8	47	2.3	01.5-03.1
Less than \$15,000	676	308,474	114	25.5	20.2-30.8	108	22.0	17.1-26.9	67	9.4	06.5-12.3	25	7.9	04.2-11.6	166	12.0	09.6-14.4	196	23.2	18.9-27.5
\$15,000- 24,999	983	425,718	282	38.7	34.2-43.2	80	10.0	07.1-12.9	99	11.8	08.9-14.7	33	7.8	04.9-10.7	364	21.3	18.6-24.0	125	10.4	08.0-12.8
\$25,000- 34,999	538	253,574	233	47.3	41.2-53.4	29	6.0	03.3-08.7	50	11.6	07.7-15.5	14	8.1	03.6-12.6	187	21.8	17.9-25.7	25	5.2	02.3-08.1
\$35,000- 49,999	654	299,315	344	53.4	48.3-58.5	29	5.3	02.8-07.8	68	13.0	09.5-16.5	10	4.9	01.6-08.2	173	17.4	14.3-20.5	30	5.9	03.2-08.6
\$50,000- 74,999	615	316,272	390	64.9	59.8-70.0	24	4.9	02.4-07.4	74	14.6	11.1-18.1	13	5.2	01.7-08.7	101	8.4	06.4-10.4	13	2.1	00.9-03.3
\$75,000+	795	465,137	583	74.3	70.4-78.2	21	2.8	01.4-04.2	99	13.6	10.7-16.5	14	3.7	01.3-06.1	72	5.3	03.9-06.7	6	0.3	00.1-00.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 28: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7164	4,123,478	490	7.3	06.5-08.1	519	6.3	05.5-07.1	725	8.9	07.9-09.9	785	10.1	09.1-11.1	908	12.5	11.3-13.7	3737	55.0	53.4-56.6
Male	2889	2,045,962	168	6.7	05.3-08.1	160	5.3	04.1-06.5	235	8.4	07.0-09.8	288	9.0	07.6-10.4	368	12.7	10.9-14.5	1670	57.8	55.4-60.2
Female	4275	2,077,516	322	7.9	06.7-09.1	359	7.2	06.2-08.2	490	9.4	08.2-10.6	497	11.2	09.8-12.6	540	12.2	10.8-13.6	2067	52.1	50.1-54.1
White/Non-Hisp	5777	3,420,482	289	5.5	04.7-06.3	382	5.7	04.9-06.5	507	7.7	06.9-08.5	608	9.6	08.6-10.6	716	12.0	10.8-13.2	3275	59.5	57.9-61.1
Black or Afr. Am./Non-Hisp	854	348,427	130	19.5	14.6-24.4	80	8.2	05.1-11.3	143	14.0	09.9-18.1	104	11.5	07.8-15.2	123	13.9	09.4-18.4	274	32.8	27.1-38.5
Oth. Race/Non-Hisp.	107	62,084	13	7.3	02.2-12.4	7	8.9	00.0-19.9	13	7.4	02.3-12.5	14	14.2	04.0-24.4	8	7.6	01.7-13.5	52	54.5	41.2-67.8
MultiRacial/Non-Hisp.	87	40,008	14	11.1	03.8-18.4	11	13.4	03.2-23.6	9	8.4	00.6-16.2	11	17.2	05.8-28.6	13	15.6	05.4-25.8	29	34.3	20.8-47.8
Hispanic	242	202,781	31	13.5	07.6-19.4	25	9.6	04.7-14.5	44	21.6	14.2-29.0	36	14.2	08.3-20.1	33	17.5	09.5-25.5	73	23.6	16.5-30.7
18-24	274	440,576	48	15.9	11.2-20.6	27	8.6	05.1-12.1	33	11.3	07.2-15.4	37	13.7	09.2-18.2	37	15.2	09.9-20.5	92	35.3	28.6-42.0
25-34	736	739,486	65	9.3	06.8-11.8	51	7.0	04.6-09.4	74	10.6	07.9-13.3	66	9.6	07.1-12.1	81	12.7	09.6-15.8	399	50.8	46.5-55.1
35-44	952	766,437	60	6.1	04.1-08.1	46	4.8	03.0-06.6	57	6.3	04.3-08.3	73	7.4	05.4-09.4	86	9.5	07.1-11.9	630	65.9	62.2-69.6
45-54	1418	844,421	116	6.6	05.0-08.2	83	5.2	03.8-06.6	106	6.3	04.7-07.9	105	7.3	05.7-08.9	146	10.4	08.4-12.4	862	64.2	61.3-67.1
55-64	1650	656,233	96	4.8	03.6-06.0	98	5.1	03.7-06.5	134	6.5	05.1-07.9	150	8.4	06.8-10.0	211	12.5	10.5-14.5	961	62.7	59.8-65.6
65+	2100	659,067	104	4.3	03.3-05.3	214	8.2	06.8-09.6	315	13.8	12.0-15.6	348	16.5	14.5-18.5	343	16.7	14.7-18.7	776	40.5	37.8-43.2
Less Than H.S.	672	538,872	143	19.8	15.9-23.7	105	12.4	09.1-15.7	136	17.8	14.1-21.5	92	13.9	10.4-17.4	72	12.1	08.6-15.6	124	24.0	19.5-28.5
H.S. or G.E.D.	2621	1,443,951	212	7.5	06.1-08.9	234	6.7	05.5-07.9	339	10.0	08.4-11.6	382	12.9	11.1-14.7	437	17.9	15.7-20.1	1017	45.0	42.5-47.5
Some Post-H.S.	1801	1,240,209	94	5.4	03.8-07.0	124	5.9	04.5-07.3	174	8.5	06.7-10.3	195	9.3	07.5-11.1	237	10.8	09.0-12.6	977	60.1	57.2-63.0
College Graduate	2057	894,064	40	2.0	01.2-02.8	55	2.4	01.4-03.4	71	2.2	01.4-03.0	115	4.5	03.3-05.7	161	6.2	05.0-07.4	1615	82.6	80.6-84.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 29: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2889	2,045,962	168	6.7	05.5-07.9	160	5.3	04.1-06.5	235	8.4	07.0-09.8	288	9.0	07.6-10.4	368	12.7	10.9-14.5	1670	57.8	55.4-60.2
White/Non-Hisp	2373	1,668,893	103	5.2	04.0-06.4	123	5.0	03.8-06.2	166	6.8	05.4-08.2	217	8.4	07.0-09.8	295	12.4	10.6-14.2	1469	62.3	59.8-64.8
Black or Afr. Am./Non-Hisp	278	163,489	44	18.7	11.1-26.3	17	5.5	01.6-09.4	35	13.8	06.5-21.1	37	11.6	05.3-17.9	39	10.3	04.6-16.0	106	40.0	30.6-49.4
Oth. Race/Non-Hisp.	61	45,621	4	2.6	00.0-05.7	4	11.2	00.0-25.7	5	5.8	00.0-11.7	8	14.0	01.1-26.9	7	9.6	01.8-17.4	33	56.9	40.0-73.8
Hispanic	101	118,909	11	12.1	04.5-19.7	11	6.6	01.3-11.9	21	24.5	13.9-35.1	15	12.0	04.4-19.6	16	20.4	08.1-32.7	27	24.5	14.1-34.9
18-24	122	211,974	16	11.7	05.6-17.8	9	5.6	01.7-09.5	14	12.9	06.2-19.6	13	10.5	04.4-16.6	16	14.0	06.4-21.6	54	45.2	35.0-55.4
25-34	286	376,474	23	10.0	05.9-14.1	15	6.4	02.9-09.9	31	11.5	07.2-15.8	27	9.4	05.3-13.5	31	13.1	08.4-17.8	159	49.5	42.8-56.2
35-44	409	394,228	24	6.0	03.3-08.7	21	5.4	02.7-08.1	25	7.3	04.2-10.4	24	5.8	03.3-08.3	44	11.7	07.6-15.8	271	63.8	58.1-69.5
45-54	613	420,500	44	6.4	04.0-08.8	35	4.6	02.8-06.4	38	5.9	03.5-08.3	49	6.9	04.7-09.1	60	9.9	07.2-12.6	387	66.3	61.8-70.8
55-64	663	332,321	35	4.6	02.6-06.6	37	5.2	03.0-07.4	47	5.9	03.7-08.1	51	7.0	04.6-09.4	82	12.6	09.3-15.9	411	64.5	60.0-69.0
65+	786	304,987	26	2.8	01.4-04.2	43	5.0	03.2-06.8	79	9.1	06.6-11.6	123	16.7	13.4-20.0	133	16.6	13.5-19.7	382	49.9	45.6-54.2
Less Than H.S.	297	310,087	54	16.5	11.2-21.8	43	12.2	07.7-16.7	50	16.8	11.5-22.1	38	13.4	08.5-18.3	40	13.4	08.3-18.5	72	27.7	21.2-34.2
H.S. or G.E.D.	1020	721,506	67	6.9	04.7-09.1	60	4.9	03.3-06.5	98	8.3	06.1-10.5	148	12.4	09.9-14.9	177	17.9	14.6-21.2	470	49.6	45.7-53.5
Some Post-H.S.	677	568,927	32	4.4	02.4-06.4	36	4.4	02.6-06.2	64	9.2	06.5-11.9	63	6.8	04.6-09.0	77	10.6	07.7-13.5	405	64.6	60.1-69.1
College Graduate	890	442,379	14	2.1	00.9-03.3	21	2.6	00.8-04.4	22	1.8	00.8-02.8	39	3.3	01.9-04.7	74	6.4	04.6-08.2	720	83.7	80.6-86.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 30: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4275	2,077,516	322	7.9	06.7-09.1	359	7.2	06.2-08.2	490	9.4	08.2-10.6	497	11.2	09.8-12.6	540	12.2	10.8-13.6	2067	52.1	50.1-54.1
White/Non-Hisp	3404	1,751,590	186	5.8	04.6-07.0	259	6.4	05.4-07.4	341	8.5	07.3-09.7	391	10.7	09.3-12.1	421	11.7	10.3-13.1	1806	56.8	54.6-59.0
Black or Afr. Am./Non-Hisp	576	184,938	86	20.2	13.9-26.5	63	10.6	05.9-15.3	108	14.1	09.4-18.8	67	11.4	07.1-15.7	84	17.1	10.4-23.8	168	26.5	20.2-32.8
MultiRacial/Non-Hisp.	59	20,578	14	21.6	08.5-34.7	9	12.6	02.8-22.4	5	10.4	00.0-22.9	4	14.0	00.0-28.5	10	15.6	04.2-27.0	17	25.7	12.4-39.0
Hispanic	141	83,872	20	15.5	06.9-24.1	14	13.9	04.9-22.9	23	17.5	08.1-26.9	21	17.3	08.1-26.5	17	13.4	06.0-20.8	46	22.4	13.4-31.4
18-24	152	228,603	32	19.7	12.4-27.0	18	11.4	05.9-16.9	19	9.8	05.1-14.5	24	16.7	10.0-23.4	21	16.2	09.1-23.3	38	26.1	17.9-34.3
25-34	450	363,012	42	8.5	05.6-11.4	36	7.6	04.7-10.5	43	9.7	06.2-13.2	39	9.8	06.5-13.1	50	12.3	08.4-16.2	240	52.1	46.6-57.6
35-44	543	372,209	36	6.3	03.8-08.8	25	4.2	01.8-06.6	32	5.2	02.8-07.6	49	9.2	06.3-12.1	42	7.1	04.6-09.6	359	68.0	63.3-72.7
45-54	805	423,921	72	6.8	04.8-08.8	48	5.8	03.8-07.8	68	6.7	04.5-08.9	56	7.7	05.5-09.9	86	11.0	08.3-13.7	475	62.0	57.9-66.1
55-64	987	323,911	61	4.9	03.3-06.5	61	5.0	03.4-06.6	87	7.1	05.3-08.9	99	9.8	07.4-12.2	129	12.3	09.9-14.7	550	60.9	57.2-64.6
65+	1314	354,080	78	5.6	04.0-07.2	171	11.1	09.1-13.1	236	17.8	15.3-20.3	225	16.3	13.9-18.7	210	16.8	14.3-19.3	394	32.5	29.4-35.6
Less Than H.S.	375	228,785	89	24.4	18.3-30.5	62	12.8	08.3-17.3	86	19.1	13.8-24.4	54	14.5	09.8-19.2	32	10.3	05.6-15.0	52	18.9	12.8-25.0
H.S. or G.E.D.	1601	722,445	145	8.0	06.2-09.8	174	8.5	06.7-10.3	241	11.7	09.7-13.7	234	13.4	11.2-15.6	260	18.0	15.3-20.7	547	40.4	37.1-43.7
Some Post-H.S.	1124	671,282	62	6.2	04.0-08.4	88	7.2	05.0-09.4	110	7.9	05.9-09.9	132	11.3	08.8-13.8	160	11.0	08.6-13.4	572	56.4	52.5-60.3
College Graduate	1167	451,686	26	1.9	00.9-02.9	34	2.2	01.2-03.2	49	2.7	01.5-03.9	76	5.7	03.9-07.5	87	6.0	04.4-07.6	895	81.6	78.9-84.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 31: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8140	4,711,879	73	0.9	00.7-01.1	2416	28.1	26.7-29.5	3627	44.1	42.5-45.7	1530	20.0	18.8-21.2	485	6.8	06.0-07.6	9	0.1	00.0-00.3
Male	3256	2,357,699	2	0.0	00.0-00.0	330	11.6	10.0-13.2	1624	49.6	47.2-52.0	988	29.2	27.0-31.4	307	9.4	08.0-10.8	5	0.2	00.0-00.4
Female	4884	2,354,179	71	1.7	01.1-02.3	2086	44.6	42.6-46.6	2003	38.6	36.6-40.6	542	10.8	09.6-12.0	178	4.1	03.3-04.9	4	0.1	00.0-00.3
White/Non-Hisp	6573	3,912,866	64	0.9	00.5-01.3	2005	28.8	27.4-30.2	2934	44.3	42.7-45.9	1191	19.6	18.2-21.0	377	6.4	05.6-07.2	2	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	934	391,152	1	0.0	00.0-00.0	228	24.4	19.1-29.7	389	37.2	31.7-42.7	239	26.4	21.3-31.5	77	12.1	08.0-16.2			
Oth. Race/Non-Hisp.	124	71,639				39	28.9	18.5-39.3	56	41.7	29.7-53.7	20	19.6	09.2-30.0	6	7.2	00.0-16.4	3	2.6	00.0-05.9
MultiRacial/Non-Hisp.	104	53,682	2	0.3	00.0-00.7	24	17.2	08.2-26.2	53	50.9	37.8-64.0	16	18.4	07.6-29.2	9	13.2	02.4-24.0			
Hispanic	273	220,976	3	1.5	00.0-03.9	83	25.2	18.5-31.9	132	52.1	43.5-60.7	44	18.6	11.3-25.9	7	1.4	00.2-02.6	4	1.3	00.0-03.1
18-24	369	636,785	4	1.2	00.0-02.4	152	41.8	36.1-47.5	138	35.3	29.8-40.8	60	17.4	12.7-22.1	13	4.0	01.6-06.4	2	0.3	00.0-00.7
25-34	796	807,829	5	0.5	00.1-00.9	246	27.8	24.3-31.3	344	44.8	40.7-48.9	139	18.4	15.3-21.5	58	7.9	05.5-10.3	4	0.4	00.0-01.0
35-44	1002	812,090	4	0.6	00.0-01.2	268	24.9	21.8-28.0	451	45.3	41.6-49.0	201	21.9	18.6-25.2	77	7.3	05.3-09.3	1	0.1	00.0-00.3
45-54	1490	890,404	11	0.9	00.1-01.7	382	22.9	20.4-25.4	638	43.6	40.5-46.7	330	22.8	20.1-25.5	128	9.7	07.7-11.7	1	0.0	00.0-00.0
55-64	1773	702,827	12	0.7	00.3-01.1	419	21.5	19.1-23.9	807	46.3	43.4-49.2	411	24.2	21.7-26.7	124	7.3	05.7-08.9			
65+	2665	841,954	36	1.3	00.7-01.9	925	31.7	29.5-33.9	1236	48.0	45.6-50.4	385	15.6	13.8-17.4	82	3.5	02.5-04.5	1	0.0	00.0-00.0
Less Than H.S.	827	680,860	14	1.7	00.5-02.9	250	30.2	25.9-34.5	362	43.0	38.3-47.7	148	18.8	15.1-22.5	53	6.4	04.0-08.8			
H.S. or G.E.D.	3021	1,663,862	33	1.1	00.5-01.7	925	28.3	26.1-30.5	1314	42.7	40.3-45.1	557	20.3	18.3-22.3	190	7.5	06.1-08.9	2	0.1	00.0-00.3
Some Post-H.S.	2008	1,384,800	11	0.4	00.0-00.8	554	26.5	24.0-29.0	893	44.0	41.1-46.9	409	21.0	18.5-23.5	139	7.9	06.3-09.5	2	0.2	00.0-00.4
College Graduate	2263	972,239	15	0.5	00.3-00.7	678	28.3	25.9-30.7	1049	47.7	45.2-50.2	414	19.1	16.9-21.3	102	4.2	03.2-05.2	5	0.3	00.1-00.5
Less than \$15,000	977	539,639	18	2.4	00.8-04.0	290	30.1	25.8-34.4	405	40.7	36.2-45.2	176	17.1	14.0-20.2	87	9.4	06.7-12.1	1	0.3	00.0-00.9
\$15,000- 24,999	1460	757,893	14	0.7	00.0-01.5	416	27.2	23.9-30.5	674	46.4	42.7-50.1	260	17.9	15.0-20.8	94	7.7	05.7-09.7	2	0.2	00.0-00.4
\$25,000- 34,999	883	501,095	6	0.8	00.0-01.6	254	26.8	22.7-30.9	401	45.6	40.7-50.5	174	20.6	16.9-24.3	46	6.0	03.8-08.2	2	0.3	00.0-00.7
\$35,000- 49,999	1115	624,626	11	1.2	00.2-02.2	298	26.0	22.7-29.3	523	44.5	40.6-48.4	217	21.0	17.7-24.3	66	7.2	05.0-09.4			
\$50,000- 74,999	1041	638,756	2	0.2	00.0-00.4	282	24.9	21.4-28.4	465	44.2	40.3-48.1	216	22.3	18.8-25.8	75	8.4	06.0-10.8	1	0.1	00.0-00.3
\$75,000+	1480	946,028	6	0.2	00.0-00.4	408	25.1	22.4-27.8	687	47.1	44.0-50.2	314	23.4	20.5-26.3	64	4.1	02.7-05.5	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 32: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3256	2,357,699	2	0.0	00.0-00.0	330	11.6	10.0-13.2	1624	49.6	47.2-52.0	988	29.2	27.0-31.4	307	9.4	08.0-10.8	5	0.2	00.0-00.4
White/Non-Hisp	2669	1,919,688				250	10.7	09.1-12.3	1353	50.3	47.8-52.8	813	29.6	27.4-31.8	251	9.3	07.9-10.7	2	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	304	192,896	1	0.0	00.0-00.0	35	15.3	08.2-22.4	124	38.7	29.9-47.5	111	32.9	24.7-41.1	33	13.2	06.1-20.3			
Oth. Race/Non-Hisp.	69	51,707				13	19.3	08.1-30.5	32	43.6	28.3-58.9	17	26.2	12.3-40.1	6	9.9	00.0-22.4	1	0.9	00.0-02.9
Hispanic	109	127,833				17	13.9	06.3-21.5	61	59.6	47.4-71.8	25	23.0	11.8-34.2	4	2.0	00.0-04.0	2	1.5	00.0-04.2
18-24	176	330,416				41	24.4	17.3-31.5	87	47.4	39.0-55.8	39	22.7	15.3-30.1	8	5.3	01.6-09.0	1	0.3	00.0-00.9
25-34	318	421,828				41	13.2	08.9-17.5	157	50.4	44.1-56.7	84	25.5	20.2-30.8	34	10.4	06.5-14.3	2	0.5	00.0-01.3
35-44	434	419,447				43	9.1	06.0-12.2	217	49.8	44.1-55.5	131	32.4	27.1-37.7	42	8.5	05.6-11.4	1	0.1	00.0-00.3
45-54	660	452,522				59	7.4	05.0-09.8	299	46.7	42.0-51.4	218	31.7	27.4-36.0	84	14.3	10.8-17.8			
55-64	726	363,342				47	6.2	04.0-08.4	347	49.2	44.7-53.7	257	34.3	30.2-38.4	75	10.2	07.5-12.9			
65+	924	361,570	2	0.0	00.0-00.0	93	11.2	08.5-13.9	512	54.9	51.0-58.8	255	27.7	24.2-31.2	61	6.2	04.2-08.2	1	0.0	00.0-00.0
Less Than H.S.	352	379,920	1	0.0	00.0-00.0	65	20.8	15.3-26.3	163	47.4	40.7-54.1	89	24.4	18.7-30.1	34	7.5	04.2-10.8			
H.S. or G.E.D.	1153	837,294	1	0.0	00.0-00.0	129	12.2	09.5-14.9	553	46.7	43.0-50.4	356	30.7	27.2-34.2	113	10.2	07.8-12.6	1	0.0	00.0-00.0
Some Post-H.S.	769	654,440				56	8.5	06.0-11.0	368	49.5	45.0-54.0	258	30.0	25.9-34.1	86	11.8	08.9-14.7	1	0.3	00.0-00.9
College Graduate	974	481,501				79	7.4	05.4-09.4	535	56.5	52.6-60.4	284	29.3	25.8-32.8	73	6.3	04.5-08.1	3	0.4	00.0-01.0
Less than \$15,000	324	242,659	1	0.0	00.0-00.0	53	20.3	14.0-26.6	153	48.2	40.9-55.5	79	20.2	14.9-25.5	37	10.6	05.9-15.3	1	0.7	00.0-02.1
\$15,000- 24,999	516	353,956	1	0.0	00.0-00.0	67	12.5	08.6-16.4	251	52.5	46.6-58.4	138	24.3	19.2-29.4	57	10.3	07.0-13.6	2	0.3	00.0-00.9
\$25,000- 34,999	366	257,712				44	11.8	07.7-15.9	186	52.3	45.2-59.4	114	29.2	23.1-35.3	22	6.6	03.3-09.9			
\$35,000- 49,999	486	334,467				38	10.6	06.7-14.5	247	46.9	41.2-52.6	153	31.6	26.3-36.9	48	10.9	07.2-14.6			
\$50,000- 74,999	457	337,032				28	6.4	03.3-09.5	218	47.5	41.6-53.4	152	32.1	26.6-37.6	58	13.8	09.7-17.9	1	0.1	00.0-00.3
\$75,000+	719	504,672				40	5.3	03.3-07.3	383	52.7	48.0-57.4	243	35.6	31.1-40.1	52	6.3	03.9-08.7	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 33: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4884	2,354,179	71	1.7	01.1-02.3	2086	44.6	42.6-46.6	2003	38.6	36.6-40.6	542	10.8	09.6-12.0	178	4.1	03.3-04.9	4	0.1	00.0-00.3
White/Non-Hisp	3904	1,993,178	64	1.8	01.2-02.4	1755	46.2	44.0-48.4	1581	38.5	36.5-40.5	378	9.9	08.5-11.3	126	3.6	02.8-04.4			
Black or Afr. Am./Non-Hisp	630	198,256				193	33.2	25.8-40.6	265	35.7	29.0-42.4	128	20.1	14.6-25.6	44	11.1	06.6-15.6			
Oth. Race/Non-Hisp.	55	19,932				26	53.8	36.6-71.0	24	36.7	20.4-53.0	3	2.5	00.0-05.6				2	7.0	00.0-17.4
MultiRacial/Non-Hisp.	66	24,673	2	0.7	00.0-01.7	17	23.5	11.0-36.0	36	58.5	43.2-73.8	7	13.8	00.9-26.7	4	3.5	00.0-07.6			
Hispanic	164	93,144	3	3.5	00.0-09.0	66	40.7	30.1-51.3	71	41.7	30.9-52.5	19	12.5	04.9-20.1	3	0.5	00.0-01.1	2	1.1	00.0-03.1
18-24	193	306,369	4	2.5	00.0-05.0	111	60.5	52.7-68.3	51	22.2	15.7-28.7	21	11.7	06.4-17.0	5	2.7	00.0-05.6	1	0.3	00.0-00.9
25-34	478	386,001	5	1.1	00.1-02.1	205	43.8	38.5-49.1	187	38.7	33.4-44.0	55	10.7	07.4-14.0	24	5.3	02.9-07.7	2	0.3	00.0-00.9
35-44	568	392,643	4	1.2	00.0-02.6	225	41.7	36.8-46.6	234	40.5	35.6-45.4	70	10.6	07.7-13.5	35	6.0	03.6-08.4			
45-54	830	437,881	11	1.8	00.4-03.2	323	39.0	34.9-43.1	339	40.5	36.4-44.6	112	13.7	10.6-16.8	44	5.0	03.2-06.8	1	0.0	00.0-00.0
55-64	1047	339,485	12	1.4	00.4-02.4	372	37.8	34.1-41.5	460	43.2	39.5-46.9	154	13.3	10.8-15.8	49	4.3	02.7-05.9			
65+	1741	480,384	34	2.2	01.2-03.2	832	47.1	44.2-50.0	724	42.7	39.8-45.6	130	6.5	05.1-07.9	21	1.4	00.6-02.2			
Less Than H.S.	475	300,940	13	3.8	01.1-06.5	185	42.1	35.4-48.8	199	37.5	31.2-43.8	59	11.8	07.3-16.3	19	4.9	01.6-08.2			
H.S. or G.E.D.	1868	826,567	32	2.2	01.2-03.2	796	44.7	41.6-47.8	761	38.5	35.6-41.4	201	9.8	08.0-11.6	77	4.7	03.3-06.1	1	0.1	00.0-00.3
Some Post-H.S.	1239	730,360	11	0.8	00.0-01.6	498	42.7	39.0-46.4	525	39.1	35.6-42.6	151	12.9	10.2-15.6	53	4.3	02.7-05.9	1	0.1	00.0-00.3
College Graduate	1289	490,737	15	0.9	00.3-01.5	599	48.8	45.3-52.3	514	39.0	35.7-42.3	130	9.1	07.1-11.1	29	2.1	01.1-03.1	2	0.1	00.0-00.3
Less than \$15,000	653	296,979	17	4.3	01.6-07.0	237	38.1	32.4-43.8	252	34.6	29.3-39.9	97	14.6	10.7-18.5	50	8.4	05.3-11.5			
\$15,000- 24,999	944	403,937	13	1.3	00.0-02.7	349	40.0	35.5-44.5	423	40.9	36.4-45.4	122	12.3	09.4-15.2	37	5.4	03.2-07.6			
\$25,000- 34,999	517	243,383	6	1.6	00.0-03.4	210	42.7	36.4-49.0	215	38.4	32.5-44.3	60	11.3	07.6-15.0	24	5.4	02.9-07.9	2	0.5	00.0-01.3
\$35,000- 49,999	629	290,159	11	2.7	00.5-04.9	260	43.8	38.5-49.1	276	41.8	36.7-46.9	64	8.7	05.8-11.6	18	2.9	01.1-04.7			
\$50,000- 74,999	584	301,724	2	0.4	00.0-01.0	254	45.4	39.9-50.9	247	40.5	35.2-45.8	64	11.4	07.3-15.5	17	2.3	00.9-03.7			
\$75,000+	761	441,356	6	0.4	00.0-00.8	368	47.8	43.5-52.1	304	40.7	36.4-45.0	71	9.4	06.7-12.1	12	1.7	00.3-03.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 34: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8408	4,844,697	464	3.8	03.2-04.4	3990	41.3	39.9-42.7	3284	44.1	42.5-45.7	632	10.0	09.0-11.0	7	0.2	00.0-00.4	31	0.7	00.3-01.1
Male	3270	2,360,714	6	0.2	00.0-00.4	299	9.6	08.2-11.0	2317	68.6	66.4-70.8	620	20.1	18.1-22.1	7	0.4	00.0-00.8	21	1.1	00.5-01.7
Female	5138	2,483,983	458	7.2	06.2-08.2	3691	71.4	69.6-73.2	967	20.8	19.2-22.4	12	0.3	00.1-00.5				10	0.4	00.0-00.8
White/Non-Hisp	6813	4,043,169	353	3.4	03.0-03.8	3207	41.8	40.2-43.4	2721	44.6	43.0-46.2	523	9.9	08.9-10.9	6	0.2	00.0-00.4	3	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	962	402,574	60	6.0	02.9-09.1	486	39.3	34.0-44.6	347	41.9	36.2-47.6	69	12.7	08.4-17.0						
Oth. Race/Non-Hisp.	129	73,012	8	3.9	00.4-07.4	57	35.5	24.5-46.5	51	49.1	36.9-61.3	11	8.6	01.9-15.3				2	2.9	00.0-06.8
MultiRacial/Non-Hisp.	107	54,527	10	5.1	00.8-09.4	51	38.9	26.7-51.1	37	47.5	34.4-60.6	8	8.3	01.6-15.0	1	0.2	00.0-00.6			
Hispanic	262	207,012	22	6.8	02.9-10.7	133	39.6	31.4-47.8	75	33.5	24.7-42.3	8	6.7	00.6-12.8				24	13.4	07.3-19.5
18-24	378	650,484	11	2.6	00.6-04.6	151	38.9	33.4-44.4	163	42.4	36.7-48.1	47	14.9	10.4-19.4	2	0.5	00.0-01.3	4	0.8	00.0-01.6
25-34	815	818,634	32	3.0	01.8-04.2	344	35.8	32.1-39.5	343	46.7	42.6-50.8	81	11.8	09.1-14.5	1	0.1	00.0-00.3	14	2.5	01.1-03.9
35-44	1030	829,755	36	2.2	01.2-03.2	450	40.4	36.9-43.9	445	46.2	42.5-49.9	92	10.2	07.8-12.6	1	0.3	00.0-00.9	6	0.7	00.1-01.3
45-54	1543	921,691	60	3.1	02.1-04.1	659	40.2	37.3-43.1	677	46.2	43.1-49.3	137	10.0	08.0-12.0	3	0.2	00.0-00.4	7	0.4	00.0-00.8
55-64	1855	736,209	93	4.4	03.2-05.6	908	42.3	39.6-45.0	721	44.6	41.7-47.5	133	8.7	06.9-10.5						
65+	2716	857,059	228	7.1	05.9-08.3	1442	49.3	46.9-51.7	908	38.1	35.7-40.5	138	5.5	04.3-06.7						
Less Than H.S.	834	681,117	68	5.5	03.7-07.3	399	40.0	35.5-44.5	308	42.4	37.7-47.1	45	9.0	05.7-12.3	1	0.3	00.0-00.9	13	2.8	01.2-04.4
H.S. or G.E.D.	3132	1,719,156	200	4.6	03.6-05.6	1584	43.3	40.9-45.7	1135	42.4	40.0-44.8	204	9.1	07.5-10.7	1	0.1	00.0-00.3	8	0.6	00.2-01.0
Some Post-H.S.	2085	1,433,604	98	2.5	01.7-03.3	980	41.4	38.7-44.1	844	45.2	42.3-48.1	158	10.7	08.5-12.9	2	0.1	00.0-00.3	3	0.2	00.0-00.6
College Graduate	2330	998,265	96	3.0	02.2-03.8	1014	38.4	35.9-40.9	989	46.8	44.3-49.3	221	11.2	09.4-13.0	3	0.3	00.0-00.7	7	0.3	00.0-00.7
Less than \$15,000	991	544,291	81	6.3	04.3-08.3	489	42.3	37.8-46.8	359	42.8	38.3-47.3	54	6.6	04.2-09.0	1	0.4	00.0-01.2	7	1.6	00.2-03.0
\$15,000- 24,999	1497	771,580	109	5.5	03.9-07.1	778	45.1	41.6-48.6	515	39.6	36.1-43.1	83	8.1	05.9-10.3	1	0.0	00.0-00.0	11	1.6	00.4-02.8
\$25,000- 34,999	908	513,890	51	4.3	02.1-06.5	440	42.0	37.5-46.5	353	44.8	40.1-49.5	61	8.2	05.5-10.9				3	0.7	00.0-01.5
\$35,000- 49,999	1141	635,957	58	3.5	02.3-04.7	499	38.8	35.1-42.5	498	48.4	44.5-52.3	83	8.8	06.4-11.2	2	0.3	00.0-00.7	1	0.2	00.0-00.6
\$50,000- 74,999	1069	651,373	35	2.2	01.2-03.2	476	39.3	35.4-43.2	452	46.2	42.3-50.1	106	12.4	09.5-15.3						
\$75,000+	1513	970,078	35	1.8	01.0-02.6	604	36.3	33.4-39.2	702	47.9	44.8-51.0	169	13.8	11.3-16.3	2	0.2	00.0-00.4	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 35: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3270	2,360,714	6	0.2	00.0-00.4	299	9.6	08.2-11.0	2317	68.6	66.4-70.8	620	20.1	18.1-22.1	7	0.4	00.0-00.8	21	1.1	00.5-01.7
White/Non-Hisp	2681	1,926,893	4	0.2	00.0-00.4	223	8.8	07.4-10.2	1928	69.9	67.5-72.3	517	20.5	18.3-22.7	6	0.4	00.0-00.8	3	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	308	195,454	1	0.1	00.0-00.3	28	7.8	03.1-12.5	214	66.4	57.8-75.0	65	25.7	17.5-33.9						
Oth. Race/Non-Hisp.	69	51,707				14	24.5	11.4-37.6	43	61.3	46.4-76.2	11	12.1	02.9-21.3				1	2.1	00.0-06.0
Hispanic	106	120,548	1	1.5	00.0-04.4	21	17.3	09.1-25.5	61	53.6	40.9-66.3	7	10.4	00.6-20.2				16	17.2	08.6-25.8
18-24	178	331,592				17	9.8	04.9-14.7	112	59.7	51.3-68.1	44	28.3	20.5-36.1	2	1.0	00.0-02.6	3	1.2	00.0-02.6
25-34	317	416,016	1	0.4	00.0-01.2	22	8.0	04.7-11.3	204	65.1	59.2-71.0	80	22.8	17.7-27.9	1	0.3	00.0-00.9	9	3.4	01.2-05.6
35-44	438	422,188	1	0.3	00.0-00.9	41	9.5	06.4-12.6	302	68.7	63.4-74.0	89	19.7	15.2-24.2	1	0.6	00.0-01.8	4	1.2	00.0-02.6
45-54	665	457,351	2	0.1	00.0-00.3	55	9.3	06.6-12.0	465	69.4	65.1-73.7	135	20.1	16.2-24.0	3	0.3	00.0-00.7	5	0.7	00.0-01.5
55-64	728	363,977	2	0.3	00.0-00.7	78	10.3	07.6-13.0	516	72.1	68.2-76.0	132	17.3	14.0-20.6						
65+	922	360,398				84	11.4	08.5-14.3	702	75.6	72.1-79.1	136	13.0	10.5-15.5						
Less Than H.S.	351	373,861	2	0.5	00.0-01.3	51	15.1	10.6-19.6	245	64.5	58.0-71.0	42	15.6	10.1-21.1	1	0.6	00.0-01.8	10	3.6	01.2-06.0
H.S. or G.E.D.	1156	839,865	3	0.2	00.0-00.4	116	10.4	08.0-12.8	831	70.0	66.5-73.5	200	18.3	15.4-21.2	1	0.3	00.0-00.9	5	0.9	00.1-01.7
Some Post-H.S.	772	654,907	1	0.3	00.0-00.9	50	7.0	04.6-09.4	561	69.1	64.6-73.6	156	23.1	19.0-27.2	2	0.1	00.0-00.3	2	0.3	00.0-00.9
College Graduate	981	486,521				81	7.5	05.5-09.5	674	68.6	65.1-72.1	219	22.7	19.4-26.0	3	0.6	00.0-01.2	4	0.6	00.0-01.2
Less than \$15,000	323	240,112	3	1.4	00.0-03.2	34	11.8	06.9-16.7	229	68.0	61.1-74.9	52	14.9	10.0-19.8	1	1.0	00.0-03.0	4	2.9	00.2-05.6
\$15,000- 24,999	517	349,533				58	11.9	08.2-15.6	369	67.9	62.4-73.4	80	17.6	13.1-22.1	1	0.0	00.0-00.0	9	2.7	00.7-04.7
\$25,000- 34,999	368	259,560	1	0.2	00.0-00.6	44	11.5	07.4-15.6	262	71.7	65.4-78.0	59	15.6	10.3-20.9				2	1.0	00.0-02.6
\$35,000- 49,999	488	335,789	1	0.1	00.0-00.3	37	8.6	05.3-11.9	364	73.7	68.6-78.8	83	16.7	12.4-21.0	2	0.6	00.0-01.4	1	0.3	00.0-00.9
\$50,000- 74,999	456	336,551	1	0.2	00.0-00.6	36	8.2	05.1-11.3	314	67.7	62.0-73.4	105	23.9	18.6-29.2						
\$75,000+	719	504,978				47	6.6	04.2-09.0	503	67.2	62.5-71.9	166	25.8	21.3-30.3	2	0.3	00.0-00.7	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 36: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5138	2,483,983	458	7.2	06.2-08.2	3691	71.4	69.6-73.2	967	20.8	19.2-22.4	12	0.3	00.1-00.5	10	0.4	00.0-00.8
White/Non-Hisp	4132	2,116,276	349	6.3	05.5-07.1	2984	71.8	70.0-73.6	793	21.7	19.9-23.5	6	0.3	00.1-00.5			
Black or Afr. Am./Non-Hisp	654	207,120	59	11.6	05.7-17.5	458	69.0	62.1-75.9	133	18.8	13.5-24.1	4	0.5	00.0-01.3			
Oth. Race/Non-Hisp.	60	21,304	8	13.3	01.9-24.7	43	62.2	44.8-79.6	8	19.6	03.7-35.5				1	4.9	00.0-14.1
MultiRacial/Non-Hisp.	68	25,446	10	10.9	02.1-19.7	48	72.8	59.9-85.7	10	16.4	05.8-27.0						
Hispanic	156	86,464	21	14.1	05.9-22.3	112	70.7	59.7-81.7	14	5.5	01.0-10.0	1	1.7	00.0-05.0	8	8.0	00.0-16.0
18-24	200	318,892	11	5.3	01.4-09.2	134	69.1	61.8-76.4	51	24.4	17.5-31.3	3	0.9	00.0-02.1	1	0.3	00.0-00.9
25-34	498	402,618	31	5.6	03.4-07.8	322	64.6	59.7-69.5	139	27.7	23.0-32.4	1	0.4	00.0-01.2	5	1.7	00.0-03.5
35-44	592	407,567	35	4.1	02.1-06.1	409	72.4	68.1-76.7	143	22.9	18.8-27.0	3	0.4	00.0-01.0	2	0.2	00.0-00.6
45-54	878	464,341	58	6.0	04.0-08.0	604	70.7	67.0-74.4	212	23.2	19.9-26.5	2	0.1	00.0-00.3	2	0.0	00.0-00.0
55-64	1127	372,232	91	8.4	06.2-10.6	830	73.6	70.5-76.7	205	17.8	15.1-20.5	1	0.2	00.0-00.6			
65+	1794	496,661	228	12.2	10.2-14.2	1358	76.8	74.4-79.2	206	10.9	09.1-12.7	2	0.1	00.0-00.3			
Less Than H.S.	483	307,257	66	11.5	07.6-15.4	348	70.3	64.0-76.6	63	15.5	10.2-20.8	3	1.0	00.0-02.2	3	1.7	00.0-03.9
H.S. or G.E.D.	1976	879,291	197	8.8	07.0-10.6	1468	74.7	72.0-77.4	304	16.0	13.8-18.2	4	0.3	00.0-00.7	3	0.2	00.0-00.6
Some Post-H.S.	1313	778,697	97	4.3	03.1-05.5	930	70.3	67.0-73.6	283	25.1	21.8-28.4	2	0.2	00.0-00.6	1	0.1	00.0-00.3
College Graduate	1349	511,744	96	5.9	04.3-07.5	933	67.8	64.7-70.9	315	26.1	23.0-29.2	2	0.2	00.0-00.6	3	0.1	00.1-00.1
Less than \$15,000	668	304,179	78	10.1	07.0-13.2	455	66.4	61.3-71.5	130	22.9	18.4-27.4	2	0.1	00.1-00.1	3	0.6	00.0-01.4
\$15,000- 24,999	980	422,047	109	10.1	07.4-12.8	720	72.5	68.2-76.8	146	16.2	12.7-19.7	3	0.3	00.0-00.7	2	0.8	00.0-02.4
\$25,000- 34,999	540	254,329	50	8.4	04.3-12.5	396	73.1	67.6-78.6	91	17.5	13.0-22.0	2	0.6	00.0-01.8	1	0.4	00.0-01.2
\$35,000- 49,999	653	300,168	57	7.3	04.8-09.8	462	72.6	68.1-77.1	134	20.1	16.0-24.2						
\$50,000- 74,999	613	314,822	34	4.2	02.4-06.0	440	72.5	67.8-77.2	138	23.2	18.7-27.7	1	0.1	00.0-00.3			
\$75,000+	794	465,100	35	3.7	02.1-05.3	557	68.6	64.5-72.7	199	26.9	23.0-30.8	3	0.8	00.0-01.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 37: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8435	4,832,427	8240	97.4	96.8-98.0	86	1.0	00.8-01.2	109	1.6	01.2-02.0
Male	3272	2,354,253	3188	97.1	96.3-97.9	32	1.0	00.6-01.4	52	2.0	01.4-02.6
Female	5163	2,478,175	5052	97.8	97.2-98.4	54	1.0	00.6-01.4	57	1.3	00.9-01.7
White/Non-Hisp	6807	4,004,624	6675	98.1	97.7-98.5	47	0.6	00.4-00.8	85	1.3	00.9-01.7
Black or Afr. Am./Non-Hisp	962	397,196	940	97.6	95.4-99.8	17	0.6	00.2-01.0	5	1.7	00.0-03.9
Oth. Race/Non-Hisp.	128	73,079	119	87.7	77.5-97.9	4	4.0	00.0-08.5	5	8.3	00.0-17.9
MultiRacial/Non-Hisp.	106	53,906	103	98.9	97.3-0100	1	0.3	00.0-00.9	2	0.8	00.0-02.2
Hispanic	286	236,320	265	89.3	84.2-94.4	12	6.4	02.3-10.5	9	4.3	01.2-07.4
18-24	362	631,064	346	95.8	93.6-98.0	6	1.1	00.1-02.1	10	3.0	01.0-05.0
25-34	812	817,078	777	95.5	93.7-97.3	11	1.7	00.7-02.7	24	2.9	01.5-04.3
35-44	1029	825,930	1012	98.5	97.5-99.5	11	0.9	00.1-01.7	6	0.6	00.0-01.2
45-54	1545	918,851	1520	98.3	97.5-99.1	13	0.7	00.3-01.1	12	1.0	00.2-01.8
55-64	1863	739,200	1827	98.3	97.7-98.9	15	0.7	00.3-01.1	21	1.0	00.4-01.6
65+	2738	863,544	2683	98.3	97.7-98.9	29	0.8	00.4-01.2	26	0.9	00.5-01.3
Less Than H.S.	859	707,445	819	95.7	93.7-97.7	27	2.9	01.3-04.5	13	1.4	00.0-02.8
H.S. or G.E.D.	3142	1,709,900	3078	98.1	97.3-98.9	30	0.5	00.3-00.7	34	1.4	00.8-02.0
Some Post-H.S.	2082	1,418,203	2034	97.2	96.2-98.2	17	0.8	00.4-01.2	31	2.0	01.2-02.8
College Graduate	2323	983,827	2282	97.9	97.1-98.7	12	0.6	00.2-01.0	29	1.5	00.9-02.1
Less than \$15,000	998	547,881	973	96.3	94.1-98.5	16	2.3	00.7-03.9	9	1.5	00.0-03.1
\$15,000- 24,999	1501	774,885	1464	97.3	96.1-98.5	23	1.6	00.8-02.4	14	1.1	00.3-01.9
\$25,000- 34,999	903	505,603	892	98.8	97.6-0100	5	0.2	00.0-00.4	6	1.0	00.0-02.2
\$35,000- 49,999	1139	631,254	1123	97.8	96.4-99.2	1	0.1	00.0-00.3	15	2.2	00.8-03.6
\$50,000- 74,999	1066	646,620	1052	98.6	97.6-99.6	5	0.4	00.0-01.0	9	1.0	00.2-01.8
\$75,000+	1509	962,055	1489	98.8	98.2-99.4	8	0.5	00.1-00.9	12	0.7	00.1-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 38: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3272	2,354,253	3188	97.1	96.3-97.9	32	1.0	00.6-01.4	52	2.0	01.4-02.6
White/Non-Hisp	2675	1,908,488	2618	97.9	97.3-98.5	18	0.6	00.2-01.0	39	1.5	00.9-02.1
Black or Afr. Am./Non-Hisp	307	192,937	302	97.8	94.5-0100	3	0.4	00.0-01.0	2	1.8	00.0-05.1
Oth. Race/Non-Hisp.	69	52,197	63	85.9	72.2-99.6	2	2.6	00.0-07.3	4	11.5	00.0-24.6
Hispanic	112	133,615	102	88.9	82.0-95.8	5	5.5	00.6-10.4	5	5.5	00.4-10.6
18-24	174	328,217	161	94.0	90.5-97.5	4	1.0	00.0-02.2	9	5.0	01.7-08.3
25-34	313	412,207	293	94.5	91.8-97.2	7	2.1	00.5-03.7	13	3.3	01.1-05.5
35-44	433	415,867	424	98.2	96.8-99.6	6	1.1	00.0-02.3	3	0.6	00.0-01.4
45-54	665	456,963	653	98.8	98.0-99.6	6	0.6	00.0-01.2	6	0.6	00.0-01.2
55-64	731	365,289	717	98.3	97.3-99.3	5	0.5	00.0-01.1	9	1.1	00.3-01.9
65+	930	363,023	919	99.0	98.2-99.8	3	0.3	00.0-00.7	8	0.7	00.1-01.3
Less Than H.S.	358	385,728	345	96.2	93.5-98.9	9	1.9	00.3-03.5	4	1.9	00.0-04.3
H.S. or G.E.D.	1156	833,908	1136	98.4	97.4-99.4	6	0.4	00.0-00.8	14	1.2	00.4-02.0
Some Post-H.S.	768	646,473	741	95.8	94.0-97.6	11	1.4	00.4-02.4	16	2.8	01.2-04.4
College Graduate	979	482,166	956	97.3	96.1-98.5	6	0.7	00.1-01.3	17	2.0	01.0-03.0
Less than \$15,000	326	243,102	314	94.3	90.4-98.2	8	3.3	00.8-05.8	4	2.5	00.0-05.6
\$15,000- 24,999	520	352,801	506	96.7	94.5-98.9	9	1.9	00.3-03.5	5	1.4	00.0-02.8
\$25,000- 34,999	366	256,569	362	99.1	98.1-0100	1	0.1	00.0-00.3	3	0.8	00.0-01.8
\$35,000- 49,999	486	333,586	475	96.4	94.0-98.8				11	3.6	01.2-06.0
\$50,000- 74,999	454	332,653	448	98.8	97.6-0100	2	0.5	00.0-01.5	4	0.8	00.0-01.6
\$75,000+	715	498,517	702	98.7	97.9-99.5	6	0.8	00.2-01.4	7	0.5	00.1-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 39: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5163	2,478,175	5052	97.8	97.2-98.4	54	1.0	00.6-01.4	57	1.3	00.9-01.7
White/Non-Hisp	4132	2,096,136	4057	98.2	97.6-98.8	29	0.6	00.4-00.8	46	1.2	00.8-01.6
Black or Afr. Am./Non-Hisp	655	204,259	638	97.5	95.0-0100	14	0.8	00.4-01.2	3	1.7	00.0-04.2
Oth. Race/Non-Hisp.	59	20,882	56	92.2	81.8-0100	2	7.4	00.0-17.8	1	0.3	00.0-00.9
MultiRacial/Non-Hisp.	67	24,826	65	98.2	95.3-0100				2	1.8	00.0-04.7
Hispanic	174	102,705	163	89.8	82.5-97.1	7	7.6	00.9-14.3	4	2.6	00.0-05.9
18-24	188	302,847	185	97.9	95.4-0100	2	1.2	00.0-03.2	1	0.9	00.0-02.7
25-34	499	404,871	484	96.4	94.4-98.4	4	1.2	00.0-02.4	11	2.4	00.8-04.0
35-44	596	410,063	588	98.7	97.5-99.9	5	0.7	00.0-01.7	3	0.6	00.0-01.4
45-54	880	461,888	867	97.9	96.3-99.5	7	0.7	00.1-01.3	6	1.4	00.0-02.8
55-64	1132	373,910	1110	98.3	97.3-99.3	10	0.9	00.1-01.7	12	0.9	00.3-01.5
65+	1808	500,521	1764	97.7	96.7-98.7	26	1.2	00.6-01.8	18	1.1	00.3-01.9
Less Than H.S.	501	321,717	474	95.1	92.4-97.8	18	4.2	01.5-06.9	9	0.7	00.1-01.3
H.S. or G.E.D.	1986	875,992	1942	97.7	96.5-98.9	24	0.7	00.3-01.1	20	1.6	00.6-02.6
Some Post-H.S.	1314	771,730	1293	98.4	97.6-99.2	6	0.3	00.0-00.7	15	1.3	00.5-02.1
College Graduate	1344	501,661	1326	98.5	97.7-99.3	6	0.5	00.0-01.1	12	1.0	00.4-01.6
Less than \$15,000	672	304,778	659	97.8	95.8-99.8	8	1.5	00.0-03.3	5	0.7	00.0-01.5
\$15,000- 24,999	981	422,084	958	97.8	96.6-99.0	14	1.3	00.5-02.1	9	0.9	00.1-01.7
\$25,000- 34,999	537	249,034	530	98.6	96.4-0100	4	0.3	00.1-00.5	3	1.2	00.0-03.2
\$35,000- 49,999	653	297,668	648	99.3	98.7-99.9	1	0.1	00.0-00.3	4	0.5	00.0-01.1
\$50,000- 74,999	612	313,967	604	98.3	96.7-99.9	3	0.3	00.0-00.7	5	1.3	00.0-02.7
\$75,000+	794	463,538	787	98.8	97.8-99.8	2	0.2	00.0-00.4	5	1.0	00.0-02.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 40: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8493	4,898,228	8136	95.4	94.8-96.0	66	0.7	00.5-00.9	291	3.9	03.3-04.5
Male	3295	2,383,780	3147	95.3	94.3-96.3	41	0.9	00.5-01.3	107	3.7	02.7-04.7
Female	5198	2,514,447	4989	95.5	94.7-96.3	25	0.5	00.3-00.7	184	4.0	03.2-04.8
White/Non-Hisp	6857	4,060,096	6591	96.0	95.4-96.6	41	0.6	00.4-00.8	225	3.5	02.9-04.1
Black or Afr. Am./Non-Hisp	966	403,787	932	96.2	93.7-98.7	9	0.2	00.0-00.4	25	3.6	01.1-06.1
Oth. Race/Non-Hisp.	130	75,053	121	89.5	79.9-99.1	2	1.0	00.0-02.8	7	9.5	00.1-18.9
MultiRacial/Non-Hisp.	107	54,527	102	95.8	90.5-0100	2	0.4	00.0-01.0	3	3.8	00.0-09.1
Hispanic	287	237,463	260	87.9	82.8-93.0	8	3.7	00.8-06.6	19	8.4	04.1-12.7
18-24	379	652,987	357	93.9	91.2-96.6	3	0.7	00.0-01.5	19	5.5	03.0-08.0
25-34	827	836,716	786	94.2	92.2-96.2	7	1.0	00.2-01.8	34	4.7	02.9-06.5
35-44	1038	837,316	998	96.3	94.9-97.7	4	0.1	00.0-00.3	36	3.6	02.2-05.0
45-54	1556	927,317	1502	96.6	95.4-97.8	5	0.2	00.0-00.4	49	3.2	02.0-04.4
55-64	1865	740,457	1807	96.8	95.8-97.8	10	0.5	00.1-00.9	48	2.7	01.7-03.7
65+	2741	865,591	2625	95.8	94.8-96.8	34	1.3	00.7-01.9	82	2.9	02.1-03.7
Less Than H.S.	862	711,674	817	94.3	92.1-96.5	21	1.7	00.7-02.7	24	4.0	02.0-06.0
H.S. or G.E.D.	3157	1,729,975	3038	96.4	95.4-97.4	22	0.6	00.2-01.0	97	3.0	02.2-03.8
Some Post-H.S.	2101	1,441,764	2003	94.5	93.1-95.9	12	0.5	00.1-00.9	86	5.0	03.6-06.4
College Graduate	2344	1,001,762	2253	95.9	94.9-96.9	11	0.4	00.0-00.8	80	3.7	02.7-04.7
Less than \$15,000	1009	558,834	968	93.5	90.8-96.2	13	1.2	00.2-02.2	28	5.3	02.8-07.8
\$15,000- 24,999	1510	784,332	1461	96.7	95.5-97.9	16	1.0	00.4-01.6	33	2.4	01.4-03.4
\$25,000- 34,999	908	513,890	888	97.3	95.7-98.9	2	0.0	00.0-00.0	18	2.6	01.0-04.2
\$35,000- 49,999	1146	640,778	1103	95.5	93.9-97.1	3	0.6	00.0-01.4	40	3.9	02.3-05.5
\$50,000- 74,999	1073	653,533	1035	95.9	94.3-97.5	5	0.6	00.0-01.4	33	3.4	02.0-04.8
\$75,000+	1517	971,385	1484	98.0	97.2-98.8	5	0.3	00.0-00.7	28	1.7	00.9-02.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 41: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-7776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3295	2,383,780	3147	95.3	94.3-96.3	41	0.9	00.5-01.3	107	3.7	02.7-04.7
White/Non-Hisp	2695	1,932,803	2593	96.4	95.4-97.4	25	0.6	00.2-01.0	77	3.0	02.2-03.8
Black or Afr. Am./Non-Hisp	308	195,454	295	96.6	92.9-0100	5	0.2	00.0-00.4	8	3.2	00.0-06.9
Oth. Race/Non-Hisp.	70	53,748	65	87.9	75.0-0100	1	1.3	00.0-03.8	4	10.8	00.0-23.7
Hispanic	113	134,758	96	83.4	75.4-91.4	6	5.9	00.8-11.0	11	10.7	04.0-17.4
18-24	179	334,095	169	94.0	90.1-97.9	1	0.6	00.0-01.8	9	5.4	01.7-09.1
25-34	320	423,444	299	93.4	90.3-96.5	5	1.3	00.0-02.7	16	5.2	02.5-07.9
35-44	439	424,168	419	95.4	93.2-97.6	2	0.2	00.0-00.6	18	4.4	02.2-06.6
45-54	668	459,545	647	97.6	96.4-98.8	4	0.3	00.0-00.7	17	2.1	00.9-03.3
55-64	732	365,936	710	97.0	95.4-98.6	8	0.8	00.0-01.6	14	2.2	00.8-03.6
65+	931	363,906	889	96.0	94.4-97.6	18	1.9	00.7-03.1	24	2.1	01.1-03.1
Less Than H.S.	360	388,247	337	93.7	90.4-97.0	13	1.8	00.6-03.0	10	4.5	01.4-07.6
H.S. or G.E.D.	1163	845,137	1113	96.5	95.3-97.7	14	0.9	00.1-01.7	36	2.7	01.7-03.7
Some Post-H.S.	775	656,334	733	93.9	91.5-96.3	8	0.8	00.0-01.6	34	5.3	03.1-07.5
College Graduate	986	488,085	955	96.8	95.4-98.2	6	0.5	00.0-01.1	25	2.7	01.3-04.1
Less than \$15,000	328	245,966	311	92.4	87.9-96.9	5	1.3	00.0-02.9	12	6.3	02.0-10.6
\$15,000- 24,999	523	357,108	498	95.6	93.4-97.8	15	2.0	00.6-03.4	10	2.4	00.6-04.2
\$25,000- 34,999	368	259,560	360	98.3	96.9-99.7	1	0.0	00.0-00.0	7	1.6	00.2-03.0
\$35,000- 49,999	490	339,495	471	95.1	92.6-97.6	2	0.9	00.0-02.3	17	3.9	01.5-06.3
\$50,000- 74,999	458	337,261	438	94.8	92.3-97.3	3	1.0	00.0-02.4	17	4.1	01.7-06.5
\$75,000+	721	505,846	706	98.4	97.4-99.4	3	0.2	00.0-00.4	12	1.4	00.4-02.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 42: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5198	2,514,447	4989	95.5	94.7-96.3	25	0.5	00.3-00.7	184	4.0	03.2-04.8
White/Non-Hisp	4162	2,127,292	3998	95.6	94.6-96.6	16	0.5	00.1-00.9	148	3.9	03.1-04.7
Black or Afr. Am./Non-Hisp	658	208,333	637	95.8	92.5-99.1	4	0.2	00.0-00.4	17	4.0	00.7-07.3
Oth. Race/Non-Hisp.	60	21,304	56	93.7	87.0-0100	1	0.3	00.0-00.9	3	6.0	00.0-12.7
MultiRacial/Non-Hisp.	68	25,446	65	97.1	93.2-0100	1	0.3	00.0-00.9	2	2.6	00.0-06.5
Hispanic	174	102,705	164	93.8	88.7-98.9	2	0.9	00.0-02.3	8	5.3	00.4-10.2
18-24	200	318,892	188	93.7	89.8-97.6	2	0.7	00.0-01.9	10	5.6	01.9-09.3
25-34	507	413,272	487	95.1	92.7-97.5	2	0.7	00.0-01.7	18	4.2	02.0-06.4
35-44	599	413,148	579	97.2	95.8-98.6	2	0.1	00.0-00.3	18	2.7	01.3-04.1
45-54	888	467,772	855	95.6	93.6-97.6	1	0.2	00.0-00.6	32	4.3	02.3-06.3
55-64	1133	374,521	1097	96.6	95.2-98.0	2	0.1	00.0-00.3	34	3.3	01.9-04.7
65+	1810	501,685	1736	95.6	94.2-97.0	16	1.0	00.2-01.8	58	3.4	02.2-04.6
Less Than H.S.	502	323,427	480	95.1	92.4-97.8	8	1.5	00.0-03.1	14	3.4	01.0-05.8
H.S. or G.E.D.	1994	884,838	1925	96.3	94.9-97.7	8	0.4	00.0-00.8	61	3.3	02.1-04.5
Some Post-H.S.	1326	785,430	1270	95.1	93.3-96.9	4	0.2	00.0-00.4	52	4.7	03.1-06.3
College Graduate	1358	513,678	1298	95.1	93.5-96.7	5	0.4	00.0-00.8	55	4.6	03.2-06.0
Less than \$15,000	681	312,868	657	94.3	91.2-97.4	8	1.2	00.0-02.6	16	4.5	01.6-07.4
\$15,000- 24,999	987	427,224	963	97.6	96.2-99.0	1	0.0	00.0-00.0	23	2.3	00.9-03.7
\$25,000- 34,999	540	254,329	528	96.3	93.4-99.2	1	0.0	00.0-00.0	11	3.6	00.7-06.5
\$35,000- 49,999	656	301,284	632	95.9	93.9-97.9	1	0.3	00.0-00.9	23	3.8	02.0-05.6
\$50,000- 74,999	615	316,272	597	97.1	95.5-98.7	2	0.2	00.0-00.4	16	2.7	01.1-04.3
\$75,000+	796	465,539	778	97.6	96.2-99.0	2	0.5	00.0-01.3	16	1.9	00.7-03.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 43: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7335	3,658,897	274	2.9	02.3-03.5	7061	97.1	96.5-97.7
Male	2725	1,686,307	135	3.1	02.3-03.9	2590	96.9	96.1-97.7
Female	4610	1,972,589	139	2.7	02.1-03.3	4471	97.3	96.7-97.9
White/Non-Hisp	5929	3,119,698	211	2.8	02.2-03.4	5718	97.2	96.6-97.8
Black or Afr. Am./Non-Hisp	881	267,765	44	3.7	01.7-05.7	837	96.3	94.3-98.3
Oth. Race/Non-Hisp.	99	47,304	5	2.4	00.0-04.8	94	97.6	95.2-0100
MultiRacial/Non-Hisp.	81	38,008	2	6.4	00.0-17.8	79	93.6	82.2-0100
Hispanic	211	131,466	6	1.9	00.0-03.9	205	98.1	96.1-0100
18-24	189	338,752	5	1.8	00.0-04.0	184	98.2	96.0-0100
25-34	520	452,676	16	3.0	01.2-04.8	504	97.0	95.2-98.8
35-44	852	623,860	24	2.4	01.2-03.6	828	97.6	96.4-98.8
45-54	1332	754,339	58	4.1	02.7-05.5	1274	95.9	94.5-97.3
55-64	1712	645,905	83	3.2	02.2-04.2	1629	96.8	95.8-97.8
65+	2652	814,825	88	2.6	02.0-03.2	2564	97.4	96.8-98.0
Less Than H.S.	708	479,054	8	1.1	00.1-02.1	700	98.9	97.9-99.9
H.S. or G.E.D.	2802	1,342,579	84	2.7	01.9-03.5	2718	97.3	96.5-98.1
Some Post-H.S.	1773	1,048,109	57	2.0	01.2-02.8	1716	98.0	97.2-98.8
College Graduate	2027	778,255	124	5.7	04.1-07.3	1903	94.3	92.7-95.9
Less than \$15,000	804	314,301	12	1.5	00.5-02.5	792	98.5	97.5-99.5
\$15,000- 24,999	1295	540,265	35	1.6	00.8-02.4	1260	98.4	97.6-99.2
\$25,000- 34,999	790	381,665	25	2.4	01.0-03.8	765	97.6	96.2-99.0
\$35,000- 49,999	990	476,001	31	2.3	01.3-03.3	959	97.7	96.7-98.7
\$50,000- 74,999	922	508,061	35	2.3	01.1-03.5	887	97.7	96.5-98.9
\$75,000+	1338	817,100	97	5.9	04.3-07.5	1241	94.1	92.5-95.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 44: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2725	1,686,307	135	3.1	02.3-03.9	2590	96.9	96.1-97.7
White/Non-Hisp	2231	1,408,338	103	3.0	02.2-03.8	2128	97.0	96.2-97.8
Black or Afr. Am./Non-Hisp	274	123,752	19	3.3	00.9-05.7	255	96.7	94.3-99.1
Oth. Race/Non-Hisp.	53	35,121	2	1.3	00.0-03.1	51	98.7	96.9-0100
Hispanic	73	67,501	4	3.2	00.0-06.9	69	96.8	93.1-0100
18-24	89	175,780	3	3.1	00.0-07.2	86	96.9	92.8-0100
25-34	165	197,184	4	2.1	00.0-04.6	161	97.9	95.4-0100
35-44	341	294,725	15	2.7	01.1-04.3	326	97.3	95.7-98.9
45-54	562	363,493	25	3.8	02.0-05.6	537	96.2	94.4-98.0
55-64	652	307,611	44	3.8	02.4-05.2	608	96.2	94.8-97.6
65+	892	337,765	44	3.0	01.8-04.2	848	97.0	95.8-98.2
Less Than H.S.	277	244,960	3	0.7	00.0-01.7	274	99.3	98.3-0100
H.S. or G.E.D.	991	621,904	39	2.8	01.6-04.0	952	97.2	96.0-98.4
Some Post-H.S.	626	454,437	27	2.1	01.1-03.1	599	97.9	96.9-98.9
College Graduate	821	359,973	66	6.8	04.3-09.3	755	93.2	90.7-95.7
Less than \$15,000	241	127,563	3	1.0	00.0-02.2	238	99.0	97.8-0100
\$15,000- 24,999	428	229,552	14	1.9	00.5-03.3	414	98.1	96.7-99.5
\$25,000- 34,999	313	184,741	16	2.3	00.9-03.7	297	97.7	96.3-99.1
\$35,000- 49,999	401	232,688	14	1.6	00.6-02.6	387	98.4	97.4-99.4
\$50,000- 74,999	376	244,376	17	2.6	00.8-04.4	359	97.4	95.6-99.2
\$75,000+	617	408,257	55	6.4	04.0-08.8	562	93.6	91.2-96.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 45: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4610	1,972,589	139	2.7	02.1-03.3	4471	97.3	96.7-97.9
White/Non-Hisp	3698	1,711,360	108	2.7	02.1-03.3	3590	97.3	96.7-97.9
Black or Afr. Am./Non-Hisp	607	144,013	25	4.1	01.0-07.2	582	95.9	92.8-99.0
Hispanic	138	63,965	2	0.4	00.0-01.0	136	99.6	99.0-0100
18-24	100	162,972	2	0.3	00.0-00.7	98	99.7	99.3-0100
25-34	355	255,492	12	3.6	01.2-06.0	343	96.4	94.0-98.8
35-44	511	329,135	9	2.1	00.3-03.9	502	97.9	96.1-99.7
45-54	770	390,846	33	4.5	02.5-06.5	737	95.5	93.5-97.5
55-64	1060	338,294	39	2.6	01.6-03.6	1021	97.4	96.4-98.4
65+	1760	477,060	44	2.3	01.5-03.1	1716	97.7	96.9-98.5
Less Than H.S.	431	234,093	5	1.5	00.0-03.3	426	98.5	96.7-0100
H.S. or G.E.D.	1811	720,675	45	2.6	01.6-03.6	1766	97.4	96.4-98.4
Some Post-H.S.	1147	593,672	30	2.0	01.0-03.0	1117	98.0	97.0-99.0
College Graduate	1206	418,282	58	4.7	02.9-06.5	1148	95.3	93.5-97.1
Less than \$15,000	563	186,738	9	1.8	00.4-03.2	554	98.2	96.8-99.6
\$15,000- 24,999	867	310,713	21	1.4	00.6-02.2	846	98.6	97.8-99.4
\$25,000- 34,999	477	196,924	9	2.5	00.3-04.7	468	97.5	95.3-99.7
\$35,000- 49,999	589	243,313	17	2.9	01.1-04.7	572	97.1	95.3-98.9
\$50,000- 74,999	546	263,685	18	2.1	00.7-03.5	528	97.9	96.5-99.3
\$75,000+	721	408,843	42	5.3	03.1-07.5	679	94.7	92.5-96.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 46: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	269	105,006	132	67.5	60.2-74.8	119	28.6	21.5-35.7	14	2.2	00.8-03.6	4	1.7	00.0-04.1
Male	135	52,932	66	65.1	54.5-75.7	62	32.8	22.2-43.4	5	1.6	00.0-03.2	2	0.6	00.0-01.4
Female	134	52,074	66	70.0	60.2-79.8	57	24.3	15.5-33.1	9	2.9	00.7-05.1	2	2.8	00.0-07.5
White/Non-Hisp	207	86,532	107	68.9	60.9-76.9	85	28.3	20.3-36.3	13	2.3	00.7-03.9	2	0.4	00.0-01.0
45-54	57	31,163	36	84.1	75.5-92.7	21	15.9	07.3-24.5						
55-64	81	19,242	38	64.3	52.7-75.9	37	32.1	21.1-43.1	4	2.1	00.0-04.3	2	1.5	00.0-03.7
65+	86	20,382	33	51.4	37.9-64.9	45	42.8	29.9-55.7	7	4.8	01.1-08.5	1	1.0	00.0-03.0
H.S. or G.E.D.	82	35,441	45	70.1	57.9-82.3	29	25.3	13.5-37.1	8	4.7	01.2-08.2			
Some Post-H.S.	55	20,119	23	60.1	43.4-76.8	29	38.2	21.9-54.5	2	0.8	00.0-02.0	1	1.0	00.0-03.0
College Graduate	123	43,946	60	72.8	62.4-83.2	57	25.3	15.1-35.5	4	1.2	00.0-02.6	2	0.7	00.0-01.7
\$75,000+	97	47,912	48	73.2	62.6-83.8	45	25.7	15.1-36.3	3	0.8	00.0-01.8	1	0.2	00.0-00.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2011

SECTION 8: DEMOGRAPHICS

TABLE 47: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	135	52,932	66	65.1	55.3-74.9	62	32.8	23.2-42.4	5	1.6	00.0-03.2	2	0.6	00.0-01.4
White/Non-Hisp	103	42,249	51	65.0	52.8-77.2	47	33.4	21.2-45.6	4	1.2	00.0-02.4	1	0.4	00.0-01.2
College Graduate	66	24,482	30	66.5	54.2-78.8	32	31.5	19.7-43.3	2	0.8	00.0-02.0	2	1.2	00.0-03.0
\$75,000+	55	26,222	22	62.9	48.6-77.2	29	35.2	21.3-49.1	3	1.5	00.0-03.3	1	0.5	00.0-01.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2011

SECTION 8: DEMOGRAPHICS

TABLE 48: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	134	52,074	66	70.0	60.6-79.4	57	24.3	15.5-33.1	9	2.9	00.5-05.3	2	2.8	00.0-07.5
White/Non-Hisp	104	44,282	56	72.6	62.6-82.6	38	23.5	13.7-33.3	9	3.4	00.7-06.1	1	0.4	00.0-01.2
College Graduate	57	19,464	30	80.7	69.9-91.5	25	17.5	07.3-27.7	2	1.8	00.0-04.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

**TABLE 49: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7311	3,651,120	5418	79.1	77.7-80.5	1893	20.9	19.5-22.3
Male	2720	1,684,711	1986	76.7	74.5-78.9	734	23.3	21.1-25.5
Female	4591	1,966,409	3432	81.0	79.4-82.6	1159	19.0	17.4-20.6
White/Non-Hisp	5908	3,113,771	4571	81.6	80.2-83.0	1337	18.4	17.0-19.8
Black or Afr. Am./Non-Hisp	882	268,311	536	68.5	63.0-74.0	346	31.5	26.0-37.0
Oth. Race/Non-Hisp.	98	47,153	65	65.7	50.2-81.2	33	34.3	18.8-49.8
MultiRacial/Non-Hisp.	81	38,008	52	67.2	51.9-82.5	29	32.8	17.5-48.1
Hispanic	209	129,890	112	54.1	42.9-65.3	97	45.9	34.7-57.1
18-24	190	339,188	134	71.7	64.1-79.3	56	28.3	20.7-35.9
25-34	517	450,269	403	79.8	75.5-84.1	114	20.2	15.9-24.5
35-44	849	622,178	693	85.0	82.1-87.9	156	15.0	12.1-17.9
45-54	1323	751,216	1041	83.5	81.0-86.0	282	16.5	14.0-19.0
55-64	1701	643,468	1328	82.5	80.3-84.7	373	17.5	15.3-19.7
65+	2653	816,261	1764	70.4	68.2-72.6	889	29.6	27.4-31.8
Less Than H.S.	707	479,090	332	54.5	49.0-60.0	375	45.5	40.0-51.0
H.S. or G.E.D.	2787	1,336,402	1881	75.0	72.8-77.2	906	25.0	22.8-27.2
Some Post-H.S.	1767	1,046,267	1407	86.2	84.2-88.2	360	13.8	11.8-15.8
College Graduate	2024	778,341	1785	91.7	90.3-93.1	239	8.3	06.9-09.7
Less than \$15,000	798	310,396	365	51.8	46.5-57.1	433	48.2	42.9-53.5
\$15,000- 24,999	1293	540,871	780	64.7	61.0-68.4	513	35.3	31.6-39.0
\$25,000- 34,999	790	381,973	575	76.7	72.6-80.8	215	23.3	19.2-27.4
\$35,000- 49,999	985	474,403	797	83.3	80.2-86.4	188	16.7	13.6-19.8
\$50,000- 74,999	923	508,858	820	91.4	89.2-93.6	103	8.6	06.4-10.8
\$75,000+	1334	816,673	1257	95.0	93.4-96.6	77	5.0	03.4-06.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 50: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2720	1,684,711	1986	76.7	74.5-78.9	734	23.3	21.1-25.5
White/Non-Hisp	2227	1,407,695	1690	79.1	76.9-81.3	537	20.9	18.7-23.1
Black or Afr. Am./Non-Hisp	274	123,752	170	69.9	60.9-78.9	104	30.1	21.1-39.1
Oth. Race/Non-Hisp.	53	35,121	34	61.6	41.8-81.4	19	38.4	18.6-58.2
Hispanic	72	66,548	36	59.3	41.9-76.7	36	40.7	23.3-58.1
18-24	90	176,216	60	68.9	57.7-80.1	30	31.1	19.9-42.3
25-34	163	195,057	116	74.1	66.1-82.1	47	25.9	17.9-33.9
35-44	339	293,696	263	80.6	75.7-85.5	76	19.4	14.5-24.3
45-54	557	361,647	425	80.0	75.9-84.1	132	20.0	15.9-24.1
55-64	653	308,968	502	80.8	77.3-84.3	151	19.2	15.7-22.7
65+	894	339,377	606	71.8	68.3-75.3	288	28.2	24.7-31.7
Less Than H.S.	277	245,313	140	56.1	48.1-64.1	137	43.9	35.9-51.9
H.S. or G.E.D.	989	619,398	664	72.4	68.9-75.9	325	27.6	24.1-31.1
Some Post-H.S.	624	454,383	471	83.6	80.1-87.1	153	16.4	12.9-19.9
College Graduate	820	360,584	707	89.9	87.5-92.3	113	10.1	07.7-12.5
Less than \$15,000	237	124,115	92	43.3	34.3-52.3	145	56.7	47.7-65.7
\$15,000- 24,999	428	230,368	241	62.3	56.0-68.6	187	37.7	31.4-44.0
\$25,000- 34,999	314	185,771	221	75.4	69.3-81.5	93	24.6	18.5-30.7
\$35,000- 49,999	400	232,499	306	77.9	72.2-83.6	94	22.1	16.4-27.8
\$50,000- 74,999	377	245,173	319	87.7	83.8-91.6	58	12.3	08.4-16.2
\$75,000+	616	408,381	569	92.5	89.6-95.4	47	7.5	04.6-10.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 51: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4591	1,966,409	3432	81.0	79.4-82.6	1159	19.0	17.4-20.6
White/Non-Hisp	3681	1,706,076	2881	83.6	82.0-85.2	800	16.4	14.8-18.0
Black or Afr. Am./Non-Hisp	608	144,559	366	67.2	60.5-73.9	242	32.8	26.1-39.5
Hispanic	137	63,342	76	48.7	35.4-62.0	61	51.3	38.0-64.6
18-24	100	162,972	74	74.9	64.5-85.3	26	25.1	14.7-35.5
25-34	354	255,212	287	84.1	79.4-88.8	67	15.9	11.2-20.6
35-44	510	328,482	430	88.9	85.8-92.0	80	11.1	08.0-14.2
45-54	766	389,569	616	86.7	83.8-89.6	150	13.3	10.4-16.2
55-64	1048	334,500	826	84.1	81.6-86.6	222	15.9	13.4-18.4
65+	1759	476,884	1158	69.3	66.6-72.0	601	30.7	28.0-33.4
Less Than H.S.	430	233,776	192	52.8	45.5-60.1	238	47.2	39.9-54.5
H.S. or G.E.D.	1798	717,004	1217	77.2	74.7-79.7	581	22.8	20.3-25.3
Some Post-H.S.	1143	591,884	936	88.2	85.8-90.6	207	11.8	09.4-14.2
College Graduate	1204	417,757	1078	93.2	91.6-94.8	126	6.8	05.2-08.4
Less than \$15,000	561	186,281	273	57.5	51.4-63.6	288	42.5	36.4-48.6
\$15,000- 24,999	865	310,503	539	66.4	61.9-70.9	326	33.6	29.1-38.1
\$25,000- 34,999	476	196,202	354	77.9	72.2-83.6	122	22.1	16.4-27.8
\$35,000- 49,999	585	241,904	491	88.5	85.6-91.4	94	11.5	08.6-14.4
\$50,000- 74,999	546	263,685	501	94.8	92.6-97.0	45	5.2	03.0-07.4
\$75,000+	718	408,292	688	97.4	96.2-98.6	30	2.6	01.4-03.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 52: DO YOU SHARE A CELL PHONE FOR PERSONAL USE (AT LEAST ONE-THIRD OF THE TIME) WITH OTHER ADULTS? (CPDEMO2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1219	488,855	66	8.9	05.8-12.0	1153	91.1	88.0-94.2
Male	477	254,094	28	9.6	04.9-14.3	449	90.4	85.7-95.1
Female	742	234,760	38	8.1	04.2-12.0	704	91.9	88.0-95.8
White/Non-Hisp	852	357,122	47	9.9	06.2-13.6	805	90.1	86.4-93.8
Black or Afr. Am./Non-Hisp	230	56,693	10	3.0	00.8-05.2	220	97.0	94.8-99.2
Hispanic	65	46,574	4	7.5	00.0-19.3	61	92.5	80.7-0100
25-34	80	66,678	7	10.2	00.4-20.0	73	89.8	80.0-99.6
35-44	101	58,777	4	2.2	00.0-04.6	97	97.8	95.4-0100
45-54	176	77,952	13	13.4	05.2-21.6	163	86.6	78.4-94.8
55-64	257	82,098	9	3.8	00.9-06.7	248	96.2	93.3-99.1
65+	557	147,553	30	9.2	05.3-13.1	527	90.8	86.9-94.7
Less Than H.S.	236	140,610	10	9.9	01.7-18.1	226	90.1	81.9-98.3
H.S. or G.E.D.	585	216,845	35	7.7	04.4-11.0	550	92.3	89.0-95.6
Some Post-H.S.	243	90,293	12	9.1	03.4-14.8	231	90.9	85.2-96.6
College Graduate	149	40,593	9	11.0	03.0-19.0	140	89.0	81.0-97.0
Less than \$15,000	277	94,974	9	2.0	00.2-03.8	268	98.0	96.2-99.8
\$15,000- 24,999	338	128,919	9	3.9	00.8-07.0	329	96.1	93.0-99.2
\$25,000- 34,999	134	56,216	10	18.8	04.1-33.5	124	81.2	66.5-95.9
\$35,000- 49,999	117	48,962	12	25.0	09.1-40.9	105	75.0	59.1-90.9
\$50,000- 74,999	69	27,217	3	3.4	00.0-07.9	66	96.6	92.1-0100
\$75,000+	55	29,297	9	20.5	07.0-34.0	46	79.5	66.0-93.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 53: DO YOU SHARE A CELL PHONE FOR PERSONAL USE (AT LEAST ONE-THIRD OF THE TIME) WITH OTHER ADULTS? (CPDEMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	477	254,094	28	9.6	04.9-14.3	449	90.4	85.7-95.1
White/Non-Hisp	341	184,264	20	10.0	04.5-15.5	321	90.0	84.5-95.5
Black or Afr. Am./Non-Hisp	70	23,097	3	2.6	00.0-05.9	67	97.4	94.1-0100
35-44	51	37,423				51	100.0	0100-0100
45-54	81	45,752	7	16.4	03.7-29.1	74	83.6	70.9-96.3
55-64	109	43,404	3	3.3	00.0-07.2	106	96.7	92.8-0100
65+	177	59,599	14	10.9	05.0-16.8	163	89.1	83.2-95.0
Less Than H.S.	83	69,517	3	11.8	00.0-24.7	80	88.2	75.3-0100
H.S. or G.E.D.	214	110,586	12	6.5	01.6-11.4	202	93.5	88.6-98.4
Some Post-H.S.	107	50,929	7	10.9	02.1-19.7	100	89.1	80.3-97.9
College Graduate	70	22,801	6	15.2	03.0-27.4	64	84.8	72.6-97.0
Less than \$15,000	94	44,842	1	0.1	00.0-00.3	93	99.9	99.7-0100
\$15,000- 24,999	128	62,001	2	2.6	00.0-07.3	126	97.4	92.7-0100
\$25,000- 34,999	61	29,994	6	17.6	00.2-35.0	55	82.4	65.0-99.8
\$35,000- 49,999	54	29,800	7	33.2	10.3-56.1	47	66.8	43.9-89.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 54: DO YOU SHARE A CELL PHONE FOR PERSONAL USE (AT LEAST ONE-THIRD OF THE TIME) WITH OTHER ADULTS? (CPDEMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	742	234,760	38	8.1	04.2-12.0	704	91.9	88.0-95.8
White/Non-Hisp	511	172,858	27	9.8	04.7-14.9	484	90.2	85.1-95.3
Black or Afr. Am./Non-Hisp	160	33,597	7	3.2	00.5-05.9	153	96.8	94.1-99.5
35-44	50	21,355	4	6.1	00.0-12.4	46	93.9	87.6-0100
45-54	95	32,200	6	9.2	01.2-17.2	89	90.8	82.8-98.8
55-64	148	38,694	6	4.4	00.0-08.9	142	95.6	91.1-0100
65+	380	87,954	16	8.0	02.9-13.1	364	92.0	86.9-97.1
Less Than H.S.	153	71,093	7	8.1	00.0-18.5	146	91.9	81.5-0100
H.S. or G.E.D.	371	106,260	23	8.9	04.4-13.4	348	91.1	86.6-95.6
Some Post-H.S.	136	39,364	5	6.7	00.8-12.6	131	93.3	87.4-99.2
College Graduate	79	17,792	3	5.7	00.0-14.1	76	94.3	85.9-0100
Less than \$15,000	183	50,133	8	3.7	00.6-06.8	175	96.3	93.2-99.4
\$15,000- 24,999	210	66,918	7	5.0	00.5-09.5	203	95.0	90.5-99.5
\$25,000- 34,999	73	26,222	4	20.2	00.0-44.3	69	79.8	55.7-0100
\$35,000- 49,999	63	19,162	5	12.3	01.5-23.1	58	87.7	76.9-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 55: DO YOU USUALLY SHARE THIS CELL PHONE (AT LEAST ONE-THIRD OF THE TIME) WITH ANY OTHER ADULTS? (CPDEMO3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5399	2,878,206	758	14.4	13.2-15.6	4641	85.6	84.4-86.8
Male	1981	1,290,028	283	13.4	11.6-15.2	1698	86.6	84.8-88.4
Female	3418	1,588,178	475	15.2	13.4-17.0	2943	84.8	83.0-86.6
White/Non-Hisp	4556	2,532,693	620	13.6	12.4-14.8	3936	86.4	85.2-87.6
Black or Afr. Am./Non-Hisp	534	183,462	82	17.7	12.0-23.4	452	82.3	76.6-88.0
Oth. Race/Non-Hisp.	65	30,967	8	19.0	03.1-34.9	57	81.0	65.1-96.9
MultiRacial/Non-Hisp.	52	25,554	5	15.4	00.0-31.1	47	84.6	68.9-0100
Hispanic	112	70,313	29	25.3	13.1-37.5	83	74.7	62.5-86.9
18-24	134	243,361	22	13.4	07.1-19.7	112	86.6	80.3-92.9
25-34	401	357,592	55	13.4	09.3-17.5	346	86.6	82.5-90.7
35-44	690	527,230	78	9.8	07.3-12.3	612	90.2	87.7-92.7
45-54	1038	625,818	128	14.3	11.6-17.0	910	85.7	83.0-88.4
55-64	1324	528,807	174	14.2	11.8-16.6	1150	85.8	83.4-88.2
65+	1757	572,400	292	19.6	17.2-22.0	1465	80.4	78.0-82.8
Less Than H.S.	332	261,034	67	20.9	15.0-26.8	265	79.1	73.2-85.0
H.S. or G.E.D.	1872	997,756	282	15.0	13.0-17.0	1590	85.0	83.0-87.0
Some Post-H.S.	1402	900,486	172	12.8	10.4-15.2	1230	87.2	84.8-89.6
College Graduate	1780	711,276	235	13.2	11.2-15.2	1545	86.8	84.8-88.8
Less than \$15,000	363	160,158	53	20.5	13.8-27.2	310	79.5	72.8-86.2
\$15,000- 24,999	778	348,586	120	16.7	13.2-20.2	658	83.3	79.8-86.8
\$25,000- 34,999	574	292,750	92	15.8	11.9-19.7	482	84.2	80.3-88.1
\$35,000- 49,999	796	394,788	124	16.5	13.0-20.0	672	83.5	80.0-87.0
\$50,000- 74,999	818	463,816	106	13.4	10.3-16.5	712	86.6	83.5-89.7
\$75,000+	1255	774,877	127	9.6	07.6-11.6	1128	90.4	88.4-92.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 56: DO YOU USUALLY SHARE THIS CELL PHONE (AT LEAST ONE-THIRD OF THE TIME) WITH ANY OTHER ADULTS? (CPDEMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1981	1,290,028	283	13.4	11.6-15.2	1698	86.6	84.8-88.4
White/Non-Hisp	1685	1,110,530	230	12.1	10.3-13.9	1455	87.9	86.1-89.7
Black or Afr. Am./Non-Hisp	170	86,451	31	23.1	13.1-33.1	139	76.9	66.9-86.9
18-24	60	121,370	10	9.7	02.8-16.6	50	90.3	83.4-97.2
25-34	115	143,517	15	9.9	04.0-15.8	100	90.1	84.2-96.0
35-44	262	236,224	24	8.6	04.9-12.3	238	91.4	87.7-95.1
45-54	424	289,027	53	14.5	10.2-18.8	371	85.5	81.2-89.8
55-64	501	248,770	60	13.2	09.5-16.9	441	86.8	83.1-90.5
65+	605	243,420	118	20.1	16.4-23.8	487	79.9	76.2-83.6
Less Than H.S.	140	137,680	32	20.0	12.2-27.8	108	80.0	72.2-87.8
H.S. or G.E.D.	662	447,003	99	12.9	10.0-15.8	563	87.1	84.2-90.0
Some Post-H.S.	469	379,635	59	12.4	08.9-15.9	410	87.6	84.1-91.1
College Graduate	706	323,206	92	12.4	09.5-15.3	614	87.6	84.7-90.5
Less than \$15,000	92	53,709	16	22.3	10.9-33.7	76	77.7	66.3-89.1
\$15,000- 24,999	241	143,475	45	18.8	12.5-25.1	196	81.2	74.9-87.5
\$25,000- 34,999	220	139,824	35	14.1	08.6-19.6	185	85.9	80.4-91.4
\$35,000- 49,999	305	180,758	49	14.4	09.5-19.3	256	85.6	80.7-90.5
\$50,000- 74,999	319	214,933	39	11.7	07.6-15.8	280	88.3	84.2-92.4
\$75,000+	568	377,828	56	8.7	06.0-11.4	512	91.3	88.6-94.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 57: DO YOU USUALLY SHARE THIS CELL PHONE (AT LEAST ONE-THIRD OF THE TIME) WITH ANY OTHER ADULTS? (CPDEMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3418	1,588,178	475	15.2	13.4-17.0	2943	84.8	83.0-86.6
White/Non-Hisp	2871	1,422,163	390	14.8	13.0-16.6	2481	85.2	83.4-87.0
Black or Afr. Am./Non-Hisp	364	97,010	51	12.8	06.7-18.9	313	87.2	81.1-93.3
Hispanic	76	30,856	21	36.7	18.7-54.7	55	63.3	45.3-81.3
18-24	74	121,992	12	17.1	07.1-27.1	62	82.9	72.9-92.9
25-34	286	214,074	40	15.8	10.3-21.3	246	84.2	78.7-89.7
35-44	428	291,006	54	10.7	07.4-14.0	374	89.3	86.0-92.6
45-54	614	336,791	75	14.1	10.6-17.6	539	85.9	82.4-89.4
55-64	823	280,037	114	15.2	12.1-18.3	709	84.8	81.7-87.9
65+	1152	328,980	174	19.2	16.3-22.1	978	80.8	77.9-83.7
Less Than H.S.	192	123,354	35	21.9	13.1-30.7	157	78.1	69.3-86.9
H.S. or G.E.D.	1210	550,753	183	16.7	14.0-19.4	1027	83.3	80.6-86.0
Some Post-H.S.	933	520,851	113	13.1	10.2-16.0	820	86.9	84.0-89.8
College Graduate	1074	388,070	143	13.8	11.1-16.5	931	86.2	83.5-88.9
Less than \$15,000	271	106,450	37	19.6	11.2-28.0	234	80.4	72.0-88.8
\$15,000- 24,999	537	205,112	75	15.3	11.2-19.4	462	84.7	80.6-88.8
\$25,000- 34,999	354	152,926	57	17.3	11.6-23.0	297	82.7	77.0-88.4
\$35,000- 49,999	491	214,031	75	18.2	13.5-22.9	416	81.8	77.1-86.5
\$50,000- 74,999	499	248,884	67	14.8	10.1-19.5	432	85.2	80.5-89.9
\$75,000+	687	397,048	71	10.5	07.8-13.2	616	89.5	86.8-92.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 58: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		ZERO			1-20%			21-40%			41-60%			61-80%			81-100%		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	62	38,210	14	15.1	06.5-23.7	27	42.6	23.0-62.2	11	13.2	04.0-22.4	6	17.2	00.0-35.8	3	11.6	00.0-26.9	1	0.4	00.0-01.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS

TABLE 59: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS

TABLE 60: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 61: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8382	4,841,628	6352	71.5	70.1-72.9	1715	22.2	21.0-23.4	315	6.3	05.3-07.3
Male	3260	2,354,881	2483	70.7	68.5-72.9	641	22.4	20.4-24.4	136	6.9	05.5-08.3
Female	5122	2,486,746	3869	72.3	70.5-74.1	1074	22.1	20.5-23.7	179	5.7	04.5-06.9
18-24	376	647,395	113	36.1	30.2-42.0	171	38.2	32.7-43.7	92	25.7	20.6-30.8
25-34	818	826,108	427	52.8	48.7-56.9	336	39.8	35.9-43.7	55	7.4	05.2-09.6
35-44	1031	831,482	754	75.1	72.0-78.2	247	21.5	18.6-24.4	30	3.3	01.9-04.7
45-54	1537	919,044	1179	81.0	78.6-83.4	312	16.5	14.3-18.7	46	2.5	01.7-03.3
55-64	1837	729,888	1508	86.7	84.9-88.5	289	11.9	10.1-13.7	40	1.4	00.8-02.0
65+	2707	853,271	2305	89.1	87.7-90.5	352	9.3	08.1-10.5	50	1.7	01.1-02.3
Less Than H.S.	851	703,597	461	50.6	45.9-55.3	338	39.7	35.2-44.2	52	9.8	06.5-13.1
H.S. or G.E.D.	3115	1,711,814	2333	71.6	69.2-74.0	655	21.7	19.7-23.7	127	6.7	05.1-08.3
Some Post-H.S.	2074	1,428,061	1543	72.2	69.5-74.9	449	21.3	18.9-23.7	82	6.5	04.7-08.3
College Graduate	2315	986,170	2000	85.5	83.7-87.3	262	11.8	10.2-13.4	53	2.7	01.7-03.7
Less than \$15,000	994	546,751	378	33.7	29.6-37.8	534	55.6	51.1-60.1	82	10.7	07.8-13.6
\$15,000- 24,999	1500	781,536	968	57.5	54.0-61.0	478	37.2	33.7-40.7	54	5.3	03.3-07.3
\$25,000- 34,999	901	510,045	693	71.9	67.6-76.2	182	24.2	19.9-28.5	26	3.9	02.1-05.7
\$35,000- 49,999	1140	639,449	963	80.5	77.2-83.8	153	16.5	13.6-19.4	24	3.0	01.2-04.8
\$50,000- 74,999	1070	652,830	950	85.7	82.6-88.8	100	11.5	08.6-14.4	20	2.8	01.2-04.4
\$75,000+	1507	964,118	1436	93.9	92.1-95.7	51	3.4	02.2-04.6	20	2.7	01.1-04.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 62: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3260	2,354,881	2483	70.7	68.5-72.9	641	22.4	20.4-24.4	136	6.9	05.5-08.3
18-24	177	329,797	57	39.3	30.9-47.7	70	31.1	24.0-38.2	50	29.6	22.0-37.2
25-34	315	415,284	158	49.7	43.4-56.0	135	41.7	35.6-47.8	22	8.6	04.9-12.3
35-44	435	421,648	317	73.2	68.3-78.1	103	23.5	18.8-28.2	15	3.4	01.2-05.6
45-54	662	455,324	507	80.3	76.8-83.8	141	18.5	15.0-22.0	14	1.2	00.4-02.0
55-64	723	360,226	606	87.5	84.8-90.2	100	11.1	08.6-13.6	17	1.3	00.5-02.1
65+	923	360,037	819	91.4	89.2-93.6	87	7.4	05.4-09.4	17	1.2	00.4-02.0
Less Than H.S.	357	383,748	202	51.2	44.5-57.9	131	38.1	31.6-44.6	24	10.7	05.8-15.6
H.S. or G.E.D.	1149	835,653	862	70.3	66.8-73.8	224	21.1	18.0-24.2	63	8.6	06.1-11.1
Some Post-H.S.	765	649,588	581	72.9	68.8-77.0	157	21.3	17.6-25.0	27	5.8	03.1-08.5
College Graduate	979	480,860	833	84.2	81.5-86.9	125	13.3	10.8-15.8	21	2.4	01.0-03.8
Less than \$15,000	321	236,670	119	32.7	25.8-39.6	167	56.8	49.5-64.1	35	10.5	06.0-15.0
\$15,000- 24,999	521	356,919	329	56.3	50.4-62.2	172	38.3	32.6-44.0	20	5.4	02.5-08.3
\$25,000- 34,999	365	257,004	283	71.4	64.7-78.1	73	25.7	19.2-32.2	9	2.9	00.5-05.3
\$35,000- 49,999	490	339,953	401	77.1	72.0-82.2	77	18.9	14.4-23.4	12	3.9	01.0-06.8
\$50,000- 74,999	455	336,558	397	85.6	81.3-89.9	54	12.6	08.7-16.5	4	1.8	00.0-03.8
\$75,000+	717	500,289	678	92.6	89.7-95.5	28	3.8	02.2-05.4	11	3.6	00.9-06.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 63: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5122	2,486,746	3869	72.3	70.5-74.1	1074	22.1	20.5-23.7	179	5.7	04.5-06.9
18-24	199	317,598	56	32.9	25.1-40.7	101	45.5	37.7-53.3	42	21.6	15.1-28.1
25-34	503	410,825	269	55.9	50.8-61.0	201	37.9	33.0-42.8	33	6.2	03.7-08.7
35-44	596	409,834	437	77.2	73.3-81.1	144	19.6	15.9-23.3	15	3.2	01.2-05.2
45-54	875	463,720	672	81.8	78.9-84.7	171	14.6	11.9-17.3	32	3.7	02.3-05.1
55-64	1114	369,662	902	85.8	83.4-88.2	189	12.6	10.4-14.8	23	1.6	00.8-02.4
65+	1784	493,234	1486	87.4	85.6-89.2	265	10.6	09.0-12.2	33	2.0	01.2-02.8
Less Than H.S.	494	319,849	259	49.8	43.3-56.3	207	41.6	35.3-47.9	28	8.7	04.4-13.0
H.S. or G.E.D.	1966	876,162	1471	72.8	69.9-75.7	431	22.3	19.6-25.0	64	4.9	03.3-06.5
Some Post-H.S.	1309	778,472	962	71.6	68.3-74.9	292	21.2	18.3-24.1	55	7.1	04.9-09.3
College Graduate	1336	505,310	1167	86.7	84.3-89.1	137	10.4	08.2-12.6	32	2.9	01.5-04.3
Less than \$15,000	673	310,081	259	34.4	29.3-39.5	367	54.7	49.2-60.2	47	10.9	07.0-14.8
\$15,000- 24,999	979	424,618	639	58.5	54.0-63.0	306	36.3	32.0-40.6	34	5.2	02.8-07.6
\$25,000- 34,999	536	253,041	410	72.4	66.7-78.1	109	22.6	17.3-27.9	17	5.0	02.1-07.9
\$35,000- 49,999	650	299,495	562	84.4	80.5-88.3	76	13.7	10.0-17.4	12	1.9	00.3-03.5
\$50,000- 74,999	615	316,272	553	85.7	81.2-90.2	46	10.4	06.3-14.5	16	3.9	01.4-06.4
\$75,000+	790	463,829	758	95.2	93.2-97.2	23	3.0	01.4-04.6	9	1.8	00.4-03.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 64: INDICATE SEX OF RESPONDENT. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8495	4,900,571	3297	48.7	47.1-50.3	5198	51.3	49.7-52.9
White/Non-Hisp	6859	4,062,439	2697	47.6	46.0-49.2	4162	52.4	50.8-54.0
Black or Afr. Am./Non-Hisp	966	403,787	308	48.4	42.7-54.1	658	51.6	45.9-57.3
Oth. Race/Non-Hisp.	130	75,053	70	71.6	62.2-81.0	60	28.4	19.0-37.8
MultiRacial/Non-Hisp.	107	54,527	39	53.3	40.6-66.0	68	46.7	34.0-59.4
Hispanic	287	237,463	113	56.7	48.9-64.5	174	43.3	35.5-51.1
18-24	380	654,605	180	51.3	45.6-57.0	200	48.7	43.0-54.4
25-34	828	837,441	321	50.7	46.6-54.8	507	49.3	45.2-53.4
35-44	1038	837,316	439	50.7	47.0-54.4	599	49.3	45.6-53.0
45-54	1556	927,317	668	49.6	46.5-52.7	888	50.4	47.3-53.5
55-64	1865	740,457	732	49.4	46.5-52.3	1133	50.6	47.7-53.5
65+	2741	865,591	931	42.0	39.6-44.4	1810	58.0	55.6-60.4
Less Than H.S.	862	711,674	360	54.6	50.1-59.1	502	45.4	40.9-49.9
H.S. or G.E.D.	3158	1,731,593	1164	48.9	46.5-51.3	1994	51.1	48.7-53.5
Some Post-H.S.	2101	1,441,764	775	45.5	42.6-48.4	1326	54.5	51.6-57.4
College Graduate	2345	1,002,488	987	48.8	46.3-51.3	1358	51.2	48.7-53.7
Less than \$15,000	1009	558,834	328	44.0	39.5-48.5	681	56.0	51.5-60.5
\$15,000- 24,999	1510	784,332	523	45.5	41.8-49.2	987	54.5	50.8-58.2
\$25,000- 34,999	908	513,890	368	50.5	45.8-55.2	540	49.5	44.8-54.2
\$35,000- 49,999	1147	641,504	491	53.0	49.3-56.7	656	47.0	43.3-50.7
\$50,000- 74,999	1073	653,533	458	51.6	47.7-55.5	615	48.4	44.5-52.3
\$75,000+	1517	971,385	721	52.1	49.0-55.2	796	47.9	44.8-51.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 8: DEMOGRAPHICS**

TABLE 65: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 45 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1296	1,135,920	54	5.0	03.4-06.6	1242	95.0	93.4-96.6
White/Non-Hisp	979	907,699	41	4.9	03.1-06.7	938	95.1	93.3-96.9
Black or Afr. Am./Non-Hisp	165	119,098	5	3.6	00.0-07.3	160	96.4	92.7-0100
Hispanic	88	73,583	5	7.4	00.5-14.3	83	92.6	85.7-99.5
18-24	198	313,587	14	7.0	02.9-11.1	184	93.0	88.9-97.1
25-34	501	409,938	32	7.3	04.6-10.0	469	92.7	90.0-95.4
35-44	597	412,395	8	1.3	00.3-02.3	589	98.7	97.7-99.7
Less Than H.S.	133	175,778	11	8.4	02.1-14.7	122	91.6	85.3-97.9
H.S. or G.E.D.	328	298,707	13	5.2	02.3-08.1	315	94.8	91.9-97.7
Some Post-H.S.	395	395,182	12	3.7	01.3-06.1	383	96.3	93.9-98.7
College Graduate	438	264,944	18	4.5	02.3-06.7	420	95.5	93.3-97.7
Less than \$15,000	188	168,073	13	7.7	03.2-12.2	175	92.3	87.8-96.8
\$15,000- 24,999	206	185,060	4	2.7	00.0-05.4	202	97.3	94.6-0100
\$25,000- 34,999	113	108,081	5	3.4	00.0-07.1	108	96.6	92.9-0100
\$35,000- 49,999	158	122,199	7	5.5	01.4-09.6	151	94.5	90.4-98.6
\$50,000- 74,999	187	148,129	5	3.1	00.2-06.0	182	96.9	94.0-99.8
\$75,000+	284	223,543	13	4.2	01.7-06.7	271	95.8	93.3-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011**

SECTION 9: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU1)	
1	MALES AND FEMALES	168
2	MALES ONLY	169
3	FEMALES ONLY	170
	DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)	
4	MALES AND FEMALES	171
5	MALES ONLY	172
6	FEMALES ONLY	173
	DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)	
7	MALES AND FEMALES	174
8	MALES ONLY	175
9	FEMALES ONLY	176
	DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)	
10	MALES AND FEMALES	177
11	MALES ONLY	178
12	FEMALES ONLY	179
	DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)	
13	MALES AND FEMALES	180
14	MALES ONLY	181
15	FEMALES ONLY	182
	NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES? EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH AS BAKED OR MASHED POTATOES. (VEGETAB1)	
16	MALES AND FEMALES	183
17	MALES ONLY	184

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011

SECTION 9: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE

18 FEMALES ONLY

PAGE

185

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 1: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8017	4,604,598	1902	20.3	19.1-21.5	1601	22.6	21.2-24.0	1800	24.1	22.7-25.5	2714	32.9	31.5-34.3
Male	3091	2,222,245	750	19.9	18.1-21.7	649	24.0	21.8-26.2	733	24.8	22.8-26.8	959	31.2	29.0-33.4
Female	4926	2,382,353	1152	20.8	19.2-22.4	952	21.2	19.6-22.8	1067	23.5	21.7-25.3	1755	34.5	32.7-36.3
White/Non-Hisp	6524	3,840,812	1492	20.1	18.9-21.3	1270	22.0	20.6-23.4	1467	23.6	22.2-25.0	2295	34.3	32.7-35.9
Black or Afr. Am./Non-Hisp	871	358,373	251	23.3	18.2-28.4	195	25.5	20.2-30.8	203	27.7	22.2-33.2	222	23.5	18.4-28.6
Oth. Race/Non-Hisp.	124	71,926	39	26.3	15.7-36.9	24	19.0	09.8-28.2	26	21.7	12.1-31.3	35	33.0	20.7-45.3
MultiRacial/Non-Hisp.	97	47,856	22	19.3	08.7-29.9	20	28.2	15.1-41.3	18	18.6	07.0-30.2	37	33.9	21.6-46.2
Hispanic	268	224,048	58	16.1	10.8-21.4	64	28.2	20.2-36.2	60	28.3	19.9-36.7	86	27.3	20.0-34.6
18-24	356	610,491	72	20.0	15.3-24.7	108	28.3	23.0-33.6	97	28.6	23.1-34.1	79	23.1	18.0-28.2
25-34	773	774,512	151	17.5	14.6-20.4	214	28.7	24.8-32.6	199	25.4	21.7-29.1	209	28.3	24.6-32.0
35-44	980	786,216	148	14.6	11.9-17.3	256	25.6	22.3-28.9	239	24.4	21.3-27.5	337	35.4	31.7-39.1
45-54	1490	885,506	280	18.0	15.6-20.4	297	20.2	17.7-22.7	381	24.9	22.2-27.6	532	36.9	34.0-39.8
55-64	1781	705,539	397	20.6	18.2-23.0	339	19.3	16.9-21.7	416	23.8	21.3-26.3	629	36.3	33.6-39.0
65+	2563	808,547	831	30.7	28.5-32.9	369	14.8	13.0-16.6	457	19.1	17.1-21.1	906	35.5	33.1-37.9
Less Than H.S.	790	654,454	160	16.1	12.6-19.6	143	23.1	18.8-27.4	164	21.2	17.3-25.1	323	39.7	35.0-44.4
H.S. or G.E.D.	2938	1,609,245	691	21.1	19.1-23.1	561	21.3	19.1-23.5	592	22.6	20.4-24.8	1094	35.0	32.6-37.4
Some Post-H.S.	1985	1,362,142	470	20.5	18.1-22.9	402	22.6	20.1-25.1	477	25.9	23.4-28.4	636	30.9	28.2-33.6
College Graduate	2278	967,352	578	21.8	19.6-24.0	493	24.4	22.0-26.8	560	26.1	23.7-28.5	647	27.7	25.3-30.1
Less than \$15,000	947	523,019	199	17.8	14.5-21.1	164	19.1	15.4-22.8	212	25.7	21.6-29.8	372	37.4	32.9-41.9
\$15,000- 24,999	1408	730,712	354	21.2	18.3-24.1	282	24.3	21.0-27.6	280	23.7	20.6-26.8	492	30.8	27.5-34.1
\$25,000- 34,999	864	491,026	221	23.1	19.2-27.0	141	19.4	15.3-23.5	207	25.4	21.1-29.7	295	32.1	27.8-36.4
\$35,000- 49,999	1095	605,989	261	21.4	18.3-24.5	224	23.4	19.9-26.9	244	23.3	20.0-26.6	366	31.8	28.3-35.3
\$50,000- 74,999	1035	624,730	225	19.3	16.2-22.4	228	22.2	18.9-25.5	255	26.5	22.8-30.2	327	31.9	28.2-35.6
\$75,000+	1475	937,881	312	19.7	17.2-22.2	346	24.3	21.6-27.0	378	24.7	22.0-27.4	439	31.4	28.5-34.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 2: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3091	2,222,245	750	19.9	18.1-21.7	649	24.0	21.8-26.2	733	24.8	22.8-26.8	959	31.2	29.0-33.4
White/Non-Hisp	2554	1,811,831	619	20.3	18.3-22.3	512	22.9	20.7-25.1	604	24.1	21.9-26.3	819	32.7	30.3-35.1
Black or Afr. Am./Non-Hisp	269	171,972	67	18.2	10.9-25.5	71	32.5	23.5-41.5	67	27.0	18.6-35.4	64	22.3	13.9-30.7
Oth. Race/Non-Hisp.	66	50,911	20	28.1	14.2-42.0	14	17.6	06.6-28.6	13	21.9	09.4-34.4	19	32.5	16.2-48.8
Hispanic	105	127,553	17	11.0	04.7-17.3	27	29.5	17.7-41.3	31	34.2	21.5-46.9	30	25.3	15.1-35.5
18-24	169	309,166	38	18.2	11.9-24.5	53	31.2	23.2-39.2	41	27.2	19.4-35.0	37	23.5	16.2-30.8
25-34	292	381,805	56	15.4	11.1-19.7	89	31.4	25.1-37.7	70	24.3	18.8-29.8	77	28.9	22.8-35.0
35-44	406	393,596	62	14.8	10.9-18.7	112	26.0	20.9-31.1	98	25.3	20.4-30.2	134	34.0	28.5-39.5
45-54	637	436,708	118	18.2	14.5-21.9	121	20.0	16.1-23.9	182	27.1	23.0-31.2	216	34.8	30.3-39.3
55-64	696	349,911	174	23.0	19.3-26.7	142	21.3	17.4-25.2	160	22.5	18.8-26.2	220	33.2	28.9-37.5
65+	870	339,599	295	30.7	27.2-34.2	128	15.3	12.4-18.2	178	22.3	18.8-25.8	269	31.6	27.9-35.3
Less Than H.S.	324	353,405	56	14.0	09.3-18.7	55	22.4	15.9-28.9	77	23.1	17.4-28.8	136	40.5	33.8-47.2
H.S. or G.E.D.	1079	785,264	246	19.7	16.8-22.6	230	24.0	20.5-27.5	240	24.2	20.7-27.7	363	32.1	28.6-35.6
Some Post-H.S.	721	609,143	179	20.5	17.0-24.0	159	24.8	20.5-29.1	176	26.4	22.3-30.5	207	28.3	24.0-32.6
College Graduate	958	469,471	269	24.0	20.7-27.3	205	24.5	21.0-28.0	237	25.0	21.7-28.3	247	26.4	23.1-29.7
Less than \$15,000	301	227,608	51	13.6	08.7-18.5	55	20.8	14.3-27.3	79	25.3	18.8-31.8	116	40.3	32.9-47.7
\$15,000- 24,999	488	336,275	125	19.3	15.0-23.6	105	27.3	21.6-33.0	109	26.9	21.4-32.4	149	26.5	21.2-31.8
\$25,000- 34,999	357	249,772	97	23.8	18.1-29.5	61	22.5	15.6-29.4	84	25.8	19.1-32.5	115	27.8	21.9-33.7
\$35,000- 49,999	459	315,243	121	21.5	17.0-26.0	92	23.2	17.9-28.5	108	25.6	20.5-30.7	138	29.7	24.4-35.0
\$50,000- 74,999	434	316,602	107	18.8	14.7-22.9	97	21.5	16.8-26.2	108	27.9	22.2-33.6	122	31.8	26.1-37.5
\$75,000+	696	481,974	164	22.5	18.6-26.4	163	24.9	20.8-29.0	182	24.1	20.2-28.0	187	28.5	24.2-32.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 3: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4926	2,382,353	1152	20.8	19.2-22.4	952	21.2	19.6-22.8	1067	23.5	21.7-25.3	1755	34.5	32.7-36.3
White/Non-Hisp	3970	2,028,981	873	19.8	18.0-21.6	758	21.2	19.4-23.0	863	23.3	21.5-25.1	1476	35.7	33.7-37.7
Black or Afr. Am./Non-Hisp	602	186,401	184	28.0	20.9-35.1	124	18.9	13.6-24.2	136	28.4	21.5-35.3	158	24.7	18.6-30.8
Oth. Race/Non-Hisp.	58	21,016	19	21.9	08.6-35.2	10	22.6	06.7-38.5	13	21.3	08.2-34.4	16	34.2	17.9-50.5
MultiRacial/Non-Hisp.	63	22,100	13	22.6	07.7-37.5	11	22.7	10.0-35.4	14	19.5	07.7-31.3	25	35.2	20.7-49.7
Hispanic	163	96,495	41	22.9	14.5-31.3	37	26.6	16.2-37.0	29	20.5	11.3-29.7	56	30.0	20.0-40.0
18-24	187	301,326	34	21.8	14.5-29.1	55	25.4	18.7-32.1	56	30.1	22.5-37.7	42	22.7	15.8-29.6
25-34	481	392,707	95	19.6	15.3-23.9	125	26.1	21.6-30.6	129	26.5	21.8-31.2	132	27.8	23.1-32.5
35-44	574	392,620	86	14.4	10.9-17.9	144	25.2	20.9-29.5	141	23.4	19.3-27.5	203	36.9	32.0-41.8
45-54	853	448,798	162	17.8	14.7-20.9	176	20.3	17.0-23.6	199	22.8	19.3-26.3	316	39.0	34.9-43.1
55-64	1085	355,628	223	18.2	15.5-20.9	197	17.4	14.7-20.1	256	25.1	21.8-28.4	409	39.3	35.8-42.8
65+	1693	468,948	536	30.6	27.9-33.3	241	14.4	12.2-16.6	279	16.7	14.5-18.9	637	38.3	35.4-41.2
Less Than H.S.	466	301,049	104	18.6	13.3-23.9	88	23.8	17.9-29.7	87	18.9	13.8-24.0	187	38.7	32.2-45.2
H.S. or G.E.D.	1859	823,981	445	22.4	19.7-25.1	331	18.8	16.4-21.2	352	21.2	18.5-23.9	731	37.7	34.8-40.6
Some Post-H.S.	1264	752,998	291	20.6	17.7-23.5	243	20.9	18.0-23.8	301	25.5	22.2-28.8	429	33.0	29.5-36.5
College Graduate	1320	497,881	309	19.8	17.3-22.3	288	24.3	21.4-27.2	323	27.1	24.0-30.2	400	28.9	25.8-32.0
Less than \$15,000	646	295,411	148	21.0	16.5-25.5	109	17.8	13.5-22.1	133	26.0	20.5-31.5	256	35.2	29.9-40.5
\$15,000- 24,999	920	394,437	229	22.8	18.9-26.7	177	21.7	17.8-25.6	171	21.0	17.3-24.7	343	34.6	30.3-38.9
\$25,000- 34,999	507	241,254	124	22.4	17.1-27.7	80	16.2	11.9-20.5	123	25.0	19.5-30.5	180	36.4	30.3-42.5
\$35,000- 49,999	636	290,746	140	21.4	16.9-25.9	132	23.6	18.9-28.3	136	20.8	16.9-24.7	228	34.2	29.5-38.9
\$50,000- 74,999	601	308,129	118	19.9	15.2-24.6	131	23.0	18.5-27.5	147	25.2	20.3-30.1	205	32.0	27.1-36.9
\$75,000+	779	455,907	148	16.7	13.6-19.8	183	23.7	20.0-27.4	196	25.3	21.6-29.0	252	34.4	30.3-38.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 4: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8056	4,643,707	3694	42.6	41.0-44.2	2152	28.2	26.8-29.6	1864	23.5	22.1-24.9	346	5.6	04.8-06.4
Male	3102	2,240,450	1149	35.4	33.2-37.6	930	30.5	28.3-32.7	826	26.5	24.3-28.7	197	7.6	06.2-09.0
Female	4954	2,403,257	2545	49.4	47.4-51.4	1222	26.2	24.4-28.0	1038	20.7	19.1-22.3	149	3.7	02.9-04.5
White/Non-Hisp	6539	3,864,671	3048	42.8	41.2-44.4	1734	28.4	26.8-30.0	1495	23.6	22.2-25.0	262	5.2	04.4-06.0
Black or Afr. Am./Non-Hisp	895	373,748	348	35.6	29.9-41.3	243	25.6	20.7-30.5	251	29.8	24.5-35.1	53	9.0	05.1-12.9
Oth. Race/Non-Hisp.	125	70,676	61	43.6	31.6-55.6	35	28.0	16.8-39.2	21	20.9	09.5-32.3	8	7.5	00.6-14.4
MultiRacial/Non-Hisp.	96	47,797	41	42.9	29.4-56.4	29	29.5	16.8-42.2	19	18.6	07.0-30.2	7	8.9	01.3-16.5
Hispanic	271	226,016	134	49.1	40.5-57.7	83	31.6	23.6-39.6	45	13.7	07.6-19.8	9	5.7	02.0-09.4
18-24	356	613,592	135	38.3	32.4-44.2	128	34.3	28.6-40.0	68	20.3	15.4-25.2	25	7.1	04.2-10.0
25-34	784	789,859	342	41.2	37.1-45.3	241	29.7	25.8-33.6	159	22.3	18.8-25.8	42	6.7	04.5-08.9
35-44	993	798,380	434	42.4	38.7-46.1	293	28.3	25.0-31.6	225	23.6	20.5-26.7	41	5.7	03.7-07.7
45-54	1493	887,758	635	41.3	38.2-44.4	376	26.3	23.6-29.0	406	26.5	23.8-29.2	76	5.8	04.2-07.4
55-64	1786	710,551	787	41.5	38.8-44.2	480	27.7	25.2-30.2	434	25.2	22.7-27.7	85	5.5	04.1-06.9
65+	2566	807,684	1321	49.6	47.2-52.0	610	24.4	22.2-26.6	558	22.8	20.6-25.0	77	3.3	02.3-04.3
Less Than H.S.	782	651,046	284	35.2	30.5-39.9	215	27.1	22.8-31.4	206	27.0	22.7-31.3	77	10.7	07.8-13.6
H.S. or G.E.D.	2963	1,626,951	1240	39.4	37.0-41.8	811	28.3	26.1-30.5	747	25.4	23.2-27.6	165	7.0	05.6-08.4
Some Post-H.S.	1997	1,378,531	890	41.9	39.0-44.8	557	29.8	27.1-32.5	491	24.1	21.6-26.6	59	4.3	02.9-05.7
College Graduate	2288	975,561	1266	53.9	51.4-56.4	566	27.1	24.7-29.5	412	17.3	15.3-19.3	44	1.7	01.1-02.3
Less than \$15,000	954	527,732	340	33.1	28.8-37.4	264	25.6	21.7-29.5	275	30.7	26.4-35.0	75	10.6	07.5-13.7
\$15,000- 24,999	1415	733,782	614	38.8	35.3-42.3	374	30.7	27.2-34.2	354	24.5	21.4-27.6	73	6.0	04.0-08.0
\$25,000- 34,999	871	498,319	401	41.4	36.7-46.1	223	28.5	24.2-32.8	211	25.2	20.9-29.5	36	4.9	02.9-06.9
\$35,000- 49,999	1101	613,221	487	41.6	37.7-45.5	312	29.5	26.0-33.0	266	25.5	22.0-29.0	36	3.4	02.0-04.8
\$50,000- 74,999	1041	631,802	504	44.0	40.1-47.9	265	28.2	24.5-31.9	244	23.1	19.8-26.4	28	4.7	02.5-06.9
\$75,000+	1480	943,607	783	53.1	50.0-56.2	389	25.5	22.8-28.2	269	18.1	15.7-20.5	39	3.3	01.9-04.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 5: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3102	2,240,450	1149	35.4	33.2-37.6	930	30.5	28.3-32.7	826	26.5	24.3-28.7	197	7.6	06.2-09.0
White/Non-Hisp	2555	1,824,244	961	35.1	32.7-37.5	754	30.3	27.9-32.7	682	27.3	25.1-29.5	158	7.3	05.9-08.7
Black or Afr. Am./Non-Hisp	278	179,364	76	30.5	21.5-39.5	91	30.2	22.0-38.4	90	28.9	20.3-37.5	21	10.4	03.9-16.9
Oth. Race/Non-Hisp.	66	49,470	29	37.9	23.0-52.8	20	31.0	16.3-45.7	12	22.5	07.2-37.8	5	8.6	00.0-17.8
Hispanic	107	127,859	49	45.2	32.7-57.7	34	34.2	22.2-46.2	17	12.6	03.4-21.8	7	8.0	01.9-14.1
18-24	167	308,439	62	35.4	27.2-43.6	57	32.2	24.2-40.2	33	23.4	15.6-31.2	15	8.9	04.0-13.8
25-34	298	392,992	100	32.1	26.2-38.0	101	32.2	26.1-38.3	68	25.3	19.6-31.0	29	10.3	06.4-14.2
35-44	413	400,654	148	36.5	31.0-42.0	136	31.0	25.9-36.1	100	24.7	19.8-29.6	29	7.7	04.6-10.8
45-54	637	436,878	229	35.0	30.5-39.5	172	27.3	23.2-31.4	191	29.7	25.4-34.0	45	8.0	05.3-10.7
55-64	702	352,826	244	33.3	29.2-37.4	217	31.6	27.3-35.9	199	29.0	24.9-33.1	42	6.2	04.0-08.4
65+	862	336,547	358	40.5	36.6-44.4	238	28.7	25.0-32.4	229	26.5	23.0-30.0	37	4.3	02.7-05.9
Less Than H.S.	324	350,835	89	30.4	23.7-37.1	94	25.7	19.8-31.6	94	28.7	22.4-35.0	47	15.3	10.4-20.2
H.S. or G.E.D.	1085	793,959	337	31.5	28.0-35.0	341	31.3	27.8-34.8	317	28.2	24.7-31.7	90	9.0	06.8-11.2
Some Post-H.S.	725	619,389	265	35.4	30.9-39.9	220	31.8	27.5-36.1	208	27.5	23.2-31.8	32	5.3	02.9-07.7
College Graduate	960	471,724	452	45.2	41.3-49.1	274	31.3	27.6-35.0	207	21.1	17.8-24.4	27	2.4	01.2-03.6
Less than \$15,000	305	229,930	81	26.1	19.6-32.6	87	25.8	19.3-32.3	97	32.1	24.8-39.4	40	16.0	10.3-21.7
\$15,000- 24,999	493	338,566	163	30.3	24.8-35.8	167	39.2	33.3-45.1	129	22.7	18.0-27.4	34	7.8	04.3-11.3
\$25,000- 34,999	356	254,333	123	33.2	26.3-40.1	100	31.3	24.4-38.2	106	28.2	21.5-34.9	27	7.3	04.0-10.6
\$35,000- 49,999	463	319,448	181	36.1	30.6-41.6	138	29.8	24.5-35.1	124	29.9	24.4-35.4	20	4.2	01.8-06.6
\$50,000- 74,999	439	322,095	167	35.0	29.3-40.7	122	28.9	23.6-34.2	132	28.8	23.5-34.1	18	7.3	03.6-11.0
\$75,000+	697	485,165	317	47.3	42.6-52.0	201	26.7	22.8-30.6	154	22.0	18.1-25.9	25	3.9	01.7-06.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 6: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4954	2,403,257	2545	49.4	47.4-51.4	1222	26.2	24.4-28.0	1038	20.7	19.1-22.3	149	3.7	02.9-04.5
White/Non-Hisp	3984	2,040,427	2087	49.7	47.5-51.9	980	26.8	24.8-28.8	813	20.2	18.6-21.8	104	3.3	02.5-04.1
Black or Afr. Am./Non-Hisp	617	194,384	272	40.3	33.0-47.6	152	21.4	15.7-27.1	161	30.7	24.0-37.4	32	7.7	03.2-12.2
Oth. Race/Non-Hisp.	59	21,205	32	56.9	40.2-73.6	15	21.0	07.7-34.3	9	17.3	05.3-29.3	3	4.7	00.0-11.2
MultiRacial/Non-Hisp.	61	21,809	30	56.1	40.6-71.6	17	23.9	11.4-36.4	10	10.0	02.4-17.6	4	10.0	00.0-20.0
Hispanic	164	98,157	85	54.1	43.1-65.1	49	28.2	18.2-38.2	28	15.2	07.8-22.6	2	2.6	00.0-06.1
18-24	189	305,154	73	41.2	33.0-49.4	71	36.5	28.7-44.3	35	17.1	11.2-23.0	10	5.2	01.7-08.7
25-34	486	396,867	242	50.3	45.0-55.6	140	27.2	22.5-31.9	91	19.3	15.0-23.6	13	3.2	01.2-05.2
35-44	580	397,727	286	48.4	43.5-53.3	157	25.5	21.2-29.8	125	22.5	18.4-26.6	12	3.6	01.4-05.8
45-54	856	450,880	406	47.5	43.4-51.6	204	25.3	21.6-29.0	215	23.5	20.2-26.8	31	3.7	01.7-05.7
55-64	1084	357,725	543	49.7	46.0-53.4	263	23.9	20.8-27.0	235	21.5	18.6-24.4	43	4.9	02.9-06.9
65+	1704	471,137	963	56.1	53.2-59.0	372	21.3	18.9-23.7	329	20.1	17.6-22.6	40	2.5	01.5-03.5
Less Than H.S.	458	300,211	195	40.8	34.3-47.3	121	28.8	22.5-35.1	112	24.9	19.2-30.6	30	5.4	02.7-08.1
H.S. or G.E.D.	1878	832,992	903	46.8	43.7-49.9	470	25.5	22.8-28.2	430	22.7	20.2-25.2	75	5.1	03.5-06.7
Some Post-H.S.	1272	759,142	625	47.2	43.5-50.9	337	28.1	24.6-31.6	283	21.3	18.4-24.2	27	3.4	01.8-05.0
College Graduate	1328	503,838	814	62.1	58.8-65.4	292	23.1	20.2-26.0	205	13.8	11.4-16.2	17	1.0	00.4-01.6
Less than \$15,000	649	297,802	259	38.5	33.0-44.0	177	25.4	20.5-30.3	178	29.5	24.2-34.8	35	6.6	03.5-09.7
\$15,000- 24,999	922	395,216	451	46.1	41.6-50.6	207	23.4	19.3-27.5	225	26.1	22.0-30.2	39	4.4	02.6-06.2
\$25,000- 34,999	515	243,985	278	49.9	43.6-56.2	123	25.6	20.3-30.9	105	22.1	16.8-27.4	9	2.5	00.1-04.9
\$35,000- 49,999	638	293,773	306	47.4	42.1-52.7	174	29.2	24.3-34.1	142	20.9	16.8-25.0	16	2.5	01.1-03.9
\$50,000- 74,999	602	309,707	337	53.4	47.9-58.9	143	27.6	22.7-32.5	112	17.1	13.4-20.8	10	1.9	00.3-03.5
\$75,000+	783	458,442	466	59.1	54.8-63.4	188	24.2	20.5-27.9	115	14.1	11.2-17.0	14	2.6	01.0-04.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 7: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7983	4,606,854	349	4.3	03.7-04.9	2820	35.6	34.2-37.0	3350	41.4	39.8-43.0	1464	18.8	17.6-20.0
Male	3080	2,220,942	131	4.1	03.1-05.1	1083	34.5	32.3-36.7	1329	43.0	40.6-45.4	537	18.3	16.5-20.1
Female	4903	2,385,912	218	4.4	03.6-05.2	1737	36.5	34.5-38.5	2021	39.9	37.9-41.9	927	19.2	17.6-20.8
White/Non-Hisp	6487	3,838,747	244	3.5	02.9-04.1	2368	36.3	34.7-37.9	2757	42.0	40.4-43.6	1118	18.2	16.8-19.6
Black or Afr. Am./Non-Hisp	879	363,988	34	2.8	00.6-05.0	230	25.8	20.5-31.1	376	40.9	35.2-46.6	239	30.5	25.0-36.0
Oth. Race/Non-Hisp.	122	72,367	13	10.3	03.6-17.0	41	28.4	17.4-39.4	43	43.4	30.9-55.9	25	17.8	08.8-26.8
MultiRacial/Non-Hisp.	95	47,685	7	7.1	01.2-13.0	26	25.4	14.2-36.6	41	49.0	35.1-62.9	21	18.4	08.8-28.0
Hispanic	269	224,689	43	16.9	10.2-23.6	106	43.6	35.0-52.2	88	31.6	23.8-39.4	32	7.9	04.0-11.8
18-24	357	612,120	7	2.0	00.4-03.6	118	33.9	28.2-39.6	132	36.9	31.2-42.6	100	27.1	21.8-32.4
25-34	783	786,473	49	5.3	03.5-07.1	276	35.3	31.4-39.2	308	40.5	36.4-44.6	150	18.9	15.6-22.2
35-44	989	792,905	49	5.7	03.5-07.9	385	37.3	33.6-41.0	397	40.9	37.2-44.6	158	16.0	13.3-18.7
45-54	1482	878,131	65	4.3	03.1-05.5	528	36.7	33.8-39.6	623	42.1	39.0-45.2	266	16.9	14.5-19.3
55-64	1778	707,392	70	4.0	02.8-05.2	599	32.8	30.1-35.5	790	44.7	41.8-47.6	319	18.5	16.1-20.9
65+	2522	795,676	104	3.7	02.9-04.5	882	35.7	33.3-38.1	1075	43.2	40.8-45.6	461	17.4	15.6-19.2
Less Than H.S.	787	651,613	52	7.1	04.6-09.6	227	29.9	25.4-34.4	319	38.5	33.8-43.2	189	24.5	20.4-28.6
H.S. or G.E.D.	2911	1,599,881	123	3.6	02.6-04.6	945	32.5	30.1-34.9	1232	42.5	40.0-45.0	611	21.3	19.1-23.5
Some Post-H.S.	1985	1,370,835	67	3.2	02.0-04.4	718	37.1	34.4-39.8	850	42.1	39.2-45.0	350	17.5	15.1-19.9
College Graduate	2277	973,950	107	5.0	03.8-06.2	922	42.0	39.5-44.5	940	40.4	37.9-42.9	308	12.5	10.7-14.3
Less than \$15,000	948	524,705	41	4.3	02.7-05.9	261	26.2	22.3-30.1	385	40.3	35.8-44.8	261	29.2	24.9-33.5
\$15,000- 24,999	1404	728,840	67	4.6	02.8-06.4	472	35.8	32.3-39.3	584	40.4	36.9-43.9	281	19.2	16.3-22.1
\$25,000- 34,999	860	492,378	41	5.4	02.9-07.9	277	34.2	29.5-38.9	382	42.0	37.3-46.7	160	18.5	15.0-22.0
\$35,000- 49,999	1092	607,633	46	4.1	02.5-05.7	388	34.4	30.7-38.1	474	44.2	40.3-48.1	184	17.2	14.1-20.3
\$50,000- 74,999	1040	631,197	40	3.0	01.8-04.2	388	36.8	32.9-40.7	468	44.3	40.4-48.2	144	15.9	12.8-19.0
\$75,000+	1474	941,033	64	4.8	03.2-06.4	628	42.7	39.6-45.8	591	40.1	37.0-43.2	191	12.4	10.2-14.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 8: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3080	2,220,942	131	4.1	03.1-05.1	1083	34.5	32.3-36.7	1329	43.0	40.6-45.4	537	18.3	16.5-20.1
White/Non-Hisp	2539	1,813,263	94	3.3	02.3-04.3	906	34.6	32.2-37.0	1109	43.5	41.0-46.0	430	18.6	16.6-20.6
Black or Afr. Am./Non-Hisp	272	170,503	10	2.0	00.0-05.1	74	30.5	21.7-39.3	119	41.1	31.9-50.3	69	26.4	17.6-35.2
Oth. Race/Non-Hisp.	67	52,188	7	9.2	01.8-16.6	25	30.0	16.1-43.9	21	40.8	24.7-56.9	14	20.0	08.0-32.0
Hispanic	106	127,286	16	15.7	05.7-25.7	40	43.0	30.5-55.5	42	35.7	23.9-47.5	8	5.5	00.6-10.4
18-24	167	307,738	3	1.9	00.0-04.1	61	33.3	25.1-41.5	56	36.9	28.5-45.3	47	27.9	20.3-35.5
25-34	295	387,190	15	4.7	02.0-07.4	108	34.1	28.0-40.2	120	43.1	36.6-49.6	52	18.1	13.0-23.2
35-44	410	396,710	20	6.6	02.7-10.5	151	35.4	29.9-40.9	176	42.9	37.2-48.6	63	15.1	11.2-19.0
45-54	634	432,742	25	3.9	02.1-05.7	218	35.6	31.1-40.1	268	42.3	37.6-47.0	123	18.2	14.7-21.7
55-64	701	352,379	24	3.0	01.4-04.6	238	33.4	29.3-37.5	330	47.3	42.8-51.8	109	16.4	12.9-19.9
65+	852	332,428	43	4.0	02.6-05.4	295	33.7	29.8-37.6	374	46.0	41.9-50.1	140	16.2	13.1-19.3
Less Than H.S.	328	352,755	18	7.0	02.9-11.1	87	26.2	20.1-32.3	149	42.5	35.6-49.4	74	24.2	18.3-30.1
H.S. or G.E.D.	1067	778,257	44	3.4	02.0-04.8	357	33.7	30.0-37.4	448	41.9	38.0-45.8	218	21.0	17.9-24.1
Some Post-H.S.	720	614,964	23	3.1	01.1-05.1	240	34.5	30.0-39.0	342	45.8	41.1-50.5	115	16.6	13.1-20.1
College Graduate	958	470,748	46	4.5	02.9-06.1	396	42.1	38.2-46.0	387	41.4	37.5-45.3	129	12.0	09.6-14.4
Less than \$15,000	305	227,675	11	2.7	00.5-04.9	82	25.8	19.3-32.3	139	45.4	38.0-52.8	73	26.1	19.4-32.8
\$15,000- 24,999	481	333,205	24	5.3	02.2-08.4	171	35.6	29.7-41.5	207	41.5	35.6-47.4	79	17.5	12.8-22.2
\$25,000- 34,999	352	249,391	25	7.8	02.9-12.7	108	34.1	26.8-41.4	155	40.4	33.3-47.5	64	17.8	12.5-23.1
\$35,000- 49,999	459	316,199	13	2.9	00.9-04.9	163	34.5	29.0-40.0	199	44.0	38.1-49.9	84	18.6	13.9-23.3
\$50,000- 74,999	439	321,749	15	2.7	01.1-04.3	148	34.0	28.3-39.7	211	48.6	42.7-54.5	65	14.8	10.5-19.1
\$75,000+	694	483,830	29	4.7	02.2-07.2	292	41.2	36.5-45.9	287	42.4	37.7-47.1	86	11.7	08.6-14.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 9: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4903	2,385,912	218	4.4	03.6-05.2	1737	36.5	34.5-38.5	2021	39.9	37.9-41.9	927	19.2	17.6-20.8
White/Non-Hisp	3948	2,025,484	150	3.6	02.8-04.4	1462	37.9	35.9-39.9	1648	40.6	38.6-42.6	688	17.9	16.3-19.5
Black or Afr. Am./Non-Hisp	607	193,485	24	3.5	00.6-06.4	156	21.7	15.6-27.8	257	40.7	33.6-47.8	170	34.1	27.0-41.2
Oth. Race/Non-Hisp.	55	20,179	6	13.2	00.0-27.3	16	24.4	09.5-39.3	22	50.2	32.6-67.8	11	12.2	02.4-22.0
MultiRacial/Non-Hisp.	60	21,696	5	11.0	00.4-21.6	15	33.6	17.5-49.7	24	29.7	16.2-43.2	16	25.7	12.4-39.0
Hispanic	163	97,403	27	18.5	10.3-26.7	66	44.3	33.1-55.5	46	26.1	16.9-35.3	24	11.1	04.8-17.4
18-24	190	304,382	4	2.2	00.0-04.6	57	34.5	26.5-42.5	76	36.9	29.1-44.7	53	26.4	19.3-33.5
25-34	488	399,283	34	5.9	03.5-08.3	168	36.4	31.3-41.5	188	37.9	32.8-43.0	98	19.7	15.4-24.0
35-44	579	396,195	29	4.8	02.8-06.8	234	39.3	34.4-44.2	221	39.0	34.1-43.9	95	16.9	13.0-20.8
45-54	848	445,388	40	4.6	02.8-06.4	310	37.8	33.7-41.9	355	41.8	37.7-45.9	143	15.8	12.9-18.7
55-64	1077	355,013	46	5.0	03.2-06.8	361	32.2	28.7-35.7	460	42.1	38.4-45.8	210	20.7	17.6-23.8
65+	1670	463,248	61	3.4	02.4-04.4	587	37.2	34.3-40.1	701	41.1	38.2-44.0	321	18.3	15.9-20.7
Less Than H.S.	459	298,858	34	7.3	04.4-10.2	140	34.1	27.4-40.8	170	33.8	27.5-40.1	115	24.7	19.0-30.4
H.S. or G.E.D.	1844	821,623	79	3.8	02.6-05.0	588	31.4	28.5-34.3	784	43.1	40.0-46.2	393	21.7	19.0-24.4
Some Post-H.S.	1265	755,872	44	3.3	02.1-04.5	478	39.3	35.6-43.0	508	39.1	35.6-42.6	235	18.3	15.4-21.2
College Graduate	1319	503,203	61	5.5	03.9-07.1	526	41.9	38.6-45.2	553	39.5	36.2-42.8	179	13.1	10.7-15.5
Less than \$15,000	643	297,030	30	5.5	03.1-07.9	179	26.5	21.6-31.4	246	36.4	30.9-41.9	188	31.6	25.9-37.3
\$15,000- 24,999	923	395,635	43	4.0	02.4-05.6	301	35.9	31.4-40.4	377	39.5	35.0-44.0	202	20.5	17.0-24.0
\$25,000- 34,999	508	242,987	16	2.9	01.1-04.7	169	34.3	28.2-40.4	227	43.6	37.3-49.9	96	19.2	14.5-23.9
\$35,000- 49,999	633	291,434	33	5.5	03.0-08.0	225	34.4	29.5-39.3	275	44.5	39.2-49.8	100	15.7	11.8-19.6
\$50,000- 74,999	601	309,449	25	3.3	01.7-04.9	240	39.7	34.4-45.0	257	39.8	34.5-45.1	79	17.2	12.5-21.9
\$75,000+	780	457,204	35	4.8	03.0-06.6	336	44.3	40.0-48.6	304	37.7	33.6-41.8	105	13.1	10.2-16.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 10: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8037	4,618,424	1334	15.5	14.3-16.7	3336	41.6	40.0-43.2	2645	32.9	31.5-34.3	722	10.0	09.0-11.0
Male	3095	2,227,290	414	13.0	11.2-14.8	1188	38.9	36.5-41.3	1119	35.1	32.9-37.3	374	13.1	11.5-14.7
Female	4942	2,391,135	920	17.9	16.3-19.5	2148	44.1	42.1-46.1	1526	30.8	29.0-32.6	348	7.2	06.2-08.2
White/Non-Hisp	6519	3,841,346	1050	15.1	13.9-16.3	2737	42.1	40.5-43.7	2127	32.6	31.0-34.2	605	10.2	09.2-11.2
Black or Afr. Am./Non-Hisp	897	371,534	150	15.3	11.0-19.6	352	39.1	33.4-44.8	337	38.8	33.1-44.5	58	6.9	03.8-10.0
Oth. Race/Non-Hisp.	125	73,000	32	21.8	12.0-31.6	46	29.9	19.5-40.3	32	29.6	18.4-40.8	15	18.6	06.8-30.4
MultiRacial/Non-Hisp.	96	47,887	20	17.6	09.2-26.0	33	41.0	27.1-54.9	31	27.2	14.7-39.7	12	14.2	05.0-23.4
Hispanic	267	223,668	56	20.6	13.0-28.2	114	41.6	33.4-49.8	75	27.3	19.7-34.9	22	10.4	05.3-15.5
18-24	357	611,580	51	17.0	12.1-21.9	144	37.8	32.1-43.5	114	32.2	26.7-37.7	48	12.9	09.2-16.6
25-34	785	789,530	134	14.6	11.9-17.3	353	44.6	40.5-48.7	227	28.9	25.2-32.6	71	11.8	08.9-14.7
35-44	983	789,914	145	15.1	12.2-18.0	428	42.2	38.5-45.9	327	33.5	30.0-37.0	83	9.2	07.0-11.4
45-54	1485	877,988	250	16.5	14.1-18.9	598	40.1	37.0-43.2	502	34.7	31.8-37.6	135	8.7	06.9-10.5
55-64	1778	704,582	279	13.9	11.9-15.9	750	42.3	39.4-45.2	594	34.4	31.7-37.1	155	9.4	07.6-11.2
65+	2574	809,898	457	15.8	14.2-17.4	1022	40.8	38.4-43.2	868	34.1	31.7-36.5	227	9.3	07.9-10.7
Less Than H.S.	792	650,949	91	11.2	07.9-14.5	289	37.0	32.3-41.7	276	35.2	30.5-39.9	136	16.6	13.1-20.1
H.S. or G.E.D.	2937	1,608,237	423	14.3	12.3-16.3	1120	38.2	35.8-40.6	1036	34.4	32.0-36.8	358	13.1	11.3-14.9
Some Post-H.S.	1999	1,373,970	318	15.2	13.0-17.4	858	42.5	39.6-45.4	693	34.9	32.2-37.6	130	7.5	05.9-09.1
College Graduate	2284	973,885	500	21.0	18.8-23.2	1053	48.7	46.2-51.2	633	25.9	23.7-28.1	98	4.3	03.3-05.3
Less than \$15,000	955	527,339	127	11.2	08.5-13.9	336	33.9	29.6-38.2	343	37.9	33.4-42.4	149	17.0	13.5-20.5
\$15,000- 24,999	1420	730,711	209	12.9	10.5-15.3	552	41.6	37.9-45.3	495	33.4	29.9-36.9	164	12.0	09.6-14.4
\$25,000- 34,999	872	497,708	150	17.0	12.9-21.1	327	36.2	31.7-40.7	289	32.3	27.8-36.8	106	14.5	11.0-18.0
\$35,000- 49,999	1092	607,044	155	12.8	10.3-15.3	477	43.6	39.7-47.5	386	35.9	32.2-39.6	74	7.7	05.3-10.1
\$50,000- 74,999	1039	629,388	167	14.7	11.8-17.6	449	43.3	39.4-47.2	361	34.9	31.0-38.8	62	7.2	05.0-09.4
\$75,000+	1472	937,820	309	20.2	17.5-22.9	688	47.2	44.1-50.3	420	28.4	25.7-31.1	55	4.2	02.8-05.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 11: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3095	2,227,290	414	13.0	11.4-14.6	1188	38.9	36.5-41.3	1119	35.1	32.9-37.3	374	13.1	11.5-14.7
White/Non-Hisp	2547	1,813,449	328	12.5	10.7-14.3	984	38.8	36.4-41.2	923	35.4	33.0-37.8	312	13.3	11.5-15.1
Black or Afr. Am./Non-Hisp	279	175,489	31	10.1	04.4-15.8	103	42.1	32.7-51.5	115	38.6	29.4-47.8	30	9.2	03.5-14.9
Oth. Race/Non-Hisp.	67	52,298	17	19.1	07.3-30.9	22	28.9	15.8-42.0	18	31.6	17.1-46.1	10	20.5	05.2-35.8
Hispanic	107	127,487	20	20.9	08.9-32.9	45	40.6	28.6-52.6	30	25.7	14.7-36.7	12	12.8	05.0-20.6
18-24	168	309,375	21	15.1	08.2-22.0	65	36.3	28.1-44.5	54	32.7	24.5-40.9	28	15.9	09.8-22.0
25-34	298	390,625	37	10.9	07.2-14.6	125	40.1	33.8-46.4	89	31.2	25.1-37.3	47	17.9	12.8-23.0
35-44	405	394,528	52	12.8	08.3-17.3	163	40.5	34.8-46.2	146	35.7	30.2-41.2	44	11.1	07.6-14.6
45-54	633	433,002	97	15.8	12.5-19.1	223	37.1	32.4-41.8	237	36.3	31.8-40.8	76	10.8	08.1-13.5
55-64	699	349,695	87	10.9	08.4-13.4	265	38.5	34.0-43.0	272	39.1	34.8-43.4	75	11.5	08.4-14.6
65+	870	338,007	117	12.0	09.5-14.5	333	39.6	35.5-43.7	318	36.4	32.5-40.3	102	12.1	09.4-14.8
Less Than H.S.	329	350,646	29	9.0	04.5-13.5	102	31.4	24.9-37.9	130	40.1	33.2-47.0	68	19.5	14.2-24.8
H.S. or G.E.D.	1073	783,025	119	11.8	09.1-14.5	385	36.9	33.2-40.6	388	33.7	30.2-37.2	181	17.6	14.7-20.5
Some Post-H.S.	728	619,108	89	13.1	09.6-16.6	281	40.0	35.3-44.7	290	37.4	32.9-41.9	68	9.5	06.8-12.2
College Graduate	958	470,201	177	17.7	14.8-20.6	415	46.2	42.3-50.1	309	30.6	27.1-34.1	57	5.5	03.7-07.3
Less than \$15,000	308	228,609	33	7.3	04.0-10.6	92	31.5	24.4-38.6	121	40.3	33.0-47.6	62	20.9	14.6-27.2
\$15,000- 24,999	492	333,422	62	11.6	07.7-15.5	182	38.6	32.7-44.5	167	33.6	27.9-39.3	81	16.2	11.7-20.7
\$25,000- 34,999	356	252,718	46	13.5	07.2-19.8	124	36.0	29.3-42.7	125	31.8	25.3-38.3	61	18.7	13.0-24.4
\$35,000- 49,999	457	314,583	59	12.3	08.8-15.8	178	40.0	34.1-45.9	174	38.0	32.3-43.7	46	9.7	06.2-13.2
\$50,000- 74,999	436	319,336	44	10.1	06.6-13.6	163	39.4	33.5-45.3	191	39.7	33.8-45.6	38	10.7	06.8-14.6
\$75,000+	693	483,452	121	18.1	14.2-22.0	311	45.5	40.8-50.2	228	31.2	26.9-35.5	33	5.2	03.2-07.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 12: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4942	2,391,135	920	17.9	16.3-19.5	2148	44.1	42.1-46.1	1526	30.8	29.0-32.6	348	7.2	06.2-08.2
White/Non-Hisp	3972	2,027,897	722	17.4	15.8-19.0	1753	45.1	42.9-47.3	1204	30.2	28.2-32.2	293	7.3	06.1-08.5
Black or Afr. Am./Non-Hisp	618	196,045	119	20.0	13.7-26.3	249	36.4	29.5-43.3	222	38.9	31.8-46.0	28	4.7	01.6-07.8
Oth. Race/Non-Hisp.	58	20,702	15	28.7	11.6-45.8	24	32.5	17.4-47.6	14	24.8	10.9-38.7	5	14.0	00.5-27.5
MultiRacial/Non-Hisp.	61	21,898	17	34.1	19.2-49.0	20	35.5	19.8-51.2	18	21.8	09.5-34.1	6	8.6	00.8-16.4
Hispanic	160	96,180	36	20.3	11.7-28.9	69	43.1	32.1-54.1	45	29.4	19.2-39.6	10	7.3	01.4-13.2
18-24	189	302,205	30	19.0	11.9-26.1	79	39.4	31.4-47.4	60	31.7	24.3-39.1	20	9.9	05.4-14.4
25-34	487	398,904	97	18.3	14.4-22.2	228	49.1	43.8-54.4	138	26.7	22.0-31.4	24	5.9	03.2-08.6
35-44	578	395,386	93	17.5	13.6-21.4	265	43.8	38.9-48.7	181	31.4	26.7-36.1	39	7.3	04.8-09.8
45-54	852	444,986	153	17.2	14.1-20.3	375	43.0	38.9-47.1	265	33.2	29.3-37.1	59	6.6	04.4-08.8
55-64	1079	354,888	192	16.8	14.1-19.5	485	46.1	42.4-49.8	322	29.8	26.5-33.1	80	7.3	05.3-09.3
65+	1704	471,890	340	18.6	16.4-20.8	689	41.6	38.7-44.5	550	32.5	29.8-35.2	125	7.3	05.7-08.9
Less Than H.S.	463	300,302	62	13.7	08.6-18.8	187	43.5	36.8-50.2	146	29.6	23.5-35.7	68	13.2	09.1-17.3
H.S. or G.E.D.	1864	825,212	304	16.7	14.2-19.2	735	39.5	36.4-42.6	648	35.0	32.1-37.9	177	8.8	07.0-10.6
Some Post-H.S.	1271	754,862	229	16.9	14.2-19.6	577	44.6	40.9-48.3	403	32.8	29.3-36.3	62	5.8	03.8-07.8
College Graduate	1326	503,683	323	24.0	21.1-26.9	638	51.1	47.6-54.6	324	21.6	18.9-24.3	41	3.2	02.0-04.4
Less than \$15,000	647	298,730	94	14.2	10.3-18.1	244	35.9	30.4-41.4	222	36.0	30.5-41.5	87	13.9	10.0-17.8
\$15,000- 24,999	928	397,289	147	14.1	11.2-17.0	370	44.1	39.6-48.6	328	33.3	29.0-37.6	83	8.6	06.2-11.0
\$25,000- 34,999	516	244,990	104	20.6	15.3-25.9	203	36.3	30.6-42.0	164	32.8	26.7-38.9	45	10.2	06.1-14.3
\$35,000- 49,999	635	292,461	96	13.3	09.4-17.2	299	47.5	42.2-52.8	212	33.6	28.7-38.5	28	5.6	02.9-08.3
\$50,000- 74,999	603	310,053	123	19.3	14.8-23.8	286	47.3	41.8-52.8	170	29.9	24.8-35.0	24	3.5	01.7-05.3
\$75,000+	779	454,368	188	22.4	18.9-25.9	377	49.0	44.7-53.3	192	25.5	21.8-29.2	22	3.1	01.5-04.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 13: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8027	4,608,046	474	5.2	04.6-05.8	2869	33.6	32.2-35.0	3315	41.7	40.1-43.3	1369	19.5	18.3-20.7
Male	3095	2,224,907	143	4.3	03.3-05.3	967	30.1	27.9-32.3	1316	42.3	39.9-44.7	669	23.4	21.4-25.4
Female	4932	2,383,139	331	6.0	05.2-06.8	1902	37.0	35.2-38.8	1999	41.2	39.2-43.2	700	15.9	14.3-17.5
White/Non-Hisp	6511	3,830,591	367	5.1	04.3-05.9	2410	34.5	32.9-36.1	2673	41.5	39.9-43.1	1061	18.9	17.5-20.3
Black or Afr. Am./Non-Hisp	894	372,785	51	4.0	02.0-06.0	250	26.6	21.5-31.7	411	47.0	41.1-52.9	182	22.5	17.6-27.4
Oth. Race/Non-Hisp.	126	73,278	12	6.2	00.7-11.7	48	38.3	26.5-50.1	40	27.6	17.6-37.6	26	27.9	15.6-40.2
MultiRacial/Non-Hisp.	97	47,306	12	12.2	04.6-19.8	18	17.8	07.8-27.8	48	52.6	38.9-66.3	19	17.4	07.6-27.2
Hispanic	269	223,434	21	5.8	02.7-08.9	100	33.1	25.5-40.7	93	38.0	29.2-46.8	55	23.0	15.9-30.1
18-24	357	610,306	18	3.6	01.8-05.4	119	31.8	26.3-37.3	136	40.4	34.5-46.3	84	24.2	19.1-29.3
25-34	785	789,134	51	6.0	04.0-08.0	261	28.6	25.1-32.1	299	40.8	36.7-44.9	174	24.7	21.0-28.4
35-44	986	788,409	45	4.5	02.5-06.5	366	36.5	33.0-40.0	390	38.8	35.1-42.5	185	20.2	17.1-23.3
45-54	1485	877,696	84	6.0	04.4-07.6	494	31.8	28.9-34.7	629	44.6	41.5-47.7	278	17.6	15.2-20.0
55-64	1777	703,740	91	4.7	03.5-05.9	650	35.8	33.1-38.5	727	42.0	39.1-44.9	309	17.6	15.2-20.0
65+	2563	805,605	180	5.7	04.7-06.7	943	36.4	34.0-38.8	1109	43.6	41.2-46.0	331	14.4	12.6-16.2
Less Than H.S.	786	641,776	35	3.0	01.8-04.2	210	26.3	22.0-30.6	307	40.4	35.5-45.3	234	30.4	25.9-34.9
H.S. or G.E.D.	2939	1,609,580	160	5.2	04.0-06.4	938	30.3	27.9-32.7	1246	43.1	40.6-45.6	595	21.4	19.4-23.4
Some Post-H.S.	1997	1,374,242	103	4.4	03.2-05.6	700	33.2	30.5-35.9	882	43.7	40.8-46.6	312	18.7	16.3-21.1
College Graduate	2282	972,648	174	7.5	06.1-08.9	1015	44.5	42.0-47.0	870	37.7	35.2-40.2	223	10.3	08.5-12.1
Less than \$15,000	954	526,679	55	4.6	03.0-06.2	276	26.1	22.2-30.0	391	40.7	36.2-45.2	232	28.6	24.3-32.9
\$15,000- 24,999	1418	731,796	80	4.8	03.4-06.2	439	29.6	26.3-32.9	605	43.4	39.7-47.1	294	22.2	19.1-25.3
\$25,000- 34,999	869	493,323	55	5.6	03.2-08.0	285	30.5	26.2-34.8	379	42.0	37.1-46.9	150	21.8	17.7-25.9
\$35,000- 49,999	1093	608,067	53	4.4	02.6-06.2	396	32.6	29.1-36.1	466	45.1	41.2-49.0	178	17.9	14.8-21.0
\$50,000- 74,999	1041	630,288	51	4.1	02.7-05.5	388	34.8	31.1-38.5	466	45.5	41.4-49.6	136	15.6	12.5-18.7
\$75,000+	1473	937,490	97	7.0	05.2-08.8	636	40.5	37.4-43.6	565	39.2	36.1-42.3	175	13.4	11.0-15.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 14: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3095	2,224,907	143	4.3	03.3-05.3	967	30.1	27.9-32.3	1316	42.3	39.9-44.7	669	23.4	21.4-25.4
White/Non-Hisp	2550	1,812,673	111	4.3	03.1-05.5	811	30.2	27.8-32.6	1083	42.0	39.5-44.5	545	23.6	21.4-25.8
Black or Afr. Am./Non-Hisp	277	176,049	14	3.2	00.1-06.3	67	28.4	19.8-37.0	132	51.0	41.6-60.4	64	17.4	10.5-24.3
Oth. Race/Non-Hisp.	68	52,576	4	6.1	00.0-13.5	28	38.5	23.4-53.6	20	23.2	11.4-35.0	16	32.2	16.3-48.1
Hispanic	106	125,427	7	4.2	00.7-07.7	37	33.0	21.8-44.2	38	36.9	23.8-50.0	24	25.9	15.1-36.7
18-24	168	310,044	8	3.4	00.9-05.9	53	30.5	22.5-38.5	62	40.5	31.9-49.1	45	25.5	18.2-32.8
25-34	298	391,479	18	5.6	02.5-08.7	81	22.8	17.7-27.9	114	41.0	34.5-47.5	85	30.6	24.5-36.7
35-44	406	392,150	13	3.3	00.6-06.0	143	35.6	30.1-41.1	163	38.5	32.8-44.2	87	22.6	17.9-27.3
45-54	634	432,713	36	5.7	03.5-07.9	169	27.3	23.0-31.6	286	46.2	41.5-50.9	143	20.8	17.1-24.5
55-64	696	349,186	26	3.3	01.9-04.7	219	31.5	27.4-35.6	304	44.5	40.0-49.0	147	20.7	17.0-24.4
65+	872	339,364	42	3.9	02.3-05.5	292	32.7	29.0-36.4	381	43.3	39.4-47.2	157	20.1	16.6-23.6
Less Than H.S.	324	344,682	9	0.8	00.2-01.4	79	22.8	17.1-28.5	128	42.9	35.8-50.0	108	33.5	27.0-40.0
H.S. or G.E.D.	1077	785,606	54	5.6	03.6-07.6	280	26.6	23.1-30.1	458	42.6	38.7-46.5	285	25.2	21.9-28.5
Some Post-H.S.	729	620,639	22	3.1	01.1-05.1	220	30.5	26.0-35.0	329	43.0	38.3-47.7	158	23.5	19.4-27.6
College Graduate	959	470,356	57	6.0	04.2-07.8	386	40.3	36.4-44.2	400	40.9	37.0-44.8	116	12.8	09.9-15.7
Less than \$15,000	306	228,337	16	3.7	01.5-05.9	72	20.3	14.6-26.0	130	43.5	36.1-50.9	88	32.5	25.2-39.8
\$15,000- 24,999	490	332,818	20	3.5	01.3-05.7	134	28.2	22.9-33.5	206	43.5	37.6-49.4	130	24.7	19.4-30.0
\$25,000- 34,999	352	248,207	19	5.7	01.8-09.6	90	25.1	19.0-31.2	157	42.8	35.4-50.2	86	26.3	20.0-32.6
\$35,000- 49,999	459	315,308	16	3.1	01.3-04.9	152	29.5	24.4-34.6	186	43.6	37.7-49.5	105	23.8	18.9-28.7
\$50,000- 74,999	438	320,393	16	2.7	00.9-04.5	135	29.9	24.6-35.2	217	48.0	42.1-53.9	70	19.3	14.4-24.2
\$75,000+	695	484,181	42	6.9	04.2-09.6	272	37.4	32.7-42.1	281	39.8	35.3-44.3	100	15.9	12.4-19.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

TABLE 15: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4932	2,383,139	331	6.0	05.2-06.8	1902	37.0	35.2-38.8	1999	41.2	39.2-43.2	700	15.9	14.3-17.5
White/Non-Hisp	3961	2,017,918	256	5.9	04.9-06.9	1599	38.4	36.4-40.4	1590	41.1	38.9-43.3	516	14.6	13.0-16.2
Black or Afr. Am./Non-Hisp	617	196,735	37	4.6	01.9-07.3	183	25.0	18.9-31.1	279	43.4	36.1-50.7	118	27.0	20.1-33.9
Oth. Race/Non-Hisp.	58	20,702	8	6.5	00.8-12.2	20	37.9	20.5-55.3	20	38.7	22.0-55.4	10	16.9	04.4-29.4
MultiRacial/Non-Hisp.	63	22,100	11	24.4	10.5-38.3	13	25.5	10.6-40.4	26	32.1	18.6-45.6	13	18.0	06.2-29.8
Hispanic	163	98,007	14	8.0	02.5-13.5	63	33.2	22.8-43.6	55	39.4	28.4-50.4	31	19.4	11.6-27.2
18-24	189	300,262	10	3.8	01.3-06.3	66	33.1	25.5-40.7	74	40.3	32.3-48.3	39	22.8	15.9-29.7
25-34	487	397,655	33	6.4	03.9-08.9	180	34.3	29.4-39.2	185	40.6	35.3-45.9	89	18.8	14.7-22.9
35-44	580	396,259	32	5.7	03.2-08.2	223	37.4	32.7-42.1	227	39.1	34.2-44.0	98	17.8	13.9-21.7
45-54	851	444,983	48	6.3	04.1-08.5	325	36.1	32.2-40.0	343	43.0	38.9-47.1	135	14.5	11.8-17.2
55-64	1081	354,554	65	6.0	04.2-07.8	431	40.0	36.5-43.5	423	39.5	36.0-43.0	162	14.5	11.8-17.2
65+	1691	466,241	138	6.9	05.5-08.3	651	39.0	36.1-41.9	728	43.8	40.9-46.7	174	10.2	08.4-12.0
Less Than H.S.	462	297,094	26	5.4	02.9-07.9	131	30.3	24.2-36.4	179	37.4	30.9-43.9	126	26.8	20.9-32.7
H.S. or G.E.D.	1862	823,975	106	4.9	03.5-06.3	658	33.8	30.9-36.7	788	43.6	40.5-46.7	310	17.7	15.2-20.2
Some Post-H.S.	1268	753,602	81	5.5	03.9-07.1	480	35.4	31.9-38.9	553	44.3	40.6-48.0	154	14.8	12.1-17.5
College Graduate	1323	502,292	117	8.9	06.9-10.9	629	48.4	44.9-51.9	470	34.7	31.4-38.0	107	8.0	06.0-10.0
Less than \$15,000	648	298,342	39	5.2	02.8-07.6	204	30.5	25.2-35.8	261	38.7	33.2-44.2	144	25.6	20.5-30.7
\$15,000- 24,999	928	398,978	60	5.8	03.8-07.8	305	30.8	26.7-34.9	399	43.3	38.8-47.8	164	20.1	16.4-23.8
\$25,000- 34,999	517	245,115	36	5.6	03.1-08.1	195	36.0	30.1-41.9	222	41.2	35.1-47.3	64	17.3	11.8-22.8
\$35,000- 49,999	634	292,759	37	5.8	02.9-08.7	244	35.9	31.0-40.8	280	46.8	41.5-52.1	73	11.6	08.3-14.9
\$50,000- 74,999	603	309,894	35	5.6	03.2-08.0	253	39.9	34.6-45.2	249	42.8	37.3-48.3	66	11.7	08.4-15.0
\$75,000+	778	453,309	55	7.0	04.8-09.2	364	43.8	39.5-48.1	284	38.5	34.2-42.8	75	10.6	07.7-13.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 16: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7963	4,591,555	2863	35.2	33.8-36.6	2794	36.2	34.6-37.8	2189	26.5	25.1-27.9	117	2.0	01.4-02.6
Male	3077	2,217,701	967	31.5	29.3-33.7	1107	37.5	35.1-39.9	939	28.2	26.0-30.4	64	2.9	01.9-03.9
Female	4886	2,373,854	1896	38.7	36.7-40.7	1687	35.1	33.1-37.1	1250	25.0	23.2-26.8	53	1.2	00.8-01.6
White/Non-Hisp	6476	3,825,053	2433	36.7	35.1-38.3	2264	35.8	34.2-37.4	1702	25.9	24.5-27.3	77	1.6	01.2-02.0
Black or Afr. Am./Non-Hisp	867	363,087	211	26.4	21.1-31.7	310	34.6	28.9-40.3	323	34.5	28.8-40.2	23	4.5	01.4-07.6
Oth. Race/Non-Hisp.	124	72,486	47	33.4	22.0-44.8	41	32.7	21.3-44.1	33	29.7	17.7-41.7	3	4.2	00.0-09.5
MultiRacial/Non-Hisp.	96	47,878	46	47.1	33.4-60.8	26	31.3	18.0-44.6	23	21.1	10.1-32.1	1	0.5	00.0-01.5
Hispanic	268	221,796	74	22.6	15.5-29.7	111	49.1	40.5-57.7	71	23.6	16.9-30.3	12	4.7	01.4-08.0
18-24	356	611,335	103	30.4	24.7-36.1	157	42.2	36.3-48.1	85	23.7	18.6-28.8	11	3.6	01.4-05.8
25-34	780	786,887	292	34.2	30.3-38.1	297	38.7	34.6-42.8	173	23.7	20.2-27.2	18	3.3	01.5-05.1
35-44	985	790,494	359	37.0	33.3-40.7	363	35.9	32.4-39.4	246	25.0	21.7-28.3	17	2.2	01.0-03.4
45-54	1471	870,221	531	36.3	33.4-39.2	485	33.7	30.8-36.6	429	28.5	25.6-31.4	26	1.5	00.7-02.3
55-64	1771	703,018	628	35.2	32.5-37.9	596	33.6	30.9-36.3	531	30.4	27.7-33.1	16	0.9	00.3-01.5
65+	2528	797,306	923	37.0	34.6-39.4	860	34.0	31.6-36.4	716	28.1	25.9-30.3	29	0.9	00.5-01.3
Less Than H.S.	779	644,837	206	28.4	23.9-32.9	300	38.4	33.7-43.1	245	29.4	25.1-33.7	28	3.9	02.1-05.7
H.S. or G.E.D.	2889	1,591,733	961	33.9	31.5-36.3	1013	35.6	33.2-38.0	863	28.4	26.2-30.6	52	2.2	01.4-03.0
Some Post-H.S.	1996	1,374,640	724	35.6	32.9-38.3	678	35.5	32.6-38.4	570	27.2	24.7-29.7	24	1.7	00.9-02.5
College Graduate	2276	969,939	965	41.3	38.8-43.8	792	36.9	34.4-39.4	506	20.8	18.6-23.0	13	0.9	00.1-01.7
Less than \$15,000	941	523,703	266	25.3	21.4-29.2	337	35.9	31.4-40.4	305	33.3	29.0-37.6	33	5.4	02.9-07.9
\$15,000- 24,999	1405	726,846	465	32.9	29.4-36.4	496	37.0	33.5-40.5	428	29.1	25.8-32.4	16	1.0	00.2-01.8
\$25,000- 34,999	864	496,347	315	37.0	32.3-41.7	267	32.4	27.7-37.1	268	28.8	24.5-33.1	14	1.8	00.4-03.2
\$35,000- 49,999	1087	603,492	378	33.3	29.6-37.0	406	38.9	35.0-42.8	296	27.0	23.5-30.5	7	0.8	00.0-01.6
\$50,000- 74,999	1036	627,995	415	41.0	37.1-44.9	339	33.7	29.8-37.6	273	23.3	20.0-26.6	9	2.0	00.4-03.6
\$75,000+	1464	931,291	600	40.6	37.5-43.7	519	36.5	33.4-39.6	335	22.1	19.6-24.6	10	0.8	00.2-01.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 17: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3077	2,217,701	967	31.5	29.3-33.7	1107	37.5	35.1-39.9	939	28.2	26.0-30.4	64	2.9	01.9-03.9
White/Non-Hisp	2539	1,810,493	812	32.6	30.2-35.0	916	36.4	34.0-38.8	766	28.5	26.3-30.7	45	2.5	01.5-03.5
Black or Afr. Am./Non-Hisp	270	170,550	60	22.6	14.6-30.6	96	40.5	30.9-50.1	103	30.1	21.5-38.7	11	6.8	01.1-12.5
Oth. Race/Non-Hisp.	67	52,251	27	37.6	22.7-52.5	21	29.4	15.5-43.3	16	27.2	11.7-42.7	3	5.8	00.0-13.2
Hispanic	105	125,050	30	23.0	12.4-33.6	45	54.3	41.8-66.8	25	19.2	10.2-28.2	5	3.4	00.0-07.1
18-24	167	309,129	56	32.6	24.4-40.8	69	40.9	32.3-49.5	35	21.7	14.6-28.8	7	4.9	01.2-08.6
25-34	295	389,193	84	26.7	21.0-32.4	129	41.7	35.2-48.2	68	26.0	20.1-31.9	14	5.6	02.3-08.9
35-44	409	397,066	141	35.0	29.3-40.7	156	37.6	32.1-43.1	104	24.9	20.0-29.8	8	2.5	00.5-04.5
45-54	626	427,708	191	32.8	28.3-37.3	210	36.1	31.4-40.8	211	29.1	25.0-33.2	14	2.0	00.6-03.4
55-64	698	349,711	216	29.2	25.3-33.1	233	34.2	29.9-38.5	240	35.3	31.0-39.6	9	1.3	00.3-02.3
65+	861	334,925	274	32.3	28.6-36.0	299	34.5	30.6-38.4	276	32.0	28.3-35.7	12	1.1	00.3-01.9
Less Than H.S.	324	347,900	83	27.1	20.8-33.4	116	35.3	28.6-42.0	108	32.5	26.0-39.0	17	5.1	02.2-08.0
H.S. or G.E.D.	1061	776,831	317	31.6	27.9-35.3	371	36.7	32.8-40.6	344	28.4	25.1-31.7	29	3.3	01.7-04.9
Some Post-H.S.	729	619,558	218	30.9	26.4-35.4	259	38.3	33.6-43.0	238	28.4	24.3-32.5	14	2.4	00.8-04.0
College Graduate	956	469,103	347	35.2	31.5-38.9	357	39.3	35.4-43.2	248	24.4	21.1-27.7	4	1.1	00.0-02.7
Less than \$15,000	304	227,886	73	22.0	16.1-27.9	106	36.5	29.2-43.8	105	33.4	26.1-40.7	20	8.1	03.2-13.0
\$15,000- 24,999	484	330,947	140	29.6	23.9-35.3	185	39.2	33.3-45.1	152	29.6	24.1-35.1	7	1.6	00.0-03.4
\$25,000- 34,999	357	253,392	119	33.9	27.0-40.8	110	34.5	27.2-41.8	120	29.7	23.2-36.2	8	2.0	00.0-04.0
\$35,000- 49,999	454	310,905	140	28.0	23.1-32.9	172	40.2	34.3-46.1	138	30.6	25.1-36.1	4	1.3	00.0-02.9
\$50,000- 74,999	434	318,492	158	38.8	32.9-44.7	139	32.6	26.9-38.3	131	25.5	20.6-30.4	6	3.1	00.4-05.8
\$75,000+	691	481,000	239	36.0	31.3-40.7	264	38.7	34.2-43.2	183	24.3	20.6-28.0	5	0.9	00.1-01.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 9: FRUITS AND VEGETABLES**

**TABLE 18: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4886	2,373,854	1896	38.7	36.7-40.7	1687	35.1	33.1-37.1	1250	25.0	23.2-26.8	53	1.2	00.8-01.6
White/Non-Hisp	3937	2,014,561	1621	40.4	38.4-42.4	1348	35.2	33.2-37.2	936	23.5	21.7-25.3	32	0.8	00.4-01.2
Black or Afr. Am./Non-Hisp	597	192,537	151	29.8	22.7-36.9	214	29.3	23.0-35.6	220	38.4	31.1-45.7	12	2.4	00.0-05.1
Oth. Race/Non-Hisp.	57	20,235	20	22.6	09.7-35.5	20	41.1	23.3-58.9	17	36.3	19.8-52.8			
MultiRacial/Non-Hisp.	61	21,890	34	60.6	45.5-75.7	15	25.0	12.1-37.9	11	13.4	03.0-23.8	1	1.0	00.0-03.0
Hispanic	163	96,746	44	22.0	13.4-30.6	66	42.3	31.3-53.3	46	29.3	19.5-39.1	7	6.4	00.9-11.9
18-24	189	302,205	47	28.3	20.7-35.9	88	43.6	35.6-51.6	50	25.8	18.7-32.9	4	2.4	00.0-04.8
25-34	485	397,694	208	41.6	36.5-46.7	168	35.8	30.7-40.9	105	21.5	17.2-25.8	4	1.1	00.0-02.3
35-44	576	393,428	218	39.0	34.1-43.9	207	34.1	29.4-38.8	142	25.0	20.7-29.3	9	1.8	00.4-03.2
45-54	845	442,513	340	39.7	35.6-43.8	275	31.4	27.7-35.1	218	27.9	24.0-31.8	12	1.0	00.2-01.8
55-64	1073	353,307	412	41.1	37.4-44.8	363	33.0	29.5-36.5	291	25.5	22.4-28.6	7	0.4	00.0-00.8
65+	1667	462,381	649	40.4	37.5-43.3	561	33.7	31.0-36.4	440	25.3	22.8-27.8	17	0.7	00.3-01.1
Less Than H.S.	455	296,937	123	29.9	23.6-36.2	184	41.9	35.2-48.6	137	25.7	20.0-31.4	11	2.4	00.6-04.2
H.S. or G.E.D.	1828	814,902	644	36.1	33.0-39.2	642	34.4	31.5-37.3	519	28.4	25.5-31.3	23	1.2	00.4-02.0
Some Post-H.S.	1267	755,082	506	39.4	35.9-42.9	419	33.2	29.7-36.7	332	26.3	23.0-29.6	10	1.0	00.0-02.0
College Graduate	1320	500,836	618	47.1	43.6-50.6	435	34.7	31.4-38.0	258	17.4	14.9-19.9	9	0.8	00.2-01.4
Less than \$15,000	637	295,816	193	27.9	22.8-33.0	231	35.4	29.9-40.9	200	33.3	27.8-38.8	13	3.3	00.9-05.7
\$15,000- 24,999	921	395,899	325	35.7	31.4-40.0	311	35.1	30.6-39.6	276	28.7	24.6-32.8	9	0.5	00.1-00.9
\$25,000- 34,999	507	242,955	196	40.2	33.9-46.5	157	30.2	24.5-35.9	148	28.0	22.5-33.5	6	1.6	00.0-03.8
\$35,000- 49,999	633	292,587	238	39.0	33.7-44.3	234	37.6	32.5-42.7	158	23.1	19.0-27.2	3	0.3	00.0-00.9
\$50,000- 74,999	602	309,503	257	43.2	37.7-48.7	200	34.9	29.8-40.0	142	21.0	16.7-25.3	3	0.9	00.0-01.9
\$75,000+	773	450,291	361	45.5	41.2-49.8	255	34.0	29.9-38.1	152	19.7	16.2-23.2	5	0.8	00.0-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011**

SECTION 10: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1 MALES AND FEMALES	188
2 MALES ONLY	189
3 FEMALES ONLY	190
WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT01)	
4 MALES AND FEMALES	191
5 MALES ONLY	192
6 FEMALES ONLY	193
HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)	
7 MALES AND FEMALES	194
8 MALES ONLY	195
9 FEMALES ONLY	196
AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)	
10 MALES AND FEMALES	197
11 MALES ONLY	198
12 FEMALES ONLY	199
WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT02)	
13 MALES AND FEMALES	200
14 MALES ONLY	201
15 FEMALES ONLY	202

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011**

SECTION 10: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)	
16	MALES AND FEMALES	203
17	MALES ONLY	204
18	FEMALES ONLY	205
	AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)	
19	MALES AND FEMALES	206
20	MALES ONLY	207
21	FEMALES ONLY	208
	DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)	
22	MALES AND FEMALES	209
23	MALES ONLY	210
24	FEMALES ONLY	211
	33	
25	MALES AND FEMALES	212
26	MALES ONLY	213
27	FEMALES ONLY	214
	37	
28	MALES AND FEMALES	215
29	MALES ONLY	216
30	FEMALES ONLY	217

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8004	4,599,212	5470	70.8	69.4-72.2	2534	29.2	27.8-30.6
Male	3090	2,220,889	2166	70.8	68.6-73.0	924	29.2	27.0-31.4
Female	4914	2,378,323	3304	70.7	68.9-72.5	1610	29.3	27.5-31.1
White/Non-Hisp	6508	3,834,425	4509	71.4	70.0-72.8	1999	28.6	27.2-30.0
Black or Afr. Am./Non-Hisp	878	365,471	565	69.1	63.6-74.6	313	30.9	25.4-36.4
Oth. Race/Non-Hisp.	124	72,486	92	73.7	63.1-84.3	32	26.3	15.7-36.9
MultiRacial/Non-Hisp.	97	47,989	63	73.7	63.3-84.1	34	26.3	15.9-36.7
Hispanic	265	217,207	153	62.0	54.0-70.0	112	38.0	30.0-46.0
18-24	357	612,674	293	83.3	79.0-87.6	64	16.7	12.4-21.0
25-34	778	781,503	578	73.2	69.5-76.9	200	26.8	23.1-30.5
35-44	979	785,430	731	73.2	69.9-76.5	248	26.8	23.5-30.1
45-54	1477	873,286	1027	68.8	65.9-71.7	450	31.2	28.3-34.1
55-64	1773	703,478	1202	66.9	64.2-69.6	571	33.1	30.4-35.8
65+	2563	809,292	1577	61.9	59.5-64.3	986	38.1	35.7-40.5
Less Than H.S.	789	649,689	417	60.6	55.9-65.3	372	39.4	34.7-44.1
H.S. or G.E.D.	2933	1,607,100	1825	65.6	63.2-68.0	1108	34.4	32.0-36.8
Some Post-H.S.	1989	1,367,582	1392	72.7	70.2-75.2	597	27.3	24.8-29.8
College Graduate	2268	963,457	1821	83.6	81.8-85.4	447	16.4	14.6-18.2
Less than \$15,000	948	524,901	534	59.2	54.7-63.7	414	40.8	36.3-45.3
\$15,000- 24,999	1404	723,273	820	64.0	60.5-67.5	584	36.0	32.5-39.5
\$25,000- 34,999	866	493,981	559	66.7	62.4-71.0	307	33.3	29.0-37.6
\$35,000- 49,999	1086	602,280	773	72.3	68.8-75.8	313	27.7	24.2-31.2
\$50,000- 74,999	1029	620,912	784	75.9	72.4-79.4	245	24.1	20.6-27.6
\$75,000+	1467	933,785	1198	81.5	79.0-84.0	269	18.5	16.0-21.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3090	2,220,889	2166	70.8	68.6-73.0	924	29.2	27.0-31.4
White/Non-Hisp	2546	1,811,249	1795	71.0	68.8-73.2	751	29.0	26.8-31.2
Black or Afr. Am./Non-Hisp	275	172,326	181	69.3	60.1-78.5	94	30.7	21.5-39.9
Oth. Race/Non-Hisp.	67	52,251	52	78.1	65.2-91.0	15	21.9	09.0-34.8
Hispanic	107	125,775	67	63.7	52.1-75.3	40	36.3	24.7-47.9
18-24	169	310,307	145	85.8	79.9-91.7	24	14.2	08.3-20.1
25-34	295	388,343	210	69.2	63.1-75.3	85	30.8	24.7-36.9
35-44	407	396,236	300	71.7	66.6-76.8	107	28.3	23.2-33.4
45-54	629	428,179	435	67.8	63.3-72.3	194	32.2	27.7-36.7
55-64	699	348,669	491	67.6	63.3-71.9	208	32.4	28.1-36.7
65+	870	339,184	570	65.1	61.2-69.0	300	34.9	31.0-38.8
Less Than H.S.	330	352,266	185	61.1	54.4-67.8	145	38.9	32.2-45.6
H.S. or G.E.D.	1074	783,922	682	66.2	62.7-69.7	392	33.8	30.3-37.3
Some Post-H.S.	726	614,064	509	72.0	67.9-76.1	217	28.0	23.9-32.1
College Graduate	953	466,328	787	84.8	82.1-87.5	166	15.2	12.5-17.9
Less than \$15,000	307	231,285	187	62.2	54.9-69.5	120	37.8	30.5-45.1
\$15,000- 24,999	488	330,148	299	65.4	59.9-70.9	189	34.6	29.1-40.1
\$25,000- 34,999	353	250,679	217	64.5	57.6-71.4	136	35.5	28.6-42.4
\$35,000- 49,999	457	311,772	326	71.0	65.7-76.3	131	29.0	23.7-34.3
\$50,000- 74,999	430	313,235	318	72.1	66.6-77.6	112	27.9	22.4-33.4
\$75,000+	692	482,053	572	80.5	76.6-84.4	120	19.5	15.6-23.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4914	2,378,323	3304	70.7	68.9-72.5	1610	29.3	27.5-31.1
White/Non-Hisp	3962	2,023,176	2714	71.7	69.9-73.5	1248	28.3	26.5-30.1
Black or Afr. Am./Non-Hisp	603	193,145	384	69.0	62.5-75.5	219	31.0	24.5-37.5
Oth. Race/Non-Hisp.	57	20,235	40	62.3	45.1-79.5	17	37.7	20.5-54.9
MultiRacial/Non-Hisp.	62	22,000	35	58.9	43.8-74.0	27	41.1	26.0-56.2
Hispanic	158	91,432	86	59.6	49.0-70.2	72	40.4	29.8-51.0
18-24	188	302,368	148	80.6	74.1-87.1	40	19.4	12.9-25.9
25-34	483	393,160	368	77.2	72.7-81.7	115	22.8	18.3-27.3
35-44	572	389,194	431	74.7	70.2-79.2	141	25.3	20.8-29.8
45-54	848	445,106	592	69.7	65.8-73.6	256	30.3	26.4-34.2
55-64	1074	354,809	711	66.3	62.8-69.8	363	33.7	30.2-37.2
65+	1693	470,108	1007	59.5	56.6-62.4	686	40.5	37.6-43.4
Less Than H.S.	459	297,423	232	60.0	53.5-66.5	227	40.0	33.5-46.5
H.S. or G.E.D.	1859	823,178	1143	65.1	62.2-68.0	716	34.9	32.0-37.8
Some Post-H.S.	1263	753,519	883	73.4	70.3-76.5	380	26.6	23.5-29.7
College Graduate	1315	497,128	1034	82.4	80.0-84.8	281	17.6	15.2-20.0
Less than \$15,000	641	293,616	347	56.8	51.3-62.3	294	43.2	37.7-48.7
\$15,000- 24,999	916	393,125	521	62.7	58.4-67.0	395	37.3	33.0-41.6
\$25,000- 34,999	513	243,302	342	69.1	63.6-74.6	171	30.9	25.4-36.4
\$35,000- 49,999	629	290,508	447	73.8	69.1-78.5	182	26.2	21.5-30.9
\$50,000- 74,999	599	307,677	466	79.7	75.6-83.8	133	20.3	16.2-24.4
\$75,000+	775	451,732	626	82.6	79.5-85.7	149	17.4	14.3-20.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT01)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5374	3,205,460	1034	23.3	21.7-24.9	3253	55.7	53.9-57.5	210	4.9	04.1-05.7	54	1.0	00.6-01.4	26	0.3	00.1-00.5	797	14.9	13.5-16.3
Male	2135	1,554,709	487	26.9	24.4-29.4	1115	46.5	43.8-49.2	164	8.6	07.0-10.2	23	1.0	00.4-01.6	16	0.5	00.3-00.7	330	16.6	14.4-18.8
Female	3239	1,650,752	547	19.9	17.9-21.9	2138	64.3	61.9-66.7	46	1.4	00.8-02.0	31	1.0	00.6-01.4	10	0.2	00.0-00.4	467	13.3	11.7-14.9
White/Non-Hisp	4441	2,699,983	820	22.8	21.0-24.6	2693	56.0	54.0-58.0	173	4.5	03.7-05.3	49	1.0	00.6-01.4	22	0.4	00.2-00.6	684	15.3	13.9-16.7
Black or Afr. Am./Non-Hisp	545	244,037	100	19.8	13.9-25.7	357	61.4	54.1-68.7	24	8.2	03.7-12.7	2	0.1	00.0-00.3	2	0.2	00.0-00.6	60	10.3	06.0-14.6
Oth. Race/Non-Hisp.	89	52,470	24	33.5	19.4-47.6	44	30.8	18.6-43.0	4	6.5	00.0-13.6	3	8.2	00.0-20.5				14	21.0	08.8-33.2
MultiRacial/Non-Hisp.	62	34,049	19	50.0	32.6-67.4	31	39.8	22.7-56.9	1	0.8	00.0-02.4							11	9.4	02.7-16.1
Hispanic	151	133,770	47	27.1	17.3-36.9	81	54.3	42.5-66.1	6	5.1	00.8-09.4				1	0.4	00.0-01.2	16	13.0	04.2-21.8
18-24	285	496,305	103	37.9	31.4-44.4	122	42.3	35.6-49.0	14	5.1	02.4-07.8	3	0.5	00.0-01.1				43	14.2	09.9-18.5
25-34	573	570,086	176	30.1	25.8-34.4	273	46.8	41.9-51.7	32	7.2	04.5-09.9	7	1.3	00.0-02.7	1	0.2	00.0-00.6	84	14.4	11.1-17.7
35-44	721	567,429	190	25.4	21.7-29.1	402	53.8	49.3-58.3	29	5.1	03.1-07.1	5	0.5	00.1-00.9	2	0.2	00.0-00.6	93	15.0	11.5-18.5
45-54	1012	593,176	170	17.7	14.8-20.6	646	62.5	58.8-66.2	33	3.0	01.8-04.2	10	1.4	00.4-02.4	4	0.4	00.0-00.8	149	15.1	12.4-17.8
55-64	1186	463,228	168	14.8	12.3-17.3	777	64.1	60.8-67.4	41	4.5	02.9-06.1	8	0.6	00.0-01.2	6	0.6	00.0-01.2	186	15.3	12.8-17.8
65+	1537	489,531	223	13.7	11.7-15.7	992	64.7	61.8-67.6	59	4.3	02.9-05.7	20	1.3	00.5-02.1	12	0.8	00.2-01.4	231	15.2	13.0-17.4
Less Than H.S.	404	379,611	55	19.0	13.3-24.7	288	63.7	57.0-70.4	8	3.0	00.6-05.4	5	1.6	00.0-03.6	1	0.0	00.0-00.0	47	12.7	08.0-17.4
H.S. or G.E.D.	1793	1,037,799	246	17.4	14.7-20.1	1193	60.9	57.8-64.0	80	6.6	04.8-08.4	14	0.8	00.4-01.2	7	0.3	00.1-00.5	253	14.1	11.9-16.3
Some Post-H.S.	1368	983,486	256	24.1	20.8-27.4	830	53.7	50.2-57.2	51	4.3	02.9-05.7	10	0.7	00.3-01.1	5	0.3	00.1-00.5	216	16.9	14.2-19.6
College Graduate	1794	797,168	475	32.0	29.3-34.7	934	47.5	44.6-50.4	71	4.3	03.1-05.5	24	1.2	00.6-01.8	13	0.6	00.2-01.0	277	14.3	12.3-16.3
Less than \$15,000	519	298,986	80	19.7	14.4-25.0	359	60.7	54.4-67.0	12	5.0	01.9-08.1	5	2.8	00.1-05.5	2	0.2	00.0-00.4	61	11.6	07.7-15.5
\$15,000- 24,999	808	457,830	139	23.6	19.1-28.1	525	58.0	53.1-62.9	26	4.5	02.1-06.9	9	0.8	00.0-01.6	4	0.3	00.0-00.7	105	12.7	09.6-15.8
\$25,000- 34,999	551	325,470	77	15.2	10.7-19.7	345	54.7	48.4-61.0	24	7.9	04.0-11.8	7	1.0	00.0-02.0	4	0.6	00.0-01.2	94	20.6	15.3-25.9
\$35,000- 49,999	763	432,665	128	19.9	16.0-23.8	474	57.5	52.8-62.2	25	4.4	02.4-06.4	8	0.7	00.1-01.3	2	0.2	00.0-00.4	126	17.2	13.7-20.7
\$50,000- 74,999	770	466,165	154	25.4	20.9-29.9	467	55.8	51.1-60.5	28	4.0	02.2-05.8	5	0.6	00.0-01.2	2	0.1	00.0-00.3	114	14.0	10.9-17.1
\$75,000+	1184	752,613	306	29.4	26.1-32.7	609	48.9	45.4-52.4	65	5.0	03.6-06.4	17	1.2	00.6-01.8	9	0.7	00.1-01.3	178	14.8	12.3-17.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 5: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT01)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2135	1,554,709	487	26.9	24.4-29.4	1115	46.5	43.8-49.2	164	8.6	07.0-10.2	23	1.0	00.4-01.6	16	0.5	00.3-00.7	330	16.6	14.4-18.8
White/Non-Hisp	1770	1,272,750	380	26.3	23.6-29.0	939	47.5	44.6-50.4	134	8.0	06.4-09.6	19	0.8	00.4-01.2	14	0.6	00.2-01.0	284	16.9	14.5-19.3
Black or Afr. Am./Non-Hisp	180	118,787	40	19.1	10.7-27.5	99	50.8	39.6-62.0	18	15.4	06.8-24.0	1	0.2	00.0-00.6	1	0.1	00.0-00.3	21	14.4	06.4-22.4
Oth. Race/Non-Hisp.	50	39,913	15	34.8	17.6-52.0	20	25.2	11.5-38.9	4	8.5	00.0-17.7	3	10.7	00.0-26.6				8	20.7	05.8-35.6
Hispanic	66	79,739	25	32.1	17.6-46.6	26	43.3	26.2-60.4	6	8.6	01.3-15.9				1	0.6	00.0-01.8	8	15.4	02.3-28.5
18-24	143	264,326	58	40.5	31.3-49.7	39	31.1	21.9-40.3	12	7.9	03.4-12.4	2	0.5	00.0-01.3				32	20.0	12.9-27.1
25-34	210	268,572	80	34.6	27.5-41.7	57	28.6	21.5-35.7	28	14.1	08.6-19.6	4	1.9	00.0-04.4	1	0.4	00.0-01.2	40	20.4	14.1-26.7
35-44	298	281,223	91	28.1	22.2-34.0	139	46.5	39.6-53.4	22	8.6	04.7-12.5	2	0.4	00.0-01.0	1	0.4	00.0-01.2	43	16.1	10.6-21.6
45-54	430	286,822	90	22.4	17.5-27.3	241	55.8	50.1-61.5	24	5.2	02.8-07.6	6	1.8	00.2-03.4	3	0.6	00.0-01.4	66	14.2	10.3-18.1
55-64	482	230,100	89	19.5	15.2-23.8	285	58.6	53.3-63.9	33	7.9	04.8-11.0	4	0.6	00.0-01.4	3	0.6	00.0-01.4	68	12.8	09.3-16.3
65+	557	216,556	78	13.3	10.0-16.6	343	62.2	57.3-67.1	45	7.9	05.2-10.6	5	0.7	00.0-01.5	8	1.1	00.1-02.1	78	14.7	11.2-18.2
Less Than H.S.	183	213,554	38	27.8	19.0-36.6	108	46.0	36.8-55.2	7	5.2	01.1-09.3	4	2.9	00.0-06.4				26	18.2	10.4-26.0
H.S. or G.E.D.	673	512,453	106	18.5	14.4-22.6	402	54.4	49.5-59.3	62	12.2	08.7-15.7	4	0.5	00.0-01.1	4	0.3	00.0-00.7	95	14.1	10.8-17.4
Some Post-H.S.	503	436,077	113	27.6	22.3-32.9	265	44.4	38.7-50.1	34	7.0	04.3-09.7	2	0.4	00.0-01.0	4	0.6	00.0-01.2	85	20.1	15.6-24.6
College Graduate	773	390,982	229	36.5	32.2-40.8	340	39.1	35.0-43.2	61	7.5	05.3-09.7	13	1.3	00.3-02.3	8	1.0	00.2-01.8	122	14.6	11.7-17.5
Less than \$15,000	181	139,737	37	23.9	15.5-32.3	105	47.5	37.9-57.1	10	10.3	03.6-17.0	3	4.1	00.0-09.4	1	0.1	00.0-00.3	25	14.0	07.3-20.7
\$15,000- 24,999	297	214,251	63	30.1	22.5-37.7	171	46.6	39.0-54.2	18	7.3	03.0-11.6	2	0.5	00.0-01.3	1	0.1	00.0-00.3	42	15.3	09.8-20.8
\$25,000- 34,999	216	160,971	35	15.2	08.7-21.7	115	43.0	33.8-52.2	22	15.2	07.8-22.6	3	0.8	00.0-02.2	3	1.1	00.0-02.5	38	24.6	15.8-33.4
\$35,000- 49,999	324	219,525	63	22.8	16.5-29.1	179	50.4	43.5-57.3	20	7.6	03.9-11.3	3	0.6	00.0-01.6	2	0.3	00.0-00.9	57	18.3	12.8-23.8
\$50,000- 74,999	312	224,807	69	31.2	24.3-38.1	170	45.3	38.4-52.2	25	8.0	04.3-11.7	1	0.1	00.0-00.3				47	15.4	10.5-20.3
\$75,000+	563	383,264	160	33.0	27.9-38.1	250	41.6	36.3-46.9	52	8.2	05.7-10.7	10	1.4	00.4-02.4	8	1.1	00.1-02.1	83	14.7	10.8-18.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 6: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT01)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3239	1,650,752	547	19.9	17.9-21.9	2138	64.3	61.9-66.7	46	1.4	00.8-02.0	31	1.0	00.6-01.4	10	0.2	00.0-00.4	467	13.3	11.7-14.9
White/Non-Hisp	2671	1,427,233	440	19.7	17.5-21.9	1754	63.6	61.1-66.1	39	1.5	00.9-02.1	30	1.1	00.7-01.5	8	0.2	00.0-00.4	400	14.0	12.2-15.8
Black or Afr. Am./Non-Hisp	365	125,250	60	20.4	12.4-28.4	258	71.5	63.1-79.9	6	1.3	00.0-02.7	1	0.0	00.0-00.0	1	0.3	00.0-00.9	39	6.4	03.1-09.7
Hispanic	85	54,031	22	19.7	08.3-31.1	55	70.6	56.7-84.5										8	9.6	00.0-19.6
18-24	142	231,979	45	34.9	25.9-43.9	83	55.1	45.7-64.5	2	1.9	00.0-04.4	1	0.6	00.0-01.8				11	7.6	02.7-12.5
25-34	363	301,514	96	26.0	20.7-31.3	216	62.9	57.2-68.6	4	1.1	00.0-02.3	3	0.9	00.0-02.1				44	9.1	06.0-12.2
35-44	423	286,206	99	22.7	18.0-27.4	263	61.0	55.3-66.7	7	1.7	00.3-03.1	3	0.7	00.0-01.5	1	0.0	00.0-00.0	50	13.9	09.6-18.2
45-54	582	306,354	80	13.2	09.9-16.5	405	68.8	64.1-73.5	9	1.0	00.2-01.8	4	0.9	00.0-01.9	1	0.1	00.0-00.3	83	15.9	12.2-19.6
55-64	704	233,129	79	10.2	07.7-12.7	492	69.5	65.2-73.8	8	1.2	00.2-02.2	4	0.7	00.0-01.5	3	0.5	00.0-01.1	118	17.8	14.3-21.3
65+	980	272,975	145	14.0	11.5-16.5	649	66.7	63.2-70.2	14	1.5	00.5-02.5	15	1.7	00.5-02.9	4	0.5	00.0-01.1	153	15.6	12.9-18.3
Less Than H.S.	221	166,057	17	7.7	03.2-12.2	180	86.5	81.2-91.8	1	0.2	00.0-00.6	1	0.1	00.0-00.3	1	0.1	00.0-00.3	21	5.5	02.8-08.2
H.S. or G.E.D.	1120	525,346	140	16.2	12.5-19.9	791	67.3	63.2-71.4	18	1.1	00.3-01.9	10	1.0	00.2-01.8	3	0.3	00.0-00.7	158	14.1	11.4-16.8
Some Post-H.S.	865	547,409	143	21.4	17.5-25.3	565	61.1	56.6-65.6	17	2.1	00.7-03.5	8	0.9	00.1-01.7	1	0.0	00.0-00.0	131	14.4	11.3-17.5
College Graduate	1021	406,186	246	27.7	24.2-31.2	594	55.6	51.7-59.5	10	1.3	00.3-02.3	11	1.1	00.1-02.1	5	0.3	00.1-00.5	155	14.0	11.5-16.5
Less than \$15,000	338	159,249	43	16.0	09.1-22.9	254	72.3	64.7-79.9	2	0.2	00.0-00.6	2	1.6	00.0-03.8	1	0.3	00.0-00.9	36	9.6	05.3-13.9
\$15,000- 24,999	511	243,580	76	17.9	12.8-23.0	354	68.0	62.1-73.9	8	2.1	00.0-04.3	7	1.0	00.0-02.2	3	0.5	00.0-01.1	63	10.5	07.0-14.0
\$25,000- 34,999	335	164,499	42	15.1	08.8-21.4	230	66.2	58.6-73.8	2	0.7	00.0-01.7	4	1.2	00.0-02.6	1	0.0	00.0-00.0	56	16.7	10.8-22.6
\$35,000- 49,999	439	213,140	65	17.0	12.1-21.9	295	64.9	59.0-70.8	5	1.2	00.0-02.4	5	0.9	00.0-01.9				69	16.1	11.4-20.8
\$50,000- 74,999	458	241,358	85	20.0	14.5-25.5	297	65.5	59.4-71.6	3	0.4	00.0-00.8	4	1.1	00.0-02.3	2	0.2	00.0-00.6	67	12.8	08.7-16.9
\$75,000+	621	369,349	146	25.7	21.4-30.0	359	56.5	51.6-61.4	13	1.8	00.6-03.0	7	1.0	00.0-02.0	1	0.2	00.0-00.6	95	14.9	11.4-18.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 7: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5351	3,204,005	2453	47.4	45.6-49.2	1361	24.5	22.9-26.1	772	14.6	13.2-16.0	213	3.7	02.9-04.5	552	9.8	08.8-10.8
Male	2121	1,546,895	935	46.0	43.1-48.9	512	23.7	21.2-26.2	343	16.3	14.1-18.5	90	4.1	02.9-05.3	241	9.9	08.3-11.5
Female	3230	1,657,109	1518	48.7	46.3-51.1	849	25.3	23.1-27.5	429	13.0	11.4-14.6	123	3.3	02.5-04.1	311	9.7	08.3-11.1
White/Non-Hisp	4416	2,695,065	2022	47.8	45.8-49.8	1124	24.5	22.7-26.3	626	14.2	12.8-15.6	178	3.8	03.0-04.6	466	9.8	08.6-11.0
Black or Afr. Am./Non-Hisp	548	247,921	254	45.1	37.8-52.4	129	21.8	15.7-27.9	92	18.3	12.6-24.0	22	4.3	01.4-07.2	51	10.5	06.0-15.0
Oth. Race/Non-Hisp.	88	51,756	41	44.0	29.3-58.7	27	33.9	19.8-48.0	11	17.2	03.3-31.1	2	1.1	00.0-03.1	7	3.8	00.5-07.1
MultiRacial/Non-Hisp.	62	34,049	24	38.7	21.8-55.6	21	29.8	14.1-45.5	10	15.1	03.7-26.5	1	2.1	00.0-06.2	6	14.3	00.0-28.8
Hispanic	152	134,243	76	49.4	37.6-61.2	31	21.5	12.1-30.9	24	18.1	09.3-26.9	5	0.8	00.0-01.6	16	10.2	04.1-16.3
18-24	288	503,665	146	48.3	41.6-55.0	79	27.3	21.4-33.2	23	10.0	05.9-14.1	10	4.3	01.4-07.2	30	10.1	06.2-14.0
25-34	573	570,411	319	53.4	48.5-58.3	122	21.8	17.7-25.9	80	16.0	12.3-19.7	15	2.7	01.1-04.3	37	6.2	03.8-08.6
35-44	728	571,479	377	51.4	46.9-55.9	157	22.6	18.7-26.5	117	15.3	12.2-18.4	31	3.3	01.9-04.7	46	7.3	04.9-09.7
45-54	1004	588,895	467	47.3	43.4-51.2	236	22.7	19.6-25.8	153	14.9	12.2-17.6	30	3.0	01.8-04.2	118	12.0	09.5-14.5
55-64	1179	459,998	525	43.8	40.3-47.3	293	24.2	21.3-27.1	189	16.8	14.1-19.5	51	4.1	02.7-05.5	121	11.1	08.7-13.5
65+	1518	483,763	592	38.7	35.6-41.8	457	29.2	26.5-31.9	202	14.5	12.1-16.9	74	5.0	03.8-06.2	193	12.7	10.7-14.7
Less Than H.S.	399	383,525	151	37.1	30.6-43.6	114	29.1	23.0-35.2	78	19.3	14.2-24.4	16	3.7	01.2-06.2	40	10.8	06.7-14.9
H.S. or G.E.D.	1784	1,037,095	739	43.0	39.9-46.1	480	25.0	22.3-27.7	288	16.6	14.2-19.0	72	3.8	02.6-05.0	205	11.6	09.4-13.8
Some Post-H.S.	1368	982,609	675	50.8	47.3-54.3	328	24.4	21.3-27.5	178	12.6	10.2-15.0	56	3.6	02.2-05.0	131	8.6	06.8-10.4
College Graduate	1787	794,209	883	54.0	51.1-56.9	435	21.8	19.4-24.2	227	12.3	10.3-14.3	69	3.5	02.5-04.5	173	8.3	06.7-09.9
Less than \$15,000	515	302,809	198	38.7	32.6-44.8	151	31.1	25.2-37.0	74	14.9	10.2-19.6	28	4.1	02.1-06.1	64	11.2	07.5-14.9
\$15,000- 24,999	795	449,973	339	41.3	36.4-46.2	215	27.9	23.4-32.4	123	16.9	13.0-20.8	24	3.1	01.3-04.9	94	10.8	08.1-13.5
\$25,000- 34,999	556	328,903	249	48.1	42.0-54.2	127	21.2	16.5-25.9	85	15.9	11.6-20.2	27	3.7	01.7-05.7	68	11.2	07.3-15.1
\$35,000- 49,999	765	432,560	360	48.3	43.6-53.0	185	21.6	17.9-25.3	118	15.8	12.5-19.1	23	3.9	01.5-06.3	79	10.4	07.7-13.1
\$50,000- 74,999	768	466,312	375	51.9	47.2-56.6	170	20.1	16.4-23.8	111	14.6	11.3-17.9	38	4.7	02.7-06.7	74	8.7	06.2-11.2
\$75,000+	1185	753,012	605	52.6	49.1-56.1	287	23.8	20.7-26.9	153	12.6	10.2-15.0	40	3.3	01.9-04.7	100	7.8	06.0-09.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 8: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2121	1,546,895	935	46.0	43.1-48.9	512	23.7	21.2-26.2	343	16.3	14.1-18.5	90	4.1	02.9-05.3	241	9.9	08.3-11.5
White/Non-Hisp	1757	1,265,344	776	46.3	43.2-49.4	426	23.7	21.0-26.4	277	15.6	13.4-17.8	75	4.4	03.0-05.8	203	10.0	08.2-11.8
Black or Afr. Am./Non-Hisp	181	119,393	73	39.8	28.8-50.8	38	21.6	12.2-31.0	38	21.3	11.9-30.7	9	5.0	00.0-10.1	23	12.3	05.4-19.2
Hispanic	66	79,739	35	55.0	38.7-71.3	9	14.5	03.9-25.1	14	22.3	09.0-35.6	1	0.4	00.0-01.2	7	7.8	01.1-14.5
18-24	143	264,326	64	44.2	34.8-53.6	44	28.6	20.2-37.0	13	10.9	05.0-16.8	6	6.3	01.2-11.4	16	10.0	04.5-15.5
25-34	208	267,160	110	51.1	43.5-58.7	37	18.3	12.4-24.2	43	21.8	15.3-28.3	4	2.2	00.0-04.4	14	6.7	03.0-10.4
35-44	298	281,223	153	50.5	43.6-57.4	59	20.7	14.8-26.6	51	17.3	12.2-22.4	12	3.7	01.3-06.1	23	7.8	04.5-11.1
45-54	425	283,407	193	48.4	42.5-54.3	90	22.5	17.6-27.4	75	15.5	11.6-19.4	12	2.7	00.9-04.5	55	11.0	07.7-14.3
55-64	479	229,140	204	42.4	37.1-47.7	117	23.9	19.4-28.4	80	17.4	13.3-21.5	23	4.6	02.2-07.0	55	11.7	08.2-15.2
65+	553	214,530	204	37.4	32.5-42.3	161	29.0	24.5-33.5	79	15.1	11.2-19.0	33	5.7	03.5-07.9	76	12.9	09.8-16.0
Less Than H.S.	179	212,035	62	36.6	27.2-46.0	43	22.2	14.8-29.6	43	24.6	16.6-32.6	9	5.4	00.9-09.9	22	11.1	05.6-16.6
H.S. or G.E.D.	669	510,309	265	42.8	37.9-47.7	185	25.3	21.2-29.4	116	17.3	13.6-21.0	28	3.8	01.6-06.0	75	10.8	07.7-13.9
Some Post-H.S.	501	434,762	239	48.5	42.8-54.2	118	26.3	20.8-31.8	68	13.0	09.3-16.7	22	3.9	01.5-06.3	54	8.2	05.7-10.7
College Graduate	770	388,566	367	52.5	48.2-56.8	166	19.5	16.2-22.8	116	14.2	11.3-17.1	31	3.9	02.3-05.5	90	10.0	07.6-12.4
Less than \$15,000	179	138,680	71	33.8	25.0-42.6	51	32.7	23.5-41.9	27	18.5	10.1-26.9	11	4.3	01.2-07.4	19	10.8	04.9-16.7
\$15,000- 24,999	292	211,133	125	43.4	35.6-51.2	74	25.4	18.5-32.3	49	19.1	12.6-25.6	8	3.4	00.3-06.5	36	8.7	05.0-12.4
\$25,000- 34,999	217	161,564	90	48.9	39.5-58.3	51	20.9	13.8-28.0	39	16.5	09.8-23.2	11	4.5	01.2-07.8	26	9.2	04.5-13.9
\$35,000- 49,999	323	218,991	141	46.7	39.8-53.6	79	23.3	17.4-29.2	48	14.8	09.9-19.7	10	3.4	00.0-06.9	45	11.8	07.7-15.9
\$50,000- 74,999	311	224,062	147	48.8	41.7-55.9	53	15.5	10.4-20.6	57	19.8	14.1-25.5	19	5.5	02.2-08.8	35	10.4	06.3-14.5
\$75,000+	561	381,534	273	50.7	45.4-56.0	131	23.1	18.4-27.8	83	13.7	10.0-17.4	20	4.2	01.8-06.6	54	8.3	05.8-10.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 9: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3230	1,657,109	1518	48.7	46.3-51.1	849	25.3	23.1-27.5	429	13.0	11.4-14.6	123	3.3	02.5-04.1	311	9.7	08.3-11.1
White/Non-Hisp	2659	1,429,721	1246	49.1	46.6-51.6	698	25.1	22.9-27.3	349	12.9	11.1-14.7	103	3.3	02.5-04.1	263	9.6	08.0-11.2
Black or Afr. Am./Non-Hisp	367	128,528	181	50.0	40.4-59.6	91	22.0	14.6-29.4	54	15.5	08.6-22.4	13	3.7	00.8-06.6	28	8.8	03.1-14.5
Hispanic	86	54,504	41	41.3	26.2-56.4	22	31.7	16.0-47.4	10	11.9	02.5-21.3	4	1.5	00.0-03.1	9	13.6	02.6-24.6
18-24	145	239,338	82	52.8	43.6-62.0	35	25.8	17.6-34.0	10	9.1	03.6-14.6	4	2.2	00.0-04.6	14	10.1	04.4-15.8
25-34	365	303,251	209	55.4	49.3-61.5	85	24.9	19.4-30.4	37	10.8	06.9-14.7	11	3.1	01.1-05.1	23	5.8	03.1-08.5
35-44	430	290,256	224	52.4	46.7-58.1	98	24.5	19.4-29.6	66	13.4	09.7-17.1	19	2.8	01.2-04.4	23	6.9	03.8-10.0
45-54	579	305,488	274	46.4	41.3-51.5	146	22.9	18.8-27.0	78	14.4	10.7-18.1	18	3.4	01.6-05.2	63	13.0	09.5-16.5
55-64	700	230,859	321	45.1	40.6-49.6	176	24.6	20.7-28.5	109	16.3	13.0-19.6	28	3.6	02.0-05.2	66	10.4	07.5-13.3
65+	965	269,234	388	39.8	35.9-43.7	296	29.4	25.9-32.9	123	14.0	11.1-16.9	41	4.4	02.8-06.0	117	12.5	10.0-15.0
Less Than H.S.	220	171,491	89	37.7	28.9-46.5	71	37.6	28.4-46.8	35	12.7	07.6-17.8	7	1.7	00.3-03.1	18	10.4	04.3-16.5
H.S. or G.E.D.	1115	526,786	474	43.1	39.0-47.2	295	24.8	21.3-28.3	172	15.9	12.8-19.0	44	3.7	02.3-05.1	130	12.5	09.8-15.2
Some Post-H.S.	867	547,847	436	52.7	48.2-57.2	210	22.8	19.1-26.5	110	12.2	09.3-15.1	34	3.4	02.0-04.8	77	9.0	06.6-11.4
College Graduate	1017	405,643	516	55.5	51.6-59.4	269	23.9	20.6-27.2	111	10.5	08.1-12.9	38	3.2	02.0-04.4	83	6.8	05.0-08.6
Less than \$15,000	336	164,129	127	42.7	34.7-50.7	100	29.7	22.3-37.1	47	12.0	07.1-16.9	17	4.0	01.5-06.5	45	11.5	07.0-16.0
\$15,000- 24,999	503	238,839	214	39.4	33.5-45.3	141	30.2	24.3-36.1	74	15.0	10.3-19.7	16	2.8	01.0-04.6	58	12.6	08.5-16.7
\$25,000- 34,999	339	167,339	159	47.3	39.5-55.1	76	21.6	15.3-27.9	46	15.2	09.7-20.7	16	2.9	01.1-04.7	42	13.0	06.9-19.1
\$35,000- 49,999	442	213,569	219	49.9	43.8-56.0	106	20.0	15.5-24.5	70	16.8	12.1-21.5	13	4.5	01.8-07.2	34	8.9	05.4-12.4
\$50,000- 74,999	457	242,250	228	54.8	48.7-60.9	117	24.3	19.0-29.6	54	9.8	06.7-12.9	19	4.0	01.6-06.4	39	7.1	04.2-10.0
\$75,000+	624	371,478	332	54.5	49.8-59.2	156	24.5	20.2-28.8	70	11.5	08.4-14.6	20	2.3	01.1-03.5	46	7.2	04.8-09.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 10: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5386	3,217,927	2412	40.6	38.8-42.4	755	13.6	12.4-14.8	39	0.6	0.4-0.8	1314	27.3	25.5-29.1	548	12.0	10.6-13.4	318	5.9	0.4-0.9
Male	2128	1,550,916	810	34.7	32.0-37.4	281	11.4	09.8-13.0	13	0.4	0.2-0.6	551	28.9	26.4-31.4	296	16.4	14.2-18.6	177	8.2	0.6-0.9
Female	3258	1,667,011	1602	46.2	43.8-48.6	474	15.7	13.9-17.5	26	0.8	0.4-0.2	763	25.7	23.5-27.9	252	7.9	0.6-0.9	141	3.8	0.2-0.8
White/Non-Hisp	4442	2,705,096	2042	41.9	39.9-43.9	627	13.8	12.4-15.2	35	0.6	0.4-0.8	1064	26.9	25.1-28.7	428	11.1	09.7-12.5	246	5.7	0.4-0.7
Black or Afr. Am./Non-Hisp	554	250,845	233	35.8	29.1-42.5	66	12.4	07.3-17.5	3	0.6	0.0-0.1	135	23.3	17.4-29.2	75	19.5	13.2-25.8	42	8.5	0.4-1.2
Oth. Race/Non-Hisp.	90	52,523	29	31.9	17.2-46.6	15	15.8	05.8-25.8	1	0.7	0.0-0.2	24	29.1	15.4-42.8	15	13.6	05.0-22.2	6	8.8	0.1-0.1
MultiRacial/Non-Hisp.	62	34,049	23	38.5	21.8-55.2	7	8.3	00.7-15.9				17	35.7	17.5-53.9	7	9.2	00.0-18.4	8	8.3	0.1-0.1
Hispanic	152	134,243	55	30.1	19.5-40.7	27	13.2	06.1-20.3				47	36.7	25.3-48.1	14	14.5	04.9-24.1	9	5.4	0.0-0.9
18-24	291	508,135	97	32.7	26.4-39.0	38	12.9	08.6-17.2	1	0.4	0.0-0.1	91	32.1	26.0-38.2	48	16.5	11.6-21.4	16	5.5	0.2-0.8
25-34	574	571,068	205	33.7	29.2-38.2	98	15.2	11.9-18.5	2	0.4	0.0-0.1	173	30.3	26.0-34.6	71	15.1	11.4-18.8	25	5.3	0.2-0.7
35-44	725	567,879	330	40.6	36.3-44.9	113	14.7	11.8-17.6	6	0.8	0.0-0.1	176	28.4	24.1-32.7	72	11.4	08.5-14.3	28	4.2	0.2-0.6
45-54	1012	592,373	433	43.6	39.9-47.3	156	14.1	11.6-16.6	7	0.5	0.1-0.9	269	27.1	23.8-30.4	97	9.4	07.2-11.6	50	5.3	0.3-0.7
55-64	1188	463,097	549	44.4	40.9-47.9	164	13.2	10.8-15.6	12	0.8	0.2-0.1	284	24.6	21.7-27.5	113	9.9	07.7-12.1	66	7.2	0.5-0.9
65+	1535	489,583	773	49.9	46.8-53.0	175	11.0	09.0-13.0	11	0.7	0.3-0.1	308	20.4	17.9-22.9	138	9.3	07.3-11.3	130	8.7	0.6-1.0
Less Than H.S.	406	389,690	178	38.2	31.9-44.5	29	9.7	05.4-14.0				106	29.9	23.8-36.0	53	12.6	08.3-16.9	40	9.7	0.5-1.3
H.S. or G.E.D.	1796	1,040,502	821	40.5	37.4-43.6	202	10.7	08.7-12.7	4	0.1	0.0-0.3	423	26.1	23.4-28.8	223	15.4	12.9-17.9	123	7.2	0.5-0.9
Some Post-H.S.	1375	984,330	605	40.1	36.8-43.4	195	14.2	11.8-16.6	8	0.6	0.0-0.1	341	28.0	24.7-31.3	143	12.0	09.6-14.4	83	5.2	0.3-0.6
College Graduate	1794	796,010	801	42.7	39.8-45.6	329	18.8	16.6-21.0	27	1.4	0.8-0.2	440	26.7	24.0-29.4	126	7.1	05.5-08.7	71	3.4	0.2-0.4
Less than \$15,000	520	304,730	240	40.3	34.2-46.4	48	9.5	05.6-13.4	3	0.9	0.0-0.2	125	26.2	20.7-31.7	63	14.6	10.1-19.1	41	8.5	0.5-1.2
\$15,000- 24,999	809	456,600	379	39.8	35.1-44.5	79	11.5	08.0-15.0	1	0.1	0.0-0.3	195	29.5	24.8-34.2	107	14.6	11.1-18.1	48	4.6	0.3-0.6
\$25,000- 34,999	555	328,524	242	35.1	29.6-40.6	97	16.2	11.7-20.7	2	0.2	0.0-0.4	122	25.1	19.6-30.6	67	19.4	13.7-25.1	25	4.1	0.2-0.6
\$35,000- 49,999	765	431,056	353	45.7	41.0-50.4	99	11.3	08.6-14.0	7	0.5	0.0-0.1	182	23.9	19.8-28.0	86	12.6	09.5-15.7	38	5.9	0.3-0.8
\$50,000- 74,999	772	467,267	351	42.4	37.9-46.9	120	15.9	12.4-19.4	4	0.5	0.0-0.1	198	26.9	22.8-31.0	64	9.9	06.8-13.0	35	4.4	0.2-0.6
\$75,000+	1185	753,741	499	40.7	37.2-44.2	220	18.2	15.5-20.9	19	1.2	0.6-0.1	305	28.9	25.4-32.4	86	7.1	05.3-08.9	56	3.9	0.2-0.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 11: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2128	1,550,916	810	34.7	32.0-37.4	281	11.4	09.8-13.0	13	0.4	00.2-00.6	551	28.9	26.4-31.4	296	16.4	14.2-18.6	177	8.2	06.6-09.8
White/Non-Hisp	1764	1,268,856	692	36.2	33.3-39.1	231	11.5	09.7-13.3	12	0.4	00.2-00.6	447	28.6	25.9-31.3	233	15.2	12.8-17.6	149	8.1	06.5-09.7
Black or Afr. Am./Non-Hisp	180	119,157	59	25.1	16.1-34.1	20	6.7	01.0-12.4	1	0.3	00.0-00.9	47	25.0	15.6-34.4	39	32.4	21.4-43.4	14	10.5	03.6-17.4
Oth. Race/Non-Hisp.	50	39,913	15	34.8	16.4-53.2	8	13.8	02.8-24.8				13	28.7	11.6-45.8	9	11.3	02.3-20.3	5	11.4	01.0-21.8
Hispanic	66	79,739	21	26.1	11.2-41.0	12	17.4	06.0-28.8				20	35.0	19.1-50.9	8	14.7	01.0-28.4	5	6.8	00.0-13.9
18-24	143	264,326	36	29.3	20.3-38.3	15	7.6	03.3-11.9				50	34.3	25.5-43.1	31	21.7	13.9-29.5	11	7.1	02.8-11.4
25-34	209	267,847	57	26.2	19.3-33.1	23	10.6	05.5-15.7	1	0.4	00.0-01.2	68	30.8	23.9-37.7	44	24.1	17.2-31.0	16	7.9	03.8-12.0
35-44	296	279,347	118	34.7	28.4-41.0	48	14.4	10.1-18.7	1	0.0	00.0-00.0	68	29.8	22.9-36.7	43	15.1	10.2-20.0	18	6.1	03.0-09.2
45-54	428	285,698	157	38.2	32.5-43.9	61	12.0	08.5-15.5	2	0.3	00.0-00.7	125	30.6	25.3-35.9	57	12.9	09.2-16.6	26	6.1	03.0-09.2
55-64	483	230,693	197	39.0	33.9-44.1	67	13.0	09.7-16.3	5	1.0	00.0-02.0	119	24.5	19.8-29.2	54	11.6	08.3-14.9	41	10.8	07.1-14.5
65+	554	215,895	241	42.9	38.0-47.8	62	10.1	07.2-13.0	4	0.8	00.0-01.6	119	22.1	17.8-26.4	65	11.8	08.5-15.1	63	12.3	09.2-15.4
Less Than H.S.	182	213,393	67	35.0	26.0-44.0	11	7.5	02.4-12.6				50	29.8	21.2-38.4	31	16.6	09.7-23.5	23	11.1	05.6-16.6
H.S. or G.E.D.	671	511,818	260	35.2	30.5-39.9	66	7.8	05.4-10.2				174	28.0	23.5-32.5	110	19.8	15.5-24.1	61	9.2	06.5-11.9
Some Post-H.S.	501	434,964	189	32.8	27.5-38.1	69	12.4	08.9-15.9	3	0.5	00.0-01.1	119	28.5	23.0-34.0	76	17.8	13.3-22.3	45	8.0	05.1-10.9
College Graduate	771	389,099	294	36.1	32.0-40.2	135	17.1	13.8-20.4	10	1.0	00.2-01.8	206	30.0	25.9-34.1	78	10.1	07.6-12.6	48	5.7	03.7-07.7
Less than \$15,000	179	139,339	66	32.3	23.1-41.5	11	5.1	01.0-09.2	1	0.5	00.0-01.5	50	28.2	19.8-36.6	34	21.4	13.2-29.6	17	12.6	06.1-19.1
\$15,000- 24,999	297	214,251	117	31.6	24.7-38.5	30	11.1	05.6-16.6				80	32.8	25.4-40.2	46	18.4	12.1-24.7	24	6.0	03.1-08.9
\$25,000- 34,999	217	161,564	76	25.7	18.3-33.1	29	10.5	06.2-14.8	1	0.2	00.0-00.6	49	26.2	17.4-35.0	45	31.1	21.5-40.7	17	6.2	02.7-09.7
\$35,000- 49,999	322	217,972	137	42.3	35.4-49.2	39	9.1	05.6-12.6	2	0.6	00.0-01.6	77	26.1	19.8-32.4	43	13.3	08.8-17.8	24	8.6	04.5-12.7
\$50,000- 74,999	311	224,062	131	39.5	32.8-46.2	40	13.9	08.6-19.2	1	0.0	00.0-00.0	77	24.8	18.9-30.7	39	14.8	09.5-20.1	23	7.0	03.5-10.5
\$75,000+	563	382,806	199	34.9	29.8-40.0	104	17.1	13.4-20.8	5	0.6	00.0-01.2	156	31.8	26.5-37.1	56	9.7	06.8-12.6	43	5.9	03.7-08.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 12: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3258	1,667,011	1602	46.2	43.8-48.6	474	15.7	13.9-17.5	26	0.8	0.4-01.2	763	25.7	23.5-27.9	252	7.9	06.5-09.3	141	3.8	02.8-04.8
White/Non-Hisp	2678	1,436,240	1350	46.9	44.4-49.4	396	15.9	13.9-17.9	23	0.8	0.4-01.2	617	25.4	23.0-27.8	195	7.5	06.1-08.9	97	3.5	02.5-04.5
Black or Afr. Am./Non-Hisp	374	131,688	174	45.4	36.0-54.8	46	17.5	09.5-25.5	2	0.8	0.0-02.4	88	21.8	14.4-29.2	36	7.8	02.7-12.9	28	6.7	01.2-12.2
Hispanic	86	54,504	34	35.9	21.4-50.4	15	7.2	02.1-12.3				27	39.2	23.3-55.1	6	14.2	01.9-26.5	4	3.5	00.0-08.0
18-24	148	243,808	61	36.3	27.7-44.9	23	18.6	11.0-26.2	1	0.8	0.0-02.4	41	29.6	21.2-38.0	17	10.8	05.3-16.3	5	3.8	00.0-07.9
25-34	365	303,222	148	40.3	34.4-46.2	75	19.2	14.5-23.9	1	0.4	0.0-01.2	105	29.9	24.2-35.6	27	7.2	04.3-10.1	9	3.0	00.5-05.5
35-44	429	288,531	212	46.3	40.6-52.0	65	14.9	10.8-19.0	5	1.5	0.1-02.9	108	27.0	21.9-32.1	29	7.9	04.6-11.2	10	2.4	00.8-04.0
45-54	584	306,675	276	48.7	43.6-53.8	95	16.0	12.5-19.5	5	0.8	0.0-01.6	144	24.0	19.7-28.3	40	6.1	03.6-08.6	24	4.5	02.0-07.0
55-64	705	232,404	352	49.7	45.2-54.2	97	13.4	10.3-16.5	7	0.5	0.1-00.9	165	24.7	20.8-28.6	59	8.1	05.7-10.5	25	3.6	02.0-05.2
65+	981	273,687	532	55.4	51.5-59.3	113	11.8	09.3-14.3	7	0.6	0.2-01.0	189	19.0	15.9-22.1	73	7.4	05.2-09.6	67	5.8	04.2-07.4
Less Than H.S.	224	176,297	111	42.0	33.4-50.6	18	12.3	05.4-19.2				56	30.0	21.4-38.6	22	7.8	03.7-11.9	17	8.0	02.7-13.3
H.S. or G.E.D.	1125	528,684	561	45.6	41.5-49.7	136	13.4	10.5-16.3	4	0.2	0.0-00.4	249	24.3	20.8-27.8	113	11.1	08.4-13.8	62	5.3	03.1-07.5
Some Post-H.S.	874	549,365	416	45.8	41.5-50.1	126	15.6	12.3-18.9	5	0.7	0.0-01.5	222	27.5	23.4-31.6	67	7.4	05.0-09.8	38	2.9	01.7-04.1
College Graduate	1023	406,911	507	49.0	45.1-52.9	194	20.3	17.2-23.4	17	1.9	0.7-03.1	234	23.4	20.1-26.7	48	4.1	02.7-05.5	23	1.2	00.6-01.8
Less than \$15,000	341	165,391	174	47.1	39.1-55.1	37	13.2	06.9-19.5	2	1.3	0.0-03.7	75	24.5	17.4-31.6	29	8.9	04.8-13.0	24	5.0	01.5-08.5
\$15,000- 24,999	512	242,350	262	47.0	40.9-53.1	49	11.8	07.5-16.1	1	0.1	0.0-00.3	115	26.6	20.7-32.5	61	11.2	07.3-15.1	24	3.2	01.6-04.8
\$25,000- 34,999	338	166,959	166	44.1	36.5-51.7	68	21.7	14.3-29.1	1	0.1	0.0-00.3	73	24.1	17.2-31.0	22	7.9	03.0-12.8	8	2.1	00.3-03.9
\$35,000- 49,999	443	213,084	216	49.1	43.0-55.2	60	13.6	09.7-17.5	5	0.5	0.1-00.9	105	21.7	16.8-26.6	43	11.9	07.4-16.4	14	3.3	00.6-06.0
\$50,000- 74,999	461	243,206	220	45.2	38.9-51.5	80	17.7	13.0-22.4	3	0.9	0.0-02.1	121	28.7	22.8-34.6	25	5.4	02.3-08.5	12	2.1	00.7-03.5
\$75,000+	622	370,934	300	46.6	41.7-51.5	116	19.4	15.5-23.3	14	1.9	0.7-03.1	149	25.9	21.6-30.2	30	4.4	02.6-06.2	13	1.8	00.4-03.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT02)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3268	2,011,836	842	27.8	25.6-30.0	892	25.0	23.0-27.0	202	7.7	06.3-09.1	102	3.4	02.4-04.4	74	2.1	01.5-02.7	1156	34.0	31.8-36.2
Male	1347	1,009,277	319	24.5	21.4-27.6	350	23.7	20.8-26.6	141	11.9	09.5-14.3	43	3.1	01.7-04.5	44	2.9	01.7-04.1	450	33.9	30.4-37.4
Female	1921	1,002,559	523	31.1	28.2-34.0	542	26.3	23.6-29.0	61	3.5	02.3-04.7	59	3.8	02.6-05.0	30	1.2	00.6-01.8	706	34.2	31.5-36.9
White/Non-Hisp	2751	1,709,085	681	27.0	24.6-29.4	767	25.9	23.7-28.1	164	6.8	05.4-08.2	84	3.3	02.3-04.3	69	2.2	01.6-02.8	986	34.8	32.4-37.2
Black or Afr. Am./Non-Hisp	292	143,287	105	39.2	29.8-48.6	66	16.2	09.7-22.7	18	16.0	08.0-24.0	7	3.8	00.1-07.5	1	0.1	00.0-00.3	95	24.7	17.3-32.1
Oth. Race/Non-Hisp.	58	33,174	15	23.0	08.7-37.3	16	33.3	16.1-50.5	8	19.8	04.5-35.1	2	2.0	00.0-05.5				17	21.9	09.0-34.8
Hispanic	82	77,706	16	22.8	10.1-35.5	24	22.8	09.1-36.5	7	9.2	01.8-16.6	5	6.1	00.0-13.7				30	39.1	22.2-56.0
18-24	204	346,685	83	39.7	32.1-47.3	32	14.9	09.4-20.4	16	8.1	03.4-12.8	6	3.2	00.1-06.3	1	0.8	00.0-02.4	66	33.2	25.6-40.8
25-34	370	355,257	126	34.6	28.9-40.3	92	23.2	18.3-28.1	31	9.6	05.9-13.3	7	2.0	00.4-03.6	1	0.7	00.0-02.1	113	30.0	24.5-35.5
35-44	478	381,313	128	23.7	19.4-28.0	108	25.9	20.8-31.0	34	8.6	05.5-11.7	26	5.9	03.4-08.4	14	2.5	01.1-03.9	168	33.5	28.2-38.8
45-54	616	357,821	156	25.9	21.6-30.2	167	27.8	23.5-32.1	40	7.5	04.8-10.2	21	3.1	01.5-04.7	18	3.1	01.3-04.9	214	32.6	28.1-37.1
55-64	704	280,634	178	21.5	18.0-25.0	207	28.8	24.7-32.9	40	6.4	04.0-08.8	25	4.3	02.3-06.3	13	2.2	00.8-03.6	241	36.9	32.4-41.4
65+	858	274,630	163	18.6	15.5-21.7	271	30.6	26.9-34.3	41	5.6	03.4-07.8	16	2.0	00.8-03.2	26	3.4	01.8-05.0	341	39.8	35.9-43.7
Less Than H.S.	176	185,104	43	28.9	19.5-38.3	47	23.0	14.6-31.4	6	5.3	00.8-09.8	8	4.3	00.6-08.0	4	1.8	00.0-03.8	68	36.8	27.2-46.4
H.S. or G.E.D.	965	587,996	229	25.4	21.5-29.3	266	24.9	21.4-28.4	61	9.2	06.5-11.9	33	4.2	02.4-06.0	24	2.3	01.1-03.5	352	33.9	29.8-38.0
Some Post-H.S.	857	652,392	223	27.5	23.4-31.6	230	24.7	21.0-28.4	54	8.2	05.5-10.9	33	4.0	02.0-06.0	13	1.8	00.6-03.0	304	33.8	29.7-37.9
College Graduate	1262	582,882	346	30.2	27.1-33.3	345	25.8	22.9-28.7	80	6.5	04.7-08.3	28	1.8	01.0-02.6	33	2.2	01.2-03.2	430	33.6	30.3-36.9
Less than \$15,000	250	165,486	79	32.2	24.0-40.4	55	21.4	14.0-28.8	8	6.7	01.6-11.8	8	4.1	00.0-08.2	3	0.6	00.0-01.4	97	35.0	27.0-43.0
\$15,000- 24,999	428	243,960	87	21.0	15.3-26.7	132	29.0	23.1-34.9	18	6.3	02.6-10.0	16	4.0	01.6-06.4	5	1.8	00.0-04.2	170	37.8	31.5-44.1
\$25,000- 34,999	330	195,060	87	27.0	19.9-34.1	91	25.8	18.9-32.7	24	8.7	04.4-13.0	11	4.2	01.3-07.1	12	2.5	00.7-04.3	105	31.8	24.2-39.4
\$35,000- 49,999	452	266,192	97	23.8	18.7-28.9	125	25.7	20.6-30.8	28	8.2	04.9-11.5	19	5.0	02.5-07.5	11	2.2	00.6-03.8	172	35.2	29.5-40.9
\$50,000- 74,999	504	304,433	134	29.1	23.8-34.4	127	22.4	17.9-26.9	33	6.9	04.2-09.6	10	1.6	00.4-02.8	12	1.8	00.4-03.2	188	38.3	32.8-43.8
\$75,000+	855	544,456	243	29.5	25.6-33.4	234	26.1	22.4-29.8	65	7.6	05.4-09.8	24	3.8	01.6-06.0	24	2.6	01.4-03.8	265	30.4	26.5-34.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 14: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT02)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1347	1,009,277	319	24.5	21.6-27.4	350	23.7	20.8-26.6	141	11.9	09.5-14.3	43	3.1	01.7-04.5	44	2.9	01.7-04.1	450	33.9	30.4-37.4
White/Non-Hisp	1125	825,936	254	24.1	20.8-27.4	302	24.5	21.4-27.6	114	10.7	08.2-13.2	34	3.1	01.5-04.7	40	3.1	01.9-04.3	381	34.6	30.9-38.3
Black or Afr. Am./Non-Hisp	105	72,317	39	34.1	20.8-47.4	20	13.3	03.9-22.7	12	23.3	10.0-36.6	5	4.8	00.0-10.3	1	0.2	00.0-00.6	28	24.3	12.9-35.7
18-24	107	192,140	38	32.3	22.3-42.3	13	10.6	04.5-16.7	12	11.0	03.6-18.4	2	2.8	00.0-07.5	1	1.5	00.0-04.4	41	41.8	30.6-53.0
25-34	142	175,655	42	28.5	20.3-36.7	31	21.7	14.1-29.3	21	16.3	09.2-23.4	3	2.2	00.0-04.9	1	1.5	00.0-04.2	44	29.9	21.5-38.3
35-44	199	188,073	45	19.8	13.5-26.1	47	29.2	21.0-37.4	27	13.7	08.2-19.2	7	3.4	00.7-06.1	9	3.6	01.1-06.1	64	30.3	22.3-38.3
45-54	259	173,113	60	26.0	19.5-32.5	63	23.5	17.0-30.0	31	12.4	07.5-17.3	9	2.7	00.2-05.2	7	3.2	00.5-05.9	89	32.1	25.4-38.8
55-64	297	144,692	58	15.7	11.0-20.4	96	32.2	25.9-38.5	26	9.3	05.4-13.2	14	5.3	02.4-08.2	9	3.5	01.0-06.0	94	34.0	27.5-40.5
65+	334	130,533	72	20.6	15.5-25.7	98	28.5	22.8-34.2	24	7.8	04.3-11.3	8	2.4	00.6-04.2	16	5.0	02.3-07.7	116	35.8	29.7-41.9
Less Than H.S.	94	117,828	19	21.3	10.3-32.3	24	27.8	15.6-40.0	3	3.4	00.0-07.5	3	1.5	00.0-03.3	3	1.5	00.0-03.5	42	44.5	31.2-57.8
H.S. or G.E.D.	378	306,398	85	22.8	17.1-28.5	93	22.4	17.3-27.5	42	14.4	09.7-19.1	18	4.5	02.0-07.0	14	3.3	01.1-05.5	126	32.6	26.3-38.9
Some Post-H.S.	311	292,729	64	22.8	16.9-28.7	86	23.0	17.5-28.5	36	14.4	08.9-19.9	12	3.8	00.5-07.1	8	3.1	00.6-05.6	105	32.9	26.0-39.8
College Graduate	562	291,099	151	29.3	24.6-34.0	145	23.7	19.4-28.0	60	10.5	07.6-13.4	10	1.5	00.3-02.7	19	3.0	01.4-04.6	177	32.1	27.4-36.8
Less than \$15,000	89	82,243	25	28.9	17.1-40.7	19	17.6	08.4-26.8	6	8.1	00.7-15.5	2	3.2	00.0-08.1				37	42.2	29.5-54.9
\$15,000- 24,999	173	125,808	32	16.9	09.5-24.3	50	28.7	19.7-37.7	11	9.8	03.3-16.3	9	4.8	01.3-08.3	4	3.4	00.0-07.9	67	36.4	27.0-45.8
\$25,000- 34,999	126	96,344	36	24.4	14.2-34.6	33	26.3	14.7-37.9	12	11.7	04.3-19.1	4	2.4	00.0-04.9	6	3.3	00.2-06.4	35	31.9	19.4-44.4
\$35,000- 49,999	192	133,361	40	22.1	14.5-29.7	53	24.9	17.3-32.5	22	13.5	07.4-19.6	8	3.9	00.6-07.2	7	3.4	00.7-06.1	62	32.1	23.5-40.7
\$50,000- 74,999	203	145,877	40	23.0	15.6-30.4	53	21.6	15.1-28.1	23	11.4	06.1-16.7	5	2.0	00.0-04.0	7	1.8	00.2-03.4	75	40.3	31.7-48.9
\$75,000+	413	283,045	107	28.7	22.8-34.6	101	24.1	19.0-29.2	51	11.7	08.0-15.4	10	3.5	00.0-07.0	14	3.3	01.3-05.3	130	28.6	22.9-34.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 15: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT02)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1921	1,002,559	523	31.1	28.2-34.0	542	26.3	23.6-29.0	61	3.5	02.3-04.7	59	3.8	02.6-05.0	30	1.2	00.6-01.8	706	34.2	31.5-36.9
White/Non-Hisp	1626	883,149	427	29.8	26.7-32.9	465	27.2	24.3-30.1	50	3.1	01.9-04.3	50	3.6	02.4-04.8	29	1.3	00.7-01.9	605	35.1	32.2-38.0
Black or Afr. Am./Non-Hisp	187	70,970	66	44.5	31.6-57.4	46	19.1	10.3-27.9	6	8.5	00.0-17.1	2	2.7	00.0-07.6				67	25.2	15.6-34.8
18-24	97	154,546	45	48.9	37.5-60.3	19	20.4	11.0-29.8	4	4.5	00.0-09.0	4	3.6	00.0-07.7				25	22.6	13.8-31.4
25-34	228	179,602	84	40.5	32.9-48.1	61	24.6	18.3-30.9	10	3.0	00.8-05.2	4	1.8	00.0-03.8				69	30.0	23.1-36.9
35-44	279	193,240	83	27.5	21.4-33.6	61	22.6	16.3-28.9	7	3.6	00.7-06.5	19	8.3	04.0-12.6	5	1.3	00.0-02.7	104	36.6	29.7-43.5
45-54	357	184,708	96	25.7	20.0-31.4	104	31.9	25.8-38.0	9	3.0	00.6-05.4	12	3.5	01.3-05.7	11	3.0	00.8-05.2	125	33.0	27.1-38.9
55-64	407	135,942	120	27.7	22.4-33.0	111	25.2	20.3-30.1	14	3.2	01.0-05.4	11	3.2	00.7-05.7	4	0.8	00.0-01.8	147	39.9	34.0-45.8
65+	524	144,097	91	16.8	12.9-20.7	173	32.5	27.6-37.4	17	3.7	01.3-06.1	8	1.7	00.3-03.1	10	1.9	00.3-03.5	225	43.5	38.2-48.8
Less Than H.S.	82	67,277	24	42.2	26.7-57.7	23	14.5	06.9-22.1	3	8.7	00.0-18.3	5	9.1	00.0-18.3	1	2.3	00.0-06.8	26	23.2	12.6-33.8
H.S. or G.E.D.	587	281,599	144	28.1	22.8-33.4	173	27.7	22.8-32.6	19	3.6	01.6-05.6	15	3.9	01.5-06.3	10	1.3	00.3-02.3	226	35.4	30.3-40.5
Some Post-H.S.	546	359,663	159	31.3	25.8-36.8	144	26.1	21.0-31.2	18	3.1	01.3-04.9	21	4.2	02.0-06.4	5	0.7	00.1-01.3	199	34.5	29.2-39.8
College Graduate	700	291,784	195	31.0	26.5-35.5	200	27.8	23.7-31.9	20	2.6	01.0-04.2	18	2.0	00.8-03.2	14	1.5	00.5-02.5	253	35.1	30.6-39.6
Less than \$15,000	161	83,243	54	35.3	23.7-46.9	36	25.2	13.8-36.6	2	5.4	00.0-12.7	6	5.1	00.0-11.6	3	1.1	00.0-02.7	60	27.9	18.9-36.9
\$15,000- 24,999	255	118,152	55	25.4	16.8-34.0	82	29.3	21.7-36.9	7	2.7	00.3-05.1	7	3.3	00.4-06.2	1	0.1	00.0-00.3	103	39.3	30.7-47.9
\$25,000- 34,999	204	98,715	51	29.4	20.0-38.8	58	25.4	18.0-32.8	12	5.8	01.7-09.9	7	6.1	00.8-11.4	6	1.8	00.0-03.8	70	31.6	23.0-40.2
\$35,000- 49,999	260	132,831	57	25.4	18.5-32.3	72	26.4	19.3-33.5	6	2.9	00.2-05.6	11	6.1	02.0-10.2	4	1.0	00.0-02.2	110	38.2	30.6-45.8
\$50,000- 74,999	301	158,556	94	34.6	27.3-41.9	74	23.1	16.8-29.4	10	2.8	00.4-05.2	5	1.2	00.0-02.4	5	1.8	00.0-04.0	113	36.5	29.4-43.6
\$75,000+	442	261,411	136	30.4	24.9-35.9	133	28.2	23.1-33.3	14	3.1	01.1-05.1	14	4.1	01.6-06.6	10	1.8	00.6-03.0	135	32.3	26.8-37.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 16: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3285	2,024,563	1718	52.8	50.4-55.2	488	13.5	11.9-15.1	786	25.6	23.4-27.8	91	2.6	02.0-03.2	202	5.5	04.5-06.5
Male	1336	1,004,560	649	50.9	47.4-54.4	184	12.0	09.8-14.2	361	28.2	24.9-31.5	43	2.7	01.7-03.7	99	6.2	04.6-07.8
Female	1949	1,020,003	1069	54.6	51.5-57.7	304	15.1	12.9-17.3	425	23.0	20.5-25.5	48	2.5	01.5-03.5	103	4.9	03.5-06.3
White/Non-Hisp	2753	1,715,189	1440	52.3	49.8-54.8	397	13.8	12.0-15.6	670	25.9	23.7-28.1	78	2.7	01.9-03.5	168	5.3	04.1-06.5
Black or Afr. Am./Non-Hisp	301	144,585	154	54.5	45.1-63.9	52	10.0	04.9-15.1	68	27.1	18.3-35.9	8	1.5	00.0-03.5	19	6.9	01.8-12.0
Oth. Race/Non-Hisp.	59	33,508	29	50.2	32.8-67.6	15	24.3	08.4-40.2	7	13.4	00.7-26.1	2	2.2	00.0-05.3	6	9.9	00.0-19.9
Hispanic	89	83,604	52	61.8	47.5-76.1	10	10.5	02.1-18.9	21	21.4	10.0-32.8	2	1.8	00.0-04.9	4	4.5	00.0-10.2
18-24	209	356,130	111	53.5	45.7-61.3	33	14.5	09.0-20.0	47	23.0	16.3-29.7	4	2.1	00.1-04.1	14	7.0	03.1-10.9
25-34	375	360,195	219	56.5	50.6-62.4	49	11.6	07.9-15.3	78	24.0	18.7-29.3	12	3.6	01.4-05.8	17	4.4	01.9-06.9
35-44	481	382,165	263	54.5	49.0-60.0	49	10.3	06.8-13.8	142	31.3	26.2-36.4	10	1.4	00.2-02.6	17	2.5	01.1-03.9
45-54	623	359,493	335	54.3	49.4-59.2	86	12.1	09.2-15.0	150	25.8	21.5-30.1	15	2.2	00.8-03.6	37	5.6	03.4-07.8
55-64	710	281,348	367	50.8	46.3-55.3	116	16.7	13.4-20.0	164	23.4	19.7-27.1	17	2.6	01.2-04.0	46	6.4	04.2-08.6
65+	852	270,310	399	43.7	39.6-47.8	153	18.4	15.3-21.5	199	25.7	22.0-29.4	33	4.3	02.5-06.1	68	7.9	05.7-10.1
Less Than H.S.	180	187,234	81	46.9	36.9-56.9	28	13.2	06.7-19.7	51	30.1	21.3-38.9	1	0.3	00.0-00.9	19	9.5	03.6-15.4
H.S. or G.E.D.	963	593,298	462	44.8	40.5-49.1	157	15.4	12.3-18.5	237	28.8	24.7-32.9	26	3.4	01.8-05.0	81	7.6	05.4-09.8
Some Post-H.S.	865	656,824	467	57.3	53.0-61.6	132	13.2	10.3-16.1	195	22.5	18.8-26.2	26	2.5	01.1-03.9	45	4.5	02.9-06.1
College Graduate	1269	583,745	702	57.4	54.1-60.7	170	12.2	10.0-14.4	303	24.5	21.6-27.4	38	2.6	01.6-03.6	56	3.3	02.3-04.3
Less than \$15,000	256	168,319	133	51.2	42.4-60.0	53	19.3	12.4-26.2	35	16.0	09.3-22.7	8	3.2	00.3-06.1	27	10.4	05.3-15.5
\$15,000- 24,999	432	249,535	197	45.0	38.3-51.7	86	21.4	15.7-27.1	104	25.3	19.4-31.2	6	1.0	00.0-02.2	39	7.3	04.0-10.6
\$25,000- 34,999	335	201,133	166	52.7	44.9-60.5	41	12.6	07.5-17.7	89	26.2	19.3-33.1	13	2.1	00.7-03.5	26	6.4	02.9-09.9
\$35,000- 49,999	459	265,988	237	50.2	44.3-56.1	67	11.9	08.2-15.6	117	28.1	22.6-33.6	13	3.5	01.1-05.9	25	6.3	03.4-09.2
\$50,000- 74,999	507	305,485	279	57.1	51.6-62.6	64	11.2	07.9-14.5	120	23.5	18.8-28.2	19	4.7	02.2-07.2	25	3.6	01.8-05.4
\$75,000+	855	544,006	485	57.0	52.7-61.3	95	9.9	07.5-12.3	218	26.8	23.1-30.5	20	1.8	01.0-02.6	37	4.5	02.5-06.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 17: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1336	1,004,560	649	50.9	47.4-54.4	184	12.0	09.8-14.2	361	28.2	24.9-31.5	43	2.7	01.7-03.7	99	6.2	04.6-07.8
White/Non-Hisp	1114	820,805	532	48.6	44.7-52.5	153	12.5	10.1-14.9	306	29.4	25.9-32.9	38	3.0	01.8-04.2	85	6.5	04.7-08.3
Black or Afr. Am./Non-Hisp	105	72,054	56	64.3	50.8-77.8	12	8.0	00.4-15.6	29	21.8	10.2-33.4	2	0.3	00.0-00.7	6	5.6	00.0-12.5
18-24	108	192,801	63	58.0	47.0-69.0	15	11.9	05.2-18.6	21	22.3	12.5-32.1	1	0.9	00.0-02.7	8	7.0	01.3-12.7
25-34	143	177,715	71	47.6	38.4-56.8	13	8.8	03.5-14.1	41	32.4	23.6-41.2	6	3.1	00.4-05.8	12	8.1	03.2-13.0
35-44	199	187,928	99	50.2	41.8-58.6	18	9.7	04.8-14.6	67	34.9	26.9-42.9	5	2.4	00.2-04.6	10	2.8	00.8-04.8
45-54	256	170,937	143	57.9	50.6-65.2	31	10.0	06.1-13.9	60	25.3	18.6-32.0	7	2.5	00.3-04.7	15	4.3	01.9-06.7
55-64	294	143,078	132	47.8	40.9-54.7	52	17.3	12.2-22.4	77	25.2	19.5-30.9	12	4.1	01.6-06.6	21	5.6	02.9-08.3
65+	328	127,098	137	39.7	33.6-45.8	55	17.3	12.6-22.0	93	29.1	23.2-35.0	12	4.3	01.6-07.0	31	9.7	05.8-13.6
Less Than H.S.	93	116,894	46	52.3	39.0-65.6	8	8.8	01.5-16.1	28	27.2	15.8-38.6	1	0.5	00.0-01.5	10	11.2	02.4-20.0
H.S. or G.E.D.	374	305,487	172	43.0	36.5-49.5	47	11.9	07.8-16.0	111	34.5	28.0-41.0	12	3.4	01.2-05.6	32	7.1	04.0-10.2
Some Post-H.S.	308	291,107	155	56.9	49.8-64.0	47	13.2	08.7-17.7	72	22.6	16.5-28.7	10	2.5	00.5-04.5	24	4.9	02.5-07.3
College Graduate	559	289,847	274	52.4	47.3-57.5	82	12.3	09.2-15.4	150	27.7	23.2-32.2	20	3.1	01.7-04.5	33	4.5	02.7-06.3
Less than \$15,000	90	82,317	52	55.7	42.8-68.6	14	16.2	06.4-26.0	15	19.3	08.7-29.9	2	1.9	00.0-04.6	7	7.0	00.3-13.7
\$15,000- 24,999	172	126,436	69	42.3	32.5-52.1	43	25.8	16.8-34.8	39	23.2	14.8-31.6	4	1.9	00.0-04.3	17	6.8	02.5-11.1
\$25,000- 34,999	124	96,650	55	55.9	43.7-68.1	14	9.9	03.4-16.4	40	27.6	17.0-38.2	3	0.9	00.0-02.1	12	5.6	01.5-09.7
\$35,000- 49,999	189	130,909	88	48.9	39.9-57.9	19	7.1	03.2-11.0	58	29.8	21.6-38.0	8	5.2	00.9-09.5	16	9.0	03.9-14.1
\$50,000- 74,999	203	145,960	97	49.5	40.9-58.1	22	9.2	04.9-13.5	62	32.7	24.5-40.9	9	4.4	01.1-07.7	13	4.3	01.6-07.0
\$75,000+	410	280,984	212	52.2	45.9-58.5	45	9.7	06.4-13.0	116	29.8	23.9-35.7	12	2.1	00.9-03.3	25	6.1	02.8-09.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 18: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1949	1,020,003	1069	54.6	51.5-57.7	304	15.1	12.9-17.3	425	23.0	20.5-25.5	48	2.5	01.5-03.5	103	4.9	03.5-06.3
White/Non-Hisp	1639	894,384	908	55.7	52.6-58.8	244	15.0	12.6-17.4	364	22.7	20.0-25.4	40	2.4	01.4-03.4	83	4.3	03.1-05.5
Black or Afr. Am./Non-Hisp	196	72,531	98	44.7	32.5-56.9	40	11.9	05.2-18.6	39	32.5	19.8-45.2	6	2.7	00.0-06.8	13	8.2	00.6-15.8
18-24	101	163,330	48	48.2	37.0-59.4	18	17.5	08.7-26.3	26	23.8	14.8-32.8	3	3.5	00.0-07.4	6	7.0	01.5-12.5
25-34	232	182,480	148	65.1	58.0-72.2	36	14.3	09.4-19.2	37	15.8	10.3-21.3	6	4.0	00.7-07.3	5	0.8	00.0-01.6
35-44	282	194,236	164	58.6	51.5-65.7	31	10.8	05.9-15.7	75	27.8	21.5-34.1	5	0.5	00.0-01.1	7	2.3	00.3-04.3
45-54	367	188,556	192	51.0	44.7-57.3	55	14.0	09.7-18.3	90	26.3	20.4-32.2	8	1.8	00.2-03.4	22	6.8	03.5-10.1
55-64	416	138,270	235	53.9	48.0-59.8	64	16.1	11.8-20.4	87	21.6	16.7-26.5	5	1.1	00.1-02.1	25	7.3	03.8-10.8
65+	524	143,211	262	47.3	42.0-52.6	98	19.4	15.3-23.5	106	22.7	18.0-27.4	21	4.3	02.1-06.5	37	6.3	03.8-08.8
Less Than H.S.	87	70,340	35	37.9	23.6-52.2	20	20.5	08.9-32.1	23	34.8	20.9-48.7				9	6.8	01.3-12.3
H.S. or G.E.D.	589	287,811	290	46.8	41.3-52.3	110	19.0	14.3-23.7	126	22.8	18.1-27.5	14	3.4	01.0-05.8	49	8.0	04.9-11.1
Some Post-H.S.	557	365,717	312	57.7	52.2-63.2	85	13.2	09.5-16.9	123	22.4	17.9-26.9	16	2.5	00.7-04.3	21	4.2	01.8-06.6
College Graduate	710	293,898	428	62.3	57.8-66.8	88	12.1	09.2-15.0	153	21.3	17.4-25.2	18	2.2	01.0-03.4	23	2.1	00.9-03.3
Less than \$15,000	166	86,001	81	46.8	34.8-58.8	39	22.2	12.4-32.0	20	12.9	05.1-20.7	6	4.4	00.0-09.5	20	13.7	06.1-21.3
\$15,000- 24,999	260	123,098	128	47.7	38.9-56.5	43	17.0	10.5-23.5	65	27.3	19.1-35.5	2	0.2	00.0-00.4	22	7.8	02.9-12.7
\$25,000- 34,999	211	104,483	111	49.7	40.3-59.1	27	15.1	07.5-22.7	49	25.0	16.4-33.6	10	3.2	00.8-05.6	14	7.1	01.6-12.6
\$35,000- 49,999	270	135,079	149	51.4	43.6-59.2	48	16.6	10.7-22.5	59	26.5	19.4-33.6	5	1.9	00.1-03.7	9	3.7	00.8-06.6
\$50,000- 74,999	304	159,524	182	64.0	57.1-70.9	42	13.1	08.2-18.0	58	15.0	10.3-19.7	10	4.9	01.0-08.8	12	2.9	00.9-04.9
\$75,000+	445	263,022	273	62.2	56.7-67.7	50	10.0	06.9-13.1	102	23.6	18.9-28.3	8	1.5	00.3-02.7	12	2.8	00.8-04.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 19: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3296	2,028,370	1505	42.8	40.4-45.2	333	10.5	08.9-12.1	17	0.7	00.3-01.1	802	26.2	24.0-28.4	437	13.9	12.3-15.5	202	5.9	04.7-07.1
Male	1342	1,008,559	553	38.3	34.8-41.8	136	10.3	08.1-12.5	3	0.6	00.0-01.4	328	26.3	23.0-29.6	226	17.7	15.0-20.4	96	6.9	04.9-08.9
Female	1954	1,019,810	952	47.2	44.1-50.3	197	10.7	08.7-12.7	14	0.9	00.3-01.5	474	26.2	23.5-28.9	211	10.1	08.3-11.9	106	4.9	03.7-06.1
White/Non-Hisp	2762	1,718,089	1265	43.5	41.0-46.0	277	10.6	09.0-12.2	14	0.7	00.1-01.3	670	26.1	23.7-28.5	356	13.0	11.4-14.6	180	6.2	05.0-07.4
Black or Afr. Am./Non-Hisp	301	144,585	136	35.5	26.7-44.3	33	9.6	04.3-14.9	2	1.2	00.0-02.8	73	27.9	19.3-36.5	46	21.1	12.9-29.3	11	4.7	00.2-09.2
Oth. Race/Non-Hisp.	59	33,508	25	38.2	21.1-55.3	2	0.7	00.0-01.7	1	1.1	00.0-03.3	15	25.9	10.8-41.0	10	21.5	07.0-36.0	6	12.6	00.3-24.9
Hispanic	89	83,604	37	40.6	24.9-56.3	13	13.8	04.6-23.0				25	28.7	14.2-43.2	10	14.6	04.6-24.6	4	2.4	00.0-05.3
18-24	208	355,062	84	37.2	29.8-44.6	22	11.6	06.5-16.7	3	2.0	00.0-04.5	58	31.1	23.7-38.5	32	13.2	08.5-17.9	9	4.9	00.8-09.0
25-34	375	360,195	175	46.7	40.8-52.6	39	9.6	06.3-12.9	2	0.4	00.0-01.0	96	25.0	20.1-29.9	47	15.1	10.4-19.8	16	3.2	01.2-05.2
35-44	479	381,321	214	41.9	36.4-47.4	45	10.2	06.5-13.9	2	0.3	00.0-00.9	132	28.6	23.7-33.5	65	14.3	10.4-18.2	21	4.5	02.1-06.9
45-54	622	359,209	265	41.0	36.3-45.7	83	12.8	09.7-15.9	4	0.9	00.0-01.9	158	26.9	22.4-31.4	75	12.2	08.9-15.5	37	6.2	03.8-08.6
55-64	713	282,667	347	46.6	42.1-51.1	74	10.5	07.8-13.2	4	0.5	00.0-01.1	163	22.4	18.7-26.1	85	12.3	09.4-15.2	40	7.7	05.2-10.2
65+	862	274,483	402	43.7	39.6-47.8	64	7.1	05.1-09.1	2	0.2	00.0-00.4	186	21.9	18.6-25.2	131	17.0	13.9-20.1	77	10.1	07.6-12.6
Less Than H.S.	180	187,549	73	38.4	28.4-48.4	21	12.1	05.8-18.4				47	29.7	20.5-38.9	29	14.4	08.1-20.7	10	5.4	01.5-09.3
H.S. or G.E.D.	970	594,161	411	38.8	34.7-42.9	79	7.3	05.1-09.5	1	0.1	00.0-00.3	230	26.7	22.6-30.8	161	18.1	14.8-21.4	88	9.0	06.6-11.4
Some Post-H.S.	867	658,361	400	42.2	37.9-46.5	89	11.6	08.5-14.7	4	1.2	00.0-02.6	213	26.2	22.3-30.1	111	13.7	10.8-16.6	50	5.2	03.0-07.4
College Graduate	1271	584,838	616	48.6	45.1-52.1	144	12.2	09.8-14.6	12	1.1	00.3-01.9	312	24.9	22.0-27.8	133	9.7	07.7-11.7	54	3.7	02.5-04.9
Less than \$15,000	257	169,123	113	34.7	26.7-42.7	24	13.0	06.3-19.7	2	1.9	00.0-04.6	63	29.9	21.7-38.1	37	15.0	08.9-21.1	18	5.5	01.8-09.2
\$15,000- 24,999	432	249,310	184	39.9	33.4-46.4	41	10.2	05.9-14.5	1	0.3	00.0-00.9	122	27.4	21.9-32.9	60	16.4	11.3-21.5	24	5.9	03.0-08.8
\$25,000- 34,999	336	201,065	158	45.7	37.9-53.5	30	6.6	03.7-09.5				85	30.6	23.0-38.2	45	13.5	08.4-18.6	18	3.7	01.7-05.7
\$35,000- 49,999	459	267,053	208	42.8	37.1-48.5	41	8.7	04.8-12.6				109	25.3	20.0-30.6	69	16.2	11.9-20.5	32	7.0	03.9-10.1
\$50,000- 74,999	507	304,643	230	43.2	37.5-48.9	51	12.5	08.6-16.4	2	0.4	00.0-01.0	118	22.8	18.1-27.5	68	14.5	10.2-18.8	38	6.7	04.3-09.1
\$75,000+	853	543,833	395	45.1	40.8-49.4	111	13.1	10.2-16.0	11	1.1	00.3-01.9	212	27.4	23.3-31.5	90	9.2	06.8-11.6	34	4.2	02.6-05.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 20: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1342	1,008,559	553	38.3	34.8-41.8	136	10.3	08.1-12.5	3	0.6	00.0-01.4	328	26.3	23.0-29.6	226	17.7	15.0-20.4	96	6.9	04.9-08.9
White/Non-Hisp	1119	824,339	467	39.5	35.8-43.2	113	10.3	07.8-12.8	3	0.7	00.0-01.7	267	25.7	22.2-29.2	184	16.5	13.8-19.2	85	7.3	05.1-09.5
Black or Afr. Am./Non-Hisp	105	72,054	43	25.8	14.2-37.4	12	12.1	02.9-21.3				27	22.8	11.4-34.2	20	33.2	19.1-47.3	3	6.0	00.0-13.6
18-24	108	192,801	39	32.9	22.7-43.1	10	9.7	03.2-16.2	2	2.6	00.0-06.7	32	34.2	23.2-45.2	20	13.9	07.4-20.4	5	6.7	00.0-13.4
25-34	143	177,715	53	36.3	27.5-45.1	14	8.2	03.5-12.9	1	0.4	00.0-01.2	38	25.8	18.0-33.6	31	25.8	17.4-34.2	6	3.6	00.5-06.7
35-44	197	187,085	85	39.1	30.7-47.5	20	13.0	06.3-19.7				50	24.9	17.8-32.0	30	16.9	10.6-23.2	12	6.1	02.0-10.2
45-54	257	171,871	96	38.1	30.8-45.4	35	12.9	08.2-17.6				73	28.3	21.6-35.0	36	14.3	08.8-19.8	17	6.5	03.0-10.0
55-64	296	144,237	135	45.3	38.6-52.0	31	9.0	05.3-12.7				59	20.3	14.8-25.8	49	16.9	11.8-22.0	22	8.4	04.7-12.1
65+	332	129,779	140	39.6	33.5-45.7	24	7.0	03.7-10.3				75	21.9	16.8-27.0	59	19.4	14.3-24.5	34	12.1	07.8-16.4
Less Than H.S.	93	117,208	38	46.0	32.5-59.5	12	13.9	04.9-22.9				23	24.0	12.8-35.2	16	11.8	04.5-19.1	4	4.4	00.0-09.5
H.S. or G.E.D.	376	307,388	133	31.2	25.3-37.1	28	6.0	03.1-08.9				88	27.3	20.8-33.8	86	25.0	19.5-30.5	41	10.4	06.7-14.1
Some Post-H.S.	310	291,886	120	34.6	28.1-41.1	30	10.2	05.3-15.1	2	1.7	00.0-04.4	83	27.9	21.4-34.4	53	18.5	13.0-24.0	22	7.1	02.6-11.6
College Graduate	561	290,853	260	46.0	40.9-51.1	66	13.5	09.8-17.2	1	0.2	00.0-00.6	134	24.5	20.2-28.8	71	11.7	08.4-15.0	29	4.1	02.3-05.9
Less than \$15,000	90	82,317	33	31.5	19.9-43.1	9	11.7	03.1-20.3	1	1.4	00.0-04.1	26	33.2	20.7-45.7	13	14.3	05.5-23.1	8	7.9	01.0-14.8
\$15,000- 24,999	172	126,212	73	39.1	29.3-48.9	15	11.3	04.2-18.4	1	0.5	00.0-01.5	44	23.9	16.1-31.7	29	19.5	11.5-27.5	10	5.7	01.8-09.6
\$25,000- 34,999	126	97,649	53	38.8	26.5-51.1	12	6.5	02.0-11.0				33	32.2	19.5-44.9	19	18.5	09.5-27.5	9	4.0	01.1-06.9
\$35,000- 49,999	190	132,066	80	38.7	30.1-47.3	19	10.4	03.7-17.1				36	19.6	12.5-26.7	40	23.8	16.2-31.4	15	7.5	02.6-12.4
\$50,000- 74,999	204	146,890	83	40.2	31.8-48.6	15	9.5	04.2-14.8				49	23.3	16.2-30.4	38	19.7	12.3-27.1	19	7.3	03.4-11.2
\$75,000+	409	280,883	171	39.4	33.3-45.5	54	13.3	08.6-18.0				106	30.1	23.8-36.4	57	12.2	08.5-15.9	21	5.0	02.6-07.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

**TABLE 21: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1954	1,019,810	952	47.2	44.1-50.3	197	10.7	08.7-12.7	14	0.9	00.3-01.5	474	26.2	23.5-28.9	211	10.1	08.3-11.9	106	4.9	03.7-06.1
White/Non-Hisp	1643	893,750	798	47.1	44.0-50.2	164	10.9	08.7-13.1	11	0.8	00.2-01.4	403	26.4	23.5-29.3	172	9.7	07.9-11.5	95	5.2	03.8-06.6
Black or Afr. Am./Non-Hisp	196	72,531	93	45.0	32.7-57.3	21	7.1	01.8-12.4	2	2.4	00.0-05.7	46	33.0	20.5-45.5	26	9.1	03.2-15.0	8	3.4	00.0-07.7
18-24	100	162,262	45	42.2	31.2-53.2	12	13.8	05.8-21.8	1	1.3	00.0-03.7	26	27.5	17.5-37.5	12	12.4	05.3-19.5	4	2.9	00.0-06.4
25-34	232	182,480	122	56.9	49.6-64.2	25	10.9	06.2-15.6	1	0.4	00.0-01.2	58	24.1	18.0-30.2	16	4.8	02.1-07.5	10	2.9	00.7-05.1
35-44	282	194,236	129	44.6	37.7-51.5	25	7.6	04.1-11.1	2	0.7	00.0-01.7	82	32.2	25.3-39.1	35	11.9	07.2-16.6	9	3.0	00.6-05.4
45-54	365	187,337	169	43.7	37.4-50.0	48	12.8	08.5-17.1	4	1.8	00.0-03.6	85	25.6	19.7-31.5	39	10.2	06.5-13.9	20	5.9	02.8-09.0
55-64	417	138,430	212	47.9	42.0-53.8	43	12.1	08.0-16.2	4	1.0	00.0-02.0	104	24.6	19.7-29.5	36	7.5	04.6-10.4	18	6.9	03.4-10.4
65+	530	144,704	262	47.4	42.1-52.7	40	7.3	04.9-09.7	2	0.3	00.0-00.9	111	21.9	17.4-26.4	72	14.9	11.0-18.8	43	8.3	05.6-11.0
Less Than H.S.	87	70,340	35	25.9	14.1-37.7	9	9.0	01.9-16.1				24	39.2	24.3-54.1	13	18.7	07.3-30.1	6	7.1	00.6-13.6
H.S. or G.E.D.	594	286,773	278	47.0	41.3-52.7	51	8.6	05.7-11.5	1	0.2	00.0-00.6	142	26.0	21.1-30.9	75	10.6	07.7-13.5	47	7.6	05.1-10.1
Some Post-H.S.	557	366,474	280	48.2	42.5-53.9	59	12.6	08.5-16.7	2	0.8	00.0-02.0	130	24.8	19.9-29.7	58	10.0	06.7-13.3	28	3.6	01.6-05.6
College Graduate	710	293,985	356	51.1	46.4-55.8	78	10.9	08.0-13.8	11	2.0	00.6-03.4	178	25.2	21.1-29.3	62	7.6	05.2-10.0	25	3.2	01.6-04.8
Less than \$15,000	167	86,806	80	37.8	26.8-48.8	15	14.2	04.2-24.2	1	2.3	00.0-06.8	37	26.8	16.2-37.4	24	15.6	07.2-24.0	10	3.3	00.8-05.8
\$15,000- 24,999	260	123,098	111	40.7	31.9-49.5	26	9.1	04.4-13.8				78	31.0	23.2-38.8	31	13.3	07.2-19.4	14	6.0	01.5-10.5
\$25,000- 34,999	210	103,415	105	52.1	42.7-61.5	18	6.7	02.8-10.6				52	29.0	20.2-37.8	26	8.8	03.3-14.3	9	3.4	00.9-05.9
\$35,000- 49,999	269	134,987	128	46.8	39.2-54.4	22	7.1	03.4-10.8				73	30.9	23.3-38.5	29	8.6	04.5-12.7	17	6.6	02.7-10.5
\$50,000- 74,999	303	157,754	147	46.0	38.6-53.4	36	15.2	09.3-21.1	2	0.7	00.0-01.9	69	22.3	16.2-28.4	30	9.7	05.6-13.8	19	6.1	03.2-09.0
\$75,000+	444	262,950	224	51.1	45.2-57.0	57	12.8	08.9-16.7	11	2.3	00.7-03.9	106	24.6	19.5-29.7	33	5.9	03.4-08.4	13	3.3	01.1-05.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 22: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7897	4,534,267	1321	19.2	17.8-20.6	430	5.8	05.0-06.6	612	8.6	07.6-09.6	88	1.3	00.9-01.7	152	2.1	01.7-02.5	5294	62.9	61.3-64.5
Male	3053	2,188,769	516	19.0	17.0-21.0	227	8.1	06.7-09.5	241	8.1	06.7-09.5	49	1.9	01.1-02.7	89	2.8	02.0-03.6	1931	60.1	57.7-62.5
Female	4844	2,345,498	805	19.4	17.8-21.0	203	3.7	03.1-04.3	371	9.0	07.8-10.2	39	0.9	00.5-01.3	63	1.5	00.9-02.1	3363	65.5	63.5-67.5
White/Non-Hisp	6422	3,781,083	1063	19.4	18.0-20.8	340	5.8	05.0-06.6	492	8.4	07.4-09.4	66	1.2	00.8-01.6	120	1.8	01.4-02.2	4341	63.4	61.8-65.0
Black or Afr. Am./Non-Hisp	861	357,466	159	21.2	16.3-26.1	54	6.5	03.6-09.4	70	10.7	06.8-14.6	10	2.6	00.1-05.1	16	4.2	01.3-07.1	552	54.7	48.6-60.8
Oth. Race/Non-Hisp.	123	72,208	23	17.0	08.2-25.8	10	10.6	03.3-17.9	8	4.3	00.4-08.2	5	1.9	00.1-03.7	5	4.6	00.0-09.3	72	61.6	50.0-73.2
MultiRacial/Non-Hisp.	97	47,989	10	14.1	04.5-23.7	9	6.8	00.5-13.1	9	13.2	01.8-24.6	1	1.5	00.0-04.4	4	5.9	00.0-12.6	64	58.5	44.6-72.4
Hispanic	262	214,703	41	16.7	09.1-24.3	12	3.8	00.9-06.7	19	9.0	04.1-13.9	5	0.9	00.0-02.3	5	2.2	00.0-04.6	180	67.4	58.8-76.0
18-24	352	601,037	101	30.3	24.6-36.0	37	9.2	05.9-12.5	42	11.3	07.6-15.0	5	2.0	00.2-03.8	13	3.8	01.6-06.0	154	43.5	37.6-49.4
25-34	769	772,497	199	24.1	20.6-27.6	46	6.3	04.3-08.3	75	9.0	06.6-11.4	12	2.1	00.7-03.5	14	1.7	00.7-02.7	423	56.8	52.7-60.9
35-44	970	776,680	191	19.1	16.2-22.0	40	4.3	02.7-05.9	111	10.9	08.5-13.3	12	1.2	00.4-02.0	15	1.5	00.5-02.5	601	63.0	59.3-66.7
45-54	1455	860,274	256	17.8	15.3-20.3	74	4.6	03.4-05.8	122	8.3	06.5-10.1	17	1.2	00.6-01.8	26	1.7	00.9-02.5	960	66.4	63.5-69.3
55-64	1766	698,196	282	16.0	13.8-18.2	85	5.4	04.0-06.8	139	8.2	06.4-10.0	13	0.6	00.2-01.0	32	2.3	01.3-03.3	1215	67.5	64.8-70.2
65+	2513	793,412	278	10.8	09.2-12.4	144	6.2	05.0-07.4	120	4.6	03.6-05.6	29	1.2	00.6-01.8	51	2.3	01.5-03.1	1891	74.9	72.7-77.1
Less Than H.S.	768	633,007	77	11.9	08.4-15.4	35	5.6	03.2-08.0	44	7.3	04.4-10.2	7	1.4	00.0-02.8	11	1.8	00.4-03.2	594	72.0	67.3-76.7
H.S. or G.E.D.	2876	1,580,368	336	13.5	11.5-15.5	151	5.4	04.2-06.6	171	7.2	05.8-08.6	21	1.2	00.4-02.0	43	2.0	01.2-02.8	2154	70.7	68.3-73.1
Some Post-H.S.	1971	1,350,277	364	23.4	20.7-26.1	110	6.3	04.7-07.9	156	8.0	06.4-09.6	25	1.5	00.7-02.3	43	2.5	01.5-03.5	1273	58.3	55.4-61.2
College Graduate	2258	959,311	540	27.6	25.2-30.0	134	6.1	04.9-07.3	239	12.5	10.7-14.3	35	1.3	00.7-01.9	55	2.1	01.5-02.7	1255	50.4	47.9-52.9
Less than \$15,000	932	513,868	127	16.5	12.8-20.2	47	5.8	03.4-08.2	49	5.2	03.2-07.2	11	1.7	00.1-03.3	15	1.5	00.5-02.5	683	69.3	64.8-73.8
\$15,000- 24,999	1383	711,244	165	15.5	12.6-18.4	72	4.8	03.2-06.4	73	6.4	04.4-08.4	13	1.5	00.5-02.5	25	2.5	01.1-03.9	1035	69.3	65.6-73.0
\$25,000- 34,999	855	487,611	124	16.4	12.5-20.3	40	5.0	03.0-07.0	65	8.8	06.1-11.5	7	0.8	00.0-01.6	17	2.7	00.9-04.5	602	66.4	61.7-71.1
\$35,000- 49,999	1080	598,198	170	16.3	13.4-19.2	65	7.4	05.2-09.6	86	10.1	07.4-12.8	10	1.1	00.3-01.9	18	1.8	00.8-02.8	731	63.3	59.4-67.2
\$50,000- 74,999	1028	619,377	209	22.6	19.1-26.1	49	4.7	03.1-06.3	93	8.1	06.1-10.1	14	1.3	00.1-02.5	24	2.4	01.2-03.6	639	60.9	57.0-64.8
\$75,000+	1452	919,778	363	26.1	23.2-29.0	79	5.9	04.1-07.7	159	11.1	09.1-13.1	19	1.4	00.6-02.2	30	1.9	01.1-02.7	802	53.6	50.5-56.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 23: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3053	2,188,769	516	19.0	17.0-21.0	227	8.1	06.7-09.5	241	8.1	06.7-09.5	49	1.9	01.1-02.7	89	2.8	02.0-03.6	1931	60.1	57.7-62.5
White/Non-Hisp	2518	1,786,733	414	18.9	16.7-21.1	180	8.0	06.6-09.4	191	7.6	06.2-09.0	39	1.6	01.0-02.2	67	2.3	01.5-03.1	1627	61.6	59.1-64.1
Black or Afr. Am./Non-Hisp	267	165,239	59	23.2	15.2-31.2	24	10.1	04.4-15.8	27	12.0	05.5-18.5	4	5.2	00.0-10.7	9	5.7	00.6-10.8	144	43.7	34.1-53.3
Oth. Race/Non-Hisp.	66	51,973	10	16.0	05.2-26.8	10	14.7	04.5-24.9	4	4.3	00.0-09.2	4	2.1	00.0-04.5	4	5.2	00.0-11.3	34	57.7	42.6-72.8
Hispanic	107	125,775	17	18.9	07.1-30.7	7	5.2	00.5-09.9	9	9.5	02.4-16.6	1	1.1	00.0-03.3	4	2.8	00.0-06.3	69	62.4	49.9-74.9
18-24	165	301,117	53	33.8	25.4-42.2	33	16.9	10.6-23.2	14	8.3	03.4-13.2	2	1.9	00.0-04.4	8	5.2	01.5-08.9	55	34.0	25.8-42.2
25-34	292	383,519	69	20.6	15.5-25.7	22	8.2	04.7-11.7	28	8.5	05.0-12.0	8	3.8	01.1-06.5	7	1.5	00.0-03.1	158	57.4	50.9-63.9
35-44	405	395,265	70	16.3	11.8-20.8	24	5.8	03.3-08.3	48	11.1	07.6-14.6	7	1.4	00.2-02.6	14	2.7	00.9-04.5	242	62.7	57.2-68.2
45-54	620	421,262	105	17.3	13.6-21.0	39	6.1	03.9-08.3	50	8.1	05.6-10.6	13	2.0	00.8-03.2	14	1.6	00.6-02.6	399	64.8	60.3-69.3
55-64	697	346,937	115	17.1	13.6-20.6	41	6.1	03.9-08.3	54	7.5	05.1-09.9	7	0.7	00.1-01.3	15	2.8	01.0-04.6	465	65.6	61.3-69.9
65+	855	331,841	102	11.7	09.0-14.4	67	7.4	05.2-09.6	47	5.0	03.2-06.8	12	1.2	00.4-02.0	31	3.7	02.1-05.3	596	71.1	67.4-74.8
Less Than H.S.	324	343,413	34	10.9	06.2-15.6	19	7.3	03.4-11.2	21	8.4	04.3-12.5	4	2.4	00.0-04.9	6	2.5	00.1-04.9	240	68.5	61.6-75.4
H.S. or G.E.D.	1056	770,058	124	14.3	11.2-17.4	75	7.0	05.0-09.0	65	6.7	04.5-08.9	13	1.9	00.5-03.3	25	2.7	01.3-04.1	754	67.5	63.6-71.4
Some Post-H.S.	719	607,369	133	24.1	19.6-28.6	54	9.4	06.5-12.3	55	6.7	04.5-08.9	14	1.5	00.5-02.5	24	3.1	01.5-04.7	439	55.2	50.3-60.1
College Graduate	947	463,620	224	26.5	23.0-30.0	79	8.8	06.4-11.2	99	12.0	09.3-14.7	18	1.8	00.8-02.8	34	2.8	01.6-04.0	493	48.1	44.2-52.0
Less than \$15,000	302	228,264	52	17.3	11.8-22.8	21	9.2	04.3-14.1	17	5.7	02.4-09.0	6	3.4	00.0-06.9	6	1.3	00.1-02.5	200	63.1	55.7-70.5
\$15,000- 24,999	482	326,248	62	17.4	12.5-22.3	36	6.9	03.8-10.0	24	6.1	03.0-09.2	6	1.5	00.1-02.9	11	2.4	00.4-04.4	343	65.8	59.9-71.7
\$25,000- 34,999	348	245,494	45	16.3	10.0-22.6	18	5.0	02.1-07.9	26	7.6	03.9-11.3	5	1.4	00.0-03.0	13	4.0	01.1-06.9	241	65.8	58.5-73.1
\$35,000- 49,999	452	307,930	68	16.1	11.8-20.4	34	9.1	05.6-12.6	32	9.7	05.6-13.8	7	2.0	00.4-03.6	14	3.1	01.1-05.1	297	60.1	54.2-66.0
\$50,000- 74,999	431	313,805	82	20.2	15.3-25.1	26	5.4	02.9-07.9	37	7.1	04.4-09.8	6	1.8	00.0-04.0	14	3.3	01.1-05.5	266	62.1	56.2-68.0
\$75,000+	684	473,466	160	23.7	19.6-27.8	49	8.6	05.7-11.5	80	11.0	08.3-13.7	14	1.7	00.7-02.7	17	2.2	01.0-03.4	364	52.8	48.1-57.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 10: EXERCISE**

TABLE 24: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4844	2,345,498	805	19.4	17.8-21.0	203	3.7	03.1-04.3	371	9.0	07.8-10.2	39	0.9	00.5-01.3	63	1.5	00.9-02.1	3363	65.5	63.5-67.5
White/Non-Hisp	3904	1,994,350	649	19.8	18.0-21.6	160	3.9	03.1-04.7	301	9.1	07.7-10.5	27	0.8	00.4-01.2	53	1.4	01.0-01.8	2714	65.0	62.8-67.2
Black or Afr. Am./Non-Hisp	594	192,227	100	19.5	13.4-25.6	30	3.4	01.2-05.6	43	9.5	05.0-14.0	6	0.4	00.0-01.0	7	2.9	00.0-06.0	408	64.2	56.9-71.5
Oth. Race/Non-Hisp.	57	20,235	13	19.7	05.2-34.2				4	4.3	00.0-09.4	1	1.3	00.0-03.8	1	3.0	00.0-08.7	38	71.7	56.0-87.4
MultiRacial/Non-Hisp.	62	22,000	4	9.8	00.2-19.4	6	6.4	00.0-13.3	6	9.5	00.7-18.3							46	74.3	60.8-87.8
Hispanic	155	88,928	24	13.5	05.1-21.9	5	1.8	00.0-04.3	10	8.3	02.0-14.6	4	0.7	00.0-01.5	1	1.3	00.0-03.8	111	74.4	64.4-84.4
18-24	187	299,920	48	26.7	19.4-34.0	4	1.4	00.0-03.2	28	14.3	08.6-20.0	3	2.1	00.0-04.5	5	2.5	00.1-04.9	99	53.1	44.9-61.3
25-34	477	388,978	130	27.4	22.7-32.1	24	4.3	02.1-06.5	47	9.5	06.6-12.4	4	0.4	00.0-01.0	7	1.9	00.3-03.5	265	56.3	51.0-61.6
35-44	565	381,415	121	22.0	17.9-26.1	16	2.7	01.1-04.3	63	10.7	07.8-13.6	5	0.9	00.0-02.1	1	0.2	00.0-00.6	359	63.4	58.7-68.1
45-54	835	439,011	151	18.2	14.9-21.5	35	3.0	01.8-04.2	72	8.6	06.2-11.0	4	0.5	00.0-01.1	12	1.8	00.6-03.0	561	67.9	64.0-71.8
55-64	1069	351,259	167	14.9	12.2-17.6	44	4.8	03.0-06.6	85	8.9	06.5-11.3	6	0.4	00.0-00.8	17	1.7	00.7-02.7	750	69.4	65.9-72.9
65+	1658	461,571	176	10.2	08.4-12.0	77	5.3	03.7-06.9	73	4.3	03.1-05.5	17	1.2	00.6-01.8	20	1.3	00.7-01.9	1295	77.7	75.2-80.2
Less Than H.S.	444	289,594	43	13.1	08.0-18.2	16	3.6	01.2-06.0	23	6.0	02.1-09.9	3	0.2	00.0-00.4	5	1.0	00.0-02.2	354	76.1	69.8-82.4
H.S. or G.E.D.	1820	810,310	212	12.8	10.4-15.2	76	3.8	02.6-05.0	106	7.6	05.6-09.6	8	0.5	00.0-01.1	18	1.4	00.6-02.2	1400	73.8	70.9-76.7
Some Post-H.S.	1252	742,907	231	22.8	19.5-26.1	56	3.8	02.6-05.0	101	9.1	06.9-11.3	11	1.4	00.4-02.4	19	2.1	01.1-03.1	834	60.8	57.1-64.5
College Graduate	1311	495,692	316	28.6	25.5-31.7	55	3.6	02.4-04.8	140	13.0	10.6-15.4	17	0.9	00.3-01.5	21	1.4	00.6-02.2	762	52.5	49.0-56.0
Less than \$15,000	630	285,604	75	15.8	10.9-20.7	26	3.0	01.2-04.8	32	4.8	02.4-07.2	5	0.4	00.0-00.8	9	1.7	00.3-03.1	483	74.2	68.7-79.7
\$15,000- 24,999	901	384,996	103	13.9	10.4-17.4	36	3.1	01.7-04.5	49	6.6	04.2-09.0	7	1.5	00.0-03.1	14	2.7	01.1-04.3	692	72.2	67.7-76.7
\$25,000- 34,999	507	242,117	79	16.4	11.5-21.3	22	4.9	02.2-07.6	39	9.9	06.2-13.6	2	0.2	00.0-00.6	4	1.3	00.0-03.5	361	67.1	61.0-73.2
\$35,000- 49,999	628	290,268	102	16.4	12.5-20.3	31	5.6	03.2-08.0	54	10.5	07.0-14.0	3	0.1	00.0-00.3	4	0.5	00.0-01.1	434	66.8	61.7-71.9
\$50,000- 74,999	597	305,572	127	25.0	19.7-30.3	23	3.9	01.9-05.9	56	9.1	06.2-12.0	8	0.8	00.0-01.6	10	1.4	00.4-02.4	373	59.7	54.2-65.2
\$75,000+	768	446,312	203	28.7	24.8-32.6	30	3.2	01.8-04.6	79	11.1	08.2-14.0	5	1.1	00.0-02.3	13	1.6	00.6-02.6	438	54.4	50.1-58.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011

SECTION 11: DISABILITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	
1	MALES AND FEMALES	219
2	MALES ONLY	220
3	FEMALES ONLY	221
	DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
4	MALES AND FEMALES	222
5	MALES ONLY	223
6	FEMALES ONLY	224

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 11: DISABILITY**

TABLE 1: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7885	4,529,185	2257	24.4	23.2-25.6	5628	75.6	74.4-76.8
Male	3051	2,193,312	796	22.1	20.3-23.9	2255	77.9	76.1-79.7
Female	4834	2,335,874	1461	26.6	25.0-28.2	3373	73.4	71.8-75.0
White/Non-Hisp	6414	3,776,312	1860	25.0	23.6-26.4	4554	75.0	73.6-76.4
Black or Afr. Am./Non-Hisp	859	360,353	239	23.0	18.1-27.9	620	77.0	72.1-81.9
Oth. Race/Non-Hisp.	123	71,912	33	28.7	16.2-41.2	90	71.3	58.8-83.8
MultiRacial/Non-Hisp.	97	47,989	40	38.5	25.2-51.8	57	61.5	48.2-74.8
Hispanic	260	211,999	43	11.4	06.7-16.1	217	88.6	83.9-93.3
18-24	352	606,494	50	13.4	09.5-17.3	302	86.6	82.7-90.5
25-34	767	771,370	126	16.0	12.9-19.1	641	84.0	80.9-87.1
35-44	968	772,082	190	20.0	16.9-23.1	778	80.0	76.9-83.1
45-54	1451	857,418	416	28.0	25.1-30.9	1035	72.0	69.1-74.9
55-64	1757	693,777	564	32.0	29.3-34.7	1193	68.0	65.3-70.7
65+	2516	794,941	899	35.1	32.7-37.5	1617	64.9	62.5-67.3
Less Than H.S.	775	641,054	305	29.6	25.5-33.7	470	70.4	66.3-74.5
H.S. or G.E.D.	2871	1,574,832	875	25.7	23.5-27.9	1996	74.3	72.1-76.5
Some Post-H.S.	1963	1,345,792	596	26.2	23.7-28.7	1367	73.8	71.3-76.3
College Graduate	2252	956,204	473	16.1	14.3-17.9	1779	83.9	82.1-85.7
Less than \$15,000	929	511,019	477	43.8	39.3-48.3	452	56.2	51.7-60.7
\$15,000- 24,999	1379	710,164	497	30.0	26.9-33.1	882	70.0	66.9-73.1
\$25,000- 34,999	853	486,388	252	25.3	21.6-29.0	601	74.7	71.0-78.4
\$35,000- 49,999	1073	595,450	247	21.3	18.2-24.4	826	78.7	75.6-81.8
\$50,000- 74,999	1021	613,533	215	19.5	16.4-22.6	806	80.5	77.4-83.6
\$75,000+	1451	921,530	205	12.1	10.1-14.1	1246	87.9	85.9-89.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 11: DISABILITY**

TABLE 2: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3051	2,193,312	796	22.1	20.3-23.9	2255	77.9	76.1-79.7
White/Non-Hisp	2514	1,787,640	664	22.6	20.6-24.6	1850	77.4	75.4-79.4
Black or Afr. Am./Non-Hisp	270	170,222	73	22.0	14.2-29.8	197	78.0	70.2-85.8
Oth. Race/Non-Hisp.	66	51,676	15	27.2	10.9-43.5	51	72.8	56.5-89.1
Hispanic	106	124,924	15	9.6	03.3-15.9	91	90.4	84.1-96.7
18-24	167	307,063	19	11.2	05.9-16.5	148	88.8	83.5-94.1
25-34	291	384,866	39	15.3	10.4-20.2	252	84.7	79.8-89.6
35-44	405	392,642	69	17.0	12.7-21.3	336	83.0	78.7-87.3
45-54	619	420,394	169	25.7	21.6-29.8	450	74.3	70.2-78.4
55-64	695	345,742	204	30.6	26.5-34.7	491	69.4	65.3-73.5
65+	854	332,938	292	32.7	29.0-36.4	562	67.3	63.6-71.0
Less Than H.S.	327	350,684	119	26.9	21.2-32.6	208	73.1	67.4-78.8
H.S. or G.E.D.	1059	771,819	306	23.9	20.8-27.0	753	76.1	73.0-79.2
Some Post-H.S.	714	603,842	204	23.5	19.8-27.2	510	76.5	72.8-80.2
College Graduate	944	462,657	165	13.3	10.9-15.7	779	86.7	84.3-89.1
Less than \$15,000	302	228,020	160	42.2	34.9-49.5	142	57.8	50.5-65.1
\$15,000- 24,999	480	325,830	177	29.8	24.7-34.9	303	70.2	65.1-75.3
\$25,000- 34,999	349	245,490	106	24.0	18.5-29.5	243	76.0	70.5-81.5
\$35,000- 49,999	450	308,175	95	17.0	12.7-21.3	355	83.0	78.7-87.3
\$50,000- 74,999	427	310,578	79	18.3	13.8-22.8	348	81.7	77.2-86.2
\$75,000+	684	476,103	78	9.7	07.2-12.2	606	90.3	87.8-92.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 11: DISABILITY**

TABLE 3: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4834	2,335,874	1461	26.6	25.0-28.2	3373	73.4	71.8-75.0
White/Non-Hisp	3900	1,988,672	1196	27.1	25.3-28.9	2704	72.9	71.1-74.7
Black or Afr. Am./Non-Hisp	589	190,131	166	23.8	17.9-29.7	423	76.2	70.3-82.1
Oth. Race/Non-Hisp.	57	20,235	18	32.4	16.5-48.3	39	67.6	51.7-83.5
MultiRacial/Non-Hisp.	62	22,000	28	47.3	31.4-63.2	34	52.7	36.8-68.6
Hispanic	154	87,074	28	14.1	06.8-21.4	126	85.9	78.6-93.2
18-24	185	299,431	31	15.6	09.9-21.3	154	84.4	78.7-90.1
25-34	476	386,504	87	16.7	12.8-20.6	389	83.3	79.4-87.2
35-44	563	379,440	121	23.1	18.8-27.4	442	76.9	72.6-81.2
45-54	832	437,024	247	30.2	26.3-34.1	585	69.8	65.9-73.7
55-64	1062	348,035	360	33.3	29.8-36.8	702	66.7	63.2-70.2
65+	1662	462,003	607	36.9	34.0-39.8	1055	63.1	60.2-66.0
Less Than H.S.	448	290,371	186	32.8	26.9-38.7	262	67.2	61.3-73.1
H.S. or G.E.D.	1812	803,012	569	27.4	24.7-30.1	1243	72.6	69.9-75.3
Some Post-H.S.	1249	741,949	392	28.3	25.0-31.6	857	71.7	68.4-75.0
College Graduate	1308	493,547	308	18.8	16.3-21.3	1000	81.2	78.7-83.7
Less than \$15,000	627	282,999	317	45.1	39.4-50.8	310	54.9	49.2-60.6
\$15,000- 24,999	899	384,333	320	30.2	26.3-34.1	579	69.8	65.9-73.7
\$25,000- 34,999	504	240,899	146	26.6	21.5-31.7	358	73.4	68.3-78.5
\$35,000- 49,999	623	287,275	152	25.9	21.2-30.6	471	74.1	69.4-78.8
\$50,000- 74,999	594	302,955	136	20.7	16.4-25.0	458	79.3	75.0-83.6
\$75,000+	767	445,426	127	14.7	11.8-17.6	640	85.3	82.4-88.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 11: DISABILITY**

**TABLE 4: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEQUIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7910	4,537,236	940	8.0	07.2-08.8	6970	92.0	91.2-92.8
Male	3062	2,196,883	321	7.1	06.1-08.1	2741	92.9	91.9-93.9
Female	4848	2,340,354	619	8.8	07.8-09.8	4229	91.2	90.2-92.2
White/Non-Hisp	6431	3,781,052	716	7.8	07.0-08.6	5715	92.2	91.4-93.0
Black or Afr. Am./Non-Hisp	865	363,744	154	10.8	08.1-13.5	711	89.2	86.5-91.9
Oth. Race/Non-Hisp.	123	71,241	13	12.8	02.2-23.4	110	87.2	76.6-97.8
MultiRacial/Non-Hisp.	97	47,989	22	18.1	08.9-27.3	75	81.9	72.7-91.1
Hispanic	261	212,080	13	1.9	00.5-03.3	248	98.1	96.7-99.5
18-24	352	605,611	6	0.3	00.1-00.5	346	99.7	99.5-99.9
25-34	768	771,945	18	2.8	01.2-04.4	750	97.2	95.6-98.8
35-44	967	772,687	44	4.3	02.7-05.9	923	95.7	94.1-97.3
45-54	1453	856,871	132	8.6	06.6-10.6	1321	91.4	89.4-93.4
55-64	1762	696,490	222	11.1	09.3-12.9	1540	88.9	87.1-90.7
65+	2532	800,146	514	19.0	17.0-21.0	2018	81.0	79.0-83.0
Less Than H.S.	776	640,360	157	11.0	08.5-13.5	619	89.0	86.5-91.5
H.S. or G.E.D.	2886	1,579,351	388	9.1	07.9-10.3	2498	90.9	89.7-92.1
Some Post-H.S.	1966	1,348,206	219	7.3	05.9-08.7	1747	92.7	91.3-94.1
College Graduate	2257	957,936	174	5.2	04.2-06.2	2083	94.8	93.8-95.8
Less than \$15,000	932	512,356	258	18.8	15.7-21.9	674	81.2	78.1-84.3
\$15,000- 24,999	1385	710,631	256	12.2	10.2-14.2	1129	87.8	85.8-89.8
\$25,000- 34,999	853	485,451	80	6.3	04.5-08.1	773	93.7	91.9-95.5
\$35,000- 49,999	1077	597,668	84	6.0	04.2-07.8	993	94.0	92.2-95.8
\$50,000- 74,999	1024	616,344	49	4.3	02.5-06.1	975	95.7	93.9-97.5
\$75,000+	1452	921,385	44	2.4	01.4-03.4	1408	97.6	96.6-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 11: DISABILITY**

**TABLE 5: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3062	2,196,883	321	7.1	06.1-08.1	2741	92.9	91.9-93.9
White/Non-Hisp	2522	1,789,881	245	7.1	05.9-08.3	2277	92.9	91.7-94.1
Black or Afr. Am./Non-Hisp	272	171,713	50	7.9	04.4-11.4	222	92.1	88.6-95.6
Oth. Race/Non-Hisp.	66	51,006	7	14.4	00.3-28.5	59	85.6	71.5-99.7
Hispanic	106	124,924	6	1.8	00.0-03.8	100	98.2	96.2-0100
18-24	166	305,818	3	0.4	00.0-01.0	163	99.6	99.0-0100
25-34	292	385,440	7	3.5	00.8-06.2	285	96.5	93.8-99.2
35-44	406	394,716	18	4.2	02.0-06.4	388	95.8	93.6-98.0
45-54	620	419,550	57	8.2	05.7-10.7	563	91.8	89.3-94.3
55-64	696	346,331	79	10.4	07.7-13.1	617	89.6	86.9-92.3
65+	861	335,056	156	15.8	13.1-18.5	705	84.2	81.5-86.9
Less Than H.S.	328	350,801	57	9.5	06.0-13.0	271	90.5	87.0-94.0
H.S. or G.E.D.	1061	772,723	113	6.8	05.2-08.4	948	93.2	91.6-94.8
Some Post-H.S.	717	605,009	84	8.0	05.8-10.2	633	92.0	89.8-94.2
College Graduate	949	464,040	67	4.7	03.3-06.1	882	95.3	93.9-96.7
Less than \$15,000	304	229,270	88	18.0	12.7-23.3	216	82.0	76.7-87.3
\$15,000- 24,999	483	326,287	86	11.6	08.5-14.7	397	88.4	85.3-91.5
\$25,000- 34,999	347	243,596	33	5.3	02.9-07.7	314	94.7	92.3-97.1
\$35,000- 49,999	452	308,888	35	5.5	03.0-08.0	417	94.5	92.0-97.0
\$50,000- 74,999	430	313,389	20	4.4	02.0-06.8	410	95.6	93.2-98.0
\$75,000+	685	475,771	22	2.9	01.5-04.3	663	97.1	95.7-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 11: DISABILITY**

**TABLE 6: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQUIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4848	2,340,354	619	8.8	07.8-09.8	4229	91.2	90.2-92.2
White/Non-Hisp	3909	1,991,171	471	8.4	07.4-09.4	3438	91.6	90.6-92.6
Black or Afr. Am./Non-Hisp	593	192,031	104	13.3	09.2-17.4	489	86.7	82.6-90.8
Oth. Race/Non-Hisp.	57	20,235	6	8.9	00.5-17.3	51	91.1	82.7-99.5
MultiRacial/Non-Hisp.	62	22,000	16	22.5	10.0-35.0	46	77.5	65.0-90.0
Hispanic	155	87,156	7	1.9	00.1-03.7	148	98.1	96.3-99.9
18-24	186	299,793	3	0.2	00.0-00.4	183	99.8	99.6-100.0
25-34	476	386,504	11	2.0	00.6-03.4	465	98.0	96.6-99.4
35-44	561	377,971	26	4.5	02.3-06.7	535	95.5	93.3-97.7
45-54	833	437,322	75	9.0	06.3-11.7	758	91.0	88.3-93.7
55-64	1066	350,159	143	11.8	09.4-14.2	923	88.2	85.8-90.6
65+	1671	465,090	358	21.4	18.9-23.9	1313	78.6	76.1-81.1
Less Than H.S.	448	289,558	100	12.9	09.4-16.4	348	87.1	83.6-90.6
H.S. or G.E.D.	1825	806,628	275	11.3	09.5-13.1	1550	88.7	86.9-90.5
Some Post-H.S.	1249	743,197	135	6.7	05.1-08.3	1114	93.3	91.7-94.9
College Graduate	1308	493,896	107	5.6	04.2-07.0	1201	94.4	93.0-95.8
Less than \$15,000	628	283,086	170	19.5	15.8-23.2	458	80.5	76.8-84.2
\$15,000- 24,999	902	384,344	170	12.7	10.2-15.2	732	87.3	84.8-89.8
\$25,000- 34,999	506	241,855	47	7.3	04.6-10.0	459	92.7	90.0-95.4
\$35,000- 49,999	625	288,780	49	6.5	04.0-09.0	576	93.5	91.0-96.0
\$50,000- 74,999	594	302,955	29	4.1	01.6-06.6	565	95.9	93.4-98.4
\$75,000+	767	445,615	22	1.9	00.9-02.9	745	98.1	97.1-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011**

SECTION 12: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARTHRTIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)	
1 MALES AND FEMALES	226
2 MALES ONLY	227
3 FEMALES ONLY	228
IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)	
4 MALES AND FEMALES	229
5 MALES ONLY	230
6 FEMALES ONLY	231
DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)	
7 MALES AND FEMALES	232
8 MALES ONLY	233
9 FEMALES ONLY	234
PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)	
10 MALES AND FEMALES	235
11 MALES ONLY	236
12 FEMALES ONLY	237

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 1: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2803	1,219,810	1442	49.6	47.1-52.1	1361	50.4	47.9-52.9
Male	884	489,139	412	43.7	39.4-48.0	472	56.3	52.0-60.6
Female	1919	730,671	1030	53.5	50.6-56.4	889	46.5	43.6-49.4
White/Non-Hisp	2315	1,052,271	1175	49.2	46.7-51.7	1140	50.8	48.3-53.3
Black or Afr. Am./Non-Hisp	325	92,403	175	51.6	41.2-62.0	150	48.4	38.0-58.8
Hispanic	51	24,036	26	42.7	24.7-60.7	25	57.3	39.3-75.3
25-34	58	59,151	23	31.9	18.6-45.2	35	68.1	54.8-81.4
35-44	165	135,818	86	51.4	42.2-60.6	79	48.6	39.4-57.8
45-54	441	258,885	258	57.9	52.0-63.8	183	42.1	36.2-48.0
55-64	766	304,806	413	50.5	46.0-55.0	353	49.5	45.0-54.0
65+	1338	427,249	652	47.5	44.2-50.8	686	52.5	49.2-55.8
Less Than H.S.	333	181,585	198	55.6	48.0-63.2	135	44.4	36.8-52.0
H.S. or G.E.D.	1155	500,042	573	45.4	41.7-49.1	582	54.6	50.9-58.3
Some Post-H.S.	702	350,940	383	54.5	49.6-59.4	319	45.5	40.6-50.4
College Graduate	600	183,195	281	45.0	40.1-49.9	319	55.0	50.1-59.9
Less than \$15,000	406	165,892	281	67.8	60.7-74.9	125	32.2	25.1-39.3
\$15,000- 24,999	628	241,066	369	57.1	51.8-62.4	259	42.9	37.6-48.2
\$25,000- 34,999	329	146,859	158	45.5	38.4-52.6	171	54.5	47.4-61.6
\$35,000- 49,999	374	176,116	159	40.4	33.9-46.9	215	59.6	53.1-66.1
\$50,000- 74,999	298	137,278	138	48.4	41.0-55.8	160	51.6	44.2-59.0
\$75,000+	318	170,025	126	38.2	31.5-44.9	192	61.8	55.1-68.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 2: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	884	489,139	412	43.7	39.4-48.0	472	56.3	52.0-60.6
White/Non-Hisp	738	413,491	342	43.9	39.4-48.4	396	56.1	51.6-60.6
Black or Afr. Am./Non-Hisp	93	39,249	44	37.5	20.6-54.4	49	62.5	45.6-79.4
35-44	54	57,696	25	41.9	27.2-56.6	29	58.1	43.4-72.8
45-54	159	101,139	92	54.4	44.2-64.6	67	45.6	35.4-55.8
55-64	254	131,022	121	46.1	38.5-53.7	133	53.9	46.3-61.5
65+	386	154,307	166	42.3	36.2-48.4	220	57.7	51.6-63.8
Less Than H.S.	109	81,781	62	50.1	37.6-62.6	47	49.9	37.4-62.4
H.S. or G.E.D.	339	192,646	156	40.1	33.6-46.6	183	59.9	53.4-66.4
Some Post-H.S.	223	136,828	110	48.8	40.4-57.2	113	51.2	42.8-59.6
College Graduate	211	76,984	83	36.9	29.1-44.7	128	63.1	55.3-70.9
Less than \$15,000	110	62,905	76	57.4	43.5-71.3	34	42.6	28.7-56.5
\$15,000- 24,999	182	94,001	102	54.7	45.3-64.1	80	45.3	35.9-54.7
\$25,000- 34,999	120	67,427	60	45.9	34.5-57.3	60	54.1	42.7-65.5
\$35,000- 49,999	150	85,585	49	29.3	20.5-38.1	101	70.7	61.9-79.5
\$50,000- 74,999	96	54,323	45	51.5	39.3-63.7	51	48.5	36.3-60.7
\$75,000+	128	73,876	42	30.8	20.6-41.0	86	69.2	59.0-79.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 3: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1919	730,671	1030	53.5	50.6-56.4	889	46.5	43.6-49.4
White/Non-Hisp	1577	638,780	833	52.6	49.5-55.7	744	47.4	44.3-50.5
Black or Afr. Am./Non-Hisp	232	53,154	131	61.9	50.7-73.1	101	38.1	26.9-49.3
35-44	111	78,121	61	58.4	47.4-69.4	50	41.6	30.6-52.6
45-54	282	157,745	166	60.1	53.0-67.2	116	39.9	32.8-47.0
55-64	512	173,784	292	53.9	48.6-59.2	220	46.1	40.8-51.4
65+	952	272,942	486	50.4	46.5-54.3	466	49.6	45.7-53.5
Less Than H.S.	224	99,804	136	60.2	51.2-69.2	88	39.8	30.8-48.8
H.S. or G.E.D.	816	307,396	417	48.8	44.5-53.1	399	51.2	46.9-55.5
Some Post-H.S.	479	214,112	273	58.2	52.5-63.9	206	41.8	36.1-47.5
College Graduate	389	106,211	198	50.9	44.6-57.2	191	49.1	42.8-55.4
Less than \$15,000	296	102,987	205	74.1	67.6-80.6	91	25.9	19.4-32.4
\$15,000- 24,999	446	147,065	267	58.6	52.5-64.7	179	41.4	35.3-47.5
\$25,000- 34,999	209	79,432	98	45.1	36.3-53.9	111	54.9	46.1-63.7
\$35,000- 49,999	224	90,531	110	50.8	42.2-59.4	114	49.2	40.6-57.8
\$50,000- 74,999	202	82,955	93	46.4	36.8-56.0	109	53.6	44.0-63.2
\$75,000+	190	96,149	84	43.9	35.5-52.3	106	56.1	47.7-64.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 4: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2724	1,199,025	984	37.0	34.6-39.4	1740	63.0	60.6-65.4
Male	865	485,159	298	33.7	29.6-37.8	567	66.3	62.2-70.4
Female	1859	713,865	686	39.3	36.4-42.2	1173	60.7	57.8-63.6
White/Non-Hisp	2257	1,033,735	776	36.5	34.0-39.0	1481	63.5	61.0-66.0
Black or Afr. Am./Non-Hisp	309	91,000	141	44.5	33.9-55.1	168	55.5	44.9-66.1
25-34	58	59,151	23	37.5	23.0-52.0	35	62.5	48.0-77.0
35-44	160	131,254	69	44.1	34.9-53.3	91	55.9	46.7-65.1
45-54	440	258,455	207	46.7	40.8-52.6	233	53.3	47.4-59.2
55-64	756	304,399	302	38.8	34.5-43.1	454	61.2	56.9-65.5
65+	1277	412,341	376	28.2	25.1-31.3	901	71.8	68.7-74.9
Less Than H.S.	312	174,177	151	50.6	42.8-58.4	161	49.4	41.6-57.2
H.S. or G.E.D.	1120	490,032	416	36.3	32.6-40.0	704	63.7	60.0-67.4
Some Post-H.S.	692	348,411	277	39.5	34.6-44.4	415	60.5	55.6-65.4
College Graduate	588	182,774	133	20.9	16.8-25.0	455	79.1	75.0-83.2
Less than \$15,000	384	159,407	220	59.9	52.8-67.0	164	40.1	33.0-47.2
\$15,000- 24,999	601	232,109	259	42.8	37.5-48.1	342	57.2	51.9-62.5
\$25,000- 34,999	323	145,680	126	40.7	33.4-48.0	197	59.3	52.0-66.6
\$35,000- 49,999	365	174,778	111	29.7	23.6-35.8	254	70.3	64.2-76.4
\$50,000- 74,999	292	134,310	78	34.4	26.6-42.2	214	65.6	57.8-73.4
\$75,000+	319	171,651	49	17.5	12.2-22.8	270	82.5	77.2-87.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 5: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis
Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	865	485,159	298	33.7	29.6-37.8	567	66.3	62.2-70.4
White/Non-Hisp	726	408,574	247	34.6	30.3-38.9	479	65.4	61.1-69.7
Black or Afr. Am./Non-Hisp	87	40,442	32	27.5	12.6-42.4	55	72.5	57.6-87.4
35-44	52	55,359	20	36.0	21.3-50.7	32	64.0	49.3-78.7
45-54	158	102,377	75	42.5	32.9-52.1	83	57.5	47.9-67.1
55-64	252	132,329	91	37.7	30.3-45.1	161	62.3	54.9-69.7
65+	372	150,121	104	26.0	20.5-31.5	268	74.0	68.5-79.5
Less Than H.S.	104	79,898	46	45.9	33.4-58.4	58	54.1	41.6-66.6
H.S. or G.E.D.	331	189,566	125	34.6	28.3-40.9	206	65.4	59.1-71.7
Some Post-H.S.	220	136,752	88	35.6	27.8-43.4	132	64.4	56.6-72.2
College Graduate	209	78,461	39	16.2	09.9-22.5	170	83.8	77.5-90.1
Less than \$15,000	103	61,435	62	56.9	43.0-70.8	41	43.1	29.2-57.0
\$15,000- 24,999	175	89,527	74	39.0	29.8-48.2	101	61.0	51.8-70.2
\$25,000- 34,999	116	66,554	46	42.2	30.4-54.0	70	57.8	46.0-69.6
\$35,000- 49,999	150	86,381	39	22.0	14.2-29.8	111	78.0	70.2-85.8
\$50,000- 74,999	93	53,074	30	40.7	28.4-53.0	63	59.3	47.0-71.6
\$75,000+	130	75,504	16	11.4	04.7-18.1	114	88.6	81.9-95.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 6: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1859	713,865	686	39.3	36.4-42.2	1173	60.7	57.8-63.6
White/Non-Hisp	1531	625,160	529	37.7	34.6-40.8	1002	62.3	59.2-65.4
Black or Afr. Am./Non-Hisp	222	50,558	109	58.1	46.3-69.9	113	41.9	30.1-53.7
35-44	108	75,895	49	49.9	38.3-61.5	59	50.1	38.5-61.7
45-54	282	156,079	132	49.6	42.3-56.9	150	50.4	43.1-57.7
55-64	504	172,070	211	39.7	34.6-44.8	293	60.3	55.2-65.4
65+	905	262,220	272	29.5	25.8-33.2	633	70.5	66.8-74.2
Less Than H.S.	208	94,279	105	54.6	45.2-64.0	103	45.4	36.0-54.8
H.S. or G.E.D.	789	300,466	291	37.4	33.1-41.7	498	62.6	58.3-66.9
Some Post-H.S.	472	211,659	189	42.0	35.9-48.1	283	58.0	51.9-64.1
College Graduate	379	104,313	94	24.4	18.9-29.9	285	75.6	70.1-81.1
Less than \$15,000	281	97,973	158	61.7	54.3-69.1	123	38.3	30.9-45.7
\$15,000- 24,999	426	142,582	185	45.2	38.9-51.5	241	54.8	48.5-61.1
\$25,000- 34,999	207	79,126	80	39.4	30.6-48.2	127	60.6	51.8-69.4
\$35,000- 49,999	215	88,398	72	37.3	28.5-46.1	143	62.7	53.9-71.5
\$50,000- 74,999	199	81,236	48	30.3	20.1-40.5	151	69.7	59.5-79.9
\$75,000+	189	96,148	33	22.2	14.6-29.8	156	77.8	70.2-85.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 7. DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			Very Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2800	1,222,930	610	21.1	19.1-23.1	751	28.3	25.9-30.7	1439	50.5	48.0-53.0
Male	885	494,943	171	17.0	13.9-20.1	209	27.4	23.3-31.5	505	55.6	51.3-59.9
Female	1915	727,987	439	23.9	21.4-26.4	542	29.0	26.3-31.7	934	47.1	44.2-50.0
White/Non-Hisp	2315	1,053,661	473	20.1	17.9-22.3	610	28.3	25.8-30.8	1232	51.6	49.1-54.1
Black or Afr. Am./Non-Hisp	322	94,314	88	29.0	20.0-38.0	96	26.3	17.3-35.3	138	44.7	34.1-55.3
Hispanic	51	24,055	14	18.1	05.6-30.6	17	33.6	16.4-50.8	20	48.3	30.1-66.5
25-34	58	59,151	12	17.9	07.1-28.7	18	29.3	15.6-43.0	28	52.7	37.4-68.0
35-44	163	133,579	37	22.5	14.9-30.1	57	39.9	30.7-49.1	69	37.6	28.8-46.4
45-54	446	261,454	125	25.4	20.5-30.3	124	29.6	23.9-35.3	197	45.0	39.1-50.9
55-64	770	309,275	183	23.0	19.1-26.9	195	25.0	21.1-28.9	392	52.0	47.5-56.5
65+	1328	425,569	250	18.1	15.6-20.6	345	24.3	21.4-27.2	733	57.6	54.3-60.9
Less Than H.S.	330	182,466	120	32.7	25.8-39.6	85	29.4	22.0-36.8	125	37.9	30.5-45.3
H.S. or G.E.D.	1154	501,504	240	19.3	16.4-22.2	338	29.3	25.8-32.8	576	51.5	47.8-55.2
Some Post-H.S.	703	351,626	171	23.5	19.6-27.4	186	30.1	25.4-34.8	346	46.5	41.6-51.4
College Graduate	600	183,285	78	10.6	07.7-13.5	137	21.1	17.0-25.2	385	68.3	63.6-73.0
Less than \$15,000	406	166,168	180	46.9	40.0-53.8	96	23.1	17.2-29.0	130	30.0	23.3-36.7
\$15,000- 24,999	623	240,487	161	23.5	19.4-27.6	198	33.2	28.1-38.3	264	43.4	38.1-48.7
\$25,000- 34,999	328	146,531	68	20.4	14.7-26.1	84	25.6	18.9-32.3	176	54.0	46.7-61.3
\$35,000- 49,999	374	176,139	49	13.2	08.9-17.5	124	34.9	28.2-41.6	201	51.8	45.1-58.5
\$50,000- 74,999	294	134,501	35	14.1	08.0-20.2	73	26.4	19.3-33.5	186	59.4	51.8-67.0
\$75,000+	321	172,242	19	6.5	03.0-10.0	66	24.7	18.0-31.4	236	68.8	61.7-75.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 8: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			Very Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	885	494,943	171	17.0	13.9-20.1	209	27.4	23.3-31.5	505	55.6	51.3-59.9
White/Non-Hisp	740	417,221	140	17.3	14.0-20.6	168	25.7	21.4-30.0	432	56.9	52.4-61.4
Black or Afr. Am./Non-Hisp	92	41,324	19	14.2	03.6-24.8	24	35.1	17.1-53.1	49	50.7	32.1-69.3
35-44	53	56,538	8	11.8	02.6-21.0	18	38.9	23.6-54.2	27	49.2	33.9-64.5
45-54	162	104,236	40	20.4	13.3-27.5	47	32.8	22.8-42.8	75	46.7	36.5-56.9
55-64	258	135,525	60	24.7	17.8-31.6	51	20.1	14.0-26.2	147	55.1	47.5-62.7
65+	381	153,669	59	11.9	08.2-15.6	83	21.7	16.6-26.8	239	66.4	60.7-72.1
Less Than H.S.	109	83,444	42	30.1	19.5-40.7	21	29.4	16.7-42.1	46	40.5	28.3-52.7
H.S. or G.E.D.	341	194,705	55	12.9	08.8-17.0	99	30.7	24.2-37.2	187	56.4	49.7-63.1
Some Post-H.S.	223	138,295	51	20.6	14.1-27.1	53	27.7	19.9-35.5	119	51.7	43.3-60.1
College Graduate	210	77,599	23	7.3	03.4-11.2	35	16.1	09.2-23.0	152	76.6	69.2-84.0
Less than \$15,000	108	62,708	53	43.3	30.4-56.2	18	19.9	08.9-30.9	37	36.8	23.1-50.5
\$15,000- 24,999	181	94,142	41	18.1	11.8-24.4	63	36.8	27.4-46.2	77	45.1	35.7-54.5
\$25,000- 34,999	119	67,106	25	17.4	09.0-25.8	27	26.1	15.1-37.1	67	56.5	44.7-68.3
\$35,000- 49,999	149	85,223	14	5.9	02.4-09.4	42	37.2	26.4-48.0	93	56.9	46.3-67.5
\$50,000- 74,999	96	54,142	10	13.7	04.7-22.7	21	23.6	13.2-34.0	65	62.7	50.7-74.7
\$75,000+	131	75,842	6	5.5	00.0-11.2	23	19.5	08.5-30.5	102	75.0	63.4-86.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 9: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			Very Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1915	727,987	439	23.9	21.4-26.4	542	29.0	26.3-31.7	934	47.1	44.2-50.0
White/Non-Hisp	1575	636,440	333	21.9	19.2-24.6	442	29.9	26.8-33.0	800	48.2	45.1-51.3
Black or Afr. Am./Non-Hisp	230	52,991	69	40.5	28.5-52.5	72	19.5	12.8-26.2	89	40.0	28.0-52.0
35-44	110	77,040	29	30.3	19.5-41.1	39	40.6	29.2-52.0	42	29.1	19.5-38.7
45-54	284	157,218	85	28.6	22.1-35.1	77	27.5	20.6-34.4	122	43.8	36.5-51.1
55-64	512	173,750	123	21.7	17.4-26.0	144	28.8	23.9-33.7	245	49.5	44.2-54.8
65+	947	271,900	191	21.6	18.3-24.9	262	25.8	22.3-29.3	494	52.6	48.7-56.5
Less Than H.S.	221	99,022	78	34.9	26.1-43.7	64	29.4	21.2-37.6	79	35.7	26.7-44.7
H.S. or G.E.D.	813	306,799	185	23.3	19.4-27.2	239	28.3	24.4-32.2	389	48.3	43.8-52.8
Some Post-H.S.	480	213,330	120	25.3	20.2-30.4	133	31.6	25.7-37.5	227	43.0	37.3-48.7
College Graduate	390	105,687	55	13.0	08.7-17.3	102	24.8	19.5-30.1	233	62.2	56.1-68.3
Less than \$15,000	298	103,460	127	49.1	41.5-56.7	78	25.1	18.6-31.6	93	25.8	19.3-32.3
\$15,000- 24,999	442	146,345	120	26.9	21.6-32.2	135	30.8	25.1-36.5	187	42.3	36.2-48.4
\$25,000- 34,999	209	79,425	43	22.9	15.3-30.5	57	25.2	17.6-32.8	109	51.9	43.1-60.7
\$35,000- 49,999	225	90,916	35	20.0	12.6-27.4	82	32.9	24.7-41.1	108	47.1	38.5-55.7
\$50,000- 74,999	198	80,359	25	14.4	06.4-22.4	52	28.4	19.0-37.8	121	57.3	47.3-67.3
\$75,000+	190	96,399	13	7.2	02.5-11.9	43	28.9	20.7-37.1	134	63.9	55.5-72.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

**TABLE 10: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE.
(JOINPAIN)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-3			4-6			7-8			9-10		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2742	1,199,245	156	5.8	04.6-07.0	755	27.3	25.1-29.5	985	36.8	34.3-39.3	586	21.2	19.2-23.2	260	8.9	07.3-10.5
Male	867	482,803	61	6.7	04.5-08.9	295	33.0	28.9-37.1	307	36.1	32.0-40.2	154	18.3	15.0-21.6	50	5.9	03.7-08.1
Female	1875	716,442	95	5.2	04.0-06.4	460	23.4	21.0-25.8	678	37.3	34.4-40.2	432	23.2	20.7-25.7	210	10.9	08.9-12.9
White/Non-Hisp	2272	1,033,959	123	5.4	04.2-06.6	666	28.7	26.3-31.1	847	37.4	34.9-39.9	473	21.3	19.1-23.5	163	7.2	05.8-08.6
Black or Afr. Am./Non-Hisp	312	91,062	26	9.7	04.6-14.8	53	12.7	04.5-20.9	89	35.3	24.7-45.9	79	21.6	13.4-29.8	65	20.7	12.7-28.7
Hispanic	50	23,433	1	2.9	00.0-08.6	10	31.5	13.3-49.7	20	43.7	25.1-62.3	9	8.9	02.0-15.8	10	13.0	02.6-23.4
25-34	57	57,920	7	13.3	01.0-25.6	13	19.4	08.0-30.8	23	44.3	28.8-59.8	7	11.9	02.1-21.7	7	11.1	01.7-20.5
35-44	161	132,570	5	2.0	00.0-04.0	46	28.1	19.9-36.3	59	39.9	30.7-49.1	40	22.9	15.3-30.5	11	7.1	02.4-11.8
45-54	444	259,655	25	5.7	03.2-08.2	105	22.5	17.6-27.4	140	33.6	27.9-39.3	121	26.7	21.6-31.8	53	11.5	07.2-15.8
55-64	759	306,040	42	5.9	03.7-08.1	207	29.2	25.1-33.3	262	34.4	30.1-38.7	182	23.0	19.3-26.7	66	7.5	05.1-09.9
65+	1288	413,340	77	6.4	04.6-08.2	373	30.1	27.0-33.2	488	37.2	33.9-40.5	229	17.4	14.9-19.9	121	9.0	07.0-11.0
Less Than H.S.	325	175,918	16	5.0	00.9-09.1	39	15.4	09.9-20.9	101	34.1	26.8-41.4	88	25.8	19.5-32.1	81	19.7	14.2-25.2
H.S. or G.E.D.	1128	492,346	62	6.2	04.4-08.0	282	25.8	22.5-29.1	431	39.2	35.5-42.9	252	21.4	18.5-24.3	101	7.4	05.4-09.4
Some Post-H.S.	691	346,674	35	4.5	02.7-06.3	188	27.5	23.2-31.8	247	37.4	32.7-42.1	166	22.7	18.8-26.6	55	7.8	04.9-10.7
College Graduate	587	180,435	42	8.0	05.3-10.7	244	42.7	37.6-47.8	202	32.1	27.4-36.8	79	13.3	09.4-17.2	20	4.0	01.8-06.2
Less than \$15,000	400	163,589	12	4.2	00.0-08.5	56	13.2	08.5-17.9	114	30.0	23.5-36.5	131	31.1	25.0-37.2	87	21.4	15.7-27.1
\$15,000- 24,999	610	235,827	32	4.9	02.7-07.1	109	17.7	13.8-21.6	236	40.9	35.6-46.2	167	27.8	23.1-32.5	66	8.8	06.1-11.5
\$25,000- 34,999	322	144,359	8	3.5	00.8-06.2	82	21.8	16.5-27.1	135	44.9	37.6-52.2	76	22.2	16.3-28.1	21	7.7	03.4-12.0
\$35,000- 49,999	371	175,896	26	6.2	03.5-08.9	121	34.9	28.4-41.4	152	38.4	31.7-45.1	60	16.4	11.7-21.1	12	4.1	01.2-07.0
\$50,000- 74,999	295	135,227	17	7.1	03.4-10.8	119	35.2	28.3-42.1	113	38.1	30.8-45.4	37	14.9	09.6-20.2	9	4.8	00.0-09.9
\$75,000+	312	165,041	31	9.2	05.5-12.9	141	42.9	36.0-49.8	96	32.5	25.8-39.2	32	11.8	07.1-16.5	12	3.6	01.1-06.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 11: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-3			4-6			7-8			9-10		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	867	482,803	61	6.7	04.5-08.9	295	33.0	28.9-37.1	307	36.1	32.0-40.2	154	18.3	15.0-21.6	50	5.9	03.7-08.1
White/Non-Hisp	725	407,019	50	6.4	04.4-08.4	258	34.0	29.7-38.3	257	36.2	31.9-40.5	130	18.9	15.4-22.4	30	4.4	02.4-06.4
Black or Afr. Am./Non-Hisp	90	39,470	8	5.6	00.1-11.1	18	19.2	01.6-36.8	36	48.9	30.5-67.3	15	15.0	01.5-28.5	13	11.3	00.5-22.1
35-44	53	56,247	1	1.1	00.0-03.3	20	37.4	22.7-52.1	20	36.5	21.8-51.2	9	19.8	07.6-32.0	3	5.3	00.0-12.4
45-54	161	102,677	11	6.8	02.1-11.5	41	24.6	15.6-33.6	56	36.9	27.3-46.5	42	24.1	15.7-32.5	11	7.5	01.8-13.2
55-64	252	134,018	22	7.8	04.1-11.5	85	33.5	26.2-40.8	78	30.1	23.2-37.0	52	23.2	16.5-29.9	15	5.4	01.7-09.1
65+	371	148,813	25	6.9	03.8-10.0	140	39.4	33.3-45.5	141	37.7	31.6-43.8	47	11.8	07.7-15.9	18	4.2	01.8-06.6
Less Than H.S.	106	77,744	8	7.3	00.0-16.1	20	20.8	11.2-30.4	30	28.9	18.3-39.5	29	25.7	15.1-36.3	19	17.3	07.7-26.9
H.S. or G.E.D.	333	190,382	17	5.9	02.8-09.0	101	30.3	24.0-36.6	132	42.7	35.6-49.8	65	16.9	12.0-21.8	18	4.2	01.7-06.7
Some Post-H.S.	222	136,612	15	5.8	02.5-09.1	75	35.9	27.5-44.3	80	34.5	26.5-42.5	42	19.6	13.1-26.1	10	4.3	00.8-07.8
College Graduate	204	77,164	20	9.5	04.8-14.2	98	46.6	38.2-55.0	65	30.6	23.0-38.2	18	12.0	04.9-19.1	3	1.3	00.0-02.9
Less than \$15,000	107	61,602	3	7.1	00.0-17.9	16	14.9	05.1-24.7	40	39.2	26.3-52.1	34	26.6	15.8-37.4	14	12.1	03.1-21.1
\$15,000- 24,999	178	91,832	8	2.9	00.4-05.4	40	23.1	15.5-30.7	74	44.5	34.9-54.1	43	24.6	16.6-32.6	13	5.0	00.7-09.3
\$25,000- 34,999	115	65,526	4	3.7	00.0-08.0	33	25.3	16.1-34.5	48	42.4	30.2-54.6	22	17.5	08.7-26.3	8	11.2	02.4-20.0
\$35,000- 49,999	150	86,381	16	8.9	04.2-13.6	53	37.0	26.8-47.2	58	38.7	28.5-48.9	20	12.6	06.5-18.7	3	2.9	00.0-07.0
\$50,000- 74,999	96	54,142	6	6.8	00.7-12.9	45	44.0	31.8-56.2	31	29.6	19.0-40.2	14	19.6	09.2-30.0			
\$75,000+	128	71,642	16	12.1	05.0-19.2	68	50.7	38.9-62.5	33	28.5	17.9-39.1	8	6.9	00.6-13.2	3	1.8	00.0-04.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 12: ARTHRITIS BURDEN**

TABLE 12: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-3			4-6			7-8			9-10		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1875	716,442	95	5.2	04.0-06.4	460	23.4	21.0-25.8	678	37.3	34.4-40.2	432	23.2	20.7-25.7	210	10.9	08.9-12.9
White/Non-Hisp	1547	626,939	73	4.7	03.5-05.9	408	25.2	22.7-27.7	590	38.1	35.0-41.2	343	22.9	20.4-25.4	133	9.1	07.1-11.1
Black or Afr. Am./Non-Hisp	222	51,592	18	12.9	05.1-20.7	35	7.7	03.8-11.6	53	25.0	13.2-36.8	64	26.6	16.6-36.6	52	27.8	16.8-38.8
35-44	108	76,322	4	2.6	00.0-05.5	26	21.3	12.5-30.1	39	42.4	30.8-54.0	31	25.2	15.6-34.8	8	8.5	02.4-14.6
45-54	283	156,977	14	5.0	02.3-07.7	64	21.1	15.4-26.8	84	31.5	24.6-38.4	79	28.3	22.0-34.6	42	14.1	08.2-20.0
55-64	507	172,022	20	4.4	02.0-06.8	122	25.8	21.1-30.5	184	37.8	32.5-43.1	130	22.9	18.6-27.2	51	9.1	06.0-12.2
65+	917	264,527	52	6.1	04.1-08.1	233	24.8	21.5-28.1	347	36.9	33.0-40.8	182	20.5	17.2-23.8	103	11.7	09.0-14.4
Less Than H.S.	219	98,174	8	3.1	00.4-05.8	19	11.2	04.7-17.7	71	38.2	28.6-47.8	59	25.8	18.2-33.4	62	21.6	15.1-28.1
H.S. or G.E.D.	795	301,964	45	6.3	04.1-08.5	181	22.9	19.2-26.6	299	37.0	32.7-41.3	187	24.3	20.4-28.2	83	9.5	06.8-12.2
Some Post-H.S.	469	210,061	20	3.7	01.7-05.7	113	22.1	17.8-26.4	167	39.4	33.5-45.3	124	24.7	19.8-29.6	45	10.1	05.8-14.4
College Graduate	383	103,271	22	6.9	03.6-10.2	146	39.7	33.6-45.8	137	33.2	27.3-39.1	61	14.3	10.0-18.6	17	5.9	02.2-09.6
Less than \$15,000	293	101,987	9	2.4	00.4-04.4	40	12.2	07.5-16.9	74	24.5	17.8-31.2	97	33.8	26.5-41.1	73	27.1	20.0-34.2
\$15,000- 24,999	432	143,995	24	6.1	03.2-09.0	69	14.2	10.1-18.3	162	38.6	32.5-44.7	124	29.8	24.1-35.5	53	11.2	07.5-14.9
\$25,000- 34,999	207	78,833	4	3.3	00.0-06.8	49	19.0	12.9-25.1	87	46.9	37.9-55.9	54	26.1	18.3-33.9	13	4.8	01.7-07.9
\$35,000- 49,999	221	89,515	10	3.6	00.7-06.5	68	32.9	25.1-40.7	94	38.2	29.6-46.8	40	20.0	12.9-27.1	9	5.2	00.7-09.7
\$50,000- 74,999	199	81,085	11	7.2	02.5-11.9	74	29.3	21.5-37.1	82	43.8	34.2-53.4	23	11.7	06.2-17.2	9	7.9	00.0-16.1
\$75,000+	184	93,399	15	6.9	03.0-10.8	73	37.0	28.8-45.2	63	35.5	27.1-43.9	24	15.6	08.7-22.5	9	5.0	00.9-09.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011

SECTION 13: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)	
1	MALES AND FEMALES	239
2	MALES ONLY	240
3	FEMALES ONLY	241

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 13: SEATBELT USE**

TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7875	4,520,932	6957	86.7	85.5-87.9	504	7.1	06.3-07.9	188	2.9	02.3-03.5	81	1.3	00.9-01.7	131	1.9	01.5-02.3	14	0.1	00.1-00.1
Male	3051	2,191,305	2532	81.9	79.9-83.9	274	9.2	07.8-10.6	109	3.7	02.7-04.7	47	1.9	01.1-02.7	81	3.1	02.3-03.9	8	0.1	00.0-00.3
Female	4824	2,329,627	4425	91.1	89.9-92.3	230	5.2	04.2-06.2	79	2.2	01.4-03.0	34	0.8	00.4-01.2	50	0.7	00.5-00.9	6	0.0	00.0-00.0
White/Non-Hisp	6405	3,765,992	5679	87.1	85.9-88.3	404	6.9	06.1-07.7	153	2.8	02.2-03.4	70	1.5	01.1-01.9	92	1.6	01.2-02.0	7	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	858	362,934	751	84.5	80.0-89.0	61	10.3	06.4-14.2	23	3.6	01.2-06.0	4	0.3	00.0-00.7	12	1.0	00.0-02.2	7	0.2	00.0-00.4
Oth. Race/Non-Hisp.	123	71,192	110	86.8	76.2-97.4	3	1.0	00.0-02.6	1	0.3	00.0-00.9				9	11.9	01.5-22.3			
MultiRacial/Non-Hisp.	97	47,989	80	83.0	73.0-93.0	6	6.8	00.0-13.7	2	1.3	00.0-03.7	3	1.2	00.0-02.8	6	7.7	00.3-15.1			
Hispanic	260	211,981	229	85.9	79.0-92.8	17	6.4	02.3-10.5	5	4.0	00.0-09.3	2	1.7	00.0-04.1	7	2.1	00.1-04.1			
18-24	353	606,856	286	80.7	76.0-85.4	33	9.5	06.2-12.8	16	6.0	02.9-09.1	11	2.7	00.9-04.5	7	1.1	00.1-02.1			
25-34	767	770,872	655	83.4	80.1-86.7	68	9.2	06.7-11.7	20	2.8	01.2-04.4	11	1.9	00.7-03.1	12	2.5	00.9-04.1	1	0.2	00.0-00.6
35-44	962	766,782	844	87.7	85.2-90.2	78	8.0	05.8-10.2	17	1.4	00.6-02.2	7	0.9	00.1-01.7	16	1.9	00.7-03.1			
45-54	1449	854,123	1284	88.1	85.9-90.3	93	6.4	04.8-08.0	28	2.1	01.1-03.1	15	1.1	00.3-01.9	28	2.2	01.2-03.2	1	0.0	00.0-00.0
55-64	1754	692,822	1573	89.4	87.6-91.2	97	5.2	04.0-06.4	41	2.7	01.7-03.7	12	0.8	00.2-01.4	27	1.8	01.0-02.6	4	0.1	00.0-00.3
65+	2515	796,245	2244	89.2	87.6-90.8	132	5.1	04.1-06.1	65	3.1	02.1-04.1	25	0.9	00.5-01.3	41	1.6	00.8-02.4	8	0.1	00.0-00.3
Less Than H.S.	772	637,587	642	81.0	77.1-84.9	48	7.5	04.8-10.2	38	5.9	03.4-08.4	11	1.7	00.3-03.1	25	3.6	01.8-05.4	8	0.3	00.1-00.5
H.S. or G.E.D.	2868	1,572,063	2504	84.8	82.8-86.8	193	7.6	06.2-09.0	76	3.6	02.4-04.8	29	1.4	00.8-02.0	62	2.4	01.6-03.2	4	0.1	00.0-00.3
Some Post-H.S.	1957	1,345,375	1724	87.4	85.4-89.4	137	7.6	06.0-09.2	43	2.0	01.2-02.8	25	1.6	00.8-02.4	26	1.3	00.5-02.1	2	0.0	00.0-00.0
College Graduate	2253	954,523	2065	92.4	91.0-93.8	126	5.5	04.3-06.7	28	1.0	00.6-01.4	16	0.6	00.2-01.0	18	0.5	00.3-00.7			
Less than \$15,000	930	512,131	780	82.4	78.7-86.1	69	7.6	05.1-10.1	32	5.0	02.6-07.4	12	1.3	00.1-02.5	29	3.3	01.5-05.1	8	0.3	00.1-00.5
\$15,000- 24,999	1375	707,846	1213	88.2	85.8-90.6	77	5.6	03.8-07.4	44	3.0	02.0-04.0	13	1.2	00.2-02.2	27	2.0	01.0-03.0	1	0.0	00.0-00.0
\$25,000- 34,999	848	484,078	746	85.6	81.7-89.5	57	7.6	04.7-10.5	17	3.4	00.7-06.1	7	1.0	00.0-02.0	18	2.3	00.9-03.7	3	0.0	00.0-00.0
\$35,000- 49,999	1075	596,796	949	86.3	83.4-89.2	78	8.0	05.6-10.4	23	2.6	01.2-04.0	10	1.2	00.2-02.2	15	2.0	00.6-03.4			
\$50,000- 74,999	1021	614,908	902	84.0	80.7-87.3	65	8.2	05.7-10.7	22	2.7	01.1-04.3	19	2.6	01.2-04.0	12	2.2	00.8-03.6	1	0.3	00.0-00.9
\$75,000+	1447	917,680	1306	90.0	88.0-92.0	93	6.8	05.0-08.6	25	1.4	00.8-02.0	10	0.8	00.2-01.4	13	0.9	00.3-01.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 13: SEATBELT USE**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3051	2,191,305	2532	81.9	79.9-83.9	274	9.2	07.8-10.6	109	3.7	02.7-04.7	47	1.9	01.1-02.7	81	3.1	02.3-03.9	8	0.1	00.0-00.3
White/Non-Hisp	2512	1,784,425	2076	81.6	79.6-83.6	231	9.4	07.8-11.0	93	3.8	02.8-04.8	42	2.1	01.3-02.9	66	2.9	01.9-03.9	4	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	271	171,641	228	83.0	75.7-90.3	24	13.1	06.2-20.0	10	1.8	00.0-03.8	2	0.2	00.0-00.6	3	1.5	00.0-03.9	4	0.4	00.0-00.8
Oth. Race/Non-Hisp.	66	50,957	60	86.9	73.0-0100	2	1.3	00.0-03.7							4	11.7	00.0-25.6			
Hispanic	106	124,924	89	84.5	74.3-94.7	8	4.9	00.4-09.4	3	5.4	00.0-14.0	2	2.8	00.0-06.7	4	2.4	00.0-05.3			
18-24	167	307,063	129	77.6	70.3-84.9	19	10.8	05.7-15.9	9	6.8	01.9-11.7	7	3.7	00.8-06.6	3	1.1	00.0-02.5			
25-34	292	385,440	230	76.6	70.9-82.3	36	12.0	07.7-16.3	7	3.0	00.5-05.5	9	3.5	01.1-05.9	9	4.5	01.4-07.6	1	0.5	00.0-01.5
35-44	404	392,004	334	82.6	78.3-86.9	45	11.0	07.5-14.5	10	1.8	00.6-03.0	3	1.1	00.0-02.5	12	3.5	01.3-05.7			
45-54	619	418,897	508	83.3	79.8-86.8	59	8.4	05.9-10.9	20	2.9	01.3-04.5	10	1.6	00.4-02.8	21	3.7	01.7-05.7	1	0.1	00.0-00.3
55-64	693	344,311	590	86.1	83.0-89.2	53	6.5	04.3-08.7	23	3.5	01.7-05.3	6	0.8	00.0-01.6	18	3.0	01.4-04.6	3	0.1	00.0-00.3
65+	855	333,619	723	85.3	82.4-88.2	59	6.3	04.5-08.1	40	4.8	03.0-06.6	12	1.2	00.4-02.0	18	2.2	00.6-03.8	3	0.2	00.0-00.4
Less Than H.S.	326	349,258	257	78.3	72.6-84.0	24	7.1	03.6-10.6	17	5.9	02.4-09.4	7	2.9	00.5-05.3	17	5.6	02.5-08.7	4	0.3	00.1-00.5
H.S. or G.E.D.	1055	769,677	841	78.3	75.0-81.6	107	10.6	08.1-13.1	48	4.7	02.7-06.7	17	2.0	00.8-03.2	39	4.1	02.5-05.7	3	0.3	00.0-00.7
Some Post-H.S.	716	604,577	597	82.9	79.2-86.6	63	9.8	06.9-12.7	26	2.8	01.2-04.4	13	2.2	00.8-03.6	16	2.3	00.9-03.7	1	0.0	00.0-00.0
College Graduate	947	463,485	832	89.5	87.1-91.9	80	7.9	05.7-10.1	16	1.1	00.3-01.9	10	0.8	00.2-01.4	9	0.6	00.2-01.0			
Less than \$15,000	302	228,899	233	79.4	73.1-85.7	30	8.8	04.7-12.9	14	4.9	01.2-08.6	6	1.7	00.0-03.7	15	4.8	01.3-08.3	4	0.4	00.0-00.8
\$15,000- 24,999	480	324,430	403	85.8	81.7-89.9	30	5.4	02.7-08.1	25	3.9	02.1-05.7	6	1.7	00.0-03.7	15	3.1	01.1-05.1	1	0.1	00.0-00.3
\$25,000- 34,999	346	243,521	288	79.2	72.3-86.1	37	12.1	06.8-17.4	9	4.6	00.0-09.3	2	0.8	00.0-02.2	9	3.3	00.8-05.8	1	0.0	00.0-00.0
\$35,000- 49,999	451	308,741	380	81.5	76.6-86.4	42	10.1	06.4-13.8	15	3.8	01.6-06.0	6	1.4	00.0-02.8	8	3.3	00.6-06.0			
\$50,000- 74,999	429	312,979	347	75.8	70.3-81.3	41	11.1	07.2-15.0	15	3.6	01.1-06.1	14	4.6	01.9-07.3	11	4.2	01.5-06.9	1	0.6	00.0-01.8
\$75,000+	684	475,246	581	85.9	82.8-89.0	66	9.4	06.7-12.1	19	2.0	01.0-03.0	6	0.9	00.1-01.7	12	1.8	00.6-03.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 13: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4824	2,329,627	4425	91.1	89.9-92.3	230	5.2	04.2-06.2	79	2.2	01.4-03.0	34	0.8	00.4-01.2	50	0.7	00.5-00.9	6	0.0	00.0-00.0
White/Non-Hisp	3893	1,981,567	3603	92.0	90.8-93.2	173	4.7	03.7-05.7	60	1.9	01.3-02.5	28	0.9	00.5-01.3	26	0.5	00.3-00.7	3	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	587	191,293	523	85.8	80.1-91.5	37	7.9	03.6-12.2	13	5.3	01.2-09.4	2	0.4	00.0-01.0	9	0.5	00.1-00.9	3	0.1	00.0-00.3
Oth. Race/Non-Hisp.	57	20,235	50	86.3	74.3-98.3	1	0.4	00.0-01.2	1	1.1	00.0-03.3				5	12.2	00.4-24.0			
MultiRacial/Non-Hisp.	62	22,000	51	81.4	67.7-95.1	3	10.1	00.0-23.2	1	0.5	00.0-01.5	3	2.7	00.0-06.2	4	5.4	00.0-11.1			
Hispanic	154	87,057	140	87.9	79.7-96.1	9	8.5	01.2-15.8	2	2.0	00.0-05.7				3	1.7	00.0-04.2			
18-24	186	299,793	157	83.9	77.8-90.0	14	8.1	03.6-12.6	7	5.2	01.3-09.1	4	1.7	00.0-03.7	4	1.0	00.0-02.0			
25-34	475	385,432	425	90.2	87.1-93.3	32	6.5	04.0-09.0	13	2.6	00.8-04.4	2	0.4	00.0-01.0	3	0.4	00.0-01.0			
35-44	558	374,777	510	93.0	90.6-95.4	33	4.8	02.8-06.8	7	1.1	00.1-02.1	4	0.7	00.0-01.5	4	0.3	00.0-00.7			
45-54	830	435,226	776	92.8	90.4-95.2	34	4.5	02.5-06.5	8	1.2	00.0-02.4	5	0.7	00.0-01.5	7	0.7	00.1-01.3			
55-64	1061	348,511	983	92.7	90.7-94.7	44	3.9	02.5-05.3	18	1.9	00.9-02.9	6	0.8	00.2-01.4	9	0.7	00.1-01.3	1	0.1	00.0-00.3
65+	1660	462,626	1521	91.9	90.1-93.7	73	4.2	03.0-05.4	25	1.9	00.9-02.9	13	0.7	00.3-01.1	23	1.2	00.4-02.0	5	0.1	00.0-00.3
Less Than H.S.	446	288,329	385	84.3	79.0-89.6	24	7.9	03.8-12.0	21	5.9	02.4-09.4	4	0.4	00.0-01.0	8	1.3	00.1-02.5	4	0.3	00.1-00.5
H.S. or G.E.D.	1813	802,386	1663	91.1	89.1-93.1	86	4.7	03.3-06.1	28	2.5	01.1-03.9	12	0.9	00.3-01.5	23	0.8	00.4-01.2	1	0.0	00.0-00.0
Some Post-H.S.	1241	740,799	1127	91.1	89.1-93.1	74	5.9	04.3-07.5	17	1.3	00.5-02.1	12	1.1	00.3-01.9	10	0.6	00.2-01.0	1	0.0	00.0-00.0
College Graduate	1306	491,039	1233	95.2	93.8-96.6	46	3.3	01.9-04.7	12	0.8	00.2-01.4	6	0.3	00.0-00.7	9	0.4	00.0-00.8			
Less than \$15,000	628	283,232	547	84.8	80.3-89.3	39	6.6	03.5-09.7	18	5.2	02.1-08.3	6	1.0	00.0-02.2	14	2.1	00.7-03.5	4	0.3	00.1-00.5
\$15,000- 24,999	895	383,416	810	90.3	87.6-93.0	47	5.7	03.5-07.9	19	2.2	00.8-03.6	7	0.8	00.2-01.4	12	1.0	00.2-01.8			
\$25,000- 34,999	502	240,557	458	92.2	88.7-95.7	20	3.1	01.3-04.9	8	2.2	00.0-04.7	5	1.1	00.0-02.7	9	1.3	00.3-02.3	2	0.1	00.1-00.1
\$35,000- 49,999	624	288,055	569	91.3	88.4-94.2	36	5.7	03.2-08.2	8	1.3	00.1-02.5	4	1.0	00.0-02.0	7	0.6	00.0-01.2			
\$50,000- 74,999	592	301,929	555	92.4	89.1-95.7	24	5.2	02.5-07.9	7	1.8	00.0-03.8	5	0.6	00.0-01.2	1	0.0	00.0-00.0			
\$75,000+	763	442,435	725	94.5	92.1-96.9	27	4.0	01.8-06.2	6	0.8	00.0-01.6	4	0.7	00.0-01.5	1	0.0	00.0-00.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011**

SECTION 14: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)	
1	MALES AND FEMALES	243
2	MALES ONLY	244
3	FEMALES ONLY	245
	DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4	MALES AND FEMALES	246
5	MALES ONLY	247
6	FEMALES ONLY	248
	AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)	
7	MALES AND FEMALES	249
8	MALES ONLY	250
9	FEMALES ONLY	251
	A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
10	MALES AND FEMALES	252
11	MALES ONLY	253
12	FEMALES ONLY	254

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 1: NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7844	4,496,591	3293	34.9	33.5-36.3	4551	65.1	63.7-66.5
Male	3034	2,173,237	1197	31.5	29.3-33.7	1837	68.5	66.3-70.7
Female	4810	2,323,354	2096	38.0	36.2-39.8	2714	62.0	60.2-63.8
White/Non-Hisp	6390	3,752,922	2856	36.6	35.0-38.2	3534	63.4	61.8-65.0
Black or Afr. Am./Non-Hisp	847	357,327	244	24.6	19.5-29.7	603	75.4	70.3-80.5
Oth. Race/Non-Hisp.	121	65,851	40	30.0	19.2-40.8	81	70.0	59.2-80.8
MultiRacial/Non-Hisp.	96	47,850	34	29.3	18.1-40.5	62	70.7	59.5-81.9
Hispanic	260	211,981	78	26.7	18.5-34.9	182	73.3	65.1-81.5
18-24	349	601,793	75	21.8	16.9-26.7	274	78.2	73.3-83.1
25-34	763	764,797	208	24.7	21.2-28.2	555	75.3	71.8-78.8
35-44	960	764,928	259	25.8	22.5-29.1	701	74.2	70.9-77.5
45-54	1441	847,543	486	32.5	29.6-35.4	955	67.5	64.6-70.4
55-64	1746	690,336	733	40.7	37.8-43.6	1013	59.3	56.4-62.2
65+	2510	793,961	1499	60.6	58.2-63.0	1011	39.4	37.0-41.8
Less Than H.S.	768	632,742	278	27.0	22.7-31.3	490	73.0	68.7-77.3
H.S. or G.E.D.	2859	1,567,642	1174	35.1	32.7-37.5	1685	64.9	62.5-67.3
Some Post-H.S.	1945	1,331,362	757	32.7	30.2-35.2	1188	67.3	64.8-69.8
College Graduate	2247	953,461	1069	42.5	40.0-45.0	1178	57.5	55.0-60.0
Less than \$15,000	926	506,317	332	27.1	23.4-30.8	594	72.9	69.2-76.6
\$15,000- 24,999	1373	707,395	562	33.9	30.4-37.4	811	66.1	62.6-69.6
\$25,000- 34,999	845	482,795	354	34.1	29.6-38.6	491	65.9	61.4-70.4
\$35,000- 49,999	1073	596,567	435	35.0	31.5-38.5	638	65.0	61.5-68.5
\$50,000- 74,999	1017	613,507	421	34.8	31.1-38.5	596	65.2	61.5-68.9
\$75,000+	1440	910,849	646	40.0	36.9-43.1	794	60.0	56.9-63.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 2: NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3034	2,173,237	1197	31.5	29.3-33.7	1837	68.5	66.3-70.7
White/Non-Hisp	2504	1,776,318	1034	33.1	30.9-35.3	1470	66.9	64.7-69.1
Black or Afr. Am./Non-Hisp	265	167,159	86	24.5	16.7-32.3	179	75.5	67.7-83.3
Oth. Race/Non-Hisp.	64	45,616	21	29.1	15.4-42.8	43	70.9	57.2-84.6
Hispanic	106	124,924	26	24.2	12.2-36.2	80	75.8	63.8-87.8
18-24	165	303,738	32	18.9	12.0-25.8	133	81.1	74.2-88.0
25-34	290	380,443	64	19.9	14.8-25.0	226	80.1	75.0-85.2
35-44	404	391,420	112	24.9	20.0-29.8	292	75.1	70.2-80.0
45-54	614	413,421	178	27.9	23.6-32.2	436	72.1	67.8-76.4
55-64	689	342,978	271	37.1	32.8-41.4	418	62.9	58.6-67.2
65+	851	331,267	532	63.2	59.3-67.1	319	36.8	32.9-40.7
Less Than H.S.	323	343,951	107	26.6	20.3-32.9	216	73.4	67.1-79.7
H.S. or G.E.D.	1050	766,619	390	31.1	27.6-34.6	660	68.9	65.4-72.4
Some Post-H.S.	709	595,146	259	28.1	24.2-32.0	450	71.9	68.0-75.8
College Graduate	945	463,210	439	40.3	36.6-44.0	506	59.7	56.0-63.4
Less than \$15,000	300	224,669	102	24.9	19.0-30.8	198	75.1	69.2-81.0
\$15,000- 24,999	478	323,974	172	30.9	25.4-36.4	306	69.1	63.6-74.6
\$25,000- 34,999	344	242,107	134	30.8	24.1-37.5	210	69.2	62.5-75.9
\$35,000- 49,999	451	308,741	182	31.9	26.8-37.0	269	68.1	63.0-73.2
\$50,000- 74,999	429	312,979	173	31.9	26.6-37.2	256	68.1	62.8-73.4
\$75,000+	679	469,925	285	36.4	31.9-40.9	394	63.6	59.1-68.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 3: NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4810	2,323,354	2096	38.0	36.2-39.8	2714	62.0	60.2-63.8
White/Non-Hisp	3886	1,976,604	1822	39.8	37.8-41.8	2064	60.2	58.2-62.2
Black or Afr. Am./Non-Hisp	582	190,168	158	24.7	18.2-31.2	424	75.3	68.8-81.8
Oth. Race/Non-Hisp.	57	20,235	19	32.1	15.0-49.2	38	67.9	50.8-85.0
MultiRacial/Non-Hisp.	62	22,000	23	38.9	23.8-54.0	39	61.1	46.0-76.2
Hispanic	154	87,057	52	30.4	19.8-41.0	102	69.6	59.0-80.2
18-24	184	298,055	43	24.8	17.5-32.1	141	75.2	67.9-82.5
25-34	473	384,355	144	29.4	24.7-34.1	329	70.6	65.9-75.3
35-44	556	373,509	147	26.9	22.4-31.4	409	73.1	68.6-77.6
45-54	827	434,122	308	36.9	32.8-41.0	519	63.1	59.0-67.2
55-64	1057	347,359	462	44.2	40.5-47.9	595	55.8	52.1-59.5
65+	1659	462,694	967	58.7	55.8-61.6	692	41.3	38.4-44.2
Less Than H.S.	445	288,791	171	27.6	21.9-33.3	274	72.4	66.7-78.1
H.S. or G.E.D.	1809	801,023	784	38.9	35.8-42.0	1025	61.1	58.0-64.2
Some Post-H.S.	1236	736,216	498	36.4	32.9-39.9	738	63.6	60.1-67.1
College Graduate	1302	490,250	630	44.6	41.3-47.9	672	55.4	52.1-58.7
Less than \$15,000	626	281,648	230	28.8	24.1-33.5	396	71.2	66.5-75.9
\$15,000- 24,999	895	383,421	390	36.5	32.2-40.8	505	63.5	59.2-67.8
\$25,000- 34,999	501	240,689	220	37.4	31.5-43.3	281	62.6	56.7-68.5
\$35,000- 49,999	622	287,825	253	38.4	33.5-43.3	369	61.6	56.7-66.5
\$50,000- 74,999	588	300,527	248	37.9	32.6-43.2	340	62.1	56.8-67.4
\$75,000+	761	440,923	361	43.7	39.4-48.0	400	56.3	52.0-60.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2010			May-Aug 2010			Sep-Dec 2010			Jan-Apr 2011			May-Aug 2011			Sep-Dec 2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3060	1,450,271	14	0.9	00.1-01.7	29	1.2	00.4-02.0	2231	71.0	68.8-73.2	170	6.1	04.9-07.3	25	1.0	00.4-01.6	591	19.8	17.8-21.8
Male	1110	625,643	8	1.6	00.0-03.4	10	1.2	00.0-02.6	786	68.6	64.9-72.3	71	6.4	04.6-08.2	15	1.8	00.6-03.0	220	20.4	17.3-23.5
Female	1950	824,628	6	0.3	00.0-00.7	19	1.2	00.4-02.0	1445	72.8	70.1-75.5	99	5.9	04.3-07.5	10	0.4	00.0-00.8	371	19.3	16.9-21.7
White/Non-Hisp	2686	1,287,258	9	0.6	00.2-01.0	22	1.1	00.3-01.9	1986	71.8	69.4-74.2	123	5.3	04.1-06.5	21	1.0	00.4-01.6	525	20.2	18.2-22.2
Black or Afr. Am./Non-Hisp	211	77,858	4	0.5	00.0-01.1	5	2.8	00.0-06.1	131	64.1	52.9-75.3	29	13.7	05.7-21.7	2	0.9	00.0-02.3	40	18.0	10.0-26.0
Hispanic	65	41,817	1	12.2	00.0-33.6	1	0.7	00.0-02.1	43	56.9	34.9-78.9	9	15.3	01.2-29.4				11	14.9	03.1-26.7
18-24	66	119,519	3	7.3	00.0-16.1	4	6.7	00.0-14.3	26	44.4	30.7-58.1	11	12.2	04.6-19.8	4	5.9	00.0-11.8	18	23.4	12.8-34.0
25-34	184	160,905	1	0.7	00.0-02.1	3	1.1	00.0-02.7	130	70.7	63.3-78.1	13	7.8	03.1-12.5	1	0.4	00.0-01.2	36	19.2	12.9-25.5
35-44	246	186,069	2	0.5	00.0-01.3	1	0.2	00.0-00.6	183	73.7	67.0-80.4	12	5.1	02.0-08.2				48	20.5	14.2-26.8
45-54	452	257,633	1	0.4	00.0-01.2	2	0.6	00.0-01.4	339	76.1	71.4-80.8	23	4.0	02.0-06.0	1	0.1	00.0-00.3	86	18.8	14.3-23.3
55-64	706	268,566	3	0.1	00.0-00.3	6	0.5	00.1-00.9	514	72.0	67.9-76.1	53	8.2	05.7-10.7	5	0.6	00.0-01.2	125	18.6	15.1-22.1
65+	1380	446,462	4	0.1	00.0-00.3	13	1.1	00.5-01.7	1018	73.3	70.4-76.2	58	4.4	03.0-05.8	14	1.2	00.4-02.0	273	19.9	17.4-22.4
Less Than H.S.	236	140,804	2	5.0	00.0-12.3	4	3.4	00.0-08.7	148	59.5	49.5-69.5	23	9.3	04.6-14.0	4	2.7	00.0-06.4	55	20.1	13.0-27.2
H.S. or G.E.D.	1083	507,404	4	0.5	00.0-01.3	15	1.5	00.5-02.5	794	72.4	68.9-75.9	67	7.7	05.3-10.1	11	1.2	00.2-02.2	192	16.7	13.8-19.6
Some Post-H.S.	716	410,844	4	0.4	00.0-01.0	5	0.9	00.0-01.9	516	70.5	66.2-74.8	40	5.3	03.3-07.3	7	0.9	00.0-01.9	144	22.0	17.9-26.1
College Graduate	1014	386,481	4	0.3	00.0-00.7	5	0.4	00.0-00.8	765	74.0	70.5-77.5	40	3.9	02.5-05.3	3	0.3	00.0-00.7	197	21.1	17.8-24.4
Less than \$15,000	301	122,478	1	0.5	00.0-01.5	8	2.4	00.2-04.6	195	56.9	49.3-64.5	30	13.6	07.9-19.3	3	0.9	00.0-02.1	64	25.8	18.7-32.9
\$15,000- 24,999	525	219,605	5	1.7	00.0-03.7	8	1.9	00.1-03.7	389	71.3	65.6-77.0	37	9.2	05.3-13.1	7	1.5	00.0-03.1	79	14.5	10.4-18.6
\$25,000- 34,999	329	147,927	2	0.1	00.0-00.3	3	0.6	00.0-01.6	233	69.2	62.3-76.1	20	7.5	03.6-11.4	6	2.2	00.0-04.4	65	20.3	14.4-26.2
\$35,000- 49,999	413	193,890	1	0.0	00.0-00.0	2	0.8	00.0-01.8	303	74.0	68.7-79.3	20	6.1	03.2-09.0	4	0.8	00.0-01.8	83	18.3	13.8-22.8
\$50,000- 74,999	401	202,375	1	0.1	00.0-00.3	1	0.1	00.0-00.3	310	76.7	71.2-82.2	21	5.3	02.2-08.4	2	0.5	00.0-01.3	66	17.4	12.5-22.3
\$75,000+	623	352,042	2	0.4	00.0-01.0	2	1.2	00.0-03.4	470	75.1	70.8-79.4	19	2.8	01.2-04.4				130	20.5	16.6-24.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2010			May-Aug 2010			Sep-Dec 2010			Jan-Apr 2011			May-Aug 2011			Sep-Dec 2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1110	625,643	8	1.6	00.0-03.4	10	1.2	00.0-02.6	786	68.6	64.9-72.3	71	6.4	04.6-08.2	15	1.8	00.6-03.0	220	20.4	17.3-23.5
White/Non-Hisp	969	544,481	5	0.9	00.0-01.9	8	1.3	00.0-02.9	692	68.9	65.0-72.8	54	6.1	04.3-07.9	12	1.9	00.5-03.3	198	21.0	17.7-24.3
Black or Afr. Am./Non-Hisp	75	34,683	2	0.6	00.0-01.4	1	0.3	00.0-00.9	49	66.9	49.3-84.5	11	10.8	00.0-23.9	1	1.2	00.0-03.6	11	20.2	05.9-34.5
25-34	53	57,122							42	76.7	63.8-89.6	4	11.1	00.7-21.5	1	1.2	00.0-03.6	6	11.0	02.0-20.0
35-44	105	89,369	2	1.1	00.0-02.7	1	0.3	00.0-00.9	75	70.4	59.6-81.2	4	3.6	00.0-07.5				23	24.5	14.1-34.9
45-54	170	109,388							123	77.5	70.2-84.8	15	6.1	02.6-09.6				32	16.3	09.6-23.0
55-64	258	120,847	1	0.1	00.0-00.3	3	0.5	00.0-01.1	179	68.3	61.6-75.0	24	9.1	05.2-13.0	3	1.1	00.0-02.5	48	21.0	14.9-27.1
65+	488	190,183	2	0.1	00.1-00.1	3	0.3	00.0-00.7	353	71.1	66.2-76.0	22	5.2	02.7-07.7	7	1.3	00.3-02.3	101	22.1	17.8-26.4
Less Than H.S.	89	76,221	2	9.3	00.0-22.2	3	5.8	00.0-15.6	51	56.7	41.2-72.2	11	7.3	02.0-12.6	2	4.1	00.0-11.0	20	16.9	07.5-26.3
H.S. or G.E.D.	357	214,002	3	0.8	00.0-02.4	4	0.4	00.0-00.8	248	70.7	64.8-76.6	29	8.4	04.5-12.3	7	2.0	00.0-04.0	66	17.7	12.8-22.6
Some Post-H.S.	242	156,212	1	0.2	00.0-00.6	2	1.2	00.0-03.4	164	64.8	57.2-72.4	17	7.3	03.4-11.2	4	1.9	00.0-04.1	54	24.6	17.5-31.7
College Graduate	420	178,129	2	0.4	00.0-01.0	1	0.2	00.0-00.6	323	74.9	69.6-80.2	14	3.0	01.2-04.8	2	0.6	00.0-01.4	78	21.0	15.9-26.1
Less than \$15,000	90	47,458	1	1.3	00.0-03.8	2	0.8	00.0-02.2	51	48.8	35.5-62.1	10	13.1	03.1-23.1	2	1.9	00.0-04.8	24	34.1	21.0-47.2
\$15,000- 24,999	157	90,388	1	2.2	00.0-06.3	3	2.3	00.0-06.0	115	71.7	62.1-81.3	13	5.8	01.9-09.7	3	2.2	00.0-05.5	22	15.8	08.2-23.4
\$25,000- 34,999	122	63,491	2	0.2	00.0-00.4	1	0.1	00.0-00.3	81	66.0	54.8-77.2	12	11.8	04.2-19.4	3	3.7	00.0-08.2	23	18.2	09.8-26.6
\$35,000- 49,999	168	87,548							129	80.0	73.3-86.7	6	4.6	00.7-08.5	3	1.1	00.0-02.5	30	14.4	08.7-20.1
\$50,000- 74,999	168	95,982	1	0.1	00.0-00.3	1	0.1	00.0-00.3	127	73.6	64.8-82.4	12	7.9	02.0-13.8	2	1.1	00.0-02.7	25	17.2	09.6-24.8
\$75,000+	275	164,216	1	0.2	00.0-00.6	2	2.6	00.0-07.1	199	69.9	62.6-77.2	10	3.6	00.9-06.3				63	23.7	17.4-30.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2010			May-Aug 2010			Sep-Dec 2010			Jan-Apr 2011			May-Aug 2011			Sep-Dec 2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1950	824,628	6	0.3	00.0-00.7	19	1.2	00.4-02.0	1445	72.8	70.1-75.5	99	5.9	04.3-07.5	10	0.4	00.0-00.8	371	19.3	16.9-21.7
White/Non-Hisp	1717	742,777	4	0.3	00.0-00.7	14	1.0	00.2-01.8	1294	74.0	71.3-76.7	69	4.7	03.3-06.1	9	0.4	00.0-00.8	327	19.6	17.1-22.1
Black or Afr. Am./Non-Hisp	136	43,176	2	0.4	00.0-01.0	4	4.8	00.0-10.9	82	61.8	47.5-76.1	18	16.1	05.9-26.3	1	0.7	00.0-02.1	29	16.2	07.4-25.0
25-34	131	103,783	1	1.1	00.0-03.3	3	1.7	00.0-04.1	88	67.5	58.5-76.5	9	6.0	01.7-10.3				30	23.7	15.5-31.9
35-44	141	96,701							108	76.7	68.7-84.7	8	6.5	01.6-11.4				25	16.8	09.7-23.9
45-54	282	148,245	1	0.6	00.0-01.8	2	1.0	00.0-02.4	216	75.0	68.7-81.3	8	2.5	00.5-04.5	1	0.3	00.0-00.9	54	20.6	14.5-26.7
55-64	448	147,719	2	0.1	00.0-00.3	3	0.5	00.0-01.1	335	75.1	70.2-80.0	29	7.5	04.2-10.8	2	0.2	00.0-00.4	77	16.6	12.5-20.7
65+	892	256,279	2	0.2	00.0-00.4	10	1.6	00.4-02.8	665	74.9	71.4-78.4	36	3.8	02.2-05.4	7	1.1	00.1-02.1	172	18.4	15.5-21.3
Less Than H.S.	147	64,583				1	0.6	00.0-01.8	97	62.7	50.9-74.5	12	11.7	03.9-19.5	2	1.1	00.0-02.7	35	23.9	13.3-34.5
H.S. or G.E.D.	726	293,402	1	0.3	00.0-00.9	11	2.3	00.5-04.1	546	73.6	69.1-78.1	38	7.2	04.3-10.1	4	0.6	00.0-01.2	126	16.0	12.5-19.5
Some Post-H.S.	474	254,633	3	0.5	00.0-01.5	3	0.7	00.0-01.7	352	74.0	68.9-79.1	23	4.0	02.0-06.0	3	0.3	00.0-00.7	90	20.4	15.5-25.3
College Graduate	594	208,351	2	0.2	00.0-00.4	4	0.6	00.0-01.4	442	73.2	68.5-77.9	26	4.7	02.5-06.9	1	0.1	00.0-00.3	119	21.2	16.9-25.5
Less than \$15,000	211	75,020				6	3.3	00.0-06.6	144	62.0	53.2-70.8	20	14.0	06.9-21.1	1	0.2	00.0-00.6	40	20.5	13.2-27.8
\$15,000- 24,999	368	129,217	4	1.3	00.0-03.1	5	1.6	00.0-03.2	274	70.9	64.0-77.8	24	11.5	05.6-17.4	4	1.1	00.0-02.3	57	13.6	08.9-18.3
\$25,000- 34,999	207	84,437				2	1.0	00.0-02.6	152	71.6	63.0-80.2	8	4.3	00.6-08.0	3	1.2	00.0-02.6	42	21.9	13.9-29.9
\$35,000- 49,999	245	106,342	1	0.1	00.0-00.3	2	1.4	00.0-03.4	174	69.0	61.6-76.4	14	7.4	03.1-11.7	1	0.6	00.0-01.8	53	21.5	14.8-28.2
\$50,000- 74,999	233	106,393							183	79.5	72.8-86.2	9	3.0	00.6-05.4				41	17.5	11.0-24.0
\$75,000+	348	187,827	1	0.5	00.0-01.5				271	79.7	74.8-84.6	9	2.1	00.5-03.7				67	17.7	13.0-22.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

**TABLE 7. AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)			Vaccinated in Canada Mexico (10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3270	1,556,229	1600	45.5	43.1-47.9	293	10.0	08.4-11.6	53	1.3	00.7-01.9	648	17.9	16.1-19.7	675	25.3	23.1-27.5	1	0.0	00.0-00.0
Male	1183	676,441	567	41.9	38.2-45.6	117	11.6	08.9-14.3	14	1.5	00.1-02.9	223	18.1	15.0-21.2	261	26.9	23.4-30.4	1	0.0	00.0-00.0
Female	2087	879,788	1033	48.3	45.4-51.2	176	8.7	06.7-10.7	39	1.2	00.8-01.6	425	17.8	15.8-19.8	414	24.1	21.6-26.6			
White/Non-Hisp	2843	1,366,927	1374	45.6	43.2-48.0	234	8.9	07.3-10.5	44	1.4	00.6-02.2	587	17.9	16.1-19.7	603	26.2	24.0-28.4	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	239	87,018	137	47.6	36.0-59.2	38	15.5	05.1-25.9	3	0.3	00.0-00.7	33	19.9	10.3-29.5	28	16.7	08.1-25.3			
Hispanic	76	53,857	27	23.6	10.9-36.3	16	30.4	13.2-47.6	3	1.9	00.0-04.3	10	20.2	01.6-38.8	20	23.8	06.6-41.0			
18-24	75	131,431	28	36.1	23.9-48.3	19	27.5	15.5-39.5				8	9.8	02.7-16.9	20	26.6	15.2-38.0			
25-34	206	186,720	82	37.3	29.7-44.9	20	10.6	05.3-15.9	3	2.9	00.0-07.4	23	13.6	07.3-19.9	78	35.7	28.3-43.1			
35-44	256	195,588	103	39.9	32.6-47.2	25	9.0	04.9-13.1	2	1.0	00.0-02.8	33	13.3	07.2-19.4	93	36.8	29.7-43.9			
45-54	481	272,711	184	34.9	29.8-40.0	40	8.5	05.4-11.6	1	0.1	00.0-00.3	69	14.9	11.2-18.6	187	41.6	36.1-47.1			
55-64	727	278,575	341	47.2	42.9-51.5	65	8.1	05.7-10.5	5	0.6	00.0-01.2	120	17.1	14.0-20.2	195	26.9	23.0-30.8	1	0.0	00.0-00.0
65+	1492	478,620	845	58.5	55.4-61.6	122	7.3	05.7-08.9	42	2.3	01.5-03.1	386	25.9	23.2-28.6	97	6.0	04.6-07.4			
Less Than H.S.	276	169,209	162	53.0	43.8-62.2	34	17.5	09.7-25.3	5	1.7	00.0-03.5	48	16.2	08.9-23.5	27	11.6	04.9-18.3			
H.S. or G.E.D.	1166	547,382	611	49.8	45.9-53.7	105	10.3	07.6-13.0	25	1.9	00.3-03.5	245	20.3	17.2-23.4	180	17.8	14.7-20.9			
Some Post-H.S.	752	432,516	355	41.3	37.0-45.6	66	9.2	06.5-11.9	9	1.0	00.0-02.0	143	16.3	13.2-19.4	179	32.3	27.8-36.8			
College Graduate	1061	402,008	460	40.6	36.9-44.3	87	7.3	05.3-09.3	14	0.7	00.3-01.1	211	17.4	14.7-20.1	288	34.0	30.3-37.7	1	0.0	00.0-00.0
Less than \$15,000	329	133,945	204	59.8	52.5-67.1	29	10.3	05.8-14.8	8	1.0	00.2-01.8	60	18.6	12.7-24.5	28	10.3	05.4-15.2			
\$15,000- 24,999	559	239,447	306	49.1	43.2-55.0	57	12.0	07.1-16.9	11	1.1	00.3-01.9	127	23.0	17.7-28.3	58	14.8	10.3-19.3			
\$25,000- 34,999	352	162,760	187	51.3	43.5-59.1	32	9.6	04.1-15.1	8	3.2	00.0-08.1	77	22.7	15.6-29.8	48	13.2	08.5-17.9			
\$35,000- 49,999	434	208,032	214	49.3	43.4-55.2	43	11.4	07.7-15.1	3	0.8	00.0-01.8	83	15.7	11.8-19.6	91	22.8	17.7-27.9			
\$50,000- 74,999	420	212,456	165	34.6	28.9-40.3	45	9.6	05.5-13.7	5	0.7	00.0-01.5	67	14.2	10.3-18.1	138	41.0	34.5-47.5			
\$75,000+	644	362,493	238	35.2	30.7-39.7	46	6.8	04.1-09.5	1	0.0	00.0-00.0	119	17.0	13.5-20.5	239	41.0	36.3-45.7	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 8: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)			Vaccinated in Canada Mexico (10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1183	676,441	567	41.9	38.2-45.6	117	11.6	08.9-14.3	14	1.5	00.1-02.9	223	18.1	15.0-21.2	261	26.9	23.4-30.4	1	0.0	00.0-00.0
White/Non-Hisp	1027	582,560	484	41.8	38.1-45.5	102	11.6	08.7-14.5	12	1.6	00.0-03.2	197	17.4	14.7-20.1	231	27.7	24.2-31.2	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	83	40,291	52	48.9	30.9-66.9	9	12.4	00.2-24.6				11	20.4	05.1-35.7	11	18.3	04.0-32.6			
25-34	63	73,847	20	27.0	15.0-39.0	9	13.7	04.7-22.7	1	5.7	00.0-16.3	10	20.3	07.4-33.2	23	33.4	20.5-46.3			
35-44	110	95,472	42	39.4	28.2-50.6	8	6.5	00.8-12.2	2	2.1	00.0-05.6	14	15.3	04.3-26.3	44	36.7	25.9-47.5			
45-54	175	113,568	58	26.9	19.5-34.3	13	9.5	03.6-15.4				28	15.9	09.6-22.2	76	47.7	38.7-56.7			
55-64	266	125,227	130	46.3	39.2-53.4	23	8.8	04.9-12.7				39	14.8	09.9-19.7	73	30.1	23.4-36.8	1	0.0	00.0-00.0
65+	529	207,762	307	60.3	55.4-65.2	52	9.3	06.4-12.2	11	1.9	00.5-03.3	126	23.1	18.8-27.4	33	5.5	03.3-07.7			
Less Than H.S.	106	89,670	67	47.2	33.7-60.7	13	19.9	07.6-32.2	1	1.1	00.0-03.3	15	17.1	04.8-29.4	10	14.7	03.1-26.3			
H.S. or G.E.D.	384	236,253	192	43.7	37.4-50.0	41	11.1	07.0-15.2	7	2.7	00.0-06.2	69	19.1	13.8-24.4	75	23.3	17.6-29.0			
Some Post-H.S.	256	165,476	122	40.0	32.7-47.3	26	11.7	06.4-17.0	1	1.0	00.0-03.0	50	16.4	11.3-21.5	57	30.8	23.5-38.1			
College Graduate	435	183,963	185	38.7	33.0-44.4	37	8.1	05.0-11.2	5	0.5	00.0-01.1	89	18.9	14.2-23.6	118	33.8	27.9-39.7	1	0.0	00.0-00.0
Less than \$15,000	99	52,831	63	59.0	46.1-71.9	9	11.3	03.1-19.5	1	0.6	00.0-01.8	17	15.6	06.0-25.2	9	13.5	03.5-23.5			
\$15,000- 24,999	170	99,895	87	42.6	32.6-52.6	21	16.1	07.7-24.5	3	1.1	00.0-02.3	45	28.2	18.2-38.2	14	12.1	05.2-19.0			
\$25,000- 34,999	132	72,773	74	47.2	35.0-59.4	13	6.8	02.7-10.9	2	6.0	00.0-16.8	24	24.5	11.4-37.6	19	15.5	07.3-23.7			
\$35,000- 49,999	182	98,345	102	54.5	45.5-63.5	18	12.9	06.6-19.2				28	12.3	06.8-17.8	34	20.4	12.8-28.0			
\$50,000- 74,999	172	98,685	67	30.9	23.1-38.7	22	13.6	06.0-21.2	4	1.1	00.0-02.5	25	13.5	07.2-19.8	54	40.9	31.3-50.5			
\$75,000+	283	169,765	98	30.8	24.3-37.3	16	7.5	02.4-12.6	1	0.1	00.0-00.3	60	19.5	13.8-25.2	107	42.2	34.9-49.5	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 9: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2087	879,788	1033	48.3	45.4-51.2	176	8.7	06.7-10.7	39	1.2	00.8-01.6	425	17.8	15.8-19.8	414	24.1	21.6-26.6
White/Non-Hisp	1816	784,368	890	48.4	45.3-51.5	132	7.0	05.4-08.6	32	1.2	00.6-01.8	390	18.3	16.1-20.5	372	25.1	22.4-27.8
Black or Afr. Am./Non-Hisp	156	46,728	85	46.5	31.8-61.2	29	18.2	02.3-34.1	3	0.5	00.0-01.1	22	19.4	07.2-31.6	17	15.4	05.0-25.8
Hispanic	52	26,435	19	24.7	09.8-39.6	11	44.8	22.5-67.1	1	1.2	00.0-03.7	8	10.2	00.4-20.0	13	19.1	05.8-32.4
25-34	143	112,873	62	44.0	34.6-53.4	11	8.6	02.1-15.1	2	1.0	00.0-03.0	13	9.2	03.7-14.7	55	37.2	28.2-46.2
35-44	146	100,116	61	40.4	31.0-49.8	17	11.3	05.6-17.0				19	11.3	05.8-16.8	49	36.9	27.5-46.3
45-54	306	159,142	126	40.5	33.6-47.4	27	7.8	04.5-11.1	1	0.2	00.0-00.6	41	14.2	09.5-18.9	111	37.2	30.3-44.1
55-64	461	153,348	211	48.0	42.5-53.5	42	7.6	04.9-10.3	5	1.1	00.0-02.3	81	19.0	14.7-23.3	122	24.3	19.8-28.8
65+	963	270,859	538	57.1	53.2-61.0	70	5.8	04.2-07.4	31	2.6	01.4-03.8	260	28.0	24.5-31.5	64	6.4	04.6-08.2
Less Than H.S.	170	79,539	95	59.6	48.6-70.6	21	14.7	05.5-23.9	4	2.4	00.0-05.3	33	15.1	08.6-21.6	17	8.2	02.9-13.5
H.S. or G.E.D.	782	311,129	419	54.4	49.5-59.3	64	9.6	05.9-13.3	18	1.3	00.5-02.1	176	21.2	17.5-24.9	105	13.6	10.5-16.7
Some Post-H.S.	496	267,040	233	42.1	36.6-47.6	40	7.6	04.7-10.5	8	0.9	00.1-01.7	93	16.2	12.3-20.1	122	33.2	27.5-38.9
College Graduate	626	218,045	275	42.2	37.3-47.1	50	6.6	04.2-09.0	9	0.9	00.3-01.5	122	16.2	12.9-19.5	170	34.1	29.0-39.2
Less than \$15,000	230	81,114	141	60.4	52.0-68.8	20	9.7	04.4-15.0	7	1.2	00.2-02.2	43	20.5	13.1-27.9	19	8.2	03.5-12.9
\$15,000- 24,999	389	139,552	219	53.7	46.4-61.0	36	9.1	03.4-14.8	8	1.2	00.2-02.2	82	19.2	14.1-24.3	44	16.7	10.8-22.6
\$25,000- 34,999	220	89,987	113	54.5	44.7-64.3	19	11.8	02.6-21.0	6	1.0	00.2-01.8	53	21.3	14.6-28.0	29	11.3	06.2-16.4
\$35,000- 49,999	252	109,686	112	44.7	36.9-52.5	25	10.2	05.7-14.7	3	1.5	00.0-03.3	55	18.7	13.0-24.4	57	24.9	18.0-31.8
\$50,000- 74,999	248	113,771	98	37.7	29.9-45.5	23	6.1	02.6-09.6	1	0.3	00.0-00.9	42	14.7	09.6-19.8	84	41.2	32.6-49.8
\$75,000+	361	192,728	140	39.1	33.0-45.2	30	6.3	03.8-08.8				59	14.8	10.5-19.1	132	39.9	33.6-46.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 10: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7226	3,983,987	2827	30.9	29.5-32.3	4399	69.1	67.7-70.5
Male	2689	1,864,494	1027	30.2	28.0-32.4	1662	69.8	67.6-72.0
Female	4537	2,119,494	1800	31.6	29.8-33.4	2737	68.4	66.6-70.2
White/Non-Hisp	5900	3,332,286	2375	31.7	30.1-33.3	3525	68.3	66.7-69.9
Black or Afr. Am./Non-Hisp	794	328,078	274	26.2	21.1-31.3	520	73.8	68.7-78.9
Oth. Race/Non-Hisp.	104	56,667	39	35.0	21.5-48.5	65	65.0	51.5-78.5
MultiRacial/Non-Hisp.	85	38,507	38	35.6	22.9-48.3	47	64.4	51.7-77.1
Hispanic	228	174,939	63	23.1	16.0-30.2	165	76.9	69.8-84.0
18-24	261	440,300	60	21.8	15.9-27.7	201	78.2	72.3-84.1
25-34	634	631,368	116	18.1	14.6-21.6	518	81.9	78.4-85.4
35-44	854	677,173	140	15.8	12.9-18.7	714	84.2	81.3-87.1
45-54	1323	778,525	280	19.6	17.1-22.1	1043	80.4	77.9-82.9
55-64	1659	654,780	530	31.6	28.9-34.3	1129	68.4	65.7-71.1
65+	2426	770,343	1675	70.4	68.0-72.8	751	29.6	27.2-32.0
Less Than H.S.	716	567,904	306	33.0	28.5-37.5	410	67.0	62.5-71.5
H.S. or G.E.D.	2685	1,407,254	1125	33.5	31.1-35.9	1560	66.5	64.1-68.9
Some Post-H.S.	1771	1,166,086	647	28.9	26.2-31.6	1124	71.1	68.4-73.8
College Graduate	2032	832,187	737	28.0	25.6-30.4	1295	72.0	69.6-74.4
Less than \$15,000	856	448,049	393	38.5	34.0-43.0	463	61.5	57.0-66.0
\$15,000- 24,999	1276	623,702	606	37.1	33.6-40.6	670	62.9	59.4-66.4
\$25,000- 34,999	794	437,477	334	34.0	29.7-38.3	460	66.0	61.7-70.3
\$35,000- 49,999	1008	541,752	383	31.8	28.3-35.3	625	68.2	64.7-71.7
\$50,000- 74,999	936	550,185	274	23.4	20.1-26.7	662	76.6	73.3-79.9
\$75,000+	1287	800,656	310	19.4	16.9-21.9	977	80.6	78.1-83.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 11: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2689	1,864,494	1027	30.2	28.0-32.4	1662	69.8	67.6-72.0
White/Non-Hisp	2226	1,527,238	852	30.7	28.3-33.1	1374	69.3	66.9-71.7
Black or Afr. Am./Non-Hisp	243	149,642	101	29.1	20.5-37.7	142	70.9	62.3-79.5
Oth. Race/Non-Hisp.	53	39,637	19	35.0	17.2-52.8	34	65.0	47.2-82.8
Hispanic	87	101,976	24	21.4	11.6-31.2	63	78.6	68.8-88.4
18-24	124	220,738	33	25.6	16.6-34.6	91	74.4	65.4-83.4
25-34	231	308,466	48	19.0	13.3-24.7	183	81.0	75.3-86.7
35-44	341	330,782	60	16.7	12.2-21.2	281	83.3	78.8-87.8
45-54	538	362,629	127	21.1	17.0-25.2	411	78.9	74.8-83.0
55-64	628	315,066	207	30.0	25.9-34.1	421	70.0	65.9-74.1
65+	807	316,962	545	68.3	64.4-72.2	262	31.7	27.8-35.6
Less Than H.S.	288	295,895	115	30.7	24.2-37.2	173	69.3	62.8-75.8
H.S. or G.E.D.	953	663,635	361	30.5	27.0-34.0	592	69.5	66.0-73.0
Some Post-H.S.	617	508,805	234	30.2	25.7-34.7	383	69.8	65.3-74.3
College Graduate	825	392,476	315	29.3	25.8-32.8	510	70.7	67.2-74.2
Less than \$15,000	270	198,226	116	35.6	28.2-43.0	154	64.4	57.0-71.8
\$15,000- 24,999	427	274,396	188	35.1	29.2-41.0	239	64.9	59.0-70.8
\$25,000- 34,999	315	210,250	134	32.6	26.1-39.1	181	67.4	60.9-73.9
\$35,000- 49,999	411	273,443	171	32.8	27.3-38.3	240	67.2	61.7-72.7
\$50,000- 74,999	378	271,691	118	24.6	19.5-29.7	260	75.4	70.3-80.5
\$75,000+	582	400,319	167	22.8	18.7-26.9	415	77.2	73.1-81.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 14: IMMUNIZATION**

TABLE 12: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4537	2,119,494	1800	31.6	29.8-33.4	2737	68.4	66.6-70.2
White/Non-Hisp	3674	1,805,048	1523	32.6	30.6-34.6	2151	67.4	65.4-69.4
Black or Afr. Am./Non-Hisp	551	178,436	173	23.8	17.9-29.7	378	76.2	70.3-82.1
Oth. Race/Non-Hisp.	51	17,029	20	35.0	17.9-52.1	31	65.0	47.9-82.1
MultiRacial/Non-Hisp.	58	20,242	25	34.9	20.0-49.8	33	65.1	50.2-80.0
Hispanic	141	72,963	39	25.5	15.5-35.5	102	74.5	64.5-84.5
18-24	137	219,562	27	18.0	10.9-25.1	110	82.0	74.9-89.1
25-34	403	322,902	68	17.2	12.7-21.7	335	82.8	78.3-87.3
35-44	513	346,390	80	15.1	11.4-18.8	433	84.9	81.2-88.6
45-54	785	415,896	153	18.3	15.0-21.6	632	81.7	78.4-85.0
55-64	1031	339,715	323	33.1	29.4-36.8	708	66.9	63.2-70.6
65+	1619	453,381	1130	72.0	69.3-74.7	489	28.0	25.3-30.7
Less Than H.S.	428	272,009	191	35.5	29.2-41.8	237	64.5	58.2-70.8
H.S. or G.E.D.	1732	743,619	764	36.2	33.3-39.1	968	63.8	60.9-66.7
Some Post-H.S.	1154	657,281	413	27.8	24.7-30.9	741	72.2	69.1-75.3
College Graduate	1207	439,711	422	26.8	23.9-29.7	785	73.2	70.3-76.1
Less than \$15,000	586	249,823	277	40.8	35.1-46.5	309	59.2	53.5-64.9
\$15,000- 24,999	849	349,306	418	38.8	34.5-43.1	431	61.2	56.9-65.5
\$25,000- 34,999	479	227,226	200	35.3	29.4-41.2	279	64.7	58.8-70.6
\$35,000- 49,999	597	268,309	212	30.8	26.1-35.5	385	69.2	64.5-73.9
\$50,000- 74,999	558	278,494	156	22.1	17.6-26.6	402	77.9	73.4-82.4
\$75,000+	705	400,337	143	16.0	12.9-19.1	562	84.0	80.9-87.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011**

SECTION 15: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1 MALES AND FEMALES	256
2 MALES ONLY	257
3 FEMALES ONLY	258
ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4 MALES AND FEMALES	259
5 MALES ONLY	260
6 FEMALES ONLY	261
CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7 MALES AND FEMALES	262
8 MALES ONLY	263
9 FEMALES ONLY	264
DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
10 MALES AND FEMALES	265
11 MALES ONLY	266
12 FEMALES ONLY	267
WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT02)	
13 MALES AND FEMALES	268
14 MALES ONLY	269
15 FEMALES ONLY	270

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7803	4,472,440	1122	16.0	14.8-17.2	202	2.5	0.21-0.29	1965	28.3	26.9-29.7	372	4.8	0.42-0.54	4142	48.4	46.8-50.0
Male	3005	2,157,504	574	20.5	18.5-22.5	129	3.9	0.31-0.47	741	26.4	24.2-28.6	235	7.1	0.59-0.83	1326	42.0	39.6-44.4
Female	4798	2,314,936	548	11.7	10.5-12.9	73	1.2	0.08-0.16	1224	30.1	28.1-32.1	137	2.6	0.20-0.32	2816	54.3	52.3-56.3
White/Non-Hisp	6357	3,735,918	952	16.0	14.8-17.2	180	2.7	0.21-0.33	1583	28.3	26.7-29.9	333	4.8	0.42-0.54	3309	48.2	46.6-49.8
Black or Afr. Am./Non-Hisp	842	350,919	91	14.5	09.8-19.2	8	1.0	0.00-0.24	230	31.3	25.6-37.0	16	4.4	0.13-0.75	497	48.8	42.7-54.9
Oth. Race/Non-Hisp.	121	69,068	22	19.9	09.3-30.5	4	5.2	0.00-11.3	27	20.0	11.0-29.0	7	9.5	0.00-19.7	61	45.4	33.1-57.7
MultiRacial/Non-Hisp.	97	47,989	11	12.9	04.3-21.5	1	0.9	0.00-0.27	26	29.0	15.3-42.7	2	1.1	0.00-0.29	57	56.1	42.2-70.0
Hispanic	256	207,871	29	18.4	10.2-26.6	6	1.3	0.00-0.27	74	26.4	19.1-33.7	6	2.7	0.02-0.52	141	51.2	42.4-60.0
18-24	348	594,942	69	17.1	12.8-21.4	4	1.1	0.01-0.21	106	31.1	25.4-36.8	14	3.7	0.15-0.59	155	47.1	41.0-53.2
25-34	763	766,224	146	19.5	16.2-22.8	16	2.2	0.08-0.36	270	34.3	30.4-38.2	29	5.1	0.29-0.73	302	38.8	34.7-42.9
35-44	955	762,437	167	18.5	15.4-21.6	11	1.6	0.04-0.28	326	34.7	31.0-38.4	36	3.6	0.22-0.50	415	41.6	37.9-45.3
45-54	1431	841,443	242	17.3	14.9-19.7	34	2.7	0.17-0.37	417	30.2	27.3-33.1	83	5.6	0.42-0.70	655	44.2	41.1-47.3
55-64	1732	685,703	248	14.7	12.5-16.9	60	4.2	0.28-0.56	416	23.8	21.3-26.3	88	5.5	0.41-0.69	920	51.9	49.0-54.8
65+	2501	790,938	243	9.2	07.8-10.6	74	3.1	0.23-0.39	417	16.6	14.8-18.4	117	5.0	0.38-0.62	1650	66.1	63.7-68.5
Less Than H.S.	765	628,613	44	8.4	05.3-11.5	10	2.1	0.05-0.37	130	22.0	17.9-26.1	14	2.6	0.08-0.44	567	64.9	60.0-69.8
H.S. or G.E.D.	2840	1,556,924	313	13.4	11.4-15.4	59	2.2	0.14-0.30	608	25.1	22.7-27.5	102	3.8	0.28-0.48	1758	55.5	53.0-58.0
Some Post-H.S.	1934	1,324,230	294	17.6	15.2-20.0	39	2.0	0.12-0.28	558	32.3	29.4-35.2	90	5.1	0.37-0.65	953	43.0	40.1-45.9
College Graduate	2239	951,289	468	23.1	20.9-25.3	92	3.8	0.28-0.48	666	32.5	30.0-35.0	166	7.4	0.60-0.88	847	33.1	30.7-35.5
Less than \$15,000	920	504,479	76	9.1	06.6-11.6	13	2.0	0.06-0.34	180	23.3	19.2-27.4	25	4.8	0.23-0.73	626	60.7	56.0-65.4
\$15,000- 24,999	1364	699,708	129	11.4	08.9-13.9	26	1.8	0.08-0.28	274	23.5	20.2-26.8	45	3.2	0.18-0.46	890	60.0	56.3-63.7
\$25,000- 34,999	844	483,232	113	17.3	12.8-21.8	21	2.2	0.08-0.36	215	28.4	23.9-32.9	39	4.4	0.24-0.64	456	47.7	42.8-52.6
\$35,000- 49,999	1064	590,348	165	17.9	14.8-21.0	26	2.4	0.12-0.36	264	26.7	23.0-30.4	51	4.1	0.27-0.55	558	48.9	45.0-52.8
\$50,000- 74,999	1013	610,606	171	18.4	15.1-21.7	31	2.9	0.15-0.43	304	32.5	28.6-36.4	69	6.6	0.46-0.86	438	39.6	35.7-43.5
\$75,000+	1438	911,158	342	23.9	21.2-26.6	63	3.8	0.26-0.50	480	33.4	30.5-36.3	106	7.2	0.56-0.88	447	31.8	28.7-34.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3005	2,157,504	574	20.5	18.5-22.5	129	3.9	03.1-04.7	741	26.4	24.2-28.6	235	7.1	05.9-08.3	1326	42.0	39.6-44.4
White/Non-Hisp	2482	1,765,523	477	19.8	17.8-21.8	112	4.2	03.2-05.2	609	26.9	24.5-29.3	211	7.2	06.0-08.4	1073	41.9	39.4-44.4
Black or Afr. Am./Non-Hisp	261	162,978	42	22.4	13.6-31.2	5	1.9	00.0-04.8	70	25.5	17.3-33.7	10	7.7	01.6-13.8	134	42.5	32.9-52.1
Oth. Race/Non-Hisp.	64	48,832	16	24.6	10.5-38.7	4	7.4	00.0-16.0	13	16.2	05.6-26.8	6	12.6	00.0-26.5	25	39.3	24.0-54.6
Hispanic	103	120,882	23	30.6	17.7-43.5	4	2.0	00.0-04.4	28	21.3	12.3-30.3	5	4.1	00.0-08.2	43	42.1	29.4-54.8
18-24	165	302,083	44	23.2	16.1-30.3	3	1.6	00.0-03.6	43	26.4	18.6-34.2	8	4.0	00.9-07.1	67	44.8	36.0-53.6
25-34	289	380,491	81	26.1	20.4-31.8	13	4.3	01.8-06.8	80	27.1	21.4-32.8	22	9.1	05.0-13.2	93	33.5	27.2-39.8
35-44	399	388,603	92	24.3	19.0-29.6	11	3.2	01.0-05.4	126	31.6	26.3-36.9	21	5.0	02.6-07.4	149	36.1	30.6-41.6
45-54	610	409,432	116	19.0	15.3-22.7	22	3.7	01.9-05.5	176	30.4	25.9-34.9	50	7.4	05.0-09.8	246	39.5	34.8-44.2
55-64	677	338,744	118	17.5	14.0-21.0	39	6.1	03.7-08.5	157	23.6	19.7-27.5	59	8.4	06.0-10.8	304	44.5	40.0-49.0
65+	845	330,012	122	12.7	10.2-15.2	39	4.6	03.0-06.2	157	17.9	14.8-21.0	74	8.6	06.2-11.0	453	56.1	52.0-60.2
Less Than H.S.	321	345,926	28	12.6	07.5-17.7	10	3.8	01.1-06.5	60	22.0	16.3-27.7	13	4.2	01.1-07.3	210	57.4	50.3-64.5
H.S. or G.E.D.	1038	758,478	173	19.0	15.7-22.3	40	3.5	02.1-04.9	226	23.8	20.5-27.1	66	6.1	04.3-07.9	533	47.6	43.7-51.5
Some Post-H.S.	699	587,176	141	22.7	18.6-26.8	21	3.0	01.4-04.6	201	30.3	25.8-34.8	54	7.7	05.3-10.1	282	36.3	31.8-40.8
College Graduate	940	461,614	231	26.4	22.9-29.9	57	5.9	04.1-07.7	253	29.3	25.6-33.0	102	10.3	07.8-12.8	297	28.1	24.6-31.6
Less than \$15,000	294	222,048	38	12.8	07.9-17.7	8	3.4	00.7-06.1	59	20.2	14.1-26.3	13	7.0	01.9-12.1	176	56.6	49.0-64.2
\$15,000- 24,999	473	319,378	71	17.5	12.8-22.2	18	3.2	01.0-05.4	94	20.2	15.5-24.9	22	3.9	01.7-06.1	268	55.2	49.1-61.3
\$25,000- 34,999	344	242,851	58	24.2	16.6-31.8	13	3.2	00.7-05.7	86	25.7	19.4-32.0	25	6.7	03.2-10.2	162	40.1	33.2-47.0
\$35,000- 49,999	445	304,273	89	23.0	17.9-28.1	16	3.5	01.3-05.7	98	22.0	16.9-27.1	31	5.4	03.0-07.8	211	46.1	40.2-52.0
\$50,000- 74,999	426	310,908	85	23.1	17.8-28.4	19	4.4	01.9-06.9	116	28.4	22.9-33.9	46	10.5	06.8-14.2	160	33.5	28.0-39.0
\$75,000+	678	470,467	177	25.2	21.1-29.3	45	5.7	03.7-07.7	204	31.5	27.2-35.8	79	10.7	08.0-13.4	173	26.9	22.4-31.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4798	2,314,936	548	11.7	10.5-12.9	73	1.2	00.8-01.6	1224	30.1	28.1-32.1	137	2.6	02.0-03.2	2816	54.3	52.3-56.3
White/Non-Hisp	3875	1,970,395	475	12.6	11.2-14.0	68	1.3	00.9-01.7	974	29.6	27.6-31.6	122	2.7	02.1-03.3	2236	53.8	51.6-56.0
Black or Afr. Am./Non-Hisp	581	187,940	49	7.6	04.3-10.9	3	0.2	00.0-00.6	160	36.3	28.9-43.7	6	1.6	00.0-03.8	363	54.3	46.9-61.7
Oth. Race/Non-Hisp.	57	20,235	6	8.8	00.4-17.2				14	29.0	12.7-45.3	1	1.8	00.0-05.3	36	60.4	43.3-77.5
MultiRacial/Non-Hisp.	62	22,000	6	11.0	01.2-20.8				17	23.8	11.3-36.3	2	2.4	00.0-06.1	37	62.8	48.1-77.5
Hispanic	153	86,990	6	1.5	00.1-02.9	2	0.2	00.0-00.6	46	33.5	22.3-44.7	1	0.9	00.0-02.7	98	63.9	52.7-75.1
18-24	183	292,860	25	10.8	06.1-15.5	1	0.5	00.0-01.5	63	35.9	27.9-43.9	6	3.4	00.7-06.1	88	49.5	41.3-57.7
25-34	474	385,733	65	13.0	09.5-16.5	3	0.2	00.0-00.6	190	41.5	36.2-46.8	7	1.3	00.3-02.3	209	44.1	38.8-49.4
35-44	556	373,834	75	12.5	09.4-15.6				200	37.9	33.0-42.8	15	2.2	00.8-03.6	266	47.4	42.3-52.5
45-54	821	432,011	126	15.7	12.8-18.6	12	1.6	00.6-02.6	241	30.1	26.2-34.0	33	3.8	02.2-05.4	409	48.7	44.4-53.0
55-64	1055	346,960	130	12.0	09.6-14.4	21	2.3	01.1-03.5	259	23.9	20.8-27.0	29	2.6	01.4-03.8	616	59.2	55.5-62.9
65+	1656	460,926	121	6.8	05.4-08.2	35	2.0	01.2-02.8	260	15.7	13.5-17.9	43	2.4	01.4-03.4	1197	73.2	70.7-75.7
Less Than H.S.	444	282,687	16	3.2	01.0-05.4				70	22.1	16.2-28.0	1	0.6	00.0-01.8	357	74.1	68.0-80.2
H.S. or G.E.D.	1802	798,445	140	8.0	06.4-09.6	19	1.0	00.4-01.6	382	26.3	23.2-29.4	36	1.7	00.9-02.5	1225	63.0	59.9-66.1
Some Post-H.S.	1235	737,054	153	13.5	11.0-16.0	18	1.3	00.7-01.9	357	33.9	30.2-37.6	36	3.1	01.9-04.3	671	48.3	44.6-52.0
College Graduate	1299	489,675	237	20.1	17.2-23.0	35	1.9	01.1-02.7	413	35.6	32.3-38.9	64	4.8	03.2-06.4	550	37.7	34.4-41.0
Less than \$15,000	626	282,430	38	6.2	03.5-08.9	5	0.9	00.0-01.9	121	25.8	20.3-31.3	12	3.1	00.9-05.3	450	64.0	58.1-69.9
\$15,000- 24,999	891	380,330	58	6.4	04.2-08.6	8	0.7	00.1-01.3	180	26.3	22.0-30.6	23	2.6	01.0-04.2	622	64.1	59.4-68.8
\$25,000- 34,999	500	240,381	55	10.4	06.9-13.9	8	1.3	00.3-02.3	129	31.0	24.9-37.1	14	2.0	00.6-03.4	294	55.3	49.0-61.6
\$35,000- 49,999	619	286,074	76	12.4	09.1-15.7	10	1.2	00.2-02.2	166	31.7	26.6-36.8	20	2.8	01.4-04.2	347	51.9	46.6-57.2
\$50,000- 74,999	587	299,698	86	13.6	10.1-17.1	12	1.3	00.5-02.1	188	36.8	31.3-42.3	23	2.4	01.2-03.6	278	45.9	40.4-51.4
\$75,000+	760	440,691	165	22.4	18.9-25.9	18	1.7	00.7-02.7	276	35.3	31.2-39.4	27	3.4	01.8-05.0	274	37.1	32.8-41.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3607	2,268,934	1724	38.8	36.8-40.8	959	26.1	24.1-28.1	429	14.4	12.8-16.0	192	7.5	06.1-08.9	303	13.2	11.4-15.0
Male	1645	1,223,875	599	30.8	28.1-33.5	462	25.2	22.7-27.7	245	16.4	14.0-18.8	116	8.8	06.8-10.8	223	18.8	16.1-21.5
Female	1962	1,045,058	1125	48.1	45.2-51.0	497	27.3	24.6-30.0	184	12.1	09.9-14.3	76	5.9	04.1-07.7	80	6.5	04.5-08.5
White/Non-Hisp	3015	1,913,149	1474	40.0	37.8-42.2	791	26.4	24.4-28.4	359	14.8	13.0-16.6	154	6.8	05.6-08.0	237	12.0	10.2-13.8
Black or Afr. Am./Non-Hisp	330	169,996	156	39.7	30.7-48.7	102	30.9	22.5-39.3	38	9.7	05.2-14.2	15	9.3	03.2-15.4	19	10.4	03.7-17.1
Oth. Race/Non-Hisp.	59	37,417	20	24.9	10.6-39.2	19	25.6	12.3-38.9	7	13.1	01.1-25.1	2	10.3	00.0-24.4	11	26.1	07.5-44.7
Hispanic	112	96,131	35	20.7	09.7-31.7	22	12.8	05.5-20.1	13	16.3	07.3-25.3	16	17.2	07.0-27.4	26	33.0	19.5-46.5
18-24	185	304,088	48	23.6	16.7-30.5	39	21.4	14.7-28.1	35	16.9	10.6-23.2	20	12.0	06.7-17.3	43	26.2	18.8-33.6
25-34	452	456,016	149	28.8	23.9-33.7	132	25.6	20.9-30.3	71	17.7	13.4-22.0	29	7.9	04.6-11.2	71	20.0	15.3-24.7
35-44	538	443,671	200	34.3	29.4-39.2	149	25.9	21.4-30.4	83	16.2	12.5-19.9	45	9.5	06.4-12.6	61	14.0	10.1-17.9
45-54	766	463,600	320	39.7	35.6-43.8	220	29.3	25.4-33.2	110	15.0	11.9-18.1	49	7.6	05.2-10.0	67	8.3	05.9-10.7
55-64	804	326,257	434	49.1	44.8-53.4	229	30.1	26.0-34.2	72	10.8	08.1-13.5	32	4.1	02.3-05.9	37	5.9	03.4-08.4
65+	836	263,223	556	65.5	61.6-69.4	184	22.0	18.5-25.5	56	7.0	05.0-09.0	17	2.6	01.2-04.0	23	2.9	01.5-04.3
Less Than H.S.	190	214,541	57	24.4	16.8-32.0	38	17.9	11.4-24.4	34	19.0	12.1-25.9	26	16.5	09.6-23.4	35	22.1	14.5-29.7
H.S. or G.E.D.	1062	674,970	466	35.4	31.7-39.1	247	22.4	19.3-25.5	146	14.9	12.0-17.8	66	7.7	05.5-09.9	137	19.5	15.8-23.2
Some Post-H.S.	970	746,592	440	36.9	33.0-40.8	277	29.0	25.3-32.7	122	15.6	12.5-18.7	52	6.8	04.6-09.0	79	11.7	08.8-14.6
College Graduate	1379	630,207	758	49.4	46.1-52.7	395	29.5	26.6-32.4	126	11.0	08.8-13.2	48	5.0	03.4-06.6	52	5.0	03.4-06.6
Less than \$15,000	288	193,357	121	33.3	26.0-40.6	70	25.9	18.6-33.2	44	16.9	11.4-22.4	17	6.4	02.7-10.1	36	17.5	10.6-24.4
\$15,000- 24,999	464	269,056	187	29.0	23.9-34.1	118	25.2	19.9-30.5	60	17.2	12.1-22.3	34	10.6	06.3-14.9	65	18.0	12.9-23.1
\$25,000- 34,999	380	249,045	179	36.3	29.4-43.2	99	24.0	18.1-29.9	48	14.5	09.2-19.8	19	6.8	03.3-10.3	35	18.4	11.3-25.5
\$35,000- 49,999	501	298,595	235	37.3	32.0-42.6	134	25.3	20.4-30.2	71	18.0	13.3-22.7	18	5.4	02.5-08.3	43	14.0	09.3-18.7
\$50,000- 74,999	567	365,112	289	41.5	36.2-46.8	141	24.8	20.1-29.5	56	11.0	07.7-14.3	38	10.4	06.5-14.3	43	12.4	08.1-16.7
\$75,000+	988	619,275	469	42.8	39.1-46.5	314	32.0	28.5-35.5	107	12.2	09.7-14.7	50	6.4	04.4-08.4	48	6.6	04.4-08.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1645	1,223,875	599	30.8	28.1-33.5	462	25.2	22.7-27.7	245	16.4	14.0-18.8	116	8.8	06.8-10.8	223	18.8	16.1-21.5
White/Non-Hisp	1389	1,010,970	529	32.2	29.3-35.1	384	25.9	23.0-28.8	210	17.0	14.3-19.7	93	8.1	06.1-10.1	173	16.8	14.1-19.5
Black or Afr. Am./Non-Hisp	118	86,870	38	31.6	18.3-44.9	46	30.4	18.1-42.7	14	10.4	03.3-17.5	8	11.4	02.0-20.8	12	16.1	04.9-27.3
Hispanic	57	64,724	8	15.6	00.9-30.3	8	7.0	00.0-14.3	10	20.2	07.7-32.7	10	13.0	03.8-22.2	21	44.3	26.5-62.1
18-24	93	158,656	15	17.4	08.0-26.8	13	12.6	05.5-19.7	17	16.4	07.2-25.6	15	17.7	08.9-26.5	33	35.9	24.5-47.3
25-34	190	243,912	44	22.6	15.9-29.3	52	21.7	15.2-28.2	31	19.1	12.4-25.8	14	6.8	02.9-10.7	49	29.8	22.2-37.4
35-44	249	247,343	68	27.8	20.9-34.7	58	22.9	16.4-29.4	48	18.3	12.8-23.8	28	11.0	06.5-15.5	47	19.9	14.0-25.8
45-54	358	244,955	103	29.6	23.9-35.3	113	30.8	25.1-36.5	66	19.1	14.2-24.0	29	9.1	05.6-12.6	47	11.3	07.6-15.0
55-64	368	185,890	158	39.2	33.1-45.3	121	35.4	29.3-41.5	43	11.7	07.8-15.6	19	4.6	02.1-07.1	27	9.0	04.9-13.1
65+	382	140,877	209	55.9	49.8-62.0	104	25.7	20.4-31.0	39	9.8	06.5-13.1	11	3.7	01.2-06.2	19	4.8	02.3-07.3
Less Than H.S.	105	141,868	28	22.7	12.9-32.5	17	13.1	05.8-20.4	20	19.7	10.7-28.7	14	15.0	06.8-23.2	26	29.5	18.7-40.3
H.S. or G.E.D.	493	385,498	147	26.7	21.8-31.6	116	20.6	16.3-24.9	81	15.9	11.6-20.2	41	8.7	05.6-11.8	108	28.1	22.6-33.6
Some Post-H.S.	411	368,784	144	29.2	23.7-34.7	127	29.5	23.8-35.2	62	17.3	12.2-22.4	27	8.6	05.1-12.1	51	15.4	10.7-20.1
College Graduate	634	326,966	279	40.8	36.1-45.5	202	30.9	26.6-35.2	81	14.6	11.3-17.9	34	6.7	04.2-09.2	38	7.1	04.6-09.6
Less than \$15,000	116	94,538	33	22.6	13.4-31.8	24	17.2	08.2-26.2	20	19.4	10.6-28.2	11	8.4	02.1-14.7	28	32.4	20.4-44.4
\$15,000- 24,999	199	136,014	55	21.5	14.6-28.4	50	20.6	13.7-27.5	30	19.7	12.1-27.3	22	14.2	07.5-20.9	42	23.9	15.9-31.9
\$25,000- 34,999	176	142,939	68	31.0	21.4-40.6	39	19.0	11.7-26.3	28	16.2	08.4-24.0	14	8.7	03.4-14.0	27	25.1	14.7-35.5
\$35,000- 49,999	230	161,206	84	30.0	22.7-37.3	61	22.9	16.4-29.4	43	20.9	13.6-28.2	9	5.2	01.3-09.1	33	21.1	14.0-28.2
\$50,000- 74,999	261	204,098	98	31.8	24.7-38.9	78	27.9	21.0-34.8	30	10.5	06.2-14.8	21	12.9	07.0-18.8	34	16.8	10.7-22.9
\$75,000+	504	343,358	197	37.0	31.9-42.1	172	33.2	28.1-38.3	68	14.2	10.5-17.9	32	6.8	04.3-09.3	35	8.8	05.5-12.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1962	1,045,058	1125	48.1	45.2-51.0	497	27.3	24.6-30.0	184	12.1	10.1-14.1	76	5.9	04.1-07.7	80	6.5	04.5-08.5
White/Non-Hisp	1626	902,179	945	48.6	45.5-51.7	407	27.1	24.2-30.0	149	12.4	10.0-14.8	61	5.3	03.7-06.9	64	6.6	04.4-08.8
Black or Afr. Am./Non-Hisp	212	83,126	118	48.2	36.4-60.0	56	31.4	20.2-42.6	24	8.9	03.6-14.2	7	7.1	00.0-14.5	7	4.4	00.0-10.7
Hispanic	55	31,407	27	31.2	15.5-46.9	14	25.0	09.5-40.5	3	8.4	00.0-19.0	6	25.8	03.8-47.8	5	9.7	00.0-19.9
18-24	92	145,432	33	30.3	20.1-40.5	26	31.1	20.3-41.9	18	17.3	09.3-25.3	5	5.7	00.4-11.0	10	15.6	06.2-25.0
25-34	262	212,104	105	36.0	29.1-42.9	80	30.2	23.5-36.9	40	16.0	10.5-21.5	15	9.1	03.8-14.4	22	8.7	04.4-13.0
35-44	289	196,329	132	42.5	35.6-49.4	91	29.6	23.5-35.7	35	13.6	08.5-18.7	17	7.6	03.3-11.9	14	6.6	02.3-10.9
45-54	408	218,645	217	51.1	45.4-56.8	107	27.6	22.5-32.7	44	10.4	06.9-13.9	20	5.8	02.9-08.7	20	5.0	02.3-07.7
55-64	436	140,366	276	62.0	56.5-67.5	108	23.1	18.4-27.8	29	9.7	06.0-13.4	13	3.4	01.4-05.4	10	1.8	00.6-03.0
65+	454	122,347	347	76.5	71.8-81.2	80	17.6	13.3-21.9	17	3.8	01.8-05.8	6	1.4	00.2-02.6	4	0.7	00.0-01.5
Less Than H.S.	85	72,674	29	27.9	15.9-39.9	21	27.3	15.0-39.6	14	17.6	07.6-27.6	12	19.4	07.2-31.6	9	7.8	00.5-15.1
H.S. or G.E.D.	569	289,472	319	47.0	41.3-52.7	131	24.8	19.9-29.7	65	13.7	09.8-17.6	25	6.4	03.3-09.5	29	8.1	03.6-12.6
Some Post-H.S.	559	377,808	296	44.4	39.1-49.7	150	28.4	23.3-33.5	60	14.0	10.1-17.9	25	5.1	02.4-07.8	28	8.1	04.6-11.6
College Graduate	745	303,242	479	58.7	54.2-63.2	193	28.0	23.9-32.1	45	7.2	04.7-09.7	14	3.3	01.1-05.5	14	2.8	01.0-04.6
Less than \$15,000	172	98,819	88	43.6	33.0-54.2	46	34.2	23.4-45.0	24	14.6	07.7-21.5	6	4.4	00.3-08.5	8	3.2	00.0-06.5
\$15,000- 24,999	265	133,042	132	36.7	29.1-44.3	68	29.8	22.0-37.6	30	14.7	08.2-21.2	12	6.9	01.4-12.4	23	11.9	05.8-18.0
\$25,000- 34,999	204	106,106	111	43.5	34.3-52.7	60	30.9	21.9-39.9	20	12.2	05.3-19.1	5	4.2	00.0-08.5	8	9.3	01.3-17.3
\$35,000- 49,999	271	137,388	151	46.0	38.2-53.8	73	28.1	20.8-35.4	28	14.5	08.6-20.4	9	5.7	01.0-10.4	10	5.7	00.4-11.0
\$50,000- 74,999	306	161,014	191	53.8	46.0-61.6	63	20.8	14.5-27.1	26	11.5	06.4-16.6	17	7.2	02.7-11.7	9	6.7	00.8-12.6
\$75,000+	484	275,917	272	50.1	44.6-55.6	142	30.4	25.5-35.3	39	9.6	06.1-13.1	18	5.9	02.8-09.0	13	3.9	01.5-06.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3594	2,264,426	373	13.5	11.9-15.1	175	6.8	05.6-08.0	80	3.0	02.0-04.0	80	3.4	02.6-04.2	209	8.2	06.8-09.6	2677	65.3	63.1-67.5
Male	1640	1,219,593	188	13.5	11.3-15.7	94	7.5	05.7-09.3	48	3.7	02.3-05.1	51	4.6	03.2-06.0	148	11.5	09.3-13.7	1111	59.2	56.1-62.3
Female	1954	1,044,833	185	13.5	11.1-15.9	81	5.9	04.3-07.5	32	2.1	01.1-03.1	29	1.9	00.9-02.9	61	4.2	02.8-05.6	1566	72.4	69.5-75.3
White/Non-Hisp	3003	1,909,543	308	13.5	11.7-15.3	138	6.2	05.0-07.4	62	2.6	01.8-03.4	63	3.1	02.3-03.9	182	8.1	06.7-09.5	2250	66.4	64.0-68.8
Black or Afr. Am./Non-Hisp	331	174,042	31	12.6	06.1-19.1	20	8.6	03.3-13.9	9	5.8	00.7-10.9	10	3.8	00.5-07.1	8	4.9	00.6-09.2	253	64.3	55.3-73.3
Oth. Race/Non-Hisp.	58	32,147	6	14.2	01.3-27.1	1	1.9	00.0-05.6				1	0.5	00.0-01.5	7	16.4	00.1-32.7	43	67.0	49.0-85.0
Hispanic	112	96,638	15	11.3	03.3-19.3	11	11.8	03.6-20.0	5	5.1	00.0-10.4	4	9.0	00.0-18.0	7	12.0	00.4-23.6	70	50.8	37.3-64.3
18-24	187	306,504	37	21.2	14.5-27.9	15	7.8	03.7-11.9	8	4.8	01.3-08.3	8	4.2	01.1-07.3	26	14.3	08.2-20.4	93	47.6	39.4-55.8
25-34	450	455,899	73	17.9	13.6-22.2	32	8.1	05.0-11.2	13	4.2	01.3-07.1	18	5.7	02.8-08.6	33	8.9	05.8-12.0	281	55.1	49.6-60.6
35-44	534	439,106	83	14.4	10.9-17.9	38	8.8	05.7-11.9	18	3.1	01.5-04.7	16	3.0	01.4-04.6	35	8.7	05.6-11.8	344	61.9	56.8-67.0
45-54	766	464,466	82	11.6	08.9-14.3	47	7.2	04.8-09.6	22	2.7	01.3-04.1	20	2.9	01.5-04.3	53	7.0	04.8-09.2	542	68.7	64.8-72.6
55-64	796	322,289	64	8.7	06.3-11.1	27	4.6	02.6-06.6	15	1.8	00.6-03.0	13	2.8	00.8-04.8	38	6.5	04.0-09.0	639	75.7	71.6-79.8
65+	834	263,453	31	4.6	02.8-06.4	14	1.7	00.7-02.7	4	0.4	00.0-00.8	4	0.4	00.0-00.8	22	3.2	01.6-04.8	759	89.7	87.2-92.2
Less Than H.S.	186	207,884	22	13.9	07.4-20.4	20	13.7	07.6-19.8	4	2.8	00.0-05.9	6	4.4	00.1-08.7	20	11.7	05.8-17.6	114	53.5	44.5-62.5
H.S. or G.E.D.	1051	674,527	124	15.4	12.3-18.5	58	7.5	05.1-09.9	34	3.9	01.9-05.9	35	4.5	02.7-06.3	81	10.4	07.5-13.3	719	58.4	54.3-62.5
Some Post-H.S.	967	746,993	98	12.9	10.0-15.8	49	6.0	04.0-08.0	25	3.7	01.9-05.5	23	3.3	01.7-04.9	61	8.1	05.7-10.5	711	66.0	62.1-69.9
College Graduate	1382	631,084	127	11.9	09.5-14.3	48	4.7	03.1-06.3	17	1.2	00.4-02.0	16	1.9	00.9-02.9	46	4.6	03.0-06.2	1128	75.6	72.7-78.5
Less than \$15,000	280	184,733	32	14.5	08.6-20.4	16	5.7	02.2-09.2	5	1.3	00.0-03.1	9	3.5	00.4-06.6	23	10.2	05.1-15.3	195	64.8	57.0-72.6
\$15,000- 24,999	468	275,336	54	15.1	10.4-19.8	30	9.0	05.3-12.7	13	4.0	01.3-06.7	15	4.7	01.6-07.8	35	9.1	05.2-13.0	321	58.2	51.9-64.5
\$25,000- 34,999	379	250,068	46	15.1	09.8-20.4	15	5.2	01.9-08.5	14	8.5	03.2-13.8	9	4.3	01.2-07.4	25	10.0	04.3-15.7	270	56.8	49.2-64.4
\$35,000- 49,999	499	297,699	50	12.8	08.7-16.9	24	7.7	04.0-11.4	9	2.2	00.4-04.0	8	3.5	00.8-06.2	22	6.8	03.5-10.1	386	67.0	61.1-72.9
\$50,000- 74,999	566	364,983	43	12.7	08.2-17.2	27	8.2	04.7-11.7	17	2.3	01.1-03.5	12	3.1	00.9-05.3	35	9.1	05.8-12.4	432	64.6	58.9-70.3
\$75,000+	984	615,524	116	13.6	10.9-16.3	50	6.0	04.0-08.0	19	1.6	00.6-02.6	20	2.7	01.3-04.1	45	6.0	04.0-08.0	734	70.0	66.5-73.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1640	1,219,593	188	13.5	11.3-15.7	94	7.5	05.7-09.3	48	3.7	02.3-05.1	51	4.6	03.2-06.0	148	11.5	09.3-13.7	1111	59.2	56.1-62.3
White/Non-Hisp	1382	1,009,117	150	13.3	10.9-15.7	71	6.4	04.6-08.2	38	3.4	02.0-04.8	41	4.5	02.9-06.1	129	11.5	09.1-13.9	953	61.0	57.7-64.3
Black or Afr. Am./Non-Hisp	122	89,451	15	14.1	03.9-24.3	8	10.1	01.5-18.7	3	4.1	00.0-11.0	7	7.0	00.7-13.3	5	8.7	00.5-16.9	84	55.9	42.0-69.8
Hispanic	57	65,232	10	11.1	02.5-19.7	10	16.8	04.8-28.8	4	6.9	00.0-14.5	2	6.8	00.0-16.2	5	14.5	00.0-30.8	26	44.0	26.8-61.2
18-24	94	160,006	21	21.3	12.1-30.5	10	9.8	03.5-16.1	4	5.7	00.0-11.4	5	5.9	00.8-11.0	19	20.5	10.7-30.3	35	36.8	25.4-48.2
25-34	191	243,826	32	17.3	11.2-23.4	15	9.0	04.1-13.9	9	6.1	01.4-10.8	14	8.5	03.8-13.2	25	13.9	08.4-19.4	96	45.3	37.3-53.3
35-44	246	244,264	42	14.9	09.8-20.0	17	8.0	03.9-12.1	11	3.2	01.0-05.4	12	4.1	01.6-06.6	26	13.0	07.9-18.1	138	56.7	49.4-64.0
45-54	357	244,000	39	11.5	07.4-15.6	25	8.5	05.0-12.0	13	3.5	01.3-05.7	14	4.0	01.8-06.2	29	6.9	04.0-09.8	237	65.6	59.7-71.5
55-64	365	183,858	36	9.1	05.6-12.6	18	5.8	02.9-08.7	7	1.9	00.3-03.5	6	3.2	00.0-06.5	31	10.0	05.7-14.3	267	70.0	63.9-76.1
65+	382	141,396	17	4.8	02.4-07.2	9	2.3	00.7-03.9	4	0.8	00.0-01.8				17	4.9	02.2-07.6	335	87.2	83.3-91.1
Less Than H.S.	104	137,015	11	12.0	04.2-19.8	14	15.7	07.5-23.9	2	2.9	00.0-06.8	1	2.1	00.0-06.2	18	16.7	08.3-25.1	58	50.6	39.0-62.2
H.S. or G.E.D.	487	384,609	70	15.9	11.6-20.2	28	6.4	03.7-09.1	20	5.0	01.9-08.1	27	7.1	04.2-10.0	62	15.8	11.1-20.5	280	49.9	44.2-55.6
Some Post-H.S.	409	368,093	43	12.5	08.4-16.6	27	7.6	04.3-10.9	13	4.3	01.6-07.0	11	4.3	01.6-07.0	36	10.3	06.6-14.0	279	61.0	54.9-67.1
College Graduate	637	328,430	64	12.5	09.2-15.8	25	5.4	03.0-07.8	13	1.8	00.6-03.0	12	3.0	01.2-04.8	32	5.9	03.5-08.3	491	71.3	66.8-75.8
Less than \$15,000	111	86,106	16	17.0	07.6-26.4	8	6.1	00.6-11.6	1	1.8	00.0-05.3	3	4.4	00.0-10.3	18	17.6	08.0-27.2	65	53.1	40.9-65.3
\$15,000- 24,999	203	140,471	25	16.4	09.5-23.3	16	11.7	05.4-18.0	9	3.9	00.6-07.2	6	3.2	00.5-05.9	25	13.8	06.9-20.7	122	51.0	42.0-60.0
\$25,000- 34,999	176	143,174	22	12.1	05.8-18.4	8	4.3	01.0-07.6	10	11.6	03.4-19.8	7	6.4	01.1-11.7	18	14.3	05.3-23.3	111	51.3	40.5-62.1
\$35,000- 49,999	229	160,735	26	14.4	08.3-20.5	14	8.8	03.7-13.9	7	3.5	00.6-06.4	6	5.7	00.8-10.6	12	8.5	03.4-13.6	164	59.1	50.7-67.5
\$50,000- 74,999	262	205,929	25	12.3	06.8-17.8	21	12.7	06.8-18.6	7	1.7	00.3-03.1	9	4.7	01.2-08.2	26	13.0	07.5-18.5	174	55.6	47.8-63.4
\$75,000+	502	341,081	58	12.5	08.8-16.2	23	4.7	02.5-06.9	12	2.0	00.6-03.4	15	4.0	01.8-06.2	34	8.0	05.1-10.9	360	68.8	63.7-73.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1954	1,044,833	185	13.5	11.1-15.9	81	5.9	04.3-07.5	32	2.1	01.1-03.1	29	1.9	00.9-02.9	61	4.2	02.8-05.6	1566	72.4	69.5-75.3
White/Non-Hisp	1621	900,426	158	13.8	11.3-16.3	67	6.0	04.2-07.8	24	1.7	00.7-02.7	22	1.7	00.9-02.5	53	4.4	03.0-05.8	1297	72.5	69.4-75.6
Black or Afr. Am./Non-Hisp	209	84,591	16	11.0	03.0-19.0	12	7.1	00.8-13.4	6	7.5	00.2-14.8	3	0.5	00.0-01.1	3	0.9	00.0-02.3	169	73.1	62.1-84.1
Hispanic	55	31,407	5	11.8	00.0-28.7	1	1.6	00.0-04.7	1	1.2	00.0-03.6	2	13.5	00.0-32.3	2	6.8	00.0-16.4	44	65.1	43.7-86.5
18-24	93	146,498	16	21.1	11.3-30.9	5	5.5	00.2-10.8	4	3.9	00.0-08.2	3	2.4	00.0-05.5	7	7.6	01.7-13.5	58	59.4	48.0-70.8
25-34	259	212,073	41	18.7	12.6-24.8	17	7.2	03.3-11.1	4	2.0	00.0-04.5	4	2.6	00.0-05.7	8	3.2	00.7-05.7	185	66.4	59.1-73.7
35-44	288	194,842	41	13.8	08.9-18.7	21	9.8	04.7-14.9	7	3.0	00.5-05.5	4	1.6	00.0-03.2	9	3.3	00.9-05.7	206	68.5	61.6-75.4
45-54	409	220,466	43	11.7	07.8-15.6	22	5.7	03.0-08.4	9	1.8	00.4-03.2	6	1.6	00.2-03.0	24	7.1	03.8-10.4	305	72.2	66.9-77.5
55-64	431	138,431	28	8.1	05.0-11.2	9	3.0	00.8-05.2	8	1.6	00.4-02.8	7	2.3	00.3-04.3	7	1.8	00.4-03.2	372	83.3	79.0-87.6
65+	452	122,057	14	4.4	01.7-07.1	5	1.0	00.0-02.0	5	0.8	00.0-01.6	4	0.8	00.0-01.6	5	1.2	00.0-02.4	424	92.6	89.5-95.7
Less Than H.S.	82	70,869	11	17.5	06.3-28.7	6	9.8	01.2-18.4	2	2.6	00.0-07.3	5	8.9	00.0-18.3	2	2.1	00.0-06.0	56	59.2	45.1-73.3
H.S. or G.E.D.	564	289,918	54	14.8	09.9-19.7	30	8.9	05.0-12.8	14	2.4	00.8-04.0	8	1.1	00.3-01.9	19	3.3	01.3-05.3	439	69.6	63.7-75.5
Some Post-H.S.	558	378,899	55	13.3	09.2-17.4	22	4.4	02.2-06.6	12	3.1	00.9-05.3	12	2.4	00.8-04.0	25	5.9	03.2-08.6	432	70.8	65.5-76.1
College Graduate	745	302,654	63	11.3	08.2-14.4	23	3.9	01.9-05.9	4	0.5	00.0-01.1	4	0.7	00.0-01.7	14	3.3	01.3-05.3	637	80.4	76.5-84.3
Less than \$15,000	169	98,627	16	12.3	05.2-19.4	8	5.4	00.7-10.1	4	0.9	00.0-02.1	6	2.7	00.0-05.4	5	3.7	00.0-07.4	130	75.0	66.0-84.0
\$15,000- 24,999	265	134,864	29	13.6	07.3-19.9	14	6.1	02.4-09.8	4	4.1	00.0-08.4	9	6.3	00.6-12.0	10	4.1	01.0-07.2	199	65.8	57.2-74.4
\$25,000- 34,999	203	106,894	24	19.0	10.6-27.4	7	6.5	00.4-12.6	4	4.4	00.0-09.9	2	1.6	00.0-03.8	7	4.4	00.0-08.9	159	64.1	53.9-74.3
\$35,000- 49,999	270	136,963	24	10.9	05.6-16.2	10	6.3	00.8-11.8	2	0.7	00.0-02.1	2	0.9	00.0-02.3	10	4.7	00.4-09.0	222	76.3	68.5-84.1
\$50,000- 74,999	304	159,054	18	13.2	05.6-20.8	6	2.5	00.0-05.0	10	2.9	00.7-05.1	3	1.2	00.0-02.6	9	3.9	01.0-06.8	258	76.3	68.3-84.3
\$75,000+	482	274,443	58	15.0	10.9-19.1	27	7.5	04.2-10.8	7	1.3	00.1-02.5	5	1.2	00.0-02.4	11	3.5	01.3-05.7	374	71.5	66.4-76.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3533	2,212,299	1082	24.0	22.2-25.8	949	22.9	21.1-24.7	521	15.6	14.0-17.2	277	8.5	07.3-09.7	704	29.0	26.8-31.2
Male	1609	1,193,280	323	16.8	14.4-19.2	369	18.2	15.8-20.6	298	17.8	15.3-20.3	113	6.6	05.0-08.2	506	40.5	37.4-43.6
Female	1924	1,019,019	759	32.4	29.7-35.1	580	28.3	25.8-30.8	223	13.1	10.9-15.3	164	10.7	08.5-12.9	198	15.5	13.0-18.0
White/Non-Hisp	2956	1,867,259	913	24.7	22.7-26.7	800	23.1	21.3-24.9	431	16.1	14.3-17.9	223	8.0	06.8-09.2	589	28.2	25.8-30.6
Black or Afr. Am./Non-Hisp	325	171,300	106	24.0	16.6-31.4	92	25.3	17.9-32.7	52	13.2	07.5-18.9	31	10.3	04.4-16.2	44	27.2	18.2-36.2
Oth. Race/Non-Hisp.	58	33,917	11	15.4	03.4-27.4	14	18.7	06.7-30.7	16	22.8	10.3-35.3	4	8.6	00.0-18.6	13	34.4	16.0-52.8
Hispanic	109	90,990	26	13.3	06.2-20.4	22	18.3	06.9-29.7	13	11.6	04.3-18.9	13	17.3	06.5-28.1	35	39.4	26.9-51.9
18-24	185	300,422	27	15.4	09.1-21.7	22	11.1	06.2-16.0	35	18.0	11.7-24.3	13	6.3	02.6-10.0	88	49.1	40.9-57.3
25-34	440	444,060	97	17.1	13.2-21.0	93	19.2	14.9-23.5	71	15.5	11.6-19.4	44	10.4	06.7-14.1	135	37.7	32.2-43.2
35-44	523	426,670	127	21.6	17.5-25.7	123	22.2	17.9-26.5	73	14.9	10.8-19.0	54	10.1	07.0-13.2	146	31.3	26.4-36.2
45-54	745	451,587	189	23.1	19.6-26.6	200	26.3	22.6-30.0	122	16.5	13.2-19.8	77	10.1	07.6-12.6	157	24.0	20.3-27.7
55-64	786	316,668	259	30.3	26.4-34.2	240	26.9	23.2-30.6	117	16.1	12.8-19.4	50	6.7	04.5-08.9	120	20.0	16.1-23.9
65+	830	261,951	370	42.1	38.0-46.2	267	33.1	29.2-37.0	101	12.9	10.2-15.6	36	4.2	02.6-05.8	56	7.8	05.6-10.0
Less Than H.S.	183	204,472	41	17.1	10.8-23.4	39	19.7	12.4-27.0	20	10.2	05.1-15.3	22	13.9	07.2-20.6	61	39.2	30.2-48.2
H.S. or G.E.D.	1026	646,360	299	23.0	19.9-26.1	247	20.2	17.3-23.1	140	12.9	10.4-15.4	89	9.4	07.0-11.8	251	34.4	30.3-38.5
Some Post-H.S.	952	732,066	283	22.9	19.6-26.2	257	22.6	19.3-25.9	145	18.1	14.6-21.6	70	7.5	05.3-09.7	197	28.9	25.0-32.8
College Graduate	1365	626,093	456	28.4	25.5-31.3	405	27.0	24.3-29.7	215	17.4	14.9-19.9	94	6.8	05.0-08.6	195	20.3	17.4-23.2
Less than \$15,000	275	182,383	74	21.1	14.8-27.4	66	21.4	14.7-28.1	47	17.3	11.4-23.2	22	10.4	04.9-15.9	66	29.8	22.2-37.4
\$15,000- 24,999	455	264,929	129	20.5	16.0-25.0	108	21.0	16.1-25.9	66	13.9	09.6-18.2	36	8.5	04.8-12.2	116	36.2	29.9-42.5
\$25,000- 34,999	371	242,165	119	24.2	18.5-29.9	92	20.3	14.4-26.2	50	10.8	07.3-14.3	31	9.3	05.4-13.2	79	35.4	28.0-42.8
\$35,000- 49,999	492	292,120	144	23.2	18.7-27.7	138	23.4	18.9-27.9	80	15.8	11.5-20.1	43	9.7	06.2-13.2	87	27.9	22.2-33.6
\$50,000- 74,999	561	357,109	185	26.3	21.8-30.8	155	23.4	19.1-27.7	73	13.3	09.8-16.8	34	5.7	03.0-08.4	114	31.4	25.7-37.1
\$75,000+	969	603,322	256	22.6	19.5-25.7	288	26.5	23.2-29.8	150	17.6	14.3-20.9	91	10.4	07.9-12.9	184	22.9	19.6-26.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1609	1,193,280	323	16.8	14.4-19.2	369	18.2	15.8-20.6	298	17.8	15.3-20.3	113	6.6	05.0-08.2	506	40.5	37.4-43.6
White/Non-Hisp	1357	986,172	286	17.7	15.2-20.2	312	18.7	16.3-21.1	249	18.4	15.7-21.1	94	6.2	04.6-07.8	416	38.9	35.6-42.2
Black or Afr. Am./Non-Hisp	119	90,743	20	16.3	05.7-26.9	37	19.4	10.0-28.8	24	16.0	06.6-25.4	7	6.0	00.0-13.3	31	42.4	28.5-56.3
Hispanic	55	60,084	4	7.2	00.0-14.8	7	15.5	00.0-31.4	7	10.2	01.8-18.6	7	13.6	03.0-24.2	30	53.4	36.5-70.3
18-24	93	154,797	7	11.6	02.8-20.4	5	4.3	00.4-08.2	15	15.4	06.4-24.4	7	5.6	01.1-10.1	59	63.1	51.5-74.7
25-34	184	237,055	22	10.5	05.8-15.2	22	11.3	06.0-16.6	34	16.0	10.3-21.7	16	8.0	03.5-12.5	90	54.2	46.0-62.4
35-44	241	237,915	36	15.4	10.1-20.7	40	15.8	09.9-21.7	43	18.1	11.8-24.4	18	7.5	03.8-11.2	104	43.2	35.8-50.6
45-54	351	241,885	55	15.1	10.8-19.4	84	24.0	18.7-29.3	69	19.4	14.3-24.5	29	6.9	04.0-09.8	114	34.6	28.7-40.5
55-64	357	179,192	81	22.3	17.2-27.4	97	23.5	18.6-28.4	66	19.3	14.2-24.4	22	5.7	02.8-08.6	91	29.1	22.8-35.4
65+	379	140,401	121	31.6	25.7-37.5	121	32.8	27.1-38.5	70	18.4	13.9-22.9	20	4.3	02.1-06.5	47	12.9	09.0-16.8
Less Than H.S.	101	134,392	20	17.0	08.8-25.2	16	15.8	06.6-25.0	11	8.8	02.9-14.7	11	10.2	03.1-17.3	43	48.3	36.7-59.9
H.S. or G.E.D.	474	369,119	84	15.4	11.3-19.5	84	13.2	09.9-16.5	79	15.3	11.4-19.2	34	6.9	04.2-09.6	193	49.2	43.5-54.9
Some Post-H.S.	402	361,510	73	15.1	10.6-19.6	102	19.3	14.8-23.8	76	20.3	14.8-25.8	21	5.4	02.9-07.9	130	39.9	33.6-46.2
College Graduate	629	326,813	145	20.1	16.4-23.8	166	23.6	19.7-27.5	131	21.7	17.8-25.6	47	6.2	04.0-08.4	140	28.4	23.9-32.9
Less than \$15,000	108	85,103	18	11.9	04.6-19.2	18	10.3	04.2-16.4	21	20.1	10.7-29.5	6	7.5	00.0-15.5	45	50.2	37.9-62.5
\$15,000- 24,999	198	136,077	32	12.4	07.1-17.7	44	19.4	12.3-26.5	33	13.3	07.2-19.4	14	8.8	03.7-13.9	75	46.2	37.0-55.4
\$25,000- 34,999	170	136,747	39	19.2	11.4-27.0	34	16.0	07.6-24.4	27	12.4	07.1-17.7	7	3.3	00.2-06.4	63	49.1	38.7-59.5
\$35,000- 49,999	224	159,028	40	15.0	09.5-20.5	51	15.8	10.7-20.9	49	18.1	11.6-24.6	21	10.0	04.9-15.1	63	41.1	32.7-49.5
\$50,000- 74,999	257	197,842	54	17.6	12.1-23.1	56	19.3	13.4-25.2	46	15.5	10.4-20.6	20	5.5	02.2-08.8	81	42.1	34.3-49.9
\$75,000+	494	334,980	101	18.1	14.0-22.2	131	23.1	18.8-27.4	89	20.7	15.8-25.6	38	7.6	04.7-10.5	135	30.5	25.4-35.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1924	1,019,019	759	32.4	29.7-35.1	580	28.3	25.8-30.8	223	13.1	10.9-15.3	164	10.7	08.5-12.9	198	15.5	13.0-18.0
White/Non-Hisp	1599	881,087	627	32.5	29.6-35.4	488	28.0	25.3-30.7	182	13.5	11.1-15.9	129	9.9	07.9-11.9	173	16.1	13.4-18.8
Black or Afr. Am./Non-Hisp	206	80,557	86	32.7	22.1-43.3	55	31.9	20.5-43.3	28	10.2	04.3-16.1	24	15.1	05.7-24.5	13	10.0	01.6-18.4
Hispanic	54	30,907	22	25.3	11.0-39.6	15	23.7	08.8-38.6	6	14.3	01.4-27.2	6	24.5	02.0-47.0	5	12.2	00.6-23.8
18-24	92	145,625	20	19.4	10.6-28.2	17	18.4	09.6-27.2	20	20.8	11.8-29.8	6	7.1	01.2-13.0	29	34.2	23.0-45.4
25-34	256	207,004	75	24.7	18.6-30.8	71	28.2	21.7-34.7	37	14.9	09.8-20.0	28	13.2	07.3-19.1	45	18.9	13.0-24.8
35-44	282	188,755	91	29.5	23.4-35.6	83	30.1	23.8-36.4	30	10.8	06.3-15.3	36	13.4	08.3-18.5	42	16.2	11.1-21.3
45-54	394	209,702	134	32.4	26.9-37.9	116	28.9	23.8-34.0	53	13.2	09.1-17.3	48	13.8	09.5-18.1	43	11.7	07.6-15.8
55-64	429	137,476	178	40.7	35.0-46.4	143	31.3	26.2-36.4	51	11.8	08.1-15.5	28	8.1	05.0-11.2	29	8.1	04.8-11.4
65+	451	121,550	249	54.1	48.4-59.8	146	33.5	28.0-39.0	31	6.5	03.8-09.2	16	4.0	01.6-06.4	9	1.9	00.5-03.3
Less Than H.S.	82	70,080	21	17.3	07.5-27.1	23	27.1	14.9-39.3	9	12.9	03.7-22.1	11	21.0	07.7-34.3	18	21.7	10.5-32.9
H.S. or G.E.D.	552	277,240	215	33.1	28.0-38.2	163	29.6	24.5-34.7	61	9.7	06.6-12.8	55	12.8	08.7-16.9	58	14.8	09.9-19.7
Some Post-H.S.	550	370,556	210	30.4	25.7-35.1	155	25.9	21.2-30.6	69	16.0	11.7-20.3	49	9.6	06.5-12.7	67	18.2	13.5-22.9
College Graduate	736	299,280	311	37.6	33.3-41.9	239	30.7	26.6-34.8	84	12.8	09.7-15.9	47	7.5	04.8-10.2	55	11.4	08.3-14.5
Less than \$15,000	167	97,280	56	29.2	19.4-39.0	48	31.1	20.5-41.7	26	14.9	07.6-22.2	16	12.9	05.3-20.5	21	11.9	05.2-18.6
\$15,000- 24,999	257	128,852	97	29.0	21.7-36.3	64	22.7	16.0-29.4	33	14.5	08.2-20.8	22	8.2	02.9-13.5	41	25.7	17.5-33.9
\$25,000- 34,999	201	105,419	80	30.8	22.6-39.0	58	25.9	17.7-34.1	23	8.6	04.1-13.1	24	17.1	09.3-24.9	16	17.5	08.1-26.9
\$35,000- 49,999	268	133,092	104	33.0	25.9-40.1	87	32.4	25.1-39.7	31	13.1	07.4-18.8	22	9.4	04.1-14.7	24	12.1	06.4-17.8
\$50,000- 74,999	304	159,267	131	37.0	29.7-44.3	99	28.4	21.9-34.9	27	10.5	05.8-15.2	14	5.9	01.6-10.2	33	18.2	10.8-25.6
\$75,000+	475	268,342	155	28.1	23.4-32.8	157	30.9	26.0-35.8	61	13.7	09.8-17.6	53	14.0	09.9-18.1	49	13.4	09.5-17.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011

SECTION 16: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1	MALES AND FEMALES	272
2	MALES ONLY	273
3	FEMALES ONLY	274
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3)	
4	MALES AND FEMALES	275
5	MALES ONLY	276
6	FEMALES ONLY	277
	I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)	
7	MALES AND FEMALES	278
8	MALES ONLY	279
9	FEMALES ONLY	280

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

**TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5077	3,545,906	1716	35.8	34.0-37.6	3361	64.2	62.4-66.0
Male	2073	1,771,416	651	31.9	29.4-34.4	1422	68.1	65.6-70.6
Female	3004	1,774,489	1065	39.6	37.2-42.0	1939	60.4	58.0-62.8
White/Non-Hisp	4082	2,924,576	1210	32.7	30.9-34.5	2872	67.3	65.5-69.1
Black or Afr. Am./Non-Hisp	547	290,134	306	62.8	56.1-69.5	241	37.2	30.5-43.9
Oth. Race/Non-Hisp.	88	53,135	36	38.4	25.5-51.3	52	61.6	48.7-74.5
MultiRacial/Non-Hisp.	74	41,565	41	52.0	36.7-67.3	33	48.0	32.7-63.3
Hispanic	213	193,761	98	39.2	30.2-48.2	115	60.8	51.8-69.8
18-24	338	576,014	103	27.2	21.9-32.5	235	72.8	67.5-78.1
25-34	734	735,012	389	51.1	46.8-55.4	345	48.9	44.6-53.2
35-44	928	746,709	466	49.3	45.4-53.2	462	50.7	46.8-54.6
45-54	1397	822,211	450	31.2	28.1-34.3	947	68.8	65.7-71.9
55-64	1680	665,959	308	16.6	14.4-18.8	1372	83.4	81.2-85.6
Less Than H.S.	454	491,890	170	37.8	32.1-43.5	284	62.2	56.5-67.9
H.S. or G.E.D.	1669	1,158,950	464	30.4	27.5-33.3	1205	69.6	66.7-72.5
Some Post-H.S.	1362	1,107,331	525	39.8	36.5-43.1	837	60.2	56.9-63.5
College Graduate	1581	781,570	555	36.9	34.0-39.8	1026	63.1	60.2-66.0
Less than \$15,000	613	411,683	282	45.6	40.3-50.9	331	54.4	49.1-59.7
\$15,000- 24,999	728	500,857	268	37.5	32.8-42.2	460	62.5	57.8-67.2
\$25,000- 34,999	503	369,745	177	39.7	33.6-45.8	326	60.3	54.2-66.4
\$35,000- 49,999	707	462,186	217	33.0	28.5-37.5	490	67.0	62.5-71.5
\$50,000- 74,999	771	520,976	225	33.1	28.6-37.6	546	66.9	62.4-71.4
\$75,000+	1222	823,658	389	34.2	30.9-37.5	833	65.8	62.5-69.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2073	1,771,416	651	31.9	29.4-34.4	1422	68.1	65.6-70.6
White/Non-Hisp	1704	1,438,612	481	29.7	27.0-32.4	1223	70.3	67.6-73.0
Black or Afr. Am./Non-Hisp	165	132,697	96	56.8	45.4-68.2	69	43.2	31.8-54.6
Hispanic	91	114,390	29	28.0	16.2-39.8	62	72.0	60.2-83.8
18-24	159	290,243	40	19.7	13.0-26.4	119	80.3	73.6-87.0
25-34	278	367,755	109	40.3	33.6-47.0	169	59.7	53.0-66.4
35-44	392	385,885	159	42.7	36.8-48.6	233	57.3	51.4-63.2
45-54	594	400,729	206	34.3	29.6-39.0	388	65.7	61.0-70.4
55-64	650	326,806	137	17.6	14.1-21.1	513	82.4	78.9-85.9
Less Than H.S.	219	284,583	73	31.5	24.1-38.9	146	68.5	61.1-75.9
H.S. or G.E.D.	704	611,671	205	29.5	25.2-33.8	499	70.5	66.2-74.8
Some Post-H.S.	505	500,391	185	36.8	31.5-42.1	320	63.2	57.9-68.5
College Graduate	641	372,048	188	29.8	25.5-34.1	453	70.2	65.9-74.5
Less than \$15,000	229	194,045	100	40.5	32.3-48.7	129	59.5	51.3-67.7
\$15,000- 24,999	282	241,973	102	33.0	26.1-39.9	180	67.0	60.1-73.9
\$25,000- 34,999	205	188,196	76	38.4	29.4-47.4	129	61.6	52.6-70.6
\$35,000- 49,999	288	240,771	73	26.2	19.9-32.5	215	73.8	67.5-80.1
\$50,000- 74,999	318	266,945	86	30.9	24.4-37.4	232	69.1	62.6-75.6
\$75,000+	549	415,462	152	30.0	25.1-34.9	397	70.0	65.1-74.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3004	1,774,489	1065	39.6	37.2-42.0	1939	60.4	58.0-62.8
White/Non-Hisp	2378	1,485,964	729	35.5	33.0-38.0	1649	64.5	62.0-67.0
Black or Afr. Am./Non-Hisp	382	157,437	210	67.9	60.5-75.3	172	32.1	24.7-39.5
Hispanic	122	79,371	69	55.4	43.1-67.7	53	44.6	32.3-56.9
18-24	179	285,772	63	34.9	26.9-42.9	116	65.1	57.1-73.1
25-34	456	367,258	280	61.9	56.6-67.2	176	38.1	32.8-43.4
35-44	536	360,824	307	56.4	51.3-61.5	229	43.6	38.5-48.7
45-54	803	421,482	244	28.3	24.4-32.2	559	71.7	67.8-75.6
55-64	1030	339,153	171	15.7	13.0-18.4	859	84.3	81.6-87.0
Less Than H.S.	235	207,308	97	46.3	37.7-54.9	138	53.7	45.1-62.3
H.S. or G.E.D.	965	547,279	259	31.4	27.1-35.7	706	68.6	64.3-72.9
Some Post-H.S.	857	606,940	340	42.3	38.0-46.6	517	57.7	53.4-62.0
College Graduate	940	409,522	367	43.3	39.4-47.2	573	56.7	52.8-60.6
Less than \$15,000	384	217,638	182	50.2	43.3-57.1	202	49.8	42.9-56.7
\$15,000- 24,999	446	258,884	166	41.7	35.4-48.0	280	58.3	52.0-64.6
\$25,000- 34,999	298	181,549	101	41.0	33.0-49.0	197	59.0	51.0-67.0
\$35,000- 49,999	419	221,415	144	40.4	33.9-46.9	275	59.6	53.1-66.1
\$50,000- 74,999	453	254,032	139	35.4	29.1-41.7	314	64.6	58.3-70.9
\$75,000+	673	408,196	237	38.5	34.0-43.0	436	61.5	57.0-66.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2010			2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1449	1,099,543	65	4.1	02.9-05.3	109	6.4	04.8-08.0	169	10.1	08.3-11.9	305	19.2	16.7-21.7	622	46.4	43.1-49.7	179	13.9	11.4-16.4
Male	557	494,729	30	5.0	02.8-07.2	34	5.3	02.8-07.8	49	9.3	06.4-12.2	109	17.4	13.7-21.1	258	48.4	43.1-53.7	77	14.6	10.7-18.5
Female	892	604,814	35	3.4	02.0-04.8	75	7.3	05.3-09.3	120	10.7	08.3-13.1	196	20.6	17.3-23.9	364	44.8	40.5-49.1	102	13.3	10.2-16.4
White/Non-Hisp	1031	827,658	59	4.9	03.3-06.5	97	8.1	05.9-10.3	138	11.1	08.9-13.3	237	21.9	18.8-25.0	406	43.3	39.6-47.0	94	10.6	08.1-13.1
Black or Afr. Am./Non-Hisp	258	163,747	4	2.2	00.0-05.1	8	1.2	00.0-02.4	20	8.5	03.2-13.8	32	7.3	03.4-11.2	144	57.2	47.6-66.8	50	23.7	15.1-32.3
Hispanic	75	59,341	1	1.2	00.0-03.6	1	0.2	00.0-00.6	5	2.7	00.0-06.0	16	14.3	05.1-23.5	34	53.4	37.9-68.9	18	28.2	14.5-41.9
18-24	95	144,037							1	1.8	00.0-05.1	7	6.5	01.2-11.8	61	65.0	53.6-76.4	26	26.7	16.1-37.3
25-34	348	335,943				3	1.1	00.0-02.3	16	4.2	01.8-06.6	72	19.8	14.9-24.7	198	59.4	53.3-65.5	59	15.5	11.0-20.0
35-44	405	322,089	10	3.0	00.8-05.2	30	9.8	05.5-14.1	66	15.7	11.4-20.0	113	25.6	20.5-30.7	141	34.5	28.6-40.4	45	11.4	07.5-15.3
45-54	363	211,151	37	12.4	07.9-16.9	49	12.7	08.8-16.6	48	13.0	08.3-17.7	64	16.3	11.8-20.8	135	36.9	30.4-43.4	30	8.7	04.0-13.4
55-64	238	86,323	18	10.8	04.3-17.3	27	9.4	04.9-13.9	38	18.1	11.8-24.4	49	21.0	14.5-27.5	87	32.4	24.8-40.0	19	8.3	03.8-12.8
Less Than H.S.	142	159,472	4	2.5	00.0-05.0	4	2.2	00.0-04.6	15	10.3	03.8-16.8	22	15.1	07.8-22.4	68	50.1	39.7-60.5	29	19.7	11.9-27.5
H.S. or G.E.D.	396	312,709	18	4.6	02.1-07.1	25	4.5	02.3-06.7	47	10.7	07.2-14.2	74	15.6	11.3-19.9	194	52.4	45.9-58.9	38	12.2	07.3-17.1
Some Post-H.S.	436	379,068	18	4.4	02.0-06.8	39	9.0	05.3-12.7	49	7.8	05.3-10.3	87	19.8	15.3-24.3	171	42.5	36.6-48.4	72	16.4	11.9-20.9
College Graduate	474	247,351	25	4.1	02.1-06.1	40	7.0	04.5-09.5	58	12.5	08.8-16.2	122	25.4	20.7-30.1	189	42.5	37.0-48.0	40	8.4	05.7-11.1
Less than \$15,000	234	167,471	6	3.7	00.4-07.0	18	5.2	02.3-08.1	15	6.0	01.9-10.1	33	10.8	05.7-15.9	118	54.4	45.8-63.0	44	20.0	12.9-27.1
\$15,000- 24,999	228	161,513	3	1.2	00.0-02.6	15	5.0	01.7-08.3	18	4.4	01.9-06.9	37	14.8	09.1-20.5	119	57.1	48.9-65.3	36	17.4	10.7-24.1
\$25,000- 34,999	154	129,642	8	3.7	01.0-06.4	2	0.8	00.0-02.2	22	11.3	06.0-16.6	33	19.3	11.7-26.9	66	51.8	41.0-62.6	23	13.2	06.3-20.1
\$35,000- 49,999	186	134,412	10	5.1	00.8-09.4	13	6.3	01.4-11.2	27	11.9	06.2-17.6	40	19.1	12.0-26.2	84	50.6	41.4-59.8	12	7.0	02.7-11.3
\$50,000- 74,999	186	145,966	10	6.1	01.6-10.6	16	7.7	03.4-12.0	19	10.3	04.6-16.0	51	24.3	16.7-31.9	73	39.7	30.5-48.9	17	12.0	04.4-19.6
\$75,000+	337	242,882	23	5.3	02.8-07.8	33	10.6	05.7-15.5	49	12.9	09.0-16.8	93	28.6	22.7-34.5	108	33.1	27.0-39.2	31	9.5	05.2-13.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2010			2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	557	494,729	30	5.0	02.8-07.2	34	5.3	02.8-07.8	49	9.3	06.4-12.2	109	17.4	13.7-21.1	258	48.4	43.1-53.7	77	14.6	10.7-18.5
White/Non-Hisp	411	372,587	28	5.8	03.3-08.3	31	6.8	03.5-10.1	40	10.0	06.5-13.5	83	19.4	14.9-23.9	185	47.2	41.3-53.1	44	10.8	07.1-14.5
Black or Afr. Am./Non-Hisp	84	69,954	2	4.7	00.0-11.6	1	0.4	00.0-01.2	5	8.4	00.0-16.8	13	7.1	01.4-12.8	43	47.8	31.7-63.9	20	31.5	15.8-47.2
25-34	99	133,981							3	3.7	00.0-07.8	18	14.5	07.1-21.9	66	68.6	58.4-78.8	12	13.2	05.6-20.8
35-44	140	146,507	5	3.5	00.0-07.0	12	10.5	02.7-18.3	17	14.3	07.2-21.4	33	19.9	12.5-27.3	50	36.5	26.7-46.3	23	15.4	08.5-22.3
45-54	172	118,558	18	13.3	06.4-20.2	14	6.5	02.8-10.2	18	10.2	04.5-15.9	33	18.9	11.8-26.0	71	39.8	30.6-49.0	18	11.3	03.9-18.7
55-64	109	46,712	7	8.7	01.3-16.1	8	6.6	01.1-12.1	10	11.7	04.3-19.1	20	19.6	10.2-29.0	50	41.2	29.6-52.8	14	12.1	04.7-19.5
Less Than H.S.	62	75,598	1	1.0	00.0-03.0	2	3.1	00.0-07.4	6	12.6	01.8-23.4	6	9.4	01.0-17.8	33	57.5	42.2-72.8	14	16.3	05.9-26.7
H.S. or G.E.D.	177	160,461	10	6.1	01.6-10.6	9	2.8	00.6-05.0	17	10.0	04.7-15.3	31	15.0	08.9-21.1	94	53.3	44.1-62.5	16	12.9	05.8-20.0
Some Post-H.S.	151	159,452	12	7.1	02.6-11.6	9	8.3	01.2-15.4	10	5.2	01.5-08.9	32	20.1	12.7-27.5	61	41.3	31.7-50.9	27	18.1	10.3-25.9
College Graduate	167	99,218	7	3.2	00.7-05.7	14	6.2	02.3-10.1	16	12.3	05.6-19.0	40	22.9	15.5-30.3	70	44.7	35.7-53.7	20	10.7	05.4-16.0
Less than \$15,000	83	69,291	4	5.8	00.0-12.5	7	5.0	00.5-09.5	6	8.8	00.2-17.4	15	14.5	05.1-23.9	37	48.5	34.0-63.0	14	17.3	05.9-28.7
\$15,000- 24,999	90	70,008	1	1.2	00.0-03.6	6	3.5	00.0-07.0	5	3.8	00.1-07.5	17	15.9	07.1-24.7	46	55.3	42.6-68.0	15	20.3	09.5-31.1
\$25,000- 34,999	67	61,564	4	4.0	00.0-08.3				7	7.7	01.4-14.0	17	21.3	10.1-32.5	31	58.6	43.7-73.5	8	8.4	00.8-16.0
\$35,000- 49,999	62	56,003	3	5.8	00.0-14.6	2	1.7	00.0-04.4	6	11.7	01.9-21.5	11	12.6	03.4-21.8	37	62.1	47.4-76.8	3	6.1	00.0-13.0
\$50,000- 74,999	71	72,779	7	11.1	02.5-19.7	7	9.9	02.3-17.5	5	9.8	00.6-19.0	13	19.6	09.0-30.2	31	40.2	26.5-53.9	8	9.3	01.3-17.3
\$75,000+	134	108,281	8	4.6	01.3-07.9	9	9.2	00.0-18.4	15	10.9	05.0-16.8	32	23.8	14.8-32.8	50	37.8	27.6-48.0	20	13.5	05.3-21.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2010			2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	892	604,814	35	3.4	02.0-04.8	75	7.3	05.3-09.3	120	10.7	08.3-13.1	196	20.6	17.3-23.9	364	44.8	40.5-49.1	102	13.3	10.2-16.4
White/Non-Hisp	620	455,070	31	4.1	02.3-05.9	66	9.2	06.7-11.7	98	12.0	09.3-14.7	154	24.0	19.9-28.1	221	40.1	35.2-45.0	50	10.5	07.0-14.0
Black or Afr. Am./Non-Hisp	174	93,793	2	0.2	00.0-00.6	7	1.8	00.0-03.8	15	8.5	01.6-15.4	19	7.4	02.3-12.5	101	64.2	53.0-75.4	30	17.9	08.7-27.1
Hispanic	51	35,352	1	2.0	00.0-05.9				4	1.8	00.0-03.8	12	14.2	03.6-24.8	22	51.3	33.3-69.3	12	30.7	13.6-47.8
18-24	58	95,067										2	3.7	00.0-09.4	40	69.6	55.5-83.7	16	26.7	13.4-40.0
25-34	249	201,962				3	1.8	00.0-04.0	13	4.6	01.7-07.5	54	23.3	16.8-29.8	132	53.3	45.9-60.7	47	17.0	11.7-22.3
35-44	265	175,582	5	2.7	00.2-05.2	18	9.2	04.5-13.9	49	17.0	11.7-22.3	80	30.3	23.4-37.2	91	32.8	25.7-39.9	22	8.0	04.1-11.9
45-54	191	92,593	19	11.4	05.9-16.9	35	20.7	13.4-28.0	30	16.4	08.8-24.0	31	12.8	07.5-18.1	64	33.3	24.9-41.7	12	5.4	00.7-10.1
55-64	129	39,611	11	13.2	02.2-24.2	19	12.9	05.6-20.2	28	25.7	15.7-35.7	29	22.5	13.3-31.7	37	22.0	13.4-30.6	5	3.7	00.2-07.2
Less Than H.S.	80	83,874	3	3.9	00.0-08.4	2	1.4	00.0-03.6	9	8.3	00.7-15.9	16	20.3	09.1-31.5	35	43.5	29.6-57.4	15	22.7	11.1-34.3
H.S. or G.E.D.	219	152,248	8	3.0	00.6-05.4	16	6.4	02.5-10.3	30	11.4	06.5-16.3	43	16.2	10.1-22.3	100	51.4	42.4-60.4	22	11.6	04.5-18.7
Some Post-H.S.	285	219,616	6	2.6	00.2-05.0	30	9.5	05.4-13.6	39	9.7	06.2-13.2	55	19.5	13.8-25.2	110	43.4	36.1-50.7	45	15.2	09.9-20.5
College Graduate	307	148,133	18	4.7	02.2-07.2	26	7.6	04.3-10.9	42	12.7	08.2-17.2	82	27.1	21.0-33.2	119	41.1	34.2-48.0	20	6.9	03.8-10.0
Less than \$15,000	151	98,180	2	2.2	00.0-05.3	11	5.2	01.3-09.1	9	4.0	00.9-07.1	18	8.1	02.8-13.4	81	58.5	48.1-68.9	30	22.0	13.0-31.0
\$15,000- 24,999	138	91,506	2	1.1	00.0-02.9	9	6.2	01.1-11.3	13	4.9	01.6-08.2	20	14.0	06.6-21.4	73	58.5	47.9-69.1	21	15.3	07.1-23.5
\$25,000- 34,999	87	68,078	4	3.3	00.0-07.0	2	1.6	00.0-04.1	15	14.5	06.3-22.7	16	17.4	07.0-27.8	35	45.6	30.7-60.5	15	17.6	06.8-28.4
\$35,000- 49,999	124	78,408	7	4.6	00.5-08.7	11	9.5	01.7-17.3	21	12.1	05.6-18.6	29	23.7	13.7-33.7	47	42.4	30.8-54.0	9	7.7	02.0-13.4
\$50,000- 74,999	115	73,186	3	1.1	00.0-02.5	9	5.4	01.5-09.3	14	10.8	04.1-17.5	38	29.0	18.0-40.0	42	39.2	26.7-51.7	9	14.6	01.7-27.5
\$75,000+	203	134,601	15	5.8	02.3-09.3	24	11.7	06.6-16.8	34	14.4	09.1-19.7	61	32.4	24.8-40.0	58	29.4	22.1-36.7	11	6.2	02.3-10.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5175	3,599,014	139	4.1	03.3-04.9	5036	95.9	95.1-96.7
Male	2117	1,793,628	64	4.2	03.0-05.4	2053	95.8	94.6-97.0
Female	3058	1,805,387	75	3.9	02.7-05.1	2983	96.1	94.9-97.3
White/Non-Hisp	4170	2,976,919	109	4.1	03.1-05.1	4061	95.9	94.9-96.9
Black or Afr. Am./Non-Hisp	555	290,239	17	4.7	01.6-07.8	538	95.3	92.2-98.4
Oth. Race/Non-Hisp.	90	55,596	3	5.0	00.0-11.1	87	95.0	88.9-0100
MultiRacial/Non-Hisp.	75	41,778	1	1.6	00.0-04.7	74	98.4	95.3-0100
Hispanic	213	193,761	8	3.7	00.6-06.8	205	96.3	93.2-99.4
18-24	341	580,049	28	8.2	04.9-11.5	313	91.8	88.5-95.1
25-34	749	745,866	38	5.8	03.6-08.0	711	94.2	92.0-96.4
35-44	947	757,366	34	4.0	02.4-05.6	913	96.0	94.4-97.6
45-54	1418	835,194	29	2.4	01.4-03.4	1389	97.6	96.6-98.6
55-64	1720	680,539	10	0.8	00.2-01.4	1710	99.2	98.6-99.8
Less Than H.S.	463	496,147	22	5.4	02.7-08.1	441	94.6	91.9-97.3
H.S. or G.E.D.	1695	1,173,173	50	5.1	03.3-06.9	1645	94.9	93.1-96.7
Some Post-H.S.	1397	1,125,740	40	4.1	02.7-05.5	1357	95.9	94.5-97.3
College Graduate	1609	797,791	26	1.7	00.9-02.5	1583	98.3	97.5-99.1
Less than \$15,000	626	417,707	26	5.9	03.2-08.6	600	94.1	91.4-96.8
\$15,000- 24,999	740	504,987	19	3.5	01.5-05.5	721	96.5	94.5-98.5
\$25,000- 34,999	515	376,034	17	6.8	02.9-10.7	498	93.2	89.3-97.1
\$35,000- 49,999	720	470,969	20	2.8	01.2-04.4	700	97.2	95.6-98.8
\$50,000- 74,999	781	527,033	11	3.2	00.8-05.6	770	96.8	94.4-99.2
\$75,000+	1243	834,418	26	3.0	01.8-04.2	1217	97.0	95.8-98.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2117	1,793,628	64	4.2	03.0-05.4	2053	95.8	94.6-97.0
White/Non-Hisp	1742	1,458,154	50	4.3	02.9-05.7	1692	95.7	94.3-97.1
Black or Afr. Am./Non-Hisp	168	134,269	9	6.4	00.7-12.1	159	93.6	87.9-99.3
Hispanic	91	114,390	3	2.6	00.0-06.1	88	97.4	93.9-0100
18-24	162	295,603	11	6.3	02.2-10.4	151	93.7	89.6-97.8
25-34	282	368,867	14	6.2	02.7-09.7	268	93.8	90.3-97.3
35-44	397	388,183	13	4.1	01.6-06.6	384	95.9	93.4-98.4
45-54	602	405,002	20	3.6	01.6-05.6	582	96.4	94.4-98.4
55-64	674	335,973	6	1.2	00.2-02.2	668	98.8	97.8-99.8
Less Than H.S.	221	285,074	12	4.6	01.5-07.7	209	95.4	92.3-98.5
H.S. or G.E.D.	717	617,942	25	5.6	03.1-08.1	692	94.4	91.9-96.9
Some Post-H.S.	520	508,786	15	4.3	01.8-06.8	505	95.7	93.2-98.2
College Graduate	655	379,103	12	1.7	00.5-02.9	643	98.3	97.1-99.5
Less than \$15,000	235	197,832	10	5.0	01.3-08.7	225	95.0	91.3-98.7
\$15,000- 24,999	290	245,999	7	3.1	00.2-06.0	283	96.9	94.0-99.8
\$25,000- 34,999	212	192,581	11	10.7	03.8-17.6	201	89.3	82.4-96.2
\$35,000- 49,999	292	242,648	6	1.8	00.0-03.6	286	98.2	96.4-0100
\$50,000- 74,999	319	267,147	4	1.9	00.1-03.7	315	98.1	96.3-99.9
\$75,000+	560	418,682	15	3.7	01.7-05.7	545	96.3	94.3-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011
SECTION 16: HIV/AIDS**

TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3058	1,805,387	75	3.9	02.7-05.1	2983	96.1	94.9-97.3
White/Non-Hisp	2428	1,518,765	59	3.9	02.7-05.1	2369	96.1	94.9-97.3
Black or Afr. Am./Non-Hisp	387	155,970	8	3.3	00.4-06.2	379	96.7	93.8-99.6
Hispanic	122	79,371	5	5.2	00.0-10.9	117	94.8	89.1-0100
18-24	179	284,446	17	10.2	04.9-15.5	162	89.8	84.5-95.1
25-34	467	376,999	24	5.3	02.8-07.8	443	94.7	92.2-97.2
35-44	550	369,183	21	3.9	01.9-05.9	529	96.1	94.1-98.1
45-54	816	430,192	9	1.2	00.4-02.0	807	98.8	98.0-99.6
55-64	1046	344,566	4	0.5	00.0-01.1	1042	99.5	98.9-0100
Less Than H.S.	242	211,073	10	6.5	01.8-11.2	232	93.5	88.8-98.2
H.S. or G.E.D.	978	555,231	25	4.6	02.2-07.0	953	95.4	93.0-97.8
Some Post-H.S.	877	616,955	25	3.9	02.1-05.7	852	96.1	94.3-97.9
College Graduate	954	418,688	14	1.6	00.6-02.6	940	98.4	97.4-99.4
Less than \$15,000	391	219,875	16	6.7	02.8-10.6	375	93.3	89.4-97.2
\$15,000- 24,999	450	258,988	12	3.8	01.3-06.3	438	96.2	93.7-98.7
\$25,000- 34,999	303	183,452	6	2.7	00.3-05.1	297	97.3	94.9-99.7
\$35,000- 49,999	428	228,321	14	3.8	01.4-06.2	414	96.2	93.8-98.6
\$50,000- 74,999	462	259,886	7	4.5	00.4-08.6	455	95.5	91.4-99.6
\$75,000+	683	415,736	11	2.2	00.6-03.8	672	97.8	96.2-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2011**

End of Core Data Report