


INDIANA

2012 Calculated Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2013



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8578	4,917,695	6648	80.0	78.8-81.2	1930	20.0	18.8-21.2
Male	3367	2,387,138	2642	80.7	78.9-82.5	725	19.3	17.5-21.1
Female	5211	2,530,556	4006	79.4	77.8-81.0	1205	20.6	19.0-22.2
White/Non-Hisp	6974	4,033,643	5509	81.0	79.8-82.2	1465	19.0	17.8-20.2
Black or Afr. Am./Non-Hisp	913	416,534	629	72.7	68.0-77.4	284	27.3	22.6-32.0
Oth. Race/Non-Hisp.	126	77,831	99	83.0	73.4-92.6	27	17.0	07.4-26.6
MultiRacial/Non-Hisp.	131	68,825	87	69.9	60.3-79.5	44	30.1	20.5-39.7
Hispanic	302	260,936	237	81.0	75.3-86.7	65	19.0	13.3-24.7
18-24	531	679,101	481	88.5	84.8-92.2	50	11.5	07.8-15.2
25-34	896	801,067	787	86.7	84.2-89.2	109	13.3	10.8-15.8
35-44	1111	815,569	954	84.0	81.1-86.9	157	16.0	13.1-18.9
45-54	1454	905,333	1118	77.8	75.3-80.3	336	22.2	19.7-24.7
55-64	1791	784,294	1322	74.1	71.6-76.6	469	25.9	23.4-28.4
65+	2718	898,016	1921	71.2	69.0-73.4	797	28.8	26.6-31.0
Less Than H.S.	838	693,352	451	61.4	57.1-65.7	387	38.6	34.3-42.9
H.S. or G.E.D.	3109	1,722,743	2300	78.1	76.3-79.9	809	21.9	20.1-23.7
Some Post-H.S.	2247	1,472,573	1783	82.9	80.7-85.1	464	17.1	14.9-19.3
College Graduate	2364	1,018,838	2099	91.8	90.6-93.0	265	8.2	07.0-09.4
Less than \$15,000	1008	513,419	545	57.7	53.4-62.0	463	42.3	38.0-46.6
\$15,000- 24,999	1533	801,080	1019	70.2	67.3-73.1	514	29.8	26.9-32.7
\$25,000- 34,999	898	495,838	685	75.5	71.6-79.4	213	24.5	20.6-28.4
\$35,000- 49,999	1136	665,950	932	84.1	81.6-86.6	204	15.9	13.4-18.4
\$50,000- 74,999	1171	742,523	1021	87.5	85.0-90.0	150	12.5	10.0-15.0
\$75,000+	1586	998,098	1472	93.4	92.0-94.8	114	6.6	05.2-08.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3367	2,387,138	2642	80.7	78.9-82.5	725	19.3	17.5-21.1
White/Non-Hisp	2772	1,942,857	2217	81.7	79.9-83.5	555	18.3	16.5-20.1
Black or Afr. Am./Non-Hisp	301	193,447	213	74.6	66.8-82.4	88	25.4	17.6-33.2
Oth. Race/Non-Hisp.	50	40,867	35	78.7	62.0-95.4	15	21.3	04.6-38.0
MultiRacial/Non-Hisp.	51	31,063	33	66.7	51.2-82.2	18	33.3	17.8-48.8
Hispanic	130	142,923	105	82.5	74.3-90.7	25	17.5	09.3-25.7
18-24	263	346,709	246	93.7	90.4-97.0	17	6.3	03.0-09.6
25-34	362	400,157	318	86.0	81.9-90.1	44	14.0	09.9-18.1
35-44	465	408,045	402	83.2	78.5-87.9	63	16.8	12.1-21.5
45-54	600	448,195	466	79.3	75.6-83.0	134	20.7	17.0-24.4
55-64	738	386,045	532	71.6	67.5-75.7	206	28.4	24.3-32.5
65+	917	385,301	659	71.8	68.1-75.5	258	28.2	24.5-31.9
Less Than H.S.	330	350,909	185	62.9	56.4-69.4	145	37.1	30.6-43.6
H.S. or G.E.D.	1211	890,269	923	79.6	76.9-82.3	288	20.4	17.7-23.1
Some Post-H.S.	816	635,972	651	84.1	81.2-87.0	165	15.9	13.0-18.8
College Graduate	1001	503,144	876	90.9	89.1-92.7	125	9.1	07.3-10.9
Less than \$15,000	307	206,023	161	56.5	48.9-64.1	146	43.5	35.9-51.1
\$15,000- 24,999	551	371,094	372	71.3	66.6-76.0	179	28.7	24.0-33.4
\$25,000- 34,999	346	230,958	255	73.0	66.5-79.5	91	27.0	20.5-33.5
\$35,000- 49,999	503	352,646	402	83.7	80.0-87.4	101	16.3	12.6-20.0
\$50,000- 74,999	535	402,213	459	86.9	83.4-90.4	76	13.1	09.6-16.6
\$75,000+	764	549,801	696	92.2	90.0-94.4	68	7.8	05.6-10.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5211	2,530,556	4006	79.4	77.8-81.0	1205	20.6	19.0-22.2
White/Non-Hisp	4202	2,090,785	3292	80.3	78.7-81.9	910	19.7	18.1-21.3
Black or Afr. Am./Non-Hisp	612	223,088	416	70.9	65.2-76.6	196	29.1	23.4-34.8
Oth. Race/Non-Hisp.	76	36,964	64	87.8	79.8-95.8	12	12.2	04.2-20.2
MultiRacial/Non-Hisp.	80	37,763	54	72.6	60.6-84.6	26	27.4	15.4-39.4
Hispanic	172	118,013	132	79.2	71.8-86.6	40	20.8	13.4-28.2
18-24	268	332,392	235	83.1	76.6-89.6	33	16.9	10.4-23.4
25-34	534	400,910	469	87.5	84.4-90.6	65	12.5	09.4-15.6
35-44	646	407,524	552	84.8	81.5-88.1	94	15.2	11.9-18.5
45-54	854	457,138	652	76.4	72.9-79.9	202	23.6	20.1-27.1
55-64	1053	398,249	790	76.5	73.4-79.6	263	23.5	20.4-26.6
65+	1801	512,715	1262	70.7	68.2-73.2	539	29.3	26.8-31.8
Less Than H.S.	508	342,444	266	59.9	54.4-65.4	242	40.1	34.6-45.6
H.S. or G.E.D.	1898	832,474	1377	76.4	74.0-78.8	521	23.6	21.2-26.0
Some Post-H.S.	1431	836,600	1132	82.0	79.1-84.9	299	18.0	15.1-20.9
College Graduate	1363	515,694	1223	92.6	91.0-94.2	140	7.4	05.8-09.0
Less than \$15,000	701	307,396	384	58.5	53.6-63.4	317	41.5	36.6-46.4
\$15,000- 24,999	982	429,987	647	69.4	65.5-73.3	335	30.6	26.7-34.5
\$25,000- 34,999	552	264,880	430	77.7	73.0-82.4	122	22.3	17.6-27.0
\$35,000- 49,999	633	313,304	530	84.6	81.3-87.9	103	15.4	12.1-18.7
\$50,000- 74,999	636	340,309	562	88.3	84.8-91.8	74	11.7	08.2-15.2
\$75,000+	822	448,297	776	94.8	93.0-96.6	46	5.2	03.4-07.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5795	3,982,166	4726	78.2	76.8-79.6	1069	21.8	20.4-23.2
Male	2434	1,985,283	1947	76.4	74.2-78.6	487	23.6	21.4-25.8
Female	3361	1,996,883	2779	80.0	78.0-82.0	582	20.0	18.0-22.0
White/Non-Hisp	4645	3,202,229	3892	81.2	79.6-82.8	753	18.8	17.2-20.4
Black or Afr. Am./Non-Hisp	613	366,691	469	71.7	66.4-77.0	144	28.3	23.0-33.6
Oth. Race/Non-Hisp.	105	68,893	83	77.6	67.4-87.8	22	22.4	12.2-32.6
MultiRacial/Non-Hisp.	100	56,811	71	66.7	54.5-78.9	29	33.3	21.1-45.5
Hispanic	268	250,752	154	51.4	43.8-59.0	114	48.6	41.0-56.2
18-24	520	662,141	364	67.9	63.0-72.8	156	32.1	27.2-37.0
25-34	899	805,706	688	73.2	69.7-76.7	211	26.8	23.3-30.3
35-44	1115	817,883	898	78.8	75.9-81.7	217	21.2	18.3-24.1
45-54	1461	908,366	1228	82.7	80.2-85.2	233	17.3	14.8-19.8
55-64	1800	788,070	1548	86.2	84.2-88.2	252	13.8	11.8-15.8
Less Than H.S.	498	540,919	297	56.0	50.7-61.3	201	44.0	38.7-49.3
H.S. or G.E.D.	1920	1,319,738	1473	74.5	72.0-77.0	447	25.5	23.0-28.0
Some Post-H.S.	1615	1,253,427	1318	80.8	78.3-83.3	297	19.2	16.7-21.7
College Graduate	1754	861,993	1632	94.2	93.0-95.4	122	5.8	04.6-07.0
Less than \$15,000	663	417,866	421	59.7	54.8-64.6	242	40.3	35.4-45.2
\$15,000- 24,999	892	606,039	540	55.3	51.2-59.4	352	44.7	40.6-48.8
\$25,000- 34,999	528	372,388	397	71.3	66.0-76.6	131	28.7	23.4-34.0
\$35,000- 49,999	783	534,087	682	84.1	80.6-87.6	101	15.9	12.4-19.4
\$50,000- 74,999	934	660,068	865	88.7	85.6-91.8	69	11.3	08.2-14.4
\$75,000+	1359	914,368	1317	96.2	94.8-97.6	42	3.8	02.4-05.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2434	1,985,283	1947	76.4	74.2-78.6	487	23.6	21.4-25.8
White/Non-Hisp	1998	1,591,289	1642	79.6	77.4-81.8	356	20.4	18.2-22.6
Black or Afr. Am./Non-Hisp	204	170,700	147	68.4	59.8-77.0	57	31.6	23.0-40.2
Hispanic	112	136,418	66	49.1	37.7-60.5	46	50.9	39.5-62.3
18-24	255	333,925	165	62.3	55.2-69.4	90	37.7	30.6-44.8
25-34	365	404,297	267	69.2	63.7-74.7	98	30.8	25.3-36.3
35-44	467	409,233	375	79.0	74.5-83.5	92	21.0	16.5-25.5
45-54	604	449,749	506	83.0	79.3-86.7	98	17.0	13.3-20.7
55-64	743	388,079	634	85.7	82.8-88.6	109	14.3	11.4-17.2
Less Than H.S.	218	283,310	114	50.1	42.1-58.1	104	49.9	41.9-57.9
H.S. or G.E.D.	869	731,678	651	72.7	69.0-76.4	218	27.3	23.6-31.0
Some Post-H.S.	622	550,028	502	80.9	77.2-84.6	120	19.1	15.4-22.8
College Graduate	719	415,485	675	94.8	93.0-96.6	44	5.2	03.4-07.0
Less than \$15,000	225	172,007	127	52.4	43.8-61.0	98	47.6	39.0-56.2
\$15,000- 24,999	363	298,128	203	51.8	45.5-58.1	160	48.2	41.9-54.5
\$25,000- 34,999	214	172,539	159	71.1	63.5-78.7	55	28.9	21.3-36.5
\$35,000- 49,999	348	285,106	291	80.7	75.2-86.2	57	19.3	13.8-24.8
\$50,000- 74,999	422	357,282	385	86.8	82.1-91.5	37	13.2	08.5-17.9
\$75,000+	643	499,208	619	95.1	92.9-97.3	24	4.9	02.7-07.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3361	1,996,883	2779	80.0	78.0-82.0	582	20.0	18.0-22.0
White/Non-Hisp	2647	1,610,940	2250	82.8	80.8-84.8	397	17.2	15.2-19.2
Black or Afr. Am./Non-Hisp	409	195,991	322	74.6	68.1-81.1	87	25.4	18.9-31.9
Oth. Race/Non-Hisp.	60	32,136	47	73.8	60.7-86.9	13	26.2	13.1-39.3
MultiRacial/Non-Hisp.	58	31,608	43	64.9	48.0-81.8	15	35.1	18.2-52.0
Hispanic	156	114,334	88	54.3	44.5-64.1	68	45.7	35.9-55.5
18-24	265	328,216	199	73.5	66.6-80.4	66	26.5	19.6-33.4
25-34	534	401,409	421	77.2	72.9-81.5	113	22.8	18.5-27.1
35-44	648	408,650	523	78.7	74.6-82.8	125	21.3	17.2-25.4
45-54	857	458,617	722	82.5	79.2-85.8	135	17.5	14.2-20.8
55-64	1057	399,991	914	86.8	84.3-89.3	143	13.2	10.7-15.7
Less Than H.S.	280	257,609	183	62.4	55.3-69.5	97	37.6	30.5-44.7
H.S. or G.E.D.	1051	588,060	822	76.6	73.5-79.7	229	23.4	20.3-26.5
Some Post-H.S.	993	703,399	816	80.7	77.2-84.2	177	19.3	15.8-22.8
College Graduate	1035	446,508	957	93.7	92.1-95.3	78	6.3	04.7-07.9
Less than \$15,000	438	245,858	294	64.8	58.9-70.7	144	35.2	29.3-41.1
\$15,000- 24,999	529	307,911	337	58.7	53.2-64.2	192	41.3	35.8-46.8
\$25,000- 34,999	314	199,848	238	71.6	64.3-78.9	76	28.4	21.1-35.7
\$35,000- 49,999	435	248,981	391	88.0	83.9-92.1	44	12.0	07.9-16.1
\$50,000- 74,999	512	302,786	480	91.1	87.2-95.0	32	8.9	05.0-12.8
\$75,000+	716	415,160	698	97.5	96.1-98.9	18	2.5	01.1-03.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 4: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 4: EXERCISE**

**TABLE 1: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8628	4,939,154	6166	74.1	72.9-75.3	2462	25.9	24.7-27.1
Male	3385	2,396,787	2509	75.7	73.9-77.5	876	24.3	22.5-26.1
Female	5243	2,542,368	3657	72.6	71.0-74.2	1586	27.4	25.8-29.0
White/Non-Hisp	7008	4,049,418	5102	75.3	74.1-76.5	1906	24.7	23.5-25.9
Black or Afr. Am./Non-Hisp	922	419,133	581	70.5	65.8-75.2	341	29.5	24.8-34.2
Oth. Race/Non-Hisp.	125	77,350	97	78.8	70.2-87.4	28	21.2	12.6-29.8
MultiRacial/Non-Hisp.	133	69,082	88	67.4	57.2-77.6	45	32.6	22.4-42.8
Hispanic	305	263,284	214	66.2	59.1-73.3	91	33.8	26.7-40.9
18-24	532	680,772	449	83.7	79.8-87.6	83	16.3	12.4-20.2
25-34	900	807,394	724	79.3	76.2-82.4	176	20.7	17.6-23.8
35-44	1117	818,682	887	77.2	74.1-80.3	230	22.8	19.7-25.9
45-54	1457	904,821	1066	72.8	70.1-75.5	391	27.2	24.5-29.9
55-64	1800	787,847	1255	70.4	67.9-72.9	545	29.6	27.1-32.1
65+	2745	905,323	1729	64.4	62.2-66.6	1016	35.6	33.4-37.8
Less Than H.S.	847	697,173	466	59.3	55.0-63.6	381	40.7	36.4-45.0
H.S. or G.E.D.	3128	1,730,907	2003	67.8	65.6-70.0	1125	32.2	30.0-34.4
Some Post-H.S.	2261	1,477,860	1710	80.2	78.2-82.2	551	19.8	17.8-21.8
College Graduate	2372	1,023,025	1975	86.0	84.4-87.6	397	14.0	12.4-15.6
Less than \$15,000	1015	517,006	579	62.7	58.6-66.8	436	37.3	33.2-41.4
\$15,000- 24,999	1543	804,107	953	63.9	60.8-67.0	590	36.1	33.0-39.2
\$25,000- 34,999	901	497,074	606	68.5	64.4-72.6	295	31.5	27.4-35.6
\$35,000- 49,999	1146	671,251	871	78.0	75.1-80.9	275	22.0	19.1-24.9
\$50,000- 74,999	1173	741,945	937	80.4	77.5-83.3	236	19.6	16.7-22.5
\$75,000+	1590	1,001,055	1368	86.5	84.5-88.5	222	13.5	11.5-15.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 4: EXERCISE**

TABLE 2: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3385	2,396,787	2509	75.7	73.9-77.5	876	24.3	22.5-26.1
White/Non-Hisp	2783	1,950,727	2098	77.0	75.0-79.0	685	23.0	21.0-25.0
Black or Afr. Am./Non-Hisp	306	195,051	206	72.0	64.2-79.8	100	28.0	20.2-35.8
MultiRacial/Non-Hisp.	52	31,191	36	74.5	61.0-88.0	16	25.5	12.0-39.0
Hispanic	130	142,923	92	67.2	56.8-77.6	38	32.8	22.4-43.2
18-24	264	348,380	228	84.5	79.2-89.8	36	15.5	10.2-20.8
25-34	366	404,853	295	79.2	74.5-83.9	71	20.8	16.1-25.5
35-44	468	409,905	377	77.1	72.2-82.0	91	22.9	18.0-27.8
45-54	600	446,021	447	75.9	72.0-79.8	153	24.1	20.2-28.0
55-64	741	387,043	519	69.8	65.7-73.9	222	30.2	26.1-34.3
65+	924	387,899	629	68.8	65.1-72.5	295	31.2	27.5-34.9
Less Than H.S.	333	351,534	188	60.7	54.0-67.4	145	39.3	32.6-46.0
H.S. or G.E.D.	1220	895,349	834	70.9	67.8-74.0	386	29.1	26.0-32.2
Some Post-H.S.	819	637,398	635	82.0	79.1-84.9	184	18.0	15.1-20.9
College Graduate	1004	505,662	847	86.7	84.3-89.1	157	13.3	10.9-15.7
Less than \$15,000	308	205,977	183	64.4	57.1-71.7	125	35.6	28.3-42.9
\$15,000- 24,999	555	372,599	352	66.4	61.3-71.5	203	33.6	28.5-38.7
\$25,000- 34,999	347	231,850	251	68.9	62.2-75.6	96	31.1	24.4-37.8
\$35,000- 49,999	507	355,811	387	78.7	74.6-82.8	120	21.3	17.2-25.4
\$50,000- 74,999	535	400,682	416	78.7	74.4-83.0	119	21.3	17.0-25.6
\$75,000+	768	552,758	661	86.5	83.6-89.4	107	13.5	10.6-16.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 4: EXERCISE**

TABLE 3: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5243	2,542,368	3657	72.6	71.0-74.2	1586	27.4	25.8-29.0
White/Non-Hisp	4225	2,098,691	3004	73.7	71.9-75.5	1221	26.3	24.5-28.1
Black or Afr. Am./Non-Hisp	616	224,082	375	69.2	63.5-74.9	241	30.8	25.1-36.5
Oth. Race/Non-Hisp.	76	36,964	57	75.8	64.4-87.2	19	24.2	12.8-35.6
MultiRacial/Non-Hisp.	81	37,891	52	61.5	47.2-75.8	29	38.5	24.2-52.8
Hispanic	175	120,360	122	65.0	55.8-74.2	53	35.0	25.8-44.2
18-24	268	332,392	221	82.9	77.2-88.6	47	17.1	11.4-22.8
25-34	534	402,541	429	79.3	75.2-83.4	105	20.7	16.6-24.8
35-44	649	408,778	510	77.2	73.3-81.1	139	22.8	18.9-26.7
45-54	857	458,800	619	69.8	65.9-73.7	238	30.2	26.3-34.1
55-64	1059	400,805	736	71.0	67.7-74.3	323	29.0	25.7-32.3
65+	1821	517,424	1100	61.0	58.3-63.7	721	39.0	36.3-41.7
Less Than H.S.	514	345,639	278	57.8	52.1-63.5	236	42.2	36.5-47.9
H.S. or G.E.D.	1908	835,558	1169	64.6	61.9-67.3	739	35.4	32.7-38.1
Some Post-H.S.	1442	840,462	1075	78.9	76.2-81.6	367	21.1	18.4-23.8
College Graduate	1368	517,363	1128	85.3	83.1-87.5	240	14.7	12.5-16.9
Less than \$15,000	707	311,029	396	61.5	56.6-66.4	311	38.5	33.6-43.4
\$15,000- 24,999	988	431,508	601	61.7	57.6-65.8	387	38.3	34.2-42.4
\$25,000- 34,999	554	265,223	355	68.2	63.1-73.3	199	31.8	26.7-36.9
\$35,000- 49,999	639	315,440	484	77.2	73.3-81.1	155	22.8	18.9-26.7
\$50,000- 74,999	638	341,263	521	82.4	78.7-86.1	117	17.6	13.9-21.3
\$75,000+	822	448,297	707	86.4	83.7-89.1	115	13.6	10.9-16.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012**

SECTION 5: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
1 MALES AND FEMALES	15
2 MALES ONLY	16
3 FEMALES ONLY	17
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
4 MALES AND FEMALES	18
5 MALES ONLY	19
6 FEMALES ONLY	20
COMPUTED ASTHMA STATUS (_ASTHMS1)	
7 MALES AND FEMALES	21
8 MALES ONLY	22
9 FEMALES ONLY	23
RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
10 MALES AND FEMALES	24
11 MALES ONLY	25
12 FEMALES ONLY	26

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8612	4,924,941	7488	87.0	86.0-88.0	1124	13.0	12.0-14.0
Male	3382	2,389,062	3019	89.2	87.8-90.6	363	10.8	09.4-12.2
Female	5230	2,535,879	4469	85.0	83.6-86.4	761	15.0	13.6-16.4
White/Non-Hisp	6998	4,040,329	6117	87.4	86.4-88.4	881	12.6	11.6-13.6
Black or Afr. Am./Non-Hisp	917	417,434	770	82.2	78.1-86.3	147	17.8	13.7-21.9
Oth. Race/Non-Hisp.	125	77,350	107	83.3	72.7-93.9	18	16.7	06.1-27.3
MultiRacial/Non-Hisp.	131	68,266	100	77.7	68.5-86.9	31	22.3	13.1-31.5
Hispanic	305	261,803	280	92.4	88.7-96.1	25	7.6	03.9-11.3
18-24	527	673,659	451	85.0	81.1-88.9	76	15.0	11.1-18.9
25-34	896	804,064	778	86.6	84.1-89.1	118	13.4	10.9-15.9
35-44	1115	816,920	958	86.6	84.2-89.0	157	13.4	11.0-15.8
45-54	1461	908,033	1269	88.2	86.2-90.2	192	11.8	09.8-13.8
55-64	1799	786,838	1543	86.7	84.7-88.7	256	13.3	11.3-15.3
65+	2738	901,197	2424	88.7	87.1-90.3	314	11.3	09.7-12.9
Less Than H.S.	843	691,063	692	83.7	80.6-86.8	151	16.3	13.2-19.4
H.S. or G.E.D.	3124	1,725,304	2707	87.0	85.4-88.6	417	13.0	11.4-14.6
Some Post-H.S.	2255	1,476,468	1960	86.9	84.9-88.9	295	13.1	11.1-15.1
College Graduate	2370	1,021,917	2111	89.5	87.9-91.1	259	10.5	08.9-12.1
Less than \$15,000	1012	515,721	781	77.1	73.4-80.8	231	22.9	19.2-26.6
\$15,000- 24,999	1536	797,849	1303	85.7	83.3-88.1	233	14.3	11.9-16.7
\$25,000- 34,999	901	496,439	792	87.9	85.4-90.4	109	12.1	09.6-14.6
\$35,000- 49,999	1144	670,761	1029	89.1	86.7-91.5	115	10.9	08.5-13.3
\$50,000- 74,999	1173	743,405	1043	88.6	86.2-91.0	130	11.4	09.0-13.8
\$75,000+	1591	1,001,971	1451	91.3	89.5-93.1	140	8.7	06.9-10.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3382	2,389,062	3019	89.2	87.8-90.6	363	10.8	09.4-12.2
White/Non-Hisp	2782	1,945,053	2504	90.0	88.6-91.4	278	10.0	08.6-11.4
Black or Afr. Am./Non-Hisp	304	194,255	262	84.4	78.1-90.7	42	15.6	09.3-21.9
MultiRacial/Non-Hisp.	52	31,191	43	81.3	67.0-95.6	9	18.7	04.4-33.0
Hispanic	129	141,275	116	91.2	85.5-96.9	13	8.8	03.1-14.5
18-24	260	342,930	220	86.2	81.7-90.7	40	13.8	09.3-18.3
25-34	364	402,487	320	86.4	82.3-90.5	44	13.6	09.5-17.7
35-44	467	408,615	421	90.1	87.0-93.2	46	9.9	06.8-13.0
45-54	604	449,354	548	92.0	89.6-94.4	56	8.0	05.6-10.4
55-64	742	387,296	665	90.2	87.5-92.9	77	9.8	07.1-12.5
65+	923	385,693	827	89.7	87.0-92.4	96	10.3	07.6-13.0
Less Than H.S.	331	348,119	285	87.1	82.6-91.6	46	12.9	08.4-17.4
H.S. or G.E.D.	1218	889,992	1077	88.5	86.1-90.9	141	11.5	09.1-13.9
Some Post-H.S.	819	638,304	730	89.2	86.7-91.7	89	10.8	08.3-13.3
College Graduate	1005	505,803	919	91.7	89.7-93.7	86	8.3	06.3-10.3
Less than \$15,000	309	205,653	246	79.4	72.9-85.9	63	20.6	14.1-27.1
\$15,000- 24,999	551	368,189	488	88.7	85.2-92.2	63	11.3	07.8-14.8
\$25,000- 34,999	347	231,215	308	90.4	86.9-93.9	39	9.6	06.1-13.1
\$35,000- 49,999	507	355,811	461	88.8	85.3-92.3	46	11.2	07.7-14.7
\$50,000- 74,999	536	402,615	484	90.3	87.2-93.4	52	9.7	06.6-12.8
\$75,000+	769	553,674	718	93.5	91.3-95.7	51	6.5	04.3-08.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5230	2,535,879	4469	85.0	83.6-86.4	761	15.0	13.6-16.4
White/Non-Hisp	4216	2,095,276	3613	85.1	83.5-86.7	603	14.9	13.3-16.5
Black or Afr. Am./Non-Hisp	613	223,179	508	80.3	74.8-85.8	105	19.7	14.2-25.2
Oth. Race/Non-Hisp.	76	36,964	65	87.8	79.6-96.0	11	12.2	04.0-20.4
MultiRacial/Non-Hisp.	79	37,075	57	74.8	62.8-86.8	22	25.2	13.2-37.2
Hispanic	176	120,527	164	93.7	89.4-98.0	12	6.3	02.0-10.6
18-24	267	330,729	231	83.8	77.3-90.3	36	16.2	09.7-22.7
25-34	532	401,577	458	86.7	83.6-89.8	74	13.3	10.2-16.4
35-44	648	408,305	537	83.1	79.6-86.6	111	16.9	13.4-20.4
45-54	857	458,679	721	84.4	81.5-87.3	136	15.6	12.7-18.5
55-64	1057	399,541	878	83.2	80.3-86.1	179	16.8	13.9-19.7
65+	1815	515,503	1597	88.0	86.2-89.8	218	12.0	10.2-13.8
Less Than H.S.	512	342,944	407	80.2	75.7-84.7	105	19.8	15.3-24.3
H.S. or G.E.D.	1906	835,312	1630	85.4	83.4-87.4	276	14.6	12.6-16.6
Some Post-H.S.	1436	838,164	1230	85.1	82.2-88.0	206	14.9	12.0-17.8
College Graduate	1365	516,114	1192	87.3	85.1-89.5	173	12.7	10.5-14.9
Less than \$15,000	703	310,068	535	75.6	71.1-80.1	168	24.4	19.9-28.9
\$15,000- 24,999	985	429,660	815	83.1	80.0-86.2	170	16.9	13.8-20.0
\$25,000- 34,999	554	265,223	484	85.6	81.7-89.5	70	14.4	10.5-18.3
\$35,000- 49,999	637	314,950	568	89.5	86.6-92.4	69	10.5	07.6-13.4
\$50,000- 74,999	637	340,790	559	86.6	82.9-90.3	78	13.4	09.7-17.1
\$75,000+	822	448,297	733	88.5	86.0-91.0	89	11.5	09.0-14.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8577	4,890,965	7733	90.9	90.1-91.7	844	9.1	08.3-09.9
Male	3370	2,375,873	3129	93.1	91.9-94.3	241	6.9	05.7-08.1
Female	5207	2,515,093	4604	88.9	87.7-90.1	603	11.1	09.9-12.3
White/Non-Hisp	6973	4,014,409	6311	91.3	90.5-92.1	662	8.7	07.9-09.5
Black or Afr. Am./Non-Hisp	914	414,815	802	86.3	82.6-90.0	112	13.7	10.0-17.4
Oth. Race/Non-Hisp.	124	77,285	109	87.0	77.4-96.6	15	13.0	03.4-22.6
MultiRacial/Non-Hisp.	129	65,686	105	83.7	75.9-91.5	24	16.3	08.5-24.1
Hispanic	303	259,853	290	97.0	95.0-99.0	13	3.0	01.0-05.0
18-24	520	657,057	483	93.3	90.8-95.8	37	6.7	04.2-09.2
25-34	891	799,584	814	91.5	89.3-93.7	77	8.5	06.3-10.7
35-44	1111	813,779	992	90.4	88.4-92.4	119	9.6	07.6-11.6
45-54	1458	906,663	1305	90.5	88.7-92.3	153	9.5	07.7-11.3
55-64	1792	782,843	1581	89.2	87.4-91.0	211	10.8	09.0-12.6
65+	2729	896,809	2489	91.3	89.9-92.7	240	8.7	07.3-10.1
Less Than H.S.	839	686,159	720	89.0	86.5-91.5	119	11.0	08.5-13.5
H.S. or G.E.D.	3110	1,711,430	2787	90.6	89.4-91.8	323	9.4	08.2-10.6
Some Post-H.S.	2246	1,465,169	2029	91.1	89.5-92.7	217	8.9	07.3-10.5
College Graduate	2362	1,018,018	2177	92.5	91.3-93.7	185	7.5	06.3-08.7
Less than \$15,000	1005	510,415	820	82.9	79.6-86.2	185	17.1	13.8-20.4
\$15,000- 24,999	1531	794,275	1340	89.0	87.0-91.0	191	11.0	09.0-13.0
\$25,000- 34,999	898	495,406	816	91.6	89.4-93.8	82	8.4	06.2-10.6
\$35,000- 49,999	1141	668,458	1062	92.9	91.1-94.7	79	7.1	05.3-08.9
\$50,000- 74,999	1167	738,875	1080	92.0	89.8-94.2	87	8.0	05.8-10.2
\$75,000+	1588	999,891	1486	93.7	92.3-95.1	102	6.3	04.9-07.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3370	2,375,873	3129	93.1	91.9-94.3	241	6.9	05.7-08.1
White/Non-Hisp	2774	1,936,119	2590	93.5	92.3-94.7	184	6.5	05.3-07.7
Black or Afr. Am./Non-Hisp	304	194,255	274	88.7	83.2-94.2	30	11.3	05.8-16.8
MultiRacial/Non-Hisp.	51	29,571	45	90.5	80.7-0100	6	9.5	00.0-19.3
Hispanic	128	139,423	123	98.6	97.2-0100	5	1.4	00.0-02.8
18-24	257	337,092	239	94.1	91.0-97.2	18	5.9	02.8-09.0
25-34	362	400,651	339	92.6	89.3-95.9	23	7.4	04.1-10.7
35-44	465	406,276	434	93.6	91.1-96.1	31	6.4	03.9-08.9
45-54	604	449,354	560	93.7	91.5-95.9	44	6.3	04.1-08.5
55-64	738	384,666	681	92.3	89.8-94.8	57	7.7	05.2-10.2
65+	922	385,147	857	92.5	90.0-95.0	65	7.5	05.0-10.0
Less Than H.S.	330	346,782	298	92.0	88.5-95.5	32	8.0	04.5-11.5
H.S. or G.E.D.	1214	882,018	1113	92.7	90.9-94.5	101	7.3	05.5-09.1
Some Post-H.S.	817	636,628	757	92.7	90.3-95.1	60	7.3	04.9-09.7
College Graduate	1000	503,599	952	95.0	93.4-96.6	48	5.0	03.4-06.6
Less than \$15,000	308	204,946	257	85.0	79.3-90.7	51	15.0	09.3-20.7
\$15,000- 24,999	550	366,337	501	91.4	88.3-94.5	49	8.6	05.5-11.7
\$25,000- 34,999	345	230,431	325	95.7	93.5-97.9	20	4.3	02.1-06.5
\$35,000- 49,999	506	354,283	482	94.3	91.8-96.8	24	5.7	03.2-08.2
\$50,000- 74,999	535	400,995	502	93.7	91.2-96.2	33	6.3	03.8-08.8
\$75,000+	768	553,191	733	95.2	93.2-97.2	35	4.8	02.8-06.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5207	2,515,093	4604	88.9	87.7-90.1	603	11.1	09.9-12.3
White/Non-Hisp	4199	2,078,289	3721	89.2	88.0-90.4	478	10.8	09.6-12.0
Black or Afr. Am./Non-Hisp	610	220,560	528	84.2	79.1-89.3	82	15.8	10.7-20.9
Oth. Race/Non-Hisp.	76	36,964	66	89.3	81.5-97.1	10	10.7	02.9-18.5
MultiRacial/Non-Hisp.	78	36,115	60	78.1	66.5-89.7	18	21.9	10.3-33.5
Hispanic	175	120,429	167	95.2	91.3-99.1	8	4.8	00.9-08.7
18-24	263	319,965	244	92.5	88.4-96.6	19	7.5	03.4-11.6
25-34	529	398,933	475	90.4	87.7-93.1	54	9.6	06.9-12.3
35-44	646	407,503	558	87.1	84.2-90.0	88	12.9	10.0-15.8
45-54	854	457,309	745	87.3	84.6-90.0	109	12.7	10.0-15.4
55-64	1054	398,177	900	86.2	83.7-88.7	154	13.8	11.3-16.3
65+	1807	511,662	1632	90.5	88.9-92.1	175	9.5	07.9-11.1
Less Than H.S.	509	339,376	422	85.8	82.1-89.5	87	14.2	10.5-17.9
H.S. or G.E.D.	1896	829,411	1674	88.4	86.6-90.2	222	11.6	09.8-13.4
Some Post-H.S.	1429	828,541	1272	89.9	87.9-91.9	157	10.1	08.1-12.1
College Graduate	1362	514,420	1225	90.0	88.0-92.0	137	10.0	08.0-12.0
Less than \$15,000	697	305,469	563	81.5	77.4-85.6	134	18.5	14.4-22.6
\$15,000- 24,999	981	427,938	839	86.9	84.4-89.4	142	13.1	10.6-15.6
\$25,000- 34,999	553	264,975	491	88.0	84.5-91.5	62	12.0	08.5-15.5
\$35,000- 49,999	635	314,175	580	91.3	88.8-93.8	55	8.7	06.2-11.2
\$50,000- 74,999	632	337,880	578	90.0	86.5-93.5	54	10.0	06.5-13.5
\$75,000+	820	446,700	753	92.0	89.8-94.2	67	8.0	05.8-10.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 7: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8577	4,890,965	844	9.1	08.3-09.9	245	3.3	02.7-03.9	7488	87.6	86.6-88.6
Male	3370	2,375,873	241	6.9	05.7-08.1	110	3.4	02.6-04.2	3019	89.7	88.3-91.1
Female	5207	2,515,093	603	11.1	09.9-12.3	135	3.2	02.4-04.0	4469	85.7	84.3-87.1
White/Non-Hisp	6973	4,014,409	662	8.7	07.9-09.5	194	3.3	02.7-03.9	6117	88.0	87.0-89.0
Black or Afr. Am./Non-Hisp	914	414,815	112	13.7	10.0-17.4	32	3.6	01.6-05.6	770	82.7	78.6-86.8
Oth. Race/Non-Hisp.	124	77,285	15	13.0	03.4-22.6	2	3.6	00.0-09.3	107	83.4	72.8-94.0
MultiRacial/Non-Hisp.	129	65,686	24	16.3	08.5-24.1	5	2.9	00.0-06.8	100	80.8	72.4-89.2
Hispanic	303	259,853	13	3.0	01.0-05.0	10	4.0	01.1-06.9	280	93.0	89.7-96.3
18-24	520	657,057	37	6.7	04.2-09.2	32	6.2	03.7-08.7	451	87.1	83.6-90.6
25-34	891	799,584	77	8.5	06.3-10.7	36	4.5	02.9-06.1	778	87.0	84.5-89.5
35-44	1111	813,779	119	9.6	07.6-11.6	34	3.4	02.0-04.8	958	86.9	84.5-89.3
45-54	1458	906,663	153	9.5	07.7-11.3	36	2.2	01.4-03.0	1269	88.3	86.3-90.3
55-64	1792	782,843	211	10.8	09.0-12.6	38	2.1	01.1-03.1	1543	87.1	85.1-89.1
65+	2729	896,809	240	8.7	07.3-10.1	65	2.2	01.4-03.0	2424	89.1	87.5-90.7
Less Than H.S.	839	686,159	119	11.0	08.5-13.5	28	4.7	02.7-06.7	692	84.3	81.2-87.4
H.S. or G.E.D.	3110	1,711,430	323	9.4	08.2-10.6	80	2.9	02.1-03.7	2707	87.7	86.3-89.1
Some Post-H.S.	2246	1,465,169	217	8.9	07.3-10.5	69	3.6	02.4-04.8	1960	87.5	85.5-89.5
College Graduate	2362	1,018,018	185	7.5	06.3-08.7	66	2.7	01.9-03.5	2111	89.8	88.4-91.2
Less than \$15,000	1005	510,415	185	17.1	13.8-20.4	39	5.0	02.8-07.2	781	77.9	74.2-81.6
\$15,000- 24,999	1531	794,275	191	11.0	09.0-13.0	37	3.0	01.8-04.2	1303	86.0	83.6-88.4
\$25,000- 34,999	898	495,406	82	8.4	06.2-10.6	24	3.5	01.9-05.1	792	88.1	85.6-90.6
\$35,000- 49,999	1141	668,458	79	7.1	05.3-08.9	33	3.5	02.1-04.9	1029	89.4	87.0-91.8
\$50,000- 74,999	1167	738,875	87	8.0	05.8-10.2	37	2.9	01.7-04.1	1043	89.1	86.7-91.5
\$75,000+	1588	999,891	102	6.3	04.9-07.7	35	2.3	01.3-03.3	1451	91.5	89.7-93.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 8: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3370	2,375,873	241	6.9	05.7-08.1	110	3.4	02.6-04.2	3019	89.7	88.3-91.1
White/Non-Hisp	2774	1,936,119	184	6.5	05.3-07.7	86	3.1	02.3-03.9	2504	90.4	89.0-91.8
Black or Afr. Am./Non-Hisp	304	194,255	30	11.3	05.8-16.8	12	4.3	00.6-08.0	262	84.4	78.1-90.7
MultiRacial/Non-Hisp.	51	29,571	6	9.5	00.0-19.3	2	4.7	00.0-12.9	43	85.7	73.4-98.0
Hispanic	128	139,423	5	1.4	00.0-02.8	7	6.2	01.1-11.3	116	92.4	87.1-97.7
18-24	257	337,092	18	5.9	02.8-09.0	19	6.4	03.3-09.5	220	87.7	83.4-92.0
25-34	362	400,651	23	7.4	04.1-10.7	19	5.8	02.9-08.7	320	86.8	82.7-90.9
35-44	465	406,276	31	6.4	03.9-08.9	13	3.0	01.2-04.8	421	90.6	87.7-93.5
45-54	604	449,354	44	6.3	04.1-08.5	12	1.7	00.7-02.7	548	92.0	89.6-94.4
55-64	738	384,666	57	7.7	05.2-10.2	16	1.5	00.7-02.3	665	90.9	88.4-93.4
65+	922	385,147	65	7.5	05.0-10.0	30	2.7	01.5-03.9	827	89.8	87.1-92.5
Less Than H.S.	330	346,782	32	8.0	04.5-11.5	13	4.5	01.8-07.2	285	87.5	83.0-92.0
H.S. or G.E.D.	1214	882,018	101	7.3	05.5-09.1	36	3.4	02.2-04.6	1077	89.3	87.1-91.5
Some Post-H.S.	817	636,628	60	7.3	04.9-09.7	27	3.3	01.7-04.9	730	89.4	86.9-91.9
College Graduate	1000	503,599	48	5.0	03.4-06.6	33	2.9	01.7-04.1	919	92.1	90.1-94.1
Less than \$15,000	308	204,946	51	15.0	09.3-20.7	11	5.3	01.6-09.0	246	79.7	73.2-86.2
\$15,000- 24,999	550	366,337	49	8.6	05.5-11.7	13	2.3	00.9-03.7	488	89.1	85.8-92.4
\$25,000- 34,999	345	230,431	20	4.3	02.1-06.5	17	4.9	02.2-07.6	308	90.7	87.2-94.2
\$35,000- 49,999	506	354,283	24	5.7	03.2-08.2	21	5.1	02.6-07.6	461	89.2	85.7-92.7
\$50,000- 74,999	535	400,995	33	6.3	03.8-08.8	18	3.0	01.2-04.8	484	90.7	87.6-93.8
\$75,000+	768	553,191	35	4.8	02.8-06.8	15	1.6	00.6-02.6	718	93.6	91.4-95.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 9: COMPUTED ASTHMA STATUS (_ASTHMS1)**

**Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5207	2,515,093	603	11.1	09.9-12.3	135	3.2	02.4-04.0	4469	85.7	84.3-87.1
White/Non-Hisp	4199	2,078,289	478	10.8	09.6-12.0	108	3.4	02.4-04.4	3613	85.8	84.4-87.2
Black or Afr. Am./Non-Hisp	610	220,560	82	15.8	10.7-20.9	20	2.9	00.7-05.1	508	81.3	75.8-86.8
Oth. Race/Non-Hisp.	76	36,964	10	10.7	02.9-18.5	1	1.5	00.0-04.4	65	87.8	79.6-96.0
MultiRacial/Non-Hisp.	78	36,115	18	21.9	10.3-33.5	3	1.3	00.0-02.9	57	76.7	65.1-88.3
Hispanic	175	120,429	8	4.8	00.9-08.7	3	1.4	00.0-03.2	164	93.8	89.5-98.1
18-24	263	319,965	19	7.5	03.4-11.6	13	5.9	01.6-10.2	231	86.6	80.9-92.3
25-34	529	398,933	54	9.6	06.9-12.3	17	3.1	01.5-04.7	458	87.3	84.2-90.4
35-44	646	407,503	88	12.9	10.0-15.8	21	3.9	01.9-05.9	537	83.2	79.7-86.7
45-54	854	457,309	109	12.7	10.0-15.4	24	2.6	01.2-04.0	721	84.6	81.7-87.5
55-64	1054	398,177	154	13.8	11.3-16.3	22	2.8	01.2-04.4	878	83.5	80.8-86.2
65+	1807	511,662	175	9.5	07.9-11.1	35	1.8	01.0-02.6	1597	88.6	86.8-90.4
Less Than H.S.	509	339,376	87	14.2	10.5-17.9	15	4.8	02.1-07.5	407	81.0	76.5-85.5
H.S. or G.E.D.	1896	829,411	222	11.6	09.8-13.4	44	2.4	01.4-03.4	1630	86.0	84.0-88.0
Some Post-H.S.	1429	828,541	157	10.1	08.1-12.1	42	3.8	02.0-05.6	1230	86.1	83.6-88.6
College Graduate	1362	514,420	137	10.0	08.0-12.0	33	2.4	01.4-03.4	1192	87.6	85.4-89.8
Less than \$15,000	697	305,469	134	18.5	14.4-22.6	28	4.8	02.3-07.3	535	76.7	72.2-81.2
\$15,000- 24,999	981	427,938	142	13.1	10.6-15.6	24	3.5	01.5-05.5	815	83.4	80.3-86.5
\$25,000- 34,999	553	264,975	62	12.0	08.5-15.5	7	2.3	00.5-04.1	484	85.7	81.8-89.6
\$35,000- 49,999	635	314,175	55	8.7	06.2-11.2	12	1.6	00.4-02.8	568	89.7	87.0-92.4
\$50,000- 74,999	632	337,880	54	10.0	06.5-13.5	19	2.7	01.3-04.1	559	87.3	83.6-91.0
\$75,000+	820	446,700	67	8.0	05.8-10.2	20	3.2	01.6-04.8	733	88.8	86.3-91.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 10: RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8587	4,916,538	3154	27.8	26.6-29.0	5433	72.2	71.0-73.4
Male	3373	2,386,268	1001	22.5	20.9-24.1	2372	77.5	75.9-79.1
Female	5214	2,530,270	2153	32.9	31.3-34.5	3061	67.1	65.5-68.7
White/Non-Hisp	6976	4,034,429	2588	29.1	27.9-30.3	4388	70.9	69.7-72.1
Black or Afr. Am./Non-Hisp	917	417,862	373	25.4	21.3-29.5	544	74.6	70.5-78.7
Oth. Race/Non-Hisp.	123	72,392	30	13.4	07.3-19.5	93	86.6	80.5-92.7
MultiRacial/Non-Hisp.	132	68,050	58	42.3	31.3-53.3	74	57.7	46.7-68.7
Hispanic	304	262,553	56	12.3	08.2-16.4	248	87.7	83.6-91.8
18-24	526	675,662	18	4.6	01.7-07.5	508	95.4	92.5-98.3
25-34	897	804,255	81	8.2	06.2-10.2	816	91.8	89.8-93.8
35-44	1111	816,070	181	16.4	13.9-18.9	930	83.6	81.1-86.1
45-54	1456	905,198	480	31.8	28.9-34.7	976	68.2	65.3-71.1
55-64	1793	785,315	803	43.2	40.5-45.9	990	56.8	54.1-59.5
65+	2728	895,830	1564	55.7	53.3-58.1	1164	44.3	41.9-46.7
Less Than H.S.	843	690,576	395	32.2	28.5-35.9	448	67.8	64.1-71.5
H.S. or G.E.D.	3112	1,722,348	1311	32.2	30.2-34.2	1801	67.8	65.8-69.8
Some Post-H.S.	2251	1,474,157	806	26.3	24.1-28.5	1445	73.7	71.5-75.9
College Graduate	2362	1,019,374	635	19.8	18.0-21.6	1727	80.2	78.4-82.0
Less than \$15,000	1015	511,753	488	35.8	31.9-39.7	527	64.2	60.3-68.1
\$15,000- 24,999	1532	800,192	717	35.4	32.5-38.3	815	64.6	61.7-67.5
\$25,000- 34,999	899	495,509	352	29.2	25.7-32.7	547	70.8	67.3-74.3
\$35,000- 49,999	1142	668,684	385	26.8	23.9-29.7	757	73.2	70.3-76.1
\$50,000- 74,999	1169	740,891	342	23.0	20.3-25.7	827	77.0	74.3-79.7
\$75,000+	1585	999,007	374	19.0	16.8-21.2	1211	81.0	78.8-83.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 11: RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3373	2,386,268	1001	22.5	20.9-24.1	2372	77.5	75.9-79.1
White/Non-Hisp	2775	1,945,847	814	23.1	21.3-24.9	1961	76.9	75.1-78.7
Black or Afr. Am./Non-Hisp	305	194,411	112	23.6	16.7-30.5	193	76.4	69.5-83.3
MultiRacial/Non-Hisp.	51	30,159	19	39.7	23.0-56.4	32	60.3	43.6-77.0
Hispanic	129	142,846	20	10.5	05.0-16.0	109	89.5	84.0-95.0
18-24	261	345,731	8	2.3	00.5-04.1	253	97.7	95.9-99.5
25-34	363	401,920	27	6.7	03.8-09.6	336	93.3	90.4-96.2
35-44	465	408,291	62	13.8	09.9-17.7	403	86.2	82.3-90.1
45-54	603	448,833	166	26.0	21.9-30.1	437	74.0	69.9-78.1
55-64	740	386,959	297	38.3	34.0-42.6	443	61.7	57.4-66.0
65+	919	381,847	435	46.6	42.7-50.5	484	53.4	49.5-57.3
Less Than H.S.	331	346,377	122	26.8	21.3-32.3	209	73.2	67.7-78.7
H.S. or G.E.D.	1217	893,116	413	25.6	22.9-28.3	804	74.4	71.7-77.1
Some Post-H.S.	816	636,738	227	19.5	16.6-22.4	589	80.5	77.6-83.4
College Graduate	1000	503,193	236	17.9	15.4-20.4	764	82.1	79.6-84.6
Less than \$15,000	308	201,448	123	31.8	24.7-38.9	185	68.2	61.1-75.3
\$15,000- 24,999	550	370,926	219	29.5	25.0-34.0	331	70.5	66.0-75.0
\$25,000- 34,999	346	230,687	108	22.5	17.6-27.4	238	77.5	72.6-82.4
\$35,000- 49,999	506	354,328	143	21.9	18.0-25.8	363	78.1	74.2-82.0
\$50,000- 74,999	534	401,282	140	20.1	16.4-23.8	394	79.9	76.2-83.6
\$75,000+	765	551,246	157	16.1	13.2-19.0	608	83.9	81.0-86.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 12: RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5214	2,530,270	2153	32.9	31.3-34.5	3061	67.1	65.5-68.7
White/Non-Hisp	4201	2,088,582	1774	34.7	32.9-36.5	2427	65.3	63.5-67.1
Black or Afr. Am./Non-Hisp	612	223,451	261	26.9	21.8-32.0	351	73.1	68.0-78.2
Oth. Race/Non-Hisp.	75	36,226	20	16.5	07.7-25.3	55	83.5	74.7-92.3
MultiRacial/Non-Hisp.	81	37,891	39	44.4	29.9-58.9	42	55.6	41.1-70.1
Hispanic	175	119,707	36	14.6	08.5-20.7	139	85.4	79.3-91.5
18-24	265	329,931	10	7.1	01.6-12.6	255	92.9	87.4-98.4
25-34	534	402,334	54	9.6	06.9-12.3	480	90.4	87.7-93.1
35-44	646	407,779	119	18.9	15.4-22.4	527	81.1	77.6-84.6
45-54	853	456,365	314	37.5	33.4-41.6	539	62.5	58.4-66.6
55-64	1053	398,356	506	48.0	44.3-51.7	547	52.0	48.3-55.7
65+	1809	513,983	1129	62.5	59.8-65.2	680	37.5	34.8-40.2
Less Than H.S.	512	344,199	273	37.5	32.4-42.6	239	62.5	57.4-67.6
H.S. or G.E.D.	1895	829,233	898	39.2	36.5-41.9	997	60.8	58.1-63.5
Some Post-H.S.	1435	837,419	579	31.5	28.4-34.6	856	68.5	65.4-71.6
College Graduate	1362	516,181	399	21.6	19.2-24.0	963	78.4	76.0-80.8
Less than \$15,000	707	310,305	365	38.4	33.7-43.1	342	61.6	56.9-66.3
\$15,000- 24,999	982	429,265	498	40.5	36.6-44.4	484	59.5	55.6-63.4
\$25,000- 34,999	553	264,821	244	35.0	29.9-40.1	309	65.0	59.9-70.1
\$35,000- 49,999	636	314,356	242	32.4	28.1-36.7	394	67.6	63.3-71.9
\$50,000- 74,999	635	339,609	202	26.5	22.4-30.6	433	73.5	69.4-77.6
\$75,000+	820	447,760	217	22.6	19.3-25.9	603	77.4	74.1-80.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 6: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)	
1	MALES AND FEMALES	28
2	MALES ONLY	29
3	FEMALES ONLY	30
	ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)	
4	MALES AND FEMALES	31
5	MALES ONLY	32
6	FEMALES ONLY	33
	ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)	
7	MALES AND FEMALES	34
8	MALES ONLY	35
9	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

**TABLE 1: ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8483	4,886,893	3690	51.3	49.9-52.7	4793	48.7	47.3-50.1
Male	3355	2,379,647	1483	51.4	49.2-53.6	1872	48.6	46.4-50.8
Female	5128	2,507,246	2207	51.2	49.4-53.0	2921	48.8	47.0-50.6
White/Non-Hisp	6896	4,006,470	3076	51.4	49.8-53.0	3820	48.6	47.0-50.2
Black or Afr. Am./Non-Hisp	901	415,061	286	46.1	40.8-51.4	615	53.9	48.6-59.2
Oth. Race/Non-Hisp.	125	76,926	61	58.1	46.7-69.5	64	41.9	30.5-53.3
MultiRacial/Non-Hisp.	131	68,817	46	37.8	27.2-48.4	85	62.2	51.6-72.8
Hispanic	301	260,108	173	62.4	55.3-69.5	128	37.6	30.5-44.7
18-24	530	678,307	455	84.9	81.0-88.8	75	15.1	11.2-19.0
25-34	898	804,805	626	65.7	62.0-69.4	272	34.3	30.6-38.0
35-44	1112	813,485	718	62.0	58.5-65.5	394	38.0	34.5-41.5
45-54	1450	902,633	664	47.6	44.5-50.7	786	52.4	49.3-55.5
55-64	1781	779,589	602	33.0	30.3-35.7	1179	67.0	64.3-69.7
65+	2641	875,328	588	22.3	20.3-24.3	2053	77.7	75.7-79.7
Less Than H.S.	820	682,768	220	37.9	33.2-42.6	600	62.1	57.4-66.8
H.S. or G.E.D.	3066	1,707,876	963	41.8	39.4-44.2	2103	58.2	55.8-60.6
Some Post-H.S.	2227	1,468,390	1033	55.0	52.3-57.7	1194	45.0	42.3-47.7
College Graduate	2353	1,018,384	1468	71.1	68.9-73.3	885	28.9	26.7-31.1
Less than \$15,000	990	507,684	267	38.0	33.5-42.5	723	62.0	57.5-66.5
\$15,000- 24,999	1512	794,405	461	38.8	35.5-42.1	1051	61.2	57.9-64.5
\$25,000- 34,999	897	494,950	314	41.4	37.1-45.7	583	58.6	54.3-62.9
\$35,000- 49,999	1135	667,079	507	49.9	46.2-53.6	628	50.1	46.4-53.8
\$50,000- 74,999	1166	740,619	613	57.2	53.7-60.7	553	42.8	39.3-46.3
\$75,000+	1584	999,150	1021	68.8	66.1-71.5	563	31.2	28.5-33.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

TABLE 2: ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3355	2,379,647	1483	51.4	49.2-53.6	1872	48.6	46.4-50.8
White/Non-Hisp	2761	1,936,834	1242	50.9	48.5-53.3	1519	49.1	46.7-51.5
Black or Afr. Am./Non-Hisp	302	193,012	104	48.5	39.9-57.1	198	51.5	42.9-60.1
Oth. Race/Non-Hisp.	50	40,867	28	68.3	50.9-85.7	22	31.7	14.3-49.1
MultiRacial/Non-Hisp.	52	31,191	14	34.3	18.0-50.6	38	65.7	49.4-82.0
Hispanic	129	142,193	71	64.6	54.4-74.8	58	35.4	25.2-45.6
18-24	264	348,380	235	89.2	85.3-93.1	29	10.8	06.9-14.7
25-34	364	402,864	247	64.0	58.3-69.7	117	36.0	30.3-41.7
35-44	466	406,939	292	58.1	52.6-63.6	174	41.9	36.4-47.4
45-54	599	446,061	263	46.2	41.5-50.9	336	53.8	49.1-58.5
55-64	737	383,164	235	31.9	27.8-36.0	502	68.1	64.0-72.2
65+	903	379,552	200	21.8	18.7-24.9	703	78.2	75.1-81.3
Less Than H.S.	329	348,422	100	41.2	34.1-48.3	229	58.8	51.7-65.9
H.S. or G.E.D.	1208	886,580	420	45.0	41.5-48.5	788	55.0	51.5-58.5
Some Post-H.S.	812	634,732	362	53.0	48.9-57.1	450	47.0	42.9-51.1
College Graduate	998	503,436	597	67.8	64.5-71.1	401	32.2	28.9-35.5
Less than \$15,000	306	205,706	95	41.7	34.1-49.3	211	58.3	50.7-65.9
\$15,000- 24,999	546	367,933	181	41.5	36.0-47.0	365	58.5	53.0-64.0
\$25,000- 34,999	347	230,924	105	36.3	29.6-43.0	242	63.7	57.0-70.4
\$35,000- 49,999	503	354,072	210	48.0	42.5-53.5	293	52.0	46.5-57.5
\$50,000- 74,999	533	400,352	260	52.8	47.5-58.1	273	47.2	41.9-52.5
\$75,000+	766	552,219	460	65.3	61.2-69.4	306	34.7	30.6-38.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

TABLE 3: ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5128	2,507,246	2207	51.2	49.4-53.0	2921	48.8	47.0-50.6
White/Non-Hisp	4135	2,069,636	1834	51.9	49.9-53.9	2301	48.1	46.1-50.1
Black or Afr. Am./Non-Hisp	599	222,049	182	44.0	37.3-50.7	417	56.0	49.3-62.7
Oth. Race/Non-Hisp.	75	36,059	33	46.5	33.2-59.8	42	53.5	40.2-66.8
MultiRacial/Non-Hisp.	79	37,626	32	40.7	26.4-55.0	47	59.3	45.0-73.6
Hispanic	172	117,915	102	59.7	50.3-69.1	70	40.3	30.9-49.7
18-24	266	329,927	220	80.3	73.6-87.0	46	19.7	13.0-26.4
25-34	534	401,941	379	67.5	62.6-72.4	155	32.5	27.6-37.4
35-44	646	406,546	426	65.9	61.4-70.4	220	34.1	29.6-38.6
45-54	851	456,572	401	48.9	44.8-53.0	450	51.1	47.0-55.2
55-64	1044	396,425	367	34.0	30.5-37.5	677	66.0	62.5-69.5
65+	1738	495,775	388	22.7	20.3-25.1	1350	77.3	74.9-79.7
Less Than H.S.	491	334,346	120	34.4	28.5-40.3	371	65.6	59.7-71.5
H.S. or G.E.D.	1858	821,296	543	38.3	35.4-41.2	1315	61.7	58.8-64.6
Some Post-H.S.	1415	833,657	671	56.5	53.2-59.8	744	43.5	40.2-46.8
College Graduate	1355	514,948	871	74.3	71.8-76.8	484	25.7	23.2-28.2
Less than \$15,000	684	301,978	172	35.5	30.2-40.8	512	64.5	59.2-69.8
\$15,000- 24,999	966	426,472	280	36.6	32.3-40.9	686	63.4	59.1-67.7
\$25,000- 34,999	550	264,026	209	45.8	40.1-51.5	341	54.2	48.5-59.9
\$35,000- 49,999	632	313,007	297	52.2	47.3-57.1	335	47.8	42.9-52.7
\$50,000- 74,999	633	340,267	353	62.4	57.7-67.1	280	37.6	32.9-42.3
\$75,000+	818	446,930	561	73.1	69.6-76.6	257	26.9	23.4-30.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012**

SECTION 6: ORAL HEALTH

**TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2641	875,328	2121	80.3	78.3-82.3	520	19.7	17.7-21.7
Male	903	379,552	727	79.2	75.7-82.7	176	20.8	17.3-24.3
Female	1738	495,775	1394	81.2	78.8-83.6	344	18.8	16.4-21.2
White/Non-Hisp	2214	780,348	1807	81.0	78.8-83.2	407	19.0	16.8-21.2
Black or Afr. Am./Non-Hisp	287	46,883	200	71.4	64.0-78.8	87	28.6	21.2-36.0
65+	2641	875,328	2121	80.3	78.3-82.3	520	19.7	17.7-21.7
Less Than H.S.	322	138,251	187	58.4	51.1-65.7	135	41.6	34.3-48.9
H.S. or G.E.D.	1136	379,439	884	78.8	75.9-81.7	252	21.2	18.3-24.1
Some Post-H.S.	599	208,073	510	87.9	85.0-90.8	89	12.1	09.2-15.0
College Graduate	577	147,011	536	94.4	92.2-96.6	41	5.6	03.4-07.8
Less than \$15,000	328	88,670	207	60.1	51.9-68.3	121	39.9	31.7-48.1
\$15,000- 24,999	623	190,647	466	73.1	68.4-77.8	157	26.9	22.2-31.6
\$25,000- 34,999	367	122,301	303	80.2	74.9-85.5	64	19.8	14.5-25.1
\$35,000- 49,999	351	130,737	312	88.5	84.4-92.6	39	11.5	07.4-15.6
\$50,000- 74,999	233	81,789	209	89.4	84.5-94.3	24	10.6	05.7-15.5
\$75,000+	219	81,771	210	96.5	94.0-99.0	9	3.5	01.0-06.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	903	379,552	727	79.2	75.5-82.9	176	20.8	17.1-24.5
White/Non-Hisp	748	333,510	610	79.9	76.4-83.4	138	20.1	16.6-23.6
Black or Afr. Am./Non-Hisp	99	21,540	69	68.7	55.8-81.6	30	31.3	18.4-44.2
65+	903	379,552	727	79.2	75.5-82.9	176	20.8	17.1-24.5
Less Than H.S.	110	61,904	61	50.9	38.4-63.4	49	49.1	36.6-61.6
H.S. or G.E.D.	333	149,059	254	76.5	71.0-82.0	79	23.5	18.0-29.0
Some Post-H.S.	188	83,471	156	88.7	84.0-93.4	32	11.3	06.6-16.0
College Graduate	270	84,090	254	95.0	92.1-97.9	16	5.0	02.1-07.9
Less than \$15,000	79	31,058	49	56.4	38.4-74.4	30	43.6	25.6-61.6
\$15,000- 24,999	187	71,977	133	66.5	57.5-75.5	54	33.5	24.5-42.5
\$25,000- 34,999	132	58,826	101	72.8	63.4-82.2	31	27.2	17.8-36.6
\$35,000- 49,999	154	67,568	134	87.2	80.9-93.5	20	12.8	06.5-19.1
\$50,000- 74,999	112	44,504	99	90.3	84.0-96.6	13	9.7	03.4-16.0
\$75,000+	121	51,971	118	96.8	93.3-0100	3	3.2	00.0-06.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1738	495,775	1394	81.2	78.8-83.6	344	18.8	16.4-21.2
White/Non-Hisp	1466	446,839	1197	81.9	79.5-84.3	269	18.1	15.7-20.5
Black or Afr. Am./Non-Hisp	188	25,343	131	73.7	65.7-81.7	57	26.3	18.3-34.3
65+	1738	495,775	1394	81.2	78.8-83.6	344	18.8	16.4-21.2
Less Than H.S.	212	76,347	126	64.4	56.6-72.2	86	35.6	27.8-43.4
H.S. or G.E.D.	803	230,381	630	80.3	77.0-83.6	173	19.7	16.4-23.0
Some Post-H.S.	411	124,601	354	87.3	83.6-91.0	57	12.7	09.0-16.4
College Graduate	307	62,921	282	93.7	90.6-96.8	25	6.3	03.2-09.4
Less than \$15,000	249	57,612	158	62.1	54.5-69.7	91	37.9	30.3-45.5
\$15,000- 24,999	436	118,670	333	77.2	72.3-82.1	103	22.8	17.9-27.7
\$25,000- 34,999	235	63,476	202	87.1	81.8-92.4	33	12.9	07.6-18.2
\$35,000- 49,999	197	63,170	178	89.8	84.5-95.1	19	10.2	04.9-15.5
\$50,000- 74,999	121	37,285	110	88.3	80.7-95.9	11	11.7	04.1-19.3
\$75,000+	98	29,800	92	96.0	92.5-99.5	6	4.0	00.5-07.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

**TABLE 7: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8576	4,907,716	5424	62.6	61.2-64.0	3152	37.4	36.0-38.8
Male	3367	2,376,845	2051	59.8	57.6-62.0	1316	40.2	38.0-42.4
Female	5209	2,530,872	3373	65.3	63.5-67.1	1836	34.7	32.9-36.5
White/Non-Hisp	6971	4,030,955	4587	65.2	63.8-66.6	2384	34.8	33.4-36.2
Black or Afr. Am./Non-Hisp	912	417,217	479	52.0	46.7-57.3	433	48.0	42.7-53.3
Oth. Race/Non-Hisp.	126	77,831	64	53.1	41.7-64.5	62	46.9	35.5-58.3
MultiRacial/Non-Hisp.	131	68,552	69	54.3	43.3-65.3	62	45.7	34.7-56.7
Hispanic	301	252,239	146	47.1	39.8-54.4	155	52.9	45.6-60.2
18-24	524	667,854	322	62.9	58.0-67.8	202	37.1	32.2-42.0
25-34	895	799,736	560	60.9	57.2-64.6	335	39.1	35.4-42.8
35-44	1110	815,464	727	62.0	58.5-65.5	383	38.0	34.5-41.5
45-54	1459	906,564	922	61.7	58.6-64.8	537	38.3	35.2-41.4
55-64	1791	784,249	1188	66.5	63.8-69.2	603	33.5	30.8-36.2
65+	2722	899,703	1655	62.0	59.6-64.4	1067	38.0	35.6-40.4
Less Than H.S.	834	687,443	296	39.1	34.6-43.6	538	60.9	56.4-65.4
H.S. or G.E.D.	3110	1,715,487	1726	56.3	53.9-58.7	1384	43.7	41.3-46.1
Some Post-H.S.	2245	1,473,046	1467	66.8	64.3-69.3	778	33.2	30.7-35.7
College Graduate	2368	1,021,700	1927	83.1	81.3-84.9	441	16.9	15.1-18.7
Less than \$15,000	1004	506,336	396	42.1	37.8-46.4	608	57.9	53.6-62.2
\$15,000- 24,999	1526	796,410	716	44.4	41.1-47.7	810	55.6	52.3-58.9
\$25,000- 34,999	898	496,042	509	52.7	48.2-57.2	389	47.3	42.8-51.8
\$35,000- 49,999	1143	669,801	793	66.2	62.7-69.7	350	33.8	30.3-37.3
\$50,000- 74,999	1171	740,973	864	70.6	67.3-73.9	307	29.4	26.1-32.7
\$75,000+	1588	1,001,641	1355	84.2	81.8-86.6	233	15.8	13.4-18.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

**TABLE 8: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3367	2,376,845	2051	59.8	57.6-62.0	1316	40.2	38.0-42.4
White/Non-Hisp	2771	1,941,269	1767	62.6	60.4-64.8	1004	37.4	35.2-39.6
Black or Afr. Am./Non-Hisp	304	194,133	148	48.8	40.4-57.2	156	51.2	42.8-59.6
Oth. Race/Non-Hisp.	50	40,867	21	50.2	31.8-68.6	29	49.8	31.4-68.2
MultiRacial/Non-Hisp.	52	31,191	23	46.7	30.2-63.2	29	53.3	36.8-69.8
Hispanic	126	132,982	53	43.4	32.2-54.6	73	56.6	45.4-67.8
18-24	258	337,348	147	59.3	52.4-66.2	111	40.7	33.8-47.6
25-34	362	398,721	211	57.1	51.2-63.0	151	42.9	37.0-48.8
35-44	466	408,777	288	58.0	52.5-63.5	178	42.0	36.5-47.5
45-54	602	447,854	351	57.8	53.1-62.5	251	42.2	37.5-46.9
55-64	739	385,344	485	66.3	62.2-70.4	254	33.7	29.6-37.8
65+	918	386,115	555	60.7	56.8-64.6	363	39.3	35.4-43.2
Less Than H.S.	325	344,434	103	35.8	28.9-42.7	222	64.2	57.3-71.1
H.S. or G.E.D.	1213	884,178	618	52.0	48.5-55.5	595	48.0	44.5-51.5
Some Post-H.S.	815	636,024	503	64.5	60.6-68.4	312	35.5	31.6-39.4
College Graduate	1005	505,365	823	83.9	81.4-86.4	182	16.1	13.6-18.6
Less than \$15,000	309	201,198	113	39.5	32.1-46.9	196	60.5	53.1-67.9
\$15,000- 24,999	549	367,018	229	40.6	35.3-45.9	320	59.4	54.1-64.7
\$25,000- 34,999	345	231,114	156	41.6	35.1-48.1	189	58.4	51.9-64.9
\$35,000- 49,999	506	355,102	327	60.9	55.4-66.4	179	39.1	33.6-44.6
\$50,000- 74,999	534	400,006	367	65.5	60.4-70.6	167	34.5	29.4-39.6
\$75,000+	768	553,560	643	83.0	79.7-86.3	125	17.0	13.7-20.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

**TABLE 9: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5209	2,530,872	3373	65.3	63.5-67.1	1836	34.7	32.9-36.5
White/Non-Hisp	4200	2,089,686	2820	67.6	65.6-69.6	1380	32.4	30.4-34.4
Black or Afr. Am./Non-Hisp	608	223,084	331	54.8	48.1-61.5	277	45.2	38.5-51.9
Oth. Race/Non-Hisp.	76	36,964	43	56.3	43.2-69.4	33	43.7	30.6-56.8
MultiRacial/Non-Hisp.	79	37,361	46	60.5	45.8-75.2	33	39.5	24.8-54.2
Hispanic	175	119,257	93	51.2	41.8-60.6	82	48.8	39.4-58.2
18-24	266	330,506	175	66.5	59.6-73.4	91	33.5	26.6-40.4
25-34	533	401,016	349	64.7	59.8-69.6	184	35.3	30.4-40.2
35-44	644	406,688	439	66.0	61.5-70.5	205	34.0	29.5-38.5
45-54	857	458,710	571	65.4	61.5-69.3	286	34.6	30.7-38.5
55-64	1052	398,906	703	66.7	63.2-70.2	349	33.3	29.8-36.8
65+	1804	513,589	1100	62.9	60.2-65.6	704	37.1	34.4-39.8
Less Than H.S.	509	343,009	193	42.5	36.6-48.4	316	57.5	51.6-63.4
H.S. or G.E.D.	1897	831,309	1108	60.8	58.1-63.5	789	39.2	36.5-41.9
Some Post-H.S.	1430	837,022	964	68.5	65.2-71.8	466	31.5	28.2-34.8
College Graduate	1363	516,335	1104	82.4	79.9-84.9	259	17.6	15.1-20.1
Less than \$15,000	695	305,138	283	43.8	38.7-48.9	412	56.2	51.1-61.3
\$15,000- 24,999	977	429,392	487	47.6	43.3-51.9	490	52.4	48.1-56.7
\$25,000- 34,999	553	264,928	353	62.4	56.5-68.3	200	37.6	31.7-43.5
\$35,000- 49,999	637	314,699	466	72.3	68.0-76.6	171	27.7	23.4-32.0
\$50,000- 74,999	637	340,967	497	76.6	72.5-80.7	140	23.4	19.3-27.5
\$75,000+	820	448,080	712	85.8	82.9-88.7	108	14.2	11.3-17.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE).	
1 MALES AND FEMALES	40
2 MALES ONLY	41
3 FEMALES ONLY	42
MULTIRACIAL RACE CATEGORIZATION (_MRACE).	
4 MALES AND FEMALES	43
5 MALES ONLY	44
6 FEMALES ONLY	45
RACE/ETHNICITY CATEGORIES (RACE2).	
7 MALES AND FEMALES	46
8 MALES ONLY	47
9 FEMALES ONLY	48
WHITE/HISPANIC RACE GROUP (_RACEG2).	
10 MALES AND FEMALES	49
11 MALES ONLY	50
12 FEMALES ONLY	51
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)	
13 MALES AND FEMALES	52
14 MALES ONLY	53
15 FEMALES ONLY	54
NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).	
16 MALES AND FEMALES	55
17 MALES ONLY	56
18 FEMALES ONLY	57

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).	
19 MALES AND FEMALES	58
20 MALES ONLY	59
21 FEMALES ONLY	60
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
22 MALES AND FEMALES	61
23 MALES ONLY	62
24 FEMALES ONLY	63
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
25 MALES AND FEMALES	64
26 MALES ONLY	65
27 FEMALES ONLY	66
REPORTED HEIGHT IN INCHES (HTIN4).	
28 MALES AND FEMALES	67
29 MALES ONLY	68
30 FEMALES ONLY	69
REPORTED HEIGHT IN METERS (HTM4).	
31 MALES AND FEMALES	70
32 MALES ONLY	71
33 FEMALES ONLY	72
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
34 MALES AND FEMALES	73
35 MALES ONLY	74
36 FEMALES ONLY	75
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
37 MALES AND FEMALES	76
38 MALES ONLY	77
39 FEMALES ONLY	78

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
40	MALES AND FEMALES	79
41	MALES ONLY	80
42	FEMALES ONLY	81
	RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
43	MALES AND FEMALES	82
44	MALES ONLY	83
45	FEMALES ONLY	84
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).	
46	MALES AND FEMALES	85
47	MALES ONLY	86
48	FEMALES ONLY	87

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 1: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8464	4,831,301	7312	88.3	87.3-89.3	968	9.2	08.4-10.0	75	1.1	00.7-01.5	9	0.1	00.1-00.1	80	0.9	00.5-01.3	20	0.3	00.1-00.5
Male	3312	2,331,459	2910	88.5	86.9-90.1	324	8.8	07.4-10.2	26	1.1	00.7-01.5	5	0.1	00.0-00.3	41	1.3	00.7-01.9	6	0.2	00.0-00.4
Female	5152	2,499,842	4402	88.2	87.0-89.4	644	9.6	08.4-10.8	49	1.2	00.8-01.6	4	0.1	00.0-00.3	39	0.6	00.4-00.8	14	0.3	00.1-00.5
18-24	512	654,607	428	85.0	81.5-88.5	55	10.4	07.3-13.5	21	3.5	01.9-05.1	1	0.0	00.0-00.0	3	0.4	00.0-01.0	4	0.6	00.0-01.2
25-34	876	780,190	731	84.9	82.2-87.6	116	12.1	09.6-14.6	14	1.2	00.6-01.8	3	0.4	00.0-00.8	10	1.2	00.2-02.2	2	0.3	00.0-00.7
35-44	1088	793,866	943	86.0	83.1-88.9	117	11.6	08.7-14.5	18	1.3	00.7-01.9				5	0.5	00.0-01.1	5	0.6	00.0-01.2
45-54	1447	902,961	1258	89.8	87.8-91.8	155	8.0	06.2-09.8	13	0.9	00.1-01.7	3	0.2	00.0-00.6	15	0.9	00.3-01.5	3	0.2	00.0-00.4
55-64	1768	774,910	1526	90.0	88.2-91.8	205	7.9	06.3-09.5	5	0.3	00.0-00.7	2	0.0	00.0-00.0	27	1.7	00.9-02.5	3	0.1	00.0-00.3
65+	2703	892,857	2364	93.1	91.9-94.3	312	5.9	04.9-06.9	4	0.2	00.0-00.4				20	0.8	00.0-01.6	3	0.1	00.0-00.3
Less Than H.S.	804	654,196	647	83.7	80.0-87.4	134	12.9	09.6-16.2							17	2.3	00.5-04.1	6	1.0	00.0-02.0
H.S. or G.E.D.	3089	1,699,627	2707	89.4	87.8-91.0	331	8.4	07.0-09.8	14	0.9	00.3-01.5	3	0.0	00.0-00.0	31	1.2	00.6-01.8	3	0.0	00.0-00.0
Some Post-H.S.	2218	1,455,841	1876	88.1	86.3-89.9	300	10.1	08.3-11.9	11	0.8	00.2-01.4	5	0.3	00.0-00.7	22	0.5	00.3-00.7	4	0.2	00.0-00.4
College Graduate	2336	1,012,492	2068	89.9	88.3-91.5	200	6.6	05.2-08.0	50	2.9	02.1-03.7	1	0.0	00.0-00.0	10	0.2	00.0-00.4	7	0.4	00.0-00.8
Less than \$15,000	988	494,602	740	76.3	72.2-80.4	210	19.3	15.4-23.2	10	1.4	00.4-02.4	1	0.2	00.0-00.6	23	2.5	00.7-04.3	4	0.4	00.0-00.8
\$15,000- 24,999	1513	779,554	1213	83.6	80.9-86.3	263	13.8	11.4-16.2	4	0.4	00.0-00.8	3	0.1	00.1-00.1	23	1.4	00.4-02.4	7	0.8	00.0-01.6
\$25,000- 34,999	881	481,440	743	86.2	82.7-89.7	120	11.2	08.1-14.3	8	0.9	00.1-01.7	1	0.3	00.0-00.9	7	1.0	00.0-02.2	2	0.4	00.0-01.0
\$35,000- 49,999	1128	660,895	991	90.7	88.5-92.9	118	8.0	05.8-10.2	6	0.5	00.0-01.1				12	0.8	00.2-01.4	1	0.1	00.0-00.3
\$50,000- 74,999	1162	739,666	1065	92.3	90.1-94.5	77	5.4	03.4-07.4	11	1.1	00.3-01.9	3	0.3	00.0-00.7	4	0.7	00.0-01.5	2	0.2	00.0-00.4
\$75,000+	1568	991,599	1460	93.4	91.6-95.2	76	4.3	02.9-05.7	27	2.2	01.2-03.2	1	0.0	00.0-00.0	3	0.1	00.0-00.3	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3312	2,331,459	2910	88.5	86.9-90.1	324	8.8	07.4-10.2	26	1.1	00.7-01.5	5	0.1	00.0-00.3	41	1.3	00.7-01.9	6	0.2	00.0-00.4
18-24	256	333,778	223	85.8	80.9-90.7	22	9.5	05.4-13.6	9	3.6	01.1-06.1				1	0.5	00.0-01.5	1	0.5	00.0-01.5
25-34	355	389,494	301	84.4	80.1-88.7	39	12.2	08.3-16.1	7	1.4	00.4-02.4	2	0.4	00.0-01.0	6	1.6	00.0-03.4			
35-44	453	391,412	408	87.0	82.1-91.9	35	10.6	06.1-15.1	5	0.8	00.0-01.6				2	0.7	00.0-02.1	3	0.9	00.0-02.1
45-54	600	446,387	536	91.5	88.8-94.2	47	5.9	03.7-08.1	3	0.8	00.0-02.0	2	0.3	00.0-00.9	12	1.5	00.3-02.7			
55-64	725	378,709	635	88.9	85.8-92.0	73	8.7	06.0-11.4	1	0.0	00.0-00.0	1	0.0	00.0-00.0	13	2.2	00.6-03.8	2	0.1	00.0-00.3
65+	903	380,122	789	92.9	90.5-95.3	106	5.8	04.2-07.4	1	0.1	00.0-00.3				7	1.2	00.0-03.0			
Less Than H.S.	313	325,697	247	82.7	76.8-88.6	55	12.4	07.5-17.3							8	3.6	00.3-06.9	3	1.3	00.0-02.9
H.S. or G.E.D.	1202	873,651	1065	89.1	86.6-91.6	111	8.2	06.0-10.4	8	1.3	00.3-02.3	1	0.0	00.0-00.0	16	1.4	00.4-02.4	1	0.0	00.0-00.0
Some Post-H.S.	805	628,197	693	88.8	85.9-91.7	93	9.2	06.7-11.7	3	0.8	00.0-01.8	3	0.4	00.0-01.0	13	0.8	00.2-01.4			
College Graduate	984	497,948	899	90.9	88.5-93.3	63	6.8	04.6-09.0	15	1.8	00.8-02.8	1	0.0	00.0-00.0	4	0.2	00.0-00.6	2	0.3	00.0-00.7
Less than \$15,000	301	196,163	217	72.0	64.4-79.6	72	22.6	15.3-29.9	2	1.2	00.0-02.8	1	0.4	00.0-01.2	9	3.8	00.0-07.7			
\$15,000- 24,999	541	356,753	439	82.2	77.7-86.7	85	14.1	10.2-18.0	2	0.4	00.0-01.0				11	2.0	00.0-04.0	4	1.2	00.0-02.8
\$25,000- 34,999	338	222,059	289	85.8	79.9-91.7	41	11.1	05.8-16.4	3	0.7	00.0-01.9	1	0.6	00.0-01.8	4	1.8	00.0-04.3			
\$35,000- 49,999	496	347,058	445	92.0	88.9-95.1	41	6.6	03.7-09.5	2	0.6	00.0-01.4				7	0.7	00.1-01.3	1	0.2	00.0-00.6
\$50,000- 74,999	530	400,663	488	92.8	89.7-95.9	33	5.0	02.5-07.5	3	0.5	00.0-01.1	2	0.2	00.0-00.4	3	1.3	00.0-02.7	1	0.2	00.0-00.6
\$75,000+	757	545,778	708	92.0	89.3-94.7	34	5.5	03.1-07.9	12	2.3	00.7-03.9	1	0.0	00.0-00.0	2	0.2	00.0-00.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5152	2,499,842	4402	88.2	87.0-89.4	644	9.6	08.4-10.8	49	1.2	00.8-01.6	4	0.1	00.0-00.3	39	0.6	00.4-00.8	14	0.3	00.1-00.5
18-24	256	320,829	205	84.1	79.2-89.0	33	11.4	06.9-15.9	12	3.4	01.4-05.4	1	0.1	00.0-00.3	2	0.3	00.0-00.7	3	0.7	00.0-01.5
25-34	521	390,696	430	85.3	81.8-88.8	77	12.1	08.8-15.4	7	1.0	00.2-01.8	1	0.4	00.0-01.2	4	0.8	00.0-01.8	2	0.5	00.0-01.3
35-44	635	402,454	535	85.0	81.5-88.5	82	12.6	09.1-16.1	13	1.8	00.8-02.8				3	0.2	00.0-00.4	2	0.3	00.0-00.7
45-54	847	456,574	722	88.1	85.4-90.8	108	10.1	07.6-12.6	10	1.0	00.2-01.8	1	0.0	00.0-00.0	3	0.4	00.0-01.0	3	0.4	00.0-01.0
55-64	1043	396,201	891	91.0	89.0-93.0	132	7.0	05.2-08.8	4	0.6	00.0-01.2	1	0.0	00.0-00.0	14	1.3	00.5-02.1	1	0.0	00.0-00.0
65+	1800	512,735	1575	93.2	91.8-94.6	206	5.9	04.7-07.1	3	0.3	00.0-00.7				13	0.5	00.3-00.7	3	0.2	00.0-00.4
Less Than H.S.	491	328,499	400	84.7	80.2-89.2	79	13.5	09.2-17.8							9	1.1	00.3-01.9	3	0.7	00.0-01.5
H.S. or G.E.D.	1887	825,976	1642	89.8	87.8-91.8	220	8.7	06.9-10.5	6	0.4	00.0-00.8	2	0.0	00.0-00.0	15	1.0	00.4-01.6	2	0.1	00.0-00.3
Some Post-H.S.	1413	827,644	1183	87.6	85.2-90.0	207	10.9	08.7-13.1	8	0.8	00.2-01.4	2	0.2	00.0-00.6	9	0.2	00.0-00.4	4	0.3	00.0-00.7
College Graduate	1352	514,544	1169	88.9	86.7-91.1	137	6.5	04.9-08.1	35	3.9	02.5-05.3				6	0.2	00.0-00.4	5	0.5	00.1-00.9
Less than \$15,000	687	298,438	523	79.1	74.6-83.6	138	17.1	12.8-21.4	8	1.5	00.3-02.7				14	1.6	00.4-02.8	4	0.6	00.0-01.4
\$15,000- 24,999	972	422,800	774	84.7	81.6-87.8	178	13.6	10.7-16.5	2	0.3	00.0-00.7	3	0.1	00.0-00.3	12	0.9	00.3-01.5	3	0.4	00.0-00.8
\$25,000- 34,999	543	259,381	454	86.5	82.4-90.6	79	11.2	07.3-15.1	5	1.1	00.0-02.3				3	0.3	00.0-00.7	2	0.8	00.0-02.0
\$35,000- 49,999	632	313,837	546	89.2	85.9-92.5	77	9.5	06.4-12.6	4	0.5	00.0-01.1				5	0.9	00.0-01.9			
\$50,000- 74,999	632	339,003	577	91.7	88.6-94.8	44	5.9	03.2-08.6	8	1.7	00.3-03.1	1	0.4	00.0-01.2	1	0.1	00.0-00.3	1	0.2	00.0-00.6
\$75,000+	811	445,821	752	95.1	93.5-96.7	42	2.8	01.6-04.0	15	2.0	00.8-03.2				1	0.0	00.0-00.0	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8464	4,831,301	7237	87.5	86.5-88.5	941	9.0	08.2-09.8	70	1.1	00.9-01.3	5	0.1	00.1-00.1	63	0.8	00.4-01.2	148	1.7	01.3-02.1
Male	3312	2,331,459	2876	87.4	85.8-89.0	316	8.7	07.3-10.1	23	0.9	00.5-01.3	3	0.1	00.0-00.3	32	1.1	00.5-01.7	62	1.7	01.1-02.3
Female	5152	2,499,842	4361	87.5	86.3-88.7	625	9.3	08.1-10.5	47	1.2	00.8-01.6	2	0.0	00.0-00.0	31	0.4	00.2-00.6	86	1.6	01.2-02.0
18-24	512	654,607	425	84.4	80.9-87.9	51	10.1	07.0-13.2	19	3.1	01.5-04.7				2	0.3	00.0-00.9	15	2.0	00.8-03.2
25-34	876	780,190	725	84.2	81.3-87.1	111	11.9	09.4-14.4	13	1.1	00.5-01.7	1	0.1	00.0-00.3	7	0.9	00.0-01.9	19	1.8	00.8-02.8
35-44	1088	793,866	931	84.9	82.0-87.8	113	11.5	08.6-14.4	17	1.2	00.6-01.8				4	0.5	00.0-01.1	23	1.9	00.9-02.9
45-54	1447	902,961	1243	88.7	86.7-90.7	151	7.7	06.1-09.3	12	0.9	00.1-01.7	2	0.2	00.0-00.6	13	0.9	00.3-01.5	26	1.6	00.8-02.4
55-64	1768	774,910	1509	89.0	87.0-91.0	202	7.8	06.2-09.4	5	0.3	00.0-00.7	2	0.0	00.0-00.0	20	1.3	00.5-02.1	30	1.5	00.9-02.1
65+	2703	892,857	2343	92.1	90.7-93.5	305	5.6	04.6-06.6	4	0.2	00.0-00.4				17	0.7	00.0-01.5	34	1.4	00.8-02.0
Less Than H.S.	804	654,196	641	82.8	79.1-86.5	131	12.9	09.6-16.2							15	2.1	00.3-03.9	17	2.2	00.8-03.6
H.S. or G.E.D.	3089	1,699,627	2672	88.3	86.7-89.9	323	8.1	06.7-09.5	12	0.8	00.2-01.4	3	0.0	00.0-00.0	26	1.0	00.4-01.6	53	1.7	01.1-02.3
Some Post-H.S.	2218	1,455,841	1853	87.2	85.4-89.0	291	9.9	08.1-11.7	10	0.7	00.1-01.3	2	0.2	00.0-00.4	15	0.3	00.1-00.5	47	1.7	01.1-02.3
College Graduate	2336	1,012,492	2057	89.4	87.8-91.0	193	6.5	05.1-07.9	48	2.7	01.9-03.5				7	0.2	00.0-00.4	31	1.3	00.7-01.9
Less than \$15,000	988	494,602	725	75.1	71.0-79.2	200	18.8	14.9-22.7	10	1.4	00.4-02.4	1	0.2	00.0-00.6	19	2.2	00.6-03.8	33	2.5	01.3-03.7
\$15,000- 24,999	1513	779,554	1199	82.8	80.1-85.5	256	13.4	11.0-15.8	3	0.2	00.0-00.4	2	0.0	00.0-00.0	15	1.1	00.1-02.1	38	2.4	01.4-03.4
\$25,000- 34,999	881	481,440	734	84.9	81.4-88.4	117	10.7	07.6-13.8	8	0.9	00.1-01.7	1	0.3	00.0-00.9	6	0.9	00.0-02.1	15	2.3	00.9-03.7
\$35,000- 49,999	1128	660,895	982	90.1	87.7-92.5	115	7.7	05.5-09.9	5	0.5	00.0-01.1				12	0.8	00.2-01.4	14	1.0	00.4-01.6
\$50,000- 74,999	1162	739,666	1055	91.4	89.0-93.8	76	5.4	03.4-07.4	11	1.1	00.3-01.9	1	0.0	00.0-00.0	4	0.7	00.0-01.5	15	1.5	00.7-02.3
\$75,000+	1568	991,599	1450	92.5	90.7-94.3	75	4.2	02.8-05.6	24	1.8	00.8-02.8				2	0.1	00.0-00.3	17	1.3	00.7-01.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3312	2,331,459	2876	87.4	85.8-89.0	316	8.7	07.3-10.1	23	0.9	00.5-01.3	3	0.1	00.0-00.3	32	1.1	00.5-01.7	62	1.7	01.1-02.3
18-24	256	333,778	222	85.1	80.0-90.2	22	9.5	05.4-13.6	8	3.2	00.8-05.6				1	0.5	00.0-01.5	3	1.7	00.0-03.7
25-34	355	389,494	299	84.1	79.8-88.4	38	12.0	08.1-15.9	6	1.2	00.2-02.2	1	0.2	00.0-00.6	4	1.2	00.0-03.0	7	1.2	00.2-02.2
35-44	453	391,412	402	85.9	81.0-90.8	34	10.6	06.1-15.1	4	0.7	00.1-01.3				1	0.7	00.0-02.1	12	2.2	00.6-03.8
45-54	600	446,387	525	89.7	86.8-92.6	46	5.8	03.6-08.0	3	0.8	00.0-02.0	1	0.3	00.0-00.9	10	1.5	00.3-02.7	15	1.9	00.7-03.1
55-64	725	378,709	628	87.9	84.8-91.0	71	8.5	05.8-11.2	1	0.0	00.0-00.0	1	0.0	00.0-00.0	10	1.8	00.2-03.4	14	1.8	00.8-02.8
65+	903	380,122	783	91.6	89.1-94.1	103	5.7	04.1-07.3	1	0.1	00.0-00.3				6	1.0	00.0-02.8	10	1.5	00.3-02.7
Less Than H.S.	313	325,697	243	81.2	75.3-87.1	53	12.3	07.4-17.2							8	3.6	00.3-06.9	9	2.8	00.4-05.2
H.S. or G.E.D.	1202	873,651	1048	87.9	85.4-90.4	110	8.1	05.9-10.3	7	1.2	00.2-02.2	1	0.0	00.0-00.0	13	1.2	00.4-02.0	23	1.6	00.8-02.4
Some Post-H.S.	805	628,197	685	87.9	85.0-90.8	90	9.0	06.5-11.5	2	0.6	00.0-01.4	2	0.4	00.0-01.0	8	0.5	00.1-00.9	18	1.6	00.6-02.6
College Graduate	984	497,948	894	90.2	87.7-92.7	61	6.6	04.4-08.8	14	1.6	00.6-02.6				3	0.2	00.0-00.6	12	1.3	00.5-02.1
Less than \$15,000	301	196,163	216	71.7	64.1-79.3	67	21.9	14.6-29.2	2	1.2	00.0-02.8	1	0.4	00.0-01.2	8	3.7	00.0-07.6	7	1.1	00.1-02.1
\$15,000- 24,999	541	356,753	434	81.8	77.3-86.3	83	13.9	10.0-17.8	1	0.2	00.0-00.6				8	1.8	00.0-03.8	15	2.4	00.6-04.2
\$25,000- 34,999	338	222,059	282	83.5	77.6-89.4	40	11.0	05.7-16.3	3	0.7	00.0-01.9	1	0.6	00.0-01.8	3	1.6	00.0-04.1	9	2.5	00.5-04.5
\$35,000- 49,999	496	347,058	441	91.5	88.4-94.6	41	6.6	03.7-09.5	2	0.6	00.0-01.4				7	0.7	00.1-01.3	5	0.7	00.1-01.3
\$50,000- 74,999	530	400,663	482	91.5	88.4-94.6	33	5.0	02.5-07.5	3	0.5	00.0-01.1	1	0.0	00.0-00.0	3	1.3	00.0-02.7	8	1.6	00.4-02.8
\$75,000+	757	545,778	701	90.8	87.9-93.7	34	5.5	03.1-07.9	10	1.9	00.5-03.3				1	0.2	00.0-00.6	11	1.7	00.5-02.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5152	2,499,842	4361	87.5	86.3-88.7	625	9.3	08.1-10.5	47	1.2	00.8-01.6	2	0.0	00.0-00.0	31	0.4	00.2-00.6	86	1.6	01.2-02.0
18-24	256	320,829	203	83.7	78.6-88.8	29	10.8	06.3-15.3	11	3.0	01.2-04.8				1	0.1	00.0-00.3	12	2.3	00.7-03.9
25-34	521	390,696	426	84.3	80.6-88.0	73	11.7	08.4-15.0	7	1.0	00.2-01.8				3	0.6	00.0-01.4	12	2.4	00.8-04.0
35-44	635	402,454	529	83.9	80.2-87.6	79	12.5	09.0-16.0	13	1.8	00.8-02.8				3	0.2	00.0-00.4	11	1.6	00.6-02.6
45-54	847	456,574	718	87.7	85.0-90.4	105	9.5	07.0-12.0	9	1.0	00.2-01.8	1	0.0	00.0-00.0	3	0.4	00.0-01.0	11	1.4	00.2-02.6
55-64	1043	396,201	881	90.2	88.0-92.4	131	7.0	05.2-08.8	4	0.6	00.0-01.2	1	0.0	00.0-00.0	10	0.9	00.1-01.7	16	1.3	00.5-02.1
65+	1800	512,735	1560	92.5	91.1-93.9	202	5.5	04.3-06.7	3	0.3	00.0-00.7				11	0.4	00.2-00.6	24	1.3	00.5-02.1
Less Than H.S.	491	328,499	398	84.3	79.8-88.8	78	13.4	09.1-17.7							7	0.7	00.0-01.5	8	1.6	00.4-02.8
H.S. or G.E.D.	1887	825,976	1624	88.8	86.8-90.8	213	8.1	06.3-09.9	5	0.4	00.0-00.8	2	0.0	00.0-00.0	13	0.8	00.2-01.4	30	1.9	01.1-02.7
Some Post-H.S.	1413	827,644	1168	86.7	84.3-89.1	201	10.6	08.4-12.8	8	0.8	00.2-01.4				7	0.2	00.0-00.4	29	1.7	00.9-02.5
College Graduate	1352	514,544	1163	88.6	86.4-90.8	132	6.3	04.7-07.9	34	3.7	02.3-05.1				4	0.2	00.0-00.4	19	1.2	00.4-02.0
Less than \$15,000	687	298,438	509	77.3	72.8-81.8	133	16.8	12.5-21.1	8	1.5	00.3-02.7				11	1.1	00.1-02.1	26	3.4	01.6-05.2
\$15,000- 24,999	972	422,800	765	83.7	80.6-86.8	173	13.0	10.1-15.9	2	0.3	00.0-00.7	2	0.1	00.1-00.1	7	0.5	00.1-00.9	23	2.4	01.2-03.6
\$25,000- 34,999	543	259,381	452	86.1	82.0-90.2	77	10.4	06.9-13.9	5	1.1	00.0-02.3				3	0.3	00.0-00.7	6	2.1	00.1-04.1
\$35,000- 49,999	632	313,837	541	88.5	85.2-91.8	74	8.9	05.8-12.0	3	0.4	00.0-01.0				5	0.9	00.0-01.9	9	1.3	00.1-02.5
\$50,000- 74,999	632	339,003	573	91.1	88.0-94.2	43	5.8	03.1-08.5	8	1.7	00.3-03.1				1	0.1	00.0-00.3	7	1.3	00.1-02.5
\$75,000+	811	445,821	749	94.7	92.9-96.5	41	2.7	01.5-03.9	14	1.7	00.7-02.7				1	0.0	00.0-00.0	6	0.8	00.0-01.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 7: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8202	4,621,147	7019	87.7	86.7-88.7	924	9.1	08.1-10.1	68	1.1	00.7-01.5	5	0.1	00.1-00.1	48	0.5	00.3-00.7	138	1.5	01.1-01.9
Male	3201	2,222,605	2791	88.0	86.4-89.6	308	8.8	07.4-10.2	22	1.0	00.6-01.4	3	0.1	00.0-00.3	23	0.7	00.3-01.1	54	1.4	01.0-01.8
Female	5001	2,398,541	4228	87.5	86.3-88.7	616	9.3	08.1-10.5	46	1.1	00.7-01.5	2	0.0	00.0-00.0	25	0.3	00.1-00.5	84	1.6	01.2-02.0
18-24	481	612,369	402	85.2	81.7-88.7	47	9.9	06.8-13.0	18	3.2	01.6-04.8				1	0.3	00.0-00.9	13	1.4	00.4-02.4
25-34	818	720,897	675	84.0	81.1-86.9	108	12.5	09.8-15.2	13	1.2	00.6-01.8	1	0.1	00.0-00.3	3	0.3	00.0-00.7	18	1.8	00.8-02.8
35-44	1034	749,455	885	85.1	82.0-88.2	110	11.9	09.0-14.8	17	1.3	00.7-01.9				2	0.1	00.0-00.3	20	1.6	00.8-02.4
45-54	1408	871,229	1208	88.6	86.4-90.8	150	7.9	06.1-09.7	11	0.8	00.2-01.4	2	0.2	00.0-00.6	13	0.9	00.3-01.5	24	1.6	00.8-02.4
55-64	1744	762,016	1492	89.6	87.8-91.4	202	7.9	06.3-09.5	5	0.3	00.0-00.7	2	0.0	00.0-00.0	14	0.7	00.3-01.1	29	1.5	00.9-02.1
65+	2651	876,013	2299	92.2	90.8-93.6	300	5.5	04.5-06.5	4	0.2	00.0-00.4				15	0.7	00.0-01.5	33	1.4	00.8-02.0
Less Than H.S.	710	559,489	567	83.6	79.7-87.5	124	14.0	10.3-17.7							8	1.3	00.0-02.7	11	1.2	00.4-02.0
H.S. or G.E.D.	3011	1,643,077	2608	88.9	87.3-90.5	317	7.9	06.5-09.3	12	0.8	00.2-01.4	3	0.0	00.0-00.0	20	0.6	00.2-01.0	51	1.7	01.1-02.3
Some Post-H.S.	2178	1,424,340	1816	87.0	85.0-89.0	290	10.1	08.3-11.9	10	0.7	00.1-01.3	2	0.2	00.0-00.4	13	0.3	00.1-00.5	47	1.7	01.1-02.3
College Graduate	2286	985,095	2014	89.4	87.8-91.0	190	6.6	05.2-08.0	46	2.5	01.7-03.3				7	0.2	00.0-00.4	29	1.2	00.6-01.8
Less than \$15,000	934	461,494	683	74.8	70.5-79.1	193	19.3	15.2-23.4	10	1.5	00.5-02.5	1	0.2	00.0-00.6	16	1.9	00.3-03.5	31	2.4	01.2-03.6
\$15,000- 24,999	1451	715,170	1148	83.5	81.0-86.0	252	13.8	11.3-16.3	3	0.3	00.0-00.7	2	0.0	00.0-00.0	11	0.4	00.0-00.8	35	2.0	01.2-02.8
\$25,000- 34,999	851	451,451	706	84.5	80.8-88.2	116	11.4	08.1-14.7	8	1.0	00.2-01.8	1	0.3	00.0-00.9	5	0.4	00.0-00.8	15	2.5	00.9-04.1
\$35,000- 49,999	1103	646,604	965	90.5	88.1-92.9	114	7.7	05.5-09.9	5	0.5	00.0-01.1				7	0.4	00.0-00.8	12	0.8	00.2-01.4
\$50,000- 74,999	1136	720,648	1032	91.4	89.0-93.8	74	5.4	03.4-07.4	10	0.9	00.3-01.5	1	0.0	00.0-00.0	4	0.7	00.0-01.5	15	1.5	00.5-02.5
\$75,000+	1546	978,228	1428	92.4	90.6-94.2	75	4.3	02.9-05.7	24	1.9	00.9-02.9				2	0.1	00.0-00.3	17	1.3	00.5-02.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3201	2,222,605	2791	88.0	86.4-89.6	308	8.8	07.4-10.2	22	1.0	00.6-01.4	3	0.1	00.0-00.3	23	0.7	00.3-01.1	54	1.4	01.0-01.8
18-24	238	305,112	210	86.8	81.9-91.7	19	8.9	04.8-13.0	7	3.3	00.8-05.8				1	0.6	00.0-01.8	1	0.4	00.0-01.2
25-34	337	362,017	284	84.1	79.6-88.6	38	12.9	08.6-17.2	6	1.3	00.3-02.3	1	0.2	00.0-00.6	2	0.4	00.0-01.0	6	1.1	00.1-02.1
35-44	433	372,640	386	86.8	81.9-91.7	33	10.9	06.2-15.6	4	0.7	00.0-01.5							10	1.7	00.5-02.9
45-54	582	429,394	508	89.4	86.3-92.5	46	6.0	03.8-08.2	3	0.9	00.0-02.1	1	0.3	00.0-00.9	10	1.5	00.3-02.7	14	1.9	00.5-03.3
55-64	713	370,770	621	88.8	85.7-91.9	71	8.7	06.0-11.4	1	0.0	00.0-00.0	1	0.0	00.0-00.0	6	0.8	00.0-01.6	13	1.6	00.6-02.6
65+	880	372,435	766	91.6	89.1-94.1	100	5.8	04.2-07.4	1	0.1	00.0-00.3				4	1.0	00.0-02.8	9	1.5	00.3-02.7
Less Than H.S.	275	281,922	219	83.8	77.7-89.9	49	13.3	07.8-18.8							2	1.9	00.0-04.6	5	1.0	00.0-02.2
H.S. or G.E.D.	1164	836,913	1017	88.4	85.9-90.9	108	8.0	05.8-10.2	7	1.2	00.2-02.2	1	0.0	00.0-00.0	10	0.8	00.2-01.4	21	1.5	00.7-02.3
Some Post-H.S.	794	614,338	674	87.6	84.7-90.5	90	9.2	06.5-11.9	2	0.6	00.0-01.4	2	0.4	00.0-01.0	8	0.5	00.1-00.9	18	1.7	00.7-02.7
College Graduate	960	483,466	875	90.2	87.7-92.7	59	6.8	04.6-09.0	13	1.5	00.5-02.5				3	0.2	00.0-00.6	10	1.2	00.4-02.0
Less than \$15,000	284	185,505	204	71.5	63.5-79.5	64	22.5	15.1-29.9	2	1.3	00.0-03.1	1	0.5	00.0-01.5	7	3.2	00.0-07.1	6	1.1	00.0-02.3
\$15,000- 24,999	511	319,164	412	83.7	79.6-87.8	81	14.3	10.2-18.4	1	0.2	00.0-00.6				4	0.3	00.0-00.7	13	1.5	00.5-02.5
\$25,000- 34,999	324	204,014	270	83.4	77.3-89.5	39	12.0	06.3-17.7	3	0.8	00.0-02.0	1	0.7	00.0-02.1	2	0.4	00.0-01.0	9	2.8	00.6-05.0
\$35,000- 49,999	483	339,951	433	91.7	88.6-94.8	41	6.7	03.8-09.6	2	0.6	00.0-01.4				4	0.5	00.0-01.1	3	0.4	00.0-01.0
\$50,000- 74,999	518	390,079	471	91.5	88.2-94.8	32	5.0	02.3-07.7	3	0.5	00.0-01.1	1	0.0	00.0-00.0	3	1.3	00.0-02.9	8	1.7	00.3-03.1
\$75,000+	747	538,670	691	90.6	87.7-93.5	34	5.6	03.2-08.0	10	2.0	00.6-03.4				1	0.2	00.0-00.6	11	1.7	00.5-02.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5001	2,398,541	4228	87.5	86.3-88.7	616	9.3	08.1-10.5	46	1.1	00.7-01.5	2	0.0	00.0-00.0	25	0.3	00.1-00.5	84	1.6	01.2-02.0
18-24	243	307,257	192	83.7	78.6-88.8	28	10.8	06.1-15.5	11	3.2	01.2-05.2				12	2.4	00.8-04.0			
25-34	481	358,880	391	84.0	80.3-87.7	70	12.1	08.6-15.6	7	1.1	00.3-01.9				1	0.2	00.0-00.6	12	2.6	00.8-04.4
35-44	601	376,815	499	83.5	79.6-87.4	77	12.9	09.2-16.6	13	1.9	00.7-03.1				2	0.2	00.0-00.4	10	1.5	00.5-02.5
45-54	826	441,835	700	87.9	85.2-90.6	104	9.8	07.3-12.3	8	0.7	00.1-01.3	1	0.0	00.0-00.0	3	0.4	00.0-01.0	10	1.2	00.0-02.4
55-64	1031	391,247	871	90.4	88.2-92.6	131	7.1	05.3-08.9	4	0.6	00.0-01.2	1	0.0	00.0-00.0	8	0.6	00.2-01.0	16	1.3	00.5-02.1
65+	1771	503,578	1533	92.7	91.3-94.1	200	5.3	04.3-06.3	3	0.3	00.0-00.7				11	0.4	00.2-00.6	24	1.3	00.5-02.1
Less Than H.S.	435	277,567	348	83.3	78.2-88.4	75	14.6	09.7-19.5							6	0.8	00.0-01.6	6	1.3	00.1-02.5
H.S. or G.E.D.	1847	806,164	1591	89.3	87.3-91.3	209	7.9	06.1-09.7	5	0.4	00.0-00.8	2	0.0	00.0-00.0	10	0.4	00.0-00.8	30	1.9	01.1-02.7
Some Post-H.S.	1384	810,002	1142	86.6	84.2-89.0	200	10.8	08.6-13.0	8	0.8	00.2-01.4				5	0.1	00.0-00.3	29	1.7	00.9-02.5
College Graduate	1326	501,629	1139	88.6	86.4-90.8	131	6.5	04.9-08.1	33	3.5	02.1-04.9				4	0.2	00.0-00.4	19	1.3	00.5-02.1
Less than \$15,000	650	275,988	479	76.9	72.2-81.6	129	17.1	12.6-21.6	8	1.6	00.4-02.8				9	1.0	00.0-02.0	25	3.3	01.7-04.9
\$15,000- 24,999	940	396,005	736	83.3	80.2-86.4	171	13.4	10.5-16.3	2	0.3	00.0-00.7	2	0.1	00.0-00.3	7	0.5	00.1-00.9	22	2.4	01.0-03.8
\$25,000- 34,999	527	247,437	436	85.4	81.1-89.7	77	10.9	07.2-14.6	5	1.2	00.0-02.4				3	0.3	00.0-00.7	6	2.2	00.0-04.4
\$35,000- 49,999	620	306,653	532	89.1	85.8-92.4	73	8.8	05.7-11.9	3	0.4	00.0-01.0				3	0.3	00.0-00.7	9	1.3	00.1-02.5
\$50,000- 74,999	618	330,570	561	91.3	88.2-94.4	42	5.9	03.2-08.6	7	1.4	00.2-02.6				1	0.1	00.0-00.3	7	1.3	00.1-02.5
\$75,000+	799	439,559	737	94.6	92.8-96.4	41	2.8	01.6-04.0	14	1.8	00.8-02.8				1	0.0	00.0-00.0	6	0.8	00.0-01.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG2).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8508	4,884,597	7019	83.0	81.8-84.2	1489	17.0	15.8-18.2
Male	3331	2,365,529	2791	82.7	80.9-84.5	540	17.3	15.5-19.1
Female	5177	2,519,069	4228	83.3	81.9-84.7	949	16.7	15.3-18.1
18-24	528	675,830	402	77.2	73.1-81.3	126	22.8	18.7-26.9
25-34	890	798,745	675	75.9	72.6-79.2	215	24.1	20.8-27.4
35-44	1106	811,083	885	78.6	75.3-81.9	221	21.4	18.1-24.7
45-54	1452	903,455	1208	85.5	83.1-87.9	244	14.5	12.1-16.9
55-64	1777	777,606	1492	87.8	85.8-89.8	285	12.2	10.2-14.2
65+	2687	886,900	2299	91.1	89.7-92.5	388	8.9	07.5-10.3
Less Than H.S.	820	680,057	567	68.7	64.4-73.0	253	31.3	27.0-35.6
H.S. or G.E.D.	3110	1,723,180	2608	84.7	82.9-86.5	502	15.3	13.5-17.1
Some Post-H.S.	2224	1,460,908	1816	84.8	82.8-86.8	408	15.2	13.2-17.2
College Graduate	2336	1,010,428	2014	87.1	85.3-88.9	322	12.9	11.1-14.7
Less than \$15,000	998	511,300	683	67.5	63.2-71.8	315	32.5	28.2-36.8
\$15,000- 24,999	1532	799,138	1148	74.7	71.6-77.8	384	25.3	22.2-28.4
\$25,000- 34,999	888	489,112	706	78.0	73.9-82.1	182	22.0	17.9-26.1
\$35,000- 49,999	1138	668,822	965	87.5	85.0-90.0	173	12.5	10.0-15.0
\$50,000- 74,999	1161	739,459	1032	89.1	86.6-91.6	129	10.9	08.4-13.4
\$75,000+	1571	992,091	1428	91.1	89.1-93.1	143	8.9	06.9-10.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACE2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3331	2,365,529	2791	82.7	80.9-84.5	540	17.3	15.5-19.1
18-24	262	346,472	210	76.4	70.1-82.7	52	23.6	17.3-29.9
25-34	361	399,794	284	76.1	71.0-81.2	77	23.9	18.8-29.0
35-44	462	403,973	386	80.0	74.9-85.1	76	20.0	14.9-25.1
45-54	601	446,391	508	86.0	82.5-89.5	93	14.0	10.5-17.5
55-64	729	379,721	621	86.7	83.4-90.0	108	13.3	10.0-16.6
65+	897	377,828	766	90.3	87.6-93.0	131	9.7	07.0-12.4
Less Than H.S.	321	342,545	219	69.0	62.3-75.7	102	31.0	24.3-37.7
H.S. or G.E.D.	1213	890,869	1017	83.1	80.2-86.0	196	16.9	14.0-19.8
Some Post-H.S.	806	630,112	674	85.4	82.1-88.7	132	14.6	11.3-17.9
College Graduate	982	495,158	875	88.1	85.4-90.8	107	11.9	09.2-14.6
Less than \$15,000	303	204,930	204	64.8	56.8-72.8	99	35.2	27.2-43.2
\$15,000- 24,999	549	369,156	412	72.4	67.1-77.7	137	27.6	22.3-32.9
\$25,000- 34,999	341	225,917	270	75.3	68.4-82.2	71	24.7	17.8-31.6
\$35,000- 49,999	503	353,973	433	88.1	84.4-91.8	70	11.9	08.2-15.6
\$50,000- 74,999	529	400,455	471	89.1	85.6-92.6	58	10.9	07.4-14.4
\$75,000+	756	545,050	691	89.6	86.7-92.5	65	10.4	07.5-13.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACE2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5177	2,519,069	4228	83.3	81.9-84.7	949	16.7	15.3-18.1
18-24	266	329,358	192	78.1	72.6-83.6	74	21.9	16.4-27.4
25-34	529	398,951	391	75.6	71.3-79.9	138	24.4	20.1-28.7
35-44	644	407,110	499	77.2	73.1-81.3	145	22.8	18.7-26.9
45-54	851	457,064	700	85.0	81.9-88.1	151	15.0	11.9-18.1
55-64	1048	397,884	871	88.9	86.7-91.1	177	11.1	08.9-13.3
65+	1790	509,073	1533	91.7	90.3-93.1	257	8.3	06.9-09.7
Less Than H.S.	499	337,512	348	68.5	62.8-74.2	151	31.5	25.8-37.2
H.S. or G.E.D.	1897	832,312	1591	86.5	84.3-88.7	306	13.5	11.3-15.7
Some Post-H.S.	1418	830,797	1142	84.4	81.9-86.9	276	15.6	13.1-18.1
College Graduate	1354	515,270	1139	86.2	83.8-88.6	215	13.8	11.4-16.2
Less than \$15,000	695	306,371	479	69.3	64.4-74.2	216	30.7	25.8-35.6
\$15,000- 24,999	983	429,981	736	76.7	73.0-80.4	247	23.3	19.6-27.0
\$25,000- 34,999	547	263,194	436	80.3	75.4-85.2	111	19.7	14.8-24.6
\$35,000- 49,999	635	314,849	532	86.8	83.3-90.3	103	13.2	09.7-16.7
\$50,000- 74,999	632	339,003	561	89.1	85.8-92.4	71	10.9	07.6-14.2
\$75,000+	815	447,040	737	93.1	91.1-95.1	78	6.9	04.9-08.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8508	4,884,597	7019	83.0	81.8-84.2	924	8.6	07.8-09.4	126	1.6	01.2-02.0	133	1.4	01.0-01.8	306	5.4	04.6-06.2
Male	3331	2,365,529	2791	82.7	80.9-84.5	308	8.3	06.9-09.7	50	1.7	01.1-02.3	52	1.3	00.9-01.7	130	6.0	04.6-07.4
Female	5177	2,519,069	4228	83.3	81.9-84.7	616	8.9	07.7-10.1	76	1.5	01.1-01.9	81	1.5	01.1-01.9	176	4.8	04.0-05.6
18-24	528	675,830	402	77.2	73.1-81.3	47	8.9	06.2-11.6	20	3.3	01.7-04.9	12	1.2	00.4-02.0	47	9.4	06.3-12.5
25-34	890	798,745	675	75.9	72.6-79.2	108	11.3	08.8-13.8	18	1.5	00.7-02.3	17	1.6	00.8-02.4	72	9.7	07.2-12.2
35-44	1106	811,083	885	78.6	75.3-81.9	110	11.0	08.3-13.7	19	1.3	00.7-01.9	20	1.5	00.7-02.3	72	7.6	05.4-09.8
45-54	1452	903,455	1208	85.5	83.1-87.9	150	7.6	06.0-09.2	26	1.8	00.8-02.8	24	1.5	00.7-02.3	44	3.6	02.2-05.0
55-64	1777	777,606	1492	87.8	85.8-89.8	202	7.7	06.1-09.3	23	1.1	00.5-01.7	27	1.4	00.8-02.0	33	2.0	01.0-03.0
65+	2687	886,900	2299	91.1	89.7-92.5	300	5.4	04.4-06.4	20	0.9	00.1-01.7	32	1.4	00.8-02.0	36	1.2	00.6-01.8
Less Than H.S.	820	680,057	567	68.7	64.4-73.0	124	11.5	08.4-14.6	9	1.2	00.0-02.4	10	0.9	00.3-01.5	110	17.7	14.2-21.2
H.S. or G.E.D.	3110	1,723,180	2608	84.7	82.9-86.5	317	7.6	06.2-09.0	36	1.4	00.8-02.0	50	1.6	01.0-02.2	99	4.6	03.4-05.8
Some Post-H.S.	2224	1,460,908	1816	84.8	82.8-86.8	290	9.9	08.1-11.7	26	1.2	00.6-01.8	46	1.6	01.0-02.2	46	2.5	01.5-03.5
College Graduate	2336	1,010,428	2014	87.1	85.3-88.9	190	6.5	05.1-07.9	55	2.8	02.0-03.6	27	1.1	00.5-01.7	50	2.5	01.7-03.3
Less than \$15,000	998	511,300	683	67.5	63.2-71.8	193	17.4	13.7-21.1	27	3.2	01.4-05.0	31	2.2	01.2-03.2	64	9.7	06.8-12.6
\$15,000- 24,999	1532	799,138	1148	74.7	71.6-77.8	252	12.3	10.1-14.5	18	0.7	00.3-01.1	33	1.7	00.9-02.5	81	10.5	08.0-13.0
\$25,000- 34,999	888	489,112	706	78.0	73.9-82.1	116	10.5	07.4-13.6	15	1.7	00.7-02.7	14	2.2	00.8-03.6	37	7.7	04.8-10.6
\$35,000- 49,999	1138	668,822	965	87.5	85.0-90.0	114	7.5	05.5-09.5	12	0.9	00.3-01.5	12	0.8	00.2-01.4	35	3.3	01.7-04.9
\$50,000- 74,999	1161	739,459	1032	89.1	86.6-91.6	74	5.3	03.3-07.3	16	1.7	00.7-02.7	14	1.4	00.6-02.2	25	2.5	01.3-03.7
\$75,000+	1571	992,091	1428	91.1	89.1-93.1	75	4.2	02.8-05.6	26	2.0	01.0-03.0	17	1.3	00.7-01.9	25	1.4	00.8-02.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3331	2,365,529	2791	82.7	80.9-84.5	308	8.3	06.9-09.7	50	1.7	01.1-02.3	52	1.3	00.9-01.7	130	6.0	04.6-07.4
18-24	262	346,472	210	76.4	70.1-82.7	19	7.9	04.2-11.6	8	3.4	00.9-05.9	1	0.4	00.0-01.2	24	11.9	06.6-17.2
25-34	361	399,794	284	76.1	71.0-81.2	38	11.7	07.8-15.6	9	1.7	00.5-02.9	6	1.0	00.0-02.0	24	9.4	05.5-13.3
35-44	462	403,973	386	80.0	74.9-85.1	33	10.0	05.5-14.5	4	0.6	00.0-01.2	10	1.6	00.4-02.8	29	7.8	04.7-10.9
45-54	601	446,391	508	86.0	82.5-89.5	46	5.8	03.6-08.0	14	2.6	00.8-04.4	14	1.8	00.6-03.0	19	3.8	01.6-06.0
55-64	729	379,721	621	86.7	83.4-90.0	71	8.5	05.8-11.2	10	1.0	00.2-01.8	11	1.4	00.4-02.4	16	2.4	00.8-04.0
65+	897	377,828	766	90.3	87.6-93.0	100	5.7	04.1-07.3	5	1.1	00.0-02.9	9	1.5	00.3-02.7	17	1.4	00.4-02.4
Less Than H.S.	321	342,545	219	69.0	62.3-75.7	49	11.0	06.3-15.7	3	1.7	00.0-03.9	4	0.7	00.0-01.7	46	17.7	12.2-23.2
H.S. or G.E.D.	1213	890,869	1017	83.1	80.2-86.0	108	7.5	05.5-09.5	19	2.0	00.8-03.2	20	1.4	00.6-02.2	49	6.1	03.9-08.3
Some Post-H.S.	806	630,112	674	85.4	82.1-88.7	90	9.0	06.5-11.5	12	1.5	00.3-02.7	18	1.6	00.6-02.6	12	2.5	00.5-04.5
College Graduate	982	495,158	875	88.1	85.4-90.8	59	6.6	04.4-08.8	16	1.7	00.7-02.7	10	1.2	00.4-02.0	22	2.4	01.2-03.6
Less than \$15,000	303	204,930	204	64.8	56.8-72.8	64	20.4	13.3-27.5	10	4.4	00.5-08.3	6	1.0	00.0-02.0	19	9.5	04.0-15.0
\$15,000- 24,999	549	369,156	412	72.4	67.1-77.7	81	12.4	08.9-15.9	7	0.6	00.0-01.2	11	1.1	00.3-01.9	38	13.5	09.0-18.0
\$25,000- 34,999	341	225,917	270	75.3	68.4-82.2	39	10.8	05.7-15.9	6	1.7	00.0-03.5	9	2.5	00.5-04.5	17	9.7	04.2-15.2
\$35,000- 49,999	503	353,973	433	88.1	84.4-91.8	41	6.5	03.8-09.2	6	1.1	00.1-02.1	3	0.4	00.0-00.8	20	4.0	01.6-06.4
\$50,000- 74,999	529	400,455	471	89.1	85.6-92.6	32	4.9	02.4-07.4	7	1.8	00.2-03.4	8	1.6	00.4-02.8	11	2.6	00.8-04.4
\$75,000+	756	545,050	691	89.6	86.7-92.5	34	5.5	03.1-07.9	11	2.1	00.5-03.7	11	1.7	00.5-02.9	9	1.2	00.2-02.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5177	2,519,069	4228	83.3	81.9-84.7	616	8.9	07.7-10.1	76	1.5	01.1-01.9	81	1.5	01.1-01.9	176	4.8	04.0-05.6
18-24	266	329,358	192	78.1	72.6-83.6	28	10.0	05.7-14.3	12	3.2	01.4-05.0	11	2.0	00.6-03.4	23	6.7	03.8-09.6
25-34	529	398,951	391	75.6	71.3-79.9	70	10.9	07.8-14.0	9	1.3	00.5-02.1	11	2.2	00.6-03.8	48	10.0	06.9-13.1
35-44	644	407,110	499	77.2	73.1-81.3	77	11.9	08.4-15.4	15	2.0	01.0-03.0	10	1.4	00.4-02.4	43	7.4	04.7-10.1
45-54	851	457,064	700	85.0	81.9-88.1	104	9.5	07.0-12.0	12	1.1	00.3-01.9	10	1.2	00.2-02.2	25	3.3	01.5-05.1
55-64	1048	397,884	871	88.9	86.7-91.1	131	7.0	05.2-08.8	13	1.2	00.4-02.0	16	1.3	00.5-02.1	17	1.7	00.7-02.7
65+	1790	509,073	1533	91.7	90.3-93.1	200	5.2	04.2-06.2	15	0.7	00.3-01.1	23	1.2	00.4-02.0	19	1.1	00.5-01.7
Less Than H.S.	499	337,512	348	68.5	62.8-74.2	75	12.0	07.9-16.1	6	0.6	00.0-01.2	6	1.0	00.0-02.0	64	17.8	13.1-22.5
H.S. or G.E.D.	1897	832,312	1591	86.5	84.3-88.7	209	7.6	06.0-09.2	17	0.9	00.5-01.3	30	1.9	01.1-02.7	50	3.1	01.9-04.3
Some Post-H.S.	1418	830,797	1142	84.4	81.9-86.9	200	10.5	08.3-12.7	14	0.9	00.3-01.5	28	1.7	00.9-02.5	34	2.5	01.5-03.5
College Graduate	1354	515,270	1139	86.2	83.8-88.6	131	6.3	04.7-07.9	39	3.9	02.5-05.3	17	1.0	00.4-01.6	28	2.6	01.4-03.8
Less than \$15,000	695	306,371	479	69.3	64.4-74.2	129	15.4	11.3-19.5	17	2.4	01.0-03.8	25	2.9	01.3-04.5	45	9.9	06.6-13.2
\$15,000- 24,999	983	429,981	736	76.7	73.0-80.4	171	12.3	09.6-15.0	11	0.8	00.2-01.4	22	2.2	01.0-03.4	43	7.9	05.0-10.8
\$25,000- 34,999	547	263,194	436	80.3	75.4-85.2	77	10.2	06.7-13.7	9	1.6	00.2-03.0	5	1.9	00.0-03.9	20	6.0	02.9-09.1
\$35,000- 49,999	635	314,849	532	86.8	83.3-90.3	73	8.6	05.7-11.5	6	0.7	00.0-01.5	9	1.3	00.1-02.5	15	2.6	00.8-04.4
\$50,000- 74,999	632	339,003	561	89.1	85.8-92.4	42	5.7	03.0-08.4	9	1.6	00.4-02.8	6	1.1	00.0-02.3	14	2.5	00.9-04.1
\$75,000+	815	447,040	737	93.1	91.1-95.1	41	2.7	01.5-03.9	15	1.8	00.8-02.8	6	0.8	00.0-01.6	16	1.7	00.7-02.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 16: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8456	4,824,334	8321	98.5	98.1-98.9	125	1.3	00.9-01.7	10	0.1	00.0-00.3
Male	3308	2,327,139	3252	98.5	97.9-99.1	53	1.5	00.9-02.1	3	0.0	00.0-00.0
Female	5148	2,497,195	5069	98.5	98.1-98.9	72	1.2	00.8-01.6	7	0.3	00.1-00.5
18-24	510	652,045	497	98.4	97.2-99.6	12	1.5	00.5-02.5	1	0.1	00.0-00.3
25-34	875	779,664	858	98.4	97.4-99.4	15	1.4	00.6-02.2	2	0.3	00.0-00.7
35-44	1086	791,265	1065	98.4	97.6-99.2	19	1.5	00.7-02.3	2	0.0	00.0-00.0
45-54	1447	902,569	1423	98.5	97.7-99.3	21	1.3	00.7-01.9	3	0.3	00.0-00.7
55-64	1766	774,381	1739	98.6	98.0-99.2	26	1.4	00.8-02.0	1	0.0	00.0-00.0
65+	2702	892,499	2670	98.7	98.1-99.3	31	1.1	00.5-01.7	1	0.2	00.0-00.6
Less Than H.S.	800	648,995	788	98.7	97.7-99.7	10	1.0	00.0-02.0	2	0.3	00.0-00.7
H.S. or G.E.D.	3088	1,699,519	3038	98.3	97.7-98.9	47	1.5	00.9-02.1	3	0.2	00.0-00.4
Some Post-H.S.	2217	1,455,482	2172	98.4	97.8-99.0	41	1.5	00.9-02.1	4	0.1	00.0-00.3
College Graduate	2334	1,011,192	2306	98.9	98.3-99.5	27	1.1	00.5-01.7	1	0.0	00.0-00.0
Less than \$15,000	987	493,600	956	97.8	96.8-98.8	30	2.2	01.2-03.2	1	0.0	00.0-00.0
\$15,000- 24,999	1508	774,636	1475	98.2	97.4-99.0	30	1.5	00.9-02.1	3	0.3	00.0-00.7
\$25,000- 34,999	880	480,914	867	97.9	96.5-99.3	12	1.7	00.5-02.9	1	0.4	00.0-01.2
\$35,000- 49,999	1128	660,895	1115	99.1	98.5-99.7	10	0.7	00.3-01.1	3	0.3	00.0-00.7
\$50,000- 74,999	1162	739,502	1148	98.6	97.8-99.4	13	1.2	00.4-02.0	1	0.1	00.0-00.3
\$75,000+	1568	991,599	1551	98.7	98.1-99.3	16	1.2	00.6-01.8	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 17: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3308	2,327,139	3252	98.5	97.9-99.1	53	1.5	00.9-02.1	3	0.0	00.0-00.0
18-24	255	331,990	253	98.9	97.3-0100	2	1.1	00.0-02.7			
25-34	355	389,494	349	99.0	98.0-0100	6	1.0	00.0-02.0			
35-44	452	389,409	441	98.3	97.1-99.5	10	1.6	00.4-02.8	1	0.0	00.0-00.0
45-54	600	446,387	585	98.1	96.9-99.3	14	1.9	00.7-03.1	1	0.0	00.0-00.0
55-64	723	378,180	711	98.4	97.4-99.4	11	1.6	00.6-02.6	1	0.1	00.0-00.3
65+	903	380,122	894	98.6	97.4-99.8	9	1.4	00.2-02.6			
Less Than H.S.	310	321,485	304	98.4	96.6-0100	6	1.6	00.0-03.4			
H.S. or G.E.D.	1201	873,543	1180	98.5	97.7-99.3	20	1.5	00.7-02.3	1	0.0	00.0-00.0
Some Post-H.S.	805	628,197	788	98.4	97.4-99.4	15	1.5	00.5-02.5	2	0.0	00.0-00.0
College Graduate	984	497,948	972	98.7	97.9-99.5	12	1.3	00.5-02.1			
Less than \$15,000	301	196,163	294	98.9	97.9-99.9	6	1.0	00.0-02.0	1	0.1	00.0-00.3
\$15,000- 24,999	537	352,433	526	98.8	98.0-99.6	10	1.1	00.3-01.9	1	0.1	00.0-00.3
\$25,000- 34,999	338	222,059	330	97.6	95.6-99.6	8	2.4	00.4-04.4			
\$35,000- 49,999	496	347,058	491	99.3	98.7-99.9	5	0.7	00.1-01.3			
\$50,000- 74,999	530	400,663	522	98.4	97.2-99.6	8	1.6	00.4-02.8			
\$75,000+	757	545,778	746	98.3	97.1-99.5	10	1.6	00.4-02.8	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 18: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5148	2,497,195	5069	98.5	98.1-98.9	72	1.2	00.8-01.6	7	0.3	00.1-00.5
18-24	255	320,056	244	97.9	96.5-99.3	10	1.9	00.5-03.3	1	0.2	00.0-00.6
25-34	520	390,170	509	97.7	96.1-99.3	9	1.7	00.3-03.1	2	0.6	00.0-01.4
35-44	634	401,856	624	98.6	97.6-99.6	9	1.4	00.4-02.4	1	0.0	00.0-00.0
45-54	847	456,182	838	98.9	97.9-99.9	7	0.6	00.0-01.2	2	0.5	00.0-01.5
55-64	1043	396,201	1028	98.8	98.0-99.6	15	1.2	00.4-02.0			
65+	1799	512,377	1776	98.8	98.0-99.6	22	1.0	00.6-01.4	1	0.3	00.0-00.9
Less Than H.S.	490	327,510	484	98.9	97.9-99.9	4	0.5	00.0-01.1	2	0.6	00.0-01.4
H.S. or G.E.D.	1887	825,976	1858	98.2	97.4-99.0	27	1.5	00.9-02.1	2	0.4	00.0-01.0
Some Post-H.S.	1412	827,286	1384	98.3	97.5-99.1	26	1.5	00.7-02.3	2	0.2	00.0-00.6
College Graduate	1350	513,244	1334	99.0	98.4-99.6	15	0.9	00.3-01.5	1	0.0	00.0-00.0
Less than \$15,000	686	297,437	662	97.0	95.4-98.6	24	3.0	01.4-04.6			
\$15,000- 24,999	971	422,203	949	97.7	96.5-98.9	20	1.9	00.9-02.9	2	0.4	00.0-01.0
\$25,000- 34,999	542	258,855	537	98.1	96.1-0100	4	1.1	00.0-02.3	1	0.8	00.0-02.4
\$35,000- 49,999	632	313,837	624	98.8	97.6-0100	5	0.7	00.0-01.5	3	0.5	00.0-01.3
\$50,000- 74,999	632	338,839	626	98.9	97.7-0100	5	0.8	00.0-01.8	1	0.3	00.0-00.9
\$75,000+	811	445,821	805	99.2	98.4-0100	6	0.8	00.0-01.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 19: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8456	4,824,334	8321	98.5	98.1-98.9	135	1.5	01.1-01.9
Male	3308	2,327,139	3252	98.5	97.9-99.1	56	1.5	00.9-02.1
Female	5148	2,497,195	5069	98.5	98.1-98.9	79	1.5	01.1-01.9
18-24	510	652,045	497	98.4	97.2-99.6	13	1.6	00.4-02.8
25-34	875	779,664	858	98.4	97.4-99.4	17	1.6	00.6-02.6
35-44	1086	791,265	1065	98.4	97.6-99.2	21	1.6	00.8-02.4
45-54	1447	902,569	1423	98.5	97.7-99.3	24	1.5	00.7-02.3
55-64	1766	774,381	1739	98.6	98.0-99.2	27	1.4	00.8-02.0
65+	2702	892,499	2670	98.7	98.1-99.3	32	1.3	00.7-01.9
Less Than H.S.	800	648,995	788	98.7	97.7-99.7	12	1.3	00.3-02.3
H.S. or G.E.D.	3088	1,699,519	3038	98.3	97.7-98.9	50	1.7	01.1-02.3
Some Post-H.S.	2217	1,455,482	2172	98.4	97.8-99.0	45	1.6	01.0-02.2
College Graduate	2334	1,011,192	2306	98.9	98.3-99.5	28	1.1	00.5-01.7
Less than \$15,000	987	493,600	956	97.8	96.8-98.8	31	2.2	01.2-03.2
\$15,000- 24,999	1508	774,636	1475	98.2	97.4-99.0	33	1.8	01.0-02.6
\$25,000- 34,999	880	480,914	867	97.9	96.5-99.3	13	2.1	00.7-03.5
\$35,000- 49,999	1128	660,895	1115	99.1	98.5-99.7	13	0.9	00.3-01.5
\$50,000- 74,999	1162	739,502	1148	98.6	97.8-99.4	14	1.4	00.6-02.2
\$75,000+	1568	991,599	1551	98.7	98.1-99.3	17	1.3	00.7-01.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 20: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3308	2,327,139	3252	98.5	97.9-99.1	56	1.5	00.9-02.1
18-24	255	331,990	253	98.9	97.3-0100	2	1.1	00.0-02.7
25-34	355	389,494	349	99.0	98.0-0100	6	1.0	00.0-02.0
35-44	452	389,409	441	98.3	97.1-99.5	11	1.7	00.5-02.9
45-54	600	446,387	585	98.1	96.9-99.3	15	1.9	00.7-03.1
55-64	723	378,180	711	98.4	97.4-99.4	12	1.6	00.6-02.6
65+	903	380,122	894	98.6	97.4-99.8	9	1.4	00.2-02.6
Less Than H.S.	310	321,485	304	98.4	96.6-0100	6	1.6	00.0-03.4
H.S. or G.E.D.	1201	873,543	1180	98.5	97.7-99.3	21	1.5	00.7-02.3
Some Post-H.S.	805	628,197	788	98.4	97.4-99.4	17	1.6	00.6-02.6
College Graduate	984	497,948	972	98.7	97.9-99.5	12	1.3	00.5-02.1
Less than \$15,000	301	196,163	294	98.9	97.9-99.9	7	1.1	00.1-02.1
\$15,000- 24,999	537	352,433	526	98.8	98.0-99.6	11	1.2	00.4-02.0
\$25,000- 34,999	338	222,059	330	97.6	95.6-99.6	8	2.4	00.4-04.4
\$35,000- 49,999	496	347,058	491	99.3	98.7-99.9	5	0.7	00.1-01.3
\$50,000- 74,999	530	400,663	522	98.4	97.2-99.6	8	1.6	00.4-02.8
\$75,000+	757	545,778	746	98.3	97.1-99.5	11	1.7	00.5-02.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 21: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5148	2,497,195	5069	98.5	98.1-98.9	79	1.5	01.1-01.9
18-24	255	320,056	244	97.9	96.5-99.3	11	2.1	00.7-03.5
25-34	520	390,170	509	97.7	96.1-99.3	11	2.3	00.7-03.9
35-44	634	401,856	624	98.6	97.6-99.6	10	1.4	00.4-02.4
45-54	847	456,182	838	98.9	97.9-99.9	9	1.1	00.1-02.1
55-64	1043	396,201	1028	98.8	98.0-99.6	15	1.2	00.4-02.0
65+	1799	512,377	1776	98.8	98.0-99.6	23	1.2	00.4-02.0
Less Than H.S.	490	327,510	484	98.9	97.9-99.9	6	1.1	00.1-02.1
H.S. or G.E.D.	1887	825,976	1858	98.2	97.4-99.0	29	1.8	01.0-02.6
Some Post-H.S.	1412	827,286	1384	98.3	97.5-99.1	28	1.7	00.9-02.5
College Graduate	1350	513,244	1334	99.0	98.4-99.6	16	1.0	00.4-01.6
Less than \$15,000	686	297,437	662	97.0	95.4-98.6	24	3.0	01.4-04.6
\$15,000- 24,999	971	422,203	949	97.7	96.5-98.9	22	2.3	01.1-03.5
\$25,000- 34,999	542	258,855	537	98.1	96.1-0100	5	1.9	00.0-03.9
\$35,000- 49,999	632	313,837	624	98.8	97.6-0100	8	1.2	00.0-02.4
\$50,000- 74,999	632	338,839	626	98.9	97.7-0100	6	1.1	00.0-02.3
\$75,000+	811	445,821	805	99.2	98.4-0100	6	0.8	00.0-01.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 22: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
TOTAL	8568	4,911,702	942	21.7	20.3-23.1	982	16.2	15.0-17.4	1241	17.1	16.1-18.1	1724	18.5	17.5-19.5	1767	13.8	13.0-14.6	1912	12.7	12.1-13.3
Male	3375	2,389,743	441	23.0	20.8-25.2	388	16.1	14.3-17.9	528	17.8	16.2-19.4	708	18.8	17.2-20.4	691	13.7	12.5-14.9	619	10.6	09.6-11.6
Female	5193	2,521,959	501	20.5	18.7-22.3	594	16.3	14.9-17.7	713	16.4	15.0-17.8	1016	18.2	16.8-19.6	1076	14.0	13.0-15.0	1293	14.7	13.7-15.7
White/Non-Hisp	6961	4,028,348	711	20.2	18.8-21.6	745	14.7	13.5-15.9	1015	17.4	16.2-18.6	1417	19.2	18.0-20.4	1474	14.7	13.9-15.5	1599	13.9	13.1-14.7
Black or Afr. Am./Non-Hisp	917	417,003	96	25.9	20.8-31.0	107	21.8	17.1-26.5	122	16.2	12.1-20.3	181	16.9	13.4-20.4	207	11.5	09.0-14.0	204	7.7	06.1-09.3
Oth. Race/Non-Hisp.	126	77,831	29	36.3	24.9-47.7	21	16.1	08.8-23.4	22	15.1	08.0-22.2	25	17.0	08.0-26.0	15	11.8	02.4-21.2	14	3.7	01.3-06.1
MultiRacial/Non-Hisp.	132	68,797	22	21.3	12.1-30.5	19	20.6	11.2-30.0	17	12.1	04.8-19.4	32	21.8	12.8-30.8	26	18.3	10.5-26.1	16	5.8	01.3-10.3
Hispanic	304	261,639	73	34.8	27.4-42.2	83	31.4	24.5-38.3	53	16.0	10.9-21.1	47	10.5	06.4-14.6	20	4.2	01.7-06.7	28	3.1	01.5-04.7
Less Than H.S.	845	695,035	118	28.4	23.9-32.9	100	18.3	14.6-22.0	90	13.6	10.7-16.5	132	13.9	11.2-16.6	141	9.8	07.6-12.0	264	16.0	13.5-18.5
H.S. or G.E.D.	3116	1,724,131	294	19.2	17.0-21.4	229	11.4	09.8-13.0	392	16.1	14.3-17.9	661	20.8	19.0-22.6	678	16.2	14.8-17.6	862	16.3	14.9-17.7
Some Post-H.S.	2243	1,470,626	316	26.0	23.3-28.7	290	17.5	15.3-19.7	328	16.7	14.7-18.7	474	18.6	16.6-20.6	435	12.0	10.6-13.4	400	9.2	08.0-10.4
College Graduate	2347	1,012,921	210	15.0	12.8-17.2	363	21.1	18.9-23.3	431	21.9	19.7-24.1	455	17.7	15.9-19.5	509	15.2	13.6-16.8	379	9.0	07.8-10.2
Less than \$15,000	1015	515,728	154	31.0	26.7-35.3	84	12.5	09.6-15.4	114	12.0	09.1-14.9	220	19.6	16.3-22.9	192	11.8	09.4-14.2	251	13.2	11.0-15.4
\$15,000- 24,999	1539	802,212	173	22.7	19.6-25.8	134	14.9	12.2-17.6	163	13.9	11.5-16.3	261	15.4	13.2-17.6	324	14.5	12.5-16.5	484	18.5	16.3-20.7
\$25,000- 34,999	899	496,294	99	21.3	17.0-25.6	95	16.0	12.3-19.7	88	12.5	09.6-15.4	158	17.8	14.7-20.9	213	16.0	13.5-18.5	246	16.3	13.8-18.8
\$35,000- 49,999	1143	668,652	126	19.5	16.2-22.8	152	17.7	14.8-20.6	175	18.5	15.6-21.4	214	17.3	14.8-19.8	238	13.6	11.6-15.6	238	13.5	11.5-15.5
\$50,000- 74,999	1172	743,170	106	16.0	12.9-19.1	179	21.3	18.2-24.4	240	22.8	19.9-25.7	270	20.2	17.5-22.9	237	13.0	11.0-15.0	140	6.7	05.3-08.1
\$75,000+	1583	997,545	119	15.0	12.1-17.9	261	19.6	17.2-22.0	366	24.4	21.9-26.9	422	23.8	21.3-26.3	290	12.7	10.9-14.5	125	4.3	03.3-05.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 23: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Male	3375	2,389,743	441	23.0	21.0-25.0	388	16.1	14.3-17.9	528	17.8	16.2-19.4	708	18.8	17.2-20.4	691	13.7	12.5-14.9	619	10.6	09.6-11.6
White/Non-Hisp	2775	1,946,300	345	21.4	19.2-23.6	313	15.0	13.2-16.8	438	18.2	16.4-20.0	588	19.4	17.6-21.2	581	14.3	12.9-15.7	510	11.6	10.4-12.8
Black or Afr. Am./Non-Hisp	307	194,295	38	27.2	19.4-35.0	29	19.9	12.3-27.5	43	16.6	09.7-23.5	59	16.9	11.2-22.6	71	12.2	07.9-16.5	67	7.2	04.7-09.7
Oth. Race/Non-Hisp.	50	40,867	14	39.5	21.5-57.5	5	9.4	00.8-18.0	10	12.5	02.9-22.1	11	20.9	05.4-36.4	8	17.3	00.8-33.8	2	0.4	00.0-01.0
MultiRacial/Non-Hisp.	51	30,906	5	10.0	00.0-20.0	10	24.3	09.4-39.2	8	15.2	02.1-28.3	15	24.7	11.4-38.0	10	23.8	09.5-38.1	3	2.0	00.0-04.9
Hispanic	129	141,811	32	37.3	26.1-48.5	30	29.4	19.2-39.6	22	15.5	08.1-22.9	23	11.0	04.9-17.1	11	4.8	00.9-08.7	11	1.9	00.1-03.7
Less Than H.S.	333	350,923	63	31.3	24.4-38.2	41	19.4	13.5-25.3	41	15.3	10.6-20.0	49	12.0	08.1-15.9	52	8.6	05.5-11.7	87	13.2	09.7-16.7
H.S. or G.E.D.	1221	893,698	158	22.7	19.4-26.0	111	12.9	10.4-15.4	183	16.8	14.3-19.3	286	21.4	18.7-24.1	238	14.3	12.1-16.5	245	11.8	10.0-13.6
Some Post-H.S.	817	637,997	126	25.3	21.2-29.4	95	15.5	12.4-18.6	138	18.4	15.1-21.7	186	20.5	17.2-23.8	162	12.3	09.9-14.7	110	8.0	06.2-09.8
College Graduate	996	501,315	91	14.2	11.3-17.1	141	20.2	17.1-23.3	166	20.7	17.6-23.8	186	17.1	14.6-19.6	237	17.9	15.4-20.4	175	9.9	08.1-11.7
Less than \$15,000	309	205,331	58	33.1	25.5-40.7	24	11.5	06.8-16.2	36	11.2	05.7-16.7	79	21.2	15.5-26.9	57	13.7	08.6-18.8	55	9.3	06.2-12.4
\$15,000- 24,999	556	372,058	83	26.9	21.6-32.2	45	13.8	09.7-17.9	65	14.3	10.6-18.0	106	16.8	13.3-20.3	113	12.8	09.9-15.7	144	15.4	12.3-18.5
\$25,000- 34,999	347	231,921	37	17.2	11.9-22.5	40	19.3	13.0-25.6	36	13.0	08.3-17.7	67	18.5	13.4-23.6	82	16.2	12.1-20.3	85	15.8	11.9-19.7
\$35,000- 49,999	507	355,173	71	23.4	18.1-28.7	55	14.0	10.1-17.9	82	19.9	15.6-24.2	93	16.7	12.8-20.6	100	12.8	09.9-15.7	106	13.2	10.3-16.1
\$50,000- 74,999	535	402,408	59	17.6	13.1-22.1	72	20.0	15.3-24.7	116	23.4	19.1-27.7	113	19.2	15.3-23.1	105	13.4	10.5-16.3	70	6.4	04.6-08.2
\$75,000+	767	552,405	66	16.4	12.1-20.7	112	18.0	14.7-21.3	159	22.2	18.7-25.7	204	24.4	20.7-28.1	156	14.0	11.5-16.5	70	5.0	03.6-06.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 24: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Female	5193	2,521,959	501	20.5	18.7-22.3	594	16.3	14.9-17.7	713	16.4	15.0-17.8	1016	18.2	16.8-19.6	1076	14.0	13.0-15.0	1293	14.7	13.7-15.7
White/Non-Hisp	4186	2,082,049	366	19.0	17.0-21.0	432	14.4	13.0-15.8	577	16.7	15.3-18.1	829	18.9	17.5-20.3	893	15.0	13.8-16.2	1089	16.0	14.8-17.2
Black or Afr. Am./Non-Hisp	610	222,708	58	24.7	18.2-31.2	78	23.4	17.3-29.5	79	15.8	11.1-20.5	122	17.0	12.7-21.3	136	10.9	08.0-13.8	137	8.2	06.2-10.2
Oth. Race/Non-Hisp.	76	36,964	15	32.9	19.6-46.2	16	23.5	12.5-34.5	12	17.9	07.7-28.1	14	12.7	04.9-20.5	7	5.7	00.4-11.0	12	7.4	02.5-12.3
MultiRacial/Non-Hisp.	81	37,891	17	30.6	16.9-44.3	9	17.6	05.6-29.6	9	9.6	02.3-16.9	17	19.4	07.2-31.6	16	13.8	06.0-21.6	13	8.9	01.3-16.5
Hispanic	175	119,828	41	31.9	23.1-40.7	53	33.8	24.8-42.8	31	16.5	09.4-23.6	24	9.8	04.1-15.5	9	3.5	00.8-06.2	17	4.4	01.5-07.3
Less Than H.S.	512	344,112	55	25.5	19.4-31.6	59	17.1	12.6-21.6	49	11.8	08.1-15.5	83	15.8	11.9-19.7	89	11.0	08.3-13.7	177	18.9	15.4-22.4
H.S. or G.E.D.	1895	830,433	136	15.3	12.8-17.8	118	9.8	07.8-11.8	209	15.2	13.0-17.4	375	20.1	17.9-22.3	440	18.3	16.3-20.3	617	21.2	19.2-23.2
Some Post-H.S.	1426	832,629	190	26.4	22.7-30.1	195	19.0	16.3-21.7	190	15.4	13.0-17.8	288	17.1	14.7-19.5	273	11.8	10.2-13.4	290	10.2	08.8-11.6
College Graduate	1351	511,606	119	15.9	13.2-18.6	222	22.0	19.3-24.7	265	23.0	20.3-25.7	269	18.3	15.9-20.7	272	12.5	10.7-14.3	204	8.2	06.8-09.6
Less than \$15,000	706	310,397	96	29.6	24.3-34.9	60	13.2	09.5-16.9	78	12.5	09.4-15.6	141	18.5	14.8-22.2	135	10.4	08.0-12.8	196	15.7	13.0-18.4
\$15,000- 24,999	983	430,154	90	19.1	15.2-23.0	89	15.9	12.2-19.6	98	13.6	10.5-16.7	155	14.2	11.5-16.9	211	16.0	13.5-18.5	340	21.2	18.5-23.9
\$25,000- 34,999	552	264,373	62	25.0	18.7-31.3	55	13.1	09.2-17.0	52	12.1	08.4-15.8	91	17.2	13.1-21.3	131	15.8	12.5-19.1	161	16.8	13.7-19.9
\$35,000- 49,999	636	313,478	55	15.1	11.2-19.0	97	22.0	17.5-26.5	93	16.8	12.9-20.7	121	17.9	14.6-21.2	138	14.4	11.5-17.3	132	13.8	11.1-16.5
\$50,000- 74,999	637	340,762	47	14.0	09.5-18.5	107	22.8	18.5-27.1	124	22.2	18.3-26.1	157	21.5	17.8-25.2	132	12.4	09.9-14.9	70	7.1	05.1-09.1
\$75,000+	816	445,140	53	13.4	09.7-17.1	149	21.6	18.1-25.1	207	27.3	23.6-31.0	218	23.1	19.8-26.4	134	11.2	09.0-13.4	55	3.5	02.5-04.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 25: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8568	4,911,702	5818	81.5	80.7-82.3	2750	18.5	17.7-19.3
Male	3375	2,389,743	2448	83.7	82.5-84.9	927	16.3	15.1-17.5
Female	5193	2,521,959	3370	79.5	78.3-80.7	1823	20.5	19.3-21.7
White/Non-Hisp	6961	4,028,348	4662	79.9	78.9-80.9	2299	20.1	19.1-21.1
Black or Afr. Am./Non-Hisp	917	417,003	617	88.4	86.2-90.6	300	11.6	09.4-13.8
Oth. Race/Non-Hisp.	126	77,831	106	90.0	81.2-98.8	20	10.0	01.2-18.8
MultiRacial/Non-Hisp.	132	68,797	100	82.6	74.8-90.4	32	17.4	09.6-25.2
Hispanic	304	261,639	268	95.8	93.8-97.8	36	4.2	02.2-06.2
Less Than H.S.	845	695,035	502	78.9	76.0-81.8	343	21.1	18.2-24.0
H.S. or G.E.D.	3116	1,724,131	1932	77.2	75.6-78.8	1184	22.8	21.2-24.4
Some Post-H.S.	2243	1,470,626	1619	85.5	84.1-86.9	624	14.5	13.1-15.9
College Graduate	2347	1,012,921	1756	85.2	83.8-86.6	591	14.8	13.4-16.2
Less than \$15,000	1015	515,728	665	81.5	78.8-84.2	350	18.5	15.8-21.2
\$15,000- 24,999	1539	802,212	893	75.6	73.2-78.0	646	24.4	22.0-26.8
\$25,000- 34,999	899	496,294	529	75.1	72.0-78.2	370	24.9	21.8-28.0
\$35,000- 49,999	1143	668,652	785	80.2	77.8-82.6	358	19.8	17.4-22.2
\$50,000- 74,999	1172	743,170	934	88.8	87.0-90.6	238	11.2	09.4-13.0
\$75,000+	1583	997,545	1361	91.7	90.5-92.9	222	8.3	07.1-09.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 26: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3375	2,389,743	2448	83.7	82.5-84.9	927	16.3	15.1-17.5
White/Non-Hisp	2775	1,946,300	2009	82.5	81.1-83.9	766	17.5	16.1-18.9
Black or Afr. Am./Non-Hisp	307	194,295	207	88.9	85.6-92.2	100	11.1	07.8-14.4
Oth. Race/Non-Hisp.	50	40,867	45	89.9	74.2-0100	5	10.1	00.0-25.8
MultiRacial/Non-Hisp.	51	30,906	42	81.5	68.4-94.6	9	18.5	05.4-31.6
Hispanic	129	141,811	112	96.2	93.5-98.9	17	3.8	01.1-06.5
Less Than H.S.	333	350,923	220	82.1	77.8-86.4	113	17.9	13.6-22.2
H.S. or G.E.D.	1221	893,698	878	82.8	80.6-85.0	343	17.2	15.0-19.4
Some Post-H.S.	817	637,997	625	86.7	84.5-88.9	192	13.3	11.1-15.5
College Graduate	996	501,315	719	82.9	80.5-85.3	277	17.1	14.7-19.5
Less than \$15,000	309	205,331	226	84.4	79.5-89.3	83	15.6	10.7-20.5
\$15,000- 24,999	556	372,058	364	80.2	76.7-83.7	192	19.8	16.3-23.3
\$25,000- 34,999	347	231,921	215	74.6	69.7-79.5	132	25.4	20.5-30.3
\$35,000- 49,999	507	355,173	350	80.8	77.3-84.3	157	19.2	15.7-22.7
\$50,000- 74,999	535	402,408	422	88.8	86.3-91.3	113	11.2	08.7-13.7
\$75,000+	767	552,405	644	90.5	88.5-92.5	123	9.5	07.5-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 27: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5193	2,521,959	3370	79.5	78.3-80.7	1823	20.5	19.3-21.7
White/Non-Hisp	4186	2,082,049	2653	77.6	76.2-79.0	1533	22.4	21.0-23.8
Black or Afr. Am./Non-Hisp	610	222,708	410	88.1	85.6-90.6	200	11.9	09.4-14.4
Oth. Race/Non-Hisp.	76	36,964	61	90.0	83.7-96.3	15	10.0	03.7-16.3
MultiRacial/Non-Hisp.	81	37,891	58	83.4	74.0-92.8	23	16.6	07.2-26.0
Hispanic	175	119,828	156	95.4	92.5-98.3	19	4.6	01.7-07.5
Less Than H.S.	512	344,112	282	75.7	71.8-79.6	230	24.3	20.4-28.2
H.S. or G.E.D.	1895	830,433	1054	71.1	68.9-73.3	841	28.9	26.7-31.1
Some Post-H.S.	1426	832,629	994	84.5	82.7-86.3	432	15.5	13.7-17.3
College Graduate	1351	511,606	1037	87.5	85.9-89.1	314	12.5	10.9-14.1
Less than \$15,000	706	310,397	439	79.6	76.5-82.7	267	20.4	17.3-23.5
\$15,000- 24,999	983	430,154	529	71.6	68.3-74.9	454	28.4	25.1-31.7
\$25,000- 34,999	552	264,373	314	75.6	71.7-79.5	238	24.4	20.5-28.3
\$35,000- 49,999	636	313,478	435	79.4	76.1-82.7	201	20.6	17.3-23.9
\$50,000- 74,999	637	340,762	512	88.9	86.5-91.3	125	11.1	08.7-13.5
\$75,000+	816	445,140	717	93.3	91.7-94.9	99	6.7	05.1-08.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 28: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	8533	4,865,394	3	0.0	00.0-00.0	495	4.6	04.0-05.2	3990	39.9	38.5-41.3	3345	45.1	43.7-46.5	699	10.4	09.4-11.4	1	0.0	00.0-00.0	
Male	3357	2,363,229				8	0.4	00.0-00.8	318	9.4	08.0-10.8	2348	69.4	67.4-71.4	682	20.8	19.0-22.6	1	0.0	00.0-00.0	
Female	5176	2,502,165	3	0.1	00.0-00.3	487	8.5	07.5-09.5	3672	68.8	67.0-70.6	997	22.1	20.5-23.7	17	0.5	00.1-00.9				
White/Non-Hisp	6973	4,031,288	1	0.0	00.0-00.0	386	4.2	03.6-04.8	3203	39.3	37.9-40.7	2790	45.7	44.1-47.3	593	10.8	09.8-11.8				
Black or Afr. Am./Non-Hisp	918	416,958	2	0.6	00.0-01.6	53	4.5	02.5-06.5	470	39.1	34.2-44.0	330	45.3	40.0-50.6	63	10.5	07.2-13.8				
Oth. Race/Non-Hisp.	119	72,702				14	9.7	04.0-15.4	58	42.4	30.8-54.0	38	40.3	28.0-52.6	9	7.6	01.5-13.7				
MultiRacial/Non-Hisp.	133	69,082				4	2.8	00.0-06.9	66	46.9	35.9-57.9	52	40.9	30.3-51.5	11	9.4	02.9-15.9				
Hispanic	258	215,970				29	11.8	06.5-17.1	137	48.0	40.0-56.0	82	37.2	29.2-45.2	9	2.7	00.7-04.7	1	0.3	00.0-00.9	
18-24	516	661,844				15	3.0	01.4-04.6	187	35.2	30.3-40.1	250	50.8	45.7-55.9	63	11.0	07.9-14.1	1	0.1	00.0-00.3	
25-34	879	789,094	1	0.3	00.0-00.9	30	2.9	01.7-04.1	365	36.4	32.9-39.9	376	46.2	42.3-50.1	107	14.3	11.6-17.0				
35-44	1097	802,328				41	3.6	02.2-05.0	450	36.7	33.4-40.0	491	47.7	44.2-51.2	115	12.1	09.7-14.5				
45-54	1456	902,072				72	4.8	03.4-06.2	646	39.3	36.4-42.2	601	44.9	41.8-48.0	137	11.0	09.0-13.0				
55-64	1791	783,165				87	4.8	03.6-06.0	841	41.2	38.5-43.9	712	44.8	41.9-47.7	151	9.2	07.4-11.0				
65+	2727	898,283	2	0.0	00.0-00.0	247	7.9	06.7-09.1	1463	48.4	46.0-50.8	897	38.4	36.0-40.8	118	5.3	04.1-06.5				
Less Than H.S.	816	666,303	2	0.3	00.0-00.9	78	8.5	06.1-10.9	405	40.7	36.4-45.0	283	43.3	38.6-48.0	47	7.0	04.6-09.4	1	0.1	00.0-00.3	
H.S. or G.E.D.	3097	1,706,231				200	4.4	03.6-05.2	1520	39.7	37.5-41.9	1152	46.2	43.8-48.6	225	9.7	08.3-11.1				
Some Post-H.S.	2248	1,471,054	1	0.0	00.0-00.0	129	4.1	03.3-04.9	1082	42.9	40.4-45.4	835	42.0	39.3-44.7	201	11.0	09.2-12.8				
College Graduate	2354	1,012,554				84	2.9	02.1-03.7	976	35.5	33.1-37.9	1068	48.7	46.2-51.2	226	12.9	11.1-14.7				
Less than \$15,000	991	494,868				82	7.7	05.5-09.9	537	46.3	42.0-50.6	303	36.9	32.6-41.2	69	9.1	06.6-11.6				
\$15,000- 24,999	1521	783,836	1	0.0	00.0-00.0	122	7.7	05.7-09.7	770	42.9	39.6-46.2	535	40.8	37.5-44.1	93	8.5	06.5-10.5				
\$25,000- 34,999	896	491,151				46	4.5	02.7-06.3	439	42.0	37.7-46.3	347	45.9	41.4-50.4	64	7.7	05.5-09.9				
\$35,000- 49,999	1144	670,163				50	2.9	01.9-03.9	496	37.6	34.1-41.1	486	46.5	42.8-50.2	112	13.0	10.3-15.7				
\$50,000- 74,999	1167	738,899				40	2.8	01.8-03.8	492	35.4	32.1-38.7	522	50.2	46.5-53.9	112	11.4	08.9-13.9	1	0.1	00.0-00.3	
\$75,000+	1589	1,001,122				47	2.5	01.7-03.3	595	33.2	30.5-35.9	772	51.8	48.7-54.9	175	12.6	10.4-14.8				

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 29: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3357	2,363,229	8	0.4	00.0-00.8	318	9.4	08.0-10.8	2348	69.4	67.4-71.4	682	20.8	19.0-22.6	1	0.0	00.0-00.0
White/Non-Hisp	2775	1,945,204	2	0.1	00.0-00.3	231	7.7	06.5-08.9	1963	70.4	68.2-72.6	579	21.8	19.8-23.8			
Black or Afr. Am./Non-Hisp	305	193,581	1	0.1	00.0-00.3	32	8.2	04.1-12.3	211	69.6	62.2-77.0	61	22.2	15.3-29.1			
MultiRacial/Non-Hisp.	52	31,191	1	0.3	00.0-00.9	6	12.7	00.4-25.0	34	66.2	50.1-82.3	11	20.8	07.3-34.3			
Hispanic	114	118,623	4	5.7	00.2-11.2	32	30.6	19.8-41.4	68	58.2	46.6-69.8	9	5.0	01.3-08.7	1	0.5	00.0-01.5
18-24	257	337,408				26	10.8	06.5-15.1	169	69.2	62.7-75.7	61	19.8	14.3-25.3	1	0.2	00.0-00.6
25-34	362	399,502	2	0.8	00.0-02.0	23	7.6	04.1-11.1	233	64.0	58.5-69.5	104	27.6	22.5-32.7			
35-44	460	401,296	2	0.5	00.0-01.5	38	8.8	05.7-11.9	307	66.9	61.8-72.0	113	23.9	19.4-28.4			
45-54	602	444,886	1	0.3	00.0-00.9	47	8.6	05.9-11.3	419	69.1	64.8-73.4	135	22.0	18.1-25.9			
55-64	737	383,624	3	0.7	00.0-01.7	70	9.3	06.8-11.8	515	71.4	67.5-75.3	149	18.6	15.3-21.9			
65+	919	385,146				114	11.8	09.3-14.3	692	76.2	72.9-79.5	113	12.0	09.5-14.5			
Less Than H.S.	326	340,701	3	1.1	00.0-02.5	52	15.6	10.7-20.5	224	69.4	63.1-75.7	46	13.7	09.0-18.4	1	0.2	00.0-00.6
H.S. or G.E.D.	1210	879,420	2	0.3	00.0-00.7	131	9.9	07.9-11.9	855	71.3	68.2-74.4	222	18.6	16.1-21.1			
Some Post-H.S.	815	635,726	3	0.4	00.0-01.0	77	9.1	06.6-11.6	542	66.4	62.5-70.3	193	24.1	20.6-27.6			
College Graduate	998	501,416				57	4.5	03.1-05.9	720	69.8	66.3-73.3	221	25.6	22.3-28.9			
Less than \$15,000	302	193,789	1	0.1	00.0-00.3	40	13.1	08.0-18.2	193	63.9	56.6-71.2	68	22.9	16.8-29.0			
\$15,000- 24,999	548	364,508	5	1.6	00.0-03.2	81	14.3	10.4-18.2	374	66.2	61.1-71.3	88	17.8	13.7-21.9			
\$25,000- 34,999	346	228,374	1	0.8	00.0-02.4	35	9.4	05.5-13.3	246	73.3	67.6-79.0	64	16.5	12.0-21.0			
\$35,000- 49,999	507	355,346				38	6.8	04.3-09.3	358	68.7	63.6-73.8	111	24.5	19.8-29.2			
\$50,000- 74,999	532	399,265	1	0.3	00.0-00.9	38	7.3	04.4-10.2	383	72.4	67.7-77.1	109	19.8	15.7-23.9	1	0.1	00.0-00.3
\$75,000+	767	552,826				42	5.9	03.7-08.1	555	72.0	68.1-75.9	170	22.1	18.6-25.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 30: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5176	2,502,165	3	0.1	00.0-00.3	487	8.5	07.5-09.5	3672	68.8	67.0-70.6	997	22.1	20.5-23.7	17	0.5	00.1-00.9
White/Non-Hisp	4198	2,086,085	1	0.0	00.0-00.0	384	7.9	06.9-08.9	2972	68.8	66.8-70.8	827	22.7	20.9-24.5	14	0.5	00.1-00.9
Black or Afr. Am./Non-Hisp	613	223,377	2	1.0	00.0-03.0	52	8.4	05.1-11.7	438	65.9	59.2-72.6	119	24.3	18.0-30.6	2	0.4	00.0-01.0
Oth. Race/Non-Hisp.	71	33,334				14	21.3	10.1-32.5	52	72.8	60.8-84.8	5	6.0	00.3-11.7			
MultiRacial/Non-Hisp.	81	37,891				3	4.8	00.0-12.2	60	75.1	63.1-87.1	18	20.1	09.7-30.5			
Hispanic	144	97,347				25	19.2	10.0-28.4	105	69.2	59.0-79.4	14	11.6	04.9-18.3			
18-24	259	324,435				15	6.1	02.8-09.4	161	60.6	53.3-67.9	81	31.6	24.7-38.5	2	1.7	00.0-04.4
25-34	517	389,592	1	0.6	00.0-01.8	28	5.0	02.8-07.2	342	65.9	61.0-70.8	143	27.9	23.4-32.4	3	0.6	00.0-01.4
35-44	637	401,032				39	6.6	04.1-09.1	412	64.6	60.1-69.1	184	28.4	24.3-32.5	2	0.3	00.0-00.7
45-54	854	457,186				71	9.2	06.7-11.7	599	69.3	65.6-73.0	182	21.3	18.0-24.6	2	0.2	00.0-00.6
55-64	1054	399,542				84	8.6	06.4-10.8	771	71.9	68.6-75.2	197	19.4	16.5-22.3	2	0.1	00.0-00.3
65+	1808	513,137	2	0.0	00.0-00.0	247	13.8	11.8-15.8	1349	75.9	73.5-78.3	205	10.1	08.5-11.7	5	0.3	00.1-00.5
Less Than H.S.	490	325,602	2	0.7	00.0-02.1	75	16.3	11.8-20.8	353	66.9	61.0-72.8	59	16.1	11.2-21.0	1	0.1	00.0-00.3
H.S. or G.E.D.	1887	826,811				198	8.8	07.2-10.4	1389	71.4	68.7-74.1	297	19.6	17.1-22.1	3	0.2	00.0-00.6
Some Post-H.S.	1433	835,329	1	0.0	00.0-00.0	126	6.9	05.3-08.5	1005	68.7	65.4-72.0	293	23.4	20.3-26.5	8	1.0	00.0-02.2
College Graduate	1356	511,137				84	5.7	04.1-07.3	919	66.0	62.9-69.1	348	27.9	25.0-30.8	5	0.4	00.0-00.8
Less than \$15,000	689	301,079				81	12.6	09.1-16.1	497	67.7	62.6-72.8	110	19.5	15.0-24.0	1	0.2	00.0-00.6
\$15,000- 24,999	973	419,329	1	0.0	00.0-00.0	117	13.1	10.0-16.2	689	67.7	63.6-71.8	161	18.7	15.2-22.2	5	0.5	00.0-01.1
\$25,000- 34,999	550	262,777				45	7.7	04.8-10.6	404	70.3	65.0-75.6	101	22.0	17.1-26.9			
\$35,000- 49,999	637	314,817				50	6.1	03.9-08.3	458	72.4	68.1-76.7	128	21.4	17.3-25.5	1	0.1	00.0-00.3
\$50,000- 74,999	635	339,634				39	5.8	03.6-08.0	454	68.5	63.8-73.2	139	24.1	19.8-28.4	3	1.6	00.0-04.1
\$75,000+	822	448,297				47	5.6	03.6-07.6	553	66.8	62.9-70.7	217	26.9	23.2-30.6	5	0.7	00.0-01.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 31: REPORTED HEIGHT IN METERS (HTM4).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8564	4,899,086	5	0.1	00.0-00.3	502	4.6	04.0-05.2	4002	39.9	38.5-41.3	3355	45.1	43.7-46.5	699	10.3	09.3-11.3	1	0.0	00.0-00.0
Male	3373	2,385,539	1	0.0	00.0-00.0	8	0.4	00.0-00.8	323	9.6	08.2-11.0	2358	69.4	67.4-71.4	682	20.6	18.8-22.4	1	0.0	00.0-00.0
Female	5191	2,513,547	4	0.1	00.0-00.3	494	8.7	07.7-09.7	3679	68.7	66.9-70.5	997	22.0	20.4-23.6	17	0.5	00.1-00.9			
White/Non-Hisp	6976	4,033,266	1	0.0	00.0-00.0	386	4.1	03.5-04.7	3204	39.3	37.9-40.7	2792	45.7	44.1-47.3	593	10.8	09.8-11.8			
Black or Afr. Am./Non-Hisp	919	417,331	2	0.6	00.0-01.6	53	4.5	02.5-06.5	471	39.1	34.2-44.0	330	45.3	40.0-50.6	63	10.5	07.2-13.8			
Oth. Race/Non-Hisp.	122	74,759				15	10.2	04.5-15.9	58	41.3	29.9-52.7	40	41.2	29.0-53.4	9	7.3	01.4-13.2			
MultiRacial/Non-Hisp.	133	69,082				4	2.8	00.0-06.9	66	46.9	35.9-57.9	52	40.9	30.3-51.5	11	9.4	02.9-15.9			
Hispanic	282	245,253	2	0.6	00.0-01.6	35	11.9	07.0-16.8	147	47.6	40.0-55.2	88	37.3	29.5-45.1	9	2.4	00.6-04.2	1	0.2	00.0-00.6
18-24	525	674,148				17	3.2	01.6-04.8	191	35.1	30.2-40.0	253	50.8	45.7-55.9	63	10.8	07.7-13.9	1	0.1	00.0-00.3
25-34	885	794,106	1	0.3	00.0-00.9	32	3.0	01.8-04.2	367	36.3	32.8-39.8	378	46.3	42.4-50.2	107	14.2	11.5-16.9			
35-44	1106	812,340	1	0.1	00.0-00.3	42	3.5	02.1-04.9	454	36.9	33.6-40.2	494	47.5	44.0-51.0	115	11.9	09.5-14.3			
45-54	1459	906,519	1	0.1	00.0-00.3	72	4.8	03.4-06.2	647	39.5	36.6-42.4	602	44.7	41.6-47.8	137	10.9	08.9-12.9			
55-64	1792	783,747				88	4.8	03.6-06.0	841	41.2	38.5-43.9	712	44.8	41.9-47.7	151	9.2	07.4-11.0			
65+	2730	899,618	2	0.0	00.0-00.0	248	7.9	06.7-09.1	1464	48.4	46.0-50.8	898	38.5	36.1-40.9	118	5.3	04.1-06.5			
Less Than H.S.	831	682,848	2	0.3	00.0-00.9	82	8.7	06.3-11.1	413	41.0	36.7-45.3	286	42.9	38.4-47.4	47	6.9	04.5-09.3	1	0.1	00.0-00.3
H.S. or G.E.D.	3107	1,720,262	2	0.1	00.0-00.3	201	4.4	03.6-05.2	1523	39.6	37.4-41.8	1156	46.3	43.9-48.7	225	9.6	08.2-11.0			
Some Post-H.S.	2249	1,471,636	1	0.0	00.0-00.0	130	4.2	03.4-05.0	1082	42.9	40.4-45.4	835	42.0	39.3-44.7	201	11.0	09.2-12.8			
College Graduate	2359	1,015,088				85	2.9	02.1-03.7	977	35.5	33.1-37.9	1071	48.7	46.2-51.2	226	12.9	11.1-14.7			
Less than \$15,000	1004	507,897	1	0.1	00.0-00.3	88	8.2	05.8-10.6	540	45.4	41.1-49.7	306	37.4	32.9-41.9	69	8.9	06.4-11.4			
\$15,000- 24,999	1530	795,397	1	0.0	00.0-00.0	122	7.6	05.6-09.6	776	43.3	40.0-46.6	538	40.6	37.3-43.9	93	8.4	06.4-10.4			
\$25,000- 34,999	897	494,264				46	4.5	02.7-06.3	440	42.3	38.0-46.6	347	45.6	41.1-50.1	64	7.6	05.4-09.8			
\$35,000- 49,999	1145	670,784				50	2.9	01.9-03.9	496	37.6	34.1-41.1	487	46.6	42.9-50.3	112	13.0	10.3-15.7			
\$50,000- 74,999	1167	738,899				40	2.8	01.8-03.8	492	35.4	32.1-38.7	522	50.2	46.5-53.9	112	11.4	08.9-13.9	1	0.1	00.0-00.3
\$75,000+	1590	1,001,467				47	2.5	01.7-03.3	595	33.2	30.5-35.9	773	51.8	48.7-54.9	175	12.6	10.4-14.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 32: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3373	2,385,539	1	0.0	00.0-00.0	8	0.4	00.0-00.8	323	9.6	08.2-11.0	2358	69.4	67.4-71.4	682	20.6	18.8-22.4	1	0.0	00.0-00.0
White/Non-Hisp	2777	1,946,460				2	0.1	00.0-00.3	231	7.7	06.5-08.9	1965	70.4	68.2-72.6	579	21.8	19.8-23.8			
Black or Afr. Am./Non-Hisp	305	193,581				1	0.1	00.0-00.3	32	8.2	04.1-12.3	211	69.6	62.2-77.0	61	22.2	15.3-29.1			
Oth. Race/Non-Hisp.	50	40,867							6	16.2	01.1-31.3	35	70.4	53.5-87.3	9	13.4	02.6-24.2			
MultiRacial/Non-Hisp.	52	31,191				1	0.3	00.0-00.9	6	12.7	00.4-25.0	34	66.2	50.1-82.3	11	20.8	07.3-34.3			
Hispanic	126	138,178	1	0.7	00.0-02.1	4	4.9	00.2-09.6	37	31.7	21.3-42.1	74	58.0	47.0-69.0	9	4.3	01.2-07.4	1	0.4	00.0-01.2
18-24	262	345,839							28	11.2	06.9-15.5	172	69.3	63.0-75.6	61	19.4	14.1-24.7	1	0.2	00.0-00.6
25-34	364	402,647				2	0.8	00.0-02.0	23	7.6	04.3-10.9	235	64.3	58.8-69.8	104	27.3	22.4-32.2			
35-44	464	406,608				2	0.5	00.0-01.3	39	9.1	06.0-12.2	310	66.9	61.8-72.0	113	23.6	19.1-28.1			
45-54	605	449,333	1	0.2	00.0-00.6	1	0.3	00.0-00.9	48	9.2	06.1-12.3	420	68.5	64.0-73.0	135	21.8	17.9-25.7			
55-64	737	383,624				3	0.7	00.0-01.7	70	9.3	06.8-11.8	515	71.4	67.5-75.3	149	18.6	15.3-21.9			
65+	921	386,123							115	11.9	09.4-14.4	693	76.2	72.9-79.5	113	11.9	09.4-14.4			
Less Than H.S.	333	349,528				3	1.0	00.0-02.4	56	16.5	11.4-21.6	227	68.9	62.6-75.2	46	13.4	08.9-17.9	1	0.2	00.0-00.6
H.S. or G.E.D.	1216	891,301	1	0.1	00.0-00.3	2	0.3	00.0-00.7	132	10.1	07.9-12.3	859	71.2	68.1-74.3	222	18.3	15.8-20.8			
Some Post-H.S.	815	635,726				3	0.4	00.0-01.0	77	9.1	06.6-11.6	542	66.4	62.5-70.3	193	24.1	20.6-27.6			
College Graduate	1001	503,018							57	4.5	03.1-05.9	723	69.9	66.4-73.4	221	25.5	22.2-28.8			
Less than \$15,000	307	202,065				1	0.1	00.0-00.3	42	13.0	07.9-18.1	196	65.0	57.9-72.1	68	21.9	15.8-28.0			
\$15,000- 24,999	553	371,115				5	1.6	00.0-03.2	83	15.0	11.1-18.9	377	65.9	60.8-71.0	88	17.5	13.4-21.6			
\$25,000- 34,999	347	231,487				1	0.8	00.0-02.4	36	10.6	06.1-15.1	246	72.3	66.4-78.2	64	16.3	11.8-20.8			
\$35,000- 49,999	508	355,968							38	6.7	04.2-09.2	359	68.8	63.7-73.9	111	24.5	19.8-29.2			
\$50,000- 74,999	532	399,265				1	0.3	00.0-00.9	38	7.3	04.4-10.2	383	72.4	67.7-77.1	109	19.8	15.7-23.9	1	0.1	00.0-00.3
\$75,000+	768	553,171							42	5.9	03.7-08.1	556	72.0	68.1-75.9	170	22.1	18.6-25.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 33: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5191	2,513,547	4	0.1	00.0-00.3	494	8.7	07.7-09.7	3679	68.7	66.9-70.5	997	22.0	20.4-23.6	17	0.5	00.1-00.9
White/Non-Hisp	4199	2,086,806	1	0.0	00.0-00.0	384	7.9	06.9-08.9	2973	68.8	66.8-70.8	827	22.7	20.9-24.5	14	0.5	00.1-00.9
Black or Afr. Am./Non-Hisp	614	223,751	2	1.0	00.0-03.0	52	8.4	05.1-11.7	439	66.0	59.3-72.7	119	24.3	18.0-30.6	2	0.4	00.0-01.0
Oth. Race/Non-Hisp.	72	33,893				15	22.6	11.2-34.0	52	71.6	59.4-83.8	5	5.9	00.2-11.6			
MultiRacial/Non-Hisp.	81	37,891				3	4.8	00.0-12.2	60	75.1	63.1-87.1	18	20.1	09.7-30.5			
Hispanic	156	107,075	1	0.5	00.0-01.5	31	20.9	12.1-29.7	110	68.0	58.4-77.6	14	10.5	04.4-16.6			
18-24	263	328,309				17	6.7	03.4-10.0	163	60.4	53.3-67.5	81	31.3	24.6-38.0	2	1.7	00.0-04.2
25-34	521	391,459	1	0.6	00.0-01.8	30	5.2	03.0-07.4	344	65.8	60.9-70.7	143	27.8	23.3-32.3	3	0.6	00.0-01.4
35-44	642	405,732	1	0.1	00.0-00.3	40	6.6	04.1-09.1	415	64.9	60.4-69.4	184	28.1	24.0-32.2	2	0.3	00.0-00.7
45-54	854	457,186				71	9.2	06.7-11.7	599	69.3	65.6-73.0	182	21.3	18.0-24.6	2	0.2	00.0-00.6
55-64	1055	400,123				85	8.8	06.6-11.0	771	71.8	68.5-75.1	197	19.3	16.4-22.2	2	0.1	00.0-00.3
65+	1809	513,496	2	0.0	00.0-00.0	248	13.8	11.8-15.8	1349	75.8	73.4-78.2	205	10.1	08.5-11.7	5	0.3	00.1-00.5
Less Than H.S.	498	333,320	2	0.7	00.0-02.1	79	16.8	12.3-21.3	357	66.8	60.9-72.7	59	15.7	10.8-20.6	1	0.1	00.0-00.3
H.S. or G.E.D.	1891	828,961	1	0.1	00.0-00.3	199	8.8	07.2-10.4	1391	71.3	68.6-74.0	297	19.6	17.2-22.0	3	0.2	00.0-00.6
Some Post-H.S.	1434	835,910	1	0.0	00.0-00.0	127	7.0	05.4-08.6	1005	68.6	65.3-71.9	293	23.4	20.3-26.5	8	1.0	00.0-02.2
College Graduate	1358	512,070				85	5.8	04.2-07.4	920	65.9	62.8-69.0	348	27.9	25.0-30.8	5	0.4	00.0-00.8
Less than \$15,000	697	305,832	1	0.2	00.0-00.6	87	13.6	10.1-17.1	498	66.8	61.7-71.9	110	19.2	14.9-23.5	1	0.2	00.0-00.6
\$15,000- 24,999	977	424,282	1	0.0	00.0-00.0	117	12.9	09.8-16.0	693	68.1	64.0-72.2	161	18.5	15.0-22.0	5	0.5	00.0-01.1
\$25,000- 34,999	550	262,777				45	7.7	04.8-10.6	404	70.3	65.0-75.6	101	22.0	17.1-26.9			
\$35,000- 49,999	637	314,817				50	6.1	03.9-08.3	458	72.4	68.1-76.7	128	21.4	17.3-25.5	1	0.1	00.0-00.3
\$50,000- 74,999	635	339,634				39	5.8	03.6-08.0	454	68.5	63.8-73.2	139	24.1	19.8-28.4	3	1.6	00.0-04.1
\$75,000+	822	448,297				47	5.6	03.6-07.6	553	66.8	62.9-70.7	217	26.9	23.2-30.6	5	0.7	00.0-01.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 34: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8321	4,783,916	109	1.0	00.8-01.2	2596	29.6	28.2-31.0	3617	43.2	41.8-44.6	1459	19.0	17.8-20.2	406	5.3	04.7-05.9	134	1.8	01.4-02.2
Male	3367	2,382,653	5	0.1	00.0-00.3	333	12.1	10.5-13.7	1685	48.7	46.5-50.9	989	28.6	26.6-30.6	267	7.7	06.5-08.9	88	2.8	02.0-03.6
Female	4954	2,401,263	104	1.9	01.3-02.5	2263	46.9	44.9-48.9	1932	37.8	36.0-39.6	470	9.5	08.3-10.7	139	3.0	02.4-03.6	46	0.9	00.5-01.3
White/Non-Hisp	6763	3,924,829	85	0.9	00.7-01.1	2138	29.5	28.1-30.9	2983	43.7	42.1-45.3	1127	18.8	17.6-20.0	325	5.4	04.6-06.2	105	1.7	01.3-02.1
Black or Afr. Am./Non-Hisp	889	404,738	11	1.5	00.1-02.9	228	24.8	19.9-29.7	361	38.2	33.1-43.3	219	24.9	20.4-29.4	54	7.2	04.5-09.9	16	3.3	00.9-05.7
Oth. Race/Non-Hisp.	121	74,644	7	5.1	01.0-09.2	53	44.1	32.3-55.9	42	40.2	28.4-52.0	16	7.3	02.6-12.0	3	3.3	00.0-08.8			
MultiRacial/Non-Hisp.	129	68,161	1	0.2	00.0-00.6	33	20.1	11.9-28.3	51	42.7	31.7-53.7	26	22.8	13.0-32.6	10	7.7	02.6-12.8	8	6.6	00.7-12.5
Hispanic	296	255,341	1	0.7	00.0-02.1	118	37.7	30.6-44.8	121	45.0	37.4-52.6	44	13.3	08.2-18.4	9	2.0	00.4-03.6	3	1.2	00.0-02.8
18-24	523	671,337	9	1.5	00.3-02.7	237	47.4	42.3-52.5	184	33.8	29.1-38.5	70	13.5	10.2-16.8	19	3.2	01.6-04.8	4	0.6	00.0-01.2
25-34	869	783,048	9	0.6	00.2-01.0	274	28.8	25.5-32.1	336	39.3	35.6-43.0	180	23.3	20.0-26.6	50	5.6	03.8-07.4	20	2.3	01.1-03.5
35-44	1081	796,766	12	1.1	00.3-01.9	294	24.4	21.3-27.5	499	46.6	43.1-50.1	185	18.1	15.4-20.8	61	6.3	04.5-08.1	30	3.6	02.0-05.2
45-54	1410	875,611	5	0.2	00.0-00.4	424	26.8	24.1-29.5	576	41.8	38.7-44.9	275	21.3	18.6-24.0	99	7.8	06.0-09.6	31	2.2	01.2-03.2
55-64	1726	756,660	15	0.8	00.2-01.4	418	21.5	19.1-23.9	795	47.1	44.2-50.0	370	22.7	20.2-25.2	100	6.3	04.9-07.7	28	1.7	00.9-02.5
65+	2660	878,340	59	2.0	01.4-02.6	928	31.0	28.8-33.2	1203	48.6	46.2-51.0	373	15.0	13.2-16.8	76	2.7	01.9-03.5	21	0.7	00.3-01.1
Less Than H.S.	829	686,577	16	1.8	00.6-03.0	266	32.0	27.7-36.3	359	41.8	37.3-46.3	136	18.1	14.6-21.6	39	4.3	02.7-05.9	13	2.0	00.8-03.2
H.S. or G.E.D.	3008	1,674,693	48	1.1	00.7-01.5	935	27.8	25.6-30.0	1310	44.1	41.7-46.5	530	20.0	18.0-22.0	148	5.5	04.5-06.5	37	1.5	00.9-02.1
Some Post-H.S.	2168	1,419,183	23	0.6	00.2-01.0	636	29.4	26.9-31.9	935	43.0	40.3-45.7	404	18.7	16.5-20.9	119	5.7	04.5-06.9	51	2.5	01.7-03.3
College Graduate	2298	993,854	22	0.9	00.3-01.5	750	31.0	28.6-33.4	1007	43.1	40.6-45.6	386	18.2	16.2-20.2	100	5.3	03.9-06.7	33	1.4	00.8-02.0
Less than \$15,000	982	503,445	19	1.5	00.5-02.5	320	34.3	30.2-38.4	394	39.2	34.9-43.5	162	16.6	13.3-19.9	59	6.0	04.0-08.0	28	2.4	01.2-03.6
\$15,000- 24,999	1501	784,980	27	1.6	00.8-02.4	449	28.4	25.3-31.5	683	44.8	41.5-48.1	244	17.4	14.9-19.9	74	5.4	03.8-07.0	24	2.3	01.1-03.5
\$25,000- 34,999	874	482,897	6	0.4	00.0-00.8	266	30.2	25.9-34.5	390	43.0	38.7-47.3	166	21.9	18.0-25.8	38	3.4	02.0-04.8	8	1.1	00.3-01.9
\$35,000- 49,999	1119	657,698	13	0.8	00.2-01.4	309	25.1	22.0-28.2	482	42.0	38.3-45.7	227	22.7	19.6-25.8	62	6.5	04.5-08.5	26	2.9	01.5-04.3
\$50,000- 74,999	1148	730,030	8	0.7	00.1-01.3	330	25.8	22.7-28.9	490	42.5	38.8-46.2	215	20.4	17.3-23.5	78	7.9	05.7-10.1	27	2.8	01.4-04.2
\$75,000+	1551	977,235	9	0.4	00.0-00.8	454	27.8	24.9-30.7	705	46.9	43.8-50.0	307	19.5	17.1-21.9	67	4.8	03.4-06.2	9	0.5	00.1-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 35: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3367	2,382,653	5	0.1	00.0-00.3	333	12.1	10.5-13.7	1685	48.7	46.5-50.9	989	28.6	26.6-30.6	267	7.7	06.5-08.9	88	2.8	02.0-03.6
White/Non-Hisp	2771	1,941,437	3	0.0	00.0-00.0	260	11.1	09.5-12.7	1418	49.3	46.9-51.7	799	29.0	26.8-31.2	219	8.0	06.8-09.2	72	2.6	01.8-03.4
Black or Afr. Am./Non-Hisp	303	193,679				31	16.1	08.3-23.9	120	35.7	27.9-43.5	110	33.7	26.1-41.3	33	9.8	05.1-14.5	9	4.8	00.5-09.1
Oth. Race/Non-Hisp.	50	40,867				12	29.4	11.0-47.8	25	56.0	37.4-74.6	11	8.7	01.6-15.8	2	5.8	00.0-15.8			
MultiRacial/Non-Hisp.	52	31,191	1	0.3	00.0-00.9	4	6.0	00.0-12.5	24	48.5	31.8-65.2	15	26.8	12.5-41.1	5	10.6	01.2-20.0	3	7.9	00.0-17.5
Hispanic	128	139,982	1	1.3	00.0-03.8	21	19.2	10.6-27.8	65	55.0	44.0-66.0	34	20.6	11.8-29.4	4	1.6	00.0-03.6	3	2.3	00.0-05.2
18-24	261	345,623				79	32.5	25.4-39.6	115	43.8	36.7-50.9	50	18.9	13.6-24.2	14	4.0	01.6-06.4	3	0.8	00.0-01.8
25-34	365	404,000				39	12.0	08.1-15.9	177	46.4	40.5-52.3	116	32.2	26.7-37.7	22	6.4	03.5-09.3	11	3.0	01.2-04.8
35-44	462	405,963	2	0.5	00.0-01.3	29	7.4	03.9-10.9	231	48.5	43.0-54.0	134	27.9	23.2-32.6	45	10.4	07.1-13.7	21	5.3	02.6-08.0
45-54	602	445,192				57	8.8	06.3-11.3	278	46.2	41.5-50.9	184	31.0	26.7-35.3	63	10.9	08.0-13.8	20	3.2	01.6-04.8
55-64	739	385,407				41	5.4	03.4-07.4	365	50.3	45.8-54.8	249	33.4	29.3-37.5	64	8.3	05.9-10.7	20	2.6	01.2-04.0
65+	919	385,175	3	0.2	00.0-00.6	88	9.9	07.2-12.6	505	56.5	52.6-60.4	252	26.8	23.3-30.3	58	5.3	03.5-07.1	13	1.3	00.5-02.1
Less Than H.S.	331	348,832	1	0.5	00.0-01.5	58	22.0	15.5-28.5	157	44.9	38.0-51.8	81	24.1	18.2-30.0	26	5.8	03.3-08.3	8	2.7	00.7-04.7
H.S. or G.E.D.	1211	890,154	2	0.1	00.0-00.3	130	12.7	10.2-15.2	589	47.8	44.3-51.3	363	29.4	26.3-32.5	97	7.5	05.7-09.3	30	2.5	01.5-03.5
Some Post-H.S.	813	632,093	1	0.0	00.0-00.0	65	9.3	06.8-11.8	386	48.3	44.0-52.6	252	28.9	25.2-32.6	80	9.7	07.2-12.2	29	3.8	02.0-05.6
College Graduate	1003	504,730	1	0.0	00.0-00.0	77	7.7	05.7-09.7	548	53.3	49.6-57.0	292	30.0	26.7-33.3	64	6.9	04.7-09.1	21	2.1	01.1-03.1
Less than \$15,000	309	204,006	1	0.0	00.0-00.0	64	25.3	18.0-32.6	123	38.8	31.2-46.4	80	24.5	18.2-30.8	26	7.0	03.7-10.3	15	4.4	01.7-07.1
\$15,000- 24,999	550	369,843	3	0.5	00.0-01.5	59	12.8	08.9-16.7	284	51.8	46.5-57.1	138	23.0	18.7-27.3	50	8.4	05.7-11.1	16	3.4	01.4-05.4
\$25,000- 34,999	345	230,557				32	12.1	06.8-17.4	180	49.2	42.5-55.9	109	33.8	27.3-40.3	20	3.7	01.7-05.7	4	1.1	00.0-02.5
\$35,000- 49,999	508	355,968				43	10.6	06.5-14.7	244	43.8	38.5-49.1	163	32.9	27.8-38.0	46	9.7	06.4-13.0	12	3.0	01.0-05.0
\$50,000- 74,999	534	401,547				44	10.2	06.7-13.7	258	45.3	40.0-50.6	153	28.6	23.7-33.5	53	11.0	07.5-14.5	26	4.9	02.5-07.3
\$75,000+	766	549,561				48	7.7	04.6-10.8	404	54.4	50.1-58.7	255	30.4	26.7-34.1	51	6.8	04.6-09.0	8	0.8	00.2-01.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 36: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4954	2,401,263	104	1.9	01.3-02.5	2263	46.9	44.9-48.9	1932	37.8	36.0-39.6	470	9.5	08.3-10.7	139	3.0	02.4-03.6	46	0.9	00.5-01.3
White/Non-Hisp	3992	1,983,391	82	1.8	01.2-02.4	1878	47.6	45.6-49.6	1565	38.1	36.1-40.1	328	8.8	07.6-10.0	106	2.9	02.3-03.5	33	0.8	00.4-01.2
Black or Afr. Am./Non-Hisp	586	211,059	11	2.9	00.4-05.4	197	32.8	26.5-39.1	241	40.6	33.9-47.3	109	16.9	11.6-22.2	21	4.8	01.7-07.9	7	2.0	00.0-04.0
Oth. Race/Non-Hisp.	71	33,778	7	11.3	02.7-19.9	41	61.9	48.6-75.2	17	21.1	09.9-32.3	5	5.5	00.0-12.0	1	0.2	00.0-00.6			
MultiRacial/Non-Hisp.	77	36,970				29	32.0	18.7-45.3	27	37.9	24.0-51.8	11	19.4	05.7-33.1	5	5.2	00.0-10.5	5	5.5	00.0-12.4
Hispanic	168	115,359				97	60.3	51.1-69.5	56	32.9	24.1-41.7	10	4.4	01.3-07.5	5	2.5	00.1-04.9			
18-24	262	325,714	9	3.1	00.7-05.5	158	63.3	56.4-70.2	69	23.3	17.4-29.2	20	7.6	03.9-11.3	5	2.3	00.1-04.5	1	0.3	00.0-00.9
25-34	504	379,048	9	1.3	00.3-02.3	235	46.7	41.6-51.8	159	31.8	27.1-36.5	64	13.8	10.3-17.3	28	4.8	02.8-06.8	9	1.6	00.4-02.8
35-44	619	390,803	10	1.7	00.3-03.1	265	42.0	37.3-46.7	268	44.7	40.0-49.4	51	7.9	05.4-10.4	16	2.0	00.8-03.2	9	1.7	00.3-03.1
45-54	808	430,418	5	0.4	00.0-00.8	367	45.3	41.2-49.4	298	37.3	33.2-41.4	91	11.2	08.5-13.9	36	4.6	02.8-06.4	11	1.1	00.3-01.9
55-64	987	371,253	15	1.6	00.6-02.6	377	38.1	34.4-41.8	430	43.8	40.1-47.5	121	11.5	09.0-14.0	36	4.2	02.6-05.8	8	0.8	00.2-01.4
65+	1741	493,165	56	3.4	02.4-04.4	840	47.5	44.6-50.4	698	42.4	39.5-45.3	121	5.7	04.3-07.1	18	0.7	00.3-01.1	8	0.3	00.0-00.7
Less Than H.S.	498	337,746	15	3.1	00.9-05.3	208	42.3	36.4-48.2	202	38.5	32.8-44.2	55	11.9	08.0-15.8	13	2.8	01.0-04.6	5	1.3	00.0-02.7
H.S. or G.E.D.	1797	784,539	46	2.3	01.5-03.1	805	45.0	42.1-47.9	721	39.8	36.9-42.7	167	9.3	07.5-11.1	51	3.2	02.0-04.4	7	0.3	00.0-00.7
Some Post-H.S.	1355	787,090	22	1.1	00.5-01.7	571	45.5	41.8-49.2	549	38.8	35.3-42.3	152	10.6	08.4-12.8	39	2.5	01.5-03.5	22	1.5	00.7-02.3
College Graduate	1295	489,124	21	1.8	00.8-02.8	673	55.0	51.7-58.3	459	32.6	29.7-35.5	94	6.1	04.5-07.7	36	3.7	02.1-05.3	12	0.8	00.2-01.4
Less than \$15,000	673	299,439	18	2.5	00.7-04.3	256	40.4	35.3-45.5	271	39.5	34.4-44.6	82	11.3	07.6-15.0	33	5.4	03.0-07.8	13	0.9	00.3-01.5
\$15,000- 24,999	951	415,137	24	2.6	01.2-04.0	390	42.3	38.0-46.6	399	38.6	34.5-42.7	106	12.5	09.6-15.4	24	2.8	01.4-04.2	8	1.2	00.0-02.4
\$25,000- 34,999	529	252,339	6	0.7	00.1-01.3	234	46.7	40.6-52.8	210	37.4	31.9-42.9	57	11.1	07.2-15.0	18	3.1	01.3-04.9	4	1.1	00.1-02.1
\$35,000- 49,999	611	301,731	13	1.8	00.6-03.0	266	42.3	37.4-47.2	238	39.8	34.9-44.7	64	10.7	07.6-13.8	16	2.6	01.0-04.2	14	2.8	01.0-04.6
\$50,000- 74,999	614	328,483	8	1.5	00.3-02.7	286	44.9	40.0-49.8	232	39.0	34.1-43.9	62	10.3	07.4-13.2	25	4.2	02.2-06.2	1	0.2	00.0-00.6
\$75,000+	785	427,674	9	1.0	00.2-01.8	406	53.7	49.4-58.0	301	37.4	33.3-41.5	52	5.5	03.5-07.5	16	2.1	00.9-03.3	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 37: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8225	4,720,269	97	1.0	00.8-01.2	2645	33.5	32.1-34.9	2893	34.2	32.8-35.6	1588	19.4	18.2-20.6	1002	11.9	10.9-12.9
Male	3349	2,371,146	19	0.4	00.2-00.6	848	27.6	25.6-29.6	1400	40.2	38.0-42.4	712	20.8	19.0-22.6	370	10.9	09.5-12.3
Female	4876	2,349,123	78	1.6	01.2-02.0	1797	39.4	37.4-41.4	1493	28.1	26.5-29.7	876	18.0	16.6-19.4	632	12.9	11.7-14.1
White/Non-Hisp	6700	3,882,822	76	1.0	00.8-01.2	2229	34.1	32.5-35.7	2383	34.7	33.3-36.1	1257	18.9	17.7-20.1	755	11.3	10.3-12.3
Black or Afr. Am./Non-Hisp	883	402,255	16	1.5	00.3-02.7	205	26.5	21.4-31.6	285	28.6	23.9-33.3	213	25.2	20.5-29.9	164	18.3	14.2-22.4
Oth. Race/Non-Hisp.	117	72,012	1	0.3	00.0-00.9	61	56.2	44.0-68.4	30	25.7	15.1-36.3	17	10.3	02.9-17.7	8	7.4	00.3-14.5
MultiRacial/Non-Hisp.	129	68,161	1	0.2	00.0-00.6	34	21.4	13.2-29.6	44	35.8	25.2-46.4	19	16.8	08.4-25.2	31	25.9	15.9-35.9
Hispanic	274	239,528	1	0.8	00.0-02.4	85	32.8	25.4-40.2	102	36.2	28.6-43.8	54	21.0	14.7-27.3	32	9.3	05.0-13.6
18-24	505	655,287	11	2.0	00.8-03.2	284	58.5	53.4-63.6	106	20.3	16.2-24.4	72	13.7	10.4-17.0	32	5.4	03.4-07.4
25-34	831	754,884	13	1.1	00.5-01.7	305	35.3	31.6-39.0	249	30.2	26.5-33.9	153	20.6	17.3-23.9	111	12.8	10.3-15.3
35-44	1067	787,534	10	0.8	00.2-01.4	332	29.6	26.3-32.9	420	39.0	35.5-42.5	172	16.9	14.2-19.6	133	13.6	11.1-16.1
45-54	1407	873,767	8	0.5	00.1-00.9	430	28.1	25.4-30.8	483	35.8	32.7-38.9	264	19.9	17.4-22.4	222	15.8	13.4-18.2
55-64	1718	752,406	18	0.9	00.3-01.5	454	25.6	23.1-28.1	601	35.3	32.6-38.0	391	23.8	21.3-26.3	254	14.5	12.5-16.5
65+	2645	874,236	36	1.3	00.7-01.9	819	28.8	26.6-31.0	1014	40.8	38.4-43.2	529	20.8	18.8-22.8	247	8.4	07.0-09.8
Less Than H.S.	815	674,408	18	1.6	00.6-02.6	228	32.4	27.9-36.9	258	28.5	24.6-32.4	189	23.9	20.0-27.8	122	13.6	10.9-16.3
H.S. or G.E.D.	2980	1,658,789	42	1.3	00.7-01.9	883	30.5	28.3-32.7	1073	36.3	34.1-38.5	579	18.6	16.8-20.4	403	13.3	11.7-14.9
Some Post-H.S.	2145	1,401,053	22	0.7	00.3-01.1	639	33.6	30.9-36.3	750	33.1	30.6-35.6	448	20.6	18.4-22.8	286	12.0	10.2-13.8
College Graduate	2268	977,288	15	0.8	00.2-01.4	886	39.0	36.6-41.4	808	36.1	33.7-38.5	370	15.9	14.1-17.7	189	8.2	06.8-09.6
Less than \$15,000	964	491,478	23	1.6	00.8-02.4	281	36.7	32.2-41.2	289	24.9	21.4-28.4	193	20.7	17.0-24.4	178	16.1	13.2-19.0
\$15,000- 24,999	1477	769,351	20	1.3	00.5-02.1	450	32.4	29.1-35.7	482	30.7	27.6-33.8	303	19.8	17.1-22.5	222	15.7	13.2-18.2
\$25,000- 34,999	869	479,512	8	0.9	00.1-01.7	259	30.6	26.3-34.9	319	36.9	32.6-41.2	177	20.6	17.1-24.1	106	11.0	08.3-13.7
\$35,000- 49,999	1113	654,698	12	0.9	00.3-01.5	329	28.4	25.1-31.7	408	37.0	33.5-40.5	227	20.5	17.6-23.4	137	13.3	10.8-15.8
\$50,000- 74,999	1135	718,918	9	0.9	00.3-01.5	369	31.7	28.4-35.0	389	32.4	29.1-35.7	220	20.6	17.5-23.7	148	14.3	11.6-17.0
\$75,000+	1542	970,046	8	0.7	00.1-01.3	530	35.0	31.9-38.1	628	40.6	37.5-43.7	259	16.7	14.5-18.9	117	7.0	05.4-08.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 38: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3349	2,371,146	19	0.4	00.2-00.6	848	27.6	25.6-29.6	1400	40.2	38.0-42.4	712	20.8	19.0-22.6	370	10.9	09.5-12.3
White/Non-Hisp	2759	1,934,195	13	0.4	00.2-00.6	708	27.5	25.3-29.7	1186	41.4	39.2-43.6	557	20.2	18.4-22.0	295	10.5	09.1-11.9
Black or Afr. Am./Non-Hisp	300	191,930	4	0.3	00.0-00.7	64	27.2	18.8-35.6	108	32.6	25.0-40.2	81	24.8	17.7-31.9	43	15.0	08.7-21.3
Oth. Race/Non-Hisp.	50	40,867				23	50.2	31.6-68.8	15	32.6	15.7-49.5	10	11.3	00.1-22.5	2	5.8	00.0-15.8
MultiRacial/Non-Hisp.	52	31,191	1	0.3	00.0-00.9	10	12.3	03.3-21.3	18	36.9	20.8-53.0	13	28.5	12.8-44.2	10	22.0	08.7-35.3
Hispanic	126	138,178	1	1.3	00.0-03.8	29	27.5	17.1-37.9	49	37.4	26.4-48.4	33	23.6	14.4-32.8	14	10.2	03.5-16.9
18-24	260	344,910	3	0.7	00.0-01.5	138	55.1	48.0-62.2	65	25.5	19.4-31.6	39	14.4	09.7-19.1	15	4.3	01.9-06.7
25-34	363	401,794	1	0.2	00.0-00.6	108	29.3	24.0-34.6	140	37.5	31.8-43.2	81	23.9	18.8-29.0	33	9.2	05.9-12.5
35-44	460	403,778	4	0.9	00.0-02.1	98	21.8	17.1-26.5	211	42.7	37.4-48.0	87	19.3	15.0-23.6	60	15.3	11.2-19.4
45-54	601	444,569	3	0.3	00.0-00.7	131	19.8	16.3-23.3	255	43.9	39.2-48.6	129	21.6	17.7-25.5	83	14.4	10.9-17.9
55-64	734	381,676	3	0.2	00.0-00.4	149	20.9	17.2-24.6	308	42.0	37.7-46.3	176	24.1	20.2-28.0	98	12.9	10.0-15.8
65+	912	383,126	5	0.4	00.0-00.8	221	23.3	19.8-26.8	408	47.0	43.1-50.9	198	21.0	17.9-24.1	80	8.3	06.1-10.5
Less Than H.S.	331	348,832	4	0.8	00.0-01.8	95	35.2	28.1-42.3	113	30.2	24.1-36.3	78	22.8	17.1-28.5	41	11.0	07.3-14.7
H.S. or G.E.D.	1203	884,666	7	0.4	00.0-00.8	291	26.7	23.4-30.0	503	40.6	37.3-43.9	248	20.1	17.4-22.8	154	12.2	09.8-14.6
Some Post-H.S.	808	629,098	3	0.2	00.0-00.4	186	26.0	22.1-29.9	330	40.1	36.0-44.2	192	21.8	18.5-25.1	97	12.0	09.3-14.7
College Graduate	999	502,584	5	0.6	00.0-01.2	272	25.7	22.6-28.8	451	46.6	42.9-50.3	193	19.6	16.7-22.5	78	7.5	05.5-09.5
Less than \$15,000	305	201,358	9	1.6	00.0-03.2	98	40.3	32.5-48.1	94	25.1	19.0-31.2	59	20.5	14.0-27.0	45	12.4	08.1-16.7
\$15,000- 24,999	546	367,913	2	0.5	00.0-01.5	162	32.6	27.5-37.7	192	34.2	29.1-39.3	114	18.4	14.5-22.3	76	14.3	10.6-18.0
\$25,000- 34,999	345	230,557				82	24.7	18.6-30.8	159	44.5	37.8-51.2	73	22.7	17.0-28.4	31	8.2	04.3-12.1
\$35,000- 49,999	508	355,968	4	0.8	00.0-01.6	121	24.3	19.4-29.2	211	41.1	35.8-46.4	115	21.1	16.8-25.4	57	12.7	09.0-16.4
\$50,000- 74,999	531	398,405	2	0.3	00.0-00.7	118	23.8	19.1-28.5	227	38.4	33.3-43.5	111	22.6	17.9-27.3	73	14.8	10.9-18.7
\$75,000+	765	549,058	1	0.2	00.0-00.6	169	23.7	19.6-27.8	382	49.6	45.3-53.9	154	19.2	15.9-22.5	59	7.3	05.1-09.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 39: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4876	2,349,123	78	1.6	01.2-02.0	1797	39.4	37.4-41.4	1493	28.1	26.5-29.7	876	18.0	16.6-19.4	632	12.9	11.7-14.1
White/Non-Hisp	3941	1,948,627	63	1.7	01.1-02.3	1521	40.7	38.5-42.9	1197	28.1	26.3-29.9	700	17.5	15.9-19.1	460	12.0	10.6-13.4
Black or Afr. Am./Non-Hisp	583	210,325	12	2.5	00.5-04.5	141	25.9	20.0-31.8	177	24.9	19.4-30.4	132	25.6	19.3-31.9	121	21.2	15.7-26.7
Oth. Race/Non-Hisp.	67	31,145	1	0.8	00.0-02.4	38	64.0	50.5-77.5	15	16.6	07.2-26.0	7	9.0	00.4-17.6	6	9.5	00.0-19.1
MultiRacial/Non-Hisp.	77	36,970				24	29.0	16.5-41.5	26	35.0	21.1-48.9	6	6.9	00.8-13.0	21	29.1	14.6-43.6
Hispanic	148	101,350				56	40.1	30.1-50.1	53	34.4	24.6-44.2	21	17.4	09.4-25.4	18	8.0	03.7-12.3
18-24	245	310,377	8	3.3	00.9-05.7	146	62.3	55.2-69.4	41	14.6	09.7-19.5	33	13.0	08.1-17.9	17	6.7	03.4-10.0
25-34	468	353,090	12	2.1	00.7-03.5	197	42.2	37.1-47.3	109	21.9	17.4-26.4	72	16.8	12.9-20.7	78	16.9	13.0-20.8
35-44	607	383,756	6	0.7	00.1-01.3	234	37.8	33.1-42.5	209	35.2	30.5-39.9	85	14.4	10.9-17.9	73	11.8	08.7-14.9
45-54	806	429,198	5	0.6	00.0-01.2	299	36.6	32.7-40.5	228	27.4	23.7-31.1	135	18.0	14.5-21.5	139	17.4	14.1-20.7
55-64	984	370,730	15	1.6	00.6-02.6	305	30.4	26.9-33.9	293	28.5	25.2-31.8	215	23.4	20.1-26.7	156	16.2	13.3-19.1
65+	1733	491,110	31	1.9	01.1-02.7	598	33.0	30.3-35.7	606	35.9	33.2-38.6	331	20.6	18.2-23.0	167	8.5	06.9-10.1
Less Than H.S.	484	325,576	14	2.5	00.9-04.1	133	29.3	23.6-35.0	145	26.7	21.4-32.0	111	25.1	19.8-30.4	81	16.5	12.4-20.6
H.S. or G.E.D.	1777	774,122	35	2.2	01.2-03.2	592	34.8	31.9-37.7	570	31.3	28.6-34.0	331	17.0	14.8-19.2	249	14.6	12.4-16.8
Some Post-H.S.	1337	771,956	19	1.1	00.5-01.7	453	39.9	36.2-43.6	420	27.4	24.5-30.3	256	19.6	16.9-22.3	189	12.0	09.8-14.2
College Graduate	1269	474,704	10	1.0	00.2-01.8	614	53.0	49.7-56.3	357	25.0	22.3-27.7	177	12.0	10.0-14.0	111	9.0	06.8-11.2
Less than \$15,000	659	290,120	14	1.6	00.6-02.6	183	34.2	29.1-39.3	195	24.8	20.5-29.1	134	20.9	16.2-25.6	133	18.6	14.5-22.7
\$15,000- 24,999	931	401,438	18	2.1	00.9-03.3	288	32.3	28.0-36.6	290	27.6	23.9-31.3	189	21.2	17.7-24.7	146	16.9	13.6-20.2
\$25,000- 34,999	524	248,955	8	1.7	00.3-03.1	177	36.1	30.0-42.2	160	29.8	24.5-35.1	104	18.7	14.2-23.2	75	13.6	09.9-17.3
\$35,000- 49,999	605	298,730	8	1.1	00.1-02.1	208	33.2	28.5-37.9	197	32.0	27.3-36.7	112	19.7	15.6-23.8	80	14.0	10.5-17.5
\$50,000- 74,999	604	320,513	7	1.6	00.2-03.0	251	41.6	36.7-46.5	162	25.0	20.5-29.5	109	18.2	14.3-22.1	75	13.7	10.2-17.2
\$75,000+	777	420,988	7	1.3	00.1-02.5	361	49.9	45.6-54.2	246	28.8	25.1-32.5	105	13.3	10.4-16.2	58	6.7	04.5-08.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 40: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8225	4,720,269	140	1.7	01.3-02.1	2597	32.8	31.4-34.2	2890	34.1	32.7-35.5	2598	31.4	30.0-32.8
Male	3349	2,371,146	33	1.0	00.6-01.4	830	26.9	24.9-28.9	1399	40.2	38.0-42.4	1087	31.8	29.8-33.8
Female	4876	2,349,123	107	2.4	01.8-03.0	1767	38.7	36.7-40.7	1491	28.0	26.4-29.6	1511	30.9	29.1-32.7
White/Non-Hisp	6700	3,882,822	112	1.7	01.3-02.1	2189	33.4	31.8-35.0	2381	34.7	33.3-36.1	2018	30.2	28.8-31.6
Black or Afr. Am./Non-Hisp	883	402,255	19	2.2	00.4-04.0	202	25.8	20.7-30.9	283	28.3	23.6-33.0	379	43.7	38.4-49.0
Oth. Race/Non-Hisp.	117	72,012	2	1.4	00.0-03.6	59	54.2	42.0-66.4	31	26.6	16.0-37.2	25	17.8	08.2-27.4
MultiRacial/Non-Hisp.	129	68,161	1	0.2	00.0-00.6	34	21.4	13.2-29.6	44	35.8	25.2-46.4	50	42.6	31.6-53.6
Hispanic	274	239,528	2	1.1	00.0-02.7	84	32.5	25.1-39.9	102	36.2	28.6-43.8	86	30.3	23.2-37.4
18-24	505	655,287	18	3.2	01.6-04.8	277	57.3	52.2-62.4	106	20.3	16.2-24.4	104	19.2	15.5-22.9
25-34	831	754,884	20	2.1	00.9-03.3	298	34.3	30.6-38.0	247	30.0	26.3-33.7	266	33.6	29.9-37.3
35-44	1067	787,534	16	1.4	00.6-02.2	324	29.0	25.7-32.3	422	39.1	35.6-42.6	305	30.5	27.2-33.8
45-54	1407	873,767	12	0.8	00.2-01.4	425	27.6	24.9-30.3	483	35.7	32.6-38.8	487	35.8	32.7-38.9
55-64	1718	752,406	22	1.1	00.5-01.7	449	25.3	22.8-27.8	599	35.3	32.6-38.0	648	38.4	35.5-41.3
65+	2645	874,236	51	1.8	01.2-02.4	803	28.2	26.0-30.4	1013	40.7	38.3-43.1	778	29.3	27.1-31.5
Less Than H.S.	815	674,408	22	2.3	01.1-03.5	224	31.7	27.2-36.2	258	28.5	24.6-32.4	311	37.5	33.2-41.8
H.S. or G.E.D.	2980	1,658,789	60	2.1	01.5-02.7	863	29.7	27.5-31.9	1073	36.2	34.0-38.4	984	32.1	29.9-34.3
Some Post-H.S.	2145	1,401,053	31	1.2	00.6-01.8	629	33.1	30.4-35.8	749	33.1	30.6-35.6	736	32.6	30.1-35.1
College Graduate	2268	977,288	27	1.4	00.8-02.0	872	38.3	35.9-40.7	806	36.1	33.7-38.5	563	24.2	22.0-26.4
Less than \$15,000	964	491,478	32	3.2	01.6-04.8	271	34.9	30.4-39.4	289	25.0	21.5-28.5	372	36.9	32.6-41.2
\$15,000- 24,999	1477	769,351	25	1.5	00.7-02.3	444	32.2	28.9-35.5	483	30.8	27.7-33.9	525	35.5	32.2-38.8
\$25,000- 34,999	869	479,512	12	1.3	00.5-02.1	255	30.3	26.0-34.6	318	36.8	32.5-41.1	284	31.7	27.6-35.8
\$35,000- 49,999	1113	654,698	16	1.3	00.5-02.1	325	28.0	24.7-31.3	407	36.9	33.4-40.4	365	33.8	30.3-37.3
\$50,000- 74,999	1135	718,918	19	1.9	00.9-02.9	358	30.7	27.4-34.0	388	32.3	29.0-35.6	370	35.2	31.5-38.9
\$75,000+	1542	970,046	14	1.3	00.5-02.1	523	34.3	31.2-37.4	627	40.5	37.6-43.4	378	23.8	21.3-26.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 41: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3349	2,371,146	33	1.0	00.6-01.4	830	26.9	24.9-28.9	1399	40.2	38.0-42.4	1087	31.8	29.8-33.8
White/Non-Hisp	2759	1,934,195	26	1.0	00.6-01.4	692	26.8	24.6-29.0	1185	41.3	39.1-43.5	856	30.9	28.7-33.1
Black or Afr. Am./Non-Hisp	300	191,930	5	1.8	00.0-04.5	63	25.8	17.6-34.0	107	32.3	24.7-39.9	125	40.1	31.9-48.3
Oth. Race/Non-Hisp.	50	40,867				22	48.6	30.0-67.2	16	34.2	17.1-51.3	12	17.1	02.8-31.4
MultiRacial/Non-Hisp.	52	31,191	1	0.3	00.0-00.9	10	12.3	03.3-21.3	18	36.9	20.8-53.0	23	50.5	34.0-67.0
Hispanic	126	138,178	1	1.3	00.0-03.8	29	27.5	17.1-37.9	49	37.4	26.4-48.4	47	33.8	23.4-44.2
18-24	260	344,910	6	2.1	00.3-03.9	135	53.8	46.7-60.9	65	25.5	19.4-31.6	54	18.7	13.6-23.8
25-34	363	401,794	4	1.4	00.0-03.0	105	28.1	23.0-33.2	138	37.0	31.3-42.7	116	33.5	27.8-39.2
35-44	460	403,778	5	1.1	00.0-02.3	95	21.4	16.7-26.1	213	42.9	37.6-48.2	147	34.6	29.3-39.9
45-54	601	444,569	4	0.5	00.0-01.1	129	19.4	15.9-22.9	256	44.1	39.4-48.8	212	36.0	31.5-40.5
55-64	734	381,676	5	0.3	00.0-00.7	146	20.6	16.9-24.3	307	41.9	37.6-46.2	276	37.1	32.8-41.4
65+	912	383,126	9	0.9	00.1-01.7	217	22.8	19.3-26.3	407	46.9	43.0-50.8	279	29.4	25.9-32.9
Less Than H.S.	331	348,832	5	1.6	00.0-03.6	94	34.4	27.5-41.3	113	30.2	24.1-36.3	119	33.8	27.5-40.1
H.S. or G.E.D.	1203	884,666	14	1.2	00.4-02.0	282	25.9	22.8-29.0	504	40.5	37.2-43.8	403	32.4	29.1-35.7
Some Post-H.S.	808	629,098	5	0.6	00.0-01.2	184	25.6	21.7-29.5	330	40.1	36.0-44.2	289	33.8	29.9-37.7
College Graduate	999	502,584	9	0.9	00.3-01.5	266	25.2	22.1-28.3	449	46.5	42.8-50.2	275	27.3	24.0-30.6
Less than \$15,000	305	201,358	12	3.8	00.7-06.9	94	37.8	30.0-45.6	95	25.5	19.4-31.6	104	33.0	25.9-40.1
\$15,000- 24,999	546	367,913	3	0.6	00.0-01.6	161	32.5	27.4-37.6	192	34.2	29.1-39.3	190	32.7	27.8-37.6
\$25,000- 34,999	345	230,557	2	0.7	00.0-01.7	80	24.0	17.9-30.1	159	44.5	37.8-51.2	104	30.8	24.5-37.1
\$35,000- 49,999	508	355,968	6	1.4	00.2-02.6	119	23.8	18.9-28.7	210	41.0	35.7-46.3	173	33.9	28.8-39.0
\$50,000- 74,999	531	398,405	6	1.1	00.1-02.1	113	22.9	18.4-27.4	226	38.1	33.2-43.0	186	37.8	32.5-43.1
\$75,000+	765	549,058	2	0.5	00.0-01.3	167	23.3	19.2-27.4	382	49.7	45.2-54.2	214	26.5	22.8-30.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 42: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4876	2,349,123	107	2.4	01.8-03.0	1767	38.7	36.7-40.7	1491	28.0	26.4-29.6	1511	30.9	29.1-32.7
White/Non-Hisp	3941	1,948,627	86	2.4	01.8-03.0	1497	40.0	37.8-42.2	1196	28.1	26.3-29.9	1162	29.6	27.8-31.4
Black or Afr. Am./Non-Hisp	583	210,325	14	2.6	00.4-04.8	139	25.8	19.9-31.7	176	24.7	19.2-30.2	254	46.9	40.0-53.8
Oth. Race/Non-Hisp.	67	31,145	2	3.3	00.0-08.4	37	61.5	47.6-75.4	15	16.6	07.2-26.0	13	18.6	06.4-30.8
MultiRacial/Non-Hisp.	77	36,970				24	29.0	16.5-41.5	26	35.0	21.1-48.9	27	36.0	21.3-50.7
Hispanic	148	101,350	1	0.7	00.0-02.1	55	39.4	29.4-49.4	53	34.4	24.6-44.2	39	25.5	16.9-34.1
18-24	245	310,377	12	4.4	01.7-07.1	142	61.2	54.1-68.3	41	14.6	09.7-19.5	50	19.7	14.0-25.4
25-34	468	353,090	16	3.0	01.4-04.6	193	41.3	36.2-46.4	109	21.9	17.4-26.4	150	33.8	28.7-38.9
35-44	607	383,756	11	1.7	00.3-03.1	229	36.9	32.4-41.4	209	35.2	30.5-39.9	158	26.2	21.9-30.5
45-54	806	429,198	8	1.2	00.2-02.2	296	36.1	32.2-40.0	227	27.1	23.4-30.8	275	35.7	31.6-39.8
55-64	984	370,730	17	1.8	00.8-02.8	303	30.1	26.6-33.6	292	28.4	25.1-31.7	372	39.6	35.9-43.3
65+	1733	491,110	42	2.5	01.5-03.5	586	32.4	29.9-34.9	606	35.9	33.2-38.6	499	29.2	26.5-31.9
Less Than H.S.	484	325,576	17	3.0	01.2-04.8	130	28.8	23.1-34.5	145	26.7	21.4-32.0	192	41.5	35.6-47.4
H.S. or G.E.D.	1777	774,122	46	3.0	01.8-04.2	581	34.0	31.1-36.9	569	31.2	28.5-33.9	581	31.7	29.0-34.4
Some Post-H.S.	1337	771,956	26	1.7	00.9-02.5	445	39.2	35.5-42.9	419	27.4	24.5-30.3	447	31.7	28.4-35.0
College Graduate	1269	474,704	18	1.9	00.9-02.9	606	52.2	48.9-55.5	357	25.0	22.3-27.7	288	21.0	18.3-23.7
Less than \$15,000	659	290,120	20	2.9	01.3-04.5	177	32.9	27.8-38.0	194	24.6	20.3-28.9	268	39.6	34.3-44.9
\$15,000- 24,999	931	401,438	22	2.4	01.0-03.8	283	31.9	27.6-36.2	291	27.6	23.9-31.3	335	38.1	33.8-42.4
\$25,000- 34,999	524	248,955	10	1.9	00.5-03.3	175	36.0	29.9-42.1	159	29.7	24.4-35.0	180	32.4	27.1-37.7
\$35,000- 49,999	605	298,730	10	1.3	00.3-02.3	206	33.0	28.3-37.7	197	32.0	27.3-36.7	192	33.7	28.8-38.6
\$50,000- 74,999	604	320,513	13	2.8	01.2-04.4	245	40.3	35.4-45.2	162	25.0	20.5-29.5	184	31.9	27.2-36.6
\$75,000+	777	420,988	12	2.4	00.8-04.0	356	48.8	44.5-53.1	245	28.5	24.8-32.2	164	20.3	16.8-23.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8225	4,720,269	2737	34.5	33.1-35.9	5488	65.5	64.1-66.9
Male	3349	2,371,146	863	28.0	26.0-30.0	2486	72.0	70.0-74.0
Female	4876	2,349,123	1874	41.0	39.0-43.0	3002	59.0	57.0-61.0
White/Non-Hisp	6700	3,882,822	2301	35.1	33.5-36.7	4399	64.9	63.3-66.5
Black or Afr. Am./Non-Hisp	883	402,255	221	28.0	22.9-33.1	662	72.0	66.9-77.1
Oth. Race/Non-Hisp.	117	72,012	61	55.6	43.4-67.8	56	44.4	32.2-56.6
MultiRacial/Non-Hisp.	129	68,161	35	21.5	13.3-29.7	94	78.5	70.3-86.7
Hispanic	274	239,528	86	33.6	26.2-41.0	188	66.4	59.0-73.8
18-24	505	655,287	295	60.5	55.6-65.4	210	39.5	34.6-44.4
25-34	831	754,884	318	36.4	32.7-40.1	513	63.6	59.9-67.3
35-44	1067	787,534	340	30.4	27.1-33.7	727	69.6	66.3-72.9
45-54	1407	873,767	437	28.4	25.7-31.1	970	71.6	68.9-74.3
55-64	1718	752,406	471	26.4	23.9-28.9	1247	73.6	71.1-76.1
65+	2645	874,236	854	30.0	27.8-32.2	1791	70.0	67.8-72.2
Less Than H.S.	815	674,408	246	34.0	29.5-38.5	569	66.0	61.5-70.5
H.S. or G.E.D.	2980	1,658,789	923	31.7	29.5-33.9	2057	68.3	66.1-70.5
Some Post-H.S.	2145	1,401,053	660	34.3	31.6-37.0	1485	65.7	63.0-68.4
College Graduate	2268	977,288	899	39.7	37.2-42.2	1369	60.3	57.8-62.8
Less than \$15,000	964	491,478	303	38.1	33.6-42.6	661	61.9	57.4-66.4
\$15,000- 24,999	1477	769,351	469	33.7	30.4-37.0	1008	66.3	63.0-69.6
\$25,000- 34,999	869	479,512	267	31.5	27.2-35.8	602	68.5	64.2-72.8
\$35,000- 49,999	1113	654,698	341	29.3	26.0-32.6	772	70.7	67.4-74.0
\$50,000- 74,999	1135	718,918	377	32.6	29.1-36.1	758	67.4	63.9-70.9
\$75,000+	1542	970,046	537	35.7	32.6-38.8	1005	64.3	61.2-67.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3349	2,371,146	863	28.0	26.0-30.0	2486	72.0	70.0-74.0
White/Non-Hisp	2759	1,934,195	718	27.8	25.6-30.0	2041	72.2	70.0-74.4
Black or Afr. Am./Non-Hisp	300	191,930	68	27.5	19.1-35.9	232	72.5	64.1-80.9
Oth. Race/Non-Hisp.	50	40,867	22	48.6	30.0-67.2	28	51.4	32.8-70.0
MultiRacial/Non-Hisp.	52	31,191	11	12.6	03.6-21.6	41	87.4	78.4-96.4
Hispanic	126	138,178	30	28.8	18.2-39.4	96	71.2	60.6-81.8
18-24	260	344,910	141	55.9	48.8-63.0	119	44.1	37.0-51.2
25-34	363	401,794	109	29.5	24.2-34.8	254	70.5	65.2-75.8
35-44	460	403,778	100	22.6	17.7-27.5	360	77.4	72.5-82.3
45-54	601	444,569	133	19.9	16.4-23.4	468	80.1	76.6-83.6
55-64	734	381,676	151	20.9	17.2-24.6	583	79.1	75.4-82.8
65+	912	383,126	226	23.7	20.2-27.2	686	76.3	72.8-79.8
Less Than H.S.	331	348,832	99	36.0	28.9-43.1	232	64.0	56.9-71.1
H.S. or G.E.D.	1203	884,666	296	27.1	23.8-30.4	907	72.9	69.6-76.2
Some Post-H.S.	808	629,098	189	26.2	22.3-30.1	619	73.8	69.9-77.7
College Graduate	999	502,584	275	26.1	23.0-29.2	724	73.9	70.8-77.0
Less than \$15,000	305	201,358	106	41.6	33.8-49.4	199	58.4	50.6-66.2
\$15,000- 24,999	546	367,913	164	33.1	28.0-38.2	382	66.9	61.8-72.0
\$25,000- 34,999	345	230,557	82	24.7	18.6-30.8	263	75.3	69.2-81.4
\$35,000- 49,999	508	355,968	125	25.1	20.2-30.0	383	74.9	70.0-79.8
\$50,000- 74,999	531	398,405	119	24.1	19.4-28.8	412	75.9	71.2-80.6
\$75,000+	765	549,058	169	23.8	19.7-27.9	596	76.2	72.1-80.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4876	2,349,123	1874	41.0	39.0-43.0	3002	59.0	57.0-61.0
White/Non-Hisp	3941	1,948,627	1583	42.3	40.1-44.5	2358	57.7	55.5-59.9
Black or Afr. Am./Non-Hisp	583	210,325	153	28.4	22.3-34.5	430	71.6	65.5-77.7
Oth. Race/Non-Hisp.	67	31,145	39	64.8	51.3-78.3	28	35.2	21.7-48.7
MultiRacial/Non-Hisp.	77	36,970	24	29.0	16.5-41.5	53	71.0	58.5-83.5
Hispanic	148	101,350	56	40.1	30.1-50.1	92	59.9	49.9-69.9
18-24	245	310,377	154	65.7	58.8-72.6	91	34.3	27.4-41.2
25-34	468	353,090	209	44.3	39.0-49.6	259	55.7	50.4-61.0
35-44	607	383,756	240	38.6	33.9-43.3	367	61.4	56.7-66.1
45-54	806	429,198	304	37.3	33.4-41.2	502	62.7	58.8-66.6
55-64	984	370,730	320	32.0	28.5-35.5	664	68.0	64.5-71.5
65+	1733	491,110	628	34.9	32.2-37.6	1105	65.1	62.4-67.8
Less Than H.S.	484	325,576	147	31.8	26.1-37.5	337	68.2	62.5-73.9
H.S. or G.E.D.	1777	774,122	627	37.1	34.2-40.0	1150	62.9	60.0-65.8
Some Post-H.S.	1337	771,956	471	40.9	37.2-44.6	866	59.1	55.4-62.8
College Graduate	1269	474,704	624	54.1	50.8-57.4	645	45.9	42.6-49.2
Less than \$15,000	659	290,120	197	35.7	30.6-40.8	462	64.3	59.2-69.4
\$15,000- 24,999	931	401,438	305	34.3	30.0-38.6	626	65.7	61.4-70.0
\$25,000- 34,999	524	248,955	185	37.9	31.8-44.0	339	62.1	56.0-68.2
\$35,000- 49,999	605	298,730	216	34.3	29.6-39.0	389	65.7	61.0-70.4
\$50,000- 74,999	604	320,513	258	43.1	38.2-48.0	346	56.9	52.0-61.8
\$75,000+	777	420,988	368	51.2	46.9-55.5	409	48.8	44.5-53.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 46: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8632	4,938,270	6256	62.9	61.5-64.3	942	14.8	13.8-15.8	841	13.1	12.1-14.1	404	6.3	05.5-07.1	123	1.9	01.5-02.3	66	1.0	00.8-01.2
Male	3391	2,397,392	2467	64.6	62.4-66.8	368	13.8	12.2-15.4	333	13.3	11.7-14.9	148	5.6	04.6-06.6	45	1.7	01.1-02.3	30	1.0	00.6-01.4
Female	5241	2,540,877	3789	61.3	59.5-63.1	574	15.6	14.0-17.2	508	13.0	11.8-14.2	256	7.0	06.0-08.0	78	2.1	01.5-02.7	36	1.0	00.6-01.4
White/Non-Hisp	7009	4,048,386	5201	65.5	63.9-67.1	725	13.9	12.7-15.1	652	12.3	11.3-13.3	297	5.8	05.0-06.6	95	1.8	01.4-02.2	39	0.7	00.5-00.9
Black or Afr. Am./Non-Hisp	923	418,487	646	54.8	49.5-60.1	122	21.0	16.3-25.7	85	12.7	09.0-16.4	42	7.1	04.6-09.6	16	2.9	01.1-04.7	12	1.5	00.3-02.7
Oth. Race/Non-Hisp.	126	77,831	80	54.3	42.7-65.9	17	21.1	10.9-31.3	17	14.1	06.7-21.5	9	6.0	01.7-10.3	2	3.8	00.0-09.5	1	0.7	00.0-02.1
MultiRacial/Non-Hisp.	133	69,082	89	61.2	50.6-71.8	18	16.9	08.9-24.9	8	6.7	01.6-11.8	14	11.2	04.3-18.1	2	1.8	00.0-04.3	2	2.3	00.0-06.4
Hispanic	306	263,451	130	37.2	29.9-44.5	48	15.7	10.6-20.8	70	28.4	21.7-35.1	42	13.7	09.0-18.4	5	1.0	00.0-02.0	11	4.0	01.3-06.7
18-24	532	680,772	334	60.3	55.2-65.4	107	21.5	17.2-25.8	57	10.7	07.6-13.8	20	4.6	02.1-07.1	10	2.4	00.8-04.0	4	0.6	00.0-01.2
25-34	900	806,334	315	36.4	32.7-40.1	191	21.2	18.1-24.3	221	24.4	21.1-27.7	120	12.7	10.3-15.1	34	3.5	02.1-04.9	19	1.8	00.8-02.8
35-44	1114	817,117	281	26.6	23.5-29.7	237	21.4	18.5-24.3	335	29.2	26.1-32.3	176	15.8	13.3-18.3	59	4.4	03.0-05.8	26	2.6	01.4-03.8
45-54	1461	907,169	955	64.2	61.3-67.1	254	18.2	15.7-20.7	166	12.3	10.1-14.5	64	4.1	02.9-05.3	16	0.9	00.3-01.5	6	0.4	00.0-00.8
55-64	1803	788,630	1633	88.5	86.5-90.5	108	7.0	05.4-08.6	40	2.7	01.7-03.7	14	1.1	00.3-01.9	2	0.1	00.0-00.3	6	0.6	00.0-01.2
65+	2749	906,321	2677	96.9	95.9-97.9	42	1.6	01.0-02.2	18	0.7	00.3-01.1	7	0.3	00.0-00.7	2	0.3	00.0-00.7	3	0.1	00.0-00.3
Less Than H.S.	847	695,665	601	56.8	52.3-61.3	97	16.9	13.4-20.4	79	14.6	11.1-18.1	46	7.6	05.1-10.1	16	2.7	01.1-04.3	8	1.3	00.3-02.3
H.S. or G.E.D.	3137	1,732,700	2462	69.2	67.0-71.4	289	12.6	11.0-14.2	219	10.3	08.7-11.9	114	5.1	04.1-06.1	32	1.7	01.1-02.3	21	1.1	00.5-01.7
Some Post-H.S.	2260	1,478,447	1585	61.1	58.4-63.8	262	15.9	13.7-18.1	240	13.5	11.5-15.5	121	7.0	05.4-08.6	35	1.6	01.0-02.2	17	0.9	00.5-01.3
College Graduate	2369	1,021,328	1590	58.8	56.3-61.3	294	15.5	13.7-17.3	302	16.5	14.5-18.5	123	6.6	05.4-07.8	40	1.9	01.3-02.5	20	0.8	00.4-01.2
Less than \$15,000	1021	519,037	801	69.1	65.0-73.2	92	13.3	10.2-16.4	67	8.3	05.9-10.7	44	6.9	04.5-09.3	11	1.6	00.6-02.6	6	0.8	00.0-01.6
\$15,000- 24,999	1542	802,854	1192	66.0	62.7-69.3	137	12.5	10.0-15.0	119	12.1	09.6-14.6	58	5.6	04.0-07.2	17	1.8	00.8-02.8	19	2.0	00.8-03.2
\$25,000- 34,999	901	497,101	691	66.6	62.1-71.1	89	13.4	10.3-16.5	75	13.3	10.0-16.6	29	4.5	01.8-07.2	9	1.1	00.1-02.1	8	1.1	00.1-02.1
\$35,000- 49,999	1146	671,196	842	64.3	60.6-68.0	129	15.1	12.2-18.0	107	13.2	10.3-16.1	47	5.4	03.6-07.2	17	1.5	00.5-02.5	4	0.5	00.1-00.9
\$50,000- 74,999	1174	743,878	774	56.7	53.0-60.4	152	15.9	13.2-18.6	141	15.2	12.3-18.1	76	8.7	06.5-10.9	24	2.6	01.4-03.8	7	0.8	00.2-01.4
\$75,000+	1591	1,001,971	934	53.5	50.4-56.6	239	17.7	15.2-20.2	266	18.3	15.9-20.7	114	7.9	06.1-09.7	29	2.0	01.2-02.8	9	0.6	00.2-01.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 47: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3391	2,397,392	2467	64.6	62.4-66.8	368	13.8	12.2-15.4	333	13.3	11.7-14.9	148	5.6	04.6-06.6	45	1.7	01.1-02.3	30	1.0	00.6-01.4
White/Non-Hisp	2785	1,950,181	2041	66.2	64.0-68.4	310	13.7	12.1-15.3	268	12.4	10.8-14.0	109	5.2	04.0-06.4	40	1.7	01.1-02.3	17	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	308	195,329	239	62.7	54.3-71.1	27	14.9	08.6-21.2	22	12.7	06.4-19.0	15	7.7	03.2-12.2	2	1.2	00.0-03.2	3	0.7	00.0-01.5
Oth. Race/Non-Hisp.	50	40,867	33	56.9	38.5-75.3	6	20.8	04.5-37.1	4	9.3	00.0-18.7	4	4.5	00.0-09.6	2	7.3	00.0-18.1	1	1.3	00.0-03.8
MultiRacial/Non-Hisp.	52	31,191	35	67.2	51.7-82.7	5	9.8	00.2-19.4	4	7.5	00.0-15.5	8	15.5	03.2-27.8						
Hispanic	130	142,923	66	45.6	34.4-56.8	14	12.2	04.9-19.5	30	28.0	18.2-37.8	12	8.7	03.0-14.4				8	5.6	01.3-09.9
18-24	264	348,380	188	67.8	60.9-74.7	44	17.1	11.8-22.4	20	9.6	04.9-14.3	8	4.0	00.9-07.1	3	1.3	00.0-02.9	1	0.2	00.0-00.6
25-34	365	403,626	169	46.1	40.2-52.0	74	19.9	15.4-24.4	75	21.1	16.2-26.0	34	9.1	05.8-12.4	9	2.7	00.7-04.7	4	1.1	00.0-02.3
35-44	467	408,642	146	31.4	26.3-36.5	84	18.0	13.9-22.1	137	29.6	24.7-34.5	65	13.8	10.1-17.5	22	4.3	02.3-06.3	13	2.8	01.0-04.6
45-54	605	448,777	378	60.2	55.5-64.9	104	18.2	14.5-21.9	78	14.8	11.3-18.3	30	4.7	02.7-06.7	10	1.3	00.3-02.3	5	0.8	00.0-01.6
55-64	743	387,685	668	87.5	84.6-90.4	48	7.7	05.3-10.1	14	2.6	01.2-04.0	7	1.1	00.3-01.9	1	0.1	00.0-00.3	5	1.1	00.0-02.3
65+	926	388,265	900	97.2	96.0-98.4	14	1.6	00.6-02.6	9	0.7	00.1-01.3	3	0.5	00.0-01.1						
Less Than H.S.	333	350,026	237	59.7	52.8-66.6	36	14.8	09.9-19.7	32	13.9	08.8-19.0	19	8.2	04.3-12.1	3	1.3	00.0-02.7	6	2.1	00.3-03.9
H.S. or G.E.D.	1225	896,282	911	66.7	63.4-70.0	131	13.1	10.6-15.6	104	11.5	09.1-13.9	54	5.7	03.9-07.5	16	2.0	00.8-03.2	9	1.0	00.2-01.8
Some Post-H.S.	820	639,238	597	66.0	61.9-70.1	94	14.5	11.4-17.6	84	13.8	10.7-16.9	33	4.3	02.5-06.1	7	0.9	00.1-01.7	5	0.5	00.1-00.9
College Graduate	1004	505,002	713	61.9	58.2-65.6	107	13.7	11.0-16.4	113	15.6	12.7-18.5	42	5.3	03.5-07.1	19	2.3	01.1-03.5	10	1.1	00.3-01.9
Less than \$15,000	312	207,559	265	78.6	72.3-84.9	20	10.1	05.6-14.6	11	3.2	00.8-05.6	12	6.7	02.6-10.8	3	1.1	00.0-02.5	1	0.3	00.0-00.9
\$15,000- 24,999	556	371,782	441	70.1	64.8-75.4	45	10.6	07.1-14.1	36	11.4	07.5-15.3	20	4.7	02.3-07.1	7	1.4	00.2-02.6	7	1.9	00.3-03.5
\$25,000- 34,999	348	232,206	269	68.3	61.6-75.0	33	14.1	09.0-19.2	34	14.3	09.2-19.4	8	1.4	00.2-02.6	3	1.2	00.0-02.8	1	0.8	00.0-02.4
\$35,000- 49,999	507	355,756	391	68.0	62.5-73.5	49	13.3	09.4-17.2	42	12.8	08.5-17.1	18	4.3	02.1-06.5	5	1.2	00.0-02.4	2	0.5	00.0-01.3
\$50,000- 74,999	536	402,615	346	55.2	49.9-60.5	80	17.1	13.0-21.2	54	14.5	10.0-19.0	39	9.2	06.1-12.3	12	3.0	01.2-04.8	5	1.0	00.0-02.0
\$75,000+	769	553,674	468	54.2	49.9-58.5	113	18.0	14.5-21.5	130	19.2	15.9-22.5	40	6.1	03.7-08.5	11	1.6	00.6-02.6	7	0.8	00.2-01.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 48: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5241	2,540,877	3789	61.3	59.5-63.1	574	15.6	14.0-17.2	508	13.0	11.8-14.2	256	7.0	06.0-08.0	78	2.1	01.5-02.7	36	1.0	00.6-01.4
White/Non-Hisp	4224	2,098,206	3160	64.8	62.8-66.8	415	14.1	12.5-15.7	384	12.2	10.8-13.6	188	6.4	05.2-07.6	55	1.8	01.2-02.4	22	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	615	223,158	407	47.9	41.4-54.4	95	26.3	19.6-33.0	63	12.7	08.4-17.0	27	6.5	03.6-09.4	14	4.3	01.4-07.2	9	2.2	00.0-04.4
Oth. Race/Non-Hisp.	76	36,964	47	51.3	38.2-64.4	11	21.5	09.9-33.1	13	19.5	08.5-30.5	5	7.7	00.8-14.6						
MultiRacial/Non-Hisp.	81	37,891	54	56.2	41.9-70.5	13	22.7	10.5-34.9	4	5.9	00.0-12.4	6	7.6	00.7-14.5	2	3.3	00.0-07.8	2	4.2	00.0-11.5
Hispanic	176	120,527	64	27.2	19.4-35.0	34	19.9	12.6-27.2	40	28.9	19.9-37.9	30	19.6	12.2-27.0	5	2.2	00.0-04.4	3	2.2	00.0-04.9
18-24	268	332,392	146	52.3	45.0-59.6	63	26.1	19.4-32.8	37	12.0	07.7-16.3	12	5.1	01.0-09.2	7	3.5	01.0-06.0	3	1.0	00.0-02.4
25-34	535	402,708	146	26.7	22.2-31.2	117	22.6	18.5-26.7	146	27.8	23.5-32.1	86	16.3	12.8-19.8	25	4.3	02.3-06.3	15	2.4	01.0-03.8
35-44	647	408,475	135	21.8	18.1-25.5	153	24.9	20.8-29.0	198	28.7	24.6-32.8	111	17.7	14.2-21.2	37	4.5	02.7-06.3	13	2.3	00.7-03.9
45-54	856	458,393	577	68.1	64.4-71.8	150	18.1	15.0-21.2	88	9.8	07.4-12.2	34	3.5	02.1-04.9	6	0.5	00.1-00.9	1	0.0	00.0-00.0
55-64	1060	400,945	965	89.5	87.0-92.0	60	6.3	04.3-08.3	26	2.8	01.4-04.2	7	1.2	00.0-02.4	1	0.1	00.0-00.3	1	0.2	00.0-00.6
65+	1823	518,055	1777	96.7	95.5-97.9	28	1.6	00.8-02.4	9	0.7	00.1-01.3	4	0.2	00.0-00.4	2	0.4	00.0-01.0	3	0.2	00.0-00.6
Less Than H.S.	514	345,639	364	53.8	47.9-59.7	61	19.0	13.7-24.3	47	15.4	10.7-20.1	27	7.0	04.1-09.9	13	4.2	01.7-06.7	2	0.5	00.0-01.3
H.S. or G.E.D.	1912	836,418	1551	71.9	69.2-74.6	158	12.0	09.8-14.2	115	9.0	07.2-10.8	60	4.5	03.1-05.9	16	1.4	00.6-02.2	12	1.2	00.4-02.0
Some Post-H.S.	1440	839,210	988	57.4	53.9-60.9	168	17.0	14.1-19.9	156	13.2	10.8-15.6	88	9.0	06.6-11.4	28	2.2	01.2-03.2	12	1.2	00.4-02.0
College Graduate	1365	516,326	877	55.7	52.4-59.0	187	17.2	14.7-19.7	189	17.3	14.8-19.8	81	7.9	06.1-09.7	21	1.5	00.7-02.3	10	0.5	00.1-00.9
Less than \$15,000	709	311,478	536	62.8	57.7-67.9	72	15.4	11.3-19.5	56	11.7	08.2-15.2	32	7.0	04.3-09.7	8	2.0	00.4-03.6	5	1.1	00.0-02.5
\$15,000- 24,999	986	431,072	751	62.5	58.0-67.0	92	14.1	10.6-17.6	83	12.7	09.6-15.8	38	6.3	03.9-08.7	10	2.3	00.7-03.9	12	2.1	00.7-03.5
\$25,000- 34,999	553	264,895	422	65.2	59.1-71.3	56	12.8	08.9-16.7	41	12.4	08.1-16.7	21	7.2	02.3-12.1	6	0.9	00.1-01.7	7	1.5	00.1-02.9
\$35,000- 49,999	639	315,440	451	60.2	55.3-65.1	80	17.3	13.0-21.6	65	13.6	10.1-17.1	29	6.6	03.9-09.3	12	2.0	00.6-03.4	2	0.4	00.0-01.0
\$50,000- 74,999	638	341,263	428	58.6	53.7-63.5	72	14.4	10.9-17.9	87	16.1	12.6-19.6	37	8.2	05.5-10.9	12	2.2	00.8-03.6	2	0.5	00.0-01.3
\$75,000+	822	448,297	466	52.5	48.4-56.6	126	17.3	14.0-20.6	136	17.2	14.3-20.1	74	10.2	07.7-12.7	18	2.4	01.0-03.8	2	0.4	00.0-01.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 49: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8625	4,935,829	849	14.1	12.9-15.3	3139	35.1	33.7-36.5	2263	30.0	28.6-31.4	2374	20.7	19.7-21.7
Male	3388	2,395,586	335	14.7	12.9-16.5	1226	37.5	35.3-39.7	821	26.7	24.7-28.7	1006	21.1	19.5-22.7
Female	5237	2,540,243	514	13.6	12.2-15.0	1913	32.9	31.3-34.5	1442	33.1	31.3-34.9	1368	20.4	19.2-21.6
White/Non-Hisp	7005	4,047,317	567	11.6	10.4-12.8	2608	36.1	34.7-37.5	1816	30.6	29.2-32.0	2014	21.8	20.8-22.8
Black or Afr. Am./Non-Hisp	921	417,771	124	18.7	14.0-23.4	317	31.2	26.3-36.1	290	34.5	29.4-39.6	190	15.6	12.3-18.9
Oth. Race/Non-Hisp.	126	77,831	9	10.1	00.5-19.7	36	31.6	20.4-42.8	26	21.8	12.2-31.4	55	36.6	26.4-46.8
MultiRacial/Non-Hisp.	133	69,082	10	8.7	02.4-15.0	50	40.6	29.8-51.4	46	34.9	24.3-45.5	27	15.8	08.5-23.1
Hispanic	305	262,573	110	45.9	38.5-53.3	99	30.5	23.6-37.4	46	13.9	08.6-19.2	50	9.6	06.3-12.9
18-24	530	678,393	82	21.7	17.2-26.2	192	33.2	28.5-37.9	182	36.4	31.5-41.3	74	8.7	06.5-10.9
25-34	899	805,844	92	15.3	12.2-18.4	213	25.1	21.8-28.4	279	33.9	30.2-37.6	315	25.7	22.8-28.6
35-44	1117	818,682	89	12.6	09.9-15.3	300	28.9	25.6-32.2	306	30.3	27.0-33.6	422	28.2	25.5-30.9
45-54	1464	909,038	121	11.6	09.4-13.8	537	38.3	35.2-41.4	389	29.2	26.3-32.1	417	20.9	18.7-23.1
55-64	1799	786,974	118	8.8	07.0-10.6	690	40.4	37.7-43.1	463	28.3	25.6-31.0	528	22.5	20.3-24.7
65+	2742	903,781	343	16.2	14.2-18.2	1184	43.6	41.2-46.0	624	23.7	21.7-25.7	591	16.6	15.0-18.2
Less Than H.S.	849	698,108	849	100.0	0100-0100									
H.S. or G.E.D.	3139	1,734,288				3139	100.0	0100-0100						
Some Post-H.S.	2263	1,480,187							2263	100.0	0100-0100			
College Graduate	2374	1,023,246										2374	100.0	0100-0100
Less than \$15,000	1018	517,781	236	30.5	26.2-34.8	431	38.7	34.6-42.8	253	25.6	22.1-29.1	98	5.2	03.8-06.6
\$15,000- 24,999	1542	803,950	244	24.1	21.0-27.2	731	43.2	39.9-46.5	382	25.4	22.5-28.3	185	7.3	05.9-08.7
\$25,000- 34,999	901	495,789	84	16.3	12.4-20.2	386	41.0	36.9-45.1	253	29.4	25.3-33.5	178	13.4	11.0-15.8
\$35,000- 49,999	1146	670,669	65	7.3	05.3-09.3	446	41.5	37.8-45.2	340	34.4	30.9-37.9	295	16.8	14.4-19.2
\$50,000- 74,999	1173	743,229	33	6.2	03.8-08.6	344	30.9	27.6-34.2	352	35.9	32.4-39.4	444	27.0	24.1-29.9
\$75,000+	1590	1,001,284	24	2.9	01.1-04.7	267	20.1	17.6-22.6	373	30.8	27.9-33.7	926	46.2	43.3-49.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 50: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3388	2,395,586	335	14.7	12.9-16.5	1226	37.5	35.3-39.7	821	26.7	24.7-28.7	1006	21.1	19.5-22.7
White/Non-Hisp	2785	1,950,653	219	12.1	10.3-13.9	1017	37.9	35.7-40.1	674	27.6	25.4-29.8	875	22.4	20.8-24.0
Black or Afr. Am./Non-Hisp	306	193,928	49	19.4	11.8-27.0	108	34.5	26.5-42.5	90	29.3	21.7-36.9	59	16.9	11.4-22.4
Oth. Race/Non-Hisp.	50	40,867	3	13.9	00.0-31.0	19	42.6	24.2-61.0	12	22.5	07.4-37.6	16	21.1	09.3-32.9
MultiRacial/Non-Hisp.	52	31,191	4	8.0	00.0-17.6	20	40.3	24.0-56.6	18	33.0	17.3-48.7	10	18.6	06.4-30.8
Hispanic	129	142,045	46	42.7	31.7-53.7	49	38.0	27.2-48.8	12	11.1	03.3-18.9	22	8.2	03.7-12.7
18-24	262	346,001	48	25.1	18.2-32.0	104	39.4	32.5-46.3	74	28.2	21.9-34.5	36	7.3	04.6-10.0
25-34	365	404,204	41	16.3	11.4-21.2	101	29.9	24.6-35.2	97	28.5	23.2-33.8	126	25.2	20.7-29.7
35-44	468	409,905	36	13.2	08.9-17.5	155	34.1	29.0-39.2	118	26.6	21.9-31.3	159	26.1	22.0-30.2
45-54	606	449,957	46	10.5	07.4-13.6	243	42.3	37.6-47.0	160	28.2	23.9-32.5	157	19.0	15.9-22.1
55-64	741	386,417	49	8.6	05.7-11.5	275	39.6	35.3-43.9	176	27.0	22.9-31.1	241	24.8	21.5-28.1
65+	925	387,450	113	16.3	12.8-19.8	343	39.7	35.8-43.6	192	21.9	18.6-25.2	277	22.2	19.3-25.1
Less Than H.S.	335	352,469	335	100.0	0100-0100									
H.S. or G.E.D.	1226	897,509				1226	100.0	0100-0100						
Some Post-H.S.	821	639,724							821	100.0	0100-0100			
College Graduate	1006	505,883										1006	100.0	0100-0100
Less than \$15,000	311	206,681	76	29.0	21.7-36.3	122	42.5	34.9-50.1	78	24.0	17.9-30.1	35	4.5	02.5-06.5
\$15,000- 24,999	555	372,528	98	25.6	20.5-30.7	259	45.1	39.8-50.4	122	20.8	16.5-25.1	76	8.5	06.1-10.9
\$25,000- 34,999	347	230,565	41	21.5	14.6-28.4	166	45.8	39.1-52.5	80	21.2	16.1-26.3	60	11.5	08.0-15.0
\$35,000- 49,999	507	355,229	33	7.3	04.4-10.2	215	46.0	40.5-51.5	150	33.4	28.3-38.5	109	13.4	10.5-16.3
\$50,000- 74,999	535	401,966	24	9.3	05.2-13.4	171	34.5	29.6-39.4	140	30.6	25.5-35.7	200	25.5	21.6-29.4
\$75,000+	768	552,987	16	4.4	01.5-07.3	145	22.5	18.8-26.2	173	28.4	24.3-32.5	434	44.7	40.4-49.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 51: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5237	2,540,243	514	13.6	12.2-15.0	1913	32.9	31.3-34.5	1442	33.1	31.3-34.9	1368	20.4	19.2-21.6
White/Non-Hisp	4220	2,096,664	348	11.0	09.6-12.4	1591	34.3	32.5-36.1	1142	33.4	31.4-35.4	1139	21.2	19.8-22.6
Black or Afr. Am./Non-Hisp	615	223,843	75	18.1	12.2-24.0	209	28.4	22.7-34.1	200	39.0	32.5-45.5	131	14.5	10.8-18.2
Oth. Race/Non-Hisp.	76	36,964	6	5.8	00.0-11.9	17	19.4	09.4-29.4	14	21.0	09.2-32.8	39	53.7	40.6-66.8
MultiRacial/Non-Hisp.	81	37,891	6	9.3	01.1-17.5	30	40.9	26.6-55.2	28	36.4	22.1-50.7	17	13.4	05.0-21.8
Hispanic	176	120,527	64	49.7	40.3-59.1	50	21.7	14.6-28.8	34	17.3	10.6-24.0	28	11.3	06.4-16.2
18-24	268	332,392	34	18.2	12.1-24.3	88	26.8	21.1-32.5	108	44.9	37.6-52.2	38	10.1	06.6-13.6
25-34	534	401,640	51	14.3	10.2-18.4	112	20.2	16.3-24.1	182	39.3	34.4-44.2	189	26.2	22.3-30.1
35-44	649	408,778	53	12.0	08.5-15.5	145	23.7	19.8-27.6	188	34.0	29.5-38.5	263	30.3	26.4-34.2
45-54	858	459,082	75	12.7	09.6-15.8	294	34.5	30.6-38.4	229	30.2	26.3-34.1	260	22.7	19.8-25.6
55-64	1058	400,557	69	8.9	06.5-11.3	415	41.3	37.6-45.0	287	29.6	26.1-33.1	287	20.3	17.8-22.8
65+	1817	516,331	230	16.2	13.8-18.6	841	46.5	43.8-49.2	432	25.0	22.6-27.4	314	12.4	10.8-14.0
Less Than H.S.	514	345,639	514	100.0	0100-0100									
H.S. or G.E.D.	1913	836,779				1913	100.0	0100-0100						
Some Post-H.S.	1442	840,462							1442	100.0	0100-0100			
College Graduate	1368	517,363										1368	100.0	0100-0100
Less than \$15,000	707	311,100	160	31.5	26.4-36.6	309	36.2	31.5-40.9	175	26.6	22.1-31.1	63	5.7	03.9-07.5
\$15,000- 24,999	987	431,422	146	22.9	18.8-27.0	472	41.5	37.4-45.6	260	29.4	25.5-33.3	109	6.2	04.8-07.6
\$25,000- 34,999	554	265,223	43	11.7	07.4-16.0	220	36.8	31.5-42.1	173	36.5	30.6-42.4	118	15.0	11.7-18.3
\$35,000- 49,999	639	315,440	32	7.2	04.3-10.1	231	36.5	31.8-41.2	190	35.6	30.7-40.5	186	20.7	17.4-24.0
\$50,000- 74,999	638	341,263	9	2.5	00.7-04.3	173	26.7	22.6-30.8	212	42.0	36.9-47.1	244	28.8	24.7-32.9
\$75,000+	822	448,297	8	1.2	00.2-02.2	122	17.1	14.0-20.2	200	33.6	29.3-37.9	492	48.1	44.0-52.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 52: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 lt 25,000			\$25,000 lt 35,000			\$35,000 lt 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7380	4,238,276	1021	12.2	11.2-13.2	1545	19.0	17.8-20.2	902	11.7	10.7-12.7	1147	15.8	14.8-16.8	2765	41.2	39.8-42.6
Male	3030	2,125,067	312	9.8	8.4-11.2	557	17.6	15.8-19.4	348	10.9	9.5-12.3	508	16.8	15.2-18.4	1305	45.0	42.8-47.2
Female	4350	2,113,209	709	14.7	13.3-16.1	988	20.4	18.8-22.0	554	12.6	11.2-14.0	639	14.9	13.5-16.3	1460	37.4	35.4-39.4
White/Non-Hisp	5962	3,471,470	683	9.9	8.9-10.9	1148	17.2	16.0-18.4	706	11.0	10.0-12.0	965	16.9	15.7-18.1	2460	45.0	43.4-46.6
Black or Afr. Am./Non-Hisp	824	370,121	193	24.1	19.0-29.2	252	26.6	21.9-31.3	116	13.9	10.0-17.8	114	13.5	9.8-17.2	149	21.9	17.2-26.6
Oth. Race/Non-Hisp.	114	68,516	27	23.8	12.4-35.2	18	8.6	03.9-13.3	15	11.8	04.5-19.1	12	8.9	03.0-14.8	42	47.0	34.7-59.3
MultiRacial/Non-Hisp.	121	63,488	31	17.5	09.9-25.1	33	21.7	13.1-30.3	14	16.6	07.0-26.2	12	8.6	02.5-14.7	31	35.6	24.2-47.0
Hispanic	267	226,325	64	22.0	15.5-28.5	81	37.1	29.3-44.9	37	16.6	10.3-22.9	35	9.8	05.5-14.1	50	14.4	09.7-19.1
18-24	404	500,910	95	21.1	16.8-25.4	97	22.3	17.8-26.8	56	13.8	09.7-17.9	53	12.4	08.7-16.1	103	30.5	25.0-36.0
25-34	831	740,544	107	12.7	10.2-15.2	153	19.3	16.2-22.4	99	11.0	08.6-13.4	157	18.5	15.6-21.4	315	38.5	34.6-42.4
35-44	1029	752,422	76	6.9	04.9-08.9	141	14.3	11.6-17.0	87	9.2	06.8-11.6	162	15.2	12.7-17.7	563	54.5	50.8-58.2
45-54	1319	821,441	195	12.0	10.0-14.0	203	14.5	12.1-16.9	123	10.1	07.9-12.3	179	14.4	12.0-16.8	619	48.9	45.6-52.2
55-64	1584	695,179	192	10.1	08.1-12.1	299	17.9	15.5-20.3	164	10.1	08.3-11.9	234	15.1	12.9-17.3	695	46.8	43.7-49.9
65+	2184	713,105	350	13.4	11.4-15.4	646	27.5	25.1-29.9	370	17.3	15.3-19.3	358	18.6	16.4-20.8	460	23.2	21.0-25.4
Less Than H.S.	686	556,981	236	28.4	24.1-32.7	244	34.8	30.1-39.5	84	14.5	10.8-18.2	65	8.7	06.2-11.2	57	13.6	09.5-17.7
H.S. or G.E.D.	2605	1,459,753	431	13.7	11.9-15.5	731	23.8	21.8-25.8	386	13.9	12.3-15.5	446	19.1	17.1-21.1	611	29.5	27.1-31.9
Some Post-H.S.	1953	1,287,353	253	10.3	08.7-11.9	382	15.9	13.9-17.9	253	11.3	09.5-13.1	340	17.9	15.7-20.1	725	44.6	41.7-47.5
College Graduate	2126	928,614	98	2.9	02.1-03.7	185	6.3	05.1-07.5	178	7.1	05.7-08.5	295	12.2	10.6-13.8	1370	71.5	69.3-73.7
Less than \$15,000	1021	519,037	1021	100.0	0100-0100												
\$15,000- 24,999	1545	804,553				1545	100.0	0100-0100									
\$25,000- 34,999	902	497,429							902	100.0	0100-0100						
\$35,000- 49,999	1147	671,408										1147	100.0	0100-0100			
\$50,000- 74,999	1174	743,878													1174	100.0	0100-0100
\$75,000+	1591	1,001,971													1591	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 53: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3030	2,125,067	312	9.8	08.4-11.2	557	17.6	15.8-19.4	348	10.9	09.5-12.3	508	16.8	15.2-18.4	1305	45.0	42.8-47.2
White/Non-Hisp	2481	1,726,803	204	7.7	06.5-08.9	412	15.5	13.7-17.3	270	9.9	08.5-11.3	433	18.1	16.1-20.1	1162	48.9	46.5-51.3
Black or Afr. Am./Non-Hisp	291	184,164	64	22.7	14.9-30.5	81	24.8	17.7-31.9	39	13.2	06.9-19.5	41	12.5	07.2-17.8	66	26.9	19.1-34.7
Hispanic	114	122,098	19	15.9	06.9-24.9	38	40.9	29.3-52.5	17	17.9	08.3-27.5	20	11.5	04.8-18.2	20	13.7	06.8-20.6
18-24	210	267,052	37	16.0	10.5-21.5	51	23.6	16.9-30.3	23	9.1	05.2-13.0	40	18.4	12.3-24.5	59	32.8	24.8-40.8
25-34	338	374,899	37	11.2	07.3-15.1	61	19.4	14.5-24.3	36	10.2	06.7-13.7	58	16.1	11.8-20.4	146	43.0	36.9-49.1
35-44	424	371,161	17	4.4	01.5-07.3	51	12.5	08.8-16.2	41	10.8	06.9-14.7	63	14.3	10.6-18.0	252	57.9	52.2-63.6
45-54	564	416,528	71	9.3	06.8-11.8	80	13.6	10.3-16.9	48	9.5	06.4-12.6	91	17.3	13.6-21.0	274	50.3	45.4-55.2
55-64	685	358,885	64	9.2	06.3-12.1	121	16.6	13.3-19.9	67	8.5	06.1-10.9	98	14.5	11.4-17.6	335	51.2	46.7-55.7
65+	800	330,771	83	9.7	06.6-12.8	192	22.3	18.8-25.8	132	17.8	14.5-21.1	157	20.6	17.3-23.9	236	29.6	25.9-33.3
Less Than H.S.	288	292,597	76	20.5	14.8-26.2	98	32.5	25.8-39.2	41	17.0	11.1-22.9	33	8.9	05.4-12.4	40	21.1	14.0-28.2
H.S. or G.E.D.	1078	787,532	122	11.1	08.6-13.6	259	21.4	18.5-24.3	166	13.4	11.0-15.8	215	20.7	17.6-23.8	316	33.4	29.9-36.9
Some Post-H.S.	743	574,763	78	8.6	06.2-11.0	122	13.5	10.6-16.4	80	8.5	06.3-10.7	150	20.6	17.1-24.1	313	48.8	44.3-53.3
College Graduate	914	465,064	35	2.0	01.2-02.8	76	6.8	04.8-08.8	60	5.7	03.9-07.5	109	10.2	08.0-12.4	634	75.2	72.1-78.3
Less than \$15,000	312	207,559	312	100.0	0100-0100												
\$15,000- 24,999	557	373,045				557	100.0	0100-0100									
\$25,000- 34,999	348	232,206							348	100.0	0100-0100						
\$35,000- 49,999	508	355,968										508	100.0	0100-0100			
\$50,000- 74,999	536	402,615													536	100.0	0100-0100
\$75,000+	769	553,674													769	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 54: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4350	2,113,209	709	14.7	13.3-16.1	988	20.4	18.8-22.0	554	12.6	11.2-14.0	639	14.9	13.5-16.3	1460	37.4	35.4-39.4
White/Non-Hisp	3481	1,744,667	479	12.2	10.8-13.6	736	18.9	17.3-20.5	436	12.1	10.7-13.5	532	15.7	14.1-17.3	1298	41.2	39.0-43.4
Black or Afr. Am./Non-Hisp	533	185,958	129	25.5	19.0-32.0	171	28.5	22.4-34.6	77	14.5	09.6-19.4	73	14.6	09.7-19.5	83	17.0	11.7-22.3
Oth. Race/Non-Hisp.	67	30,864	17	23.5	11.3-35.7	11	11.4	03.8-19.0	9	13.9	03.7-24.1	6	7.6	00.7-14.5	24	43.5	29.4-57.6
MultiRacial/Non-Hisp.	73	34,723	25	26.0	13.8-38.2	22	27.8	14.9-40.7	5	14.1	00.4-27.8	9	11.6	02.0-21.2	12	20.4	08.1-32.7
Hispanic	153	104,227	45	29.2	20.2-38.2	43	32.6	22.8-42.4	20	15.1	07.7-22.5	15	7.9	02.6-13.2	30	15.3	08.8-21.8
18-24	194	233,858	58	26.8	19.9-33.7	46	20.8	14.7-26.9	33	19.2	12.1-26.3	13	5.5	02.4-08.6	44	27.8	20.2-35.4
25-34	493	365,645	70	14.2	10.7-17.7	92	19.2	15.1-23.3	63	11.8	08.7-14.9	99	20.8	16.7-24.9	169	34.0	29.3-38.7
35-44	605	381,261	59	9.3	06.6-12.0	90	16.1	12.2-20.0	46	7.6	05.1-10.1	99	16.0	12.3-19.7	311	51.1	46.4-55.8
45-54	755	404,913	124	14.8	11.7-17.9	123	15.5	12.4-18.6	75	10.8	07.9-13.7	88	11.5	09.0-14.0	345	47.5	43.2-51.8
55-64	899	336,294	128	11.1	08.7-13.5	178	19.4	16.3-22.5	97	11.7	09.2-14.2	136	15.6	12.7-18.5	360	42.1	38.2-46.0
65+	1384	382,334	267	16.5	14.1-18.9	454	32.0	28.9-35.1	238	16.9	14.5-19.3	201	16.9	14.4-19.4	224	17.7	15.2-20.2
Less Than H.S.	398	264,384	160	37.1	31.0-43.2	146	37.3	31.2-43.4	43	11.8	07.5-16.1	32	8.6	05.1-12.1	17	5.2	02.5-07.9
H.S. or G.E.D.	1527	672,221	309	16.7	14.3-19.1	472	26.7	24.0-29.4	220	14.5	12.3-16.7	231	17.1	14.6-19.6	295	25.0	22.1-27.9
Some Post-H.S.	1210	712,590	175	11.6	09.4-13.8	260	17.8	15.1-20.5	173	13.6	10.9-16.3	190	15.7	13.2-18.2	412	41.3	37.6-45.0
College Graduate	1212	463,550	63	3.9	02.7-05.1	109	5.8	04.4-07.2	118	8.6	06.6-10.6	186	14.1	11.7-16.5	736	67.7	64.6-70.8
Less than \$15,000	709	311,478	709	100.0	0100-0100												
\$15,000- 24,999	988	431,508				988	100.0	0100-0100									
\$25,000- 34,999	554	265,223							554	100.0	0100-0100						
\$35,000- 49,999	639	315,440										639	100.0	0100-0100			
\$50,000- 74,999	638	341,263													638	100.0	0100-0100
\$75,000+	822	448,297													822	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	89
2	MALES ONLY	90
3	FEMALES ONLY	91
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	92
5	MALES ONLY	93
6	FEMALES ONLY	94

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 9: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8511	4,869,466	1312	18.0	16.8-19.2	449	6.0	05.2-06.8	2299	23.7	22.5-24.9	4451	52.4	51.0-53.8
Male	3346	2,364,425	594	19.8	18.0-21.6	195	6.7	05.5-07.9	1113	28.0	26.2-29.8	1444	45.6	43.4-47.8
Female	5165	2,505,041	718	16.4	15.0-17.8	254	5.3	04.5-06.1	1186	19.6	18.2-21.0	3007	58.8	57.0-60.6
White/Non-Hisp	6926	4,004,961	1080	18.3	17.1-19.5	319	5.2	04.6-05.8	1915	25.2	24.0-26.4	3612	51.3	49.7-52.9
Black or Afr. Am./Non-Hisp	901	408,575	125	17.5	13.4-21.6	84	11.7	08.0-15.4	235	16.2	12.9-19.5	457	54.6	49.3-59.9
Oth. Race/Non-Hisp.	123	73,725	22	18.4	09.8-27.0	3	1.8	00.0-04.2	25	17.1	06.9-27.3	73	62.7	51.1-74.3
MultiRacial/Non-Hisp.	130	68,089	38	32.6	22.4-42.8	10	6.1	01.4-10.8	32	20.5	12.1-28.9	50	40.8	29.8-51.8
Hispanic	299	255,184	27	9.7	05.0-14.4	22	9.2	04.5-13.9	55	14.4	09.7-19.1	195	66.7	59.6-73.8
18-24	524	670,054	93	17.5	13.8-21.2	41	8.5	05.8-11.2	37	5.9	03.7-08.1	353	68.1	63.4-72.8
25-34	880	788,678	179	22.5	19.2-25.8	65	8.3	06.1-10.5	144	16.7	14.0-19.4	492	52.4	48.5-56.3
35-44	1100	808,498	212	21.1	18.2-24.0	63	5.9	04.1-07.7	206	20.3	17.4-23.2	619	52.7	49.2-56.2
45-54	1448	899,886	317	22.6	20.1-25.1	97	5.7	04.3-07.1	341	24.8	22.1-27.5	693	47.0	43.9-50.1
55-64	1776	777,284	295	17.7	15.3-20.1	106	6.1	04.5-07.7	529	29.9	27.4-32.4	846	46.2	43.3-49.1
65+	2709	892,113	212	7.7	06.3-09.1	73	2.2	01.6-02.8	1024	39.5	37.1-41.9	1400	50.6	48.2-53.0
Less Than H.S.	835	689,441	231	31.8	27.7-35.9	65	8.3	05.8-10.8	212	20.6	17.3-23.9	327	39.3	34.8-43.8
H.S. or G.E.D.	3088	1,702,403	573	20.6	18.8-22.4	176	6.2	05.0-07.4	907	26.1	24.1-28.1	1432	47.2	44.8-49.6
Some Post-H.S.	2228	1,460,210	378	17.6	15.4-19.8	126	6.3	04.9-07.7	608	23.8	21.6-26.0	1116	52.2	49.5-54.9
College Graduate	2343	1,008,348	127	4.9	03.9-05.9	80	3.3	02.5-04.1	570	21.6	19.6-23.6	1566	70.2	68.0-72.4
Less than \$15,000	1002	507,926	238	27.6	23.7-31.5	96	12.0	09.1-14.9	234	18.1	15.0-21.2	434	42.3	38.0-46.6
\$15,000- 24,999	1522	790,653	342	28.0	24.9-31.1	98	8.0	06.0-10.0	433	22.3	19.8-24.8	649	41.7	38.4-45.0
\$25,000- 34,999	889	488,763	165	21.3	17.6-25.0	41	5.1	03.1-07.1	265	24.7	21.2-28.2	418	48.8	44.3-53.3
\$35,000- 49,999	1135	665,075	150	14.9	12.4-17.4	57	5.6	03.8-07.4	338	27.9	24.6-31.2	590	51.6	47.9-55.3
\$50,000- 74,999	1158	732,746	146	16.6	13.7-19.5	42	4.5	02.7-06.3	339	27.7	24.4-31.0	631	51.3	47.6-55.0
\$75,000+	1575	990,197	132	10.0	08.0-12.0	64	4.2	03.0-05.4	377	22.8	20.3-25.3	1002	63.1	60.2-66.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 9: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3346	2,364,425	594	19.8	18.0-21.6	195	6.7	05.5-07.9	1113	28.0	26.2-29.8	1444	45.6	43.4-47.8
White/Non-Hisp	2754	1,932,009	497	20.2	18.2-22.2	135	5.6	04.4-06.8	924	29.6	27.6-31.6	1198	44.6	42.2-47.0
Black or Afr. Am./Non-Hisp	301	189,930	44	15.3	09.2-21.4	32	14.3	08.2-20.4	104	17.6	12.1-23.1	121	52.7	44.3-61.1
MultiRacial/Non-Hisp.	51	30,414	16	36.0	19.5-52.5	3	1.7	00.0-03.9	17	30.3	15.0-45.6	15	32.1	16.4-47.8
Hispanic	128	139,193	15	15.2	07.0-23.4	16	13.1	06.0-20.2	35	19.5	11.7-27.3	62	52.2	41.0-63.4
18-24	260	343,780	47	17.3	12.2-22.4	29	12.3	07.8-16.8	19	6.3	03.2-09.4	165	64.1	57.4-70.8
25-34	356	394,135	76	23.1	18.0-28.2	33	10.3	06.8-13.8	76	20.7	16.0-25.4	171	45.9	40.0-51.8
35-44	463	406,525	102	23.3	18.8-27.8	30	6.1	03.7-08.5	99	22.4	17.9-26.9	232	48.3	42.8-53.8
45-54	597	443,457	137	22.7	18.8-26.6	31	3.8	02.2-05.4	163	28.7	24.4-33.0	266	44.9	40.2-49.6
55-64	735	382,418	144	22.2	18.3-26.1	50	7.2	04.7-09.7	262	33.4	29.3-37.5	279	37.2	33.1-41.3
65+	913	381,424	87	9.3	06.9-11.7	21	1.7	00.9-02.5	488	54.7	50.8-58.6	317	34.3	30.6-38.0
Less Than H.S.	332	349,088	102	35.5	29.0-42.0	29	9.1	05.2-13.0	108	24.2	18.7-29.7	93	31.1	24.4-37.8
H.S. or G.E.D.	1200	878,262	262	21.6	18.9-24.3	78	7.0	05.2-08.8	441	30.3	27.2-33.4	419	41.0	37.5-44.5
Some Post-H.S.	815	632,847	166	19.8	16.5-23.1	52	7.3	04.9-09.7	274	29.1	25.4-32.8	323	43.8	39.5-48.1
College Graduate	991	498,122	62	5.4	03.8-07.0	35	3.4	02.0-04.8	289	25.3	22.2-28.4	605	65.9	62.4-69.4
Less than \$15,000	306	202,080	83	28.6	21.9-35.3	38	15.1	09.6-20.6	85	18.8	13.3-24.3	100	37.5	29.7-45.3
\$15,000- 24,999	550	365,637	155	31.0	25.9-36.1	34	9.1	05.6-12.6	190	24.9	20.8-29.0	171	35.1	29.8-40.4
\$25,000- 34,999	341	227,586	82	26.5	20.4-32.6	19	6.2	02.9-09.5	135	32.0	26.1-37.9	105	35.3	28.4-42.2
\$35,000- 49,999	503	352,588	69	15.1	11.4-18.8	26	5.6	03.1-08.1	197	35.4	30.3-40.5	211	43.9	38.4-49.4
\$50,000- 74,999	529	397,308	79	19.8	15.1-24.5	17	4.1	01.7-06.5	185	33.2	28.3-38.1	248	42.9	37.6-48.2
\$75,000+	761	547,069	79	11.8	08.9-14.7	36	5.0	03.2-06.8	213	25.0	21.5-28.5	433	58.2	53.9-62.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 9: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5165	2,505,041	718	16.4	15.0-17.8	254	5.3	04.5-06.1	1186	19.6	18.2-21.0	3007	58.8	57.0-60.6
White/Non-Hisp	4172	2,072,952	583	16.6	15.0-18.2	184	4.9	04.1-05.7	991	21.1	19.5-22.7	2414	57.5	55.5-59.5
Black or Afr. Am./Non-Hisp	600	218,645	81	19.4	13.7-25.1	52	9.4	05.1-13.7	131	14.9	11.2-18.6	336	56.3	49.6-63.0
Oth. Race/Non-Hisp.	75	36,070	10	16.1	05.7-26.5	1	0.6	00.0-01.8	13	10.0	03.7-16.3	51	73.3	61.9-84.7
MultiRacial/Non-Hisp.	79	37,675	22	29.9	17.2-42.6	7	9.7	01.5-17.9	15	12.5	04.3-20.7	35	47.8	33.1-62.5
Hispanic	171	115,991	12	3.1	00.6-05.6	6	4.6	00.0-10.1	20	8.2	03.7-12.7	133	84.1	77.0-91.2
18-24	264	326,274	46	17.8	12.1-23.5	12	4.5	01.6-07.4	18	5.4	02.5-08.3	188	72.3	65.8-78.8
25-34	524	394,543	103	21.9	17.6-26.2	32	6.4	04.0-08.8	68	12.7	09.4-16.0	321	58.9	54.0-63.8
35-44	637	401,973	110	18.8	15.1-22.5	33	5.8	03.4-08.2	107	18.3	14.8-21.8	387	57.1	52.4-61.8
45-54	851	456,430	180	22.4	18.9-25.9	66	7.5	05.3-09.7	178	21.0	17.7-24.3	427	49.1	45.0-53.2
55-64	1041	394,866	151	13.4	11.0-15.8	56	5.1	03.3-06.9	267	26.6	23.3-29.9	567	55.0	51.3-58.7
65+	1796	510,689	125	6.5	05.1-07.9	52	2.6	01.8-03.4	536	28.1	25.6-30.6	1083	62.8	60.1-65.5
Less Than H.S.	503	340,354	129	28.0	22.9-33.1	36	7.4	04.1-10.7	104	17.0	13.1-20.9	234	47.6	41.7-53.5
H.S. or G.E.D.	1888	824,141	311	19.4	17.0-21.8	98	5.2	03.8-06.6	466	21.6	19.2-24.0	1013	53.7	50.8-56.6
Some Post-H.S.	1413	827,364	212	16.0	13.3-18.7	74	5.5	03.9-07.1	334	19.8	17.3-22.3	793	58.7	55.4-62.0
College Graduate	1352	510,226	65	4.4	03.0-05.8	45	3.2	02.2-04.2	281	18.0	15.6-20.4	961	74.5	71.8-77.2
Less than \$15,000	696	305,847	155	27.0	22.3-31.7	58	9.9	06.6-13.2	149	17.7	14.0-21.4	334	45.4	40.3-50.5
\$15,000- 24,999	972	425,016	187	25.5	21.4-29.6	64	7.0	04.6-09.4	243	20.0	16.9-23.1	478	47.4	43.1-51.7
\$25,000- 34,999	548	261,177	83	16.9	12.6-21.2	22	4.2	02.0-06.4	130	18.4	14.5-22.3	313	60.5	55.0-66.0
\$35,000- 49,999	632	312,487	81	14.6	10.9-18.3	31	5.6	03.2-08.0	141	19.5	15.8-23.2	379	60.3	55.6-65.0
\$50,000- 74,999	629	335,438	67	12.8	09.5-16.1	25	4.9	02.7-07.1	154	21.2	17.5-24.9	383	61.1	56.4-65.8
\$75,000+	814	443,128	53	7.6	05.4-09.8	28	3.3	01.9-04.7	164	20.0	16.7-23.3	569	69.1	65.2-73.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8511	4,869,466	6750	76.0	74.8-77.2	1761	24.0	22.8-25.2
Male	3346	2,364,425	2557	73.5	71.5-75.5	789	26.5	24.5-28.5
Female	5165	2,505,041	4193	78.4	76.8-80.0	972	21.6	20.0-23.2
White/Non-Hisp	6926	4,004,961	5527	76.5	75.1-77.9	1399	23.5	22.1-24.9
Black or Afr. Am./Non-Hisp	901	408,575	692	70.8	65.7-75.9	209	29.2	24.1-34.3
Oth. Race/Non-Hisp.	123	73,725	98	79.8	71.0-88.6	25	20.2	11.4-29.0
MultiRacial/Non-Hisp.	130	68,089	82	61.3	50.7-71.9	48	38.7	28.1-49.3
Hispanic	299	255,184	250	81.1	74.8-87.4	49	18.9	12.6-25.2
18-24	524	670,054	390	73.9	69.6-78.2	134	26.1	21.8-30.4
25-34	880	788,678	636	69.2	65.5-72.9	244	30.8	27.1-34.5
35-44	1100	808,498	825	73.0	69.9-76.1	275	27.0	23.9-30.1
45-54	1448	899,886	1034	71.8	69.1-74.5	414	28.2	25.5-30.9
55-64	1776	777,284	1375	76.2	73.7-78.7	401	23.8	21.3-26.3
65+	2709	892,113	2424	90.1	88.7-91.5	285	9.9	08.5-11.3
Less Than H.S.	835	689,441	539	59.9	55.4-64.4	296	40.1	35.6-44.6
H.S. or G.E.D.	3088	1,702,403	2339	73.3	71.3-75.3	749	26.7	24.7-28.7
Some Post-H.S.	2228	1,460,210	1724	76.1	73.7-78.5	504	23.9	21.5-26.3
College Graduate	2343	1,008,348	2136	91.8	90.4-93.2	207	8.2	06.8-09.6
Less than \$15,000	1002	507,926	668	60.4	56.1-64.7	334	39.6	35.3-43.9
\$15,000- 24,999	1522	790,653	1082	64.0	60.7-67.3	440	36.0	32.7-39.3
\$25,000- 34,999	889	488,763	683	73.5	69.6-77.4	206	26.5	22.6-30.4
\$35,000- 49,999	1135	665,075	928	79.5	76.6-82.4	207	20.5	17.6-23.4
\$50,000- 74,999	1158	732,746	970	78.9	75.6-82.2	188	21.1	17.8-24.4
\$75,000+	1575	990,197	1379	85.8	83.6-88.0	196	14.2	12.0-16.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3346	2,364,425	2557	73.5	71.5-75.5	789	26.5	24.5-28.5
White/Non-Hisp	2754	1,932,009	2122	74.2	72.2-76.2	632	25.8	23.8-27.8
Black or Afr. Am./Non-Hisp	301	189,930	225	70.3	62.5-78.1	76	29.7	21.9-37.5
MultiRacial/Non-Hisp.	51	30,414	32	62.4	45.9-78.9	19	37.6	21.1-54.1
Hispanic	128	139,193	97	71.7	61.7-81.7	31	28.3	18.3-38.3
18-24	260	343,780	184	70.4	64.1-76.7	76	29.6	23.3-35.9
25-34	356	394,135	247	66.6	60.9-72.3	109	33.4	27.7-39.1
35-44	463	406,525	331	70.6	65.7-75.5	132	29.4	24.5-34.3
45-54	597	443,457	429	73.5	69.4-77.6	168	26.5	22.4-30.6
55-64	735	382,418	541	70.6	66.3-74.9	194	29.4	25.1-33.7
65+	913	381,424	805	89.0	86.5-91.5	108	11.0	08.5-13.5
Less Than H.S.	332	349,088	201	55.4	48.5-62.3	131	44.6	37.7-51.5
H.S. or G.E.D.	1200	878,262	860	71.4	68.3-74.5	340	28.6	25.5-31.7
Some Post-H.S.	815	632,847	597	72.9	69.2-76.6	218	27.1	23.4-30.8
College Graduate	991	498,122	894	91.1	88.9-93.3	97	8.9	06.7-11.1
Less than \$15,000	306	202,080	185	56.3	48.7-63.9	121	43.7	36.1-51.3
\$15,000- 24,999	550	365,637	361	60.0	54.7-65.3	189	40.0	34.7-45.3
\$25,000- 34,999	341	227,586	240	67.3	60.8-73.8	101	32.7	26.2-39.2
\$35,000- 49,999	503	352,588	408	79.3	75.0-83.6	95	20.7	16.4-25.0
\$50,000- 74,999	529	397,308	433	76.1	71.0-81.2	96	23.9	18.8-29.0
\$75,000+	761	547,069	646	83.2	79.9-86.5	115	16.8	13.5-20.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5165	2,505,041	4193	78.4	76.8-80.0	972	21.6	20.0-23.2
White/Non-Hisp	4172	2,072,952	3405	78.6	76.8-80.4	767	21.4	19.6-23.2
Black or Afr. Am./Non-Hisp	600	218,645	467	71.2	64.7-77.7	133	28.8	22.3-35.3
Oth. Race/Non-Hisp.	75	36,070	64	83.3	72.9-93.7	11	16.7	06.3-27.1
MultiRacial/Non-Hisp.	79	37,675	50	60.4	46.5-74.3	29	39.6	25.7-53.5
Hispanic	171	115,991	153	92.3	86.4-98.2	18	7.7	01.8-13.6
18-24	264	326,274	206	77.7	71.6-83.8	58	22.3	16.2-28.4
25-34	524	394,543	389	71.7	67.2-76.2	135	28.3	23.8-32.8
35-44	637	401,973	494	75.4	71.3-79.5	143	24.6	20.5-28.7
45-54	851	456,430	605	70.1	66.4-73.8	246	29.9	26.2-33.6
55-64	1041	394,866	834	81.6	78.9-84.3	207	18.4	15.7-21.1
65+	1796	510,689	1619	90.9	89.3-92.5	177	9.1	07.5-10.7
Less Than H.S.	503	340,354	338	64.6	58.9-70.3	165	35.4	29.7-41.1
H.S. or G.E.D.	1888	824,141	1479	75.3	72.8-77.8	409	24.7	22.2-27.2
Some Post-H.S.	1413	827,364	1127	78.5	75.6-81.4	286	21.5	18.6-24.4
College Graduate	1352	510,226	1242	92.4	90.6-94.2	110	7.6	05.8-09.4
Less than \$15,000	696	305,847	483	63.1	58.0-68.2	213	36.9	31.8-42.0
\$15,000- 24,999	972	425,016	721	67.5	63.2-71.8	251	32.5	28.2-36.8
\$25,000- 34,999	548	261,177	443	78.9	74.2-83.6	105	21.1	16.4-25.8
\$35,000- 49,999	632	312,487	520	79.8	75.7-83.9	112	20.2	16.1-24.3
\$50,000- 74,999	629	335,438	537	82.3	78.4-86.2	92	17.7	13.8-21.6
\$75,000+	814	443,128	733	89.1	86.6-91.6	81	10.9	08.4-13.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS THAT REPORT HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1	MALES AND FEMALES	89
2	MALES ONLY	90
3	FEMALES ONLY	91
	DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4	MALES AND FEMALES	92
5	MALES ONLY	93
6	FEMALES ONLY	94

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS THAT REPORT HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8472	4,846,465	3836	49.9	48.5-51.3	4636	50.1	48.7-51.5
Male	3330	2,354,015	1848	57.9	55.7-60.1	1482	42.1	39.9-44.3
Female	5142	2,492,450	1988	42.4	40.6-44.2	3154	57.6	55.8-59.4
White/Non-Hisp	6894	3,982,210	3207	50.3	48.7-51.9	3687	49.7	48.1-51.3
Black or Afr. Am./Non-Hisp	900	408,009	343	51.9	46.6-57.2	557	48.1	42.8-53.4
Oth. Race/Non-Hisp.	123	76,081	50	42.5	31.1-53.9	73	57.5	46.1-68.9
MultiRacial/Non-Hisp.	128	67,225	59	49.8	38.6-61.0	69	50.2	39.0-61.4
Hispanic	298	254,682	123	44.5	37.1-51.9	175	55.5	48.1-62.9
18-24	514	660,201	272	52.8	47.7-57.9	242	47.2	42.1-52.3
25-34	876	783,782	531	61.8	58.1-65.5	345	38.2	34.5-41.9
35-44	1098	806,104	629	57.5	54.0-61.0	469	42.5	39.0-46.0
45-54	1446	901,237	729	50.5	47.4-53.6	717	49.5	46.4-52.6
55-64	1766	775,852	814	47.3	44.4-50.2	952	52.7	49.8-55.6
65+	2700	887,917	833	32.5	30.3-34.7	1867	67.5	65.3-69.7
Less Than H.S.	831	684,350	213	34.7	30.2-39.2	618	65.3	60.8-69.8
H.S. or G.E.D.	3070	1,692,669	1117	43.0	40.6-45.4	1953	57.0	54.6-59.4
Some Post-H.S.	2227	1,459,797	1072	53.4	50.7-56.1	1155	46.6	43.9-49.3
College Graduate	2328	1,000,784	1428	66.9	64.5-69.3	900	33.1	30.7-35.5
Less than \$15,000	1000	507,476	283	34.9	30.6-39.2	717	65.1	60.8-69.4
\$15,000- 24,999	1514	787,046	529	41.6	38.3-44.9	985	58.4	55.1-61.7
\$25,000- 34,999	884	487,219	354	42.4	37.9-46.9	530	57.6	53.1-62.1
\$35,000- 49,999	1137	663,629	521	47.9	44.2-51.6	616	52.1	48.4-55.8
\$50,000- 74,999	1154	729,797	638	57.4	53.9-60.9	516	42.6	39.1-46.1
\$75,000+	1569	985,021	1065	69.2	66.5-71.9	504	30.8	28.1-33.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS THAT REPORT HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3330	2,354,015	1848	57.9	55.7-60.1	1482	42.1	39.9-44.3
White/Non-Hisp	2740	1,919,803	1555	58.4	56.0-60.8	1185	41.6	39.2-44.0
Black or Afr. Am./Non-Hisp	300	189,311	135	57.2	49.0-65.4	165	42.8	34.6-51.0
MultiRacial/Non-Hisp.	51	30,414	30	67.1	51.6-82.6	21	32.9	17.4-48.4
Hispanic	128	139,193	70	57.1	45.9-68.3	58	42.9	31.7-54.1
18-24	256	338,405	149	58.0	50.9-65.1	107	42.0	34.9-49.1
25-34	356	391,551	258	70.4	64.9-75.9	98	29.6	24.1-35.1
35-44	461	404,465	301	65.1	60.0-70.2	160	34.9	29.8-40.0
45-54	598	446,054	334	56.2	51.5-60.9	264	43.8	39.1-48.5
55-64	731	382,337	408	55.3	50.8-59.8	323	44.7	40.2-49.2
65+	907	378,949	387	42.2	38.3-46.1	520	57.8	53.9-61.7
Less Than H.S.	328	345,032	115	44.3	37.2-51.4	213	55.7	48.6-62.8
H.S. or G.E.D.	1192	872,940	589	52.6	49.1-56.1	603	47.4	43.9-50.9
Some Post-H.S.	815	635,350	462	60.8	56.7-64.9	353	39.2	35.1-43.3
College Graduate	987	494,588	678	73.2	70.1-76.3	309	26.8	23.7-29.9
Less than \$15,000	305	201,867	122	45.5	37.9-53.1	183	54.5	46.9-62.1
\$15,000- 24,999	545	363,564	241	48.8	43.5-54.1	304	51.2	45.9-56.5
\$25,000- 34,999	340	227,616	161	48.3	41.4-55.2	179	51.7	44.8-58.6
\$35,000- 49,999	504	351,713	261	52.6	47.1-58.1	243	47.4	41.9-52.9
\$50,000- 74,999	527	395,439	331	64.3	59.2-69.4	196	35.7	30.6-40.8
\$75,000+	759	543,599	556	75.1	71.4-78.8	203	24.9	21.2-28.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS THAT REPORT HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5142	2,492,450	1988	42.4	40.6-44.2	3154	57.6	55.8-59.4
White/Non-Hisp	4154	2,062,407	1652	42.8	40.8-44.8	2502	57.2	55.2-59.2
Black or Afr. Am./Non-Hisp	600	218,698	208	47.4	40.7-54.1	392	52.6	45.9-59.3
Oth. Race/Non-Hisp.	75	36,070	23	39.8	26.5-53.1	52	60.2	46.9-73.5
MultiRacial/Non-Hisp.	77	36,811	29	35.5	22.0-49.0	48	64.5	51.0-78.0
Hispanic	170	115,489	53	29.4	20.6-38.2	117	70.6	61.8-79.4
18-24	258	321,796	123	47.4	40.1-54.7	135	52.6	45.3-59.9
25-34	520	392,231	273	53.1	48.2-58.0	247	46.9	42.0-51.8
35-44	637	401,639	328	49.9	45.2-54.6	309	50.1	45.4-54.8
45-54	848	455,182	395	44.9	40.8-49.0	453	55.1	51.0-59.2
55-64	1035	393,515	406	39.6	35.9-43.3	629	60.4	56.7-64.1
65+	1793	508,968	446	25.3	22.9-27.7	1347	74.7	72.3-77.1
Less Than H.S.	503	339,318	98	25.0	19.5-30.5	405	75.0	69.5-80.5
H.S. or G.E.D.	1878	819,730	528	32.7	30.0-35.4	1350	67.3	64.6-70.0
Some Post-H.S.	1412	824,447	610	47.8	44.3-51.3	802	52.2	48.7-55.7
College Graduate	1341	506,196	750	60.7	57.6-63.8	591	39.3	36.2-42.4
Less than \$15,000	695	305,608	161	28.0	23.1-32.9	534	72.0	67.1-76.9
\$15,000- 24,999	969	423,482	288	35.5	31.2-39.8	681	64.5	60.2-68.8
\$25,000- 34,999	544	259,603	193	37.1	31.6-42.6	351	62.9	57.4-68.4
\$35,000- 49,999	633	311,916	260	42.6	37.7-47.5	373	57.4	52.5-62.3
\$50,000- 74,999	627	334,358	307	49.3	44.4-54.2	320	50.7	45.8-55.6
\$75,000+	810	441,423	509	62.0	57.9-66.1	301	38.0	33.9-42.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION
TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8472	4,846,465	2409	32.1	30.7-33.5	768	10.2	09.4-11.0	262	3.3	02.7-03.9	397	4.3	03.7-04.9	4636	50.1	48.7-51.5
Male	3330	2,354,015	1001	33.6	31.4-35.8	421	13.1	11.7-14.5	150	4.5	03.5-05.5	276	6.8	05.8-07.8	1482	42.1	39.9-44.3
Female	5142	2,492,450	1408	30.7	28.9-32.5	347	7.5	06.5-08.5	112	2.2	01.6-02.8	121	1.9	01.5-02.3	3154	57.6	55.8-59.4
White/Non-Hisp	6894	3,982,210	1967	31.5	30.1-32.9	658	10.8	09.8-11.8	237	3.6	03.0-04.2	345	4.4	03.8-05.0	3687	49.7	48.1-51.3
Black or Afr. Am./Non-Hisp	900	408,009	252	39.4	33.9-44.9	57	7.9	05.2-10.6	13	2.3	00.5-04.1	21	2.3	00.7-03.9	557	48.1	42.8-53.4
Oth. Race/Non-Hisp.	123	76,081	31	29.3	18.9-39.7	9	6.8	01.9-11.7	1	0.7	00.0-02.1	9	5.6	01.3-09.9	73	57.5	46.1-68.9
MultiRacial/Non-Hisp.	128	67,225	42	36.6	25.8-47.4	11	8.7	02.8-14.6	3	2.7	00.0-06.0	3	1.8	00.0-04.0	69	50.2	39.0-61.4
Hispanic	298	254,682	84	31.2	24.1-38.3	22	7.0	03.1-10.9	7	2.4	00.0-04.8	10	3.9	00.8-07.0	175	55.5	48.1-62.9
18-24	514	660,201	174	35.6	30.5-40.7	68	12.0	09.1-14.9	17	2.8	01.2-04.4	13	2.4	01.0-03.8	242	47.2	42.1-52.3
25-34	876	783,782	373	42.3	38.6-46.0	107	12.6	10.1-15.1	30	4.6	02.6-06.6	21	2.4	01.2-03.6	345	38.2	34.5-41.9
35-44	1098	806,104	424	39.7	36.2-43.2	133	11.3	09.1-13.5	29	2.9	01.7-04.1	43	3.7	02.5-04.9	469	42.5	39.0-46.0
45-54	1446	901,237	460	31.6	28.7-34.5	153	10.5	08.5-12.5	53	3.5	02.5-04.5	63	4.9	03.3-06.5	717	49.5	46.4-52.6
55-64	1766	775,852	485	28.1	25.6-30.6	171	10.1	08.3-11.9	59	3.2	02.2-04.2	99	5.9	04.5-07.3	952	52.7	49.8-55.6
65+	2700	887,917	476	18.2	16.4-20.0	133	5.8	04.6-07.0	70	2.9	02.1-03.7	154	5.7	04.7-06.7	1867	67.5	65.3-69.7
Less Than H.S.	831	684,350	153	25.9	21.6-30.2	30	4.4	02.4-06.4	9	1.8	00.2-03.4	21	2.6	01.2-04.0	618	65.3	60.8-69.8
H.S. or G.E.D.	3070	1,692,669	735	28.3	26.1-30.5	190	7.6	06.4-08.8	65	2.7	01.9-03.5	127	4.4	03.4-05.4	1953	57.0	54.6-59.4
Some Post-H.S.	2227	1,459,797	704	35.4	32.7-38.1	215	11.3	09.5-13.1	62	3.2	02.2-04.2	91	3.5	02.5-04.5	1155	46.6	43.9-49.3
College Graduate	2328	1,000,784	813	38.2	35.8-40.6	331	16.8	14.8-18.8	126	5.6	04.4-06.8	158	6.3	05.1-07.5	900	33.1	30.7-35.5
Less than \$15,000	1000	507,476	200	26.3	22.2-30.4	49	5.1	03.1-07.1	9	1.3	00.3-02.3	25	2.1	00.9-03.3	717	65.1	60.8-69.4
\$15,000- 24,999	1514	787,046	347	27.2	24.1-30.3	89	7.1	05.3-08.9	37	3.5	02.1-04.9	56	3.8	02.6-05.0	985	58.4	55.1-61.7
\$25,000- 34,999	884	487,219	233	27.5	23.6-31.4	61	9.3	06.6-12.0	19	1.7	00.9-02.5	41	3.9	02.1-05.7	530	57.6	53.1-62.1
\$35,000- 49,999	1137	663,629	331	31.1	27.6-34.6	103	9.8	07.6-12.0	35	3.3	02.1-04.5	52	3.7	02.3-05.1	616	52.1	48.4-55.8
\$50,000- 74,999	1154	729,797	409	36.9	33.4-40.4	128	11.4	09.0-13.8	39	4.1	02.3-05.9	62	5.1	03.7-06.5	516	42.6	39.1-46.1
\$75,000+	1569	985,021	602	41.1	38.0-44.2	262	17.3	14.9-19.7	92	5.3	04.1-06.5	109	5.5	04.3-06.7	504	30.8	28.1-33.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION
TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3330	2,354,015	1001	33.6	31.4-35.8	421	13.1	11.7-14.5	150	4.5	03.5-05.5	276	6.8	05.8-07.8	1482	42.1	39.9-44.3
White/Non-Hisp	2740	1,919,803	824	32.9	30.7-35.1	361	13.8	12.2-15.4	134	4.7	03.7-05.7	236	7.0	05.8-08.2	1185	41.6	39.2-44.0
Black or Afr. Am./Non-Hisp	300	189,311	87	40.2	31.4-49.0	27	9.5	05.0-14.0	7	4.1	00.6-07.6	14	3.4	00.9-05.9	165	42.8	34.6-51.0
MultiRacial/Non-Hisp.	51	30,414	19	45.1	28.2-62.0	7	15.0	03.0-27.0	3	6.0	00.0-13.3	1	1.0	00.0-03.0	21	32.9	17.4-48.4
Hispanic	128	139,193	42	35.9	25.1-46.7	15	10.9	04.0-17.8	4	3.4	00.0-07.3	9	6.8	01.3-12.3	58	42.9	31.7-54.1
18-24	256	338,405	91	38.4	31.1-45.7	38	12.9	08.6-17.2	10	3.2	01.0-05.4	10	3.4	01.0-05.8	107	42.0	34.9-49.1
25-34	356	391,551	157	42.2	36.5-47.9	61	16.9	12.6-21.2	24	7.3	03.8-10.8	16	4.1	01.9-06.3	98	29.6	24.1-35.1
35-44	461	404,465	182	42.3	36.8-47.8	68	13.0	09.7-16.3	19	3.9	01.9-05.9	32	5.9	03.5-08.3	160	34.9	29.8-40.0
45-54	598	446,054	194	32.5	28.0-37.0	71	12.2	09.1-15.3	25	3.9	02.3-05.5	44	7.6	04.9-10.3	264	43.8	39.1-48.5
55-64	731	382,337	201	27.1	23.2-31.0	99	13.9	10.8-17.0	36	4.7	02.9-06.5	72	9.5	07.0-12.0	323	44.7	40.2-49.2
65+	907	378,949	171	19.2	16.1-22.3	81	9.6	07.2-12.0	35	4.0	02.4-05.6	100	9.4	07.2-11.6	520	57.8	53.9-61.7
Less Than H.S.	328	345,032	77	31.4	24.5-38.3	18	5.9	02.8-09.0	8	3.2	00.3-06.1	12	3.8	01.3-06.3	213	55.7	48.6-62.8
H.S. or G.E.D.	1192	872,940	322	30.4	27.1-33.7	127	11.2	09.0-13.4	40	3.8	02.4-05.2	100	7.2	05.4-09.0	603	47.4	43.9-50.9
Some Post-H.S.	815	635,350	259	35.5	31.4-39.6	115	14.9	11.8-18.0	32	4.3	02.7-05.9	56	6.0	04.0-08.0	353	39.2	35.1-43.3
College Graduate	987	494,588	341	38.5	35.0-42.0	159	18.6	15.7-21.5	70	7.0	05.2-08.8	108	9.1	07.1-11.1	309	26.8	23.7-29.9
Less than \$15,000	305	201,867	75	32.6	25.2-40.0	24	5.5	02.8-08.2	5	2.5	00.1-04.9	18	4.9	02.0-07.8	183	54.5	46.9-62.1
\$15,000- 24,999	545	363,564	127	26.1	21.4-30.8	56	11.7	08.2-15.2	21	4.4	02.2-06.6	37	6.5	04.0-09.0	304	51.2	45.9-56.5
\$25,000- 34,999	340	227,616	94	30.2	23.7-36.7	27	9.3	05.2-13.4	14	2.6	01.0-04.2	26	6.2	02.9-09.5	179	51.7	44.8-58.6
\$35,000- 49,999	504	351,713	143	31.4	26.1-36.7	59	12.3	08.8-15.8	21	3.7	01.9-05.5	38	5.2	03.0-07.4	243	47.4	41.9-52.9
\$50,000- 74,999	527	395,439	191	37.6	32.5-42.7	69	13.3	09.6-17.0	24	5.8	02.7-08.9	47	7.6	05.2-10.0	196	35.7	30.6-40.8
\$75,000+	759	543,599	282	41.7	37.2-46.2	146	19.7	16.2-23.2	50	6.1	04.1-08.1	78	7.7	05.5-09.9	203	24.9	21.2-28.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION
TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5142	2,492,450	1408	30.7	28.9-32.5	347	7.5	06.5-08.5	112	2.2	01.6-02.8	121	1.9	01.5-02.3	3154	57.6	55.8-59.4
White/Non-Hisp	4154	2,062,407	1143	30.2	28.2-32.2	297	8.0	07.0-09.0	103	2.6	02.0-03.2	109	2.0	01.6-02.4	2502	57.2	55.2-59.2
Black or Afr. Am./Non-Hisp	600	218,698	165	38.8	31.9-45.7	30	6.4	03.3-09.5	6	0.7	00.0-01.7	7	1.4	00.0-03.2	392	52.6	45.9-59.3
Oth. Race/Non-Hisp.	75	36,070	19	32.5	19.8-45.2	4	7.2	00.0-14.5							52	60.2	46.9-73.5
MultiRacial/Non-Hisp.	77	36,811	23	29.6	16.7-42.5	4	3.5	00.0-07.4				2	2.5	00.0-06.0	48	64.5	51.0-78.0
Hispanic	170	115,489	42	25.5	16.9-34.1	7	2.3	00.3-04.3	3	1.2	00.0-03.0	1	0.4	00.0-01.2	117	70.6	61.8-79.4
18-24	258	321,796	83	32.7	25.6-39.8	30	10.9	06.8-15.0	7	2.4	00.4-04.4	3	1.3	00.0-02.7	135	52.6	45.3-59.9
25-34	520	392,231	216	42.3	37.4-47.2	46	8.3	05.8-10.8	6	1.9	00.0-03.9	5	0.6	00.0-01.2	247	46.9	42.0-51.8
35-44	637	401,639	242	37.0	32.5-41.5	65	9.6	06.9-12.3	10	1.9	00.7-03.1	11	1.5	00.5-02.5	309	50.1	45.4-54.8
45-54	848	455,182	266	30.7	27.0-34.4	82	8.8	06.6-11.0	28	3.1	01.7-04.5	19	2.3	01.1-03.5	453	55.1	51.0-59.2
55-64	1035	393,515	284	29.1	25.8-32.4	72	6.4	04.6-08.2	23	1.8	00.8-02.8	27	2.4	01.4-03.4	629	60.4	56.7-64.1
65+	1793	508,968	305	17.4	15.2-19.6	52	2.9	01.9-03.9	35	2.1	01.3-02.9	54	2.9	01.9-03.9	1347	74.7	72.3-77.1
Less Than H.S.	503	339,318	76	20.4	15.1-25.7	12	3.0	00.8-05.2	1	0.3	00.0-00.9	9	1.4	00.2-02.6	405	75.0	69.5-80.5
H.S. or G.E.D.	1878	819,730	413	26.0	23.5-28.5	63	3.8	02.6-05.0	25	1.6	00.8-02.4	27	1.3	00.7-01.9	1350	67.3	64.6-70.0
Some Post-H.S.	1412	824,447	445	35.3	31.8-38.8	100	8.5	06.5-10.5	30	2.5	01.3-03.7	35	1.6	01.0-02.2	802	52.2	48.7-55.7
College Graduate	1341	506,196	472	37.9	34.8-41.0	172	14.9	12.5-17.3	56	4.3	02.9-05.7	50	3.6	02.4-04.8	591	39.3	36.2-42.4
Less than \$15,000	695	305,608	125	22.2	17.7-26.7	25	4.8	02.3-07.3	4	0.6	00.0-01.4	7	0.4	00.0-00.8	534	72.0	67.1-76.9
\$15,000- 24,999	969	423,482	220	28.2	24.1-32.3	33	3.2	01.6-04.8	16	2.7	00.7-04.7	19	1.4	00.6-02.2	681	64.5	60.2-68.8
\$25,000- 34,999	544	259,603	139	25.2	20.3-30.1	34	9.3	05.6-13.0	5	0.9	00.1-01.7	15	1.8	00.6-03.0	351	62.9	57.4-68.4
\$35,000- 49,999	633	311,916	188	30.8	26.1-35.5	44	7.0	04.6-09.4	14	2.8	01.2-04.4	14	2.0	00.6-03.4	373	57.4	52.5-62.3
\$50,000- 74,999	627	334,358	218	36.0	31.3-40.7	59	9.1	06.6-11.6	15	2.0	00.4-03.6	15	2.1	00.9-03.3	320	50.7	45.8-55.6
\$75,000+	810	441,423	320	40.4	36.3-44.5	116	14.3	11.4-17.2	42	4.3	02.7-05.9	31	2.9	01.7-04.1	301	38.0	33.9-42.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8397	4,789,153	7410	84.1	82.9-85.3	987	15.9	14.7-17.1
Male	3286	2,314,367	2694	78.4	76.6-80.2	592	21.6	19.8-23.4
Female	5111	2,474,786	4716	89.4	88.2-90.6	395	10.6	09.4-11.8
White/Non-Hisp	6846	3,947,597	6039	84.2	83.0-85.4	807	15.8	14.6-17.0
Black or Afr. Am./Non-Hisp	886	400,354	796	83.6	79.1-88.1	90	16.4	11.9-20.9
Oth. Race/Non-Hisp.	122	75,600	106	83.5	74.7-92.3	16	16.5	07.7-25.3
MultiRacial/Non-Hisp.	127	66,148	113	85.6	77.6-93.6	14	14.4	06.4-22.4
Hispanic	290	242,579	243	81.0	75.1-86.9	47	19.0	13.1-24.9
18-24	507	650,202	364	72.7	68.4-77.0	143	27.3	23.0-31.6
25-34	868	776,354	658	74.5	71.0-78.0	210	25.5	22.0-29.0
35-44	1088	796,129	893	80.7	77.8-83.6	195	19.3	16.4-22.2
45-54	1428	886,162	1239	85.5	83.1-87.9	189	14.5	12.1-16.9
55-64	1757	768,615	1586	90.1	88.3-91.9	171	9.9	08.1-11.7
65+	2677	880,319	2603	97.1	96.3-97.9	74	2.9	02.1-03.7
Less Than H.S.	816	667,598	732	84.7	81.0-88.4	84	15.3	11.6-19.0
H.S. or G.E.D.	3041	1,671,069	2738	86.4	84.6-88.2	303	13.6	11.8-15.4
Some Post-H.S.	2210	1,449,033	1916	82.2	80.0-84.4	294	17.8	15.6-20.0
College Graduate	2315	993,238	2011	82.4	80.4-84.4	304	17.6	15.6-19.6
Less than \$15,000	986	496,281	883	85.0	81.7-88.3	103	15.0	11.7-18.3
\$15,000- 24,999	1500	775,646	1359	86.7	84.2-89.2	141	13.3	10.8-15.8
\$25,000- 34,999	876	479,582	786	84.3	80.6-88.0	90	15.7	12.0-19.4
\$35,000- 49,999	1130	658,062	1002	85.0	82.1-87.9	128	15.0	12.1-17.9
\$50,000- 74,999	1145	722,241	988	82.3	79.4-85.2	157	17.7	14.8-20.6
\$75,000+	1565	983,159	1284	78.6	76.1-81.1	281	21.4	18.9-23.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3286	2,314,367	2694	78.4	76.6-80.2	592	21.6	19.8-23.4
White/Non-Hisp	2714	1,899,965	2226	78.8	76.8-80.8	488	21.2	19.2-23.2
Black or Afr. Am./Non-Hisp	292	182,917	250	79.7	72.3-87.1	42	20.3	12.9-27.7
MultiRacial/Non-Hisp.	51	30,414	39	71.9	56.4-87.4	12	28.1	12.6-43.6
Hispanic	120	127,090	87	69.2	59.0-79.4	33	30.8	20.6-41.0
18-24	253	333,389	171	68.7	62.2-75.2	82	31.3	24.8-37.8
25-34	350	384,397	225	64.7	59.0-70.4	125	35.3	29.6-41.0
35-44	456	397,684	343	75.6	70.9-80.3	113	24.4	19.7-29.1
45-54	586	434,858	485	81.4	77.5-85.3	101	18.6	14.7-22.5
55-64	726	377,854	604	84.1	81.0-87.2	122	15.9	12.8-19.0
65+	894	373,932	847	94.8	93.0-96.6	47	5.2	03.4-07.0
Less Than H.S.	319	330,644	271	78.8	72.5-85.1	48	21.2	14.9-27.5
H.S. or G.E.D.	1176	858,453	965	80.3	77.4-83.2	211	19.7	16.8-22.6
Some Post-H.S.	806	630,030	643	75.4	71.7-79.1	163	24.6	20.9-28.3
College Graduate	978	489,783	810	78.9	75.8-82.0	168	21.1	18.0-24.2
Less than \$15,000	297	193,881	245	79.9	74.0-85.8	52	20.1	14.2-26.0
\$15,000- 24,999	536	355,399	447	79.0	74.5-83.5	89	21.0	16.5-25.5
\$25,000- 34,999	336	222,938	287	81.5	75.4-87.6	49	18.5	12.4-24.6
\$35,000- 49,999	502	348,664	423	81.8	77.5-86.1	79	18.2	13.9-22.5
\$50,000- 74,999	519	389,032	418	76.6	71.9-81.3	101	23.4	18.7-28.1
\$75,000+	757	542,143	582	73.5	69.6-77.4	175	26.5	22.6-30.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5111	2,474,786	4716	89.4	88.2-90.6	395	10.6	09.4-11.8
White/Non-Hisp	4132	2,047,632	3813	89.3	87.9-90.7	319	10.7	09.3-12.1
Black or Afr. Am./Non-Hisp	594	217,437	546	86.9	81.8-92.0	48	13.1	08.0-18.2
Oth. Race/Non-Hisp.	75	36,070	69	87.3	77.3-97.3	6	12.7	02.7-22.7
MultiRacial/Non-Hisp.	76	35,734	74	97.4	93.5-0100	2	2.6	00.0-06.5
Hispanic	170	115,489	156	94.0	89.7-98.3	14	6.0	01.7-10.3
18-24	254	316,813	193	76.9	71.2-82.6	61	23.1	17.4-28.8
25-34	518	391,957	433	84.0	80.5-87.5	85	16.0	12.5-19.5
35-44	632	398,444	550	85.8	82.3-89.3	82	14.2	10.7-17.7
45-54	842	451,304	754	89.4	86.9-91.9	88	10.6	08.1-13.1
55-64	1031	390,761	982	96.0	94.6-97.4	49	4.0	02.6-05.4
65+	1783	506,388	1756	98.8	98.2-99.4	27	1.2	00.6-01.8
Less Than H.S.	497	336,953	461	90.6	86.9-94.3	36	9.4	05.7-13.1
H.S. or G.E.D.	1865	812,616	1773	92.9	91.3-94.5	92	7.1	05.5-08.7
Some Post-H.S.	1404	819,003	1273	87.5	85.1-89.9	131	12.5	10.1-14.9
College Graduate	1337	503,455	1201	85.8	83.3-88.3	136	14.2	11.7-16.7
Less than \$15,000	689	302,399	638	88.3	84.6-92.0	51	11.7	08.0-15.4
\$15,000- 24,999	964	420,247	912	93.2	90.7-95.7	52	6.8	04.3-09.3
\$25,000- 34,999	540	256,643	499	86.8	82.5-91.1	41	13.2	08.9-17.5
\$35,000- 49,999	628	309,398	579	88.6	84.9-92.3	49	11.4	07.7-15.1
\$50,000- 74,999	626	333,209	570	89.0	85.7-92.3	56	11.0	07.7-14.3
\$75,000+	808	441,016	702	84.9	81.8-88.0	106	15.1	12.0-18.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8393	4,787,226	2965	38.1	36.7-39.5	556	7.7	06.9-08.5	187	2.7	02.3-03.1	42	0.6	00.4-00.8	7	0.1	00.0-00.3	4636	50.7	49.3-52.1
Male	3284	2,314,640	1243	39.7	37.5-41.9	359	11.4	10.0-12.8	158	4.7	03.7-05.7	36	1.2	00.8-01.6	6	0.3	00.1-00.5	1482	42.8	40.6-45.0
Female	5109	2,472,586	1722	36.7	34.9-38.5	197	4.3	03.5-05.1	29	0.8	00.4-01.2	6	0.1	00.0-00.3	1	0.0	00.0-00.0	3154	58.1	56.3-59.9
White/Non-Hisp	6840	3,944,885	2474	38.3	36.7-39.9	477	8.0	07.2-08.8	162	2.8	02.2-03.4	34	0.6	00.4-00.8	6	0.1	00.0-00.3	3687	50.2	48.6-51.8
Black or Afr. Am./Non-Hisp	888	401,350	286	44.7	39.2-50.2	34	4.0	02.2-05.8	7	1.6	00.0-03.2	4	0.9	00.0-01.9				557	48.9	43.6-54.2
Oth. Race/Non-Hisp.	119	73,789	32	27.8	18.0-37.6	10	10.0	02.6-17.4	3	1.5	00.0-03.3	1	1.3	00.0-03.8				73	59.3	47.9-70.7
MultiRacial/Non-Hisp.	127	66,148	45	35.9	25.3-46.5	8	9.4	02.5-16.3	3	2.8	00.0-06.3	2	0.8	00.0-02.0				69	51.0	39.8-62.2
Hispanic	292	243,851	91	31.1	24.0-38.2	17	7.7	03.6-11.8	8	2.8	00.3-05.3				1	0.5	00.0-01.5	175	57.9	50.5-65.3
18-24	504	648,697	183	37.0	31.9-42.1	57	11.1	08.2-14.0	16	2.6	01.2-04.0	5	1.1	00.1-02.1	1	0.2	00.0-00.6	242	48.0	42.9-53.1
25-34	864	772,559	417	46.9	43.0-50.8	73	9.6	07.2-12.0	24	4.2	02.2-06.2	4	0.4	00.0-01.0	1	0.2	00.0-00.6	345	38.8	35.1-42.5
35-44	1085	795,236	506	46.0	42.5-49.5	75	7.5	05.5-09.5	22	2.2	01.2-03.2	13	1.2	00.4-02.0				469	43.0	39.5-46.5
45-54	1429	886,616	569	39.2	36.1-42.3	94	7.1	05.3-08.9	40	2.6	01.6-03.6	8	0.7	00.1-01.3	1	0.1	00.0-00.3	717	50.3	47.2-53.4
55-64	1758	771,295	639	36.6	33.9-39.3	103	6.0	04.6-07.4	51	3.7	02.5-04.9	10	0.5	00.1-00.9	3	0.3	00.0-00.7	952	53.0	50.1-55.9
65+	2681	881,450	629	24.8	22.8-26.8	149	6.0	04.8-07.2	34	1.1	00.7-01.5	2	0.1	00.0-00.3				1867	68.0	65.8-70.2
Less Than H.S.	820	667,150	158	26.1	21.8-30.4	28	4.4	02.4-06.4	10	1.8	00.2-03.4	5	0.5	00.0-01.1	1	0.2	00.0-00.6	618	66.9	62.4-71.4
H.S. or G.E.D.	3043	1,672,619	832	31.3	29.1-33.5	164	7.0	05.8-08.2	69	2.9	02.1-03.7	22	0.9	00.5-01.3	3	0.2	00.0-00.4	1953	57.7	55.3-60.1
Some Post-H.S.	2205	1,447,406	843	41.5	38.8-44.2	145	8.0	06.4-09.6	50	2.8	02.0-03.6	11	0.7	00.1-01.3	1	0.1	00.0-00.3	1155	47.0	44.3-49.7
College Graduate	2311	992,522	1129	52.9	50.4-55.4	218	10.8	09.2-12.4	58	2.6	01.8-03.4	4	0.2	00.0-00.4	2	0.1	00.0-00.3	900	33.4	31.0-35.8
Less than \$15,000	991	500,599	215	27.0	22.9-31.1	38	5.0	03.0-07.0	14	1.1	00.3-01.9	5	0.7	00.0-01.5	2	0.2	00.0-00.6	717	66.0	61.7-70.3
\$15,000- 24,999	1493	769,649	395	29.9	26.8-33.0	70	6.6	04.6-08.6	32	2.6	01.4-03.8	9	0.8	00.2-01.4	2	0.3	00.0-00.7	985	59.7	56.4-63.0
\$25,000- 34,999	876	479,979	270	32.0	27.9-36.1	53	6.3	04.1-08.5	19	2.8	01.4-04.2	4	0.4	00.0-01.0				530	58.5	54.2-62.8
\$35,000- 49,999	1134	662,290	408	37.1	33.4-40.8	77	7.4	05.4-09.4	30	3.0	01.6-04.4	3	0.3	00.0-00.9				616	52.2	48.5-55.9
\$50,000- 74,999	1146	724,454	497	42.4	38.9-45.9	93	9.5	07.1-11.9	30	4.0	02.2-05.8	9	1.1	00.3-01.9	1	0.1	00.0-00.3	516	42.9	39.2-46.6
\$75,000+	1558	979,817	839	54.7	51.6-57.8	153	10.3	08.3-12.3	52	3.2	02.2-04.2	8	0.6	00.2-01.0	2	0.2	00.0-00.6	504	31.0	28.1-33.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3284	2,314,640	1243	39.7	37.5-41.9	359	11.4	10.0-12.8	158	4.7	03.7-05.7	36	1.2	00.8-01.6	6	0.3	00.1-00.5	1482	42.8	40.6-45.0
White/Non-Hisp	2708	1,895,800	1050	39.9	37.5-42.3	303	11.6	10.0-13.2	134	4.8	03.8-05.8	31	1.2	00.6-01.8	5	0.3	00.1-00.5	1185	42.1	39.7-44.5
Black or Afr. Am./Non-Hisp	293	184,316	99	45.5	36.7-54.3	20	6.0	02.7-09.3	7	3.4	00.1-06.7	2	1.1	00.0-02.9				165	44.0	35.6-52.4
MultiRacial/Non-Hisp.	51	30,414	20	43.8	27.1-60.5	5	15.4	02.3-28.5	3	6.2	00.0-13.6	2	1.7	00.0-04.1				21	32.9	17.4-48.4
Hispanic	123	130,390	42	34.6	23.8-45.4	15	13.6	06.2-21.0	7	5.1	00.4-09.8				1	0.9	00.0-02.7	58	45.8	34.4-57.2
18-24	248	329,027	90	38.2	30.9-45.5	38	14.2	09.5-18.9	9	2.7	00.9-04.5	3	1.4	00.0-03.0	1	0.4	00.0-01.2	107	43.2	35.9-50.5
25-34	349	383,666	170	45.4	39.5-51.3	56	15.8	11.5-20.1	20	7.5	03.8-11.2	4	0.8	00.0-01.8	1	0.3	00.0-00.9	98	30.2	24.7-35.7
35-44	458	399,598	215	47.6	42.1-53.1	51	10.9	07.8-14.0	19	3.8	01.8-05.8	13	2.4	01.0-03.8				160	35.3	30.0-40.6
45-54	586	435,565	225	39.2	34.5-43.9	56	9.9	06.8-13.0	35	4.9	03.1-06.7	6	1.2	00.0-02.4				264	44.9	40.2-49.6
55-64	726	380,184	277	37.6	33.3-41.9	69	9.1	06.7-11.5	46	6.9	04.5-09.3	8	0.9	00.1-01.7	3	0.6	00.0-01.4	323	45.0	40.5-49.5
65+	896	374,347	258	29.5	26.0-33.0	87	9.3	06.9-11.7	29	2.5	01.5-03.5	2	0.3	00.0-00.7				520	58.5	54.6-62.4
Less Than H.S.	321	331,783	80	31.1	24.2-38.0	17	6.8	03.3-10.3	7	3.0	00.0-06.1	3	0.8	00.0-01.8	1	0.3	00.0-00.9	213	58.0	50.9-65.1
H.S. or G.E.D.	1175	859,704	370	34.1	30.8-37.4	120	10.8	08.6-13.0	59	5.2	03.6-06.8	20	1.5	00.7-02.3	3	0.4	00.0-00.8	603	48.1	44.6-51.6
Some Post-H.S.	805	628,952	318	41.7	37.4-46.0	84	11.9	09.0-14.8	40	5.0	03.2-06.8	9	1.4	00.2-02.6	1	0.3	00.0-00.9	353	39.6	35.5-43.7
College Graduate	977	489,431	474	52.9	49.2-56.6	137	14.8	12.1-17.5	52	4.8	03.4-06.2	4	0.5	00.0-01.1	1	0.0	00.0-00.0	309	27.1	24.0-30.2
Less than \$15,000	300	198,832	80	32.9	25.5-40.3	19	6.7	03.2-10.2	11	2.7	00.7-04.7	5	1.8	00.0-03.8	2	0.6	00.0-01.8	183	55.4	47.8-63.0
\$15,000- 24,999	535	353,694	154	29.9	25.0-34.8	41	9.9	06.6-13.2	28	5.4	03.0-07.8	6	1.4	00.0-02.8	2	0.7	00.0-01.7	304	52.7	47.2-58.2
\$25,000- 34,999	335	221,787	104	33.4	26.7-40.1	38	10.3	06.4-14.2	12	3.1	01.1-05.1	2	0.2	00.0-00.4				179	53.0	46.1-59.9
\$35,000- 49,999	504	351,713	180	37.0	31.7-42.3	53	10.3	07.2-13.4	25	4.7	02.3-07.1	3	0.7	00.0-01.9				243	47.4	41.9-52.9
\$50,000- 74,999	519	390,096	221	41.3	36.0-46.6	66	13.3	09.6-17.0	27	7.1	03.8-10.4	8	1.9	00.3-03.5	1	0.1	00.0-00.3	196	36.2	31.1-41.3
\$75,000+	754	540,804	396	55.0	50.7-59.3	98	13.2	10.1-16.3	48	5.4	03.6-07.2	8	1.0	00.2-01.8	1	0.3	00.0-00.9	203	25.0	21.3-28.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5109	2,472,586	1722	36.7	34.9-38.5	197	4.3	03.5-05.1	29	0.8	00.4-01.2	6	0.1	00.0-00.3	1	0.0	00.0-00.0	3154	58.1	56.3-59.9
White/Non-Hisp	4132	2,049,084	1424	36.7	34.7-38.7	174	4.6	03.6-05.6	28	0.9	00.5-01.3	3	0.1	00.0-00.3	1	0.0	00.0-00.0	2502	57.6	55.6-59.6
Black or Afr. Am./Non-Hisp	595	217,034	187	44.0	37.1-50.9	14	2.3	00.3-04.3				2	0.6	00.0-01.8				392	53.0	46.1-59.9
Oth. Race/Non-Hisp.	72	34,521	18	32.0	19.1-44.9	2	5.0	00.0-11.9										52	62.9	49.4-76.4
MultiRacial/Non-Hisp.	76	35,734	25	29.2	16.7-41.7	3	4.4	00.0-09.5										48	66.4	53.1-79.7
Hispanic	169	113,461	49	27.0	18.4-35.6	2	1.0	00.0-02.6	1	0.1	00.0-00.3							117	71.9	63.3-80.5
18-24	256	319,670	93	35.7	28.4-43.0	19	8.0	04.3-11.7	7	2.6	00.6-04.6	2	0.7	00.0-01.7				135	53.0	45.6-60.4
25-34	515	388,893	247	48.4	43.3-53.5	17	3.4	01.2-05.6	4	0.9	00.0-01.9							247	47.3	42.4-52.2
35-44	627	395,638	291	44.4	39.7-49.1	24	4.2	02.2-06.2	3	0.6	00.0-01.4							309	50.8	46.1-55.5
45-54	843	451,051	344	39.2	35.3-43.1	38	4.4	02.8-06.0	5	0.4	00.0-00.8	2	0.2	00.0-00.6	1	0.1	00.0-00.3	453	55.6	51.5-59.7
55-64	1032	391,112	362	35.6	32.1-39.1	34	3.0	01.8-04.2	5	0.5	00.0-01.1	2	0.1	00.1-00.1				629	60.8	57.1-64.5
65+	1785	507,103	371	21.4	19.0-23.8	62	3.6	02.6-04.6	5	0.1	00.1-00.1							1347	75.0	72.6-77.4
Less Than H.S.	499	335,367	78	21.2	15.9-26.5	11	2.1	00.5-03.7	3	0.7	00.0-01.7	2	0.2	00.0-00.6				405	75.8	70.3-81.3
H.S. or G.E.D.	1868	812,915	462	28.4	25.7-31.1	44	3.0	02.0-04.0	10	0.6	00.2-01.0	2	0.2	00.0-00.6				1350	67.9	65.2-70.6
Some Post-H.S.	1400	818,454	525	41.3	37.8-44.8	61	4.9	03.3-06.5	10	1.1	00.3-01.9	2	0.1	00.0-00.3				802	52.6	49.1-56.1
College Graduate	1334	503,091	655	52.9	49.6-56.2	81	6.9	05.1-08.7	6	0.6	00.0-01.2				1	0.1	00.0-00.3	591	39.5	36.4-42.6
Less than \$15,000	691	301,767	135	23.1	18.4-27.8	19	3.8	01.6-06.0	3	0.1	00.1-00.1							534	73.0	68.1-77.9
\$15,000- 24,999	958	415,956	241	29.9	25.8-34.0	29	3.7	01.5-05.9	4	0.3	00.0-00.7	3	0.4	00.0-01.0				681	65.7	61.4-70.0
\$25,000- 34,999	541	258,191	166	30.8	25.5-36.1	15	2.8	00.6-05.0	7	2.6	00.4-04.8	2	0.5	00.0-01.5				351	63.2	57.7-68.7
\$35,000- 49,999	630	310,577	228	37.3	32.6-42.0	24	4.1	02.1-06.1	5	1.0	00.0-02.0							373	57.6	52.7-62.5
\$50,000- 74,999	627	334,358	276	43.8	38.9-48.7	27	4.9	02.5-07.3	3	0.4	00.0-01.0	1	0.2	00.0-00.6				320	50.7	45.8-55.6
\$75,000+	804	439,013	443	54.4	50.1-58.7	55	6.6	04.4-08.8	4	0.6	00.0-01.2				1	0.1	00.0-00.3	301	38.2	33.9-42.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 13: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8393	4,787,226	1613	20.3	19.1-21.5	841	11.2	10.2-12.2	675	8.6	07.8-09.4	392	5.8	05.0-06.6	236	3.4	02.8-04.0	4636	50.7	49.3-52.1
Male	3284	2,314,640	572	18.3	16.5-20.1	396	13.3	11.7-14.9	376	10.8	09.6-12.0	258	8.7	07.5-09.9	200	6.1	05.1-07.1	1482	42.8	40.6-45.0
Female	5109	2,472,586	1041	22.1	20.5-23.7	445	9.2	08.2-10.2	299	6.5	05.7-07.3	134	3.1	02.3-03.9	36	0.9	00.5-01.3	3154	58.1	56.3-59.9
White/Non-Hisp	6840	3,944,885	1343	20.3	19.1-21.5	693	11.1	10.1-12.1	571	8.8	08.0-09.6	344	6.1	05.3-06.9	202	3.6	03.0-04.2	3687	50.2	48.6-51.8
Black or Afr. Am./Non-Hisp	888	401,350	152	21.8	16.9-26.7	91	16.4	11.9-20.9	56	7.7	05.0-10.4	21	2.8	01.2-04.4	11	2.4	00.6-04.2	557	48.9	43.6-54.2
Oth. Race/Non-Hisp.	119	73,789	19	18.2	09.8-26.6	9	6.1	01.6-10.6	10	7.6	02.1-13.1	4	6.0	00.0-12.7	4	2.8	00.0-05.9	73	59.3	47.9-70.7
MultiRacial/Non-Hisp.	127	66,148	27	21.2	12.6-29.8	13	11.5	04.4-18.6	9	8.5	01.6-15.4	4	4.2	00.1-08.3	5	3.6	00.0-07.3	69	51.0	39.8-62.2
Hispanic	292	243,851	49	18.2	11.9-24.5	26	7.8	04.1-11.5	22	7.5	03.8-11.2	11	5.4	01.9-08.9	9	3.2	00.7-05.7	175	57.9	50.5-65.3
18-24	504	648,697	81	18.0	13.5-22.5	57	10.9	07.8-14.0	57	10.1	07.4-12.8	45	9.0	06.3-11.7	22	3.9	02.1-05.7	242	48.0	42.9-53.1
25-34	864	772,559	207	24.1	20.8-27.4	146	16.2	13.5-18.9	78	8.1	06.1-10.1	59	8.1	05.7-10.5	29	4.8	02.8-06.8	345	38.8	35.1-42.5
35-44	1085	795,236	252	22.5	19.4-25.6	168	16.2	13.5-18.9	105	9.2	07.2-11.2	56	5.6	03.8-07.4	35	3.4	02.2-04.6	469	43.0	39.5-46.5
45-54	1429	886,616	301	21.2	18.7-23.7	172	10.9	08.9-12.9	116	8.4	06.6-10.2	74	5.9	04.3-07.5	49	3.4	02.4-04.4	717	50.3	47.2-53.4
55-64	1758	771,295	364	20.9	18.5-23.3	164	8.7	07.1-10.3	146	9.4	07.6-11.2	68	3.7	02.7-04.7	64	4.4	03.0-05.8	952	53.0	50.1-55.9
65+	2681	881,450	394	15.3	13.5-17.1	131	5.3	04.3-06.3	167	6.7	05.5-07.9	86	3.6	02.6-04.6	36	1.2	00.8-01.6	1867	68.0	65.8-70.2
Less Than H.S.	820	667,150	88	14.4	10.9-17.9	40	7.1	04.4-09.8	36	5.5	03.3-07.7	22	3.6	01.8-05.4	16	2.5	00.7-04.3	618	66.9	62.4-71.4
H.S. or G.E.D.	3043	1,672,619	484	17.6	15.8-19.4	228	9.2	07.8-10.6	168	6.3	05.1-07.5	116	5.2	04.0-06.4	94	4.0	03.0-05.0	1953	57.7	55.3-60.1
Some Post-H.S.	2205	1,447,406	474	22.8	20.4-25.2	227	11.4	09.6-13.2	182	8.6	07.0-10.2	105	6.5	04.9-08.1	62	3.6	02.6-04.6	1155	47.0	44.3-49.7
College Graduate	2311	992,522	565	25.0	22.8-27.2	345	17.1	15.1-19.1	289	14.5	12.7-16.3	148	7.2	05.8-08.6	64	2.9	02.1-03.7	900	33.4	31.0-35.8
Less than \$15,000	991	500,599	117	13.6	10.3-16.9	64	7.7	05.3-10.1	48	7.1	04.7-09.5	24	3.6	01.8-05.4	21	2.1	00.9-03.3	717	66.0	61.7-70.3
\$15,000- 24,999	1493	769,649	233	17.5	14.8-20.2	95	6.9	05.1-08.7	84	6.6	04.8-08.4	53	5.5	03.7-07.3	43	3.8	02.4-05.2	985	59.7	56.4-63.0
\$25,000- 34,999	876	479,979	159	17.5	14.4-20.6	66	8.9	06.0-11.8	57	7.0	04.6-09.4	41	4.9	03.1-06.7	23	3.2	01.6-04.8	530	58.5	54.2-62.8
\$35,000- 49,999	1134	662,290	243	21.4	18.3-24.5	104	10.5	08.1-12.9	83	6.8	05.0-08.6	55	5.8	04.0-07.6	33	3.3	01.9-04.7	616	52.2	48.5-55.9
\$50,000- 74,999	1146	724,454	255	20.0	17.3-22.7	171	16.4	13.7-19.1	96	8.2	06.2-10.2	68	7.3	05.1-09.5	40	5.2	03.2-07.2	516	42.9	39.2-46.6
\$75,000+	1558	979,817	394	26.1	23.4-28.8	264	17.2	14.8-19.6	224	14.2	12.2-16.2	110	7.5	05.7-09.3	62	4.0	02.8-05.2	504	31.0	28.1-33.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 14: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3284	2,314,640	572	18.3	16.5-20.1	396	13.3	11.7-14.9	376	10.8	09.6-12.0	258	8.7	07.5-09.9	200	6.1	05.1-07.1	1482	42.8	40.6-45.0
White/Non-Hisp	2708	1,895,800	479	18.3	16.5-20.1	331	13.3	11.7-14.9	319	11.0	09.6-12.4	224	9.0	07.6-10.4	170	6.3	05.1-07.5	1185	42.1	39.7-44.5
Black or Afr. Am./Non-Hisp	293	184,316	51	21.5	13.9-29.1	33	17.3	09.9-24.7	22	7.9	03.4-12.4	13	4.8	01.7-07.9	9	4.5	00.8-08.2	165	44.0	35.6-52.4
MultiRacial/Non-Hisp.	51	30,414	8	18.3	05.4-31.2	9	19.8	06.5-33.1	5	13.2	00.1-26.3	3	7.9	00.0-16.5	5	7.9	00.1-15.7	21	32.9	17.4-48.4
Hispanic	123	130,390	17	16.6	07.4-25.8	14	10.4	04.1-16.7	16	11.4	04.7-18.1	10	9.8	03.3-16.3	8	6.0	01.1-10.9	58	45.8	34.4-57.2
18-24	248	329,027	37	18.1	11.6-24.6	29	11.5	06.8-16.2	34	11.5	07.4-15.6	28	11.2	06.9-15.5	13	4.4	01.9-06.9	107	43.2	35.9-50.5
25-34	349	383,666	66	19.0	14.5-23.5	73	19.1	14.8-23.4	40	9.6	06.5-12.7	47	13.5	09.4-17.6	25	8.6	04.7-12.5	98	30.2	24.7-35.7
35-44	458	399,598	88	19.7	15.2-24.2	81	19.7	15.2-24.2	59	11.1	08.2-14.0	38	8.0	05.3-10.7	32	6.2	03.8-08.6	160	35.3	30.0-40.6
45-54	586	435,565	116	20.1	16.4-23.8	67	11.5	08.4-14.6	53	9.1	06.4-11.8	45	8.4	05.5-11.3	41	6.0	04.0-08.0	264	44.9	40.2-49.6
55-64	726	380,184	132	17.9	14.6-21.2	74	9.8	07.1-12.5	96	13.5	10.4-16.6	44	5.5	03.5-07.5	57	8.4	05.9-10.9	323	45.0	40.5-49.5
65+	896	374,347	129	14.6	11.9-17.3	71	8.0	06.0-10.0	91	10.2	07.8-12.6	54	6.0	04.0-08.0	31	2.7	01.5-03.9	520	58.5	54.6-62.4
Less Than H.S.	321	331,783	38	14.9	09.4-20.4	21	9.8	04.7-14.9	24	7.7	04.2-11.2	14	5.6	02.5-08.7	11	4.1	00.8-07.4	213	58.0	50.9-65.1
H.S. or G.E.D.	1175	859,704	181	17.3	14.4-20.2	118	11.1	08.9-13.3	101	8.2	06.4-10.0	90	8.3	06.3-10.3	82	7.0	05.2-08.8	603	48.1	44.6-51.6
Some Post-H.S.	805	628,952	144	18.9	15.6-22.2	104	14.2	11.1-17.3	92	10.8	08.3-13.3	62	9.7	07.0-12.4	50	6.7	04.5-08.9	353	39.6	35.5-43.7
College Graduate	977	489,431	209	21.8	18.7-24.9	152	18.5	15.6-21.4	159	17.4	14.7-20.1	91	10.0	07.6-12.4	57	5.3	03.7-06.9	309	27.1	24.0-30.2
Less than \$15,000	300	198,832	36	14.5	08.2-20.8	23	9.1	05.0-13.2	30	11.9	07.0-16.8	10	4.0	01.1-06.9	18	5.1	02.2-08.0	183	55.4	47.8-63.0
\$15,000- 24,999	535	353,694	71	14.2	10.3-18.1	41	7.7	04.8-10.6	51	9.5	06.6-12.4	32	8.4	05.3-11.5	36	7.5	04.8-10.2	304	52.7	47.2-58.2
\$25,000- 34,999	335	221,787	59	18.2	13.1-23.3	25	9.6	04.3-14.9	28	8.4	04.5-12.3	30	7.5	04.4-10.6	14	3.2	01.2-05.2	179	53.0	46.1-59.9
\$35,000- 49,999	504	351,713	94	20.1	15.4-24.8	55	11.7	08.2-15.2	44	7.4	04.9-09.9	40	8.1	05.2-11.0	28	5.4	02.9-07.9	243	47.4	41.9-52.9
\$50,000- 74,999	519	390,096	100	16.8	13.3-20.3	83	18.0	13.7-22.3	56	9.2	06.3-12.1	48	10.6	07.1-14.1	36	9.2	05.5-12.9	196	36.2	31.1-41.3
\$75,000+	754	540,804	158	22.9	19.0-26.8	136	19.0	15.5-22.5	130	16.4	13.3-19.5	70	9.8	07.1-12.5	57	6.8	04.8-08.8	203	25.0	21.3-28.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 15: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5109	2,472,586	1041	22.1	20.5-23.7	445	9.2	08.2-10.2	299	6.5	05.7-07.3	134	3.1	02.3-03.9	36	0.9	00.5-01.3	3154	58.1	56.3-59.9
White/Non-Hisp	4132	2,049,084	864	22.2	20.4-24.0	362	9.0	07.8-10.2	252	6.7	05.7-07.7	120	3.5	02.7-04.3	32	1.0	00.6-01.4	2502	57.6	55.6-59.6
Black or Afr. Am./Non-Hisp	595	217,034	101	22.1	15.8-28.4	58	15.6	10.1-21.1	34	7.5	04.2-10.8	8	1.2	00.0-02.4	2	0.6	00.0-01.8	392	53.0	46.1-59.9
Oth. Race/Non-Hisp.	72	34,521	12	21.6	10.0-33.2	5	7.3	00.6-14.0	1	3.2	00.0-09.3	2	5.0	00.0-11.9				52	62.9	49.4-76.4
MultiRacial/Non-Hisp.	76	35,734	19	23.6	11.8-35.4	4	4.5	00.0-10.2	4	4.5	00.0-09.4	1	1.0	00.0-03.0				48	66.4	53.1-79.7
Hispanic	169	113,461	32	20.0	12.0-28.0	12	4.8	01.5-08.1	6	2.9	00.4-05.4	1	0.3	00.0-00.9	1	0.1	00.0-00.3	117	71.9	63.3-80.5
18-24	256	319,670	44	17.8	11.5-24.1	28	10.4	06.3-14.5	23	8.7	05.0-12.4	17	6.8	03.5-10.1	9	3.3	00.9-05.7	135	53.0	45.6-60.4
25-34	515	388,893	141	29.0	24.3-33.7	73	13.4	10.1-16.7	38	6.7	04.3-09.1	12	2.6	00.6-04.6	4	0.9	00.0-01.9	247	47.3	42.4-52.2
35-44	627	395,638	164	25.3	21.2-29.4	87	12.7	09.6-15.8	46	7.3	04.9-09.7	18	3.3	01.5-05.1	3	0.6	00.0-01.4	309	50.8	46.1-55.5
45-54	843	451,051	185	22.3	18.8-25.8	105	10.2	08.0-12.4	63	7.6	05.4-09.8	29	3.4	02.0-04.8	8	0.8	00.2-01.4	453	55.6	51.5-59.7
55-64	1032	391,112	232	23.8	20.7-26.9	90	7.6	05.8-09.4	50	5.4	03.6-07.2	24	1.9	00.9-02.9	7	0.6	00.0-01.2	629	60.8	57.1-64.5
65+	1785	507,103	265	15.8	13.6-18.0	60	3.2	02.2-04.2	76	4.1	03.1-05.1	32	1.8	01.0-02.6	5	0.1	00.1-00.1	1347	75.0	72.6-77.4
Less Than H.S.	499	335,367	50	13.9	09.2-18.6	19	4.4	01.9-06.9	12	3.3	01.1-05.5	8	1.6	00.0-03.2	5	0.9	00.0-01.9	405	75.8	70.3-81.3
H.S. or G.E.D.	1868	812,915	303	18.0	15.8-20.2	110	7.2	05.6-08.8	67	4.2	03.0-05.4	26	2.0	01.0-03.0	12	0.8	00.2-01.4	1350	67.9	65.2-70.6
Some Post-H.S.	1400	818,454	330	25.9	22.6-29.2	123	9.3	07.3-11.3	90	6.9	05.1-08.7	43	4.1	02.5-05.7	12	1.2	00.4-02.0	802	52.6	49.1-56.1
College Graduate	1334	503,091	356	28.0	25.1-30.9	193	15.7	13.3-18.1	130	11.6	09.4-13.8	57	4.5	03.1-05.9	7	0.7	00.1-01.3	591	39.5	36.4-42.6
Less than \$15,000	691	301,767	81	13.0	09.3-16.7	41	6.7	04.0-09.4	18	4.0	01.8-06.2	14	3.3	01.1-05.5	3	0.1	00.1-00.1	534	73.0	68.1-77.9
\$15,000- 24,999	958	415,956	162	20.3	16.6-24.0	54	6.3	04.1-08.5	33	4.2	02.4-06.0	21	3.0	01.0-05.0	7	0.6	00.0-01.2	681	65.7	61.4-70.0
\$25,000- 34,999	541	258,191	100	17.0	13.1-20.9	41	8.2	05.1-11.3	29	5.8	03.1-08.5	11	2.6	00.4-04.8	9	3.2	00.8-05.6	351	63.2	57.7-68.7
\$35,000- 49,999	630	310,577	149	23.0	18.9-27.1	49	9.1	05.8-12.4	39	6.1	03.9-08.3	15	3.2	01.2-05.2	5	1.0	00.0-02.0	373	57.6	52.7-62.5
\$50,000- 74,999	627	334,358	155	23.7	19.6-27.8	88	14.5	11.2-17.8	40	7.0	04.5-09.5	20	3.5	01.7-05.3	4	0.6	00.0-01.2	320	50.7	45.8-55.6
\$75,000+	804	439,013	236	30.0	26.1-33.9	128	14.9	12.2-17.6	94	11.5	09.0-14.0	40	4.7	02.9-06.5	5	0.7	00.0-01.5	301	38.2	33.9-42.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 16: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8393	4,787,226	8023	94.9	94.3-95.5	370	5.1	04.5-05.7
Male	3284	2,314,640	3084	93.9	92.9-94.9	200	6.1	05.1-07.1
Female	5109	2,472,586	4939	95.9	95.1-96.7	170	4.1	03.3-04.9
White/Non-Hisp	6840	3,944,885	6518	94.6	93.8-95.4	322	5.4	04.6-06.2
Black or Afr. Am./Non-Hisp	888	401,350	869	97.0	95.0-99.0	19	3.0	01.0-05.0
Oth. Race/Non-Hisp.	119	73,789	113	94.8	90.3-99.3	6	5.2	00.7-09.7
MultiRacial/Non-Hisp.	127	66,148	121	95.8	92.1-99.5	6	4.2	00.5-07.9
Hispanic	292	243,851	282	96.6	94.1-99.1	10	3.4	00.9-05.9
18-24	504	648,697	465	92.8	90.4-95.2	39	7.2	04.8-09.6
25-34	864	772,559	823	93.9	91.7-96.1	41	6.1	03.9-08.3
35-44	1085	795,236	1032	95.0	93.4-96.6	53	5.0	03.4-06.6
45-54	1429	886,616	1351	94.9	93.7-96.1	78	5.1	03.9-06.3
55-64	1758	771,295	1670	94.6	93.2-96.0	88	5.4	04.0-06.8
65+	2681	881,450	2613	97.8	97.2-98.4	68	2.2	01.6-02.8
Less Than H.S.	820	667,150	796	96.7	94.7-98.7	24	3.3	01.3-05.3
H.S. or G.E.D.	3043	1,672,619	2923	95.0	94.0-96.0	120	5.0	04.0-06.0
Some Post-H.S.	2205	1,447,406	2100	94.1	92.7-95.5	105	5.9	04.5-07.3
College Graduate	2311	992,522	2190	94.8	93.8-95.8	121	5.2	04.2-06.2
Less than \$15,000	991	500,599	956	95.9	94.1-97.7	35	4.1	02.3-05.9
\$15,000- 24,999	1493	769,649	1429	94.6	92.8-96.4	64	5.4	03.6-07.2
\$25,000- 34,999	876	479,979	842	95.4	93.4-97.4	34	4.6	02.6-06.6
\$35,000- 49,999	1134	662,290	1086	95.2	93.6-96.8	48	4.8	03.2-06.4
\$50,000- 74,999	1146	724,454	1086	93.1	90.9-95.3	60	6.9	04.7-09.1
\$75,000+	1558	979,817	1456	93.9	92.5-95.3	102	6.1	04.7-07.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 17: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3284	2,314,640	3084	93.9	92.9-94.9	200	6.1	05.1-07.1
White/Non-Hisp	2708	1,895,800	2538	93.7	92.5-94.9	170	6.3	05.1-07.5
Black or Afr. Am./Non-Hisp	293	184,316	284	95.5	91.8-99.2	9	4.5	00.8-08.2
MultiRacial/Non-Hisp.	51	30,414	46	92.1	84.3-99.9	5	7.9	00.1-15.7
Hispanic	123	130,390	115	94.0	89.1-98.9	8	6.0	01.1-10.9
18-24	248	329,027	235	95.6	93.1-98.1	13	4.4	01.9-06.9
25-34	349	383,666	324	91.4	87.5-95.3	25	8.6	04.7-12.5
35-44	458	399,598	426	93.8	91.4-96.2	32	6.2	03.8-08.6
45-54	586	435,565	545	94.0	92.0-96.0	41	6.0	04.0-08.0
55-64	726	380,184	669	91.6	89.1-94.1	57	8.4	05.9-10.9
65+	896	374,347	865	97.3	96.1-98.5	31	2.7	01.5-03.9
Less Than H.S.	321	331,783	310	95.9	92.6-99.2	11	4.1	00.8-07.4
H.S. or G.E.D.	1175	859,704	1093	93.0	91.2-94.8	82	7.0	05.2-08.8
Some Post-H.S.	805	628,952	755	93.3	91.1-95.5	50	6.7	04.5-08.9
College Graduate	977	489,431	920	94.7	93.1-96.3	57	5.3	03.7-06.9
Less than \$15,000	300	198,832	282	94.9	92.0-97.8	18	5.1	02.2-08.0
\$15,000- 24,999	535	353,694	499	92.5	89.8-95.2	36	7.5	04.8-10.2
\$25,000- 34,999	335	221,787	321	96.8	94.8-98.8	14	3.2	01.2-05.2
\$35,000- 49,999	504	351,713	476	94.6	92.1-97.1	28	5.4	02.9-07.9
\$50,000- 74,999	519	390,096	483	90.8	87.1-94.5	36	9.2	05.5-12.9
\$75,000+	754	540,804	697	93.2	91.2-95.2	57	6.8	04.8-08.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 18: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5109	2,472,586	4939	95.9	95.1-96.7	170	4.1	03.3-04.9
White/Non-Hisp	4132	2,049,084	3980	95.5	94.5-96.5	152	4.5	03.5-05.5
Black or Afr. Am./Non-Hisp	595	217,034	585	98.2	96.6-99.8	10	1.8	00.2-03.4
Oth. Race/Non-Hisp.	72	34,521	70	95.0	88.1-0100	2	5.0	00.0-11.9
MultiRacial/Non-Hisp.	76	35,734	75	99.0	97.0-0100	1	1.0	00.0-03.0
Hispanic	169	113,461	167	99.6	99.0-0100	2	0.4	00.0-01.0
18-24	256	319,670	230	89.9	85.8-94.0	26	10.1	06.0-14.2
25-34	515	388,893	499	96.4	94.2-98.6	16	3.6	01.4-05.8
35-44	627	395,638	606	96.1	94.1-98.1	21	3.9	01.9-05.9
45-54	843	451,051	806	95.8	94.2-97.4	37	4.2	02.6-05.8
55-64	1032	391,112	1001	97.6	96.6-98.6	31	2.4	01.4-03.4
65+	1785	507,103	1748	98.1	97.3-98.9	37	1.9	01.1-02.7
Less Than H.S.	499	335,367	486	97.5	95.7-99.3	13	2.5	00.7-04.3
H.S. or G.E.D.	1868	812,915	1830	97.2	96.0-98.4	38	2.8	01.6-04.0
Some Post-H.S.	1400	818,454	1345	94.7	92.9-96.5	55	5.3	03.5-07.1
College Graduate	1334	503,091	1270	94.8	93.4-96.2	64	5.2	03.8-06.6
Less than \$15,000	691	301,767	674	96.6	94.4-98.8	17	3.4	01.2-05.6
\$15,000- 24,999	958	415,956	930	96.4	94.2-98.6	28	3.6	01.4-05.8
\$25,000- 34,999	541	258,191	521	94.2	91.1-97.3	20	5.8	02.7-08.9
\$35,000- 49,999	630	310,577	610	95.8	93.6-98.0	20	4.2	02.0-06.4
\$50,000- 74,999	627	334,358	603	95.9	93.9-97.9	24	4.1	02.1-06.1
\$75,000+	804	439,013	759	94.6	92.6-96.6	45	5.4	03.4-07.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 19: ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3284	2,314,640	3084	93.9	92.9-94.9	200	6.1	05.1-07.1
White/Non-Hisp	2708	1,895,800	2538	93.7	92.5-94.9	170	6.3	05.1-07.5
Black or Afr. Am./Non-Hisp	293	184,316	284	95.5	91.8-99.2	9	4.5	00.8-08.2
MultiRacial/Non-Hisp.	51	30,414	46	92.1	84.3-99.9	5	7.9	00.1-15.7
Hispanic	123	130,390	115	94.0	89.1-98.9	8	6.0	01.1-10.9
18-24	248	329,027	235	95.6	93.1-98.1	13	4.4	01.9-06.9
25-34	349	383,666	324	91.4	87.5-95.3	25	8.6	04.7-12.5
35-44	458	399,598	426	93.8	91.4-96.2	32	6.2	03.8-08.6
45-54	586	435,565	545	94.0	92.0-96.0	41	6.0	04.0-08.0
55-64	726	380,184	669	91.6	89.1-94.1	57	8.4	05.9-10.9
65+	896	374,347	865	97.3	96.1-98.5	31	2.7	01.5-03.9
Less Than H.S.	321	331,783	310	95.9	92.6-99.2	11	4.1	00.8-07.4
H.S. or G.E.D.	1175	859,704	1093	93.0	91.2-94.8	82	7.0	05.2-08.8
Some Post-H.S.	805	628,952	755	93.3	91.1-95.5	50	6.7	04.5-08.9
College Graduate	977	489,431	920	94.7	93.1-96.3	57	5.3	03.7-06.9
Less than \$15,000	300	198,832	282	94.9	92.0-97.8	18	5.1	02.2-08.0
\$15,000- 24,999	535	353,694	499	92.5	89.8-95.2	36	7.5	04.8-10.2
\$25,000- 34,999	335	221,787	321	96.8	94.8-98.8	14	3.2	01.2-05.2
\$35,000- 49,999	504	351,713	476	94.6	92.1-97.1	28	5.4	02.9-07.9
\$50,000- 74,999	519	390,096	483	90.8	87.1-94.5	36	9.2	05.5-12.9
\$75,000+	754	540,804	697	93.2	91.2-95.2	57	6.8	04.8-08.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 20: ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5109	2,472,586	4939	95.9	95.1-96.7	170	4.1	03.3-04.9
White/Non-Hisp	4132	2,049,084	3980	95.5	94.5-96.5	152	4.5	03.5-05.5
Black or Afr. Am./Non-Hisp	595	217,034	585	98.2	96.6-99.8	10	1.8	00.2-03.4
Oth. Race/Non-Hisp.	72	34,521	70	95.0	88.1-0100	2	5.0	00.0-11.9
MultiRacial/Non-Hisp.	76	35,734	75	99.0	97.0-0100	1	1.0	00.0-03.0
Hispanic	169	113,461	167	99.6	99.0-0100	2	0.4	00.0-01.0
18-24	256	319,670	230	89.9	85.8-94.0	26	10.1	06.0-14.2
25-34	515	388,893	499	96.4	94.2-98.6	16	3.6	01.4-05.8
35-44	627	395,638	606	96.1	94.1-98.1	21	3.9	01.9-05.9
45-54	843	451,051	806	95.8	94.2-97.4	37	4.2	02.6-05.8
55-64	1032	391,112	1001	97.6	96.6-98.6	31	2.4	01.4-03.4
65+	1785	507,103	1748	98.1	97.3-98.9	37	1.9	01.1-02.7
Less Than H.S.	499	335,367	486	97.5	95.7-99.3	13	2.5	00.7-04.3
H.S. or G.E.D.	1868	812,915	1830	97.2	96.0-98.4	38	2.8	01.6-04.0
Some Post-H.S.	1400	818,454	1345	94.7	92.9-96.5	55	5.3	03.5-07.1
College Graduate	1334	503,091	1270	94.8	93.4-96.2	64	5.2	03.8-06.6
Less than \$15,000	691	301,767	674	96.6	94.4-98.8	17	3.4	01.2-05.6
\$15,000- 24,999	958	415,956	930	96.4	94.2-98.6	28	3.6	01.4-05.8
\$25,000- 34,999	541	258,191	521	94.2	91.1-97.3	20	5.8	02.7-08.9
\$35,000- 49,999	630	310,577	610	95.8	93.6-98.0	20	4.2	02.0-06.4
\$50,000- 74,999	627	334,358	603	95.9	93.9-97.9	24	4.1	02.1-06.1
\$75,000+	804	439,013	759	94.6	92.6-96.6	45	5.4	03.4-07.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 11: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT5)	
1	MALES AND FEMALES	122
2	MALES ONLY	123
3	FEMALES ONLY	124
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	125
5	MALES ONLY	126
6	FEMALES ONLY	127

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT5)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2698	886,839	1497	57.1	54.7-59.5	1201	42.9	40.5-45.3
Male	906	378,127	496	56.9	53.0-60.8	410	43.1	39.2-47.0
Female	1792	508,712	1001	57.3	54.6-60.0	791	42.7	40.0-45.4
White/Non-Hisp	2257	790,943	1313	58.2	55.7-60.7	944	41.8	39.3-44.3
Black or Afr. Am./Non-Hisp	295	47,024	119	48.8	40.4-57.2	176	51.2	42.8-59.6
65+	2698	886,839	1497	57.1	54.7-59.5	1201	42.9	40.5-45.3
Less Than H.S.	333	142,842	180	55.4	48.3-62.5	153	44.6	37.5-51.7
H.S. or G.E.D.	1164	383,303	625	55.1	51.6-58.6	539	44.9	41.4-48.4
Some Post-H.S.	611	210,122	329	56.6	51.9-61.3	282	43.4	38.7-48.1
College Graduate	582	147,820	357	64.3	59.6-69.0	225	35.7	31.0-40.4
Less than \$15,000	341	91,205	153	49.0	41.4-56.6	188	51.0	43.4-58.6
\$15,000- 24,999	638	193,389	359	58.8	53.9-63.7	279	41.2	36.3-46.1
\$25,000- 34,999	363	119,771	204	56.4	50.1-62.7	159	43.6	37.3-49.9
\$35,000- 49,999	355	130,717	198	53.9	47.6-60.2	157	46.1	39.8-52.4
\$50,000- 74,999	237	82,772	153	64.4	57.0-71.8	84	35.6	28.2-43.0
\$75,000+	218	81,840	141	66.6	59.3-73.9	77	33.4	26.1-40.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	906	378,127	496	56.9	53.0-60.8	410	43.1	39.2-47.0
White/Non-Hisp	748	331,612	422	57.3	53.2-61.4	326	42.7	38.6-46.8
Black or Afr. Am./Non-Hisp	97	20,661	44	56.8	43.1-70.5	53	43.2	29.5-56.9
65+	906	378,127	496	56.9	53.0-60.8	410	43.1	39.2-47.0
Less Than H.S.	112	62,346	57	54.7	42.4-67.0	55	45.3	33.0-57.6
H.S. or G.E.D.	333	147,321	176	54.4	48.1-60.7	157	45.6	39.3-51.9
Some Post-H.S.	187	83,003	98	55.8	47.4-64.2	89	44.2	35.8-52.6
College Graduate	272	84,430	163	63.1	56.4-69.8	109	36.9	30.2-43.6
Less than \$15,000	80	29,777	35	52.9	36.2-69.6	45	47.1	30.4-63.8
\$15,000- 24,999	189	72,292	107	61.6	52.8-70.4	82	38.4	29.6-47.2
\$25,000- 34,999	129	57,444	72	55.5	45.1-65.9	57	44.5	34.1-54.9
\$35,000- 49,999	154	66,220	79	49.2	40.0-58.4	75	50.8	41.6-60.0
\$50,000- 74,999	112	44,796	66	58.4	47.4-69.4	46	41.6	30.6-52.6
\$75,000+	121	52,309	76	65.6	56.2-75.0	45	34.4	25.0-43.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1792	508,712	1001	57.3	54.6-60.0	791	42.7	40.0-45.4
White/Non-Hisp	1509	459,331	891	58.8	55.9-61.7	618	41.2	38.3-44.1
Black or Afr. Am./Non-Hisp	198	26,363	75	42.6	32.6-52.6	123	57.4	47.4-67.4
65+	1792	508,712	1001	57.3	54.6-60.0	791	42.7	40.0-45.4
Less Than H.S.	221	80,496	123	55.9	47.9-63.9	98	44.1	36.1-52.1
H.S. or G.E.D.	831	235,982	449	55.5	51.4-59.6	382	44.5	40.4-48.6
Some Post-H.S.	424	127,119	231	57.1	51.4-62.8	193	42.9	37.2-48.6
College Graduate	310	63,390	194	66.0	59.9-72.1	116	34.0	27.9-40.1
Less than \$15,000	261	61,427	118	47.2	39.4-55.0	143	52.8	45.0-60.6
\$15,000- 24,999	449	121,097	252	57.1	51.2-63.0	197	42.9	37.0-48.8
\$25,000- 34,999	234	62,327	132	57.2	49.8-64.6	102	42.8	35.4-50.2
\$35,000- 49,999	201	64,497	119	58.7	50.3-67.1	82	41.3	32.9-49.7
\$50,000- 74,999	125	37,976	87	71.5	62.3-80.7	38	28.5	19.3-37.7
\$75,000+	97	29,530	65	68.4	57.6-79.2	32	31.6	20.8-42.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2589	847,670	1749	68.0	65.8-70.2	840	32.0	29.8-34.2
Male	857	355,765	545	63.8	59.9-67.7	312	36.2	32.3-40.1
Female	1732	491,905	1204	71.0	68.5-73.5	528	29.0	26.5-31.5
White/Non-Hisp	2167	758,344	1514	69.3	66.9-71.7	653	30.7	28.3-33.1
Black or Afr. Am./Non-Hisp	283	44,724	150	53.2	44.6-61.8	133	46.8	38.2-55.4
65+	2589	847,670	1749	68.0	65.8-70.2	840	32.0	29.8-34.2
Less Than H.S.	318	134,475	200	63.7	56.8-70.6	118	36.3	29.4-43.2
H.S. or G.E.D.	1121	369,317	749	66.9	63.6-70.2	372	33.1	29.8-36.4
Some Post-H.S.	579	198,124	406	70.9	66.4-75.4	173	29.1	24.6-33.6
College Graduate	564	143,152	388	70.6	66.1-75.1	176	29.4	24.9-33.9
Less than \$15,000	328	86,719	207	64.9	57.8-72.0	121	35.1	28.0-42.2
\$15,000- 24,999	616	187,873	433	73.8	69.5-78.1	183	26.2	21.9-30.5
\$25,000- 34,999	350	114,917	244	67.9	61.6-74.2	106	32.1	25.8-38.4
\$35,000- 49,999	349	128,015	243	66.9	60.8-73.0	106	33.1	27.0-39.2
\$50,000- 74,999	233	81,781	160	70.3	63.2-77.4	73	29.7	22.6-36.8
\$75,000+	210	77,944	137	64.9	57.3-72.5	73	35.1	27.5-42.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	857	355,765	545	63.8	59.9-67.7	312	36.2	32.3-40.1
White/Non-Hisp	709	313,239	462	65.0	60.9-69.1	247	35.0	30.9-39.1
Black or Afr. Am./Non-Hisp	92	19,692	46	43.5	28.8-58.2	46	56.5	41.8-71.2
65+	857	355,765	545	63.8	59.9-67.7	312	36.2	32.3-40.1
Less Than H.S.	104	56,812	57	61.2	49.0-73.4	47	38.8	26.6-51.0
H.S. or G.E.D.	316	140,700	202	62.2	55.9-68.5	114	37.8	31.5-44.1
Some Post-H.S.	173	76,149	111	65.0	56.6-73.4	62	35.0	26.6-43.4
College Graduate	263	81,226	174	66.8	60.1-73.5	89	33.2	26.5-39.9
Less than \$15,000	75	28,180	47	66.7	51.6-81.8	28	33.3	18.2-48.4
\$15,000- 24,999	178	68,825	119	73.1	65.5-80.7	59	26.9	19.3-34.5
\$25,000- 34,999	119	53,087	74	57.7	46.9-68.5	45	42.3	31.5-53.1
\$35,000- 49,999	149	63,889	98	62.3	52.9-71.7	51	37.7	28.3-47.1
\$50,000- 74,999	109	43,971	66	61.8	51.0-72.6	43	38.2	27.4-49.0
\$75,000+	116	49,738	75	63.0	52.8-73.2	41	37.0	26.8-47.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1732	491,905	1204	71.0	68.5-73.5	528	29.0	26.5-31.5
White/Non-Hisp	1458	445,105	1052	72.4	69.7-75.1	406	27.6	24.9-30.3
Black or Afr. Am./Non-Hisp	191	25,032	104	60.9	51.3-70.5	87	39.1	29.5-48.7
65+	1732	491,905	1204	71.0	68.5-73.5	528	29.0	26.5-31.5
Less Than H.S.	214	77,664	143	65.5	57.7-73.3	71	34.5	26.7-42.3
H.S. or G.E.D.	805	228,617	547	69.8	65.9-73.7	258	30.2	26.3-34.1
Some Post-H.S.	406	121,975	295	74.6	69.5-79.7	111	25.4	20.3-30.5
College Graduate	301	61,926	214	75.5	70.0-81.0	87	24.5	19.0-30.0
Less than \$15,000	253	58,539	160	64.0	56.4-71.6	93	36.0	28.4-43.6
\$15,000- 24,999	438	119,048	314	74.3	69.2-79.4	124	25.7	20.6-30.8
\$25,000- 34,999	231	61,829	170	76.6	70.3-82.9	61	23.4	17.1-29.7
\$35,000- 49,999	200	64,127	145	71.4	63.4-79.4	55	28.6	20.6-36.6
\$50,000- 74,999	124	37,810	94	80.2	72.4-88.0	30	19.8	12.0-27.6
\$75,000+	94	28,206	62	68.2	57.4-79.0	32	31.8	21.0-42.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 13: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	129
2	MALES ONLY	130
3	FEMALES ONLY	131
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	132
5	MALES ONLY	133
6	FEMALES ONLY	134

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 13: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8416	4,805,544	8019	94.2	93.4-95.0	397	5.8	05.0-06.6
Male	3300	2,324,564	3055	91.2	89.8-92.6	245	8.8	07.4-10.2
Female	5116	2,480,981	4964	96.9	96.3-97.5	152	3.1	02.5-03.7
White/Non-Hisp	6861	3,965,562	6545	94.4	93.6-95.2	316	5.6	04.8-06.4
Black or Afr. Am./Non-Hisp	880	392,788	838	92.2	88.5-95.9	42	7.8	04.1-11.5
Oth. Race/Non-Hisp.	123	75,455	113	90.7	84.4-97.0	10	9.3	03.0-15.6
MultiRacial/Non-Hisp.	127	65,382	122	96.6	92.9-0100	5	3.4	00.0-07.1
Hispanic	294	247,602	279	93.9	90.4-97.4	15	6.1	02.6-09.6
18-24	520	664,954	470	90.8	88.1-93.5	50	9.2	06.5-11.9
25-34	872	780,370	820	93.0	90.8-95.2	52	7.0	04.8-09.2
35-44	1084	794,302	1035	94.7	92.7-96.7	49	5.3	03.3-07.3
45-54	1433	887,069	1374	94.5	92.9-96.1	59	5.5	03.9-07.1
55-64	1755	766,283	1683	95.1	93.7-96.5	72	4.9	03.5-06.3
65+	2678	879,239	2566	96.1	95.3-96.9	112	3.9	03.1-04.7
Less Than H.S.	822	674,773	765	91.4	88.7-94.1	57	8.6	05.9-11.3
H.S. or G.E.D.	3040	1,669,149	2872	93.6	92.4-94.8	168	6.4	05.2-07.6
Some Post-H.S.	2212	1,451,785	2103	93.9	92.5-95.3	109	6.1	04.7-07.5
College Graduate	2325	1,001,146	2263	97.4	96.6-98.2	62	2.6	01.8-03.4
Less than \$15,000	980	493,751	924	92.5	89.8-95.2	56	7.5	04.8-10.2
\$15,000- 24,999	1506	779,190	1429	93.4	91.6-95.2	77	6.6	04.8-08.4
\$25,000- 34,999	871	479,436	825	94.0	91.8-96.2	46	6.0	03.8-08.2
\$35,000- 49,999	1130	659,802	1065	93.6	91.6-95.6	65	6.4	04.4-08.4
\$50,000- 74,999	1148	723,320	1103	93.7	91.3-96.1	45	6.3	03.9-08.7
\$75,000+	1564	984,768	1513	96.3	95.1-97.5	51	3.7	02.5-04.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 13: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3300	2,324,564	3055	91.2	89.8-92.6	245	8.8	07.4-10.2
White/Non-Hisp	2724	1,907,319	2519	91.4	90.0-92.8	205	8.6	07.2-10.0
Black or Afr. Am./Non-Hisp	290	180,395	271	88.7	81.8-95.6	19	11.3	04.4-18.2
MultiRacial/Non-Hisp.	50	29,383	49	99.7	99.1-0100	1	0.3	00.0-00.9
Hispanic	123	132,123	114	91.9	86.0-97.8	9	8.1	02.2-14.0
18-24	259	342,253	225	86.8	82.1-91.5	34	13.2	08.5-17.9
25-34	351	387,881	317	88.7	84.6-92.8	34	11.3	07.2-15.4
35-44	454	396,245	425	92.9	89.6-96.2	29	7.1	03.8-10.4
45-54	593	437,647	552	91.9	89.0-94.8	41	8.1	05.2-11.0
55-64	722	373,389	676	92.3	89.8-94.8	46	7.7	05.2-10.2
65+	899	374,462	841	94.7	93.1-96.3	58	5.3	03.7-06.9
Less Than H.S.	325	338,151	297	89.5	85.0-94.0	28	10.5	06.0-15.0
H.S. or G.E.D.	1177	855,764	1063	89.6	87.2-92.0	114	10.4	08.0-12.8
Some Post-H.S.	806	629,149	739	89.9	87.2-92.6	67	10.1	07.4-12.8
College Graduate	984	495,394	949	96.9	95.7-98.1	35	3.1	01.9-04.3
Less than \$15,000	295	192,071	274	91.1	85.6-96.6	21	8.9	03.4-14.4
\$15,000- 24,999	545	361,468	503	90.9	87.8-94.0	42	9.1	06.0-12.2
\$25,000- 34,999	332	221,134	301	90.8	86.9-94.7	31	9.2	05.3-13.1
\$35,000- 49,999	501	349,188	459	91.0	87.9-94.1	42	9.0	05.9-12.1
\$50,000- 74,999	523	391,237	485	89.6	85.5-93.7	38	10.4	06.3-14.5
\$75,000+	753	543,844	712	94.1	91.9-96.3	41	5.9	03.7-08.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 13: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5116	2,480,981	4964	96.9	96.3-97.5	152	3.1	02.5-03.7
White/Non-Hisp	4137	2,058,243	4026	97.3	96.7-97.9	111	2.7	02.1-03.3
Black or Afr. Am./Non-Hisp	590	212,393	567	95.1	91.8-98.4	23	4.9	01.6-08.2
Oth. Race/Non-Hisp.	74	35,331	69	93.3	87.0-99.6	5	6.7	00.4-13.0
MultiRacial/Non-Hisp.	77	35,999	73	94.1	87.4-0100	4	5.9	00.0-12.6
Hispanic	171	115,479	165	96.1	92.6-99.6	6	3.9	00.4-07.4
18-24	261	322,701	245	95.1	92.4-97.8	16	4.9	02.2-07.6
25-34	521	392,490	503	97.2	95.6-98.8	18	2.8	01.2-04.4
35-44	630	398,057	610	96.5	94.5-98.5	20	3.5	01.5-05.5
45-54	840	449,423	822	97.2	95.6-98.8	18	2.8	01.2-04.4
55-64	1033	392,895	1007	97.7	96.5-98.9	26	2.3	01.1-03.5
65+	1779	504,777	1725	97.2	96.2-98.2	54	2.8	01.8-03.8
Less Than H.S.	497	336,622	468	93.4	90.5-96.3	29	6.6	03.7-09.5
H.S. or G.E.D.	1863	813,385	1809	97.8	97.0-98.6	54	2.2	01.4-03.0
Some Post-H.S.	1406	822,636	1364	97.0	95.8-98.2	42	3.0	01.8-04.2
College Graduate	1341	505,752	1314	97.8	96.8-98.8	27	2.2	01.2-03.2
Less than \$15,000	685	301,680	650	93.5	90.6-96.4	35	6.5	03.6-09.4
\$15,000- 24,999	961	417,722	926	95.5	93.5-97.5	35	4.5	02.5-06.5
\$25,000- 34,999	539	258,302	524	96.7	94.3-99.1	15	3.3	00.9-05.7
\$35,000- 49,999	629	310,615	606	96.5	94.5-98.5	23	3.5	01.5-05.5
\$50,000- 74,999	625	332,083	618	98.5	97.3-99.7	7	1.5	00.3-02.7
\$75,000+	811	440,924	801	99.0	98.2-99.8	10	1.0	00.2-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 13: SEATBELT USE**

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8416	4,805,544	7321	84.7	83.5-85.9	1095	15.3	14.1-16.5
Male	3300	2,324,564	2677	79.9	78.1-81.7	623	20.1	18.3-21.9
Female	5116	2,480,981	4644	89.3	87.9-90.7	472	10.7	09.3-12.1
White/Non-Hisp	6861	3,965,562	5963	84.9	83.7-86.1	898	15.1	13.9-16.3
Black or Afr. Am./Non-Hisp	880	392,788	772	82.3	77.6-87.0	108	17.7	13.0-22.4
Oth. Race/Non-Hisp.	123	75,455	103	83.6	75.4-91.8	20	16.4	08.2-24.6
MultiRacial/Non-Hisp.	127	65,382	110	88.0	81.1-94.9	17	12.0	05.1-18.9
Hispanic	294	247,602	264	86.6	80.9-92.3	30	13.4	07.7-19.1
18-24	520	664,954	388	73.8	69.3-78.3	132	26.2	21.7-30.7
25-34	872	780,370	740	84.0	81.1-86.9	132	16.0	13.1-18.9
35-44	1084	794,302	941	86.2	83.7-88.7	143	13.8	11.3-16.3
45-54	1433	887,069	1261	86.3	83.9-88.7	172	13.7	11.3-16.1
55-64	1755	766,283	1545	87.2	85.2-89.2	210	12.8	10.8-14.8
65+	2678	879,239	2383	88.7	87.1-90.3	295	11.3	09.7-12.9
Less Than H.S.	822	674,773	698	81.3	77.6-85.0	124	18.7	15.0-22.4
H.S. or G.E.D.	3040	1,669,149	2628	84.5	82.7-86.3	412	15.5	13.7-17.3
Some Post-H.S.	2212	1,451,785	1898	83.3	81.1-85.5	314	16.7	14.5-18.9
College Graduate	2325	1,001,146	2081	89.5	87.9-91.1	244	10.5	08.9-12.1
Less than \$15,000	980	493,751	836	80.8	76.7-84.9	144	19.2	15.1-23.3
\$15,000- 24,999	1506	779,190	1328	85.9	83.5-88.3	178	14.1	11.7-16.5
\$25,000- 34,999	871	479,436	746	83.6	80.3-86.9	125	16.4	13.1-19.7
\$35,000- 49,999	1130	659,802	970	85.2	82.7-87.7	160	14.8	12.3-17.3
\$50,000- 74,999	1148	723,320	1008	83.9	80.8-87.0	140	16.1	13.0-19.2
\$75,000+	1564	984,768	1365	86.5	84.3-88.7	199	13.5	11.3-15.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 13: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3300	2,324,564	2677	79.9	78.1-81.7	623	20.1	18.3-21.9
White/Non-Hisp	2724	1,907,319	2196	79.8	77.8-81.8	528	20.2	18.2-22.2
Black or Afr. Am./Non-Hisp	290	180,395	243	78.1	70.1-86.1	47	21.9	13.9-29.9
MultiRacial/Non-Hisp.	50	29,383	43	86.3	75.1-97.5	7	13.7	02.5-24.9
Hispanic	123	132,123	107	83.1	73.9-92.3	16	16.9	07.7-26.1
18-24	259	342,253	187	71.3	64.8-77.8	72	28.7	22.2-35.2
25-34	351	387,881	276	79.2	74.3-84.1	75	20.8	15.9-25.7
35-44	454	396,245	375	82.7	78.4-87.0	79	17.3	13.0-21.6
45-54	593	437,647	488	80.8	76.9-84.7	105	19.2	15.3-23.1
55-64	722	373,389	592	81.4	77.9-84.9	130	18.6	15.1-22.1
65+	899	374,462	743	83.4	80.5-86.3	156	16.6	13.7-19.5
Less Than H.S.	325	338,151	265	79.5	73.8-85.2	60	20.5	14.8-26.2
H.S. or G.E.D.	1177	855,764	921	77.3	74.2-80.4	256	22.7	19.6-25.8
Some Post-H.S.	806	629,149	634	77.5	74.0-81.0	172	22.5	19.0-26.0
College Graduate	984	495,394	850	87.4	85.0-89.8	134	12.6	10.2-15.0
Less than \$15,000	295	192,071	239	78.4	71.1-85.7	56	21.6	14.3-28.9
\$15,000- 24,999	545	361,468	457	82.8	78.7-86.9	88	17.2	13.1-21.3
\$25,000- 34,999	332	221,134	256	77.0	71.3-82.7	76	23.0	17.3-28.7
\$35,000- 49,999	501	349,188	401	80.4	76.3-84.5	100	19.6	15.5-23.7
\$50,000- 74,999	523	391,237	425	77.1	72.0-82.2	98	22.9	17.8-28.0
\$75,000+	753	543,844	620	82.3	79.0-85.6	133	17.7	14.4-21.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 13: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5116	2,480,981	4644	89.3	87.9-90.7	472	10.7	09.3-12.1
White/Non-Hisp	4137	2,058,243	3767	89.7	88.3-91.1	370	10.3	08.9-11.7
Black or Afr. Am./Non-Hisp	590	212,393	529	85.9	80.4-91.4	61	14.1	08.6-19.6
Oth. Race/Non-Hisp.	74	35,331	65	88.3	80.1-96.5	9	11.7	03.5-19.9
MultiRacial/Non-Hisp.	77	35,999	67	89.3	80.9-97.7	10	10.7	02.3-19.1
Hispanic	171	115,479	157	90.6	85.1-96.1	14	9.4	03.9-14.9
18-24	261	322,701	201	76.4	69.9-82.9	60	23.6	17.1-30.1
25-34	521	392,490	464	88.8	85.3-92.3	57	11.2	07.7-14.7
35-44	630	398,057	566	89.7	86.8-92.6	64	10.3	07.4-13.2
45-54	840	449,423	773	91.7	89.3-94.1	67	8.3	05.9-10.7
55-64	1033	392,895	953	92.7	90.7-94.7	80	7.3	05.3-09.3
65+	1779	504,777	1640	92.6	91.2-94.0	139	7.4	06.0-08.8
Less Than H.S.	497	336,622	433	83.0	78.1-87.9	64	17.0	12.1-21.9
H.S. or G.E.D.	1863	813,385	1707	92.1	90.5-93.7	156	7.9	06.3-09.5
Some Post-H.S.	1406	822,636	1264	87.6	84.9-90.3	142	12.4	09.7-15.1
College Graduate	1341	505,752	1231	91.6	89.8-93.4	110	8.4	06.6-10.2
Less than \$15,000	685	301,680	597	82.4	77.7-87.1	88	17.6	12.9-22.3
\$15,000- 24,999	961	417,722	871	88.6	85.7-91.5	90	11.4	08.5-14.3
\$25,000- 34,999	539	258,302	490	89.2	85.5-92.9	49	10.8	07.1-14.5
\$35,000- 49,999	629	310,615	569	90.6	87.7-93.5	60	9.4	06.5-12.3
\$50,000- 74,999	625	332,083	583	91.8	88.3-95.3	42	8.2	04.7-11.7
\$75,000+	811	440,924	745	91.8	89.4-94.2	66	8.2	05.8-10.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 15: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
1	WOMEN RESPONDENTS AGED 40+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y) FEMALES ONLY	136
2	WOMEN RESPONDENTS AGED 50+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y) FEMALES ONLY	137
3	WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32) FEMALES ONLY	138

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 1: WOMEN RESPONDENTS AGED 40+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 40 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3948	1,544,731	2752	67.7	65.7-69.7	1196	32.3	30.3-34.3
White/Non-Hisp	3279	1,348,912	2278	68.4	66.4-70.4	1001	31.6	29.6-33.6
Black or Afr. Am./Non-Hisp	441	107,314	330	68.0	60.6-75.4	111	32.0	24.6-39.4
MultiRacial/Non-Hisp.	53	18,975	28	50.3	31.1-69.5	25	49.7	30.5-68.9
Hispanic	80	40,050	51	51.5	35.6-67.4	29	48.5	32.6-64.4
40-44	348	210,222	200	55.3	49.0-61.6	148	44.7	38.4-51.0
45-54	837	448,814	584	67.0	63.1-70.9	253	33.0	29.1-36.9
55-64	1020	389,893	742	71.5	68.0-75.0	278	28.5	25.0-32.0
65+	1743	495,802	1226	70.4	67.7-73.1	517	29.6	26.9-32.3
Less Than H.S.	379	190,695	216	53.7	47.2-60.2	163	46.3	39.8-52.8
H.S. or G.E.D.	1579	601,537	1089	67.2	64.3-70.1	490	32.8	29.9-35.7
Some Post-H.S.	1002	440,515	701	70.4	66.9-73.9	301	29.6	26.1-33.1
College Graduate	984	311,288	743	73.1	69.6-76.6	241	26.9	23.4-30.4
Less than \$15,000	525	170,813	314	57.0	51.1-62.9	211	43.0	37.1-48.9
\$15,000- 24,999	773	268,986	482	57.5	52.6-62.4	291	42.5	37.6-47.4
\$25,000- 34,999	422	159,506	289	63.7	57.8-69.6	133	36.3	30.4-42.2
\$35,000- 49,999	473	194,168	348	72.2	67.1-77.3	125	27.8	22.7-32.9
\$50,000- 74,999	473	210,272	350	70.9	65.8-76.0	123	29.1	24.0-34.2
\$75,000+	609	286,112	501	80.1	76.2-84.0	108	19.9	16.0-23.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: WOMEN RESPONDENTS AGED 50+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3249	1,138,286	2306	69.5	67.5-71.5	943	30.5	28.5-32.5
White/Non-Hisp	2712	1,007,615	1910	70.2	68.0-72.4	802	29.8	27.6-32.0
Black or Afr. Am./Non-Hisp	364	72,429	284	73.7	66.3-81.1	80	26.3	18.9-33.7
Hispanic	50	21,256	33	43.7	24.5-62.9	17	56.3	37.1-75.5
50-54	486	252,591	338	64.8	59.5-70.1	148	35.2	29.9-40.5
55-64	1020	389,893	742	71.5	68.0-75.0	278	28.5	25.0-32.0
65+	1743	495,802	1226	70.4	67.7-73.1	517	29.6	26.9-32.3
Less Than H.S.	332	151,317	194	55.9	49.0-62.8	138	44.1	37.2-51.0
H.S. or G.E.D.	1375	478,258	971	69.6	66.5-72.7	404	30.4	27.3-33.5
Some Post-H.S.	815	312,645	581	72.4	68.7-76.1	234	27.6	23.9-31.3
College Graduate	723	195,369	557	75.3	71.4-79.2	166	24.7	20.8-28.6
Less than \$15,000	448	132,169	274	59.1	52.6-65.6	174	40.9	34.4-47.4
\$15,000- 24,999	678	212,420	432	60.8	55.9-65.7	246	39.2	34.3-44.1
\$25,000- 34,999	370	127,529	261	64.6	58.1-71.1	109	35.4	28.9-41.9
\$35,000- 49,999	383	142,258	299	77.7	72.8-82.6	84	22.3	17.4-27.2
\$50,000- 74,999	352	136,244	269	73.6	67.7-79.5	83	26.4	20.5-32.3
\$75,000+	405	167,111	340	81.2	76.3-86.1	65	18.8	13.9-23.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 3: WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3341	1,825,276	2423	73.2	71.0-75.4	918	26.8	24.6-29.0
White/Non-Hisp	2701	1,489,005	1946	73.6	71.2-76.0	755	26.4	24.0-28.8
Black or Afr. Am./Non-Hisp	351	157,177	280	76.6	69.0-84.2	71	23.4	15.8-31.0
Oth. Race/Non-Hisp.	55	31,099	32	54.7	40.0-69.4	23	45.3	30.6-60.0
MultiRacial/Non-Hisp.	54	26,356	36	66.3	48.7-83.9	18	33.7	16.1-51.3
Hispanic	146	107,979	104	71.0	61.6-80.4	42	29.0	19.6-38.4
18-24	256	317,223	163	60.3	53.0-67.6	93	39.7	32.4-47.0
25-34	496	371,274	441	86.0	81.9-90.1	55	14.0	09.9-18.1
35-44	543	346,856	447	79.1	74.6-83.6	96	20.9	16.4-25.4
45-54	573	312,354	460	79.7	75.6-83.8	113	20.3	16.2-24.4
55-64	617	235,265	468	77.0	72.9-81.1	149	23.0	18.9-27.1
65+	856	242,304	444	50.2	46.1-54.3	412	49.8	45.7-53.9
Less Than H.S.	288	240,827	165	57.4	50.0-64.8	123	42.6	35.2-50.0
H.S. or G.E.D.	1092	537,050	710	68.1	64.6-71.6	382	31.9	28.4-35.4
Some Post-H.S.	952	638,186	707	75.6	71.9-79.3	245	24.4	20.7-28.1
College Graduate	1007	408,007	840	85.6	83.1-88.1	167	14.4	11.9-16.9
Less than \$15,000	424	222,815	260	64.2	58.1-70.3	164	35.8	29.7-41.9
\$15,000- 24,999	582	290,300	355	65.1	59.8-70.4	227	34.9	29.6-40.2
\$25,000- 34,999	332	185,898	239	73.4	66.1-80.7	93	26.6	19.3-33.9
\$35,000- 49,999	415	224,039	336	82.1	77.4-86.8	79	17.9	13.2-22.6
\$50,000- 74,999	453	261,430	368	81.1	76.4-85.8	85	18.9	14.2-23.6
\$75,000+	614	345,385	542	86.1	82.2-90.0	72	13.9	10.0-17.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 16: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
1	MALE RESPONDENTS AGED 40+ THAT HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA21) MALES ONLY	140

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 1: MALE RESPONDENTS AGED 40+ THAT HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA21)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 40 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2280	1,293,086	1117	46.6	44.1-49.1	1163	53.4	50.9-55.9
White/Non-Hisp	1907	1,109,966	961	48.1	45.4-50.8	946	51.9	49.2-54.6
Black or Afr. Am./Non-Hisp	211	88,954	103	43.5	32.5-54.5	108	56.5	45.5-67.5
Hispanic	54	32,303	12	21.9	06.8-37.0	42	78.1	63.0-93.2
40-44	236	200,294	40	18.4	12.3-24.5	196	81.6	75.5-87.7
45-54	535	396,058	163	33.4	28.5-38.3	372	66.6	61.7-71.5
55-64	668	345,765	384	59.1	54.6-63.6	284	40.9	36.4-45.4
65+	841	350,968	530	65.1	61.2-69.0	311	34.9	31.0-38.8
Less Than H.S.	199	148,786	81	39.1	30.9-47.3	118	60.9	52.7-69.1
H.S. or G.E.D.	833	498,084	377	44.0	39.9-48.1	456	56.0	51.9-60.1
Some Post-H.S.	544	343,808	265	46.8	41.5-52.1	279	53.2	47.9-58.5
College Graduate	699	299,626	392	54.4	49.9-58.9	307	45.6	41.1-50.1
Less than \$15,000	185	92,404	51	24.4	16.2-32.6	134	75.6	67.4-83.8
\$15,000- 24,999	384	189,961	155	36.4	30.3-42.5	229	63.6	57.5-69.7
\$25,000- 34,999	240	129,477	121	44.0	36.4-51.6	119	56.0	48.4-63.6
\$35,000- 49,999	347	200,118	189	52.2	45.7-58.7	158	47.8	41.3-54.3
\$50,000- 74,999	376	233,258	205	50.3	44.0-56.6	171	49.7	43.4-56.0
\$75,000+	540	331,896	284	51.5	46.4-56.6	256	48.5	43.4-53.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFB LDS2).	
1	MALES AND FEMALES	142
2	MALES ONLY	143
3	FEMALES ONLY	144
	RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).	
4	MALES AND FEMALES	145
5	MALES ONLY	146
6	FEMALES ONLY	147

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 1: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBIDS2).

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5123	2,090,164	715	14.3	13.1-15.5	4408	85.7	84.5-86.9
Male	1914	970,601	279	15.0	12.8-17.2	1635	85.0	82.8-87.2
Female	3209	1,119,563	436	13.6	12.2-15.0	2773	86.4	85.0-87.8
White/Non-Hisp	4275	1,835,772	607	14.5	13.1-15.9	3668	85.5	84.1-86.9
Black or Afr. Am./Non-Hisp	548	133,081	73	12.6	08.5-16.7	475	87.4	83.3-91.5
Oth. Race/Non-Hisp.	53	24,566	8	22.0	00.0-45.9	45	78.0	54.1-0100
MultiRacial/Non-Hisp.	67	29,351	6	6.2	00.0-12.5	61	93.8	87.5-0100
Hispanic	87	35,970	9	13.2	02.2-24.2	78	86.8	75.8-97.8
50-54	812	487,932	74	9.3	06.8-11.8	738	90.7	88.2-93.2
55-64	1725	754,137	250	15.5	13.3-17.7	1475	84.5	82.3-86.7
65+	2586	848,094	391	16.0	14.0-18.0	2195	84.0	82.0-86.0
Less Than H.S.	502	257,409	57	11.7	07.8-15.6	445	88.3	84.4-92.2
H.S. or G.E.D.	2078	860,929	297	14.6	12.6-16.6	1781	85.4	83.4-87.4
Some Post-H.S.	1254	561,566	172	14.2	11.7-16.7	1082	85.8	83.3-88.3
College Graduate	1280	406,781	186	15.1	12.7-17.5	1094	84.9	82.5-87.3
Less than \$15,000	610	207,319	79	14.4	09.7-19.1	531	85.6	80.9-90.3
\$15,000- 24,999	1017	367,492	132	13.2	10.7-15.7	885	86.8	84.3-89.3
\$25,000- 34,999	587	233,075	87	14.2	10.9-17.5	500	85.8	82.5-89.1
\$35,000- 49,999	674	289,037	109	15.9	12.6-19.2	565	84.1	80.8-87.4
\$50,000- 74,999	630	288,306	96	14.5	11.0-18.0	534	85.5	82.0-89.0
\$75,000+	809	394,571	115	14.9	11.8-18.0	694	85.1	82.0-88.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 2: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLS2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1914	970,601	279	15.0	12.8-17.2	1635	85.0	82.8-87.2
White/Non-Hisp	1599	841,884	235	15.0	12.8-17.2	1364	85.0	82.8-87.2
Black or Afr. Am./Non-Hisp	182	61,751	27	14.6	07.3-21.9	155	85.4	78.1-92.7
50-54	332	240,364	33	10.7	06.6-14.8	299	89.3	85.2-93.4
55-64	710	367,323	115	17.0	13.5-20.5	595	83.0	79.5-86.5
65+	872	362,914	131	15.8	12.5-19.1	741	84.2	80.9-87.5
Less Than H.S.	178	110,682	21	13.3	06.0-20.6	157	86.7	79.4-94.0
H.S. or G.E.D.	723	392,783	104	14.3	11.2-17.4	619	85.7	82.6-88.8
Some Post-H.S.	440	250,398	61	14.9	10.4-19.4	379	85.1	80.6-89.6
College Graduate	568	213,955	92	17.3	13.6-21.0	476	82.7	79.0-86.4
Less than \$15,000	173	79,118	25	19.5	09.1-29.9	148	80.5	70.1-90.9
\$15,000- 24,999	344	156,827	41	9.8	06.1-13.5	303	90.2	86.5-93.9
\$25,000- 34,999	220	108,268	33	13.7	08.6-18.8	187	86.3	81.2-91.4
\$35,000- 49,999	294	147,981	56	19.6	14.1-25.1	238	80.4	74.9-85.9
\$50,000- 74,999	282	153,322	48	15.5	10.0-21.0	234	84.5	79.0-90.0
\$75,000+	410	229,667	56	14.6	10.3-18.9	354	85.4	81.1-89.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 3: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBLS2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3209	1,119,563	436	13.6	12.2-15.0	2773	86.4	85.0-87.8
White/Non-Hisp	2676	993,888	372	14.0	12.4-15.6	2304	86.0	84.4-87.6
Black or Afr. Am./Non-Hisp	366	71,329	46	10.8	06.7-14.9	320	89.2	85.1-93.3
50-54	480	247,568	41	7.9	05.0-10.8	439	92.1	89.2-95.0
55-64	1015	386,814	135	14.2	11.7-16.7	880	85.8	83.3-88.3
65+	1714	485,180	260	16.1	13.9-18.3	1454	83.9	81.7-86.1
Less Than H.S.	324	146,727	36	10.6	06.5-14.7	288	89.4	85.3-93.5
H.S. or G.E.D.	1355	468,146	193	14.9	12.5-17.3	1162	85.1	82.7-87.5
Some Post-H.S.	814	311,168	111	13.7	10.8-16.6	703	86.3	83.4-89.2
College Graduate	712	192,826	94	12.5	09.6-15.4	618	87.5	84.6-90.4
Less than \$15,000	437	128,201	54	11.2	07.5-14.9	383	88.8	85.1-92.5
\$15,000- 24,999	673	210,665	91	15.7	12.0-19.4	582	84.3	80.6-88.0
\$25,000- 34,999	367	124,807	54	14.7	10.4-19.0	313	85.3	81.0-89.6
\$35,000- 49,999	380	141,056	53	11.9	08.2-15.6	327	88.1	84.4-91.8
\$50,000- 74,999	348	134,984	48	13.3	09.2-17.4	300	86.7	82.6-90.8
\$75,000+	399	164,905	59	15.3	11.0-19.6	340	84.7	80.4-89.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 4: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5174	2,112,810	3380	62.5	60.7-64.3	1794	37.5	35.7-39.3
Male	1927	977,584	1231	60.7	58.0-63.4	696	39.3	36.6-42.0
Female	3247	1,135,226	2149	64.1	61.9-66.3	1098	35.9	33.7-38.1
White/Non-Hisp	4321	1,852,326	2846	63.4	61.6-65.2	1475	36.6	34.8-38.4
Black or Afr. Am./Non-Hisp	547	133,590	359	62.1	55.4-68.8	188	37.9	31.2-44.6
Oth. Race/Non-Hisp.	53	24,566	29	56.9	34.9-78.9	24	43.1	21.1-65.1
MultiRacial/Non-Hisp.	71	30,525	42	52.1	36.4-67.8	29	47.9	32.2-63.6
Hispanic	90	39,190	46	43.9	29.6-58.2	44	56.1	41.8-70.4
50-54	812	489,963	377	45.6	41.5-49.7	435	54.4	50.3-58.5
55-64	1734	756,604	1113	62.2	59.3-65.1	621	37.8	34.9-40.7
65+	2628	866,244	1890	72.3	70.1-74.5	738	27.7	25.5-29.9
Less Than H.S.	503	259,911	282	56.5	51.0-62.0	221	43.5	38.0-49.0
H.S. or G.E.D.	2095	869,257	1270	57.3	54.6-60.0	825	42.7	40.0-45.4
Some Post-H.S.	1260	565,726	853	65.5	62.2-68.8	407	34.5	31.2-37.8
College Graduate	1306	413,930	971	73.4	70.5-76.3	335	26.6	23.7-29.5
Less than \$15,000	619	210,080	341	53.4	47.9-58.9	278	46.6	41.1-52.1
\$15,000- 24,999	1027	369,743	615	54.6	50.7-58.5	412	45.4	41.5-49.3
\$25,000- 34,999	595	236,730	406	61.2	56.1-66.3	189	38.8	33.7-43.9
\$35,000- 49,999	676	290,097	473	66.8	62.3-71.3	203	33.2	28.7-37.7
\$50,000- 74,999	635	290,754	418	61.4	56.5-66.3	217	38.6	33.7-43.5
\$75,000+	816	397,853	604	71.5	67.6-75.4	212	28.5	24.6-32.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 5: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1927	977,584	1231	60.7	58.0-63.4	696	39.3	36.6-42.0
White/Non-Hisp	1613	846,947	1042	61.5	58.6-64.4	571	38.5	35.6-41.4
Black or Afr. Am./Non-Hisp	179	61,282	118	62.0	50.8-73.2	61	38.0	26.8-49.2
50-54	329	239,073	140	44.9	38.4-51.4	189	55.1	48.6-61.6
55-64	711	367,257	448	60.3	55.8-64.8	263	39.7	35.2-44.2
65+	887	371,253	643	71.3	67.6-75.0	244	28.7	25.0-32.4
Less Than H.S.	178	112,002	84	49.0	39.6-58.4	94	51.0	41.6-60.4
H.S. or G.E.D.	725	393,988	411	53.3	49.0-57.6	314	46.7	42.4-51.0
Some Post-H.S.	440	251,033	291	64.4	58.9-69.9	149	35.6	30.1-41.1
College Graduate	579	217,778	443	76.2	72.1-80.3	136	23.8	19.7-27.9
Less than \$15,000	172	78,429	86	52.3	41.9-62.7	86	47.7	37.3-58.1
\$15,000- 24,999	348	158,243	189	47.6	40.9-54.3	159	52.4	45.7-59.1
\$25,000- 34,999	222	108,632	141	56.3	48.3-64.3	81	43.7	35.7-51.7
\$35,000- 49,999	293	147,796	198	63.5	56.6-70.4	95	36.5	29.6-43.4
\$50,000- 74,999	284	154,693	177	56.1	48.8-63.4	107	43.9	36.6-51.2
\$75,000+	414	231,578	315	74.5	69.4-79.6	99	25.5	20.4-30.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 6: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3247	1,135,226	2149	64.1	61.9-66.3	1098	35.9	33.7-38.1
White/Non-Hisp	2708	1,005,379	1804	64.9	62.7-67.1	904	35.1	32.9-37.3
Black or Afr. Am./Non-Hisp	368	72,307	241	62.2	54.4-70.0	127	37.8	30.0-45.6
Hispanic	50	21,256	29	45.0	25.2-64.8	21	55.0	35.2-74.8
50-54	483	250,889	237	46.3	41.0-51.6	246	53.7	48.4-59.0
55-64	1023	389,347	665	64.0	60.5-67.5	358	36.0	32.5-39.5
65+	1741	494,990	1247	73.1	70.6-75.6	494	26.9	24.4-29.4
Less Than H.S.	325	147,909	198	62.1	55.4-68.8	127	37.9	31.2-44.6
H.S. or G.E.D.	1370	475,269	859	60.6	57.3-63.9	511	39.4	36.1-42.7
Some Post-H.S.	820	314,693	562	66.4	62.3-70.5	258	33.6	29.5-37.7
College Graduate	727	196,152	528	70.4	66.3-74.5	199	29.6	25.5-33.7
Less than \$15,000	447	131,651	255	54.1	47.6-60.6	192	45.9	39.4-52.4
\$15,000- 24,999	679	211,500	426	59.9	55.0-64.8	253	40.1	35.2-45.0
\$25,000- 34,999	373	128,097	265	65.3	58.8-71.8	108	34.7	28.2-41.2
\$35,000- 49,999	383	142,302	275	70.3	64.8-75.8	108	29.7	24.2-35.2
\$50,000- 74,999	351	136,061	241	67.4	61.3-73.5	110	32.6	26.5-38.7
\$75,000+	402	166,274	289	67.4	61.7-73.1	113	32.6	26.9-38.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012

SECTION 18: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	149
2	MALES ONLY	150
3	FEMALES ONLY	151

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 18: HIV/AIDS**

**TABLE 1: ADULTS THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8032	4,613,336	2144	30.2	28.8-31.6	5888	69.8	68.4-71.2
Male	3143	2,236,233	834	28.2	26.2-30.2	2309	71.8	69.8-73.8
Female	4889	2,377,103	1310	32.2	30.4-34.0	3579	67.8	66.0-69.6
White/Non-Hisp	6534	3,797,698	1529	27.0	25.6-28.4	5005	73.0	71.6-74.4
Black or Afr. Am./Non-Hisp	850	380,186	387	57.8	52.3-63.3	463	42.2	36.7-47.7
Oth. Race/Non-Hisp.	114	71,335	34	22.1	13.5-30.7	80	77.9	69.3-86.5
MultiRacial/Non-Hisp.	121	64,604	51	38.7	27.7-49.7	70	61.3	50.3-72.3
Hispanic	290	245,843	112	39.2	31.9-46.5	178	60.8	53.5-68.1
18-24	510	655,204	154	27.9	23.6-32.2	356	72.1	67.8-76.4
25-34	842	758,038	439	50.7	46.8-54.6	403	49.3	45.4-53.2
35-44	1045	765,589	489	45.7	42.0-49.4	556	54.3	50.6-58.0
45-54	1365	842,273	440	30.2	27.3-33.1	925	69.8	66.9-72.7
55-64	1675	729,828	361	19.3	16.9-21.7	1314	80.7	78.3-83.1
65+	2528	831,374	247	9.2	07.8-10.6	2281	90.8	89.4-92.2
Less Than H.S.	785	647,605	184	29.3	25.0-33.6	601	70.7	66.4-75.0
H.S. or G.E.D.	2902	1,603,931	610	25.5	23.3-27.7	2292	74.5	72.3-76.7
Some Post-H.S.	2121	1,403,098	673	33.9	31.4-36.4	1448	66.1	63.6-68.6
College Graduate	2209	950,847	672	33.4	31.0-35.8	1537	66.6	64.2-69.0
Less than \$15,000	938	475,357	320	40.0	35.5-44.5	618	60.0	55.5-64.5
\$15,000- 24,999	1451	751,347	412	35.9	32.4-39.4	1039	64.1	60.6-67.6
\$25,000- 34,999	844	464,428	229	31.6	27.3-35.9	615	68.4	64.1-72.7
\$35,000- 49,999	1084	637,842	265	26.6	23.3-29.9	819	73.4	70.1-76.7
\$50,000- 74,999	1103	699,123	305	29.6	26.1-33.1	798	70.4	66.9-73.9
\$75,000+	1485	938,302	413	29.6	26.7-32.5	1072	70.4	67.5-73.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 2: ADULTS THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3143	2,236,233	834	28.2	26.2-30.2	2309	71.8	69.8-73.8
White/Non-Hisp	2587	1,829,102	607	25.5	23.3-27.7	1980	74.5	72.3-76.7
Black or Afr. Am./Non-Hisp	280	175,113	136	54.2	45.2-63.2	144	45.8	36.8-54.8
Hispanic	121	131,263	40	33.5	22.7-44.3	81	66.5	55.7-77.3
18-24	257	340,797	54	20.9	15.2-26.6	203	79.1	73.4-84.8
25-34	346	382,835	153	42.9	37.0-48.8	193	57.1	51.2-63.0
35-44	440	385,064	175	38.7	33.2-44.2	265	61.3	55.8-66.8
45-54	560	413,034	176	30.1	25.6-34.6	384	69.9	65.4-74.4
55-64	680	351,227	158	21.6	17.7-25.5	522	78.4	74.5-82.3
65+	840	351,586	114	11.8	09.3-14.3	726	88.2	85.7-90.7
Less Than H.S.	309	323,385	72	26.9	20.6-33.2	237	73.1	66.8-79.4
H.S. or G.E.D.	1121	826,629	279	26.3	23.0-29.6	842	73.7	70.4-77.0
Some Post-H.S.	774	608,982	235	30.5	26.4-34.6	539	69.5	65.4-73.6
College Graduate	932	471,818	245	29.0	25.5-32.5	687	71.0	67.5-74.5
Less than \$15,000	283	186,267	103	32.4	25.1-39.7	180	67.6	60.3-74.9
\$15,000- 24,999	518	348,536	172	39.0	33.5-44.5	346	61.0	55.5-66.5
\$25,000- 34,999	318	213,186	88	31.0	24.5-37.5	230	69.0	62.5-75.5
\$35,000- 49,999	479	339,875	107	23.8	19.1-28.5	372	76.2	71.5-80.9
\$50,000- 74,999	505	380,309	137	27.7	22.8-32.6	368	72.3	67.4-77.2
\$75,000+	715	518,941	169	26.0	22.1-29.9	546	74.0	70.1-77.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 3: ADULTS THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4889	2,377,103	1310	32.2	30.4-34.0	3579	67.8	66.0-69.6
White/Non-Hisp	3947	1,968,596	922	28.5	26.7-30.3	3025	71.5	69.7-73.3
Black or Afr. Am./Non-Hisp	570	205,073	251	60.9	54.4-67.4	319	39.1	32.6-45.6
Oth. Race/Non-Hisp.	66	31,556	20	28.5	15.6-41.4	46	71.5	58.6-84.4
MultiRacial/Non-Hisp.	73	34,815	30	39.2	24.5-53.9	43	60.8	46.1-75.5
Hispanic	169	114,581	72	45.7	36.1-55.3	97	54.3	44.7-63.9
18-24	253	314,407	100	35.4	28.7-42.1	153	64.6	57.9-71.3
25-34	496	375,203	286	58.7	53.6-63.8	210	41.3	36.2-46.4
35-44	605	380,525	314	52.7	47.8-57.6	291	47.3	42.4-52.2
45-54	805	429,239	264	30.2	26.5-33.9	541	69.8	66.1-73.5
55-64	995	378,601	203	17.1	14.4-19.8	792	82.9	80.2-85.6
65+	1688	479,788	133	7.2	05.8-08.6	1555	92.8	91.4-94.2
Less Than H.S.	476	324,220	112	31.6	25.7-37.5	364	68.4	62.5-74.3
H.S. or G.E.D.	1781	777,302	331	24.6	21.9-27.3	1450	75.4	72.7-78.1
Some Post-H.S.	1347	794,116	438	36.5	33.2-39.8	909	63.5	60.2-66.8
College Graduate	1277	479,029	427	37.7	34.4-41.0	850	62.3	59.0-65.6
Less than \$15,000	655	289,090	217	44.8	39.5-50.1	438	55.2	49.9-60.5
\$15,000- 24,999	933	402,812	240	33.3	28.8-37.8	693	66.7	62.2-71.2
\$25,000- 34,999	526	251,242	141	32.1	26.6-37.6	385	67.9	62.4-73.4
\$35,000- 49,999	605	297,966	158	29.8	25.1-34.5	447	70.2	65.5-74.9
\$50,000- 74,999	598	318,814	168	31.9	27.2-36.6	430	68.1	63.4-72.8
\$75,000+	770	419,360	244	34.0	29.9-38.1	526	66.0	61.9-70.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2012**

End of Calculated Variable Data Report