


INDIANA

2012 Core Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2013



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8578	4,917,695	1269	16.4	15.2-17.6	2640	32.3	30.9-33.7	2739	31.3	29.9-32.7	1331	14.0	13.0-15.0	599	6.0	05.4-06.6
Male	3367	2,387,138	533	17.6	15.8-19.4	1047	32.4	30.4-34.4	1062	30.8	28.8-32.8	515	14.0	12.4-15.6	210	5.3	04.3-06.3
Female	5211	2,530,556	736	15.4	14.0-16.8	1593	32.2	30.4-34.0	1677	31.7	30.1-33.3	816	14.0	12.6-15.4	389	6.6	05.6-07.6
White/Non-Hisp	6974	4,033,643	1055	16.5	15.3-17.7	2260	33.6	32.2-35.0	2194	30.9	29.5-32.3	993	13.1	12.1-14.1	472	5.9	05.1-06.7
Black or Afr. Am./Non-Hisp	913	416,534	108	14.8	11.1-18.5	206	27.4	22.5-32.3	315	30.5	25.8-35.2	216	21.1	16.6-25.6	68	6.3	03.9-08.7
Oth. Race/Non-Hisp.	126	77,831	25	22.9	13.1-32.7	32	30.8	20.0-41.6	42	29.4	19.4-39.4	17	12.2	03.0-21.4	10	4.7	00.8-08.6
MultiRacial/Non-Hisp.	131	68,825	13	9.3	03.2-15.4	47	38.6	28.0-49.2	27	22.0	12.0-32.0	26	20.4	11.6-29.2	18	9.7	04.4-15.0
Hispanic	302	260,936	49	18.5	12.2-24.8	69	21.7	16.0-27.4	119	40.8	33.5-48.1	50	14.7	09.6-19.8	15	4.3	01.6-07.0
18-24	531	679,101	130	26.8	22.1-31.5	205	36.1	31.4-40.8	146	25.6	21.5-29.7	42	9.2	05.9-12.5	8	2.2	00.2-04.2
25-34	896	801,067	195	22.2	18.9-25.5	298	30.9	27.4-34.4	294	33.6	29.9-37.3	85	10.3	07.9-12.7	24	3.0	01.6-04.4
35-44	1111	815,569	206	16.3	13.9-18.7	419	37.6	34.3-40.9	329	30.1	26.8-33.4	119	12.4	09.7-15.1	38	3.6	02.2-05.0
45-54	1454	905,333	220	13.5	11.5-15.5	459	33.5	30.6-36.4	439	30.8	27.9-33.7	225	14.4	12.2-16.6	111	7.7	05.9-09.5
55-64	1791	784,294	225	11.9	10.1-13.7	528	30.4	27.9-32.9	569	31.7	29.0-34.4	298	16.5	14.3-18.7	171	9.4	07.6-11.2
65+	2718	898,016	276	10.2	08.8-11.6	710	26.5	24.3-28.7	935	34.5	32.3-36.7	555	19.9	17.9-21.9	242	8.9	07.5-10.3
Less Than H.S.	838	693,352	70	11.8	08.3-15.3	119	16.7	13.4-20.0	262	32.9	28.8-37.0	228	23.8	20.1-27.5	159	14.8	12.1-17.5
H.S. or G.E.D.	3109	1,722,743	338	12.9	11.1-14.7	858	30.7	28.5-32.9	1104	34.5	32.3-36.7	579	16.0	14.4-17.6	230	5.9	04.9-06.9
Some Post-H.S.	2247	1,472,573	330	17.3	15.1-19.5	704	34.3	31.8-36.8	749	31.2	28.7-33.7	326	12.5	10.7-14.3	138	4.6	03.4-05.8
College Graduate	2364	1,018,838	528	24.2	22.0-26.4	953	42.9	40.5-45.3	618	24.6	22.4-26.8	194	6.1	05.1-07.1	71	2.2	01.6-02.8
Less than \$15,000	1008	513,419	81	9.5	06.6-12.4	173	20.7	17.0-24.4	291	27.5	23.8-31.2	255	24.0	20.3-27.7	208	18.3	15.2-21.4
\$15,000- 24,999	1533	801,080	146	12.3	09.8-14.8	333	21.7	19.0-24.4	540	36.2	32.9-39.5	353	20.8	18.1-23.5	161	8.9	07.1-10.7
\$25,000- 34,999	898	495,838	107	12.0	08.7-15.3	282	30.3	26.4-34.2	296	33.3	29.2-37.4	161	18.6	14.9-22.3	52	5.9	03.9-07.9
\$35,000- 49,999	1136	665,950	154	13.6	11.1-16.1	378	37.0	33.3-40.7	400	33.5	30.2-36.8	161	12.6	10.2-15.0	43	3.3	02.1-04.5
\$50,000- 74,999	1171	742,523	213	19.3	16.4-22.2	432	36.2	32.7-39.7	376	32.0	28.5-35.5	114	9.6	07.2-12.0	36	2.9	01.7-04.1
\$75,000+	1586	998,098	393	25.2	22.5-27.9	686	43.7	40.6-46.8	393	24.5	22.0-27.0	97	5.7	04.3-07.1	17	0.9	00.3-01.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3367	2,387,138	533	17.6	15.8-19.4	1047	32.4	30.4-34.4	1062	30.8	28.8-32.8	515	14.0	12.4-15.6	210	5.3	04.3-06.3
White/Non-Hisp	2772	1,942,857	437	17.2	15.4-19.0	904	33.9	31.7-36.1	876	30.7	28.5-32.9	390	13.0	11.4-14.6	165	5.3	04.3-06.3
Black or Afr. Am./Non-Hisp	301	193,447	45	16.6	10.7-22.5	70	27.1	19.5-34.7	98	30.9	23.3-38.5	67	20.5	12.9-28.1	21	4.9	01.6-08.2
Oth. Race/Non-Hisp.	50	40,867	13	32.8	15.9-49.7	9	23.4	07.3-39.5	13	22.5	07.8-37.2	11	18.0	01.5-34.5	4	3.2	00.0-07.7
MultiRacial/Non-Hisp.	51	31,063	9	14.0	03.4-24.6	17	34.2	18.7-49.7	7	18.5	04.2-32.8	12	26.8	11.7-41.9	6	6.5	00.2-12.8
Hispanic	130	142,923	21	22.0	12.0-32.0	32	22.3	13.9-30.7	52	38.2	27.4-49.0	20	14.5	06.9-22.1	5	3.0	00.0-06.3
18-24	263	346,709	81	33.1	26.2-40.0	95	33.9	27.2-40.6	70	26.7	20.4-33.0	15	5.9	02.8-09.0	2	0.4	00.0-01.0
25-34	362	400,157	85	22.7	17.8-27.6	125	31.2	25.9-36.5	108	32.0	26.3-37.7	36	11.4	07.5-15.3	8	2.7	00.7-04.7
35-44	465	408,045	88	16.2	12.7-19.7	174	36.3	31.2-41.4	140	30.8	25.9-35.7	57	15.0	10.5-19.5	6	1.8	00.2-03.4
45-54	600	448,195	76	11.5	08.6-14.4	199	36.4	31.7-41.1	191	31.4	26.9-35.9	90	13.4	10.3-16.5	44	7.3	04.8-09.8
55-64	738	386,045	89	12.1	09.2-15.0	219	29.6	25.7-33.5	224	29.9	26.0-33.8	128	17.4	14.1-20.7	78	11.0	08.1-13.9
65+	917	385,301	105	11.8	09.3-14.3	228	26.2	22.7-29.7	326	33.7	30.0-37.4	187	20.5	17.2-23.8	71	7.7	05.5-09.9
Less Than H.S.	330	350,909	34	13.5	08.0-19.0	60	20.5	15.0-26.0	91	28.9	22.6-35.2	88	23.8	18.1-29.5	57	13.3	09.4-17.2
H.S. or G.E.D.	1211	890,269	146	13.9	11.4-16.4	349	32.2	28.9-35.5	428	33.4	30.3-36.5	208	15.0	12.6-17.4	80	5.5	03.9-07.1
Some Post-H.S.	816	635,972	138	19.7	16.2-23.2	255	32.8	28.9-36.7	258	31.6	27.5-35.7	127	12.8	10.1-15.5	38	3.1	01.9-04.3
College Graduate	1001	503,144	213	24.4	21.1-27.7	381	40.6	36.9-44.3	282	26.0	22.9-29.1	91	6.9	05.3-08.5	34	2.1	01.3-02.9
Less than \$15,000	307	206,023	30	11.4	06.1-16.7	57	22.3	15.6-29.0	74	22.8	16.5-29.1	80	24.5	18.0-31.0	66	19.0	13.3-24.7
\$15,000- 24,999	551	371,094	72	16.6	12.3-20.9	109	19.2	15.1-23.3	191	35.4	30.3-40.5	117	20.0	15.9-24.1	62	8.7	06.0-11.4
\$25,000- 34,999	346	230,958	42	12.5	08.2-16.8	101	28.9	23.0-34.8	112	31.6	25.5-37.7	74	22.2	15.9-28.5	17	4.8	02.1-07.5
\$35,000- 49,999	503	352,646	57	12.3	08.6-16.0	171	39.9	34.4-45.4	174	31.5	26.6-36.4	79	12.7	09.4-16.0	22	3.5	01.7-05.3
\$50,000- 74,999	535	402,213	100	19.8	15.7-23.9	175	31.9	27.0-36.8	184	35.1	30.0-40.2	63	11.3	08.0-14.6	13	1.9	00.5-03.3
\$75,000+	764	549,801	175	24.9	20.8-29.0	323	41.9	37.6-46.2	198	25.4	21.7-29.1	59	6.8	04.6-09.0	9	1.0	00.4-01.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5211	2,530,556	736	15.4	14.0-16.8	1593	32.2	30.4-34.0	1677	31.7	30.1-33.3	816	14.0	12.6-15.4	389	6.6	05.6-07.6
White/Non-Hisp	4202	2,090,785	618	15.9	14.3-17.5	1356	33.3	31.5-35.1	1318	31.1	29.3-32.9	603	13.2	11.8-14.6	307	6.5	05.5-07.5
Black or Afr. Am./Non-Hisp	612	223,088	63	13.2	08.3-18.1	136	27.6	21.3-33.9	217	30.2	24.5-35.9	149	21.5	16.4-26.6	47	7.5	04.2-10.8
Oth. Race/Non-Hisp.	76	36,964	12	11.8	04.0-19.6	23	39.0	25.9-52.1	29	36.9	24.4-49.4	6	5.8	00.7-10.9	6	6.4	00.0-12.9
MultiRacial/Non-Hisp.	80	37,763	4	5.4	00.0-12.1	30	42.3	28.0-56.6	20	24.9	11.2-38.6	14	15.1	05.7-24.5	12	12.3	04.1-20.5
Hispanic	172	118,013	28	14.2	07.9-20.5	37	21.0	13.7-28.3	67	43.9	34.5-53.3	30	15.0	08.5-21.5	10	5.8	01.3-10.3
18-24	268	332,392	49	20.3	14.0-26.6	110	38.4	31.7-45.1	76	24.4	18.9-29.9	27	12.7	07.0-18.4	6	4.1	00.2-08.0
25-34	534	400,910	110	21.6	17.3-25.9	173	30.6	26.1-35.1	186	35.2	30.5-39.9	49	9.2	06.5-11.9	16	3.3	01.5-05.1
35-44	646	407,524	118	16.5	13.2-19.8	245	39.0	34.5-43.5	189	29.4	25.1-33.7	62	9.9	07.2-12.6	32	5.3	03.1-07.5
45-54	854	457,138	144	15.5	12.8-18.2	260	30.6	26.9-34.3	248	30.3	26.6-34.0	135	15.4	12.5-18.3	67	8.2	05.8-10.6
55-64	1053	398,249	136	11.8	09.4-14.2	309	31.2	27.7-34.7	345	33.5	30.0-37.0	170	15.7	13.0-18.4	93	7.8	06.0-09.6
65+	1801	512,715	171	9.0	07.4-10.6	482	26.7	24.2-29.2	609	35.1	32.4-37.8	368	19.5	17.3-21.7	171	9.7	07.9-11.5
Less Than H.S.	508	342,444	36	10.1	05.4-14.8	59	12.8	09.1-16.5	171	37.0	31.3-42.7	140	23.8	19.1-28.5	102	16.3	12.6-20.0
H.S. or G.E.D.	1898	832,474	192	11.9	09.9-13.9	509	29.0	26.3-31.7	676	35.6	32.9-38.3	371	17.1	14.9-19.3	150	6.5	05.3-07.7
Some Post-H.S.	1431	836,600	192	15.6	12.9-18.3	449	35.5	32.2-38.8	491	30.9	28.0-33.8	199	12.3	09.8-14.8	100	5.6	03.6-07.6
College Graduate	1363	515,694	315	24.1	21.2-27.0	572	45.2	41.9-48.5	336	23.3	20.6-26.0	103	5.2	03.8-06.6	37	2.2	01.4-03.0
Less than \$15,000	701	307,396	51	8.2	05.1-11.3	116	19.6	15.5-23.7	217	30.7	26.0-35.4	175	23.7	19.4-28.0	142	17.8	14.1-21.5
\$15,000- 24,999	982	429,987	74	8.6	06.1-11.1	224	23.8	20.1-27.5	349	36.9	32.8-41.0	236	21.5	18.2-24.8	99	9.1	06.7-11.5
\$25,000- 34,999	552	264,880	65	11.5	06.6-16.4	181	31.5	26.4-36.6	184	34.7	29.4-40.0	87	15.4	11.1-19.7	35	6.8	04.3-09.3
\$35,000- 49,999	633	313,304	97	15.1	11.6-18.6	207	33.8	29.1-38.5	226	35.7	31.0-40.4	82	12.4	09.3-15.5	21	3.0	01.6-04.4
\$50,000- 74,999	636	340,309	113	18.6	14.7-22.5	257	41.3	36.4-46.2	192	28.4	24.1-32.7	51	7.7	04.6-10.8	23	4.0	02.0-06.0
\$75,000+	822	448,297	218	25.5	22.0-29.0	363	45.9	41.8-50.0	195	23.4	19.9-26.9	38	4.4	02.6-06.2	8	0.8	00.0-01.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days		3-7 days		8-29 days		30 days					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	8408	4,847,747	5070	61.4	60.0-62.8	872	11.7	10.7-12.7	942	10.9	09.9-11.9	861	9.2	08.4-10.0	663	6.8	06.0-07.6
Male	3298	2,355,015	2142	65.4	63.2-67.6	336	11.8	10.2-13.4	335	9.9	08.5-11.3	236	7.0	05.8-08.2	249	6.0	05.0-07.0
Female	5110	2,492,732	2928	57.6	55.8-59.4	536	11.6	10.4-12.8	607	11.9	10.7-13.1	625	11.3	10.1-12.5	414	7.7	06.5-08.9
White/Non-Hisp	6852	3,979,445	4189	61.8	60.2-63.4	714	11.8	10.8-12.8	746	10.6	09.6-11.6	676	8.9	08.1-09.7	527	7.0	06.2-07.8
Black or Afr. Am./Non-Hisp	878	409,885	473	56.9	51.6-62.2	95	11.8	08.1-15.5	119	14.7	10.4-19.0	106	9.5	06.6-12.4	85	7.0	04.8-09.2
Oth. Race/Non-Hisp.	126	77,831	82	69.6	58.6-80.6	11	8.6	02.9-14.3	13	9.2	02.7-15.7	10	8.3	00.0-17.1	10	4.4	00.5-08.3
MultiRacial/Non-Hisp.	131	67,927	68	51.0	40.0-62.0	13	14.5	05.7-23.3	17	14.8	07.0-22.6	18	10.4	04.9-15.9	15	9.3	03.4-15.2
Hispanic	295	255,710	188	64.6	57.3-71.9	30	10.5	06.0-15.0	30	9.4	04.9-13.9	33	12.1	07.2-17.0	14	3.4	00.9-05.9
18-24	526	673,690	349	61.1	56.0-66.2	82	17.7	13.6-21.8	69	13.7	10.2-17.2	16	3.5	01.5-05.5	10	3.9	01.0-06.8
25-34	890	796,226	566	62.6	58.9-66.3	129	15.4	12.5-18.3	111	11.6	09.2-14.0	56	7.2	05.0-09.4	28	3.1	01.9-04.3
35-44	1104	807,012	719	63.8	60.3-67.3	137	12.8	10.4-15.2	112	10.8	08.3-13.3	92	8.5	06.3-10.7	44	4.2	02.8-05.6
45-54	1443	896,256	849	61.5	58.6-64.4	150	9.4	07.6-11.2	161	10.2	08.4-12.0	157	10.1	08.3-11.9	126	8.8	07.0-10.6
55-64	1773	778,431	1061	61.3	58.6-64.0	160	8.6	07.0-10.2	168	8.9	07.3-10.5	204	11.6	09.6-13.6	180	9.6	07.8-11.4
65+	2597	862,460	1474	58.1	55.7-60.5	208	7.7	06.5-08.9	314	10.8	09.4-12.2	330	13.0	11.2-14.8	271	10.4	08.8-12.0
Less Than H.S.	793	671,193	352	47.5	43.0-52.0	72	11.4	07.9-14.9	100	12.2	09.1-15.3	150	17.5	14.2-20.8	119	11.5	09.0-14.0
H.S. or G.E.D.	3039	1,699,020	1796	61.4	59.2-63.6	262	9.9	08.5-11.3	346	11.7	10.1-13.3	363	9.5	08.3-10.7	272	7.5	06.3-08.7
Some Post-H.S.	2215	1,453,870	1308	61.7	59.0-64.4	266	13.4	11.4-15.4	236	10.0	08.4-11.6	227	8.4	07.0-09.8	178	6.6	05.0-08.2
College Graduate	2343	1,014,551	1606	70.2	68.0-72.4	269	12.4	10.6-14.2	257	10.1	08.7-11.5	120	4.5	03.5-05.5	91	2.8	02.0-03.6
Less than \$15,000	984	505,759	404	46.8	42.5-51.1	73	8.0	05.5-10.5	132	12.5	09.4-15.6	196	16.6	13.5-19.7	179	16.0	13.1-18.9
\$15,000- 24,999	1488	780,863	771	54.9	51.6-58.2	138	10.3	08.1-12.5	193	11.9	09.7-14.1	202	12.7	10.3-15.1	184	10.3	08.3-12.3
\$25,000- 34,999	877	487,220	524	60.8	56.5-65.1	97	11.7	09.0-14.4	111	13.3	10.2-16.4	94	9.1	06.9-11.3	51	5.1	03.3-06.9
\$35,000- 49,999	1127	660,990	723	64.3	60.8-67.8	133	12.9	10.4-15.4	118	10.0	08.0-12.0	92	7.7	05.7-09.7	61	5.2	03.6-06.8
\$50,000- 74,999	1165	737,970	799	68.9	65.6-72.2	140	13.1	10.6-15.6	99	7.4	05.6-09.2	68	6.4	04.4-08.4	59	4.2	03.0-05.4
\$75,000+	1580	995,894	1130	70.2	67.3-73.1	182	13.1	10.7-15.5	166	10.4	08.6-12.2	71	4.4	03.2-05.6	31	1.9	01.1-02.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2012

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3298	2,355,015	2142	65.4	63.2-67.6	336	11.8	10.2-13.4	335	9.9	08.5-11.3	236	7.0	05.8-08.2	249	6.0	05.0-07.0
White/Non-Hisp	2720	1,917,558	1803	66.0	63.8-68.2	280	12.1	10.3-13.9	268	9.6	08.2-11.0	176	6.3	05.1-07.5	193	6.1	05.1-07.1
Black or Afr. Am./Non-Hisp	291	191,666	164	60.1	51.5-68.7	30	12.4	06.7-18.1	39	15.0	07.6-22.4	29	7.7	03.0-12.4	29	4.8	02.4-07.2
Oth. Race/Non-Hisp.	50	40,867	30	68.4	50.2-86.6	5	7.2	00.0-14.8	4	7.3	00.0-17.7	4	11.7	00.0-27.8	7	5.4	00.0-10.9
MultiRacial/Non-Hisp.	52	31,191	25	55.6	39.3-71.9	4	4.8	00.0-10.3	10	20.4	07.1-33.7	6	7.3	00.4-14.2	7	11.9	01.3-22.5
Hispanic	126	140,159	83	65.7	54.7-76.7	15	11.7	04.4-19.0	8	6.7	00.0-13.6	13	12.2	04.8-19.6	7	3.7	00.0-07.6
18-24	262	347,083	182	64.5	57.4-71.6	47	20.8	14.5-27.1	25	11.2	06.5-15.9	5	1.8	00.0-03.8	3	1.6	00.0-03.8
25-34	360	397,762	242	65.3	59.6-71.0	51	15.3	11.0-19.6	38	10.5	07.0-14.0	19	6.5	03.4-09.6	10	2.4	00.6-04.2
35-44	463	405,329	317	66.2	60.9-71.5	58	12.4	09.1-15.7	48	11.9	07.8-16.0	27	6.4	03.3-09.5	13	3.1	01.1-05.1
45-54	590	440,000	383	68.0	63.7-72.3	52	8.2	05.7-10.7	58	9.4	06.7-12.1	44	6.4	04.2-08.6	53	8.0	05.6-10.4
55-64	725	381,073	455	63.8	59.5-68.1	61	8.1	05.7-10.5	59	7.0	05.0-09.0	71	10.9	07.8-14.0	79	10.1	07.4-12.8
65+	876	371,081	547	63.9	59.8-68.0	65	7.1	05.1-09.1	106	9.7	07.5-11.9	69	9.6	06.7-12.5	89	9.8	07.3-12.3
Less Than H.S.	310	339,003	159	52.2	45.1-59.3	32	13.3	07.6-19.0	38	11.4	06.7-16.1	41	13.6	08.9-18.3	40	9.6	06.1-13.1
H.S. or G.E.D.	1189	879,757	776	66.6	63.3-69.9	101	10.1	07.9-12.3	115	9.7	07.5-11.9	88	6.1	04.5-07.7	109	7.6	05.8-09.4
Some Post-H.S.	803	630,040	504	65.0	60.9-69.1	93	13.3	10.2-16.4	83	9.8	07.1-12.5	68	7.8	05.4-10.2	55	4.1	02.7-05.5
College Graduate	988	500,247	699	72.8	69.5-76.1	109	11.8	09.3-14.3	98	9.4	07.2-11.6	39	3.2	02.0-04.4	43	2.8	01.8-03.8
Less than \$15,000	301	201,292	136	52.5	44.7-60.3	15	6.2	02.3-10.1	41	12.3	06.6-18.0	46	12.4	07.3-17.5	63	16.6	11.5-21.7
\$15,000- 24,999	532	363,806	286	56.9	51.4-62.4	54	12.1	08.2-16.0	68	10.8	07.7-13.9	61	12.1	08.4-15.8	63	8.1	05.6-10.6
\$25,000- 34,999	334	226,604	218	65.8	59.1-72.5	33	11.3	06.8-15.8	34	11.1	05.8-16.4	27	6.9	03.8-10.0	22	5.0	02.6-07.4
\$35,000- 49,999	495	348,701	330	67.8	62.7-72.9	62	13.2	09.5-16.9	44	7.6	05.1-10.1	28	5.0	02.6-07.4	31	6.4	03.9-08.9
\$50,000- 74,999	531	400,014	385	72.8	67.9-77.7	57	12.0	08.5-15.5	35	6.3	03.8-08.8	25	5.3	02.6-08.0	29	3.5	01.9-05.1
\$75,000+	762	550,199	566	71.9	67.8-76.0	84	13.5	09.8-17.2	76	10.0	07.5-12.5	22	3.0	01.6-04.4	14	1.7	00.7-02.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2012

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5110	2,492,732	2928	57.6	55.8-59.4	536	11.6	10.4-12.8	607	11.9	10.7-13.1	625	11.3	10.1-12.5	414	7.7	06.5-08.9
White/Non-Hisp	4132	2,061,887	2386	57.8	55.8-59.8	434	11.5	10.1-12.9	478	11.5	10.3-12.7	500	11.3	10.1-12.5	334	7.9	06.7-09.1
Black or Afr. Am./Non-Hisp	587	218,219	309	54.1	47.4-60.8	65	11.4	06.7-16.1	80	14.5	09.8-19.2	77	11.0	07.1-14.9	56	9.0	05.5-12.5
Oth. Race/Non-Hisp.	76	36,964	52	70.9	59.1-82.7	6	10.1	01.9-18.3	9	11.2	03.6-18.8	6	4.5	00.0-09.2	3	3.2	00.0-08.7
MultiRacial/Non-Hisp.	79	36,736	43	47.0	32.5-61.5	9	22.8	08.3-37.3	7	10.0	01.2-18.8	12	13.1	04.7-21.5	8	7.1	00.8-13.4
Hispanic	169	115,551	105	63.4	54.4-72.4	15	9.0	03.9-14.1	22	12.6	06.7-18.5	20	12.0	05.9-18.1	7	3.0	00.0-06.1
18-24	264	326,607	167	57.4	50.1-64.7	35	14.4	09.5-19.3	44	16.5	11.4-21.6	11	5.4	01.9-08.9	7	6.3	00.8-11.8
25-34	530	398,464	324	59.9	55.0-64.8	78	15.6	11.9-19.3	73	12.8	09.7-15.9	37	7.9	05.2-10.6	18	3.8	01.8-05.8
35-44	641	401,683	402	61.3	56.8-65.8	79	13.1	10.0-16.2	64	9.7	07.0-12.4	65	10.5	07.8-13.2	31	5.3	03.3-07.3
45-54	853	456,256	466	55.2	51.1-59.3	98	10.5	08.1-12.9	103	10.9	08.4-13.4	113	13.7	11.0-16.4	73	9.7	07.2-12.2
55-64	1048	397,358	606	58.9	55.2-62.6	99	9.1	06.9-11.3	109	10.7	08.5-12.9	133	12.2	09.7-14.7	101	9.1	06.9-11.3
65+	1721	491,379	927	53.7	50.8-56.6	143	8.2	06.6-09.8	208	11.6	09.8-13.4	261	15.7	13.5-17.9	182	10.8	09.0-12.6
Less Than H.S.	483	332,190	193	42.6	36.7-48.5	40	9.5	05.6-13.4	62	13.0	08.9-17.1	109	21.5	16.8-26.2	79	13.4	09.9-16.9
H.S. or G.E.D.	1850	819,262	1020	55.8	52.9-58.7	161	9.6	07.8-11.4	231	13.9	11.7-16.1	275	13.1	11.1-15.1	163	7.5	06.1-08.9
Some Post-H.S.	1412	823,830	804	59.1	55.6-62.6	173	13.4	11.0-15.8	153	10.1	08.1-12.1	159	8.8	07.0-10.6	123	8.5	06.0-11.0
College Graduate	1355	514,304	907	67.8	64.7-70.9	160	13.0	10.8-15.2	159	10.7	08.7-12.7	81	5.7	04.1-07.3	48	2.8	01.8-03.8
Less than \$15,000	683	304,467	268	43.1	37.8-48.4	58	9.2	05.9-12.5	91	12.7	09.4-16.0	150	19.4	15.7-23.1	116	15.6	12.1-19.1
\$15,000- 24,999	956	417,057	485	53.0	48.7-57.3	84	8.8	06.4-11.2	125	12.8	10.1-15.5	141	13.2	10.3-16.1	121	12.1	09.4-14.8
\$25,000- 34,999	543	260,616	306	56.5	50.8-62.2	64	12.2	08.7-15.7	77	15.2	11.1-19.3	67	11.0	07.9-14.1	29	5.2	02.7-07.7
\$35,000- 49,999	632	312,289	393	60.4	55.7-65.1	71	12.5	09.0-16.0	74	12.6	09.5-15.7	64	10.7	07.8-13.6	30	3.8	02.2-05.4
\$50,000- 74,999	634	337,956	414	64.2	59.5-68.9	83	14.3	10.8-17.8	64	8.7	06.2-11.2	43	7.7	05.0-10.4	30	5.0	03.0-07.0
\$75,000+	818	445,695	564	68.1	64.2-72.0	98	12.6	09.9-15.3	90	10.9	08.2-13.6	49	6.2	04.2-08.2	17	2.2	00.6-03.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8462	4,869,639	5413	61.4	60.0-62.8	742	9.2	08.4-10.0	901	11.7	10.7-12.7	890	11.5	10.5-12.5	516	6.1	05.3-06.9
Male	3334	2,373,326	2323	66.8	64.6-69.0	272	9.1	07.7-10.5	291	9.9	08.5-11.3	271	9.4	08.0-10.8	177	4.8	04.0-05.6
Female	5128	2,496,313	3090	56.3	54.5-58.1	470	9.4	08.4-10.4	610	13.4	12.0-14.8	619	13.5	12.1-14.9	339	7.4	06.4-08.4
White/Non-Hisp	6884	3,995,681	4435	61.7	60.1-63.3	608	9.2	08.2-10.2	723	11.7	10.7-12.7	709	11.2	10.2-12.2	409	6.1	05.3-06.9
Black or Afr. Am./Non-Hisp	891	410,511	570	60.2	54.9-65.5	66	9.4	06.3-12.5	94	9.4	06.5-12.3	98	13.9	09.6-18.2	63	7.1	04.6-09.6
Oth. Race/Non-Hisp.	126	77,831	79	63.4	51.8-75.0	10	6.6	01.7-11.5	17	15.5	05.5-25.5	13	11.1	03.7-18.5	7	3.4	00.1-06.7
MultiRacial/Non-Hisp.	131	68,373	61	47.3	36.3-58.3	16	12.6	05.2-20.0	21	15.7	07.9-23.5	18	12.8	06.1-19.5	15	11.5	04.8-18.2
Hispanic	300	257,415	182	60.8	53.5-68.1	31	10.6	06.3-14.9	35	12.8	07.7-17.9	40	11.9	07.4-16.4	12	4.0	01.1-06.9
18-24	525	672,636	248	46.2	41.1-51.3	80	14.8	11.3-18.3	97	19.6	15.3-23.9	77	13.8	10.3-17.3	23	5.6	02.9-08.3
25-34	893	800,198	502	56.6	52.9-60.3	92	10.3	07.9-12.7	127	13.1	10.7-15.5	126	14.8	12.1-17.5	46	5.3	03.5-07.1
35-44	1109	812,235	653	59.4	55.9-62.9	119	10.2	08.2-12.2	133	10.9	08.7-13.1	139	13.9	11.2-16.6	65	5.5	03.9-07.1
45-54	1444	897,740	862	63.1	60.2-66.0	109	6.6	05.0-08.2	166	11.2	09.2-13.2	167	9.7	07.9-11.5	140	9.4	07.6-11.2
55-64	1771	777,440	1106	64.2	61.5-66.9	161	9.0	07.2-10.8	177	9.6	07.8-11.4	190	10.2	08.4-12.0	137	6.9	05.5-08.3
65+	2644	875,160	1985	74.6	72.4-76.8	174	6.2	05.0-07.4	197	7.6	06.2-09.0	187	7.7	06.3-09.1	101	3.9	02.9-04.9
Less Than H.S.	809	674,873	429	51.1	46.6-55.6	59	8.6	06.1-11.1	91	12.0	08.9-15.1	142	17.9	14.4-21.4	88	10.5	08.0-13.0
H.S. or G.E.D.	3056	1,708,186	2010	64.2	62.0-66.4	217	7.6	06.2-09.0	305	10.6	09.2-12.0	321	11.3	09.7-12.9	203	6.3	05.3-07.3
Some Post-H.S.	2229	1,463,051	1358	58.6	55.9-61.3	204	9.8	08.2-11.4	249	12.8	10.8-14.8	269	12.4	10.6-14.2	149	6.4	05.0-07.8
College Graduate	2352	1,015,471	1607	67.6	65.2-70.0	259	11.6	10.0-13.2	255	11.8	10.0-13.6	157	6.4	05.2-07.6	74	2.6	01.8-03.4
Less than \$15,000	977	502,840	447	43.7	39.4-48.0	75	8.9	06.2-11.6	109	12.9	09.8-16.0	194	19.7	16.2-23.2	152	14.8	11.9-17.7
\$15,000- 24,999	1518	796,484	914	56.9	53.6-60.2	117	7.3	05.5-09.1	161	11.3	09.1-13.5	192	14.7	12.2-17.2	134	9.8	07.8-11.8
\$25,000- 34,999	889	490,721	575	58.6	54.1-63.1	75	9.1	06.6-11.6	107	12.8	09.5-16.1	93	15.1	11.6-18.6	39	4.4	02.6-06.2
\$35,000- 49,999	1125	660,904	757	65.1	61.6-68.6	100	9.5	07.3-11.7	116	11.3	08.9-13.7	98	9.4	07.2-11.6	54	4.7	03.3-06.1
\$50,000- 74,999	1167	740,620	791	65.9	62.4-69.4	109	8.5	06.5-10.5	127	11.5	09.1-13.9	97	9.6	07.2-12.0	43	4.5	02.7-06.3
\$75,000+	1581	996,580	1127	70.4	67.5-73.3	163	10.9	08.9-12.9	162	11.4	09.2-13.6	98	5.5	04.1-06.9	31	1.9	01.1-02.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2012

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	3334	2,373,326	2323	66.8	64.6-69.0	272	9.1	07.7-10.5	291	9.9	08.5-11.3	271	9.4	08.0-10.8	177	4.8	04.0-05.6	
White/Non-Hisp	2752	1,936,700	1960	68.3	66.1-70.5	215	8.8	07.4-10.2	223	9.2	07.8-10.6	215	8.8	07.4-10.2	139	5.0	04.0-06.0	
Black or Afr. Am./Non-Hisp	294	191,490	191	59.4	50.8-68.0	26	11.3	06.0-16.6	31	11.2	06.1-16.3	28	14.9	07.1-22.7	18	3.2	00.8-05.6	
Oth. Race/Non-Hisp.	50	40,867	31	64.5	45.9-83.1	3	5.5	00.0-12.8	7	17.9	00.8-35.0	6	11.5	00.0-23.3	3	0.5	00.0-01.1	
MultiRacial/Non-Hisp.	52	31,191	23	44.6	28.1-61.1	7	16.4	03.3-29.5	12	23.7	09.6-37.8	5	7.0	00.0-14.3	5	8.3	00.0-17.5	
Hispanic	125	137,131	77	61.1	50.1-72.1	16	12.0	05.1-18.9	12	12.2	04.2-20.2	13	11.0	04.1-17.9	7	3.8	00.0-07.7	
18-24	263	345,894	145	55.5	48.4-62.6	39	14.5	09.8-19.2	40	16.6	10.9-22.3	27	8.8	05.1-12.5	12	4.5	01.8-07.2	
25-34	362	400,257	216	59.3	53.6-65.0	41	12.0	08.1-15.9	45	11.0	07.7-14.3	46	13.9	09.8-18.0	14	3.7	01.5-05.9	
35-44	466	408,718	302	63.7	58.4-69.0	49	10.2	07.3-13.1	46	9.2	06.5-11.9	50	13.6	09.1-18.1	19	3.3	01.5-05.1	
45-54	601	446,261	417	70.9	66.6-75.2	31	5.5	03.1-07.9	58	9.6	06.9-12.3	47	6.9	04.7-09.1	48	7.1	04.7-09.5	
55-64	728	382,700	513	70.5	66.4-74.6	60	8.7	06.0-11.4	51	7.4	05.0-09.8	51	7.1	04.7-09.5	53	6.3	04.3-08.3	
65+	892	376,809	714	79.6	76.1-83.1	51	4.9	03.3-06.5	50	6.0	03.5-08.5	48	5.9	03.9-07.9	29	3.6	02.0-05.2	
Less Than H.S.	317	341,809	182	54.1	47.2-61.0	31	9.7	06.0-13.4	27	10.6	05.7-15.5	47	16.3	11.0-21.6	30	9.3	05.6-13.0	
H.S. or G.E.D.	1205	890,378	845	68.4	65.1-71.7	88	8.3	06.1-10.5	96	8.5	06.5-10.5	104	9.5	07.3-11.7	72	5.3	03.9-06.7	
Some Post-H.S.	808	633,672	536	64.9	60.8-69.0	67	9.8	07.1-12.5	84	11.6	08.7-14.5	81	10.4	07.9-12.9	40	3.3	02.1-04.5	
College Graduate	998	502,555	757	75.0	71.7-78.3	85	9.3	07.1-11.5	83	9.5	07.1-11.9	39	3.6	02.2-05.0	34	2.6	01.4-03.8	
Less than \$15,000	298	202,614	141	48.8	41.0-56.6	33	13.6	07.9-19.3	24	8.3	03.8-12.8	48	15.8	09.7-21.9	52	13.4	08.9-17.9	
\$15,000- 24,999	546	370,182	342	59.5	54.2-64.8	43	7.3	04.4-10.2	52	10.1	07.0-13.2	62	13.0	09.3-16.7	47	10.2	06.9-13.5	
\$25,000- 34,999	341	228,026	232	61.5	54.6-68.4	29	10.1	05.8-14.4	30	9.0	05.5-12.5	38	17.4	11.3-23.5	12	2.0	00.6-03.4	
\$35,000- 49,999	496	349,900	368	70.0	64.9-75.1	43	10.7	07.2-14.2	34	8.4	05.3-11.5	31	7.2	04.5-09.9	20	3.6	01.8-05.4	
\$50,000- 74,999	534	401,567	387	69.3	64.4-74.2	38	7.5	04.8-10.2	56	11.7	08.2-15.2	34	8.7	05.4-12.0	19	2.8	01.2-04.4	
\$75,000+	764	551,171	605	77.1	73.2-81.0	52	7.7	05.3-10.1	67	10.2	07.1-13.3	31	3.6	02.0-05.2	9	1.3	00.5-02.1	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2012

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5128	2,496,313	3090	56.3	54.5-58.1	470	9.4	08.4-10.4	610	13.4	12.0-14.8	619	13.5	12.1-14.9	339	7.4	06.4-08.4
White/Non-Hisp	4132	2,058,980	2475	55.6	53.6-57.6	393	9.6	08.4-10.8	500	14.1	12.5-15.7	494	13.6	12.2-15.0	270	7.2	06.0-08.4
Black or Afr. Am./Non-Hisp	597	219,021	379	61.0	54.5-67.5	40	7.7	03.8-11.6	63	7.9	04.8-11.0	70	12.9	08.6-17.2	45	10.5	06.4-14.6
Oth. Race/Non-Hisp.	76	36,964	48	62.3	49.6-75.0	7	7.8	01.1-14.5	10	12.8	04.2-21.4	7	10.6	02.2-19.0	4	6.5	00.0-13.4
MultiRacial/Non-Hisp.	79	37,182	38	49.6	34.9-64.3	9	9.5	01.9-17.1	9	8.9	01.3-16.5	13	17.7	07.1-28.3	10	14.2	04.6-23.8
Hispanic	175	120,284	105	60.4	51.4-69.4	15	9.0	03.9-14.1	23	13.5	07.4-19.6	27	13.0	07.1-18.9	5	4.1	00.0-08.4
18-24	262	326,742	103	36.3	29.6-43.0	41	15.0	10.1-19.9	57	22.7	16.4-29.0	50	19.1	13.2-25.0	11	6.8	01.9-11.7
25-34	531	399,941	286	53.8	48.9-58.7	51	8.6	06.1-11.1	82	15.1	11.8-18.4	80	15.7	12.2-19.2	32	6.8	04.3-09.3
35-44	643	403,517	351	55.0	50.3-59.7	70	10.3	07.8-12.8	87	12.7	09.8-15.6	89	14.2	11.1-17.3	46	7.7	05.2-10.2
45-54	843	451,479	445	55.3	51.2-59.4	78	7.7	05.7-09.7	108	12.8	10.1-15.5	120	12.4	09.9-14.9	92	11.8	09.1-14.5
55-64	1043	394,741	593	58.1	54.4-61.8	101	9.3	07.1-11.5	126	11.8	09.4-14.2	139	13.3	10.8-15.8	84	7.6	05.6-09.6
65+	1752	498,350	1271	70.8	68.1-73.5	123	7.2	05.6-08.8	147	8.9	07.1-10.7	139	9.1	07.3-10.9	72	4.1	03.1-05.1
Less Than H.S.	492	333,064	247	47.9	42.0-53.8	28	7.4	04.1-10.7	64	13.4	09.3-17.5	95	19.4	14.9-23.9	58	11.8	08.3-15.3
H.S. or G.E.D.	1851	817,808	1165	59.6	56.7-62.5	129	6.9	05.3-08.5	209	13.0	11.0-15.0	217	13.3	11.1-15.5	131	7.2	05.8-08.6
Some Post-H.S.	1421	829,379	822	53.9	50.4-57.4	137	9.8	07.8-11.8	165	13.6	11.1-16.1	188	14.0	11.5-16.5	109	8.7	06.3-11.1
College Graduate	1354	512,916	850	60.2	57.1-63.3	174	13.9	11.7-16.1	172	14.0	11.6-16.4	118	9.2	07.2-11.2	40	2.6	01.6-03.6
Less than \$15,000	679	300,226	306	40.3	35.2-45.4	42	5.7	03.5-07.9	85	16.1	12.0-20.2	146	22.3	18.0-26.6	100	15.7	12.0-19.4
\$15,000- 24,999	972	426,302	572	54.6	50.3-58.9	74	7.3	05.1-09.5	109	12.4	09.5-15.3	130	16.2	12.9-19.5	87	9.4	07.0-11.8
\$25,000- 34,999	548	262,695	343	56.0	50.1-61.9	46	8.3	05.6-11.0	77	16.0	10.7-21.3	55	13.2	09.3-17.1	27	6.5	03.6-09.4
\$35,000- 49,999	629	311,004	389	59.5	54.6-64.4	57	8.2	05.7-10.7	82	14.5	11.0-18.0	67	11.9	08.8-15.0	34	5.9	03.5-08.3
\$50,000- 74,999	633	339,054	404	61.8	56.9-66.7	71	9.8	07.3-12.3	71	11.2	08.1-14.3	63	10.6	07.7-13.5	24	6.5	03.2-09.8
\$75,000+	817	445,409	522	62.0	57.9-66.1	111	14.7	11.6-17.8	95	12.9	10.0-15.8	67	7.9	05.7-10.1	22	2.5	01.3-03.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2012

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4748	2,736,662	2812	59.8	58.0-61.6	437	10.6	09.4-11.8	477	9.4	08.2-10.6	617	12.4	11.2-13.6	405	7.7	06.7-08.7
Male	1670	1,207,568	1013	61.7	58.8-64.6	163	11.1	09.1-13.1	158	8.8	07.0-10.6	174	10.7	08.7-12.7	162	7.7	06.3-09.1
Female	3078	1,529,094	1799	58.3	55.9-60.7	274	10.2	08.8-11.6	319	9.9	08.5-11.3	443	13.7	12.1-15.3	243	7.8	06.4-09.2
White/Non-Hisp	3833	2,257,713	2294	60.3	58.3-62.3	364	10.6	09.4-11.8	385	9.4	08.2-10.6	476	11.9	10.5-13.3	314	7.8	06.6-09.0
Black or Afr. Am./Non-Hisp	532	234,230	301	54.4	47.3-61.5	40	10.9	06.6-15.2	56	11.0	06.5-15.5	83	16.2	10.3-22.1	52	7.5	04.6-10.4
Oth. Race/Non-Hisp.	61	31,798	37	73.3	60.6-86.0	5	6.0	00.1-11.9	5	5.5	00.0-11.0	7	9.0	00.4-17.6	7	6.2	00.0-13.3
MultiRacial/Non-Hisp.	93	50,879	46	56.4	43.9-68.9	7	8.1	01.0-15.2	8	6.4	00.7-12.1	14	10.8	03.9-17.7	18	18.3	08.7-27.9
Hispanic	153	126,566	98	62.0	51.6-72.4	15	13.0	04.6-21.4	14	11.1	05.0-17.2	20	12.0	04.9-19.1	6	1.9	00.0-04.3
18-24	333	437,244	219	65.2	59.1-71.3	48	14.6	10.1-19.1	38	10.4	06.7-14.1	20	5.2	02.8-07.6	8	4.6	00.9-08.3
25-34	525	473,623	350	66.8	62.1-71.5	56	10.5	07.6-13.4	54	8.8	06.1-11.5	47	10.6	07.3-13.9	18	3.3	01.7-04.9
35-44	619	451,618	388	61.1	56.4-65.8	71	11.0	08.3-13.7	64	11.0	07.9-14.1	67	12.1	08.6-15.6	29	4.9	02.9-06.9
45-54	820	481,525	424	50.8	46.7-54.9	90	11.7	09.0-14.4	76	8.1	05.9-10.3	139	17.7	14.4-21.0	91	11.7	09.0-14.4
55-64	982	417,472	553	56.3	52.4-60.2	69	8.2	06.0-10.4	82	7.9	05.7-10.1	155	15.6	12.7-18.5	123	11.9	09.4-14.4
65+	1435	458,824	860	59.3	56.2-62.4	96	7.0	05.2-08.8	161	10.6	08.6-12.6	188	13.4	11.0-15.8	130	9.7	07.5-11.9
Less Than H.S.	571	462,363	294	51.4	45.9-56.9	39	8.3	05.4-11.2	59	10.7	07.2-14.2	106	18.2	14.3-22.1	73	11.5	08.2-14.8
H.S. or G.E.D.	1701	923,277	1016	60.5	57.4-63.6	109	8.1	06.3-09.9	162	8.9	07.1-10.7	253	14.0	11.8-16.2	161	8.4	06.8-10.0
Some Post-H.S.	1312	852,010	768	60.4	56.9-63.9	138	12.1	09.7-14.5	123	8.5	06.5-10.5	168	11.5	09.3-13.7	115	7.4	05.4-09.4
College Graduate	1150	492,027	724	65.4	62.1-68.7	150	14.9	12.4-17.4	132	10.7	08.5-12.9	90	5.7	04.3-07.1	54	3.3	02.1-04.5
Less than \$15,000	738	359,445	311	44.7	39.6-49.8	48	7.6	04.9-10.3	80	8.6	06.2-11.0	180	24.1	19.6-28.6	119	15.1	11.6-18.6
\$15,000- 24,999	945	478,812	516	53.8	49.5-58.1	63	7.9	05.5-10.3	93	9.6	07.1-12.1	157	17.9	14.6-21.2	116	10.8	08.3-13.3
\$25,000- 34,999	507	287,353	318	63.1	57.6-68.6	40	7.8	04.9-10.7	57	11.3	07.8-14.8	61	12.9	09.2-16.6	31	4.8	02.6-07.0
\$35,000- 49,999	602	365,564	377	62.3	57.6-67.0	62	12.5	09.0-16.0	61	9.5	06.8-12.2	67	10.1	07.2-13.0	35	5.5	03.3-07.7
\$50,000- 74,999	568	370,290	382	66.7	61.8-71.6	67	11.7	08.6-14.8	53	9.6	06.5-12.7	36	7.4	04.3-10.5	30	4.7	02.7-06.7
\$75,000+	718	469,763	475	65.9	61.6-70.2	105	16.4	12.9-19.9	81	9.5	07.0-12.0	40	5.4	03.4-07.4	17	2.8	01.2-04.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2012

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1670	1,207,568	1013	61.7	58.8-64.6	163	11.1	09.1-13.1	158	8.8	07.0-10.6	174	10.7	08.7-12.7	162	7.7	06.3-09.1
White/Non-Hisp	1338	975,765	818	62.1	59.0-65.2	137	11.0	08.8-13.2	127	9.0	07.0-11.0	136	10.1	08.1-12.1	120	7.8	06.2-09.4
Black or Afr. Am./Non-Hisp	171	108,236	100	55.6	43.8-67.4	14	13.6	06.0-21.2	14	7.7	01.8-13.6	21	16.6	06.0-27.2	22	6.5	02.8-10.2
Hispanic	62	68,492	45	65.6	49.5-81.7	4	12.3	00.0-26.0	6	10.5	01.7-19.3	4	9.0	00.0-19.2	3	2.6	00.0-06.9
18-24	149	206,714	106	70.4	61.8-79.0	20	15.1	08.0-22.2	17	11.0	05.3-16.7	5	2.8	00.3-05.3	1	0.6	00.0-01.8
25-34	195	222,089	129	68.3	61.0-75.6	21	10.6	05.9-15.3	14	5.5	02.2-08.8	20	11.1	05.8-16.4	11	4.6	01.7-07.5
35-44	235	209,684	152	62.3	54.5-70.1	28	11.6	07.1-16.1	25	10.9	05.8-16.0	22	11.8	05.5-18.1	8	3.4	00.7-06.1
45-54	293	208,448	155	51.6	44.9-58.3	30	11.9	07.2-16.6	23	7.9	04.4-11.4	46	15.7	10.8-20.6	39	12.8	08.3-17.3
55-64	365	187,832	198	55.3	48.8-61.8	31	9.1	05.6-12.6	30	6.8	03.5-10.1	50	13.6	08.9-18.3	56	15.2	10.5-19.9
65+	424	167,703	268	61.6	55.7-67.5	32	7.7	04.6-10.8	48	11.1	07.4-14.8	31	9.7	05.8-13.6	45	9.9	06.2-13.6
Less Than H.S.	217	227,323	128	59.8	51.6-68.0	12	7.2	02.5-11.9	24	10.2	05.1-15.3	29	14.4	08.7-20.1	24	8.3	04.4-12.2
H.S. or G.E.D.	572	418,928	345	61.0	55.9-66.1	41	8.8	05.9-11.7	53	8.0	05.5-10.5	65	12.0	08.3-15.7	68	10.2	07.3-13.1
Some Post-H.S.	441	341,830	256	60.8	55.1-66.5	47	12.7	08.4-17.0	47	9.5	06.2-12.8	48	10.5	07.0-14.0	43	6.4	04.2-08.6
College Graduate	433	214,982	280	66.5	61.0-72.0	62	16.8	12.3-21.3	34	7.9	04.6-11.2	32	5.2	03.0-07.4	25	3.6	01.8-05.4
Less than \$15,000	212	130,408	90	46.2	36.8-55.6	13	7.9	03.0-12.8	26	7.9	03.8-12.0	43	21.8	13.2-30.4	40	16.2	09.7-22.7
\$15,000- 24,999	332	212,789	197	58.2	51.1-65.3	24	9.0	04.9-13.1	26	6.6	03.1-10.1	42	15.0	09.7-20.3	43	11.2	07.1-15.3
\$25,000- 34,999	181	124,486	111	63.4	54.6-72.2	10	4.4	00.5-08.3	26	16.5	09.6-23.4	17	10.1	04.6-15.6	17	5.6	02.3-08.9
\$35,000- 49,999	239	176,737	138	59.0	51.6-66.4	29	14.2	08.7-19.7	26	9.6	05.3-13.9	29	10.0	05.7-14.3	17	7.2	03.5-10.9
\$50,000- 74,999	232	184,649	158	68.0	60.4-75.6	28	11.5	06.8-16.2	18	9.6	04.5-14.7	12	6.7	01.8-11.6	16	4.3	01.9-06.7
\$75,000+	300	230,966	201	68.7	62.2-75.2	47	16.4	10.9-21.9	26	6.9	03.8-10.0	16	4.9	02.2-07.6	10	3.1	01.1-05.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2012

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3078	1,529,094	1799	58.3	55.9-60.7	274	10.2	08.8-11.6	319	9.9	08.5-11.3	443	13.7	12.1-15.3	243	7.8	06.4-09.2
White/Non-Hisp	2495	1,281,948	1476	58.9	56.4-61.4	227	10.3	08.7-11.9	258	9.6	08.2-11.0	340	13.4	11.6-15.2	194	7.8	06.2-09.4
Black or Afr. Am./Non-Hisp	361	125,993	201	53.4	45.0-61.8	26	8.5	03.8-13.2	42	13.8	07.1-20.5	62	15.9	10.0-21.8	30	8.4	04.3-12.5
MultiRacial/Non-Hisp.	54	27,767	27	54.7	37.6-71.8	4	9.6	00.0-19.6	5	9.3	00.0-18.9	9	10.2	01.8-18.6	9	16.3	04.3-28.3
Hispanic	91	58,074	53	57.7	45.2-70.2	11	13.9	05.1-22.7	8	11.9	03.7-20.1	16	15.5	06.1-24.9	3	1.0	00.0-02.2
18-24	184	230,529	113	60.5	51.9-69.1	28	14.2	08.7-19.7	21	9.8	05.1-14.5	15	7.4	03.5-11.3	7	8.1	01.4-14.8
25-34	330	251,534	221	65.5	59.6-71.4	35	10.5	06.8-14.2	40	11.8	07.7-15.9	27	10.2	06.1-14.3	7	2.1	00.5-03.7
35-44	384	241,933	236	60.0	54.3-65.7	43	10.5	07.2-13.8	39	11.0	07.1-14.9	45	12.4	08.5-16.3	21	6.1	03.2-09.0
45-54	527	273,078	269	50.2	45.1-55.3	60	11.6	08.3-14.9	53	8.2	05.5-10.9	93	19.3	15.0-23.6	52	10.8	07.3-14.3
55-64	617	229,639	355	57.2	52.3-62.1	38	7.5	04.8-10.2	52	8.9	06.2-11.6	105	17.2	13.3-21.1	67	9.3	06.6-12.0
65+	1011	291,121	592	58.0	54.3-61.7	64	6.6	04.6-08.6	113	10.4	08.2-12.6	157	15.5	12.8-18.2	85	9.6	07.1-12.1
Less Than H.S.	354	235,040	166	43.3	36.4-50.2	27	9.2	05.3-13.1	35	11.1	06.6-15.6	77	21.9	16.4-27.4	49	14.5	09.4-19.6
H.S. or G.E.D.	1129	504,349	671	60.2	56.5-63.9	68	7.4	05.2-09.6	109	9.8	07.4-12.2	188	15.7	13.0-18.4	93	7.0	05.2-08.8
Some Post-H.S.	871	510,179	512	60.1	55.8-64.4	91	11.7	09.0-14.4	76	7.9	05.5-10.3	120	12.2	09.5-14.9	72	8.1	05.0-11.2
College Graduate	717	277,044	444	64.5	60.4-68.6	88	13.5	10.4-16.6	98	12.8	09.9-15.7	58	6.1	04.1-08.1	29	3.1	01.7-04.5
Less than \$15,000	526	229,037	221	43.8	37.9-49.7	35	7.3	04.0-10.6	54	9.0	05.9-12.1	137	25.4	20.3-30.5	79	14.6	10.5-18.7
\$15,000- 24,999	613	266,023	319	50.4	45.1-55.7	39	7.0	04.5-09.5	67	11.9	08.2-15.6	115	20.3	15.8-24.8	73	10.5	07.6-13.4
\$25,000- 34,999	326	162,867	207	63.0	55.9-70.1	30	10.4	06.1-14.7	31	7.3	04.2-10.4	44	15.1	10.0-20.2	14	4.2	01.5-06.9
\$35,000- 49,999	363	188,826	239	65.4	59.3-71.5	33	11.0	06.7-15.3	35	9.4	05.7-13.1	38	10.1	06.2-14.0	18	4.0	01.8-06.2
\$50,000- 74,999	336	185,640	224	65.3	58.8-71.8	39	11.9	07.6-16.2	35	9.7	05.8-13.6	24	8.0	04.1-11.9	14	5.1	02.0-08.2
\$75,000+	418	238,797	274	63.2	57.3-69.1	58	16.3	11.8-20.8	55	11.9	08.2-15.6	24	6.0	03.3-08.7	7	2.6	00.1-05.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8614	4,920,140	7481	82.0	80.8-83.2	1133	18.0	16.8-19.2
Male	3380	2,385,032	2861	79.8	77.8-81.8	519	20.2	18.2-22.2
Female	5234	2,535,107	4620	84.0	82.4-85.6	614	16.0	14.4-17.6
White/Non-Hisp	6996	4,034,390	6202	84.8	83.6-86.0	794	15.2	14.0-16.4
Black or Afr. Am./Non-Hisp	919	416,849	760	74.3	69.6-79.0	159	25.7	21.0-30.4
Oth. Race/Non-Hisp.	125	76,715	103	79.9	70.5-89.3	22	20.1	10.7-29.5
MultiRacial/Non-Hisp.	133	69,082	103	72.4	61.8-83.0	30	27.6	17.0-38.2
Hispanic	306	263,451	189	53.2	45.8-60.6	117	46.8	39.4-54.2
18-24	520	662,141	364	67.9	63.0-72.8	156	32.1	27.2-37.0
25-34	899	805,706	688	73.2	69.7-76.7	211	26.8	23.3-30.3
35-44	1115	817,883	898	78.8	75.9-81.7	217	21.2	18.3-24.1
45-54	1461	908,366	1228	82.7	80.2-85.2	233	17.3	14.8-19.8
55-64	1800	788,070	1548	86.2	84.2-88.2	252	13.8	11.8-15.8
65+	2744	904,433	2686	98.0	97.4-98.6	58	2.0	0.4-02.6
Less Than H.S.	843	689,616	628	64.8	60.5-69.1	215	35.2	30.9-39.5
H.S. or G.E.D.	3124	1,722,787	2652	80.0	78.0-82.0	472	20.0	18.0-22.0
Some Post-H.S.	2258	1,476,469	1943	83.3	81.1-85.5	315	16.7	14.5-18.9
College Graduate	2371	1,021,334	2242	94.9	93.9-95.9	129	5.1	0.4-06.1
Less than \$15,000	1017	515,898	756	66.3	62.2-70.4	261	33.7	29.6-37.8
\$15,000- 24,999	1544	804,431	1175	65.7	62.4-69.0	369	34.3	31.0-37.6
\$25,000- 34,999	901	496,873	764	78.1	74.0-82.2	137	21.9	17.8-26.0
\$35,000- 49,999	1145	669,551	1041	87.0	84.1-89.9	104	13.0	10.1-15.9
\$50,000- 74,999	1174	743,878	1104	90.0	87.3-92.7	70	10.0	07.3-12.7
\$75,000+	1589	1,001,319	1545	96.4	95.2-97.6	44	3.6	02.4-04.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3380	2,385,032	2861	79.8	78.0-81.6	519	20.2	18.4-22.0
White/Non-Hisp	2778	1,940,255	2401	82.8	80.8-84.8	377	17.2	15.2-19.2
Black or Afr. Am./Non-Hisp	304	192,895	240	70.9	63.1-78.7	64	29.1	21.3-36.9
Oth. Race/Non-Hisp.	50	40,867	41	82.8	68.9-96.7	9	17.2	03.3-31.1
MultiRacial/Non-Hisp.	52	31,191	38	75.0	60.5-89.5	14	25.0	10.5-39.5
Hispanic	130	142,923	82	50.5	39.5-61.5	48	49.5	38.5-60.5
18-24	255	333,925	165	62.3	55.2-69.4	90	37.7	30.6-44.8
25-34	365	404,297	267	69.2	63.7-74.7	98	30.8	25.3-36.3
35-44	467	409,233	375	79.0	74.5-83.5	92	21.0	16.5-25.5
45-54	604	449,749	506	83.0	79.3-86.7	98	17.0	13.3-20.7
55-64	743	388,079	634	85.7	82.8-88.6	109	14.3	11.4-17.2
65+	925	387,731	897	97.1	95.9-98.3	28	2.9	01.7-04.1
Less Than H.S.	333	347,820	223	58.6	51.7-65.5	110	41.4	34.5-48.3
H.S. or G.E.D.	1215	888,421	986	77.0	73.9-80.1	229	23.0	19.9-26.1
Some Post-H.S.	818	636,733	689	83.0	79.9-86.1	129	17.0	13.9-20.1
College Graduate	1005	505,214	955	95.3	93.9-96.7	50	4.7	03.3-06.1
Less than \$15,000	310	206,073	204	59.0	51.4-66.6	106	41.0	33.4-48.6
\$15,000- 24,999	556	372,924	390	60.9	55.6-66.2	166	39.1	33.8-44.4
\$25,000- 34,999	347	231,649	288	77.8	71.7-83.9	59	22.2	16.1-28.3
\$35,000- 49,999	506	354,111	446	83.8	79.3-88.3	60	16.2	11.7-20.7
\$50,000- 74,999	536	402,615	498	88.2	83.9-92.5	38	11.8	07.5-16.1
\$75,000+	768	553,151	742	95.4	93.4-97.4	26	4.6	02.6-06.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5234	2,535,107	4620	84.0	82.4-85.6	614	16.0	14.4-17.6
White/Non-Hisp	4218	2,094,135	3801	86.6	85.0-88.2	417	13.4	11.8-15.0
Black or Afr. Am./Non-Hisp	615	223,954	520	77.3	71.6-83.0	95	22.7	17.0-28.4
Oth. Race/Non-Hisp.	75	35,849	62	76.5	64.5-88.5	13	23.5	11.5-35.5
MultiRacial/Non-Hisp.	81	37,891	65	70.2	55.5-84.9	16	29.8	15.1-44.5
Hispanic	176	120,527	107	56.3	46.9-65.7	69	43.7	34.3-53.1
18-24	265	328,216	199	73.5	66.6-80.4	66	26.5	19.6-33.4
25-34	534	401,409	421	77.2	72.9-81.5	113	22.8	18.5-27.1
35-44	648	408,650	523	78.7	74.6-82.8	125	21.3	17.2-25.4
45-54	857	458,617	722	82.5	79.2-85.8	135	17.5	14.2-20.8
55-64	1057	399,991	914	86.8	84.3-89.3	143	13.2	10.7-15.7
65+	1819	516,702	1789	98.7	98.1-99.3	30	1.3	00.7-01.9
Less Than H.S.	510	341,796	405	71.1	65.6-76.6	105	28.9	23.4-34.4
H.S. or G.E.D.	1909	834,366	1666	83.1	80.7-85.5	243	16.9	14.5-19.3
Some Post-H.S.	1440	839,736	1254	83.6	80.7-86.5	186	16.4	13.5-19.3
College Graduate	1366	516,120	1287	94.5	93.1-95.9	79	5.5	04.1-06.9
Less than \$15,000	707	309,825	552	71.1	66.4-75.8	155	28.9	24.2-33.6
\$15,000- 24,999	988	431,508	785	70.0	65.7-74.3	203	30.0	25.7-34.3
\$25,000- 34,999	554	265,223	476	78.3	72.4-84.2	78	21.7	15.8-27.6
\$35,000- 49,999	639	315,440	595	90.6	87.3-93.9	44	9.4	06.1-12.7
\$50,000- 74,999	638	341,263	606	92.1	88.6-95.6	32	7.9	04.4-11.4
\$75,000+	821	448,169	803	97.7	96.5-98.9	18	2.3	01.1-03.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8596	4,911,833	6815	75.0	73.8-76.2	614	6.4	05.8-07.0	1167	18.6	17.4-19.8
Male	3373	2,378,557	2505	69.9	67.9-71.9	242	5.9	04.9-06.9	626	24.1	22.1-26.1
Female	5223	2,533,276	4310	79.8	78.2-81.4	372	6.8	05.8-07.8	541	13.4	12.0-14.8
White/Non-Hisp	6987	4,029,530	5675	77.9	76.5-79.3	483	6.4	05.6-07.2	829	15.7	14.5-16.9
Black or Afr. Am./Non-Hisp	914	413,981	690	67.3	62.2-72.4	79	6.9	04.4-09.4	145	25.8	20.9-30.7
Oth. Race/Non-Hisp.	124	77,228	68	53.0	41.4-64.6	13	7.2	02.9-11.5	43	39.8	28.4-51.2
MultiRacial/Non-Hisp.	133	69,082	94	65.1	54.3-75.9	11	4.9	01.4-08.4	28	30.0	19.2-40.8
Hispanic	304	261,931	185	53.2	45.8-60.6	15	4.6	01.9-07.3	104	42.2	34.8-49.6
18-24	523	664,777	297	60.7	55.8-65.6	27	5.1	02.6-07.6	199	34.2	29.5-38.9
25-34	897	804,709	591	63.9	60.2-67.6	50	4.9	03.3-06.5	256	31.2	27.7-34.7
35-44	1114	816,915	841	72.3	69.0-75.6	54	5.0	03.4-06.6	219	22.7	19.6-25.8
45-54	1456	904,032	1167	79.1	76.6-81.6	101	6.4	05.0-07.8	188	14.4	12.0-16.8
55-64	1794	784,763	1520	85.1	83.1-87.1	111	5.6	04.2-07.0	163	9.3	07.5-11.1
65+	2736	902,428	2336	84.8	83.0-86.6	267	10.4	09.0-11.8	133	4.7	03.7-05.7
Less Than H.S.	838	690,169	588	63.8	59.5-68.1	71	6.5	04.5-08.5	179	29.6	25.3-33.9
H.S. or G.E.D.	3118	1,716,476	2479	75.5	73.5-77.5	204	5.7	04.7-06.7	435	18.8	16.8-20.8
Some Post-H.S.	2254	1,473,046	1775	75.7	73.3-78.1	178	7.3	05.7-08.9	301	17.0	14.8-19.2
College Graduate	2368	1,022,208	1959	80.9	78.9-82.9	159	6.0	04.8-07.2	250	13.1	11.3-14.9
Less than \$15,000	1011	512,827	729	62.3	58.0-66.6	78	7.5	05.5-09.5	204	30.2	25.9-34.5
\$15,000- 24,999	1532	797,712	1130	67.7	64.4-71.0	122	6.7	05.3-08.1	280	25.7	22.6-28.8
\$25,000- 34,999	898	494,725	693	70.8	66.5-75.1	67	6.7	04.7-08.7	138	22.5	18.4-26.6
\$35,000- 49,999	1146	666,167	914	76.8	73.7-79.9	93	6.8	05.0-08.6	139	16.4	13.5-19.3
\$50,000- 74,999	1172	742,117	986	80.1	76.8-83.4	57	4.6	02.8-06.4	129	15.3	12.4-18.2
\$75,000+	1586	998,381	1365	85.6	83.4-87.8	89	4.9	03.7-06.1	132	9.4	07.6-11.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3373	2,378,557	2505	69.9	67.9-71.9	242	5.9	04.9-06.9	626	24.1	22.1-26.1
White/Non-Hisp	2773	1,935,721	2123	73.2	71.0-75.4	184	5.7	04.7-06.7	466	21.1	19.1-23.1
Black or Afr. Am./Non-Hisp	304	192,187	208	60.4	51.8-69.0	27	6.6	02.5-10.7	69	33.0	24.6-41.4
Oth. Race/Non-Hisp.	50	40,867	21	48.7	30.1-67.3	7	7.6	01.1-14.1	22	43.7	25.7-61.7
MultiRacial/Non-Hisp.	52	31,191	36	65.7	49.6-81.8	5	5.3	00.0-11.2	11	29.0	13.3-44.7
Hispanic	130	142,923	71	46.6	35.6-57.6	9	5.7	01.4-10.0	50	47.7	36.7-58.7
18-24	257	334,359	125	53.1	46.0-60.2	13	3.8	01.4-06.2	119	43.1	36.0-50.2
25-34	364	403,405	205	55.6	49.7-61.5	15	3.7	01.7-05.7	144	40.8	35.1-46.5
35-44	466	408,258	312	64.2	58.9-69.5	22	5.5	03.0-08.0	132	30.3	25.2-35.4
45-54	602	447,567	473	78.4	74.5-82.3	38	5.3	03.3-07.3	91	16.3	12.8-19.8
55-64	738	385,004	604	82.7	79.4-86.0	52	6.3	04.1-08.5	82	11.0	08.3-13.7
65+	924	387,278	769	82.9	80.0-85.8	100	10.9	08.5-13.3	55	6.1	04.1-08.1
Less Than H.S.	329	348,095	212	58.9	52.0-65.8	27	5.1	02.6-07.6	90	36.0	29.3-42.7
H.S. or G.E.D.	1216	884,119	874	69.2	65.9-72.5	83	5.2	03.8-06.6	259	25.6	22.5-28.7
Some Post-H.S.	814	633,719	595	69.7	65.8-73.6	72	8.1	05.9-10.3	147	22.3	18.6-26.0
College Graduate	1005	505,780	817	79.0	76.1-81.9	60	5.2	03.6-06.8	128	15.9	13.2-18.6
Less than \$15,000	308	204,667	195	55.0	47.4-62.6	26	5.8	02.9-08.7	87	39.2	31.6-46.8
\$15,000- 24,999	550	367,527	356	57.9	52.6-63.2	46	7.0	04.6-09.4	148	35.0	29.7-40.3
\$25,000- 34,999	345	229,869	242	63.4	56.5-70.3	29	6.2	03.5-08.9	74	30.5	23.6-37.4
\$35,000- 49,999	507	350,727	378	71.3	66.4-76.2	42	7.2	04.7-09.7	87	21.5	17.0-26.0
\$50,000- 74,999	534	400,854	429	75.0	69.9-80.1	28	5.2	02.7-07.7	77	19.8	15.1-24.5
\$75,000+	766	551,228	645	83.7	80.6-86.8	34	4.2	02.6-05.8	87	12.1	09.4-14.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5223	2,533,276	4310	79.8	78.2-81.4	372	6.8	05.8-07.8	541	13.4	12.0-14.8
White/Non-Hisp	4214	2,093,808	3552	82.3	80.7-83.9	299	7.0	05.8-08.2	363	10.7	09.5-11.9
Black or Afr. Am./Non-Hisp	610	221,794	482	73.3	67.4-79.2	52	7.2	04.3-10.1	76	19.6	14.1-25.1
Oth. Race/Non-Hisp.	74	36,361	47	57.9	44.6-71.2	6	6.8	01.1-12.5	21	35.4	22.3-48.5
MultiRacial/Non-Hisp.	81	37,891	58	64.7	50.2-79.2	6	4.5	00.4-08.6	17	30.9	16.4-45.4
Hispanic	174	119,008	114	61.0	51.8-70.2	6	3.4	00.3-06.5	54	35.6	26.4-44.8
18-24	266	330,418	172	68.4	61.9-74.9	14	6.4	01.7-11.1	80	25.2	19.7-30.7
25-34	533	401,304	386	72.3	68.0-76.6	35	6.1	03.9-08.3	112	21.6	17.5-25.7
35-44	648	408,656	529	80.3	76.4-84.2	32	4.6	02.8-06.4	87	15.1	11.4-18.8
45-54	854	456,465	694	79.8	76.5-83.1	63	7.6	05.4-09.8	97	12.6	09.7-15.5
55-64	1056	399,759	916	87.4	84.9-89.9	59	5.0	03.4-06.6	81	7.6	05.6-09.6
65+	1812	515,151	1567	86.2	84.2-88.2	167	10.1	08.3-11.9	78	3.7	02.7-04.7
Less Than H.S.	509	342,074	376	68.8	63.5-74.1	44	8.0	05.3-10.7	89	23.1	18.0-28.2
H.S. or G.E.D.	1902	832,357	1605	82.1	79.7-84.5	121	6.2	04.8-07.6	176	11.6	09.6-13.6
Some Post-H.S.	1440	839,327	1180	80.2	77.3-83.1	106	6.8	04.6-09.0	154	13.0	10.6-15.4
College Graduate	1363	516,428	1142	82.7	80.2-85.2	99	6.8	05.2-08.4	122	10.5	08.3-12.7
Less than \$15,000	703	308,160	534	67.1	62.2-72.0	52	8.6	05.9-11.3	117	24.3	19.6-29.0
\$15,000- 24,999	982	430,185	774	76.0	72.3-79.7	76	6.4	04.6-08.2	132	17.7	14.2-21.2
\$25,000- 34,999	553	264,856	451	77.3	72.4-82.2	38	7.2	04.3-10.1	64	15.5	11.0-20.0
\$35,000- 49,999	639	315,440	536	82.8	79.1-86.5	51	6.4	04.2-08.6	52	10.8	07.5-14.1
\$50,000- 74,999	638	341,263	557	86.1	82.2-90.0	29	4.0	01.3-06.7	52	9.9	06.8-13.0
\$75,000+	820	447,153	720	87.9	85.2-90.6	55	5.9	04.1-07.7	45	6.2	04.0-08.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8609	4,926,990	1186	15.9	14.9-16.9	7423	84.1	83.1-85.1
Male	3380	2,390,485	395	13.4	11.8-15.0	2985	86.6	85.0-88.2
Female	5229	2,536,505	791	18.2	16.6-19.8	4438	81.8	80.2-83.4
White/Non-Hisp	6999	4,044,106	855	14.2	13.0-15.4	6144	85.8	84.6-87.0
Black or Afr. Am./Non-Hisp	917	416,500	179	27.1	22.2-32.0	738	72.9	68.0-77.8
Oth. Race/Non-Hisp.	126	77,831	22	14.8	07.2-22.4	104	85.2	77.6-92.8
MultiRacial/Non-Hisp.	129	67,536	31	24.0	15.0-33.0	98	76.0	67.0-85.0
Hispanic	302	259,844	79	22.3	16.6-28.0	223	77.7	72.0-83.4
18-24	531	680,088	110	20.1	16.0-24.2	421	79.9	75.8-84.0
25-34	898	802,937	189	20.5	17.6-23.4	709	79.5	76.6-82.4
35-44	1113	816,486	220	21.4	18.5-24.3	893	78.6	75.7-81.5
45-54	1457	905,337	274	17.1	14.7-19.5	1183	82.9	80.5-85.3
55-64	1797	786,172	250	13.5	11.5-15.5	1547	86.5	84.5-88.5
65+	2736	901,654	133	4.6	03.6-05.6	2603	95.4	94.4-96.4
Less Than H.S.	841	691,498	198	27.8	23.9-31.7	643	72.2	68.3-76.1
H.S. or G.E.D.	3125	1,729,001	436	15.2	13.6-16.8	2689	84.8	83.2-86.4
Some Post-H.S.	2254	1,474,038	359	17.0	14.8-19.2	1895	83.0	80.8-85.2
College Graduate	2370	1,022,413	189	7.3	06.1-08.5	2181	92.7	91.5-93.9
Less than \$15,000	1009	512,372	282	30.5	26.6-34.4	727	69.5	65.6-73.4
\$15,000- 24,999	1537	799,047	354	29.0	25.9-32.1	1183	71.0	67.9-74.1
\$25,000- 34,999	899	496,048	139	19.6	15.9-23.3	760	80.4	76.7-84.1
\$35,000- 49,999	1144	670,218	121	11.9	09.5-14.3	1023	88.1	85.7-90.5
\$50,000- 74,999	1173	742,965	96	9.7	07.5-11.9	1077	90.3	88.1-92.5
\$75,000+	1590	1,001,861	52	3.0	02.0-04.0	1538	97.0	96.0-98.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3380	2,390,485	395	13.4	11.8-15.0	2985	86.6	85.0-88.2
White/Non-Hisp	2779	1,947,836	280	11.5	10.1-12.9	2499	88.5	87.1-89.9
Black or Afr. Am./Non-Hisp	306	193,516	62	29.2	20.8-37.6	244	70.8	62.4-79.2
Oth. Race/Non-Hisp.	50	40,867	10	11.9	00.3-23.5	40	88.1	76.5-99.7
MultiRacial/Non-Hisp.	51	30,530	10	16.4	04.6-28.2	41	83.6	71.8-95.4
Hispanic	128	140,835	26	17.0	09.6-24.4	102	83.0	75.6-90.4
18-24	263	347,696	50	17.1	12.2-22.0	213	82.9	78.0-87.8
25-34	363	400,230	67	17.8	13.5-22.1	296	82.2	77.9-86.5
35-44	465	407,818	71	17.8	13.3-22.3	394	82.2	77.7-86.7
45-54	604	449,471	90	12.8	09.9-15.7	514	87.2	84.3-90.1
55-64	740	386,006	77	10.8	07.9-13.7	663	89.2	86.3-92.1
65+	923	386,577	38	4.0	02.2-05.8	885	96.0	94.2-97.8
Less Than H.S.	332	348,957	82	27.2	21.1-33.3	250	72.8	66.7-78.9
H.S. or G.E.D.	1217	893,682	144	12.4	10.2-14.6	1073	87.6	85.4-89.8
Some Post-H.S.	817	635,482	107	13.3	10.4-16.2	710	86.7	83.8-89.6
College Graduate	1005	505,519	60	5.4	03.8-07.0	945	94.6	93.0-96.2
Less than \$15,000	309	205,559	88	26.8	20.1-33.5	221	73.2	66.5-79.9
\$15,000- 24,999	552	368,163	125	27.4	22.5-32.3	427	72.6	67.7-77.5
\$25,000- 34,999	346	231,450	50	17.7	12.0-23.4	296	82.3	76.6-88.0
\$35,000- 49,999	506	355,250	45	9.7	06.6-12.8	461	90.3	87.2-93.4
\$50,000- 74,999	535	401,701	35	8.4	05.3-11.5	500	91.6	88.5-94.7
\$75,000+	769	553,674	12	1.5	00.5-02.5	757	98.5	97.5-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5229	2,536,505	791	18.2	16.6-19.8	4438	81.8	80.2-83.4
White/Non-Hisp	4220	2,096,269	575	16.6	15.0-18.2	3645	83.4	81.8-85.0
Black or Afr. Am./Non-Hisp	611	222,983	117	25.4	19.7-31.1	494	74.6	68.9-80.3
Oth. Race/Non-Hisp.	76	36,964	12	17.9	07.9-27.9	64	82.1	72.1-92.1
MultiRacial/Non-Hisp.	78	37,007	21	30.4	17.3-43.5	57	69.6	56.5-82.7
Hispanic	174	119,009	53	28.5	20.3-36.7	121	71.5	63.3-79.7
18-24	268	332,392	60	23.2	16.7-29.7	208	76.8	70.3-83.3
25-34	535	402,708	122	23.2	19.1-27.3	413	76.8	72.7-80.9
35-44	648	408,668	149	25.0	20.9-29.1	499	75.0	70.9-79.1
45-54	853	455,866	184	21.3	18.0-24.6	669	78.7	75.4-82.0
55-64	1057	400,166	173	16.1	13.4-18.8	884	83.9	81.2-86.6
65+	1813	515,076	95	5.1	03.7-06.5	1718	94.9	93.5-96.3
Less Than H.S.	509	342,541	116	28.4	23.1-33.7	393	71.6	66.3-76.9
H.S. or G.E.D.	1908	835,319	292	18.2	15.8-20.6	1616	81.8	79.4-84.2
Some Post-H.S.	1437	838,555	252	19.7	16.8-22.6	1185	80.3	77.4-83.2
College Graduate	1365	516,894	129	9.2	07.2-11.2	1236	90.8	88.8-92.8
Less than \$15,000	700	306,813	194	33.0	28.1-37.9	506	67.0	62.1-71.9
\$15,000- 24,999	985	430,884	229	30.4	26.3-34.5	756	69.6	65.5-73.7
\$25,000- 34,999	553	264,597	89	21.3	16.6-26.0	464	78.7	74.0-83.4
\$35,000- 49,999	638	314,968	76	14.3	10.8-17.8	562	85.7	82.2-89.2
\$50,000- 74,999	638	341,263	61	11.1	08.0-14.2	577	88.9	85.8-92.0
\$75,000+	821	448,187	40	4.8	03.0-06.6	781	95.2	93.4-97.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8559	4,899,382	5990	63.8	62.4-65.2	1020	13.6	12.6-14.6	655	9.3	08.5-10.1	844	12.6	11.6-13.6	50	0.6	00.4-00.8
Male	3364	2,377,469	2213	60.0	57.8-62.2	421	13.6	12.0-15.2	278	9.9	08.5-11.3	431	15.8	14.0-17.6	21	0.7	00.3-01.1
Female	5195	2,521,914	3777	67.4	65.6-69.2	599	13.7	12.3-15.1	377	8.8	07.6-10.0	413	9.6	08.4-10.8	29	0.6	00.4-00.8
White/Non-Hisp	6953	4,015,805	4860	64.6	63.0-66.2	823	13.4	12.2-14.6	534	9.2	08.2-10.2	699	12.2	11.2-13.2	37	0.5	00.3-00.7
Black or Afr. Am./Non-Hisp	914	417,593	706	67.8	62.7-72.9	99	12.4	08.9-15.9	57	8.6	05.5-11.7	51	10.8	07.1-14.5	1	0.3	00.0-00.9
Oth. Race/Non-Hisp.	126	77,831	83	60.2	49.0-71.4	13	14.6	06.6-22.6	12	12.9	04.9-20.9	18	12.3	06.0-18.6			
MultiRacial/Non-Hisp.	133	69,082	86	60.3	49.3-71.3	14	13.0	05.2-20.8	10	4.7	00.4-09.0	23	22.0	12.4-31.6			
Hispanic	301	259,247	157	45.9	38.5-53.3	57	18.5	13.0-24.0	32	12.3	07.4-17.2	43	19.9	13.2-26.6	12	3.4	00.9-05.9
18-24	522	672,877	269	52.2	47.1-57.3	100	19.1	15.0-23.2	87	15.9	12.2-19.6	64	12.3	09.2-15.4	2	0.4	00.0-01.2
25-34	894	797,221	474	50.6	46.9-54.3	146	16.2	13.5-18.9	101	11.4	09.0-13.8	161	20.3	17.0-23.6	12	1.4	00.4-02.4
35-44	1110	814,045	642	54.1	50.6-57.6	158	14.0	11.5-16.5	131	13.2	10.8-15.6	171	18.0	15.1-20.9	8	0.7	00.1-01.3
45-54	1453	901,906	972	65.1	62.0-68.2	201	14.6	12.2-17.0	111	7.4	05.8-09.0	163	12.7	10.5-14.9	6	0.2	00.0-00.4
55-64	1788	783,396	1307	72.9	70.4-75.4	198	11.1	09.3-12.9	122	6.8	05.4-08.2	151	8.8	07.0-10.6	10	0.4	00.0-00.8
65+	2716	896,181	2275	83.4	81.6-85.2	205	8.1	06.7-09.5	96	3.4	02.6-04.2	128	4.5	03.5-05.5	12	0.6	00.2-01.0
Less Than H.S.	831	685,553	541	56.5	52.0-61.0	93	13.1	09.8-16.4	63	7.4	05.0-09.8	119	21.4	17.5-25.3	15	1.7	00.5-02.9
H.S. or G.E.D.	3108	1,722,284	2197	64.7	62.5-66.9	348	12.3	10.7-13.9	236	9.8	08.2-11.4	306	12.6	11.0-14.2	21	0.7	00.3-01.1
Some Post-H.S.	2243	1,468,067	1545	63.3	60.6-66.0	287	15.5	13.3-17.7	187	10.5	08.7-12.3	213	10.3	08.7-11.9	11	0.5	00.1-00.9
College Graduate	2358	1,013,438	1693	67.8	65.4-70.2	289	13.6	11.8-15.4	169	8.4	07.0-09.8	204	10.1	08.5-11.7	3	0.1	00.0-00.3
Less than \$15,000	1002	509,534	655	57.6	53.3-61.9	125	14.0	11.1-16.9	88	11.2	08.5-13.9	126	16.5	13.0-20.0	8	0.8	00.0-01.6
\$15,000- 24,999	1532	796,862	1045	60.1	56.8-63.4	162	12.6	10.2-15.0	133	10.8	08.4-13.2	177	15.4	12.9-17.9	15	1.1	00.3-01.9
\$25,000- 34,999	896	493,806	610	60.1	55.6-64.6	115	14.2	10.9-17.5	72	9.8	07.1-12.5	97	15.6	12.1-19.1	2	0.2	00.0-00.6
\$35,000- 49,999	1140	668,017	825	67.3	63.8-70.8	125	12.4	09.9-14.9	85	9.6	07.1-12.1	99	10.2	07.8-12.6	6	0.6	00.0-01.2
\$50,000- 74,999	1169	741,553	810	61.4	57.7-65.1	143	14.0	11.5-16.5	90	10.0	07.6-12.4	121	14.2	11.3-17.1	5	0.4	00.0-01.0
\$75,000+	1582	993,491	1129	68.4	65.5-71.3	222	15.1	12.7-17.5	104	7.6	05.8-09.4	123	8.7	06.9-10.5	4	0.3	00.0-00.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3364	2,377,469	2213	60.0	57.8-62.2	421	13.6	12.0-15.2	278	9.9	08.5-11.3	431	15.8	14.0-17.6	21	0.7	00.3-01.1
White/Non-Hisp	2767	1,934,592	1825	61.4	59.0-63.8	343	13.3	11.7-14.9	229	9.5	08.1-10.9	356	15.3	13.5-17.1	14	0.5	00.1-00.9
Black or Afr. Am./Non-Hisp	304	194,468	219	60.6	52.0-69.2	33	12.9	06.6-19.2	21	11.4	05.7-17.1	30	14.4	08.1-20.7	1	0.7	00.0-02.1
Oth. Race/Non-Hisp.	50	40,867	33	63.6	46.5-80.7	8	17.9	05.2-30.6	4	11.9	00.0-24.1	5	6.6	00.3-12.9			
MultiRacial/Non-Hisp.	52	31,191	31	55.3	38.8-71.8	9	16.3	04.1-28.5				12	28.5	13.2-43.8			
Hispanic	128	140,759	63	40.6	29.8-51.4	19	15.3	07.7-22.9	19	15.0	07.4-22.6	21	25.0	14.6-35.4	6	4.1	00.0-08.4
18-24	261	345,489	118	45.6	38.5-52.7	53	19.1	13.8-24.4	46	17.0	11.7-22.3	43	17.6	12.1-23.1	1	0.7	00.0-02.1
25-34	362	396,151	171	46.8	40.9-52.7	56	15.6	11.5-19.7	37	11.3	07.6-15.0	88	24.0	18.9-29.1	10	2.4	00.6-04.2
35-44	465	406,576	233	49.3	44.0-54.6	63	12.3	08.6-16.0	69	14.6	10.9-18.3	97	23.3	18.6-28.0	3	0.4	00.0-01.0
45-54	601	447,183	387	63.6	58.9-68.3	78	12.6	09.3-15.9	46	8.1	05.4-10.8	89	15.6	12.1-19.1	1	0.1	00.0-00.3
55-64	737	385,099	531	71.2	67.1-75.3	91	12.4	09.5-15.3	46	6.6	04.4-08.8	64	9.4	06.7-12.1	5	0.5	00.0-01.1
65+	916	384,284	760	82.4	79.3-85.5	76	9.9	07.4-12.4	32	2.8	01.6-04.0	47	4.7	02.9-06.5	1	0.2	00.0-00.6
Less Than H.S.	327	345,610	196	50.8	43.9-57.7	37	13.3	08.4-18.2	23	7.0	03.7-10.3	64	27.0	20.7-33.3	7	1.8	00.0-03.6
H.S. or G.E.D.	1214	891,403	789	59.6	56.1-63.1	148	12.6	10.4-14.8	108	11.2	08.7-13.7	159	15.8	13.1-18.5	10	0.8	00.2-01.4
Some Post-H.S.	814	634,095	535	60.9	56.8-65.0	106	14.6	11.5-17.7	70	11.0	08.3-13.7	100	13.0	10.1-15.9	3	0.5	00.0-01.1
College Graduate	1000	499,517	687	65.8	62.3-69.3	128	13.9	11.4-16.4	77	8.4	06.4-10.4	107	11.8	09.4-14.2	1	0.0	00.0-00.0
Less than \$15,000	305	203,155	187	55.8	48.2-63.4	39	11.1	06.8-15.4	29	12.4	07.5-17.3	48	19.9	13.2-26.6	2	0.8	00.0-02.2
\$15,000- 24,999	552	369,130	345	53.9	48.6-59.2	62	12.0	08.5-15.5	45	10.9	07.4-14.4	94	22.3	17.6-27.0	6	0.9	00.0-01.9
\$25,000- 34,999	345	229,552	220	55.2	48.3-62.1	46	14.9	09.2-20.6	30	10.5	06.4-14.6	48	19.3	13.4-25.2	1	0.2	00.0-00.6
\$35,000- 49,999	504	352,910	351	65.5	60.2-70.8	59	13.1	09.4-16.8	41	11.0	06.7-15.3	51	10.1	07.0-13.2	2	0.4	00.0-01.2
\$50,000- 74,999	535	402,541	357	57.0	51.5-62.5	60	13.4	09.5-17.3	44	9.9	06.6-13.2	71	19.0	14.3-23.7	3	0.7	00.0-01.7
\$75,000+	766	548,115	509	65.6	61.5-69.7	115	15.5	12.4-18.6	62	7.9	05.5-10.3	77	10.7	08.0-13.4	3	0.3	00.0-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5195	2,521,914	3777	67.4	65.6-69.2	599	13.7	12.3-15.1	377	8.8	07.6-10.0	413	9.6	08.4-10.8	29	0.6	00.4-00.8
White/Non-Hisp	4186	2,081,214	3035	67.6	65.6-69.6	480	13.5	11.9-15.1	305	9.0	07.8-10.2	343	9.4	08.2-10.6	23	0.5	00.3-00.7
Black or Afr. Am./Non-Hisp	610	223,125	487	74.2	68.5-79.9	66	12.0	08.3-15.7	36	6.1	03.4-08.8	21	7.7	03.4-12.0			
Oth. Race/Non-Hisp.	76	36,964	50	56.5	43.2-69.8	5	10.9	01.3-20.5	8	14.0	04.0-24.0	13	18.6	08.2-29.0			
MultiRacial/Non-Hisp.	81	37,891	55	64.4	49.9-78.9	5	10.3	00.1-20.5	10	8.6	01.0-16.2	11	16.7	04.5-28.9			
Hispanic	173	118,489	94	52.3	42.9-61.7	38	22.3	14.7-29.9	13	9.0	02.9-15.1	22	13.8	07.1-20.5	6	2.6	00.4-04.8
18-24	261	327,388	151	59.1	52.0-66.2	47	19.1	13.0-25.2	41	14.9	09.8-20.0	21	6.8	03.9-09.7	1	0.1	00.0-00.3
25-34	532	401,069	303	54.5	49.6-59.4	90	16.8	13.1-20.5	64	11.5	08.6-14.4	73	16.8	12.7-20.9	2	0.4	00.0-01.0
35-44	645	407,470	409	58.8	54.1-63.5	95	15.7	12.4-19.0	62	11.7	08.6-14.8	74	12.7	09.4-16.0	5	1.0	00.0-02.0
45-54	852	454,722	585	66.6	62.7-70.5	123	16.4	13.1-19.7	65	6.7	04.9-08.5	74	9.9	07.4-12.4	5	0.4	00.0-00.8
55-64	1051	398,297	776	74.5	71.4-77.6	107	9.8	07.6-12.0	76	7.1	05.3-08.9	87	8.3	06.3-10.3	5	0.4	00.0-00.8
65+	1800	511,897	1515	84.1	81.9-86.3	129	6.7	05.3-08.1	64	3.9	02.7-05.1	81	4.3	03.1-05.5	11	1.0	00.2-01.8
Less Than H.S.	504	339,943	345	62.3	56.4-68.2	56	12.8	08.7-16.9	40	7.8	04.7-10.9	55	15.6	10.9-20.3	8	1.5	00.3-02.7
H.S. or G.E.D.	1894	830,881	1408	70.2	67.5-72.9	200	11.9	09.9-13.9	128	8.2	06.6-09.8	147	9.2	07.4-11.0	11	0.5	00.1-00.9
Some Post-H.S.	1429	833,972	1010	65.1	61.6-68.6	181	16.1	13.2-19.0	117	10.1	07.9-12.3	113	8.3	06.5-10.1	8	0.5	00.1-00.9
College Graduate	1358	513,921	1006	69.7	66.6-72.8	161	13.3	10.9-15.7	92	8.4	06.4-10.4	97	8.4	06.4-10.4	2	0.2	00.0-00.4
Less than \$15,000	697	306,378	468	58.8	53.7-63.9	86	15.9	12.0-19.8	59	10.3	07.2-13.4	78	14.2	10.5-17.9	6	0.9	00.1-01.7
\$15,000- 24,999	980	427,732	700	65.5	61.2-69.8	100	13.1	09.8-16.4	88	10.7	07.8-13.6	83	9.5	07.0-12.0	9	1.2	00.2-02.2
\$25,000- 34,999	551	264,254	390	64.4	58.9-69.9	69	13.6	09.9-17.3	42	9.3	05.8-12.8	49	12.4	08.5-16.3	1	0.3	00.0-00.9
\$35,000- 49,999	636	315,107	474	69.3	64.6-74.0	66	11.6	08.5-14.7	44	8.1	05.6-10.6	48	10.2	06.9-13.5	4	0.7	00.0-01.7
\$50,000- 74,999	634	339,012	453	66.6	61.9-71.3	83	14.6	11.1-18.1	46	10.1	06.6-13.6	50	8.5	06.0-11.0	2	0.2	00.0-00.6
\$75,000+	816	445,377	620	71.8	67.7-75.9	107	14.6	11.3-17.9	42	7.2	04.7-09.7	46	6.2	04.2-08.2	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012

SECTION 4: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 4: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8628	4,939,154	6166	74.1	72.9-75.3	2462	25.9	24.7-27.1
Male	3385	2,396,787	2509	75.7	73.9-77.5	876	24.3	22.5-26.1
Female	5243	2,542,368	3657	72.6	71.0-74.2	1586	27.4	25.8-29.0
White/Non-Hisp	7008	4,049,418	5102	75.3	74.1-76.5	1906	24.7	23.5-25.9
Black or Afr. Am./Non-Hisp	922	419,133	581	70.5	65.8-75.2	341	29.5	24.8-34.2
Oth. Race/Non-Hisp.	125	77,350	97	78.8	70.2-87.4	28	21.2	12.6-29.8
MultiRacial/Non-Hisp.	133	69,082	88	67.4	57.2-77.6	45	32.6	22.4-42.8
Hispanic	305	263,284	214	66.2	59.1-73.3	91	33.8	26.7-40.9
18-24	532	680,772	449	83.7	79.8-87.6	83	16.3	12.4-20.2
25-34	900	807,394	724	79.3	76.2-82.4	176	20.7	17.6-23.8
35-44	1117	818,682	887	77.2	74.1-80.3	230	22.8	19.7-25.9
45-54	1457	904,821	1066	72.8	70.1-75.5	391	27.2	24.5-29.9
55-64	1800	787,847	1255	70.4	67.9-72.9	545	29.6	27.1-32.1
65+	2745	905,323	1729	64.4	62.2-66.6	1016	35.6	33.4-37.8
Less Than H.S.	847	697,173	466	59.3	55.0-63.6	381	40.7	36.4-45.0
H.S. or G.E.D.	3128	1,730,907	2003	67.8	65.6-70.0	1125	32.2	30.0-34.4
Some Post-H.S.	2261	1,477,860	1710	80.2	78.2-82.2	551	19.8	17.8-21.8
College Graduate	2372	1,023,025	1975	86.0	84.4-87.6	397	14.0	12.4-15.6
Less than \$15,000	1015	517,006	579	62.7	58.6-66.8	436	37.3	33.2-41.4
\$15,000- 24,999	1543	804,107	953	63.9	60.8-67.0	590	36.1	33.0-39.2
\$25,000- 34,999	901	497,074	606	68.5	64.4-72.6	295	31.5	27.4-35.6
\$35,000- 49,999	1146	671,251	871	78.0	75.1-80.9	275	22.0	19.1-24.9
\$50,000- 74,999	1173	741,945	937	80.4	77.5-83.3	236	19.6	16.7-22.5
\$75,000+	1590	1,001,055	1368	86.5	84.5-88.5	222	13.5	11.5-15.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 4: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3385	2,396,787	2509	75.7	73.9-77.5	876	24.3	22.5-26.1
White/Non-Hisp	2783	1,950,727	2098	77.0	75.0-79.0	685	23.0	21.0-25.0
Black or Afr. Am./Non-Hisp	306	195,051	206	72.0	64.2-79.8	100	28.0	20.2-35.8
MultiRacial/Non-Hisp.	52	31,191	36	74.5	61.0-88.0	16	25.5	12.0-39.0
Hispanic	130	142,923	92	67.2	56.8-77.6	38	32.8	22.4-43.2
18-24	264	348,380	228	84.5	79.2-89.8	36	15.5	10.2-20.8
25-34	366	404,853	295	79.2	74.5-83.9	71	20.8	16.1-25.5
35-44	468	409,905	377	77.1	72.2-82.0	91	22.9	18.0-27.8
45-54	600	446,021	447	75.9	72.0-79.8	153	24.1	20.2-28.0
55-64	741	387,043	519	69.8	65.7-73.9	222	30.2	26.1-34.3
65+	924	387,899	629	68.8	65.1-72.5	295	31.2	27.5-34.9
Less Than H.S.	333	351,534	188	60.7	54.0-67.4	145	39.3	32.6-46.0
H.S. or G.E.D.	1220	895,349	834	70.9	67.8-74.0	386	29.1	26.0-32.2
Some Post-H.S.	819	637,398	635	82.0	79.1-84.9	184	18.0	15.1-20.9
College Graduate	1004	505,662	847	86.7	84.3-89.1	157	13.3	10.9-15.7
Less than \$15,000	308	205,977	183	64.4	57.1-71.7	125	35.6	28.3-42.9
\$15,000- 24,999	555	372,599	352	66.4	61.3-71.5	203	33.6	28.5-38.7
\$25,000- 34,999	347	231,850	251	68.9	62.2-75.6	96	31.1	24.4-37.8
\$35,000- 49,999	507	355,811	387	78.7	74.6-82.8	120	21.3	17.2-25.4
\$50,000- 74,999	535	400,682	416	78.7	74.4-83.0	119	21.3	17.0-25.6
\$75,000+	768	552,758	661	86.5	83.6-89.4	107	13.5	10.6-16.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 4: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5243	2,542,368	3657	72.6	71.0-74.2	1586	27.4	25.8-29.0
White/Non-Hisp	4225	2,098,691	3004	73.7	71.9-75.5	1221	26.3	24.5-28.1
Black or Afr. Am./Non-Hisp	616	224,082	375	69.2	63.5-74.9	241	30.8	25.1-36.5
Oth. Race/Non-Hisp.	76	36,964	57	75.8	64.4-87.2	19	24.2	12.8-35.6
MultiRacial/Non-Hisp.	81	37,891	52	61.5	47.2-75.8	29	38.5	24.2-52.8
Hispanic	175	120,360	122	65.0	55.8-74.2	53	35.0	25.8-44.2
18-24	268	332,392	221	82.9	77.2-88.6	47	17.1	11.4-22.8
25-34	534	402,541	429	79.3	75.2-83.4	105	20.7	16.6-24.8
35-44	649	408,778	510	77.2	73.3-81.1	139	22.8	18.9-26.7
45-54	857	458,800	619	69.8	65.9-73.7	238	30.2	26.3-34.1
55-64	1059	400,805	736	71.0	67.7-74.3	323	29.0	25.7-32.3
65+	1821	517,424	1100	61.0	58.3-63.7	721	39.0	36.3-41.7
Less Than H.S.	514	345,639	278	57.8	52.1-63.5	236	42.2	36.5-47.9
H.S. or G.E.D.	1908	835,558	1169	64.6	61.9-67.3	739	35.4	32.7-38.1
Some Post-H.S.	1442	840,462	1075	78.9	76.2-81.6	367	21.1	18.4-23.8
College Graduate	1368	517,363	1128	85.3	83.1-87.5	240	14.7	12.5-16.9
Less than \$15,000	707	311,029	396	61.5	56.6-66.4	311	38.5	33.6-43.4
\$15,000- 24,999	988	431,508	601	61.7	57.6-65.8	387	38.3	34.2-42.4
\$25,000- 34,999	554	265,223	355	68.2	63.1-73.3	199	31.8	26.7-36.9
\$35,000- 49,999	639	315,440	484	77.2	73.3-81.1	155	22.8	18.9-26.7
\$50,000- 74,999	638	341,263	521	82.4	78.7-86.1	117	17.6	13.9-21.3
\$75,000+	822	448,297	707	86.4	83.7-89.1	115	13.6	10.9-16.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012**

SECTION 5: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	35
2 MALES ONLY	36
3 FEMALES ONLY	37
(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	38
5 MALES ONLY	39
6 FEMALES ONLY	40
(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	41
8 MALES ONLY	42
9 FEMALES ONLY	43
(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	44
11 MALES ONLY	45
12 FEMALES ONLY	46
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	47
14 MALES ONLY	48
15 FEMALES ONLY	49
(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16 MALES AND FEMALES	50
17 MALES ONLY	51
18 FEMALES ONLY	52
(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19 MALES AND FEMALES	53
20 MALES ONLY	54
21 FEMALES ONLY	55

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012**

SECTION 5: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
(EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)	
22 MALES AND FEMALES	56
23 MALES ONLY	57
24 FEMALES ONLY	58
(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25 MALES AND FEMALES	59
26 MALES ONLY	60
27 FEMALES ONLY	61
(EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)	
28 MALES AND FEMALES	62
29 MALES ONLY	63
30 FEMALES ONLY	64
(EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)	
31 MALES AND FEMALES	65
32 MALES ONLY	66
33 FEMALES ONLY	67
DO YOU HAVE ANY TROUBLE SEEING, EVEN WHEN WEARING GLASSES OR CONTACT LENSES? (CHCVISN1)	
34 MALES AND FEMALES	68
35 MALES ONLY	69
36 FEMALES ONLY	70
(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
37 MALES AND FEMALES	71
38 MALES ONLY	72
39 FEMALES ONLY	73

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8586	4,911,101	587	4.9	04.3-05.5	7999	95.1	94.5-95.7
Male	3368	2,376,242	311	6.4	05.6-07.2	3057	93.6	92.8-94.4
Female	5218	2,534,859	276	3.5	02.9-04.1	4942	96.5	95.9-97.1
White/Non-Hisp	6979	4,033,965	467	5.1	04.5-05.7	6512	94.9	94.3-95.5
Black or Afr. Am./Non-Hisp	913	412,277	74	4.1	02.3-05.9	839	95.9	94.1-97.7
Oth. Race/Non-Hisp.	123	73,313	9	5.3	00.6-10.0	114	94.7	90.0-99.4
MultiRacial/Non-Hisp.	132	68,732	6	3.0	00.1-05.9	126	97.0	94.1-99.9
Hispanic	305	263,091	12	1.8	00.4-03.2	293	98.2	96.8-99.6
18-24	532	680,772	4	0.4	00.0-00.8	528	99.6	99.2-100.0
25-34	896	802,991	7	0.7	00.1-01.3	889	99.3	98.7-99.9
35-44	1113	812,758	15	1.2	00.4-02.0	1098	98.8	98.0-99.6
45-54	1456	903,028	45	2.9	01.9-03.9	1411	97.1	96.1-98.1
55-64	1792	782,610	148	9.0	07.2-10.8	1644	91.0	89.2-92.8
65+	2721	894,733	362	13.8	12.2-15.4	2359	86.2	84.6-87.8
Less Than H.S.	832	681,350	99	7.4	05.4-09.4	733	92.6	90.6-94.6
H.S. or G.E.D.	3114	1,723,113	242	5.8	04.8-06.8	2872	94.2	93.2-95.2
Some Post-H.S.	2253	1,474,995	150	4.2	03.4-05.0	2103	95.8	95.0-96.6
College Graduate	2369	1,021,834	95	2.7	02.1-03.3	2274	97.3	96.7-97.9
Less than \$15,000	1005	510,586	103	7.7	05.7-09.7	902	92.3	90.3-94.3
\$15,000- 24,999	1534	798,068	169	8.0	06.4-09.6	1365	92.0	90.4-93.6
\$25,000- 34,999	893	488,574	57	5.0	03.4-06.6	836	95.0	93.4-96.6
\$35,000- 49,999	1145	670,184	75	5.0	03.6-06.4	1070	95.0	93.6-96.4
\$50,000- 74,999	1171	742,678	47	3.4	02.2-04.6	1124	96.6	95.4-97.8
\$75,000+	1588	999,715	42	1.7	01.1-02.3	1546	98.3	97.7-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3368	2,376,242	311	6.4	05.6-07.2	3057	93.6	92.8-94.4
White/Non-Hisp	2771	1,941,120	255	6.8	05.8-07.8	2516	93.2	92.2-94.2
Black or Afr. Am./Non-Hisp	303	189,245	26	4.0	01.1-06.9	277	96.0	93.1-98.9
MultiRacial/Non-Hisp.	52	31,191	4	5.7	00.0-12.2	48	94.3	87.8-0100
Hispanic	129	142,563	8	2.3	00.0-04.7	121	97.7	95.3-0100
18-24	264	348,380	3	0.6	00.0-01.4	261	99.4	98.6-0100
25-34	363	401,818	4	1.1	00.0-02.3	359	98.9	97.7-0100
35-44	465	404,096	8	1.1	00.1-02.1	457	98.9	97.9-99.9
45-54	601	445,669	24	3.8	02.0-05.6	577	96.2	94.4-98.0
55-64	736	382,492	91	12.8	09.9-15.7	645	87.2	84.3-90.1
65+	917	381,101	180	19.2	16.1-22.3	737	80.8	77.7-83.9
Less Than H.S.	325	336,903	39	7.3	04.2-10.4	286	92.7	89.6-95.8
H.S. or G.E.D.	1212	889,232	122	7.3	05.7-08.9	1090	92.7	91.1-94.3
Some Post-H.S.	819	638,202	86	6.5	04.9-08.1	733	93.5	91.9-95.1
College Graduate	1003	505,061	63	4.1	02.9-05.3	940	95.9	94.7-97.1
Less than \$15,000	306	201,050	38	9.0	05.3-12.7	268	91.0	87.3-94.7
\$15,000- 24,999	550	367,477	90	11.3	08.4-14.2	460	88.7	85.8-91.6
\$25,000- 34,999	342	224,725	31	6.7	04.0-09.4	311	93.3	90.6-96.0
\$35,000- 49,999	507	355,094	47	6.6	04.2-09.0	460	93.4	91.0-95.8
\$50,000- 74,999	534	401,504	37	5.4	03.4-07.4	497	94.6	92.6-96.6
\$75,000+	768	553,086	32	2.4	01.4-03.4	736	97.6	96.6-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5218	2,534,859	276	3.5	02.9-04.1	4942	96.5	95.9-97.1
White/Non-Hisp	4208	2,092,845	212	3.6	03.0-04.2	3996	96.4	95.8-97.0
Black or Afr. Am./Non-Hisp	610	223,032	48	4.2	02.2-06.2	562	95.8	93.8-97.8
Oth. Race/Non-Hisp.	75	36,748	4	4.9	00.0-11.0	71	95.1	89.0-0100
MultiRacial/Non-Hisp.	80	37,541	2	0.8	00.0-02.0	78	99.2	98.0-0100
Hispanic	176	120,527	4	1.3	00.0-02.7	172	98.7	97.3-0100
18-24	268	332,392	1	0.2	00.0-00.6	267	99.8	99.4-0100
25-34	533	401,172	3	0.3	00.0-00.7	530	99.7	99.3-0100
35-44	648	408,663	7	1.3	00.3-02.3	641	98.7	97.7-99.7
45-54	855	457,359	21	2.1	01.1-03.1	834	97.9	96.9-98.9
55-64	1056	400,118	57	5.3	03.7-06.9	999	94.7	93.1-96.3
65+	1804	513,632	182	9.7	07.9-11.5	1622	90.3	88.5-92.1
Less Than H.S.	507	344,447	60	7.5	05.1-09.9	447	92.5	90.1-94.9
H.S. or G.E.D.	1902	833,881	120	4.2	03.2-05.2	1782	95.8	94.8-96.8
Some Post-H.S.	1434	836,793	64	2.5	01.7-03.3	1370	97.5	96.7-98.3
College Graduate	1366	516,773	32	1.4	00.8-02.0	1334	98.6	98.0-99.2
Less than \$15,000	699	309,536	65	6.9	04.7-09.1	634	93.1	90.9-95.3
\$15,000- 24,999	984	430,591	79	5.3	03.9-06.7	905	94.7	93.3-96.1
\$25,000- 34,999	551	263,849	26	3.5	01.9-05.1	525	96.5	94.9-98.1
\$35,000- 49,999	638	315,090	28	3.1	01.7-04.5	610	96.9	95.5-98.3
\$50,000- 74,999	637	341,174	10	1.1	00.3-01.9	627	98.9	98.1-99.7
\$75,000+	820	446,628	10	0.9	00.3-01.5	810	99.1	98.5-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8559	4,906,960	600	5.4	04.8-06.0	7959	94.6	94.0-95.2
Male	3357	2,380,790	293	6.3	05.3-07.3	3064	93.7	92.7-94.7
Female	5202	2,526,170	307	4.6	03.8-05.4	4895	95.4	94.6-96.2
White/Non-Hisp	6953	4,026,162	483	5.7	05.1-06.3	6470	94.3	93.7-94.9
Black or Afr. Am./Non-Hisp	910	414,576	72	5.8	03.4-08.2	838	94.2	91.8-96.6
Oth. Race/Non-Hisp.	124	74,197	9	4.1	00.6-07.6	115	95.9	92.4-99.4
MultiRacial/Non-Hisp.	133	69,082	11	7.0	01.9-12.1	122	93.0	87.9-98.1
Hispanic	305	262,556	10	1.7	00.3-03.1	295	98.3	96.9-99.7
18-24	532	680,772	3	0.8	00.0-02.0	529	99.2	98.0-100.0
25-34	899	805,757	6	0.6	00.0-01.2	893	99.4	98.8-100.0
35-44	1114	816,165	10	1.1	00.3-01.9	1104	98.9	98.1-99.7
45-54	1454	902,009	61	4.4	03.0-05.8	1393	95.6	94.2-97.0
55-64	1787	782,954	156	9.8	08.0-11.6	1631	90.2	88.4-92.0
65+	2697	885,095	356	14.4	12.6-16.2	2341	85.6	83.8-87.4
Less Than H.S.	830	682,607	81	6.9	04.9-08.9	749	93.1	91.1-95.1
H.S. or G.E.D.	3105	1,720,830	249	6.3	05.3-07.3	2856	93.7	92.7-94.7
Some Post-H.S.	2242	1,473,236	158	5.0	04.0-06.0	2084	95.0	94.0-96.0
College Graduate	2363	1,020,204	111	3.5	02.7-04.3	2252	96.5	95.7-97.3
Less than \$15,000	1000	506,269	113	8.7	06.5-10.9	887	91.3	89.1-93.5
\$15,000- 24,999	1519	794,820	145	7.2	05.6-08.8	1374	92.8	91.2-94.4
\$25,000- 34,999	895	492,799	63	5.8	04.0-07.6	832	94.2	92.4-96.0
\$35,000- 49,999	1143	669,911	80	5.5	04.1-06.9	1063	94.5	93.1-95.9
\$50,000- 74,999	1168	741,387	60	4.8	03.0-06.6	1108	95.2	93.4-97.0
\$75,000+	1589	999,989	53	2.9	01.9-03.9	1536	97.1	96.1-98.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3357	2,380,790	293	6.3	05.3-07.3	3064	93.7	92.7-94.7
White/Non-Hisp	2763	1,941,261	244	6.6	05.6-07.6	2519	93.4	92.4-94.4
Black or Afr. Am./Non-Hisp	301	193,102	26	6.2	02.1-10.3	275	93.8	89.7-97.9
MultiRacial/Non-Hisp.	52	31,191	7	13.1	02.5-23.7	45	86.9	76.3-97.5
Hispanic	129	142,029	8	2.6	00.1-05.1	121	97.4	94.9-99.9
18-24	264	348,380	1	0.2	00.0-00.6	263	99.8	99.4-0100
25-34	366	404,853	3	0.8	00.0-01.8	363	99.2	98.2-0100
35-44	466	407,949	6	1.3	00.0-02.9	460	98.7	97.1-0100
45-54	601	447,028	27	4.4	02.4-06.4	574	95.6	93.6-97.6
55-64	735	383,795	84	12.1	09.0-15.2	651	87.9	84.8-91.0
65+	903	376,099	168	19.1	16.0-22.2	735	80.9	77.8-84.0
Less Than H.S.	323	342,322	32	6.6	03.7-09.5	291	93.4	90.5-96.3
H.S. or G.E.D.	1212	890,922	120	7.3	05.7-08.9	1092	92.7	91.1-94.3
Some Post-H.S.	814	636,694	72	6.1	04.3-07.9	742	93.9	92.1-95.7
College Graduate	999	504,008	68	4.5	03.3-05.7	931	95.5	94.3-96.7
Less than \$15,000	303	199,756	37	9.0	05.3-12.7	266	91.0	87.3-94.7
\$15,000- 24,999	543	366,440	64	8.3	05.8-10.8	479	91.7	89.2-94.2
\$25,000- 34,999	344	229,799	31	5.8	03.4-08.2	313	94.2	91.8-96.6
\$35,000- 49,999	506	355,261	50	7.2	04.8-09.6	456	92.8	90.4-95.2
\$50,000- 74,999	532	400,340	39	5.7	03.5-07.9	493	94.3	92.1-96.5
\$75,000+	768	553,608	43	4.4	02.8-06.0	725	95.6	94.0-97.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5202	2,526,170	307	4.6	03.8-05.4	4895	95.4	94.6-96.2
White/Non-Hisp	4190	2,084,901	239	4.7	03.9-05.5	3951	95.3	94.5-96.1
Black or Afr. Am./Non-Hisp	609	221,474	46	5.3	02.9-07.7	563	94.7	92.3-97.1
Oth. Race/Non-Hisp.	76	36,964	8	7.2	00.5-13.9	68	92.8	86.1-99.5
MultiRacial/Non-Hisp.	81	37,891	4	1.9	00.0-04.1	77	98.1	95.9-0100
Hispanic	176	120,527	2	0.5	00.0-01.3	174	99.5	98.7-0100
18-24	268	332,392	2	1.5	00.0-04.0	266	98.5	96.0-0100
25-34	533	400,904	3	0.4	00.0-01.0	530	99.6	99.0-0100
35-44	648	408,216	4	0.8	00.0-01.6	644	99.2	98.4-0100
45-54	853	454,981	34	4.4	02.6-06.2	819	95.6	93.8-97.4
55-64	1052	399,159	72	7.5	05.5-09.5	980	92.5	90.5-94.5
65+	1794	508,996	188	11.0	09.2-12.8	1606	89.0	87.2-90.8
Less Than H.S.	507	340,286	49	7.2	04.7-09.7	458	92.8	90.3-95.3
H.S. or G.E.D.	1893	829,908	129	5.3	04.1-06.5	1764	94.7	93.5-95.9
Some Post-H.S.	1428	836,543	86	4.2	02.8-05.6	1342	95.8	94.4-97.2
College Graduate	1364	516,196	43	2.6	01.6-03.6	1321	97.4	96.4-98.4
Less than \$15,000	697	306,513	76	8.5	06.1-10.9	621	91.5	89.1-93.9
\$15,000- 24,999	976	428,381	81	6.2	04.4-08.0	895	93.8	92.0-95.6
\$25,000- 34,999	551	263,000	32	5.8	03.4-08.2	519	94.2	91.8-96.6
\$35,000- 49,999	637	314,650	30	3.7	02.1-05.3	607	96.3	94.7-97.9
\$50,000- 74,999	636	341,048	21	3.8	01.1-06.5	615	96.2	93.5-98.9
\$75,000+	821	446,381	10	1.1	00.3-01.9	811	98.9	98.1-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8614	4,931,147	422	3.4	03.0-03.8	8192	96.6	96.2-97.0
Male	3384	2,393,868	162	3.4	02.6-04.2	3222	96.6	95.8-97.4
Female	5230	2,537,279	260	3.3	02.7-03.9	4970	96.7	96.1-97.3
White/Non-Hisp	6999	4,044,258	303	3.1	02.7-03.5	6696	96.9	96.5-97.3
Black or Afr. Am./Non-Hisp	918	417,237	72	4.2	02.6-05.8	846	95.8	94.2-97.4
Oth. Race/Non-Hisp.	124	76,976	10	8.6	00.0-17.6	114	91.4	82.4-0100
MultiRacial/Non-Hisp.	132	68,788	13	9.7	03.8-15.6	119	90.3	84.4-96.2
Hispanic	305	262,573	7	0.6	00.0-01.4	298	99.4	98.6-0100
18-24	532	680,772	2	0.2	00.0-00.4	530	99.8	99.6-0100
25-34	898	805,455	8	0.8	00.2-01.4	890	99.2	98.6-99.8
35-44	1115	817,138	19	1.3	00.5-02.1	1096	98.7	97.9-99.5
45-54	1459	905,994	44	2.5	01.5-03.5	1415	97.5	96.5-98.5
55-64	1799	786,724	91	5.0	03.6-06.4	1708	95.0	93.6-96.4
65+	2735	900,855	255	9.4	07.8-11.0	2480	90.6	89.0-92.2
Less Than H.S.	842	692,201	70	5.3	03.5-07.1	772	94.7	92.9-96.5
H.S. or G.E.D.	3124	1,728,684	185	4.0	03.2-04.8	2939	96.0	95.2-96.8
Some Post-H.S.	2260	1,478,880	111	3.2	02.4-04.0	2149	96.8	96.0-97.6
College Graduate	2369	1,021,300	55	1.2	00.8-01.6	2314	98.8	98.4-99.2
Less than \$15,000	1017	517,666	116	9.2	06.7-11.7	901	90.8	88.3-93.3
\$15,000- 24,999	1534	799,669	110	5.1	03.9-06.3	1424	94.9	93.7-96.1
\$25,000- 34,999	898	494,760	42	3.3	02.1-04.5	856	96.7	95.5-97.9
\$35,000- 49,999	1145	670,124	44	2.7	01.7-03.7	1101	97.3	96.3-98.3
\$50,000- 74,999	1174	743,878	27	1.3	00.7-01.9	1147	98.7	98.1-99.3
\$75,000+	1590	1,001,464	17	0.6	00.2-01.0	1573	99.4	99.0-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3384	2,393,868	162	3.4	02.6-04.2	3222	96.6	95.8-97.4
White/Non-Hisp	2783	1,949,207	103	2.9	02.1-03.7	2680	97.1	96.3-97.9
Black or Afr. Am./Non-Hisp	305	193,633	30	4.8	02.1-07.5	275	95.2	92.5-97.9
MultiRacial/Non-Hisp.	52	31,191	7	10.7	01.9-19.5	45	89.3	80.5-98.1
Hispanic	130	142,923	5	1.1	00.0-02.5	125	98.9	97.5-0100
18-24	264	348,380	1	0.2	00.0-00.6	263	99.8	99.4-0100
25-34	364	403,121	3	0.7	00.0-01.5	361	99.3	98.5-0100
35-44	467	409,238	7	0.9	00.0-01.9	460	99.1	98.1-0100
45-54	604	448,242	20	2.8	01.2-04.4	584	97.2	95.6-98.8
55-64	742	386,914	47	5.8	03.6-08.0	695	94.2	92.0-96.4
65+	921	385,285	84	10.0	07.1-12.9	837	90.0	87.1-92.9
Less Than H.S.	332	348,765	24	5.4	02.5-08.3	308	94.6	91.7-97.5
H.S. or G.E.D.	1220	894,448	62	3.7	02.5-04.9	1158	96.3	95.1-97.5
Some Post-H.S.	820	639,220	47	3.6	02.4-04.8	773	96.4	95.2-97.6
College Graduate	1003	504,591	29	1.2	00.6-01.8	974	98.8	98.2-99.4
Less than \$15,000	311	206,970	38	10.5	05.6-15.4	273	89.5	84.6-94.4
\$15,000- 24,999	550	370,187	46	5.9	03.7-08.1	504	94.1	91.9-96.3
\$25,000- 34,999	346	230,294	20	4.4	02.0-06.8	326	95.6	93.2-98.0
\$35,000- 49,999	507	355,195	24	3.1	01.5-04.7	483	96.9	95.3-98.5
\$50,000- 74,999	536	402,615	14	1.2	00.4-02.0	522	98.8	98.0-99.6
\$75,000+	769	553,674	4	0.3	00.0-00.7	765	99.7	99.3-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5230	2,537,279	260	3.3	02.7-03.9	4970	96.7	96.1-97.3
White/Non-Hisp	4216	2,095,051	200	3.3	02.7-03.9	4016	96.7	96.1-97.3
Black or Afr. Am./Non-Hisp	613	223,604	42	3.6	01.8-05.4	571	96.4	94.6-98.2
Oth. Race/Non-Hisp.	76	36,964	3	3.7	00.0-08.2	73	96.3	91.8-0100
MultiRacial/Non-Hisp.	80	37,597	6	8.9	01.3-16.5	74	91.1	83.5-98.7
Hispanic	175	119,650	2	0.1	00.0-00.3	173	99.9	99.7-0100
18-24	268	332,392	1	0.2	00.0-00.6	267	99.8	99.4-0100
25-34	534	402,334	5	0.8	00.0-01.6	529	99.2	98.4-0100
35-44	648	407,900	12	1.6	00.6-02.6	636	98.4	97.4-99.4
45-54	855	457,751	24	2.2	01.0-03.4	831	97.8	96.6-99.0
55-64	1057	399,810	44	4.2	02.6-05.8	1013	95.8	94.2-97.4
65+	1814	515,570	171	9.0	07.4-10.6	1643	91.0	89.4-92.6
Less Than H.S.	510	343,436	46	5.2	03.4-07.0	464	94.8	93.0-96.6
H.S. or G.E.D.	1904	834,236	123	4.3	03.3-05.3	1781	95.7	94.7-96.7
Some Post-H.S.	1440	839,660	64	2.9	01.9-03.9	1376	97.1	96.1-98.1
College Graduate	1366	516,709	26	1.3	00.7-01.9	1340	98.7	98.1-99.3
Less than \$15,000	706	310,696	78	8.3	05.8-10.8	628	91.7	89.2-94.2
\$15,000- 24,999	984	429,482	64	4.3	02.9-05.7	920	95.7	94.3-97.1
\$25,000- 34,999	552	264,466	22	2.4	01.2-03.6	530	97.6	96.4-98.8
\$35,000- 49,999	638	314,929	20	2.3	01.1-03.5	618	97.7	96.5-98.9
\$50,000- 74,999	638	341,263	13	1.4	00.4-02.4	625	98.6	97.6-99.6
\$75,000+	821	447,790	13	1.0	00.4-01.6	808	99.0	98.4-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8612	4,924,941	1124	13.0	12.0-14.0	7488	87.0	86.0-88.0
Male	3382	2,389,062	363	10.8	09.4-12.2	3019	89.2	87.8-90.6
Female	5230	2,535,879	761	15.0	13.6-16.4	4469	85.0	83.6-86.4
White/Non-Hisp	6998	4,040,329	881	12.6	11.6-13.6	6117	87.4	86.4-88.4
Black or Afr. Am./Non-Hisp	917	417,434	147	17.8	13.7-21.9	770	82.2	78.1-86.3
Oth. Race/Non-Hisp.	125	77,350	18	16.7	06.1-27.3	107	83.3	72.7-93.9
MultiRacial/Non-Hisp.	131	68,266	31	22.3	13.1-31.5	100	77.7	68.5-86.9
Hispanic	305	261,803	25	7.6	03.9-11.3	280	92.4	88.7-96.1
18-24	527	673,659	76	15.0	11.1-18.9	451	85.0	81.1-88.9
25-34	896	804,064	118	13.4	10.9-15.9	778	86.6	84.1-89.1
35-44	1115	816,920	157	13.4	11.0-15.8	958	86.6	84.2-89.0
45-54	1461	908,033	192	11.8	09.8-13.8	1269	88.2	86.2-90.2
55-64	1799	786,838	256	13.3	11.3-15.3	1543	86.7	84.7-88.7
65+	2738	901,197	314	11.3	09.7-12.9	2424	88.7	87.1-90.3
Less Than H.S.	843	691,063	151	16.3	13.2-19.4	692	83.7	80.6-86.8
H.S. or G.E.D.	3124	1,725,304	417	13.0	11.4-14.6	2707	87.0	85.4-88.6
Some Post-H.S.	2255	1,476,468	295	13.1	11.1-15.1	1960	86.9	84.9-88.9
College Graduate	2370	1,021,917	259	10.5	08.9-12.1	2111	89.5	87.9-91.1
Less than \$15,000	1012	515,721	231	22.9	19.2-26.6	781	77.1	73.4-80.8
\$15,000- 24,999	1536	797,849	233	14.3	11.9-16.7	1303	85.7	83.3-88.1
\$25,000- 34,999	901	496,439	109	12.1	09.6-14.6	792	87.9	85.4-90.4
\$35,000- 49,999	1144	670,761	115	10.9	08.5-13.3	1029	89.1	86.7-91.5
\$50,000- 74,999	1173	743,405	130	11.4	09.0-13.8	1043	88.6	86.2-91.0
\$75,000+	1591	1,001,971	140	8.7	06.9-10.5	1451	91.3	89.5-93.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3382	2,389,062	363	10.8	09.4-12.2	3019	89.2	87.8-90.6
White/Non-Hisp	2782	1,945,053	278	10.0	08.6-11.4	2504	90.0	88.6-91.4
Black or Afr. Am./Non-Hisp	304	194,255	42	15.6	09.3-21.9	262	84.4	78.1-90.7
MultiRacial/Non-Hisp.	52	31,191	9	18.7	04.4-33.0	43	81.3	67.0-95.6
Hispanic	129	141,275	13	8.8	03.1-14.5	116	91.2	85.5-96.9
18-24	260	342,930	40	13.8	09.3-18.3	220	86.2	81.7-90.7
25-34	364	402,487	44	13.6	09.5-17.7	320	86.4	82.3-90.5
35-44	467	408,615	46	9.9	06.8-13.0	421	90.1	87.0-93.2
45-54	604	449,354	56	8.0	05.6-10.4	548	92.0	89.6-94.4
55-64	742	387,296	77	9.8	07.1-12.5	665	90.2	87.5-92.9
65+	923	385,693	96	10.3	07.6-13.0	827	89.7	87.0-92.4
Less Than H.S.	331	348,119	46	12.9	08.4-17.4	285	87.1	82.6-91.6
H.S. or G.E.D.	1218	889,992	141	11.5	09.1-13.9	1077	88.5	86.1-90.9
Some Post-H.S.	819	638,304	89	10.8	08.3-13.3	730	89.2	86.7-91.7
College Graduate	1005	505,803	86	8.3	06.3-10.3	919	91.7	89.7-93.7
Less than \$15,000	309	205,653	63	20.6	14.1-27.1	246	79.4	72.9-85.9
\$15,000- 24,999	551	368,189	63	11.3	07.8-14.8	488	88.7	85.2-92.2
\$25,000- 34,999	347	231,215	39	9.6	06.1-13.1	308	90.4	86.9-93.9
\$35,000- 49,999	507	355,811	46	11.2	07.7-14.7	461	88.8	85.3-92.3
\$50,000- 74,999	536	402,615	52	9.7	06.6-12.8	484	90.3	87.2-93.4
\$75,000+	769	553,674	51	6.5	04.3-08.7	718	93.5	91.3-95.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5230	2,535,879	761	15.0	13.6-16.4	4469	85.0	83.6-86.4
White/Non-Hisp	4216	2,095,276	603	14.9	13.3-16.5	3613	85.1	83.5-86.7
Black or Afr. Am./Non-Hisp	613	223,179	105	19.7	14.2-25.2	508	80.3	74.8-85.8
Oth. Race/Non-Hisp.	76	36,964	11	12.2	04.0-20.4	65	87.8	79.6-96.0
MultiRacial/Non-Hisp.	79	37,075	22	25.2	13.2-37.2	57	74.8	62.8-86.8
Hispanic	176	120,527	12	6.3	02.0-10.6	164	93.7	89.4-98.0
18-24	267	330,729	36	16.2	09.7-22.7	231	83.8	77.3-90.3
25-34	532	401,577	74	13.3	10.2-16.4	458	86.7	83.6-89.8
35-44	648	408,305	111	16.9	13.4-20.4	537	83.1	79.6-86.6
45-54	857	458,679	136	15.6	12.7-18.5	721	84.4	81.5-87.3
55-64	1057	399,541	179	16.8	13.9-19.7	878	83.2	80.3-86.1
65+	1815	515,503	218	12.0	10.2-13.8	1597	88.0	86.2-89.8
Less Than H.S.	512	342,944	105	19.8	15.3-24.3	407	80.2	75.7-84.7
H.S. or G.E.D.	1906	835,312	276	14.6	12.6-16.6	1630	85.4	83.4-87.4
Some Post-H.S.	1436	838,164	206	14.9	12.0-17.8	1230	85.1	82.2-88.0
College Graduate	1365	516,114	173	12.7	10.5-14.9	1192	87.3	85.1-89.5
Less than \$15,000	703	310,068	168	24.4	19.9-28.9	535	75.6	71.1-80.1
\$15,000- 24,999	985	429,660	170	16.9	13.8-20.0	815	83.1	80.0-86.2
\$25,000- 34,999	554	265,223	70	14.4	10.5-18.3	484	85.6	81.7-89.5
\$35,000- 49,999	637	314,950	69	10.5	07.6-13.4	568	89.5	86.6-92.4
\$50,000- 74,999	637	340,790	78	13.4	09.7-17.1	559	86.6	82.9-90.3
\$75,000+	822	448,297	89	11.5	09.0-14.0	733	88.5	86.0-91.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1089	604,982	844	73.2	69.3-77.1	245	26.8	22.9-30.7
Male	351	245,513	241	66.8	60.5-73.1	110	33.2	26.9-39.5
Female	738	359,469	603	77.6	72.7-82.5	135	22.4	17.5-27.3
White/Non-Hisp	856	481,324	662	72.7	68.4-77.0	194	27.3	23.0-31.6
Black or Afr. Am./Non-Hisp	144	71,655	112	79.4	68.6-90.2	32	20.6	09.8-31.4
18-24	69	84,487	37	51.9	37.0-66.8	32	48.1	33.2-63.0
25-34	113	103,599	77	65.5	55.1-75.9	36	34.5	24.1-44.9
35-44	153	106,408	119	73.7	64.9-82.5	34	26.3	17.5-35.1
45-54	189	106,104	153	81.6	75.1-88.1	36	18.4	11.9-24.9
55-64	249	100,925	211	83.5	77.2-89.8	38	16.5	10.2-22.8
65+	305	97,445	240	79.6	73.7-85.5	65	20.4	14.5-26.3
Less Than H.S.	147	107,908	119	70.2	59.6-80.8	28	29.8	19.2-40.4
H.S. or G.E.D.	403	210,172	323	76.3	70.6-82.0	80	23.7	18.0-29.4
Some Post-H.S.	286	182,707	217	71.3	63.3-79.3	69	28.7	20.7-36.7
College Graduate	251	103,588	185	73.7	67.0-80.4	66	26.3	19.6-33.0
Less than \$15,000	224	112,719	185	77.3	68.7-85.9	39	22.7	14.1-31.3
\$15,000- 24,999	228	110,892	191	78.8	70.8-86.8	37	21.2	13.2-29.2
\$25,000- 34,999	106	59,190	82	70.7	59.5-81.9	24	29.3	18.1-40.5
\$35,000- 49,999	112	70,828	79	67.1	55.9-78.3	33	32.9	21.7-44.1
\$50,000- 74,999	124	80,251	87	73.7	63.9-83.5	37	26.3	16.5-36.1
\$75,000+	137	85,444	102	73.2	64.2-82.2	35	26.8	17.8-35.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	351	245,513	241	66.8	60.5-73.1	110	33.2	26.9-39.5
White/Non-Hisp	270	185,801	184	67.8	61.1-74.5	86	32.2	25.5-38.9
45-54	56	35,899	44	78.9	66.9-90.9	12	21.1	09.1-33.1
55-64	73	35,154	57	83.8	74.8-92.8	16	16.2	07.2-25.2
65+	95	39,290	65	73.3	61.9-84.7	30	26.7	15.3-38.1
H.S. or G.E.D.	137	94,437	101	68.4	58.6-78.2	36	31.6	21.8-41.4
Some Post-H.S.	87	67,350	60	69.0	57.0-81.0	27	31.0	19.0-43.0
College Graduate	81	39,915	48	63.1	50.2-76.0	33	36.9	24.0-49.8
Less than \$15,000	62	41,570	51	73.8	57.5-90.1	11	26.2	09.9-42.5
\$15,000- 24,999	62	39,913	49	78.7	66.5-90.9	13	21.3	09.1-33.5
\$50,000- 74,999	51	37,440	33	67.7	52.0-83.4	18	32.3	16.6-48.0
\$75,000+	50	35,536	35	75.3	61.6-89.0	15	24.7	11.0-38.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	738	359,469	603	77.6	72.7-82.5	135	22.4	17.5-27.3
White/Non-Hisp	586	295,522	478	75.8	70.3-81.3	108	24.2	18.7-29.7
Black or Afr. Am./Non-Hisp	102	41,286	82	84.5	73.5-95.5	20	15.5	04.5-26.5
25-34	71	50,699	54	75.3	63.9-86.7	17	24.7	13.3-36.1
35-44	109	68,399	88	76.8	66.2-87.4	21	23.2	12.6-33.8
45-54	133	70,205	109	83.0	75.4-90.6	24	17.0	09.4-24.6
55-64	176	65,771	154	83.3	74.9-91.7	22	16.7	08.3-25.1
65+	210	58,155	175	83.9	77.0-90.8	35	16.1	09.2-23.0
Less Than H.S.	102	64,464	87	74.6	61.9-87.3	15	25.4	12.7-38.1
H.S. or G.E.D.	266	115,735	222	82.8	76.7-88.9	44	17.2	11.1-23.3
Some Post-H.S.	199	115,358	157	72.6	61.8-83.4	42	27.4	16.6-38.2
College Graduate	170	63,672	137	80.4	73.3-87.5	33	19.6	12.5-26.7
Less than \$15,000	162	71,149	134	79.4	69.6-89.2	28	20.6	10.8-30.4
\$15,000- 24,999	166	70,979	142	78.8	68.4-89.2	24	21.2	10.8-31.6
\$25,000- 34,999	69	37,871	62	84.1	72.5-95.7	7	15.9	04.3-27.5
\$35,000- 49,999	67	32,431	55	84.3	74.1-94.5	12	15.7	05.5-25.9
\$50,000- 74,999	73	42,810	54	79.0	68.0-90.0	19	21.0	10.0-32.0
\$75,000+	87	49,908	67	71.6	59.6-83.6	20	28.4	16.4-40.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8622	4,932,686	595	5.1	04.5-05.7	8027	94.9	94.3-95.5
Male	3383	2,394,052	259	5.5	04.7-06.3	3124	94.5	93.7-95.3
Female	5239	2,538,633	336	4.8	04.2-05.4	4903	95.2	94.6-95.8
White/Non-Hisp	7003	4,044,366	567	6.0	05.4-06.6	6436	94.0	93.4-94.6
Black or Afr. Am./Non-Hisp	921	418,576	5	0.3	00.0-00.7	916	99.7	99.3-0100
Oth. Race/Non-Hisp.	126	77,831	4	1.4	00.0-03.0	122	98.6	97.0-0100
MultiRacial/Non-Hisp.	133	69,082	7	3.2	00.7-05.7	126	96.8	94.3-99.3
Hispanic	305	262,080	4	1.3	00.0-02.9	301	98.7	97.1-0100
18-24	531	680,103	3	0.4	00.0-00.8	528	99.6	99.2-0100
25-34	897	804,019	2	0.2	00.0-00.4	895	99.8	99.6-0100
35-44	1117	818,682	17	1.1	00.5-01.7	1100	98.9	98.3-99.5
45-54	1461	907,537	60	4.0	02.8-05.2	1401	96.0	94.8-97.2
55-64	1800	786,020	136	8.2	06.6-09.8	1664	91.8	90.2-93.4
65+	2739	902,009	373	15.4	13.6-17.2	2366	84.6	82.8-86.4
Less Than H.S.	845	697,213	50	3.9	02.5-05.3	795	96.1	94.7-97.5
H.S. or G.E.D.	3130	1,728,870	213	5.3	04.5-06.1	2917	94.7	93.9-95.5
Some Post-H.S.	2259	1,476,372	146	4.9	03.9-05.9	2113	95.1	94.1-96.1
College Graduate	2369	1,021,110	183	5.9	04.9-06.9	2186	94.1	93.1-95.1
Less than \$15,000	1017	516,463	58	3.3	02.3-04.3	959	96.7	95.7-97.7
\$15,000- 24,999	1543	804,265	117	6.1	04.7-07.5	1426	93.9	92.5-95.3
\$25,000- 34,999	901	497,089	46	3.9	02.5-05.3	855	96.1	94.7-97.5
\$35,000- 49,999	1146	670,704	80	5.4	04.0-06.8	1066	94.6	93.2-96.0
\$50,000- 74,999	1170	740,686	84	5.3	03.9-06.7	1086	94.7	93.3-96.1
\$75,000+	1589	1,001,034	118	5.7	04.5-06.9	1471	94.3	93.1-95.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3383	2,394,052	259	5.5	04.7-06.3	3124	94.5	93.7-95.3
White/Non-Hisp	2781	1,948,762	248	6.4	05.4-07.4	2533	93.6	92.6-94.6
Black or Afr. Am./Non-Hisp	306	194,868	1	0.0	00.0-00.0	305	100.0	0100-0100
Oth. Race/Non-Hisp.	50	40,867	1	0.9	00.0-02.7	49	99.1	97.3-0100
MultiRacial/Non-Hisp.	52	31,191	1	1.8	00.0-05.3	51	98.2	94.7-0100
Hispanic	129	141,552	3	2.0	00.0-04.7	126	98.0	95.3-0100
18-24	263	347,711	3	0.7	00.0-01.5	260	99.3	98.5-0100
25-34	365	403,482				365	100.0	0100-0100
35-44	468	409,905	2	0.3	00.0-00.7	466	99.7	99.3-0100
45-54	604	449,269	25	3.8	01.8-05.8	579	96.2	94.2-98.2
55-64	741	385,241	58	8.4	06.0-10.8	683	91.6	89.2-94.0
65+	920	385,758	170	20.0	16.7-23.3	750	80.0	76.7-83.3
Less Than H.S.	333	352,041	17	4.2	02.0-06.4	316	95.8	93.6-98.0
H.S. or G.E.D.	1220	893,643	86	5.3	03.9-06.7	1134	94.7	93.3-96.1
Some Post-H.S.	818	636,674	52	4.7	03.1-06.3	766	95.3	93.7-96.9
College Graduate	1003	504,850	102	7.4	05.8-09.0	901	92.6	91.0-94.2
Less than \$15,000	310	206,099	17	3.2	01.2-05.2	293	96.8	94.8-98.8
\$15,000- 24,999	556	372,924	53	7.4	04.9-09.9	503	92.6	90.1-95.1
\$25,000- 34,999	347	231,866	22	4.5	02.3-06.7	325	95.5	93.3-97.7
\$35,000- 49,999	507	355,264	39	5.7	03.5-07.9	468	94.3	92.1-96.5
\$50,000- 74,999	533	400,152	43	5.6	03.6-07.6	490	94.4	92.4-96.4
\$75,000+	767	552,737	58	5.3	03.5-07.1	709	94.7	92.9-96.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5239	2,538,633	336	4.8	04.2-05.4	4903	95.2	94.6-95.8
White/Non-Hisp	4222	2,095,604	319	5.6	04.8-06.4	3903	94.4	93.6-95.2
Black or Afr. Am./Non-Hisp	615	223,709	4	0.6	00.0-01.4	611	99.4	98.6-0100
Oth. Race/Non-Hisp.	76	36,964	3	2.0	00.0-04.4	73	98.0	95.6-0100
MultiRacial/Non-Hisp.	81	37,891	6	4.4	00.7-08.1	75	95.6	91.9-99.3
Hispanic	176	120,527	1	0.4	00.0-01.2	175	99.6	98.8-0100
18-24	268	332,392				268	100.0	0100-0100
25-34	532	400,537	2	0.3	00.0-00.7	530	99.7	99.3-0100
35-44	649	408,778	15	1.8	00.8-02.8	634	98.2	97.2-99.2
45-54	857	458,269	35	4.2	02.6-05.8	822	95.8	94.2-97.4
55-64	1059	400,779	78	8.1	06.1-10.1	981	91.9	89.9-93.9
65+	1819	516,251	203	11.9	10.1-13.7	1616	88.1	86.3-89.9
Less Than H.S.	512	345,172	33	3.5	02.1-04.9	479	96.5	95.1-97.9
H.S. or G.E.D.	1910	835,227	127	5.4	04.4-06.4	1783	94.6	93.6-95.6
Some Post-H.S.	1441	839,698	94	5.1	03.9-06.3	1347	94.9	93.7-96.1
College Graduate	1366	516,260	81	4.4	03.2-05.6	1285	95.6	94.4-96.8
Less than \$15,000	707	310,364	41	3.4	02.2-04.6	666	96.6	95.4-97.8
\$15,000- 24,999	987	431,341	64	5.0	03.6-06.4	923	95.0	93.6-96.4
\$25,000- 34,999	554	265,223	24	3.4	01.8-05.0	530	96.6	95.0-98.2
\$35,000- 49,999	639	315,440	41	5.1	03.3-06.9	598	94.9	93.1-96.7
\$50,000- 74,999	637	340,534	41	4.8	03.2-06.4	596	95.2	93.6-96.8
\$75,000+	822	448,297	60	6.1	04.3-07.9	762	93.9	92.1-95.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8624	4,939,392	765	6.4	05.8-07.0	7859	93.6	93.0-94.2
Male	3390	2,400,793	242	4.9	04.1-05.7	3148	95.1	94.3-95.9
Female	5234	2,538,599	523	7.9	07.1-08.7	4711	92.1	91.3-92.9
White/Non-Hisp	7007	4,050,422	647	7.1	06.5-07.7	6360	92.9	92.3-93.5
Black or Afr. Am./Non-Hisp	919	418,393	76	3.6	02.4-04.8	843	96.4	95.2-97.6
Oth. Race/Non-Hisp.	125	77,235	5	2.0	00.0-04.0	120	98.0	96.0-100.0
MultiRacial/Non-Hisp.	132	68,800	13	7.3	02.6-12.0	119	92.7	88.0-97.4
Hispanic	306	263,451	9	2.1	00.5-03.7	297	97.9	96.3-99.5
18-24	532	680,772	6	0.8	00.0-01.6	526	99.2	98.4-100.0
25-34	899	806,593	22	2.5	01.3-03.7	877	97.5	96.3-98.7
35-44	1116	818,121	33	2.9	01.9-03.9	1083	97.1	96.1-98.1
45-54	1460	907,596	89	5.8	04.4-07.2	1371	94.2	92.8-95.6
55-64	1799	787,565	149	7.7	06.1-09.3	1650	92.3	90.7-93.9
65+	2742	904,535	461	16.9	15.1-18.7	2281	83.1	81.3-84.9
Less Than H.S.	847	697,638	96	7.3	05.5-09.1	751	92.7	90.9-94.5
H.S. or G.E.D.	3128	1,730,442	293	7.0	06.0-08.0	2835	93.0	92.0-94.0
Some Post-H.S.	2258	1,478,421	182	5.8	04.8-06.8	2076	94.2	93.2-95.2
College Graduate	2372	1,022,808	191	5.7	04.7-06.7	2181	94.3	93.3-95.3
Less than \$15,000	1017	518,080	104	8.7	06.5-10.9	913	91.3	89.1-93.5
\$15,000- 24,999	1540	803,370	154	7.2	05.8-08.6	1386	92.8	91.4-94.2
\$25,000- 34,999	901	497,089	85	6.9	05.1-08.7	816	93.1	91.3-94.9
\$35,000- 49,999	1144	670,307	106	6.4	05.0-07.8	1038	93.6	92.2-95.0
\$50,000- 74,999	1174	743,878	91	5.0	03.8-06.2	1083	95.0	93.8-96.2
\$75,000+	1590	1,001,711	97	4.8	03.6-06.0	1493	95.2	94.0-96.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3390	2,400,793	242	4.9	04.1-05.7	3148	95.1	94.3-95.9
White/Non-Hisp	2788	1,954,397	203	5.6	04.6-06.6	2585	94.4	93.4-95.4
Black or Afr. Am./Non-Hisp	305	194,737	26	2.4	01.0-03.8	279	97.6	96.2-99.0
Oth. Race/Non-Hisp.	50	40,867				50	100.0	0100-0100
MultiRacial/Non-Hisp.	52	31,191	2	0.4	00.0-01.0	50	99.6	99.0-0100
Hispanic	130	142,923	3	1.0	00.0-02.4	127	99.0	97.6-0100
18-24	264	348,380	1	0.2	00.0-00.6	263	99.8	99.4-0100
25-34	366	404,853	3	1.1	00.0-02.5	363	98.9	97.5-0100
35-44	468	409,905	5	1.0	00.0-02.0	463	99.0	98.0-0100
45-54	604	449,399	21	3.3	01.7-04.9	583	96.7	95.1-98.3
55-64	742	387,828	50	6.7	04.5-08.9	692	93.3	91.1-95.5
65+	924	387,741	160	16.9	14.0-19.8	764	83.1	80.2-86.0
Less Than H.S.	333	351,999	30	5.2	02.8-07.6	303	94.8	92.4-97.2
H.S. or G.E.D.	1223	896,739	82	5.0	03.6-06.4	1141	95.0	93.6-96.4
Some Post-H.S.	819	639,327	48	4.1	02.7-05.5	771	95.9	94.5-97.3
College Graduate	1006	505,883	80	5.3	03.9-06.7	926	94.7	93.3-96.1
Less than \$15,000	310	207,215	21	6.4	02.9-09.9	289	93.6	90.1-97.1
\$15,000- 24,999	556	372,924	36	4.7	02.9-06.5	520	95.3	93.5-97.1
\$25,000- 34,999	347	231,866	32	6.2	03.7-08.7	315	93.8	91.3-96.3
\$35,000- 49,999	507	355,744	39	4.5	02.7-06.3	468	95.5	93.7-97.3
\$50,000- 74,999	536	402,615	39	3.9	02.3-05.5	497	96.1	94.5-97.7
\$75,000+	769	553,674	38	3.6	02.2-05.0	731	96.4	95.0-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5234	2,538,599	523	7.9	07.1-08.7	4711	92.1	91.3-92.9
White/Non-Hisp	4219	2,096,025	444	8.5	07.5-09.5	3775	91.5	90.5-92.5
Black or Afr. Am./Non-Hisp	614	223,656	50	4.5	02.5-06.5	564	95.5	93.5-97.5
Oth. Race/Non-Hisp.	75	36,368	5	4.2	00.1-08.3	70	95.8	91.7-99.9
MultiRacial/Non-Hisp.	80	37,609	11	12.9	04.5-21.3	69	87.1	78.7-95.5
Hispanic	176	120,527	6	3.4	00.1-06.7	170	96.6	93.3-99.9
18-24	268	332,392	5	1.5	00.1-02.9	263	98.5	97.1-99.9
25-34	533	401,740	19	3.9	02.1-05.7	514	96.1	94.3-97.9
35-44	648	408,216	28	4.8	02.8-06.8	620	95.2	93.2-97.2
45-54	856	458,197	68	8.3	06.1-10.5	788	91.7	89.5-93.9
55-64	1057	399,737	99	8.7	06.7-10.7	958	91.3	89.3-93.3
65+	1818	516,795	301	16.8	14.6-19.0	1517	83.2	81.0-85.4
Less Than H.S.	514	345,639	66	9.4	06.7-12.1	448	90.6	87.9-93.3
H.S. or G.E.D.	1905	833,703	211	9.2	07.6-10.8	1694	90.8	89.2-92.4
Some Post-H.S.	1439	839,094	134	7.0	05.6-08.4	1305	93.0	91.6-94.4
College Graduate	1366	516,925	111	6.1	04.7-07.5	1255	93.9	92.5-95.3
Less than \$15,000	707	310,864	83	10.2	07.5-12.9	624	89.8	87.1-92.5
\$15,000- 24,999	984	430,447	118	9.4	07.2-11.6	866	90.6	88.4-92.8
\$25,000- 34,999	554	265,223	53	7.5	04.8-10.2	501	92.5	89.8-95.2
\$35,000- 49,999	637	314,562	67	8.6	06.2-11.0	570	91.4	89.0-93.8
\$50,000- 74,999	638	341,263	52	6.3	04.3-08.3	586	93.7	91.7-95.7
\$75,000+	821	448,037	59	6.2	04.4-08.0	762	93.8	92.0-95.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8588	4,918,733	822	7.6	07.0-08.2	7766	92.4	91.8-93.0
Male	3372	2,385,252	281	6.6	05.6-07.6	3091	93.4	92.4-94.4
Female	5216	2,533,481	541	8.6	07.6-09.6	4675	91.4	90.4-92.4
White/Non-Hisp	6983	4,037,836	666	8.0	07.2-08.8	6317	92.0	91.2-92.8
Black or Afr. Am./Non-Hisp	915	417,358	94	6.5	04.3-08.7	821	93.5	91.3-95.7
Oth. Race/Non-Hisp.	122	73,917	12	9.4	00.0-18.8	110	90.6	81.2-0100
MultiRacial/Non-Hisp.	131	68,351	19	11.6	05.3-17.9	112	88.4	82.1-94.7
Hispanic	303	260,449	12	1.9	00.3-03.5	291	98.1	96.5-99.7
18-24	527	673,962	10	1.7	00.5-02.9	517	98.3	97.1-99.5
25-34	898	804,210	28	3.2	01.8-04.6	870	96.8	95.4-98.2
35-44	1113	817,565	51	4.3	02.9-05.7	1062	95.7	94.3-97.1
45-54	1452	901,890	152	9.7	07.9-11.5	1300	90.3	88.5-92.1
55-64	1798	787,448	210	11.2	09.4-13.0	1588	88.8	87.0-90.6
65+	2724	899,429	362	13.6	11.8-15.4	2362	86.4	84.6-88.2
Less Than H.S.	841	693,109	160	13.7	11.0-16.4	681	86.3	83.6-89.0
H.S. or G.E.D.	3112	1,719,527	350	9.2	08.0-10.4	2762	90.8	89.6-92.0
Some Post-H.S.	2249	1,475,103	206	6.2	05.2-07.2	2043	93.8	92.8-94.8
College Graduate	2366	1,020,805	104	3.0	02.2-03.8	2262	97.0	96.2-97.8
Less than \$15,000	1009	513,908	201	16.9	14.0-19.8	808	83.1	80.2-86.0
\$15,000- 24,999	1530	795,514	237	12.8	10.6-15.0	1293	87.2	85.0-89.4
\$25,000- 34,999	899	496,226	90	9.1	06.9-11.3	809	90.9	88.7-93.1
\$35,000- 49,999	1144	669,873	77	5.0	03.6-06.4	1067	95.0	93.6-96.4
\$50,000- 74,999	1171	742,058	58	4.0	02.8-05.2	1113	96.0	94.8-97.2
\$75,000+	1589	1,001,417	49	2.8	01.8-03.8	1540	97.2	96.2-98.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3372	2,385,252	281	6.6	05.6-07.6	3091	93.4	92.4-94.4
White/Non-Hisp	2778	1,946,549	224	6.9	05.9-07.9	2554	93.1	92.1-94.1
Black or Afr. Am./Non-Hisp	305	194,668	31	6.1	02.8-09.4	274	93.9	90.6-97.2
MultiRacial/Non-Hisp.	51	30,551	7	10.9	00.5-21.3	44	89.1	78.7-99.5
Hispanic	128	140,088	5	0.8	00.0-01.8	123	99.2	98.2-0100
18-24	260	342,168	3	0.9	00.0-01.9	257	99.1	98.1-0100
25-34	363	401,502	9	2.8	00.8-04.8	354	97.2	95.2-99.2
35-44	467	409,441	18	4.2	02.0-06.4	449	95.8	93.6-98.0
45-54	600	446,196	55	8.1	05.7-10.5	545	91.9	89.5-94.3
55-64	740	387,087	69	9.2	06.7-11.7	671	90.8	88.3-93.3
65+	920	386,171	123	13.5	10.4-16.6	797	86.5	83.4-89.6
Less Than H.S.	329	348,424	50	11.0	07.1-14.9	279	89.0	85.1-92.9
H.S. or G.E.D.	1216	888,163	125	7.5	05.9-09.1	1091	92.5	90.9-94.1
Some Post-H.S.	818	638,141	66	5.9	04.1-07.7	752	94.1	92.3-95.9
College Graduate	1000	503,680	39	3.1	01.9-04.3	961	96.9	95.7-98.1
Less than \$15,000	305	204,234	52	13.8	08.5-19.1	253	86.2	80.9-91.5
\$15,000- 24,999	550	367,403	80	11.9	08.6-15.2	470	88.1	84.8-91.4
\$25,000- 34,999	346	231,263	40	8.9	05.8-12.0	306	91.1	88.0-94.2
\$35,000- 49,999	507	354,780	33	4.8	02.8-06.8	474	95.2	93.2-97.2
\$50,000- 74,999	534	401,277	24	3.5	01.9-05.1	510	96.5	94.9-98.1
\$75,000+	768	553,288	23	2.7	01.3-04.1	745	97.3	95.9-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5216	2,533,481	541	8.6	07.6-09.6	4675	91.4	90.4-92.4
White/Non-Hisp	4205	2,091,287	442	9.0	08.0-10.0	3763	91.0	90.0-92.0
Black or Afr. Am./Non-Hisp	610	222,690	63	6.8	04.1-09.5	547	93.2	90.5-95.9
Oth. Race/Non-Hisp.	76	36,964	8	7.4	00.7-14.1	68	92.6	85.9-99.3
MultiRacial/Non-Hisp.	80	37,800	12	12.1	04.5-19.7	68	87.9	80.3-95.5
Hispanic	175	120,361	7	3.1	00.2-06.0	168	96.9	94.0-99.8
18-24	267	331,793	7	2.5	00.5-04.5	260	97.5	95.5-99.5
25-34	535	402,708	19	3.5	01.7-05.3	516	96.5	94.7-98.3
35-44	646	408,123	33	4.4	02.8-06.0	613	95.6	94.0-97.2
45-54	852	455,694	97	11.2	08.7-13.7	755	88.8	86.3-91.3
55-64	1058	400,361	141	13.2	10.7-15.7	917	86.8	84.3-89.3
65+	1804	513,258	239	13.7	11.7-15.7	1565	86.3	84.3-88.3
Less Than H.S.	512	344,685	110	16.4	12.9-19.9	402	83.6	80.1-87.1
H.S. or G.E.D.	1896	831,364	225	11.0	09.2-12.8	1671	89.0	87.2-90.8
Some Post-H.S.	1431	836,962	140	6.4	05.0-07.8	1291	93.6	92.2-95.0
College Graduate	1366	517,125	65	2.9	01.9-03.9	1301	97.1	96.1-98.1
Less than \$15,000	704	309,674	149	19.0	15.3-22.7	555	81.0	77.3-84.7
\$15,000- 24,999	980	428,111	157	13.5	10.8-16.2	823	86.5	83.8-89.2
\$25,000- 34,999	553	264,963	50	9.2	06.1-12.3	503	90.8	87.7-93.9
\$35,000- 49,999	637	315,092	44	5.2	03.4-07.0	593	94.8	93.0-96.6
\$50,000- 74,999	637	340,781	34	4.6	02.8-06.4	603	95.4	93.6-97.2
\$75,000+	821	448,130	26	3.0	01.6-04.4	795	97.0	95.6-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8587	4,916,538	3154	27.8	26.6-29.0	5433	72.2	71.0-73.4
Male	3373	2,386,268	1001	22.5	20.9-24.1	2372	77.5	75.9-79.1
Female	5214	2,530,270	2153	32.9	31.3-34.5	3061	67.1	65.5-68.7
White/Non-Hisp	6976	4,034,429	2588	29.1	27.9-30.3	4388	70.9	69.7-72.1
Black or Afr. Am./Non-Hisp	917	417,862	373	25.4	21.3-29.5	544	74.6	70.5-78.7
Oth. Race/Non-Hisp.	123	72,392	30	13.4	07.3-19.5	93	86.6	80.5-92.7
MultiRacial/Non-Hisp.	132	68,050	58	42.3	31.3-53.3	74	57.7	46.7-68.7
Hispanic	304	262,553	56	12.3	08.2-16.4	248	87.7	83.6-91.8
18-24	526	675,662	18	4.6	01.7-07.5	508	95.4	92.5-98.3
25-34	897	804,255	81	8.2	06.2-10.2	816	91.8	89.8-93.8
35-44	1111	816,070	181	16.4	13.9-18.9	930	83.6	81.1-86.1
45-54	1456	905,198	480	31.8	28.9-34.7	976	68.2	65.3-71.1
55-64	1793	785,315	803	43.2	40.5-45.9	990	56.8	54.1-59.5
65+	2728	895,830	1564	55.7	53.3-58.1	1164	44.3	41.9-46.7
Less Than H.S.	843	690,576	395	32.2	28.5-35.9	448	67.8	64.1-71.5
H.S. or G.E.D.	3112	1,722,348	1311	32.2	30.2-34.2	1801	67.8	65.8-69.8
Some Post-H.S.	2251	1,474,157	806	26.3	24.1-28.5	1445	73.7	71.5-75.9
College Graduate	2362	1,019,374	635	19.8	18.0-21.6	1727	80.2	78.4-82.0
Less than \$15,000	1015	511,753	488	35.8	31.9-39.7	527	64.2	60.3-68.1
\$15,000- 24,999	1532	800,192	717	35.4	32.5-38.3	815	64.6	61.7-67.5
\$25,000- 34,999	899	495,509	352	29.2	25.7-32.7	547	70.8	67.3-74.3
\$35,000- 49,999	1142	668,684	385	26.8	23.9-29.7	757	73.2	70.3-76.1
\$50,000- 74,999	1169	740,891	342	23.0	20.3-25.7	827	77.0	74.3-79.7
\$75,000+	1585	999,007	374	19.0	16.8-21.2	1211	81.0	78.8-83.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HVARTH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3373	2,386,268	1001	22.5	20.9-24.1	2372	77.5	75.9-79.1
White/Non-Hisp	2775	1,945,847	814	23.1	21.3-24.9	1961	76.9	75.1-78.7
Black or Afr. Am./Non-Hisp	305	194,411	112	23.6	16.7-30.5	193	76.4	69.5-83.3
MultiRacial/Non-Hisp.	51	30,159	19	39.7	23.0-56.4	32	60.3	43.6-77.0
Hispanic	129	142,846	20	10.5	05.0-16.0	109	89.5	84.0-95.0
18-24	261	345,731	8	2.3	00.5-04.1	253	97.7	95.9-99.5
25-34	363	401,920	27	6.7	03.8-09.6	336	93.3	90.4-96.2
35-44	465	408,291	62	13.8	09.9-17.7	403	86.2	82.3-90.1
45-54	603	448,833	166	26.0	21.9-30.1	437	74.0	69.9-78.1
55-64	740	386,959	297	38.3	34.0-42.6	443	61.7	57.4-66.0
65+	919	381,847	435	46.6	42.7-50.5	484	53.4	49.5-57.3
Less Than H.S.	331	346,377	122	26.8	21.3-32.3	209	73.2	67.7-78.7
H.S. or G.E.D.	1217	893,116	413	25.6	22.9-28.3	804	74.4	71.7-77.1
Some Post-H.S.	816	636,738	227	19.5	16.6-22.4	589	80.5	77.6-83.4
College Graduate	1000	503,193	236	17.9	15.4-20.4	764	82.1	79.6-84.6
Less than \$15,000	308	201,448	123	31.8	24.7-38.9	185	68.2	61.1-75.3
\$15,000- 24,999	550	370,926	219	29.5	25.0-34.0	331	70.5	66.0-75.0
\$25,000- 34,999	346	230,687	108	22.5	17.6-27.4	238	77.5	72.6-82.4
\$35,000- 49,999	506	354,328	143	21.9	18.0-25.8	363	78.1	74.2-82.0
\$50,000- 74,999	534	401,282	140	20.1	16.4-23.8	394	79.9	76.2-83.6
\$75,000+	765	551,246	157	16.1	13.2-19.0	608	83.9	81.0-86.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5214	2,530,270	2153	32.9	31.3-34.5	3061	67.1	65.5-68.7
White/Non-Hisp	4201	2,088,582	1774	34.7	32.9-36.5	2427	65.3	63.5-67.1
Black or Afr. Am./Non-Hisp	612	223,451	261	26.9	21.8-32.0	351	73.1	68.0-78.2
Oth. Race/Non-Hisp.	75	36,226	20	16.5	07.7-25.3	55	83.5	74.7-92.3
MultiRacial/Non-Hisp.	81	37,891	39	44.4	29.9-58.9	42	55.6	41.1-70.1
Hispanic	175	119,707	36	14.6	08.5-20.7	139	85.4	79.3-91.5
18-24	265	329,931	10	7.1	01.6-12.6	255	92.9	87.4-98.4
25-34	534	402,334	54	9.6	06.9-12.3	480	90.4	87.7-93.1
35-44	646	407,779	119	18.9	15.4-22.4	527	81.1	77.6-84.6
45-54	853	456,365	314	37.5	33.4-41.6	539	62.5	58.4-66.6
55-64	1053	398,356	506	48.0	44.3-51.7	547	52.0	48.3-55.7
65+	1809	513,983	1129	62.5	59.8-65.2	680	37.5	34.8-40.2
Less Than H.S.	512	344,199	273	37.5	32.4-42.6	239	62.5	57.4-67.6
H.S. or G.E.D.	1895	829,233	898	39.2	36.5-41.9	997	60.8	58.1-63.5
Some Post-H.S.	1435	837,419	579	31.5	28.4-34.6	856	68.5	65.4-71.6
College Graduate	1362	516,181	399	21.6	19.2-24.0	963	78.4	76.0-80.8
Less than \$15,000	707	310,305	365	38.4	33.7-43.1	342	61.6	56.9-66.3
\$15,000- 24,999	982	429,265	498	40.5	36.6-44.4	484	59.5	55.6-63.4
\$25,000- 34,999	553	264,821	244	35.0	29.9-40.1	309	65.0	59.9-70.1
\$35,000- 49,999	636	314,356	242	32.4	28.1-36.7	394	67.6	63.3-71.9
\$50,000- 74,999	635	339,609	202	26.5	22.4-30.6	433	73.5	69.4-77.6
\$75,000+	820	447,760	217	22.6	19.3-25.9	603	77.4	74.1-80.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 28: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8585	4,906,771	1705	19.5	18.3-20.7	6880	80.5	79.3-81.7
Male	3371	2,382,430	487	14.0	12.6-15.4	2884	86.0	84.6-87.4
Female	5214	2,524,341	1218	24.8	23.2-26.4	3996	75.2	73.6-76.8
White/Non-Hisp	6977	4,030,238	1418	20.3	19.1-21.5	5559	79.7	78.5-80.9
Black or Afr. Am./Non-Hisp	915	415,837	145	14.8	11.3-18.3	770	85.2	81.7-88.7
Oth. Race/Non-Hisp.	125	74,284	22	15.9	08.1-23.7	103	84.1	76.3-91.9
MultiRacial/Non-Hisp.	132	68,486	45	32.4	22.4-42.4	87	67.6	57.6-77.6
Hispanic	303	258,561	47	11.9	07.6-16.2	256	88.1	83.8-92.4
18-24	524	669,213	95	19.2	15.1-23.3	429	80.8	76.7-84.9
25-34	897	802,953	176	18.6	15.7-21.5	721	81.4	78.5-84.3
35-44	1112	816,659	224	17.9	15.4-20.4	888	82.1	79.6-84.6
45-54	1455	902,403	368	23.8	21.3-26.3	1087	76.2	73.7-78.7
55-64	1793	783,835	427	22.9	20.5-25.3	1366	77.1	74.7-79.5
65+	2727	897,392	408	15.4	13.6-17.2	2319	84.6	82.8-86.4
Less Than H.S.	837	683,712	238	26.2	22.5-29.9	599	73.8	70.1-77.5
H.S. or G.E.D.	3110	1,721,841	618	18.7	16.9-20.5	2492	81.3	79.5-83.1
Some Post-H.S.	2252	1,470,122	503	21.6	19.2-24.0	1749	78.4	76.0-80.8
College Graduate	2366	1,020,908	342	13.5	11.9-15.1	2024	86.5	84.9-88.1
Less than \$15,000	1009	508,168	370	35.7	31.8-39.6	639	64.3	60.4-68.2
\$15,000- 24,999	1534	798,318	363	25.0	22.1-27.9	1171	75.0	72.1-77.9
\$25,000- 34,999	895	492,932	175	20.4	16.7-24.1	720	79.6	75.9-83.3
\$35,000- 49,999	1145	669,410	200	16.5	14.0-19.0	945	83.5	81.0-86.0
\$50,000- 74,999	1173	743,398	193	16.8	14.1-19.5	980	83.2	80.5-85.9
\$75,000+	1586	997,364	187	11.9	09.9-13.9	1399	88.1	86.1-90.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3371	2,382,430	487	14.0	12.6-15.4	2884	86.0	84.6-87.4
White/Non-Hisp	2774	1,944,216	393	14.2	12.6-15.8	2381	85.8	84.2-87.4
Black or Afr. Am./Non-Hisp	305	192,806	42	11.8	06.3-17.3	263	88.2	82.7-93.7
MultiRacial/Non-Hisp.	51	30,595	15	26.3	11.2-41.4	36	73.7	58.6-88.8
Hispanic	129	141,275	15	8.8	03.3-14.3	114	91.2	85.7-96.7
18-24	261	344,294	32	11.8	07.5-16.1	229	88.2	83.9-92.5
25-34	365	402,943	55	14.8	10.7-18.9	310	85.2	81.1-89.3
35-44	466	408,641	66	12.5	09.0-16.0	400	87.5	84.0-91.0
45-54	602	447,222	116	17.8	14.3-21.3	486	82.2	78.7-85.7
55-64	739	384,631	117	15.2	12.1-18.3	622	84.8	81.7-87.9
65+	916	382,014	101	11.2	08.7-13.7	815	88.8	86.3-91.3
Less Than H.S.	326	341,663	71	20.3	15.2-25.4	255	79.7	74.6-84.8
H.S. or G.E.D.	1217	892,041	175	13.6	11.2-16.0	1042	86.4	84.0-88.8
Some Post-H.S.	818	637,574	135	14.8	11.9-17.7	683	85.2	82.3-88.1
College Graduate	1001	504,307	105	9.4	07.2-11.6	896	90.6	88.4-92.8
Less than \$15,000	306	200,431	100	28.7	22.0-35.4	206	71.3	64.6-78.0
\$15,000- 24,999	551	369,036	116	22.0	17.5-26.5	435	78.0	73.5-82.5
\$25,000- 34,999	345	230,720	53	14.0	09.7-18.3	292	86.0	81.7-90.3
\$35,000- 49,999	508	355,968	62	11.6	08.5-14.7	446	88.4	85.3-91.5
\$50,000- 74,999	536	402,615	58	11.6	08.1-15.1	478	88.4	84.9-91.9
\$75,000+	766	552,098	59	7.7	05.5-09.9	707	92.3	90.1-94.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5214	2,524,341	1218	24.8	23.2-26.4	3996	75.2	73.6-76.8
White/Non-Hisp	4203	2,086,022	1025	26.0	24.2-27.8	3178	74.0	72.2-75.8
Black or Afr. Am./Non-Hisp	610	223,031	103	17.4	12.7-22.1	507	82.6	77.9-87.3
Oth. Race/Non-Hisp.	76	36,964	11	15.5	05.7-25.3	65	84.5	74.7-94.3
MultiRacial/Non-Hisp.	81	37,891	30	37.3	23.8-50.8	51	62.7	49.2-76.2
Hispanic	174	117,286	32	15.7	09.2-22.2	142	84.3	77.8-90.8
18-24	263	324,919	63	27.0	19.9-34.1	200	73.0	65.9-80.1
25-34	532	400,010	121	22.4	18.5-26.3	411	77.6	73.7-81.5
35-44	646	408,018	158	23.3	19.6-27.0	488	76.7	73.0-80.4
45-54	853	455,181	252	29.6	25.9-33.3	601	70.4	66.7-74.1
55-64	1054	399,204	310	30.4	27.1-33.7	744	69.6	66.3-72.9
65+	1811	515,378	307	18.5	16.3-20.7	1504	81.5	79.3-83.7
Less Than H.S.	511	342,049	167	32.1	26.8-37.4	344	67.9	62.6-73.2
H.S. or G.E.D.	1893	829,799	443	24.2	21.8-26.6	1450	75.8	73.4-78.2
Some Post-H.S.	1434	832,547	368	26.8	23.7-29.9	1066	73.2	70.1-76.3
College Graduate	1365	516,601	237	17.5	15.0-20.0	1128	82.5	80.0-85.0
Less than \$15,000	703	307,737	270	40.2	35.3-45.1	433	59.8	54.9-64.7
\$15,000- 24,999	983	429,282	247	27.7	23.8-31.6	736	72.3	68.4-76.2
\$25,000- 34,999	550	262,212	122	26.1	20.4-31.8	428	73.9	68.2-79.6
\$35,000- 49,999	637	313,443	138	22.2	18.3-26.1	499	77.8	73.9-81.7
\$50,000- 74,999	637	340,783	135	23.0	18.7-27.3	502	77.0	72.7-81.3
\$75,000+	820	445,266	128	17.1	14.0-20.2	692	82.9	79.8-86.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8612	4,929,363	309	2.9	02.5-03.3	8303	97.1	96.7-97.5
Male	3385	2,393,388	108	2.5	01.9-03.1	3277	97.5	96.9-98.1
Female	5227	2,535,974	201	3.3	02.7-03.9	5026	96.7	96.1-97.3
White/Non-Hisp	6994	4,043,241	245	3.0	02.6-03.4	6749	97.0	96.6-97.4
Black or Afr. Am./Non-Hisp	920	418,804	45	3.4	01.8-05.0	875	96.6	95.0-98.2
Oth. Race/Non-Hisp.	125	74,284	2	0.7	00.0-01.9	123	99.3	98.1-0100
MultiRacial/Non-Hisp.	132	68,937	5	4.6	00.1-09.1	127	95.4	90.9-99.9
Hispanic	305	262,900	5	0.5	00.0-01.1	300	99.5	98.9-0100
18-24	531	680,221	5	1.3	00.1-02.5	526	98.7	97.5-99.9
25-34	896	805,215	13	1.3	00.5-02.1	883	98.7	97.9-99.5
35-44	1113	814,099	20	2.0	01.0-03.0	1093	98.0	97.0-99.0
45-54	1461	907,559	40	2.6	01.6-03.6	1421	97.4	96.4-98.4
55-64	1799	787,927	64	3.5	02.3-04.7	1735	96.5	95.3-97.7
65+	2735	900,026	165	6.0	04.8-07.2	2570	94.0	92.8-95.2
Less Than H.S.	840	688,001	40	3.3	01.9-04.7	800	96.7	95.3-98.1
H.S. or G.E.D.	3128	1,732,505	121	3.1	02.3-03.9	3007	96.9	96.1-97.7
Some Post-H.S.	2258	1,477,665	80	2.8	02.0-03.6	2178	97.2	96.4-98.0
College Graduate	2366	1,021,003	68	2.4	01.6-03.2	2298	97.6	96.8-98.4
Less than \$15,000	1009	510,628	58	5.7	03.5-07.9	951	94.3	92.1-96.5
\$15,000- 24,999	1536	801,247	75	4.2	03.0-05.4	1461	95.8	94.6-97.0
\$25,000- 34,999	900	496,975	34	3.0	01.8-04.2	866	97.0	95.8-98.2
\$35,000- 49,999	1145	670,540	41	2.6	01.6-03.6	1104	97.4	96.4-98.4
\$50,000- 74,999	1172	742,816	30	2.3	01.3-03.3	1142	97.7	96.7-98.7
\$75,000+	1589	1,001,326	26	1.4	00.8-02.0	1563	98.6	98.0-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3385	2,393,388	108	2.5	01.9-03.1	3277	97.5	96.9-98.1
White/Non-Hisp	2782	1,950,397	80	2.5	01.9-03.1	2702	97.5	96.9-98.1
Black or Afr. Am./Non-Hisp	307	195,207	19	3.8	01.3-06.3	288	96.2	93.7-98.7
MultiRacial/Non-Hisp.	52	31,191	1	4.3	00.0-12.5	51	95.7	87.5-0100
Hispanic	129	142,372	4	0.7	00.0-01.5	125	99.3	98.5-0100
18-24	263	347,829	1	0.4	00.0-01.2	262	99.6	98.8-0100
25-34	365	404,146	2	0.6	00.0-01.4	363	99.4	98.6-0100
35-44	466	407,124	8	1.6	00.4-02.8	458	98.4	97.2-99.6
45-54	604	449,627	15	2.2	01.0-03.4	589	97.8	96.6-99.0
55-64	742	387,612	25	4.0	02.0-06.0	717	96.0	94.0-98.0
65+	923	384,363	57	6.0	04.2-07.8	866	94.0	92.2-95.8
Less Than H.S.	332	346,768	11	1.9	00.5-03.3	321	98.1	96.7-99.5
H.S. or G.E.D.	1222	896,734	46	3.4	02.2-04.6	1176	96.6	95.4-97.8
Some Post-H.S.	819	638,470	20	1.6	00.8-02.4	799	98.4	97.6-99.2
College Graduate	1003	504,572	31	2.4	01.4-03.4	972	97.6	96.6-98.6
Less than \$15,000	309	203,496	16	4.7	01.4-08.0	293	95.3	92.0-98.6
\$15,000- 24,999	553	370,476	22	3.0	01.4-04.6	531	97.0	95.4-98.6
\$25,000- 34,999	347	232,129	13	3.2	01.2-05.2	334	96.8	94.8-98.8
\$35,000- 49,999	508	355,968	18	2.5	01.1-03.9	490	97.5	96.1-98.9
\$50,000- 74,999	535	402,064	14	1.8	00.8-02.8	521	98.2	97.2-99.2
\$75,000+	768	553,253	12	1.5	00.5-02.5	756	98.5	97.5-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5227	2,535,974	201	3.3	02.7-03.9	5026	96.7	96.1-97.3
White/Non-Hisp	4212	2,092,844	165	3.4	02.6-04.2	4047	96.6	95.8-97.4
Black or Afr. Am./Non-Hisp	613	223,596	26	3.0	01.2-04.8	587	97.0	95.2-98.8
Oth. Race/Non-Hisp.	76	36,964	1	1.3	00.0-03.8	75	98.7	96.2-0100
MultiRacial/Non-Hisp.	80	37,746	4	4.7	00.0-09.6	76	95.3	90.4-0100
Hispanic	176	120,527	1	0.3	00.0-00.9	175	99.7	99.1-0100
18-24	268	332,392	4	2.3	00.0-04.7	264	97.7	95.3-0100
25-34	531	401,070	11	2.1	00.7-03.5	520	97.9	96.5-99.3
35-44	647	406,975	12	2.3	00.7-03.9	635	97.7	96.1-99.3
45-54	857	457,932	25	2.9	01.5-04.3	832	97.1	95.7-98.5
55-64	1057	400,315	39	3.0	01.8-04.2	1018	97.0	95.8-98.2
65+	1812	515,663	108	6.0	04.6-07.4	1704	94.0	92.6-95.4
Less Than H.S.	508	341,232	29	4.8	02.6-07.0	479	95.2	93.0-97.4
H.S. or G.E.D.	1906	835,771	75	2.7	01.9-03.5	1831	97.3	96.5-98.1
Some Post-H.S.	1439	839,196	60	3.7	02.5-04.9	1379	96.3	95.1-97.5
College Graduate	1363	516,430	37	2.4	01.2-03.6	1326	97.6	96.4-98.8
Less than \$15,000	700	307,132	42	6.4	03.7-09.1	658	93.6	90.9-96.3
\$15,000- 24,999	983	430,771	53	5.1	03.3-06.9	930	94.9	93.1-96.7
\$25,000- 34,999	553	264,847	21	2.8	01.2-04.4	532	97.2	95.6-98.8
\$35,000- 49,999	637	314,572	23	2.8	01.4-04.2	614	97.2	95.8-98.6
\$50,000- 74,999	637	340,752	16	2.8	00.8-04.8	621	97.2	95.2-99.2
\$75,000+	821	448,073	14	1.3	00.5-02.1	807	98.7	97.9-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 34: DO YOU HAVE ANY TROUBLE SEEING, EVEN WHEN WEARING GLASSES OR CONTACT LENSES? (CHCVISN1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Respondent is blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8577	4,908,984	1525	16.0	15.0-17.0	7035	83.8	82.8-84.8	17	0.1	0.1-0.1
Male	3370	2,382,125	495	12.9	11.5-14.3	2865	86.9	85.5-88.3	10	0.2	0.0-0.4
Female	5207	2,526,859	1030	19.0	17.6-20.4	4170	80.9	79.5-82.3	7	0.1	0.1-0.1
White/Non-Hisp	6963	4,023,013	1168	15.6	14.4-16.8	5782	84.2	83.0-85.4	13	0.1	0.1-0.1
Black or Afr. Am./Non-Hisp	920	418,087	216	20.5	16.2-24.8	702	79.4	75.1-83.7	2	0.2	0.0-0.4
Oth. Race/Non-Hisp.	126	77,831	26	14.4	07.0-21.8	100	85.6	78.2-93.0			
MultiRacial/Non-Hisp.	130	66,646	38	27.9	18.3-37.5	91	71.9	62.3-81.5	1	0.3	0.0-0.9
Hispanic	305	262,716	48	12.4	07.9-16.9	257	87.6	83.1-92.1			
18-24	532	680,772	66	12.6	09.3-15.9	466	87.4	84.1-90.7			
25-34	898	803,665	108	12.4	09.9-14.9	790	87.6	85.1-90.1			
35-44	1112	815,076	138	13.0	10.5-15.5	973	86.8	84.3-89.3	1	0.2	0.0-0.6
45-54	1448	895,144	325	20.7	18.2-23.2	1118	79.1	76.6-81.6	5	0.2	0.0-0.4
55-64	1791	782,561	367	19.4	17.2-21.6	1420	80.3	77.9-82.7	4	0.3	0.0-0.7
65+	2721	898,481	513	17.3	15.5-19.1	2201	82.5	80.7-84.3	7	0.2	0.0-0.4
Less Than H.S.	838	688,446	237	24.0	20.3-27.7	598	75.7	72.0-79.4	3	0.3	0.0-0.7
H.S. or G.E.D.	3113	1,720,643	588	16.8	15.2-18.4	2519	83.0	81.4-84.6	6	0.1	0.0-0.3
Some Post-H.S.	2247	1,472,185	391	15.3	13.3-17.3	1853	84.6	82.6-86.6	3	0.1	0.1-0.1
College Graduate	2361	1,017,713	305	10.4	09.0-11.8	2051	89.5	88.1-90.9	5	0.1	0.0-0.3
Less than \$15,000	1007	512,794	322	28.1	24.2-32.0	679	71.6	67.7-75.5	6	0.3	0.0-0.7
\$15,000- 24,999	1537	800,121	341	20.9	18.2-23.6	1192	78.9	76.2-81.6	4	0.2	0.0-0.6
\$25,000- 34,999	894	490,687	170	17.6	14.5-20.7	722	82.3	79.2-85.4	2	0.1	0.0-0.3
\$35,000- 49,999	1140	667,722	187	14.8	12.3-17.3	953	85.2	82.7-87.7			
\$50,000- 74,999	1169	740,847	137	11.5	09.1-13.9	1030	88.4	86.0-90.8	2	0.1	0.0-0.3
\$75,000+	1586	999,354	154	8.7	06.9-10.5	1431	91.2	89.4-93.0	1	0.1	0.0-0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 35: DO YOU HAVE ANY TROUBLE SEEING, EVEN WHEN WEARING GLASSES OR CONTACT LENSES? (CHCVISN1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Respondent is blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3370	2,382,125	495	12.9	11.5-14.3	2865	86.9	85.5-88.3	10	0.2	00.0-00.4
White/Non-Hisp	2767	1,935,511	368	12.3	10.7-13.9	2392	87.5	85.9-89.1	7	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	307	195,207	72	18.7	11.8-25.6	233	80.9	74.0-87.8	2	0.3	00.0-00.9
Oth. Race/Non-Hisp.	50	40,867	15	17.1	04.6-29.6	35	82.9	70.4-95.4			
MultiRacial/Non-Hisp.	52	31,191	11	24.2	09.5-38.9	41	75.8	61.1-90.5			
Hispanic	130	142,923	17	8.2	03.1-13.3	113	91.8	86.7-96.9			
18-24	264	348,380	22	8.4	04.7-12.1	242	91.6	87.9-95.3			
25-34	363	400,958	38	11.1	07.4-14.8	325	88.9	85.2-92.6			
35-44	466	407,620	41	10.1	06.6-13.6	424	89.6	85.9-93.3	1	0.3	00.0-00.9
45-54	597	440,377	115	17.8	14.1-21.5	480	82.0	78.3-85.7	2	0.2	00.0-00.6
55-64	738	385,783	126	15.6	12.5-18.7	608	83.7	80.4-87.0	4	0.6	00.0-01.4
65+	920	386,321	151	13.8	11.3-16.3	766	86.0	83.5-88.5	3	0.2	00.0-00.4
Less Than H.S.	330	345,584	74	18.7	13.6-23.8	254	80.8	75.7-85.9	2	0.5	00.0-01.3
H.S. or G.E.D.	1219	893,265	178	12.9	10.5-15.3	1037	86.9	84.5-89.3	4	0.2	00.0-00.6
Some Post-H.S.	814	635,259	133	13.6	10.9-16.3	681	86.4	83.7-89.1			
College Graduate	998	501,173	109	8.1	06.1-10.1	885	91.7	89.7-93.7	4	0.3	00.0-00.7
Less than \$15,000	307	203,388	92	24.6	17.7-31.5	214	75.3	68.4-82.2	1	0.0	00.0-00.0
\$15,000- 24,999	550	368,699	102	17.2	13.3-21.1	445	82.4	78.5-86.3	3	0.5	00.0-01.3
\$25,000- 34,999	346	230,092	66	16.5	11.8-21.2	279	83.4	78.7-88.1	1	0.1	00.0-00.3
\$35,000- 49,999	506	354,318	67	11.6	08.3-14.9	439	88.4	85.1-91.7			
\$50,000- 74,999	533	400,616	66	11.2	08.1-14.3	465	88.7	85.6-91.8	2	0.2	00.0-00.6
\$75,000+	766	551,773	56	6.3	04.1-08.5	709	93.6	91.4-95.8	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS**

TABLE 36: DO YOU HAVE ANY TROUBLE SEEING, EVEN WHEN WEARING GLASSES OR CONTACT LENSES? (CHCVISN1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Respondent is blind		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5207	2,526,859	1030	19.0	17.6-20.4	4170	80.9	79.5-82.3	7	0.1	00.1-00.1
White/Non-Hisp	4196	2,087,502	800	18.7	17.1-20.3	3390	81.2	79.6-82.8	6	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	613	222,879	144	22.0	16.7-27.3	469	78.0	72.7-83.3			
Oth. Race/Non-Hisp.	76	36,964	11	11.4	03.4-19.4	65	88.6	80.6-96.6			
MultiRacial/Non-Hisp.	78	35,455	27	31.1	18.4-43.8	50	68.4	55.5-81.3	1	0.5	00.0-01.5
Hispanic	175	119,793	31	17.5	09.9-25.1	144	82.5	74.9-90.1			
18-24	268	332,392	44	16.9	11.4-22.4	224	83.1	77.6-88.6			
25-34	535	402,708	70	13.8	10.1-17.5	465	86.2	82.5-89.9			
35-44	646	407,456	97	16.0	12.5-19.5	549	84.0	80.5-87.5			
45-54	851	454,767	210	23.5	20.0-27.0	638	76.2	72.7-79.7	3	0.3	00.0-00.7
55-64	1053	396,778	241	23.0	19.9-26.1	812	77.0	73.9-80.1			
65+	1801	512,160	362	20.0	17.6-22.4	1435	79.9	77.5-82.3	4	0.2	00.0-00.4
Less Than H.S.	508	342,862	163	29.4	24.1-34.7	344	70.5	65.2-75.8	1	0.1	00.0-00.3
H.S. or G.E.D.	1894	827,378	410	21.0	18.6-23.4	1482	78.9	76.5-81.3	2	0.1	00.0-00.3
Some Post-H.S.	1433	836,926	258	16.6	13.9-19.3	1172	83.2	80.5-85.9	3	0.1	00.0-00.3
College Graduate	1363	516,540	196	12.7	10.5-14.9	1166	87.3	85.1-89.5	1	0.0	00.0-00.0
Less than \$15,000	700	309,406	230	30.4	25.7-35.1	465	69.1	64.4-73.8	5	0.5	00.0-01.1
\$15,000- 24,999	987	431,422	239	24.0	20.3-27.7	747	75.9	72.2-79.6	1	0.0	00.0-00.0
\$25,000- 34,999	548	260,596	104	18.6	14.5-22.7	443	81.3	77.2-85.4	1	0.1	00.0-00.3
\$35,000- 49,999	634	313,404	120	18.4	14.7-22.1	514	81.6	77.9-85.3			
\$50,000- 74,999	636	340,231	71	11.9	08.8-15.0	565	88.1	85.0-91.2			
\$75,000+	820	447,581	98	11.7	09.0-14.4	722	88.3	85.6-91.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 37: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8632	4,937,139	1250	10.9	10.1-11.7	60	0.7	00.5-00.9	7208	87.4	86.6-88.2	114	1.0	00.8-01.2
Male	3387	2,396,287	516	11.2	10.0-12.4				2824	87.6	86.4-88.8	47	1.3	00.9-01.7
Female	5245	2,540,852	734	10.7	09.7-11.7	60	1.3	00.9-01.7	4384	87.1	86.1-88.1	67	0.8	00.6-01.0
White/Non-Hisp	7009	4,047,811	941	10.6	09.8-11.4	44	0.6	00.4-00.8	5932	87.7	86.9-88.5	92	1.1	00.7-01.5
Black or Afr. Am./Non-Hisp	922	418,916	204	13.5	10.8-16.2	7	0.5	00.1-00.9	694	84.7	81.8-87.6	17	1.4	00.4-02.4
Oth. Race/Non-Hisp.	126	77,831	12	5.7	01.6-09.8	1	0.5	00.0-01.5	113	93.8	89.5-98.1			
MultiRacial/Non-Hisp.	133	69,082	26	18.2	09.6-26.8				107	81.8	73.2-90.4			
Hispanic	306	263,451	37	9.9	05.8-14.0	7	1.9	00.3-03.5	258	87.3	82.8-91.8	4	0.9	00.0-02.3
18-24	530	678,192	9	1.3	00.3-02.3	2	0.5	00.0-01.3	517	97.9	96.7-99.1	2	0.3	00.0-00.7
25-34	898	806,099	31	2.7	01.5-03.9	18	1.4	00.6-02.2	844	95.1	93.5-96.7	5	0.8	00.0-01.8
35-44	1114	815,573	58	5.3	03.7-06.9	19	1.3	00.5-02.1	1032	92.9	91.1-94.7	5	0.5	00.1-00.9
45-54	1462	908,656	180	12.6	10.4-14.8	7	0.4	00.2-00.6	1258	86.1	83.9-88.3	17	1.0	00.4-01.6
55-64	1802	788,537	352	17.8	15.6-20.0	7	0.3	00.1-00.5	1418	80.5	78.3-82.7	25	1.4	00.6-02.2
65+	2749	905,766	609	22.8	20.8-24.8	7	0.2	00.0-00.4	2073	74.9	72.7-77.1	60	2.1	01.5-02.7
Less Than H.S.	846	695,355	188	16.2	13.5-18.9	7	1.1	00.1-02.1	639	81.8	78.9-84.7	12	0.9	00.1-01.7
H.S. or G.E.D.	3137	1,733,399	518	12.5	11.1-13.9	11	0.4	00.2-00.6	2559	85.5	84.1-86.9	49	1.6	01.0-02.2
Some Post-H.S.	2261	1,477,608	314	9.5	08.1-10.9	18	0.6	00.2-01.0	1905	89.2	87.8-90.6	24	0.6	00.2-01.0
College Graduate	2368	1,020,589	229	6.8	05.6-08.0	24	1.0	00.6-01.4	2087	91.5	90.3-92.7	28	0.7	00.3-01.1
Less than \$15,000	1017	515,206	243	17.7	14.8-20.6	9	1.2	00.2-02.2	742	79.1	75.8-82.4	23	2.0	00.6-03.4
\$15,000- 24,999	1544	804,431	276	14.4	12.2-16.6	9	0.5	00.1-00.9	1236	83.6	81.4-85.8	23	1.4	00.6-02.2
\$25,000- 34,999	902	497,429	149	12.9	10.4-15.4	3	0.5	00.0-01.1	735	85.5	82.8-88.2	15	1.1	00.5-01.7
\$35,000- 49,999	1147	671,408	152	10.0	08.0-12.0	9	0.4	00.0-00.8	974	88.4	86.2-90.6	12	1.2	00.4-02.0
\$50,000- 74,999	1173	743,720	121	8.7	06.9-10.5	8	0.6	00.2-01.0	1032	90.2	88.2-92.2	12	0.5	00.1-00.9
\$75,000+	1588	1,000,106	115	5.5	04.3-06.7	16	0.7	00.3-01.1	1444	93.2	91.8-94.6	13	0.6	00.2-01.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 38: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3387	2,396,287	516	11.2	10.0-12.4	2824	87.6	86.4-88.8	47	1.3	00.9-01.7
White/Non-Hisp	2782	1,949,197	396	11.2	10.0-12.4	2348	87.6	86.2-89.0	38	1.2	00.6-01.8
Black or Afr. Am./Non-Hisp	307	195,207	71	11.6	07.7-15.5	228	86.0	81.7-90.3	8	2.4	00.2-04.6
Oth. Race/Non-Hisp.	50	40,867	2	0.4	00.0-01.0	48	99.6	99.0-0100			
MultiRacial/Non-Hisp.	52	31,191	12	28.3	12.4-44.2	40	71.7	55.8-87.6			
Hispanic	130	142,923	19	7.9	02.8-13.0	110	90.9	85.2-96.6	1	1.3	00.0-03.8
18-24	263	347,173	3	0.4	00.0-00.8	258	99.1	98.1-0100	2	0.5	00.0-01.3
25-34	364	403,764	11	2.8	01.0-04.6	351	95.9	93.4-98.4	2	1.2	00.0-03.0
35-44	466	407,786	23	5.2	02.8-07.6	441	94.3	91.8-96.8	2	0.5	00.0-01.3
45-54	604	449,574	82	12.9	09.8-16.0	512	85.6	82.5-88.7	10	1.6	00.4-02.8
55-64	742	387,592	161	20.0	16.7-23.3	571	78.4	74.9-81.9	10	1.5	00.3-02.7
65+	926	387,710	233	24.9	21.4-28.4	672	72.9	69.4-76.4	21	2.1	00.9-03.3
Less Than H.S.	333	350,706	70	13.9	10.0-17.8	258	85.1	81.0-89.2	5	1.0	00.0-02.2
H.S. or G.E.D.	1224	896,620	204	12.3	10.3-14.3	995	85.7	83.5-87.9	25	2.0	01.0-03.0
Some Post-H.S.	820	638,517	125	10.6	08.4-12.8	686	88.6	86.4-90.8	9	0.8	00.2-01.4
College Graduate	1001	503,599	117	8.2	06.4-10.0	877	91.3	89.5-93.1	7	0.5	00.1-00.9
Less than \$15,000	310	206,091	68	14.3	09.8-18.8	235	82.8	77.5-88.1	7	2.8	00.0-05.9
\$15,000- 24,999	556	372,924	113	15.3	12.0-18.6	432	82.4	78.7-86.1	11	2.2	00.4-04.0
\$25,000- 34,999	348	232,206	66	14.9	10.6-19.2	273	83.3	78.8-87.8	9	1.8	00.6-03.0
\$35,000- 49,999	508	355,968	81	10.9	08.2-13.6	421	87.6	84.5-90.7	6	1.5	00.1-02.9
\$50,000- 74,999	535	402,457	61	9.4	06.7-12.1	471	90.4	87.7-93.1	3	0.2	00.0-00.6
\$75,000+	766	551,809	75	7.4	05.4-09.4	682	91.8	89.8-93.8	9	0.9	00.3-01.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 5: CHRONIC HEALTH CONDITIONS
TABLE 39: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5245	2,540,852	734	10.7	09.7-11.7	60	1.3	00.9-01.7	4384	87.1	86.1-88.1	67	0.8	00.6-01.0
White/Non-Hisp	4227	2,098,613	545	10.1	09.1-11.1	44	1.2	00.8-01.6	3584	87.7	86.5-88.9	54	0.9	00.5-01.3
Black or Afr. Am./Non-Hisp	615	223,709	133	15.2	11.3-19.1	7	0.8	00.0-01.6	466	83.5	79.4-87.6	9	0.5	00.1-00.9
Oth. Race/Non-Hisp.	76	36,964	10	11.6	03.4-19.8	1	1.1	00.0-03.3	65	87.3	78.9-95.7			
MultiRacial/Non-Hisp.	81	37,891	14	9.8	02.9-16.7				67	90.2	83.3-97.1			
Hispanic	176	120,527	18	12.4	05.9-18.9	7	4.1	00.8-07.4	148	83.1	76.0-90.2	3	0.4	00.0-01.0
18-24	267	331,020	6	2.4	00.4-04.4	2	1.0	00.0-02.4	259	96.6	94.2-99.0			
25-34	534	402,334	20	2.6	01.2-04.0	18	2.7	01.1-04.3	493	94.3	92.1-96.5	3	0.4	00.0-01.0
35-44	648	407,787	35	5.4	03.4-07.4	19	2.7	01.3-04.1	591	91.4	88.9-93.9	3	0.5	00.0-01.1
45-54	858	459,082	98	12.3	09.6-15.0	7	0.7	00.1-01.3	746	86.6	83.7-89.5	7	0.4	00.0-00.8
55-64	1060	400,945	191	15.7	13.2-18.2	7	0.6	00.0-01.2	847	82.5	79.8-85.2	15	1.2	00.2-02.2
65+	1823	518,055	376	21.1	18.7-23.5	7	0.4	00.0-00.8	1401	76.4	74.0-78.8	39	2.1	01.3-02.9
Less Than H.S.	513	344,649	118	18.6	14.7-22.5	7	2.2	00.4-04.0	381	78.4	74.1-82.7	7	0.7	00.0-01.5
H.S. or G.E.D.	1913	836,779	314	12.7	10.9-14.5	11	0.8	00.2-01.4	1564	85.3	83.5-87.1	24	1.1	00.5-01.7
Some Post-H.S.	1441	839,091	189	8.6	07.0-10.2	18	1.1	00.5-01.7	1219	89.7	87.9-91.5	15	0.6	00.2-01.0
College Graduate	1367	516,989	112	5.5	04.1-06.9	24	1.9	00.9-02.9	1210	91.7	90.1-93.3	21	0.8	00.4-01.2
Less than \$15,000	707	309,116	175	19.9	16.2-23.6	9	1.9	00.3-03.5	507	76.7	72.6-80.8	16	1.5	00.5-02.5
\$15,000- 24,999	988	431,508	163	13.5	10.8-16.2	9	1.0	00.2-01.8	804	84.7	82.0-87.4	12	0.8	00.2-01.4
\$25,000- 34,999	554	265,223	83	11.2	08.3-14.1	3	0.9	00.0-02.1	462	87.5	84.4-90.6	6	0.4	00.0-00.8
\$35,000- 49,999	639	315,440	71	8.9	06.4-11.4	9	0.9	00.1-01.7	553	89.3	86.6-92.0	6	0.9	00.1-01.7
\$50,000- 74,999	638	341,263	60	7.9	05.5-10.3	8	1.3	00.3-02.3	561	89.9	87.4-92.4	9	0.8	00.2-01.4
\$75,000+	822	448,297	40	3.2	02.0-04.4	16	1.6	00.6-02.6	762	94.9	93.3-96.5	4	0.3	00.0-00.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012

SECTION 6: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS. (LASTDEN3)	
1	MALES AND FEMALES	71
2	MALES ONLY	72
3	FEMALES ONLY	73
	HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)	
4	MALES AND FEMALES	74
5	MALES ONLY	75
6	FEMALES ONLY	76

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

**TABLE 1: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8576	4,907,716	5424	62.6	61.2-64.0	886	11.2	10.2-12.2	1005	12.4	11.4-13.4	1218	13.1	12.1-14.1	43	0.6	0.4-00.8
Male	3367	2,376,845	2051	59.8	57.6-62.0	345	11.3	09.9-12.7	421	13.8	12.2-15.4	529	14.2	12.8-15.6	21	0.8	0.4-01.2
Female	5209	2,530,872	3373	65.3	63.5-67.1	541	11.1	09.9-12.3	584	11.2	10.0-12.4	689	12.0	10.8-13.2	22	0.5	0.3-00.7
White/Non-Hisp	6971	4,030,955	4587	65.2	63.8-66.6	666	10.5	09.5-11.5	764	11.5	10.5-12.5	934	12.5	11.5-13.5	20	0.3	0.1-00.5
Black or Afr. Am./Non-Hisp	912	417,217	479	52.0	46.7-57.3	121	13.2	09.9-16.5	139	18.8	13.9-23.7	165	15.2	11.7-18.7	8	0.9	0.0-01.9
Oth. Race/Non-Hisp.	126	77,831	64	53.1	41.7-64.5	13	13.7	05.5-21.9	24	16.7	09.4-24.0	22	13.4	05.6-21.2	3	3.0	0.0-06.5
MultiRacial/Non-Hisp.	131	68,552	69	54.3	43.3-65.3	19	14.5	06.5-22.5	17	10.4	04.1-16.7	25	20.0	10.8-29.2	1	0.9	0.0-02.7
Hispanic	301	252,239	146	47.1	39.8-54.4	53	17.7	12.2-23.2	48	16.6	10.7-22.5	44	14.0	09.1-18.9	10	4.7	0.1-08.0
18-24	524	667,854	322	62.9	58.0-67.8	74	14.6	10.9-18.3	76	12.4	09.3-15.5	46	9.0	06.1-11.9	6	1.0	0.0-02.0
25-34	895	799,736	560	60.9	57.2-64.6	128	14.7	12.0-17.4	122	14.6	11.9-17.3	78	9.0	06.8-11.2	7	0.8	0.2-01.4
35-44	1110	815,464	727	62.0	58.5-65.5	115	10.1	07.9-12.3	131	14.3	11.4-17.2	128	12.3	09.9-14.7	9	1.2	0.2-02.2
45-54	1459	906,564	922	61.7	58.6-64.8	156	11.3	09.1-13.5	186	12.9	10.7-15.1	193	14.0	11.8-16.2	2	0.2	0.0-00.4
55-64	1791	784,249	1188	66.5	63.8-69.2	164	9.0	07.2-10.8	197	10.6	08.8-12.4	237	13.4	11.4-15.4	5	0.5	0.1-00.9
65+	2722	899,703	1655	62.0	59.6-64.4	244	8.4	07.0-09.8	287	10.3	08.7-11.9	522	18.8	16.8-20.8	14	0.4	0.0-00.8
Less Than H.S.	834	687,443	296	39.1	34.6-43.6	111	14.5	11.4-17.6	145	19.0	15.3-22.7	265	25.2	21.7-28.7	17	2.2	0.8-03.6
H.S. or G.E.D.	3110	1,715,487	1726	56.3	53.9-58.7	362	12.7	11.1-14.3	431	14.1	12.5-15.7	569	16.1	14.5-17.7	22	0.8	0.4-01.2
Some Post-H.S.	2245	1,473,046	1467	66.8	64.3-69.3	242	11.3	09.5-13.1	272	12.1	10.3-13.9	264	9.8	08.2-11.4			
College Graduate	2368	1,021,700	1927	83.1	81.3-84.9	168	6.3	05.1-07.5	156	5.9	04.7-07.1	113	4.5	03.5-05.5	4	0.2	0.0-00.4
Less than \$15,000	1004	506,336	396	42.1	37.8-46.4	119	12.5	09.4-15.6	182	18.0	14.5-21.5	300	26.6	23.1-30.1	7	0.8	0.0-01.6
\$15,000- 24,999	1526	796,410	716	44.4	41.1-47.7	203	14.8	12.3-17.3	253	17.6	15.1-20.1	338	21.5	18.8-24.2	16	1.6	0.6-02.6
\$25,000- 34,999	898	496,042	509	52.7	48.2-57.2	126	14.2	10.9-17.5	129	18.0	14.3-21.7	131	15.0	11.9-18.1	3	0.2	0.0-00.4
\$35,000- 49,999	1143	669,801	793	66.2	62.7-69.7	117	12.0	09.3-14.7	108	10.4	08.2-12.6	122	11.1	08.7-13.5	3	0.3	0.0-00.7
\$50,000- 74,999	1171	740,973	864	70.6	67.3-73.9	108	10.7	08.3-13.1	102	10.1	07.7-12.5	93	8.3	06.3-10.3	4	0.3	0.0-00.7
\$75,000+	1588	1,001,641	1355	84.2	81.8-86.6	79	5.4	04.0-06.8	96	6.9	05.3-08.5	57	3.3	02.3-04.3	1	0.1	0.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3367	2,376,845	2051	59.8	57.6-62.0	345	11.3	09.9-12.7	421	13.8	12.2-15.4	529	14.2	12.8-15.6	21	0.8	00.4-01.2
White/Non-Hisp	2771	1,941,269	1767	62.6	60.4-64.8	259	10.8	09.2-12.4	330	12.6	11.0-14.2	401	13.4	11.8-15.0	14	0.6	00.2-01.0
Black or Afr. Am./Non-Hisp	304	194,133	148	48.8	40.4-57.2	45	13.2	07.5-18.9	41	21.0	12.6-29.4	69	16.9	11.2-22.6	1	0.1	00.0-00.3
Oth. Race/Non-Hisp.	50	40,867	21	50.2	31.8-68.6	6	14.1	01.2-27.0	13	19.6	07.8-31.4	9	14.7	01.6-27.8	1	1.4	00.0-04.1
MultiRacial/Non-Hisp.	52	31,191	23	46.7	30.2-63.2	10	18.9	06.4-31.4	7	11.7	01.3-22.1	12	22.7	08.4-37.0			
Hispanic	126	132,982	53	43.4	32.2-54.6	20	14.2	06.8-21.6	24	20.2	11.0-29.4	24	16.1	08.5-23.7	5	6.1	00.4-11.8
18-24	258	337,348	147	59.3	52.4-66.2	36	14.9	09.6-20.2	42	14.0	09.5-18.5	29	10.3	06.2-14.4	4	1.4	00.0-03.2
25-34	362	398,721	211	57.1	51.2-63.0	50	14.7	10.4-19.0	61	17.8	13.3-22.3	35	9.0	05.9-12.1	5	1.4	00.0-02.8
35-44	466	408,777	288	58.0	52.5-63.5	50	10.2	07.1-13.3	52	15.7	10.8-20.6	72	14.9	11.2-18.6	4	1.2	00.0-02.6
45-54	602	447,854	351	57.8	53.1-62.5	68	11.8	08.7-14.9	89	14.3	11.0-17.6	92	15.7	12.2-19.2	2	0.3	00.0-00.7
55-64	739	385,344	485	66.3	62.2-70.4	59	9.0	06.3-11.7	83	10.4	07.9-12.9	110	14.0	11.1-16.9	2	0.3	00.0-00.9
65+	918	386,115	555	60.7	56.8-64.6	80	7.6	05.6-09.6	93	10.8	08.3-13.3	186	20.4	17.1-23.7	4	0.5	00.0-01.1
Less Than H.S.	325	344,434	103	35.8	28.9-42.7	46	13.9	09.2-18.6	62	21.0	15.3-26.7	107	26.5	20.8-32.2	7	2.8	00.4-05.2
H.S. or G.E.D.	1213	884,178	618	52.0	48.5-55.5	145	13.6	11.1-16.1	192	15.8	13.3-18.3	246	17.5	15.0-20.0	12	1.1	00.3-01.9
Some Post-H.S.	815	636,024	503	64.5	60.6-68.4	91	11.7	09.0-14.4	104	13.8	10.7-16.9	117	10.0	07.6-12.4			
College Graduate	1005	505,365	823	83.9	81.4-86.4	62	5.2	03.6-06.8	63	5.7	03.9-07.5	55	5.1	03.5-06.7	2	0.1	00.0-00.3
Less than \$15,000	309	201,198	113	39.5	32.1-46.9	42	13.6	07.9-19.3	56	19.9	13.4-26.4	95	26.1	20.2-32.0	3	0.9	00.0-02.3
\$15,000- 24,999	549	367,018	229	40.6	35.3-45.9	61	13.0	09.3-16.7	97	18.1	14.0-22.2	154	26.2	21.7-30.7	8	2.1	00.3-03.9
\$25,000- 34,999	345	231,114	156	41.6	35.1-48.1	58	15.7	11.2-20.2	68	25.7	19.0-32.4	62	16.7	11.8-21.6	1	0.3	00.0-00.9
\$35,000- 49,999	506	355,102	327	60.9	55.4-66.4	50	13.3	08.8-17.8	54	11.8	08.5-15.1	74	13.6	10.1-17.1	1	0.4	00.0-01.2
\$50,000- 74,999	534	400,006	367	65.5	60.4-70.6	48	10.5	07.2-13.8	53	12.2	08.3-16.1	63	11.4	08.1-14.7	3	0.3	00.0-00.7
\$75,000+	768	553,560	643	83.0	79.7-86.3	45	5.6	03.6-07.6	50	7.4	05.0-09.8	30	4.0	02.2-05.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

**TABLE 3: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5209	2,530,872	3373	65.3	63.5-67.1	541	11.1	09.9-12.3	584	11.2	10.0-12.4	689	12.0	10.8-13.2	22	0.5	00.3-00.7
White/Non-Hisp	4200	2,089,686	2820	67.6	65.6-69.6	407	10.1	08.7-11.5	434	10.5	09.3-11.7	533	11.7	10.3-13.1	6	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	608	223,084	331	54.8	48.1-61.5	76	13.2	09.1-17.3	98	16.8	11.5-22.1	96	13.6	09.1-18.1	7	1.5	00.0-03.5
Oth. Race/Non-Hisp.	76	36,964	43	56.3	43.2-69.4	7	13.3	03.3-23.3	11	13.6	05.2-22.0	13	12.0	04.4-19.6	2	4.8	00.0-11.3
MultiRacial/Non-Hisp.	79	37,361	46	60.5	45.8-75.2	9	10.8	00.6-21.0	10	9.3	01.5-17.1	13	17.7	05.5-29.9	1	1.6	00.0-04.7
Hispanic	175	119,257	93	51.2	41.8-60.6	33	21.5	13.5-29.5	24	12.6	05.9-19.3	20	11.7	05.8-17.6	5	3.0	00.1-05.9
18-24	266	330,506	175	66.5	59.6-73.4	38	14.3	09.0-19.6	34	10.9	06.8-15.0	17	7.7	03.2-12.2	2	0.6	00.0-01.4
25-34	533	401,016	349	64.7	59.8-69.6	78	14.7	11.2-18.2	61	11.4	07.9-14.9	43	9.1	06.0-12.2	2	0.2	00.0-00.4
35-44	644	406,688	439	66.0	61.5-70.5	65	10.1	07.4-12.8	79	12.9	09.8-16.0	56	9.8	06.9-12.7	5	1.2	00.0-02.4
45-54	857	458,710	571	65.4	61.5-69.3	88	10.7	08.0-13.4	97	11.5	09.0-14.0	101	12.4	09.7-15.1			
55-64	1052	398,906	703	66.7	63.2-70.2	105	9.1	06.9-11.3	114	10.8	08.4-13.2	127	12.8	10.3-15.3	3	0.6	00.0-01.2
65+	1804	513,589	1100	62.9	60.2-65.6	164	9.0	07.2-10.8	194	10.0	08.2-11.8	336	17.7	15.5-19.9	10	0.3	00.0-00.7
Less Than H.S.	509	343,009	193	42.5	36.6-48.4	65	15.0	10.9-19.1	83	17.0	12.1-21.9	158	23.8	19.5-28.1	10	1.7	00.1-03.3
H.S. or G.E.D.	1897	831,309	1108	60.8	58.1-63.5	217	11.8	09.8-13.8	239	12.3	10.5-14.1	323	14.6	12.6-16.6	10	0.5	00.1-00.9
Some Post-H.S.	1430	837,022	964	68.5	65.2-71.8	151	11.1	08.7-13.5	168	10.8	08.8-12.8	147	9.6	07.2-12.0			
College Graduate	1363	516,335	1104	82.4	79.9-84.9	106	7.4	05.6-09.2	93	6.1	04.7-07.5	58	3.9	02.7-05.1	2	0.3	00.0-00.7
Less than \$15,000	695	305,138	283	43.8	38.7-48.9	77	11.7	08.2-15.2	126	16.8	12.9-20.7	205	26.8	22.5-31.1	4	0.8	00.0-01.8
\$15,000- 24,999	977	429,392	487	47.6	43.3-51.9	142	16.4	13.1-19.7	156	17.2	13.9-20.5	184	17.6	14.5-20.7	8	1.2	00.0-02.4
\$25,000- 34,999	553	264,928	353	62.4	56.5-68.3	68	12.8	07.9-17.7	61	11.2	07.7-14.7	69	13.4	09.5-17.3	2	0.1	00.0-00.3
\$35,000- 49,999	637	314,699	466	72.3	68.0-76.6	67	10.6	07.5-13.7	54	8.8	06.1-11.5	48	8.2	05.3-11.1	2	0.1	00.1-00.1
\$50,000- 74,999	637	340,967	497	76.6	72.5-80.7	60	10.8	07.7-13.9	49	7.6	05.1-10.1	30	4.7	02.7-06.7	1	0.2	00.0-00.6
\$75,000+	820	448,080	712	85.8	82.9-88.7	34	5.2	03.0-07.4	46	6.3	04.3-08.3	27	2.5	01.3-03.7	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

TABLE 4: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8483	4,886,893	2721	30.2	28.8-31.6	1239	11.4	10.6-12.2	833	7.1	06.5-07.7	3690	51.3	49.9-52.7
Male	3355	2,379,647	1088	30.7	28.7-32.7	468	10.7	09.5-11.9	316	7.2	06.2-08.2	1483	51.4	49.2-53.6
Female	5128	2,507,246	1633	29.8	28.0-31.6	771	12.1	10.9-13.3	517	6.9	06.1-07.7	2207	51.2	49.4-53.0
White/Non-Hisp	6896	4,006,470	2206	29.8	28.4-31.2	954	11.4	10.6-12.2	660	7.3	06.5-08.1	3076	51.4	49.8-53.0
Black or Afr. Am./Non-Hisp	901	415,061	300	33.3	28.2-38.4	195	14.7	11.6-17.8	120	5.9	04.3-07.5	286	46.1	40.8-51.4
Oth. Race/Non-Hisp.	125	76,926	39	26.3	17.3-35.3	17	6.2	02.7-09.7	8	9.4	00.0-18.8	61	58.1	46.7-69.5
MultiRacial/Non-Hisp.	131	68,817	47	36.4	25.6-47.2	25	17.7	09.9-25.5	13	8.1	03.0-13.2	46	37.8	27.2-48.4
Hispanic	301	260,108	92	31.2	24.3-38.1	26	4.9	02.5-07.3	10	1.5	00.0-03.1	173	62.4	55.3-69.5
18-24	530	678,307	69	13.4	09.7-17.1	4	1.1	00.0-02.5	2	0.6	00.0-01.4	455	84.9	81.0-88.8
25-34	898	804,805	222	28.7	25.0-32.4	41	4.6	03.0-06.2	9	1.0	00.2-01.8	626	65.7	62.0-69.4
35-44	1112	813,485	305	30.1	26.8-33.4	63	5.4	03.8-07.0	26	2.5	01.3-03.7	718	62.0	58.5-65.5
45-54	1450	902,633	484	32.0	29.1-34.9	209	13.9	11.7-16.1	93	6.5	04.9-08.1	664	47.6	44.5-50.7
55-64	1781	779,589	695	39.0	36.3-41.7	309	18.1	15.7-20.5	175	9.9	08.1-11.7	602	33.0	30.3-35.7
65+	2641	875,328	928	35.3	32.9-37.7	605	22.8	20.8-24.8	520	19.7	17.7-21.7	588	22.3	20.3-24.3
Less Than H.S.	820	682,768	214	27.6	23.5-31.7	180	17.8	14.7-20.9	206	16.7	13.8-19.6	220	37.9	33.2-42.6
H.S. or G.E.D.	3066	1,707,876	1113	33.5	31.3-35.7	575	15.1	13.5-16.7	415	9.6	08.4-10.8	963	41.8	39.4-44.2
Some Post-H.S.	2227	1,468,390	753	32.9	30.4-35.4	295	8.6	07.4-09.8	146	3.5	02.7-04.3	1033	55.0	52.3-57.7
College Graduate	2353	1,018,384	636	22.5	20.5-24.5	187	5.0	04.0-06.0	62	1.4	01.0-01.8	1468	71.1	68.9-73.3
Less than \$15,000	990	507,684	290	28.9	25.0-32.8	241	18.9	16.0-21.8	192	14.1	11.4-16.8	267	38.0	33.5-42.5
\$15,000- 24,999	1512	794,405	506	31.8	28.7-34.9	316	18.2	15.7-20.7	229	11.2	09.2-13.2	461	38.8	35.5-42.1
\$25,000- 34,999	897	494,950	307	34.6	30.3-38.9	172	15.0	12.3-17.7	104	9.0	06.8-11.2	314	41.4	37.1-45.7
\$35,000- 49,999	1135	667,079	392	33.2	29.7-36.7	161	11.7	09.7-13.7	75	5.2	03.8-06.6	507	49.9	46.2-53.6
\$50,000- 74,999	1166	740,619	398	32.4	28.9-35.9	103	6.8	05.2-08.4	52	3.6	02.4-04.8	613	57.2	53.7-60.7
\$75,000+	1584	999,150	440	24.7	22.2-27.2	88	4.6	03.4-05.8	35	2.0	01.2-02.8	1021	68.8	66.1-71.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

TABLE 5: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3355	2,379,647	1088	30.7	28.7-32.7	468	10.7	09.5-11.9	316	7.2	06.2-08.2	1483	51.4	49.2-53.6
White/Non-Hisp	2761	1,936,834	898	30.7	28.5-32.9	368	10.9	09.7-12.1	253	7.4	06.4-08.4	1242	50.9	48.5-53.3
Black or Afr. Am./Non-Hisp	302	193,012	95	33.1	24.7-41.5	64	12.9	08.2-17.6	39	5.5	03.0-08.0	104	48.5	39.9-57.1
Oth. Race/Non-Hisp.	50	40,867	14	17.3	06.7-27.9	5	2.4	00.0-05.1	3	11.9	00.0-28.4	28	68.3	50.9-85.7
MultiRacial/Non-Hisp.	52	31,191	19	32.4	16.9-47.9	12	23.5	09.8-37.2	7	9.8	01.2-18.4	14	34.3	18.0-50.6
Hispanic	129	142,193	45	31.1	21.3-40.9	9	2.7	00.5-04.9	4	1.5	00.0-03.9	71	64.6	54.4-74.8
18-24	264	348,380	26	9.7	06.0-13.4	2	0.7	00.0-01.7	1	0.5	00.0-01.5	235	89.2	85.3-93.1
25-34	364	402,864	102	32.0	26.3-37.7	10	3.0	01.0-05.0	5	1.1	00.0-02.3	247	64.0	58.3-69.7
35-44	466	406,939	137	33.4	28.1-38.7	24	5.2	03.0-07.4	13	3.4	01.4-05.4	292	58.1	52.6-63.6
45-54	599	446,061	217	34.8	30.3-39.3	82	12.2	09.3-15.1	37	6.8	04.4-09.2	263	46.2	41.5-50.9
55-64	737	383,164	283	37.7	33.4-42.0	138	19.9	16.4-23.4	81	10.5	08.0-13.0	235	31.9	27.8-36.0
65+	903	379,552	317	34.2	30.5-37.9	210	23.1	19.8-26.4	176	20.8	17.3-24.3	200	21.8	18.7-24.9
Less Than H.S.	329	348,422	91	28.5	22.2-34.8	62	13.7	09.8-17.6	76	16.6	12.1-21.1	100	41.2	34.1-48.3
H.S. or G.E.D.	1208	886,580	421	32.3	29.2-35.4	211	13.7	11.5-15.9	156	9.1	07.3-10.9	420	45.0	41.5-48.5
Some Post-H.S.	812	634,732	290	34.7	30.8-38.6	104	8.6	06.6-10.6	56	3.7	02.5-04.9	362	53.0	48.9-57.1
College Graduate	998	503,436	283	24.5	21.4-27.6	91	6.1	04.5-07.7	27	1.6	00.8-02.4	597	67.8	64.5-71.1
Less than \$15,000	306	205,706	85	28.4	21.3-35.5	77	16.7	12.2-21.2	49	13.2	08.1-18.3	95	41.7	34.1-49.3
\$15,000- 24,999	546	367,933	178	31.6	26.7-36.5	102	15.8	12.1-19.5	85	11.2	08.3-14.1	181	41.5	36.0-47.0
\$25,000- 34,999	347	230,924	116	33.2	26.7-39.7	70	17.2	12.7-21.7	56	13.3	09.4-17.2	105	36.3	29.6-43.0
\$35,000- 49,999	503	354,072	175	33.9	28.8-39.0	78	12.3	09.4-15.2	40	5.8	03.6-08.0	210	48.0	42.5-53.5
\$50,000- 74,999	533	400,352	197	36.6	31.5-41.7	53	7.5	05.1-09.9	23	3.1	01.5-04.7	260	52.8	47.5-58.1
\$75,000+	766	552,219	230	26.4	22.7-30.1	56	5.7	03.9-07.5	20	2.6	01.2-04.0	460	65.3	61.2-69.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 6: ORAL HEALTH**

TABLE 6: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5128	2,507,246	1633	29.8	28.0-31.6	771	12.1	10.9-13.3	517	6.9	06.1-07.7	2207	51.2	49.4-53.0
White/Non-Hisp	4135	2,069,636	1308	29.0	27.2-30.8	586	11.8	10.6-13.0	407	7.2	06.4-08.0	1834	51.9	49.9-53.9
Black or Afr. Am./Non-Hisp	599	222,049	205	33.4	27.3-39.5	131	16.4	12.1-20.7	81	6.3	04.1-08.5	182	44.0	37.3-50.7
Oth. Race/Non-Hisp.	75	36,059	25	36.5	23.6-49.4	12	10.4	03.7-17.1	5	6.5	00.0-13.4	33	46.5	33.2-59.8
MultiRacial/Non-Hisp.	79	37,626	28	39.7	25.0-54.4	13	12.8	04.0-21.6	6	6.7	00.8-12.6	32	40.7	26.4-55.0
Hispanic	172	117,915	47	31.4	22.2-40.6	17	7.4	02.9-11.9	6	1.5	00.0-03.3	102	59.7	50.3-69.1
18-24	266	329,927	43	17.4	11.1-23.7	2	1.6	00.0-04.1	1	0.7	00.0-02.1	220	80.3	73.6-87.0
25-34	534	401,941	120	25.4	20.9-29.9	31	6.3	03.9-08.7	4	0.9	00.0-01.9	379	67.5	62.6-72.4
35-44	646	406,546	168	26.9	22.8-31.0	39	5.6	03.6-07.6	13	1.7	00.5-02.9	426	65.9	61.4-70.4
45-54	851	456,572	267	29.2	25.5-32.9	127	15.6	12.7-18.5	56	6.2	04.2-08.2	401	48.9	44.8-53.0
55-64	1044	396,425	412	40.3	36.6-44.0	171	16.4	13.5-19.3	94	9.3	07.1-11.5	367	34.0	30.5-37.5
65+	1738	495,775	611	36.0	33.3-38.7	395	22.5	20.0-25.0	344	18.8	16.4-21.2	388	22.7	20.3-25.1
Less Than H.S.	491	334,346	123	26.8	21.5-32.1	118	22.0	17.3-26.7	130	16.8	13.1-20.5	120	34.4	28.5-40.3
H.S. or G.E.D.	1858	821,296	692	34.9	32.2-37.6	364	16.7	14.7-18.7	259	10.2	08.6-11.8	543	38.3	35.4-41.2
Some Post-H.S.	1415	833,657	463	31.6	28.3-34.9	191	8.7	07.1-10.3	90	3.2	02.4-04.0	671	56.5	53.2-59.8
College Graduate	1355	514,948	353	20.6	18.2-23.0	96	3.9	02.9-04.9	35	1.2	00.6-01.8	871	74.3	71.8-76.8
Less than \$15,000	684	301,978	205	29.3	24.6-34.0	164	20.4	16.5-24.3	143	14.8	11.7-17.9	172	35.5	30.2-40.8
\$15,000- 24,999	966	426,472	328	32.0	28.1-35.9	214	20.3	17.0-23.6	144	11.2	08.8-13.6	280	36.6	32.3-40.9
\$25,000- 34,999	550	264,026	191	35.8	29.9-41.7	102	13.0	09.9-16.1	48	5.3	03.5-07.1	209	45.8	40.1-51.5
\$35,000- 49,999	632	313,007	217	32.5	28.0-37.0	83	10.9	08.2-13.6	35	4.4	02.6-06.2	297	52.2	47.3-57.1
\$50,000- 74,999	633	340,267	201	27.5	23.2-31.8	50	6.0	03.8-08.2	29	4.2	02.4-06.0	353	62.4	57.7-67.1
\$75,000+	818	446,930	210	22.5	19.2-25.8	32	3.2	01.8-04.6	15	1.2	00.4-02.0	561	73.1	69.6-76.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS YOUR AGE? (AGE)	
1 MALES AND FEMALES	80
2 MALES ONLY	81
3 FEMALES ONLY	82
ARE YOU HISPANIC OR LATINO? (HISPANC2)	
4 MALES AND FEMALES	83
5 MALES ONLY	84
6 FEMALES ONLY	85
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)	
7 MALES AND FEMALES	86
8 MALES ONLY	87
9 FEMALES ONLY	88
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)	
10 MALES AND FEMALES	89
11 MALES ONLY	90
12 FEMALES ONLY	91
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)	
13 MALES AND FEMALES	92
14 MALES ONLY	93
15 FEMALES ONLY	94
ARE YOU: (MARITAL STATUS) (MARITAL)	
16 MALES AND FEMALES	95
17 MALES ONLY	96
18 FEMALES ONLY	97
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
19 MALES AND FEMALES	98
20 MALES ONLY	99
21 FEMALES ONLY	100

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
22 MALES AND FEMALES	101
23 MALES ONLY	102
24 FEMALES ONLY	103
ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)	
25 MALES AND FEMALES	104
26 MALES ONLY	105
27 FEMALES ONLY	106
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
28 MALES AND FEMALES	107
29 MALES ONLY	108
30 FEMALES ONLY	109
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
31 MALES AND FEMALES	110
32 MALES ONLY	111
33 FEMALES ONLY	112
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
34 MALES AND FEMALES	113
35 MALES ONLY	114
36 FEMALES ONLY	115
WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)	
37 MALES AND FEMALES	116
38 MALES ONLY	117
39 FEMALES ONLY	118
WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
40 MALES AND FEMALES	119
41 MALES ONLY	120
42 FEMALES ONLY	121

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
43	MALES AND FEMALES	122
44	MALES ONLY	123
45	FEMALES ONLY	124
	HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
46	MALES AND FEMALES	125
	DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)	
47	FEMALES ONLY	126
	THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)	
52	MALES AND FEMALES	131
53	MALES ONLY	132
54	FEMALES ONLY	133
	DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
55	MALES AND FEMALES	134
56	MALES ONLY	135
57	FEMALES ONLY	136
	INDICATE SEX OF RESPONDENT. (SEX)	
58	MALES AND FEMALES	137
59	MALES ONLY	138
60	FEMALES ONLY	139
	TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
61	MALES AND FEMALES	140
62	MALES ONLY	141
63	FEMALES ONLY	142
	85	
64	MALES AND FEMALES	143
65	MALES ONLY	144
66	FEMALES ONLY	145

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	89	
67	MALES AND FEMALES	146
68	MALES ONLY	147
69	FEMALES ONLY	148

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
TOTAL	8568	4,911,702	532	13.9	12.7-15.1	901	16.4	15.2-17.6	1117	16.7	15.7-17.7	1464	18.5	17.5-19.5	1804	16.1	15.3-16.9	2750	18.5	17.7-19.3
Male	3375	2,389,743	264	14.6	12.8-16.4	366	16.9	15.1-18.7	468	17.2	15.4-19.0	606	18.8	17.2-20.4	744	16.2	14.8-17.6	927	16.3	15.1-17.5
Female	5193	2,521,959	268	13.2	11.4-15.0	535	16.0	14.6-17.4	649	16.2	14.8-17.6	858	18.2	16.8-19.6	1060	15.9	14.7-17.1	1823	20.5	19.3-21.7
White/Non-Hisp	6961	4,028,348	402	13.0	11.6-14.4	675	15.0	13.8-16.2	885	15.8	14.6-17.0	1208	19.2	18.0-20.4	1492	17.0	16.0-18.0	2299	20.1	19.1-21.1
Black or Afr. Am./Non-Hisp	917	417,003	47	14.5	10.2-18.8	108	21.6	17.1-26.1	110	21.3	16.2-26.4	150	16.6	13.1-20.1	202	14.4	11.3-17.5	300	11.6	09.4-13.8
Oth. Race/Non-Hisp.	126	77,831	20	28.7	17.5-39.9	18	15.4	08.3-22.5	19	13.6	07.1-20.1	26	21.3	11.5-31.1	23	10.9	05.2-16.6	20	10.0	01.2-18.8
MultiRacial/Non-Hisp.	132	68,797	12	11.5	04.4-18.6	17	18.6	09.4-27.8	20	17.6	09.4-25.8	24	19.6	10.2-29.0	27	15.3	08.6-22.0	32	17.4	09.6-25.2
Hispanic	304	261,639	47	24.3	17.2-31.4	72	29.8	23.1-36.5	72	23.6	17.5-29.7	44	12.3	07.6-17.0	33	6.0	03.3-08.7	36	4.2	02.2-06.2
Less Than H.S.	845	695,035	82	21.2	16.9-25.5	92	17.8	14.1-21.5	89	14.9	11.6-18.2	121	15.2	12.3-18.1	118	9.9	07.7-12.1	343	21.1	18.2-24.0
H.S. or G.E.D.	3116	1,724,131	192	13.1	11.1-15.1	213	11.7	10.1-13.3	300	13.7	11.9-15.5	537	20.2	18.4-22.0	690	18.5	16.9-20.1	1184	22.8	21.2-24.4
Some Post-H.S.	2243	1,470,626	182	16.8	14.3-19.3	279	18.6	16.4-20.8	306	16.9	14.9-18.9	389	18.1	16.1-20.1	463	15.2	13.6-16.8	624	14.5	13.1-15.9
College Graduate	2347	1,012,921	74	5.8	04.4-07.2	315	20.4	18.2-22.6	422	22.8	20.6-25.0	417	18.7	16.7-20.7	528	17.5	15.9-19.1	591	14.8	13.4-16.2
Less than \$15,000	1015	515,728	95	20.5	16.6-24.4	107	18.3	14.8-21.8	76	10.0	07.1-12.9	195	19.1	16.0-22.2	192	13.7	11.2-16.2	350	18.5	15.8-21.2
\$15,000- 24,999	1539	802,212	97	13.9	11.2-16.6	153	17.8	14.9-20.7	141	13.4	10.9-15.9	203	14.9	12.5-17.3	299	15.5	13.3-17.7	646	24.4	22.0-26.8
\$25,000- 34,999	899	496,294	56	13.9	10.0-17.8	99	16.4	13.1-19.7	87	13.9	10.4-17.4	123	16.7	13.4-20.0	164	14.1	11.6-16.6	370	24.9	21.8-28.0
\$35,000- 49,999	1143	668,652	53	9.3	06.6-12.0	157	20.4	17.3-23.5	162	17.1	14.2-20.0	179	17.7	15.0-20.4	234	15.7	13.3-18.1	358	19.8	17.4-22.2
\$50,000- 74,999	1172	743,170	43	9.0	06.3-11.7	157	18.9	15.8-22.0	214	22.6	19.5-25.7	223	19.8	17.1-22.5	297	18.5	16.0-21.0	238	11.2	09.4-13.0
\$75,000+	1583	997,545	60	8.6	06.1-11.1	158	14.5	12.1-16.9	349	24.2	21.7-26.7	396	25.5	22.8-28.2	398	18.8	16.6-21.0	222	8.3	07.1-09.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS
TABLE 2: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Male	3375	2,389,743	264	14.6	12.8-16.4	366	16.9	15.1-18.7	468	17.2	15.4-19.0	606	18.8	17.2-20.4	744	16.2	14.8-17.6	927	16.3	15.1-17.5
White/Non-Hisp	2775	1,946,300	210	13.6	11.6-15.6	284	15.6	13.8-17.4	386	16.6	14.8-18.4	508	19.7	17.9-21.5	621	16.9	15.3-18.5	766	17.5	16.1-18.9
Black or Afr. Am./Non-Hisp	307	194,295	19	14.0	07.7-20.3	38	24.1	16.8-31.4	33	20.8	12.4-29.2	46	13.3	08.4-18.2	71	16.6	11.1-22.1	100	11.1	07.8-14.4
Oth. Race/Non-Hisp.	50	40,867	8	29.0	11.4-46.6	9	17.0	05.8-28.2	4	6.2	00.0-12.7	14	28.3	11.6-45.0	10	9.3	01.3-17.3	5	10.1	00.0-25.8
MultiRacial/Non-Hisp.	51	30,906	1	4.2	00.0-12.2	6	12.6	01.6-23.6	10	20.4	06.9-33.9	14	26.6	11.3-41.9	11	17.8	06.8-28.8	9	18.5	05.4-31.6
Hispanic	129	141,811	24	29.2	18.0-40.4	24	26.6	16.6-36.6	29	22.1	13.5-30.7	19	12.0	05.3-18.7	16	6.3	02.2-10.4	17	3.8	01.1-06.5
Less Than H.S.	333	350,923	48	24.8	18.1-31.5	41	18.8	13.1-24.5	36	15.5	10.4-20.6	46	13.5	09.4-17.6	49	9.5	06.2-12.8	113	17.9	13.6-22.2
H.S. or G.E.D.	1221	893,698	104	15.2	12.3-18.1	101	13.5	11.0-16.0	155	15.6	12.9-18.3	243	21.3	18.6-24.0	275	17.1	14.7-19.5	343	17.2	15.0-19.4
Some Post-H.S.	817	637,997	74	15.3	11.8-18.8	97	18.1	14.6-21.6	118	17.1	13.8-20.4	160	19.9	16.6-23.2	176	16.3	13.6-19.0	192	13.3	11.1-15.5
College Graduate	996	501,315	36	5.1	03.3-06.9	126	20.3	17.0-23.6	159	21.3	18.2-24.4	157	17.1	14.4-19.8	241	19.1	16.6-21.6	277	17.1	14.7-19.5
Less than \$15,000	309	205,331	37	20.8	14.1-27.5	37	20.5	13.8-27.2	17	8.0	02.7-13.3	71	18.9	13.6-24.2	64	16.1	11.0-21.2	83	15.6	10.7-20.5
\$15,000- 24,999	556	372,058	51	16.9	12.2-21.6	61	19.6	14.9-24.3	51	12.5	08.8-16.2	80	15.2	11.5-18.9	121	16.0	12.7-19.3	192	19.8	16.3-23.3
\$25,000- 34,999	347	231,921	23	10.5	06.2-14.8	36	16.6	11.1-22.1	41	17.3	11.2-23.4	48	17.0	11.7-22.3	67	13.2	09.5-16.9	132	25.4	20.5-30.3
\$35,000- 49,999	507	355,173	40	13.9	09.4-18.4	58	17.0	12.5-21.5	63	15.0	11.1-18.9	91	20.3	16.0-24.6	98	14.7	11.4-18.0	157	19.2	15.7-22.7
\$50,000- 74,999	535	402,408	25	9.3	05.4-13.2	70	19.4	14.7-24.1	103	23.6	18.9-28.3	97	18.0	14.1-21.9	127	18.5	14.8-22.2	113	11.2	08.7-13.7
\$75,000+	767	552,405	34	9.1	05.4-12.8	76	15.0	11.5-18.5	149	21.7	18.2-25.2	177	24.8	21.1-28.5	208	19.8	16.9-22.7	123	9.5	07.5-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS
TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Female	5193	2,521,959	268	13.2	11.4-15.0	535	16.0	14.6-17.4	649	16.2	14.8-17.6	858	18.2	16.8-19.6	1060	15.9	14.7-17.1	1823	20.5	19.3-21.7
White/Non-Hisp	4186	2,082,049	192	12.3	10.5-14.1	391	14.5	13.1-15.9	499	15.1	13.7-16.5	700	18.7	17.1-20.3	871	17.0	15.8-18.2	1533	22.4	21.0-23.8
Black or Afr. Am./Non-Hisp	610	222,708	28	14.8	08.7-20.9	70	19.5	14.2-24.8	77	21.8	15.9-27.7	104	19.4	14.5-24.3	131	12.5	09.2-15.8	200	11.9	09.4-14.4
Oth. Race/Non-Hisp.	76	36,964	12	28.4	15.3-41.5	9	13.6	05.0-22.2	15	21.7	11.1-32.3	12	13.5	04.9-22.1	13	12.7	04.9-20.5	15	10.0	03.7-16.3
MultiRacial/Non-Hisp.	81	37,891	11	17.4	06.4-28.4	11	23.5	10.0-37.0	10	15.3	05.5-25.1	10	13.9	02.1-25.7	16	13.3	05.5-21.1	23	16.6	07.2-26.0
Hispanic	175	119,828	23	18.4	11.1-25.7	48	33.4	24.6-42.2	43	25.3	16.9-33.7	25	12.7	06.2-19.2	17	5.5	02.2-08.8	19	4.6	01.7-07.5
Less Than H.S.	512	344,112	34	17.6	11.9-23.3	51	16.7	12.0-21.4	53	14.3	10.0-18.6	75	16.9	12.8-21.0	69	10.3	07.4-13.2	230	24.3	20.4-28.2
H.S. or G.E.D.	1895	830,433	88	10.7	08.3-13.1	112	9.8	07.8-11.8	145	11.6	09.4-13.8	294	19.0	16.6-21.4	415	19.9	17.7-22.1	841	28.9	26.7-31.1
Some Post-H.S.	1426	832,629	108	17.9	14.4-21.4	182	19.0	16.3-21.7	188	16.7	14.2-19.2	229	16.7	14.3-19.1	287	14.3	12.3-16.3	432	15.5	13.7-17.3
College Graduate	1351	511,606	38	6.6	04.4-08.8	189	20.5	17.8-23.2	263	24.2	21.3-27.1	260	20.3	17.8-22.8	287	15.9	13.9-17.9	314	12.5	10.9-14.1
Less than \$15,000	706	310,397	58	20.2	15.3-25.1	70	16.8	12.7-20.9	59	11.4	08.1-14.7	124	19.2	15.3-23.1	128	12.1	09.4-14.8	267	20.4	17.3-23.5
\$15,000- 24,999	983	430,154	46	11.3	08.0-14.6	92	16.3	12.8-19.8	90	14.3	10.8-17.8	123	14.6	11.5-17.7	178	15.1	12.4-17.8	454	28.4	25.1-31.7
\$25,000- 34,999	552	264,373	33	17.0	10.7-23.3	63	16.3	12.2-20.4	46	10.9	07.4-14.4	75	16.5	12.2-20.8	97	14.9	11.4-18.4	238	24.4	20.5-28.3
\$35,000- 49,999	636	313,478	13	4.1	01.7-06.5	99	24.3	19.8-28.8	99	19.4	15.1-23.7	88	14.9	11.6-18.2	136	16.8	13.7-19.9	201	20.6	17.3-23.9
\$50,000- 74,999	637	340,762	18	8.5	04.4-12.6	87	18.4	14.5-22.3	111	21.5	17.4-25.6	126	21.9	17.8-26.0	170	18.6	15.5-21.7	125	11.1	08.7-13.5
\$75,000+	816	445,140	26	8.1	05.0-11.2	82	13.9	10.8-17.0	200	27.3	23.6-31.0	219	26.4	22.7-30.1	190	17.6	14.7-20.5	99	6.7	05.1-08.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 4: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8590	4,918,608	306	5.4	04.6-06.2	8284	94.6	93.8-95.4
Male	3367	2,385,768	130	6.0	04.8-07.2	3237	94.0	92.8-95.2
Female	5223	2,532,840	176	4.8	04.0-05.6	5047	95.2	94.4-96.0
18-24	529	677,201	47	9.4	06.3-12.5	482	90.6	87.5-93.7
25-34	899	805,973	72	9.7	07.2-12.2	827	90.3	87.8-92.8
35-44	1113	814,650	72	7.6	05.4-09.8	1041	92.4	90.2-94.6
45-54	1458	905,090	44	3.6	02.2-05.0	1414	96.4	95.0-97.8
55-64	1797	786,797	33	2.0	01.0-03.0	1764	98.0	97.0-99.0
65+	2722	897,226	36	1.2	00.6-01.8	2686	98.8	98.2-99.4
Less Than H.S.	832	686,932	110	17.6	14.1-21.1	722	82.4	78.9-85.9
H.S. or G.E.D.	3128	1,730,124	99	4.6	03.4-05.8	3029	95.4	94.2-96.6
Some Post-H.S.	2249	1,474,594	46	2.5	01.5-03.5	2203	97.5	96.5-98.5
College Graduate	2362	1,016,875	50	2.5	01.7-03.3	2312	97.5	96.7-98.3
Less than \$15,000	1010	515,968	64	9.7	06.8-12.6	946	90.3	87.4-93.2
\$15,000- 24,999	1540	801,406	81	10.5	08.0-13.0	1459	89.5	87.0-92.0
\$25,000- 34,999	897	494,975	37	7.6	04.7-10.5	860	92.4	89.5-95.3
\$35,000- 49,999	1145	671,104	35	3.3	01.7-04.9	1110	96.7	95.1-98.3
\$50,000- 74,999	1171	742,851	25	2.5	01.3-03.7	1146	97.5	96.3-98.7
\$75,000+	1585	998,248	25	1.4	00.8-02.0	1560	98.6	98.0-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 5: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3367	2,385,768	130	6.0	04.8-07.2	3237	94.0	92.8-95.2
18-24	262	346,472	24	11.9	06.6-17.2	238	88.1	82.8-93.4
25-34	366	404,853	24	9.3	05.4-13.2	342	90.7	86.8-94.6
35-44	465	405,971	29	7.7	04.6-10.8	436	92.3	89.2-95.4
45-54	602	446,666	19	3.8	01.6-06.0	583	96.2	94.0-98.4
55-64	740	386,543	16	2.3	00.7-03.9	724	97.7	96.1-99.3
65+	912	383,509	17	1.4	00.4-02.4	895	98.6	97.6-99.6
Less Than H.S.	326	346,223	46	17.5	12.2-22.8	280	82.5	77.2-87.8
H.S. or G.E.D.	1221	895,283	49	6.0	03.8-08.2	1172	94.0	91.8-96.2
Some Post-H.S.	815	637,454	12	2.5	00.5-04.5	803	97.5	95.5-99.5
College Graduate	996	499,964	22	2.3	01.1-03.5	974	97.7	96.5-98.9
Less than \$15,000	305	205,902	19	9.4	03.9-14.9	286	90.6	85.1-96.1
\$15,000- 24,999	553	370,474	38	13.5	09.0-18.0	515	86.5	82.0-91.0
\$25,000- 34,999	346	230,707	17	9.5	04.2-14.8	329	90.5	85.2-95.8
\$35,000- 49,999	507	355,744	20	3.9	01.5-06.3	487	96.1	93.7-98.5
\$50,000- 74,999	535	402,408	11	2.6	00.8-04.4	524	97.4	95.6-99.2
\$75,000+	763	549,951	9	1.2	00.2-02.2	754	98.8	97.8-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 6: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5223	2,532,840	176	4.8	04.0-05.6	5047	95.2	94.4-96.0
18-24	267	330,729	23	6.7	03.8-09.6	244	93.3	90.4-96.2
25-34	533	401,120	48	10.0	06.9-13.1	485	90.0	86.9-93.1
35-44	648	408,679	43	7.4	04.7-10.1	605	92.6	89.9-95.3
45-54	856	458,424	25	3.3	01.5-05.1	831	96.7	94.9-98.5
55-64	1057	400,254	17	1.7	00.7-02.7	1040	98.3	97.3-99.3
65+	1810	513,718	19	1.1	00.5-01.7	1791	98.9	98.3-99.5
Less Than H.S.	506	340,709	64	17.6	12.9-22.3	442	82.4	77.7-87.1
H.S. or G.E.D.	1907	834,840	50	3.1	01.9-04.3	1857	96.9	95.7-98.1
Some Post-H.S.	1434	837,141	34	2.5	01.5-03.5	1400	97.5	96.5-98.5
College Graduate	1366	516,911	28	2.6	01.4-03.8	1338	97.4	96.2-98.6
Less than \$15,000	705	310,066	45	9.8	06.5-13.1	660	90.2	86.9-93.5
\$15,000- 24,999	987	430,932	43	7.9	05.0-10.8	944	92.1	89.2-95.0
\$25,000- 34,999	551	264,269	20	6.0	02.9-09.1	531	94.0	90.9-97.1
\$35,000- 49,999	638	315,360	15	2.6	00.8-04.4	623	97.4	95.6-99.2
\$50,000- 74,999	636	340,443	14	2.5	00.9-04.1	622	97.5	95.9-99.1
\$75,000+	822	448,297	16	1.7	00.7-02.7	806	98.3	97.3-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8645	4,946,018	8506	98.5	98.1-98.9	139	1.5	01.1-01.9
Male	3397	2,402,430	3339	98.5	98.1-98.9	58	1.5	01.1-01.9
Female	5248	2,543,588	5167	98.5	98.1-98.9	81	1.5	01.1-01.9
18-24	532	680,772	519	98.5	97.5-99.5	13	1.5	00.5-02.5
25-34	901	807,561	883	98.3	97.3-99.3	18	1.7	00.7-02.7
35-44	1117	818,682	1096	98.5	97.7-99.3	21	1.5	00.7-02.3
45-54	1464	909,038	1439	98.5	97.7-99.3	25	1.5	00.7-02.3
55-64	1804	789,117	1776	98.6	98.0-99.2	28	1.4	00.8-02.0
65+	2750	906,533	2717	98.7	98.1-99.3	33	1.3	00.7-01.9
Less Than H.S.	849	698,108	837	98.8	97.8-99.8	12	1.2	00.2-02.2
H.S. or G.E.D.	3139	1,734,288	3087	98.3	97.7-98.9	52	1.7	01.1-02.3
Some Post-H.S.	2263	1,480,187	2217	98.4	97.8-99.0	46	1.6	01.0-02.2
College Graduate	2374	1,023,246	2345	98.9	98.3-99.5	29	1.1	00.5-01.7
Less than \$15,000	1021	519,037	989	97.8	96.8-98.8	32	2.2	01.2-03.2
\$15,000- 24,999	1545	804,553	1512	98.3	97.5-99.1	33	1.7	00.9-02.5
\$25,000- 34,999	902	497,429	888	97.9	96.5-99.3	14	2.1	00.7-03.5
\$35,000- 49,999	1147	671,408	1133	99.1	98.5-99.7	14	0.9	00.3-01.5
\$50,000- 74,999	1174	743,878	1160	98.6	97.8-99.4	14	1.4	00.6-02.2
\$75,000+	1591	1,001,971	1574	98.8	98.2-99.4	17	1.2	00.6-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3397	2,402,430	3339	98.5	98.1-98.9	58	1.5	01.1-01.9
18-24	264	348,380	262	98.9	97.3-0100	2	1.1	00.0-02.7
25-34	366	404,853	359	98.8	97.8-99.8	7	1.2	00.2-02.2
35-44	468	409,905	457	98.4	97.2-99.6	11	1.6	00.4-02.8
45-54	606	449,957	591	98.1	96.9-99.3	15	1.9	00.7-03.1
55-64	744	388,172	732	98.4	97.4-99.4	12	1.6	00.6-02.6
65+	927	388,478	917	98.5	97.3-99.7	10	1.5	00.3-02.7
Less Than H.S.	335	352,469	329	98.6	97.0-0100	6	1.4	00.0-03.0
H.S. or G.E.D.	1226	897,509	1204	98.4	97.6-99.2	22	1.6	00.8-02.4
Some Post-H.S.	821	639,724	803	98.4	97.4-99.4	18	1.6	00.6-02.6
College Graduate	1006	505,883	994	98.7	97.9-99.5	12	1.3	00.5-02.1
Less than \$15,000	312	207,559	305	99.0	98.0-0100	7	1.0	00.0-02.0
\$15,000- 24,999	557	373,045	546	98.9	98.1-99.7	11	1.1	00.3-01.9
\$25,000- 34,999	348	232,206	339	97.6	95.8-99.4	9	2.4	00.6-04.2
\$35,000- 49,999	508	355,968	503	99.4	98.8-0100	5	0.6	00.0-01.2
\$50,000- 74,999	536	402,615	528	98.4	97.2-99.6	8	1.6	00.4-02.8
\$75,000+	769	553,674	758	98.4	97.2-99.6	11	1.6	00.4-02.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5248	2,543,588	5167	98.5	98.1-98.9	81	1.5	01.1-01.9
18-24	268	332,392	257	98.0	96.6-99.4	11	2.0	00.6-03.4
25-34	535	402,708	524	97.8	96.2-99.4	11	2.2	00.6-03.8
35-44	649	408,778	639	98.6	97.6-99.6	10	1.4	00.4-02.4
45-54	858	459,082	848	98.8	97.8-99.8	10	1.2	00.2-02.2
55-64	1060	400,945	1044	98.7	97.9-99.5	16	1.3	00.5-02.1
65+	1823	518,055	1800	98.8	98.0-99.6	23	1.2	00.4-02.0
Less Than H.S.	514	345,639	508	99.0	98.0-0100	6	1.0	00.0-02.0
H.S. or G.E.D.	1913	836,779	1883	98.1	97.3-98.9	30	1.9	01.1-02.7
Some Post-H.S.	1442	840,462	1414	98.4	97.6-99.2	28	1.6	00.8-02.4
College Graduate	1368	517,363	1351	99.0	98.4-99.6	17	1.0	00.4-01.6
Less than \$15,000	709	311,478	684	97.1	95.5-98.7	25	2.9	01.3-04.5
\$15,000- 24,999	988	431,508	966	97.8	96.6-99.0	22	2.2	01.0-03.4
\$25,000- 34,999	554	265,223	549	98.1	96.1-0100	5	1.9	00.0-03.9
\$35,000- 49,999	639	315,440	630	98.7	97.5-99.9	9	1.3	00.1-02.5
\$50,000- 74,999	638	341,263	632	98.9	97.9-99.9	6	1.1	00.1-02.1
\$75,000+	822	448,297	816	99.2	98.4-0100	6	0.8	00.0-01.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	128	67,291	75	64.1	53.5-74.7	27	16.1	08.5-23.7	5	6.1	00.2-12.0	4	3.6	00.0-08.3	17	10.2	04.3-16.1	
Male	56	34,408	34	72.4	58.5-86.3	8	6.5	00.8-12.2	3	8.3	00.0-17.7	2	1.8	00.0-04.9	9	11.0	01.6-20.4	
Female	72	32,883	41	55.3	40.6-70.0	19	26.0	12.5-39.5	2	3.8	00.0-10.7	2	5.4	00.0-14.2	8	9.4	02.9-15.9	
H.S. or G.E.D.	50	28,862	35	65.1	48.0-82.2	8	19.7	04.0-35.4	2	3.2	00.0-08.9				5	12.0	01.4-22.6	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2012

SECTION 7: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	56	34,408	34	72.4	57.9-86.9	8	6.5	00.6-12.4	3	8.3	00.0-17.7	2	1.8	00.0-04.9	9	11.0	01.4-20.6	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White			Black or African American			N	Asian		Native Hawaiian or P.I.			Am. Indian or Alaskan Native		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	%		C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	72	32,883	41	55.3	40.6-70.0	19	26.0	12.5-39.5	2	3.8	00.0-10.7	2	5.4	00.0-14.2	8	9.4	03.5-15.3	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 13: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8636	4,940,531	991	10.6	09.8-11.4	7645	89.4	88.6-90.2
Male	3392	2,398,199	919	20.4	18.8-22.0	2473	79.6	78.0-81.2
Female	5244	2,542,332	72	1.4	01.0-01.8	5172	98.6	98.2-99.0
18-24	532	680,772	11	2.0	00.8-03.2	521	98.0	96.8-99.2
25-34	900	806,065	40	5.0	03.2-06.8	860	95.0	93.2-96.8
35-44	1114	816,267	83	7.8	06.0-09.6	1031	92.2	90.4-94.0
45-54	1463	908,788	129	10.1	08.1-12.1	1334	89.9	87.9-91.9
55-64	1803	788,644	202	12.9	10.9-14.9	1601	87.1	85.1-89.1
65+	2749	906,455	518	23.1	20.9-25.3	2231	76.9	74.7-79.1
Less Than H.S.	849	698,108	49	3.7	02.3-05.1	800	96.3	94.9-97.7
H.S. or G.E.D.	3135	1,730,726	402	13.6	12.0-15.2	2733	86.4	84.8-88.0
Some Post-H.S.	2261	1,479,636	297	11.6	10.0-13.2	1964	88.4	86.8-90.0
College Graduate	2372	1,021,978	238	8.6	07.2-10.0	2134	91.4	90.0-92.8
Less than \$15,000	1020	518,564	74	5.2	03.6-06.8	946	94.8	93.2-96.4
\$15,000- 24,999	1544	803,057	221	12.8	10.6-15.0	1323	87.2	85.0-89.4
\$25,000- 34,999	900	496,010	130	12.9	10.4-15.4	770	87.1	84.6-89.6
\$35,000- 49,999	1147	671,408	164	13.7	11.3-16.1	983	86.3	83.9-88.7
\$50,000- 74,999	1174	743,878	127	10.1	07.9-12.3	1047	89.9	87.7-92.1
\$75,000+	1590	1,000,975	161	10.2	08.4-12.0	1429	89.8	88.0-91.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 14: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3392	2,398,199	919	20.4	18.8-22.0	2473	79.6	78.0-81.2
18-24	264	348,380	9	3.2	01.0-05.4	255	96.8	94.6-99.0
25-34	365	403,357	31	8.7	05.4-12.0	334	91.3	88.0-94.6
35-44	466	408,089	68	13.4	10.1-16.7	398	86.6	83.3-89.9
45-54	605	449,706	112	18.4	14.9-21.9	493	81.6	78.1-85.1
55-64	744	388,172	194	25.0	21.3-28.7	550	75.0	71.3-78.7
65+	927	388,478	498	52.7	48.8-56.6	429	47.3	43.4-51.2
Less Than H.S.	335	352,469	49	7.3	04.6-10.0	286	92.7	90.0-95.4
H.S. or G.E.D.	1222	893,947	386	25.2	22.5-27.9	836	74.8	72.1-77.5
Some Post-H.S.	821	639,724	265	24.2	20.9-27.5	556	75.8	72.5-79.1
College Graduate	1005	505,214	215	15.8	13.3-18.3	790	84.2	81.7-86.7
Less than \$15,000	312	207,559	68	11.8	08.1-15.5	244	88.2	84.5-91.9
\$15,000- 24,999	556	371,550	207	26.1	22.0-30.2	349	73.9	69.8-78.0
\$25,000- 34,999	347	231,386	121	25.8	20.7-30.9	226	74.2	69.1-79.3
\$35,000- 49,999	508	355,968	156	25.0	20.7-29.3	352	75.0	70.7-79.3
\$50,000- 74,999	536	402,615	115	16.8	13.1-20.5	421	83.2	79.5-86.9
\$75,000+	768	552,678	149	17.3	14.2-20.4	619	82.7	79.6-85.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 15: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5244	2,542,332	72	1.4	01.0-01.8	5172	98.6	98.2-99.0
18-24	268	332,392	2	0.7	00.0-01.7	266	99.3	98.3-0100
25-34	535	402,708	9	1.3	00.3-02.3	526	98.7	97.7-99.7
35-44	648	408,178	15	2.2	00.8-03.6	633	97.8	96.4-99.2
45-54	858	459,082	17	2.1	00.9-03.3	841	97.9	96.7-99.1
55-64	1059	400,473	8	1.1	00.1-02.1	1051	98.9	97.9-99.9
65+	1822	517,977	20	0.9	00.5-01.3	1802	99.1	98.7-99.5
Less Than H.S.	514	345,639				514	100.0	0100-0100
H.S. or G.E.D.	1913	836,779	16	1.1	00.5-01.7	1897	98.9	98.3-99.5
Some Post-H.S.	1440	839,912	32	2.0	01.2-02.8	1408	98.0	97.2-98.8
College Graduate	1367	516,764	23	1.6	00.8-02.4	1344	98.4	97.6-99.2
Less than \$15,000	708	311,006	6	0.8	00.0-01.6	702	99.2	98.4-0100
\$15,000- 24,999	988	431,508	14	1.4	00.4-02.4	974	98.6	97.6-99.6
\$25,000- 34,999	553	264,624	9	1.7	00.3-03.1	544	98.3	96.9-99.7
\$35,000- 49,999	639	315,440	8	0.9	00.1-01.7	631	99.1	98.3-99.9
\$50,000- 74,999	638	341,263	12	2.3	00.9-03.7	626	97.7	96.3-99.1
\$75,000+	822	448,297	12	1.4	00.4-02.4	810	98.6	97.6-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS
TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8605	4,928,545	4350	52.5	51.1-53.9	1369	11.7	10.9-12.5	1297	7.3	06.7-07.9	146	1.7	01.3-02.1	1234	22.4	21.0-23.8	209	4.4	03.6-05.2
Male	3387	2,396,420	1903	54.3	52.1-56.5	501	10.9	09.7-12.1	241	3.7	03.1-04.3	54	1.5	00.9-02.1	596	24.8	22.6-27.0	92	4.9	03.7-06.1
Female	5218	2,532,125	2447	50.7	48.9-52.5	868	12.6	11.6-13.6	1056	10.7	09.9-11.5	92	1.8	01.4-02.2	638	20.1	18.3-21.9	117	4.0	03.0-05.0
White/Non-Hisp	6990	4,042,098	3774	55.7	54.1-57.3	1061	11.8	11.0-12.6	1056	7.7	07.1-08.3	86	1.3	00.9-01.7	851	19.4	18.0-20.8	162	4.1	03.3-04.9
Black or Afr. Am./Non-Hisp	919	416,554	254	26.8	22.5-31.1	200	13.4	10.7-16.1	159	5.8	04.2-07.4	35	3.4	01.6-05.2	248	44.4	39.1-49.7	23	6.1	02.8-09.4
Oth. Race/Non-Hisp.	126	77,831	51	40.2	29.2-51.2	18	10.5	03.4-17.6	16	4.2	01.7-06.7	3	2.5	00.0-05.6	31	32.7	21.7-43.7	7	9.8	00.6-19.0
MultiRacial/Non-Hisp.	133	69,082	47	38.4	27.8-49.0	31	20.4	12.2-28.6	16	5.8	01.9-09.7	7	3.6	00.3-06.9	27	26.1	15.7-36.5	5	5.8	00.3-11.3
Hispanic	304	262,285	168	52.4	45.0-59.8	34	5.5	03.0-08.0	16	2.3	00.7-03.9	13	4.6	01.7-07.5	64	30.0	22.9-37.1	9	5.3	01.2-09.4
18-24	528	677,373	68	9.0	06.6-11.4	8	1.3	00.3-02.3	1	0.1	00.0-00.3	3	0.3	00.0-00.7	403	80.1	76.2-84.0	45	9.2	06.1-12.3
25-34	900	807,395	485	48.5	44.8-52.2	76	8.2	06.2-10.2	1	0.0	00.0-00.0	20	2.0	01.0-03.0	259	32.6	28.9-36.3	59	8.7	06.3-11.1
35-44	1112	817,039	722	63.8	60.3-67.3	168	13.2	11.0-15.4	14	0.8	00.4-01.2	33	2.8	01.8-03.8	141	14.9	12.0-17.8	34	4.6	02.6-06.6
45-54	1462	908,540	856	64.8	61.9-67.7	307	17.4	15.2-19.6	56	2.8	02.0-03.6	33	2.4	01.4-03.4	174	9.7	07.9-11.5	36	2.9	01.7-04.1
55-64	1798	787,399	1047	65.5	62.8-68.2	388	17.2	15.2-19.2	157	6.3	05.1-07.5	36	2.1	01.1-03.1	145	7.2	05.6-08.8	25	1.7	00.9-02.5
65+	2741	902,638	1133	54.1	51.7-56.5	412	10.9	09.5-12.3	1057	30.4	28.4-32.4	20	0.5	00.3-00.7	109	3.1	02.3-03.9	10	1.0	00.0-02.0
Less Than H.S.	844	694,385	322	39.7	35.4-44.0	138	11.3	08.9-13.7	193	10.3	08.5-12.1	35	4.4	02.6-06.2	131	28.4	23.7-33.1	25	6.0	03.5-08.5
H.S. or G.E.D.	3131	1,731,152	1467	51.5	49.1-53.9	516	12.7	11.3-14.1	634	10.0	09.0-11.0	60	1.8	01.2-02.4	392	20.1	17.9-22.3	62	3.9	02.7-05.1
Some Post-H.S.	2253	1,475,176	1086	49.5	46.8-52.2	401	13.1	11.5-14.7	286	5.6	04.8-06.4	30	0.9	00.5-01.3	380	26.1	23.4-28.8	70	4.9	03.5-06.3
College Graduate	2359	1,017,808	1472	67.4	65.0-69.8	313	8.7	07.5-09.9	177	3.0	02.4-03.6	21	0.9	00.5-01.3	324	16.5	14.3-18.7	52	3.7	02.5-04.9
Less than \$15,000	1014	516,674	150	16.6	13.7-19.5	309	23.0	19.7-26.3	225	12.1	09.9-14.3	46	4.9	03.1-06.7	250	35.7	31.4-40.0	34	7.7	04.4-11.0
\$15,000- 24,999	1542	803,282	467	34.9	31.8-38.0	332	16.5	14.1-18.9	384	13.3	11.5-15.1	44	2.8	01.8-03.8	267	27.0	23.7-30.3	48	5.6	03.8-07.4
\$25,000- 34,999	901	496,830	367	43.4	39.1-47.7	176	15.5	12.8-18.2	173	9.3	07.5-11.1	13	2.1	00.7-03.5	149	25.2	20.7-29.7	23	4.5	02.5-06.5
\$35,000- 49,999	1146	671,254	666	57.7	54.0-61.4	177	12.8	10.4-15.2	118	5.6	04.4-06.8	10	1.1	00.3-01.9	154	19.4	16.1-22.7	21	3.3	01.7-04.9
\$50,000- 74,999	1173	743,740	816	68.7	65.0-72.4	137	8.2	06.4-10.0	63	2.1	01.5-02.7	10	1.1	00.3-01.9	122	15.7	12.6-18.8	25	4.3	02.1-06.5
\$75,000+	1587	1,000,973	1290	78.5	75.6-81.4	100	4.6	03.4-05.8	42	1.0	00.6-01.4	10	0.5	00.1-00.9	105	12.1	09.4-14.8	40	3.3	02.1-04.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS
TABLE 17: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3387	2,396,420	1903	54.3	52.1-56.5	501	10.9	09.7-12.1	241	3.7	03.1-04.3	54	1.5	00.9-02.1	596	24.8	22.6-27.0	92	4.9	03.7-06.1
White/Non-Hisp	2782	1,949,675	1647	57.5	55.1-59.9	392	11.1	09.7-12.5	193	3.8	03.2-04.4	33	1.1	00.7-01.5	451	22.4	20.2-24.6	66	4.1	02.9-05.3
Black or Afr. Am./Non-Hisp	308	195,329	104	28.7	21.8-35.6	62	11.6	07.3-15.9	28	2.6	01.2-04.0	11	3.3	00.2-06.4	88	43.3	34.7-51.9	15	10.5	04.0-17.0
Oth. Race/Non-Hisp.	50	40,867	17	32.0	15.7-48.3	8	10.7	00.0-22.5	3	1.8	00.0-04.2	1	1.8	00.0-05.3	17	39.1	21.3-56.9	4	14.6	00.0-31.1
MultiRacial/Non-Hisp.	52	31,191	28	56.8	40.5-73.1	10	15.6	04.2-27.0	2	4.8	00.0-11.5	4	5.6	00.0-12.1	6	12.1	00.5-23.7	2	5.0	00.0-11.9
Hispanic	129	142,457	71	51.6	40.4-62.8	16	4.9	01.6-08.2	5	2.1	00.0-04.5	4	3.1	00.0-06.8	29	32.5	21.7-43.3	4	5.7	00.0-12.4
18-24	262	347,329	23	5.9	03.2-08.6	3	0.8	00.0-01.8				2	0.5	00.0-01.1	210	84.1	79.4-88.8	24	8.7	04.8-12.6
25-34	366	404,853	190	45.6	39.9-51.3	27	8.1	05.0-11.2				7	1.9	00.3-03.5	112	33.9	28.2-39.6	30	10.5	06.6-14.4
35-44	467	409,233	308	62.5	57.0-68.0	70	13.6	10.1-17.1	4	0.7	00.0-01.5	10	2.1	00.7-03.5	62	16.0	11.5-20.5	13	5.0	01.7-08.3
45-54	605	449,819	366	66.9	62.6-71.2	120	16.7	13.4-20.0	9	1.0	00.2-01.8	8	1.6	00.4-02.8	88	10.7	08.0-13.4	14	3.1	01.3-04.9
55-64	743	387,542	460	68.8	64.7-72.9	144	14.2	11.5-16.9	36	3.7	02.1-05.3	17	2.5	00.9-04.1	78	9.4	06.7-12.1	8	1.4	00.2-02.6
65+	925	387,381	543	68.5	65.0-72.0	136	10.0	07.8-12.2	188	16.5	13.8-19.2	10	0.6	00.0-01.2	45	3.3	01.9-04.7	3	1.1	00.0-02.9
Less Than H.S.	334	352,035	146	41.6	35.1-48.1	54	10.0	06.7-13.3	40	5.8	03.6-08.0	13	3.6	01.1-06.1	70	32.7	25.6-39.8	11	6.4	02.3-10.5
H.S. or G.E.D.	1225	896,188	656	52.2	48.7-55.7	203	12.3	10.3-14.3	105	4.6	03.6-05.6	23	1.7	00.9-02.5	208	24.3	21.0-27.6	30	4.8	02.8-06.8
Some Post-H.S.	817	637,327	431	52.2	48.1-56.3	140	13.0	10.5-15.5	49	2.6	01.8-03.4	8	0.6	00.0-01.2	163	27.1	23.0-31.2	26	4.5	02.5-06.5
College Graduate	1002	504,025	667	69.7	66.2-73.2	104	6.5	04.9-08.1	46	1.8	01.2-02.4	10	1.0	00.2-01.8	150	16.6	13.5-19.7	25	4.4	02.4-06.4
Less than \$15,000	311	207,092	64	19.7	14.2-25.2	84	18.4	13.3-23.5	33	7.1	04.2-10.0	11	4.2	01.1-07.3	104	38.6	31.2-46.0	15	12.0	04.9-19.1
\$15,000- 24,999	557	373,045	215	39.1	34.0-44.2	116	14.4	11.3-17.5	69	6.6	04.6-08.6	13	1.5	00.5-02.5	123	32.3	27.0-37.6	21	6.1	03.4-08.8
\$25,000- 34,999	348	232,206	169	47.7	41.0-54.4	69	16.2	11.7-20.7	30	4.6	02.6-06.6	7	2.6	00.2-05.0	65	24.4	18.1-30.7	8	4.4	01.3-07.5
\$35,000- 49,999	508	355,968	288	53.2	47.7-58.7	80	13.5	10.0-17.0	39	4.0	02.4-05.6	6	1.3	00.1-02.5	85	24.8	19.5-30.1	10	3.2	01.0-05.4
\$50,000- 74,999	535	402,477	361	65.9	60.6-71.2	61	8.0	05.5-10.5	24	1.7	00.9-02.5	9	1.8	00.4-03.2	67	17.1	12.6-21.6	13	5.6	02.1-09.1
\$75,000+	768	553,045	616	77.2	72.9-81.5	53	4.9	03.3-06.5	11	0.5	00.1-00.9	4	0.4	00.0-00.8	66	14.1	10.0-18.2	18	2.9	01.5-04.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS
TABLE 18: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5218	2,532,125	2447	50.7	48.9-52.5	868	12.6	11.6-13.6	1056	10.7	09.9-11.5	92	1.8	01.4-02.2	638	20.1	18.3-21.9	117	4.0	03.0-05.0
White/Non-Hisp	4208	2,092,423	2127	54.1	52.1-56.1	669	12.5	11.3-13.7	863	11.4	10.4-12.4	53	1.4	01.0-01.8	400	16.6	14.6-18.6	96	4.0	03.0-05.0
Black or Afr. Am./Non-Hisp	611	221,225	150	25.2	19.7-30.7	138	15.0	11.3-18.7	131	8.7	06.2-11.2	24	3.4	01.6-05.2	160	45.4	38.7-52.1	8	2.3	00.0-04.7
Oth. Race/Non-Hisp.	76	36,964	34	49.3	36.2-62.4	10	10.3	03.0-17.6	13	6.9	02.6-11.2	2	3.2	00.0-08.7	14	25.6	13.4-37.8	3	4.6	00.0-09.9
MultiRacial/Non-Hisp.	81	37,891	19	23.2	12.2-34.2	21	24.4	12.6-36.2	14	6.6	02.3-10.9	3	1.9	00.0-04.4	21	37.5	22.6-52.4	3	6.4	00.0-14.6
Hispanic	175	119,828	97	53.3	43.9-62.7	18	6.1	02.2-10.0	11	2.5	00.7-04.3	9	6.2	01.5-10.9	35	27.0	18.6-35.4	5	4.8	00.5-09.1
18-24	266	330,044	45	12.3	08.4-16.2	5	1.7	00.0-03.5	1	0.3	00.0-00.9	1	0.0	00.0-00.0	193	76.0	70.1-81.9	21	9.7	04.8-14.6
25-34	534	402,542	295	51.4	46.5-56.3	49	8.3	05.8-10.8	1	0.0	00.0-00.0	13	2.1	00.9-03.3	147	31.3	26.4-36.2	29	6.9	04.2-09.6
35-44	645	407,806	414	65.0	60.5-69.5	98	12.8	10.1-15.5	10	0.9	00.3-01.5	23	3.5	01.9-05.1	79	13.7	10.2-17.2	21	4.1	02.1-06.1
45-54	857	458,721	490	62.8	58.9-66.7	187	18.1	15.2-21.0	47	4.5	02.9-06.1	25	3.2	01.6-04.8	86	8.7	06.3-11.1	22	2.7	01.3-04.1
55-64	1055	399,857	587	62.4	58.9-65.9	244	20.0	17.1-22.9	121	8.7	06.7-10.7	19	1.7	00.7-02.7	67	5.2	03.6-06.8	17	1.9	00.9-02.9
65+	1816	515,257	590	43.3	40.4-46.2	276	11.5	09.9-13.1	869	40.8	38.1-43.5	10	0.4	00.0-00.8	64	3.0	02.2-03.8	7	0.9	00.1-01.7
Less Than H.S.	510	342,349	176	37.7	32.2-43.2	84	12.6	09.3-15.9	153	15.0	12.1-17.9	22	5.1	02.7-07.5	61	24.0	17.9-30.1	14	5.6	02.7-08.5
H.S. or G.E.D.	1906	834,964	811	50.8	47.9-53.7	313	13.1	11.3-14.9	529	15.8	14.2-17.4	37	1.9	01.1-02.7	184	15.5	13.0-18.0	32	2.9	01.7-04.1
Some Post-H.S.	1436	837,849	655	47.4	44.1-50.7	261	13.2	11.2-15.2	237	7.8	06.6-09.0	22	1.1	00.5-01.7	217	25.3	21.8-28.8	44	5.1	03.1-07.1
College Graduate	1357	513,783	805	65.0	61.9-68.1	209	10.8	09.0-12.6	131	4.1	03.3-04.9	11	0.8	00.2-01.4	174	16.3	13.6-19.0	27	3.0	01.8-04.2
Less than \$15,000	703	309,582	86	14.5	11.0-18.0	225	26.1	22.0-30.2	192	15.5	12.6-18.4	35	5.3	03.1-07.5	146	33.8	28.5-39.1	19	4.7	02.2-07.2
\$15,000- 24,999	985	430,236	252	31.2	27.3-35.1	216	18.3	15.2-21.4	315	19.1	16.6-21.6	31	3.9	02.1-05.7	144	22.5	18.4-26.6	27	5.1	02.9-07.3
\$25,000- 34,999	553	264,624	198	39.6	34.1-45.1	107	14.9	11.4-18.4	143	13.3	10.6-16.0	6	1.6	00.2-03.0	84	25.9	19.8-32.0	15	4.6	02.1-07.1
\$35,000- 49,999	638	315,286	378	62.8	58.1-67.5	97	12.0	09.3-14.7	79	7.3	05.3-09.3	4	0.9	00.0-01.9	69	13.4	09.5-17.3	11	3.5	01.1-05.9
\$50,000- 74,999	638	341,263	455	72.0	67.3-76.7	76	8.4	06.0-10.8	39	2.6	01.6-03.6	1	0.2	00.0-00.6	55	14.1	09.6-18.6	12	2.7	00.7-04.7
\$75,000+	819	447,928	674	80.2	76.3-84.1	47	4.2	02.8-05.6	31	1.7	00.9-02.5	6	0.5	00.1-00.9	39	9.6	06.3-12.9	22	3.8	02.0-05.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 19: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8632	4,938,270	942	14.8	13.8-15.8	841	13.1	12.1-14.1	404	6.3	05.5-07.1	123	1.9	01.5-02.3	66	1.0	00.8-01.2	6256	62.9	61.5-64.3
Male	3391	2,397,392	368	13.8	12.2-15.4	333	13.3	11.7-14.9	148	5.6	04.6-06.6	45	1.7	01.1-02.3	30	1.0	00.6-01.4	2467	64.6	62.4-66.8
Female	5241	2,540,877	574	15.6	14.0-17.2	508	13.0	11.8-14.2	256	7.0	06.0-08.0	78	2.1	01.5-02.7	36	1.0	00.6-01.4	3789	61.3	59.5-63.1
White/Non-Hisp	7009	4,048,386	725	13.9	12.7-15.1	652	12.3	11.3-13.3	297	5.8	05.0-06.6	95	1.8	01.4-02.2	39	0.7	00.5-00.9	5201	65.5	63.9-67.1
Black or Afr. Am./Non-Hisp	923	418,487	122	21.0	16.3-25.7	85	12.7	09.0-16.4	42	7.1	04.6-09.6	16	2.9	01.1-04.7	12	1.5	00.3-02.7	646	54.8	49.5-60.1
Oth. Race/Non-Hisp.	126	77,831	17	21.1	10.9-31.3	17	14.1	06.7-21.5	9	6.0	01.7-10.3	2	3.8	00.0-09.5	1	0.7	00.0-02.1	80	54.3	42.7-65.9
MultiRacial/Non-Hisp.	133	69,082	18	16.9	08.9-24.9	8	6.7	01.6-11.8	14	11.2	04.3-18.1	2	1.8	00.0-04.3	2	2.3	00.0-06.4	89	61.2	50.6-71.8
Hispanic	306	263,451	48	15.7	10.6-20.8	70	28.4	21.7-35.1	42	13.7	09.0-18.4	5	1.0	00.0-02.0	11	4.0	01.3-06.7	130	37.2	29.9-44.5
18-24	532	680,772	107	21.5	17.2-25.8	57	10.7	07.6-13.8	20	4.6	02.1-07.1	10	2.4	00.8-04.0	4	0.6	00.0-01.2	334	60.3	55.2-65.4
25-34	900	806,334	191	21.2	18.1-24.3	221	24.4	21.1-27.7	120	12.7	10.3-15.1	34	3.5	02.1-04.9	19	1.8	00.8-02.8	315	36.4	32.7-40.1
35-44	1114	817,117	237	21.4	18.5-24.3	335	29.2	26.1-32.3	176	15.8	13.3-18.3	59	4.4	03.0-05.8	26	2.6	01.4-03.8	281	26.6	23.5-29.7
45-54	1461	907,169	254	18.2	15.7-20.7	166	12.3	10.1-14.5	64	4.1	02.9-05.3	16	0.9	00.3-01.5	6	0.4	00.0-00.8	955	64.2	61.3-67.1
55-64	1803	788,630	108	7.0	05.4-08.6	40	2.7	01.7-03.7	14	1.1	00.3-01.9	2	0.1	00.0-00.3	6	0.6	00.0-01.2	1633	88.5	86.5-90.5
65+	2749	906,321	42	1.6	01.0-02.2	18	0.7	00.3-01.1	7	0.3	00.0-00.7	2	0.3	00.0-00.7	3	0.1	00.0-00.3	2677	96.9	95.9-97.9
Less Than H.S.	847	695,665	97	16.9	13.4-20.4	79	14.6	11.1-18.1	46	7.6	05.1-10.1	16	2.7	01.1-04.3	8	1.3	00.3-02.3	601	56.8	52.3-61.3
H.S. or G.E.D.	3137	1,732,700	289	12.6	11.0-14.2	219	10.3	08.7-11.9	114	5.1	04.1-06.1	32	1.7	01.1-02.3	21	1.1	00.5-01.7	2462	69.2	67.0-71.4
Some Post-H.S.	2260	1,478,447	262	15.9	13.7-18.1	240	13.5	11.5-15.5	121	7.0	05.4-08.6	35	1.6	01.0-02.2	17	0.9	00.5-01.3	1585	61.1	58.4-63.8
College Graduate	2369	1,021,328	294	15.5	13.7-17.3	302	16.5	14.5-18.5	123	6.6	05.4-07.8	40	1.9	01.3-02.5	20	0.8	00.4-01.2	1590	58.8	56.3-61.3
Less than \$15,000	1021	519,037	92	13.3	10.2-16.4	67	8.3	05.9-10.7	44	6.9	04.5-09.3	11	1.6	00.6-02.6	6	0.8	00.0-01.6	801	69.1	65.0-73.2
\$15,000- 24,999	1542	802,854	137	12.5	10.0-15.0	119	12.1	09.6-14.6	58	5.6	04.0-07.2	17	1.8	00.8-02.8	19	2.0	00.8-03.2	1192	66.0	62.7-69.3
\$25,000- 34,999	901	497,101	89	13.4	10.3-16.5	75	13.3	10.0-16.6	29	4.5	01.8-07.2	9	1.1	00.1-02.1	8	1.1	00.1-02.1	691	66.6	62.1-71.1
\$35,000- 49,999	1146	671,196	129	15.1	12.2-18.0	107	13.2	10.3-16.1	47	5.4	03.6-07.2	17	1.5	00.5-02.5	4	0.5	00.1-00.9	842	64.3	60.6-68.0
\$50,000- 74,999	1174	743,878	152	15.9	13.2-18.6	141	15.2	12.3-18.1	76	8.7	06.5-10.9	24	2.6	01.4-03.8	7	0.8	00.2-01.4	774	56.7	53.0-60.4
\$75,000+	1591	1,001,971	239	17.7	15.2-20.2	266	18.3	15.9-20.7	114	7.9	06.1-09.7	29	2.0	01.2-02.8	9	0.6	00.2-01.0	934	53.5	50.4-56.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 20: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3391	2,397,392	368	13.8	12.2-15.4	333	13.3	11.7-14.9	148	5.6	04.6-06.6	45	1.7	01.1-02.3	30	1.0	00.6-01.4	2467	64.6	62.4-66.8
White/Non-Hisp	2785	1,950,181	310	13.7	12.1-15.3	268	12.4	10.8-14.0	109	5.2	04.0-06.4	40	1.7	01.1-02.3	17	0.7	00.3-01.1	2041	66.2	64.0-68.4
Black or Afr. Am./Non-Hisp	308	195,329	27	14.9	08.6-21.2	22	12.7	06.4-19.0	15	7.7	03.2-12.2	2	1.2	00.0-03.2	3	0.7	00.0-01.5	239	62.7	54.3-71.1
Oth. Race/Non-Hisp.	50	40,867	6	20.8	04.5-37.1	4	9.3	00.0-18.7	4	4.5	00.0-09.6	2	7.3	00.0-18.1	1	1.3	00.0-03.8	33	56.9	38.5-75.3
MultiRacial/Non-Hisp.	52	31,191	5	9.8	00.2-19.4	4	7.5	00.0-15.5	8	15.5	03.2-27.8							35	67.2	51.7-82.7
Hispanic	130	142,923	14	12.2	04.9-19.5	30	28.0	18.2-37.8	12	8.7	03.0-14.4				8	5.6	01.3-09.9	66	45.6	34.4-56.8
18-24	264	348,380	44	17.1	11.8-22.4	20	9.6	04.9-14.3	8	4.0	00.9-07.1	3	1.3	00.0-02.9	1	0.2	00.0-00.6	188	67.8	60.9-74.7
25-34	365	403,626	74	19.9	15.4-24.4	75	21.1	16.2-26.0	34	9.1	05.8-12.4	9	2.7	00.7-04.7	4	1.1	00.0-02.3	169	46.1	40.2-52.0
35-44	467	408,642	84	18.0	13.9-22.1	137	29.6	24.7-34.5	65	13.8	10.1-17.5	22	4.3	02.3-06.3	13	2.8	01.0-04.6	146	31.4	26.3-36.5
45-54	605	448,777	104	18.2	14.5-21.9	78	14.8	11.3-18.3	30	4.7	02.7-06.7	10	1.3	00.3-02.3	5	0.8	00.0-01.6	378	60.2	55.5-64.9
55-64	743	387,685	48	7.7	05.3-10.1	14	2.6	01.2-04.0	7	1.1	00.3-01.9	1	0.1	00.0-00.3	5	1.1	00.0-02.3	668	87.5	84.6-90.4
65+	926	388,265	14	1.6	00.6-02.6	9	0.7	00.1-01.3	3	0.5	00.0-01.1							900	97.2	96.0-98.4
Less Than H.S.	333	350,026	36	14.8	09.9-19.7	32	13.9	08.8-19.0	19	8.2	04.3-12.1	3	1.3	00.0-02.7	6	2.1	00.3-03.9	237	59.7	52.8-66.6
H.S. or G.E.D.	1225	896,282	131	13.1	10.6-15.6	104	11.5	09.1-13.9	54	5.7	03.9-07.5	16	2.0	00.8-03.2	9	1.0	00.2-01.8	911	66.7	63.4-70.0
Some Post-H.S.	820	639,238	94	14.5	11.4-17.6	84	13.8	10.7-16.9	33	4.3	02.5-06.1	7	0.9	00.1-01.7	5	0.5	00.1-00.9	597	66.0	61.9-70.1
College Graduate	1004	505,002	107	13.7	11.0-16.4	113	15.6	12.7-18.5	42	5.3	03.5-07.1	19	2.3	01.1-03.5	10	1.1	00.3-01.9	713	61.9	58.2-65.6
Less than \$15,000	312	207,559	20	10.1	05.6-14.6	11	3.2	00.8-05.6	12	6.7	02.6-10.8	3	1.1	00.0-02.5	1	0.3	00.0-00.9	265	78.6	72.3-84.9
\$15,000- 24,999	556	371,782	45	10.6	07.1-14.1	36	11.4	07.5-15.3	20	4.7	02.3-07.1	7	1.4	00.2-02.6	7	1.9	00.3-03.5	441	70.1	64.8-75.4
\$25,000- 34,999	348	232,206	33	14.1	09.0-19.2	34	14.3	09.2-19.4	8	1.4	00.2-02.6	3	1.2	00.0-02.8	1	0.8	00.0-02.4	269	68.3	61.6-75.0
\$35,000- 49,999	507	355,756	49	13.3	09.4-17.2	42	12.8	08.5-17.1	18	4.3	02.1-06.5	5	1.2	00.0-02.4	2	0.5	00.0-01.3	391	68.0	62.5-73.5
\$50,000- 74,999	536	402,615	80	17.1	13.0-21.2	54	14.5	10.0-19.0	39	9.2	06.1-12.3	12	3.0	01.2-04.8	5	1.0	00.0-02.0	346	55.2	49.9-60.5
\$75,000+	769	553,674	113	18.0	14.5-21.5	130	19.2	15.9-22.5	40	6.1	03.7-08.5	11	1.6	00.6-02.6	7	0.8	00.2-01.4	468	54.2	49.9-58.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 21: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5241	2,540,877	574	15.6	14.0-17.2	508	13.0	11.8-14.2	256	7.0	06.0-08.0	78	2.1	01.5-02.7	36	1.0	00.6-01.4	3789	61.3	59.5-63.1
White/Non-Hisp	4224	2,098,206	415	14.1	12.5-15.7	384	12.2	10.8-13.6	188	6.4	05.2-07.6	55	1.8	01.2-02.4	22	0.7	00.3-01.1	3160	64.8	62.8-66.8
Black or Afr. Am./Non-Hisp	615	223,158	95	26.3	19.6-33.0	63	12.7	08.4-17.0	27	6.5	03.6-09.4	14	4.3	01.4-07.2	9	2.2	00.0-04.4	407	47.9	41.4-54.4
Oth. Race/Non-Hisp.	76	36,964	11	21.5	09.9-33.1	13	19.5	08.5-30.5	5	7.7	00.8-14.6							47	51.3	38.2-64.4
MultiRacial/Non-Hisp.	81	37,891	13	22.7	10.5-34.9	4	5.9	00.0-12.4	6	7.6	00.7-14.5	2	3.3	00.0-07.8	2	4.2	00.0-11.5	54	56.2	41.9-70.5
Hispanic	176	120,527	34	19.9	12.6-27.2	40	28.9	19.9-37.9	30	19.6	12.2-27.0	5	2.2	00.0-04.4	3	2.2	00.0-04.9	64	27.2	19.4-35.0
18-24	268	332,392	63	26.1	19.4-32.8	37	12.0	07.7-16.3	12	5.1	01.0-09.2	7	3.5	01.0-06.0	3	1.0	00.0-02.4	146	52.3	45.0-59.6
25-34	535	402,708	117	22.6	18.5-26.7	146	27.8	23.5-32.1	86	16.3	12.8-19.8	25	4.3	02.3-06.3	15	2.4	01.0-03.8	146	26.7	22.2-31.2
35-44	647	408,475	153	24.9	20.8-29.0	198	28.7	24.6-32.8	111	17.7	14.2-21.2	37	4.5	02.7-06.3	13	2.3	00.7-03.9	135	21.8	18.1-25.5
45-54	856	458,393	150	18.1	15.0-21.2	88	9.8	07.4-12.2	34	3.5	02.1-04.9	6	0.5	00.1-00.9	1	0.0	00.0-00.0	577	68.1	64.4-71.8
55-64	1060	400,945	60	6.3	04.3-08.3	26	2.8	01.4-04.2	7	1.2	00.0-02.4	1	0.1	00.0-00.3	1	0.2	00.0-00.6	965	89.5	87.0-92.0
65+	1823	518,055	28	1.6	00.8-02.4	9	0.7	00.1-01.3	4	0.2	00.0-00.4	2	0.4	00.0-01.0	3	0.2	00.0-00.6	1777	96.7	95.5-97.9
Less Than H.S.	514	345,639	61	19.0	13.7-24.3	47	15.4	10.7-20.1	27	7.0	04.1-09.9	13	4.2	01.7-06.7	2	0.5	00.0-01.3	364	53.8	47.9-59.7
H.S. or G.E.D.	1912	836,418	158	12.0	09.8-14.2	115	9.0	07.2-10.8	60	4.5	03.1-05.9	16	1.4	00.6-02.2	12	1.2	00.4-02.0	1551	71.9	69.2-74.6
Some Post-H.S.	1440	839,210	168	17.0	14.1-19.9	156	13.2	10.8-15.6	88	9.0	06.6-11.4	28	2.2	01.2-03.2	12	1.2	00.4-02.0	988	57.4	53.9-60.9
College Graduate	1365	516,326	187	17.2	14.7-19.7	189	17.3	14.8-19.8	81	7.9	06.1-09.7	21	1.5	00.7-02.3	10	0.5	00.1-00.9	877	55.7	52.4-59.0
Less than \$15,000	709	311,478	72	15.4	11.3-19.5	56	11.7	08.2-15.2	32	7.0	04.3-09.7	8	2.0	00.4-03.6	5	1.1	00.0-02.5	536	62.8	57.7-67.9
\$15,000- 24,999	986	431,072	92	14.1	10.6-17.6	83	12.7	09.6-15.8	38	6.3	03.9-08.7	10	2.3	00.7-03.9	12	2.1	00.7-03.5	751	62.5	58.0-67.0
\$25,000- 34,999	553	264,895	56	12.8	08.9-16.7	41	12.4	08.1-16.7	21	7.2	02.3-12.1	6	0.9	00.1-01.7	7	1.5	00.1-02.9	422	65.2	59.1-71.3
\$35,000- 49,999	639	315,440	80	17.3	13.0-21.6	65	13.6	10.1-17.1	29	6.6	03.9-09.3	12	2.0	00.6-03.4	2	0.4	00.0-01.0	451	60.2	55.3-65.1
\$50,000- 74,999	638	341,263	72	14.4	10.9-17.9	87	16.1	12.6-19.6	37	8.2	05.5-10.9	12	2.2	00.8-03.6	2	0.5	00.0-01.3	428	58.6	53.7-63.5
\$75,000+	822	448,297	126	17.3	14.0-20.6	136	17.2	14.3-20.1	74	10.2	07.7-12.7	18	2.4	01.0-03.8	2	0.4	00.0-01.0	466	52.5	48.4-56.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 22: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8625	4,935,829	7	0.1	00.1-00.1	205	3.0	02.4-03.6	637	11.0	10.0-12.0	3139	35.1	33.7-36.5	2263	30.0	28.6-31.4	2374	20.7	19.7-21.7
Male	3388	2,395,586	3	0.1	00.1-00.1	95	3.6	02.6-04.6	237	11.1	09.5-12.7	1226	37.5	35.3-39.7	821	26.7	24.7-28.7	1006	21.1	19.5-22.7
Female	5237	2,540,243	4	0.1	00.1-00.1	110	2.6	02.0-03.2	400	11.0	09.6-12.4	1913	32.9	31.3-34.5	1442	33.1	31.3-34.9	1368	20.4	19.2-21.6
White/Non-Hisp	7005	4,047,317	2	0.0	00.0-00.0	124	2.1	01.7-02.5	441	9.4	08.4-10.4	2608	36.1	34.7-37.5	1816	30.6	29.2-32.0	2014	21.8	20.8-22.8
Black or Afr. Am./Non-Hisp	921	417,771				24	1.6	00.4-02.8	100	17.1	12.4-21.8	317	31.2	26.3-36.1	290	34.5	29.4-39.6	190	15.6	12.3-18.9
Oth. Race/Non-Hisp.	126	77,831				1	4.6	00.0-13.2	8	5.5	00.4-10.6	36	31.6	20.4-42.8	26	21.8	12.2-31.4	55	36.6	26.4-46.8
MultiRacial/Non-Hisp.	133	69,082				2	0.5	00.0-01.1	8	8.2	01.9-14.5	50	40.6	29.8-51.4	46	34.9	24.3-45.5	27	15.8	08.5-23.1
Hispanic	305	262,573	4	0.6	00.0-01.4	44	17.0	11.3-22.7	62	28.3	21.4-35.2	99	30.5	23.6-37.4	46	13.9	08.6-19.2	50	9.6	06.3-12.9
18-24	530	678,393				11	2.1	00.7-03.5	71	19.6	15.1-24.1	192	33.2	28.5-37.9	182	36.4	31.5-41.3	74	8.7	06.5-10.9
25-34	899	805,844	1	0.1	00.0-00.3	15	2.8	01.2-04.4	76	12.4	09.5-15.3	213	25.1	21.8-28.4	279	33.9	30.2-37.6	315	25.7	22.8-28.6
35-44	1117	818,682	1	0.1	00.0-00.3	24	3.3	01.7-04.9	64	9.2	06.7-11.7	300	28.9	25.6-32.2	306	30.3	27.0-33.6	422	28.2	25.5-30.9
45-54	1464	909,038	3	0.1	00.0-00.3	25	2.7	01.5-03.9	93	8.8	06.8-10.8	537	38.3	35.2-41.4	389	29.2	26.3-32.1	417	20.9	18.7-23.1
55-64	1799	786,974	2	0.0	00.0-00.0	29	2.1	01.1-03.1	87	6.7	05.1-08.3	690	40.4	37.7-43.1	463	28.3	25.6-31.0	528	22.5	20.3-24.7
65+	2742	903,781				100	4.9	03.5-06.3	243	11.3	09.7-12.9	1184	43.6	41.2-46.0	624	23.7	21.7-25.7	591	16.6	15.0-18.2
Less than \$15,000	1018	517,781	1	0.0	00.0-00.0	71	7.5	05.1-09.9	164	23.0	19.1-26.9	431	38.7	34.6-42.8	253	25.6	22.1-29.1	98	5.2	03.8-06.6
\$15,000- 24,999	1542	803,950	3	0.2	00.0-00.4	62	6.4	04.4-08.4	179	17.5	14.6-20.4	731	43.2	39.9-46.5	382	25.4	22.5-28.3	185	7.3	05.9-08.7
\$25,000- 34,999	901	495,789	1	0.1	00.0-00.3	13	2.7	01.1-04.3	70	13.4	09.7-17.1	386	41.0	36.9-45.1	253	29.4	25.3-33.5	178	13.4	11.0-15.8
\$35,000- 49,999	1146	670,669				9	0.9	00.1-01.7	56	6.3	04.3-08.3	446	41.5	37.8-45.2	340	34.4	30.9-37.9	295	16.8	14.4-19.2
\$50,000- 74,999	1173	743,229	1	0.1	00.0-00.3	8	1.5	00.3-02.7	24	4.6	02.4-06.8	344	30.9	27.6-34.2	352	35.9	32.4-39.4	444	27.0	24.1-29.9
\$75,000+	1590	1,001,284				3	0.1	00.0-00.3	21	2.8	01.0-04.6	267	20.1	17.6-22.6	373	30.8	27.9-33.7	926	46.2	43.3-49.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 23: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3388	2,395,586	3	0.1	00.1-00.1	95	3.6	02.6-04.6	237	11.1	09.5-12.7	1226	37.5	35.3-39.7	821	26.7	24.7-28.7	1006	21.1	19.5-22.7
White/Non-Hisp	2785	1,950,653	1	0.0	00.0-00.0	55	2.5	01.7-03.3	163	9.6	07.8-11.4	1017	37.9	35.7-40.1	674	27.6	25.4-29.8	875	22.4	20.8-24.0
Black or Afr. Am./Non-Hisp	306	193,928				11	2.3	00.1-04.5	38	17.1	09.7-24.5	108	34.5	26.5-42.5	90	29.3	21.7-36.9	59	16.9	11.4-22.4
Oth. Race/Non-Hisp.	50	40,867				1	8.7	00.0-24.6	2	5.2	00.0-13.4	19	42.6	24.2-61.0	12	22.5	07.4-37.6	16	21.1	09.3-32.9
MultiRacial/Non-Hisp.	52	31,191				1	0.4	00.0-01.2	3	7.6	00.0-17.2	20	40.3	24.0-56.6	18	33.0	17.3-48.7	10	18.6	06.4-30.8
Hispanic	129	142,045	2	0.4	00.0-01.0	19	16.2	08.2-24.2	25	26.0	16.2-35.8	49	38.0	27.2-48.8	12	11.1	03.3-18.9	22	8.2	03.7-12.7
18-24	262	346,001				7	3.0	00.6-05.4	41	22.1	15.4-28.8	104	39.4	32.5-46.3	74	28.2	21.9-34.5	36	7.3	04.6-10.0
25-34	365	404,204	1	0.2	00.0-00.6	8	3.0	00.6-05.4	32	13.2	08.5-17.9	101	29.9	24.6-35.2	97	28.5	23.2-33.8	126	25.2	20.7-29.7
35-44	468	409,905				13	4.7	02.0-07.4	23	8.5	04.8-12.2	155	34.1	29.0-39.2	118	26.6	21.9-31.3	159	26.1	22.0-30.2
45-54	606	449,957	1	0.1	00.0-00.3	9	2.2	00.6-03.8	36	8.2	05.3-11.1	243	42.3	37.6-47.0	160	28.2	23.9-32.5	157	19.0	15.9-22.1
55-64	741	386,417	1	0.0	00.0-00.0	13	2.4	00.8-04.0	35	6.2	03.7-08.7	275	39.6	35.3-43.9	176	27.0	22.9-31.1	241	24.8	21.5-28.1
65+	925	387,450				44	6.0	03.5-08.5	69	10.2	07.5-12.9	343	39.7	35.8-43.6	192	21.9	18.6-25.2	277	22.2	19.3-25.1
Less than \$15,000	311	206,681				29	9.9	05.0-14.8	47	19.1	12.8-25.4	122	42.5	34.9-50.1	78	24.0	17.9-30.1	35	4.5	02.5-06.5
\$15,000- 24,999	555	372,528	2	0.1	00.0-00.3	33	8.2	04.9-11.5	63	17.2	12.7-21.7	259	45.1	39.8-50.4	122	20.8	16.5-25.1	76	8.5	06.1-10.9
\$25,000- 34,999	347	230,565	1	0.3	00.0-00.9	7	3.7	00.8-06.6	33	17.5	11.0-24.0	166	45.8	39.1-52.5	80	21.2	16.1-26.3	60	11.5	08.0-15.0
\$35,000- 49,999	507	355,229				7	1.6	00.0-03.2	26	5.7	03.2-08.2	215	46.0	40.5-51.5	150	33.4	28.3-38.5	109	13.4	10.5-16.3
\$50,000- 74,999	535	401,966				6	2.1	00.3-03.9	18	7.2	03.5-10.9	171	34.5	29.6-39.4	140	30.6	25.5-35.7	200	25.5	21.6-29.4
\$75,000+	768	552,987				1	0.2	00.0-00.6	15	4.2	01.3-07.1	145	22.5	18.8-26.2	173	28.4	24.3-32.5	434	44.7	40.4-49.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 24: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5237	2,540,243	4	0.1	00.1-00.1	110	2.6	02.0-03.2	400	11.0	09.6-12.4	1913	32.9	31.3-34.5	1442	33.1	31.3-34.9	1368	20.4	19.2-21.6
White/Non-Hisp	4220	2,096,664	1	0.0	00.0-00.0	69	1.8	01.2-02.4	278	9.2	07.8-10.6	1591	34.3	32.5-36.1	1142	33.4	31.4-35.4	1139	21.2	19.8-22.6
Black or Afr. Am./Non-Hisp	615	223,843				13	1.0	00.2-01.8	62	17.1	11.2-23.0	209	28.4	22.7-34.1	200	39.0	32.5-45.5	131	14.5	10.8-18.2
Oth. Race/Non-Hisp.	76	36,964							6	5.8	00.0-11.9	17	19.4	09.4-29.4	14	21.0	09.2-32.8	39	53.7	40.6-66.8
MultiRacial/Non-Hisp.	81	37,891				1	0.5	00.0-01.5	5	8.8	00.8-16.8	30	40.9	26.6-55.2	28	36.4	22.1-50.7	17	13.4	05.0-21.8
Hispanic	176	120,527	2	0.8	00.0-02.2	25	18.0	10.4-25.6	37	31.0	21.8-40.2	50	21.7	14.6-28.8	34	17.3	10.6-24.0	28	11.3	06.4-16.2
18-24	268	332,392				4	1.1	00.0-02.3	30	17.1	11.2-23.0	88	26.8	21.1-32.5	108	44.9	37.6-52.2	38	10.1	06.6-13.6
25-34	534	401,640				7	2.7	00.3-05.1	44	11.6	08.1-15.1	112	20.2	16.3-24.1	182	39.3	34.4-44.2	189	26.2	22.3-30.1
35-44	649	408,778	1	0.2	00.0-00.6	11	2.0	00.4-03.6	41	9.8	06.5-13.1	145	23.7	19.8-27.6	188	34.0	29.5-38.5	263	30.3	26.4-34.2
45-54	858	459,082	2	0.1	00.0-00.3	16	3.2	01.4-05.0	57	9.3	06.8-11.8	294	34.5	30.6-38.4	229	30.2	26.3-34.1	260	22.7	19.8-25.6
55-64	1058	400,557	1	0.0	00.0-00.0	16	1.7	00.7-02.7	52	7.1	04.9-09.3	415	41.3	37.6-45.0	287	29.6	26.1-33.1	287	20.3	17.8-22.8
65+	1817	516,331				56	4.0	02.6-05.4	174	12.1	10.1-14.1	841	46.5	43.8-49.2	432	25.0	22.6-27.4	314	12.4	10.8-14.0
Less than \$15,000	707	311,100	1	0.0	00.0-00.0	42	6.0	03.6-08.4	117	25.5	20.6-30.4	309	36.2	31.5-40.9	175	26.6	22.1-31.1	63	5.7	03.9-07.5
\$15,000- 24,999	987	431,422	1	0.2	00.0-00.6	29	4.8	02.6-07.0	116	17.8	14.1-21.5	472	41.5	37.4-45.6	260	29.4	25.5-33.3	109	6.2	04.8-07.6
\$25,000- 34,999	554	265,223				6	1.9	00.3-03.5	37	9.9	05.8-14.0	220	36.8	31.5-42.1	173	36.5	30.6-42.4	118	15.0	11.7-18.3
\$35,000- 49,999	639	315,440				2	0.2	00.0-00.4	30	7.1	04.2-10.0	231	36.5	31.8-41.2	190	35.6	30.7-40.5	186	20.7	17.4-24.0
\$50,000- 74,999	638	341,263	1	0.2	00.0-00.6	2	0.7	00.0-01.7	6	1.5	00.1-02.9	173	26.7	22.6-30.8	212	42.0	36.9-47.1	244	28.8	24.7-32.9
\$75,000+	822	448,297				2	0.1	00.0-00.3	6	1.1	00.1-02.1	122	17.1	14.0-20.2	200	33.6	29.3-37.9	492	48.1	44.0-52.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 25: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8608	4,930,800	4146	56.0	54.6-57.4	453	6.4	05.6-07.2	611	6.5	05.9-07.1	294	6.9	05.9-07.9	2394	16.8	16.0-17.6	710	7.4	06.6-08.2
Male	3387	2,397,441	1882	62.8	60.8-64.8	190	6.4	05.4-07.4	12	0.4	00.2-00.6	126	6.9	05.5-08.3	933	16.9	15.5-18.3	244	6.7	05.5-07.9
Female	5221	2,533,358	2264	49.5	47.7-51.3	263	6.4	05.4-07.4	599	12.2	11.0-13.4	168	7.0	05.8-08.2	1461	16.7	15.7-17.7	466	8.2	07.2-09.2
White/Non-Hisp	6993	4,043,933	3482	56.8	55.2-58.4	308	5.4	04.6-06.2	496	6.4	05.8-07.0	223	6.7	05.7-07.7	1992	18.1	17.1-19.1	492	6.6	05.8-07.4
Black or Afr. Am./Non-Hisp	921	418,013	335	45.6	40.3-50.9	90	14.3	10.4-18.2	38	3.6	01.6-05.6	31	8.3	05.0-11.6	274	12.1	09.7-14.5	153	16.0	11.7-20.3
Oth. Race/Non-Hisp.	126	77,831	61	52.1	40.5-63.7	4	1.7	00.0-03.7	11	6.7	02.6-10.8	17	21.1	11.3-30.9	20	7.9	03.0-12.8	13	10.5	01.5-19.5
MultiRacial/Non-Hisp.	132	68,455	51	48.2	37.2-59.2	15	13.2	05.8-20.6	12	9.2	03.5-14.9	6	5.3	00.0-10.6	25	11.6	05.5-17.7	23	12.4	06.3-18.5
Hispanic	304	262,625	173	66.6	59.9-73.3	27	8.7	05.0-12.4	44	12.3	07.8-16.8	13	5.1	01.8-08.4	35	5.1	02.6-07.6	12	2.1	00.5-03.7
18-24	529	677,964	262	45.8	40.7-50.9	56	10.2	07.3-13.1	10	1.3	00.3-02.3	194	40.2	35.1-45.3				7	2.5	00.3-04.7
25-34	899	805,925	660	74.2	70.9-77.5	75	8.7	06.5-10.9	86	7.9	05.9-09.9	49	5.4	03.6-07.2	1	0.0	00.0-00.0	28	3.7	02.1-05.3
35-44	1113	817,232	849	76.6	73.5-79.7	71	6.3	04.5-08.1	101	8.5	06.5-10.5	23	1.6	00.8-02.4	2	0.1	00.0-00.3	67	6.9	04.7-09.1
45-54	1462	907,831	1008	71.7	69.0-74.4	109	6.9	05.3-08.5	92	6.4	04.8-08.0	17	0.8	00.2-01.4	32	1.7	00.9-02.5	204	12.4	10.4-14.4
55-64	1797	787,387	1002	57.0	54.1-59.9	108	6.1	04.7-07.5	86	5.1	03.9-06.3	4	0.2	00.0-00.4	339	18.3	16.1-20.5	258	13.2	11.2-15.2
65+	2736	902,083	332	12.1	10.5-13.7	30	1.2	00.6-01.8	233	8.8	07.4-10.2	3	0.2	00.0-00.4	1999	72.9	70.7-75.1	139	4.8	03.6-06.0
Less Than H.S.	841	695,098	224	36.1	31.8-40.4	66	9.7	07.0-12.4	103	10.6	08.1-13.1	29	9.2	05.7-12.7	232	15.1	12.6-17.6	187	19.3	16.0-22.6
H.S. or G.E.D.	3126	1,730,497	1286	51.7	49.3-54.1	186	7.8	06.4-09.2	267	7.1	06.1-08.1	65	4.6	03.2-06.0	1034	21.4	19.8-23.0	288	7.5	06.3-08.7
Some Post-H.S.	2255	1,474,650	1141	58.7	56.2-61.2	124	5.5	04.3-06.7	122	5.2	04.0-06.4	142	11.3	09.3-13.3	550	13.4	12.0-14.8	176	6.0	04.6-07.4
College Graduate	2368	1,020,573	1490	73.0	71.0-75.0	75	3.0	02.2-03.8	117	4.5	03.5-05.5	58	3.2	02.2-04.2	570	14.9	13.5-16.3	58	1.5	00.9-02.1
Less than \$15,000	1019	518,734	185	25.0	21.1-28.9	144	18.5	15.0-22.0	68	6.9	04.9-08.9	56	9.0	06.5-11.5	264	14.5	12.1-16.9	302	26.1	22.2-30.0
\$15,000- 24,999	1541	803,081	487	40.7	37.4-44.0	127	11.3	08.9-13.7	127	8.2	06.2-10.2	54	5.9	03.9-07.9	566	22.8	20.4-25.2	180	11.1	09.1-13.1
\$25,000- 34,999	899	495,976	395	52.5	48.2-56.8	34	6.4	04.0-08.8	63	6.7	04.7-08.7	22	4.9	02.7-07.1	338	23.5	20.6-26.4	47	6.1	03.6-08.6
\$35,000- 49,999	1144	669,462	646	63.9	60.4-67.4	41	3.7	02.5-04.9	63	4.8	03.4-06.2	28	5.0	02.8-07.2	322	18.8	16.4-21.2	44	3.8	02.4-05.2
\$50,000- 74,999	1173	743,291	808	74.7	71.8-77.6	32	3.2	01.8-04.6	64	5.3	03.7-06.9	24	3.7	01.9-05.5	222	10.9	09.1-12.7	23	2.2	01.2-03.2
\$75,000+	1590	1,001,684	1219	78.0	75.3-80.7	22	1.2	00.6-01.8	87	4.7	03.5-05.9	47	7.4	05.0-09.8	202	8.0	06.6-09.4	13	0.8	00.4-01.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 26: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3387	2,397,441	1882	62.8	60.8-64.8	190	6.4	05.4-07.4	12	0.4	00.2-00.6	126	6.9	05.5-08.3	933	16.9	15.7-18.1	244	6.7	05.5-07.9
White/Non-Hisp	2783	1,951,446	1605	63.8	61.6-66.0	140	5.6	04.6-06.6	8	0.4	00.2-00.6	94	6.5	04.9-08.1	769	18.1	16.7-19.5	167	5.6	04.6-06.6
Black or Afr. Am./Non-Hisp	308	195,329	104	44.8	36.4-53.2	32	14.8	08.9-20.7	2	0.4	00.0-01.0	13	9.1	03.8-14.4	107	13.9	09.8-18.0	50	16.9	09.5-24.3
Oth. Race/Non-Hisp.	50	40,867	26	50.3	31.7-68.9							10	27.4	11.1-43.7	6	4.7	00.0-11.0	8	17.6	01.3-33.9
MultiRacial/Non-Hisp.	52	31,191	26	59.4	43.5-75.3	4	6.7	00.0-15.3	1	2.7	00.0-08.0	3	3.5	00.0-08.4	9	15.3	03.5-27.1	9	12.3	03.3-21.3
Hispanic	130	142,923	94	81.3	73.5-89.1	11	6.9	02.6-11.2				4	4.1	00.0-09.0	17	5.9	01.8-10.0	4	2.0	00.0-04.4
18-24	263	347,173	138	50.1	43.0-57.2	28	8.4	05.1-11.7				94	40.2	32.9-47.5				3	1.4	00.0-03.0
25-34	366	404,853	303	82.5	78.0-87.0	34	9.9	06.4-13.4	2	0.5	00.0-01.3	15	3.6	01.4-05.8				12	3.5	01.5-05.5
35-44	465	409,052	404	85.7	81.4-90.0	28	5.8	03.3-08.3	1	0.4	00.0-01.2	6	0.9	00.1-01.7				26	7.2	03.5-10.9
45-54	605	449,409	454	78.8	75.1-82.5	47	6.6	04.4-08.8	5	1.0	00.0-02.0	6	0.7	00.0-01.5	19	2.1	00.9-03.3	74	10.7	08.0-13.4
55-64	742	387,251	434	59.2	54.9-63.5	45	6.6	04.4-08.8				2	0.3	00.0-00.7	165	21.5	18.0-25.0	96	12.4	09.3-15.5
65+	925	387,742	138	14.9	12.2-17.6	7	0.8	00.0-01.6	4	0.6	00.0-01.2	1	0.3	00.0-00.9	743	79.9	76.6-83.2	32	3.6	01.4-05.8
Less Than H.S.	334	352,039	134	48.1	41.2-55.0	26	7.9	04.4-11.4	3	1.3	00.0-02.7	18	11.3	05.6-17.0	100	15.1	11.4-18.8	53	16.3	11.2-21.4
H.S. or G.E.D.	1223	896,656	628	59.7	56.4-63.0	86	8.5	06.5-10.5	6	0.4	00.0-00.8	32	5.2	03.0-07.4	372	19.6	17.2-22.0	99	6.6	04.8-08.4
Some Post-H.S.	820	638,517	463	64.7	60.8-68.6	45	5.3	03.5-07.1	1	0.1	00.0-00.3	55	10.4	07.5-13.3	187	13.5	11.1-15.9	69	6.1	04.3-07.9
College Graduate	1001	503,384	652	76.2	73.5-78.9	33	2.9	01.7-04.1	2	0.3	00.0-00.7	21	2.4	01.2-03.6	270	17.3	14.9-19.7	23	0.9	00.3-01.5
Less than \$15,000	312	207,559	62	26.8	19.7-33.9	51	20.1	14.0-26.2	2	0.9	00.0-02.3	23	9.0	05.1-12.9	75	14.0	09.9-18.1	99	29.3	22.0-36.6
\$15,000- 24,999	556	372,615	196	45.7	40.4-51.0	57	13.5	09.8-17.2	2	0.3	00.0-00.7	24	6.8	03.5-10.1	218	24.5	20.6-28.4	59	9.3	06.4-12.2
\$25,000- 34,999	348	232,206	161	56.1	49.4-62.8	18	6.9	03.4-10.4	3	1.3	00.0-02.9	6	2.9	00.5-05.3	140	26.1	21.2-31.0	20	6.7	02.2-11.2
\$35,000- 49,999	506	354,388	294	65.7	60.6-70.8	21	3.7	01.9-05.5	1	0.3	00.0-00.9	14	5.9	02.2-09.6	152	19.9	16.4-23.4	24	4.5	02.3-06.7
\$50,000- 74,999	536	402,615	398	82.6	79.1-86.1	12	1.8	00.6-03.0				7	2.9	00.5-05.3	106	10.6	08.2-13.0	13	2.1	00.7-03.5
\$75,000+	769	553,674	621	81.5	77.6-85.4	6	0.5	00.1-00.9				26	8.1	04.6-11.6	111	9.3	07.3-11.3	5	0.6	00.0-01.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 27: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5221	2,533,358	2264	49.5	47.7-51.3	263	6.4	05.4-07.4	599	12.2	11.0-13.4	168	7.0	05.8-08.2	1461	16.7	15.7-17.7	466	8.2	07.2-09.2
White/Non-Hisp	4210	2,092,487	1877	50.3	48.3-52.3	168	5.2	04.2-06.2	488	11.9	10.7-13.1	129	6.9	05.5-08.3	1223	18.2	17.0-19.4	325	7.5	06.3-08.7
Black or Afr. Am./Non-Hisp	613	222,684	231	46.3	39.8-52.8	58	13.9	08.6-19.2	36	6.5	03.0-10.0	18	7.5	03.4-11.6	167	10.6	08.1-13.1	103	15.2	10.7-19.7
Oth. Race/Non-Hisp.	76	36,964	35	54.1	41.2-67.0	4	3.7	00.0-07.6	11	14.1	05.9-22.3	7	14.1	04.3-23.9	14	11.4	03.8-19.0	5	2.7	00.0-05.4
MultiRacial/Non-Hisp.	80	37,265	25	38.8	23.9-53.7	11	18.6	07.0-30.2	11	14.7	05.3-24.1	3	6.9	00.0-15.7	16	8.6	03.5-13.7	14	12.5	04.5-20.5
Hispanic	174	119,702	79	49.2	39.8-58.6	16	10.8	04.5-17.1	44	27.1	18.3-35.9	9	6.3	01.8-10.8	18	4.2	01.3-07.1	8	2.3	00.1-04.5
18-24	266	330,791	124	41.4	34.3-48.5	28	12.0	07.3-16.7	10	2.7	00.7-04.7	100	40.3	33.2-47.4				4	3.6	00.0-07.7
25-34	533	401,072	357	65.8	61.1-70.5	41	7.6	05.1-10.1	84	15.4	11.7-19.1	34	7.2	04.7-09.7	1	0.0	00.0-00.0	16	4.0	01.8-06.2
35-44	648	408,180	445	67.4	62.9-71.9	43	6.8	04.3-09.3	100	16.7	13.0-20.4	17	2.3	01.1-03.5	2	0.2	00.0-00.6	41	6.6	04.2-09.0
45-54	857	458,422	554	64.7	60.8-68.6	62	7.2	05.0-09.4	87	11.7	09.0-14.4	11	0.9	00.3-01.5	13	1.3	00.5-02.1	130	14.1	11.2-17.0
55-64	1055	400,136	568	54.8	51.1-58.5	63	5.7	03.9-07.5	86	10.0	07.6-12.4	2	0.2	00.0-00.4	174	15.3	12.8-17.8	162	14.1	11.6-16.6
65+	1811	514,341	194	10.0	08.2-11.8	23	1.6	00.8-02.4	229	14.9	12.7-17.1	2	0.2	00.0-00.6	1256	67.6	64.9-70.3	107	5.7	04.3-07.1
Less Than H.S.	507	343,058	90	23.7	18.6-28.8	40	11.5	07.4-15.6	100	20.2	15.7-24.7	11	7.1	02.8-11.4	132	15.2	12.1-18.3	134	22.3	17.8-26.8
H.S. or G.E.D.	1903	833,841	658	43.1	40.2-46.0	100	7.0	05.2-08.8	261	14.4	12.4-16.4	33	3.9	02.5-05.3	662	23.2	21.2-25.2	189	8.4	06.8-10.0
Some Post-H.S.	1435	836,133	678	54.1	50.6-57.6	79	5.7	04.1-07.3	121	9.1	07.1-11.1	87	12.0	09.3-14.7	363	13.3	11.7-14.9	107	5.9	03.9-07.9
College Graduate	1367	517,189	838	69.8	66.9-72.7	42	3.0	01.8-04.2	115	8.6	06.8-10.4	37	4.0	02.4-05.6	300	12.5	10.7-14.3	35	2.1	01.3-02.9
Less than \$15,000	707	311,175	123	23.8	19.3-28.3	93	17.5	13.2-21.8	66	10.9	07.8-14.0	33	9.0	05.7-12.3	189	14.8	12.1-17.5	203	23.9	19.8-28.0
\$15,000- 24,999	985	430,466	291	36.3	32.2-40.4	70	9.4	06.7-12.1	125	15.2	11.9-18.5	30	5.1	02.9-07.3	348	21.3	18.6-24.0	121	12.7	09.8-15.6
\$25,000- 34,999	551	263,770	234	49.3	43.4-55.2	16	5.9	02.6-09.2	60	11.4	07.9-14.9	16	6.7	03.2-10.2	198	21.1	17.6-24.6	27	5.6	03.1-08.1
\$35,000- 49,999	638	315,073	352	61.9	57.4-66.4	20	3.6	01.8-05.4	62	9.9	07.0-12.8	14	4.1	01.7-06.5	170	17.6	14.5-20.7	20	3.0	01.4-04.6
\$50,000- 74,999	637	340,676	410	65.3	60.6-70.0	20	4.8	02.3-07.3	64	11.6	08.5-14.7	17	4.6	02.2-07.0	116	11.2	08.8-13.6	10	2.5	00.7-04.3
\$75,000+	821	448,010	598	73.6	69.7-77.5	16	2.0	00.8-03.2	87	10.4	07.9-12.9	21	6.5	03.6-09.4	91	6.5	04.9-08.1	8	1.0	00.2-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 28: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7380	4,238,276	522	6.6	05.8-07.4	499	5.6	05.0-06.2	697	8.7	07.9-09.5	848	10.2	09.4-11.0	902	11.7	10.7-12.7	3912	57.0	55.6-58.4
Male	3030	2,125,067	162	5.3	04.1-06.5	150	4.4	03.4-05.4	241	8.0	06.6-09.4	316	9.6	08.4-10.8	348	10.9	09.5-12.3	1813	61.8	59.6-64.0
Female	4350	2,113,209	360	8.0	07.0-09.0	349	6.8	05.8-07.8	456	9.5	08.3-10.7	532	10.9	09.7-12.1	554	12.6	11.2-14.0	2099	52.3	50.3-54.3
White/Non-Hisp	5962	3,471,470	331	5.0	04.4-05.6	352	4.9	04.3-05.5	493	7.3	06.5-08.1	655	9.9	08.9-10.9	706	11.0	10.0-12.0	3425	61.9	60.3-63.5
Black or Afr. Am./Non-Hisp	824	370,121	112	15.3	11.2-19.4	81	8.7	05.2-12.2	138	15.5	11.6-19.4	114	11.1	08.2-14.0	116	13.9	10.0-17.8	263	35.4	30.1-40.7
Oth. Race/Non-Hisp.	114	68,516	15	15.4	04.6-26.2	12	8.4	02.5-14.3	4	1.6	00.0-03.4	14	6.9	02.6-11.2	15	11.8	04.5-19.1	54	55.9	43.7-68.1
MultiRacial/Non-Hisp.	121	63,488	16	10.4	04.5-16.3	15	7.1	02.0-12.2	20	13.9	06.8-21.0	13	7.8	02.3-13.3	14	16.6	07.0-26.2	43	44.2	32.8-55.6
Hispanic	267	226,325	36	13.2	07.7-18.7	28	8.8	04.9-12.7	36	20.5	13.4-27.6	45	16.6	10.9-22.3	37	16.6	10.3-22.9	85	24.3	18.2-30.4
18-24	404	500,910	58	13.1	09.4-16.8	37	8.0	05.3-10.7	56	13.6	09.7-17.5	41	8.6	05.9-11.3	56	13.8	09.7-17.9	156	42.9	37.2-48.6
25-34	831	740,544	65	8.1	05.9-10.3	42	4.6	03.0-06.2	65	9.2	06.8-11.6	88	10.1	07.7-12.5	99	11.0	08.6-13.4	472	57.0	53.1-60.9
35-44	1029	752,422	45	3.7	02.3-05.1	31	3.2	01.6-04.8	67	6.8	04.8-08.8	74	7.5	05.5-09.5	87	9.2	06.8-11.6	725	69.6	66.1-73.1
45-54	1319	821,441	123	7.4	05.8-09.0	72	4.6	03.2-06.0	91	6.6	05.0-08.2	112	7.9	06.1-09.7	123	10.1	07.9-12.3	798	63.4	60.3-66.5
55-64	1584	695,179	88	4.4	03.0-05.8	104	5.8	04.2-07.4	132	7.1	05.5-08.7	167	10.8	08.8-12.8	164	10.1	08.3-11.9	929	61.9	59.0-64.8
65+	2184	713,105	139	4.9	03.5-06.3	211	8.4	07.0-09.8	284	10.8	09.2-12.4	362	16.6	14.6-18.6	370	17.3	15.3-19.3	818	41.8	39.3-44.3
Less Than H.S.	686	556,981	142	17.6	13.9-21.3	94	10.7	08.0-13.4	129	20.1	16.2-24.0	115	14.7	11.6-17.8	84	14.5	10.8-18.2	122	22.3	17.8-26.8
H.S. or G.E.D.	2605	1,459,753	195	6.3	05.1-07.5	236	7.4	06.0-08.8	327	10.3	08.7-11.9	404	13.5	11.9-15.1	386	13.9	12.3-15.5	1057	48.6	46.1-51.1
Some Post-H.S.	1953	1,287,353	138	5.9	04.7-07.1	115	4.4	03.4-05.4	166	6.8	05.4-08.2	216	9.1	07.5-10.7	253	11.3	09.5-13.1	1065	62.6	59.9-65.3
College Graduate	2126	928,614	46	1.6	01.0-02.2	52	1.3	00.9-01.7	72	2.1	01.5-02.7	113	4.2	03.2-05.2	178	7.1	05.7-08.5	1665	83.6	81.8-85.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 29: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3030	2,125,067	162	5.3	04.1-06.5	150	4.4	03.4-05.4	241	8.0	06.6-09.4	316	9.6	08.4-10.8	348	10.9	09.5-12.3	1813	61.8	59.6-64.0
White/Non-Hisp	2481	1,726,803	96	3.7	02.9-04.5	108	4.0	03.0-05.0	160	6.2	05.0-07.4	252	9.3	07.9-10.7	270	9.9	08.5-11.3	1595	67.0	64.8-69.2
Black or Afr. Am./Non-Hisp	291	184,164	41	15.9	09.4-22.4	23	6.8	01.5-12.1	49	15.7	09.8-21.6	32	9.1	04.6-13.6	39	13.2	06.9-19.5	107	39.3	30.9-47.7
Hispanic	114	122,098	11	9.8	01.8-17.8	8	6.1	01.2-11.0	19	25.1	14.3-35.9	19	15.8	07.8-23.8	17	17.9	08.3-27.5	40	25.2	16.0-34.4
18-24	210	267,052	23	10.5	05.6-15.4	14	5.5	02.6-08.4	29	14.5	08.8-20.2	22	9.1	05.2-13.0	23	9.1	05.2-13.0	99	51.3	43.3-59.3
25-34	338	374,899	25	7.6	04.3-10.9	12	3.6	01.2-06.0	26	9.4	05.7-13.1	35	10.0	06.5-13.5	36	10.2	06.7-13.7	204	59.1	53.2-65.0
35-44	424	371,161	12	2.2	00.6-03.8	5	2.2	00.0-04.7	25	6.1	03.4-08.8	26	6.4	03.7-09.1	41	10.8	06.9-14.7	315	72.2	66.7-77.7
45-54	564	416,528	38	5.2	03.2-07.2	33	4.1	02.3-05.9	33	5.7	03.5-07.9	47	7.9	05.4-10.4	48	9.5	06.4-12.6	365	67.6	63.1-72.1
55-64	685	358,885	29	3.8	01.8-05.8	35	5.4	03.0-07.8	53	6.9	04.5-09.3	68	9.7	07.0-12.4	67	8.5	06.1-10.9	433	65.7	61.4-70.0
65+	800	330,771	33	3.4	01.0-05.8	50	6.3	04.1-08.5	74	7.3	05.1-09.5	118	15.0	11.9-18.1	132	17.8	14.5-21.1	393	50.2	45.9-54.5
Less Than H.S.	288	292,597	42	12.9	07.8-18.0	34	7.6	04.5-10.7	54	20.3	14.4-26.2	44	12.2	07.9-16.5	41	17.0	11.1-22.9	73	30.0	22.7-37.3
H.S. or G.E.D.	1078	787,532	59	5.2	03.4-07.0	63	6.0	04.0-08.0	97	8.0	06.0-10.0	162	13.4	11.0-15.8	166	13.4	11.0-15.8	531	54.1	50.4-57.8
Some Post-H.S.	743	574,763	43	5.1	03.3-06.9	35	3.5	02.1-04.9	59	6.4	04.4-08.4	63	7.1	04.9-09.3	80	8.5	06.3-10.7	463	69.4	65.5-73.3
College Graduate	914	465,064	18	1.1	00.5-01.7	17	0.9	00.3-01.5	29	2.3	01.1-03.5	47	4.6	03.0-06.2	60	5.7	03.9-07.5	743	85.4	82.9-87.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 30: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4350	2,113,209	360	8.0	07.0-09.0	349	6.8	05.8-07.8	456	9.5	08.3-10.7	532	10.9	09.7-12.1	554	12.6	11.2-14.0	2099	52.3	50.3-54.3
White/Non-Hisp	3481	1,744,667	235	6.3	05.3-07.3	244	5.8	04.8-06.8	333	8.5	07.3-09.7	403	10.4	09.2-11.6	436	12.1	10.7-13.5	1830	56.8	54.6-59.0
Black or Afr. Am./Non-Hisp	533	185,958	71	14.8	09.7-19.9	58	10.7	06.0-15.4	89	15.4	10.3-20.5	82	13.1	09.0-17.2	77	14.5	09.6-19.4	156	31.6	25.1-38.1
Oth. Race/Non-Hisp.	67	30,864	9	13.7	04.1-23.3	8	9.8	01.0-18.6	1	0.8	00.0-02.4	10	10.7	03.3-18.1	9	13.9	03.7-24.1	30	51.1	37.0-65.2
MultiRacial/Non-Hisp.	73	34,723	12	13.6	04.4-22.8	13	12.4	03.4-21.4	13	17.9	06.9-28.9	9	9.9	01.5-18.3	5	14.1	00.4-27.8	21	32.0	17.7-46.3
Hispanic	153	104,227	25	17.2	09.6-24.8	20	12.0	05.9-18.1	17	15.2	07.0-23.4	26	17.4	09.8-25.0	20	15.1	07.7-22.5	45	23.1	15.3-30.9
18-24	194	233,858	35	15.9	10.4-21.4	23	10.9	06.0-15.8	27	12.7	07.6-17.8	19	8.1	04.2-12.0	33	19.2	12.1-26.3	57	33.2	25.4-41.0
25-34	493	365,645	40	8.6	05.7-11.5	30	5.6	03.2-08.0	39	9.0	05.9-12.1	53	10.2	07.1-13.3	63	11.8	08.7-14.9	268	54.8	49.7-59.9
35-44	605	381,261	33	5.1	02.9-07.3	26	4.2	02.4-06.0	42	7.6	04.7-10.5	48	8.6	05.7-11.5	46	7.6	05.1-10.1	410	67.1	62.6-71.6
45-54	755	404,913	85	9.6	07.1-12.1	39	5.1	02.9-07.3	58	7.6	05.1-10.1	65	7.9	05.5-10.3	75	10.8	07.9-13.7	433	59.0	54.7-63.3
55-64	899	336,294	59	5.0	03.4-06.6	69	6.2	04.2-08.2	79	7.3	05.3-09.3	99	12.0	09.3-14.7	97	11.7	09.2-14.2	496	57.8	53.9-61.7
65+	1384	382,334	106	6.2	04.8-07.6	161	10.3	08.3-12.3	210	13.9	11.5-16.3	244	18.1	15.6-20.6	238	16.9	14.5-19.3	425	34.6	31.5-37.7
Less Than H.S.	398	264,384	100	22.9	17.6-28.2	60	14.2	09.7-18.7	75	19.9	14.6-25.2	71	17.4	12.7-22.1	43	11.8	07.5-16.1	49	13.8	09.5-18.1
H.S. or G.E.D.	1527	672,221	136	7.7	05.9-09.5	173	9.0	07.2-10.8	230	13.1	10.9-15.3	242	13.6	11.4-15.8	220	14.5	12.3-16.7	526	42.1	39.0-45.2
Some Post-H.S.	1210	712,590	95	6.5	04.7-08.3	80	5.1	03.7-06.5	107	7.1	05.3-08.9	153	10.7	08.5-12.9	173	13.6	10.9-16.3	602	57.0	53.5-60.5
College Graduate	1212	463,550	28	2.0	01.0-03.0	35	1.8	01.0-02.6	43	2.0	01.2-02.8	66	3.8	02.6-05.0	118	8.6	06.6-10.6	922	81.8	79.3-84.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 31: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8321	4,783,916	106	1.0	00.8-01.2	2542	29.0	27.6-30.4	3657	43.5	42.1-44.9	1453	18.9	17.7-20.1	541	7.2	06.4-08.0	22	0.4	00.2-00.6
Male	3367	2,382,653	4	0.0	00.0-00.0	322	11.8	10.2-13.4	1686	48.6	46.4-50.8	986	28.5	26.5-30.5	355	10.5	09.1-11.9	14	0.6	00.2-01.0
Female	4954	2,401,263	102	1.9	01.3-02.5	2220	46.1	44.1-48.1	1971	38.5	36.7-40.3	467	9.4	08.2-10.6	186	4.0	03.2-04.8	8	0.2	00.0-00.4
White/Non-Hisp	6763	3,924,829	83	0.9	00.7-01.1	2107	29.2	27.8-30.6	3014	44.0	42.4-45.6	1124	18.8	17.6-20.0	429	7.1	06.3-07.9	6	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	889	404,738	11	1.5	00.1-02.9	217	24.1	19.2-29.0	372	38.9	33.8-44.0	218	24.9	20.4-29.4	71	10.6	07.1-14.1			
Oth. Race/Non-Hisp.	121	74,644	7	5.1	01.0-09.2	46	35.6	24.4-46.8	43	42.6	30.6-54.6	16	7.3	02.6-12.0	3	3.3	00.0-08.8	6	6.1	01.0-11.2
MultiRacial/Non-Hisp.	129	68,161	1	0.2	00.0-00.6	33	20.1	11.9-28.3	51	42.7	31.7-53.7	26	22.8	13.0-32.6	17	13.9	06.5-21.3	1	0.4	00.0-01.2
Hispanic	296	255,341				113	36.5	29.4-43.6	118	42.9	35.5-50.3	44	13.3	08.2-18.4	12	3.3	01.1-05.5	9	4.1	00.2-08.0
18-24	523	671,337	9	1.5	00.3-02.7	231	46.6	41.5-51.7	184	33.4	28.7-38.1	70	13.5	10.2-16.8	23	3.8	02.0-05.6	6	1.3	00.0-02.7
25-34	869	783,048	9	0.6	00.2-01.0	271	28.5	25.2-31.8	335	39.3	35.6-43.0	179	23.2	19.9-26.5	70	8.0	05.8-10.2	5	0.4	00.0-00.8
35-44	1081	796,766	11	0.9	00.3-01.5	292	24.2	21.1-27.3	499	46.7	43.2-50.2	185	18.1	15.4-20.8	89	9.6	07.2-12.0	5	0.6	00.0-01.2
45-54	1410	875,611	5	0.2	00.0-00.4	410	26.0	23.3-28.7	589	42.6	39.5-45.7	274	21.2	18.5-23.9	131	10.0	08.0-12.0	1	0.0	00.0-00.0
55-64	1726	756,660	15	0.8	00.2-01.4	412	21.2	19.0-23.4	800	47.4	44.5-50.3	368	22.4	19.9-24.9	130	8.2	06.6-09.8	1	0.0	00.0-00.0
65+	2660	878,340	57	1.9	01.3-02.5	905	30.1	27.9-32.3	1226	49.4	47.0-51.8	371	14.9	13.1-16.7	97	3.5	02.7-04.3	4	0.1	00.0-00.3
Less Than H.S.	829	686,577	15	1.5	00.5-02.5	255	31.2	26.9-35.5	369	42.5	38.0-47.0	134	17.8	14.3-21.3	54	6.6	04.6-08.6	2	0.3	00.0-00.9
H.S. or G.E.D.	3008	1,674,693	48	1.1	00.7-01.5	914	27.3	25.1-29.5	1322	44.0	41.6-46.4	527	20.0	18.0-22.0	185	6.9	05.7-08.1	12	0.7	00.1-01.3
Some Post-H.S.	2168	1,419,183	21	0.6	00.2-01.0	627	28.9	26.4-31.4	945	43.5	40.8-46.2	403	18.7	16.5-20.9	171	8.3	06.7-09.9	1	0.1	00.0-00.3
College Graduate	2298	993,854	22	0.9	00.3-01.5	737	30.5	28.1-32.9	1016	43.4	40.9-45.9	386	18.2	16.2-20.2	131	6.7	05.3-08.1	6	0.3	00.1-00.5
Less than \$15,000	982	503,445	19	1.5	00.5-02.5	313	33.5	29.4-37.6	396	38.5	34.2-42.8	160	16.4	13.1-19.7	89	8.6	06.4-10.8	5	1.5	00.0-03.3
\$15,000- 24,999	1501	784,980	25	1.4	00.6-02.2	439	27.9	24.8-31.0	690	45.0	41.7-48.3	243	17.4	14.9-19.9	99	7.8	06.0-09.6	5	0.6	00.0-01.2
\$25,000- 34,999	874	482,897	5	0.3	00.1-00.5	262	29.9	25.6-34.2	395	43.4	39.1-47.7	166	21.9	18.0-25.8	46	4.5	02.9-06.1			
\$35,000- 49,999	1119	657,698	13	0.8	00.2-01.4	302	24.7	21.6-27.8	489	42.4	38.7-46.1	226	22.6	19.5-25.7	88	9.5	07.1-11.9	1	0.0	00.0-00.0
\$50,000- 74,999	1148	730,030	8	0.7	00.1-01.3	325	25.5	22.4-28.6	495	42.7	39.0-46.4	214	20.3	17.2-23.4	103	10.5	08.1-12.9	3	0.3	00.0-00.7
\$75,000+	1551	977,235	9	0.4	00.0-00.8	446	27.3	24.6-30.0	711	47.4	44.3-50.5	307	19.5	17.1-21.9	76	5.3	03.9-06.7	2	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 32: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3367	2,382,653	4	0.0	00.0-00.0	322	11.8	10.2-13.4	1686	48.6	46.4-50.8	986	28.5	26.5-30.5	355	10.5	09.1-11.9	14	0.6	00.2-01.0
White/Non-Hisp	2771	1,941,437	3	0.0	00.0-00.0	254	10.9	09.3-12.5	1423	49.4	47.0-51.8	799	29.0	26.8-31.2	289	10.5	09.1-11.9	3	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	303	193,679				31	16.1	08.3-23.9	120	35.7	27.9-43.5	109	33.6	26.0-41.2	43	14.7	08.6-20.8			
Oth. Race/Non-Hisp.	50	40,867				9	19.7	03.2-36.2	25	60.2	42.2-78.2	11	8.7	01.6-15.8	2	5.8	00.0-15.8	3	5.5	00.0-12.2
MultiRacial/Non-Hisp.	52	31,191	1	0.3	00.0-00.9	4	6.0	00.0-12.5	24	48.5	31.8-65.2	15	26.8	12.5-41.1	7	17.6	04.9-30.3	1	0.8	00.0-02.4
Hispanic	128	139,982				19	18.1	09.7-26.5	61	50.1	38.9-61.3	34	20.6	11.8-29.4	7	3.9	00.4-07.4	7	7.3	00.4-14.2
18-24	261	345,623				78	32.1	25.0-39.2	113	42.3	35.2-49.4	50	18.9	13.6-24.2	17	4.8	02.3-07.3	3	1.8	00.0-04.3
25-34	365	404,000				38	11.7	08.0-15.4	176	46.1	40.2-52.0	116	32.2	26.7-37.7	33	9.4	05.9-12.9	2	0.5	00.0-01.3
35-44	462	405,963	1	0.0	00.0-00.0	29	7.4	03.9-10.9	229	48.1	42.6-53.6	134	27.9	23.2-32.6	64	15.3	11.2-19.4	5	1.2	00.0-02.4
45-54	602	445,192				52	7.9	05.5-10.3	282	47.0	42.3-51.7	184	31.0	26.7-35.3	83	14.1	10.8-17.4	1	0.1	00.0-00.3
55-64	739	385,407				40	5.3	03.3-07.3	366	50.4	45.9-54.9	248	33.1	29.0-37.2	85	11.2	08.5-13.9			
65+	919	385,175	3	0.2	00.0-00.6	85	9.5	07.0-12.0	506	56.6	52.7-60.5	250	26.6	23.1-30.1	72	6.8	04.8-08.8	3	0.3	00.0-00.7
Less Than H.S.	331	348,832				57	21.6	15.1-28.1	158	45.3	38.4-52.2	79	23.6	17.7-29.5	36	9.0	05.7-12.3	1	0.5	00.0-01.5
H.S. or G.E.D.	1211	890,154	2	0.1	00.0-00.3	128	12.5	10.0-15.0	585	47.0	43.5-50.5	362	29.4	26.3-32.5	125	9.8	07.8-11.8	9	1.2	00.0-02.4
Some Post-H.S.	813	632,093	1	0.0	00.0-00.0	63	8.9	06.4-11.4	388	48.7	44.4-53.0	252	28.9	25.2-32.6	109	13.5	10.6-16.4			
College Graduate	1003	504,730	1	0.0	00.0-00.0	71	7.2	05.2-09.2	551	53.5	49.8-57.2	292	30.0	26.7-33.3	85	9.0	06.6-11.4	3	0.3	00.0-00.7
Less than \$15,000	309	204,006	1	0.0	00.0-00.0	63	24.7	17.4-32.0	120	35.8	28.5-43.1	79	24.2	17.9-30.5	42	11.7	07.4-16.0	4	3.5	00.0-08.0
\$15,000- 24,999	550	369,843	2	0.1	00.1-00.1	59	12.8	08.9-16.7	281	51.2	45.9-56.5	138	23.0	18.7-27.3	66	11.9	08.6-15.2	4	1.1	00.0-02.3
\$25,000- 34,999	345	230,557				32	12.1	06.8-17.4	180	49.2	42.5-55.9	109	33.8	27.3-40.3	24	4.9	02.5-07.3			
\$35,000- 49,999	508	355,968				42	10.6	06.5-14.7	245	43.9	38.6-49.2	163	32.9	27.8-38.0	58	12.7	09.0-16.4			
\$50,000- 74,999	534	401,547				42	10.0	06.5-13.5	260	45.5	40.2-50.8	152	28.5	23.6-33.4	78	15.6	11.5-19.7	2	0.4	00.0-01.0
\$75,000+	766	549,561				43	6.9	04.0-09.8	407	55.0	50.7-59.3	255	30.4	26.7-34.1	59	7.6	05.2-10.0	2	0.2	00.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 33: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4954	2,401,263	102	1.9	01.3-02.5	2220	46.1	44.1-48.1	1971	38.5	36.7-40.3	467	9.4	08.2-10.6	186	4.0	03.2-04.8	8	0.2	00.0-00.4
White/Non-Hisp	3992	1,983,391	80	1.7	01.1-02.3	1853	47.0	45.0-49.0	1591	38.7	36.7-40.7	325	8.7	07.5-09.9	140	3.7	02.9-04.5	3	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	586	211,059	11	2.9	00.4-05.4	186	31.6	25.3-37.9	252	41.9	35.2-48.6	109	16.9	11.6-22.2	28	6.8	03.3-10.3			
Oth. Race/Non-Hisp.	71	33,778	7	11.3	02.7-19.9	37	54.7	41.2-68.2	18	21.4	10.2-32.6	5	5.5	00.0-12.0	1	0.2	00.0-00.6	3	6.9	00.0-14.5
MultiRacial/Non-Hisp.	77	36,970				29	32.0	18.7-45.3	27	37.9	24.0-51.8	11	19.4	05.7-33.1	10	10.7	02.3-19.1			
Hispanic	168	115,359				94	58.8	49.6-68.0	57	34.1	25.1-43.1	10	4.4	01.3-07.5	5	2.5	00.1-04.9	2	0.3	00.0-00.7
18-24	262	325,714	9	3.1	00.7-05.5	153	61.8	54.9-68.7	71	24.0	18.1-29.9	20	7.6	03.9-11.3	6	2.6	00.4-04.8	3	0.8	00.0-01.8
25-34	504	379,048	9	1.3	00.3-02.3	233	46.3	41.2-51.4	159	32.0	27.3-36.7	63	13.6	10.1-17.1	37	6.5	04.1-08.9	3	0.3	00.0-00.7
35-44	619	390,803	10	1.7	00.3-03.1	263	41.6	36.9-46.3	270	45.1	40.4-49.8	51	7.9	05.4-10.4	25	3.7	01.9-05.5			
45-54	808	430,418	5	0.4	00.0-00.8	358	44.7	40.6-48.8	307	38.0	33.9-42.1	90	11.1	08.4-13.8	48	5.8	03.8-07.8			
55-64	987	371,253	15	1.6	00.6-02.6	372	37.7	34.0-41.4	434	44.2	40.5-47.9	120	11.4	08.9-13.9	45	5.1	03.5-06.7	1	0.0	00.0-00.0
65+	1741	493,165	54	3.2	02.2-04.2	820	46.2	43.3-49.1	720	43.8	40.9-46.7	121	5.7	04.3-07.1	25	1.0	00.6-01.4	1	0.0	00.0-00.0
Less Than H.S.	498	337,746	15	3.1	00.9-05.3	198	41.1	35.2-47.0	211	39.7	34.0-45.4	55	11.9	08.0-15.8	18	4.2	01.8-06.6	1	0.0	00.0-00.0
H.S. or G.E.D.	1797	784,539	46	2.3	01.5-03.1	786	44.0	41.1-46.9	737	40.6	37.7-43.5	165	9.2	07.4-11.0	60	3.6	02.4-04.8	3	0.2	00.0-00.6
Some Post-H.S.	1355	787,090	20	1.0	00.4-01.6	564	45.0	41.3-48.7	557	39.3	35.8-42.8	151	10.5	08.5-12.5	62	4.1	02.9-05.3	1	0.1	00.0-00.3
College Graduate	1295	489,124	21	1.8	00.8-02.8	666	54.6	51.3-57.9	465	32.9	29.8-36.0	94	6.1	04.5-07.7	46	4.3	02.7-05.9	3	0.2	00.0-00.4
Less than \$15,000	673	299,439	18	2.5	00.7-04.3	250	39.5	34.4-44.6	276	40.3	35.2-45.4	81	11.1	07.4-14.8	47	6.5	04.1-08.9	1	0.1	00.0-00.3
\$15,000- 24,999	951	415,137	23	2.5	01.1-03.9	380	41.3	37.0-45.6	409	39.6	35.5-43.7	105	12.4	09.5-15.3	33	4.1	02.1-06.1	1	0.1	00.0-00.3
\$25,000- 34,999	529	252,339	5	0.6	00.0-01.2	230	46.1	40.0-52.2	215	38.1	32.6-43.6	57	11.1	07.2-15.0	22	4.1	02.1-06.1			
\$35,000- 49,999	611	301,731	13	1.8	00.6-03.0	260	41.3	36.4-46.2	244	40.7	35.8-45.6	63	10.4	07.3-13.5	30	5.8	03.4-08.2	1	0.0	00.0-00.0
\$50,000- 74,999	614	328,483	8	1.5	00.3-02.7	283	44.5	39.6-49.4	235	39.3	34.2-44.4	62	10.3	07.4-13.2	25	4.2	02.2-06.2	1	0.2	00.0-00.6
\$75,000+	785	427,674	9	1.0	00.2-01.8	403	53.6	49.3-57.9	304	37.6	33.5-41.7	52	5.5	03.5-07.5	17	2.3	01.1-03.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 34: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8568	4,901,129	498	4.6	04.0-05.2	3990	39.6	38.2-41.0	3345	44.8	43.4-46.2	680	10.0	09.2-10.8	20	0.3	00.1-00.5	35	0.7	00.3-01.1
Male	3375	2,386,987	8	0.4	00.0-00.8	318	9.3	08.1-10.5	2348	68.7	66.7-70.7	663	20.0	18.2-21.8	20	0.6	00.2-01.0	18	1.0	00.4-01.6
Female	5193	2,514,142	490	8.6	07.6-09.6	3672	68.4	66.6-70.2	997	22.0	20.4-23.6	17	0.5	00.1-00.9				17	0.5	00.3-00.7
White/Non-Hisp	6980	4,035,309	387	4.1	03.5-04.7	3203	39.3	37.9-40.7	2790	45.7	44.1-47.3	576	10.5	09.5-11.5	17	0.3	00.1-00.5	7	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	919	417,331	55	5.1	02.9-07.3	470	39.1	34.2-44.0	330	45.3	40.0-50.6	62	10.3	07.0-13.6	1	0.2	00.0-00.6	1	0.1	00.0-00.3
Oth. Race/Non-Hisp.	122	74,759	14	9.5	04.0-15.0	58	41.3	29.9-52.7	38	39.2	27.0-51.4	9	7.3	01.4-13.2				3	2.8	00.0-06.3
MultiRacial/Non-Hisp.	133	69,082	4	2.8	00.0-06.9	66	46.9	35.9-57.9	52	40.9	30.3-51.5	11	9.4	02.9-15.9						
Hispanic	282	245,253	29	10.4	05.7-15.1	137	42.3	34.9-49.7	82	32.8	25.2-40.4	9	2.4	00.6-04.2	1	0.2	00.0-00.6	24	11.9	06.2-17.6
18-24	525	674,148	15	2.9	01.3-04.5	187	34.5	29.6-39.4	250	49.9	44.8-55.0	59	10.0	07.1-12.9	5	0.8	00.0-01.6	9	1.8	00.2-03.4
25-34	886	794,626	31	3.1	01.7-04.5	365	36.2	32.7-39.7	376	45.9	42.0-49.8	105	13.9	11.2-16.6	2	0.2	00.0-00.6	7	0.7	00.1-01.3
35-44	1107	813,599	41	3.5	02.1-04.9	450	36.2	32.9-39.5	491	47.0	43.5-50.5	110	11.5	09.1-13.9	5	0.4	00.0-00.8	10	1.4	00.4-02.4
45-54	1459	906,519	72	4.8	03.4-06.2	646	39.1	36.2-42.0	601	44.7	41.6-47.8	134	10.7	08.7-12.7	3	0.2	00.0-00.4	3	0.5	00.0-01.3
55-64	1792	783,747	87	4.7	03.5-05.9	841	41.2	38.5-43.9	712	44.8	41.9-47.7	148	8.9	07.1-10.7	3	0.3	00.0-00.7	1	0.1	00.0-00.3
65+	2732	899,883	249	7.9	06.7-09.1	1463	48.3	45.9-50.7	897	38.4	36.0-40.8	116	5.2	04.0-06.4	2	0.1	00.0-00.3	5	0.2	00.0-00.4
Less Than H.S.	831	682,848	80	8.6	06.2-11.0	405	39.7	35.4-44.0	283	42.3	37.8-46.8	46	6.7	04.3-09.1	2	0.3	00.0-00.7	15	2.4	01.0-03.8
H.S. or G.E.D.	3109	1,721,710	200	4.4	03.6-05.2	1520	39.3	37.1-41.5	1152	45.8	43.4-48.2	219	9.3	07.9-10.7	6	0.3	00.1-00.5	12	0.9	00.1-01.7
Some Post-H.S.	2249	1,471,636	130	4.1	03.3-04.9	1082	42.9	40.4-45.4	835	42.0	39.3-44.7	196	10.7	08.9-12.5	5	0.3	00.0-00.7	1	0.0	00.0-00.0
College Graduate	2361	1,015,684	84	2.9	02.1-03.7	976	35.4	33.0-37.8	1068	48.5	46.0-51.0	219	12.4	10.6-14.2	7	0.4	00.0-00.8	7	0.3	00.1-00.5
Less than \$15,000	1004	507,897	82	7.5	05.3-09.7	537	45.1	40.8-49.4	303	35.9	31.6-40.2	67	8.7	06.2-11.2	2	0.2	00.0-00.6	13	2.6	00.6-04.6
\$15,000- 24,999	1530	795,397	123	7.6	05.6-09.6	770	42.3	39.0-45.6	535	40.2	36.9-43.5	91	8.3	06.3-10.3	2	0.1	00.0-00.3	9	1.5	00.5-02.5
\$25,000- 34,999	897	494,264	46	4.5	02.7-06.3	439	41.7	37.4-46.0	347	45.6	41.1-50.1	62	7.3	05.1-09.5	2	0.4	00.0-01.0	1	0.6	00.0-01.8
\$35,000- 49,999	1146	670,860	50	2.9	01.9-03.9	496	37.5	34.0-41.0	486	46.5	42.8-50.2	110	12.8	10.3-15.3	2	0.2	00.0-00.6	2	0.1	00.0-00.3
\$50,000- 74,999	1170	740,867	40	2.8	01.8-03.8	492	35.3	32.0-38.6	522	50.1	46.4-53.8	111	11.3	08.8-13.8	2	0.2	00.0-00.6	3	0.3	00.0-00.7
\$75,000+	1590	1,001,467	47	2.5	01.7-03.3	595	33.2	30.5-35.9	772	51.8	48.7-54.9	169	12.1	09.9-14.3	6	0.5	00.1-00.9	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 35: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3375	2,386,987	8	0.4	00.0-00.8	318	9.3	08.1-10.5	2348	68.7	66.7-70.7	663	20.0	18.2-21.8	20	0.6	00.2-01.0	18	1.0	00.4-01.6
White/Non-Hisp	2779	1,947,908	2	0.1	00.0-00.3	231	7.7	06.5-08.9	1963	70.3	68.1-72.5	562	21.1	19.1-23.1	17	0.7	00.3-01.1	4	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	305	193,581	1	0.1	00.0-00.3	32	8.2	04.1-12.3	211	69.6	62.2-77.0	60	21.9	15.0-28.8	1	0.3	00.0-00.9			
Oth. Race/Non-Hisp.	50	40,867				6	16.2	01.1-31.3	33	66.7	49.5-83.9	9	13.4	02.6-24.2				2	3.7	00.0-09.4
MultiRacial/Non-Hisp.	52	31,191	1	0.3	00.0-00.9	6	12.7	00.4-25.0	34	66.2	50.1-82.3	11	20.8	07.3-34.3						
Hispanic	126	138,178	4	4.9	00.2-09.6	32	26.3	16.7-35.9	68	50.0	38.6-61.4	9	4.3	01.2-07.4	1	0.4	00.0-01.2	12	14.2	05.4-23.0
18-24	262	345,839				26	10.5	06.2-14.8	169	67.5	61.0-74.0	57	18.0	12.9-23.1	5	1.5	00.0-03.1	5	2.4	00.0-05.1
25-34	364	402,647	2	0.8	00.0-02.0	23	7.6	04.3-10.9	233	63.5	58.0-69.0	102	26.9	22.0-31.8	2	0.5	00.0-01.3	2	0.8	00.0-02.0
35-44	465	407,867	2	0.5	00.0-01.3	38	8.6	05.5-11.7	307	65.8	60.7-70.9	108	22.7	18.4-27.0	5	0.8	00.0-01.6	5	1.6	00.2-03.0
45-54	605	449,333	1	0.3	00.0-00.9	47	8.5	05.8-11.2	419	68.5	64.0-73.0	132	21.4	17.5-25.3	3	0.4	00.0-01.0	3	1.0	00.0-02.4
55-64	737	383,624	3	0.7	00.0-01.7	70	9.3	06.8-11.8	515	71.4	67.5-75.3	146	18.0	14.7-21.3	3	0.6	00.0-01.4			
65+	922	386,311				114	11.8	09.3-14.3	692	76.0	72.7-79.3	111	11.7	09.2-14.2	2	0.2	00.0-00.6	3	0.3	00.0-00.7
Less Than H.S.	333	349,528	3	1.0	00.0-02.4	52	15.2	10.3-20.1	224	67.7	61.4-74.0	45	13.0	08.5-17.5	2	0.5	00.0-01.3	7	2.5	00.5-04.5
H.S. or G.E.D.	1218	892,749	2	0.3	00.0-00.7	131	9.7	07.7-11.7	855	70.2	67.1-73.3	216	17.7	15.2-20.2	6	0.6	00.2-01.0	8	1.5	00.1-02.9
Some Post-H.S.	815	635,726	3	0.4	00.0-01.0	77	9.1	06.6-11.6	542	66.4	62.5-70.3	188	23.5	20.0-27.0	5	0.6	00.0-01.4			
College Graduate	1001	503,018				57	4.5	03.1-05.9	720	69.6	66.1-73.1	214	24.7	21.4-28.0	7	0.9	00.1-01.7	3	0.3	00.0-00.7
Less than \$15,000	307	202,065	1	0.1	00.0-00.3	40	12.6	07.5-17.7	193	61.3	53.7-68.9	66	21.4	15.5-27.3	2	0.5	00.0-01.3	5	4.1	00.0-08.8
\$15,000- 24,999	553	371,115	5	1.6	00.0-03.2	81	14.1	10.4-17.8	374	65.1	60.0-70.2	86	17.2	13.1-21.3	2	0.3	00.0-00.7	5	1.8	00.2-03.4
\$25,000- 34,999	347	231,487	1	0.8	00.0-02.4	35	9.2	05.5-12.9	246	72.3	66.4-78.2	62	15.5	11.2-19.8	2	0.8	00.0-02.0	1	1.3	00.0-03.8
\$35,000- 49,999	508	355,968				38	6.7	04.2-09.2	358	68.6	63.5-73.7	109	24.0	19.3-28.7	2	0.4	00.0-01.0	1	0.2	00.0-00.6
\$50,000- 74,999	534	400,713	1	0.3	00.0-00.9	38	7.3	04.4-10.2	383	72.2	67.5-76.9	108	19.5	15.4-23.6	2	0.4	00.0-01.0	2	0.4	00.0-01.0
\$75,000+	768	553,171				42	5.9	03.7-08.1	555	71.9	68.0-75.8	164	21.3	17.8-24.8	6	0.8	00.0-01.6	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 36: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5193	2,514,142	490	8.6	07.6-09.6	3672	68.4	66.6-70.2	997	22.0	20.4-23.6	17	0.5	00.1-00.9	17	0.5	00.3-00.7
White/Non-Hisp	4201	2,087,402	385	7.9	06.9-08.9	2972	68.8	66.8-70.8	827	22.7	20.9-24.5	14	0.5	00.1-00.9	3	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	614	223,751	54	9.4	05.5-13.3	438	65.8	59.1-72.5	119	24.3	18.0-30.6	2	0.4	00.0-01.0	1	0.2	00.0-00.6
Oth. Race/Non-Hisp.	72	33,893	14	20.9	09.9-31.9	52	71.6	59.4-83.8	5	5.9	00.2-11.6				1	1.6	00.0-04.7
MultiRacial/Non-Hisp.	81	37,891	3	4.8	00.0-12.2	60	75.1	63.1-87.1	18	20.1	09.7-30.5						
Hispanic	156	107,075	25	17.5	08.9-26.1	105	62.9	52.9-72.9	14	10.5	04.4-16.6				12	9.1	03.0-15.2
18-24	263	328,309	15	6.0	02.9-09.1	161	59.8	52.7-66.9	81	31.3	24.6-38.0	2	1.7	00.0-04.2	4	1.2	00.0-02.4
25-34	522	391,979	29	5.5	03.1-07.9	342	65.5	60.6-70.4	143	27.7	23.2-32.2	3	0.6	00.0-01.4	5	0.6	00.0-01.2
35-44	642	405,732	39	6.6	04.1-09.1	412	63.9	59.4-68.4	184	28.1	24.0-32.2	2	0.3	00.0-00.7	5	1.2	00.0-02.6
45-54	854	457,186	71	9.2	06.7-11.7	599	69.3	65.6-73.0	182	21.3	18.0-24.6	2	0.2	00.0-00.6			
55-64	1055	400,123	84	8.6	06.4-10.8	771	71.8	68.5-75.1	197	19.3	16.4-22.2	2	0.1	00.0-00.3	1	0.1	00.0-00.3
65+	1810	513,572	249	13.8	11.8-15.8	1349	75.8	73.4-78.2	205	10.1	08.5-11.7	5	0.3	00.1-00.5	2	0.1	00.0-00.3
Less Than H.S.	498	333,320	77	16.6	12.1-21.1	353	65.3	59.4-71.2	59	15.7	10.8-20.6	1	0.1	00.0-00.3	8	2.3	00.3-04.3
H.S. or G.E.D.	1891	828,961	198	8.8	07.4-10.2	1389	71.2	68.5-73.9	297	19.6	17.2-22.0	3	0.2	00.0-00.6	4	0.3	00.1-00.5
Some Post-H.S.	1434	835,910	127	6.9	05.3-08.5	1005	68.6	65.3-71.9	293	23.4	20.3-26.5	8	1.0	00.0-02.2	1	0.1	00.0-00.3
College Graduate	1360	512,666	84	5.7	04.1-07.3	919	65.8	62.7-68.9	348	27.9	25.0-30.8	5	0.4	00.0-00.8	4	0.3	00.0-00.7
Less than \$15,000	697	305,832	81	12.4	08.9-15.9	497	66.7	61.6-71.8	110	19.2	14.9-23.5	1	0.2	00.0-00.6	8	1.6	00.4-02.8
\$15,000- 24,999	977	424,282	118	12.9	09.8-16.0	689	67.0	62.9-71.1	161	18.5	15.0-22.0	5	0.5	00.0-01.1	4	1.2	00.0-02.6
\$25,000- 34,999	550	262,777	45	7.7	04.8-10.6	404	70.3	65.0-75.6	101	22.0	17.1-26.9						
\$35,000- 49,999	638	314,892	50	6.1	03.9-08.3	458	72.4	68.1-76.7	128	21.4	17.3-25.5	1	0.1	00.0-00.3	1	0.0	00.0-00.0
\$50,000- 74,999	636	340,154	39	5.8	03.6-08.0	454	68.4	63.7-73.1	139	24.1	19.8-28.4	3	1.6	00.0-04.1	1	0.2	00.0-00.6
\$75,000+	822	448,297	47	5.6	03.6-07.6	553	66.8	62.9-70.7	217	26.9	23.2-30.6	5	0.7	00.0-01.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 37: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8526	4,848,307	8325	97.2	96.6-97.8	120	1.8	01.4-02.2	81	1.0	00.6-01.4
Male	3338	2,349,688	3267	97.1	96.1-98.1	49	2.1	01.3-02.9	22	0.8	00.4-01.2
Female	5188	2,498,619	5058	97.3	96.7-97.9	71	1.5	01.1-01.9	59	1.2	00.8-01.6
White/Non-Hisp	6923	3,978,811	6790	98.1	97.7-98.5	62	0.9	00.7-01.1	71	1.1	00.7-01.5
Black or Afr. Am./Non-Hisp	917	411,070	899	97.5	95.9-99.1	15	1.8	00.4-03.2	3	0.7	00.0-01.7
Oth. Race/Non-Hisp.	119	73,376	113	93.6	87.5-99.7	5	6.3	00.4-12.2	1	0.1	00.0-00.3
MultiRacial/Non-Hisp.	129	65,684	127	98.5	96.1-0100				2	1.5	00.0-03.9
Hispanic	302	258,797	270	85.0	79.1-90.9	31	14.4	08.5-20.3	1	0.6	00.0-01.8
18-24	511	655,106	490	95.3	92.9-97.7	16	3.5	01.5-05.5	5	1.3	00.0-02.7
25-34	865	778,090	841	96.0	94.0-98.0	16	2.5	01.1-03.9	8	1.5	00.1-02.9
35-44	1095	802,796	1073	97.5	96.3-98.7	16	2.0	00.8-03.2	6	0.5	00.0-01.1
45-54	1448	895,413	1429	98.7	97.9-99.5	10	0.9	00.3-01.5	9	0.4	00.0-00.8
55-64	1786	779,825	1754	98.2	97.4-99.0	15	0.7	00.3-01.1	17	1.1	00.5-01.7
65+	2745	903,546	2678	97.7	97.1-98.3	44	1.6	01.0-02.2	23	0.6	00.2-01.0
Less Than H.S.	845	693,407	794	92.7	90.2-95.2	46	6.2	03.8-08.6	5	1.1	00.0-02.5
H.S. or G.E.D.	3101	1,700,674	3029	97.5	96.7-98.3	41	1.6	00.8-02.4	31	0.9	00.5-01.3
Some Post-H.S.	2230	1,446,416	2192	98.1	97.3-98.9	17	0.7	00.3-01.1	21	1.2	00.4-02.0
College Graduate	2331	998,360	2296	98.7	98.1-99.3	14	0.7	00.3-01.1	21	0.6	00.2-01.0
Less than \$15,000	1011	509,975	981	95.0	92.5-97.5	24	4.2	01.8-06.6	6	0.8	00.0-01.6
\$15,000- 24,999	1529	789,299	1493	96.6	95.0-98.2	27	2.8	01.4-04.2	9	0.6	00.0-01.2
\$25,000- 34,999	891	488,007	875	98.0	96.6-99.4	10	1.5	00.3-02.7	6	0.5	00.0-01.1
\$35,000- 49,999	1124	652,522	1115	99.1	98.3-99.9	7	0.8	00.2-01.4	2	0.1	00.0-00.3
\$50,000- 74,999	1152	725,675	1135	97.1	95.1-99.1	8	1.0	00.2-01.8	9	1.9	00.1-03.7
\$75,000+	1560	978,965	1546	99.4	99.0-99.8	6	0.3	00.1-00.5	8	0.3	00.1-00.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 38: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3338	2,349,688	3267	97.1	96.1-98.1	49	2.1	01.3-02.9	22	0.8	00.4-01.2
White/Non-Hisp	2739	1,911,497	2699	98.3	97.5-99.1	21	0.8	00.4-01.2	19	0.9	00.3-01.5
Black or Afr. Am./Non-Hisp	306	192,362	299	97.1	94.4-99.8	5	2.3	00.0-04.8	2	0.6	00.0-01.6
MultiRacial/Non-Hisp.	51	30,303	51	100.0	0100-0100						
Hispanic	128	139,462	112	81.3	71.7-90.9	16	18.7	09.1-28.3			
18-24	254	336,190	246	96.2	93.1-99.3	8	3.8	00.7-06.9			
25-34	354	393,570	342	94.6	91.1-98.1	9	3.7	01.0-06.4	3	1.7	00.0-04.1
35-44	455	399,408	442	96.2	93.8-98.6	9	2.9	00.7-05.1	4	0.9	00.0-01.9
45-54	595	439,524	590	99.3	98.5-0100	4	0.7	00.0-01.5	1	0.0	00.0-00.0
55-64	735	383,000	722	98.1	96.9-99.3	5	0.8	00.0-01.6	8	1.1	00.3-01.9
65+	924	386,094	909	98.6	97.6-99.6	14	1.4	00.6-02.2	1	0.1	00.0-00.3
Less Than H.S.	332	349,453	310	90.9	86.4-95.4	20	7.6	03.9-11.3	2	1.5	00.0-04.0
H.S. or G.E.D.	1204	875,314	1179	97.6	96.2-99.0	16	1.8	00.6-03.0	9	0.6	00.0-01.2
Some Post-H.S.	805	623,799	794	98.5	97.5-99.5	6	0.7	00.1-01.3	5	0.8	00.0-01.6
College Graduate	989	495,016	978	98.9	98.1-99.7	6	0.6	00.0-01.2	5	0.5	00.1-00.9
Less than \$15,000	310	205,428	299	93.5	88.4-98.6	11	6.5	01.4-11.6			
\$15,000- 24,999	548	362,823	533	95.4	92.5-98.3	11	4.1	01.2-07.0	4	0.6	00.0-01.2
\$25,000- 34,999	343	227,599	336	96.6	93.7-99.5	6	2.8	00.3-05.3	1	0.6	00.0-01.8
\$35,000- 49,999	495	343,519	492	99.3	98.5-0100	2	0.5	00.0-01.3	1	0.2	00.0-00.6
\$50,000- 74,999	528	395,819	522	97.1	94.4-99.8	3	1.1	00.0-02.5	3	1.8	00.0-04.2
\$75,000+	750	539,706	745	99.6	99.2-0100	4	0.4	00.0-00.8	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 39: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5188	2,498,619	5058	97.3	96.7-97.9	71	1.5	01.1-01.9	59	1.2	00.8-01.6
White/Non-Hisp	4184	2,067,314	4091	97.8	97.2-98.4	41	0.9	00.5-01.3	52	1.2	00.6-01.8
Black or Afr. Am./Non-Hisp	611	218,708	600	97.9	95.9-99.9	10	1.4	00.0-02.8	1	0.7	00.0-02.1
Oth. Race/Non-Hisp.	70	33,361	67	96.7	92.4-0100	2	3.1	00.0-07.4	1	0.2	00.0-00.6
MultiRacial/Non-Hisp.	78	35,381	76	97.1	92.8-0100				2	2.9	00.0-07.2
Hispanic	174	119,336	158	89.4	83.5-95.3	15	9.3	03.8-14.8	1	1.3	00.0-03.7
18-24	257	318,916	244	94.2	90.7-97.7	8	3.2	00.8-05.6	5	2.6	00.0-05.5
25-34	511	384,520	499	97.5	95.9-99.1	7	1.2	00.2-02.2	5	1.3	00.0-02.7
35-44	640	403,388	631	98.7	97.7-99.7	7	1.1	00.3-01.9	2	0.2	00.0-00.4
45-54	853	455,889	839	98.2	97.0-99.4	6	1.2	00.2-02.2	8	0.7	00.1-01.3
55-64	1051	396,826	1032	98.4	97.4-99.4	10	0.6	00.0-01.2	9	1.0	00.2-01.8
65+	1821	517,452	1769	97.1	96.1-98.1	30	1.8	01.0-02.6	22	1.1	00.5-01.7
Less Than H.S.	513	343,954	484	94.4	91.9-96.9	26	4.8	02.4-07.2	3	0.7	00.0-01.7
H.S. or G.E.D.	1897	825,360	1850	97.4	96.4-98.4	25	1.4	00.6-02.2	22	1.2	00.6-01.8
Some Post-H.S.	1425	822,617	1398	97.8	96.4-99.2	11	0.6	00.0-01.2	16	1.6	00.4-02.8
College Graduate	1342	503,344	1318	98.5	97.7-99.3	8	0.7	00.1-01.3	16	0.8	00.4-01.2
Less than \$15,000	701	304,547	682	96.0	93.6-98.4	13	2.6	00.6-04.6	6	1.4	00.0-02.8
\$15,000- 24,999	981	426,477	960	97.7	96.3-99.1	16	1.7	00.7-02.7	5	0.6	00.0-01.4
\$25,000- 34,999	548	260,408	539	99.2	98.6-99.8	4	0.3	00.0-00.7	5	0.4	00.0-00.8
\$35,000- 49,999	629	309,002	623	98.9	97.7-0100	5	1.1	00.0-02.3	1	0.0	00.0-00.0
\$50,000- 74,999	624	329,855	613	97.1	94.4-99.8	5	0.9	00.1-01.7	6	2.0	00.0-04.5
\$75,000+	810	439,260	801	99.1	98.5-99.7	2	0.2	00.0-00.6	7	0.7	00.1-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 40: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8645	4,946,018	8248	95.5	94.9-96.1	1	0.0	00.0-00.0	106	1.0	00.6-01.4	290	3.5	02.9-04.1
Male	3397	2,402,430	3235	95.3	94.3-96.3				48	1.3	00.7-01.9	114	3.4	02.6-04.2
Female	5248	2,543,588	5013	95.7	94.9-96.5	1	0.0	00.0-00.0	58	0.7	00.5-00.9	176	3.6	02.8-04.4
White/Non-Hisp	7019	4,054,823	6711	96.0	95.4-96.6	1	0.0	00.0-00.0	76	0.7	00.5-00.9	231	3.3	02.7-03.9
Black or Afr. Am./Non-Hisp	924	419,411	877	93.5	90.4-96.6				11	1.4	00.0-02.8	36	5.1	02.2-08.0
Oth. Race/Non-Hisp.	126	77,831	121	97.1	93.8-0100				3	0.9	00.0-02.3	2	2.0	00.0-04.9
MultiRacial/Non-Hisp.	133	69,082	130	99.1	97.9-0100				1	0.2	00.0-00.6	2	0.7	00.0-01.9
Hispanic	306	263,451	289	92.5	88.0-97.0				9	4.2	00.5-07.9	8	3.3	00.8-05.8
18-24	532	680,772	508	94.6	91.9-97.3				6	1.6	00.0-03.2	18	3.8	01.6-06.0
25-34	901	807,561	870	97.1	95.9-98.3	1	0.0	00.0-00.0	6	0.5	00.0-01.1	24	2.3	01.3-03.3
35-44	1117	818,682	1078	95.7	93.9-97.5				4	0.5	00.0-01.1	35	3.7	02.1-05.3
45-54	1464	909,038	1407	96.2	95.0-97.4				9	0.5	00.1-00.9	48	3.3	02.1-04.5
55-64	1804	789,117	1736	96.1	94.9-97.3				13	0.9	00.1-01.7	55	3.0	02.0-04.0
65+	2750	906,533	2607	95.2	94.2-96.2				61	1.8	01.2-02.4	82	3.0	02.2-03.8
Less Than H.S.	849	698,108	796	94.1	91.9-96.3				25	2.0	00.8-03.2	28	3.9	01.9-05.9
H.S. or G.E.D.	3139	1,734,288	2986	95.4	94.2-96.6				39	0.9	00.3-01.5	114	3.7	02.7-04.7
Some Post-H.S.	2263	1,480,187	2168	96.2	95.2-97.2				23	0.8	00.4-01.2	72	3.0	02.0-04.0
College Graduate	2374	1,023,246	2285	96.1	95.1-97.1	1	0.0	00.0-00.0	16	0.5	00.1-00.9	72	3.4	02.4-04.4
Less than \$15,000	1021	519,037	967	94.5	92.1-96.9				25	2.5	00.5-04.5	29	3.0	01.6-04.4
\$15,000- 24,999	1545	804,553	1485	95.8	94.4-97.2				19	1.1	00.3-01.9	41	3.1	01.9-04.3
\$25,000- 34,999	902	497,429	869	94.6	92.1-97.1	1	0.1	00.0-00.3	8	1.4	00.2-02.6	24	4.0	01.6-06.4
\$35,000- 49,999	1147	671,408	1114	96.7	94.9-98.5				8	0.4	00.0-00.8	25	2.9	01.1-04.7
\$50,000- 74,999	1174	743,878	1145	97.3	95.9-98.7				3	0.2	00.0-00.4	26	2.5	01.1-03.9
\$75,000+	1591	1,001,971	1546	97.5	96.7-98.3				5	0.3	00.0-00.7	40	2.2	01.4-03.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 41: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3397	2,402,430	3235	95.3	94.3-96.3	48	1.3	00.7-01.9	114	3.4	02.6-04.2
White/Non-Hisp	2791	1,955,219	2672	96.2	95.2-97.2	32	0.8	00.4-01.2	87	3.0	02.2-03.8
Black or Afr. Am./Non-Hisp	308	195,329	287	90.2	84.1-96.3	5	2.4	00.0-05.3	16	7.4	01.7-13.1
Oth. Race/Non-Hisp.	50	40,867	48	97.8	94.7-0100	1	1.2	00.0-03.6	1	1.0	00.0-03.0
MultiRacial/Non-Hisp.	52	31,191	49	98.0	95.5-0100	1	0.4	00.0-01.2	2	1.5	00.0-03.9
Hispanic	130	142,923	121	90.0	82.6-97.4	6	7.1	00.2-14.0	3	2.9	00.0-06.4
18-24	264	348,380	253	94.7	90.6-98.8	3	1.9	00.0-04.4	8	3.4	00.3-06.5
25-34	366	404,853	355	97.6	96.0-99.2	3	0.6	00.0-01.4	8	1.8	00.4-03.2
35-44	468	409,905	447	94.4	91.5-97.3	3	1.0	00.0-02.2	18	4.6	01.9-07.3
45-54	606	449,957	584	96.1	94.1-98.1	4	0.7	00.0-01.5	18	3.3	01.5-05.1
55-64	744	388,172	712	95.3	93.1-97.5	9	1.7	00.1-03.3	23	3.0	01.4-04.6
65+	927	388,478	872	95.1	93.5-96.7	26	2.1	01.1-03.1	29	2.7	01.5-03.9
Less Than H.S.	335	352,469	312	93.3	89.6-97.0	13	2.7	00.7-04.7	10	4.1	00.8-07.4
H.S. or G.E.D.	1226	897,509	1163	95.0	93.2-96.8	13	1.1	00.1-02.1	50	3.9	02.3-05.5
Some Post-H.S.	821	639,724	790	96.9	95.5-98.3	12	1.1	00.3-01.9	19	2.0	01.0-03.0
College Graduate	1006	505,883	964	95.6	94.0-97.2	9	0.7	00.1-01.3	33	3.6	02.2-05.0
Less than \$15,000	312	207,559	289	92.2	87.1-97.3	11	4.7	00.0-09.4	12	3.1	00.7-05.5
\$15,000- 24,999	557	373,045	523	94.6	92.4-96.8	10	1.6	00.4-02.8	24	3.8	01.8-05.8
\$25,000- 34,999	348	232,206	330	91.9	86.8-97.0	6	2.6	00.2-05.0	12	5.5	00.8-10.2
\$35,000- 49,999	508	355,968	495	96.8	93.9-99.7	5	0.6	00.0-01.2	8	2.6	00.0-05.5
\$50,000- 74,999	536	402,615	523	97.8	96.4-99.2	3	0.3	00.0-00.7	10	1.9	00.5-03.3
\$75,000+	769	553,674	750	97.7	96.5-98.9	2	0.3	00.0-00.7	17	2.0	01.0-03.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 42: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5248	2,543,588	5013	95.7	94.9-96.5	1	0.0	00.0-00.0	58	0.7	00.5-00.9	176	3.6	02.8-04.4
White/Non-Hisp	4228	2,099,604	4039	95.7	94.9-96.5	1	0.0	00.0-00.0	44	0.6	00.4-00.8	144	3.6	02.8-04.4
Black or Afr. Am./Non-Hisp	616	224,082	590	96.3	94.1-98.5				6	0.5	00.0-01.1	20	3.2	01.0-05.4
Oth. Race/Non-Hisp.	76	36,964	73	96.4	90.5-0100				2	0.6	00.0-01.6	1	3.0	00.0-08.9
MultiRacial/Non-Hisp.	81	37,891	81	100.0	0100-0100									
Hispanic	176	120,527	168	95.5	91.8-99.2				3	0.8	00.0-01.8	5	3.8	00.1-07.5
18-24	268	332,392	255	94.6	91.3-97.9				3	1.3	00.0-02.9	10	4.1	01.0-07.2
25-34	535	402,708	515	96.6	94.8-98.4	1	0.1	00.0-00.3	3	0.4	00.0-01.0	16	2.9	01.3-04.5
35-44	649	408,778	631	97.0	95.4-98.6				1	0.1	00.0-00.3	17	2.9	01.3-04.5
45-54	858	459,082	823	96.3	94.7-97.9				5	0.3	00.0-00.7	30	3.4	02.0-04.8
55-64	1060	400,945	1024	96.9	95.7-98.1				4	0.2	00.0-00.4	32	2.9	01.7-04.1
65+	1823	518,055	1735	95.2	94.0-96.4				35	1.5	00.9-02.1	53	3.3	02.3-04.3
Less Than H.S.	514	345,639	484	95.0	92.6-97.4				12	1.3	00.1-02.5	18	3.7	01.5-05.9
H.S. or G.E.D.	1913	836,779	1823	95.7	94.5-96.9				26	0.7	00.3-01.1	64	3.6	02.6-04.6
Some Post-H.S.	1442	840,462	1378	95.6	94.0-97.2				11	0.6	00.0-01.2	53	3.8	02.4-05.2
College Graduate	1368	517,363	1321	96.5	95.3-97.7	1	0.1	00.0-00.3	7	0.3	00.1-00.5	39	3.2	02.0-04.4
Less than \$15,000	709	311,478	678	96.0	94.0-98.0				14	1.0	00.4-01.6	17	3.0	01.2-04.8
\$15,000- 24,999	988	431,508	962	96.9	95.3-98.5				9	0.7	00.0-01.5	17	2.4	01.0-03.8
\$25,000- 34,999	554	265,223	539	97.0	95.0-99.0	1	0.1	00.0-00.3	2	0.2	00.0-00.6	12	2.6	00.8-04.4
\$35,000- 49,999	639	315,440	619	96.7	94.9-98.5				3	0.2	00.0-00.4	17	3.2	01.4-05.0
\$50,000- 74,999	638	341,263	622	96.7	94.0-99.4							16	3.3	00.6-06.0
\$75,000+	822	448,297	796	97.1	95.7-98.5				3	0.4	00.0-01.0	23	2.5	01.3-03.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 43: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6445	3,039,500	256	3.4	02.8-04.0	6189	96.6	96.0-97.2
Male	2345	1,367,548	123	4.7	03.5-05.9	2222	95.3	94.1-96.5
Female	4100	1,671,952	133	2.2	01.6-02.8	3967	97.8	97.2-98.4
White/Non-Hisp	5255	2,605,299	201	3.3	02.7-03.9	5054	96.7	96.1-97.3
Black or Afr. Am./Non-Hisp	745	208,860	33	3.2	01.4-05.0	712	96.8	95.0-98.6
Oth. Race/Non-Hisp.	77	38,821	4	4.4	00.0-09.5	73	95.6	90.5-0100
MultiRacial/Non-Hisp.	95	41,126	6	6.2	00.0-12.7	89	93.8	87.3-0100
Hispanic	165	106,304	7	1.8	00.2-03.4	158	98.2	96.6-99.8
18-24	153	221,584	2	1.7	00.0-04.6	151	98.3	95.4-0100
25-34	365	277,567	11	3.9	01.2-06.6	354	96.1	93.4-98.8
35-44	706	458,752	21	2.1	01.1-03.1	685	97.9	96.9-98.9
45-54	1070	627,788	35	3.3	01.9-04.7	1035	96.7	95.3-98.1
55-64	1502	610,787	75	4.4	03.0-05.8	1427	95.6	94.2-97.0
65+	2588	819,893	108	3.5	02.7-04.3	2480	96.5	95.7-97.3
Less Than H.S.	601	382,038	17	3.0	00.6-05.4	584	97.0	94.6-99.4
H.S. or G.E.D.	2399	1,100,414	74	2.6	01.8-03.4	2325	97.4	96.6-98.2
Some Post-H.S.	1632	869,991	66	3.6	02.4-04.8	1566	96.4	95.2-97.6
College Graduate	1801	682,892	99	4.5	03.3-05.7	1702	95.5	94.3-96.7
Less than \$15,000	708	240,193	13	1.9	00.5-03.3	695	98.1	96.7-99.5
\$15,000- 24,999	1173	474,669	24	1.8	00.8-02.8	1149	98.2	97.2-99.2
\$25,000- 34,999	686	305,264	29	3.7	01.7-05.7	657	96.3	94.3-98.3
\$35,000- 49,999	833	398,717	39	3.4	02.0-04.8	794	96.6	95.2-98.0
\$50,000- 74,999	858	472,869	39	3.4	01.8-05.0	819	96.6	95.0-98.2
\$75,000+	1191	688,123	77	4.9	03.3-06.5	1114	95.1	93.5-96.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 44: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2345	1,367,548	123	4.7	03.5-05.9	2222	95.3	94.1-96.5
White/Non-Hisp	1938	1,161,879	98	4.6	03.4-05.8	1840	95.4	94.2-96.6
Black or Afr. Am./Non-Hisp	232	88,651	13	5.4	01.5-09.3	219	94.6	90.7-98.5
Hispanic	65	54,994	3	1.6	00.0-03.6	62	98.4	96.4-0100
18-24	68	104,640	1	3.2	00.0-09.5	67	96.8	90.5-0100
25-34	132	129,314	8	7.4	01.9-12.9	124	92.6	87.1-98.1
35-44	273	206,267	9	2.5	00.7-04.3	264	97.5	95.7-99.3
45-54	418	296,726	14	3.7	01.2-06.2	404	96.3	93.8-98.8
55-64	596	285,520	37	6.0	03.6-08.4	559	94.0	91.6-96.4
65+	843	337,841	51	5.1	03.3-06.9	792	94.9	93.1-96.7
Less Than H.S.	215	175,856	9	5.3	00.6-10.0	206	94.7	90.0-99.4
H.S. or G.E.D.	833	510,199	33	3.2	01.6-04.8	800	96.8	95.2-98.4
Some Post-H.S.	550	350,803	29	4.8	02.4-07.2	521	95.2	92.8-97.6
College Graduate	743	328,594	52	6.7	04.5-08.9	691	93.3	91.1-95.5
Less than \$15,000	196	92,849	4	2.6	00.0-05.7	192	97.4	94.3-0100
\$15,000- 24,999	386	192,680	9	2.8	00.6-05.0	377	97.2	95.0-99.4
\$25,000- 34,999	256	137,236	20	7.3	03.0-11.6	236	92.7	88.4-97.0
\$35,000- 49,999	348	197,652	15	2.1	00.5-03.7	333	97.9	96.3-99.5
\$50,000- 74,999	366	238,807	18	4.5	01.8-07.2	348	95.5	92.8-98.2
\$75,000+	548	361,514	44	6.8	03.9-09.7	504	93.2	90.3-96.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 45: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4100	1,671,952	133	2.2	01.6-02.8	3967	97.8	97.2-98.4
White/Non-Hisp	3317	1,443,421	103	2.3	01.7-02.9	3214	97.7	97.1-98.3
Black or Afr. Am./Non-Hisp	513	120,209	20	1.5	00.7-02.3	493	98.5	97.7-99.3
MultiRacial/Non-Hisp.	60	22,441	3	2.3	00.0-05.2	57	97.7	94.8-0100
Hispanic	100	51,309	4	2.1	00.0-04.5	96	97.9	95.5-0100
18-24	85	116,944	1	0.3	00.0-00.9	84	99.7	99.1-0100
25-34	233	148,254	3	0.9	00.0-02.3	230	99.1	97.7-0100
35-44	433	252,486	12	1.8	00.6-03.0	421	98.2	97.0-99.4
45-54	652	331,062	21	2.9	01.3-04.5	631	97.1	95.5-98.7
55-64	906	325,267	38	3.0	01.8-04.2	868	97.0	95.8-98.2
65+	1745	482,052	57	2.5	01.7-03.3	1688	97.5	96.7-98.3
Less Than H.S.	386	206,182	8	1.1	00.3-01.9	378	98.9	98.1-99.7
H.S. or G.E.D.	1566	590,215	41	2.1	01.3-02.9	1525	97.9	97.1-98.7
Some Post-H.S.	1082	519,188	37	2.7	01.5-03.9	1045	97.3	96.1-98.5
College Graduate	1058	354,298	47	2.5	01.5-03.5	1011	97.5	96.5-98.5
Less than \$15,000	512	147,344	9	1.4	00.2-02.6	503	98.6	97.4-99.8
\$15,000- 24,999	787	281,989	15	1.1	00.5-01.7	772	98.9	98.3-99.5
\$25,000- 34,999	430	168,027	9	0.8	00.2-01.4	421	99.2	98.6-99.8
\$35,000- 49,999	485	201,064	24	4.6	02.2-07.0	461	95.4	93.0-97.8
\$50,000- 74,999	492	234,062	21	2.4	01.0-03.8	471	97.6	96.2-99.0
\$75,000+	643	326,608	33	2.8	01.6-04.0	610	97.2	96.0-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 46: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	249	98,479	131	69.0	61.7-76.3	97	24.9	18.8-31.0	19	5.8	01.7-09.9	1	0.1	00.0-00.3	1	0.3	00.0-00.9
Male	118	61,779	63	70.3	60.3-80.3	42	22.8	14.8-30.8	13	6.9	00.8-13.0						
Female	131	36,700	68	66.7	56.9-76.5	55	28.4	19.2-37.6	6	3.9	00.4-07.4	1	0.3	00.0-00.9	1	0.7	00.0-02.1
White/Non-Hisp	195	84,161	109	73.5	65.9-81.1	69	20.5	14.2-26.8	15	5.6	00.9-10.3	1	0.1	00.0-00.3	1	0.3	00.0-00.9
55-64	72	25,053	38	68.6	55.7-81.5	28	27.1	14.8-39.4	4	2.8	00.0-05.7	1	0.4	00.0-01.2	1	1.0	00.0-03.0
65+	106	28,408	48	56.9	44.6-69.2	47	34.0	22.6-45.4	11	9.0	02.9-15.1						
H.S. or G.E.D.	71	27,436	39	69.3	56.6-82.0	26	24.4	12.8-36.0	5	6.0	00.3-11.7	1	0.4	00.0-01.2			
Some Post-H.S.	66	30,905	34	69.8	56.3-83.3	26	27.1	14.2-40.0	5	2.3	00.0-04.7				1	0.8	00.0-02.4
College Graduate	96	28,698	48	67.3	56.3-78.3	42	28.8	18.4-39.2	6	3.9	00.6-07.2						
\$75,000+	76	33,336	34	68.5	55.6-81.4	34	27.2	15.2-39.2	8	4.3	01.0-07.6						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2012

SECTION 7: DEMOGRAPHICS

TABLE 47: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	118	61,779	63	70.3	60.3-80.3	42	22.8	14.8-30.8	13	6.9	00.6-13.2
White/Non-Hisp	94	51,242	54	76.4	66.0-86.8	30	17.0	09.6-24.4	10	6.6	00.0-13.9
65+	51	17,075	23	59.5	42.6-76.4	19	30.1	14.4-45.8	9	10.3	02.5-18.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2012

SECTION 7: DEMOGRAPHICS

TABLE 48: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	131	36,700	68	66.7	56.7-76.7	55	28.4	19.0-37.8	6	3.9	00.4-07.4	1	0.3	00.0-00.9	1	0.7	00.0-02.1
White/Non-Hisp	101	32,919	55	68.8	58.0-79.6	39	26.1	16.1-36.1	5	4.0	00.1-07.9	1	0.3	00.0-00.9	1	0.8	00.0-02.4
65+	55	11,333	25	53.0	35.9-70.1	28	40.0	24.3-55.7	2	7.1	00.0-16.7						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

**TABLE 49: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6434	3,042,350	4944	80.9	79.5-82.3	1490	19.1	17.7-20.5
Male	2346	1,370,495	1836	81.7	79.5-83.9	510	18.3	16.1-20.5
Female	4088	1,671,855	3108	80.2	78.4-82.0	980	19.8	18.0-21.6
White/Non-Hisp	5243	2,603,979	4145	83.0	81.6-84.4	1098	17.0	15.6-18.4
Black or Afr. Am./Non-Hisp	745	213,101	517	74.4	68.5-80.3	228	25.6	19.7-31.5
Oth. Race/Non-Hisp.	77	38,821	58	81.0	68.7-93.3	19	19.0	06.7-31.3
MultiRacial/Non-Hisp.	95	41,126	67	79.9	69.5-90.3	28	20.1	09.7-30.5
Hispanic	166	106,664	90	53.7	41.7-65.7	76	46.3	34.3-58.3
18-24	154	224,397	119	78.6	70.2-87.0	35	21.4	13.0-29.8
25-34	365	277,567	299	84.9	80.6-89.2	66	15.1	10.8-19.4
35-44	705	458,679	598	85.2	81.7-88.7	107	14.8	11.3-18.3
45-54	1070	628,603	861	83.1	80.2-86.0	209	16.9	14.0-19.8
55-64	1494	607,900	1185	82.2	79.8-84.6	309	17.8	15.4-20.2
65+	2584	820,675	1835	74.9	72.7-77.1	749	25.1	22.9-27.3
Less Than H.S.	600	381,932	318	62.0	56.5-67.5	282	38.0	32.5-43.5
H.S. or G.E.D.	2395	1,104,517	1714	76.1	73.7-78.5	681	23.9	21.5-26.3
Some Post-H.S.	1630	868,456	1320	86.9	84.9-88.9	310	13.1	11.1-15.1
College Graduate	1796	682,246	1586	91.7	90.1-93.3	210	8.3	06.7-09.9
Less than \$15,000	707	240,671	358	54.7	48.6-60.8	349	45.3	39.2-51.4
\$15,000- 24,999	1171	474,804	730	65.2	61.3-69.1	441	34.8	30.9-38.7
\$25,000- 34,999	685	304,473	512	76.1	71.6-80.6	173	23.9	19.4-28.4
\$35,000- 49,999	832	398,486	712	87.0	84.3-89.7	120	13.0	10.3-15.7
\$50,000- 74,999	857	471,998	776	89.6	86.7-92.5	81	10.4	07.5-13.3
\$75,000+	1190	687,920	1118	95.2	93.8-96.6	72	4.8	03.4-06.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 50: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2346	1,370,495	1836	81.7	79.5-83.9	510	18.3	16.1-20.5
White/Non-Hisp	1935	1,163,228	1558	84.1	82.1-86.1	377	15.9	13.9-17.9
Black or Afr. Am./Non-Hisp	234	89,806	167	73.1	62.9-83.3	67	26.9	16.7-37.1
Hispanic	66	55,354	35	59.2	40.8-77.6	31	40.8	22.4-59.2
18-24	68	104,640	55	80.2	67.7-92.7	13	19.8	07.3-32.3
25-34	132	129,314	109	86.0	79.5-92.5	23	14.0	07.5-20.5
35-44	273	206,424	229	84.8	79.1-90.5	44	15.2	09.5-20.9
45-54	419	297,841	333	83.8	79.5-88.1	86	16.2	11.9-20.5
55-64	595	285,368	464	80.0	75.9-84.1	131	20.0	15.9-24.1
65+	843	338,634	635	78.1	74.6-81.6	208	21.9	18.4-25.4
Less Than H.S.	215	175,856	124	68.8	60.8-76.8	91	31.2	23.2-39.2
H.S. or G.E.D.	836	512,465	625	76.8	72.7-80.9	211	23.2	19.1-27.3
Some Post-H.S.	550	350,793	450	86.8	83.5-90.1	100	13.2	09.9-16.5
College Graduate	740	328,251	635	91.2	89.0-93.4	105	8.8	06.6-11.0
Less than \$15,000	197	93,518	102	51.1	39.1-63.1	95	48.9	36.9-60.9
\$15,000- 24,999	386	192,506	237	68.0	61.9-74.1	149	32.0	25.9-38.1
\$25,000- 34,999	256	137,528	181	74.3	67.2-81.4	75	25.7	18.6-32.8
\$35,000- 49,999	348	197,652	293	86.5	82.2-90.8	55	13.5	09.2-17.8
\$50,000- 74,999	366	238,807	326	88.3	83.6-93.0	40	11.7	07.0-16.4
\$75,000+	547	361,312	511	95.0	92.8-97.2	36	5.0	02.8-07.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 51: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4088	1,671,855	3108	80.2	78.4-82.0	980	19.8	18.0-21.6
White/Non-Hisp	3308	1,440,751	2587	82.1	80.3-83.9	721	17.9	16.1-19.7
Black or Afr. Am./Non-Hisp	511	123,295	350	75.4	68.7-82.1	161	24.6	17.9-31.3
MultiRacial/Non-Hisp.	60	22,441	43	81.3	69.9-92.7	17	18.7	07.3-30.1
Hispanic	100	51,309	55	47.7	33.6-61.8	45	52.3	38.2-66.4
18-24	86	119,757	64	77.2	65.8-88.6	22	22.8	11.4-34.2
25-34	233	148,254	190	83.8	78.3-89.3	43	16.2	10.7-21.7
35-44	432	252,255	369	85.5	81.0-90.0	63	14.5	10.0-19.0
45-54	651	330,762	528	82.5	78.6-86.4	123	17.5	13.6-21.4
55-64	899	322,532	721	84.2	81.5-86.9	178	15.8	13.1-18.5
65+	1741	482,041	1200	72.7	70.2-75.2	541	27.3	24.8-29.8
Less Than H.S.	385	206,076	194	56.2	48.9-63.5	191	43.8	36.5-51.1
H.S. or G.E.D.	1559	592,052	1089	75.6	72.9-78.3	470	24.4	21.7-27.1
Some Post-H.S.	1080	517,662	870	87.1	84.7-89.5	210	12.9	10.5-15.3
College Graduate	1056	353,996	951	92.2	90.2-94.2	105	7.8	05.8-09.8
Less than \$15,000	510	147,153	256	57.0	50.7-63.3	254	43.0	36.7-49.3
\$15,000- 24,999	785	282,298	493	63.3	58.4-68.2	292	36.7	31.8-41.6
\$25,000- 34,999	429	166,945	331	77.6	71.9-83.3	98	22.4	16.7-28.1
\$35,000- 49,999	484	200,833	419	87.5	84.0-91.0	65	12.5	09.0-16.0
\$50,000- 74,999	491	233,191	450	90.9	87.4-94.4	41	9.1	05.6-12.6
\$75,000+	643	326,608	607	95.5	93.5-97.5	36	4.5	02.5-06.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 52: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	ZERO		1-20%			21-40%			41-60%			61-80%			81-100%		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4691	2,352,621	351	5.5	04.7-06.3	1686	32.6	30.8-34.4	442	10.0	08.8-11.2	821	19.4	17.8-21.0	637	18.4	16.6-20.2	754	14.2	12.8-15.6
Male	1755	1,074,035	93	3.9	02.9-04.9	572	30.8	27.9-33.7	165	9.5	07.5-11.5	324	20.4	17.9-22.9	277	20.4	17.7-23.1	324	14.9	12.9-16.9
Female	2936	1,278,586	258	6.8	05.8-07.8	1114	34.1	31.9-36.3	277	10.4	08.8-12.0	497	18.5	16.3-20.7	360	16.7	14.5-18.9	430	13.6	11.8-15.4
White/Non-Hisp	3944	2,071,408	303	5.7	04.9-06.5	1399	32.4	30.4-34.4	363	9.8	08.6-11.0	710	19.9	18.1-21.7	544	18.4	16.6-20.2	625	13.8	12.4-15.2
Black or Afr. Am./Non-Hisp	485	150,617	30	3.8	01.8-05.8	189	31.3	24.6-38.0	54	10.9	06.8-15.0	70	14.3	09.0-19.6	56	18.3	11.4-25.2	86	21.4	14.9-27.9
Oth. Race/Non-Hisp.	56	30,665	3	0.9	00.0-01.9	25	44.4	24.4-64.4	4	6.5	00.0-13.8	7	15.6	00.1-31.1	10	23.2	06.1-40.3	7	9.5	01.1-17.9
MultiRacial/Non-Hisp.	66	30,753	5	8.1	00.0-16.7	23	29.7	15.8-43.6	7	11.0	01.4-20.6	10	15.9	05.3-26.5	13	26.1	10.8-41.4	8	9.1	01.1-17.1
Hispanic	81	50,715	3	3.9	00.0-09.0	33	42.4	25.5-59.3	8	14.0	00.0-30.7	11	16.4	03.5-29.3	9	12.8	00.5-25.1	17	10.5	03.6-17.4
18-24	117	174,566	4	3.7	00.0-07.6	16	13.6	05.6-21.6	7	8.2	01.1-15.3	13	17.3	06.5-28.1	28	32.5	20.5-44.5	49	24.8	16.0-33.6
25-34	293	226,441	7	2.7	00.5-04.9	40	17.6	11.7-23.5	20	9.1	04.2-14.0	37	15.8	09.9-21.7	63	24.6	17.7-31.5	126	30.2	23.9-36.5
35-44	576	379,327	7	0.4	00.0-00.8	127	25.2	20.7-29.7	43	7.8	05.1-10.5	116	20.7	16.8-24.6	121	23.6	19.1-28.1	162	22.2	18.3-26.1
45-54	836	504,794	29	2.4	01.2-03.6	238	28.0	24.3-31.7	73	9.6	07.1-12.1	175	23.6	19.9-27.3	147	21.8	18.1-25.5	174	14.6	11.9-17.3
55-64	1140	483,878	60	4.9	03.3-06.5	395	34.9	31.4-38.4	131	13.2	10.7-15.7	223	21.0	18.1-23.9	170	16.5	13.8-19.2	161	9.6	07.8-11.4
65+	1690	565,235	241	13.9	11.9-15.9	854	51.2	48.3-54.1	164	9.9	08.1-11.7	251	15.6	13.4-17.8	101	6.4	04.8-08.0	79	3.1	02.3-03.9
Less Than H.S.	282	218,458	36	8.8	05.1-12.5	121	36.6	29.0-44.2	26	10.5	05.2-15.8	34	13.2	07.3-19.1	33	20.3	11.9-28.7	32	10.6	05.7-15.5
H.S. or G.E.D.	1613	799,845	143	6.6	05.2-08.0	664	39.2	36.1-42.3	169	11.0	09.0-13.0	266	18.4	15.9-20.9	164	13.4	10.9-15.9	207	11.4	09.4-13.4
Some Post-H.S.	1267	732,650	97	5.0	03.8-06.2	431	29.3	26.2-32.4	119	10.1	07.6-12.6	210	19.2	15.9-22.5	176	19.8	16.3-23.3	234	16.6	13.9-19.3
College Graduate	1525	600,015	75	3.5	02.5-04.5	467	26.2	23.7-28.7	128	8.3	06.7-09.9	311	23.3	20.6-26.0	264	22.6	19.9-25.3	280	16.2	14.0-18.4
Less than \$15,000	334	122,104	51	11.8	07.7-15.9	157	53.2	45.0-61.4	26	7.0	03.5-10.5	32	7.9	04.2-11.6	23	7.2	02.7-11.7	45	12.8	07.5-18.1
\$15,000- 24,999	693	297,976	74	10.0	07.1-12.9	309	41.4	36.3-46.5	69	10.3	07.2-13.4	101	15.3	11.4-19.2	55	10.9	06.8-15.0	85	12.1	08.6-15.6
\$25,000- 34,999	482	220,158	54	8.7	06.0-11.4	196	36.1	30.4-41.8	53	13.0	08.9-17.1	83	20.3	14.0-26.6	42	11.7	07.4-16.0	54	10.2	06.9-13.5
\$35,000- 49,999	699	341,146	50	4.9	03.3-06.5	279	38.5	33.6-43.4	65	10.3	07.6-13.0	105	15.3	11.8-18.8	88	16.8	12.5-21.1	112	14.2	10.7-17.7
\$50,000- 74,999	754	412,033	26	2.8	01.4-04.2	241	29.9	25.8-34.0	71	9.7	07.0-12.4	160	22.4	18.5-26.3	130	21.5	17.0-26.0	126	13.7	10.6-16.8
\$75,000+	1088	639,090	29	2.0	01.2-02.8	225	18.9	16.2-21.6	100	9.0	06.8-11.2	234	23.9	20.6-27.2	240	27.3	23.6-31.0	260	18.9	16.2-21.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 53: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		ZERO			1-20%			21-40%			41-60%			61-80%			81-100%		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1755	1,074,035	93	3.9	02.9-04.9	572	30.8	27.9-33.7	165	9.5	07.5-11.5	324	20.4	17.9-22.9	277	20.4	17.7-23.1	324	14.9	12.9-16.9
White/Non-Hisp	1489	937,571	82	4.2	03.0-05.4	479	30.6	27.7-33.5	132	9.0	07.2-10.8	281	20.8	18.1-23.5	241	20.5	17.6-23.4	274	15.0	12.8-17.2
Black or Afr. Am./Non-Hisp	160	63,650	9	4.0	00.7-07.3	55	29.0	17.8-40.2	22	11.8	04.5-19.1	24	16.8	07.0-26.6	18	17.9	07.7-28.1	32	20.4	11.4-29.4
18-24	55	83,932	2	4.3	00.0-10.6	7	17.5	03.4-31.6	3	8.8	00.0-20.2	8	14.6	02.4-26.8	15	36.2	18.6-53.8	20	18.5	07.9-29.1
25-34	105	104,667	1	1.2	00.0-03.6	15	20.4	10.2-30.6	3	3.5	00.0-07.4	15	19.9	09.5-30.3	21	22.3	11.3-33.3	50	32.6	22.4-42.8
35-44	220	170,107	2	0.3	00.0-00.7	34	19.4	12.5-26.3	16	8.3	03.6-13.0	38	19.1	12.8-25.4	55	27.5	20.4-34.6	75	25.4	19.1-31.7
45-54	327	243,366	11	2.2	00.6-03.8	94	27.8	22.1-33.5	29	9.4	05.5-13.3	66	24.1	18.0-30.2	65	23.5	17.6-29.4	62	13.0	09.3-16.7
55-64	450	221,724	16	2.9	01.1-04.7	135	33.1	27.4-38.8	50	11.9	08.0-15.8	93	22.5	17.6-27.4	72	17.5	13.2-21.8	84	12.1	09.0-15.2
65+	587	243,306	61	10.1	07.4-12.8	285	48.9	43.8-54.0	60	10.7	07.6-13.8	100	17.6	13.9-21.3	48	9.0	06.1-11.9	33	3.6	02.2-05.0
Less Than H.S.	113	113,417	8	6.0	00.7-11.3	43	31.3	19.9-42.7	14	7.9	03.0-12.8	17	19.6	09.0-30.2	16	25.9	12.2-39.6	15	9.3	03.4-15.2
H.S. or G.E.D.	592	377,326	32	3.2	01.8-04.6	218	37.8	32.5-43.1	58	9.8	06.7-12.9	106	20.5	16.2-24.8	75	15.9	12.0-19.8	103	12.8	09.9-15.7
Some Post-H.S.	439	298,271	27	4.5	02.5-06.5	137	27.5	22.4-32.6	35	10.0	05.5-14.5	82	20.3	15.2-25.4	67	20.1	14.8-25.4	91	17.6	13.3-21.9
College Graduate	610	283,986	26	3.4	01.8-05.0	173	24.7	20.8-28.6	58	9.2	06.7-11.7	119	21.0	17.1-24.9	119	24.6	20.3-28.9	115	17.1	13.6-20.6
Less than \$15,000	97	45,310	11	7.4	01.1-13.7	45	60.5	45.8-75.2	8	5.0	00.3-09.7	11	9.7	01.9-17.5	6	7.7	00.1-15.3	16	9.8	03.1-16.5
\$15,000- 24,999	226	126,355	23	10.0	04.7-15.3	94	44.4	35.6-53.2	22	9.1	04.4-13.8	36	17.3	10.0-24.6	17	7.9	02.4-13.4	34	11.4	06.5-16.3
\$25,000- 34,999	170	97,177	14	7.8	03.1-12.5	66	33.4	24.6-42.2	24	17.6	10.3-24.9	28	16.4	09.1-23.7	20	13.4	06.9-19.9	18	11.4	05.3-17.5
\$35,000- 49,999	285	166,770	13	3.2	01.2-05.2	108	38.5	30.7-46.3	29	9.1	05.2-13.0	45	17.1	11.2-23.0	43	19.0	12.3-25.7	47	13.0	08.3-17.7
\$50,000- 74,999	318	206,815	12	2.1	00.7-03.5	95	28.3	22.0-34.6	30	10.5	06.0-15.0	69	23.5	17.4-29.6	55	21.3	14.6-28.0	57	14.3	09.6-19.0
\$75,000+	498	332,750	11	1.8	00.6-03.0	103	17.0	13.1-20.9	39	7.3	04.4-10.2	101	23.6	18.5-28.7	115	30.3	24.6-36.0	129	20.0	16.1-23.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 54: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		ZERO			1-20%			21-40%			41-60%			61-80%			81-100%		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2936	1,278,586	258	6.8	05.8-07.8	1114	34.1	31.9-36.3	277	10.4	08.8-12.0	497	18.5	16.3-20.7	360	16.7	14.5-18.9	430	13.6	11.8-15.4
White/Non-Hisp	2455	1,133,837	221	6.9	05.7-08.1	920	33.8	31.4-36.2	231	10.5	08.7-12.3	429	19.2	16.8-21.6	303	16.7	14.3-19.1	351	12.9	11.1-14.7
Black or Afr. Am./Non-Hisp	325	86,967	21	3.7	01.5-05.9	134	33.0	24.6-41.4	32	10.2	05.3-15.1	46	12.5	06.8-18.2	38	18.6	09.2-28.0	54	22.1	13.1-31.1
18-24	62	90,633	2	3.0	00.0-07.5	9	10.0	02.2-17.8	4	7.7	00.0-16.5	5	19.7	02.8-36.6	13	29.1	12.6-45.6	29	30.6	16.9-44.3
25-34	188	121,775	6	3.9	00.4-07.4	25	15.2	08.7-21.7	17	14.0	06.0-22.0	22	12.4	06.5-18.3	42	26.5	18.1-34.9	76	28.0	20.4-35.6
35-44	356	209,220	5	0.5	00.1-00.9	93	30.0	23.9-36.1	27	7.4	04.1-10.7	78	22.1	17.0-27.2	66	20.4	14.7-26.1	87	19.6	14.5-24.7
45-54	509	261,427	18	2.6	01.0-04.2	144	28.3	23.6-33.0	44	9.8	06.5-13.1	109	23.1	18.6-27.6	82	20.2	15.3-25.1	112	16.0	12.3-19.7
55-64	690	262,154	44	6.5	04.1-08.9	260	36.5	32.0-41.0	81	14.3	11.0-17.6	130	19.7	16.0-23.4	98	15.6	12.1-19.1	77	7.5	05.5-09.5
65+	1103	321,929	180	16.7	14.0-19.4	569	52.9	49.4-56.4	104	9.3	07.3-11.3	151	14.0	11.5-16.5	53	4.4	03.0-05.8	46	2.7	01.7-03.7
Less Than H.S.	169	105,040	28	11.8	06.3-17.3	78	42.5	32.5-52.5	12	13.2	03.8-22.6	17	6.2	02.5-09.9	17	14.3	06.3-22.3	17	12.0	04.4-19.6
H.S. or G.E.D.	1021	422,519	111	9.6	07.4-11.8	446	40.4	36.5-44.3	111	12.1	09.6-14.6	160	16.5	13.6-19.4	89	11.3	08.4-14.2	104	10.1	07.6-12.6
Some Post-H.S.	828	434,379	70	5.3	03.7-06.9	294	30.6	26.5-34.7	84	10.2	07.5-12.9	128	18.4	13.9-22.9	109	19.6	14.9-24.3	143	16.0	12.7-19.3
College Graduate	915	316,029	49	3.5	02.3-04.7	294	27.6	24.1-31.1	70	7.4	05.2-09.6	192	25.4	21.5-29.3	145	20.7	17.0-24.4	165	15.3	12.4-18.2
Less than \$15,000	237	76,794	40	14.5	09.0-20.0	112	48.9	39.9-57.9	18	8.2	03.5-12.9	21	6.9	03.4-10.4	17	6.9	01.2-12.6	29	14.6	07.2-22.0
\$15,000- 24,999	467	171,621	51	10.1	06.8-13.4	215	39.2	33.1-45.3	47	11.2	07.1-15.3	65	13.8	09.9-17.7	38	13.2	07.5-18.9	51	12.6	07.7-17.5
\$25,000- 34,999	312	122,981	40	9.3	05.8-12.8	130	38.2	30.6-45.8	29	9.3	05.0-13.6	55	23.4	13.8-33.0	22	10.4	04.7-16.1	36	9.3	05.6-13.0
\$35,000- 49,999	414	174,375	37	6.5	04.0-09.0	171	38.5	32.4-44.6	36	11.4	07.3-15.5	60	13.4	09.5-17.3	45	14.8	09.5-20.1	65	15.5	10.6-20.4
\$50,000- 74,999	436	205,218	14	3.5	01.3-05.7	146	31.4	25.9-36.9	41	9.0	05.5-12.5	91	21.2	16.5-25.9	75	21.7	15.8-27.6	69	13.2	09.3-17.1
\$75,000+	590	306,340	18	2.3	01.1-03.5	122	20.9	16.8-25.0	61	10.9	07.6-14.2	133	24.2	19.9-28.5	125	24.1	19.6-28.6	131	17.6	13.9-21.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 55: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8560	4,902,393	6331	74.7	73.5-75.9	1894	20.9	19.9-21.9	335	4.4	03.8-05.0
Male	3370	2,386,487	2480	74.1	72.3-75.9	747	21.5	19.7-23.3	143	4.5	03.7-05.3
Female	5190	2,515,906	3851	75.2	73.6-76.8	1147	20.4	19.0-21.8	192	4.4	03.6-05.2
18-24	525	670,341	169	44.4	39.1-49.7	252	39.5	34.8-44.2	104	16.1	12.8-19.4
25-34	897	804,330	474	58.5	54.8-62.2	378	36.7	33.2-40.2	45	4.8	03.2-06.4
35-44	1108	813,703	799	77.0	74.3-79.7	284	21.0	18.3-23.7	25	2.0	01.2-02.8
45-54	1455	904,690	1125	83.6	81.6-85.6	286	14.3	12.3-16.3	44	2.1	01.3-02.9
55-64	1780	780,913	1469	88.3	86.7-89.9	273	9.9	08.5-11.3	38	1.8	01.2-02.4
65+	2726	896,829	2240	88.4	87.0-89.8	408	9.3	08.1-10.5	78	2.3	01.7-02.9
Less Than H.S.	840	690,852	444	57.3	53.0-61.6	340	36.2	32.1-40.3	56	6.5	04.3-08.7
H.S. or G.E.D.	3104	1,716,931	2243	73.8	71.8-75.8	738	21.6	19.8-23.4	123	4.6	03.6-05.6
Some Post-H.S.	2246	1,468,894	1632	75.2	73.0-77.4	520	20.3	18.3-22.3	94	4.5	03.3-05.7
College Graduate	2353	1,016,254	2003	87.3	85.7-88.9	292	10.3	08.9-11.7	58	2.3	01.5-03.1
Less than \$15,000	1012	512,814	405	39.8	35.5-44.1	532	51.7	47.4-56.0	75	8.5	06.3-10.7
\$15,000- 24,999	1536	802,161	925	58.5	55.2-61.8	535	35.6	32.5-38.7	76	5.8	04.2-07.4
\$25,000- 34,999	895	493,170	660	72.9	69.2-76.6	204	23.1	19.6-26.6	31	4.0	02.4-05.6
\$35,000- 49,999	1143	669,879	918	81.2	78.5-83.9	202	17.0	14.5-19.5	23	1.8	00.8-02.8
\$50,000- 74,999	1173	743,362	1037	88.4	86.0-90.8	118	9.5	07.3-11.7	18	2.0	00.8-03.2
\$75,000+	1589	1,001,773	1477	93.5	91.9-95.1	76	4.0	02.8-05.2	36	2.5	01.5-03.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 56: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3370	2,386,487	2480	74.1	72.3-75.9	747	21.5	19.9-23.1	143	4.5	03.7-05.3
18-24	261	343,915	81	43.8	36.4-51.2	128	40.2	33.5-46.9	52	15.9	11.4-20.4
25-34	363	403,243	183	56.3	50.6-62.0	163	39.0	33.5-44.5	17	4.6	02.1-07.1
35-44	464	408,135	343	78.6	74.3-82.9	114	20.2	16.1-24.3	7	1.3	00.3-02.3
45-54	605	448,792	468	83.4	80.3-86.5	115	14.3	11.4-17.2	22	2.3	01.1-03.5
55-64	739	386,028	600	87.3	84.8-89.8	117	10.4	08.2-12.6	22	2.3	01.1-03.5
65+	918	383,889	788	90.6	88.6-92.6	107	7.2	05.4-09.0	23	2.2	01.0-03.4
Less Than H.S.	332	350,167	191	60.0	53.5-66.5	115	31.7	25.6-37.8	26	8.3	04.8-11.8
H.S. or G.E.D.	1217	891,425	876	73.1	70.2-76.0	285	22.3	19.4-25.2	56	4.5	03.1-05.9
Some Post-H.S.	815	636,126	581	73.7	70.2-77.2	202	22.3	19.0-25.6	32	4.0	02.2-05.8
College Graduate	997	501,924	827	86.2	84.0-88.4	143	11.9	09.7-14.1	27	2.0	01.2-02.8
Less than \$15,000	312	207,559	124	38.0	30.6-45.4	164	53.9	46.3-61.5	24	8.1	04.4-11.8
\$15,000- 24,999	556	372,456	313	55.2	49.9-60.5	207	38.2	33.1-43.3	36	6.6	04.1-09.1
\$25,000- 34,999	345	231,187	243	70.2	64.3-76.1	85	25.0	19.5-30.5	17	4.9	02.4-07.4
\$35,000- 49,999	507	354,977	385	77.1	72.8-81.4	107	20.4	16.3-24.5	15	2.5	00.9-04.1
\$50,000- 74,999	535	402,098	456	86.2	82.9-89.5	71	11.9	08.8-15.0	8	1.9	00.3-03.5
\$75,000+	768	553,586	698	92.5	90.3-94.7	49	5.3	03.5-07.1	21	2.1	01.1-03.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 57: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5190	2,515,906	3851	75.2	73.6-76.8	1147	20.4	19.0-21.8	192	4.4	03.6-05.2
18-24	264	326,425	88	44.9	37.5-52.3	124	38.8	32.1-45.5	52	16.2	11.5-20.9
25-34	534	401,087	291	60.7	56.0-65.4	215	34.3	29.8-38.8	28	5.0	03.0-07.0
35-44	644	405,568	456	75.5	71.8-79.2	170	21.9	18.4-25.4	18	2.6	01.2-04.0
45-54	850	455,898	657	83.8	81.3-86.3	171	14.4	11.9-16.9	22	1.9	00.9-02.9
55-64	1041	394,885	869	89.3	87.3-91.3	156	9.5	07.5-11.5	16	1.2	00.4-02.0
65+	1808	512,940	1452	86.7	84.9-88.5	301	10.9	09.3-12.5	55	2.4	01.6-03.2
Less Than H.S.	508	340,685	253	54.5	48.8-60.2	225	40.9	35.2-46.6	30	4.7	02.5-06.9
H.S. or G.E.D.	1887	825,506	1367	74.5	72.1-76.9	453	20.9	18.7-23.1	67	4.6	03.2-06.0
Some Post-H.S.	1431	832,769	1051	76.3	73.6-79.0	318	18.9	16.4-21.4	62	4.9	03.5-06.3
College Graduate	1356	514,330	1176	88.5	86.5-90.5	149	8.8	07.2-10.4	31	2.7	01.5-03.9
Less than \$15,000	700	305,255	281	41.0	35.9-46.1	368	50.2	45.1-55.3	51	8.8	06.1-11.5
\$15,000- 24,999	980	429,705	612	61.4	57.3-65.5	328	33.4	29.5-37.3	40	5.2	03.2-07.2
\$25,000- 34,999	550	261,983	417	75.4	70.7-80.1	119	21.4	17.1-25.7	14	3.2	01.2-05.2
\$35,000- 49,999	636	314,901	533	85.9	82.8-89.0	95	13.2	10.3-16.1	8	0.9	00.1-01.7
\$50,000- 74,999	638	341,263	581	91.0	87.5-94.5	47	6.8	03.9-09.7	10	2.2	00.2-04.2
\$75,000+	821	448,187	779	94.8	92.8-96.8	27	2.3	01.3-03.3	15	2.9	01.1-04.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 58: INDICATE SEX OF RESPONDENT. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8645	4,946,018	3397	48.6	47.2-50.0	5248	51.4	50.0-52.8
White/Non-Hisp	7019	4,054,823	2791	48.2	46.6-49.8	4228	51.8	50.2-53.4
Black or Afr. Am./Non-Hisp	924	419,411	308	46.6	41.3-51.9	616	53.4	48.1-58.7
Oth. Race/Non-Hisp.	126	77,831	50	52.5	41.1-63.9	76	47.5	36.1-58.9
MultiRacial/Non-Hisp.	133	69,082	52	45.2	34.2-56.2	81	54.8	43.8-65.8
Hispanic	306	263,451	130	54.3	47.0-61.6	176	45.7	38.4-53.0
18-24	532	680,772	264	51.2	46.1-56.3	268	48.8	43.7-53.9
25-34	901	807,561	366	50.1	46.4-53.8	535	49.9	46.2-53.6
35-44	1117	818,682	468	50.1	46.6-53.6	649	49.9	46.4-53.4
45-54	1464	909,038	606	49.5	46.4-52.6	858	50.5	47.4-53.6
55-64	1804	789,117	744	49.2	46.3-52.1	1060	50.8	47.9-53.7
65+	2750	906,533	927	42.9	40.5-45.3	1823	57.1	54.7-59.5
Less Than H.S.	849	698,108	335	50.5	46.0-55.0	514	49.5	45.0-54.0
H.S. or G.E.D.	3139	1,734,288	1226	51.8	49.6-54.0	1913	48.2	46.0-50.4
Some Post-H.S.	2263	1,480,187	821	43.2	40.5-45.9	1442	56.8	54.1-59.5
College Graduate	2374	1,023,246	1006	49.4	46.9-51.9	1368	50.6	48.1-53.1
Less than \$15,000	1021	519,037	312	40.0	35.7-44.3	709	60.0	55.7-64.3
\$15,000- 24,999	1545	804,553	557	46.4	43.1-49.7	988	53.6	50.3-56.9
\$25,000- 34,999	902	497,429	348	46.7	42.2-51.2	554	53.3	48.8-57.8
\$35,000- 49,999	1147	671,408	508	53.0	49.3-56.7	639	47.0	43.3-50.7
\$50,000- 74,999	1174	743,878	536	54.1	50.6-57.6	638	45.9	42.4-49.4
\$75,000+	1591	1,001,971	769	55.3	52.4-58.2	822	44.7	41.8-47.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 7: DEMOGRAPHICS**

TABLE 59: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 45 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1441	1,135,064	46	3.1	02.1-04.1	1395	96.9	95.9-97.9
White/Non-Hisp	1076	867,709	39	3.5	02.3-04.7	1037	96.5	95.3-97.7
Black or Afr. Am./Non-Hisp	174	124,902	2	0.5	00.0-01.3	172	99.5	98.7-0100
Hispanic	112	91,206	4	3.9	00.0-07.8	108	96.1	92.2-0100
18-24	266	330,498	13	3.9	01.7-06.1	253	96.1	93.9-98.3
25-34	530	398,271	26	4.6	02.6-06.6	504	95.4	93.4-97.4
35-44	645	406,295	7	1.1	00.3-01.9	638	98.9	98.1-99.7
Less Than H.S.	137	166,167	3	2.0	00.0-04.4	134	98.0	95.6-0100
H.S. or G.E.D.	341	263,355	8	2.6	00.6-04.6	333	97.4	95.4-99.4
Some Post-H.S.	475	443,185	17	3.3	01.5-05.1	458	96.7	94.9-98.5
College Graduate	487	261,289	18	4.1	02.1-06.1	469	95.9	93.9-97.9
Less than \$15,000	185	147,435	7	3.9	00.8-07.0	178	96.1	93.0-99.2
\$15,000- 24,999	227	179,638	9	3.6	01.1-06.1	218	96.4	93.9-98.9
\$25,000- 34,999	141	116,596	4	2.7	00.0-05.4	137	97.3	94.6-0100
\$35,000- 49,999	208	147,455	4	1.6	00.0-03.4	204	98.4	96.6-0100
\$50,000- 74,999	216	164,807	8	4.1	01.2-07.0	208	95.9	93.0-98.8
\$75,000+	308	219,240	8	3.0	00.6-05.4	300	97.0	94.6-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012

SECTION 8: DISABILITY CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	
1	MALES AND FEMALES	146
2	MALES ONLY	147
3	FEMALES ONLY	148
	DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
4	MALES AND FEMALES	149
5	MALES ONLY	150
6	FEMALES ONLY	151

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 8: DISABILITY**

TABLE 1: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8513	4,877,576	2118	21.3	20.1-22.5	6395	78.7	77.5-79.9
Male	3345	2,372,038	779	20.1	18.3-21.9	2566	79.9	78.1-81.7
Female	5168	2,505,538	1339	22.4	20.8-24.0	3829	77.6	76.0-79.2
White/Non-Hisp	6918	4,003,532	1709	21.6	20.4-22.8	5209	78.4	77.2-79.6
Black or Afr. Am./Non-Hisp	907	412,588	247	24.1	19.6-28.6	660	75.9	71.4-80.4
Oth. Race/Non-Hisp.	124	76,980	24	13.8	06.2-21.4	100	86.2	78.6-93.8
MultiRacial/Non-Hisp.	132	68,930	51	35.5	25.1-45.9	81	64.5	54.1-74.9
Hispanic	301	255,868	44	8.4	04.9-11.9	257	91.6	88.1-95.1
18-24	526	673,671	45	11.4	07.7-15.1	481	88.6	84.9-92.3
25-34	884	791,354	104	12.5	10.0-15.0	780	87.5	85.0-90.0
35-44	1108	812,116	174	16.8	14.1-19.5	934	83.2	80.5-85.9
45-54	1444	897,745	385	25.2	22.5-27.9	1059	74.8	72.1-77.5
55-64	1775	778,889	531	28.3	25.8-30.8	1244	71.7	69.2-74.2
65+	2704	891,784	867	30.8	28.6-33.0	1837	69.2	67.0-71.4
Less Than H.S.	834	686,921	300	29.4	25.7-33.1	534	70.6	66.9-74.3
H.S. or G.E.D.	3081	1,704,435	811	22.8	20.8-24.8	2270	77.2	75.2-79.2
Some Post-H.S.	2238	1,466,119	581	21.3	19.1-23.5	1657	78.7	76.5-80.9
College Graduate	2342	1,010,350	424	13.2	11.6-14.8	1918	86.8	85.2-88.4
Less than \$15,000	996	505,831	473	40.7	36.4-45.0	523	59.3	55.0-63.6
\$15,000- 24,999	1522	791,809	508	28.3	25.4-31.2	1014	71.7	68.8-74.6
\$25,000- 34,999	889	490,727	216	21.2	17.9-24.5	673	78.8	75.5-82.1
\$35,000- 49,999	1136	665,402	230	18.5	15.8-21.2	906	81.5	78.8-84.2
\$50,000- 74,999	1162	734,002	203	15.8	13.1-18.5	959	84.2	81.5-86.9
\$75,000+	1578	995,044	176	9.9	08.1-11.7	1402	90.1	88.3-91.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 8: DISABILITY**

TABLE 2: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3345	2,372,038	779	20.1	18.3-21.9	2566	79.9	78.1-81.7
White/Non-Hisp	2752	1,933,112	628	20.2	18.4-22.0	2124	79.8	78.0-81.6
Black or Afr. Am./Non-Hisp	301	191,769	84	26.4	18.6-34.2	217	73.6	65.8-81.4
MultiRacial/Non-Hisp.	52	31,191	18	29.5	14.8-44.2	34	70.5	55.8-85.2
Hispanic	128	139,193	19	7.6	02.7-12.5	109	92.4	87.5-97.3
18-24	263	347,457	24	10.2	05.9-14.5	239	89.8	85.5-94.1
25-34	359	397,466	51	14.5	10.4-18.6	308	85.5	81.4-89.6
35-44	463	406,220	68	16.4	11.9-20.9	395	83.6	79.1-88.1
45-54	597	444,171	149	23.4	19.5-27.3	448	76.6	72.7-80.5
55-64	734	383,422	207	26.1	22.2-30.0	527	73.9	70.0-77.8
65+	908	381,048	276	29.1	25.6-32.6	632	70.9	67.4-74.4
Less Than H.S.	328	346,947	102	26.2	20.5-31.9	226	73.8	68.1-79.5
H.S. or G.E.D.	1201	882,250	303	22.4	19.5-25.3	898	77.6	74.7-80.5
Some Post-H.S.	813	634,486	191	19.1	16.0-22.2	622	80.9	77.8-84.0
College Graduate	994	501,511	182	13.2	10.8-15.6	812	86.8	84.4-89.2
Less than \$15,000	303	202,276	151	41.1	33.5-48.7	152	58.9	51.3-66.5
\$15,000- 24,999	546	366,086	168	25.4	20.9-29.9	378	74.6	70.1-79.1
\$25,000- 34,999	343	229,294	80	18.6	13.9-23.3	263	81.4	76.7-86.1
\$35,000- 49,999	504	353,356	109	20.7	16.4-25.0	395	79.3	75.0-83.6
\$50,000- 74,999	530	397,718	95	15.6	11.9-19.3	435	84.4	80.7-88.1
\$75,000+	761	550,129	81	9.1	06.7-11.5	680	90.9	88.5-93.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 8: DISABILITY**

TABLE 3: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5168	2,505,538	1339	22.4	20.8-24.0	3829	77.6	76.0-79.2
White/Non-Hisp	4166	2,070,420	1081	23.0	21.2-24.8	3085	77.0	75.2-78.8
Black or Afr. Am./Non-Hisp	606	220,819	163	22.0	17.1-26.9	443	78.0	73.1-82.9
Oth. Race/Non-Hisp.	76	36,964	14	12.5	04.3-20.7	62	87.5	79.3-95.7
MultiRacial/Non-Hisp.	80	37,739	33	40.4	26.1-54.7	47	59.6	45.3-73.9
Hispanic	173	116,675	25	9.3	04.6-14.0	148	90.7	86.0-95.4
18-24	263	326,214	21	12.7	06.4-19.0	242	87.3	81.0-93.6
25-34	525	393,888	53	10.6	07.7-13.5	472	89.4	86.5-92.3
35-44	645	405,896	106	17.2	13.7-20.7	539	82.8	79.3-86.3
45-54	847	453,574	236	26.9	23.2-30.6	611	73.1	69.4-76.8
55-64	1041	395,467	324	30.3	26.8-33.8	717	69.7	66.2-73.2
65+	1796	510,737	591	32.0	29.3-34.7	1205	68.0	65.3-70.7
Less Than H.S.	506	339,974	198	32.5	27.4-37.6	308	67.5	62.4-72.6
H.S. or G.E.D.	1880	822,185	508	23.3	20.9-25.7	1372	76.7	74.3-79.1
Some Post-H.S.	1425	831,634	390	23.0	19.9-26.1	1035	77.0	73.9-80.1
College Graduate	1348	508,839	242	13.3	11.3-15.3	1106	86.7	84.7-88.7
Less than \$15,000	693	303,556	322	40.4	35.5-45.3	371	59.6	54.7-64.5
\$15,000- 24,999	976	425,723	340	30.8	26.9-34.7	636	69.2	65.3-73.1
\$25,000- 34,999	546	261,433	136	23.5	19.0-28.0	410	76.5	72.0-81.0
\$35,000- 49,999	632	312,046	121	16.0	12.7-19.3	511	84.0	80.7-87.3
\$50,000- 74,999	632	336,284	108	16.0	12.1-19.9	524	84.0	80.1-87.9
\$75,000+	817	444,915	95	11.0	08.3-13.7	722	89.0	86.3-91.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 8: DISABILITY**

**TABLE 4: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQUIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8548	4,886,912	1033	8.5	07.7-09.3	7515	91.5	90.7-92.3
Male	3358	2,372,262	362	8.1	06.9-09.3	2996	91.9	90.7-93.1
Female	5190	2,514,651	671	8.8	08.0-09.6	4519	91.2	90.4-92.0
White/Non-Hisp	6953	4,017,338	782	8.4	07.6-09.2	6171	91.6	90.8-92.4
Black or Afr. Am./Non-Hisp	906	410,397	172	11.2	08.3-14.1	734	88.8	85.9-91.7
Oth. Race/Non-Hisp.	124	76,194	15	5.6	01.9-09.3	109	94.4	90.7-98.1
MultiRacial/Non-Hisp.	131	68,866	28	19.5	10.5-28.5	103	80.5	71.5-89.5
Hispanic	301	255,868	20	3.2	01.2-05.2	281	96.8	94.8-98.8
18-24	525	671,349	6	1.0	00.0-02.0	519	99.0	98.0-100.0
25-34	879	788,491	26	3.6	02.0-05.2	853	96.4	94.8-98.0
35-44	1108	812,129	37	3.9	02.3-05.5	1071	96.1	94.5-97.7
45-54	1453	903,324	146	10.0	08.0-12.0	1307	90.0	88.0-92.0
55-64	1783	781,022	255	11.7	09.9-13.5	1528	88.3	86.5-90.1
65+	2724	896,799	558	18.3	16.5-20.1	2166	81.7	79.9-83.5
Less Than H.S.	840	690,566	156	11.6	09.2-14.0	684	88.4	86.0-90.8
H.S. or G.E.D.	3098	1,707,797	400	8.9	07.7-10.1	2698	91.1	89.9-92.3
Some Post-H.S.	2242	1,467,580	280	8.6	07.2-10.0	1962	91.4	90.0-92.8
College Graduate	2350	1,011,758	194	5.3	04.3-06.3	2156	94.7	93.7-95.7
Less than \$15,000	1001	507,428	258	17.2	14.5-19.9	743	82.8	80.1-85.5
\$15,000- 24,999	1527	792,504	280	12.9	10.9-14.9	1247	87.1	85.1-89.1
\$25,000- 34,999	890	489,944	99	9.1	06.9-11.3	791	90.9	88.7-93.1
\$35,000- 49,999	1139	666,376	87	5.5	03.9-07.1	1052	94.5	92.9-96.1
\$50,000- 74,999	1161	734,408	75	5.1	03.5-06.7	1086	94.9	93.3-96.5
\$75,000+	1583	996,716	61	3.7	02.3-05.1	1522	96.3	94.9-97.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 8: DISABILITY**

**TABLE 5: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQUIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3358	2,372,262	362	8.1	06.9-09.3	2996	91.9	90.7-93.1
White/Non-Hisp	2764	1,937,360	269	8.0	06.8-09.2	2495	92.0	90.8-93.2
Black or Afr. Am./Non-Hisp	301	189,930	56	10.5	05.6-15.4	245	89.5	84.6-94.4
MultiRacial/Non-Hisp.	52	31,191	11	20.2	06.9-33.5	41	79.8	66.5-93.1
Hispanic	128	139,193	8	2.7	00.2-05.2	120	97.3	94.8-99.8
18-24	260	343,780	3	1.1	00.0-02.5	257	98.9	97.5-0100
25-34	356	394,321	17	4.8	02.1-07.5	339	95.2	92.5-97.9
35-44	464	406,978	18	4.9	02.2-07.6	446	95.1	92.4-97.8
45-54	601	447,522	64	10.2	07.3-13.1	537	89.8	86.9-92.7
55-64	737	383,733	108	12.5	09.6-15.4	629	87.5	84.6-90.4
65+	918	383,241	151	14.3	11.6-17.0	767	85.7	83.0-88.4
Less Than H.S.	332	348,899	50	10.5	06.8-14.2	282	89.5	85.8-93.2
H.S. or G.E.D.	1204	880,101	139	8.1	06.3-09.9	1065	91.9	90.1-93.7
Some Post-H.S.	816	635,316	86	8.7	06.3-11.1	730	91.3	88.9-93.7
College Graduate	998	501,840	85	5.5	03.9-07.1	913	94.5	92.9-96.1
Less than \$15,000	304	201,209	82	16.9	12.0-21.8	222	83.1	78.2-88.0
\$15,000- 24,999	551	366,598	91	11.3	08.4-14.2	460	88.7	85.8-91.6
\$25,000- 34,999	342	227,706	35	8.3	05.2-11.4	307	91.7	88.6-94.8
\$35,000- 49,999	504	353,355	43	6.0	03.6-08.4	461	94.0	91.6-96.4
\$50,000- 74,999	530	397,953	42	6.3	03.8-08.8	488	93.7	91.2-96.2
\$75,000+	765	551,174	34	5.0	02.8-07.2	731	95.0	92.8-97.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 8: DISABILITY**

**TABLE 6: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5190	2,514,651	671	8.8	08.0-09.6	4519	91.2	90.4-92.0
White/Non-Hisp	4189	2,079,978	513	8.7	07.7-09.7	3676	91.3	90.3-92.3
Black or Afr. Am./Non-Hisp	605	220,467	116	11.7	08.2-15.2	489	88.3	84.8-91.8
Oth. Race/Non-Hisp.	75	36,070	7	3.4	00.1-06.7	68	96.6	93.3-99.9
MultiRacial/Non-Hisp.	79	37,675	17	18.9	06.7-31.1	62	81.1	68.9-93.3
Hispanic	173	116,675	12	3.7	00.8-06.6	161	96.3	93.4-99.2
18-24	265	327,569	3	0.9	00.0-01.9	262	99.1	98.1-0100
25-34	523	394,169	9	2.4	00.6-04.2	514	97.6	95.8-99.4
35-44	644	405,151	19	2.8	01.4-04.2	625	97.2	95.8-98.6
45-54	852	455,802	82	9.8	07.3-12.3	770	90.2	87.7-92.7
55-64	1046	397,289	147	10.9	08.7-13.1	899	89.1	86.9-91.3
65+	1806	513,557	407	21.2	18.8-23.6	1399	78.8	76.4-81.2
Less Than H.S.	508	341,667	106	12.7	09.6-15.8	402	87.3	84.2-90.4
H.S. or G.E.D.	1894	827,696	261	9.7	08.1-11.3	1633	90.3	88.7-91.9
Some Post-H.S.	1426	832,265	194	8.6	07.0-10.2	1232	91.4	89.8-93.0
College Graduate	1352	509,918	109	5.1	03.9-06.3	1243	94.9	93.7-96.1
Less than \$15,000	697	306,219	176	17.4	14.1-20.7	521	82.6	79.3-85.9
\$15,000- 24,999	976	425,905	189	14.2	11.7-16.7	787	85.8	83.3-88.3
\$25,000- 34,999	548	262,238	64	9.8	06.9-12.7	484	90.2	87.3-93.1
\$35,000- 49,999	635	313,021	44	5.0	03.2-06.8	591	95.0	93.2-96.8
\$50,000- 74,999	631	336,455	33	3.5	01.9-05.1	598	96.5	94.9-98.1
\$75,000+	818	445,541	27	2.2	01.0-03.4	791	97.8	96.6-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012**

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1	MALES AND FEMALES	153
2	MALES ONLY	154
3	FEMALES ONLY	155
	DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4	MALES AND FEMALES	156
5	MALES ONLY	157
6	FEMALES ONLY	158
	DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7	MALES AND FEMALES	159
8	MALES ONLY	160
9	FEMALES ONLY	161
	HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10	MALES AND FEMALES	162
11	MALES ONLY	163
12	FEMALES ONLY	164
	DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13	MALES AND FEMALES	165
14	MALES ONLY	166
15	FEMALES ONLY	167

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8515	4,871,507	4064	47.7	46.3-49.1	4451	52.3	50.9-53.7
Male	3346	2,364,425	1902	54.4	52.2-56.6	1444	45.6	43.4-47.8
Female	5169	2,507,082	2162	41.3	39.5-43.1	3007	58.7	56.9-60.5
White/Non-Hisp	6928	4,006,798	3316	48.7	47.1-50.3	3612	51.3	49.7-52.9
Black or Afr. Am./Non-Hisp	903	408,778	446	45.4	40.1-50.7	457	54.6	49.3-59.9
Oth. Race/Non-Hisp.	123	73,725	50	37.3	25.7-48.9	73	62.7	51.1-74.3
MultiRacial/Non-Hisp.	130	68,089	80	59.2	48.2-70.2	50	40.8	29.8-51.8
Hispanic	299	255,184	104	33.3	26.2-40.4	195	66.7	59.6-73.8
18-24	524	670,054	171	31.9	27.2-36.6	353	68.1	63.4-72.8
25-34	880	788,678	388	47.6	43.7-51.5	492	52.4	48.5-56.3
35-44	1101	809,923	482	47.4	43.9-50.9	619	52.6	49.1-56.1
45-54	1448	899,886	755	53.0	49.9-56.1	693	47.0	43.9-50.1
55-64	1777	777,372	931	53.8	50.9-56.7	846	46.2	43.3-49.1
65+	2710	892,229	1310	49.4	47.0-51.8	1400	50.6	48.2-53.0
Less Than H.S.	836	689,557	509	60.7	56.2-65.2	327	39.3	34.8-43.8
H.S. or G.E.D.	3089	1,702,491	1657	52.8	50.4-55.2	1432	47.2	44.8-49.6
Some Post-H.S.	2230	1,462,048	1114	47.8	45.1-50.5	1116	52.2	49.5-54.9
College Graduate	2343	1,008,348	777	29.8	27.6-32.0	1566	70.2	68.0-72.4
Less than \$15,000	1002	507,926	568	57.7	53.4-62.0	434	42.3	38.0-46.6
\$15,000- 24,999	1522	790,653	873	58.3	55.0-61.6	649	41.7	38.4-45.0
\$25,000- 34,999	889	488,763	471	51.2	46.7-55.7	418	48.8	44.3-53.3
\$35,000- 49,999	1135	665,075	545	48.4	44.7-52.1	590	51.6	47.9-55.3
\$50,000- 74,999	1158	732,746	527	48.7	45.0-52.4	631	51.3	47.6-55.0
\$75,000+	1577	992,034	575	37.1	34.2-40.0	1002	62.9	60.0-65.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3346	2,364,425	1902	54.4	52.2-56.6	1444	45.6	43.4-47.8
White/Non-Hisp	2754	1,932,009	1556	55.4	53.0-57.8	1198	44.6	42.2-47.0
Black or Afr. Am./Non-Hisp	301	189,930	180	47.3	38.9-55.7	121	52.7	44.3-61.1
MultiRacial/Non-Hisp.	51	30,414	36	67.9	52.2-83.6	15	32.1	16.4-47.8
Hispanic	128	139,193	66	47.8	36.6-59.0	62	52.2	41.0-63.4
18-24	260	343,780	95	35.9	29.2-42.6	165	64.1	57.4-70.8
25-34	356	394,135	185	54.1	48.2-60.0	171	45.9	40.0-51.8
35-44	463	406,525	231	51.7	46.2-57.2	232	48.3	42.8-53.8
45-54	597	443,457	331	55.1	50.4-59.8	266	44.9	40.2-49.6
55-64	735	382,418	456	62.8	58.7-66.9	279	37.2	33.1-41.3
65+	913	381,424	596	65.7	62.0-69.4	317	34.3	30.6-38.0
Less Than H.S.	332	349,088	239	68.9	62.2-75.6	93	31.1	24.4-37.8
H.S. or G.E.D.	1200	878,262	781	59.0	55.5-62.5	419	41.0	37.5-44.5
Some Post-H.S.	815	632,847	492	56.2	51.9-60.5	323	43.8	39.5-48.1
College Graduate	991	498,122	386	34.1	30.6-37.6	605	65.9	62.4-69.4
Less than \$15,000	306	202,080	206	62.5	54.7-70.3	100	37.5	29.7-45.3
\$15,000- 24,999	550	365,637	379	64.9	59.6-70.2	171	35.1	29.8-40.4
\$25,000- 34,999	341	227,586	236	64.7	57.8-71.6	105	35.3	28.4-42.2
\$35,000- 49,999	503	352,588	292	56.1	50.6-61.6	211	43.9	38.4-49.4
\$50,000- 74,999	529	397,308	281	57.1	51.8-62.4	248	42.9	37.6-48.2
\$75,000+	761	547,069	328	41.8	37.5-46.1	433	58.2	53.9-62.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5169	2,507,082	2162	41.3	39.5-43.1	3007	58.7	56.9-60.5
White/Non-Hisp	4174	2,074,789	1760	42.6	40.6-44.6	2414	57.4	55.4-59.4
Black or Afr. Am./Non-Hisp	602	218,849	266	43.8	37.1-50.5	336	56.2	49.5-62.9
Oth. Race/Non-Hisp.	75	36,070	24	26.7	15.3-38.1	51	73.3	61.9-84.7
MultiRacial/Non-Hisp.	79	37,675	44	52.2	37.5-66.9	35	47.8	33.1-62.5
Hispanic	171	115,991	38	15.9	08.8-23.0	133	84.1	77.0-91.2
18-24	264	326,274	76	27.7	21.2-34.2	188	72.3	65.8-78.8
25-34	524	394,543	203	41.1	36.2-46.0	321	58.9	54.0-63.8
35-44	638	403,398	251	43.1	38.4-47.8	387	56.9	52.2-61.6
45-54	851	456,430	424	50.9	46.8-55.0	427	49.1	45.0-53.2
55-64	1042	394,954	475	45.0	41.3-48.7	567	55.0	51.3-58.7
65+	1797	510,805	714	37.3	34.6-40.0	1083	62.7	60.0-65.4
Less Than H.S.	504	340,470	270	52.4	46.5-58.3	234	47.6	41.7-53.5
H.S. or G.E.D.	1889	824,229	876	46.3	43.4-49.2	1013	53.7	50.8-56.6
Some Post-H.S.	1415	829,201	622	41.4	38.1-44.7	793	58.6	55.3-61.9
College Graduate	1352	510,226	391	25.5	22.8-28.2	961	74.5	71.8-77.2
Less than \$15,000	696	305,847	362	54.6	49.5-59.7	334	45.4	40.3-50.5
\$15,000- 24,999	972	425,016	494	52.6	48.3-56.9	478	47.4	43.1-51.7
\$25,000- 34,999	548	261,177	235	39.5	34.0-45.0	313	60.5	55.0-66.0
\$35,000- 49,999	632	312,487	253	39.7	35.0-44.4	379	60.3	55.6-65.0
\$50,000- 74,999	629	335,438	246	38.9	34.2-43.6	383	61.1	56.4-65.8
\$75,000+	816	444,965	247	31.2	27.3-35.1	569	68.8	64.9-72.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4060	2,320,278	1312	37.8	35.8-39.8	449	12.5	11.1-13.9	2299	49.7	47.7-51.7
Male	1902	1,286,961	594	36.3	33.6-39.0	195	12.3	10.3-14.3	1113	51.4	48.7-54.1
Female	2158	1,033,317	718	39.7	37.0-42.4	254	12.7	10.7-14.7	1186	47.6	44.9-50.3
White/Non-Hisp	3314	1,951,115	1080	37.6	35.4-39.8	319	10.7	09.3-12.1	1915	51.7	49.5-53.9
Black or Afr. Am./Non-Hisp	444	185,489	125	38.5	30.9-46.1	84	25.8	18.5-33.1	235	35.7	29.0-42.4
Oth. Race/Non-Hisp.	50	27,467	22	49.3	29.3-69.3	3	4.9	00.0-11.4	25	45.9	25.5-66.3
MultiRacial/Non-Hisp.	80	40,306	38	55.1	41.6-68.6	10	10.3	02.5-18.1	32	34.5	21.6-47.4
Hispanic	104	84,957	27	29.2	16.9-41.5	22	27.7	15.5-39.9	55	43.1	30.6-55.6
18-24	171	213,950	93	54.9	46.3-63.5	41	26.7	19.1-34.3	37	18.4	12.1-24.7
25-34	388	375,161	179	47.3	41.6-53.0	65	17.5	13.2-21.8	144	35.2	29.9-40.5
35-44	481	382,691	212	44.5	39.2-49.8	63	12.5	09.0-16.0	206	43.0	37.7-48.3
45-54	755	476,919	317	42.6	38.3-46.9	97	10.7	08.3-13.1	341	46.7	42.4-51.0
55-64	930	417,835	295	32.9	29.0-36.8	106	11.4	08.7-14.1	529	55.7	51.6-59.8
65+	1309	440,902	212	15.6	13.1-18.1	73	4.5	03.3-05.7	1024	79.9	77.2-82.6
Less Than H.S.	508	418,684	231	52.3	46.8-57.8	65	13.7	09.6-17.8	212	34.0	28.9-39.1
H.S. or G.E.D.	1656	899,539	573	38.9	36.0-41.8	176	11.7	09.7-13.7	907	49.4	46.5-52.3
Some Post-H.S.	1112	697,662	378	36.9	33.2-40.6	126	13.2	10.7-15.7	608	49.9	46.2-53.6
College Graduate	777	300,288	127	16.5	13.2-19.8	80	11.1	08.4-13.8	570	72.4	68.5-76.3
Less than \$15,000	568	293,177	238	47.9	42.2-53.6	96	20.8	15.9-25.7	234	31.4	26.3-36.5
\$15,000- 24,999	873	460,658	342	48.1	43.6-52.6	98	13.7	10.4-17.0	433	38.2	34.1-42.3
\$25,000- 34,999	471	250,255	165	41.7	35.8-47.6	41	10.0	06.5-13.5	265	48.3	42.6-54.0
\$35,000- 49,999	545	321,935	150	30.7	25.8-35.6	57	11.6	08.1-15.1	338	57.7	52.6-62.8
\$50,000- 74,999	527	357,047	146	34.1	28.6-39.6	42	9.2	05.9-12.5	339	56.8	51.3-62.3
\$75,000+	573	365,747	132	26.9	22.4-31.4	64	11.5	08.4-14.6	377	61.6	56.7-66.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1902	1,286,961	594	36.3	33.6-39.0	195	12.3	10.3-14.3	1113	51.4	48.7-54.1
White/Non-Hisp	1556	1,070,116	497	36.5	33.6-39.4	135	10.1	08.1-12.1	924	53.4	50.5-56.3
Black or Afr. Am./Non-Hisp	180	89,862	44	32.4	21.4-43.4	32	30.3	19.1-41.5	104	37.3	26.7-47.9
Hispanic	66	66,506	15	31.8	16.9-46.7	16	27.4	13.9-40.9	35	40.8	26.3-55.3
18-24	95	123,483	47	48.1	37.1-59.1	29	34.3	23.7-44.9	19	17.6	09.6-25.6
25-34	185	213,189	76	42.7	34.7-50.7	33	19.0	12.7-25.3	76	38.3	30.7-45.9
35-44	231	210,223	102	45.0	37.6-52.4	30	11.7	07.2-16.2	99	43.2	35.8-50.6
45-54	331	244,561	137	41.2	34.9-47.5	31	6.9	04.0-09.8	163	52.0	45.5-58.5
55-64	456	240,163	144	35.4	29.7-41.1	50	11.5	07.6-15.4	262	53.2	47.5-58.9
65+	596	250,704	87	14.2	10.7-17.7	21	2.5	01.1-03.9	488	83.3	79.6-87.0
Less Than H.S.	239	240,371	102	51.6	43.8-59.4	29	13.3	07.8-18.8	108	35.2	27.9-42.5
H.S. or G.E.D.	781	517,857	262	36.6	32.5-40.7	78	11.9	09.0-14.8	441	51.4	47.3-55.5
Some Post-H.S.	492	355,866	166	35.3	30.0-40.6	52	13.0	09.1-16.9	274	51.7	46.2-57.2
College Graduate	386	170,023	62	15.9	11.6-20.2	35	10.0	06.1-13.9	289	74.0	68.7-79.3
Less than \$15,000	206	126,292	83	45.8	36.6-55.0	38	24.2	16.0-32.4	85	30.0	21.8-38.2
\$15,000- 24,999	379	237,310	155	47.7	41.2-54.2	34	14.0	08.9-19.1	190	38.3	32.2-44.4
\$25,000- 34,999	236	147,167	82	41.0	33.0-49.0	19	9.6	04.7-14.5	135	49.5	41.5-57.5
\$35,000- 49,999	292	197,744	69	26.9	20.8-33.0	26	10.0	05.7-14.3	197	63.1	56.4-69.8
\$50,000- 74,999	281	226,716	79	34.7	27.3-42.1	17	7.2	03.1-11.3	185	58.1	50.7-65.5
\$75,000+	328	228,791	79	28.3	22.2-34.4	36	11.9	07.6-16.2	213	59.8	53.3-66.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2158	1,033,317	718	39.7	37.0-42.4	254	12.7	10.7-14.7	1186	47.6	44.9-50.3
White/Non-Hisp	1758	881,000	583	39.0	36.1-41.9	184	11.4	09.4-13.4	991	49.6	46.7-52.5
Black or Afr. Am./Non-Hisp	264	95,627	81	44.3	33.9-54.7	52	21.6	12.4-30.8	131	34.1	25.7-42.5
18-24	76	90,467	46	64.3	51.6-77.0	12	16.2	06.0-26.4	18	19.5	09.7-29.3
25-34	203	161,972	103	53.3	45.5-61.1	32	15.6	09.9-21.3	68	31.1	24.0-38.2
35-44	250	172,469	110	43.9	36.6-51.2	33	13.5	08.0-19.0	107	42.6	35.5-49.7
45-54	424	232,358	180	44.0	38.3-49.7	66	14.7	10.8-18.6	178	41.2	35.7-46.7
55-64	474	177,673	151	29.7	24.8-34.6	56	11.3	07.8-14.8	267	59.0	53.5-64.5
65+	713	190,198	125	17.5	13.8-21.2	52	7.0	04.6-09.4	536	75.5	71.4-79.6
Less Than H.S.	269	178,313	129	53.4	45.8-61.0	36	14.2	07.9-20.5	104	32.4	25.5-39.3
H.S. or G.E.D.	875	381,682	311	42.0	37.9-46.1	98	11.3	08.6-14.0	466	46.7	42.6-50.8
Some Post-H.S.	620	341,797	212	38.6	33.3-43.9	74	13.4	09.9-16.9	334	48.0	42.9-53.1
College Graduate	391	130,265	65	17.2	12.5-21.9	45	12.5	08.6-16.4	281	70.4	64.7-76.1
Less than \$15,000	362	166,886	155	49.4	42.3-56.5	58	18.2	12.3-24.1	149	32.4	26.1-38.7
\$15,000- 24,999	494	223,348	187	48.5	42.4-54.6	64	13.4	09.1-17.7	243	38.1	32.4-43.8
\$25,000- 34,999	235	103,088	83	42.7	34.3-51.1	22	10.7	05.4-16.0	130	46.6	38.4-54.8
\$35,000- 49,999	253	124,191	81	36.8	29.2-44.4	31	14.0	08.3-19.7	141	49.2	41.6-56.8
\$50,000- 74,999	246	130,330	67	32.9	25.5-40.3	25	12.6	07.1-18.1	154	54.5	46.9-62.1
\$75,000+	245	136,956	53	24.7	18.2-31.2	28	10.7	06.2-15.2	164	64.6	57.5-71.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1759	1,166,832	1022	57.9	55.0-60.8	737	42.1	39.2-45.0
Male	788	625,898	413	53.4	49.1-57.7	375	46.6	42.3-50.9
Female	971	540,934	609	63.2	59.1-67.3	362	36.8	32.7-40.9
White/Non-Hisp	1398	942,662	782	55.9	52.6-59.2	616	44.1	40.8-47.4
Black or Afr. Am./Non-Hisp	209	119,350	150	77.0	68.8-85.2	59	23.0	14.8-31.2
18-24	134	174,623	87	62.2	52.4-72.0	47	37.8	28.0-47.6
25-34	244	243,150	159	67.7	61.2-74.2	85	32.3	25.8-38.8
35-44	275	218,246	175	62.6	55.7-69.5	100	37.4	30.5-44.3
45-54	414	254,059	230	49.8	43.9-55.7	184	50.2	44.3-56.1
55-64	401	185,285	214	51.3	45.0-57.6	187	48.7	42.4-55.0
65+	283	87,735	152	48.4	40.8-56.0	131	51.6	44.0-59.2
Less Than H.S.	296	276,327	175	59.6	52.7-66.5	121	40.4	33.5-47.3
H.S. or G.E.D.	748	454,281	423	56.4	52.1-60.7	325	43.6	39.3-47.9
Some Post-H.S.	504	349,680	298	57.4	51.7-63.1	206	42.6	36.9-48.3
College Graduate	206	82,677	124	63.7	55.7-71.7	82	36.3	28.3-44.3
Less than \$15,000	334	201,183	223	67.2	60.7-73.7	111	32.8	26.3-39.3
\$15,000- 24,999	439	284,029	254	58.0	51.9-64.1	185	42.0	35.9-48.1
\$25,000- 34,999	206	129,402	119	57.5	48.7-66.3	87	42.5	33.7-51.3
\$35,000- 49,999	207	136,130	111	52.9	44.7-61.1	96	47.1	38.9-55.3
\$50,000- 74,999	188	154,315	100	52.8	43.8-61.8	88	47.2	38.2-56.2
\$75,000+	196	140,442	117	59.8	51.6-68.0	79	40.2	32.0-48.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	788	625,898	413	53.4	49.1-57.7	375	46.6	42.3-50.9
White/Non-Hisp	631	498,644	318	52.6	47.9-57.3	313	47.4	42.7-52.1
Black or Afr. Am./Non-Hisp	76	56,349	51	68.6	54.3-82.9	25	31.4	17.1-45.7
18-24	76	101,805	47	60.1	47.9-72.3	29	39.9	27.7-52.1
25-34	109	131,477	73	71.5	62.5-80.5	36	28.5	19.5-37.5
35-44	132	119,325	71	53.1	43.3-62.9	61	46.9	37.1-56.7
45-54	168	117,502	77	38.8	30.2-47.4	91	61.2	52.6-69.8
55-64	194	112,464	93	47.4	38.6-56.2	101	52.6	43.8-61.4
65+	107	41,830	51	39.4	27.8-51.0	56	60.6	49.0-72.2
Less Than H.S.	131	155,859	67	54.6	44.6-64.6	64	45.4	35.4-55.4
H.S. or G.E.D.	340	251,479	176	51.9	45.6-58.2	164	48.1	41.8-54.4
Some Post-H.S.	218	171,792	120	53.9	45.7-62.1	98	46.1	37.9-54.3
College Graduate	96	44,073	49	58.3	46.5-70.1	47	41.7	29.9-53.5
Less than \$15,000	121	88,377	73	60.1	49.3-70.9	48	39.9	29.1-50.7
\$15,000- 24,999	189	146,423	96	51.7	42.9-60.5	93	48.3	39.5-57.1
\$25,000- 34,999	101	74,339	55	53.3	41.0-65.6	46	46.7	34.4-59.0
\$35,000- 49,999	95	72,991	48	50.3	38.5-62.1	47	49.7	37.9-61.5
\$50,000- 74,999	96	95,003	47	51.9	39.4-64.4	49	48.1	35.6-60.6
\$75,000+	115	91,973	59	53.5	42.5-64.5	56	46.5	35.5-57.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	971	540,934	609	63.2	59.1-67.3	362	36.8	32.7-40.9
White/Non-Hisp	767	444,018	464	59.7	55.2-64.2	303	40.3	35.8-44.8
Black or Afr. Am./Non-Hisp	133	63,001	99	84.6	77.0-92.2	34	15.4	07.8-23.0
18-24	58	72,817	40	65.2	49.1-81.3	18	34.8	18.7-50.9
25-34	135	111,673	86	63.2	54.0-72.4	49	36.8	27.6-46.0
35-44	143	98,921	104	74.2	65.8-82.6	39	25.8	17.4-34.2
45-54	246	136,556	153	59.3	51.9-66.7	93	40.7	33.3-48.1
55-64	207	72,820	121	57.4	49.0-65.8	86	42.6	34.2-51.0
65+	176	45,905	101	56.5	46.9-66.1	75	43.5	33.9-53.1
Less Than H.S.	165	120,468	108	66.0	57.0-75.0	57	34.0	25.0-43.0
H.S. or G.E.D.	408	202,801	247	62.1	56.2-68.0	161	37.9	32.0-43.8
Some Post-H.S.	286	177,888	178	60.9	53.1-68.7	108	39.1	31.3-46.9
College Graduate	110	38,603	75	69.9	59.1-80.7	35	30.1	19.3-40.9
Less than \$15,000	213	112,806	150	72.7	65.1-80.3	63	27.3	19.7-34.9
\$15,000- 24,999	250	137,606	158	64.7	56.9-72.5	92	35.3	27.5-43.1
\$25,000- 34,999	105	55,063	64	63.2	51.2-75.2	41	36.8	24.8-48.8
\$35,000- 49,999	112	63,139	63	56.0	44.4-67.6	49	44.0	32.4-55.6
\$50,000- 74,999	92	59,312	53	54.2	41.9-66.5	39	45.8	33.5-58.1
\$75,000+	81	48,469	58	71.8	60.4-83.2	23	28.2	16.8-39.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2290	1,143,890	264	13.9	11.9-15.9	349	18.6	16.4-20.8	222	10.8	09.0-12.6	1455	56.6	54.1-59.1
Male	1108	656,043	118	14.0	11.3-16.7	158	18.1	15.0-21.2	107	10.2	07.8-12.6	725	57.8	54.1-61.5
Female	1182	487,848	146	13.9	11.2-16.6	191	19.3	16.4-22.2	115	11.7	09.2-14.2	730	55.1	51.4-58.8
White/Non-Hisp	1907	1,001,326	204	13.3	11.3-15.3	285	18.7	16.3-21.1	184	10.7	08.9-12.5	1234	57.3	54.6-60.0
Black or Afr. Am./Non-Hisp	235	66,139	33	16.6	09.0-24.2	39	16.6	09.5-23.7	24	11.3	04.8-17.8	139	55.5	45.3-65.7
Hispanic	54	34,801	10	20.8	05.9-35.7	13	23.6	08.7-38.5	5	9.7	00.1-19.3	26	46.0	28.4-63.6
25-34	143	131,075	45	31.0	22.4-39.6	55	38.0	29.2-46.8	26	16.8	09.9-23.7	17	14.2	07.3-21.1
35-44	203	161,368	48	19.8	13.9-25.7	57	31.4	23.6-39.2	34	14.9	09.6-20.2	64	33.8	26.0-41.6
45-54	340	220,928	47	13.4	08.9-17.9	68	19.7	14.6-24.8	46	14.2	09.9-18.5	179	52.8	46.5-59.1
55-64	528	232,287	53	8.9	06.0-11.8	81	13.2	09.9-16.5	52	8.7	06.0-11.4	342	69.1	64.4-73.8
65+	1022	351,651	50	3.5	02.3-04.7	76	7.5	05.5-09.5	61	6.9	04.2-09.6	835	82.2	78.9-85.5
Less Than H.S.	210	139,538	23	14.1	07.6-20.6	29	15.0	08.5-21.5	21	11.9	05.2-18.6	137	59.0	50.0-68.0
H.S. or G.E.D.	905	443,082	108	14.0	10.9-17.1	145	19.3	15.8-22.8	93	10.1	07.7-12.5	559	56.6	52.5-60.7
Some Post-H.S.	606	344,682	71	14.0	10.5-17.5	93	19.3	15.0-23.6	71	13.1	09.8-16.4	371	53.5	48.6-58.4
College Graduate	567	216,353	62	13.6	09.5-17.7	82	18.3	14.2-22.4	37	8.0	05.1-10.9	386	60.1	55.0-65.2
Less than \$15,000	232	89,175	41	18.5	11.6-25.4	36	21.2	13.2-29.2	25	11.0	03.0-19.0	130	49.3	39.9-58.7
\$15,000- 24,999	433	176,030	64	17.1	12.0-22.2	58	15.7	10.8-20.6	41	12.1	07.4-16.8	270	55.2	48.7-61.7
\$25,000- 34,999	265	120,853	21	12.1	06.0-18.2	39	17.3	11.6-23.0	28	13.1	07.6-18.6	177	57.4	49.8-65.0
\$35,000- 49,999	338	185,805	36	13.6	08.9-18.3	56	20.4	14.3-26.5	32	7.7	04.6-10.8	214	58.3	51.6-65.0
\$50,000- 74,999	338	200,798	36	13.1	08.2-18.0	55	19.8	13.9-25.7	29	9.0	05.3-12.7	218	58.1	51.2-65.0
\$75,000+	374	222,281	36	12.2	07.9-16.5	66	20.5	15.6-25.4	37	13.0	08.7-17.3	235	54.3	48.2-60.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1108	656,043	118	14.0	11.3-16.7	158	18.1	15.0-21.2	107	10.2	07.8-12.6	725	57.8	54.1-61.5
White/Non-Hisp	920	568,280	90	13.2	10.3-16.1	132	18.3	15.0-21.6	85	9.9	07.5-12.3	613	58.6	54.7-62.5
Black or Afr. Am./Non-Hisp	104	33,513	17	22.7	09.4-36.0	13	12.3	03.7-20.9	13	10.1	02.1-18.1	61	54.9	39.0-70.8
25-34	76	81,712	20	29.4	17.8-41.0	32	39.0	27.0-51.0	12	14.1	05.9-22.3	12	17.5	07.9-27.1
35-44	98	90,178	25	21.3	12.5-30.1	29	34.5	23.1-45.9	15	11.3	04.8-17.8	29	32.9	21.7-44.1
45-54	162	125,126	21	13.7	07.4-20.0	31	20.3	12.7-27.9	23	13.7	07.8-19.6	87	52.4	43.4-61.4
55-64	261	127,435	22	9.0	04.7-13.3	33	10.5	06.4-14.6	24	8.2	04.3-12.1	182	72.3	65.8-78.8
65+	487	208,598	17	2.3	00.7-03.9	30	6.4	03.9-08.9	32	8.0	03.9-12.1	408	83.4	78.7-88.1
Less Than H.S.	107	82,684	10	14.1	04.9-23.3	13	12.4	04.2-20.6	10	11.6	02.2-21.0	74	62.0	49.5-74.5
H.S. or G.E.D.	441	266,377	51	14.3	10.0-18.6	70	20.3	15.2-25.4	44	9.6	06.3-12.9	276	55.7	50.0-61.4
Some Post-H.S.	273	182,140	35	16.3	10.6-22.0	32	16.6	10.3-22.9	33	12.5	07.6-17.4	173	54.6	47.2-62.0
College Graduate	286	124,691	22	9.9	04.8-15.0	43	19.1	13.4-24.8	20	6.9	03.4-10.4	201	64.2	57.3-71.1
Less than \$15,000	84	36,085	12	15.3	04.7-25.9	12	17.3	05.7-28.9	13	21.0	03.6-38.4	47	46.4	30.7-62.1
\$15,000- 24,999	190	90,887	26	17.1	09.7-24.5	17	12.1	05.6-18.6	21	13.3	06.6-20.0	126	57.4	48.0-66.8
\$25,000- 34,999	135	72,829	13	14.3	05.9-22.7	16	13.0	06.3-19.7	14	12.8	05.5-20.1	92	60.0	49.6-70.4
\$35,000- 49,999	197	124,753	24	14.6	08.5-20.7	35	23.3	15.1-31.5	18	6.7	03.0-10.4	120	55.4	46.8-64.0
\$50,000- 74,999	184	129,780	21	15.0	08.1-21.9	31	20.1	12.3-27.9	10	5.2	01.3-09.1	122	59.8	50.6-69.0
\$75,000+	212	136,098	14	9.9	04.2-15.6	38	21.8	14.9-28.7	21	12.2	06.9-17.5	139	56.1	48.3-63.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1182	487,848	146	13.9	11.4-16.4	191	19.3	16.4-22.2	115	11.7	09.2-14.2	730	55.1	51.6-58.6
White/Non-Hisp	987	433,046	114	13.4	10.7-16.1	153	19.2	15.9-22.5	99	11.7	09.0-14.4	621	55.7	51.8-59.6
Black or Afr. Am./Non-Hisp	131	32,626	16	10.4	03.5-17.3	26	21.0	10.4-31.6	11	12.6	02.4-22.8	78	56.0	43.1-68.9
25-34	67	49,363	25	33.8	21.3-46.3	23	36.3	23.4-49.2	14	21.2	09.2-33.2	5	8.7	00.1-17.3
35-44	105	71,190	23	17.9	10.5-25.3	28	27.6	17.6-37.6	19	19.5	10.9-28.1	35	35.0	24.6-45.4
45-54	178	95,802	26	12.9	07.0-18.8	37	18.9	12.4-25.4	23	14.9	08.6-21.2	92	53.3	44.7-61.9
55-64	267	104,852	31	8.8	05.1-12.5	48	16.5	11.0-22.0	28	9.4	05.5-13.3	160	65.2	58.3-72.1
65+	535	143,053	33	5.2	03.0-07.4	46	9.2	06.1-12.3	29	5.2	02.5-07.9	427	80.4	76.1-84.7
Less Than H.S.	103	56,854	13	14.2	05.8-22.6	16	18.9	08.5-29.3	11	12.4	03.2-21.6	63	54.5	42.2-66.8
H.S. or G.E.D.	464	176,704	57	13.5	09.2-17.8	75	17.8	13.3-22.3	49	10.7	07.0-14.4	283	58.0	52.3-63.7
Some Post-H.S.	333	162,541	36	11.5	07.2-15.8	61	22.4	16.5-28.3	38	13.8	08.9-18.7	198	52.4	45.7-59.1
College Graduate	281	91,662	40	18.6	12.1-25.1	39	17.3	11.6-23.0	17	9.5	04.6-14.4	185	54.5	47.1-61.9
Less than \$15,000	148	53,090	29	20.7	11.9-29.5	24	23.8	13.0-34.6	12	4.2	01.3-07.1	83	51.3	39.9-62.7
\$15,000- 24,999	243	85,143	38	17.1	10.4-23.8	41	19.4	12.0-26.8	20	10.8	04.1-17.5	144	52.7	43.9-61.5
\$25,000- 34,999	130	48,025	8	8.9	00.5-17.3	23	24.0	14.2-33.8	14	13.6	05.6-21.6	85	53.5	42.3-64.7
\$35,000- 49,999	141	61,052	12	11.6	04.2-19.0	21	14.6	07.7-21.5	14	9.6	04.1-15.1	94	64.2	54.4-74.0
\$50,000- 74,999	154	71,018	15	9.6	03.9-15.3	24	19.4	11.0-27.8	19	15.9	08.6-23.2	96	55.1	45.5-64.7
\$75,000+	162	86,183	22	15.8	09.1-22.5	28	18.4	11.5-25.3	16	14.4	07.1-21.7	96	51.5	42.3-60.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8539	4,881,447	149	2.3	01.9-02.7	98	1.7	01.3-02.1	8292	96.0	95.4-96.6
Male	3355	2,369,930	138	4.4	03.4-05.4	82	3.2	02.4-04.0	3135	92.4	91.2-93.6
Female	5184	2,511,518	11	0.3	00.1-00.5	16	0.4	00.2-00.6	5157	99.3	98.9-99.7
White/Non-Hisp	6951	4,013,955	132	2.5	01.9-03.1	80	1.7	01.3-02.1	6739	95.7	94.9-96.5
Black or Afr. Am./Non-Hisp	903	408,921	6	1.2	00.0-02.4	6	0.3	00.1-00.5	891	98.5	97.3-99.7
Oth. Race/Non-Hisp.	124	76,194	2	1.3	00.0-03.7	1	2.9	00.0-08.4	121	95.8	89.9-0100
MultiRacial/Non-Hisp.	129	67,491	3	2.6	00.0-06.5	1	1.1	00.0-03.3	125	96.3	91.8-0100
Hispanic	300	255,701	2	0.5	00.0-01.3	7	2.9	00.4-05.4	291	96.6	94.1-99.1
18-24	524	670,054	26	5.0	03.0-07.0	18	3.3	01.7-04.9	480	91.7	89.2-94.2
25-34	880	789,286	14	1.6	00.6-02.6	17	3.0	01.2-04.8	849	95.4	93.4-97.4
35-44	1105	811,037	26	2.4	01.4-03.4	19	2.2	01.2-03.2	1060	95.4	94.0-96.8
45-54	1452	902,672	31	2.5	01.3-03.7	14	1.0	00.4-01.6	1407	96.5	95.3-97.7
55-64	1782	781,298	23	1.6	00.8-02.4	16	0.9	00.3-01.5	1743	97.5	96.5-98.5
65+	2720	893,301	28	1.3	00.7-01.9	14	0.5	00.1-00.9	2678	98.2	97.6-98.8
Less Than H.S.	838	689,810	20	2.5	01.1-03.9	12	2.6	00.8-04.4	806	95.0	92.8-97.2
H.S. or G.E.D.	3096	1,703,645	74	3.2	02.2-04.2	47	2.1	01.3-02.9	2975	94.6	93.4-95.8
Some Post-H.S.	2237	1,467,303	38	2.1	01.3-02.9	20	1.2	00.6-01.8	2179	96.7	95.7-97.7
College Graduate	2351	1,011,627	17	0.9	00.5-01.3	19	1.3	00.7-01.9	2315	97.8	97.0-98.6
Less than \$15,000	1003	507,761	16	1.9	00.7-03.1	10	1.6	00.6-02.6	977	96.5	94.9-98.1
\$15,000- 24,999	1525	791,379	20	1.7	00.7-02.7	17	1.5	00.5-02.5	1488	96.8	95.4-98.2
\$25,000- 34,999	891	490,034	11	1.5	00.5-02.5	7	0.9	00.1-01.7	873	97.6	96.4-98.8
\$35,000- 49,999	1139	665,627	25	2.4	01.2-03.6	14	1.6	00.6-02.6	1100	96.1	94.7-97.5
\$50,000- 74,999	1160	734,326	25	2.9	01.5-04.3	16	2.8	01.0-04.6	1119	94.2	92.0-96.4
\$75,000+	1579	994,657	31	2.6	01.4-03.8	22	1.9	00.9-02.9	1526	95.5	94.1-96.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3355	2,369,930	138	4.4	03.4-05.4	82	3.2	02.4-04.0	3135	92.4	91.2-93.6
White/Non-Hisp	2762	1,934,792	125	5.0	04.0-06.0	73	3.4	02.4-04.4	2564	91.6	90.2-93.0
Black or Afr. Am./Non-Hisp	301	189,930	4	1.6	00.0-03.4	3	0.5	00.0-01.1	294	97.9	95.9-99.9
MultiRacial/Non-Hisp.	51	30,414	2	5.5	00.0-14.1	1	2.4	00.0-07.1	48	92.1	82.5-0100
Hispanic	128	139,193	1	0.8	00.0-02.4	2	2.5	00.0-06.2	125	96.7	92.8-0100
18-24	260	343,780	23	8.8	05.1-12.5	15	5.6	02.7-08.5	222	85.7	81.0-90.4
25-34	358	396,180	11	2.6	00.8-04.4	16	5.6	02.3-08.9	331	91.8	88.1-95.5
35-44	464	406,757	26	4.8	02.8-06.8	18	4.2	02.0-06.4	420	91.0	88.1-93.9
45-54	599	445,788	29	4.9	02.7-07.1	10	1.5	00.5-02.5	560	93.6	91.2-96.0
55-64	738	384,261	22	3.2	01.8-04.6	13	1.8	00.6-03.0	703	95.0	93.2-96.8
65+	914	380,479	26	2.8	01.6-04.0	10	0.9	00.3-01.5	878	96.3	94.9-97.7
Less Than H.S.	331	348,448	14	3.5	01.3-05.7	10	4.7	01.2-08.2	307	91.8	87.7-95.9
H.S. or G.E.D.	1202	877,374	70	6.1	04.3-07.9	39	3.8	02.4-05.2	1093	90.1	87.9-92.3
Some Post-H.S.	817	636,467	37	4.7	02.9-06.5	17	2.5	01.1-03.9	763	92.8	90.6-95.0
College Graduate	997	501,536	17	1.8	00.8-02.8	16	2.1	00.9-03.3	964	96.1	94.5-97.7
Less than \$15,000	304	201,049	11	3.3	01.1-05.5	5	1.9	00.0-03.9	288	94.8	91.9-97.7
\$15,000- 24,999	551	366,233	17	2.8	01.2-04.4	14	3.0	01.0-05.0	520	94.2	91.7-96.7
\$25,000- 34,999	343	228,857	10	2.9	00.9-04.9	6	1.4	00.0-02.8	327	95.7	93.3-98.1
\$35,000- 49,999	504	352,606	24	4.4	02.2-06.6	11	2.7	01.1-04.3	469	93.0	90.5-95.5
\$50,000- 74,999	530	397,732	25	5.4	02.9-07.9	15	4.9	01.8-08.0	490	89.6	85.9-93.3
\$75,000+	763	550,219	30	4.6	02.6-06.6	20	3.3	01.7-04.9	713	92.2	89.7-94.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 9: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5184	2,511,518	11	0.3	00.1-00.5	16	0.4	00.2-00.6	5157	99.3	98.9-99.7
White/Non-Hisp	4189	2,079,164	7	0.2	00.0-00.4	7	0.2	00.0-00.4	4175	99.5	99.3-99.7
Black or Afr. Am./Non-Hisp	602	218,992	2	0.9	00.0-02.5	3	0.1	00.0-00.3	597	99.0	97.4-0100
Oth. Race/Non-Hisp.	75	36,070							75	100.0	0100-0100
MultiRacial/Non-Hisp.	78	37,076	1	0.3	00.0-00.9				77	99.7	99.1-0100
Hispanic	172	116,508	1	0.1	00.0-00.3	5	3.4	00.1-06.7	166	96.5	93.2-99.8
18-24	264	326,274	3	1.0	00.0-02.4	3	0.9	00.0-01.9	258	98.1	96.3-99.9
25-34	522	393,107	3	0.6	00.0-01.6	1	0.3	00.0-00.9	518	99.1	97.9-0100
35-44	641	404,280				1	0.1	00.0-00.3	640	99.9	99.7-0100
45-54	853	456,884	2	0.1	00.0-00.3	4	0.6	00.0-01.2	847	99.3	98.7-99.9
55-64	1044	397,037	1	0.0	00.0-00.0	3	0.1	00.0-00.3	1040	99.8	99.6-0100
65+	1806	512,823	2	0.2	00.0-00.4	4	0.2	00.0-00.4	1800	99.6	99.2-0100
Less Than H.S.	507	341,362	6	1.4	00.0-03.0	2	0.4	00.0-01.2	499	98.2	96.6-99.8
H.S. or G.E.D.	1894	826,271	4	0.2	00.0-00.4	8	0.4	00.0-00.8	1882	99.4	99.0-99.8
Some Post-H.S.	1420	830,837	1	0.2	00.0-00.6	3	0.2	00.0-00.4	1416	99.6	99.2-0100
College Graduate	1354	510,091				3	0.5	00.0-01.1	1351	99.5	98.9-0100
Less than \$15,000	699	306,712	5	1.0	00.0-02.2	5	1.3	00.1-02.5	689	97.7	95.9-99.5
\$15,000- 24,999	974	425,147	3	0.8	00.0-01.8	3	0.1	00.0-00.3	968	99.1	98.1-0100
\$25,000- 34,999	548	261,177	1	0.2	00.0-00.6	1	0.5	00.0-01.5	546	99.3	98.3-0100
\$35,000- 49,999	635	313,021	1	0.1	00.0-00.3	3	0.3	00.0-00.7	631	99.6	99.2-0100
\$50,000- 74,999	630	336,594				1	0.3	00.0-00.9	629	99.7	99.1-0100
\$75,000+	816	444,438	1	0.1	00.0-00.3	2	0.2	00.0-00.6	813	99.7	99.3-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012**

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1 MALES AND FEMALES	169
2 MALES ONLY	170
3 FEMALES ONLY	171
ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4 MALES AND FEMALES	172
5 MALES ONLY	173
6 FEMALES ONLY	174
CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7 MALES AND FEMALES	175
8 MALES ONLY	176
9 FEMALES ONLY	177
DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK5)	
10 MALES AND FEMALES	178
11 MALES ONLY	179
12 FEMALES ONLY	180

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8472	4,846,465	901	11.7	10.7-12.7	155	1.6	0.12-02.0	2305	30.8	29.4-32.2	475	5.8	05.2-06.4	4636	50.1	48.7-51.5
Male	3330	2,354,015	457	14.1	12.5-15.7	102	2.5	01.9-03.1	980	32.7	30.5-34.9	309	8.7	07.5-09.9	1482	42.1	39.9-44.3
Female	5142	2,492,450	444	9.4	08.2-10.6	53	0.8	00.6-01.0	1325	29.0	27.2-30.8	166	3.1	02.5-03.7	3154	57.6	55.8-59.4
White/Non-Hisp	6894	3,982,210	776	11.9	10.9-12.9	134	1.7	01.3-02.1	1890	30.7	29.3-32.1	407	6.0	05.2-06.8	3687	49.7	48.1-51.3
Black or Afr. Am./Non-Hisp	900	408,009	73	13.5	09.2-17.8	8	0.9	00.0-01.9	234	33.7	28.4-39.0	28	3.9	01.7-06.1	557	48.1	42.8-53.4
Oth. Race/Non-Hisp.	123	76,081	8	6.9	01.6-12.2	4	1.4	00.0-03.0	29	26.1	16.3-35.9	9	8.1	02.4-13.8	73	57.5	46.1-68.9
MultiRacial/Non-Hisp.	128	67,225	12	9.6	03.7-15.5	2	1.3	00.0-03.3	39	34.3	23.7-44.9	6	4.5	00.6-08.4	69	50.2	39.0-61.4
Hispanic	298	254,682	23	8.1	04.0-12.2	3	1.3	00.0-02.9	78	29.1	22.2-36.0	19	6.0	02.5-09.5	175	55.5	48.1-62.9
18-24	514	660,201	68	12.1	09.0-15.2	5	1.1	00.1-02.1	174	35.2	30.1-40.3	25	4.4	02.6-06.2	242	47.2	42.1-52.3
25-34	876	783,782	111	12.8	10.3-15.3	7	0.7	00.1-01.3	363	41.3	37.6-45.0	50	6.9	04.7-09.1	345	38.2	34.5-41.9
35-44	1098	806,104	131	13.5	10.8-16.2	11	0.8	00.2-01.4	417	37.2	33.7-40.7	70	6.1	04.5-07.7	469	42.5	39.0-46.0
45-54	1446	901,237	170	11.4	09.4-13.4	23	1.8	00.8-02.8	454	31.6	28.7-34.5	82	5.6	04.2-07.0	717	49.5	46.4-52.6
55-64	1766	775,852	201	12.1	10.1-14.1	39	2.5	01.5-03.5	458	26.2	23.7-28.7	116	6.6	05.2-08.0	952	52.7	49.8-55.6
65+	2700	887,917	213	8.9	07.5-10.3	68	2.6	01.8-03.4	423	16.0	14.2-17.8	129	5.1	04.1-06.1	1867	67.5	65.3-69.7
Less Than H.S.	831	684,350	46	7.5	04.8-10.2	9	1.1	00.3-01.9	131	21.5	17.4-25.6	27	4.6	02.4-06.8	618	65.3	60.8-69.8
H.S. or G.E.D.	3070	1,692,669	251	9.5	08.1-10.9	48	1.7	01.1-02.3	681	26.6	24.4-28.8	137	5.2	04.2-06.2	1953	57.0	54.6-59.4
Some Post-H.S.	2227	1,459,797	246	12.9	10.9-14.9	33	1.1	00.7-01.5	678	34.3	31.8-36.8	115	5.1	03.9-06.3	1155	46.6	43.9-49.3
College Graduate	2328	1,000,784	357	16.4	14.6-18.2	65	2.7	01.9-03.5	810	39.1	36.7-41.5	196	8.7	07.3-10.1	900	33.1	30.7-35.5
Less than \$15,000	1000	507,476	61	7.4	04.9-09.9	6	0.5	00.0-01.1	186	24.2	20.3-28.1	30	2.7	01.3-04.1	717	65.1	60.8-69.4
\$15,000- 24,999	1514	787,046	120	10.4	08.0-12.8	22	1.4	00.6-02.2	322	25.1	22.2-28.0	65	4.7	03.3-06.1	985	58.4	55.1-61.7
\$25,000- 34,999	884	487,219	80	10.3	07.4-13.2	12	0.6	00.2-01.0	207	24.5	20.8-28.2	55	6.9	04.5-09.3	530	57.6	53.1-62.1
\$35,000- 49,999	1137	663,629	116	11.1	08.7-13.5	23	1.7	00.7-02.7	322	30.2	26.7-33.7	60	5.0	03.4-06.6	616	52.1	48.4-55.8
\$50,000- 74,999	1154	729,797	143	12.4	10.0-14.8	25	1.7	00.9-02.5	400	36.1	32.6-39.6	70	7.3	05.1-09.5	516	42.6	39.1-46.1
\$75,000+	1569	985,021	278	17.8	15.4-20.2	42	2.4	01.4-03.4	604	40.9	37.8-44.0	141	8.1	06.5-09.7	504	30.8	28.1-33.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3330	2,354,015	457	14.1	12.5-15.7	102	2.5	01.9-03.1	980	32.7	30.5-34.9	309	8.7	07.5-09.9	1482	42.1	39.9-44.3
White/Non-Hisp	2740	1,919,803	393	14.2	12.6-15.8	87	2.6	01.8-03.4	812	32.6	30.4-34.8	263	8.9	07.5-10.3	1185	41.6	39.2-44.0
Black or Afr. Am./Non-Hisp	300	189,311	29	15.7	08.4-23.0	5	0.9	00.0-01.9	84	34.5	26.3-42.7	17	6.1	02.2-10.0	165	42.8	34.6-51.0
MultiRacial/Non-Hisp.	51	30,414	9	19.2	06.9-31.5				16	40.0	22.9-57.1	5	7.8	00.2-15.4	21	32.9	17.4-48.4
Hispanic	128	139,193	15	11.8	04.9-18.7	3	2.4	00.0-05.3	40	34.3	23.7-44.9	12	8.6	02.3-14.9	58	42.9	31.7-54.1
18-24	256	338,405	35	11.7	07.4-16.0	4	1.6	00.0-03.4	95	39.3	32.0-46.6	15	5.5	02.6-08.4	107	42.0	34.9-49.1
25-34	356	391,551	56	15.4	11.3-19.5	5	1.3	00.1-02.5	164	43.2	37.5-48.9	33	10.5	06.4-14.6	98	29.6	24.1-35.1
35-44	461	404,465	67	16.5	12.0-21.0	8	1.2	00.2-02.2	182	39.0	33.7-44.3	44	8.4	05.7-11.1	160	34.9	29.8-40.0
45-54	598	446,054	76	12.6	09.5-15.7	14	2.5	00.7-04.3	192	32.8	28.3-37.3	52	8.4	05.7-11.1	264	43.8	39.1-48.5
55-64	731	382,337	110	15.6	12.3-18.9	27	3.7	01.9-05.5	191	25.3	21.4-29.2	80	10.6	07.9-13.3	323	44.7	40.2-49.2
65+	907	378,949	109	12.8	10.3-15.3	43	4.4	02.8-06.0	151	16.5	13.6-19.4	84	8.5	06.3-10.7	520	57.8	53.9-61.7
Less Than H.S.	328	345,032	27	8.9	04.6-13.2	4	1.5	00.0-03.1	64	26.5	20.0-33.0	20	7.3	03.4-11.2	213	55.7	48.6-62.8
H.S. or G.E.D.	1192	872,940	141	12.1	09.9-14.3	39	2.8	01.6-04.0	308	29.5	26.2-32.8	101	8.2	06.2-10.2	603	47.4	43.9-50.9
Some Post-H.S.	815	635,350	120	16.6	13.3-19.9	17	1.7	00.7-02.7	259	34.7	30.6-38.8	66	7.8	05.6-10.0	353	39.2	35.1-43.3
College Graduate	987	494,588	168	17.8	15.1-20.5	42	3.6	02.4-04.8	346	40.1	36.4-43.8	122	11.7	09.5-13.9	309	26.8	23.7-29.9
Less than \$15,000	305	201,867	23	6.9	03.2-10.6	4	1.2	00.0-02.6	74	31.8	24.4-39.2	21	5.5	02.4-08.6	183	54.5	46.9-62.1
\$15,000- 24,999	545	363,564	63	12.5	09.0-16.0	12	2.2	00.6-03.8	123	26.0	21.3-30.7	43	8.0	05.3-10.7	304	51.2	45.9-56.5
\$25,000- 34,999	340	227,616	36	12.4	07.1-17.7	6	0.9	00.0-01.9	81	25.0	19.3-30.7	38	10.1	05.8-14.4	179	51.7	44.8-58.6
\$35,000- 49,999	504	351,713	65	13.0	09.3-16.7	16	2.3	00.9-03.7	141	30.8	25.5-36.1	39	6.5	04.0-09.0	243	47.4	41.9-52.9
\$50,000- 74,999	527	395,439	76	14.5	10.8-18.2	19	2.5	01.3-03.7	189	36.7	31.6-41.8	47	10.7	07.0-14.4	196	35.7	30.6-40.8
\$75,000+	759	543,599	148	19.9	16.4-23.4	31	3.3	01.7-04.9	291	42.1	37.8-46.4	86	9.8	07.4-12.2	203	24.9	21.2-28.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5142	2,492,450	444	9.4	08.2-10.6	53	0.8	00.6-01.0	1325	29.0	27.2-30.8	166	3.1	02.5-03.7	3154	57.6	55.8-59.4
White/Non-Hisp	4154	2,062,407	383	9.8	08.6-11.0	47	0.8	00.4-01.2	1078	28.9	27.1-30.7	144	3.2	02.6-03.8	2502	57.2	55.2-59.2
Black or Afr. Am./Non-Hisp	600	218,698	44	11.6	06.7-16.5	3	0.9	00.0-02.5	150	32.9	26.2-39.6	11	2.0	00.2-03.8	392	52.6	45.9-59.3
Oth. Race/Non-Hisp.	75	36,070	4	6.3	00.0-12.8				17	29.2	16.7-41.7	2	4.3	00.0-10.6	52	60.2	46.9-73.5
MultiRacial/Non-Hisp.	77	36,811	3	1.7	00.0-03.7	2	2.5	00.0-06.0	23	29.6	16.7-42.5	1	1.8	00.0-05.3	48	64.5	51.0-78.0
Hispanic	170	115,489	8	3.6	00.0-07.3				38	22.8	14.6-31.0	7	3.0	00.5-05.5	117	70.6	61.8-79.4
18-24	258	321,796	33	12.6	07.9-17.3	1	0.5	00.0-01.5	79	30.9	24.0-37.8	10	3.3	01.1-05.5	135	52.6	45.3-59.9
25-34	520	392,231	55	10.2	07.1-13.3	2	0.2	00.0-00.4	199	39.4	34.5-44.3	17	3.4	01.6-05.2	247	46.9	42.0-51.8
35-44	637	401,639	64	10.4	07.5-13.3	3	0.4	00.0-01.0	235	35.3	30.8-39.8	26	3.7	02.1-05.3	309	50.1	45.4-54.8
45-54	848	455,182	94	10.3	07.9-12.7	9	1.2	00.4-02.0	262	30.5	26.8-34.2	30	2.9	01.7-04.1	453	55.1	51.0-59.2
55-64	1035	393,515	91	8.6	06.4-10.8	12	1.2	00.4-02.0	267	27.1	23.8-30.4	36	2.7	01.7-03.7	629	60.4	56.7-64.1
65+	1793	508,968	104	6.0	04.6-07.4	25	1.3	00.7-01.9	272	15.5	13.5-17.5	45	2.5	01.7-03.3	1347	74.7	72.3-77.1
Less Than H.S.	503	339,318	19	6.2	02.7-09.7	5	0.6	00.0-01.2	67	16.5	11.8-21.2	7	1.8	00.4-03.2	405	75.0	69.5-80.5
H.S. or G.E.D.	1878	819,730	110	6.6	05.0-08.2	9	0.6	00.2-01.0	373	23.5	21.0-26.0	36	1.9	01.1-02.7	1350	67.3	64.6-70.0
Some Post-H.S.	1412	824,447	126	10.1	07.9-12.3	16	0.6	00.2-01.0	419	34.0	30.5-37.5	49	3.1	02.1-04.1	802	52.2	48.7-55.7
College Graduate	1341	506,196	189	15.1	12.7-17.5	23	1.8	00.8-02.8	464	38.2	34.9-41.5	74	5.7	04.1-07.3	591	39.3	36.2-42.4
Less than \$15,000	695	305,608	38	7.7	04.2-11.2	2	0.1	00.0-00.3	112	19.2	15.1-23.3	9	0.9	00.1-01.7	534	72.0	67.1-76.9
\$15,000- 24,999	969	423,482	57	8.6	05.7-11.5	10	0.8	00.2-01.4	199	24.3	20.4-28.2	22	1.9	00.9-02.9	681	64.5	60.2-68.8
\$25,000- 34,999	544	259,603	44	8.4	05.3-11.5	6	0.4	00.0-00.8	126	24.1	19.4-28.8	17	4.1	01.6-06.6	351	62.9	57.4-68.4
\$35,000- 49,999	633	311,916	51	9.0	06.3-11.7	7	1.0	00.0-02.0	181	29.5	25.0-34.0	21	3.2	01.6-04.8	373	57.4	52.5-62.3
\$50,000- 74,999	627	334,358	67	10.0	07.1-12.9	6	0.8	00.2-01.4	211	35.3	30.6-40.0	23	3.2	01.8-04.6	320	50.7	45.8-55.6
\$75,000+	810	441,423	130	15.2	12.3-18.1	11	1.2	00.4-02.0	313	39.5	35.4-43.6	55	6.0	04.0-08.0	301	38.0	33.9-42.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3757	2,360,090	1765	39.8	37.8-41.8	1056	28.8	26.8-30.8	442	13.3	11.9-14.7	205	7.1	05.9-08.3	289	11.0	09.6-12.4
Male	1802	1,324,375	632	30.1	27.6-32.6	543	30.1	27.4-32.8	273	16.0	13.8-18.2	143	8.8	07.0-10.6	211	15.0	12.8-17.2
Female	1955	1,035,715	1133	52.2	49.3-55.1	513	27.1	24.6-29.6	169	9.9	08.1-11.7	62	4.9	03.5-06.3	78	5.8	04.2-07.4
White/Non-Hisp	3153	1,965,725	1511	40.9	38.7-43.1	877	28.2	26.2-30.2	355	12.7	11.1-14.3	173	7.4	06.2-08.6	237	10.8	09.2-12.4
Black or Afr. Am./Non-Hisp	331	205,191	141	35.6	27.8-43.4	108	34.8	26.8-42.8	51	18.2	11.7-24.7	15	4.9	01.4-08.4	16	6.5	02.4-10.6
MultiRacial/Non-Hisp.	58	32,402	23	37.2	22.5-51.9	21	36.0	21.1-50.9	6	11.0	01.0-21.0	2	3.6	00.0-08.9	6	12.2	00.8-23.6
Hispanic	117	102,581	43	27.9	18.3-37.5	30	31.2	19.2-43.2	18	16.0	07.8-24.2	9	7.6	01.7-13.5	17	17.2	08.6-25.8
18-24	262	337,078	65	24.6	17.7-31.5	62	23.1	17.2-29.0	38	16.0	10.3-21.7	33	11.7	07.4-16.0	64	24.5	18.4-30.6
25-34	519	472,945	172	29.8	25.3-34.3	161	31.3	26.6-36.0	87	17.4	13.7-21.1	44	8.7	06.0-11.4	55	12.8	09.1-16.5
35-44	616	453,022	244	35.0	30.5-39.5	193	32.4	27.9-36.9	89	15.4	11.9-18.9	33	6.7	04.2-09.2	57	10.7	07.8-13.6
45-54	712	440,400	291	38.7	34.6-42.8	242	34.6	30.3-38.9	88	12.1	09.4-14.8	43	7.6	04.9-10.3	48	7.0	04.6-09.4
55-64	806	362,690	434	52.5	48.2-56.8	211	25.1	21.4-28.8	81	9.8	07.3-12.3	33	5.0	03.0-07.0	47	7.6	04.9-10.3
65+	814	282,398	541	67.3	63.4-71.2	182	21.7	18.4-25.0	58	7.2	04.8-09.6	17	1.3	00.5-02.1	16	2.4	01.0-03.8
Less Than H.S.	202	220,500	71	30.4	22.6-38.2	50	23.8	16.2-31.4	30	17.9	10.5-25.3	15	6.7	02.6-10.8	36	21.2	13.6-28.8
H.S. or G.E.D.	1090	707,429	464	37.5	34.0-41.0	299	28.4	25.1-31.7	139	12.8	10.4-15.2	68	7.6	05.6-09.6	120	13.7	11.0-16.4
Some Post-H.S.	1050	767,742	475	36.6	32.9-40.3	299	30.1	26.6-33.6	126	13.5	11.0-16.0	61	8.0	05.6-10.4	89	11.8	09.3-14.3
College Graduate	1411	661,237	753	49.3	46.2-52.4	407	29.5	26.8-32.2	147	12.2	10.0-14.4	60	5.3	03.7-06.9	44	3.7	02.5-04.9
Less than \$15,000	274	170,360	110	35.3	27.5-43.1	71	24.6	17.9-31.3	32	10.5	05.6-15.4	16	6.3	02.8-09.8	45	23.3	16.2-30.4
\$15,000- 24,999	508	310,176	219	35.0	29.9-40.1	137	28.9	23.6-34.2	71	14.7	10.6-18.8	32	8.4	05.1-11.7	49	13.0	09.1-16.9
\$25,000- 34,999	346	199,106	157	36.3	30.0-42.6	96	28.1	21.4-34.8	44	15.9	10.8-21.0	16	6.0	02.3-09.7	33	13.7	08.6-18.8
\$35,000- 49,999	518	316,660	257	43.0	37.5-48.5	138	27.7	22.8-32.6	65	14.6	10.7-18.5	30	7.8	04.5-11.1	28	6.9	04.0-09.8
\$50,000- 74,999	630	413,801	286	34.8	30.5-39.1	172	27.8	23.5-32.1	83	16.4	12.5-20.3	44	9.1	06.0-12.2	45	11.8	08.1-15.5
\$75,000+	1054	676,505	494	41.5	38.0-45.0	332	31.4	27.9-34.9	117	12.3	09.6-15.0	52	6.4	04.2-08.6	59	8.3	05.9-10.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1802	1,324,375	632	30.1	27.6-32.6	543	30.1	27.4-32.8	273	16.0	13.8-18.2	143	8.8	07.0-10.6	211	15.0	12.8-17.2
White/Non-Hisp	1523	1,097,230	540	30.8	28.1-33.5	459	29.4	26.7-32.1	230	15.8	13.4-18.2	123	9.5	07.5-11.5	171	14.5	12.1-16.9
Black or Afr. Am./Non-Hisp	128	103,289	46	30.6	19.0-42.2	42	35.8	23.6-48.0	23	19.7	09.9-29.5	6	2.8	00.0-05.9	11	11.1	03.3-18.9
Hispanic	65	70,676	15	17.2	06.8-27.6	16	31.1	15.8-46.4	12	18.3	07.3-29.3	6	8.5	00.7-16.3	16	24.9	12.6-37.2
18-24	141	186,772	28	18.6	10.8-26.4	35	25.9	17.3-34.5	17	13.7	05.9-21.5	21	13.6	07.3-19.9	40	28.3	19.7-36.9
25-34	251	267,872	50	18.6	13.5-23.7	76	30.4	24.1-36.7	52	20.3	14.8-25.8	33	12.0	07.5-16.5	40	18.8	12.7-24.9
35-44	298	258,478	75	24.5	18.4-30.6	99	33.5	27.0-40.0	57	19.5	14.2-24.8	19	6.4	03.3-09.5	48	16.0	11.3-20.7
45-54	322	240,053	104	30.8	25.1-36.5	101	32.8	26.7-38.9	57	16.8	12.3-21.3	30	10.1	05.8-14.4	30	9.4	05.7-13.1
55-64	403	209,270	158	40.2	34.5-45.9	126	29.4	23.9-34.9	53	12.2	08.5-15.9	29	7.4	04.3-10.5	37	10.8	06.5-15.1
65+	376	155,385	212	58.0	52.1-63.9	103	26.2	21.1-31.3	37	10.2	06.5-13.9	10	1.4	00.4-02.4	14	4.3	01.8-06.8
Less Than H.S.	108	139,478	29	22.9	13.9-31.9	24	20.5	10.9-30.1	24	24.3	13.5-35.1	7	6.6	01.1-12.1	24	25.7	14.9-36.5
H.S. or G.E.D.	572	446,287	170	28.5	23.8-33.2	177	32.1	27.4-36.8	85	13.2	10.1-16.3	47	8.2	05.5-10.9	93	18.0	14.1-21.9
Some Post-H.S.	452	379,655	143	25.2	20.7-29.7	139	31.2	25.9-36.5	66	15.7	11.6-19.8	42	11.2	07.5-14.9	62	16.9	12.6-21.2
College Graduate	668	356,948	289	40.2	35.9-44.5	203	30.6	26.5-34.7	98	16.7	13.2-20.2	46	7.4	04.9-09.9	32	5.2	03.2-07.2
Less than \$15,000	117	88,759	27	26.2	14.8-37.6	37	26.5	16.9-36.1	15	10.6	04.1-17.1	9	6.6	01.5-11.7	29	30.1	19.3-40.9
\$15,000- 24,999	231	167,390	69	23.1	16.8-29.4	63	27.7	20.6-34.8	41	20.5	13.8-27.2	22	10.5	05.6-15.4	36	18.2	12.1-24.3
\$25,000- 34,999	156	104,214	54	27.2	19.0-35.4	47	34.9	24.3-45.5	24	16.6	09.3-23.9	13	9.2	03.1-15.3	18	12.2	05.7-18.7
\$35,000- 49,999	261	185,098	102	37.2	29.6-44.8	74	26.4	19.7-33.1	40	16.8	11.3-22.3	24	10.2	05.7-14.7	21	9.5	04.8-14.2
\$50,000- 74,999	323	249,001	112	25.8	20.7-30.9	87	27.5	21.6-33.4	54	17.3	12.0-22.6	32	11.9	07.2-16.6	38	17.5	11.6-23.4
\$75,000+	551	405,334	199	32.2	27.5-36.9	182	31.9	27.2-36.6	82	15.9	11.8-20.0	39	7.9	05.0-10.8	49	12.1	08.4-15.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1955	1,035,715	1133	52.2	49.3-55.1	513	27.1	24.6-29.6	169	9.9	08.1-11.7	62	4.9	03.5-06.3	78	5.8	04.2-07.4
White/Non-Hisp	1630	868,495	971	53.6	50.5-56.7	418	26.6	23.9-29.3	125	9.0	07.0-11.0	50	4.8	03.2-06.4	66	6.1	04.3-07.9
Black or Afr. Am./Non-Hisp	203	101,902	95	40.7	29.9-51.5	66	33.8	23.6-44.0	28	16.6	08.0-25.2	9	7.1	00.8-13.4	5	1.8	00.0-04.3
Hispanic	52	31,905	28	51.7	33.5-69.9	14	31.7	13.1-50.3	6	10.7	00.1-21.3	3	5.6	00.0-13.2	1	0.3	00.0-00.9
18-24	121	150,306	37	32.0	20.8-43.2	27	19.8	12.0-27.6	21	19.0	10.8-27.2	12	9.4	03.7-15.1	24	19.9	12.1-27.7
25-34	268	205,073	122	44.5	37.4-51.6	85	32.6	25.9-39.3	35	13.6	08.9-18.3	11	4.3	01.8-06.8	15	5.0	02.1-07.9
35-44	318	194,544	169	48.8	41.9-55.7	94	30.8	24.5-37.1	32	9.9	05.8-14.0	14	7.0	02.7-11.3	9	3.5	00.6-06.4
45-54	390	200,347	187	48.2	42.3-54.1	141	36.8	31.1-42.5	31	6.4	03.9-08.9	13	4.5	01.8-07.2	18	4.1	01.9-06.3
55-64	403	153,420	276	69.4	63.9-74.9	85	19.3	14.8-23.8	28	6.5	03.8-09.2	4	1.6	00.0-03.2	10	3.2	00.8-05.6
65+	438	127,014	329	78.8	74.5-83.1	79	16.2	12.3-20.1	21	3.5	01.5-05.5	7	1.3	00.3-02.3	2	0.1	00.0-00.3
Less Than H.S.	94	81,022	42	43.2	29.7-56.7	26	29.4	17.1-41.7	6	6.9	00.2-13.6	8	6.9	00.4-13.4	12	13.6	04.8-22.4
H.S. or G.E.D.	518	261,142	294	52.9	47.6-58.2	122	22.0	17.7-26.3	54	12.3	08.2-16.4	21	6.4	03.5-09.3	27	6.4	03.7-09.1
Some Post-H.S.	598	388,087	332	47.8	42.5-53.1	160	29.0	24.3-33.7	60	11.4	08.1-14.7	19	4.9	02.4-07.4	27	6.9	04.0-09.8
College Graduate	743	304,290	464	59.9	55.6-64.2	204	28.3	24.4-32.2	49	6.9	04.5-09.3	14	2.9	01.3-04.5	12	2.0	00.8-03.2
Less than \$15,000	157	81,601	83	45.3	34.5-56.1	34	22.5	13.7-31.3	17	10.4	03.1-17.7	7	6.0	01.1-10.9	16	15.8	07.4-24.2
\$15,000- 24,999	277	142,787	150	48.9	40.9-56.9	74	30.3	22.3-38.3	30	8.0	04.1-11.9	10	6.0	01.9-10.1	13	6.8	02.1-11.5
\$25,000- 34,999	190	94,892	103	46.4	37.4-55.4	49	20.6	13.3-27.9	20	15.1	07.8-22.4	3	2.6	00.0-06.3	15	15.4	07.6-23.2
\$35,000- 49,999	257	131,562	155	51.2	43.4-59.0	64	29.6	22.3-36.9	25	11.6	06.3-16.9	6	4.4	00.0-09.1	7	3.2	00.3-06.1
\$50,000- 74,999	307	164,800	174	48.5	41.6-55.4	85	28.2	21.9-34.5	29	15.1	09.0-21.2	12	4.9	01.8-08.0	7	3.4	00.9-05.9
\$75,000+	503	271,171	295	55.5	50.2-60.8	150	30.8	25.9-35.7	35	6.9	04.4-09.4	13	4.3	01.8-06.8	10	2.6	00.8-04.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days
Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3761	2,362,017	360	11.2	09.8-12.6	213	7.1	05.9-08.3	94	3.4	02.4-04.4	82	2.5	01.9-03.1	238	8.0	06.8-09.2	2774	67.7	65.7-69.7
Male	1804	1,324,102	197	12.3	10.3-14.3	127	8.2	06.6-09.8	57	3.9	02.5-05.3	55	3.5	02.3-04.7	156	9.9	08.1-11.7	1212	62.3	59.6-65.0
Female	1957	1,037,914	163	9.8	08.0-11.6	86	5.8	04.4-07.2	37	2.8	01.6-04.0	27	1.3	00.7-01.9	82	5.7	04.1-07.3	1562	74.6	72.1-77.1
White/Non-Hisp	3159	1,968,437	302	11.4	10.0-12.8	179	7.4	06.2-08.6	72	2.9	02.1-03.7	61	2.2	01.6-02.8	193	7.6	06.4-08.8	2352	68.4	66.2-70.6
Black or Afr. Am./Non-Hisp	329	204,195	30	9.4	04.9-13.9	16	4.9	02.0-07.8	14	7.6	01.7-13.5	9	2.0	00.0-04.0	21	8.2	03.7-12.7	239	67.9	60.1-75.7
MultiRacial/Non-Hisp.	58	32,402	4	7.9	00.0-15.9	1	2.0	00.0-05.9	2	5.8	00.0-15.2	3	8.1	00.0-17.9	4	5.5	00.0-11.2	44	70.7	56.0-85.4
Hispanic	115	101,309	12	10.5	03.6-17.4	12	7.4	02.3-12.5	6	5.6	00.0-11.3	4	5.9	00.0-11.8	13	16.2	07.4-25.0	68	54.5	42.5-66.5
18-24	265	338,583	40	14.5	09.8-19.2	34	12.8	08.3-17.3	18	7.2	03.5-10.9	9	3.5	01.0-06.0	42	14.4	09.9-18.9	122	47.5	40.2-54.8
25-34	523	476,741	88	16.0	12.5-19.5	45	9.5	06.6-12.4	23	3.8	02.0-05.6	16	3.3	01.5-05.1	38	9.0	05.7-12.3	313	58.4	53.5-63.3
35-44	619	453,915	89	14.2	11.1-17.3	27	4.6	02.6-06.6	18	4.8	01.9-07.7	14	2.3	00.9-03.7	47	8.0	05.5-10.5	424	66.1	61.4-70.8
45-54	711	439,946	69	10.3	07.6-13.0	54	7.8	05.4-10.2	14	1.9	00.7-03.1	17	3.0	01.4-04.6	35	6.2	03.8-08.6	522	70.7	66.6-74.8
55-64	805	360,010	51	5.7	03.9-07.5	35	4.8	02.8-06.8	14	1.6	00.6-02.6	18	1.9	00.9-02.9	53	7.2	04.8-09.6	634	78.9	75.4-82.4
65+	810	281,267	23	3.0	01.6-04.4	16	2.0	00.8-03.2	7	0.8	00.0-01.6	7	0.7	00.1-01.3	21	2.6	01.2-04.0	736	90.9	88.5-93.3
Less Than H.S.	198	220,948	20	8.9	04.2-13.6	19	9.2	03.9-14.5	12	9.2	03.3-15.1	14	7.5	03.2-11.8	19	11.2	05.3-17.1	114	53.9	44.9-62.9
H.S. or G.E.D.	1088	705,879	77	8.2	06.2-10.2	68	7.6	05.4-09.8	30	3.0	01.8-04.2	32	3.3	01.9-04.7	96	10.1	07.7-12.5	785	67.8	64.3-71.3
Some Post-H.S.	1055	769,368	118	13.4	10.9-15.9	68	7.5	05.5-09.5	24	3.0	01.4-04.6	20	1.8	00.8-02.8	64	7.7	05.5-09.9	761	66.6	62.9-70.3
College Graduate	1415	661,953	145	12.6	10.4-14.8	57	5.3	03.7-06.9	28	2.4	01.4-03.4	16	1.0	00.4-01.6	58	5.1	03.7-06.5	1111	73.6	70.7-76.5
Less than \$15,000	269	166,041	31	13.4	07.9-18.9	24	10.5	05.8-15.2	6	3.9	00.6-07.2	12	4.5	01.6-07.4	30	12.5	07.2-17.8	166	55.2	47.2-63.2
\$15,000- 24,999	515	316,173	34	8.2	05.1-11.3	36	6.9	04.2-09.6	15	2.4	00.6-04.2	13	3.0	00.8-05.2	43	12.2	08.3-16.1	374	67.3	62.0-72.6
\$25,000- 34,999	346	198,709	25	9.8	05.7-13.9	21	8.1	04.2-12.0	11	7.5	02.0-13.0	10	3.9	01.0-06.8	23	8.5	04.4-12.6	256	62.2	54.9-69.5
\$35,000- 49,999	514	312,432	49	12.1	08.4-15.8	26	6.6	03.7-09.5	13	3.5	01.1-05.9	14	3.4	01.2-05.6	26	6.1	03.4-08.8	386	68.4	63.1-73.7
\$50,000- 74,999	629	411,588	57	9.4	06.7-12.1	35	7.9	05.0-10.8	15	2.8	01.2-04.4	6	1.3	00.1-02.5	44	9.7	06.2-13.2	472	69.0	64.3-73.7
\$75,000+	1061	679,847	129	13.8	11.3-16.3	56	7.1	04.9-09.3	24	2.7	01.3-04.1	18	1.5	00.7-02.3	54	5.9	04.1-07.7	780	69.1	65.6-72.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1804	1,324,102	197	12.3	10.3-14.3	127	8.2	06.6-09.8	57	3.9	02.5-05.3	55	3.5	02.3-04.7	156	9.9	08.1-11.7	1212	62.3	59.6-65.0
White/Non-Hisp	1529	1,101,395	165	12.3	10.1-14.5	109	8.6	06.6-10.6	46	3.4	02.2-04.6	41	2.9	01.9-03.9	127	9.3	07.3-11.3	1041	63.4	60.5-66.3
Black or Afr. Am./Non-Hisp	127	101,890	15	11.4	04.3-18.5	8	5.3	01.0-09.6	6	7.3	00.0-16.5	3	2.4	00.0-05.7	10	10.0	02.6-17.4	85	63.6	51.4-75.8
Hispanic	62	67,376	8	13.7	03.7-23.7	6	7.3	00.6-14.0	3	7.1	00.0-15.5	4	8.8	00.0-17.6	12	21.3	09.3-33.3	29	41.8	26.1-57.5
18-24	146	191,134	22	15.2	08.5-21.9	19	13.4	06.9-19.9	11	7.3	02.4-12.2	7	5.3	01.0-09.6	23	13.5	07.8-19.2	64	45.3	35.5-55.1
25-34	252	268,603	49	17.6	12.5-22.7	27	11.5	07.0-16.0	14	4.4	01.9-06.9	9	4.3	01.4-07.2	26	12.6	07.3-17.9	127	49.5	42.6-56.4
35-44	296	256,564	47	15.1	10.6-19.6	15	5.2	02.5-07.9	11	5.3	01.2-09.4	9	2.9	00.7-05.1	31	9.3	05.8-12.8	183	62.2	55.7-68.7
45-54	322	239,346	32	11.4	07.1-15.7	26	7.7	04.2-11.2	9	2.6	00.6-04.6	9	3.8	01.1-06.5	25	8.4	04.7-12.1	221	66.2	59.9-72.5
55-64	403	206,940	33	6.9	04.2-09.6	26	6.9	03.8-10.0	10	2.5	00.7-04.3	15	3.0	01.2-04.8	38	9.7	06.2-13.2	281	70.9	65.6-76.2
65+	374	154,969	14	3.8	01.6-06.0	13	3.4	01.2-05.6	2	0.4	00.0-01.0	6	1.2	00.0-02.4	12	3.7	01.2-06.2	327	87.6	83.7-91.5
Less Than H.S.	106	138,340	13	11.0	04.1-17.9	7	8.7	01.6-15.8	5	8.1	00.3-15.9	12	10.8	03.9-17.7	11	11.9	03.9-19.9	58	49.4	37.4-61.4
H.S. or G.E.D.	573	445,036	47	8.4	05.7-11.1	48	8.8	05.9-11.7	23	3.9	02.1-05.7	22	3.9	01.9-05.9	71	13.0	09.7-16.3	362	62.0	57.1-66.9
Some Post-H.S.	453	380,732	63	16.2	12.1-20.3	38	9.4	06.3-12.5	12	3.3	01.1-05.5	13	2.9	01.1-04.7	37	9.0	05.9-12.1	290	59.3	53.8-64.8
College Graduate	669	357,300	74	13.6	10.3-16.9	33	5.6	03.4-07.8	17	2.9	01.5-04.3	8	0.8	00.0-01.6	36	6.0	03.8-08.2	501	71.1	67.0-75.2
Less than \$15,000	114	83,808	16	13.4	06.0-20.8	11	11.1	04.0-18.2	3	4.6	00.0-09.7	6	4.7	00.2-09.2	16	12.7	05.3-20.1	62	53.5	41.7-65.3
\$15,000- 24,999	232	169,096	24	13.4	07.9-18.9	21	8.0	04.1-11.9	6	1.7	00.1-03.3	9	5.0	01.3-08.7	29	16.1	10.2-22.0	143	55.8	48.0-63.6
\$25,000- 34,999	157	105,365	7	5.9	01.0-10.8	17	11.4	05.1-17.7	6	8.7	00.0-17.7	5	4.5	00.0-09.4	14	8.6	03.1-14.1	108	60.8	50.2-71.4
\$35,000- 49,999	259	182,049	29	12.5	07.4-17.6	15	6.6	02.7-10.5	5	2.4	00.0-04.8	10	4.7	01.2-08.2	20	8.8	04.5-13.1	180	65.1	57.7-72.5
\$50,000- 74,999	323	247,937	29	7.8	04.5-11.1	17	7.7	03.8-11.6	13	4.3	01.8-06.8	6	2.2	00.2-04.2	36	14.7	09.2-20.2	222	63.4	56.7-70.1
\$75,000+	554	406,673	75	15.6	11.9-19.3	36	8.4	05.1-11.7	19	3.6	01.6-05.6	12	1.7	00.5-02.9	33	6.1	03.7-08.5	379	64.6	59.5-69.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1957	1,037,914	163	9.8	08.0-11.6	86	5.8	04.4-07.2	37	2.8	01.6-04.0	27	1.3	00.7-01.9	82	5.7	04.1-07.3	1562	74.6	72.1-77.1
White/Non-Hisp	1630	867,042	137	10.3	08.3-12.3	70	5.9	04.3-07.5	26	2.3	01.1-03.5	20	1.3	00.7-01.9	66	5.5	03.9-07.1	1311	74.6	71.9-77.3
Black or Afr. Am./Non-Hisp	202	102,305	15	7.5	01.8-13.2	8	4.6	00.7-08.5	8	7.8	00.7-14.9	6	1.7	00.0-03.7	11	6.3	01.2-11.4	154	72.2	62.2-82.2
Hispanic	53	33,933	4	4.2	00.0-09.3	6	7.6	00.2-15.0	3	2.5	00.0-05.8				1	6.0	00.0-17.2	39	79.7	65.8-93.6
18-24	119	147,449	18	13.6	07.1-20.1	15	12.1	05.8-18.4	7	7.1	01.6-12.6	2	1.2	00.0-03.0	19	15.7	08.4-23.0	58	50.3	39.3-61.3
25-34	271	208,137	39	13.9	09.2-18.6	18	6.9	03.6-10.2	9	3.0	00.8-05.2	7	1.9	00.3-03.5	12	4.3	01.6-07.0	186	69.9	63.6-76.2
35-44	323	197,350	42	13.0	08.7-17.3	12	3.8	01.4-06.2	7	4.2	00.5-07.9	5	1.5	00.1-02.9	16	6.3	02.8-09.8	241	71.2	64.9-77.5
45-54	389	200,600	37	9.1	05.8-12.4	28	8.0	04.9-11.1	5	1.1	00.0-02.3	8	2.1	00.5-03.7	10	3.6	01.1-06.1	301	76.1	71.0-81.2
55-64	402	153,070	18	3.9	01.9-05.9	9	2.0	00.0-04.0	4	0.3	00.0-00.7	3	0.3	00.0-00.7	15	3.8	01.4-06.2	353	89.7	86.2-93.2
65+	436	126,298	9	2.1	00.5-03.7	3	0.3	00.0-00.7	5	1.4	00.0-03.0	1	0.0	00.0-00.0	9	1.2	00.2-02.2	409	95.0	92.6-97.4
Less Than H.S.	92	82,608	7	5.3	00.0-10.6	12	10.2	02.8-17.6	7	11.1	02.3-19.9	2	1.8	00.0-04.3	8	10.1	02.5-17.7	56	61.5	48.8-74.2
H.S. or G.E.D.	515	260,843	30	7.7	04.6-10.8	20	5.4	02.7-08.1	7	1.5	00.1-02.9	10	2.3	00.7-03.9	25	5.3	02.9-07.7	423	77.9	73.2-82.6
Some Post-H.S.	602	388,636	55	10.8	07.7-13.9	30	5.7	03.3-08.1	12	2.7	00.5-04.9	7	0.7	00.1-01.3	27	6.5	03.6-09.4	471	73.7	69.0-78.4
College Graduate	746	304,653	71	11.5	08.6-14.4	24	5.0	02.8-07.2	11	1.8	00.6-03.0	8	1.2	00.2-02.2	22	4.0	02.0-06.0	610	76.5	72.6-80.4
Less than \$15,000	155	82,234	15	13.4	05.6-21.2	13	9.9	03.6-16.2	3	3.1	00.0-07.6	6	4.2	00.5-07.9	14	12.3	04.5-20.1	104	56.9	45.9-67.9
\$15,000- 24,999	283	147,078	10	2.2	00.2-04.2	15	5.6	01.9-09.3	9	3.3	00.0-06.6	4	0.6	00.0-01.6	14	7.7	02.8-12.6	231	80.6	73.9-87.3
\$25,000- 34,999	189	93,344	18	14.3	07.4-21.2	4	4.3	00.0-08.8	5	6.0	00.1-11.9	5	3.2	00.3-06.1	9	8.3	02.2-14.4	148	63.8	54.4-73.2
\$35,000- 49,999	255	130,383	20	11.5	06.0-17.0	11	6.6	02.3-10.9	8	5.0	00.3-09.7	4	1.7	00.0-03.7	6	2.3	00.3-04.3	206	72.9	65.3-80.5
\$50,000- 74,999	306	163,651	28	11.7	06.8-16.6	18	8.1	04.0-12.2	2	0.5	00.0-01.3				8	2.1	00.5-03.7	250	77.6	71.5-83.7
\$75,000+	507	273,175	54	11.0	07.7-14.3	20	5.2	02.8-07.6	5	1.5	00.0-03.1	6	1.1	00.1-02.1	21	5.5	02.8-08.2	401	75.7	71.2-80.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKs)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3679	2,302,572	1119	25.8	24.0-27.6	994	24.3	22.5-26.1	532	14.9	13.3-16.5	283	8.8	07.6-10.0	751	26.1	24.1-28.1
Male	1761	1,287,947	366	17.8	15.6-20.0	398	20.3	18.1-22.5	302	17.4	15.0-19.8	151	9.6	07.8-11.4	544	34.9	32.2-37.6
Female	1918	1,014,625	753	36.0	33.1-38.9	596	29.5	27.0-32.0	230	11.7	09.9-13.5	132	7.9	06.3-09.5	207	15.0	12.8-17.2
White/Non-Hisp	3098	1,927,151	951	26.5	24.5-28.5	831	23.8	22.0-25.6	449	14.7	13.1-16.3	235	9.0	07.6-10.4	632	26.0	24.0-28.0
Black or Afr. Am./Non-Hisp	319	193,462	95	22.7	15.6-29.8	98	31.7	23.9-39.5	47	17.6	10.2-25.0	29	8.9	04.4-13.4	50	19.1	12.8-25.4
MultiRacial/Non-Hisp.	58	32,402	14	19.1	07.1-31.1	17	29.8	16.3-43.3	13	21.8	08.9-34.7	2	2.9	00.0-07.2	12	26.4	11.9-40.9
Hispanic	111	98,254	30	19.0	10.6-27.4	24	20.2	10.4-30.0	9	11.1	01.3-20.9	10	9.7	02.8-16.6	38	40.1	28.1-52.1
18-24	257	332,671	37	15.4	09.1-21.7	38	13.9	09.2-18.6	28	12.7	07.0-18.4	28	9.6	05.7-13.5	126	48.5	41.2-55.8
25-34	502	449,746	113	21.2	17.1-25.3	116	22.7	18.4-27.0	64	11.6	08.5-14.7	55	12.3	09.0-15.6	154	32.2	27.3-37.1
35-44	605	444,924	152	22.7	18.6-26.8	151	24.1	20.0-28.2	98	17.3	13.4-21.2	52	9.4	06.5-12.3	152	26.5	22.4-30.6
45-54	699	431,079	167	22.2	18.7-25.7	213	29.2	25.3-33.1	117	16.9	13.6-20.2	67	9.8	07.1-12.5	135	21.9	18.0-25.8
55-64	787	353,223	277	34.5	30.4-38.6	222	26.3	22.6-30.0	117	16.5	13.2-19.8	46	5.9	03.9-07.9	125	16.9	13.6-20.2
65+	802	279,431	364	45.2	41.1-49.3	242	29.2	25.5-32.9	107	14.4	11.5-17.3	32	3.6	02.2-05.0	57	7.5	05.1-09.9
Less Than H.S.	197	217,889	52	20.5	13.6-27.4	37	17.4	10.7-24.1	24	14.2	06.8-21.6	18	9.5	04.2-14.8	66	38.4	29.6-47.2
H.S. or G.E.D.	1053	673,830	310	25.6	22.3-28.9	286	25.5	22.2-28.8	148	14.7	12.0-17.4	71	8.0	05.8-10.2	238	26.2	22.9-29.5
Some Post-H.S.	1033	753,607	322	25.9	22.6-29.2	278	24.3	21.2-27.4	135	13.9	11.0-16.8	80	8.6	06.4-10.8	218	27.3	23.8-30.8
College Graduate	1391	654,370	433	27.7	25.0-30.4	392	25.5	23.0-28.0	224	16.4	14.0-18.8	114	9.8	07.8-11.8	228	20.7	18.0-23.4
Less than \$15,000	259	157,241	76	25.1	17.7-32.5	55	19.5	12.8-26.2	37	13.4	08.1-18.7	15	6.8	02.7-10.9	76	35.3	27.5-43.1
\$15,000- 24,999	503	309,195	155	25.7	21.0-30.4	141	26.4	21.3-31.5	61	11.2	07.7-14.7	33	6.8	03.7-09.9	113	29.9	24.6-35.2
\$25,000- 34,999	337	193,627	112	24.8	19.5-30.1	88	20.1	15.0-25.2	43	15.6	09.5-21.7	26	10.7	06.0-15.4	68	28.8	22.1-35.5
\$35,000- 49,999	506	304,963	169	29.8	24.5-35.1	139	23.7	19.2-28.2	64	13.7	09.8-17.6	36	8.9	05.6-12.2	98	24.0	19.1-28.9
\$50,000- 74,999	624	405,779	185	23.0	19.3-26.7	160	22.7	18.8-26.6	100	17.3	13.4-21.2	53	11.1	07.6-14.6	126	25.9	21.2-30.6
\$75,000+	1035	661,292	272	23.5	20.6-26.4	279	25.9	22.6-29.2	180	16.6	13.7-19.5	95	9.7	07.5-11.9	209	24.3	21.0-27.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1761	1,287,947	366	17.8	15.6-20.0	398	20.3	18.1-22.5	302	17.4	15.0-19.8	151	9.6	07.8-11.4	544	34.9	32.2-37.6
White/Non-Hisp	1496	1,075,576	309	18.0	15.6-20.4	333	20.2	17.8-22.6	269	17.4	15.0-19.8	131	10.1	08.1-12.1	454	34.3	31.4-37.2
Black or Afr. Am./Non-Hisp	122	94,622	29	19.2	08.4-30.0	35	27.4	16.4-38.4	16	20.7	08.4-33.0	8	5.7	00.6-10.8	34	27.1	16.5-37.7
Hispanic	62	68,211	10	9.7	01.7-17.7	10	12.1	02.5-21.7	4	11.9	00.0-25.4	7	11.5	01.9-21.1	31	54.8	39.1-70.5
18-24	140	185,941	16	11.0	04.1-17.9	17	11.2	05.5-16.9	13	12.8	04.4-21.2	16	10.4	04.5-16.3	78	54.6	44.6-64.6
25-34	240	250,158	32	12.6	08.1-17.1	38	16.1	11.0-21.2	33	12.7	08.2-17.2	31	14.4	09.3-19.5	106	44.2	37.1-51.3
35-44	294	254,727	43	14.8	09.5-20.1	59	20.4	14.9-25.9	54	20.0	14.1-25.9	30	10.6	06.5-14.7	108	34.1	28.0-40.2
45-54	318	235,784	58	16.1	11.8-20.4	74	23.4	17.9-28.9	61	19.6	14.5-24.7	26	8.2	04.5-11.9	99	32.8	26.5-39.1
55-64	390	201,187	94	24.8	19.7-29.9	91	21.4	16.7-26.1	76	21.1	15.8-26.4	25	7.1	04.2-10.0	104	25.6	20.3-30.9
65+	368	153,603	121	33.3	27.6-39.0	114	31.0	25.5-36.5	65	18.4	13.7-23.1	21	4.6	02.4-06.8	47	12.6	08.5-16.7
Less Than H.S.	104	136,087	20	15.7	08.1-23.3	15	11.7	05.0-18.4	14	15.2	04.4-26.0	10	11.8	04.0-19.6	45	45.6	33.6-57.6
H.S. or G.E.D.	555	425,325	101	17.9	13.8-22.0	133	23.2	18.9-27.5	87	15.6	12.1-19.1	39	8.1	05.4-10.8	195	35.2	30.3-40.1
Some Post-H.S.	445	373,215	81	14.1	10.6-17.6	102	20.0	15.7-24.3	75	17.9	13.2-22.6	38	9.8	06.3-13.3	149	38.2	32.7-43.7
College Graduate	654	351,617	163	22.3	18.8-25.8	148	20.7	17.2-24.2	125	19.6	16.1-23.1	64	10.5	07.8-13.2	154	26.9	22.8-31.0
Less than \$15,000	109	79,725	21	19.8	08.2-31.4	18	16.2	07.6-24.8	20	19.3	10.1-28.5	5	5.4	00.0-10.9	45	39.2	27.6-50.8
\$15,000- 24,999	230	168,315	48	15.8	10.5-21.1	49	20.0	13.7-26.3	29	11.1	06.4-15.8	17	8.6	03.7-13.5	87	44.5	36.7-52.3
\$25,000- 34,999	148	98,978	34	18.1	11.2-25.0	39	20.4	13.0-27.8	20	17.0	07.0-27.0	12	11.9	04.5-19.3	43	32.5	22.7-42.3
\$35,000- 49,999	255	177,268	60	24.6	17.2-32.0	65	19.9	14.4-25.4	37	15.3	09.6-21.0	19	7.6	03.9-11.3	74	32.6	25.3-39.9
\$50,000- 74,999	321	243,883	61	14.2	10.3-18.1	71	19.2	14.3-24.1	58	17.8	12.5-23.1	33	13.7	08.6-18.8	98	35.0	28.3-41.7
\$75,000+	540	395,434	106	17.1	13.6-20.6	111	20.9	16.6-25.2	114	20.3	16.0-24.6	53	9.7	06.8-12.6	156	32.0	27.1-36.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1918	1,014,625	753	36.0	33.1-38.9	596	29.5	27.0-32.0	230	11.7	09.9-13.5	132	7.9	06.3-09.5	207	15.0	12.8-17.2
White/Non-Hisp	1602	851,574	642	37.2	34.1-40.3	498	28.4	25.7-31.1	180	11.2	09.2-13.2	104	7.6	05.8-09.4	178	15.6	13.1-18.1
Black or Afr. Am./Non-Hisp	197	98,840	66	26.1	16.9-35.3	63	35.8	24.8-46.8	31	14.6	06.6-22.6	21	12.0	04.6-19.4	16	11.5	04.4-18.6
18-24	117	146,730	21	21.0	10.0-32.0	21	17.2	09.4-25.0	15	12.5	05.4-19.6	12	8.5	03.4-13.6	48	40.7	30.3-51.1
25-34	262	199,587	81	32.0	25.1-38.9	78	30.9	24.0-37.8	31	10.2	06.5-13.9	24	9.7	05.6-13.8	48	17.2	12.3-22.1
35-44	311	190,197	109	33.2	26.7-39.7	92	29.1	23.0-35.2	44	13.5	08.6-18.4	22	7.7	03.6-11.8	44	16.4	11.1-21.7
45-54	381	195,294	109	29.6	24.1-35.1	139	36.3	30.6-42.0	56	13.7	09.8-17.6	41	11.8	07.9-15.7	36	8.6	05.5-11.7
55-64	397	152,036	183	47.3	41.4-53.2	131	32.7	27.2-38.2	41	10.4	06.9-13.9	21	4.3	02.1-06.5	21	5.4	02.7-08.1
65+	434	125,828	243	59.8	54.3-65.3	128	27.0	22.1-31.9	42	9.5	06.2-12.8	11	2.4	00.6-04.2	10	1.3	00.3-02.3
Less Than H.S.	93	81,802	32	28.6	16.4-40.8	22	27.0	14.3-39.7	10	12.5	03.9-21.1	8	5.6	00.7-10.5	21	26.3	14.7-37.9
H.S. or G.E.D.	498	248,505	209	38.8	33.5-44.1	153	29.6	24.7-34.5	61	13.0	09.1-16.9	32	7.8	04.5-11.1	43	10.8	07.3-14.3
Some Post-H.S.	588	380,391	241	37.4	32.1-42.7	176	28.5	23.8-33.2	60	10.1	07.0-13.2	42	7.5	04.8-10.2	69	16.6	12.5-20.7
College Graduate	737	302,753	270	33.9	29.8-38.0	244	31.0	27.1-34.9	99	12.7	10.0-15.4	50	9.0	06.3-11.7	74	13.4	10.1-16.7
Less than \$15,000	150	77,516	55	30.4	20.8-40.0	37	22.8	12.6-33.0	17	7.3	02.8-11.8	10	8.3	02.2-14.4	31	31.2	20.4-42.0
\$15,000- 24,999	273	140,880	107	37.5	29.9-45.1	92	34.2	26.2-42.2	32	11.4	05.9-16.9	16	4.6	01.5-07.7	26	12.4	06.5-18.3
\$25,000- 34,999	189	94,649	78	31.9	24.1-39.7	49	19.8	13.1-26.5	23	14.2	07.1-21.3	14	9.3	03.4-15.2	25	24.8	15.8-33.8
\$35,000- 49,999	251	127,696	109	37.0	29.7-44.3	74	29.0	21.9-36.1	27	11.4	06.5-16.3	17	10.7	04.6-16.8	24	12.0	06.7-17.3
\$50,000- 74,999	303	161,897	124	36.2	29.7-42.7	89	28.0	21.7-34.3	42	16.6	11.1-22.1	20	7.0	03.5-10.5	28	12.1	07.0-17.2
\$75,000+	495	265,858	166	33.0	28.1-37.9	168	33.3	28.4-38.2	66	11.0	08.1-13.9	42	9.8	06.7-12.9	53	12.9	09.2-16.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012**

SECTION 11: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)	
1 MALES AND FEMALES	182
2 MALES ONLY	183
3 FEMALES ONLY	184
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4 MALES AND FEMALES	185
5 MALES ONLY	186
6 FEMALES ONLY	187
AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)	
7 MALES AND FEMALES	188
8 MALES ONLY	189
9 FEMALES ONLY	190
A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
10 MALES AND FEMALES	191
11 MALES ONLY	192
12 FEMALES ONLY	193

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 1: NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8446	4,820,181	3427	34.6	33.2-36.0	5019	65.4	64.0-66.8
Male	3312	2,333,585	1196	30.4	28.4-32.4	2116	69.6	67.6-71.6
Female	5134	2,486,595	2231	38.7	36.9-40.5	2903	61.3	59.5-63.1
White/Non-Hisp	6878	3,972,681	2961	36.9	35.5-38.3	3917	63.1	61.7-64.5
Black or Afr. Am./Non-Hisp	891	398,055	265	24.5	20.2-28.8	626	75.5	71.2-79.8
Oth. Race/Non-Hisp.	124	76,194	41	33.1	21.5-44.7	83	66.9	55.3-78.5
MultiRacial/Non-Hisp.	128	66,414	33	23.2	14.0-32.4	95	76.8	67.6-86.0
Hispanic	294	247,769	75	18.7	13.6-23.8	219	81.3	76.2-86.4
18-24	516	659,923	110	21.0	16.9-25.1	406	79.0	74.9-83.1
25-34	874	783,718	244	25.4	22.1-28.7	630	74.6	71.3-77.9
35-44	1082	794,042	323	26.0	23.1-28.9	759	74.0	71.1-76.9
45-54	1440	890,956	485	32.9	30.0-35.8	955	67.1	64.2-70.0
55-64	1763	771,723	736	40.2	37.5-42.9	1027	59.8	57.1-62.5
65+	2698	886,839	1497	57.1	54.7-59.5	1201	42.9	40.5-45.3
Less Than H.S.	820	671,443	302	29.7	25.6-33.8	518	70.3	66.2-74.4
H.S. or G.E.D.	3063	1,683,647	1173	32.3	30.3-34.3	1890	67.7	65.7-69.7
Some Post-H.S.	2220	1,455,175	849	33.1	30.7-35.5	1371	66.9	64.5-69.3
College Graduate	2327	1,001,460	1095	44.1	41.6-46.6	1232	55.9	53.4-58.4
Less than \$15,000	988	495,480	350	30.3	26.4-34.2	638	69.7	65.8-73.6
\$15,000- 24,999	1514	783,504	615	33.5	30.6-36.4	899	66.5	63.6-69.4
\$25,000- 34,999	879	482,709	356	34.0	30.1-37.9	523	66.0	62.1-69.9
\$35,000- 49,999	1132	661,021	443	33.2	29.9-36.5	689	66.8	63.5-70.1
\$50,000- 74,999	1147	723,491	466	32.8	29.5-36.1	681	67.2	63.9-70.5
\$75,000+	1564	987,792	705	41.3	38.2-44.4	859	58.7	55.6-61.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 2: NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3312	2,333,585	1196	30.4	28.4-32.4	2116	69.6	67.6-71.6
White/Non-Hisp	2727	1,910,060	1025	32.3	30.1-34.5	1702	67.7	65.5-69.9
Black or Afr. Am./Non-Hisp	295	182,667	86	22.3	15.2-29.4	209	77.7	70.6-84.8
MultiRacial/Non-Hisp.	51	30,414	10	18.6	05.3-31.9	41	81.4	68.1-94.7
Hispanic	125	134,705	30	14.6	08.1-21.1	95	85.4	78.9-91.9
18-24	257	339,947	39	15.7	10.2-21.2	218	84.3	78.8-89.8
25-34	353	391,228	81	21.3	16.6-26.0	272	78.7	74.0-83.4
35-44	452	395,733	116	22.8	18.3-27.3	336	77.2	72.7-81.7
45-54	594	438,273	177	29.9	25.6-34.2	417	70.1	65.8-74.4
55-64	728	377,590	278	34.4	30.3-38.5	450	65.6	61.5-69.7
65+	906	378,127	496	56.9	53.0-60.8	410	43.1	39.2-47.0
Less Than H.S.	325	336,479	101	24.5	18.6-30.4	224	75.5	69.6-81.4
H.S. or G.E.D.	1188	866,023	388	27.1	24.2-30.0	800	72.9	70.0-75.8
Some Post-H.S.	809	630,844	256	27.6	23.9-31.3	553	72.4	68.7-76.1
College Graduate	983	494,782	448	43.5	39.8-47.2	535	56.5	52.8-60.2
Less than \$15,000	298	193,894	91	25.6	18.5-32.7	207	74.4	67.3-81.5
\$15,000- 24,999	546	362,708	197	27.6	23.3-31.9	349	72.4	68.1-76.7
\$25,000- 34,999	338	224,204	121	29.2	23.5-34.9	217	70.8	65.1-76.5
\$35,000- 49,999	502	350,029	175	28.1	23.6-32.6	327	71.9	67.4-76.4
\$50,000- 74,999	522	390,589	182	28.7	24.2-33.2	340	71.3	66.8-75.8
\$75,000+	753	545,361	311	38.5	34.2-42.8	442	61.5	57.2-65.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 3: NOW I WILL ASK YOU QUESTIONS ABOUT SEASONAL FLU VACCINE. THERE ARE TWO WAYS TO GET THE SEASONAL FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A SEASONAL FLU SHOT OR A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5134	2,486,595	2231	38.7	36.9-40.5	2903	61.3	59.5-63.1
White/Non-Hisp	4151	2,062,621	1936	41.1	39.1-43.1	2215	58.9	56.9-60.9
Black or Afr. Am./Non-Hisp	596	215,387	179	26.4	20.9-31.9	417	73.6	68.1-79.1
Oth. Race/Non-Hisp.	75	36,070	25	34.3	21.8-46.8	50	65.7	53.2-78.2
MultiRacial/Non-Hisp.	77	35,999	23	27.1	14.4-39.8	54	72.9	60.2-85.6
Hispanic	169	113,064	45	23.7	16.1-31.3	124	76.3	68.7-83.9
18-24	259	319,976	71	26.7	20.4-33.0	188	73.3	67.0-79.6
25-34	521	392,490	163	29.4	25.1-33.7	358	70.6	66.3-74.9
35-44	630	398,310	207	29.1	25.0-33.2	423	70.9	66.8-75.0
45-54	846	452,683	308	35.8	31.9-39.7	538	64.2	60.3-68.1
55-64	1035	394,133	458	45.8	42.1-49.5	577	54.2	50.5-57.9
65+	1792	508,712	1001	57.3	54.6-60.0	791	42.7	40.0-45.4
Less Than H.S.	495	334,964	201	34.8	29.3-40.3	294	65.2	59.7-70.7
H.S. or G.E.D.	1875	817,624	785	37.8	35.1-40.5	1090	62.2	59.5-64.9
Some Post-H.S.	1411	824,331	593	37.3	34.0-40.6	818	62.7	59.4-66.0
College Graduate	1344	506,678	647	44.7	41.6-47.8	697	55.3	52.2-58.4
Less than \$15,000	690	301,586	259	33.3	28.6-38.0	431	66.7	62.0-71.4
\$15,000- 24,999	968	420,796	418	38.5	34.4-42.6	550	61.5	57.4-65.6
\$25,000- 34,999	541	258,505	235	38.3	32.8-43.8	306	61.7	56.2-67.2
\$35,000- 49,999	630	310,991	268	38.8	34.1-43.5	362	61.2	56.5-65.9
\$50,000- 74,999	625	332,903	284	37.6	32.9-42.3	341	62.4	57.7-67.1
\$75,000+	811	442,430	394	44.7	40.6-48.8	417	55.3	51.2-59.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2011			May-Aug 2011			Sep-Dec 2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2174	1,049,400	11	1.0	00.4-01.6	33	1.5	00.9-02.1	2130	97.5	96.5-98.5
Male	749	438,518	8	2.0	00.4-03.6	14	1.7	00.5-02.9	727	96.3	94.3-98.3
Female	1425	610,882	3	0.2	00.0-00.4	19	1.5	00.7-02.3	1403	98.3	97.3-99.3
White/Non-Hisp	1917	942,961	9	1.0	00.2-01.8	26	1.2	00.6-01.8	1882	97.8	96.8-98.8
Black or Afr. Am./Non-Hisp	144	47,110	2	2.6	00.0-07.1	4	6.6	00.0-13.9	138	90.8	82.4-99.2
18-24	57	72,577	3	5.9	00.0-12.8	7	8.9	01.8-16.0	47	85.2	75.6-94.8
25-34	143	118,442	3	2.2	00.0-04.9	3	1.5	00.0-03.3	137	96.3	93.0-99.6
35-44	235	142,603				6	1.9	00.0-04.1	229	98.1	95.9-0100
45-54	303	184,364	1	0.6	00.0-01.8	1	0.1	00.0-00.3	301	99.3	98.1-0100
55-64	486	206,772	2	0.3	00.0-00.7	9	1.8	00.4-03.2	475	98.0	96.6-99.4
65+	939	318,186	2	0.5	00.0-01.5	7	0.5	00.1-00.9	930	99.0	98.0-0100
Less Than H.S.	177	115,311	3	1.6	00.0-04.0	4	2.6	00.0-05.3	170	95.8	92.3-99.3
H.S. or G.E.D.	702	322,587	2	0.8	00.0-02.0	8	0.9	00.1-01.7	692	98.3	96.9-99.7
Some Post-H.S.	545	313,018	4	1.2	00.0-02.6	14	2.8	01.0-04.6	527	96.0	93.6-98.4
College Graduate	746	296,289	2	0.6	00.0-01.6	7	0.5	00.0-01.1	737	98.8	97.6-0100
Less than \$15,000	191	72,669	3	1.8	00.0-04.2	5	1.9	00.0-04.1	183	96.3	93.2-99.4
\$15,000- 24,999	369	146,248	3	1.9	00.0-04.4	7	2.7	00.2-05.2	359	95.4	91.9-98.9
\$25,000- 34,999	234	111,247	1	1.3	00.0-03.8	5	3.2	00.1-06.3	228	95.5	91.6-99.4
\$35,000- 49,999	292	144,242				5	1.7	00.0-03.5	287	98.3	96.5-0100
\$50,000- 74,999	313	159,896				4	1.0	00.0-02.2	309	99.0	97.8-0100
\$75,000+	484	277,463	2	0.6	00.0-01.4	4	0.7	00.0-01.7	478	98.8	97.4-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2011			May-Aug 2011			Sep-Dec 2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	749	438,518	8	2.0	00.4-03.6	14	1.7	00.5-02.9	727	96.3	94.3-98.3
White/Non-Hisp	655	393,981	6	2.0	00.4-03.6	11	1.4	00.4-02.4	638	96.6	94.6-98.6
25-34	52	52,148	1	2.7	00.0-08.0	1	1.6	00.0-04.7	50	95.7	89.6-0100
35-44	86	62,897				1	0.2	00.0-00.6	85	99.8	99.4-0100
45-54	107	80,373	1	1.4	00.0-04.1	1	0.1	00.0-00.3	105	98.5	95.8-0100
55-64	170	81,352	1	0.6	00.0-01.8	4	2.9	00.0-06.0	165	96.5	93.2-99.8
65+	313	132,246	2	1.3	00.0-03.7	4	0.5	00.0-01.1	307	98.2	95.8-0100
Less Than H.S.	51	47,845	1	2.7	00.0-08.0	1	2.0	00.0-05.9	49	95.3	88.8-0100
H.S. or G.E.D.	235	137,118	2	1.9	00.0-04.6	5	1.2	00.0-02.6	228	96.8	93.9-99.7
Some Post-H.S.	160	111,628	3	2.8	00.0-06.7	6	4.0	00.5-07.5	151	93.2	88.1-98.3
College Graduate	301	140,015	2	1.4	00.0-03.6	2	0.1	00.0-00.3	297	98.5	96.3-0100
\$15,000- 24,999	113	57,026	3	4.9	00.0-11.2	3	2.6	00.0-06.1	107	92.5	85.4-99.6
\$25,000- 34,999	85	46,870	1	3.0	00.0-08.9	2	5.1	00.0-12.0	82	91.9	83.3-0100
\$35,000- 49,999	115	65,949				3	2.6	00.0-06.1	112	97.4	93.9-0100
\$50,000- 74,999	109	65,364				2	1.7	00.0-04.2	107	98.3	95.8-0100
\$75,000+	208	138,028	2	1.1	00.0-02.7	1	0.1	00.0-00.3	205	98.8	97.2-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2011			May-Aug 2011			Sep-Dec 2011		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1425	610,882	3	0.2	00.0-00.4	19	1.5	00.7-02.3	1403	98.3	97.3-99.3
White/Non-Hisp	1262	548,980	3	0.2	00.0-00.6	15	1.1	00.3-01.9	1244	98.7	97.9-99.5
Black or Afr. Am./Non-Hisp	98	28,832				2	5.9	00.0-14.1	96	94.1	85.9-0100
25-34	91	66,294	2	1.8	00.0-04.3	2	1.4	00.0-03.4	87	96.8	93.5-0100
35-44	149	79,705				5	3.2	00.0-07.1	144	96.8	92.9-0100
45-54	196	103,992							196	100.0	0100-0100
55-64	316	125,419	1	0.1	00.0-00.3	5	1.0	00.0-02.0	310	98.9	97.9-99.9
65+	626	185,940				3	0.4	00.0-01.0	623	99.6	99.0-0100
Less Than H.S.	126	67,467	2	0.8	00.0-02.2	3	3.0	00.0-06.7	121	96.2	92.3-0100
H.S. or G.E.D.	467	185,468				3	0.6	00.0-01.4	464	99.4	98.6-0100
Some Post-H.S.	385	201,390	1	0.4	00.0-01.2	8	2.1	00.1-04.1	376	97.5	95.3-99.7
College Graduate	445	156,273				5	0.9	00.0-01.9	440	99.1	98.1-0100
Less than \$15,000	145	51,642	3	2.5	00.0-05.8	3	2.0	00.0-04.7	139	95.4	91.1-99.7
\$15,000- 24,999	256	89,222				4	2.8	00.0-06.1	252	97.2	93.9-0100
\$25,000- 34,999	149	64,377				3	1.8	00.0-04.0	146	98.2	96.0-0100
\$35,000- 49,999	177	78,293				2	1.0	00.0-02.6	175	99.0	97.4-0100
\$50,000- 74,999	204	94,532				2	0.5	00.0-01.1	202	99.5	98.9-0100
\$75,000+	276	139,434				3	1.3	00.0-03.3	273	98.7	96.7-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 7. AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)			Vaccinated in Canada Mexico (10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3411	1,662,682	1531	42.4	40.2-44.6	285	8.2	07.0-09.4	53	1.3	00.5-02.1	775	21.9	20.1-23.7	765	26.1	24.1-28.1	2	0.0	00.0-00.0
Male	1192	705,004	509	38.6	35.1-42.1	138	10.2	08.2-12.2	13	1.5	00.0-03.3	258	22.1	19.0-25.2	273	27.6	24.3-30.9	1	0.0	00.0-00.0
Female	2219	957,678	1022	45.3	42.6-48.0	147	6.8	05.4-08.2	40	1.2	00.6-01.8	517	21.7	19.5-23.9	492	25.0	22.6-27.4	1	0.0	00.0-00.0
White/Non-Hisp	2951	1,461,694	1302	41.8	39.6-44.0	214	7.2	06.0-08.4	46	1.4	00.4-02.4	706	22.8	20.8-24.8	682	26.8	24.6-29.0	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	263	97,038	133	48.9	38.9-58.9	47	17.9	10.6-25.2	3	0.3	00.0-00.7	36	12.6	06.7-18.5	44	20.2	12.4-28.0			
Hispanic	74	44,576	26	36.4	23.1-49.7	15	16.8	07.2-26.4	2	2.4	00.0-06.1	11	14.2	03.0-25.4	20	30.1	17.2-43.0			
18-24	109	137,992	42	38.8	27.8-49.8	16	13.2	06.3-20.1	2	5.2	00.0-13.4	20	20.5	11.1-29.9	29	22.4	14.2-30.6			
25-34	242	197,249	93	36.7	29.8-43.6	25	9.2	05.1-13.3	1	1.0	00.0-02.8	27	12.6	07.5-17.7	96	40.4	33.1-47.7			
35-44	322	206,314	108	36.0	29.5-42.5	25	6.5	03.6-09.4	3	0.7	00.0-01.7	49	16.6	11.7-21.5	137	40.2	33.9-46.5			
45-54	483	292,283	178	35.6	30.5-40.7	39	7.8	05.1-10.5	1	0.1	00.0-00.3	76	17.8	13.3-22.3	189	38.7	33.6-43.8			
55-64	733	308,233	291	40.9	36.6-45.2	68	8.3	05.9-10.7	8	0.8	00.2-01.4	157	20.9	17.4-24.4	208	28.9	25.0-32.8	1	0.1	00.0-00.3
65+	1490	504,491	802	53.0	49.9-56.1	110	7.3	05.5-09.1	38	1.8	01.2-02.4	440	31.1	28.2-34.0	99	6.7	05.1-08.3	1	0.1	00.0-00.3
Less Than H.S.	301	199,013	155	48.8	41.0-56.6	39	13.5	08.4-18.6	6	3.8	00.0-09.5	72	22.8	16.5-29.1	29	11.1	06.2-16.0			
H.S. or G.E.D.	1164	537,595	563	46.1	42.6-49.6	104	8.5	06.5-10.5	21	1.6	00.6-02.6	274	22.0	19.3-24.7	200	21.6	18.5-24.7	2	0.1	00.0-00.3
Some Post-H.S.	847	480,471	398	43.6	39.5-47.7	62	6.5	04.5-08.5	11	0.6	00.2-01.0	180	21.6	17.7-25.5	196	27.7	23.8-31.6			
College Graduate	1091	441,410	408	33.5	30.2-36.8	80	7.4	05.4-09.4	15	0.7	00.3-01.1	248	21.7	18.8-24.6	340	36.8	33.1-40.5			
Less than \$15,000	345	146,623	194	56.4	48.6-64.2	38	9.9	05.8-14.0	12	1.6	00.4-02.8	78	24.1	17.2-31.0	23	7.9	03.6-12.2			
\$15,000- 24,999	610	258,907	319	52.0	46.7-57.3	64	11.1	07.8-14.4	10	1.4	00.4-02.4	148	20.1	16.2-24.0	68	15.3	11.0-19.6	1	0.1	00.0-00.3
\$25,000- 34,999	353	163,871	166	46.0	39.5-52.5	33	10.0	05.9-14.1	5	1.2	00.0-02.8	84	21.9	16.8-27.0	65	20.9	15.6-26.2			
\$35,000- 49,999	443	219,186	207	44.3	38.6-50.0	32	7.7	04.8-10.6	7	1.9	00.0-03.9	99	19.5	15.4-23.6	97	26.6	21.3-31.9	1	0.1	00.0-00.3
\$50,000- 74,999	466	237,219	182	35.0	29.7-40.3	37	8.0	04.7-11.3	7	0.7	00.1-01.3	86	21.2	15.7-26.7	154	35.2	29.7-40.7			
\$75,000+	705	407,721	218	29.8	25.7-33.9	46	5.8	03.8-07.8	5	1.7	00.0-04.6	149	20.9	17.0-24.8	287	41.8	37.1-46.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 8: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)			Vaccinated in Canada Mexico (10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1192	705,004	509	38.6	35.3-41.9	138	10.2	08.2-12.2	13	1.5	00.0-03.3	258	22.1	19.0-25.2	273	27.6	24.3-30.9	1	0.0	00.0-00.0
White/Non-Hisp	1024	615,491	439	38.5	35.0-42.0	103	9.4	07.2-11.6	11	1.5	00.0-03.5	226	22.1	19.0-25.2	244	28.4	24.9-31.9	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	85	40,587	38	44.5	26.3-62.7	24	17.3	07.1-27.5				13	14.3	03.9-24.7	10	23.9	08.6-39.2			
25-34	80	82,039	17	20.9	10.9-30.9	9	9.9	03.4-16.4				14	18.3	08.3-28.3	40	50.9	38.4-63.4			
35-44	116	90,289	32	28.5	17.5-39.5	10	7.8	02.5-13.1	1	0.9	00.0-02.7	20	18.3	10.1-26.5	53	44.5	33.5-55.5			
45-54	177	131,255	67	34.0	26.0-42.0	15	8.0	03.7-12.3	1	0.2	00.0-00.6	33	20.7	13.1-28.3	61	37.1	28.7-45.5			
55-64	276	127,947	112	39.7	33.0-46.4	34	9.9	06.2-13.6	2	0.8	00.0-02.0	51	18.5	13.0-24.0	77	31.0	24.5-37.5			
65+	495	214,907	264	52.6	47.3-57.9	61	10.6	07.5-13.7	8	1.1	00.3-01.9	131	29.4	24.3-34.5	30	6.2	03.7-08.7	1	0.2	00.0-00.6
Less Than H.S.	100	82,479	41	40.8	27.9-53.7	17	13.1	05.1-21.1	2	8.1	00.0-21.4	28	25.5	13.7-37.3	12	12.5	04.1-20.9			
H.S. or G.E.D.	386	231,132	190	45.8	39.7-51.9	44	11.0	07.3-14.7	4	0.8	00.0-01.8	71	18.2	13.7-22.7	76	24.1	18.6-29.6	1	0.2	00.0-00.6
Some Post-H.S.	256	174,212	102	35.6	28.5-42.7	28	7.8	04.3-11.3	1	0.2	00.0-00.6	62	25.8	18.9-32.7	63	30.6	23.5-37.7			
College Graduate	447	215,119	173	31.7	26.8-36.6	49	10.2	06.9-13.5	6	0.7	00.1-01.3	97	22.3	17.6-27.0	122	35.0	29.3-40.7			
Less than \$15,000	89	48,168	46	49.3	33.0-65.6	13	9.3	02.4-16.2	1	0.5	00.0-01.5	23	33.8	17.7-49.9	6	7.0	00.5-13.5			
\$15,000- 24,999	196	98,189	100	48.2	39.4-57.0	35	14.6	08.5-20.7	3	1.8	00.0-04.0	35	19.3	12.4-26.2	22	15.8	08.5-23.1	1	0.4	00.0-01.2
\$25,000- 34,999	120	65,343	53	45.2	34.4-56.0	18	16.8	08.6-25.0				30	21.1	13.1-29.1	19	17.0	09.2-24.8			
\$35,000- 49,999	175	98,425	83	42.0	33.2-50.8	16	8.4	03.9-12.9	3	1.2	00.0-02.8	38	20.7	13.6-27.8	35	27.8	19.0-36.6			
\$50,000- 74,999	182	112,092	65	29.3	21.9-36.7	19	11.9	05.6-18.2	3	0.7	00.0-01.7	39	21.9	13.9-29.9	56	36.2	27.6-44.8			
\$75,000+	311	209,880	101	28.5	22.4-34.6	22	6.1	03.2-09.0	2	3.0	00.0-08.5	67	21.1	15.4-26.8	119	41.4	34.3-48.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 9: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)			Vaccinated in Canada Mexico (10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2219	957,678	1022	45.3	42.6-48.0	147	6.8	05.4-08.2	40	1.2	00.6-01.8	517	21.7	19.5-23.9	492	25.0	22.6-27.4	1	0.0	00.0-00.0
White/Non-Hisp	1927	846,203	863	44.1	41.4-46.8	111	5.6	04.2-07.0	35	1.3	00.7-01.9	480	23.2	20.8-25.6	438	25.7	23.2-28.2			
Black or Afr. Am./Non-Hisp	178	56,451	95	52.0	40.6-63.4	23	18.4	08.4-28.4	3	0.6	00.0-01.4	23	11.4	04.3-18.5	34	17.5	09.7-25.3			
18-24	70	84,479	30	41.8	28.3-55.3	8	9.8	02.4-17.2	1	1.4	00.0-04.1	13	22.4	09.7-35.1	18	24.6	13.6-35.6			
25-34	162	115,210	76	48.0	39.4-56.6	16	8.8	03.7-13.9	1	1.6	00.0-04.7	13	8.6	03.9-13.3	56	33.0	24.8-41.2			
35-44	206	116,025	76	41.8	34.0-49.6	15	5.4	02.3-08.5	2	0.5	00.0-01.3	29	15.3	09.2-21.4	84	36.9	29.5-44.3			
45-54	306	161,029	111	36.9	30.4-43.4	24	7.7	04.2-11.2				43	15.5	10.6-20.4	128	39.9	33.4-46.4			
55-64	457	180,286	179	41.8	36.3-47.3	34	7.2	04.5-09.9	6	0.8	00.0-01.6	106	22.6	18.1-27.1	131	27.4	22.5-32.3	1	0.1	00.0-00.3
65+	995	289,584	538	53.3	49.6-57.0	49	4.9	03.1-06.7	30	2.3	01.3-03.3	309	32.4	28.9-35.9	69	7.0	04.8-09.2			
Less Than H.S.	201	116,534	114	54.5	45.3-63.7	22	13.7	07.2-20.2	4	0.7	00.0-01.5	44	21.0	14.1-27.9	17	10.2	04.1-16.3			
H.S. or G.E.D.	778	306,463	373	46.3	42.0-50.6	60	6.7	04.5-08.9	17	2.3	00.7-03.9	203	24.9	21.4-28.4	124	19.8	16.1-23.5	1	0.1	00.0-00.3
Some Post-H.S.	591	306,259	296	48.1	42.8-53.4	34	5.7	03.3-08.1	10	0.8	00.2-01.4	118	19.3	14.8-23.8	133	26.1	21.6-30.6			
College Graduate	644	226,291	235	35.2	30.7-39.7	31	4.7	02.7-06.7	9	0.7	00.1-01.3	151	21.0	17.3-24.7	218	38.4	33.9-42.9			
Less than \$15,000	256	98,455	148	59.9	51.7-68.1	25	10.2	05.1-15.3	11	2.1	00.5-03.7	55	19.4	13.1-25.7	17	8.4	02.9-13.9			
\$15,000- 24,999	414	160,718	219	54.4	47.9-60.9	29	9.0	04.9-13.1	7	1.2	00.2-02.2	113	20.6	16.1-25.1	46	14.9	09.8-20.0			
\$25,000- 34,999	233	98,528	113	46.6	38.4-54.8	15	5.5	02.0-09.0	5	2.0	00.0-04.4	54	22.4	15.7-29.1	46	23.5	16.2-30.8			
\$35,000- 49,999	268	120,761	124	46.2	38.9-53.5	16	7.1	03.0-11.2	4	2.4	00.0-05.5	61	18.5	13.6-23.4	62	25.6	19.3-31.9	1	0.2	00.0-00.6
\$50,000- 74,999	284	125,127	117	40.0	32.7-47.3	18	4.5	02.1-06.9	4	0.6	00.0-01.2	47	20.6	13.2-28.0	98	34.3	27.2-41.4			
\$75,000+	394	197,842	117	31.2	25.5-36.9	24	5.4	02.7-08.1	3	0.4	00.0-01.0	82	20.7	15.4-26.0	168	42.3	36.2-48.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 10: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7678	4,218,183	2870	30.0	28.8-31.2	4808	70.0	68.8-71.2
Male	2887	1,955,100	1004	28.5	26.5-30.5	1883	71.5	69.5-73.5
Female	4791	2,263,084	1866	31.3	29.7-32.9	2925	68.7	67.1-70.3
White/Non-Hisp	6258	3,481,540	2395	30.8	29.4-32.2	3863	69.2	67.8-70.6
Black or Afr. Am./Non-Hisp	837	366,303	295	27.1	22.4-31.8	542	72.9	68.2-77.6
Oth. Race/Non-Hisp.	110	65,624	34	31.2	18.5-43.9	76	68.8	56.1-81.5
MultiRacial/Non-Hisp.	112	56,361	38	25.1	15.5-34.7	74	74.9	65.3-84.5
Hispanic	245	201,583	54	19.5	12.8-26.2	191	80.5	73.8-87.2
18-24	373	472,873	94	27.1	21.8-32.4	279	72.9	67.6-78.2
25-34	720	637,945	89	11.9	09.2-14.6	631	88.1	85.4-90.8
35-44	929	680,748	130	13.9	11.2-16.6	799	86.1	83.4-88.8
45-54	1326	816,691	255	18.6	16.1-21.1	1071	81.4	78.9-83.9
55-64	1672	730,812	524	31.0	28.3-33.7	1148	69.0	66.3-71.7
65+	2589	847,670	1749	68.0	65.8-70.2	840	32.0	29.8-34.2
Less Than H.S.	747	581,382	310	33.0	28.7-37.3	437	67.0	62.7-71.3
H.S. or G.E.D.	2833	1,500,012	1123	32.2	30.0-34.4	1710	67.8	65.6-70.0
Some Post-H.S.	2004	1,265,668	746	28.2	25.8-30.6	1258	71.8	69.4-74.2
College Graduate	2079	862,815	683	26.7	24.5-28.9	1396	73.3	71.1-75.5
Less than \$15,000	909	437,847	398	37.1	32.8-41.4	511	62.9	58.6-67.2
\$15,000- 24,999	1405	709,615	646	37.9	34.6-41.2	759	62.1	58.8-65.4
\$25,000- 34,999	806	429,610	340	32.0	28.1-35.9	466	68.0	64.1-71.9
\$35,000- 49,999	1042	580,908	374	27.7	24.6-30.8	668	72.3	69.2-75.4
\$50,000- 74,999	1062	658,576	327	25.2	22.1-28.3	735	74.8	71.7-77.9
\$75,000+	1374	831,774	338	20.9	18.4-23.4	1036	79.1	76.6-81.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 11: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2887	1,955,100	1004	28.5	26.5-30.5	1883	71.5	69.5-73.5
White/Non-Hisp	2376	1,598,352	826	28.8	26.6-31.0	1550	71.2	69.0-73.4
Black or Afr. Am./Non-Hisp	272	165,421	91	23.0	15.7-30.3	181	77.0	69.7-84.3
Hispanic	101	105,303	30	25.9	14.9-36.9	71	74.1	63.1-85.1
18-24	173	220,557	51	31.8	23.6-40.0	122	68.2	60.0-76.4
25-34	286	315,761	37	12.5	08.0-17.0	249	87.5	83.0-92.0
35-44	363	316,628	52	12.2	08.3-16.1	311	87.8	83.9-91.7
45-54	526	389,176	101	17.4	13.7-21.1	425	82.6	78.9-86.3
55-64	662	345,665	208	31.4	27.1-35.7	454	68.6	64.3-72.9
65+	857	355,765	545	63.8	59.9-67.7	312	36.2	32.3-40.1
Less Than H.S.	284	276,271	101	29.7	23.2-36.2	183	70.3	63.8-76.8
H.S. or G.E.D.	1053	740,057	362	28.8	25.5-32.1	691	71.2	67.9-74.5
Some Post-H.S.	694	520,746	241	27.1	23.2-31.0	453	72.9	69.0-76.8
College Graduate	850	412,719	297	28.6	25.1-32.1	553	71.4	67.9-74.9
Less than \$15,000	264	164,350	104	32.4	25.0-39.8	160	67.6	60.2-75.0
\$15,000- 24,999	485	317,659	209	37.5	32.0-43.0	276	62.5	57.0-68.0
\$25,000- 34,999	286	184,960	110	28.2	22.1-34.3	176	71.8	65.7-77.9
\$35,000- 49,999	449	295,565	162	27.2	22.5-31.9	287	72.8	68.1-77.5
\$50,000- 74,999	473	346,301	137	23.0	18.5-27.5	336	77.0	72.5-81.5
\$75,000+	640	443,307	163	20.0	16.5-23.5	477	80.0	76.5-83.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 11: IMMUNIZATION**

TABLE 12: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Female	4791	2,263,084	1866	31.3	29.7-32.9	2925	68.7	67.1-70.3		
White/Non-Hisp	3882	1,883,189	1569	32.5	30.7-34.3	2313	67.5	65.7-69.3		
Black or Afr. Am./Non-Hisp	565	200,881	204	30.5	24.2-36.8	361	69.5	63.2-75.8		
Oth. Race/Non-Hisp.	66	30,611	20	29.4	16.3-42.5	46	70.6	57.5-83.7		
MultiRacial/Non-Hisp.	70	30,798	25	25.4	13.6-37.2	45	74.6	62.8-86.4		
Hispanic	144	96,280	24	12.4	06.1-18.7	120	87.6	81.3-93.9		
18-24	200	252,316	43	23.0	16.1-29.9	157	77.0	70.1-83.9		
25-34	434	322,184	52	11.2	07.9-14.5	382	88.8	85.5-92.1		
35-44	566	364,121	78	15.3	11.6-19.0	488	84.7	81.0-88.4		
45-54	800	427,515	154	19.7	16.4-23.0	646	80.3	77.0-83.6		
55-64	1010	385,147	316	30.7	27.2-34.2	694	69.3	65.8-72.8		
65+	1732	491,905	1204	71.0	68.5-73.5	528	29.0	26.5-31.5		
Less Than H.S.	463	305,111	209	36.0	30.3-41.7	254	64.0	58.3-69.7		
H.S. or G.E.D.	1780	759,955	761	35.5	32.8-38.2	1019	64.5	61.8-67.2		
Some Post-H.S.	1310	744,922	505	29.0	26.1-31.9	805	71.0	68.1-73.9		
College Graduate	1229	450,096	386	24.9	22.2-27.6	843	75.1	72.4-77.8		
Less than \$15,000	645	273,498	294	40.0	34.7-45.3	351	60.0	54.7-65.3		
\$15,000- 24,999	920	391,956	437	38.1	34.0-42.2	483	61.9	57.8-66.0		
\$25,000- 34,999	520	244,650	230	34.8	29.5-40.1	290	65.2	59.9-70.5		
\$35,000- 49,999	593	285,344	212	28.1	24.0-32.2	381	71.9	67.8-76.0		
\$50,000- 74,999	589	312,275	190	27.5	23.2-31.8	399	72.5	68.2-76.8		
\$75,000+	734	388,467	175	22.0	18.3-25.7	559	78.0	74.3-81.7		

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012

SECTION 12: FALLS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)	
1	MALES AND FEMALES	195
2	MALES ONLY	196
3	FEMALES ONLY	197
	HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)	
4	MALES AND FEMALES	198
5	MALES ONLY	199
6	FEMALES ONLY	200

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 12: FALLS**

TABLE 1: IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are < 45 years of age

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5865	2,525,186	904	15.0	13.8-16.2	442	6.9	06.1-07.7	196	3.3	02.7-03.9	71	1.1	00.7-01.5	232	4.0	03.4-04.6	4020	69.6	68.0-71.2
Male	2205	1,176,752	299	13.6	11.8-15.4	148	6.2	05.0-07.4	75	3.1	02.3-03.9	26	1.0	00.6-01.4	84	4.0	03.0-05.0	1573	72.1	69.7-74.5
Female	3660	1,348,435	605	16.2	14.8-17.6	294	7.5	06.3-08.7	121	3.6	02.8-04.4	45	1.2	00.8-01.6	148	3.9	03.1-04.7	2447	67.5	65.5-69.5
White/Non-Hisp	4886	2,204,572	770	15.5	14.3-16.7	364	6.8	06.0-07.6	170	3.4	02.8-04.0	62	1.2	00.8-01.6	180	3.6	03.0-04.2	3340	69.5	67.9-71.1
Black or Afr. Am./Non-Hisp	624	164,851	89	14.5	10.2-18.8	52	8.7	05.0-12.4	13	2.2	00.2-04.2	8	0.7	00.1-01.3	23	5.7	02.6-08.8	439	68.2	62.3-74.1
Oth. Race/Non-Hisp.	68	32,161	5	3.9	00.0-07.8	7	11.3	00.0-24.4	3	4.3	00.0-09.4				3	3.5	00.0-09.0	50	77.0	62.1-91.9
MultiRacial/Non-Hisp.	80	35,288	10	11.7	02.3-21.1	6	9.2	00.0-20.6	5	8.4	00.6-16.2				14	18.0	07.0-29.0	45	52.7	37.8-67.6
Hispanic	108	50,724	15	7.9	02.6-13.2	3	2.3	00.0-05.0	2	0.7	00.0-01.9	1	0.2	00.0-00.6	4	2.0	00.0-04.5	83	86.9	80.2-93.6
45-54	1416	869,695	197	13.5	11.5-15.5	107	7.3	05.5-09.1	48	3.1	02.1-04.1	17	1.0	00.4-01.6	75	5.8	04.2-07.4	972	69.3	66.4-72.2
55-64	1745	760,777	261	15.2	13.0-17.4	119	6.3	04.9-07.7	60	3.9	02.7-05.1	20	0.9	00.5-01.3	76	3.6	02.6-04.6	1209	70.2	67.5-72.9
65+	2652	872,440	439	16.5	14.7-18.3	214	7.1	05.9-08.3	88	3.2	02.4-04.0	34	1.5	00.9-02.1	79	2.5	01.9-03.1	1798	69.2	67.0-71.4
Less Than H.S.	557	307,858	88	15.2	11.5-18.9	46	8.7	05.6-11.8	20	3.4	01.6-05.2	12	2.3	00.9-03.7	38	6.1	03.6-08.6	353	64.2	59.1-69.3
H.S. or G.E.D.	2329	1,011,712	340	14.5	12.7-16.3	187	7.6	06.2-09.0	87	3.9	02.9-04.9	30	1.0	00.6-01.4	81	3.5	02.5-04.5	1604	69.4	67.0-71.8
Some Post-H.S.	1447	686,715	218	14.7	12.5-16.9	91	5.4	03.8-07.0	47	3.4	02.2-04.6	19	1.1	00.5-01.7	71	4.7	03.3-06.1	1001	70.8	67.9-73.7
College Graduate	1520	513,733	255	16.5	14.3-18.7	118	6.4	05.0-07.8	41	2.1	01.3-02.9	10	0.6	00.2-01.0	42	2.7	01.7-03.7	1054	71.8	69.1-74.5
Less than \$15,000	702	246,595	90	11.6	08.5-14.7	81	9.9	07.0-12.8	39	6.3	03.6-09.0	17	2.6	01.2-04.0	77	12.6	09.1-16.1	398	57.0	51.9-62.1
\$15,000- 24,999	1116	422,838	170	15.4	12.7-18.1	93	8.7	06.3-11.1	49	4.3	02.7-05.9	18	1.4	00.6-02.2	50	4.1	02.7-05.5	736	66.0	62.3-69.7
\$25,000- 34,999	639	266,643	102	15.5	12.2-18.8	53	7.9	05.2-10.6	21	4.1	02.1-06.1	9	1.1	00.3-01.9	18	3.5	01.3-05.7	436	67.9	63.4-72.4
\$35,000- 49,999	759	348,021	118	14.4	11.5-17.3	43	6.2	03.8-08.6	20	2.6	01.2-04.0	8	1.3	00.3-02.3	20	2.7	01.1-04.3	550	72.9	69.0-76.8
\$50,000- 74,999	744	359,882	133	17.3	14.0-20.6	49	6.2	04.0-08.4	23	3.5	01.9-05.1	6	0.9	00.1-01.7	16	2.3	01.1-03.5	517	69.8	65.7-73.9
\$75,000+	999	515,130	153	15.0	12.5-17.5	52	4.6	03.0-06.2	13	1.2	00.4-02.0	4	0.4	00.0-00.8	18	2.0	00.8-03.2	759	76.7	73.6-79.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 12: FALLS**

TABLE 2: IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2205	1,176,752	299	13.6	11.8-15.4	148	6.2	05.0-07.4	75	3.1	02.3-03.9	26	1.0	00.6-01.4	84	4.0	03.0-05.0	1573	72.1	69.7-74.5
White/Non-Hisp	1840	1,016,713	252	14.0	12.0-16.0	125	6.2	04.8-07.6	65	3.2	02.2-04.2	21	1.1	00.5-01.7	65	3.8	02.6-05.0	1312	71.6	69.1-74.1
Black or Afr. Am./Non-Hisp	205	73,369	28	15.1	07.7-22.5	14	6.5	01.2-11.8	4	1.3	00.0-03.1	5	0.8	00.0-01.6	8	3.0	00.1-05.9	146	73.2	64.2-82.2
45-54	584	426,507	67	11.9	09.0-14.8	37	7.0	04.3-09.7	19	2.4	01.2-03.6	7	1.0	00.2-01.8	29	5.8	03.4-08.2	425	71.9	67.6-76.2
55-64	717	368,857	102	14.6	11.3-17.9	51	5.9	03.9-07.9	24	3.8	01.8-05.8	6	0.7	00.1-01.3	25	3.2	01.8-04.6	509	71.7	67.6-75.8
65+	889	372,774	130	14.9	12.0-17.8	60	5.6	04.0-07.2	32	3.1	01.9-04.3	13	1.4	00.6-02.2	29	2.8	01.6-04.0	625	72.1	68.6-75.6
Less Than H.S.	203	138,025	35	16.7	10.2-23.2	11	6.8	02.3-11.3	7	3.1	00.6-05.6	5	2.1	00.1-04.1	11	5.3	01.2-09.4	134	66.0	57.8-74.2
H.S. or G.E.D.	818	462,987	108	13.4	10.7-16.1	66	7.2	05.0-09.4	33	3.7	02.1-05.3	12	1.2	00.4-02.0	33	4.2	02.4-06.0	566	70.4	66.7-74.1
Some Post-H.S.	516	308,070	66	12.9	09.4-16.4	33	5.3	02.8-07.8	17	3.3	01.5-05.1	3	0.6	00.0-01.4	23	4.9	02.5-07.3	374	73.1	68.4-77.8
College Graduate	662	263,852	90	13.5	10.6-16.4	38	5.0	03.2-06.8	18	1.7	00.5-02.9	6	0.8	00.2-01.4	17	2.2	01.0-03.4	493	76.8	73.1-80.5
Less than \$15,000	206	95,286	21	7.4	03.5-11.3	24	9.9	04.6-15.2	15	9.0	02.9-15.1	5	2.1	00.1-04.1	21	10.0	04.5-15.5	120	61.6	52.6-70.6
\$15,000- 24,999	381	181,278	52	14.7	10.0-19.4	30	6.8	03.7-09.9	20	4.3	01.9-06.7	8	1.6	00.2-03.0	19	5.0	02.3-07.7	252	67.6	61.7-73.5
\$25,000- 34,999	236	121,690	29	10.9	06.6-15.2	17	5.5	02.6-08.4	11	5.2	02.1-08.3	2	0.4	00.0-01.0	7	3.8	00.3-07.3	170	74.2	67.7-80.7
\$35,000- 49,999	338	185,124	41	12.0	07.7-16.3	25	7.7	04.0-11.4	9	2.7	00.5-04.9	4	1.5	00.0-03.1	6	2.6	00.1-05.1	253	73.5	67.6-79.4
\$50,000- 74,999	330	187,052	58	19.1	13.8-24.4	21	6.4	03.1-09.7	11	3.2	01.0-05.4	3	0.8	00.0-01.8	9	2.8	00.8-04.8	228	67.8	61.5-74.1
\$75,000+	494	289,945	70	13.9	10.4-17.4	24	4.5	02.0-07.0	4	0.3	00.0-00.7	2	0.5	00.0-01.3	10	2.3	00.7-03.9	384	78.5	74.2-82.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 12: FALLS**

TABLE 3: IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3660	1,348,435	605	16.2	14.8-17.6	294	7.5	06.3-08.7	121	3.6	02.8-04.4	45	1.2	00.8-01.6	148	3.9	03.1-04.7	2447	67.5	65.5-69.5
White/Non-Hisp	3046	1,187,858	518	16.7	15.1-18.3	239	7.2	06.0-08.4	105	3.6	02.8-04.4	41	1.3	00.9-01.7	115	3.4	02.6-04.2	2028	67.7	65.7-69.7
Black or Afr. Am./Non-Hisp	419	91,482	61	14.0	09.1-18.9	38	10.5	05.6-15.4	9	3.0	00.0-06.1	3	0.6	00.0-01.4	15	7.9	03.0-12.8	293	64.1	56.5-71.7
Hispanic	60	26,080	9	11.0	02.2-19.8	2	3.2	00.0-07.7	1	1.2	00.0-03.6	1	0.4	00.0-01.2	4	3.9	00.0-09.0	43	80.3	68.7-91.9
45-54	832	443,188	130	15.1	12.4-17.8	70	7.6	05.2-10.0	29	3.7	02.1-05.3	10	1.0	00.2-01.8	46	5.8	03.8-07.8	547	66.8	62.9-70.7
55-64	1028	391,921	159	15.7	13.0-18.4	68	6.7	04.7-08.7	36	3.9	02.3-05.5	14	1.1	00.3-01.9	51	3.9	02.7-05.1	700	68.7	65.2-72.2
65+	1763	499,667	309	17.7	15.5-19.9	154	8.2	06.6-09.8	56	3.3	02.3-04.3	21	1.5	00.7-02.3	50	2.3	01.5-03.1	1173	67.0	64.3-69.7
Less Than H.S.	354	169,832	53	14.0	09.9-18.1	35	10.3	06.2-14.4	13	3.7	01.3-06.1	7	2.4	00.4-04.4	27	6.8	03.7-09.9	219	62.8	56.5-69.1
H.S. or G.E.D.	1511	548,725	232	15.4	13.2-17.6	121	8.0	06.0-10.0	54	4.1	02.9-05.3	18	1.0	00.4-01.6	48	2.9	01.9-03.9	1038	68.6	65.7-71.5
Some Post-H.S.	931	378,645	152	16.1	13.2-19.0	58	5.5	03.7-07.3	30	3.4	02.0-04.8	16	1.6	00.6-02.6	48	4.5	02.9-06.1	627	68.9	65.2-72.6
College Graduate	858	249,881	165	19.6	16.3-22.9	80	7.9	05.9-09.9	23	2.4	01.0-03.8	4	0.4	00.0-00.8	25	3.3	01.7-04.9	561	66.5	62.6-70.4
Less than \$15,000	496	151,309	69	14.3	10.0-18.6	57	9.9	06.6-13.2	24	4.6	02.2-07.0	12	2.9	00.9-04.9	56	14.3	10.0-18.6	278	54.2	48.3-60.1
\$15,000- 24,999	735	241,560	118	15.9	12.6-19.2	63	10.2	06.9-13.5	29	4.4	02.4-06.4	10	1.2	00.4-02.0	31	3.4	01.8-05.0	484	64.8	60.3-69.3
\$25,000- 34,999	403	144,952	73	19.4	14.5-24.3	36	10.0	05.7-14.3	10	3.1	00.9-05.3	7	1.6	00.2-03.0	11	3.3	00.9-05.7	266	62.6	56.3-68.9
\$35,000- 49,999	421	162,897	77	17.0	12.9-21.1	18	4.6	02.1-07.1	11	2.5	00.7-04.3	4	1.1	00.0-02.5	14	2.7	01.1-04.3	297	72.1	67.0-77.2
\$50,000- 74,999	414	172,830	75	15.4	11.5-19.3	28	6.1	03.4-08.8	12	3.9	01.5-06.3	3	1.0	00.0-02.2	7	1.8	00.2-03.4	289	71.9	66.8-77.0
\$75,000+	505	225,185	83	16.4	12.7-20.1	28	4.6	02.6-06.6	9	2.5	00.5-04.5	2	0.3	00.0-00.9	8	1.6	00.2-03.0	375	74.5	70.0-79.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 12: FALLS**

TABLE 4: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1829	758,488	473	24.9	22.4-27.4	99	5.7	04.3-07.1	41	2.4	01.6-03.2	14	0.9	00.3-01.5	48	3.0	01.8-04.2	1154	63.1	60.4-65.8
Male	627	323,627	125	19.4	15.7-23.1	29	5.4	02.9-07.9	12	1.8	00.6-03.0	2	0.5	00.0-01.3	12	3.0	00.8-05.2	447	69.9	65.4-74.4
Female	1202	434,861	348	28.9	25.6-32.2	70	5.9	04.1-07.7	29	2.9	01.7-04.1	12	1.2	00.4-02.0	36	3.1	01.9-04.3	707	58.0	54.5-61.5
White/Non-Hisp	1533	665,323	396	24.6	21.9-27.3	79	5.6	04.0-07.2	28	1.9	01.1-02.7	10	0.8	00.2-01.4	36	2.6	01.4-03.8	984	64.4	61.5-67.3
Black or Afr. Am./Non-Hisp	183	51,822	52	32.5	21.9-43.1	11	4.6	00.5-08.7	9	8.8	01.9-15.7	4	3.5	00.0-07.8	4	4.5	00.0-10.2	103	46.1	35.1-57.1
45-54	440	262,152	111	24.7	20.0-29.4	28	6.4	03.7-09.1	18	4.1	01.9-06.3	2	0.3	00.0-00.9	23	5.9	03.0-08.8	258	58.5	53.0-64.0
55-64	532	225,939	134	24.5	19.8-29.2	41	7.8	04.7-10.9	17	2.5	01.1-03.9	7	1.7	00.3-03.1	14	2.2	00.8-03.6	319	61.4	56.1-66.7
65+	848	267,445	224	25.0	21.5-28.5	30	3.3	01.9-04.7	6	0.7	00.1-01.3	5	0.8	00.0-01.6	11	1.0	00.4-01.6	572	69.2	65.5-72.9
Less Than H.S.	199	106,352	50	23.1	16.0-30.2	13	8.0	02.9-13.1	6	3.4	00.5-06.3	3	1.9	00.0-04.1	9	3.8	00.9-06.7	118	59.8	51.4-68.2
H.S. or G.E.D.	719	306,497	187	24.1	20.4-27.8	44	6.3	03.8-08.8	14	2.5	01.1-03.9	5	0.7	00.0-01.5	16	3.1	01.1-05.1	453	63.1	58.6-67.6
Some Post-H.S.	444	200,447	118	26.4	21.1-31.7	25	5.3	02.9-07.7	9	1.4	00.2-02.6	6	1.3	00.1-02.5	18	4.1	01.6-06.6	268	61.5	55.8-67.2
College Graduate	463	144,075	117	25.7	20.8-30.6	17	3.1	01.3-04.9	11	2.6	00.6-04.6				5	0.8	00.0-01.6	313	67.8	62.7-72.9
Less than \$15,000	298	104,022	78	24.5	17.8-31.2	30	11.7	05.8-17.6	15	8.0	03.5-12.5	4	1.9	00.0-03.9	25	10.6	05.1-16.1	146	43.3	35.7-50.9
\$15,000- 24,999	379	143,684	110	27.0	21.1-32.9	23	6.2	02.9-09.5	9	1.6	00.4-02.8	5	1.5	00.0-03.1	12	4.1	01.4-06.8	220	59.6	53.1-66.1
\$25,000- 34,999	203	85,659	45	22.8	15.7-29.9	11	7.0	02.1-11.9	2	1.0	00.0-02.4				4	1.8	00.0-03.8	141	67.4	59.4-75.4
\$35,000- 49,999	207	93,012	54	24.7	17.4-32.0	9	5.4	01.7-09.1	2	1.2	00.0-03.2	1	0.1	00.0-00.3	3	2.6	00.0-06.7	138	66.0	57.8-74.2
\$50,000- 74,999	227	108,844	43	20.2	13.5-26.9	8	3.5	00.8-06.2	3	1.8	00.0-04.0				1	0.4	00.0-01.2	172	74.1	66.8-81.4
\$75,000+	239	119,304	58	24.1	17.8-30.4	6	1.6	00.0-03.2	3	1.0	00.0-02.2	1	0.7	00.0-02.1	1	0.8	00.0-02.4	170	71.8	65.1-78.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 12: FALLS**

TABLE 5: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	627	323,627	125	19.4	15.7-23.1	29	5.4	02.9-07.9	12	1.8	00.6-03.0	2	0.5	00.0-01.3	12	3.0	00.8-05.2	447	69.9	65.4-74.4
White/Non-Hisp	523	284,200	103	18.9	15.0-22.8	24	5.6	02.9-08.3	9	1.7	00.3-03.1	1	0.3	00.0-00.9	11	3.2	00.8-05.6	375	70.2	65.3-75.1
Black or Afr. Am./Non-Hisp	59	19,650	15	30.3	12.1-48.5	2	1.1	00.0-02.7	1	0.6	00.0-01.8	1	4.6	00.0-13.4				40	63.4	44.6-82.2
45-54	155	115,148	38	21.6	14.3-28.9	6	4.9	00.6-09.2	3	1.8	00.0-04.2				8	6.5	01.2-11.8	100	65.2	56.4-74.0
55-64	207	104,206	46	18.9	12.6-25.2	15	7.7	02.4-13.0	7	2.8	00.4-05.2	2	1.7	00.0-04.1	4	2.1	00.0-04.5	133	66.9	59.1-74.7
65+	264	103,945	41	17.6	12.1-23.1	8	3.6	00.9-06.3	2	0.8	00.0-02.0							213	78.0	71.9-84.1
Less Than H.S.	66	43,886	12	17.9	07.1-28.7	4	6.8	00.0-14.1	2	4.3	00.0-10.4	1	2.1	00.0-06.2				47	68.9	55.4-82.4
H.S. or G.E.D.	250	135,458	48	17.1	11.8-22.4	15	7.3	02.4-12.2	3	1.2	00.0-02.8	1	0.6	00.0-01.8	6	4.5	00.6-08.4	177	69.1	61.8-76.4
Some Post-H.S.	142	83,003	34	23.1	14.7-31.5	5	3.6	00.3-06.9	2	1.0	00.0-02.4				3	3.7	00.0-08.6	98	68.6	59.2-78.0
College Graduate	169	61,279	31	20.4	13.1-27.7	5	2.4	00.0-04.9	5	2.5	00.0-05.0				3	0.7	00.0-01.5	125	74.0	66.2-81.8
Less than \$15,000	84	35,925	15	19.2	08.6-29.8	10	15.1	01.8-28.4	5	6.9	00.0-14.3				7	13.9	01.9-25.9	47	45.0	30.7-59.3
\$15,000- 24,999	129	58,799	29	18.0	10.6-25.4	8	8.7	01.4-16.0	1	0.1	00.0-00.3	1	1.5	00.0-04.4	3	4.0	00.0-09.1	87	67.7	57.1-78.3
\$25,000- 34,999	66	31,403	12	18.3	07.7-28.9	2	4.3	00.0-10.2	2	2.7	00.0-06.4				1	1.3	00.0-03.8	49	73.4	61.2-85.6
\$35,000- 49,999	84	47,778	16	19.4	08.6-30.2	3	3.3	00.0-07.8	1	1.9	00.0-05.6				1	4.0	00.0-11.6	63	71.3	58.6-84.0
\$50,000- 74,999	102	60,280	14	13.8	05.6-22.0	4	3.6	00.0-07.3	1	0.9	00.0-02.7							83	81.8	72.8-90.8
\$75,000+	110	62,483	26	23.6	14.4-32.8				2	1.7	00.0-04.1	1	1.3	00.0-03.8				81	73.4	63.8-83.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 12: FALLS**

TABLE 6: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1202	434,861	348	28.9	25.6-32.2	70	5.9	04.1-07.7	29	2.9	01.7-04.1	12	1.2	00.4-02.0	36	3.1	01.9-04.3	707	58.0	54.5-61.5
White/Non-Hisp	1010	381,122	293	28.9	25.4-32.4	55	5.7	03.9-07.5	19	2.1	01.1-03.1	9	1.1	00.3-01.9	25	2.2	01.2-03.2	609	60.1	56.4-63.8
Black or Afr. Am./Non-Hisp	124	32,173	37	33.8	20.7-46.9	9	6.7	00.0-13.4	8	13.8	03.2-24.4	3	2.8	00.0-07.1	4	7.3	00.0-16.3	63	35.6	23.6-47.6
45-54	285	147,004	73	27.2	20.9-33.5	22	7.6	03.9-11.3	15	5.9	02.8-09.0	2	0.6	00.0-01.6	15	5.4	02.3-08.5	158	53.3	46.2-60.4
55-64	325	121,733	88	29.3	22.8-35.8	26	7.9	04.4-11.4	10	2.3	00.5-04.1	5	1.7	00.1-03.3	10	2.2	00.4-04.0	186	56.6	49.9-63.3
65+	584	163,501	183	29.7	25.2-34.2	22	3.1	01.5-04.7	4	0.7	00.0-01.5	5	1.4	00.0-02.8	11	1.6	00.4-02.8	359	63.6	58.9-68.3
Less Than H.S.	133	62,466	38	26.7	17.7-35.7	9	8.8	01.9-15.7	4	2.8	00.0-05.7	2	1.8	00.0-04.3	9	6.5	01.6-11.4	71	53.4	43.2-63.6
H.S. or G.E.D.	469	171,039	139	29.7	24.4-35.0	29	5.5	03.1-07.9	11	3.5	01.1-05.9	4	0.8	00.0-01.8	10	2.1	00.5-03.7	276	58.3	52.6-64.0
Some Post-H.S.	302	117,445	84	28.7	22.0-35.4	20	6.6	03.5-09.7	7	1.8	00.0-03.6	6	2.2	00.2-04.2	15	4.3	01.4-07.2	170	56.4	49.3-63.5
College Graduate	294	82,795	86	29.5	23.0-36.0	12	3.7	01.0-06.4	6	2.7	00.0-05.6				2	0.8	00.0-02.0	188	63.2	56.3-70.1
Less than \$15,000	214	68,096	63	27.3	18.9-35.7	20	9.9	04.6-15.2	10	8.5	02.6-14.4	4	2.9	00.0-06.0	18	8.9	03.4-14.4	99	42.5	33.9-51.1
\$15,000- 24,999	250	84,885	81	33.2	25.2-41.2	15	4.5	01.8-07.2	8	2.6	00.4-04.8	4	1.5	00.0-03.1	9	4.2	01.1-07.3	133	54.0	45.8-62.2
\$25,000- 34,999	137	54,255	33	25.3	16.3-34.3	9	8.6	01.7-15.5						3	2.2	00.0-04.9	92	63.9	53.5-74.3	
\$35,000- 49,999	123	45,234	38	30.3	20.7-39.9	6	7.6	01.5-13.7	1	0.3	00.0-01.1	1	0.2	00.0-00.6	2	1.1	00.0-02.7	75	60.4	50.0-70.8
\$50,000- 74,999	125	48,563	29	28.1	17.7-38.5	4	3.4	00.0-07.3	2	3.0	00.0-07.1				1	0.9	00.0-02.7	89	64.5	53.9-75.1
\$75,000+	129	56,821	32	24.6	16.2-33.0	6	3.4	00.3-06.5	1	0.2	00.0-00.6				1	1.7	00.0-05.0	89	70.1	61.1-79.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012

SECTION 13: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)	
1	MALES AND FEMALES	202
2	MALES ONLY	203
3	FEMALES ONLY	204

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 13: SEATBELT USE**

TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8416	4,805,544	7305	84.6	83.4-85.8	698	9.4	08.4-10.4	188	3.0	02.4-03.6	80	1.1	00.9-01.3	129	1.8	01.4-02.2	16	0.1	00.1-00.1
Male	3300	2,324,564	2671	79.7	77.9-81.5	378	11.3	09.9-12.7	104	4.0	03.0-05.0	54	1.7	01.1-02.3	87	3.0	02.2-03.8	6	0.1	00.0-00.3
Female	5116	2,480,981	4634	89.2	87.8-90.6	320	7.6	06.4-08.8	84	2.0	01.4-02.6	26	0.5	00.3-00.7	42	0.7	00.5-00.9	10	0.1	00.0-00.3
White/Non-Hisp	6861	3,965,562	5957	84.9	83.7-86.1	582	9.5	08.5-10.5	149	2.7	02.1-03.3	69	1.1	00.7-01.5	98	1.7	01.3-02.1	6	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	880	392,788	768	81.8	77.1-86.5	66	9.8	06.3-13.3	29	6.1	02.6-09.6	4	0.4	00.0-01.0	9	1.3	00.0-02.7	4	0.6	00.0-01.2
Oth. Race/Non-Hisp.	123	75,455	100	81.6	73.0-90.2	10	7.1	01.4-12.8	1	1.3	00.0-03.8	1	1.7	00.0-05.0	8	6.3	01.2-11.4	3	2.0	00.0-05.1
MultiRacial/Non-Hisp.	127	65,382	109	87.8	80.9-94.7	12	8.7	02.8-14.6	2	1.8	00.0-04.9	3	1.6	00.0-03.8	1	0.1	00.0-00.3	1	0.1	00.0-00.3
Hispanic	294	247,602	263	86.5	80.8-92.2	15	7.3	02.6-12.0	5	2.5	00.0-05.0	2	0.6	00.0-01.8	8	3.1	00.7-05.5	1	0.0	00.0-00.0
18-24	520	664,954	387	73.6	69.1-78.1	82	17.1	13.0-21.2	29	5.1	02.9-07.3	8	1.5	00.3-02.7	13	2.6	01.0-04.2	1	0.2	00.0-00.6
25-34	872	780,370	739	83.9	81.0-86.8	80	9.0	06.8-11.2	27	3.4	01.8-05.0	9	1.2	00.4-02.0	16	2.5	01.1-03.9	1	0.1	00.0-00.3
35-44	1084	794,302	940	86.2	83.7-88.7	94	8.5	06.5-10.5	25	3.4	01.6-05.2	13	1.2	00.4-02.0	11	0.8	00.2-01.4	1	0.0	00.0-00.0
45-54	1433	887,069	1258	86.1	83.7-88.5	113	8.2	06.4-10.0	28	2.7	01.5-03.9	12	0.9	00.3-01.5	19	1.9	00.7-03.1	3	0.2	00.0-00.4
55-64	1755	766,283	1540	87.0	85.0-89.0	138	7.9	06.3-09.5	31	2.2	01.2-03.2	18	1.0	00.4-01.6	23	1.7	00.7-02.7	5	0.2	00.0-00.4
65+	2678	879,239	2378	88.6	87.0-90.2	183	7.4	06.0-08.8	47	1.6	01.0-02.2	19	0.8	00.4-01.2	46	1.5	00.9-02.1	5	0.1	00.0-00.3
Less Than H.S.	822	674,773	695	81.1	77.4-84.8	67	10.2	07.3-13.1	29	4.9	02.5-07.3	9	1.1	00.1-02.1	19	2.5	01.1-03.9	3	0.2	00.0-00.4
H.S. or G.E.D.	3040	1,669,149	2620	84.3	82.5-86.1	244	9.1	07.7-10.5	78	3.0	02.0-04.0	31	1.2	00.6-01.8	59	2.2	01.4-03.0	8	0.2	00.0-00.4
Some Post-H.S.	2212	1,451,785	1895	83.1	80.9-85.3	205	10.6	08.8-12.4	51	3.0	02.0-04.0	20	1.0	00.4-01.6	38	2.1	01.1-03.1	3	0.1	00.0-00.3
College Graduate	2325	1,001,146	2080	89.5	87.9-91.1	182	7.8	06.4-09.2	29	1.5	00.9-02.1	20	0.8	00.4-01.2	13	0.4	00.2-00.6	1	0.0	00.0-00.0
Less than \$15,000	980	493,751	827	80.2	76.1-84.3	88	11.7	08.4-15.0	27	4.5	02.0-07.0	9	0.8	00.2-01.4	20	2.2	01.0-03.4	9	0.6	00.0-01.2
\$15,000- 24,999	1506	779,190	1326	85.9	83.5-88.3	101	7.5	05.7-09.3	37	3.2	02.0-04.4	11	1.0	00.2-01.8	29	2.4	01.2-03.6	2	0.1	00.1-00.1
\$25,000- 34,999	871	479,436	744	83.2	79.9-86.5	79	10.4	07.9-12.9	26	3.5	01.7-05.3	7	0.7	00.1-01.3	13	1.9	00.5-03.3	2	0.4	00.0-01.0
\$35,000- 49,999	1130	659,802	970	85.2	82.7-87.7	95	8.4	06.4-10.4	24	2.5	01.3-03.7	19	1.4	00.6-02.2	22	2.4	01.0-03.8			
\$50,000- 74,999	1148	723,320	1008	83.9	80.8-87.0	95	9.8	07.3-12.3	21	3.3	01.3-05.3	12	1.4	00.4-02.4	12	1.5	00.3-02.7			
\$75,000+	1564	984,768	1365	86.5	84.3-88.7	148	9.8	07.8-11.8	24	1.8	01.0-02.6	15	0.9	00.3-01.5	12	1.0	00.2-01.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 13: SEATBELT USE**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3300	2,324,564	2671	79.7	77.9-81.5	378	11.3	09.9-12.7	104	4.0	03.0-05.0	54	1.7	01.1-02.3	87	3.0	02.2-03.8	6	0.1	00.0-00.3
White/Non-Hisp	2724	1,907,319	2195	79.8	77.8-81.8	323	11.5	10.1-12.9	89	3.9	02.9-04.9	47	1.9	01.3-02.5	69	2.9	02.1-03.7	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	290	180,395	241	77.6	69.6-85.6	28	10.6	05.3-15.9	11	7.8	01.5-14.1	3	0.8	00.0-02.0	5	2.6	00.0-05.7	2	0.6	00.0-01.4
MultiRacial/Non-Hisp.	50	29,383	43	86.3	75.1-97.5	6	13.4	02.2-24.6				1	0.3	00.0-00.9						
Hispanic	123	132,123	107	83.1	73.9-92.3	7	8.9	01.1-16.7	2	2.8	00.0-06.9	2	1.1	00.0-03.3	5	4.1	00.2-08.0			
18-24	259	342,253	186	70.9	64.4-77.4	38	15.5	10.2-20.8	18	6.8	03.5-10.1	7	2.6	00.4-04.8	9	3.8	01.1-06.5	1	0.3	00.0-00.9
25-34	351	387,881	276	79.2	74.3-84.1	41	9.5	06.4-12.6	12	4.3	01.4-07.2	7	2.0	00.4-03.6	15	5.0	02.3-07.7			
35-44	454	396,245	375	82.7	78.4-87.0	50	10.2	07.1-13.3	11	4.0	00.9-07.1	11	2.0	00.6-03.4	7	1.1	00.1-02.1			
45-54	593	437,647	487	80.6	76.7-84.5	64	11.1	08.2-14.0	16	3.3	01.5-05.1	11	1.5	00.3-02.7	14	3.4	01.2-05.6	1	0.1	00.0-00.3
55-64	722	373,389	590	81.2	77.7-84.7	84	11.0	08.3-13.7	24	3.9	02.1-05.7	7	1.1	00.1-02.1	15	2.7	00.9-04.5	2	0.2	00.0-00.4
65+	899	374,462	741	83.2	80.3-86.1	98	11.3	08.8-13.8	22	2.2	01.2-03.2	10	1.0	00.2-01.8	26	2.2	01.2-03.2	2	0.1	00.0-00.3
Less Than H.S.	325	338,151	263	79.3	73.6-85.0	32	10.0	06.1-13.9	13	5.5	01.8-09.2	4	1.7	00.0-03.5	11	3.3	01.1-05.5	2	0.2	00.0-00.6
H.S. or G.E.D.	1177	855,764	920	77.2	74.1-80.3	142	12.3	09.9-14.7	48	4.7	02.9-06.5	23	2.0	01.0-03.0	43	3.7	02.3-05.1	1	0.1	00.0-00.3
Some Post-H.S.	806	629,149	632	77.4	73.9-80.9	105	12.4	09.7-15.1	24	3.8	02.0-05.6	16	2.1	00.9-03.3	27	4.2	02.2-06.2	2	0.1	00.0-00.3
College Graduate	984	495,394	850	87.4	85.0-89.8	99	9.5	07.3-11.7	18	2.0	01.0-03.0	11	0.8	00.2-01.4	6	0.3	00.0-00.7			
Less than \$15,000	295	192,071	236	77.8	70.5-85.1	35	12.7	07.0-18.4	9	5.6	00.5-10.7	4	0.8	00.0-01.8	8	2.5	00.3-04.7	3	0.5	00.0-01.3
\$15,000- 24,999	545	361,468	456	82.7	78.6-86.8	46	8.1	05.2-11.0	13	2.9	01.1-04.7	8	1.9	00.3-03.5	21	4.3	02.1-06.5	1	0.1	00.0-00.3
\$25,000- 34,999	332	221,134	255	76.5	70.8-82.2	45	13.8	09.3-18.3	17	4.6	02.1-07.1	4	0.9	00.0-01.9	10	3.7	00.8-06.6	1	0.5	00.0-01.5
\$35,000- 49,999	501	349,188	401	80.4	76.3-84.5	58	10.6	07.7-13.5	12	2.7	00.9-04.5	12	2.0	00.8-03.2	18	4.3	01.8-06.8			
\$50,000- 74,999	523	391,237	425	77.1	72.0-82.2	60	12.5	08.8-16.2	18	5.6	02.3-08.9	9	2.2	00.6-03.8	11	2.7	00.7-04.7			
\$75,000+	753	543,844	620	82.3	79.0-85.6	92	11.9	09.0-14.8	20	2.9	01.5-04.3	13	1.4	00.6-02.2	8	1.6	00.2-03.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 13: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5116	2,480,981	4634	89.2	87.8-90.6	320	7.6	06.4-08.8	84	2.0	01.4-02.6	26	0.5	00.3-00.7	42	0.7	00.5-00.9	10	0.1	00.0-00.3
White/Non-Hisp	4137	2,058,243	3762	89.6	88.2-91.0	259	7.6	06.4-08.8	60	1.7	01.1-02.3	22	0.5	00.3-00.7	29	0.6	00.4-00.8	5	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	590	212,393	527	85.3	79.8-90.8	38	9.2	04.5-13.9	18	4.7	01.4-08.0	1	0.0	00.0-00.0	4	0.2	00.0-00.4	2	0.6	00.0-01.6
Oth. Race/Non-Hisp.	74	35,331	64	87.5	79.1-95.9	4	5.0	00.0-10.7							5	6.7	00.4-13.0	1	0.9	00.0-02.7
MultiRacial/Non-Hisp.	77	35,999	66	89.0	80.6-97.4	6	4.8	00.0-10.3	2	3.2	00.0-08.7	2	2.6	00.0-06.5	1	0.3	00.0-00.9	1	0.3	00.0-00.9
Hispanic	171	115,479	156	90.5	85.0-96.0	8	5.5	01.0-10.0	3	2.1	00.0-04.8				3	1.8	00.0-04.0	1	0.1	00.0-00.3
18-24	261	322,701	201	76.4	69.9-82.9	44	18.7	12.6-24.8	11	3.2	00.8-05.6	1	0.4	00.0-01.2	4	1.3	00.0-02.7			
25-34	521	392,490	463	88.6	85.1-92.1	39	8.4	05.3-11.5	15	2.5	00.9-04.1	2	0.3	00.0-00.7	1	0.0	00.0-00.0	1	0.1	00.0-00.3
35-44	630	398,057	565	89.7	86.8-92.6	44	6.9	04.5-09.3	14	2.7	00.9-04.5	2	0.4	00.0-01.0	4	0.4	00.0-00.8	1	0.0	00.0-00.0
45-54	840	449,423	771	91.4	89.0-93.8	49	5.4	03.6-07.2	12	2.1	00.7-03.5	1	0.3	00.0-00.9	5	0.5	00.0-01.1	2	0.3	00.0-00.7
55-64	1033	392,895	950	92.5	90.5-94.5	54	5.0	03.4-06.6	7	0.6	00.0-01.2	11	0.9	00.3-01.5	8	0.8	00.0-01.6	3	0.1	00.0-00.3
65+	1779	504,777	1637	92.5	91.1-93.9	85	4.6	03.4-05.8	25	1.2	00.6-01.8	9	0.6	00.2-01.0	20	1.0	00.4-01.6	3	0.1	00.0-00.3
Less Than H.S.	497	336,622	432	83.0	78.1-87.9	35	10.4	06.1-14.7	16	4.4	01.9-06.9	5	0.5	00.1-00.9	8	1.7	00.3-03.1	1	0.1	00.0-00.3
H.S. or G.E.D.	1863	813,385	1700	91.9	90.3-93.5	102	5.7	04.3-07.1	30	1.3	00.7-01.9	8	0.4	00.0-00.8	16	0.6	00.2-01.0	7	0.2	00.0-00.4
Some Post-H.S.	1406	822,636	1263	87.5	84.8-90.2	100	9.3	06.8-11.8	27	2.3	01.1-03.5	4	0.2	00.0-00.6	11	0.5	00.1-00.9	1	0.1	00.0-00.3
College Graduate	1341	505,752	1230	91.6	89.8-93.4	83	6.2	04.6-07.8	11	0.9	00.3-01.5	9	0.9	00.1-01.7	7	0.4	00.0-00.8	1	0.0	00.0-00.0
Less than \$15,000	685	301,680	591	81.7	77.0-86.4	53	11.1	07.0-15.2	18	3.7	01.3-06.1	5	0.7	00.0-01.5	12	2.1	00.5-03.7	6	0.6	00.0-01.4
\$15,000- 24,999	961	417,722	870	88.6	85.7-91.5	55	6.9	04.7-09.1	24	3.4	01.6-05.2	3	0.2	00.0-00.6	8	0.8	00.0-01.6	1	0.0	00.0-00.0
\$25,000- 34,999	539	258,302	489	89.0	85.3-92.7	34	7.5	04.6-10.4	9	2.5	00.3-04.7	3	0.5	00.0-01.1	3	0.3	00.0-00.7	1	0.2	00.0-00.6
\$35,000- 49,999	629	310,615	569	90.6	87.7-93.5	37	5.9	03.7-08.1	12	2.3	00.5-04.1	7	0.8	00.0-01.6	4	0.4	00.0-01.0			
\$50,000- 74,999	625	332,083	583	91.8	88.3-95.3	35	6.7	03.4-10.0	3	0.7	00.0-01.5	3	0.6	00.0-01.4	1	0.2	00.0-00.6			
\$75,000+	811	440,924	745	91.8	89.4-94.2	56	7.2	04.8-09.6	4	0.4	00.0-00.8	2	0.2	00.0-00.6	4	0.4	00.0-00.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012

SECTION 14: DRINKING AND DRIVING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2)	
1	MALES AND FEMALES	206
2	MALES ONLY	207
3	FEMALES ONLY	208

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 14: DRINKING AND DRIVING**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that didn't drink alcohol in the past 30 days
Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3813	2,390,349	64	2.1	01.5-02.7	25	0.7	00.5-00.9	8	0.2	00.0-00.4	4	0.0	00.0-00.0	6	0.3	00.1-00.5	3706	96.7	95.9-97.5
Male	1825	1,339,608	50	2.9	01.9-03.9	20	0.9	00.5-01.3	7	0.4	00.0-00.8	3	0.1	00.1-00.1	6	0.5	00.0-01.1	1739	95.2	94.0-96.4
Female	1988	1,050,741	14	1.1	00.3-01.9	5	0.4	00.0-00.8	1	0.0	00.0-00.0	1	0.0	00.0-00.0				1967	98.5	97.7-99.3
White/Non-Hisp	3197	1,995,399	57	2.1	01.5-02.7	20	0.6	00.2-01.0	6	0.3	00.1-00.5	4	0.0	00.0-00.0	5	0.2	00.0-00.4	3105	96.7	95.9-97.5
Black or Afr. Am./Non-Hisp	332	197,497	3	0.9	00.0-02.3	2	0.7	00.0-01.7	2	0.2	00.0-00.6				1	1.2	00.0-03.6	324	97.0	94.1-99.9
Oth. Race/Non-Hisp.	50	32,343				2	2.6	00.0-06.3										48	97.4	93.7-0100
MultiRacial/Non-Hisp.	58	32,127																58	100.0	0100-0100
Hispanic	121	108,091	4	4.9	00.0-09.8	1	0.7	00.0-02.1										116	94.4	89.3-99.5
18-24	277	352,240	9	3.1	00.9-05.3	1	0.4	00.0-01.2	2	0.8	00.0-02.2				1	0.6	00.0-01.8	264	95.2	92.5-97.9
25-34	527	481,513	18	3.5	01.7-05.3	6	1.0	00.0-02.0	2	0.3	00.0-00.9				1	0.5	00.0-01.5	500	94.7	92.5-96.9
35-44	618	454,303	10	1.8	00.4-03.2	5	0.8	00.0-01.6	1	0.1	00.0-00.3				2	0.3	00.0-00.7	600	97.0	95.4-98.6
45-54	723	444,504	12	1.9	00.5-03.3	5	0.5	00.0-01.1				1	0.1	00.0-00.3	1	0.2	00.0-00.6	704	97.3	95.9-98.7
55-64	804	356,804	9	0.7	00.1-01.3	7	1.0	00.2-01.8	1	0.2	00.0-00.6	3	0.1	00.0-00.3				784	98.0	97.0-99.0
65+	835	287,910	6	1.1	00.0-02.3	1	0.1	00.0-00.3	2	0.2	00.0-00.4				1	0.0	00.0-00.0	825	98.6	97.4-99.8
Less Than H.S.	205	227,519	5	3.4	00.3-06.5	1	0.3	00.0-00.9	1	1.1	00.0-03.1							198	95.2	91.5-98.9
H.S. or G.E.D.	1117	718,061	14	1.3	00.5-02.1	7	0.6	00.2-01.0	3	0.2	00.0-00.4	3	0.1	00.0-00.3	4	0.9	00.0-01.9	1086	97.0	95.6-98.4
Some Post-H.S.	1061	773,156	20	2.5	01.3-03.7	5	0.7	00.1-01.3	2	0.1	00.0-00.3							1034	96.7	95.3-98.1
College Graduate	1424	667,265	25	2.0	01.0-03.0	12	0.9	00.3-01.5	2	0.2	00.0-00.6	1	0.0	00.0-00.0	2	0.1	00.0-00.3	1382	96.8	95.6-98.0
Less than \$15,000	276	169,666	7	1.8	00.0-03.6	1	0.4	00.0-01.2	1	0.2	00.0-00.6	1	0.3	00.0-00.9				266	97.3	95.1-99.5
\$15,000- 24,999	528	323,272	14	3.2	01.0-05.4	6	1.2	00.2-02.2	1	0.0	00.0-00.0	1	0.0	00.0-00.0				506	95.6	93.2-98.0
\$25,000- 34,999	347	199,274	10	4.4	01.1-07.7	5	1.4	00.0-02.8				1	0.1	00.0-00.3				331	94.1	90.6-97.6
\$35,000- 49,999	515	313,936	7	2.2	00.4-04.0				1	0.1	00.0-00.3	1	0.0	00.0-00.0				506	97.7	95.9-99.5
\$50,000- 74,999	632	413,868	6	1.8	00.2-03.4	8	1.4	00.2-02.6							1	0.5	00.0-01.5	617	96.2	94.0-98.4
\$75,000+	1060	680,069	18	1.7	00.7-02.7	5	0.4	00.0-00.8	4	0.4	00.0-00.8				4	0.7	00.0-01.5	1029	96.8	95.4-98.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 14: DRINKING AND DRIVING**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1825	1,339,608	50	2.9	01.9-03.9	20	0.9	00.5-01.3	7	0.4	00.0-00.8	3	0.1	00.1-00.1	6	0.5	00.0-01.1	1739	95.2	94.0-96.4
White/Non-Hisp	1543	1,113,600	45	2.9	01.9-03.9	16	0.9	00.3-01.5	5	0.4	00.0-01.0	3	0.1	00.0-00.3	5	0.4	00.0-00.8	1469	95.3	93.9-96.7
Black or Afr. Am./Non-Hisp	129	99,517	1	1.4	00.0-04.1	1	0.9	00.0-02.7	2	0.4	00.0-01.2				1	2.4	00.0-07.1	124	94.8	89.1-0100
Hispanic	66	73,139	4	7.3	00.0-14.6	1	1.0	00.0-03.0										61	91.7	84.3-99.1
18-24	152	199,999	7	4.1	00.8-07.4				2	1.3	00.0-03.7				1	1.0	00.0-03.0	142	93.5	89.0-98.0
25-34	253	272,843	12	4.2	01.7-06.7	4	1.3	00.0-02.7	2	0.6	00.0-01.6				1	0.9	00.0-02.7	234	93.0	89.5-96.5
35-44	297	257,808	8	2.2	00.4-04.0	4	1.2	00.0-02.6							2	0.5	00.0-01.3	283	96.0	93.6-98.4
45-54	330	242,844	9	3.1	00.7-05.5	5	0.9	00.0-01.9				1	0.2	00.0-00.6	1	0.4	00.0-01.2	314	95.4	92.9-97.9
55-64	398	201,914	8	1.1	00.1-02.1	6	1.4	00.2-02.6	1	0.3	00.0-00.9	2	0.2	00.0-00.4				381	96.9	95.3-98.5
65+	384	157,653	6	2.0	00.0-04.2	1	0.2	00.0-00.6	2	0.3	00.0-00.9				1	0.1	00.0-00.3	374	97.4	95.2-99.6
Less Than H.S.	110	144,633	4	4.3	00.0-08.8	1	0.5	00.0-01.5	1	1.7	00.0-04.8							104	93.5	88.0-99.0
H.S. or G.E.D.	587	451,672	14	2.0	00.6-03.4	6	0.7	00.1-01.3	3	0.3	00.0-00.7	3	0.2	00.0-00.4	4	1.4	00.0-02.8	557	95.4	93.2-97.6
Some Post-H.S.	451	377,800	15	3.8	01.8-05.8	3	0.9	00.0-02.1	1	0.1	00.0-00.3							432	95.2	92.8-97.6
College Graduate	674	362,526	17	2.4	01.0-03.8	10	1.3	00.3-02.3	2	0.4	00.0-01.0				2	0.2	00.0-00.6	643	95.7	93.9-97.5
Less than \$15,000	115	85,033	7	3.5	00.0-07.0	1	0.9	00.0-02.7	1	0.4	00.0-01.2	1	0.7	00.0-02.1				105	94.5	90.2-98.8
\$15,000- 24,999	241	174,934	10	4.4	01.5-07.3	5	1.4	00.0-02.8	1	0.1	00.0-00.3							225	94.1	90.8-97.4
\$25,000- 34,999	157	105,724	8	5.6	00.7-10.5	4	2.1	00.0-04.3				1	0.2	00.0-00.6				144	92.1	86.8-97.4
\$35,000- 49,999	259	182,729	4	2.4	00.0-04.8							1	0.1	00.0-00.3				254	97.6	95.2-0100
\$50,000- 74,999	326	251,027	5	2.8	00.3-05.3	6	1.9	00.1-03.7							1	0.8	00.0-02.4	314	94.5	91.0-98.0
\$75,000+	550	406,987	14	2.2	00.8-03.6	4	0.5	00.0-01.1	4	0.6	00.0-01.4				4	1.2	00.0-02.6	524	95.5	93.5-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 14: DRINKING AND DRIVING**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1988	1,050,741	14	1.1	00.3-01.9	5	0.4	00.0-00.8	1	0.0	00.0-00.0	1	0.0	00.0-00.0	1967	98.5	97.7-99.3
White/Non-Hisp	1654	881,799	12	1.2	00.4-02.0	4	0.4	00.0-00.8	1	0.0	00.0-00.0	1	0.0	00.0-00.0	1636	98.4	97.4-99.4
Black or Afr. Am./Non-Hisp	203	97,980	2	0.3	00.0-00.7	1	0.6	00.0-01.8							200	99.1	97.9-0100
Hispanic	55	34,952													55	100.0	0100-0100
18-24	125	152,241	2	1.6	00.0-04.1	1	0.8	00.0-02.4							122	97.5	94.6-0100
25-34	274	208,670	6	2.6	00.4-04.8	2	0.6	00.0-01.4							266	96.8	94.4-99.2
35-44	321	196,495	2	1.2	00.0-03.4	1	0.3	00.0-00.9	1	0.2	00.0-00.6				317	98.3	96.1-0100
45-54	393	201,659	3	0.4	00.0-00.8										390	99.6	99.2-0100
55-64	406	154,890	1	0.2	00.0-00.6	1	0.4	00.0-01.2				1	0.0	00.0-00.0	403	99.3	98.3-0100
65+	451	130,257													451	100.0	0100-0100
Less Than H.S.	95	82,886	1	1.7	00.0-05.0										94	98.3	95.0-0100
H.S. or G.E.D.	530	266,388				1	0.2	00.0-00.6							529	99.8	99.4-0100
Some Post-H.S.	610	395,356	5	1.3	00.0-02.9	2	0.5	00.0-01.3	1	0.1	00.0-00.3				602	98.1	96.5-99.7
College Graduate	750	304,738	8	1.5	00.3-02.7	2	0.4	00.0-01.0				1	0.0	00.0-00.0	739	98.1	96.7-99.5
Less than \$15,000	161	84,633													161	100.0	0100-0100
\$15,000- 24,999	287	148,338	4	1.8	00.0-04.5	1	0.8	00.0-02.4				1	0.0	00.0-00.0	281	97.3	94.0-0100
\$25,000- 34,999	190	93,550	2	3.0	00.0-07.3	1	0.7	00.0-02.1							187	96.4	91.9-0100
\$35,000- 49,999	256	131,207	3	1.9	00.0-04.3				1	0.3	00.0-00.9				252	97.8	95.3-0100
\$50,000- 74,999	306	162,841	1	0.4	00.0-01.2	2	0.8	00.0-01.8							303	98.9	97.5-0100
\$75,000+	510	273,082	4	1.0	00.0-02.2	1	0.2	00.0-00.6							505	98.8	97.6-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012

SECTION 15: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
1	A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM) FEMALES ONLY	210
2	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG) FEMALES ONLY	211
3	A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM? (PROFEXAM) FEMALES ONLY	212
4	HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM) FEMALES ONLY	213
5	A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2) FEMALES ONLY	214
6	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2) FEMALES ONLY	215
7	HAVE YOU HAD A HYSTERECTOMY? (HADHYST2) FEMALES ONLY	216

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 1: A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5098	2,469,806	3965	65.2	63.4-67.0	1133	34.8	33.0-36.6
White/Non-Hisp	4127	2,051,979	3263	67.9	65.9-69.9	864	32.1	30.1-34.1
Black or Afr. Am./Non-Hisp	585	210,546	463	55.7	48.8-62.6	122	44.3	37.4-51.2
Oth. Race/Non-Hisp.	73	34,829	42	45.0	31.7-58.3	31	55.0	41.7-68.3
MultiRacial/Non-Hisp.	77	35,999	58	70.2	55.9-84.5	19	29.8	15.5-44.1
Hispanic	170	114,581	83	36.0	27.2-44.8	87	64.0	55.2-72.8
18-24	257	317,084	36	13.6	08.7-18.5	221	86.4	81.5-91.3
25-34	519	391,187	95	18.4	14.5-22.3	424	81.6	77.7-85.5
35-44	628	396,290	367	55.1	50.4-59.8	261	44.9	40.2-49.6
45-54	841	449,567	768	90.5	87.8-93.2	73	9.5	06.8-12.2
55-64	1030	392,247	982	95.8	94.2-97.4	48	4.2	02.6-05.8
65+	1772	503,527	1672	94.7	93.5-95.9	100	5.3	04.1-06.5
Less Than H.S.	493	333,748	372	60.0	53.9-66.1	121	40.0	33.9-46.1
H.S. or G.E.D.	1863	812,932	1537	73.5	70.6-76.4	326	26.5	23.6-29.4
Some Post-H.S.	1400	818,898	1039	59.2	55.5-62.9	361	40.8	37.1-44.5
College Graduate	1334	501,792	1010	65.2	61.9-68.5	324	34.8	31.5-38.1
Less than \$15,000	685	300,393	509	57.9	52.6-63.2	176	42.1	36.8-47.4
\$15,000- 24,999	957	416,119	759	66.0	61.5-70.5	198	34.0	29.5-38.5
\$25,000- 34,999	538	255,621	414	64.7	58.4-71.0	124	35.3	29.0-41.6
\$35,000- 49,999	626	309,233	477	65.1	60.2-70.0	149	34.9	30.0-39.8
\$50,000- 74,999	625	332,083	482	67.5	62.6-72.4	143	32.5	27.6-37.4
\$75,000+	811	440,924	632	69.0	64.7-73.3	179	31.0	26.7-35.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a mammogram.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3917	1,597,304	2261	55.5	53.5-57.5	652	17.0	15.4-18.6	331	9.6	08.4-10.8	245	6.8	05.8-07.8	428	11.2	09.8-12.6
White/Non-Hisp	3228	1,382,823	1855	55.8	53.6-58.0	532	16.9	15.3-18.5	276	9.5	08.1-10.9	202	6.5	05.5-07.5	363	11.3	09.9-12.7
Black or Afr. Am./Non-Hisp	452	115,816	284	58.2	50.9-65.5	78	19.9	14.0-25.8	32	8.8	04.5-13.1	24	6.8	02.7-10.9	34	6.3	03.6-09.0
MultiRacial/Non-Hisp.	58	25,266	27	51.5	34.4-68.6	9	9.0	01.7-16.3	7	8.1	00.1-16.1	6	19.5	03.2-35.8	9	11.9	02.9-20.9
Hispanic	82	41,163	38	44.0	29.5-58.5	19	15.4	07.2-23.6	5	10.1	00.0-21.1	7	8.5	01.2-15.8	13	22.0	07.9-36.1
25-34	95	72,061	34	33.0	22.2-43.8	12	12.8	05.0-20.6	14	16.4	07.6-25.2	17	21.8	12.0-31.6	18	16.0	08.4-23.6
35-44	365	217,912	184	49.2	43.1-55.3	71	19.4	14.7-24.1	29	8.5	04.8-12.2	35	8.9	05.6-12.2	46	13.9	09.4-18.4
45-54	764	406,257	450	55.5	51.2-59.8	134	18.6	15.3-21.9	70	11.0	08.3-13.7	39	4.6	02.8-06.4	71	10.4	07.7-13.1
55-64	972	373,258	569	57.0	53.3-60.7	173	17.7	14.8-20.6	76	8.7	06.5-10.9	53	6.3	04.3-08.3	101	10.2	07.8-12.6
65+	1643	468,909	984	60.2	57.3-63.1	242	14.2	12.2-16.2	131	7.8	06.2-09.4	97	6.1	04.7-07.5	189	11.7	09.7-13.7
Less Than H.S.	369	197,920	167	42.4	35.9-48.9	66	19.1	13.8-24.4	34	11.1	06.6-15.6	31	6.9	04.0-09.8	71	20.5	15.2-25.8
H.S. or G.E.D.	1515	592,765	884	56.7	53.6-59.8	254	16.7	14.3-19.1	123	8.9	07.1-10.7	95	7.3	05.5-09.1	159	10.3	08.3-12.3
Some Post-H.S.	1026	480,564	568	55.4	51.5-59.3	179	17.5	14.6-20.4	95	9.7	07.3-12.1	67	6.8	04.8-08.8	117	10.6	08.2-13.0
College Graduate	1001	325,193	639	61.4	57.7-65.1	151	15.3	12.6-18.0	79	9.7	07.2-12.2	52	5.6	03.8-07.4	80	7.9	05.9-09.9
Less than \$15,000	501	172,056	244	46.9	40.8-53.0	93	19.6	14.7-24.5	45	12.7	08.2-17.2	39	6.5	04.0-09.0	80	14.4	10.5-18.3
\$15,000- 24,999	748	270,236	376	46.2	41.5-50.9	129	17.0	13.7-20.3	69	9.9	06.8-13.0	64	10.4	07.3-13.5	110	16.6	12.9-20.3
\$25,000- 34,999	409	164,292	237	53.7	47.4-60.0	68	17.1	12.4-21.8	33	8.7	05.2-12.2	27	9.2	05.5-12.9	44	11.1	07.2-15.0
\$35,000- 49,999	474	200,899	297	59.1	53.6-64.6	67	16.1	12.0-20.2	38	9.1	05.8-12.4	27	5.4	03.0-07.8	45	10.2	06.7-13.7
\$50,000- 74,999	481	224,080	296	60.6	55.1-66.1	74	14.1	10.4-17.8	38	7.1	04.6-09.6	27	6.4	03.5-09.3	46	11.8	08.3-15.3
\$75,000+	632	304,032	429	62.8	58.3-67.3	98	18.0	14.3-21.7	53	10.3	07.4-13.2	25	4.2	02.4-06.0	27	4.7	02.7-06.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 3: A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM?
(PROFEXAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5077	2,463,088	4556	86.5	84.9-88.1	521	13.5	11.9-15.1
White/Non-Hisp	4109	2,044,693	3754	89.1	87.5-90.7	355	10.9	09.3-12.5
Black or Afr. Am./Non-Hisp	584	210,619	514	80.9	74.8-87.0	70	19.1	13.0-25.2
Oth. Race/Non-Hisp.	71	33,819	47	66.2	53.3-79.1	24	33.8	20.9-46.7
MultiRacial/Non-Hisp.	77	35,999	68	79.8	65.9-93.7	9	20.2	06.3-34.1
Hispanic	170	114,477	117	58.9	49.1-68.7	53	41.1	31.3-50.9
18-24	257	317,411	164	59.3	51.9-66.7	93	40.7	33.3-48.1
25-34	518	390,197	468	86.8	82.7-90.9	50	13.2	09.1-17.3
35-44	627	396,722	578	90.5	87.2-93.8	49	9.5	06.2-12.8
45-54	838	447,740	783	92.5	90.0-95.0	55	7.5	05.0-10.0
55-64	1029	391,689	983	96.2	94.8-97.6	46	3.8	02.4-05.2
65+	1757	498,744	1532	87.0	85.0-89.0	225	13.0	11.0-15.0
Less Than H.S.	487	330,032	372	69.4	63.3-75.5	115	30.6	24.5-36.7
H.S. or G.E.D.	1851	810,387	1634	86.9	84.7-89.1	217	13.1	10.9-15.3
Some Post-H.S.	1399	819,592	1285	88.5	85.6-91.4	114	11.5	08.6-14.4
College Graduate	1331	500,492	1257	93.7	91.9-95.5	74	6.3	04.5-08.1
Less than \$15,000	680	296,727	555	79.0	74.7-83.3	125	21.0	16.7-25.3
\$15,000- 24,999	953	413,631	826	81.8	77.9-85.7	127	18.2	14.3-22.1
\$25,000- 34,999	536	255,709	487	87.0	81.3-92.7	49	13.0	07.3-18.7
\$35,000- 49,999	624	308,813	589	93.3	90.4-96.2	35	6.7	03.8-09.6
\$50,000- 74,999	625	332,083	598	92.3	89.0-95.6	27	7.7	04.4-11.0
\$75,000+	809	440,367	782	95.1	92.7-97.5	27	4.9	02.5-07.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a clinical breast exam.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4470	2,095,842	2624	59.1	57.3-60.9	761	17.5	16.1-18.9	343	8.2	07.2-09.2	275	5.8	05.0-06.6	467	9.5	08.5-10.5
White/Non-Hisp	3684	1,793,960	2139	58.6	56.6-60.6	623	17.3	15.7-18.9	288	8.4	07.2-09.6	230	5.9	04.9-06.9	404	9.8	08.6-11.0
Black or Afr. Am./Non-Hisp	502	165,360	324	65.5	58.8-72.2	80	16.6	11.5-21.7	35	6.7	03.4-10.0	29	4.1	01.7-06.5	34	7.0	03.5-10.5
MultiRacial/Non-Hisp.	66	27,450	30	54.0	38.3-69.7	12	11.9	04.1-19.7	5	6.2	00.0-13.5	5	12.4	00.0-25.1	14	15.5	06.3-24.7
Hispanic	116	67,158	70	62.9	51.9-73.9	26	23.9	14.1-33.7	8	4.8	00.0-09.7	5	2.9	00.0-06.2	7	5.4	00.7-10.1
18-24	162	182,885	102	65.5	57.1-73.9	31	16.1	10.0-22.2	14	8.0	03.5-12.5	10	7.1	02.6-11.6	5	3.3	00.0-07.0
25-34	464	335,043	294	61.8	56.7-66.9	95	22.0	17.7-26.3	31	6.8	04.1-09.5	25	5.1	02.9-07.3	19	4.3	02.3-06.3
35-44	575	356,897	350	57.8	52.9-62.7	95	17.4	13.5-21.3	51	9.6	06.9-12.3	36	6.5	04.1-08.9	43	8.7	05.8-11.6
45-54	780	412,533	488	60.7	56.6-64.8	124	17.4	14.1-20.7	54	7.2	05.0-09.4	38	4.1	02.3-05.9	76	10.6	08.1-13.1
55-64	965	371,509	560	57.1	53.4-60.8	164	16.6	13.9-19.3	81	9.9	07.5-12.3	55	5.3	03.5-07.1	105	11.1	08.7-13.5
65+	1480	419,961	804	55.4	52.3-58.5	242	15.3	13.1-17.5	109	7.6	05.8-09.4	110	7.3	05.7-08.9	215	14.4	12.2-16.6
Less Than H.S.	363	225,994	179	49.8	43.1-56.5	57	17.3	12.2-22.4	35	9.7	06.2-13.2	29	6.3	03.6-09.0	63	16.8	12.1-21.5
H.S. or G.E.D.	1595	690,840	866	54.3	51.2-57.4	291	18.3	15.9-20.7	131	9.6	07.6-11.6	111	6.9	05.3-08.5	196	10.9	09.1-12.7
Some Post-H.S.	1261	712,259	735	59.2	55.7-62.7	226	18.8	16.1-21.5	95	7.4	05.6-09.2	82	6.3	04.5-08.1	123	8.2	06.4-10.0
College Graduate	1244	464,820	839	70.4	67.5-73.3	187	14.4	12.0-16.8	82	6.5	04.9-08.1	53	3.0	02.0-04.0	83	5.8	04.2-07.4
Less than \$15,000	545	230,497	259	47.3	41.4-53.2	107	20.1	15.4-24.8	45	8.7	05.6-11.8	61	12.1	08.2-16.0	73	11.8	08.3-15.3
\$15,000- 24,999	801	331,372	415	51.6	46.9-56.3	129	18.1	14.4-21.8	71	10.4	07.5-13.3	55	6.3	04.1-08.5	131	13.7	11.0-16.4
\$25,000- 34,999	482	220,897	272	56.5	50.8-62.2	85	19.1	14.6-23.6	42	8.4	05.3-11.5	25	5.2	02.7-07.7	58	10.8	07.7-13.9
\$35,000- 49,999	582	285,223	334	56.0	50.9-61.1	118	21.3	17.0-25.6	49	8.1	05.6-10.6	36	5.9	03.5-08.3	45	8.7	06.0-11.4
\$50,000- 74,999	590	299,542	383	65.6	60.9-70.3	88	14.8	11.3-18.3	43	7.1	04.7-09.5	28	3.9	02.1-05.7	48	8.6	05.9-11.3
\$75,000+	779	417,121	565	70.9	66.8-75.0	117	15.1	12.0-18.2	45	6.8	04.4-09.2	23	2.9	01.3-04.5	29	4.4	02.4-06.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 5: A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5077	2,461,723	4806	91.9	90.5-93.3	271	8.1	06.7-09.5
White/Non-Hisp	4109	2,043,643	3932	93.1	91.7-94.5	177	6.9	05.5-08.3
Black or Afr. Am./Non-Hisp	581	208,293	539	88.8	83.7-93.9	42	11.2	06.1-16.3
Oth. Race/Non-Hisp.	73	34,829	58	72.9	60.4-85.4	15	27.1	14.6-39.6
MultiRacial/Non-Hisp.	77	35,999	72	92.8	84.8-0100	5	7.2	00.0-15.2
Hispanic	171	115,479	145	83.5	76.4-90.6	26	16.5	09.4-23.6
18-24	257	317,411	169	62.3	55.0-69.6	88	37.7	30.4-45.0
25-34	516	387,740	498	95.2	92.3-98.1	18	4.8	01.9-07.7
35-44	626	395,334	608	96.5	94.5-98.5	18	3.5	01.5-05.5
45-54	838	448,447	815	97.1	95.5-98.7	23	2.9	01.3-04.5
55-64	1028	390,620	1010	98.5	97.7-99.3	18	1.5	00.7-02.3
65+	1761	501,587	1657	94.7	93.5-95.9	104	5.3	04.1-06.5
Less Than H.S.	491	331,422	439	83.8	78.3-89.3	52	16.2	10.7-21.7
H.S. or G.E.D.	1849	808,114	1741	92.7	90.9-94.5	108	7.3	05.5-09.1
Some Post-H.S.	1395	817,744	1321	91.8	89.3-94.3	74	8.2	05.7-10.7
College Graduate	1333	501,858	1296	96.4	95.0-97.8	37	3.6	02.2-05.0
Less than \$15,000	677	295,884	617	88.1	84.6-91.6	60	11.9	08.4-15.4
\$15,000- 24,999	955	414,996	894	92.3	89.8-94.8	61	7.7	05.2-10.2
\$25,000- 34,999	535	255,045	514	93.5	88.6-98.4	21	6.5	01.6-11.4
\$35,000- 49,999	625	308,794	603	96.8	95.0-98.6	22	3.2	01.4-05.0
\$50,000- 74,999	625	332,083	610	95.1	92.2-98.0	15	4.9	02.0-07.8
\$75,000+	810	439,556	796	95.6	93.1-98.1	14	4.4	01.9-06.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a Pap Test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4723	2,234,596	1959	46.5	44.5-48.5	753	17.1	15.7-18.5	436	9.0	08.0-10.0	401	7.5	06.5-08.5	1174	19.9	18.5-21.3
White/Non-Hisp	3871	1,881,745	1544	45.4	43.4-47.4	615	17.0	15.4-18.6	353	8.7	07.7-09.7	342	7.9	06.9-08.9	1017	21.0	19.6-22.4
Black or Afr. Am./Non-Hisp	525	181,130	260	56.0	49.1-62.9	77	15.8	10.9-20.7	57	10.9	07.0-14.8	33	3.9	01.7-06.1	98	13.4	08.7-18.1
Oth. Race/Non-Hisp.	58	25,383	30	53.6	38.3-68.9	10	18.3	05.4-31.2	3	4.8	00.0-10.7	7	11.1	01.9-20.3	8	12.2	02.0-22.4
MultiRacial/Non-Hisp.	71	33,346	25	35.6	21.5-49.7	13	22.1	08.6-35.6	5	7.0	00.3-13.7	10	10.7	01.5-19.9	18	24.6	10.3-38.9
Hispanic	142	94,722	73	52.5	41.9-63.1	31	20.5	12.7-28.3	11	11.5	03.9-19.1	8	6.2	00.0-12.7	19	9.2	03.1-15.3
18-24	169	197,709	121	75.1	67.8-82.4	33	16.3	10.4-22.2	10	5.4	01.9-08.9	3	2.5	00.0-05.4	2	0.7	00.0-01.7
25-34	494	365,012	324	63.3	58.4-68.2	94	20.5	16.4-24.6	34	6.5	04.0-09.0	24	5.6	02.9-08.3	18	4.2	02.0-06.4
35-44	605	380,008	341	52.7	47.8-57.6	107	18.9	15.2-22.6	51	8.7	06.2-11.2	38	6.8	04.3-09.3	68	12.8	09.5-16.1
45-54	811	434,304	390	44.9	40.8-49.0	137	18.8	15.5-22.1	85	10.8	08.3-13.3	53	6.1	04.1-08.1	146	19.3	16.0-22.6
55-64	994	380,246	398	40.5	36.8-44.2	173	16.4	13.7-19.1	85	9.4	07.0-11.8	88	8.6	06.4-10.8	250	25.1	21.8-28.4
65+	1604	459,164	361	21.7	19.3-24.1	198	11.8	09.8-13.8	170	11.3	09.3-13.3	193	12.4	10.4-14.4	682	42.8	39.9-45.7
Less Than H.S.	428	273,312	123	34.8	28.7-40.9	72	17.3	12.8-21.8	39	9.5	06.0-13.0	49	10.2	06.7-13.7	145	28.1	23.0-33.2
H.S. or G.E.D.	1698	734,804	586	39.6	36.7-42.5	239	15.6	13.2-18.0	171	10.3	08.5-12.1	167	9.0	07.2-10.8	535	25.5	23.1-27.9
Some Post-H.S.	1310	745,267	555	49.0	45.5-52.5	229	19.0	16.3-21.7	118	8.4	06.6-10.2	103	6.9	05.1-08.7	305	16.7	14.3-19.1
College Graduate	1281	479,370	692	59.6	56.5-62.7	213	16.1	13.7-18.5	108	7.8	06.0-09.6	82	4.7	03.5-05.9	186	11.6	09.6-13.6
Less than \$15,000	606	255,358	195	39.6	33.9-45.3	89	16.4	12.3-20.5	49	8.3	05.4-11.2	57	9.3	06.4-12.2	216	26.5	22.0-31.0
\$15,000- 24,999	879	378,971	274	37.9	33.4-42.4	124	14.9	11.8-18.0	94	10.0	07.5-12.5	92	10.8	07.5-14.1	295	26.4	22.9-29.9
\$25,000- 34,999	506	235,401	186	41.8	36.1-47.5	93	20.5	15.8-25.2	44	9.1	05.8-12.4	43	6.6	04.2-09.0	140	22.0	17.7-26.3
\$35,000- 49,999	594	294,894	267	46.1	41.0-51.2	114	21.2	16.9-25.5	62	9.3	06.6-12.0	42	5.6	03.4-07.8	109	17.7	13.8-21.6
\$50,000- 74,999	609	315,326	306	54.6	49.7-59.5	91	15.8	12.3-19.3	53	7.5	05.1-09.9	51	5.8	03.8-07.8	108	16.3	12.8-19.8
\$75,000+	791	418,526	460	58.1	54.0-62.2	129	17.6	14.1-21.1	65	8.9	06.5-11.3	51	6.4	04.4-08.4	86	9.0	06.8-11.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 15: BREAST/CERVICAL CANCER SCREENING
TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5027	2,428,312	1659	25.1	23.7-26.5	3368	74.9	73.5-76.3
White/Non-Hisp	4073	2,017,245	1350	26.4	24.8-28.0	2723	73.6	72.0-75.2
Black or Afr. Am./Non-Hisp	575	206,319	220	23.6	18.7-28.5	355	76.4	71.5-81.3
Oth. Race/Non-Hisp.	72	34,185	18	10.9	04.8-17.0	54	89.1	83.0-95.2
MultiRacial/Non-Hisp.	76	35,925	22	26.6	14.3-38.9	54	73.4	61.1-85.7
Hispanic	165	111,157	22	5.2	02.3-08.1	143	94.8	91.9-97.7
18-24	245	305,901	1	0.1	00.0-00.3	244	99.9	99.7-100.0
25-34	491	370,542	17	3.8	01.8-05.8	474	96.2	94.2-98.2
35-44	622	393,485	80	12.0	09.1-14.9	542	88.0	85.1-90.9
45-54	838	448,447	263	30.3	26.6-34.0	575	69.7	66.0-73.4
55-64	1025	391,507	398	38.9	35.2-42.6	627	61.1	57.4-64.8
65+	1760	500,278	879	50.2	47.3-53.1	881	49.8	46.9-52.7
Less Than H.S.	486	328,761	194	26.4	21.9-30.9	292	73.6	69.1-78.1
H.S. or G.E.D.	1839	802,173	727	32.6	30.1-35.1	1112	67.4	64.9-69.9
Some Post-H.S.	1378	804,369	427	21.4	19.0-23.8	951	78.6	76.2-81.0
College Graduate	1316	490,573	306	17.7	15.3-20.1	1010	82.3	79.9-84.7
Less than \$15,000	668	290,485	246	24.6	20.7-28.5	422	75.4	71.5-79.3
\$15,000- 24,999	946	408,807	367	30.0	26.3-33.7	579	70.0	66.3-73.7
\$25,000- 34,999	535	253,959	196	26.1	21.6-30.6	339	73.9	69.4-78.4
\$35,000- 49,999	620	306,869	201	26.0	22.1-29.9	419	74.0	70.1-77.9
\$50,000- 74,999	617	325,394	171	21.6	17.9-25.3	446	78.4	74.7-82.1
\$75,000+	802	433,866	190	21.2	17.9-24.5	612	78.8	75.5-82.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012**

SECTION 16: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD1)	
1	MALES ONLY	218
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)	
2	MALES ONLY	219
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1)	
3	MALES ONLY	220
	HAVE YOU EVER HAD A PSA TEST? (PSATEST1)	
4	MALES ONLY	221
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)	
5	MALES ONLY	222
	WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST - WAS IT ...? (PCPSARS1)	
6	MALES ONLY	223

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 1: A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2394	1,367,836	1514	59.5	57.0-62.0	880	40.5	38.0-43.0
White/Non-Hisp	1997	1,173,313	1278	59.5	57.0-62.0	719	40.5	38.0-43.0
Black or Afr. Am./Non-Hisp	222	93,134	145	64.8	54.0-75.6	77	35.2	24.4-46.0
Hispanic	61	38,638	28	49.7	32.6-66.8	33	50.3	33.2-67.4
35-44	257	222,402	78	32.9	26.0-39.8	179	67.1	60.2-74.0
45-54	579	424,465	285	49.1	44.2-54.0	294	50.9	46.0-55.8
55-64	687	357,384	499	73.4	69.5-77.3	188	26.6	22.7-30.5
65+	871	363,585	652	74.3	70.6-78.0	219	25.7	22.0-29.4
Less Than H.S.	216	164,502	106	45.6	37.4-53.8	110	54.4	46.2-62.6
H.S. or G.E.D.	885	530,538	521	56.9	52.8-61.0	364	43.1	39.0-47.2
Some Post-H.S.	571	362,102	358	59.7	54.6-64.8	213	40.3	35.2-45.4
College Graduate	719	308,966	527	70.9	66.8-75.0	192	29.1	25.0-33.2
Less than \$15,000	203	98,143	93	47.1	36.9-57.3	110	52.9	42.7-63.1
\$15,000- 24,999	406	207,296	233	49.7	43.6-55.8	173	50.3	44.2-56.4
\$25,000- 34,999	250	135,779	163	60.8	53.2-68.4	87	39.2	31.6-46.8
\$35,000- 49,999	367	214,736	243	62.6	56.5-68.7	124	37.4	31.3-43.5
\$50,000- 74,999	391	243,953	269	64.0	58.1-69.9	122	36.0	30.1-41.9
\$75,000+	556	341,442	381	63.9	59.0-68.8	175	36.1	31.2-41.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2392	1,368,054	598	23.8	21.6-26.0	1794	76.2	74.0-78.4
White/Non-Hisp	1993	1,169,858	473	22.2	20.0-24.4	1520	77.8	75.6-80.0
Black or Afr. Am./Non-Hisp	221	93,228	79	40.2	29.6-50.8	142	59.8	49.2-70.4
Hispanic	61	38,638	12	22.9	10.0-35.8	49	77.1	64.2-90.0
35-44	254	219,207	35	15.4	09.9-20.9	219	84.6	79.1-90.1
45-54	577	423,266	123	21.4	17.5-25.3	454	78.6	74.7-82.5
55-64	688	359,060	204	28.8	24.7-32.9	484	71.2	67.1-75.3
65+	873	366,520	236	26.8	23.1-30.5	637	73.2	69.5-76.9
Less Than H.S.	216	161,440	52	23.2	15.9-30.5	164	76.8	69.5-84.1
H.S. or G.E.D.	880	528,996	194	22.3	19.0-25.6	686	77.7	74.4-81.0
Some Post-H.S.	569	366,514	150	23.6	19.3-27.9	419	76.4	72.1-80.7
College Graduate	722	308,322	202	27.3	23.4-31.2	520	72.7	68.8-76.6
Less than \$15,000	206	101,385	48	25.7	16.3-35.1	158	74.3	64.9-83.7
\$15,000- 24,999	406	208,423	84	17.1	12.8-21.4	322	82.9	78.6-87.2
\$25,000- 34,999	245	131,775	64	21.9	15.8-28.0	181	78.1	72.0-84.2
\$35,000- 49,999	368	214,958	102	26.6	21.1-32.1	266	73.4	67.9-78.9
\$50,000- 74,999	390	241,151	98	24.7	19.4-30.0	292	75.3	70.0-80.6
\$75,000+	559	344,961	154	25.6	21.3-29.9	405	74.4	70.1-78.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2374	1,356,497	1343	52.8	50.3-55.3	1031	47.2	44.7-49.7
White/Non-Hisp	1980	1,161,746	1140	53.6	51.1-56.1	840	46.4	43.9-48.9
Black or Afr. Am./Non-Hisp	217	92,160	129	56.4	45.4-67.4	88	43.6	32.6-54.6
Hispanic	60	38,275	19	26.2	12.9-39.5	41	73.8	60.5-87.1
35-44	256	221,067	55	22.7	16.4-29.0	201	77.3	71.0-83.6
45-54	574	420,031	232	42.5	37.6-47.4	342	57.5	52.6-62.4
55-64	686	356,818	450	65.0	60.7-69.3	236	35.0	30.7-39.3
65+	858	358,582	606	71.1	67.4-74.8	252	28.9	25.2-32.6
Less Than H.S.	214	163,095	91	42.4	34.2-50.6	123	57.6	49.4-65.8
H.S. or G.E.D.	873	524,046	459	50.7	46.6-54.8	414	49.3	45.2-53.4
Some Post-H.S.	571	361,607	324	53.0	47.9-58.1	247	47.0	41.9-52.1
College Graduate	712	305,667	469	62.0	57.7-66.3	243	38.0	33.7-42.3
Less than \$15,000	206	101,494	82	41.2	31.2-51.2	124	58.8	48.8-68.8
\$15,000- 24,999	401	205,423	211	46.5	40.4-52.6	190	53.5	47.4-59.6
\$25,000- 34,999	246	132,130	142	53.9	46.1-61.7	104	46.1	38.3-53.9
\$35,000- 49,999	366	214,634	218	56.2	49.9-62.5	148	43.8	37.5-50.1
\$50,000- 74,999	385	239,939	238	56.4	50.3-62.5	147	43.6	37.5-49.7
\$75,000+	555	340,441	333	54.6	49.5-59.7	222	45.4	40.3-50.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 4: HAVE YOU EVER HAD A PSA TEST? (PSATEST1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never recommended to have a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1332	710,827	1222	90.1	87.9-92.3	110	9.9	07.7-12.1
White/Non-Hisp	1130	618,253	1052	91.4	89.2-93.6	78	8.6	06.4-10.8
Black or Afr. Am./Non-Hisp	129	51,974	111	84.8	75.2-94.4	18	15.2	05.6-24.8
35-44	54	49,389	37	70.1	56.2-84.0	17	29.9	16.0-43.8
45-54	231	177,571	187	80.6	74.5-86.7	44	19.4	13.3-25.5
55-64	443	229,730	414	94.1	91.6-96.6	29	5.9	03.4-08.4
65+	604	254,136	584	97.1	95.5-98.7	20	2.9	01.3-04.5
Less Than H.S.	89	68,411	76	88.3	80.7-95.9	13	11.7	04.1-19.3
H.S. or G.E.D.	454	263,161	410	87.8	83.9-91.7	44	12.2	08.3-16.1
Some Post-H.S.	323	190,907	292	89.1	84.8-93.4	31	10.9	06.6-15.2
College Graduate	466	188,347	444	95.0	92.5-97.5	22	5.0	02.5-07.5
Less than \$15,000	80	41,024	62	72.3	58.0-86.6	18	27.7	13.4-42.0
\$15,000- 24,999	210	95,099	190	89.2	83.9-94.5	20	10.8	05.5-16.1
\$25,000- 34,999	141	70,779	126	83.3	74.9-91.7	15	16.7	08.3-25.1
\$35,000- 49,999	216	119,414	196	88.7	83.0-94.4	20	11.3	05.6-17.0
\$50,000- 74,999	238	135,306	223	91.8	87.1-96.5	15	8.2	03.5-12.9
\$75,000+	330	184,509	312	94.9	92.2-97.6	18	5.1	02.4-07.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1408	742,259	899	63.9	60.8-67.0	218	17.2	14.5-19.9	99	6.7	05.1-08.3	90	6.3	04.5-08.1	102	5.9	04.5-07.3
White/Non-Hisp	1202	646,728	782	66.0	62.7-69.3	179	16.6	13.9-19.3	89	6.8	05.0-08.6	67	5.0	03.6-06.4	85	5.6	04.0-07.2
Black or Afr. Am./Non-Hisp	131	50,993	81	52.5	38.8-66.2	22	23.4	10.1-36.7	8	8.2	01.5-14.9	11	9.9	01.7-18.1	9	6.0	00.0-12.3
35-44	56	48,403	27	49.3	33.6-65.0	13	27.0	11.7-42.3	6	11.0	01.8-20.2	8	10.9	01.9-19.9	2	1.9	00.0-04.4
45-54	220	171,697	121	57.6	49.8-65.4	42	19.6	12.9-26.3	21	8.7	04.4-13.0	16	6.7	02.8-10.6	20	7.5	03.4-11.6
55-64	464	240,601	293	64.7	59.4-70.0	91	20.3	15.6-25.0	30	5.5	03.1-07.9	23	4.3	02.3-06.3	27	5.3	02.9-07.7
65+	668	281,558	458	69.7	65.4-74.0	72	11.4	08.5-14.3	42	5.8	03.8-07.8	43	6.9	03.8-10.0	53	6.2	04.2-08.2
Less Than H.S.	99	72,927	61	61.4	48.7-74.1	20	18.4	09.4-27.4	5	5.4	00.3-10.5	5	10.3	00.0-21.1	8	4.6	00.0-09.7
H.S. or G.E.D.	484	274,401	317	64.1	58.8-69.4	60	15.7	11.2-20.2	36	7.0	04.3-09.7	31	5.8	03.4-08.2	40	7.4	04.7-10.1
Some Post-H.S.	327	195,104	208	63.7	57.0-70.4	57	18.9	13.0-24.8	26	7.0	03.9-10.1	20	5.5	02.8-08.2	16	5.0	02.1-07.9
College Graduate	496	198,976	311	64.7	59.8-69.6	81	17.3	13.4-21.2	32	6.5	03.8-09.2	34	6.2	03.7-08.7	38	5.4	03.4-07.4
Less than \$15,000	79	36,124	41	45.2	29.5-60.9	10	17.2	03.3-31.1	5	6.7	00.0-13.4	6	15.9	00.0-33.3	17	15.0	05.8-24.2
\$15,000- 24,999	224	98,617	127	55.4	46.8-64.0	28	14.6	07.9-21.3	24	11.3	05.4-17.2	21	7.0	03.3-10.7	24	11.7	06.2-17.2
\$25,000- 34,999	150	72,152	97	63.3	53.5-73.1	24	15.7	08.8-22.6	6	5.4	00.3-10.5	13	11.6	04.0-19.2	10	4.0	01.3-06.7
\$35,000- 49,999	227	124,017	155	66.2	58.6-73.8	34	18.0	11.5-24.5	14	7.0	02.7-11.3	8	4.0	00.5-07.5	16	4.8	02.1-07.5
\$50,000- 74,999	250	142,166	173	66.4	58.8-74.0	32	16.0	09.1-22.9	19	7.1	03.6-10.6	15	5.5	02.4-08.6	11	5.0	01.3-08.7
\$75,000+	344	198,487	220	66.8	60.7-72.9	64	19.3	13.8-24.8	26	5.8	03.1-08.5	20	4.6	02.2-07.0	14	3.4	01.4-05.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 6: WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST – WAS IT ...? (PCPSARS1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Routine Exam			A Prostate Problem			Family History of Prostate Cancer			Told you had Prostate Cancer			Some Other Reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1412	742,021	997	69.6	66.5-72.7	90	6.5	04.9-08.1	85	7.0	05.2-08.8	56	3.1	02.1-04.1	184	13.8	11.4-16.2
White/Non-Hisp	1204	646,161	862	70.4	67.3-73.5	78	6.7	04.9-08.5	71	6.9	04.9-08.9	44	3.0	02.0-04.0	149	12.9	10.5-15.3
Black or Afr. Am./Non-Hisp	133	52,025	86	63.9	51.0-76.8	8	7.0	00.5-13.5	7	4.7	00.2-09.2	10	6.0	00.9-11.1	22	18.5	06.7-30.3
35-44	55	48,156	29	53.5	37.6-69.4	2	4.2	00.0-10.5	5	6.4	00.7-12.1				19	35.9	20.0-51.8
45-54	223	173,635	157	69.4	61.8-77.0	14	7.1	03.0-11.2	24	11.6	06.3-16.9	1	0.7	00.0-02.1	27	11.3	06.0-16.6
55-64	468	241,424	354	75.3	70.6-80.0	22	5.1	02.6-07.6	37	8.4	05.5-11.3	10	1.3	00.3-02.3	45	9.8	06.7-12.9
65+	666	278,806	457	67.6	63.1-72.1	52	7.7	05.3-10.1	19	2.9	01.3-04.5	45	6.7	04.5-08.9	93	15.1	11.4-18.8
Less Than H.S.	98	72,933	58	57.5	44.8-70.2	10	15.0	05.6-24.4	6	5.6	00.1-11.1	8	4.9	00.8-09.0	16	16.9	06.3-27.5
H.S. or G.E.D.	485	274,835	340	69.5	64.4-74.6	29	6.1	03.6-08.6	28	6.9	04.2-09.6	17	2.8	01.2-04.4	71	14.8	10.7-18.9
Some Post-H.S.	330	194,152	228	68.9	62.4-75.4	20	5.0	02.3-07.7	20	6.6	02.7-10.5	14	3.6	01.6-05.6	48	15.9	10.6-21.2
College Graduate	497	199,251	370	74.9	70.4-79.4	31	5.3	03.1-07.5	31	8.0	04.9-11.1	17	2.4	01.0-03.8	48	9.4	06.5-12.3
Less than \$15,000	76	35,535	53	66.0	48.8-83.2	5	3.8	00.0-07.9	6	7.7	01.4-14.0	3	6.0	00.0-12.9	9	16.6	00.0-34.2
\$15,000- 24,999	226	99,755	148	60.7	52.3-69.1	17	11.4	05.3-17.5	16	9.5	03.8-15.2	13	5.0	01.9-08.1	32	13.4	08.1-18.7
\$25,000- 34,999	153	73,196	108	70.6	61.8-79.4	9	7.4	01.5-13.3	9	5.1	01.2-09.0	6	1.9	00.1-03.7	21	15.0	08.3-21.7
\$35,000- 49,999	227	123,111	169	72.8	65.4-80.2	15	7.7	03.0-12.4	13	7.0	02.9-11.1	8	2.2	00.4-04.0	22	10.4	05.1-15.7
\$50,000- 74,999	249	141,183	168	66.0	58.4-73.6	16	5.7	02.2-09.2	14	5.1	02.0-08.2	14	4.9	02.0-07.8	37	18.3	11.4-25.2
\$75,000+	344	197,465	252	73.7	67.8-79.6	17	4.1	01.9-06.3	26	9.2	05.1-13.3	7	1.4	00.2-02.6	42	11.6	07.3-15.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012**

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)	
1	MALES AND FEMALES	225
2	MALES ONLY	226
3	FEMALES ONLY	227
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)	
4	MALES AND FEMALES	228
5	MALES ONLY	229
6	FEMALES ONLY	230
	SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HDSIGM3)	
7	MALES AND FEMALES	231
8	MALES ONLY	232
9	FEMALES ONLY	233
	FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGCO1)	
10	MALES AND FEMALES	234
11	MALES ONLY	235
12	FEMALES ONLY	236
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)	
13	MALES AND FEMALES	237
14	MALES ONLY	238
15	FEMALES ONLY	239

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5169	2,108,764	1909	35.5	33.9-37.1	3260	64.5	62.9-66.1
Male	1927	976,738	683	34.3	31.8-36.8	1244	65.7	63.2-68.2
Female	3242	1,132,026	1226	36.5	34.5-38.5	2016	63.5	61.5-65.5
White/Non-Hisp	4314	1,849,491	1637	36.4	34.6-38.2	2677	63.6	61.8-65.4
Black or Afr. Am./Non-Hisp	552	134,824	183	29.7	23.8-35.6	369	70.3	64.4-76.2
Oth. Race/Non-Hisp.	53	24,566	15	31.6	07.9-55.3	38	68.4	44.7-92.1
MultiRacial/Non-Hisp.	68	30,099	20	24.1	11.9-36.3	48	75.9	63.7-88.1
Hispanic	88	36,467	17	19.3	07.5-31.1	71	80.7	68.9-92.5
45-54	814	489,691	167	20.2	16.9-23.5	647	79.8	76.5-83.1
55-64	1730	755,861	596	34.8	32.1-37.5	1134	65.2	62.5-67.9
65+	2625	863,211	1146	44.7	42.3-47.1	1479	55.3	52.9-57.7
Less Than H.S.	509	261,417	154	29.8	24.7-34.9	355	70.2	65.1-75.3
H.S. or G.E.D.	2098	868,920	740	34.2	31.7-36.7	1358	65.8	63.3-68.3
Some Post-H.S.	1259	563,754	466	35.4	32.1-38.7	793	64.6	61.3-67.9
College Graduate	1294	411,194	545	41.8	38.5-45.1	749	58.2	54.9-61.5
Less than \$15,000	616	209,437	208	32.8	27.5-38.1	408	67.2	61.9-72.5
\$15,000- 24,999	1031	372,272	373	35.2	31.5-38.9	658	64.8	61.1-68.5
\$25,000- 34,999	592	234,656	233	35.5	30.8-40.2	359	64.5	59.8-69.2
\$35,000- 49,999	677	289,817	267	37.5	33.2-41.8	410	62.5	58.2-66.8
\$50,000- 74,999	631	288,783	238	34.0	29.5-38.5	393	66.0	61.5-70.5
\$75,000+	813	396,572	297	35.5	31.6-39.4	516	64.5	60.6-68.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1927	976,738	683	34.3	31.8-36.8	1244	65.7	63.2-68.2
White/Non-Hisp	1608	845,292	580	34.9	32.2-37.6	1028	65.1	62.4-67.8
Black or Afr. Am./Non-Hisp	184	62,092	62	30.6	20.8-40.4	122	69.4	59.6-79.2
45-54	332	240,364	66	21.1	15.8-26.4	266	78.9	73.6-84.2
55-64	711	367,531	249	34.9	30.6-39.2	462	65.1	60.8-69.4
65+	884	368,844	368	42.2	38.1-46.3	516	57.8	53.7-61.9
Less Than H.S.	182	113,443	49	25.8	17.4-34.2	133	74.2	65.8-82.6
H.S. or G.E.D.	726	393,790	232	31.1	27.0-35.2	494	68.9	64.8-73.0
Some Post-H.S.	441	250,591	152	34.8	29.3-40.3	289	65.2	59.7-70.7
College Graduate	573	216,131	248	43.9	39.2-48.6	325	56.1	51.4-60.8
Less than \$15,000	175	79,636	56	34.9	24.3-45.5	119	65.1	54.5-75.7
\$15,000- 24,999	347	158,234	111	29.0	23.1-34.9	236	71.0	65.1-76.9
\$25,000- 34,999	221	108,531	80	33.8	26.4-41.2	141	66.2	58.8-73.6
\$35,000- 49,999	294	147,981	110	37.7	31.0-44.4	184	62.3	55.6-69.0
\$50,000- 74,999	282	153,322	112	34.9	28.0-41.8	170	65.1	58.2-72.0
\$75,000+	412	230,586	148	34.5	29.0-40.0	264	65.5	60.0-71.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3242	1,132,026	1226	36.5	34.5-38.5	2016	63.5	61.5-65.5
White/Non-Hisp	2706	1,004,199	1057	37.6	35.4-39.8	1649	62.4	60.2-64.6
Black or Afr. Am./Non-Hisp	368	72,733	121	28.9	22.0-35.8	247	71.1	64.2-78.0
45-54	482	249,328	101	19.3	15.2-23.4	381	80.7	76.6-84.8
55-64	1019	388,330	347	34.6	31.1-38.1	672	65.4	61.9-68.9
65+	1741	494,368	778	46.6	43.7-49.5	963	53.4	50.5-56.3
Less Than H.S.	327	147,974	105	32.9	26.6-39.2	222	67.1	60.8-73.4
H.S. or G.E.D.	1372	475,131	508	36.8	33.7-39.9	864	63.2	60.1-66.3
Some Post-H.S.	818	313,163	314	35.9	32.0-39.8	504	64.1	60.2-68.0
College Graduate	721	195,062	297	39.5	35.2-43.8	424	60.5	56.2-64.8
Less than \$15,000	441	129,800	152	31.5	25.8-37.2	289	68.5	62.8-74.2
\$15,000- 24,999	684	214,038	262	39.9	35.2-44.6	422	60.1	55.4-64.8
\$25,000- 34,999	371	126,125	153	37.0	31.1-42.9	218	63.0	57.1-68.9
\$35,000- 49,999	383	141,836	157	37.4	31.7-43.1	226	62.6	56.9-68.3
\$50,000- 74,999	349	135,461	126	32.9	27.0-38.8	223	67.1	61.2-73.0
\$75,000+	401	165,986	149	37.0	31.3-42.7	252	63.0	57.3-68.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1863	729,064	457	25.8	23.3-28.3	258	15.1	12.7-17.5	191	9.1	07.5-10.7	309	16.8	14.6-19.0	648	33.2	30.5-35.9
Male	670	328,547	183	27.4	23.1-31.7	96	16.9	12.8-21.0	61	8.2	05.7-10.7	117	17.8	14.3-21.3	213	29.7	25.6-33.8
Female	1193	400,516	274	24.5	21.4-27.6	162	13.6	11.2-16.0	130	9.9	07.7-12.1	192	15.9	13.4-18.4	435	36.1	32.8-39.4
White/Non-Hisp	1598	659,165	393	25.9	23.2-28.6	214	14.4	12.2-16.6	167	9.4	07.6-11.2	264	16.9	14.7-19.1	560	33.3	30.6-36.0
Black or Afr. Am./Non-Hisp	179	38,297	42	27.3	16.9-37.7	31	16.4	08.8-24.0	17	6.5	02.6-10.4	26	12.3	04.7-19.9	63	37.5	26.1-48.9
45-54	165	97,156	52	31.6	23.2-40.0	22	15.1	07.5-22.7	15	10.3	04.2-16.4	23	13.8	07.3-20.3	53	29.2	21.2-37.2
55-64	591	261,053	161	29.8	25.1-34.5	89	15.1	11.6-18.6	50	6.9	04.7-09.1	99	15.7	12.4-19.0	192	32.6	27.9-37.3
65+	1107	370,855	244	21.5	18.6-24.4	147	15.1	12.0-18.2	126	10.4	08.2-12.6	187	18.3	15.6-21.0	403	34.7	31.2-38.2
Less Than H.S.	147	73,921	37	23.1	14.9-31.3	20	17.9	07.7-28.1	7	8.9	02.0-15.8	28	20.3	12.3-28.3	55	29.8	21.0-38.6
H.S. or G.E.D.	720	289,104	196	28.8	24.7-32.9	101	14.7	11.4-18.0	77	8.8	06.3-11.3	113	15.9	12.8-19.0	233	31.8	27.7-35.9
Some Post-H.S.	461	197,413	107	24.4	19.3-29.5	65	16.0	11.3-20.7	52	9.0	06.1-11.9	81	16.4	12.3-20.5	156	34.1	28.6-39.6
College Graduate	531	167,492	115	23.1	18.6-27.6	71	13.5	10.0-17.0	54	9.8	06.7-12.9	87	17.3	13.4-21.2	204	36.3	31.4-41.2
Less than \$15,000	202	66,572	52	25.5	17.5-33.5	27	19.4	07.8-31.0	28	9.8	05.5-14.1	38	18.9	12.0-25.8	57	26.5	17.9-35.1
\$15,000- 24,999	359	126,413	84	24.0	18.5-29.5	48	14.3	09.4-19.2	37	9.6	05.1-14.1	55	16.8	11.9-21.7	135	35.3	29.0-41.6
\$25,000- 34,999	228	81,713	49	22.3	16.0-28.6	38	18.4	12.3-24.5	27	13.9	08.0-19.8	44	16.9	11.2-22.6	70	28.6	21.5-35.7
\$35,000- 49,999	264	107,980	65	26.0	19.3-32.7	44	16.5	11.4-21.6	25	7.2	04.1-10.3	43	18.3	12.6-24.0	87	32.0	25.3-38.7
\$50,000- 74,999	237	97,624	67	30.6	22.8-38.4	29	12.2	07.3-17.1	20	8.6	04.1-13.1	47	18.6	12.7-24.5	74	30.0	22.9-37.1
\$75,000+	293	138,848	78	28.5	22.2-34.8	37	13.8	08.1-19.5	26	8.5	05.0-12.0	42	15.4	10.3-20.5	110	33.8	27.3-40.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	670	328,547	183	27.4	23.1-31.7	96	16.9	12.8-21.0	61	8.2	05.7-10.7	117	17.8	14.3-21.3	213	29.7	25.6-33.8
White/Non-Hisp	571	291,397	155	27.7	23.2-32.2	80	15.8	11.9-19.7	53	8.8	06.1-11.5	103	18.1	14.4-21.8	180	29.7	25.4-34.0
Black or Afr. Am./Non-Hisp	60	18,675	19	31.7	14.1-49.3	8	16.6	03.3-29.9	5	2.2	00.0-04.4	5	15.0	00.7-29.3	23	34.5	16.5-52.5
45-54	66	50,745	22	33.3	20.6-46.0	11	17.5	05.2-29.8	5	8.9	00.1-17.7	12	17.0	06.4-27.6	16	23.2	11.8-34.6
55-64	248	128,200	78	32.9	25.3-40.5	37	15.7	09.8-21.6	16	5.0	02.1-07.9	42	16.0	10.9-21.1	75	30.4	23.3-37.5
65+	356	149,602	83	20.7	15.8-25.6	48	17.7	11.6-23.8	40	10.6	06.7-14.5	63	19.7	14.6-24.8	122	31.2	25.3-37.1
H.S. or G.E.D.	229	121,407	67	29.5	22.1-36.9	37	16.7	10.4-23.0	20	7.2	02.9-11.5	39	16.7	11.2-22.2	66	29.9	22.8-37.0
Some Post-H.S.	151	87,074	41	27.0	18.2-35.8	20	15.7	07.3-24.1	15	9.2	04.3-14.1	30	18.8	11.2-26.4	45	29.4	20.4-38.4
College Graduate	243	92,710	59	24.8	18.3-31.3	33	15.2	09.7-20.7	22	7.6	03.9-11.3	42	19.0	13.1-24.9	87	33.3	26.4-40.2
Less than \$15,000	54	27,259	16	27.1	12.2-42.0	9	29.6	05.9-53.3	5	5.1	00.0-10.6	11	18.8	06.6-31.0	13	19.3	05.4-33.2
\$15,000- 24,999	108	44,405	27	21.6	12.4-30.8	14	13.0	04.4-21.6	11	12.3	02.3-22.3	19	20.9	11.1-30.7	37	32.1	20.9-43.3
\$25,000- 34,999	79	36,422	21	23.1	12.9-33.3	12	17.6	07.6-27.6	9	15.4	05.0-25.8	15	15.1	06.1-24.1	22	28.8	16.6-41.0
\$35,000- 49,999	110	55,763	35	34.3	23.5-45.1	21	17.8	10.0-25.6	8	4.9	00.8-09.0	15	16.7	08.5-24.9	31	26.3	16.7-35.9
\$50,000- 74,999	112	53,506	33	32.7	20.7-44.7	15	11.8	04.9-18.7	6	4.0	00.0-08.1	24	20.3	11.5-29.1	34	31.2	20.4-42.0
\$75,000+	146	78,529	38	26.6	18.0-35.2	18	16.1	07.3-24.9	13	8.0	03.3-12.7	23	17.4	10.0-24.8	54	31.9	23.1-40.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1193	400,516	274	24.5	21.4-27.6	162	13.6	11.2-16.0	130	9.9	07.7-12.1	192	15.9	13.4-18.4	435	36.1	32.8-39.4
White/Non-Hisp	1027	367,769	238	24.5	21.4-27.6	134	13.4	10.9-15.9	114	10.0	07.8-12.2	161	16.0	13.5-18.5	380	36.2	32.7-39.7
Black or Afr. Am./Non-Hisp	119	19,621	23	23.0	11.4-34.6	23	16.1	08.1-24.1	12	10.7	03.4-18.0	21	9.7	04.4-15.0	40	40.4	26.5-54.3
45-54	99	46,411	30	29.7	18.7-40.7	11	12.4	04.0-20.8	10	11.7	03.3-20.1	11	10.4	03.7-17.1	37	35.8	24.6-47.0
55-64	343	132,853	83	26.8	21.1-32.5	52	14.4	10.3-18.5	34	8.7	05.4-12.0	57	15.3	10.8-19.8	117	34.7	28.6-40.8
65+	751	221,252	161	22.0	18.3-25.7	99	13.3	10.4-16.2	86	10.2	07.7-12.7	124	17.4	14.1-20.7	281	37.1	33.0-41.2
Less Than H.S.	102	47,415	22	21.0	11.2-30.8	14	11.8	04.2-19.4	4	7.8	00.0-16.0	22	22.6	12.8-32.4	40	36.8	25.4-48.2
H.S. or G.E.D.	491	167,697	129	28.3	23.4-33.2	64	13.2	09.5-16.9	57	10.0	07.1-12.9	74	15.3	11.6-19.0	167	33.1	28.2-38.0
Some Post-H.S.	310	110,338	66	22.4	16.7-28.1	45	16.3	11.2-21.4	37	8.9	05.4-12.4	51	14.5	10.0-19.0	111	37.8	31.1-44.5
College Graduate	288	74,782	56	21.0	15.1-26.9	38	11.4	07.3-15.5	32	12.5	07.6-17.4	45	15.1	10.2-20.0	117	40.0	33.3-46.7
Less than \$15,000	148	39,313	36	24.3	15.3-33.3	18	12.3	05.4-19.2	23	13.0	06.9-19.1	27	19.0	10.8-27.2	44	31.5	21.5-41.5
\$15,000- 24,999	251	82,008	57	25.4	18.5-32.3	34	15.0	09.1-20.9	26	8.1	03.6-12.6	36	14.5	09.0-20.0	98	37.1	29.7-44.5
\$25,000- 34,999	149	45,291	28	21.6	13.6-29.6	26	19.0	11.6-26.4	18	12.7	05.8-19.6	29	18.3	11.0-25.6	48	28.5	20.3-36.7
\$35,000- 49,999	154	52,217	30	17.1	10.2-24.0	23	15.1	08.6-21.6	17	9.7	04.8-14.6	28	20.1	12.5-27.7	56	38.0	29.0-47.0
\$50,000- 74,999	125	44,119	34	28.1	18.5-37.7	14	12.6	05.5-19.7	14	14.1	05.7-22.5	23	16.6	09.0-24.2	40	28.5	19.3-37.7
\$75,000+	147	60,319	40	31.0	21.8-40.2	19	10.8	04.5-17.1	13	9.0	03.5-14.5	19	12.9	06.6-19.2	56	36.3	27.1-45.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5174	2,112,810	3380	62.5	60.7-64.3	1794	37.5	35.7-39.3
Male	1927	977,584	1231	60.7	58.0-63.4	696	39.3	36.6-42.0
Female	3247	1,135,226	2149	64.1	61.9-66.3	1098	35.9	33.7-38.1
White/Non-Hisp	4321	1,852,326	2846	63.4	61.6-65.2	1475	36.6	34.8-38.4
Black or Afr. Am./Non-Hisp	547	133,590	359	62.1	55.4-68.8	188	37.9	31.2-44.6
Oth. Race/Non-Hisp.	53	24,566	29	56.9	34.9-78.9	24	43.1	21.1-65.1
MultiRacial/Non-Hisp.	71	30,525	42	52.1	36.4-67.8	29	47.9	32.2-63.6
Hispanic	90	39,190	46	43.9	29.6-58.2	44	56.1	41.8-70.4
45-54	812	489,963	377	45.6	41.5-49.7	435	54.4	50.3-58.5
55-64	1734	756,604	1113	62.2	59.3-65.1	621	37.8	34.9-40.7
65+	2628	866,244	1890	72.3	70.1-74.5	738	27.7	25.5-29.9
Less Than H.S.	503	259,911	282	56.5	51.0-62.0	221	43.5	38.0-49.0
H.S. or G.E.D.	2095	869,257	1270	57.3	54.6-60.0	825	42.7	40.0-45.4
Some Post-H.S.	1260	565,726	853	65.5	62.2-68.8	407	34.5	31.2-37.8
College Graduate	1306	413,930	971	73.4	70.5-76.3	335	26.6	23.7-29.5
Less than \$15,000	619	210,080	341	53.4	47.9-58.9	278	46.6	41.1-52.1
\$15,000- 24,999	1027	369,743	615	54.6	50.7-58.5	412	45.4	41.5-49.3
\$25,000- 34,999	595	236,730	406	61.2	56.1-66.3	189	38.8	33.7-43.9
\$35,000- 49,999	676	290,097	473	66.8	62.3-71.3	203	33.2	28.7-37.7
\$50,000- 74,999	635	290,754	418	61.4	56.5-66.3	217	38.6	33.7-43.5
\$75,000+	816	397,853	604	71.5	67.6-75.4	212	28.5	24.6-32.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1927	977,584	1231	60.7	58.0-63.4	696	39.3	36.6-42.0
White/Non-Hisp	1613	846,947	1042	61.5	58.6-64.4	571	38.5	35.6-41.4
Black or Afr. Am./Non-Hisp	179	61,282	118	62.0	50.8-73.2	61	38.0	26.8-49.2
45-54	329	239,073	140	44.9	38.4-51.4	189	55.1	48.6-61.6
55-64	711	367,257	448	60.3	55.8-64.8	263	39.7	35.2-44.2
65+	887	371,253	643	71.3	67.6-75.0	244	28.7	25.0-32.4
Less Than H.S.	178	112,002	84	49.0	39.6-58.4	94	51.0	41.6-60.4
H.S. or G.E.D.	725	393,988	411	53.3	49.0-57.6	314	46.7	42.4-51.0
Some Post-H.S.	440	251,033	291	64.4	58.9-69.9	149	35.6	30.1-41.1
College Graduate	579	217,778	443	76.2	72.1-80.3	136	23.8	19.7-27.9
Less than \$15,000	172	78,429	86	52.3	41.9-62.7	86	47.7	37.3-58.1
\$15,000- 24,999	348	158,243	189	47.6	40.9-54.3	159	52.4	45.7-59.1
\$25,000- 34,999	222	108,632	141	56.3	48.3-64.3	81	43.7	35.7-51.7
\$35,000- 49,999	293	147,796	198	63.5	56.6-70.4	95	36.5	29.6-43.4
\$50,000- 74,999	284	154,693	177	56.1	48.8-63.4	107	43.9	36.6-51.2
\$75,000+	414	231,578	315	74.5	69.4-79.6	99	25.5	20.4-30.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3247	1,135,226	2149	64.1	61.9-66.3	1098	35.9	33.7-38.1
White/Non-Hisp	2708	1,005,379	1804	64.9	62.7-67.1	904	35.1	32.9-37.3
Black or Afr. Am./Non-Hisp	368	72,307	241	62.2	54.4-70.0	127	37.8	30.0-45.6
Hispanic	50	21,256	29	45.0	25.2-64.8	21	55.0	35.2-74.8
45-54	483	250,889	237	46.3	41.0-51.6	246	53.7	48.4-59.0
55-64	1023	389,347	665	64.0	60.5-67.5	358	36.0	32.5-39.5
65+	1741	494,990	1247	73.1	70.6-75.6	494	26.9	24.4-29.4
Less Than H.S.	325	147,909	198	62.1	55.4-68.8	127	37.9	31.2-44.6
H.S. or G.E.D.	1370	475,269	859	60.6	57.3-63.9	511	39.4	36.1-42.7
Some Post-H.S.	820	314,693	562	66.4	62.3-70.5	258	33.6	29.5-37.7
College Graduate	727	196,152	528	70.4	66.3-74.5	199	29.6	25.5-33.7
Less than \$15,000	447	131,651	255	54.1	47.6-60.6	192	45.9	39.4-52.4
\$15,000- 24,999	679	211,500	426	59.9	55.0-64.8	253	40.1	35.2-45.0
\$25,000- 34,999	373	128,097	265	65.3	58.8-71.8	108	34.7	28.2-41.2
\$35,000- 49,999	383	142,302	275	70.3	64.8-75.8	108	29.7	24.2-35.2
\$50,000- 74,999	351	136,061	241	67.4	61.3-73.5	110	32.6	26.5-38.7
\$75,000+	402	166,274	289	67.4	61.7-73.1	113	32.6	26.9-38.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 10: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3296	1,288,344	155	4.5	03.5-05.5	3141	95.5	94.5-96.5
Male	1184	573,851	59	4.8	03.2-06.4	1125	95.2	93.6-96.8
Female	2112	714,492	96	4.4	03.4-05.4	2016	95.6	94.6-96.6
White/Non-Hisp	2788	1,148,519	130	4.5	03.5-05.5	2658	95.5	94.5-96.5
Black or Afr. Am./Non-Hisp	344	79,950	11	2.3	00.5-04.1	333	97.7	95.9-99.5
45-54	372	219,094	22	5.5	03.0-08.0	350	94.5	92.0-97.0
55-64	1105	468,019	48	4.3	02.7-05.9	1057	95.7	94.1-97.3
65+	1819	601,231	85	4.4	03.2-05.6	1734	95.6	94.4-96.8
Less Than H.S.	264	140,386	15	4.7	01.6-07.8	249	95.3	92.2-98.4
H.S. or G.E.D.	1242	488,367	50	4.3	02.9-05.7	1192	95.7	94.3-97.1
Some Post-H.S.	835	361,377	41	4.7	02.9-06.5	794	95.3	93.5-97.1
College Graduate	951	296,489	49	4.8	03.2-06.4	902	95.2	93.6-96.8
Less than \$15,000	329	107,272	22	5.8	02.7-08.9	307	94.2	91.1-97.3
\$15,000- 24,999	594	195,043	27	5.2	02.7-07.7	567	94.8	92.3-97.3
\$25,000- 34,999	398	143,134	17	4.4	01.9-06.9	381	95.6	93.1-98.1
\$35,000- 49,999	463	189,019	24	4.7	02.3-07.1	439	95.3	92.9-97.7
\$50,000- 74,999	414	177,357	15	3.1	00.9-05.3	399	96.9	94.7-99.1
\$75,000+	597	280,934	27	4.3	02.3-06.3	570	95.7	93.7-97.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 11: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1184	573,851	59	4.8	03.2-06.4	1125	95.2	93.6-96.8
White/Non-Hisp	1009	505,994	48	4.7	03.1-06.3	961	95.3	93.7-96.9
Black or Afr. Am./Non-Hisp	111	36,824	4	2.3	00.0-05.2	107	97.7	94.8-0100
45-54	137	104,484	10	6.0	01.9-10.1	127	94.0	89.9-98.1
55-64	445	220,122	17	4.3	01.9-06.7	428	95.7	93.3-98.1
65+	602	249,245	32	4.6	02.4-06.8	570	95.4	93.2-97.6
Less Than H.S.	73	50,151	5	5.4	00.0-11.9	68	94.6	88.1-0100
H.S. or G.E.D.	397	204,595	14	3.7	01.3-06.1	383	96.3	93.9-98.7
Some Post-H.S.	284	157,384	16	6.2	02.7-09.7	268	93.8	90.3-97.3
College Graduate	428	160,334	24	4.4	02.2-06.6	404	95.6	93.4-97.8
Less than \$15,000	82	39,885	6	6.1	00.0-12.4	76	93.9	87.6-0100
\$15,000- 24,999	179	72,800	9	4.8	00.5-09.1	170	95.2	90.9-99.5
\$25,000- 34,999	135	59,599	5	4.7	00.2-09.2	130	95.3	90.8-99.8
\$35,000- 49,999	189	89,104	13	6.3	02.2-10.4	176	93.7	89.6-97.8
\$50,000- 74,999	176	86,430	6	3.0	00.0-06.3	170	97.0	93.7-0100
\$75,000+	309	169,167	15	4.7	02.0-07.4	294	95.3	92.6-98.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 12: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2112	714,492	96	4.4	03.4-05.4	2016	95.6	94.6-96.6
White/Non-Hisp	1779	642,525	82	4.4	03.2-05.6	1697	95.6	94.4-96.8
Black or Afr. Am./Non-Hisp	233	43,127	7	2.2	00.2-04.2	226	97.8	95.8-99.8
45-54	235	114,610	12	5.1	01.8-08.4	223	94.9	91.6-98.2
55-64	660	247,897	31	4.3	02.3-06.3	629	95.7	93.7-97.7
65+	1217	351,985	53	4.2	02.8-05.6	1164	95.8	94.4-97.2
Less Than H.S.	191	90,235	10	4.3	01.0-07.6	181	95.7	92.4-99.0
H.S. or G.E.D.	845	283,771	36	4.7	02.9-06.5	809	95.3	93.5-97.1
Some Post-H.S.	551	203,993	25	3.5	01.7-05.3	526	96.5	94.7-98.3
College Graduate	523	136,155	25	5.1	02.7-07.5	498	94.9	92.5-97.3
Less than \$15,000	247	67,387	16	5.7	02.4-09.0	231	94.3	91.0-97.6
\$15,000- 24,999	415	122,244	18	5.5	02.4-08.6	397	94.5	91.4-97.6
\$25,000- 34,999	263	83,534	12	4.1	01.4-06.8	251	95.9	93.2-98.6
\$35,000- 49,999	274	99,915	11	3.3	00.8-05.8	263	96.7	94.2-99.2
\$50,000- 74,999	238	90,926	9	3.3	00.8-05.8	229	96.7	94.2-99.2
\$75,000+	288	111,767	12	3.6	01.2-06.0	276	96.4	94.0-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 13: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3340	1,308,251	746	22.8	21.0-24.6	573	17.7	15.9-19.5	535	15.1	13.5-16.7	742	22.0	20.2-23.8	540	16.5	14.9-18.1	204	5.9	04.9-06.9
Male	1217	588,956	279	22.3	19.4-25.2	208	18.5	15.6-21.4	216	16.6	14.1-19.1	267	21.8	19.1-24.5	173	15.2	12.7-17.7	74	5.6	04.0-07.2
Female	2123	719,295	467	23.1	20.9-25.3	365	17.1	15.1-19.1	319	14.0	12.2-15.8	475	22.1	19.9-24.3	367	17.5	15.5-19.5	130	6.1	04.7-07.5
White/Non-Hisp	2815	1,162,123	603	22.0	20.0-24.0	474	17.4	15.6-19.2	453	15.2	13.6-16.8	636	22.3	20.5-24.1	476	17.0	15.2-18.8	173	6.1	04.9-07.3
Black or Afr. Am./Non-Hisp	354	82,623	102	29.2	21.9-36.5	69	19.2	12.5-25.9	60	16.8	10.3-23.3	67	18.5	11.8-25.2	41	12.4	06.7-18.1	15	3.9	00.8-07.0
45-54	375	221,846	114	30.6	24.9-36.3	75	20.4	15.1-25.7	64	16.1	11.4-20.8	54	13.5	09.4-17.6	42	11.7	07.8-15.6	26	7.7	04.6-10.8
55-64	1107	469,986	228	19.7	17.0-22.4	182	17.9	15.0-20.8	155	13.1	10.7-15.5	279	25.8	22.7-28.9	204	18.5	15.8-21.2	59	5.0	03.4-06.6
65+	1858	616,418	404	22.3	19.9-24.7	316	16.7	14.5-18.9	316	16.3	14.1-18.5	409	22.1	19.7-24.5	294	16.6	14.4-18.8	119	5.9	04.5-07.3
Less Than H.S.	276	143,973	69	24.5	18.2-30.8	53	18.0	11.5-24.5	34	13.8	08.7-18.9	52	18.5	12.8-24.2	50	19.7	13.8-25.6	18	5.5	02.2-08.8
H.S. or G.E.D.	1248	491,222	287	22.6	19.9-25.3	203	17.4	14.5-20.3	214	15.7	13.3-18.1	274	22.9	20.0-25.8	184	14.8	12.4-17.2	86	6.5	04.9-08.1
Some Post-H.S.	848	368,669	189	23.4	19.7-27.1	150	18.6	15.3-21.9	123	13.2	10.3-16.1	193	22.0	18.7-25.3	144	16.5	13.4-19.6	49	6.4	04.2-08.6
College Graduate	964	302,662	199	21.2	18.1-24.3	167	17.2	14.3-20.1	163	17.2	14.3-20.1	222	22.2	19.1-25.3	162	17.6	14.7-20.5	51	4.6	03.0-06.2
Less than \$15,000	331	109,236	72	21.8	15.9-27.7	55	19.9	12.1-27.7	61	14.9	10.2-19.6	65	16.6	11.3-21.9	53	18.8	12.7-24.9	25	8.0	03.3-12.7
\$15,000- 24,999	605	198,966	134	21.2	17.1-25.3	87	11.8	08.7-14.9	93	13.8	10.3-17.3	142	25.1	20.4-29.8	91	18.0	13.9-22.1	58	10.0	06.9-13.1
\$25,000- 34,999	404	144,391	98	24.2	19.1-29.3	66	15.9	11.6-20.2	69	17.5	12.8-22.2	82	20.7	15.8-25.6	68	16.8	12.5-21.1	21	4.9	02.5-07.3
\$35,000- 49,999	470	192,066	116	24.3	19.6-29.0	71	14.0	10.3-17.7	65	14.1	10.4-17.8	109	24.0	19.3-28.7	80	18.1	13.8-22.4	29	5.5	03.1-07.9
\$50,000- 74,999	417	178,137	101	28.3	22.8-33.8	85	21.3	16.4-26.2	61	12.0	08.5-15.5	82	16.2	12.3-20.1	64	16.7	12.2-21.2	24	5.6	02.9-08.3
\$75,000+	604	284,589	111	19.1	15.0-23.2	120	21.8	17.5-26.1	103	16.7	13.0-20.4	153	25.0	20.9-29.1	94	13.9	10.8-17.0	23	3.5	01.7-05.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 14: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1217	588,956	279	22.3	19.4-25.2	208	18.5	15.6-21.4	216	16.6	14.1-19.1	267	21.8	19.1-24.5	173	15.2	12.7-17.7	74	5.6	04.0-07.2
White/Non-Hisp	1032	516,949	223	22.1	19.0-25.2	178	17.9	15.0-20.8	188	16.5	13.8-19.2	229	21.8	18.9-24.7	152	15.7	13.0-18.4	62	6.0	04.2-07.8
Black or Afr. Am./Non-Hisp	116	37,842	41	25.9	15.5-36.3	16	14.7	04.7-24.7	20	22.8	10.6-35.0	23	23.8	11.6-36.0	12	11.5	02.1-20.9	4	1.3	00.0-02.9
45-54	138	105,736	40	30.7	21.5-39.9	26	20.1	11.5-28.7	21	14.8	07.4-22.2	23	13.3	07.0-19.6	18	14.1	07.4-20.8	10	6.9	02.4-11.4
55-64	447	221,346	114	22.3	17.8-26.8	72	16.9	12.4-21.4	71	15.9	11.8-20.0	100	24.3	19.6-29.0	68	16.1	12.0-20.2	22	4.5	02.3-06.7
65+	632	261,874	125	18.9	15.2-22.6	110	19.2	15.1-23.3	124	17.8	14.3-21.3	144	23.2	19.1-27.3	87	14.8	11.3-18.3	42	6.1	03.7-08.5
Less Than H.S.	82	54,589	15	16.5	07.5-25.5	11	15.5	02.6-28.4	18	21.0	10.6-31.4	14	18.2	07.8-28.6	17	21.3	10.3-32.3	7	7.5	00.8-14.2
H.S. or G.E.D.	403	206,811	90	21.4	16.7-26.1	66	19.1	13.8-24.4	74	15.2	11.3-19.1	91	24.5	19.4-29.6	56	14.7	10.6-18.8	26	5.1	02.7-07.5
Some Post-H.S.	289	160,683	74	26.5	19.8-33.2	57	19.9	14.2-25.6	38	12.9	07.6-18.2	64	19.7	14.4-25.0	38	13.8	08.9-18.7	18	7.2	03.7-10.7
College Graduate	441	165,485	98	20.6	16.3-24.9	74	17.5	13.2-21.8	86	20.5	15.8-25.2	98	21.9	17.2-26.6	62	15.2	11.3-19.1	23	4.3	02.1-06.5
Less than \$15,000	85	40,911	15	14.0	05.4-22.6	14	24.1	06.7-41.5	18	15.6	07.0-24.2	12	11.9	02.7-21.1	17	27.5	14.0-41.0	9	7.0	00.9-13.1
\$15,000- 24,999	184	73,818	40	18.2	11.5-24.9	27	11.5	06.2-16.8	31	14.2	08.3-20.1	41	26.3	17.3-35.3	26	17.9	10.1-25.7	19	11.9	05.8-18.0
\$25,000- 34,999	140	60,774	41	27.5	18.9-36.1	21	15.2	08.1-22.3	24	13.4	06.9-19.9	26	22.2	13.4-31.0	20	15.9	08.5-23.3	8	5.8	01.5-10.1
\$35,000- 49,999	196	92,652	44	21.2	14.5-27.9	30	14.7	09.0-20.4	28	15.9	09.8-22.0	51	27.2	19.8-34.6	30	16.2	09.7-22.7	13	4.8	01.7-07.9
\$50,000- 74,999	177	86,742	49	30.2	21.8-38.6	37	23.4	15.6-31.2	30	12.5	07.0-18.0	31	12.8	07.7-17.9	22	16.3	09.4-23.2	8	4.7	00.6-08.8
\$75,000+	315	172,598	67	22.1	16.2-28.0	60	20.3	14.4-26.2	59	19.4	13.7-25.1	77	23.6	18.3-28.9	40	10.4	06.9-13.9	12	4.1	01.6-06.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 15: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2123	719,295	467	23.1	20.9-25.3	365	17.1	15.1-19.1	319	14.0	12.2-15.8	475	22.1	19.9-24.3	367	17.5	15.5-19.5	130	6.1	04.7-07.5
White/Non-Hisp	1783	645,174	380	22.0	19.6-24.4	296	17.0	14.8-19.2	265	14.2	12.2-16.2	407	22.6	20.2-25.0	324	18.1	15.9-20.3	111	6.1	04.7-07.5
Black or Afr. Am./Non-Hisp	238	44,781	61	32.0	22.2-41.8	53	23.0	14.2-31.8	40	11.7	06.2-17.2	44	14.1	07.8-20.4	29	13.2	06.1-20.3	11	6.1	00.6-11.6
45-54	237	116,110	74	30.5	23.4-37.6	49	20.6	14.5-26.7	43	17.3	11.6-23.0	31	13.7	08.6-18.8	24	9.5	05.0-14.0	16	8.4	04.1-12.7
55-64	660	248,641	114	17.3	13.8-20.8	110	18.7	15.0-22.4	84	10.7	08.0-13.4	179	27.2	23.1-31.3	136	20.7	17.0-24.4	37	5.5	03.1-07.9
65+	1226	354,544	279	24.8	21.9-27.7	206	14.9	12.5-17.3	192	15.2	12.7-17.7	265	21.3	18.6-24.0	207	18.0	15.5-20.5	77	5.8	04.2-07.4
Less Than H.S.	194	89,384	54	29.4	21.4-37.4	42	19.5	12.8-26.2	16	9.4	04.1-14.7	38	18.7	12.2-25.2	33	18.7	12.0-25.4	11	4.2	00.9-07.5
H.S. or G.E.D.	845	284,411	197	23.4	20.1-26.7	137	16.2	13.1-19.3	140	16.1	13.2-19.0	183	21.8	18.5-25.1	128	15.0	12.3-17.7	60	7.5	05.3-09.7
Some Post-H.S.	559	207,986	115	20.9	16.6-25.2	93	17.6	13.7-21.5	85	13.4	10.1-16.7	129	23.8	19.5-28.1	106	18.5	14.6-22.4	31	5.8	03.1-08.5
College Graduate	523	137,177	101	21.9	17.4-26.4	93	16.9	13.2-20.6	77	13.2	10.1-16.3	124	22.5	18.4-26.6	100	20.6	16.5-24.7	28	4.9	02.5-07.3
Less than \$15,000	246	68,326	57	26.5	19.1-33.9	41	17.5	11.4-23.6	43	14.4	08.9-19.9	53	19.4	13.3-25.5	36	13.6	08.3-18.9	16	8.6	02.1-15.1
\$15,000- 24,999	421	125,148	94	23.0	17.9-28.1	60	12.0	08.3-15.7	62	13.6	09.5-17.7	101	24.5	19.4-29.6	65	18.0	13.3-22.7	39	8.8	05.3-12.3
\$25,000- 34,999	264	83,617	57	21.7	15.4-28.0	45	16.3	10.8-21.8	45	20.5	14.0-27.0	56	19.7	13.8-25.6	48	17.4	12.1-22.7	13	4.3	01.6-07.0
\$35,000- 49,999	274	99,414	72	27.2	20.7-33.7	41	13.4	08.7-18.1	37	12.5	08.0-17.0	58	20.9	15.0-26.8	50	19.8	14.1-25.5	16	6.1	02.4-09.8
\$50,000- 74,999	240	91,395	52	26.4	19.3-33.5	48	19.3	13.4-25.2	31	11.5	07.0-16.0	51	19.3	13.2-25.4	42	17.1	11.4-22.8	16	6.4	02.9-09.9
\$75,000+	289	111,991	44	14.4	09.5-19.3	60	24.1	17.8-30.4	44	12.6	08.3-16.9	76	27.1	21.0-33.2	54	19.4	13.9-24.9	11	2.5	00.9-04.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012

SECTION 18: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1	MALES AND FEMALES	241
2	MALES ONLY	242
3	FEMALES ONLY	243
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3)	
4	MALES AND FEMALES	244
5	MALES ONLY	245
6	FEMALES ONLY	246
	I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)	
7	MALES AND FEMALES	247
8	MALES ONLY	248
9	FEMALES ONLY	249

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8032	4,613,336	2144	30.2	28.8-31.6	5888	69.8	68.4-71.2
Male	3143	2,236,233	834	28.2	26.2-30.2	2309	71.8	69.8-73.8
Female	4889	2,377,103	1310	32.2	30.4-34.0	3579	67.8	66.0-69.6
White/Non-Hisp	6534	3,797,698	1529	27.0	25.6-28.4	5005	73.0	71.6-74.4
Black or Afr. Am./Non-Hisp	850	380,186	387	57.8	52.3-63.3	463	42.2	36.7-47.7
Oth. Race/Non-Hisp.	114	71,335	34	22.1	13.5-30.7	80	77.9	69.3-86.5
MultiRacial/Non-Hisp.	121	64,604	51	38.7	27.7-49.7	70	61.3	50.3-72.3
Hispanic	290	245,843	112	39.2	31.9-46.5	178	60.8	53.5-68.1
18-24	510	655,204	154	27.9	23.6-32.2	356	72.1	67.8-76.4
25-34	842	758,038	439	50.7	46.8-54.6	403	49.3	45.4-53.2
35-44	1045	765,589	489	45.7	42.0-49.4	556	54.3	50.6-58.0
45-54	1365	842,273	440	30.2	27.3-33.1	925	69.8	66.9-72.7
55-64	1675	729,828	361	19.3	16.9-21.7	1314	80.7	78.3-83.1
65+	2528	831,374	247	9.2	07.8-10.6	2281	90.8	89.4-92.2
Less Than H.S.	785	647,605	184	29.3	25.0-33.6	601	70.7	66.4-75.0
H.S. or G.E.D.	2902	1,603,931	610	25.5	23.3-27.7	2292	74.5	72.3-76.7
Some Post-H.S.	2121	1,403,098	673	33.9	31.4-36.4	1448	66.1	63.6-68.6
College Graduate	2209	950,847	672	33.4	31.0-35.8	1537	66.6	64.2-69.0
Less than \$15,000	938	475,357	320	40.0	35.5-44.5	618	60.0	55.5-64.5
\$15,000- 24,999	1451	751,347	412	35.9	32.4-39.4	1039	64.1	60.6-67.6
\$25,000- 34,999	844	464,428	229	31.6	27.3-35.9	615	68.4	64.1-72.7
\$35,000- 49,999	1084	637,842	265	26.6	23.3-29.9	819	73.4	70.1-76.7
\$50,000- 74,999	1103	699,123	305	29.6	26.1-33.1	798	70.4	66.9-73.9
\$75,000+	1485	938,302	413	29.6	26.7-32.5	1072	70.4	67.5-73.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3143	2,236,233	834	28.2	26.2-30.2	2309	71.8	69.8-73.8
White/Non-Hisp	2587	1,829,102	607	25.5	23.3-27.7	1980	74.5	72.3-76.7
Black or Afr. Am./Non-Hisp	280	175,113	136	54.2	45.2-63.2	144	45.8	36.8-54.8
Hispanic	121	131,263	40	33.5	22.7-44.3	81	66.5	55.7-77.3
18-24	257	340,797	54	20.9	15.2-26.6	203	79.1	73.4-84.8
25-34	346	382,835	153	42.9	37.0-48.8	193	57.1	51.2-63.0
35-44	440	385,064	175	38.7	33.2-44.2	265	61.3	55.8-66.8
45-54	560	413,034	176	30.1	25.6-34.6	384	69.9	65.4-74.4
55-64	680	351,227	158	21.6	17.7-25.5	522	78.4	74.5-82.3
65+	840	351,586	114	11.8	09.3-14.3	726	88.2	85.7-90.7
Less Than H.S.	309	323,385	72	26.9	20.6-33.2	237	73.1	66.8-79.4
H.S. or G.E.D.	1121	826,629	279	26.3	23.0-29.6	842	73.7	70.4-77.0
Some Post-H.S.	774	608,982	235	30.5	26.4-34.6	539	69.5	65.4-73.6
College Graduate	932	471,818	245	29.0	25.5-32.5	687	71.0	67.5-74.5
Less than \$15,000	283	186,267	103	32.4	25.1-39.7	180	67.6	60.3-74.9
\$15,000- 24,999	518	348,536	172	39.0	33.5-44.5	346	61.0	55.5-66.5
\$25,000- 34,999	318	213,186	88	31.0	24.5-37.5	230	69.0	62.5-75.5
\$35,000- 49,999	479	339,875	107	23.8	19.1-28.5	372	76.2	71.5-80.9
\$50,000- 74,999	505	380,309	137	27.7	22.8-32.6	368	72.3	67.4-77.2
\$75,000+	715	518,941	169	26.0	22.1-29.9	546	74.0	70.1-77.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4889	2,377,103	1310	32.2	30.4-34.0	3579	67.8	66.0-69.6
White/Non-Hisp	3947	1,968,596	922	28.5	26.7-30.3	3025	71.5	69.7-73.3
Black or Afr. Am./Non-Hisp	570	205,073	251	60.9	54.4-67.4	319	39.1	32.6-45.6
Oth. Race/Non-Hisp.	66	31,556	20	28.5	15.6-41.4	46	71.5	58.6-84.4
MultiRacial/Non-Hisp.	73	34,815	30	39.2	24.5-53.9	43	60.8	46.1-75.5
Hispanic	169	114,581	72	45.7	36.1-55.3	97	54.3	44.7-63.9
18-24	253	314,407	100	35.4	28.7-42.1	153	64.6	57.9-71.3
25-34	496	375,203	286	58.7	53.6-63.8	210	41.3	36.2-46.4
35-44	605	380,525	314	52.7	47.8-57.6	291	47.3	42.4-52.2
45-54	805	429,239	264	30.2	26.5-33.9	541	69.8	66.1-73.5
55-64	995	378,601	203	17.1	14.4-19.8	792	82.9	80.2-85.6
65+	1688	479,788	133	7.2	05.8-08.6	1555	92.8	91.4-94.2
Less Than H.S.	476	324,220	112	31.6	25.7-37.5	364	68.4	62.5-74.3
H.S. or G.E.D.	1781	777,302	331	24.6	21.9-27.3	1450	75.4	72.7-78.1
Some Post-H.S.	1347	794,116	438	36.5	33.2-39.8	909	63.5	60.2-66.8
College Graduate	1277	479,029	427	37.7	34.4-41.0	850	62.3	59.0-65.6
Less than \$15,000	655	289,090	217	44.8	39.5-50.1	438	55.2	49.9-60.5
\$15,000- 24,999	933	402,812	240	33.3	28.8-37.8	693	66.7	62.2-71.2
\$25,000- 34,999	526	251,242	141	32.1	26.6-37.6	385	67.9	62.4-73.4
\$35,000- 49,999	605	297,966	158	29.8	25.1-34.5	447	70.2	65.5-74.9
\$50,000- 74,999	598	318,814	168	31.9	27.2-36.6	430	68.1	63.4-72.8
\$75,000+	770	419,360	244	34.0	29.9-38.1	526	66.0	61.9-70.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2011			2012		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1712	1,175,335	72	3.0	02.2-03.8	127	6.0	04.8-07.2	196	9.7	08.1-11.3	319	18.6	16.2-21.0	788	49.0	46.1-51.9	210	13.6	11.4-15.8
Male	652	527,849	28	3.2	01.6-04.8	48	6.8	04.6-09.0	71	9.4	06.9-11.9	116	17.9	14.2-21.6	294	47.1	42.4-51.8	95	15.6	12.1-19.1
Female	1060	647,486	44	2.9	01.9-03.9	79	5.3	03.9-06.7	125	9.9	07.9-11.9	203	19.2	16.3-22.1	494	50.6	46.9-54.3	115	12.0	09.5-14.5
White/Non-Hisp	1226	867,491	61	3.7	02.5-04.9	107	7.1	05.5-08.7	171	11.9	09.9-13.9	250	19.8	17.1-22.5	507	44.9	41.6-48.2	130	12.5	10.1-14.9
Black or Afr. Am./Non-Hisp	314	193,495	5	1.1	00.0-02.5	12	2.7	00.5-04.9	12	2.8	00.3-05.3	35	12.3	07.0-17.6	193	63.4	56.0-70.8	57	17.9	12.2-23.6
Hispanic	87	76,294	2	1.4	00.0-03.8	4	1.5	00.0-03.3	5	3.6	00.1-07.1	16	19.9	09.3-30.5	46	56.6	43.5-69.7	14	16.9	06.7-27.1
18-24	139	168,170				1	0.3	00.0-00.9				6	4.6	00.7-08.5	90	64.4	55.4-73.4	42	30.7	22.1-39.3
25-34	386	346,308				1	0.3	00.0-00.9				69	17.9	13.6-22.2	247	65.7	60.4-71.0	58	13.2	09.5-16.9
35-44	422	302,283	13	3.1	01.3-04.9	31	8.0	04.9-11.1	62	15.1	11.0-19.2	109	26.9	21.6-32.2	165	37.4	31.7-43.1	42	9.6	06.3-12.9
45-54	351	204,315	26	8.5	04.8-12.2	47	13.4	09.3-17.5	60	15.9	11.2-20.6	65	20.7	15.2-26.2	120	32.4	26.5-38.3	33	9.0	05.5-12.5
55-64	265	106,598	14	3.8	01.4-06.2	32	11.8	07.1-16.5	44	16.0	10.7-21.3	52	18.0	12.5-23.5	103	42.7	34.7-50.7	20	7.7	03.4-12.0
65+	143	43,974	19	11.5	05.8-17.2	14	9.8	03.5-16.1	18	17.8	07.6-28.0	17	11.6	05.3-17.9	61	34.2	24.4-44.0	14	15.1	07.1-23.1
Less Than H.S.	141	153,517	3	0.7	00.0-01.7	6	2.8	00.3-05.3	11	7.9	02.8-13.0	25	18.3	10.7-25.9	77	56.9	47.1-66.7	19	13.4	06.5-20.3
H.S. or G.E.D.	469	342,028	25	4.4	02.4-06.4	30	5.9	03.5-08.3	50	8.9	06.2-11.6	75	15.8	11.9-19.7	224	49.4	43.9-54.9	65	15.7	11.4-20.0
Some Post-H.S.	556	409,542	21	2.9	01.3-04.5	40	5.9	03.7-08.1	59	9.9	07.0-12.8	102	18.6	14.5-22.7	266	50.0	44.9-55.1	68	12.7	09.4-16.0
College Graduate	543	267,445	23	2.9	01.5-04.3	51	8.1	05.6-10.6	76	11.6	08.7-14.5	114	21.5	17.4-25.6	221	43.2	38.1-48.3	58	12.8	09.3-16.3
Less than \$15,000	257	164,092	9	2.0	00.4-03.6	7	2.1	00.3-03.9	13	5.0	01.1-08.9	39	13.2	08.3-18.1	140	57.3	49.7-64.9	49	20.5	14.4-26.6
\$15,000- 24,999	317	222,737	12	1.5	00.3-02.7	18	5.5	02.6-08.4	32	8.5	05.0-12.0	41	15.3	09.8-20.8	162	52.8	45.5-60.1	52	16.5	11.2-21.8
\$25,000- 34,999	192	128,255	10	4.0	00.9-07.1	17	5.8	02.5-09.1	21	10.0	05.1-14.9	25	11.9	06.4-17.4	96	56.4	47.8-65.0	23	12.0	06.3-17.7
\$35,000- 49,999	212	140,952	12	5.0	01.3-08.7	18	7.4	03.3-11.5	25	10.2	05.7-14.7	36	16.4	10.1-22.7	102	50.0	41.8-58.2	19	11.0	05.7-16.3
\$50,000- 74,999	258	176,301	10	3.1	00.9-05.3	20	5.8	02.7-08.9	40	12.9	07.8-18.0	56	23.6	16.7-30.5	110	44.5	36.9-52.1	22	10.1	05.8-14.4
\$75,000+	353	248,271	12	3.2	01.0-05.4	40	9.2	06.1-12.3	53	12.4	08.9-15.9	97	26.2	20.9-31.5	121	38.3	32.2-44.4	30	10.7	06.6-14.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2011			2012		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	652	527,849	28	3.2	01.6-04.8	48	6.8	04.6-09.0	71	9.4	06.9-11.9	116	17.9	14.2-21.6	294	47.1	42.4-51.8	95	15.6	12.1-19.1
White/Non-Hisp	478	389,644	23	3.9	01.9-05.9	41	7.9	05.2-10.6	61	12.0	08.7-15.3	91	18.5	14.4-22.6	198	42.8	37.5-48.1	64	15.1	11.2-19.0
Black or Afr. Am./Non-Hisp	109	84,601	3	1.9	00.0-05.0	3	3.0	00.0-06.9	4	1.8	00.0-04.3	12	14.1	04.3-23.9	65	62.2	50.2-74.2	22	17.1	08.7-25.5
25-34	135	148,439							4	3.9	00.0-07.8	22	16.6	09.7-23.5	83	64.2	55.4-73.0	26	15.3	09.0-21.6
35-44	151	130,134	6	3.7	00.6-06.8	17	12.2	06.1-18.3	27	17.5	10.2-24.8	36	23.5	14.7-32.3	49	32.4	23.4-41.4	16	10.7	05.0-16.4
45-54	137	99,605	10	8.6	02.7-14.5	19	14.4	07.5-21.3	13	7.6	02.9-12.3	24	21.0	12.6-29.4	52	34.9	25.7-44.1	19	13.5	07.0-20.0
55-64	118	57,779	7	4.1	00.4-07.8	8	5.8	01.1-10.5	19	13.5	06.6-20.4	24	18.3	09.9-26.7	49	49.5	37.7-61.3	11	8.9	02.0-15.8
65+	59	22,863	5	4.6	00.1-09.1	3	8.6	00.0-18.2	7	21.6	04.5-38.7	7	11.3	02.5-20.1	29	33.2	18.3-48.1	8	20.7	07.2-34.2
Less Than H.S.	58	76,191				4	3.6	00.0-07.7	3	5.7	00.0-12.2	14	27.6	14.3-40.9	27	48.7	33.6-63.8	10	14.4	03.8-25.0
H.S. or G.E.D.	213	182,239	14	5.7	02.4-09.0	15	7.0	03.3-10.7	24	8.9	05.0-12.8	35	14.7	09.0-20.4	93	45.9	37.9-53.9	32	17.8	11.1-24.5
Some Post-H.S.	184	154,051	6	2.5	00.0-05.2	13	6.9	02.4-11.4	22	12.6	06.7-18.5	27	14.8	08.1-21.5	92	49.9	41.3-58.5	24	13.4	07.5-19.3
College Graduate	195	113,634	8	2.2	00.2-04.2	16	8.8	04.3-13.3	22	8.6	04.5-12.7	38	19.3	12.8-25.8	82	44.8	36.6-53.0	29	16.1	10.2-22.0
Less than \$15,000	78	50,323	7	3.7	00.2-07.2	3	1.4	00.0-03.2	1	0.2	00.0-00.6	9	14.0	03.8-24.2	44	63.2	49.5-76.9	14	17.4	07.0-27.8
\$15,000- 24,999	135	117,119	3	1.0	00.0-02.6	8	6.7	01.8-11.6	15	9.9	04.2-15.6	21	17.1	08.9-25.3	66	49.5	38.9-60.1	22	15.9	08.1-23.7
\$25,000- 34,999	73	58,421	4	5.3	00.0-11.2	2	1.2	00.0-03.2	9	9.8	02.2-17.4	11	14.3	04.9-23.7	38	60.3	47.2-73.4	9	9.0	02.3-15.7
\$35,000- 49,999	87	70,809	6	7.8	00.9-14.7	8	9.3	02.0-16.6	7	7.5	01.0-14.0	15	13.2	05.2-21.2	41	48.5	35.8-61.2	10	13.7	05.1-22.3
\$50,000- 74,999	107	83,363	3	2.3	00.0-05.2	10	7.0	01.5-12.5	17	14.6	05.8-23.4	22	22.1	11.1-33.1	41	39.6	27.8-51.4	14	14.4	06.8-22.0
\$75,000+	141	117,551	4	2.2	00.0-04.9	15	10.6	05.3-15.9	19	10.8	05.7-15.9	32	20.3	12.7-27.9	50	38.6	29.2-48.0	21	17.5	10.1-24.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2011			2012		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1060	647,486	44	2.9	01.9-03.9	79	5.3	03.9-06.7	125	9.9	07.9-11.9	203	19.2	16.3-22.1	494	50.6	46.9-54.3	115	12.0	09.6-14.4
White/Non-Hisp	748	477,847	38	3.6	02.2-05.0	66	6.5	04.7-08.3	110	11.9	09.4-14.4	159	21.0	17.5-24.5	309	46.6	42.3-50.9	66	10.5	07.8-13.2
Black or Afr. Am./Non-Hisp	205	108,894	2	0.5	00.0-01.3	9	2.4	00.0-04.8	8	3.5	00.0-07.4	23	10.9	05.2-16.6	128	64.2	54.8-73.6	35	18.4	10.8-26.0
Hispanic	57	39,842	2	2.7	00.0-07.2	2	1.0	00.0-02.6	3	5.5	00.0-11.8	11	22.8	09.5-36.1	31	55.5	40.2-70.8	8	12.4	03.2-21.6
18-24	90	101,179										4	3.5	00.0-07.0	59	67.6	57.2-78.0	27	28.8	18.6-39.0
25-34	251	197,869				1	0.5	00.0-01.5	7	2.2	00.4-04.0	47	18.9	13.4-24.4	164	66.8	60.3-73.3	32	11.6	07.3-15.9
35-44	271	172,149	7	2.6	00.6-04.6	14	4.8	02.3-07.3	35	13.2	08.5-17.9	73	29.5	22.8-36.2	116	41.2	34.3-48.1	26	8.8	04.9-12.7
45-54	214	104,710	16	8.4	03.7-13.1	28	12.5	07.4-17.6	47	23.8	16.5-31.1	41	20.5	13.6-27.4	68	30.1	22.7-37.5	14	4.7	01.6-07.8
55-64	147	48,819	7	3.4	00.7-06.1	24	18.9	10.9-26.9	25	19.0	11.0-27.0	28	17.6	10.5-24.7	54	34.7	24.1-45.3	9	6.3	01.4-11.2
65+	84	21,112	14	19.0	09.0-29.0	11	11.1	03.3-18.9	11	13.8	03.8-23.8	10	11.8	03.2-20.4	32	35.1	22.8-47.4	6	9.1	00.9-17.3
Less Than H.S.	83	77,327	3	1.3	00.0-03.1	2	2.0	00.0-04.9	8	10.2	02.6-17.8	11	9.2	03.1-15.3	50	64.9	52.7-77.1	9	12.4	03.4-21.4
H.S. or G.E.D.	256	159,789	11	3.0	01.0-05.0	15	4.6	01.9-07.3	26	8.8	04.7-12.9	40	17.0	11.3-22.7	131	53.3	45.9-60.7	33	13.3	08.2-18.4
Some Post-H.S.	372	255,491	15	3.1	01.1-05.1	27	5.4	03.0-07.8	37	8.3	05.4-11.2	75	20.9	15.8-26.0	174	50.1	43.8-56.4	44	12.2	08.3-16.1
College Graduate	348	153,812	15	3.4	01.4-05.4	35	7.6	04.9-10.3	54	13.7	09.6-17.8	76	23.1	17.6-28.6	139	41.9	35.6-48.2	29	10.3	06.2-14.4
Less than \$15,000	179	113,769	2	1.2	00.0-02.8	4	2.3	00.0-04.7	12	7.2	01.7-12.7	30	12.8	07.3-18.3	96	54.6	45.4-63.8	35	21.9	14.5-29.3
\$15,000- 24,999	182	105,618	9	2.0	00.4-03.6	10	4.2	01.1-07.3	17	6.9	03.0-10.8	20	13.4	06.5-20.3	96	56.4	46.8-66.0	30	17.2	09.9-24.5
\$25,000- 34,999	119	69,833	6	2.8	00.3-05.3	15	9.6	03.9-15.3	12	10.1	03.4-16.8	14	9.8	03.1-16.5	58	53.2	41.8-64.6	14	14.5	05.7-23.3
\$35,000- 49,999	125	70,142	6	2.1	00.3-03.9	10	5.4	01.5-09.3	18	12.9	06.6-19.2	21	19.7	10.5-28.9	61	51.6	40.8-62.4	9	8.2	02.1-14.3
\$50,000- 74,999	151	92,938	7	3.9	00.8-07.0	10	4.7	01.6-07.8	23	11.4	05.9-16.9	34	24.8	16.4-33.2	69	48.9	39.1-58.7	8	6.3	01.8-10.8
\$75,000+	212	130,720	8	4.1	01.0-07.2	25	7.9	04.4-11.4	34	13.8	08.7-18.9	65	31.5	24.2-38.8	71	38.1	30.1-46.1	9	4.6	01.5-07.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8299	4,738,188	178	3.1	02.5-03.7	8121	96.9	96.3-97.5
Male	3254	2,289,689	87	3.4	02.6-04.2	3167	96.6	95.8-97.4
Female	5045	2,448,500	91	2.8	02.2-03.4	4954	97.2	96.6-97.8
White/Non-Hisp	6770	3,914,062	125	2.7	02.1-03.3	6645	97.3	96.7-97.9
Black or Afr. Am./Non-Hisp	867	385,726	28	5.6	02.9-08.3	839	94.4	91.7-97.1
Oth. Race/Non-Hisp.	120	73,763	3	2.7	00.0-06.0	117	97.3	94.0-0100
MultiRacial/Non-Hisp.	124	64,879	5	3.9	00.0-08.0	119	96.1	92.0-0100
Hispanic	290	244,306	15	6.9	03.2-10.6	275	93.1	89.4-96.8
18-24	514	656,655	40	6.5	04.3-08.7	474	93.5	91.3-95.7
25-34	865	774,749	55	6.8	04.8-08.8	810	93.2	91.2-95.2
35-44	1076	788,404	27	3.0	01.6-04.4	1049	97.0	95.6-98.4
45-54	1406	868,109	23	1.6	00.8-02.4	1383	98.4	97.6-99.2
55-64	1724	750,650	14	1.0	00.4-01.6	1710	99.0	98.4-99.6
65+	2643	867,362	17	0.6	00.2-01.0	2626	99.4	99.0-99.8
Less Than H.S.	807	663,088	35	5.6	03.4-07.8	772	94.4	92.2-96.6
H.S. or G.E.D.	2995	1,641,897	51	2.7	01.9-03.5	2944	97.3	96.5-98.1
Some Post-H.S.	2186	1,439,649	56	3.1	02.1-04.1	2130	96.9	95.9-97.9
College Graduate	2294	984,864	34	2.0	01.2-02.8	2260	98.0	97.2-98.8
Less than \$15,000	963	484,802	32	6.0	03.6-08.4	931	94.0	91.6-96.4
\$15,000- 24,999	1487	767,227	38	4.3	02.7-05.9	1449	95.7	94.1-97.3
\$25,000- 34,999	863	471,251	19	3.0	01.2-04.8	844	97.0	95.2-98.8
\$35,000- 49,999	1119	653,007	21	2.2	01.0-03.4	1098	97.8	96.6-99.0
\$50,000- 74,999	1140	719,191	18	2.0	00.8-03.2	1122	98.0	96.8-99.2
\$75,000+	1546	974,362	27	2.4	01.4-03.4	1519	97.6	96.6-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3254	2,289,689	87	3.4	02.6-04.2	3167	96.6	95.8-97.4
White/Non-Hisp	2687	1,880,925	60	2.8	02.0-03.6	2627	97.2	96.4-98.0
Black or Afr. Am./Non-Hisp	287	177,643	15	7.0	02.7-11.3	272	93.0	88.7-97.3
Hispanic	120	129,312	7	7.7	01.8-13.6	113	92.3	86.4-98.2
18-24	257	339,243	16	4.9	02.4-07.4	241	95.1	92.6-97.6
25-34	348	385,732	23	7.1	04.0-10.2	325	92.9	89.8-96.0
35-44	449	392,004	14	3.5	01.5-05.5	435	96.5	94.5-98.5
45-54	583	427,736	13	2.2	00.8-03.6	570	97.8	96.4-99.2
55-64	707	364,434	9	1.6	00.4-02.8	698	98.4	97.2-99.6
65+	888	367,852	10	0.9	00.1-01.7	878	99.1	98.3-99.9
Less Than H.S.	318	331,382	19	6.2	03.1-09.3	299	93.8	90.7-96.9
H.S. or G.E.D.	1158	840,233	28	3.1	01.7-04.5	1130	96.9	95.5-98.3
Some Post-H.S.	799	624,527	21	2.8	01.4-04.2	778	97.2	95.8-98.6
College Graduate	971	487,440	17	2.3	01.1-03.5	954	97.7	96.5-98.9
Less than \$15,000	288	188,786	16	7.9	03.6-12.2	272	92.1	87.8-96.4
\$15,000- 24,999	539	355,500	20	5.1	02.6-07.6	519	94.9	92.4-97.4
\$25,000- 34,999	326	215,203	11	4.0	01.1-06.9	315	96.0	93.1-98.9
\$35,000- 49,999	496	344,954	12	2.5	00.9-04.1	484	97.5	95.9-99.1
\$50,000- 74,999	520	389,534	10	2.0	00.4-03.6	510	98.0	96.4-99.6
\$75,000+	743	537,213	15	3.0	01.4-04.6	728	97.0	95.4-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012
SECTION 18: HIV/AIDS**

TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5045	2,448,500	91	2.8	02.2-03.4	4954	97.2	96.6-97.8
White/Non-Hisp	4083	2,033,137	65	2.5	01.9-03.1	4018	97.5	96.9-98.1
Black or Afr. Am./Non-Hisp	580	208,083	13	4.4	01.1-07.7	567	95.6	92.3-98.9
Oth. Race/Non-Hisp.	71	33,639	1	3.2	00.0-09.3	70	96.8	90.7-0100
MultiRacial/Non-Hisp.	75	35,167	3	4.7	00.0-11.6	72	95.3	88.4-0100
Hispanic	170	114,994	8	5.9	01.4-10.4	162	94.1	89.6-98.6
18-24	257	317,411	24	8.1	04.6-11.6	233	91.9	88.4-95.4
25-34	517	389,017	32	6.5	04.0-09.0	485	93.5	91.0-96.0
35-44	627	396,400	13	2.4	00.8-04.0	614	97.6	96.0-99.2
45-54	823	440,372	10	1.1	00.3-01.9	813	98.9	98.1-99.7
55-64	1017	386,215	5	0.5	00.0-01.1	1012	99.5	98.9-0100
65+	1755	499,510	7	0.4	00.0-00.8	1748	99.6	99.2-0100
Less Than H.S.	489	331,706	16	5.0	02.3-07.7	473	95.0	92.3-97.7
H.S. or G.E.D.	1837	801,664	23	2.2	01.2-03.2	1814	97.8	96.8-98.8
Some Post-H.S.	1387	815,122	35	3.3	02.1-04.5	1352	96.7	95.5-97.9
College Graduate	1323	497,424	17	1.7	00.7-02.7	1306	98.3	97.3-99.3
Less than \$15,000	675	296,016	16	4.7	02.2-07.2	659	95.3	92.8-97.8
\$15,000- 24,999	948	411,727	18	3.6	01.6-05.6	930	96.4	94.4-98.4
\$25,000- 34,999	537	256,047	8	2.2	00.2-04.2	529	97.8	95.8-99.8
\$35,000- 49,999	623	308,053	9	1.8	00.2-03.4	614	98.2	96.6-99.8
\$50,000- 74,999	620	329,658	8	2.1	00.5-03.7	612	97.9	96.3-99.5
\$75,000+	803	437,148	12	1.7	00.5-02.9	791	98.3	97.1-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2012**

End of Core Data Report