


INDIANA

2013 Core Variables Report

Behavioral Risk Factor Surveillance System

June 11, 2014



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10206	4,920,221	1440	15.6	14.6-16.6	3333	33.8	32.6-35.0	3298	32.4	31.2-33.6	1448	12.6	11.8-13.4	687	5.5	04.9-06.1
Male	4236	2,395,643	606	15.4	14.0-16.8	1401	34.4	32.4-36.4	1410	33.0	31.2-34.8	571	12.4	11.2-13.6	248	4.8	04.0-05.6
Female	5970	2,524,577	834	15.9	14.5-17.3	1932	33.4	31.8-35.0	1888	31.8	30.2-33.4	877	12.8	11.6-14.0	439	6.1	05.3-06.9
White/Non-Hisp	8872	4,019,889	1242	15.4	14.4-16.4	3008	35.4	34.0-36.8	2840	32.0	30.6-33.4	1210	11.9	11.1-12.7	572	5.3	04.7-05.9
Black or Afr. Am./Non-Hisp	587	414,442	85	17.8	13.3-22.3	145	28.0	22.9-33.1	199	32.3	27.4-37.2	113	16.6	12.5-20.7	45	5.4	03.2-07.6
Oth. Race/Non-Hisp.	166	102,386	25	14.7	08.4-21.0	50	33.3	23.9-42.7	49	30.9	22.1-39.7	28	15.0	07.9-22.1	14	6.2	02.1-10.3
MultiRacial/Non-Hisp.	113	45,573	12	7.9	02.0-13.8	22	29.0	16.7-41.3	39	38.1	26.1-50.1	21	12.0	04.9-19.1	19	12.9	06.0-19.8
Hispanic	302	256,245	49	17.7	12.4-23.0	72	23.0	17.5-28.5	113	36.7	30.4-43.0	45	15.7	10.8-20.6	23	6.8	03.5-10.1
18-24	536	676,167	111	21.4	17.5-25.3	229	42.4	37.7-47.1	155	27.9	23.6-32.2	33	6.8	04.4-09.2	8	1.5	00.3-02.7
25-34	909	806,064	202	22.3	19.2-25.4	310	31.3	28.0-34.6	307	35.3	31.8-38.8	73	8.9	06.4-11.4	17	2.2	01.0-03.4
35-44	1221	806,010	198	15.6	13.1-18.1	463	37.7	34.4-41.0	387	31.6	28.5-34.7	114	10.7	08.5-12.9	59	4.4	03.0-05.8
45-54	1760	883,853	278	15.3	13.3-17.3	568	31.6	29.1-34.1	559	32.1	29.6-34.6	224	13.2	11.2-15.2	131	7.9	06.3-09.5
55-64	2240	806,004	265	10.6	09.2-12.0	722	32.8	30.4-35.2	708	33.4	31.0-35.8	350	15.3	13.5-17.1	195	7.9	06.5-09.3
65+	3445	911,486	366	10.1	08.9-11.3	1011	29.6	27.8-31.4	1151	33.4	31.4-35.4	643	19.0	17.4-20.6	274	7.9	06.7-09.1
Less Than H.S.	917	693,808	75	10.7	08.0-13.4	164	19.9	16.4-23.4	299	34.3	30.2-38.4	229	24.3	20.6-28.0	150	10.8	08.6-13.0
H.S. or G.E.D.	3731	1,705,329	395	13.1	11.5-14.7	1034	30.7	28.7-32.7	1344	36.0	34.0-38.0	671	14.2	12.8-15.6	287	6.0	05.0-07.0
Some Post-H.S.	2608	1,493,820	342	15.5	13.5-17.5	899	37.4	35.0-39.8	863	32.0	29.6-34.4	332	10.2	08.8-11.6	172	5.0	04.0-06.0
College Graduate	2924	1,015,553	622	23.4	21.4-25.4	1226	43.5	41.3-45.7	786	25.8	23.8-27.8	213	5.5	04.5-06.5	77	1.8	01.2-02.4
Less than \$15,000	1068	493,211	88	10.4	07.7-13.1	158	17.7	14.6-20.8	328	34.0	29.9-38.1	283	23.3	19.6-27.0	211	14.7	12.2-17.2
\$15,000- 24,999	1735	807,931	149	10.3	08.1-12.5	421	25.9	23.0-28.8	629	35.9	32.8-39.0	345	18.0	15.6-20.4	191	9.9	08.1-11.7
\$25,000- 34,999	1115	518,310	134	15.2	12.1-18.3	344	30.2	26.5-33.9	380	32.4	28.9-35.9	193	17.3	14.4-20.2	64	5.0	03.4-06.6
\$35,000- 49,999	1333	644,241	179	14.9	12.2-17.6	471	35.6	32.3-38.9	487	36.4	33.1-39.7	152	10.4	08.4-12.4	44	2.8	01.8-03.8
\$50,000- 74,999	1338	668,303	206	15.0	12.5-17.5	567	43.8	40.3-47.3	403	30.9	27.8-34.0	123	7.7	05.9-09.5	39	2.6	01.6-03.6
\$75,000+	2042	1,061,836	468	23.5	21.1-25.9	877	43.5	40.8-46.2	549	26.2	23.8-28.6	119	5.4	04.2-06.6	29	1.5	00.9-02.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4236	2,395,643	606	15.4	14.0-16.8	1401	34.4	32.4-36.4	1410	33.0	31.2-34.8	571	12.4	11.2-13.6	248	4.8	04.0-05.6
White/Non-Hisp	3659	1,940,342	520	15.4	13.8-17.0	1247	35.3	33.3-37.3	1207	32.8	30.8-34.8	476	11.9	10.5-13.3	209	4.6	03.8-05.4
Black or Afr. Am./Non-Hisp	213	196,090	34	17.7	10.8-24.6	53	31.4	22.8-40.0	79	33.0	25.4-40.6	37	14.5	08.8-20.2	10	3.4	00.5-06.3
Oth. Race/Non-Hisp.	83	56,641	12	14.9	05.9-23.9	31	36.4	24.2-48.6	24	30.8	18.8-42.8	10	10.0	00.8-19.2	6	8.0	01.1-14.9
MultiRacial/Non-Hisp.	56	25,600	7	11.7	01.5-21.9	8	21.6	05.3-37.9	21	37.0	20.9-53.1	11	15.0	04.0-26.0	9	14.7	04.3-25.1
Hispanic	135	128,615	22	15.9	08.8-23.0	40	29.5	20.7-38.3	46	31.8	23.0-40.6	19	15.0	08.1-21.9	8	7.8	02.1-13.5
18-24	281	345,493	62	20.7	15.6-25.8	121	45.4	38.7-52.1	76	24.4	18.9-29.9	19	8.0	04.3-11.7	3	1.5	00.0-03.1
25-34	400	401,979	102	24.7	20.0-29.4	142	33.0	27.9-38.1	120	32.1	27.0-37.2	29	8.0	04.7-11.3	7	2.2	00.4-04.0
35-44	512	404,280	78	15.1	11.2-19.0	204	39.2	34.1-44.3	171	32.4	27.7-37.1	40	9.6	06.3-12.9	19	3.7	01.7-05.7
45-54	831	442,894	121	13.7	11.0-16.4	273	31.2	27.7-34.7	282	35.7	31.8-39.6	103	13.5	10.6-16.4	52	5.9	03.9-07.9
55-64	929	397,165	96	8.4	06.6-10.2	296	31.5	28.0-35.0	323	36.8	33.1-40.5	142	15.7	12.8-18.6	72	7.6	05.6-09.6
65+	1254	394,075	141	10.4	08.4-12.4	356	27.6	24.7-30.5	427	35.1	32.0-38.2	236	19.1	16.6-21.6	94	7.7	05.9-09.5
Less Than H.S.	385	354,085	31	10.4	06.5-14.3	75	22.4	17.1-27.7	128	31.9	26.2-37.6	101	26.4	20.9-31.9	50	8.8	05.7-11.9
H.S. or G.E.D.	1496	831,954	165	13.4	10.9-15.9	425	32.0	28.9-35.1	550	36.6	33.5-39.7	253	13.3	11.3-15.3	103	4.7	03.5-05.9
Some Post-H.S.	1020	690,236	128	14.6	11.9-17.3	338	36.4	32.7-40.1	361	34.2	30.7-37.7	126	9.4	07.4-11.4	67	5.4	03.8-07.0
College Graduate	1319	510,913	277	23.0	20.3-25.7	558	43.9	40.8-47.0	367	26.4	23.7-29.1	90	5.3	03.9-06.7	27	1.4	00.6-02.2
Less than \$15,000	363	196,211	37	12.9	08.0-17.8	69	21.4	15.7-27.1	109	32.1	25.6-38.6	86	20.4	15.1-25.7	62	13.2	09.1-17.3
\$15,000- 24,999	610	336,332	54	9.6	06.5-12.7	130	23.4	19.1-27.7	234	38.3	33.2-43.4	133	19.8	15.5-24.1	59	8.9	06.0-11.8
\$25,000- 34,999	481	267,319	62	15.4	11.1-19.7	129	28.9	23.4-34.4	162	30.8	25.7-35.9	93	19.1	14.4-23.8	35	5.8	03.6-08.0
\$35,000- 49,999	618	358,416	89	16.4	12.5-20.3	217	34.7	30.0-39.4	213	35.1	30.2-40.0	77	10.9	08.0-13.8	22	2.9	01.3-04.5
\$50,000- 74,999	614	351,221	80	13.7	09.8-17.6	271	45.0	39.9-50.1	195	32.0	27.3-36.7	49	6.6	04.4-08.8	19	2.6	01.2-04.0
\$75,000+	1048	586,681	214	20.2	17.3-23.1	434	42.9	39.0-46.8	322	29.6	26.3-32.9	64	6.1	04.1-08.1	14	1.2	00.4-02.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5970	2,524,577	834	15.9	14.5-17.3	1932	33.4	31.8-35.0	1888	31.8	30.2-33.4	877	12.8	11.6-14.0	439	6.1	05.3-06.9
White/Non-Hisp	5213	2,079,547	722	15.4	14.0-16.8	1761	35.6	33.8-37.4	1633	31.2	29.4-33.0	734	11.9	10.7-13.1	363	6.0	05.2-06.8
Black or Afr. Am./Non-Hisp	374	218,352	51	17.8	12.1-23.5	92	24.9	19.4-30.4	120	31.6	25.5-37.7	76	18.5	12.6-24.4	35	7.2	04.1-10.3
Oth. Race/Non-Hisp.	83	45,744	13	14.4	05.8-23.0	19	29.5	14.8-44.2	25	31.1	18.0-44.2	18	21.2	10.2-32.2	8	3.9	00.8-07.0
MultiRacial/Non-Hisp.	57	19,973	5	2.9	00.0-05.8	14	38.6	20.4-56.8	18	39.6	22.2-57.0	10	8.2	01.1-15.3	10	10.7	02.7-18.7
Hispanic	167	127,630	27	19.5	11.7-27.3	32	16.5	10.0-23.0	67	41.7	32.7-50.7	26	16.4	09.7-23.1	15	5.8	02.3-09.3
18-24	255	330,674	49	22.1	16.2-28.0	108	39.3	32.6-46.0	79	31.5	25.0-38.0	14	5.5	02.6-08.4	5	1.6	00.2-03.0
25-34	509	404,085	100	19.9	15.6-24.2	168	29.6	25.1-34.1	187	38.5	33.6-43.4	44	9.8	06.3-13.3	10	2.2	00.6-03.8
35-44	709	401,730	120	16.0	12.9-19.1	259	36.2	32.1-40.3	216	30.7	26.8-34.6	74	11.9	09.0-14.8	40	5.2	03.4-07.0
45-54	929	440,959	157	16.9	14.0-19.8	295	31.9	28.4-35.4	277	28.5	25.0-32.0	121	12.9	10.4-15.4	79	9.9	07.4-12.4
55-64	1311	408,840	169	12.7	10.5-14.9	426	34.0	30.9-37.1	385	30.0	27.1-32.9	208	15.0	12.6-17.4	123	8.2	06.4-10.0
65+	2191	517,411	225	9.9	08.3-11.5	655	31.1	28.7-33.5	724	32.1	29.7-34.5	407	18.9	16.7-21.1	180	8.0	06.6-09.4
Less Than H.S.	532	339,722	44	10.9	06.8-15.0	89	17.2	12.7-21.7	171	36.8	31.1-42.5	128	22.2	17.3-27.1	100	12.9	09.8-16.0
H.S. or G.E.D.	2235	873,376	230	12.9	10.7-15.1	609	29.5	27.0-32.0	794	35.4	32.7-38.1	418	15.1	13.3-16.9	184	7.1	05.7-08.5
Some Post-H.S.	1588	803,584	214	16.2	13.7-18.7	561	38.2	35.1-41.3	502	30.1	27.2-33.0	206	10.8	08.8-12.8	105	4.7	03.5-05.9
College Graduate	1605	504,639	345	23.8	21.1-26.5	668	43.1	40.2-46.0	419	25.2	22.7-27.7	123	5.7	04.5-06.9	50	2.2	01.4-03.0
Less than \$15,000	705	297,001	51	8.7	05.6-11.8	89	15.2	11.3-19.1	219	35.3	30.0-40.6	197	25.2	20.3-30.1	149	15.6	12.1-19.1
\$15,000- 24,999	1125	471,599	95	10.7	08.0-13.4	291	27.8	23.9-31.7	395	34.3	30.4-38.2	212	16.7	14.0-19.4	132	10.5	08.1-12.9
\$25,000- 34,999	634	250,991	72	15.0	10.7-19.3	215	31.5	26.8-36.2	218	34.0	29.1-38.9	100	15.3	11.6-19.0	29	4.2	02.2-06.2
\$35,000- 49,999	715	285,825	90	13.2	09.5-16.9	254	36.7	32.0-41.4	274	38.0	33.3-42.7	75	9.6	06.9-12.3	22	2.5	01.1-03.9
\$50,000- 74,999	724	317,082	126	16.6	13.3-19.9	296	42.4	37.7-47.1	208	29.5	25.2-33.8	74	8.9	06.2-11.6	20	2.6	01.2-04.0
\$75,000+	994	475,155	254	27.6	23.9-31.3	443	44.2	40.3-48.1	227	21.9	18.8-25.0	55	4.5	03.1-05.9	15	1.8	00.6-03.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9989	4,829,056	6165	62.8	61.6-64.0	999	10.7	09.9-11.5	1068	11.1	10.3-11.9	945	9.0	08.2-09.8	812	6.4	05.8-07.0
Male	4148	2,350,072	2737	66.0	64.0-68.0	408	10.6	09.4-11.8	393	10.0	08.8-11.2	305	7.6	06.4-08.8	305	5.8	05.0-06.6
Female	5841	2,478,983	3428	59.8	58.0-61.6	591	10.8	09.6-12.0	675	12.1	10.9-13.3	640	10.4	09.4-11.4	507	6.9	06.1-07.7
White/Non-Hisp	8689	3,948,551	5400	63.4	62.0-64.8	862	10.5	09.7-11.3	938	11.1	10.1-12.1	800	8.7	07.9-09.5	689	6.3	05.7-06.9
Black or Afr. Am./Non-Hisp	573	406,521	337	61.1	55.8-66.4	63	11.6	08.3-14.9	64	10.9	07.6-14.2	65	10.8	07.5-14.1	44	5.6	03.4-07.8
Oth. Race/Non-Hisp.	161	99,401	97	59.7	49.9-69.5	18	14.1	06.3-21.9	10	6.4	01.5-11.3	17	8.3	02.6-14.0	19	11.5	05.4-17.6
MultiRacial/Non-Hisp.	113	45,704	55	52.1	39.9-64.3	7	5.9	00.0-12.6	15	17.5	07.3-27.7	12	7.7	02.6-12.8	24	16.9	08.9-24.9
Hispanic	296	251,725	181	59.6	52.9-66.3	35	11.3	07.0-15.6	31	13.3	08.6-18.0	31	11.7	07.2-16.2	18	4.2	01.8-06.6
18-24	532	668,853	346	63.1	58.4-67.8	71	12.8	09.7-15.9	73	15.8	12.1-19.5	29	6.1	03.7-08.5	13	2.1	00.9-03.3
25-34	901	800,781	598	67.4	63.9-70.9	116	11.9	09.5-14.3	107	11.5	09.1-13.9	58	6.9	04.9-08.9	22	2.4	01.2-03.6
35-44	1210	794,375	793	66.1	63.0-69.2	131	10.7	08.5-12.9	137	10.5	08.5-12.5	82	7.3	05.5-09.1	67	5.4	03.8-07.0
45-54	1745	874,866	1079	61.3	58.6-64.0	198	11.0	09.2-12.8	156	8.7	07.1-10.3	178	11.7	09.7-13.7	134	7.3	05.7-08.9
55-64	2215	794,108	1268	58.2	55.7-60.7	226	10.8	09.2-12.4	255	11.2	09.6-12.8	240	10.3	08.7-11.9	226	9.5	07.9-11.1
65+	3297	867,014	2017	61.0	59.0-63.0	247	7.4	06.2-08.6	337	10.1	08.9-11.3	349	10.9	09.5-12.3	347	10.5	09.1-11.9
Less Than H.S.	864	656,732	419	53.6	49.3-57.9	64	8.7	06.2-11.2	91	11.0	08.3-13.7	143	15.4	12.3-18.5	147	11.2	09.0-13.4
H.S. or G.E.D.	3641	1,678,091	2184	61.8	59.6-64.0	318	10.2	08.8-11.6	388	11.0	09.6-12.4	397	9.7	08.5-10.9	354	7.3	06.3-08.3
Some Post-H.S.	2557	1,473,007	1564	63.5	61.1-65.9	278	10.9	09.3-12.5	279	11.6	10.0-13.2	248	8.5	07.1-09.9	188	5.4	04.4-06.4
College Graduate	2902	1,010,056	1980	69.4	67.4-71.4	335	12.3	10.7-13.9	310	10.7	09.3-12.1	155	4.4	03.6-05.2	122	3.1	02.3-03.9
Less than \$15,000	1018	473,552	407	43.8	39.5-48.1	77	9.7	07.2-12.2	126	12.9	10.0-15.8	188	17.4	14.1-20.7	220	16.1	13.2-19.0
\$15,000- 24,999	1688	788,574	887	54.8	51.5-58.1	167	10.5	08.3-12.7	211	13.0	10.6-15.4	219	12.1	09.9-14.3	204	9.7	08.1-11.3
\$25,000- 34,999	1099	510,850	685	62.1	58.2-66.0	100	9.0	06.8-11.2	107	11.0	08.3-13.7	127	11.9	09.4-14.4	80	6.0	04.4-07.6
\$35,000- 49,999	1321	640,786	881	66.8	63.5-70.1	140	10.9	08.7-13.1	143	11.5	09.1-13.9	89	6.5	04.9-08.1	68	4.4	03.0-05.8
\$50,000- 74,999	1328	663,310	885	69.0	65.9-72.1	142	10.4	08.2-12.6	158	11.8	09.6-14.0	84	5.2	03.8-06.6	59	3.5	02.5-04.5
\$75,000+	2039	1,057,966	1472	71.9	69.4-74.4	239	12.3	10.3-14.3	182	8.6	07.0-10.2	86	4.4	03.2-05.6	60	2.7	01.9-03.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4148	2,350,072	2737	66.0	64.0-68.0	408	10.6	09.4-11.8	393	10.0	08.8-11.2	305	7.6	06.4-08.8	305	5.8	05.0-06.6
White/Non-Hisp	3589	1,907,871	2389	67.0	65.0-69.0	346	10.4	09.0-11.8	347	10.0	08.6-11.4	251	6.9	05.9-07.9	256	5.7	04.9-06.5
Black or Afr. Am./Non-Hisp	207	191,038	132	63.5	55.1-71.9	23	11.6	06.3-16.9	18	9.7	04.2-15.2	23	12.0	06.1-17.9	11	3.2	00.8-05.6
Oth. Race/Non-Hisp.	81	55,639	53	63.9	50.8-77.0	7	9.3	01.9-16.7	3	4.0	00.0-10.5	9	9.3	00.5-18.1	9	13.5	04.3-22.7
MultiRacial/Non-Hisp.	55	25,394	29	46.7	29.8-63.6	5	9.9	00.0-21.5	5	15.0	00.1-29.9	5	8.7	00.5-16.9	11	19.6	07.3-31.9
Hispanic	131	125,233	83	59.8	50.0-69.6	15	10.9	04.8-17.0	15	13.8	06.7-20.9	9	9.8	03.3-16.3	9	5.6	01.3-09.9
18-24	277	339,087	182	63.8	57.3-70.3	35	13.4	08.9-17.9	38	14.6	09.7-19.5	16	6.4	02.9-09.9	6	1.7	00.3-03.1
25-34	396	399,714	271	67.6	62.3-72.9	47	11.2	07.9-14.5	47	12.3	08.6-16.0	22	6.4	03.3-09.5	9	2.5	00.5-04.5
35-44	503	396,205	370	72.0	67.3-76.7	45	10.0	06.7-13.3	43	7.8	05.3-10.3	23	5.7	03.2-08.2	22	4.5	02.3-06.7
45-54	821	438,081	551	66.6	62.7-70.5	88	10.7	08.2-13.2	57	6.8	04.8-08.8	65	9.6	07.1-12.1	60	6.3	04.3-08.3
55-64	919	391,535	545	59.0	55.1-62.9	105	11.9	09.4-14.4	96	10.5	08.1-12.9	84	9.1	06.7-11.5	89	9.4	07.0-11.8
65+	1205	376,674	799	66.5	63.4-69.6	82	6.0	04.4-07.6	112	9.2	07.2-11.2	95	8.1	06.1-10.1	117	10.2	08.0-12.4
Less Than H.S.	363	336,179	201	56.7	50.4-63.0	27	9.2	05.3-13.1	31	9.2	05.3-13.1	48	15.0	10.3-19.7	56	9.9	06.8-13.0
H.S. or G.E.D.	1463	817,148	937	66.0	62.9-69.1	141	10.8	08.6-13.0	133	9.8	07.6-12.0	128	7.7	06.1-09.3	124	5.7	04.5-06.9
Some Post-H.S.	994	678,980	640	65.9	62.4-69.4	104	10.4	08.0-12.8	102	10.7	08.3-13.1	72	6.9	05.1-08.7	76	6.2	04.4-08.0
College Graduate	1312	509,646	949	72.5	69.6-75.4	132	11.0	08.8-13.2	127	10.0	08.0-12.0	56	3.5	02.5-04.5	48	3.0	01.8-04.2
Less than \$15,000	345	187,592	156	49.3	42.2-56.4	30	10.9	06.4-15.4	35	10.2	05.9-14.5	48	12.9	08.2-17.6	76	16.6	11.9-21.3
\$15,000- 24,999	584	324,055	321	56.3	51.0-61.6	65	10.7	07.4-14.0	63	11.6	08.3-14.9	69	12.5	08.6-16.4	66	8.8	06.3-11.3
\$25,000- 34,999	471	261,209	301	63.4	57.7-69.1	36	7.7	04.6-10.8	53	13.0	08.7-17.3	43	10.1	06.4-13.8	38	5.9	03.7-08.1
\$35,000- 49,999	611	354,928	432	68.6	63.9-73.3	53	10.2	07.1-13.3	62	11.9	08.2-15.6	35	5.2	03.0-07.4	29	4.0	02.0-06.0
\$50,000- 74,999	610	349,394	433	73.9	69.8-78.0	58	8.7	06.0-11.4	55	8.7	06.2-11.2	35	4.6	02.8-06.4	29	4.1	02.3-05.9
\$75,000+	1046	584,459	783	73.6	70.1-77.1	115	12.1	09.4-14.8	76	7.0	05.0-09.0	39	4.5	02.7-06.3	33	2.8	01.6-04.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2013

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	5841	2,478,983	3428	59.8	58.0-61.6	591	10.8	09.6-12.0	675	12.1	10.9-13.3	640	10.4	09.4-11.4	507	6.9	06.1-07.7	
White/Non-Hisp	5100	2,040,679	3011	60.0	58.2-61.8	516	10.6	09.4-11.8	591	12.2	10.8-13.6	549	10.3	09.1-11.5	433	6.9	06.1-07.7	
Black or Afr. Am./Non-Hisp	366	215,482	205	59.0	52.3-65.7	40	11.6	07.5-15.7	46	11.9	07.6-16.2	42	9.8	06.5-13.1	33	7.6	04.1-11.1	
Oth. Race/Non-Hisp.	80	43,762	44	54.3	39.4-69.2	11	20.2	05.5-34.9	7	9.5	01.7-17.3	8	7.1	00.4-13.8	10	8.9	01.5-16.3	
MultiRacial/Non-Hisp.	58	20,310	26	58.8	42.3-75.3	2	0.8	00.0-02.0	10	20.6	06.7-34.5	7	6.3	01.0-11.6	13	13.5	04.1-22.9	
Hispanic	165	126,492	98	59.3	50.3-68.3	20	11.7	05.8-17.6	16	12.7	06.2-19.2	22	13.5	07.4-19.6	9	2.8	00.6-05.0	
18-24	255	329,766	164	62.5	55.8-69.2	36	12.2	08.1-16.3	35	17.1	11.6-22.6	13	5.7	02.6-08.8	7	2.6	00.6-04.6	
25-34	505	401,067	327	67.2	62.5-71.9	69	12.6	09.3-15.9	60	10.7	07.8-13.6	36	7.3	04.6-10.0	13	2.2	00.8-03.6	
35-44	707	398,169	423	60.2	55.9-64.5	86	11.4	08.7-14.1	94	13.3	10.4-16.2	59	8.8	06.3-11.3	45	6.3	04.1-08.5	
45-54	924	436,785	528	55.9	52.0-59.8	110	11.4	08.9-13.9	99	10.6	08.2-13.0	113	13.8	11.1-16.5	74	8.3	06.1-10.5	
55-64	1296	402,573	723	57.4	54.3-60.5	121	9.6	07.6-11.6	159	12.0	10.0-14.0	156	11.5	09.5-13.5	137	9.5	07.5-11.5	
65+	2092	490,340	1218	56.8	54.3-59.3	165	8.6	07.0-10.2	225	10.8	09.2-12.4	254	13.0	11.2-14.8	230	10.8	09.2-12.4	
Less Than H.S.	501	320,553	218	50.4	44.3-56.5	37	8.2	05.1-11.3	60	13.0	08.9-17.1	95	15.8	11.7-19.9	91	12.6	09.3-15.9	
H.S. or G.E.D.	2178	860,944	1247	57.9	55.2-60.6	177	9.6	07.8-11.4	255	12.0	10.0-14.0	269	11.7	09.9-13.5	230	8.8	07.2-10.4	
Some Post-H.S.	1563	794,028	924	61.5	58.4-64.6	174	11.4	09.4-13.4	177	12.4	10.0-14.8	176	10.0	08.2-11.8	112	4.7	03.5-05.9	
College Graduate	1590	500,410	1031	66.3	63.4-69.2	203	13.8	11.6-16.0	183	11.4	09.4-13.4	99	5.3	04.1-06.5	74	3.2	02.2-04.2	
Less than \$15,000	673	285,960	251	40.2	34.7-45.7	47	9.0	05.9-12.1	91	14.7	10.8-18.6	140	20.4	15.9-24.9	144	15.7	12.0-19.4	
\$15,000- 24,999	1104	464,519	566	53.6	49.5-57.7	102	10.3	07.8-12.8	148	13.9	11.0-16.8	150	11.8	09.4-14.2	138	10.3	08.1-12.5	
\$25,000- 34,999	628	249,641	384	60.8	55.7-65.9	64	10.4	07.3-13.5	54	9.0	05.9-12.1	84	13.7	10.2-17.2	42	6.1	03.7-08.5	
\$35,000- 49,999	710	285,858	449	64.4	59.7-69.1	87	11.7	08.6-14.8	81	11.0	08.1-13.9	54	8.0	05.5-10.5	39	4.8	02.8-06.8	
\$50,000- 74,999	718	313,917	452	63.5	59.0-68.0	84	12.3	09.2-15.4	103	15.3	11.8-18.8	49	5.9	03.9-07.9	30	3.0	01.8-04.2	
\$75,000+	993	473,508	689	69.9	66.2-73.6	124	12.6	10.1-15.1	106	10.6	08.1-13.1	47	4.4	03.0-05.8	27	2.5	01.3-03.7	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10088	4,874,186	6835	63.8	62.4-65.2	858	9.2	08.4-10.0	961	10.9	10.1-11.7	874	10.1	09.3-10.9	560	6.0	05.4-06.6
Male	4193	2,375,225	3071	69.0	67.0-71.0	315	8.7	07.5-09.9	335	9.4	08.2-10.6	281	7.8	06.6-09.0	191	5.1	04.1-06.1
Female	5895	2,498,961	3764	58.9	57.1-60.7	543	9.7	08.7-10.7	626	12.4	11.2-13.6	593	12.2	11.0-13.4	369	6.8	05.8-07.8
White/Non-Hisp	8764	3,978,286	5997	64.5	63.1-65.9	739	9.4	08.6-10.2	825	10.5	09.5-11.5	734	9.8	08.8-10.8	469	5.8	05.0-06.6
Black or Afr. Am./Non-Hisp	582	411,608	379	62.0	56.5-67.5	48	8.7	05.6-11.8	62	12.2	08.3-16.1	58	10.7	07.2-14.2	35	6.2	03.5-08.9
Oth. Race/Non-Hisp.	167	101,620	113	71.3	62.3-80.3	12	6.3	02.2-10.4	17	11.4	04.0-18.8	13	5.6	01.9-09.3	12	5.4	01.1-09.7
MultiRacial/Non-Hisp.	116	46,119	61	48.1	35.9-60.3	12	8.1	02.4-13.8	7	7.6	00.7-14.5	20	22.5	11.3-33.7	16	13.8	06.2-21.4
Hispanic	305	262,379	182	57.4	50.9-63.9	33	9.8	05.9-13.7	43	16.2	11.3-21.1	30	10.5	06.2-14.8	17	6.0	02.9-09.1
18-24	538	679,454	270	50.6	45.9-55.3	67	12.4	09.3-15.5	103	19.0	15.3-22.7	73	13.3	10.2-16.4	25	4.6	02.6-06.6
25-34	902	802,100	513	55.7	52.0-59.4	108	12.0	09.6-14.4	110	12.2	09.7-14.7	108	12.9	10.4-15.4	63	7.2	05.2-09.2
35-44	1216	798,003	755	62.9	59.6-66.2	114	8.6	06.8-10.4	144	10.5	08.5-12.5	121	11.1	08.7-13.5	82	6.9	04.9-08.9
45-54	1756	879,760	1123	63.0	60.3-65.7	163	9.4	07.8-11.0	191	11.0	09.2-12.8	166	9.5	07.9-11.1	113	7.1	05.5-08.7
55-64	2215	793,854	1476	68.2	65.8-70.6	188	8.4	07.0-09.8	179	7.7	06.3-09.1	221	9.8	08.2-11.4	151	5.9	04.7-07.1
65+	3370	891,302	2629	78.6	76.8-80.4	211	5.6	04.6-06.6	228	6.9	05.9-07.9	180	5.0	04.2-05.8	122	4.0	03.2-04.8
Less Than H.S.	878	671,511	504	54.2	49.9-58.5	69	9.4	06.7-12.1	87	12.2	09.3-15.1	116	13.1	10.2-16.0	102	11.0	08.5-13.5
H.S. or G.E.D.	3703	1,702,637	2555	64.5	62.3-66.7	284	8.8	07.4-10.2	330	10.4	09.0-11.8	316	10.3	08.9-11.7	218	6.1	05.1-07.1
Some Post-H.S.	2566	1,474,337	1681	63.1	60.7-65.5	225	9.0	07.6-10.4	258	11.3	09.7-12.9	249	10.6	09.0-12.2	153	6.0	04.6-07.4
College Graduate	2916	1,014,070	2073	69.9	67.7-72.1	278	10.3	08.9-11.7	286	10.5	09.1-11.9	192	6.9	05.7-08.1	87	2.4	01.8-03.0
Less than \$15,000	1041	480,149	509	45.9	41.6-50.2	80	8.7	06.2-11.2	109	12.8	09.9-15.7	202	20.8	17.5-24.1	141	11.8	09.1-14.5
\$15,000- 24,999	1709	796,973	1065	57.6	54.3-60.9	139	8.0	06.2-09.8	198	13.5	11.0-16.0	183	12.4	10.2-14.6	124	8.4	06.6-10.2
\$25,000- 34,999	1109	518,195	745	64.4	60.7-68.1	93	8.7	06.5-10.9	104	9.1	06.9-11.3	99	10.2	07.7-12.7	68	7.6	05.4-09.8
\$35,000- 49,999	1323	637,628	942	67.1	63.6-70.6	120	9.8	07.4-12.2	118	9.9	07.7-12.1	90	8.6	06.2-11.0	53	4.6	03.2-06.0
\$50,000- 74,999	1338	669,964	954	67.9	64.4-71.4	123	9.8	07.6-12.0	117	9.3	07.1-11.5	92	8.4	06.0-10.8	52	4.5	02.7-06.3
\$75,000+	2045	1,060,796	1525	71.4	68.9-73.9	197	10.3	08.5-12.1	188	10.9	08.9-12.9	96	4.9	03.7-06.1	39	2.5	01.3-03.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2013

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4193	2,375,225	3071	69.0	67.0-71.0	315	8.7	07.5-09.9	335	9.4	08.2-10.6	281	7.8	06.6-09.0	191	5.1	04.1-06.1
White/Non-Hisp	3622	1,922,729	2691	70.7	68.7-72.7	259	8.4	07.2-09.6	285	8.9	07.7-10.1	227	7.2	06.0-08.4	160	4.9	03.9-05.9
Black or Afr. Am./Non-Hisp	211	195,274	143	60.4	51.6-69.2	21	10.8	05.3-16.3	21	13.4	06.5-20.3	17	8.7	03.2-14.2	9	6.7	01.8-11.6
Oth. Race/Non-Hisp.	83	56,641	62	78.1	67.7-88.5	5	6.6	00.3-12.9	5	5.0	00.5-09.5	5	4.6	00.0-09.5	6	5.8	00.0-12.5
MultiRacial/Non-Hisp.	56	25,600	32	55.0	37.9-72.1	5	4.7	00.0-09.6	3	3.3	00.0-08.0	10	26.6	09.7-43.5	6	10.5	01.3-19.7
Hispanic	139	132,924	86	57.4	48.0-66.8	18	12.2	06.1-18.3	17	14.2	07.5-20.9	11	10.1	03.8-16.4	7	6.1	01.0-11.2
18-24	284	349,193	154	55.2	48.5-61.9	36	12.1	07.8-16.4	54	18.4	13.3-23.5	30	10.0	06.1-13.9	10	4.3	01.2-07.4
25-34	400	403,167	255	61.0	55.5-66.5	46	12.1	08.4-15.8	36	10.0	06.3-13.7	38	10.2	06.9-13.5	25	6.7	03.8-09.6
35-44	509	398,770	376	73.0	68.1-77.9	37	7.2	04.7-09.7	39	6.3	04.1-08.5	34	8.4	05.1-11.7	23	5.2	02.3-08.1
45-54	822	437,867	582	68.7	64.8-72.6	62	8.7	06.3-11.1	76	10.2	07.7-12.7	52	5.8	03.8-07.8	50	6.6	04.4-08.8
55-64	918	388,599	661	72.7	69.2-76.2	72	8.1	05.9-10.3	68	6.8	04.8-08.8	78	8.7	06.3-11.1	39	3.7	02.3-05.1
65+	1231	388,066	1021	82.4	79.9-84.9	60	4.5	03.1-05.9	60	5.4	03.8-07.0	47	3.8	02.4-05.2	43	4.0	02.6-05.4
Less Than H.S.	373	342,640	236	60.5	54.2-66.8	28	8.6	04.9-12.3	32	10.8	06.5-15.1	41	11.4	07.5-15.3	36	8.7	05.4-12.0
H.S. or G.E.D.	1489	831,036	1077	67.2	63.9-70.5	117	10.2	08.0-12.4	111	8.8	06.8-10.8	108	8.6	06.4-10.8	76	5.2	03.6-06.8
Some Post-H.S.	1002	683,019	714	69.1	65.6-72.6	75	7.4	05.4-09.4	89	10.3	07.9-12.7	74	7.4	05.4-09.4	50	5.8	03.6-08.0
College Graduate	1313	509,947	1029	77.2	74.5-79.9	94	8.2	06.4-10.0	103	8.3	06.5-10.1	58	4.6	03.2-06.0	29	1.7	00.9-02.5
Less than \$15,000	355	187,826	196	50.9	44.0-57.8	24	7.9	04.0-11.8	31	11.9	07.0-16.8	59	17.0	11.9-22.1	45	12.2	07.9-16.5
\$15,000- 24,999	595	329,637	399	63.7	58.6-68.8	46	9.1	06.0-12.2	55	9.8	06.7-12.9	56	10.6	07.1-14.1	39	6.8	04.1-09.5
\$25,000- 34,999	484	269,425	339	68.5	63.2-73.8	42	9.6	06.3-12.9	45	8.3	05.4-11.2	33	7.5	04.2-10.8	25	6.1	03.2-09.0
\$35,000- 49,999	611	353,411	468	71.7	66.8-76.6	50	10.0	06.7-13.3	37	6.6	04.1-09.1	36	7.9	04.8-11.0	20	3.8	02.0-05.6
\$50,000- 74,999	613	352,235	475	73.3	68.2-78.4	47	8.7	06.0-11.4	41	8.2	04.9-11.5	33	6.6	03.5-09.7	17	3.2	00.8-05.6
\$75,000+	1047	586,660	841	76.3	72.8-79.8	76	7.4	05.4-09.4	78	9.3	06.8-11.8	34	3.8	02.4-05.2	18	3.1	01.1-05.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2013

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5895	2,498,961	3764	58.9	57.1-60.7	543	9.7	08.7-10.7	626	12.4	11.2-13.6	593	12.2	11.0-13.4	369	6.8	05.8-07.8
White/Non-Hisp	5142	2,055,557	3306	58.6	56.8-60.4	480	10.3	09.1-11.5	540	12.1	10.7-13.5	507	12.3	10.9-13.7	309	6.7	05.7-07.7
Black or Afr. Am./Non-Hisp	371	216,335	236	63.5	56.8-70.2	27	6.9	03.6-10.2	41	11.2	06.9-15.5	41	12.6	07.9-17.3	26	5.8	02.9-08.7
Oth. Race/Non-Hisp.	84	44,978	51	62.8	48.3-77.3	7	5.9	01.4-10.4	12	19.5	05.0-34.0	8	6.9	01.2-12.6	6	4.9	00.0-09.8
MultiRacial/Non-Hisp.	60	20,519	29	39.5	22.6-56.4	7	12.4	01.4-23.4	4	12.9	00.0-26.6	10	17.4	04.1-30.7	10	17.9	05.2-30.6
Hispanic	166	129,455	96	57.5	48.5-66.5	15	7.3	02.6-12.0	26	18.2	11.1-25.3	19	11.0	05.3-16.7	10	5.9	01.8-10.0
18-24	254	330,262	116	45.8	38.9-52.7	31	12.7	07.8-17.6	49	19.7	14.2-25.2	43	16.8	11.7-21.9	15	4.9	02.2-07.6
25-34	502	398,932	258	50.4	45.3-55.5	62	11.9	08.8-15.0	74	14.4	10.7-18.1	70	15.5	11.6-19.4	38	7.8	05.1-10.5
35-44	707	399,233	379	52.8	48.5-57.1	77	10.1	07.6-12.6	105	14.8	11.7-17.9	87	13.8	10.7-16.9	59	8.5	06.0-11.0
45-54	934	441,893	541	57.4	53.5-61.3	101	10.0	07.8-12.2	115	11.8	09.4-14.2	114	13.1	10.4-15.8	63	7.7	05.5-09.9
55-64	1297	405,255	815	63.9	60.8-67.0	116	8.6	06.8-10.4	111	8.5	06.7-10.3	143	10.9	08.7-13.1	112	8.0	06.2-09.8
65+	2139	503,236	1608	75.7	73.5-77.9	151	6.5	05.3-07.7	168	8.0	06.6-09.4	133	5.9	04.7-07.1	79	3.9	02.9-04.9
Less Than H.S.	505	328,871	268	47.6	41.7-53.5	41	10.3	06.4-14.2	55	13.7	09.4-18.0	75	14.8	10.7-18.9	66	13.5	09.6-17.4
H.S. or G.E.D.	2214	871,601	1478	61.9	59.2-64.6	167	7.4	06.0-08.8	219	11.9	09.9-13.9	208	11.9	09.9-13.9	142	6.9	05.5-08.3
Some Post-H.S.	1564	791,318	967	57.9	54.6-61.2	150	10.3	08.1-12.5	169	12.1	09.9-14.3	175	13.4	11.0-15.8	103	6.2	04.6-07.8
College Graduate	1603	504,123	1044	62.5	59.6-65.4	184	12.4	10.2-14.6	183	12.8	10.6-15.0	134	9.2	07.2-11.2	58	3.0	02.0-04.0
Less than \$15,000	686	292,323	313	42.7	37.2-48.2	56	9.2	05.9-12.5	78	13.3	09.6-17.0	143	23.3	18.8-27.8	96	11.5	08.0-15.0
\$15,000- 24,999	1114	467,336	666	53.2	49.1-57.3	93	7.3	05.3-09.3	143	16.2	12.7-19.7	127	13.7	10.8-16.6	85	9.6	07.2-12.0
\$25,000- 34,999	625	248,770	406	59.9	54.8-65.0	51	7.7	05.2-10.2	59	9.9	06.6-13.2	66	13.3	09.6-17.0	43	9.2	06.1-12.3
\$35,000- 49,999	712	284,217	474	61.4	56.5-66.3	70	9.5	06.8-12.2	81	14.0	10.7-17.3	54	9.6	06.3-12.9	33	5.6	03.4-07.8
\$50,000- 74,999	725	317,729	479	62.0	57.3-66.7	76	11.2	08.3-14.1	76	10.6	07.7-13.5	59	10.3	07.0-13.6	35	5.9	03.5-08.3
\$75,000+	998	474,136	684	65.3	61.4-69.2	121	13.8	10.9-16.7	110	12.8	10.1-15.5	62	6.4	04.4-08.4	21	1.7	00.9-02.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2013

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5456	2,732,734	3164	59.3	57.5-61.1	525	10.3	09.1-11.5	586	11.2	10.0-12.4	721	12.2	11.0-13.4	460	7.1	06.3-07.9
Male	2016	1,211,663	1223	62.3	59.6-65.0	188	10.2	08.4-12.0	200	9.5	07.9-11.1	216	9.9	08.1-11.7	189	8.0	06.4-09.6
Female	3440	1,521,071	1941	56.8	54.4-59.2	337	10.4	09.0-11.8	386	12.5	10.9-14.1	505	14.0	12.4-15.6	271	6.3	05.3-07.3
White/Non-Hisp	4699	2,211,631	2774	61.0	59.0-63.0	452	10.1	08.9-11.3	478	10.0	08.8-11.2	604	11.9	10.7-13.1	391	7.0	06.0-08.0
Black or Afr. Am./Non-Hisp	321	232,440	178	58.3	51.0-65.6	29	10.0	05.5-14.5	42	11.7	07.6-15.8	49	14.1	09.4-18.8	23	5.8	02.1-09.5
Oth. Race/Non-Hisp.	89	51,929	40	37.2	24.5-49.9	9	15.2	04.2-26.2	17	23.8	10.5-37.1	15	10.8	03.5-18.1	8	13.0	03.2-22.8
MultiRacial/Non-Hisp.	77	30,355	31	48.0	32.9-63.1	4	4.3	00.0-09.0	8	16.3	04.3-28.3	18	19.6	09.2-30.0	16	11.8	04.5-19.1
Hispanic	178	158,668	96	50.1	41.5-58.7	21	13.2	06.9-19.5	27	19.1	12.0-26.2	26	13.3	07.6-19.0	8	4.3	01.0-07.6
18-24	340	440,508	224	65.8	60.1-71.5	50	13.2	09.3-17.1	37	11.5	07.8-15.2	27	8.8	05.3-12.3	2	0.6	00.0-01.4
25-34	528	476,912	328	62.2	57.3-67.1	64	10.9	08.0-13.8	65	12.4	09.1-15.7	49	9.6	06.7-12.5	22	4.9	02.4-07.4
35-44	668	437,834	374	57.6	53.1-62.1	83	11.9	09.0-14.8	90	12.7	09.8-15.6	80	11.4	08.7-14.1	41	6.4	04.0-08.8
45-54	947	483,519	519	53.2	49.3-57.1	102	11.1	08.7-13.5	97	10.9	08.5-13.3	146	15.7	12.8-18.6	83	9.2	06.8-11.6
55-64	1234	433,004	646	54.7	51.4-58.0	109	9.2	07.2-11.2	140	10.9	08.7-13.1	191	13.8	11.4-16.2	148	11.6	09.4-13.8
65+	1696	447,047	1047	62.4	59.7-65.1	112	5.5	04.3-06.7	154	8.7	07.1-10.3	220	13.4	11.4-15.4	163	10.0	08.2-11.8
Less Than H.S.	608	463,115	313	53.8	48.5-59.1	31	6.0	03.5-08.5	64	12.2	08.9-15.5	113	16.0	12.5-19.5	87	12.0	08.7-15.3
H.S. or G.E.D.	1989	941,770	1162	59.5	56.6-62.4	166	9.7	07.7-11.7	198	11.1	09.1-13.1	285	12.7	10.9-14.5	178	7.0	05.6-08.4
Some Post-H.S.	1432	831,092	824	59.7	56.4-63.0	132	10.5	08.3-12.7	161	10.9	08.9-12.9	192	12.4	10.2-14.6	123	6.5	04.9-08.1
College Graduate	1416	492,419	858	63.0	59.9-66.1	194	15.1	12.7-17.5	163	10.9	08.9-12.9	130	7.4	05.8-09.0	71	3.6	02.6-04.6
Less than \$15,000	775	360,312	312	42.8	37.9-47.7	49	8.2	05.3-11.1	83	10.9	08.0-13.8	203	24.2	20.1-28.3	128	13.9	10.4-17.4
\$15,000- 24,999	1093	518,109	601	55.4	51.3-59.5	82	7.4	05.2-09.6	127	13.4	10.5-16.3	165	14.8	12.1-17.5	118	9.1	06.7-11.5
\$25,000- 34,999	595	289,593	369	60.1	54.8-65.4	58	10.5	07.2-13.8	51	11.0	07.3-14.7	77	12.7	09.2-16.2	40	5.7	03.7-07.7
\$35,000- 49,999	644	323,716	407	64.2	59.3-69.1	65	10.7	07.6-13.8	76	11.2	07.9-14.5	58	8.2	05.5-10.9	38	5.7	03.5-07.9
\$50,000- 74,999	663	336,876	431	68.5	64.0-73.0	71	9.8	07.1-12.5	68	10.5	07.6-13.4	56	6.6	04.4-08.8	37	4.6	02.8-06.4
\$75,000+	904	498,011	597	66.6	62.7-70.5	126	14.3	11.6-17.0	90	9.1	06.7-11.5	71	7.7	05.3-10.1	20	2.2	01.0-03.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2013

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2016	1,211,663	1223	62.3	59.6-65.0	188	10.2	08.4-12.0	200	9.5	07.9-11.1	216	9.9	08.1-11.7	189	8.0	06.4-09.6
White/Non-Hisp	1715	956,032	1055	64.1	61.2-67.0	158	9.6	07.8-11.4	170	9.5	07.7-11.3	172	9.2	07.4-11.0	160	7.6	06.0-09.2
Black or Afr. Am./Non-Hisp	104	107,767	63	64.5	52.7-76.3	7	7.8	01.1-14.5	9	6.1	01.4-10.8	16	13.9	06.3-21.5	9	7.7	00.4-15.0
Hispanic	77	78,654	47	52.7	40.0-65.4	10	17.7	07.1-28.3	7	11.3	02.9-19.7	9	12.2	04.0-20.4	4	6.1	00.0-12.4
18-24	171	218,592	118	69.0	61.2-76.8	27	14.1	08.4-19.8	14	8.6	03.7-13.5	10	7.2	02.5-11.9	2	1.2	00.0-03.0
25-34	212	226,405	140	65.7	58.3-73.1	22	9.9	05.4-14.4	25	9.9	05.8-14.0	14	8.2	03.7-12.7	11	6.4	01.9-10.9
35-44	223	180,888	129	61.1	53.5-68.7	27	11.2	06.3-16.1	28	10.8	06.1-15.5	21	8.4	04.5-12.3	18	8.5	04.0-13.0
45-54	375	205,532	220	56.9	50.8-63.0	36	11.2	07.3-15.1	30	8.6	05.1-12.1	50	13.2	09.1-17.3	39	10.2	06.3-14.1
55-64	478	203,205	263	56.6	51.3-61.9	43	9.7	06.4-13.0	51	10.2	07.1-13.3	60	11.5	08.0-15.0	61	12.0	08.7-15.3
65+	543	172,527	342	63.4	58.5-68.3	31	4.5	02.5-06.5	52	9.1	06.4-11.8	60	11.5	08.4-14.6	58	11.5	08.0-15.0
Less Than H.S.	235	219,792	127	54.0	46.0-62.0	10	5.6	01.9-09.3	21	10.0	05.5-14.5	40	17.4	11.3-23.5	37	13.0	07.7-18.3
H.S. or G.E.D.	725	426,460	452	67.0	62.5-71.5	55	9.9	06.8-13.0	57	6.8	04.3-09.3	85	8.9	06.5-11.3	76	7.4	05.2-09.6
Some Post-H.S.	505	347,790	304	60.7	55.4-66.0	47	11.1	07.6-14.6	52	10.5	07.4-13.6	53	9.2	06.3-12.1	49	8.5	05.6-11.4
College Graduate	543	213,941	335	64.0	59.1-68.9	74	14.1	10.6-17.6	70	12.7	09.4-16.0	37	5.5	03.5-07.5	27	3.7	01.9-05.5
Less than \$15,000	238	130,261	97	45.0	36.6-53.4	12	7.1	02.4-11.8	27	10.4	05.7-15.1	52	19.2	12.7-25.7	50	18.2	11.5-24.9
\$15,000- 24,999	361	200,621	202	56.4	49.5-63.3	29	8.2	04.5-11.9	35	10.2	06.3-14.1	49	14.0	09.3-18.7	46	11.2	06.5-15.9
\$25,000- 34,999	244	146,099	154	63.6	55.6-71.6	21	8.0	03.5-12.5	28	12.9	07.0-18.8	24	9.6	04.5-14.7	17	5.9	03.0-08.8
\$35,000- 49,999	255	161,242	174	68.0	60.6-75.4	18	9.4	04.7-14.1	29	10.4	05.1-15.7	20	7.0	03.3-10.7	14	5.1	01.8-08.4
\$50,000- 74,999	268	154,392	185	73.2	66.9-79.5	22	6.5	03.2-09.8	21	7.5	04.0-11.0	20	6.7	03.2-10.2	20	6.1	03.0-09.2
\$75,000+	407	251,117	265	66.4	60.5-72.3	61	15.3	11.0-19.6	39	8.7	05.4-12.0	29	6.7	03.6-09.8	13	2.9	00.9-04.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2013

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3440	1,521,071	1941	56.8	54.4-59.2	337	10.4	09.0-11.8	386	12.5	10.9-14.1	505	14.0	12.4-15.6	271	6.3	05.3-07.3
White/Non-Hisp	2984	1,255,600	1719	58.7	56.3-61.1	294	10.4	08.8-12.0	308	10.4	08.8-12.0	432	14.0	12.2-15.8	231	6.6	05.4-07.8
Black or Afr. Am./Non-Hisp	217	124,673	115	53.0	44.6-61.4	22	11.9	06.0-17.8	33	16.6	10.3-22.9	33	14.3	08.6-20.0	14	4.2	01.7-06.7
Oth. Race/Non-Hisp.	54	26,997	26	37.5	20.6-54.4	3	6.7	00.0-14.5	11	34.5	13.7-55.3	11	16.5	04.0-29.0	3	4.9	00.0-11.0
Hispanic	101	80,014	49	47.6	36.0-59.2	11	8.7	01.8-15.6	20	26.7	15.7-37.7	17	14.5	06.9-22.1	4	2.4	00.0-04.9
18-24	169	221,916	106	62.7	54.7-70.7	23	12.4	07.1-17.7	23	14.4	08.5-20.3	17	10.5	05.4-15.6			
25-34	316	250,508	188	59.0	52.5-65.5	42	11.9	08.0-15.8	40	14.7	09.6-19.8	35	10.9	07.0-14.8	11	3.6	00.9-06.3
35-44	445	256,946	245	55.2	49.7-60.7	56	12.4	08.7-16.1	62	14.0	10.3-17.7	59	13.4	09.7-17.1	23	5.0	02.5-07.5
45-54	572	277,987	299	50.4	45.5-55.3	66	11.0	08.1-13.9	67	12.6	09.3-15.9	96	17.6	13.7-21.5	44	8.4	05.7-11.1
55-64	756	229,799	383	52.9	48.6-57.2	66	8.7	06.2-11.2	89	11.5	08.8-14.2	131	15.7	12.8-18.6	87	11.1	08.4-13.8
65+	1153	274,520	705	61.7	58.2-65.2	81	6.2	04.6-07.8	102	8.4	06.4-10.4	160	14.7	12.2-17.2	105	9.0	07.0-11.0
Less Than H.S.	373	243,323	186	53.7	47.0-60.4	21	6.3	03.0-09.6	43	14.2	09.3-19.1	73	14.7	10.6-18.8	50	11.0	06.9-15.1
H.S. or G.E.D.	1264	515,310	710	53.4	49.7-57.1	111	9.6	07.2-12.0	141	14.6	11.7-17.5	200	15.8	13.1-18.5	102	6.7	05.1-08.3
Some Post-H.S.	927	483,302	520	59.0	54.9-63.1	85	10.0	07.5-12.5	109	11.2	08.7-13.7	139	14.7	11.6-17.8	74	5.1	03.7-06.5
College Graduate	873	278,478	523	62.1	58.2-66.0	120	15.9	12.8-19.0	93	9.5	07.1-11.9	93	8.9	06.5-11.3	44	3.5	02.1-04.9
Less than \$15,000	537	230,051	215	41.6	35.7-47.5	37	8.8	05.1-12.5	56	11.2	07.5-14.9	151	27.0	21.9-32.1	78	11.4	07.5-15.3
\$15,000- 24,999	732	317,488	399	54.7	49.6-59.8	53	6.8	04.3-09.3	92	15.4	11.3-19.5	116	15.3	12.0-18.6	72	7.8	05.4-10.2
\$25,000- 34,999	351	143,494	215	56.4	49.5-63.3	37	12.9	07.8-18.0	23	9.1	04.6-13.6	53	15.9	11.0-20.8	23	5.6	02.9-08.3
\$35,000- 49,999	389	162,473	233	60.4	54.1-66.7	47	11.9	07.8-16.0	47	12.0	07.9-16.1	38	9.4	05.5-13.3	24	6.3	03.2-09.4
\$50,000- 74,999	395	182,484	246	64.4	58.3-70.5	49	12.6	08.5-16.7	47	13.1	08.6-17.6	36	6.6	03.9-09.3	17	3.3	01.5-05.1
\$75,000+	497	246,894	332	66.9	61.4-72.4	65	13.4	09.7-17.1	51	9.5	06.2-12.8	42	8.7	05.0-12.4	7	1.5	00.1-02.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10276	4,941,424	9068	82.8	81.6-84.0	1208	17.2	16.0-18.4
Male	4252	2,396,329	3697	82.0	80.4-83.6	555	18.0	16.4-19.6
Female	6024	2,545,095	5371	83.5	82.1-84.9	653	16.5	15.1-17.9
White/Non-Hisp	8925	4,029,974	8050	86.0	84.8-87.2	875	14.0	12.8-15.2
Black or Afr. Am./Non-Hisp	588	413,211	475	74.7	69.6-79.8	113	25.3	20.2-30.4
Oth. Race/Non-Hisp.	169	103,472	130	74.7	66.7-82.7	39	25.3	17.3-33.3
MultiRacial/Non-Hisp.	115	45,994	93	74.7	63.1-86.3	22	25.3	13.7-36.9
Hispanic	313	267,306	183	53.9	47.4-60.4	130	46.1	39.6-52.6
18-24	525	660,613	393	73.7	69.4-78.0	132	26.3	22.0-30.6
25-34	914	812,982	685	72.0	68.5-75.5	229	28.0	24.5-31.5
35-44	1234	814,847	1017	79.5	76.6-82.4	217	20.5	17.6-23.4
45-54	1778	892,201	1503	82.5	80.3-84.7	275	17.5	15.3-19.7
55-64	2253	808,230	1964	86.7	84.9-88.5	289	13.3	11.5-15.1
65+	3481	922,585	3420	98.0	97.4-98.6	61	2.0	01.4-02.6
Less Than H.S.	931	699,247	699	64.4	60.1-68.7	232	35.6	31.3-39.9
H.S. or G.E.D.	3762	1,712,834	3288	82.7	80.9-84.5	474	17.3	15.5-19.1
Some Post-H.S.	2615	1,496,694	2280	84.0	82.0-86.0	335	16.0	14.0-18.0
College Graduate	2945	1,022,847	2783	93.7	92.5-94.9	162	6.3	05.1-07.5
Less than \$15,000	1082	500,372	812	64.3	60.0-68.6	270	35.7	31.4-40.0
\$15,000- 24,999	1755	815,482	1378	67.4	64.1-70.7	377	32.6	29.3-35.9
\$25,000- 34,999	1129	524,642	977	78.6	75.1-82.1	152	21.4	17.9-24.9
\$35,000- 49,999	1342	645,549	1220	86.7	84.0-89.4	122	13.3	10.6-16.0
\$50,000- 74,999	1347	673,024	1288	93.9	92.1-95.7	59	6.1	04.3-07.9
\$75,000+	2057	1,067,611	2004	96.6	95.4-97.8	53	3.4	02.2-04.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4252	2,396,329	3697	82.0	80.4-83.6	555	18.0	16.4-19.6
White/Non-Hisp	3672	1,938,327	3262	84.8	83.2-86.4	410	15.2	13.6-16.8
Black or Afr. Am./Non-Hisp	211	193,050	173	78.2	70.9-85.5	38	21.8	14.5-29.1
Oth. Race/Non-Hisp.	82	56,351	62	79.5	70.1-88.9	20	20.5	11.1-29.9
MultiRacial/Non-Hisp.	56	25,600	47	81.4	66.9-95.9	9	18.6	04.1-33.1
Hispanic	140	134,058	74	47.5	38.1-56.9	66	52.5	43.1-61.9
18-24	270	328,815	209	77.3	71.8-82.8	61	22.7	17.2-28.2
25-34	405	408,597	298	70.5	65.4-75.6	107	29.5	24.4-34.6
35-44	516	407,906	411	76.8	72.3-81.3	105	23.2	18.7-27.7
45-54	833	443,443	693	81.0	77.7-84.3	140	19.0	15.7-22.3
55-64	933	398,691	824	88.0	85.3-90.7	109	12.0	09.3-14.7
65+	1266	399,120	1236	97.5	96.5-98.5	30	2.5	01.5-03.5
Less Than H.S.	389	353,379	278	63.4	57.3-69.5	111	36.6	30.5-42.7
H.S. or G.E.D.	1499	829,776	1278	81.3	78.8-83.8	221	18.7	16.2-21.2
Some Post-H.S.	1023	692,176	887	84.3	81.4-87.2	136	15.7	12.8-18.6
College Graduate	1326	513,553	1243	92.9	91.1-94.7	83	7.1	05.3-08.9
Less than \$15,000	368	198,134	249	58.7	52.0-65.4	119	41.3	34.6-48.0
\$15,000- 24,999	618	341,402	458	63.9	58.6-69.2	160	36.1	30.8-41.4
\$25,000- 34,999	487	270,795	403	73.1	67.4-78.8	84	26.9	21.2-32.6
\$35,000- 49,999	619	356,578	565	87.5	83.8-91.2	54	12.5	08.8-16.2
\$50,000- 74,999	620	355,685	592	93.7	91.2-96.2	28	6.3	03.8-08.8
\$75,000+	1054	589,769	1020	96.0	94.4-97.6	34	4.0	02.4-05.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6024	2,545,095	5371	83.5	82.1-84.9	653	16.5	15.1-17.9
White/Non-Hisp	5253	2,091,647	4788	87.0	85.6-88.4	465	13.0	11.6-14.4
Black or Afr. Am./Non-Hisp	377	220,161	302	71.5	64.6-78.4	75	28.5	21.6-35.4
Oth. Race/Non-Hisp.	87	47,120	68	68.9	55.6-82.2	19	31.1	17.8-44.4
MultiRacial/Non-Hisp.	59	20,394	46	66.2	48.4-84.0	13	33.8	16.0-51.6
Hispanic	173	133,248	109	60.3	51.5-69.1	64	39.7	30.9-48.5
18-24	255	331,798	184	70.0	63.5-76.5	71	30.0	23.5-36.5
25-34	509	404,384	387	73.5	68.8-78.2	122	26.5	21.8-31.2
35-44	718	406,941	606	82.2	78.7-85.7	112	17.8	14.3-21.3
45-54	945	448,758	810	83.9	80.8-87.0	135	16.1	13.0-19.2
55-64	1320	409,539	1140	85.3	82.9-87.7	180	14.7	12.3-17.1
65+	2215	523,465	2184	98.5	97.9-99.1	31	1.5	00.9-02.1
Less Than H.S.	542	345,867	421	65.4	59.5-71.3	121	34.6	28.7-40.5
H.S. or G.E.D.	2263	883,057	2010	84.1	81.9-86.3	253	15.9	13.7-18.1
Some Post-H.S.	1592	804,519	1393	83.8	81.3-86.3	199	16.2	13.7-18.7
College Graduate	1619	509,294	1540	94.6	93.2-96.0	79	5.4	04.0-06.8
Less than \$15,000	714	302,238	563	68.0	62.5-73.5	151	32.0	26.5-37.5
\$15,000- 24,999	1137	474,080	920	70.0	65.9-74.1	217	30.0	25.9-34.1
\$25,000- 34,999	642	253,846	574	84.5	80.4-88.6	68	15.5	11.4-19.6
\$35,000- 49,999	723	288,970	655	85.8	81.7-89.9	68	14.2	10.1-18.3
\$50,000- 74,999	727	317,339	696	94.1	91.4-96.8	31	5.9	03.2-08.6
\$75,000+	1003	477,842	984	97.4	96.0-98.8	19	2.6	01.2-04.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10275	4,951,102	8037	72.7	71.5-73.9	888	7.8	07.2-08.4	1350	19.6	18.4-20.8
Male	4253	2,408,922	3106	67.0	65.0-69.0	382	7.9	06.9-08.9	765	25.2	23.4-27.0
Female	6022	2,542,180	4931	78.1	76.5-79.7	506	7.6	06.8-08.4	585	14.3	12.9-15.7
White/Non-Hisp	8923	4,044,096	7139	75.4	74.2-76.6	766	7.6	06.8-08.4	1018	17.0	15.8-18.2
Black or Afr. Am./Non-Hisp	588	408,385	412	63.2	57.9-68.5	52	9.1	06.0-12.2	124	27.7	22.6-32.8
Oth. Race/Non-Hisp.	170	103,762	117	64.8	55.8-73.8	10	5.4	00.9-09.9	43	29.8	21.4-38.2
MultiRacial/Non-Hisp.	115	45,921	78	63.3	51.1-75.5	19	11.2	05.5-16.9	18	25.5	13.5-37.5
Hispanic	312	266,830	173	53.3	46.8-59.8	24	7.1	04.0-10.2	115	39.6	33.1-46.1
18-24	535	679,166	321	60.0	55.3-64.7	35	6.6	04.1-09.1	179	33.4	28.9-37.9
25-34	914	808,283	546	57.4	53.7-61.1	55	5.6	04.0-07.2	313	37.0	33.3-40.7
35-44	1234	814,428	908	71.1	68.0-74.2	77	6.0	04.4-07.6	249	22.9	20.0-25.8
45-54	1772	890,188	1392	78.6	76.2-81.0	123	6.6	05.2-08.0	257	14.8	12.8-16.8
55-64	2253	807,914	1860	81.3	79.3-83.3	203	9.0	07.6-10.4	190	9.6	08.0-11.2
65+	3476	921,288	2937	83.3	81.7-84.9	387	11.8	10.4-13.2	152	4.9	03.9-05.9
Less Than H.S.	926	694,930	634	62.2	58.1-66.3	92	8.0	05.8-10.2	200	29.8	25.7-33.9
H.S. or G.E.D.	3769	1,725,496	2937	73.4	71.4-75.4	332	7.4	06.4-08.4	500	19.1	17.3-20.9
Some Post-H.S.	2619	1,499,314	2026	72.6	70.2-75.0	231	8.0	06.6-09.4	362	19.4	17.2-21.6
College Graduate	2936	1,019,957	2423	78.7	76.7-80.7	230	7.8	06.6-09.0	283	13.6	11.8-15.4
Less than \$15,000	1082	494,167	716	59.2	55.1-63.3	146	11.5	09.1-13.9	220	29.2	25.3-33.1
\$15,000- 24,999	1748	811,893	1279	65.3	62.2-68.4	167	8.2	06.6-09.8	302	26.6	23.5-29.7
\$25,000- 34,999	1128	525,755	855	67.8	63.9-71.7	94	7.7	05.5-09.9	179	24.5	20.8-28.2
\$35,000- 49,999	1347	651,464	1098	75.8	72.7-78.9	91	6.4	04.8-08.0	158	17.9	14.8-21.0
\$50,000- 74,999	1344	672,030	1130	79.7	76.6-82.8	96	6.2	04.6-07.8	118	14.1	11.2-17.0
\$75,000+	2056	1,069,201	1730	81.6	79.2-84.0	152	7.2	05.6-08.8	174	11.2	09.2-13.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4253	2,408,922	3106	67.0	65.0-69.0	382	7.9	06.9-08.9	765	25.2	23.4-27.0
White/Non-Hisp	3671	1,949,064	2765	69.8	67.8-71.8	325	7.8	06.8-08.8	581	22.4	20.4-24.4
Black or Afr. Am./Non-Hisp	213	194,880	134	57.5	48.9-66.1	21	9.5	04.0-15.0	58	33.1	24.9-41.3
Oth. Race/Non-Hisp.	83	56,641	51	61.7	49.5-73.9	5	4.4	00.1-08.7	27	33.9	22.1-45.7
MultiRacial/Non-Hisp.	55	25,403	34	59.5	42.6-76.4	10	12.3	03.9-20.7	11	28.2	11.3-45.1
Hispanic	140	134,058	60	42.9	33.5-52.3	8	6.3	01.8-10.8	72	50.7	41.3-60.1
18-24	279	346,132	157	56.6	49.9-63.3	19	7.1	03.2-11.0	103	36.3	30.0-42.6
25-34	404	407,709	201	47.1	41.6-52.6	24	5.6	03.2-08.0	179	47.3	41.8-52.8
35-44	517	408,474	325	61.9	57.0-66.8	37	6.7	04.3-09.1	155	31.4	26.7-36.1
45-54	827	440,945	634	75.7	72.2-79.2	40	4.7	03.1-06.3	153	19.6	16.3-22.9
55-64	932	397,223	748	79.2	76.1-82.3	86	9.4	07.2-11.6	98	11.4	08.9-13.9
65+	1266	399,083	1021	79.6	76.9-82.3	175	14.2	11.8-16.6	70	6.2	04.4-08.0
Less Than H.S.	392	358,639	228	54.1	48.0-60.2	43	8.8	05.3-12.3	121	37.0	30.9-43.1
H.S. or G.E.D.	1499	838,877	1069	66.8	63.7-69.9	138	7.1	05.5-08.7	292	26.2	23.1-29.3
Some Post-H.S.	1022	691,572	735	67.1	63.4-70.8	106	9.1	06.9-11.3	181	23.8	20.3-27.3
College Graduate	1323	511,335	1063	76.3	73.4-79.2	92	6.7	05.1-08.3	168	17.0	14.5-19.5
Less than \$15,000	367	198,082	208	50.1	43.4-56.8	54	10.8	07.1-14.5	105	39.1	32.4-45.8
\$15,000- 24,999	612	337,853	394	57.2	51.9-62.5	72	10.1	07.2-13.0	146	32.7	27.4-38.0
\$25,000- 34,999	485	270,534	324	56.4	50.5-62.3	41	6.8	04.3-09.3	120	36.8	30.9-42.7
\$35,000- 49,999	622	360,359	479	71.0	66.3-75.7	45	6.4	04.2-08.6	98	22.5	18.0-27.0
\$50,000- 74,999	617	353,753	484	72.4	67.5-77.3	50	7.2	04.8-09.6	83	20.4	15.7-25.1
\$75,000+	1053	590,812	867	79.2	75.9-82.5	70	6.8	04.4-09.2	116	14.0	11.3-16.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6022	2,542,180	4931	78.1	76.5-79.7	506	7.6	06.8-08.4	585	14.3	12.9-15.7
White/Non-Hisp	5252	2,095,032	4374	80.5	78.9-82.1	441	7.5	06.5-08.5	437	12.0	10.6-13.4
Black or Afr. Am./Non-Hisp	375	213,506	278	68.5	62.0-75.0	31	8.8	05.1-12.5	66	22.7	16.6-28.8
Oth. Race/Non-Hisp.	87	47,120	66	68.5	55.2-81.8	5	6.5	00.0-15.1	16	25.0	13.0-37.0
MultiRacial/Non-Hisp.	60	20,519	44	68.0	50.9-85.1	9	9.9	02.5-17.3	7	22.2	05.3-39.1
Hispanic	172	132,773	113	63.7	55.1-72.3	16	7.9	03.4-12.4	43	28.4	20.2-36.6
18-24	256	333,035	164	63.6	56.9-70.3	16	6.1	03.0-09.2	76	30.3	24.0-36.6
25-34	510	400,574	345	67.9	63.2-72.6	31	5.7	03.5-07.9	134	26.5	22.2-30.8
35-44	717	405,954	583	80.3	76.8-83.8	40	5.4	03.4-07.4	94	14.3	11.2-17.4
45-54	945	449,244	758	81.4	78.5-84.3	83	8.6	06.4-10.8	104	10.1	07.9-12.3
55-64	1321	410,691	1112	83.4	80.9-85.9	117	8.7	06.9-10.5	92	7.9	05.9-09.9
65+	2210	522,205	1916	86.2	84.4-88.0	212	10.0	08.4-11.6	82	3.8	02.8-04.8
Less Than H.S.	534	336,291	406	70.8	65.3-76.3	49	7.0	04.6-09.4	79	22.1	16.8-27.4
H.S. or G.E.D.	2270	886,620	1868	79.8	77.4-82.2	194	7.8	06.4-09.2	208	12.4	10.2-14.6
Some Post-H.S.	1597	807,743	1291	77.4	74.7-80.1	125	7.0	05.4-08.6	181	15.6	13.1-18.1
College Graduate	1613	508,622	1360	81.1	78.6-83.6	138	8.8	07.0-10.6	115	10.1	08.1-12.1
Less than \$15,000	715	296,085	508	65.3	60.2-70.4	92	12.1	09.0-15.2	115	22.7	18.0-27.4
\$15,000- 24,999	1136	474,040	885	71.0	67.1-74.9	95	6.8	05.0-08.6	156	22.2	18.5-25.9
\$25,000- 34,999	643	255,221	531	79.8	75.5-84.1	53	8.8	05.5-12.1	59	11.4	08.1-14.7
\$35,000- 49,999	725	291,105	619	81.6	77.5-85.7	46	6.3	03.9-08.7	60	12.1	08.6-15.6
\$50,000- 74,999	727	318,277	646	87.8	84.5-91.1	46	5.2	03.2-07.2	35	7.1	04.2-10.0
\$75,000+	1003	478,389	863	84.6	81.5-87.7	82	7.6	05.6-09.6	58	7.8	05.3-10.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10302	4,967,709	1237	15.5	14.5-16.5	9065	84.5	83.5-85.5
Male	4269	2,415,661	402	12.6	11.2-14.0	3867	87.4	86.0-88.8
Female	6033	2,552,048	835	18.2	16.8-19.6	5198	81.8	80.4-83.2
White/Non-Hisp	8949	4,054,724	945	13.4	12.4-14.4	8004	86.6	85.6-87.6
Black or Afr. Am./Non-Hisp	590	415,234	117	22.8	18.1-27.5	473	77.2	72.5-81.9
Oth. Race/Non-Hisp.	169	103,579	34	21.5	14.1-28.9	135	78.5	71.1-85.9
MultiRacial/Non-Hisp.	116	46,119	28	29.1	17.5-40.7	88	70.9	59.3-82.5
Hispanic	312	266,873	87	30.2	24.1-36.3	225	69.8	63.7-75.9
18-24	542	685,201	80	15.6	12.1-19.1	462	84.4	80.9-87.9
25-34	915	814,267	182	22.5	19.2-25.8	733	77.5	74.2-80.8
35-44	1235	816,109	217	18.6	15.9-21.3	1018	81.4	78.7-84.1
45-54	1778	892,407	310	20.0	17.6-22.4	1468	80.0	77.6-82.4
55-64	2253	807,950	301	13.2	11.4-15.0	1952	86.8	85.0-88.6
65+	3485	921,369	146	4.6	03.6-05.6	3339	95.4	94.4-96.4
Less Than H.S.	932	702,359	224	30.1	26.0-34.2	708	69.9	65.8-74.0
H.S. or G.E.D.	3775	1,727,706	459	14.9	13.3-16.5	3316	85.1	83.5-86.7
Some Post-H.S.	2626	1,504,891	374	15.6	13.8-17.4	2252	84.4	82.6-86.2
College Graduate	2944	1,021,285	180	6.4	05.2-07.6	2764	93.6	92.4-94.8
Less than \$15,000	1079	498,135	299	34.9	30.8-39.0	780	65.1	61.0-69.2
\$15,000- 24,999	1753	814,465	403	29.5	26.4-32.6	1350	70.5	67.4-73.6
\$25,000- 34,999	1131	526,121	162	19.9	16.6-23.2	969	80.1	76.8-83.4
\$35,000- 49,999	1346	650,309	117	11.3	08.8-13.8	1229	88.7	86.2-91.2
\$50,000- 74,999	1348	674,437	78	7.7	05.7-09.7	1270	92.3	90.3-94.3
\$75,000+	2059	1,070,273	54	3.3	02.3-04.3	2005	96.7	95.7-97.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

**TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4269	2,415,661	402	12.6	11.2-14.0	3867	87.4	86.0-88.8
White/Non-Hisp	3689	1,957,262	304	10.9	09.3-12.5	3385	89.1	87.5-90.7
Black or Afr. Am./Non-Hisp	212	194,334	33	16.2	09.9-22.5	179	83.8	77.5-90.1
Oth. Race/Non-Hisp.	82	56,459	14	18.4	08.8-28.0	68	81.6	72.0-91.2
MultiRacial/Non-Hisp.	56	25,600	8	19.7	05.6-33.8	48	80.3	66.2-94.4
Hispanic	140	134,058	34	28.9	20.1-37.7	106	71.1	62.3-79.9
18-24	285	351,432	25	9.2	05.1-13.3	260	90.8	86.7-94.9
25-34	404	407,870	69	19.7	15.0-24.4	335	80.3	75.6-85.0
35-44	518	409,134	64	15.2	11.3-19.1	454	84.8	80.9-88.7
45-54	832	443,243	120	17.5	14.2-20.8	712	82.5	79.2-85.8
55-64	934	397,176	84	9.9	07.4-12.4	850	90.1	87.6-92.6
65+	1268	397,262	40	3.5	02.1-04.9	1228	96.5	95.1-97.9
Less Than H.S.	390	356,512	89	27.5	21.8-33.2	301	72.5	66.8-78.2
H.S. or G.E.D.	1510	842,933	151	12.5	10.1-14.9	1359	87.5	85.1-89.9
Some Post-H.S.	1027	695,779	107	11.5	09.0-14.0	920	88.5	86.0-91.0
College Graduate	1325	511,936	55	4.4	03.0-05.8	1270	95.6	94.2-97.0
Less than \$15,000	367	196,531	91	30.5	24.0-37.0	276	69.5	63.0-76.0
\$15,000- 24,999	616	340,080	127	27.7	22.6-32.8	489	72.3	67.2-77.4
\$25,000- 34,999	488	271,639	62	17.9	12.8-23.0	426	82.1	77.0-87.2
\$35,000- 49,999	621	358,849	33	8.5	05.0-12.0	588	91.5	88.0-95.0
\$50,000- 74,999	620	355,685	30	6.4	03.9-08.9	590	93.6	91.1-96.1
\$75,000+	1054	591,305	23	3.2	01.6-04.8	1031	96.8	95.2-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6033	2,552,048	835	18.2	16.8-19.6	5198	81.8	80.4-83.2
White/Non-Hisp	5260	2,097,462	641	15.7	14.3-17.1	4619	84.3	82.9-85.7
Black or Afr. Am./Non-Hisp	378	220,900	84	28.5	21.8-35.2	294	71.5	64.8-78.2
Oth. Race/Non-Hisp.	87	47,120	20	25.2	13.6-36.8	67	74.8	63.2-86.4
MultiRacial/Non-Hisp.	60	20,519	20	40.8	23.0-58.6	40	59.2	41.4-77.0
Hispanic	172	132,816	53	31.5	23.3-39.7	119	68.5	60.3-76.7
18-24	257	333,769	55	22.3	16.6-28.0	202	77.7	72.0-83.4
25-34	511	406,397	113	25.4	20.7-30.1	398	74.6	69.9-79.3
35-44	717	406,975	153	21.9	18.4-25.4	564	78.1	74.6-81.6
45-54	946	449,164	190	22.4	19.1-25.7	756	77.6	74.3-80.9
55-64	1319	410,773	217	16.4	13.9-18.9	1102	83.6	81.1-86.1
65+	2217	524,107	106	5.5	04.1-06.9	2111	94.5	93.1-95.9
Less Than H.S.	542	345,847	135	32.7	27.0-38.4	407	67.3	61.6-73.0
H.S. or G.E.D.	2265	884,773	308	17.3	15.1-19.5	1957	82.7	80.5-84.9
Some Post-H.S.	1599	809,112	267	19.2	16.7-21.7	1332	80.8	78.3-83.3
College Graduate	1619	509,349	125	8.4	06.6-10.2	1494	91.6	89.8-93.4
Less than \$15,000	712	301,603	208	37.7	32.2-43.2	504	62.3	56.8-67.8
\$15,000- 24,999	1137	474,385	276	30.9	27.0-34.8	861	69.1	65.2-73.0
\$25,000- 34,999	643	254,482	100	22.0	17.5-26.5	543	78.0	73.5-82.5
\$35,000- 49,999	725	291,460	84	14.8	11.3-18.3	641	85.2	81.7-88.7
\$50,000- 74,999	728	318,752	48	9.1	06.2-12.0	680	90.9	88.0-93.8
\$75,000+	1005	478,968	31	3.3	01.9-04.7	974	96.7	95.3-98.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10220	4,929,941	7334	64.7	63.3-66.1	1165	13.8	12.8-14.8	757	9.9	09.1-10.7	901	10.7	09.9-11.5	63	0.8	00.6-01.0
Male	4252	2,409,121	2842	60.4	58.4-62.4	515	13.8	12.4-15.2	386	11.5	10.1-12.9	473	13.2	11.8-14.6	36	1.1	00.7-01.5
Female	5968	2,520,820	4492	68.8	67.0-70.6	650	13.9	12.5-15.3	371	8.4	07.4-09.4	428	8.4	07.4-09.4	27	0.5	00.3-00.7
White/Non-Hisp	8868	4,016,614	6371	64.8	63.4-66.2	1018	14.0	13.0-15.0	647	9.8	08.8-10.8	789	11.0	10.0-12.0	43	0.5	00.3-00.7
Black or Afr. Am./Non-Hisp	589	415,869	461	73.1	68.2-78.0	59	11.1	08.0-14.2	38	9.0	05.5-12.5	30	6.7	03.8-09.6	1	0.2	00.0-00.6
Oth. Race/Non-Hisp.	170	103,762	114	60.0	50.6-69.4	21	18.4	10.0-26.8	12	8.5	03.2-13.8	20	11.6	06.1-17.1	3	1.6	00.0-03.4
MultiRacial/Non-Hisp.	116	46,119	81	55.3	43.0-67.6	14	18.8	07.8-29.8	6	8.2	00.6-15.8	13	14.6	06.4-22.8	2	3.0	00.0-07.1
Hispanic	312	266,260	189	55.2	48.7-61.7	38	13.5	09.0-18.0	44	14.9	10.4-19.4	30	11.6	07.1-16.1	11	4.8	01.7-07.9
18-24	533	674,901	286	54.4	49.7-59.1	103	19.2	15.5-22.9	89	15.2	11.9-18.5	48	9.8	06.9-12.7	7	1.3	00.3-02.3
25-34	908	807,840	480	48.7	45.0-52.4	156	17.8	14.9-20.7	127	15.4	12.5-18.3	136	16.9	14.0-19.8	9	1.2	00.4-02.0
35-44	1230	811,905	730	57.5	54.2-60.8	196	17.0	14.5-19.5	140	11.8	09.6-14.0	154	12.8	10.6-15.0	10	1.0	00.2-01.8
45-54	1769	886,970	1183	65.9	63.2-68.6	236	13.0	11.2-14.8	138	8.5	06.9-10.1	205	12.2	10.2-14.2	7	0.4	00.0-00.8
55-64	2248	804,231	1662	72.5	70.1-74.9	235	11.3	09.7-12.9	152	7.2	05.8-08.6	181	8.2	06.8-09.6	18	0.8	00.4-01.2
65+	3443	915,202	2927	84.8	83.4-86.2	228	6.5	05.5-07.5	106	3.4	02.6-04.2	170	5.0	04.0-06.0	12	0.3	00.1-00.5
Less Than H.S.	922	693,725	622	59.0	54.7-63.3	110	14.3	11.2-17.4	63	9.7	06.8-12.6	114	15.3	12.0-18.6	13	1.6	00.6-02.6
H.S. or G.E.D.	3742	1,713,531	2726	66.5	64.3-68.7	394	12.7	11.1-14.3	246	8.7	07.3-10.1	353	11.2	09.8-12.6	23	0.8	00.4-01.2
Some Post-H.S.	2608	1,494,088	1815	63.2	60.8-65.6	309	14.6	12.6-16.6	223	11.2	09.4-13.0	242	10.2	08.6-11.8	19	0.7	00.3-01.1
College Graduate	2924	1,017,417	2158	68.1	65.9-70.3	347	13.9	12.3-15.5	223	9.9	08.5-11.3	189	7.7	06.5-08.9	7	0.3	00.1-00.5
Less than \$15,000	1067	491,297	737	60.4	56.1-64.7	120	13.2	10.5-15.9	84	12.6	09.1-16.1	113	12.9	10.0-15.8	13	0.9	00.3-01.5
\$15,000- 24,999	1751	814,863	1208	59.2	55.9-62.5	187	15.3	12.8-17.8	137	10.4	08.2-12.6	202	13.9	11.5-16.3	17	1.2	00.4-02.0
\$25,000- 34,999	1126	525,257	787	60.5	56.6-64.4	133	14.8	11.7-17.9	94	11.8	09.1-14.5	107	12.1	09.2-15.0	5	0.8	00.0-01.6
\$35,000- 49,999	1343	649,693	987	67.0	63.7-70.3	147	14.1	11.6-16.6	98	9.0	06.8-11.2	109	9.5	07.1-11.9	2	0.3	00.0-00.9
\$50,000- 74,999	1338	669,513	979	68.1	64.8-71.4	156	12.9	10.5-15.3	95	9.3	07.1-11.5	103	9.3	07.1-11.5	5	0.5	00.1-00.9
\$75,000+	2053	1,067,590	1482	69.7	67.2-72.2	264	13.4	11.4-15.4	158	8.7	07.1-10.3	143	7.9	06.3-09.5	6	0.4	00.0-00.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4252	2,409,121	2842	60.4	58.4-62.4	515	13.8	12.4-15.2	386	11.5	10.1-12.9	473	13.2	11.8-14.6	36	1.1	00.7-01.5
White/Non-Hisp	3668	1,947,453	2454	59.9	57.7-62.1	455	14.3	12.7-15.9	329	11.6	10.2-13.0	407	13.5	11.9-15.1	23	0.8	00.4-01.2
Black or Afr. Am./Non-Hisp	213	196,090	167	77.4	70.3-84.5	17	7.9	03.8-12.0	15	8.1	03.6-12.6	14	6.6	02.1-11.1			
Oth. Race/Non-Hisp.	83	56,641	48	56.2	43.5-68.9	12	17.2	07.6-26.8	8	10.5	02.1-18.9	12	13.2	05.2-21.2	3	2.9	00.0-06.0
MultiRacial/Non-Hisp.	56	25,600	37	55.1	38.0-72.2	6	14.1	00.6-27.6	3	10.1	00.0-22.1	8	15.5	04.5-26.5	2	5.3	00.0-12.6
Hispanic	140	134,058	74	46.6	37.2-56.0	14	12.1	05.8-18.4	25	17.3	10.2-24.4	20	17.8	10.2-25.4	7	6.3	01.4-11.2
18-24	283	349,530	139	51.6	44.9-58.3	53	18.3	13.4-23.2	57	18.3	13.4-23.2	29	10.2	06.3-14.1	5	1.7	00.1-03.3
25-34	402	407,147	183	41.7	36.2-47.2	67	17.4	13.3-21.5	66	17.0	12.9-21.1	79	21.8	17.1-26.5	7	2.1	00.5-03.7
35-44	515	406,517	261	52.2	47.1-57.3	94	17.1	13.4-20.8	72	13.7	10.4-17.0	82	15.7	12.0-19.4	6	1.3	00.1-02.5
45-54	830	442,342	522	62.1	58.2-66.0	115	13.6	10.9-16.3	68	8.4	06.0-10.8	119	15.2	12.3-18.1	6	0.6	00.0-01.2
55-64	933	396,187	657	70.0	66.5-73.5	109	11.3	08.9-13.7	73	8.8	06.3-11.3	85	9.0	06.8-11.2	9	1.0	00.4-01.6
65+	1261	398,041	1062	84.6	82.2-87.0	75	5.3	03.9-06.7	47	3.9	02.5-05.3	74	5.9	04.3-07.5	3	0.3	00.0-00.7
Less Than H.S.	391	356,356	238	54.7	48.4-61.0	50	14.1	09.8-18.4	30	9.9	06.0-13.8	64	18.8	13.9-23.7	9	2.5	00.5-04.5
H.S. or G.E.D.	1501	839,035	1009	61.6	58.5-64.7	166	12.5	10.3-14.7	123	10.8	08.6-13.0	189	14.1	11.7-16.5	14	1.0	00.4-01.6
Some Post-H.S.	1023	692,923	674	60.3	56.6-64.0	133	14.4	11.7-17.1	101	13.0	10.3-15.7	106	11.2	08.8-13.6	9	1.1	00.3-01.9
College Graduate	1321	512,369	910	62.9	59.8-66.0	165	14.8	12.4-17.2	130	11.6	09.4-13.8	112	10.3	08.1-12.5	4	0.4	00.0-00.8
Less than \$15,000	363	196,866	228	55.7	49.0-62.4	45	13.4	08.9-17.9	30	13.0	07.9-18.1	53	16.0	11.1-20.9	7	1.9	00.3-03.5
\$15,000- 24,999	618	341,325	384	55.4	50.1-60.7	67	12.3	08.8-15.8	54	11.0	07.3-14.7	105	19.9	15.6-24.2	8	1.4	00.2-02.6
\$25,000- 34,999	483	270,124	313	54.5	48.6-60.4	56	13.3	09.2-17.4	54	14.9	10.6-19.2	56	15.9	11.0-20.8	4	1.5	00.0-03.1
\$35,000- 49,999	621	358,849	431	62.8	57.9-67.7	75	14.7	11.0-18.4	55	11.4	08.1-14.7	58	10.5	07.4-13.6	2	0.6	00.0-01.6
\$50,000- 74,999	618	354,098	417	62.5	57.4-67.6	81	13.9	10.4-17.4	61	11.9	08.4-15.4	54	10.9	07.6-14.2	5	0.9	00.1-01.7
\$75,000+	1053	590,772	725	66.0	62.3-69.7	133	13.4	10.9-15.9	94	9.9	07.5-12.3	98	10.4	08.0-12.8	3	0.3	00.0-00.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5968	2,520,820	4492	68.8	67.0-70.6	650	13.9	12.5-15.3	371	8.4	07.4-09.4	428	8.4	07.4-09.4	27	0.5	00.3-00.7
White/Non-Hisp	5200	2,069,161	3917	69.3	67.5-71.1	563	13.6	12.2-15.0	318	8.1	06.9-09.3	382	8.7	07.5-09.9	20	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	376	219,780	294	69.2	62.3-76.1	42	14.0	09.3-18.7	23	9.7	04.4-15.0	16	6.7	02.8-10.6	1	0.4	00.0-01.2
Oth. Race/Non-Hisp.	87	47,120	66	64.6	50.1-79.1	9	19.7	05.6-33.8	4	6.1	00.0-12.2	8	9.6	02.2-17.0			
MultiRacial/Non-Hisp.	60	20,519	44	55.7	37.9-73.5	8	24.8	07.4-42.2	3	5.9	00.0-13.5	5	13.6	01.1-26.1			
Hispanic	172	132,203	115	64.0	55.4-72.6	24	14.8	08.5-21.1	19	12.5	06.6-18.4	10	5.4	01.3-09.5	4	3.3	00.0-06.8
18-24	250	325,372	147	57.5	50.6-64.4	50	20.3	14.6-26.0	32	11.9	07.6-16.2	19	9.3	04.8-13.8	2	0.9	00.0-02.3
25-34	506	400,693	297	55.8	50.7-60.9	89	18.1	14.2-22.0	61	13.8	09.9-17.7	57	11.9	08.6-15.2	2	0.4	00.0-01.0
35-44	715	405,388	469	62.8	58.5-67.1	102	16.8	13.3-20.3	68	9.8	07.3-12.3	72	9.9	07.4-12.4	4	0.8	00.0-01.6
45-54	939	444,628	661	69.6	66.1-73.1	121	12.4	09.9-14.9	70	8.6	06.4-10.8	86	9.3	07.1-11.5	1	0.1	00.0-00.3
55-64	1315	408,044	1005	74.9	72.0-77.8	126	11.4	09.2-13.6	79	5.7	04.1-07.3	96	7.4	05.6-09.2	9	0.6	00.0-01.2
65+	2182	517,160	1865	84.9	82.9-86.9	153	7.3	05.9-08.7	59	3.1	02.1-04.1	96	4.3	03.3-05.3	9	0.3	00.1-00.5
Less Than H.S.	531	337,370	384	63.6	57.5-69.7	60	14.6	10.3-18.9	33	9.6	05.3-13.9	50	11.5	07.2-15.8	4	0.7	00.0-01.5
H.S. or G.E.D.	2241	874,496	1717	71.3	68.6-74.0	228	12.9	10.9-14.9	123	6.8	05.2-08.4	164	8.3	06.7-09.9	9	0.6	00.0-01.2
Some Post-H.S.	1585	801,165	1141	65.8	62.7-68.9	176	14.8	12.3-17.3	122	9.7	07.7-11.7	136	9.3	07.5-11.1	10	0.4	00.0-00.8
College Graduate	1603	505,048	1248	73.3	70.6-76.0	182	13.1	10.9-15.3	93	8.3	06.3-10.3	77	5.1	03.7-06.5	3	0.2	00.0-00.4
Less than \$15,000	704	294,431	509	63.5	58.0-69.0	75	13.1	09.4-16.8	54	12.4	07.7-17.1	60	10.8	07.1-14.5	6	0.3	00.0-00.7
\$15,000- 24,999	1133	473,538	824	61.9	57.8-66.0	120	17.4	13.7-21.1	83	10.0	07.5-12.5	97	9.6	07.2-12.0	9	1.0	00.0-02.0
\$25,000- 34,999	643	255,133	474	66.9	61.8-72.0	77	16.4	11.9-20.9	40	8.4	05.5-11.3	51	8.2	05.5-10.9	1	0.1	00.0-00.3
\$35,000- 49,999	722	290,844	556	72.2	67.7-76.7	72	13.4	09.9-16.9	43	6.1	03.9-08.3	51	8.3	05.2-11.4			
\$50,000- 74,999	720	315,415	562	74.3	70.2-78.4	75	11.8	08.9-14.7	34	6.4	03.9-08.9	49	7.4	04.9-09.9			
\$75,000+	1000	476,818	757	74.1	70.6-77.6	131	13.3	10.6-16.0	64	7.2	05.0-09.4	45	4.9	03.1-06.7	3	0.4	00.0-01.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013

SECTION 4: INADEQUATE SLEEP CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 4: INADEQUATE SLEEP**

TABLE 1: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-4 hrs per day		5-8 hrs per day		9-12 hrs per day		13-16 hrs per day		17-20 hrs per day		21-24 hrs per day							
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	10203	4,933,186	422	4.3	03.7-04.9	8920	87.8	87.0-88.6	809	7.4	06.8-08.0	45	0.5	00.3-00.7	6	0.0	00.0-00.0	1	0.0	00.0-00.0
Male	4241	2,400,758	167	4.3	03.5-05.1	3735	88.1	86.7-89.5	320	7.2	06.2-08.2	16	0.4	00.2-00.6	3	0.0	00.0-00.0			
Female	5962	2,532,429	255	4.3	03.5-05.1	5185	87.4	86.2-88.6	489	7.7	06.9-08.5	29	0.6	00.2-01.0	3	0.0	00.0-00.0	1	0.0	00.0-00.0
White/Non-Hisp	8873	4,031,461	341	4.2	03.6-04.8	7807	88.4	87.4-89.4	687	7.0	06.2-07.8	32	0.3	00.1-00.5	6	0.0	00.0-00.0			
Black or Afr. Am./Non-Hisp	584	413,867	37	6.4	03.9-08.9	486	84.0	80.3-87.7	53	8.2	05.5-10.9	7	1.3	00.1-02.5				1	0.0	00.0-00.0
Oth. Race/Non-Hisp.	167	101,931	16	6.9	02.2-11.6	131	80.5	73.1-87.9	18	12.4	06.1-18.7	2	0.3	00.0-00.7						
MultiRacial/Non-Hisp.	112	45,551	14	8.3	03.4-13.2	89	81.6	72.2-91.0	9	10.1	01.5-18.7									
Hispanic	311	265,271	5	0.8	00.0-01.6	274	87.9	83.6-92.2	28	9.5	05.6-13.4	4	1.9	00.0-03.9						
18-24	540	683,309	18	3.1	01.5-04.7	465	86.8	83.7-89.9	56	10.0	07.3-12.7	1	0.1	00.0-00.3						
25-34	916	813,654	51	5.9	03.9-07.9	803	87.0	84.5-89.5	59	6.5	04.7-08.3	3	0.6	00.0-01.4						
35-44	1226	805,921	47	3.8	02.4-05.2	1112	91.2	89.2-93.2	61	4.4	03.0-05.8	5	0.6	00.0-01.2	1	0.1	00.0-00.3			
45-54	1768	888,528	108	6.2	04.8-07.6	1562	87.7	85.7-89.7	88	5.4	04.0-06.8	10	0.7	00.1-01.3						
55-64	2242	805,718	107	4.6	03.6-05.6	1978	89.0	87.4-90.6	145	6.0	04.8-07.2	11	0.3	00.1-00.5	1	0.1	00.0-00.3			
65+	3420	905,982	88	2.2	01.6-02.8	2914	84.8	83.2-86.4	398	12.4	11.0-13.8	15	0.6	00.2-01.0	4	0.1	00.1-00.1	1	0.0	00.0-00.0
Less Than H.S.	904	687,201	87	9.1	06.7-11.5	709	78.3	74.8-81.8	92	11.0	08.3-13.7	15	1.7	00.7-02.7				1	0.0	00.0-00.0
H.S. or G.E.D.	3731	1,715,403	163	3.7	02.9-04.5	3230	88.1	86.7-89.5	315	7.7	06.5-08.9	19	0.5	00.1-00.9	4	0.0	00.0-00.0			
Some Post-H.S.	2608	1,497,471	123	4.5	03.5-05.5	2269	88.4	86.8-90.0	210	7.0	05.8-08.2	5	0.1	00.0-00.3	1	0.0	00.0-00.0			
College Graduate	2935	1,021,417	49	1.9	01.3-02.5	2689	92.5	91.3-93.7	190	5.3	04.3-06.3	6	0.2	00.0-00.4	1	0.0	00.0-00.0			
Less than \$15,000	1063	491,028	120	9.8	07.4-12.2	816	79.1	75.8-82.4	106	9.2	06.8-11.6	16	1.7	00.7-02.7	4	0.2	00.0-00.4	1	0.0	00.0-00.0
\$15,000- 24,999	1736	810,354	115	6.9	05.1-08.7	1444	83.8	81.4-86.2	169	8.7	06.9-10.5	8	0.6	00.0-01.2						
\$25,000- 34,999	1121	522,288	40	4.4	02.6-06.2	985	88.2	85.7-90.7	88	6.8	05.0-08.6	8	0.6	00.0-01.2						
\$35,000- 49,999	1338	648,472	37	3.8	02.2-05.4	1184	87.4	84.9-89.9	112	8.2	06.0-10.4	5	0.6	00.0-01.2						
\$50,000- 74,999	1340	671,913	21	1.7	00.9-02.5	1223	91.7	89.7-93.7	93	6.5	04.7-08.3	2	0.1	00.0-00.3	1	0.0	00.0-00.0			
\$75,000+	2052	1,066,627	35	1.6	01.0-02.2	1925	94.4	93.2-95.6	91	3.8	02.8-04.8	1	0.1	00.0-00.3						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 4: INADEQUATE SLEEP**

TABLE 2: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-4 hrs per day			5-8 hrs per day			9-12 hrs per day			13-16 hrs per day			17-20 hrs per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4241	2,400,758	167	4.3	03.5-05.1	3735	88.1	86.7-89.5	320	7.2	06.2-08.2	16	0.4	00.2-00.6	3	0.0	00.0-00.0
White/Non-Hisp	3669	1,947,936	138	4.3	03.3-05.3	3244	88.6	87.2-90.0	272	6.8	05.6-08.0	12	0.4	00.2-00.6	3	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	212	194,967	17	6.9	03.0-10.8	170	82.3	76.0-88.6	24	10.5	05.4-15.6	1	0.2	00.0-00.6			
Oth. Race/Non-Hisp.	82	55,709	4	5.2	00.0-11.9	68	81.9	71.7-92.1	9	12.6	04.2-21.0	1	0.3	00.0-01.1			
MultiRacial/Non-Hisp.	55	25,455	4	4.8	00.0-10.1	50	90.8	81.2-0100	1	4.4	00.0-12.8						
Hispanic	139	133,357	1	0.6	00.0-01.8	129	92.9	88.2-97.6	7	5.1	01.0-09.2	2	1.3	00.0-03.3			
18-24	284	350,926	12	4.0	01.6-06.4	241	84.8	80.1-89.5	31	11.2	06.9-15.5						
25-34	406	409,607	24	6.2	03.5-08.9	359	87.7	84.0-91.4	22	5.9	03.4-08.4	1	0.2	00.0-00.6			
35-44	511	400,137	21	3.9	01.9-05.9	474	92.8	90.1-95.5	14	2.8	01.0-04.6	2	0.4	00.0-01.0			
45-54	828	441,096	40	5.0	03.0-07.0	750	89.5	86.8-92.2	34	4.8	02.6-07.0	4	0.7	00.0-01.5			
55-64	930	397,203	43	4.3	02.7-05.9	833	90.1	87.7-92.5	52	5.4	03.6-07.2	2	0.2	00.0-00.4			
65+	1253	391,933	26	2.2	01.2-03.2	1050	83.0	80.5-85.5	167	13.9	11.5-16.3	7	0.7	00.1-01.3	3	0.1	00.0-00.3
Less Than H.S.	381	347,956	28	7.2	04.1-10.3	309	79.3	74.0-84.6	37	12.3	07.8-16.8	7	1.2	00.2-02.2			
H.S. or G.E.D.	1498	838,376	66	3.7	02.7-04.7	1295	88.8	86.8-90.8	129	7.1	05.5-08.7	6	0.4	00.0-00.8	2	0.0	00.0-00.0
Some Post-H.S.	1020	692,474	49	5.2	03.4-07.0	891	87.9	85.4-90.4	78	6.8	05.0-08.6	2	0.1	00.0-00.3			
College Graduate	1326	513,368	24	2.2	01.2-03.2	1224	93.1	91.5-94.7	76	4.5	03.1-05.9	1	0.2	00.0-00.6	1	0.0	00.0-00.0
Less than \$15,000	362	192,259	36	8.1	04.8-11.4	288	83.3	78.6-88.0	34	7.4	04.1-10.7	3	1.1	00.0-02.5	1	0.0	00.0-00.0
\$15,000- 24,999	612	340,086	36	6.9	04.2-09.6	506	83.3	79.6-87.0	68	9.6	06.7-12.5	2	0.2	00.0-00.6			
\$25,000- 34,999	486	270,721	19	4.4	01.9-06.9	416	87.9	84.4-91.4	44	6.7	04.2-09.2	7	1.1	00.1-02.1			
\$35,000- 49,999	615	357,303	18	4.0	01.8-06.2	545	86.7	82.8-90.6	51	9.1	05.8-12.4	1	0.2	00.0-00.6			
\$50,000- 74,999	619	354,565	15	2.4	01.0-03.8	564	91.7	89.2-94.2	39	5.8	03.4-08.2				1	0.0	00.0-00.0
\$75,000+	1053	590,005	18	1.6	00.6-02.6	996	95.2	93.6-96.8	38	3.0	01.6-04.4	1	0.2	00.0-00.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 4: INADEQUATE SLEEP**

TABLE 3: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-4 hrs per day		5-8 hrs per day		9-12 hrs per day		13-16 hrs per day		17-20 hrs per day		21-24 hrs per day							
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	5962	2,532,429	255	4.3	03.5-05.1	5185	87.4	86.2-88.6	489	7.7	06.9-08.5	29	0.6	00.2-01.0	3	0.0	00.0-00.0	1	0.0	00.0-00.0
White/Non-Hisp	5204	2,083,525	203	4.1	03.3-04.9	4563	88.3	87.1-89.5	415	7.3	06.3-08.3	20	0.3	00.1-00.5	3	0.0	00.0-00.0			
Black or Afr. Am./Non-Hisp	372	218,899	20	6.0	02.9-09.1	316	85.4	80.9-89.9	29	6.2	03.5-08.9	6	2.3	00.1-04.5				1	0.1	00.0-00.3
Oth. Race/Non-Hisp.	85	46,221	12	8.9	02.4-15.4	63	78.9	67.9-89.9	9	12.1	02.5-21.7	1	0.1	00.0-00.3						
MultiRacial/Non-Hisp.	57	20,096	10	12.8	04.0-21.6	39	69.8	53.3-86.3	8	17.4	01.7-33.1									
Hispanic	172	131,915	4	0.9	00.0-01.9	145	82.9	75.8-90.0	21	13.8	07.3-20.3	2	2.4	00.0-05.9						
18-24	256	332,382	6	2.2	00.2-04.2	224	88.9	85.0-92.8	25	8.6	05.1-12.1	1	0.2	00.0-00.6						
25-34	510	404,047	27	5.6	03.1-08.1	444	86.3	82.6-90.0	37	7.2	04.7-09.7	2	0.9	00.0-02.3						
35-44	715	405,784	26	3.6	02.0-05.2	638	89.6	87.1-92.1	47	6.0	04.0-08.0	3	0.8	00.0-01.8	1	0.1	00.0-00.3			
45-54	940	447,432	68	7.5	05.3-09.7	812	85.9	83.2-88.6	54	6.0	04.2-07.8	6	0.6	00.0-01.2						
55-64	1312	408,515	64	4.8	03.4-06.2	1145	88.0	85.8-90.2	93	6.7	05.1-08.3	9	0.5	00.1-00.9	1	0.1	00.0-00.3			
65+	2167	514,050	62	2.2	01.6-02.8	1864	86.1	84.3-87.9	231	11.2	09.4-13.0	8	0.5	00.1-00.9	1	0.0	00.0-00.0	1	0.0	00.0-00.0
Less Than H.S.	523	339,246	59	11.0	07.7-14.3	400	77.2	72.5-81.9	55	9.6	06.5-12.7	8	2.1	00.3-03.9				1	0.0	00.0-00.0
H.S. or G.E.D.	2233	877,026	97	3.7	02.7-04.7	1935	87.4	85.6-89.2	186	8.2	06.6-09.8	13	0.6	00.2-01.0	2	0.1	00.1-00.1			
Some Post-H.S.	1588	804,997	74	3.9	02.7-05.1	1378	88.7	86.7-90.7	132	7.2	05.6-08.8	3	0.1	00.0-00.3	1	0.1	00.0-00.3			
College Graduate	1609	508,049	25	1.7	00.9-02.5	1465	91.9	90.3-93.5	114	6.1	04.7-07.5	5	0.3	00.1-00.5						
Less than \$15,000	701	298,769	84	10.9	07.8-14.0	528	76.4	72.1-80.7	72	10.3	07.2-13.4	13	2.1	00.5-03.7	3	0.3	00.0-00.7	1	0.0	00.0-00.0
\$15,000- 24,999	1124	470,268	79	6.9	04.7-09.1	938	84.1	81.2-87.0	101	8.1	05.9-10.3	6	0.8	00.0-01.8						
\$25,000- 34,999	635	251,567	21	4.5	02.1-06.9	569	88.5	85.2-91.8	44	6.9	04.5-09.3	1	0.1	00.0-00.3						
\$35,000- 49,999	723	291,170	19	3.7	01.5-05.9	639	88.1	85.0-91.2	61	7.0	04.8-09.2	4	1.2	00.0-02.6						
\$50,000- 74,999	721	317,349	6	1.0	00.2-01.8	659	91.7	89.0-94.4	54	7.2	04.7-09.7	2	0.1	00.0-00.3						
\$75,000+	999	476,622	17	1.7	00.7-02.7	929	93.5	91.7-95.3	53	4.8	03.2-06.4									

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013

SECTION 5: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36
	ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)	
4	MALES AND FEMALES	37
5	MALES ONLY	38
6	FEMALES ONLY	39

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10298	4,963,439	4431	33.5	32.3-34.7	69	0.9	00.7-01.1	5710	64.8	63.6-66.0	88	0.8	00.6-01.0
Male	4261	2,408,763	1825	34.7	32.9-36.5	1	0.0	00.0-00.0	2385	64.1	62.3-65.9	50	1.1	00.7-01.5
Female	6037	2,554,675	2606	32.3	30.9-33.7	68	1.7	01.1-02.3	3325	65.5	63.9-67.1	38	0.5	00.3-00.7
White/Non-Hisp	8940	4,046,892	3936	34.6	33.4-35.8	58	0.8	00.6-01.0	4869	63.9	62.7-65.1	77	0.7	00.5-00.9
Black or Afr. Am./Non-Hisp	592	417,755	278	39.0	33.9-44.1	6	1.5	00.1-02.9	301	57.5	52.2-62.8	7	2.0	00.0-04.2
Oth. Race/Non-Hisp.	170	103,762	49	20.5	13.4-27.6	1	1.2	00.0-03.6	118	77.2	69.6-84.8	2	1.2	00.0-03.4
MultiRacial/Non-Hisp.	116	46,119	55	37.8	26.4-49.2				60	62.1	50.7-73.5	1	0.1	00.0-00.3
Hispanic	313	267,306	50	14.2	09.9-18.5	4	1.4	00.0-03.0	258	84.4	79.9-88.9	1	0.1	00.0-00.3
18-24	539	680,292	46	8.8	06.1-11.5	6	1.1	00.1-02.1	487	90.1	87.4-92.8			
25-34	917	814,490	109	12.5	10.0-15.0	22	2.6	01.4-03.8	780	84.3	81.6-87.0	6	0.6	00.0-01.2
35-44	1234	813,373	252	20.6	17.9-23.3	18	1.1	00.5-01.7	955	77.1	74.2-80.0	9	1.2	00.0-02.4
45-54	1778	892,143	639	35.6	32.9-38.3	9	0.3	00.1-00.5	1116	63.3	60.6-66.0	14	0.7	00.3-01.1
55-64	2260	810,904	1097	49.0	46.5-51.5	4	0.2	00.0-00.4	1134	49.6	47.1-52.1	25	1.2	00.6-01.8
65+	3475	921,471	2247	65.7	63.7-67.7	9	0.3	00.1-00.5	1185	33.0	31.0-35.0	34	1.0	00.6-01.4
Less Than H.S.	938	706,928	451	36.2	32.5-39.9	5	1.0	00.0-02.0	479	62.5	58.6-66.4	3	0.3	00.0-00.7
H.S. or G.E.D.	3775	1,726,121	1788	35.9	33.9-37.9	25	0.7	00.3-01.1	1932	62.3	60.3-64.3	30	1.1	00.5-01.7
Some Post-H.S.	2617	1,496,736	1128	33.2	31.0-35.4	19	1.0	00.4-01.6	1450	65.2	63.0-67.4	20	0.6	00.2-01.0
College Graduate	2941	1,021,652	1055	27.7	25.9-29.5	20	1.0	00.4-01.6	1831	70.3	68.3-72.3	35	1.0	00.6-01.4
Less than \$15,000	1084	500,844	531	34.4	30.7-38.1	8	1.3	00.3-02.3	540	64.1	60.4-67.8	5	0.3	00.0-00.7
\$15,000- 24,999	1759	817,241	878	37.5	34.6-40.4	13	1.2	00.4-02.0	855	60.6	57.7-63.5	13	0.6	00.2-01.0
\$25,000- 34,999	1128	525,778	541	37.9	34.4-41.4	9	1.1	00.3-01.9	570	60.5	57.0-64.0	8	0.5	00.1-00.9
\$35,000- 49,999	1346	649,481	580	35.0	31.9-38.1	8	0.7	00.1-01.3	745	63.1	60.0-66.2	13	1.2	00.4-02.0
\$50,000- 74,999	1343	673,012	534	32.6	29.5-35.7	11	1.1	00.3-01.9	787	64.9	61.6-68.2	11	1.4	00.0-02.8
\$75,000+	2057	1,066,518	661	27.2	24.8-29.6	16	0.8	00.2-01.4	1352	71.0	68.6-73.4	28	0.9	00.5-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 2. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4261	2,408,763	1825	34.7	32.9-36.5	1	0.0	00.0-00.0	2385	64.1	62.3-65.9	50	1.1	00.7-01.5
White/Non-Hisp	3678	1,947,682	1610	35.7	33.7-37.7	1	0.0	00.0-00.0	2021	63.2	61.2-65.2	46	1.0	00.6-01.4
Black or Afr. Am./Non-Hisp	214	196,616	103	41.6	33.2-50.0				109	55.8	47.2-64.4	2	2.6	00.0-07.1
Oth. Race/Non-Hisp.	83	56,641	26	24.0	13.4-34.6				56	74.0	63.0-85.0	1	2.0	00.0-05.7
MultiRacial/Non-Hisp.	56	25,600	26	42.6	26.1-59.1				30	57.4	40.9-73.9			
Hispanic	140	134,058	20	15.1	08.4-21.8				119	84.8	78.1-91.5	1	0.1	00.0-00.3
18-24	282	346,523	30	11.5	07.2-15.8	1	0.2	00.0-00.6	251	88.3	84.0-92.6			
25-34	404	407,120	64	16.4	12.1-20.7				336	82.8	78.3-87.3	4	0.8	00.0-01.6
35-44	516	406,573	118	22.9	18.6-27.2				391	75.0	70.5-79.5	7	2.1	00.0-04.5
45-54	832	442,570	327	38.0	34.1-41.9				498	61.2	57.3-65.1	7	0.8	00.2-01.4
55-64	935	398,359	478	51.7	47.8-55.6				440	46.3	42.4-50.2	17	2.0	00.8-03.2
65+	1263	397,767	799	65.5	62.4-68.6				449	33.5	30.4-36.6	15	1.0	00.4-01.6
Less Than H.S.	394	359,755	178	37.3	31.6-43.0				213	62.1	56.4-67.8	3	0.6	00.0-01.4
H.S. or G.E.D.	1509	841,067	679	34.8	31.9-37.7	1	0.1	00.0-00.3	816	63.7	60.8-66.6	13	1.5	00.3-02.7
Some Post-H.S.	1019	687,670	454	35.7	32.2-39.2				557	63.7	60.2-67.2	8	0.6	00.2-01.0
College Graduate	1322	511,526	506	31.2	28.3-34.1				790	67.3	64.4-70.2	26	1.5	00.9-02.1
Less than \$15,000	369	198,574	176	36.5	30.4-42.6				191	63.4	57.3-69.5	2	0.1	00.0-00.3
\$15,000- 24,999	620	341,822	295	39.0	34.1-43.9				321	60.6	55.7-65.5	4	0.4	00.0-00.8
\$25,000- 34,999	485	270,605	220	34.4	29.3-39.5	1	0.2	00.0-00.6	259	64.7	59.6-69.8	5	0.7	00.1-01.3
\$35,000- 49,999	619	357,086	274	35.1	30.6-39.6				338	63.3	58.8-67.8	7	1.5	00.3-02.7
\$50,000- 74,999	616	354,516	261	35.5	30.8-40.2				347	62.2	57.3-67.1	8	2.4	00.0-04.9
\$75,000+	1053	588,463	399	32.4	28.9-35.9				635	66.4	62.9-69.9	19	1.2	00.6-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 5: HYPERTENSION AWARENESS**

TABLE 3. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6037	2,554,675	2606	32.3	30.9-33.7	68	1.7	01.1-02.3	3325	65.5	63.9-67.1	38	0.5	00.3-00.7
White/Non-Hisp	5262	2,099,210	2326	33.5	31.9-35.1	57	1.6	01.0-02.2	2848	64.4	62.8-66.0	31	0.4	00.2-00.6
Black or Afr. Am./Non-Hisp	378	221,139	175	36.6	30.5-42.7	6	2.9	00.4-05.4	192	59.1	52.6-65.6	5	1.4	00.0-03.0
Oth. Race/Non-Hisp.	87	47,120	23	16.2	07.2-25.2	1	2.6	00.0-07.5	62	80.9	70.9-90.9	1	0.3	00.0-00.9
MultiRacial/Non-Hisp.	60	20,519	29	31.8	17.7-45.9				30	67.9	53.6-82.2	1	0.2	00.0-00.6
Hispanic	173	133,248	30	13.4	07.9-18.9	4	2.7	00.0-05.6	139	83.9	77.8-90.0			
18-24	257	333,769	16	6.0	02.9-09.1	5	2.0	00.2-03.8	236	92.0	88.3-95.7			
25-34	513	407,370	45	8.6	05.9-11.3	22	5.2	02.8-07.6	444	85.9	82.4-89.4	2	0.4	00.0-01.0
35-44	718	406,800	134	18.3	15.0-21.6	18	2.2	01.0-03.4	564	79.2	75.7-82.7	2	0.3	00.0-00.7
45-54	946	449,573	312	33.4	29.7-37.1	9	0.7	00.3-01.1	618	65.3	61.6-69.0	7	0.7	00.1-01.3
55-64	1325	412,545	619	46.4	43.3-49.5	4	0.4	00.0-00.8	694	52.8	49.5-56.1	8	0.4	00.0-00.8
65+	2212	523,704	1448	65.9	63.5-68.3	9	0.5	00.1-00.9	736	32.6	30.2-35.0	19	1.0	00.4-01.6
Less Than H.S.	544	347,173	273	35.0	30.1-39.9	5	2.1	00.1-04.1	266	62.9	57.8-68.0			
H.S. or G.E.D.	2266	885,054	1109	37.0	34.5-39.5	24	1.4	00.8-02.0	1116	60.9	58.4-63.4	17	0.7	00.3-01.1
Some Post-H.S.	1598	809,066	674	31.1	28.4-33.8	19	1.8	00.8-02.8	893	66.5	63.6-69.4	12	0.6	00.2-01.0
College Graduate	1619	510,126	549	24.2	21.8-26.6	20	2.0	01.0-03.0	1041	73.3	70.8-75.8	9	0.4	00.0-00.8
Less than \$15,000	715	302,270	355	33.1	28.6-37.6	8	2.1	00.3-03.9	349	64.5	59.8-69.2	3	0.4	00.0-01.0
\$15,000- 24,999	1139	475,419	583	36.5	33.0-40.0	13	2.1	00.7-03.5	534	60.6	56.9-64.3	9	0.8	00.2-01.4
\$25,000- 34,999	643	255,173	321	41.6	36.7-46.5	8	2.1	00.5-03.7	311	56.1	51.2-61.0	3	0.2	00.0-00.6
\$35,000- 49,999	727	292,395	306	34.9	30.4-39.4	8	1.5	00.3-02.7	407	62.9	58.4-67.4	6	0.7	00.1-01.3
\$50,000- 74,999	727	318,496	273	29.5	25.6-33.4	11	2.3	00.7-03.9	440	67.9	63.8-72.0	3	0.3	00.0-00.7
\$75,000+	1004	478,054	262	20.8	17.9-23.7	16	1.8	00.4-03.2	717	76.7	73.6-79.8	9	0.6	00.2-01.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 5: HYPERTENSION AWARENESS**

TABLE 4. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4422	1,658,388	3815	79.7	77.9-81.5	607	20.3	18.5-22.1
Male	1821	835,837	1513	76.6	73.7-79.5	308	23.4	20.5-26.3
Female	2601	822,551	2302	82.8	80.6-85.0	299	17.2	15.0-19.4
White/Non-Hisp	3928	1,395,976	3406	80.5	78.7-82.3	522	19.5	17.7-21.3
Black or Afr. Am./Non-Hisp	277	162,251	231	74.9	66.7-83.1	46	25.1	16.9-33.3
MultiRacial/Non-Hisp.	55	17,446	41	65.2	47.2-83.2	14	34.8	16.8-52.8
Hispanic	50	38,008	37	65.8	49.9-81.7	13	34.2	18.3-50.1
25-34	109	101,792	44	36.8	26.4-47.2	65	63.2	52.8-73.6
35-44	252	167,349	159	61.2	53.9-68.5	93	38.8	31.5-46.1
45-54	638	317,411	499	78.3	74.4-82.2	139	21.7	17.8-25.6
55-64	1095	396,232	966	88.3	85.9-90.7	129	11.7	09.3-14.1
65+	2241	603,828	2104	93.3	91.9-94.7	137	6.7	05.3-08.1
Less Than H.S.	449	254,661	382	75.3	69.4-81.2	67	24.7	18.8-30.6
H.S. or G.E.D.	1786	619,587	1574	82.8	80.1-85.5	212	17.2	14.5-19.9
Some Post-H.S.	1124	495,948	944	76.6	73.1-80.1	180	23.4	19.9-26.9
College Graduate	1054	282,983	909	82.3	79.2-85.4	145	17.7	14.6-20.8
Less than \$15,000	529	171,306	438	71.9	66.0-77.8	91	28.1	22.2-34.0
\$15,000- 24,999	873	305,668	768	81.7	77.6-85.8	105	18.3	14.2-22.4
\$25,000- 34,999	541	199,423	459	77.9	72.8-83.0	82	22.1	17.0-27.2
\$35,000- 49,999	580	227,363	514	82.2	77.5-86.9	66	17.8	13.1-22.5
\$50,000- 74,999	534	219,726	455	78.5	73.0-84.0	79	21.5	16.0-27.0
\$75,000+	660	289,519	544	79.0	74.7-83.3	116	21.0	16.7-25.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2013

SECTION 5: HYPERTENSION AWARENESS

TABLE 5. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1821	835,837	1513	76.6	73.7-79.5	308	23.4	20.5-26.3
White/Non-Hisp	1606	693,671	1338	77.4	74.5-80.3	268	22.6	19.7-25.5
Black or Afr. Am./Non-Hisp	103	81,874	83	70.0	56.5-83.5	20	30.0	16.5-43.5
25-34	64	66,847	24	34.4	21.1-47.7	40	65.6	52.3-78.9
35-44	118	93,056	71	60.7	50.3-71.1	47	39.3	28.9-49.7
45-54	327	168,029	254	79.0	73.5-84.5	73	21.0	15.5-26.5
55-64	477	205,738	416	87.6	84.1-91.1	61	12.4	08.9-15.9
65+	796	259,584	737	92.2	90.0-94.4	59	7.8	05.6-10.0
Less Than H.S.	178	134,266	142	71.3	62.3-80.3	36	28.7	19.7-37.7
H.S. or G.E.D.	678	292,235	578	80.3	75.8-84.8	100	19.7	15.2-24.2
Some Post-H.S.	451	244,700	366	73.9	68.4-79.4	85	26.1	20.6-31.6
College Graduate	506	159,526	422	78.8	74.1-83.5	84	21.2	16.5-25.9
Less than \$15,000	176	72,387	136	68.4	59.0-77.8	40	31.6	22.2-41.0
\$15,000- 24,999	292	132,532	246	79.3	72.0-86.6	46	20.7	13.4-28.0
\$25,000- 34,999	220	93,167	175	72.0	63.8-80.2	45	28.0	19.8-36.2
\$35,000- 49,999	274	125,434	243	84.5	79.0-90.0	31	15.5	10.0-21.0
\$50,000- 74,999	261	125,803	215	74.6	66.4-82.8	46	25.4	17.2-33.6
\$75,000+	398	189,905	327	78.2	72.3-84.1	71	21.8	15.9-27.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2013

SECTION 5: HYPERTENSION AWARENESS

TABLE 6. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2601	822,551	2302	82.8	80.6-85.0	299	17.2	15.0-19.4
White/Non-Hisp	2322	702,305	2068	83.7	81.3-86.1	254	16.3	13.9-18.7
Black or Afr. Am./Non-Hisp	174	80,378	148	79.8	71.4-88.2	26	20.2	11.8-28.6
35-44	134	74,293	88	61.8	51.6-72.0	46	38.2	28.0-48.4
45-54	311	149,382	245	77.6	72.1-83.1	66	22.4	16.9-27.9
55-64	618	190,494	550	89.1	86.2-92.0	68	10.9	08.0-13.8
65+	1445	344,244	1367	94.1	92.3-95.9	78	5.9	04.1-07.7
Less Than H.S.	271	120,396	240	79.8	72.5-87.1	31	20.2	12.9-27.5
H.S. or G.E.D.	1108	327,352	996	85.1	82.2-88.0	112	14.9	12.0-17.8
Some Post-H.S.	673	251,248	578	79.2	74.5-83.9	95	20.8	16.1-25.5
College Graduate	548	123,456	487	86.8	83.1-90.5	61	13.2	09.5-16.9
Less than \$15,000	353	98,918	302	74.4	67.1-81.7	51	25.6	18.3-32.9
\$15,000- 24,999	581	173,136	522	83.5	78.6-88.4	59	16.5	11.6-21.4
\$25,000- 34,999	321	106,257	284	83.0	76.9-89.1	37	17.0	10.9-23.1
\$35,000- 49,999	306	101,928	271	79.3	71.3-87.3	35	20.7	12.7-28.7
\$50,000- 74,999	273	93,924	240	83.8	77.5-90.1	33	16.2	09.9-22.5
\$75,000+	262	99,614	217	80.5	74.4-86.6	45	19.5	13.4-25.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013**

SECTION 6: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)	
1 MALES AND FEMALES	41
2 MALES ONLY	42
3 FEMALES ONLY	43
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)	
4 MALES AND FEMALES	44
5 MALES ONLY	45
6 FEMALES ONLY	46
HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)	
7 MALES AND FEMALES	47
8 MALES ONLY	48
9 FEMALES ONLY	49

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 1: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10167	4,862,204	8931	78.7	77.5-79.9	1236	21.3	20.1-22.5
Male	4216	2,372,586	3607	76.5	74.5-78.5	609	23.5	21.5-25.5
Female	5951	2,489,618	5324	80.8	79.2-82.4	627	19.2	17.6-20.8
White/Non-Hisp	8834	3,969,739	7870	80.8	79.4-82.2	964	19.2	17.8-20.6
Black or Afr. Am./Non-Hisp	584	405,808	495	75.1	69.6-80.6	89	24.9	19.4-30.4
Oth. Race/Non-Hisp.	165	100,335	124	66.8	57.2-76.4	41	33.2	23.6-42.8
MultiRacial/Non-Hisp.	114	45,366	102	74.3	61.6-87.0	12	25.7	13.0-38.4
Hispanic	307	260,910	201	59.9	53.4-66.4	106	40.1	33.6-46.6
18-24	506	636,039	194	38.0	33.3-42.7	312	62.0	57.3-66.7
25-34	884	784,586	573	59.7	55.8-63.6	311	40.3	36.4-44.2
35-44	1212	802,840	996	80.3	77.6-83.0	216	19.7	17.0-22.4
45-54	1769	886,250	1611	90.3	88.5-92.1	158	9.7	07.9-11.5
55-64	2247	805,832	2135	94.5	93.3-95.7	112	5.5	04.3-06.7
65+	3453	915,673	3337	96.6	95.8-97.4	116	3.4	02.6-04.2
Less Than H.S.	917	682,921	706	63.8	59.5-68.1	211	36.2	31.9-40.5
H.S. or G.E.D.	3726	1,693,902	3242	78.2	76.2-80.2	484	21.8	19.8-23.8
Some Post-H.S.	2582	1,466,735	2260	79.5	77.1-81.9	322	20.5	18.1-22.9
College Graduate	2917	1,008,033	2701	88.6	87.0-90.2	216	11.4	09.8-13.0
Less than \$15,000	1055	485,234	854	67.6	63.3-71.9	201	32.4	28.1-36.7
\$15,000- 24,999	1724	796,263	1459	72.4	69.1-75.7	265	27.6	24.3-30.9
\$25,000- 34,999	1123	519,214	958	73.8	69.9-77.7	165	26.2	22.3-30.1
\$35,000- 49,999	1331	639,509	1191	82.6	79.5-85.7	140	17.4	14.3-20.5
\$50,000- 74,999	1331	665,083	1229	86.4	83.5-89.3	102	13.6	10.7-16.5
\$75,000+	2044	1,052,376	1889	87.3	85.1-89.5	155	12.7	10.5-14.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 2: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4216	2,372,586	3607	76.5	74.7-78.3	609	23.5	21.7-25.3
White/Non-Hisp	3641	1,920,938	3160	78.4	76.4-80.4	481	21.6	19.6-23.6
Black or Afr. Am./Non-Hisp	211	192,619	175	75.0	66.8-83.2	36	25.0	16.8-33.2
Oth. Race/Non-Hisp.	80	54,823	60	72.1	59.9-84.3	20	27.9	15.7-40.1
MultiRacial/Non-Hisp.	56	25,600	49	72.2	54.0-90.4	7	27.8	09.6-46.0
Hispanic	137	130,143	86	56.4	46.8-66.0	51	43.6	34.0-53.2
18-24	268	331,921	102	38.9	32.2-45.6	166	61.1	54.4-67.8
25-34	394	396,174	248	58.2	52.7-63.7	146	41.8	36.3-47.3
35-44	507	401,711	402	77.3	72.8-81.8	105	22.7	18.2-27.2
45-54	829	440,036	731	86.8	83.7-89.9	98	13.2	10.1-16.3
55-64	930	394,933	876	93.8	91.8-95.8	54	6.2	04.2-08.2
65+	1258	397,762	1220	96.6	95.4-97.8	38	3.4	02.2-04.6
Less Than H.S.	383	348,066	275	60.8	54.5-67.1	108	39.2	32.9-45.5
H.S. or G.E.D.	1491	829,551	1237	74.8	71.7-77.9	254	25.2	22.1-28.3
Some Post-H.S.	1013	682,295	868	77.9	74.4-81.4	145	22.1	18.6-25.6
College Graduate	1314	505,318	1214	88.5	86.1-90.9	100	11.5	09.1-13.9
Less than \$15,000	359	191,798	278	68.2	61.5-74.9	81	31.8	25.1-38.5
\$15,000- 24,999	606	334,600	487	69.3	63.8-74.8	119	30.7	25.2-36.2
\$25,000- 34,999	483	267,302	398	71.3	65.4-77.2	85	28.7	22.8-34.6
\$35,000- 49,999	614	354,630	533	78.3	73.4-83.2	81	21.7	16.8-26.6
\$50,000- 74,999	611	349,977	550	82.6	77.9-87.3	61	17.4	12.7-22.1
\$75,000+	1049	582,125	956	85.3	82.2-88.4	93	14.7	11.6-17.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 3: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5951	2,489,618	5324	80.8	79.2-82.4	627	19.2	17.6-20.8
White/Non-Hisp	5193	2,048,801	4710	83.0	81.2-84.8	483	17.0	15.2-18.8
Black or Afr. Am./Non-Hisp	373	213,189	320	75.2	67.9-82.5	53	24.8	17.5-32.1
Oth. Race/Non-Hisp.	85	45,512	64	60.5	45.6-75.4	21	39.5	24.6-54.4
MultiRacial/Non-Hisp.	58	19,766	53	77.0	59.8-94.2	5	23.0	05.8-40.2
Hispanic	170	130,767	115	63.3	54.5-72.1	55	36.7	27.9-45.5
18-24	238	304,118	92	37.1	30.2-44.0	146	62.9	56.0-69.8
25-34	490	388,412	325	61.3	56.0-66.6	165	38.7	33.4-44.0
35-44	705	401,129	594	83.3	80.0-86.6	111	16.7	13.4-20.0
45-54	940	446,214	880	93.8	92.0-95.6	60	6.2	04.4-08.0
55-64	1317	410,899	1259	95.1	93.5-96.7	58	4.9	03.3-06.5
65+	2195	517,911	2117	96.6	95.8-97.4	78	3.4	02.6-04.2
Less Than H.S.	534	334,856	431	66.9	60.8-73.0	103	33.1	27.0-39.2
H.S. or G.E.D.	2235	864,351	2005	81.4	78.7-84.1	230	18.6	15.9-21.3
Some Post-H.S.	1569	784,440	1392	80.9	78.0-83.8	177	19.1	16.2-22.0
College Graduate	1603	502,715	1487	88.8	86.6-91.0	116	11.2	09.0-13.4
Less than \$15,000	696	293,436	576	67.3	61.4-73.2	120	32.7	26.8-38.6
\$15,000- 24,999	1118	461,663	972	74.7	70.4-79.0	146	25.3	21.0-29.6
\$25,000- 34,999	640	251,912	560	76.4	71.1-81.7	80	23.6	18.3-28.9
\$35,000- 49,999	717	284,879	658	87.9	84.4-91.4	59	12.1	08.6-15.6
\$50,000- 74,999	720	315,106	679	90.8	87.9-93.7	41	9.2	06.3-12.1
\$75,000+	995	470,251	933	89.8	86.7-92.9	62	10.2	07.1-13.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 4: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8809	3,777,284	6849	73.1	71.9-74.3	939	12.9	11.9-13.9	633	8.8	08.0-09.6	388	5.1	04.5-05.7
Male	3569	1,792,876	2791	73.7	71.7-75.7	359	12.3	10.7-13.9	249	8.4	07.2-09.6	170	5.6	04.6-06.6
Female	5240	1,984,408	4058	72.6	71.0-74.2	580	13.5	12.1-14.9	384	9.1	07.9-10.3	218	4.7	03.9-05.5
White/Non-Hisp	7765	3,163,798	6040	72.9	71.5-74.3	816	12.8	11.8-13.8	566	9.0	08.2-09.8	343	5.3	04.5-06.1
Black or Afr. Am./Non-Hisp	491	302,184	387	77.0	72.3-81.7	60	12.9	09.2-16.6	29	6.3	03.6-09.0	15	3.8	01.6-06.0
Oth. Race/Non-Hisp.	122	65,098	100	77.7	67.7-87.7	14	16.9	07.3-26.5	4	3.0	00.0-06.9	4	2.4	00.0-04.9
MultiRacial/Non-Hisp.	101	33,518	77	67.9	55.4-80.4	11	8.9	02.6-15.2	4	8.5	00.0-18.3	9	14.7	05.5-23.9
Hispanic	199	155,207	149	71.0	63.4-78.6	24	16.6	09.9-23.3	17	9.4	04.7-14.1	9	3.0	00.8-05.2
18-24	188	236,363	121	64.0	56.4-71.6	38	21.3	14.6-28.0	23	11.7	06.8-16.6	6	3.0	00.5-05.5
25-34	563	461,038	324	55.9	51.2-60.6	106	21.2	17.3-25.1	84	15.3	12.0-18.6	49	7.6	05.2-10.0
35-44	986	637,426	621	62.0	58.3-65.7	160	17.2	14.3-20.1	128	12.4	10.0-14.8	77	8.4	06.2-10.6
45-54	1597	793,334	1148	72.2	69.7-74.7	205	12.2	10.4-14.0	152	9.3	07.7-10.9	92	6.3	04.9-07.7
55-64	2125	758,241	1691	78.8	76.6-81.0	206	10.4	08.8-12.0	134	6.5	05.1-07.9	94	4.3	03.3-05.3
65+	3272	867,122	2884	88.8	87.4-90.2	213	6.0	05.0-07.0	110	3.5	02.7-04.3	65	1.7	01.1-02.3
Less Than H.S.	686	422,944	545	75.9	71.6-80.2	73	13.2	09.7-16.7	41	6.6	04.2-09.0	27	4.3	02.3-06.3
H.S. or G.E.D.	3184	1,302,049	2526	74.8	72.6-77.0	312	11.9	10.3-13.5	216	8.4	07.0-09.8	130	5.0	04.0-06.0
Some Post-H.S.	2239	1,156,965	1736	72.1	69.6-74.6	233	13.4	11.4-15.4	156	8.9	07.3-10.5	114	5.6	04.4-06.8
College Graduate	2682	887,801	2028	70.6	68.4-72.8	318	13.7	11.9-15.5	220	10.4	08.8-12.0	116	5.3	04.3-06.3
Less than \$15,000	837	320,187	660	73.8	69.3-78.3	87	12.4	08.9-15.9	50	7.4	04.9-09.9	40	6.4	03.9-08.9
\$15,000- 24,999	1444	572,008	1120	72.2	69.1-75.3	128	11.3	08.9-13.7	120	10.7	08.5-12.9	76	5.8	04.2-07.4
\$25,000- 34,999	947	379,386	743	72.7	68.8-76.6	89	11.9	08.8-15.0	78	11.2	08.3-14.1	37	4.3	02.7-05.9
\$35,000- 49,999	1185	525,665	920	72.6	69.1-76.1	127	13.1	10.6-15.6	76	7.7	05.5-09.9	62	6.6	04.6-08.6
\$50,000- 74,999	1218	569,550	932	71.7	68.4-75.0	140	14.5	11.8-17.2	89	8.5	06.5-10.5	57	5.3	03.7-06.9
\$75,000+	1881	917,002	1419	72.9	70.4-75.4	249	14.4	12.2-16.6	152	9.1	07.5-10.7	61	3.7	02.7-04.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 5: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3569	1,792,876	2791	73.7	71.7-75.7	359	12.3	10.7-13.9	249	8.4	07.2-09.6	170	5.6	04.6-06.6
White/Non-Hisp	3132	1,487,235	2448	73.1	70.9-75.3	307	12.1	10.5-13.7	227	8.8	07.4-10.2	150	5.9	04.7-07.1
Black or Afr. Am./Non-Hisp	174	143,914	140	81.3	74.4-88.2	21	10.5	05.4-15.6	8	4.8	00.9-08.7	5	3.4	00.3-06.5
Oth. Race/Non-Hisp.	59	37,770	48	71.8	56.5-87.1	7	22.2	07.3-37.1	2	3.7	00.0-09.8	2	2.3	00.0-05.8
Hispanic	84	72,377	67	75.1	64.1-86.1	11	16.0	06.6-25.4	4	6.9	00.0-13.8	2	1.9	00.0-04.6
18-24	98	125,358	64	64.2	53.4-75.0	17	19.2	10.2-28.2	15	14.3	06.9-21.7	2	2.3	00.0-05.6
25-34	242	224,524	141	54.9	47.6-62.2	50	24.0	17.7-30.3	28	11.6	07.1-16.1	23	9.5	05.4-13.6
35-44	398	306,546	253	64.3	58.8-69.8	61	15.7	11.2-20.2	47	11.1	07.8-14.4	37	8.9	05.8-12.0
45-54	727	380,181	531	73.4	69.7-77.1	88	11.1	08.6-13.6	60	8.1	05.7-10.5	48	7.4	05.0-09.8
55-64	872	368,635	704	79.6	76.3-82.9	75	9.1	06.7-11.5	55	7.3	04.9-09.7	38	4.0	02.6-05.4
65+	1207	379,568	1081	90.1	88.1-92.1	64	4.7	03.3-06.1	42	3.7	02.3-05.1	20	1.5	00.7-02.3
Less Than H.S.	264	202,674	210	77.0	70.5-83.5	26	11.2	06.3-16.1	17	7.8	03.7-11.9	11	3.9	01.2-06.6
H.S. or G.E.D.	1221	610,513	966	75.0	71.7-78.3	116	10.4	08.0-12.8	82	8.3	06.3-10.3	57	6.2	04.2-08.2
Some Post-H.S.	864	528,718	668	71.1	67.2-75.0	93	14.7	11.6-17.8	61	8.6	06.1-11.1	42	5.6	03.6-07.6
College Graduate	1209	445,692	939	73.3	70.2-76.4	122	12.6	10.2-15.0	89	8.5	06.5-10.5	59	5.6	04.0-07.2
Less than \$15,000	272	126,062	214	75.2	68.1-82.3	25	10.2	05.1-15.3	15	6.8	02.9-10.7	18	7.7	03.2-12.2
\$15,000- 24,999	484	231,336	366	71.7	66.4-77.0	53	12.5	08.6-16.4	36	8.5	05.4-11.6	29	7.3	04.0-10.6
\$25,000- 34,999	394	188,543	309	70.2	63.9-76.5	29	10.9	06.2-15.6	36	13.0	08.1-17.9	20	5.9	03.0-08.8
\$35,000- 49,999	531	276,339	423	73.6	68.7-78.5	52	12.7	08.8-16.6	30	7.7	04.6-10.8	26	5.9	03.4-08.4
\$50,000- 74,999	545	285,341	414	72.0	67.1-76.9	62	14.2	10.1-18.3	44	8.4	05.7-11.1	25	5.4	03.0-07.8
\$75,000+	952	495,701	746	75.8	72.3-79.3	104	12.8	09.9-15.7	71	8.2	06.0-10.4	31	3.2	01.8-04.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 6: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5240	1,984,408	4058	72.6	71.0-74.2	580	13.5	12.1-14.9	384	9.1	07.9-10.3	218	4.7	03.9-05.5
White/Non-Hisp	4633	1,676,563	3592	72.8	71.0-74.6	509	13.3	11.9-14.7	339	9.1	07.9-10.3	193	4.8	04.0-05.6
Black or Afr. Am./Non-Hisp	317	158,270	247	73.1	66.6-79.6	39	15.0	09.7-20.3	21	7.6	03.7-11.5	10	4.2	01.3-07.1
Oth. Race/Non-Hisp.	63	27,328	52	85.8	76.6-95.0	7	9.5	01.7-17.3	2	2.1	00.0-05.4	2	2.5	00.0-06.2
MultiRacial/Non-Hisp.	53	15,220	40	61.8	42.2-81.4	6	10.9	00.9-20.9	3	14.2	00.0-33.2	4	13.1	00.8-25.4
Hispanic	115	82,830	82	67.4	56.8-78.0	13	17.0	07.6-26.4	13	11.6	04.9-18.3	7	4.0	00.9-07.1
18-24	90	111,005	57	63.8	52.8-74.8	21	23.7	13.9-33.5	8	8.7	02.6-14.8	4	3.8	00.1-07.5
25-34	321	236,514	183	56.8	50.7-62.9	56	18.6	13.7-23.5	56	18.8	13.9-23.7	26	5.8	03.3-08.3
35-44	588	330,880	368	59.9	55.2-64.6	99	18.6	14.7-22.5	81	13.6	10.5-16.7	40	7.9	05.0-10.8
45-54	870	413,154	617	71.0	67.5-74.5	117	13.2	10.7-15.7	92	10.4	08.0-12.8	44	5.3	03.3-07.3
55-64	1253	389,605	987	78.1	75.4-80.8	131	11.6	09.4-13.8	79	5.8	04.2-07.4	56	4.5	03.1-05.9
65+	2065	487,554	1803	87.7	85.9-89.5	149	7.0	05.6-08.4	68	3.4	02.4-04.4	45	1.9	01.3-02.5
Less Than H.S.	422	220,270	335	74.9	69.2-80.6	47	15.1	10.0-20.2	24	5.4	02.9-07.9	16	4.6	01.9-07.3
H.S. or G.E.D.	1963	691,536	1560	74.6	71.9-77.3	196	13.1	10.9-15.3	134	8.4	06.6-10.2	73	3.9	02.7-05.1
Some Post-H.S.	1375	628,247	1068	73.0	69.9-76.1	140	12.3	09.9-14.7	95	9.1	06.9-11.3	72	5.6	03.8-07.4
College Graduate	1473	442,108	1089	67.9	64.8-71.0	196	14.9	12.5-17.3	131	12.2	09.8-14.6	57	4.9	03.5-06.3
Less than \$15,000	565	194,125	446	72.9	67.2-78.6	62	13.8	09.1-18.5	35	7.8	04.3-11.3	22	5.5	02.6-08.4
\$15,000- 24,999	960	340,672	754	72.5	68.4-76.6	75	10.4	07.5-13.3	84	12.3	09.4-15.2	47	4.8	03.0-06.6
\$25,000- 34,999	553	190,842	434	75.1	70.2-80.0	60	12.9	09.0-16.8	42	9.3	06.0-12.6	17	2.7	01.1-04.3
\$35,000- 49,999	654	249,326	497	71.4	66.7-76.1	75	13.6	10.1-17.1	46	7.7	04.8-10.6	36	7.3	04.0-10.6
\$50,000- 74,999	673	284,209	518	71.4	66.7-76.1	78	14.8	11.1-18.5	45	8.6	05.7-11.5	32	5.2	03.0-07.4
\$75,000+	929	421,301	673	69.4	65.7-73.1	145	16.3	13.4-19.2	81	10.0	07.6-12.4	30	4.3	02.5-06.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 7: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8848	3,795,195	3988	39.8	38.4-41.2	4860	60.2	58.8-61.6
Male	3571	1,797,973	1615	40.7	38.7-42.7	1956	59.3	57.3-61.3
Female	5277	1,997,222	2373	39.0	37.2-40.8	2904	61.0	59.2-62.8
White/Non-Hisp	7798	3,179,615	3601	41.0	39.6-42.4	4197	59.0	57.6-60.4
Black or Afr. Am./Non-Hisp	492	302,484	181	34.1	28.4-39.8	311	65.9	60.2-71.6
Oth. Race/Non-Hisp.	124	67,071	42	31.7	21.5-41.9	82	68.3	58.1-78.5
MultiRacial/Non-Hisp.	99	32,679	41	35.5	23.9-47.1	58	64.5	52.9-76.1
Hispanic	201	156,223	72	32.3	24.9-39.7	129	67.7	60.3-75.1
18-24	190	236,869	12	6.4	01.7-11.1	178	93.6	88.9-98.3
25-34	569	465,424	98	18.0	14.3-21.7	471	82.0	78.3-85.7
35-44	992	640,706	263	28.3	24.8-31.8	729	71.7	68.2-75.2
45-54	1602	797,395	636	40.1	37.2-43.0	966	59.9	57.0-62.8
55-64	2117	754,976	1082	51.7	49.2-54.2	1035	48.3	45.8-50.8
65+	3295	874,145	1865	58.4	56.4-60.4	1430	41.6	39.6-43.6
Less Than H.S.	697	431,199	376	47.0	42.3-51.7	321	53.0	48.3-57.7
H.S. or G.E.D.	3200	1,307,188	1504	41.8	39.6-44.0	1696	58.2	56.0-60.4
Some Post-H.S.	2244	1,159,602	1032	39.7	37.2-42.2	1212	60.3	57.8-62.8
College Graduate	2686	889,959	1067	33.7	31.5-35.9	1619	66.3	64.1-68.5
Less than \$15,000	844	324,749	434	42.7	38.2-47.2	410	57.3	52.8-61.8
\$15,000- 24,999	1442	570,724	707	43.3	40.0-46.6	735	56.7	53.4-60.0
\$25,000- 34,999	951	380,233	457	45.4	41.3-49.5	494	54.6	50.5-58.7
\$35,000- 49,999	1186	526,715	558	41.9	38.4-45.4	628	58.1	54.6-61.6
\$50,000- 74,999	1224	572,047	523	38.1	34.6-41.6	701	61.9	58.4-65.4
\$75,000+	1879	915,062	712	35.0	32.3-37.7	1167	65.0	62.3-67.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 8: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3571	1,797,973	1615	40.7	38.7-42.7	1956	59.3	57.3-61.3
White/Non-Hisp	3130	1,490,365	1451	41.7	39.5-43.9	1679	58.3	56.1-60.5
Black or Afr. Am./Non-Hisp	173	143,057	63	36.4	26.8-46.0	110	63.6	54.0-73.2
Oth. Race/Non-Hisp.	60	39,526	19	33.5	19.0-48.0	41	66.5	52.0-81.0
Hispanic	86	73,393	31	34.5	23.1-45.9	55	65.5	54.1-76.9
18-24	100	126,424	7	7.2	00.1-14.3	93	92.8	85.7-99.9
25-34	245	228,028	55	21.5	15.8-27.2	190	78.5	72.8-84.2
35-44	401	309,711	118	31.8	26.3-37.3	283	68.2	62.7-73.7
45-54	724	379,440	301	41.6	37.5-45.7	423	58.4	54.3-62.5
55-64	866	366,192	444	52.0	48.1-55.9	422	48.0	44.1-51.9
65+	1208	379,431	679	59.1	55.8-62.4	529	40.9	37.6-44.2
Less Than H.S.	271	208,697	141	47.1	39.7-54.5	130	52.9	45.5-60.3
H.S. or G.E.D.	1222	614,048	553	41.0	37.5-44.5	669	59.0	55.5-62.5
Some Post-H.S.	858	525,597	396	39.9	36.0-43.8	462	60.1	56.2-64.0
College Graduate	1208	445,458	522	38.6	35.5-41.7	686	61.4	58.3-64.5
Less than \$15,000	274	129,244	129	41.0	33.2-48.8	145	59.0	51.2-66.8
\$15,000- 24,999	481	230,566	229	44.5	38.8-50.2	252	55.5	49.8-61.2
\$25,000- 34,999	394	188,155	179	42.3	36.2-48.4	215	57.7	51.6-63.8
\$35,000- 49,999	529	276,291	253	42.8	37.7-47.9	276	57.2	52.1-62.3
\$50,000- 74,999	546	286,335	252	40.9	35.6-46.2	294	59.1	53.8-64.4
\$75,000+	950	493,565	403	38.9	35.0-42.8	547	61.1	57.2-65.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2013

SECTION 6: CHOLESTEROL AWARENESS

TABLE 9: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5277	1,997,222	2373	39.0	37.4-40.6	2904	61.0	59.4-62.6
White/Non-Hisp	4668	1,689,251	2150	40.4	38.6-42.2	2518	59.6	57.8-61.4
Black or Afr. Am./Non-Hisp	319	159,427	118	32.0	25.9-38.1	201	68.0	61.9-74.1
Oth. Race/Non-Hisp.	64	27,546	23	29.1	15.2-43.0	41	70.9	57.0-84.8
MultiRacial/Non-Hisp.	52	15,096	20	26.5	11.6-41.4	32	73.5	58.6-88.4
Hispanic	115	82,830	41	30.4	20.6-40.2	74	69.6	59.8-79.4
18-24	90	110,445	5	5.4	0.0-11.5	85	94.6	88.5-100.0
25-34	324	237,397	43	14.7	10.2-19.2	281	85.3	80.8-89.8
35-44	591	330,995	145	25.0	20.9-29.1	446	75.0	70.9-79.1
45-54	878	417,954	335	38.7	34.8-42.6	543	61.3	57.4-65.2
55-64	1251	388,784	638	51.4	48.1-54.7	613	48.6	45.3-51.9
65+	2087	494,713	1186	57.9	55.4-60.4	901	42.1	39.6-44.6
Less Than H.S.	426	222,501	235	46.9	40.8-53.0	191	53.1	47.0-59.2
H.S. or G.E.D.	1978	693,140	951	42.5	39.8-45.2	1027	57.5	54.8-60.2
Some Post-H.S.	1386	634,005	636	39.4	36.1-42.7	750	60.6	57.3-63.9
College Graduate	1478	444,500	545	28.8	26.3-31.3	933	71.2	68.7-73.7
Less than \$15,000	570	195,505	305	43.9	38.2-49.6	265	56.1	50.4-61.8
\$15,000- 24,999	961	340,158	478	42.4	38.3-46.5	483	57.6	53.5-61.7
\$25,000- 34,999	557	192,078	278	48.4	43.1-53.7	279	51.6	46.3-56.9
\$35,000- 49,999	657	250,424	305	40.8	36.1-45.5	352	59.2	54.5-63.9
\$50,000- 74,999	678	285,712	271	35.2	30.7-39.7	407	64.8	60.3-69.3
\$75,000+	929	421,497	309	30.5	27.0-34.0	620	69.5	66.0-73.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013**

SECTION 7: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	52
2 MALES ONLY	53
3 FEMALES ONLY	54
(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	55
5 MALES ONLY	56
6 FEMALES ONLY	57
(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	58
8 MALES ONLY	59
9 FEMALES ONLY	60
(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	61
11 MALES ONLY	62
12 FEMALES ONLY	63
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	64
14 MALES ONLY	65
15 FEMALES ONLY	66
(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16 MALES AND FEMALES	67
17 MALES ONLY	68
18 FEMALES ONLY	69
(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19 MALES AND FEMALES	70
20 MALES ONLY	71
21 FEMALES ONLY	72

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013**

SECTION 7: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
(EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)	
22 MALES AND FEMALES	73
23 MALES ONLY	74
24 FEMALES ONLY	75
(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25 MALES AND FEMALES	76
26 MALES ONLY	77
27 FEMALES ONLY	78
(EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)	
28 MALES AND FEMALES	79
29 MALES ONLY	80
30 FEMALES ONLY	81
(EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)	
31 MALES AND FEMALES	82
32 MALES ONLY	83
33 FEMALES ONLY	84
(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
34 MALES AND FEMALES	85
35 MALES ONLY	86
36 FEMALES ONLY	87

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10269	4,955,828	701	5.2	04.6-05.8	9568	94.8	94.2-95.4
Male	4257	2,409,503	391	6.7	05.9-07.5	3866	93.3	92.5-94.1
Female	6012	2,546,325	310	3.7	03.1-04.3	5702	96.3	95.7-96.9
White/Non-Hisp	8921	4,045,860	637	5.5	04.9-06.1	8284	94.5	93.9-95.1
Black or Afr. Am./Non-Hisp	589	415,137	22	3.7	01.3-06.1	567	96.3	93.9-98.7
Oth. Race/Non-Hisp.	168	102,401	8	3.3	00.4-06.2	160	96.7	93.8-99.6
MultiRacial/Non-Hisp.	112	45,040	14	9.1	02.0-16.2	98	90.9	83.8-98.0
Hispanic	311	265,917	9	2.4	00.4-04.4	302	97.6	95.6-99.6
18-24	542	685,201	5	1.2	00.0-02.6	537	98.8	97.4-0100
25-34	918	816,097	5	0.8	00.0-01.6	913	99.2	98.4-0100
35-44	1234	815,426	17	1.0	00.4-01.6	1217	99.0	98.4-99.6
45-54	1771	888,547	71	4.2	03.0-05.4	1700	95.8	94.6-97.0
55-64	2248	802,739	149	7.5	06.1-08.9	2099	92.5	91.1-93.9
65+	3460	917,378	448	14.5	12.9-16.1	3012	85.5	83.9-87.1
Less Than H.S.	927	700,590	108	8.7	06.5-10.9	819	91.3	89.1-93.5
H.S. or G.E.D.	3755	1,721,325	304	5.8	05.0-06.6	3451	94.2	93.4-95.0
Some Post-H.S.	2614	1,498,698	179	4.7	03.9-05.5	2435	95.3	94.5-96.1
College Graduate	2946	1,023,385	108	2.2	01.6-02.8	2838	97.8	97.2-98.4
Less than \$15,000	1068	493,095	117	7.4	05.4-09.4	951	92.6	90.6-94.6
\$15,000- 24,999	1749	811,973	194	7.7	06.3-09.1	1555	92.3	90.9-93.7
\$25,000- 34,999	1124	524,558	98	6.8	05.2-08.4	1026	93.2	91.6-94.8
\$35,000- 49,999	1343	648,482	86	4.8	03.6-06.0	1257	95.2	94.0-96.4
\$50,000- 74,999	1344	673,068	55	3.5	02.5-04.5	1289	96.5	95.5-97.5
\$75,000+	2060	1,070,943	55	2.7	01.7-03.7	2005	97.3	96.3-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4257	2,409,503	391	6.7	05.9-07.5	3866	93.3	92.5-94.1
White/Non-Hisp	3675	1,950,810	356	7.2	06.2-08.2	3319	92.8	91.8-93.8
Black or Afr. Am./Non-Hisp	213	195,359	10	5.2	00.5-09.9	203	94.8	90.1-99.5
Oth. Race/Non-Hisp.	83	56,641	5	4.1	00.0-08.4	78	95.9	91.6-0100
MultiRacial/Non-Hisp.	55	24,989	6	9.7	00.0-21.1	49	90.3	78.9-0100
Hispanic	139	132,991	6	3.9	00.2-07.6	133	96.1	92.4-99.8
18-24	285	351,432	4	1.9	00.0-04.4	281	98.1	95.6-0100
25-34	406	409,607	4	1.2	00.0-02.6	402	98.8	97.4-0100
35-44	517	408,338	5	0.3	00.0-00.7	512	99.7	99.3-0100
45-54	831	441,912	40	5.1	03.1-07.1	791	94.9	92.9-96.9
55-64	928	391,443	92	11.0	08.5-13.5	836	89.0	86.5-91.5
65+	1260	396,724	241	20.8	18.1-23.5	1019	79.2	76.5-81.9
Less Than H.S.	391	357,407	55	10.4	06.9-13.9	336	89.6	86.1-93.1
H.S. or G.E.D.	1503	839,394	163	7.2	05.8-08.6	1340	92.8	91.4-94.2
Some Post-H.S.	1018	690,297	104	6.7	05.1-08.3	914	93.3	91.7-94.9
College Graduate	1328	513,832	67	3.1	02.1-04.1	1261	96.9	95.9-97.9
Less than \$15,000	364	194,369	53	9.0	05.7-12.3	311	91.0	87.7-94.3
\$15,000- 24,999	617	338,928	92	10.6	08.1-13.1	525	89.4	86.9-91.9
\$25,000- 34,999	483	270,257	62	9.2	06.5-11.9	421	90.8	88.1-93.5
\$35,000- 49,999	616	356,143	57	6.3	04.3-08.3	559	93.7	91.7-95.7
\$50,000- 74,999	618	354,833	41	4.8	03.0-06.6	577	95.2	93.4-97.0
\$75,000+	1055	591,975	40	3.9	02.1-05.7	1015	96.1	94.3-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6012	2,546,325	310	3.7	03.1-04.3	5702	96.3	95.7-96.9
White/Non-Hisp	5246	2,095,050	281	4.0	03.4-04.6	4965	96.0	95.4-96.6
Black or Afr. Am./Non-Hisp	376	219,778	12	2.4	00.6-04.2	364	97.6	95.8-99.4
Oth. Race/Non-Hisp.	85	45,759	3	2.4	00.0-05.9	82	97.6	94.1-0100
MultiRacial/Non-Hisp.	57	20,051	8	8.3	00.9-15.7	49	91.7	84.3-99.1
Hispanic	172	132,925	3	1.0	00.0-02.4	169	99.0	97.6-0100
18-24	257	333,769	1	0.6	00.0-01.8	256	99.4	98.2-0100
25-34	512	406,490	1	0.4	00.0-01.2	511	99.6	98.8-0100
35-44	717	407,088	12	1.7	00.5-02.9	705	98.3	97.1-99.5
45-54	940	446,635	31	3.3	01.9-04.7	909	96.7	95.3-98.1
55-64	1320	411,296	57	4.2	02.8-05.6	1263	95.8	94.4-97.2
65+	2200	520,655	207	9.7	08.1-11.3	1993	90.3	88.7-91.9
Less Than H.S.	536	343,183	53	7.0	04.5-09.5	483	93.0	90.5-95.5
H.S. or G.E.D.	2252	881,932	141	4.3	03.5-05.1	2111	95.7	94.9-96.5
Some Post-H.S.	1596	808,401	75	3.0	02.2-03.8	1521	97.0	96.2-97.8
College Graduate	1618	509,553	41	1.3	00.7-01.9	1577	98.7	98.1-99.3
Less than \$15,000	704	298,726	64	6.4	04.2-08.6	640	93.6	91.4-95.8
\$15,000- 24,999	1132	473,045	102	5.7	04.3-07.1	1030	94.3	92.9-95.7
\$25,000- 34,999	641	254,301	36	4.2	02.4-06.0	605	95.8	94.0-97.6
\$35,000- 49,999	727	292,339	29	3.1	01.7-04.5	698	96.9	95.5-98.3
\$50,000- 74,999	726	318,235	14	1.9	00.7-03.1	712	98.1	96.9-99.3
\$75,000+	1005	478,968	15	1.3	00.5-02.1	990	98.7	97.9-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10229	4,940,865	653	4.3	03.9-04.7	9576	95.7	95.3-96.1
Male	4238	2,403,494	332	5.2	04.6-05.8	3906	94.8	94.2-95.4
Female	5991	2,537,371	321	3.5	03.1-03.9	5670	96.5	96.1-96.9
White/Non-Hisp	8884	4,031,933	588	4.7	04.3-05.1	8296	95.3	94.9-95.7
Black or Afr. Am./Non-Hisp	585	412,953	23	2.6	01.4-03.8	562	97.4	96.2-98.6
Oth. Race/Non-Hisp.	170	103,762	9	2.8	00.4-05.2	161	97.2	94.8-99.6
MultiRacial/Non-Hisp.	115	46,013	13	8.5	02.8-14.2	102	91.5	85.8-97.2
Hispanic	311	265,324	4	0.9	00.0-02.1	307	99.1	97.9-0100
18-24	542	685,201				542	100.0	0100-0100
25-34	917	814,326	2	0.3	00.0-00.7	915	99.7	99.3-0100
35-44	1235	815,880	19	1.2	00.6-01.8	1216	98.8	98.2-99.4
45-54	1765	883,070	56	2.8	01.8-03.8	1709	97.2	96.2-98.2
55-64	2235	802,307	154	7.3	05.9-08.7	2081	92.7	91.3-94.1
65+	3439	909,639	414	12.8	11.4-14.2	3025	87.2	85.8-88.6
Less Than H.S.	920	696,464	86	5.8	04.2-07.4	834	94.2	92.6-95.8
H.S. or G.E.D.	3737	1,714,365	262	4.7	03.9-05.5	3475	95.3	94.5-96.1
Some Post-H.S.	2607	1,496,547	179	4.4	03.6-05.2	2428	95.6	94.8-96.4
College Graduate	2938	1,021,487	124	2.6	02.0-03.2	2814	97.4	96.8-98.0
Less than \$15,000	1060	492,771	109	5.8	04.4-07.2	951	94.2	92.8-95.6
\$15,000- 24,999	1736	808,480	162	6.7	05.3-08.1	1574	93.3	91.9-94.7
\$25,000- 34,999	1122	521,891	93	5.8	04.4-07.2	1029	94.2	92.8-95.6
\$35,000- 49,999	1342	648,079	82	4.7	03.5-05.9	1260	95.3	94.1-96.5
\$50,000- 74,999	1340	671,080	49	2.7	01.9-03.5	1291	97.3	96.5-98.1
\$75,000+	2057	1,069,363	62	2.2	01.6-02.8	1995	97.8	97.2-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4238	2,403,494	332	5.2	04.6-05.8	3906	94.8	94.2-95.4
White/Non-Hisp	3658	1,943,913	299	5.8	05.0-06.6	3359	94.2	93.4-95.0
Black or Afr. Am./Non-Hisp	213	196,439	8	2.0	00.4-03.6	205	98.0	96.4-99.6
Oth. Race/Non-Hisp.	83	56,641	4	1.8	00.0-04.0	79	98.2	96.0-0100
MultiRacial/Non-Hisp.	56	25,600	6	9.3	00.9-17.7	50	90.7	82.3-99.1
Hispanic	139	132,305	2	1.1	00.0-03.3	137	98.9	96.7-0100
18-24	285	351,432				285	100.0	0100-0100
25-34	406	409,607				406	100.0	0100-0100
35-44	517	408,460	7	0.8	00.0-01.6	510	99.2	98.4-0100
45-54	824	435,337	30	3.3	01.9-04.7	794	96.7	95.3-98.1
55-64	918	392,177	79	9.5	07.1-11.9	839	90.5	88.1-92.9
65+	1258	396,433	212	17.7	15.2-20.2	1046	82.3	79.8-84.8
Less Than H.S.	387	354,278	39	6.2	03.8-08.6	348	93.8	91.4-96.2
H.S. or G.E.D.	1496	836,097	126	5.4	04.2-06.6	1370	94.6	93.4-95.8
Some Post-H.S.	1019	692,407	92	5.8	04.4-07.2	927	94.2	92.8-95.6
College Graduate	1319	511,966	73	3.6	02.6-04.6	1246	96.4	95.4-97.4
Less than \$15,000	362	194,852	38	5.4	03.2-07.6	324	94.6	92.4-96.8
\$15,000- 24,999	613	338,515	73	9.4	06.9-11.9	540	90.6	88.1-93.1
\$25,000- 34,999	483	269,393	53	6.8	04.6-09.0	430	93.2	91.0-95.4
\$35,000- 49,999	619	358,347	50	5.7	03.9-07.5	569	94.3	92.5-96.1
\$50,000- 74,999	615	353,543	40	4.1	02.7-05.5	575	95.9	94.5-97.3
\$75,000+	1052	590,395	42	2.9	01.9-03.9	1010	97.1	96.1-98.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5991	2,537,371	321	3.5	03.1-03.9	5670	96.5	96.1-96.9
White/Non-Hisp	5226	2,088,020	289	3.7	03.1-04.3	4937	96.3	95.7-96.9
Black or Afr. Am./Non-Hisp	372	216,515	15	3.2	01.4-05.0	357	96.8	95.0-98.6
Oth. Race/Non-Hisp.	87	47,120	5	4.1	00.0-08.4	82	95.9	91.6-0100
MultiRacial/Non-Hisp.	59	20,413	7	7.6	00.3-14.9	52	92.4	85.1-99.7
Hispanic	172	133,019	2	0.7	00.0-01.9	170	99.3	98.1-0100
18-24	257	333,769				257	100.0	0100-0100
25-34	511	404,719	2	0.6	00.0-01.4	509	99.4	98.6-0100
35-44	718	407,419	12	1.6	00.6-02.6	706	98.4	97.4-99.4
45-54	941	447,733	26	2.3	01.1-03.5	915	97.7	96.5-98.9
55-64	1317	410,131	75	5.2	03.8-06.6	1242	94.8	93.4-96.2
65+	2181	513,206	202	9.1	07.7-10.5	1979	90.9	89.5-92.3
Less Than H.S.	533	342,186	47	5.4	03.4-07.4	486	94.6	92.6-96.6
H.S. or G.E.D.	2241	878,268	136	4.0	03.2-04.8	2105	96.0	95.2-96.8
Some Post-H.S.	1588	804,140	87	3.2	02.4-04.0	1501	96.8	96.0-97.6
College Graduate	1619	509,520	51	1.7	01.1-02.3	1568	98.3	97.7-98.9
Less than \$15,000	698	297,919	71	6.1	04.3-07.9	627	93.9	92.1-95.7
\$15,000- 24,999	1123	469,965	89	4.7	03.5-05.9	1034	95.3	94.1-96.5
\$25,000- 34,999	639	252,498	40	4.7	02.7-06.7	599	95.3	93.3-97.3
\$35,000- 49,999	723	289,732	32	3.4	02.0-04.8	691	96.6	95.2-98.0
\$50,000- 74,999	725	317,537	9	1.1	00.1-02.1	716	98.9	97.9-99.9
\$75,000+	1005	478,968	20	1.5	00.7-02.3	985	98.5	97.7-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10308	4,972,678	468	3.1	02.7-03.5	9840	96.9	96.5-97.3
Male	4273	2,419,948	183	3.0	02.4-03.6	4090	97.0	96.4-97.6
Female	6035	2,552,731	285	3.1	02.7-03.5	5750	96.9	96.5-97.3
White/Non-Hisp	8946	4,055,458	397	3.0	02.6-03.4	8549	97.0	96.6-97.4
Black or Afr. Am./Non-Hisp	594	417,658	39	4.4	02.6-06.2	555	95.6	93.8-97.4
Oth. Race/Non-Hisp.	170	103,762	7	1.8	00.0-03.6	163	98.2	96.4-0100
MultiRacial/Non-Hisp.	116	46,119	10	5.0	01.5-08.5	106	95.0	91.5-98.5
Hispanic	312	266,901	5	1.1	00.0-02.3	307	98.9	97.7-0100
18-24	542	685,201	2	0.2	00.0-00.6	540	99.8	99.4-0100
25-34	918	816,572	3	0.4	00.0-01.0	915	99.6	99.0-0100
35-44	1234	815,552	15	1.2	00.4-02.0	1219	98.8	98.0-99.6
45-54	1778	891,546	51	2.4	01.6-03.2	1727	97.6	96.8-98.4
55-64	2256	808,843	99	4.3	03.3-05.3	2157	95.7	94.7-96.7
65+	3483	923,845	290	8.6	07.4-09.8	3193	91.4	90.2-92.6
Less Than H.S.	937	706,747	84	6.0	04.4-07.6	853	94.0	92.4-95.6
H.S. or G.E.D.	3776	1,729,229	199	3.5	02.9-04.1	3577	96.5	95.9-97.1
Some Post-H.S.	2621	1,501,339	108	2.3	01.7-02.9	2513	97.7	97.1-98.3
College Graduate	2946	1,023,316	77	1.5	01.1-01.9	2869	98.5	98.1-98.9
Less than \$15,000	1079	497,915	102	6.6	04.8-08.4	977	93.4	91.6-95.2
\$15,000- 24,999	1756	816,095	120	4.7	03.5-05.9	1636	95.3	94.1-96.5
\$25,000- 34,999	1129	525,719	50	3.7	02.3-05.1	1079	96.3	94.9-97.7
\$35,000- 49,999	1346	651,903	52	2.6	01.8-03.4	1294	97.4	96.6-98.2
\$50,000- 74,999	1348	674,437	33	1.6	01.0-02.2	1315	98.4	97.8-99.0
\$75,000+	2059	1,070,188	29	1.0	00.6-01.4	2030	99.0	98.6-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4273	2,419,948	183	3.0	02.4-03.6	4090	97.0	96.4-97.6
White/Non-Hisp	3688	1,958,096	152	2.9	02.3-03.5	3536	97.1	96.5-97.7
Black or Afr. Am./Non-Hisp	214	196,616	15	4.8	01.9-07.7	199	95.2	92.3-98.1
Oth. Race/Non-Hisp.	83	56,641	2	1.0	00.0-02.8	81	99.0	97.2-0100
MultiRacial/Non-Hisp.	56	25,600	4	4.3	00.0-09.2	52	95.7	90.8-0100
Hispanic	139	133,653	3	0.9	00.0-02.3	136	99.1	97.7-0100
18-24	285	351,432	1	0.1	00.0-00.3	284	99.9	99.7-0100
25-34	405	409,202	2	0.8	00.0-01.8	403	99.2	98.2-0100
35-44	517	408,801	5	1.1	00.0-02.5	512	98.9	97.5-0100
45-54	834	443,540	22	2.2	01.2-03.2	812	97.8	96.8-98.8
55-64	934	397,418	45	5.0	03.2-06.8	889	95.0	93.2-96.8
65+	1268	399,506	108	8.9	06.9-10.9	1160	91.1	89.1-93.1
Less Than H.S.	393	360,396	38	6.8	04.3-09.3	355	93.2	90.7-95.7
H.S. or G.E.D.	1511	843,647	67	3.2	02.4-04.0	1444	96.8	96.0-97.6
Some Post-H.S.	1025	693,832	42	2.1	01.3-02.9	983	97.9	97.1-98.7
College Graduate	1326	513,283	36	1.4	00.8-02.0	1290	98.6	98.0-99.2
Less than \$15,000	365	196,116	37	7.6	04.1-11.1	328	92.4	88.9-95.9
\$15,000- 24,999	620	341,822	41	5.3	03.3-07.3	579	94.7	92.7-96.7
\$25,000- 34,999	487	271,434	24	4.3	02.1-06.5	463	95.7	93.5-97.9
\$35,000- 49,999	619	359,398	23	2.5	01.3-03.7	596	97.5	96.3-98.7
\$50,000- 74,999	620	355,685	21	1.8	00.8-02.8	599	98.2	97.2-99.2
\$75,000+	1056	592,206	17	0.9	00.5-01.3	1039	99.1	98.7-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6035	2,552,731	285	3.1	02.7-03.5	5750	96.9	96.5-97.3
White/Non-Hisp	5258	2,097,362	245	3.1	02.7-03.5	5013	96.9	96.5-97.3
Black or Afr. Am./Non-Hisp	380	221,042	24	4.0	02.0-06.0	356	96.0	94.0-98.0
Oth. Race/Non-Hisp.	87	47,120	5	2.7	00.0-06.2	82	97.3	93.8-0100
MultiRacial/Non-Hisp.	60	20,519	6	5.7	00.2-11.2	54	94.3	88.8-99.8
Hispanic	173	133,248	2	1.4	00.0-03.4	171	98.6	96.6-0100
18-24	257	333,769	1	0.3	00.0-00.9	256	99.7	99.1-0100
25-34	513	407,370	1	0.1	00.0-00.3	512	99.9	99.7-0100
35-44	717	406,751	10	1.2	00.4-02.0	707	98.8	98.0-99.6
45-54	944	448,006	29	2.7	01.5-03.9	915	97.3	96.1-98.5
55-64	1322	411,425	54	3.7	02.5-04.9	1268	96.3	95.1-97.5
65+	2215	524,339	182	8.3	06.9-09.7	2033	91.7	90.3-93.1
Less Than H.S.	544	346,351	46	5.2	03.4-07.0	498	94.8	93.0-96.6
H.S. or G.E.D.	2265	885,582	132	3.8	03.0-04.6	2133	96.2	95.4-97.0
Some Post-H.S.	1596	807,507	66	2.5	01.7-03.3	1530	97.5	96.7-98.3
College Graduate	1620	510,034	41	1.5	00.9-02.1	1579	98.5	97.9-99.1
Less than \$15,000	714	301,799	65	6.0	04.2-07.8	649	94.0	92.2-95.8
\$15,000- 24,999	1136	474,273	79	4.3	03.1-05.5	1057	95.7	94.5-96.9
\$25,000- 34,999	642	254,284	26	3.0	01.4-04.6	616	97.0	95.4-98.6
\$35,000- 49,999	727	292,505	29	2.7	01.5-03.9	698	97.3	96.1-98.5
\$50,000- 74,999	728	318,752	12	1.2	00.4-02.0	716	98.8	98.0-99.6
\$75,000+	1003	477,982	12	1.1	00.3-01.9	991	98.9	98.1-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10305	4,970,935	1485	15.3	14.3-16.3	8820	84.7	83.7-85.7
Male	4271	2,419,238	474	12.7	11.3-14.1	3797	87.3	85.9-88.7
Female	6034	2,551,697	1011	17.8	16.4-19.2	5023	82.2	80.8-83.6
White/Non-Hisp	8946	4,054,312	1257	15.0	14.0-16.0	7689	85.0	84.0-86.0
Black or Afr. Am./Non-Hisp	594	418,466	110	21.1	16.2-26.0	484	78.9	74.0-83.8
Oth. Race/Non-Hisp.	170	103,762	24	16.1	08.7-23.5	146	83.9	76.5-91.3
MultiRacial/Non-Hisp.	115	46,068	35	29.7	18.9-40.5	80	70.3	59.5-81.1
Hispanic	311	265,591	32	8.3	05.0-11.6	279	91.7	88.4-95.0
18-24	539	681,934	93	17.8	14.1-21.5	446	82.2	78.5-85.9
25-34	917	815,450	164	18.5	15.4-21.6	753	81.5	78.4-84.6
35-44	1234	815,035	170	14.5	12.1-16.9	1064	85.5	83.1-87.9
45-54	1775	891,654	271	15.1	13.1-17.1	1504	84.9	82.9-86.9
55-64	2258	810,791	321	13.3	11.5-15.1	1937	86.7	84.9-88.5
65+	3485	924,951	450	13.3	11.9-14.7	3035	86.7	85.3-88.1
Less Than H.S.	937	706,573	192	20.2	16.7-23.7	745	79.8	76.3-83.3
H.S. or G.E.D.	3778	1,728,730	535	14.6	13.0-16.2	3243	85.4	83.8-87.0
Some Post-H.S.	2617	1,499,895	401	15.8	14.0-17.6	2216	84.2	82.4-86.0
College Graduate	2946	1,023,736	352	12.3	10.7-13.9	2594	87.7	86.1-89.3
Less than \$15,000	1077	498,070	265	23.6	19.9-27.3	812	76.4	72.7-80.1
\$15,000- 24,999	1755	813,918	276	17.8	15.3-20.3	1479	82.2	79.7-84.7
\$25,000- 34,999	1132	526,793	139	12.7	10.2-15.2	993	87.3	84.8-89.8
\$35,000- 49,999	1348	652,316	174	13.1	10.7-15.5	1174	86.9	84.5-89.3
\$50,000- 74,999	1347	674,143	164	12.9	10.4-15.4	1183	87.1	84.6-89.6
\$75,000+	2062	1,071,580	229	12.8	10.8-14.8	1833	87.2	85.2-89.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4271	2,419,238	474	12.7	11.3-14.1	3797	87.3	85.9-88.7
White/Non-Hisp	3689	1,958,948	392	12.0	10.6-13.4	3297	88.0	86.6-89.4
Black or Afr. Am./Non-Hisp	213	196,408	34	21.6	13.6-29.6	179	78.4	70.4-86.4
Oth. Race/Non-Hisp.	83	56,641	9	14.3	03.5-25.1	74	85.7	74.9-96.5
MultiRacial/Non-Hisp.	56	25,600	14	24.0	09.9-38.1	42	76.0	61.9-90.1
Hispanic	138	132,344	10	6.0	02.1-09.9	128	94.0	90.1-97.9
18-24	285	351,432	44	16.0	10.9-21.1	241	84.0	78.9-89.1
25-34	404	408,080	67	17.9	13.4-22.4	337	82.1	77.6-86.6
35-44	515	407,322	54	11.3	08.0-14.6	461	88.7	85.4-92.0
45-54	832	443,199	91	11.0	08.5-13.5	741	89.0	86.5-91.5
55-64	937	399,216	100	10.4	08.0-12.8	837	89.6	87.2-92.0
65+	1268	399,942	113	9.8	07.6-12.0	1155	90.2	88.0-92.4
Less Than H.S.	393	359,990	65	17.8	12.7-22.9	328	82.2	77.1-87.3
H.S. or G.E.D.	1511	843,227	166	12.4	10.0-14.8	1345	87.6	85.2-90.0
Some Post-H.S.	1023	693,387	117	11.7	09.2-14.2	906	88.3	85.8-90.8
College Graduate	1327	513,889	122	10.7	08.5-12.9	1205	89.3	87.1-91.5
Less than \$15,000	368	198,305	73	19.6	14.1-25.1	295	80.4	74.9-85.9
\$15,000- 24,999	618	339,378	66	13.3	09.4-17.2	552	86.7	82.8-90.6
\$25,000- 34,999	487	271,447	50	11.1	07.6-14.6	437	88.9	85.4-92.4
\$35,000- 49,999	621	359,779	63	11.3	08.0-14.6	558	88.7	85.4-92.0
\$50,000- 74,999	619	355,391	58	11.4	07.7-15.1	561	88.6	84.9-92.3
\$75,000+	1057	592,612	91	11.2	08.5-13.9	966	88.8	86.1-91.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6034	2,551,697	1011	17.8	16.4-19.2	5023	82.2	80.8-83.6
White/Non-Hisp	5257	2,095,364	865	17.9	16.5-19.3	4392	82.1	80.7-83.5
Black or Afr. Am./Non-Hisp	381	222,058	76	20.5	14.6-26.4	305	79.5	73.6-85.4
Oth. Race/Non-Hisp.	87	47,120	15	18.3	08.1-28.5	72	81.7	71.5-91.9
MultiRacial/Non-Hisp.	59	20,468	21	36.8	20.5-53.1	38	63.2	46.9-79.5
Hispanic	173	133,248	22	10.6	05.5-15.7	151	89.4	84.3-94.5
18-24	254	330,502	49	19.8	14.3-25.3	205	80.2	74.7-85.7
25-34	513	407,370	97	19.2	14.9-23.5	416	80.8	76.5-85.1
35-44	719	407,714	116	17.7	14.4-21.0	603	82.3	79.0-85.6
45-54	943	448,455	180	19.1	16.2-22.0	763	80.9	78.0-83.8
55-64	1321	411,576	221	16.1	13.7-18.5	1100	83.9	81.5-86.3
65+	2217	525,009	337	15.9	14.1-17.7	1880	84.1	82.3-85.9
Less Than H.S.	544	346,583	127	22.6	17.7-27.5	417	77.4	72.5-82.3
H.S. or G.E.D.	2267	885,503	369	16.8	14.6-19.0	1898	83.2	81.0-85.4
Some Post-H.S.	1594	806,508	284	19.3	16.6-22.0	1310	80.7	78.0-83.4
College Graduate	1619	509,847	230	13.9	11.9-15.9	1389	86.1	84.1-88.1
Less than \$15,000	709	299,765	192	26.2	21.3-31.1	517	73.8	68.9-78.7
\$15,000- 24,999	1137	474,541	210	21.0	17.5-24.5	927	79.0	75.5-82.5
\$25,000- 34,999	645	255,345	89	14.5	11.0-18.0	556	85.5	82.0-89.0
\$35,000- 49,999	727	292,538	111	15.4	12.1-18.7	616	84.6	81.3-87.9
\$50,000- 74,999	728	318,752	106	14.7	11.2-18.2	622	85.3	81.8-88.8
\$75,000+	1005	478,968	138	14.7	12.0-17.4	867	85.3	82.6-88.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1435	734,525	1051	69.4	66.1-72.7	384	30.6	27.3-33.9
Male	455	294,251	296	59.6	53.5-65.7	159	40.4	34.3-46.5
Female	980	440,274	755	75.9	72.2-79.6	225	24.1	20.4-27.8
White/Non-Hisp	1215	590,881	884	68.2	64.5-71.9	331	31.8	28.1-35.5
Black or Afr. Am./Non-Hisp	108	84,234	81	74.0	63.4-84.6	27	26.0	15.4-36.6
18-24	91	119,338	54	58.9	47.3-70.5	37	41.1	29.5-52.7
25-34	155	140,905	97	58.1	48.7-67.5	58	41.9	32.5-51.3
35-44	164	114,348	115	69.2	60.8-77.6	49	30.8	22.4-39.2
45-54	266	131,463	203	76.7	70.8-82.6	63	23.3	17.4-29.2
55-64	313	105,000	246	77.8	72.1-83.5	67	22.2	16.5-27.9
65+	430	118,607	324	77.2	72.5-81.9	106	22.8	18.1-27.5
Less Than H.S.	183	136,675	147	77.5	68.9-86.1	36	22.5	13.9-31.1
H.S. or G.E.D.	517	245,205	378	67.7	62.2-73.2	139	32.3	26.8-37.8
Some Post-H.S.	390	228,338	288	68.3	62.0-74.6	102	31.7	25.4-38.0
College Graduate	340	122,028	233	64.9	58.4-71.4	107	35.1	28.6-41.6
Less than \$15,000	257	115,335	207	74.7	66.9-82.5	50	25.3	17.5-33.1
\$15,000- 24,999	264	136,417	210	75.7	67.9-83.5	54	24.3	16.5-32.1
\$25,000- 34,999	136	66,025	101	70.4	60.0-80.8	35	29.6	19.2-40.0
\$35,000- 49,999	169	83,744	120	63.9	54.1-73.7	49	36.1	26.3-45.9
\$50,000- 74,999	160	85,402	107	67.3	57.3-77.3	53	32.7	22.7-42.7
\$75,000+	223	134,205	144	64.6	56.4-72.8	79	35.4	27.2-43.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	455	294,251	296	59.6	53.5-65.7	159	40.4	34.3-46.5
White/Non-Hisp	375	224,916	244	57.2	50.7-63.7	131	42.8	36.3-49.3
25-34	62	68,265	34	49.6	34.7-64.5	28	50.4	35.5-65.3
35-44	53	45,595	28	54.4	38.5-70.3	25	45.6	29.7-61.5
45-54	90	47,529	64	73.2	63.0-83.4	26	26.8	16.6-37.0
55-64	95	39,631	69	73.6	62.8-84.4	26	26.4	15.6-37.2
65+	108	37,989	79	77.5	68.3-86.7	29	22.5	13.3-31.7
Less Than H.S.	60	59,957	44	73.8	59.3-88.3	16	26.2	11.7-40.7
H.S. or G.E.D.	159	100,052	102	58.4	48.2-68.6	57	41.6	31.4-51.8
Some Post-H.S.	115	79,603	76	53.3	41.7-64.9	39	46.7	35.1-58.3
College Graduate	117	52,665	70	53.9	42.7-65.1	47	46.1	34.9-57.3
Less than \$15,000	69	38,201	44	53.5	37.4-69.6	25	46.5	30.4-62.6
\$15,000- 24,999	64	43,351	50	76.5	63.8-89.2	14	23.5	10.8-36.2
\$35,000- 49,999	59	38,701	32	49.6	34.1-65.1	27	50.4	34.9-65.9
\$50,000- 74,999	58	40,475	39	63.2	46.0-80.4	19	36.8	19.6-54.0
\$75,000+	90	66,116	49	51.2	37.7-64.7	41	48.8	35.3-62.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	980	440,274	755	75.9	72.2-79.6	225	24.1	20.4-27.8
White/Non-Hisp	840	365,965	640	75.1	71.0-79.2	200	24.9	20.8-29.0
Black or Afr. Am./Non-Hisp	75	43,810	60	78.8	67.2-90.4	15	21.2	09.6-32.8
25-34	93	72,641	63	66.1	54.3-77.9	30	33.9	22.1-45.7
35-44	111	68,753	87	79.1	70.5-87.7	24	20.9	12.3-29.5
45-54	176	83,934	139	78.7	71.4-86.0	37	21.3	14.0-28.6
55-64	218	65,370	177	80.3	73.8-86.8	41	19.7	13.2-26.2
65+	322	80,618	245	77.1	71.8-82.4	77	22.9	17.6-28.2
Less Than H.S.	123	76,718	103	80.4	70.2-90.6	20	19.6	09.4-29.8
H.S. or G.E.D.	358	145,152	276	74.2	67.9-80.5	82	25.8	19.5-32.1
Some Post-H.S.	275	148,735	212	76.3	69.2-83.4	63	23.7	16.6-30.8
College Graduate	223	69,363	163	73.3	66.2-80.4	60	26.7	19.6-33.8
Less than \$15,000	188	77,133	163	85.2	78.1-92.3	25	14.8	07.7-21.9
\$15,000- 24,999	200	93,067	160	75.3	65.5-85.1	40	24.7	14.9-34.5
\$25,000- 34,999	88	36,737	68	80.8	70.8-90.8	20	19.2	09.2-29.2
\$35,000- 49,999	110	45,043	88	76.1	65.7-86.5	22	23.9	13.5-34.3
\$50,000- 74,999	102	44,927	68	71.0	60.6-81.4	34	29.0	18.6-39.4
\$75,000+	133	68,088	95	77.5	69.7-85.3	38	22.5	14.7-30.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10319	4,972,386	863	5.2	04.8-05.6	9456	94.8	94.4-95.2
Male	4275	2,420,768	366	5.0	04.4-05.6	3909	95.0	94.4-95.6
Female	6044	2,551,618	497	5.3	04.7-05.9	5547	94.7	94.1-95.3
White/Non-Hisp	8957	4,054,649	838	6.1	05.5-06.7	8119	93.9	93.3-94.5
Black or Afr. Am./Non-Hisp	595	418,674	1	0.1	00.0-00.3	594	99.9	99.7-0100
Oth. Race/Non-Hisp.	170	103,762	6	3.9	00.4-07.4	164	96.1	92.6-99.6
MultiRacial/Non-Hisp.	116	46,119	7	3.1	00.0-06.2	109	96.9	93.8-0100
Hispanic	313	267,306	2	0.3	00.0-00.9	311	99.7	99.1-0100
18-24	542	685,201	3	0.5	00.0-01.1	539	99.5	98.9-0100
25-34	919	816,977	5	0.6	00.0-01.2	914	99.4	98.8-0100
35-44	1236	814,777	22	1.7	00.9-02.5	1214	98.3	97.5-99.1
45-54	1777	889,744	69	2.9	02.1-03.7	1708	97.1	96.3-97.9
55-64	2262	811,558	178	7.8	06.4-09.2	2084	92.2	90.8-93.6
65+	3488	924,024	576	15.7	14.3-17.1	2912	84.3	82.9-85.7
Less Than H.S.	935	704,217	63	4.0	02.8-05.2	872	96.0	94.8-97.2
H.S. or G.E.D.	3782	1,729,472	321	5.4	04.6-06.2	3461	94.6	93.8-95.4
Some Post-H.S.	2627	1,503,021	196	4.7	03.9-05.5	2431	95.3	94.5-96.1
College Graduate	2947	1,023,629	281	6.2	05.4-07.0	2666	93.8	93.0-94.6
Less than \$15,000	1082	498,529	75	4.1	02.7-05.5	1007	95.9	94.5-97.3
\$15,000- 24,999	1756	815,376	149	5.0	04.0-06.0	1607	95.0	94.0-96.0
\$25,000- 34,999	1132	526,569	90	4.7	03.5-05.9	1042	95.3	94.1-96.5
\$35,000- 49,999	1348	651,393	123	5.5	04.3-06.7	1225	94.5	93.3-95.7
\$50,000- 74,999	1347	672,412	109	5.3	04.1-06.5	1238	94.7	93.5-95.9
\$75,000+	2059	1,070,594	150	5.1	04.1-06.1	1909	94.9	93.9-95.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4275	2,420,768	366	5.0	04.4-05.6	3909	95.0	94.4-95.6
White/Non-Hisp	3690	1,959,047	353	6.0	05.2-06.8	3337	94.0	93.2-94.8
Black or Afr. Am./Non-Hisp	214	196,616	1	0.2	00.0-00.6	213	99.8	99.4-0100
Oth. Race/Non-Hisp.	83	56,641	1	2.0	00.0-05.7	82	98.0	94.3-0100
MultiRacial/Non-Hisp.	56	25,600	3	2.0	00.0-04.4	53	98.0	95.6-0100
Hispanic	140	134,058				140	100.0	0100-0100
18-24	285	351,432	2	0.4	00.0-01.0	283	99.6	99.0-0100
25-34	406	409,607				406	100.0	0100-0100
35-44	518	409,134	8	1.3	00.3-02.3	510	98.7	97.7-99.7
45-54	833	442,572	22	2.1	01.1-03.1	811	97.9	96.9-98.9
55-64	936	398,820	83	8.6	06.4-10.8	853	91.4	89.2-93.6
65+	1267	399,155	248	17.8	15.4-20.2	1019	82.2	79.8-84.6
Less Than H.S.	394	360,080	26	3.1	01.7-04.5	368	96.9	95.5-98.3
H.S. or G.E.D.	1510	842,947	122	5.2	04.0-06.4	1388	94.8	93.6-96.0
Some Post-H.S.	1026	695,070	77	4.5	03.3-05.7	949	95.5	94.3-96.7
College Graduate	1327	513,881	140	6.6	05.4-07.8	1187	93.4	92.2-94.6
Less than \$15,000	368	198,536	23	2.9	01.5-04.3	345	97.1	95.7-98.5
\$15,000- 24,999	618	340,577	51	5.1	03.3-06.9	567	94.9	93.1-96.7
\$25,000- 34,999	487	271,223	43	4.4	02.8-06.0	444	95.6	94.0-97.2
\$35,000- 49,999	620	358,757	59	5.6	03.8-07.4	561	94.4	92.6-96.2
\$50,000- 74,999	620	355,685	50	4.9	03.3-06.5	570	95.1	93.5-96.7
\$75,000+	1055	592,272	86	5.3	03.9-06.7	969	94.7	93.3-96.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6044	2,551,618	497	5.3	04.7-05.9	5547	94.7	94.1-95.3
White/Non-Hisp	5267	2,095,602	485	6.2	05.4-07.0	4782	93.8	93.0-94.6
Black or Afr. Am./Non-Hisp	381	222,058				381	100.0	0100-0100
Oth. Race/Non-Hisp.	87	47,120	5	6.2	00.0-12.5	82	93.8	87.5-0100
MultiRacial/Non-Hisp.	60	20,519	4	4.3	00.0-10.8	56	95.7	89.2-0100
Hispanic	173	133,248	2	0.6	00.0-01.6	171	99.4	98.4-0100
18-24	257	333,769	1	0.6	00.0-01.8	256	99.4	98.2-0100
25-34	513	407,370	5	1.1	00.1-02.1	508	98.9	97.9-99.9
35-44	718	405,644	14	2.0	00.8-03.2	704	98.0	96.8-99.2
45-54	944	447,173	47	3.8	02.6-05.0	897	96.2	95.0-97.4
55-64	1326	412,738	95	6.9	05.3-08.5	1231	93.1	91.5-94.7
65+	2221	524,868	328	14.1	12.3-15.9	1893	85.9	84.1-87.7
Less Than H.S.	541	344,137	37	4.9	02.9-06.9	504	95.1	93.1-97.1
H.S. or G.E.D.	2272	886,526	199	5.6	04.6-06.6	2073	94.4	93.4-95.4
Some Post-H.S.	1601	807,951	119	4.8	03.8-05.8	1482	95.2	94.2-96.2
College Graduate	1620	509,747	141	5.9	04.7-07.1	1479	94.1	92.9-95.3
Less than \$15,000	714	299,994	52	5.0	03.0-07.0	662	95.0	93.0-97.0
\$15,000- 24,999	1138	474,799	98	4.9	03.7-06.1	1040	95.1	93.9-96.3
\$25,000- 34,999	645	255,345	47	5.0	03.2-06.8	598	95.0	93.2-96.8
\$35,000- 49,999	728	292,636	64	5.3	03.7-06.9	664	94.7	93.1-96.3
\$50,000- 74,999	727	316,727	59	5.8	04.0-07.6	668	94.2	92.4-96.0
\$75,000+	1004	478,321	64	4.9	03.5-06.3	940	95.1	93.7-96.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10320	4,975,949	930	6.2	05.6-06.8	9390	93.8	93.2-94.4
Male	4274	2,421,746	311	4.8	04.0-05.6	3963	95.2	94.4-96.0
Female	6046	2,554,204	619	7.6	06.8-08.4	5427	92.4	91.6-93.2
White/Non-Hisp	8960	4,057,944	858	6.8	06.2-07.4	8102	93.2	92.6-93.8
Black or Afr. Am./Non-Hisp	594	418,377	26	3.7	01.3-06.1	568	96.3	93.9-98.7
Oth. Race/Non-Hisp.	170	103,762	14	5.3	01.6-09.0	156	94.7	91.0-98.4
MultiRacial/Non-Hisp.	116	46,119	11	8.0	02.3-13.7	105	92.0	86.3-97.7
Hispanic	313	267,306	7	1.0	00.2-01.8	306	99.0	98.2-99.8
18-24	541	683,887	5	1.5	00.0-03.1	536	98.5	96.9-0100
25-34	919	816,977	14	1.3	00.5-02.1	905	98.7	97.9-99.5
35-44	1237	816,847	36	2.3	01.5-03.1	1201	97.7	96.9-98.5
45-54	1778	891,132	97	5.1	03.9-06.3	1681	94.9	93.7-96.1
55-64	2258	810,430	212	9.0	07.6-10.4	2046	91.0	89.6-92.4
65+	3490	925,556	555	16.1	14.5-17.7	2935	83.9	82.3-85.5
Less Than H.S.	940	707,168	91	6.6	04.6-08.6	849	93.4	91.4-95.4
H.S. or G.E.D.	3779	1,728,262	357	6.4	05.6-07.2	3422	93.6	92.8-94.4
Some Post-H.S.	2626	1,504,740	247	6.3	05.3-07.3	2379	93.7	92.7-94.7
College Graduate	2948	1,023,778	234	5.5	04.7-06.3	2714	94.5	93.7-95.3
Less than \$15,000	1083	499,446	110	6.5	04.9-08.1	973	93.5	91.9-95.1
\$15,000- 24,999	1755	814,372	187	7.5	06.1-08.9	1568	92.5	91.1-93.9
\$25,000- 34,999	1132	526,343	102	5.8	04.4-07.2	1030	94.2	92.8-95.6
\$35,000- 49,999	1349	652,698	128	6.3	04.9-07.7	1221	93.7	92.3-95.1
\$50,000- 74,999	1347	674,030	113	6.0	04.6-07.4	1234	94.0	92.6-95.4
\$75,000+	2061	1,071,312	142	5.6	04.4-06.8	1919	94.4	93.2-95.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4274	2,421,746	311	4.8	04.0-05.6	3963	95.2	94.4-96.0
White/Non-Hisp	3691	1,959,827	289	5.0	04.4-05.6	3402	95.0	94.4-95.6
Black or Afr. Am./Non-Hisp	214	196,616	11	5.1	00.4-09.8	203	94.9	90.2-99.6
Oth. Race/Non-Hisp.	83	56,641	4	4.7	00.0-10.0	79	95.3	90.0-0100
MultiRacial/Non-Hisp.	56	25,600	2	1.4	00.0-03.4	54	98.6	96.6-0100
Hispanic	140	134,058				140	100.0	0100-0100
18-24	285	351,432	3	2.2	00.0-04.9	282	97.8	95.1-0100
25-34	406	409,607	4	0.7	00.0-01.5	402	99.3	98.5-0100
35-44	518	409,134	1	0.2	00.0-00.6	517	99.8	99.4-0100
45-54	833	443,326	29	3.3	01.9-04.7	804	96.7	95.3-98.1
55-64	932	397,590	50	4.9	03.3-06.5	882	95.1	93.5-96.7
65+	1270	400,609	221	17.2	14.8-19.6	1049	82.8	80.4-85.2
Less Than H.S.	396	361,584	29	5.1	02.4-07.8	367	94.9	92.2-97.6
H.S. or G.E.D.	1509	842,715	114	4.6	03.6-05.6	1395	95.4	94.4-96.4
Some Post-H.S.	1025	694,941	69	4.8	03.4-06.2	956	95.2	93.8-96.6
College Graduate	1327	513,760	99	4.9	03.7-06.1	1228	95.1	93.9-96.3
Less than \$15,000	368	198,377	24	5.4	02.7-08.1	344	94.6	91.9-97.3
\$15,000- 24,999	617	340,830	59	5.8	03.8-07.8	558	94.2	92.2-96.2
\$25,000- 34,999	487	270,998	41	5.2	03.2-07.2	446	94.8	92.8-96.8
\$35,000- 49,999	622	360,359	46	4.1	02.7-05.5	576	95.9	94.5-97.3
\$50,000- 74,999	619	355,278	45	5.2	03.4-07.0	574	94.8	93.0-96.6
\$75,000+	1056	592,344	66	4.9	03.1-06.7	990	95.1	93.3-96.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6046	2,554,204	619	7.6	06.8-08.4	5427	92.4	91.6-93.2
White/Non-Hisp	5269	2,098,116	569	8.4	07.6-09.2	4700	91.6	90.8-92.4
Black or Afr. Am./Non-Hisp	380	221,761	15	2.5	00.9-04.1	365	97.5	95.9-99.1
Oth. Race/Non-Hisp.	87	47,120	10	6.1	01.2-11.0	77	93.9	89.0-98.8
MultiRacial/Non-Hisp.	60	20,519	9	16.3	04.5-28.1	51	83.7	71.9-95.5
Hispanic	173	133,248	7	2.0	00.2-03.8	166	98.0	96.2-99.8
18-24	256	332,455	2	0.7	00.0-01.7	254	99.3	98.3-0100
25-34	513	407,370	10	1.8	00.2-03.4	503	98.2	96.6-99.8
35-44	719	407,714	35	4.3	02.7-05.9	684	95.7	94.1-97.3
45-54	945	447,807	68	6.9	04.9-08.9	877	93.1	91.1-95.1
55-64	1326	412,840	162	13.0	10.6-15.4	1164	87.0	84.6-89.4
65+	2220	524,947	334	15.2	13.4-17.0	1886	84.8	83.0-86.6
Less Than H.S.	544	345,583	62	8.2	05.5-10.9	482	91.8	89.1-94.5
H.S. or G.E.D.	2270	885,547	243	8.2	07.0-09.4	2027	91.8	90.6-93.0
Some Post-H.S.	1601	809,799	178	7.6	06.2-09.0	1423	92.4	91.0-93.8
College Graduate	1621	510,018	135	6.1	04.9-07.3	1486	93.9	92.7-95.1
Less than \$15,000	715	301,069	86	7.2	05.2-09.2	629	92.8	90.8-94.8
\$15,000- 24,999	1138	473,542	128	8.8	06.6-11.0	1010	91.2	89.0-93.4
\$25,000- 34,999	645	255,345	61	6.4	04.4-08.4	584	93.6	91.6-95.6
\$35,000- 49,999	727	292,339	82	9.0	06.6-11.4	645	91.0	88.6-93.4
\$50,000- 74,999	728	318,752	68	7.0	05.0-09.0	660	93.0	91.0-95.0
\$75,000+	1005	478,968	76	6.5	04.7-08.3	929	93.5	91.7-95.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10282	4,959,464	1041	8.0	07.4-08.6	9241	92.0	91.4-92.6
Male	4254	2,411,205	356	6.8	05.8-07.8	3898	93.2	92.2-94.2
Female	6028	2,548,259	685	9.2	08.4-10.0	5343	90.8	90.0-91.6
White/Non-Hisp	8930	4,050,562	912	8.3	07.7-08.9	8018	91.7	91.1-92.3
Black or Afr. Am./Non-Hisp	593	417,793	61	7.2	04.8-09.6	532	92.8	90.4-95.2
Oth. Race/Non-Hisp.	168	102,882	21	10.3	05.0-15.6	147	89.7	84.4-95.0
MultiRacial/Non-Hisp.	115	45,692	20	18.1	09.7-26.5	95	81.9	73.5-90.3
Hispanic	308	259,912	5	1.4	00.0-03.0	303	98.6	97.0-0100
18-24	538	683,012	7	1.5	00.3-02.7	531	98.5	97.3-99.7
25-34	914	809,778	21	1.9	00.9-02.9	893	98.1	97.1-99.1
35-44	1237	816,847	64	5.6	04.0-07.2	1173	94.4	92.8-96.0
45-54	1776	890,704	177	10.3	08.5-12.1	1599	89.7	87.9-91.5
55-64	2255	808,826	276	12.1	10.3-13.9	1979	87.9	86.1-89.7
65+	3466	919,340	489	14.4	13.0-15.8	2977	85.6	84.2-87.0
Less Than H.S.	931	698,947	205	15.5	13.0-18.0	726	84.5	82.0-87.0
H.S. or G.E.D.	3767	1,725,833	447	8.7	07.7-09.7	3320	91.3	90.3-92.3
Some Post-H.S.	2616	1,500,872	274	7.3	06.3-08.3	2342	92.7	91.7-93.7
College Graduate	2941	1,021,810	112	2.7	02.1-03.3	2829	97.3	96.7-97.9
Less than \$15,000	1078	497,655	262	18.7	15.8-21.6	816	81.3	78.4-84.2
\$15,000- 24,999	1744	806,908	264	12.0	10.2-13.8	1480	88.0	86.2-89.8
\$25,000- 34,999	1128	525,985	117	8.7	06.9-10.5	1011	91.3	89.5-93.1
\$35,000- 49,999	1343	650,027	110	6.6	05.0-08.2	1233	93.4	91.8-95.0
\$50,000- 74,999	1345	673,336	76	5.2	03.6-06.8	1269	94.8	93.2-96.4
\$75,000+	2060	1,070,347	56	2.6	01.8-03.4	2004	97.4	96.6-98.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4254	2,411,205	356	6.8	05.8-07.8	3898	93.2	92.2-94.2
White/Non-Hisp	3676	1,954,304	309	7.0	06.0-08.0	3367	93.0	92.0-94.0
Black or Afr. Am./Non-Hisp	213	196,396	15	5.3	02.2-08.4	198	94.7	91.6-97.8
Oth. Race/Non-Hisp.	81	55,762	9	7.6	01.5-13.7	72	92.4	86.3-98.5
MultiRacial/Non-Hisp.	56	25,600	11	18.9	06.9-30.9	45	81.1	69.1-93.1
Hispanic	137	129,960	2	1.6	00.0-04.3	135	98.4	95.7-0100
18-24	282	349,904	4	1.5	00.0-03.3	278	98.5	96.7-0100
25-34	403	405,806	10	2.4	00.6-04.2	393	97.6	95.8-99.4
35-44	518	409,134	17	3.7	01.5-05.9	501	96.3	94.1-98.5
45-54	830	441,199	63	7.7	05.5-09.9	767	92.3	90.1-94.5
55-64	933	396,905	102	11.8	09.3-14.3	831	88.2	85.7-90.7
65+	1258	398,208	160	13.1	10.7-15.5	1098	86.9	84.5-89.3
Less Than H.S.	391	355,895	68	13.4	09.5-17.3	323	86.6	82.7-90.5
H.S. or G.E.D.	1503	841,034	148	7.0	05.6-08.4	1355	93.0	91.6-94.4
Some Post-H.S.	1020	692,868	99	6.6	05.0-08.2	921	93.4	91.8-95.0
College Graduate	1323	512,663	40	2.1	01.3-02.9	1283	97.9	97.1-98.7
Less than \$15,000	367	196,861	77	16.2	11.5-20.9	290	83.8	79.1-88.5
\$15,000- 24,999	610	335,351	85	11.6	08.7-14.5	525	88.4	85.5-91.3
\$25,000- 34,999	483	270,640	58	8.6	06.1-11.1	425	91.4	88.9-93.9
\$35,000- 49,999	619	359,838	39	4.9	03.1-06.7	580	95.1	93.3-96.9
\$50,000- 74,999	618	354,865	34	5.8	03.3-08.3	584	94.2	91.7-96.7
\$75,000+	1055	591,379	24	2.1	01.1-03.1	1031	97.9	96.9-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6028	2,548,259	685	9.2	08.4-10.0	5343	90.8	90.0-91.6
White/Non-Hisp	5254	2,096,258	603	9.4	08.4-10.4	4651	90.6	89.6-91.6
Black or Afr. Am./Non-Hisp	380	221,397	46	8.9	05.8-12.0	334	91.1	88.0-94.2
Oth. Race/Non-Hisp.	87	47,120	12	13.4	04.8-22.0	75	86.6	78.0-95.2
MultiRacial/Non-Hisp.	59	20,092	9	17.1	05.5-28.7	50	82.9	71.3-94.5
Hispanic	171	129,952	3	1.1	00.0-02.9	168	98.9	97.1-0100
18-24	256	333,108	3	1.4	00.0-03.2	253	98.6	96.8-0100
25-34	511	403,972	11	1.3	00.5-02.1	500	98.7	97.9-99.5
35-44	719	407,714	47	7.5	05.1-09.9	672	92.5	90.1-94.9
45-54	946	449,505	114	12.9	10.2-15.6	832	87.1	84.4-89.8
55-64	1322	411,920	174	12.5	10.3-14.7	1148	87.5	85.3-89.7
65+	2208	521,132	329	15.4	13.4-17.4	1879	84.6	82.6-86.6
Less Than H.S.	540	343,052	137	17.8	14.1-21.5	403	82.2	78.5-85.9
H.S. or G.E.D.	2264	884,799	299	10.4	08.8-12.0	1965	89.6	88.0-91.2
Some Post-H.S.	1596	808,004	175	7.8	06.4-09.2	1421	92.2	90.8-93.6
College Graduate	1618	509,147	72	3.2	02.2-04.2	1546	96.8	95.8-97.8
Less than \$15,000	711	300,794	185	20.4	16.5-24.3	526	79.6	75.7-83.5
\$15,000- 24,999	1134	471,557	179	12.3	09.9-14.7	955	87.7	85.3-90.1
\$25,000- 34,999	645	255,345	59	8.8	06.3-11.3	586	91.2	88.7-93.7
\$35,000- 49,999	724	290,189	71	8.6	06.2-11.0	653	91.4	89.0-93.8
\$50,000- 74,999	727	318,472	42	4.6	03.0-06.2	685	95.4	93.8-97.0
\$75,000+	1005	478,968	32	3.2	01.8-04.6	973	96.8	95.4-98.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10269	4,949,004	3778	28.0	27.0-29.0	6491	72.0	71.0-73.0
Male	4252	2,406,812	1262	23.8	22.2-25.4	2990	76.2	74.6-77.8
Female	6017	2,542,192	2516	32.0	30.6-33.4	3501	68.0	66.6-69.4
White/Non-Hisp	8919	4,040,601	3366	29.3	28.1-30.5	5553	70.7	69.5-71.9
Black or Afr. Am./Non-Hisp	590	415,259	191	25.4	21.1-29.7	399	74.6	70.3-78.9
Oth. Race/Non-Hisp.	169	103,485	53	22.3	15.0-29.6	116	77.7	70.4-85.0
MultiRacial/Non-Hisp.	116	46,119	64	40.2	29.0-51.4	52	59.8	48.6-71.0
Hispanic	312	265,809	48	12.3	08.2-16.4	264	87.7	83.6-91.8
18-24	537	679,959	17	4.2	01.8-06.6	520	95.8	93.4-98.2
25-34	917	814,383	95	10.1	07.9-12.3	822	89.9	87.7-92.1
35-44	1233	812,805	211	17.6	15.1-20.1	1022	82.4	79.9-84.9
45-54	1765	886,559	543	31.4	28.9-33.9	1222	68.6	66.1-71.1
55-64	2251	805,780	964	41.8	39.3-44.3	1287	58.2	55.7-60.7
65+	3469	918,399	1914	54.9	52.9-56.9	1555	45.1	43.1-47.1
Less Than H.S.	930	697,961	416	33.1	29.4-36.8	514	66.9	63.2-70.6
H.S. or G.E.D.	3767	1,723,880	1565	31.3	29.5-33.1	2202	68.7	66.9-70.5
Some Post-H.S.	2607	1,494,656	973	27.4	25.4-29.4	1634	72.6	70.6-74.6
College Graduate	2938	1,020,504	817	19.7	18.1-21.3	2121	80.3	78.7-81.9
Less than \$15,000	1076	494,687	539	35.8	32.1-39.5	537	64.2	60.5-67.9
\$15,000- 24,999	1750	812,224	800	34.3	31.4-37.2	950	65.7	62.8-68.6
\$25,000- 34,999	1128	525,031	456	31.3	28.0-34.6	672	68.7	65.4-72.0
\$35,000- 49,999	1339	648,158	471	27.3	24.6-30.0	868	72.7	70.0-75.4
\$50,000- 74,999	1341	671,925	415	24.6	21.9-27.3	926	75.4	72.7-78.1
\$75,000+	2052	1,066,891	482	20.3	18.1-22.5	1570	79.7	77.5-81.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4252	2,406,812	1262	23.8	22.2-25.4	2990	76.2	74.6-77.8
White/Non-Hisp	3674	1,951,351	1124	25.0	23.4-26.6	2550	75.0	73.4-76.6
Black or Afr. Am./Non-Hisp	210	193,785	51	20.8	13.9-27.7	159	79.2	72.3-86.1
Oth. Race/Non-Hisp.	83	56,641	17	14.1	05.5-22.7	66	85.9	77.3-94.5
MultiRacial/Non-Hisp.	56	25,600	29	40.3	24.8-55.8	27	59.7	44.2-75.2
Hispanic	140	134,058	17	11.7	05.4-18.0	123	88.3	82.0-94.6
18-24	283	349,189	8	4.8	01.1-08.5	275	95.2	91.5-98.9
25-34	406	409,607	36	8.9	05.8-12.0	370	91.1	88.0-94.2
35-44	516	406,082	73	14.1	10.6-17.6	443	85.9	82.4-89.4
45-54	827	440,613	209	26.1	22.6-29.6	618	73.9	70.4-77.4
55-64	932	395,441	368	41.1	37.4-44.8	564	58.9	55.2-62.6
65+	1258	395,831	562	46.0	42.7-49.3	696	54.0	50.7-57.3
Less Than H.S.	391	354,551	139	29.6	24.1-35.1	252	70.4	64.9-75.9
H.S. or G.E.D.	1504	840,133	495	24.2	21.8-26.6	1009	75.8	73.4-78.2
Some Post-H.S.	1018	691,003	332	25.6	22.5-28.7	686	74.4	71.3-77.5
College Graduate	1322	512,379	292	16.5	14.3-18.7	1030	83.5	81.3-85.7
Less than \$15,000	366	194,930	161	34.8	28.7-40.9	205	65.2	59.1-71.3
\$15,000- 24,999	618	341,100	222	28.0	23.7-32.3	396	72.0	67.7-76.3
\$25,000- 34,999	484	269,779	155	24.9	20.4-29.4	329	75.1	70.6-79.6
\$35,000- 49,999	615	356,810	188	23.4	19.7-27.1	427	76.6	72.9-80.3
\$50,000- 74,999	617	354,722	162	22.4	18.5-26.3	455	77.6	73.7-81.5
\$75,000+	1048	588,388	240	20.9	17.8-24.0	808	79.1	76.0-82.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6017	2,542,192	2516	32.0	30.6-33.4	3501	68.0	66.6-69.4
White/Non-Hisp	5245	2,089,250	2242	33.3	31.7-34.9	3003	66.7	65.1-68.3
Black or Afr. Am./Non-Hisp	380	221,474	140	29.5	24.0-35.0	240	70.5	65.0-76.0
Oth. Race/Non-Hisp.	86	46,844	36	32.2	19.9-44.5	50	67.8	55.5-80.1
MultiRacial/Non-Hisp.	60	20,519	35	40.0	23.9-56.1	25	60.0	43.9-76.1
Hispanic	172	131,752	31	12.9	07.6-18.2	141	87.1	81.8-92.4
18-24	254	330,770	9	3.6	01.2-06.0	245	96.4	94.0-98.8
25-34	511	404,776	59	11.3	08.2-14.4	452	88.7	85.6-91.8
35-44	717	406,723	138	21.1	17.4-24.8	579	78.9	75.2-82.6
45-54	938	445,946	334	36.7	33.0-40.4	604	63.3	59.6-67.0
55-64	1319	410,339	596	42.5	39.4-45.6	723	57.5	54.4-60.6
65+	2211	522,567	1352	61.6	59.1-64.1	859	38.4	35.9-40.9
Less Than H.S.	539	343,410	277	36.7	31.6-41.8	262	63.3	58.2-68.4
H.S. or G.E.D.	2263	883,747	1070	37.9	35.4-40.4	1193	62.1	59.6-64.6
Some Post-H.S.	1589	803,653	641	29.0	26.5-31.5	948	71.0	68.5-73.5
College Graduate	1616	508,125	525	23.0	20.8-25.2	1091	77.0	74.8-79.2
Less than \$15,000	710	299,757	378	36.4	31.7-41.1	332	63.6	58.9-68.3
\$15,000- 24,999	1132	471,124	578	38.9	35.2-42.6	554	61.1	57.4-64.8
\$25,000- 34,999	644	255,252	301	38.1	33.4-42.8	343	61.9	57.2-66.6
\$35,000- 49,999	724	291,348	283	32.0	27.7-36.3	441	68.0	63.7-72.3
\$50,000- 74,999	724	317,203	253	27.0	23.3-30.7	471	73.0	69.3-76.7
\$75,000+	1004	478,503	242	19.6	16.9-22.3	762	80.4	77.7-83.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 28: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10289	4,959,962	2062	19.5	18.5-20.5	8227	80.5	79.5-81.5
Male	4262	2,414,705	575	13.1	11.7-14.5	3687	86.9	85.5-88.3
Female	6027	2,545,257	1487	25.7	24.1-27.3	4540	74.3	72.7-75.9
White/Non-Hisp	8932	4,047,498	1826	20.5	19.3-21.7	7106	79.5	78.3-80.7
Black or Afr. Am./Non-Hisp	593	416,822	99	13.3	10.0-16.6	494	86.7	83.4-90.0
Oth. Race/Non-Hisp.	169	103,087	33	15.9	09.4-22.4	136	84.1	77.6-90.6
MultiRacial/Non-Hisp.	116	46,119	32	28.8	18.2-39.4	84	71.2	60.6-81.8
Hispanic	311	264,487	40	11.8	07.7-15.9	271	88.2	84.1-92.3
18-24	540	683,244	90	17.9	14.0-21.8	450	82.1	78.2-86.0
25-34	909	807,131	191	20.1	17.2-23.0	718	79.9	77.0-82.8
35-44	1231	812,214	263	20.3	17.8-22.8	968	79.7	77.2-82.2
45-54	1774	891,414	406	21.4	19.0-23.8	1368	78.6	76.2-81.0
55-64	2256	810,397	552	22.1	20.1-24.1	1704	77.9	75.9-79.9
65+	3482	924,443	551	15.9	14.3-17.5	2931	84.1	82.5-85.7
Less Than H.S.	936	705,143	253	24.6	21.1-28.1	683	75.4	71.9-78.9
H.S. or G.E.D.	3766	1,721,858	755	18.8	17.2-20.4	3011	81.2	79.6-82.8
Some Post-H.S.	2624	1,502,663	560	20.7	18.7-22.7	2064	79.3	77.3-81.3
College Graduate	2936	1,018,297	491	15.6	14.0-17.2	2445	84.4	82.8-86.0
Less than \$15,000	1077	497,604	393	33.4	29.5-37.3	684	66.6	62.7-70.5
\$15,000- 24,999	1756	814,387	439	25.3	22.4-28.2	1317	74.7	71.8-77.6
\$25,000- 34,999	1127	524,182	228	19.5	16.6-22.4	899	80.5	77.6-83.4
\$35,000- 49,999	1347	650,611	240	17.3	14.8-19.8	1107	82.7	80.2-85.2
\$50,000- 74,999	1345	673,468	233	15.9	13.4-18.4	1112	84.1	81.6-86.6
\$75,000+	2057	1,068,117	252	12.9	10.9-14.9	1805	87.1	85.1-89.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4262	2,414,705	575	13.1	11.7-14.5	3687	86.9	85.5-88.3
White/Non-Hisp	3679	1,955,241	501	13.5	12.1-14.9	3178	86.5	85.1-87.9
Black or Afr. Am./Non-Hisp	214	196,616	24	8.7	03.6-13.8	190	91.3	86.2-96.4
Oth. Race/Non-Hisp.	83	56,641	12	12.2	03.8-20.6	71	87.8	79.4-96.2
MultiRacial/Non-Hisp.	56	25,600	13	22.4	09.7-35.1	43	77.6	64.9-90.3
Hispanic	139	132,096	10	7.6	02.5-12.7	129	92.4	87.3-97.5
18-24	284	350,845	29	11.4	06.7-16.1	255	88.6	83.9-93.3
25-34	403	405,964	53	13.5	09.8-17.2	350	86.5	82.8-90.2
35-44	516	407,133	60	11.4	08.3-14.5	456	88.6	85.5-91.7
45-54	829	442,116	124	13.6	10.9-16.3	705	86.4	83.7-89.1
55-64	933	398,513	157	15.4	12.7-18.1	776	84.6	81.9-87.3
65+	1267	400,085	149	12.7	10.3-15.1	1118	87.3	84.9-89.7
Less Than H.S.	394	359,431	66	14.8	10.3-19.3	328	85.2	80.7-89.7
H.S. or G.E.D.	1504	839,742	221	13.1	10.9-15.3	1283	86.9	84.7-89.1
Some Post-H.S.	1025	694,311	150	14.6	11.9-17.3	875	85.4	82.7-88.1
College Graduate	1322	512,476	136	9.7	07.7-11.7	1186	90.3	88.3-92.3
Less than \$15,000	367	197,942	110	27.7	21.6-33.8	257	72.3	66.2-78.4
\$15,000- 24,999	617	339,347	116	16.3	12.6-20.0	501	83.7	80.0-87.4
\$25,000- 34,999	485	270,780	73	13.6	10.1-17.1	412	86.4	82.9-89.9
\$35,000- 49,999	620	359,463	73	11.1	08.2-14.0	547	88.9	86.0-91.8
\$50,000- 74,999	617	354,716	57	9.1	06.0-12.2	560	90.9	87.8-94.0
\$75,000+	1056	591,928	87	9.6	07.1-12.1	969	90.4	87.9-92.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6027	2,545,257	1487	25.7	24.1-27.3	4540	74.3	72.7-75.9
White/Non-Hisp	5253	2,092,257	1325	27.1	25.3-28.9	3928	72.9	71.1-74.7
Black or Afr. Am./Non-Hisp	379	220,206	75	17.5	13.0-22.0	304	82.5	78.0-87.0
Oth. Race/Non-Hisp.	86	46,446	21	20.3	10.1-30.5	65	79.7	69.5-89.9
MultiRacial/Non-Hisp.	60	20,519	19	36.9	20.0-53.8	41	63.1	46.2-80.0
Hispanic	172	132,391	30	16.0	09.7-22.3	142	84.0	77.7-90.3
18-24	256	332,399	61	24.6	18.5-30.7	195	75.4	69.3-81.5
25-34	506	401,167	138	26.7	22.2-31.2	368	73.3	68.8-77.8
35-44	715	405,080	203	29.2	25.3-33.1	512	70.8	66.9-74.7
45-54	945	449,298	282	29.1	25.6-32.6	663	70.9	67.4-74.4
55-64	1323	411,883	395	28.5	25.6-31.4	928	71.5	68.6-74.4
65+	2215	524,358	402	18.4	16.4-20.4	1813	81.6	79.6-83.6
Less Than H.S.	542	345,712	187	34.8	29.3-40.3	355	65.2	59.7-70.7
H.S. or G.E.D.	2262	882,116	534	24.2	21.8-26.6	1728	75.8	73.4-78.2
Some Post-H.S.	1599	808,352	410	25.9	23.0-28.8	1189	74.1	71.2-77.0
College Graduate	1614	505,821	355	21.6	19.1-24.1	1259	78.4	75.9-80.9
Less than \$15,000	710	299,662	283	37.2	32.1-42.3	427	62.8	57.7-67.9
\$15,000- 24,999	1139	475,041	323	31.6	27.7-35.5	816	68.4	64.5-72.3
\$25,000- 34,999	642	253,402	155	25.9	21.4-30.4	487	74.1	69.6-78.6
\$35,000- 49,999	727	291,148	167	25.0	20.9-29.1	560	75.0	70.9-79.1
\$50,000- 74,999	728	318,752	176	23.5	19.6-27.4	552	76.5	72.6-80.4
\$75,000+	1001	476,189	165	17.0	13.9-20.1	836	83.0	79.9-86.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10306	4,972,983	360	2.5	02.1-02.9	9946	97.5	97.1-97.9
Male	4267	2,416,959	135	2.3	01.9-02.7	4132	97.7	97.3-98.1
Female	6039	2,556,024	225	2.7	02.3-03.1	5814	97.3	96.9-97.7
White/Non-Hisp	8948	4,058,585	312	2.5	02.1-02.9	8636	97.5	97.1-97.9
Black or Afr. Am./Non-Hisp	595	418,674	25	3.2	01.4-05.0	570	96.8	95.0-98.6
Oth. Race/Non-Hisp.	170	103,762	6	2.6	00.0-05.5	164	97.4	94.5-0100
MultiRacial/Non-Hisp.	116	46,119	10	4.5	01.0-08.0	106	95.5	92.0-99.0
Hispanic	311	264,210	5	1.0	00.0-02.0	306	99.0	98.0-0100
18-24	542	685,201	2	0.3	00.0-00.7	540	99.7	99.3-0100
25-34	917	813,881	8	0.6	00.2-01.0	909	99.4	99.0-99.8
35-44	1235	816,387	11	1.2	00.4-02.0	1224	98.8	98.0-99.6
45-54	1773	890,564	42	2.4	01.4-03.4	1731	97.6	96.6-98.6
55-64	2263	812,331	80	3.5	02.5-04.5	2183	96.5	95.5-97.5
65+	3479	923,499	216	6.2	05.2-07.2	3263	93.8	92.8-94.8
Less Than H.S.	933	703,788	48	3.5	02.1-04.9	885	96.5	95.1-97.9
H.S. or G.E.D.	3776	1,728,784	142	2.6	02.0-03.2	3634	97.4	96.8-98.0
Some Post-H.S.	2624	1,504,705	87	2.3	01.7-02.9	2537	97.7	97.1-98.3
College Graduate	2946	1,023,704	82	1.9	01.3-02.5	2864	98.1	97.5-98.7
Less than \$15,000	1082	499,991	69	4.4	03.0-05.8	1013	95.6	94.2-97.0
\$15,000- 24,999	1756	814,003	83	3.4	02.4-04.4	1673	96.6	95.6-97.6
\$25,000- 34,999	1129	525,614	52	3.4	02.4-04.4	1077	96.6	95.6-97.6
\$35,000- 49,999	1346	651,722	34	1.8	01.0-02.6	1312	98.2	97.4-99.0
\$50,000- 74,999	1343	673,268	32	1.9	01.1-02.7	1311	98.1	97.3-98.9
\$75,000+	2061	1,071,474	36	1.5	00.9-02.1	2025	98.5	97.9-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4267	2,416,959	135	2.3	01.9-02.7	4132	97.7	97.3-98.1
White/Non-Hisp	3687	1,958,946	118	2.2	01.8-02.6	3569	97.8	97.4-98.2
Black or Afr. Am./Non-Hisp	214	196,616	12	4.7	01.4-08.0	202	95.3	92.0-98.6
Oth. Race/Non-Hisp.	83	56,641	2	1.3	00.0-03.3	81	98.7	96.7-0100
MultiRacial/Non-Hisp.	56	25,600	1	1.4	00.0-04.1	55	98.6	95.9-0100
Hispanic	138	130,962	2	1.2	00.0-03.0	136	98.8	97.0-0100
18-24	285	351,432	1	0.4	00.0-01.2	284	99.6	98.8-0100
25-34	404	406,511	1	0.1	00.0-00.3	403	99.9	99.7-0100
35-44	517	408,966	4	1.4	00.0-02.8	513	98.6	97.2-0100
45-54	827	440,904	16	2.1	00.9-03.3	811	97.9	96.7-99.1
55-64	937	399,580	30	3.2	01.8-04.6	907	96.8	95.4-98.2
65+	1267	399,518	83	6.3	04.7-07.9	1184	93.7	92.1-95.3
Less Than H.S.	392	357,218	16	3.4	01.2-05.6	376	96.6	94.4-98.8
H.S. or G.E.D.	1508	842,520	49	2.0	01.4-02.6	1459	98.0	97.4-98.6
Some Post-H.S.	1024	694,956	33	2.3	01.3-03.3	991	97.7	96.7-98.7
College Graduate	1326	513,520	36	1.8	01.0-02.6	1290	98.2	97.4-99.0
Less than \$15,000	366	197,586	21	5.2	02.3-08.1	345	94.8	91.9-97.7
\$15,000- 24,999	615	338,089	25	3.0	01.2-04.8	590	97.0	95.2-98.8
\$25,000- 34,999	487	271,039	23	3.0	01.6-04.4	464	97.0	95.6-98.4
\$35,000- 49,999	619	359,210	17	1.9	00.9-02.9	602	98.1	97.1-99.1
\$50,000- 74,999	618	354,893	16	1.9	00.9-02.9	602	98.1	97.1-99.1
\$75,000+	1056	592,506	23	1.7	00.9-02.5	1033	98.3	97.5-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6039	2,556,024	225	2.7	02.3-03.1	5814	97.3	96.9-97.7
White/Non-Hisp	5261	2,099,639	194	2.8	02.2-03.4	5067	97.2	96.6-97.8
Black or Afr. Am./Non-Hisp	381	222,058	13	1.9	00.7-03.1	368	98.1	96.9-99.3
Oth. Race/Non-Hisp.	87	47,120	4	4.2	00.0-10.1	83	95.8	89.9-0100
MultiRacial/Non-Hisp.	60	20,519	9	8.3	01.0-15.6	51	91.7	84.4-99.0
Hispanic	173	133,248	3	0.9	00.0-02.1	170	99.1	97.9-0100
18-24	257	333,769	1	0.3	00.0-00.9	256	99.7	99.1-0100
25-34	513	407,370	7	1.2	00.2-02.2	506	98.8	97.8-99.8
35-44	718	407,421	7	1.0	00.0-02.0	711	99.0	98.0-0100
45-54	946	449,660	26	2.7	01.3-04.1	920	97.3	95.9-98.7
55-64	1326	412,751	50	3.7	02.5-04.9	1276	96.3	95.1-97.5
65+	2212	523,981	133	6.0	04.8-07.2	2079	94.0	92.8-95.2
Less Than H.S.	541	346,570	32	3.6	02.0-05.2	509	96.4	94.8-98.0
H.S. or G.E.D.	2268	886,265	93	3.1	02.3-03.9	2175	96.9	96.1-97.7
Some Post-H.S.	1600	809,749	54	2.4	01.6-03.2	1546	97.6	96.8-98.4
College Graduate	1620	510,183	46	2.0	01.2-02.8	1574	98.0	97.2-98.8
Less than \$15,000	716	302,405	48	3.9	02.5-05.3	668	96.1	94.7-97.5
\$15,000- 24,999	1141	475,914	58	3.7	02.5-04.9	1083	96.3	95.1-97.5
\$25,000- 34,999	642	254,574	29	3.9	02.3-05.5	613	96.1	94.5-97.7
\$35,000- 49,999	727	292,512	17	1.7	00.7-02.7	710	98.3	97.3-99.3
\$50,000- 74,999	725	318,376	16	1.8	00.4-03.2	709	98.2	96.8-99.6
\$75,000+	1005	478,968	13	1.2	00.4-02.0	992	98.8	98.0-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 34: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10325	4,975,811	1468	11.0	10.2-11.8	85	0.9	0.7-01.1	8637	87.2	86.4-88.0	135	1.0	0.8-01.2
Male	4275	2,418,229	641	11.7	10.5-12.9				3585	87.5	86.3-88.7	49	0.8	0.6-01.0
Female	6050	2,557,582	827	10.3	09.5-11.1	85	1.7	01.3-02.1	5052	86.9	85.9-87.9	86	1.1	0.7-01.5
White/Non-Hisp	8963	4,059,981	1266	10.8	10.0-11.6	75	0.9	0.7-01.1	7507	87.3	86.5-88.1	115	0.9	0.7-01.1
Black or Afr. Am./Non-Hisp	595	418,674	109	13.9	10.8-17.0	2	0.3	0.0-00.9	478	84.5	81.2-87.8	6	1.3	0.1-02.5
Oth. Race/Non-Hisp.	170	103,762	24	12.6	06.7-18.5	3	1.9	0.0-04.6	142	85.3	79.0-91.6	1	0.3	0.0-00.9
MultiRacial/Non-Hisp.	116	46,119	18	11.7	04.8-18.6				95	87.4	80.5-94.3	3	0.8	0.0-01.8
Hispanic	312	265,344	31	8.8	05.3-12.3	5	0.6	0.0-01.2	273	89.5	85.8-93.2	3	1.1	0.0-02.5
18-24	542	685,201	5	1.3	0.0-02.7	3	0.7	0.0-01.5	532	97.8	96.2-99.4	2	0.2	0.0-00.6
25-34	917	814,060	12	1.4	0.0-02.2	18	1.7	0.9-02.5	881	96.2	94.8-97.6	6	0.7	0.1-01.3
35-44	1237	816,847	66	5.1	03.7-06.5	22	1.3	0.7-01.9	1140	93.1	91.5-94.7	9	0.6	0.2-01.0
45-54	1780	892,857	213	11.8	10.0-13.6	18	0.8	0.4-01.2	1527	86.2	84.2-88.2	22	1.2	0.6-01.8
55-64	2259	809,949	383	18.5	16.5-20.5	13	0.4	0.2-00.6	1834	80.1	78.1-82.1	29	0.9	0.5-01.3
65+	3493	925,778	776	24.2	22.4-26.0	10	0.3	0.1-00.5	2642	73.4	71.6-75.2	65	2.1	0.1-02.7
Less Than H.S.	938	705,984	171	13.3	10.9-15.7	4	0.6	0.0-01.4	742	84.3	81.6-87.0	21	1.8	0.8-02.8
H.S. or G.E.D.	3782	1,728,601	607	11.6	10.4-12.8	25	0.7	0.3-01.1	3100	86.8	85.6-88.0	50	0.9	0.5-01.3
Some Post-H.S.	2628	1,505,169	392	11.7	10.3-13.1	29	1.1	0.7-01.5	2173	86.3	84.7-87.9	34	0.9	0.5-01.3
College Graduate	2949	1,024,011	295	7.3	06.3-08.3	27	1.0	0.6-01.4	2597	91.0	89.8-92.2	30	0.7	0.3-01.1
Less than \$15,000	1083	500,866	210	13.5	11.0-16.0	10	1.1	0.3-01.9	841	83.7	81.0-86.4	22	1.7	0.7-02.7
\$15,000- 24,999	1757	813,744	308	13.6	11.6-15.6	14	0.9	0.3-01.5	1406	84.3	82.3-86.3	29	1.1	0.5-01.7
\$25,000- 34,999	1132	526,577	184	12.5	10.3-14.7	8	0.7	0.1-01.3	923	85.4	83.0-87.8	17	1.3	0.5-02.1
\$35,000- 49,999	1349	652,759	199	11.4	09.4-13.4	7	0.5	0.1-00.9	1116	86.5	84.5-88.5	27	1.6	0.8-02.4
\$50,000- 74,999	1348	674,437	159	10.0	08.2-11.8	12	0.8	0.2-01.4	1165	88.7	86.7-90.7	12	0.6	0.2-01.0
\$75,000+	2061	1,071,129	176	7.3	05.9-08.7	19	0.8	0.2-01.4	1859	91.7	90.3-93.1	7	0.2	0.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 35: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4275	2,418,229	641	11.7	10.5-12.9	3585	87.5	86.3-88.7	49	0.8	00.6-01.0
White/Non-Hisp	3691	1,958,782	555	11.4	10.2-12.6	3096	87.8	86.6-89.0	40	0.8	00.4-01.2
Black or Afr. Am./Non-Hisp	214	196,616	39	14.0	09.1-18.9	172	84.7	79.6-89.8	3	1.3	00.0-02.9
Oth. Race/Non-Hisp.	83	56,641	13	12.6	05.0-20.2	70	87.4	79.8-95.0			
MultiRacial/Non-Hisp.	56	25,600	6	11.6	01.2-22.0	49	88.0	77.6-98.4	1	0.4	00.0-01.2
Hispanic	139	132,096	18	13.2	06.7-19.7	120	86.2	79.7-92.7	1	0.5	00.0-01.5
18-24	285	351,432	2	1.7	00.0-04.1	282	98.0	95.6-0100	1	0.3	00.0-00.9
25-34	404	406,690	6	1.4	00.0-02.8	397	98.4	97.0-99.8	1	0.2	00.0-00.6
35-44	518	409,134	24	4.6	02.4-06.8	491	94.9	92.7-97.1	3	0.5	00.0-01.1
45-54	833	443,090	102	13.0	10.3-15.7	720	85.9	83.0-88.8	11	1.2	00.4-02.0
55-64	935	397,904	169	20.3	17.2-23.4	756	78.9	75.6-82.2	10	0.9	00.3-01.5
65+	1270	399,931	332	27.8	24.9-30.7	915	70.3	67.2-73.4	23	1.9	00.9-02.9
Less Than H.S.	393	358,617	70	13.3	09.6-17.0	318	85.7	81.8-89.6	5	1.0	00.0-02.0
H.S. or G.E.D.	1510	841,346	235	10.7	09.1-12.3	1253	88.4	86.8-90.0	22	0.9	00.5-01.3
Some Post-H.S.	1027	695,779	177	14.1	11.7-16.5	839	85.0	82.5-87.5	11	0.9	00.3-01.5
College Graduate	1327	513,696	157	8.9	07.3-10.5	1159	90.5	88.7-92.3	11	0.5	00.1-00.9
Less than \$15,000	368	198,536	69	13.6	09.5-17.7	293	84.4	79.9-88.9	6	2.0	00.0-04.0
\$15,000- 24,999	616	337,830	113	15.4	12.1-18.7	497	84.2	80.9-87.5	6	0.4	00.0-00.8
\$25,000- 34,999	487	271,231	83	11.7	08.8-14.6	398	87.3	84.2-90.4	6	1.0	00.0-02.0
\$35,000- 49,999	622	360,359	105	12.6	09.9-15.3	503	85.8	82.9-88.7	14	1.6	00.6-02.6
\$50,000- 74,999	620	355,685	85	11.7	09.0-14.4	530	87.8	84.9-90.7	5	0.5	00.0-01.1
\$75,000+	1056	592,161	107	8.3	06.3-10.3	945	91.5	89.5-93.5	4	0.2	00.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 36: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6050	2,557,582	827	10.3	09.5-11.1	85	1.7	01.3-02.1	5052	86.9	85.9-87.9	86	1.1	00.7-01.5
White/Non-Hisp	5272	2,101,198	711	10.3	09.3-11.3	75	1.8	01.2-02.4	4411	86.8	85.6-88.0	75	1.1	00.7-01.5
Black or Afr. Am./Non-Hisp	381	222,058	70	13.8	09.9-17.7	2	0.6	00.0-01.6	306	84.3	80.0-88.6	3	1.4	00.0-03.2
Oth. Race/Non-Hisp.	87	47,120	11	12.6	03.6-21.6	3	4.1	00.0-10.0	72	82.7	72.3-93.1	1	0.6	00.0-01.8
MultiRacial/Non-Hisp.	60	20,519	12	11.9	03.5-20.3				46	86.8	78.0-95.6	2	1.3	00.0-03.3
Hispanic	173	133,248	13	4.3	01.6-07.0	5	1.2	00.2-02.2	153	92.8	89.1-96.5	2	1.7	00.0-04.1
18-24	257	333,769	3	0.9	00.0-02.1	3	1.4	00.0-03.0	250	97.5	95.5-99.5	1	0.2	00.0-00.6
25-34	513	407,370	6	1.3	00.1-02.5	18	3.4	01.6-05.2	484	94.1	91.7-96.5	5	1.2	00.0-02.4
35-44	719	407,714	42	5.5	03.5-07.5	22	2.6	01.2-04.0	649	91.3	88.9-93.7	6	0.6	00.0-01.2
45-54	947	449,767	111	10.7	08.3-13.1	18	1.6	00.8-02.4	807	86.6	84.1-89.1	11	1.1	00.3-01.9
55-64	1324	412,044	214	16.8	14.3-19.3	13	0.9	00.3-01.5	1078	81.3	78.8-83.8	19	1.0	00.4-01.6
65+	2223	525,847	444	21.5	19.3-23.7	10	0.5	00.1-00.9	1727	75.8	73.4-78.2	42	2.3	01.3-03.3
Less Than H.S.	545	347,367	101	13.2	10.1-16.3	4	1.2	00.0-02.8	424	82.9	79.2-86.6	16	2.7	01.1-04.3
H.S. or G.E.D.	2272	887,255	372	12.5	10.9-14.1	25	1.4	00.8-02.0	1847	85.2	83.4-87.0	28	0.9	00.5-01.3
Some Post-H.S.	1601	809,389	215	9.6	08.0-11.2	29	2.1	01.3-02.9	1334	87.4	85.6-89.2	23	0.9	00.5-01.3
College Graduate	1622	510,315	138	5.7	04.5-06.9	27	1.9	01.1-02.7	1438	91.5	89.9-93.1	19	0.9	00.3-01.5
Less than \$15,000	715	302,330	141	13.4	10.3-16.5	10	1.9	00.5-03.3	548	83.2	79.9-86.5	16	1.5	00.5-02.5
\$15,000- 24,999	1141	475,914	195	12.4	10.2-14.6	14	1.6	00.6-02.6	909	84.5	82.0-87.0	23	1.6	00.6-02.6
\$25,000- 34,999	645	255,345	101	13.4	10.3-16.5	8	1.5	00.1-02.9	525	83.4	79.9-86.9	11	1.7	00.5-02.9
\$35,000- 49,999	727	292,400	94	9.9	07.5-12.3	7	1.1	00.1-02.1	613	87.3	84.6-90.0	13	1.6	00.6-02.6
\$50,000- 74,999	728	318,752	74	8.1	05.9-10.3	12	1.7	00.5-02.9	635	89.6	87.1-92.1	7	0.6	00.2-01.0
\$75,000+	1005	478,968	69	6.0	04.2-07.8	19	1.8	00.6-03.0	914	92.1	89.9-94.3	3	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHAT IS YOUR AGE? (AGE)	
1	MALES AND FEMALES	88
2	MALES ONLY	89
3	FEMALES ONLY	90
	ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISpanC3)	
4	MALES AND FEMALES	91
5	MALES ONLY	92
6	FEMALES ONLY	93
	WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)	
7	MALES AND FEMALES	94
8	MALES ONLY	95
9	FEMALES ONLY	96
	WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)	
10	MALES AND FEMALES	97
11	MALES ONLY	98
12	FEMALES ONLY	99
	HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
13	MALES AND FEMALES	100
14	MALES ONLY	101
15	FEMALES ONLY	102
	ARE YOU: (MARITAL STATUS) (MARITAL)	
16	MALES AND FEMALES	103
17	MALES ONLY	104
18	FEMALES ONLY	105
	HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
19	MALES AND FEMALES	106
20	MALES ONLY	107
21	FEMALES ONLY	108

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
22 MALES AND FEMALES	109
23 MALES ONLY	110
24 FEMALES ONLY	111
ARE YOU CURRENTLY...? (EMPLOY1)	
25 MALES AND FEMALES	112
26 MALES ONLY	113
27 FEMALES ONLY	114
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
28 MALES AND FEMALES	115
29 MALES ONLY	116
30 FEMALES ONLY	117
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
31 MALES AND FEMALES	118
32 MALES ONLY	119
33 FEMALES ONLY	120
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
34 MALES AND FEMALES	121
35 MALES ONLY	122
36 FEMALES ONLY	123
WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)	
37 MALES AND FEMALES	124
38 MALES ONLY	125
39 FEMALES ONLY	126
WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
40 MALES AND FEMALES	127
41 MALES ONLY	128
42 FEMALES ONLY	129

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
43 MALES AND FEMALES	130
44 MALES ONLY	131
45 FEMALES ONLY	132
HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
46 MALES AND FEMALES	133
DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)	
47 FEMALES ONLY	134
THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)	
52 MALES AND FEMALES	139
53 MALES ONLY	140
54 FEMALES ONLY	141
HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)	
55 MALES AND FEMALES	142
56 MALES ONLY	143
57 FEMALES ONLY	144
DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
58 MALES AND FEMALES	145
59 MALES ONLY	146
60 FEMALES ONLY	147
INDICATE SEX OF RESPONDENT. (SEX)	
61 MALES AND FEMALES	148
62 MALES ONLY	149
63 FEMALES ONLY	150
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
64 MALES AND FEMALES	151
65 MALES ONLY	152
66 FEMALES ONLY	153
ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
67 MALES AND FEMALES	154
68 MALES ONLY	155
69 FEMALES ONLY	156
DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
70 MALES AND FEMALES	157
71 MALES ONLY	158
72 FEMALES ONLY	159
ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
73 MALES AND FEMALES	160
74 MALES ONLY	161
75 FEMALES ONLY	162
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	
76 MALES AND FEMALES	163
77 MALES ONLY	164
78 FEMALES ONLY	165
DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	
79 MALES AND FEMALES	166
80 MALES ONLY	167
81 FEMALES ONLY	168
DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	
82 MALES AND FEMALES	169
83 MALES ONLY	170
84 FEMALES ONLY	171
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	
85 MALES AND FEMALES	172
86 MALES ONLY	173
87 FEMALES ONLY	174

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
TOTAL	10241	4,951,968	542	13.8	12.6-15.0	919	16.5	15.3-17.7	1237	16.5	15.5-17.5	1781	18.0	17.0-19.0	2265	16.4	15.6-17.2	3497	18.7	17.9-19.5
Male	4254	2,414,484	285	14.6	12.8-16.4	406	17.0	15.4-18.6	518	16.9	15.3-18.5	834	18.4	17.0-19.8	938	16.6	15.4-17.8	1273	16.6	15.6-17.6
Female	5987	2,537,484	257	13.2	11.6-14.8	513	16.1	14.7-17.5	719	16.1	14.9-17.3	947	17.7	16.5-18.9	1327	16.3	15.3-17.3	2224	20.7	19.7-21.7
White/Non-Hisp	8907	4,044,155	413	12.7	11.5-13.9	714	15.2	14.0-16.4	1004	15.7	14.7-16.7	1523	18.4	17.4-19.4	2022	17.5	16.7-18.3	3231	20.5	19.7-21.3
Black or Afr. Am./Non-Hisp	590	416,920	50	19.0	13.9-24.1	75	19.5	14.6-24.4	84	16.6	12.5-20.7	125	17.9	14.4-21.4	130	14.5	11.4-17.6	126	12.4	09.7-15.1
Oth. Race/Non-Hisp.	167	102,566	17	20.3	10.9-29.7	33	23.5	15.7-31.3	29	19.8	12.2-27.4	25	14.0	07.5-20.5	26	10.9	05.8-16.0	37	11.4	06.9-15.9
MultiRacial/Non-Hisp.	113	45,546	12	26.5	13.6-39.4	6	6.4	01.3-11.5	10	10.4	03.1-17.7	32	24.7	15.5-33.9	31	20.3	10.9-29.7	22	11.7	05.2-18.2
Hispanic	313	267,306	45	19.9	14.4-25.4	78	30.3	24.2-36.4	90	27.3	21.6-33.0	52	13.0	09.1-16.9	27	5.7	03.2-08.2	21	3.8	01.6-06.0
Less Than H.S.	937	706,444	64	16.4	12.5-20.3	88	17.5	13.8-21.2	105	16.5	13.2-19.8	133	14.9	12.2-17.6	172	13.9	11.5-16.3	375	20.8	18.3-23.3
H.S. or G.E.D.	3761	1,723,187	218	15.3	13.3-17.3	221	12.1	10.5-13.7	323	13.7	12.1-15.3	629	18.8	17.2-20.4	838	17.4	16.0-18.8	1532	22.8	21.4-24.2
Some Post-H.S.	2601	1,495,458	180	16.8	14.4-19.2	247	16.7	14.5-18.9	340	16.9	15.1-18.7	465	17.7	15.9-19.5	621	16.7	15.1-18.3	748	15.2	13.8-16.6
College Graduate	2922	1,017,283	78	5.3	04.1-06.5	361	23.0	20.8-25.2	469	20.9	18.9-22.9	552	19.5	17.7-21.3	631	16.1	14.7-17.5	831	15.2	14.0-16.4
Less than \$15,000	1082	500,523	83	18.6	14.9-22.3	117	20.1	16.2-24.0	111	15.2	12.1-18.3	180	16.1	13.4-18.8	262	15.4	12.9-17.9	329	14.6	12.4-16.8
\$15,000- 24,999	1752	815,467	98	14.3	11.4-17.2	160	18.3	15.4-21.2	166	14.5	12.1-16.9	244	15.4	13.2-17.6	301	12.6	10.8-14.4	783	24.9	22.7-27.1
\$25,000- 34,999	1129	525,585	58	12.7	09.4-16.0	110	20.3	16.6-24.0	103	12.8	10.1-15.5	155	14.4	12.0-16.8	209	14.1	11.9-16.3	494	25.7	23.0-28.4
\$35,000- 49,999	1347	652,343	53	9.9	07.2-12.6	134	17.3	14.4-20.2	151	15.9	13.2-18.6	211	16.4	13.9-18.9	324	19.6	17.1-22.1	474	20.8	18.6-23.0
\$50,000- 74,999	1341	671,358	40	8.1	05.4-10.8	128	16.5	13.6-19.4	197	19.7	16.8-22.6	271	21.5	18.8-24.2	366	19.8	17.4-22.2	339	14.3	12.5-16.1
\$75,000+	2050	1,067,537	69	10.3	07.8-12.8	175	13.6	11.4-15.8	415	24.5	22.1-26.9	531	24.6	22.4-26.8	541	18.8	17.0-20.6	319	8.3	07.3-09.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Male	4254	2,414,484	285	14.6	12.8-16.4	406	17.0	15.4-18.6	518	16.9	15.3-18.5	834	18.4	17.0-19.8	938	16.6	15.4-17.8	1273	16.6	15.6-17.6
White/Non-Hisp	3679	1,956,096	221	13.4	11.6-15.2	319	16.0	14.2-17.8	426	16.1	14.5-17.7	719	18.9	17.3-20.5	832	17.5	16.1-18.9	1162	18.1	16.9-19.3
Black or Afr. Am./Non-Hisp	214	196,616	24	21.5	13.3-29.7	25	18.1	10.7-25.5	28	17.0	09.9-24.1	46	16.7	11.6-21.8	48	15.8	10.7-20.9	43	10.9	07.0-14.8
Oth. Race/Non-Hisp.	82	56,188	10	21.4	09.2-33.6	19	27.8	16.0-39.6	12	17.8	07.2-28.4	12	11.9	04.6-19.2	11	8.7	02.6-14.8	18	12.4	05.7-19.1
MultiRacial/Non-Hisp.	55	25,334	4	19.9	02.7-37.1	3	6.2	00.0-13.3	4	10.5	00.0-21.1	19	27.3	14.2-40.4	14	23.7	09.0-38.4	11	12.3	02.7-21.9
Hispanic	140	134,058	24	19.3	11.9-26.7	31	26.9	18.3-35.5	40	30.3	21.5-39.1	23	14.0	07.7-20.3	15	6.4	02.7-10.1	7	3.0	00.1-05.9
Less Than H.S.	395	360,932	36	17.6	12.1-23.1	35	14.7	09.8-19.6	48	17.5	12.6-22.4	63	16.3	12.0-20.6	79	15.6	11.7-19.5	134	18.3	14.6-22.0
H.S. or G.E.D.	1511	843,345	122	16.6	13.7-19.5	108	13.9	11.4-16.4	151	15.6	12.9-18.3	324	20.1	17.7-22.5	316	15.5	13.5-17.5	490	18.3	16.3-20.3
Some Post-H.S.	1018	692,398	89	17.8	14.3-21.3	109	18.4	15.1-21.7	134	16.6	13.9-19.3	184	15.9	13.4-18.4	246	17.5	15.1-19.9	256	13.7	11.7-15.7
College Graduate	1317	510,595	36	4.6	03.0-06.2	153	21.8	18.7-24.9	185	19.5	16.8-22.2	261	20.4	17.9-22.9	296	17.7	15.5-19.9	386	16.1	14.3-17.9
Less than \$15,000	368	198,467	32	16.2	10.7-21.7	37	17.5	11.8-23.2	37	16.6	10.9-22.3	83	19.7	15.0-24.4	103	19.9	15.2-24.6	76	10.2	07.1-13.3
\$15,000- 24,999	619	341,631	37	11.8	07.9-15.7	62	18.9	14.2-23.6	57	14.6	10.5-18.7	105	17.6	13.9-21.3	109	13.9	10.8-17.0	249	23.2	19.7-26.7
\$25,000- 34,999	487	270,986	36	15.5	10.4-20.6	60	24.4	18.9-29.9	45	11.9	08.0-15.8	75	12.8	09.7-15.9	73	11.0	08.1-13.9	198	24.3	20.4-28.2
\$35,000- 49,999	620	359,807	32	10.8	06.9-14.7	64	17.9	13.6-22.2	67	15.9	12.0-19.8	105	17.2	13.5-20.9	137	18.9	15.4-22.4	215	19.3	16.4-22.2
\$50,000- 74,999	618	355,124	22	8.5	04.6-12.4	61	17.5	13.0-22.0	80	19.1	14.8-23.4	133	21.4	17.5-25.3	164	18.8	15.7-21.9	158	14.6	11.9-17.3
\$75,000+	1050	590,519	49	12.4	08.9-15.9	76	11.8	09.1-14.5	196	24.3	20.8-27.8	265	23.1	20.2-26.0	271	18.7	16.2-21.2	193	9.7	08.1-11.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 3: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Female	5987	2,537,484	257	13.2	11.6-14.8	513	16.1	14.7-17.5	719	16.1	14.9-17.3	947	17.7	16.5-18.9	1327	16.3	15.3-17.3	2224	20.7	19.7-21.7
White/Non-Hisp	5228	2,088,058	192	12.0	10.2-13.8	395	14.6	13.2-16.0	578	15.2	13.8-16.6	804	18.0	16.6-19.4	1190	17.4	16.2-18.6	2069	22.8	21.6-24.0
Black or Afr. Am./Non-Hisp	376	220,304	26	16.7	10.4-23.0	50	20.9	14.4-27.4	56	16.3	11.6-21.0	79	18.9	14.2-23.6	82	13.5	10.0-17.0	83	13.7	10.0-17.4
Oth. Race/Non-Hisp.	85	46,378	7	19.0	04.5-33.5	14	18.4	08.4-28.4	17	22.3	11.3-33.3	13	16.5	05.5-27.5	15	13.6	05.2-22.0	19	10.2	04.1-16.3
MultiRacial/Non-Hisp.	58	20,212	8	34.9	15.7-54.1	3	6.5	00.0-14.1	6	10.2	01.0-19.4	13	21.4	08.3-34.5	17	16.0	05.8-26.2	11	11.0	02.8-19.2
Hispanic	173	133,248	21	20.5	12.5-28.5	47	33.7	25.1-42.3	50	24.2	16.9-31.5	29	12.1	07.2-17.0	12	5.0	01.9-08.1	14	4.6	01.5-07.7
Less Than H.S.	542	345,513	28	15.1	09.8-20.4	53	20.4	14.9-25.9	57	15.4	11.3-19.5	70	13.4	09.9-16.9	93	12.1	09.2-15.0	241	23.5	19.8-27.2
H.S. or G.E.D.	2250	879,842	96	14.0	11.3-16.7	113	10.4	08.4-12.4	172	11.8	09.8-13.8	305	17.5	15.3-19.7	522	19.1	17.3-20.9	1042	27.1	25.1-29.1
Some Post-H.S.	1583	803,060	91	15.9	12.8-19.0	138	15.2	12.7-17.7	206	17.1	14.7-19.5	281	19.3	16.9-21.7	375	16.0	14.0-18.0	492	16.5	14.7-18.3
College Graduate	1605	506,688	42	6.0	04.0-08.0	208	24.2	21.3-27.1	284	22.3	19.8-24.8	291	18.7	16.5-20.9	335	14.5	12.7-16.3	445	14.3	12.7-15.9
Less than \$15,000	714	302,055	51	20.2	15.1-25.3	80	21.9	16.6-27.2	74	14.3	10.6-18.0	97	13.7	10.6-16.8	159	12.4	09.9-14.9	253	17.5	14.6-20.4
\$15,000- 24,999	1133	473,836	61	16.1	12.2-20.0	98	17.8	14.3-21.3	109	14.5	11.6-17.4	139	13.7	11.0-16.4	192	11.7	09.5-13.9	534	26.1	23.2-29.0
\$25,000- 34,999	642	254,599	22	9.8	05.7-13.9	50	15.8	11.3-20.3	58	13.8	09.9-17.7	80	16.0	12.3-19.7	136	17.4	14.1-20.7	296	27.2	23.5-30.9
\$35,000- 49,999	727	292,536	21	8.8	04.7-12.9	70	16.6	12.7-20.5	84	15.9	12.2-19.6	106	15.4	12.1-18.7	187	20.6	17.3-23.9	259	22.7	19.4-26.0
\$50,000- 74,999	723	316,234	18	7.6	03.9-11.3	67	15.3	11.6-19.0	117	20.5	16.8-24.2	138	21.6	17.7-25.5	202	21.0	17.7-24.3	181	14.0	11.6-16.4
\$75,000+	1000	477,018	20	7.6	04.1-11.1	99	15.8	12.7-18.9	219	24.7	21.4-28.0	266	26.4	23.1-29.7	270	19.0	16.5-21.5	126	6.6	05.2-08.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 4: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10243	4,938,450	224	4.1	03.5-04.7	23	0.3	00.1-00.5	4	0.1	00.1-00.1	65	1.0	00.8-01.2	3	0.0	00.0-00.0	9924	94.5	93.9-95.1
Male	4232	2,399,690	106	4.3	03.3-05.3	9	0.3	00.1-00.5	1	0.0	00.0-00.0	27	1.0	00.6-01.4				4089	94.3	93.3-95.3
Female	6011	2,538,761	118	3.8	03.0-04.6	14	0.4	00.2-00.6	3	0.1	00.0-00.3	38	1.0	00.6-01.4	3	0.1	00.1-00.1	5835	94.7	93.7-95.7
18-24	541	684,269	29	4.7	02.9-06.5	5	0.9	00.0-01.9	1	0.3	00.0-00.9	10	1.9	00.7-03.1	1	0.1	00.0-00.3	495	92.1	89.7-94.5
25-34	914	813,524	60	8.3	06.1-10.5				1	0.1	00.0-00.3	17	1.5	00.7-02.3				836	90.0	87.6-92.4
35-44	1225	805,727	65	6.8	04.8-08.8	7	0.4	00.0-00.8				17	1.8	00.8-02.8	1	0.0	00.0-00.0	1135	91.0	88.8-93.2
45-54	1768	885,548	38	2.9	01.9-03.9	5	0.4	00.0-00.8				10	0.7	00.1-01.3	1	0.1	00.0-00.3	1714	95.9	94.7-97.1
55-64	2246	806,516	17	1.4	00.6-02.2	4	0.2	00.0-00.4				7	0.4	00.2-00.6				2218	98.0	97.2-98.8
65+	3463	917,156	15	0.9	00.3-01.5	2	0.1	00.0-00.3	2	0.0	00.0-00.0	4	0.1	00.0-00.3				3440	98.8	98.2-99.4
Less Than H.S.	915	689,527	89	13.7	10.8-16.6	3	0.2	00.0-00.6	1	0.3	00.0-00.9	18	2.5	01.1-03.9				804	83.3	80.2-86.4
H.S. or G.E.D.	3758	1,720,954	77	4.0	03.0-05.0	5	0.2	00.0-00.4				16	0.8	00.4-01.2	1	0.1	00.0-00.3	3659	94.9	93.7-96.1
Some Post-H.S.	2614	1,498,585	32	1.7	01.1-02.3	7	0.5	00.1-00.9	1	0.1	00.0-00.3	11	0.6	00.2-01.0	1	0.0	00.0-00.0	2562	97.0	96.0-98.0
College Graduate	2931	1,017,752	26	1.0	00.6-01.4	8	0.3	00.1-00.5	2	0.0	00.0-00.0	20	1.0	00.4-01.6	1	0.0	00.0-00.0	2874	97.7	96.9-98.5
Less than \$15,000	1069	492,586	45	7.3	04.9-09.7	5	0.3	00.1-00.5	2	0.6	00.0-01.4	9	1.2	00.2-02.2				1008	90.6	87.9-93.3
\$15,000- 24,999	1741	807,073	60	7.8	05.6-10.0	5	0.5	00.0-01.1				20	2.2	01.0-03.4				1656	89.5	87.1-91.9
\$25,000- 34,999	1132	526,695	37	6.1	03.7-08.5	1	0.1	00.0-00.3	1	0.0	00.0-00.0	5	0.7	00.1-01.3				1088	93.1	90.7-95.5
\$35,000- 49,999	1343	650,837	21	2.7	01.5-03.9	3	0.3	00.0-00.7				8	0.7	00.1-01.3	1	0.0	00.0-00.0	1310	96.2	94.8-97.6
\$50,000- 74,999	1341	670,849	13	1.6	00.6-02.6	2	0.1	00.0-00.3				6	0.4	00.0-00.8	1	0.1	00.0-00.3	1319	97.7	96.5-98.9
\$75,000+	2058	1,068,611	21	1.2	00.6-01.8	3	0.3	00.0-00.7				10	0.8	00.2-01.4				2024	97.7	96.7-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4232	2,399,690	106	4.3	03.3-05.3	9	0.3	00.1-00.5	1	0.0	00.0-00.0	27	1.0	00.6-01.4	4089	94.3	93.3-95.3
18-24	285	351,432	20	5.8	03.1-08.5							4	1.6	00.0-03.2	261	92.6	89.5-95.7
25-34	403	407,634	23	7.2	04.3-10.1				1	0.2	00.0-00.6	7	1.4	00.2-02.6	372	91.2	88.1-94.3
35-44	513	404,522	28	7.2	04.3-10.1	3	0.6	00.0-01.4				9	2.2	00.6-03.8	473	89.9	86.6-93.2
45-54	824	437,117	20	3.4	01.6-05.2	3	0.7	00.0-01.7				1	0.4	00.0-01.2	800	95.5	93.3-97.7
55-64	926	395,577	10	1.7	00.5-02.9	2	0.2	00.0-00.4				4	0.4	00.0-00.8	910	97.7	96.3-99.1
65+	1254	394,839	5	0.8	00.0-01.8	1	0.2	00.0-00.6				2	0.2	00.0-00.6	1246	98.8	97.8-99.8
Less Than H.S.	380	348,489	40	13.0	08.7-17.3	2	0.4	00.0-01.0				6	2.3	00.3-04.3	332	84.3	79.8-88.8
H.S. or G.E.D.	1502	840,940	39	4.7	03.1-06.3	3	0.2	00.0-00.4				5	0.3	00.0-00.7	1455	94.8	93.2-96.4
Some Post-H.S.	1020	692,047	15	1.9	00.9-02.9	2	0.4	00.0-01.0	1	0.1	00.0-00.3	7	1.1	00.3-01.9	995	96.5	94.9-98.1
College Graduate	1314	509,629	12	1.2	00.4-02.0	2	0.3	00.0-00.7				9	1.1	00.3-01.9	1291	97.4	96.2-98.6
Less than \$15,000	360	192,521	18	8.8	04.5-13.1	1	0.1	00.0-00.3	1	0.5	00.0-01.5	5	1.9	00.1-03.7	335	88.7	84.0-93.4
\$15,000- 24,999	610	338,385	32	10.9	07.0-14.8	3	1.0	00.0-02.2				6	2.2	00.4-04.0	569	86.0	81.7-90.3
\$25,000- 34,999	488	271,639	18	6.0	02.7-09.3							1	0.3	00.0-00.9	469	93.6	90.3-96.9
\$35,000- 49,999	618	358,938	12	2.5	00.9-04.1	2	0.4	00.0-01.0				4	0.7	00.0-01.5	600	96.4	94.6-98.2
\$50,000- 74,999	616	354,099	7	2.3	00.5-04.1	1	0.2	00.0-00.6				2	0.3	00.0-00.7	606	97.2	95.2-99.2
\$75,000+	1053	589,643	8	0.9	00.1-01.7	1	0.2	00.0-00.6				5	0.8	00.0-01.6	1039	98.1	96.9-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6011	2,538,761	118	3.8	03.0-04.6	14	0.4	00.2-00.6	3	0.1	00.0-00.3	38	1.0	00.6-01.4	3	0.1	00.1-00.1	5835	94.7	93.7-95.7
18-24	256	332,837	9	3.5	01.1-05.9	5	1.9	00.1-03.7	1	0.5	00.0-01.5	6	2.2	00.2-04.2	1	0.3	00.0-00.9	234	91.5	87.8-95.2
25-34	511	405,891	37	9.5	06.4-12.6							10	1.6	00.4-02.8				464	88.9	85.6-92.2
35-44	712	401,205	37	6.5	04.1-08.9	4	0.1	00.0-00.3				8	1.4	00.2-02.6	1	0.0	00.0-00.0	662	92.0	89.5-94.5
45-54	944	448,431	18	2.4	01.2-03.6	2	0.1	00.0-00.3				9	1.0	00.2-01.8	1	0.1	00.0-00.3	914	96.3	94.9-97.7
55-64	1320	410,940	7	1.1	00.1-02.1	2	0.2	00.0-00.6				3	0.3	00.0-00.7				1308	98.4	97.4-99.4
65+	2209	522,318	10	1.0	00.2-01.8	1	0.1	00.0-00.3	2	0.1	00.0-00.3	2	0.1	00.0-00.3				2194	98.7	97.9-99.5
Less Than H.S.	535	341,038	49	14.4	10.3-18.5	1	0.1	00.0-00.3	1	0.5	00.0-01.5	12	2.6	00.8-04.4				472	82.3	77.8-86.8
H.S. or G.E.D.	2256	880,014	38	3.4	02.2-04.6	2	0.2	00.0-00.4				11	1.2	00.4-02.0	1	0.1	00.0-00.3	2204	95.1	93.7-96.5
Some Post-H.S.	1594	806,538	17	1.6	00.8-02.4	5	0.7	00.0-01.5				4	0.2	00.0-00.4	1	0.1	00.0-00.3	1567	97.4	96.2-98.6
College Graduate	1617	508,124	14	0.9	00.3-01.5	6	0.3	00.1-00.5	2	0.1	00.0-00.3	11	0.8	00.2-01.4	1	0.0	00.0-00.0	1583	97.9	97.1-98.7
Less than \$15,000	709	300,064	27	6.4	03.7-09.1	4	0.4	00.0-00.8	1	0.6	00.0-01.8	4	0.8	00.0-01.8				673	91.8	88.7-94.9
\$15,000- 24,999	1131	468,688	28	5.6	03.4-07.8	2	0.2	00.0-00.4				14	2.2	00.8-03.6				1087	92.0	89.5-94.5
\$25,000- 34,999	644	255,056	19	6.2	03.1-09.3	1	0.1	00.0-00.3	1	0.1	00.0-00.3	4	1.0	00.0-02.2				619	92.6	89.3-95.9
\$35,000- 49,999	725	291,899	9	3.0	01.0-05.0	1	0.2	00.0-00.6				4	0.8	00.0-01.6	1	0.1	00.0-00.3	710	96.0	93.8-98.2
\$50,000- 74,999	725	316,750	6	0.8	00.0-01.6	1	0.0	00.0-00.0				4	0.6	00.0-01.2	1	0.2	00.0-00.6	713	98.3	97.3-99.3
\$75,000+	1005	478,968	13	1.5	00.5-02.5	2	0.5	00.0-01.5				5	0.8	00.0-01.8				985	97.2	95.6-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Asian Only			Native Hawaiian Other Pacific Islander Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10161	4,865,135	9222	87.3	86.3-88.3	615	8.9	07.9-09.9	98	1.3	00.9-01.7	76	1.0	00.8-01.2	18	0.3	00.1-00.5	132	1.2	01.0-01.4
Male	4193	2,359,210	3811	87.2	85.6-88.8	225	8.7	07.3-10.1	46	1.4	00.8-02.0	41	1.1	00.7-01.5	7	0.3	00.1-00.5	63	1.3	00.9-01.7
Female	5968	2,505,925	5411	87.5	86.1-88.9	390	9.1	07.9-10.3	52	1.1	00.7-01.5	35	1.0	00.6-01.4	11	0.3	00.1-00.5	69	1.0	00.6-01.4
18-24	525	664,811	442	82.2	78.3-86.1	51	12.2	08.7-15.7	9	1.7	00.5-02.9	8	1.5	00.3-02.7	3	0.6	00.0-01.2	12	1.8	00.6-03.0
25-34	894	791,408	765	84.4	81.3-87.5	80	10.8	08.1-13.5	10	1.3	00.5-02.1	20	1.8	01.0-02.6	7	0.6	00.2-01.0	12	1.0	00.2-01.8
35-44	1201	787,513	1062	85.9	83.4-88.4	90	9.5	07.1-11.9	16	1.9	00.9-02.9	17	1.3	00.5-02.1	3	0.3	00.0-00.7	13	1.1	00.3-01.9
45-54	1755	880,141	1564	88.0	86.0-90.0	126	8.6	07.0-10.2	21	1.2	00.6-01.8	9	0.7	00.1-01.3	2	0.1	00.0-00.3	33	1.4	00.8-02.0
55-64	2245	803,180	2049	89.5	87.7-91.3	133	7.6	06.0-09.2	15	0.9	00.3-01.5	11	0.6	00.2-01.0	2	0.0	00.0-00.0	35	1.3	00.7-01.9
65+	3459	913,024	3270	92.4	91.0-93.8	129	5.8	04.6-07.0	27	0.9	00.5-01.3	8	0.4	00.2-00.6	1	0.0	00.0-00.0	24	0.6	00.2-01.0
Less Than H.S.	898	668,790	756	80.7	77.0-84.4	96	14.0	10.7-17.3	21	2.5	01.3-03.7	4	0.6	00.0-01.2	1	0.3	00.0-00.9	20	1.9	00.7-03.1
H.S. or G.E.D.	3729	1,693,232	3427	87.7	85.9-89.5	210	9.0	07.4-10.6	31	1.2	00.6-01.8	12	0.6	00.2-01.0	7	0.2	00.0-00.4	42	1.2	00.6-01.8
Some Post-H.S.	2590	1,479,515	2326	88.1	86.3-89.9	172	8.5	06.9-10.1	32	1.3	00.7-01.9	9	0.6	00.2-01.0	9	0.4	00.0-00.8	42	1.1	00.7-01.5
College Graduate	2920	1,012,336	2690	90.0	88.6-91.4	136	5.9	04.7-07.1	14	0.5	00.1-00.9	51	2.7	01.9-03.5	1	0.0	00.0-00.0	28	0.8	00.4-01.2
Less than \$15,000	1066	488,610	859	74.6	70.7-78.5	137	18.4	14.7-22.1	26	3.0	01.4-04.6	9	1.1	00.3-01.9	7	1.0	00.0-02.0	28	1.8	00.8-02.8
\$15,000- 24,999	1710	775,943	1490	80.8	77.9-83.7	148	13.6	11.1-16.1	31	2.7	01.5-03.9	10	1.3	00.3-02.3	3	0.1	00.0-00.3	28	1.6	00.8-02.4
\$25,000- 34,999	1121	518,324	1016	87.2	84.5-89.9	67	8.2	05.8-10.6	12	1.4	00.4-02.4	12	1.4	00.4-02.4	1	0.2	00.0-00.6	13	1.5	00.3-02.7
\$35,000- 49,999	1335	643,933	1244	91.9	89.9-93.9	65	5.8	04.2-07.4	5	0.7	00.0-01.5	3	0.2	00.0-00.4	2	0.3	00.0-00.7	16	1.2	00.4-02.0
\$50,000- 74,999	1338	669,506	1254	90.1	87.4-92.8	56	7.1	04.6-09.6	3	0.4	00.0-01.0	10	0.9	00.1-01.7	2	0.3	00.0-00.7	13	1.1	00.3-01.9
\$75,000+	2048	1,063,156	1929	92.4	90.6-94.2	69	5.0	03.4-06.6	10	0.6	00.2-01.0	24	1.3	00.7-01.9	3	0.2	00.0-00.4	13	0.5	00.1-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Asian Only			Native Hawaiian Other Pacific Islander Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4193	2,359,210	3811	87.2	85.6-88.8	225	8.7	07.3-10.1	46	1.4	00.8-02.0	41	1.1	00.7-01.5	7	0.3	00.1-00.5	63	1.3	00.9-01.7
18-24	276	340,785	235	81.4	75.7-87.1	25	12.9	07.6-18.2	7	2.6	00.4-04.8	4	1.3	00.1-02.5	1	0.4	00.0-01.2	4	1.5	00.0-03.1
25-34	392	393,691	341	85.9	81.6-90.2	27	9.4	05.5-13.3	3	1.0	00.0-02.2	14	2.6	01.0-04.2	3	0.6	00.0-01.4	4	0.6	00.0-01.2
35-44	502	394,229	448	85.6	81.3-89.9	32	9.2	05.5-12.9	6	1.9	00.3-03.5	8	1.3	00.3-02.3	1	0.2	00.0-00.6	7	1.7	00.1-03.3
45-54	821	436,853	738	88.5	86.0-91.0	47	7.7	05.3-10.1	11	1.3	00.5-02.1	4	0.4	00.0-00.8	1	0.2	00.0-00.6	20	1.8	00.8-02.8
55-64	927	394,074	849	88.9	86.2-91.6	50	8.0	05.5-10.5	8	0.9	00.1-01.7	4	0.6	00.0-01.2	1	0.1	00.0-00.3	15	1.6	00.4-02.8
65+	1253	392,183	1180	91.8	89.6-94.0	44	5.6	03.6-07.6	11	1.1	00.3-01.9	6	0.6	00.0-01.2				12	0.9	00.3-01.5
Less Than H.S.	373	338,037	309	79.5	74.0-85.0	39	15.2	10.1-20.3	15	3.3	01.1-05.5							10	2.0	00.4-03.6
H.S. or G.E.D.	1492	828,675	1376	88.7	86.2-91.2	68	7.6	05.2-10.0	17	1.7	00.7-02.7	3	0.2	00.0-00.4	3	0.3	00.0-00.7	25	1.6	00.8-02.4
Some Post-H.S.	1006	678,519	905	87.8	85.1-90.5	64	8.8	06.3-11.3	9	0.9	00.1-01.7	5	0.8	00.0-01.6	3	0.5	00.0-01.1	20	1.3	00.7-01.9
College Graduate	1307	505,668	1206	88.8	86.4-91.2	54	6.0	04.2-07.8	5	0.5	00.0-01.1	33	4.0	02.4-05.6	1	0.1	00.0-00.3	8	0.7	00.1-01.3
Less than \$15,000	360	192,222	289	75.4	69.3-81.5	38	15.7	10.2-21.2	16	5.2	01.9-08.5	5	1.6	00.0-03.2	3	0.9	00.0-02.1	9	1.3	00.3-02.3
\$15,000- 24,999	595	319,517	515	78.6	73.7-83.5	56	16.0	11.5-20.5	10	2.9	00.7-05.1	4	0.8	00.0-01.6				10	1.7	00.5-02.9
\$25,000- 34,999	483	267,971	435	87.7	83.8-91.6	22	6.1	03.2-09.0	7	1.6	00.2-03.0	8	1.9	00.3-03.5	1	0.4	00.0-01.2	10	2.3	00.3-04.3
\$35,000- 49,999	612	354,039	578	93.0	90.5-95.5	20	4.6	02.4-06.8	3	0.8	00.0-01.8	1	0.1	00.0-00.3	1	0.3	00.0-00.9	9	1.2	00.2-02.2
\$50,000- 74,999	615	352,647	573	87.6	83.1-92.1	25	8.9	04.6-13.2	2	0.8	00.0-02.0	7	1.1	00.3-01.9	1	0.4	00.0-01.2	7	1.3	00.1-02.5
\$75,000+	1049	587,170	986	91.8	89.3-94.3	38	5.6	03.2-08.0	2	0.2	00.0-00.6	13	1.5	00.5-02.5	1	0.2	00.0-00.6	9	0.7	00.1-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Asian Only			Native Hawaiian Other Pacific Islander Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5968	2,505,925	5411	87.5	86.1-88.9	390	9.1	07.9-10.3	52	1.1	00.7-01.5	35	1.0	00.6-01.4	11	0.3	00.1-00.5	69	1.0	00.6-01.4
18-24	249	324,026	207	83.2	77.9-88.5	26	11.4	06.9-15.9	2	0.8	00.0-02.0	4	1.7	00.0-03.9	2	0.7	00.0-01.9	8	2.2	00.6-03.8
25-34	502	397,717	424	82.9	78.6-87.2	53	12.3	08.4-16.2	7	1.6	00.4-02.8	6	1.1	00.1-02.1	4	0.5	00.0-01.1	8	1.5	00.1-02.9
35-44	699	393,284	614	86.2	83.1-89.3	58	9.8	07.1-12.5	10	1.8	00.6-03.0	9	1.3	00.3-02.3	2	0.4	00.0-01.0	6	0.5	00.0-01.1
45-54	934	443,288	826	87.5	84.8-90.2	79	9.4	07.0-11.8	10	1.0	00.2-01.8	5	1.0	00.0-02.2	1	0.1	00.0-00.3	13	1.0	00.4-01.6
55-64	1318	409,105	1200	90.1	87.9-92.3	83	7.3	05.5-09.1	7	0.9	00.1-01.7	7	0.7	00.1-01.3	1	0.0	00.0-00.0	20	1.0	00.4-01.6
65+	2206	520,841	2090	92.8	91.2-94.4	85	5.9	04.3-07.5	16	0.7	00.3-01.1	2	0.2	00.0-00.6	1	0.0	00.0-00.0	12	0.4	00.0-00.8
Less Than H.S.	525	330,754	447	81.8	76.9-86.7	57	12.9	08.6-17.2	6	1.6	00.2-03.0	4	1.3	00.0-02.7	1	0.6	00.0-01.6	10	1.9	00.3-03.5
H.S. or G.E.D.	2237	864,557	2051	86.8	84.4-89.2	142	10.4	08.2-12.6	14	0.8	00.4-01.2	9	0.9	00.1-01.7	4	0.1	00.0-00.3	17	0.9	00.3-01.5
Some Post-H.S.	1584	800,996	1421	88.3	86.1-90.5	108	8.2	06.4-10.0	23	1.6	00.8-02.4	4	0.5	00.0-01.1	6	0.4	00.0-00.8	22	1.0	00.4-01.6
College Graduate	1613	506,668	1484	91.2	89.4-93.0	82	5.8	04.4-07.2	9	0.6	00.0-01.2	18	1.5	00.7-02.3				20	0.8	00.4-01.2
Less than \$15,000	706	296,387	570	74.1	68.8-79.4	99	20.3	15.2-25.4	10	1.6	00.2-03.0	4	0.7	00.0-01.5	4	1.1	00.0-02.5	19	2.2	00.8-03.6
\$15,000- 24,999	1115	456,425	975	82.4	78.9-85.9	92	11.8	08.9-14.7	21	2.5	01.1-03.9	6	1.6	00.0-03.2	3	0.1	00.0-00.3	18	1.5	00.3-02.7
\$25,000- 34,999	638	250,353	581	86.6	82.7-90.5	45	10.5	07.0-14.0	5	1.2	00.0-02.4	4	0.9	00.0-01.9				3	0.7	00.0-01.5
\$35,000- 49,999	723	289,894	666	90.5	87.8-93.2	45	7.2	04.8-09.6	2	0.6	00.0-01.6	2	0.2	00.0-00.6	1	0.3	00.0-00.9	7	1.3	00.3-02.3
\$50,000- 74,999	723	316,859	681	93.0	90.3-95.7	31	5.2	02.8-07.6	1	0.0	00.0-00.0	3	0.8	00.0-02.2	1	0.2	00.0-00.6	6	0.9	00.0-01.9
\$75,000+	999	475,986	943	93.2	90.8-95.6	31	4.3	02.1-06.5	8	1.0	00.2-01.8	11	1.0	00.4-01.6	2	0.3	00.0-00.7	4	0.2	00.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White			Black or African American			Am. Indian or Alaskan Native			Asian			Pacific Islanders			Other		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	104	39,320	73	61.1	48.2-74.0	12	19.4	07.4-31.4	16	17.4	08.6-26.2	1	0.6	00.0-01.8	1	1.4	00.0-04.1	1	0.2	00.0-00.6	
Female	56	18,386	39	58.9	39.7-78.1	8	25.9	06.9-44.9	8	14.8	04.0-25.6							1	0.4	00.0-01.2	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2013

SECTION 8: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2013

SECTION 8: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		Black or African American			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	56	18,386	39	58.9	39.7-78.1	8	25.9	06.7-45.1	8	14.8	04.8-24.8	1	0.4	00.0-01.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 13: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10323	4,978,682	1168	9.6	09.0-10.2	9155	90.4	89.8-91.0
Male	4273	2,421,059	1097	18.7	17.3-20.1	3176	81.3	79.9-82.7
Female	6050	2,557,622	71	1.0	00.8-01.2	5979	99.0	98.8-99.2
18-24	542	685,201	11	1.4	00.4-02.4	531	98.6	97.6-99.6
25-34	919	816,977	37	4.9	03.1-06.7	882	95.1	93.3-96.9
35-44	1236	816,639	76	7.2	05.4-09.0	1160	92.8	91.0-94.6
45-54	1778	891,757	139	7.9	06.3-09.5	1639	92.1	90.5-93.7
55-64	2261	811,201	242	12.3	10.5-14.1	2019	87.7	85.9-89.5
65+	3491	926,078	655	21.5	19.7-23.3	2836	78.5	76.7-80.3
Less Than H.S.	939	707,683	77	5.9	04.3-07.5	862	94.1	92.5-95.7
H.S. or G.E.D.	3780	1,729,459	448	10.5	09.3-11.7	3332	89.5	88.3-90.7
Some Post-H.S.	2629	1,505,756	320	10.8	09.4-12.2	2309	89.2	87.8-90.6
College Graduate	2949	1,024,090	320	9.1	07.9-10.3	2629	90.9	89.7-92.1
Less than \$15,000	1085	500,216	90	6.1	04.3-07.9	995	93.9	92.1-95.7
\$15,000- 24,999	1759	817,408	197	9.1	07.5-10.7	1562	90.9	89.3-92.5
\$25,000- 34,999	1131	526,515	155	11.4	09.2-13.6	976	88.6	86.4-90.8
\$35,000- 49,999	1347	651,440	195	12.7	10.7-14.7	1152	87.3	85.3-89.3
\$50,000- 74,999	1348	674,437	169	11.2	09.2-13.2	1179	88.8	86.8-90.8
\$75,000+	2061	1,071,334	215	9.5	07.9-11.1	1846	90.5	88.9-92.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 14: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4273	2,421,059	1097	18.7	17.3-20.1	3176	81.3	79.9-82.7
18-24	285	351,432	11	2.7	00.9-04.5	274	97.3	95.5-99.1
25-34	406	409,607	34	9.2	05.9-12.5	372	90.8	87.5-94.1
35-44	518	409,134	65	13.2	09.9-16.5	453	86.8	83.5-90.1
45-54	831	441,990	121	13.8	11.1-16.5	710	86.2	83.5-88.9
55-64	936	398,809	220	23.1	20.0-26.2	716	76.9	73.8-80.0
65+	1268	400,330	638	49.1	45.8-52.4	630	50.9	47.6-54.2
Less Than H.S.	395	360,616	76	11.6	08.5-14.7	319	88.4	85.3-91.5
H.S. or G.E.D.	1507	842,206	432	20.8	18.4-23.2	1075	79.2	76.8-81.6
Some Post-H.S.	1027	695,779	290	21.2	18.5-23.9	737	78.8	76.1-81.5
College Graduate	1328	514,021	296	16.9	14.7-19.1	1032	83.1	80.9-85.3
Less than \$15,000	368	197,736	81	14.5	10.0-19.0	287	85.5	81.0-90.0
\$15,000- 24,999	619	341,674	185	20.6	16.9-24.3	434	79.4	75.7-83.1
\$25,000- 34,999	487	271,469	148	21.5	17.4-25.6	339	78.5	74.4-82.6
\$35,000- 49,999	619	358,804	188	22.0	18.5-25.5	431	78.0	74.5-81.5
\$50,000- 74,999	620	355,685	157	19.8	16.3-23.3	463	80.2	76.7-83.7
\$75,000+	1057	592,612	199	15.8	13.3-18.3	858	84.2	81.7-86.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 15: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6050	2,557,622	71	1.0	00.8-01.2	5979	99.0	98.8-99.2
18-24	257	333,769				257	100.0	0100-0100
25-34	513	407,370	3	0.5	00.0-01.1	510	99.5	98.9-0100
35-44	718	407,505	11	1.2	00.4-02.0	707	98.8	98.0-99.6
45-54	947	449,767	18	2.0	01.0-03.0	929	98.0	97.0-99.0
55-64	1325	412,392	22	1.8	00.8-02.8	1303	98.2	97.2-99.2
65+	2223	525,748	17	0.6	00.2-01.0	2206	99.4	99.0-99.8
Less Than H.S.	544	347,067	1	0.0	00.0-00.0	543	100.0	0100-0100
H.S. or G.E.D.	2273	887,253	16	0.6	00.2-01.0	2257	99.4	99.0-99.8
Some Post-H.S.	1602	809,976	30	1.8	01.0-02.6	1572	98.2	97.4-99.0
College Graduate	1621	510,069	24	1.3	00.7-01.9	1597	98.7	98.1-99.3
Less than \$15,000	717	302,480	9	0.7	00.1-01.3	708	99.3	98.7-99.9
\$15,000- 24,999	1140	475,735	12	0.8	00.2-01.4	1128	99.2	98.6-99.8
\$25,000- 34,999	644	255,046	7	0.7	00.1-01.3	637	99.3	98.7-99.9
\$35,000- 49,999	728	292,636	7	1.2	00.2-02.2	721	98.8	97.8-99.8
\$50,000- 74,999	728	318,752	12	1.7	00.7-02.7	716	98.3	97.3-99.3
\$75,000+	1004	478,722	16	1.6	00.6-02.6	988	98.4	97.4-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10265	4,953,280	5397	53.4	52.0-54.8	1552	12.5	11.7-13.3	1524	7.1	06.7-07.5	144	1.5	01.1-01.9	1417	21.9	20.7-23.1	231	3.6	03.0-04.2
Male	4247	2,407,040	2471	54.6	52.6-56.6	582	11.7	10.5-12.9	312	3.7	03.1-04.3	52	1.2	00.8-01.6	735	24.9	22.9-26.9	95	3.7	02.7-04.7
Female	6018	2,546,240	2926	52.2	50.4-54.0	970	13.3	12.1-14.5	1212	10.3	09.5-11.1	92	1.7	01.3-02.1	682	19.1	17.5-20.7	136	3.5	02.7-04.3
White/Non-Hisp	8927	4,047,733	4873	56.8	55.4-58.2	1317	12.5	11.7-13.3	1400	7.5	06.9-08.1	90	1.1	00.7-01.5	1080	19.3	17.9-20.7	167	2.8	02.2-03.4
Black or Afr. Am./Non-Hisp	591	416,040	182	28.4	24.1-32.7	123	15.2	11.7-18.7	59	6.4	04.4-08.4	31	3.3	01.9-04.7	180	41.7	36.0-47.4	16	5.0	02.1-07.9
Oth. Race/Non-Hisp.	169	103,690	75	47.3	37.9-56.7	24	9.8	05.3-14.3	18	3.8	01.6-06.0	4	3.0	00.0-06.3	46	35.3	25.7-44.9	2	0.9	00.0-02.3
MultiRacial/Non-Hisp.	115	44,966	54	49.9	37.7-62.1	30	17.3	09.7-24.9	10	3.7	00.8-06.6	2	2.7	00.0-07.6	18	25.6	13.6-37.6	1	0.8	00.0-02.4
Hispanic	309	265,547	145	46.1	39.6-52.6	28	6.4	03.3-09.5	12	3.2	01.0-05.4	14	4.3	01.8-06.8	71	25.8	20.1-31.5	39	14.1	09.4-18.8
18-24	539	681,855	42	7.3	04.9-09.7	7	1.4	00.2-02.6				3	0.5	00.0-01.1	449	83.9	80.6-87.2	38	6.9	04.5-09.3
25-34	914	812,595	439	48.2	44.5-51.9	77	8.8	06.6-11.0				21	2.1	00.9-03.3	312	32.9	29.4-36.4	65	8.0	05.8-10.2
35-44	1230	812,027	799	64.4	61.1-67.7	190	15.1	12.6-17.6	16	1.4	00.6-02.2	32	2.1	01.1-03.1	153	12.9	10.5-15.3	40	4.1	02.5-05.7
45-54	1771	889,247	1089	67.1	64.6-69.6	361	18.3	16.1-20.5	50	2.5	01.5-03.5	34	1.7	00.9-02.5	189	8.1	06.7-09.5	48	2.3	01.5-03.1
55-64	2252	808,570	1370	67.4	65.0-69.8	468	17.7	15.7-19.7	181	6.5	05.3-07.7	35	1.9	01.1-02.7	175	5.5	04.3-06.7	23	1.0	00.6-01.4
65+	3481	924,265	1613	56.7	54.7-58.7	445	11.8	10.4-13.2	1258	28.1	26.3-29.9	19	0.5	00.3-00.7	129	2.4	01.8-03.0	17	0.5	00.3-00.7
Less Than H.S.	932	703,636	368	40.7	36.6-44.8	179	16.4	13.5-19.3	189	8.9	07.1-10.7	30	3.3	01.7-04.9	133	25.5	21.2-29.8	33	5.2	03.2-07.2
H.S. or G.E.D.	3767	1,721,727	1851	51.9	49.7-54.1	550	11.6	10.2-13.0	739	9.3	08.5-10.1	50	1.4	01.0-01.8	509	22.9	20.7-25.1	68	2.9	02.1-03.7
Some Post-H.S.	2609	1,495,691	1302	50.4	47.9-52.9	470	14.2	12.6-15.8	342	5.9	05.1-06.7	42	1.3	00.7-01.9	377	23.4	21.0-25.8	76	4.8	03.6-06.0
College Graduate	2933	1,020,790	1865	69.1	67.1-71.1	351	9.0	07.8-10.2	249	3.8	03.2-04.4	22	0.6	00.2-01.0	393	15.6	13.8-17.4	53	1.9	01.3-02.5
Less than \$15,000	1076	495,893	151	16.3	13.4-19.2	338	25.4	22.1-28.7	217	9.4	07.6-11.2	54	5.5	03.5-07.5	287	39.4	35.1-43.7	29	4.0	02.2-05.8
\$15,000- 24,999	1749	812,873	561	35.5	32.6-38.4	395	19.2	16.8-21.6	430	12.5	10.9-14.1	36	2.5	01.5-03.5	275	24.8	21.7-27.9	52	5.6	03.8-07.4
\$25,000- 34,999	1126	524,471	483	45.5	41.6-49.4	193	15.0	12.5-17.5	223	10.2	08.4-12.0	13	1.0	00.4-01.6	185	23.6	19.9-27.3	29	4.8	02.8-06.8
\$35,000- 49,999	1346	650,501	781	59.3	55.8-62.8	194	11.8	09.6-14.0	156	6.1	04.7-07.5	16	1.3	00.5-02.1	172	18.5	15.4-21.6	27	3.1	01.7-04.5
\$50,000- 74,999	1343	672,787	950	70.7	67.2-74.2	160	10.5	08.3-12.7	83	3.0	02.0-04.0	9	0.3	00.1-00.5	119	13.3	10.2-16.4	22	2.1	01.1-03.1
\$75,000+	2059	1,069,864	1704	79.0	76.3-81.7	117	4.3	03.3-05.3	59	1.3	00.9-01.7	6	0.2	00.0-00.4	136	13.0	10.5-15.5	37	2.2	01.2-03.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS
TABLE 17: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4247	2,407,040	2471	54.6	52.6-56.6	582	11.7	10.5-12.9	312	3.7	03.1-04.3	52	1.2	00.8-01.6	735	24.9	22.9-26.9	95	3.7	02.7-04.7
White/Non-Hisp	3678	1,952,300	2215	57.8	55.6-60.0	490	11.7	10.3-13.1	281	3.8	03.2-04.4	35	0.9	00.5-01.3	588	22.8	20.8-24.8	69	3.0	02.2-03.8
Black or Afr. Am./Non-Hisp	211	194,841	88	35.6	28.0-43.2	33	12.5	06.8-18.2	10	3.2	00.8-05.6	11	3.3	00.9-05.7	63	40.1	31.3-48.9	6	5.4	00.5-10.3
Oth. Race/Non-Hisp.	83	56,641	41	49.4	36.5-62.3	12	9.5	03.0-16.0	1	0.3	00.0-00.9				28	39.5	26.6-52.4	1	1.2	00.0-03.6
MultiRacial/Non-Hisp.	55	24,448	27	50.4	33.3-67.5	17	17.6	07.6-27.6	3	1.8	00.0-04.2	1	4.6	00.0-13.2	6	24.1	06.7-41.5	1	1.5	00.0-04.4
Hispanic	137	132,552	61	42.6	33.2-52.0	13	6.9	02.2-11.6	6	4.2	00.3-08.1	4	2.9	00.0-06.0	36	28.5	20.1-36.9	17	15.0	07.7-22.3
18-24	283	348,945	12	3.4	01.4-05.4	3	1.0	00.0-02.4							251	89.3	85.6-93.0	17	6.2	03.1-09.3
25-34	403	406,962	191	46.2	40.7-51.7	28	7.7	04.6-10.8				4	1.1	00.0-02.3	148	35.9	30.6-41.2	32	9.0	05.5-12.5
35-44	511	404,313	325	62.9	57.8-68.0	70	14.0	10.1-17.9	9	1.7	00.3-03.1	9	1.8	00.4-03.2	80	14.8	11.1-18.5	18	4.8	02.3-07.3
45-54	830	441,931	520	67.2	63.5-70.9	160	18.3	15.2-21.4	13	1.5	00.5-02.5	15	1.5	00.3-02.7	108	9.9	07.7-12.1	14	1.6	00.6-02.6
55-64	929	396,848	594	69.9	66.4-73.4	180	17.1	14.2-20.0	39	3.0	01.8-04.2	15	2.2	00.8-03.6	93	6.9	04.9-08.9	8	0.9	00.1-01.7
65+	1268	400,346	811	70.0	67.1-72.9	140	10.4	08.2-12.6	249	16.0	13.6-18.4	9	0.5	00.1-00.9	53	2.7	01.7-03.7	6	0.3	00.0-00.7
Less Than H.S.	391	358,058	173	41.3	35.4-47.2	83	16.9	12.6-21.2	41	5.3	03.1-07.5	8	2.4	00.4-04.4	74	29.0	22.9-35.1	12	5.2	02.1-08.3
H.S. or G.E.D.	1505	838,252	812	52.9	49.6-56.2	217	11.3	09.3-13.3	138	4.4	03.4-05.4	20	1.1	00.5-01.7	287	27.0	23.9-30.1	31	3.2	01.8-04.6
Some Post-H.S.	1018	691,174	550	49.8	46.1-53.5	161	13.2	10.7-15.7	71	3.4	02.4-04.4	14	1.1	00.3-01.9	192	27.3	23.6-31.0	30	5.1	03.1-07.1
College Graduate	1319	511,376	928	73.4	70.5-76.3	119	6.9	05.3-08.5	61	2.0	01.4-02.6	10	0.7	00.1-01.3	179	15.4	12.9-17.9	22	1.6	00.8-02.4
Less than \$15,000	365	195,566	73	19.9	14.8-25.0	114	25.2	19.5-30.9	29	5.1	02.6-07.6	13	3.5	01.1-05.9	126	42.5	35.6-49.4	10	3.8	01.1-06.5
\$15,000- 24,999	613	338,714	260	41.1	36.0-46.2	118	17.2	13.3-21.1	80	6.4	04.4-08.4	12	2.4	00.6-04.2	119	25.8	20.9-30.7	24	7.0	03.7-10.3
\$25,000- 34,999	484	269,911	229	45.2	39.5-50.9	73	12.5	09.0-16.0	59	6.8	04.6-09.0	7	0.9	00.1-01.7	103	28.5	22.8-34.2	13	6.1	02.6-09.6
\$35,000- 49,999	619	358,167	367	56.7	51.6-61.8	81	11.0	08.1-13.9	48	4.3	02.7-05.9	7	1.3	00.1-02.5	101	23.1	18.4-27.8	15	3.6	01.4-05.8
\$50,000- 74,999	617	355,115	447	69.5	64.2-74.8	70	11.0	07.5-14.5	23	2.0	00.8-03.2	5	0.3	00.0-00.7	65	16.0	11.3-20.7	7	1.2	00.2-02.2
\$75,000+	1056	591,932	854	76.0	72.1-79.9	65	4.8	03.4-06.2	29	1.1	00.5-01.7	4	0.3	00.0-00.7	89	15.7	12.2-19.2	15	2.1	00.7-03.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS
TABLE 18: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6018	2,546,240	2926	52.2	50.4-54.0	970	13.3	12.1-14.5	1212	10.3	09.5-11.1	92	1.7	01.3-02.1	682	19.1	17.5-20.7	136	3.5	02.7-04.3
White/Non-Hisp	5249	2,095,433	2658	55.9	54.1-57.7	827	13.3	12.1-14.5	1119	10.9	10.1-11.7	55	1.2	00.8-01.6	492	16.0	14.2-17.8	98	2.7	02.1-03.3
Black or Afr. Am./Non-Hisp	380	221,199	94	22.0	17.3-26.7	90	17.7	13.2-22.2	49	9.3	06.2-12.4	20	3.3	01.7-04.9	117	43.1	36.0-50.2	10	4.6	01.5-07.7
Oth. Race/Non-Hisp.	86	47,049	34	44.7	30.8-58.6	12	10.1	03.6-16.6	17	7.9	03.0-12.8	4	6.5	00.0-13.6	18	30.3	16.0-44.6	1	0.5	00.0-01.5
MultiRacial/Non-Hisp.	60	20,519	27	49.2	31.8-66.6	13	16.9	05.1-28.7	7	6.0	00.3-11.7	1	0.4	00.0-01.2	12	27.5	11.2-43.8			
Hispanic	172	132,995	84	49.7	40.7-58.7	15	6.0	02.1-09.9	6	2.3	00.3-04.3	10	5.7	01.6-09.8	35	23.2	15.4-31.0	22	13.3	07.6-19.0
18-24	256	332,910	30	11.3	07.0-15.6	4	1.8	00.0-03.6				3	1.1	00.0-02.5	198	78.1	72.6-83.6	21	7.6	04.3-10.9
25-34	511	405,633	248	50.2	45.1-55.3	49	9.9	07.0-12.8				17	3.0	01.0-05.0	164	30.0	25.3-34.7	33	7.0	04.5-09.5
35-44	719	407,714	474	65.9	61.8-70.0	120	16.3	13.0-19.6	7	1.0	00.2-01.8	23	2.4	01.2-03.6	73	11.0	08.1-13.9	22	3.4	01.8-05.0
45-54	941	447,316	569	66.9	63.4-70.4	201	18.3	15.4-21.2	37	3.6	02.0-05.2	19	1.9	00.7-03.1	81	6.3	04.5-08.1	34	3.0	01.8-04.2
55-64	1323	411,722	776	65.1	62.0-68.2	288	18.2	15.7-20.7	142	10.0	08.0-12.0	20	1.6	00.6-02.6	82	4.0	03.0-05.0	15	1.1	00.5-01.7
65+	2213	523,919	802	46.5	44.0-49.0	305	12.9	11.1-14.7	1009	37.3	34.9-39.7	10	0.5	00.1-00.9	76	2.3	01.7-02.9	11	0.5	00.1-00.9
Less Than H.S.	541	345,578	195	40.1	34.6-45.6	96	16.0	12.1-19.9	148	12.7	10.0-15.4	22	4.2	01.8-06.6	59	21.8	15.9-27.7	21	5.3	02.9-07.7
H.S. or G.E.D.	2262	883,475	1039	51.0	48.3-53.7	333	11.9	10.3-13.5	601	14.0	12.6-15.4	30	1.7	00.9-02.5	222	18.9	16.2-21.6	37	2.5	01.5-03.5
Some Post-H.S.	1591	804,517	752	50.9	47.8-54.0	309	15.1	12.9-17.3	271	8.1	06.9-09.3	28	1.4	00.8-02.0	185	20.0	16.9-23.1	46	4.5	02.9-06.1
College Graduate	1614	509,414	937	64.8	61.9-67.7	232	11.0	09.2-12.8	188	5.7	04.5-06.9	12	0.5	00.1-00.9	214	15.9	13.5-18.3	31	2.1	01.3-02.9
Less than \$15,000	711	300,327	78	14.0	10.5-17.5	224	25.5	21.2-29.8	188	12.2	10.0-14.4	41	6.8	03.9-09.7	161	37.4	31.7-43.1	19	4.1	01.9-06.3
\$15,000- 24,999	1136	474,160	301	31.5	27.8-35.2	277	20.6	17.5-23.7	350	16.8	14.4-19.2	24	2.5	01.1-03.9	156	24.0	19.9-28.1	28	4.6	02.6-06.6
\$25,000- 34,999	642	254,559	254	45.9	40.8-51.0	120	17.6	13.9-21.3	164	13.8	11.1-16.5	6	1.0	00.0-02.0	82	18.3	13.6-23.0	16	3.4	01.4-05.4
\$35,000- 49,999	727	292,334	414	62.6	57.9-67.3	113	12.7	09.6-15.8	108	8.4	06.2-10.6	9	1.3	00.5-02.1	71	12.7	08.8-16.6	12	2.4	00.8-04.0
\$50,000- 74,999	726	317,672	503	72.1	67.8-76.4	90	10.0	07.5-12.5	60	4.1	02.7-05.5	4	0.4	00.0-00.8	54	10.3	06.8-13.8	15	3.0	01.0-05.0
\$75,000+	1003	477,931	850	82.9	79.2-86.6	52	3.8	02.4-05.2	30	1.4	00.8-02.0	2	0.1	00.1-00.1	47	9.5	06.0-13.0	22	2.4	01.0-03.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 19: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10297	4,965,956	1066	14.4	13.4-15.4	981	13.5	12.5-14.5	411	6.1	05.3-06.9	128	1.9	01.5-02.3	71	1.2	00.8-01.6	7640	63.0	61.6-64.4
Male	4261	2,413,772	442	13.7	12.3-15.1	399	11.9	10.5-13.3	180	6.2	05.2-07.2	46	1.6	01.0-02.2	28	1.1	00.7-01.5	3166	65.4	63.4-67.4
Female	6036	2,552,185	624	15.0	13.6-16.4	582	15.0	13.6-16.4	231	6.0	05.0-07.0	82	2.1	01.5-02.7	43	1.2	00.8-01.6	4474	60.7	58.9-62.5
White/Non-Hisp	8945	4,052,442	880	13.9	12.9-14.9	817	12.9	11.9-13.9	325	5.8	05.0-06.6	90	1.4	01.0-01.8	47	0.9	00.5-01.3	6786	65.0	63.6-66.4
Black or Afr. Am./Non-Hisp	592	416,842	90	18.4	14.1-22.7	56	13.2	09.1-17.3	33	6.1	03.7-08.5	12	2.5	00.7-04.3	7	1.5	00.1-02.9	394	58.3	52.8-63.8
Oth. Race/Non-Hisp.	170	103,762	17	12.8	06.3-19.3	15	11.0	04.9-17.1	6	5.4	00.7-10.1	4	3.8	00.0-07.7	1	1.0	00.0-02.8	127	66.1	56.9-75.3
MultiRacial/Non-Hisp.	116	46,119	12	10.9	03.5-18.3	6	13.4	02.8-24.0	7	5.9	01.4-10.4	3	4.4	00.0-09.7	2	1.1	00.0-02.7	86	64.2	52.0-76.4
Hispanic	313	267,306	55	17.6	12.7-22.5	76	25.1	19.4-30.8	33	11.1	07.0-15.2	19	6.7	03.2-10.2	13	5.1	02.0-08.2	117	34.4	28.3-40.5
18-24	541	684,507	104	19.3	15.6-23.0	62	12.6	09.5-15.7	21	4.8	02.6-07.0	10	1.6	00.6-02.6	5	1.6	00.0-03.2	339	60.0	55.3-64.7
25-34	914	813,413	178	19.6	16.7-22.5	215	23.2	20.1-26.3	121	13.3	10.8-15.8	32	4.2	02.6-05.8	22	2.7	01.5-03.9	346	37.0	33.5-40.5
35-44	1225	810,014	274	23.1	20.4-25.8	384	30.8	27.7-33.9	176	14.2	11.8-16.6	62	4.3	02.9-05.7	28	2.2	01.2-03.2	301	25.3	22.4-28.2
45-54	1777	892,374	331	18.8	16.6-21.0	247	12.8	11.0-14.6	67	3.8	02.6-05.0	15	0.9	00.3-01.5	8	0.4	00.0-00.8	1109	63.2	60.5-65.9
55-64	2262	811,932	125	5.9	04.7-07.1	46	2.4	01.6-03.2	17	1.1	00.5-01.7	6	0.4	00.0-00.8	6	0.3	00.1-00.5	2062	89.9	88.3-91.5
65+	3491	926,070	46	1.7	01.1-02.3	21	1.0	00.4-01.6	6	0.4	00.0-00.8	3	0.1	00.1-00.1				3415	96.9	96.1-97.7
Less Than H.S.	940	708,617	92	12.6	09.9-15.3	90	15.6	12.1-19.1	49	8.4	05.9-10.9	18	3.0	01.4-04.6	15	3.0	01.2-04.8	676	57.3	53.0-61.6
H.S. or G.E.D.	3781	1,727,889	344	14.7	12.9-16.5	244	10.4	09.0-11.8	100	4.8	03.8-05.8	40	1.7	01.1-02.3	19	0.8	00.2-01.4	3034	67.6	65.4-69.8
Some Post-H.S.	2616	1,498,520	313	15.0	13.0-17.0	239	12.4	10.6-14.2	98	5.7	04.3-07.1	37	2.0	01.2-02.8	21	0.9	00.5-01.3	1908	64.0	61.6-66.4
College Graduate	2936	1,020,072	311	14.0	12.4-15.6	407	18.9	17.1-20.7	164	7.5	06.3-08.7	33	1.2	00.6-01.8	16	0.8	00.4-01.2	2005	57.7	55.5-59.9
Less than \$15,000	1084	500,659	110	15.1	12.0-18.2	83	13.1	09.8-16.4	36	5.5	03.3-07.7	18	3.2	01.4-05.0	7	0.9	00.1-01.7	830	62.2	57.9-66.5
\$15,000- 24,999	1758	817,081	171	13.8	11.4-16.2	138	13.4	10.9-15.9	64	6.7	04.7-08.7	22	2.2	01.0-03.4	17	1.9	00.9-02.9	1346	62.1	58.8-65.4
\$25,000- 34,999	1132	526,847	112	15.6	12.3-18.9	71	9.5	07.0-12.0	31	5.0	03.0-07.0	13	2.5	00.9-04.1	11	2.0	00.6-03.4	894	65.4	61.3-69.5
\$35,000- 49,999	1349	652,883	132	14.4	11.7-17.1	105	10.3	08.1-12.5	42	5.0	03.2-06.8	16	1.6	00.8-02.4	6	0.9	00.0-02.1	1048	67.9	64.4-71.4
\$50,000- 74,999	1347	674,250	156	14.5	12.0-17.0	154	15.2	12.7-17.7	49	5.7	03.7-07.7	21	2.0	01.0-03.0	9	1.0	00.2-01.8	958	61.7	58.2-65.2
\$75,000+	2055	1,069,297	274	15.9	13.7-18.1	335	18.3	16.1-20.5	147	8.5	06.9-10.1	29	1.4	00.8-02.0	14	0.7	00.3-01.1	1256	55.2	52.5-57.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 20: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4261	2,413,772	442	13.7	12.3-15.1	399	11.9	10.5-13.3	180	6.2	05.2-07.2	46	1.6	01.0-02.2	28	1.1	00.7-01.5	3166	65.4	63.4-67.4
White/Non-Hisp	3685	1,955,717	375	13.9	12.3-15.5	342	12.0	10.6-13.4	150	6.1	04.9-07.3	32	1.1	00.7-01.5	16	0.7	00.3-01.1	2770	66.3	64.3-68.3
Black or Afr. Am./Non-Hisp	211	194,785	30	15.3	09.2-21.4	15	10.0	04.7-15.3	9	4.8	01.1-08.5	4	2.7	00.0-05.4	4	2.6	00.0-05.3	149	64.5	56.3-72.7
Oth. Race/Non-Hisp.	83	56,641	6	10.0	01.8-18.2	6	8.7	00.7-16.7	3	6.0	00.0-13.3	3	4.7	00.0-10.2				65	70.7	58.2-83.2
MultiRacial/Non-Hisp.	56	25,600	5	7.2	00.3-14.1	3	11.1	00.0-24.0	2	3.0	00.0-07.5	2	6.0	00.0-14.8				44	72.6	56.9-88.3
Hispanic	140	134,058	20	13.3	07.2-19.4	30	19.2	12.1-26.3	11	10.6	04.1-17.1	5	6.8	01.1-12.5	8	6.3	01.4-11.2	66	43.8	34.6-53.0
18-24	284	350,738	49	17.8	12.5-23.1	23	7.8	04.5-11.1	8	3.8	01.1-06.5	5	1.6	00.2-03.0	2	1.1	00.0-02.7	197	68.0	61.7-74.3
25-34	403	406,981	68	17.8	13.7-21.9	70	16.3	12.4-20.2	51	13.3	09.6-17.0	11	3.4	01.2-05.6	8	2.4	00.6-04.2	195	46.8	41.3-52.3
35-44	512	405,726	101	21.0	16.9-25.1	155	29.4	24.7-34.1	70	13.7	10.4-17.0	18	3.2	01.4-05.0	10	2.4	00.6-04.2	158	30.2	25.3-35.1
45-54	832	442,909	155	19.2	16.1-22.3	118	13.9	11.4-16.4	42	5.1	03.3-06.9	8	1.1	00.1-02.1	4	0.5	00.0-01.1	505	60.1	56.2-64.0
55-64	935	398,995	53	5.1	03.5-06.7	21	2.3	01.1-03.5	8	1.0	00.2-01.8	4	0.6	00.0-01.2	4	0.4	00.0-00.8	845	90.6	88.4-92.8
65+	1271	400,727	14	1.1	00.5-01.7	7	0.6	00.2-01.0										1250	98.3	97.5-99.1
Less Than H.S.	395	361,250	43	13.0	08.7-17.3	30	9.9	06.2-13.6	21	8.1	04.4-11.8	5	2.5	00.3-04.7	8	2.3	00.5-04.1	288	64.1	58.0-70.2
H.S. or G.E.D.	1509	841,018	158	14.7	12.2-17.2	85	8.4	06.4-10.4	51	5.6	03.8-07.4	19	1.7	00.9-02.5	10	1.3	00.3-02.3	1186	68.4	65.3-71.5
Some Post-H.S.	1018	690,944	115	13.7	11.0-16.4	104	13.0	10.5-15.5	30	4.6	02.8-06.4	13	1.9	00.7-03.1	8	1.1	00.3-01.9	748	65.8	62.1-69.5
College Graduate	1324	512,434	122	12.4	10.0-14.8	179	17.9	15.4-20.4	78	8.1	06.1-10.1	9	0.7	00.3-01.1	2	0.1	00.0-00.3	934	60.8	57.5-64.1
Less than \$15,000	369	198,574	25	8.6	04.5-12.7	17	8.8	04.3-13.3	12	5.6	01.9-09.3	5	1.5	00.1-02.9	4	1.9	00.0-03.9	306	73.6	67.1-80.1
\$15,000- 24,999	617	341,167	56	12.2	08.7-15.7	45	11.6	08.1-15.1	18	5.1	02.6-07.6	8	3.0	00.8-05.2	5	1.7	00.1-03.3	485	66.4	61.3-71.5
\$25,000- 34,999	488	271,639	52	15.1	10.4-19.8	33	8.1	05.0-11.2	14	5.7	02.4-09.0	5	2.9	00.4-05.4	8	3.3	00.8-05.8	376	64.9	59.0-70.8
\$35,000- 49,999	621	360,248	65	15.6	11.7-19.5	41	7.9	05.4-10.4	20	4.6	02.4-06.8	7	1.4	00.2-02.6	2	0.2	00.0-00.4	486	70.4	65.7-75.1
\$50,000- 74,999	619	355,498	71	14.6	10.9-18.3	66	14.1	10.6-17.6	25	6.6	03.7-09.5	4	1.2	00.0-02.4	3	0.9	00.0-01.9	450	62.6	57.5-67.7
\$75,000+	1053	590,995	126	14.4	11.7-17.1	164	17.8	14.9-20.7	73	8.2	06.2-10.2	14	1.3	00.5-02.1	4	0.4	00.0-00.8	672	58.0	54.3-61.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 21: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6036	2,552,185	624	15.0	13.6-16.4	582	15.0	13.6-16.4	231	6.0	05.0-07.0	82	2.1	01.5-02.7	43	1.2	00.8-01.6	4474	60.7	58.9-62.5
White/Non-Hisp	5260	2,096,725	505	14.0	12.6-15.4	475	13.8	12.4-15.2	175	5.6	04.6-06.6	58	1.8	01.2-02.4	31	1.1	00.5-01.7	4016	63.8	62.0-65.6
Black or Afr. Am./Non-Hisp	381	222,058	60	21.0	15.1-26.9	41	16.0	09.7-22.3	24	7.2	04.1-10.3	8	2.3	00.1-04.5	3	0.6	00.0-01.4	245	52.9	46.0-59.8
Oth. Race/Non-Hisp.	87	47,120	11	16.1	06.1-26.1	9	13.7	04.5-22.9	3	4.7	00.0-10.4	1	2.8	00.0-08.3	1	2.1	00.0-06.2	62	60.5	46.8-74.2
MultiRacial/Non-Hisp.	60	20,519	7	15.6	01.7-29.5	3	16.3	00.0-33.4	5	9.4	00.8-18.0	1	2.4	00.0-06.9	2	2.5	00.0-06.0	42	53.8	36.0-71.6
Hispanic	173	133,248	35	21.9	14.5-29.3	46	30.9	22.1-39.7	22	11.7	06.4-17.0	14	6.5	02.8-10.2	5	4.0	00.3-07.7	51	25.0	17.7-32.3
18-24	257	333,769	55	20.8	15.3-26.3	39	17.8	12.5-23.1	13	6.0	02.5-09.5	5	1.6	00.0-03.2	3	2.2	00.0-04.7	142	51.7	44.8-58.6
25-34	511	406,432	110	21.5	17.4-25.6	145	30.0	25.1-34.9	70	13.3	09.8-16.8	21	5.1	02.6-07.6	14	3.1	01.1-05.1	151	27.1	22.8-31.4
35-44	713	404,289	173	25.2	21.5-28.9	229	32.2	28.3-36.1	106	14.8	11.7-17.9	44	5.4	03.6-07.2	18	2.1	01.1-03.1	143	20.3	16.8-23.8
45-54	945	449,466	176	18.4	15.5-21.3	129	11.8	09.6-14.0	25	2.6	01.2-04.0	7	0.8	00.0-01.6	4	0.3	00.0-00.7	604	66.1	62.6-69.6
55-64	1327	412,937	72	6.7	04.9-08.5	25	2.5	01.3-03.7	9	1.2	00.2-02.2	2	0.3	00.0-00.7	2	0.1	00.0-00.3	1217	89.2	86.8-91.6
65+	2220	525,343	32	2.1	01.3-02.9	14	1.4	00.6-02.2	6	0.7	00.1-01.3	3	0.1	00.0-00.3				2165	95.8	94.4-97.2
Less Than H.S.	545	347,367	49	12.2	08.5-15.9	60	21.6	15.9-27.3	28	8.6	05.1-12.1	13	3.4	01.0-05.8	7	3.8	00.9-06.7	388	50.3	44.6-56.0
H.S. or G.E.D.	2272	886,870	186	14.6	12.2-17.0	159	12.3	10.1-14.5	49	4.0	02.6-05.4	21	1.8	00.8-02.8	9	0.4	00.0-00.8	1848	66.8	63.9-69.7
Some Post-H.S.	1598	807,576	198	16.1	13.6-18.6	135	12.0	09.8-14.2	68	6.7	04.7-08.7	24	2.0	01.0-03.0	13	0.8	00.4-01.2	1160	62.4	59.1-65.7
College Graduate	1612	507,638	189	15.5	13.1-17.9	228	19.9	17.4-22.4	86	6.8	05.2-08.4	24	1.8	00.8-02.8	14	1.5	00.7-02.3	1071	54.6	51.5-57.7
Less than \$15,000	715	302,085	85	19.5	15.0-24.0	66	15.9	11.2-20.6	24	5.4	02.9-07.9	13	4.4	01.7-07.1	3	0.2	00.0-00.4	524	54.6	49.1-60.1
\$15,000- 24,999	1141	475,914	115	14.9	11.8-18.0	93	14.7	11.4-18.0	46	7.8	05.1-10.5	14	1.6	00.6-02.6	12	2.1	00.7-03.5	861	59.0	54.7-63.3
\$25,000- 34,999	644	255,208	60	16.1	11.6-20.6	38	10.9	07.0-14.8	17	4.3	01.9-06.7	8	2.1	00.3-03.9	3	0.6	00.0-01.4	518	65.9	60.4-71.4
\$35,000- 49,999	728	292,636	67	12.9	09.2-16.6	64	13.4	09.9-16.9	22	5.4	02.7-08.1	9	1.8	00.6-03.0	4	1.8	00.0-04.3	562	64.8	59.7-69.9
\$50,000- 74,999	728	318,752	85	14.3	11.0-17.6	88	16.4	12.7-20.1	24	4.7	02.5-06.9	17	2.8	01.2-04.4	6	1.1	00.1-02.1	508	60.7	56.0-65.4
\$75,000+	1002	478,302	148	17.9	14.8-21.0	171	18.9	15.8-22.0	74	8.9	06.4-11.4	15	1.4	00.6-02.2	10	1.1	00.3-01.9	584	51.8	47.9-55.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 22: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10310	4,971,040	6	0.1	00.0-00.3	242	3.3	02.7-03.9	693	10.8	09.8-11.8	3789	34.8	33.6-36.0	2629	30.3	29.1-31.5	2951	20.6	19.8-21.4
Male	4266	2,415,742	3	0.1	00.0-00.3	105	3.3	02.5-04.1	288	11.5	09.9-13.1	1514	34.9	33.1-36.7	1027	28.8	27.0-30.6	1329	21.3	19.9-22.7
Female	6044	2,555,298	3	0.1	00.0-00.3	137	3.3	02.5-04.1	405	10.1	08.9-11.3	2275	34.7	33.1-36.3	1602	31.7	30.1-33.3	1622	20.0	18.8-21.2
White/Non-Hisp	8954	4,054,291	2	0.1	00.1-00.1	147	2.1	01.7-02.5	526	9.2	08.2-10.2	3354	35.3	33.9-36.7	2289	31.4	30.0-32.8	2636	21.9	20.9-22.9
Black or Afr. Am./Non-Hisp	594	417,984				15	2.4	01.0-03.8	76	19.1	14.2-24.0	207	35.9	30.6-41.2	169	29.3	24.6-34.0	127	13.4	10.7-16.1
Oth. Race/Non-Hisp.	170	103,762				7	5.3	00.4-10.2	7	4.7	00.4-09.0	44	28.8	19.6-38.0	45	29.0	20.2-37.8	67	32.2	24.0-40.4
MultiRacial/Non-Hisp.	116	46,119				4	5.9	00.0-12.8	11	11.6	02.8-20.4	37	33.7	22.3-45.1	38	33.4	22.0-44.8	26	15.4	07.4-23.4
Hispanic	313	267,306	4	1.7	00.0-03.7	52	19.0	13.7-24.3	53	21.7	16.0-27.4	96	32.0	25.9-38.1	51	16.6	11.9-21.3	57	8.9	06.2-11.6
18-24	540	683,476				6	1.5	00.1-02.9	58	15.5	11.6-19.4	218	38.5	34.0-43.0	180	36.7	32.0-41.4	78	7.9	05.9-09.9
25-34	917	815,090	1	0.1	00.0-00.3	22	3.6	02.0-05.2	65	11.4	08.5-14.3	221	25.6	22.3-28.9	247	30.6	27.1-34.1	361	28.7	25.8-31.6
35-44	1237	816,847				33	4.5	02.7-06.3	72	9.8	07.4-12.2	323	28.9	25.8-32.0	340	30.9	27.8-34.0	469	26.0	23.5-28.5
45-54	1779	892,448	3	0.6	00.0-01.2	32	2.5	01.5-03.5	98	8.8	06.8-10.8	629	36.2	33.5-38.9	465	29.7	27.2-32.2	552	22.3	20.3-24.3
55-64	2262	811,451	1	0.1	00.0-00.3	34	2.7	01.7-03.7	137	9.4	07.6-11.2	838	36.9	34.5-39.3	621	30.8	28.4-33.2	631	20.2	18.4-22.0
65+	3486	923,060	1	0.0	00.0-00.0	113	4.8	03.8-05.8	261	11.1	09.5-12.7	1532	42.6	40.6-44.6	748	24.7	22.9-26.5	831	16.7	15.5-17.9
Less than \$15,000	1084	500,274	2	0.3	00.0-00.7	74	9.4	06.7-12.1	185	24.8	20.7-28.9	477	36.5	32.6-40.4	235	22.5	19.2-25.8	111	6.5	04.9-08.1
\$15,000- 24,999	1758	816,319	1	0.2	00.0-00.6	65	5.1	03.5-06.7	188	18.8	15.9-21.7	837	40.2	37.1-43.3	459	27.9	25.0-30.8	208	7.8	06.4-09.2
\$25,000- 34,999	1131	526,585	1	0.0	00.0-00.0	27	3.4	01.8-05.0	86	11.0	08.3-13.7	498	44.4	40.5-48.3	315	30.0	26.5-33.5	204	11.1	09.1-13.1
\$35,000- 49,999	1348	652,357				12	1.9	00.5-03.3	55	8.0	05.5-10.5	559	40.6	37.3-43.9	361	30.8	27.5-34.1	361	18.7	16.3-21.1
\$50,000- 74,999	1347	674,250				8	1.4	00.4-02.4	23	3.3	01.7-04.9	389	31.8	28.5-35.1	409	36.7	33.4-40.0	518	26.8	24.1-29.5
\$75,000+	2061	1,070,889				4	0.3	00.0-00.7	24	2.9	01.5-04.3	369	21.3	18.9-23.7	453	31.9	29.2-34.6	1211	43.6	41.1-46.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 23: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4266	2,415,742	3	0.1	00.0-00.3	105	3.3	02.5-04.1	288	11.5	09.9-13.1	1514	34.9	33.1-36.7	1027	28.8	27.0-30.6	1329	21.3	19.9-22.7
White/Non-Hisp	3685	1,954,172	1	0.0	00.0-00.0	62	2.0	01.4-02.6	209	9.6	08.0-11.2	1343	36.3	34.3-38.3	887	29.7	27.7-31.7	1183	22.4	21.0-23.8
Black or Afr. Am./Non-Hisp	214	196,616				6	2.7	00.3-05.1	30	22.7	14.7-30.7	67	31.7	23.5-39.9	62	29.0	21.4-36.6	49	13.8	09.3-18.3
Oth. Race/Non-Hisp.	83	56,641				3	3.7	00.0-09.6	6	7.1	00.0-14.4	20	27.2	15.2-39.2	15	22.4	11.2-33.6	39	39.6	27.4-51.8
MultiRacial/Non-Hisp.	56	25,600				2	7.9	00.0-19.3	8	18.5	03.8-33.2	20	30.1	15.8-44.4	19	31.5	16.4-46.6	7	12.0	00.0-24.0
Hispanic	140	134,058	2	2.2	00.0-05.3	20	18.0	10.2-25.8	25	19.8	12.2-27.4	45	32.1	23.3-40.9	25	18.1	11.0-25.2	23	9.8	05.3-14.3
18-24	283	349,707							36	18.2	12.5-23.9	122	39.9	33.4-46.4	89	35.2	28.7-41.7	36	6.7	04.3-09.1
25-34	405	408,597	1	0.3	00.0-00.9	8	2.8	00.8-04.8	26	9.9	06.0-13.8	108	28.6	23.5-33.7	109	31.2	26.1-36.3	153	27.2	22.9-31.5
35-44	518	409,134				17	5.5	02.6-08.4	31	9.9	06.4-13.4	151	32.1	27.2-37.0	134	28.2	23.7-32.7	185	24.3	20.6-28.0
45-54	832	442,680	1	0.4	00.0-01.2	13	2.4	00.8-04.0	49	10.5	07.4-13.6	324	38.3	34.4-42.2	184	24.9	21.4-28.4	261	23.5	20.6-26.4
55-64	937	399,305	1	0.1	00.0-00.3	18	3.1	01.5-04.7	60	10.9	08.0-13.8	316	32.8	29.3-36.3	246	30.4	26.9-33.9	296	22.7	20.0-25.4
65+	1266	397,847				48	5.8	03.8-07.8	86	10.8	08.3-13.3	490	38.9	35.8-42.0	256	23.9	21.0-26.8	386	20.7	18.5-22.9
Less than \$15,000	368	197,875	2	0.8	00.0-02.0	27	9.2	05.1-13.3	59	26.1	19.4-32.8	154	35.2	28.9-41.5	80	21.2	15.9-26.5	46	7.4	04.7-10.1
\$15,000- 24,999	618	341,283	1	0.5	00.0-01.5	31	7.1	04.2-10.0	74	20.1	15.2-25.0	289	40.5	35.6-45.4	131	22.1	18.0-26.2	92	9.6	07.2-12.0
\$25,000- 34,999	487	271,421				16	4.0	01.6-06.4	46	13.7	09.2-18.2	223	45.3	39.6-51.0	123	26.6	21.5-31.7	79	10.4	07.7-13.1
\$35,000- 49,999	621	359,868				6	1.1	00.1-02.1	33	9.9	06.0-13.8	281	44.1	39.2-49.0	164	29.5	25.0-34.0	137	15.4	12.3-18.5
\$50,000- 74,999	619	355,498				6	2.2	00.4-04.0	14	4.2	01.7-06.7	194	34.9	30.0-39.8	186	35.5	30.6-40.4	219	23.2	19.7-26.7
\$75,000+	1057	592,612				3	0.5	00.0-01.3	16	4.1	01.7-06.5	187	21.5	18.2-24.8	220	30.6	26.9-34.3	631	43.3	39.8-46.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 24: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6044	2,555,298	3	0.1	00.0-00.3	137	3.3	02.5-04.1	405	10.1	08.9-11.3	2275	34.7	33.1-36.3	1602	31.7	30.1-33.3	1622	20.0	18.8-21.2
White/Non-Hisp	5269	2,100,119	1	0.1	00.0-00.3	85	2.3	01.7-02.9	317	8.7	07.5-09.9	2011	34.4	32.6-36.2	1402	33.0	31.2-34.8	1453	21.5	20.1-22.9
Black or Afr. Am./Non-Hisp	380	221,367				9	2.1	00.5-03.7	46	15.8	09.9-21.7	140	39.6	32.9-46.3	107	29.6	23.7-35.5	78	13.0	09.7-16.3
Oth. Race/Non-Hisp.	87	47,120				4	7.4	00.0-15.2	1	1.8	00.0-05.3	24	30.8	16.7-44.9	30	36.9	23.2-50.6	28	23.2	13.4-33.0
MultiRacial/Non-Hisp.	60	20,519				2	3.4	00.0-08.3	3	3.0	00.0-07.3	17	38.3	20.9-55.7	19	35.8	18.6-53.0	19	19.5	08.7-30.3
Hispanic	173	133,248	2	1.2	00.0-03.4	32	20.0	12.9-27.1	28	23.6	15.4-31.8	51	32.0	23.8-40.2	26	15.1	08.8-21.4	34	8.1	05.0-11.2
18-24	257	333,769				6	3.0	00.3-05.7	22	12.6	07.5-17.7	96	37.0	30.5-43.5	91	38.2	31.5-44.9	42	9.1	06.2-12.0
25-34	512	406,493				14	4.5	02.0-07.0	39	12.8	08.5-17.1	113	22.5	18.4-26.6	138	30.1	25.4-34.8	208	30.1	26.0-34.2
35-44	719	407,714				16	3.4	01.6-05.2	41	9.7	06.6-12.8	172	25.6	21.9-29.3	206	33.6	29.5-37.7	284	27.7	24.4-31.0
45-54	947	449,767	2	0.7	00.0-01.7	19	2.6	01.2-04.0	49	7.0	04.8-09.2	305	34.2	30.5-37.9	281	34.5	30.8-38.2	291	21.1	18.6-23.6
55-64	1325	412,146				16	2.3	01.1-03.5	77	7.9	05.9-09.9	522	40.8	37.7-43.9	375	31.1	28.0-34.2	335	17.9	15.7-20.1
65+	2220	525,213	1	0.0	00.0-00.0	65	4.1	02.9-05.3	175	11.3	09.3-13.3	1042	45.4	42.9-47.9	492	25.3	23.1-27.5	445	13.8	12.4-15.2
Less than \$15,000	716	302,399				47	9.6	06.1-13.1	126	23.9	18.6-29.2	323	37.4	32.5-42.3	155	23.3	18.8-27.8	65	5.9	03.9-07.9
\$15,000- 24,999	1140	475,037				34	3.7	02.1-05.3	114	17.8	14.1-21.5	548	40.0	36.1-43.9	328	32.0	28.1-35.9	116	6.5	04.9-08.1
\$25,000- 34,999	644	255,164	1	0.1	00.0-00.3	11	2.9	00.7-05.1	40	8.2	05.3-11.1	275	43.5	38.4-48.6	192	33.5	28.4-38.6	125	11.8	09.1-14.5
\$35,000- 49,999	727	292,489				6	3.0	00.1-05.9	22	5.7	03.0-08.4	278	36.4	31.9-40.9	197	32.4	27.7-37.1	224	22.6	19.1-26.1
\$50,000- 74,999	728	318,752				2	0.4	00.0-01.0	9	2.3	00.3-04.3	195	28.5	24.2-32.8	223	38.1	33.4-42.8	299	30.7	26.8-34.6
\$75,000+	1004	478,278				1	0.1	00.0-00.3	8	1.4	00.2-02.6	182	20.9	17.4-24.4	233	33.6	29.5-37.7	580	44.0	40.3-47.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 25: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10255	4,944,166	4933	56.5	55.3-57.7	469	6.4	05.6-07.2	753	7.1	06.5-07.7	260	5.8	05.0-06.6	2972	16.9	16.1-17.7	868	7.4	06.8-08.0
Male	4241	2,401,153	2366	63.7	61.9-65.5	232	7.1	05.9-08.3	16	0.4	00.2-00.6	124	5.8	04.6-07.0	1189	16.4	15.2-17.6	314	6.6	05.6-07.6
Female	6014	2,543,013	2567	49.7	47.9-51.5	237	5.8	04.8-06.8	737	13.5	12.3-14.7	136	5.7	04.5-06.9	1783	17.3	16.3-18.3	554	8.0	07.2-08.8
White/Non-Hisp	8914	4,038,287	4293	56.9	55.5-58.3	367	6.0	05.2-06.8	645	6.8	06.2-07.4	189	5.2	04.4-06.0	2727	18.3	17.5-19.1	693	6.8	06.2-07.4
Black or Afr. Am./Non-Hisp	587	412,586	283	55.3	50.0-60.6	48	10.4	07.1-13.7	22	3.0	01.6-04.4	24	7.0	03.9-10.1	121	12.5	09.8-15.2	89	11.9	08.6-15.2
Oth. Race/Non-Hisp.	168	102,752	74	48.6	39.0-58.2	13	5.7	02.4-09.0	10	7.5	01.8-13.2	20	18.6	10.2-27.0	36	12.7	07.4-18.0	15	6.9	02.0-11.8
MultiRacial/Non-Hisp.	116	46,119	45	46.5	34.2-58.8	10	5.7	01.4-10.0	7	7.5	01.0-14.0	3	6.3	00.0-13.4	23	13.1	06.4-19.8	28	20.9	11.9-29.9
Hispanic	309	264,404	176	59.8	53.3-66.3	24	7.3	04.0-10.6	53	16.9	12.0-21.8	19	7.4	03.9-10.9	21	4.8	02.4-07.2	16	3.9	01.5-06.3
18-24	535	678,147	292	52.9	48.2-57.6	53	10.3	07.4-13.2	13	2.1	00.7-03.5	172	33.7	29.2-38.2				5	1.0	00.2-01.8
25-34	912	809,758	651	71.4	68.1-74.7	92	9.8	07.6-12.0	85	9.7	07.5-11.9	46	4.3	02.9-05.7				38	4.8	03.0-06.6
35-44	1230	812,624	914	75.9	73.2-78.6	77	6.5	04.7-08.3	140	10.2	08.2-12.2	19	1.3	00.5-02.1	3	0.2	00.0-00.4	77	5.9	04.3-07.5
45-54	1769	887,343	1303	72.7	70.2-75.2	104	6.6	05.0-08.2	97	5.9	04.5-07.3	12	0.6	00.2-01.0	22	1.4	00.6-02.2	231	12.8	10.8-14.8
55-64	2244	805,067	1255	56.2	53.7-58.7	113	5.9	04.5-07.3	114	4.9	03.9-05.9	8	0.3	00.1-00.5	420	19.0	17.0-21.0	334	13.6	11.8-15.4
65+	3475	921,677	483	13.9	12.5-15.3	27	0.9	00.5-01.3	289	8.6	07.4-09.8	1	0.1	00.0-00.3	2496	71.7	69.9-73.5	179	4.9	03.9-05.9
Less Than H.S.	927	699,826	267	40.4	36.1-44.7	51	7.9	05.5-10.3	117	12.5	09.8-15.2	22	5.7	03.3-08.1	266	15.7	13.3-18.1	204	17.8	14.9-20.7
H.S. or G.E.D.	3762	1,719,874	1540	52.8	50.6-55.0	188	7.3	06.1-08.5	329	7.2	06.2-08.2	58	4.1	02.9-05.3	1286	20.8	19.4-22.2	361	7.6	06.6-08.6
Some Post-H.S.	2613	1,496,607	1329	58.5	56.1-60.9	137	6.8	05.4-08.2	160	5.6	04.6-06.6	113	9.0	07.2-10.8	655	14.3	12.9-15.7	219	5.8	04.8-06.8
College Graduate	2934	1,019,774	1791	70.8	68.8-72.8	92	3.2	02.4-04.0	147	5.5	04.5-06.5	66	3.7	02.7-04.7	757	14.7	13.5-15.9	81	2.0	01.4-02.6
Less than \$15,000	1079	496,460	201	27.8	23.7-31.9	149	18.3	15.0-21.6	59	5.9	03.7-08.1	43	7.8	05.3-10.3	279	13.2	11.2-15.2	348	27.0	23.5-30.5
\$15,000- 24,999	1752	814,290	555	42.5	39.2-45.8	120	9.9	07.9-11.9	127	8.5	06.5-10.5	53	5.9	03.9-07.9	681	22.1	19.9-24.3	216	11.1	09.1-13.1
\$25,000- 34,999	1127	524,315	514	58.2	54.5-61.9	33	3.8	02.4-05.2	80	5.8	04.2-07.4	22	3.0	01.6-04.4	405	23.0	20.3-25.7	73	6.3	04.5-08.1
\$35,000- 49,999	1343	650,393	707	61.1	57.8-64.4	40	4.9	03.1-06.7	84	6.2	04.6-07.8	24	3.8	02.0-05.6	433	19.4	17.2-21.6	55	4.5	03.1-05.9
\$50,000- 74,999	1343	672,676	870	71.0	67.9-74.1	36	3.8	02.2-05.4	77	5.6	04.0-07.2	20	3.5	01.7-05.3	306	13.7	11.9-15.5	34	2.4	01.4-03.4
\$75,000+	2053	1,067,456	1546	76.8	74.4-79.2	34	2.0	01.0-03.0	131	6.3	05.1-07.5	40	5.4	03.6-07.2	276	8.1	06.9-09.3	26	1.3	00.7-01.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS
TABLE 26: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4241	2,401,153	2366	63.7	61.9-65.5	232	7.1	05.9-08.3	16	0.4	00.2-00.6	124	5.8	04.6-07.0	1189	16.4	15.4-17.4	314	6.6	05.6-07.6
White/Non-Hisp	3667	1,945,142	2054	64.1	62.1-66.1	188	6.9	05.7-08.1	11	0.3	00.1-00.5	90	5.1	03.9-06.3	1080	17.7	16.5-18.9	244	5.9	04.9-06.9
Black or Afr. Am./Non-Hisp	210	193,192	107	56.7	48.1-65.3	16	10.1	04.6-15.6	2	1.0	00.0-02.4	10	8.3	03.0-13.6	46	12.4	07.9-16.9	29	11.4	05.9-16.9
Oth. Race/Non-Hisp.	83	56,641	40	56.1	43.4-68.8	7	5.1	01.2-09.0				12	18.1	08.1-28.1	17	11.9	05.2-18.6	7	8.8	00.6-17.0
MultiRacial/Non-Hisp.	56	25,600	23	51.4	34.5-68.3	7	8.1	00.8-15.4				1	4.5	00.0-13.1	11	13.8	03.8-23.8	14	22.2	09.5-34.9
Hispanic	138	133,355	103	77.7	70.1-85.3	9	5.5	01.6-09.4	1	0.3	00.0-00.9	10	8.6	03.1-14.1	10	5.3	01.6-09.0	5	2.7	00.0-05.4
18-24	280	347,208	150	52.8	46.1-59.5	28	10.5	06.4-14.6	2	0.4	00.0-01.0	99	35.9	29.4-42.4				1	0.5	00.0-01.5
25-34	400	402,927	324	82.0	77.7-86.3	43	9.9	06.8-13.0				16	2.6	01.2-04.0				17	5.5	02.4-08.6
35-44	517	408,252	447	86.9	83.4-90.4	37	7.2	04.7-09.7	6	1.1	00.1-02.1	3	0.4	00.0-01.0	2	0.3	00.0-00.7	22	4.0	01.8-06.2
45-54	825	438,627	648	78.7	75.4-82.0	62	8.0	05.6-10.4	5	0.6	00.0-01.2	3	0.3	00.0-00.7	9	1.1	00.3-01.9	98	11.4	08.9-13.9
55-64	931	397,243	555	59.4	55.7-63.1	53	6.7	04.5-08.9	2	0.1	00.0-00.3	1	0.1	00.0-00.3	192	20.3	17.2-23.4	128	13.5	10.8-16.2
65+	1262	397,915	224	18.1	15.6-20.6	7	0.4	00.0-00.8	1	0.1	00.0-00.3	1	0.1	00.0-00.3	981	77.3	74.6-80.0	48	4.0	02.6-05.4
Less Than H.S.	386	354,447	157	50.9	44.6-57.2	24	8.4	04.9-11.9	1	0.1	00.0-00.3	14	6.8	03.3-10.3	115	16.2	12.7-19.7	75	17.7	13.2-22.2
H.S. or G.E.D.	1508	840,672	757	62.1	59.2-65.0	99	8.2	06.4-10.0	5	0.3	00.0-00.7	28	4.0	02.4-05.6	484	19.1	17.1-21.1	135	6.1	04.7-07.5
Some Post-H.S.	1019	689,413	580	63.4	59.9-66.9	63	7.5	05.3-09.7	5	0.4	00.0-00.8	49	9.0	06.5-11.5	247	14.1	12.1-16.1	75	5.5	03.9-07.1
College Graduate	1317	511,000	868	75.6	73.1-78.1	46	3.8	02.4-05.2	5	0.5	00.0-01.1	32	3.6	02.2-05.0	339	15.1	13.3-16.9	27	1.4	00.6-02.2
Less than \$15,000	366	195,721	76	28.1	21.8-34.4	69	24.0	18.1-29.9	3	0.5	00.0-01.1	13	5.6	02.3-08.9	82	11.6	08.3-14.9	123	30.2	23.9-36.5
\$15,000- 24,999	617	340,581	204	46.4	41.1-51.7	60	11.9	08.4-15.4	5	0.8	00.0-01.8	23	5.2	02.8-07.6	242	22.9	19.4-26.4	83	12.9	09.4-16.4
\$25,000- 34,999	486	269,558	233	62.0	56.7-67.3	19	4.7	02.3-07.1	2	0.3	00.0-00.9	14	4.0	01.8-06.2	190	24.3	20.2-28.4	28	4.8	02.6-07.0
\$35,000- 49,999	619	359,384	357	67.0	62.5-71.5	22	5.5	03.0-08.0	3	0.4	00.0-01.0	11	3.9	01.4-06.4	204	19.7	16.6-22.8	22	3.6	01.8-05.4
\$50,000- 74,999	616	354,304	424	76.6	72.7-80.5	19	4.3	01.8-06.8				8	2.5	00.7-04.3	150	14.1	11.6-16.6	15	2.3	00.9-03.7
\$75,000+	1052	590,985	852	82.1	79.0-85.2	14	1.6	00.4-02.8	3	0.4	00.0-01.0	26	7.0	04.3-09.7	149	8.2	06.6-09.8	8	0.6	00.2-01.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS
TABLE 27: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6014	2,543,013	2567	49.7	47.9-51.5	237	5.8	04.8-06.8	737	13.5	12.3-14.7	136	5.7	04.5-06.9	1783	17.3	16.3-18.3	554	8.0	07.2-08.8
White/Non-Hisp	5247	2,093,145	2239	50.3	48.5-52.1	179	5.1	04.1-06.1	634	12.9	11.7-14.1	99	5.3	04.1-06.5	1647	18.8	17.8-19.8	449	7.6	06.6-08.6
Black or Afr. Am./Non-Hisp	377	219,394	176	54.1	47.4-60.8	32	10.6	06.5-14.7	20	4.7	02.3-07.1	14	5.8	02.3-09.3	75	12.6	09.1-16.1	60	12.2	08.5-15.9
Oth. Race/Non-Hisp.	85	46,111	34	39.3	26.0-52.6	6	6.4	00.7-12.1	10	16.6	04.8-28.4	8	19.2	04.9-33.5	19	13.8	05.6-22.0	8	4.6	00.9-08.3
MultiRacial/Non-Hisp.	60	20,519	22	40.5	23.1-57.9	3	2.6	00.0-05.9	7	16.8	03.1-30.5	2	8.6	00.0-20.6	12	12.2	03.8-20.6	14	19.2	06.9-31.5
Hispanic	171	131,049	73	41.7	32.9-50.5	15	9.2	03.9-14.5	52	33.7	25.1-42.3	9	6.1	01.6-10.6	11	4.2	01.3-07.1	11	5.0	01.3-08.7
18-24	255	330,939	142	53.1	46.2-60.0	25	10.0	05.9-14.1	11	4.0	01.5-06.5	73	31.5	25.0-38.0				4	1.4	00.0-02.8
25-34	512	406,831	327	60.8	55.7-65.9	49	9.7	06.8-12.6	85	19.3	15.2-23.4	30	6.0	03.5-08.5				21	4.1	02.1-06.1
35-44	713	404,372	467	64.8	60.7-68.9	40	5.7	03.5-07.9	134	19.3	15.8-22.8	16	2.3	00.9-03.7	1	0.1	00.0-00.3	55	7.8	05.4-10.2
45-54	944	448,716	655	66.8	63.1-70.5	42	5.2	03.4-07.0	92	11.0	08.5-13.5	9	0.9	00.3-01.5	13	1.8	00.6-03.0	133	14.2	11.5-16.9
55-64	1313	407,825	700	53.2	49.9-56.5	60	5.1	03.5-06.7	112	9.6	07.6-11.6	7	0.5	00.1-00.9	228	17.8	15.3-20.3	206	13.7	11.5-15.9
65+	2213	523,762	259	10.7	09.1-12.3	20	1.2	00.6-01.8	288	15.2	13.2-17.2				1515	67.4	65.0-69.8	131	5.6	04.4-06.8
Less Than H.S.	541	345,379	110	29.6	23.9-35.3	27	7.4	04.1-10.7	116	25.3	20.2-30.4	8	4.6	01.3-07.9	151	15.3	12.2-18.4	129	17.8	14.1-21.5
H.S. or G.E.D.	2254	879,201	783	43.9	41.2-46.6	89	6.4	04.8-08.0	324	13.8	12.0-15.6	30	4.2	02.6-05.8	802	22.5	20.7-24.3	226	9.1	07.5-10.7
Some Post-H.S.	1594	807,194	749	54.4	51.3-57.5	74	6.2	04.4-08.0	155	9.9	07.9-11.9	64	9.0	06.6-11.4	408	14.4	12.6-16.2	144	6.1	04.9-07.3
College Graduate	1617	508,773	923	66.0	63.3-68.7	46	2.7	01.7-03.7	142	10.5	08.5-12.5	34	3.9	02.3-05.5	418	14.3	12.7-15.9	54	2.6	01.8-03.4
Less than \$15,000	713	300,739	125	27.6	22.1-33.1	80	14.7	10.8-18.6	56	9.3	06.0-12.6	30	9.3	05.8-12.8	197	14.2	11.7-16.7	225	24.9	20.8-29.0
\$15,000- 24,999	1135	473,709	351	39.8	35.7-43.9	60	8.5	06.1-10.9	122	14.0	10.9-17.1	30	6.5	03.8-09.2	439	21.5	19.0-24.0	133	9.7	07.5-11.9
\$25,000- 34,999	641	254,757	281	54.1	49.0-59.2	14	2.8	01.0-04.6	78	11.6	08.5-14.7	8	2.1	00.3-03.9	215	21.6	18.1-25.1	45	7.8	05.1-10.5
\$35,000- 49,999	724	291,009	350	53.8	49.1-58.5	18	4.2	01.7-06.7	81	13.4	09.9-16.9	13	3.8	01.4-06.2	229	19.1	16.2-22.0	33	5.7	03.5-07.9
\$50,000- 74,999	727	318,373	446	64.6	60.1-69.1	17	3.1	01.3-04.9	77	11.9	09.0-14.8	12	4.5	01.6-07.4	156	13.3	10.8-15.8	19	2.5	01.3-03.7
\$75,000+	1001	476,471	694	70.2	66.5-73.9	20	2.5	00.9-04.1	128	13.6	11.1-16.1	14	3.5	01.1-05.9	127	7.9	06.3-09.5	18	2.3	01.1-03.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 28: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8740	4,244,785	510	6.5	05.7-07.3	576	5.3	04.7-05.9	822	9.2	08.4-10.0	939	10.0	09.2-10.8	1133	12.4	11.4-13.4	4760	56.5	55.1-57.9
Male	3776	2,120,691	165	5.0	04.0-06.0	204	4.4	03.6-05.2	273	7.8	06.6-09.0	347	8.3	07.1-09.5	488	12.8	11.4-14.2	2299	61.7	59.7-63.7
Female	4964	2,124,094	345	8.0	06.8-09.2	372	6.3	05.5-07.1	549	10.7	09.5-11.9	592	11.7	10.5-12.9	645	12.0	10.8-13.2	2461	51.3	49.3-53.3
White/Non-Hisp	7584	3,466,955	356	4.9	04.1-05.7	454	4.7	04.1-05.3	642	7.5	06.7-08.3	791	9.2	08.4-10.0	990	12.4	11.4-13.4	4351	61.3	59.9-62.7
Black or Afr. Am./Non-Hisp	525	363,415	79	15.3	11.0-19.6	53	8.1	05.4-10.8	85	16.2	12.3-20.1	61	11.9	08.2-15.6	63	11.3	08.0-14.6	184	37.2	31.5-42.9
Oth. Race/Non-Hisp.	153	93,484	19	13.8	06.9-20.7	20	8.4	03.7-13.1	16	11.1	02.9-19.3	20	13.8	07.1-20.5	23	15.6	08.7-22.5	55	37.3	27.5-47.1
MultiRacial/Non-Hisp.	96	37,606	9	8.7	01.6-15.8	14	8.1	02.8-13.4	11	11.9	03.5-20.3	14	13.5	04.3-22.7	10	11.9	04.3-19.5	38	45.9	32.8-59.0
Hispanic	275	229,547	34	12.0	07.3-16.7	26	8.0	04.7-11.3	49	21.1	15.2-27.0	33	15.0	09.7-20.3	44	15.8	10.7-20.9	89	28.2	22.1-34.3
18-24	401	505,283	53	11.7	08.4-15.0	30	6.8	04.3-09.3	54	13.4	09.7-17.1	44	9.7	06.6-12.8	58	13.2	09.7-16.7	162	45.3	39.6-51.0
25-34	824	724,981	73	9.6	07.1-12.1	44	4.3	02.9-05.7	67	8.3	06.1-10.5	93	12.3	09.6-15.0	110	14.7	11.8-17.6	437	50.8	46.9-54.7
35-44	1143	759,619	58	5.5	03.7-07.3	53	4.5	03.1-05.9	80	7.8	05.8-09.8	86	7.8	05.8-09.8	103	8.9	06.9-10.9	763	65.5	62.2-68.8
45-54	1592	794,942	102	5.8	04.4-07.2	78	4.3	03.1-05.5	134	8.8	07.0-10.6	110	6.9	05.3-08.5	155	9.5	07.9-11.1	1013	64.6	61.9-67.3
55-64	2003	716,075	116	4.6	03.4-05.8	146	6.2	05.0-07.4	133	6.3	04.9-07.7	168	8.1	06.7-09.5	209	10.4	08.8-12.0	1231	64.5	62.0-67.0
65+	2738	731,913	106	3.6	02.6-04.6	223	6.4	05.4-07.4	347	12.1	10.5-13.7	436	15.7	14.1-17.3	494	18.4	16.6-20.2	1132	43.8	41.4-46.2
Less Than H.S.	755	576,735	139	18.3	14.6-22.0	122	11.6	09.1-14.1	142	18.4	14.9-21.9	112	15.7	12.2-19.2	114	13.3	10.4-16.2	126	22.7	18.4-27.0
H.S. or G.E.D.	3129	1,452,223	203	6.4	05.2-07.6	274	6.2	05.2-07.2	406	11.2	09.8-12.6	431	11.5	10.1-12.9	498	16.1	14.3-17.9	1317	48.7	46.3-51.1
Some Post-H.S.	2232	1,288,064	117	4.6	03.4-05.8	118	4.1	03.1-05.1	195	7.8	06.4-09.2	264	9.9	08.3-11.5	315	12.3	10.5-14.1	1223	61.3	58.8-63.8
College Graduate	2613	923,653	50	1.8	01.2-02.4	61	1.7	01.1-02.3	77	2.4	01.8-03.0	131	4.4	03.4-05.4	204	6.3	05.1-07.5	2090	83.3	81.5-85.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 29: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3776	2,120,691	165	5.0	04.0-06.0	204	4.4	03.6-05.2	273	7.8	06.6-09.0	347	8.3	07.1-09.5	488	12.8	11.4-14.2	2299	61.7	59.7-63.7
White/Non-Hisp	3282	1,726,706	116	3.8	03.0-04.6	153	3.6	02.8-04.4	203	5.9	04.9-06.9	282	7.0	06.0-08.0	425	13.0	11.4-14.6	2103	66.7	64.7-68.7
Black or Afr. Am./Non-Hisp	190	171,333	15	8.4	03.5-13.3	21	8.5	04.2-12.8	29	14.5	08.8-20.2	26	14.4	07.7-21.1	20	8.9	04.2-13.6	79	45.3	35.9-54.7
Oth. Race/Non-Hisp.	74	50,911	12	15.0	05.0-25.0	9	8.9	01.8-16.0	5	7.3	00.0-16.5	6	8.9	01.8-16.0	14	19.4	09.0-29.8	28	40.5	27.0-54.0
Hispanic	125	119,198	14	11.8	05.3-18.3	11	6.5	02.2-10.8	22	23.2	14.4-32.0	17	15.2	07.8-22.6	19	14.5	07.2-21.8	42	28.8	20.2-37.4
18-24	208	256,882	18	6.3	03.2-09.4	14	6.2	02.9-09.5	19	10.2	05.5-14.9	18	5.5	02.8-08.2	36	16.4	10.7-22.1	103	55.4	47.8-63.0
25-34	360	361,571	22	6.4	03.5-09.3	15	3.2	01.4-05.0	25	7.0	04.1-09.9	37	10.8	06.9-14.7	60	18.3	13.8-22.8	201	54.3	48.4-60.2
35-44	482	383,737	16	4.7	02.2-07.2	21	3.8	01.8-05.8	32	7.3	04.6-10.0	25	5.7	03.0-08.4	45	8.4	05.5-11.3	343	70.1	65.2-75.0
45-54	766	408,425	48	6.0	04.0-08.0	35	3.6	02.2-05.0	55	8.2	05.7-10.7	50	6.6	04.4-08.8	75	8.5	06.3-10.7	503	67.2	63.3-71.1
55-64	857	361,855	38	4.6	02.6-06.6	65	6.4	04.4-08.4	49	6.0	03.8-08.2	60	7.2	05.0-09.4	73	8.3	06.1-10.5	572	67.7	64.0-71.4
65+	1089	344,064	23	2.3	01.1-03.5	53	3.6	02.4-04.8	92	8.9	06.7-11.1	157	14.1	11.7-16.5	198	19.1	16.4-21.8	566	51.9	48.4-55.4
Less Than H.S.	334	303,918	46	15.0	10.3-19.7	42	8.5	05.4-11.6	61	18.6	13.5-23.7	45	12.6	08.1-17.1	62	15.8	11.3-20.3	78	29.5	23.0-36.0
H.S. or G.E.D.	1328	741,140	67	4.6	03.2-06.0	87	4.8	03.4-06.2	128	9.0	07.0-11.0	161	9.6	07.8-11.4	223	16.6	14.1-19.1	662	55.3	52.0-58.6
Some Post-H.S.	904	603,175	33	3.2	01.8-04.6	47	3.7	02.3-05.1	49	4.9	03.1-06.7	82	7.6	05.6-09.6	123	12.0	09.5-14.5	570	68.5	65.0-72.0
College Graduate	1204	470,324	18	1.3	00.5-02.1	28	1.8	01.0-02.6	34	2.6	01.6-03.6	58	4.4	03.0-05.8	79	6.0	04.4-07.6	987	83.9	81.4-86.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 30: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4964	2,124,094	345	8.0	06.8-09.2	372	6.3	05.5-07.1	549	10.7	09.5-11.9	592	11.7	10.5-12.9	645	12.0	10.8-13.2	2461	51.3	49.3-53.3
White/Non-Hisp	4302	1,740,249	240	6.0	04.8-07.2	301	5.8	04.8-06.8	439	9.1	07.9-10.3	509	11.4	10.0-12.8	565	11.7	10.5-12.9	2248	56.0	54.0-58.0
Black or Afr. Am./Non-Hisp	335	192,082	64	21.4	14.5-28.3	32	7.8	04.5-11.1	56	17.7	12.2-23.2	35	9.7	06.0-13.4	43	13.4	08.7-18.1	105	30.0	23.5-36.5
Oth. Race/Non-Hisp.	79	42,574	7	12.4	03.2-21.6	11	7.7	02.0-13.4	11	15.6	01.5-29.7	14	19.6	08.0-31.2	9	11.2	03.0-19.4	27	33.5	19.8-47.2
Hispanic	150	110,349	20	12.2	05.7-18.7	15	9.5	04.2-14.8	27	18.9	11.5-26.3	16	14.7	07.3-22.1	25	17.1	09.8-24.4	47	27.6	19.2-36.0
18-24	193	248,401	35	17.2	11.5-22.9	16	7.3	03.6-11.0	35	16.6	10.9-22.3	26	14.0	08.3-19.7	22	10.0	05.7-14.3	59	34.7	26.9-42.5
25-34	464	363,409	51	12.7	08.4-17.0	29	5.5	03.3-07.7	42	9.5	06.4-12.6	56	13.8	09.9-17.7	50	11.1	07.8-14.4	236	47.4	42.1-52.7
35-44	661	375,882	42	6.2	03.8-08.6	32	5.3	03.1-07.5	48	8.3	05.8-10.8	61	10.0	07.3-12.7	58	9.3	06.6-12.0	420	60.9	56.4-65.4
45-54	826	386,517	54	5.7	03.7-07.7	43	5.0	03.2-06.8	79	9.5	07.0-12.0	60	7.3	05.1-09.5	80	10.6	08.1-13.1	510	61.9	58.0-65.8
55-64	1146	354,221	78	4.6	03.2-06.0	81	5.9	04.3-07.5	84	6.7	04.9-08.5	108	9.0	07.0-11.0	136	12.5	10.1-14.9	659	61.2	57.9-64.5
65+	1649	387,849	83	4.8	03.4-06.2	170	8.9	07.3-10.5	255	14.9	12.7-17.1	279	17.0	14.8-19.2	296	17.8	15.6-20.0	566	36.6	33.7-39.5
Less Than H.S.	421	272,817	93	22.0	16.1-27.9	80	15.1	11.0-19.2	81	18.2	13.5-22.9	67	19.2	13.7-24.7	52	10.4	07.1-13.7	48	15.0	10.1-19.9
H.S. or G.E.D.	1801	711,083	136	8.3	06.3-10.3	187	7.6	06.0-09.2	278	13.4	11.2-15.6	270	13.3	11.3-15.3	275	15.6	13.4-17.8	655	41.8	38.7-44.9
Some Post-H.S.	1328	684,889	84	5.9	04.1-07.7	71	4.4	03.0-05.8	146	10.3	08.1-12.5	182	11.9	09.5-14.3	192	12.5	10.3-14.7	653	55.0	51.5-58.5
College Graduate	1409	453,330	32	2.3	01.3-03.3	33	1.7	00.9-02.5	43	2.3	01.5-03.1	73	4.5	03.1-05.9	125	6.7	05.1-08.3	1103	82.6	80.2-85.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 31: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9873	4,788,648	89	0.9	00.7-01.1	2808	26.9	25.7-28.1	4445	44.8	43.4-46.2	1841	19.2	18.2-20.2	668	7.9	07.1-08.7	22	0.3	00.1-00.5
Male	4234	2,399,966	2	0.0	00.0-00.0	395	11.4	10.0-12.8	2117	48.3	46.3-50.3	1251	28.1	26.3-29.9	456	11.8	10.6-13.0	13	0.4	00.2-00.6
Female	5639	2,388,682	87	1.7	01.1-02.3	2413	42.5	40.7-44.3	2328	41.2	39.4-43.0	590	10.4	09.4-11.4	212	4.0	03.4-04.6	9	0.2	00.0-00.4
White/Non-Hisp	8575	3,908,990	73	0.7	00.5-00.9	2471	27.4	26.2-28.6	3855	44.4	43.0-45.8	1608	19.7	18.5-20.9	556	7.6	06.8-08.4	12	0.2	00.2-00.2
Black or Afr. Am./Non-Hisp	567	400,827	6	0.7	00.1-01.3	112	18.3	14.2-22.4	264	48.8	43.3-54.3	124	20.0	15.9-24.1	60	12.0	08.3-15.7	1	0.2	00.0-00.6
Oth. Race/Non-Hisp.	166	100,757	3	4.1	00.0-10.2	64	36.2	27.0-45.4	60	34.9	26.1-43.7	27	13.2	06.9-19.5	9	8.8	02.7-14.9	3	2.8	00.0-05.9
MultiRacial/Non-Hisp.	114	44,963	4	3.8	00.0-07.7	17	15.8	06.2-25.4	57	46.4	34.1-58.7	20	18.2	09.6-26.8	16	15.7	06.9-24.5			
Hispanic	303	260,322	2	1.3	00.0-03.1	97	30.4	24.3-36.5	147	48.8	42.1-55.5	41	15.0	10.3-19.7	10	2.7	00.9-04.5	6	1.7	00.1-03.3
18-24	521	659,961	10	2.2	00.6-03.8	193	36.7	32.0-41.4	228	44.0	39.1-48.9	64	12.3	09.2-15.4	23	4.2	02.4-06.0	3	0.4	00.0-01.0
25-34	884	792,183	4	0.5	00.0-01.1	273	29.2	25.9-32.5	379	44.5	40.6-48.4	146	15.6	12.9-18.3	79	9.8	07.4-12.2	3	0.4	00.0-00.8
35-44	1179	783,573	2	0.1	00.0-00.3	316	22.5	19.8-25.2	522	46.0	42.5-49.5	234	21.4	18.7-24.1	102	9.6	07.6-11.6	3	0.3	00.0-00.7
45-54	1695	855,825	10	0.5	00.1-00.9	400	23.3	20.9-25.7	723	41.7	39.0-44.4	413	24.9	22.4-27.4	143	9.2	07.4-11.0	6	0.4	00.0-00.8
55-64	2173	781,448	19	0.9	00.3-01.5	532	22.5	20.3-24.7	977	43.8	41.3-46.3	463	23.6	21.4-25.8	179	9.1	07.5-10.7	3	0.1	00.0-00.3
65+	3363	896,858	43	1.1	00.7-01.5	1068	28.6	26.8-30.4	1602	48.7	46.5-50.9	511	16.4	14.8-18.0	135	5.1	04.1-06.1	4	0.2	00.0-00.4
Less Than H.S.	909	688,228	16	1.6	00.6-02.6	273	29.1	25.2-33.0	401	43.5	39.2-47.8	151	17.7	14.4-21.0	63	7.5	05.3-09.7	5	0.6	00.0-01.2
H.S. or G.E.D.	3603	1,661,699	34	1.0	00.4-01.6	1030	25.8	23.8-27.8	1652	46.0	43.8-48.2	652	19.2	17.4-21.0	229	8.0	06.6-09.4	6	0.2	00.0-00.4
Some Post-H.S.	2509	1,443,614	25	0.7	00.3-01.1	670	25.8	23.6-28.0	1127	45.0	42.5-47.5	461	18.9	16.9-20.9	220	9.3	07.9-10.7	6	0.3	00.1-00.5
College Graduate	2832	985,590	14	0.4	00.2-00.6	828	29.1	27.1-31.1	1258	43.3	41.1-45.5	572	20.9	19.1-22.7	155	6.1	04.9-07.3	5	0.3	00.1-00.5
Less than \$15,000	1042	483,784	18	2.0	00.6-03.4	305	30.2	26.3-34.1	431	40.4	36.1-44.7	198	18.2	15.1-21.3	84	8.2	06.0-10.4	6	1.0	00.2-01.8
\$15,000- 24,999	1686	788,490	18	1.2	00.2-02.2	496	27.8	24.9-30.7	763	45.5	42.2-48.8	276	17.1	14.6-19.6	126	7.8	06.0-09.6	7	0.6	00.0-01.2
\$25,000- 34,999	1091	509,647	6	0.5	00.1-00.9	279	24.0	20.7-27.3	536	49.7	45.8-53.6	202	17.8	15.1-20.5	65	7.8	05.6-10.0	3	0.2	00.0-00.4
\$35,000- 49,999	1308	634,311	4	0.1	00.0-00.3	319	21.9	19.0-24.8	619	46.8	43.3-50.3	258	20.1	17.4-22.8	107	11.0	08.6-13.4	1	0.1	00.0-00.3
\$50,000- 74,999	1306	655,666	9	0.4	00.0-00.8	323	23.3	20.4-26.2	602	45.5	42.0-49.0	273	22.0	19.1-24.9	99	8.7	06.5-10.9			
\$75,000+	2018	1,053,575	5	0.2	00.0-00.4	534	25.9	23.5-28.3	897	44.1	41.4-46.8	455	23.0	20.6-25.4	124	6.7	05.3-08.1	3	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 32: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4234	2,399,966	2	0.0	00.0-00.0	395	11.4	10.0-12.8	2117	48.3	46.3-50.3	1251	28.1	26.3-29.9	456	11.8	10.6-13.0	13	0.4	00.2-00.6
White/Non-Hisp	3663	1,948,691	2	0.1	00.1-00.1	327	11.0	09.4-12.6	1832	47.8	45.6-50.0	1113	29.4	27.6-31.2	383	11.5	10.1-12.9	6	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	212	194,430				19	10.5	05.2-15.8	102	49.5	40.9-58.1	54	22.5	15.6-29.4	36	17.0	10.3-23.7	1	0.4	00.0-01.2
Oth. Race/Non-Hisp.	81	54,228				19	24.9	12.9-36.9	33	38.9	26.6-51.2	20	19.4	09.2-29.6	7	13.4	03.4-23.4	2	3.5	00.0-08.4
MultiRacial/Non-Hisp.	56	25,600				3	6.3	00.0-13.7	29	53.5	36.8-70.2	16	22.1	10.1-34.1	8	18.2	04.9-31.5			
Hispanic	139	132,738				14	11.0	05.1-16.9	82	58.6	49.4-67.8	33	24.2	16.2-32.2	6	3.7	00.6-06.8	4	2.5	00.0-05.2
18-24	281	347,511				75	28.2	22.1-34.3	141	49.2	42.5-55.9	45	15.3	10.6-20.0	19	7.0	03.7-10.3	1	0.4	00.0-01.2
25-34	403	406,681				53	12.8	09.3-16.3	201	50.8	45.3-56.3	95	22.0	17.7-26.3	51	13.7	09.6-17.8	3	0.7	00.0-01.5
35-44	509	403,169				31	6.4	03.7-09.1	252	49.6	44.5-54.7	156	30.8	26.1-35.5	68	13.0	09.7-16.3	2	0.3	00.0-00.7
45-54	827	440,632				62	7.8	05.4-10.2	371	42.4	38.5-46.3	289	35.9	32.0-39.8	102	13.5	10.8-16.2	3	0.4	00.0-01.0
55-64	932	396,558	1	0.0	00.0-00.0	62	7.3	05.1-09.5	443	44.1	40.4-47.8	305	34.8	31.1-38.5	119	13.6	10.9-16.3	2	0.2	00.0-00.4
65+	1259	397,969	1	0.2	00.0-00.6	109	8.4	06.4-10.4	705	55.1	51.8-58.4	352	27.1	24.2-30.0	90	8.9	06.7-11.1	2	0.2	00.0-00.6
Less Than H.S.	386	354,715	1	0.2	00.0-00.6	65	18.4	13.5-23.3	185	47.0	40.7-53.3	92	22.6	17.5-27.7	39	10.8	07.1-14.5	4	0.9	00.0-01.9
H.S. or G.E.D.	1500	838,934				144	11.0	08.8-13.2	755	48.7	45.4-52.0	442	28.3	25.6-31.0	157	11.9	09.7-14.1	2	0.1	00.0-00.3
Some Post-H.S.	1018	689,764				85	11.1	08.4-13.8	477	46.2	42.5-49.9	303	27.9	24.6-31.2	147	14.3	11.8-16.8	6	0.6	00.0-01.2
College Graduate	1317	509,212	1	0.0	00.0-00.0	99	7.7	05.9-09.5	694	51.3	48.0-54.6	410	31.7	28.8-34.6	112	9.1	07.1-11.1	1	0.1	00.0-00.3
Less than \$15,000	363	195,210				54	19.2	13.3-25.1	171	45.9	39.2-52.6	93	22.2	16.7-27.7	40	10.7	06.8-14.6	5	2.0	00.0-04.0
\$15,000- 24,999	612	338,397	1	0.0	00.0-00.0	72	12.8	09.1-16.5	319	52.2	46.9-57.5	147	22.8	18.5-27.1	69	11.1	08.0-14.2	4	1.1	00.1-02.1
\$25,000- 34,999	485	270,703				50	11.3	07.6-15.0	253	53.3	47.6-59.0	136	23.8	19.3-28.3	44	11.3	07.6-15.0	2	0.2	00.0-00.4
\$35,000- 49,999	619	358,420				47	8.8	05.7-11.9	311	48.2	43.3-53.1	183	27.4	23.1-31.7	78	15.7	12.0-19.4			
\$50,000- 74,999	616	353,610				53	9.3	06.0-12.6	293	46.0	40.9-51.1	198	32.2	27.5-36.9	72	12.4	08.9-15.9			
\$75,000+	1056	592,378				55	7.7	05.3-10.1	530	47.6	43.7-51.5	370	34.9	31.4-38.4	100	9.8	07.4-12.2	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 33: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5639	2,388,682	87	1.7	01.1-02.3	2413	42.5	40.7-44.3	2328	41.2	39.4-43.0	590	10.4	09.4-11.4	212	4.0	03.4-04.6	9	0.2	00.0-00.4
White/Non-Hisp	4912	1,960,299	71	1.4	01.0-01.8	2144	43.6	41.6-45.6	2023	41.0	39.0-43.0	495	10.1	08.9-11.3	173	3.7	02.9-04.5	6	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	355	206,398	6	1.3	00.0-02.7	93	25.6	19.3-31.9	162	48.1	41.0-55.2	70	17.7	12.8-22.6	24	7.4	03.9-10.9			
Oth. Race/Non-Hisp.	85	46,529	3	8.9	00.0-21.6	45	49.5	35.2-63.8	27	30.2	17.7-42.7	7	5.9	00.2-11.6	2	3.6	00.0-09.1	1	1.9	00.0-05.6
MultiRacial/Non-Hisp.	58	19,363	4	8.9	00.1-17.7	14	28.4	10.6-46.2	28	37.1	20.6-53.6	4	13.1	00.2-26.0	8	12.5	02.7-22.3			
Hispanic	164	127,584	2	2.7	00.0-06.4	83	50.6	41.4-59.8	65	38.5	29.7-47.3	8	5.5	01.2-09.8	4	1.7	00.0-03.5	2	0.9	00.0-02.5
18-24	240	312,450	10	4.7	01.6-07.8	118	46.3	39.2-53.4	87	38.4	31.3-45.5	19	9.0	04.7-13.3	4	1.1	00.0-02.3	2	0.5	00.0-01.3
25-34	481	385,501	4	1.0	00.0-02.2	220	46.5	41.2-51.8	178	37.8	32.5-43.1	51	8.9	06.4-11.4	28	5.7	03.5-07.9			
35-44	670	380,404	2	0.2	00.0-00.6	285	39.7	35.4-44.0	270	42.3	37.8-46.8	78	11.6	08.7-14.5	34	6.0	03.8-08.2	1	0.3	00.0-00.9
45-54	868	415,193	10	1.0	00.2-01.8	338	39.8	35.9-43.7	352	41.0	37.1-44.9	124	13.2	10.7-15.7	41	4.7	02.9-06.5	3	0.3	00.0-00.7
55-64	1241	384,889	18	1.8	00.8-02.8	470	38.2	34.9-41.5	534	43.4	40.1-46.7	158	12.0	09.8-14.2	60	4.5	03.1-05.9	1	0.1	00.0-00.3
65+	2104	498,889	42	1.8	01.2-02.4	959	44.8	42.3-47.3	897	43.5	41.0-46.0	159	7.8	06.2-09.4	45	2.0	01.2-02.8	2	0.1	00.0-00.3
Less Than H.S.	523	333,513	15	3.0	01.0-05.0	208	40.4	34.7-46.1	216	39.8	33.9-45.7	59	12.4	08.7-16.1	24	4.0	01.8-06.2	1	0.3	00.0-00.9
H.S. or G.E.D.	2103	822,765	34	2.0	00.8-03.2	886	40.8	38.1-43.5	897	43.1	40.2-46.0	210	9.9	08.1-11.7	72	4.0	02.8-05.2	4	0.2	00.0-00.4
Some Post-H.S.	1491	753,849	25	1.3	00.7-01.9	585	39.3	36.0-42.6	650	44.0	40.7-47.3	158	10.7	08.7-12.7	73	4.7	03.3-06.1			
College Graduate	1515	476,378	13	0.8	00.2-01.4	729	51.9	48.8-55.0	564	34.7	31.8-37.6	162	9.2	07.6-10.8	43	2.8	01.8-03.8	4	0.5	00.0-01.1
Less than \$15,000	679	288,574	18	3.3	01.1-05.5	251	37.6	32.3-42.9	260	36.7	31.2-42.2	105	15.5	11.6-19.4	44	6.5	04.0-09.0	1	0.3	00.0-00.9
\$15,000- 24,999	1074	450,092	17	2.1	00.5-03.7	424	39.0	34.9-43.1	444	40.4	36.3-44.5	129	12.8	09.9-15.7	57	5.3	03.5-07.1	3	0.3	00.0-00.7
\$25,000- 34,999	606	238,944	6	1.1	00.1-02.1	229	38.3	33.0-43.6	283	45.5	40.2-50.8	66	11.0	07.9-14.1	21	3.8	01.6-06.0	1	0.2	00.0-00.6
\$35,000- 49,999	689	275,890	4	0.3	00.0-00.7	272	38.9	34.0-43.8	308	45.0	40.1-49.9	75	10.6	07.9-13.3	29	5.0	02.8-07.2	1	0.3	00.0-00.9
\$50,000- 74,999	690	302,056	9	1.0	00.2-01.8	270	39.7	35.0-44.4	309	45.0	40.3-49.7	75	10.1	07.2-13.0	27	4.3	02.1-06.5			
\$75,000+	962	461,197	5	0.5	00.0-01.1	479	49.2	45.1-53.3	367	39.5	35.4-43.6	85	7.8	05.8-09.8	24	2.7	01.3-04.1	2	0.2	00.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 34: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10226	4,920,536	580	4.6	04.0-05.2	4612	40.0	38.8-41.2	4109	43.7	42.3-45.1	847	10.6	09.8-11.4	27	0.3	00.1-00.5	51	0.8	00.6-01.0
Male	4243	2,400,896	7	0.2	00.0-00.4	417	10.3	09.1-11.5	2931	66.4	64.4-68.4	832	21.5	19.9-23.1	25	0.5	00.3-00.7	31	1.1	00.7-01.5
Female	5983	2,519,640	573	8.9	07.9-09.9	4195	68.3	66.7-69.9	1178	22.0	20.4-23.6	15	0.3	00.1-00.5	2	0.0	00.0-00.0	20	0.5	00.3-00.7
White/Non-Hisp	8910	4,041,214	494	4.2	03.6-04.8	3997	39.5	38.1-40.9	3633	45.1	43.7-46.5	752	10.8	09.8-11.8	23	0.2	00.0-00.4	11	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	585	414,010	31	4.8	02.6-07.0	288	42.1	36.8-47.4	221	42.1	36.6-47.6	45	11.0	07.1-14.9						
Oth. Race/Non-Hisp.	167	101,529	13	8.2	03.3-13.1	77	42.4	32.8-52.0	59	33.7	24.9-42.5	15	13.7	06.6-20.8				3	2.0	00.0-04.4
MultiRacial/Non-Hisp.	114	45,644	5	3.7	00.0-07.4	46	35.5	23.7-47.3	45	37.2	25.6-48.8	17	23.4	11.8-35.0	1	0.2	00.0-00.6			
Hispanic	288	238,624	27	9.4	05.5-13.3	131	43.3	36.6-50.0	85	30.9	24.4-37.4	7	2.9	00.5-05.3	1	0.1	00.0-00.3	37	13.3	08.8-17.8
18-24	536	680,730	16	3.1	01.5-04.7	202	36.4	31.9-40.9	237	46.7	41.8-51.6	75	13.1	10.0-16.2	1	0.0	00.0-00.0	5	0.7	00.1-01.3
25-34	901	796,813	37	4.4	02.8-06.0	376	38.4	34.7-42.1	359	41.0	37.3-44.7	111	14.1	11.4-16.8	2	0.3	00.0-00.7	16	1.9	00.9-02.9
35-44	1223	806,158	43	2.8	01.8-03.8	524	38.8	35.7-41.9	510	45.2	41.9-48.5	132	11.4	09.2-13.6	3	0.4	00.0-01.0	11	1.4	00.4-02.4
45-54	1763	883,063	65	4.1	02.9-05.3	720	39.1	36.4-41.8	790	45.6	42.9-48.3	171	10.4	08.6-12.2	5	0.1	00.0-00.3	12	0.7	00.3-01.1
55-64	2256	810,594	91	3.7	02.7-04.7	995	39.0	36.6-41.4	975	47.0	44.5-49.5	184	9.6	08.0-11.2	9	0.5	00.1-00.9	2	0.2	00.0-00.6
65+	3469	919,490	320	8.9	07.7-10.1	1756	46.5	44.5-48.5	1216	38.2	36.2-40.2	167	6.2	05.0-07.4	6	0.1	00.0-00.3	4	0.2	00.0-00.4
Less Than H.S.	908	679,697	76	7.4	05.4-09.4	456	42.3	38.2-46.4	295	38.2	33.9-42.5	50	7.9	05.4-10.4	4	0.6	00.0-01.4	27	3.6	02.0-05.2
H.S. or G.E.D.	3758	1,719,527	277	5.5	04.7-06.3	1780	41.5	39.3-43.7	1421	42.7	40.5-44.9	258	9.5	08.1-10.9	7	0.1	00.1-00.1	15	0.7	00.3-01.1
Some Post-H.S.	2615	1,496,956	135	4.0	03.0-05.0	1202	39.5	37.1-41.9	1044	44.8	42.3-47.3	224	11.5	09.7-13.3	8	0.2	00.0-00.4	2	0.1	00.0-00.3
College Graduate	2926	1,015,166	92	2.4	01.8-03.0	1165	36.6	34.4-38.8	1342	47.4	45.2-49.6	312	12.9	11.3-14.5	8	0.4	00.0-00.8	7	0.3	00.1-00.5
Less than \$15,000	1073	494,619	95	8.4	06.0-10.8	551	46.7	42.4-51.0	338	33.4	29.5-37.3	66	7.3	05.1-09.5	5	0.7	00.0-01.7	18	3.5	01.7-05.3
\$15,000- 24,999	1739	798,011	148	6.9	05.5-08.3	860	46.2	42.9-49.5	613	37.8	34.7-40.9	101	7.4	05.6-09.2	1	0.1	00.0-00.3	16	1.6	00.8-02.4
\$25,000- 34,999	1126	524,433	75	6.6	04.4-08.8	517	40.8	37.1-44.5	450	42.4	38.5-46.3	73	8.6	06.2-11.0	2	0.3	00.0-00.7	9	1.3	00.1-02.5
\$35,000- 49,999	1345	650,901	46	2.5	01.5-03.5	589	36.7	33.6-39.8	592	49.7	46.2-53.2	112	10.7	08.3-13.1	3	0.2	00.0-00.4	3	0.2	00.0-00.4
\$50,000- 74,999	1343	672,254	55	3.0	02.0-04.0	541	36.4	33.1-39.7	625	49.2	45.7-52.7	119	11.2	08.7-13.7	3	0.2	00.0-00.4			
\$75,000+	2053	1,068,407	36	1.6	01.0-02.2	726	31.4	28.9-33.9	1007	51.3	48.6-54.0	274	15.3	13.3-17.3	9	0.4	00.0-00.8	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 35: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4243	2,400,896	7	0.2	00.0-00.4	417	10.3	09.1-11.5	2931	66.4	64.4-68.4	832	21.5	19.9-23.1	25	0.5	00.3-00.7	31	1.1	00.7-01.5
White/Non-Hisp	3675	1,952,811	4	0.1	00.0-00.3	306	7.9	06.7-09.1	2597	69.1	67.1-71.1	740	22.2	20.4-24.0	22	0.5	00.3-00.7	6	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	211	194,788				34	14.7	09.0-20.4	134	62.3	53.9-70.7	43	22.9	15.3-30.5						
Oth. Race/Non-Hisp.	80	54,409				18	23.2	11.6-34.8	46	49.8	36.7-62.9	14	24.9	12.9-36.9				2	2.1	00.0-05.0
MultiRacial/Non-Hisp.	56	25,600				3	5.0	00.0-11.1	36	53.2	36.1-70.3	17	41.8	24.6-59.0						
Hispanic	134	125,756	2	1.2	00.0-03.4	36	29.4	20.4-38.4	65	46.0	36.4-55.6	7	5.5	01.2-09.8	1	0.2	00.0-00.6	23	17.7	10.4-25.0
18-24	282	349,622	1	0.3	00.0-00.9	33	10.3	06.6-14.0	171	63.8	57.5-70.1	73	24.9	19.2-30.6	1	0.1	00.0-00.3	3	0.7	00.0-01.5
25-34	399	401,814	1	0.3	00.0-00.9	49	12.2	08.7-15.7	229	56.8	51.3-62.3	108	27.7	22.6-32.8	2	0.5	00.0-01.3	10	2.4	00.8-04.0
35-44	514	406,342				48	10.1	06.8-13.4	324	64.2	59.3-69.1	131	22.5	18.6-26.4	3	0.8	00.0-02.0	8	2.4	00.6-04.2
45-54	824	437,336	3	0.4	00.0-00.8	73	9.5	07.0-12.0	569	68.4	64.7-72.1	168	20.7	17.4-24.0	5	0.3	00.1-00.5	6	0.8	00.2-01.4
55-64	935	399,000				64	6.5	04.5-08.5	683	73.1	69.8-76.4	180	19.3	16.4-22.2	7	1.0	00.2-01.8	1	0.1	00.0-00.3
65+	1265	398,853	2	0.3	00.0-00.7	149	13.1	10.7-15.5	941	71.9	68.8-75.0	165	14.1	11.7-16.5	6	0.3	00.1-00.5	2	0.2	00.0-00.6
Less Than H.S.	385	351,959	4	0.9	00.0-01.9	77	19.5	14.6-24.4	235	58.4	52.3-64.5	48	15.2	10.5-19.9	3	1.1	00.0-02.7	18	4.8	02.3-07.3
H.S. or G.E.D.	1506	839,773	3	0.2	00.0-00.4	171	10.3	08.3-12.3	1061	69.0	66.1-71.9	256	19.3	16.8-21.8	6	0.2	00.0-00.4	9	0.9	00.3-01.5
Some Post-H.S.	1020	691,459				76	7.4	05.4-09.4	715	67.8	64.3-71.3	220	24.4	21.1-27.7	8	0.4	00.0-00.8	1	0.1	00.0-00.3
College Graduate	1321	510,686				91	7.7	05.9-09.5	914	66.0	62.9-69.1	305	25.2	22.3-28.1	8	0.7	00.1-01.3	3	0.4	00.0-00.8
Less than \$15,000	364	195,693	1	0.5	00.0-01.5	51	13.6	09.1-18.1	231	60.3	53.6-67.0	66	18.6	13.5-23.7	5	1.8	00.0-04.3	10	5.3	02.0-08.6
\$15,000- 24,999	611	332,069	1	0.2	00.0-00.6	92	18.1	13.6-22.6	412	62.1	57.0-67.2	96	16.9	13.2-20.6	1	0.1	00.0-00.3	9	2.5	00.7-04.3
\$25,000- 34,999	485	270,514				62	14.0	10.1-17.9	341	66.4	60.9-71.9	72	16.7	12.2-21.2	2	0.5	00.0-01.3	8	2.4	00.2-04.6
\$35,000- 49,999	620	359,274	1	0.2	00.0-00.6	53	7.9	05.4-10.4	450	72.2	67.7-76.7	111	19.1	15.2-23.0	3	0.4	00.0-01.0	2	0.2	00.0-00.6
\$50,000- 74,999	618	354,767				52	9.0	06.1-11.9	445	69.4	64.5-74.3	118	21.2	16.7-25.7	3	0.3	00.0-00.7			
\$75,000+	1052	590,732	1	0.1	00.0-00.3	51	4.4	03.0-05.8	721	67.4	63.9-70.9	270	27.4	24.1-30.7	9	0.7	00.1-01.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 36: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5983	2,519,640	573	8.9	07.9-09.9	4195	68.3	66.7-69.9	1178	22.0	20.4-23.6	15	0.3	00.1-00.5	2	0.0	00.0-00.0	20	0.5	00.3-00.7
White/Non-Hisp	5235	2,088,403	490	8.0	07.0-09.0	3691	69.0	67.2-70.8	1036	22.6	21.0-24.2	12	0.2	00.0-00.4	1	0.0	00.0-00.0	5	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	374	219,222	31	9.1	05.0-13.2	254	66.3	59.8-72.8	87	24.1	18.4-29.8	2	0.5	00.0-01.3						
Oth. Race/Non-Hisp.	87	47,120	13	17.7	07.7-27.7	59	64.5	51.4-77.6	13	15.1	05.3-24.9	1	0.8	00.0-02.4				1	1.9	00.0-05.4
MultiRacial/Non-Hisp.	58	20,044	5	8.4	00.0-16.8	43	74.5	60.6-88.4	9	16.8	05.0-28.6				1	0.4	00.0-01.2			
Hispanic	154	112,868	25	18.6	11.0-26.2	95	58.9	49.5-68.3	20	14.1	06.8-21.4							14	8.4	03.5-13.3
18-24	254	331,108	15	6.0	02.9-09.1	169	63.9	57.0-70.8	66	28.6	21.9-35.3	2	0.7	00.0-01.7				2	0.7	00.0-01.7
25-34	502	394,999	36	8.5	05.4-11.6	327	65.0	60.1-69.9	130	24.9	20.6-29.2	3	0.3	00.0-00.7				6	1.3	00.1-02.5
35-44	709	399,816	43	5.6	03.6-07.6	476	68.0	63.9-72.1	186	25.8	22.1-29.5	1	0.1	00.0-00.3				3	0.4	00.0-01.0
45-54	939	445,728	62	7.8	05.6-10.0	647	68.2	64.5-71.9	221	23.2	19.9-26.5	3	0.3	00.0-00.7				6	0.6	00.0-01.2
55-64	1321	411,594	91	7.2	05.4-09.0	931	70.5	67.6-73.4	292	21.7	19.2-24.2	4	0.3	00.0-00.7	2	0.1	00.0-00.3	1	0.3	00.0-00.9
65+	2204	520,637	318	15.5	13.5-17.5	1607	72.0	69.6-74.4	275	12.3	10.7-13.9	2	0.1	00.1-00.1				2	0.1	00.0-00.3
Less Than H.S.	523	327,738	72	14.3	10.4-18.2	379	66.8	61.1-72.5	60	16.5	11.4-21.6	2	0.1	00.0-00.3	1	0.0	00.0-00.0	9	2.2	00.6-03.8
H.S. or G.E.D.	2252	879,755	274	10.5	08.9-12.1	1609	71.3	68.8-73.8	360	17.6	15.4-19.8	2	0.1	00.0-00.3	1	0.0	00.0-00.0	6	0.5	00.1-00.9
Some Post-H.S.	1595	805,496	135	7.4	05.8-09.0	1126	67.1	64.0-70.2	329	25.0	22.1-27.9	4	0.4	00.0-00.8				1	0.1	00.0-00.3
College Graduate	1605	504,480	92	4.9	03.7-06.1	1074	65.8	62.9-68.7	428	28.5	25.8-31.2	7	0.4	00.0-00.8				4	0.3	00.0-00.7
Less than \$15,000	709	298,927	94	13.5	09.8-17.2	500	68.4	63.3-73.5	107	15.8	11.9-19.7							8	2.3	00.5-04.1
\$15,000- 24,999	1128	465,942	147	11.7	09.3-14.1	768	66.3	62.4-70.2	201	20.5	17.0-24.0	5	0.6	00.0-01.2				7	0.9	00.1-01.7
\$25,000- 34,999	641	253,920	75	13.6	09.5-17.7	455	69.3	64.4-74.2	109	16.8	13.1-20.5	1	0.1	00.0-00.3				1	0.2	00.0-00.6
\$35,000- 49,999	725	291,628	45	5.4	03.4-07.4	536	72.3	67.6-77.0	142	21.9	17.4-26.4	1	0.3	00.0-00.9				1	0.1	00.0-00.3
\$50,000- 74,999	725	317,487	55	6.4	04.4-08.4	489	67.0	62.5-71.5	180	26.6	22.3-30.9	1	0.0	00.0-00.0						
\$75,000+	1001	477,675	35	3.4	02.0-04.8	675	64.8	60.9-68.7	286	31.4	27.5-35.3	4	0.3	00.0-00.7				1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 37: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10172	4,837,684	9933	97.6	97.2-98.0	97	1.1	00.7-01.5	142	1.3	01.1-01.5
Male	4195	2,341,917	4084	97.4	96.8-98.0	56	1.4	01.0-01.8	55	1.2	00.8-01.6
Female	5977	2,495,767	5849	97.8	97.2-98.4	41	0.9	00.5-01.3	87	1.4	01.0-01.8
White/Non-Hisp	8848	3,959,201	8670	98.1	97.7-98.5	63	0.7	00.5-00.9	115	1.2	01.0-01.4
Black or Afr. Am./Non-Hisp	587	410,048	574	97.9	96.3-99.5	8	0.9	00.1-01.7	5	1.1	00.0-02.5
Oth. Race/Non-Hisp.	155	91,459	148	96.5	93.6-99.4	4	1.9	00.0-04.1	3	1.7	00.0-03.7
MultiRacial/Non-Hisp.	111	42,373	107	98.1	95.4-0100	1	1.3	00.0-03.8	3	0.6	00.0-01.4
Hispanic	304	254,613	282	91.4	87.5-95.3	17	6.8	03.1-10.5	5	1.8	00.0-03.6
18-24	511	648,436	495	97.1	95.3-98.9	10	1.8	00.4-03.2	6	1.1	00.1-02.1
25-34	872	775,095	847	97.1	95.7-98.5	11	1.3	00.3-02.3	14	1.6	00.6-02.6
35-44	1199	783,934	1180	98.1	97.1-99.1	8	1.0	00.2-01.8	11	0.9	00.3-01.5
45-54	1757	873,824	1723	98.3	97.7-98.9	12	0.6	00.2-01.0	22	1.1	00.5-01.7
55-64	2247	802,964	2203	98.0	97.2-98.8	18	0.8	00.4-01.2	26	1.2	00.6-01.8
65+	3489	922,310	3406	97.5	96.9-98.1	36	1.2	00.6-01.8	47	1.3	00.9-01.7
Less Than H.S.	936	699,843	898	95.6	93.8-97.4	25	3.2	01.6-04.8	13	1.2	00.4-02.0
H.S. or G.E.D.	3752	1,695,738	3655	97.9	97.3-98.5	37	0.8	00.4-01.2	60	1.3	00.9-01.7
Some Post-H.S.	2578	1,454,224	2523	97.9	97.1-98.7	18	0.7	00.3-01.1	37	1.4	00.8-02.0
College Graduate	2878	975,831	2835	98.3	97.7-98.9	16	0.6	00.2-01.0	27	1.1	00.7-01.5
Less than \$15,000	1073	491,540	1039	96.9	95.5-98.3	17	1.6	00.6-02.6	17	1.5	00.5-02.5
\$15,000- 24,999	1741	799,997	1704	97.6	96.6-98.6	19	1.4	00.6-02.2	18	1.0	00.4-01.6
\$25,000- 34,999	1117	513,591	1092	98.2	97.4-99.0	9	0.7	00.1-01.3	16	1.1	00.5-01.7
\$35,000- 49,999	1329	631,781	1312	98.7	97.9-99.5	8	0.6	00.2-01.0	9	0.8	00.2-01.4
\$50,000- 74,999	1323	652,813	1295	97.5	96.3-98.7	12	0.8	00.2-01.4	16	1.7	00.7-02.7
\$75,000+	2006	1,022,592	1984	98.9	98.3-99.5	8	0.5	00.1-00.9	14	0.6	00.2-01.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 38: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4195	2,341,917	4084	97.4	96.8-98.0	56	1.4	01.0-01.8	55	1.2	00.8-01.6
White/Non-Hisp	3631	1,902,095	3548	98.0	97.4-98.6	39	0.9	00.5-01.3	44	1.1	00.7-01.5
Black or Afr. Am./Non-Hisp	209	191,217	203	97.7	95.5-99.9	5	1.6	00.0-03.2	1	0.7	00.0-02.1
Oth. Race/Non-Hisp.	72	46,295	71	99.0	97.0-0100				1	1.0	00.0-03.0
MultiRacial/Non-Hisp.	53	22,458	52	99.4	98.2-0100				1	0.6	00.0-01.8
Hispanic	138	131,461	129	90.8	84.9-96.7	8	8.0	02.5-13.5	1	1.3	00.0-03.8
18-24	268	332,940	259	97.6	95.8-99.4	6	1.7	00.1-03.3	3	0.7	00.0-01.5
25-34	386	390,517	372	96.7	94.7-98.7	6	1.4	00.2-02.6	8	1.8	00.4-03.2
35-44	493	384,009	483	97.3	95.5-99.1	6	1.9	00.3-03.5	4	0.7	00.0-01.5
45-54	817	428,902	801	98.4	97.4-99.4	5	0.4	00.0-00.8	11	1.2	00.4-02.0
55-64	929	395,041	905	97.4	96.2-98.6	14	1.4	00.6-02.2	10	1.2	00.2-02.2
65+	1272	400,459	1242	97.6	96.4-98.8	19	1.6	00.6-02.6	11	0.8	00.2-01.4
Less Than H.S.	394	356,444	375	95.2	92.8-97.6	15	3.4	01.4-05.4	4	1.4	00.0-02.8
H.S. or G.E.D.	1492	823,266	1451	98.0	97.2-98.8	22	1.1	00.5-01.7	19	0.9	00.3-01.5
Some Post-H.S.	1004	672,191	979	97.7	96.5-98.9	10	1.1	00.3-01.9	15	1.2	00.4-02.0
College Graduate	1287	481,225	1265	97.9	96.9-98.9	8	0.7	00.1-01.3	14	1.3	00.5-02.1
Less than \$15,000	366	196,508	347	95.5	93.0-98.0	13	2.7	00.7-04.7	6	1.7	00.0-03.5
\$15,000- 24,999	614	337,825	596	96.6	94.6-98.6	12	2.3	00.5-04.1	6	1.1	00.0-02.3
\$25,000- 34,999	476	260,726	467	98.3	97.1-99.5	4	0.8	00.0-01.8	5	0.9	00.1-01.7
\$35,000- 49,999	609	345,898	598	97.9	96.3-99.5	6	0.9	00.1-01.7	5	1.2	00.0-02.4
\$50,000- 74,999	609	345,782	597	97.8	96.4-99.2	6	1.1	00.0-02.3	6	1.1	00.1-02.1
\$75,000+	1019	556,282	1004	98.5	97.5-99.5	5	0.8	00.0-01.6	10	0.7	00.3-01.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 39: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5977	2,495,767	5849	97.8	97.2-98.4	41	0.9	00.5-01.3	87	1.4	01.0-01.8
White/Non-Hisp	5217	2,057,105	5122	98.3	97.7-98.9	24	0.5	00.1-00.9	71	1.2	00.8-01.6
Black or Afr. Am./Non-Hisp	378	218,831	371	98.1	95.9-0100	3	0.4	00.0-01.0	4	1.5	00.0-03.7
Oth. Race/Non-Hisp.	83	45,164	77	93.8	88.3-99.3	4	3.8	00.0-08.1	2	2.4	00.0-05.9
MultiRacial/Non-Hisp.	58	19,915	55	96.6	91.1-0100	1	2.8	00.0-08.3	2	0.6	00.0-01.4
Hispanic	166	123,152	153	92.0	86.7-97.3	9	5.6	00.7-10.5	4	2.4	00.0-04.9
18-24	243	315,497	236	96.5	93.6-99.4	4	2.0	00.0-04.4	3	1.5	00.0-03.3
25-34	486	384,578	475	97.6	95.8-99.4	5	1.1	00.0-02.5	6	1.4	00.2-02.6
35-44	706	399,925	697	98.8	98.0-99.6	2	0.2	00.0-00.4	7	1.0	00.2-01.8
45-54	940	444,922	922	98.2	97.2-99.2	7	0.8	00.0-01.6	11	1.0	00.2-01.8
55-64	1318	407,923	1298	98.6	97.8-99.4	4	0.3	00.1-00.5	16	1.2	00.6-01.8
65+	2217	521,851	2164	97.5	96.7-98.3	17	0.9	00.5-01.3	36	1.6	01.0-02.2
Less Than H.S.	542	343,399	523	96.0	93.3-98.7	10	3.1	00.6-05.6	9	0.9	00.1-01.7
H.S. or G.E.D.	2260	872,472	2204	97.8	97.0-98.6	15	0.6	00.2-01.0	41	1.7	00.9-02.5
Some Post-H.S.	1574	782,033	1544	98.0	97.2-98.8	8	0.4	00.0-00.8	22	1.5	00.7-02.3
College Graduate	1591	494,606	1570	98.7	97.9-99.5	8	0.5	00.1-00.9	13	0.8	00.2-01.4
Less than \$15,000	707	295,032	692	97.8	96.2-99.4	4	0.9	00.0-02.1	11	1.3	00.3-02.3
\$15,000- 24,999	1127	462,172	1108	98.4	97.6-99.2	7	0.7	00.1-01.3	12	1.0	00.4-01.6
\$25,000- 34,999	641	252,865	625	98.2	97.0-99.4	5	0.5	00.0-01.1	11	1.3	00.3-02.3
\$35,000- 49,999	720	285,883	714	99.6	99.2-0100	2	0.1	00.0-00.3	4	0.3	00.0-00.7
\$50,000- 74,999	714	307,031	698	97.2	95.2-99.2	6	0.5	00.1-00.9	10	2.3	00.3-04.3
\$75,000+	987	466,310	980	99.3	98.7-99.9	3	0.2	00.0-00.6	4	0.5	00.0-01.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 40: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10333	4,978,085	9813	94.3	93.7-94.9	144	1.5	01.1-01.9	376	4.1	03.5-04.7
Male	4282	2,423,454	4057	94.2	93.2-95.2	74	1.8	01.2-02.4	151	4.0	03.2-04.8
Female	6051	2,554,632	5756	94.4	93.6-95.2	70	1.3	00.9-01.7	225	4.3	03.5-05.1
White/Non-Hisp	8970	4,060,358	8571	95.3	94.7-95.9	104	1.2	00.8-01.6	295	3.6	03.0-04.2
Black or Afr. Am./Non-Hisp	595	418,674	553	92.4	89.9-94.9	13	2.2	00.8-03.6	29	5.4	03.2-07.6
Oth. Race/Non-Hisp.	170	103,762	159	92.6	87.5-97.7	3	1.3	00.0-03.1	8	6.1	01.2-11.0
MultiRacial/Non-Hisp.	116	46,119	109	95.4	91.1-99.7	1	0.9	00.0-02.7	6	3.7	00.0-07.6
Hispanic	313	267,306	276	86.7	82.2-91.2	17	5.4	02.5-08.3	20	8.0	04.3-11.7
18-24	541	682,872	500	92.5	90.0-95.0	13	2.7	00.9-04.5	28	4.9	02.9-06.9
25-34	918	816,064	873	94.8	93.2-96.4	8	0.9	00.3-01.5	37	4.2	02.6-05.8
35-44	1236	816,021	1170	93.7	91.9-95.5	12	1.4	00.6-02.2	54	4.9	03.3-06.5
45-54	1781	893,308	1700	94.9	93.7-96.1	19	1.4	00.6-02.2	62	3.7	02.7-04.7
55-64	2264	812,481	2183	95.7	94.5-96.9	17	0.9	00.3-01.5	64	3.4	02.4-04.4
65+	3496	926,221	3315	94.9	93.9-95.9	73	1.9	01.3-02.5	108	3.2	02.4-04.0
Less Than H.S.	941	708,951	869	91.0	88.5-93.5	42	4.6	02.8-06.4	30	4.4	02.6-06.2
H.S. or G.E.D.	3787	1,730,326	3592	94.2	93.2-95.2	57	1.4	01.0-01.8	138	4.4	03.4-05.4
Some Post-H.S.	2628	1,503,427	2511	95.4	94.4-96.4	25	0.9	00.5-01.3	92	3.7	02.7-04.7
College Graduate	2949	1,023,335	2820	95.5	94.5-96.5	18	0.5	00.3-00.7	111	4.0	03.0-05.0
Less than \$15,000	1086	501,054	1021	92.0	89.6-94.4	26	3.3	01.7-04.9	39	4.7	02.9-06.5
\$15,000- 24,999	1760	817,055	1682	94.6	93.0-96.2	25	1.7	00.5-02.9	53	3.7	02.5-04.9
\$25,000- 34,999	1132	526,732	1083	95.5	93.9-97.1	19	1.4	00.4-02.4	30	3.1	01.7-04.5
\$35,000- 49,999	1349	652,169	1310	96.9	95.5-98.3	11	1.1	00.1-02.1	28	2.0	01.0-03.0
\$50,000- 74,999	1347	673,524	1301	96.1	94.7-97.5	5	0.4	00.0-00.8	41	3.5	02.1-04.9
\$75,000+	2062	1,071,580	1991	95.6	94.2-97.0	9	0.4	00.0-00.8	62	3.9	02.5-05.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 41: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4282	2,423,454	4057	94.2	93.2-95.2	74	1.8	01.2-02.4	151	4.0	03.2-04.8
White/Non-Hisp	3696	1,961,197	3533	95.4	94.4-96.4	56	1.5	00.9-02.1	107	3.1	02.3-03.9
Black or Afr. Am./Non-Hisp	214	196,616	194	91.4	87.3-95.5	5	2.2	00.0-04.4	15	6.4	02.9-09.9
Oth. Race/Non-Hisp.	83	56,641	76	88.1	79.1-97.1	2	1.9	00.0-04.8	5	9.9	01.3-18.5
MultiRacial/Non-Hisp.	56	25,600	53	95.3	88.6-0100				3	4.7	00.0-11.4
Hispanic	140	134,058	121	85.7	79.2-92.2	7	5.2	01.3-09.1	12	9.2	03.9-14.5
18-24	285	351,432	264	93.6	90.7-96.5	8	2.9	00.7-05.1	13	3.5	01.5-05.5
25-34	406	409,607	387	95.4	93.2-97.6	5	1.2	00.0-02.4	14	3.4	01.4-05.4
35-44	517	408,308	484	92.2	89.1-95.3	8	2.1	00.5-03.7	25	5.7	03.0-08.4
45-54	834	443,540	801	95.5	93.7-97.3	9	1.3	00.3-02.3	24	3.3	01.7-04.9
55-64	937	399,544	896	94.4	92.4-96.4	11	1.5	00.5-02.5	30	4.1	02.3-05.9
65+	1273	400,975	1204	94.8	93.2-96.4	33	2.1	01.1-03.1	36	3.0	01.8-04.2
Less Than H.S.	396	361,584	358	90.4	86.9-93.9	22	5.2	02.7-07.7	16	4.5	02.1-06.9
H.S. or G.E.D.	1513	843,366	1433	94.1	92.3-95.9	31	1.7	00.9-02.5	49	4.2	02.6-05.8
Some Post-H.S.	1027	695,779	985	95.7	94.3-97.1	11	1.2	00.4-02.0	31	3.1	01.9-04.3
College Graduate	1328	513,934	1269	95.6	94.2-97.0	8	0.4	00.0-00.8	51	3.9	02.7-05.1
Less than \$15,000	369	198,574	338	89.1	84.8-93.4	18	5.6	02.5-08.7	13	5.3	02.2-08.4
\$15,000- 24,999	620	341,822	584	93.6	91.1-96.1	12	1.5	00.3-02.7	24	4.9	02.7-07.1
\$25,000- 34,999	487	271,386	461	93.9	91.2-96.6	11	2.2	00.4-04.0	15	3.8	01.6-06.0
\$35,000- 49,999	621	359,533	599	96.4	94.4-98.4	9	1.7	00.0-03.5	13	1.8	00.6-03.0
\$50,000- 74,999	620	355,685	604	97.3	95.7-98.9	3	0.4	00.0-01.0	13	2.3	00.7-03.9
\$75,000+	1057	592,612	1020	95.5	93.5-97.5	5	0.6	00.0-01.2	32	3.9	01.9-05.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 42: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6051	2,554,632	5756	94.4	93.6-95.2	70	1.3	00.9-01.7	225	4.3	03.5-05.1
White/Non-Hisp	5274	2,099,161	5038	95.1	94.3-95.9	48	0.9	00.5-01.3	188	4.0	03.2-04.8
Black or Afr. Am./Non-Hisp	381	222,058	359	93.3	90.0-96.6	8	2.2	00.6-03.8	14	4.6	01.7-07.5
Oth. Race/Non-Hisp.	87	47,120	83	97.9	95.7-0100	1	0.5	00.0-01.5	3	1.6	00.0-03.6
MultiRacial/Non-Hisp.	60	20,519	56	95.4	90.1-0100	1	2.1	00.0-06.2	3	2.5	00.0-05.8
Hispanic	173	133,248	155	87.7	81.2-94.2	10	5.6	01.5-09.7	8	6.7	01.4-12.0
18-24	256	331,440	236	91.2	87.1-95.3	5	2.4	00.0-04.9	15	6.3	03.0-09.6
25-34	512	406,457	486	94.2	91.7-96.7	3	0.7	00.0-01.5	23	5.1	02.7-07.5
35-44	719	407,714	686	95.3	93.5-97.1	4	0.6	00.0-01.4	29	4.1	02.3-05.9
45-54	947	449,767	899	94.4	92.6-96.2	10	1.5	00.5-02.5	38	4.1	02.5-05.7
55-64	1327	412,937	1287	96.9	95.7-98.1	6	0.4	00.0-00.8	34	2.8	01.8-03.8
65+	2223	525,246	2111	94.9	93.7-96.1	40	1.8	01.2-02.4	72	3.3	02.3-04.3
Less Than H.S.	545	347,367	511	91.7	88.0-95.4	20	4.0	01.5-06.5	14	4.3	01.6-07.0
H.S. or G.E.D.	2274	886,960	2159	94.3	92.9-95.7	26	1.1	00.5-01.7	89	4.6	03.4-05.8
Some Post-H.S.	1601	807,647	1526	95.1	93.7-96.5	14	0.7	00.3-01.1	61	4.2	02.8-05.6
College Graduate	1621	509,401	1551	95.4	94.0-96.8	10	0.6	00.2-01.0	60	4.1	02.7-05.5
Less than \$15,000	717	302,480	683	94.0	91.5-96.5	8	1.8	00.4-03.2	26	4.3	02.1-06.5
\$15,000- 24,999	1140	475,233	1098	95.4	93.2-97.6	13	1.8	00.2-03.4	29	2.8	01.4-04.2
\$25,000- 34,999	645	255,345	622	97.2	95.6-98.8	8	0.6	00.2-01.0	15	2.3	00.9-03.7
\$35,000- 49,999	728	292,636	711	97.5	95.9-99.1	2	0.3	00.0-00.7	15	2.3	00.7-03.9
\$50,000- 74,999	727	317,839	697	94.8	92.4-97.2	2	0.4	00.0-01.0	28	4.9	02.5-07.3
\$75,000+	1005	478,968	971	95.8	94.0-97.6	4	0.2	00.0-00.4	30	4.0	02.2-05.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 43: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	7694	2,714,391	306	3.4	02.8-04.0	7388	96.6	96.0-97.2	
Male	2921	1,177,817	145	4.0	03.2-04.8	2776	96.0	95.2-96.8	
Female	4773	1,536,573	161	2.9	02.3-03.5	4612	97.1	96.5-97.7	
White/Non-Hisp	6876	2,348,070	269	3.3	02.7-03.9	6607	96.7	96.1-97.3	
Black or Afr. Am./Non-Hisp	382	174,764	15	3.5	01.3-05.7	367	96.5	94.3-98.7	
Oth. Race/Non-Hisp.	99	40,364	7	4.8	00.9-08.7	92	95.2	91.3-99.1	
MultiRacial/Non-Hisp.	74	20,716	4	6.2	00.0-13.1	70	93.8	86.9-0100	
Hispanic	150	93,855	7	3.7	00.4-07.0	143	96.3	93.0-99.6	
18-24	151	174,496	7	3.8	00.5-07.1	144	96.2	92.9-99.5	
25-34	349	218,018	7	1.4	00.2-02.6	342	98.6	97.4-99.8	
35-44	794	407,231	31	3.7	02.3-05.1	763	96.3	94.9-97.7	
45-54	1295	556,944	50	3.6	02.4-04.8	1245	96.4	95.2-97.6	
55-64	1823	556,800	73	3.5	02.5-04.5	1750	96.5	95.5-97.5	
65+	3204	779,740	132	3.4	02.6-04.2	3072	96.6	95.8-97.4	
Less Than H.S.	652	333,137	23	2.7	01.3-04.1	629	97.3	95.9-98.7	
H.S. or G.E.D.	2902	970,945	84	2.6	01.8-03.4	2818	97.4	96.6-98.2	
Some Post-H.S.	1894	802,380	69	3.4	02.4-04.4	1825	96.6	95.6-97.6	
College Graduate	2225	601,230	128	5.1	04.1-06.1	2097	94.9	93.9-95.9	
Less than \$15,000	753	210,052	23	2.8	01.2-04.4	730	97.2	95.6-98.8	
\$15,000- 24,999	1297	409,820	43	2.9	01.7-04.1	1254	97.1	95.9-98.3	
\$25,000- 34,999	841	277,089	25	3.1	01.1-05.1	816	96.9	94.9-98.9	
\$35,000- 49,999	1016	371,359	34	3.0	01.6-04.4	982	97.0	95.6-98.4	
\$50,000- 74,999	1003	379,092	44	3.1	01.9-04.3	959	96.9	95.7-98.1	
\$75,000+	1528	635,208	95	4.9	03.7-06.1	1433	95.1	93.9-96.3	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 44: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2921	1,177,817	145	4.0	03.2-04.8	2776	96.0	95.2-96.8
White/Non-Hisp	2609	1,017,718	128	4.1	03.1-05.1	2481	95.9	94.9-96.9
Black or Afr. Am./Non-Hisp	118	68,847	7	3.6	00.7-06.5	111	96.4	93.5-99.3
Hispanic	58	40,548	3	2.5	00.0-06.0	55	97.5	94.0-0100
18-24	75	83,167	7	8.1	01.0-15.2	68	91.9	84.8-99.0
25-34	131	96,532	4	1.8	00.0-03.6	127	98.2	96.4-0100
35-44	305	176,296	14	4.2	01.8-06.6	291	95.8	93.4-98.2
45-54	565	251,821	16	2.6	01.2-04.0	549	97.4	96.0-98.8
55-64	702	246,575	37	4.3	02.7-05.9	665	95.7	94.1-97.3
65+	1123	317,950	65	4.4	03.0-05.8	1058	95.6	94.2-97.0
Less Than H.S.	241	146,488	8	1.5	00.3-02.7	233	98.5	97.3-99.7
H.S. or G.E.D.	1038	409,240	36	3.1	01.9-04.3	1002	96.9	95.7-98.1
Some Post-H.S.	664	328,769	36	4.8	02.6-07.0	628	95.2	93.0-97.4
College Graduate	964	288,379	64	5.7	04.1-07.3	900	94.3	92.7-95.9
Less than \$15,000	226	71,626	9	3.5	01.0-06.0	217	96.5	94.0-99.0
\$15,000- 24,999	417	157,953	23	4.6	02.4-06.8	394	95.4	93.2-97.6
\$25,000- 34,999	321	118,478	14	5.2	00.7-09.7	307	94.8	90.3-99.3
\$35,000- 49,999	428	181,154	12	2.3	00.7-03.9	416	97.7	96.1-99.3
\$50,000- 74,999	439	181,003	24	3.9	01.9-05.9	415	96.1	94.1-98.1
\$75,000+	745	324,379	47	4.6	03.0-06.2	698	95.4	93.8-97.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 45: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4773	1,536,573	161	2.9	02.3-03.5	4612	97.1	96.5-97.7
White/Non-Hisp	4267	1,330,352	141	2.7	02.1-03.3	4126	97.3	96.7-97.9
Black or Afr. Am./Non-Hisp	264	105,917	8	3.5	00.6-06.4	256	96.5	93.6-99.4
Oth. Race/Non-Hisp.	54	19,313	4	7.3	00.0-14.6	50	92.7	85.4-0100
Hispanic	92	53,308	4	4.5	00.0-09.6	88	95.5	90.4-0100
18-24	76	91,329				76	100.0	0100-0100
25-34	218	121,486	3	1.2	00.0-02.8	215	98.8	97.2-0100
35-44	489	230,935	17	3.4	01.6-05.2	472	96.6	94.8-98.4
45-54	730	305,123	34	4.4	02.4-06.4	696	95.6	93.6-97.6
55-64	1121	310,225	36	2.9	01.7-04.1	1085	97.1	95.9-98.3
65+	2081	461,790	67	2.7	01.9-03.5	2014	97.3	96.5-98.1
Less Than H.S.	411	186,649	15	3.6	01.2-06.0	396	96.4	94.0-98.8
H.S. or G.E.D.	1864	561,705	48	2.2	01.2-03.2	1816	97.8	96.8-98.8
Some Post-H.S.	1230	473,611	33	2.5	01.5-03.5	1197	97.5	96.5-98.5
College Graduate	1261	312,852	64	4.6	03.2-06.0	1197	95.4	94.0-96.8
Less than \$15,000	527	138,426	14	2.5	00.3-04.7	513	97.5	95.3-99.7
\$15,000- 24,999	880	251,867	20	1.9	00.5-03.3	860	98.1	96.7-99.5
\$25,000- 34,999	520	158,611	11	1.6	00.4-02.8	509	98.4	97.2-99.6
\$35,000- 49,999	588	190,205	22	3.7	01.7-05.7	566	96.3	94.3-98.3
\$50,000- 74,999	564	198,089	20	2.3	00.9-03.7	544	97.7	96.3-99.1
\$75,000+	783	310,829	48	5.2	03.4-07.0	735	94.8	93.0-96.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 46: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	301	91,330	179	73.2	67.3-79.1	91	20.9	15.6-26.2	25	4.3	02.1-06.5	3	0.2	00.0-00.4	2	1.2	00.0-02.8	1	0.2	00.0-00.6
Male	142	46,779	85	73.8	65.6-82.0	40	18.9	11.6-26.2	12	4.3	01.4-07.2	2	0.3	00.0-00.7	2	2.3	00.0-05.6	1	0.3	00.0-00.9
Female	159	44,551	94	72.6	64.4-80.8	51	23.0	15.2-30.8	13	4.4	01.3-07.5	1	0.1	00.0-00.3						
White/Non-Hisp	264	76,851	158	74.0	67.7-80.3	77	19.2	13.7-24.7	23	5.0	02.5-07.5	3	0.2	00.0-00.4	2	1.4	00.0-03.4	1	0.2	00.0-00.6
45-54	50	19,864	36	85.5	76.9-94.1	11	12.2	04.2-20.2	3	2.4	00.0-05.5									
55-64	73	19,724	45	71.7	60.5-82.9	23	20.8	11.4-30.2	3	4.7	00.0-10.2	1	0.1	00.0-00.3	1	2.6	00.0-07.7			
65+	128	25,779	66	65.2	55.6-74.8	43	26.9	17.9-35.9	16	6.7	02.8-10.6	2	0.6	00.0-01.4				1	0.6	00.0-01.8
H.S. or G.E.D.	83	24,592	51	73.9	62.1-85.7	22	19.4	08.6-30.2	7	3.9	00.6-07.2	2	0.4	00.0-01.0	1	2.4	00.0-06.9			
Some Post-H.S.	68	27,213	41	76.8	66.2-87.4	16	13.7	06.1-21.3	10	7.6	01.5-13.7				1	1.9	00.0-05.6			
College Graduate	126	30,368	75	74.4	66.6-82.2	43	23.2	15.6-30.8	7	2.1	00.3-03.9	1	0.2	00.0-00.6						
\$75,000+	92	30,196	52	68.8	58.2-79.4	33	27.7	17.3-38.1	7	3.5	00.6-06.4									

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 47: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	142	46,779	85	73.8	65.8-81.8	40	18.9	11.6-26.2	12	4.3	01.4-07.2	2	0.3	00.0-00.7	2	2.3	00.0-05.6	1	0.3	00.0-00.9
White/Non-Hisp	125	41,000	73	73.2	64.2-82.2	36	18.7	11.1-26.3	11	4.7	01.4-08.0	2	0.4	00.0-01.0	2	2.7	00.0-06.4	1	0.4	00.0-01.2
65+	63	13,830	31	65.6	53.3-77.9	21	25.1	13.5-36.7	8	7.2	01.5-12.9	2	1.0	00.0-02.6				1	1.1	00.0-03.3
College Graduate	62	16,132	37	77.4	67.8-87.0	22	21.0	11.6-30.4	2	1.2	00.0-03.0	1	0.4	00.0-01.2						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2013

SECTION 8: DEMOGRAPHICS

TABLE 48: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	159	44,551	94	72.6	64.4-80.8	51	23.0	15.2-30.8	13	4.4	01.3-07.5	1	0.1	00.0-00.3
White/Non-Hisp	139	35,851	85	75.0	66.6-83.4	41	19.7	12.1-27.3	12	5.3	01.4-09.2	1	0.1	00.0-00.3
65+	65	11,950	35	64.7	50.2-79.2	22	29.0	14.9-43.1	8	6.2	01.5-10.9			
College Graduate	64	14,236	38	71.1	59.1-83.1	21	25.7	13.7-37.7	5	3.3	00.0-06.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 49: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7683	2,714,093	5937	82.5	81.5-83.5	1746	17.5	16.5-18.5
Male	2916	1,177,328	2251	82.7	81.1-84.3	665	17.3	15.7-18.9
Female	4767	1,536,765	3686	82.4	81.0-83.8	1081	17.6	16.2-19.0
White/Non-Hisp	6872	2,350,135	5402	84.2	83.2-85.2	1470	15.8	14.8-16.8
Black or Afr. Am./Non-Hisp	382	174,764	263	76.2	71.1-81.3	119	23.8	18.7-28.9
Oth. Race/Non-Hisp.	98	39,855	68	78.2	69.0-87.4	30	21.8	12.6-31.0
MultiRacial/Non-Hisp.	74	20,716	51	68.5	54.8-82.2	23	31.5	17.8-45.2
Hispanic	150	93,855	88	62.9	53.3-72.5	62	37.1	27.5-46.7
18-24	151	174,496	120	85.5	79.8-91.2	31	14.5	08.8-20.2
25-34	349	218,180	274	82.1	77.6-86.6	75	17.9	13.4-22.4
35-44	795	407,547	667	84.6	81.7-87.5	128	15.4	12.5-18.3
45-54	1292	555,827	1052	85.8	83.6-88.0	240	14.2	12.0-16.4
55-64	1818	556,781	1457	85.6	83.8-87.4	361	14.4	12.6-16.2
65+	3202	780,770	2311	76.4	74.6-78.2	891	23.6	21.8-25.4
Less Than H.S.	650	332,459	327	58.4	53.7-63.1	323	41.6	36.9-46.3
H.S. or G.E.D.	2902	972,419	2080	80.3	78.7-81.9	822	19.7	18.1-21.3
Some Post-H.S.	1891	801,586	1543	87.5	85.9-89.1	348	12.5	10.9-14.1
College Graduate	2222	601,531	1975	92.7	91.5-93.9	247	7.3	06.1-08.5
Less than \$15,000	752	210,193	375	55.3	50.2-60.4	377	44.7	39.6-49.8
\$15,000- 24,999	1301	410,792	818	69.6	66.5-72.7	483	30.4	27.3-33.5
\$25,000- 34,999	840	276,996	624	77.7	74.2-81.2	216	22.3	18.8-25.8
\$35,000- 49,999	1015	371,948	844	86.5	84.1-88.9	171	13.5	11.1-15.9
\$50,000- 74,999	1002	379,104	906	92.9	91.1-94.7	96	7.1	05.3-08.9
\$75,000+	1530	635,478	1452	95.7	94.5-96.9	78	4.3	03.1-05.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 50: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2916	1,177,328	2251	82.7	81.1-84.3	665	17.3	15.7-18.9
White/Non-Hisp	2608	1,018,615	2042	84.1	82.5-85.7	566	15.9	14.3-17.5
Black or Afr. Am./Non-Hisp	118	68,847	83	77.5	69.1-85.9	35	22.5	14.1-30.9
Hispanic	58	40,548	35	69.6	56.7-82.5	23	30.4	17.5-43.3
18-24	75	83,167	64	90.8	85.1-96.5	11	9.2	03.5-14.9
25-34	131	96,532	104	82.8	76.1-89.5	27	17.2	10.5-23.9
35-44	305	176,296	252	84.9	80.4-89.4	53	15.1	10.6-19.6
45-54	564	251,456	450	84.1	80.8-87.4	114	15.9	12.6-19.2
55-64	700	246,159	556	84.6	81.7-87.5	144	15.4	12.5-18.3
65+	1124	319,131	812	76.8	73.9-79.7	312	23.2	20.3-26.1
Less Than H.S.	242	146,599	121	59.3	51.9-66.7	121	40.7	33.3-48.1
H.S. or G.E.D.	1037	410,217	743	80.8	78.3-83.3	294	19.2	16.7-21.7
Some Post-H.S.	663	328,004	546	87.8	85.1-90.5	117	12.2	09.5-14.9
College Graduate	962	287,957	834	91.6	89.8-93.4	128	8.4	06.6-10.2
Less than \$15,000	226	71,777	106	52.4	44.0-60.8	120	47.6	39.2-56.0
\$15,000- 24,999	419	158,502	248	66.8	61.1-72.5	171	33.2	27.5-38.9
\$25,000- 34,999	320	118,210	224	75.2	69.5-80.9	96	24.8	19.1-30.5
\$35,000- 49,999	429	182,139	341	84.6	80.9-88.3	88	15.4	11.7-19.1
\$50,000- 74,999	438	181,015	387	91.6	88.9-94.3	51	8.4	05.7-11.1
\$75,000+	745	324,161	701	95.4	93.6-97.2	44	4.6	02.8-06.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 51: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4767	1,536,765	3686	82.4	81.0-83.8	1081	17.6	16.2-19.0
White/Non-Hisp	4264	1,331,519	3360	84.2	82.8-85.6	904	15.8	14.4-17.2
Black or Afr. Am./Non-Hisp	264	105,917	180	75.3	69.0-81.6	84	24.7	18.4-31.0
Oth. Race/Non-Hisp.	54	19,313	34	76.9	64.2-89.6	20	23.1	10.4-35.8
Hispanic	92	53,308	53	57.8	44.7-70.9	39	42.2	29.1-55.3
18-24	76	91,329	56	80.6	71.4-89.8	20	19.4	10.2-28.6
25-34	218	121,648	170	81.6	75.7-87.5	48	18.4	12.5-24.3
35-44	490	231,251	415	84.5	80.4-88.6	75	15.5	11.4-19.6
45-54	728	304,371	602	87.3	84.8-89.8	126	12.7	10.2-15.2
55-64	1118	310,622	901	86.4	84.2-88.6	217	13.6	11.4-15.8
65+	2078	461,639	1499	76.2	74.0-78.4	579	23.8	21.6-26.0
Less Than H.S.	408	185,860	206	57.6	51.3-63.9	202	42.4	36.1-48.7
H.S. or G.E.D.	1865	562,202	1337	80.0	77.8-82.2	528	20.0	17.8-22.2
Some Post-H.S.	1228	473,581	997	87.3	85.1-89.5	231	12.7	10.5-14.9
College Graduate	1260	313,574	1141	93.8	92.4-95.2	119	6.2	04.8-07.6
Less than \$15,000	526	138,417	269	56.8	50.7-62.9	257	43.2	37.1-49.3
\$15,000- 24,999	882	252,290	570	71.3	67.6-75.0	312	28.7	25.0-32.4
\$25,000- 34,999	520	158,786	400	79.5	75.0-84.0	120	20.5	16.0-25.0
\$35,000- 49,999	586	189,809	503	88.3	85.2-91.4	83	11.7	08.6-14.8
\$50,000- 74,999	564	198,089	519	94.1	91.9-96.3	45	5.9	03.7-08.1
\$75,000+	785	311,316	751	96.0	94.2-97.8	34	4.0	02.2-05.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 52: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	ZERO		1-20%			21-40%			41-60%			61-80%			81-100%		
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5647	2,134,764	360	5.2	04.4-06.0	2079	34.5	32.9-36.1	513	9.5	08.5-10.5	943	17.9	16.5-19.3	788	16.7	15.3-18.1	964	16.2	15.0-17.4
Male	2159	936,546	115	4.6	03.6-05.6	685	29.9	27.5-32.3	185	9.2	07.6-10.8	385	18.6	16.6-20.6	342	18.5	16.3-20.7	447	19.2	17.0-21.4
Female	3488	1,198,217	245	5.7	04.7-06.7	1394	38.0	35.8-40.2	328	9.8	08.6-11.0	558	17.4	15.6-19.2	446	15.3	13.7-16.9	517	13.9	12.5-15.3
White/Non-Hisp	5152	1,893,805	330	5.3	04.5-06.1	1881	33.9	32.3-35.5	471	9.8	08.8-10.8	888	18.6	17.2-20.0	720	16.8	15.4-18.2	862	15.7	14.5-16.9
Black or Afr. Am./Non-Hisp	247	125,158	11	3.6	01.2-06.0	95	37.3	29.7-44.9	20	6.6	03.3-09.9	29	13.6	08.1-19.1	37	17.8	11.7-23.9	55	21.2	13.9-28.5
Oth. Race/Non-Hisp.	63	28,241	7	8.6	00.0-17.4	25	42.4	26.7-58.1	6	7.3	00.8-13.8	8	14.7	04.1-25.3	6	9.9	01.3-18.5	11	17.1	06.5-27.7
Hispanic	79	53,312	2	3.9	00.0-09.2	22	28.8	16.5-41.1	9	11.5	03.1-19.9	13	14.4	05.2-23.6	14	18.3	07.1-29.5	19	23.0	11.2-34.8
18-24	119	148,421	4	3.5	00.0-07.4	22	26.6	16.6-36.6	8	7.0	01.9-12.1	15	12.1	05.6-18.6	13	14.7	06.9-22.5	57	36.2	26.6-45.8
25-34	271	176,390	6	2.2	00.2-04.2	38	17.2	11.5-22.9	18	7.3	03.8-10.8	35	13.8	08.7-18.9	63	26.3	20.0-32.6	111	33.3	26.8-39.8
35-44	643	330,118	12	2.5	00.9-04.1	125	23.0	18.9-27.1	52	9.8	07.1-12.5	114	18.2	14.9-21.5	128	21.4	17.7-25.1	212	25.2	21.7-28.7
45-54	1013	457,278	32	3.0	01.8-04.2	263	27.6	24.3-30.9	90	10.2	07.8-12.6	188	21.4	18.3-24.5	196	20.8	17.9-23.7	244	17.1	14.7-19.5
55-64	1401	455,721	65	4.2	03.0-05.4	489	35.9	33.0-38.8	134	10.0	08.0-12.0	280	21.7	19.2-24.2	224	17.5	15.1-19.9	209	10.6	09.0-12.2
65+	2152	552,989	238	10.9	09.3-12.5	1120	53.0	50.5-55.5	207	9.9	08.3-11.5	305	14.9	13.1-16.7	157	7.2	06.0-08.4	125	4.1	03.3-04.9
Less Than H.S.	293	173,165	33	9.6	05.9-13.3	149	48.7	41.6-55.8	26	10.7	06.0-15.4	38	16.0	10.5-21.5	14	4.5	01.6-07.4	33	10.6	06.1-15.1
H.S. or G.E.D.	1952	739,853	150	6.1	04.9-07.3	846	39.8	37.1-42.5	176	9.8	08.2-11.4	296	15.5	13.5-17.5	227	15.4	13.2-17.6	257	13.4	11.4-15.4
Some Post-H.S.	1481	676,163	98	5.2	03.8-06.6	524	32.4	29.3-35.5	121	8.4	06.6-10.2	255	18.9	16.4-21.4	194	16.0	13.5-18.5	289	19.2	16.7-21.7
College Graduate	1911	541,304	78	2.6	02.0-03.2	556	25.4	23.2-27.6	188	10.0	08.4-11.6	353	20.6	18.2-23.0	352	23.2	20.8-25.6	384	18.2	16.2-20.2
Less than \$15,000	360	112,968	37	7.2	04.3-10.1	190	48.8	41.7-55.9	26	6.6	03.1-10.1	37	13.2	08.1-18.3	24	9.4	04.7-14.1	46	14.8	09.7-19.9
\$15,000- 24,999	770	268,484	85	8.6	06.4-10.8	358	45.3	40.4-50.2	73	11.0	08.1-13.9	100	14.1	10.8-17.4	64	9.1	06.4-11.8	90	11.9	08.6-15.2
\$25,000- 34,999	600	207,092	46	7.7	05.0-10.4	281	42.8	37.9-47.7	51	8.4	05.9-10.9	82	14.8	11.1-18.5	64	14.8	10.5-19.1	76	11.4	08.3-14.5
\$35,000- 49,999	817	310,835	50	6.0	03.6-08.4	308	37.9	33.8-42.0	84	10.8	08.1-13.5	144	16.0	13.1-18.9	104	15.0	11.7-18.3	127	14.3	11.2-17.4
\$50,000- 74,999	874	340,609	41	4.2	02.6-05.8	282	30.9	27.2-34.6	94	11.8	09.1-14.5	170	20.6	17.3-23.9	134	17.3	14.2-20.4	153	15.1	12.4-17.8
\$75,000+	1417	593,160	27	1.5	00.7-02.3	299	20.6	18.1-23.1	112	8.3	06.5-10.1	284	21.5	19.0-24.0	316	25.4	22.5-28.3	379	22.6	20.1-25.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 53: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		ZERO			1-20%			21-40%			41-60%			61-80%			81-100%		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2159	936,546	115	4.6	03.6-05.6	685	29.9	27.5-32.3	185	9.2	07.6-10.8	385	18.6	16.6-20.6	342	18.5	16.3-20.7	447	19.2	17.0-21.4
White/Non-Hisp	1964	828,069	105	4.8	03.6-06.0	614	29.1	26.6-31.6	173	9.6	08.0-11.2	358	18.9	16.7-21.1	315	18.9	16.7-21.1	399	18.7	16.5-20.9
Black or Afr. Am./Non-Hisp	80	51,219	2	1.9	00.0-04.6	24	30.2	18.0-42.4	4	4.0	00.0-08.1	12	17.1	06.7-27.5	16	21.6	10.6-32.6	22	25.2	12.5-37.9
18-24	64	75,508	3	3.3	00.0-07.0	8	20.5	08.2-32.8	5	8.4	00.6-16.2	8	10.9	03.3-18.5	7	14.4	03.2-25.6	33	42.5	28.8-56.2
25-34	102	78,337	2	2.3	00.0-05.6	11	15.2	06.2-24.2	3	2.9	00.0-06.4	9	12.5	03.9-21.1	26	27.0	17.0-37.0	51	40.1	29.3-50.9
35-44	244	144,899	7	3.3	00.6-06.0	40	22.0	15.3-28.7	22	10.8	06.1-15.5	38	15.0	10.1-19.9	50	22.2	16.1-28.3	87	26.7	20.8-32.6
45-54	433	202,221	16	3.8	01.8-05.8	98	23.9	19.0-28.8	39	11.2	07.5-14.9	75	18.9	14.4-23.4	92	23.2	18.5-27.9	113	19.0	15.3-22.7
55-64	534	199,652	29	4.3	02.3-06.3	151	28.8	24.3-33.3	36	7.0	04.6-09.4	120	26.4	21.9-30.9	94	19.8	15.9-23.7	104	13.6	10.7-16.5
65+	771	232,619	58	7.5	05.3-09.7	374	48.9	44.8-53.0	80	10.9	08.4-13.4	133	18.6	15.3-21.9	71	9.3	06.9-11.7	55	4.8	03.2-06.4
Less Than H.S.	110	79,218	13	9.5	03.8-15.2	53	48.0	36.6-59.4	11	9.6	02.7-16.5	14	16.9	07.9-25.9	4	2.0	00.0-04.0	15	13.9	05.5-22.3
H.S. or G.E.D.	707	319,073	48	5.4	03.6-07.2	245	32.5	28.4-36.6	65	10.1	07.6-12.6	116	17.3	14.0-20.6	102	17.4	13.9-20.9	131	17.4	13.9-20.9
Some Post-H.S.	531	279,749	27	4.5	02.5-06.5	159	26.8	22.3-31.3	37	7.4	04.7-10.1	100	18.5	14.6-22.4	83	19.9	15.4-24.4	125	22.9	18.6-27.2
College Graduate	805	254,905	27	2.2	01.2-03.2	227	24.8	21.5-28.1	70	9.5	07.1-11.9	154	21.0	17.5-24.5	152	23.3	19.8-26.8	175	19.3	16.2-22.4
Less than \$15,000	101	36,639	13	10.2	03.5-16.9	46	37.8	26.8-48.8	4	4.1	00.0-08.6	11	12.9	03.5-22.3	11	13.9	05.5-22.3	16	21.2	10.4-32.0
\$15,000- 24,999	229	98,077	18	6.1	02.8-09.4	100	42.7	34.3-51.1	22	10.0	05.1-14.9	39	17.7	11.4-24.0	21	10.2	05.1-15.3	29	13.4	06.9-19.9
\$25,000- 34,999	222	87,832	19	8.3	04.0-12.6	94	38.4	30.6-46.2	21	10.1	05.4-14.8	33	16.3	10.0-22.6	26	15.6	08.2-23.0	29	11.2	06.5-15.9
\$35,000- 49,999	329	149,458	17	3.8	01.4-06.2	116	34.1	27.8-40.4	34	10.2	06.3-14.1	60	18.2	13.3-23.1	43	15.6	10.7-20.5	59	18.0	12.7-23.3
\$50,000- 74,999	371	159,302	14	4.6	01.9-07.3	110	26.9	21.8-32.0	39	12.6	08.1-17.1	67	18.2	13.7-22.7	64	18.7	14.2-23.2	77	19.0	14.3-23.7
\$75,000+	686	303,458	15	1.9	00.7-03.1	139	20.0	16.3-23.7	48	7.6	05.1-10.1	141	21.5	17.8-25.2	145	25.3	21.0-29.6	198	23.6	19.9-27.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 54: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		ZERO			1-20%			21-40%			41-60%			61-80%			81-100%		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3488	1,198,217	245	5.7	04.7-06.7	1394	38.0	35.8-40.2	328	9.8	08.6-11.0	558	17.4	15.6-19.2	446	15.3	13.7-16.9	517	13.9	12.3-15.5
White/Non-Hisp	3188	1,065,737	225	5.6	04.6-06.6	1267	37.5	35.3-39.7	298	9.9	08.5-11.3	530	18.4	16.6-20.2	405	15.2	13.4-17.0	463	13.4	12.0-14.8
Black or Afr. Am./Non-Hisp	167	73,939	9	4.7	01.2-08.2	71	42.2	32.8-51.6	16	8.4	03.7-13.1	17	11.1	05.2-17.0	21	15.2	08.1-22.3	33	18.4	10.2-26.6
18-24	55	72,913	1	3.7	00.0-10.8	14	32.9	17.4-48.4	3	5.5	00.0-11.8	7	13.3	02.7-23.9	6	15.1	03.7-26.5	24	29.6	16.9-42.3
25-34	169	98,052	4	2.0	00.0-04.2	27	18.7	11.6-25.8	15	10.7	05.0-16.4	26	14.9	08.8-21.0	37	25.8	18.0-33.6	60	27.8	20.2-35.4
35-44	399	185,219	5	1.9	00.1-03.7	85	23.8	18.7-28.9	30	8.9	05.6-12.2	76	20.7	16.0-25.4	78	20.7	16.0-25.4	125	24.0	19.5-28.5
45-54	580	255,057	16	2.3	00.9-03.7	165	30.5	25.8-35.2	51	9.4	06.7-12.1	113	23.4	18.9-27.9	104	18.9	15.0-22.8	131	15.6	12.7-18.5
55-64	867	256,069	36	4.1	02.3-05.9	338	41.5	37.6-45.4	98	12.4	09.7-15.1	160	18.1	15.2-21.0	130	15.7	12.8-18.6	105	8.3	06.5-10.1
65+	1381	320,370	180	13.5	11.3-15.7	746	56.0	52.9-59.1	127	9.1	07.3-10.9	172	12.1	10.1-14.1	86	5.8	04.4-07.2	70	3.5	02.5-04.5
Less Than H.S.	183	93,948	20	9.7	04.6-14.8	96	49.2	40.2-58.2	15	11.5	05.2-17.8	24	15.1	08.4-21.8	10	6.6	01.7-11.5	18	7.8	03.9-11.7
H.S. or G.E.D.	1245	420,781	102	6.7	05.1-08.3	601	45.3	41.8-48.8	111	9.5	07.3-11.7	180	14.2	11.7-16.7	125	13.9	11.0-16.8	126	10.4	08.0-12.8
Some Post-H.S.	950	396,414	71	5.7	03.7-07.7	365	36.2	32.1-40.3	84	9.1	06.9-11.3	155	19.2	15.9-22.5	111	13.2	10.5-15.9	164	16.6	13.7-19.5
College Graduate	1106	286,399	51	3.0	02.0-04.0	329	26.0	23.1-28.9	118	10.5	08.3-12.7	199	20.3	17.4-23.2	200	23.1	19.8-26.4	209	17.2	14.7-19.7
Less than \$15,000	259	76,329	24	5.8	03.1-08.5	144	54.0	45.4-62.6	22	7.8	03.1-12.5	26	13.4	07.3-19.5	13	7.2	01.5-12.9	30	11.8	06.3-17.3
\$15,000- 24,999	541	170,407	67	10.0	07.1-12.9	258	46.9	40.8-53.0	51	11.5	07.8-15.2	61	12.0	08.1-15.9	43	8.5	05.2-11.8	61	11.1	07.4-14.8
\$25,000- 34,999	378	119,260	27	7.3	03.8-10.8	187	46.1	39.6-52.6	30	7.1	04.2-10.0	49	13.7	09.0-18.4	38	14.3	09.4-19.2	47	11.5	07.4-15.6
\$35,000- 49,999	488	161,377	33	8.0	04.1-11.9	192	41.3	35.8-46.8	50	11.3	07.8-14.8	84	14.0	10.5-17.5	61	14.5	10.2-18.8	68	10.9	07.8-14.0
\$50,000- 74,999	503	181,306	27	3.9	02.1-05.7	172	34.3	29.0-39.6	55	11.1	07.8-14.4	103	22.8	17.7-27.9	70	16.1	11.8-20.4	76	11.7	08.6-14.8
\$75,000+	731	289,702	12	1.1	00.3-01.9	160	21.3	17.8-24.8	64	9.1	06.6-11.6	143	21.5	17.8-25.2	171	25.5	21.6-29.4	181	21.5	18.0-25.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 55: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10297	4,961,538	7571	79.5	78.5-80.5	2726	20.5	19.5-21.5
Male	4265	2,415,374	3189	79.3	77.7-80.9	1076	20.7	19.1-22.3
Female	6032	2,546,163	4382	79.7	78.5-80.9	1650	20.3	19.1-21.5
18-24	539	680,761	507	92.7	90.0-95.4	32	7.3	04.6-10.0
25-34	917	814,556	847	90.8	88.4-93.2	70	9.2	06.8-11.6
35-44	1233	813,127	1121	88.9	86.5-91.3	112	11.1	08.7-13.5
45-54	1778	891,714	1494	83.7	81.5-85.9	284	16.3	14.1-18.5
55-64	2260	811,306	1730	74.8	72.4-77.2	530	25.2	22.8-27.6
65+	3479	920,960	1807	51.5	49.5-53.5	1672	48.5	46.5-50.5
Less Than H.S.	932	705,058	340	49.6	45.3-53.9	592	50.4	46.1-54.7
H.S. or G.E.D.	3776	1,725,787	2334	73.6	72.0-75.2	1442	26.4	24.8-28.0
Some Post-H.S.	2617	1,497,028	2154	89.1	87.9-90.3	463	10.9	09.7-12.1
College Graduate	2948	1,023,623	2727	96.0	95.2-96.8	221	4.0	03.2-04.8
Less than \$15,000	1081	498,981	555	62.3	58.4-66.2	526	37.7	33.8-41.6
\$15,000- 24,999	1756	816,396	1028	67.3	64.4-70.2	728	32.7	29.8-35.6
\$25,000- 34,999	1129	524,954	778	74.1	71.0-77.2	351	25.9	22.8-29.0
\$35,000- 49,999	1348	651,873	1080	83.5	81.1-85.9	268	16.5	14.1-18.9
\$50,000- 74,999	1344	672,777	1208	90.4	88.2-92.6	136	9.6	07.4-11.8
\$75,000+	2060	1,069,188	1956	95.7	94.5-96.9	104	4.3	03.1-05.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 56: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4265	2,415,374	3189	79.3	77.7-80.9	1076	20.7	19.1-22.3
18-24	284	350,427	269	93.0	89.1-96.9	15	7.0	03.1-10.9
25-34	405	408,530	371	90.1	86.8-93.4	34	9.9	06.6-13.2
35-44	517	408,308	464	88.2	84.7-91.7	53	11.8	08.3-15.3
45-54	832	442,365	669	79.3	76.0-82.6	163	20.7	17.4-24.0
55-64	935	399,304	687	71.2	67.5-74.9	248	28.8	25.1-32.5
65+	1266	397,820	709	54.8	51.5-58.1	557	45.2	41.9-48.5
Less Than H.S.	396	361,584	143	48.7	42.6-54.8	253	51.3	45.2-57.4
H.S. or G.E.D.	1507	840,462	956	74.5	72.0-77.0	551	25.5	23.0-28.0
Some Post-H.S.	1020	692,656	850	88.6	86.4-90.8	170	11.4	09.2-13.6
College Graduate	1327	513,676	1228	95.9	94.7-97.1	99	4.1	02.9-05.3
Less than \$15,000	368	198,344	189	56.5	49.8-63.2	179	43.5	36.8-50.2
\$15,000- 24,999	619	341,774	347	63.0	58.1-67.9	272	37.0	32.1-41.9
\$25,000- 34,999	485	269,823	308	71.1	66.2-76.0	177	28.9	24.0-33.8
\$35,000- 49,999	621	359,533	461	80.4	76.9-83.9	160	19.6	16.1-23.1
\$50,000- 74,999	616	354,025	546	88.2	84.7-91.7	70	11.8	08.3-15.3
\$75,000+	1057	592,612	991	94.7	92.7-96.7	66	5.3	03.3-07.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 57: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6032	2,546,163	4382	79.7	78.5-80.9	1650	20.3	19.1-21.5
18-24	255	330,334	238	92.5	88.6-96.4	17	7.5	03.6-11.4
25-34	512	406,026	476	91.4	88.3-94.5	36	8.6	05.5-11.7
35-44	716	404,819	657	89.7	86.8-92.6	59	10.3	07.4-13.2
45-54	946	449,349	825	88.0	85.5-90.5	121	12.0	09.5-14.5
55-64	1325	412,002	1043	78.3	75.6-81.0	282	21.7	19.0-24.4
65+	2213	523,140	1098	48.9	46.4-51.4	1115	51.1	48.6-53.6
Less Than H.S.	536	343,473	197	50.7	45.0-56.4	339	49.3	43.6-55.0
H.S. or G.E.D.	2269	885,325	1378	72.7	70.5-74.9	891	27.3	25.1-29.5
Some Post-H.S.	1597	804,372	1304	89.4	87.8-91.0	293	10.6	09.0-12.2
College Graduate	1621	509,946	1499	96.2	95.4-97.0	122	3.8	03.0-04.6
Less than \$15,000	713	300,636	366	66.1	61.4-70.8	347	33.9	29.2-38.6
\$15,000- 24,999	1137	474,622	681	70.3	67.0-73.6	456	29.7	26.4-33.0
\$25,000- 34,999	644	255,131	470	77.3	73.2-81.4	174	22.7	18.6-26.8
\$35,000- 49,999	727	292,340	619	87.3	84.0-90.6	108	12.7	09.4-16.0
\$50,000- 74,999	728	318,752	662	92.8	90.6-95.0	66	7.2	05.0-09.4
\$75,000+	1003	476,577	965	96.9	95.7-98.1	38	3.1	01.9-04.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 58: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10203	4,915,618	7756	73.8	72.6-75.0	2082	21.6	20.6-22.6	365	4.6	04.0-05.2
Male	4227	2,396,104	3236	75.0	73.2-76.8	818	20.2	18.6-21.8	173	4.9	04.1-05.7
Female	5976	2,519,514	4520	72.7	71.1-74.3	1264	22.9	21.3-24.5	192	4.4	03.6-05.2
18-24	534	671,330	173	44.3	39.4-49.2	259	39.7	35.2-44.2	102	16.0	12.9-19.1
25-34	913	812,375	479	57.6	53.9-61.3	380	37.2	33.7-40.7	54	5.2	03.6-06.8
35-44	1227	809,186	878	74.5	71.6-77.4	304	22.3	19.6-25.0	45	3.2	02.0-04.4
45-54	1756	882,213	1364	82.0	80.0-84.0	345	15.5	13.7-17.3	47	2.5	01.5-03.5
55-64	2243	804,987	1853	86.4	84.8-88.0	348	11.9	10.3-13.5	42	1.7	01.1-02.3
65+	3456	913,150	2947	90.1	89.1-91.1	434	8.2	07.2-09.2	75	1.8	01.4-02.2
Less Than H.S.	927	697,993	504	53.6	49.3-57.9	368	39.9	35.8-44.0	55	6.4	04.2-08.6
H.S. or G.E.D.	3743	1,709,570	2796	73.9	71.9-75.9	806	21.6	19.8-23.4	141	4.6	03.6-05.6
Some Post-H.S.	2588	1,482,721	1936	75.0	72.8-77.2	547	19.6	17.6-21.6	105	5.4	04.2-06.6
College Graduate	2925	1,016,566	2504	85.8	84.2-87.4	359	12.0	10.6-13.4	62	2.2	01.6-02.8
Less than \$15,000	1076	495,797	417	33.3	29.4-37.2	571	55.5	51.4-59.6	88	11.2	08.3-14.1
\$15,000- 24,999	1753	815,497	1100	58.0	54.9-61.1	587	38.1	35.0-41.2	66	4.0	02.8-05.2
\$25,000- 34,999	1126	525,079	825	68.1	64.4-71.8	262	27.7	24.2-31.2	39	4.2	02.6-05.8
\$35,000- 49,999	1346	651,353	1119	82.7	80.2-85.2	194	14.4	12.0-16.8	33	2.9	01.7-04.1
\$50,000- 74,999	1342	671,611	1197	88.6	86.2-91.0	126	9.3	07.3-11.3	19	2.1	00.9-03.3
\$75,000+	2052	1,064,795	1942	94.8	93.6-96.0	87	3.7	02.7-04.7	23	1.5	00.7-02.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 59: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4227	2,396,104	3236	75.0	73.2-76.8	818	20.2	18.6-21.8	173	4.9	04.1-05.7
18-24	281	346,035	108	52.8	46.3-59.3	111	29.5	24.0-35.0	62	17.7	13.2-22.2
25-34	405	408,530	218	59.0	53.7-64.3	163	36.1	30.8-41.4	24	4.9	02.7-07.1
35-44	513	404,985	378	75.9	71.6-80.2	122	22.4	18.1-26.7	13	1.7	00.5-02.9
45-54	823	440,180	644	82.0	79.1-84.9	150	14.7	12.2-17.2	29	3.2	01.6-04.8
55-64	930	397,001	751	84.7	82.2-87.2	159	13.3	10.8-15.8	20	2.0	01.0-03.0
65+	1257	394,067	1122	92.3	90.7-93.9	110	6.1	04.7-07.5	25	1.6	00.8-02.4
Less Than H.S.	391	357,388	228	57.4	51.3-63.5	138	36.5	30.6-42.4	25	6.1	03.4-08.8
H.S. or G.E.D.	1497	835,226	1108	74.0	71.3-76.7	321	21.1	18.6-23.6	68	4.9	03.5-06.3
Some Post-H.S.	1011	687,323	763	76.9	73.8-80.0	196	16.9	14.2-19.6	52	6.2	04.2-08.2
College Graduate	1316	510,345	1128	86.3	84.1-88.5	162	11.9	09.9-13.9	26	1.8	01.0-02.6
Less than \$15,000	364	195,939	139	36.2	29.7-42.7	191	53.3	46.6-60.0	34	10.5	06.4-14.6
\$15,000- 24,999	617	341,175	381	57.4	52.3-62.5	213	39.4	34.3-44.5	23	3.2	01.4-05.0
\$25,000- 34,999	484	270,197	332	64.4	58.9-69.9	134	31.3	25.8-36.8	18	4.3	02.1-06.5
\$35,000- 49,999	620	359,470	519	83.7	80.0-87.4	87	13.6	10.3-16.9	14	2.7	00.9-04.5
\$50,000- 74,999	616	354,182	545	88.8	85.9-91.7	62	9.6	06.9-12.3	9	1.6	00.2-03.0
\$75,000+	1053	591,353	991	94.4	92.6-96.2	44	3.4	02.2-04.6	18	2.2	01.0-03.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 60: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5976	2,519,514	4520	72.7	71.1-74.3	1264	22.9	21.5-24.3	192	4.4	03.6-05.2
18-24	253	325,295	65	35.2	28.1-42.3	148	50.6	43.7-57.5	40	14.2	09.7-18.7
25-34	508	403,845	261	56.1	51.0-61.2	217	38.4	33.5-43.3	30	5.6	03.4-07.8
35-44	714	404,201	500	73.0	69.3-76.7	182	22.3	18.8-25.8	32	4.6	02.6-06.6
45-54	933	442,033	720	82.0	79.3-84.7	195	16.2	13.7-18.7	18	1.7	00.7-02.7
55-64	1313	407,986	1102	87.9	85.9-89.9	189	10.6	08.6-12.6	22	1.5	00.7-02.3
65+	2199	519,083	1825	88.4	87.0-89.8	324	9.8	08.4-11.2	50	1.9	01.3-02.5
Less Than H.S.	536	340,604	276	49.6	43.7-55.5	230	43.6	37.9-49.3	30	6.8	03.7-09.9
H.S. or G.E.D.	2246	874,344	1688	73.7	71.2-76.2	485	22.1	19.7-24.5	73	4.2	03.0-05.4
Some Post-H.S.	1577	795,398	1173	73.4	70.5-76.3	351	21.9	19.4-24.4	53	4.6	03.0-06.2
College Graduate	1609	506,220	1376	85.2	83.0-87.4	197	12.1	10.1-14.1	36	2.6	01.6-03.6
Less than \$15,000	712	299,858	278	31.4	26.5-36.3	380	57.0	51.7-62.3	54	11.6	07.7-15.5
\$15,000- 24,999	1136	474,323	719	58.4	54.3-62.5	374	37.1	33.2-41.0	43	4.5	02.7-06.3
\$25,000- 34,999	642	254,881	493	72.0	67.3-76.7	128	23.9	19.4-28.4	21	4.1	01.9-06.3
\$35,000- 49,999	726	291,883	600	81.5	77.8-85.2	107	15.4	12.1-18.7	19	3.0	01.2-04.8
\$50,000- 74,999	726	317,429	652	88.4	84.9-91.9	64	9.0	06.1-11.9	10	2.6	00.4-04.8
\$75,000+	999	473,443	951	95.3	93.7-96.9	43	4.0	02.6-05.4	5	0.7	00.0-01.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 61: INDICATE SEX OF RESPONDENT. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10338	4,983,087	4284	48.7	47.3-50.1	6054	51.3	49.9-52.7
White/Non-Hisp	8974	4,064,446	3698	48.3	46.9-49.7	5276	51.7	50.3-53.1
Black or Afr. Am./Non-Hisp	595	418,674	214	47.0	41.5-52.5	381	53.0	47.5-58.5
Oth. Race/Non-Hisp.	170	103,762	83	54.6	45.2-64.0	87	45.4	36.0-54.8
MultiRacial/Non-Hisp.	116	46,119	56	55.5	43.5-67.5	60	44.5	32.5-56.5
Hispanic	313	267,306	140	50.2	43.7-56.7	173	49.8	43.3-56.3
18-24	542	685,201	285	51.3	46.6-56.0	257	48.7	44.0-53.4
25-34	919	816,977	406	50.1	46.4-53.8	513	49.9	46.2-53.6
35-44	1237	816,847	518	50.1	46.8-53.4	719	49.9	46.6-53.2
45-54	1781	893,308	834	49.7	47.0-52.4	947	50.3	47.6-53.0
55-64	2265	812,733	938	49.2	46.7-51.7	1327	50.8	48.3-53.3
65+	3497	926,902	1273	43.3	41.3-45.3	2224	56.7	54.7-58.7
Less Than H.S.	941	708,951	396	51.0	46.9-55.1	545	49.0	44.9-53.1
H.S. or G.E.D.	3789	1,731,833	1514	48.7	46.5-50.9	2275	51.3	49.1-53.5
Some Post-H.S.	2629	1,505,756	1027	46.2	43.7-48.7	1602	53.8	51.3-56.3
College Graduate	2951	1,024,500	1329	50.2	48.0-52.4	1622	49.8	47.6-52.0
Less than \$15,000	1086	501,054	369	39.6	35.5-43.7	717	60.4	56.3-64.5
\$15,000- 24,999	1761	817,736	620	41.8	38.7-44.9	1141	58.2	55.1-61.3
\$25,000- 34,999	1133	526,984	488	51.5	47.6-55.4	645	48.5	44.6-52.4
\$35,000- 49,999	1350	652,995	622	55.2	51.9-58.5	728	44.8	41.5-48.1
\$50,000- 74,999	1348	674,437	620	52.7	49.2-56.2	728	47.3	43.8-50.8
\$75,000+	2062	1,071,580	1057	55.3	52.6-58.0	1005	44.7	42.0-47.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 62: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 45 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1481	1,142,055	39	3.7	02.3-05.1	1442	96.3	94.9-97.7
White/Non-Hisp	1159	868,426	27	3.3	01.9-04.7	1132	96.7	95.3-98.1
Black or Afr. Am./Non-Hisp	131	118,155	4	3.5	00.0-07.2	127	96.5	92.8-0100
Hispanic	117	103,118	4	6.7	00.2-13.2	113	93.3	86.8-99.8
18-24	254	330,997	13	5.4	02.5-08.3	241	94.6	91.7-97.5
25-34	511	404,656	24	5.8	03.3-08.3	487	94.2	91.7-96.7
35-44	716	406,403	2	0.2	00.0-00.6	714	99.8	99.4-0100
Less Than H.S.	137	174,633	6	6.1	01.0-11.2	131	93.9	88.8-99.0
H.S. or G.E.D.	380	318,941	13	5.0	02.3-07.7	367	95.0	92.3-97.7
Some Post-H.S.	431	382,143	6	1.9	00.3-03.5	425	98.1	96.5-99.7
College Graduate	532	265,461	14	3.2	01.4-05.0	518	96.8	95.0-98.6
Less than \$15,000	205	170,325	7	4.9	01.2-08.6	198	95.1	91.4-98.8
\$15,000- 24,999	266	227,553	11	6.1	02.4-09.8	255	93.9	90.2-97.6
\$25,000- 34,999	130	100,344	3	2.1	00.0-05.0	127	97.9	95.0-0100
\$35,000- 49,999	174	120,455	5	3.4	00.3-06.5	169	96.6	93.5-99.7
\$50,000- 74,999	201	135,817	4	2.3	00.0-04.8	197	97.7	95.2-0100
\$75,000+	337	229,174	4	1.7	00.0-03.5	333	98.3	96.5-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 63: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10153	4,895,688	2493	20.4	19.4-21.4	7660	79.6	78.6-80.6
Male	4206	2,377,005	923	18.6	17.2-20.0	3283	81.4	80.0-82.8
Female	5947	2,518,683	1570	22.1	20.7-23.5	4377	77.9	76.5-79.3
18-24	535	676,454	43	7.6	05.2-10.0	492	92.4	90.0-94.8
25-34	901	803,401	109	13.0	10.3-15.7	792	87.0	84.3-89.7
35-44	1214	797,757	204	15.7	13.3-18.1	1010	84.3	81.9-86.7
45-54	1752	878,920	431	25.3	22.8-27.8	1321	74.7	72.2-77.2
55-64	2237	802,922	691	29.7	27.3-32.1	1546	70.3	67.9-72.7
65+	3429	909,610	1003	27.9	26.1-29.7	2426	72.1	70.3-73.9
Less Than H.S.	919	694,149	329	29.1	25.4-32.8	590	70.9	67.2-74.6
H.S. or G.E.D.	3716	1,699,082	947	20.3	18.7-21.9	2769	79.7	78.1-81.3
Some Post-H.S.	2583	1,479,333	699	21.2	19.2-23.2	1884	78.8	76.8-80.8
College Graduate	2910	1,011,623	514	13.6	12.2-15.0	2396	86.4	85.0-87.8
Less than \$15,000	1064	494,379	515	39.0	35.1-42.9	549	61.0	57.1-64.9
\$15,000- 24,999	1735	801,489	600	29.2	26.5-31.9	1135	70.8	68.1-73.5
\$25,000- 34,999	1122	521,563	277	20.6	17.7-23.5	845	79.4	76.5-82.3
\$35,000- 49,999	1326	643,282	256	16.9	14.4-19.4	1070	83.1	80.6-85.6
\$50,000- 74,999	1334	667,033	222	12.9	10.9-14.9	1112	87.1	85.1-89.1
\$75,000+	2039	1,056,615	257	12.0	10.2-13.8	1782	88.0	86.2-89.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 64: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4206	2,377,005	923	18.6	17.2-20.0	3283	81.4	80.0-82.8
18-24	281	346,087	17	6.1	03.0-09.2	264	93.9	90.8-97.0
25-34	399	402,800	48	12.7	08.8-16.6	351	87.3	83.4-91.2
35-44	505	394,010	68	12.3	09.0-15.6	437	87.7	84.4-91.0
45-54	819	435,369	178	23.0	19.5-26.5	641	77.0	73.5-80.5
55-64	927	395,960	273	30.0	26.5-33.5	654	70.0	66.5-73.5
65+	1249	394,529	337	26.1	23.2-29.0	912	73.9	71.0-76.8
Less Than H.S.	385	351,936	132	29.6	24.1-35.1	253	70.4	64.9-75.9
H.S. or G.E.D.	1487	826,971	331	16.5	14.3-18.7	1156	83.5	81.3-85.7
Some Post-H.S.	1009	682,205	257	20.4	17.7-23.1	752	79.6	76.9-82.3
College Graduate	1309	507,439	201	12.2	10.2-14.2	1108	87.8	85.8-89.8
Less than \$15,000	361	195,485	172	38.1	31.6-44.6	189	61.9	55.4-68.4
\$15,000- 24,999	612	332,622	206	30.1	25.4-34.8	406	69.9	65.2-74.6
\$25,000- 34,999	482	267,578	122	19.1	15.2-23.0	360	80.9	77.0-84.8
\$35,000- 49,999	606	354,082	99	14.3	11.0-17.6	507	85.7	82.4-89.0
\$50,000- 74,999	610	350,907	92	11.4	08.7-14.1	518	88.6	85.9-91.3
\$75,000+	1046	582,307	122	11.5	09.1-13.9	924	88.5	86.1-90.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 65: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5947	2,518,683	1570	22.1	20.7-23.5	4377	77.9	76.5-79.3
18-24	254	330,367	26	9.2	05.5-12.9	228	90.8	87.1-94.5
25-34	502	400,601	61	13.4	09.7-17.1	441	86.6	82.9-90.3
35-44	709	403,746	136	19.0	15.7-22.3	573	81.0	77.7-84.3
45-54	933	443,551	253	27.5	24.0-31.0	680	72.5	69.0-76.0
55-64	1310	406,962	418	29.4	26.5-32.3	892	70.6	67.7-73.5
65+	2180	515,081	666	29.3	26.9-31.7	1514	70.7	68.3-73.1
Less Than H.S.	534	342,213	197	28.5	23.8-33.2	337	71.5	66.8-76.2
H.S. or G.E.D.	2229	872,111	616	23.9	21.7-26.1	1613	76.1	73.9-78.3
Some Post-H.S.	1574	797,128	442	21.9	19.4-24.4	1132	78.1	75.6-80.6
College Graduate	1601	504,184	313	14.9	12.9-16.9	1288	85.1	83.1-87.1
Less than \$15,000	703	298,894	343	39.6	34.5-44.7	360	60.4	55.3-65.5
\$15,000- 24,999	1123	468,867	394	28.6	25.1-32.1	729	71.4	67.9-74.9
\$25,000- 34,999	640	253,986	155	22.2	18.1-26.3	485	77.8	73.7-81.9
\$35,000- 49,999	720	289,200	157	20.0	16.3-23.7	563	80.0	76.3-83.7
\$50,000- 74,999	724	316,126	130	14.5	11.6-17.4	594	85.5	82.6-88.4
\$75,000+	993	474,308	135	12.5	10.0-15.0	858	87.5	85.0-90.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 66: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQUIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10187	4,898,924	1219	8.5	07.9-09.1	8968	91.5	90.9-92.1
Male	4215	2,381,400	469	8.8	07.8-09.8	3746	91.2	90.2-92.2
Female	5972	2,517,523	750	8.2	07.4-09.0	5222	91.8	91.0-92.6
18-24	529	668,165	7	1.2	00.2-02.2	522	98.8	97.8-99.8
25-34	904	803,715	32	4.0	02.2-05.8	872	96.0	94.2-97.8
35-44	1219	802,691	48	3.6	02.4-04.8	1171	96.4	95.2-97.6
45-54	1755	879,939	165	9.0	07.4-10.6	1590	91.0	89.4-92.6
55-64	2238	801,961	262	11.2	09.6-12.8	1976	88.8	87.2-90.4
65+	3449	912,819	696	19.4	17.8-21.0	2753	80.6	79.0-82.2
Less Than H.S.	928	699,411	180	13.7	11.2-16.2	748	86.3	83.8-88.8
H.S. or G.E.D.	3717	1,693,138	490	8.7	07.7-09.7	3227	91.3	90.3-92.3
Some Post-H.S.	2591	1,478,695	333	8.5	07.3-09.7	2258	91.5	90.3-92.7
College Graduate	2924	1,015,841	213	4.9	04.1-05.7	2711	95.1	94.3-95.9
Less than \$15,000	1074	494,071	280	17.7	15.0-20.4	794	82.3	79.6-85.0
\$15,000- 24,999	1733	801,631	315	13.4	11.4-15.4	1418	86.6	84.6-88.6
\$25,000- 34,999	1122	520,737	136	8.2	06.4-10.0	986	91.8	90.0-93.6
\$35,000- 49,999	1330	643,994	111	7.0	05.4-08.6	1219	93.0	91.4-94.6
\$50,000- 74,999	1332	665,252	85	4.6	03.4-05.8	1247	95.4	94.2-96.6
\$75,000+	2039	1,056,714	71	3.1	02.3-03.9	1968	96.9	96.1-97.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 67: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4215	2,381,400	469	8.8	07.8-09.8	3746	91.2	90.2-92.2
18-24	278	341,977	4	1.3	00.0-02.7	274	98.7	97.3-0100
25-34	402	405,668	23	6.6	03.5-09.7	379	93.4	90.3-96.5
35-44	509	398,399	19	3.4	01.6-05.2	490	96.6	94.8-98.4
45-54	819	435,530	85	9.8	07.3-12.3	734	90.2	87.7-92.7
55-64	926	395,227	115	12.9	10.2-15.6	811	87.1	84.4-89.8
65+	1253	395,406	222	18.1	15.6-20.6	1031	81.9	79.4-84.4
Less Than H.S.	392	359,920	66	14.3	10.2-18.4	326	85.7	81.6-89.8
H.S. or G.E.D.	1482	822,160	178	8.0	06.6-09.4	1304	92.0	90.6-93.4
Some Post-H.S.	1009	680,594	130	9.7	07.7-11.7	879	90.3	88.3-92.3
College Graduate	1314	509,936	93	5.4	04.0-06.8	1221	94.6	93.2-96.0
Less than \$15,000	363	195,503	95	21.9	16.4-27.4	268	78.1	72.6-83.6
\$15,000- 24,999	611	335,711	120	16.1	12.4-19.8	491	83.9	80.2-87.6
\$25,000- 34,999	483	268,338	61	8.5	06.0-11.0	422	91.5	89.0-94.0
\$35,000- 49,999	608	354,335	45	6.4	04.0-08.8	563	93.6	91.2-96.0
\$50,000- 74,999	608	349,561	44	5.0	03.2-06.8	564	95.0	93.2-96.8
\$75,000+	1046	582,828	45	3.7	02.5-04.9	1001	96.3	95.1-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 68: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5972	2,517,523	750	8.2	07.4-09.0	5222	91.8	91.0-92.6
18-24	251	326,188	3	1.0	00.0-02.2	248	99.0	97.8-0100
25-34	502	398,046	9	1.3	00.3-02.3	493	98.7	97.7-99.7
35-44	710	404,291	29	3.8	02.2-05.4	681	96.2	94.6-97.8
45-54	936	444,410	80	8.2	06.2-10.2	856	91.8	89.8-93.8
55-64	1312	406,733	147	9.5	07.7-11.3	1165	90.5	88.7-92.3
65+	2196	517,413	474	20.3	18.3-22.3	1722	79.7	77.7-81.7
Less Than H.S.	536	339,491	114	12.9	10.0-15.8	422	87.1	84.2-90.0
H.S. or G.E.D.	2235	870,978	312	9.3	07.9-10.7	1923	90.7	89.3-92.1
Some Post-H.S.	1582	798,102	203	7.5	06.1-08.9	1379	92.5	91.1-93.9
College Graduate	1610	505,905	120	4.3	03.3-05.3	1490	95.7	94.7-96.7
Less than \$15,000	711	298,569	185	15.0	12.1-17.9	526	85.0	82.1-87.9
\$15,000- 24,999	1122	465,920	195	11.4	09.2-13.6	927	88.6	86.4-90.8
\$25,000- 34,999	639	252,399	75	8.0	05.6-10.4	564	92.0	89.6-94.4
\$35,000- 49,999	722	289,659	66	7.7	05.3-10.1	656	92.3	89.9-94.7
\$50,000- 74,999	724	315,691	41	4.2	02.6-05.8	683	95.8	94.2-97.4
\$75,000+	993	473,886	26	2.2	01.2-03.2	967	97.8	96.8-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 69: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10144	4,881,237	495	4.2	03.6-04.8	9649	95.8	95.2-96.4
Male	4198	2,368,492	177	3.6	02.8-04.4	4021	96.4	95.6-97.2
Female	5946	2,512,745	318	4.8	04.2-05.4	5628	95.2	94.6-95.8
18-24	528	667,015	7	1.5	00.3-02.7	521	98.5	97.3-99.7
25-34	902	802,252	23	2.6	01.2-04.0	879	97.4	96.0-98.8
35-44	1211	796,191	29	2.1	01.3-02.9	1182	97.9	97.1-98.7
45-54	1751	878,553	109	6.7	05.1-08.3	1642	93.3	91.7-94.9
55-64	2234	801,668	114	5.3	04.1-06.5	2120	94.7	93.5-95.9
65+	3427	906,294	208	6.0	05.0-07.0	3219	94.0	93.0-95.0
Less Than H.S.	918	693,486	119	9.8	07.4-12.2	799	90.2	87.8-92.6
H.S. or G.E.D.	3706	1,689,096	211	4.4	03.6-05.2	3495	95.6	94.8-96.4
Some Post-H.S.	2582	1,474,574	106	3.1	02.3-03.9	2476	96.9	96.1-97.7
College Graduate	2911	1,012,244	59	1.6	01.2-02.0	2852	98.4	98.0-98.8
Less than \$15,000	1065	491,672	151	12.1	09.6-14.6	914	87.9	85.4-90.4
\$15,000- 24,999	1724	800,861	136	7.2	05.4-09.0	1588	92.8	91.0-94.6
\$25,000- 34,999	1117	518,388	48	3.6	02.4-04.8	1069	96.4	95.2-97.6
\$35,000- 49,999	1326	642,974	44	2.9	01.9-03.9	1282	97.1	96.1-98.1
\$50,000- 74,999	1330	664,314	21	1.5	00.7-02.3	1309	98.5	97.7-99.3
\$75,000+	2035	1,051,869	20	1.0	00.4-01.6	2015	99.0	98.4-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 70: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4198	2,368,492	177	3.6	02.8-04.4	4021	96.4	95.6-97.2
18-24	277	340,979	4	1.5	00.0-03.1	273	98.5	96.9-100
25-34	400	404,269	7	2.4	00.2-04.6	393	97.6	95.4-99.8
35-44	504	393,008	7	1.3	00.1-02.5	497	98.7	97.5-99.9
45-54	814	432,555	31	4.4	02.4-06.4	783	95.6	93.6-97.6
55-64	926	395,704	46	5.0	03.2-06.8	880	95.0	93.2-96.8
65+	1249	392,784	82	6.5	04.7-08.3	1167	93.5	91.7-95.3
Less Than H.S.	386	353,191	39	8.4	05.1-11.7	347	91.6	88.3-94.9
H.S. or G.E.D.	1480	819,442	84	3.9	02.7-05.1	1396	96.1	94.9-97.3
Some Post-H.S.	1007	680,022	31	2.5	01.3-03.7	976	97.5	96.3-98.7
College Graduate	1307	507,046	23	1.2	00.6-01.8	1284	98.8	98.2-99.4
Less than \$15,000	360	193,994	47	9.9	06.0-13.8	313	90.1	86.2-94.0
\$15,000- 24,999	610	334,810	54	9.3	06.0-12.6	556	90.7	87.4-94.0
\$25,000- 34,999	481	266,566	22	3.0	01.4-04.6	459	97.0	95.4-98.6
\$35,000- 49,999	607	353,833	15	2.1	00.7-03.5	592	97.9	96.5-99.3
\$50,000- 74,999	607	348,708	11	1.8	00.6-03.0	596	98.2	97.0-99.4
\$75,000+	1043	580,281	9	0.6	00.2-01.0	1034	99.4	99.0-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 71: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5946	2,512,745	318	4.8	04.2-05.4	5628	95.2	94.6-95.8
18-24	251	326,036	3	1.4	00.0-03.2	248	98.6	96.8-100
25-34	502	397,983	16	2.8	01.2-04.4	486	97.2	95.6-98.8
35-44	707	403,183	22	2.8	01.4-04.2	685	97.2	95.8-98.6
45-54	937	445,998	78	8.9	06.5-11.3	859	91.1	88.7-93.5
55-64	1308	405,964	68	5.6	04.0-07.2	1240	94.4	92.8-96.0
65+	2178	513,511	126	5.6	04.4-06.8	2052	94.4	93.2-95.6
Less Than H.S.	532	340,295	80	11.3	08.2-14.4	452	88.7	85.6-91.8
H.S. or G.E.D.	2226	869,654	127	5.0	03.8-06.2	2099	95.0	93.8-96.2
Some Post-H.S.	1575	794,551	75	3.6	02.6-04.6	1500	96.4	95.4-97.4
College Graduate	1604	505,197	36	1.9	01.1-02.7	1568	98.1	97.3-98.9
Less than \$15,000	705	297,678	104	13.5	10.2-16.8	601	86.5	83.2-89.8
\$15,000- 24,999	1114	466,050	82	5.8	04.0-07.6	1032	94.2	92.4-96.0
\$25,000- 34,999	636	251,822	26	4.1	02.1-06.1	610	95.9	93.9-97.9
\$35,000- 49,999	719	289,141	29	4.0	02.2-05.8	690	96.0	94.2-97.8
\$50,000- 74,999	723	315,606	10	1.3	00.5-02.1	713	98.7	97.9-99.5
\$75,000+	992	471,589	11	1.4	00.4-02.4	981	98.6	97.6-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 72: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10110	4,862,425	1050	10.8	10.0-11.6	9060	89.2	88.4-90.0
Male	4179	2,353,103	367	9.0	07.8-10.2	3812	91.0	89.8-92.2
Female	5931	2,509,322	683	12.5	11.3-13.7	5248	87.5	86.3-88.7
18-24	522	658,777	52	10.1	07.2-13.0	470	89.9	87.0-92.8
25-34	898	799,803	92	11.4	08.9-13.9	806	88.6	86.1-91.1
35-44	1208	793,097	134	11.0	08.8-13.2	1074	89.0	86.8-91.2
45-54	1752	879,671	214	12.9	10.9-14.9	1538	87.1	85.1-89.1
55-64	2229	797,208	258	10.8	09.2-12.4	1971	89.2	87.6-90.8
65+	3413	905,164	296	8.8	07.6-10.0	3117	91.2	90.0-92.4
Less Than H.S.	916	686,155	182	18.8	15.5-22.1	734	81.2	77.9-84.5
H.S. or G.E.D.	3686	1,681,215	443	11.9	10.5-13.3	3243	88.1	86.7-89.5
Some Post-H.S.	2579	1,473,353	288	10.4	08.8-12.0	2291	89.6	88.0-91.2
College Graduate	2904	1,010,200	133	4.1	03.1-05.1	2771	95.9	94.9-96.9
Less than \$15,000	1063	488,469	302	27.2	23.5-30.9	761	72.8	69.1-76.5
\$15,000- 24,999	1724	800,478	259	16.1	13.6-18.6	1465	83.9	81.4-86.4
\$25,000- 34,999	1109	515,126	127	13.3	10.6-16.0	982	86.7	84.0-89.4
\$35,000- 49,999	1326	643,538	97	8.0	06.0-10.0	1229	92.0	90.0-94.0
\$50,000- 74,999	1326	661,151	55	4.1	02.7-05.5	1271	95.9	94.5-97.3
\$75,000+	2035	1,047,551	54	3.6	02.4-04.8	1981	96.4	95.2-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 73: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4179	2,353,103	367	9.0	07.8-10.2	3812	91.0	89.8-92.2
18-24	274	335,034	23	8.3	04.6-12.0	251	91.7	88.0-95.4
25-34	396	400,992	39	10.9	07.2-14.6	357	89.1	85.4-92.8
35-44	503	391,889	30	6.1	03.6-08.6	473	93.9	91.4-96.4
45-54	813	432,443	75	9.3	06.8-11.8	738	90.7	88.2-93.2
55-64	919	390,090	102	11.1	08.6-13.6	817	88.9	86.4-91.4
65+	1248	393,993	98	8.0	06.2-09.8	1150	92.0	90.2-93.8
Less Than H.S.	381	344,753	60	16.6	11.9-21.3	321	83.4	78.7-88.1
H.S. or G.E.D.	1470	813,453	163	9.3	07.5-11.1	1307	90.7	88.9-92.5
Some Post-H.S.	1007	680,255	101	9.1	06.9-11.3	906	90.9	88.7-93.1
College Graduate	1305	506,187	41	2.9	01.7-04.1	1264	97.1	95.9-98.3
Less than \$15,000	359	190,803	99	26.4	20.5-32.3	260	73.6	67.7-79.5
\$15,000- 24,999	610	334,550	90	16.3	12.0-20.6	520	83.7	79.4-88.0
\$25,000- 34,999	474	263,801	50	10.2	06.7-13.7	424	89.8	86.3-93.3
\$35,000- 49,999	608	354,845	35	5.9	03.5-08.3	573	94.1	91.7-96.5
\$50,000- 74,999	603	345,609	19	2.8	01.4-04.2	584	97.2	95.8-98.6
\$75,000+	1043	575,962	24	3.4	01.6-05.2	1019	96.6	94.8-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 74: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5931	2,509,322	683	12.5	11.3-13.7	5248	87.5	86.3-88.7
18-24	248	323,743	29	11.9	07.4-16.4	219	88.1	83.6-92.6
25-34	502	398,812	53	11.8	08.3-15.3	449	88.2	84.7-91.7
35-44	705	401,208	104	15.9	12.8-19.0	601	84.1	81.0-87.2
45-54	939	447,228	139	16.4	13.5-19.3	800	83.6	80.7-86.5
55-64	1310	407,118	156	10.4	08.4-12.4	1154	89.6	87.6-91.6
65+	2165	511,171	198	9.4	07.8-11.0	1967	90.6	89.0-92.2
Less Than H.S.	535	341,402	122	21.0	16.5-25.5	413	79.0	74.5-83.5
H.S. or G.E.D.	2216	867,762	280	14.3	12.3-16.3	1936	85.7	83.7-87.7
Some Post-H.S.	1572	793,097	187	11.5	09.3-13.7	1385	88.5	86.3-90.7
College Graduate	1599	504,013	92	5.3	03.9-06.7	1507	94.7	93.3-96.1
Less than \$15,000	704	297,666	203	27.6	22.9-32.3	501	72.4	67.7-77.1
\$15,000- 24,999	1114	465,928	169	15.9	13.0-18.8	945	84.1	81.2-87.0
\$25,000- 34,999	635	251,325	77	16.5	12.4-20.6	558	83.5	79.4-87.6
\$35,000- 49,999	718	288,693	62	10.6	07.5-13.7	656	89.4	86.3-92.5
\$50,000- 74,999	723	315,542	36	5.5	03.3-07.7	687	94.5	92.3-96.7
\$75,000+	992	471,589	30	3.8	01.8-05.8	962	96.2	94.2-98.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 75: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10111	4,858,731	1931	14.7	13.9-15.5	8180	85.3	84.5-86.1
Male	4184	2,354,559	631	12.4	11.2-13.6	3553	87.6	86.4-88.8
Female	5927	2,504,173	1300	16.8	15.6-18.0	4627	83.2	82.0-84.4
18-24	524	659,351	16	3.2	01.6-04.8	508	96.8	95.2-98.4
25-34	901	800,358	54	6.7	04.5-08.9	847	93.3	91.1-95.5
35-44	1209	794,402	106	8.8	06.8-10.8	1103	91.2	89.2-93.2
45-54	1749	875,408	305	18.2	16.0-20.4	1444	81.8	79.6-84.0
55-64	2222	797,532	480	20.2	18.2-22.2	1742	79.8	77.8-81.8
65+	3415	902,436	958	27.1	25.3-28.9	2457	72.9	71.1-74.7
Less Than H.S.	917	686,123	322	26.6	23.1-30.1	595	73.4	69.9-76.9
H.S. or G.E.D.	3679	1,678,044	824	16.1	14.7-17.5	2855	83.9	82.5-85.3
Some Post-H.S.	2580	1,471,759	495	13.2	11.8-14.6	2085	86.8	85.4-88.2
College Graduate	2910	1,011,405	288	6.4	05.4-07.4	2622	93.6	92.6-94.6
Less than \$15,000	1059	488,471	451	33.7	29.8-37.6	608	66.3	62.4-70.2
\$15,000- 24,999	1711	794,621	506	23.5	21.0-26.0	1205	76.5	74.0-79.0
\$25,000- 34,999	1117	518,554	225	16.3	13.8-18.8	892	83.7	81.2-86.2
\$35,000- 49,999	1323	639,202	184	10.2	08.4-12.0	1139	89.8	88.0-91.6
\$50,000- 74,999	1326	662,443	143	7.9	06.3-09.5	1183	92.1	90.5-93.7
\$75,000+	2032	1,045,041	109	4.5	03.5-05.5	1923	95.5	94.5-96.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 76: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4184	2,354,559	631	12.4	11.2-13.6	3553	87.6	86.4-88.8
18-24	275	335,763	7	2.5	00.5-04.5	268	97.5	95.5-99.5
25-34	398	401,337	28	7.8	04.7-10.9	370	92.2	89.1-95.3
35-44	505	394,460	34	6.6	03.9-09.3	471	93.4	90.7-96.1
45-54	813	430,740	123	16.4	13.3-19.5	690	83.6	80.5-86.7
55-64	921	392,465	163	18.1	15.0-21.2	758	81.9	78.8-85.0
65+	1244	390,601	276	21.8	19.1-24.5	968	78.2	75.5-80.9
Less Than H.S.	383	347,836	105	22.7	17.8-27.6	278	77.3	72.4-82.2
H.S. or G.E.D.	1472	813,224	260	12.6	10.6-14.6	1212	87.4	85.4-89.4
Some Post-H.S.	1005	677,803	166	12.3	10.1-14.5	839	87.7	85.5-89.9
College Graduate	1308	507,343	99	5.4	04.0-06.8	1209	94.6	93.2-96.0
Less than \$15,000	360	193,849	148	34.4	28.1-40.7	212	65.6	59.3-71.9
\$15,000- 24,999	603	331,605	160	23.6	19.3-27.9	443	76.4	72.1-80.7
\$25,000- 34,999	480	266,542	89	13.8	10.3-17.3	391	86.2	82.7-89.7
\$35,000- 49,999	605	351,556	62	8.0	05.6-10.4	543	92.0	89.6-94.4
\$50,000- 74,999	605	347,340	51	6.2	04.2-08.2	554	93.8	91.8-95.8
\$75,000+	1041	573,638	49	4.1	02.7-05.5	992	95.9	94.5-97.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2013

SECTION 8: DEMOGRAPHICS

TABLE 77: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5927	2,504,173	1300	16.8	15.6-18.0	4627	83.2	82.0-84.4
18-24	249	323,588	9	3.9	01.2-06.6	240	96.1	93.4-98.8
25-34	503	399,021	26	5.6	02.5-08.7	477	94.4	91.3-97.5
35-44	704	399,942	72	10.9	08.2-13.6	632	89.1	86.4-91.8
45-54	936	444,668	182	19.9	16.8-23.0	754	80.1	77.0-83.2
55-64	1301	405,067	317	22.2	19.5-24.9	984	77.8	75.1-80.5
65+	2171	511,835	682	31.2	28.8-33.6	1489	68.8	66.4-71.2
Less Than H.S.	534	338,288	217	30.6	25.5-35.7	317	69.4	64.3-74.5
H.S. or G.E.D.	2207	864,820	564	19.4	17.4-21.4	1643	80.6	78.6-82.6
Some Post-H.S.	1575	793,956	329	14.0	12.0-16.0	1246	86.0	84.0-88.0
College Graduate	1602	504,062	189	7.5	06.1-08.9	1413	92.5	91.1-93.9
Less than \$15,000	699	294,623	303	33.2	28.1-38.3	396	66.8	61.7-71.9
\$15,000- 24,999	1108	463,015	346	23.4	20.3-26.5	762	76.6	73.5-79.7
\$25,000- 34,999	637	252,012	136	18.9	15.0-22.8	501	81.1	77.2-85.0
\$35,000- 49,999	718	287,646	122	13.0	10.3-15.7	596	87.0	84.3-89.7
\$50,000- 74,999	721	315,104	92	9.8	07.6-12.0	629	90.2	88.0-92.4
\$75,000+	991	471,403	60	5.0	03.4-06.6	931	95.0	93.4-96.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 78: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10137	4,867,483	482	4.1	03.5-04.7	9655	95.9	95.3-96.5
Male	4193	2,359,436	196	4.3	03.5-05.1	3997	95.7	94.9-96.5
Female	5944	2,508,047	286	3.9	03.3-04.5	5658	96.1	95.5-96.7
18-24	525	660,267	4	0.8	00.0-01.6	521	99.2	98.4-100.0
25-34	900	800,069	16	2.7	01.1-04.3	884	97.3	95.7-98.9
35-44	1208	794,013	43	3.5	02.3-04.7	1165	96.5	95.3-97.7
45-54	1754	878,902	109	6.3	04.9-07.7	1645	93.7	92.3-95.1
55-64	2225	796,938	128	5.4	04.2-06.6	2097	94.6	93.4-95.8
65+	3435	908,727	180	5.0	04.2-05.8	3255	95.0	94.2-95.8
Less Than H.S.	923	690,835	80	7.6	05.4-09.8	843	92.4	90.2-94.6
H.S. or G.E.D.	3692	1,680,118	206	4.5	03.7-05.3	3486	95.5	94.7-96.3
Some Post-H.S.	2584	1,473,427	116	3.5	02.7-04.3	2468	96.5	95.7-97.3
College Graduate	2911	1,011,266	80	2.0	01.4-02.6	2831	98.0	97.4-98.6
Less than \$15,000	1063	490,367	137	10.5	08.0-13.0	926	89.5	87.0-92.0
\$15,000- 24,999	1725	798,560	130	7.6	05.8-09.4	1595	92.4	90.6-94.2
\$25,000- 34,999	1117	518,023	54	4.1	02.7-05.5	1063	95.9	94.5-97.3
\$35,000- 49,999	1325	641,614	42	2.3	01.3-03.3	1283	97.7	96.7-98.7
\$50,000- 74,999	1328	662,298	30	2.0	01.2-02.8	1298	98.0	97.2-98.8
\$75,000+	2030	1,043,949	25	1.1	00.5-01.7	2005	98.9	98.3-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 79: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4193	2,359,436	196	4.3	03.5-05.1	3997	95.7	94.9-96.5
18-24	275	335,763	2	0.7	00.0-01.7	273	99.3	98.3-0100
25-34	398	401,337	11	4.2	01.5-06.9	387	95.8	93.1-98.5
35-44	503	393,429	15	2.8	01.0-04.6	488	97.2	95.4-99.0
45-54	817	434,027	57	7.1	04.7-09.5	760	92.9	90.5-95.3
55-64	921	392,152	51	5.3	03.5-07.1	870	94.7	92.9-96.5
65+	1251	393,535	60	4.7	03.3-06.1	1191	95.3	93.9-96.7
Less Than H.S.	386	350,286	37	9.5	05.6-13.4	349	90.5	86.6-94.4
H.S. or G.E.D.	1476	815,376	79	3.7	02.7-04.7	1397	96.3	95.3-97.3
Some Post-H.S.	1006	678,224	45	3.9	02.5-05.3	961	96.1	94.7-97.5
College Graduate	1307	506,760	35	2.2	01.2-03.2	1272	97.8	96.8-98.8
Less than \$15,000	362	194,751	50	12.5	07.6-17.4	312	87.5	82.6-92.4
\$15,000- 24,999	607	332,847	56	10.5	07.0-14.0	551	89.5	86.0-93.0
\$25,000- 34,999	479	265,756	26	3.8	02.0-05.6	453	96.2	94.4-98.0
\$35,000- 49,999	607	353,968	17	1.8	00.8-02.8	590	98.2	97.2-99.2
\$50,000- 74,999	607	347,862	12	1.6	00.6-02.6	595	98.4	97.4-99.4
\$75,000+	1039	572,615	16	1.2	00.4-02.0	1023	98.8	98.0-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 80: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5944	2,508,047	286	3.9	03.3-04.5	5658	96.1	95.5-96.7
18-24	250	324,504	2	0.9	00.0-02.1	248	99.1	97.9-0100
25-34	502	398,733	5	1.1	00.0-02.3	497	98.9	97.7-0100
35-44	705	400,585	28	4.1	02.3-05.9	677	95.9	94.1-97.7
45-54	937	444,875	52	5.6	03.8-07.4	885	94.4	92.6-96.2
55-64	1304	404,786	77	5.5	03.9-07.1	1227	94.5	92.9-96.1
65+	2184	515,192	120	5.3	04.1-06.5	2064	94.7	93.5-95.9
Less Than H.S.	537	340,549	43	5.7	03.5-07.9	494	94.3	92.1-96.5
H.S. or G.E.D.	2216	864,742	127	5.3	04.1-06.5	2089	94.7	93.5-95.9
Some Post-H.S.	1578	795,203	71	3.1	02.1-04.1	1507	96.9	95.9-97.9
College Graduate	1604	504,506	45	1.7	01.1-02.3	1559	98.3	97.7-98.9
Less than \$15,000	701	295,616	87	9.2	06.5-11.9	614	90.8	88.1-93.5
\$15,000- 24,999	1118	465,713	74	5.5	03.9-07.1	1044	94.5	92.9-96.1
\$25,000- 34,999	638	252,267	28	4.5	02.5-06.5	610	95.5	93.5-97.5
\$35,000- 49,999	718	287,646	25	2.9	01.3-04.5	693	97.1	95.5-98.7
\$50,000- 74,999	721	314,437	18	2.4	01.0-03.8	703	97.6	96.2-99.0
\$75,000+	991	471,334	9	0.9	00.1-01.7	982	99.1	98.3-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 81: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10103	4,851,273	850	7.0	06.4-07.6	9253	93.0	92.4-93.6
Male	4179	2,349,973	255	5.4	04.6-06.2	3924	94.6	93.8-95.4
Female	5924	2,501,300	595	8.5	07.5-09.5	5329	91.5	90.5-92.5
18-24	523	656,741	17	2.6	01.2-04.0	506	97.4	96.0-98.8
25-34	899	797,438	46	5.1	03.3-06.9	853	94.9	93.1-96.7
35-44	1204	791,300	74	6.4	04.6-08.2	1130	93.6	91.8-95.4
45-54	1744	875,363	138	8.3	06.7-09.9	1606	91.7	90.1-93.3
55-64	2221	795,626	202	8.1	06.7-09.5	2019	91.9	90.5-93.3
65+	3421	905,561	367	10.3	09.1-11.5	3054	89.7	88.5-90.9
Less Than H.S.	918	685,946	153	12.1	09.6-14.6	765	87.9	85.4-90.4
H.S. or G.E.D.	3676	1,671,441	345	7.6	06.6-08.6	3331	92.4	91.4-93.4
Some Post-H.S.	2579	1,472,195	238	7.0	05.8-08.2	2341	93.0	91.8-94.2
College Graduate	2905	1,010,232	112	2.7	02.1-03.3	2793	97.3	96.7-97.9
Less than \$15,000	1064	490,625	247	19.0	15.9-22.1	817	81.0	77.9-84.1
\$15,000- 24,999	1716	794,829	222	10.7	08.9-12.5	1494	89.3	87.5-91.1
\$25,000- 34,999	1113	515,646	88	7.0	05.2-08.8	1025	93.0	91.2-94.8
\$35,000- 49,999	1322	638,231	65	4.4	03.0-05.8	1257	95.6	94.2-97.0
\$50,000- 74,999	1327	661,326	39	2.7	01.7-03.7	1288	97.3	96.3-98.3
\$75,000+	2027	1,042,684	34	1.6	01.0-02.2	1993	98.4	97.8-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 82: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4179	2,349,973	255	5.4	04.6-06.2	3924	94.6	93.8-95.4
18-24	273	332,237	6	1.9	00.3-03.5	267	98.1	96.5-99.7
25-34	397	399,932	21	5.0	02.6-07.4	376	95.0	92.6-97.4
35-44	500	390,976	16	3.5	01.3-05.7	484	96.5	94.3-98.7
45-54	813	433,032	60	7.5	05.1-09.9	753	92.5	90.1-94.9
55-64	918	390,916	67	7.0	05.0-09.0	851	93.0	91.0-95.0
65+	1250	393,687	85	7.0	05.2-08.8	1165	93.0	91.2-94.8
Less Than H.S.	385	347,515	40	8.6	05.5-11.7	345	91.4	88.3-94.5
H.S. or G.E.D.	1469	810,281	109	5.3	04.1-06.5	1360	94.7	93.5-95.9
Some Post-H.S.	1005	677,469	71	6.3	04.5-08.1	934	93.7	91.9-95.5
College Graduate	1304	506,297	34	2.2	01.2-03.2	1270	97.8	96.8-98.8
Less than \$15,000	361	194,508	74	17.8	12.7-22.9	287	82.2	77.1-87.3
\$15,000- 24,999	605	332,402	67	9.5	06.8-12.2	538	90.5	87.8-93.2
\$25,000- 34,999	477	263,838	32	5.2	02.8-07.6	445	94.8	92.4-97.2
\$35,000- 49,999	605	350,845	17	2.7	01.1-04.3	588	97.3	95.7-98.9
\$50,000- 74,999	606	346,887	15	2.2	00.8-03.6	591	97.8	96.4-99.2
\$75,000+	1037	571,734	13	1.1	00.5-01.7	1024	98.9	98.3-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 83: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5924	2,501,300	595	8.5	07.5-09.5	5329	91.5	90.5-92.5
18-24	250	324,504	11	3.3	01.3-05.3	239	96.7	94.7-98.7
25-34	502	397,506	25	5.1	02.7-07.5	477	94.9	92.5-97.3
35-44	704	400,324	58	9.2	06.7-11.7	646	90.8	88.3-93.3
45-54	931	442,331	78	9.0	06.6-11.4	853	91.0	88.6-93.4
55-64	1303	404,710	135	9.0	07.0-11.0	1168	91.0	89.0-93.0
65+	2171	511,874	282	12.9	11.1-14.7	1889	87.1	85.3-88.9
Less Than H.S.	533	338,431	113	15.7	12.0-19.4	420	84.3	80.6-88.0
H.S. or G.E.D.	2207	861,161	236	9.7	08.1-11.3	1971	90.3	88.7-91.9
Some Post-H.S.	1574	794,726	167	7.7	06.1-09.3	1407	92.3	90.7-93.9
College Graduate	1601	503,935	78	3.1	02.3-03.9	1523	96.9	96.1-97.7
Less than \$15,000	703	296,117	173	19.8	15.7-23.9	530	80.2	76.1-84.3
\$15,000- 24,999	1111	462,426	155	11.6	09.2-14.0	956	88.4	86.0-90.8
\$25,000- 34,999	636	251,808	56	9.0	06.1-11.9	580	91.0	88.1-93.9
\$35,000- 49,999	717	287,385	48	6.4	04.2-08.6	669	93.6	91.4-95.8
\$50,000- 74,999	721	314,440	24	3.2	01.6-04.8	697	96.8	95.2-98.4
\$75,000+	990	470,951	21	2.2	01.0-03.4	969	97.8	96.6-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013**

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1	MALES AND FEMALES	172
2	MALES ONLY	173
3	FEMALES ONLY	174
	DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4	MALES AND FEMALES	175
5	MALES ONLY	176
6	FEMALES ONLY	177
	DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7	MALES AND FEMALES	178
8	MALES ONLY	179
9	FEMALES ONLY	180
	HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10	MALES AND FEMALES	181
11	MALES ONLY	182
12	FEMALES ONLY	183
	DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13	MALES AND FEMALES	184
14	MALES ONLY	185
15	FEMALES ONLY	186

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10085	4,840,067	4775	47.2	45.8-48.6	5310	52.8	51.4-54.2
Male	4165	2,340,153	2281	52.3	50.3-54.3	1884	47.7	45.7-49.7
Female	5920	2,499,914	2494	42.4	40.6-44.2	3426	57.6	55.8-59.4
White/Non-Hisp	8766	3,955,993	4207	49.2	47.8-50.6	4559	50.8	49.4-52.2
Black or Afr. Am./Non-Hisp	579	403,023	267	40.1	34.8-45.4	312	59.9	54.6-65.2
Oth. Race/Non-Hisp.	164	99,755	61	29.3	21.1-37.5	103	70.7	62.5-78.9
MultiRacial/Non-Hisp.	112	44,693	68	56.2	43.5-68.9	44	43.8	31.1-56.5
Hispanic	306	258,922	88	30.2	23.9-36.5	218	69.8	63.5-76.1
18-24	522	655,248	146	27.1	22.8-31.4	376	72.9	68.6-77.2
25-34	897	795,139	399	47.3	43.6-51.0	498	52.7	49.0-56.4
35-44	1200	789,969	573	49.6	46.3-52.9	627	50.4	47.1-53.7
45-54	1750	875,883	838	50.0	47.3-52.7	912	50.0	47.3-52.7
55-64	2217	794,068	1155	54.8	52.3-57.3	1062	45.2	42.7-47.7
65+	3410	901,341	1637	50.6	48.6-52.6	1773	49.4	47.4-51.4
Less Than H.S.	913	682,327	581	60.9	56.6-65.2	332	39.1	34.8-43.4
H.S. or G.E.D.	3675	1,668,847	1886	50.8	48.6-53.0	1789	49.2	47.0-51.4
Some Post-H.S.	2573	1,469,084	1313	47.4	44.9-49.9	1260	52.6	50.1-55.1
College Graduate	2899	1,008,306	984	31.6	29.6-33.6	1915	68.4	66.4-70.4
Less than \$15,000	1063	490,423	635	56.9	52.6-61.2	428	43.1	38.8-47.4
\$15,000- 24,999	1719	793,741	948	56.6	53.3-59.9	771	43.4	40.1-46.7
\$25,000- 34,999	1109	514,867	575	53.2	49.3-57.1	534	46.8	42.9-50.7
\$35,000- 49,999	1321	638,311	655	49.6	46.1-53.1	666	50.4	46.9-53.9
\$50,000- 74,999	1324	659,854	584	43.9	40.4-47.4	740	56.1	52.6-59.6
\$75,000+	2022	1,040,343	761	37.6	35.1-40.1	1261	62.4	59.9-64.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

**TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4165	2,340,153	2281	52.3	50.3-54.3	1884	47.7	45.7-49.7
White/Non-Hisp	3603	1,902,133	2011	54.2	52.0-56.4	1592	45.8	43.6-48.0
Black or Afr. Am./Non-Hisp	206	184,687	100	42.8	34.2-51.4	106	57.2	48.6-65.8
Oth. Race/Non-Hisp.	79	53,765	30	28.8	17.4-40.2	49	71.2	59.8-82.6
MultiRacial/Non-Hisp.	55	25,073	38	60.5	42.7-78.3	17	39.5	21.7-57.3
Hispanic	135	127,503	52	42.6	33.0-52.2	83	57.4	47.8-67.0
18-24	272	330,744	76	27.8	21.7-33.9	196	72.2	66.1-78.3
25-34	395	397,632	191	51.0	45.5-56.5	204	49.0	43.5-54.5
35-44	497	390,008	252	51.6	46.5-56.7	245	48.4	43.3-53.5
45-54	815	432,719	410	52.6	48.5-56.7	405	47.4	43.3-51.5
55-64	917	390,310	555	63.0	59.3-66.7	362	37.0	33.3-40.7
65+	1242	389,836	790	64.8	61.7-67.9	452	35.2	32.1-38.3
Less Than H.S.	379	343,058	272	67.4	61.5-73.3	107	32.6	26.7-38.5
H.S. or G.E.D.	1469	808,512	913	56.8	53.5-60.1	556	43.2	39.9-46.5
Some Post-H.S.	1000	675,536	571	51.5	47.6-55.4	429	48.5	44.6-52.4
College Graduate	1301	504,593	520	36.2	33.1-39.3	781	63.8	60.7-66.9
Less than \$15,000	360	194,393	229	57.3	50.6-64.0	131	42.7	36.0-49.4
\$15,000- 24,999	602	329,364	406	65.8	60.7-70.9	196	34.2	29.1-39.3
\$25,000- 34,999	477	263,357	285	57.5	51.6-63.4	192	42.5	36.6-48.4
\$35,000- 49,999	606	351,196	361	57.2	52.1-62.3	245	42.8	37.7-47.9
\$50,000- 74,999	602	345,038	318	49.3	44.2-54.4	284	50.7	45.6-55.8
\$75,000+	1035	570,821	429	41.0	37.3-44.7	606	59.0	55.3-62.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5920	2,499,914	2494	42.4	40.6-44.2	3426	57.6	55.8-59.4
White/Non-Hisp	5163	2,053,861	2196	44.5	42.7-46.3	2967	55.5	53.7-57.3
Black or Afr. Am./Non-Hisp	373	218,336	167	37.8	31.5-44.1	206	62.2	55.9-68.5
Oth. Race/Non-Hisp.	85	45,990	31	29.8	17.6-42.0	54	70.2	58.0-82.4
MultiRacial/Non-Hisp.	57	19,620	30	50.7	32.7-68.7	27	49.3	31.3-67.3
Hispanic	171	131,419	36	18.2	11.3-25.1	135	81.8	74.9-88.7
18-24	250	324,504	70	26.3	20.4-32.2	180	73.7	67.8-79.6
25-34	502	397,506	208	43.7	38.6-48.8	294	56.3	51.2-61.4
35-44	703	399,960	321	47.7	43.4-52.0	382	52.3	48.0-56.6
45-54	935	443,165	428	47.5	43.6-51.4	507	52.5	48.6-56.4
55-64	1300	403,758	600	46.9	43.6-50.2	700	53.1	49.8-56.4
65+	2168	511,506	847	39.8	37.3-42.3	1321	60.2	57.7-62.7
Less Than H.S.	534	339,269	309	54.4	48.5-60.3	225	45.6	39.7-51.5
H.S. or G.E.D.	2206	860,336	973	45.2	42.5-47.9	1233	54.8	52.1-57.5
Some Post-H.S.	1573	793,548	742	43.9	40.8-47.0	831	56.1	53.0-59.2
College Graduate	1598	503,713	464	27.0	24.3-29.7	1134	73.0	70.3-75.7
Less than \$15,000	703	296,031	406	56.7	51.2-62.2	297	43.3	37.8-48.8
\$15,000- 24,999	1117	464,378	542	50.0	45.9-54.1	575	50.0	45.9-54.1
\$25,000- 34,999	632	251,509	290	48.8	43.5-54.1	342	51.2	45.9-56.5
\$35,000- 49,999	715	287,115	294	40.3	35.6-45.0	421	59.7	55.0-64.4
\$50,000- 74,999	722	314,816	266	37.9	33.4-42.4	456	62.1	57.6-66.6
\$75,000+	987	469,522	332	33.5	29.8-37.2	655	66.5	62.8-70.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4758	2,274,104	1403	35.3	33.5-37.1	467	11.2	10.0-12.4	2888	53.4	51.4-55.4
Male	2271	1,217,782	656	33.7	31.2-36.2	195	11.4	09.4-13.4	1420	54.9	52.2-57.6
Female	2487	1,056,322	747	37.2	34.7-39.7	272	11.0	09.4-12.6	1468	51.8	49.3-54.3
White/Non-Hisp	4192	1,938,198	1209	34.8	32.8-36.8	370	10.2	08.8-11.6	2613	55.1	53.1-57.1
Black or Afr. Am./Non-Hisp	267	161,590	91	42.9	34.7-51.1	52	19.0	13.1-24.9	124	38.2	30.8-45.6
Oth. Race/Non-Hisp.	61	29,207	24	46.9	31.0-62.8	12	19.9	07.2-32.6	25	33.2	19.5-46.9
MultiRacial/Non-Hisp.	67	24,752	35	54.1	39.0-69.2	8	10.5	01.9-19.1	24	35.5	20.6-50.4
Hispanic	88	78,284	25	31.5	19.5-43.5	13	18.5	08.5-28.5	50	50.0	37.5-62.5
18-24	145	177,085	68	49.6	40.4-58.8	37	23.2	15.8-30.6	40	27.2	19.0-35.4
25-34	398	375,537	173	46.4	40.7-52.1	63	15.9	11.8-20.0	162	37.6	32.1-43.1
35-44	569	387,550	242	46.6	41.7-51.5	72	11.3	08.2-14.4	255	42.1	37.4-46.8
45-54	837	438,031	349	40.9	37.0-44.8	90	11.5	08.8-14.2	398	47.6	43.5-51.7
55-64	1150	432,296	336	27.5	24.4-30.6	103	8.0	06.0-10.0	711	64.5	61.2-67.8
65+	1633	455,634	230	13.4	11.4-15.4	101	5.6	04.2-07.0	1302	81.0	78.6-83.4
Less Than H.S.	579	412,379	237	48.2	42.9-53.5	65	13.7	09.8-17.6	277	38.1	33.2-43.0
H.S. or G.E.D.	1879	845,267	630	37.8	34.9-40.7	170	10.1	08.3-11.9	1079	52.1	49.2-55.0
Some Post-H.S.	1307	693,102	380	33.1	29.8-36.4	141	11.1	08.7-13.5	786	55.8	52.3-59.3
College Graduate	982	318,142	152	17.1	14.2-20.0	91	11.4	08.7-14.1	739	71.5	67.8-75.2
Less than \$15,000	632	276,119	268	50.3	44.8-55.8	97	17.3	13.2-21.4	267	32.4	27.7-37.1
\$15,000- 24,999	946	448,759	328	42.3	38.0-46.6	106	14.1	10.8-17.4	512	43.6	39.5-47.7
\$25,000- 34,999	573	273,714	168	36.0	30.5-41.5	52	10.9	07.2-14.6	353	53.0	47.5-58.5
\$35,000- 49,999	654	315,417	189	34.4	29.5-39.3	49	6.9	04.4-09.4	416	58.7	53.8-63.6
\$50,000- 74,999	581	288,259	148	31.9	26.8-37.0	44	9.1	06.2-12.0	389	59.0	53.7-64.3
\$75,000+	758	389,071	138	20.4	16.9-23.9	46	6.8	04.4-09.2	574	72.8	68.9-76.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2271	1,217,782	656	33.7	31.2-36.2	195	11.4	09.4-13.4	1420	54.9	52.2-57.6
White/Non-Hisp	2003	1,026,616	560	32.9	30.2-35.6	157	10.5	08.5-12.5	1286	56.5	53.8-59.2
Black or Afr. Am./Non-Hisp	100	79,059	39	44.9	31.8-58.0	17	16.9	08.1-25.7	44	38.2	26.0-50.4
Hispanic	52	54,336	15	28.7	14.2-43.2	9	22.5	09.2-35.8	28	48.8	33.3-64.3
18-24	75	91,680	32	44.6	31.5-57.7	23	29.8	18.0-41.6	20	25.6	13.6-37.6
25-34	191	202,743	86	46.3	38.3-54.3	31	16.7	10.8-22.6	74	37.0	29.4-44.6
35-44	248	196,959	96	42.8	35.5-50.1	27	11.0	06.1-15.9	125	46.2	39.1-53.3
45-54	409	227,347	172	40.7	35.0-46.4	42	12.5	08.4-16.6	195	46.8	41.1-52.5
55-64	552	244,069	159	26.3	22.0-30.6	41	7.4	04.7-10.1	352	66.3	61.6-71.0
65+	789	252,312	109	13.5	10.8-16.2	31	3.8	02.2-05.4	649	82.7	79.6-85.8
Less Than H.S.	270	227,774	108	44.0	36.6-51.4	30	16.8	10.7-22.9	132	39.2	32.1-46.3
H.S. or G.E.D.	909	457,715	294	35.8	31.7-39.9	75	10.6	07.9-13.3	540	53.6	49.5-57.7
Some Post-H.S.	568	346,108	169	31.7	26.8-36.6	49	9.9	06.8-13.0	350	58.4	53.3-63.5
College Graduate	519	182,308	83	19.3	15.0-23.6	41	9.9	06.4-13.4	395	70.8	65.7-75.9
Less than \$15,000	226	108,260	101	48.2	39.6-56.8	37	20.5	13.1-27.9	88	31.3	23.9-38.7
\$15,000- 24,999	405	216,601	146	39.7	33.2-46.2	36	14.8	09.3-20.3	223	45.5	39.2-51.8
\$25,000- 34,999	284	151,156	89	38.7	30.9-46.5	21	8.1	04.0-12.2	174	53.2	45.4-61.0
\$35,000- 49,999	360	199,823	94	33.1	26.6-39.6	21	6.8	03.3-10.3	245	60.0	53.5-66.5
\$50,000- 74,999	317	169,460	84	33.5	26.2-40.8	23	9.9	05.6-14.2	210	56.6	49.3-63.9
\$75,000+	428	233,527	71	18.8	14.1-23.5	29	8.3	04.8-11.8	328	72.9	67.6-78.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2487	1,056,322	747	37.2	34.7-39.7	272	11.0	09.4-12.6	1468	51.8	49.3-54.3
White/Non-Hisp	2189	911,582	649	36.9	34.2-39.6	213	9.7	07.9-11.5	1327	53.4	50.7-56.1
Black or Afr. Am./Non-Hisp	167	82,531	52	41.0	31.4-50.6	35	20.9	13.1-28.7	80	38.1	29.1-47.1
18-24	70	85,405	36	54.9	42.2-67.6	14	16.2	07.8-24.6	20	29.0	17.4-40.6
25-34	207	172,794	87	46.5	38.5-54.5	32	15.1	09.2-21.0	88	38.3	30.7-45.9
35-44	321	190,591	146	50.7	44.4-57.0	45	11.5	07.8-15.2	130	37.8	31.7-43.9
45-54	428	210,684	177	41.0	35.5-46.5	48	10.5	07.2-13.8	203	48.5	42.8-54.2
55-64	598	188,228	177	29.1	24.6-33.6	62	8.8	06.3-11.3	359	62.1	57.4-66.8
65+	844	203,322	121	13.2	10.5-15.9	70	7.8	05.6-10.0	653	79.0	75.7-82.3
Less Than H.S.	309	184,605	129	53.2	45.9-60.5	35	10.0	06.1-13.9	145	36.8	30.1-43.5
H.S. or G.E.D.	970	387,552	336	40.1	36.0-44.2	95	9.6	07.2-12.0	539	50.3	46.2-54.4
Some Post-H.S.	739	346,993	211	34.5	30.0-39.0	92	12.4	09.1-15.7	436	53.1	48.6-57.6
College Graduate	463	135,834	69	14.2	10.5-17.9	50	13.4	09.1-17.7	344	72.4	67.3-77.5
Less than \$15,000	406	167,859	167	51.7	44.8-58.6	60	15.2	10.5-19.9	179	33.1	27.0-39.2
\$15,000- 24,999	541	232,158	182	44.7	39.0-50.4	70	13.4	09.5-17.3	289	41.9	36.6-47.2
\$25,000- 34,999	289	122,558	79	32.8	25.5-40.1	31	14.5	07.8-21.2	179	52.7	45.1-60.3
\$35,000- 49,999	294	115,594	95	36.6	29.5-43.7	28	7.0	04.1-09.9	171	56.4	49.1-63.7
\$50,000- 74,999	264	118,800	64	29.5	22.6-36.4	21	8.1	04.4-11.8	179	62.5	55.2-69.8
\$75,000+	330	155,543	67	22.8	17.1-28.5	17	4.6	02.1-07.1	246	72.6	66.7-78.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1864	1,052,739	1013	56.4	53.5-59.3	851	43.6	40.7-46.5
Male	849	547,029	446	55.7	51.4-60.0	403	44.3	40.0-48.6
Female	1015	505,711	567	57.2	53.1-61.3	448	42.8	38.7-46.9
White/Non-Hisp	1576	868,042	820	54.5	51.4-57.6	756	45.5	42.4-48.6
Black or Afr. Am./Non-Hisp	143	99,904	103	64.6	53.2-76.0	40	35.4	24.0-46.8
18-24	105	128,898	84	79.7	70.7-88.7	21	20.3	11.3-29.3
25-34	234	232,252	139	55.8	48.2-63.4	95	44.2	36.6-51.8
35-44	311	221,162	169	52.8	46.3-59.3	142	47.2	40.7-53.7
45-54	439	229,408	226	51.4	45.7-57.1	213	48.6	42.9-54.3
55-64	438	152,557	227	53.6	47.7-59.5	211	46.4	40.5-52.3
65+	331	86,429	166	51.6	44.9-58.3	165	48.4	41.7-55.1
Less Than H.S.	299	251,180	158	51.5	44.2-58.8	141	48.5	41.2-55.8
H.S. or G.E.D.	798	403,011	414	54.1	49.6-58.6	384	45.9	41.4-50.4
Some Post-H.S.	521	306,594	313	62.9	57.8-68.0	208	37.1	32.0-42.2
College Graduate	242	90,163	126	59.3	51.9-66.7	116	40.7	33.3-48.1
Less than \$15,000	363	184,173	221	59.9	53.0-66.8	142	40.1	33.2-47.0
\$15,000- 24,999	434	253,003	254	60.4	54.3-66.5	180	39.6	33.5-45.7
\$25,000- 34,999	220	128,592	115	58.2	49.6-66.8	105	41.8	33.2-50.4
\$35,000- 49,999	237	129,180	125	56.4	48.4-64.4	112	43.6	35.6-51.6
\$50,000- 74,999	191	117,594	86	44.4	35.6-53.2	105	55.6	46.8-64.4
\$75,000+	183	105,171	82	47.5	38.9-56.1	101	52.5	43.9-61.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	849	547,029	446	55.7	51.4-60.0	403	44.3	40.0-48.6
White/Non-Hisp	717	446,162	358	53.6	48.9-58.3	359	46.4	41.7-51.1
Black or Afr. Am./Non-Hisp	56	48,848	39	57.6	39.4-75.8	17	42.4	24.2-60.6
18-24	55	68,234	45	83.5	73.1-93.9	10	16.5	06.1-26.9
25-34	117	127,674	70	56.3	45.7-66.9	47	43.7	33.1-54.3
35-44	122	104,635	66	51.0	40.6-61.4	56	49.0	38.6-59.4
45-54	214	120,906	101	48.6	40.4-56.8	113	51.4	43.2-59.6
55-64	199	81,186	100	52.9	44.3-61.5	99	47.1	38.5-55.7
65+	140	43,715	64	47.3	37.3-57.3	76	52.7	42.7-62.7
Less Than H.S.	137	137,193	71	52.4	42.0-62.8	66	47.6	37.2-58.0
H.S. or G.E.D.	368	211,252	188	53.3	46.8-59.8	180	46.7	40.2-53.2
Some Post-H.S.	218	143,887	129	63.4	55.8-71.0	89	36.6	29.0-44.2
College Graduate	124	53,186	57	53.7	43.1-64.3	67	46.3	35.7-56.9
Less than \$15,000	137	73,098	81	57.4	46.4-68.4	56	42.6	31.6-53.6
\$15,000- 24,999	182	118,025	104	59.9	50.5-69.3	78	40.1	30.7-49.5
\$25,000- 34,999	110	70,680	58	61.9	50.3-73.5	52	38.1	26.5-49.7
\$35,000- 49,999	114	78,831	55	52.4	41.0-63.8	59	47.6	36.2-59.0
\$50,000- 74,999	107	73,531	48	41.3	29.7-52.9	59	58.7	47.1-70.3
\$75,000+	100	63,204	47	53.7	41.9-65.5	53	46.3	34.5-58.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1015	505,711	567	57.2	53.1-61.3	448	42.8	38.7-46.9
White/Non-Hisp	859	421,880	462	55.4	50.9-59.9	397	44.6	40.1-49.1
Black or Afr. Am./Non-Hisp	87	51,056	64	71.3	59.3-83.3	23	28.7	16.7-40.7
18-24	50	60,663	39	75.4	60.9-89.9	11	24.6	10.1-39.1
25-34	117	104,578	69	55.3	44.3-66.3	48	44.7	33.7-55.7
35-44	189	116,527	103	54.4	46.2-62.6	86	45.6	37.4-53.8
45-54	225	108,503	125	54.5	46.9-62.1	100	45.5	37.9-53.1
55-64	239	71,371	127	54.4	46.6-62.2	112	45.6	37.8-53.4
65+	191	42,713	102	56.1	47.5-64.7	89	43.9	35.3-52.5
Less Than H.S.	162	113,987	87	50.4	40.2-60.6	75	49.6	39.4-59.8
H.S. or G.E.D.	430	191,759	226	54.9	48.8-61.0	204	45.1	39.0-51.2
Some Post-H.S.	303	162,707	184	62.5	55.6-69.4	119	37.5	30.6-44.4
College Graduate	118	36,976	69	67.4	57.6-77.2	49	32.6	22.8-42.4
Less than \$15,000	226	111,075	140	61.5	52.5-70.5	86	38.5	29.5-47.5
\$15,000- 24,999	252	134,978	150	60.8	52.8-68.8	102	39.2	31.2-47.2
\$25,000- 34,999	110	57,912	57	53.7	41.4-66.0	53	46.3	34.0-58.6
\$35,000- 49,999	123	50,349	70	62.6	52.2-73.0	53	37.4	27.0-47.8
\$50,000- 74,999	84	44,063	38	49.6	37.3-61.9	46	50.4	38.1-62.7
\$75,000+	83	41,966	35	38.2	26.0-50.4	48	61.8	49.6-74.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2868	1,209,803	350	17.1	15.1-19.1	385	16.2	14.2-18.2	286	9.9	08.5-11.3	1769	54.1	51.7-56.5	78	2.7	01.9-03.5
Male	1407	664,324	166	17.1	14.2-20.0	160	14.2	11.7-16.7	120	8.4	06.6-10.2	920	57.2	53.9-60.5	41	3.0	01.8-04.2
Female	1461	545,479	184	17.0	14.3-19.7	225	18.6	15.9-21.3	166	11.7	09.5-13.9	849	50.4	47.1-53.7	37	2.2	01.4-03.0
White/Non-Hisp	2597	1,063,092	306	16.4	14.2-18.6	328	14.9	12.9-16.9	256	10.0	08.6-11.4	1638	56.1	53.6-58.6	69	2.6	01.8-03.4
Black or Afr. Am./Non-Hisp	121	61,263	24	26.6	15.2-38.0	17	10.1	03.8-16.4	10	5.8	01.5-10.1	63	52.8	41.0-64.6	7	4.7	00.2-09.2
25-34	162	141,320	61	35.4	27.0-43.8	50	35.7	27.1-44.3	27	15.3	09.4-21.2	22	12.5	07.0-18.0	2	1.1	00.0-02.7
35-44	253	162,604	61	25.3	19.0-31.6	50	18.6	13.1-24.1	42	17.0	11.5-22.5	90	35.1	28.4-41.8	10	4.0	01.1-06.9
45-54	396	207,982	61	14.5	10.4-18.6	76	19.3	14.8-23.8	48	10.9	07.4-14.4	199	52.0	46.3-57.7	12	3.3	01.1-05.5
55-64	702	276,854	81	11.2	08.5-13.9	88	12.0	09.3-14.7	86	9.9	07.4-12.4	428	64.2	60.1-68.3	19	2.7	01.3-04.1
65+	1296	367,679	56	4.7	03.3-06.1	112	8.6	06.6-10.6	81	5.5	03.9-07.1	1013	78.7	76.0-81.4	34	2.4	01.4-03.4
Less Than H.S.	275	156,384	38	18.3	11.8-24.8	47	19.4	13.3-25.5	29	11.3	06.0-16.6	155	48.6	41.2-56.0	6	2.3	00.3-04.3
H.S. or G.E.D.	1073	438,341	140	19.7	16.2-23.2	138	13.2	10.7-15.7	104	9.3	07.1-11.5	664	55.0	51.3-58.7	27	2.8	01.4-04.2
Some Post-H.S.	777	384,584	100	16.3	12.6-20.0	109	17.9	14.2-21.6	75	9.2	06.7-11.7	473	54.8	50.3-59.3	20	1.8	00.8-02.8
College Graduate	736	227,071	71	12.7	09.4-16.0	91	17.2	13.3-21.1	78	11.6	08.7-14.5	471	54.6	50.1-59.1	25	4.0	02.2-05.8
Less than \$15,000	264	87,926	57	26.5	18.7-34.3	50	24.4	17.0-31.8	33	10.9	05.8-16.0	119	36.3	28.9-43.7	5	1.8	00.0-03.6
\$15,000- 24,999	508	195,079	57	15.1	10.6-19.6	83	22.7	17.2-28.2	41	8.3	05.0-11.6	312	51.0	45.3-56.7	15	2.8	00.8-04.8
\$25,000- 34,999	352	144,918	39	13.9	09.2-18.6	48	18.8	12.9-24.7	37	11.7	06.8-16.6	218	53.8	46.9-60.7	10	1.8	00.4-03.2
\$35,000- 49,999	415	185,088	37	12.0	07.7-16.3	56	15.0	10.5-19.5	39	9.0	05.9-12.1	271	60.6	54.7-66.5	12	3.3	01.1-05.5
\$50,000- 74,999	386	169,009	48	19.3	13.0-25.6	46	12.0	08.3-15.7	44	11.7	08.0-15.4	239	55.1	48.8-61.4	9	1.9	00.3-03.5
\$75,000+	573	283,023	76	17.8	13.5-22.1	66	14.8	10.9-18.7	61	10.6	07.5-13.7	351	53.1	48.0-58.2	19	3.7	01.7-05.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1407	664,324	166	17.1	14.2-20.0	160	14.2	11.7-16.7	120	8.4	06.6-10.2	920	57.2	53.9-60.5	41	3.0	01.8-04.2
White/Non-Hisp	1275	577,005	144	16.4	13.5-19.3	134	12.6	10.1-15.1	106	8.2	06.4-10.0	854	59.8	56.3-63.3	37	3.0	01.8-04.2
25-34	74	75,070	32	41.5	29.0-54.0	23	35.7	23.2-48.2	7	10.0	02.2-17.8	11	11.4	04.1-18.7	1	1.4	00.0-04.1
35-44	124	90,841	31	28.4	19.2-37.6	27	18.4	11.1-25.7	20	15.2	07.9-22.5	40	32.1	22.9-41.3	6	5.9	00.8-11.0
45-54	193	105,801	28	13.3	07.8-18.8	32	17.0	10.5-23.5	23	9.9	05.6-14.2	103	56.0	48.0-64.0	7	3.9	00.6-07.2
55-64	347	160,562	38	10.3	06.8-13.8	32	9.4	05.9-12.9	39	9.6	06.1-13.1	226	67.6	61.9-73.3	12	3.1	01.1-05.1
65+	645	207,371	21	3.1	01.5-04.7	42	6.9	04.5-09.3	31	4.4	02.4-06.4	536	83.4	79.9-86.9	15	2.2	00.6-03.8
Less Than H.S.	130	88,463	16	17.2	08.2-26.2	19	16.9	08.9-24.9	14	11.9	04.3-19.5	77	50.9	40.3-61.5	4	3.1	00.0-06.4
H.S. or G.E.D.	535	243,425	68	19.1	14.4-23.8	57	11.7	08.2-15.2	43	7.3	04.8-09.8	354	58.8	53.5-64.1	13	3.0	01.0-05.0
Some Post-H.S.	345	201,071	45	18.1	12.2-24.0	41	15.8	10.5-21.1	23	6.7	03.6-09.8	228	57.4	50.7-64.1	8	1.9	00.3-03.5
College Graduate	394	128,999	37	12.1	08.0-16.2	43	14.8	09.9-19.7	40	11.0	07.1-14.9	258	57.4	51.3-63.5	16	4.7	02.0-07.4
Less than \$15,000	85	32,414	17	19.8	09.6-30.0	16	24.0	11.5-36.5	8	11.3	01.9-20.7	43	44.3	31.0-57.6	1	0.7	00.0-02.1
\$15,000- 24,999	222	98,438	20	11.7	05.6-17.8	30	23.1	14.7-31.5	21	10.7	05.0-16.4	142	49.9	41.3-58.5	9	4.6	00.9-08.3
\$25,000- 34,999	173	80,272	17	10.5	05.0-16.0	25	17.6	09.8-25.4	16	11.9	04.5-19.3	110	58.5	48.9-68.1	5	1.5	00.0-03.1
\$35,000- 49,999	245	119,968	24	13.8	07.9-19.7	23	10.0	05.1-14.9	19	6.9	03.4-10.4	170	65.1	57.7-72.5	9	4.2	01.3-07.1
\$50,000- 74,999	207	94,813	27	20.7	11.7-29.7	21	11.3	06.2-16.4	17	8.2	03.9-12.5	138	57.9	48.9-66.9	4	1.9	00.0-04.3
\$75,000+	328	170,323	43	20.5	14.2-26.8	34	12.9	08.2-17.6	29	7.4	04.3-10.5	212	55.4	48.5-62.3	10	3.9	01.2-06.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1461	545,479	184	17.0	14.3-19.7	225	18.6	15.9-21.3	166	11.7	09.5-13.9	849	50.4	47.1-53.7	37	2.2	01.4-03.0
White/Non-Hisp	1322	486,087	162	16.4	13.5-19.3	194	17.6	14.7-20.5	150	12.1	09.7-14.5	784	51.7	48.2-55.2	32	2.2	01.2-03.2
Black or Afr. Am./Non-Hisp	78	31,230	15	26.3	13.0-39.6	12	11.0	03.9-18.1	8	7.8	01.1-14.5	39	51.5	37.6-65.4	4	3.3	00.0-07.0
25-34	88	66,250	29	28.5	18.1-38.9	27	35.7	23.7-47.7	20	21.3	12.3-30.3	11	13.8	05.6-22.0	1	0.8	00.0-02.4
35-44	129	71,763	30	21.4	13.6-29.2	23	18.9	10.9-26.9	22	19.3	11.1-27.5	50	38.9	29.1-48.7	4	1.6	00.0-03.4
45-54	203	102,181	33	15.6	09.7-21.5	44	21.7	15.2-28.2	25	12.1	06.6-17.6	96	47.8	39.6-56.0	5	2.7	00.2-05.2
55-64	355	116,292	43	12.4	08.5-16.3	56	15.6	11.3-19.9	47	10.4	06.9-13.9	202	59.4	53.3-65.5	7	2.2	00.4-04.0
65+	651	160,308	35	6.7	04.0-09.4	70	10.9	08.0-13.8	50	7.0	04.6-09.4	477	72.6	68.3-76.9	19	2.8	01.4-04.2
Less Than H.S.	145	67,922	22	19.8	11.0-28.6	28	22.6	13.8-31.4	15	10.6	03.5-17.7	78	45.7	35.5-55.9	2	1.3	00.0-03.1
H.S. or G.E.D.	538	194,916	72	20.5	15.4-25.6	81	15.0	11.3-18.7	61	11.8	08.3-15.3	310	50.2	44.7-55.7	14	2.6	01.0-04.2
Some Post-H.S.	432	183,513	55	14.3	10.0-18.6	68	20.2	14.7-25.7	52	11.8	08.1-15.5	245	52.0	45.9-58.1	12	1.7	00.5-02.9
College Graduate	342	98,072	34	13.4	08.1-18.7	48	20.3	14.0-26.6	38	12.4	07.9-16.9	213	50.8	43.9-57.7	9	3.1	00.9-05.3
Less than \$15,000	179	55,512	40	30.4	20.0-40.8	34	24.7	15.5-33.9	25	10.7	05.0-16.4	76	31.7	22.9-40.5	4	2.5	00.0-05.2
\$15,000- 24,999	286	96,640	37	18.6	12.1-25.1	53	22.4	15.7-29.1	20	5.9	02.8-09.0	170	52.1	44.5-59.7	6	1.0	00.2-01.8
\$25,000- 34,999	179	64,646	22	18.2	10.2-26.2	23	20.3	11.1-29.5	21	11.4	05.3-17.5	108	48.0	38.6-57.4	5	2.0	00.0-04.0
\$35,000- 49,999	170	65,120	13	8.7	03.6-13.8	33	24.3	15.3-33.3	20	12.9	06.6-19.2	101	52.4	43.0-61.8	3	1.7	00.0-03.9
\$50,000- 74,999	179	74,196	21	17.4	09.6-25.2	25	13.0	07.5-18.5	27	16.1	09.8-22.4	101	51.5	42.5-60.5	5	2.0	00.0-04.0
\$75,000+	245	112,701	33	13.8	08.7-18.9	32	17.6	10.9-24.3	32	15.5	09.6-21.4	139	49.6	41.8-57.4	9	3.5	01.0-06.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10077	4,836,607	217	3.0	02.6-03.4	146	1.9	01.5-02.3	9714	95.1	94.5-95.7
Male	4159	2,338,342	199	5.6	04.6-06.6	121	3.3	02.5-04.1	3839	91.0	89.8-92.2
Female	5918	2,498,265	18	0.5	00.3-00.7	25	0.5	00.3-00.7	5875	99.0	98.6-99.4
White/Non-Hisp	8760	3,952,681	203	3.3	02.7-03.9	122	1.8	01.4-02.2	8435	94.9	94.3-95.5
Black or Afr. Am./Non-Hisp	579	402,606	3	0.5	00.0-01.1	9	2.3	00.1-04.5	567	97.2	95.0-99.4
Oth. Race/Non-Hisp.	164	99,663	2	1.7	00.0-04.2	4	2.6	00.0-05.5	158	95.7	91.8-99.6
MultiRacial/Non-Hisp.	111	44,267	1	2.6	00.0-07.7	4	1.4	00.0-03.2	106	96.0	90.7-0100
Hispanic	307	260,232	5	2.2	00.0-04.6	6	2.5	00.3-04.7	296	95.3	92.2-98.4
18-24	521	654,929	15	3.2	01.4-05.0	19	3.7	01.9-05.5	487	93.2	90.7-95.7
25-34	895	794,746	37	4.7	03.1-06.3	17	2.3	01.1-03.5	841	93.0	91.0-95.0
35-44	1199	788,058	37	3.3	02.1-04.5	20	1.9	00.9-02.9	1142	94.8	93.2-96.4
45-54	1751	877,180	60	3.5	02.5-04.5	35	1.9	01.1-02.7	1656	94.6	93.4-95.8
55-64	2213	791,564	38	2.2	01.4-03.0	27	1.1	00.5-01.7	2148	96.7	95.7-97.7
65+	3408	901,177	28	1.2	00.6-01.8	27	1.0	00.6-01.4	3353	97.8	97.0-98.6
Less Than H.S.	913	682,546	28	3.9	02.1-05.7	22	2.2	01.0-03.4	863	93.9	91.9-95.9
H.S. or G.E.D.	3665	1,666,001	94	3.4	02.6-04.2	46	1.6	01.0-02.2	3525	95.0	94.0-96.0
Some Post-H.S.	2573	1,468,287	60	3.1	02.1-04.1	48	2.6	01.6-03.6	2465	94.2	92.8-95.6
College Graduate	2901	1,008,501	33	1.4	00.8-02.0	29	1.0	00.6-01.4	2839	97.6	97.0-98.2
Less than \$15,000	1057	487,972	23	2.9	01.3-04.5	22	3.2	01.4-05.0	1012	93.8	91.4-96.2
\$15,000- 24,999	1716	793,075	23	1.9	00.9-02.9	23	1.6	00.8-02.4	1670	96.5	95.3-97.7
\$25,000- 34,999	1114	516,106	26	3.2	01.6-04.8	17	1.4	00.6-02.2	1071	95.4	93.6-97.2
\$35,000- 49,999	1314	633,813	27	2.8	01.6-04.0	14	1.4	00.4-02.4	1273	95.8	94.2-97.4
\$50,000- 74,999	1327	661,576	38	3.5	02.3-04.7	21	2.5	01.1-03.9	1268	94.1	92.1-96.1
\$75,000+	2019	1,039,131	51	3.4	02.2-04.6	29	1.6	00.8-02.4	1939	95.0	93.6-96.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4159	2,338,342	199	5.6	04.6-06.6	121	3.3	02.5-04.1	3839	91.0	89.8-92.2
White/Non-Hisp	3597	1,899,552	188	6.5	05.3-07.7	102	3.2	02.4-04.0	3307	90.3	88.9-91.7
Black or Afr. Am./Non-Hisp	206	184,687	3	1.0	00.0-02.4	7	4.4	00.1-08.7	196	94.5	90.0-99.0
Oth. Race/Non-Hisp.	79	53,673	2	3.2	00.0-07.9	2	2.0	00.0-04.7	75	94.8	89.3-0100
MultiRacial/Non-Hisp.	55	25,073	1	4.6	00.0-13.4	3	2.3	00.0-05.4	51	93.1	83.9-0100
Hispanic	136	128,813	3	1.6	00.0-04.1	6	5.0	00.9-09.1	127	93.4	88.7-98.1
18-24	271	330,425	13	5.2	02.3-08.1	18	6.6	03.3-09.9	240	88.2	83.9-92.5
25-34	396	399,332	36	8.9	05.8-12.0	14	3.9	01.7-06.1	346	87.3	83.6-91.0
35-44	497	388,592	34	6.4	04.0-08.8	20	3.8	01.8-05.8	443	89.8	86.9-92.7
45-54	816	433,263	55	6.6	04.6-08.6	29	3.0	01.8-04.2	732	90.4	88.0-92.8
55-64	915	388,459	34	4.1	02.5-05.7	19	1.6	00.6-02.6	862	94.3	92.5-96.1
65+	1237	389,368	25	2.3	01.1-03.5	20	1.7	00.7-02.7	1192	96.0	94.4-97.6
Less Than H.S.	380	344,670	22	5.7	03.0-08.4	14	2.8	01.0-04.6	344	91.5	88.2-94.8
H.S. or G.E.D.	1462	805,680	86	6.6	05.0-08.2	42	3.0	02.0-04.0	1334	90.4	88.4-92.4
Some Post-H.S.	1001	675,071	56	6.5	04.5-08.5	39	5.1	03.1-07.1	906	88.4	85.7-91.1
College Graduate	1300	504,697	33	2.7	01.7-03.7	25	1.8	01.0-02.6	1242	95.5	94.1-96.9
Less than \$15,000	358	193,417	18	5.0	02.1-07.9	14	4.8	01.9-07.7	326	90.2	86.1-94.3
\$15,000- 24,999	602	329,596	20	4.1	01.9-06.3	20	3.6	01.6-05.6	562	92.2	89.3-95.1
\$25,000- 34,999	478	264,055	24	5.8	02.9-08.7	14	2.4	01.0-03.8	440	91.8	88.7-94.9
\$35,000- 49,999	602	347,937	26	5.0	02.6-07.4	12	2.4	00.8-04.0	564	92.6	89.9-95.3
\$50,000- 74,999	605	346,760	36	6.4	04.0-08.8	19	4.4	01.7-07.1	550	89.2	85.7-92.7
\$75,000+	1032	569,849	51	6.2	04.2-08.2	28	2.9	01.5-04.3	953	91.0	88.6-93.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5918	2,498,265	18	0.5	00.3-00.7	25	0.5	00.3-00.7	5875	99.0	98.6-99.4
White/Non-Hisp	5163	2,053,129	15	0.4	00.2-00.6	20	0.5	00.1-00.9	5128	99.1	98.7-99.5
Black or Afr. Am./Non-Hisp	373	217,919				2	0.5	00.0-01.3	371	99.5	98.7-0100
Oth. Race/Non-Hisp.	85	45,990				2	3.4	00.0-09.1	83	96.6	90.9-0100
MultiRacial/Non-Hisp.	56	19,194				1	0.4	00.0-01.2	55	99.6	98.8-0100
Hispanic	171	131,419	2	2.8	00.0-06.7				169	97.2	93.3-0100
18-24	250	324,504	2	1.1	00.0-02.7	1	0.7	00.0-02.1	247	98.2	96.2-0100
25-34	499	395,413	1	0.5	00.0-01.5	3	0.8	00.0-01.8	495	98.8	97.4-0100
35-44	702	399,466	3	0.4	00.0-00.8				699	99.6	99.2-0100
45-54	935	443,917	5	0.5	00.1-00.9	6	0.8	00.0-01.6	924	98.7	97.7-99.7
55-64	1298	403,105	4	0.4	00.0-00.8	8	0.6	00.2-01.0	1286	99.1	98.5-99.7
65+	2171	511,809	3	0.3	00.0-00.7	7	0.4	00.0-00.8	2161	99.3	98.7-99.9
Less Than H.S.	533	337,877	6	2.1	00.1-04.1	8	1.7	00.1-03.3	519	96.2	93.8-98.6
H.S. or G.E.D.	2203	860,322	8	0.4	00.0-00.8	4	0.3	00.0-00.7	2191	99.3	98.9-99.7
Some Post-H.S.	1572	793,215	4	0.2	00.0-00.4	9	0.5	00.0-01.1	1559	99.3	98.7-99.9
College Graduate	1601	503,803				4	0.2	00.0-00.4	1597	99.8	99.6-0100
Less than \$15,000	699	294,555	5	1.6	00.0-03.4	8	2.2	00.2-04.2	686	96.2	93.5-98.9
\$15,000- 24,999	1114	463,479	3	0.3	00.0-00.7	3	0.1	00.0-00.3	1108	99.6	99.2-0100
\$25,000- 34,999	636	252,051	2	0.4	00.0-01.0	3	0.3	00.0-00.7	631	99.3	98.5-0100
\$35,000- 49,999	712	285,875	1	0.1	00.0-00.3	2	0.3	00.0-00.7	709	99.6	99.0-0100
\$50,000- 74,999	722	314,816	2	0.3	00.0-00.7	2	0.3	00.0-00.7	718	99.4	98.8-0100
\$75,000+	987	469,282				1	0.0	00.0-00.0	986	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013**

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1 MALES AND FEMALES	188
2 MALES ONLY	189
3 FEMALES ONLY	190
ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4 MALES AND FEMALES	191
5 MALES ONLY	192
6 FEMALES ONLY	193
CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7 MALES AND FEMALES	194
8 MALES ONLY	195
9 FEMALES ONLY	196
DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
10 MALES AND FEMALES	197
11 MALES ONLY	198
12 FEMALES ONLY	199

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9996	4,785,832	1028	11.2	10.4-12.0	200	1.7	0.1-0.2	2670	29.7	28.5-30.9	610	5.8	0.5-0.6	5488	51.5	50.1-52.9
Male	4117	2,310,571	533	13.8	12.4-15.2	131	2.6	0.2-0.3	1172	30.7	28.9-32.5	382	8.1	0.7-0.9	1899	44.8	42.8-46.8
Female	5879	2,475,261	495	8.8	0.7-0.9	69	0.9	0.0-0.1	1498	28.8	27.2-30.4	228	3.7	0.3-0.4	3589	57.8	56.0-59.6
White/Non-Hisp	8689	3,910,062	895	11.2	10.4-12.0	183	1.9	0.1-0.2	2338	30.3	28.9-31.7	565	6.2	0.5-0.6	4708	50.4	49.0-51.8
Black or Afr. Am./Non-Hisp	574	399,839	61	11.9	0.8-15.8	6	1.0	0.0-0.2	145	26.7	21.8-31.6	16	3.8	0.1-0.6	346	56.6	51.1-62.1
Oth. Race/Non-Hisp.	162	98,810	17	11.3	0.4-18.4	3	1.3	0.0-0.2	38	22.8	15.0-30.6	9	6.0	0.1-0.5	95	58.6	49.0-68.2
MultiRacial/Non-Hisp.	110	44,227	7	4.7	0.0-0.8	1	0.2	0.0-0.0	25	26.4	14.6-38.2	4	4.7	0.0-0.9	73	64.0	51.8-76.2
Hispanic	303	255,788	38	13.2	0.8-17.7	2	0.3	0.0-0.0	85	28.6	22.5-34.7	10	4.0	0.1-0.6	168	54.0	47.3-60.7
18-24	516	646,059	68	12.0	0.9-15.1	3	0.6	0.0-0.1	149	28.9	24.4-33.4	30	4.9	0.2-0.6	266	53.6	48.7-58.5
25-34	885	782,514	120	13.3	10.8-15.8	11	1.2	0.0-0.2	355	39.7	36.0-43.4	51	6.1	0.4-0.7	348	39.7	36.0-43.4
35-44	1189	781,611	146	13.2	10.8-15.6	18	2.2	0.1-0.3	444	36.1	32.8-39.4	70	5.7	0.4-0.7	511	42.8	39.5-46.1
45-54	1733	867,676	209	11.4	0.9-13.2	33	1.7	0.1-0.2	553	32.2	29.5-34.9	110	5.9	0.4-0.7	828	48.8	46.1-51.5
55-64	2198	785,768	226	10.2	0.8-11.8	46	2.2	0.1-0.3	560	26.0	23.8-28.2	145	7.0	0.5-0.8	1221	54.7	52.2-57.2
65+	3387	893,623	254	8.1	0.6-0.9	89	2.4	0.1-0.3	584	16.8	15.2-18.4	200	5.4	0.4-0.6	2260	67.3	65.3-69.3
Less Than H.S.	903	668,746	55	7.0	0.4-0.9	13	1.8	0.0-0.3	133	19.2	15.5-22.9	31	4.3	0.2-0.6	671	67.6	63.5-71.7
H.S. or G.E.D.	3641	1,654,051	281	9.8	0.8-11.2	70	1.8	0.1-0.2	787	25.0	23.0-27.0	175	5.3	0.4-0.6	2328	58.1	55.9-60.3
Some Post-H.S.	2550	1,450,640	244	10.2	0.8-11.8	37	1.3	0.0-0.1	767	34.5	32.1-36.9	133	5.0	0.4-0.6	1369	48.9	46.4-51.4
College Graduate	2878	1,002,419	447	17.9	1.6-19.7	80	2.3	0.1-0.2	979	37.6	35.4-39.8	270	8.8	0.7-1.0	1102	33.4	31.4-35.4
Less than \$15,000	1052	483,263	57	6.2	0.4-0.8	14	1.8	0.0-0.3	196	22.7	19.2-26.2	35	4.3	0.2-0.6	750	65.0	60.9-69.1
\$15,000- 24,999	1707	786,364	111	7.8	0.5-0.9	30	1.4	0.0-0.2	353	25.4	22.3-28.5	57	3.5	0.2-0.4	1156	61.9	58.6-65.2
\$25,000- 34,999	1104	512,453	101	10.5	0.8-13.0	17	1.0	0.0-0.1	263	28.1	24.4-31.8	52	4.7	0.3-0.6	671	55.6	51.7-59.5
\$35,000- 49,999	1310	632,759	154	13.1	10.6-15.6	22	1.9	0.0-0.2	410	33.7	30.4-37.0	81	6.0	0.4-0.7	643	45.3	41.8-48.8
\$50,000- 74,999	1315	657,557	150	11.7	0.9-14.2	35	2.0	0.1-0.2	412	32.8	29.5-36.1	101	6.9	0.5-0.8	617	46.6	43.1-50.1
\$75,000+	2006	1,024,928	331	17.0	1.5-19.0	57	2.1	0.1-0.2	746	38.2	35.5-40.9	210	9.0	0.7-1.0	662	33.7	31.2-36.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4117	2,310,571	533	13.8	12.4-15.2	131	2.6	0.2-0.3.2	1172	30.7	28.9-32.5	382	8.1	07.1-09.1	1899	44.8	42.8-46.8
White/Non-Hisp	3560	1,876,677	463	13.7	12.3-15.1	117	2.7	0.2-0.3.3	1008	30.4	28.4-32.4	350	8.7	07.5-09.9	1622	44.5	42.3-46.7
Black or Afr. Am./Non-Hisp	204	183,716	29	16.0	08.7-23.3	4	1.8	00.0-03.8	59	30.1	21.9-38.3	13	6.8	02.5-11.1	99	45.3	36.7-53.9
Oth. Race/Non-Hisp.	78	53,261	10	9.6	02.9-16.3	2	1.8	00.0-04.3	20	26.5	15.1-37.9	7	9.1	01.3-16.9	39	53.0	39.7-66.3
MultiRacial/Non-Hisp.	55	25,073	4	5.5	00.0-11.4	1	0.4	00.0-01.2	13	27.4	11.3-43.5	3	5.5	00.0-12.2	34	61.1	44.4-77.8
Hispanic	134	125,634	20	17.6	09.8-25.4	2	0.5	00.0-01.3	49	38.4	28.8-48.0	5	2.7	00.2-05.2	58	40.7	31.3-50.1
18-24	270	327,653	41	15.2	10.3-20.1	2	0.8	00.0-01.8	74	25.5	19.8-31.2	21	6.3	03.4-09.2	132	52.3	45.6-59.0
25-34	390	392,707	60	15.4	11.3-19.5	7	1.9	00.5-03.3	158	40.9	35.4-46.4	35	8.2	05.3-11.1	130	33.7	28.4-39.0
35-44	493	385,342	80	16.5	12.6-20.4	13	3.5	01.3-05.7	189	37.5	32.4-42.6	40	7.8	05.1-10.5	171	34.7	29.8-39.6
45-54	806	427,430	105	12.8	10.3-15.3	26	2.8	01.6-04.0	266	33.0	29.1-36.9	70	7.8	05.8-09.8	339	43.6	39.5-47.7
55-64	903	383,372	112	12.1	09.6-14.6	28	3.0	01.6-04.4	254	28.4	24.9-31.9	100	10.5	08.1-12.9	409	45.9	42.0-49.8
65+	1229	385,404	135	11.5	09.3-13.7	55	3.5	02.5-04.5	219	17.2	14.7-19.7	114	7.9	06.3-09.5	706	59.9	56.8-63.0
Less Than H.S.	373	335,555	38	10.2	06.5-13.9	11	3.4	00.9-05.9	65	20.7	15.4-26.0	22	6.1	03.0-09.2	237	59.6	53.3-65.9
H.S. or G.E.D.	1450	800,811	154	12.7	10.3-15.1	45	2.5	01.7-03.3	347	26.7	23.8-29.6	122	8.4	06.6-10.2	782	49.7	46.4-53.0
Some Post-H.S.	990	666,490	126	13.7	11.0-16.4	24	2.0	01.0-03.0	307	34.3	30.6-38.0	73	6.1	04.5-07.7	460	43.9	40.2-47.6
College Graduate	1290	500,995	214	18.3	15.8-20.8	51	3.1	02.1-04.1	450	39.1	35.8-42.4	164	11.6	09.6-13.6	411	27.9	25.0-30.8
Less than \$15,000	356	192,261	31	9.7	05.8-13.6	10	3.8	00.7-06.9	71	23.4	17.3-29.5	18	4.4	01.7-07.1	226	58.8	51.9-65.7
\$15,000- 24,999	600	327,275	52	10.1	07.0-13.2	21	2.8	01.2-04.4	138	27.3	22.4-32.2	38	6.2	03.5-08.9	351	53.6	48.3-58.9
\$25,000- 34,999	475	263,571	52	12.8	08.7-16.9	11	1.3	00.5-02.1	116	27.7	22.4-33.0	29	5.5	03.0-08.0	267	52.7	46.8-58.6
\$35,000- 49,999	599	346,962	86	15.5	11.8-19.2	16	2.6	01.2-04.0	181	33.0	28.3-37.7	57	8.8	06.1-11.5	259	40.1	35.2-45.0
\$50,000- 74,999	598	344,301	78	12.9	09.0-16.8	22	2.6	01.4-03.8	182	30.4	25.7-35.1	64	10.1	07.0-13.2	252	44.0	38.9-49.1
\$75,000+	1024	560,331	178	18.4	15.5-21.3	36	2.6	01.4-03.8	385	39.1	35.4-42.8	136	10.7	08.5-12.9	289	29.2	25.7-32.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5879	2,475,261	495	8.8	07.8-09.8	69	0.9	00.7-01.1	1498	28.8	27.2-30.4	228	3.7	03.1-04.3	3589	57.8	56.0-59.6
White/Non-Hisp	5129	2,033,385	432	8.9	07.9-09.9	66	1.1	00.7-01.5	1330	30.3	28.5-32.1	215	3.9	03.3-04.5	3086	55.9	54.1-57.7
Black or Afr. Am./Non-Hisp	370	216,123	32	8.4	04.9-11.9	2	0.3	00.0-00.7	86	23.7	18.0-29.4	3	1.3	00.0-03.1	247	66.3	60.0-72.6
Oth. Race/Non-Hisp.	84	45,549	7	13.2	00.1-26.3	1	0.8	00.0-02.4	18	18.5	08.1-28.9	2	2.3	00.0-05.4	56	65.3	50.8-79.8
MultiRacial/Non-Hisp.	55	19,154	3	3.6	00.0-07.9				12	25.1	08.4-41.8	1	3.6	00.0-10.5	39	67.7	50.3-85.1
Hispanic	169	130,153	18	9.0	04.3-13.7				36	19.1	12.2-26.0	5	5.2	00.1-10.3	110	66.8	58.4-75.2
18-24	246	318,405	27	8.8	04.9-12.7	1	0.4	00.0-01.2	75	32.4	25.5-39.3	9	3.4	01.0-05.8	134	55.0	47.9-62.1
25-34	495	389,808	60	11.1	08.2-14.0	4	0.6	00.0-01.2	197	38.5	33.6-43.4	16	4.0	01.6-06.4	218	45.8	40.5-51.1
35-44	696	396,269	66	10.0	07.3-12.7	5	0.9	00.1-01.7	255	34.8	30.7-38.9	30	3.6	02.2-05.0	340	50.7	46.4-55.0
45-54	927	440,246	104	10.1	07.9-12.3	7	0.6	00.2-01.0	287	31.3	27.6-35.0	40	4.1	02.7-05.5	489	53.9	50.0-57.8
55-64	1295	402,396	114	8.4	06.6-10.2	18	1.4	00.6-02.2	306	23.6	20.9-26.3	45	3.6	02.4-04.8	812	63.0	59.9-66.1
65+	2158	508,219	119	5.5	04.3-06.7	34	1.6	01.0-02.2	365	16.5	14.7-18.3	86	3.6	02.8-04.4	1554	72.8	70.6-75.0
Less Than H.S.	530	333,191	17	3.9	01.5-06.3	2	0.3	00.0-00.7	68	17.7	12.6-22.8	9	2.5	00.5-04.5	434	75.6	70.1-81.1
H.S. or G.E.D.	2191	853,240	127	7.0	05.4-08.6	25	1.1	00.5-01.7	440	23.4	21.0-25.8	53	2.4	01.4-03.4	1546	66.0	63.3-68.7
Some Post-H.S.	1560	784,150	118	7.3	05.7-08.9	13	0.8	00.2-01.4	460	34.7	31.6-37.8	60	4.1	02.7-05.5	909	53.1	49.8-56.4
College Graduate	1588	501,424	233	17.6	15.1-20.1	29	1.4	00.8-02.0	529	36.1	33.2-39.0	106	6.0	04.6-07.4	691	38.8	35.9-41.7
Less than \$15,000	696	291,001	26	3.9	01.9-05.9	4	0.5	00.0-01.1	125	22.3	17.8-26.8	17	4.2	01.7-06.7	524	69.1	64.0-74.2
\$15,000- 24,999	1107	459,090	59	6.1	03.7-08.5	9	0.5	00.1-00.9	215	24.0	20.1-27.9	19	1.7	00.5-02.9	805	67.8	63.7-71.9
\$25,000- 34,999	629	248,881	49	8.1	05.4-10.8	6	0.8	00.0-01.6	147	28.6	23.5-33.7	23	3.7	01.9-05.5	404	58.8	53.5-64.1
\$35,000- 49,999	711	285,798	68	10.2	07.1-13.3	6	1.1	00.0-02.3	229	34.6	29.9-39.3	24	2.5	01.1-03.9	384	51.6	46.7-56.5
\$50,000- 74,999	717	313,256	72	10.4	07.5-13.3	13	1.4	00.4-02.4	230	35.5	31.0-40.0	37	3.4	02.0-04.8	365	49.3	44.6-54.0
\$75,000+	982	464,597	153	15.4	12.7-18.1	21	1.5	00.7-02.3	361	37.1	33.2-41.0	74	6.9	04.7-09.1	373	39.1	35.2-43.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4406	2,266,490	2062	39.6	37.8-41.4	1264	29.2	27.4-31.0	469	11.7	10.5-12.9	215	6.4	05.2-07.6	396	13.0	11.6-14.4
Male	2166	1,240,717	786	31.1	28.7-33.5	657	28.8	26.4-31.2	276	13.4	11.6-15.2	149	8.1	06.5-09.7	298	18.6	16.2-21.0
Female	2240	1,025,773	1276	50.0	47.3-52.7	607	29.7	27.2-32.2	193	9.8	08.0-11.6	66	4.4	03.0-05.8	98	6.2	04.6-07.8
White/Non-Hisp	3905	1,902,590	1853	40.7	38.7-42.7	1122	29.2	27.4-31.0	409	11.5	10.1-12.9	189	6.5	05.3-07.7	332	12.0	10.4-13.6
Black or Afr. Am./Non-Hisp	216	164,111	97	36.7	28.3-45.1	70	37.5	28.7-46.3	20	5.6	02.7-08.5	14	8.8	02.5-15.1	15	11.3	04.8-17.8
Oth. Race/Non-Hisp.	64	39,304	28	45.3	29.6-61.0	19	27.4	14.5-40.3	6	7.6	01.1-14.1	3	4.2	00.0-09.3	8	15.4	03.8-27.0
Hispanic	126	109,521	37	22.6	14.8-30.4	33	20.9	13.1-28.7	24	27.2	17.4-37.0	4	2.1	00.0-04.6	28	27.1	17.5-36.7
18-24	244	294,493	73	30.4	23.7-37.1	57	23.4	17.3-29.5	38	14.1	09.4-18.8	21	8.6	04.5-12.7	55	23.6	17.5-29.7
25-34	526	460,952	189	33.2	28.7-37.7	148	28.2	23.9-32.5	73	13.5	10.4-16.6	37	8.8	05.5-12.1	79	16.3	12.8-19.8
35-44	659	433,498	242	30.8	26.9-34.7	204	31.3	27.0-35.6	81	13.7	10.4-17.0	46	6.9	04.5-09.3	86	17.3	13.4-21.2
45-54	894	437,535	355	39.4	35.7-43.1	294	33.2	29.5-36.9	110	11.5	09.1-13.9	52	6.1	04.3-07.9	83	9.8	07.3-12.3
55-64	953	343,503	455	45.4	41.7-49.1	300	32.9	29.4-36.4	99	10.3	07.9-12.7	39	5.0	03.2-06.8	60	6.3	04.5-08.1
65+	1098	285,938	724	65.1	61.8-68.4	256	23.7	20.8-26.6	67	5.7	04.1-07.3	20	2.1	00.9-03.3	31	3.3	01.9-04.7
Less Than H.S.	217	201,907	76	29.9	22.3-37.5	47	18.7	12.6-24.8	26	12.5	07.0-18.0	10	6.0	01.5-10.5	58	33.0	24.6-41.4
H.S. or G.E.D.	1273	673,420	549	35.5	32.2-38.8	335	27.9	24.6-31.2	168	13.9	11.5-16.3	76	7.8	05.6-10.0	145	14.9	12.4-17.4
Some Post-H.S.	1159	725,587	540	39.9	36.4-43.4	324	30.2	26.9-33.5	133	12.0	09.6-14.4	64	7.0	04.8-09.2	98	10.9	08.4-13.4
College Graduate	1752	662,546	894	46.5	43.8-49.2	557	32.7	30.0-35.4	141	8.9	07.3-10.5	65	4.5	03.1-05.9	95	7.4	05.6-09.2
Less than \$15,000	290	161,650	108	35.6	28.3-42.9	64	22.2	15.9-28.5	50	16.5	10.8-22.2	20	6.1	02.8-09.4	48	19.7	13.4-26.0
\$15,000- 24,999	541	292,772	243	36.5	31.0-42.0	143	28.4	23.1-33.7	62	11.2	07.7-14.7	34	7.3	04.0-10.6	59	16.5	11.8-21.2
\$25,000- 34,999	421	221,234	193	36.2	30.5-41.9	119	29.0	23.3-34.7	48	12.8	08.7-16.9	20	8.7	04.2-13.2	41	13.3	08.6-18.0
\$35,000- 49,999	649	334,666	308	39.7	35.0-44.4	179	28.8	24.3-33.3	62	10.8	07.7-13.9	34	7.3	04.4-10.2	66	13.5	09.8-17.2
\$50,000- 74,999	692	348,818	318	41.2	36.5-45.9	200	27.8	23.5-32.1	80	12.4	09.3-15.5	34	7.4	04.1-10.7	60	11.2	07.9-14.5
\$75,000+	1328	672,541	593	38.4	35.3-41.5	463	35.7	32.4-39.0	133	11.7	09.3-14.1	58	5.1	03.5-06.7	81	9.1	06.7-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2166	1,240,717	786	31.1	28.7-33.5	657	28.8	26.4-31.2	276	13.4	11.6-15.2	149	8.1	06.5-09.7	298	18.6	16.2-21.0
White/Non-Hisp	1902	1,019,151	691	31.4	28.9-33.9	586	29.1	26.6-31.6	241	13.3	11.3-15.3	136	8.7	06.9-10.5	248	17.5	15.1-19.9
Black or Afr. Am./Non-Hisp	98	95,087	37	32.2	20.2-44.2	36	39.7	27.0-52.4	9	5.2	01.3-09.1	6	8.2	00.0-17.2	10	14.7	04.7-24.7
Hispanic	70	68,166	16	19.4	09.4-29.4	13	13.5	05.3-21.7	16	28.7	16.0-41.4	2	2.5	00.0-06.4	23	35.9	22.8-49.0
18-24	134	152,099	28	22.9	14.5-31.3	29	22.0	14.2-29.8	18	10.9	05.6-16.2	13	8.2	03.1-13.3	46	36.1	26.9-45.3
25-34	258	257,841	67	25.6	19.5-31.7	72	26.8	20.7-32.9	38	14.4	09.7-19.1	23	10.8	05.9-15.7	58	22.3	16.8-27.8
35-44	310	240,212	86	23.7	18.6-28.8	93	27.1	21.0-33.2	48	17.4	12.3-22.5	27	8.6	04.9-12.3	56	23.3	17.2-29.4
45-54	459	235,935	141	30.0	25.1-34.9	148	32.2	27.1-37.3	67	14.3	10.6-18.0	35	8.0	05.1-10.9	68	15.5	11.0-20.0
55-64	479	197,781	175	35.6	30.7-40.5	170	36.1	31.0-41.2	57	11.8	08.5-15.1	33	7.8	04.9-10.7	44	8.7	05.8-11.6
65+	513	151,958	280	54.7	49.6-59.8	143	27.8	23.3-32.3	47	8.5	05.8-11.2	18	3.6	01.4-05.8	25	5.3	02.9-07.7
Less Than H.S.	125	125,461	36	23.2	14.2-32.2	22	17.7	09.5-25.9	17	14.7	07.1-22.3	9	6.6	01.9-11.3	41	37.7	26.9-48.5
H.S. or G.E.D.	647	389,718	202	25.4	21.5-29.3	171	27.3	23.0-31.6	102	15.6	12.3-18.9	58	10.2	06.9-13.5	114	21.5	17.4-25.6
Some Post-H.S.	519	363,380	179	31.2	26.5-35.9	157	29.5	24.8-34.2	68	12.8	09.3-16.3	39	9.1	06.0-12.2	76	17.4	13.1-21.7
College Graduate	871	359,651	367	39.7	36.0-43.4	306	33.8	30.1-37.5	88	10.9	08.4-13.4	43	5.5	03.5-07.5	67	10.2	07.5-12.9
Less than \$15,000	124	75,242	30	24.8	15.0-34.6	25	22.6	12.2-33.0	27	19.9	11.1-28.7	13	5.9	01.8-10.0	29	26.7	16.3-37.1
\$15,000- 24,999	244	148,610	86	29.0	21.6-36.4	63	25.8	18.7-32.9	30	13.4	07.7-19.1	23	7.8	04.1-11.5	42	23.9	16.5-31.3
\$25,000- 34,999	202	121,153	75	30.1	22.7-37.5	56	26.4	18.8-34.0	26	12.6	07.1-18.1	12	10.2	04.1-16.3	33	20.7	13.1-28.3
\$35,000- 49,999	332	199,768	118	29.4	23.7-35.1	103	29.3	23.4-35.2	36	12.8	08.1-17.5	24	9.7	05.2-14.2	51	18.8	13.3-24.3
\$50,000- 74,999	343	190,622	125	33.2	26.7-39.7	102	27.6	21.3-33.9	50	14.0	09.7-18.3	19	8.0	02.9-13.1	47	17.2	11.5-22.9
\$75,000+	727	392,795	263	31.3	27.4-35.2	261	34.5	30.4-38.6	87	13.2	10.1-16.3	49	7.7	05.2-10.2	67	13.3	09.8-16.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2240	1,025,773	1276	50.0	47.3-52.7	607	29.7	27.2-32.2	193	9.8	08.0-11.6	66	4.4	03.0-05.8	98	6.2	04.6-07.8
White/Non-Hisp	2003	883,439	1162	51.5	48.6-54.4	536	29.2	26.5-31.9	168	9.5	07.7-11.3	53	4.1	02.7-05.5	84	5.7	04.1-07.3
Black or Afr. Am./Non-Hisp	118	69,024	60	42.9	31.7-54.1	34	34.6	23.6-45.6	11	6.2	01.9-10.5	8	9.7	01.3-18.1	5	6.7	00.0-13.6
Hispanic	56	41,355	21	27.9	15.0-40.8	20	33.2	18.5-47.9	8	24.8	09.5-40.1	2	1.4	00.0-03.4	5	12.6	00.8-24.4
18-24	110	142,394	45	38.3	27.9-48.7	28	24.8	15.4-34.2	20	17.5	09.7-25.3	8	9.1	02.2-16.0	9	10.3	03.2-17.4
25-34	268	203,111	122	42.8	36.1-49.5	76	30.1	23.6-36.6	35	12.4	08.1-16.7	14	6.2	02.1-10.3	21	8.6	04.7-12.5
35-44	349	193,286	156	39.6	33.7-45.5	111	36.5	30.4-42.6	33	9.1	05.6-12.6	19	4.8	02.4-07.2	30	9.9	06.2-13.6
45-54	435	201,600	214	50.4	44.7-56.1	146	34.3	29.0-39.6	43	8.4	05.7-11.1	17	3.8	01.6-06.0	15	3.1	01.3-04.9
55-64	474	145,721	280	58.7	53.4-64.0	130	28.6	23.7-33.5	42	8.4	05.3-11.5	6	1.2	00.0-02.4	16	3.1	01.3-04.9
65+	585	133,980	444	76.9	73.0-80.8	113	19.2	15.5-22.9	20	2.5	01.1-03.9	2	0.4	00.0-01.0	6	1.1	00.1-02.1
Less Than H.S.	92	76,447	40	40.8	27.5-54.1	25	20.3	11.1-29.5	9	8.8	01.7-15.9	1	4.9	00.0-14.1	17	25.3	12.6-38.0
H.S. or G.E.D.	626	283,702	347	49.3	44.2-54.4	164	28.8	24.1-33.5	66	11.6	08.5-14.7	18	4.5	02.0-07.0	31	5.8	03.4-08.2
Some Post-H.S.	640	362,207	361	48.6	43.7-53.5	167	30.9	26.0-35.8	65	11.2	07.9-14.5	25	5.0	02.5-07.5	22	4.3	02.3-06.3
College Graduate	881	302,895	527	54.5	50.4-58.6	251	31.5	27.8-35.2	53	6.5	04.3-08.7	22	3.4	01.8-05.0	28	4.1	02.3-05.9
Less than \$15,000	166	86,407	78	45.0	35.2-54.8	39	21.8	14.2-29.4	23	13.5	06.4-20.6	7	6.2	01.1-11.3	19	13.6	06.3-20.9
\$15,000- 24,999	297	144,162	157	44.3	36.3-52.3	80	31.0	23.2-38.8	32	9.0	04.7-13.3	11	6.8	01.1-12.5	17	8.9	04.0-13.8
\$25,000- 34,999	219	100,081	118	43.4	34.8-52.0	63	32.2	23.6-40.8	22	13.0	06.9-19.1	8	7.0	00.1-13.9	8	4.3	00.8-07.8
\$35,000- 49,999	317	134,898	190	55.1	47.7-62.5	76	28.0	21.1-34.9	26	7.7	04.2-11.2	10	3.6	01.2-06.0	15	5.6	02.1-09.1
\$50,000- 74,999	349	158,196	193	50.8	44.1-57.5	98	28.0	22.1-33.9	30	10.5	06.2-14.8	15	6.7	02.6-10.8	13	4.0	01.6-06.4
\$75,000+	601	279,747	330	48.3	43.2-53.4	202	37.5	32.4-42.6	46	9.6	06.1-13.1	9	1.4	00.4-02.4	14	3.2	01.4-05.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days
Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4422	2,272,800	380	11.5	10.1-12.9	247	6.4	05.4-07.4	89	2.9	02.1-03.7	89	2.7	02.1-03.3	289	7.8	06.8-08.8	3328	68.7	66.9-70.5
Male	2164	1,240,949	202	12.2	10.2-14.2	142	7.3	05.9-08.7	55	3.6	02.4-04.8	55	3.3	02.3-04.3	206	10.7	08.9-12.5	1504	63.0	60.3-65.7
Female	2258	1,031,851	178	10.7	08.7-12.7	105	5.4	04.0-06.8	34	2.1	01.1-03.1	34	2.0	01.2-02.8	83	4.4	03.2-05.6	1824	75.5	73.0-78.0
White/Non-Hisp	3913	1,905,443	327	11.4	10.0-12.8	213	6.3	05.3-07.3	75	2.8	02.0-03.6	74	2.6	01.8-03.4	252	7.5	06.3-08.7	2972	69.5	67.5-71.5
Black or Afr. Am./Non-Hisp	220	168,110	22	12.1	06.4-17.8	15	5.5	02.0-09.0	3	1.4	00.0-03.2	6	1.9	00.0-03.9	13	8.6	03.1-14.1	161	70.4	62.4-78.4
Oth. Race/Non-Hisp.	64	39,233	5	13.5	00.0-28.6	3	4.1	00.0-09.4	2	5.3	00.0-13.1	3	4.1	00.0-09.0	6	13.2	02.2-24.2	45	59.8	43.5-76.1
Hispanic	129	111,055	20	16.2	08.8-23.6	13	12.4	05.0-19.8	7	5.2	01.1-09.3	4	5.5	00.0-11.0	9	8.6	02.3-14.9	76	52.0	41.8-62.2
18-24	244	292,041	41	18.4	12.7-24.1	28	10.1	06.2-14.0	16	6.6	02.9-10.3	6	2.0	00.2-03.8	36	14.1	09.4-18.8	117	48.9	41.6-56.2
25-34	530	464,900	89	17.3	13.6-21.0	46	8.6	05.9-11.3	16	2.9	01.3-04.5	18	3.7	01.9-05.5	36	7.2	04.7-09.7	325	60.4	55.7-65.1
35-44	664	438,396	86	13.5	10.4-16.6	41	5.9	03.7-08.1	14	2.3	00.9-03.7	24	5.0	02.8-07.2	60	10.6	07.7-13.5	439	62.8	58.3-67.3
45-54	889	434,971	81	9.7	07.2-12.2	60	6.0	04.2-07.8	20	2.8	01.4-04.2	22	2.0	01.0-03.0	65	6.2	04.4-08.0	641	73.3	69.8-76.8
55-64	952	345,051	51	5.2	03.6-06.8	44	4.7	03.1-06.3	13	2.1	00.7-03.5	12	1.6	00.4-02.8	61	6.7	04.7-08.7	771	79.7	76.6-82.8
65+	1109	286,719	28	2.9	01.5-04.3	28	2.7	01.5-03.9	9	1.1	00.3-01.9	6	0.5	00.1-00.9	31	2.5	01.5-03.5	1007	90.3	88.1-92.5
Less Than H.S.	218	204,917	17	10.2	04.7-15.7	11	4.6	01.1-08.1	11	6.6	01.7-11.5	13	6.3	02.4-10.2	32	13.8	08.3-19.3	134	58.4	50.0-66.8
H.S. or G.E.D.	1275	672,954	112	11.9	09.4-14.4	86	8.2	06.2-10.2	29	2.6	01.4-03.8	27	2.9	01.7-04.1	94	8.1	06.3-09.9	927	66.3	62.8-69.8
Some Post-H.S.	1161	730,146	105	12.3	09.8-14.8	78	7.0	05.2-08.8	23	2.7	01.5-03.9	24	2.2	01.0-03.4	72	7.3	05.3-09.3	859	68.4	64.9-71.9
College Graduate	1762	661,650	145	10.8	08.8-12.8	72	4.4	03.2-05.6	26	2.1	01.1-03.1	25	1.9	01.1-02.7	90	6.2	04.6-07.8	1404	74.5	72.0-77.0
Less than \$15,000	295	163,938	27	12.3	07.0-17.6	21	6.6	03.3-09.9	15	5.8	02.5-09.1	13	5.8	02.3-09.3	34	14.7	09.0-20.4	185	54.7	47.3-62.1
\$15,000- 24,999	538	294,649	47	12.1	08.0-16.2	27	5.9	03.2-08.6	12	3.3	01.3-05.3	11	2.4	00.6-04.2	34	7.6	04.5-10.7	407	68.7	63.2-74.2
\$25,000- 34,999	419	218,151	43	14.1	09.2-19.0	22	6.4	03.1-09.7	9	3.2	00.8-05.6	13	4.3	01.4-07.2	16	4.1	01.7-06.5	316	67.8	61.5-74.1
\$35,000- 49,999	657	338,690	51	10.2	06.9-13.5	40	7.0	04.5-09.5	14	2.4	01.0-03.8	12	2.8	01.0-04.6	49	8.6	05.7-11.5	491	69.0	64.3-73.7
\$50,000- 74,999	689	347,409	43	8.1	05.4-10.8	50	7.6	05.1-10.1	13	3.3	00.9-05.7	8	1.5	00.3-02.7	48	7.5	05.0-10.0	527	72.0	67.5-76.5
\$75,000+	1335	675,870	133	12.6	10.2-15.0	64	5.4	03.8-07.0	20	1.8	01.0-02.6	25	2.4	01.4-03.4	85	7.5	05.5-09.5	1008	70.3	67.2-73.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2164	1,240,949	202	12.2	10.2-14.2	142	7.3	05.9-08.7	55	3.6	02.4-04.8	55	3.3	02.3-04.3	206	10.7	08.9-12.5	1504	63.0	60.5-65.5
White/Non-Hisp	1898	1,020,062	175	12.6	10.4-14.8	126	7.5	05.9-09.1	44	3.4	02.2-04.6	47	3.1	02.1-04.1	180	10.6	08.8-12.4	1326	62.7	60.0-65.4
Black or Afr. Am./Non-Hisp	99	96,534	9	9.3	02.6-16.0	4	3.0	00.0-06.3	2	2.1	00.0-05.0	2	2.0	00.0-04.7	9	10.9	02.5-19.3	73	72.8	61.8-83.8
Hispanic	71	68,178	11	16.0	06.2-25.8	9	14.0	03.8-24.2	6	7.7	01.2-14.2	3	7.4	00.0-15.6	5	6.6	00.1-13.1	37	48.3	35.0-61.6
18-24	133	149,994	25	22.2	13.8-30.6	17	10.6	05.3-15.9	12	8.6	03.3-13.9	3	1.9	00.0-04.1	24	17.7	10.4-25.0	52	38.9	29.5-48.3
25-34	258	257,141	44	15.3	10.8-19.8	27	10.4	06.3-14.5	8	3.7	01.2-06.2	10	4.0	01.3-06.7	24	9.2	05.5-12.9	145	57.3	50.6-64.0
35-44	315	245,420	43	14.3	09.8-18.8	18	5.8	02.5-09.1	8	2.5	00.5-04.5	15	6.5	03.0-10.0	38	14.3	09.6-19.0	193	56.7	50.2-63.2
45-54	456	234,239	49	12.3	08.4-16.2	34	6.8	04.3-09.3	13	3.4	01.0-05.8	14	2.7	01.1-04.3	50	9.4	06.5-12.3	296	65.4	60.1-70.7
55-64	478	199,117	25	4.8	02.6-07.0	31	6.1	03.7-08.5	8	2.7	00.5-04.9	7	1.8	00.0-03.6	46	9.6	06.5-12.7	361	75.0	70.3-79.7
65+	510	150,045	13	3.1	01.1-05.1	15	3.4	01.4-05.4	6	1.5	00.1-02.9	5	0.8	00.0-01.6	24	4.2	02.2-06.2	447	87.0	83.5-90.5
Less Than H.S.	123	123,950	12	13.7	05.5-21.9	4	3.1	00.0-07.2	7	7.2	01.3-13.1	9	8.1	02.2-14.0	22	14.1	07.2-21.0	69	53.7	42.9-64.5
H.S. or G.E.D.	646	390,786	58	11.0	07.9-14.1	64	11.6	08.5-14.7	19	3.5	01.7-05.3	19	3.7	01.9-05.5	71	11.1	08.4-13.8	415	59.1	54.4-63.8
Some Post-H.S.	518	365,368	52	14.0	09.9-18.1	34	6.4	03.9-08.9	15	3.7	01.5-05.9	10	2.2	00.6-03.8	56	12.0	08.5-15.5	351	61.7	56.4-67.0
College Graduate	872	358,236	79	11.3	08.8-13.8	40	4.8	03.0-06.6	14	2.2	00.8-03.6	17	2.2	01.0-03.4	56	7.7	05.3-10.1	666	71.8	68.1-75.5
Less than \$15,000	124	74,360	11	14.5	05.5-23.5	8	5.8	01.1-10.5	10	9.3	03.0-15.6	7	7.6	01.3-13.9	16	12.8	05.5-20.1	72	50.0	38.6-61.4
\$15,000- 24,999	242	148,703	16	8.0	03.7-12.3	14	7.1	02.8-11.4	7	4.1	01.0-07.2	7	3.5	00.6-06.4	28	12.5	07.0-18.0	170	64.8	57.0-72.6
\$25,000- 34,999	201	119,926	27	15.7	09.6-21.8	11	7.2	01.9-12.5	5	4.0	00.3-07.7	6	4.6	00.0-09.3	12	5.8	01.9-09.7	140	62.6	54.0-71.2
\$35,000- 49,999	334	202,410	29	12.5	07.4-17.6	25	8.2	04.7-11.7	7	2.1	00.3-03.9	9	3.4	00.9-05.9	37	12.4	07.9-16.9	227	61.4	54.7-68.1
\$50,000- 74,999	340	189,895	22	7.6	04.1-11.1	33	9.1	05.4-12.8	9	4.7	00.8-08.6	3	1.3	00.0-02.9	37	11.7	07.4-16.0	236	65.6	58.9-72.3
\$75,000+	731	394,737	76	12.6	09.5-15.7	36	5.6	03.4-07.8	13	2.3	00.9-03.7	19	3.4	01.6-05.2	61	10.3	07.4-13.2	526	65.8	61.3-70.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2258	1,031,851	178	10.7	08.7-12.7	105	5.4	04.0-06.8	34	2.1	01.1-03.1	34	2.0	01.2-02.8	83	4.4	03.2-05.6	1824	75.5	73.0-78.0
White/Non-Hisp	2015	885,381	152	10.0	08.0-12.0	87	4.8	03.6-06.0	31	2.1	01.1-03.1	27	1.9	01.1-02.7	72	3.9	02.7-05.1	1646	77.2	74.7-79.7
Black or Afr. Am./Non-Hisp	121	71,576	13	15.9	06.5-25.3	11	9.0	02.3-15.7	1	0.4	00.0-01.2	4	1.8	00.0-04.2	4	5.6	00.0-12.1	88	67.2	55.8-78.6
Hispanic	58	42,877	9	16.6	05.2-28.0	4	10.0	00.0-21.2	1	1.4	00.0-04.1	1	2.5	00.0-07.4	4	11.7	00.0-23.9	39	57.8	41.9-73.7
18-24	111	142,047	16	14.3	06.9-21.7	11	9.5	03.6-15.4	4	4.5	00.0-09.8	3	2.1	00.0-04.6	12	10.2	04.3-16.1	65	59.4	48.8-70.0
25-34	272	207,759	45	19.7	13.8-25.6	19	6.4	03.3-09.5	8	1.9	00.5-03.3	8	3.2	00.8-05.6	12	4.6	01.7-07.5	180	64.2	57.5-70.9
35-44	349	192,976	43	12.4	08.3-16.5	23	6.0	03.3-08.7	6	2.1	00.1-04.1	9	3.2	00.8-05.6	22	5.9	03.2-08.6	246	70.4	64.9-75.9
45-54	433	200,731	32	6.6	03.9-09.3	26	5.2	02.8-07.6	7	2.1	00.3-03.9	8	1.1	00.3-01.9	15	2.4	01.0-03.8	345	82.6	78.7-86.5
55-64	474	145,934	26	5.8	03.3-08.3	13	2.7	00.7-04.7	5	1.2	00.0-02.4	5	1.3	00.0-02.7	15	2.7	01.1-04.3	410	86.2	82.5-89.9
65+	599	136,674	15	2.7	00.9-04.5	13	1.9	00.7-03.1	3	0.6	00.0-01.4	1	0.2	00.0-00.6	7	0.7	00.1-01.3	560	93.9	91.7-96.1
Less Than H.S.	95	80,967	5	4.9	00.0-10.2	7	6.8	00.5-13.1	4	5.7	00.0-13.9	4	3.6	00.0-07.5	10	13.3	04.3-22.3	65	65.7	53.0-78.4
H.S. or G.E.D.	629	282,168	54	13.3	08.8-17.8	22	3.4	01.6-05.2	10	1.5	00.5-02.5	8	1.7	00.3-03.1	23	4.0	02.0-06.0	512	76.3	71.4-81.2
Some Post-H.S.	643	364,779	53	10.5	07.2-13.8	44	7.7	05.0-10.4	8	1.8	00.4-03.2	14	2.3	00.9-03.7	16	2.7	01.1-04.3	508	75.1	70.6-79.6
College Graduate	890	303,414	66	10.3	07.6-13.0	32	4.0	02.4-05.6	12	2.0	00.8-03.2	8	1.4	00.2-02.6	34	4.4	02.6-06.2	738	77.8	74.3-81.3
Less than \$15,000	171	89,578	16	10.5	04.6-16.4	13	7.3	02.8-11.8	5	2.8	00.1-05.5	6	4.4	00.7-08.1	18	16.2	07.8-24.6	113	58.7	48.9-68.5
\$15,000- 24,999	296	145,947	31	16.3	09.4-23.2	13	4.6	01.3-07.9	5	2.4	00.0-04.8	4	1.4	00.0-03.2	6	2.7	00.0-05.6	237	72.5	64.7-80.3
\$25,000- 34,999	218	98,225	16	12.3	04.5-20.1	11	5.3	01.4-09.2	4	2.1	00.0-04.3	7	4.0	00.7-07.3	4	2.1	00.0-04.5	176	74.2	65.4-83.0
\$35,000- 49,999	323	136,280	22	6.7	03.6-09.8	15	5.4	02.1-08.7	7	2.7	00.2-05.2	3	1.8	00.0-04.0	12	3.0	01.2-04.8	264	80.4	74.9-85.9
\$50,000- 74,999	349	157,514	21	8.8	04.5-13.1	17	5.7	02.6-08.8	4	1.6	00.0-03.4	5	1.8	00.0-03.6	11	2.4	00.8-04.0	291	79.8	74.1-85.5
\$75,000+	604	281,134	57	12.6	08.9-16.3	28	5.1	02.7-07.5	7	1.0	00.2-01.8	6	0.9	00.0-01.9	24	3.6	01.8-05.4	482	76.8	72.3-81.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4328	2,217,214	1285	24.4	22.8-26.0	1195	26.0	24.2-27.8	638	14.9	13.5-16.3	322	7.3	06.3-08.3	888	27.4	25.6-29.2
Male	2119	1,207,907	442	17.6	15.6-19.6	501	21.2	19.0-23.4	369	17.1	15.1-19.1	185	8.1	06.5-09.7	622	36.0	33.3-38.7
Female	2209	1,009,306	843	32.4	29.9-34.9	694	31.8	29.3-34.3	269	12.4	10.6-14.2	137	6.4	05.0-07.8	266	17.1	14.7-19.5
White/Non-Hisp	3842	1,866,523	1154	25.4	23.6-27.2	1059	25.9	24.1-27.7	567	14.7	13.3-16.1	283	7.2	06.2-08.2	779	26.9	24.9-28.9
Black or Afr. Am./Non-Hisp	211	159,432	56	18.2	12.5-23.9	66	31.9	23.5-40.3	30	16.8	09.9-23.7	17	8.0	02.3-13.7	42	25.2	17.4-33.0
Oth. Race/Non-Hisp.	61	37,968	17	20.8	09.6-32.0	17	24.9	12.4-37.4	7	12.4	02.8-22.0	5	7.7	00.6-14.8	15	34.1	17.0-51.2
Hispanic	125	108,345	25	15.7	09.0-22.4	24	14.7	07.6-21.8	23	18.4	10.4-26.4	12	9.6	03.5-15.7	41	41.6	31.2-52.0
18-24	231	279,176	39	15.7	10.6-20.8	32	15.4	09.5-21.3	35	16.3	10.6-22.0	18	6.1	03.2-09.0	107	46.5	39.1-53.9
25-34	516	450,845	106	19.0	15.3-22.7	115	22.0	18.1-25.9	75	14.5	11.0-18.0	42	9.3	06.0-12.6	178	35.1	30.4-39.8
35-44	647	426,956	145	18.4	15.1-21.7	171	27.8	23.5-32.1	92	13.6	10.5-16.7	56	7.1	04.9-09.3	183	33.1	28.6-37.6
45-54	882	434,675	215	24.2	20.9-27.5	248	29.5	25.8-33.2	149	16.6	13.9-19.3	65	6.3	04.5-08.1	205	23.4	20.1-26.7
55-64	927	332,038	287	29.6	26.1-33.1	281	30.0	26.7-33.3	140	15.5	12.8-18.2	74	8.3	06.1-10.5	145	16.7	13.8-19.6
65+	1092	283,255	474	43.3	39.8-46.8	342	30.2	27.1-33.3	143	13.3	10.9-15.7	66	6.4	04.6-08.2	67	6.9	04.9-08.9
Less Than H.S.	210	197,454	44	17.8	11.7-23.9	50	21.9	14.8-29.0	28	14.2	08.1-20.3	14	5.5	02.2-08.8	74	40.6	32.2-49.0
H.S. or G.E.D.	1238	647,002	387	25.6	22.7-28.5	306	22.9	20.0-25.8	160	13.8	11.4-16.2	99	8.9	06.5-11.3	286	28.8	25.5-32.1
Some Post-H.S.	1136	716,820	343	25.1	22.2-28.0	303	26.3	23.0-29.6	162	14.7	12.0-17.4	82	6.3	04.5-08.1	246	27.7	24.4-31.0
College Graduate	1738	652,805	507	24.2	21.8-26.6	535	30.1	27.6-32.6	288	16.7	14.5-18.9	127	7.5	05.9-09.1	281	21.5	19.0-24.0
Less than \$15,000	283	159,264	73	25.1	18.6-31.6	55	16.7	11.0-22.4	33	10.6	05.9-15.3	28	9.2	04.9-13.5	94	38.4	31.0-45.8
\$15,000- 24,999	519	280,119	165	23.5	19.0-28.0	132	23.7	18.6-28.8	73	16.7	12.0-21.4	39	6.4	03.9-08.9	110	29.7	24.0-35.4
\$25,000- 34,999	408	213,848	136	25.1	20.2-30.0	108	25.1	19.6-30.6	56	14.7	10.2-19.2	27	7.9	03.8-12.0	81	27.2	21.3-33.1
\$35,000- 49,999	648	331,645	202	25.6	21.5-29.7	174	26.3	21.8-30.8	93	14.9	11.4-18.4	41	5.1	03.1-07.1	138	28.2	23.5-32.9
\$50,000- 74,999	678	339,857	195	25.5	21.4-29.6	201	28.8	24.3-33.3	95	13.4	10.1-16.7	54	8.9	05.6-12.2	133	23.4	19.1-27.7
\$75,000+	1318	666,800	321	20.6	18.1-23.1	389	27.9	25.0-30.8	233	17.6	15.1-20.1	118	8.9	06.9-10.9	257	24.9	21.8-28.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2119	1,207,907	442	17.6	15.6-19.6	501	21.2	19.0-23.4	369	17.1	15.1-19.1	185	8.1	06.5-09.7	622	36.0	33.3-38.7
White/Non-Hisp	1866	997,310	386	18.1	15.9-20.3	433	20.5	18.3-22.7	332	17.0	14.8-19.2	166	8.0	06.6-09.4	549	36.5	33.8-39.2
Black or Afr. Am./Non-Hisp	97	92,786	21	15.1	07.8-22.4	30	30.1	17.9-42.3	13	17.2	07.0-27.4	6	7.3	00.0-16.1	27	30.2	18.4-42.0
Hispanic	68	66,373	10	12.1	04.5-19.7	13	13.1	04.5-21.7	12	19.3	08.3-30.3	4	9.2	00.6-17.8	29	46.4	32.7-60.1
18-24	124	142,870	15	11.5	05.0-18.0	10	7.1	02.4-11.8	16	14.9	07.3-22.5	8	5.2	01.5-08.9	75	61.3	51.5-71.1
25-34	249	246,287	37	14.9	10.0-19.8	35	15.1	10.0-20.2	47	18.8	13.3-24.3	24	10.4	05.5-15.3	106	40.9	34.2-47.6
35-44	309	238,577	43	11.4	07.9-14.9	71	23.9	18.0-29.8	53	15.5	11.0-20.0	27	6.6	03.9-09.3	115	42.6	35.9-49.3
45-54	452	234,748	75	16.3	12.4-20.2	100	23.6	18.9-28.3	87	18.5	14.4-22.6	36	7.5	04.8-10.2	154	34.1	28.8-39.4
55-64	465	190,532	103	22.9	18.4-27.4	131	26.9	22.4-31.4	72	16.5	12.4-20.6	44	9.5	06.4-12.6	115	24.3	19.8-28.8
65+	507	150,355	162	32.4	27.5-37.3	153	29.9	25.4-34.4	91	17.2	13.5-20.9	45	8.7	05.8-11.6	56	11.9	08.4-15.4
Less Than H.S.	118	118,461	20	13.5	06.4-20.6	22	18.4	10.0-26.8	17	14.5	06.9-22.1	10	7.5	02.2-12.8	49	46.1	35.1-57.1
H.S. or G.E.D.	626	373,150	130	17.7	14.2-21.2	121	17.5	13.6-21.4	94	15.2	11.9-18.5	64	10.0	06.7-13.3	217	39.6	34.7-44.5
Some Post-H.S.	511	360,821	105	18.0	14.3-21.7	111	19.7	15.8-23.6	92	18.2	13.9-22.5	41	6.5	04.1-08.9	162	37.6	32.3-42.9
College Graduate	859	352,866	184	18.4	15.5-21.3	246	27.6	24.1-31.1	166	18.9	16.0-21.8	70	8.0	05.8-10.2	193	27.0	23.3-30.7
Less than \$15,000	120	73,197	16	12.1	05.2-19.0	19	13.5	05.3-21.7	18	17.0	08.0-26.0	17	12.8	05.0-20.6	50	44.5	33.1-55.9
\$15,000- 24,999	232	137,353	56	19.7	13.6-25.8	50	19.2	12.7-25.7	32	15.6	09.3-21.9	24	8.3	04.2-12.4	70	37.2	29.0-45.4
\$25,000- 34,999	193	118,182	44	18.4	12.1-24.7	46	20.6	13.5-27.7	33	17.3	10.2-24.4	14	6.9	02.8-11.0	56	36.8	28.0-45.6
\$35,000- 49,999	330	196,908	75	20.4	15.3-25.5	74	18.2	13.5-22.9	58	18.6	13.3-23.9	22	5.2	02.7-07.7	101	37.6	30.9-44.3
\$50,000- 74,999	337	187,336	73	19.5	14.6-24.4	78	22.6	16.5-28.7	55	15.0	09.9-20.1	31	10.4	05.1-15.7	100	32.5	25.8-39.2
\$75,000+	720	388,459	128	15.0	11.9-18.1	181	22.7	19.2-26.2	149	19.9	16.4-23.4	72	9.6	07.1-12.1	190	32.7	28.2-37.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2209	1,009,306	843	32.4	29.9-34.9	694	31.8	29.3-34.3	269	12.4	10.6-14.2	137	6.4	05.0-07.8	266	17.1	14.7-19.5
White/Non-Hisp	1976	869,213	768	33.7	31.0-36.4	626	32.2	29.5-34.9	235	12.0	10.0-14.0	117	6.2	04.6-07.8	230	15.8	13.4-18.2
Black or Afr. Am./Non-Hisp	114	66,646	35	22.4	13.6-31.2	36	34.4	23.4-45.4	17	16.1	08.3-23.9	11	9.0	02.7-15.3	15	18.1	08.3-27.9
Hispanic	57	41,972	15	21.3	09.5-33.1	11	17.4	05.2-29.6	11	16.9	05.9-27.9	8	10.3	02.5-18.1	12	34.0	17.7-50.3
18-24	107	136,306	24	20.0	12.0-28.0	22	24.1	13.7-34.5	19	17.7	09.1-26.3	10	7.1	02.6-11.6	32	31.1	20.9-41.3
25-34	267	204,558	69	23.9	18.4-29.4	80	30.4	24.1-36.7	28	9.5	05.8-13.2	18	8.0	03.3-12.7	72	28.2	22.1-34.3
35-44	338	188,379	102	27.4	21.9-32.9	100	32.8	26.7-38.9	39	11.2	07.5-14.9	29	7.6	04.5-10.7	68	21.1	16.0-26.2
45-54	430	199,928	140	33.5	28.0-39.0	148	36.5	31.0-42.0	62	14.4	10.7-18.1	29	4.9	02.9-06.9	51	10.8	07.5-14.1
55-64	462	141,506	184	38.6	33.3-43.9	150	34.2	29.1-39.3	68	14.1	10.6-17.6	30	6.7	03.8-09.6	30	6.4	03.7-09.1
65+	585	132,900	312	55.8	51.1-60.5	189	30.5	26.2-34.8	52	8.8	06.3-11.3	21	3.8	01.8-05.8	11	1.2	00.4-02.0
Less Than H.S.	92	78,993	24	24.3	13.5-35.1	28	27.1	15.1-39.1	11	13.7	03.3-24.1	4	2.6	00.0-05.7	25	32.3	19.4-45.2
H.S. or G.E.D.	612	273,853	257	36.4	31.7-41.1	185	30.2	25.5-34.9	66	11.8	08.7-14.9	35	7.5	04.2-10.8	69	14.1	10.2-18.0
Some Post-H.S.	625	355,999	238	32.2	27.7-36.7	192	32.9	28.0-37.8	70	11.1	07.8-14.4	41	6.0	03.5-08.5	84	17.7	13.8-21.6
College Graduate	879	299,939	323	31.0	27.5-34.5	289	33.1	29.2-37.0	122	14.1	11.4-16.8	57	6.8	04.8-08.8	88	14.9	11.8-18.0
Less than \$15,000	163	86,066	57	36.1	26.3-45.9	36	19.3	11.7-26.9	15	5.2	01.9-08.5	11	6.2	01.9-10.5	44	33.1	23.5-42.7
\$15,000- 24,999	287	142,766	109	27.1	20.4-33.8	82	28.1	20.5-35.7	41	17.8	10.7-24.9	15	4.6	01.9-07.3	40	22.5	14.7-30.3
\$25,000- 34,999	215	95,666	92	33.4	25.6-41.2	62	30.6	22.0-39.2	23	11.6	06.3-16.9	13	9.1	01.7-16.5	25	15.3	09.0-21.6
\$35,000- 49,999	318	134,738	127	33.3	26.8-39.8	100	38.0	30.2-45.8	35	9.4	05.9-12.9	19	4.9	02.4-07.4	37	14.4	09.3-19.5
\$50,000- 74,999	341	152,521	122	32.8	26.5-39.1	123	36.4	29.9-42.9	40	11.4	07.5-15.3	23	7.1	03.8-10.4	33	12.3	07.8-16.8
\$75,000+	598	278,341	193	28.5	24.2-32.8	208	35.2	30.3-40.1	84	14.5	10.6-18.4	46	7.9	05.0-10.8	67	13.9	10.2-17.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013**

SECTION 11: FRUITS AND VEGETABLES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100 PERCENT PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100 PERCENT JUICE. (FRUITJU1)	
1 MALES AND FEMALES	201
2 MALES ONLY	202
3 FEMALES ONLY	203
DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)	
4 MALES AND FEMALES	204
5 MALES ONLY	205
6 FEMALES ONLY	206
DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)	
7 MALES AND FEMALES	207
8 MALES ONLY	208
9 FEMALES ONLY	209
DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)	
10 MALES AND FEMALES	210
11 MALES ONLY	211
12 FEMALES ONLY	212
DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)	
13 MALES AND FEMALES	213
14 MALES ONLY	214
15 FEMALES ONLY	215
NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES? EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH AS BAKED OR MASHED POTATOES. (VEGETAB1)	
16 MALES AND FEMALES	216
17 MALES ONLY	217

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013

SECTION 11: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE
18 FEMALES ONLY

PAGE
218

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 1: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100 PERCENT PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100 PERCENT JUICE. (FRUITJU1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9548	4,554,935	1863	18.3	17.3-19.3	1543	17.7	16.7-18.7	2240	24.6	23.4-25.8	28	0.3	00.1-00.5	3874	39.0	37.6-40.4
Male	3926	2,193,862	800	18.9	17.3-20.5	682	18.6	17.0-20.2	1003	27.1	25.3-28.9	16	0.3	00.1-00.5	1425	35.1	33.1-37.1
Female	5622	2,361,074	1063	17.8	16.4-19.2	861	16.9	15.5-18.3	1237	22.3	20.7-23.9	12	0.3	00.1-00.5	2449	42.6	40.8-44.4
White/Non-Hisp	8327	3,731,624	1569	16.7	15.7-17.7	1309	17.4	16.2-18.6	1949	24.9	23.7-26.1	26	0.3	00.1-00.5	3474	40.6	39.2-42.0
Black or Afr. Am./Non-Hisp	536	376,497	159	32.4	27.1-37.7	90	16.6	12.7-20.5	124	20.9	16.2-25.6				163	30.2	24.9-35.5
Oth. Race/Non-Hisp.	155	92,667	32	20.5	12.5-28.5	30	18.1	10.8-25.4	42	29.5	20.3-38.7				51	32.0	22.4-41.6
MultiRacial/Non-Hisp.	106	42,133	24	20.9	10.9-30.9	21	23.8	12.2-35.4	23	18.2	08.6-27.8				38	37.1	24.6-49.6
Hispanic	288	244,189	55	20.1	14.4-25.8	75	24.8	19.1-30.5	70	24.7	18.8-30.6	1	0.2	00.0-00.6	87	30.3	24.2-36.4
18-24	484	606,118	83	17.7	13.8-21.6	116	22.0	18.1-25.9	141	29.6	24.9-34.3	1	0.2	00.0-00.6	143	30.5	25.8-35.2
25-34	838	742,737	132	17.1	14.0-20.2	201	24.1	20.8-27.4	220	25.3	22.0-28.6	2	0.2	00.0-00.6	283	33.2	29.5-36.9
35-44	1139	746,559	179	16.1	13.6-18.6	208	18.2	15.7-20.7	304	25.9	22.8-29.0	5	0.5	00.1-00.9	443	39.3	36.0-42.6
45-54	1664	828,445	274	15.9	13.7-18.1	265	15.2	13.2-17.2	432	26.0	23.5-28.5	4	0.3	00.1-00.5	689	42.7	39.8-45.6
55-64	2121	753,789	345	17.0	15.0-19.0	329	16.2	14.2-18.2	494	22.7	20.5-24.9	5	0.2	00.0-00.4	948	43.9	41.4-46.4
65+	3221	851,584	830	25.0	23.2-26.8	411	12.7	11.3-14.1	635	20.1	18.3-21.9	11	0.3	00.1-00.5	1334	41.9	39.7-44.1
Less Than H.S.	838	628,254	162	19.4	15.9-22.9	124	15.9	12.6-19.2	163	21.2	17.5-24.9	3	0.2	00.0-00.4	386	43.4	38.9-47.9
H.S. or G.E.D.	3437	1,561,224	683	18.9	17.1-20.7	517	16.7	14.9-18.5	713	23.5	21.5-25.5	10	0.3	00.1-00.5	1514	40.7	38.5-42.9
Some Post-H.S.	2450	1,385,718	468	17.6	15.6-19.6	408	18.3	16.3-20.3	597	25.9	23.5-28.3	9	0.5	00.1-00.9	968	37.7	35.2-40.2
College Graduate	2801	969,655	544	17.6	15.8-19.4	491	19.8	17.8-21.8	762	27.0	25.0-29.0	6	0.2	00.0-00.4	998	35.4	33.2-37.6
Less than \$15,000	1000	459,351	212	20.6	17.1-24.1	163	17.1	14.0-20.2	195	19.2	15.9-22.5	2	0.5	00.0-01.1	428	42.5	38.0-47.0
\$15,000- 24,999	1622	740,827	332	21.1	18.2-24.0	234	16.1	13.6-18.6	354	24.6	21.7-27.5	3	0.2	00.0-00.4	699	38.0	34.9-41.1
\$25,000- 34,999	1053	491,105	193	16.8	13.9-19.7	169	18.0	14.9-21.1	251	24.5	21.0-28.0	3	0.3	00.0-00.7	437	40.4	36.5-44.3
\$35,000- 49,999	1261	603,812	245	17.4	14.9-19.9	201	16.9	14.2-19.6	308	26.5	23.2-29.8	2	0.2	00.0-00.4	505	39.0	35.5-42.5
\$50,000- 74,999	1271	628,431	218	16.5	13.8-19.2	220	18.2	15.5-20.9	313	23.9	20.8-27.0	6	0.5	00.0-01.1	514	40.8	37.3-44.3
\$75,000+	1957	1,003,058	340	16.3	14.1-18.5	338	18.7	16.3-21.1	547	27.6	25.1-30.1	7	0.2	00.0-00.4	725	37.1	34.4-39.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 2: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100 PERCENT PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100 PERCENT JUICE. (FRUITJU1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3926	2,193,862	800	18.9	17.3-20.5	682	18.6	17.0-20.2	1003	27.1	25.3-28.9	16	0.3	00.1-00.5	1425	35.1	33.1-37.1
White/Non-Hisp	3411	1,787,897	670	17.0	15.4-18.6	578	18.2	16.6-19.8	871	27.5	25.5-29.5	14	0.4	00.2-00.6	1278	36.9	34.7-39.1
Black or Afr. Am./Non-Hisp	189	172,084	57	33.2	24.6-41.8	35	16.8	10.1-23.5	46	23.9	15.7-32.1				51	26.1	18.3-33.9
Oth. Race/Non-Hisp.	74	50,830	18	23.4	11.6-35.2	16	19.4	09.2-29.6	22	32.7	19.6-45.8				18	24.5	12.7-36.3
MultiRacial/Non-Hisp.	51	23,812	12	21.5	07.0-36.0	8	18.5	03.6-33.4	13	23.1	08.4-37.8				18	36.9	19.8-54.0
Hispanic	125	117,504	27	23.9	14.9-32.9	36	29.6	20.6-38.6	28	21.5	13.3-29.7	1	0.4	00.0-01.2	33	24.6	16.2-33.0
18-24	257	313,551	50	18.7	13.4-24.0	57	20.6	15.3-25.9	82	32.7	26.0-39.4				68	27.9	21.4-34.4
25-34	364	365,772	54	16.4	11.9-20.9	86	24.6	19.5-29.7	104	27.9	22.8-33.0				120	31.0	25.7-36.3
35-44	468	363,517	83	17.7	13.6-21.8	96	19.4	15.3-23.5	130	28.3	23.4-33.2	4	0.8	00.0-01.6	155	33.7	28.6-38.8
45-54	772	406,405	129	16.1	13.2-19.0	137	17.4	14.3-20.5	212	28.0	24.3-31.7	4	0.5	00.0-01.1	290	38.0	33.9-42.1
55-64	874	367,933	157	18.4	15.3-21.5	142	16.7	13.8-19.6	228	25.8	22.3-29.3	3	0.2	00.0-00.4	344	38.9	35.0-42.8
65+	1164	368,170	320	26.0	23.1-28.9	159	13.3	10.9-15.7	243	20.9	18.2-23.6	5	0.3	00.0-00.7	437	39.4	36.1-42.7
Less Than H.S.	345	316,916	65	18.1	13.2-23.0	54	17.0	11.9-22.1	78	24.0	18.3-29.7	3	0.3	00.0-00.7	145	40.6	34.1-47.1
H.S. or G.E.D.	1361	750,052	264	18.3	15.6-21.0	215	17.0	14.5-19.5	313	26.1	23.0-29.2	7	0.4	00.0-00.8	562	38.1	35.0-41.2
Some Post-H.S.	949	633,105	185	18.3	15.4-21.2	168	19.1	16.0-22.2	263	29.3	25.8-32.8	2	0.3	00.0-00.7	331	33.1	29.4-36.8
College Graduate	1257	486,062	281	20.8	18.1-23.5	244	21.7	19.0-24.4	346	27.8	24.9-30.7	4	0.3	00.0-00.7	382	29.5	26.6-32.4
Less than \$15,000	336	181,177	72	20.6	14.9-26.3	54	16.0	11.1-20.9	63	18.2	12.9-23.5	1	0.6	00.0-01.8	146	44.6	37.5-51.7
\$15,000- 24,999	565	305,502	122	22.3	17.6-27.0	82	16.9	12.6-21.2	133	26.9	22.0-31.8	1	0.1	00.0-00.3	227	33.9	29.0-38.8
\$25,000- 34,999	450	254,108	91	18.9	14.4-23.4	72	16.0	11.9-20.1	118	27.2	21.7-32.7	2	0.3	00.0-00.7	167	37.6	31.7-43.5
\$35,000- 49,999	572	328,315	119	17.0	13.5-20.5	94	18.2	14.1-22.3	144	27.8	23.1-32.5	1	0.2	00.0-00.6	214	36.8	31.7-41.9
\$50,000- 74,999	574	326,949	108	17.5	13.4-21.6	109	19.9	16.0-23.8	150	26.6	21.7-31.5	1	0.3	00.0-00.9	206	35.7	30.6-40.8
\$75,000+	1001	550,516	188	17.5	14.6-20.4	191	19.8	16.7-22.9	297	30.2	26.7-33.7	6	0.4	00.0-00.8	319	32.1	28.6-35.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 3: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100 PERCENT PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100 PERCENT JUICE. (FRUITJU1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5622	2,361,074	1063	17.8	16.4-19.2	861	16.9	15.5-18.3	1237	22.3	20.7-23.9	12	0.3	00.1-00.5	2449	42.6	40.8-44.4
White/Non-Hisp	4916	1,943,728	899	16.4	15.0-17.8	731	16.7	15.1-18.3	1078	22.6	21.0-24.2	12	0.3	00.1-00.5	2196	44.0	42.0-46.0
Black or Afr. Am./Non-Hisp	347	204,414	102	31.6	24.9-38.3	55	16.4	11.5-21.3	78	18.4	13.5-23.3				112	33.6	26.5-40.7
Oth. Race/Non-Hisp.	81	41,837	14	16.9	06.3-27.5	14	16.6	06.8-26.4	20	25.5	13.2-37.8				33	41.0	26.3-55.7
MultiRacial/Non-Hisp.	55	18,321	12	20.1	06.8-33.4	13	30.7	13.1-48.3	10	11.8	01.6-22.0				20	37.4	19.2-55.6
Hispanic	163	126,685	28	16.6	09.5-23.7	39	20.3	13.2-27.4	42	27.6	19.2-36.0				54	35.5	26.7-44.3
18-24	227	292,567	33	16.6	10.9-22.3	59	23.5	17.6-29.4	59	26.4	19.7-33.1	1	0.4	00.0-01.2	75	33.2	26.3-40.1
25-34	474	376,965	78	17.8	13.5-22.1	115	23.6	19.1-28.1	116	22.7	18.4-27.0	2	0.5	00.0-01.3	163	35.4	30.3-40.5
35-44	671	383,042	96	14.6	11.5-17.7	112	17.1	13.8-20.4	174	23.5	20.0-27.0	1	0.1	00.0-00.3	288	44.6	40.1-49.1
45-54	892	422,040	145	15.6	12.7-18.5	128	13.1	10.6-15.6	220	24.0	20.7-27.3				399	47.3	43.4-51.2
55-64	1247	385,856	188	15.8	13.3-18.3	187	15.7	13.3-18.1	266	19.7	17.2-22.2	2	0.2	00.0-00.4	604	48.7	45.4-52.0
65+	2057	483,414	510	24.2	22.0-26.4	252	12.2	10.4-14.0	392	19.5	17.3-21.7	6	0.4	00.0-00.8	897	43.8	41.3-46.3
Less Than H.S.	493	311,338	97	20.6	15.7-25.5	70	14.7	10.4-19.0	85	18.3	13.4-23.2				241	46.3	40.2-52.4
H.S. or G.E.D.	2076	811,172	419	19.5	17.1-21.9	302	16.5	14.3-18.7	400	21.0	18.6-23.4	3	0.1	00.0-00.3	952	43.0	40.1-45.9
Some Post-H.S.	1501	752,613	283	17.0	14.5-19.5	240	17.6	15.1-20.1	334	23.0	20.3-25.7	7	0.7	00.1-01.3	637	41.7	38.4-45.0
College Graduate	1544	483,593	263	14.4	12.4-16.4	247	18.0	15.6-20.4	416	26.2	23.5-28.9	2	0.0	00.0-00.0	616	41.3	38.2-44.4
Less than \$15,000	664	278,174	140	20.7	16.2-25.2	109	17.9	13.8-22.0	132	19.9	15.8-24.0	1	0.4	00.0-01.2	282	41.1	35.4-46.8
\$15,000- 24,999	1057	435,325	210	20.3	16.6-24.0	152	15.6	12.5-18.7	221	23.0	19.3-26.7	2	0.3	00.0-00.7	472	40.9	36.8-45.0
\$25,000- 34,999	603	236,997	102	14.7	11.2-18.2	97	20.1	15.4-24.8	133	21.6	17.3-25.9	1	0.3	00.0-00.9	270	43.3	38.0-48.6
\$35,000- 49,999	689	275,498	126	18.0	14.1-21.9	107	15.3	12.0-18.6	164	25.1	20.4-29.8	1	0.1	00.0-00.3	291	41.6	36.7-46.5
\$50,000- 74,999	697	301,482	110	15.4	12.1-18.7	111	16.4	13.1-19.7	163	21.0	17.5-24.5	5	0.7	00.0-01.5	308	46.4	41.7-51.1
\$75,000+	956	452,542	152	14.9	12.0-17.8	147	17.5	14.2-20.8	250	24.4	21.1-27.7	1	0.1	00.0-00.3	406	43.2	39.3-47.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

**TABLE 4: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9614	4,585,353	4245	41.4	40.0-42.8	2387	26.6	25.4-27.8	2528	26.6	25.4-27.8	4	0.0	00.0-00.0	450	5.4	04.8-06.0
Male	3966	2,213,051	1446	35.3	33.3-37.3	1067	26.7	24.9-28.5	1204	30.7	28.7-32.7	2	0.0	00.0-00.0	247	7.3	06.1-08.5
Female	5648	2,372,303	2799	47.1	45.3-48.9	1320	26.5	24.9-28.1	1324	22.8	21.4-24.2	2	0.0	00.0-00.0	203	3.6	03.0-04.2
White/Non-Hisp	8377	3,754,470	3709	41.3	39.9-42.7	2073	26.4	25.0-27.8	2218	27.1	25.9-28.3	3	0.0	00.0-00.0	374	5.2	04.4-06.0
Black or Afr. Am./Non-Hisp	546	382,122	220	39.0	33.5-44.5	146	28.3	23.2-33.4	146	26.5	21.4-31.6	1	0.2	00.0-00.6	33	6.0	03.6-08.4
Oth. Race/Non-Hisp.	156	94,702	71	41.6	31.8-51.4	35	27.8	18.2-37.4	39	25.7	16.7-34.7				11	4.9	01.6-08.2
MultiRacial/Non-Hisp.	107	42,255	42	33.0	21.8-44.2	20	17.4	07.0-27.8	37	38.2	25.7-50.7				8	11.4	02.2-20.6
Hispanic	288	242,192	143	49.8	42.9-56.7	79	27.9	21.8-34.0	55	18.4	13.1-23.7				11	3.9	01.2-06.6
18-24	491	613,877	197	39.8	34.9-44.7	165	34.3	29.6-39.0	103	21.3	17.2-25.4				26	4.7	02.7-06.7
25-34	840	745,944	352	39.2	35.5-42.9	233	28.1	24.6-31.6	220	27.7	24.2-31.2				35	4.9	02.9-06.9
35-44	1140	746,372	492	40.9	37.6-44.2	297	26.5	23.4-29.6	299	26.6	23.5-29.7				52	6.0	04.0-08.0
45-54	1677	837,590	658	38.5	35.8-41.2	405	23.3	20.9-25.7	517	32.1	29.4-34.8	1	0.1	00.0-00.3	96	6.1	04.7-07.5
55-64	2134	758,182	908	41.7	39.2-44.2	520	25.8	23.4-28.2	594	26.8	24.6-29.0	2	0.1	00.0-00.3	110	5.7	04.3-07.1
65+	3257	859,564	1599	47.4	45.2-49.6	749	23.7	21.9-25.5	781	24.2	22.4-26.0	1	0.0	00.0-00.0	127	4.7	03.7-05.7
Less Than H.S.	843	628,852	291	32.9	28.8-37.0	214	26.3	22.4-30.2	233	27.4	23.5-31.3	1	0.0	00.0-00.0	104	13.4	10.3-16.5
H.S. or G.E.D.	3460	1,568,955	1405	38.6	36.4-40.8	888	26.8	24.8-28.8	964	28.4	26.4-30.4	1	0.0	00.0-00.0	202	6.1	05.1-07.1
Some Post-H.S.	2465	1,400,123	1056	41.1	38.6-43.6	652	28.7	26.3-31.1	661	26.5	24.3-28.7				96	3.7	02.9-04.5
College Graduate	2824	976,938	1481	51.7	49.3-54.1	631	23.6	21.6-25.6	664	23.2	21.2-25.2	2	0.1	00.0-00.3	46	1.4	00.8-02.0
Less than \$15,000	1006	463,598	362	32.3	28.4-36.2	252	26.8	22.7-30.9	293	29.2	25.3-33.1	1	0.1	00.0-00.3	98	11.6	08.5-14.7
\$15,000- 24,999	1629	742,486	670	38.4	35.1-41.7	427	29.3	26.2-32.4	441	25.9	23.0-28.8	1	0.0	00.0-00.0	90	6.3	04.5-08.1
\$25,000- 34,999	1065	495,654	416	35.6	31.9-39.3	300	29.5	25.8-33.2	291	28.8	25.1-32.5				58	6.2	04.2-08.2
\$35,000- 49,999	1275	609,273	563	41.5	38.0-45.0	299	23.4	20.5-26.3	363	30.2	26.9-33.5				50	4.8	03.0-06.6
\$50,000- 74,999	1277	635,428	594	42.0	38.5-45.5	321	27.5	24.4-30.6	317	26.5	23.2-29.8	1	0.1	00.0-00.3	44	3.9	02.5-05.3
\$75,000+	1964	1,002,319	965	48.4	45.7-51.1	459	24.3	21.9-26.7	499	25.2	22.8-27.6	1	0.0	00.0-00.0	40	2.2	01.4-03.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

**TABLE 5: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3966	2,213,051	1446	35.3	33.3-37.3	1067	26.7	24.9-28.5	1204	30.7	28.7-32.7	2	0.0	00.0-00.0	247	7.3	06.1-08.5
White/Non-Hisp	3441	1,804,777	1254	35.3	33.3-37.3	929	26.5	24.5-28.5	1052	30.8	28.8-32.8	1	0.0	00.0-00.0	205	7.3	06.1-08.5
Black or Afr. Am./Non-Hisp	193	173,854	70	36.1	27.5-44.7	46	22.2	14.9-29.5	58	33.0	24.0-42.0	1	0.4	00.0-01.2	18	8.2	03.9-12.5
Oth. Race/Non-Hisp.	75	51,024	29	34.5	21.6-47.4	21	28.5	16.5-40.5	17	30.3	17.0-43.6				8	6.6	01.3-11.9
MultiRacial/Non-Hisp.	52	23,935	12	22.6	08.9-36.3	10	17.7	02.6-32.8	24	41.5	24.4-58.6				6	18.2	03.1-33.3
Hispanic	125	116,611	50	38.6	28.8-48.4	40	34.8	25.2-44.4	31	23.9	15.5-32.3				4	2.7	00.0-05.4
18-24	260	316,915	99	37.9	31.2-44.6	81	30.9	24.6-37.2	62	24.7	18.6-30.8				18	6.6	03.3-09.9
25-34	369	371,203	124	33.4	28.1-38.7	101	25.6	20.7-30.5	120	34.6	28.9-40.3				24	6.5	03.6-09.4
35-44	471	364,713	166	33.7	28.8-38.6	134	26.8	22.3-31.3	139	30.5	25.6-35.4				32	9.0	05.5-12.5
45-54	781	411,532	250	30.8	27.1-34.5	205	24.8	21.3-28.3	274	36.8	32.7-40.9	1	0.2	00.0-00.6	51	7.5	05.1-09.9
55-64	880	369,330	301	34.5	30.8-38.2	238	27.8	24.3-31.3	279	29.6	26.1-33.1	1	0.1	00.0-00.3	61	8.1	05.7-10.5
65+	1180	371,368	494	42.0	38.7-45.3	300	25.0	22.1-27.9	326	26.9	24.0-29.8				60	6.1	04.3-07.9
Less Than H.S.	349	318,081	94	26.3	20.6-32.0	90	25.7	20.2-31.2	104	29.9	23.8-36.0				61	18.0	12.9-23.1
H.S. or G.E.D.	1379	756,476	461	32.0	28.9-35.1	372	26.1	23.2-29.0	438	33.7	30.4-37.0	1	0.0	00.0-00.0	107	8.1	06.3-09.9
Some Post-H.S.	958	641,641	341	37.5	33.6-41.4	270	27.9	24.4-31.4	295	29.5	26.0-33.0				52	5.2	03.6-06.8
College Graduate	1267	489,416	544	43.2	39.9-46.5	335	27.1	24.2-30.0	362	27.8	24.9-30.7	1	0.1	00.0-00.3	25	1.7	00.9-02.5
Less than \$15,000	340	183,137	95	25.4	19.5-31.3	85	23.6	17.9-29.3	109	31.7	25.2-38.2				51	19.3	13.2-25.4
\$15,000- 24,999	566	305,114	199	34.5	29.4-39.6	160	29.7	24.6-34.8	160	27.6	22.7-32.5				47	8.2	05.1-11.3
\$25,000- 34,999	456	255,949	152	32.9	27.4-38.4	122	24.8	19.7-29.9	146	33.9	28.0-39.8				36	8.4	05.3-11.5
\$35,000- 49,999	582	332,677	199	33.5	28.8-38.2	162	26.2	21.9-30.5	185	32.8	27.9-37.7				36	7.5	04.6-10.4
\$50,000- 74,999	580	332,622	216	34.5	29.6-39.4	166	28.8	24.1-33.5	172	31.2	26.1-36.3	1	0.2	00.0-00.6	25	5.3	02.9-07.7
\$75,000+	1005	550,815	417	42.1	38.2-46.0	253	24.7	21.4-28.0	312	30.6	27.1-34.1	1	0.0	00.0-00.0	22	2.6	01.4-03.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

**TABLE 6: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5648	2,372,303	2799	47.1	45.3-48.9	1320	26.5	24.9-28.1	1324	22.8	21.4-24.2	2	0.0	00.0-00.0	203	3.6	03.0-04.2
White/Non-Hisp	4936	1,949,694	2455	46.8	44.8-48.8	1144	26.3	24.5-28.1	1166	23.6	22.0-25.2	2	0.0	00.0-00.0	169	3.3	02.7-03.9
Black or Afr. Am./Non-Hisp	353	208,268	150	41.5	34.6-48.4	100	33.4	26.3-40.5	88	21.0	15.9-26.1				15	4.1	01.4-06.8
Oth. Race/Non-Hisp.	81	43,677	42	49.8	35.1-64.5	14	27.0	11.7-42.3	22	20.3	09.1-31.5				3	2.9	00.0-06.8
MultiRacial/Non-Hisp.	55	18,321	30	46.6	28.4-64.8	10	16.9	02.8-31.0	13	33.9	14.9-52.9				2	2.6	00.0-06.5
Hispanic	163	125,580	93	60.2	51.4-69.0	39	21.5	14.4-28.6	24	13.4	07.3-19.5				7	5.0	00.5-09.5
18-24	231	296,962	98	41.8	34.7-48.9	84	38.0	30.9-45.1	41	17.6	12.1-23.1				8	2.7	00.5-04.9
25-34	471	374,741	228	45.1	39.8-50.4	132	30.7	25.6-35.8	100	20.9	16.6-25.2				11	3.4	01.0-05.8
35-44	669	381,658	326	47.8	43.3-52.3	163	26.3	22.2-30.4	160	22.8	19.1-26.5				20	3.1	01.5-04.7
45-54	896	426,058	408	45.9	42.0-49.8	200	21.9	18.6-25.2	243	27.5	24.0-31.0				45	4.7	03.1-06.3
55-64	1254	388,852	607	48.5	45.2-51.8	282	24.0	21.1-26.9	315	24.1	21.4-26.8	1	0.1	00.0-00.3	49	3.4	02.2-04.6
65+	2077	488,196	1105	51.6	49.1-54.1	449	22.6	20.4-24.8	455	22.1	19.9-24.3	1	0.0	00.0-00.0	67	3.7	02.7-04.7
Less Than H.S.	494	310,771	197	39.6	33.7-45.5	124	26.9	21.0-32.8	129	24.7	19.6-29.8	1	0.0	00.0-00.0	43	8.7	05.4-12.0
H.S. or G.E.D.	2081	812,479	944	44.8	41.9-47.7	516	27.6	24.9-30.3	526	23.4	21.0-25.8				95	4.2	03.0-05.4
Some Post-H.S.	1507	758,482	715	44.3	41.0-47.6	382	29.3	26.2-32.4	366	24.0	21.3-26.7				44	2.4	01.6-03.2
College Graduate	1557	487,523	937	60.3	57.4-63.2	296	20.0	17.5-22.5	302	18.6	16.2-21.0	1	0.1	00.0-00.3	21	1.0	00.4-01.6
Less than \$15,000	666	280,460	267	36.8	31.5-42.1	167	28.9	23.4-34.4	184	27.6	22.7-32.5	1	0.1	00.0-00.3	47	6.6	03.5-09.7
\$15,000- 24,999	1063	437,372	471	41.2	37.1-45.3	267	29.0	24.9-33.1	281	24.7	21.2-28.2	1	0.0	00.0-00.0	43	5.0	03.2-06.8
\$25,000- 34,999	609	239,705	264	38.4	33.3-43.5	178	34.4	29.1-39.7	145	23.3	19.0-27.6				22	3.9	01.7-06.1
\$35,000- 49,999	693	276,595	364	51.2	46.3-56.1	137	20.1	16.0-24.2	178	27.1	22.6-31.6				14	1.6	00.6-02.6
\$50,000- 74,999	697	302,806	378	50.3	45.6-55.0	155	26.1	21.8-30.4	145	21.3	17.4-25.2				19	2.4	01.2-03.6
\$75,000+	959	451,504	548	56.0	52.1-59.9	206	23.7	20.2-27.2	187	18.6	15.7-21.5				18	1.8	00.8-02.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 7: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9519	4,548,793	455	5.3	04.7-05.9	3095	31.5	30.3-32.7	4168	43.7	42.3-45.1	18	0.2	00.0-00.4	1783	19.3	18.1-20.5
Male	3911	2,192,855	180	5.0	04.0-06.0	1264	31.3	29.5-33.1	1783	45.5	43.5-47.5	7	0.2	00.0-00.4	677	18.1	16.5-19.7
Female	5608	2,355,938	275	5.6	04.8-06.4	1831	31.7	30.1-33.3	2385	42.1	40.3-43.9	11	0.2	00.0-00.4	1106	20.3	18.9-21.7
White/Non-Hisp	8286	3,725,230	333	4.1	03.5-04.7	2726	32.2	30.8-33.6	3694	45.0	43.6-46.4	16	0.2	00.0-00.4	1517	18.5	17.3-19.7
Black or Afr. Am./Non-Hisp	547	381,125	33	5.2	02.7-07.7	144	24.9	20.2-29.6	219	42.2	36.5-47.9	1	0.2	00.0-00.6	150	27.5	22.6-32.4
Oth. Race/Non-Hisp.	156	93,923	15	9.7	03.6-15.8	48	26.9	18.7-35.1	56	32.7	23.5-41.9				37	30.7	20.7-40.7
MultiRacial/Non-Hisp.	105	41,960	6	3.7	00.2-07.2	27	19.4	10.6-28.2	48	45.5	32.6-58.4				24	31.3	18.4-44.2
Hispanic	286	237,818	58	22.1	16.2-28.0	110	36.5	30.0-43.0	91	30.8	24.5-37.1	1	0.5	00.0-01.5	26	10.1	05.8-14.4
18-24	484	606,691	23	5.0	02.6-07.4	139	28.0	23.5-32.5	193	39.2	34.3-44.1	2	0.3	00.0-00.7	127	27.5	23.0-32.0
25-34	840	744,948	53	6.9	04.9-08.9	268	29.3	25.8-32.8	361	45.3	41.4-49.2				158	18.5	15.6-21.4
35-44	1136	744,442	78	7.3	05.3-09.3	397	33.8	30.7-36.9	483	42.6	39.3-45.9	3	0.2	00.0-00.4	175	16.2	13.7-18.7
45-54	1669	833,258	64	4.3	03.1-05.5	521	31.3	28.6-34.0	766	45.5	42.6-48.4	6	0.5	00.1-00.9	312	18.3	16.1-20.5
55-64	2116	749,513	100	4.5	03.5-05.5	678	31.8	29.4-34.2	953	45.6	43.1-48.1	2	0.0	00.0-00.0	383	18.1	16.1-20.1
65+	3197	845,373	131	4.0	03.2-04.8	1064	33.7	31.7-35.7	1381	43.4	41.2-45.6	5	0.2	00.0-00.4	616	18.8	17.0-20.6
Less Than H.S.	836	624,271	51	7.6	05.2-10.0	253	27.7	23.8-31.6	316	38.9	34.4-43.4	3	0.1	00.0-00.3	213	25.7	21.8-29.6
H.S. or G.E.D.	3426	1,554,487	148	4.7	03.7-05.7	1026	29.4	27.4-31.4	1504	44.1	41.9-46.3	6	0.3	00.1-00.5	742	21.6	19.8-23.4
Some Post-H.S.	2444	1,390,251	95	4.4	03.2-05.6	795	31.3	28.9-33.7	1084	45.3	42.8-47.8	5	0.2	00.0-00.4	465	18.8	16.8-20.8
College Graduate	2791	969,299	161	6.1	04.9-07.3	1018	37.7	35.5-39.9	1251	43.8	41.6-46.0	4	0.2	00.0-00.4	357	12.2	10.6-13.8
Less than \$15,000	985	452,762	52	5.6	03.6-07.6	261	24.1	20.4-27.8	396	40.3	36.0-44.6	5	0.6	00.0-01.2	271	29.3	25.2-33.4
\$15,000- 24,999	1630	744,117	91	6.8	04.8-08.8	510	30.1	27.2-33.0	649	39.9	36.6-43.2	4	0.2	00.0-00.6	376	22.9	20.2-25.6
\$25,000- 34,999	1052	488,583	41	4.7	02.9-06.5	336	30.7	27.0-34.4	469	44.6	40.7-48.5	1	0.1	00.0-00.3	205	19.9	16.6-23.2
\$35,000- 49,999	1253	601,601	51	3.9	02.5-05.3	426	33.9	30.4-37.4	579	46.5	43.0-50.0	2	0.3	00.0-00.7	195	15.4	12.9-17.9
\$50,000- 74,999	1265	631,570	53	4.3	02.5-06.1	433	33.8	30.5-37.1	594	47.7	44.2-51.2	2	0.2	00.0-00.4	183	14.1	11.6-16.6
\$75,000+	1960	1,003,209	95	5.2	03.8-06.6	718	35.5	33.0-38.0	901	44.9	42.2-47.6	2	0.0	00.0-00.0	244	14.3	12.1-16.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

**TABLE 8: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3911	2,192,855	180	5.0	04.0-06.0	1264	31.3	29.5-33.1	1783	45.5	43.5-47.5	7	0.2	00.0-00.4	677	18.1	16.5-19.7
White/Non-Hisp	3389	1,786,630	133	3.8	03.0-04.6	1112	32.0	30.0-34.0	1565	46.7	44.5-48.9	6	0.1	00.0-00.3	573	17.4	15.6-19.2
Black or Afr. Am./Non-Hisp	195	175,639	12	6.5	01.6-11.4	55	25.0	17.7-32.3	78	42.6	33.6-51.6	1	0.4	00.0-01.2	49	25.5	18.1-32.9
Oth. Race/Non-Hisp.	74	50,001	10	12.0	04.0-20.0	20	25.2	13.6-36.8	30	41.2	27.5-54.9	14	21.6	09.4-33.8	12	34.3	16.1-52.5
MultiRacial/Non-Hisp.	51	23,966	1	1.5	00.0-04.4	12	18.1	05.8-30.4	26	46.1	28.7-63.5	12	34.3	16.1-52.5	14	10.8	04.5-17.1
Hispanic	124	114,124	20	18.0	09.8-26.2	46	38.6	28.8-48.4	44	32.6	23.2-42.0	14	10.8	04.5-17.1	14	10.8	04.5-17.1
18-24	258	315,298	12	5.0	01.9-08.1	81	30.1	23.8-36.4	107	40.2	33.3-47.1	1	0.2	00.0-00.6	57	24.6	18.5-30.7
25-34	369	370,500	21	5.4	02.9-07.9	110	28.7	23.6-33.8	170	48.2	42.5-53.9	6	1.6	00.0-00.3	68	17.7	13.4-22.0
35-44	468	363,258	30	7.6	04.7-10.5	168	34.2	29.3-39.1	201	43.1	37.8-48.4	1	0.1	00.0-00.3	68	15.1	11.2-19.0
45-54	775	408,730	25	3.7	02.1-05.3	230	30.3	26.4-34.2	374	47.8	43.7-51.9	3	0.5	00.0-01.1	143	17.8	14.5-21.1
55-64	871	363,506	40	4.1	02.5-05.7	263	30.4	26.9-33.9	416	48.2	44.3-52.1	1	0.1	00.0-00.3	151	17.3	14.2-20.4
65+	1145	363,572	52	4.3	02.9-05.7	403	34.1	30.8-37.4	504	44.2	40.7-47.7	1	0.1	00.0-00.3	185	17.2	14.5-19.9
Less Than H.S.	343	313,825	14	5.1	02.0-08.2	101	25.9	20.2-31.6	141	41.0	34.5-47.5	2	0.2	00.0-00.4	85	27.9	22.0-33.8
H.S. or G.E.D.	1357	748,203	60	4.4	03.0-05.8	416	30.3	27.2-33.4	611	45.4	42.1-48.7	1	0.1	00.0-00.3	269	19.8	17.1-22.5
Some Post-H.S.	950	637,070	38	4.8	02.8-06.8	310	32.1	28.6-35.6	443	47.2	43.3-51.1	1	0.1	00.0-00.3	158	15.8	12.9-18.7
College Graduate	1248	486,320	68	5.9	04.3-07.5	437	35.7	32.6-38.8	579	45.8	42.5-49.1	3	0.3	00.0-00.7	161	12.2	10.0-14.4
Less than \$15,000	327	177,066	19	5.0	02.3-07.7	83	24.5	18.4-30.6	129	37.9	31.0-44.8	2	0.4	00.0-01.0	94	32.2	25.3-39.1
\$15,000- 24,999	570	307,945	37	7.7	04.4-11.0	193	33.5	28.6-38.4	232	40.5	35.0-46.0	1	0.1	00.0-00.3	108	18.4	14.3-22.5
\$25,000- 34,999	448	252,593	16	4.1	01.6-06.6	133	28.2	22.9-33.5	215	47.0	40.9-53.1	1	0.2	00.0-00.6	83	20.4	15.3-25.5
\$35,000- 49,999	567	326,589	18	2.9	01.3-04.5	196	33.9	29.0-38.8	268	48.5	43.4-53.6	1	0.2	00.0-00.6	84	14.5	11.0-18.0
\$50,000- 74,999	574	330,300	21	3.5	01.1-05.9	188	30.2	25.7-34.7	276	50.7	45.4-56.0	1	0.2	00.0-00.6	88	15.4	11.7-19.1
\$75,000+	1000	550,988	50	5.6	03.8-07.4	350	34.5	30.8-38.2	475	45.9	42.0-49.8	1	0.1	00.0-00.3	124	13.9	11.0-16.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 9: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5608	2,355,938	275	5.6	04.8-06.4	1831	31.7	30.1-33.3	2385	42.1	40.3-43.9	11	0.2	00.0-00.4	1106	20.3	18.9-21.7
White/Non-Hisp	4897	1,938,600	200	4.3	03.5-05.1	1614	32.4	30.6-34.2	2129	43.5	41.5-45.5	10	0.2	00.0-00.4	944	19.5	17.9-21.1
Black or Afr. Am./Non-Hisp	352	205,487	21	4.1	01.9-06.3	89	24.8	18.7-30.9	141	41.8	34.7-48.9				101	29.3	23.0-35.6
Oth. Race/Non-Hisp.	82	43,922	5	7.1	00.0-16.3	28	28.9	17.1-40.7	26	23.0	12.4-33.6				23	41.0	25.7-56.3
MultiRacial/Non-Hisp.	54	17,994	5	6.8	00.0-14.2	15	21.2	08.9-33.5	22	44.7	25.7-63.7				12	27.3	09.7-44.9
Hispanic	162	123,694	38	26.0	17.8-34.2	64	34.5	26.1-42.9	47	29.1	20.5-37.7	1	1.0	00.0-03.0	12	9.5	03.6-15.4
18-24	226	291,394	11	5.0	01.9-08.1	58	25.8	19.1-32.5	86	38.1	31.0-45.2	1	0.4	00.0-01.2	70	30.7	24.0-37.4
25-34	471	374,448	32	8.5	05.4-11.6	158	29.9	25.2-34.6	191	42.4	37.1-47.7				90	19.2	15.1-23.3
35-44	668	381,184	48	7.0	04.6-09.4	229	33.4	29.3-37.5	282	42.1	37.8-46.4	2	0.3	00.0-00.7	107	17.3	13.8-20.8
45-54	894	424,528	39	4.9	03.1-06.7	291	32.4	28.7-36.1	392	43.4	39.5-47.3	3	0.5	00.0-01.1	169	18.8	15.7-21.9
55-64	1245	386,006	60	4.9	03.5-06.3	415	33.1	30.0-36.2	537	43.1	39.8-46.4	1	0.0	00.0-00.0	232	18.9	16.2-21.6
65+	2052	481,800	79	3.7	02.7-04.7	661	33.3	30.8-35.8	877	42.7	40.2-45.2	4	0.3	00.0-00.7	431	20.1	17.9-22.3
Less Than H.S.	493	310,446	37	10.1	06.4-13.8	152	29.6	24.3-34.9	175	36.9	30.8-43.0	1	0.0	00.0-00.0	128	23.4	18.5-28.3
H.S. or G.E.D.	2069	806,284	88	5.0	03.6-06.4	610	28.5	26.0-31.0	893	42.9	40.0-45.8	5	0.4	00.0-00.8	473	23.2	20.7-25.7
Some Post-H.S.	1494	753,181	57	4.0	02.6-05.4	485	30.7	27.8-33.6	641	43.6	40.3-46.9	4	0.3	00.0-00.7	307	21.4	18.7-24.1
College Graduate	1543	482,980	93	6.2	04.6-07.8	581	39.8	36.7-42.9	672	41.8	38.7-44.9	1	0.0	00.0-00.0	196	12.1	10.1-14.1
Less than \$15,000	658	275,696	33	6.0	03.3-08.7	178	23.9	19.2-28.6	267	41.9	36.2-47.6	3	0.7	00.0-01.7	177	27.5	22.6-32.4
\$15,000- 24,999	1060	436,172	54	6.2	04.0-08.4	317	27.7	24.0-31.4	417	39.5	35.2-43.8	4	0.4	00.0-01.0	268	26.2	22.5-29.9
\$25,000- 34,999	604	235,990	25	5.2	02.7-07.7	203	33.4	28.5-38.3	254	41.9	36.6-47.2				122	19.5	15.4-23.6
\$35,000- 49,999	686	275,012	33	5.1	02.9-07.3	230	33.9	29.0-38.8	311	44.1	39.2-49.0	1	0.4	00.0-01.2	111	16.5	13.0-20.0
\$50,000- 74,999	691	301,269	32	5.2	02.8-07.6	245	37.7	33.0-42.4	318	44.4	39.7-49.1	1	0.2	00.0-00.6	95	12.6	09.7-15.5
\$75,000+	960	452,221	45	4.8	03.0-06.6	368	36.7	33.0-40.4	426	43.6	39.7-47.5	1	0.0	00.0-00.0	120	14.9	12.0-17.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

**TABLE 10: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9576	4,551,646	1504	15.2	14.2-16.2	3617	38.4	37.0-39.8	3437	35.5	34.3-36.7	10	0.1	00.1-00.1	1008	10.8	09.8-11.8
Male	3941	2,192,196	463	11.9	10.5-13.3	1436	36.6	34.6-38.6	1515	37.8	35.8-39.8	4	0.1	00.0-00.3	523	13.6	12.2-15.0
Female	5635	2,359,450	1041	18.3	16.9-19.7	2181	40.1	38.3-41.9	1922	33.3	31.7-34.9	6	0.2	00.0-00.4	485	8.2	07.2-09.2
White/Non-Hisp	8355	3,738,771	1261	14.4	13.4-15.4	3162	38.7	37.3-40.1	3026	35.7	34.3-37.1	8	0.1	00.1-00.1	898	11.1	10.1-12.1
Black or Afr. Am./Non-Hisp	537	372,178	108	18.5	14.4-22.6	187	35.2	29.7-40.7	203	38.9	33.4-44.4	1	0.2	00.0-00.6	38	7.2	04.1-10.3
Oth. Race/Non-Hisp.	155	93,734	34	26.8	17.2-36.4	57	31.5	22.9-40.1	43	27.5	18.5-36.5				21	14.2	06.8-21.6
MultiRacial/Non-Hisp.	103	41,937	25	22.4	11.4-33.4	30	26.2	15.6-36.8	38	33.7	21.9-45.5				10	17.7	05.9-29.5
Hispanic	284	234,133	57	18.6	13.3-23.9	126	44.6	37.7-51.5	78	28.4	22.1-34.7	1	0.2	00.0-00.6	22	8.2	04.3-12.1
18-24	483	603,533	76	14.7	11.2-18.2	189	40.4	35.5-45.3	148	29.9	25.4-34.4	1	0.2	00.0-00.6	69	14.8	11.1-18.5
25-34	839	741,588	137	15.2	12.5-17.9	359	42.2	38.3-46.1	256	31.0	27.5-34.5	1	0.0	00.0-00.0	86	11.5	09.0-14.0
35-44	1140	747,216	201	16.6	14.1-19.1	443	38.1	34.8-41.4	409	36.8	33.5-40.1	4	0.3	00.1-00.5	83	8.3	06.1-10.5
45-54	1665	827,622	241	14.6	12.4-16.8	618	36.7	34.0-39.4	636	38.7	36.0-41.4	3	0.3	00.0-00.7	167	9.8	08.0-11.6
55-64	2127	751,718	324	15.2	13.4-17.0	761	35.7	33.3-38.1	803	38.8	36.3-41.3	1	0.1	00.0-00.3	238	10.3	08.7-11.9
65+	3244	855,210	508	14.9	13.3-16.5	1216	37.9	35.9-39.9	1161	36.2	34.2-38.2				359	11.0	09.6-12.4
Less Than H.S.	841	617,207	92	11.3	08.6-14.0	273	32.5	28.2-36.8	295	34.6	30.5-38.7	2	0.1	00.0-00.3	179	21.4	17.7-25.1
H.S. or G.E.D.	3444	1,557,192	471	13.8	12.2-15.4	1206	35.9	33.7-38.1	1284	37.7	35.5-39.9	3	0.1	00.0-00.3	480	12.5	10.9-14.1
Some Post-H.S.	2452	1,390,619	373	14.6	12.8-16.4	969	41.3	38.8-43.8	897	35.5	33.1-37.9	2	0.1	00.0-00.3	211	8.6	07.2-10.0
College Graduate	2818	976,223	564	20.8	18.8-22.8	1166	42.4	40.2-44.6	953	32.5	30.3-34.7	3	0.2	00.0-00.4	132	4.1	03.1-05.1
Less than \$15,000	995	449,655	137	12.9	10.2-15.6	324	33.1	29.0-37.2	339	34.1	30.0-38.2	2	0.4	00.0-01.0	193	19.5	15.8-23.2
\$15,000- 24,999	1622	736,467	237	13.9	11.4-16.4	566	36.1	33.0-39.2	582	36.4	33.1-39.7	1	0.1	00.0-00.3	236	13.5	11.1-15.9
\$25,000- 34,999	1064	492,006	146	13.2	10.7-15.7	384	35.0	31.1-38.9	409	39.2	35.3-43.1	1	0.1	00.0-00.3	124	12.5	09.8-15.2
\$35,000- 49,999	1263	604,735	189	15.0	12.5-17.5	481	36.5	33.0-40.0	471	36.2	32.9-39.5	1	0.1	00.0-00.3	121	12.2	09.5-14.9
\$50,000- 74,999	1268	630,561	190	14.7	12.2-17.2	523	42.8	39.3-46.3	464	35.0	31.7-38.3	2	0.2	00.0-00.4	89	7.3	05.3-09.3
\$75,000+	1972	1,007,146	355	17.7	15.5-19.9	814	41.0	38.3-43.7	726	36.8	34.1-39.5	1	0.0	00.0-00.0	76	4.4	03.0-05.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 11: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3941	2,192,196	463	11.9	10.5-13.3	1436	36.6	34.6-38.6	1515	37.8	35.8-39.8	4	0.1	00.0-00.3	523	13.6	12.2-15.0
White/Non-Hisp	3424	1,794,035	378	11.0	09.6-12.4	1255	37.1	34.9-39.3	1325	37.6	35.6-39.6	2	0.1	00.1-00.1	464	14.2	12.6-15.8
Black or Afr. Am./Non-Hisp	190	169,354	30	14.5	08.0-21.0	59	32.5	23.9-41.1	84	45.5	36.3-54.7	1	0.4	00.0-01.2	16	7.1	03.2-11.0
Oth. Race/Non-Hisp.	73	49,812	14	19.2	08.8-29.6	30	33.6	21.3-45.9	19	30.7	17.4-44.0				10	16.6	04.6-28.6
MultiRacial/Non-Hisp.	52	24,335	10	17.1	04.9-29.3	16	26.0	11.9-40.1	19	33.7	17.8-49.6				7	23.3	05.7-40.9
Hispanic	121	110,552	24	19.7	11.5-27.9	48	40.0	30.0-50.0	36	30.6	21.0-40.2	1	0.4	00.0-01.2	12	9.3	03.4-15.2
18-24	257	313,020	38	14.9	10.0-19.8	88	34.6	27.9-41.3	88	33.3	26.8-39.8				43	17.3	12.0-22.6
25-34	364	365,030	42	10.2	07.1-13.3	149	39.9	34.2-45.6	120	33.9	28.4-39.4				53	16.0	11.5-20.5
35-44	474	367,497	67	14.3	10.8-17.8	185	36.4	31.5-41.3	172	37.9	32.6-43.2	2	0.2	00.0-00.4	48	11.2	07.7-14.7
45-54	769	402,451	75	10.0	07.5-12.5	286	37.9	33.8-42.0	314	39.9	35.8-44.0	2	0.3	00.0-00.7	92	11.9	09.0-14.8
55-64	877	365,610	96	10.5	08.1-12.9	285	33.7	30.0-37.4	366	42.1	38.2-46.0				130	13.6	10.9-16.3
65+	1175	370,599	141	12.2	09.8-14.6	435	36.9	33.6-40.2	446	38.8	35.5-42.1				153	12.1	09.9-14.3
Less Than H.S.	345	309,056	34	11.9	07.6-16.2	96	26.1	20.6-31.6	126	35.2	28.9-41.5	1	0.1	00.0-00.3	88	26.7	20.6-32.8
H.S. or G.E.D.	1370	750,121	138	10.2	08.2-12.2	465	34.9	31.6-38.2	524	39.6	36.3-42.9				243	15.3	12.9-17.7
Some Post-H.S.	952	635,597	94	10.2	07.7-12.7	374	41.1	37.2-45.0	381	37.8	34.1-41.5				103	10.9	08.4-13.4
College Graduate	1261	489,985	194	16.8	14.3-19.3	500	40.6	37.3-43.9	480	36.6	33.5-39.7	3	0.3	00.0-00.7	84	5.7	04.1-07.3
Less than \$15,000	332	175,475	33	10.1	06.0-14.2	102	29.1	22.8-35.4	119	35.9	29.0-42.8				78	24.9	18.4-31.4
\$15,000- 24,999	566	301,276	62	10.8	07.3-14.3	189	35.1	30.0-40.2	207	36.5	31.2-41.8				108	17.6	13.3-21.9
\$25,000- 34,999	457	254,825	54	12.4	08.5-16.3	138	28.7	23.4-34.0	194	43.4	37.5-49.3	1	0.2	00.0-00.6	70	15.4	11.1-19.7
\$35,000- 49,999	575	329,284	58	11.3	08.0-14.6	227	38.1	33.2-43.0	208	33.5	28.8-38.2	1	0.2	00.0-00.6	81	16.9	12.6-21.2
\$50,000- 74,999	574	328,857	62	10.5	07.2-13.8	230	40.1	34.8-45.4	223	39.0	33.9-44.1	1	0.2	00.0-00.6	58	10.3	07.0-13.6
\$75,000+	1008	553,846	138	13.3	10.8-15.8	396	39.7	36.0-43.4	420	41.2	37.5-44.9	1	0.1	00.0-00.3	53	5.7	03.7-07.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 12: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5635	2,359,450	1041	18.3	16.9-19.7	2181	40.1	38.3-41.9	1922	33.3	31.7-34.9	6	0.2	00.0-00.4	485	8.2	07.2-09.2
White/Non-Hisp	4931	1,944,736	883	17.5	16.1-18.9	1907	40.1	38.1-42.1	1701	34.0	32.2-35.8	6	0.2	00.0-00.4	434	8.2	07.2-09.2
Black or Afr. Am./Non-Hisp	347	202,825	78	21.8	16.3-27.3	128	37.4	30.3-44.5	119	33.4	26.9-39.9				22	7.3	02.8-11.8
Oth. Race/Non-Hisp.	82	43,922	20	35.5	19.8-51.2	27	29.1	16.9-41.3	24	23.8	12.4-35.2				11	11.6	03.4-19.8
MultiRacial/Non-Hisp.	51	17,603	15	29.7	10.7-48.7	14	26.5	10.4-42.6	19	33.7	16.5-50.9				3	10.1	00.0-21.9
Hispanic	163	123,580	33	17.7	10.8-24.6	78	48.7	39.5-57.9	42	26.5	18.3-34.7				10	7.2	02.1-12.3
18-24	226	290,512	38	14.5	09.4-19.6	101	46.7	39.4-54.0	60	26.4	19.9-32.9	1	0.4	00.0-01.2	26	12.1	07.2-17.0
25-34	475	376,559	95	20.1	15.8-24.4	210	44.5	39.2-49.8	136	28.2	23.5-32.9	1	0.0	00.0-00.0	33	7.1	04.4-09.8
35-44	666	379,720	134	18.8	15.5-22.1	258	39.8	35.5-44.1	237	35.7	31.4-40.0	2	0.3	00.0-00.7	35	5.4	03.0-07.8
45-54	896	425,171	166	18.9	15.8-22.0	332	35.5	31.8-39.2	322	37.6	33.7-41.5	1	0.2	00.0-00.6	75	7.8	05.6-10.0
55-64	1250	386,107	228	19.6	16.9-22.3	476	37.5	34.4-40.6	437	35.7	32.6-38.8	1	0.1	00.0-00.3	108	7.1	05.5-08.7
65+	2069	484,611	367	17.0	15.0-19.0	781	38.7	36.2-41.2	715	34.2	31.7-36.7				206	10.1	08.5-11.7
Less Than H.S.	496	308,151	58	10.7	07.2-14.2	177	39.0	32.9-45.1	169	34.1	28.4-39.8	1	0.1	00.0-00.3	91	16.1	11.8-20.4
H.S. or G.E.D.	2074	807,072	333	17.2	14.8-19.6	741	36.8	34.1-39.5	760	35.9	33.2-38.6	3	0.3	00.0-00.7	237	9.9	08.1-11.7
Some Post-H.S.	1500	755,022	279	18.3	15.8-20.8	595	41.4	38.1-44.7	516	33.5	30.4-36.6	2	0.2	00.0-00.4	108	6.6	05.0-08.2
College Graduate	1557	486,238	370	24.9	22.2-27.6	666	44.2	41.1-47.3	473	28.3	25.6-31.0				48	2.6	01.6-03.6
Less than \$15,000	663	274,180	104	14.7	11.0-18.4	222	35.6	30.1-41.1	220	33.0	27.9-38.1	2	0.7	00.0-01.7	115	16.0	11.7-20.3
\$15,000- 24,999	1056	435,191	175	16.1	12.6-19.6	377	36.9	32.8-41.0	375	36.3	32.2-40.4	1	0.2	00.0-00.6	128	10.6	08.2-13.0
\$25,000- 34,999	607	237,181	92	14.1	10.6-17.6	246	41.8	36.5-47.1	215	34.6	29.7-39.5				54	9.5	06.6-12.4
\$35,000- 49,999	688	275,451	131	19.5	15.8-23.2	254	34.5	29.8-39.2	263	39.4	34.5-44.3				40	6.6	04.1-09.1
\$50,000- 74,999	694	301,704	128	19.3	15.4-23.2	293	45.8	41.1-50.5	241	30.7	26.6-34.8	1	0.2	00.0-00.6	31	4.0	02.2-05.8
\$75,000+	964	453,300	217	23.1	19.8-26.4	418	42.6	38.7-46.5	306	31.4	27.9-34.9				23	3.0	01.0-05.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 13: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9552	4,538,615	554	5.4	04.8-06.0	3147	31.4	30.2-32.6	4073	41.8	40.4-43.2	19	0.2	00.0-00.4	1759	21.2	20.0-22.4
Male	3930	2,181,294	172	4.5	03.7-05.3	1165	28.6	26.8-30.4	1749	44.0	42.0-46.0	11	0.2	00.0-00.4	833	22.7	20.9-24.5
Female	5622	2,357,321	382	6.2	05.4-07.0	1982	34.1	32.3-35.9	2324	39.9	38.1-41.7	8	0.2	00.0-00.4	926	19.7	18.1-21.3
White/Non-Hisp	8334	3,733,281	473	5.3	04.7-05.9	2751	31.4	30.0-32.8	3594	42.3	40.9-43.7	17	0.2	00.0-00.4	1499	20.8	19.6-22.0
Black or Afr. Am./Non-Hisp	532	365,142	26	4.1	02.1-06.1	151	25.5	20.6-30.4	230	45.3	39.4-51.2	1	0.2	00.0-00.6	124	24.9	20.2-29.6
Oth. Race/Non-Hisp.	157	94,947	15	9.2	03.7-14.7	51	32.7	23.3-42.1	49	32.1	22.5-41.7	1	0.2	00.0-00.6	41	25.8	17.2-34.4
MultiRacial/Non-Hisp.	106	42,002	9	7.4	00.0-14.8	29	17.9	09.7-26.1	47	49.6	36.7-62.5				21	25.1	13.5-36.7
Hispanic	284	235,317	23	7.0	03.7-10.3	120	43.2	36.3-50.1	92	30.6	24.3-36.9				49	19.2	13.5-24.9
18-24	477	597,893	32	6.8	04.3-09.3	144	28.7	24.2-33.2	157	34.4	29.5-39.3	1	0.2	00.0-00.6	143	29.9	25.4-34.4
25-34	832	733,736	39	4.4	02.8-06.0	287	32.7	29.2-36.2	309	38.4	34.5-42.3	2	0.2	00.0-00.4	195	24.3	21.0-27.6
35-44	1136	744,428	62	4.9	03.5-06.3	374	31.7	28.6-34.8	481	43.3	39.8-46.8	3	0.2	00.0-00.4	216	19.9	17.2-22.6
45-54	1668	830,112	93	5.0	03.8-06.2	511	30.5	27.8-33.2	732	43.4	40.5-46.3	5	0.4	00.0-00.8	327	20.7	18.3-23.1
55-64	2121	752,269	120	5.2	04.2-06.2	689	30.9	28.5-33.3	934	44.8	42.3-47.3	3	0.1	00.0-00.3	375	19.0	16.8-21.2
65+	3240	855,209	200	6.1	05.1-07.1	1111	33.1	31.1-35.1	1433	44.9	42.7-47.1	5	0.1	00.0-00.3	491	15.7	14.1-17.3
Less Than H.S.	839	618,241	46	5.2	03.4-07.0	211	25.7	21.8-29.6	318	36.2	31.9-40.5	3	0.1	00.0-00.3	261	32.8	28.5-37.1
H.S. or G.E.D.	3428	1,551,777	161	4.9	03.9-05.9	1014	28.2	26.2-30.2	1486	43.3	41.1-45.5	7	0.3	00.1-00.5	760	23.4	21.4-25.4
Some Post-H.S.	2448	1,382,437	151	5.0	04.0-06.0	774	30.6	28.2-33.0	1067	43.6	41.1-46.1	5	0.2	00.0-00.4	451	20.6	18.4-22.8
College Graduate	2815	975,675	195	6.9	05.7-08.1	1143	41.5	39.3-43.7	1188	40.4	38.2-42.6	4	0.1	00.0-00.3	285	11.1	09.5-12.7
Less than \$15,000	988	447,918	54	4.8	03.2-06.4	254	24.1	20.4-27.8	398	39.3	35.0-43.6	4	0.6	00.0-01.2	278	31.2	27.1-35.3
\$15,000- 24,999	1625	740,316	94	4.8	03.4-06.2	526	31.7	28.6-34.8	657	38.4	35.1-41.7	3	0.1	00.0-00.3	345	24.9	21.8-28.0
\$25,000- 34,999	1063	491,591	53	5.7	03.5-07.9	337	28.2	24.7-31.7	453	40.8	36.9-44.7				220	25.3	21.6-29.0
\$35,000- 49,999	1261	602,377	57	4.2	02.8-05.6	419	31.5	28.2-34.8	574	44.8	41.3-48.3	2	0.1	00.0-00.3	209	19.4	16.5-22.3
\$50,000- 74,999	1268	630,051	68	5.1	03.5-06.7	441	32.2	29.1-35.3	569	45.5	42.0-49.0	5	0.5	00.1-00.9	185	16.7	14.0-19.4
\$75,000+	1963	998,743	110	5.7	04.3-07.1	732	35.9	33.4-38.4	866	43.5	40.8-46.2	4	0.1	00.0-00.3	251	14.8	12.6-17.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 14: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3930	2,181,294	172	4.5	03.7-05.3	1165	28.6	26.8-30.4	1749	44.0	42.0-46.0	11	0.2	00.0-00.4	833	22.7	20.9-24.5
White/Non-Hisp	3419	1,790,798	142	4.4	03.4-05.4	1007	28.2	26.2-30.2	1542	44.3	42.1-46.5	9	0.2	00.0-00.4	719	22.8	20.8-24.8
Black or Afr. Am./Non-Hisp	186	162,406	6	3.3	00.6-06.0	53	25.4	17.8-33.0	85	49.4	40.0-58.8	1	0.4	00.0-01.2	41	21.4	14.3-28.5
Oth. Race/Non-Hisp.	75	51,024	8	10.9	02.7-19.1	25	33.6	20.7-46.5	19	23.8	12.2-35.4	1	0.3	00.0-00.9	22	31.3	18.6-44.0
MultiRacial/Non-Hisp.	52	23,896	4	3.8	00.0-07.7	11	15.0	04.0-26.0	25	55.2	37.8-72.6				12	26.1	10.0-42.2
Hispanic	122	112,679	9	5.8	01.7-09.9	47	40.0	30.0-50.0	43	35.9	25.9-45.9				23	18.3	10.7-25.9
18-24	249	304,523	21	9.0	04.7-13.3	75	28.6	22.5-34.7	83	35.4	28.5-42.3				70	27.0	20.9-33.1
25-34	361	362,488	12	2.8	01.0-04.6	102	27.1	22.0-32.2	150	43.7	37.8-49.6	1	0.3	00.0-00.9	96	26.1	21.0-31.2
35-44	471	365,354	20	4.4	02.2-06.6	149	29.7	25.0-34.4	199	44.6	39.3-49.9	1	0.1	00.0-00.3	102	21.1	16.8-25.4
45-54	769	402,215	30	3.4	02.0-04.8	220	28.7	25.0-32.4	350	44.5	40.4-48.6	4	0.5	00.0-01.1	165	22.9	19.2-26.6
55-64	878	367,867	46	4.6	03.0-06.2	242	27.4	23.9-30.9	401	46.4	42.5-50.3	2	0.1	00.0-00.3	187	21.6	18.3-24.9
65+	1177	370,857	41	3.7	02.3-05.1	368	29.7	26.8-32.6	555	47.8	44.5-51.1	3	0.2	00.0-00.4	210	18.6	15.9-21.3
Less Than H.S.	340	305,089	17	5.4	02.3-08.5	71	19.7	14.6-24.8	137	39.4	32.9-45.9	2	0.2	00.0-00.4	113	35.3	28.8-41.8
H.S. or G.E.D.	1369	749,675	52	4.6	03.0-06.2	373	26.1	23.2-29.0	580	43.7	40.4-47.0	4	0.3	00.0-00.7	360	25.3	22.4-28.2
Some Post-H.S.	953	631,051	38	3.3	01.9-04.7	268	29.1	25.6-32.6	447	46.5	42.6-50.4	2	0.1	00.0-00.3	198	21.1	18.0-24.2
College Graduate	1255	488,042	65	5.4	03.8-07.0	451	37.7	34.4-41.0	576	43.5	40.2-46.8	3	0.2	00.0-00.6	160	13.1	10.7-15.5
Less than \$15,000	330	171,906	22	5.5	02.8-08.2	64	19.3	13.6-25.0	141	42.1	35.0-49.2	2	0.4	00.0-01.0	101	32.6	25.9-39.3
\$15,000- 24,999	569	304,573	28	4.6	02.4-06.8	174	29.3	24.4-34.2	235	41.0	35.7-46.3	1	0.1	00.0-00.3	131	25.1	20.4-29.8
\$25,000- 34,999	455	254,319	19	5.1	01.6-08.6	120	25.7	20.6-30.8	208	42.0	36.1-47.9				108	27.1	21.6-32.6
\$35,000- 49,999	574	327,452	18	4.2	01.8-06.6	178	29.4	24.9-33.9	266	45.0	39.9-50.1	2	0.1	00.0-00.3	110	21.3	16.8-25.8
\$50,000- 74,999	577	329,444	20	3.5	01.7-05.3	184	29.1	24.6-33.6	262	48.0	42.7-53.3	4	0.8	00.0-01.6	107	18.6	14.5-22.7
\$75,000+	1003	550,206	50	4.7	03.1-06.3	322	32.0	28.5-35.5	474	45.9	42.2-49.6	2	0.1	00.0-00.3	155	17.3	14.4-20.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 15: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5622	2,357,321	382	6.2	05.4-07.0	1982	34.1	32.3-35.9	2324	39.9	38.1-41.7	8	0.2	00.0-00.4	926	19.7	18.1-21.3
White/Non-Hisp	4915	1,942,483	331	6.1	05.3-06.9	1744	34.4	32.6-36.2	2052	40.4	38.6-42.2	8	0.2	00.0-00.4	780	18.9	17.3-20.5
Black or Afr. Am./Non-Hisp	346	202,735	20	4.6	02.1-07.1	98	25.5	19.2-31.8	145	42.1	35.0-49.2				83	27.8	21.5-34.1
Oth. Race/Non-Hisp.	82	43,922	7	7.3	00.2-14.4	26	31.7	18.4-45.0	30	41.7	26.8-56.6				19	19.4	08.8-30.0
MultiRacial/Non-Hisp.	54	18,106	5	12.2	00.0-28.3	18	21.8	09.5-34.1	22	42.1	23.7-60.5				9	23.9	07.8-40.0
Hispanic	162	122,638	14	8.0	02.9-13.1	73	46.2	37.0-55.4	49	25.8	18.0-33.6				26	20.0	12.0-28.0
18-24	228	293,371	11	4.5	01.6-07.4	69	28.7	22.0-35.4	74	33.5	26.6-40.4	1	0.4	00.0-01.2	73	32.9	26.0-39.8
25-34	471	371,248	27	6.0	03.5-08.5	185	38.2	33.1-43.3	159	33.2	28.1-38.3	1	0.1	00.0-00.3	99	22.6	18.1-27.1
35-44	665	379,075	42	5.3	03.5-07.1	225	33.6	29.3-37.9	282	42.0	37.7-46.3	2	0.3	00.0-00.7	114	18.8	15.1-22.5
45-54	899	427,896	63	6.6	04.6-08.6	291	32.2	28.5-35.9	382	42.4	38.5-46.3	1	0.2	00.0-00.6	162	18.7	15.6-21.8
55-64	1243	384,402	74	5.9	04.3-07.5	447	34.3	31.2-37.4	533	43.2	39.9-46.5	1	0.1	00.0-00.3	188	16.5	14.0-19.0
65+	2063	484,352	159	7.9	06.5-09.3	743	35.7	33.2-38.2	878	42.7	40.2-45.2	2	0.1	00.1-00.1	281	13.5	11.7-15.3
Less Than H.S.	499	313,152	29	5.0	02.8-07.2	140	31.5	25.8-37.2	181	32.9	27.2-38.6	1	0.0	00.0-00.0	148	30.5	24.8-36.2
H.S. or G.E.D.	2059	802,102	109	5.1	03.7-06.5	641	30.1	27.4-32.8	906	42.9	40.0-45.8	3	0.3	00.0-00.7	400	21.6	19.2-24.0
Some Post-H.S.	1495	751,386	113	6.4	05.0-07.8	506	31.9	28.8-35.0	620	41.3	38.0-44.6	3	0.2	00.0-00.4	253	20.2	17.3-23.1
College Graduate	1560	487,633	130	8.3	06.5-10.1	692	45.4	42.3-48.5	612	37.3	34.4-40.2	1	0.0	00.0-00.0	125	9.1	07.3-10.9
Less than \$15,000	658	276,012	32	4.4	02.2-06.6	190	27.1	22.4-31.8	257	37.5	32.0-43.0	2	0.7	00.0-01.7	177	30.3	25.0-35.6
\$15,000- 24,999	1056	435,743	66	5.0	03.4-06.6	352	33.4	29.3-37.5	422	36.6	32.5-40.7	2	0.2	00.0-00.6	214	24.9	21.0-28.8
\$25,000- 34,999	608	237,272	34	6.3	03.8-08.8	217	30.9	26.2-35.6	245	39.5	34.4-44.6				112	23.3	18.4-28.2
\$35,000- 49,999	687	274,926	39	4.3	02.7-05.9	241	33.9	29.2-38.6	308	44.5	39.6-49.4				99	17.2	13.3-21.1
\$50,000- 74,999	691	300,607	48	6.9	04.4-09.4	257	35.5	31.0-40.0	307	42.8	38.1-47.5	1	0.2	00.0-00.6	78	14.6	10.7-18.5
\$75,000+	960	448,537	60	6.9	04.5-09.3	410	40.8	36.9-44.7	392	40.6	36.7-44.5	2	0.1	00.0-00.3	96	11.6	08.9-14.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

**TABLE 16: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9499	4,512,286	3205	32.5	31.3-33.7	3057	33.8	32.4-35.2	3080	31.6	30.4-32.8	4	0.0	00.0-00.0	153	2.1	01.7-02.5
Male	3915	2,173,573	1163	29.4	27.6-31.2	1279	33.3	31.3-35.3	1391	34.8	32.8-36.8	1	0.0	00.0-00.0	81	2.5	01.7-03.3
Female	5584	2,338,713	2042	35.4	33.6-37.2	1778	34.2	32.4-36.0	1689	28.7	27.1-30.3	3	0.0	00.0-00.0	72	1.7	01.1-02.3
White/Non-Hisp	8286	3,710,458	2857	33.7	32.3-35.1	2616	32.8	31.4-34.2	2695	31.8	30.4-33.2	3	0.0	00.0-00.0	115	1.7	01.3-02.1
Black or Afr. Am./Non-Hisp	533	365,318	124	23.4	18.7-28.1	198	37.7	32.0-43.4	193	35.0	29.5-40.5				18	3.9	01.7-06.1
Oth. Race/Non-Hisp.	156	94,612	60	35.9	26.5-45.3	49	37.1	27.1-47.1	42	25.1	16.7-33.5				5	1.9	00.1-03.7
MultiRacial/Non-Hisp.	104	42,137	43	34.3	22.7-45.9	25	25.2	13.4-37.0	34	37.9	25.2-50.6				2	2.5	00.0-06.0
Hispanic	282	233,499	80	28.1	21.8-34.4	118	41.4	34.7-48.1	73	25.5	19.4-31.6	1	0.2	00.0-00.6	10	4.9	01.6-08.2
18-24	478	595,074	134	27.4	22.9-31.9	199	42.5	37.4-47.6	128	26.5	22.0-31.0				17	3.6	01.8-05.4
25-34	832	735,488	285	33.6	29.9-37.3	293	35.0	31.3-38.7	228	27.7	24.2-31.2	1	0.0	00.0-00.0	25	3.6	02.0-05.2
35-44	1131	736,781	413	33.8	30.7-36.9	345	31.4	28.1-34.7	362	33.7	30.4-37.0	1	0.1	00.0-00.3	10	0.9	00.3-01.5
45-54	1660	824,696	523	31.4	28.7-34.1	534	32.8	30.1-35.5	576	34.0	31.3-36.7	1	0.0	00.0-00.0	26	1.7	00.9-02.5
55-64	2116	749,228	735	34.2	31.8-36.6	634	30.4	28.0-32.8	716	34.0	31.5-36.5				31	1.4	00.8-02.0
65+	3205	846,454	1088	33.5	31.5-35.5	1023	32.2	30.2-34.2	1050	32.6	30.6-34.6	1	0.0	00.0-00.0	43	1.7	01.1-02.3
Less Than H.S.	819	606,837	212	26.5	22.6-30.4	283	35.2	30.9-39.5	287	33.6	29.3-37.9	2	0.1	00.0-00.3	35	4.6	02.6-06.6
H.S. or G.E.D.	3403	1,541,518	1076	31.2	29.0-33.4	1102	33.6	31.4-35.8	1146	32.3	30.3-34.3	1	0.0	00.0-00.0	78	3.0	02.2-03.8
Some Post-H.S.	2438	1,376,891	820	32.3	29.9-34.7	795	34.5	32.1-36.9	798	32.2	29.8-34.6	1	0.0	00.0-00.0	24	1.1	00.5-01.7
College Graduate	2817	976,556	1091	38.7	36.5-40.9	872	32.3	30.1-34.5	838	28.5	26.5-30.5				16	0.5	00.1-00.9
Less than \$15,000	985	440,709	296	28.5	24.6-32.4	322	33.2	28.9-37.5	334	33.1	29.0-37.2				33	5.2	03.0-07.4
\$15,000- 24,999	1620	737,249	497	29.4	26.3-32.5	528	34.2	30.9-37.5	558	33.2	30.1-36.3	1	0.0	00.0-00.0	36	3.1	01.7-04.5
\$25,000- 34,999	1057	489,899	324	30.0	26.3-33.7	342	33.1	29.2-37.0	378	35.0	31.1-38.9	2	0.1	00.0-00.3	11	1.8	00.4-03.2
\$35,000- 49,999	1252	600,577	428	31.2	28.1-34.3	384	34.6	31.1-38.1	425	32.7	29.4-36.0				15	1.5	00.5-02.5
\$50,000- 74,999	1261	626,422	443	34.7	31.4-38.0	416	34.5	31.0-38.0	392	30.2	26.9-33.5				10	0.6	00.2-01.0
\$75,000+	1956	995,448	713	35.8	33.1-38.5	614	31.5	29.0-34.0	615	31.5	29.0-34.0				14	1.2	00.6-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

**TABLE 17: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3915	2,173,573	1163	29.4	27.6-31.2	1279	33.3	31.3-35.3	1391	34.8	32.8-36.8	1	0.0	00.0-00.0	81	2.5	01.7-03.3
White/Non-Hisp	3405	1,783,348	1024	30.2	28.2-32.2	1105	32.8	30.8-34.8	1214	34.7	32.7-36.7				62	2.3	01.5-03.1
Black or Afr. Am./Non-Hisp	187	163,630	40	22.6	14.8-30.4	64	32.5	24.1-40.9	74	40.3	31.1-49.5				9	4.6	00.9-08.3
Oth. Race/Non-Hisp.	75	51,024	26	34.2	21.3-47.1	26	36.7	23.2-50.2	20	26.4	14.4-38.4				3	2.7	00.0-05.8
MultiRacial/Non-Hisp.	51	24,137	18	29.7	14.6-44.8	11	20.5	05.8-35.2	21	47.7	30.1-65.3				1	2.1	00.0-06.2
Hispanic	121	112,446	35	27.7	18.5-36.9	46	38.8	28.8-48.8	35	29.1	19.9-38.3	1	0.4	00.0-01.2	4	4.0	00.0-08.3
18-24	252	306,482	69	27.3	21.0-33.6	94	38.0	31.1-44.9	79	30.2	23.7-36.7				10	4.5	01.8-07.2
25-34	363	362,982	113	31.1	25.6-36.6	121	32.6	27.1-38.1	114	32.0	26.5-37.5				15	4.2	01.8-06.6
35-44	469	360,879	144	29.5	24.8-34.2	153	32.4	27.5-37.3	165	37.1	31.8-42.4	1	0.1	00.0-00.3	6	0.9	00.1-01.7
45-54	765	400,947	211	26.2	22.5-29.9	254	34.4	30.3-38.5	284	37.1	33.0-41.2				16	2.3	00.9-03.7
55-64	875	366,460	273	32.2	28.5-35.9	253	29.0	25.5-32.5	330	37.1	33.4-40.8				19	1.8	00.8-02.8
65+	1166	367,833	345	29.8	26.7-32.9	393	33.7	30.4-37.0	413	34.6	31.3-37.9				15	1.9	00.7-03.1
Less Than H.S.	341	306,885	85	24.6	18.9-30.3	112	34.2	27.9-40.5	123	35.3	29.0-41.6	1	0.1	00.0-00.3	20	5.8	02.9-08.7
H.S. or G.E.D.	1358	744,091	391	29.1	26.0-32.2	445	32.7	29.4-36.0	480	34.4	31.3-37.5				42	3.8	02.4-05.2
Some Post-H.S.	943	625,225	283	29.0	25.5-32.5	307	34.2	30.5-37.9	343	35.8	32.1-39.5				10	0.9	00.3-01.5
College Graduate	1260	489,935	399	33.1	30.0-36.2	414	32.9	29.8-36.0	438	33.3	30.2-36.4				9	0.7	00.1-01.3
Less than \$15,000	331	170,574	93	27.0	20.7-33.3	105	30.5	24.0-37.0	117	35.7	29.0-42.4				16	6.9	03.0-10.8
\$15,000- 24,999	568	304,838	157	24.1	19.6-28.6	193	35.9	30.6-41.2	199	35.8	30.5-41.1				19	4.2	01.8-06.6
\$25,000- 34,999	453	253,515	124	28.3	23.0-33.6	138	31.9	26.2-37.6	182	36.6	30.9-42.3	1	0.2	00.0-00.6	8	2.9	00.5-05.3
\$35,000- 49,999	568	326,091	172	28.4	23.9-32.9	184	36.4	31.3-41.5	200	32.8	28.1-37.5				12	2.4	00.6-04.2
\$50,000- 74,999	573	327,084	184	31.9	27.0-36.8	193	33.1	28.2-38.0	190	34.2	29.1-39.3				6	0.7	00.1-01.3
\$75,000+	1000	546,599	308	32.6	28.9-36.3	315	29.8	26.5-33.1	369	36.4	32.7-40.1				8	1.2	00.2-02.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

**TABLE 18: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5584	2,338,713	2042	35.4	33.6-37.2	1778	34.2	32.4-36.0	1689	28.7	27.1-30.3	3	0.0	00.0-00.0	72	1.7	01.1-02.3
White/Non-Hisp	4881	1,927,110	1833	36.9	35.1-38.7	1511	32.7	30.9-34.5	1481	29.1	27.3-30.9	3	0.0	00.0-00.0	53	1.2	00.8-01.6
Black or Afr. Am./Non-Hisp	346	201,688	84	24.0	18.1-29.9	134	41.9	34.6-49.2	119	30.6	24.5-36.7				9	3.5	00.8-06.2
Oth. Race/Non-Hisp.	81	43,587	34	38.0	24.1-51.9	23	37.6	22.5-52.7	22	23.5	11.9-35.1				2	0.9	00.0-02.5
MultiRacial/Non-Hisp.	53	18,000	25	40.6	22.8-58.4	14	31.5	12.7-50.3	13	24.8	08.7-40.9				1	3.1	00.0-09.2
Hispanic	161	121,054	45	28.4	20.2-36.6	72	43.7	34.5-52.9	38	22.1	14.1-30.1				6	5.8	00.5-11.1
18-24	226	288,592	65	27.5	20.8-34.2	105	47.2	39.9-54.5	49	22.6	16.5-28.7				7	2.6	00.4-04.8
25-34	469	372,506	172	36.0	30.9-41.1	172	37.4	32.1-42.7	114	23.5	19.0-28.0	1	0.1	00.0-00.3	10	3.1	00.9-05.3
35-44	662	375,903	269	38.1	33.8-42.4	192	30.5	26.4-34.6	197	30.5	26.4-34.6				4	0.9	00.0-01.9
45-54	895	423,749	312	36.4	32.5-40.3	280	31.2	27.5-34.9	292	31.2	27.7-34.7	1	0.1	00.0-00.3	10	1.2	00.4-02.0
55-64	1241	382,768	462	36.2	33.1-39.3	381	31.9	28.8-35.0	386	31.0	27.9-34.1				12	1.0	00.4-01.6
65+	2039	478,621	743	36.4	33.9-38.9	630	31.0	28.5-33.5	637	31.1	28.7-33.5	1	0.0	00.0-00.0	28	1.5	00.7-02.3
Less Than H.S.	478	299,952	127	28.5	23.0-34.0	171	36.2	30.1-42.3	164	31.8	26.3-37.3	1	0.0	00.0-00.0	15	3.5	01.1-05.9
H.S. or G.E.D.	2045	797,426	685	33.1	30.4-35.8	657	34.3	31.4-37.2	666	30.3	27.8-32.8	1	0.0	00.0-00.0	36	2.2	01.2-03.2
Some Post-H.S.	1495	751,666	537	34.9	31.8-38.0	488	34.8	31.7-37.9	455	29.1	26.2-32.0	1	0.0	00.0-00.0	14	1.2	00.4-02.0
College Graduate	1557	486,621	692	44.3	41.2-47.4	458	31.7	28.8-34.6	400	23.6	21.1-26.1				7	0.3	00.0-00.7
Less than \$15,000	654	270,135	203	29.5	24.4-34.6	217	34.9	29.2-40.6	217	31.4	26.3-36.5				17	4.2	01.7-06.7
\$15,000- 24,999	1052	432,411	340	33.2	29.1-37.3	335	33.1	29.0-37.2	359	31.4	27.5-35.3	1	0.0	00.0-00.0	17	2.3	00.7-03.9
\$25,000- 34,999	604	236,384	200	31.7	26.8-36.6	204	34.4	29.3-39.5	196	33.2	28.1-38.3	1	0.1	00.0-00.3	3	0.6	00.0-01.4
\$35,000- 49,999	684	274,486	256	34.5	30.0-39.0	200	32.5	27.6-37.4	225	32.6	27.9-37.3				3	0.4	00.0-00.8
\$50,000- 74,999	688	299,338	259	37.8	33.1-42.5	223	36.0	31.3-40.7	202	25.7	21.8-29.6				4	0.5	00.0-01.1
\$75,000+	956	448,849	405	39.7	35.8-43.6	299	33.6	29.7-37.5	246	25.6	22.3-28.9				6	1.1	00.1-02.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013**

SECTION 12: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	221
2	MALES ONLY	222
3	FEMALES ONLY	223
	WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)	
4	MALES AND FEMALES	224
5	MALES ONLY	225
6	FEMALES ONLY	226
	HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)	
7	MALES AND FEMALES	227
8	MALES ONLY	228
9	FEMALES ONLY	229
	AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)	
10	MALES AND FEMALES	230
11	MALES ONLY	231
12	FEMALES ONLY	232
	WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)	
13	MALES AND FEMALES	233
14	MALES ONLY	234
15	FEMALES ONLY	235
	HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)	
16	MALES AND FEMALES	236
17	MALES ONLY	237
18	FEMALES ONLY	238

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013**

SECTION 12: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)	
19 MALES AND FEMALES	239
20 MALES ONLY	240
21 FEMALES ONLY	241
DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)	
22 MALES AND FEMALES	242
23 MALES ONLY	243
24 FEMALES ONLY	244

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9584	4,538,311	6497	69.0	67.8-70.2	3087	31.0	29.8-32.2
Male	3940	2,185,519	2772	71.2	69.4-73.0	1168	28.8	27.0-30.6
Female	5644	2,352,791	3725	66.9	65.1-68.7	1919	33.1	31.3-34.9
White/Non-Hisp	8363	3,732,863	5701	69.7	68.3-71.1	2662	30.3	28.9-31.7
Black or Afr. Am./Non-Hisp	533	367,150	355	67.2	61.7-72.7	178	32.8	27.3-38.3
Oth. Race/Non-Hisp.	154	92,951	106	73.4	64.2-82.6	48	26.6	17.4-35.8
MultiRacial/Non-Hisp.	106	42,295	64	55.6	42.7-68.5	42	44.4	31.5-57.3
Hispanic	285	235,270	183	61.3	54.6-68.0	102	38.7	32.0-45.4
18-24	480	594,460	386	79.7	75.6-83.8	94	20.3	16.2-24.4
25-34	838	741,088	598	69.5	65.8-73.2	240	30.5	26.8-34.2
35-44	1128	737,165	840	72.7	69.6-75.8	288	27.3	24.2-30.4
45-54	1652	821,317	1137	67.0	64.3-69.7	515	33.0	30.3-35.7
55-64	2126	753,080	1471	68.0	65.6-70.4	655	32.0	29.6-34.4
65+	3282	866,865	2016	60.8	58.6-63.0	1266	39.2	37.0-41.4
Less Than H.S.	844	620,133	420	53.2	48.7-57.7	424	46.8	42.3-51.3
H.S. or G.E.D.	3443	1,548,561	2072	63.4	61.2-65.6	1371	36.6	34.4-38.8
Some Post-H.S.	2454	1,382,543	1672	71.9	69.7-74.1	782	28.1	25.9-30.3
College Graduate	2821	976,589	2319	83.6	81.8-85.4	502	16.4	14.6-18.2
Less than \$15,000	998	448,794	552	57.4	53.1-61.7	446	42.6	38.3-46.9
\$15,000- 24,999	1628	735,498	912	58.8	55.5-62.1	716	41.2	37.9-44.5
\$25,000- 34,999	1061	489,872	677	63.4	59.5-67.3	384	36.6	32.7-40.5
\$35,000- 49,999	1255	598,169	880	70.1	66.8-73.4	375	29.9	26.6-33.2
\$50,000- 74,999	1270	628,731	933	73.1	70.0-76.2	337	26.9	23.8-30.0
\$75,000+	1957	998,739	1605	81.3	79.1-83.5	352	18.7	16.5-20.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF,
GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3940	2,185,519	2772	71.2	69.4-73.0	1168	28.8	27.0-30.6
White/Non-Hisp	3427	1,792,616	2413	71.0	69.0-73.0	1014	29.0	27.0-31.0
Black or Afr. Am./Non-Hisp	185	164,194	135	76.5	69.2-83.8	50	23.5	16.2-30.8
Oth. Race/Non-Hisp.	74	50,431	53	77.3	66.3-88.3	21	22.7	11.7-33.7
MultiRacial/Non-Hisp.	52	24,189	35	62.1	44.9-79.3	17	37.9	20.7-55.1
Hispanic	123	113,569	84	65.8	56.0-75.6	39	34.2	24.4-44.0
18-24	255	308,143	217	85.6	80.7-90.5	38	14.4	09.5-19.3
25-34	366	366,889	263	70.5	65.2-75.8	103	29.5	24.2-34.8
35-44	470	362,846	349	73.1	68.4-77.8	121	26.9	22.2-31.6
45-54	764	398,918	510	66.2	62.1-70.3	254	33.8	29.7-37.9
55-64	876	366,812	619	69.0	65.3-72.7	257	31.0	27.3-34.7
65+	1185	374,405	800	65.8	62.5-69.1	385	34.2	30.9-37.5
Less Than H.S.	345	312,668	197	59.2	52.7-65.7	148	40.8	34.3-47.3
H.S. or G.E.D.	1369	746,290	862	67.3	64.2-70.4	507	32.7	29.6-35.8
Some Post-H.S.	949	629,102	666	73.0	69.7-76.3	283	27.0	23.7-30.3
College Graduate	1264	490,021	1039	82.4	79.9-84.9	225	17.6	15.1-20.1
Less than \$15,000	332	174,024	201	63.1	56.2-70.0	131	36.9	30.0-43.8
\$15,000- 24,999	569	304,739	335	62.6	57.5-67.7	234	37.4	32.3-42.5
\$25,000- 34,999	450	252,666	303	67.4	61.7-73.1	147	32.6	26.9-38.3
\$35,000- 49,999	571	324,822	387	69.8	65.1-74.5	184	30.2	25.5-34.9
\$50,000- 74,999	580	329,629	427	71.0	66.3-75.7	153	29.0	24.3-33.7
\$75,000+	1001	548,875	807	80.4	77.5-83.3	194	19.6	16.7-22.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF,
GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5644	2,352,791	3725	66.9	65.1-68.7	1919	33.1	31.3-34.9
White/Non-Hisp	4936	1,940,247	3288	68.5	66.7-70.3	1648	31.5	29.7-33.3
Black or Afr. Am./Non-Hisp	348	202,956	220	59.8	52.5-67.1	128	40.2	32.9-47.5
Oth. Race/Non-Hisp.	80	42,520	53	68.8	54.1-83.5	27	31.2	16.5-45.9
MultiRacial/Non-Hisp.	54	18,106	29	46.8	28.4-65.2	25	53.2	34.8-71.6
Hispanic	162	121,701	99	57.1	47.9-66.3	63	42.9	33.7-52.1
18-24	225	286,317	169	73.3	66.6-80.0	56	26.7	20.0-33.4
25-34	472	374,199	335	68.6	63.3-73.9	137	31.4	26.1-36.7
35-44	658	374,319	491	72.3	68.2-76.4	167	27.7	23.6-31.8
45-54	888	422,399	627	67.7	64.0-71.4	261	32.3	28.6-36.0
55-64	1250	386,268	852	67.0	63.9-70.1	398	33.0	29.9-36.1
65+	2097	492,460	1216	57.1	54.6-59.6	881	42.9	40.4-45.4
Less Than H.S.	499	307,465	223	47.2	41.1-53.3	276	52.8	46.7-58.9
H.S. or G.E.D.	2074	802,270	1210	59.7	56.8-62.6	864	40.3	37.4-43.2
Some Post-H.S.	1505	753,441	1006	71.0	68.1-73.9	499	29.0	26.1-31.9
College Graduate	1557	486,567	1280	84.8	82.6-87.0	277	15.2	13.0-17.4
Less than \$15,000	666	274,770	351	53.8	48.1-59.5	315	46.2	40.5-51.9
\$15,000- 24,999	1059	430,758	577	56.1	51.8-60.4	482	43.9	39.6-48.2
\$25,000- 34,999	611	237,207	374	59.1	53.8-64.4	237	40.9	35.6-46.2
\$35,000- 49,999	684	273,347	493	70.5	65.8-75.2	191	29.5	24.8-34.2
\$50,000- 74,999	690	299,102	506	75.3	71.4-79.2	184	24.7	20.8-28.6
\$75,000+	956	449,864	798	82.4	79.3-85.5	158	17.6	14.5-20.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6003	2,908,357	1303	25.6	24.0-27.2	3629	54.7	52.9-56.5	290	6.1	05.3-06.9	77	1.5	01.1-01.9	11	0.1	00.1-00.1	693	12.0	10.8-13.2
Male	2569	1,443,951	646	28.7	26.3-31.1	1337	45.2	42.7-47.7	233	10.6	09.0-12.2	34	1.6	00.8-02.4	6	0.1	00.0-00.3	313	13.8	11.8-15.8
Female	3434	1,464,407	657	22.5	20.5-24.5	2292	64.0	61.8-66.2	57	1.7	01.1-02.3	43	1.4	00.8-02.0	5	0.1	00.1-00.1	380	10.3	08.9-11.7
White/Non-Hisp	5272	2,424,903	1128	25.3	23.7-26.9	3198	55.2	53.4-57.0	250	5.9	04.9-06.9	69	1.5	01.1-01.9	11	0.1	00.1-00.1	616	11.8	10.6-13.0
Black or Afr. Am./Non-Hisp	322	222,244	74	25.9	19.8-32.0	204	55.6	48.3-62.9	14	5.6	02.3-08.9	4	1.6	00.0-03.2				26	11.3	05.2-17.4
Oth. Race/Non-Hisp.	97	60,347	26	29.3	17.9-40.7	51	47.8	35.8-59.8	7	5.9	01.0-10.8	1	1.2	00.0-03.6				12	15.8	06.2-25.4
MultiRacial/Non-Hisp.	58	22,202	10	22.3	05.4-39.2	39	57.7	39.9-75.5				1	2.6	00.0-07.7				8	17.3	03.8-30.8
Hispanic	174	138,489	51	30.4	22.2-38.6	88	45.9	36.9-54.9	12	10.6	04.1-17.1	2	1.2	00.0-02.8				21	11.9	06.0-17.8
18-24	369	449,449	170	44.0	38.3-49.7	115	32.4	26.9-37.9	34	9.2	06.1-12.3	4	1.4	00.0-02.8	1	0.1	00.0-00.3	45	12.8	08.7-16.9
25-34	556	480,482	195	32.5	28.0-37.0	245	45.0	40.3-49.7	40	8.1	05.4-10.8	11	1.6	00.6-02.6				65	12.9	09.6-16.2
35-44	782	498,881	218	26.9	23.4-30.4	417	51.9	47.8-56.0	39	5.5	03.5-07.5	12	1.7	00.7-02.7				96	14.0	10.7-17.3
45-54	1059	513,835	222	21.1	18.2-24.0	653	61.2	57.7-64.7	57	6.4	04.6-08.2	11	1.7	00.3-03.1	1	0.1	00.0-00.3	115	9.5	07.5-11.5
55-64	1370	479,597	217	15.6	13.2-18.0	921	67.1	64.2-70.0	43	3.6	02.2-05.0	17	1.3	00.5-02.1	4	0.2	00.0-00.4	168	12.1	10.1-14.1
65+	1823	474,279	274	15.1	13.1-17.1	1245	68.3	65.8-70.8	76	4.2	03.2-05.2	21	1.1	00.5-01.7	5	0.2	00.0-00.4	202	11.0	09.4-12.6
Less Than H.S.	381	307,049	56	18.1	12.8-23.4	271	64.7	58.2-71.2	15	5.8	02.5-09.1	8	3.0	00.5-05.5	1	0.1	00.0-00.3	30	8.3	04.8-11.8
H.S. or G.E.D.	1908	918,863	333	23.0	20.3-25.7	1242	56.0	53.1-58.9	83	6.3	04.7-07.9	25	1.7	00.9-02.5	3	0.1	00.1-00.1	222	12.9	10.7-15.1
Some Post-H.S.	1537	910,149	295	23.8	21.1-26.5	946	55.1	52.0-58.2	69	6.1	04.5-07.7	16	0.9	00.3-01.5	1	0.0	00.0-00.0	210	14.2	11.8-16.6
College Graduate	2164	765,046	614	33.7	31.2-36.2	1163	48.6	46.1-51.1	123	6.2	05.0-07.4	28	1.3	00.7-01.9	6	0.2	00.0-00.4	230	9.9	08.3-11.5
Less than \$15,000	500	234,815	87	21.5	16.6-26.4	343	63.0	57.1-68.9	15	5.6	02.3-08.9	4	0.8	00.0-02.0	1	0.1	00.0-00.3	50	9.0	05.9-12.1
\$15,000- 24,999	833	398,671	162	24.5	20.4-28.6	530	59.3	54.6-64.0	25	4.0	02.0-06.0	11	1.3	00.3-02.3	2	0.1	00.0-00.3	103	10.9	08.2-13.6
\$25,000- 34,999	629	289,415	105	21.5	16.6-26.4	420	56.7	51.4-62.0	28	8.2	04.9-11.5	8	1.6	00.0-03.2				68	12.0	08.5-15.5
\$35,000- 49,999	821	394,362	151	22.2	18.3-26.1	503	55.6	51.1-60.1	36	5.8	03.6-08.0	17	2.7	00.7-04.7	3	0.2	00.0-00.4	111	13.5	10.4-16.6
\$50,000- 74,999	854	419,341	201	26.0	22.1-29.9	494	53.7	49.2-58.2	44	5.4	03.4-07.4	9	0.9	00.3-01.5				106	13.9	10.0-17.8
\$75,000+	1511	765,836	428	31.0	28.1-33.9	784	47.3	44.2-50.4	112	8.5	06.5-10.5	20	1.5	00.7-02.3	4	0.2	00.0-00.4	163	11.5	09.3-13.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 5: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2569	1,443,951	646	28.7	26.3-31.1	1337	45.2	42.8-47.6	233	10.6	09.0-12.2	34	1.6	00.8-02.4	6	0.1	00.0-00.3	313	13.8	11.8-15.8
White/Non-Hisp	2234	1,182,469	551	27.8	25.3-30.3	1183	46.9	44.4-49.4	198	10.4	08.8-12.0	31	1.7	00.9-02.5	6	0.2	00.0-00.4	265	13.0	11.0-15.0
Black or Afr. Am./Non-Hisp	122	110,100	36	32.3	21.9-42.7	59	39.6	28.4-50.8	11	10.3	03.8-16.8							16	17.8	06.8-28.8
Hispanic	82	72,823	28	38.3	26.0-50.6	29	29.4	18.2-40.6	11	17.2	06.8-27.6	2	2.2	00.0-05.3				12	12.9	04.7-21.1
18-24	210	252,825	106	50.0	42.4-57.6	40	19.8	13.5-26.1	28	12.9	08.0-17.8	2	1.4	00.0-03.4	1	0.3	00.0-00.9	33	15.6	09.9-21.3
25-34	242	238,321	91	35.2	28.5-41.9	69	29.9	23.2-36.6	35	15.0	09.9-20.1	3	0.9	00.0-02.1				44	19.0	13.1-24.9
35-44	323	243,258	107	30.0	24.3-35.7	124	39.1	32.8-45.4	34	10.4	06.7-14.1	6	2.0	00.4-03.6				52	18.5	12.8-24.2
45-54	477	248,570	121	24.3	20.0-28.6	251	53.4	48.1-58.7	50	11.7	08.2-15.2	6	2.2	00.0-04.7	1	0.2	00.0-00.6	48	8.2	05.5-10.9
55-64	573	235,033	103	16.3	12.8-19.8	363	63.8	59.1-68.5	32	6.3	03.8-08.8	8	1.8	00.4-03.2	2	0.2	00.0-00.6	65	11.5	08.4-14.6
65+	730	221,910	114	14.3	11.4-17.2	483	68.2	64.3-72.1	53	7.0	05.0-09.0	8	0.9	00.3-01.5	2	0.2	00.0-00.6	70	9.4	07.0-11.8
Less Than H.S.	177	169,583	30	18.7	11.8-25.6	119	60.1	51.1-69.1	15	10.6	04.7-16.5	3	3.7	00.0-08.0	1	0.2	00.0-00.6	9	6.8	01.9-11.7
H.S. or G.E.D.	797	471,277	169	27.3	23.0-31.6	449	46.5	42.2-50.8	67	10.5	07.8-13.2	12	1.5	00.5-02.5	2	0.1	00.0-00.3	98	14.1	10.6-17.6
Some Post-H.S.	610	418,608	127	25.8	21.3-30.3	316	44.0	39.3-48.7	59	11.1	08.0-14.2	7	1.0	00.2-01.8				101	18.2	14.1-22.3
College Graduate	977	379,079	316	37.9	34.2-41.6	450	38.5	35.0-42.0	92	10.5	08.1-12.9	12	1.4	00.6-02.2	3	0.4	00.0-00.8	104	11.4	08.9-13.9
Less than \$15,000	181	101,133	40	25.3	17.3-33.3	110	54.9	45.5-64.3	13	11.3	04.2-18.4				1	0.2	00.0-00.6	17	8.3	03.6-13.0
\$15,000- 24,999	310	175,950	69	26.1	19.6-32.6	183	56.6	49.3-63.9	19	7.6	03.5-11.7	5	1.2	00.0-02.4				34	8.5	05.0-12.0
\$25,000- 34,999	283	158,129	44	23.5	15.9-31.1	173	45.4	38.0-52.8	26	14.6	08.9-20.3	3	1.4	00.0-03.6				37	15.1	09.4-20.8
\$35,000- 49,999	365	213,660	77	26.4	20.3-32.5	200	46.3	39.8-52.8	30	9.7	05.8-13.6	10	3.2	00.1-06.3	2	0.3	00.0-00.7	46	14.1	09.6-18.6
\$50,000- 74,999	386	212,243	102	26.3	20.8-31.8	199	47.0	40.5-53.5	33	9.3	05.6-13.0	6	1.4	00.2-02.6				46	16.0	09.3-22.7
\$75,000+	758	411,574	240	35.2	30.9-39.5	327	36.7	32.6-40.8	87	12.2	09.3-15.1	8	1.6	00.4-02.8	3	0.3	00.0-00.7	93	13.9	10.8-17.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 6: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3434	1,464,407	657	22.5	20.5-24.5	2292	64.0	61.8-66.2	57	1.7	01.1-02.3	43	1.4	00.8-02.0	5	0.1	00.1-00.1	380	10.3	08.9-11.7
White/Non-Hisp	3038	1,242,434	577	23.0	20.8-25.2	2015	63.2	60.8-65.6	52	1.7	01.1-02.3	38	1.3	00.7-01.9	5	0.1	00.1-00.1	351	10.7	09.3-12.1
Black or Afr. Am./Non-Hisp	200	112,144	38	19.6	12.7-26.5	145	71.4	63.4-79.4	3	1.0	00.0-02.4	4	3.1	00.0-06.2				10	4.9	00.4-09.4
Hispanic	92	65,666	23	21.6	11.6-31.6	59	64.2	51.9-76.5	1	3.4	00.0-09.9							9	10.8	02.6-19.0
18-24	159	196,624	64	36.2	28.0-44.4	75	48.6	39.8-57.4	6	4.6	00.9-08.3	2	1.3	00.0-03.1				12	9.3	03.6-15.0
25-34	314	242,162	104	29.8	24.1-35.5	176	59.8	53.5-66.1	5	1.4	00.0-02.8	8	2.2	00.6-03.8				21	6.9	03.8-10.0
35-44	459	255,623	111	23.9	19.4-28.4	293	64.0	58.9-69.1	5	0.9	00.1-01.7	6	1.4	00.0-02.8				44	9.8	06.5-13.1
45-54	582	265,265	101	18.2	14.3-22.1	402	68.5	64.0-73.0	7	1.3	00.1-02.5	5	1.3	00.0-02.7				67	10.7	07.8-13.6
55-64	797	244,564	114	15.0	12.1-17.9	558	70.2	66.5-73.9	11	1.1	00.5-01.7	9	0.9	00.1-01.7	2	0.2	00.0-00.4	103	12.7	10.0-15.4
65+	1093	252,369	160	15.9	13.2-18.6	762	68.4	65.1-71.7	23	1.8	01.0-02.6	13	1.4	00.6-02.2	3	0.2	00.0-00.4	132	12.4	10.0-14.8
Less Than H.S.	204	137,466	26	17.5	09.5-25.5	152	70.3	61.5-79.1				5	2.1	00.0-04.3				21	10.1	04.8-15.4
H.S. or G.E.D.	1111	447,586	164	18.5	15.2-21.8	793	66.0	62.1-69.9	16	2.0	00.8-03.2	13	2.0	00.8-03.2	1	0.1	00.0-00.3	124	11.5	09.0-14.0
Some Post-H.S.	927	491,541	168	22.1	18.6-25.6	630	64.6	60.5-68.7	10	1.8	00.4-03.2	9	0.8	00.2-01.4	1	0.0	00.0-00.0	109	10.7	08.2-13.2
College Graduate	1187	385,967	298	29.6	26.3-32.9	713	58.6	55.1-62.1	31	2.0	01.2-02.8	16	1.2	00.4-02.0	3	0.1	00.0-00.3	126	8.4	06.6-10.2
Less than \$15,000	319	133,682	47	18.7	12.4-25.0	233	69.1	61.8-76.4	2	1.2	00.0-03.0	4	1.5	00.0-03.5				33	9.6	05.3-13.9
\$15,000- 24,999	523	222,721	93	23.2	17.7-28.7	347	61.3	55.2-67.4	6	1.2	00.0-02.6	6	1.4	00.0-03.0	2	0.1	00.0-00.3	69	12.8	09.1-16.5
\$25,000- 34,999	346	131,286	61	19.2	13.3-25.1	247	70.4	63.9-76.9	2	0.4	00.0-01.0	5	1.8	00.0-03.8				31	8.1	04.6-11.6
\$35,000- 49,999	456	180,701	74	17.3	12.6-22.0	303	66.7	61.0-72.4	6	1.1	00.1-02.1	7	2.0	00.4-03.6	1	0.2	00.0-00.6	65	12.7	08.6-16.8
\$50,000- 74,999	468	207,098	99	25.7	20.2-31.2	295	60.6	54.7-66.5	11	1.4	00.4-02.4	3	0.5	00.0-01.1				60	11.8	08.1-15.5
\$75,000+	753	354,262	188	26.2	22.3-30.1	457	59.5	55.0-64.0	25	4.2	02.0-06.4	12	1.2	00.4-02.0	1	0.1	00.0-00.3	70	8.8	06.3-11.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 7: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6357	3,061,369	2920	48.0	46.4-49.6	1529	22.5	21.1-23.9	911	14.6	13.4-15.8	259	4.0	03.4-04.6	738	10.9	09.9-11.9
Male	2727	1,530,032	1193	45.7	43.3-48.1	654	22.5	20.5-24.5	397	14.8	13.0-16.6	131	4.9	03.9-05.9	352	12.0	10.4-13.6
Female	3630	1,531,337	1727	50.4	48.2-52.6	875	22.5	20.7-24.3	514	14.4	12.8-16.0	128	3.0	02.4-03.6	386	9.7	08.5-10.9
White/Non-Hisp	5583	2,555,194	2528	47.2	45.4-49.0	1376	23.5	21.9-25.1	792	14.3	13.1-15.5	218	3.5	02.9-04.1	669	11.4	10.2-12.6
Black or Afr. Am./Non-Hisp	345	239,635	175	51.1	44.0-58.2	65	18.7	13.2-24.2	58	15.0	10.1-19.9	16	6.5	02.8-10.2	31	8.7	04.6-12.8
Oth. Race/Non-Hisp.	102	62,976	44	45.0	33.2-56.8	27	24.8	14.6-35.0	13	10.9	04.6-17.2	9	11.1	03.3-18.9	9	8.2	01.7-14.7
MultiRacial/Non-Hisp.	63	22,969	31	60.2	44.5-75.9	16	22.6	09.3-35.9	6	6.0	00.5-11.5	2	1.9	00.0-04.8	8	9.3	02.0-16.6
Hispanic	180	138,757	104	58.9	50.3-67.5	26	8.8	04.7-12.9	26	19.4	11.8-27.0	10	4.2	01.3-07.1	14	8.7	03.6-13.8
18-24	381	467,488	191	49.1	43.4-54.8	96	25.8	20.7-30.9	52	13.1	09.4-16.8	15	3.2	01.4-05.0	27	8.7	05.2-12.2
25-34	587	503,415	314	53.4	48.7-58.1	120	19.9	16.2-23.6	86	13.7	10.6-16.8	28	5.3	03.1-07.5	39	7.8	05.1-10.5
35-44	828	525,055	433	53.1	49.0-57.2	164	19.1	16.0-22.2	133	16.2	13.3-19.1	33	3.5	02.1-04.9	65	8.1	05.9-10.3
45-54	1124	542,535	541	48.5	45.0-52.0	229	19.3	16.8-21.8	166	16.0	13.3-18.7	43	4.0	02.6-05.4	145	12.2	10.0-14.4
55-64	1451	504,029	652	44.9	41.8-48.0	342	22.7	20.2-25.2	210	14.6	12.4-16.8	60	3.9	02.7-05.1	187	13.9	11.7-16.1
65+	1941	505,948	772	39.5	37.0-42.0	564	28.7	26.2-31.2	259	13.9	12.1-15.7	78	3.9	02.9-04.9	268	14.0	12.2-15.8
Less Than H.S.	395	313,082	141	36.9	30.6-43.2	109	26.6	20.9-32.3	76	18.8	13.7-23.9	16	3.3	01.1-05.5	53	14.4	09.7-19.1
H.S. or G.E.D.	2021	960,030	839	45.5	42.6-48.4	525	23.0	20.6-25.4	308	15.5	13.3-17.7	95	4.6	03.4-05.8	254	11.4	09.6-13.2
Some Post-H.S.	1637	974,516	767	49.8	46.7-52.9	389	22.2	19.7-24.7	233	14.0	11.8-16.2	59	3.7	02.5-04.9	189	10.4	08.4-12.4
College Graduate	2290	806,410	1167	53.2	50.7-55.7	504	20.8	18.8-22.8	290	12.7	11.1-14.3	88	3.9	02.9-04.9	241	9.5	08.1-10.9
Less than \$15,000	532	248,031	198	37.5	31.8-43.2	142	25.6	20.5-30.7	95	20.3	15.6-25.0	19	2.5	00.7-04.3	78	14.2	10.1-18.3
\$15,000- 24,999	892	424,323	369	44.4	39.7-49.1	227	24.0	20.1-27.9	136	14.4	11.3-17.5	39	3.9	02.3-05.5	121	13.4	10.3-16.5
\$25,000- 34,999	661	305,425	282	43.2	38.1-48.3	177	25.7	21.2-30.2	84	12.2	09.1-15.3	36	6.3	03.8-08.8	82	12.5	09.2-15.8
\$35,000- 49,999	866	413,512	397	46.2	41.9-50.5	210	22.0	18.5-25.5	128	17.0	13.5-20.5	40	4.8	02.8-06.8	91	10.0	07.3-12.7
\$50,000- 74,999	920	452,733	462	52.6	48.3-56.9	180	18.9	15.8-22.0	154	16.7	13.8-19.6	30	3.1	01.7-04.5	94	8.8	06.6-11.0
\$75,000+	1593	804,005	831	54.0	50.9-57.1	322	19.2	16.8-21.6	199	11.8	09.8-13.8	63	4.1	02.9-05.3	178	10.9	08.9-12.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 8: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2727	1,530,032	1193	45.7	43.3-48.1	654	22.5	20.5-24.5	397	14.8	13.0-16.6	131	4.9	03.9-05.9	352	12.0	10.4-13.6
White/Non-Hisp	2376	1,255,416	1036	45.4	42.9-47.9	583	23.3	21.1-25.5	341	14.6	12.8-16.4	107	4.2	03.2-05.2	309	12.4	10.6-14.2
Black or Afr. Am./Non-Hisp	131	122,345	57	44.7	33.5-55.9	26	19.0	10.6-27.4	19	12.0	05.1-18.9	10	10.9	04.0-17.8	19	13.3	05.7-20.9
Oth. Race/Non-Hisp.	52	37,775	24	41.7	25.8-57.6	11	26.5	11.8-41.2	7	12.0	02.8-21.2	4	9.6	00.0-19.6	6	10.3	00.5-20.1
Hispanic	82	71,711	45	58.6	46.3-70.9	10	7.5	02.2-12.8	13	21.0	09.6-32.4	6	5.2	00.7-09.7	8	7.8	02.1-13.5
18-24	217	263,730	99	44.7	37.3-52.1	59	28.3	21.4-35.2	31	13.8	08.7-18.9	11	4.3	01.6-07.0	17	8.9	04.2-13.6
25-34	257	251,656	127	49.9	42.8-57.0	53	18.6	13.5-23.7	37	14.0	09.3-18.7	17	7.7	03.8-11.6	23	9.9	05.2-14.6
35-44	344	260,483	185	55.0	48.7-61.3	67	18.7	13.8-23.6	50	14.3	10.0-18.6	14	3.8	01.6-06.0	28	8.1	05.0-11.2
45-54	507	262,840	239	46.1	41.0-51.2	101	18.7	14.8-22.6	72	16.6	12.3-20.9	28	5.7	03.3-08.1	67	12.8	09.3-16.3
55-64	612	249,668	255	41.7	37.0-46.4	143	22.4	18.7-26.1	89	15.0	11.7-18.3	28	4.3	02.1-06.5	97	16.6	13.1-20.1
65+	776	237,621	284	36.2	32.3-40.1	227	28.9	25.2-32.6	115	15.1	12.2-18.0	31	3.5	02.1-04.9	119	16.2	13.1-19.3
Less Than H.S.	185	176,021	61	32.4	24.2-40.6	59	30.6	22.6-38.6	32	17.7	10.4-25.0	8	4.3	00.8-07.8	25	15.0	08.1-21.9
H.S. or G.E.D.	848	494,741	337	43.8	39.5-48.1	224	23.2	19.7-26.7	129	15.7	12.6-18.8	41	4.8	03.0-06.6	117	12.5	09.8-15.2
Some Post-H.S.	656	454,320	286	48.0	43.3-52.7	148	20.7	17.0-24.4	111	15.7	12.4-19.0	34	5.5	03.3-07.7	77	10.1	07.4-12.8
College Graduate	1030	399,547	506	51.1	47.4-54.8	221	20.2	17.3-23.1	124	11.5	09.3-13.7	47	4.8	03.2-06.4	132	12.3	09.9-14.7
Less than \$15,000	192	105,414	61	32.7	24.3-41.1	57	26.2	18.2-34.2	31	20.9	13.1-28.7	9	3.5	00.0-07.2	34	16.6	09.9-23.3
\$15,000- 24,999	328	186,597	127	40.2	33.1-47.3	89	25.9	19.6-32.2	45	12.7	08.2-17.2	16	4.0	01.5-06.5	51	17.2	11.3-23.1
\$25,000- 34,999	300	169,399	108	36.8	29.7-43.9	88	29.9	22.8-37.0	39	11.7	07.2-16.2	21	8.7	04.4-13.0	44	12.9	08.4-17.4
\$35,000- 49,999	381	224,120	163	42.6	36.3-48.9	96	23.3	18.0-28.6	50	14.5	09.8-19.2	23	6.8	03.7-09.9	49	12.7	08.2-17.2
\$50,000- 74,999	423	231,936	204	53.0	46.7-59.3	83	17.2	12.9-21.5	82	18.9	14.4-23.4	13	2.8	01.0-04.6	41	8.1	05.2-11.0
\$75,000+	801	436,644	406	51.5	47.2-55.8	150	18.8	15.3-22.3	101	12.6	09.7-15.5	36	5.0	03.0-07.0	108	12.1	09.4-14.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 9: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3630	1,531,337	1727	50.4	48.2-52.6	875	22.5	20.7-24.3	514	14.4	12.8-16.0	128	3.0	02.4-03.6	386	9.7	08.5-10.9
White/Non-Hisp	3207	1,299,778	1492	48.9	46.5-51.3	793	23.7	21.7-25.7	451	14.1	12.5-15.7	111	2.9	02.3-03.5	360	10.4	09.0-11.8
Black or Afr. Am./Non-Hisp	214	117,290	118	57.7	49.3-66.1	39	18.5	11.6-25.4	39	18.0	11.3-24.7	6	2.0	00.0-04.0	12	3.8	01.3-06.3
Oth. Race/Non-Hisp.	50	25,201	20	50.0	32.9-67.1	16	22.1	10.1-34.1	6	9.2	01.4-17.0	5	13.5	00.6-26.4	3	5.2	00.0-11.7
Hispanic	98	67,046	59	59.3	47.0-71.6	16	10.3	04.0-16.6	13	17.6	07.2-28.0	4	3.2	00.0-06.5	6	9.6	01.2-18.0
18-24	164	203,758	92	54.7	46.1-63.3	37	22.7	15.4-30.0	21	12.3	06.8-17.8	4	1.8	00.0-03.6	10	8.5	03.2-13.8
25-34	330	251,758	187	56.8	50.5-63.1	67	21.2	15.9-26.5	49	13.4	09.3-17.5	11	2.9	01.1-04.7	16	5.6	02.7-08.5
35-44	484	264,573	248	51.3	46.0-56.6	97	19.5	15.6-23.4	83	18.0	13.9-22.1	19	3.1	01.3-04.9	37	8.0	05.3-10.7
45-54	617	279,695	302	50.7	46.0-55.4	128	19.8	16.3-23.3	94	15.4	11.9-18.9	15	2.4	00.8-04.0	78	11.7	08.8-14.6
55-64	839	254,361	397	47.9	43.8-52.0	199	23.1	19.8-26.4	121	14.3	11.6-17.0	32	3.4	02.0-04.8	90	11.2	08.5-13.9
65+	1165	268,327	488	42.3	38.8-45.8	337	28.6	25.5-31.7	144	12.8	10.6-15.0	47	4.3	02.9-05.7	149	12.0	09.8-14.2
Less Than H.S.	210	137,061	80	42.7	33.3-52.1	50	21.5	13.9-29.1	44	20.2	13.3-27.1	8	2.1	00.3-03.9	28	13.5	07.8-19.2
H.S. or G.E.D.	1173	465,289	502	47.4	43.7-51.1	301	22.8	19.7-25.9	179	15.2	12.5-17.9	54	4.4	02.8-06.0	137	10.2	08.0-12.4
Some Post-H.S.	981	520,196	481	51.3	47.2-55.4	241	23.5	20.0-27.0	122	12.5	09.8-15.2	25	2.2	01.2-03.2	112	10.6	08.1-13.1
College Graduate	1260	406,863	661	55.3	52.0-58.6	283	21.4	18.7-24.1	166	13.8	11.4-16.2	41	2.9	01.7-04.1	109	6.7	05.3-08.1
Less than \$15,000	340	142,616	137	41.1	33.7-48.5	85	25.1	18.2-32.0	64	19.8	14.1-25.5	10	1.7	00.5-02.9	44	12.4	07.3-17.5
\$15,000- 24,999	564	237,726	242	47.6	41.5-53.7	138	22.5	17.6-27.4	91	15.7	11.4-20.0	23	3.7	01.7-05.7	70	10.5	07.4-13.6
\$25,000- 34,999	361	136,026	174	51.2	44.5-57.9	89	20.5	15.6-25.4	45	12.8	08.5-17.1	15	3.4	01.2-05.6	38	12.0	07.1-16.9
\$35,000- 49,999	485	189,392	234	50.5	44.6-56.4	114	20.4	16.1-24.7	78	20.0	14.7-25.3	17	2.3	00.7-03.9	42	6.8	04.3-09.3
\$50,000- 74,999	497	220,797	258	52.2	46.5-57.9	97	20.6	15.9-25.3	72	14.3	10.2-18.4	17	3.4	01.6-05.2	53	9.5	06.6-12.4
\$75,000+	792	367,361	425	56.9	52.6-61.2	172	19.6	16.5-22.7	98	11.0	08.5-13.5	27	3.0	01.8-04.2	70	9.5	06.6-12.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 10: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6405	3,083,822	2976	42.9	41.3-44.5	879	13.3	12.3-14.3	53	0.8	0.4-01.2	1537	26.5	24.9-28.1	619	11.2	10.0-12.4	341	5.2	04.4-06.0
Male	2738	1,537,297	1151	38.3	35.9-40.7	347	12.1	10.5-13.7	20	0.7	0.3-01.1	671	27.0	24.8-29.2	345	14.5	12.7-16.3	204	7.4	06.0-08.8
Female	3667	1,546,526	1825	47.5	45.3-49.7	532	14.5	12.9-16.1	33	0.9	0.5-01.3	866	26.0	24.0-28.0	274	7.9	06.5-09.3	137	3.0	02.4-03.6
White/Non-Hisp	5626	2,570,766	2651	43.6	41.8-45.4	772	13.3	12.1-14.5	47	0.8	0.4-01.2	1314	26.4	24.8-28.0	543	10.9	09.7-12.1	299	5.0	04.2-05.8
Black or Afr. Am./Non-Hisp	349	241,875	146	39.6	32.9-46.3	43	10.3	06.4-14.2	2	0.5	0.0-01.3	104	29.8	23.3-36.3	36	13.2	08.1-18.3	18	6.5	02.4-10.6
Oth. Race/Non-Hisp.	102	62,976	45	45.4	33.6-57.2	14	15.5	06.7-24.3				25	19.5	10.7-28.3	9	10.8	02.0-19.6	9	8.8	02.1-15.5
MultiRacial/Non-Hisp.	62	22,874	28	38.8	23.5-54.1	9	7.9	00.0-16.5				15	35.4	18.3-52.5	5	11.3	00.0-25.6	5	6.6	00.0-13.3
Hispanic	181	143,331	67	34.9	26.5-43.3	28	16.9	10.2-23.6	2	1.9	0.0-04.4	60	27.8	20.4-35.2	20	15.1	08.4-21.8	4	3.4	00.0-07.1
18-24	382	468,607	128	32.1	26.8-37.4	42	9.4	06.1-12.7	4	1.1	0.0-02.3	131	35.2	29.7-40.7	66	18.5	14.0-23.0	11	3.7	01.3-06.1
25-34	591	509,412	246	39.4	34.9-43.9	95	16.0	12.7-19.3	5	0.8	0.0-01.6	167	28.0	23.9-32.1	59	11.5	08.4-14.6	19	4.4	02.0-06.8
35-44	828	526,798	349	42.7	38.6-46.8	135	13.7	11.2-16.2	6	0.9	0.1-01.7	235	27.9	24.2-31.6	73	10.7	08.2-13.2	30	4.1	02.3-05.9
45-54	1125	542,866	515	44.4	40.9-47.9	179	17.1	14.4-19.8	8	0.6	0.2-01.0	286	25.1	22.0-28.2	85	8.0	06.0-10.0	52	4.8	03.2-06.4
55-64	1459	508,680	727	48.9	45.8-52.0	185	11.7	09.7-13.7	10	0.7	0.1-01.3	340	24.0	21.3-26.7	124	8.7	06.9-10.5	73	6.0	04.4-07.6
65+	1973	514,134	983	48.6	45.9-51.3	238	11.6	10.0-13.2	20	0.9	0.5-01.3	370	19.9	17.7-22.1	210	11.1	09.3-12.9	152	7.9	06.3-09.5
Less Than H.S.	409	324,916	185	42.0	35.7-48.3	38	10.5	06.4-14.6	3	1.0	0.0-02.4	91	22.8	17.3-28.3	56	16.7	11.6-21.8	36	6.9	04.0-09.8
H.S. or G.E.D.	2043	968,012	990	43.9	41.2-46.6	187	8.7	07.1-10.3	11	0.6	0.2-01.0	480	26.5	24.0-29.0	235	13.5	11.5-15.5	140	6.9	05.3-08.5
Some Post-H.S.	1646	977,581	782	42.2	39.3-45.1	224	13.9	11.7-16.1	9	0.6	0.0-01.2	401	28.4	25.5-31.3	151	10.2	08.2-12.2	79	4.7	03.3-06.1
College Graduate	2293	805,982	1015	43.0	40.5-45.5	429	19.5	17.5-21.5	30	1.3	0.7-01.9	560	25.7	23.5-27.9	175	7.3	05.9-08.7	84	3.1	02.3-03.9
Less than \$15,000	540	252,000	263	42.9	37.2-48.6	43	7.7	04.8-10.6	3	0.5	0.0-01.1	131	25.6	20.5-30.7	72	19.1	14.2-24.0	28	4.3	02.1-06.5
\$15,000- 24,999	899	426,843	442	44.6	40.1-49.1	94	10.6	07.7-13.5	3	0.5	0.0-01.1	211	27.1	23.0-31.2	97	11.9	08.6-15.2	52	5.2	03.2-07.2
\$25,000- 34,999	668	307,982	341	44.3	39.4-49.2	74	9.7	07.0-12.4	3	0.4	0.0-01.0	157	28.6	23.7-33.5	67	12.7	09.2-16.2	26	4.4	02.4-06.4
\$35,000- 49,999	872	416,327	402	43.7	39.4-48.0	101	11.2	08.7-13.7	8	0.5	0.1-00.9	228	26.9	23.0-30.8	84	10.6	07.9-13.3	49	7.1	04.6-09.6
\$50,000- 74,999	924	453,086	425	43.9	39.8-48.0	146	15.2	12.3-18.1	7	1.0	0.0-02.0	214	25.0	20.9-29.1	87	9.3	06.9-11.7	45	5.6	03.2-08.0
\$75,000+	1591	802,897	660	39.7	36.8-42.6	306	18.1	15.7-20.5	20	1.3	0.5-02.1	412	28.2	25.3-31.1	125	8.6	06.8-10.4	68	4.2	02.8-05.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 11: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2738	1,537,297	1151	38.3	35.9-40.7	347	12.1	10.5-13.7	20	0.7	0.3-0.1.1	671	27.0	24.8-29.2	345	14.5	12.7-16.3	204	7.4	0.6-0.8.8
White/Non-Hisp	2386	1,259,452	1013	38.8	36.3-41.3	305	12.0	10.4-13.6	19	0.8	0.2-0.1.4	577	27.3	24.9-29.7	292	13.9	12.1-15.7	180	7.2	0.5-0.8.6
Black or Afr. Am./Non-Hisp	133	123,590	54	38.6	28.2-49.0	11	6.9	0.2-0.11.8	1	0.7	0.0-0.2.1	37	28.1	17.9-38.3	23	18.1	0.9-5.26.7	7	7.6	0.2-15.0
Oth. Race/Non-Hisp.	52	37,775	23	40.2	24.7-55.7	8	18.8	0.5-5.32.1				9	17.5	0.5-2.29.8	7	13.0	0.0-5.25.5	5	10.4	0.4-20.4
Hispanic	82	73,789	24	29.2	17.4-41.0	13	18.6	0.8-8.28.4				28	25.2	15.0-35.4	14	21.5	10.9-32.1	3	5.4	0.0-12.1
18-24	217	263,730	57	26.6	20.1-33.1	24	8.6	0.4-7.12.5	2	1.2	0.0-0.3.2	80	36.7	29.4-44.0	46	21.8	15.7-27.9	8	5.2	0.1-5.08.9
25-34	260	255,158	89	31.0	24.7-37.3	40	15.8	10.9-20.7	2	0.4	0.0-0.1.0	78	29.6	23.3-35.9	37	16.2	10.9-21.5	14	6.9	0.2-6.11.2
35-44	343	260,141	134	39.5	33.4-45.6	44	10.9	0.7-4.14.4	3	1.2	0.0-0.2.8	98	28.1	22.2-34.0	46	14.5	10.2-18.8	18	5.8	0.2-9.08.7
45-54	505	261,801	212	41.1	36.0-46.2	80	16.3	12.4-20.2	2	0.4	0.0-0.1.0	119	23.6	19.1-28.1	52	10.8	0.7-7.13.9	40	7.8	0.5-1.10.5
55-64	615	252,066	290	46.0	41.3-50.7	72	10.9	0.8-2.13.6	3	0.3	0.0-0.0.7	143	23.6	19.5-27.7	59	10.0	0.7-1.12.9	48	9.1	0.6-2.12.0
65+	784	240,367	361	46.1	42.0-50.2	86	10.0	0.7-6.12.4	8	0.9	0.1-0.1.7	152	20.2	16.9-23.5	104	13.6	10.7-16.5	73	9.2	0.6-7.11.7
Less Than H.S.	190	181,627	82	39.0	30.6-47.4	13	7.9	0.3-4.12.4	1	0.9	0.0-0.2.7	45	23.0	15.4-30.6	31	21.8	14.2-29.4	18	7.4	0.3-1.11.7
H.S. or G.E.D.	854	497,403	364	38.5	34.4-42.6	67	7.8	0.5-6.10.0	4	0.4	0.0-0.0.8	202	26.3	22.4-30.2	137	17.5	14.2-20.8	80	9.5	0.6-6.12.4
Some Post-H.S.	658	454,741	278	37.7	33.2-42.2	75	11.8	0.8-7.14.9	3	0.8	0.0-0.2.0	173	30.4	25.9-34.9	81	12.3	0.9-4.15.2	48	7.1	0.4-7.09.5
College Graduate	1028	398,122	424	38.3	34.8-41.8	191	19.9	17.0-22.8	12	1.0	0.2-0.1.8	250	26.1	22.8-29.4	94	9.8	0.7-4.12.2	57	4.9	0.3-3.06.5
Less than \$15,000	194	106,885	86	41.6	32.8-50.4	13	7.1	0.2-2.12.0	1	0.8	0.0-0.2.4	44	21.6	14.3-28.9	36	23.8	15.4-32.2	14	5.1	0.1-8.08.4
\$15,000- 24,999	331	187,755	147	40.7	33.8-47.6	34	9.6	0.5-7.13.5	1	0.4	0.0-0.1.2	79	26.9	20.6-33.2	43	15.5	0.9-6.21.4	27	7.0	0.3-3.10.7
\$25,000- 34,999	301	169,556	143	39.8	32.7-46.9	21	7.6	0.3-9.11.3	1	0.2	0.0-0.0.6	78	29.6	22.3-36.9	45	18.5	12.6-24.4	13	4.4	0.1-7.07.1
\$35,000- 49,999	384	225,734	162	39.9	33.8-46.0	45	9.7	0.6-4.13.0	3	0.3	0.0-0.0.7	93	25.8	20.1-31.5	46	13.3	0.9-2.17.4	35	11.0	0.6-5.15.5
\$50,000- 74,999	423	231,724	176	37.4	31.5-43.3	63	14.0	10.1-17.9	2	1.0	0.0-0.2.6	102	27.1	20.8-33.4	50	11.7	0.8-0.15.4	30	8.9	0.4-4.13.4
\$75,000+	799	435,567	309	36.0	31.9-40.1	138	16.6	13.5-19.7	10	1.3	0.1-0.2.5	205	28.4	24.5-32.3	79	11.0	0.8-1.13.9	58	6.8	0.4-6.09.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 12: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3667	1,546,526	1825	47.5	45.3-49.7	532	14.5	12.9-16.1	33	0.9	0.5-01.3	866	26.0	24.0-28.0	274	7.9	06.5-09.3	137	3.0	02.4-03.6
White/Non-Hisp	3240	1,311,313	1638	48.2	45.8-50.6	467	14.6	13.0-16.2	28	0.8	0.4-01.2	737	25.4	23.2-27.6	251	8.0	06.6-09.4	119	2.9	02.3-03.5
Black or Afr. Am./Non-Hisp	216	118,285	92	40.6	32.4-48.8	32	13.9	08.0-19.8	1	0.4	0.0-01.2	67	31.6	23.6-39.6	13	8.1	03.2-13.0	11	5.4	02.1-08.7
Oth. Race/Non-Hisp.	50	25,201	22	53.2	36.3-70.1	6	10.5	01.3-19.7				16	22.6	10.1-35.1	2	7.4	00.0-18.8	4	6.3	00.0-13.4
Hispanic	99	69,541	43	41.0	28.8-53.2	15	15.1	05.7-24.5	2	3.8	0.0-09.1	32	30.5	19.5-41.5	6	8.2	00.6-15.8	1	1.3	00.0-03.8
18-24	165	204,877	71	39.2	30.8-47.6	18	10.4	04.9-15.9	2	1.0	0.0-02.4	51	33.4	25.4-41.4	20	14.3	08.0-20.6	3	1.8	00.0-04.0
25-34	331	254,254	157	47.8	41.5-54.1	55	16.3	11.8-20.8	3	1.2	0.0-02.6	89	26.3	20.8-31.8	22	6.7	03.8-09.6	5	1.8	00.2-03.4
35-44	485	266,657	215	45.8	40.5-51.1	91	16.3	12.8-19.8	3	0.6	0.0-01.4	137	27.8	23.3-32.3	27	6.9	04.0-09.8	12	2.5	00.9-04.1
45-54	620	281,065	303	47.6	42.9-52.3	99	17.8	13.9-21.7	6	0.8	0.0-01.6	167	26.5	22.4-30.6	33	5.3	03.1-07.5	12	2.0	00.6-03.4
55-64	844	256,614	437	51.8	47.7-55.9	113	12.5	10.0-15.0	7	1.1	0.1-02.1	197	24.4	20.9-27.9	65	7.3	05.3-09.3	25	2.9	01.5-04.3
65+	1189	273,767	622	50.8	47.5-54.1	152	13.1	10.7-15.5	12	0.9	0.3-01.5	218	19.6	16.9-22.3	106	8.9	06.9-10.9	79	6.8	05.0-08.6
Less Than H.S.	219	143,288	103	45.8	36.8-54.8	25	13.8	06.5-21.1	2	1.2	0.0-03.2	46	22.6	15.2-30.0	25	10.4	05.1-15.7	18	6.3	02.8-09.8
H.S. or G.E.D.	1189	470,610	626	49.5	45.8-53.2	120	9.7	07.7-11.7	7	0.8	0.2-01.4	278	26.7	23.4-30.0	98	9.2	06.8-11.6	60	4.1	02.9-05.3
Some Post-H.S.	988	522,840	504	46.2	42.1-50.3	149	15.6	12.7-18.5	6	0.5	0.0-01.1	228	26.6	22.9-30.3	70	8.5	06.0-11.0	31	2.6	01.4-03.8
College Graduate	1265	407,860	591	47.6	44.3-50.9	238	19.1	16.4-21.8	18	1.6	0.8-02.4	310	25.4	22.5-28.3	81	5.0	03.6-06.4	27	1.3	00.5-02.1
Less than \$15,000	346	145,114	177	43.8	36.5-51.1	30	8.1	04.4-11.8	2	0.2	0.0-00.6	87	28.5	21.6-35.4	36	15.6	09.7-21.5	14	3.7	01.2-06.2
\$15,000- 24,999	568	239,088	295	47.7	41.8-53.6	60	11.4	07.1-15.7	2	0.7	0.0-01.7	132	27.3	21.8-32.8	54	9.1	05.6-12.6	25	3.8	02.0-05.6
\$25,000- 34,999	367	138,425	198	49.8	43.1-56.5	53	12.2	08.5-15.9	2	0.7	0.0-01.9	79	27.3	21.0-33.6	22	5.5	02.6-08.4	13	4.4	01.7-07.1
\$35,000- 49,999	488	190,593	240	48.2	42.3-54.1	56	13.0	09.1-16.9	5	0.7	0.0-01.5	135	28.3	23.2-33.4	38	7.3	04.0-10.6	14	2.4	00.8-04.0
\$50,000- 74,999	501	221,362	249	50.8	45.1-56.5	83	16.4	12.3-20.5	5	1.1	0.1-02.1	112	22.8	17.9-27.7	37	6.7	04.2-09.2	15	2.2	00.6-03.8
\$75,000+	792	367,330	351	44.0	39.7-48.3	168	19.9	16.6-23.2	10	1.2	0.4-02.0	207	28.1	24.0-32.2	46	5.7	03.5-07.9	10	1.1	00.1-02.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3149	1,583,846	946	32.1	29.9-34.3	1023	30.9	28.7-33.1	257	9.2	07.8-10.6	111	4.0	03.0-05.0	26	0.7	00.3-01.1	786	23.1	21.1-25.1
Male	1417	841,447	413	31.9	28.8-35.0	425	27.6	24.7-30.5	194	14.2	11.8-16.6	49	4.0	02.4-05.6	20	1.1	00.5-01.7	316	21.3	18.6-24.0
Female	1732	742,398	533	32.4	29.5-35.3	598	34.6	31.5-37.7	63	3.5	02.5-04.5	62	4.0	02.6-05.4	6	0.3	00.1-00.5	470	25.3	22.8-27.8
White/Non-Hisp	2780	1,323,751	810	31.0	28.6-33.4	919	31.2	28.8-33.6	226	9.0	07.6-10.4	100	4.0	03.0-05.0	22	0.7	00.3-01.1	703	24.0	21.8-26.2
Black or Afr. Am./Non-Hisp	162	127,971	60	36.2	26.4-46.0	49	33.7	23.5-43.9	12	7.2	01.9-12.5	3	4.3	00.0-10.8	2	1.1	00.0-02.7	36	17.4	10.9-23.9
Oth. Race/Non-Hisp.	52	29,022	21	41.6	25.3-57.9	14	28.7	13.8-43.6	4	8.4	00.0-17.0	2	4.0	00.0-09.9				11	17.3	05.9-28.7
Hispanic	91	71,766	36	42.2	29.9-54.5	23	20.7	11.5-29.9	13	16.0	07.2-24.8	2	2.6	00.0-06.1				17	18.5	08.9-28.1
18-24	262	320,919	101	38.3	31.6-45.0	65	26.0	19.9-32.1	29	11.0	06.9-15.1	11	4.2	01.5-06.9	1	0.2	00.0-00.6	55	20.2	14.7-25.7
25-34	323	267,645	111	34.2	28.3-40.1	90	28.1	22.4-33.8	38	12.7	08.6-16.8	11	4.5	01.0-08.0	3	0.7	00.0-01.7	70	19.9	15.0-24.8
35-44	445	276,074	153	32.9	27.8-38.0	123	28.6	23.3-33.9	42	8.3	05.6-11.0	19	5.2	02.5-07.9	1	0.2	00.0-00.6	107	24.7	19.8-29.6
45-54	571	258,343	181	30.4	26.1-34.7	182	33.6	28.9-38.3	46	7.4	05.0-09.8	23	3.7	01.9-05.5	5	0.9	00.1-01.7	134	24.0	19.9-28.1
55-64	683	232,705	188	28.8	24.5-33.1	231	32.9	28.8-37.0	49	8.2	05.7-10.7	24	3.0	01.4-04.6	4	0.4	00.0-00.8	187	26.9	23.0-30.8
65+	849	223,337	206	25.0	21.5-28.5	328	39.2	35.3-43.1	53	6.8	04.8-08.8	23	2.9	01.5-04.3	12	2.2	00.8-03.6	227	24.0	20.7-27.3
Less Than H.S.	131	129,314	44	36.9	26.3-47.5	42	28.9	19.1-38.7	14	11.9	05.2-18.6	3	2.6	00.0-05.9	1	0.2	00.0-00.6	27	19.6	11.2-28.0
H.S. or G.E.D.	855	442,584	228	27.5	23.6-31.4	309	33.3	29.0-37.6	72	10.6	07.9-13.3	40	6.3	03.6-09.0	8	0.8	00.2-01.4	198	21.5	17.8-25.2
Some Post-H.S.	804	516,567	261	35.3	31.0-39.6	277	32.0	27.9-36.1	53	6.8	04.6-09.0	28	3.1	01.5-04.7	6	0.6	00.0-01.2	179	22.0	18.5-25.5
College Graduate	1353	491,553	411	31.6	28.7-34.5	393	27.9	25.0-30.8	118	9.8	07.8-11.8	39	3.1	01.9-04.3	11	0.9	00.3-01.5	381	26.7	24.0-29.4
Less than \$15,000	209	109,185	74	37.5	28.7-46.3	74	33.4	25.0-41.8	12	7.9	02.6-13.2	8	4.2	00.7-07.7	3	0.5	00.0-01.1	38	16.6	10.1-23.1
\$15,000- 24,999	399	205,734	113	31.7	25.4-38.0	146	34.7	28.2-41.2	27	9.1	05.4-12.8	19	4.8	01.7-07.9	2	0.6	00.0-01.4	92	19.1	14.4-23.8
\$25,000- 34,999	276	134,766	74	27.0	20.1-33.9	98	33.1	26.0-40.2	21	10.1	05.0-15.2	10	4.3	01.6-07.0	2	0.5	00.0-01.3	71	25.1	18.4-31.8
\$35,000- 49,999	415	197,042	110	30.3	24.4-36.2	143	31.3	25.8-36.8	36	9.5	05.8-13.2	15	3.6	01.2-06.0	6	1.8	00.2-03.4	105	23.4	17.9-28.9
\$50,000- 74,999	482	239,694	138	32.6	26.7-38.5	154	30.3	24.6-36.0	42	10.0	06.5-13.5	13	3.7	00.0-07.4	3	0.6	00.0-01.4	132	22.9	18.4-27.4
\$75,000+	956	478,139	303	32.3	28.6-36.0	273	27.3	23.8-30.8	93	9.6	07.2-12.0	26	2.9	01.5-04.3	6	0.6	00.0-01.2	255	27.3	23.6-31.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 14: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1417	841,447	413	31.9	28.8-35.0	425	27.6	24.7-30.5	194	14.2	11.8-16.6	49	4.0	02.4-05.6	20	1.1	00.5-01.7	316	21.3	18.6-24.0
White/Non-Hisp	1236	684,097	348	30.9	27.6-34.2	371	27.3	24.2-30.4	169	13.9	11.5-16.3	44	4.0	02.6-05.4	17	1.1	00.5-01.7	287	22.8	19.7-25.9
Black or Afr. Am./Non-Hisp	66	74,574	22	32.4	18.5-46.3	23	35.7	20.8-50.6	8	11.3	02.5-20.1	1	5.7	00.0-16.3	1	1.0	00.0-03.0	11	13.9	05.3-22.5
18-24	164	200,052	65	40.5	31.9-49.1	32	17.9	11.4-24.4	27	16.4	10.1-22.7	5	2.5	00.1-04.9	1	0.3	00.0-00.9	34	22.4	15.0-29.8
25-34	147	140,489	47	32.0	23.4-40.6	37	25.2	17.4-33.0	29	20.2	12.9-27.5	2	3.7	00.0-09.6	3	1.4	00.0-03.2	29	17.5	10.8-24.2
35-44	207	154,459	65	31.4	24.1-38.7	51	27.0	19.2-34.8	31	11.1	07.0-15.2	9	5.7	01.6-09.8				51	24.7	17.6-31.8
45-54	261	125,325	82	31.1	24.6-37.6	84	33.3	26.6-40.0	35	12.4	08.1-16.7	10	4.5	01.4-07.6	3	1.1	00.0-02.5	47	17.8	12.5-23.1
55-64	280	110,565	76	28.1	21.2-35.0	93	33.7	27.0-40.4	34	13.0	08.3-17.7	11	4.0	01.1-06.9	3	0.4	00.0-00.8	63	20.8	15.3-26.3
65+	352	108,883	76	21.5	16.6-26.4	126	36.7	30.8-42.6	38	10.4	06.9-13.9	12	3.7	01.3-06.1	10	4.4	01.5-07.3	90	23.3	18.4-28.2
Less Than H.S.	62	79,528	22	40.7	26.8-54.6	14	19.0	08.4-29.6	10	17.3	06.9-27.7	2	3.9	00.0-09.2	1	0.3	00.0-00.9	13	18.8	07.4-30.2
H.S. or G.E.D.	381	245,926	89	24.1	18.8-29.4	126	29.3	23.4-35.2	52	15.7	11.0-20.4	23	8.1	03.8-12.4	6	1.3	00.1-02.5	85	21.4	15.9-26.9
Some Post-H.S.	336	254,532	107	38.1	31.4-44.8	107	27.4	21.7-33.1	41	11.7	07.8-15.6	6	1.1	00.1-02.1	3	0.8	00.0-01.8	72	21.0	15.7-26.3
College Graduate	634	258,505	193	30.4	26.3-34.5	176	28.5	24.2-32.8	91	14.5	11.4-17.6	18	2.9	01.3-04.5	10	1.4	00.4-02.4	146	22.4	18.7-26.1
Less than \$15,000	81	48,833	30	42.4	28.5-56.3	27	27.6	15.4-39.8	9	16.5	05.1-27.9	1	2.0	00.0-05.9	3	1.1	00.0-02.5	11	10.5	03.4-17.6
\$15,000- 24,999	151	95,511	43	34.6	24.6-44.6	40	23.0	15.2-30.8	20	17.2	09.6-24.8	8	4.2	00.9-07.5	2	1.2	00.0-03.0	38	19.8	12.2-27.4
\$25,000- 34,999	121	71,407	36	28.3	18.5-38.1	39	31.7	21.5-41.9	14	13.2	05.2-21.2	4	3.5	00.2-06.8	1	0.8	00.0-02.4	27	22.5	12.5-32.5
\$35,000- 49,999	187	112,536	49	30.5	21.9-39.1	56	26.6	19.2-34.0	30	14.8	08.7-20.9	8	3.7	00.2-07.2	4	2.2	00.0-04.7	40	22.2	14.0-30.4
\$50,000- 74,999	234	133,479	67	33.8	25.0-42.6	66	25.0	17.2-32.8	34	14.6	08.9-20.3	8	5.1	00.0-11.4	3	1.1	00.0-02.5	56	20.3	14.0-26.6
\$75,000+	485	268,049	142	30.3	25.0-35.6	144	28.5	23.6-33.4	69	13.5	09.8-17.2	11	2.3	00.9-03.7	5	0.9	00.1-01.7	114	24.6	19.5-29.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 15: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1732	742,398	533	32.4	29.5-35.3	598	34.6	31.5-37.7	63	3.5	02.5-04.5	62	4.0	02.6-05.4	6	0.3	00.1-00.5	470	25.3	22.8-27.8
White/Non-Hisp	1544	639,654	462	31.1	28.0-34.2	548	35.5	32.2-38.8	57	3.7	02.5-04.9	56	4.1	02.7-05.5	5	0.3	00.1-00.5	416	25.4	22.7-28.1
Black or Afr. Am./Non-Hisp	96	53,397	38	41.6	29.1-54.1	26	30.9	18.2-43.6	4	1.5	00.0-03.1	2	2.4	00.0-06.1	1	1.3	00.0-03.8	25	22.3	12.9-31.7
18-24	98	120,867	36	34.8	24.2-45.4	33	39.4	28.0-50.8	2	2.1	00.0-05.0	6	6.9	01.0-12.8				21	16.7	09.3-24.1
25-34	176	127,156	64	36.6	28.6-44.6	53	31.3	23.3-39.3	9	4.4	01.5-07.3	9	5.3	01.6-09.0				41	22.5	15.4-29.6
35-44	238	121,615	88	34.9	28.0-41.8	72	30.6	23.9-37.3	11	4.7	01.4-08.0	10	4.6	01.5-07.7	1	0.6	00.0-01.8	56	24.6	17.9-31.3
45-54	310	133,018	99	29.8	23.9-35.7	98	33.9	27.2-40.6	11	2.7	00.9-04.5	13	3.0	01.0-05.0	2	0.7	00.0-01.7	87	29.8	23.7-35.9
55-64	403	122,141	112	29.4	24.1-34.7	138	32.1	26.8-37.4	15	3.7	01.7-05.7	13	2.0	00.8-03.2	1	0.3	00.0-00.9	124	32.4	26.9-37.9
65+	497	114,454	130	28.3	23.4-33.2	202	41.5	36.2-46.8	15	3.3	01.3-05.3	11	2.2	00.8-03.6	2	0.2	00.0-00.6	137	24.6	20.3-28.9
Less Than H.S.	69	49,787	22	30.8	15.3-46.3	28	44.7	28.0-61.4	4	3.2	00.0-06.5	1	0.5	00.0-01.5				14	20.8	08.6-33.0
H.S. or G.E.D.	474	196,658	139	31.8	26.3-37.3	183	38.2	32.3-44.1	20	4.2	02.0-06.4	17	4.0	01.5-06.5	2	0.1	00.0-00.3	113	21.7	17.0-26.4
Some Post-H.S.	468	262,035	154	32.7	27.4-38.0	170	36.5	30.8-42.2	12	2.0	00.4-03.6	22	5.1	02.2-08.0	3	0.5	00.0-01.1	107	23.1	18.4-27.8
College Graduate	719	233,048	218	33.0	28.7-37.3	217	27.3	23.4-31.2	27	4.5	02.5-06.5	21	3.3	01.7-04.9	1	0.3	00.0-00.9	235	31.5	27.4-35.6
Less than \$15,000	128	60,352	44	33.5	22.1-44.9	47	38.0	26.4-49.6	3	0.9	00.0-02.1	7	6.1	00.8-11.4				27	21.5	11.5-31.5
\$15,000- 24,999	248	110,224	70	29.2	21.6-36.8	106	44.8	35.8-53.8	7	2.1	00.1-04.1	11	5.4	00.5-10.3				54	18.4	12.3-24.5
\$25,000- 34,999	155	63,359	38	25.6	16.4-34.8	59	34.6	24.6-44.6	7	6.7	00.6-12.8	6	5.1	00.6-09.6	1	0.1	00.0-00.3	44	28.0	19.2-36.8
\$35,000- 49,999	228	84,506	61	30.1	22.5-37.7	87	37.6	29.6-45.6	6	2.5	00.1-04.9	7	3.4	00.5-06.3	2	1.2	00.0-03.0	65	25.2	18.1-32.3
\$50,000- 74,999	248	106,215	71	31.0	23.9-38.1	88	36.8	29.0-44.6	8	4.2	00.9-07.5	5	1.9	00.0-03.9				76	26.2	19.7-32.7
\$75,000+	471	210,090	161	34.8	29.3-40.3	129	25.8	20.9-30.7	24	4.6	02.6-06.6	15	3.7	01.2-06.2	1	0.3	00.0-00.9	141	30.9	25.8-36.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 16: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4068	1,963,719	1997	49.7	47.7-51.7	655	16.0	14.4-17.6	950	23.0	21.2-24.8	145	3.3	02.7-03.9	321	7.9	06.7-09.1
Male	1759	1,004,251	806	47.0	44.1-49.9	266	15.7	13.3-18.1	457	25.2	22.7-27.7	79	4.0	02.8-05.2	151	8.1	06.3-09.9
Female	2309	959,468	1191	52.6	49.9-55.3	389	16.3	14.3-18.3	493	20.8	18.6-23.0	66	2.5	01.7-03.3	170	7.8	06.2-09.4
White/Non-Hisp	3625	1,661,625	1781	49.9	47.7-52.1	578	15.6	14.0-17.2	851	23.3	21.5-25.1	124	3.0	02.4-03.6	291	8.2	07.0-09.4
Black or Afr. Am./Non-Hisp	192	151,199	93	47.3	37.9-56.7	35	20.5	12.5-28.5	41	21.3	13.7-28.9	11	4.8	01.5-08.1	12	6.2	01.9-10.5
Oth. Race/Non-Hisp.	61	36,031	23	33.5	19.8-47.2	16	23.4	11.2-35.6	16	27.9	14.0-41.8	1	4.0	00.0-11.6	5	11.2	00.0-22.6
Hispanic	102	74,864	62	61.1	49.9-72.3	10	10.1	03.0-17.2	20	18.7	10.3-27.1	5	4.6	00.3-08.9	5	5.5	00.0-11.8
18-24	282	344,871	146	53.3	46.8-59.8	53	17.7	12.8-22.6	60	20.5	15.2-25.8	9	2.8	00.8-04.8	14	5.7	02.4-09.0
25-34	393	330,341	206	51.4	45.7-57.1	60	16.1	11.8-20.4	87	20.8	16.3-25.3	11	3.1	01.1-05.1	29	8.6	05.3-11.9
35-44	544	335,846	283	49.6	44.5-54.7	73	15.9	11.8-20.0	135	24.5	20.2-28.8	14	2.6	01.0-04.2	39	7.5	05.0-10.0
45-54	720	331,746	364	51.6	47.3-55.9	97	13.6	10.7-16.5	175	23.2	19.7-26.7	28	3.3	01.9-04.7	56	8.4	05.9-10.9
55-64	891	301,519	428	47.6	43.7-51.5	118	12.3	09.9-14.7	217	25.9	22.4-29.4	39	4.9	03.1-06.7	89	9.4	07.0-11.8
65+	1211	311,146	559	44.5	41.2-47.8	249	20.1	17.4-22.8	267	23.8	20.9-26.7	44	3.1	01.9-04.3	92	8.4	06.4-10.4
Less Than H.S.	189	166,410	72	37.4	28.4-46.4	35	15.7	09.2-22.2	47	24.3	16.5-32.1	8	3.6	00.9-06.3	27	19.0	11.6-26.4
H.S. or G.E.D.	1184	573,659	523	46.1	42.2-50.0	220	17.3	14.4-20.2	297	25.6	22.3-28.9	39	3.0	01.8-04.2	105	8.0	06.2-09.8
Some Post-H.S.	1042	636,584	510	50.8	46.9-54.7	185	17.9	15.0-20.8	220	20.4	17.5-23.3	39	3.6	02.2-05.0	88	7.2	05.2-09.2
College Graduate	1645	582,528	890	55.7	52.8-58.6	214	12.6	10.6-14.6	383	23.0	20.6-25.4	59	3.1	02.1-04.1	99	5.5	04.1-06.9
Less than \$15,000	293	141,829	118	34.1	26.8-41.4	60	18.2	12.3-24.1	65	29.5	22.1-36.9	13	3.6	00.9-06.3	37	14.7	08.8-20.6
\$15,000- 24,999	530	257,154	238	44.6	38.7-50.5	97	18.5	13.8-23.2	125	23.6	18.7-28.5	22	4.0	01.8-06.2	48	9.3	05.8-12.8
\$25,000- 34,999	394	175,934	170	41.6	35.3-47.9	76	20.2	14.9-25.5	92	23.2	17.7-28.7	10	2.5	00.7-04.3	46	12.4	08.1-16.7
\$35,000- 49,999	571	263,705	282	48.4	43.1-53.7	96	15.8	11.9-19.7	129	24.6	19.9-29.3	21	3.7	01.7-05.7	43	7.4	04.5-10.3
\$50,000- 74,999	610	300,299	327	55.9	50.6-61.2	84	15.1	10.8-19.4	146	21.6	17.7-25.5	23	3.5	01.7-05.3	30	3.9	02.1-05.7
\$75,000+	1132	557,587	606	54.7	51.0-58.4	135	12.7	10.2-15.2	274	22.0	19.1-24.9	38	3.0	01.8-04.2	79	7.6	05.4-09.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 17: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1759	1,004,251	806	47.0	44.1-49.9	266	15.7	13.3-18.1	457	25.2	22.7-27.7	79	4.0	02.8-05.2	151	8.1	06.3-09.9
White/Non-Hisp	1549	829,010	710	47.6	44.5-50.7	226	14.7	12.3-17.1	412	25.9	23.2-28.6	67	3.5	02.5-04.5	134	8.2	06.4-10.0
Black or Afr. Am./Non-Hisp	74	83,457	33	41.4	27.5-55.3	17	24.9	12.2-37.6	13	19.8	08.6-31.0	6	6.9	01.0-12.8	5	7.0	00.1-13.9
18-24	175	212,638	82	48.6	40.2-57.0	36	20.0	13.5-26.5	42	22.4	15.5-29.3	7	3.8	00.9-06.7	8	5.2	01.1-09.3
25-34	172	164,766	84	50.6	42.0-59.2	24	12.6	07.1-18.1	47	25.2	18.1-32.3	5	3.3	00.2-06.4	12	8.4	03.3-13.5
35-44	237	175,523	127	49.0	41.6-56.4	36	18.7	11.8-25.6	51	23.3	16.8-29.8	8	3.2	00.8-05.6	15	5.7	02.6-08.8
45-54	327	161,692	163	49.8	43.5-56.1	43	13.4	09.1-17.7	78	24.0	18.9-29.1	13	2.7	01.1-04.3	30	10.1	05.8-14.4
55-64	367	145,347	155	43.6	37.5-49.7	44	10.6	07.3-13.9	103	28.2	22.7-33.7	24	7.0	03.7-10.3	41	10.6	06.7-14.5
65+	472	141,715	194	38.7	33.6-43.8	81	17.3	13.2-21.4	132	29.8	24.9-34.7	22	4.5	02.3-06.7	43	9.7	06.4-13.0
Less Than H.S.	87	97,821	27	31.8	20.4-43.2	14	13.7	05.7-21.7	25	28.8	17.4-40.2	5	4.0	00.1-07.9	16	21.7	11.1-32.3
H.S. or G.E.D.	496	303,693	205	43.9	38.2-49.6	80	17.2	12.7-21.7	143	28.0	23.1-32.9	20	3.3	01.5-05.1	48	7.6	05.1-10.1
Some Post-H.S.	419	303,066	180	48.1	42.2-54.0	79	18.1	13.4-22.8	108	23.4	18.7-28.1	23	5.2	02.7-07.7	29	5.2	02.7-07.7
College Graduate	752	296,527	393	54.1	50.0-58.2	92	12.2	09.5-14.9	179	23.2	19.7-26.7	31	3.5	01.9-05.1	57	7.0	04.6-09.4
Less than \$15,000	100	57,788	31	22.9	12.5-33.3	17	15.4	07.0-23.8	30	37.3	24.8-49.8	5	4.5	00.0-09.8	17	20.0	08.8-31.2
\$15,000- 24,999	193	113,850	77	35.9	27.7-44.1	38	20.2	12.8-27.6	54	30.0	21.6-38.4	7	4.5	00.8-08.2	17	9.4	03.9-14.9
\$25,000- 34,999	165	88,596	54	37.4	28.0-46.8	36	22.5	14.3-30.7	47	22.6	15.3-29.9	4	2.8	00.0-05.7	24	14.7	07.6-21.8
\$35,000- 49,999	249	145,750	121	49.7	41.9-57.5	40	14.7	09.4-20.0	57	24.8	18.1-31.5	14	4.9	01.8-08.0	17	5.9	02.4-09.4
\$50,000- 74,999	289	162,769	138	52.7	44.7-60.7	42	14.5	08.2-20.8	79	24.8	18.7-30.9	13	4.1	01.4-06.8	17	3.8	01.6-06.0
\$75,000+	574	311,662	297	52.4	47.3-57.5	61	12.8	09.1-16.5	138	21.4	17.5-25.3	30	4.4	02.4-06.4	48	9.0	05.7-12.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 18: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2309	959,468	1191	52.6	49.9-55.3	389	16.3	14.3-18.3	493	20.8	18.6-23.0	66	2.5	01.7-03.3	170	7.8	06.2-09.4
White/Non-Hisp	2076	832,616	1071	52.2	49.3-55.1	352	16.5	14.3-18.7	439	20.7	18.5-22.9	57	2.5	01.7-03.3	157	8.1	06.5-09.7
Black or Afr. Am./Non-Hisp	118	67,742	60	54.5	42.9-66.1	18	15.1	07.1-23.1	28	23.2	13.2-33.2	5	2.2	00.0-04.4	7	5.1	00.6-09.6
Hispanic	53	34,616	31	61.9	45.6-78.2	8	13.4	03.0-23.8	8	11.0	02.2-19.8	3	4.9	00.0-11.0	3	8.7	00.0-21.0
18-24	107	132,233	64	60.7	50.3-71.1	17	13.9	07.0-20.8	18	17.5	09.7-25.3	2	1.3	00.0-03.1	6	6.5	01.0-12.0
25-34	221	165,575	122	52.3	44.7-59.9	36	19.5	12.8-26.2	40	16.3	10.8-21.8	6	3.0	00.5-05.5	17	8.9	04.6-13.2
35-44	307	160,323	156	50.2	43.5-56.9	37	12.7	08.2-17.2	84	25.7	20.2-31.2	6	2.0	00.2-03.8	24	9.4	05.3-13.5
45-54	393	170,054	201	53.2	47.3-59.1	54	13.8	09.9-17.7	97	22.4	17.7-27.1	15	3.9	01.7-06.1	26	6.7	03.8-09.6
55-64	524	156,172	273	51.3	46.2-56.4	74	13.9	10.4-17.4	114	23.7	19.2-28.2	15	2.9	01.1-04.7	48	8.2	05.5-10.9
65+	739	169,431	365	49.4	45.1-53.7	168	22.5	19.0-26.0	135	18.8	15.3-22.3	22	2.0	01.0-03.0	49	7.3	04.9-09.7
Less Than H.S.	102	68,589	45	45.3	31.4-59.2	21	18.7	08.3-29.1	22	17.9	08.7-27.1	3	3.0	00.0-06.5	11	15.1	05.1-25.1
H.S. or G.E.D.	688	269,966	318	48.6	43.5-53.7	140	17.3	14.0-20.6	154	22.9	18.8-27.0	19	2.7	01.1-04.3	57	8.5	06.0-11.0
Some Post-H.S.	623	333,518	330	53.3	48.2-58.4	106	17.8	13.9-21.7	112	17.7	14.0-21.4	16	2.1	00.9-03.3	59	9.0	06.1-11.9
College Graduate	893	286,001	497	57.4	53.5-61.3	122	13.0	10.3-15.7	204	22.9	19.6-26.2	28	2.7	01.3-04.1	42	4.0	02.6-05.4
Less than \$15,000	193	84,042	87	41.8	32.0-51.6	43	20.1	12.3-27.9	35	24.1	14.9-33.3	8	2.9	00.4-05.4	20	11.0	04.9-17.1
\$15,000- 24,999	337	143,304	161	51.5	43.9-59.1	59	17.1	11.2-23.0	71	18.6	13.1-24.1	15	3.6	01.1-06.1	31	9.2	04.9-13.5
\$25,000- 34,999	229	87,338	116	46.0	37.6-54.4	40	17.9	11.4-24.4	45	23.8	15.6-32.0	6	2.1	00.1-04.1	22	10.2	05.1-15.3
\$35,000- 49,999	322	117,956	161	46.7	39.8-53.6	56	17.3	11.6-23.0	72	24.3	18.2-30.4	7	2.3	00.3-04.3	26	9.4	04.5-14.3
\$50,000- 74,999	321	137,529	189	59.7	52.8-66.6	42	15.7	10.2-21.2	67	17.8	13.1-22.5	10	2.8	00.8-04.8	13	4.1	01.4-06.8
\$75,000+	558	245,925	309	57.5	52.4-62.6	74	12.6	08.9-16.3	136	22.7	18.6-26.8	8	1.2	00.2-02.2	31	5.9	03.4-08.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 19: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4096	1,973,938	1892	45.9	43.9-47.9	377	9.5	08.3-10.7	15	0.3	00.1-00.5	925	22.9	21.1-24.7	559	13.5	12.1-14.9	328	7.8	06.6-09.0
Male	1774	1,013,262	781	43.2	40.3-46.1	157	9.1	07.3-10.9	6	0.3	00.1-00.5	398	23.4	20.9-25.9	277	15.6	13.4-17.8	155	8.5	06.7-10.3
Female	2322	960,676	1111	48.8	46.1-51.5	220	10.0	08.2-11.8	9	0.4	00.2-00.6	527	22.5	20.1-24.9	282	11.2	09.6-12.8	173	7.0	05.6-08.4
White/Non-Hisp	3651	1,670,131	1686	46.0	43.8-48.2	330	9.4	08.0-10.8	14	0.4	00.2-00.6	829	23.2	21.4-25.0	497	13.3	11.9-14.7	295	7.7	06.5-08.9
Black or Afr. Am./Non-Hisp	195	152,819	87	45.7	36.5-54.9	24	13.8	06.9-20.7	1	0.4	00.0-01.2	45	20.0	12.9-27.1	30	13.7	08.2-19.2	8	6.5	00.2-12.8
Oth. Race/Non-Hisp.	61	36,031	35	53.0	37.7-68.3	4	6.2	00.0-13.5				10	18.6	05.3-31.9	7	13.9	03.7-24.1	5	8.2	00.0-16.6
Hispanic	102	75,362	42	38.5	27.3-49.7	13	8.6	03.3-13.9				25	28.8	17.6-40.0	12	13.6	05.8-21.4	10	10.6	03.7-17.5
18-24	283	346,715	131	43.0	36.5-49.5	29	11.3	06.6-16.0				73	27.4	21.5-33.3	35	11.9	07.8-16.0	15	6.4	02.9-09.9
25-34	392	331,793	182	47.4	41.7-53.1	40	9.2	06.3-12.1	2	0.4	00.0-01.0	87	20.2	15.9-24.5	47	13.2	09.3-17.1	34	9.6	05.7-13.5
35-44	544	335,252	266	48.2	43.1-53.3	54	8.4	05.9-10.9	1	0.1	00.0-00.3	129	24.8	20.5-29.1	63	12.4	09.1-15.7	31	6.1	03.6-08.6
45-54	719	331,539	349	47.8	43.5-52.1	69	10.7	07.8-13.6	5	0.8	00.0-01.6	165	22.5	19.0-26.0	93	13.7	10.8-16.6	38	4.5	02.9-06.1
55-64	896	304,111	406	44.5	40.6-48.4	85	10.0	07.6-12.4	6	0.7	00.1-01.3	203	21.3	18.2-24.4	121	14.3	11.6-17.0	75	9.4	07.0-11.8
65+	1234	316,022	549	45.2	41.9-48.5	98	7.6	05.8-09.4	1	0.1	00.0-00.3	255	20.3	17.6-23.0	196	15.5	13.1-17.9	135	11.2	09.0-13.4
Less Than H.S.	194	168,899	70	38.4	29.6-47.2	17	11.3	04.4-18.2				43	21.1	13.8-28.4	36	14.7	08.8-20.6	28	14.5	08.0-21.0
H.S. or G.E.D.	1191	574,231	503	40.3	36.6-44.0	83	6.6	04.8-08.4	2	0.3	00.0-00.7	279	25.2	21.9-28.5	211	18.3	15.6-21.0	113	9.3	06.8-11.8
Some Post-H.S.	1050	641,944	509	48.8	44.9-52.7	102	10.4	07.9-12.9				221	21.5	18.2-24.8	142	13.1	10.6-15.6	76	6.1	04.3-07.9
College Graduate	1653	584,326	807	50.5	47.6-53.4	175	11.0	09.2-12.8	13	0.8	00.4-01.2	378	22.6	20.2-25.0	169	8.8	07.2-10.4	111	6.3	04.9-07.7
Less than \$15,000	296	142,979	133	41.9	34.3-49.5	21	6.8	03.1-10.5				71	26.8	19.7-33.9	45	18.7	12.4-25.0	26	5.9	02.8-09.0
\$15,000- 24,999	537	258,695	240	45.7	40.0-51.4	41	9.4	04.9-13.9				129	22.9	18.2-27.6	79	13.4	09.5-17.3	48	8.6	05.3-11.9
\$25,000- 34,999	398	176,827	168	39.6	33.3-45.9	31	7.6	04.3-10.9				100	29.1	23.0-35.2	65	16.3	11.8-20.8	34	7.3	04.4-10.2
\$35,000- 49,999	572	264,750	266	43.8	38.5-49.1	56	11.3	07.8-14.8	1	0.3	00.0-00.9	122	22.3	18.0-26.6	86	13.8	10.3-17.3	41	8.5	04.8-12.2
\$50,000- 74,999	611	300,562	284	44.7	39.4-50.0	55	9.1	05.8-12.4	2	0.4	00.0-01.0	140	22.7	18.6-26.8	79	14.5	10.6-18.4	51	8.7	05.2-12.2
\$75,000+	1132	557,414	545	49.1	45.4-52.8	122	10.8	08.4-13.2	10	0.6	00.0-01.2	257	21.8	18.9-24.7	122	10.7	08.3-13.1	76	6.9	05.1-08.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 20: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1774	1,013,262	781	43.2	40.3-46.1	157	9.1	07.3-10.9	6	0.3	00.1-00.5	398	23.4	20.9-25.9	277	15.6	13.4-17.8	155	8.5	06.7-10.3
White/Non-Hisp	1562	835,498	686	42.7	39.6-45.8	136	8.8	06.8-10.8	5	0.3	00.1-00.5	351	24.0	21.3-26.7	248	16.2	13.8-18.6	136	8.1	06.3-09.9
Black or Afr. Am./Non-Hisp	77	85,078	37	49.6	35.7-63.5	7	12.9	02.9-22.9	1	0.7	00.0-02.1	18	16.5	07.1-25.9	11	11.0	04.1-17.9	3	9.3	00.0-20.1
Hispanic	50	41,912	16	32.7	18.0-47.4	8	11.5	03.1-19.9				13	28.8	13.5-44.1	8	15.3	04.1-26.5	5	11.7	01.7-21.7
18-24	176	214,378	69	35.9	28.1-43.7	20	12.0	06.1-17.9				46	27.4	20.0-34.8	27	14.6	08.9-20.3	14	10.0	04.5-15.5
25-34	173	166,914	80	45.8	37.4-54.2	12	6.7	02.8-10.6				35	19.4	12.9-25.9	27	17.7	11.2-24.2	19	10.6	04.7-16.5
35-44	238	176,413	115	47.9	40.5-55.3	17	6.4	03.1-09.7				60	26.6	19.9-33.3	34	14.4	09.3-19.5	12	4.7	01.8-07.6
45-54	326	161,025	148	45.3	39.0-51.6	38	12.8	08.3-17.3	2	0.9	00.0-02.3	70	21.1	16.0-26.2	47	15.0	10.5-19.5	21	4.9	02.5-07.3
55-64	371	147,756	152	40.9	34.8-47.0	40	9.1	05.8-12.4	3	0.8	00.0-01.8	87	22.6	17.7-27.5	55	16.2	11.7-20.7	34	10.4	06.7-14.1
65+	481	144,206	214	45.7	40.4-51.0	29	6.4	03.9-08.9	1	0.1	00.0-00.3	95	20.4	16.1-24.7	87	16.5	13.0-20.0	55	10.8	07.7-13.9
Less Than H.S.	90	100,307	30	35.5	24.1-46.9	7	11.3	02.5-20.1				19	22.4	12.2-32.6	21	17.8	09.2-26.4	13	13.1	05.1-21.1
H.S. or G.E.D.	500	304,284	194	36.7	31.2-42.2	35	5.3	03.1-07.5	1	0.4	00.0-01.0	124	27.7	22.6-32.8	98	19.6	15.3-23.9	48	10.4	06.3-14.5
Some Post-H.S.	423	307,190	190	46.1	40.2-52.0	37	9.9	06.0-13.8				96	21.6	16.9-26.3	71	16.5	12.2-20.8	29	6.0	03.3-08.7
College Graduate	756	298,338	364	49.4	45.1-53.7	78	11.4	08.7-14.1	5	0.6	00.0-01.2	157	20.8	17.5-24.1	87	10.1	07.7-12.5	65	7.7	05.5-09.9
Less than \$15,000	103	58,748	38	34.6	22.6-46.6	10	6.3	01.6-11.0				26	28.1	16.1-40.1	20	25.6	14.2-37.0	9	5.4	00.3-10.5
\$15,000- 24,999	195	114,746	88	44.1	35.3-52.9	12	8.1	02.0-14.2				49	27.0	19.0-35.0	34	14.1	08.2-20.0	12	6.8	02.1-11.5
\$25,000- 34,999	170	91,477	65	37.5	28.3-46.7	8	4.3	00.8-07.8				42	29.1	20.3-37.9	36	19.6	12.5-26.7	19	9.5	04.4-14.6
\$35,000- 49,999	249	145,905	106	39.7	32.3-47.1	20	10.2	05.1-15.3				54	23.1	16.6-29.6	48	17.4	11.9-22.9	21	9.6	03.9-15.3
\$50,000- 74,999	290	162,851	130	42.3	34.5-50.1	24	8.3	03.4-13.2				69	22.6	16.7-28.5	39	16.4	10.1-22.7	28	10.4	04.5-16.3
\$75,000+	574	311,481	265	46.7	41.6-51.8	64	11.3	08.0-14.6	4	0.7	00.0-01.5	125	21.1	17.0-25.2	67	12.4	08.9-15.9	49	7.8	05.1-10.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 21: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2322	960,676	1111	48.8	46.1-51.5	220	10.0	08.2-11.8	9	0.4	00.2-00.6	527	22.5	20.1-24.9	282	11.2	09.6-12.8	173	7.0	05.6-08.4
White/Non-Hisp	2089	834,633	1000	49.3	46.4-52.2	194	10.0	08.2-11.8	9	0.4	00.0-00.8	478	22.4	20.0-24.8	249	10.5	08.9-12.1	159	7.3	05.7-08.9
Black or Afr. Am./Non-Hisp	118	67,742	50	40.9	29.7-52.1	17	14.8	06.2-23.4				27	24.4	14.2-34.6	19	17.0	08.4-25.6	5	2.9	00.0-05.8
Hispanic	52	33,450	26	45.8	28.7-62.9	5	4.8	00.0-09.9				12	28.7	12.0-45.4	4	11.5	00.3-22.7	5	9.1	00.7-17.5
18-24	107	132,337	62	54.5	43.7-65.3	9	10.0	02.7-17.3				27	27.4	17.6-37.2	8	7.5	02.2-12.8	1	0.6	00.0-01.8
25-34	219	164,879	102	49.1	41.5-56.7	28	11.8	07.3-16.3	2	0.8	00.0-02.0	52	21.0	15.3-26.7	20	8.7	04.4-13.0	15	8.7	04.0-13.4
35-44	306	158,839	151	48.6	41.9-55.3	37	10.6	06.9-14.3	1	0.2	00.0-00.6	69	22.8	17.1-28.5	29	10.1	06.0-14.2	19	7.8	03.7-11.9
45-54	393	170,514	201	50.1	44.2-56.0	31	8.7	04.8-12.6	3	0.7	00.0-01.7	95	23.8	18.9-28.7	46	12.5	08.8-16.2	17	4.2	01.8-06.6
55-64	525	156,355	254	47.9	42.8-53.0	45	10.8	07.3-14.3	3	0.6	00.0-01.4	116	20.0	16.1-23.9	66	12.4	09.1-15.7	41	8.3	05.4-11.2
65+	753	171,816	335	44.8	40.5-49.1	69	8.7	06.3-11.1				160	20.2	16.9-23.5	109	14.7	11.8-17.6	80	11.6	08.7-14.5
Less Than H.S.	104	68,592	40	42.5	28.8-56.2	10	11.4	00.8-22.0				24	19.3	09.7-28.9	15	10.1	03.8-16.4	15	16.6	06.2-27.0
H.S. or G.E.D.	691	269,948	309	44.4	39.5-49.3	48	8.1	05.2-11.0	1	0.3	00.0-00.9	155	22.4	18.3-26.5	113	16.7	13.2-20.2	65	8.1	05.7-10.5
Some Post-H.S.	627	334,754	319	51.4	46.3-56.5	65	11.0	07.9-14.1				125	21.4	16.9-25.9	71	10.1	07.2-13.0	47	6.1	03.9-08.3
College Graduate	897	285,988	443	51.7	47.8-55.6	97	10.5	08.1-12.9	8	1.0	00.2-01.8	221	24.5	21.0-28.0	82	7.5	05.5-09.5	46	4.8	03.0-06.6
Less than \$15,000	193	84,231	95	47.0	37.0-57.0	11	7.1	01.8-12.4				45	25.9	17.3-34.5	25	13.8	07.1-20.5	17	6.2	02.1-10.3
\$15,000- 24,999	342	143,949	152	47.0	39.4-54.6	29	10.4	04.1-16.7				80	19.7	14.2-25.2	45	12.9	07.8-18.0	36	10.1	05.4-14.8
\$25,000- 34,999	228	85,350	103	41.9	33.5-50.3	23	11.2	05.5-16.9				58	29.1	21.1-37.1	29	12.7	07.0-18.4	15	5.0	02.1-07.9
\$35,000- 49,999	323	118,844	160	48.9	41.8-56.0	36	12.7	08.2-17.2	1	0.7	00.0-02.1	68	21.2	15.7-26.7	38	9.4	05.9-12.9	20	7.1	02.6-11.6
\$50,000- 74,999	321	137,711	154	47.4	40.3-54.5	31	10.1	05.6-14.6	2	0.9	00.0-02.3	71	22.8	16.9-28.7	40	12.1	07.6-16.6	23	6.5	03.4-09.6
\$75,000+	558	245,933	280	52.2	46.9-57.5	58	10.1	07.2-13.0	6	0.6	00.0-01.2	132	22.8	18.5-27.1	55	8.5	06.0-11.0	27	5.7	03.3-08.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 22: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9454	4,484,347	1599	19.1	17.9-20.3	493	5.5	04.9-06.1	746	9.7	08.9-10.5	133	1.5	01.1-01.9	207	2.4	02.0-02.8	6276	61.9	60.5-63.3
Male	3889	2,159,166	677	19.4	17.8-21.0	245	6.8	05.8-07.8	325	9.6	08.4-10.8	74	1.9	01.3-02.5	119	3.5	02.7-04.3	2449	58.7	56.7-60.7
Female	5565	2,325,181	922	18.7	17.3-20.1	248	4.3	03.5-05.1	421	9.8	08.6-11.0	59	1.1	00.7-01.5	88	1.3	00.9-01.7	3827	64.8	63.0-66.6
White/Non-Hisp	8250	3,687,881	1351	18.4	17.2-19.6	423	5.5	04.9-06.1	631	9.6	08.6-10.6	115	1.5	01.1-01.9	181	2.4	01.8-03.0	5549	62.7	61.3-64.1
Black or Afr. Am./Non-Hisp	526	362,583	113	24.7	19.6-29.8	29	5.1	02.7-07.5	49	10.1	06.6-13.6	5	0.8	00.0-01.6	12	2.4	00.6-04.2	318	56.9	51.2-62.6
Oth. Race/Non-Hisp.	152	93,438	34	24.8	16.0-33.6	11	9.5	02.6-16.4	19	13.4	06.9-19.9				7	4.9	00.6-09.2	81	47.5	37.3-57.7
MultiRacial/Non-Hisp.	104	41,840	17	18.8	08.0-29.6	9	12.9	02.9-22.9	10	13.0	03.4-22.6	2	1.7	00.0-04.6	3	2.6	00.0-06.1	63	51.0	38.1-63.9
Hispanic	283	232,539	63	20.5	15.0-26.0	15	4.3	01.8-06.8	25	7.9	04.2-11.6	7	3.4	00.7-06.1	3	1.2	00.0-02.8	170	62.7	56.0-69.4
18-24	477	591,512	144	30.0	25.3-34.7	57	11.3	08.2-14.4	74	15.5	11.8-19.2	8	1.4	00.4-02.4	22	4.6	02.4-06.8	172	37.2	32.3-42.1
25-34	828	729,554	198	23.4	20.1-26.7	52	6.1	04.3-07.9	111	13.7	11.0-16.4	15	2.1	00.9-03.3	17	1.9	00.9-02.9	435	52.7	48.8-56.6
35-44	1120	730,690	243	20.3	17.6-23.0	57	4.8	03.4-06.2	123	11.3	08.9-13.7	15	1.5	00.7-02.3	23	2.5	01.3-03.7	659	59.6	56.3-62.9
45-54	1636	813,652	282	17.1	14.9-19.3	68	3.7	02.7-04.7	144	8.6	07.0-10.2	20	1.0	00.6-01.4	43	2.3	01.5-03.1	1079	67.2	64.5-69.9
55-64	2106	748,393	311	14.3	12.5-16.1	84	3.9	02.9-04.9	129	6.2	05.0-07.4	35	1.7	01.1-02.3	49	1.8	01.2-02.4	1498	72.1	69.7-74.5
65+	3214	848,385	406	12.5	11.1-13.9	169	4.9	04.1-05.7	160	4.9	04.1-05.7	38	1.2	00.8-01.6	50	1.6	01.0-02.2	2391	74.9	73.1-76.7
Less Than H.S.	828	612,063	81	12.7	09.6-15.8	44	5.3	03.3-07.3	41	6.9	04.4-09.4	11	1.5	00.5-02.5	13	2.2	00.8-03.6	638	71.4	67.3-75.5
H.S. or G.E.D.	3400	1,528,194	414	15.6	13.8-17.4	153	5.1	04.1-06.1	191	7.8	06.4-09.2	41	1.1	00.7-01.5	71	2.5	01.7-03.3	2530	67.9	65.7-70.1
Some Post-H.S.	2414	1,364,734	424	20.8	18.6-23.0	113	5.3	04.1-06.5	212	11.2	09.4-13.0	35	1.7	01.1-02.3	60	2.7	01.7-03.7	1570	58.4	55.9-60.9
College Graduate	2793	969,397	680	26.3	24.3-28.3	181	6.6	05.4-07.8	301	12.5	10.9-14.1	43	1.5	00.9-02.1	63	1.9	01.3-02.5	1525	51.3	48.9-53.7
Less than \$15,000	985	445,081	120	13.9	11.0-16.8	46	5.1	03.1-07.1	62	7.6	05.2-10.0	8	1.4	00.2-02.6	26	3.2	01.6-04.8	723	68.8	64.7-72.9
\$15,000- 24,999	1596	722,392	211	16.2	13.7-18.7	86	6.3	04.5-08.1	77	7.4	05.4-09.4	24	1.2	00.6-01.8	29	1.9	00.9-02.9	1169	67.0	63.7-70.3
\$25,000- 34,999	1045	482,031	150	17.4	14.1-20.7	62	5.9	03.9-07.9	65	9.1	06.4-11.8	13	1.4	00.4-02.4	17	1.6	00.6-02.6	738	64.6	60.5-68.7
\$35,000- 49,999	1240	589,526	195	16.6	13.9-19.3	49	4.1	02.7-05.5	113	11.2	08.7-13.7	23	1.8	00.8-02.8	28	2.0	01.0-03.0	832	64.2	60.7-67.7
\$50,000- 74,999	1261	625,058	247	22.1	18.8-25.4	58	4.2	02.8-05.6	107	8.8	06.8-10.8	18	2.0	01.0-03.0	21	1.2	00.6-01.8	810	61.7	58.2-65.2
\$75,000+	1951	994,275	468	25.2	22.7-27.7	108	5.7	04.3-07.1	211	11.6	09.8-13.4	27	1.3	00.7-01.9	54	3.3	02.1-04.5	1083	52.9	50.2-55.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 23: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3889	2,159,166	677	19.4	17.8-21.0	245	6.8	05.8-07.8	325	9.6	08.4-10.8	74	1.9	01.3-02.5	119	3.5	02.7-04.3	2449	58.7	56.7-60.7
White/Non-Hisp	3389	1,771,689	572	18.8	17.0-20.6	205	6.4	05.2-07.6	277	9.4	08.0-10.8	64	2.0	01.4-02.6	102	3.5	02.5-04.5	2169	60.0	57.8-62.2
Black or Afr. Am./Non-Hisp	183	163,781	49	28.8	20.6-37.0	13	6.4	02.1-10.7	14	8.9	03.4-14.4	4	1.5	00.0-03.3	7	4.1	00.6-07.6	96	50.3	40.9-59.7
Oth. Race/Non-Hisp.	71	49,698	20	29.1	16.6-41.6	6	14.1	02.1-26.1	9	13.2	04.2-22.2				5	7.2	00.0-14.6	31	36.5	23.6-49.4
MultiRacial/Non-Hisp.	50	23,734	4	7.0	00.0-15.0	8	22.0	05.7-38.3	5	15.3	00.6-30.0				2	3.3	00.0-08.8	31	52.4	34.4-70.4
Hispanic	121	110,838	25	19.7	11.9-27.5	10	7.7	02.6-12.8	15	11.4	04.7-18.1	3	3.5	00.0-07.8	2	2.4	00.0-05.7	66	55.4	45.2-65.6
18-24	254	307,282	76	30.6	24.1-37.1	39	15.6	10.7-20.5	35	12.4	08.1-16.7	5	1.6	00.2-03.0	19	8.0	03.9-12.1	80	31.8	25.3-38.3
25-34	361	360,421	93	25.4	20.5-30.3	30	8.1	05.0-11.2	53	14.5	10.6-18.4	10	3.2	01.0-05.4	11	2.5	00.7-04.3	164	46.3	40.4-52.2
35-44	466	357,910	111	22.4	18.3-26.5	33	5.6	03.4-07.8	47	11.0	07.5-14.5	12	2.5	00.9-04.1	16	4.1	01.7-06.5	247	54.4	49.1-59.7
45-54	758	396,276	126	14.8	12.1-17.5	33	3.6	02.2-05.0	58	8.0	05.6-10.4	6	0.6	00.0-01.2	27	3.4	01.8-05.0	508	69.6	65.9-73.3
55-64	869	364,819	113	12.7	10.0-15.4	41	4.5	02.9-06.1	60	6.8	04.8-08.8	22	2.3	01.1-03.5	24	2.0	01.0-03.0	609	71.7	68.2-75.2
65+	1158	365,405	153	13.1	10.7-15.5	67	5.4	04.0-06.8	70	5.5	03.9-07.1	18	1.5	00.7-02.3	20	1.6	00.8-02.4	830	72.9	70.0-75.8
Less Than H.S.	339	307,648	36	13.3	08.8-17.8	27	8.2	04.7-11.7	22	6.9	03.6-10.2	8	2.5	00.5-04.5	6	2.8	00.3-05.3	240	66.2	59.9-72.5
H.S. or G.E.D.	1355	739,411	187	17.6	14.9-20.3	75	6.5	04.7-08.3	86	8.3	06.1-10.5	18	1.1	00.5-01.7	44	3.9	02.5-05.3	945	62.6	59.3-65.9
Some Post-H.S.	929	617,726	159	20.2	16.9-23.5	48	5.4	03.4-07.4	79	10.5	08.0-13.0	19	2.2	01.0-03.4	30	4.3	02.3-06.3	594	57.4	53.5-61.3
College Graduate	1255	487,322	295	25.4	22.5-28.3	93	8.0	06.0-10.0	138	12.2	10.0-14.4	26	2.1	01.1-03.1	39	2.5	01.5-03.5	664	49.8	46.5-53.1
Less than \$15,000	329	173,714	48	14.7	10.0-19.4	20	6.5	03.0-10.0	21	6.4	03.1-09.7	6	3.2	00.1-06.3	18	6.2	02.5-09.9	216	62.9	56.0-69.8
\$15,000- 24,999	553	296,972	75	15.4	11.5-19.3	37	7.9	04.6-11.2	33	8.5	05.4-11.6	9	1.2	00.2-02.2	12	2.5	00.7-04.3	387	64.5	59.2-69.8
\$25,000- 34,999	442	248,326	66	19.2	13.9-24.5	31	7.2	03.9-10.5	31	9.5	05.6-13.4	4	1.4	00.0-03.2	12	2.5	00.7-04.3	298	60.1	54.0-66.2
\$35,000- 49,999	563	319,482	88	18.2	13.9-22.5	22	4.6	02.2-07.0	43	8.3	05.4-11.2	17	2.9	01.3-04.5	16	2.9	01.1-04.7	377	63.2	58.1-68.3
\$50,000- 74,999	575	327,105	103	20.6	15.9-25.3	37	4.9	02.9-06.9	52	9.1	06.4-11.8	11	2.4	00.6-04.2	12	1.5	00.5-02.5	360	61.7	56.6-66.8
\$75,000+	999	545,982	228	24.0	20.7-27.3	63	6.9	04.7-09.1	102	11.2	08.7-13.7	17	1.4	00.6-02.2	37	4.8	02.6-07.0	552	51.7	47.8-55.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 24: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5565	2,325,181	922	18.7	17.3-20.1	248	4.3	03.5-05.1	421	9.8	08.6-11.0	59	1.1	00.7-01.5	88	1.3	00.9-01.7	3827	64.8	63.0-66.6
White/Non-Hisp	4861	1,916,191	779	18.0	16.4-19.6	218	4.6	03.8-05.4	354	9.8	08.4-11.2	51	1.0	00.6-01.4	79	1.4	01.0-01.8	3380	65.2	63.2-67.2
Black or Afr. Am./Non-Hisp	343	198,802	64	21.4	15.1-27.7	16	4.0	01.6-06.4	35	11.1	06.8-15.4	1	0.3	00.0-00.9	5	1.0	00.0-02.0	222	62.3	55.2-69.4
Oth. Race/Non-Hisp.	81	43,740	14	19.9	07.7-32.1	5	4.2	00.1-08.3	10	13.7	04.3-23.1				2	2.3	00.0-05.6	50	60.0	45.9-74.1
MultiRacial/Non-Hisp.	54	18,106	13	34.2	14.8-53.6	1	1.1	00.0-03.3	5	10.0	00.0-20.4				1	1.7	00.0-05.0	32	49.0	30.4-67.6
Hispanic	162	121,701	38	21.2	13.8-28.6	5	1.2	00.0-02.6	10	4.7	01.2-08.2	4	3.4	00.0-06.9	1	0.1	00.0-00.3	104	69.2	60.8-77.6
18-24	223	284,230	68	29.5	22.8-36.2	18	6.6	03.3-09.9	39	18.8	12.9-24.7	3	1.2	00.0-02.6	3	1.0	00.0-02.2	92	43.0	35.6-50.4
25-34	467	369,133	105	21.5	17.2-25.8	22	4.1	02.1-06.1	58	12.9	09.4-16.4	5	1.1	00.1-02.1	6	1.3	00.1-02.5	271	59.0	53.7-64.3
35-44	654	372,780	132	18.3	15.0-21.6	24	4.0	02.2-05.8	76	11.7	08.6-14.8	3	0.5	00.0-01.1	7	0.9	00.1-01.7	412	64.6	60.3-68.9
45-54	878	417,376	156	19.3	16.0-22.6	35	3.8	02.4-05.2	86	9.3	07.1-11.5	14	1.4	00.6-02.2	16	1.3	00.5-02.1	571	65.0	61.1-68.9
55-64	1237	383,574	198	15.9	13.4-18.4	43	3.3	02.1-04.5	69	5.6	04.0-07.2	13	1.1	00.3-01.9	25	1.6	00.8-02.4	889	72.6	69.7-75.5
65+	2056	482,980	253	12.0	10.2-13.8	102	4.6	03.6-05.6	90	4.5	03.5-05.5	20	1.0	00.4-01.6	30	1.5	00.9-02.1	1561	76.3	74.1-78.5
Less Than H.S.	489	304,414	45	12.0	07.9-16.1	17	2.4	01.0-03.8	19	7.0	02.9-11.1	3	0.5	00.0-01.1	7	1.6	00.2-03.0	398	76.5	71.0-82.0
H.S. or G.E.D.	2045	788,783	227	13.8	11.4-16.2	78	3.7	02.7-04.7	105	7.2	05.4-09.0	23	1.2	00.6-01.8	27	1.1	00.5-01.7	1585	73.0	70.3-75.7
Some Post-H.S.	1485	747,008	265	21.2	18.3-24.1	65	5.2	03.6-06.8	133	11.8	09.4-14.2	16	1.3	00.5-02.1	30	1.4	00.8-02.0	976	59.1	55.8-62.4
College Graduate	1538	482,075	385	27.2	24.5-29.9	88	5.2	03.8-06.6	163	12.7	10.5-14.9	17	0.9	00.3-01.5	24	1.2	00.6-01.8	861	52.8	49.7-55.9
Less than \$15,000	656	271,368	72	13.3	09.4-17.2	26	4.2	02.0-06.4	41	8.4	05.1-11.7	2	0.3	00.0-00.7	8	1.2	00.0-02.4	507	72.5	67.4-77.6
\$15,000- 24,999	1043	425,419	136	16.8	13.5-20.1	49	5.1	03.1-07.1	44	6.7	04.3-09.1	15	1.2	00.4-02.0	17	1.5	00.5-02.5	782	68.8	64.7-72.9
\$25,000- 34,999	603	233,705	84	15.5	11.6-19.4	31	4.6	02.6-06.6	34	8.5	04.4-12.6	9	1.3	00.1-02.5	5	0.6	00.0-01.4	440	69.4	64.1-74.7
\$35,000- 49,999	677	270,044	107	14.8	11.5-18.1	27	3.5	01.9-05.1	70	14.7	10.4-19.0	6	0.6	00.0-01.2	12	0.9	00.3-01.5	455	65.4	60.5-70.3
\$50,000- 74,999	686	297,953	144	23.8	19.3-28.3	21	3.4	01.6-05.2	55	8.5	06.0-11.0	7	1.6	00.2-03.0	9	1.0	00.2-01.8	450	61.8	56.9-66.7
\$75,000+	952	448,293	240	26.7	23.0-30.4	45	4.3	02.7-05.9	109	12.2	09.7-14.7	10	1.0	00.2-01.8	17	1.5	00.7-02.3	531	54.3	50.2-58.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013**

SECTION 13: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARTHRTIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)	
1 MALES AND FEMALES	248
2 MALES ONLY	249
3 FEMALES ONLY	250
IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)	
4 MALES AND FEMALES	251
5 MALES ONLY	252
6 FEMALES ONLY	253
DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)	
7 MALES AND FEMALES	254
8 MALES ONLY	255
9 FEMALES ONLY	256
PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)	
10 MALES AND FEMALES	257
11 MALES ONLY	258
12 FEMALES ONLY	259

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 1: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3482	1,266,207	1719	49.9	47.7-52.1	1763	50.1	47.9-52.3
Male	1152	515,470	520	47.1	43.4-50.8	632	52.9	49.2-56.6
Female	2330	750,738	1199	51.8	49.1-54.5	1131	48.2	45.5-50.9
White/Non-Hisp	3119	1,093,702	1507	48.1	45.7-50.5	1612	51.9	49.5-54.3
Black or Afr. Am./Non-Hisp	166	88,791	94	56.2	46.8-65.6	72	43.8	34.4-53.2
MultiRacial/Non-Hisp.	56	16,040	38	69.2	53.5-84.9	18	30.8	15.1-46.5
25-34	86	73,609	48	56.2	44.0-68.4	38	43.8	31.6-56.0
35-44	195	131,715	100	51.2	43.0-59.4	95	48.8	40.6-57.0
45-54	495	251,574	282	56.4	51.1-61.7	213	43.6	38.3-48.9
55-64	898	312,208	461	50.9	47.0-54.8	437	49.1	45.2-53.0
65+	1764	462,875	805	44.4	41.7-47.1	959	55.6	52.9-58.3
Less Than H.S.	367	195,176	217	61.4	54.9-67.9	150	38.6	32.1-45.1
H.S. or G.E.D.	1429	494,981	701	48.6	45.3-51.9	728	51.4	48.1-54.7
Some Post-H.S.	902	380,495	449	49.0	44.9-53.1	453	51.0	46.9-55.1
College Graduate	777	192,604	349	43.6	39.3-47.9	428	56.4	52.1-60.7
Less than \$15,000	482	156,218	327	71.3	65.8-76.8	155	28.7	23.2-34.2
\$15,000- 24,999	737	253,917	409	57.1	52.2-62.0	328	42.9	38.0-47.8
\$25,000- 34,999	426	150,889	202	50.1	44.0-56.2	224	49.9	43.8-56.0
\$35,000- 49,999	444	165,996	196	46.3	40.4-52.2	248	53.7	47.8-59.6
\$50,000- 74,999	395	157,281	160	37.9	32.0-43.8	235	62.1	56.2-68.0
\$75,000+	458	200,409	173	39.0	33.3-44.7	285	61.0	55.3-66.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 2: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1152	515,470	520	47.1	43.4-50.8	632	52.9	49.2-56.6
White/Non-Hisp	1034	446,892	452	44.7	40.8-48.6	582	55.3	51.4-59.2
35-44	66	51,013	26	39.6	25.9-53.3	40	60.4	46.7-74.1
45-54	188	102,358	104	55.5	47.1-63.9	84	44.5	36.1-52.9
55-64	344	150,215	163	48.7	42.4-55.0	181	51.3	45.0-57.6
65+	510	165,359	199	37.0	32.1-41.9	311	63.0	58.1-67.9
Less Than H.S.	112	80,805	69	67.4	57.2-77.6	43	32.6	22.4-42.8
H.S. or G.E.D.	451	188,029	199	43.8	38.3-49.3	252	56.2	50.7-61.7
Some Post-H.S.	310	163,876	144	45.3	38.4-52.2	166	54.7	47.8-61.6
College Graduate	275	80,719	107	39.0	32.1-45.9	168	61.0	54.1-67.9
Less than \$15,000	139	59,090	97	74.4	65.2-83.6	42	25.6	16.4-34.8
\$15,000- 24,999	209	86,710	115	60.8	52.6-69.0	94	39.2	31.0-47.4
\$25,000- 34,999	141	60,540	63	46.2	36.2-56.2	78	53.8	43.8-63.8
\$35,000- 49,999	173	77,193	75	44.8	36.0-53.6	98	55.2	46.4-64.0
\$50,000- 74,999	151	74,561	53	34.0	24.8-43.2	98	66.0	56.8-75.2
\$75,000+	227	111,174	76	35.8	27.6-44.0	151	64.2	56.0-72.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 3: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2330	750,738	1199	51.8	49.1-54.5	1131	48.2	45.5-50.9
White/Non-Hisp	2085	646,810	1055	50.4	47.7-53.1	1030	49.6	46.9-52.3
Black or Afr. Am./Non-Hisp	123	57,754	71	56.9	45.9-67.9	52	43.1	32.1-54.1
25-34	54	41,137	28	45.6	30.1-61.1	26	54.4	38.9-69.9
35-44	129	80,701	74	58.5	48.5-68.5	55	41.5	31.5-51.5
45-54	307	149,216	178	56.9	50.2-63.6	129	43.1	36.4-49.8
55-64	554	161,993	298	52.9	47.8-58.0	256	47.1	42.0-52.2
65+	1254	297,516	606	48.5	45.2-51.8	648	51.5	48.2-54.8
Less Than H.S.	255	114,371	148	57.1	49.1-65.1	107	42.9	34.9-50.9
H.S. or G.E.D.	978	306,952	502	51.6	47.5-55.7	476	48.4	44.3-52.5
Some Post-H.S.	592	216,619	305	51.8	46.7-56.9	287	48.2	43.1-53.3
College Graduate	502	111,886	242	46.9	41.6-52.2	260	53.1	47.8-58.4
Less than \$15,000	343	97,127	230	69.5	62.8-76.2	113	30.5	23.8-37.2
\$15,000- 24,999	528	167,207	294	55.1	49.2-61.0	234	44.9	39.0-50.8
\$25,000- 34,999	285	90,350	139	52.6	45.2-60.0	146	47.4	40.0-54.8
\$35,000- 49,999	271	88,803	121	47.6	39.8-55.4	150	52.4	44.6-60.2
\$50,000- 74,999	244	82,720	107	41.4	33.8-49.0	137	58.6	51.0-66.2
\$75,000+	231	89,235	97	43.0	35.4-50.6	134	57.0	49.4-64.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 4: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3397	1,236,596	1128	36.7	34.5-38.9	2269	63.3	61.1-65.5
Male	1128	503,861	356	35.1	31.4-38.8	772	64.9	61.2-68.6
Female	2269	732,735	772	37.8	35.1-40.5	1497	62.2	59.5-64.9
White/Non-Hisp	3046	1,069,127	958	34.2	32.0-36.4	2088	65.8	63.6-68.0
Black or Afr. Am./Non-Hisp	161	86,014	74	49.9	40.5-59.3	87	50.1	40.7-59.5
MultiRacial/Non-Hisp.	56	15,986	31	60.5	44.2-76.8	25	39.5	23.2-55.8
25-34	86	72,871	48	58.8	46.8-70.8	38	41.2	29.2-53.2
35-44	194	131,383	81	43.9	35.7-52.1	113	56.1	47.9-64.3
45-54	486	246,216	226	47.9	42.6-53.2	260	52.1	46.8-57.4
55-64	880	307,658	349	38.4	34.5-42.3	531	61.6	57.7-65.5
65+	1709	445,087	410	23.7	21.3-26.1	1299	76.3	73.9-78.7
Less Than H.S.	354	185,163	169	53.4	46.5-60.3	185	46.6	39.7-53.5
H.S. or G.E.D.	1380	482,062	498	38.6	35.3-41.9	882	61.4	58.1-64.7
Some Post-H.S.	886	374,897	299	34.5	30.6-38.4	587	65.5	61.6-69.4
College Graduate	770	191,523	159	20.2	16.7-23.7	611	79.8	76.3-83.3
Less than \$15,000	467	149,566	258	62.1	56.2-68.0	209	37.9	32.0-43.8
\$15,000- 24,999	712	246,505	286	48.0	43.1-52.9	426	52.0	47.1-56.9
\$25,000- 34,999	416	148,125	137	38.3	32.2-44.4	279	61.7	55.6-67.8
\$35,000- 49,999	436	163,807	141	37.3	31.4-43.2	295	62.7	56.8-68.6
\$50,000- 74,999	389	154,726	85	22.8	17.5-28.1	304	77.2	71.9-82.5
\$75,000+	459	200,874	91	22.9	17.6-28.2	368	77.1	71.8-82.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 5: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1128	503,861	356	35.1	31.4-38.8	772	64.9	61.2-68.6
White/Non-Hisp	1014	436,378	302	32.6	28.9-36.3	712	67.4	63.7-71.1
35-44	66	51,013	22	36.6	22.9-50.3	44	63.4	49.7-77.1
45-54	186	99,471	90	47.9	39.5-56.3	96	52.1	43.7-60.5
55-64	337	147,345	125	37.2	30.9-43.5	212	62.8	56.5-69.1
65+	495	160,245	97	19.3	15.2-23.4	398	80.7	76.6-84.8
Less Than H.S.	107	75,301	53	56.8	45.0-68.6	54	43.2	31.4-55.0
H.S. or G.E.D.	440	184,978	157	38.5	33.0-44.0	283	61.5	56.0-67.0
Some Post-H.S.	304	161,549	100	30.8	24.7-36.9	204	69.2	63.1-75.3
College Graduate	273	79,991	44	15.5	10.4-20.6	229	84.5	79.4-89.6
Less than \$15,000	132	55,236	75	62.9	52.1-73.7	57	37.1	26.3-47.9
\$15,000- 24,999	203	85,745	85	46.3	37.3-55.3	118	53.7	44.7-62.7
\$25,000- 34,999	137	58,433	48	40.7	30.5-50.9	89	59.3	49.1-69.5
\$35,000- 49,999	171	76,245	58	38.0	29.2-46.8	113	62.0	53.2-70.8
\$50,000- 74,999	147	72,651	36	26.3	17.7-34.9	111	73.7	65.1-82.3
\$75,000+	228	111,762	34	19.2	11.6-26.8	194	80.8	73.2-88.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 6: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2269	732,735	772	37.8	35.3-40.3	1497	62.2	59.7-64.7
White/Non-Hisp	2032	632,748	656	35.4	32.7-38.1	1376	64.6	61.9-67.3
Black or Afr. Am./Non-Hisp	119	55,155	55	49.6	38.8-60.4	64	50.4	39.6-61.2
25-34	54	41,137	32	59.0	43.7-74.3	22	41.0	25.7-56.3
35-44	128	80,369	59	48.5	38.3-58.7	69	51.5	41.3-61.7
45-54	300	146,746	136	48.0	41.1-54.9	164	52.0	45.1-58.9
55-64	543	160,313	224	39.5	34.6-44.4	319	60.5	55.6-65.4
65+	1214	284,842	313	26.1	23.2-29.0	901	73.9	71.0-76.8
Less Than H.S.	247	109,861	116	51.0	43.0-59.0	131	49.0	41.0-57.0
H.S. or G.E.D.	940	297,084	341	38.7	34.6-42.8	599	61.3	57.2-65.4
Some Post-H.S.	582	213,349	199	37.3	32.2-42.4	383	62.7	57.6-67.8
College Graduate	497	111,532	115	23.6	18.9-28.3	382	76.4	71.7-81.1
Less than \$15,000	335	94,330	183	61.7	54.8-68.6	152	38.3	31.4-45.2
\$15,000- 24,999	509	160,760	201	48.9	43.0-54.8	308	51.1	45.2-57.0
\$25,000- 34,999	279	89,692	89	36.8	29.4-44.2	190	63.2	55.8-70.6
\$35,000- 49,999	265	87,561	83	36.6	28.8-44.4	182	63.4	55.6-71.2
\$50,000- 74,999	242	82,075	49	19.7	13.4-26.0	193	80.3	74.0-86.6
\$75,000+	231	89,112	57	27.5	20.4-34.6	174	72.5	65.4-79.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 7. DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			Very Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3484	1,267,638	672	19.7	17.9-21.5	854	25.4	23.4-27.4	1958	54.9	52.7-57.1
Male	1151	515,592	185	17.0	14.1-19.9	242	22.2	19.1-25.3	724	60.8	57.1-64.5
Female	2333	752,045	487	21.5	19.3-23.7	612	27.7	25.3-30.1	1234	50.8	48.1-53.5
White/Non-Hisp	3118	1,094,541	557	18.3	16.5-20.1	758	24.6	22.6-26.6	1803	57.1	54.7-59.5
Black or Afr. Am./Non-Hisp	168	89,596	52	26.0	18.2-33.8	47	29.6	21.2-38.0	69	44.5	35.1-53.9
MultiRacial/Non-Hisp.	57	16,110	25	43.3	27.0-59.6	13	25.2	11.3-39.1	19	31.5	15.6-47.4
25-34	87	74,552	16	22.4	11.4-33.4	34	38.7	26.7-50.7	37	38.9	27.1-50.7
35-44	196	132,231	36	16.6	10.5-22.7	56	29.9	22.5-37.3	104	53.5	45.3-61.7
45-54	493	250,938	141	31.2	26.1-36.3	111	22.1	17.8-26.4	241	46.7	41.4-52.0
55-64	900	312,807	193	18.9	15.8-22.0	230	24.5	21.2-27.8	477	56.5	52.6-60.4
65+	1765	462,810	281	15.3	13.3-17.3	409	23.2	20.8-25.6	1075	61.6	58.9-64.3
Less Than H.S.	367	194,588	127	33.2	26.9-39.5	90	26.4	20.3-32.5	150	40.4	33.7-47.1
H.S. or G.E.D.	1423	494,218	289	20.2	17.7-22.7	386	26.6	23.7-29.5	748	53.2	49.9-56.5
Some Post-H.S.	904	381,679	171	17.1	14.0-20.2	212	25.6	21.9-29.3	521	57.4	53.3-61.5
College Graduate	783	194,202	84	10.1	07.6-12.6	165	21.6	18.1-25.1	534	68.3	64.4-72.2
Less than \$15,000	486	156,600	194	43.1	36.8-49.4	125	23.3	18.4-28.2	167	33.5	27.6-39.4
\$15,000- 24,999	735	253,794	174	25.8	21.3-30.3	192	30.1	25.4-34.8	369	44.1	39.4-48.8
\$25,000- 34,999	422	150,781	66	17.3	12.8-21.8	134	34.0	28.1-39.9	222	48.7	42.6-54.8
\$35,000- 49,999	443	165,683	73	19.3	14.2-24.4	100	21.2	16.7-25.7	270	59.6	53.7-65.5
\$50,000- 74,999	395	157,366	45	11.8	07.9-15.7	88	20.3	15.4-25.2	262	67.9	62.2-73.6
\$75,000+	460	201,531	19	3.4	01.6-05.2	86	22.3	17.0-27.6	355	74.3	69.0-79.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 8: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			Very Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1151	515,592	185	17.0	14.1-19.9	242	22.2	19.1-25.3	724	60.8	57.1-64.5
White/Non-Hisp	1032	446,820	152	15.4	12.5-18.3	210	21.2	18.1-24.3	670	63.5	59.8-67.2
35-44	66	51,013	7	9.0	01.0-17.0	15	23.7	11.9-35.5	44	67.3	54.4-80.2
45-54	186	101,914	45	27.2	19.0-35.4	37	20.1	13.2-27.0	104	52.7	44.1-61.3
55-64	344	149,451	67	16.7	12.2-21.2	76	21.9	16.8-27.0	201	61.4	55.3-67.5
65+	511	165,845	56	11.3	08.0-14.6	101	19.4	15.3-23.5	354	69.2	64.5-73.9
Less Than H.S.	112	80,320	36	31.7	20.7-42.7	24	22.5	12.5-32.5	52	45.7	33.9-57.5
H.S. or G.E.D.	450	187,866	74	16.0	12.1-19.9	106	23.2	18.3-28.1	270	60.9	55.4-66.4
Some Post-H.S.	308	164,360	57	16.3	11.2-21.4	66	23.6	17.9-29.3	185	60.1	53.4-66.8
College Graduate	277	81,005	18	6.5	03.0-10.0	45	17.1	11.8-22.4	214	76.4	70.3-82.5
Less than \$15,000	140	59,230	54	44.4	32.8-56.0	30	16.0	09.1-22.9	56	39.6	28.4-50.8
\$15,000- 24,999	208	87,276	48	24.6	16.4-32.8	62	34.4	25.8-43.0	98	41.1	32.7-49.5
\$25,000- 34,999	140	60,271	19	15.5	08.2-22.8	37	30.8	21.0-40.6	84	53.7	43.5-63.9
\$35,000- 49,999	171	76,714	29	18.3	11.0-25.6	34	19.9	13.0-26.8	108	61.8	53.2-70.4
\$50,000- 74,999	152	74,763	13	8.5	03.6-13.4	26	16.0	09.1-22.9	113	75.4	67.4-83.4
\$75,000+	228	111,762	4	1.2	00.0-02.6	32	19.3	11.7-26.9	192	79.5	71.9-87.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 9: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			Very Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2333	752,045	487	21.5	19.3-23.7	612	27.7	25.3-30.1	1234	50.8	48.1-53.5
White/Non-Hisp	2086	647,720	405	20.4	18.0-22.8	548	26.9	24.4-29.4	1133	52.7	50.0-55.4
Black or Afr. Am./Non-Hisp	125	58,559	42	28.3	19.5-37.1	35	30.5	20.5-40.5	48	41.2	30.4-52.0
25-34	54	41,137	6	12.6	01.2-24.0	26	47.5	31.8-63.2	22	39.9	24.8-55.0
35-44	130	81,218	29	21.3	12.9-29.7	41	33.8	24.4-43.2	60	44.9	34.9-54.9
45-54	307	149,023	96	33.9	27.4-40.4	74	23.5	17.8-29.2	137	42.6	35.9-49.3
55-64	556	163,355	126	21.0	16.9-25.1	154	27.0	22.5-31.5	276	52.0	47.1-56.9
65+	1254	296,965	225	17.5	15.0-20.0	308	25.2	22.3-28.1	721	57.3	54.0-60.6
Less Than H.S.	255	114,267	91	34.3	26.9-41.7	66	29.0	21.4-36.6	98	36.7	29.1-44.3
H.S. or G.E.D.	973	306,352	215	22.7	19.4-26.0	280	28.7	25.0-32.4	478	48.6	44.5-52.7
Some Post-H.S.	596	217,319	114	17.6	13.7-21.5	146	27.1	22.4-31.8	336	55.3	50.2-60.4
College Graduate	506	113,197	66	12.6	09.1-16.1	120	24.9	20.2-29.6	320	62.5	57.4-67.6
Less than \$15,000	346	97,370	140	42.4	35.3-49.5	95	27.8	21.3-34.3	111	29.8	23.1-36.5
\$15,000- 24,999	527	166,518	126	26.4	21.1-31.7	130	27.9	22.2-33.6	271	45.7	40.0-51.4
\$25,000- 34,999	282	90,510	47	18.4	12.5-24.3	97	36.2	28.9-43.5	138	45.4	38.0-52.8
\$35,000- 49,999	272	88,969	44	20.1	13.2-27.0	66	22.3	16.2-28.4	162	57.7	50.1-65.3
\$50,000- 74,999	243	82,603	32	14.7	09.0-20.4	62	24.2	17.3-31.1	149	61.1	53.3-68.9
\$75,000+	232	89,769	15	6.3	02.8-09.8	54	26.0	18.9-33.1	163	67.7	60.3-75.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 10: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2604	945,183	183	6.5	05.3-07.7	743	27.6	25.4-29.8	947	35.3	32.9-37.7	539	22.8	20.6-25.0	192	7.8	06.4-09.2
Male	866	387,487	58	5.9	04.1-07.7	310	33.1	29.2-37.0	309	35.6	31.7-39.5	149	20.4	16.7-24.1	40	5.0	03.0-07.0
Female	1738	557,696	125	7.0	05.4-08.6	433	23.8	21.1-26.5	638	35.1	32.2-38.0	390	24.4	21.7-27.1	152	9.8	07.8-11.8
White/Non-Hisp	2337	813,438	165	6.6	05.4-07.8	690	28.8	26.4-31.2	860	35.8	33.3-38.3	467	21.9	19.7-24.1	155	7.0	05.6-08.4
Black or Afr. Am./Non-Hisp	131	73,831	11	8.8	02.9-14.7	22	20.4	11.2-29.6	38	27.8	18.6-37.0	38	29.1	19.5-38.7	22	13.8	07.5-20.1
25-34	67	57,230	8	10.2	02.9-17.5	12	21.4	08.7-34.1	23	31.6	18.9-44.3	22	34.9	21.6-48.2	2	1.8	00.0-04.7
35-44	141	92,688	10	5.5	01.8-09.2	40	29.4	20.4-38.4	46	32.3	23.1-41.5	30	22.1	13.9-30.3	15	10.7	04.8-16.6
45-54	367	188,233	21	5.4	02.9-07.9	95	22.5	17.6-27.4	126	34.5	28.6-40.4	87	26.0	20.3-31.7	38	11.5	07.4-15.6
55-64	670	231,925	27	3.3	01.9-04.7	195	30.5	26.2-34.8	226	32.8	28.5-37.1	159	23.8	19.9-27.7	63	9.6	06.7-12.5
65+	1327	349,916	116	9.4	07.2-11.6	388	28.6	25.7-31.5	513	37.6	34.5-40.7	237	19.1	16.4-21.8	73	5.3	03.9-06.7
Less Than H.S.	277	152,650	17	7.0	03.1-10.9	36	15.4	09.1-21.7	87	26.6	19.9-33.3	79	33.3	25.9-40.7	58	17.7	12.2-23.2
H.S. or G.E.D.	1044	361,489	73	6.0	04.4-07.6	245	23.7	20.4-27.0	394	37.1	33.4-40.8	254	26.0	22.5-29.5	78	7.1	05.1-09.1
Some Post-H.S.	680	282,306	39	5.1	03.1-07.1	209	30.7	26.4-35.0	258	38.8	34.3-43.3	134	18.9	15.2-22.6	40	6.4	04.0-08.8
College Graduate	597	146,278	54	10.2	07.1-13.3	250	43.5	38.6-48.4	208	33.5	29.0-38.0	70	11.0	08.1-13.9	15	1.8	00.6-03.0
Less than \$15,000	356	114,274	23	5.0	01.9-08.1	46	10.6	06.3-14.9	108	27.4	21.3-33.5	121	38.6	31.2-46.0	58	18.5	12.6-24.4
\$15,000- 24,999	538	187,530	31	5.2	03.0-07.4	111	21.1	16.0-26.2	206	35.1	29.8-40.4	137	27.2	22.1-32.3	53	11.4	07.7-15.1
\$25,000- 34,999	318	113,943	22	7.4	03.7-11.1	85	21.8	16.5-27.1	131	41.5	34.4-48.6	57	21.2	15.3-27.1	23	8.2	04.5-11.9
\$35,000- 49,999	333	124,320	15	3.5	01.3-05.7	119	33.0	26.9-39.1	143	42.6	35.9-49.3	44	16.8	11.3-22.3	12	4.0	01.5-06.5
\$50,000- 74,999	314	122,404	25	8.8	04.7-12.9	112	35.3	28.8-41.8	108	33.0	26.5-39.5	60	20.3	14.8-25.8	9	2.6	00.4-04.8
\$75,000+	342	144,476	30	6.9	04.2-09.6	161	45.1	38.4-51.8	110	32.7	26.2-39.2	37	14.2	08.9-19.5	4	1.1	00.0-02.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 11: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	866	387,487	58	5.9	04.1-07.7	310	33.1	29.2-37.0	309	35.6	31.7-39.5	149	20.4	16.7-24.1	40	5.0	03.0-07.0
White/Non-Hisp	781	336,683	52	5.9	03.9-07.9	288	34.4	30.3-38.5	277	36.1	31.8-40.4	132	19.7	16.0-23.4	32	4.0	02.2-05.8
35-44	50	36,886	5	7.2	00.3-14.1	20	41.3	25.2-57.4	12	22.6	09.9-35.3	10	22.7	08.4-37.0	3	6.2	00.0-13.5
45-54	144	80,103	10	5.4	01.5-09.3	48	28.8	20.6-37.0	47	34.5	25.1-43.9	29	23.9	15.3-32.5	10	7.4	01.9-12.9
55-64	257	111,405	7	2.0	00.2-03.8	85	33.8	26.9-40.7	87	35.5	28.6-42.4	57	20.6	14.5-26.7	21	8.2	03.9-12.5
65+	384	126,649	35	10.6	06.3-14.9	150	36.8	31.1-42.5	152	38.9	33.2-44.6	42	12.7	08.4-17.0	5	0.8	00.0-01.6
Less Than H.S.	87	63,435	3	4.7	00.0-10.8	16	20.4	09.0-31.8	31	30.4	18.4-42.4	24	32.6	19.7-45.5	13	12.0	03.8-20.2
H.S. or G.E.D.	325	134,730	20	5.0	02.6-07.4	101	28.9	23.2-34.6	124	37.7	31.4-44.0	64	23.2	17.3-29.1	16	5.2	02.3-08.1
Some Post-H.S.	243	126,400	14	6.0	02.7-09.3	91	34.7	27.8-41.6	90	39.4	32.0-46.8	40	16.4	10.7-22.1	8	3.5	00.8-06.2
College Graduate	208	61,373	21	9.1	04.8-13.4	100	51.6	43.8-59.4	64	29.3	22.2-36.4	20	9.6	04.9-14.3	3	0.4	00.0-01.0
Less than \$15,000	99	44,154	8	6.3	00.0-13.0	16	14.4	05.4-23.4	26	20.9	11.7-30.1	37	42.3	28.6-56.0	12	16.0	05.0-27.0
\$15,000- 24,999	155	63,137	10	5.1	01.6-08.6	37	21.8	13.4-30.2	67	42.1	32.3-51.9	31	22.6	13.2-32.0	10	8.5	02.8-14.2
\$25,000- 34,999	108	45,537	4	4.9	00.0-09.8	36	24.8	16.0-33.6	48	47.7	36.1-59.3	14	15.8	07.2-24.4	6	6.7	01.0-12.4
\$35,000- 49,999	127	57,068	4	2.0	00.0-04.2	54	39.5	29.5-49.5	46	37.0	27.0-47.0	18	18.9	09.9-27.9	5	2.6	00.1-05.1
\$50,000- 74,999	122	57,637	13	10.5	04.0-17.0	49	40.0	29.8-50.2	40	31.8	22.2-41.4	18	15.8	08.0-23.6	2	1.8	00.0-05.1
\$75,000+	174	85,039	13	5.0	02.1-07.9	92	49.2	39.8-58.6	50	32.0	22.8-41.2	18	13.7	06.4-21.0	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 12: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1738	557,696	125	7.0	05.4-08.6	433	23.8	21.1-26.5	638	35.1	32.2-38.0	390	24.4	21.7-27.1	152	9.8	07.8-11.8
White/Non-Hisp	1556	476,755	113	7.0	05.4-08.6	402	24.9	22.0-27.8	583	35.6	32.5-38.7	335	23.4	20.7-26.1	123	9.1	07.1-11.1
Black or Afr. Am./Non-Hisp	96	47,836	9	9.3	02.4-16.2	15	20.5	09.5-31.5	25	24.4	14.4-34.4	28	28.6	17.6-39.6	19	17.2	08.8-25.6
35-44	91	55,803	5	4.3	00.0-08.6	20	21.6	11.6-31.6	34	38.8	26.6-51.0	20	21.7	11.7-31.7	12	13.6	05.2-22.0
45-54	223	108,129	11	5.4	01.9-08.9	47	17.9	11.8-24.0	79	34.5	27.1-41.9	58	27.6	20.2-35.0	28	14.6	08.9-20.3
55-64	413	120,520	20	4.6	02.2-07.0	110	27.5	22.4-32.6	139	30.3	25.2-35.4	102	26.8	21.5-32.1	42	10.9	07.0-14.8
65+	943	223,267	81	8.6	06.4-10.8	238	24.0	20.7-27.3	361	36.8	33.1-40.5	195	22.8	19.5-26.1	68	7.8	05.6-10.0
Less Than H.S.	190	89,215	14	8.6	03.5-13.7	20	11.9	04.6-19.2	56	23.9	16.3-31.5	55	33.8	25.0-42.6	45	21.8	14.4-29.2
H.S. or G.E.D.	719	226,759	53	6.6	04.4-08.8	144	20.6	16.7-24.5	270	36.8	32.3-41.3	190	27.7	23.4-32.0	62	8.3	05.8-10.8
Some Post-H.S.	437	155,906	25	4.4	02.2-06.6	118	27.5	22.0-33.0	168	38.3	32.6-44.0	94	20.9	16.2-25.6	32	8.8	05.3-12.3
College Graduate	389	84,905	33	11.0	06.7-15.3	150	37.7	31.8-43.6	144	36.5	30.6-42.4	50	12.0	08.1-15.9	12	2.8	01.0-04.6
Less than \$15,000	257	70,120	15	4.1	01.4-06.8	30	8.2	04.3-12.1	82	31.4	23.8-39.0	84	36.2	28.0-44.4	46	20.1	13.4-26.8
\$15,000- 24,999	383	124,394	21	5.2	02.7-07.7	74	20.8	14.3-27.3	139	31.6	25.5-37.7	106	29.5	23.2-35.8	43	12.8	08.1-17.5
\$25,000- 34,999	210	68,406	18	9.1	03.8-14.4	49	19.7	13.2-26.2	83	37.3	28.7-45.9	43	24.7	16.9-32.5	17	9.2	04.1-14.3
\$35,000- 49,999	206	67,252	11	4.8	01.3-08.3	65	27.5	20.1-34.9	97	47.4	38.6-56.2	26	15.0	08.1-21.9	7	5.3	01.0-09.6
\$50,000- 74,999	192	64,767	12	7.3	02.2-12.4	63	31.0	23.0-39.0	68	34.1	25.5-42.7	42	24.3	16.7-31.9	7	3.3	00.6-06.0
\$75,000+	168	59,437	17	9.7	04.6-14.8	69	39.3	30.3-48.3	60	33.7	25.3-42.1	19	14.8	07.5-22.1	3	2.5	00.0-05.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013

SECTION 14: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)	
1	MALES AND FEMALES	261
2	MALES ONLY	262
3	FEMALES ONLY	263

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 14: SEATBELT USE**

**TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9481	4,484,579	8315	86.1	85.1-87.1	671	8.0	07.2-08.8	227	2.8	02.2-03.4	117	1.3	00.9-01.7	136	1.7	01.3-02.1	15	0.2	00.0-00.4
Male	3899	2,155,314	3211	80.9	79.3-82.5	377	10.5	09.1-11.9	137	3.6	02.8-04.4	74	2.0	01.4-02.6	90	2.6	02.0-03.2	10	0.3	00.1-00.5
Female	5582	2,329,265	5104	90.9	89.7-92.1	294	5.6	04.8-06.4	90	2.0	01.4-02.6	43	0.7	00.3-01.1	46	0.7	00.3-01.1	5	0.1	00.1-00.1
White/Non-Hisp	8275	3,688,487	7262	86.3	85.3-87.3	597	8.0	07.2-08.8	189	2.6	02.0-03.2	104	1.4	01.0-01.8	114	1.6	01.2-02.0	9	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	528	363,809	456	83.6	78.9-88.3	41	10.0	06.1-13.9	20	4.4	01.9-06.9	4	0.9	00.0-02.1	5	0.5	00.0-01.1	2	0.6	00.0-01.4
Oth. Race/Non-Hisp.	154	93,717	132	83.4	75.8-91.0	9	7.2	01.5-12.9	6	4.4	00.7-08.1	3	2.3	00.0-05.4	2	1.8	00.0-04.3	2	0.9	00.0-02.1
MultiRacial/Non-Hisp.	102	41,116	85	77.6	66.4-88.8	5	8.1	00.0-16.3	4	4.0	00.0-09.5	3	4.2	00.0-09.3	3	4.6	00.0-09.7	2	1.5	00.0-04.0
Hispanic	282	231,959	253	87.9	83.4-92.4	14	5.6	02.5-08.7	4	1.2	00.0-02.6	2	1.0	00.0-02.4	9	4.3	01.2-07.4			
18-24	475	586,932	372	79.2	75.1-83.3	59	11.4	08.5-14.3	24	5.0	02.6-07.4	10	2.1	00.7-03.5	10	2.2	00.8-03.6			
25-34	827	727,617	683	81.9	78.8-85.0	89	10.9	08.4-13.4	22	3.2	01.6-04.8	14	1.4	00.4-02.4	17	2.2	01.0-03.4	2	0.3	00.0-00.9
35-44	1118	729,929	994	88.3	85.9-90.7	82	7.4	05.4-09.4	20	1.8	00.8-02.8	9	1.2	00.4-02.0	12	1.0	00.4-01.6	1	0.2	00.0-00.6
45-54	1635	813,388	1445	87.5	85.5-89.5	110	7.2	05.6-08.8	38	2.4	01.4-03.4	18	1.3	00.7-01.9	24	1.6	00.8-02.4			
55-64	2105	747,423	1873	88.5	86.7-90.3	128	6.3	04.9-07.7	49	2.5	01.7-03.3	22	1.0	00.4-01.6	29	1.5	00.9-02.1	4	0.2	00.0-00.4
65+	3244	854,899	2874	88.7	87.3-90.1	202	5.9	04.9-06.9	72	2.1	01.5-02.7	44	1.4	01.0-01.8	44	1.6	01.0-02.2	8	0.3	00.0-00.7
Less Than H.S.	836	616,089	697	82.6	79.1-86.1	49	6.7	04.3-09.1	39	5.0	02.8-07.2	15	1.6	00.4-02.8	30	3.5	01.9-05.1	6	0.5	00.0-01.1
H.S. or G.E.D.	3408	1,530,085	2941	84.4	82.6-86.2	252	8.4	07.0-09.8	101	3.4	02.6-04.2	52	1.9	01.3-02.5	57	1.8	01.2-02.4	5	0.1	00.0-00.3
Some Post-H.S.	2418	1,359,376	2142	87.6	85.8-89.4	167	7.8	06.4-09.2	53	2.2	01.4-03.0	23	0.9	00.5-01.3	30	1.2	00.6-01.8	3	0.3	00.0-00.7
College Graduate	2797	968,743	2519	89.2	87.8-90.6	200	8.1	06.7-09.5	33	1.1	00.7-01.5	25	0.9	00.5-01.3	19	0.8	00.4-01.2	1	0.0	00.0-00.0
Less than \$15,000	989	447,583	856	84.4	81.1-87.7	52	6.1	03.9-08.3	33	4.2	02.2-06.2	18	1.6	00.6-02.6	26	3.5	01.7-05.3	4	0.2	00.0-00.4
\$15,000- 24,999	1603	723,358	1419	87.1	84.6-89.6	85	6.3	04.5-08.1	45	3.1	01.7-04.5	23	1.5	00.5-02.5	28	1.6	00.8-02.4	3	0.3	00.0-00.7
\$25,000- 34,999	1048	482,824	913	84.2	81.1-87.3	78	8.3	06.1-10.5	28	4.1	01.9-06.3	11	1.5	00.3-02.7	17	1.9	00.9-02.9	1	0.1	00.0-00.3
\$35,000- 49,999	1239	588,616	1076	85.5	83.0-88.0	109	10.0	07.6-12.4	22	1.8	00.8-02.8	13	0.9	00.3-01.5	18	1.7	00.7-02.7	1	0.1	00.0-00.3
\$50,000- 74,999	1259	620,995	1102	86.1	83.6-88.6	101	9.0	06.6-11.4	25	1.6	00.8-02.4	15	1.7	00.7-02.7	16	1.5	00.7-02.3			
\$75,000+	1946	991,845	1734	87.4	85.4-89.4	137	7.7	06.1-09.3	35	2.1	01.3-02.9	19	1.2	00.6-01.8	19	1.4	00.6-02.2	2	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 14: SEATBELT USE**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3899	2,155,314	3211	80.9	79.3-82.5	377	10.5	09.1-11.9	137	3.6	02.8-04.4	74	2.0	01.4-02.6	90	2.6	02.0-03.2	10	0.3	00.1-00.5
White/Non-Hisp	3395	1,768,579	2800	81.2	79.4-83.0	334	10.4	09.0-11.8	117	3.5	02.7-04.3	64	2.0	01.4-02.6	74	2.6	01.8-03.4	6	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	184	163,921	146	76.7	68.3-85.1	23	15.0	07.4-22.6	9	5.7	01.2-10.2	2	0.9	00.0-02.5	3	1.0	00.0-02.4	1	0.7	00.0-02.1
Oth. Race/Non-Hisp.	73	49,978	56	74.0	61.5-86.5	6	11.6	01.6-21.6	4	5.0	00.0-10.7	3	4.4	00.0-10.3	2	3.4	00.0-08.1	2	1.6	00.0-04.0
Hispanic	121	110,838	104	86.8	80.3-93.3	8	6.3	02.0-10.6	2	1.4	00.0-03.4	1	1.1	00.0-03.3	6	4.4	00.3-08.5			
18-24	252	302,702	185	75.0	69.1-80.9	33	12.1	07.8-16.4	18	6.4	02.9-09.9	8	3.1	00.7-05.5	8	3.4	01.0-05.8			
25-34	359	357,433	271	76.1	71.2-81.0	52	14.5	10.4-18.6	13	3.6	01.4-05.8	7	1.9	00.3-03.5	14	3.3	01.3-05.3	2	0.7	00.0-01.9
35-44	465	357,576	397	84.0	79.7-88.3	42	9.5	06.0-13.0	10	2.5	00.7-04.3	7	1.9	00.3-03.5	8	1.6	00.4-02.8	1	0.4	00.0-01.2
45-54	759	396,699	629	81.1	77.8-84.4	78	11.0	08.5-13.5	22	3.0	01.6-04.4	13	2.1	00.9-03.3	17	2.8	01.2-04.4			
55-64	871	365,466	733	84.4	81.5-87.3	71	8.6	06.2-11.0	32	3.4	02.0-04.8	12	1.0	00.2-01.8	21	2.4	01.2-03.6	2	0.2	00.0-00.6
65+	1170	368,002	975	83.8	81.3-86.3	100	7.9	06.1-09.7	41	3.0	02.0-04.0	27	2.3	01.3-03.3	22	2.4	01.2-03.6	5	0.7	00.0-01.5
Less Than H.S.	337	306,726	259	78.0	72.5-83.5	30	10.1	06.0-14.2	17	4.9	02.0-07.8	7	1.9	00.1-03.7	20	4.4	02.2-06.6	4	0.8	00.0-01.8
H.S. or G.E.D.	1357	740,131	1067	77.3	74.4-80.2	147	11.8	09.4-14.2	65	4.7	03.3-06.1	38	3.1	01.9-04.3	38	3.1	01.9-04.3	2	0.1	00.0-00.3
Some Post-H.S.	932	613,354	777	82.9	80.0-85.8	87	9.5	07.1-11.9	31	3.2	01.8-04.6	15	1.5	00.5-02.5	19	2.3	01.1-03.5	3	0.6	00.0-01.4
College Graduate	1259	487,622	1100	86.4	84.0-88.8	110	9.8	07.6-12.0	23	1.6	00.8-02.4	12	0.9	00.3-01.5	13	1.3	00.5-02.1	1	0.0	00.0-00.0
Less than \$15,000	329	173,545	267	79.8	74.1-85.5	19	6.2	02.3-10.1	18	5.8	02.7-08.9	7	1.8	00.0-03.6	15	5.8	02.5-09.1	3	0.5	00.0-01.3
\$15,000- 24,999	560	297,106	463	82.6	78.3-86.9	42	8.9	05.4-12.4	18	3.0	01.0-05.0	16	2.3	00.7-03.9	19	2.7	01.3-04.1	2	0.6	00.0-01.4
\$25,000- 34,999	445	248,436	364	79.3	74.4-84.2	46	10.9	07.2-14.6	17	4.3	01.8-06.8	7	2.4	00.2-04.6	10	2.9	00.9-04.9	1	0.1	00.0-00.3
\$35,000- 49,999	561	318,634	458	81.1	77.2-85.0	65	12.6	09.3-15.9	17	2.5	01.1-03.9	8	1.1	00.3-01.9	12	2.5	00.7-04.3	1	0.2	00.0-00.6
\$50,000- 74,999	572	322,659	472	80.2	75.7-84.7	59	12.2	08.3-16.1	18	2.2	01.0-03.4	11	2.9	00.9-04.9	12	2.5	00.9-04.1			
\$75,000+	997	545,216	835	81.8	78.7-84.9	104	10.8	08.4-13.2	26	3.1	01.5-04.7	14	1.6	00.6-02.6	17	2.4	01.0-03.8	1	0.3	00.0-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 14: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5582	2,329,265	5104	90.9	89.7-92.1	294	5.6	04.8-06.4	90	2.0	01.4-02.6	43	0.7	00.3-01.1	46	0.7	00.3-01.1	5	0.1	00.1-00.1
White/Non-Hisp	4880	1,919,908	4462	91.0	89.8-92.2	263	5.7	04.7-06.7	72	1.9	01.1-02.7	40	0.8	00.6-01.0	40	0.6	00.4-00.8	3	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	344	199,889	310	89.2	84.7-93.7	18	5.9	02.6-09.2	11	3.3	00.8-05.8	2	0.9	00.0-02.7	2	0.2	00.0-00.4	1	0.4	00.0-01.2
Oth. Race/Non-Hisp.	81	43,740	76	94.1	88.4-99.8	3	2.3	00.0-05.2	2	3.6	00.0-08.5									
MultiRacial/Non-Hisp.	53	17,981	48	92.3	83.5-0100	3	6.6	00.0-15.2	1	0.6	00.0-01.8							1	0.4	00.0-01.2
Hispanic	161	121,122	149	88.9	82.4-95.4	6	5.0	00.7-09.3	2	1.1	00.0-02.9	1	0.9	00.0-02.7	3	4.2	00.0-08.9			
18-24	223	284,230	187	83.8	78.3-89.3	26	10.7	06.4-15.0	6	3.6	00.5-06.7	2	1.0	00.0-02.4	2	0.9	00.0-02.3			
25-34	468	370,184	412	87.6	83.9-91.3	37	7.6	05.1-10.1	9	2.8	00.3-05.3	7	1.0	00.2-01.8	3	1.0	00.0-02.2			
35-44	653	372,353	597	92.4	90.2-94.6	40	5.4	03.4-07.4	10	1.1	00.3-01.9	2	0.5	00.0-01.3	4	0.5	00.0-01.1			
45-54	876	416,689	816	93.7	91.7-95.7	32	3.5	01.9-05.1	16	1.9	00.7-03.1	5	0.5	00.0-01.1	7	0.4	00.0-00.8			
55-64	1234	381,957	1140	92.5	90.7-94.3	57	4.1	02.9-05.3	17	1.7	00.7-02.7	10	0.9	00.1-01.7	8	0.5	00.1-00.9	2	0.2	00.0-00.6
65+	2074	486,897	1899	92.5	91.1-93.9	102	4.3	03.3-05.3	31	1.4	00.8-02.0	17	0.7	00.3-01.1	22	1.0	00.4-01.6	3	0.1	00.0-00.3
Less Than H.S.	499	309,364	438	87.2	82.9-91.5	19	3.3	01.3-05.3	22	5.1	01.8-08.4	8	1.4	00.0-02.8	10	2.7	00.7-04.7	2	0.3	00.0-00.9
H.S. or G.E.D.	2051	789,954	1874	91.1	89.3-92.9	105	5.2	03.8-06.6	36	2.2	01.2-03.2	14	0.7	00.3-01.1	19	0.6	00.2-01.0	3	0.1	00.1-00.1
Some Post-H.S.	1486	746,022	1365	91.4	89.4-93.4	80	6.4	04.6-08.2	22	1.4	00.4-02.4	8	0.4	00.0-00.8	11	0.3	00.1-00.5			
College Graduate	1538	481,121	1419	92.0	90.2-93.8	90	6.3	04.7-07.9	10	0.5	00.1-00.9	13	0.9	00.3-01.5	6	0.3	00.0-00.7			
Less than \$15,000	660	274,038	589	87.4	83.5-91.3	33	6.1	03.4-08.8	15	3.1	00.6-05.6	11	1.4	00.4-02.4	11	2.0	00.0-04.0	1	0.0	00.0-00.0
\$15,000- 24,999	1043	426,251	956	90.2	87.3-93.1	43	4.5	02.7-06.3	27	3.3	01.3-05.3	7	1.0	00.0-02.2	9	0.9	00.1-01.7	1	0.1	00.0-00.3
\$25,000- 34,999	603	234,387	549	89.4	85.5-93.3	32	5.5	03.1-07.9	11	3.9	00.6-07.2	4	0.5	00.0-01.1	7	0.8	00.2-01.4			
\$35,000- 49,999	678	269,982	618	90.7	87.6-93.8	44	6.8	03.9-09.7	5	0.9	00.0-01.9	5	0.8	00.0-01.6	6	0.8	00.0-01.6			
\$50,000- 74,999	687	298,336	630	92.5	90.3-94.7	42	5.6	03.6-07.6	7	0.9	00.1-01.7	4	0.6	00.0-01.2	4	0.5	00.0-01.1			
\$75,000+	949	446,629	899	94.4	92.6-96.2	33	3.9	02.3-05.5	9	0.8	00.2-01.4	5	0.6	00.0-01.2	2	0.1	00.0-00.3	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013**

SECTION 15: IMMUNIZATION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)	
1 MALES AND FEMALES	265
2 MALES ONLY	266
3 FEMALES ONLY	267
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4 MALES AND FEMALES	268
5 MALES ONLY	269
6 FEMALES ONLY	270
SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)	
7 MALES AND FEMALES	271
8 MALES ONLY	272
9 FEMALES ONLY	273
A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
10 MALES AND FEMALES	274
11 MALES ONLY	275
12 FEMALES ONLY	276

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 1: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9453	4,465,081	4061	35.8	34.6-37.0	5392	64.2	63.0-65.4
Male	3887	2,147,678	1532	31.7	29.9-33.5	2355	68.3	66.5-70.1
Female	5566	2,317,404	2529	39.5	37.7-41.3	3037	60.5	58.7-62.3
White/Non-Hisp	8251	3,672,662	3656	37.4	36.0-38.8	4595	62.6	61.2-64.0
Black or Afr. Am./Non-Hisp	527	362,656	161	24.6	20.3-28.9	366	75.4	71.1-79.7
Oth. Race/Non-Hisp.	153	92,446	68	39.6	29.6-49.6	85	60.4	50.4-70.4
MultiRacial/Non-Hisp.	103	41,450	36	32.8	20.6-45.0	67	67.2	55.0-79.4
Hispanic	279	229,701	89	29.2	22.9-35.5	190	70.8	64.5-77.1
18-24	470	580,621	97	21.2	17.1-25.3	373	78.8	74.7-82.9
25-34	823	723,251	220	23.7	20.6-26.8	603	76.3	73.2-79.4
35-44	1114	725,639	343	28.9	25.8-32.0	771	71.1	68.0-74.2
45-54	1631	812,395	564	33.9	31.2-36.6	1067	66.1	63.4-68.8
55-64	2100	745,857	910	42.1	39.6-44.6	1190	57.9	55.4-60.4
65+	3239	853,803	1889	57.6	55.4-59.8	1350	42.4	40.2-44.6
Less Than H.S.	829	609,999	310	31.5	27.4-35.6	519	68.5	64.4-72.6
H.S. or G.E.D.	3402	1,525,245	1419	33.5	31.5-35.5	1983	66.5	64.5-68.5
Some Post-H.S.	2416	1,356,697	991	35.2	32.8-37.6	1425	64.8	62.4-67.2
College Graduate	2784	962,757	1334	42.8	40.6-45.0	1450	57.2	55.0-59.4
Less than \$15,000	979	441,450	355	28.3	24.6-32.0	624	71.7	68.0-75.4
\$15,000- 24,999	1607	724,817	685	34.8	31.7-37.9	922	65.2	62.1-68.3
\$25,000- 34,999	1044	481,669	449	34.4	30.7-38.1	595	65.6	61.9-69.3
\$35,000- 49,999	1238	587,942	549	38.1	34.8-41.4	689	61.9	58.6-65.2
\$50,000- 74,999	1259	618,638	534	36.6	33.3-39.9	725	63.4	60.1-66.7
\$75,000+	1939	986,988	859	38.9	36.4-41.4	1080	61.1	58.6-63.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 2: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3887	2,147,678	1532	31.7	29.9-33.5	2355	68.3	66.5-70.1
White/Non-Hisp	3382	1,759,632	1379	33.3	31.3-35.3	2003	66.7	64.7-68.7
Black or Afr. Am./Non-Hisp	184	163,921	48	20.7	14.4-27.0	136	79.3	73.0-85.6
Oth. Race/Non-Hisp.	73	49,978	30	36.3	23.4-49.2	43	63.7	50.8-76.6
MultiRacial/Non-Hisp.	50	23,583	16	30.8	13.7-47.9	34	69.2	52.1-86.3
Hispanic	120	110,420	29	21.7	13.7-29.7	91	78.3	70.3-86.3
18-24	249	298,706	48	18.9	13.4-24.4	201	81.1	75.6-86.6
25-34	360	358,545	74	18.3	14.0-22.6	286	81.7	77.4-86.0
35-44	464	355,882	125	24.0	19.7-28.3	339	76.0	71.7-80.3
45-54	757	396,014	225	28.4	24.7-32.1	532	71.6	67.9-75.3
55-64	868	364,248	355	39.9	36.0-43.8	513	60.1	56.2-64.0
65+	1166	366,845	695	58.0	54.7-61.3	471	42.0	38.7-45.3
Less Than H.S.	337	305,951	108	25.6	20.1-31.1	229	74.4	68.9-79.9
H.S. or G.E.D.	1353	738,190	503	29.7	26.8-32.6	850	70.3	67.4-73.2
Some Post-H.S.	932	612,678	344	31.0	27.5-34.5	588	69.0	65.5-72.5
College Graduate	1251	483,376	573	39.4	36.3-42.5	678	60.6	57.5-63.7
Less than \$15,000	326	172,783	103	24.3	18.6-30.0	223	75.7	70.0-81.4
\$15,000- 24,999	561	298,219	238	33.6	28.9-38.3	323	66.4	61.7-71.1
\$25,000- 34,999	441	247,208	165	29.3	24.0-34.6	276	70.7	65.4-76.0
\$35,000- 49,999	562	318,882	236	34.8	30.1-39.5	326	65.2	60.5-69.9
\$50,000- 74,999	574	323,353	199	27.4	23.1-31.7	375	72.6	68.3-76.9
\$75,000+	993	541,011	418	36.4	32.9-39.9	575	63.6	60.1-67.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 3: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5566	2,317,404	2529	39.5	37.7-41.3	3037	60.5	58.7-62.3
White/Non-Hisp	4869	1,913,030	2277	41.1	39.3-42.9	2592	58.9	57.1-60.7
Black or Afr. Am./Non-Hisp	343	198,735	113	27.8	21.9-33.7	230	72.2	66.3-78.1
Oth. Race/Non-Hisp.	80	42,468	38	43.6	28.5-58.7	42	56.4	41.3-71.5
MultiRacial/Non-Hisp.	53	17,868	20	35.4	18.3-52.5	33	64.6	47.5-81.7
Hispanic	159	119,281	60	36.1	27.1-45.1	99	63.9	54.9-72.9
18-24	221	281,915	49	23.6	17.1-30.1	172	76.4	69.9-82.9
25-34	463	364,706	146	29.0	24.3-33.7	317	71.0	66.3-75.7
35-44	650	369,756	218	33.6	29.3-37.9	432	66.4	62.1-70.7
45-54	874	416,381	339	39.1	35.2-43.0	535	60.9	57.0-64.8
55-64	1232	381,609	555	44.2	40.9-47.5	677	55.8	52.5-59.1
65+	2073	486,958	1194	57.3	54.8-59.8	879	42.7	40.2-45.2
Less Than H.S.	492	304,048	202	37.5	31.6-43.4	290	62.5	56.6-68.4
H.S. or G.E.D.	2049	787,055	916	37.0	34.3-39.7	1133	63.0	60.3-65.7
Some Post-H.S.	1484	744,019	647	38.7	35.6-41.8	837	61.3	58.2-64.4
College Graduate	1533	479,381	761	46.2	43.1-49.3	772	53.8	50.7-56.9
Less than \$15,000	653	268,667	252	30.9	26.0-35.8	401	69.1	64.2-74.0
\$15,000- 24,999	1046	426,598	447	35.6	31.5-39.7	599	64.4	60.3-68.5
\$25,000- 34,999	603	234,461	284	39.9	34.8-45.0	319	60.1	55.0-65.2
\$35,000- 49,999	676	269,060	313	42.0	37.1-46.9	363	58.0	53.1-62.9
\$50,000- 74,999	685	295,285	335	46.8	41.9-51.7	350	53.2	48.3-58.1
\$75,000+	946	445,977	441	41.9	38.0-45.8	505	58.1	54.2-62.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2012			May-Aug 2012			Sep-Dec 2012			Jan-Apr 2013			May-Aug 2013			Sep-Dec 2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3828	1,499,420	13	0.6	00.2-01.0	59	2.0	01.4-02.6	2590	65.3	63.3-67.3	293	9.0	07.6-10.4	51	1.6	01.0-02.2	822	21.5	19.7-23.3
Male	1435	631,928	9	1.0	00.0-02.0	26	2.5	01.3-03.7	928	60.8	57.5-64.1	124	10.9	08.5-13.3	30	2.3	01.1-03.5	318	22.5	19.8-25.2
Female	2393	867,492	4	0.3	00.0-00.7	33	1.6	01.0-02.2	1662	68.5	66.0-71.0	169	7.6	06.0-09.2	21	1.1	00.3-01.9	504	20.8	18.6-23.0
White/Non-Hisp	3460	1,297,413	10	0.6	00.0-01.2	53	2.0	01.4-02.6	2370	66.0	63.8-68.2	262	8.9	07.5-10.3	42	1.4	00.8-02.0	723	21.1	19.3-22.9
Black or Afr. Am./Non-Hisp	146	80,886	3	1.0	00.0-02.4	2	2.8	00.0-06.7	84	58.2	48.4-68.0	16	12.4	05.7-19.1	3	3.2	00.0-07.5	38	22.4	14.6-30.2
Oth. Race/Non-Hisp.	62	33,048				1	2.4	00.0-07.1	38	59.3	42.4-76.2	3	3.8	00.0-08.7	1	0.5	00.0-01.5	19	33.9	17.6-50.2
Hispanic	82	60,245				1	0.9	00.0-02.7	55	66.9	54.9-78.9	7	8.6	01.3-15.9	4	5.1	00.0-10.4	15	18.5	08.9-28.1
18-24	83	108,706	1	2.3	00.0-06.6	4	4.2	00.1-08.3	46	54.2	42.0-66.4	12	15.5	06.5-24.5	6	7.1	01.2-13.0	14	16.8	07.6-26.0
25-34	206	156,984	2	1.5	00.0-03.7	6	3.2	00.7-05.7	136	64.3	56.7-71.9	14	6.8	03.1-10.5	4	3.0	00.0-06.1	44	21.3	14.6-28.0
35-44	326	198,634	2	0.4	00.0-01.0	3	0.7	00.0-01.7	214	62.8	56.5-69.1	33	11.9	07.6-16.2	1	0.4	00.0-01.2	73	23.8	18.3-29.3
45-54	535	260,862	3	0.7	00.0-01.7	10	2.2	00.6-03.8	377	68.1	63.0-73.2	43	9.1	06.0-12.2				102	20.0	15.7-24.3
55-64	867	299,060	3	0.4	00.0-01.0	11	1.9	00.7-03.1	584	66.5	62.8-70.2	67	8.3	05.9-10.7	7	0.7	00.1-01.3	195	22.2	18.9-25.5
65+	1775	464,069	2	0.1	00.1-00.1	24	1.6	00.8-02.4	1208	66.9	64.2-69.6	122	7.3	05.7-08.9	33	2.0	01.2-02.8	386	22.1	19.7-24.5
Less Than H.S.	278	172,821	3	2.5	00.0-05.6	6	1.8	00.0-03.6	166	54.7	46.9-62.5	27	11.1	06.0-16.2	7	3.8	00.7-06.9	69	26.1	19.0-33.2
H.S. or G.E.D.	1321	476,242	4	0.4	00.0-01.0	16	1.9	00.7-03.1	873	65.3	62.0-68.6	126	10.7	08.3-13.1	18	1.8	00.6-03.0	284	19.8	17.3-22.3
Some Post-H.S.	930	447,590				22	2.6	01.4-03.8	632	65.9	62.0-69.8	80	10.4	07.7-13.1	10	1.0	00.2-01.8	186	20.2	16.7-23.7
College Graduate	1293	399,034	6	0.7	00.1-01.3	15	1.6	00.6-02.6	914	69.0	65.9-72.1	60	4.5	03.1-05.9	16	1.2	00.4-02.0	282	23.1	20.2-26.0
Less than \$15,000	314	109,828	3	2.5	00.0-05.4	13	5.7	02.0-09.4	199	59.1	51.3-66.9	33	13.9	07.8-20.0	8	3.3	00.0-06.8	58	15.4	09.9-20.9
\$15,000- 24,999	649	237,411	3	0.8	00.0-02.0	10	2.1	00.5-03.7	431	67.0	62.1-71.9	56	9.9	06.6-13.2	10	1.3	00.1-02.5	139	19.0	15.1-22.9
\$25,000- 34,999	428	156,897	1	1.6	00.0-04.5	6	1.8	00.0-03.6	280	62.3	56.0-68.6	31	7.7	04.6-10.8	7	2.5	00.0-05.0	103	24.1	18.6-29.6
\$35,000- 49,999	521	211,403				9	2.1	00.5-03.7	346	63.8	58.3-69.3	36	10.5	06.4-14.6	13	2.7	01.1-04.3	117	20.9	16.6-25.2
\$50,000- 74,999	522	220,711	3	0.4	00.0-01.0	6	1.7	00.3-03.1	358	65.5	60.0-71.0	35	6.7	04.0-09.4	5	1.5	00.0-03.3	115	24.2	19.1-29.3
\$75,000+	839	373,192	1	0.1	00.0-00.3	8	1.3	00.1-02.5	603	68.4	64.3-72.5	54	8.0	05.5-10.5	3	0.7	00.0-01.7	170	21.5	18.0-25.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2012			May-Aug 2012			Sep-Dec 2012			Jan-Apr 2013			May-Aug 2013			Sep-Dec 2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1435	631,928	9	1.0	00.0-02.0	26	2.5	01.3-03.7	928	60.8	57.5-64.1	124	10.9	08.5-13.3	30	2.3	01.1-03.5	318	22.5	19.8-25.2
White/Non-Hisp	1299	549,090	8	1.1	00.1-02.1	21	2.3	01.1-03.5	855	61.9	58.4-65.4	110	10.8	08.4-13.2	25	2.0	00.8-03.2	280	22.0	19.1-24.9
25-34	67	57,695				3	4.3	00.0-09.2	42	60.1	46.6-73.6	2	1.9	00.0-04.8	4	8.1	00.0-16.5	16	25.6	13.3-37.9
35-44	116	77,960	1	0.5	00.0-01.5	1	0.5	00.0-01.5	75	57.9	47.7-68.1	19	19.8	11.4-28.2				20	21.3	12.3-30.3
45-54	211	105,195	3	1.6	00.0-04.0	4	2.1	00.0-04.5	148	66.8	58.8-74.8	22	12.3	06.4-18.2				34	17.2	10.7-23.7
55-64	337	137,965	3	1.0	00.0-02.2	6	2.9	00.4-05.4	218	62.4	56.1-68.7	34	11.6	07.3-15.9	4	0.7	00.0-01.5	72	21.5	16.4-26.6
65+	653	200,652	1	0.1	00.0-00.3	7	0.9	00.1-01.7	424	63.9	59.6-68.2	42	7.7	05.0-10.4	18	2.4	01.2-03.6	161	25.0	21.1-28.9
Less Than H.S.	99	70,287	1	3.5	00.0-10.2	3	2.2	00.0-05.1	53	42.7	30.5-54.9	9	13.1	03.9-22.3	3	3.8	00.0-08.7	30	34.7	22.2-47.2
H.S. or G.E.D.	463	202,315	3	1.0	00.0-02.2	4	2.2	00.0-04.4	292	60.9	55.2-66.6	49	12.9	08.6-17.2	10	3.3	00.6-06.0	105	19.8	15.7-23.9
Some Post-H.S.	315	173,604				11	3.7	01.3-06.1	193	59.8	53.3-66.3	35	13.8	09.1-18.5	6	1.1	00.1-02.1	70	21.6	16.1-27.1
College Graduate	555	183,304	5	0.9	00.1-01.7	8	1.8	00.2-03.4	387	68.3	63.6-73.0	31	5.3	03.1-07.5	11	1.8	00.4-03.2	113	21.9	17.6-26.2
Less than \$15,000	91	37,319				7	10.5	02.5-18.5	55	50.9	37.0-64.8	15	19.0	07.2-30.8	2	1.8	00.0-04.3	12	17.8	05.6-30.0
\$15,000- 24,999	222	92,304	3	2.1	00.0-04.8	6	4.3	00.6-08.0	134	59.8	51.6-68.0	22	13.6	06.9-20.3	7	1.6	00.2-03.0	50	18.7	12.8-24.6
\$25,000- 34,999	155	66,937	1	3.7	00.0-10.8	2	1.7	00.0-04.2	97	52.4	41.8-63.0	8	4.8	01.1-08.5	5	5.3	00.0-11.2	42	32.1	21.9-42.3
\$35,000- 49,999	220	101,985				4	2.6	00.0-05.5	140	60.0	51.8-68.2	17	11.8	05.9-17.7	8	3.5	00.8-06.2	51	22.1	15.2-29.0
\$50,000- 74,999	194	85,733	3	1.1	00.0-02.5				124	60.4	51.8-69.0	16	10.3	04.8-15.8	5	3.9	00.0-08.2	46	24.3	16.9-31.7
\$75,000+	409	191,455	1	0.2	00.0-00.6	4	1.3	00.0-03.1	287	65.9	59.8-72.0	32	10.8	06.3-15.3	1	0.2	00.0-00.6	84	21.7	16.4-27.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2012			May-Aug 2012			Sep-Dec 2012			Jan-Apr 2013			May-Aug 2013			Sep-Dec 2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2393	867,492	4	0.3	00.0-00.7	33	1.6	01.0-02.2	1662	68.5	66.0-71.0	169	7.6	06.0-09.2	21	1.1	00.3-01.9	504	20.8	18.6-23.0
White/Non-Hisp	2161	748,322	2	0.3	00.0-00.7	32	1.7	00.9-02.5	1515	69.0	66.3-71.7	152	7.6	06.0-09.2	17	1.0	00.2-01.8	443	20.4	18.0-22.8
Black or Afr. Am./Non-Hisp	105	52,026	2	1.1	00.0-02.9	1	2.4	00.0-07.1	64	64.7	53.3-76.1	7	7.3	00.8-13.8	1	1.1	00.0-03.3	30	23.4	13.8-33.0
Hispanic	54	37,568							39	72.3	58.8-85.8	6	8.8	01.4-16.2	2	4.2	00.0-10.7	7	14.7	03.9-25.5
25-34	139	99,289	2	2.3	00.0-05.6	3	2.5	00.0-05.4	94	66.8	57.8-75.8	12	9.6	03.9-15.3				28	18.8	11.4-26.2
35-44	210	120,675	1	0.4	00.0-01.2	2	0.9	00.0-02.3	139	65.9	58.3-73.5	14	6.7	02.8-10.6	1	0.6	00.0-01.8	53	25.5	18.4-32.6
45-54	324	155,667				6	2.3	00.3-04.3	229	69.0	62.5-75.5	21	6.9	03.8-10.0				68	21.9	16.0-27.8
55-64	530	161,094				5	1.0	00.0-02.0	366	70.1	65.6-74.6	33	5.5	03.5-07.5	3	0.6	00.0-01.4	123	22.8	18.5-27.1
65+	1122	263,417	1	0.0	00.0-00.0	17	2.1	00.7-03.5	784	69.2	65.9-72.5	80	7.1	05.3-08.9	15	1.8	00.6-03.0	225	19.9	17.2-22.6
Less Than H.S.	179	102,535	2	1.7	00.0-04.4	3	1.6	00.0-04.1	113	63.0	53.4-72.6	18	9.8	04.1-15.5	4	3.7	00.0-08.0	39	20.2	12.4-28.0
H.S. or G.E.D.	858	273,927	1	0.0	00.0-00.0	12	1.7	00.7-02.7	581	68.6	64.7-72.5	77	9.1	06.7-11.5	8	0.8	00.2-01.4	179	19.9	16.6-23.2
Some Post-H.S.	615	273,986				11	1.8	00.4-03.2	439	69.8	64.7-74.9	45	8.2	05.1-11.3	4	0.9	00.0-02.1	116	19.3	15.0-23.6
College Graduate	738	215,731	1	0.5	00.0-01.5	7	1.4	00.0-02.8	527	69.6	65.5-73.7	29	3.8	02.2-05.4	5	0.7	00.0-01.5	169	24.0	20.1-27.9
Less than \$15,000	223	72,508	3	3.8	00.0-08.3	6	3.3	00.0-07.0	144	63.3	53.9-72.7	18	11.3	04.4-18.2	6	4.1	00.0-09.2	46	14.2	09.1-19.3
\$15,000- 24,999	427	145,107				4	0.7	00.0-01.5	297	71.5	65.4-77.6	34	7.5	04.4-10.6	3	1.1	00.0-02.9	89	19.2	13.9-24.5
\$25,000- 34,999	273	89,960				4	1.9	00.0-04.4	183	69.8	62.9-76.7	23	9.9	05.2-14.6	2	0.3	00.0-00.7	61	18.1	12.6-23.6
\$35,000- 49,999	301	109,418				5	1.7	00.1-03.3	206	67.3	60.0-74.6	19	9.2	03.3-15.1	5	2.0	00.0-04.0	66	19.8	14.3-25.3
\$50,000- 74,999	328	134,977				6	2.7	00.3-05.1	234	68.7	61.4-76.0	19	4.5	02.0-07.0				69	24.1	17.2-31.0
\$75,000+	430	181,737				4	1.2	00.0-02.6	316	71.1	65.6-76.6	22	5.1	02.6-07.6	2	1.3	00.0-03.3	86	21.3	16.4-26.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

**TABLE 7. SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus since 2005		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3640	1,435,393	663	23.0	21.0-25.0	293	7.1	06.1-08.1	1044	29.1	27.1-31.1	1640	40.7	38.5-42.9
Male	1390	617,549	242	20.5	17.6-23.4	97	5.7	04.3-07.1	468	35.0	31.7-38.3	583	38.9	35.8-42.0
Female	2250	817,844	421	24.9	22.2-27.6	196	8.3	06.9-09.7	576	24.7	22.3-27.1	1057	42.1	39.4-44.8
White/Non-Hisp	3280	1,236,605	585	23.0	20.8-25.2	267	7.3	06.3-08.3	938	29.0	27.0-31.0	1490	40.8	38.6-43.0
Black or Afr. Am./Non-Hisp	144	78,765	24	19.3	11.7-26.9	12	8.3	03.0-13.6	50	33.3	24.1-42.5	58	39.2	29.6-48.8
Oth. Race/Non-Hisp.	58	30,730	11	26.8	08.0-45.6	2	1.6	00.0-04.3	19	34.5	18.2-50.8	26	37.2	21.3-53.1
Hispanic	81	61,705	22	23.8	12.8-34.8	6	6.4	00.5-12.3	15	19.9	09.3-30.5	38	49.9	36.8-63.0
18-24	89	113,546	45	57.1	45.7-68.5	1	1.1	00.0-03.3	28	27.2	17.4-37.0	15	14.7	07.3-22.1
25-34	196	154,291	86	42.7	34.9-50.5	7	2.5	00.5-04.5	48	25.1	18.2-32.0	55	29.7	22.1-37.3
35-44	301	185,345	88	28.6	22.5-34.7	20	6.4	03.5-09.3	72	25.0	19.3-30.7	121	40.1	33.6-46.6
45-54	507	250,885	108	20.2	16.1-24.3	41	9.1	06.0-12.2	167	34.4	29.3-39.5	191	36.4	31.3-41.5
55-64	817	281,168	144	15.9	13.0-18.8	81	9.1	06.9-11.3	260	34.5	30.4-38.6	332	40.6	36.5-44.7
65+	1695	439,620	185	11.1	09.3-12.9	141	8.4	06.8-10.0	461	26.3	23.8-28.8	908	54.2	51.3-57.1
Less Than H.S.	283	175,999	36	23.2	15.4-31.0	20	4.8	02.3-07.3	71	24.0	17.7-30.3	156	48.0	40.4-55.6
H.S. or G.E.D.	1270	458,143	151	15.1	12.2-18.0	88	6.6	04.8-08.4	374	31.9	28.6-35.2	657	46.4	42.9-49.9
Some Post-H.S.	896	435,667	173	24.2	20.3-28.1	81	8.3	06.1-10.5	274	30.9	27.0-34.8	368	36.6	32.7-40.5
College Graduate	1187	363,232	302	31.4	28.1-34.7	104	7.7	05.9-09.5	323	25.7	22.8-28.6	458	35.2	31.9-38.5
Less than \$15,000	326	115,715	54	23.4	16.1-30.7	25	6.4	03.3-09.5	91	28.2	21.3-35.1	156	42.0	34.6-49.4
\$15,000- 24,999	627	232,641	85	18.2	12.9-23.5	44	7.5	04.8-10.2	177	28.6	23.9-33.3	321	45.7	40.4-51.0
\$25,000- 34,999	408	150,377	58	18.9	13.4-24.4	32	7.0	04.1-09.9	117	27.0	21.5-32.5	201	47.1	40.6-53.6
\$35,000- 49,999	499	203,288	99	25.8	20.3-31.3	38	6.8	04.1-09.5	138	27.0	21.9-32.1	224	40.4	34.9-45.9
\$50,000- 74,999	480	203,064	95	22.2	16.9-27.5	48	8.2	05.5-10.9	157	35.0	29.5-40.5	180	34.6	29.1-40.1
\$75,000+	754	339,052	186	27.7	23.4-32.0	66	7.7	05.5-09.9	203	26.7	22.8-30.6	299	37.9	33.6-42.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 8: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus since 2005		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1390	617,549	242	20.5	17.6-23.4	97	5.7	04.3-07.1	468	35.0	31.7-38.3	583	38.9	35.8-42.0
White/Non-Hisp	1249	529,715	208	20.1	17.0-23.2	88	5.9	04.5-07.3	421	34.5	31.2-37.8	532	39.5	36.2-42.8
25-34	69	60,551	25	31.4	19.4-43.4	2	1.0	00.0-02.4	20	31.5	19.2-43.8	22	36.0	22.5-49.5
35-44	109	74,610	29	26.7	17.3-36.1	8	8.0	02.3-13.7	34	31.1	21.3-40.9	38	34.3	24.3-44.3
45-54	208	106,154	45	21.0	14.5-27.5	8	3.7	00.8-06.6	77	39.4	31.2-47.6	78	35.9	28.1-43.7
55-64	325	130,596	51	14.0	09.7-18.3	30	7.5	04.4-10.6	105	36.0	29.5-42.5	139	42.5	36.0-49.0
65+	625	188,958	73	11.8	08.7-14.9	48	7.2	05.0-09.4	207	32.0	27.7-36.3	297	49.0	44.3-53.7
Less Than H.S.	99	72,556	18	25.7	13.4-38.0	3	1.1	00.0-02.5	24	24.4	14.0-34.8	54	48.8	36.3-61.3
H.S. or G.E.D.	459	199,078	58	16.3	11.6-21.0	34	6.1	03.6-08.6	165	37.7	32.0-43.4	202	39.9	34.4-45.4
Some Post-H.S.	308	172,213	49	17.5	12.2-22.8	20	6.5	03.4-09.6	121	40.9	34.2-47.6	118	35.0	28.7-41.3
College Graduate	522	171,973	117	26.3	21.6-31.0	40	6.4	04.2-08.6	157	29.8	25.1-34.5	208	37.5	32.6-42.4
Less than \$15,000	97	40,745	22	26.4	14.4-38.4	11	9.9	02.8-17.0	29	35.9	22.4-49.4	35	27.8	16.2-39.4
\$15,000- 24,999	224	92,076	34	16.0	10.1-21.9	16	5.0	02.1-07.9	74	34.9	26.9-42.9	100	44.1	35.9-52.3
\$25,000- 34,999	154	66,903	21	19.2	10.0-28.4	10	6.1	01.6-10.6	50	29.5	20.1-38.9	73	45.2	34.6-55.8
\$35,000- 49,999	215	100,822	35	18.7	11.6-25.8	9	4.5	00.6-08.4	69	33.0	25.0-41.0	102	43.8	35.6-52.0
\$50,000- 74,999	178	78,595	31	19.8	12.4-27.2	11	4.9	01.6-08.2	71	41.6	32.6-50.6	65	33.7	25.1-42.3
\$75,000+	374	176,834	75	23.0	17.1-28.9	30	6.1	03.6-08.6	117	32.5	26.4-38.6	152	38.4	32.3-44.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 9: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus since 2005		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2250	817,844	421	24.9	22.2-27.6	196	8.3	06.9-09.7	576	24.7	22.3-27.1	1057	42.1	39.4-44.8
White/Non-Hisp	2031	706,891	377	25.2	22.3-28.1	179	8.3	06.7-09.9	517	24.8	22.3-27.3	958	41.7	39.0-44.4
Black or Afr. Am./Non-Hisp	98	46,755	16	19.1	09.5-28.7	8	9.0	01.9-16.1	34	31.5	20.3-42.7	40	40.3	28.1-52.5
Hispanic	53	38,580	15	23.8	09.7-37.9	3	6.5	00.0-14.5	7	12.2	02.0-22.4	28	57.6	41.3-73.9
25-34	127	93,740	61	50.0	40.0-60.0	5	3.5	00.4-06.6	28	20.9	13.1-28.7	33	25.6	16.6-34.6
35-44	192	110,735	59	29.8	22.0-37.6	12	5.3	02.2-08.4	38	20.9	13.8-28.0	83	44.0	35.6-52.4
45-54	299	144,731	63	19.6	14.3-24.9	33	13.0	08.1-17.9	90	30.7	24.4-37.0	113	36.7	30.0-43.4
55-64	492	150,572	93	17.5	13.6-21.4	51	10.4	07.3-13.5	155	33.2	28.1-38.3	193	39.0	33.9-44.1
65+	1070	250,662	112	10.6	08.4-12.8	93	9.3	07.1-11.5	254	22.0	19.1-24.9	611	58.1	54.6-61.6
Less Than H.S.	184	103,443	18	21.5	11.3-31.7	17	7.5	03.2-11.8	47	23.7	16.1-31.3	102	47.3	37.5-57.1
H.S. or G.E.D.	811	259,065	93	14.2	10.3-18.1	54	6.9	04.5-09.3	209	27.4	23.3-31.5	455	51.5	47.0-56.0
Some Post-H.S.	588	263,454	124	28.5	23.2-33.8	61	9.5	06.8-12.2	153	24.4	20.1-28.7	250	37.6	32.5-42.7
College Graduate	665	191,259	185	36.0	31.3-40.7	64	8.9	06.4-11.4	166	22.1	18.4-25.8	250	33.1	28.8-37.4
Less than \$15,000	229	74,971	32	21.8	12.6-31.0	14	4.4	01.5-07.3	62	24.0	16.7-31.3	121	49.8	40.4-59.2
\$15,000- 24,999	403	140,565	51	19.7	12.1-27.3	28	9.1	05.0-13.2	103	24.4	18.7-30.1	221	46.8	39.7-53.9
\$25,000- 34,999	254	83,474	37	18.7	12.0-25.4	22	7.6	03.7-11.5	67	24.9	18.2-31.6	128	48.7	40.7-56.7
\$35,000- 49,999	284	102,465	64	32.7	24.5-40.9	29	9.1	05.2-13.0	69	21.2	15.3-27.1	122	37.0	29.9-44.1
\$50,000- 74,999	302	124,469	64	23.7	16.4-31.0	37	10.3	06.4-14.2	86	30.8	23.9-37.7	115	35.2	28.1-42.3
\$75,000+	380	162,218	111	32.9	26.8-39.0	36	9.4	05.9-12.9	86	20.3	15.4-25.2	147	37.4	31.5-43.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 10: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8628	3,903,189	3516	32.1	30.9-33.3	5112	67.9	66.7-69.1
Male	3419	1,827,454	1311	31.5	29.5-33.5	2108	68.5	66.5-70.5
Female	5209	2,075,735	2205	32.6	31.0-34.2	3004	67.4	65.8-69.0
White/Non-Hisp	7572	3,219,760	3159	33.1	31.7-34.5	4413	66.9	65.5-68.3
Black or Afr. Am./Non-Hisp	481	321,127	168	28.6	23.5-33.7	313	71.4	66.3-76.5
Oth. Race/Non-Hisp.	135	82,042	49	30.1	20.5-39.7	86	69.9	60.3-79.5
MultiRacial/Non-Hisp.	89	33,931	31	28.3	16.1-40.5	58	71.7	59.5-83.9
Hispanic	230	192,468	53	20.2	14.5-25.9	177	79.8	74.1-85.5
18-24	335	407,518	82	25.7	20.4-31.0	253	74.3	69.0-79.6
25-34	648	572,485	101	15.7	12.4-19.0	547	84.3	81.0-87.6
35-44	956	623,482	171	16.5	13.8-19.2	785	83.5	80.8-86.2
45-54	1480	740,459	324	21.2	18.7-23.7	1156	78.8	76.3-81.3
55-64	2003	709,882	612	29.7	27.3-32.1	1391	70.3	67.9-72.7
65+	3135	826,658	2197	70.0	68.0-72.0	938	30.0	28.0-32.0
Less Than H.S.	770	546,755	357	36.5	32.2-40.8	413	63.5	59.2-67.8
H.S. or G.E.D.	3157	1,353,726	1391	34.0	32.0-36.0	1766	66.0	64.0-68.0
Some Post-H.S.	2180	1,156,417	852	31.0	28.6-33.4	1328	69.0	66.6-71.4
College Graduate	2503	837,179	909	27.6	25.6-29.6	1594	72.4	70.4-74.4
Less than \$15,000	884	378,088	399	31.5	27.6-35.4	485	68.5	64.6-72.4
\$15,000- 24,999	1499	651,764	754	41.6	38.3-44.9	745	58.4	55.1-61.7
\$25,000- 34,999	967	426,791	437	35.6	31.7-39.5	530	64.4	60.5-68.3
\$35,000- 49,999	1137	514,650	463	32.3	29.0-35.6	674	67.7	64.4-71.0
\$50,000- 74,999	1153	550,464	385	26.4	23.3-29.5	768	73.6	70.5-76.7
\$75,000+	1738	863,630	461	23.0	20.6-25.4	1277	77.0	74.6-79.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 11: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3419	1,827,454	1311	31.5	29.5-33.5	2108	68.5	66.5-70.5
White/Non-Hisp	2977	1,490,074	1162	32.4	30.2-34.6	1815	67.6	65.4-69.8
Black or Afr. Am./Non-Hisp	167	145,007	61	30.8	22.2-39.4	106	69.2	60.6-77.8
Oth. Race/Non-Hisp.	65	44,015	25	34.6	20.3-48.9	40	65.4	51.1-79.7
Hispanic	103	97,083	20	15.4	08.1-22.7	83	84.6	77.3-91.9
18-24	176	208,717	58	35.6	27.6-43.6	118	64.4	56.4-72.4
25-34	276	280,832	43	15.8	10.9-20.7	233	84.2	79.3-89.1
35-44	383	296,722	74	16.5	12.4-20.6	309	83.5	79.4-87.6
45-54	660	347,561	145	21.4	17.7-25.1	515	78.6	74.9-82.3
55-64	793	334,303	228	27.7	24.0-31.4	565	72.3	68.6-76.0
65+	1113	353,398	758	67.7	64.4-71.0	355	32.3	29.0-35.6
Less Than H.S.	312	281,310	123	34.0	27.5-40.5	189	66.0	59.5-72.5
H.S. or G.E.D.	1219	639,740	475	30.8	27.7-33.9	744	69.2	66.1-72.3
Some Post-H.S.	799	493,696	295	32.2	28.5-35.9	504	67.8	64.1-71.5
College Graduate	1078	405,807	412	29.7	26.6-32.8	666	70.3	67.2-73.4
Less than \$15,000	289	150,382	113	29.3	22.8-35.8	176	70.7	64.2-77.2
\$15,000- 24,999	508	263,047	247	42.5	36.8-48.2	261	57.5	51.8-63.2
\$25,000- 34,999	397	214,956	178	35.1	29.2-41.0	219	64.9	59.0-70.8
\$35,000- 49,999	496	266,741	196	31.9	27.0-36.8	300	68.1	63.2-73.0
\$50,000- 74,999	507	280,820	154	23.8	19.3-28.3	353	76.2	71.7-80.7
\$75,000+	859	457,925	265	27.3	23.8-30.8	594	72.7	69.2-76.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 12: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5209	2,075,735	2205	32.6	31.0-34.2	3004	67.4	65.8-69.0
White/Non-Hisp	4595	1,729,687	1997	33.8	32.0-35.6	2598	66.2	64.4-68.0
Black or Afr. Am./Non-Hisp	314	176,120	107	26.9	20.8-33.0	207	73.1	67.0-79.2
Oth. Race/Non-Hisp.	70	38,027	24	24.9	12.9-36.9	46	75.1	63.1-87.1
Hispanic	127	95,385	33	25.2	16.4-34.0	94	74.8	66.0-83.6
18-24	159	198,801	24	15.4	09.1-21.7	135	84.6	78.3-90.9
25-34	372	291,653	58	15.5	11.4-19.6	314	84.5	80.4-88.6
35-44	573	326,761	97	16.4	12.9-19.9	476	83.6	80.1-87.1
45-54	820	392,898	179	21.0	17.7-24.3	641	79.0	75.7-82.3
55-64	1210	375,579	384	31.5	28.4-34.6	826	68.5	65.4-71.6
65+	2022	473,260	1439	71.7	69.3-74.1	583	28.3	25.9-30.7
Less Than H.S.	458	265,445	234	39.2	33.3-45.1	224	60.8	54.9-66.7
H.S. or G.E.D.	1938	713,986	916	36.8	34.1-39.5	1022	63.2	60.5-65.9
Some Post-H.S.	1381	662,721	557	30.2	27.3-33.1	824	69.8	66.9-72.7
College Graduate	1425	431,373	497	25.6	23.1-28.1	928	74.4	71.9-76.9
Less than \$15,000	595	227,706	286	33.0	27.9-38.1	309	67.0	61.9-72.1
\$15,000- 24,999	991	388,718	507	41.0	36.9-45.1	484	59.0	54.9-63.1
\$25,000- 34,999	570	211,835	259	36.2	31.3-41.1	311	63.8	58.9-68.7
\$35,000- 49,999	641	247,909	267	32.8	28.3-37.3	374	67.2	62.7-71.7
\$50,000- 74,999	646	269,644	231	29.1	24.8-33.4	415	70.9	66.6-75.2
\$75,000+	879	405,705	196	18.1	15.2-21.0	683	81.9	79.0-84.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013**

SECTION 16: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1	MALES AND FEMALES	278
2	MALES ONLY	279
3	FEMALES ONLY	280
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3)	
4	MALES AND FEMALES	281
5	MALES ONLY	282
6	FEMALES ONLY	283
	WHERE DID YOU HAVE YOUR LAST HIV TEST – AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRSTST10)	
7	MALES AND FEMALES	284
8	MALES ONLY	285
9	FEMALES ONLY	286

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

**TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9158	4,337,003	2228	30.4	29.0-31.8	6930	69.6	68.2-71.0
Male	3761	2,081,301	894	27.4	25.4-29.4	2867	72.6	70.6-74.6
Female	5397	2,255,702	1334	33.2	31.4-35.0	4063	66.8	65.0-68.6
White/Non-Hisp	7996	3,564,683	1705	26.6	25.2-28.0	6291	73.4	72.0-74.8
Black or Afr. Am./Non-Hisp	513	357,788	272	59.0	53.3-64.7	241	41.0	35.3-46.7
Oth. Race/Non-Hisp.	147	89,587	47	32.7	23.3-42.1	100	67.3	57.9-76.7
MultiRacial/Non-Hisp.	102	41,077	55	59.0	46.3-71.7	47	41.0	28.3-53.7
Hispanic	272	222,372	115	39.0	32.1-45.9	157	61.0	54.1-67.9
18-24	461	565,447	132	28.9	24.2-33.6	329	71.1	66.4-75.8
25-34	802	707,038	425	53.1	49.0-57.2	377	46.9	42.8-51.0
35-44	1081	703,978	526	48.2	44.7-51.7	555	51.8	48.3-55.3
45-54	1578	786,939	472	28.7	26.0-31.4	1106	71.3	68.6-74.0
55-64	2034	722,432	403	19.5	17.3-21.7	1631	80.5	78.3-82.7
65+	3128	828,187	257	8.4	07.2-09.6	2871	91.6	90.4-92.8
Less Than H.S.	815	600,958	212	33.4	28.9-37.9	603	66.6	62.1-71.1
H.S. or G.E.D.	3282	1,473,380	619	25.3	23.1-27.5	2663	74.7	72.5-76.9
Some Post-H.S.	2334	1,315,837	629	32.6	30.1-35.1	1705	67.4	64.9-69.9
College Graduate	2706	936,489	763	33.4	31.2-35.6	1943	66.6	64.4-68.8
Less than \$15,000	943	427,899	325	43.2	38.7-47.7	618	56.8	52.3-61.3
\$15,000- 24,999	1561	709,350	402	36.6	33.1-40.1	1159	63.4	59.9-66.9
\$25,000- 34,999	1020	470,981	230	30.2	26.3-34.1	790	69.8	65.9-73.7
\$35,000- 49,999	1208	573,189	247	24.9	21.6-28.2	961	75.1	71.8-78.4
\$50,000- 74,999	1221	605,125	298	30.2	26.7-33.7	923	69.8	66.3-73.3
\$75,000+	1870	949,568	505	29.6	27.1-32.1	1365	70.4	67.9-72.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3761	2,081,301	894	27.4	25.4-29.4	2867	72.6	70.6-74.6
White/Non-Hisp	3274	1,704,923	691	23.3	21.3-25.3	2583	76.7	74.7-78.7
Black or Afr. Am./Non-Hisp	180	162,294	108	65.8	57.2-74.4	72	34.2	25.6-42.8
Oth. Race/Non-Hisp.	71	49,167	19	28.5	15.8-41.2	52	71.5	58.8-84.2
Hispanic	115	104,130	31	27.4	18.0-36.8	84	72.6	63.2-82.0
18-24	244	289,026	50	21.2	15.1-27.3	194	78.8	72.7-84.9
25-34	350	347,970	145	41.3	35.4-47.2	205	58.7	52.8-64.6
35-44	447	342,915	165	39.2	33.9-44.5	282	60.8	55.5-66.1
45-54	734	386,677	204	27.7	23.8-31.6	530	72.3	68.4-76.2
55-64	840	352,487	193	22.8	19.3-26.3	647	77.2	73.7-80.7
65+	1123	354,788	132	11.8	09.4-14.2	991	88.2	85.8-90.6
Less Than H.S.	329	297,850	86	30.2	23.9-36.5	243	69.8	63.5-76.1
H.S. or G.E.D.	1308	712,619	257	23.6	20.5-26.7	1051	76.4	73.3-79.5
Some Post-H.S.	897	592,582	237	29.0	25.3-32.7	660	71.0	67.3-74.7
College Graduate	1214	470,812	311	29.5	26.4-32.6	903	70.5	67.4-73.6
Less than \$15,000	313	165,689	106	38.6	31.5-45.7	207	61.4	54.3-68.5
\$15,000- 24,999	550	292,942	146	34.7	29.2-40.2	404	65.3	59.8-70.8
\$25,000- 34,999	434	243,091	96	28.3	22.4-34.2	338	71.7	65.8-77.6
\$35,000- 49,999	542	307,771	101	21.8	17.3-26.3	441	78.2	73.7-82.7
\$50,000- 74,999	552	315,860	131	28.3	23.0-33.6	421	71.7	66.4-77.0
\$75,000+	957	520,477	229	24.9	21.6-28.2	728	75.1	71.8-78.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5397	2,255,702	1334	33.2	31.4-35.0	4063	66.8	65.0-68.6
White/Non-Hisp	4722	1,859,759	1014	29.7	27.7-31.7	3708	70.3	68.3-72.3
Black or Afr. Am./Non-Hisp	333	195,494	164	53.4	46.1-60.7	169	46.6	39.3-53.9
Oth. Race/Non-Hisp.	76	40,420	28	37.8	23.7-51.9	48	62.2	48.1-76.3
MultiRacial/Non-Hisp.	53	18,000	28	54.3	35.7-72.9	25	45.7	27.1-64.3
Hispanic	157	118,242	84	49.1	39.7-58.5	73	50.9	41.5-60.3
18-24	217	276,422	82	36.8	29.7-43.9	135	63.2	56.1-70.3
25-34	452	359,067	280	64.5	59.4-69.6	172	35.5	30.4-40.6
35-44	634	361,063	361	56.9	52.4-61.4	273	43.1	38.6-47.6
45-54	844	400,262	268	29.7	26.0-33.4	576	70.3	66.6-74.0
55-64	1194	369,946	210	16.4	13.9-18.9	984	83.6	81.1-86.1
65+	2005	473,399	125	5.8	04.6-07.0	1880	94.2	93.0-95.4
Less Than H.S.	486	303,109	126	36.6	30.5-42.7	360	63.4	57.3-69.5
H.S. or G.E.D.	1974	760,761	362	27.0	24.3-29.7	1612	73.0	70.3-75.7
Some Post-H.S.	1437	723,255	392	35.5	32.2-38.8	1045	64.5	61.2-67.8
College Graduate	1492	465,677	452	37.3	34.2-40.4	1040	62.7	59.6-65.8
Less than \$15,000	630	262,210	219	46.1	40.2-52.0	411	53.9	48.0-59.8
\$15,000- 24,999	1011	416,409	256	38.0	33.5-42.5	755	62.0	57.5-66.5
\$25,000- 34,999	586	227,890	134	32.3	26.8-37.8	452	67.7	62.2-73.2
\$35,000- 49,999	666	265,418	146	28.6	23.7-33.5	520	71.4	66.5-76.3
\$50,000- 74,999	669	289,265	167	32.2	27.5-36.9	502	67.8	63.1-72.5
\$75,000+	913	429,091	276	35.3	31.4-39.2	637	64.7	60.8-68.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2012			2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1832	1,124,878	82	3.3	02.5-04.1	125	5.4	04.2-06.6	219	9.1	07.7-10.5	322	15.8	13.8-17.8	870	52.7	49.8-55.6	214	13.8	11.6-16.0
Male	721	474,780	36	3.4	02.0-04.8	44	5.4	03.4-07.4	61	6.4	04.6-08.2	121	14.8	11.7-17.9	360	56.0	51.5-60.5	99	14.1	10.8-17.4
Female	1111	650,098	46	3.2	02.0-04.4	81	5.5	04.1-06.9	158	11.0	08.8-13.2	201	16.5	13.8-19.2	510	50.3	46.6-54.0	115	13.5	10.8-16.2
White/Non-Hisp	1398	803,524	75	4.0	03.0-05.0	113	6.8	05.2-08.4	193	11.0	09.2-12.8	257	17.1	14.7-19.5	611	49.1	45.8-52.4	149	12.1	09.7-14.5
Black or Afr. Am./Non-Hisp	237	191,641	3	0.9	00.0-02.1	3	0.7	00.0-01.5	13	3.2	01.0-05.4	31	11.2	06.7-15.7	138	60.1	52.1-68.1	49	23.9	16.6-31.2
Hispanic	96	72,447	2	3.2	00.0-07.9	3	2.1	00.0-04.8	4	3.5	00.0-07.8	17	14.2	06.8-21.6	59	62.8	51.0-74.6	11	14.1	04.5-23.7
18-24	120	149,926										2	1.5	00.0-03.7	83	70.4	61.4-79.4	35	28.1	19.3-36.9
25-34	386	341,283							11	2.7	00.9-04.5	59	16.0	11.7-20.3	260	65.3	59.6-71.0	56	16.1	11.4-20.8
35-44	458	295,827	9	2.5	00.7-04.3	40	8.3	05.4-11.2	77	15.7	12.0-19.4	107	22.2	17.9-26.5	190	43.3	37.8-48.8	35	8.0	05.1-10.9
45-54	386	182,622	30	8.4	05.1-11.7	40	11.6	07.5-15.7	66	15.4	11.3-19.5	72	17.1	12.8-21.4	144	39.2	33.3-45.1	34	8.3	04.8-11.8
55-64	307	105,767	29	8.2	04.9-11.5	31	11.5	07.0-16.0	46	13.1	08.6-17.6	55	16.2	11.3-21.1	116	40.8	33.7-47.9	30	10.1	06.4-13.8
65+	166	46,148	14	11.9	04.1-19.7	13	5.8	02.3-09.3	18	7.8	03.3-12.3	26	13.6	07.5-19.7	73	44.3	34.7-53.9	22	16.6	08.8-24.4
Less Than H.S.	165	167,170	4	2.2	00.0-04.6	5	2.7	00.0-05.8	13	5.3	02.0-08.6	24	12.9	07.2-18.6	88	57.7	48.5-66.9	31	19.2	11.8-26.6
H.S. or G.E.D.	497	315,018	21	3.1	01.5-04.7	36	5.6	03.4-07.8	48	6.6	04.2-09.0	81	14.2	10.7-17.7	248	56.3	50.8-61.8	63	14.2	10.1-18.3
Some Post-H.S.	528	365,261	26	3.7	01.9-05.5	36	5.4	03.4-07.4	67	11.2	08.3-14.1	94	16.4	12.5-20.3	248	50.2	44.9-55.5	57	13.1	09.2-17.0
College Graduate	639	275,355	31	3.6	02.2-05.0	48	7.0	04.8-09.2	91	11.4	08.9-13.9	122	18.5	15.0-22.0	284	48.7	44.0-53.4	63	10.9	08.0-13.8
Less than \$15,000	268	156,889	2	0.1	00.0-00.3	15	3.4	01.2-05.6	20	4.5	01.6-07.4	36	11.3	06.8-15.8	152	60.3	52.5-68.1	43	20.3	13.4-27.2
\$15,000- 24,999	331	223,763	6	1.1	00.0-02.3	16	2.8	01.0-04.6	32	6.3	03.8-08.8	51	13.3	08.8-17.8	191	64.5	58.0-71.0	35	12.0	07.3-16.7
\$25,000- 34,999	186	124,060	7	2.5	00.5-04.5	10	3.5	01.0-06.0	14	5.5	02.0-09.0	44	24.6	16.6-32.6	90	51.3	42.3-60.3	21	12.5	06.6-18.4
\$35,000- 49,999	207	122,400	9	2.7	00.7-04.7	8	2.0	00.4-03.6	33	12.5	07.4-17.6	42	18.8	12.3-25.3	94	52.0	43.6-60.4	21	12.0	06.1-17.9
\$50,000- 74,999	258	163,122	20	4.9	02.0-07.8	22	7.7	04.2-11.2	37	11.5	07.2-15.8	43	15.4	10.1-20.7	101	44.5	36.3-52.7	35	16.1	09.0-23.2
\$75,000+	427	242,417	27	6.1	03.6-08.6	44	10.3	06.8-13.8	65	13.4	09.9-16.9	86	17.3	13.4-21.2	166	41.4	35.7-47.1	39	11.5	07.4-15.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2012			2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	721	474,780	36	3.4	02.0-04.8	44	5.4	03.4-07.4	61	6.4	04.6-08.2	121	14.8	11.7-17.9	360	56.0	51.5-60.5	99	14.1	10.8-17.4
White/Non-Hisp	552	324,379	33	4.2	02.6-05.8	40	6.8	04.3-09.3	51	7.4	05.0-09.8	96	15.6	12.1-19.1	262	54.1	49.0-59.2	70	11.9	08.6-15.2
Black or Afr. Am./Non-Hisp	98	97,728	1	0.3	00.0-00.9				5	3.3	00.0-06.6	13	12.5	05.2-19.8	59	60.6	48.3-72.9	20	23.3	12.1-34.5
25-34	130	125,827							3	1.5	00.0-03.5	22	17.1	09.7-24.5	87	65.3	55.3-75.3	18	16.1	07.5-24.7
35-44	140	113,787	1	1.0	00.0-03.0	14	9.7	04.0-15.4	19	10.7	05.4-16.0	23	15.1	08.6-21.6	70	55.7	46.1-65.3	13	7.8	03.3-12.3
45-54	161	83,648	13	7.5	03.2-11.8	14	8.9	03.6-14.2	19	11.2	05.9-16.5	33	19.2	12.3-26.1	67	43.8	34.4-53.2	15	9.4	03.3-15.5
55-64	156	64,447	15	7.3	03.4-11.2	11	8.9	03.4-14.4	13	7.4	02.7-12.1	31	18.6	11.3-25.9	64	45.1	35.5-54.7	22	12.8	07.3-18.3
65+	83	26,549	7	14.9	02.4-27.4	4	2.8	00.0-05.9	7	8.0	01.1-14.9	11	12.1	03.7-20.5	40	45.1	31.6-58.6	14	17.0	06.2-27.8
Less Than H.S.	68	74,327	2	3.1	00.0-07.6	3	5.5	00.0-12.4	1	0.3	00.0-00.9	11	12.4	04.0-20.8	36	61.0	47.3-74.7	15	17.7	07.3-28.1
H.S. or G.E.D.	198	135,500	6	2.2	00.2-04.2	9	3.9	01.0-06.8	19	6.6	03.1-10.1	34	14.1	08.6-19.6	105	59.4	50.6-68.2	25	13.9	06.6-21.2
Some Post-H.S.	196	141,254	10	3.1	00.7-05.5	11	3.9	01.2-06.6	18	8.2	04.1-12.3	31	15.6	09.7-21.5	103	56.2	48.0-64.4	23	13.0	06.9-19.1
College Graduate	257	122,502	18	5.3	02.8-07.8	21	8.7	04.8-12.6	23	7.8	04.3-11.3	44	16.0	10.5-21.5	115	48.8	41.5-56.1	36	13.4	08.7-18.1
Less than \$15,000	85	51,026				2	2.5	00.0-06.8	3	0.9	00.0-01.9	12	11.9	03.7-20.1	52	61.8	48.3-75.3	16	23.0	10.5-35.5
\$15,000- 24,999	115	82,900	1	0.8	00.0-02.4	6	4.1	00.6-07.6	10	5.6	01.7-09.5	24	19.5	10.7-28.3	65	63.8	53.2-74.4	9	6.3	01.4-11.2
\$25,000- 34,999	75	58,361	3	3.2	00.0-06.9	4	4.5	00.0-09.4	3	2.9	00.0-06.4	13	15.5	06.1-24.9	42	60.5	47.2-73.8	10	13.4	04.2-22.6
\$35,000- 49,999	84	57,420	4	2.4	00.0-05.1	3	1.7	00.0-03.9	6	7.4	00.9-13.9	10	10.9	02.5-19.3	52	64.9	52.4-77.4	9	12.7	03.3-22.1
\$50,000- 74,999	114	79,674	11	6.3	01.0-11.6	9	7.9	02.2-13.6	14	8.6	03.3-13.9	14	7.4	02.7-12.1	43	46.9	34.0-59.8	23	22.8	11.0-34.6
\$75,000+	193	112,472	12	4.5	01.8-07.2	18	8.8	03.7-13.9	23	10.6	05.9-15.3	42	20.7	14.0-27.4	76	43.8	35.2-52.4	22	11.6	06.1-17.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2012			2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1111	650,098	46	3.2	02.0-04.4	81	5.5	04.1-06.9	158	11.0	08.8-13.2	201	16.5	13.8-19.2	510	50.3	46.6-54.0	115	13.5	10.8-16.2
White/Non-Hisp	846	479,145	42	3.8	02.4-05.2	73	6.8	04.8-08.8	142	13.4	10.9-15.9	161	18.1	14.8-21.4	349	45.8	41.5-50.1	79	12.2	09.1-15.3
Black or Afr. Am./Non-Hisp	139	93,913	2	1.6	00.0-04.0	3	1.4	00.0-03.2	8	3.0	00.5-05.5	18	9.9	04.8-15.0	79	59.6	49.2-70.0	29	24.5	15.3-33.7
Hispanic	73	51,156	1	1.3	00.0-03.8	2	1.4	00.0-03.4	3	4.5	00.0-10.6	14	14.8	06.4-23.2	48	66.6	53.3-79.9	5	11.3	00.1-22.5
18-24	73	90,517										2	2.5	00.0-06.0	52	69.3	57.5-81.1	19	28.3	16.7-39.9
25-34	256	215,456							8	3.4	00.9-05.9	37	15.3	09.8-20.8	173	65.3	58.2-72.4	38	16.1	10.8-21.4
35-44	318	182,040	8	3.4	00.9-05.9	26	7.4	04.3-10.5	58	18.9	13.8-24.0	84	26.7	21.0-32.4	120	35.6	29.3-41.9	22	8.1	04.2-12.0
45-54	225	98,974	17	9.2	04.5-13.9	26	13.9	08.0-19.8	47	18.9	13.0-24.8	39	15.2	09.9-20.5	77	35.4	28.0-42.8	19	7.4	03.5-11.3
55-64	151	41,319	14	9.7	04.0-15.4	20	15.7	08.3-23.1	33	22.1	13.7-30.5	24	12.5	07.0-18.0	52	34.1	24.9-43.3	8	5.9	01.8-10.0
65+	83	19,599	7	7.8	01.1-14.5	9	9.9	02.8-17.0	11	7.5	02.6-12.4	15	15.6	07.2-24.0	33	43.2	29.9-56.5	8	16.0	04.4-27.6
Less Than H.S.	97	92,843	2	1.5	00.0-03.9	2	0.4	00.0-01.0	12	9.2	03.1-15.3	13	13.3	05.5-21.1	52	55.1	42.8-67.4	16	20.4	10.0-30.8
H.S. or G.E.D.	299	179,518	15	3.8	01.6-06.0	27	6.8	03.9-09.7	29	6.6	03.7-09.5	47	14.3	09.6-19.0	143	54.0	47.1-60.9	38	14.5	09.6-19.4
Some Post-H.S.	332	224,007	16	4.1	01.7-06.5	25	6.4	03.5-09.3	49	13.1	09.0-17.2	63	16.8	11.7-21.9	145	46.4	39.7-53.1	34	13.2	08.1-18.3
College Graduate	382	152,853	13	2.2	01.0-03.4	27	5.7	03.2-08.2	68	14.3	10.6-18.0	78	20.5	15.8-25.2	169	48.6	42.7-54.5	27	8.8	04.9-12.7
Less than \$15,000	183	105,863	2	0.2	00.0-00.4	13	3.9	01.4-06.4	17	6.2	01.9-10.5	24	11.1	05.6-16.6	100	59.6	49.8-69.4	27	19.0	10.8-27.2
\$15,000- 24,999	216	140,863	5	1.3	00.0-02.9	10	2.0	00.0-04.0	22	6.7	03.2-10.2	27	9.6	04.9-14.3	126	65.0	57.0-73.0	26	15.4	08.7-22.1
\$25,000- 34,999	111	65,699	4	1.9	00.0-04.1	6	2.7	00.3-05.1	11	7.7	01.8-13.6	31	32.7	20.7-44.7	48	43.2	31.6-54.8	11	11.8	04.5-19.1
\$35,000- 49,999	123	64,979	5	2.9	00.0-05.8	5	2.3	00.0-04.7	27	17.0	09.6-24.4	32	25.8	16.4-35.2	42	40.6	29.4-51.8	12	11.4	04.0-18.8
\$50,000- 74,999	144	83,448	9	3.5	01.0-06.0	13	7.5	03.2-11.8	23	14.2	07.5-20.9	29	23.1	14.3-31.9	58	42.1	32.1-52.1	12	9.7	02.1-17.3
\$75,000+	234	129,945	15	7.5	03.4-11.6	26	11.6	06.7-16.5	42	15.9	10.6-21.2	44	14.2	09.7-18.7	90	39.3	31.7-46.9	17	11.5	05.6-17.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 7: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2197	1,303,762	990	44.9	42.2-47.6	89	3.9	02.9-04.9	772	35.5	33.0-38.0	40	2.4	01.4-03.4	12	0.6	00.2-01.0	294	12.7	10.9-14.5
Male	882	562,179	314	33.4	29.5-37.3	44	5.7	03.5-07.9	336	38.6	34.5-42.7	33	4.8	02.6-07.0	4	0.4	00.0-00.8	151	17.1	14.0-20.2
Female	1315	741,583	676	53.6	50.1-57.1	45	2.6	01.6-03.6	436	33.2	29.9-36.5	7	0.6	00.0-01.2	8	0.7	00.1-01.3	143	9.3	07.3-11.3
White/Non-Hisp	1678	936,288	793	48.5	45.4-51.6	63	3.6	02.4-04.8	558	32.0	29.3-34.7	27	1.9	00.9-02.9	8	0.4	00.0-00.8	229	13.6	11.4-15.8
Black or Afr. Am./Non-Hisp	271	210,895	106	34.4	27.1-41.7	17	6.5	02.4-10.6	93	39.7	31.9-47.5	9	5.1	00.8-09.4	2	0.5	00.0-01.1	44	13.8	08.3-19.3
MultiRacial/Non-Hisp.	54	24,156	18	35.0	17.6-52.4	3	6.3	00.0-14.1	25	45.1	27.5-62.7	1	0.8	00.0-02.4	1	2.8	00.0-08.3	6	9.9	00.0-20.3
Hispanic	115	86,628	38	31.9	21.7-42.1	5	2.6	00.1-05.1	62	56.4	45.4-67.4	2	3.2	00.0-08.5	1	2.1	00.0-06.2	7	4.0	00.7-07.3
18-24	131	162,103	57	44.0	34.6-53.4	7	6.3	01.0-11.6	48	38.8	29.6-48.0	6	2.8	00.4-05.2	2	1.6	00.0-04.0	11	6.5	02.4-10.6
25-34	422	372,576	198	44.7	39.2-50.2	16	3.3	01.5-05.1	148	35.2	29.7-40.7	6	2.4	00.0-04.8	2	0.4	00.0-01.0	52	14.2	09.9-18.5
35-44	522	336,093	279	50.9	45.8-56.0	15	3.8	01.6-06.0	157	30.6	25.9-35.3	10	2.8	00.4-05.2	2	0.4	00.0-01.0	59	11.5	08.4-14.6
45-54	464	221,727	204	44.2	38.7-49.7	18	3.0	01.4-04.6	164	35.6	30.3-40.9	8	2.1	00.0-04.3				70	15.1	11.4-18.8
55-64	395	139,057	151	35.9	30.0-41.8	26	5.6	03.1-08.1	148	40.6	34.5-46.7	9	2.9	00.5-05.3	4	0.9	00.0-01.9	57	14.1	09.8-18.4
65+	251	67,853	96	38.4	30.6-46.2	7	2.2	00.2-04.2	102	42.7	34.9-50.5	1	0.2	00.0-00.6	2	1.3	00.0-03.3	43	15.2	09.9-20.5
Less Than H.S.	207	197,639	73	35.3	27.3-43.3	3	0.6	00.0-01.2	105	51.7	43.3-60.1	11	7.3	02.0-12.6	3	1.7	00.0-03.9	12	3.5	01.1-05.9
H.S. or G.E.D.	609	368,055	272	45.9	40.8-51.0	25	4.4	02.4-06.4	225	34.1	29.4-38.8	17	3.0	01.2-04.8	3	0.4	00.0-00.8	67	12.2	08.5-15.9
Some Post-H.S.	621	424,457	283	44.8	39.9-49.7	22	4.0	01.6-06.4	222	35.1	30.6-39.6	8	1.2	00.2-02.2	4	0.4	00.0-01.0	82	14.4	10.7-18.1
College Graduate	755	310,685	361	50.2	45.9-54.5	39	5.4	03.4-07.4	219	27.4	23.7-31.1	4	0.4	00.0-00.8	2	0.3	00.0-00.7	130	16.4	13.3-19.5
Less than \$15,000	321	183,338	116	33.7	26.8-40.6	12	4.6	01.7-07.5	152	51.0	43.6-58.4	11	3.2	00.8-05.6	2	1.1	00.0-03.1	28	6.4	03.3-09.5
\$15,000- 24,999	398	257,343	169	42.0	35.7-48.3	21	4.1	01.9-06.3	153	37.9	31.8-44.0	19	7.3	03.2-11.4	3	0.7	00.0-01.5	33	8.0	04.7-11.3
\$25,000- 34,999	228	142,235	100	42.9	34.9-50.9	10	3.7	01.2-06.2	86	37.8	29.8-45.8	2	2.2	00.0-05.5	5	1.7	00.1-03.3	25	11.7	05.6-17.8
\$35,000- 49,999	244	141,226	119	49.7	41.9-57.5	13	5.3	01.8-08.8	75	31.4	24.1-38.7	2	0.8	00.0-02.4	1	0.2	00.0-00.6	34	12.6	07.5-17.7
\$50,000- 74,999	295	181,637	143	48.6	41.0-56.2	9	4.1	00.0-08.2	93	28.9	22.4-35.4	4	1.0	00.0-02.0				46	17.3	11.0-23.6
\$75,000+	497	276,563	256	53.5	48.2-58.8	21	4.0	01.8-06.2	126	24.8	20.3-29.3				1	0.3	00.0-00.9	93	17.3	13.2-21.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 8: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	882	562,179	314	33.4	29.5-37.3	44	5.7	03.5-07.9	336	38.6	34.5-42.7	33	4.8	02.6-07.0	4	0.4	00.0-00.8	151	17.1	14.0-20.2
White/Non-Hisp	680	389,945	252	35.0	30.5-39.5	32	5.3	03.1-07.5	252	36.9	32.4-41.4	23	3.8	01.8-05.8	2	0.2	00.0-00.6	119	18.8	15.1-22.5
Black or Afr. Am./Non-Hisp	108	106,728	32	28.5	17.5-39.5	8	8.5	00.9-16.1	38	36.4	25.2-47.6	7	9.1	00.9-17.3	1	0.5	00.0-01.5	22	17.1	07.9-26.3
25-34	143	142,447	40	27.3	19.1-35.5	8	5.5	01.6-09.4	58	38.6	29.6-47.6	5	5.1	00.0-10.6	1	0.5	00.0-01.5	31	23.1	14.5-31.7
35-44	163	132,482	59	36.3	27.3-45.3	10	6.9	02.4-11.4	59	34.4	26.0-42.8	9	6.5	01.0-12.0				26	15.8	09.5-22.1
45-54	202	105,090	80	38.2	30.2-46.2	8	2.8	00.4-05.2	72	35.8	27.8-43.8	6	3.9	00.0-08.2				36	19.2	12.9-25.5
55-64	191	79,757	68	33.7	25.7-41.7	11	4.7	01.4-08.0	74	42.4	33.6-51.2	8	4.9	01.0-08.8	2	0.9	00.0-02.3	28	13.3	07.2-19.4
65+	129	40,762	53	42.3	31.3-53.3	2	0.9	00.0-02.3	49	37.2	26.8-47.6	1	0.3	00.0-00.9	1	1.7	00.0-05.0	23	17.7	09.9-25.5
Less Than H.S.	84	88,407	27	32.1	19.8-44.4				43	49.4	36.5-62.3	9	13.7	03.1-24.3	1	0.8	00.0-02.4	4	4.0	00.0-08.3
H.S. or G.E.D.	252	164,249	86	32.2	24.6-39.8	13	6.0	02.3-09.7	96	36.2	28.6-43.8	12	5.4	01.5-09.3	2	0.7	00.0-01.7	43	19.5	12.4-26.6
Some Post-H.S.	235	170,049	84	31.1	24.2-38.0	10	6.4	01.3-11.5	92	40.0	32.4-47.6	8	3.0	00.8-05.2	1	0.1	00.0-00.3	40	19.4	13.1-25.7
College Graduate	308	138,117	116	38.5	32.0-45.0	21	8.2	04.3-12.1	105	33.1	26.8-39.4	4	0.9	00.0-01.9				62	19.3	14.2-24.4
Less than \$15,000	105	63,027	27	25.5	14.1-36.9	4	5.1	00.0-10.4	50	50.9	38.6-63.2	9	8.6	02.1-15.1	1	0.4	00.0-01.2	14	9.5	03.2-15.8
\$15,000- 24,999	143	99,171	43	26.0	17.6-34.4	10	5.4	01.1-09.7	59	40.6	30.4-50.8	14	15.0	05.4-24.6	1	0.5	00.0-01.5	16	12.5	05.8-19.2
\$25,000- 34,999	96	68,698	32	29.9	18.7-41.1	7	5.6	00.9-10.3	40	44.4	31.9-56.9	2	4.6	00.0-11.7	2	2.0	00.0-04.7	13	13.5	05.3-21.7
\$35,000- 49,999	98	65,274	35	37.0	25.2-48.8	5	7.2	00.5-13.9	40	39.2	27.4-51.0	2	1.8	00.0-04.9				16	14.8	06.6-23.0
\$50,000- 74,999	131	89,452	52	37.6	26.0-49.2	6	7.5	00.0-15.7	47	30.0	20.2-39.8	4	2.1	00.0-04.3				22	22.8	11.8-33.8
\$75,000+	226	127,887	97	42.4	34.4-50.4	12	6.4	02.1-10.7	67	30.1	22.8-37.4							50	21.1	14.6-27.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 9: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1315	741,583	676	53.6	50.1-57.1	45	2.6	01.6-03.6	436	33.2	29.9-36.5	7	0.6	00.0-01.2	8	0.7	00.1-01.3	143	9.3	07.3-11.3
White/Non-Hisp	998	546,344	541	58.1	54.2-62.0	31	2.4	01.2-03.6	306	28.5	25.0-32.0	4	0.6	00.0-01.2	6	0.5	00.0-01.1	110	9.9	07.4-12.4
Black or Afr. Am./Non-Hisp	163	104,167	74	40.5	30.9-50.1	9	4.5	01.2-07.8	55	43.1	32.5-53.7	2	0.9	00.0-02.3	1	0.5	00.0-01.5	22	10.5	05.4-15.6
Hispanic	84	58,090	31	35.7	23.2-48.2	3	1.7	00.0-03.7	47	58.3	45.6-71.0				1	3.1	00.0-09.2	2	1.2	00.0-03.0
18-24	82	101,789	45	54.7	43.1-66.3	2	2.1	00.0-05.0	25	32.7	21.7-43.7	2	1.4	00.0-03.4	2	2.6	00.0-06.3	6	6.5	01.2-11.8
25-34	279	230,129	158	55.4	48.3-62.5	8	1.9	00.3-03.5	90	33.1	26.2-40.0	1	0.7	00.0-02.1	1	0.3	00.0-00.9	21	8.6	04.1-13.1
35-44	359	203,611	220	60.4	54.3-66.5	5	1.8	00.0-03.8	98	28.1	22.6-33.6	1	0.4	00.0-01.2	2	0.6	00.0-01.6	33	8.6	05.3-11.9
45-54	262	116,637	124	49.6	42.3-56.9	10	3.2	01.0-05.4	92	35.4	28.3-42.5	2	0.4	00.0-01.0				34	11.4	07.1-15.7
55-64	204	59,300	83	38.8	30.8-46.8	15	6.8	03.1-10.5	74	38.2	30.2-46.2	1	0.2	00.0-00.6	2	0.8	00.0-02.0	29	15.1	09.2-21.0
65+	122	27,091	43	32.5	22.7-42.3	5	4.1	00.0-08.2	53	51.1	40.1-62.1				1	0.7	00.0-02.1	20	11.5	05.8-17.2
Less Than H.S.	123	109,232	46	37.9	27.1-48.7	3	1.0	00.0-02.2	62	53.5	42.3-64.7	2	2.0	00.0-04.9	2	2.4	00.0-05.9	8	3.0	00.3-05.7
H.S. or G.E.D.	357	203,806	186	57.0	50.7-63.3	12	3.1	00.9-05.3	129	32.4	26.7-38.1	5	1.0	00.0-02.0	1	0.1	00.0-00.3	24	6.4	03.3-09.5
Some Post-H.S.	386	254,408	199	54.0	47.7-60.3	12	2.4	00.6-04.2	130	31.9	26.2-37.6				3	0.6	00.0-01.4	42	11.0	06.7-15.3
College Graduate	447	172,569	245	59.5	54.2-64.8	18	3.2	01.6-04.8	114	22.8	18.3-27.3				2	0.5	00.0-01.1	68	14.0	10.3-17.7
Less than \$15,000	216	120,311	89	37.9	29.1-46.7	8	4.3	00.6-08.0	102	51.1	41.7-60.5	2	0.3	00.0-00.9	1	1.5	00.0-04.4	14	4.8	01.3-08.3
\$15,000- 24,999	255	158,171	126	52.0	44.0-60.0	11	3.3	00.9-05.7	94	36.2	28.6-43.8	5	2.5	00.1-04.9	2	0.8	00.0-02.0	17	5.1	02.0-08.2
\$25,000- 34,999	132	73,536	68	55.0	44.0-66.0	3	1.9	00.0-04.4	46	31.6	22.0-41.2				3	1.4	00.0-03.4	12	10.0	01.0-19.0
\$35,000- 49,999	146	75,951	84	60.6	50.8-70.4	8	3.6	00.9-06.3	35	24.7	16.1-33.3				1	0.5	00.0-01.5	18	10.7	04.6-16.8
\$50,000- 74,999	164	92,185	91	59.4	50.2-68.6	3	0.8	00.0-01.8	46	27.8	19.2-36.4							24	12.1	06.8-17.4
\$75,000+	271	148,676	159	63.1	56.0-70.2	9	2.0	00.6-03.4	59	20.3	14.6-26.0				1	0.5	00.0-01.5	43	14.1	08.8-19.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2013**

End of Core Data Report