

INDIANA

2014 Calculated Variables Report

Behavioral Risk Factor Surveillance System

August 5, 2015



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11431	4,992,893	9080	81.1	80.1-82.1	2351	18.9	17.9-19.9
Male	4628	2,425,011	3750	82.3	80.9-83.7	878	17.7	16.3-19.1
Female	6803	2,567,882	5330	79.9	78.5-81.3	1473	20.1	18.7-21.5
White/Non-Hisp	9949	4,066,004	7944	81.1	80.1-82.1	2005	18.9	17.9-19.9
Black or Afr. Am./Non-Hisp	632	425,802	477	80.4	76.7-84.1	155	19.6	15.9-23.3
Oth. Race/Non-Hisp.	229	104,406	182	85.2	79.5-90.9	47	14.8	09.1-20.5
MultiRacial/Non-Hisp.	131	55,302	91	75.9	66.7-85.1	40	24.1	14.9-33.3
Hispanic	313	267,537	253	82.0	77.3-86.7	60	18.0	13.3-22.7
18-24	566	680,049	519	91.5	89.0-94.0	47	8.5	06.0-11.0
25-34	870	823,593	765	86.5	83.8-89.2	105	13.5	10.8-16.2
35-44	1268	812,295	1100	84.1	81.6-86.6	168	15.9	13.4-18.4
45-54	1870	863,970	1495	77.6	75.2-80.0	375	22.4	20.0-24.8
55-64	2581	812,336	2029	77.1	75.1-79.1	552	22.9	20.9-24.9
65+	4128	950,980	3045	72.6	70.8-74.4	1083	27.4	25.6-29.2
Less Than H.S.	994	688,394	570	65.5	61.8-69.2	424	34.5	30.8-38.2
H.S. or G.E.D.	3920	1,725,606	2908	78.2	76.6-79.8	1012	21.8	20.2-23.4
Some Post-H.S.	2897	1,511,808	2335	83.6	82.0-85.2	562	16.4	14.8-18.0
College Graduate	3525	1,032,809	3192	92.7	91.7-93.7	333	7.3	06.3-08.3
Less than \$15,000	1133	529,198	603	57.3	53.4-61.2	530	42.7	38.8-46.6
\$15,000- 24,999	1820	813,227	1225	71.4	68.7-74.1	595	28.6	25.9-31.3
\$25,000- 34,999	1180	506,571	936	82.5	79.8-85.2	244	17.5	14.8-20.2
\$35,000- 49,999	1511	666,865	1270	84.9	82.5-87.3	241	15.1	12.7-17.5
\$50,000- 74,999	1523	693,871	1351	89.2	87.0-91.4	172	10.8	08.6-13.0
\$75,000+	2521	1,080,910	2341	93.3	92.1-94.5	180	6.7	05.5-07.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4628	2,425,011	3750	82.3	80.9-83.7	878	17.7	16.3-19.1
White/Non-Hisp	4008	1,969,554	3255	81.9	80.3-83.5	753	18.1	16.5-19.7
Black or Afr. Am./Non-Hisp	241	200,340	199	85.8	80.9-90.7	42	14.2	09.3-19.1
Oth. Race/Non-Hisp.	121	65,579	99	88.9	82.8-95.0	22	11.1	05.0-17.2
MultiRacial/Non-Hisp.	52	27,462	37	79.4	66.9-91.9	15	20.6	08.1-33.1
Hispanic	128	126,482	103	80.7	73.1-88.3	25	19.3	11.7-26.9
18-24	307	346,000	289	94.8	92.3-97.3	18	5.2	02.7-07.7
25-34	380	413,278	330	85.3	81.2-89.4	50	14.7	10.6-18.8
35-44	545	405,824	480	85.2	81.5-88.9	65	14.8	11.1-18.5
45-54	807	427,074	651	79.2	75.9-82.5	156	20.8	17.5-24.1
55-64	1094	398,252	869	77.5	74.4-80.6	225	22.5	19.4-25.6
65+	1445	413,932	1086	73.4	70.5-76.3	359	26.6	23.7-29.5
Less Than H.S.	391	341,408	229	68.3	62.8-73.8	162	31.7	26.2-37.2
H.S. or G.E.D.	1537	866,533	1185	80.2	77.8-82.6	352	19.8	17.4-22.2
Some Post-H.S.	1089	674,722	889	84.8	82.3-87.3	200	15.2	12.7-17.7
College Graduate	1573	523,373	1416	91.8	90.2-93.4	157	8.2	06.6-09.8
Less than \$15,000	366	197,510	197	56.1	49.6-62.6	169	43.9	37.4-50.4
\$15,000- 24,999	596	350,472	399	71.1	66.4-75.8	197	28.9	24.2-33.6
\$25,000- 34,999	463	250,382	373	83.3	79.2-87.4	90	16.7	12.6-20.8
\$35,000- 49,999	665	347,835	544	84.1	80.8-87.4	121	15.9	12.6-19.2
\$50,000- 74,999	732	378,706	642	88.9	86.2-91.6	90	11.1	08.4-13.8
\$75,000+	1243	604,804	1149	93.0	91.2-94.8	94	7.0	05.2-08.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6803	2,567,882	5330	79.9	78.5-81.3	1473	20.1	18.7-21.5
White/Non-Hisp	5941	2,096,449	4689	80.4	79.0-81.8	1252	19.6	18.2-21.0
Black or Afr. Am./Non-Hisp	391	225,462	278	75.5	70.2-80.8	113	24.5	19.2-29.8
Oth. Race/Non-Hisp.	108	38,827	83	79.0	68.2-89.8	25	21.0	10.2-31.8
MultiRacial/Non-Hisp.	79	27,840	54	72.4	59.5-85.3	25	27.6	14.7-40.5
Hispanic	185	141,055	150	83.1	77.2-89.0	35	16.9	11.0-22.8
18-24	259	334,049	230	88.1	83.6-92.6	29	11.9	07.4-16.4
25-34	490	410,315	435	87.8	84.3-91.3	55	12.2	08.7-15.7
35-44	723	406,471	620	83.0	79.7-86.3	103	17.0	13.7-20.3
45-54	1063	436,895	844	76.0	72.9-79.1	219	24.0	20.9-27.1
55-64	1487	414,083	1160	76.8	74.3-79.3	327	23.2	20.7-25.7
65+	2683	537,047	1959	72.0	69.8-74.2	724	28.0	25.8-30.2
Less Than H.S.	603	346,986	341	62.8	57.7-67.9	262	37.2	32.1-42.3
H.S. or G.E.D.	2383	859,074	1723	76.1	73.9-78.3	660	23.9	21.7-26.1
Some Post-H.S.	1808	837,086	1446	82.7	80.5-84.9	362	17.3	15.1-19.5
College Graduate	1952	509,436	1776	93.6	92.4-94.8	176	6.4	05.2-07.6
Less than \$15,000	767	331,689	406	58.0	53.1-62.9	361	42.0	37.1-46.9
\$15,000- 24,999	1224	462,755	826	71.7	68.2-75.2	398	28.3	24.8-31.8
\$25,000- 34,999	717	256,189	563	81.6	77.7-85.5	154	18.4	14.5-22.3
\$35,000- 49,999	846	319,031	726	85.7	82.6-88.8	120	14.3	11.2-17.4
\$50,000- 74,999	791	315,165	709	89.6	86.7-92.5	82	10.4	07.5-13.3
\$75,000+	1278	476,105	1192	93.8	92.2-95.4	86	6.2	04.6-07.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7183	3,990,810	6224	82.0	80.8-83.2	959	18.0	16.8-19.2
Male	3143	1,983,606	2704	81.2	79.4-83.0	439	18.8	17.0-20.6
Female	4040	2,007,205	3520	82.7	81.1-84.3	520	17.3	15.7-18.9
White/Non-Hisp	6053	3,176,867	5354	84.4	83.0-85.8	699	15.6	14.2-17.0
Black or Afr. Am./Non-Hisp	471	356,845	387	79.0	74.3-83.7	84	21.0	16.3-25.7
Oth. Race/Non-Hisp.	190	97,222	161	80.4	72.4-88.4	29	19.6	11.6-27.6
MultiRacial/Non-Hisp.	93	46,594	78	85.4	77.0-93.8	15	14.6	06.2-23.0
Hispanic	287	261,502	165	55.1	48.6-61.6	122	44.9	38.4-51.4
18-24	562	671,925	436	76.9	73.0-80.8	126	23.1	19.2-27.0
25-34	868	818,505	661	71.9	68.4-75.4	207	28.1	24.6-31.6
35-44	1272	815,819	1081	82.7	80.2-85.2	191	17.3	14.8-19.8
45-54	1878	864,900	1669	87.0	85.0-89.0	209	13.0	11.0-15.0
55-64	2603	819,661	2377	90.1	88.5-91.7	226	9.9	08.3-11.5
Less Than H.S.	585	551,952	397	63.4	58.7-68.1	188	36.6	31.9-41.3
H.S. or G.E.D.	2191	1,289,773	1812	78.6	76.2-81.0	379	21.4	19.0-23.8
Some Post-H.S.	1926	1,253,440	1674	85.4	83.4-87.4	252	14.6	12.6-16.6
College Graduate	2431	872,441	2296	93.6	92.4-94.8	135	6.4	05.2-07.6
Less than \$15,000	722	432,444	508	65.0	60.5-69.5	214	35.0	30.5-39.5
\$15,000- 24,999	932	606,956	649	63.1	59.0-67.2	283	36.9	32.8-41.0
\$25,000- 34,999	621	375,827	516	79.3	75.0-83.6	105	20.7	16.4-25.0
\$35,000- 49,999	900	512,903	796	84.7	81.6-87.8	104	15.3	12.2-18.4
\$50,000- 74,999	1105	593,970	1042	92.2	90.0-94.4	63	7.8	05.6-10.0
\$75,000+	2089	980,436	2027	95.4	94.0-96.8	62	4.6	03.2-06.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3143	1,983,606	2704	81.2	79.4-83.0	439	18.8	17.0-20.6
White/Non-Hisp	2647	1,575,483	2343	84.6	82.6-86.6	304	15.4	13.4-17.4
Black or Afr. Am./Non-Hisp	190	173,771	143	72.8	65.2-80.4	47	27.2	19.6-34.8
Oth. Race/Non-Hisp.	105	60,699	89	81.1	71.1-91.1	16	18.9	08.9-28.9
Hispanic	119	124,277	61	48.8	38.8-58.8	58	51.2	41.2-61.2
18-24	303	337,181	237	78.0	72.9-83.1	66	22.0	16.9-27.1
25-34	379	409,193	280	69.7	64.4-75.0	99	30.3	25.0-35.6
35-44	547	407,713	456	80.2	75.9-84.5	91	19.8	15.5-24.1
45-54	808	425,714	721	87.2	84.3-90.1	87	12.8	09.9-15.7
55-64	1106	403,803	1010	90.4	88.2-92.6	96	9.6	07.4-11.8
Less Than H.S.	268	284,164	171	57.8	50.5-65.1	97	42.2	34.9-49.5
H.S. or G.E.D.	1018	685,688	833	78.7	75.6-81.8	185	21.3	18.2-24.4
Some Post-H.S.	781	569,342	688	87.1	84.2-90.0	93	12.9	10.0-15.8
College Graduate	1051	430,026	987	92.4	90.4-94.4	64	7.6	05.6-09.6
Less than \$15,000	279	167,602	189	58.5	51.2-65.8	90	41.5	34.2-48.8
\$15,000- 24,999	356	278,593	233	59.5	53.0-66.0	123	40.5	34.0-47.0
\$25,000- 34,999	262	191,529	211	76.6	69.9-83.3	51	23.4	16.7-30.1
\$35,000- 49,999	408	268,293	356	83.7	79.0-88.4	52	16.3	11.6-21.0
\$50,000- 74,999	522	319,874	490	91.3	88.0-94.6	32	8.7	05.4-12.0
\$75,000+	989	538,840	956	95.2	93.2-97.2	33	4.8	02.8-06.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4040	2,007,205	3520	82.7	81.1-84.3	520	17.3	15.7-18.9
White/Non-Hisp	3406	1,601,384	3011	84.3	82.5-86.1	395	15.7	13.9-17.5
Black or Afr. Am./Non-Hisp	281	183,074	244	85.0	79.7-90.3	37	15.0	09.7-20.3
Oth. Race/Non-Hisp.	85	36,522	72	79.1	65.8-92.4	13	20.9	07.6-34.2
MultiRacial/Non-Hisp.	54	23,505	49	87.6	76.0-99.2	5	12.4	00.8-24.0
Hispanic	168	137,226	104	60.8	52.4-69.2	64	39.2	30.8-47.6
18-24	259	334,744	199	75.9	70.2-81.6	60	24.1	18.4-29.8
25-34	489	409,312	381	74.0	69.5-78.5	108	26.0	21.5-30.5
35-44	725	408,105	625	85.2	82.1-88.3	100	14.8	11.7-17.9
45-54	1070	439,185	948	86.7	84.2-89.2	122	13.3	10.8-15.8
55-64	1497	415,858	1367	89.8	87.8-91.8	130	10.2	08.2-12.2
Less Than H.S.	317	267,788	226	69.3	63.2-75.4	91	30.7	24.6-36.8
H.S. or G.E.D.	1173	604,085	979	78.5	75.2-81.8	194	21.5	18.2-24.8
Some Post-H.S.	1145	684,098	986	83.9	81.2-86.6	159	16.1	13.4-18.8
College Graduate	1380	442,415	1309	94.7	93.1-96.3	71	5.3	03.7-06.9
Less than \$15,000	443	264,841	319	69.1	63.4-74.8	124	30.9	25.2-36.6
\$15,000- 24,999	576	328,363	416	66.2	61.1-71.3	160	33.8	28.7-38.9
\$25,000- 34,999	359	184,298	305	82.1	76.6-87.6	54	17.9	12.4-23.4
\$35,000- 49,999	492	244,610	440	85.7	81.6-89.8	52	14.3	10.2-18.4
\$50,000- 74,999	583	274,096	552	93.2	90.3-96.1	31	6.8	03.9-09.7
\$75,000+	1100	441,595	1071	95.7	93.7-97.7	29	4.3	02.3-06.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 4: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11510	5,022,706	8309	73.9	72.7-75.1	3201	26.1	24.9-27.3
Male	4666	2,444,239	3525	76.1	74.5-77.7	1141	23.9	22.3-25.5
Female	6844	2,578,468	4784	71.9	70.3-73.5	2060	28.1	26.5-29.7
White/Non-Hisp	10019	4,089,796	7271	74.6	73.4-75.8	2748	25.4	24.2-26.6
Black or Afr. Am./Non-Hisp	636	426,283	434	71.0	66.3-75.7	202	29.0	24.3-33.7
Oth. Race/Non-Hisp.	229	104,412	170	73.6	65.8-81.4	59	26.4	18.6-34.2
MultiRacial/Non-Hisp.	131	55,302	99	81.4	73.6-89.2	32	18.6	10.8-26.4
Hispanic	318	272,933	222	69.1	63.2-75.0	96	30.9	25.0-36.8
18-24	573	687,537	482	83.5	80.2-86.8	91	16.5	13.2-19.8
25-34	875	825,415	722	81.0	77.9-84.1	153	19.0	15.9-22.1
35-44	1271	815,333	1007	75.7	72.6-78.8	264	24.3	21.2-27.4
45-54	1883	868,713	1408	72.1	69.6-74.6	475	27.9	25.4-30.4
55-64	2606	818,960	1910	72.4	70.2-74.6	696	27.6	25.4-29.8
65+	4152	956,269	2679	62.9	60.9-64.9	1473	37.1	35.1-39.1
Less Than H.S.	1008	695,611	528	57.3	53.2-61.4	480	42.7	38.6-46.8
H.S. or G.E.D.	3948	1,736,163	2486	68.0	66.0-70.0	1462	32.0	30.0-34.0
Some Post-H.S.	2914	1,520,044	2177	78.5	76.5-80.5	737	21.5	19.5-23.5
College Graduate	3545	1,037,096	3048	88.2	86.8-89.6	497	11.8	10.4-13.2
Less than \$15,000	1139	530,578	621	60.0	56.1-63.9	518	40.0	36.1-43.9
\$15,000- 24,999	1835	818,767	1115	61.8	58.7-64.9	720	38.2	35.1-41.3
\$25,000- 34,999	1187	511,837	814	71.9	68.4-75.4	373	28.1	24.6-31.6
\$35,000- 49,999	1520	669,513	1109	74.2	71.3-77.1	411	25.8	22.9-28.7
\$50,000- 74,999	1535	698,130	1232	81.8	79.4-84.2	303	18.2	15.8-20.6
\$75,000+	2534	1,084,948	2227	87.7	86.1-89.3	307	12.3	10.7-13.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4666	2,444,239	3525	76.1	74.5-77.7	1141	23.9	22.3-25.5
White/Non-Hisp	4044	1,985,244	3078	76.8	75.0-78.6	966	23.2	21.4-25.0
Black or Afr. Am./Non-Hisp	242	200,622	175	74.0	66.9-81.1	67	26.0	18.9-33.1
Oth. Race/Non-Hisp.	120	65,387	91	75.2	65.2-85.2	29	24.8	14.8-34.8
MultiRacial/Non-Hisp.	52	27,462	41	86.1	76.5-95.7	11	13.9	04.3-23.5
Hispanic	131	130,057	96	70.7	61.9-79.5	35	29.3	20.5-38.1
18-24	313	352,501	270	85.6	81.3-89.9	43	14.4	10.1-18.7
25-34	383	414,466	319	82.5	78.2-86.8	64	17.5	13.2-21.8
35-44	547	407,713	437	75.4	70.7-80.1	110	24.6	19.9-29.3
45-54	813	429,343	618	73.4	69.7-77.1	195	26.6	22.9-30.3
55-64	1108	403,345	843	75.0	71.9-78.1	265	25.0	21.9-28.1
65+	1451	415,676	1001	66.7	63.6-69.8	450	33.3	30.2-36.4
Less Than H.S.	398	346,385	215	59.2	53.1-65.3	183	40.8	34.7-46.9
H.S. or G.E.D.	1548	872,596	1027	70.2	67.5-72.9	521	29.8	27.1-32.5
Some Post-H.S.	1097	680,386	870	81.8	79.1-84.5	227	18.2	15.5-20.9
College Graduate	1585	526,379	1382	89.4	87.6-91.2	203	10.6	08.8-12.4
Less than \$15,000	368	198,054	219	63.1	57.0-69.2	149	36.9	30.8-43.0
\$15,000- 24,999	602	354,248	383	61.8	56.5-67.1	219	38.2	32.9-43.5
\$25,000- 34,999	469	255,449	323	73.8	68.7-78.9	146	26.2	21.1-31.3
\$35,000- 49,999	667	349,077	485	73.9	69.6-78.2	182	26.1	21.8-30.4
\$50,000- 74,999	737	380,282	603	82.4	78.9-85.9	134	17.6	14.1-21.1
\$75,000+	1253	608,400	1108	88.5	86.3-90.7	145	11.5	09.3-13.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6844	2,578,468	4784	71.9	70.3-73.5	2060	28.1	26.5-29.7
White/Non-Hisp	5975	2,104,552	4193	72.5	70.9-74.1	1782	27.5	25.9-29.1
Black or Afr. Am./Non-Hisp	394	225,660	259	68.4	62.3-74.5	135	31.6	25.5-37.7
Oth. Race/Non-Hisp.	109	39,025	79	70.9	58.4-83.4	30	29.1	16.6-41.6
MultiRacial/Non-Hisp.	79	27,840	58	76.7	64.9-88.5	21	23.3	11.5-35.1
Hispanic	187	142,876	126	67.7	59.9-75.5	61	32.3	24.5-40.1
18-24	260	335,036	212	81.2	75.9-86.5	48	18.8	13.5-24.1
25-34	492	410,949	403	79.5	75.2-83.8	89	20.5	16.2-24.8
35-44	724	407,620	570	76.0	72.1-79.9	154	24.0	20.1-27.9
45-54	1070	439,370	790	70.8	67.5-74.1	280	29.2	25.9-32.5
55-64	1498	415,614	1067	69.9	67.2-72.6	431	30.1	27.4-32.8
65+	2701	540,593	1678	60.0	57.6-62.4	1023	40.0	37.6-42.4
Less Than H.S.	610	349,226	313	55.5	50.2-60.8	297	44.5	39.2-49.8
H.S. or G.E.D.	2400	863,567	1459	65.7	63.2-68.2	941	34.3	31.8-36.8
Some Post-H.S.	1817	839,658	1307	75.9	73.4-78.4	510	24.1	21.6-26.6
College Graduate	1960	510,717	1666	87.0	85.2-88.8	294	13.0	11.2-14.8
Less than \$15,000	771	332,524	402	58.2	53.3-63.1	369	41.8	36.9-46.7
\$15,000- 24,999	1233	464,518	732	61.8	57.9-65.7	501	38.2	34.3-42.1
\$25,000- 34,999	718	256,388	491	70.0	65.3-74.7	227	30.0	25.3-34.7
\$35,000- 49,999	853	320,436	624	74.5	70.6-78.4	229	25.5	21.6-29.4
\$50,000- 74,999	798	317,848	629	81.0	77.7-84.3	169	19.0	15.7-22.3
\$75,000+	1281	476,548	1119	86.7	84.3-89.1	162	13.3	10.9-15.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
1 MALES AND FEMALES	15
2 MALES ONLY	16
3 FEMALES ONLY	17
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
4 MALES AND FEMALES	18
5 MALES ONLY	19
6 FEMALES ONLY	20
COMPUTED ASTHMA STATUS (_ASTHMS1)	
7 MALES AND FEMALES	21
8 MALES ONLY	22
9 FEMALES ONLY	23
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
10 MALES AND FEMALES	24
11 MALES ONLY	25
12 FEMALES ONLY	26

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11489	5,011,255	9941	85.4	84.4-86.4	1548	14.6	13.6-15.6
Male	4663	2,437,229	4161	88.1	86.9-89.3	502	11.9	10.7-13.1
Female	6826	2,574,026	5780	82.9	81.5-84.3	1046	17.1	15.7-18.5
White/Non-Hisp	10000	4,080,929	8704	85.6	84.6-86.6	1296	14.4	13.4-15.4
Black or Afr. Am./Non-Hisp	635	425,613	517	81.3	77.6-85.0	118	18.7	15.0-22.4
Oth. Race/Non-Hisp.	229	103,576	194	90.4	85.5-95.3	35	9.6	04.7-14.5
MultiRacial/Non-Hisp.	131	55,302	105	81.5	72.9-90.1	26	18.5	09.9-27.1
Hispanic	318	272,933	278	88.2	84.3-92.1	40	11.8	07.9-15.7
18-24	566	678,878	454	80.5	77.0-84.0	112	19.5	16.0-23.0
25-34	874	823,509	728	83.8	81.1-86.5	146	16.2	13.5-18.9
35-44	1269	814,921	1092	84.9	82.5-87.3	177	15.1	12.7-17.5
45-54	1881	867,536	1612	86.2	84.4-88.0	269	13.8	12.0-15.6
55-64	2604	819,566	2278	87.7	86.1-89.3	326	12.3	10.7-13.9
65+	4146	956,598	3641	87.6	86.2-89.0	505	12.4	11.0-13.8
Less Than H.S.	1001	691,371	793	79.9	76.8-83.0	208	20.1	17.0-23.2
H.S. or G.E.D.	3943	1,732,406	3446	87.0	85.6-88.4	497	13.0	11.6-14.4
Some Post-H.S.	2909	1,516,955	2476	84.3	82.5-86.1	433	15.7	13.9-17.5
College Graduate	3540	1,035,958	3139	87.8	86.4-89.2	401	12.2	10.8-13.6
Less than \$15,000	1139	530,210	878	76.0	72.7-79.3	261	24.0	20.7-27.3
\$15,000- 24,999	1838	815,746	1529	81.6	79.1-84.1	309	18.4	15.9-20.9
\$25,000- 34,999	1185	511,832	1037	87.2	84.5-89.9	148	12.8	10.1-15.5
\$35,000- 49,999	1518	669,075	1326	86.9	84.5-89.3	192	13.1	10.7-15.5
\$50,000- 74,999	1531	695,308	1364	87.2	84.8-89.6	167	12.8	10.4-15.2
\$75,000+	2534	1,085,092	2288	90.1	88.5-91.7	246	9.9	08.3-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4663	2,437,229	4161	88.1	86.9-89.3	502	11.9	10.7-13.1
White/Non-Hisp	4040	1,979,975	3615	88.3	86.9-89.7	425	11.7	10.3-13.1
Black or Afr. Am./Non-Hisp	242	200,622	208	85.4	80.3-90.5	34	14.6	09.5-19.7
Oth. Race/Non-Hisp.	121	64,731	109	91.4	84.5-98.3	12	8.6	01.7-15.5
MultiRacial/Non-Hisp.	52	27,462	47	89.4	78.4-0100	5	10.6	00.0-21.6
Hispanic	131	130,057	114	88.8	83.3-94.3	17	11.2	05.7-16.7
18-24	308	345,611	251	82.0	77.3-86.7	57	18.0	13.3-22.7
25-34	382	412,560	331	86.2	82.3-90.1	51	13.8	09.9-17.7
35-44	547	407,713	477	87.5	84.4-90.6	70	12.5	09.4-15.6
45-54	813	429,343	727	90.0	87.6-92.4	86	10.0	07.6-12.4
55-64	1109	404,227	1009	90.9	88.9-92.9	100	9.1	07.1-11.1
65+	1453	416,581	1318	90.3	88.3-92.3	135	9.7	07.7-11.7
Less Than H.S.	397	343,575	321	81.9	77.2-86.6	76	18.1	13.4-22.8
H.S. or G.E.D.	1547	869,429	1388	89.7	87.7-91.7	159	10.3	08.3-12.3
Some Post-H.S.	1097	679,022	971	88.2	85.8-90.6	126	11.8	09.4-14.2
College Graduate	1583	525,996	1447	89.3	87.3-91.3	136	10.7	08.7-12.7
Less than \$15,000	370	198,689	301	80.6	75.5-85.7	69	19.4	14.3-24.5
\$15,000- 24,999	602	350,296	513	84.9	81.0-88.8	89	15.1	11.2-19.0
\$25,000- 34,999	470	256,446	417	89.9	86.8-93.0	53	10.1	07.0-13.2
\$35,000- 49,999	665	348,359	602	89.0	85.9-92.1	63	11.0	07.9-14.1
\$50,000- 74,999	735	377,942	665	87.9	84.6-91.2	70	12.1	08.8-15.4
\$75,000+	1252	608,116	1158	91.7	89.7-93.7	94	8.3	06.3-10.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6826	2,574,026	5780	82.9	81.5-84.3	1046	17.1	15.7-18.5
White/Non-Hisp	5960	2,100,954	5089	83.1	81.7-84.5	871	16.9	15.5-18.3
Black or Afr. Am./Non-Hisp	393	224,991	309	77.7	72.4-83.0	84	22.3	17.0-27.6
Oth. Race/Non-Hisp.	108	38,844	85	88.8	82.1-95.5	23	11.2	04.5-17.9
MultiRacial/Non-Hisp.	79	27,840	58	73.8	60.9-86.7	21	26.2	13.3-39.1
Hispanic	187	142,876	164	87.7	82.4-93.0	23	12.3	07.0-17.6
18-24	258	333,267	203	79.0	73.5-84.5	55	21.0	15.5-26.5
25-34	492	410,949	397	81.5	77.6-85.4	95	18.5	14.6-22.4
35-44	722	407,208	615	82.3	78.8-85.8	107	17.7	14.2-21.2
45-54	1068	438,194	885	82.4	79.7-85.1	183	17.6	14.9-20.3
55-64	1495	415,339	1269	84.5	82.3-86.7	226	15.5	13.3-17.7
65+	2693	540,017	2323	85.5	83.7-87.3	370	14.5	12.7-16.3
Less Than H.S.	604	347,796	472	78.0	73.7-82.3	132	22.0	17.7-26.3
H.S. or G.E.D.	2396	862,977	2058	84.4	82.2-86.6	338	15.6	13.4-17.8
Some Post-H.S.	1812	837,933	1505	81.1	78.6-83.6	307	18.9	16.4-21.4
College Graduate	1957	509,963	1692	86.3	84.3-88.3	265	13.7	11.7-15.7
Less than \$15,000	769	331,520	577	73.3	69.0-77.6	192	26.7	22.4-31.0
\$15,000- 24,999	1236	465,451	1016	79.1	75.6-82.6	220	20.9	17.4-24.4
\$25,000- 34,999	715	255,386	620	84.5	80.4-88.6	95	15.5	11.4-19.6
\$35,000- 49,999	853	320,716	724	84.6	81.3-87.9	129	15.4	12.1-18.7
\$50,000- 74,999	796	317,365	699	86.4	82.9-89.9	97	13.6	10.1-17.1
\$75,000+	1282	476,976	1130	88.0	85.6-90.4	152	12.0	09.6-14.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11454	4,990,555	10287	89.3	88.5-90.1	1167	10.7	09.9-11.5
Male	4654	2,428,553	4309	92.1	91.1-93.1	345	7.9	06.9-08.9
Female	6800	2,562,002	5978	86.7	85.5-87.9	822	13.3	12.1-14.5
White/Non-Hisp	9972	4,066,891	8997	89.5	88.7-90.3	975	10.5	09.7-11.3
Black or Afr. Am./Non-Hisp	631	420,743	542	86.3	83.0-89.6	89	13.7	10.4-17.0
Oth. Race/Non-Hisp.	229	103,576	199	91.6	86.7-96.5	30	8.4	03.5-13.3
MultiRacial/Non-Hisp.	129	53,695	107	84.3	76.3-92.3	22	15.7	07.7-23.7
Hispanic	318	272,933	289	91.6	88.3-94.9	29	8.4	05.1-11.7
18-24	561	673,961	493	87.4	84.3-90.5	68	12.6	09.5-15.7
25-34	869	817,297	778	89.8	87.4-92.2	91	10.2	07.8-12.6
35-44	1265	811,813	1133	88.7	86.5-90.9	132	11.3	09.1-13.5
45-54	1879	866,108	1660	89.1	87.5-90.7	219	10.9	09.3-12.5
55-64	2597	818,004	2338	89.9	88.5-91.3	259	10.1	08.7-11.5
65+	4134	953,126	3745	90.2	89.0-91.4	389	9.8	08.6-11.0
Less Than H.S.	996	687,446	827	84.0	81.1-86.9	169	16.0	13.1-18.9
H.S. or G.E.D.	3928	1,724,379	3550	90.2	89.0-91.4	378	9.8	08.6-11.0
Some Post-H.S.	2900	1,509,493	2584	89.2	87.6-90.8	316	10.8	09.2-12.4
College Graduate	3534	1,034,673	3236	91.4	90.2-92.6	298	8.6	07.4-09.8
Less than \$15,000	1134	528,776	925	81.3	78.4-84.2	209	18.7	15.8-21.6
\$15,000- 24,999	1830	810,253	1595	86.2	83.8-88.6	235	13.8	11.4-16.2
\$25,000- 34,999	1184	511,513	1066	90.3	88.1-92.5	118	9.7	07.5-11.9
\$35,000- 49,999	1513	665,271	1382	91.0	89.0-93.0	131	9.0	07.0-11.0
\$50,000- 74,999	1529	694,297	1406	91.0	88.8-93.2	123	9.0	06.8-11.2
\$75,000+	2531	1,084,159	2352	93.1	91.9-94.3	179	6.9	05.7-08.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4654	2,428,553	4309	92.1	91.1-93.1	345	7.9	06.9-08.9
White/Non-Hisp	4032	1,972,480	3741	92.3	91.1-93.5	291	7.7	06.5-08.9
Black or Afr. Am./Non-Hisp	241	199,442	220	90.8	86.5-95.1	21	9.2	04.9-13.5
Oth. Race/Non-Hisp.	121	64,731	111	92.5	85.8-99.2	10	7.5	00.8-14.2
MultiRacial/Non-Hisp.	52	27,462	47	89.4	78.4-0100	5	10.6	00.0-21.6
Hispanic	131	130,057	119	92.0	87.3-96.7	12	8.0	03.3-12.7
18-24	307	344,687	275	89.4	85.5-93.3	32	10.6	06.7-14.5
25-34	379	408,080	350	92.1	89.0-95.2	29	7.9	04.8-11.0
35-44	545	405,616	498	91.6	89.1-94.1	47	8.4	05.9-10.9
45-54	812	428,389	754	93.4	91.4-95.4	58	6.6	04.6-08.6
55-64	1108	404,135	1035	93.0	91.2-94.8	73	7.0	05.2-08.8
65+	1452	416,453	1347	92.1	90.3-93.9	105	7.9	06.1-09.7
Less Than H.S.	395	340,856	339	86.8	82.5-91.1	56	13.2	08.9-17.5
H.S. or G.E.D.	1544	866,560	1433	92.7	91.1-94.3	111	7.3	05.7-08.9
Some Post-H.S.	1095	676,359	1016	93.3	91.5-95.1	79	6.7	04.9-08.5
College Graduate	1581	525,572	1485	92.8	91.0-94.6	96	7.2	05.4-09.0
Less than \$15,000	370	198,689	318	86.2	81.9-90.5	52	13.8	09.5-18.1
\$15,000- 24,999	598	345,915	537	89.1	85.6-92.6	61	10.9	07.4-14.4
\$25,000- 34,999	470	256,446	431	93.3	90.8-95.8	39	6.7	04.2-09.2
\$35,000- 49,999	663	347,086	627	93.4	90.9-95.9	36	6.6	04.1-09.1
\$50,000- 74,999	735	377,942	685	91.9	89.2-94.6	50	8.1	05.4-10.8
\$75,000+	1251	607,784	1185	94.6	93.0-96.2	66	5.4	03.8-07.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6800	2,562,002	5978	86.7	85.5-87.9	822	13.3	12.1-14.5
White/Non-Hisp	5940	2,094,411	5256	86.9	85.7-88.1	684	13.1	11.9-14.3
Black or Afr. Am./Non-Hisp	390	221,302	322	82.2	77.3-87.1	68	17.8	12.9-22.7
Oth. Race/Non-Hisp.	108	38,844	88	90.1	83.6-96.6	20	9.9	03.4-16.4
MultiRacial/Non-Hisp.	77	26,233	60	78.9	67.3-90.5	17	21.1	09.5-32.7
Hispanic	187	142,876	170	91.3	86.8-95.8	17	8.7	04.2-13.2
18-24	254	329,274	218	85.4	80.7-90.1	36	14.6	09.9-19.3
25-34	490	409,216	428	87.5	84.0-91.0	62	12.5	09.0-16.0
35-44	720	406,197	635	85.8	82.7-88.9	85	14.2	11.1-17.3
45-54	1067	437,719	906	84.8	82.3-87.3	161	15.2	12.7-17.7
55-64	1489	413,869	1303	86.9	84.7-89.1	186	13.1	10.9-15.3
65+	2682	536,674	2398	88.8	87.2-90.4	284	11.2	09.6-12.8
Less Than H.S.	601	346,590	488	81.3	77.2-85.4	113	18.7	14.6-22.8
H.S. or G.E.D.	2384	857,818	2117	87.7	85.7-89.7	267	12.3	10.3-14.3
Some Post-H.S.	1805	833,134	1568	85.8	83.6-88.0	237	14.2	12.0-16.4
College Graduate	1953	509,101	1751	90.1	88.3-91.9	202	9.9	08.1-11.7
Less than \$15,000	764	330,087	607	78.3	74.2-82.4	157	21.7	17.6-25.8
\$15,000- 24,999	1232	464,338	1058	84.1	81.0-87.2	174	15.9	12.8-19.0
\$25,000- 34,999	714	255,067	635	87.4	83.7-91.1	79	12.6	08.9-16.3
\$35,000- 49,999	850	318,184	755	88.4	85.5-91.3	95	11.6	08.7-14.5
\$50,000- 74,999	794	316,355	721	90.1	87.0-93.2	73	9.9	06.8-13.0
\$75,000+	1280	476,375	1167	91.2	89.0-93.4	113	8.8	06.6-11.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 7: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11454	4,990,555	1167	10.7	09.9-11.5	346	3.6	03.2-04.0	9941	85.8	84.8-86.8
Male	4654	2,428,553	345	7.9	06.9-08.9	148	3.7	02.9-04.5	4161	88.4	87.2-89.6
Female	6800	2,562,002	822	13.3	12.1-14.5	198	3.5	02.9-04.1	5780	83.3	81.9-84.7
White/Non-Hisp	9972	4,066,891	975	10.5	09.7-11.3	293	3.6	03.0-04.2	8704	85.9	84.9-86.9
Black or Afr. Am./Non-Hisp	631	420,743	89	13.7	10.4-17.0	25	4.0	02.2-05.8	517	82.3	78.6-86.0
Oth. Race/Non-Hisp.	229	103,576	30	8.4	03.5-13.3	5	1.1	00.0-02.5	194	90.4	85.5-95.3
MultiRacial/Non-Hisp.	129	53,695	22	15.7	07.7-23.7	2	0.3	00.0-00.7	105	84.0	76.0-92.0
Hispanic	318	272,933	29	8.4	05.1-11.7	11	3.4	01.2-05.6	278	88.2	84.3-92.1
18-24	561	673,961	68	12.6	09.5-15.7	39	6.3	04.1-08.5	454	81.1	77.6-84.6
25-34	869	817,297	91	10.2	07.8-12.6	50	5.3	03.7-06.9	728	84.5	81.8-87.2
35-44	1265	811,813	132	11.3	09.1-13.5	41	3.5	02.1-04.9	1092	85.2	82.8-87.6
45-54	1879	866,108	219	10.9	09.3-12.5	48	2.7	01.9-03.5	1612	86.3	84.5-88.1
55-64	2597	818,004	259	10.1	08.7-11.5	60	2.1	01.5-02.7	2278	87.8	86.2-89.4
65+	4134	953,126	389	9.8	08.6-11.0	104	2.3	01.7-02.9	3641	87.9	86.5-89.3
Less Than H.S.	996	687,446	169	16.0	13.1-18.9	34	3.7	02.1-05.3	793	80.4	77.3-83.5
H.S. or G.E.D.	3928	1,724,379	378	9.8	08.6-11.0	104	2.8	02.0-03.6	3446	87.4	86.0-88.8
Some Post-H.S.	2900	1,509,493	316	10.8	09.2-12.4	108	4.5	03.5-05.5	2476	84.7	82.9-86.5
College Graduate	3534	1,034,673	298	8.6	07.4-09.8	97	3.5	02.7-04.3	3139	87.9	86.5-89.3
Less than \$15,000	1134	528,776	209	18.7	15.8-21.6	47	5.1	03.3-06.9	878	76.2	72.9-79.5
\$15,000- 24,999	1830	810,253	235	13.8	11.4-16.2	66	4.1	02.7-05.5	1529	82.1	79.6-84.6
\$25,000- 34,999	1184	511,513	118	9.7	07.5-11.9	29	3.1	01.5-04.7	1037	87.3	84.6-90.0
\$35,000- 49,999	1513	665,271	131	9.0	07.0-11.0	56	3.6	02.4-04.8	1326	87.4	85.2-89.6
\$50,000- 74,999	1529	694,297	123	9.0	06.8-11.2	42	3.7	02.3-05.1	1364	87.4	85.0-89.8
\$75,000+	2531	1,084,159	179	6.9	05.7-08.1	64	3.0	02.0-04.0	2288	90.1	88.5-91.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 8: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4654	2,428,553	345	7.9	06.9-08.9	148	3.7	02.9-04.5	4161	88.4	87.2-89.6
White/Non-Hisp	4032	1,972,480	291	7.7	06.5-08.9	126	3.7	02.9-04.5	3615	88.6	87.2-90.0
Black or Afr. Am./Non-Hisp	241	199,442	21	9.2	04.9-13.5	12	5.0	01.9-08.1	208	85.9	80.8-91.0
Oth. Race/Non-Hisp.	121	64,731	10	7.5	00.8-14.2	2	1.1	00.0-03.1	109	91.4	84.5-98.3
MultiRacial/Non-Hisp.	52	27,462	5	10.6	00.0-21.6				47	89.4	78.4-0100
Hispanic	131	130,057	12	8.0	03.3-12.7	5	3.2	00.1-06.3	114	88.8	83.3-94.3
18-24	307	344,687	32	10.6	06.7-14.5	24	7.2	04.3-10.1	251	82.3	77.6-87.0
25-34	379	408,080	29	7.9	04.8-11.0	19	4.9	02.5-07.3	331	87.1	83.4-90.8
35-44	545	405,616	47	8.4	05.9-10.9	21	3.6	01.8-05.4	477	87.9	84.8-91.0
45-54	812	428,389	58	6.6	04.6-08.6	27	3.1	01.7-04.5	727	90.2	87.8-92.6
55-64	1108	404,135	73	7.0	05.2-08.8	26	2.1	01.1-03.1	1009	90.9	88.9-92.9
65+	1452	416,453	105	7.9	06.1-09.7	29	1.8	01.0-02.6	1318	90.3	88.3-92.3
Less Than H.S.	395	340,856	56	13.2	08.9-17.5	18	4.3	01.9-06.7	321	82.5	77.8-87.2
H.S. or G.E.D.	1544	866,560	111	7.3	05.7-08.9	45	2.7	01.7-03.7	1388	90.0	88.2-91.8
Some Post-H.S.	1095	676,359	79	6.7	04.9-08.5	45	4.8	03.2-06.4	971	88.6	86.2-91.0
College Graduate	1581	525,572	96	7.2	05.4-09.0	38	3.4	02.2-04.6	1447	89.3	87.3-91.3
Less than \$15,000	370	198,689	52	13.8	09.5-18.1	17	5.7	02.8-08.6	301	80.6	75.5-85.7
\$15,000- 24,999	598	345,915	61	10.9	07.4-14.4	24	3.1	01.5-04.7	513	86.0	82.3-89.7
\$25,000- 34,999	470	256,446	39	6.7	04.2-09.2	14	3.4	01.2-05.6	417	89.9	86.8-93.0
\$35,000- 49,999	663	347,086	36	6.6	04.1-09.1	25	4.0	02.0-06.0	602	89.4	86.3-92.5
\$50,000- 74,999	735	377,942	50	8.1	05.4-10.8	20	4.0	02.0-06.0	665	87.9	84.6-91.2
\$75,000+	1251	607,784	66	5.4	03.8-07.0	27	2.9	01.5-04.3	1158	91.7	89.7-93.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 9: COMPUTED ASTHMA STATUS (_ASTHMS1)**

**Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6800	2,562,002	822	13.3	12.1-14.5	198	3.5	02.9-04.1	5780	83.3	81.9-84.7
White/Non-Hisp	5940	2,094,411	684	13.1	11.9-14.3	167	3.6	02.8-04.4	5089	83.4	82.0-84.8
Black or Afr. Am./Non-Hisp	390	221,302	68	17.8	12.9-22.7	13	3.1	00.9-05.3	309	79.0	73.9-84.1
Oth. Race/Non-Hisp.	108	38,844	20	9.9	03.4-16.4	3	1.2	00.0-02.8	85	88.8	82.1-95.5
MultiRacial/Non-Hisp.	77	26,233	17	21.1	09.5-32.7	2	0.6	00.0-01.6	58	78.3	66.5-90.1
Hispanic	187	142,876	17	8.7	04.2-13.2	6	3.6	00.5-06.7	164	87.7	82.4-93.0
18-24	254	329,274	36	14.6	09.9-19.3	15	5.4	02.5-08.3	203	80.0	74.7-85.3
25-34	490	409,216	62	12.5	09.0-16.0	31	5.7	03.3-08.1	397	81.8	77.9-85.7
35-44	720	406,197	85	14.2	11.1-17.3	20	3.3	01.3-05.3	615	82.5	79.0-86.0
45-54	1067	437,719	161	15.2	12.7-17.7	21	2.3	01.1-03.5	885	82.5	79.8-85.2
55-64	1489	413,869	186	13.1	10.9-15.3	34	2.1	01.3-02.9	1269	84.8	82.6-87.0
65+	2682	536,674	284	11.2	09.6-12.8	75	2.7	01.9-03.5	2323	86.1	84.3-87.9
Less Than H.S.	601	346,590	113	18.7	14.6-22.8	16	3.0	01.0-05.0	472	78.3	74.0-82.6
H.S. or G.E.D.	2384	857,818	267	12.3	10.3-14.3	59	2.8	01.8-03.8	2058	84.9	82.7-87.1
Some Post-H.S.	1805	833,134	237	14.2	12.0-16.4	63	4.2	02.8-05.6	1505	81.6	79.1-84.1
College Graduate	1953	509,101	202	9.9	08.1-11.7	59	3.6	02.4-04.8	1692	86.5	84.5-88.5
Less than \$15,000	764	330,087	157	21.7	17.6-25.8	30	4.7	02.3-07.1	577	73.6	69.1-78.1
\$15,000- 24,999	1232	464,338	174	15.9	12.8-19.0	42	4.8	02.8-06.8	1016	79.3	75.8-82.8
\$25,000- 34,999	714	255,067	79	12.6	08.9-16.3	15	2.8	00.6-05.0	620	84.6	80.5-88.7
\$35,000- 49,999	850	318,184	95	11.6	08.7-14.5	31	3.2	01.8-04.6	724	85.2	82.1-88.3
\$50,000- 74,999	794	316,355	73	9.9	06.8-13.0	22	3.4	01.6-05.2	699	86.7	83.2-90.2
\$75,000+	1280	476,375	113	8.8	06.6-11.0	37	3.1	01.9-04.3	1130	88.1	85.7-90.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 10: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11459	5,005,992	4406	29.2	28.2-30.2	7053	70.8	69.8-71.8
Male	4648	2,435,837	1397	24.3	22.7-25.9	3251	75.7	74.1-77.3
Female	6811	2,570,155	3009	33.7	32.3-35.1	3802	66.3	64.9-67.7
White/Non-Hisp	9973	4,075,960	3936	30.9	29.7-32.1	6037	69.1	67.9-70.3
Black or Afr. Am./Non-Hisp	636	426,686	233	28.2	23.9-32.5	403	71.8	67.5-76.1
Oth. Race/Non-Hisp.	226	102,650	65	13.6	08.7-18.5	161	86.4	81.5-91.3
MultiRacial/Non-Hisp.	131	55,302	67	38.8	28.2-49.4	64	61.2	50.6-71.8
Hispanic	318	272,933	42	9.1	05.8-12.4	276	90.9	87.6-94.2
18-24	568	682,188	16	2.9	01.3-04.5	552	97.1	95.5-98.7
25-34	874	823,509	110	13.4	10.7-16.1	764	86.6	83.9-89.3
35-44	1267	814,252	215	18.4	15.7-21.1	1052	81.6	78.9-84.3
45-54	1873	865,544	581	32.1	29.6-34.6	1292	67.9	65.4-70.4
55-64	2602	819,106	1142	44.3	41.9-46.7	1460	55.7	53.3-58.1
65+	4127	951,474	2294	54.8	52.8-56.8	1833	45.2	43.2-47.2
Less Than H.S.	1004	693,726	487	34.3	30.6-38.0	517	65.7	62.0-69.4
H.S. or G.E.D.	3923	1,727,247	1680	31.5	29.7-33.3	2243	68.5	66.7-70.3
Some Post-H.S.	2905	1,517,226	1169	30.5	28.5-32.5	1736	69.5	67.5-71.5
College Graduate	3532	1,034,058	1038	19.8	18.2-21.4	2494	80.2	78.6-81.8
Less than \$15,000	1134	528,419	613	41.3	37.4-45.2	521	58.7	54.8-62.6
\$15,000- 24,999	1832	816,480	857	34.9	32.0-37.8	975	65.1	62.2-68.0
\$25,000- 34,999	1181	510,956	509	30.3	27.0-33.6	672	69.7	66.4-73.0
\$35,000- 49,999	1507	666,074	564	28.6	25.9-31.3	943	71.4	68.7-74.1
\$50,000- 74,999	1531	694,672	535	27.2	24.5-29.9	996	72.8	70.1-75.5
\$75,000+	2530	1,083,852	638	21.0	19.0-23.0	1892	79.0	77.0-81.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 11: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4648	2,435,837	1397	24.3	22.7-25.9	3251	75.7	74.1-77.3
White/Non-Hisp	4029	1,979,911	1249	25.8	24.2-27.4	2780	74.2	72.6-75.8
Black or Afr. Am./Non-Hisp	242	200,622	66	23.3	17.0-29.6	176	76.7	70.4-83.0
Oth. Race/Non-Hisp.	119	63,998	21	10.3	04.2-16.4	98	89.7	83.6-95.8
MultiRacial/Non-Hisp.	52	27,462	25	39.0	22.7-55.3	27	61.0	44.7-77.3
Hispanic	131	130,057	14	8.7	03.6-13.8	117	91.3	86.2-96.4
18-24	309	348,653	3	0.9	00.0-01.9	306	99.1	98.1-0100
25-34	382	412,560	40	12.7	08.8-16.6	342	87.3	83.4-91.2
35-44	546	407,232	82	16.8	12.9-20.7	464	83.2	79.3-87.1
45-54	807	427,296	216	28.2	24.5-31.9	591	71.8	68.1-75.5
55-64	1108	404,343	392	37.5	34.0-41.0	716	62.5	59.0-66.0
65+	1446	414,928	653	46.5	43.4-49.6	793	53.5	50.4-56.6
Less Than H.S.	396	344,685	148	28.5	23.2-33.8	248	71.5	66.2-76.8
H.S. or G.E.D.	1542	869,298	483	24.8	22.3-27.3	1059	75.2	72.7-77.7
Some Post-H.S.	1094	678,605	368	26.9	23.8-30.0	726	73.1	70.0-76.2
College Graduate	1578	524,550	390	17.6	15.4-19.8	1188	82.4	80.2-84.6
Less than \$15,000	368	197,268	152	36.5	30.2-42.8	216	63.5	57.2-69.8
\$15,000- 24,999	601	353,235	221	27.9	23.4-32.4	380	72.1	67.6-76.6
\$25,000- 34,999	468	256,070	162	25.9	21.2-30.6	306	74.1	69.4-78.8
\$35,000- 49,999	663	347,895	204	24.1	20.2-28.0	459	75.9	72.0-79.8
\$50,000- 74,999	733	376,824	227	25.8	21.9-29.7	506	74.2	70.3-78.1
\$75,000+	1251	607,708	284	19.7	17.0-22.4	967	80.3	77.6-83.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 12: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6811	2,570,155	3009	33.7	32.3-35.1	3802	66.3	64.9-67.7
White/Non-Hisp	5944	2,096,049	2687	35.8	34.2-37.4	3257	64.2	62.6-65.8
Black or Afr. Am./Non-Hisp	394	226,064	167	32.6	26.9-38.3	227	67.4	61.7-73.1
Oth. Race/Non-Hisp.	107	38,651	44	18.9	10.7-27.1	63	81.1	72.9-89.3
MultiRacial/Non-Hisp.	79	27,840	42	38.6	24.7-52.5	37	61.4	47.5-75.3
Hispanic	187	142,876	28	9.4	05.3-13.5	159	90.6	86.5-94.7
18-24	259	333,535	13	5.1	02.2-08.0	246	94.9	92.0-97.8
25-34	492	410,949	70	14.0	10.5-17.5	422	86.0	82.5-89.5
35-44	721	407,020	133	20.1	16.6-23.6	588	79.9	76.4-83.4
45-54	1066	438,248	365	35.9	32.6-39.2	701	64.1	60.8-67.4
55-64	1494	414,764	750	50.9	47.8-54.0	744	49.1	46.0-52.2
65+	2681	536,547	1641	61.2	58.8-63.6	1040	38.8	36.4-41.2
Less Than H.S.	608	349,042	339	40.1	35.2-45.0	269	59.9	55.0-64.8
H.S. or G.E.D.	2381	857,949	1197	38.3	35.8-40.8	1184	61.7	59.2-64.2
Some Post-H.S.	1811	838,621	801	33.4	30.7-36.1	1010	66.6	63.9-69.3
College Graduate	1954	509,508	648	22.1	19.9-24.3	1306	77.9	75.7-80.1
Less than \$15,000	766	331,150	461	44.2	39.3-49.1	305	55.8	50.9-60.7
\$15,000- 24,999	1231	463,246	636	40.2	36.5-43.9	595	59.8	56.1-63.5
\$25,000- 34,999	713	254,885	347	34.7	30.2-39.2	366	65.3	60.8-69.8
\$35,000- 49,999	844	318,179	360	33.4	29.3-37.5	484	66.6	62.5-70.7
\$50,000- 74,999	798	317,848	308	28.9	25.0-32.8	490	71.1	67.2-75.0
\$75,000+	1279	476,143	354	22.8	20.1-25.5	925	77.2	74.5-79.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 7: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)	
1	MALES AND FEMALES	28
2	MALES ONLY	29
3	FEMALES ONLY	30
	ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)	
4	MALES AND FEMALES	31
5	MALES ONLY	32
6	FEMALES ONLY	33
	ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)	
7	MALES AND FEMALES	34
8	MALES ONLY	35
9	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

**TABLE 1: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11267	4,960,934	5058	52.2	51.0-53.4	6209	47.8	46.6-49.0
Male	4595	2,421,340	2101	52.9	50.9-54.9	2494	47.1	45.1-49.1
Female	6672	2,539,594	2957	51.5	49.9-53.1	3715	48.5	46.9-50.1
White/Non-Hisp	9817	4,043,875	4399	51.9	50.5-53.3	5418	48.1	46.7-49.5
Black or Afr. Am./Non-Hisp	622	418,744	246	47.7	42.6-52.8	376	52.3	47.2-57.4
Oth. Race/Non-Hisp.	225	103,184	124	69.3	61.9-76.7	101	30.7	23.3-38.1
MultiRacial/Non-Hisp.	125	53,985	54	50.4	38.8-62.0	71	49.6	38.0-61.2
Hispanic	315	271,898	184	62.5	56.4-68.6	131	37.5	31.4-43.6
18-24	570	683,593	495	86.8	83.9-89.7	75	13.2	10.3-16.1
25-34	872	823,288	614	66.8	63.1-70.5	258	33.2	29.5-36.9
35-44	1264	811,425	821	59.4	56.1-62.7	443	40.6	37.3-43.9
45-54	1872	862,758	983	48.3	45.6-51.0	889	51.7	49.0-54.4
55-64	2570	809,068	1023	37.0	34.8-39.2	1547	63.0	60.8-65.2
65+	3978	922,892	1052	24.0	22.4-25.6	2926	76.0	74.4-77.6
Less Than H.S.	969	679,574	259	37.6	33.3-41.9	710	62.4	58.1-66.7
H.S. or G.E.D.	3832	1,707,805	1249	43.6	41.4-45.8	2583	56.4	54.2-58.6
Some Post-H.S.	2878	1,509,669	1286	55.1	52.7-57.5	1592	44.9	42.5-47.3
College Graduate	3498	1,030,964	2231	72.1	70.3-73.9	1267	27.9	26.1-29.7
Less than \$15,000	1104	523,023	295	36.7	32.6-40.8	809	63.3	59.2-67.4
\$15,000- 24,999	1790	809,186	534	40.2	36.9-43.5	1256	59.8	56.5-63.1
\$25,000- 34,999	1161	506,991	391	44.3	40.2-48.4	770	55.7	51.6-59.8
\$35,000- 49,999	1503	665,543	604	46.8	43.5-50.1	899	53.2	49.9-56.5
\$50,000- 74,999	1525	695,284	791	56.6	53.3-59.9	734	43.4	40.1-46.7
\$75,000+	2531	1,084,611	1702	70.9	68.7-73.1	829	29.1	26.9-31.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

TABLE 2: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4595	2,421,340	2101	52.9	50.9-54.9	2494	47.1	45.1-49.1
White/Non-Hisp	3984	1,967,086	1799	52.0	50.0-54.0	2185	48.0	46.0-50.0
Black or Afr. Am./Non-Hisp	238	198,754	109	53.7	45.9-61.5	129	46.3	38.5-54.1
Oth. Race/Non-Hisp.	118	64,758	70	71.3	61.9-80.7	48	28.7	19.3-38.1
MultiRacial/Non-Hisp.	52	27,462	21	45.8	28.2-63.4	31	54.2	36.6-71.8
Hispanic	130	129,767	79	64.6	55.6-73.6	51	35.4	26.4-44.4
18-24	311	350,297	274	88.3	84.6-92.0	37	11.7	08.0-15.4
25-34	382	414,235	275	69.0	63.7-74.3	107	31.0	25.7-36.3
35-44	543	406,153	350	59.8	54.7-64.9	193	40.2	35.1-45.3
45-54	806	425,394	418	47.8	43.7-51.9	388	52.2	48.1-56.3
55-64	1100	400,965	422	35.6	32.3-38.9	678	64.4	61.1-67.7
65+	1405	404,235	334	21.1	18.6-23.6	1071	78.9	76.4-81.4
Less Than H.S.	385	341,907	115	42.2	35.7-48.7	270	57.8	51.3-64.3
H.S. or G.E.D.	1521	863,852	550	46.9	43.8-50.0	971	53.1	50.0-56.2
Some Post-H.S.	1086	674,236	477	54.0	50.5-57.5	609	46.0	42.5-49.5
College Graduate	1566	523,083	941	68.3	65.6-71.0	625	31.7	29.0-34.4
Less than \$15,000	359	195,997	112	40.4	33.7-47.1	247	59.6	52.9-66.3
\$15,000- 24,999	597	351,501	176	39.8	34.3-45.3	421	60.2	54.7-65.7
\$25,000- 34,999	458	253,358	153	45.8	39.5-52.1	305	54.2	47.9-60.5
\$35,000- 49,999	657	345,475	264	47.9	43.0-52.8	393	52.1	47.2-57.0
\$50,000- 74,999	733	378,799	348	53.1	48.4-57.8	385	46.9	42.2-51.6
\$75,000+	1250	607,951	794	68.2	65.1-71.3	456	31.8	28.7-34.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

TABLE 3: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6672	2,539,594	2957	51.5	49.9-53.1	3715	48.5	46.9-50.1
White/Non-Hisp	5833	2,076,789	2600	51.8	50.0-53.6	3233	48.2	46.4-50.0
Black or Afr. Am./Non-Hisp	384	219,990	137	42.2	35.5-48.9	247	57.8	51.1-64.5
Oth. Race/Non-Hisp.	107	38,426	54	66.0	54.2-77.8	53	34.0	22.2-45.8
MultiRacial/Non-Hisp.	73	26,523	33	55.2	39.7-70.7	40	44.8	29.3-60.3
Hispanic	185	142,131	105	60.5	52.5-68.5	80	39.5	31.5-47.5
18-24	259	333,296	221	85.1	80.4-89.8	38	14.9	10.2-19.6
25-34	490	409,053	339	64.5	59.6-69.4	151	35.5	30.6-40.4
35-44	721	405,272	471	59.1	54.8-63.4	250	40.9	36.6-45.2
45-54	1066	437,364	565	48.8	45.3-52.3	501	51.2	47.7-54.7
55-64	1470	408,103	601	38.5	35.6-41.4	869	61.5	58.6-64.4
65+	2573	518,657	718	26.4	24.2-28.6	1855	73.6	71.4-75.8
Less Than H.S.	584	337,667	144	33.0	27.5-38.5	440	67.0	61.5-72.5
H.S. or G.E.D.	2311	843,953	699	40.2	37.3-43.1	1612	59.8	56.9-62.7
Some Post-H.S.	1792	835,433	809	56.0	53.1-58.9	983	44.0	41.1-46.9
College Graduate	1932	507,881	1290	76.0	73.8-78.2	642	24.0	21.8-26.2
Less than \$15,000	745	327,025	183	34.5	29.4-39.6	562	65.5	60.4-70.6
\$15,000- 24,999	1193	457,686	358	40.5	36.4-44.6	835	59.5	55.4-63.6
\$25,000- 34,999	703	253,633	238	42.9	37.6-48.2	465	57.1	51.8-62.4
\$35,000- 49,999	846	320,068	340	45.5	40.8-50.2	506	54.5	49.8-59.2
\$50,000- 74,999	792	316,485	443	60.8	56.3-65.3	349	39.2	34.7-43.7
\$75,000+	1281	476,660	908	74.2	71.3-77.1	373	25.8	22.9-28.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

**TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3978	922,892	3326	82.0	80.4-83.6	652	18.0	16.4-19.6
Male	1405	404,235	1186	82.4	79.9-84.9	219	17.6	15.1-20.1
Female	2573	518,657	2140	81.7	79.7-83.7	433	18.3	16.3-20.3
White/Non-Hisp	3679	830,111	3100	82.9	81.3-84.5	579	17.1	15.5-18.7
Black or Afr. Am./Non-Hisp	141	56,210	106	73.2	63.2-83.2	35	26.8	16.8-36.8
65+	3978	922,892	3326	82.0	80.4-83.6	652	18.0	16.4-19.6
Less Than H.S.	386	127,574	230	60.6	54.5-66.7	156	39.4	33.3-45.5
H.S. or G.E.D.	1620	402,379	1307	81.1	78.7-83.5	313	18.9	16.5-21.3
Some Post-H.S.	915	234,716	801	87.0	84.1-89.9	114	13.0	10.1-15.9
College Graduate	1024	149,347	961	94.9	93.5-96.3	63	5.1	03.7-06.5
Less than \$15,000	377	86,729	249	65.6	59.1-72.1	128	34.4	27.9-40.9
\$15,000- 24,999	851	200,397	639	72.2	68.1-76.3	212	27.8	23.7-31.9
\$25,000- 34,999	535	126,689	452	82.9	78.8-87.0	83	17.1	13.0-21.2
\$35,000- 49,999	598	151,993	544	90.8	87.7-93.9	54	9.2	06.1-12.3
\$50,000- 74,999	415	98,190	383	90.9	87.2-94.6	32	9.1	05.4-12.8
\$75,000+	427	93,889	413	96.5	94.1-98.9	14	3.5	01.1-05.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1405	404,235	1186	82.4	79.9-84.9	219	17.6	15.1-20.1
White/Non-Hisp	1299	364,529	1101	82.7	80.0-85.4	198	17.3	14.6-20.0
65+	1405	404,235	1186	82.4	79.9-84.9	219	17.6	15.1-20.1
Less Than H.S.	115	50,983	68	59.2	48.4-70.0	47	40.8	30.0-51.6
H.S. or G.E.D.	495	165,697	398	81.9	78.0-85.8	97	18.1	14.2-22.0
Some Post-H.S.	292	95,512	252	85.1	80.0-90.2	40	14.9	09.8-20.0
College Graduate	495	88,343	463	94.4	92.2-96.6	32	5.6	03.4-07.8
Less than \$15,000	79	26,926	51	67.3	54.6-80.0	28	32.7	20.0-45.4
\$15,000- 24,999	244	74,274	178	69.6	62.2-77.0	66	30.4	23.0-37.8
\$25,000- 34,999	192	57,725	158	81.3	74.8-87.8	34	18.7	12.2-25.2
\$35,000- 49,999	249	78,097	227	90.3	85.2-95.4	22	9.7	04.6-14.8
\$50,000- 74,999	209	57,110	189	89.3	84.0-94.6	20	10.7	05.4-16.0
\$75,000+	250	60,344	237	94.7	91.2-98.2	13	5.3	01.8-08.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2573	518,657	2140	81.7	79.7-83.7	433	18.3	16.3-20.3
White/Non-Hisp	2380	465,582	1999	83.2	81.2-85.2	381	16.8	14.8-18.8
Black or Afr. Am./Non-Hisp	96	34,893	70	68.0	54.5-81.5	26	32.0	18.5-45.5
65+	2573	518,657	2140	81.7	79.7-83.7	433	18.3	16.3-20.3
Less Than H.S.	271	76,591	162	61.5	54.2-68.8	109	38.5	31.2-45.8
H.S. or G.E.D.	1125	236,682	909	80.5	77.6-83.4	216	19.5	16.6-22.4
Some Post-H.S.	623	139,204	549	88.2	84.9-91.5	74	11.8	08.5-15.1
College Graduate	529	61,004	498	95.6	93.8-97.4	31	4.4	02.6-06.2
Less than \$15,000	298	59,802	198	64.8	57.5-72.1	100	35.2	27.9-42.5
\$15,000- 24,999	607	126,123	461	73.8	68.9-78.7	146	26.2	21.3-31.1
\$25,000- 34,999	343	68,964	294	84.2	78.9-89.5	49	15.8	10.5-21.1
\$35,000- 49,999	349	73,896	317	91.3	88.0-94.6	32	8.7	05.4-12.0
\$50,000- 74,999	206	41,080	194	93.1	88.2-98.0	12	6.9	02.0-11.8
\$75,000+	177	33,545	176	99.6	98.8-0100	1	0.4	00.0-01.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

**TABLE 7: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11426	4,989,568	7555	61.5	60.3-62.7	3871	38.5	37.3-39.7
Male	4631	2,424,952	2997	59.9	57.9-61.9	1634	40.1	38.1-42.1
Female	6795	2,564,616	4558	63.1	61.5-64.7	2237	36.9	35.3-38.5
White/Non-Hisp	9960	4,066,227	6736	63.4	62.0-64.8	3224	36.6	35.2-38.0
Black or Afr. Am./Non-Hisp	627	420,974	353	55.1	50.0-60.2	274	44.9	39.8-50.0
Oth. Race/Non-Hisp.	226	103,403	125	57.2	48.6-65.8	101	42.8	34.2-51.4
MultiRacial/Non-Hisp.	129	54,799	79	58.3	46.7-69.9	50	41.7	30.1-53.3
Hispanic	317	272,377	168	47.3	41.0-53.6	149	52.7	46.4-59.0
18-24	571	685,250	352	60.6	56.1-65.1	219	39.4	34.9-43.9
25-34	871	820,754	509	54.9	51.2-58.6	362	45.1	41.4-48.8
35-44	1263	808,985	852	62.3	59.0-65.6	411	37.7	34.4-41.0
45-54	1879	866,499	1273	63.5	61.0-66.0	606	36.5	34.0-39.0
55-64	2592	812,377	1814	66.7	64.5-68.9	778	33.3	31.1-35.5
65+	4110	947,986	2653	60.5	58.5-62.5	1457	39.5	37.5-41.5
Less Than H.S.	987	682,322	338	35.9	32.0-39.8	649	64.1	60.2-68.0
H.S. or G.E.D.	3911	1,724,112	2286	57.8	55.6-60.0	1625	42.2	40.0-44.4
Some Post-H.S.	2902	1,514,629	1926	63.8	61.4-66.2	976	36.2	33.8-38.6
College Graduate	3534	1,035,309	2947	81.1	79.3-82.9	587	18.9	17.1-20.7
Less than \$15,000	1130	528,311	423	39.5	35.6-43.4	707	60.5	56.6-64.4
\$15,000- 24,999	1819	808,068	866	44.6	41.3-47.9	953	55.4	52.1-58.7
\$25,000- 34,999	1175	507,778	731	57.4	53.3-61.5	444	42.6	38.5-46.7
\$35,000- 49,999	1513	666,745	1046	62.0	58.7-65.3	467	38.0	34.7-41.3
\$50,000- 74,999	1534	697,477	1161	69.9	66.8-73.0	373	30.1	27.0-33.2
\$75,000+	2530	1,083,431	2192	82.0	79.8-84.2	338	18.0	15.8-20.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

**TABLE 8: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4631	2,424,952	2997	59.9	57.9-61.9	1634	40.1	38.1-42.1
White/Non-Hisp	4018	1,970,373	2671	62.2	60.2-64.2	1347	37.8	35.8-39.8
Black or Afr. Am./Non-Hisp	238	196,757	123	48.7	40.9-56.5	115	51.3	43.5-59.1
Oth. Race/Non-Hisp.	118	65,160	61	52.7	41.1-64.3	57	47.3	35.7-58.9
MultiRacial/Non-Hisp.	52	27,462	30	55.1	37.7-72.5	22	44.9	27.5-62.3
Hispanic	131	130,057	69	47.2	37.6-56.8	62	52.8	43.2-62.4
18-24	311	350,214	188	60.0	53.9-66.1	123	40.0	33.9-46.1
25-34	381	412,056	206	51.2	45.5-56.9	175	48.8	43.1-54.5
35-44	542	401,662	347	59.4	54.3-64.5	195	40.6	35.5-45.7
45-54	811	428,927	536	62.0	58.1-65.9	275	38.0	34.1-41.9
55-64	1101	399,428	751	65.7	62.4-69.0	350	34.3	31.0-37.6
65+	1438	412,978	932	59.9	56.8-63.0	506	40.1	37.0-43.2
Less Than H.S.	389	337,228	129	35.9	29.8-42.0	260	64.1	58.0-70.2
H.S. or G.E.D.	1535	867,021	874	57.1	54.0-60.2	661	42.9	39.8-46.0
Some Post-H.S.	1091	677,143	699	61.9	58.4-65.4	392	38.1	34.6-41.6
College Graduate	1578	525,067	1272	77.0	74.3-79.7	306	23.0	20.3-25.7
Less than \$15,000	366	197,259	124	32.9	26.8-39.0	242	67.1	61.0-73.2
\$15,000- 24,999	593	346,489	253	41.2	35.9-46.5	340	58.8	53.5-64.1
\$25,000- 34,999	464	252,624	268	53.9	47.8-60.0	196	46.1	40.0-52.2
\$35,000- 49,999	664	348,258	433	59.5	54.6-64.4	231	40.5	35.6-45.4
\$50,000- 74,999	736	379,629	527	65.5	61.0-70.0	209	34.5	30.0-39.0
\$75,000+	1251	607,304	1048	79.3	76.2-82.4	203	20.7	17.6-23.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

**TABLE 9: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6795	2,564,616	4558	63.1	61.5-64.7	2237	36.9	35.3-38.5
White/Non-Hisp	5942	2,095,854	4065	64.5	62.7-66.3	1877	35.5	33.7-37.3
Black or Afr. Am./Non-Hisp	389	224,217	230	60.7	54.4-67.0	159	39.3	33.0-45.6
Oth. Race/Non-Hisp.	108	38,243	64	64.8	52.5-77.1	44	35.2	22.9-47.5
MultiRacial/Non-Hisp.	77	27,337	49	61.4	46.7-76.1	28	38.6	23.9-53.3
Hispanic	186	142,320	99	47.5	39.1-55.9	87	52.5	44.1-60.9
18-24	260	335,036	164	61.2	54.7-67.7	96	38.8	32.3-45.3
25-34	490	408,698	303	58.5	53.4-63.6	187	41.5	36.4-46.6
35-44	721	407,323	505	65.1	60.8-69.4	216	34.9	30.6-39.2
45-54	1068	437,572	737	64.9	61.6-68.2	331	35.1	31.8-38.4
55-64	1491	412,950	1063	67.8	64.9-70.7	428	32.2	29.3-35.1
65+	2672	535,007	1721	61.0	58.6-63.4	951	39.0	36.6-41.4
Less Than H.S.	598	345,094	209	36.0	30.7-41.3	389	64.0	58.7-69.3
H.S. or G.E.D.	2376	857,090	1412	58.4	55.7-61.1	964	41.6	38.9-44.3
Some Post-H.S.	1811	837,486	1227	65.4	62.5-68.3	584	34.6	31.7-37.5
College Graduate	1956	510,242	1675	85.4	83.4-87.4	281	14.6	12.6-16.6
Less than \$15,000	764	331,052	299	43.5	38.4-48.6	465	56.5	51.4-61.6
\$15,000- 24,999	1226	461,579	613	47.1	43.0-51.2	613	52.9	48.8-57.0
\$25,000- 34,999	711	255,154	463	60.9	55.6-66.2	248	39.1	33.8-44.4
\$35,000- 49,999	849	318,487	613	64.7	60.2-69.2	236	35.3	30.8-39.8
\$50,000- 74,999	798	317,848	634	75.3	70.8-79.8	164	24.7	20.2-29.2
\$75,000+	1279	476,126	1144	85.5	82.8-88.2	135	14.5	11.8-17.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	40
2 MALES ONLY	41
3 FEMALES ONLY	42
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	43
5 MALES ONLY	44
6 FEMALES ONLY	45
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	46
8 MALES ONLY	47
9 FEMALES ONLY	48
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	49
11 MALES ONLY	50
12 FEMALES ONLY	51
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	52
14 MALES ONLY	53
15 FEMALES ONLY	54
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	55
17 MALES ONLY	56
18 FEMALES ONLY	57

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	58
20 MALES ONLY	59
21 FEMALES ONLY	60
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	61
23 MALES ONLY	62
24 FEMALES ONLY	63
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	64
26 MALES ONLY	65
27 FEMALES ONLY	66
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	67
29 MALES ONLY	68
30 FEMALES ONLY	69
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	70
32 MALES ONLY	71
33 FEMALES ONLY	72
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	73
35 MALES ONLY	74
36 FEMALES ONLY	75
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	76
38 MALES ONLY	77
39 FEMALES ONLY	78

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
40	MALES AND FEMALES	79
41	MALES ONLY	80
42	FEMALES ONLY	81
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
43	MALES AND FEMALES	82
44	MALES ONLY	83
45	FEMALES ONLY	84
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) .	
46	MALES AND FEMALES	85
47	MALES ONLY	86
48	FEMALES ONLY	87

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11347	4,927,472	10380	88.0	87.0-89.0	676	9.2	08.4-10.0	130	0.7	00.5-00.9	133	1.8	01.4-02.2	9	0.1	00.1-00.1	19	0.1	00.1-00.1
Male	4597	2,401,516	4190	87.6	86.2-89.0	260	9.0	07.8-10.2	66	0.9	00.7-01.1	72	2.3	01.7-02.9	5	0.2	00.0-00.4	4	0.1	00.1-00.1
Female	6750	2,525,956	6190	88.4	87.2-89.6	416	9.4	08.2-10.6	64	0.6	00.4-00.8	61	1.3	00.9-01.7	4	0.0	00.0-00.0	15	0.2	00.0-00.4
18-24	565	676,110	456	81.8	78.3-85.3	62	12.3	09.2-15.4	9	0.7	00.1-01.3	33	4.8	03.0-06.6	1	0.1	00.0-00.3	4	0.4	00.0-00.8
25-34	851	802,493	720	85.9	83.4-88.4	88	10.7	08.3-13.1	8	0.5	00.1-00.9	30	2.5	01.5-03.5	2	0.2	00.0-00.6	3	0.2	00.0-00.4
35-44	1244	789,129	1092	86.2	83.7-88.7	97	10.0	07.6-12.4	21	1.1	00.5-01.7	29	2.4	01.4-03.4				5	0.3	00.1-00.5
45-54	1863	856,370	1706	89.9	88.1-91.7	111	7.8	06.2-09.4	22	0.9	00.5-01.3	21	1.1	00.5-01.7	3	0.2	00.0-00.4			
55-64	2581	810,036	2380	89.9	88.3-91.5	152	8.9	07.3-10.5	36	0.7	00.3-01.1	8	0.4	00.0-00.8	2	0.0	00.0-00.0	3	0.1	00.1-00.1
65+	4107	948,745	3903	92.7	91.3-94.1	157	6.6	05.2-08.0	33	0.5	00.3-00.7	9	0.2	00.0-00.4	1	0.0	00.0-00.0	4	0.0	00.0-00.0
Less Than H.S.	973	661,017	846	86.4	83.5-89.3	87	10.8	08.1-13.5	32	1.4	00.6-02.2	5	1.1	00.1-02.1	2	0.3	00.0-00.7	1	0.0	00.0-00.0
H.S. or G.E.D.	3904	1,709,828	3596	88.2	86.6-89.8	230	9.5	08.1-10.9	46	0.9	00.5-01.3	25	1.3	00.7-01.9	3	0.0	00.0-00.0	4	0.1	00.0-00.3
Some Post-H.S.	2885	1,506,248	2620	87.6	85.8-89.4	208	10.4	08.8-12.0	28	0.6	00.2-01.0	20	1.1	00.5-01.7	2	0.1	00.0-00.3	7	0.2	00.0-00.4
College Graduate	3497	1,019,753	3240	89.6	88.2-91.0	145	5.8	04.6-07.0	23	0.3	00.1-00.5	81	4.0	03.0-05.0	1	0.0	00.0-00.0	7	0.2	00.0-00.4
Less than \$15,000	1120	518,968	939	79.5	76.2-82.8	137	17.3	14.0-20.6	27	1.3	00.5-02.1	12	1.5	00.5-02.5	1	0.2	00.0-00.6	4	0.2	00.0-00.4
\$15,000- 24,999	1811	799,163	1606	83.1	80.4-85.8	156	13.6	11.1-16.1	22	0.8	00.4-01.2	19	2.0	01.0-03.0	3	0.2	00.0-00.6	5	0.3	00.1-00.5
\$25,000- 34,999	1173	503,889	1071	86.0	82.9-89.1	74	11.9	08.8-15.0	14	0.5	00.1-00.9	12	1.5	00.5-02.5				2	0.1	00.0-00.3
\$35,000- 49,999	1508	663,232	1374	88.0	85.6-90.4	93	9.0	06.8-11.2	23	1.3	00.5-02.1	17	1.7	00.7-02.7				1	0.0	00.0-00.0
\$50,000- 74,999	1520	688,850	1444	94.1	92.5-95.7	53	4.4	03.0-05.8	9	0.4	00.0-00.8	12	1.0	00.4-01.6	1	0.1	00.0-00.3	1	0.0	00.0-00.0
\$75,000+	2514	1,073,729	2369	92.3	90.7-93.9	87	5.0	03.6-06.4	12	0.3	00.1-00.5	40	2.1	01.3-02.9	2	0.1	00.0-00.3	4	0.2	00.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4597	2,401,516	4190	87.6	86.2-89.0	260	9.0	07.8-10.2	66	0.9	00.7-01.1	72	2.3	01.7-02.9	5	0.2	00.0-00.4	4	0.1	00.1-00.1
18-24	309	346,772	247	80.1	75.2-85.0	33	12.4	08.1-16.7	4	0.7	00.0-01.5	22	6.4	03.7-09.1	1	0.1	00.0-00.3	2	0.2	00.0-00.6
25-34	377	409,080	316	84.4	80.3-88.5	39	11.8	08.1-15.5	5	0.6	00.0-01.4	15	2.7	01.1-04.3	2	0.5	00.0-01.3			
35-44	533	393,209	462	85.4	81.3-89.5	39	9.7	06.0-13.4	11	1.2	00.2-02.2	19	3.3	01.5-05.1				2	0.3	00.0-00.7
45-54	802	422,178	730	89.6	86.9-92.3	50	8.2	05.7-10.7	13	1.1	00.3-01.9	7	0.9	00.1-01.7	2	0.3	00.0-00.7			
55-64	1094	397,809	1026	91.8	89.4-94.2	47	6.9	04.7-09.1	18	0.9	00.3-01.5	3	0.4	00.0-01.0						
65+	1436	413,384	1368	93.3	91.3-95.3	50	5.6	03.8-07.4	14	0.8	00.2-01.4	4	0.3	00.0-00.7						
Less Than H.S.	386	332,586	329	84.9	80.0-89.8	31	10.9	06.4-15.4	21	2.0	00.8-03.2	3	1.6	00.0-03.4	2	0.7	00.0-01.7			
H.S. or G.E.D.	1530	861,155	1400	87.6	85.2-90.0	94	9.8	07.6-12.0	24	1.1	00.5-01.7	11	1.4	00.6-02.2	1	0.1	00.0-00.3			
Some Post-H.S.	1089	674,840	994	88.4	85.9-90.9	71	9.4	07.0-11.8	11	0.5	00.1-00.9	10	1.5	00.5-02.5	1	0.1	00.0-00.3	2	0.1	00.0-00.3
College Graduate	1557	515,580	1437	88.4	86.2-90.6	61	6.0	04.4-07.6	10	0.3	00.1-00.5	46	5.1	03.5-06.7	1	0.1	00.0-00.3	2	0.2	00.0-00.6
Less than \$15,000	366	196,062	300	76.0	70.1-81.9	49	19.7	14.2-25.2	10	1.8	00.2-03.4	5	1.9	00.1-03.7	1	0.4	00.0-01.2	1	0.1	00.0-00.3
\$15,000- 24,999	592	343,518	514	81.8	77.1-86.5	50	13.6	09.3-17.9	14	1.1	00.3-01.9	11	2.9	01.1-04.7	1	0.4	00.0-01.2	2	0.2	00.0-00.6
\$25,000- 34,999	464	253,327	419	83.9	78.8-89.0	35	13.9	09.0-18.8	3	0.3	00.0-00.7	7	1.9	00.3-03.5						
\$35,000- 49,999	663	346,408	609	88.8	85.3-92.3	32	7.5	04.6-10.4	14	1.7	00.5-02.9	8	2.1	00.5-03.7						
\$50,000- 74,999	727	374,862	691	93.7	91.3-96.1	25	4.9	02.7-07.1	5	0.4	00.0-00.8	6	1.0	00.2-01.8						
\$75,000+	1240	603,469	1166	91.9	89.5-94.3	40	5.0	03.0-07.0	8	0.3	00.0-00.7	23	2.5	01.3-03.7	2	0.2	00.0-00.4	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6750	2,525,956	6190	88.4	87.2-89.6	416	9.4	08.2-10.6	64	0.6	00.4-00.8	61	1.3	00.9-01.7	4	0.0	00.0-00.0	15	0.2	00.0-00.4
18-24	256	329,338	209	83.5	78.6-88.4	29	12.1	07.6-16.6	5	0.8	00.0-01.6	11	3.0	01.0-05.0				2	0.5	00.0-01.3
25-34	474	393,413	404	87.4	84.3-90.5	49	9.5	06.6-12.4	3	0.4	00.0-01.0	15	2.2	01.0-03.4				3	0.4	00.0-00.8
35-44	711	395,919	630	87.0	83.9-90.1	58	10.2	07.3-13.1	10	1.1	00.3-01.9	10	1.4	00.4-02.4				3	0.3	00.0-00.7
45-54	1061	434,191	976	90.3	87.9-92.7	61	7.5	05.3-09.7	9	0.7	00.1-01.3	14	1.3	00.5-02.1	1	0.2	00.0-00.6			
55-64	1487	412,226	1354	88.1	85.7-90.5	105	10.7	08.3-13.1	18	0.6	00.2-01.0	5	0.4	00.0-00.8	2	0.1	00.0-00.3	3	0.1	00.0-00.3
65+	2671	535,360	2535	92.2	90.2-94.2	107	7.3	05.5-09.1	19	0.3	00.1-00.5	5	0.2	00.0-00.4	1	0.0	00.0-00.0	4	0.1	00.1-00.1
Less Than H.S.	587	328,431	517	87.9	84.4-91.4	56	10.7	07.2-14.2	11	0.8	00.2-01.4	2	0.6	00.0-01.4				1	0.0	00.0-00.0
H.S. or G.E.D.	2374	848,673	2196	88.8	86.8-90.8	136	9.2	07.2-11.2	22	0.6	00.2-01.0	14	1.1	00.3-01.9	2	0.0	00.0-00.0	4	0.2	00.0-00.6
Some Post-H.S.	1796	831,408	1626	86.9	84.5-89.3	137	11.3	09.1-13.5	17	0.7	00.3-01.1	10	0.8	00.2-01.4	1	0.1	00.0-00.3	5	0.2	00.0-00.4
College Graduate	1940	504,173	1803	90.8	89.0-92.6	84	5.7	04.3-07.1	13	0.4	00.0-00.8	35	2.8	01.8-03.8				5	0.3	00.1-00.5
Less than \$15,000	754	322,906	639	81.6	77.5-85.7	88	15.9	11.8-20.0	17	1.0	00.2-01.8	7	1.2	00.2-02.2				3	0.2	00.0-00.6
\$15,000- 24,999	1219	455,644	1092	84.2	80.9-87.5	106	13.7	10.6-16.8	8	0.5	00.0-01.1	8	1.3	00.1-02.5	2	0.1	00.1-00.1	3	0.3	00.0-00.7
\$25,000- 34,999	709	250,562	652	88.1	84.2-92.0	39	9.9	06.2-13.6	11	0.8	00.0-01.6	5	1.0	00.0-02.0				2	0.2	00.0-00.4
\$35,000- 49,999	845	316,824	765	87.1	83.8-90.4	61	10.6	07.5-13.7	9	1.0	00.0-02.0	9	1.3	00.3-02.3				1	0.1	00.0-00.3
\$50,000- 74,999	793	313,988	753	94.5	92.3-96.7	28	3.9	02.1-05.7	4	0.4	00.0-00.8	6	1.0	00.0-02.0	1	0.2	00.0-00.6	1	0.0	00.0-00.0
\$75,000+	1274	470,260	1203	92.8	90.8-94.8	47	5.0	03.2-06.8	4	0.2	00.0-00.4	17	1.7	00.7-02.7				3	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11347	4,927,472	10304	87.5	86.5-88.5	651	8.9	08.1-09.7	116	0.6	00.4-00.8	127	1.7	01.3-02.1	8	0.1	00.1-00.1	141	1.2	01.0-01.4
Male	4597	2,401,516	4157	86.9	85.5-88.3	251	8.7	07.5-09.9	60	0.8	00.6-01.0	70	2.2	01.6-02.8	4	0.1	00.0-00.3	55	1.2	00.8-01.6
Female	6750	2,525,956	6147	88.0	86.8-89.2	400	9.1	07.9-10.3	56	0.4	00.2-00.6	57	1.2	00.8-01.6	4	0.0	00.0-00.0	86	1.2	00.8-01.6
18-24	565	676,110	448	80.8	77.3-84.3	55	11.3	08.4-14.2	8	0.6	00.2-01.0	32	4.7	02.9-06.5	1	0.1	00.0-00.3	21	2.5	01.3-03.7
25-34	851	802,493	713	85.3	82.8-87.8	82	10.2	07.8-12.6	7	0.4	00.0-00.8	29	2.4	01.4-03.4	1	0.2	00.0-00.6	19	1.6	00.8-02.4
35-44	1244	789,129	1088	86.0	83.5-88.5	95	9.9	07.5-12.3	16	0.8	00.2-01.4	28	2.3	01.3-03.3				17	1.1	00.5-01.7
45-54	1863	856,370	1694	89.4	87.6-91.2	110	7.7	06.1-09.3	19	0.8	00.4-01.2	20	1.1	00.5-01.7	3	0.2	00.0-00.4	17	0.8	00.2-01.4
55-64	2581	810,036	2361	89.3	87.5-91.1	147	8.7	07.1-10.3	34	0.7	00.3-01.1	7	0.3	00.0-00.7	2	0.0	00.0-00.0	30	0.9	00.5-01.3
65+	4107	948,745	3877	92.0	90.6-93.4	153	6.4	05.0-07.8	31	0.4	00.2-00.6	8	0.2	00.0-00.4	1	0.0	00.0-00.0	37	0.9	00.5-01.3
Less Than H.S.	973	661,017	842	85.9	82.8-89.0	83	10.2	07.5-12.9	31	1.3	00.7-01.9	5	1.1	00.1-02.1	2	0.3	00.0-00.7	10	1.2	00.4-02.0
H.S. or G.E.D.	3904	1,709,828	3570	87.5	85.9-89.1	222	9.3	07.9-10.7	38	0.7	00.3-01.1	24	1.2	00.6-01.8	3	0.0	00.0-00.0	47	1.3	00.9-01.7
Some Post-H.S.	2885	1,506,248	2594	86.9	85.1-88.7	199	10.0	08.4-11.6	24	0.4	00.2-00.6	18	1.1	00.5-01.7	1	0.0	00.0-00.0	49	1.6	01.0-02.2
College Graduate	3497	1,019,753	3221	89.3	87.9-90.7	141	5.7	04.5-06.9	22	0.3	00.1-00.5	78	3.8	02.8-04.8	1	0.0	00.0-00.0	34	0.8	00.4-01.2
Less than \$15,000	1120	518,968	926	78.8	75.5-82.1	136	17.2	13.9-20.5	24	1.1	00.3-01.9	10	1.4	00.4-02.4	1	0.2	00.0-00.6	23	1.4	00.6-02.2
\$15,000- 24,999	1811	799,163	1590	82.5	79.8-85.2	147	12.8	10.3-15.3	20	0.6	00.2-01.0	19	2.0	01.0-03.0	3	0.2	00.0-00.6	32	1.9	01.1-02.7
\$25,000- 34,999	1173	503,889	1059	85.1	81.8-88.4	71	11.4	08.3-14.5	13	0.5	00.1-00.9	11	1.4	00.6-02.2				19	1.7	00.5-02.9
\$35,000- 49,999	1508	663,232	1367	87.5	85.1-89.9	90	8.8	06.6-11.0	20	1.0	00.4-01.6	16	1.6	00.6-02.6				15	1.1	00.5-01.7
\$50,000- 74,999	1520	688,850	1436	93.7	92.1-95.3	51	4.3	02.9-05.7	9	0.4	00.0-00.8	12	1.0	00.4-01.6	1	0.1	00.0-00.3	11	0.5	00.1-00.9
\$75,000+	2514	1,073,729	2362	91.9	90.3-93.5	85	5.0	03.6-06.4	10	0.2	00.0-00.4	39	2.1	01.3-02.9	1	0.0	00.0-00.0	17	0.8	00.4-01.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4597	2,401,516	4157	86.9	85.5-88.3	251	8.7	07.5-09.9	60	0.8	00.6-01.0	70	2.2	01.6-02.8	4	0.1	00.0-00.3	55	1.2	00.8-01.6
18-24	309	346,772	242	78.9	74.0-83.8	31	11.4	07.3-15.5	4	0.7	00.0-01.5	22	6.4	03.7-09.1	1	0.1	00.0-00.3	9	2.4	00.6-04.2
25-34	377	409,080	313	83.8	79.7-87.9	37	11.6	07.9-15.3	5	0.6	00.0-01.4	15	2.7	01.1-04.3	1	0.3	00.0-00.9	6	0.9	00.1-01.7
35-44	533	393,209	460	85.1	81.0-89.2	39	9.7	06.0-13.4	9	1.1	00.1-02.1	18	3.2	01.4-05.0				7	1.0	00.2-01.8
45-54	802	422,178	723	88.8	86.1-91.5	49	7.9	05.4-10.4	11	0.9	00.1-01.7	7	0.9	00.1-01.7	2	0.3	00.0-00.7	10	1.2	00.2-02.2
55-64	1094	397,809	1019	91.1	88.7-93.5	45	6.8	04.6-09.0	17	0.8	00.4-01.2	2	0.3	00.0-00.7				11	1.0	00.2-01.8
65+	1436	413,384	1359	92.6	90.6-94.6	48	5.4	03.6-07.2	13	0.7	00.1-01.3	4	0.3	00.0-00.7				12	1.0	00.2-01.8
Less Than H.S.	386	332,586	326	84.0	79.1-88.9	30	10.6	06.1-15.1	21	2.0	00.8-03.2	3	1.6	00.0-03.4	2	0.7	00.0-01.7	4	1.2	00.0-02.4
H.S. or G.E.D.	1530	861,155	1386	86.6	84.2-89.0	92	9.6	07.4-11.8	20	0.9	00.3-01.5	11	1.4	00.6-02.2	1	0.1	00.0-00.3	20	1.4	00.6-02.2
Some Post-H.S.	1089	674,840	986	87.8	85.3-90.3	66	9.0	06.6-11.4	10	0.4	00.0-00.8	9	1.4	00.4-02.4				18	1.4	00.6-02.2
College Graduate	1557	515,580	1429	88.1	85.9-90.3	60	5.9	04.3-07.5	9	0.2	00.0-00.4	45	5.0	03.4-06.6	1	0.1	00.0-00.3	13	0.7	00.1-01.3
Less than \$15,000	366	196,062	296	75.2	69.3-81.1	49	19.7	14.2-25.2	10	1.8	00.2-03.4	5	1.9	00.1-03.7	1	0.4	00.0-01.2	5	1.0	00.0-02.0
\$15,000- 24,999	592	343,518	506	80.5	75.8-85.2	47	13.0	08.7-17.3	13	1.1	00.3-01.9	11	2.9	01.1-04.7	1	0.4	00.0-01.2	14	2.2	00.8-03.6
\$25,000- 34,999	464	253,327	415	82.6	77.3-87.9	33	12.9	08.2-17.6	2	0.2	00.0-00.4	7	1.9	00.3-03.5				7	2.4	00.2-04.6
\$35,000- 49,999	663	346,408	607	88.5	85.0-92.0	32	7.5	04.6-10.4	13	1.5	00.5-02.5	7	1.9	00.3-03.5				4	0.6	00.0-01.2
\$50,000- 74,999	727	374,862	685	93.3	90.9-95.7	23	4.7	02.5-06.9	5	0.4	00.0-00.8	6	1.0	00.2-01.8				8	0.7	00.1-01.3
\$75,000+	1240	603,469	1161	91.4	89.0-93.8	40	5.0	03.0-07.0	6	0.2	00.0-00.4	22	2.4	01.2-03.6	1	0.1	00.0-00.3	10	1.0	00.2-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6750	2,525,956	6147	88.0	86.8-89.2	400	9.1	08.1-10.1	56	0.4	00.2-00.6	57	1.2	00.8-01.6	4	0.0	00.0-00.0	86	1.2	00.8-01.6
18-24	256	329,338	206	82.9	78.0-87.8	24	11.1	06.6-15.6	4	0.5	00.0-01.1	10	2.8	00.8-04.8				12	2.7	01.1-04.3
25-34	474	393,413	400	86.9	83.8-90.0	45	8.7	06.0-11.4	2	0.1	00.0-00.3	14	2.1	00.9-03.3				13	2.2	00.8-03.6
35-44	711	395,919	628	86.9	83.8-90.0	56	10.0	07.1-12.9	7	0.5	00.0-01.1	10	1.4	00.4-02.4				10	1.1	00.3-01.9
45-54	1061	434,191	971	90.0	87.6-92.4	61	7.5	05.3-09.7	8	0.6	00.0-01.2	13	1.3	00.5-02.1	1	0.2	00.0-00.6	7	0.4	00.0-00.8
55-64	1487	412,226	1342	87.6	85.2-90.0	102	10.6	08.2-13.0	17	0.6	00.2-01.0	5	0.4	00.0-00.8	2	0.1	00.0-00.3	19	0.8	00.4-01.2
65+	2671	535,360	2518	91.6	89.6-93.6	105	7.2	05.4-09.0	18	0.3	00.1-00.5	4	0.1	00.0-00.3	1	0.0	00.0-00.0	25	0.8	00.4-01.2
Less Than H.S.	587	328,431	516	87.8	84.3-91.3	53	9.9	06.6-13.2	10	0.5	00.0-01.1	2	0.6	00.0-01.4				6	1.1	00.0-02.3
H.S. or G.E.D.	2374	848,673	2184	88.4	86.4-90.4	130	9.0	07.0-11.0	18	0.4	00.2-00.6	13	1.0	00.2-01.8	2	0.0	00.0-00.0	27	1.1	00.5-01.7
Some Post-H.S.	1796	831,408	1608	86.2	83.8-88.6	133	10.9	08.7-13.1	14	0.4	00.2-00.6	9	0.8	00.2-01.4	1	0.1	00.0-00.3	31	1.7	00.9-02.5
College Graduate	1940	504,173	1792	90.6	88.8-92.4	81	5.5	04.1-06.9	13	0.4	00.0-00.8	33	2.7	01.7-03.7				21	0.8	00.4-01.2
Less than \$15,000	754	322,906	630	81.0	76.9-85.1	87	15.6	11.7-19.5	14	0.7	00.1-01.3	5	1.1	00.1-02.1				18	1.6	00.6-02.6
\$15,000- 24,999	1219	455,644	1084	83.9	80.6-87.2	100	12.7	09.6-15.8	7	0.3	00.0-00.7	8	1.3	00.1-02.5	2	0.1	00.1-00.1	18	1.8	00.6-03.0
\$25,000- 34,999	709	250,562	644	87.6	83.7-91.5	38	9.9	06.2-13.6	11	0.8	00.0-01.6	4	0.8	00.0-01.8				12	1.0	00.4-01.6
\$35,000- 49,999	845	316,824	760	86.5	83.2-89.8	58	10.2	07.1-13.3	7	0.4	00.0-00.8	9	1.3	00.3-02.3				11	1.6	00.4-02.8
\$50,000- 74,999	793	313,988	751	94.3	92.1-96.5	28	3.9	02.1-05.7	4	0.4	00.0-00.8	6	1.0	00.0-02.0	1	0.2	00.0-00.6	3	0.2	00.0-00.4
\$75,000+	1274	470,260	1201	92.5	90.5-94.5	45	5.0	03.2-06.8	4	0.2	00.0-00.4	17	1.7	00.7-02.7				7	0.6	00.0-01.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11033	4,682,675	10034	87.5	86.5-88.5	637	9.1	08.3-09.9	99	0.4	00.2-00.6	125	1.8	01.4-02.2	6	0.1	00.1-00.1	132	1.2	01.0-01.4
Male	4468	2,282,441	4052	87.1	85.7-88.5	242	8.8	07.4-10.2	50	0.5	00.3-00.7	69	2.3	01.7-02.9	3	0.1	00.1-00.1	52	1.2	00.8-01.6
Female	6565	2,400,234	5982	87.8	86.6-89.0	395	9.4	08.2-10.6	49	0.3	00.1-00.5	56	1.3	00.9-01.7	3	0.0	00.0-00.0	80	1.2	00.8-01.6
18-24	524	625,619	413	80.2	76.5-83.9	54	12.0	08.9-15.1	6	0.4	00.0-00.8	31	4.8	03.0-06.6	1	0.1	00.0-00.3	19	2.5	01.1-03.9
25-34	790	740,860	661	85.3	82.6-88.0	78	10.4	07.9-12.9	5	0.1	00.0-00.3	29	2.6	01.6-03.6				17	1.5	00.7-02.3
35-44	1176	727,680	1029	85.9	83.2-88.6	91	10.2	07.7-12.7	12	0.4	00.0-00.8	28	2.5	01.5-03.5				16	1.0	00.4-01.6
45-54	1811	819,805	1647	89.3	87.5-91.1	108	7.9	06.1-09.7	16	0.5	00.1-00.9	20	1.1	00.5-01.7	3	0.2	00.0-00.4	17	0.8	00.2-01.4
55-64	2537	790,960	2327	89.6	87.8-91.4	145	8.8	07.2-10.4	31	0.5	00.3-00.7	7	0.3	00.0-00.7	1	0.0	00.0-00.0	26	0.7	00.3-01.1
65+	4064	935,275	3839	92.0	90.6-93.4	152	6.5	05.1-07.9	28	0.4	00.2-00.6	7	0.2	00.0-00.4	1	0.0	00.0-00.0	37	0.9	00.5-01.3
Less Than H.S.	873	566,778	757	85.3	82.0-88.6	78	11.3	08.2-14.4	23	0.7	00.3-01.1	5	1.3	00.1-02.5	1	0.2	00.0-00.6	9	1.3	00.3-02.3
H.S. or G.E.D.	3813	1,637,151	3492	87.7	86.1-89.3	218	9.4	07.8-11.0	33	0.4	00.2-00.6	24	1.3	00.7-01.9	3	0.0	00.0-00.0	43	1.2	00.8-01.6
Some Post-H.S.	2815	1,452,934	2533	86.8	85.0-88.6	198	10.4	08.8-12.0	21	0.3	00.1-00.5	17	1.0	00.4-01.6	1	0.0	00.0-00.0	45	1.4	00.8-02.0
College Graduate	3448	996,976	3178	89.3	87.9-90.7	137	5.7	04.5-06.9	21	0.3	00.1-00.5	77	3.9	02.9-04.9	1	0.0	00.0-00.0	34	0.8	00.4-01.2
Less than \$15,000	1077	485,513	891	78.1	74.6-81.6	135	18.2	14.7-21.7	19	0.6	00.2-01.0	10	1.5	00.5-02.5	1	0.2	00.0-00.6	21	1.4	00.6-02.2
\$15,000- 24,999	1723	728,761	1510	81.9	79.0-84.8	144	13.5	10.8-16.2	18	0.5	00.1-00.9	19	2.1	00.9-03.3	2	0.0	00.0-00.0	30	1.9	00.9-02.9
\$25,000- 34,999	1145	479,454	1035	84.8	81.5-88.1	70	12.0	08.9-15.1	11	0.3	00.1-00.5	11	1.4	00.4-02.4				18	1.6	00.4-02.8
\$35,000- 49,999	1485	645,229	1350	87.8	85.3-90.3	90	9.0	06.8-11.2	15	0.5	00.1-00.9	16	1.7	00.7-02.7				14	1.0	00.4-01.6
\$50,000- 74,999	1487	658,839	1404	93.5	91.9-95.1	51	4.5	03.1-05.9	8	0.3	00.0-00.7	12	1.1	00.5-01.7	1	0.1	00.0-00.3	11	0.5	00.1-00.9
\$75,000+	2474	1,042,509	2329	92.2	90.6-93.8	80	4.8	03.4-06.2	10	0.2	00.0-00.4	39	2.1	01.3-02.9	1	0.0	00.0-00.0	15	0.7	00.3-01.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4468	2,282,441	4052	87.1	85.7-88.5	242	8.8	07.6-10.0	50	0.5	00.3-00.7	69	2.3	01.7-02.9	3	0.1	00.1-00.1	52	1.2	00.8-01.6
18-24	286	318,937	222	78.2	72.9-83.5	30	11.9	07.6-16.2	3	0.5	00.0-01.1	21	6.6	03.7-09.5	1	0.2	00.0-00.6	9	2.7	00.7-04.7
25-34	352	380,079	296	84.7	80.6-88.8	33	11.4	07.5-15.3	3	0.1	00.0-00.3	15	2.9	01.3-04.5				5	0.8	00.0-01.6
35-44	504	361,383	436	85.1	80.8-89.4	36	9.8	05.9-13.7	7	0.6	00.0-01.2	18	3.5	01.5-05.5				7	1.1	00.1-02.1
45-54	787	409,105	709	88.7	85.8-91.6	49	8.2	05.7-10.7	10	0.7	00.1-01.3	7	0.9	00.1-01.7	2	0.3	00.0-00.7	10	1.2	00.2-02.2
55-64	1078	389,138	1007	91.5	89.1-93.9	44	6.9	04.5-09.3	16	0.6	00.2-01.0	2	0.3	00.0-00.9				9	0.7	00.1-01.3
65+	1417	405,914	1343	92.7	90.7-94.7	48	5.5	03.7-07.3	10	0.5	00.1-00.9	4	0.3	00.0-00.7				12	1.1	00.3-01.9
Less Than H.S.	348	288,459	296	83.9	78.4-89.4	29	11.6	06.7-16.5	15	1.0	00.4-01.6	3	1.8	00.0-04.0	1	0.3	00.0-00.9	4	1.4	00.0-02.8
H.S. or G.E.D.	1483	817,438	1349	87.2	84.8-89.6	88	9.4	07.2-11.6	16	0.5	00.1-00.9	11	1.5	00.5-02.5	1	0.1	00.0-00.3	18	1.3	00.5-02.1
Some Post-H.S.	1069	657,476	968	87.7	85.0-90.4	66	9.2	06.8-11.6	10	0.5	00.1-00.9	8	1.2	00.2-02.2				17	1.4	00.6-02.2
College Graduate	1534	502,376	1410	88.2	86.0-90.4	56	5.7	04.1-07.3	9	0.2	00.0-00.4	45	5.1	03.5-06.7	1	0.1	00.0-00.3	13	0.8	00.2-01.4
Less than \$15,000	351	182,763	285	74.8	68.7-80.9	48	20.8	14.9-26.7	7	0.9	00.1-01.7	5	2.0	00.2-03.8	1	0.5	00.0-01.5	5	1.1	00.0-02.3
\$15,000- 24,999	562	315,438	481	80.7	75.8-85.6	44	13.0	08.5-17.5	12	0.8	00.2-01.4	11	3.1	01.1-05.1				14	2.4	00.8-04.0
\$25,000- 34,999	454	241,561	406	82.1	76.6-87.6	33	13.6	08.7-18.5	2	0.2	00.0-00.4	7	2.0	00.4-03.6				6	2.1	00.0-04.3
\$35,000- 49,999	649	334,093	597	88.9	85.4-92.4	32	7.7	04.6-10.8	9	0.7	00.1-01.3	7	2.0	00.2-03.8				4	0.6	00.0-01.2
\$50,000- 74,999	709	356,667	667	92.9	90.5-95.3	23	4.9	02.7-07.1	5	0.4	00.0-01.0	6	1.0	00.0-02.0				8	0.7	00.1-01.3
\$75,000+	1219	583,701	1145	91.8	89.4-94.2	36	4.6	02.6-06.6	6	0.2	00.0-00.6	22	2.4	01.2-03.6	1	0.1	00.0-00.3	9	0.9	00.3-01.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6565	2,400,234	5982	87.8	86.6-89.0	395	9.4	08.2-10.6	49	0.3	00.1-00.5	56	1.3	00.9-01.7	3	0.0	00.0-00.0	80	1.2	00.8-01.6
18-24	238	306,682	191	82.3	77.0-87.6	24	12.0	07.3-16.7	3	0.4	00.0-00.8	10	3.0	01.0-05.0				10	2.4	00.8-04.0
25-34	438	360,781	365	85.9	82.4-89.4	45	9.5	06.6-12.4	2	0.1	00.0-00.3	14	2.3	00.9-03.7				12	2.2	00.8-03.6
35-44	672	366,297	593	86.6	83.3-89.9	55	10.6	07.5-13.7	5	0.2	00.0-00.4	10	1.5	00.5-02.5				9	1.0	00.2-01.8
45-54	1024	410,700	938	89.9	87.5-92.3	59	7.7	05.5-09.9	6	0.4	00.0-00.8	13	1.4	00.6-02.2	1	0.2	00.0-00.6	7	0.4	00.0-00.8
55-64	1459	401,822	1320	87.8	85.4-90.2	101	10.6	08.2-13.0	15	0.4	00.2-00.6	5	0.4	00.0-00.8	1	0.0	00.0-00.0	17	0.7	00.3-01.1
65+	2647	529,361	2496	91.5	89.5-93.5	104	7.3	05.3-09.3	18	0.3	00.1-00.5	3	0.1	00.0-00.3	1	0.0	00.0-00.0	25	0.8	00.4-01.2
Less Than H.S.	525	278,319	461	86.8	82.7-90.9	49	11.0	07.3-14.7	8	0.3	00.1-00.5	2	0.8	00.0-01.8				5	1.1	00.0-02.5
H.S. or G.E.D.	2330	819,712	2143	88.1	85.9-90.3	130	9.3	07.3-11.3	17	0.4	00.2-00.6	13	1.1	00.3-01.9	2	0.0	00.0-00.0	25	1.1	00.5-01.7
Some Post-H.S.	1746	795,458	1565	86.1	83.7-88.5	132	11.3	09.1-13.5	11	0.2	00.0-00.4	9	0.8	00.2-01.4	1	0.1	00.0-00.3	28	1.5	00.9-02.1
College Graduate	1914	494,600	1768	90.5	88.7-92.3	81	5.7	04.3-07.1	12	0.3	00.1-00.5	32	2.8	01.8-03.8				21	0.8	00.4-01.2
Less than \$15,000	726	302,751	606	80.2	75.9-84.5	87	16.7	12.4-21.0	12	0.4	00.0-00.8	5	1.2	00.2-02.2				16	1.6	00.6-02.6
\$15,000- 24,999	1161	413,324	1029	82.7	79.2-86.2	100	14.0	10.7-17.3	6	0.3	00.0-00.7	8	1.4	00.2-02.6	2	0.1	00.1-00.1	16	1.6	00.4-02.8
\$25,000- 34,999	691	237,893	629	87.5	83.4-91.6	37	10.3	06.4-14.2	9	0.4	00.2-00.6	4	0.8	00.0-01.8				12	1.0	00.2-01.8
\$35,000- 49,999	836	311,136	753	86.6	83.1-90.1	58	10.4	07.3-13.5	6	0.3	00.1-00.5	9	1.3	00.3-02.3				10	1.5	00.3-02.7
\$50,000- 74,999	778	302,172	737	94.3	92.1-96.5	28	4.1	02.1-06.1	3	0.2	00.0-00.4	6	1.1	00.1-02.1	1	0.2	00.0-00.6	3	0.2	00.0-00.4
\$75,000+	1255	458,807	1184	92.6	90.6-94.6	44	4.9	03.1-06.7	4	0.2	00.0-00.6	17	1.7	00.7-02.7				6	0.4	00.0-00.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11351	4,955,608	10034	82.6	81.6-83.6	1317	17.4	16.4-18.4
Male	4599	2,412,498	4052	82.4	80.8-84.0	547	17.6	16.0-19.2
Female	6752	2,543,110	5982	82.9	81.5-84.3	770	17.1	15.7-18.5
18-24	568	680,375	413	73.7	69.8-77.6	155	26.3	22.4-30.2
25-34	863	813,907	661	77.6	74.5-80.7	202	22.4	19.3-25.5
35-44	1259	806,004	1029	77.5	74.4-80.6	230	22.5	19.4-25.6
45-54	1864	858,077	1647	85.3	83.1-87.5	217	14.7	12.5-16.9
55-64	2573	808,986	2327	87.6	85.8-89.4	246	12.4	10.6-14.2
65+	4092	944,899	3839	91.1	89.7-92.5	253	8.9	07.5-10.3
Less Than H.S.	984	682,662	757	70.8	66.9-74.7	227	29.2	25.3-33.1
H.S. or G.E.D.	3901	1,715,917	3492	83.6	81.8-85.4	409	16.4	14.6-18.2
Some Post-H.S.	2879	1,503,369	2533	83.9	81.9-85.9	346	16.1	14.1-18.1
College Graduate	3499	1,022,447	3178	87.1	85.5-88.7	321	12.9	11.3-14.5
Less than \$15,000	1120	522,972	891	72.6	68.9-76.3	229	27.4	23.7-31.1
\$15,000- 24,999	1813	807,703	1510	73.9	70.8-77.0	303	26.1	23.0-29.2
\$25,000- 34,999	1182	511,435	1035	79.5	75.8-83.2	147	20.5	16.8-24.2
\$35,000- 49,999	1511	666,266	1350	85.0	82.5-87.5	161	15.0	12.5-17.5
\$50,000- 74,999	1520	690,381	1404	89.3	86.9-91.7	116	10.7	08.3-13.1
\$75,000+	2515	1,077,374	2329	89.2	87.4-91.0	186	10.8	09.0-12.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4599	2,412,498	4052	82.4	80.8-84.0	547	17.6	16.0-19.2
18-24	310	348,168	222	71.6	66.1-77.1	88	28.4	22.9-33.9
25-34	379	411,437	296	78.3	73.8-82.8	83	21.7	17.2-26.2
35-44	539	401,503	436	76.6	71.9-81.3	103	23.4	18.7-28.1
45-54	803	423,013	709	85.8	82.7-88.9	94	14.2	11.1-17.3
55-64	1095	398,798	1007	89.2	86.7-91.7	88	10.8	08.3-13.3
65+	1429	411,694	1343	91.4	89.2-93.6	86	8.6	06.4-10.8
Less Than H.S.	390	341,219	296	70.9	65.0-76.8	94	29.1	23.2-35.0
H.S. or G.E.D.	1530	863,695	1349	82.5	79.8-85.2	181	17.5	14.8-20.2
Some Post-H.S.	1085	672,214	968	85.8	83.1-88.5	117	14.2	11.5-16.9
College Graduate	1558	517,138	1410	85.7	83.3-88.1	148	14.3	11.9-16.7
Less than \$15,000	363	195,208	285	70.1	63.8-76.4	78	29.9	23.6-36.2
\$15,000- 24,999	596	350,113	481	72.7	67.6-77.8	115	27.3	22.2-32.4
\$25,000- 34,999	469	256,262	406	77.4	71.7-83.1	63	22.6	16.9-28.3
\$35,000- 49,999	663	347,337	597	85.5	81.6-89.4	66	14.5	10.6-18.4
\$50,000- 74,999	728	376,532	667	88.0	84.7-91.3	61	12.0	08.7-15.3
\$75,000+	1239	603,891	1145	88.7	86.0-91.4	94	11.3	08.6-14.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6752	2,543,110	5982	82.9	81.5-84.3	770	17.1	15.7-18.5
18-24	258	332,207	191	75.9	70.2-81.6	67	24.1	18.4-29.8
25-34	484	402,470	365	77.0	72.9-81.1	119	23.0	18.9-27.1
35-44	720	404,501	593	78.5	74.6-82.4	127	21.5	17.6-25.4
45-54	1061	435,064	938	84.9	82.2-87.6	123	15.1	12.4-17.8
55-64	1478	410,188	1320	86.0	83.5-88.5	158	14.0	11.5-16.5
65+	2663	533,205	2496	90.8	88.8-92.8	167	9.2	07.2-11.2
Less Than H.S.	594	341,443	461	70.7	65.6-75.8	133	29.3	24.2-34.4
H.S. or G.E.D.	2371	852,223	2143	84.8	82.4-87.2	228	15.2	12.8-17.6
Some Post-H.S.	1794	831,155	1565	82.4	79.9-84.9	229	17.6	15.1-20.1
College Graduate	1941	505,309	1768	88.6	86.6-90.6	173	11.4	09.4-13.4
Less than \$15,000	757	327,764	606	74.0	69.3-78.7	151	26.0	21.3-30.7
\$15,000- 24,999	1217	457,590	1029	74.7	70.8-78.6	188	25.3	21.4-29.2
\$25,000- 34,999	713	255,173	629	81.5	76.8-86.2	84	18.5	13.8-23.2
\$35,000- 49,999	848	318,928	753	84.5	81.0-88.0	95	15.5	12.0-19.0
\$50,000- 74,999	792	313,849	737	90.8	87.9-93.7	55	9.2	06.3-12.1
\$75,000+	1276	473,482	1184	89.8	87.3-92.3	92	10.2	07.7-12.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11351	4,955,608	10034	82.6	81.6-83.6	637	8.6	07.8-09.4	231	2.1	01.7-02.5	131	1.1	00.9-01.3	318	5.5	04.9-06.1
Male	4599	2,412,498	4052	82.4	80.8-84.0	242	8.3	07.1-09.5	122	2.7	02.1-03.3	52	1.1	00.7-01.5	131	5.4	04.4-06.4
Female	6752	2,543,110	5982	82.9	81.5-84.3	395	8.9	07.9-09.9	109	1.5	01.1-01.9	79	1.1	00.7-01.5	187	5.6	04.6-06.6
18-24	568	680,375	413	73.7	69.8-77.6	54	11.0	08.1-13.9	38	4.9	03.1-06.7	19	2.3	01.1-03.5	44	8.0	05.6-10.4
25-34	863	813,907	661	77.6	74.5-80.7	78	9.5	07.1-11.9	34	2.5	01.5-03.5	17	1.4	00.6-02.2	73	9.0	06.8-11.2
35-44	1259	806,004	1029	77.5	74.4-80.6	91	9.2	06.8-11.6	40	2.6	01.6-03.6	16	0.9	00.3-01.5	83	9.7	07.5-11.9
45-54	1864	858,077	1647	85.3	83.1-87.5	108	7.6	06.0-09.2	39	1.8	01.2-02.4	17	0.8	00.2-01.4	53	4.5	03.1-05.9
55-64	2573	808,986	2327	87.6	85.8-89.4	145	8.6	07.0-10.2	40	0.9	00.5-01.3	25	0.7	00.3-01.1	36	2.2	01.4-03.0
65+	4092	944,899	3839	91.1	89.7-92.5	152	6.5	05.1-07.9	36	0.5	00.3-00.7	37	0.9	00.5-01.3	28	1.0	00.4-01.6
Less Than H.S.	984	682,662	757	70.8	66.9-74.7	78	9.4	06.9-11.9	29	1.8	00.8-02.8	9	1.1	00.3-01.9	111	17.0	13.9-20.1
H.S. or G.E.D.	3901	1,715,917	3492	83.6	81.8-85.4	218	8.9	07.5-10.3	60	1.7	01.1-02.3	43	1.1	00.7-01.5	88	4.6	03.6-05.6
Some Post-H.S.	2879	1,503,369	2533	83.9	81.9-85.9	198	10.0	08.4-11.6	40	1.3	00.7-01.9	44	1.4	00.8-02.0	64	3.4	02.4-04.4
College Graduate	3499	1,022,447	3178	87.1	85.5-88.7	137	5.5	04.5-06.5	99	4.1	03.1-05.1	34	0.7	00.3-01.1	51	2.5	01.7-03.3
Less than \$15,000	1120	522,972	891	72.6	68.9-76.3	135	16.9	13.6-20.2	30	2.1	01.1-03.1	21	1.3	00.5-02.1	43	7.2	04.8-09.6
\$15,000- 24,999	1813	807,703	1510	73.9	70.8-77.0	144	12.2	09.7-14.7	39	2.4	01.4-03.4	30	1.7	00.9-02.5	90	9.8	07.6-12.0
\$25,000- 34,999	1182	511,435	1035	79.5	75.8-83.2	70	11.2	08.3-14.1	22	1.6	00.8-02.4	18	1.5	00.3-02.7	37	6.3	03.9-08.7
\$35,000- 49,999	1511	666,266	1350	85.0	82.5-87.5	90	8.7	06.5-10.9	32	2.1	01.1-03.1	13	1.0	00.4-01.6	26	3.2	01.8-04.6
\$50,000- 74,999	1520	690,381	1404	89.3	86.9-91.7	51	4.3	02.9-05.7	21	1.4	00.6-02.2	11	0.4	00.0-00.8	33	4.6	02.8-06.4
\$75,000+	2515	1,077,374	2329	89.2	87.4-91.0	80	4.6	03.2-06.0	50	2.3	01.5-03.1	15	0.7	00.3-01.1	41	3.2	02.0-04.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4599	2,412,498	4052	82.4	80.8-84.0	242	8.3	07.1-09.5	122	2.7	02.1-03.3	52	1.1	00.7-01.5	131	5.4	04.4-06.4
18-24	310	348,168	222	71.6	66.1-77.1	30	10.9	07.0-14.8	25	6.6	03.9-09.3	9	2.4	00.6-04.2	24	8.4	05.1-11.7
25-34	379	411,437	296	78.3	73.8-82.8	33	10.5	06.8-14.2	18	2.9	01.3-04.5	5	0.7	00.0-01.5	27	7.6	04.7-10.5
35-44	539	401,503	436	76.6	71.9-81.3	36	8.8	05.3-12.3	25	3.6	01.8-05.4	7	1.0	00.2-01.8	35	10.0	06.5-13.5
45-54	803	423,013	709	85.8	82.7-88.9	49	7.9	05.4-10.4	19	1.8	00.8-02.8	10	1.2	00.2-02.2	16	3.3	01.5-05.1
55-64	1095	398,798	1007	89.2	86.7-91.7	44	6.7	04.5-08.9	18	0.9	00.3-01.5	9	0.7	00.1-01.3	17	2.4	01.0-03.8
65+	1429	411,694	1343	91.4	89.2-93.6	48	5.4	03.6-07.2	14	0.8	00.2-01.4	12	1.0	00.2-01.8	12	1.4	00.4-02.4
Less Than H.S.	390	341,219	296	70.9	65.0-76.8	29	9.8	05.5-14.1	19	2.7	00.7-04.7	4	1.2	00.0-02.4	42	15.5	10.8-20.2
H.S. or G.E.D.	1530	863,695	1349	82.5	79.8-85.2	88	8.9	06.7-11.1	28	2.0	01.0-03.0	18	1.2	00.4-02.0	47	5.4	03.8-07.0
Some Post-H.S.	1085	672,214	968	85.8	83.1-88.5	66	9.0	06.6-11.4	18	1.7	00.7-02.7	17	1.4	00.6-02.2	16	2.2	01.0-03.4
College Graduate	1558	517,138	1410	85.7	83.3-88.1	56	5.5	03.9-07.1	55	5.2	03.6-06.8	13	0.7	00.1-01.3	24	2.9	01.7-04.1
Less than \$15,000	363	195,208	285	70.1	63.8-76.4	48	19.4	13.9-24.9	13	3.2	01.0-05.4	5	1.0	00.0-02.0	12	6.4	02.5-10.3
\$15,000- 24,999	596	350,113	481	72.7	67.6-77.8	44	11.7	07.6-15.8	23	3.5	01.5-05.5	14	2.1	00.7-03.5	34	9.9	06.4-13.4
\$25,000- 34,999	469	256,262	406	77.4	71.7-83.1	33	12.8	08.1-17.5	9	2.1	00.5-03.7	6	2.0	00.0-04.2	15	5.7	02.6-08.8
\$35,000- 49,999	663	347,337	597	85.5	81.6-89.4	32	7.4	04.5-10.3	16	2.7	00.9-04.5	4	0.6	00.0-01.2	14	3.8	01.6-06.0
\$50,000- 74,999	728	376,532	667	88.0	84.7-91.3	23	4.6	02.4-06.8	11	1.4	00.4-02.4	8	0.7	00.1-01.3	19	5.3	02.8-07.8
\$75,000+	1239	603,891	1145	88.7	86.0-91.4	36	4.5	02.5-06.5	29	2.6	01.4-03.8	9	0.8	00.2-01.4	20	3.3	01.7-04.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6752	2,543,110	5982	82.9	81.5-84.3	395	8.9	07.9-09.9	109	1.5	01.1-01.9	79	1.1	00.7-01.5	187	5.6	04.6-06.6
18-24	258	332,207	191	75.9	70.2-81.6	24	11.1	06.6-15.6	13	3.1	01.1-05.1	10	2.2	00.8-03.6	20	7.7	04.2-11.2
25-34	484	402,470	365	77.0	72.9-81.1	45	8.5	05.8-11.2	16	2.1	00.9-03.3	12	2.0	00.6-03.4	46	10.4	07.3-13.5
35-44	720	404,501	593	78.5	74.6-82.4	55	9.6	06.7-12.5	15	1.6	00.6-02.6	9	0.9	00.3-01.5	48	9.4	06.7-12.1
45-54	1061	435,064	938	84.9	82.2-87.6	59	7.3	05.1-09.5	20	1.8	00.8-02.8	7	0.4	00.0-00.8	37	5.6	03.6-07.6
55-64	1478	410,188	1320	86.0	83.5-88.5	101	10.4	08.0-12.8	22	0.9	00.5-01.3	16	0.7	00.3-01.1	19	2.0	01.0-03.0
65+	2663	533,205	2496	90.8	88.8-92.8	104	7.2	05.2-09.2	22	0.4	00.2-00.6	25	0.8	00.4-01.2	16	0.7	00.3-01.1
Less Than H.S.	594	341,443	461	70.7	65.6-75.8	49	9.0	05.9-12.1	10	0.9	00.1-01.7	5	0.9	00.0-01.9	69	18.5	14.2-22.8
H.S. or G.E.D.	2371	852,223	2143	84.8	82.4-87.2	130	8.9	06.9-10.9	32	1.4	00.6-02.2	25	1.1	00.5-01.7	41	3.8	02.4-05.2
Some Post-H.S.	1794	831,155	1565	82.4	79.9-84.9	132	10.8	08.6-13.0	22	1.1	00.5-01.7	27	1.4	00.8-02.0	48	4.3	02.9-05.7
College Graduate	1941	505,309	1768	88.6	86.6-90.6	81	5.5	04.1-06.9	44	3.0	02.0-04.0	21	0.8	00.4-01.2	27	2.1	01.1-03.1
Less than \$15,000	757	327,764	606	74.0	69.3-78.7	87	15.4	11.5-19.3	17	1.5	00.5-02.5	16	1.5	00.5-02.5	31	7.6	04.7-10.5
\$15,000- 24,999	1217	457,590	1029	74.7	70.8-78.6	100	12.6	09.5-15.7	16	1.6	00.4-02.8	16	1.4	00.4-02.4	56	9.7	07.0-12.4
\$25,000- 34,999	713	255,173	629	81.5	76.8-86.2	37	9.6	05.9-13.3	13	1.1	00.1-02.1	12	0.9	00.3-01.5	22	6.8	03.5-10.1
\$35,000- 49,999	848	318,928	753	84.5	81.0-88.0	58	10.1	07.0-13.2	16	1.6	00.6-02.6	9	1.4	00.2-02.6	12	2.4	01.0-03.8
\$50,000- 74,999	792	313,849	737	90.8	87.9-93.7	28	3.9	02.1-05.7	10	1.4	00.4-02.4	3	0.2	00.0-00.4	14	3.7	01.5-05.9
\$75,000+	1276	473,482	1184	89.8	87.3-92.3	44	4.8	03.0-06.6	21	1.9	00.9-02.9	6	0.4	00.0-00.8	21	3.1	01.5-04.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11380	4,979,526	962	21.4	20.2-22.6	1046	16.2	15.2-17.2	1520	16.5	15.5-17.5	2359	18.6	17.8-19.4	2524	14.0	13.4-14.6	2969	13.3	12.7-13.9
Male	4626	2,426,898	494	22.7	20.9-24.5	434	16.5	14.9-18.1	662	16.4	15.0-17.8	1015	19.2	17.8-20.6	1057	14.1	13.1-15.1	964	11.0	10.2-11.8
Female	6754	2,552,628	468	20.2	18.4-22.0	612	15.9	14.5-17.3	858	16.6	15.4-17.8	1344	18.0	16.8-19.2	1467	13.9	13.1-14.7	2005	15.4	14.6-16.2
White/Non-Hisp	9916	4,060,298	701	19.4	18.0-20.8	816	15.0	13.8-16.2	1286	16.3	15.3-17.3	2094	19.7	18.7-20.7	2267	15.0	14.2-15.8	2752	14.6	14.0-15.2
Black or Afr. Am./Non-Hisp	628	421,912	91	26.4	21.5-31.3	91	20.3	15.8-24.8	81	12.9	09.8-16.0	137	17.3	14.0-20.6	128	12.9	10.2-15.6	100	10.1	07.4-12.8
Oth. Race/Non-Hisp.	227	102,686	56	43.9	35.1-52.7	34	19.4	12.1-26.7	46	19.1	13.0-25.2	34	9.5	05.4-13.6	37	5.6	03.2-08.0	20	2.5	00.7-04.3
MultiRacial/Non-Hisp.	131	55,302	30	43.4	31.6-55.2	12	10.0	03.9-16.1	19	13.9	06.8-21.0	23	13.4	06.0-20.8	27	12.9	06.8-19.0	20	6.5	03.0-10.0
Hispanic	317	272,049	77	31.9	25.8-38.0	77	27.3	21.6-33.0	75	24.5	19.0-30.0	44	9.6	06.5-12.7	25	4.6	02.4-06.8	19	2.2	00.8-03.6
Less Than H.S.	1003	694,393	103	23.3	19.4-27.2	116	21.6	17.7-25.5	107	14.3	11.4-17.2	190	16.2	13.7-18.7	153	9.4	07.6-11.2	334	15.2	13.0-17.4
H.S. or G.E.D.	3914	1,725,083	322	21.7	19.5-23.9	247	12.1	10.5-13.7	372	13.4	11.8-15.0	810	19.8	18.2-21.4	877	15.4	14.2-16.6	1286	17.6	16.4-18.8
Some Post-H.S.	2880	1,500,921	310	24.8	22.4-27.2	268	15.7	13.7-17.7	384	16.3	14.5-18.1	609	18.6	17.0-20.2	667	14.4	13.0-15.8	642	10.2	09.2-11.2
College Graduate	3495	1,026,262	224	15.1	13.3-16.9	407	20.2	18.2-22.2	648	23.5	21.7-25.3	728	18.1	16.7-19.5	806	14.1	12.9-15.3	682	9.0	08.2-09.8
Less than \$15,000	1130	526,726	118	23.9	20.0-27.8	102	17.5	14.0-21.0	138	15.6	12.7-18.5	241	18.8	16.1-21.5	243	12.3	10.3-14.3	288	11.9	09.9-13.9
\$15,000- 24,999	1825	816,027	178	23.9	20.8-27.0	152	16.8	13.9-19.7	159	13.3	10.9-15.7	274	13.5	11.5-15.5	381	13.3	11.7-14.9	681	19.2	17.2-21.2
\$25,000- 34,999	1179	509,377	110	24.6	20.5-28.7	99	16.4	12.9-19.9	107	12.6	10.1-15.1	186	14.1	11.7-16.5	255	13.3	11.3-15.3	422	19.0	16.6-21.4
\$35,000- 49,999	1512	667,670	124	19.9	16.6-23.2	126	15.2	12.5-17.9	162	14.5	12.1-16.9	273	18.1	15.7-20.5	423	17.8	15.8-19.8	404	14.5	12.7-16.3
\$50,000- 74,999	1526	694,938	108	18.0	14.9-21.1	154	16.9	14.0-19.8	254	20.0	17.5-22.5	388	21.7	19.3-24.1	377	15.8	13.8-17.8	245	7.7	06.5-08.9
\$75,000+	2524	1,079,818	141	14.1	11.7-16.5	325	19.4	17.2-21.6	577	24.3	22.1-26.5	742	25.2	23.2-27.2	499	12.2	10.8-13.6	240	4.7	03.9-05.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4626	2,426,898	494	22.7	20.9-24.5	434	16.5	14.9-18.1	662	16.4	15.0-17.8	1015	19.2	17.8-20.6	1057	14.1	13.1-15.1	964	11.0	10.2-11.8
White/Non-Hisp	4013	1,974,054	365	20.6	18.6-22.6	332	15.0	13.2-16.8	559	16.4	15.0-17.8	912	20.6	19.0-22.2	946	15.1	13.9-16.3	899	12.4	11.4-13.4
Black or Afr. Am./Non-Hisp	240	199,186	44	28.6	21.2-36.0	38	23.1	15.7-30.5	33	12.4	07.7-17.1	52	17.4	12.1-22.7	44	11.6	07.7-15.5	29	6.9	03.8-10.0
Oth. Race/Non-Hisp.	119	63,854	33	45.2	33.6-56.8	20	21.4	11.4-31.4	26	18.4	10.6-26.2	15	7.2	02.3-12.1	18	5.3	02.4-08.2	7	2.6	00.1-05.1
MultiRacial/Non-Hisp.	52	27,462	12	37.3	19.1-55.5	5	10.1	00.9-19.3	9	14.7	03.5-25.9	10	17.8	04.7-30.9	15	19.8	08.4-31.2	1	0.3	00.0-00.9
Hispanic	131	130,057	37	33.6	24.4-42.8	31	28.5	19.5-37.5	28	21.9	13.9-29.9	13	7.0	02.9-11.1	15	6.1	02.6-09.6	7	2.9	00.4-05.4
Less Than H.S.	397	345,636	56	25.5	19.6-31.4	55	24.6	18.5-30.7	39	11.8	07.7-15.9	86	17.6	13.5-21.7	61	8.6	06.1-11.1	100	12.0	09.1-14.9
H.S. or G.E.D.	1542	868,431	193	25.6	22.5-28.7	114	12.7	10.2-15.2	181	13.8	11.6-16.0	350	19.9	17.5-22.3	337	14.4	12.6-16.2	367	13.6	12.0-15.2
Some Post-H.S.	1089	674,112	143	24.3	20.8-27.8	97	15.3	12.2-18.4	151	16.9	14.2-19.6	255	20.3	17.6-23.0	263	15.3	13.1-17.5	180	8.0	06.6-09.4
College Graduate	1563	520,256	101	14.5	12.0-17.0	162	19.1	16.4-21.8	285	22.8	20.1-25.5	316	17.9	15.7-20.1	388	15.6	13.8-17.4	311	10.1	08.7-11.5
Less than \$15,000	369	198,583	46	23.4	17.3-29.5	32	14.2	09.3-19.1	52	16.2	11.3-21.1	104	23.9	18.6-29.2	77	13.2	09.7-16.7	58	9.0	05.9-12.1
\$15,000- 24,999	604	354,779	83	25.2	20.3-30.1	56	19.8	14.5-25.1	58	13.0	09.3-16.7	93	13.4	10.1-16.7	131	12.8	10.1-15.5	183	15.7	13.0-18.4
\$25,000- 34,999	467	254,741	60	26.8	20.7-32.9	48	20.9	14.8-27.0	43	10.2	06.9-13.5	67	12.7	09.2-16.2	99	12.6	09.7-15.5	150	16.7	13.4-20.0
\$35,000- 49,999	664	348,383	61	20.6	15.9-25.3	62	16.3	12.2-20.4	72	13.9	10.4-17.4	119	18.0	14.5-21.5	175	16.3	13.4-19.2	175	14.9	12.2-17.6
\$50,000- 74,999	734	379,296	63	18.5	14.2-22.8	66	15.1	11.2-19.0	119	20.2	16.5-23.9	180	22.0	18.5-25.5	193	16.2	13.5-18.9	113	7.9	06.1-09.7
\$75,000+	1246	604,223	87	16.6	13.3-19.9	133	17.6	14.5-20.7	270	22.7	20.0-25.4	351	24.7	22.0-27.4	269	13.4	11.4-15.4	136	5.0	04.0-06.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6754	2,552,628	468	20.2	18.4-22.0	612	15.9	14.5-17.3	858	16.6	15.4-17.8	1344	18.0	16.8-19.2	1467	13.9	13.1-14.7	2005	15.4	14.6-16.2
White/Non-Hisp	5903	2,086,244	336	18.3	16.5-20.1	484	15.0	13.6-16.4	727	16.3	14.9-17.7	1182	18.8	17.6-20.0	1321	14.9	13.9-15.9	1853	16.7	15.7-17.7
Black or Afr. Am./Non-Hisp	388	222,726	47	24.5	18.0-31.0	53	17.8	12.7-22.9	48	13.3	09.0-17.6	85	17.2	12.9-21.5	84	14.1	10.4-17.8	71	13.1	09.0-17.2
Oth. Race/Non-Hisp.	108	38,832	23	41.9	28.6-55.2	14	16.0	06.6-25.4	20	20.4	10.8-30.0	19	13.3	05.7-20.9	19	6.1	02.6-09.6	13	2.4	00.8-04.0
MultiRacial/Non-Hisp.	79	27,840	18	49.5	34.6-64.4	7	9.9	02.1-17.7	10	13.0	04.2-21.8	13	9.0	02.7-15.3	12	6.1	01.8-10.4	19	12.6	05.5-19.7
Hispanic	186	141,993	40	30.3	22.1-38.5	46	26.1	18.8-33.4	47	26.8	19.4-34.2	31	11.9	07.2-16.6	10	3.2	00.8-05.6	12	1.6	00.4-02.8
Less Than H.S.	606	348,757	47	21.1	15.6-26.6	61	18.6	14.1-23.1	68	16.9	12.8-21.0	104	14.8	11.7-17.9	92	10.3	07.8-12.8	234	18.3	15.2-21.4
H.S. or G.E.D.	2372	856,652	129	17.7	15.0-20.4	133	11.5	09.3-13.7	191	13.0	10.8-15.2	460	19.7	17.7-21.7	540	16.4	14.8-18.0	919	21.7	19.9-23.5
Some Post-H.S.	1791	826,809	167	25.2	21.9-28.5	171	16.1	13.6-18.6	233	15.8	13.6-18.0	354	17.3	15.3-19.3	404	13.6	12.0-15.2	462	12.0	10.6-13.4
College Graduate	1932	506,006	123	15.7	13.2-18.2	245	21.4	18.9-23.9	363	24.1	21.6-26.6	412	18.3	16.3-20.3	418	12.5	11.1-13.9	371	8.0	07.0-09.0
Less than \$15,000	761	328,143	72	24.2	19.1-29.3	70	19.5	14.8-24.2	86	15.3	11.6-19.0	137	15.7	12.6-18.8	166	11.8	09.4-14.2	230	13.6	11.1-16.1
\$15,000- 24,999	1221	461,248	95	23.0	18.9-27.1	96	14.5	11.4-17.6	101	13.6	10.7-16.5	181	13.5	11.1-15.9	250	13.6	11.4-15.8	498	21.8	19.3-24.3
\$25,000- 34,999	712	254,636	50	22.5	16.8-28.2	51	12.0	08.3-15.7	64	14.9	11.0-18.8	119	15.5	12.4-18.6	156	14.0	11.3-16.7	272	21.2	17.9-24.5
\$35,000- 49,999	848	319,287	63	19.3	14.6-24.0	64	13.9	10.4-17.4	90	15.1	11.8-18.4	154	18.2	15.1-21.3	248	19.5	16.6-22.4	229	14.1	11.7-16.5
\$50,000- 74,999	792	315,642	45	17.4	12.5-22.3	88	19.0	14.7-23.3	135	19.9	16.2-23.6	208	21.2	18.1-24.3	184	15.2	12.5-17.9	132	7.3	05.7-08.9
\$75,000+	1278	475,594	54	10.9	08.0-13.8	192	21.8	18.7-24.9	307	26.4	23.5-29.3	391	25.9	23.2-28.6	230	10.7	09.1-12.3	104	4.3	03.3-05.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11380	4,979,526	7216	80.7	79.9-81.5	4164	19.3	18.5-20.1
Male	4626	2,426,898	3169	82.8	81.6-84.0	1457	17.2	16.0-18.4
Female	6754	2,552,628	4047	78.7	77.7-79.7	2707	21.3	20.3-22.3
White/Non-Hisp	9916	4,060,298	6077	78.8	78.0-79.6	3839	21.2	20.4-22.0
Black or Afr. Am./Non-Hisp	628	421,912	476	85.6	82.7-88.5	152	14.4	11.5-17.3
Oth. Race/Non-Hisp.	227	102,686	191	95.0	92.6-97.4	36	5.0	02.6-07.4
MultiRacial/Non-Hisp.	131	55,302	94	84.4	77.9-90.9	37	15.6	09.1-22.1
Hispanic	317	272,049	289	96.5	94.7-98.3	28	3.5	01.7-05.3
Less Than H.S.	1003	694,393	590	80.6	78.1-83.1	413	19.4	16.9-21.9
H.S. or G.E.D.	3914	1,725,083	2204	75.5	74.1-76.9	1710	24.5	23.1-25.9
Some Post-H.S.	2880	1,500,921	1935	83.9	82.5-85.3	945	16.1	14.7-17.5
College Graduate	3495	1,026,262	2435	85.1	83.9-86.3	1060	14.9	13.7-16.1
Less than \$15,000	1130	526,726	726	82.8	80.4-85.2	404	17.2	14.8-19.6
\$15,000- 24,999	1825	816,027	933	74.4	72.2-76.6	892	25.6	23.4-27.8
\$25,000- 34,999	1179	509,377	624	74.4	71.7-77.1	555	25.6	22.9-28.3
\$35,000- 49,999	1512	667,670	900	76.8	74.4-79.2	612	23.2	20.8-25.6
\$50,000- 74,999	1526	694,938	1107	85.8	84.0-87.6	419	14.2	12.4-16.0
\$75,000+	2524	1,079,818	2093	91.2	90.2-92.2	431	8.8	07.8-09.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4626	2,426,898	3169	82.8	81.8-83.8	1457	17.2	16.2-18.2
White/Non-Hisp	4013	1,974,054	2670	80.9	79.7-82.1	1343	19.1	17.9-20.3
Black or Afr. Am./Non-Hisp	240	199,186	192	88.8	84.9-92.7	48	11.2	07.3-15.1
Oth. Race/Non-Hisp.	119	63,854	105	95.1	91.8-98.4	14	4.9	01.6-08.2
MultiRacial/Non-Hisp.	52	27,462	40	84.4	74.0-94.8	12	15.6	05.2-26.0
Hispanic	131	130,057	119	95.6	92.7-98.5	12	4.4	01.5-07.3
Less Than H.S.	397	345,636	272	84.3	81.0-87.6	125	15.7	12.4-19.0
H.S. or G.E.D.	1542	868,431	1028	80.3	78.3-82.3	514	19.7	17.7-21.7
Some Post-H.S.	1089	674,112	788	85.3	83.3-87.3	301	14.7	12.7-16.7
College Graduate	1563	520,256	1054	82.7	80.9-84.5	509	17.3	15.5-19.1
Less than \$15,000	369	198,583	282	85.8	82.1-89.5	87	14.2	10.5-17.9
\$15,000- 24,999	604	354,779	356	78.5	75.2-81.8	248	21.5	18.2-24.8
\$25,000- 34,999	467	254,741	265	76.3	72.2-80.4	202	23.7	19.6-27.8
\$35,000- 49,999	664	348,383	408	77.0	73.7-80.3	256	23.0	19.7-26.3
\$50,000- 74,999	734	379,296	524	84.9	82.4-87.4	210	15.1	12.6-17.6
\$75,000+	1246	604,223	993	90.0	88.4-91.6	253	10.0	08.4-11.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6754	2,552,628	4047	78.7	77.7-79.7	2707	21.3	20.3-22.3
White/Non-Hisp	5903	2,086,244	3407	76.8	75.6-78.0	2496	23.2	22.0-24.4
Black or Afr. Am./Non-Hisp	388	222,726	284	82.7	78.2-87.2	104	17.3	12.8-21.8
Oth. Race/Non-Hisp.	108	38,832	86	94.8	91.9-97.7	22	5.2	02.3-08.1
MultiRacial/Non-Hisp.	79	27,840	54	84.4	76.6-92.2	25	15.6	07.8-23.4
Hispanic	186	141,993	170	97.3	95.5-99.1	16	2.7	00.9-04.5
Less Than H.S.	606	348,757	318	76.9	73.4-80.4	288	23.1	19.6-26.6
H.S. or G.E.D.	2372	856,652	1176	70.7	68.5-72.9	1196	29.3	27.1-31.5
Some Post-H.S.	1791	826,809	1147	82.8	81.0-84.6	644	17.2	15.4-19.0
College Graduate	1932	506,006	1381	87.6	86.2-89.0	551	12.4	11.0-13.8
Less than \$15,000	761	328,143	444	80.9	78.0-83.8	317	19.1	16.2-22.0
\$15,000- 24,999	1221	461,248	577	71.3	68.4-74.2	644	28.7	25.8-31.6
\$25,000- 34,999	712	254,636	359	72.4	68.7-76.1	353	27.6	23.9-31.3
\$35,000- 49,999	848	319,287	492	76.6	73.5-79.7	356	23.4	20.3-26.5
\$50,000- 74,999	792	315,642	583	86.8	84.4-89.2	209	13.2	10.8-15.6
\$75,000+	1278	475,594	1100	92.9	91.5-94.3	178	7.1	05.7-08.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	11207	4,858,272	1	0.0	00.0-00.0	653	4.8	04.2-05.4	5258	41.9	40.7-43.1	4381	43.0	41.8-44.2	913	10.4	09.6-11.2	1	0.0	00.0-00.0	
Male	4554	2,366,121				12	0.3	00.1-00.5	516	11.7	10.5-12.9	3126	67.0	65.2-68.8	899	20.9	19.3-22.5	1	0.0	00.0-00.0	
Female	6653	2,492,151	1	0.0	00.0-00.0	641	9.0	08.0-10.0	4742	70.5	68.9-72.1	1255	20.2	18.8-21.6	14	0.3	00.1-00.5				
White/Non-Hisp	9842	4,022,434	1	0.0	00.0-00.0	553	4.4	03.8-05.0	4574	40.9	39.5-42.3	3899	43.9	42.5-45.3	814	10.8	09.8-11.8	1	0.0	00.0-00.0	
Black or Afr. Am./Non-Hisp	611	411,981				33	4.8	02.8-06.8	296	42.3	37.2-47.4	229	42.7	37.6-47.8	53	10.1	07.0-13.2				
Oth. Race/Non-Hisp.	212	91,904				16	5.9	02.2-09.6	98	41.7	32.9-50.5	85	46.2	37.0-55.4	13	6.2	01.3-11.1				
MultiRacial/Non-Hisp.	131	55,302				7	2.7	00.3-05.1	74	50.7	39.1-62.3	43	38.4	26.8-50.0	7	8.3	01.0-15.6				
Hispanic	251	213,031				28	11.3	06.6-16.0	151	58.2	51.1-65.3	61	25.8	19.5-32.1	11	4.7	01.8-07.6				
18-24	555	666,912				24	4.8	02.8-06.8	206	39.3	34.8-43.8	242	42.0	37.5-46.5	83	13.9	11.0-16.8				
25-34	833	779,536				34	3.9	02.5-05.3	368	40.7	37.0-44.4	336	42.6	38.7-46.5	95	12.9	10.2-15.6				
35-44	1225	779,604				38	3.3	02.1-04.5	504	37.9	34.8-41.0	547	46.4	43.1-49.7	136	12.4	10.0-14.8				
45-54	1853	853,308				59	3.0	02.2-03.8	812	41.3	38.8-43.8	831	47.3	44.6-50.0	151	8.4	06.8-10.0				
55-64	2544	794,672				105	4.1	03.1-05.1	1172	42.9	40.5-45.3	1058	43.8	41.4-46.2	208	9.1	07.7-10.5	1	0.1	00.0-00.3	
65+	4072	941,262	1	0.0	00.0-00.0	384	8.9	07.7-10.1	2132	47.4	45.4-49.4	1329	36.9	34.9-38.9	226	6.9	05.7-08.1				
Less Than H.S.	945	642,320				91	7.9	05.7-10.1	501	47.3	43.0-51.6	302	36.6	32.3-40.9	50	8.1	05.6-10.6	1	0.1	00.0-00.3	
H.S. or G.E.D.	3864	1,690,608	1	0.0	00.0-00.0	276	5.2	04.4-06.0	1894	42.0	39.8-44.2	1424	42.9	40.7-45.1	269	9.9	08.5-11.3				
Some Post-H.S.	2877	1,496,208				172	4.8	03.8-05.8	1375	41.8	39.4-44.2	1098	42.6	40.2-45.0	232	10.8	09.2-12.4				
College Graduate	3493	1,020,280				110	2.1	01.5-02.7	1477	38.4	36.4-40.4	1546	47.5	45.3-49.7	360	12.0	10.6-13.4				
Less than \$15,000	1104	504,174				114	8.5	06.3-10.7	577	49.6	45.5-53.7	348	33.2	29.5-36.9	64	8.6	06.2-11.0	1	0.1	00.0-00.3	
\$15,000- 24,999	1799	787,492				155	6.4	05.0-07.8	954	47.0	43.7-50.3	589	37.8	34.5-41.1	101	8.7	06.5-10.9				
\$25,000- 34,999	1178	506,168	1	0.0	00.0-00.0	77	5.0	03.4-06.6	578	42.4	38.5-46.3	428	41.8	37.7-45.9	94	10.8	08.1-13.5				
\$35,000- 49,999	1512	665,445				65	3.3	02.3-04.3	700	40.2	36.9-43.5	631	46.7	43.4-50.0	116	9.8	07.6-12.0				
\$50,000- 74,999	1528	696,111				46	3.1	01.9-04.3	640	37.9	34.8-41.0	697	48.6	45.3-51.9	145	10.4	08.2-12.6				
\$75,000+	2525	1,081,763				52	1.9	01.3-02.5	998	35.3	32.9-37.7	1182	48.6	46.1-51.1	293	14.2	12.2-16.2				

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4554	2,366,121	12	0.3	00.1-00.5	516	11.7	10.5-12.9	3126	67.0	65.2-68.8	899	20.9	19.3-22.5	1	0.0	00.0-00.0
White/Non-Hisp	3984	1,952,318	8	0.3	00.1-00.5	406	9.6	08.4-10.8	2765	68.2	66.2-70.2	804	21.9	20.1-23.7	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	235	197,719				27	12.8	07.7-17.9	157	66.5	59.2-73.8	51	20.8	14.5-27.1			
Oth. Race/Non-Hisp.	110	55,901	1	0.8	00.0-02.4	23	18.7	09.9-27.5	74	70.3	59.3-81.3	12	10.2	02.4-18.0			
MultiRacial/Non-Hisp.	52	27,462				13	25.5	11.6-39.4	32	57.8	40.7-74.9	7	16.7	02.8-30.6			
Hispanic	103	102,319	3	2.3	00.0-05.2	41	43.7	32.7-54.7	48	44.2	33.4-55.0	11	9.8	03.7-15.9			
18-24	300	336,972				30	10.4	06.7-14.1	187	62.1	56.2-68.0	83	27.5	22.0-33.0			
25-34	368	396,637	2	0.4	00.0-01.0	44	12.3	08.6-16.0	231	63.0	57.5-68.5	91	24.3	19.4-29.2			
35-44	522	387,175	1	0.1	00.0-00.3	43	9.6	06.5-12.7	346	66.1	61.2-71.0	132	24.1	19.8-28.4			
45-54	803	423,548	1	0.1	00.0-00.3	85	12.0	09.3-14.7	567	71.1	67.4-74.8	150	16.8	13.9-19.7			
55-64	1082	390,988	3	0.3	00.0-00.7	115	11.5	09.1-13.9	757	69.6	66.3-72.9	206	18.4	15.7-21.1	1	0.2	00.0-00.6
65+	1434	411,300	5	1.0	00.0-02.0	194	14.2	11.8-16.6	1012	69.2	66.1-72.3	223	15.6	13.2-18.0			
Less Than H.S.	378	324,773	7	1.8	00.2-03.4	83	21.9	16.6-27.2	238	60.5	54.2-66.8	49	15.7	10.8-20.6	1	0.2	00.0-00.6
H.S. or G.E.D.	1512	846,358				184	11.9	09.9-13.9	1062	68.7	65.8-71.6	266	19.5	17.0-22.0			
Some Post-H.S.	1089	672,740	2	0.2	00.0-00.4	115	8.9	06.9-10.9	744	67.2	63.7-70.7	228	23.7	20.6-26.8			
College Graduate	1562	516,559	3	0.2	00.0-00.4	132	8.8	07.0-10.6	1073	67.9	65.0-70.8	354	23.1	20.6-25.6			
Less than \$15,000	359	188,441	4	1.7	00.0-03.9	59	15.9	10.8-21.0	234	60.1	53.4-66.8	61	21.9	16.4-27.4	1	0.4	00.0-01.2
\$15,000- 24,999	586	336,877	3	0.7	00.0-01.7	92	15.7	11.8-19.6	391	63.4	57.9-68.9	100	20.1	15.4-24.8			
\$25,000- 34,999	464	252,181	1	0.1	00.0-00.3	57	11.4	07.7-15.1	313	66.7	60.8-72.6	93	21.7	16.4-27.0			
\$35,000- 49,999	664	346,423	1	0.1	00.0-00.3	79	11.2	08.1-14.3	471	70.3	65.8-74.8	113	18.3	14.4-22.2			
\$50,000- 74,999	732	379,376	1	0.1	00.0-00.3	76	11.3	08.4-14.2	511	69.5	65.2-73.8	144	19.1	15.6-22.6			
\$75,000+	1248	606,792				91	7.7	05.7-09.7	869	67.7	64.4-71.0	288	24.7	21.6-27.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6653	2,492,151	1	0.0	00.0-00.0	641	9.0	08.0-10.0	4742	70.5	68.9-72.1	1255	20.2	18.8-21.6	14	0.3	00.1-00.5
White/Non-Hisp	5858	2,070,116	1	0.0	00.0-00.0	545	8.3	07.3-09.3	4168	70.3	68.7-71.9	1134	21.0	19.4-22.6	10	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	376	214,263				33	9.2	05.5-12.9	269	69.6	63.5-75.7	72	20.9	15.4-26.4	2	0.3	00.0-00.9
Oth. Race/Non-Hisp.	102	36,003				15	13.8	04.8-22.8	75	77.3	66.3-88.3	11	8.7	01.3-16.1	1	0.1	00.0-00.3
MultiRacial/Non-Hisp.	79	27,840				7	5.3	00.8-09.8	61	75.5	62.4-88.6	11	19.2	06.3-32.1			
Hispanic	148	110,712				25	19.7	11.7-27.7	110	71.6	62.8-80.4	13	8.8	03.9-13.7			
18-24	255	329,940				24	9.7	05.8-13.6	176	68.8	62.5-75.1	55	21.5	16.0-27.0			
25-34	465	382,899				32	7.4	04.7-10.1	324	70.0	65.3-74.7	105	21.4	17.3-25.5	4	1.2	00.0-02.4
35-44	703	392,429				37	6.4	04.0-08.8	461	65.8	61.7-69.9	201	27.0	23.1-30.9	4	0.8	00.0-01.6
45-54	1050	429,760				58	5.9	04.3-07.5	727	70.2	67.1-73.3	264	23.9	21.0-26.8	1	0.0	00.0-00.0
55-64	1462	403,685				102	7.8	06.0-09.6	1057	73.2	70.5-75.9	301	18.9	16.5-21.3	2	0.1	00.1-00.1
65+	2638	529,962	1	0.0	00.0-00.0	379	15.0	13.2-16.8	1938	73.1	70.9-75.3	317	11.8	10.2-13.4	3	0.1	00.0-00.3
Less Than H.S.	567	317,547				84	14.2	10.5-17.9	418	73.2	68.3-78.1	64	12.3	08.6-16.0	1	0.4	00.0-01.2
H.S. or G.E.D.	2352	844,250	1	0.0	00.0-00.0	276	10.3	08.7-11.9	1710	72.2	69.7-74.7	362	17.2	15.0-19.4	3	0.3	00.0-00.7
Some Post-H.S.	1788	823,467				170	8.6	06.8-10.4	1260	68.7	65.8-71.6	354	22.5	19.8-25.2	4	0.2	00.0-00.6
College Graduate	1931	503,721				107	4.1	02.9-05.3	1345	68.8	66.1-71.5	473	26.5	24.0-29.0	6	0.6	00.0-01.2
Less than \$15,000	745	315,733				110	12.5	09.4-15.6	518	69.7	65.0-74.4	114	17.2	13.3-21.1	3	0.6	00.0-01.6
\$15,000- 24,999	1213	450,615				152	10.7	08.3-13.1	862	70.4	66.7-74.1	198	18.6	15.3-21.9	1	0.3	00.0-00.7
\$25,000- 34,999	714	253,987	1	0.1	00.0-00.3	76	9.8	06.7-12.9	521	73.1	68.4-77.8	115	17.0	12.9-21.1	1	0.0	00.0-00.0
\$35,000- 49,999	848	319,023				64	6.7	04.7-08.7	621	71.7	67.6-75.8	160	21.1	17.2-25.0	3	0.5	00.0-01.1
\$50,000- 74,999	796	316,736				45	6.6	03.9-09.3	564	69.8	65.3-74.3	186	23.6	19.5-27.7	1	0.0	00.0-00.0
\$75,000+	1277	474,971				52	4.4	03.0-05.8	907	70.7	67.6-73.8	313	24.2	21.3-27.1	5	0.7	00.0-01.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 25: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11260	4,902,867	4	0.1	00.1-00.1	662	4.9	04.3-05.5	5278	41.8	40.6-43.0	4399	42.9	41.7-44.1	916	10.3	09.5-11.1	1	0.0	00.0-00.0
Male	4580	2,389,496				12	0.3	00.1-00.5	525	12.0	10.8-13.2	3140	66.9	65.1-68.7	902	20.8	19.2-22.4	1	0.0	00.0-00.0
Female	6680	2,513,371	4	0.1	00.0-00.3	650	9.2	08.2-10.2	4753	70.3	68.7-71.9	1259	20.1	18.7-21.5	14	0.3	00.1-00.5			
White/Non-Hisp	9845	4,023,842	1	0.0	00.0-00.0	553	4.4	03.8-05.0	4576	40.9	39.5-42.3	3900	43.9	42.5-45.3	814	10.8	09.8-11.8	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	611	411,981				33	4.8	02.8-06.8	296	42.3	37.2-47.4	229	42.7	37.6-47.8	53	10.1	07.0-13.2			
Oth. Race/Non-Hisp.	220	98,140				16	5.5	02.0-09.0	99	40.2	31.6-48.8	90	47.0	38.2-55.8	15	7.2	02.1-12.3			
MultiRacial/Non-Hisp.	131	55,302				7	2.7	00.3-05.1	74	50.7	39.1-62.3	43	38.4	26.8-50.0	7	8.3	01.0-15.6			
Hispanic	291	249,059	2	1.3	00.0-03.3	37	12.0	07.7-16.3	168	56.0	49.3-62.7	72	26.1	20.2-32.0	12	4.6	01.9-07.3			
18-24	561	672,671				24	4.8	02.8-06.8	207	39.1	34.6-43.6	246	42.2	37.7-46.7	84	13.9	11.0-16.8			
25-34	846	794,201	1	0.2	00.0-00.6	36	4.0	02.6-05.4	372	40.4	36.7-44.1	341	42.6	38.7-46.5	96	12.9	10.2-15.6			
35-44	1247	796,760	1	0.3	00.0-00.9	42	3.5	02.3-04.7	513	38.2	35.1-41.3	554	46.0	42.7-49.3	137	12.1	09.7-14.5			
45-54	1859	858,044				60	3.1	02.1-04.1	815	41.4	38.9-43.9	833	47.2	44.5-49.9	151	8.3	06.7-09.9			
55-64	2546	796,254				106	4.2	03.2-05.2	1173	42.9	40.5-45.3	1058	43.8	41.4-46.2	208	9.1	07.7-10.5	1	0.1	00.0-00.3
65+	4076	941,960	2	0.0	00.0-00.0	385	8.9	07.7-10.1	2134	47.4	45.4-49.4	1329	36.8	34.8-38.8	226	6.9	05.7-08.1			
Less Than H.S.	965	664,907	2	0.5	00.0-01.3	96	8.3	06.1-10.5	505	46.4	42.3-50.5	310	36.6	32.5-40.7	51	8.0	05.5-10.5	1	0.1	00.0-00.3
H.S. or G.E.D.	3880	1,703,338	1	0.0	00.0-00.0	278	5.2	04.4-06.0	1904	42.2	40.0-44.4	1427	42.8	40.6-45.0	270	9.9	08.5-11.3			
Some Post-H.S.	2882	1,500,517				172	4.8	03.8-05.8	1379	41.9	39.5-44.3	1099	42.5	40.1-44.9	232	10.8	09.2-12.4			
College Graduate	3504	1,025,173				112	2.2	01.6-02.8	1479	38.3	36.3-40.3	1552	47.6	45.4-49.8	361	11.9	10.5-13.3			
Less than \$15,000	1117	515,049	2	0.3	00.0-00.7	116	8.6	06.4-10.8	580	49.0	44.9-53.1	353	33.3	29.6-37.0	65	8.7	06.3-11.1	1	0.1	00.0-00.3
\$15,000- 24,999	1820	806,950	1	0.2	00.0-00.6	159	6.6	05.2-08.0	961	46.6	43.3-49.9	598	38.0	34.7-41.3	101	8.5	06.3-10.7			
\$25,000- 34,999	1182	509,207	1	0.0	00.0-00.0	77	5.0	03.4-06.6	581	42.6	38.7-46.5	429	41.6	37.5-45.7	94	10.8	08.1-13.5			
\$35,000- 49,999	1514	667,606				65	3.2	02.2-04.2	701	40.3	37.0-43.6	631	46.5	43.2-49.8	117	10.0	07.8-12.2			
\$50,000- 74,999	1529	696,371				46	3.1	01.9-04.3	641	37.9	34.8-41.0	697	48.6	45.3-51.9	145	10.4	08.2-12.6			
\$75,000+	2528	1,082,794				52	1.9	01.3-02.5	999	35.4	33.0-37.8	1183	48.6	46.1-51.1	294	14.2	12.2-16.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4580	2,389,496	12	0.3	00.1-00.5	525	12.0	10.8-13.2	3140	66.9	65.1-68.7	902	20.8	19.2-22.4	1	0.0	00.0-00.0
White/Non-Hisp	3986	1,953,173	8	0.3	00.1-00.5	407	9.6	08.4-10.8	2766	68.2	66.2-70.2	804	21.9	20.1-23.7	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	235	197,719				27	12.8	07.7-17.9	157	66.5	59.2-73.8	51	20.8	14.5-27.1			
Oth. Race/Non-Hisp.	116	60,582	1	0.8	00.0-02.4	23	17.3	09.1-25.5	78	70.4	59.8-81.0	14	11.6	03.6-19.6			
MultiRacial/Non-Hisp.	52	27,462				13	25.5	11.6-39.4	32	57.8	40.7-74.9	7	16.7	02.8-30.6			
Hispanic	120	119,313	3	1.9	00.0-04.4	49	43.9	33.9-53.9	56	44.7	34.7-54.7	12	9.5	04.0-15.0			
18-24	304	341,175				30	10.3	06.6-14.0	190	62.3	56.4-68.2	84	27.5	22.0-33.0			
25-34	374	404,324	2	0.4	00.0-01.0	45	12.4	08.7-16.1	235	63.1	57.6-68.6	92	24.2	19.3-29.1			
35-44	532	394,727	1	0.1	00.0-00.3	46	10.3	07.0-13.6	352	65.8	60.9-70.7	133	23.7	19.4-28.0			
45-54	806	426,344	1	0.1	00.0-00.3	87	12.4	09.7-15.1	568	70.9	67.2-74.6	150	16.7	13.8-19.6			
55-64	1083	391,664	3	0.3	00.0-00.7	116	11.6	09.2-14.0	757	69.5	66.2-72.8	206	18.4	15.7-21.1	1	0.2	00.0-00.6
65+	1436	411,762	5	1.0	00.0-02.0	196	14.3	11.9-16.7	1012	69.1	66.0-72.2	223	15.6	13.2-18.0			
Less Than H.S.	386	335,017	7	1.7	00.1-03.3	85	22.0	16.9-27.1	243	60.5	54.2-66.8	50	15.6	10.9-20.3	1	0.2	00.0-00.6
H.S. or G.E.D.	1522	854,903				190	12.3	10.3-14.3	1065	68.3	65.4-71.2	267	19.4	16.9-21.9			
Some Post-H.S.	1090	673,853	2	0.2	00.0-00.4	115	8.9	06.9-10.9	745	67.3	63.8-70.8	228	23.7	20.6-26.8			
College Graduate	1569	520,033	3	0.2	00.0-00.4	133	8.8	07.0-10.6	1078	68.1	65.2-71.0	355	23.0	20.5-25.5			
Less than \$15,000	365	193,625	4	1.7	00.0-03.9	60	16.0	11.1-20.9	238	59.9	53.4-66.4	62	22.0	16.5-27.5	1	0.4	00.0-01.2
\$15,000- 24,999	596	348,286	3	0.7	00.0-01.5	95	16.1	12.2-20.0	398	63.7	58.4-69.0	100	19.5	15.0-24.0			
\$25,000- 34,999	466	253,327	1	0.1	00.0-00.3	59	11.8	08.1-15.5	313	66.4	60.5-72.3	93	21.6	16.5-26.7			
\$35,000- 49,999	666	348,583	1	0.1	00.0-00.3	80	11.5	08.4-14.6	471	69.8	65.3-74.3	114	18.6	14.7-22.5			
\$50,000- 74,999	733	379,635	1	0.1	00.0-00.3	77	11.3	08.4-14.2	511	69.4	65.1-73.7	144	19.1	15.6-22.6			
\$75,000+	1250	607,270				91	7.6	05.6-09.6	870	67.7	64.4-71.0	289	24.7	21.6-27.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6680	2,513,371	4	0.1	00.0-00.3	650	9.2	08.2-10.2	4753	70.3	68.7-71.9	1259	20.1	18.7-21.5	14	0.3	00.1-00.5
White/Non-Hisp	5859	2,070,669	1	0.0	00.0-00.0	545	8.3	07.3-09.3	4169	70.3	68.7-71.9	1134	21.0	19.4-22.6	10	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	376	214,263				33	9.2	05.5-12.9	269	69.6	63.5-75.7	72	20.9	15.4-26.4	2	0.3	00.0-00.9
Oth. Race/Non-Hisp.	104	37,558				15	13.3	04.7-21.9	76	77.2	66.4-88.0	12	9.4	02.0-16.8	1	0.1	00.0-00.3
MultiRacial/Non-Hisp.	79	27,840				7	5.3	00.8-09.8	61	75.5	62.4-88.6	11	19.2	06.3-32.1			
Hispanic	171	129,746	2	2.5	00.0-06.0	34	21.3	13.9-28.7	119	67.1	58.7-75.5	16	9.1	04.4-13.8			
18-24	257	331,496				24	9.7	05.8-13.6	177	68.8	62.5-75.1	56	21.5	16.0-27.0			
25-34	472	389,877	1	0.3	00.0-00.9	34	7.7	05.0-10.4	327	69.5	64.8-74.2	106	21.3	17.2-25.4	4	1.1	00.0-02.3
35-44	715	402,033	1	0.5	00.0-01.5	41	6.8	04.4-09.2	467	65.5	61.4-69.6	202	26.5	22.8-30.2	4	0.8	00.0-01.6
45-54	1053	431,700				59	6.1	04.3-07.9	728	70.1	67.0-73.2	265	23.8	20.9-26.7	1	0.0	00.0-00.0
55-64	1463	404,590				103	8.0	06.2-09.8	1057	73.1	70.4-75.8	301	18.8	16.4-21.2	2	0.1	00.1-00.1
65+	2640	530,198	2	0.0	00.0-00.0	380	15.0	13.2-16.8	1938	73.1	70.9-75.3	317	11.8	10.2-13.4	3	0.1	00.0-00.3
Less Than H.S.	579	329,889	2	1.0	00.0-02.4	89	15.1	11.2-19.0	420	71.1	66.2-76.0	67	12.4	08.7-16.1	1	0.3	00.0-00.9
H.S. or G.E.D.	2358	848,435	1	0.0	00.0-00.0	278	10.4	08.8-12.0	1714	72.2	69.7-74.7	362	17.1	14.9-19.3	3	0.3	00.0-00.7
Some Post-H.S.	1792	826,664				170	8.6	06.8-10.4	1264	68.8	65.9-71.7	354	22.4	19.7-25.1	4	0.2	00.0-00.6
College Graduate	1935	505,140				109	4.2	03.0-05.4	1346	68.8	66.1-71.5	474	26.5	24.0-29.0	6	0.6	00.0-01.2
Less than \$15,000	752	321,424	2	0.4	00.0-01.2	112	12.7	09.6-15.8	520	68.9	64.2-73.6	115	17.3	13.4-21.2	3	0.6	00.0-01.6
\$15,000- 24,999	1224	458,664	1	0.4	00.0-01.2	156	11.1	08.7-13.5	866	69.7	66.0-73.4	200	18.5	15.2-21.8	1	0.2	00.0-00.6
\$25,000- 34,999	716	255,880	1	0.1	00.0-00.3	76	9.8	06.7-12.9	522	73.1	68.4-77.8	116	17.1	13.0-21.2	1	0.0	00.0-00.0
\$35,000- 49,999	848	319,023				64	6.7	04.7-08.7	621	71.7	67.6-75.8	160	21.1	17.2-25.0	3	0.5	00.0-01.1
\$50,000- 74,999	796	316,736				45	6.6	03.9-09.3	564	69.8	65.3-74.3	186	23.6	19.5-27.7	1	0.0	00.0-00.0
\$75,000+	1278	475,525				52	4.4	03.0-05.8	908	70.7	67.6-73.8	313	24.1	21.2-27.0	5	0.7	00.0-01.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10874	4,766,992	125	0.9	00.7-01.1	3336	29.0	27.8-30.2	4705	42.5	41.3-43.7	2002	19.7	18.7-20.7	567	6.2	05.6-06.8	139	1.7	01.3-02.1
Male	4559	2,381,626	4	0.1	00.0-00.3	484	13.0	11.6-14.4	2227	47.4	45.4-49.4	1358	28.0	26.4-29.6	387	9.0	07.8-10.2	99	2.5	01.9-03.1
Female	6315	2,385,366	121	1.7	01.3-02.1	2852	45.0	43.2-46.8	2478	37.6	36.0-39.2	644	11.3	10.1-12.5	180	3.5	02.9-04.1	40	0.9	00.5-01.3
White/Non-Hisp	9490	3,896,695	105	0.7	00.5-00.9	2902	28.4	27.2-29.6	4132	42.8	41.4-44.2	1757	20.3	19.1-21.5	475	6.0	05.2-06.8	119	1.7	01.3-02.1
Black or Afr. Am./Non-Hisp	588	395,772	4	0.8	00.0-01.8	149	25.2	20.5-29.9	228	35.9	31.0-40.8	136	23.0	18.7-27.3	57	11.3	08.0-14.6	14	3.8	01.3-06.3
Oth. Race/Non-Hisp.	216	97,382	6	3.6	00.0-07.3	78	36.8	28.2-45.4	91	45.8	37.0-54.6	28	9.7	05.0-14.4	9	3.6	00.0-07.9	4	0.5	00.0-01.1
MultiRacial/Non-Hisp.	125	53,619	39	33.5	22.7-44.3	39	33.5	22.7-44.3	52	42.4	30.6-54.2	25	19.2	10.0-28.4	8	4.2	00.9-07.5	1	0.8	00.0-02.4
Hispanic	306	263,508	6	2.6	00.2-05.0	115	38.6	32.3-44.9	144	47.2	40.7-53.7	32	8.8	05.5-12.1	9	2.7	00.7-04.7			
18-24	548	659,361	5	1.2	00.0-02.4	225	43.4	38.9-47.9	226	38.5	34.2-42.8	70	12.4	09.5-15.3	17	3.5	01.7-05.3	5	1.0	00.0-02.0
25-34	833	784,828	7	0.7	00.1-01.3	265	30.3	26.8-33.8	332	40.0	36.3-43.7	154	19.3	16.2-22.4	57	7.3	05.1-09.5	18	2.4	01.2-03.6
35-44	1207	773,863	11	1.3	00.5-02.1	317	24.3	21.4-27.2	523	42.7	39.4-46.0	253	22.1	19.4-24.8	81	6.8	05.0-08.6	22	2.8	01.4-04.2
45-54	1786	826,767	10	0.5	00.1-00.9	468	23.7	21.3-26.1	731	41.6	38.9-44.3	408	24.2	21.8-26.6	136	8.3	06.7-09.9	33	1.7	00.9-02.5
55-64	2450	772,557	21	0.6	00.2-01.0	601	22.6	20.6-24.6	1097	44.8	42.4-47.2	530	22.9	20.9-24.9	160	7.2	05.8-08.6	41	1.8	01.2-02.4
65+	3956	916,327	69	1.2	00.8-01.6	1420	31.4	29.6-33.2	1758	45.9	43.9-47.9	575	16.4	14.8-18.0	114	4.2	03.2-05.2	20	0.8	00.4-01.2
Less Than H.S.	969	669,384	19	1.6	00.6-02.6	335	34.8	30.7-38.9	385	40.6	36.5-44.7	160	14.7	12.0-17.4	57	6.4	04.4-08.4	13	1.9	00.7-03.1
H.S. or G.E.D.	3721	1,635,234	52	1.1	00.7-01.5	1137	28.2	26.2-30.2	1601	41.9	39.7-44.1	694	20.4	18.6-22.2	195	6.8	05.6-08.0	42	1.6	01.0-02.2
Some Post-H.S.	2764	1,453,215	29	0.8	00.4-01.2	827	28.1	25.9-30.3	1185	41.3	38.9-43.7	513	21.3	19.3-23.3	161	6.3	05.1-07.5	49	2.2	01.4-03.0
College Graduate	3393	999,684	23	0.4	00.2-00.6	1027	27.7	25.7-29.7	1524	46.1	43.9-48.3	630	19.4	17.6-21.2	154	5.2	04.2-06.2	35	1.2	00.6-01.8
Less than \$15,000	1094	510,233	26	1.0	00.4-01.6	347	33.9	29.8-38.0	418	36.8	32.9-40.7	192	17.7	14.8-20.6	84	8.2	05.8-10.6	27	2.4	01.2-03.6
\$15,000- 24,999	1769	781,910	33	1.5	00.7-02.3	606	32.7	29.6-35.8	745	40.5	37.4-43.6	273	17.4	14.9-19.9	92	6.0	04.4-07.6	20	1.8	00.8-02.8
\$25,000- 34,999	1154	498,002	10	1.2	00.0-02.4	370	28.0	24.5-31.5	505	44.2	40.1-48.3	216	19.3	16.2-22.4	45	5.8	03.4-08.2	8	1.4	00.0-02.8
\$35,000- 49,999	1465	653,594	10	0.5	00.1-00.9	400	24.4	21.5-27.3	655	44.2	40.9-47.5	290	21.4	18.7-24.1	85	7.3	05.3-09.3	25	2.2	01.2-03.2
\$50,000- 74,999	1487	683,230	6	0.5	00.1-00.9	382	26.9	23.8-30.0	672	43.1	39.8-46.4	330	22.9	20.2-25.6	73	4.8	03.4-06.2	24	1.9	00.9-02.9
\$75,000+	2466	1,060,331	12	0.3	00.1-00.5	665	24.9	22.7-27.1	1118	44.7	42.2-47.2	505	21.7	19.5-23.9	142	7.0	05.6-08.4	24	1.3	00.5-02.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4559	2,381,626	4	0.1	00.0-00.3	484	13.0	11.6-14.4	2227	47.4	45.4-49.4	1358	28.0	26.4-29.6	387	9.0	07.8-10.2	99	2.5	01.9-03.1
White/Non-Hisp	3970	1,943,648	1	0.0	00.0-00.0	381	11.3	09.9-12.7	1955	47.5	45.5-49.5	1219	29.7	27.9-31.5	327	8.9	07.7-10.1	87	2.6	02.0-03.2
Black or Afr. Am./Non-Hisp	230	193,739				36	16.9	10.4-23.4	86	36.2	28.8-43.6	68	27.5	20.4-34.6	32	14.6	09.1-20.1	8	4.8	00.9-08.7
Oth. Race/Non-Hisp.	114	60,364	1	0.4	00.0-01.2	21	20.6	10.6-30.6	63	61.6	50.0-73.2	18	11.3	04.8-17.8	8	5.3	00.0-12.0	3	0.7	00.0-01.7
MultiRacial/Non-Hisp.	52	27,462				8	19.0	05.7-32.3	24	53.5	36.4-70.6	14	21.4	08.5-34.3	6	6.0	00.7-11.3			
Hispanic	127	127,113	2	2.3	00.0-05.6	30	26.9	17.9-35.9	71	55.9	46.1-65.7	19	11.6	05.9-17.3	5	3.3	00.4-06.2			
18-24	302	339,226				87	31.3	25.4-37.2	148	47.0	40.9-53.1	50	15.7	11.4-20.0	15	5.7	02.6-08.8	2	0.4	00.0-01.0
25-34	373	402,849				50	14.1	10.0-18.2	185	47.7	42.0-53.4	95	25.4	20.5-30.3	30	9.3	05.8-12.8	13	3.4	01.4-05.4
35-44	533	397,639	2	0.7	00.0-01.7	39	9.7	06.0-13.4	248	44.7	39.6-49.8	168	31.1	26.6-35.6	58	9.0	06.3-11.7	18	4.8	02.3-07.3
45-54	799	423,034				62	7.7	05.5-09.9	352	45.6	41.5-49.7	268	32.5	28.8-36.2	94	11.8	09.3-14.3	23	2.4	01.2-03.6
55-64	1079	391,077	1	0.1	00.0-00.3	80	7.5	05.5-09.5	502	46.1	42.6-49.6	362	33.4	30.1-36.7	105	10.2	08.0-12.4	29	2.7	01.5-03.9
65+	1436	411,250	1	0.0	00.0-00.0	163	10.8	08.8-12.8	770	52.2	49.1-55.3	404	28.1	25.4-30.8	84	7.6	05.6-09.6	14	1.2	00.4-02.0
Less Than H.S.	390	339,672	1	0.6	00.0-01.8	85	25.4	19.5-31.3	166	45.2	38.9-51.5	88	15.8	11.7-19.9	41	10.1	06.4-13.8	9	2.9	00.7-05.1
H.S. or G.E.D.	1511	846,562	1	0.0	00.0-00.0	170	13.6	11.2-16.0	702	44.9	41.8-48.0	478	29.6	26.9-32.3	127	9.4	07.4-11.4	33	2.4	01.4-03.4
Some Post-H.S.	1083	670,361	2	0.2	00.0-00.6	104	9.8	07.6-12.0	521	46.8	43.1-50.5	325	31.5	28.0-35.0	100	8.7	06.7-10.7	31	3.1	01.9-04.3
College Graduate	1564	518,799				124	8.0	06.2-09.8	833	53.3	50.2-56.4	462	28.8	26.1-31.5	119	8.1	06.3-09.9	26	1.8	01.0-02.6
Less than \$15,000	361	195,178				73	21.4	15.7-27.1	151	41.7	35.2-48.2	86	23.2	17.7-28.7	37	9.1	05.6-12.6	14	4.6	01.9-07.3
\$15,000- 24,999	595	346,247	1	0.3	00.0-00.9	105	22.4	17.3-27.5	289	45.7	40.4-51.0	133	20.2	16.1-24.3	55	8.9	06.0-11.8	12	2.5	00.7-04.3
\$25,000- 34,999	466	253,763	1	0.8	00.0-02.4	64	13.7	09.4-18.0	235	49.4	43.1-55.7	136	27.4	22.1-32.7	25	7.7	03.4-12.0	5	1.1	00.1-02.1
\$35,000- 49,999	664	348,247	1	0.1	00.0-00.3	57	9.5	06.6-12.4	320	47.2	42.3-52.1	205	29.4	25.1-33.7	61	10.5	07.4-13.6	20	3.3	01.5-05.1
\$50,000- 74,999	733	378,948				64	12.2	08.7-15.7	349	45.5	40.8-50.2	246	32.9	28.6-37.2	53	6.1	04.1-08.1	21	3.3	01.5-05.1
\$75,000+	1248	606,157				66	6.3	04.3-08.3	632	48.6	45.1-52.1	411	32.0	28.7-35.3	119	11.0	08.6-13.4	20	2.0	00.8-03.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6315	2,385,366	121	1.7	01.3-02.1	2852	45.0	43.2-46.8	2478	37.6	36.0-39.2	644	11.3	10.1-12.5	180	3.5	02.9-04.1	40	0.9	00.5-01.3
White/Non-Hisp	5520	1,953,047	104	1.5	01.1-01.9	2521	45.4	43.6-47.2	2177	38.1	36.3-39.9	538	11.0	09.8-12.2	148	3.2	02.4-04.0	32	0.8	00.4-01.2
Black or Afr. Am./Non-Hisp	358	202,033	4	1.6	00.0-03.6	113	33.1	26.4-39.8	142	35.6	29.1-42.1	68	18.7	13.6-23.8	25	8.2	04.3-12.1	6	2.8	00.0-05.9
Oth. Race/Non-Hisp.	102	37,017	5	8.9	00.0-18.1	57	63.3	50.4-76.2	28	20.0	10.2-29.8	10	7.1	00.4-13.8	1	0.7	00.0-02.1	1	0.1	00.0-00.3
MultiRacial/Non-Hisp.	73	26,157				31	48.6	33.1-64.1	28	30.7	16.6-44.8	11	16.8	03.7-29.9	2	2.3	00.0-06.2	1	1.6	00.0-04.7
Hispanic	179	136,395	4	2.9	00.0-06.4	85	49.5	40.9-58.1	73	39.2	31.0-47.4	13	6.2	02.3-10.1	4	2.2	00.0-04.4			
18-24	246	320,135	5	2.5	00.3-04.7	138	56.3	49.4-63.2	78	29.6	23.5-35.7	20	9.0	04.9-13.1	2	1.1	00.0-02.7	3	1.6	00.0-03.6
25-34	460	381,979	7	1.4	00.2-02.6	215	47.3	42.0-52.6	147	32.0	27.3-36.7	59	12.9	09.4-16.4	27	5.1	02.7-07.5	5	1.4	00.2-02.6
35-44	674	376,225	9	1.8	00.4-03.2	278	39.8	35.5-44.1	275	40.5	36.2-44.8	85	12.7	09.8-15.6	23	4.6	02.2-07.0	4	0.6	00.0-01.4
45-54	987	403,734	10	1.0	00.2-01.8	406	40.4	36.9-43.9	379	37.4	33.9-40.9	140	15.6	12.9-18.3	42	4.7	03.1-06.3	10	1.0	00.2-01.8
55-64	1371	381,479	20	1.2	00.6-01.8	521	38.2	35.1-41.3	595	43.5	40.4-46.6	168	12.2	10.0-14.4	55	4.2	02.8-05.6	12	0.7	00.1-01.3
65+	2520	505,077	68	2.2	01.6-02.8	1257	48.2	45.7-50.7	988	40.8	38.3-43.3	171	6.9	05.7-08.1	30	1.5	00.7-02.3	6	0.4	00.0-00.8
Less Than H.S.	579	329,712	18	2.6	01.0-04.2	250	44.4	38.9-49.9	219	35.9	30.6-41.2	72	13.6	09.7-17.5	16	2.6	01.0-04.2	4	0.8	00.0-01.6
H.S. or G.E.D.	2210	788,672	51	2.2	01.2-03.2	967	43.9	41.0-46.8	899	38.8	36.1-41.5	216	10.4	08.6-12.2	68	4.0	02.6-05.4	9	0.7	00.1-01.3
Some Post-H.S.	1681	782,854	27	1.3	00.7-01.9	723	43.8	40.7-46.9	664	36.7	33.8-39.6	188	12.6	10.4-14.8	61	4.2	02.8-05.6	18	1.4	00.4-02.4
College Graduate	1829	480,885	23	0.8	00.4-01.2	903	49.0	46.1-51.9	691	38.3	35.4-41.2	168	9.2	07.4-11.0	35	2.0	01.2-02.8	9	0.6	00.2-01.0
Less than \$15,000	733	315,055	26	1.6	00.8-02.4	274	41.6	36.3-46.9	267	33.8	28.9-38.7	106	14.2	10.9-17.5	47	7.6	04.7-10.5	13	1.1	00.3-01.9
\$15,000- 24,999	1174	435,663	32	2.4	01.2-03.6	501	40.9	36.8-45.0	456	36.4	32.5-40.3	140	15.2	12.1-18.3	37	3.8	02.0-05.6	8	1.3	00.1-02.5
\$25,000- 34,999	688	244,239	9	1.7	00.0-03.5	306	42.9	37.6-48.2	270	38.9	33.6-44.2	80	10.9	07.8-14.0	20	3.9	01.9-05.9	3	1.7	00.0-04.1
\$35,000- 49,999	801	305,347	9	1.0	00.2-01.8	343	41.5	36.8-46.2	335	40.8	36.3-45.3	85	12.3	09.0-15.6	24	3.6	01.6-05.6	5	0.8	00.0-01.6
\$50,000- 74,999	754	304,282	6	1.0	00.0-02.0	318	45.1	40.0-50.2	323	40.1	35.4-44.8	84	10.5	07.6-13.4	20	3.1	01.3-04.9	3	0.2	00.0-00.4
\$75,000+	1218	454,174	12	0.8	00.2-01.4	599	49.8	46.3-53.3	486	39.4	35.9-42.9	94	7.9	05.9-09.9	23	1.7	00.9-02.5	4	0.4	00.0-01.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10773	4,697,107	152	1.6	01.2-02.0	3423	32.1	30.9-33.3	3739	33.6	32.4-34.8	2063	18.9	17.9-19.9	1396	13.8	12.8-14.8
Male	4534	2,365,235	36	1.4	00.8-02.0	1158	28.1	26.3-29.9	1847	38.0	36.2-39.8	972	20.4	18.8-22.0	521	12.0	10.8-13.2
Female	6239	2,331,872	116	1.8	01.4-02.2	2265	36.1	34.3-37.9	1892	29.2	27.6-30.8	1091	17.3	16.1-18.5	875	15.7	14.3-17.1
White/Non-Hisp	9427	3,856,080	126	1.4	01.0-01.8	3021	32.4	31.0-33.8	3308	33.8	32.4-35.2	1791	18.8	17.8-19.8	1181	13.5	12.5-14.5
Black or Afr. Am./Non-Hisp	581	391,678	8	1.3	00.1-02.5	152	27.5	22.6-32.4	169	29.2	24.5-33.9	127	20.2	16.1-24.3	125	21.8	17.5-26.1
Oth. Race/Non-Hisp.	209	94,469	6	3.2	00.0-06.7	84	49.7	40.5-58.9	67	30.3	22.3-38.3	28	9.6	04.9-14.3	24	7.2	02.3-12.1
MultiRacial/Non-Hisp.	124	52,911	1	1.6	00.0-04.7	39	36.9	25.5-48.3	40	31.4	20.0-42.8	24	17.5	08.7-26.3	20	12.6	05.7-19.5
Hispanic	285	243,241	6	3.0	00.3-05.7	85	27.8	21.7-33.9	98	38.4	31.7-45.1	62	20.7	15.6-25.8	34	10.2	06.3-14.1
18-24	537	643,233	20	3.8	02.0-05.6	272	51.5	46.8-56.2	139	24.8	20.9-28.7	61	10.7	08.0-13.4	45	9.2	06.5-11.9
25-34	797	750,805	8	1.0	00.2-01.8	291	34.5	30.8-38.2	248	32.6	28.9-36.3	124	16.5	13.6-19.4	126	15.4	12.5-18.3
35-44	1191	764,362	15	2.0	00.8-03.2	363	28.1	25.2-31.0	408	34.3	31.0-37.6	231	20.3	17.6-23.0	174	15.3	12.8-17.8
45-54	1785	826,027	20	1.1	00.5-01.7	507	26.1	23.7-28.5	584	33.7	31.2-36.2	374	21.8	19.4-24.2	300	17.4	15.2-19.6
55-64	2440	768,891	19	0.7	00.3-01.1	687	26.5	24.3-28.7	821	34.7	32.3-37.1	548	23.1	21.1-25.1	365	15.1	13.3-16.9
65+	3933	911,394	68	1.3	00.9-01.7	1262	29.7	27.9-31.5	1507	38.9	36.9-40.9	714	19.5	17.9-21.1	382	10.6	09.2-12.0
Less Than H.S.	936	640,757	23	3.0	01.4-04.6	284	32.4	28.3-36.5	283	29.7	25.8-33.6	181	17.7	14.6-20.8	165	17.2	14.1-20.3
H.S. or G.E.D.	3699	1,622,280	55	1.7	01.1-02.3	1110	31.1	28.9-33.3	1255	33.1	31.1-35.1	784	20.2	18.4-22.0	495	13.8	12.2-15.4
Some Post-H.S.	2746	1,437,683	36	1.2	00.6-01.8	827	30.9	28.5-33.3	967	34.1	31.7-36.5	519	19.0	17.2-20.8	397	14.8	13.0-16.6
College Graduate	3366	987,970	37	0.8	00.4-01.2	1192	35.2	33.0-37.4	1226	36.4	34.2-38.6	572	17.2	15.6-18.8	339	10.4	09.0-11.8
Less than \$15,000	1075	493,310	26	2.4	01.2-03.6	318	32.3	28.4-36.2	282	25.1	21.6-28.6	223	19.5	16.4-22.6	226	20.8	17.5-24.1
\$15,000- 24,999	1753	773,261	41	2.8	01.6-04.0	540	33.1	29.8-36.4	574	29.4	26.5-32.3	319	17.5	15.0-20.0	279	17.2	14.7-19.7
\$25,000- 34,999	1150	493,735	16	1.6	00.4-02.8	380	33.0	29.1-36.9	396	34.4	30.5-38.3	221	19.4	16.1-22.7	137	11.6	09.1-14.1
\$35,000- 49,999	1457	649,281	14	1.2	00.4-02.0	423	28.2	25.1-31.3	522	35.8	32.5-39.1	287	18.6	16.1-21.1	211	16.1	13.6-18.6
\$50,000- 74,999	1479	677,034	12	1.0	00.2-01.8	419	29.4	26.3-32.5	562	37.8	34.5-41.1	300	20.1	17.6-22.6	186	11.7	09.7-13.7
\$75,000+	2448	1,050,188	18	0.6	00.2-01.0	818	32.3	29.9-34.7	907	36.5	34.0-39.0	486	20.7	18.5-22.9	219	9.8	08.2-11.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4534	2,365,235	36	1.4	00.8-02.0	1158	28.1	26.3-29.9	1847	38.0	36.2-39.8	972	20.4	18.8-22.0	521	12.0	10.8-13.2
White/Non-Hisp	3956	1,937,468	27	1.2	00.6-01.8	983	27.3	25.3-29.3	1647	39.0	37.0-41.0	845	20.3	18.7-21.9	454	12.3	10.9-13.7
Black or Afr. Am./Non-Hisp	229	192,992	3	0.7	00.0-01.5	72	32.9	25.3-40.5	63	25.9	19.0-32.8	57	24.5	17.6-31.4	34	16.0	10.1-21.9
Oth. Race/Non-Hisp.	113	60,129	1	2.0	00.0-05.7	43	45.8	33.8-57.8	42	34.5	23.5-45.5	15	10.4	03.9-16.9	12	7.4	00.5-14.3
MultiRacial/Non-Hisp.	52	27,462				15	35.9	19.0-52.8	18	34.6	17.4-51.8	13	22.6	08.7-36.5	6	7.0	01.1-12.9
Hispanic	119	118,201	3	3.6	00.0-07.7	34	27.8	18.6-37.0	48	43.5	33.3-53.7	26	20.0	12.4-27.6	8	5.2	01.3-09.1
18-24	299	335,211	13	4.8	02.1-07.5	160	55.4	49.3-61.5	76	23.2	18.1-28.3	31	10.1	06.4-13.8	19	6.6	03.5-09.7
25-34	370	399,408	2	0.6	00.0-01.4	120	31.3	26.0-36.6	144	39.3	33.8-44.8	58	16.4	11.9-20.9	46	12.5	08.8-16.2
35-44	528	392,537	5	2.2	00.0-04.4	123	22.3	18.0-26.6	206	38.6	33.7-43.5	118	23.0	18.9-27.1	76	13.8	10.3-17.3
45-54	799	423,034	4	0.4	00.0-00.8	163	19.6	16.3-22.9	308	39.4	35.3-43.5	204	25.7	22.0-29.4	120	14.9	12.0-17.8
55-64	1074	389,509	3	0.5	00.0-01.1	232	20.7	17.8-23.6	432	40.1	36.6-43.6	276	25.4	22.3-28.5	131	13.2	10.7-15.7
65+	1428	409,159	9	0.4	00.0-00.8	348	24.1	21.4-26.8	665	44.5	41.4-47.6	278	20.4	17.9-22.9	128	10.6	08.4-12.8
Less Than H.S.	380	330,415	6	2.9	00.4-05.4	120	37.1	30.6-43.6	118	28.4	22.7-34.1	77	17.0	12.5-21.5	59	14.6	10.3-18.9
H.S. or G.E.D.	1505	843,735	16	1.6	00.6-02.6	368	27.4	24.5-30.3	584	37.3	34.2-40.4	356	21.5	19.0-24.0	181	12.2	10.2-14.2
Some Post-H.S.	1080	668,730	8	1.1	00.1-02.1	262	25.3	22.0-28.6	442	39.5	36.0-43.0	237	22.2	19.3-25.1	131	11.9	09.5-14.3
College Graduate	1559	517,181	6	0.4	00.0-00.8	405	27.1	24.4-29.8	699	43.5	40.4-46.6	299	18.6	16.2-21.0	150	10.5	08.5-12.5
Less than \$15,000	358	191,994	8	3.0	00.6-05.4	120	38.3	31.6-45.0	102	26.6	20.7-32.5	72	16.4	11.9-20.9	56	15.7	11.0-20.4
\$15,000- 24,999	589	342,237	12	3.7	01.2-06.2	176	35.0	29.5-40.5	219	31.0	26.3-35.7	109	18.2	13.9-22.5	73	12.1	08.8-15.4
\$25,000- 34,999	463	250,829	2	1.0	00.0-02.6	134	30.4	24.7-36.1	199	41.0	34.9-47.1	96	21.1	15.8-26.4	32	6.6	03.9-09.3
\$35,000- 49,999	662	347,528	3	1.1	00.0-02.3	157	24.1	20.0-28.2	253	37.5	32.8-42.2	152	21.2	17.3-25.1	97	16.0	12.3-19.7
\$50,000- 74,999	731	378,699	2	0.5	00.0-01.5	153	23.7	19.6-27.8	333	43.7	39.0-48.4	156	21.1	17.4-24.8	87	11.0	08.3-13.7
\$75,000+	1247	605,856	4	0.4	00.0-00.8	279	23.0	19.9-26.1	542	41.1	37.6-44.6	302	24.5	21.6-27.4	120	11.1	08.7-13.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6239	2,331,872	116	1.8	01.4-02.2	2265	36.1	34.3-37.9	1892	29.2	27.6-30.8	1091	17.3	16.1-18.5	875	15.7	14.3-17.1
White/Non-Hisp	5471	1,918,611	99	1.6	01.2-02.0	2038	37.6	35.8-39.4	1661	28.6	27.0-30.2	946	17.4	16.0-18.8	727	14.8	13.4-16.2
Black or Afr. Am./Non-Hisp	352	198,686	5	1.9	00.0-04.1	80	22.2	16.5-27.9	106	32.3	25.8-38.8	70	16.1	11.6-20.6	91	27.4	21.1-33.7
Oth. Race/Non-Hisp.	96	34,340	5	5.4	00.0-12.3	41	56.5	42.8-70.2	25	22.8	12.0-33.6	13	8.3	02.4-14.2	12	6.9	00.6-13.2
MultiRacial/Non-Hisp.	72	25,449	1	3.4	00.0-09.9	24	38.0	22.7-53.3	22	28.0	13.9-42.1	11	12.0	01.4-22.6	14	18.6	06.6-30.6
Hispanic	166	125,040	3	2.4	00.0-05.9	51	27.8	19.8-35.8	50	33.6	25.0-42.2	36	21.3	14.2-28.4	26	14.9	08.6-21.2
18-24	238	308,022	7	2.7	00.5-04.9	112	47.4	40.3-54.5	63	26.6	20.5-32.7	30	11.3	07.2-15.4	26	12.1	07.4-16.8
25-34	427	351,397	6	1.5	00.1-02.9	171	38.1	32.8-43.4	104	25.0	20.3-29.7	66	16.7	12.6-20.8	80	18.7	14.4-23.0
35-44	663	371,825	10	1.7	00.5-02.9	240	34.2	30.1-38.3	202	29.6	25.5-33.7	113	17.6	14.1-21.1	98	16.9	13.4-20.4
45-54	986	402,993	16	1.7	00.7-02.7	344	33.0	29.7-36.3	276	27.7	24.6-30.8	170	17.6	14.9-20.3	180	20.0	16.9-23.1
55-64	1366	379,382	16	0.9	00.3-01.5	455	32.3	29.4-35.2	389	29.1	26.2-32.0	272	20.7	18.2-23.2	234	17.0	14.6-19.4
65+	2505	502,235	59	2.0	01.4-02.6	914	34.2	31.8-36.6	842	34.3	31.8-36.8	436	18.8	16.8-20.8	254	10.6	09.0-12.2
Less Than H.S.	556	310,342	17	3.1	01.3-04.9	164	27.4	22.3-32.5	165	31.0	25.7-36.3	104	18.5	14.4-22.6	106	20.1	15.6-24.6
H.S. or G.E.D.	2194	778,545	39	1.8	01.0-02.6	742	35.1	32.2-38.0	671	28.5	26.0-31.0	428	18.9	16.7-21.1	314	15.6	13.4-17.8
Some Post-H.S.	1666	768,953	28	1.3	00.5-02.1	565	35.7	32.6-38.8	525	29.4	26.5-32.3	282	16.1	13.9-18.3	266	17.4	14.9-19.9
College Graduate	1807	470,790	31	1.4	00.8-02.0	787	44.2	41.3-47.1	527	28.6	25.9-31.3	273	15.6	13.4-17.8	189	10.2	08.4-12.0
Less than \$15,000	717	301,316	18	1.9	00.5-03.3	198	28.4	23.5-33.3	180	24.1	19.4-28.8	151	21.5	17.4-25.6	170	24.0	19.5-28.5
\$15,000- 24,999	1164	431,024	29	2.2	01.0-03.4	364	31.6	27.7-35.5	355	28.0	24.3-31.7	210	16.9	14.0-19.8	206	21.3	17.8-24.8
\$25,000- 34,999	687	242,906	14	2.3	00.3-04.3	246	35.8	30.5-41.1	197	27.5	22.6-32.4	125	17.7	14.0-21.4	105	16.8	12.7-20.9
\$35,000- 49,999	795	301,754	11	1.5	00.5-02.5	266	33.0	28.5-37.5	269	33.8	29.3-38.3	135	15.7	12.4-19.0	114	16.1	12.6-19.6
\$50,000- 74,999	748	298,335	10	1.5	00.3-02.7	266	36.6	31.7-41.5	229	30.3	25.8-34.8	144	18.9	15.2-22.6	99	12.7	09.6-15.8
\$75,000+	1201	444,332	14	1.0	00.2-01.8	539	45.1	41.6-48.6	365	30.2	26.9-33.5	184	15.5	13.0-18.0	99	8.2	06.2-10.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10773	4,697,107	203	2.1	01.7-02.5	3358	31.4	30.2-32.6	3748	33.7	32.5-34.9	3464	32.7	31.5-33.9
Male	4534	2,365,235	53	1.9	01.3-02.5	1130	27.4	25.6-29.2	1855	38.2	36.4-40.0	1496	32.5	30.7-34.3
Female	6239	2,331,872	150	2.3	01.7-02.9	2228	35.6	33.8-37.4	1893	29.2	27.6-30.8	1968	33.0	31.4-34.6
White/Non-Hisp	9427	3,856,080	171	1.9	01.5-02.3	2963	31.7	30.3-33.1	3317	33.9	32.5-35.3	2976	32.4	31.0-33.8
Black or Afr. Am./Non-Hisp	581	391,678	9	1.7	00.3-03.1	150	26.9	22.2-31.6	169	29.3	24.6-34.0	253	42.1	37.0-47.2
Oth. Race/Non-Hisp.	209	94,469	8	4.5	00.4-08.6	82	48.4	39.2-57.6	67	30.3	22.3-38.3	52	16.8	10.3-23.3
MultiRacial/Non-Hisp.	124	52,911	2	2.9	00.0-07.0	38	35.6	24.2-47.0	40	31.4	20.0-42.8	44	30.1	19.7-40.5
Hispanic	285	243,241	7	3.1	00.4-05.8	84	27.6	21.5-33.7	98	38.4	31.7-45.1	96	30.8	24.7-36.9
18-24	537	643,233	25	4.5	02.7-06.3	267	50.8	46.1-55.5	139	24.8	20.9-28.7	106	19.9	16.2-23.6
25-34	797	750,805	15	2.2	01.0-03.4	282	33.1	29.4-36.8	248	32.7	29.0-36.4	252	32.1	28.4-35.8
35-44	1191	764,362	20	2.3	01.1-03.5	355	27.6	24.7-30.5	411	34.5	31.2-37.8	405	35.7	32.4-39.0
45-54	1785	826,027	26	1.3	00.7-01.9	500	25.8	23.4-28.2	584	33.7	31.2-36.2	675	39.2	36.5-41.9
55-64	2440	768,891	27	1.1	00.5-01.7	676	25.9	23.7-28.1	823	34.8	32.4-37.2	914	38.2	35.8-40.6
65+	3933	911,394	88	1.8	01.4-02.2	1237	29.0	27.2-30.8	1511	39.0	37.0-41.0	1097	30.2	28.2-32.2
Less Than H.S.	936	640,757	26	3.1	01.5-04.7	280	32.1	28.0-36.2	284	29.8	25.9-33.7	346	34.9	31.0-38.8
H.S. or G.E.D.	3699	1,622,280	76	2.4	01.6-03.2	1085	30.3	28.3-32.3	1257	33.1	31.1-35.1	1281	34.1	32.1-36.1
Some Post-H.S.	2746	1,437,683	48	1.8	01.0-02.6	810	30.2	27.8-32.6	970	34.2	31.8-36.6	918	33.8	31.4-36.2
College Graduate	3366	987,970	52	1.3	00.7-01.9	1173	34.5	32.5-36.5	1229	36.6	34.4-38.8	912	27.6	25.6-29.6
Less than \$15,000	1075	493,310	35	3.7	02.1-05.3	308	30.8	26.9-34.7	283	25.2	21.7-28.7	449	40.3	36.4-44.2
\$15,000- 24,999	1753	773,261	51	3.3	01.9-04.7	529	32.6	29.3-35.9	575	29.4	26.5-32.3	598	34.7	31.6-37.8
\$25,000- 34,999	1150	493,735	26	2.5	00.9-04.1	367	31.9	28.0-35.8	399	34.6	30.7-38.5	358	31.0	27.3-34.7
\$35,000- 49,999	1457	649,281	15	1.3	00.5-02.1	421	28.1	25.0-31.2	521	35.8	32.5-39.1	500	34.8	31.5-38.1
\$50,000- 74,999	1479	677,034	16	1.5	00.5-02.5	412	28.6	25.5-31.7	565	38.1	34.8-41.4	486	31.9	28.8-35.0
\$75,000+	2448	1,050,188	28	1.1	00.5-01.7	805	31.7	29.3-34.1	908	36.6	34.1-39.1	707	30.6	28.2-33.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4534	2,365,235	53	1.9	01.3-02.5	1130	27.4	25.6-29.2	1855	38.2	36.4-40.0	1496	32.5	30.7-34.3
White/Non-Hisp	3956	1,937,468	41	1.7	01.1-02.3	959	26.5	24.5-28.5	1655	39.2	37.2-41.2	1301	32.6	30.6-34.6
Black or Afr. Am./Non-Hisp	229	192,992	4	1.4	00.0-03.0	70	31.7	24.1-39.3	63	26.2	19.3-33.1	92	40.7	32.9-48.5
Oth. Race/Non-Hisp.	113	60,129	1	2.0	00.0-05.7	43	45.8	33.8-57.8	42	34.5	23.5-45.5	27	17.8	08.8-26.8
MultiRacial/Non-Hisp.	52	27,462	1	2.5	00.0-07.4	14	33.3	16.6-50.0	18	34.6	17.4-51.8	19	29.6	14.9-44.3
Hispanic	119	118,201	4	3.8	00.0-07.9	33	27.5	18.3-36.7	48	43.5	33.3-53.7	34	25.1	16.9-33.3
18-24	299	335,211	17	5.9	03.0-08.8	156	54.3	48.2-60.4	76	23.2	18.1-28.3	50	16.7	12.0-21.4
25-34	370	399,408	6	2.0	00.4-03.6	115	29.8	24.7-34.9	144	39.2	33.7-44.7	105	29.0	23.7-34.3
35-44	528	392,537	5	2.2	00.0-04.4	120	21.9	17.6-26.2	209	39.1	34.2-44.0	194	36.8	31.9-41.7
45-54	799	423,034	5	0.6	00.0-01.2	161	19.3	16.0-22.6	309	39.5	35.4-43.6	324	40.6	36.5-44.7
55-64	1074	389,509	6	0.8	00.2-01.4	226	20.2	17.3-23.1	434	40.3	36.8-43.8	408	38.7	35.2-42.2
65+	1428	409,159	14	1.0	00.4-01.6	340	23.2	20.5-25.9	667	44.8	41.7-47.9	407	31.1	28.0-34.2
Less Than H.S.	380	330,415	6	2.9	00.4-05.4	119	36.8	30.3-43.3	119	28.7	23.0-34.4	136	31.5	25.6-37.4
H.S. or G.E.D.	1505	843,735	28	2.6	01.4-03.8	354	26.3	23.4-29.2	585	37.4	34.3-40.5	538	33.7	30.8-36.6
Some Post-H.S.	1080	668,730	10	1.4	00.4-02.4	255	24.7	21.6-27.8	445	39.7	36.2-43.2	370	34.2	30.7-37.7
College Graduate	1559	517,181	9	0.8	00.0-01.6	399	26.3	23.6-29.0	702	43.8	40.7-46.9	449	29.1	26.4-31.8
Less than \$15,000	358	191,994	12	5.0	01.9-08.1	115	36.0	29.5-42.5	103	26.9	21.0-32.8	128	32.1	26.2-38.0
\$15,000- 24,999	589	342,237	15	4.2	01.7-06.7	173	34.4	28.9-39.9	219	31.0	26.3-35.7	182	30.3	25.4-35.2
\$25,000- 34,999	463	250,829	7	2.3	00.1-04.5	126	28.6	22.9-34.3	202	41.5	35.4-47.6	128	27.6	22.1-33.1
\$35,000- 49,999	662	347,528	4	1.2	00.0-02.6	155	23.8	19.7-27.9	252	37.5	32.6-42.4	251	37.4	32.7-42.1
\$50,000- 74,999	731	378,699	3	0.8	00.0-02.0	150	23.1	19.0-27.2	335	43.9	39.2-48.6	243	32.1	27.8-36.4
\$75,000+	1247	605,856	7	0.8	00.2-01.4	273	22.3	19.2-25.4	545	41.4	37.9-44.9	422	35.6	32.3-38.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6239	2,331,872	150	2.3	01.7-02.9	2228	35.6	33.8-37.4	1893	29.2	27.6-30.8	1968	33.0	31.4-34.6
White/Non-Hisp	5471	1,918,611	130	2.1	01.5-02.7	2004	37.0	35.2-38.8	1662	28.6	27.0-30.2	1675	32.2	30.4-34.0
Black or Afr. Am./Non-Hisp	352	198,686	5	1.9	00.0-04.1	80	22.2	16.5-27.9	106	32.3	25.8-38.8	161	43.5	36.6-50.4
Oth. Race/Non-Hisp.	96	34,340	7	8.9	00.0-17.9	39	53.1	39.2-67.0	25	22.8	12.0-33.6	25	15.2	06.8-23.6
MultiRacial/Non-Hisp.	72	25,449	1	3.4	00.0-09.9	24	38.0	22.7-53.3	22	28.0	13.9-42.1	25	30.6	16.1-45.1
Hispanic	166	125,040	3	2.4	00.0-05.9	51	27.8	19.8-35.8	50	33.6	25.0-42.2	62	36.2	27.8-44.6
18-24	238	308,022	8	3.0	00.6-05.4	111	47.0	39.9-54.1	63	26.6	20.5-32.7	56	23.4	17.5-29.3
25-34	427	351,397	9	2.5	00.7-04.3	167	36.8	31.7-41.9	104	25.2	20.5-29.9	147	35.5	30.2-40.8
35-44	663	371,825	15	2.4	01.0-03.8	235	33.5	29.4-37.6	202	29.6	25.5-33.7	211	34.5	30.2-38.8
45-54	986	402,993	21	2.1	01.1-03.1	339	32.7	29.4-36.0	275	27.5	24.4-30.6	351	37.7	34.2-41.2
55-64	1366	379,382	21	1.5	00.7-02.3	450	31.8	28.9-34.7	389	29.1	26.2-32.0	506	37.6	34.5-40.7
65+	2505	502,235	74	2.4	01.8-03.0	897	33.8	31.4-36.2	844	34.4	31.9-36.9	690	29.4	27.0-31.8
Less Than H.S.	556	310,342	20	3.4	01.6-05.2	161	27.1	22.0-32.2	165	31.0	25.7-36.3	210	38.5	33.0-44.0
H.S. or G.E.D.	2194	778,545	48	2.2	01.2-03.2	731	34.7	31.8-37.6	672	28.5	26.0-31.0	743	34.6	31.9-37.3
Some Post-H.S.	1666	768,953	38	2.1	01.1-03.1	555	34.9	31.8-38.0	525	29.4	26.5-32.3	548	33.5	30.6-36.4
College Graduate	1807	470,790	43	1.9	01.1-02.7	774	43.5	40.6-46.4	527	28.7	26.0-31.4	463	25.9	23.2-28.6
Less than \$15,000	717	301,316	23	2.9	01.1-04.7	193	27.5	22.6-32.4	180	24.1	19.4-28.8	321	45.5	40.2-50.8
\$15,000- 24,999	1164	431,024	36	2.6	01.4-03.8	356	31.2	27.3-35.1	356	28.1	24.4-31.8	416	38.2	34.1-42.3
\$25,000- 34,999	687	242,906	19	2.7	00.7-04.7	241	35.3	30.2-40.4	197	27.5	22.6-32.4	230	34.5	29.4-39.6
\$35,000- 49,999	795	301,754	11	1.5	00.5-02.5	266	33.0	28.5-37.5	269	33.8	29.3-38.3	249	31.8	27.5-36.1
\$50,000- 74,999	748	298,335	13	2.3	00.7-03.9	262	35.5	30.6-40.4	230	30.6	26.1-35.1	243	31.6	27.1-36.1
\$75,000+	1201	444,332	21	1.5	00.7-02.3	532	44.6	41.1-48.1	363	30.0	26.7-33.3	285	23.9	21.0-26.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10773	4,697,107	3561	33.5	32.3-34.7	7212	66.5	65.3-67.7
Male	4534	2,365,235	1183	29.3	27.5-31.1	3351	70.7	68.9-72.5
Female	6239	2,331,872	2378	37.8	36.0-39.6	3861	62.2	60.4-64.0
White/Non-Hisp	9427	3,856,080	3134	33.7	32.3-35.1	6293	66.3	64.9-67.7
Black or Afr. Am./Non-Hisp	581	391,678	159	28.6	23.7-33.5	422	71.4	66.5-76.3
Oth. Race/Non-Hisp.	209	94,469	90	52.9	43.9-61.9	119	47.1	38.1-56.1
MultiRacial/Non-Hisp.	124	52,911	40	38.5	26.9-50.1	84	61.5	49.9-73.1
Hispanic	285	243,241	91	30.8	24.5-37.1	194	69.2	62.9-75.5
18-24	537	643,233	292	55.3	50.8-59.8	245	44.7	40.2-49.2
25-34	797	750,805	297	35.3	31.6-39.0	500	64.7	61.0-68.4
35-44	1191	764,362	375	29.9	26.8-33.0	816	70.1	67.0-73.2
45-54	1785	826,027	526	27.1	24.7-29.5	1259	72.9	70.5-75.3
55-64	2440	768,891	703	27.0	24.8-29.2	1737	73.0	70.8-75.2
65+	3933	911,394	1325	30.8	29.0-32.6	2608	69.2	67.4-71.0
Less Than H.S.	936	640,757	306	35.3	31.0-39.6	630	64.7	60.4-69.0
H.S. or G.E.D.	3699	1,622,280	1161	32.8	30.6-35.0	2538	67.2	65.0-69.4
Some Post-H.S.	2746	1,437,683	858	32.0	29.6-34.4	1888	68.0	65.6-70.4
College Graduate	3366	987,970	1225	35.8	33.6-38.0	2141	64.2	62.0-66.4
Less than \$15,000	1075	493,310	343	34.5	30.4-38.6	732	65.5	61.4-69.6
\$15,000- 24,999	1753	773,261	580	35.9	32.6-39.2	1173	64.1	60.8-67.4
\$25,000- 34,999	1150	493,735	393	34.4	30.5-38.3	757	65.6	61.7-69.5
\$35,000- 49,999	1457	649,281	436	29.4	26.3-32.5	1021	70.6	67.5-73.7
\$50,000- 74,999	1479	677,034	428	30.1	26.8-33.4	1051	69.9	66.6-73.2
\$75,000+	2448	1,050,188	833	32.8	30.4-35.2	1615	67.2	64.8-69.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4534	2,365,235	1183	29.3	27.5-31.1	3351	70.7	68.9-72.5
White/Non-Hisp	3956	1,937,468	1000	28.2	26.2-30.2	2956	71.8	69.8-73.8
Black or Afr. Am./Non-Hisp	229	192,992	74	33.1	25.5-40.7	155	66.9	59.3-74.5
Oth. Race/Non-Hisp.	113	60,129	44	47.7	35.7-59.7	69	52.3	40.3-64.3
MultiRacial/Non-Hisp.	52	27,462	15	35.9	19.0-52.8	37	64.1	47.2-81.0
Hispanic	119	118,201	37	31.3	21.7-40.9	82	68.7	59.1-78.3
18-24	299	335,211	173	60.2	54.1-66.3	126	39.8	33.7-45.9
25-34	370	399,408	121	31.8	26.5-37.1	249	68.2	62.9-73.5
35-44	528	392,537	125	24.1	19.6-28.6	403	75.9	71.4-80.4
45-54	799	423,034	166	19.9	16.6-23.2	633	80.1	76.8-83.4
55-64	1074	389,509	232	21.0	18.1-23.9	842	79.0	76.1-81.9
65+	1428	409,159	354	24.1	21.4-26.8	1074	75.9	73.2-78.6
Less Than H.S.	380	330,415	125	39.8	33.3-46.3	255	60.2	53.7-66.7
H.S. or G.E.D.	1505	843,735	382	28.9	26.0-31.8	1123	71.1	68.2-74.0
Some Post-H.S.	1080	668,730	265	26.1	22.8-29.4	815	73.9	70.6-77.2
College Graduate	1559	517,181	408	27.1	24.4-29.8	1151	72.9	70.2-75.6
Less than \$15,000	358	191,994	127	41.0	34.3-47.7	231	59.0	52.3-65.7
\$15,000- 24,999	589	342,237	188	38.7	33.2-44.2	401	61.3	55.8-66.8
\$25,000- 34,999	463	250,829	133	30.9	25.0-36.8	330	69.1	63.2-75.0
\$35,000- 49,999	662	347,528	159	25.0	20.7-29.3	503	75.0	70.7-79.3
\$50,000- 74,999	731	378,699	153	23.9	19.6-28.2	578	76.1	71.8-80.4
\$75,000+	1247	605,856	280	23.0	19.9-26.1	967	77.0	73.9-80.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6239	2,331,872	2378	37.8	36.0-39.6	3861	62.2	60.4-64.0
White/Non-Hisp	5471	1,918,611	2134	39.1	37.3-40.9	3337	60.9	59.1-62.7
Black or Afr. Am./Non-Hisp	352	198,686	85	24.2	18.1-30.3	267	75.8	69.7-81.9
Oth. Race/Non-Hisp.	96	34,340	46	62.0	49.1-74.9	50	38.0	25.1-50.9
MultiRacial/Non-Hisp.	72	25,449	25	41.4	25.9-56.9	47	58.6	43.1-74.1
Hispanic	166	125,040	54	30.2	22.0-38.4	112	69.8	61.6-78.0
18-24	238	308,022	119	50.0	42.9-57.1	119	50.0	42.9-57.1
25-34	427	351,397	176	39.3	34.0-44.6	251	60.7	55.4-66.0
35-44	663	371,825	250	35.9	31.6-40.2	413	64.1	59.8-68.4
45-54	986	402,993	360	34.8	31.3-38.3	626	65.2	61.7-68.7
55-64	1366	379,382	471	33.3	30.4-36.2	895	66.7	63.8-69.6
65+	2505	502,235	971	36.2	33.8-38.6	1534	63.8	61.4-66.2
Less Than H.S.	556	310,342	181	30.5	25.2-35.8	375	69.5	64.2-74.8
H.S. or G.E.D.	2194	778,545	779	36.9	34.0-39.8	1415	63.1	60.2-66.0
Some Post-H.S.	1666	768,953	593	37.1	34.0-40.2	1073	62.9	59.8-66.0
College Graduate	1807	470,790	817	45.4	42.5-48.3	990	54.6	51.7-57.5
Less than \$15,000	717	301,316	216	30.4	25.3-35.5	501	69.6	64.5-74.7
\$15,000- 24,999	1164	431,024	392	33.8	29.9-37.7	772	66.2	62.3-70.1
\$25,000- 34,999	687	242,906	260	38.0	32.7-43.3	427	62.0	56.7-67.3
\$35,000- 49,999	795	301,754	277	34.4	29.9-38.9	518	65.6	61.1-70.1
\$50,000- 74,999	748	298,335	275	37.8	32.9-42.7	473	62.2	57.3-67.1
\$75,000+	1201	444,332	553	46.1	42.6-49.6	648	53.9	50.4-57.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11446	4,999,167	8594	62.4	61.2-63.6	1108	14.4	13.4-15.4	1025	13.1	12.1-14.1	475	6.5	05.7-07.3	168	2.3	01.9-02.7	76	1.2	00.8-01.6
Male	4647	2,434,823	3454	63.7	61.7-65.7	452	13.8	12.4-15.2	437	12.7	11.3-14.1	189	6.1	05.1-07.1	81	2.5	01.9-03.1	34	1.1	00.7-01.5
Female	6799	2,564,344	5140	61.2	59.4-63.0	656	15.0	13.6-16.4	588	13.5	12.3-14.7	286	6.9	05.9-07.9	87	2.1	01.5-02.7	42	1.2	00.8-01.6
White/Non-Hisp	9970	4,074,838	7670	64.9	63.5-66.3	889	13.4	12.4-14.4	849	12.7	11.7-13.7	372	5.8	05.0-06.6	132	2.1	01.7-02.5	58	1.0	00.6-01.4
Black or Afr. Am./Non-Hisp	631	424,492	420	56.5	51.4-61.6	89	19.1	14.6-23.6	60	11.3	08.2-14.4	40	8.6	05.7-11.5	15	3.2	01.4-05.0	7	1.3	00.1-02.5
Oth. Race/Non-Hisp.	228	104,277	155	63.8	55.6-72.0	30	16.7	10.2-23.2	27	13.4	07.9-18.9	11	3.8	01.1-06.5	3	1.4	00.0-03.2	2	1.0	00.0-02.6
MultiRacial/Non-Hisp.	131	55,302	80	45.8	34.4-57.2	25	26.7	16.3-37.1	18	17.3	08.7-25.9	7	7.2	01.9-12.5				1	3.0	00.0-08.7
Hispanic	314	270,961	125	33.6	27.7-39.5	62	19.7	14.6-24.8	63	22.2	16.9-27.5	40	15.5	10.8-20.2	16	5.7	02.6-08.8	8	3.4	00.9-05.9
18-24	573	687,537	345	57.1	52.6-61.6	116	22.2	18.3-26.1	69	12.9	09.8-16.0	31	5.4	03.4-07.4	6	1.3	00.3-02.3	6	1.2	00.2-02.2
25-34	867	818,403	297	35.3	31.6-39.0	190	21.6	18.5-24.7	200	22.2	19.1-25.3	114	13.8	11.1-16.5	39	4.2	02.8-05.6	27	2.9	01.7-04.1
35-44	1258	807,726	292	26.2	23.3-29.1	252	20.6	17.9-23.3	394	29.0	26.1-31.9	213	15.0	12.8-17.2	81	6.9	05.1-08.7	26	2.4	01.2-03.6
45-54	1877	867,278	1154	62.9	60.4-65.4	332	17.2	15.2-19.2	258	12.8	11.0-14.6	93	5.1	03.7-06.5	28	1.3	00.7-01.9	12	0.7	00.3-01.1
55-64	2592	815,394	2346	88.7	87.1-90.3	157	6.7	05.5-07.9	65	3.2	02.2-04.2	13	0.7	00.1-01.3	8	0.5	00.1-00.9	3	0.1	00.0-00.3
65+	4136	953,661	4038	96.3	95.5-97.1	53	1.9	01.3-02.5	29	1.2	00.6-01.8	9	0.4	00.2-00.6	5	0.2	00.0-00.4	2	0.0	00.0-00.0
Less Than H.S.	1010	697,247	729	54.0	49.9-58.1	110	17.8	14.3-21.3	80	13.5	10.6-16.4	53	8.2	05.8-10.6	19	3.0	01.4-04.6	19	3.4	01.6-05.2
H.S. or G.E.D.	3950	1,733,933	3232	69.1	66.9-71.3	319	13.4	11.8-15.0	230	9.8	08.4-11.2	113	5.2	04.0-06.4	41	1.7	01.1-02.3	15	0.7	00.3-01.1
Some Post-H.S.	2910	1,517,981	2163	61.9	59.5-64.3	287	13.7	11.9-15.5	280	14.4	12.6-16.2	119	6.6	05.2-08.0	38	2.4	01.6-03.2	23	1.0	00.6-01.4
College Graduate	3532	1,033,578	2433	57.5	55.3-59.7	389	15.1	13.5-16.7	433	16.4	14.8-18.0	188	7.5	06.3-08.7	70	2.8	02.0-03.6	19	0.7	00.3-01.1
Less than \$15,000	1142	531,401	911	65.9	61.8-70.0	105	14.0	11.1-16.9	66	10.9	08.0-13.8	34	4.9	02.9-06.9	18	3.3	01.7-04.9	8	1.0	00.2-01.8
\$15,000- 24,999	1842	820,624	1451	62.8	59.5-66.1	152	14.5	11.8-17.2	135	12.0	09.6-14.4	62	6.5	04.7-08.3	27	2.7	01.5-03.9	15	1.5	00.5-02.5
\$25,000- 34,999	1184	510,796	952	66.6	62.5-70.7	93	12.5	09.6-15.4	79	12.1	09.2-15.0	36	5.3	03.1-07.5	14	1.8	00.6-03.0	10	1.6	00.4-02.8
\$35,000- 49,999	1521	669,791	1206	65.6	62.3-68.9	131	13.1	10.6-15.6	95	10.6	08.2-13.0	63	7.5	05.5-09.5	14	1.5	00.5-02.5	12	1.7	00.5-02.9
\$50,000- 74,999	1533	697,131	1107	59.5	56.2-62.8	178	16.6	13.9-19.3	149	12.7	10.3-15.1	67	7.6	05.4-09.8	26	2.6	01.4-03.8	6	0.9	00.0-01.9
\$75,000+	2535	1,084,484	1528	51.8	49.3-54.3	345	17.1	14.9-19.3	405	19.2	17.2-21.2	181	8.4	07.0-09.8	58	2.7	01.9-03.5	18	0.8	00.4-01.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4647	2,434,823	3454	63.7	61.7-65.7	452	13.8	12.4-15.2	437	12.7	11.3-14.1	189	6.1	05.1-07.1	81	2.5	01.9-03.1	34	1.1	00.7-01.5
White/Non-Hisp	4032	1,979,446	3056	65.5	63.5-67.5	365	12.7	11.1-14.3	374	13.1	11.5-14.7	144	5.2	04.2-06.2	65	2.4	01.6-03.2	28	1.1	00.5-01.7
Black or Afr. Am./Non-Hisp	240	200,251	168	60.0	52.0-68.0	25	17.1	10.0-24.2	19	8.2	04.1-12.3	18	9.6	04.7-14.5	7	4.2	01.1-07.3	3	0.8	00.0-01.8
Oth. Race/Non-Hisp.	120	65,328	81	67.2	57.0-77.4	16	14.5	06.9-22.1	15	11.7	05.0-18.4	4	3.2	00.0-06.7	3	2.2	00.0-04.9	1	1.3	00.0-03.8
MultiRacial/Non-Hisp.	52	27,462	30	49.0	31.6-66.4	9	24.2	08.7-39.7	8	16.0	03.8-28.2	5	10.8	01.2-20.4						
Hispanic	128	128,320	62	42.7	33.3-52.1	28	22.0	14.0-30.0	16	15.4	08.1-22.7	16	15.4	08.1-22.7	4	2.8	00.0-05.9	2	1.8	00.0-04.5
18-24	313	352,501	200	61.2	55.3-67.1	55	19.6	14.5-24.7	35	12.0	08.1-15.9	18	5.8	03.1-08.5	2	0.4	00.0-01.0	3	1.0	00.0-02.2
25-34	380	412,691	174	44.1	38.6-49.6	78	20.8	16.3-25.3	68	19.0	14.5-23.5	36	10.3	06.8-13.8	18	4.3	02.1-06.5	6	1.5	00.1-02.9
35-44	537	401,080	152	29.8	25.1-34.5	94	19.0	14.7-23.3	156	26.1	22.0-30.2	82	14.1	10.8-17.4	37	7.7	05.0-10.4	16	3.2	01.0-05.4
45-54	811	428,948	484	61.0	57.1-64.9	122	15.0	12.1-17.9	136	15.6	12.9-18.3	47	5.9	03.9-07.9	16	1.7	00.7-02.7	6	0.8	00.0-01.6
55-64	1108	403,000	989	87.7	85.3-90.1	83	8.2	06.2-10.2	28	2.8	01.6-04.0	3	0.5	00.0-01.3	4	0.7	00.0-01.5	1	0.1	00.0-00.3
65+	1450	415,927	1418	96.9	95.7-98.1	16	1.3	00.5-02.1	9	1.2	00.4-02.0	2	0.2	00.0-00.6	3	0.3	00.0-00.7	2	0.1	00.0-00.3
Less Than H.S.	400	347,605	275	52.1	45.8-58.4	49	19.8	14.1-25.5	33	11.9	07.8-16.0	23	8.9	05.2-12.6	10	3.7	01.2-06.2	10	3.6	01.1-06.1
H.S. or G.E.D.	1551	872,958	1226	69.2	66.1-72.3	149	13.4	11.0-15.8	104	10.0	07.8-12.2	48	4.9	03.3-06.5	18	1.8	01.0-02.6	6	0.7	00.1-01.3
Some Post-H.S.	1097	679,918	812	64.3	60.8-67.8	103	12.4	09.9-14.9	117	14.6	11.9-17.3	45	5.9	04.1-07.7	14	2.1	00.9-03.3	6	0.7	00.1-01.3
College Graduate	1579	523,859	1125	61.0	57.9-64.1	150	12.6	10.4-14.8	182	15.6	13.2-18.0	71	6.5	04.9-08.1	39	3.5	02.3-04.7	12	0.8	00.4-01.2
Less than \$15,000	371	198,877	318	76.3	70.2-82.4	23	8.7	04.8-12.6	13	7.3	03.2-11.4	7	2.5	00.3-04.7	8	4.7	01.6-07.8	2	0.5	00.0-01.3
\$15,000- 24,999	605	354,979	467	64.0	58.5-69.5	56	15.2	10.5-19.9	48	11.3	07.6-15.0	22	6.2	03.3-09.1	9	2.6	00.8-04.4	3	0.6	00.0-01.4
\$25,000- 34,999	468	255,409	371	66.0	59.7-72.3	37	13.0	08.5-17.5	33	11.7	07.2-16.2	11	4.7	01.4-08.0	9	2.2	00.6-03.8	7	2.4	00.4-04.4
\$35,000- 49,999	668	349,190	537	67.3	62.4-72.2	54	12.3	08.8-15.8	32	7.9	05.0-10.8	28	7.9	04.8-11.0	10	2.3	00.5-04.1	7	2.3	00.5-04.1
\$50,000- 74,999	736	379,676	538	61.8	57.1-66.5	87	16.0	12.5-19.5	65	12.0	08.9-15.1	30	6.2	03.7-08.7	12	2.7	00.9-04.5	4	1.3	00.0-03.1
\$75,000+	1253	607,970	771	52.5	49.0-56.0	152	15.8	12.9-18.7	212	20.7	17.8-23.6	77	7.6	05.8-09.4	32	2.8	01.6-04.0	9	0.6	00.2-01.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6799	2,564,344	5140	61.2	59.4-63.0	656	15.0	13.6-16.4	588	13.5	12.3-14.7	286	6.9	05.9-07.9	87	2.1	01.5-02.7	42	1.2	00.8-01.6
White/Non-Hisp	5938	2,095,391	4614	64.5	62.7-66.3	524	14.1	12.7-15.5	475	12.4	11.0-13.8	228	6.4	05.4-07.4	67	1.8	01.2-02.4	30	0.9	00.5-01.3
Black or Afr. Am./Non-Hisp	391	224,241	252	53.4	46.9-59.9	64	20.9	15.0-26.8	41	14.0	09.3-18.7	22	7.7	04.2-11.2	8	2.3	00.5-04.1	4	1.8	00.0-03.8
Oth. Race/Non-Hisp.	108	38,949	74	58.1	45.2-71.0	14	20.4	08.6-32.2	12	16.2	06.8-25.6	7	4.8	00.7-08.9				1	0.6	00.0-01.8
MultiRacial/Non-Hisp.	79	27,840	50	42.6	28.5-56.7	16	29.3	15.2-43.4	10	18.7	06.4-31.0	2	3.6	00.0-08.5				1	5.9	00.0-16.9
Hispanic	186	142,642	63	25.3	18.4-32.2	34	17.6	11.3-23.9	47	28.3	20.7-35.9	24	15.5	09.4-21.6	12	8.3	03.2-13.4	6	4.9	01.0-08.8
18-24	260	335,036	145	52.8	46.1-59.5	61	24.8	18.9-30.7	34	13.9	09.2-18.6	13	5.0	02.3-07.7	4	2.1	00.0-04.3	3	1.4	00.0-03.0
25-34	487	405,712	123	26.4	21.9-30.9	112	22.4	18.3-26.5	132	25.3	21.0-29.6	78	17.4	13.5-21.3	21	4.1	02.1-06.1	21	4.3	02.3-06.3
35-44	721	406,646	140	22.5	18.8-26.2	158	22.1	18.6-25.6	238	31.9	27.8-36.0	131	15.9	13.0-18.8	44	6.1	04.1-08.1	10	1.6	00.4-02.8
45-54	1066	438,330	670	64.8	61.5-68.1	210	19.2	16.5-21.9	122	10.1	08.1-12.1	46	4.3	02.7-05.9	12	1.0	00.4-01.6	6	0.6	00.2-01.0
55-64	1484	412,394	1357	89.7	87.7-91.7	74	5.3	03.9-06.7	37	3.5	02.3-04.7	10	0.9	00.1-01.7	4	0.3	00.0-00.7	2	0.2	00.0-00.6
65+	2686	537,734	2620	95.8	94.6-97.0	37	2.4	01.4-03.4	20	1.2	00.6-01.8	7	0.5	00.1-00.9	2	0.2	00.0-00.4			
Less Than H.S.	610	349,642	454	56.0	50.5-61.5	61	15.9	11.6-20.2	47	15.1	10.8-19.4	30	7.5	04.6-10.4	9	2.3	00.7-03.9	9	3.2	00.8-05.6
H.S. or G.E.D.	2399	860,975	2006	69.0	66.1-71.9	170	13.3	10.9-15.7	126	9.7	07.7-11.7	65	5.5	03.9-07.1	23	1.6	00.8-02.4	9	0.8	00.2-01.4
Some Post-H.S.	1813	838,063	1351	59.8	56.7-62.9	184	14.8	12.4-17.2	163	14.3	11.9-16.7	74	7.2	05.4-09.0	24	2.6	01.4-03.8	17	1.3	00.7-01.9
College Graduate	1953	509,719	1308	53.9	51.0-56.8	239	17.7	15.3-20.1	251	17.3	14.9-19.7	117	8.5	06.7-10.3	31	2.1	01.3-02.9	7	0.6	00.2-01.0
Less than \$15,000	771	332,524	593	59.7	54.4-65.0	82	17.2	13.1-21.3	53	13.0	09.1-16.9	27	6.3	03.6-09.0	10	2.5	00.7-04.3	6	1.3	00.1-02.5
\$15,000- 24,999	1237	465,646	984	61.8	57.7-65.9	96	13.9	10.8-17.0	87	12.5	09.6-15.4	40	6.8	04.4-09.2	18	2.8	01.2-04.4	12	2.2	00.6-03.8
\$25,000- 34,999	716	255,387	581	67.3	62.0-72.6	56	12.0	08.3-15.7	46	12.6	08.5-16.7	25	5.8	03.3-08.3	5	1.5	00.0-03.1	3	0.8	00.0-02.0
\$35,000- 49,999	853	320,601	669	63.7	59.0-68.4	77	13.9	10.4-17.4	63	13.6	09.9-17.3	35	7.0	04.3-09.7	4	0.7	00.0-01.5	5	1.1	00.0-02.3
\$50,000- 74,999	797	317,454	569	56.9	52.0-61.8	91	17.4	13.5-21.3	84	13.5	10.2-16.8	37	9.3	05.8-12.8	14	2.5	00.9-04.1	2	0.4	00.0-01.0
\$75,000+	1282	476,515	757	50.9	47.4-54.4	193	18.8	15.9-21.7	193	17.2	14.5-19.9	104	9.4	07.2-11.6	26	2.7	01.3-04.1	9	1.0	00.4-01.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11433	4,995,209	1011	14.0	13.0-15.0	3955	34.8	33.6-36.0	2920	30.5	29.3-31.7	3547	20.8	20.0-21.6
Male	4638	2,428,885	400	14.3	12.7-15.9	1552	36.0	34.2-37.8	1100	28.0	26.2-29.8	1586	21.7	20.3-23.1
Female	6795	2,566,324	611	13.6	12.2-15.0	2403	33.7	32.1-35.3	1820	32.8	31.2-34.4	1961	19.9	18.7-21.1
White/Non-Hisp	9960	4,071,105	757	11.9	10.9-12.9	3492	35.3	34.1-36.5	2533	31.0	29.6-32.4	3178	21.9	20.9-22.9
Black or Afr. Am./Non-Hisp	631	424,270	78	15.1	11.0-19.2	218	36.2	31.3-41.1	198	35.4	30.5-40.3	137	13.3	10.8-15.8
Oth. Race/Non-Hisp.	228	103,254	29	11.7	05.2-18.2	60	28.0	19.8-36.2	40	19.5	12.4-26.6	99	40.9	32.7-49.1
MultiRacial/Non-Hisp.	130	55,210	9	13.0	03.8-22.2	43	35.7	24.5-46.9	44	37.4	26.4-48.4	34	13.9	07.6-20.2
Hispanic	314	270,556	111	42.8	36.3-49.3	88	29.1	23.4-34.8	64	18.6	13.9-23.3	51	9.4	06.5-12.3
18-24	573	687,537	62	15.0	11.5-18.5	221	38.5	34.2-42.8	207	37.8	33.5-42.1	83	8.7	06.7-10.7
25-34	867	819,093	104	17.8	14.5-21.1	215	27.2	23.9-30.5	234	30.1	26.6-33.6	314	24.8	22.1-27.5
35-44	1263	809,759	111	15.6	12.7-18.5	292	26.7	23.8-29.6	308	28.2	25.3-31.1	552	29.5	26.8-32.2
45-54	1875	866,466	147	11.9	09.9-13.9	559	33.1	30.6-35.6	487	31.3	28.8-33.8	682	23.7	21.7-25.7
55-64	2586	812,694	166	10.0	08.2-11.8	917	38.5	36.1-40.9	699	31.2	29.0-33.4	804	20.4	18.8-22.0
65+	4128	951,110	413	14.2	12.6-15.8	1710	44.4	42.4-46.4	945	25.4	23.6-27.2	1060	16.1	14.9-17.3
Less Than H.S.	1011	697,429	1011	100.0	0100-0100									
H.S. or G.E.D.	3955	1,738,258				3955	100.0	0100-0100						
Some Post-H.S.	2920	1,521,766							2920	100.0	0100-0100			
College Graduate	3547	1,037,755										3547	100.0	0100-0100
Less than \$15,000	1137	530,619	283	31.4	27.5-35.3	465	34.8	31.1-38.5	273	26.8	23.1-30.5	116	7.0	05.2-08.8
\$15,000- 24,999	1839	820,097	303	26.4	23.1-29.7	848	40.9	37.8-44.0	462	25.9	23.2-28.6	226	6.8	05.6-08.0
\$25,000- 34,999	1184	512,180	91	10.8	08.1-13.5	518	45.5	41.4-49.6	333	32.1	28.2-36.0	242	11.7	09.7-13.7
\$35,000- 49,999	1520	668,656	66	8.1	05.9-10.3	589	39.9	36.6-43.2	442	34.9	31.6-38.2	423	17.0	14.8-19.2
\$50,000- 74,999	1533	696,385	47	7.1	04.7-09.5	415	29.9	26.8-33.0	471	37.3	34.0-40.6	600	25.8	23.3-28.3
\$75,000+	2535	1,084,743	31	3.0	01.8-04.2	414	21.9	19.5-24.3	522	28.6	26.2-31.0	1568	46.5	44.1-48.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4638	2,428,885	400	14.3	12.7-15.9	1552	36.0	34.2-37.8	1100	28.0	26.2-29.8	1586	21.7	20.3-23.1
White/Non-Hisp	4023	1,974,334	296	12.3	10.7-13.9	1349	36.1	34.1-38.1	968	29.2	27.2-31.2	1410	22.4	21.0-23.8
Black or Afr. Am./Non-Hisp	239	199,648	29	16.8	09.9-23.7	88	38.7	31.1-46.3	66	30.3	23.2-37.4	56	14.2	09.9-18.5
Oth. Race/Non-Hisp.	120	64,305	19	14.1	04.9-23.3	28	26.5	15.9-37.1	18	17.3	08.1-26.5	55	42.1	31.1-53.1
MultiRacial/Non-Hisp.	52	27,462	4	14.5	00.6-28.4	18	38.3	21.1-55.5	17	33.2	17.1-49.3	13	14.0	04.4-23.6
Hispanic	129	128,516	42	41.1	31.3-50.9	47	36.0	26.8-45.2	16	11.5	05.6-17.4	24	11.5	06.4-16.6
18-24	313	352,501	37	16.7	11.6-21.8	137	43.9	37.8-50.0	101	31.3	25.8-36.8	38	8.1	05.6-10.6
25-34	379	411,570	45	17.4	12.5-22.3	107	30.5	25.2-35.8	90	27.6	22.5-32.7	137	24.4	20.3-28.5
35-44	540	402,274	53	17.8	12.9-22.7	138	27.4	22.9-31.9	120	26.0	21.5-30.5	229	28.7	24.8-32.6
45-54	808	427,980	59	11.1	08.2-14.0	262	35.8	31.9-39.7	200	30.4	26.5-34.3	287	22.8	19.9-25.7
55-64	1102	400,119	78	10.5	07.8-13.2	384	38.4	35.1-41.7	277	29.1	25.8-32.4	363	22.1	19.6-24.6
65+	1449	413,990	125	13.1	10.6-15.6	514	41.3	38.2-44.4	301	23.9	21.2-26.6	509	21.7	19.5-23.9
Less Than H.S.	400	347,605	400	100.0	0100-0100									
H.S. or G.E.D.	1552	873,799				1552	100.0	0100-0100						
Some Post-H.S.	1100	680,929							1100	100.0	0100-0100			
College Graduate	1586	526,552										1586	100.0	0100-0100
Less than \$15,000	369	198,597	88	29.1	22.8-35.4	148	38.0	31.7-44.3	81	22.3	17.0-27.6	52	10.6	07.1-14.1
\$15,000- 24,999	605	354,979	114	29.5	24.0-35.0	266	40.2	35.1-45.3	137	22.1	17.8-26.4	88	8.2	05.8-10.6
\$25,000- 34,999	469	256,171	48	14.4	09.7-19.1	202	43.6	37.5-49.7	117	30.2	24.3-36.1	102	11.8	08.7-14.9
\$35,000- 49,999	666	347,741	40	10.5	07.0-14.0	283	44.2	39.3-49.1	163	29.0	24.3-33.7	180	16.4	13.5-19.3
\$50,000- 74,999	735	378,536	31	9.9	06.2-13.6	212	31.8	27.5-36.1	215	33.7	29.4-38.0	277	24.7	21.2-28.2
\$75,000+	1252	607,500	19	3.9	01.9-05.9	231	25.8	22.5-29.1	259	28.7	25.4-32.0	743	41.6	38.3-44.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6795	2,566,324	611	13.6	12.2-15.0	2403	33.7	32.1-35.3	1820	32.8	31.2-34.4	1961	19.9	18.7-21.1
White/Non-Hisp	5937	2,096,770	461	11.5	10.1-12.9	2143	34.5	32.9-36.1	1565	32.7	30.9-34.5	1768	21.4	20.2-22.6
Black or Afr. Am./Non-Hisp	392	224,622	49	13.6	08.9-18.3	130	33.9	27.6-40.2	132	40.0	33.5-46.5	81	12.4	09.1-15.7
Oth. Race/Non-Hisp.	108	38,949	10	7.7	00.3-15.1	32	30.4	17.7-43.1	22	23.0	11.8-34.2	44	38.8	26.8-50.8
MultiRacial/Non-Hisp.	78	27,748	5	11.5	00.0-23.5	25	33.2	19.3-47.1	27	41.6	26.9-56.3	21	13.7	05.7-21.7
Hispanic	185	142,040	69	44.4	36.0-52.8	41	22.9	15.8-30.0	48	25.1	17.8-32.4	27	7.5	04.0-11.0
18-24	260	335,036	25	13.2	08.1-18.3	84	32.8	26.5-39.1	106	44.6	37.9-51.3	45	9.4	06.5-12.3
25-34	488	407,523	59	18.2	13.9-22.5	108	23.9	19.4-28.4	144	32.7	28.0-37.4	177	25.2	21.5-28.9
35-44	723	407,485	58	13.4	09.9-16.9	154	25.9	22.0-29.8	188	30.4	26.3-34.5	323	30.3	26.8-33.8
45-54	1067	438,486	88	12.8	10.1-15.5	297	30.4	27.1-33.7	287	32.2	28.9-35.5	395	24.7	22.2-27.2
55-64	1484	412,575	88	9.5	07.3-11.7	533	38.5	35.6-41.4	422	33.2	30.3-36.1	441	18.7	16.7-20.7
65+	2679	537,119	288	15.0	13.0-17.0	1196	46.8	44.4-49.2	644	26.5	24.3-28.7	551	11.7	10.5-12.9
Less Than H.S.	611	349,824	611	100.0	0100-0100									
H.S. or G.E.D.	2403	864,460				2403	100.0	0100-0100						
Some Post-H.S.	1820	840,838							1820	100.0	0100-0100			
College Graduate	1961	511,203										1961	100.0	0100-0100
Less than \$15,000	768	332,022	195	32.7	27.8-37.6	317	32.8	28.1-37.5	192	29.5	24.8-34.2	64	4.9	03.3-06.5
\$15,000- 24,999	1234	465,119	189	24.0	20.3-27.7	582	41.5	37.6-45.4	325	28.8	25.1-32.5	138	5.7	04.3-07.1
\$25,000- 34,999	715	256,010	43	7.1	04.4-09.8	316	47.3	42.0-52.6	216	34.0	28.9-39.1	140	11.5	08.8-14.2
\$35,000- 49,999	854	320,915	26	5.6	02.9-08.3	306	35.3	31.0-39.6	279	41.4	36.9-45.9	243	17.7	14.8-20.6
\$50,000- 74,999	798	317,848	16	3.8	01.4-06.2	203	27.6	23.3-31.9	256	41.5	36.6-46.4	323	27.1	23.4-30.8
\$75,000+	1283	477,243	12	1.8	00.4-03.2	183	17.1	14.4-19.8	263	28.4	25.1-31.7	825	52.7	49.2-56.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9766	4,318,911	1142	12.3	11.3-13.3	1842	19.0	17.8-20.2	1188	11.9	10.9-12.9	1522	15.5	14.5-16.5	4072	41.3	39.9-42.7
Male	4105	2,148,346	371	9.3	8.1-10.5	605	16.5	14.9-18.1	470	11.9	10.5-13.3	668	16.3	14.9-17.7	1991	46.0	44.0-48.0
Female	5661	2,170,565	771	15.3	13.9-16.7	1237	21.5	19.9-23.1	718	11.8	10.6-13.0	854	14.8	13.6-16.0	2081	36.6	34.8-38.4
White/Non-Hisp	8519	3,525,857	891	10.8	09.8-11.8	1510	16.9	15.7-18.1	1035	11.5	10.5-12.5	1350	16.1	15.1-17.1	3733	44.7	43.3-46.1
Black or Afr. Am./Non-Hisp	570	381,882	135	23.1	18.8-27.4	144	25.8	20.9-30.7	70	15.0	11.1-18.9	90	15.2	11.5-18.9	131	20.8	16.7-24.9
Oth. Race/Non-Hisp.	194	87,526	30	12.6	06.9-18.3	39	22.3	13.9-30.7	22	9.2	04.3-14.1	32	16.3	09.0-23.6	71	39.6	30.4-48.8
MultiRacial/Non-Hisp.	108	45,039	21	15.0	07.0-23.0	30	31.1	18.9-43.3	18	16.9	05.9-27.9	13	14.5	06.1-22.9	26	22.6	12.8-32.4
Hispanic	270	235,826	43	15.9	11.0-20.8	90	33.5	27.0-40.0	37	13.6	08.9-18.3	26	8.9	05.2-12.6	74	28.2	21.9-34.5
18-24	430	520,126	70	15.7	12.0-19.4	105	23.5	19.2-27.8	64	15.4	11.7-19.1	66	14.4	10.9-17.9	125	31.0	26.1-35.9
25-34	793	750,542	108	14.3	11.6-17.0	144	19.6	16.3-22.9	100	13.3	10.6-16.0	127	16.1	13.2-19.0	314	36.8	33.1-40.5
35-44	1167	742,691	106	10.0	07.8-12.2	156	17.2	14.3-20.1	97	8.9	06.9-10.9	128	11.5	09.3-13.7	680	52.4	48.9-55.9
45-54	1715	792,031	185	11.2	09.4-13.0	202	13.2	11.2-15.2	126	8.1	06.5-09.7	233	15.5	13.3-17.7	969	52.0	49.3-54.7
55-64	2278	711,060	257	11.8	10.0-13.6	326	15.0	13.2-16.8	237	9.7	08.3-11.1	346	15.3	13.5-17.1	1112	48.2	45.7-50.7
65+	3313	778,107	404	11.7	10.3-13.1	892	26.8	24.8-28.8	555	16.8	15.2-18.4	612	19.9	18.1-21.7	850	24.9	23.1-26.7
Less Than H.S.	821	574,123	283	29.0	25.1-32.9	303	37.7	33.2-42.2	91	9.6	07.1-12.1	66	9.5	06.8-12.2	78	14.3	10.8-17.8
H.S. or G.E.D.	3249	1,465,919	465	12.6	11.0-14.2	848	22.9	20.9-24.9	518	15.9	14.1-17.7	589	18.2	16.4-20.0	829	30.4	28.2-32.6
Some Post-H.S.	2503	1,322,512	273	10.8	09.2-12.4	462	16.1	14.3-17.9	333	12.4	10.6-14.2	442	17.7	15.7-19.7	993	43.1	40.6-45.6
College Graduate	3175	950,126	116	3.9	02.9-04.9	226	5.9	04.9-06.9	242	6.3	05.3-07.3	423	12.0	10.6-13.4	2168	71.9	69.9-73.9
Less than \$15,000	1142	531,401	1142	100.0	0100-0100												
\$15,000- 24,999	1842	820,624				1842	100.0	0100-0100									
\$25,000- 34,999	1188	512,835							1188	100.0	0100-0100						
\$35,000- 49,999	1522	670,105										1522	100.0	0100-0100			
\$50,000- 74,999	1535	698,130													1535	100.0	0100-0100
\$75,000+	2537	1,085,817													2537	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4105	2,148,346	371	9.3	08.1-10.5	605	16.5	14.9-18.1	470	11.9	10.5-13.3	668	16.3	14.9-17.7	1991	46.0	44.0-48.0
White/Non-Hisp	3581	1,753,806	285	7.8	06.6-09.0	481	14.5	12.9-16.1	406	11.3	09.9-12.7	597	16.9	15.3-18.5	1812	49.4	47.2-51.6
Black or Afr. Am./Non-Hisp	216	181,842	48	20.9	14.6-27.2	44	22.5	15.2-29.8	33	18.0	11.5-24.5	32	14.2	08.5-19.9	59	24.4	17.5-31.3
Oth. Race/Non-Hisp.	101	54,191	13	11.4	04.1-18.7	23	22.9	12.1-33.7	9	9.7	02.8-16.6	16	17.0	06.8-27.2	40	39.0	26.7-51.3
Hispanic	114	115,122	12	10.8	04.3-17.3	34	30.1	20.7-39.5	15	12.8	05.9-19.7	14	11.5	05.2-17.8	39	34.8	25.0-44.6
18-24	235	266,915	30	11.1	07.2-15.0	51	20.0	14.7-25.3	38	16.4	11.1-21.7	34	14.8	09.9-19.7	82	37.7	30.8-44.6
25-34	349	380,408	31	8.4	05.3-11.5	57	18.8	13.9-23.7	54	16.6	11.9-21.3	63	18.4	13.9-22.9	144	37.8	32.3-43.3
35-44	503	374,481	45	8.6	05.7-11.5	61	17.4	12.9-21.9	38	7.9	05.0-10.8	52	10.7	07.6-13.8	307	55.4	50.1-60.7
45-54	743	394,620	70	8.8	06.4-11.2	74	11.3	08.4-14.2	48	7.2	04.8-09.6	110	16.9	13.6-20.2	441	55.8	51.5-60.1
55-64	998	361,016	106	11.5	08.8-14.2	113	12.3	09.8-14.8	87	8.2	06.2-10.2	149	14.4	11.9-16.9	543	53.7	50.0-57.4
65+	1256	362,566	87	7.8	05.8-09.8	248	21.0	18.3-23.7	202	16.6	14.1-19.1	256	22.1	19.2-25.0	463	32.5	29.4-35.6
Less Than H.S.	340	297,025	88	19.5	14.6-24.4	114	35.2	28.5-41.9	48	12.4	08.3-16.5	40	12.3	08.2-16.4	50	20.6	14.7-26.5
H.S. or G.E.D.	1342	760,265	148	9.9	07.9-11.9	266	18.8	16.3-21.3	202	14.7	12.2-17.2	283	20.2	17.5-22.9	443	36.4	33.1-39.7
Some Post-H.S.	972	602,949	81	7.4	05.4-09.4	137	13.0	10.5-15.5	117	12.8	10.1-15.5	163	16.7	13.8-19.6	474	50.1	46.2-54.0
College Graduate	1442	483,284	52	4.3	02.9-05.7	88	6.0	04.4-07.6	102	6.2	04.6-07.8	180	11.8	09.6-14.0	1020	71.6	68.7-74.5
Less than \$15,000	371	198,877	371	100.0	0100-0100												
\$15,000- 24,999	605	354,979				605	100.0	0100-0100									
\$25,000- 34,999	470	256,446							470	100.0	0100-0100						
\$35,000- 49,999	668	349,190										668	100.0	0100-0100			
\$50,000- 74,999	737	380,282													737	100.0	0100-0100
\$75,000+	1254	608,573													1254	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5661	2,170,565	771	15.3	13.9-16.7	1237	21.5	19.9-23.1	718	11.8	10.6-13.0	854	14.8	13.6-16.0	2081	36.6	34.8-38.4
White/Non-Hisp	4938	1,772,051	606	13.7	12.1-15.3	1029	19.3	17.7-20.9	629	11.7	10.5-12.9	753	15.2	13.8-16.6	1921	40.1	38.1-42.1
Black or Afr. Am./Non-Hisp	354	200,040	87	25.2	19.1-31.3	100	28.9	22.4-35.4	37	12.3	07.6-17.0	58	16.2	11.3-21.1	72	17.5	12.6-22.4
Oth. Race/Non-Hisp.	93	33,335	17	14.5	05.1-23.9	16	21.3	08.2-34.4	13	8.4	01.5-15.3	16	15.2	05.6-24.8	31	40.5	27.0-54.0
MultiRacial/Non-Hisp.	62	20,656	16	23.4	09.7-37.1	16	31.4	14.0-48.8	12	11.7	03.5-19.9	9	21.2	06.5-35.9	9	12.4	03.2-21.6
Hispanic	156	120,704	31	20.7	13.4-28.0	56	36.7	27.9-45.5	22	14.3	07.6-21.0	12	6.5	02.6-10.4	35	21.8	14.0-29.6
18-24	195	253,211	40	20.6	14.3-26.9	54	27.1	20.4-33.8	26	14.3	08.8-19.8	32	13.9	08.6-19.2	43	24.0	17.3-30.7
25-34	444	370,134	77	20.2	15.7-24.7	87	20.4	16.1-24.7	46	9.8	06.7-12.9	64	13.8	10.3-17.3	170	35.8	30.7-40.9
35-44	664	368,210	61	11.3	08.2-14.4	95	17.0	13.3-20.7	59	10.0	07.3-12.7	76	12.4	09.5-15.3	373	49.4	44.9-53.9
45-54	972	397,411	115	13.6	10.9-16.3	128	15.1	12.2-18.0	78	9.0	06.8-11.2	123	14.1	11.4-16.8	528	48.2	44.5-51.9
55-64	1280	350,044	151	12.2	09.8-14.6	213	17.8	15.3-20.3	150	11.2	09.2-13.2	197	16.2	13.7-18.7	569	42.6	39.3-45.9
65+	2057	415,541	317	15.1	13.1-17.1	644	31.9	29.2-34.6	353	16.9	14.9-18.9	356	18.0	15.8-20.2	387	18.2	16.2-20.2
Less Than H.S.	481	277,098	195	39.2	33.3-45.1	189	40.2	34.3-46.1	43	6.6	04.1-09.1	26	6.5	03.4-09.6	28	7.5	04.0-11.0
H.S. or G.E.D.	1907	705,654	317	15.5	13.1-17.9	582	27.3	24.6-30.0	316	17.2	14.8-19.6	306	16.0	13.8-18.2	386	24.0	21.3-26.7
Some Post-H.S.	1531	719,563	192	13.6	11.1-16.1	325	18.6	16.1-21.1	216	12.1	09.9-14.3	279	18.5	16.0-21.0	519	37.2	34.1-40.3
College Graduate	1733	466,843	64	3.5	02.3-04.7	138	5.7	04.3-07.1	140	6.3	04.9-07.7	243	12.2	10.2-14.2	1148	72.3	69.6-75.0
Less than \$15,000	771	332,524	771	100.0	0100-0100												
\$15,000- 24,999	1237	465,646				1237	100.0	0100-0100									
\$25,000- 34,999	718	256,388							718	100.0	0100-0100						
\$35,000- 49,999	854	320,915										854	100.0	0100-0100			
\$50,000- 74,999	798	317,848													798	100.0	0100-0100
\$75,000+	1283	477,243													1283	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	89
2	MALES ONLY	90
3	FEMALES ONLY	91
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	92
5	MALES ONLY	93
6	FEMALES ONLY	94

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 9: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10978	4,777,862	1426	16.9	15.9-17.9	504	6.0	05.4-06.6	3118	24.1	23.1-25.1	5930	53.0	51.6-54.4
Male	4461	2,331,249	646	17.8	16.2-19.4	205	6.7	05.5-07.9	1507	27.7	26.1-29.3	2103	47.8	45.8-49.8
Female	6517	2,446,613	780	16.1	14.7-17.5	299	5.4	04.6-06.2	1611	20.6	19.4-21.8	3827	58.0	56.2-59.8
White/Non-Hisp	9584	3,904,572	1248	17.8	16.6-19.0	393	5.2	04.6-05.8	2822	25.7	24.5-26.9	5121	51.3	49.9-52.7
Black or Afr. Am./Non-Hisp	596	401,756	81	16.1	12.0-20.2	59	11.0	07.9-14.1	115	15.0	11.7-18.3	341	57.9	52.8-63.0
Oth. Race/Non-Hisp.	215	97,699	30	11.0	05.9-16.1	11	5.0	00.3-09.7	41	13.8	07.9-19.7	133	70.1	62.1-78.1
MultiRacial/Non-Hisp.	129	54,968	26	24.5	13.7-35.3	11	10.4	02.8-18.0	32	20.8	12.2-29.4	60	44.3	32.9-55.7
Hispanic	294	254,825	16	4.5	02.0-07.0	23	9.6	05.5-13.7	60	17.7	12.8-22.6	195	68.2	62.1-74.3
18-24	546	655,167	80	16.1	12.6-19.6	39	7.5	05.1-09.9	21	4.9	02.7-07.1	406	71.4	67.1-75.7
25-34	827	776,394	158	21.8	18.5-25.1	60	7.7	05.5-09.9	145	17.8	14.9-20.7	464	52.6	48.7-56.5
35-44	1219	778,249	192	19.3	16.4-22.2	75	7.8	05.8-09.8	245	20.0	17.5-22.5	707	52.9	49.6-56.2
45-54	1804	835,640	355	22.9	20.5-25.3	100	6.2	04.8-07.6	400	23.0	20.6-25.4	949	47.9	45.2-50.6
55-64	2495	778,787	349	15.2	13.4-17.0	126	5.7	04.5-06.9	742	30.7	28.5-32.9	1278	48.3	45.9-50.7
65+	3964	912,376	282	7.5	06.5-08.5	101	2.1	01.5-02.7	1534	41.8	39.8-43.8	2047	48.6	46.6-50.6
Less Than H.S.	957	656,832	247	31.1	27.0-35.2	72	8.5	06.1-10.9	281	22.9	19.6-26.2	357	37.5	33.4-41.6
H.S. or G.E.D.	3746	1,643,563	625	20.0	18.2-21.8	206	7.1	05.9-08.3	1107	25.8	24.0-27.6	1808	47.0	44.8-49.2
Some Post-H.S.	2817	1,466,429	387	15.3	13.5-17.1	138	5.9	04.7-07.1	847	24.7	22.7-26.7	1445	54.0	51.6-56.4
College Graduate	3428	1,000,743	161	4.6	03.6-05.6	87	2.8	02.0-03.6	877	21.0	19.4-22.6	2303	71.6	69.6-73.6
Less than \$15,000	1110	508,682	265	30.1	26.2-34.0	113	11.9	09.4-14.4	283	20.1	17.0-23.2	449	37.9	34.0-41.8
\$15,000- 24,999	1764	781,308	324	24.6	21.5-27.7	109	7.7	05.7-09.7	518	23.2	20.7-25.7	813	44.6	41.3-47.9
\$25,000- 34,999	1154	493,797	182	18.5	15.4-21.6	59	7.2	04.8-09.6	357	25.9	22.6-29.2	556	48.4	44.3-52.5
\$35,000- 49,999	1478	651,327	183	16.5	13.8-19.2	52	5.0	03.4-06.6	465	27.9	25.0-30.8	778	50.6	47.3-53.9
\$50,000- 74,999	1491	679,565	170	15.4	12.7-18.1	52	4.5	02.9-06.1	448	24.9	22.2-27.6	821	55.2	51.9-58.5
\$75,000+	2468	1,052,258	146	6.8	05.4-08.2	64	3.7	02.5-04.9	653	25.1	22.9-27.3	1605	64.4	61.9-66.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 9: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4461	2,331,249	646	17.8	16.2-19.4	205	6.7	05.5-07.9	1507	27.7	26.1-29.3	2103	47.8	45.8-49.8
White/Non-Hisp	3878	1,899,525	553	18.2	16.4-20.0	152	5.5	04.5-06.5	1369	29.7	27.9-31.5	1804	46.7	44.7-48.7
Black or Afr. Am./Non-Hisp	227	190,557	43	21.3	14.2-28.4	23	12.2	06.9-17.5	42	13.7	09.0-18.4	119	52.9	44.9-60.9
Oth. Race/Non-Hisp.	112	60,663	18	12.2	05.3-19.1	5	6.5	00.0-13.8	22	14.6	06.8-22.4	67	66.7	55.5-77.9
MultiRacial/Non-Hisp.	51	27,190	13	26.4	09.5-43.3	7	15.7	02.6-28.8	12	22.4	09.1-35.7	19	35.4	18.9-51.9
Hispanic	121	121,396	8	6.7	02.0-11.4	14	13.5	06.4-20.6	34	25.3	16.9-33.7	65	54.5	44.5-64.5
18-24	298	335,343	41	15.3	10.6-20.0	28	10.2	06.5-13.9	10	3.8	01.3-06.3	219	70.7	65.0-76.4
25-34	364	392,589	62	21.0	16.1-25.9	29	9.1	05.6-12.6	76	20.9	16.2-25.6	197	49.0	43.3-54.7
35-44	522	387,560	78	18.5	14.2-22.8	35	8.9	05.6-12.2	126	23.6	19.5-27.7	283	49.1	44.0-54.2
45-54	787	418,270	169	24.4	20.7-28.1	43	6.8	04.4-09.2	180	24.5	20.8-28.2	395	44.3	40.2-48.4
55-64	1054	381,757	176	18.2	15.3-21.1	42	4.1	02.5-05.7	373	35.9	32.4-39.4	463	41.8	38.3-45.3
65+	1396	397,453	117	9.2	07.2-11.2	26	1.5	00.9-02.1	732	54.4	51.3-57.5	521	34.9	31.8-38.0
Less Than H.S.	380	328,605	118	35.0	28.7-41.3	24	8.9	05.0-12.8	138	28.3	23.0-33.6	100	27.9	22.0-33.8
H.S. or G.E.D.	1473	830,820	290	21.0	18.5-23.5	94	8.2	06.2-10.2	530	28.9	26.2-31.6	559	41.9	38.8-45.0
Some Post-H.S.	1060	657,975	158	15.0	12.3-17.7	53	6.8	04.6-09.0	374	27.9	24.8-31.0	475	50.3	46.6-54.0
College Graduate	1535	507,096	76	4.7	03.3-06.1	34	2.7	01.5-03.9	463	25.5	23.0-28.0	962	67.1	64.2-70.0
Less than \$15,000	354	186,345	95	29.3	23.2-35.4	37	15.7	10.6-20.8	98	20.8	15.9-25.7	124	34.2	27.9-40.5
\$15,000- 24,999	578	339,196	123	26.9	21.6-32.2	43	9.2	05.7-12.7	212	27.9	23.4-32.4	200	36.1	30.8-41.4
\$25,000- 34,999	459	247,391	85	21.3	16.2-26.4	22	7.2	03.5-10.9	179	31.7	26.0-37.4	173	39.8	33.7-45.9
\$35,000- 49,999	649	340,785	94	17.3	13.4-21.2	27	5.6	03.1-08.1	251	33.2	28.7-37.7	277	43.9	39.0-48.8
\$50,000- 74,999	716	369,626	95	16.5	12.8-20.2	22	4.9	02.5-07.3	246	28.6	24.5-32.7	353	50.0	45.3-54.7
\$75,000+	1226	593,915	86	8.4	06.2-10.6	32	4.1	02.3-05.9	370	27.1	24.0-30.2	738	60.4	56.9-63.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 9: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6517	2,446,613	780	16.1	14.7-17.5	299	5.4	04.6-06.2	1611	20.6	19.4-21.8	3827	58.0	56.2-59.8
White/Non-Hisp	5706	2,005,047	695	17.5	15.9-19.1	241	5.0	04.2-05.8	1453	21.9	20.5-23.3	3317	55.7	53.9-57.5
Black or Afr. Am./Non-Hisp	369	211,200	38	11.4	07.3-15.5	36	10.0	06.3-13.7	73	16.1	11.4-20.8	222	62.5	56.2-68.8
Oth. Race/Non-Hisp.	103	37,036	12	9.0	01.7-16.3	6	2.6	00.0-05.3	19	12.6	04.2-21.0	66	75.8	65.0-86.6
MultiRacial/Non-Hisp.	78	27,777	13	22.5	09.2-35.8	4	5.2	00.0-12.5	20	19.3	08.5-30.1	41	53.0	38.1-67.9
Hispanic	173	133,430	8	2.5	00.3-04.7	9	6.1	01.6-10.6	26	10.7	06.0-15.4	130	80.6	74.1-87.1
18-24	248	319,824	39	17.0	11.7-22.3	11	4.7	01.8-07.6	11	6.2	02.5-09.9	187	72.1	65.8-78.4
25-34	463	383,805	96	22.7	18.2-27.2	31	6.3	03.8-08.8	69	14.7	11.2-18.2	267	56.3	51.2-61.4
35-44	697	390,688	114	20.0	16.3-23.7	40	6.8	04.4-09.2	119	16.5	13.4-19.6	424	56.7	52.4-61.0
45-54	1017	417,371	186	21.5	18.4-24.6	57	5.6	04.0-07.2	220	21.4	18.5-24.3	554	51.5	48.0-55.0
55-64	1441	397,030	173	12.4	10.2-14.6	84	7.4	05.6-09.2	369	25.7	23.0-28.4	815	54.6	51.5-57.7
65+	2568	514,924	165	6.3	05.1-07.5	75	2.6	01.8-03.4	802	32.0	29.6-34.4	1526	59.1	56.6-61.6
Less Than H.S.	577	328,227	129	27.2	22.3-32.1	48	8.2	05.5-10.9	143	17.6	13.9-21.3	257	47.1	41.6-52.6
H.S. or G.E.D.	2273	812,743	335	19.0	16.6-21.4	112	6.1	04.7-07.5	577	22.7	20.5-24.9	1249	52.3	49.4-55.2
Some Post-H.S.	1757	808,454	229	15.7	13.3-18.1	85	5.2	03.8-06.6	473	22.1	19.7-24.5	970	57.0	53.9-60.1
College Graduate	1893	493,647	85	4.5	03.3-05.7	53	2.8	01.8-03.8	414	16.4	14.4-18.4	1341	76.3	73.9-78.7
Less than \$15,000	756	322,337	170	30.5	25.6-35.4	76	9.7	07.0-12.4	185	19.7	15.8-23.6	325	40.0	34.9-45.1
\$15,000- 24,999	1186	442,112	201	22.8	19.3-26.3	66	6.5	04.5-08.5	306	19.6	16.9-22.3	613	51.1	47.0-55.2
\$25,000- 34,999	695	246,406	97	15.7	12.0-19.4	37	7.1	04.2-10.0	178	20.1	16.4-23.8	383	57.1	51.8-62.4
\$35,000- 49,999	829	310,542	89	15.7	12.2-19.2	25	4.3	02.3-06.3	214	22.0	18.5-25.5	501	58.1	53.6-62.6
\$50,000- 74,999	775	309,939	75	14.0	09.9-18.1	30	4.1	02.1-06.1	202	20.5	17.2-23.8	468	61.4	56.7-66.1
\$75,000+	1242	458,343	60	4.7	03.3-06.1	32	3.2	01.6-04.8	283	22.6	19.7-25.5	867	69.6	66.3-72.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10978	4,777,862	9048	77.1	75.9-78.3	1930	22.9	21.7-24.1
Male	4461	2,331,249	3610	75.5	73.7-77.3	851	24.5	22.7-26.3
Female	6517	2,446,613	5438	78.5	76.9-80.1	1079	21.5	19.9-23.1
White/Non-Hisp	9584	3,904,572	7943	76.9	75.7-78.1	1641	23.1	21.9-24.3
Black or Afr. Am./Non-Hisp	596	401,756	456	72.9	68.2-77.6	140	27.1	22.4-31.8
Oth. Race/Non-Hisp.	215	97,699	174	83.9	77.2-90.6	41	16.1	09.4-22.8
MultiRacial/Non-Hisp.	129	54,968	92	65.1	53.5-76.7	37	34.9	23.3-46.5
Hispanic	294	254,825	255	85.9	81.2-90.6	39	14.1	09.4-18.8
18-24	546	655,167	427	76.3	72.4-80.2	119	23.7	19.8-27.6
25-34	827	776,394	609	70.5	66.8-74.2	218	29.5	25.8-33.2
35-44	1219	778,249	952	72.9	69.8-76.0	267	27.1	24.0-30.2
45-54	1804	835,640	1349	70.9	68.4-73.4	455	29.1	26.6-31.6
55-64	2495	778,787	2020	79.0	77.0-81.0	475	21.0	19.0-23.0
65+	3964	912,376	3581	90.3	89.1-91.5	383	9.7	08.5-10.9
Less Than H.S.	957	656,832	638	60.4	56.3-64.5	319	39.6	35.5-43.7
H.S. or G.E.D.	3746	1,643,563	2915	72.8	70.8-74.8	831	27.2	25.2-29.2
Some Post-H.S.	2817	1,466,429	2292	78.7	76.7-80.7	525	21.3	19.3-23.3
College Graduate	3428	1,000,743	3180	92.6	91.4-93.8	248	7.4	06.2-08.6
Less than \$15,000	1110	508,682	732	58.0	53.9-62.1	378	42.0	37.9-46.1
\$15,000- 24,999	1764	781,308	1331	67.7	64.4-71.0	433	32.3	29.0-35.6
\$25,000- 34,999	1154	493,797	913	74.3	70.6-78.0	241	25.7	22.0-29.4
\$35,000- 49,999	1478	651,327	1243	78.5	75.6-81.4	235	21.5	18.6-24.4
\$50,000- 74,999	1491	679,565	1269	80.1	77.2-83.0	222	19.9	17.0-22.8
\$75,000+	2468	1,052,258	2258	89.5	87.7-91.3	210	10.5	08.7-12.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4461	2,331,249	3610	75.5	73.7-77.3	851	24.5	22.7-26.3
White/Non-Hisp	3878	1,899,525	3173	76.3	74.3-78.3	705	23.7	21.7-25.7
Black or Afr. Am./Non-Hisp	227	190,557	161	66.5	58.7-74.3	66	33.5	25.7-41.3
Oth. Race/Non-Hisp.	112	60,663	89	81.2	71.8-90.6	23	18.8	09.4-28.2
MultiRacial/Non-Hisp.	51	27,190	31	57.8	40.0-75.6	20	42.2	24.4-60.0
Hispanic	121	121,396	99	79.9	71.7-88.1	22	20.1	11.9-28.3
18-24	298	335,343	229	74.5	69.0-80.0	69	25.5	20.0-31.0
25-34	364	392,589	273	69.9	64.4-75.4	91	30.1	24.6-35.6
35-44	522	387,560	409	72.7	67.8-77.6	113	27.3	22.4-32.2
45-54	787	418,270	575	68.8	64.9-72.7	212	31.2	27.3-35.1
55-64	1054	381,757	836	77.7	74.6-80.8	218	22.3	19.2-25.4
65+	1396	397,453	1253	89.3	87.3-91.3	143	10.7	08.7-12.7
Less Than H.S.	380	328,605	238	56.1	49.6-62.6	142	43.9	37.4-50.4
H.S. or G.E.D.	1473	830,820	1089	70.8	67.9-73.7	384	29.2	26.3-32.1
Some Post-H.S.	1060	657,975	849	78.2	75.1-81.3	211	21.8	18.7-24.9
College Graduate	1535	507,096	1425	92.5	90.7-94.3	110	7.5	05.7-09.3
Less than \$15,000	354	186,345	222	55.0	48.3-61.7	132	45.0	38.3-51.7
\$15,000- 24,999	578	339,196	412	64.0	58.3-69.7	166	36.0	30.3-41.7
\$25,000- 34,999	459	247,391	352	71.5	65.8-77.2	107	28.5	22.8-34.2
\$35,000- 49,999	649	340,785	528	77.1	72.6-81.6	121	22.9	18.4-27.4
\$50,000- 74,999	716	369,626	599	78.6	74.5-82.7	117	21.4	17.3-25.5
\$75,000+	1226	593,915	1108	87.5	85.0-90.0	118	12.5	10.0-15.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6517	2,446,613	5438	78.5	76.9-80.1	1079	21.5	19.9-23.1
White/Non-Hisp	5706	2,005,047	4770	77.5	75.9-79.1	936	22.5	20.9-24.1
Black or Afr. Am./Non-Hisp	369	211,200	295	78.6	73.3-83.9	74	21.4	16.1-26.7
Oth. Race/Non-Hisp.	103	37,036	85	88.4	80.8-96.0	18	11.6	04.0-19.2
MultiRacial/Non-Hisp.	78	27,777	61	72.3	58.2-86.4	17	27.7	13.6-41.8
Hispanic	173	133,430	156	91.4	86.5-96.3	17	8.6	03.7-13.5
18-24	248	319,824	198	78.3	72.6-84.0	50	21.7	16.0-27.4
25-34	463	383,805	336	71.0	66.1-75.9	127	29.0	24.1-33.9
35-44	697	390,688	543	73.2	69.1-77.3	154	26.8	22.7-30.9
45-54	1017	417,371	774	72.9	69.6-76.2	243	27.1	23.8-30.4
55-64	1441	397,030	1184	80.3	77.8-82.8	257	19.7	17.2-22.2
65+	2568	514,924	2328	91.1	89.7-92.5	240	8.9	07.5-10.3
Less Than H.S.	577	328,227	400	64.6	59.3-69.9	177	35.4	30.1-40.7
H.S. or G.E.D.	2273	812,743	1826	74.9	72.2-77.6	447	25.1	22.4-27.8
Some Post-H.S.	1757	808,454	1443	79.2	76.7-81.7	314	20.8	18.3-23.3
College Graduate	1893	493,647	1755	92.7	91.1-94.3	138	7.3	05.7-08.9
Less than \$15,000	756	322,337	510	59.7	54.6-64.8	246	40.3	35.2-45.4
\$15,000- 24,999	1186	442,112	919	70.6	66.7-74.5	267	29.4	25.5-33.3
\$25,000- 34,999	695	246,406	561	77.1	72.6-81.6	134	22.9	18.4-27.4
\$35,000- 49,999	829	310,542	715	80.0	76.1-83.9	114	20.0	16.1-23.9
\$50,000- 74,999	775	309,939	670	81.9	77.6-86.2	105	18.1	13.8-22.4
\$75,000+	1242	458,343	1150	92.1	90.1-94.1	92	7.9	05.9-09.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014**

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	97
2 MALES ONLY	98
3 FEMALES ONLY	99
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	100
5 MALES ONLY	101
6 FEMALES ONLY	102
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	103
8 MALES ONLY	104
9 FEMALES ONLY	105
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)	
10 MALES AND FEMALES	106
11 MALES ONLY	107
12 FEMALES ONLY	108
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)	
13 MALES AND FEMALES	109
14 MALES ONLY	110
15 FEMALES ONLY	111

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)	
16	MALES AND FEMALES	112
17	MALES ONLY	113
18	FEMALES ONLY	114
	ADULT MEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN4)	
19	MALES ONLY	115
	ADULT WOMEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM4)	
20	FEMALES ONLY	116

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10892	4,735,186	4877	47.9	46.5-49.3	6015	52.1	50.7-53.5
Male	4417	2,304,117	2373	54.8	52.8-56.8	2044	45.2	43.2-47.2
Female	6475	2,431,068	2504	41.3	39.5-43.1	3971	58.7	56.9-60.5
White/Non-Hisp	9520	3,879,366	4348	49.3	47.9-50.7	5172	50.7	49.3-52.1
Black or Afr. Am./Non-Hisp	588	396,863	231	42.4	37.3-47.5	357	57.6	52.5-62.7
Oth. Race/Non-Hisp.	215	96,927	67	31.5	23.3-39.7	148	68.5	60.3-76.7
MultiRacial/Non-Hisp.	129	54,146	49	42.7	31.3-54.1	80	57.3	45.9-68.7
Hispanic	283	244,866	130	46.4	39.7-53.1	153	53.6	46.9-60.3
18-24	534	643,863	263	48.2	43.5-52.9	271	51.8	47.1-56.5
25-34	822	770,913	467	55.3	51.4-59.2	355	44.7	40.8-48.6
35-44	1208	771,065	683	55.9	52.6-59.2	525	44.1	40.8-47.4
45-54	1796	828,870	954	52.2	49.5-54.9	842	47.8	45.1-50.5
55-64	2475	770,325	1117	44.9	42.5-47.3	1358	55.1	52.7-57.5
65+	3940	909,475	1348	33.1	31.1-35.1	2592	66.9	64.9-68.9
Less Than H.S.	946	646,248	227	31.9	27.8-36.0	719	68.1	64.0-72.2
H.S. or G.E.D.	3700	1,622,724	1285	39.9	37.7-42.1	2415	60.1	57.9-62.3
Some Post-H.S.	2804	1,458,673	1317	53.4	51.0-55.8	1487	46.6	44.2-49.0
College Graduate	3415	997,547	2037	63.0	61.0-65.0	1378	37.0	35.0-39.0
Less than \$15,000	1099	505,080	276	32.5	28.6-36.4	823	67.5	63.6-71.4
\$15,000- 24,999	1751	770,870	501	36.2	32.9-39.5	1250	63.8	60.5-67.1
\$25,000- 34,999	1146	485,642	453	43.9	39.8-48.0	693	56.1	52.0-60.2
\$35,000- 49,999	1469	649,004	670	47.2	43.9-50.5	799	52.8	49.5-56.1
\$50,000- 74,999	1484	677,026	821	57.7	54.4-61.0	663	42.3	39.0-45.6
\$75,000+	2462	1,049,382	1657	67.0	64.6-69.4	805	33.0	30.6-35.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4417	2,304,117	2373	54.8	52.8-56.8	2044	45.2	43.2-47.2
White/Non-Hisp	3847	1,881,998	2105	56.1	54.1-58.1	1742	43.9	41.9-45.9
Black or Afr. Am./Non-Hisp	224	189,994	108	51.7	43.7-59.7	116	48.3	40.3-56.3
Oth. Race/Non-Hisp.	112	59,966	37	31.2	20.0-42.4	75	68.8	57.6-80.0
MultiRacial/Non-Hisp.	51	27,190	26	52.0	34.4-69.6	25	48.0	30.4-65.6
Hispanic	114	114,972	66	57.2	47.0-67.4	48	42.8	32.6-53.0
18-24	290	327,059	139	48.3	42.0-54.6	151	51.7	45.4-58.0
25-34	360	388,455	222	61.4	55.7-67.1	138	38.6	32.9-44.3
35-44	516	383,294	330	64.4	59.3-69.5	186	35.6	30.5-40.7
45-54	782	415,085	474	58.8	54.7-62.9	308	41.2	37.1-45.3
55-64	1042	375,772	553	51.9	48.4-55.4	489	48.1	44.6-51.6
65+	1389	396,563	636	43.0	39.9-46.1	753	57.0	53.9-60.1
Less Than H.S.	373	321,096	132	42.4	35.9-48.9	241	57.6	51.1-64.1
H.S. or G.E.D.	1453	819,210	665	48.4	45.3-51.5	788	51.6	48.5-54.7
Some Post-H.S.	1054	653,022	599	60.3	56.8-63.8	455	39.7	36.2-43.2
College Graduate	1525	504,205	969	65.8	62.9-68.7	556	34.2	31.3-37.1
Less than \$15,000	346	182,813	123	41.2	34.5-47.9	223	58.8	52.1-65.5
\$15,000- 24,999	572	333,865	222	44.7	39.0-50.4	350	55.3	49.6-61.0
\$25,000- 34,999	452	239,818	215	50.8	44.5-57.1	237	49.2	42.9-55.5
\$35,000- 49,999	647	340,382	326	51.5	46.6-56.4	321	48.5	43.6-53.4
\$50,000- 74,999	715	369,691	430	61.5	56.8-66.2	285	38.5	33.8-43.2
\$75,000+	1222	592,117	863	70.2	66.9-73.5	359	29.8	26.5-33.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6475	2,431,068	2504	41.3	39.5-43.1	3971	58.7	56.9-60.5
White/Non-Hisp	5673	1,997,368	2243	42.9	41.1-44.7	3430	57.1	55.3-58.9
Black or Afr. Am./Non-Hisp	364	206,869	123	33.8	27.5-40.1	241	66.2	59.9-72.5
Oth. Race/Non-Hisp.	103	36,961	30	31.9	19.7-44.1	73	68.1	55.9-80.3
MultiRacial/Non-Hisp.	78	26,956	23	33.3	19.4-47.2	55	66.7	52.8-80.6
Hispanic	169	129,894	64	36.9	28.5-45.3	105	63.1	54.7-71.5
18-24	244	316,804	124	48.2	41.3-55.1	120	51.8	44.9-58.7
25-34	462	382,458	245	49.0	43.9-54.1	217	51.0	45.9-56.1
35-44	692	387,771	353	47.6	43.3-51.9	339	52.4	48.1-56.7
45-54	1014	413,785	480	45.5	42.0-49.0	534	54.5	51.0-58.0
55-64	1433	394,553	564	38.3	35.2-41.4	869	61.7	58.6-64.8
65+	2551	512,912	712	25.5	23.3-27.7	1839	74.5	72.3-76.7
Less Than H.S.	573	325,152	95	21.5	16.8-26.2	478	78.5	73.8-83.2
H.S. or G.E.D.	2247	803,514	620	31.3	28.6-34.0	1627	68.7	66.0-71.4
Some Post-H.S.	1750	805,651	718	47.9	44.8-51.0	1032	52.1	49.0-55.2
College Graduate	1890	493,341	1068	60.0	57.3-62.7	822	40.0	37.3-42.7
Less than \$15,000	753	322,267	153	27.6	22.7-32.5	600	72.4	67.5-77.3
\$15,000- 24,999	1179	437,005	279	29.7	25.8-33.6	900	70.3	66.4-74.2
\$25,000- 34,999	694	245,824	238	37.2	31.9-42.5	456	62.8	57.5-68.1
\$35,000- 49,999	822	308,622	344	42.5	38.0-47.0	478	57.5	53.0-62.0
\$50,000- 74,999	769	307,335	391	53.2	48.3-58.1	378	46.8	41.9-51.7
\$75,000+	1240	457,266	794	62.8	59.3-66.3	446	37.2	33.7-40.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION
TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10892	4,735,186	3007	30.8	29.6-32.0	930	9.4	08.6-10.2	346	2.8	02.4-03.2	594	4.8	04.2-05.4	6015	52.1	50.7-53.5
Male	4417	2,304,117	1270	31.4	29.6-33.2	523	12.3	10.9-13.7	201	3.9	03.1-04.7	379	7.3	06.3-08.3	2044	45.2	43.2-47.2
Female	6475	2,431,068	1737	30.3	28.7-31.9	407	6.7	05.9-07.5	145	1.8	01.4-02.2	215	2.4	02.0-02.8	3971	58.7	56.9-60.5
White/Non-Hisp	9520	3,879,366	2637	31.3	29.9-32.7	837	9.7	08.9-10.5	327	3.1	02.7-03.5	547	5.2	04.6-05.8	5172	50.7	49.3-52.1
Black or Afr. Am./Non-Hisp	588	396,863	159	27.7	23.2-32.2	50	10.0	06.7-13.3	4	0.8	00.0-01.8	18	3.9	01.7-06.1	357	57.6	52.5-62.7
Oth. Race/Non-Hisp.	215	96,927	48	21.9	14.6-29.2	12	6.8	01.5-12.1	1	0.7	00.0-02.1	6	2.0	00.0-04.2	148	68.5	60.3-76.7
MultiRacial/Non-Hisp.	129	54,146	34	31.2	20.6-41.8	5	6.0	00.3-11.7	3	1.7	00.0-03.9	7	3.8	00.5-07.1	80	57.3	45.9-68.7
Hispanic	283	244,866	96	35.5	29.0-42.0	18	5.9	02.8-09.0	7	2.8	00.3-05.3	9	2.2	00.6-03.8	153	53.6	46.9-60.3
18-24	534	643,863	183	35.2	30.7-39.7	59	9.2	06.8-11.6	13	2.4	01.0-03.8	8	1.4	00.4-02.4	271	51.8	47.1-56.5
25-34	822	770,913	319	36.8	33.1-40.5	106	11.8	09.4-14.2	21	2.9	01.5-04.3	21	3.8	02.0-05.6	355	44.7	40.8-48.6
35-44	1208	771,065	464	37.7	34.4-41.0	136	11.5	09.1-13.9	32	2.1	01.3-02.9	51	4.6	03.0-06.2	525	44.1	40.8-47.4
45-54	1796	828,870	594	32.6	30.1-35.1	186	9.9	08.3-11.5	73	3.7	02.7-04.7	101	5.9	04.5-07.3	842	47.8	45.1-50.5
55-64	2475	770,325	656	26.7	24.5-28.9	210	8.2	06.8-09.6	108	3.9	03.1-04.7	143	6.1	04.9-07.3	1358	55.1	52.7-57.5
65+	3940	909,475	768	19.0	17.4-20.6	220	5.9	04.9-06.9	97	2.1	01.5-02.7	263	6.0	05.0-07.0	2592	66.9	64.9-68.9
Less Than H.S.	946	646,248	153	21.7	18.0-25.4	34	4.7	02.5-06.9	8	1.3	00.1-02.5	32	4.3	02.3-06.3	719	68.1	64.0-72.2
H.S. or G.E.D.	3700	1,622,724	805	26.1	24.1-28.1	232	7.2	06.0-08.4	73	2.2	01.6-02.8	175	4.4	03.6-05.2	2415	60.1	57.9-62.3
Some Post-H.S.	2804	1,458,673	883	36.1	33.7-38.5	227	9.7	08.1-11.3	77	3.0	02.0-04.0	130	4.6	03.6-05.6	1487	46.6	44.2-49.0
College Graduate	3415	997,547	1160	36.8	34.6-39.0	434	15.6	14.0-17.2	188	4.7	03.9-05.5	255	6.0	05.0-07.0	1378	37.0	35.0-39.0
Less than \$15,000	1099	505,080	196	23.8	20.1-27.5	41	5.0	03.0-07.0	12	0.8	00.0-01.6	27	2.9	01.3-04.5	823	67.5	63.6-71.4
\$15,000- 24,999	1751	770,870	351	26.8	23.7-29.9	76	5.1	03.3-06.9	23	1.7	00.7-02.7	51	2.6	01.4-03.8	1250	63.8	60.5-67.1
\$25,000- 34,999	1146	485,642	281	27.4	23.7-31.1	79	7.8	05.6-10.0	33	2.9	01.5-04.3	60	5.8	03.6-08.0	693	56.1	52.0-60.2
\$35,000- 49,999	1469	649,004	419	31.3	28.2-34.4	107	8.0	06.0-10.0	49	2.3	01.3-03.3	95	5.7	04.1-07.3	799	52.8	49.5-56.1
\$50,000- 74,999	1484	677,026	510	36.1	32.8-39.4	164	12.4	10.2-14.6	51	3.4	02.2-04.6	96	5.8	04.2-07.4	663	42.3	39.0-45.6
\$75,000+	2462	1,049,382	940	39.1	36.6-41.6	362	15.8	13.8-17.8	157	5.4	04.2-06.6	198	6.7	05.5-07.9	805	33.0	30.6-35.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION
TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4417	2,304,117	1270	31.4	29.6-33.2	523	12.3	10.9-13.7	201	3.9	03.1-04.7	379	7.3	06.3-08.3	2044	45.2	43.2-47.2
White/Non-Hisp	3847	1,881,998	1100	31.4	29.4-33.4	473	12.6	11.2-14.0	189	4.3	03.5-05.1	343	7.7	06.5-08.9	1742	43.9	41.9-45.9
Black or Afr. Am./Non-Hisp	224	189,994	68	30.7	23.6-37.8	24	12.7	06.6-18.8	2	1.2	00.0-03.2	14	7.1	02.6-11.6	116	48.3	40.3-56.3
Oth. Race/Non-Hisp.	112	59,966	25	19.7	10.7-28.7	6	8.2	00.2-16.2				6	3.3	00.0-06.8	75	68.8	57.6-80.0
MultiRacial/Non-Hisp.	51	27,190	15	36.2	19.5-52.9	2	6.1	00.0-14.9	3	3.4	00.0-07.7	6	6.3	00.2-12.4	25	48.0	30.4-65.6
Hispanic	114	114,972	44	40.7	30.5-50.9	12	9.6	03.7-15.5	4	3.5	00.0-07.2	6	3.4	00.3-06.5	48	42.8	32.6-53.0
18-24	290	327,059	85	31.4	25.5-37.3	38	11.6	07.9-15.3	8	2.4	00.6-04.2	8	2.8	00.8-04.8	151	51.7	45.4-58.0
25-34	360	388,455	132	35.6	30.1-41.1	58	14.4	10.7-18.1	14	4.6	02.1-07.1	18	6.8	03.5-10.1	138	38.6	32.9-44.3
35-44	516	383,294	198	39.0	34.1-43.9	77	15.6	11.5-19.7	22	3.3	01.7-04.9	33	6.5	03.8-09.2	186	35.6	30.5-40.7
45-54	782	415,085	258	32.5	28.6-36.4	103	12.5	09.8-15.2	45	5.0	03.2-06.8	68	8.7	06.3-11.1	308	41.2	37.1-45.3
55-64	1042	375,772	279	27.8	24.5-31.1	116	10.2	08.2-12.2	60	4.8	03.4-06.2	98	9.0	06.8-11.2	489	48.1	44.6-51.6
65+	1389	396,563	311	22.3	19.6-25.0	122	8.4	06.4-10.4	52	3.1	01.9-04.3	151	9.1	07.3-10.9	753	57.0	53.9-60.1
Less Than H.S.	373	321,096	73	24.9	19.0-30.8	23	7.0	03.1-10.9	7	2.5	00.3-04.7	29	8.0	04.3-11.7	241	57.6	51.1-64.1
H.S. or G.E.D.	1453	819,210	375	28.7	25.8-31.6	138	10.2	08.2-12.2	40	3.1	01.9-04.3	112	6.5	05.1-07.9	788	51.6	48.5-54.7
Some Post-H.S.	1054	653,022	345	35.1	31.6-38.6	125	13.1	10.6-15.6	43	4.5	02.9-06.1	86	7.5	05.3-09.7	455	39.7	36.2-43.2
College Graduate	1525	504,205	473	34.8	31.7-37.9	234	17.7	15.2-20.2	111	5.5	04.3-06.7	151	7.8	06.2-09.4	556	34.2	31.3-37.1
Less than \$15,000	346	182,813	75	23.5	17.8-29.2	24	9.3	05.2-13.4	6	1.9	00.0-03.9	18	6.6	02.7-10.5	223	58.8	52.1-65.5
\$15,000- 24,999	572	333,865	133	29.9	24.6-35.2	42	7.0	03.7-10.3	16	3.4	01.0-05.8	31	4.5	02.0-07.0	350	55.3	49.6-61.0
\$25,000- 34,999	452	239,818	116	27.1	21.6-32.6	43	10.9	07.0-14.8	19	3.9	01.4-06.4	37	8.9	04.6-13.2	237	49.2	42.9-55.5
\$35,000- 49,999	647	340,382	174	29.7	25.0-34.4	59	10.1	07.0-13.2	27	3.1	01.5-04.7	66	8.7	06.2-11.2	321	48.5	43.6-53.4
\$50,000- 74,999	715	369,691	226	33.2	28.7-37.7	104	15.6	12.3-18.9	34	4.6	02.6-06.6	66	8.0	05.6-10.4	285	38.5	33.8-43.2
\$75,000+	1222	592,117	435	38.5	35.0-42.0	206	17.3	14.6-20.0	91	5.9	04.5-07.3	131	8.5	06.5-10.5	359	29.8	26.5-33.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION
TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6475	2,431,068	1737	30.3	28.7-31.9	407	6.7	05.9-07.5	145	1.8	01.4-02.2	215	2.4	02.0-02.8	3971	58.7	56.9-60.5
White/Non-Hisp	5673	1,997,368	1537	31.2	29.4-33.0	364	7.0	06.0-08.0	138	2.0	01.6-02.4	204	2.8	02.2-03.4	3430	57.1	55.3-58.9
Black or Afr. Am./Non-Hisp	364	206,869	91	25.1	19.4-30.8	26	7.5	04.2-10.8	2	0.3	00.0-00.9	4	0.9	00.0-01.9	241	66.2	59.9-72.5
Oth. Race/Non-Hisp.	103	36,961	23	25.6	14.0-37.2	6	4.5	00.2-08.8	1	1.8	00.0-05.3				73	68.1	55.9-80.3
MultiRacial/Non-Hisp.	78	26,956	19	26.2	13.1-39.3	3	5.9	00.0-12.6				1	1.2	00.0-03.6	55	66.7	52.8-80.6
Hispanic	169	129,894	52	30.8	22.8-38.8	6	2.7	00.2-05.2	3	2.1	00.0-05.4	3	1.1	00.0-02.5	105	63.1	54.7-71.5
18-24	244	316,804	98	39.1	32.4-45.8	21	6.8	03.9-09.7	5	2.4	00.2-04.6				120	51.8	44.9-58.7
25-34	462	382,458	187	38.0	33.1-42.9	48	9.1	06.4-11.8	7	1.2	00.2-02.2	3	0.6	00.0-01.4	217	51.0	45.9-56.1
35-44	692	387,771	266	36.5	32.4-40.6	59	7.5	05.3-09.7	10	1.0	00.2-01.8	18	2.7	01.3-04.1	339	52.4	48.1-56.7
45-54	1014	413,785	336	32.7	29.4-36.0	83	7.2	05.4-09.0	28	2.4	01.4-03.4	33	3.2	01.8-04.6	534	54.5	51.0-58.0
55-64	1433	394,553	377	25.6	22.9-28.3	94	6.3	04.7-07.9	48	3.0	02.0-04.0	45	3.4	02.2-04.6	869	61.7	58.6-64.8
65+	2551	512,912	457	16.5	14.7-18.3	98	4.0	03.0-05.0	45	1.3	00.9-01.7	112	3.7	02.9-04.5	1839	74.5	72.3-76.7
Less Than H.S.	573	325,152	80	18.5	14.0-23.0	11	2.4	00.6-04.2	1	0.1	00.0-00.3	3	0.5	00.0-01.3	478	78.5	73.8-83.2
H.S. or G.E.D.	2247	803,514	430	23.4	20.9-25.9	94	4.2	03.2-05.2	33	1.3	00.7-01.9	63	2.3	01.5-03.1	1627	68.7	66.0-71.4
Some Post-H.S.	1750	805,651	538	36.8	33.7-39.9	102	7.0	05.4-08.6	34	1.8	00.8-02.8	44	2.3	01.5-03.1	1032	52.1	49.0-55.2
College Graduate	1890	493,341	687	38.8	36.1-41.5	200	13.3	11.1-15.5	77	3.9	02.7-05.1	104	4.1	03.1-05.1	822	40.0	37.3-42.7
Less than \$15,000	753	322,267	121	24.0	19.3-28.7	17	2.6	00.6-04.6	6	0.2	00.0-00.4	9	0.8	00.2-01.4	600	72.4	67.5-77.3
\$15,000- 24,999	1179	437,005	218	24.4	20.7-28.1	34	3.7	02.1-05.3	7	0.4	00.0-00.8	20	1.2	00.4-02.0	900	70.3	66.4-74.2
\$25,000- 34,999	694	245,824	165	27.7	22.6-32.8	36	4.7	02.7-06.7	14	2.0	00.4-03.6	23	2.8	01.2-04.4	456	62.8	57.5-68.1
\$35,000- 49,999	822	308,622	245	33.0	28.7-37.3	48	5.8	03.8-07.8	22	1.4	00.6-02.2	29	2.3	00.9-03.7	478	57.5	53.0-62.0
\$50,000- 74,999	769	307,335	284	39.6	34.7-44.5	60	8.6	05.9-11.3	17	1.9	00.3-03.5	30	3.0	01.4-04.6	378	46.8	41.9-51.7
\$75,000+	1240	457,266	505	39.8	36.5-43.1	156	13.9	11.4-16.4	66	4.8	03.2-06.4	67	4.2	03.0-05.4	446	37.2	33.7-40.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10804	4,686,854	9681	85.2	84.2-86.2	1123	14.8	13.8-15.8
Male	4366	2,268,309	3659	80.1	78.5-81.7	707	19.9	18.3-21.5
Female	6438	2,418,544	6022	90.0	88.8-91.2	416	10.0	08.8-11.2
White/Non-Hisp	9450	3,843,621	8467	84.9	83.7-86.1	983	15.1	13.9-16.3
Black or Afr. Am./Non-Hisp	582	394,042	530	88.3	84.8-91.8	52	11.7	08.2-15.2
Oth. Race/Non-Hisp.	212	94,643	190	89.6	83.5-95.7	22	10.4	04.3-16.5
MultiRacial/Non-Hisp.	128	53,816	114	84.2	75.2-93.2	14	15.8	06.8-24.8
Hispanic	278	239,600	238	81.8	76.3-87.3	40	18.2	12.7-23.7
18-24	528	636,876	398	75.7	71.8-79.6	130	24.3	20.4-28.2
25-34	818	766,606	651	78.7	75.4-82.0	167	21.3	18.0-24.6
35-44	1199	763,278	993	81.7	79.0-84.4	206	18.3	15.6-21.0
45-54	1772	813,695	1523	85.4	83.4-87.4	249	14.6	12.6-16.6
55-64	2454	763,152	2228	89.8	88.2-91.4	226	10.2	08.6-11.8
65+	3917	903,114	3782	96.3	95.5-97.1	135	3.7	02.9-04.5
Less Than H.S.	935	635,448	856	86.1	82.8-89.4	79	13.9	10.6-17.2
H.S. or G.E.D.	3665	1,606,701	3328	87.2	85.6-88.8	337	12.8	11.2-14.4
Some Post-H.S.	2783	1,444,620	2474	83.0	81.0-85.0	309	17.0	15.0-19.0
College Graduate	3395	990,440	3000	84.7	83.1-86.3	395	15.3	13.7-16.9
Less than \$15,000	1092	502,999	1016	88.9	86.0-91.8	76	11.1	08.2-14.0
\$15,000- 24,999	1737	761,439	1614	87.4	84.9-89.9	123	12.6	10.1-15.1
\$25,000- 34,999	1138	482,094	1032	84.1	80.6-87.6	106	15.9	12.4-19.4
\$35,000- 49,999	1457	642,020	1306	85.9	83.4-88.4	151	14.1	11.6-16.6
\$50,000- 74,999	1479	675,507	1281	81.4	78.5-84.3	198	18.6	15.7-21.5
\$75,000+	2442	1,037,296	2055	80.7	78.5-82.9	387	19.3	17.1-21.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4366	2,268,309	3659	80.1	78.5-81.7	707	19.9	18.3-21.5
White/Non-Hisp	3807	1,855,851	3191	79.8	78.0-81.6	616	20.2	18.4-22.0
Black or Afr. Am./Non-Hisp	222	187,980	190	83.6	77.7-89.5	32	16.4	10.5-22.3
Oth. Race/Non-Hisp.	109	57,682	95	88.6	80.0-97.2	14	11.4	02.8-20.0
MultiRacial/Non-Hisp.	51	27,190	41	77.2	61.9-92.5	10	22.8	07.5-38.1
Hispanic	109	109,706	84	74.0	64.8-83.2	25	26.0	16.8-35.2
18-24	287	322,975	212	73.9	68.4-79.4	75	26.1	20.6-31.6
25-34	357	385,026	260	72.2	66.9-77.5	97	27.8	22.5-33.1
35-44	510	376,648	384	74.8	70.3-79.3	126	25.2	20.7-29.7
45-54	767	402,620	616	80.0	76.7-83.3	151	20.0	16.7-23.3
55-64	1029	371,106	884	85.9	83.4-88.4	145	14.1	11.6-16.6
65+	1379	392,589	1272	92.5	90.7-94.3	107	7.5	05.7-09.3
Less Than H.S.	364	310,831	308	78.6	72.7-84.5	56	21.4	15.5-27.3
H.S. or G.E.D.	1433	807,237	1206	81.9	79.4-84.4	227	18.1	15.6-20.6
Some Post-H.S.	1041	643,723	859	78.1	74.8-81.4	182	21.9	18.6-25.2
College Graduate	1516	499,933	1276	80.7	78.2-83.2	240	19.3	16.8-21.8
Less than \$15,000	344	181,614	302	85.2	80.1-90.3	42	14.8	09.7-19.9
\$15,000- 24,999	565	326,795	489	80.2	75.3-85.1	76	19.8	14.9-24.7
\$25,000- 34,999	447	236,751	381	78.5	72.8-84.2	66	21.5	15.8-27.2
\$35,000- 49,999	637	333,595	537	81.0	76.9-85.1	100	19.0	14.9-23.1
\$50,000- 74,999	712	368,562	570	76.1	72.0-80.2	142	23.9	19.8-28.0
\$75,000+	1209	583,194	974	77.7	74.6-80.8	235	22.3	19.2-25.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6438	2,418,544	6022	90.0	88.8-91.2	416	10.0	08.8-11.2
White/Non-Hisp	5643	1,987,770	5276	89.7	88.3-91.1	367	10.3	08.9-11.7
Black or Afr. Am./Non-Hisp	360	206,062	340	92.5	88.8-96.2	20	7.5	03.8-11.2
Oth. Race/Non-Hisp.	103	36,961	95	91.1	83.1-99.1	8	8.9	00.9-16.9
MultiRacial/Non-Hisp.	77	26,625	73	91.2	82.2-0100	4	8.8	00.0-17.8
Hispanic	169	129,894	154	88.5	82.2-94.8	15	11.5	05.2-17.8
18-24	241	313,901	186	77.6	71.9-83.3	55	22.4	16.7-28.1
25-34	461	381,580	391	85.2	81.5-88.9	70	14.8	11.1-18.5
35-44	689	386,630	609	88.4	85.5-91.3	80	11.6	08.7-14.5
45-54	1005	411,075	907	90.6	88.4-92.8	98	9.4	07.2-11.6
55-64	1425	392,047	1344	93.6	91.8-95.4	81	6.4	04.6-08.2
65+	2538	510,525	2510	99.2	98.8-99.6	28	0.8	00.4-01.2
Less Than H.S.	571	324,617	548	93.2	90.3-96.1	23	6.8	03.9-09.7
H.S. or G.E.D.	2232	799,464	2122	92.6	90.8-94.4	110	7.4	05.6-09.2
Some Post-H.S.	1742	800,897	1615	87.0	84.5-89.5	127	13.0	10.5-15.5
College Graduate	1879	490,507	1724	88.7	86.7-90.7	155	11.3	09.3-13.3
Less than \$15,000	748	321,384	714	91.1	87.4-94.8	34	8.9	05.2-12.6
\$15,000- 24,999	1172	434,644	1125	92.7	90.3-95.1	47	7.3	04.9-09.7
\$25,000- 34,999	691	245,343	651	89.5	85.6-93.4	40	10.5	06.6-14.4
\$35,000- 49,999	820	308,425	769	91.1	88.2-94.0	51	8.9	06.0-11.8
\$50,000- 74,999	767	306,944	711	87.7	83.6-91.8	56	12.3	08.2-16.4
\$75,000+	1233	454,102	1081	84.7	82.0-87.4	152	15.3	12.6-18.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10805	4,692,364	3719	36.4	35.2-37.6	749	7.1	06.5-07.7	259	3.0	02.4-03.6	52	0.7	00.5-00.9	11	0.2	00.0-00.4	6015	52.6	51.2-54.0
Male	4368	2,275,438	1603	37.2	35.2-39.2	459	10.2	09.0-11.4	208	5.3	04.3-06.3	45	1.2	00.8-01.6	9	0.3	00.0-00.7	2044	45.8	43.8-47.8
Female	6437	2,416,925	2116	35.7	34.1-37.3	290	4.2	03.6-04.8	51	0.9	00.5-01.3	7	0.2	00.0-00.4	2	0.0	00.0-00.0	3971	59.0	57.2-60.8
White/Non-Hisp	9446	3,844,007	3311	37.5	36.1-38.9	680	7.5	06.7-08.3	226	2.9	02.3-03.5	46	0.7	00.5-00.9	11	0.2	00.0-00.4	5172	51.2	49.8-52.6
Black or Afr. Am./Non-Hisp	580	392,529	176	31.5	26.8-36.2	33	5.8	03.4-08.2	13	4.2	01.3-07.1	1	0.2	00.0-00.6				357	58.3	53.2-63.4
Oth. Race/Non-Hisp.	214	96,477	55	26.5	18.5-34.5	8	4.1	00.4-07.8	3	0.6	00.0-01.2							148	68.9	60.5-77.3
MultiRacial/Non-Hisp.	128	53,816	38	34.1	23.1-45.1	4	3.1	00.0-06.2	5	4.1	00.0-09.0	1	1.0	00.0-03.0				80	57.6	46.2-69.0
Hispanic	281	242,679	99	35.2	28.7-41.7	19	6.4	02.9-09.9	7	3.1	00.7-05.5	3	1.3	00.0-02.9				153	54.1	47.4-60.8
18-24	526	632,854	192	36.0	31.5-40.5	42	7.8	05.3-10.3	17	2.8	01.4-04.2	4	0.8	00.0-01.6				271	52.7	48.0-57.4
25-34	819	768,024	370	42.3	38.6-46.0	59	7.1	05.1-09.1	28	4.9	02.9-06.9	7	0.8	00.2-01.4				355	44.9	41.0-48.8
35-44	1201	767,682	549	43.7	40.4-47.0	89	7.6	05.8-09.4	29	3.0	01.4-04.6	7	0.8	00.2-01.4	2	0.6	00.0-01.4	525	44.2	40.9-47.5
45-54	1779	819,637	717	38.9	36.2-41.6	143	8.0	06.4-09.6	64	3.7	02.5-04.9	9	0.7	00.3-01.1	4	0.3	00.0-00.7	842	48.4	45.7-51.1
55-64	2456	764,285	859	34.4	32.0-36.8	163	6.6	05.4-07.8	59	2.6	01.8-03.4	15	0.8	00.4-01.2	2	0.1	00.0-00.3	1358	55.5	53.1-57.9
65+	3909	901,252	1002	25.0	23.2-26.8	243	5.7	04.7-06.7	59	1.4	01.0-01.8	10	0.3	00.1-00.5	3	0.1	00.0-00.3	2592	67.5	65.7-69.3
Less Than H.S.	938	637,239	161	22.9	19.2-26.6	34	3.8	02.2-05.4	18	3.1	01.1-05.1	4	0.7	00.0-01.5	2	0.5	00.0-01.5	719	69.0	64.9-73.1
H.S. or G.E.D.	3666	1,608,411	931	29.0	27.0-31.0	202	6.5	05.3-07.7	85	2.5	01.9-03.1	27	1.1	00.7-01.5	6	0.2	00.0-00.4	2415	60.6	58.4-62.8
Some Post-H.S.	2779	1,444,396	1035	41.5	39.1-43.9	179	7.4	06.0-08.8	68	3.6	02.6-04.6	9	0.4	00.2-00.6	1	0.0	00.0-00.0	1487	47.0	44.6-49.4
College Graduate	3397	992,754	1586	49.7	47.5-51.9	333	9.7	08.5-10.9	86	2.9	02.1-03.7	12	0.4	00.0-00.8	2	0.1	00.0-00.3	1378	37.2	35.2-39.2
Less than \$15,000	1088	499,155	215	26.2	22.5-29.9	28	2.7	01.3-04.1	15	2.0	00.6-03.4	6	0.8	00.0-01.6	1	0.0	00.0-00.0	823	68.3	64.4-72.2
\$15,000- 24,999	1743	767,757	387	27.7	24.6-30.8	67	4.7	03.3-06.1	29	2.6	01.0-04.2	8	0.6	00.0-01.2	2	0.4	00.0-01.2	1250	64.0	60.7-67.3
\$25,000- 34,999	1138	481,197	339	31.3	27.4-35.2	69	6.9	04.7-09.1	32	4.5	02.3-06.7	3	0.4	00.0-01.0	2	0.2	00.0-00.4	693	56.6	52.5-60.7
\$35,000- 49,999	1461	643,110	502	36.1	32.8-39.4	103	5.8	04.2-07.4	44	3.7	02.3-05.1	12	1.0	00.4-01.6	1	0.2	00.0-00.6	799	53.3	50.0-56.6
\$50,000- 74,999	1479	674,401	634	43.7	40.4-47.0	125	9.3	07.1-11.5	49	3.7	02.5-04.9	6	0.7	00.1-01.3	2	0.2	00.0-00.6	663	42.4	39.1-45.7
\$75,000+	2442	1,042,156	1263	50.7	48.2-53.2	281	11.6	09.8-13.4	79	3.6	02.6-04.6	13	0.8	00.4-01.2	1	0.1	00.0-00.3	805	33.3	30.9-35.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4368	2,275,438	1603	37.2	35.2-39.2	459	10.2	09.0-11.4	208	5.3	04.3-06.3	45	1.2	00.8-01.6	9	0.3	00.0-00.7	2044	45.8	43.8-47.8
White/Non-Hisp	3805	1,858,358	1419	38.1	36.1-40.1	416	10.7	09.5-11.9	179	5.1	04.1-06.1	40	1.2	00.8-01.6	9	0.4	00.0-00.8	1742	44.5	42.3-46.7
Black or Afr. Am./Non-Hisp	219	186,527	71	32.9	25.6-40.2	19	8.6	04.1-13.1	12	8.9	02.8-15.0	1	0.4	00.0-01.2				116	49.2	41.0-57.4
Oth. Race/Non-Hisp.	112	59,966	29	26.6	15.8-37.4	5	3.7	00.0-08.2	3	0.9	00.0-02.1							75	68.8	57.6-80.0
MultiRacial/Non-Hisp.	51	27,190	17	36.9	20.2-53.6	3	4.9	00.0-10.6	5	8.1	00.0-17.5	1	2.0	00.0-05.9				25	48.0	30.4-65.6
Hispanic	113	113,561	44	38.7	28.7-48.7	13	10.1	04.0-16.2	5	5.1	00.4-09.8	3	2.8	00.0-05.9				48	43.3	32.9-53.7
18-24	284	319,743	91	32.3	26.2-38.4	24	8.7	05.2-12.2	15	5.0	02.5-07.5	3	1.1	00.0-02.5				151	52.9	46.6-59.2
25-34	358	385,884	149	39.9	34.2-45.6	42	11.0	07.5-14.5	23	8.9	05.2-12.6	6	1.5	00.3-02.7				138	38.8	33.1-44.5
35-44	511	380,692	232	44.7	39.6-49.8	68	12.7	09.4-16.0	19	4.4	01.7-07.1	4	1.2	00.0-02.4	2	1.1	00.0-02.9	186	35.9	30.8-41.0
45-54	773	409,744	315	39.3	35.2-43.4	87	10.9	08.4-13.4	52	6.2	04.2-08.2	8	1.3	00.3-02.3	3	0.5	00.0-01.1	308	41.7	37.6-45.8
55-64	1029	371,030	375	35.9	32.4-39.4	100	9.0	07.0-11.0	49	4.7	02.9-06.5	15	1.6	00.8-02.4	1	0.1	00.0-00.3	489	48.8	45.1-52.5
65+	1376	391,675	430	30.4	27.5-33.3	133	8.4	06.6-10.2	48	2.6	01.8-03.4	9	0.6	00.2-01.0	3	0.2	00.0-00.4	753	57.8	54.7-60.9
Less Than H.S.	367	315,661	77	26.2	20.1-32.3	26	6.6	03.5-09.7	17	6.2	02.3-10.1	4	1.3	00.0-02.7	2	1.0	00.0-03.0	241	58.6	51.9-65.3
H.S. or G.E.D.	1431	807,795	428	31.7	28.6-34.8	120	9.3	07.3-11.3	65	4.3	03.1-05.5	25	2.0	01.2-02.8	5	0.4	00.0-00.8	788	52.3	49.0-55.6
Some Post-H.S.	1041	643,766	410	41.4	37.7-45.1	110	10.7	08.3-13.1	58	6.9	04.7-09.1	7	0.6	00.0-01.2	1	0.0	00.0-00.0	455	40.3	36.6-44.0
College Graduate	1517	501,632	682	47.5	44.4-50.6	202	13.0	10.8-15.2	67	4.3	02.9-05.7	9	0.7	00.1-01.3	1	0.1	00.0-00.3	556	34.3	31.4-37.2
Less than \$15,000	338	177,365	83	26.8	20.7-32.9	14	4.9	01.6-08.2	12	5.5	01.8-09.2	6	2.3	00.1-04.5				223	60.6	53.7-67.5
\$15,000- 24,999	570	332,540	147	29.4	24.3-34.5	42	7.7	04.8-10.6	21	5.0	01.5-08.5	8	1.4	00.2-02.6	2	1.0	00.0-02.8	350	55.5	49.8-61.2
\$25,000- 34,999	447	235,990	140	31.3	25.6-37.0	43	10.3	06.4-14.2	24	7.5	03.4-11.6	2	0.7	00.0-01.9	1	0.2	00.0-00.6	237	50.0	43.7-56.3
\$35,000- 49,999	640	334,612	208	34.2	29.3-39.1	65	9.1	06.2-12.0	35	5.4	03.2-07.6	10	1.6	00.4-02.8	1	0.3	00.0-00.9	321	49.3	44.2-54.4
\$50,000- 74,999	711	367,179	292	41.2	36.5-45.9	83	12.4	09.3-15.5	44	6.2	04.0-08.4	5	1.1	00.1-02.1	2	0.4	00.0-01.2	285	38.7	34.0-43.4
\$75,000+	1211	588,386	594	49.4	45.7-53.1	183	14.1	11.7-16.5	64	5.4	03.8-07.0	10	1.0	00.4-01.6	1	0.1	00.0-00.3	359	30.0	26.7-33.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6437	2,416,925	2116	35.7	34.1-37.3	290	4.2	03.6-04.8	51	0.9	00.5-01.3	7	0.2	00.0-00.4	2	0.0	00.0-00.0	3971	59.0	57.2-60.8
White/Non-Hisp	5641	1,985,649	1892	37.0	35.2-38.8	264	4.5	03.7-05.3	47	0.9	00.5-01.3	6	0.2	00.0-00.4	2	0.0	00.0-00.0	3430	57.4	55.6-59.2
Black or Afr. Am./Non-Hisp	361	206,001	105	30.2	24.1-36.3	14	3.3	01.3-05.3	1	0.1	00.0-00.3							241	66.5	60.2-72.8
Oth. Race/Non-Hisp.	102	36,511	26	26.3	14.9-37.7	3	4.7	00.0-11.0										73	69.0	56.7-81.3
MultiRacial/Non-Hisp.	77	26,625	21	31.2	17.3-45.1	1	1.3	00.0-03.8										55	67.5	53.6-81.4
Hispanic	168	129,118	55	32.1	23.9-40.3	6	3.1	00.0-06.8	2	1.3	00.0-03.1							105	63.5	55.1-71.9
18-24	242	313,111	101	39.7	33.0-46.4	18	7.0	03.7-10.3	2	0.5	00.0-01.3	1	0.4	00.0-01.2				120	52.4	45.5-59.3
25-34	461	382,141	221	44.7	39.6-49.8	17	3.2	01.4-05.0	5	0.9	00.1-01.7	1	0.2	00.0-00.6				217	51.0	45.7-56.3
35-44	690	386,990	317	42.8	38.5-47.1	21	2.6	01.2-04.0	10	1.7	00.5-02.9	3	0.4	00.0-00.8				339	52.5	48.2-56.8
45-54	1006	409,893	402	38.5	35.0-42.0	56	5.0	03.4-06.6	12	1.2	00.2-02.2	1	0.1	00.0-00.3	1	0.0	00.0-00.0	534	55.0	51.5-58.5
55-64	1427	393,255	484	32.9	30.0-35.8	63	4.4	03.0-05.8	10	0.6	00.2-01.0				1	0.1	00.0-00.3	869	61.9	58.8-65.0
65+	2533	509,577	572	20.9	18.9-22.9	110	3.6	02.8-04.4	11	0.4	00.2-00.6	1	0.0	00.0-00.0				1839	75.0	72.8-77.2
Less Than H.S.	571	321,578	84	19.6	15.1-24.1	8	0.9	00.0-01.9	1	0.1	00.0-00.3							478	79.3	74.6-84.0
H.S. or G.E.D.	2235	800,616	503	26.3	23.8-28.8	82	3.7	02.7-04.7	20	0.8	00.4-01.2	2	0.1	00.0-00.3	1	0.1	00.0-00.3	1627	69.0	66.3-71.7
Some Post-H.S.	1738	800,630	625	41.6	38.5-44.7	69	4.8	03.4-06.2	10	1.0	00.2-01.8	2	0.2	00.0-00.6				1032	52.4	49.3-55.5
College Graduate	1880	491,121	904	51.9	49.0-54.8	131	6.3	04.9-07.7	19	1.4	00.6-02.2	3	0.2	00.0-00.6	1	0.0	00.0-00.0	822	40.1	37.2-43.0
Less than \$15,000	750	321,790	132	25.9	21.0-30.8	14	1.4	00.2-02.6	3	0.1	00.0-00.3				1	0.0	00.0-00.0	600	72.5	67.6-77.4
\$15,000- 24,999	1173	435,217	240	26.4	22.7-30.1	25	2.4	01.2-03.6	8	0.7	00.1-01.3							900	70.6	66.7-74.5
\$25,000- 34,999	691	245,207	199	31.4	26.1-36.7	26	3.7	01.5-05.9	8	1.6	00.2-03.0	1	0.2	00.0-00.6	1	0.2	00.0-00.6	456	63.0	57.7-68.3
\$35,000- 49,999	821	308,498	294	38.2	33.7-42.7	38	2.2	01.2-03.2	9	1.8	00.2-03.4	2	0.3	00.0-00.7				478	57.5	53.0-62.0
\$50,000- 74,999	768	307,222	342	46.7	41.8-51.6	42	5.7	03.2-08.2	5	0.6	00.0-01.2	1	0.2	00.0-00.6				378	46.8	41.9-51.7
\$75,000+	1231	453,770	669	52.4	48.9-55.9	98	8.3	06.1-10.5	15	1.2	00.4-02.0	3	0.5	00.0-01.1				446	37.5	34.0-41.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 13: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10805	4,692,364	2028	18.8	17.8-19.8	1078	11.6	10.8-12.4	849	8.0	07.2-08.8	513	5.1	04.5-05.7	322	3.9	03.3-04.5	6015	52.6	51.2-54.0
Male	4368	2,275,438	721	16.6	15.2-18.0	527	12.8	11.4-14.2	473	10.2	09.0-11.4	341	7.8	06.8-08.8	262	6.8	05.6-08.0	2044	45.8	43.8-47.8
Female	6437	2,416,925	1307	21.0	19.6-22.4	551	10.4	09.2-11.6	376	6.0	05.2-06.8	172	2.5	01.9-03.1	60	1.1	00.7-01.5	3971	59.0	57.2-60.8
White/Non-Hisp	9446	3,844,007	1797	19.3	18.1-20.5	965	11.9	10.9-12.9	760	8.4	07.6-09.2	469	5.4	04.8-06.0	283	3.9	03.3-04.5	5172	51.2	49.8-52.6
Black or Afr. Am./Non-Hisp	580	392,529	104	17.3	13.6-21.0	52	11.5	08.2-14.8	30	4.7	02.5-06.9	23	3.8	02.0-05.6	14	4.4	01.5-07.3	357	58.3	53.2-63.4
Oth. Race/Non-Hisp.	214	96,477	27	13.3	07.4-19.2	16	7.5	03.0-12.0	15	6.5	01.4-11.6	5	3.3	00.0-06.8	3	0.6	00.0-01.2	148	68.9	60.5-77.3
MultiRacial/Non-Hisp.	128	53,816	23	18.8	10.2-27.4	6	6.3	00.0-12.6	10	9.6	02.9-16.3	3	2.5	00.0-05.2	6	5.1	00.0-10.2	80	57.6	46.2-69.0
Hispanic	281	242,679	56	18.2	13.3-23.1	30	11.4	07.1-15.7	20	7.2	03.7-10.7	12	4.8	01.5-08.1	10	4.4	01.7-07.1	153	54.1	47.4-60.8
18-24	526	632,854	80	15.6	12.1-19.1	76	14.1	11.0-17.2	46	8.4	05.9-10.9	32	5.7	03.5-07.9	21	3.5	01.9-05.1	271	52.7	48.0-57.4
25-34	819	768,024	183	21.4	18.3-24.5	126	14.2	11.7-16.7	79	8.7	06.5-10.9	41	5.1	03.3-06.9	35	5.7	03.7-07.7	355	44.9	41.0-48.8
35-44	1201	767,682	278	21.7	19.0-24.4	182	14.8	12.4-17.2	110	9.1	07.1-11.1	68	5.8	04.2-07.4	38	4.4	02.6-06.2	525	44.2	40.9-47.5
45-54	1779	819,637	389	20.8	18.6-23.0	207	11.4	09.6-13.2	148	8.1	06.5-09.7	116	6.6	05.2-08.0	77	4.7	03.5-05.9	842	48.4	45.7-51.1
55-64	2456	764,285	469	18.7	16.9-20.5	243	10.0	08.6-11.4	189	7.5	06.3-08.7	121	4.8	03.8-05.8	76	3.5	02.5-04.5	1358	55.5	53.1-57.9
65+	3909	901,252	611	14.8	13.4-16.2	235	6.3	05.3-07.3	268	6.6	05.6-07.6	131	3.1	02.5-03.7	72	1.7	01.3-02.1	2592	67.5	65.7-69.3
Less Than H.S.	938	637,239	95	11.6	08.9-14.3	39	6.3	04.1-08.5	37	6.2	03.8-08.6	24	2.6	01.2-04.0	24	4.3	01.9-06.7	719	69.0	64.9-73.1
H.S. or G.E.D.	3666	1,608,411	544	16.1	14.5-17.7	266	9.2	07.8-10.6	199	5.6	04.6-06.6	124	4.6	03.6-05.6	118	3.8	03.0-04.6	2415	60.6	58.4-62.8
Some Post-H.S.	2779	1,444,396	587	22.2	20.2-24.2	273	12.4	10.6-14.2	228	8.9	07.5-10.3	126	5.4	04.2-06.6	78	4.0	02.8-05.2	1487	47.0	44.6-49.4
College Graduate	3397	992,754	800	23.0	21.2-24.8	499	17.6	15.8-19.4	382	11.9	10.5-13.3	238	6.9	05.7-08.1	100	3.4	02.6-04.2	1378	37.2	35.2-39.2
Less than \$15,000	1088	499,155	129	14.9	11.8-18.0	61	8.3	05.8-10.8	35	4.0	02.2-05.8	18	1.7	00.7-02.7	22	2.9	01.3-04.5	823	68.3	64.4-72.2
\$15,000- 24,999	1743	767,757	242	16.5	14.0-19.0	99	8.1	06.1-10.1	74	4.5	03.1-05.9	39	3.3	02.1-04.5	39	3.6	01.8-05.4	1250	64.0	60.7-67.3
\$25,000- 34,999	1138	481,197	189	16.3	13.2-19.4	91	9.6	07.1-12.1	83	7.4	05.2-09.6	45	5.0	03.2-06.8	37	5.1	02.7-07.5	693	56.6	52.5-60.7
\$35,000- 49,999	1461	643,110	277	17.9	15.4-20.4	149	12.5	10.1-14.9	111	7.7	05.7-09.7	68	3.8	02.6-05.0	57	4.8	03.2-06.4	799	53.3	50.0-56.6
\$50,000- 74,999	1479	674,401	344	22.0	19.3-24.7	186	13.9	11.5-16.3	142	10.7	08.5-12.9	87	6.5	04.7-08.3	57	4.6	03.2-06.0	663	42.4	39.1-45.7
\$75,000+	2442	1,042,156	626	24.2	22.0-26.4	391	16.7	14.7-18.7	317	12.6	10.8-14.4	210	8.8	07.2-10.4	93	4.4	03.2-05.6	805	33.3	30.9-35.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 14: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4368	2,275,438	721	16.6	15.2-18.0	527	12.8	11.4-14.2	473	10.2	09.0-11.4	341	7.8	06.8-08.8	262	6.8	05.6-08.0	2044	45.8	43.8-47.8
White/Non-Hisp	3805	1,858,358	635	17.0	15.4-18.6	461	12.7	11.3-14.1	428	10.8	09.4-12.2	311	8.3	07.1-09.5	228	6.7	05.5-07.9	1742	44.5	42.3-46.7
Black or Afr. Am./Non-Hisp	219	186,527	36	16.7	11.2-22.2	29	14.2	08.7-19.7	11	5.0	01.5-08.5	14	5.7	02.4-09.0	13	9.2	03.1-15.3	116	49.2	41.0-57.4
Oth. Race/Non-Hisp.	112	59,966	13	11.8	04.2-19.4	10	8.2	02.3-14.1	8	7.8	00.2-15.4	3	2.5	00.0-06.4	3	0.9	00.0-02.1	75	68.8	57.6-80.0
MultiRacial/Non-Hisp.	51	27,190	8	17.9	05.4-30.4	4	10.9	00.0-22.5	5	8.2	00.0-17.4	3	4.9	00.0-10.6	6	10.1	00.1-20.1	25	48.0	30.4-65.6
Hispanic	113	113,561	20	14.4	07.7-21.1	16	16.9	09.1-24.7	12	9.7	04.0-15.4	9	7.7	02.0-13.4	8	7.9	02.2-13.6	48	43.3	32.9-53.7
18-24	284	319,743	32	12.3	08.0-16.6	39	13.1	09.0-17.2	25	9.0	05.1-12.9	19	6.6	03.5-09.7	18	6.1	03.4-08.8	151	52.9	46.6-59.2
25-34	358	385,884	62	17.5	13.0-22.0	55	14.0	10.3-17.7	43	11.0	07.5-14.5	31	8.3	05.2-11.4	29	10.3	06.4-14.2	138	38.8	33.1-44.5
35-44	511	380,692	96	18.8	14.9-22.7	83	15.7	12.0-19.4	66	12.6	09.3-15.9	55	10.2	07.3-13.1	25	6.7	03.4-10.0	186	35.9	30.8-41.0
45-54	773	409,744	140	16.9	13.8-20.0	103	13.5	10.6-16.4	87	10.6	08.1-13.1	72	9.2	06.7-11.7	63	8.0	05.8-10.2	308	41.7	37.6-45.8
55-64	1029	371,030	164	17.3	14.6-20.0	131	12.4	10.0-14.8	104	8.2	06.4-10.0	76	7.0	05.2-08.8	65	6.4	04.4-08.4	489	48.8	45.1-52.5
65+	1376	391,675	223	16.0	13.6-18.4	112	8.4	06.4-10.4	142	9.0	07.2-10.8	86	5.4	04.0-06.8	60	3.5	02.5-04.5	753	57.8	54.7-60.9
Less Than H.S.	367	315,661	38	11.0	06.9-15.1	19	7.7	04.0-11.4	27	9.3	05.2-13.4	19	4.8	02.3-07.3	23	8.6	04.3-12.9	241	58.6	51.9-65.3
H.S. or G.E.D.	1431	807,795	207	15.7	13.2-18.2	147	11.1	08.9-13.3	111	7.2	05.6-08.8	83	7.1	05.3-08.9	95	6.7	05.1-08.3	788	52.3	49.0-55.6
Some Post-H.S.	1041	643,766	188	18.3	15.6-21.0	130	13.6	11.1-16.1	113	11.2	08.8-13.6	89	9.1	06.9-11.3	66	7.5	05.3-09.7	455	40.3	36.6-44.0
College Graduate	1517	501,632	286	19.3	16.8-21.8	230	18.0	15.5-20.5	219	14.1	11.9-16.3	149	9.2	07.4-11.0	77	5.1	03.7-06.5	556	34.3	31.4-37.2
Less than \$15,000	338	177,365	41	13.4	08.7-18.1	28	8.6	04.9-12.3	18	6.5	03.0-10.0	10	3.1	00.7-05.5	18	7.7	03.4-12.0	223	60.6	53.7-67.5
\$15,000- 24,999	570	332,540	77	15.9	11.6-20.2	43	9.1	05.8-12.4	37	5.9	03.5-08.3	32	6.3	03.6-09.0	31	7.4	03.5-11.3	350	55.5	49.8-61.2
\$25,000- 34,999	447	235,990	61	13.6	09.5-17.7	44	10.5	06.8-14.2	46	9.8	05.9-13.7	32	7.7	04.4-11.0	27	8.4	04.1-12.7	237	50.0	43.7-56.3
\$35,000- 49,999	640	334,612	89	13.6	10.1-17.1	77	13.4	09.9-16.9	63	10.4	07.1-13.7	44	6.0	03.6-08.4	46	7.3	04.8-09.8	321	49.3	44.2-54.4
\$50,000- 74,999	711	367,179	135	17.6	14.3-20.9	87	13.3	10.2-16.4	93	13.2	09.9-16.5	60	9.5	06.6-12.4	51	7.7	05.2-10.2	285	38.7	34.0-43.4
\$75,000+	1211	588,386	252	21.4	18.3-24.5	208	17.6	14.9-20.3	174	13.2	10.8-15.6	143	11.4	09.0-13.8	75	6.5	04.7-08.3	359	30.0	26.7-33.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 15: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6437	2,416,925	1307	21.0	19.6-22.4	551	10.4	09.2-11.6	376	6.0	05.2-06.8	172	2.5	01.9-03.1	60	1.1	00.7-01.5	3971	59.0	57.2-60.8
White/Non-Hisp	5641	1,985,649	1162	21.5	19.9-23.1	504	11.1	09.9-12.3	332	6.2	05.4-07.0	158	2.6	02.0-03.2	55	1.2	00.8-01.6	3430	57.4	55.6-59.2
Black or Afr. Am./Non-Hisp	361	206,001	68	17.8	12.9-22.7	23	9.1	04.8-13.4	19	4.5	02.1-06.9	9	2.0	00.4-03.6	1	0.1	00.0-00.3	241	66.5	60.2-72.8
Oth. Race/Non-Hisp.	102	36,511	14	15.7	06.3-25.1	6	6.3	00.0-13.2	7	4.5	00.4-08.6	2	4.6	00.0-10.9				73	69.0	56.7-81.3
MultiRacial/Non-Hisp.	77	26,625	15	19.7	08.1-31.3	2	1.7	00.0-04.4	5	11.1	01.3-20.9							55	67.5	53.6-81.4
Hispanic	168	129,118	36	21.5	14.4-28.6	14	6.5	02.6-10.4	8	5.0	00.7-09.3	3	2.1	00.0-05.6	2	1.3	00.0-03.1	105	63.5	55.1-71.9
18-24	242	313,111	48	19.0	13.7-24.3	37	15.2	10.3-20.1	21	7.8	04.3-11.3	13	4.7	02.0-07.4	3	0.9	00.0-01.9	120	52.4	45.5-59.3
25-34	461	382,141	121	25.4	20.9-29.9	71	14.4	10.9-17.9	36	6.3	04.1-08.5	10	1.8	00.6-03.0	6	1.1	00.1-02.1	217	51.0	45.7-56.3
35-44	690	386,990	182	24.5	20.8-28.2	99	14.0	11.1-16.9	44	5.6	03.6-07.6	13	1.4	00.6-02.2	13	2.1	00.9-03.3	339	52.5	48.2-56.8
45-54	1006	409,893	249	24.7	21.6-27.8	104	9.3	07.3-11.3	61	5.5	03.9-07.1	44	4.0	02.6-05.4	14	1.4	00.4-02.4	534	55.0	51.5-58.5
55-64	1427	393,255	305	20.1	17.7-22.5	112	7.7	05.9-09.5	85	6.9	05.1-08.7	45	2.7	01.7-03.7	11	0.7	00.1-01.3	869	61.9	58.8-65.0
65+	2533	509,577	388	13.9	12.3-15.5	123	4.7	03.7-05.7	126	4.7	03.5-05.9	45	1.3	00.9-01.7	12	0.4	00.2-00.6	1839	75.0	72.8-77.2
Less Than H.S.	571	321,578	57	12.1	08.4-15.8	20	4.9	02.4-07.4	10	3.1	00.9-05.3	5	0.4	00.0-00.8	1	0.1	00.0-00.3	478	79.3	74.6-84.0
H.S. or G.E.D.	2235	800,616	337	16.6	14.4-18.8	119	7.3	05.7-08.9	88	4.0	02.8-05.2	41	2.2	01.4-03.0	23	1.0	00.6-01.4	1627	69.0	66.3-71.7
Some Post-H.S.	1738	800,630	399	25.4	22.7-28.1	143	11.5	09.1-13.9	115	7.0	05.4-08.6	37	2.5	01.3-03.7	12	1.2	00.4-02.0	1032	52.4	49.3-55.5
College Graduate	1880	491,121	514	26.8	24.3-29.3	269	17.3	14.9-19.7	163	9.6	07.8-11.4	89	4.5	03.3-05.7	23	1.6	00.8-02.4	822	40.1	37.2-43.0
Less than \$15,000	750	321,790	88	15.7	11.8-19.6	33	8.0	04.5-11.5	17	2.7	00.9-04.5	8	0.9	00.0-01.9	4	0.2	00.0-00.4	600	72.5	67.6-77.4
\$15,000- 24,999	1173	435,217	165	17.0	13.7-20.3	56	7.3	04.9-09.7	37	3.5	02.1-04.9	7	1.0	00.2-01.8	8	0.7	00.1-01.3	900	70.6	66.7-74.5
\$25,000- 34,999	691	245,207	128	19.0	14.5-23.5	47	8.7	05.4-12.0	37	5.0	02.6-07.4	13	2.4	00.6-04.2	10	2.0	00.6-03.4	456	63.0	57.7-68.3
\$35,000- 49,999	821	308,498	188	22.6	18.9-26.3	72	11.6	08.5-14.7	48	4.8	03.2-06.4	24	1.4	00.6-02.2	11	2.1	00.5-03.7	478	57.5	53.0-62.0
\$50,000- 74,999	768	307,222	209	27.2	22.9-31.5	99	14.6	11.1-18.1	49	7.7	04.8-10.6	27	3.0	01.2-04.8	6	0.7	00.0-01.5	378	46.8	41.9-51.7
\$75,000+	1231	453,770	374	27.8	24.9-30.7	183	15.6	13.1-18.1	143	12.0	09.6-14.4	67	5.5	03.7-07.3	18	1.7	00.7-02.7	446	37.5	34.0-41.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 16: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10805	4,692,364	10311	94.8	94.2-95.4	494	5.2	04.6-05.8
Male	4368	2,275,438	4106	93.2	92.0-94.4	262	6.8	05.6-08.0
Female	6437	2,416,925	6205	96.4	95.8-97.0	232	3.6	03.0-04.2
White/Non-Hisp	9446	3,844,007	9005	94.8	94.2-95.4	441	5.2	04.6-05.8
Black or Afr. Am./Non-Hisp	580	392,529	557	94.5	91.4-97.6	23	5.5	02.4-08.6
Oth. Race/Non-Hisp.	214	96,477	209	97.7	95.2-0100	5	2.3	00.0-04.8
MultiRacial/Non-Hisp.	128	53,816	122	94.9	89.8-0100	6	5.1	00.0-10.2
Hispanic	281	242,679	268	94.5	91.2-97.8	13	5.5	02.2-08.8
18-24	526	632,854	492	94.1	92.1-96.1	34	5.9	03.9-07.9
25-34	819	768,024	774	93.4	91.2-95.6	45	6.6	04.4-08.8
35-44	1201	767,682	1150	94.9	93.1-96.7	51	5.1	03.3-06.9
45-54	1779	819,637	1658	93.3	91.9-94.7	121	6.7	05.3-08.1
55-64	2456	764,285	2335	95.1	93.9-96.3	121	4.9	03.7-06.1
65+	3909	901,252	3792	97.5	96.9-98.1	117	2.5	01.9-03.1
Less Than H.S.	938	637,239	909	95.5	93.1-97.9	29	4.5	02.1-06.9
H.S. or G.E.D.	3666	1,608,411	3507	95.1	94.1-96.1	159	4.9	03.9-05.9
Some Post-H.S.	2779	1,444,396	2664	94.6	93.4-95.8	115	5.4	04.2-06.6
College Graduate	3397	992,754	3208	94.4	93.4-95.4	189	5.6	04.6-06.6
Less than \$15,000	1088	499,155	1058	96.6	94.8-98.4	30	3.4	01.6-05.2
\$15,000- 24,999	1743	767,757	1697	95.8	94.0-97.6	46	4.2	02.4-06.0
\$25,000- 34,999	1138	481,197	1088	93.7	91.3-96.1	50	6.3	03.9-08.7
\$35,000- 49,999	1461	643,110	1380	94.5	92.9-96.1	81	5.5	03.9-07.1
\$50,000- 74,999	1479	674,401	1395	94.1	92.5-95.7	84	5.9	04.3-07.5
\$75,000+	2442	1,042,156	2282	93.2	91.8-94.6	160	6.8	05.4-08.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 17: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4368	2,275,438	4106	93.2	92.0-94.4	262	6.8	05.6-08.0
White/Non-Hisp	3805	1,858,358	3577	93.3	92.1-94.5	228	6.7	05.5-07.9
Black or Afr. Am./Non-Hisp	219	186,527	206	90.8	84.7-96.9	13	9.2	03.1-15.3
Oth. Race/Non-Hisp.	112	59,966	109	99.1	97.9-0100	3	0.9	00.0-02.1
MultiRacial/Non-Hisp.	51	27,190	45	89.9	79.9-99.9	6	10.1	00.1-20.1
Hispanic	113	113,561	105	92.1	86.4-97.8	8	7.9	02.2-13.6
18-24	284	319,743	266	93.9	91.2-96.6	18	6.1	03.4-08.8
25-34	358	385,884	329	89.7	85.8-93.6	29	10.3	06.4-14.2
35-44	511	380,692	486	93.3	90.0-96.6	25	6.7	03.4-10.0
45-54	773	409,744	710	92.0	89.8-94.2	63	8.0	05.8-10.2
55-64	1029	371,030	964	93.6	91.6-95.6	65	6.4	04.4-08.4
65+	1376	391,675	1316	96.5	95.5-97.5	60	3.5	02.5-04.5
Less Than H.S.	367	315,661	344	91.4	87.1-95.7	23	8.6	04.3-12.9
H.S. or G.E.D.	1431	807,795	1336	93.3	91.7-94.9	95	6.7	05.1-08.3
Some Post-H.S.	1041	643,766	975	92.5	90.3-94.7	66	7.5	05.3-09.7
College Graduate	1517	501,632	1440	94.9	93.5-96.3	77	5.1	03.7-06.5
Less than \$15,000	338	177,365	320	92.3	88.0-96.6	18	7.7	03.4-12.0
\$15,000- 24,999	570	332,540	539	92.6	88.7-96.5	31	7.4	03.5-11.3
\$25,000- 34,999	447	235,990	420	91.6	87.3-95.9	27	8.4	04.1-12.7
\$35,000- 49,999	640	334,612	594	92.7	90.2-95.2	46	7.3	04.8-09.8
\$50,000- 74,999	711	367,179	660	92.3	89.8-94.8	51	7.7	05.2-10.2
\$75,000+	1211	588,386	1136	93.5	91.7-95.3	75	6.5	04.7-08.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 18: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6437	2,416,925	6205	96.4	95.8-97.0	232	3.6	03.0-04.2
White/Non-Hisp	5641	1,985,649	5428	96.2	95.6-96.8	213	3.8	03.2-04.4
Black or Afr. Am./Non-Hisp	361	206,001	351	97.9	96.3-99.5	10	2.1	00.5-03.7
Oth. Race/Non-Hisp.	102	36,511	100	95.4	89.1-0100	2	4.6	00.0-10.9
MultiRacial/Non-Hisp.	77	26,625	77	100.0	0100-0100			
Hispanic	168	129,118	163	96.6	92.7-0100	5	3.4	00.0-07.3
18-24	242	313,111	226	94.4	91.5-97.3	16	5.6	02.7-08.5
25-34	461	382,141	445	97.1	95.5-98.7	16	2.9	01.3-04.5
35-44	690	386,990	664	96.5	94.9-98.1	26	3.5	01.9-05.1
45-54	1006	409,893	948	94.6	93.0-96.2	58	5.4	03.8-07.0
55-64	1427	393,255	1371	96.5	95.3-97.7	56	3.5	02.3-04.7
65+	2533	509,577	2476	98.3	97.7-98.9	57	1.7	01.1-02.3
Less Than H.S.	571	321,578	565	99.5	99.1-99.9	6	0.5	00.1-00.9
H.S. or G.E.D.	2235	800,616	2171	96.9	95.9-97.9	64	3.1	02.1-04.1
Some Post-H.S.	1738	800,630	1689	96.3	94.9-97.7	49	3.7	02.3-05.1
College Graduate	1880	491,121	1768	93.8	92.2-95.4	112	6.2	04.6-07.8
Less than \$15,000	750	321,790	738	98.9	97.9-99.9	12	1.1	00.1-02.1
\$15,000- 24,999	1173	435,217	1158	98.3	97.3-99.3	15	1.7	00.7-02.7
\$25,000- 34,999	691	245,207	668	95.7	93.3-98.1	23	4.3	01.9-06.7
\$35,000- 49,999	821	308,498	786	96.5	94.7-98.3	35	3.5	01.7-05.3
\$50,000- 74,999	768	307,222	735	96.3	94.3-98.3	33	3.7	01.7-05.7
\$75,000+	1231	453,770	1146	92.9	90.9-94.9	85	7.1	05.1-09.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 19: ADULT MEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4368	2,275,438	4106	93.2	92.0-94.4	262	6.8	05.6-08.0
White/Non-Hisp	3805	1,858,358	3577	93.3	92.1-94.5	228	6.7	05.5-07.9
Black or Afr. Am./Non-Hisp	219	186,527	206	90.8	84.7-96.9	13	9.2	03.1-15.3
Oth. Race/Non-Hisp.	112	59,966	109	99.1	97.9-0100	3	0.9	00.0-02.1
MultiRacial/Non-Hisp.	51	27,190	45	89.9	79.9-99.9	6	10.1	00.1-20.1
Hispanic	113	113,561	105	92.1	86.4-97.8	8	7.9	02.2-13.6
18-24	284	319,743	266	93.9	91.2-96.6	18	6.1	03.4-08.8
25-34	358	385,884	329	89.7	85.8-93.6	29	10.3	06.4-14.2
35-44	511	380,692	486	93.3	90.0-96.6	25	6.7	03.4-10.0
45-54	773	409,744	710	92.0	89.8-94.2	63	8.0	05.8-10.2
55-64	1029	371,030	964	93.6	91.6-95.6	65	6.4	04.4-08.4
65+	1376	391,675	1316	96.5	95.5-97.5	60	3.5	02.5-04.5
Less Than H.S.	367	315,661	344	91.4	87.1-95.7	23	8.6	04.3-12.9
H.S. or G.E.D.	1431	807,795	1336	93.3	91.7-94.9	95	6.7	05.1-08.3
Some Post-H.S.	1041	643,766	975	92.5	90.3-94.7	66	7.5	05.3-09.7
College Graduate	1517	501,632	1440	94.9	93.5-96.3	77	5.1	03.7-06.5
Less than \$15,000	338	177,365	320	92.3	88.0-96.6	18	7.7	03.4-12.0
\$15,000- 24,999	570	332,540	539	92.6	88.7-96.5	31	7.4	03.5-11.3
\$25,000- 34,999	447	235,990	420	91.6	87.3-95.9	27	8.4	04.1-12.7
\$35,000- 49,999	640	334,612	594	92.7	90.2-95.2	46	7.3	04.8-09.8
\$50,000- 74,999	711	367,179	660	92.3	89.8-94.8	51	7.7	05.2-10.2
\$75,000+	1211	588,386	1136	93.5	91.7-95.3	75	6.5	04.7-08.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 20: ADULT WOMEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6437	2,416,925	6205	96.4	95.8-97.0	232	3.6	03.0-04.2
White/Non-Hisp	5641	1,985,649	5428	96.2	95.6-96.8	213	3.8	03.2-04.4
Black or Afr. Am./Non-Hisp	361	206,001	351	97.9	96.3-99.5	10	2.1	00.5-03.7
Oth. Race/Non-Hisp.	102	36,511	100	95.4	89.1-0100	2	4.6	00.0-10.9
MultiRacial/Non-Hisp.	77	26,625	77	100.0	0100-0100			
Hispanic	168	129,118	163	96.6	92.7-0100	5	3.4	00.0-07.3
18-24	242	313,111	226	94.4	91.5-97.3	16	5.6	02.7-08.5
25-34	461	382,141	445	97.1	95.5-98.7	16	2.9	01.3-04.5
35-44	690	386,990	664	96.5	94.9-98.1	26	3.5	01.9-05.1
45-54	1006	409,893	948	94.6	93.0-96.2	58	5.4	03.8-07.0
55-64	1427	393,255	1371	96.5	95.3-97.7	56	3.5	02.3-04.7
65+	2533	509,577	2476	98.3	97.7-98.9	57	1.7	01.1-02.3
Less Than H.S.	571	321,578	565	99.5	99.1-99.9	6	0.5	00.1-00.9
H.S. or G.E.D.	2235	800,616	2171	96.9	95.9-97.9	64	3.1	02.1-04.1
Some Post-H.S.	1738	800,630	1689	96.3	94.9-97.7	49	3.7	02.3-05.1
College Graduate	1880	491,121	1768	93.8	92.2-95.4	112	6.2	04.6-07.8
Less than \$15,000	750	321,790	738	98.9	97.9-99.9	12	1.1	00.1-02.1
\$15,000- 24,999	1173	435,217	1158	98.3	97.3-99.3	15	1.7	00.7-02.7
\$25,000- 34,999	691	245,207	668	95.7	93.3-98.1	23	4.3	01.9-06.7
\$35,000- 49,999	821	308,498	786	96.5	94.7-98.3	35	3.5	01.7-05.3
\$50,000- 74,999	768	307,222	735	96.3	94.3-98.3	33	3.7	01.7-05.7
\$75,000+	1231	453,770	1146	92.9	90.9-94.9	85	7.1	05.1-09.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 11: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)	
1	MALES AND FEMALES	118
2	MALES ONLY	119
3	FEMALES ONLY	120
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	121
5	MALES ONLY	122
6	FEMALES ONLY	123

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3955	909,193	2301	56.3	54.3-58.3	1654	43.7	41.7-45.7
Male	1394	396,612	813	55.8	52.5-59.1	581	44.2	40.9-47.5
Female	2561	512,580	1488	56.7	54.2-59.2	1073	43.3	40.8-45.8
White/Non-Hisp	3655	817,426	2152	57.4	55.4-59.4	1503	42.6	40.6-44.6
Black or Afr. Am./Non-Hisp	140	56,116	61	38.8	28.2-49.4	79	61.2	50.6-71.8
65+	3955	909,193	2301	56.3	54.3-58.3	1654	43.7	41.7-45.7
Less Than H.S.	389	125,997	201	50.5	44.0-57.0	188	49.5	43.0-56.0
H.S. or G.E.D.	1616	400,420	881	53.3	50.2-56.4	735	46.7	43.6-49.8
Some Post-H.S.	912	231,256	535	58.4	54.5-62.3	377	41.6	37.7-45.5
College Graduate	1027	148,303	677	65.9	62.4-69.4	350	34.1	30.6-37.6
Less than \$15,000	394	87,067	208	50.3	43.6-57.0	186	49.7	43.0-56.4
\$15,000- 24,999	851	198,186	448	51.9	47.4-56.4	403	48.1	43.6-52.6
\$25,000- 34,999	544	127,827	308	54.6	49.3-59.9	236	45.4	40.1-50.7
\$35,000- 49,999	594	149,250	371	61.9	57.0-66.8	223	38.1	33.2-43.0
\$50,000- 74,999	408	96,843	264	62.7	56.8-68.6	144	37.3	31.4-43.2
\$75,000+	426	93,223	260	55.4	49.3-61.5	166	44.6	38.5-50.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1394	396,612	813	55.8	52.5-59.1	581	44.2	40.9-47.5
White/Non-Hisp	1289	358,596	756	56.0	52.7-59.3	533	44.0	40.7-47.3
65+	1394	396,612	813	55.8	52.5-59.1	581	44.2	40.9-47.5
Less Than H.S.	117	49,761	52	42.1	31.1-53.1	65	57.9	46.9-68.9
H.S. or G.E.D.	492	163,905	255	52.2	46.9-57.5	237	47.8	42.5-53.1
Some Post-H.S.	286	93,886	168	58.9	52.2-65.6	118	41.1	34.4-47.8
College Graduate	497	87,622	336	66.2	61.3-71.1	161	33.8	28.9-38.7
Less than \$15,000	84	26,045	48	56.0	41.9-70.1	36	44.0	29.9-58.1
\$15,000- 24,999	233	71,557	125	53.6	45.8-61.4	108	46.4	38.6-54.2
\$25,000- 34,999	198	59,226	109	53.4	45.0-61.8	89	46.6	38.2-55.0
\$35,000- 49,999	249	76,907	152	59.1	51.3-66.9	97	40.9	33.1-48.7
\$50,000- 74,999	206	56,127	138	65.4	57.2-73.6	68	34.6	26.4-42.8
\$75,000+	251	60,253	153	52.1	44.5-59.7	98	47.9	40.3-55.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2561	512,580	1488	56.7	54.2-59.2	1073	43.3	40.8-45.8
White/Non-Hisp	2366	458,830	1396	58.4	55.9-60.9	970	41.6	39.1-44.1
Black or Afr. Am./Non-Hisp	98	36,723	42	39.3	25.6-53.0	56	60.7	47.0-74.4
65+	2561	512,580	1488	56.7	54.2-59.2	1073	43.3	40.8-45.8
Less Than H.S.	272	76,237	149	55.9	48.1-63.7	123	44.1	36.3-51.9
H.S. or G.E.D.	1124	236,515	626	54.0	50.3-57.7	498	46.0	42.3-49.7
Some Post-H.S.	626	137,370	367	58.1	53.2-63.0	259	41.9	37.0-46.8
College Graduate	530	60,681	341	65.4	60.7-70.1	189	34.6	29.9-39.3
Less than \$15,000	310	61,022	160	47.8	40.4-55.2	150	52.2	44.8-59.6
\$15,000- 24,999	618	126,629	323	51.0	45.7-56.3	295	49.0	43.7-54.3
\$25,000- 34,999	346	68,601	199	55.7	49.0-62.4	147	44.3	37.6-51.0
\$35,000- 49,999	345	72,343	219	65.0	58.9-71.1	126	35.0	28.9-41.1
\$50,000- 74,999	202	40,716	126	59.0	50.4-67.6	76	41.0	32.4-49.6
\$75,000+	175	32,970	107	61.5	52.7-70.3	68	38.5	29.7-47.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3861	886,950	2752	69.7	67.7-71.7	1109	30.3	28.3-32.3
Male	1347	383,354	927	68.7	65.6-71.8	420	31.3	28.2-34.4
Female	2514	503,596	1825	70.5	68.1-72.9	689	29.5	27.1-31.9
White/Non-Hisp	3569	797,246	2563	70.6	68.6-72.6	1006	29.4	27.4-31.4
Black or Afr. Am./Non-Hisp	138	55,327	87	57.5	45.9-69.1	51	42.5	30.9-54.1
65+	3861	886,950	2752	69.7	67.7-71.7	1109	30.3	28.3-32.3
Less Than H.S.	385	124,064	273	69.3	63.0-75.6	112	30.7	24.4-37.0
H.S. or G.E.D.	1583	391,442	1109	68.8	65.9-71.7	474	31.2	28.3-34.1
Some Post-H.S.	891	225,237	645	71.3	67.6-75.0	246	28.7	25.0-32.4
College Graduate	992	143,341	717	70.0	66.5-73.5	275	30.0	26.5-33.5
Less than \$15,000	385	84,628	269	69.0	62.7-75.3	116	31.0	24.7-37.3
\$15,000- 24,999	836	195,050	595	70.7	66.6-74.8	241	29.3	25.2-33.4
\$25,000- 34,999	533	125,182	384	68.6	63.5-73.7	149	31.4	26.3-36.5
\$35,000- 49,999	578	144,845	431	72.3	67.6-77.0	147	27.7	23.0-32.4
\$50,000- 74,999	398	94,543	279	70.5	65.2-75.8	119	29.5	24.2-34.8
\$75,000+	417	90,888	269	61.6	55.7-67.5	148	38.4	32.5-44.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1347	383,354	927	68.7	65.6-71.8	420	31.3	28.2-34.4
White/Non-Hisp	1246	346,364	862	68.8	65.7-71.9	384	31.2	28.1-34.3
65+	1347	383,354	927	68.7	65.6-71.8	420	31.3	28.2-34.4
Less Than H.S.	116	48,899	81	67.4	57.0-77.8	35	32.6	22.2-43.0
H.S. or G.E.D.	477	158,828	318	69.2	64.5-73.9	159	30.8	26.1-35.5
Some Post-H.S.	276	90,082	192	69.0	62.5-75.5	84	31.0	24.5-37.5
College Graduate	476	84,108	334	67.7	62.6-72.8	142	32.3	27.2-37.4
Less than \$15,000	80	24,347	51	66.6	53.9-79.3	29	33.4	20.7-46.1
\$15,000- 24,999	228	70,524	163	72.7	65.8-79.6	65	27.3	20.4-34.2
\$25,000- 34,999	194	58,084	135	69.3	61.5-77.1	59	30.7	22.9-38.5
\$35,000- 49,999	242	74,312	179	73.9	67.0-80.8	63	26.1	19.2-33.0
\$50,000- 74,999	197	54,066	136	69.9	62.5-77.3	61	30.1	22.7-37.5
\$75,000+	243	58,081	151	58.5	50.7-66.3	92	41.5	33.7-49.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2514	503,596	1825	70.5	68.1-72.9	689	29.5	27.1-31.9
White/Non-Hisp	2323	450,882	1701	72.1	69.7-74.5	622	27.9	25.5-30.3
Black or Afr. Am./Non-Hisp	97	36,453	63	53.5	38.8-68.2	34	46.5	31.8-61.2
65+	2514	503,596	1825	70.5	68.1-72.9	689	29.5	27.1-31.9
Less Than H.S.	269	75,166	192	70.6	63.0-78.2	77	29.4	21.8-37.0
H.S. or G.E.D.	1106	232,615	791	68.5	65.0-72.0	315	31.5	28.0-35.0
Some Post-H.S.	615	135,155	453	72.8	68.3-77.3	162	27.2	22.7-31.7
College Graduate	516	59,233	383	73.2	68.7-77.7	133	26.8	22.3-31.3
Less than \$15,000	305	60,280	218	69.9	62.6-77.2	87	30.1	22.8-37.4
\$15,000- 24,999	608	124,526	432	69.6	64.5-74.7	176	30.4	25.3-35.5
\$25,000- 34,999	339	67,098	249	68.0	61.1-74.9	90	32.0	25.1-38.9
\$35,000- 49,999	336	70,533	252	70.6	64.1-77.1	84	29.4	22.9-35.9
\$50,000- 74,999	201	40,477	143	71.2	63.6-78.8	58	28.8	21.2-36.4
\$75,000+	174	32,807	118	67.2	58.6-75.8	56	32.8	24.2-41.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 13: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	125
2	MALES ONLY	126
3	FEMALES ONLY	127
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	128
5	MALES ONLY	129
6	FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 13: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10856	4,712,558	10352	94.1	93.5-94.7	504	5.9	05.3-06.5
Male	4399	2,293,089	4066	91.2	90.0-92.4	333	8.8	07.6-10.0
Female	6457	2,419,469	6286	96.8	96.2-97.4	171	3.2	02.6-03.8
White/Non-Hisp	9490	3,856,767	9066	94.0	93.2-94.8	424	6.0	05.2-06.8
Black or Afr. Am./Non-Hisp	582	393,011	554	95.2	93.0-97.4	28	4.8	02.6-07.0
Oth. Race/Non-Hisp.	210	94,609	193	91.0	85.9-96.1	17	9.0	03.9-14.1
MultiRacial/Non-Hisp.	128	53,816	124	97.2	92.9-0100	4	2.8	00.0-07.1
Hispanic	290	250,281	275	94.7	91.8-97.6	15	5.3	02.4-08.2
18-24	538	647,211	495	92.7	90.5-94.9	43	7.3	05.1-09.5
25-34	810	759,121	762	92.6	90.4-94.8	48	7.4	05.2-09.6
35-44	1206	769,289	1139	92.7	90.7-94.7	67	7.3	05.3-09.3
45-54	1785	826,680	1714	95.0	93.6-96.4	71	5.0	03.6-06.4
55-64	2464	767,927	2377	96.3	95.3-97.3	87	3.7	02.7-04.7
65+	3937	903,775	3755	94.6	93.6-95.6	182	5.4	04.4-06.4
Less Than H.S.	943	647,067	876	92.2	89.8-94.6	67	7.8	05.4-10.2
H.S. or G.E.D.	3687	1,617,253	3466	92.4	91.2-93.6	221	7.6	06.4-08.8
Some Post-H.S.	2790	1,446,869	2662	94.7	93.5-95.9	128	5.3	04.1-06.5
College Graduate	3407	991,181	3319	97.0	96.2-97.8	88	3.0	02.2-03.8
Less than \$15,000	1094	501,505	1024	93.1	90.9-95.3	70	6.9	04.7-09.1
\$15,000- 24,999	1743	767,426	1634	90.4	88.0-92.8	109	9.6	07.2-12.0
\$25,000- 34,999	1144	487,768	1074	92.9	90.7-95.1	70	7.1	04.9-09.3
\$35,000- 49,999	1461	642,770	1390	94.1	92.5-95.7	71	5.9	04.3-07.5
\$50,000- 74,999	1477	673,795	1413	94.1	92.3-95.9	64	5.9	04.1-07.7
\$75,000+	2448	1,038,856	2382	96.4	95.4-97.4	66	3.6	02.6-04.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 13: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4399	2,293,089	4066	91.2	90.0-92.4	333	8.8	07.6-10.0
White/Non-Hisp	3832	1,872,281	3550	90.9	89.5-92.3	282	9.1	07.7-10.5
Black or Afr. Am./Non-Hisp	222	186,925	205	92.1	88.0-96.2	17	7.9	03.8-12.0
Oth. Race/Non-Hisp.	110	58,437	96	88.8	81.7-95.9	14	11.2	04.1-18.3
MultiRacial/Non-Hisp.	50	26,861	48	95.2	86.8-0100	2	4.8	00.0-13.2
Hispanic	117	117,097	112	96.2	92.7-99.7	5	3.8	00.3-07.3
18-24	292	330,226	262	90.0	86.5-93.5	30	10.0	06.5-13.5
25-34	352	379,753	319	89.1	85.4-92.8	33	10.9	07.2-14.6
35-44	518	384,174	472	89.5	86.2-92.8	46	10.5	07.2-13.8
45-54	782	414,161	736	93.2	91.0-95.4	46	6.8	04.6-09.0
55-64	1037	375,728	978	94.4	92.8-96.0	59	5.6	04.0-07.2
65+	1381	392,402	1266	90.7	88.7-92.7	115	9.3	07.3-11.3
Less Than H.S.	373	324,907	330	89.3	85.2-93.4	43	10.7	06.6-14.8
H.S. or G.E.D.	1444	814,008	1291	88.4	86.2-90.6	153	11.6	09.4-13.8
Some Post-H.S.	1046	645,528	968	92.1	89.9-94.3	78	7.9	05.7-10.1
College Graduate	1524	502,061	1465	95.6	94.2-97.0	59	4.4	03.0-05.8
Less than \$15,000	349	184,742	310	89.9	86.2-93.6	39	10.1	06.4-13.8
\$15,000- 24,999	566	330,840	504	84.7	80.2-89.2	62	15.3	10.8-19.8
\$25,000- 34,999	450	242,081	402	89.5	86.0-93.0	48	10.5	07.0-14.0
\$35,000- 49,999	637	332,959	590	92.2	89.5-94.9	47	7.8	05.1-10.5
\$50,000- 74,999	713	368,411	657	90.5	87.6-93.4	56	9.5	06.6-12.4
\$75,000+	1215	586,121	1167	95.1	93.5-96.7	48	4.9	03.3-06.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 13: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6457	2,419,469	6286	96.8	96.2-97.4	171	3.2	02.6-03.8
White/Non-Hisp	5658	1,984,487	5516	96.9	96.1-97.7	142	3.1	02.3-03.9
Black or Afr. Am./Non-Hisp	360	206,086	349	98.1	96.7-99.5	11	1.9	00.5-03.3
Oth. Race/Non-Hisp.	100	36,171	97	94.6	87.9-0100	3	5.4	00.0-12.1
MultiRacial/Non-Hisp.	78	26,956	76	99.2	98.0-0100	2	0.8	00.0-02.0
Hispanic	173	133,184	163	93.4	88.9-97.9	10	6.6	02.1-11.1
18-24	246	316,985	233	95.4	92.9-97.9	13	4.6	02.1-07.1
25-34	458	379,368	443	96.2	94.0-98.4	15	3.8	01.6-06.0
35-44	688	385,114	667	95.9	93.9-97.9	21	4.1	02.1-06.1
45-54	1003	412,519	978	96.8	95.4-98.2	25	3.2	01.8-04.6
55-64	1427	392,199	1399	98.1	97.3-98.9	28	1.9	01.1-02.7
65+	2556	511,373	2489	97.6	96.8-98.4	67	2.4	01.6-03.2
Less Than H.S.	570	322,160	546	95.1	92.6-97.6	24	4.9	02.4-07.4
H.S. or G.E.D.	2243	803,245	2175	96.4	95.2-97.6	68	3.6	02.4-04.8
Some Post-H.S.	1744	801,341	1694	96.8	95.6-98.0	50	3.2	02.0-04.4
College Graduate	1883	489,120	1854	98.4	97.6-99.2	29	1.6	00.8-02.4
Less than \$15,000	745	316,763	714	95.0	92.5-97.5	31	5.0	02.5-07.5
\$15,000- 24,999	1177	436,586	1130	94.7	92.7-96.7	47	5.3	03.3-07.3
\$25,000- 34,999	694	245,687	672	96.2	94.2-98.2	22	3.8	01.8-05.8
\$35,000- 49,999	824	309,810	800	96.1	94.3-97.9	24	3.9	02.1-05.7
\$50,000- 74,999	764	305,383	756	98.5	97.3-99.7	8	1.5	00.3-02.7
\$75,000+	1233	452,734	1215	98.2	97.2-99.2	18	1.8	00.8-02.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 13: SEATBELT USE**

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10856	4,712,558	9590	85.2	84.2-86.2	1266	14.8	13.8-15.8
Male	4399	2,293,089	3640	79.6	78.0-81.2	759	20.4	18.8-22.0
Female	6457	2,419,469	5950	90.6	89.4-91.8	507	9.4	08.2-10.6
White/Non-Hisp	9490	3,856,767	8392	84.7	83.5-85.9	1098	15.3	14.1-16.5
Black or Afr. Am./Non-Hisp	582	393,011	513	86.8	83.3-90.3	69	13.2	09.7-16.7
Oth. Race/Non-Hisp.	210	94,609	183	86.7	80.2-93.2	27	13.3	06.8-19.8
MultiRacial/Non-Hisp.	128	53,816	113	88.3	80.9-95.7	15	11.7	04.3-19.1
Hispanic	290	250,281	260	89.4	85.1-93.7	30	10.6	06.3-14.9
18-24	538	647,211	424	78.7	75.0-82.4	114	21.3	17.6-25.0
25-34	810	759,121	680	81.6	78.5-84.7	130	18.4	15.3-21.5
35-44	1206	769,289	1032	83.3	80.6-86.0	174	16.7	14.0-19.4
45-54	1785	826,680	1614	89.3	87.5-91.1	171	10.7	08.9-12.5
55-64	2464	767,927	2217	88.9	87.3-90.5	247	11.1	09.5-12.7
65+	3937	903,775	3519	87.6	86.2-89.0	418	12.4	11.0-13.8
Less Than H.S.	943	647,067	806	81.6	78.1-85.1	137	18.4	14.9-21.9
H.S. or G.E.D.	3687	1,617,253	3201	83.7	81.9-85.5	486	16.3	14.5-18.1
Some Post-H.S.	2790	1,446,869	2458	86.0	84.2-87.8	332	14.0	12.2-15.8
College Graduate	3407	991,181	3098	88.9	87.5-90.3	309	11.1	09.7-12.5
Less than \$15,000	1094	501,505	963	86.7	83.8-89.6	131	13.3	10.4-16.2
\$15,000- 24,999	1743	767,426	1527	82.8	80.1-85.5	216	17.2	14.5-19.9
\$25,000- 34,999	1144	487,768	985	83.2	80.1-86.3	159	16.8	13.7-19.9
\$35,000- 49,999	1461	642,770	1274	82.7	79.8-85.6	187	17.3	14.4-20.2
\$50,000- 74,999	1477	673,795	1295	83.8	81.1-86.5	182	16.2	13.5-18.9
\$75,000+	2448	1,038,856	2201	87.7	85.9-89.5	247	12.3	10.5-14.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 13: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4399	2,293,089	3640	79.6	78.0-81.2	759	20.4	18.8-22.0
White/Non-Hisp	3832	1,872,281	3164	78.4	76.6-80.2	668	21.6	19.8-23.4
Black or Afr. Am./Non-Hisp	222	186,925	189	83.3	77.2-89.4	33	16.7	10.6-22.8
Oth. Race/Non-Hisp.	110	58,437	91	82.8	73.4-92.2	19	17.2	07.8-26.6
MultiRacial/Non-Hisp.	50	26,861	43	86.2	74.4-98.0	7	13.8	02.0-25.6
Hispanic	117	117,097	103	89.2	83.3-95.1	14	10.8	04.9-16.7
18-24	292	330,226	216	73.3	67.8-78.8	76	26.7	21.2-32.2
25-34	352	379,753	272	74.4	69.1-79.7	80	25.6	20.3-30.9
35-44	518	384,174	403	76.1	71.6-80.6	115	23.9	19.4-28.4
45-54	782	414,161	680	86.3	83.4-89.2	102	13.7	10.8-16.6
55-64	1037	375,728	881	84.0	81.5-86.5	156	16.0	13.5-18.5
65+	1381	392,402	1158	81.8	79.3-84.3	223	18.2	15.7-20.7
Less Than H.S.	373	324,907	294	77.2	71.5-82.9	79	22.8	17.1-28.5
H.S. or G.E.D.	1444	814,008	1136	76.0	73.3-78.7	308	24.0	21.3-26.7
Some Post-H.S.	1046	645,528	862	80.5	77.4-83.6	184	19.5	16.4-22.6
College Graduate	1524	502,061	1337	85.7	83.3-88.1	187	14.3	11.9-16.7
Less than \$15,000	349	184,742	289	83.5	78.8-88.2	60	16.5	11.8-21.2
\$15,000- 24,999	566	330,840	462	75.1	70.0-80.2	104	24.9	19.8-30.0
\$25,000- 34,999	450	242,081	357	77.3	72.0-82.6	93	22.7	17.4-28.0
\$35,000- 49,999	637	332,959	518	75.9	71.2-80.6	119	24.1	19.4-28.8
\$50,000- 74,999	713	368,411	582	78.7	74.6-82.8	131	21.3	17.2-25.4
\$75,000+	1215	586,121	1040	83.4	80.7-86.1	175	16.6	13.9-19.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 13: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6457	2,419,469	5950	90.6	89.4-91.8	507	9.4	08.2-10.6
White/Non-Hisp	5658	1,984,487	5228	90.7	89.5-91.9	430	9.3	08.1-10.5
Black or Afr. Am./Non-Hisp	360	206,086	324	89.9	85.8-94.0	36	10.1	06.0-14.2
Oth. Race/Non-Hisp.	100	36,171	92	92.8	85.9-99.7	8	7.2	00.3-14.1
MultiRacial/Non-Hisp.	78	26,956	70	90.4	81.2-99.6	8	9.6	00.4-18.8
Hispanic	173	133,184	157	89.6	83.5-95.7	16	10.4	04.3-16.5
18-24	246	316,985	208	84.4	79.5-89.3	38	15.6	10.7-20.5
25-34	458	379,368	408	88.8	85.5-92.1	50	11.2	07.9-14.5
35-44	688	385,114	629	90.6	87.9-93.3	59	9.4	06.7-12.1
45-54	1003	412,519	934	92.3	90.3-94.3	69	7.7	05.7-09.7
55-64	1427	392,199	1336	93.5	91.9-95.1	91	6.5	04.9-08.1
65+	2556	511,373	2361	92.0	90.6-93.4	195	8.0	06.6-09.4
Less Than H.S.	570	322,160	512	86.2	81.9-90.5	58	13.8	09.5-18.1
H.S. or G.E.D.	2243	803,245	2065	91.5	89.9-93.1	178	8.5	06.9-10.1
Some Post-H.S.	1744	801,341	1596	90.4	88.4-92.4	148	9.6	07.6-11.6
College Graduate	1883	489,120	1761	92.2	90.4-94.0	122	7.8	06.0-09.6
Less than \$15,000	745	316,763	674	88.6	84.9-92.3	71	11.4	07.7-15.1
\$15,000- 24,999	1177	436,586	1065	88.6	85.9-91.3	112	11.4	08.7-14.1
\$25,000- 34,999	694	245,687	628	89.0	85.5-92.5	66	11.0	07.5-14.5
\$35,000- 49,999	824	309,810	756	89.9	87.0-92.8	68	10.1	07.2-13.0
\$50,000- 74,999	764	305,383	713	89.9	86.6-93.2	51	10.1	06.8-13.4
\$75,000+	1233	452,734	1161	93.2	91.2-95.2	72	6.8	04.8-08.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 15: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
1	WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y) FEMALES ONLY	132
2	WOMEN RESPONDENTS AGED 50+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y) FEMALES ONLY	133
3	WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5021) FEMALES ONLY	134
4	WOMEN RESPONDENTS AGED 18+ WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32) FEMALES ONLY	135
5	WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP33) FEMALES ONLY	136

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 1: WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 40 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5303	1,516,647	3654	67.3	65.7-68.9	1649	32.7	31.1-34.3
White/Non-Hisp	4775	1,304,753	3297	67.1	65.3-68.9	1478	32.9	31.1-34.7
Black or Afr. Am./Non-Hisp	256	113,079	190	73.9	66.6-81.2	66	26.1	18.8-33.4
Oth. Race/Non-Hisp.	65	14,968	40	65.0	48.3-81.7	25	35.0	18.3-51.7
MultiRacial/Non-Hisp.	54	11,307	33	67.1	52.2-82.0	21	32.9	18.0-47.8
Hispanic	89	55,201	58	62.9	50.6-75.2	31	37.1	24.8-49.4
40-44	371	217,588	218	55.4	49.3-61.5	153	44.6	38.5-50.7
45-54	997	408,921	673	66.2	62.7-69.7	324	33.8	30.3-37.3
55-64	1412	385,438	1028	71.9	69.2-74.6	384	28.1	25.4-30.8
65+	2523	504,700	1735	69.9	67.5-72.3	788	30.1	27.7-32.5
Less Than H.S.	455	192,996	263	56.1	50.2-62.0	192	43.9	38.0-49.8
H.S. or G.E.D.	1963	561,273	1308	67.2	64.5-69.9	655	32.8	30.1-35.5
Some Post-H.S.	1382	458,548	937	67.3	64.2-70.4	445	32.7	29.6-35.8
College Graduate	1489	300,962	1135	74.7	71.8-77.6	354	25.3	22.4-28.2
Less than \$15,000	595	176,264	320	51.5	46.0-57.0	275	48.5	43.0-54.0
\$15,000- 24,999	970	267,922	606	59.5	55.2-63.8	364	40.5	36.2-44.8
\$25,000- 34,999	590	158,476	386	64.8	59.7-69.9	204	35.2	30.1-40.3
\$35,000- 49,999	691	204,973	513	72.0	67.7-76.3	178	28.0	23.7-32.3
\$50,000- 74,999	630	191,709	471	71.8	67.3-76.3	159	28.2	23.7-32.7
\$75,000+	991	303,645	782	76.9	73.8-80.0	209	23.1	20.0-26.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: WOMEN RESPONDENTS AGED 50+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4502	1,122,303	3165	70.4	68.6-72.2	1337	29.6	27.8-31.4
White/Non-Hisp	4095	986,790	2884	70.1	68.3-71.9	1211	29.9	28.1-31.7
Black or Afr. Am./Non-Hisp	213	86,422	164	77.8	70.2-85.4	49	22.2	14.6-29.8
50-54	567	232,164	402	69.0	64.5-73.5	165	31.0	26.5-35.5
55-64	1412	385,438	1028	71.9	69.2-74.6	384	28.1	25.4-30.8
65+	2523	504,700	1735	69.9	67.5-72.3	788	30.1	27.7-32.5
Less Than H.S.	393	138,119	235	59.6	53.3-65.9	158	40.4	34.1-46.7
H.S. or G.E.D.	1788	460,961	1211	69.9	67.4-72.4	577	30.1	27.6-32.6
Some Post-H.S.	1163	335,527	809	70.6	67.5-73.7	354	29.4	26.3-32.5
College Graduate	1145	185,101	900	79.4	76.5-82.3	245	20.6	17.7-23.5
Less than \$15,000	513	128,269	288	57.2	51.5-62.9	225	42.8	37.1-48.5
\$15,000- 24,999	875	211,113	567	64.9	60.6-69.2	308	35.1	30.8-39.4
\$25,000- 34,999	528	122,041	355	69.1	64.2-74.0	173	30.9	26.0-35.8
\$35,000- 49,999	605	157,863	458	75.1	70.8-79.4	147	24.9	20.6-29.2
\$50,000- 74,999	504	132,989	387	73.1	68.2-78.0	117	26.9	22.0-31.8
\$75,000+	699	185,829	577	81.6	78.1-85.1	122	18.4	14.9-21.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 3: WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5021)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old or greater than 74 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3265	892,699	2392	72.4	70.4-74.4	873	27.6	25.6-29.6
White/Non-Hisp	2942	779,294	2158	72.0	70.0-74.0	784	28.0	26.0-30.0
Black or Afr. Am./Non-Hisp	175	72,036	139	80.2	72.9-87.5	36	19.8	12.5-27.1
50-54	567	232,164	402	69.0	64.5-73.5	165	31.0	26.5-35.5
55-64	1412	385,438	1028	71.9	69.2-74.6	384	28.1	25.4-30.8
65+	1286	275,096	962	76.1	73.2-79.0	324	23.9	21.0-26.8
Less Than H.S.	239	96,976	151	62.9	55.5-70.3	88	37.1	29.7-44.5
H.S. or G.E.D.	1200	348,137	846	71.8	68.7-74.9	354	28.2	25.1-31.3
Some Post-H.S.	892	283,039	641	71.8	68.3-75.3	251	28.2	24.7-31.7
College Graduate	926	163,057	748	80.4	77.3-83.5	178	19.6	16.5-22.7
Less than \$15,000	362	101,106	212	59.5	52.8-66.2	150	40.5	33.8-47.2
\$15,000- 24,999	550	148,023	377	67.2	62.1-72.3	173	32.8	27.7-37.9
\$25,000- 34,999	351	90,222	238	70.2	64.3-76.1	113	29.8	23.9-35.7
\$35,000- 49,999	464	132,499	357	75.4	70.5-80.3	107	24.6	19.7-29.5
\$50,000- 74,999	438	122,409	334	73.2	68.1-78.3	104	26.8	21.7-31.9
\$75,000+	651	177,539	541	81.7	78.2-85.2	110	18.3	14.8-21.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 4: WOMEN RESPONDENTS AGED 18+ WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old or greater than 74 years old
Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4130	1,770,463	2826	70.7	68.7-72.7	1304	29.3	27.3-31.3
White/Non-Hisp	3578	1,429,135	2436	70.9	68.7-73.1	1142	29.1	26.9-31.3
Black or Afr. Am./Non-Hisp	224	141,606	169	72.5	64.7-80.3	55	27.5	19.7-35.3
Oth. Race/Non-Hisp.	75	31,991	44	49.8	34.7-64.9	31	50.2	35.1-65.3
MultiRacial/Non-Hisp.	51	21,682	36	64.0	46.2-81.8	15	36.0	18.2-53.8
Hispanic	152	122,485	109	71.5	63.1-79.9	43	28.5	20.1-36.9
18-24	243	313,290	128	50.3	43.4-57.2	115	49.7	42.8-56.6
25-34	440	364,519	372	84.4	80.5-88.3	68	15.6	11.7-19.5
35-44	582	317,007	494	83.1	79.6-86.6	88	16.9	13.4-20.4
45-54	724	296,373	570	78.2	74.7-81.7	154	21.8	18.3-25.3
55-64	886	243,029	663	72.7	69.0-76.4	223	27.3	23.6-31.0
65+	1255	236,246	599	48.3	44.8-51.8	656	51.7	48.2-55.2
Less Than H.S.	323	228,494	186	66.5	60.2-72.8	137	33.5	27.2-39.8
H.S. or G.E.D.	1288	542,166	746	60.7	57.0-64.4	542	39.3	35.6-43.0
Some Post-H.S.	1093	587,144	766	72.2	68.5-75.9	327	27.8	24.1-31.5
College Graduate	1419	411,318	1125	84.1	81.7-86.5	294	15.9	13.5-18.3
Less than \$15,000	446	229,003	252	63.8	57.7-69.9	194	36.2	30.1-42.3
\$15,000- 24,999	670	297,816	364	61.7	56.6-66.8	306	38.3	33.2-43.4
\$25,000- 34,999	429	175,642	266	66.2	59.7-72.7	163	33.8	27.3-40.3
\$35,000- 49,999	521	219,693	373	72.4	67.1-77.7	148	27.6	22.3-32.9
\$50,000- 74,999	530	235,453	406	79.0	74.1-83.9	124	21.0	16.1-25.9
\$75,000+	940	369,216	816	85.2	81.9-88.5	124	14.8	11.5-18.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 5: WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP33)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old or greater than 74 years old
Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2811	1,367,061	2215	78.0	76.0-80.0	596	22.0	20.0-24.0
White/Non-Hisp	2388	1,097,174	1884	78.0	75.8-80.2	504	22.0	19.8-24.2
Black or Afr. Am./Non-Hisp	172	107,037	142	81.8	74.5-89.1	30	18.2	10.9-25.5
Oth. Race/Non-Hisp.	56	24,432	35	55.9	38.7-73.1	21	44.1	26.9-61.3
Hispanic	135	108,531	105	77.3	69.3-85.3	30	22.7	14.7-30.7
18-24	138	161,968	92	63.2	54.2-72.2	46	36.8	27.8-45.8
25-34	411	338,917	343	83.3	79.2-87.4	68	16.7	12.6-20.8
35-44	572	311,560	486	83.4	79.9-86.9	86	16.6	13.1-20.1
45-54	723	295,017	569	78.1	74.6-81.6	154	21.9	18.4-25.4
55-64	881	241,198	660	73.0	69.5-76.5	221	27.0	23.5-30.5
65+	86	18,402	65	80.2	70.4-90.0	21	19.8	10.0-29.6
Less Than H.S.	201	168,036	139	72.9	66.0-79.8	62	27.1	20.2-34.0
H.S. or G.E.D.	734	369,576	511	69.7	65.4-74.0	223	30.3	26.0-34.6
Some Post-H.S.	762	460,089	607	79.4	75.7-83.1	155	20.6	16.9-24.3
College Graduate	1110	368,362	955	86.7	84.3-89.1	155	13.3	10.9-15.7
Less than \$15,000	294	175,226	197	71.6	65.5-77.7	97	28.4	22.3-34.5
\$15,000- 24,999	391	224,007	258	69.6	63.9-75.3	133	30.4	24.7-36.1
\$25,000- 34,999	252	122,678	188	74.7	67.6-81.8	64	25.3	18.2-32.4
\$35,000- 49,999	341	167,594	276	80.2	74.7-85.7	65	19.8	14.3-25.3
\$50,000- 74,999	422	198,266	348	82.9	78.0-87.8	74	17.1	12.2-22.0
\$75,000+	828	333,124	739	87.6	84.5-90.7	89	12.4	09.3-15.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 16: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
1 MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA21)	
1 MALES ONLY	138

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 1: MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA21)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 40 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3326	1,327,461	1538	40.2	38.2-42.2	1788	59.8	57.8-61.8
White/Non-Hisp	2993	1,148,728	1407	40.7	38.5-42.9	1586	59.3	57.1-61.5
Black or Afr. Am./Non-Hisp	136	83,077	58	41.7	31.7-51.7	78	58.3	48.3-68.3
Oth. Race/Non-Hisp.	58	18,067	17	27.5	13.0-42.0	41	72.5	58.0-87.0
Hispanic	55	44,479	16	27.1	13.4-40.8	39	72.9	59.2-86.6
40-44	298	208,753	36	12.1	07.6-16.6	262	87.9	83.4-92.4
45-54	745	391,794	200	26.4	22.7-30.1	545	73.6	69.9-77.3
55-64	978	353,590	503	50.1	46.4-53.8	475	49.9	46.2-53.6
65+	1305	373,325	799	61.0	57.7-64.3	506	39.0	35.7-42.3
Less Than H.S.	250	151,689	85	28.5	21.8-35.2	165	71.5	64.8-78.2
H.S. or G.E.D.	1097	481,344	464	39.1	35.8-42.4	633	60.9	57.6-64.2
Some Post-H.S.	775	369,964	358	41.6	37.5-45.7	417	58.4	54.3-62.5
College Graduate	1197	321,531	628	45.7	42.4-49.0	569	54.3	51.0-57.6
Less than \$15,000	253	106,547	77	27.5	20.6-34.4	176	72.5	65.6-79.4
\$15,000- 24,999	415	176,007	162	33.6	28.1-39.1	253	66.4	60.9-71.9
\$25,000- 34,999	333	125,165	155	40.9	34.4-47.4	178	59.1	52.6-65.6
\$35,000- 49,999	494	201,560	240	41.1	35.8-46.4	254	58.9	53.6-64.2
\$50,000- 74,999	557	231,909	281	43.9	38.8-49.0	276	56.1	51.0-61.2
\$75,000+	967	376,233	470	41.8	38.1-45.5	497	58.2	54.5-61.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RESPONDENTS AGED 50+ WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST TWO YEARS (_RFBlds2)	
1 MALES AND FEMALES	140
2 MALES ONLY	141
3 FEMALES ONLY	142
RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBlds3)	
4 MALES AND FEMALES	143
5 MALES ONLY	144
6 FEMALES ONLY	145
RESPONDENTS AGED 50 OR OLDER WHO HAVE HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2)	
7 MALES AND FEMALES	146
8 MALES ONLY	147
9 FEMALES ONLY	148
RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)	
10 MALES AND FEMALES	149
11 MALES ONLY	150
12 FEMALES ONLY	151

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 1: RESPONDENTS AGED 50+ WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST TWO YEARS (_RFBIDS2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7243	2,105,943	966	12.4	11.4-13.4	6277	87.6	86.6-88.6
Male	2812	996,133	386	12.4	11.0-13.8	2426	87.6	86.2-89.0
Female	4431	1,109,810	580	12.5	11.3-13.7	3851	87.5	86.3-88.7
White/Non-Hisp	6591	1,855,640	871	12.2	11.2-13.2	5720	87.8	86.8-88.8
Black or Afr. Am./Non-Hisp	324	148,904	59	16.0	11.3-20.7	265	84.0	79.3-88.7
Oth. Race/Non-Hisp.	80	15,918	13	14.6	04.4-24.8	67	85.4	75.2-95.6
MultiRacial/Non-Hisp.	68	17,547	10	23.6	06.4-40.8	58	76.4	59.2-93.6
Hispanic	75	38,640	3	3.1	00.0-06.8	72	96.9	93.2-0100
50-54	1008	475,770	80	7.5	05.5-09.5	928	92.5	90.5-94.5
55-64	2414	747,314	292	11.4	09.8-13.0	2122	88.6	87.0-90.2
65+	3821	882,859	594	16.0	14.4-17.6	3227	84.0	82.4-85.6
Less Than H.S.	617	257,423	77	10.6	07.9-13.3	540	89.4	86.7-92.1
H.S. or G.E.D.	2702	832,347	343	11.9	10.5-13.3	2359	88.1	86.7-89.5
Some Post-H.S.	1812	612,433	266	13.4	11.6-15.2	1546	86.6	84.8-88.4
College Graduate	2094	398,435	278	13.4	11.6-15.2	1816	86.6	84.8-88.4
Less than \$15,000	725	208,527	99	12.7	09.8-15.6	626	87.3	84.4-90.2
\$15,000- 24,999	1240	345,680	170	13.9	11.4-16.4	1070	86.1	83.6-88.6
\$25,000- 34,999	818	221,583	123	14.2	11.3-17.1	695	85.8	82.9-88.7
\$35,000- 49,999	1040	317,310	143	11.8	09.6-14.0	897	88.2	86.0-90.4
\$50,000- 74,999	967	300,425	130	11.9	09.5-14.3	837	88.1	85.7-90.5
\$75,000+	1413	435,158	179	11.9	09.9-13.9	1234	88.1	86.1-90.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 2: RESPONDENTS AGED 50+ WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST TWO YEARS (_RFBLS2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2812	996,133	386	12.4	11.0-13.8	2426	87.6	86.2-89.0
White/Non-Hisp	2566	881,461	344	11.8	10.4-13.2	2222	88.2	86.8-89.6
Black or Afr. Am./Non-Hisp	109	61,839	25	18.4	10.6-26.2	84	81.6	73.8-89.4
50-54	444	244,376	31	6.8	03.9-09.7	413	93.2	90.3-96.1
55-64	1011	364,330	115	10.7	08.5-12.9	896	89.3	87.1-91.5
65+	1357	387,426	240	17.5	15.1-19.9	1117	82.5	80.1-84.9
Less Than H.S.	226	120,006	33	12.5	07.6-17.4	193	87.5	82.6-92.4
H.S. or G.E.D.	961	381,605	110	10.1	07.9-12.3	851	89.9	87.7-92.1
Some Post-H.S.	658	277,494	101	13.9	10.8-17.0	557	86.1	83.0-89.2
College Graduate	962	214,529	142	14.4	11.9-16.9	820	85.6	83.1-88.1
Less than \$15,000	214	80,735	33	13.0	07.7-18.3	181	87.0	81.7-92.3
\$15,000- 24,999	375	137,435	56	17.0	12.1-21.9	319	83.0	78.1-87.9
\$25,000- 34,999	303	103,021	49	13.5	09.2-17.8	254	86.5	82.2-90.8
\$35,000- 49,999	441	160,346	54	9.9	07.0-12.8	387	90.1	87.2-93.0
\$50,000- 74,999	465	167,739	56	10.7	07.4-14.0	409	89.3	86.0-92.6
\$75,000+	726	250,760	102	12.1	09.4-14.8	624	87.9	85.2-90.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 3: RESPONDENTS AGED 50+ WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST TWO YEARS (_RFBIDS2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4431	1,109,810	580	12.5	11.3-13.7	3851	87.5	86.3-88.7
White/Non-Hisp	4025	974,179	527	12.7	11.5-13.9	3498	87.3	86.1-88.5
Black or Afr. Am./Non-Hisp	215	87,065	34	14.3	08.4-20.2	181	85.7	79.8-91.6
50-54	564	231,393	49	8.2	05.7-10.7	515	91.8	89.3-94.3
55-64	1403	382,983	177	12.1	10.1-14.1	1226	87.9	85.9-89.9
65+	2464	495,433	354	14.8	13.0-16.6	2110	85.2	83.4-87.0
Less Than H.S.	391	137,417	44	9.0	05.9-12.1	347	91.0	87.9-94.1
H.S. or G.E.D.	1741	450,742	233	13.4	11.4-15.4	1508	86.6	84.6-88.6
Some Post-H.S.	1154	334,939	165	13.0	10.8-15.2	989	87.0	84.8-89.2
College Graduate	1132	183,905	136	12.2	09.8-14.6	996	87.8	85.4-90.2
Less than \$15,000	511	127,791	66	12.5	09.0-16.0	445	87.5	84.0-91.0
\$15,000- 24,999	865	208,244	114	11.8	09.1-14.5	751	88.2	85.5-90.9
\$25,000- 34,999	515	118,562	74	14.8	10.9-18.7	441	85.2	81.3-89.1
\$35,000- 49,999	599	156,965	89	13.8	10.5-17.1	510	86.2	82.9-89.5
\$50,000- 74,999	502	132,686	74	13.3	09.8-16.8	428	86.7	83.2-90.2
\$75,000+	687	184,398	77	11.6	08.7-14.5	610	88.4	85.5-91.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 4: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFB LDS3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5645	1,771,914	469	8.1	07.3-08.9	5176	91.9	91.1-92.7
Male	2321	864,737	202	8.5	07.1-09.9	2119	91.5	90.1-92.9
Female	3324	907,177	267	7.8	06.6-09.0	3057	92.2	91.0-93.4
White/Non-Hisp	5087	1,548,170	408	7.8	06.8-08.8	4679	92.2	91.2-93.2
Black or Afr. Am./Non-Hisp	282	134,203	38	12.0	07.7-16.3	244	88.0	83.7-92.3
Oth. Race/Non-Hisp.	72	14,564	7	7.3	00.8-13.8	65	92.7	86.2-99.2
MultiRacial/Non-Hisp.	59	15,937	8	18.9	01.3-36.5	51	81.1	63.5-98.7
Hispanic	69	36,048	2	2.5	00.0-06.0	67	97.5	94.0-100.0
50-54	1008	475,770	57	5.7	03.9-07.5	951	94.3	92.5-96.1
55-64	2414	747,314	184	7.7	06.5-08.9	2230	92.3	91.1-93.5
65+	2223	548,830	228	11.0	09.4-12.6	1995	89.0	87.4-90.6
Less Than H.S.	426	200,146	29	5.9	03.2-08.6	397	94.1	91.4-96.8
H.S. or G.E.D.	2001	677,596	164	8.2	06.8-09.6	1837	91.8	90.4-93.2
Some Post-H.S.	1478	539,142	146	9.2	07.4-11.0	1332	90.8	89.0-92.6
College Graduate	1727	350,933	129	7.8	06.2-09.4	1598	92.2	90.6-93.8
Less than \$15,000	551	174,996	58	9.9	06.8-13.0	493	90.1	87.0-93.2
\$15,000- 24,999	838	257,170	74	9.7	07.0-12.4	764	90.3	87.6-93.0
\$25,000- 34,999	578	169,867	56	9.6	06.7-12.5	522	90.4	87.5-93.3
\$35,000- 49,999	822	272,740	70	7.7	05.7-09.7	752	92.3	90.3-94.3
\$50,000- 74,999	854	276,569	65	7.2	05.0-09.4	789	92.8	90.6-95.0
\$75,000+	1306	413,597	97	7.7	05.9-09.5	1209	92.3	90.5-94.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 5: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFB LDS3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2321	864,737	202	8.5	07.1-09.9	2119	91.5	90.1-92.9
White/Non-Hisp	2097	757,236	175	7.9	06.5-09.3	1922	92.1	90.7-93.5
Black or Afr. Am./Non-Hisp	101	59,669	16	14.4	07.0-21.8	85	85.6	78.2-93.0
50-54	444	244,376	24	5.4	02.9-07.9	420	94.6	92.1-97.1
55-64	1011	364,330	74	7.6	05.6-09.6	937	92.4	90.4-94.4
65+	866	256,030	104	13.0	10.3-15.7	762	87.0	84.3-89.7
Less Than H.S.	173	99,174	16	8.3	03.6-13.0	157	91.7	87.0-96.4
H.S. or G.E.D.	781	325,358	67	8.2	06.0-10.4	714	91.8	89.6-94.0
Some Post-H.S.	568	251,145	56	9.6	06.7-12.5	512	90.4	87.5-93.3
College Graduate	795	187,221	63	8.0	05.8-10.2	732	92.0	89.8-94.2
Less than \$15,000	185	72,313	21	10.5	05.0-16.0	164	89.5	84.0-95.0
\$15,000- 24,999	269	104,972	28	13.5	07.8-19.2	241	86.5	80.8-92.2
\$25,000- 34,999	211	77,142	26	10.3	05.6-15.0	185	89.7	85.0-94.4
\$35,000- 49,999	358	139,925	28	7.4	04.5-10.3	330	92.6	89.7-95.5
\$50,000- 74,999	413	153,459	32	7.3	04.2-10.4	381	92.7	89.6-95.8
\$75,000+	662	236,807	50	7.3	04.9-09.7	612	92.7	90.3-95.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 6: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFB LDS3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3324	907,177	267	7.8	06.6-09.0	3057	92.2	91.0-93.4
White/Non-Hisp	2990	790,934	233	7.7	06.5-08.9	2757	92.3	91.1-93.5
Black or Afr. Am./Non-Hisp	181	74,533	22	10.1	05.2-15.0	159	89.9	85.0-94.8
50-54	564	231,393	33	6.0	03.8-08.2	531	94.0	91.8-96.2
55-64	1403	382,983	110	7.7	06.1-09.3	1293	92.3	90.7-93.9
65+	1357	292,800	124	9.2	07.2-11.2	1233	90.8	88.8-92.8
Less Than H.S.	253	100,972	13	3.5	01.1-05.9	240	96.5	94.1-98.9
H.S. or G.E.D.	1220	352,237	97	8.2	06.4-10.0	1123	91.8	90.0-93.6
Some Post-H.S.	910	287,998	90	8.9	06.9-10.9	820	91.1	89.1-93.1
College Graduate	932	163,712	66	7.6	05.4-09.8	866	92.4	90.2-94.6
Less than \$15,000	366	102,682	37	9.5	05.8-13.2	329	90.5	86.8-94.2
\$15,000- 24,999	569	152,198	46	7.0	04.5-09.5	523	93.0	90.5-95.5
\$25,000- 34,999	367	92,725	30	9.0	05.3-12.7	337	91.0	87.3-94.7
\$35,000- 49,999	464	132,815	42	8.0	05.3-10.7	422	92.0	89.3-94.7
\$50,000- 74,999	441	123,110	33	7.2	04.5-09.9	408	92.8	90.1-95.5
\$75,000+	644	176,790	47	8.3	05.6-11.0	597	91.7	89.0-94.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 7: RESPONDENTS AGED 50 OR OLDER WHO HAVE HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7308	2,115,472	5100	65.0	63.6-66.4	2208	35.0	33.6-36.4
Male	2822	996,648	1917	62.1	59.7-64.5	905	37.9	35.5-40.3
Female	4486	1,118,824	3183	67.6	65.8-69.4	1303	32.4	30.6-34.2
White/Non-Hisp	6658	1,864,805	4686	65.7	64.1-67.3	1972	34.3	32.7-35.9
Black or Afr. Am./Non-Hisp	322	149,157	222	64.9	58.2-71.6	100	35.1	28.4-41.8
Oth. Race/Non-Hisp.	81	15,965	44	55.3	39.8-70.8	37	44.7	29.2-60.2
MultiRacial/Non-Hisp.	69	17,970	37	47.0	31.1-62.9	32	53.0	37.1-68.9
Hispanic	73	38,295	36	43.7	30.2-57.2	37	56.3	42.8-69.8
50-54	1008	475,725	493	47.1	43.4-50.8	515	52.9	49.2-56.6
55-64	2420	749,121	1654	65.1	62.7-67.5	766	34.9	32.5-37.3
65+	3880	890,626	2953	74.6	72.8-76.4	927	25.4	23.6-27.2
Less Than H.S.	619	257,667	350	55.2	50.3-60.1	269	44.8	39.9-49.7
H.S. or G.E.D.	2734	838,873	1829	63.2	60.8-65.6	905	36.8	34.4-39.2
Some Post-H.S.	1819	612,444	1285	66.2	63.5-68.9	534	33.8	31.1-36.5
College Graduate	2116	400,945	1621	73.3	70.9-75.7	495	26.7	24.3-29.1
Less than \$15,000	727	208,726	442	58.4	53.5-63.3	285	41.6	36.7-46.5
\$15,000- 24,999	1250	346,769	814	60.0	56.3-63.7	436	40.0	36.3-43.7
\$25,000- 34,999	825	223,262	582	66.9	62.8-71.0	243	33.1	29.0-37.2
\$35,000- 49,999	1045	318,305	745	63.9	60.0-67.8	300	36.1	32.2-40.0
\$50,000- 74,999	969	300,841	698	66.9	63.2-70.6	271	33.1	29.4-36.8
\$75,000+	1427	437,252	1068	69.6	66.5-72.7	359	30.4	27.3-33.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 8: RESPONDENTS AGED 50 OR OLDER WHO HAVE HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2822	996,648	1917	62.1	59.7-64.5	905	37.9	35.5-40.3
White/Non-Hisp	2577	881,583	1776	63.1	60.7-65.5	801	36.9	34.5-39.3
Black or Afr. Am./Non-Hisp	109	62,347	68	58.5	47.3-69.7	41	41.5	30.3-52.7
50-54	444	243,893	204	44.0	38.5-49.5	240	56.0	50.5-61.5
55-64	1016	366,429	680	63.4	59.9-66.9	336	36.6	33.1-40.1
65+	1362	386,326	1033	72.3	69.2-75.4	329	27.7	24.6-30.8
Less Than H.S.	225	119,627	121	52.7	44.7-60.7	104	47.3	39.3-55.3
H.S. or G.E.D.	964	381,777	586	56.7	53.0-60.4	378	43.3	39.6-47.0
Some Post-H.S.	657	276,704	447	63.7	59.2-68.2	210	36.3	31.8-40.8
College Graduate	970	215,882	760	75.0	71.5-78.5	210	25.0	21.5-28.5
Less than \$15,000	218	81,776	116	51.0	42.4-59.6	102	49.0	40.4-57.6
\$15,000- 24,999	373	135,445	220	52.8	46.5-59.1	153	47.2	40.9-53.5
\$25,000- 34,999	303	102,987	213	67.8	61.1-74.5	90	32.2	25.5-38.9
\$35,000- 49,999	442	161,037	299	60.2	54.3-66.1	143	39.8	33.9-45.7
\$50,000- 74,999	468	168,395	332	65.1	59.6-70.6	136	34.9	29.4-40.4
\$75,000+	728	250,943	546	67.3	62.8-71.8	182	32.7	28.2-37.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 9: RESPONDENTS AGED 50 OR OLDER WHO HAVE HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4486	1,118,824	3183	67.6	65.8-69.4	1303	32.4	30.6-34.2
White/Non-Hisp	4081	983,222	2910	68.1	66.3-69.9	1171	31.9	30.1-33.7
Black or Afr. Am./Non-Hisp	213	86,810	154	69.6	61.4-77.8	59	30.4	22.2-38.6
50-54	564	231,832	289	50.5	45.8-55.2	275	49.5	44.8-54.2
55-64	1404	382,691	974	66.7	63.8-69.6	430	33.3	30.4-36.2
65+	2518	504,300	1920	76.3	74.1-78.5	598	23.7	21.5-25.9
Less Than H.S.	394	138,040	229	57.4	51.3-63.5	165	42.6	36.5-48.7
H.S. or G.E.D.	1770	457,096	1243	68.7	66.0-71.4	527	31.3	28.6-34.0
Some Post-H.S.	1162	335,740	838	68.3	65.0-71.6	324	31.7	28.4-35.0
College Graduate	1146	185,063	861	71.3	68.0-74.6	285	28.7	25.4-32.0
Less than \$15,000	509	126,950	326	63.1	57.4-68.8	183	36.9	31.2-42.6
\$15,000- 24,999	877	211,324	594	64.6	60.3-68.9	283	35.4	31.1-39.7
\$25,000- 34,999	522	120,275	369	66.1	60.8-71.4	153	33.9	28.6-39.2
\$35,000- 49,999	603	157,268	446	67.6	62.7-72.5	157	32.4	27.5-37.3
\$50,000- 74,999	501	132,446	366	69.3	64.4-74.2	135	30.7	25.8-35.6
\$75,000+	699	186,309	522	72.6	68.7-76.5	177	27.4	23.5-31.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 10: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5518	1,730,840	3655	61.6	60.0-63.2	1863	38.4	36.8-40.0
Male	2252	841,975	1444	59.1	56.6-61.6	808	40.9	38.4-43.4
Female	3266	888,865	2211	64.0	61.8-66.2	1055	36.0	33.8-38.2
White/Non-Hisp	4984	1,514,295	3324	62.2	60.4-64.0	1660	37.8	36.0-39.6
Black or Afr. Am./Non-Hisp	266	128,364	179	62.0	54.7-69.3	87	38.0	30.7-45.3
Oth. Race/Non-Hisp.	70	14,014	40	62.0	45.9-78.1	30	38.0	21.9-54.1
MultiRacial/Non-Hisp.	60	16,359	32	52.5	35.1-69.9	28	47.5	30.1-64.9
Hispanic	66	35,309	32	43.7	29.6-57.8	34	56.3	42.2-70.4
50-54	989	465,718	469	45.4	41.7-49.1	520	54.6	50.9-58.3
55-64	2372	733,883	1558	62.7	60.3-65.1	814	37.3	34.9-39.7
65+	2157	531,240	1628	74.2	71.8-76.6	529	25.8	23.4-28.2
Less Than H.S.	410	193,710	217	51.3	45.4-57.2	193	48.7	42.8-54.6
H.S. or G.E.D.	1958	663,180	1238	59.2	56.5-61.9	720	40.8	38.1-43.5
Some Post-H.S.	1444	525,939	962	63.5	60.4-66.6	482	36.5	33.4-39.6
College Graduate	1693	344,044	1228	69.0	66.3-71.7	465	31.0	28.3-33.7
Less than \$15,000	526	166,528	293	52.2	46.5-57.9	233	47.8	42.1-53.5
\$15,000- 24,999	810	248,752	488	57.0	52.7-61.3	322	43.0	38.7-47.3
\$25,000- 34,999	572	167,855	385	65.5	60.4-70.6	187	34.5	29.4-39.6
\$35,000- 49,999	802	265,939	522	58.4	54.1-62.7	280	41.6	37.3-45.9
\$50,000- 74,999	842	273,933	572	63.3	59.2-67.4	270	36.7	32.6-40.8
\$75,000+	1293	407,939	941	67.3	64.0-70.6	352	32.7	29.4-36.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 11: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2252	841,975	1444	59.1	56.6-61.6	808	40.9	38.4-43.4
White/Non-Hisp	2039	737,770	1322	59.5	56.8-62.2	717	40.5	37.8-43.2
Black or Afr. Am./Non-Hisp	95	57,532	59	58.8	47.0-70.6	36	41.2	29.4-53.0
50-54	436	239,693	197	43.1	37.6-48.6	239	56.9	51.4-62.4
55-64	990	357,403	636	61.1	57.4-64.8	354	38.9	35.2-42.6
65+	826	244,879	611	71.7	67.8-75.6	215	28.3	24.4-32.2
Less Than H.S.	165	95,733	84	50.1	40.9-59.3	81	49.9	40.7-59.1
H.S. or G.E.D.	762	319,631	434	53.2	49.1-57.3	328	46.8	42.7-50.9
Some Post-H.S.	550	243,054	357	61.7	56.8-66.6	193	38.3	33.4-43.2
College Graduate	770	181,558	566	70.4	66.3-74.5	204	29.6	25.5-33.7
Less than \$15,000	178	69,396	88	45.7	36.3-55.1	90	54.3	44.9-63.7
\$15,000- 24,999	258	100,538	136	51.9	44.3-59.5	122	48.1	40.5-55.7
\$25,000- 34,999	205	75,797	137	65.5	57.3-73.7	68	34.5	26.3-42.7
\$35,000- 49,999	340	134,794	209	55.5	49.0-62.0	131	44.5	38.0-51.0
\$50,000- 74,999	410	152,733	274	61.2	55.3-67.1	136	38.8	32.9-44.7
\$75,000+	647	231,825	469	65.0	60.3-69.7	178	35.0	30.3-39.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 12: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3266	888,865	2211	64.0	61.8-66.2	1055	36.0	33.8-38.2
White/Non-Hisp	2945	776,524	2002	64.6	62.4-66.8	943	35.4	33.2-37.6
Black or Afr. Am./Non-Hisp	171	70,832	120	64.6	55.4-73.8	51	35.4	26.2-44.6
50-54	553	226,025	272	47.8	42.9-52.7	281	52.2	47.3-57.1
55-64	1382	376,479	922	64.3	61.2-67.4	460	35.7	32.6-38.8
65+	1331	286,361	1017	76.5	73.6-79.4	314	23.5	20.6-26.4
Less Than H.S.	245	97,977	133	52.3	44.9-59.7	112	47.7	40.3-55.1
H.S. or G.E.D.	1196	343,549	804	64.8	61.5-68.1	392	35.2	31.9-38.5
Some Post-H.S.	894	282,885	605	65.0	61.1-68.9	289	35.0	31.1-38.9
College Graduate	923	162,486	662	67.5	63.8-71.2	261	32.5	28.8-36.2
Less than \$15,000	348	97,132	205	56.8	49.9-63.7	143	43.2	36.3-50.1
\$15,000- 24,999	552	148,214	352	60.5	55.2-65.8	200	39.5	34.2-44.8
\$25,000- 34,999	367	92,058	248	65.4	59.3-71.5	119	34.6	28.5-40.7
\$35,000- 49,999	462	131,145	313	61.4	55.7-67.1	149	38.6	32.9-44.3
\$50,000- 74,999	432	121,200	298	65.9	60.6-71.2	134	34.1	28.8-39.4
\$75,000+	646	176,114	472	70.3	66.0-74.6	174	29.7	25.4-34.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014

SECTION 18: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	153
2	MALES ONLY	154
3	FEMALES ONLY	155

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 18: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10412	4,536,322	2452	30.4	29.2-31.6	7960	69.6	68.4-70.8
Male	4201	2,203,143	962	27.9	26.1-29.7	3239	72.1	70.3-73.9
Female	6211	2,333,180	1490	32.8	31.0-34.6	4721	67.2	65.4-69.0
White/Non-Hisp	9104	3,708,954	1917	27.0	25.6-28.4	7187	73.0	71.6-74.4
Black or Afr. Am./Non-Hisp	564	380,434	296	57.6	52.3-62.9	268	42.4	37.1-47.7
Oth. Race/Non-Hisp.	201	90,934	45	19.0	11.9-26.1	156	81.0	73.9-88.1
MultiRacial/Non-Hisp.	123	52,493	44	43.5	31.5-55.5	79	56.5	44.5-68.5
Hispanic	279	243,313	108	37.4	30.9-43.9	171	62.6	56.1-69.1
18-24	525	632,102	137	27.8	23.5-32.1	388	72.2	67.9-76.5
25-34	782	733,138	369	49.0	45.1-52.9	413	51.0	47.1-54.9
35-44	1171	749,503	512	43.5	40.0-47.0	659	56.5	53.0-60.0
45-54	1716	794,338	584	34.0	31.3-36.7	1132	66.0	63.3-68.7
55-64	2372	734,865	504	21.4	19.4-23.4	1868	78.6	76.6-80.6
65+	3738	857,006	324	9.7	08.3-11.1	3414	90.3	88.9-91.7
Less Than H.S.	897	622,118	216	32.6	28.3-36.9	681	67.4	63.1-71.7
H.S. or G.E.D.	3535	1,551,314	661	26.2	24.0-28.4	2874	73.8	71.6-76.0
Some Post-H.S.	2682	1,397,070	738	34.7	32.3-37.1	1944	65.3	62.9-67.7
College Graduate	3271	956,593	833	29.7	27.7-31.7	2438	70.3	68.3-72.3
Less than \$15,000	1035	473,570	345	43.5	39.2-47.8	690	56.5	52.2-60.8
\$15,000- 24,999	1686	746,175	400	34.8	31.3-38.3	1286	65.2	61.7-68.7
\$25,000- 34,999	1095	468,128	223	29.7	25.6-33.8	872	70.3	66.2-74.4
\$35,000- 49,999	1410	623,053	314	29.1	25.8-32.4	1096	70.9	67.6-74.2
\$50,000- 74,999	1423	650,942	322	27.1	24.0-30.2	1101	72.9	69.8-76.0
\$75,000+	2375	1,011,653	613	27.9	25.5-30.3	1762	72.1	69.7-74.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 18: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4201	2,203,143	962	27.9	26.1-29.7	3239	72.1	70.3-73.9
White/Non-Hisp	3656	1,794,428	741	24.0	22.0-26.0	2915	76.0	74.0-78.0
Black or Afr. Am./Non-Hisp	215	181,350	123	60.2	52.2-68.2	92	39.8	31.8-47.8
Oth. Race/Non-Hisp.	106	56,756	22	19.0	09.2-28.8	84	81.0	71.2-90.8
Hispanic	112	114,577	38	31.9	22.5-41.3	74	68.1	58.7-77.5
18-24	286	323,368	60	21.8	16.5-27.1	226	78.2	72.9-83.5
25-34	339	363,382	122	40.6	34.7-46.5	217	59.4	53.5-65.3
35-44	510	381,159	181	36.9	31.8-42.0	329	63.1	58.0-68.2
45-54	749	395,998	239	32.6	28.7-36.5	510	67.4	63.5-71.3
55-64	994	358,253	219	21.8	18.7-24.9	775	78.2	75.1-81.3
65+	1290	366,774	134	12.0	09.6-14.4	1156	88.0	85.6-90.4
Less Than H.S.	357	314,055	81	28.9	22.4-35.4	276	71.1	64.6-77.6
H.S. or G.E.D.	1373	776,307	284	25.7	22.8-28.6	1089	74.3	71.4-77.2
Some Post-H.S.	1001	621,071	267	31.6	27.9-35.3	734	68.4	64.7-72.1
College Graduate	1459	485,796	328	26.0	23.1-28.9	1131	74.0	71.1-76.9
Less than \$15,000	326	172,179	107	37.8	30.9-44.7	219	62.2	55.3-69.1
\$15,000- 24,999	546	320,293	141	35.1	29.2-41.0	405	64.9	59.0-70.8
\$25,000- 34,999	429	232,258	93	29.8	23.5-36.1	336	70.2	63.9-76.5
\$35,000- 49,999	609	322,742	143	30.2	25.3-35.1	466	69.8	64.9-74.7
\$50,000- 74,999	682	351,963	142	23.6	19.5-27.7	540	76.4	72.3-80.5
\$75,000+	1175	570,907	248	22.0	19.1-24.9	927	78.0	75.1-80.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014
SECTION 18: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6211	2,333,180	1490	32.8	31.0-34.6	4721	67.2	65.4-69.0
White/Non-Hisp	5448	1,914,527	1176	29.8	28.0-31.6	4272	70.2	68.4-72.0
Black or Afr. Am./Non-Hisp	349	199,084	173	55.3	48.4-62.2	176	44.7	37.8-51.6
Oth. Race/Non-Hisp.	95	34,179	23	19.1	09.3-28.9	72	80.9	71.1-90.7
MultiRacial/Non-Hisp.	75	25,853	27	41.0	26.1-55.9	48	59.0	44.1-73.9
Hispanic	167	128,737	70	42.2	33.6-50.8	97	57.8	49.2-66.4
18-24	239	308,734	77	34.1	27.4-40.8	162	65.9	59.2-72.6
25-34	443	369,755	247	57.3	52.0-62.6	196	42.7	37.4-48.0
35-44	661	368,344	331	50.3	45.8-54.8	330	49.7	45.2-54.2
45-54	967	398,340	345	35.5	32.0-39.0	622	64.5	61.0-68.0
55-64	1378	376,613	285	21.1	18.6-23.6	1093	78.9	76.4-81.4
65+	2448	490,232	190	7.9	06.5-09.3	2258	92.1	90.7-93.5
Less Than H.S.	540	308,063	135	36.3	30.6-42.0	405	63.7	58.0-69.4
H.S. or G.E.D.	2162	775,008	377	26.6	23.7-29.5	1785	73.4	70.5-76.3
Some Post-H.S.	1681	775,998	471	37.2	34.1-40.3	1210	62.8	59.7-65.9
College Graduate	1812	470,797	505	33.5	30.6-36.4	1307	66.5	63.6-69.4
Less than \$15,000	709	301,391	238	46.8	41.5-52.1	471	53.2	47.9-58.5
\$15,000- 24,999	1140	425,882	259	34.5	30.4-38.6	881	65.5	61.4-69.6
\$25,000- 34,999	666	235,870	130	29.5	24.2-34.8	536	70.5	65.2-75.8
\$35,000- 49,999	801	300,312	171	27.8	23.3-32.3	630	72.2	67.7-76.7
\$50,000- 74,999	741	298,979	180	31.2	26.3-36.1	561	68.8	63.9-73.7
\$75,000+	1200	440,746	365	35.4	31.9-38.9	835	64.6	61.1-68.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2014**

End of Calculated Variable Data Report