


INDIANA

2014 Core Variables Report

Behavioral Risk Factor Surveillance System

August 5, 2015



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11431	4,992,893	1646	15.5	14.5-16.5	3651	30.7	29.5-31.9	3783	34.9	33.7-36.1	1623	13.4	12.6-14.2	728	5.5	04.9-06.1
Male	4628	2,425,011	722	16.8	15.4-18.2	1452	30.5	28.7-32.3	1576	35.1	33.3-36.9	612	12.5	11.3-13.7	266	5.2	04.4-06.0
Female	6803	2,567,882	924	14.4	13.2-15.6	2199	30.9	29.3-32.5	2207	34.7	33.1-36.3	1011	14.2	13.0-15.4	462	5.8	05.0-06.6
White/Non-Hisp	9949	4,066,004	1443	15.4	14.4-16.4	3292	32.3	31.1-33.5	3209	33.4	32.0-34.8	1376	13.3	12.3-14.3	629	5.6	05.0-06.2
Black or Afr. Am./Non-Hisp	632	425,802	75	15.3	11.4-19.2	145	24.5	20.2-28.8	257	40.6	35.7-45.5	116	15.1	11.8-18.4	39	4.5	02.7-06.3
Oth. Race/Non-Hisp.	229	104,406	39	18.9	12.2-25.6	62	31.1	22.9-39.3	81	35.3	26.9-43.7	27	8.7	04.4-13.0	20	6.1	02.4-09.8
MultiRacial/Non-Hisp.	131	55,302	23	20.1	11.1-29.1	28	19.4	11.0-27.8	40	36.4	24.8-48.0	25	15.8	07.8-23.8	15	8.3	03.0-13.6
Hispanic	313	267,537	48	16.7	11.8-21.6	74	19.9	15.0-24.8	131	45.4	38.9-51.9	45	13.7	09.4-18.0	15	4.4	02.0-06.8
18-24	566	680,049	130	23.8	19.9-27.7	194	31.9	27.8-36.0	195	35.8	31.5-40.1	41	7.3	04.9-09.7	6	1.2	00.2-02.2
25-34	870	823,593	177	19.1	16.2-22.0	300	31.9	28.4-35.4	288	35.5	31.8-39.2	91	11.4	08.9-13.9	14	2.0	00.8-03.2
35-44	1268	812,295	216	14.9	12.5-17.3	446	32.0	29.1-34.9	438	37.3	34.0-40.6	126	11.8	09.6-14.0	42	4.1	02.7-05.5
45-54	1870	863,970	305	14.2	12.4-16.0	613	30.1	27.7-32.5	577	33.3	30.8-35.8	240	14.6	12.6-16.6	135	7.9	06.3-09.5
55-64	2581	812,336	344	12.3	10.9-13.7	843	31.8	29.6-34.0	842	33.0	30.8-35.2	347	14.1	12.5-15.7	205	8.8	07.4-10.2
65+	4128	950,980	444	10.6	09.4-11.8	1216	27.7	25.9-29.5	1385	34.3	32.3-36.3	765	19.5	17.9-21.1	318	7.9	06.9-08.9
Less Than H.S.	994	688,394	74	10.9	08.2-13.6	152	15.8	12.7-18.9	344	38.9	34.8-43.0	235	20.5	17.4-23.6	189	13.9	11.4-16.4
H.S. or G.E.D.	3920	1,725,606	421	13.9	12.3-15.5	1074	27.6	25.6-29.6	1413	36.7	34.7-38.7	696	15.8	14.4-17.2	316	6.0	05.2-06.8
Some Post-H.S.	2897	1,511,808	376	14.6	12.8-16.4	953	33.3	31.1-35.5	1006	35.7	33.3-38.1	424	12.8	11.2-14.4	138	3.6	02.8-04.4
College Graduate	3525	1,032,809	754	22.6	20.8-24.4	1444	41.8	39.6-44.0	994	28.3	26.3-30.3	253	5.4	04.4-06.4	80	1.9	01.3-02.5
Less than \$15,000	1133	529,198	94	11.0	08.3-13.7	181	16.2	13.3-19.1	328	30.1	26.4-33.8	294	24.5	21.2-27.8	236	18.2	15.3-21.1
\$15,000- 24,999	1820	813,227	164	10.5	08.3-12.7	395	21.7	19.0-24.4	666	39.2	35.9-42.5	404	20.4	17.9-22.9	191	8.2	06.6-09.8
\$25,000- 34,999	1180	506,571	133	14.7	11.6-17.8	346	28.0	24.5-31.5	457	39.8	35.9-43.7	176	12.7	10.3-15.1	68	4.9	03.3-06.5
\$35,000- 49,999	1511	666,865	182	12.5	10.1-14.9	517	33.5	30.4-36.6	571	38.8	35.5-42.1	194	12.2	10.0-14.4	47	3.0	02.0-04.0
\$50,000- 74,999	1523	693,871	254	17.3	14.8-19.8	568	35.5	32.4-38.6	529	36.4	33.1-39.7	138	9.0	07.0-11.0	34	1.8	01.0-02.6
\$75,000+	2521	1,080,910	570	22.5	20.3-24.7	1105	42.0	39.5-44.5	666	28.8	26.4-31.2	147	5.7	04.5-06.9	33	1.0	00.6-01.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4628	2,425,011	722	16.8	15.4-18.2	1452	30.5	28.7-32.3	1576	35.1	33.3-36.9	612	12.5	11.3-13.7	266	5.2	04.4-06.0
White/Non-Hisp	4008	1,969,554	614	16.1	14.5-17.7	1296	31.9	29.9-33.9	1345	34.0	32.0-36.0	523	12.8	11.4-14.2	230	5.3	04.5-06.1
Black or Afr. Am./Non-Hisp	241	200,340	38	20.3	13.6-27.0	63	26.7	20.0-33.4	98	38.9	31.3-46.5	32	10.1	06.0-14.2	10	4.0	01.1-06.9
Oth. Race/Non-Hisp.	121	65,579	22	16.9	09.1-24.7	32	32.9	21.7-44.1	45	39.1	27.7-50.5	14	8.1	02.8-13.4	8	3.1	00.2-06.0
MultiRacial/Non-Hisp.	52	27,462	13	27.4	12.1-42.7	8	13.1	02.9-23.3	16	38.9	21.3-56.5	10	15.2	03.4-27.0	5	5.4	00.3-10.5
Hispanic	128	126,482	24	20.2	12.0-28.4	32	19.3	12.2-26.4	47	41.2	31.4-51.0	15	13.0	06.3-19.7	10	6.2	02.1-10.3
18-24	307	346,000	83	28.3	22.8-33.8	114	34.4	28.7-40.1	92	32.2	26.3-38.1	16	4.4	02.0-06.8	2	0.8	00.0-02.0
25-34	380	413,278	89	21.0	16.5-25.5	125	30.4	25.3-35.5	116	33.9	28.4-39.4	46	13.3	09.4-17.2	4	1.3	00.0-02.7
35-44	545	405,824	86	14.8	11.1-18.5	183	30.0	25.5-34.5	211	40.4	35.3-45.5	48	10.8	07.5-14.1	17	3.9	01.9-05.9
45-54	807	427,074	137	14.5	11.8-17.2	245	29.1	25.4-32.8	269	35.7	31.8-39.6	101	13.2	10.5-15.9	55	7.7	05.5-09.9
55-64	1094	398,252	140	11.4	09.2-13.6	356	33.2	29.9-36.5	373	32.9	29.6-36.2	137	13.1	10.6-15.6	88	9.4	07.0-11.8
65+	1445	413,932	176	11.7	09.7-13.7	416	27.3	24.6-30.0	494	34.4	31.5-37.3	260	19.2	16.7-21.7	99	7.4	05.6-09.2
Less Than H.S.	391	341,408	36	13.3	08.6-18.0	67	16.9	12.2-21.6	126	38.1	31.8-44.4	87	18.4	13.9-22.9	75	13.3	09.8-16.8
H.S. or G.E.D.	1537	866,533	205	16.0	13.5-18.5	383	26.2	23.5-28.9	597	38.1	35.0-41.2	245	14.7	12.5-16.9	107	5.1	03.9-06.3
Some Post-H.S.	1089	674,722	136	14.4	11.7-17.1	369	35.1	31.6-38.6	384	35.2	31.7-38.7	151	11.7	09.3-14.1	49	3.5	02.3-04.7
College Graduate	1573	523,373	335	23.2	20.7-25.7	621	40.2	37.3-43.1	460	28.4	25.7-31.1	123	6.1	04.7-07.5	34	2.0	01.0-03.0
Less than \$15,000	366	197,510	39	12.8	08.3-17.3	55	17.3	12.2-22.4	103	26.0	20.1-31.9	81	21.3	16.0-26.6	88	22.6	17.3-27.9
\$15,000- 24,999	596	350,472	61	12.0	08.3-15.7	129	22.3	17.8-26.8	209	36.8	31.3-42.3	129	20.7	16.4-25.0	68	8.3	05.9-10.7
\$25,000- 34,999	463	250,382	50	15.4	10.5-20.3	136	27.6	22.1-33.1	187	40.3	34.2-46.4	60	11.0	07.7-14.3	30	5.7	03.2-08.2
\$35,000- 49,999	665	347,835	78	12.5	09.2-15.8	194	31.2	26.5-35.9	272	40.4	35.5-45.3	99	12.7	09.8-15.6	22	3.2	01.4-05.0
\$50,000- 74,999	732	378,706	121	17.4	13.7-21.1	250	33.1	28.8-37.4	271	38.4	33.9-42.9	78	9.8	07.1-12.5	12	1.3	00.5-02.1
\$75,000+	1243	604,804	274	22.4	19.5-25.3	532	40.2	36.7-43.7	343	30.4	27.1-33.7	76	5.9	04.3-07.5	18	1.1	00.5-01.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6803	2,567,882	924	14.4	13.2-15.6	2199	30.9	29.3-32.5	2207	34.7	33.1-36.3	1011	14.2	13.0-15.4	462	5.8	05.0-06.6
White/Non-Hisp	5941	2,096,449	829	14.8	13.4-16.2	1996	32.7	31.1-34.3	1864	32.8	31.0-34.6	853	13.7	12.5-14.9	399	5.9	05.1-06.7
Black or Afr. Am./Non-Hisp	391	225,462	37	10.8	06.5-15.1	82	22.5	17.2-27.8	159	42.2	35.7-48.7	84	19.5	14.4-24.6	29	4.9	02.5-07.3
Oth. Race/Non-Hisp.	108	38,827	17	22.2	10.2-34.2	30	28.0	16.6-39.4	36	28.8	17.8-39.8	13	9.8	02.0-17.6	12	11.2	02.8-19.6
MultiRacial/Non-Hisp.	79	27,840	10	12.8	03.6-22.0	20	25.6	12.9-38.3	24	34.0	19.3-48.7	15	16.4	05.6-27.2	10	11.2	02.2-20.2
Hispanic	185	141,055	24	13.5	07.6-19.4	42	20.5	13.8-27.2	84	49.1	40.7-57.5	30	14.2	08.7-19.7	5	2.7	00.0-05.4
18-24	259	334,049	47	19.1	13.8-24.4	80	29.4	23.5-35.3	103	39.6	33.1-46.1	25	10.4	06.3-14.5	4	1.5	00.0-03.1
25-34	490	410,315	88	17.2	13.5-20.9	175	33.4	28.7-38.1	172	37.1	32.2-42.0	45	9.5	06.4-12.6	10	2.7	00.9-04.5
35-44	723	406,471	130	14.9	12.2-17.6	263	34.0	30.1-37.9	227	34.1	29.8-38.4	78	12.7	09.8-15.6	25	4.3	02.3-06.3
45-54	1063	436,895	168	13.9	11.5-16.3	368	31.2	28.1-34.3	308	30.9	27.6-34.2	139	16.0	13.3-18.7	80	8.1	06.1-10.1
55-64	1487	414,083	204	13.1	11.1-15.1	487	30.5	27.8-33.2	469	33.2	30.3-36.1	210	15.0	12.8-17.2	117	8.3	06.5-10.1
65+	2683	537,047	268	9.8	08.4-11.2	800	28.0	25.8-30.2	891	34.2	31.8-36.6	505	19.7	17.7-21.7	219	8.3	06.9-09.7
Less Than H.S.	603	346,986	38	8.5	05.4-11.6	85	14.7	10.8-18.6	218	39.7	34.4-45.0	148	22.6	18.1-27.1	114	14.5	11.2-17.8
H.S. or G.E.D.	2383	859,074	216	11.8	09.8-13.8	691	29.0	26.5-31.5	816	35.4	32.7-38.1	451	17.0	15.0-19.0	209	6.9	05.7-08.1
Some Post-H.S.	1808	837,086	240	14.8	12.4-17.2	584	31.8	28.9-34.7	622	36.1	33.2-39.0	273	13.7	11.7-15.7	89	3.6	02.6-04.6
College Graduate	1952	509,436	419	21.9	19.5-24.3	823	43.5	40.6-46.4	534	28.3	25.8-30.8	130	4.7	03.7-05.7	46	1.7	01.1-02.3
Less than \$15,000	767	331,689	55	9.8	06.3-13.3	126	15.6	12.1-19.1	225	32.6	27.7-37.5	213	26.4	22.1-30.7	148	15.5	12.2-18.8
\$15,000- 24,999	1224	462,755	103	9.3	06.8-11.8	266	21.3	18.0-24.6	457	41.1	37.2-45.0	275	20.2	17.1-23.3	123	8.1	06.1-10.1
\$25,000- 34,999	717	256,189	83	14.0	10.1-17.9	210	28.3	23.6-33.0	270	39.3	34.2-44.4	116	14.3	10.8-17.8	38	4.1	02.5-05.7
\$35,000- 49,999	846	319,031	104	12.6	09.5-15.7	323	35.9	31.6-40.2	299	37.2	32.7-41.7	95	11.6	08.7-14.5	25	2.8	01.4-04.2
\$50,000- 74,999	791	315,165	133	17.2	13.5-20.9	318	38.5	33.8-43.2	258	33.9	29.2-38.6	60	8.0	05.3-10.7	22	2.4	01.0-03.8
\$75,000+	1278	476,105	296	22.6	19.7-25.5	573	44.4	41.1-47.7	323	26.8	23.7-29.9	71	5.3	03.7-06.9	15	0.9	00.3-01.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11152	4,886,852	6929	61.9	60.7-63.1	1118	11.2	10.4-12.0	1146	10.7	09.9-11.5	1081	9.4	08.6-10.2	878	6.8	06.2-07.4
Male	4539	2,381,849	3015	65.4	63.6-67.2	431	11.3	09.9-12.7	410	9.4	08.2-10.6	341	7.4	06.4-08.4	342	6.5	05.7-07.3
Female	6613	2,505,003	3914	58.6	57.0-60.2	687	11.0	09.8-12.2	736	11.9	10.7-13.1	740	11.3	10.1-12.5	536	7.1	06.3-07.9
White/Non-Hisp	9735	4,003,773	6093	62.1	60.7-63.5	966	10.9	09.9-11.9	993	10.8	10.0-11.6	914	9.1	08.3-09.9	769	7.1	06.5-07.7
Black or Afr. Am./Non-Hisp	610	408,338	360	60.2	55.1-65.3	56	10.8	07.1-14.5	78	10.7	08.0-13.4	77	12.9	09.2-16.6	39	5.4	03.2-07.6
Oth. Race/Non-Hisp.	220	98,327	133	64.0	55.6-72.4	29	13.5	07.6-19.4	22	12.7	06.4-19.0	16	4.6	01.3-07.9	20	5.2	02.1-08.3
MultiRacial/Non-Hisp.	126	52,491	52	47.3	35.5-59.1	17	12.3	05.4-19.2	10	8.8	02.7-14.9	29	19.8	10.6-29.0	18	11.8	05.3-18.3
Hispanic	298	254,010	191	64.8	58.5-71.1	38	14.3	09.6-19.0	25	8.5	04.8-12.2	27	7.7	04.4-11.0	17	4.8	02.3-07.3
18-24	564	677,070	346	61.0	56.5-65.5	101	17.2	13.9-20.5	75	13.1	10.0-16.2	33	6.9	04.4-09.4	9	1.7	00.5-02.9
25-34	862	811,625	583	66.4	62.7-70.1	119	13.8	11.3-16.3	80	9.2	07.0-11.4	52	6.6	04.6-08.6	28	4.0	02.4-05.6
35-44	1254	798,445	783	60.1	56.8-63.4	157	11.7	09.3-14.1	154	12.8	10.6-15.0	106	10.4	08.2-12.6	54	4.9	03.5-06.3
45-54	1848	851,543	1161	61.6	58.9-64.3	180	9.7	08.1-11.3	166	8.6	07.0-10.2	186	10.6	08.8-12.4	155	9.5	07.9-11.1
55-64	2549	800,088	1588	61.8	59.4-64.2	214	7.9	06.7-09.1	246	10.0	08.6-11.4	251	10.1	08.5-11.7	250	10.1	08.7-11.5
65+	3933	900,375	2362	59.9	57.9-61.9	340	8.2	07.0-09.4	414	11.0	09.8-12.2	445	11.5	10.3-12.7	372	9.4	08.2-10.6
Less Than H.S.	936	658,512	438	51.6	47.3-55.9	89	11.8	08.7-14.9	95	9.0	06.6-11.4	157	14.4	11.5-17.3	157	13.2	10.7-15.7
H.S. or G.E.D.	3797	1,679,203	2278	62.0	59.8-64.2	324	9.3	07.9-10.7	395	11.2	09.8-12.6	443	10.5	09.1-11.9	357	7.0	06.0-08.0
Some Post-H.S.	2839	1,490,874	1728	60.9	58.5-63.3	272	11.0	09.4-12.6	321	11.5	09.9-13.1	286	9.8	08.4-11.2	232	6.7	05.5-07.9
College Graduate	3492	1,026,886	2428	69.7	67.7-71.7	424	14.0	12.4-15.6	323	9.6	08.2-11.0	189	4.0	03.2-04.8	128	2.7	02.1-03.3
Less than \$15,000	1068	505,842	419	41.4	37.3-45.5	83	8.9	06.4-11.4	116	10.9	08.4-13.4	226	20.4	17.1-23.7	224	18.4	15.5-21.3
\$15,000- 24,999	1751	783,997	906	54.4	51.1-57.7	159	10.9	08.5-13.3	220	11.5	09.5-13.5	250	12.9	10.7-15.1	216	10.3	08.5-12.1
\$25,000- 34,999	1154	498,159	717	63.8	59.9-67.7	118	11.2	08.5-13.9	116	9.5	07.3-11.7	118	9.9	07.4-12.4	85	5.6	04.0-07.2
\$35,000- 49,999	1487	656,639	951	61.4	58.1-64.7	154	12.5	10.1-14.9	176	12.7	10.3-15.1	119	7.8	06.0-09.6	87	5.6	04.0-07.2
\$50,000- 74,999	1513	690,251	1050	66.9	63.6-70.2	157	12.2	09.7-14.7	146	11.4	09.2-13.6	95	5.9	04.3-07.5	65	3.6	02.4-04.8
\$75,000+	2522	1,079,608	1835	72.2	69.8-74.6	280	11.6	10.0-13.2	221	9.3	07.7-10.9	122	4.7	03.5-05.9	64	2.2	01.6-02.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	4539	2,381,849	3015	65.4	63.6-67.2	431	11.3	09.9-12.7	410	9.4	08.2-10.6	341	7.4	06.4-08.4	342	6.5	05.7-07.3	
White/Non-Hisp	3948	1,947,839	2626	65.2	63.2-67.2	367	11.1	09.7-12.5	367	9.7	08.5-10.9	295	7.4	06.4-08.4	293	6.6	05.6-07.6	
Black or Afr. Am./Non-Hisp	232	192,799	161	67.5	59.7-75.3	21	11.2	05.1-17.3	16	5.5	02.4-08.6	22	10.4	04.9-15.9	12	5.3	02.2-08.4	
Oth. Race/Non-Hisp.	113	61,325	74	66.7	55.5-77.9	18	16.3	07.7-24.9	8	10.6	02.4-18.8	3	1.7	00.0-04.2	10	4.7	01.2-08.2	
MultiRacial/Non-Hisp.	51	26,049	26	58.6	41.7-75.5	6	10.5	01.7-19.3	2	1.9	00.0-04.8	7	16.5	02.6-30.4	10	12.4	03.4-21.4	
Hispanic	122	120,457	80	65.7	56.3-75.1	15	13.2	06.3-20.1	11	10.5	04.2-16.8	6	3.9	00.4-07.4	10	6.6	02.3-10.9	
18-24	307	346,295	198	65.4	59.5-71.3	58	18.7	14.0-23.4	39	12.2	08.1-16.3	10	3.0	01.0-05.0	2	0.6	00.0-01.4	
25-34	377	407,710	265	67.2	61.7-72.7	55	15.4	11.3-19.5	27	7.9	04.8-11.0	20	5.9	03.2-08.6	10	3.6	01.2-06.0	
35-44	539	400,279	360	64.2	59.1-69.3	59	10.9	07.4-14.4	62	11.2	08.3-14.1	40	9.7	06.4-13.0	18	4.0	02.0-06.0	
45-54	791	417,951	542	66.1	62.2-70.0	62	8.5	06.1-10.9	56	7.1	04.9-09.3	61	7.8	05.4-10.2	70	10.4	07.9-12.9	
55-64	1078	390,535	718	65.8	62.5-69.1	87	7.9	05.9-09.9	88	7.5	05.7-09.3	79	8.3	06.1-10.5	106	10.4	08.2-12.6	
65+	1399	398,415	894	63.0	59.9-66.1	107	7.2	05.6-08.8	134	10.9	08.7-13.1	130	9.6	07.6-11.6	134	9.4	07.4-11.4	
Less Than H.S.	372	330,762	184	52.9	46.4-59.4	41	15.0	09.7-20.3	29	6.6	03.7-09.5	47	11.8	07.7-15.9	71	13.8	09.9-17.7	
H.S. or G.E.D.	1497	846,403	981	66.9	64.0-69.8	121	9.0	07.0-11.0	130	9.4	07.4-11.4	128	7.9	06.1-09.7	137	6.7	05.3-08.1	
Some Post-H.S.	1074	667,464	692	64.4	60.9-67.9	101	11.0	08.6-13.4	109	10.7	08.3-13.1	89	7.9	05.9-09.9	83	6.0	04.4-07.6	
College Graduate	1561	520,178	1134	72.0	69.3-74.7	165	12.9	10.7-15.1	137	9.4	07.4-11.4	75	3.3	02.3-04.3	50	2.3	01.5-03.1	
Less than \$15,000	344	189,161	148	43.3	36.6-50.0	28	9.0	04.7-13.3	31	8.9	05.4-12.4	56	16.5	11.4-21.6	81	22.3	16.8-27.8	
\$15,000- 24,999	579	339,417	312	55.9	50.4-61.4	52	11.6	07.3-15.9	61	9.6	06.5-12.7	72	12.0	08.5-15.5	82	10.9	07.8-14.0	
\$25,000- 34,999	456	247,771	293	66.9	61.4-72.4	49	11.9	08.0-15.8	44	9.2	06.1-12.3	33	6.1	03.4-08.8	37	5.8	03.6-08.0	
\$35,000- 49,999	652	341,156	430	63.5	58.6-68.4	65	13.8	10.1-17.5	65	9.9	07.0-12.8	45	6.1	03.9-08.3	47	6.7	04.3-09.1	
\$50,000- 74,999	724	374,660	521	67.8	63.1-72.5	69	12.5	08.8-16.2	66	11.1	08.0-14.2	36	4.9	02.7-07.1	32	3.8	02.0-05.6	
\$75,000+	1245	604,878	948	75.4	72.3-78.5	118	10.1	07.9-12.3	97	8.2	06.0-10.4	57	4.6	03.0-06.2	25	1.6	00.8-02.4	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2014

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	6613	2,505,003	3914	58.6	57.0-60.2	687	11.0	09.8-12.2	736	11.9	10.7-13.1	740	11.3	10.1-12.5	536	7.1	06.3-07.9	
White/Non-Hisp	5787	2,055,934	3467	59.1	57.3-60.9	599	10.8	09.6-12.0	626	11.8	10.6-13.0	619	10.7	09.5-11.9	476	7.6	06.6-08.6	
Black or Afr. Am./Non-Hisp	378	215,540	199	53.6	46.9-60.3	35	10.5	06.0-15.0	62	15.2	10.9-19.5	55	15.2	10.1-20.3	27	5.4	02.7-08.1	
Oth. Race/Non-Hisp.	107	37,002	59	59.5	47.2-71.8	11	8.8	02.1-15.5	14	16.3	06.5-26.1	13	9.5	02.2-16.8	10	5.9	00.2-11.6	
MultiRacial/Non-Hisp.	75	26,442	26	36.1	21.0-51.2	11	14.0	03.6-24.4	8	15.5	04.5-26.5	22	23.1	10.9-35.3	8	11.3	01.9-20.7	
Hispanic	176	133,553	111	63.9	55.5-72.3	23	15.2	08.5-21.9	14	6.6	02.7-10.5	21	11.1	05.6-16.6	7	3.1	00.6-05.6	
18-24	257	330,776	148	56.4	49.7-63.1	43	15.6	10.9-20.3	36	14.1	09.2-19.0	23	11.0	06.5-15.5	7	2.9	00.7-05.1	
25-34	485	403,915	318	65.7	60.8-70.6	64	12.1	08.8-15.4	53	10.5	07.4-13.6	32	7.2	04.5-09.9	18	4.5	02.3-06.7	
35-44	715	398,166	423	56.1	51.8-60.4	98	12.6	09.9-15.3	92	14.3	11.0-17.6	66	11.2	08.3-14.1	36	5.8	03.6-08.0	
45-54	1057	433,591	619	57.4	53.9-60.9	118	10.8	08.6-13.0	110	10.0	08.0-12.0	125	13.3	10.8-15.8	85	8.6	06.4-10.8	
55-64	1471	409,553	870	58.0	54.9-61.1	127	7.8	06.2-09.4	158	12.4	10.2-14.6	172	11.9	09.9-13.9	144	9.9	08.1-11.7	
65+	2534	501,960	1468	57.5	55.0-60.0	233	9.0	07.6-10.4	280	11.1	09.5-12.7	315	13.0	11.2-14.8	238	9.4	07.8-11.0	
Less Than H.S.	564	327,751	254	50.2	44.7-55.7	48	8.6	05.7-11.5	66	11.5	08.0-15.0	110	17.0	13.1-20.9	86	12.7	09.4-16.0	
H.S. or G.E.D.	2300	832,801	1297	57.0	54.3-59.7	203	9.6	07.8-11.4	265	13.1	11.1-15.1	315	13.1	11.1-15.1	220	7.2	06.0-08.4	
Some Post-H.S.	1765	823,410	1036	58.1	55.0-61.2	171	11.1	08.9-13.3	212	12.2	10.0-14.4	197	11.4	09.2-13.6	149	7.3	05.7-08.9	
College Graduate	1931	506,708	1294	67.3	64.6-70.0	259	15.0	12.8-17.2	186	9.8	08.0-11.6	114	4.8	03.6-06.0	78	3.1	02.1-04.1	
Less than \$15,000	724	316,681	271	40.3	35.0-45.6	55	8.9	05.8-12.0	85	12.1	08.6-15.6	170	22.7	18.4-27.0	143	16.0	12.7-19.3	
\$15,000- 24,999	1172	444,580	594	53.2	49.1-57.3	107	10.4	07.9-12.9	159	13.0	10.5-15.5	178	13.6	11.1-16.1	134	9.8	07.4-12.2	
\$25,000- 34,999	698	250,388	424	60.8	55.5-66.1	69	10.4	06.9-13.9	72	9.7	06.6-12.8	85	13.7	09.6-17.8	48	5.4	03.4-07.4	
\$35,000- 49,999	835	315,484	521	59.1	54.4-63.8	89	11.1	08.4-13.8	111	15.7	12.0-19.4	74	9.6	06.7-12.5	40	4.4	02.6-06.2	
\$50,000- 74,999	789	315,591	529	65.9	61.2-70.6	88	11.9	08.6-15.2	80	11.8	08.5-15.1	59	7.0	04.8-09.2	33	3.4	01.8-05.0	
\$75,000+	1277	474,730	887	68.2	64.9-71.5	162	13.5	11.1-15.9	124	10.7	08.3-13.1	65	4.8	03.4-06.2	39	2.9	01.7-04.1	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	11256	4,929,001	7599	63.0	61.8-64.2	963	9.3	08.5-10.1	1065	10.7	09.9-11.5	1007	10.6	09.8-11.4	622	6.3	05.7-06.9	
Male	4558	2,395,123	3361	68.5	66.7-70.3	341	8.6	07.6-09.6	339	9.1	07.9-10.3	310	8.5	07.3-09.7	207	5.3	04.3-06.3	
Female	6698	2,533,878	4238	57.9	56.1-59.7	622	10.0	09.0-11.0	726	12.2	11.0-13.4	697	12.6	11.4-13.8	415	7.3	06.3-08.3	
White/Non-Hisp	9809	4,015,869	6656	63.1	61.7-64.5	834	9.0	08.2-09.8	922	10.5	09.5-11.5	860	10.8	09.8-11.8	537	6.6	05.8-07.4	
Black or Afr. Am./Non-Hisp	620	417,366	406	61.6	56.5-66.7	50	9.6	06.5-12.7	62	11.7	08.2-15.2	66	10.9	07.8-14.0	36	6.2	03.5-08.9	
Oth. Race/Non-Hisp.	227	104,338	147	65.5	57.1-73.9	17	10.4	04.9-15.9	26	13.2	06.5-19.9	22	6.9	03.2-10.6	15	4.0	01.1-06.9	
MultiRacial/Non-Hisp.	126	54,300	67	47.0	35.4-58.6	19	18.4	08.8-28.0	12	10.6	01.6-19.6	18	14.7	07.1-22.3	10	9.3	02.8-15.8	
Hispanic	314	269,093	207	65.4	59.3-71.5	32	11.4	07.1-15.7	32	11.3	07.2-15.4	26	7.5	04.4-10.6	17	4.3	02.1-06.5	
18-24	560	671,977	291	52.0	47.5-56.5	68	11.8	08.9-14.7	98	17.6	14.1-21.1	77	13.8	10.7-16.9	26	4.7	02.7-06.7	
25-34	866	817,350	487	55.9	52.2-59.6	100	11.0	08.6-13.4	122	12.7	10.3-15.1	101	12.9	10.2-15.6	56	7.5	05.3-09.7	
35-44	1258	806,538	743	57.4	54.1-60.7	140	9.9	07.9-11.9	147	12.1	09.7-14.5	143	12.7	10.5-14.9	85	7.8	05.8-09.8	
45-54	1858	855,693	1168	62.8	60.3-65.3	177	9.9	08.3-11.5	186	9.0	07.4-10.6	194	10.6	09.0-12.2	133	7.7	06.1-09.3	
55-64	2555	801,889	1726	68.1	65.9-70.3	212	7.9	06.7-09.1	217	8.2	06.8-09.6	223	8.7	07.3-10.1	177	7.0	05.8-08.2	
65+	4019	928,106	3067	76.9	75.1-78.7	261	6.6	05.6-07.6	290	6.7	05.7-07.7	263	6.3	05.3-07.3	138	3.5	02.7-04.3	
Less Than H.S.	963	673,576	535	52.1	48.0-56.2	65	7.2	05.0-09.4	111	12.5	09.6-15.4	120	14.4	11.3-17.5	132	13.9	11.0-16.8	
H.S. or G.E.D.	3839	1,692,551	2599	64.5	62.3-66.7	280	8.4	07.2-09.6	323	9.4	08.0-10.8	404	11.5	10.1-12.9	233	6.3	05.3-07.3	
Some Post-H.S.	2870	1,503,791	1902	62.8	60.4-65.2	251	9.6	08.0-11.2	272	11.2	09.6-12.8	282	10.8	09.2-12.4	163	5.7	04.5-06.9	
College Graduate	3494	1,027,433	2501	68.0	66.0-70.0	359	11.9	10.5-13.3	349	11.1	09.7-12.5	198	6.6	05.4-07.8	87	2.4	01.8-03.0	
Less than \$15,000	1093	512,398	517	41.1	37.2-45.0	83	8.3	05.8-10.8	132	14.0	11.1-16.9	192	19.5	16.2-22.8	169	17.1	14.0-20.2	
\$15,000- 24,999	1788	804,229	1101	55.1	51.8-58.4	131	8.3	06.3-10.3	170	10.4	08.2-12.6	243	15.7	13.2-18.2	143	10.5	08.3-12.7	
\$25,000- 34,999	1160	503,233	775	64.6	60.7-68.5	113	10.9	08.2-13.6	111	10.7	08.2-13.2	97	8.4	06.2-10.6	64	5.3	03.3-07.3	
\$35,000- 49,999	1494	657,141	1039	65.5	62.2-68.8	126	9.5	07.3-11.7	145	11.1	08.9-13.3	120	8.7	06.7-10.7	64	5.1	03.5-06.7	
\$50,000- 74,999	1513	686,395	1083	68.1	64.8-71.4	149	9.8	07.8-11.8	139	10.2	08.0-12.4	97	8.7	06.5-10.9	45	3.2	01.8-04.6	
\$75,000+	2517	1,078,940	1875	71.8	69.4-74.2	249	10.3	08.7-11.9	229	10.3	08.5-12.1	120	5.4	04.0-06.8	44	2.1	01.3-02.9	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2014

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4558	2,395,123	3361	68.5	66.7-70.3	341	8.6	07.6-09.6	339	9.1	07.9-10.3	310	8.5	07.3-09.7	207	5.3	04.3-06.3
White/Non-Hisp	3955	1,943,546	2956	69.7	67.7-71.7	286	8.2	07.0-09.4	283	8.5	07.3-09.7	259	8.4	07.2-09.6	171	5.3	04.1-06.5
Black or Afr. Am./Non-Hisp	235	197,531	160	61.7	53.9-69.5	21	10.5	05.8-15.2	17	10.1	04.2-16.0	24	11.4	06.3-16.5	13	6.4	02.3-10.5
Oth. Race/Non-Hisp.	119	65,749	78	63.4	52.0-74.8	9	9.0	02.3-15.7	16	17.4	07.6-27.2	9	7.0	01.7-12.3	7	3.1	00.0-06.2
MultiRacial/Non-Hisp.	51	27,100	28	46.6	29.4-63.8	7	14.8	02.5-27.1	5	17.1	00.2-34.0	4	9.8	00.0-20.4	7	11.7	01.5-21.9
Hispanic	129	127,996	89	68.8	60.0-77.6	13	10.7	04.4-17.0	12	10.7	04.8-16.6	8	6.3	01.8-10.8	7	3.4	00.5-06.3
18-24	303	341,737	180	60.1	54.0-66.2	32	10.2	06.5-13.9	49	16.0	11.5-20.5	31	10.2	06.3-14.1	11	3.5	01.3-05.7
25-34	380	411,513	229	59.3	53.6-65.0	45	10.6	07.3-13.9	45	10.9	07.6-14.2	41	12.1	08.2-16.0	20	7.1	03.6-10.6
35-44	540	402,978	351	61.6	56.5-66.7	54	9.1	06.4-11.8	52	11.8	07.9-15.7	54	10.6	07.5-13.7	29	6.9	04.0-09.8
45-54	796	420,230	562	71.1	67.4-74.8	68	9.6	07.1-12.1	66	6.4	04.6-08.2	58	7.2	05.0-09.4	42	5.7	03.7-07.7
55-64	1084	393,770	818	74.1	71.0-77.2	69	6.9	05.1-08.7	72	7.0	05.2-08.8	68	7.0	05.0-09.0	57	5.1	03.5-06.7
65+	1408	404,796	1178	82.6	80.1-85.1	73	5.7	04.1-07.3	53	3.8	02.4-05.2	58	4.6	03.0-06.2	46	3.3	02.1-04.5
Less Than H.S.	379	337,590	234	57.2	50.7-63.7	25	7.0	03.9-10.1	41	12.0	07.3-16.7	34	12.4	07.7-17.1	45	11.4	07.1-15.7
H.S. or G.E.D.	1496	844,811	1091	69.1	66.2-72.0	97	7.7	05.9-09.5	102	8.0	06.2-09.8	124	9.3	07.3-11.3	82	5.8	04.2-07.4
Some Post-H.S.	1082	672,096	785	69.3	65.8-72.8	85	8.9	06.7-11.1	87	9.9	07.5-12.3	80	7.9	05.9-09.9	45	3.9	02.3-05.5
College Graduate	1565	522,493	1222	73.4	70.5-76.3	133	10.7	08.7-12.7	105	8.1	06.3-09.9	72	5.7	04.1-07.3	33	2.2	01.2-03.2
Less than \$15,000	351	190,888	172	43.8	37.3-50.3	25	7.7	04.0-11.4	42	12.6	08.3-16.9	59	19.6	14.1-25.1	53	16.3	11.2-21.4
\$15,000- 24,999	582	345,016	366	55.4	49.7-61.1	41	7.7	04.8-10.6	49	9.8	06.1-13.5	79	16.5	12.4-20.6	47	10.5	06.6-14.4
\$25,000- 34,999	458	251,483	331	70.1	64.4-75.8	39	8.8	05.5-12.1	41	10.7	06.8-14.6	25	5.2	02.8-07.6	22	5.1	01.8-08.4
\$35,000- 49,999	656	343,180	498	71.7	67.0-76.4	47	9.7	06.4-13.0	47	9.1	06.2-12.0	38	5.5	03.1-07.9	26	3.9	01.9-05.9
\$50,000- 74,999	726	372,933	566	73.6	69.3-77.9	68	9.5	07.0-12.0	49	9.5	06.4-12.6	28	5.2	02.7-07.7	15	2.2	00.8-03.6
\$75,000+	1244	605,527	1010	77.3	74.2-80.4	90	8.5	06.5-10.5	81	7.7	05.5-09.9	45	4.6	02.8-06.4	18	1.8	00.6-03.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6698	2,533,878	4238	57.9	56.1-59.7	622	10.0	09.0-11.0	726	12.2	11.0-13.4	697	12.6	11.4-13.8	415	7.3	06.3-08.3
White/Non-Hisp	5854	2,072,322	3700	57.0	55.2-58.8	548	9.8	08.6-11.0	639	12.5	11.1-13.9	601	13.0	11.6-14.4	366	7.7	06.7-08.7
Black or Afr. Am./Non-Hisp	385	219,836	246	61.6	55.1-68.1	29	8.8	04.5-13.1	45	13.0	08.5-17.5	42	10.5	06.6-14.4	23	6.0	02.7-09.3
Oth. Race/Non-Hisp.	108	38,589	69	69.0	57.2-80.8	8	12.6	02.6-22.6	10	6.1	01.6-10.6	13	6.7	01.8-11.6	8	5.6	00.0-11.3
MultiRacial/Non-Hisp.	75	27,200	39	47.3	32.2-62.4	12	22.1	07.8-36.4	7	4.2	00.5-07.9	14	19.6	08.4-30.8	3	6.9	00.0-14.9
Hispanic	185	141,097	118	62.4	54.2-70.6	19	11.9	06.0-17.8	20	11.9	06.2-17.6	18	8.6	04.3-12.9	10	5.2	01.9-08.5
18-24	257	330,241	111	43.6	36.9-50.3	36	13.4	08.9-17.9	49	19.4	14.1-24.7	46	17.5	12.4-22.6	15	6.1	03.0-09.2
25-34	486	405,838	258	52.4	47.3-57.5	55	11.4	08.1-14.7	77	14.4	10.9-17.9	60	13.8	10.1-17.5	36	7.9	05.2-10.6
35-44	718	403,560	392	53.2	48.9-57.5	86	10.8	08.1-13.5	95	12.5	09.6-15.4	89	14.9	11.8-18.0	56	8.7	06.2-11.2
45-54	1062	435,463	606	54.9	51.4-58.4	109	10.2	08.0-12.4	120	11.5	09.1-13.9	136	13.8	11.3-16.3	91	9.7	07.5-11.9
55-64	1471	408,119	908	62.4	59.5-65.3	143	9.0	07.4-10.6	145	9.4	07.6-11.2	155	10.3	08.5-12.1	120	8.9	07.1-10.7
65+	2611	523,310	1889	72.5	70.3-74.7	188	7.2	05.8-08.6	237	9.0	07.6-10.4	205	7.6	06.4-08.8	92	3.7	02.7-04.7
Less Than H.S.	584	335,986	301	46.9	41.4-52.4	40	7.3	04.4-10.2	70	12.9	09.2-16.6	86	16.5	12.4-20.6	87	16.4	12.5-20.3
H.S. or G.E.D.	2343	847,740	1508	59.8	57.1-62.5	183	9.1	07.3-10.9	221	10.7	08.9-12.5	280	13.6	11.4-15.8	151	6.7	05.3-08.1
Some Post-H.S.	1788	831,695	1117	57.5	54.4-60.6	166	10.2	08.2-12.2	185	12.2	10.0-14.4	202	13.1	10.9-15.3	118	7.1	05.5-08.7
College Graduate	1929	504,940	1279	62.3	59.4-65.2	226	13.0	11.0-15.0	244	14.3	12.1-16.5	126	7.6	06.0-09.2	54	2.7	01.7-03.7
Less than \$15,000	742	321,510	345	39.5	34.6-44.4	58	8.6	05.3-11.9	90	14.8	10.9-18.7	133	19.5	15.4-23.6	116	17.6	13.9-21.3
\$15,000- 24,999	1206	459,213	735	54.9	50.8-59.0	90	8.7	06.2-11.2	121	10.8	08.3-13.3	164	15.1	12.2-18.0	96	10.5	08.0-13.0
\$25,000- 34,999	702	251,750	444	59.1	53.8-64.4	74	13.0	08.9-17.1	70	10.8	07.5-14.1	72	11.5	08.0-15.0	42	5.5	03.5-07.5
\$35,000- 49,999	838	313,961	541	58.8	54.3-63.3	79	9.3	06.8-11.8	98	13.3	10.0-16.6	82	12.1	09.2-15.0	38	6.5	04.0-09.0
\$50,000- 74,999	787	313,463	517	61.7	56.8-66.6	81	10.2	07.3-13.1	90	11.0	08.1-13.9	69	12.8	09.1-16.5	30	4.4	02.2-06.6
\$75,000+	1273	473,413	865	64.8	61.5-68.1	159	12.7	10.3-15.1	148	13.5	10.8-16.2	75	6.5	04.7-08.3	26	2.5	01.5-03.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2014

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5987	2,734,290	3473	57.6	55.8-59.4	560	9.9	08.9-10.9	641	11.5	10.3-12.7	792	12.3	11.1-13.5	521	8.7	07.7-09.7
Male	2139	1,203,436	1243	57.7	55.0-60.4	213	10.1	08.5-11.7	222	11.1	09.3-12.9	261	11.8	10.0-13.6	200	9.3	07.7-10.9
Female	3848	1,530,854	2230	57.5	55.3-59.7	347	9.8	08.4-11.2	419	11.7	10.1-13.3	531	12.8	11.4-14.2	321	8.2	07.0-09.4
White/Non-Hisp	5169	2,215,410	3013	58.0	56.2-59.8	476	9.5	08.5-10.5	552	11.1	09.9-12.3	682	12.4	11.2-13.6	446	9.0	07.8-10.2
Black or Afr. Am./Non-Hisp	347	238,445	189	51.8	44.9-58.7	32	11.5	06.8-16.2	37	12.6	07.3-17.9	53	14.9	10.2-19.6	36	9.2	05.7-12.7
Oth. Race/Non-Hisp.	122	55,584	67	54.4	42.2-66.6	10	5.4	00.5-10.3	17	22.0	11.2-32.8	18	9.8	03.7-15.9	10	8.3	02.0-14.6
MultiRacial/Non-Hisp.	93	39,303	42	45.6	31.7-59.5	14	11.2	03.8-18.6	11	12.6	03.6-21.6	15	18.7	07.7-29.7	11	11.9	04.3-19.5
Hispanic	170	148,082	107	64.5	56.5-72.5	22	13.1	07.4-18.8	18	12.1	06.4-17.8	16	7.6	03.5-11.7	7	2.7	00.5-04.9
18-24	357	423,013	211	59.7	54.0-65.4	60	15.5	11.6-19.4	56	15.5	11.2-19.8	24	7.2	04.1-10.3	6	2.0	00.2-03.8
25-34	489	465,013	306	62.3	57.4-67.2	58	9.9	07.2-12.6	57	12.5	09.2-15.8	40	8.2	05.5-10.9	28	7.1	04.2-10.0
35-44	725	478,722	430	54.9	50.4-59.4	91	11.6	08.9-14.3	82	12.7	09.4-16.0	85	13.9	10.8-17.0	37	7.0	04.5-09.5
45-54	991	465,517	542	54.5	50.8-58.2	98	9.0	06.8-11.2	92	8.1	06.3-09.9	145	15.1	12.4-17.8	114	13.3	10.8-15.8
55-64	1288	403,912	673	51.4	48.1-54.7	111	7.6	06.0-09.2	144	10.1	08.1-12.1	222	18.2	15.5-20.9	138	12.7	10.3-15.1
65+	2080	478,067	1271	61.4	58.7-64.1	141	6.5	05.1-07.9	205	10.3	08.5-12.1	272	12.0	10.2-13.8	191	9.7	07.9-11.5
Less Than H.S.	650	443,408	326	49.8	44.7-54.9	31	6.0	03.5-08.5	65	10.3	07.0-13.6	121	17.7	13.8-21.6	107	16.3	12.8-19.8
H.S. or G.E.D.	2079	926,442	1184	58.5	55.6-61.4	152	8.7	06.9-10.5	214	11.1	09.1-13.1	318	12.6	10.8-14.4	211	9.1	07.5-10.7
Some Post-H.S.	1561	847,728	875	55.7	52.6-58.8	157	11.0	09.0-13.0	177	12.9	10.5-15.3	219	12.6	10.6-14.6	133	7.8	06.0-09.6
College Graduate	1647	498,971	1054	65.7	62.8-68.6	218	14.0	11.8-16.2	180	11.1	09.1-13.1	128	6.4	05.0-07.8	67	2.9	01.9-03.9
Less than \$15,000	828	400,870	330	39.2	34.5-43.9	56	7.6	05.1-10.1	94	11.5	08.6-14.4	195	21.7	18.0-25.4	153	19.9	16.4-23.4
\$15,000- 24,999	1112	512,313	585	52.6	48.5-56.7	62	6.1	03.9-08.3	131	12.1	09.2-15.0	204	16.9	14.0-19.8	130	12.3	09.6-15.0
\$25,000- 34,999	638	278,029	400	62.6	57.3-67.9	56	9.4	06.5-12.3	64	10.6	07.3-13.9	75	11.5	08.0-15.0	43	5.9	02.8-09.0
\$35,000- 49,999	777	362,259	481	62.4	57.9-66.9	81	10.4	07.5-13.3	84	11.4	08.3-14.5	89	10.0	07.5-12.5	42	5.8	03.4-08.2
\$50,000- 74,999	708	344,374	430	60.9	56.0-65.8	90	12.4	09.3-15.5	83	13.5	10.0-17.0	66	9.1	06.2-12.0	39	4.1	02.3-05.9
\$75,000+	1066	477,961	695	64.7	61.0-68.4	158	14.8	12.1-17.5	113	12.2	09.3-15.1	64	4.8	03.4-06.2	36	3.5	02.1-04.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2139	1,203,436	1243	57.7	55.0-60.4	213	10.1	08.5-11.7	222	11.1	09.3-12.9	261	11.8	10.0-13.6	200	9.3	07.7-10.9
White/Non-Hisp	1825	962,626	1059	58.4	55.5-61.3	179	9.5	07.9-11.1	193	10.6	08.6-12.6	230	12.2	10.2-14.2	164	9.4	07.6-11.2
Black or Afr. Am./Non-Hisp	120	104,990	70	51.2	39.8-62.6	10	13.4	05.2-21.6	8	9.9	00.9-18.9	17	14.3	06.9-21.7	15	11.2	05.1-17.3
Oth. Race/Non-Hisp.	59	33,851	35	59.8	43.7-75.9	6	4.0	00.0-08.3	10	27.9	12.2-43.6	4	2.5	00.0-05.0	4	5.8	00.0-12.1
Hispanic	67	68,394	36	55.5	42.4-68.6	12	16.0	06.6-25.4	9	16.8	06.4-27.2	5	6.8	00.5-13.1	5	4.8	00.3-09.3
18-24	180	197,157	111	63.0	55.2-70.8	33	17.7	11.6-23.8	26	14.1	08.2-20.0	9	4.9	01.6-08.2	1	0.3	00.0-00.9
25-34	194	216,963	115	60.0	52.2-67.8	23	9.6	05.5-13.7	26	12.9	07.8-18.0	18	9.6	04.9-14.3	12	7.9	03.0-12.8
35-44	278	218,863	171	55.7	48.4-63.0	30	9.2	05.5-12.9	28	12.9	07.2-18.6	34	14.7	09.6-19.8	15	7.6	03.1-12.1
45-54	362	198,014	194	54.2	48.1-60.3	34	8.6	05.3-11.9	35	7.9	05.0-10.8	49	14.4	09.9-18.9	50	14.9	10.6-19.2
55-64	478	180,565	251	50.9	45.4-56.4	41	8.1	05.4-10.8	53	8.5	06.0-11.0	78	17.7	13.4-22.0	55	14.8	10.7-18.9
65+	632	185,329	391	61.3	56.4-66.2	51	7.8	05.1-10.5	53	10.1	06.8-13.4	73	10.2	07.5-12.9	64	10.6	07.5-13.7
Less Than H.S.	244	212,279	127	51.4	43.4-59.4	13	6.1	02.0-10.2	23	9.4	04.1-14.7	36	15.1	09.2-21.0	45	18.0	12.1-23.9
H.S. or G.E.D.	726	420,439	429	61.0	56.5-65.5	50	7.3	04.9-09.7	70	10.9	07.8-14.0	101	11.9	09.2-14.6	76	8.9	06.7-11.1
Some Post-H.S.	520	337,961	270	52.2	46.9-57.5	69	14.3	10.6-18.0	61	12.4	08.9-15.9	68	12.6	09.3-15.9	52	8.5	05.4-11.6
College Graduate	631	223,631	405	65.3	60.6-70.0	80	13.3	10.0-16.6	66	11.6	08.3-14.9	54	7.0	04.6-09.4	26	2.9	01.3-04.5
Less than \$15,000	263	145,451	102	36.7	29.3-44.1	14	5.3	02.0-08.6	24	10.3	05.6-15.0	62	23.1	16.6-29.6	61	24.7	18.2-31.2
\$15,000- 24,999	344	209,162	167	47.8	40.7-54.9	29	8.1	04.4-11.8	40	12.4	06.9-17.9	64	19.3	13.6-25.0	44	12.4	07.9-16.9
\$25,000- 34,999	227	124,057	142	63.5	55.1-71.9	22	9.7	05.2-14.2	21	8.6	04.3-12.9	25	10.2	05.1-15.3	17	8.1	01.8-14.4
\$35,000- 49,999	307	172,295	187	61.7	54.6-68.8	29	11.3	06.6-16.0	36	12.3	07.4-17.2	33	8.2	04.7-11.7	22	6.5	03.0-10.0
\$50,000- 74,999	303	177,342	193	63.3	56.2-70.4	39	12.5	07.8-17.2	29	11.0	06.3-15.7	23	8.1	03.8-12.4	19	5.1	02.0-08.2
\$75,000+	439	231,998	285	65.7	59.8-71.6	61	12.6	08.9-16.3	52	13.7	09.0-18.4	26	4.8	02.4-07.2	15	3.2	01.0-05.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2014

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3848	1,530,854	2230	57.5	55.3-59.7	347	9.8	8.4-11.2	419	11.7	10.1-13.3	531	12.8	11.4-14.2	321	8.2	07.0-09.4
White/Non-Hisp	3344	1,252,783	1954	57.7	55.3-60.1	297	9.6	8.2-11.0	359	11.4	09.8-13.0	452	12.5	10.9-14.1	282	8.7	07.3-10.1
Black or Afr. Am./Non-Hisp	227	133,455	119	52.2	43.6-60.8	22	10.0	04.7-15.3	29	14.8	08.3-21.3	36	15.4	09.3-21.5	21	7.7	03.4-12.0
Oth. Race/Non-Hisp.	63	21,734	32	46.2	28.2-64.2	4	7.6	00.0-17.8	7	12.9	00.9-24.9	14	21.3	07.2-35.4	6	12.0	00.0-24.3
MultiRacial/Non-Hisp.	59	21,526	24	36.7	19.8-53.6	10	11.3	01.7-20.9	10	21.7	06.8-36.6	11	18.9	06.4-31.4	4	11.3	00.1-22.5
Hispanic	103	79,689	71	72.3	62.7-81.9	10	10.5	03.6-17.4	9	8.1	02.4-13.8	11	8.2	02.9-13.5	2	0.9	00.0-02.3
18-24	177	225,856	100	56.9	48.9-64.9	27	13.7	08.4-19.0	30	16.7	10.6-22.8	15	9.2	04.3-14.1	5	3.5	00.2-06.8
25-34	295	248,050	191	64.3	58.2-70.4	35	10.2	06.7-13.7	31	12.1	07.8-16.4	22	7.0	03.9-10.1	16	6.4	03.1-09.7
35-44	447	259,859	259	54.2	48.7-59.7	61	13.6	09.7-17.5	54	12.5	08.8-16.2	51	13.3	09.6-17.0	22	6.5	03.6-09.4
45-54	629	267,503	348	54.8	50.3-59.3	64	9.3	06.8-11.8	57	8.2	05.8-10.6	96	15.6	12.3-18.9	64	12.1	08.8-15.4
55-64	810	223,346	422	51.8	47.7-55.9	70	7.2	05.2-09.2	91	11.3	08.6-14.0	144	18.5	15.2-21.8	83	11.1	08.6-13.6
65+	1448	292,737	880	61.5	58.4-64.6	90	5.8	04.4-07.2	152	10.5	08.5-12.5	199	13.2	11.0-15.4	127	9.1	07.1-11.1
Less Than H.S.	406	231,129	199	48.3	41.8-54.8	18	5.9	02.8-09.0	42	11.0	06.9-15.1	85	20.1	15.0-25.2	62	14.8	10.5-19.1
H.S. or G.E.D.	1353	506,003	755	56.5	52.8-60.2	102	9.9	07.4-12.4	144	11.3	08.8-13.8	217	13.2	10.8-15.6	135	9.2	07.2-11.2
Some Post-H.S.	1041	509,767	605	58.0	54.1-61.9	88	8.8	06.6-11.0	116	13.2	10.3-16.1	151	12.7	10.2-15.2	81	7.3	05.1-09.5
College Graduate	1016	275,340	649	66.0	62.3-69.7	138	14.5	11.6-17.4	114	10.7	08.2-13.2	74	5.9	04.1-07.7	41	2.9	01.9-03.9
Less than \$15,000	565	255,419	228	40.6	34.7-46.5	42	9.0	05.3-12.7	70	12.3	08.6-16.0	133	20.9	16.4-25.4	92	17.2	13.1-21.3
\$15,000- 24,999	768	303,152	418	55.9	51.0-60.8	33	4.7	02.3-07.1	91	11.9	08.6-15.2	140	15.3	12.0-18.6	86	12.2	08.9-15.5
\$25,000- 34,999	411	153,972	258	62.0	55.1-68.9	34	9.2	05.1-13.3	43	12.2	07.3-17.1	50	12.5	07.8-17.2	26	4.2	02.2-06.2
\$35,000- 49,999	470	189,964	294	63.0	57.1-68.9	52	9.7	06.4-13.0	48	10.5	06.4-14.6	56	11.7	08.0-15.4	20	5.1	02.0-08.2
\$50,000- 74,999	405	167,032	237	58.4	51.7-65.1	51	12.3	08.0-16.6	54	16.2	10.7-21.7	43	10.1	06.0-14.2	20	3.0	01.6-04.4
\$75,000+	627	245,963	410	63.8	58.9-68.7	97	16.9	13.0-20.8	61	10.9	07.6-14.2	38	4.7	02.9-06.5	21	3.7	01.7-05.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11478	4,998,030	10462	85.3	84.3-86.3	1016	14.7	13.7-15.7
Male	4643	2,420,728	4177	84.3	82.7-85.9	466	15.7	14.1-17.3
Female	6835	2,577,302	6285	86.2	84.8-87.6	550	13.8	12.4-15.2
White/Non-Hisp	9997	4,069,854	9257	87.5	86.5-88.5	740	12.5	11.5-13.5
Black or Afr. Am./Non-Hisp	631	422,547	540	81.7	77.8-85.6	91	18.3	14.4-22.2
Oth. Race/Non-Hisp.	228	104,510	198	81.6	74.0-89.2	30	18.4	10.8-26.0
MultiRacial/Non-Hisp.	130	55,201	115	87.7	80.4-95.0	15	12.3	05.0-19.6
Hispanic	316	272,010	191	56.7	50.4-63.0	125	43.3	37.0-49.6
18-24	562	671,925	436	76.9	73.0-80.8	126	23.1	19.2-27.0
25-34	868	818,505	661	71.9	68.4-75.4	207	28.1	24.6-31.6
35-44	1272	815,819	1081	82.7	80.2-85.2	191	17.3	14.8-19.8
45-54	1878	864,900	1669	87.0	85.0-89.0	209	13.0	11.0-15.0
55-64	2603	819,661	2377	90.1	88.5-91.7	226	9.9	08.3-11.5
65+	4150	957,562	4098	98.4	97.8-99.0	52	1.6	01.0-02.2
Less Than H.S.	1000	688,708	802	70.1	66.2-74.0	198	29.9	26.0-33.8
H.S. or G.E.D.	3936	1,723,472	3528	83.5	81.7-85.3	408	16.5	14.7-18.3
Some Post-H.S.	2908	1,515,324	2647	87.6	85.8-89.4	261	12.4	10.6-14.2
College Graduate	3540	1,036,334	3398	94.5	93.5-95.5	142	5.5	04.5-06.5
Less than \$15,000	1134	527,153	904	70.2	66.3-74.1	230	29.8	25.9-33.7
\$15,000- 24,999	1840	820,088	1549	72.6	69.5-75.7	291	27.4	24.3-30.5
\$25,000- 34,999	1185	509,933	1072	84.5	81.2-87.8	113	15.5	12.2-18.8
\$35,000- 49,999	1520	668,916	1412	88.1	85.6-90.6	108	11.9	09.4-14.4
\$50,000- 74,999	1533	695,862	1468	93.2	91.2-95.2	65	6.8	04.8-08.8
\$75,000+	2533	1,081,139	2469	95.8	94.6-97.0	64	4.2	03.0-05.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4643	2,420,728	4177	84.3	82.7-85.9	466	15.7	14.1-17.3
White/Non-Hisp	4025	1,964,667	3697	87.2	85.6-88.8	328	12.8	11.2-14.4
Black or Afr. Am./Non-Hisp	240	197,533	191	75.7	69.0-82.4	49	24.3	17.6-31.0
Oth. Race/Non-Hisp.	120	65,777	104	82.6	73.2-92.0	16	17.4	08.0-26.8
MultiRacial/Non-Hisp.	51	27,361	41	85.8	75.2-96.4	10	14.2	03.6-24.8
Hispanic	131	130,057	73	51.1	41.5-60.7	58	48.9	39.3-58.5
18-24	303	337,181	237	78.0	72.9-83.1	66	22.0	16.9-27.1
25-34	379	409,193	280	69.7	64.4-75.0	99	30.3	25.0-35.6
35-44	547	407,713	456	80.2	75.9-84.5	91	19.8	15.5-24.1
45-54	808	425,714	721	87.2	84.3-90.1	87	12.8	09.9-15.7
55-64	1106	403,803	1010	90.4	88.2-92.6	96	9.6	07.4-11.8
65+	1451	416,239	1426	98.1	97.1-99.1	25	1.9	00.9-02.9
Less Than H.S.	395	340,232	294	64.2	57.9-70.5	101	35.8	29.5-42.1
H.S. or G.E.D.	1539	860,786	1341	82.6	80.1-85.1	198	17.4	14.9-19.9
Some Post-H.S.	1091	674,990	994	88.8	86.3-91.3	97	11.2	08.7-13.7
College Graduate	1581	525,890	1512	93.7	91.9-95.5	69	6.3	04.5-08.1
Less than \$15,000	366	195,748	270	63.5	57.0-70.0	96	36.5	30.0-43.0
\$15,000- 24,999	605	354,979	478	68.1	62.8-73.4	127	31.9	26.6-37.2
\$25,000- 34,999	467	253,544	410	82.0	76.9-87.1	57	18.0	12.9-23.1
\$35,000- 49,999	667	348,317	612	87.2	83.5-90.9	55	12.8	09.1-16.5
\$50,000- 74,999	735	378,014	701	92.4	89.7-95.1	34	7.6	04.9-10.3
\$75,000+	1250	603,895	1216	95.6	93.8-97.4	34	4.4	02.6-06.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)	
Female	6835	2,577,302	6285	86.2	84.8-87.6	550	13.8	12.4-15.2	
White/Non-Hisp	5972	2,105,187	5560	87.8	86.4-89.2	412	12.2	10.8-13.6	
Black or Afr. Am./Non-Hisp	391	225,013	349	86.9	82.4-91.4	42	13.1	08.6-17.6	
Oth. Race/Non-Hisp.	108	38,733	94	79.9	67.2-92.6	14	20.1	07.4-32.8	
MultiRacial/Non-Hisp.	79	27,840	74	89.5	79.7-99.3	5	10.5	00.7-20.3	
Hispanic	185	141,953	118	61.7	53.5-69.9	67	38.3	30.1-46.5	
18-24	259	334,744	199	75.9	70.2-81.6	60	24.1	18.4-29.8	
25-34	489	409,312	381	74.0	69.5-78.5	108	26.0	21.5-30.5	
35-44	725	408,105	625	85.2	82.1-88.3	100	14.8	11.7-17.9	
45-54	1070	439,185	948	86.7	84.2-89.2	122	13.3	10.8-15.8	
55-64	1497	415,858	1367	89.8	87.8-91.8	130	10.2	08.2-12.2	
65+	2699	541,323	2672	98.6	97.8-99.4	27	1.4	00.6-02.2	
Less Than H.S.	605	348,477	508	75.8	70.9-80.7	97	24.2	19.3-29.1	
H.S. or G.E.D.	2397	862,686	2187	84.5	82.1-86.9	210	15.5	13.1-17.9	
Some Post-H.S.	1817	840,334	1653	86.7	84.3-89.1	164	13.3	10.9-15.7	
College Graduate	1959	510,444	1886	95.4	94.0-96.8	73	4.6	03.2-06.0	
Less than \$15,000	768	331,404	634	74.1	69.4-78.8	134	25.9	21.2-30.6	
\$15,000- 24,999	1235	465,109	1071	76.0	72.3-79.7	164	24.0	20.3-27.7	
\$25,000- 34,999	718	256,388	662	87.1	83.0-91.2	56	12.9	08.8-17.0	
\$35,000- 49,999	853	320,599	800	89.0	85.7-92.3	53	11.0	07.7-14.3	
\$50,000- 74,999	798	317,848	767	94.2	91.7-96.7	31	5.8	03.3-08.3	
\$75,000+	1283	477,243	1253	96.0	94.2-97.8	30	4.0	02.2-05.8	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11470	5,000,421	9260	74.0	72.8-75.2	792	6.3	05.7-06.9	1418	19.7	18.5-20.9
Male	4640	2,425,858	3546	69.3	67.5-71.1	318	6.7	05.7-07.7	776	24.0	22.2-25.8
Female	6830	2,574,563	5714	78.4	76.8-80.0	474	5.9	05.1-06.7	642	15.7	14.3-17.1
White/Non-Hisp	9987	4,077,405	8247	77.0	75.8-78.2	698	6.5	05.9-07.1	1042	16.4	15.2-17.6
Black or Afr. Am./Non-Hisp	631	420,225	473	67.8	62.9-72.7	37	5.5	03.0-08.0	121	26.7	22.0-31.4
Oth. Race/Non-Hisp.	228	103,322	144	55.0	46.2-63.8	17	6.2	02.1-10.3	67	38.9	30.1-47.7
MultiRacial/Non-Hisp.	131	55,302	101	72.2	61.8-82.6	12	5.4	01.3-09.5	18	22.4	12.4-32.4
Hispanic	316	270,687	163	47.1	40.8-53.4	16	4.7	02.2-07.2	137	48.2	41.9-54.5
18-24	565	677,787	333	59.1	54.6-63.6	33	6.2	04.0-08.4	199	34.7	30.4-39.0
25-34	871	822,115	539	58.6	54.9-62.3	34	4.5	02.9-06.1	298	36.9	33.2-40.6
35-44	1270	814,057	944	69.9	66.8-73.0	62	4.9	03.5-06.3	264	25.2	22.1-28.3
45-54	1879	867,027	1505	79.3	77.1-81.5	123	6.2	04.8-07.6	251	14.5	12.5-16.5
55-64	2596	814,570	2245	86.3	84.7-87.9	156	6.0	04.8-07.2	195	7.7	06.5-08.9
65+	4139	954,385	3573	85.6	84.2-87.0	373	9.4	08.2-10.6	193	5.0	04.2-05.8
Less Than H.S.	1003	691,873	718	63.7	59.6-67.8	79	6.4	04.6-08.2	206	29.9	26.0-33.8
H.S. or G.E.D.	3924	1,722,201	3137	72.6	70.6-74.6	291	7.6	06.4-08.8	496	19.8	17.8-21.8
Some Post-H.S.	2912	1,517,965	2368	76.2	74.0-78.4	198	5.8	04.8-06.8	346	18.1	16.1-20.1
College Graduate	3537	1,034,663	2966	80.1	78.3-81.9	217	5.0	04.2-05.8	354	14.9	13.1-16.7
Less than \$15,000	1130	524,593	806	63.3	59.2-67.4	91	6.8	04.8-08.8	233	29.9	26.0-33.8
\$15,000- 24,999	1832	816,770	1400	66.4	63.1-69.7	129	5.7	04.3-07.1	303	27.9	24.8-31.0
\$25,000- 34,999	1180	510,515	937	71.3	67.4-75.2	97	7.1	05.1-09.1	146	21.5	17.8-25.2
\$35,000- 49,999	1516	667,165	1247	76.7	73.8-79.6	104	6.7	05.1-08.3	165	16.7	14.0-19.4
\$50,000- 74,999	1533	697,563	1293	80.3	77.6-83.0	102	6.5	04.9-08.1	138	13.2	10.7-15.7
\$75,000+	2528	1,083,722	2173	81.9	79.7-84.1	134	5.1	03.9-06.3	221	13.0	11.0-15.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4640	2,425,858	3546	69.3	67.5-71.1	318	6.7	05.7-07.7	776	24.0	22.2-25.8
White/Non-Hisp	4024	1,973,865	3172	73.1	71.1-75.1	280	6.8	05.8-07.8	572	20.1	18.3-21.9
Black or Afr. Am./Non-Hisp	238	196,513	157	57.8	50.0-65.6	15	6.8	02.5-11.1	66	35.3	27.7-42.9
Oth. Race/Non-Hisp.	119	64,297	68	53.3	41.7-64.9	7	5.4	00.1-10.7	44	41.3	29.7-52.9
MultiRacial/Non-Hisp.	52	27,462	38	70.5	54.6-86.4	3	4.1	00.0-10.4	11	25.4	10.1-40.7
Hispanic	130	128,514	55	37.1	27.9-46.3	9	6.2	01.9-10.5	66	56.7	47.3-66.1
18-24	305	342,751	168	55.1	49.0-61.2	19	7.0	03.7-10.3	118	37.9	32.0-43.8
25-34	380	411,869	199	51.6	45.9-57.3	13	4.4	01.9-06.9	168	44.0	38.5-49.5
35-44	546	407,607	376	63.7	58.6-68.8	26	5.0	02.8-07.2	144	31.3	26.4-36.2
45-54	810	428,113	615	75.4	71.9-78.9	62	7.4	05.2-09.6	133	17.2	14.1-20.3
55-64	1100	399,088	929	85.0	82.5-87.5	64	5.8	04.0-07.6	107	9.1	07.1-11.1
65+	1448	415,236	1219	82.3	79.8-84.8	131	10.5	08.3-12.7	98	7.2	05.4-09.0
Less Than H.S.	395	344,421	241	57.1	50.8-63.4	37	7.0	04.3-09.7	117	36.0	29.9-42.1
H.S. or G.E.D.	1535	861,201	1130	66.9	63.8-70.0	128	8.9	06.9-10.9	277	24.2	21.3-27.1
Some Post-H.S.	1094	677,609	858	73.0	69.5-76.5	65	5.6	04.0-07.2	171	21.4	18.1-24.7
College Graduate	1579	524,366	1289	76.6	73.9-79.3	88	4.4	03.2-05.6	202	19.0	16.3-21.7
Less than \$15,000	362	192,382	216	52.3	45.6-59.0	31	8.4	04.7-12.1	115	39.2	32.5-45.9
\$15,000- 24,999	601	352,515	404	57.9	52.4-63.4	50	7.1	04.7-09.5	147	35.0	29.5-40.5
\$25,000- 34,999	465	255,411	342	63.7	57.4-70.0	35	7.4	04.1-10.7	88	28.9	22.8-35.0
\$35,000- 49,999	663	346,459	507	71.5	67.0-76.0	60	8.4	05.9-10.9	96	20.1	15.8-24.4
\$50,000- 74,999	737	380,282	595	76.5	72.4-80.6	55	7.5	05.0-10.0	87	16.0	12.5-19.5
\$75,000+	1247	606,681	1065	80.1	77.0-83.2	51	4.2	02.6-05.8	131	15.7	12.8-18.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6830	2,574,563	5714	78.4	76.8-80.0	474	5.9	05.1-06.7	642	15.7	14.3-17.1
White/Non-Hisp	5963	2,103,540	5075	80.7	79.1-82.3	418	6.3	05.5-07.1	470	13.0	11.6-14.4
Black or Afr. Am./Non-Hisp	393	223,711	316	76.6	70.9-82.3	22	4.3	01.8-06.8	55	19.1	13.6-24.6
Oth. Race/Non-Hisp.	109	39,025	76	57.7	44.4-71.0	10	7.4	00.9-13.9	23	34.9	21.6-48.2
MultiRacial/Non-Hisp.	79	27,840	63	73.8	60.1-87.5	9	6.7	01.2-12.2	7	19.5	06.2-32.8
Hispanic	186	142,173	108	56.2	48.0-64.4	7	3.4	00.5-06.3	71	40.4	32.2-48.6
18-24	260	335,036	165	63.2	56.7-69.7	14	5.5	02.6-08.4	81	31.3	25.0-37.6
25-34	491	410,246	340	65.7	60.8-70.6	21	4.6	02.4-06.8	130	29.7	25.0-34.4
35-44	724	406,451	568	76.2	72.5-79.9	36	4.8	03.0-06.6	120	19.0	15.5-22.5
45-54	1069	438,914	890	83.1	80.6-85.6	61	5.0	03.6-06.4	118	11.9	09.5-14.3
55-64	1496	415,482	1316	87.5	85.3-89.7	92	6.2	04.6-07.8	88	6.3	04.7-07.9
65+	2691	539,149	2354	88.2	86.6-89.8	242	8.6	07.2-10.0	95	3.2	02.4-04.0
Less Than H.S.	608	347,452	477	70.3	65.2-75.4	42	5.8	03.4-08.2	89	23.9	18.8-29.0
H.S. or G.E.D.	2389	861,000	2007	78.3	75.8-80.8	163	6.3	04.9-07.7	219	15.5	13.1-17.9
Some Post-H.S.	1818	840,355	1510	78.7	76.0-81.4	133	5.9	04.5-07.3	175	15.4	12.9-17.9
College Graduate	1958	510,298	1677	83.7	81.5-85.9	129	5.6	04.4-06.8	152	10.7	08.7-12.7
Less than \$15,000	768	332,211	590	69.6	64.7-74.5	60	5.8	03.6-08.0	118	24.6	19.7-29.5
\$15,000- 24,999	1231	464,255	996	72.9	69.0-76.8	79	4.6	03.2-06.0	156	22.4	18.7-26.1
\$25,000- 34,999	715	255,104	595	79.0	74.3-83.7	62	6.8	04.4-09.2	58	14.2	09.9-18.5
\$35,000- 49,999	853	320,706	740	82.3	78.4-86.2	44	4.8	03.0-06.6	69	13.0	09.5-16.5
\$50,000- 74,999	796	317,281	698	85.0	81.3-88.7	47	5.2	03.2-07.2	51	9.8	06.5-13.1
\$75,000+	1281	477,042	1108	84.3	81.6-87.0	83	6.2	04.6-07.8	90	9.5	07.1-11.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11501	5,012,850	1214	15.1	14.1-16.1	10287	84.9	83.9-85.9
Male	4665	2,440,503	422	12.7	11.3-14.1	4243	87.3	85.9-88.7
Female	6836	2,572,347	792	17.4	16.0-18.8	6044	82.6	81.2-84.0
White/Non-Hisp	10012	4,085,126	941	13.9	12.9-14.9	9071	86.1	85.1-87.1
Black or Afr. Am./Non-Hisp	634	423,885	106	19.5	15.4-23.6	528	80.5	76.4-84.6
Oth. Race/Non-Hisp.	230	104,867	33	12.5	06.6-18.4	197	87.5	81.6-93.4
MultiRacial/Non-Hisp.	131	55,302	27	22.9	13.3-32.5	104	77.1	67.5-86.7
Hispanic	317	270,958	87	26.5	21.0-32.0	230	73.5	68.0-79.0
18-24	572	685,561	86	15.9	12.6-19.2	486	84.1	80.8-87.4
25-34	872	821,333	181	22.5	19.4-25.6	691	77.5	74.4-80.6
35-44	1271	815,124	225	21.6	18.7-24.5	1046	78.4	75.5-81.3
45-54	1876	864,934	287	17.9	15.7-20.1	1589	82.1	79.9-84.3
55-64	2608	820,386	283	11.8	10.2-13.4	2325	88.2	86.6-89.8
65+	4152	955,033	138	3.5	02.7-04.3	4014	96.5	95.7-97.3
Less Than H.S.	1001	689,788	218	27.4	23.7-31.1	783	72.6	68.9-76.3
H.S. or G.E.D.	3940	1,730,404	441	15.5	13.9-17.1	3499	84.5	82.9-86.1
Some Post-H.S.	2919	1,520,729	353	15.4	13.6-17.2	2566	84.6	82.8-86.4
College Graduate	3544	1,037,133	193	6.2	05.2-07.2	3351	93.8	92.8-94.8
Less than \$15,000	1135	529,613	291	30.7	27.0-34.4	844	69.3	65.6-73.0
\$15,000- 24,999	1835	818,389	315	25.1	22.0-28.2	1520	74.9	71.8-78.0
\$25,000- 34,999	1187	510,859	155	19.6	16.3-22.9	1032	80.4	77.1-83.7
\$35,000- 49,999	1521	669,323	140	13.5	11.0-16.0	1381	86.5	84.0-89.0
\$50,000- 74,999	1534	697,910	94	9.2	07.0-11.4	1440	90.8	88.6-93.0
\$75,000+	2534	1,082,372	77	4.5	03.3-05.7	2457	95.5	94.3-96.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4665	2,440,503	422	12.7	11.3-14.1	4243	87.3	85.9-88.7
White/Non-Hisp	4044	1,984,056	325	11.6	10.2-13.0	3719	88.4	87.0-89.8
Black or Afr. Am./Non-Hisp	240	197,713	37	18.1	11.4-24.8	203	81.9	75.2-88.6
Oth. Race/Non-Hisp.	121	65,842	18	14.0	05.8-22.2	103	86.0	77.8-94.2
MultiRacial/Non-Hisp.	52	27,462	8	19.2	05.9-32.5	44	80.8	67.5-94.1
Hispanic	131	130,057	27	21.2	13.6-28.8	104	78.8	71.2-86.4
18-24	313	352,501	28	9.0	05.7-12.3	285	91.0	87.7-94.3
25-34	382	412,753	69	19.5	15.0-24.0	313	80.5	76.0-85.0
35-44	546	407,019	80	20.1	15.6-24.6	466	79.9	75.4-84.4
45-54	808	427,008	100	15.5	12.4-18.6	708	84.5	81.4-87.6
55-64	1111	404,698	95	8.8	06.8-10.8	1016	91.2	89.2-93.2
65+	1454	415,330	46	3.3	02.1-04.5	1408	96.7	95.5-97.9
Less Than H.S.	397	345,138	88	26.8	20.9-32.7	309	73.2	67.3-79.1
H.S. or G.E.D.	1546	870,201	145	12.1	09.9-14.3	1401	87.9	85.7-90.1
Some Post-H.S.	1099	679,891	111	12.0	09.5-14.5	988	88.0	85.5-90.5
College Graduate	1584	526,067	75	5.8	04.2-07.4	1509	94.2	92.6-95.8
Less than \$15,000	370	198,460	95	29.9	23.8-36.0	275	70.1	64.0-76.2
\$15,000- 24,999	601	353,810	106	24.3	19.2-29.4	495	75.7	70.6-80.8
\$25,000- 34,999	470	256,446	61	18.5	13.6-23.4	409	81.5	76.6-86.4
\$35,000- 49,999	668	349,190	44	9.2	06.1-12.3	624	90.8	87.7-93.9
\$50,000- 74,999	736	380,062	30	7.0	04.3-09.7	706	93.0	90.3-95.7
\$75,000+	1251	605,129	38	4.4	02.8-06.0	1213	95.6	94.0-97.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6836	2,572,347	792	17.4	16.0-18.8	6044	82.6	81.2-84.0
White/Non-Hisp	5968	2,101,070	616	16.1	14.7-17.5	5352	83.9	82.5-85.3
Black or Afr. Am./Non-Hisp	394	226,172	69	20.8	15.5-26.1	325	79.2	73.9-84.5
Oth. Race/Non-Hisp.	109	39,025	15	10.0	02.6-17.4	94	90.0	82.6-97.4
MultiRacial/Non-Hisp.	79	27,840	19	26.6	13.3-39.9	60	73.4	60.1-86.7
Hispanic	186	140,901	60	31.4	23.8-39.0	126	68.6	61.0-76.2
18-24	259	333,060	58	23.1	17.4-28.8	201	76.9	71.2-82.6
25-34	490	408,580	112	25.5	21.0-30.0	378	74.5	70.0-79.0
35-44	725	408,105	145	23.1	19.4-26.8	580	76.9	73.2-80.6
45-54	1068	437,925	187	20.3	17.4-23.2	881	79.7	76.8-82.6
55-64	1497	415,688	188	14.7	12.3-17.1	1309	85.3	82.9-87.7
65+	2698	539,703	92	3.6	02.6-04.6	2606	96.4	95.4-97.4
Less Than H.S.	604	344,651	130	27.9	23.0-32.8	474	72.1	67.2-77.0
H.S. or G.E.D.	2394	860,203	296	18.9	16.5-21.3	2098	81.1	78.7-83.5
Some Post-H.S.	1820	840,838	242	18.1	15.6-20.6	1578	81.9	79.4-84.4
College Graduate	1960	511,066	118	6.6	05.2-08.0	1842	93.4	92.0-94.8
Less than \$15,000	765	331,153	196	31.3	26.6-36.0	569	68.7	64.0-73.4
\$15,000- 24,999	1234	464,579	209	25.7	22.0-29.4	1025	74.3	70.6-78.0
\$25,000- 34,999	717	254,413	94	20.8	16.3-25.3	623	79.2	74.7-83.7
\$35,000- 49,999	853	320,133	96	18.2	14.5-21.9	757	81.8	78.1-85.5
\$50,000- 74,999	798	317,848	64	11.8	08.1-15.5	734	88.2	84.5-91.9
\$75,000+	1283	477,243	39	4.6	02.8-06.4	1244	95.4	93.6-97.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11415	4,988,372	8271	65.0	63.8-66.2	1325	13.2	12.4-14.0	824	9.5	08.7-10.3	929	11.6	10.6-12.6	66	0.7	00.5-00.9
Male	4632	2,426,924	3200	62.0	60.0-64.0	517	12.0	10.8-13.2	376	9.8	08.6-11.0	514	15.3	13.7-16.9	25	0.9	00.5-01.3
Female	6783	2,561,448	5071	68.0	66.4-69.6	808	14.4	13.2-15.6	448	9.1	08.1-10.1	415	8.1	07.1-09.1	41	0.5	00.3-00.7
White/Non-Hisp	9942	4,064,668	7235	65.3	63.9-66.7	1126	12.9	11.9-13.9	712	9.4	08.6-10.2	818	11.8	10.8-12.8	51	0.6	00.4-00.8
Black or Afr. Am./Non-Hisp	633	423,535	495	73.3	68.8-77.8	80	14.0	10.5-17.5	29	4.6	02.6-06.6	29	8.1	05.0-11.2			
Oth. Race/Non-Hisp.	228	104,044	146	53.1	44.3-61.9	33	17.4	10.1-24.7	22	12.7	06.8-18.6	21	14.2	07.1-21.3	6	2.7	00.3-05.1
MultiRacial/Non-Hisp.	130	55,183	92	60.0	48.4-71.6	20	18.1	08.7-27.5	9	9.9	02.5-17.3	7	10.4	02.6-18.2	2	1.6	00.0-04.0
Hispanic	313	269,275	176	51.9	45.4-58.4	50	15.5	11.0-20.0	37	15.6	10.5-20.7	43	15.4	10.7-20.1	7	1.7	00.3-03.1
18-24	566	679,226	301	53.3	48.8-57.8	111	19.0	15.5-22.5	90	15.5	12.2-18.8	61	11.7	08.8-14.6	3	0.5	00.0-01.1
25-34	869	820,584	457	50.3	46.6-54.0	130	14.7	12.2-17.2	113	12.3	09.9-14.7	161	21.8	18.5-25.1	8	0.8	00.2-01.4
35-44	1265	811,484	772	58.6	55.3-61.9	198	14.6	12.4-16.8	127	11.1	08.9-13.3	154	14.4	11.9-16.9	14	1.3	00.3-02.3
45-54	1875	864,385	1233	64.3	61.8-66.8	280	14.5	12.7-16.3	162	8.9	07.3-10.5	193	11.8	10.0-13.6	7	0.5	00.1-00.9
55-64	2596	816,860	1954	74.1	71.9-76.3	286	11.2	09.8-12.6	158	6.8	05.6-08.0	187	7.4	06.2-08.6	11	0.5	00.1-00.9
65+	4098	946,066	3445	84.4	83.0-85.8	305	7.2	06.2-08.2	165	4.0	03.2-04.8	161	3.8	03.0-04.6	22	0.5	00.3-00.7
Less Than H.S.	993	690,070	671	57.5	53.4-61.6	122	13.4	10.7-16.1	75	10.1	07.6-12.6	113	17.1	13.6-20.6	12	1.9	00.5-03.3
H.S. or G.E.D.	3907	1,721,269	2833	66.1	63.9-68.3	455	13.6	12.0-15.2	254	7.9	06.7-09.1	339	11.9	10.3-13.5	26	0.6	00.2-01.0
Some Post-H.S.	2894	1,508,116	2113	65.9	63.5-68.3	297	12.0	10.4-13.6	233	10.6	09.0-12.2	239	11.2	09.4-13.0	12	0.4	00.2-00.6
College Graduate	3529	1,035,055	2581	66.8	64.6-69.0	447	14.5	12.9-16.1	256	10.0	08.6-11.4	229	8.3	07.1-09.5	16	0.4	00.2-00.6
Less than \$15,000	1125	526,965	774	59.6	55.5-63.7	113	11.4	08.9-13.9	104	13.0	10.1-15.9	127	15.2	11.9-18.5	7	0.7	00.1-01.3
\$15,000- 24,999	1824	814,253	1278	60.5	57.2-63.8	214	14.3	11.9-16.7	140	9.9	07.7-12.1	176	14.3	11.8-16.8	16	1.1	00.3-01.9
\$25,000- 34,999	1177	509,849	863	65.6	61.7-69.5	144	14.0	11.3-16.7	63	6.5	04.5-08.5	100	13.3	10.2-16.4	7	0.6	00.0-01.4
\$35,000- 49,999	1509	665,013	1114	67.7	64.4-71.0	161	11.3	09.1-13.5	100	8.1	06.1-10.1	125	12.1	09.7-14.5	9	0.8	00.0-01.6
\$50,000- 74,999	1527	692,109	1105	65.3	62.0-68.6	176	12.1	09.9-14.3	113	9.6	07.4-11.8	127	12.6	10.1-15.1	6	0.4	00.0-00.8
\$75,000+	2530	1,083,518	1855	68.2	65.8-70.6	332	14.2	12.4-16.0	185	9.7	07.9-11.5	150	7.5	05.9-09.1	8	0.4	00.0-00.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4632	2,426,924	3200	62.0	60.0-64.0	517	12.0	10.8-13.2	376	9.8	08.6-11.0	514	15.3	13.7-16.9	25	0.9	00.5-01.3
White/Non-Hisp	4018	1,973,930	2800	62.7	60.7-64.7	437	11.7	10.5-12.9	318	9.4	08.2-10.6	444	15.3	13.7-16.9	19	0.9	00.3-01.5
Black or Afr. Am./Non-Hisp	240	198,125	172	69.1	61.8-76.4	33	12.4	07.5-17.3	11	3.9	01.4-06.4	24	14.6	08.5-20.7			
Oth. Race/Non-Hisp.	120	65,801	75	49.9	38.5-61.3	14	16.3	06.9-25.7	14	14.9	06.9-22.9	15	16.8	07.2-26.4	2	2.0	00.0-04.7
MultiRacial/Non-Hisp.	52	27,462	35	60.1	42.7-77.5	7	20.3	04.4-36.2	5	7.5	00.1-14.9	4	10.9	00.0-22.3	1	1.3	00.0-03.8
Hispanic	128	127,603	62	42.5	33.1-51.9	19	13.4	06.9-19.9	21	21.6	13.0-30.2	23	20.7	12.5-28.9	3	1.8	00.0-04.0
18-24	306	344,190	164	54.7	48.6-60.8	57	17.4	12.9-21.9	48	15.2	10.7-19.7	35	11.8	07.9-15.7	2	0.8	00.0-02.0
25-34	381	412,968	165	43.1	37.6-48.6	52	12.2	08.7-15.7	51	11.9	08.4-15.4	109	31.8	26.3-37.3	4	1.0	00.0-02.2
35-44	545	407,207	304	52.7	47.6-57.8	78	13.2	10.1-16.3	62	12.2	08.9-15.5	94	20.0	15.7-24.3	7	1.9	00.1-03.7
45-54	810	427,510	507	61.1	57.2-65.0	117	13.5	10.8-16.2	67	8.8	06.4-11.2	115	15.9	12.8-19.0	4	0.7	00.0-01.5
55-64	1106	402,711	806	73.1	70.0-76.2	118	10.6	08.4-12.8	89	7.7	05.9-09.5	89	8.1	06.1-10.1	4	0.5	00.0-01.1
65+	1435	411,312	1219	85.6	83.4-87.8	89	5.9	04.5-07.3	54	4.0	02.6-05.4	70	4.3	03.1-05.5	3	0.2	00.0-00.6
Less Than H.S.	394	345,355	240	51.4	45.1-57.7	43	9.6	06.3-12.9	33	10.5	06.6-14.4	71	25.5	19.6-31.4	7	3.1	00.6-05.6
H.S. or G.E.D.	1530	864,283	1055	63.7	60.6-66.8	172	12.2	10.2-14.2	114	8.4	06.4-10.4	181	15.1	12.7-17.5	8	0.6	00.0-01.2
Some Post-H.S.	1089	672,445	777	65.1	61.4-68.8	101	10.7	08.3-13.1	91	10.2	07.8-12.6	117	13.6	10.9-16.3	3	0.4	00.0-00.8
College Graduate	1581	525,866	1100	61.6	58.5-64.7	197	15.0	12.6-17.4	135	11.4	09.2-13.6	142	11.6	09.4-13.8	7	0.5	00.1-00.9
Less than \$15,000	366	197,503	225	54.2	47.5-60.9	38	9.5	06.0-13.0	40	12.5	08.2-16.8	62	23.3	17.2-29.4	1	0.5	00.0-01.5
\$15,000- 24,999	599	352,181	390	55.2	49.7-60.7	64	12.3	08.8-15.8	49	9.7	06.4-13.0	91	21.2	16.3-26.1	5	1.6	00.0-03.4
\$25,000- 34,999	467	254,931	335	62.5	56.2-68.8	50	12.3	08.2-16.4	29	7.5	04.2-10.8	52	16.9	11.6-22.2	1	0.7	00.0-02.1
\$35,000- 49,999	663	347,047	480	66.8	61.9-71.7	59	9.2	06.3-12.1	44	7.6	04.9-10.3	74	15.0	11.3-18.7	6	1.4	00.0-02.8
\$50,000- 74,999	734	377,448	509	62.6	57.9-67.3	76	10.5	08.0-13.0	59	9.1	06.4-11.8	87	17.6	13.5-21.7	3	0.3	00.0-00.7
\$75,000+	1248	606,548	883	64.8	61.3-68.3	173	15.4	12.9-17.9	104	10.7	08.2-13.2	84	8.7	06.3-11.1	4	0.4	00.0-01.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6783	2,561,448	5071	68.0	66.4-69.6	808	14.4	13.2-15.6	448	9.1	08.1-10.1	415	8.1	07.1-09.1	41	0.5	00.3-00.7
White/Non-Hisp	5924	2,090,738	4435	67.7	65.9-69.5	689	14.0	12.6-15.4	394	9.4	08.2-10.6	374	8.4	07.2-09.6	32	0.4	00.2-00.6
Black or Afr. Am./Non-Hisp	393	225,410	323	77.0	71.3-82.7	47	15.3	10.6-20.0	18	5.2	02.3-08.1	5	2.4	00.0-04.8			
Oth. Race/Non-Hisp.	108	38,243	71	58.5	45.2-71.8	19	19.1	07.7-30.5	8	8.9	01.3-16.5	6	9.7	00.5-18.9	4	3.9	00.0-08.2
MultiRacial/Non-Hisp.	78	27,721	57	60.0	44.7-75.3	13	15.9	05.9-25.9	4	12.2	00.0-24.5	3	9.8	00.0-20.6	1	2.0	00.0-05.9
Hispanic	185	141,671	114	60.4	52.2-68.6	31	17.3	11.0-23.6	16	10.1	04.6-15.6	20	10.6	05.7-15.5	4	1.7	00.0-03.7
18-24	260	335,036	137	51.8	45.1-58.5	54	20.6	15.3-25.9	42	15.8	11.1-20.5	26	11.6	06.9-16.3	1	0.2	00.0-00.6
25-34	488	407,616	292	57.6	52.5-62.7	78	17.3	13.4-21.2	62	12.7	09.4-16.0	52	11.7	08.4-15.0	4	0.7	00.0-01.5
35-44	720	404,277	468	64.5	60.4-68.6	120	16.1	13.0-19.2	65	10.0	07.3-12.7	60	8.8	06.4-11.2	7	0.6	00.0-01.2
45-54	1065	436,875	726	67.4	64.1-70.7	163	15.4	12.9-17.9	95	9.1	06.9-11.3	78	7.9	05.9-09.9	3	0.3	00.0-00.7
55-64	1490	414,149	1148	75.0	72.3-77.7	168	11.8	09.8-13.8	69	5.9	04.3-07.5	98	6.8	05.2-08.4	7	0.5	00.1-00.9
65+	2663	534,754	2226	83.6	81.8-85.4	216	8.1	06.7-09.5	111	4.1	03.1-05.1	91	3.5	02.5-04.5	19	0.7	00.3-01.1
Less Than H.S.	599	344,715	431	63.6	58.3-68.9	79	17.3	13.0-21.6	42	9.8	06.5-13.1	42	8.6	05.3-11.9	5	0.8	00.0-01.6
H.S. or G.E.D.	2377	856,987	1778	68.5	65.8-71.2	283	15.0	12.8-17.2	140	7.3	05.7-08.9	158	8.6	06.8-10.4	18	0.6	00.2-01.0
Some Post-H.S.	1805	835,671	1336	66.5	63.4-69.6	196	13.0	10.8-15.2	142	10.9	08.7-13.1	122	9.2	07.0-11.4	9	0.4	00.0-00.8
College Graduate	1948	509,189	1481	72.2	69.5-74.9	250	14.1	12.1-16.1	121	8.5	06.7-10.3	87	4.9	03.5-06.3	9	0.3	00.1-00.5
Less than \$15,000	759	329,462	549	62.9	57.8-68.0	75	12.6	09.1-16.1	64	13.3	09.6-17.0	65	10.4	06.9-13.9	6	0.8	00.0-01.8
\$15,000- 24,999	1225	462,072	888	64.4	60.5-68.3	150	15.8	12.7-18.9	91	10.0	07.5-12.5	85	9.0	06.5-11.5	11	0.8	00.2-01.4
\$25,000- 34,999	710	254,919	528	68.6	63.5-73.7	94	15.7	11.8-19.6	34	5.4	03.0-07.8	48	9.7	06.2-13.2	6	0.6	00.0-01.2
\$35,000- 49,999	846	317,966	634	68.6	64.3-72.9	102	13.6	10.5-16.7	56	8.7	06.0-11.4	51	8.9	06.0-11.8	3	0.2	00.0-00.4
\$50,000- 74,999	793	314,662	596	68.7	63.8-73.6	100	14.1	10.6-17.6	54	10.1	06.8-13.4	40	6.7	03.8-09.6	3	0.5	00.0-01.1
\$75,000+	1282	476,970	972	72.6	69.5-75.7	159	12.8	10.4-15.2	81	8.5	06.3-10.7	66	5.9	04.1-07.7	4	0.3	00.0-00.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014

SECTION 4: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 4: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11510	5,022,706	8309	73.9	72.7-75.1	3201	26.1	24.9-27.3
Male	4666	2,444,239	3525	76.1	74.5-77.7	1141	23.9	22.3-25.5
Female	6844	2,578,468	4784	71.9	70.3-73.5	2060	28.1	26.5-29.7
White/Non-Hisp	10019	4,089,796	7271	74.6	73.4-75.8	2748	25.4	24.2-26.6
Black or Afr. Am./Non-Hisp	636	426,283	434	71.0	66.3-75.7	202	29.0	24.3-33.7
Oth. Race/Non-Hisp.	229	104,412	170	73.6	65.8-81.4	59	26.4	18.6-34.2
MultiRacial/Non-Hisp.	131	55,302	99	81.4	73.6-89.2	32	18.6	10.8-26.4
Hispanic	318	272,933	222	69.1	63.2-75.0	96	30.9	25.0-36.8
18-24	573	687,537	482	83.5	80.2-86.8	91	16.5	13.2-19.8
25-34	875	825,415	722	81.0	77.9-84.1	153	19.0	15.9-22.1
35-44	1271	815,333	1007	75.7	72.6-78.8	264	24.3	21.2-27.4
45-54	1883	868,713	1408	72.1	69.6-74.6	475	27.9	25.4-30.4
55-64	2606	818,960	1910	72.4	70.2-74.6	696	27.6	25.4-29.8
65+	4152	956,269	2679	62.9	60.9-64.9	1473	37.1	35.1-39.1
Less Than H.S.	1008	695,611	528	57.3	53.2-61.4	480	42.7	38.6-46.8
H.S. or G.E.D.	3948	1,736,163	2486	68.0	66.0-70.0	1462	32.0	30.0-34.0
Some Post-H.S.	2914	1,520,044	2177	78.5	76.5-80.5	737	21.5	19.5-23.5
College Graduate	3545	1,037,096	3048	88.2	86.8-89.6	497	11.8	10.4-13.2
Less than \$15,000	1139	530,578	621	60.0	56.1-63.9	518	40.0	36.1-43.9
\$15,000- 24,999	1835	818,767	1115	61.8	58.7-64.9	720	38.2	35.1-41.3
\$25,000- 34,999	1187	511,837	814	71.9	68.4-75.4	373	28.1	24.6-31.6
\$35,000- 49,999	1520	669,513	1109	74.2	71.3-77.1	411	25.8	22.9-28.7
\$50,000- 74,999	1535	698,130	1232	81.8	79.4-84.2	303	18.2	15.8-20.6
\$75,000+	2534	1,084,948	2227	87.7	86.1-89.3	307	12.3	10.7-13.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 4: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4666	2,444,239	3525	76.1	74.5-77.7	1141	23.9	22.3-25.5
White/Non-Hisp	4044	1,985,244	3078	76.8	75.0-78.6	966	23.2	21.4-25.0
Black or Afr. Am./Non-Hisp	242	200,622	175	74.0	66.9-81.1	67	26.0	18.9-33.1
Oth. Race/Non-Hisp.	120	65,387	91	75.2	65.2-85.2	29	24.8	14.8-34.8
MultiRacial/Non-Hisp.	52	27,462	41	86.1	76.5-95.7	11	13.9	04.3-23.5
Hispanic	131	130,057	96	70.7	61.9-79.5	35	29.3	20.5-38.1
18-24	313	352,501	270	85.6	81.3-89.9	43	14.4	10.1-18.7
25-34	383	414,466	319	82.5	78.2-86.8	64	17.5	13.2-21.8
35-44	547	407,713	437	75.4	70.7-80.1	110	24.6	19.9-29.3
45-54	813	429,343	618	73.4	69.7-77.1	195	26.6	22.9-30.3
55-64	1108	403,345	843	75.0	71.9-78.1	265	25.0	21.9-28.1
65+	1451	415,676	1001	66.7	63.6-69.8	450	33.3	30.2-36.4
Less Than H.S.	398	346,385	215	59.2	53.1-65.3	183	40.8	34.7-46.9
H.S. or G.E.D.	1548	872,596	1027	70.2	67.5-72.9	521	29.8	27.1-32.5
Some Post-H.S.	1097	680,386	870	81.8	79.1-84.5	227	18.2	15.5-20.9
College Graduate	1585	526,379	1382	89.4	87.6-91.2	203	10.6	08.8-12.4
Less than \$15,000	368	198,054	219	63.1	57.0-69.2	149	36.9	30.8-43.0
\$15,000- 24,999	602	354,248	383	61.8	56.5-67.1	219	38.2	32.9-43.5
\$25,000- 34,999	469	255,449	323	73.8	68.7-78.9	146	26.2	21.1-31.3
\$35,000- 49,999	667	349,077	485	73.9	69.6-78.2	182	26.1	21.8-30.4
\$50,000- 74,999	737	380,282	603	82.4	78.9-85.9	134	17.6	14.1-21.1
\$75,000+	1253	608,400	1108	88.5	86.3-90.7	145	11.5	09.3-13.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 4: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6844	2,578,468	4784	71.9	70.3-73.5	2060	28.1	26.5-29.7
White/Non-Hisp	5975	2,104,552	4193	72.5	70.9-74.1	1782	27.5	25.9-29.1
Black or Afr. Am./Non-Hisp	394	225,660	259	68.4	62.3-74.5	135	31.6	25.5-37.7
Oth. Race/Non-Hisp.	109	39,025	79	70.9	58.4-83.4	30	29.1	16.6-41.6
MultiRacial/Non-Hisp.	79	27,840	58	76.7	64.9-88.5	21	23.3	11.5-35.1
Hispanic	187	142,876	126	67.7	59.9-75.5	61	32.3	24.5-40.1
18-24	260	335,036	212	81.2	75.9-86.5	48	18.8	13.5-24.1
25-34	492	410,949	403	79.5	75.2-83.8	89	20.5	16.2-24.8
35-44	724	407,620	570	76.0	72.1-79.9	154	24.0	20.1-27.9
45-54	1070	439,370	790	70.8	67.5-74.1	280	29.2	25.9-32.5
55-64	1498	415,614	1067	69.9	67.2-72.6	431	30.1	27.4-32.8
65+	2701	540,593	1678	60.0	57.6-62.4	1023	40.0	37.6-42.4
Less Than H.S.	610	349,226	313	55.5	50.2-60.8	297	44.5	39.2-49.8
H.S. or G.E.D.	2400	863,567	1459	65.7	63.2-68.2	941	34.3	31.8-36.8
Some Post-H.S.	1817	839,658	1307	75.9	73.4-78.4	510	24.1	21.6-26.6
College Graduate	1960	510,717	1666	87.0	85.2-88.8	294	13.0	11.2-14.8
Less than \$15,000	771	332,524	402	58.2	53.3-63.1	369	41.8	36.9-46.7
\$15,000- 24,999	1233	464,518	732	61.8	57.9-65.7	501	38.2	34.3-42.1
\$25,000- 34,999	718	256,388	491	70.0	65.3-74.7	227	30.0	25.3-34.7
\$35,000- 49,999	853	320,436	624	74.5	70.6-78.4	229	25.5	21.6-29.4
\$50,000- 74,999	798	317,848	629	81.0	77.7-84.3	169	19.0	15.7-22.3
\$75,000+	1281	476,548	1119	86.7	84.3-89.1	162	13.3	10.9-15.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014

SECTION 5: INADEQUATE SLEEP CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 5: INADEQUATE SLEEP**

TABLE 1: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11384	4,973,150	3769	37.7	36.5-38.9	7206	58.8	57.6-60.0	409	3.5	03.1-03.9
Male	4629	2,425,780	1578	38.8	36.8-40.8	2882	57.6	55.6-59.6	169	3.6	02.8-04.4
Female	6755	2,547,370	2191	36.7	35.1-38.3	4324	59.9	58.3-61.5	240	3.4	02.8-04.0
White/Non-Hisp	9924	4,053,343	3160	36.8	35.4-38.2	6415	59.8	58.4-61.2	349	3.4	02.8-04.0
Black or Afr. Am./Non-Hisp	624	420,350	284	45.3	40.2-50.4	311	49.8	44.7-54.9	29	4.8	02.6-07.0
Oth. Race/Non-Hisp.	228	104,021	92	34.1	26.1-42.1	132	63.8	55.6-72.0	4	2.1	00.0-04.8
MultiRacial/Non-Hisp.	128	54,773	61	53.8	42.4-65.2	62	42.1	31.1-53.1	5	4.1	00.0-08.2
Hispanic	315	270,036	122	39.0	32.7-45.3	181	58.5	52.2-64.8	12	2.5	00.9-04.1
18-24	569	682,438	194	35.4	31.1-39.7	346	59.8	55.3-64.3	29	4.7	02.7-06.7
25-34	872	821,621	364	44.1	40.4-47.8	492	53.9	50.2-57.6	16	1.9	00.9-02.9
35-44	1264	808,816	498	43.1	39.8-46.4	738	54.3	51.0-57.6	28	2.6	01.4-03.8
45-54	1867	859,012	771	43.5	40.8-46.2	1056	54.2	51.5-56.9	40	2.3	01.5-03.1
55-64	2578	810,287	928	38.7	36.3-41.1	1571	58.5	56.1-60.9	79	2.8	02.0-03.6
65+	4089	942,132	980	24.2	22.4-26.0	2899	69.8	67.8-71.8	210	6.0	05.0-07.0
Less Than H.S.	972	676,517	396	45.5	41.4-49.6	498	48.1	44.0-52.2	78	6.4	04.4-08.4
H.S. or G.E.D.	3888	1,713,452	1355	38.2	36.0-40.4	2366	57.9	55.7-60.1	167	3.9	03.1-04.7
Some Post-H.S.	2899	1,513,822	1045	40.1	37.7-42.5	1753	56.8	54.4-59.2	101	3.2	02.4-04.0
College Graduate	3530	1,035,013	943	28.7	26.7-30.7	2528	70.0	68.0-72.0	59	1.3	00.9-01.7
Less than \$15,000	1111	518,693	523	49.5	45.4-53.6	521	46.1	42.0-50.2	67	4.4	02.8-06.0
\$15,000- 24,999	1819	813,391	674	42.7	39.4-46.0	1029	50.6	47.3-53.9	116	6.7	05.1-08.3
\$25,000- 34,999	1180	510,338	396	39.3	35.4-43.2	740	57.4	53.3-61.5	44	3.3	01.9-04.7
\$35,000- 49,999	1511	664,740	500	38.7	35.4-42.0	969	58.8	55.5-62.1	42	2.5	01.5-03.5
\$50,000- 74,999	1529	695,421	477	34.0	30.9-37.1	1015	63.0	59.7-66.3	37	3.0	01.6-04.4
\$75,000+	2530	1,083,373	697	31.7	29.2-34.2	1799	67.1	64.6-69.6	34	1.3	00.7-01.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 5: INADEQUATE SLEEP**

TABLE 2: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4629	2,425,780	1578	38.8	36.8-40.8	2882	57.6	55.6-59.6	169	3.6	02.8-04.4
White/Non-Hisp	4014	1,971,466	1317	37.7	35.7-39.7	2555	58.8	56.8-60.8	142	3.5	02.7-04.3
Black or Afr. Am./Non-Hisp	239	198,082	114	48.6	40.8-56.4	110	45.5	37.7-53.3	15	5.9	02.4-09.4
Oth. Race/Non-Hisp.	120	65,457	49	37.3	26.3-48.3	69	59.7	48.5-70.9	2	2.9	00.0-07.2
MultiRacial/Non-Hisp.	52	27,462	24	56.8	40.1-73.5	27	41.3	24.8-57.8	1	1.9	00.0-05.6
Hispanic	129	128,175	54	40.4	31.0-49.8	73	58.4	48.8-68.0	2	1.3	00.0-03.5
18-24	311	350,318	104	34.4	28.5-40.3	187	59.4	53.3-65.5	20	6.1	03.2-09.0
25-34	382	413,384	177	49.5	43.8-55.2	202	49.9	44.2-55.6	3	0.5	00.0-01.3
35-44	545	406,673	223	43.4	38.3-48.5	306	52.7	47.6-57.8	16	3.9	01.5-06.3
45-54	803	422,781	337	43.2	39.1-47.3	451	54.9	50.8-59.0	15	1.8	00.6-03.0
55-64	1101	399,917	415	40.4	36.9-43.9	658	57.0	53.5-60.5	28	2.6	01.4-03.8
65+	1436	411,513	312	22.5	19.8-25.2	1039	70.8	67.9-73.7	85	6.7	04.9-08.5
Less Than H.S.	383	338,111	163	46.5	40.0-53.0	191	47.6	41.3-53.9	29	5.9	03.0-08.8
H.S. or G.E.D.	1535	864,473	537	38.4	35.3-41.5	927	57.2	54.1-60.3	71	4.4	03.0-05.8
Some Post-H.S.	1093	678,772	411	40.9	37.2-44.6	639	55.8	52.1-59.5	43	3.4	02.2-04.6
College Graduate	1580	525,378	456	32.1	29.2-35.0	1099	66.8	63.9-69.7	25	1.1	00.5-01.7
Less than \$15,000	362	195,186	177	51.6	44.9-58.3	163	45.6	38.9-52.3	22	2.8	01.0-04.6
\$15,000- 24,999	596	351,018	220	40.9	35.4-46.4	325	50.4	44.9-55.9	51	8.7	05.6-11.8
\$25,000- 34,999	466	255,778	163	42.8	36.5-49.1	285	53.8	47.5-60.1	18	3.3	01.1-05.5
\$35,000- 49,999	664	346,385	230	41.6	36.7-46.5	413	55.9	51.0-60.8	21	2.6	01.2-04.0
\$50,000- 74,999	734	379,315	234	33.1	28.8-37.4	480	63.4	58.9-67.9	20	3.6	01.4-05.8
\$75,000+	1251	607,610	382	35.4	31.9-38.9	854	63.3	59.8-66.8	15	1.2	00.4-02.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 5: INADEQUATE SLEEP**

TABLE 3: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6755	2,547,370	2191	36.7	35.1-38.3	4324	59.9	58.3-61.5	240	3.4	02.8-04.0
White/Non-Hisp	5910	2,081,877	1843	35.9	34.1-37.7	3860	60.8	59.0-62.6	207	3.3	02.7-03.9
Black or Afr. Am./Non-Hisp	385	222,268	170	42.4	35.9-48.9	201	53.7	47.2-60.2	14	3.9	01.0-06.8
Oth. Race/Non-Hisp.	108	38,564	43	28.6	17.6-39.6	63	70.7	59.5-81.9	2	0.7	00.0-01.7
MultiRacial/Non-Hisp.	76	27,311	37	50.8	35.7-65.9	35	42.9	28.2-57.6	4	6.3	00.0-13.6
Hispanic	186	141,861	68	37.8	29.6-46.0	108	58.7	50.5-66.9	10	3.5	01.0-06.0
18-24	258	332,120	90	36.5	30.0-43.0	159	60.2	53.7-66.7	9	3.3	00.9-05.7
25-34	490	408,237	187	38.7	33.8-43.6	290	58.0	52.9-63.1	13	3.3	01.3-05.3
35-44	719	402,143	275	42.9	38.6-47.2	432	55.9	51.6-60.2	12	1.3	00.5-02.1
45-54	1064	436,231	434	43.7	40.2-47.2	605	53.5	50.0-57.0	25	2.8	01.4-04.2
55-64	1477	410,369	513	37.0	34.1-39.9	913	60.0	57.1-62.9	51	3.0	02.0-04.0
65+	2653	530,619	668	25.6	23.4-27.8	1860	69.0	66.6-71.4	125	5.4	04.2-06.6
Less Than H.S.	589	338,407	233	44.5	39.0-50.0	307	48.6	43.1-54.1	49	6.9	04.2-09.6
H.S. or G.E.D.	2353	848,979	818	38.0	35.3-40.7	1439	58.6	55.9-61.3	96	3.4	02.4-04.4
Some Post-H.S.	1806	835,050	634	39.4	36.3-42.5	1114	57.5	54.4-60.6	58	3.0	01.8-04.2
College Graduate	1950	509,635	487	25.1	22.6-27.6	1429	73.4	70.9-75.9	34	1.5	00.9-02.1
Less than \$15,000	749	323,507	346	48.3	43.2-53.4	358	46.4	41.3-51.5	45	5.3	03.1-07.5
\$15,000- 24,999	1223	462,373	454	44.1	40.0-48.2	704	50.7	46.6-54.8	65	5.2	03.4-07.0
\$25,000- 34,999	714	254,560	233	35.8	30.9-40.7	455	61.0	55.9-66.1	26	3.2	01.4-05.0
\$35,000- 49,999	847	318,355	270	35.5	31.0-40.0	556	62.1	57.6-66.6	21	2.4	00.8-04.0
\$50,000- 74,999	795	316,106	243	35.1	30.4-39.8	535	62.7	58.0-67.4	17	2.3	00.5-04.1
\$75,000+	1279	475,763	315	26.9	23.8-30.0	945	71.8	68.5-75.1	19	1.3	00.5-02.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	39
2 MALES ONLY	40
3 FEMALES ONLY	41
(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	42
5 MALES ONLY	43
6 FEMALES ONLY	44
(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	45
8 MALES ONLY	46
9 FEMALES ONLY	47
(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	48
11 MALES ONLY	49
12 FEMALES ONLY	50
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	51
14 MALES ONLY	52
15 FEMALES ONLY	53
(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16 MALES AND FEMALES	54
17 MALES ONLY	55
18 FEMALES ONLY	56
(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19 MALES AND FEMALES	57
20 MALES ONLY	58
21 FEMALES ONLY	59

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
(EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)	
22 MALES AND FEMALES	60
23 MALES ONLY	61
24 FEMALES ONLY	62
(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25 MALES AND FEMALES	63
26 MALES ONLY	64
27 FEMALES ONLY	65
(EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)	
28 MALES AND FEMALES	66
29 MALES ONLY	67
30 FEMALES ONLY	68
(EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)	
31 MALES AND FEMALES	69
32 MALES ONLY	70
33 FEMALES ONLY	71
(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
34 MALES AND FEMALES	72
35 MALES ONLY	73
36 FEMALES ONLY	74
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
37 MALES AND FEMALES	75
38 MALES ONLY	76
39 FEMALES ONLY	77

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11453	5,001,754	801	5.0	04.6-05.4	10652	95.0	94.6-95.4
Male	4636	2,431,971	453	6.9	06.1-07.7	4183	93.1	92.3-93.9
Female	6817	2,569,783	348	3.2	02.8-03.6	6469	96.8	96.4-97.2
White/Non-Hisp	9981	4,078,369	711	5.3	04.7-05.9	9270	94.7	94.1-95.3
Black or Afr. Am./Non-Hisp	630	423,661	34	3.4	02.0-04.8	596	96.6	95.2-98.0
Oth. Race/Non-Hisp.	221	101,779	19	4.6	01.7-07.5	202	95.4	92.5-98.3
MultiRacial/Non-Hisp.	129	54,054	13	5.9	02.2-09.6	116	94.1	90.4-97.8
Hispanic	317	271,881	12	2.6	00.6-04.6	305	97.4	95.4-99.4
18-24	569	683,961	1	0.2	00.0-00.6	568	99.8	99.4-100.0
25-34	872	822,607	3	0.5	00.0-01.1	869	99.5	98.9-100.0
35-44	1266	811,324	18	1.9	00.9-02.9	1248	98.1	97.1-99.1
45-54	1878	865,294	77	4.7	03.5-05.9	1801	95.3	94.1-96.5
55-64	2596	816,131	160	7.1	05.7-08.5	2436	92.9	91.5-94.3
65+	4126	952,782	536	13.5	12.1-14.9	3590	86.5	85.1-87.9
Less Than H.S.	992	688,235	135	9.0	07.0-11.0	857	91.0	89.0-93.0
H.S. or G.E.D.	3920	1,726,226	327	5.9	05.1-06.7	3593	94.1	93.3-94.9
Some Post-H.S.	2907	1,517,383	185	4.0	03.2-04.8	2722	96.0	95.2-96.8
College Graduate	3538	1,035,258	150	2.5	02.1-02.9	3388	97.5	97.1-97.9
Less than \$15,000	1126	525,125	147	9.7	07.5-11.9	979	90.3	88.1-92.5
\$15,000- 24,999	1825	814,024	205	8.2	06.6-09.8	1620	91.8	90.2-93.4
\$25,000- 34,999	1184	511,831	89	5.4	04.0-06.8	1095	94.6	93.2-96.0
\$35,000- 49,999	1516	667,793	111	5.3	04.1-06.5	1405	94.7	93.5-95.9
\$50,000- 74,999	1533	697,949	76	3.3	02.5-04.1	1457	96.7	95.9-97.5
\$75,000+	2533	1,084,773	64	1.8	01.2-02.4	2469	98.2	97.6-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4636	2,431,971	453	6.9	06.1-07.7	4183	93.1	92.3-93.9
White/Non-Hisp	4025	1,980,107	414	7.5	06.5-08.5	3611	92.5	91.5-93.5
Black or Afr. Am./Non-Hisp	240	199,180	12	2.7	00.9-04.5	228	97.3	95.5-99.1
Oth. Race/Non-Hisp.	114	63,121	10	5.1	00.8-09.4	104	94.9	90.6-99.2
MultiRacial/Non-Hisp.	51	26,277	5	5.7	00.0-11.4	46	94.3	88.6-0100
Hispanic	130	129,004	7	4.5	00.8-08.2	123	95.5	91.8-99.2
18-24	309	348,925	1	0.3	00.0-00.9	308	99.7	99.1-0100
25-34	383	414,466	1	0.6	00.0-01.8	382	99.4	98.2-0100
35-44	543	405,147	14	2.9	01.1-04.7	529	97.1	95.3-98.9
45-54	809	427,096	55	7.5	05.1-09.9	754	92.5	90.1-94.9
55-64	1103	401,827	104	10.3	08.1-12.5	999	89.7	87.5-91.9
65+	1440	413,706	277	19.0	16.5-21.5	1163	81.0	78.5-83.5
Less Than H.S.	389	343,355	76	12.3	09.0-15.6	313	87.7	84.4-91.0
H.S. or G.E.D.	1534	866,534	171	7.7	06.3-09.1	1363	92.3	90.9-93.7
Some Post-H.S.	1094	678,368	99	5.8	04.4-07.2	995	94.2	92.8-95.6
College Graduate	1581	524,650	106	3.6	02.8-04.4	1475	96.4	95.6-97.2
Less than \$15,000	365	195,430	72	16.4	11.9-20.9	293	83.6	79.1-88.1
\$15,000- 24,999	594	349,860	97	12.2	09.1-15.3	497	87.8	84.7-90.9
\$25,000- 34,999	469	256,360	60	8.5	06.0-11.0	409	91.5	89.0-94.0
\$35,000- 49,999	663	347,077	71	7.2	05.0-09.4	592	92.8	90.6-95.0
\$50,000- 74,999	736	380,230	60	5.0	03.4-06.6	676	95.0	93.4-96.6
\$75,000+	1251	607,739	50	2.6	01.6-03.6	1201	97.4	96.4-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6817	2,569,783	348	3.2	02.8-03.6	6469	96.8	96.4-97.2
White/Non-Hisp	5956	2,098,262	297	3.2	02.8-03.6	5659	96.8	96.4-97.2
Black or Afr. Am./Non-Hisp	390	224,481	22	4.0	01.8-06.2	368	96.0	93.8-98.2
Oth. Race/Non-Hisp.	107	38,658	9	3.6	00.7-06.5	98	96.4	93.5-99.3
MultiRacial/Non-Hisp.	78	27,777	8	6.1	01.0-11.2	70	93.9	88.8-99.0
Hispanic	187	142,876	5	1.0	00.0-02.0	182	99.0	98.0-100.0
18-24	260	335,036				260	100.0	0100-0100
25-34	489	408,141	2	0.4	00.0-01.0	487	99.6	99.0-100.0
35-44	723	406,177	4	0.8	00.0-01.6	719	99.2	98.4-100.0
45-54	1069	438,198	22	2.1	01.1-03.1	1047	97.9	96.9-98.9
55-64	1493	414,304	56	4.1	02.9-05.3	1437	95.9	94.7-97.1
65+	2686	539,076	259	9.3	07.9-10.7	2427	90.7	89.3-92.1
Less Than H.S.	603	344,880	59	5.7	03.9-07.5	544	94.3	92.5-96.1
H.S. or G.E.D.	2386	859,691	156	4.0	03.2-04.8	2230	96.0	95.2-96.8
Some Post-H.S.	1813	839,015	86	2.5	01.7-03.3	1727	97.5	96.7-98.3
College Graduate	1957	510,608	44	1.3	00.7-01.9	1913	98.7	98.1-99.3
Less than \$15,000	761	329,695	75	5.7	03.9-07.5	686	94.3	92.5-96.1
\$15,000- 24,999	1231	464,164	108	5.2	03.8-06.6	1123	94.8	93.4-96.2
\$25,000- 34,999	715	255,471	29	2.3	01.1-03.5	686	97.7	96.5-98.9
\$35,000- 49,999	853	320,716	40	3.3	02.1-04.5	813	96.7	95.5-97.9
\$50,000- 74,999	797	317,719	16	1.3	00.5-02.1	781	98.7	97.9-99.5
\$75,000+	1282	477,034	14	0.8	00.2-01.4	1268	99.2	98.6-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11406	4,988,600	766	4.6	04.2-05.0	10640	95.4	95.0-95.8
Male	4616	2,426,378	398	5.8	05.0-06.6	4218	94.2	93.4-95.0
Female	6790	2,562,222	368	3.4	03.0-03.8	6422	96.6	96.2-97.0
White/Non-Hisp	9926	4,063,962	684	4.8	04.4-05.2	9242	95.2	94.8-95.6
Black or Afr. Am./Non-Hisp	631	422,358	37	4.2	02.4-06.0	594	95.8	94.0-97.6
Oth. Race/Non-Hisp.	228	103,386	15	2.4	00.8-04.0	213	97.6	96.0-99.2
MultiRacial/Non-Hisp.	129	55,068	13	6.9	02.6-11.2	116	93.1	88.8-97.4
Hispanic	316	270,678	10	2.7	00.7-04.7	306	97.3	95.3-99.3
18-24	572	686,357				572	100.0	0100-0100
25-34	873	824,737	5	0.4	00.0-00.8	868	99.6	99.2-0100
35-44	1267	811,590	10	1.2	00.4-02.0	1257	98.8	98.0-99.6
45-54	1877	865,993	62	3.6	02.6-04.6	1815	96.4	95.4-97.4
55-64	2588	813,600	157	6.7	05.5-07.9	2431	93.3	92.1-94.5
65+	4081	936,293	526	13.6	12.2-15.0	3555	86.4	85.0-87.8
Less Than H.S.	987	685,051	106	6.8	05.0-08.6	881	93.2	91.4-95.0
H.S. or G.E.D.	3908	1,722,525	279	5.3	04.5-06.1	3629	94.7	93.9-95.5
Some Post-H.S.	2890	1,511,930	211	4.1	03.3-04.9	2679	95.9	95.1-96.7
College Graduate	3525	1,034,529	168	2.7	02.3-03.1	3357	97.3	96.9-97.7
Less than \$15,000	1122	524,861	139	8.4	06.4-10.4	983	91.6	89.6-93.6
\$15,000- 24,999	1815	809,528	174	6.7	05.3-08.1	1641	93.3	91.9-94.7
\$25,000- 34,999	1175	508,102	91	5.2	03.8-06.6	1084	94.8	93.4-96.2
\$35,000- 49,999	1510	666,902	106	4.8	03.6-06.0	1404	95.2	94.0-96.4
\$50,000- 74,999	1528	696,810	81	3.3	02.5-04.1	1447	96.7	95.9-97.5
\$75,000+	2531	1,083,455	73	1.8	01.2-02.4	2458	98.2	97.6-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4616	2,426,378	398	5.8	05.0-06.6	4218	94.2	93.4-95.0
White/Non-Hisp	4000	1,971,150	362	6.2	05.4-07.0	3638	93.8	93.0-94.6
Black or Afr. Am./Non-Hisp	240	199,689	13	3.8	01.1-06.5	227	96.2	93.5-98.9
Oth. Race/Non-Hisp.	119	64,361	7	1.7	00.1-03.3	112	98.3	96.7-99.9
MultiRacial/Non-Hisp.	50	27,228	4	4.9	00.0-10.2	46	95.1	89.8-0100
Hispanic	130	128,531	7	4.6	00.5-08.7	123	95.4	91.3-99.5
18-24	312	351,321				312	100.0	0100-0100
25-34	382	414,235	2	0.4	00.0-01.0	380	99.6	99.0-0100
35-44	544	404,672	5	1.5	00.1-02.9	539	98.5	97.1-99.9
45-54	809	427,434	40	5.2	03.4-07.0	769	94.8	93.0-96.6
55-64	1096	399,825	89	9.0	06.8-11.2	1007	91.0	88.8-93.2
65+	1423	408,022	262	18.6	16.1-21.1	1161	81.4	78.9-83.9
Less Than H.S.	390	343,151	53	8.9	06.0-11.8	337	91.1	88.2-94.0
H.S. or G.E.D.	1530	864,390	132	6.4	05.0-07.8	1398	93.6	92.2-95.0
Some Post-H.S.	1087	675,448	95	5.0	03.8-06.2	992	95.0	93.8-96.2
College Graduate	1571	524,413	117	4.2	03.4-05.0	1454	95.8	95.0-96.6
Less than \$15,000	361	195,028	52	11.4	07.5-15.3	309	88.6	84.7-92.5
\$15,000- 24,999	594	349,605	77	9.1	06.6-11.6	517	90.9	88.4-93.4
\$25,000- 34,999	464	254,484	50	7.4	05.0-09.8	414	92.6	90.2-95.0
\$35,000- 49,999	661	347,348	67	6.8	04.6-09.0	594	93.2	91.0-95.4
\$50,000- 74,999	732	379,336	56	4.7	03.3-06.1	676	95.3	93.9-96.7
\$75,000+	1248	606,212	55	2.5	01.7-03.3	1193	97.5	96.7-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6790	2,562,222	368	3.4	03.0-03.8	6422	96.6	96.2-97.0
White/Non-Hisp	5926	2,092,812	322	3.3	02.9-03.7	5604	96.7	96.3-97.1
Black or Afr. Am./Non-Hisp	391	222,669	24	4.6	02.2-07.0	367	95.4	93.0-97.8
Oth. Race/Non-Hisp.	109	39,025	8	3.5	00.6-06.4	101	96.5	93.6-99.4
MultiRacial/Non-Hisp.	79	27,840	9	8.8	01.9-15.7	70	91.2	84.3-98.1
Hispanic	186	142,146	3	0.9	00.0-02.1	183	99.1	97.9-0100
18-24	260	335,036				260	100.0	0100-0100
25-34	491	410,502	3	0.5	00.0-01.1	488	99.5	98.9-0100
35-44	723	406,917	5	0.8	00.0-01.6	718	99.2	98.4-0100
45-54	1068	438,558	22	2.2	01.2-03.2	1046	97.8	96.8-98.8
55-64	1492	413,775	68	4.5	03.3-05.7	1424	95.5	94.3-96.7
65+	2658	528,271	264	9.7	08.3-11.1	2394	90.3	88.9-91.7
Less Than H.S.	597	341,900	53	4.7	03.1-06.3	544	95.3	93.7-96.9
H.S. or G.E.D.	2378	858,134	147	4.2	03.4-05.0	2231	95.8	95.0-96.6
Some Post-H.S.	1803	836,482	116	3.3	02.5-04.1	1687	96.7	95.9-97.5
College Graduate	1954	510,116	51	1.1	00.7-01.5	1903	98.9	98.5-99.3
Less than \$15,000	761	329,833	87	6.7	04.7-08.7	674	93.3	91.3-95.3
\$15,000- 24,999	1221	459,923	97	4.8	03.6-06.0	1124	95.2	94.0-96.4
\$25,000- 34,999	711	253,619	41	3.1	01.9-04.3	670	96.9	95.7-98.1
\$35,000- 49,999	849	319,554	39	2.6	01.6-03.6	810	97.4	96.4-98.4
\$50,000- 74,999	796	317,474	25	1.7	00.9-02.5	771	98.3	97.5-99.1
\$75,000+	1283	477,243	18	0.9	00.5-01.3	1265	99.1	98.7-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11492	5,015,193	503	3.2	02.8-03.6	10989	96.8	96.4-97.2
Male	4666	2,441,651	197	3.2	02.6-03.8	4469	96.8	96.2-97.4
Female	6826	2,573,542	306	3.1	02.7-03.5	6520	96.9	96.5-97.3
White/Non-Hisp	10002	4,085,086	420	3.0	02.6-03.4	9582	97.0	96.6-97.4
Black or Afr. Am./Non-Hisp	636	426,054	39	5.0	03.0-07.0	597	95.0	93.0-97.0
Oth. Race/Non-Hisp.	229	103,147	14	2.6	00.8-04.4	215	97.4	95.6-99.2
MultiRacial/Non-Hisp.	130	55,240	12	7.4	01.7-13.1	118	92.6	86.9-98.3
Hispanic	317	271,375	5	1.4	00.0-02.8	312	98.6	97.2-0100
18-24	571	685,748				571	100.0	0100-0100
25-34	873	822,875	11	1.2	00.4-02.0	862	98.8	98.0-99.6
35-44	1270	814,018	12	1.3	00.5-02.1	1258	98.7	97.9-99.5
45-54	1882	867,520	57	3.4	02.4-04.4	1825	96.6	95.6-97.6
55-64	2605	819,489	107	4.4	03.4-05.4	2498	95.6	94.6-96.6
65+	4141	955,065	313	7.6	06.6-08.6	3828	92.4	91.4-93.4
Less Than H.S.	1005	690,798	95	6.4	04.8-08.0	910	93.6	92.0-95.2
H.S. or G.E.D.	3933	1,731,907	187	3.1	02.5-03.7	3746	96.9	96.3-97.5
Some Post-H.S.	2915	1,521,118	127	2.9	02.3-03.5	2788	97.1	96.5-97.7
College Graduate	3542	1,036,575	90	1.5	01.1-01.9	3452	98.5	98.1-98.9
Less than \$15,000	1135	528,474	112	7.2	05.4-09.0	1023	92.8	91.0-94.6
\$15,000- 24,999	1831	815,549	139	5.8	04.4-07.2	1692	94.2	92.8-95.6
\$25,000- 34,999	1184	511,982	59	3.4	02.2-04.6	1125	96.6	95.4-97.8
\$35,000- 49,999	1518	668,383	63	3.1	02.1-04.1	1455	96.9	95.9-97.9
\$50,000- 74,999	1535	698,130	31	1.3	00.7-01.9	1504	98.7	98.1-99.3
\$75,000+	2535	1,085,113	29	0.7	00.5-00.9	2506	99.3	99.1-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4666	2,441,651	197	3.2	02.6-03.8	4469	96.8	96.2-97.4
White/Non-Hisp	4043	1,984,227	168	3.0	02.4-03.6	3875	97.0	96.4-97.6
Black or Afr. Am./Non-Hisp	242	200,622	13	5.4	02.3-08.5	229	94.6	91.5-97.7
Oth. Race/Non-Hisp.	121	65,247	5	2.2	00.0-04.6	116	97.8	95.4-0100
MultiRacial/Non-Hisp.	52	27,462	4	4.6	00.1-09.1	48	95.4	90.9-99.9
Hispanic	130	128,499	3	2.1	00.0-04.6	127	97.9	95.4-0100
18-24	312	351,837				312	100.0	0100-0100
25-34	382	412,130	3	0.8	00.0-01.8	379	99.2	98.2-0100
35-44	546	406,156	3	0.9	00.0-02.1	543	99.1	97.9-0100
45-54	812	428,682	33	4.5	02.7-06.3	779	95.5	93.7-97.3
55-64	1112	405,026	48	4.6	03.0-06.2	1064	95.4	93.8-97.0
65+	1451	416,628	110	8.0	06.2-09.8	1341	92.0	90.2-93.8
Less Than H.S.	397	343,508	46	7.5	05.0-10.0	351	92.5	90.0-95.0
H.S. or G.E.D.	1547	872,442	67	2.9	02.1-03.7	1480	97.1	96.3-97.9
Some Post-H.S.	1099	680,729	46	2.7	01.7-03.7	1053	97.3	96.3-98.3
College Graduate	1584	525,766	37	1.5	00.9-02.1	1547	98.5	97.9-99.1
Less than \$15,000	369	196,658	46	9.6	06.3-12.9	323	90.4	87.1-93.7
\$15,000- 24,999	599	351,237	51	7.3	04.8-09.8	548	92.7	90.2-95.2
\$25,000- 34,999	469	256,246	29	4.1	02.3-05.9	440	95.9	94.1-97.7
\$35,000- 49,999	668	349,190	25	2.4	01.2-03.6	643	97.6	96.4-98.8
\$50,000- 74,999	737	380,282	15	1.2	00.4-02.0	722	98.8	98.0-99.6
\$75,000+	1254	608,573	11	0.5	00.1-00.9	1243	99.5	99.1-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6826	2,573,542	306	3.1	02.7-03.5	6520	96.9	96.5-97.3
White/Non-Hisp	5959	2,100,859	252	2.9	02.5-03.3	5707	97.1	96.7-97.5
Black or Afr. Am./Non-Hisp	394	225,431	26	4.7	02.3-07.1	368	95.3	92.9-97.7
Oth. Race/Non-Hisp.	108	37,901	9	3.4	00.7-06.1	99	96.6	93.9-99.3
MultiRacial/Non-Hisp.	78	27,778	8	10.1	00.1-20.1	70	89.9	79.9-99.9
Hispanic	187	142,876	2	0.7	00.0-01.9	185	99.3	98.1-0100
18-24	259	333,912				259	100.0	0100-0100
25-34	491	410,746	8	1.6	00.4-02.8	483	98.4	97.2-99.6
35-44	724	407,862	9	1.6	00.4-02.8	715	98.4	97.2-99.6
45-54	1070	438,838	24	2.3	01.3-03.3	1046	97.7	96.7-98.7
55-64	1493	414,463	59	4.1	02.7-05.5	1434	95.9	94.5-97.3
65+	2690	538,437	203	7.2	06.0-08.4	2487	92.8	91.6-94.0
Less Than H.S.	608	347,290	49	5.3	03.3-07.3	559	94.7	92.7-96.7
H.S. or G.E.D.	2386	859,465	120	3.3	02.5-04.1	2266	96.7	95.9-97.5
Some Post-H.S.	1816	840,389	81	3.0	02.2-03.8	1735	97.0	96.2-97.8
College Graduate	1958	510,809	53	1.5	00.9-02.1	1905	98.5	97.9-99.1
Less than \$15,000	766	331,816	66	5.7	03.7-07.7	700	94.3	92.3-96.3
\$15,000- 24,999	1232	464,313	88	4.6	03.2-06.0	1144	95.4	94.0-96.8
\$25,000- 34,999	715	255,736	30	2.6	01.2-04.0	685	97.4	96.0-98.8
\$35,000- 49,999	850	319,193	38	3.9	02.1-05.7	812	96.1	94.3-97.9
\$50,000- 74,999	798	317,848	16	1.3	00.5-02.1	782	98.7	97.9-99.5
\$75,000+	1281	476,540	18	0.9	00.5-01.3	1263	99.1	98.7-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11489	5,011,255	1548	14.6	13.6-15.6	9941	85.4	84.4-86.4
Male	4663	2,437,229	502	11.9	10.7-13.1	4161	88.1	86.9-89.3
Female	6826	2,574,026	1046	17.1	15.7-18.5	5780	82.9	81.5-84.3
White/Non-Hisp	10000	4,080,929	1296	14.4	13.4-15.4	8704	85.6	84.6-86.6
Black or Afr. Am./Non-Hisp	635	425,613	118	18.7	15.0-22.4	517	81.3	77.6-85.0
Oth. Race/Non-Hisp.	229	103,576	35	9.6	04.7-14.5	194	90.4	85.5-95.3
MultiRacial/Non-Hisp.	131	55,302	26	18.5	09.9-27.1	105	81.5	72.9-90.1
Hispanic	318	272,933	40	11.8	07.9-15.7	278	88.2	84.3-92.1
18-24	566	678,878	112	19.5	16.0-23.0	454	80.5	77.0-84.0
25-34	874	823,509	146	16.2	13.5-18.9	728	83.8	81.1-86.5
35-44	1269	814,921	177	15.1	12.7-17.5	1092	84.9	82.5-87.3
45-54	1881	867,536	269	13.8	12.0-15.6	1612	86.2	84.4-88.0
55-64	2604	819,566	326	12.3	10.7-13.9	2278	87.7	86.1-89.3
65+	4146	956,598	505	12.4	11.0-13.8	3641	87.6	86.2-89.0
Less Than H.S.	1001	691,371	208	20.1	17.0-23.2	793	79.9	76.8-83.0
H.S. or G.E.D.	3943	1,732,406	497	13.0	11.6-14.4	3446	87.0	85.6-88.4
Some Post-H.S.	2909	1,516,955	433	15.7	13.9-17.5	2476	84.3	82.5-86.1
College Graduate	3540	1,035,958	401	12.2	10.8-13.6	3139	87.8	86.4-89.2
Less than \$15,000	1139	530,210	261	24.0	20.7-27.3	878	76.0	72.7-79.3
\$15,000- 24,999	1838	815,746	309	18.4	15.9-20.9	1529	81.6	79.1-84.1
\$25,000- 34,999	1185	511,832	148	12.8	10.1-15.5	1037	87.2	84.5-89.9
\$35,000- 49,999	1518	669,075	192	13.1	10.7-15.5	1326	86.9	84.5-89.3
\$50,000- 74,999	1531	695,308	167	12.8	10.4-15.2	1364	87.2	84.8-89.6
\$75,000+	2534	1,085,092	246	9.9	08.3-11.5	2288	90.1	88.5-91.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4663	2,437,229	502	11.9	10.7-13.1	4161	88.1	86.9-89.3
White/Non-Hisp	4040	1,979,975	425	11.7	10.3-13.1	3615	88.3	86.9-89.7
Black or Afr. Am./Non-Hisp	242	200,622	34	14.6	09.5-19.7	208	85.4	80.3-90.5
Oth. Race/Non-Hisp.	121	64,731	12	8.6	01.7-15.5	109	91.4	84.5-98.3
MultiRacial/Non-Hisp.	52	27,462	5	10.6	00.0-21.6	47	89.4	78.4-0100
Hispanic	131	130,057	17	11.2	05.7-16.7	114	88.8	83.3-94.3
18-24	308	345,611	57	18.0	13.3-22.7	251	82.0	77.3-86.7
25-34	382	412,560	51	13.8	09.9-17.7	331	86.2	82.3-90.1
35-44	547	407,713	70	12.5	09.4-15.6	477	87.5	84.4-90.6
45-54	813	429,343	86	10.0	07.6-12.4	727	90.0	87.6-92.4
55-64	1109	404,227	100	9.1	07.1-11.1	1009	90.9	88.9-92.9
65+	1453	416,581	135	9.7	07.7-11.7	1318	90.3	88.3-92.3
Less Than H.S.	397	343,575	76	18.1	13.4-22.8	321	81.9	77.2-86.6
H.S. or G.E.D.	1547	869,429	159	10.3	08.3-12.3	1388	89.7	87.7-91.7
Some Post-H.S.	1097	679,022	126	11.8	09.4-14.2	971	88.2	85.8-90.6
College Graduate	1583	525,996	136	10.7	08.7-12.7	1447	89.3	87.3-91.3
Less than \$15,000	370	198,689	69	19.4	14.3-24.5	301	80.6	75.5-85.7
\$15,000- 24,999	602	350,296	89	15.1	11.2-19.0	513	84.9	81.0-88.8
\$25,000- 34,999	470	256,446	53	10.1	07.0-13.2	417	89.9	86.8-93.0
\$35,000- 49,999	665	348,359	63	11.0	07.9-14.1	602	89.0	85.9-92.1
\$50,000- 74,999	735	377,942	70	12.1	08.8-15.4	665	87.9	84.6-91.2
\$75,000+	1252	608,116	94	8.3	06.3-10.3	1158	91.7	89.7-93.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6826	2,574,026	1046	17.1	15.7-18.5	5780	82.9	81.5-84.3
White/Non-Hisp	5960	2,100,954	871	16.9	15.5-18.3	5089	83.1	81.7-84.5
Black or Afr. Am./Non-Hisp	393	224,991	84	22.3	17.0-27.6	309	77.7	72.4-83.0
Oth. Race/Non-Hisp.	108	38,844	23	11.2	04.5-17.9	85	88.8	82.1-95.5
MultiRacial/Non-Hisp.	79	27,840	21	26.2	13.3-39.1	58	73.8	60.9-86.7
Hispanic	187	142,876	23	12.3	07.0-17.6	164	87.7	82.4-93.0
18-24	258	333,267	55	21.0	15.5-26.5	203	79.0	73.5-84.5
25-34	492	410,949	95	18.5	14.6-22.4	397	81.5	77.6-85.4
35-44	722	407,208	107	17.7	14.2-21.2	615	82.3	78.8-85.8
45-54	1068	438,194	183	17.6	14.9-20.3	885	82.4	79.7-85.1
55-64	1495	415,339	226	15.5	13.3-17.7	1269	84.5	82.3-86.7
65+	2693	540,017	370	14.5	12.7-16.3	2323	85.5	83.7-87.3
Less Than H.S.	604	347,796	132	22.0	17.7-26.3	472	78.0	73.7-82.3
H.S. or G.E.D.	2396	862,977	338	15.6	13.4-17.8	2058	84.4	82.2-86.6
Some Post-H.S.	1812	837,933	307	18.9	16.4-21.4	1505	81.1	78.6-83.6
College Graduate	1957	509,963	265	13.7	11.7-15.7	1692	86.3	84.3-88.3
Less than \$15,000	769	331,520	192	26.7	22.4-31.0	577	73.3	69.0-77.6
\$15,000- 24,999	1236	465,451	220	20.9	17.4-24.4	1016	79.1	75.6-82.6
\$25,000- 34,999	715	255,386	95	15.5	11.4-19.6	620	84.5	80.4-88.6
\$35,000- 49,999	853	320,716	129	15.4	12.1-18.7	724	84.6	81.3-87.9
\$50,000- 74,999	796	317,365	97	13.6	10.1-17.1	699	86.4	82.9-89.9
\$75,000+	1282	476,976	152	12.0	09.6-14.4	1130	88.0	85.6-90.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1513	711,109	1167	74.9	72.0-77.8	346	25.1	22.2-28.0
Male	493	282,473	345	68.3	63.0-73.6	148	31.7	26.4-37.0
Female	1020	428,636	822	79.3	75.8-82.8	198	20.7	17.2-24.2
White/Non-Hisp	1268	572,890	975	74.2	70.9-77.5	293	25.8	22.5-29.1
Black or Afr. Am./Non-Hisp	114	74,596	89	77.4	68.0-86.8	25	22.6	13.2-32.0
18-24	107	127,126	68	66.6	57.0-76.2	39	33.4	23.8-43.0
25-34	141	126,907	91	65.9	57.1-74.7	50	34.1	25.3-42.9
35-44	173	120,129	132	76.5	68.9-84.1	41	23.5	15.9-31.1
45-54	267	118,409	219	80.0	74.3-85.7	48	20.0	14.3-25.7
55-64	319	99,590	259	82.9	78.2-87.6	60	17.1	12.4-21.8
65+	493	115,292	389	80.9	76.6-85.2	104	19.1	14.8-23.4
Less Than H.S.	203	134,882	169	81.3	74.2-88.4	34	18.7	11.6-25.8
H.S. or G.E.D.	482	216,534	378	77.8	72.7-82.9	104	22.2	17.1-27.3
Some Post-H.S.	424	230,879	316	70.8	64.9-76.7	108	29.2	23.3-35.1
College Graduate	395	124,971	298	70.9	65.0-76.8	97	29.1	23.2-35.0
Less than \$15,000	256	125,802	209	78.6	71.7-85.5	47	21.4	14.5-28.3
\$15,000- 24,999	301	144,645	235	77.1	70.4-83.8	66	22.9	16.2-29.6
\$25,000- 34,999	147	65,154	118	75.9	65.5-86.3	29	24.1	13.7-34.5
\$35,000- 49,999	187	83,837	131	71.4	63.2-79.6	56	28.6	20.4-36.8
\$50,000- 74,999	165	87,795	123	70.8	61.6-80.0	42	29.2	20.0-38.4
\$75,000+	243	106,929	179	70.0	62.4-77.6	64	30.0	22.4-37.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	493	282,473	345	68.3	63.2-73.4	148	31.7	26.6-36.8
White/Non-Hisp	417	225,048	291	67.5	61.8-73.2	126	32.5	26.8-38.2
18-24	56	61,164	32	59.6	45.7-73.5	24	40.4	26.5-54.3
35-44	68	48,912	47	70.0	57.8-82.2	21	30.0	17.8-42.2
45-54	85	41,829	58	67.9	56.5-79.3	27	32.1	20.7-43.5
55-64	99	36,661	73	76.8	67.4-86.2	26	23.2	13.8-32.6
65+	134	40,457	105	81.8	74.2-89.4	29	18.2	10.6-25.8
Less Than H.S.	74	59,570	56	75.3	63.3-87.3	18	24.7	12.7-36.7
H.S. or G.E.D.	156	86,756	111	72.7	64.3-81.1	45	27.3	18.9-35.7
Some Post-H.S.	124	77,285	79	58.3	47.5-69.1	45	41.7	30.9-52.5
College Graduate	134	56,091	96	67.8	58.2-77.4	38	32.2	22.6-41.8
Less than \$15,000	69	38,597	52	70.9	57.6-84.2	17	29.1	15.8-42.4
\$15,000- 24,999	85	48,555	61	77.7	67.5-87.9	24	22.3	12.1-32.5
\$25,000- 34,999	53	25,816	39	66.7	50.2-83.2	14	33.3	16.8-49.8
\$35,000- 49,999	61	36,888	36	62.2	47.5-76.9	25	37.8	23.1-52.5
\$50,000- 74,999	70	45,667	50	67.3	54.0-80.6	20	32.7	19.4-46.0
\$75,000+	93	50,223	66	65.4	53.1-77.7	27	34.6	22.3-46.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1020	428,636	822	79.3	75.8-82.8	198	20.7	17.2-24.2
White/Non-Hisp	851	347,842	684	78.6	74.5-82.7	167	21.4	17.3-25.5
Black or Afr. Am./Non-Hisp	81	46,388	68	85.0	75.4-94.6	13	15.0	05.4-24.6
18-24	51	65,962	36	73.0	59.9-86.1	15	27.0	13.9-40.1
25-34	93	74,397	62	68.9	57.9-79.9	31	31.1	20.1-42.1
35-44	105	71,218	85	81.0	71.2-90.8	20	19.0	09.2-28.8
45-54	182	76,581	161	86.6	80.7-92.5	21	13.4	07.5-19.3
55-64	220	62,929	186	86.4	81.3-91.5	34	13.6	08.5-18.7
65+	359	74,835	284	80.4	75.3-85.5	75	19.6	14.5-24.7
Less Than H.S.	129	75,311	113	86.0	77.8-94.2	16	14.0	05.8-22.2
H.S. or G.E.D.	326	129,777	267	81.3	75.0-87.6	59	18.7	12.4-25.0
Some Post-H.S.	300	153,595	237	77.0	70.3-83.7	63	23.0	16.3-29.7
College Graduate	261	68,880	202	73.4	66.0-80.8	59	26.6	19.2-34.0
Less than \$15,000	187	87,204	157	82.0	74.0-90.0	30	18.0	10.0-26.0
\$15,000- 24,999	216	96,090	174	76.9	68.3-85.5	42	23.1	14.5-31.7
\$25,000- 34,999	94	39,338	79	81.9	69.0-94.8	15	18.1	05.2-31.0
\$35,000- 49,999	126	46,948	95	78.6	70.0-87.2	31	21.4	12.8-30.0
\$50,000- 74,999	95	42,128	73	74.7	62.5-86.9	22	25.3	13.1-37.5
\$75,000+	150	56,705	113	74.0	64.8-83.2	37	26.0	16.8-35.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11503	5,022,193	1047	5.6	05.2-06.0	10456	94.4	94.0-94.8
Male	4665	2,445,730	476	5.9	05.3-06.5	4189	94.1	93.5-94.7
Female	6838	2,576,464	571	5.2	04.6-05.8	6267	94.8	94.2-95.4
White/Non-Hisp	10009	4,088,816	1001	6.4	05.8-07.0	9008	93.6	93.0-94.2
Black or Afr. Am./Non-Hisp	637	426,881	7	1.0	00.0-02.0	630	99.0	98.0-0100
Oth. Race/Non-Hisp.	231	104,936	12	2.8	00.4-05.2	219	97.2	94.8-99.6
MultiRacial/Non-Hisp.	131	55,302	9	6.6	01.7-11.5	122	93.4	88.5-98.3
Hispanic	318	272,933	3	0.5	00.0-01.1	315	99.5	98.9-0100
18-24	572	686,626	2	0.3	00.0-00.7	570	99.7	99.3-0100
25-34	875	825,415	9	0.7	00.1-01.3	866	99.3	98.7-99.9
35-44	1271	815,575	26	1.7	00.9-02.5	1245	98.3	97.5-99.1
45-54	1880	867,349	89	4.5	03.3-05.7	1791	95.5	94.3-96.7
55-64	2607	820,536	215	7.7	06.5-08.9	2392	92.3	91.1-93.5
65+	4148	956,213	691	15.8	14.4-17.2	3457	84.2	82.8-85.6
Less Than H.S.	1009	696,390	64	4.0	02.6-05.4	945	96.0	94.6-97.4
H.S. or G.E.D.	3944	1,735,250	354	5.8	05.0-06.6	3590	94.2	93.4-95.0
Some Post-H.S.	2914	1,519,310	249	5.3	04.5-06.1	2665	94.7	93.9-95.5
College Graduate	3540	1,036,620	376	6.6	05.8-07.4	3164	93.4	92.6-94.2
Less than \$15,000	1140	531,072	80	4.2	03.0-05.4	1060	95.8	94.6-97.0
\$15,000- 24,999	1840	819,442	171	5.5	04.3-06.7	1669	94.5	93.3-95.7
\$25,000- 34,999	1184	511,844	114	5.5	04.3-06.7	1070	94.5	93.3-95.7
\$35,000- 49,999	1517	668,901	152	5.6	04.4-06.8	1365	94.4	93.2-95.6
\$50,000- 74,999	1530	696,732	146	6.4	05.0-07.8	1384	93.6	92.2-95.0
\$75,000+	2536	1,085,656	217	5.7	04.7-06.7	2319	94.3	93.3-95.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4665	2,445,730	476	5.9	05.3-06.5	4189	94.1	93.5-94.7
White/Non-Hisp	4041	1,986,244	452	6.9	06.1-07.7	3589	93.1	92.3-93.9
Black or Afr. Am./Non-Hisp	242	200,622	3	0.5	00.0-01.1	239	99.5	98.9-0100
Oth. Race/Non-Hisp.	122	65,911	9	4.1	00.4-07.8	113	95.9	92.2-99.6
MultiRacial/Non-Hisp.	52	27,462	4	5.3	00.0-11.6	48	94.7	88.4-0100
Hispanic	131	130,057	1	0.4	00.0-01.2	130	99.6	98.8-0100
18-24	313	352,501	1	0.2	00.0-00.6	312	99.8	99.4-0100
25-34	383	414,466	2	0.4	00.0-01.0	381	99.6	99.0-0100
35-44	547	407,713	10	1.7	00.5-02.9	537	98.3	97.1-99.5
45-54	812	429,170	45	4.4	02.8-06.0	767	95.6	94.0-97.2
55-64	1111	404,840	95	7.6	05.8-09.4	1016	92.4	90.6-94.2
65+	1448	415,846	319	20.3	17.9-22.7	1129	79.7	77.3-82.1
Less Than H.S.	399	347,388	26	3.5	01.9-05.1	373	96.5	94.9-98.1
H.S. or G.E.D.	1547	872,784	156	6.1	04.9-07.3	1391	93.9	92.7-95.1
Some Post-H.S.	1098	680,462	103	5.9	04.5-07.3	995	94.1	92.7-95.5
College Graduate	1582	525,889	191	7.4	06.2-08.6	1391	92.6	91.4-93.8
Less than \$15,000	370	198,691	26	4.8	02.4-07.2	344	95.2	92.8-97.6
\$15,000- 24,999	605	354,979	65	5.6	03.8-07.4	540	94.4	92.6-96.2
\$25,000- 34,999	468	256,056	60	6.8	04.8-08.8	408	93.2	91.2-95.2
\$35,000- 49,999	665	348,705	71	5.8	04.2-07.4	594	94.2	92.6-95.8
\$50,000- 74,999	735	379,783	87	7.9	05.7-10.1	648	92.1	89.9-94.3
\$75,000+	1254	608,573	123	5.9	04.5-07.3	1131	94.1	92.7-95.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6838	2,576,464	571	5.2	04.6-05.8	6267	94.8	94.2-95.4
White/Non-Hisp	5968	2,102,571	549	6.0	05.4-06.6	5419	94.0	93.4-94.6
Black or Afr. Am./Non-Hisp	395	226,258	4	1.4	00.0-03.0	391	98.6	97.0-0100
Oth. Race/Non-Hisp.	109	39,025	3	0.6	00.0-01.4	106	99.4	98.6-0100
MultiRacial/Non-Hisp.	79	27,840	5	8.0	00.6-15.4	74	92.0	84.6-99.4
Hispanic	187	142,876	2	0.6	00.0-01.6	185	99.4	98.4-0100
18-24	259	334,125	1	0.3	00.0-00.9	258	99.7	99.1-0100
25-34	492	410,949	7	1.1	00.3-01.9	485	98.9	98.1-99.7
35-44	724	407,862	16	1.7	00.7-02.7	708	98.3	97.3-99.3
45-54	1068	438,179	44	4.6	03.0-06.2	1024	95.4	93.8-97.0
55-64	1496	415,697	120	7.8	06.2-09.4	1376	92.2	90.6-93.8
65+	2700	540,367	372	12.4	10.8-14.0	2328	87.6	86.0-89.2
Less Than H.S.	610	349,002	38	4.5	02.5-06.5	572	95.5	93.5-97.5
H.S. or G.E.D.	2397	862,466	198	5.5	04.5-06.5	2199	94.5	93.5-95.5
Some Post-H.S.	1816	838,848	146	4.9	03.9-05.9	1670	95.1	94.1-96.1
College Graduate	1958	510,731	185	5.8	04.8-06.8	1773	94.2	93.2-95.2
Less than \$15,000	770	332,381	54	3.8	02.4-05.2	716	96.2	94.8-97.6
\$15,000- 24,999	1235	464,464	106	5.4	04.0-06.8	1129	94.6	93.2-96.0
\$25,000- 34,999	716	255,788	54	4.1	02.7-05.5	662	95.9	94.5-97.3
\$35,000- 49,999	852	320,196	81	5.3	03.9-06.7	771	94.7	93.3-96.1
\$50,000- 74,999	795	316,949	59	4.7	03.1-06.3	736	95.3	93.7-96.9
\$75,000+	1282	477,082	94	5.5	04.1-06.9	1188	94.5	93.1-95.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11499	5,021,258	1134	6.3	05.9-06.7	10365	93.7	93.3-94.1
Male	4663	2,444,451	356	4.8	04.2-05.4	4307	95.2	94.6-95.8
Female	6836	2,576,806	778	7.8	07.0-08.6	6058	92.2	91.4-93.0
White/Non-Hisp	10013	4,090,138	1047	7.0	06.4-07.6	8966	93.0	92.4-93.6
Black or Afr. Am./Non-Hisp	633	425,288	40	4.4	02.8-06.0	593	95.6	94.0-97.2
Oth. Race/Non-Hisp.	229	104,035	10	1.5	00.3-02.7	219	98.5	97.3-99.7
MultiRacial/Non-Hisp.	130	54,940	5	1.5	00.0-03.1	125	98.5	96.9-100.0
Hispanic	318	272,933	13	2.4	00.6-04.2	305	97.6	95.8-99.4
18-24	573	687,537	3	0.5	00.0-01.1	570	99.5	98.9-100.0
25-34	875	825,415	17	1.8	00.8-02.8	858	98.2	97.2-99.2
35-44	1271	815,575	33	2.9	01.7-04.1	1238	97.1	95.9-98.3
45-54	1881	867,197	95	4.7	03.5-05.9	1786	95.3	94.1-96.5
55-64	2605	819,600	239	8.7	07.5-09.9	2366	91.3	90.1-92.5
65+	4145	956,562	737	16.8	15.4-18.2	3408	83.2	81.8-84.6
Less Than H.S.	1005	695,806	102	6.1	04.5-07.7	903	93.9	92.3-95.5
H.S. or G.E.D.	3943	1,734,599	426	7.0	06.2-07.8	3517	93.0	92.2-93.8
Some Post-H.S.	2914	1,519,504	289	6.4	05.4-07.4	2625	93.6	92.6-94.6
College Graduate	3540	1,036,553	307	5.2	04.4-06.0	3233	94.8	94.0-95.6
Less than \$15,000	1135	528,587	127	6.9	05.3-08.5	1008	93.1	91.5-94.7
\$15,000- 24,999	1837	819,658	220	7.5	06.1-08.9	1617	92.5	91.1-93.9
\$25,000- 34,999	1187	512,407	139	8.0	06.2-09.8	1048	92.0	90.2-93.8
\$35,000- 49,999	1519	669,364	141	6.3	04.9-07.7	1378	93.7	92.3-95.1
\$50,000- 74,999	1533	697,711	131	5.4	04.2-06.6	1402	94.6	93.4-95.8
\$75,000+	2535	1,085,402	177	4.7	03.7-05.7	2358	95.3	94.3-96.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4663	2,444,451	356	4.8	04.2-05.4	4307	95.2	94.6-95.8
White/Non-Hisp	4043	1,986,657	332	5.4	04.6-06.2	3711	94.6	93.8-95.4
Black or Afr. Am./Non-Hisp	241	200,211	12	2.2	00.6-03.8	229	97.8	96.2-99.4
Oth. Race/Non-Hisp.	120	65,010	4	0.8	00.0-01.8	116	99.2	98.2-0100
MultiRacial/Non-Hisp.	51	27,100				51	100.0	0100-0100
Hispanic	131	130,057	2	1.6	00.0-04.0	129	98.4	96.0-0100
18-24	313	352,501	3	1.1	00.0-02.3	310	98.9	97.7-0100
25-34	383	414,466	3	0.8	00.0-01.8	380	99.2	98.2-0100
35-44	547	407,713	9	2.1	00.5-03.7	538	97.9	96.3-99.5
45-54	811	428,076	16	2.0	01.0-03.0	795	98.0	97.0-99.0
55-64	1112	405,026	74	6.4	04.8-08.0	1038	93.6	92.0-95.2
65+	1446	415,475	248	16.0	13.6-18.4	1198	84.0	81.6-86.4
Less Than H.S.	397	346,538	26	4.3	02.3-06.3	371	95.7	93.7-97.7
H.S. or G.E.D.	1548	872,851	130	5.3	04.3-06.3	1418	94.7	93.7-95.7
Some Post-H.S.	1096	679,902	76	4.5	03.3-05.7	1020	95.5	94.3-96.7
College Graduate	1583	525,952	123	4.6	03.6-05.6	1460	95.4	94.4-96.4
Less than \$15,000	369	197,975	34	7.2	04.3-10.1	335	92.8	89.9-95.7
\$15,000- 24,999	603	354,494	57	5.3	03.5-07.1	546	94.7	92.9-96.5
\$25,000- 34,999	470	256,446	44	5.8	03.8-07.8	426	94.2	92.2-96.2
\$35,000- 49,999	666	348,648	51	4.7	03.1-06.3	615	95.3	93.7-96.9
\$50,000- 74,999	736	380,002	50	4.8	03.0-06.6	686	95.2	93.4-97.0
\$75,000+	1252	608,159	78	3.7	02.7-04.7	1174	96.3	95.3-97.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6836	2,576,806	778	7.8	07.0-08.6	6058	92.2	91.4-93.0
White/Non-Hisp	5970	2,103,481	715	8.4	07.6-09.2	5255	91.6	90.8-92.4
Black or Afr. Am./Non-Hisp	392	225,077	28	6.4	03.7-09.1	364	93.6	90.9-96.3
Oth. Race/Non-Hisp.	109	39,025	6	2.5	00.0-05.2	103	97.5	94.8-0100
MultiRacial/Non-Hisp.	79	27,840	5	3.0	00.0-06.1	74	97.0	93.9-0100
Hispanic	187	142,876	11	3.1	00.6-05.6	176	96.9	94.4-99.4
18-24	260	335,036				260	100.0	0100-0100
25-34	492	410,949	14	2.9	01.1-04.7	478	97.1	95.3-98.9
35-44	724	407,862	24	3.8	02.0-05.6	700	96.2	94.4-98.0
45-54	1070	439,121	79	7.4	05.4-09.4	991	92.6	90.6-94.6
55-64	1493	414,575	165	10.9	08.9-12.9	1328	89.1	87.1-91.1
65+	2699	541,087	489	17.3	15.5-19.1	2210	82.7	80.9-84.5
Less Than H.S.	608	349,267	76	7.9	05.5-10.3	532	92.1	89.7-94.5
H.S. or G.E.D.	2395	861,747	296	8.9	07.5-10.3	2099	91.1	89.7-92.5
Some Post-H.S.	1818	839,602	213	7.8	06.4-09.2	1605	92.2	90.8-93.6
College Graduate	1957	510,601	184	5.8	04.8-06.8	1773	94.2	93.2-95.2
Less than \$15,000	766	330,612	93	6.7	04.7-08.7	673	93.3	91.3-95.3
\$15,000- 24,999	1234	465,164	163	9.2	07.4-11.0	1071	90.8	89.0-92.6
\$25,000- 34,999	717	255,961	95	10.2	07.5-12.9	622	89.8	87.1-92.5
\$35,000- 49,999	853	320,716	90	8.0	05.8-10.2	763	92.0	89.8-94.2
\$50,000- 74,999	797	317,709	81	6.3	04.5-08.1	716	93.7	91.9-95.5
\$75,000+	1283	477,243	99	6.0	04.4-07.6	1184	94.0	92.4-95.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11459	4,995,577	1196	8.7	08.1-09.3	10263	91.3	90.7-91.9
Male	4643	2,427,560	396	7.1	06.3-07.9	4247	92.9	92.1-93.7
Female	6816	2,568,017	800	10.3	09.3-11.3	6016	89.7	88.7-90.7
White/Non-Hisp	9983	4,074,490	1042	9.2	08.4-10.0	8941	90.8	90.0-91.6
Black or Afr. Am./Non-Hisp	629	421,747	65	8.2	05.8-10.6	564	91.8	89.4-94.2
Oth. Race/Non-Hisp.	227	101,964	30	5.6	03.1-08.1	197	94.4	91.9-96.9
MultiRacial/Non-Hisp.	129	53,999	22	9.9	04.8-15.0	107	90.1	85.0-95.2
Hispanic	314	270,722	14	3.5	01.3-05.7	300	96.5	94.3-98.7
18-24	569	683,205	10	2.3	00.7-03.9	559	97.7	96.1-99.3
25-34	870	818,563	28	3.6	02.0-05.2	842	96.4	94.8-98.0
35-44	1269	814,887	58	6.0	04.2-07.8	1211	94.0	92.2-95.8
45-54	1874	861,938	183	10.7	08.9-12.5	1691	89.3	87.5-91.1
55-64	2591	813,900	312	12.7	11.1-14.3	2279	87.3	85.7-88.9
65+	4138	952,928	595	15.1	13.7-16.5	3543	84.9	83.5-86.3
Less Than H.S.	992	680,843	243	18.5	15.8-21.2	749	81.5	78.8-84.2
H.S. or G.E.D.	3923	1,726,509	487	9.2	08.2-10.2	3436	90.8	89.8-91.8
Some Post-H.S.	2911	1,517,969	326	8.3	07.1-09.5	2585	91.7	90.5-92.9
College Graduate	3537	1,035,603	134	2.2	01.8-02.6	3403	97.8	97.4-98.2
Less than \$15,000	1126	522,232	281	19.6	16.7-22.5	845	80.4	77.5-83.3
\$15,000- 24,999	1833	817,375	326	14.7	12.5-16.9	1507	85.3	83.1-87.5
\$25,000- 34,999	1180	508,275	125	8.2	06.4-10.0	1055	91.8	90.0-93.6
\$35,000- 49,999	1512	665,940	123	6.7	05.1-08.3	1389	93.3	91.7-94.9
\$50,000- 74,999	1533	697,699	104	6.4	04.8-08.0	1429	93.6	92.0-95.2
\$75,000+	2535	1,083,738	62	2.0	01.4-02.6	2473	98.0	97.4-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4643	2,427,560	396	7.1	06.3-07.9	4247	92.9	92.1-93.7
White/Non-Hisp	4026	1,975,236	347	7.5	06.5-08.5	3679	92.5	91.5-93.5
Black or Afr. Am./Non-Hisp	238	197,292	16	4.8	01.9-07.7	222	95.2	92.3-98.1
Oth. Race/Non-Hisp.	119	63,132	10	4.2	01.3-07.1	109	95.8	92.9-98.7
MultiRacial/Non-Hisp.	52	27,462	8	7.7	01.6-13.8	44	92.3	86.2-98.4
Hispanic	131	130,057	7	4.4	00.9-07.9	124	95.6	92.1-99.1
18-24	310	349,364	4	1.8	00.0-03.6	306	98.2	96.4-100
25-34	380	408,990	8	2.5	00.5-04.5	372	97.5	95.5-99.5
35-44	546	407,332	22	4.9	02.5-07.3	524	95.1	92.7-97.5
45-54	807	424,474	64	7.7	05.5-09.9	743	92.3	90.1-94.5
55-64	1101	400,333	106	10.5	08.3-12.7	995	89.5	87.3-91.7
65+	1448	415,873	190	14.5	12.1-16.9	1258	85.5	83.1-87.9
Less Than H.S.	392	337,898	91	15.8	11.9-19.7	301	84.2	80.3-88.1
H.S. or G.E.D.	1535	866,697	157	7.6	06.2-09.0	1378	92.4	91.0-93.8
Some Post-H.S.	1096	678,240	92	5.8	04.2-07.4	1004	94.2	92.6-95.8
College Graduate	1582	525,660	54	2.2	01.4-03.0	1528	97.8	97.0-98.6
Less than \$15,000	362	192,717	81	18.1	13.4-22.8	281	81.9	77.2-86.6
\$15,000- 24,999	601	353,193	93	11.4	08.5-14.3	508	88.6	85.7-91.5
\$25,000- 34,999	466	253,021	52	8.0	05.5-10.5	414	92.0	89.5-94.5
\$35,000- 49,999	664	346,520	56	7.0	04.8-09.2	608	93.0	90.8-95.2
\$50,000- 74,999	735	379,851	43	5.9	03.7-08.1	692	94.1	91.9-96.3
\$75,000+	1252	606,495	23	1.3	00.7-01.9	1229	98.7	98.1-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6816	2,568,017	800	10.3	09.3-11.3	6016	89.7	88.7-90.7
White/Non-Hisp	5957	2,099,254	695	10.7	09.7-11.7	5262	89.3	88.3-90.3
Black or Afr. Am./Non-Hisp	391	224,455	49	11.1	07.6-14.6	342	88.9	85.4-92.4
Oth. Race/Non-Hisp.	108	38,832	20	7.8	03.3-12.3	88	92.2	87.7-96.7
MultiRacial/Non-Hisp.	77	26,538	14	12.2	04.2-20.2	63	87.8	79.8-95.8
Hispanic	183	140,665	7	2.7	00.3-05.1	176	97.3	94.9-99.7
18-24	259	333,841	6	2.9	00.5-05.3	253	97.1	94.7-99.5
25-34	490	409,573	20	4.6	02.4-06.8	470	95.4	93.2-97.6
35-44	723	407,555	36	7.1	04.6-09.6	687	92.9	90.4-95.4
45-54	1067	437,464	119	13.7	11.2-16.2	948	86.3	83.8-88.8
55-64	1490	413,567	206	14.8	12.4-17.2	1284	85.2	82.8-87.6
65+	2690	537,055	405	15.6	13.8-17.4	2285	84.4	82.6-86.2
Less Than H.S.	600	342,945	152	21.2	17.3-25.1	448	78.8	74.9-82.7
H.S. or G.E.D.	2388	859,811	330	10.8	09.2-12.4	2058	89.2	87.6-90.8
Some Post-H.S.	1815	839,729	234	10.3	08.5-12.1	1581	89.7	87.9-91.5
College Graduate	1955	509,943	80	2.1	01.5-02.7	1875	97.9	97.3-98.5
Less than \$15,000	764	329,515	200	20.5	16.8-24.2	564	79.5	75.8-83.2
\$15,000- 24,999	1232	464,182	233	17.2	14.5-19.9	999	82.8	80.1-85.5
\$25,000- 34,999	714	255,254	73	8.4	05.7-11.1	641	91.6	88.9-94.3
\$35,000- 49,999	848	319,420	67	6.5	04.5-08.5	781	93.5	91.5-95.5
\$50,000- 74,999	798	317,848	61	6.9	04.4-09.4	737	93.1	90.6-95.6
\$75,000+	1283	477,243	39	2.8	01.6-04.0	1244	97.2	96.0-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11459	5,005,992	4406	29.2	28.2-30.2	7053	70.8	69.8-71.8
Male	4648	2,435,837	1397	24.3	22.7-25.9	3251	75.7	74.1-77.3
Female	6811	2,570,155	3009	33.7	32.3-35.1	3802	66.3	64.9-67.7
White/Non-Hisp	9973	4,075,960	3936	30.9	29.7-32.1	6037	69.1	67.9-70.3
Black or Afr. Am./Non-Hisp	636	426,686	233	28.2	23.9-32.5	403	71.8	67.5-76.1
Oth. Race/Non-Hisp.	226	102,650	65	13.6	08.7-18.5	161	86.4	81.5-91.3
MultiRacial/Non-Hisp.	131	55,302	67	38.8	28.2-49.4	64	61.2	50.6-71.8
Hispanic	318	272,933	42	9.1	05.8-12.4	276	90.9	87.6-94.2
18-24	568	682,188	16	2.9	01.3-04.5	552	97.1	95.5-98.7
25-34	874	823,509	110	13.4	10.7-16.1	764	86.6	83.9-89.3
35-44	1267	814,252	215	18.4	15.7-21.1	1052	81.6	78.9-84.3
45-54	1873	865,544	581	32.1	29.6-34.6	1292	67.9	65.4-70.4
55-64	2602	819,106	1142	44.3	41.9-46.7	1460	55.7	53.3-58.1
65+	4127	951,474	2294	54.8	52.8-56.8	1833	45.2	43.2-47.2
Less Than H.S.	1004	693,726	487	34.3	30.6-38.0	517	65.7	62.0-69.4
H.S. or G.E.D.	3923	1,727,247	1680	31.5	29.7-33.3	2243	68.5	66.7-70.3
Some Post-H.S.	2905	1,517,226	1169	30.5	28.5-32.5	1736	69.5	67.5-71.5
College Graduate	3532	1,034,058	1038	19.8	18.2-21.4	2494	80.2	78.6-81.8
Less than \$15,000	1134	528,419	613	41.3	37.4-45.2	521	58.7	54.8-62.6
\$15,000- 24,999	1832	816,480	857	34.9	32.0-37.8	975	65.1	62.2-68.0
\$25,000- 34,999	1181	510,956	509	30.3	27.0-33.6	672	69.7	66.4-73.0
\$35,000- 49,999	1507	666,074	564	28.6	25.9-31.3	943	71.4	68.7-74.1
\$50,000- 74,999	1531	694,672	535	27.2	24.5-29.9	996	72.8	70.1-75.5
\$75,000+	2530	1,083,852	638	21.0	19.0-23.0	1892	79.0	77.0-81.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4648	2,435,837	1397	24.3	22.7-25.9	3251	75.7	74.1-77.3
White/Non-Hisp	4029	1,979,911	1249	25.8	24.2-27.4	2780	74.2	72.6-75.8
Black or Afr. Am./Non-Hisp	242	200,622	66	23.3	17.0-29.6	176	76.7	70.4-83.0
Oth. Race/Non-Hisp.	119	63,998	21	10.3	04.2-16.4	98	89.7	83.6-95.8
MultiRacial/Non-Hisp.	52	27,462	25	39.0	22.7-55.3	27	61.0	44.7-77.3
Hispanic	131	130,057	14	8.7	03.6-13.8	117	91.3	86.2-96.4
18-24	309	348,653	3	0.9	00.0-01.9	306	99.1	98.1-0100
25-34	382	412,560	40	12.7	08.8-16.6	342	87.3	83.4-91.2
35-44	546	407,232	82	16.8	12.9-20.7	464	83.2	79.3-87.1
45-54	807	427,296	216	28.2	24.5-31.9	591	71.8	68.1-75.5
55-64	1108	404,343	392	37.5	34.0-41.0	716	62.5	59.0-66.0
65+	1446	414,928	653	46.5	43.4-49.6	793	53.5	50.4-56.6
Less Than H.S.	396	344,685	148	28.5	23.2-33.8	248	71.5	66.2-76.8
H.S. or G.E.D.	1542	869,298	483	24.8	22.3-27.3	1059	75.2	72.7-77.7
Some Post-H.S.	1094	678,605	368	26.9	23.8-30.0	726	73.1	70.0-76.2
College Graduate	1578	524,550	390	17.6	15.4-19.8	1188	82.4	80.2-84.6
Less than \$15,000	368	197,268	152	36.5	30.2-42.8	216	63.5	57.2-69.8
\$15,000- 24,999	601	353,235	221	27.9	23.4-32.4	380	72.1	67.6-76.6
\$25,000- 34,999	468	256,070	162	25.9	21.2-30.6	306	74.1	69.4-78.8
\$35,000- 49,999	663	347,895	204	24.1	20.2-28.0	459	75.9	72.0-79.8
\$50,000- 74,999	733	376,824	227	25.8	21.9-29.7	506	74.2	70.3-78.1
\$75,000+	1251	607,708	284	19.7	17.0-22.4	967	80.3	77.6-83.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6811	2,570,155	3009	33.7	32.3-35.1	3802	66.3	64.9-67.7
White/Non-Hisp	5944	2,096,049	2687	35.8	34.2-37.4	3257	64.2	62.6-65.8
Black or Afr. Am./Non-Hisp	394	226,064	167	32.6	26.9-38.3	227	67.4	61.7-73.1
Oth. Race/Non-Hisp.	107	38,651	44	18.9	10.7-27.1	63	81.1	72.9-89.3
MultiRacial/Non-Hisp.	79	27,840	42	38.6	24.7-52.5	37	61.4	47.5-75.3
Hispanic	187	142,876	28	9.4	05.3-13.5	159	90.6	86.5-94.7
18-24	259	333,535	13	5.1	02.2-08.0	246	94.9	92.0-97.8
25-34	492	410,949	70	14.0	10.5-17.5	422	86.0	82.5-89.5
35-44	721	407,020	133	20.1	16.6-23.6	588	79.9	76.4-83.4
45-54	1066	438,248	365	35.9	32.6-39.2	701	64.1	60.8-67.4
55-64	1494	414,764	750	50.9	47.8-54.0	744	49.1	46.0-52.2
65+	2681	536,547	1641	61.2	58.8-63.6	1040	38.8	36.4-41.2
Less Than H.S.	608	349,042	339	40.1	35.2-45.0	269	59.9	55.0-64.8
H.S. or G.E.D.	2381	857,949	1197	38.3	35.8-40.8	1184	61.7	59.2-64.2
Some Post-H.S.	1811	838,621	801	33.4	30.7-36.1	1010	66.6	63.9-69.3
College Graduate	1954	509,508	648	22.1	19.9-24.3	1306	77.9	75.7-80.1
Less than \$15,000	766	331,150	461	44.2	39.3-49.1	305	55.8	50.9-60.7
\$15,000- 24,999	1231	463,246	636	40.2	36.5-43.9	595	59.8	56.1-63.5
\$25,000- 34,999	713	254,885	347	34.7	30.2-39.2	366	65.3	60.8-69.8
\$35,000- 49,999	844	318,179	360	33.4	29.3-37.5	484	66.6	62.5-70.7
\$50,000- 74,999	798	317,848	308	28.9	25.0-32.8	490	71.1	67.2-75.0
\$75,000+	1279	476,143	354	22.8	20.1-25.5	925	77.2	74.5-79.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 28: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11473	5,007,477	2323	20.7	19.7-21.7	9150	79.3	78.3-80.3
Male	4652	2,434,592	658	14.8	13.4-16.2	3994	85.2	83.8-86.6
Female	6821	2,572,886	1665	26.3	24.7-27.9	5156	73.7	72.1-75.3
White/Non-Hisp	9991	4,079,655	2045	21.8	20.6-23.0	7946	78.2	77.0-79.4
Black or Afr. Am./Non-Hisp	634	425,314	117	15.0	11.7-18.3	517	85.0	81.7-88.3
Oth. Race/Non-Hisp.	229	104,079	50	19.7	12.8-26.6	179	80.3	73.4-87.2
MultiRacial/Non-Hisp.	128	54,790	39	25.5	15.9-35.1	89	74.5	64.9-84.1
Hispanic	316	270,116	43	12.4	08.3-16.5	273	87.6	83.5-91.7
18-24	570	683,903	94	17.3	13.8-20.8	476	82.7	79.2-86.2
25-34	872	822,496	194	22.8	19.5-26.1	678	77.2	73.9-80.5
35-44	1267	812,389	298	24.3	21.4-27.2	969	75.7	72.8-78.6
45-54	1877	865,236	452	23.2	21.0-25.4	1425	76.8	74.6-79.0
55-64	2602	819,562	660	23.9	21.9-25.9	1942	76.1	74.1-78.1
65+	4139	954,483	610	13.8	12.6-15.0	3529	86.2	85.0-87.4
Less Than H.S.	1001	691,148	303	30.0	26.3-33.7	698	70.0	66.3-73.7
H.S. or G.E.D.	3934	1,728,567	819	19.7	18.1-21.3	3115	80.3	78.7-81.9
Some Post-H.S.	2907	1,518,376	620	21.2	19.2-23.2	2287	78.8	76.8-80.8
College Graduate	3534	1,034,591	564	15.5	13.9-17.1	2970	84.5	82.9-86.1
Less than \$15,000	1133	527,907	428	40.5	36.6-44.4	705	59.5	55.6-63.4
\$15,000- 24,999	1830	813,393	482	27.0	24.1-29.9	1348	73.0	70.1-75.9
\$25,000- 34,999	1181	510,010	249	18.3	15.4-21.2	932	81.7	78.8-84.6
\$35,000- 49,999	1516	668,869	271	17.0	14.6-19.4	1245	83.0	80.6-85.4
\$50,000- 74,999	1532	697,027	254	17.0	14.5-19.5	1278	83.0	80.5-85.5
\$75,000+	2534	1,084,450	349	13.7	11.9-15.5	2185	86.3	84.5-88.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4652	2,434,592	658	14.8	13.4-16.2	3994	85.2	83.8-86.6
White/Non-Hisp	4034	1,980,061	574	15.4	13.8-17.0	3460	84.6	83.0-86.2
Black or Afr. Am./Non-Hisp	240	199,142	27	8.9	04.8-13.0	213	91.1	87.0-95.2
Oth. Race/Non-Hisp.	121	65,247	21	16.7	08.1-25.3	100	83.3	74.7-91.9
MultiRacial/Non-Hisp.	52	27,462	14	21.6	08.9-34.3	38	78.4	65.7-91.1
Hispanic	129	127,239	12	10.0	04.1-15.9	117	90.0	84.1-95.9
18-24	310	348,867	32	9.7	06.2-13.2	278	90.3	86.8-93.8
25-34	381	412,473	55	16.5	12.0-21.0	326	83.5	79.0-88.0
35-44	544	404,932	96	19.6	15.5-23.7	448	80.4	76.3-84.5
45-54	810	428,054	134	16.5	13.6-19.4	676	83.5	80.6-86.4
55-64	1110	404,642	199	17.5	15.0-20.0	911	82.5	80.0-85.0
65+	1446	414,430	139	8.8	07.0-10.6	1307	91.2	89.4-93.0
Less Than H.S.	395	343,665	99	23.8	18.3-29.3	296	76.2	70.7-81.7
H.S. or G.E.D.	1543	867,998	211	12.9	10.9-14.9	1332	87.1	85.1-89.1
Some Post-H.S.	1095	679,219	161	14.8	12.1-17.5	934	85.2	82.5-87.9
College Graduate	1580	524,502	180	11.9	09.9-13.9	1400	88.1	86.1-90.1
Less than \$15,000	368	197,619	127	35.6	29.3-41.9	241	64.4	58.1-70.7
\$15,000- 24,999	599	349,565	136	24.7	19.8-29.6	463	75.3	70.4-80.2
\$25,000- 34,999	464	254,050	74	12.9	08.8-17.0	390	87.1	83.0-91.2
\$35,000- 49,999	668	349,190	74	10.6	07.7-13.5	594	89.4	86.5-92.3
\$50,000- 74,999	734	379,178	81	10.0	07.5-12.5	653	90.0	87.5-92.5
\$75,000+	1252	607,408	104	8.7	06.7-10.7	1148	91.3	89.3-93.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6821	2,572,886	1665	26.3	24.7-27.9	5156	73.7	72.1-75.3
White/Non-Hisp	5957	2,099,594	1471	27.8	26.2-29.4	4486	72.2	70.6-73.8
Black or Afr. Am./Non-Hisp	394	226,172	90	20.4	15.5-25.3	304	79.6	74.7-84.5
Oth. Race/Non-Hisp.	108	38,832	29	24.8	13.8-35.8	79	75.2	64.2-86.2
MultiRacial/Non-Hisp.	76	27,328	25	29.5	15.8-43.2	51	70.5	56.8-84.2
Hispanic	187	142,876	31	14.5	08.8-20.2	156	85.5	79.8-91.2
18-24	260	335,036	62	25.2	19.3-31.1	198	74.8	68.9-80.7
25-34	491	410,023	139	29.1	24.4-33.8	352	70.9	66.2-75.6
35-44	723	407,457	202	29.0	25.1-32.9	521	71.0	67.1-74.9
45-54	1067	437,182	318	29.8	26.7-32.9	749	70.2	67.1-73.3
55-64	1492	414,920	461	30.1	27.4-32.8	1031	69.9	67.2-72.6
65+	2693	540,053	471	17.7	15.9-19.5	2222	82.3	80.5-84.1
Less Than H.S.	606	347,483	204	36.2	31.1-41.3	402	63.8	58.7-68.9
H.S. or G.E.D.	2391	860,568	608	26.5	24.0-29.0	1783	73.5	71.0-76.0
Some Post-H.S.	1812	839,157	459	26.4	23.7-29.1	1353	73.6	70.9-76.3
College Graduate	1954	510,088	384	19.2	17.0-21.4	1570	80.8	78.6-83.0
Less than \$15,000	765	330,288	301	43.4	38.3-48.5	464	56.6	51.5-61.7
\$15,000- 24,999	1231	463,828	346	28.7	25.2-32.2	885	71.3	67.8-74.8
\$25,000- 34,999	717	255,961	175	23.7	19.6-27.8	542	76.3	72.2-80.4
\$35,000- 49,999	848	319,679	197	24.1	20.2-28.0	651	75.9	72.0-79.8
\$50,000- 74,999	798	317,848	173	25.3	21.0-29.6	625	74.7	70.4-79.0
\$75,000+	1282	477,042	245	20.0	17.3-22.7	1037	80.0	77.3-82.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11495	5,017,666	417	2.7	02.3-03.1	11078	97.3	96.9-97.7
Male	4662	2,441,215	147	2.6	02.0-03.2	4515	97.4	96.8-98.0
Female	6833	2,576,452	270	2.7	02.3-03.1	6563	97.3	96.9-97.7
White/Non-Hisp	10007	4,089,513	368	2.8	02.4-03.2	9639	97.2	96.8-97.6
Black or Afr. Am./Non-Hisp	637	426,881	29	2.6	01.4-03.8	608	97.4	96.2-98.6
Oth. Race/Non-Hisp.	228	104,421	5	1.2	00.0-02.6	223	98.8	97.4-0100
MultiRacial/Non-Hisp.	130	55,183	3	1.7	00.0-03.9	127	98.3	96.1-0100
Hispanic	315	268,484	6	2.2	00.2-04.2	309	97.8	95.8-99.8
18-24	572	686,325	3	0.3	00.0-00.7	569	99.7	99.3-0100
25-34	874	824,049	11	1.3	00.5-02.1	863	98.7	97.9-99.5
35-44	1269	812,492	19	1.9	00.9-02.9	1250	98.1	97.1-99.1
45-54	1882	868,430	44	2.4	01.6-03.2	1838	97.6	96.8-98.4
55-64	2605	819,498	94	3.6	02.6-04.6	2511	96.4	95.4-97.4
65+	4147	957,277	246	5.8	04.8-06.8	3901	94.2	93.2-95.2
Less Than H.S.	1004	692,375	52	3.8	02.4-05.2	952	96.2	94.8-97.6
H.S. or G.E.D.	3942	1,735,002	156	2.9	02.3-03.5	3786	97.1	96.5-97.7
Some Post-H.S.	2914	1,519,593	107	2.4	01.8-03.0	2807	97.6	97.0-98.2
College Graduate	3538	1,035,900	100	1.8	01.4-02.2	3438	98.2	97.8-98.6
Less than \$15,000	1130	525,333	83	5.3	03.7-06.9	1047	94.7	93.1-96.3
\$15,000- 24,999	1836	819,423	105	4.5	03.3-05.7	1731	95.5	94.3-96.7
\$25,000- 34,999	1186	511,950	38	1.8	01.0-02.6	1148	98.2	97.4-99.0
\$35,000- 49,999	1520	669,776	45	1.7	01.1-02.3	1475	98.3	97.7-98.9
\$50,000- 74,999	1534	697,910	36	1.9	01.1-02.7	1498	98.1	97.3-98.9
\$75,000+	2532	1,084,578	53	1.7	01.1-02.3	2479	98.3	97.7-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4662	2,441,215	147	2.6	02.0-03.2	4515	97.4	96.8-98.0
White/Non-Hisp	4041	1,986,087	131	2.8	02.2-03.4	3910	97.2	96.6-97.8
Black or Afr. Am./Non-Hisp	242	200,622	5	0.8	00.0-01.6	237	99.2	98.4-0100
Oth. Race/Non-Hisp.	121	65,688	2	0.4	00.0-01.0	119	99.6	99.0-0100
MultiRacial/Non-Hisp.	52	27,462	2	1.9	00.0-04.8	50	98.1	95.2-0100
Hispanic	129	126,974	5	4.2	00.3-08.1	124	95.8	91.9-99.7
18-24	312	351,289	2	0.6	00.0-01.4	310	99.4	98.6-0100
25-34	383	414,466	4	1.3	00.1-02.5	379	98.7	97.5-99.9
35-44	545	404,630	10	2.7	00.9-04.5	535	97.3	95.5-99.1
45-54	812	428,982	18	2.8	01.2-04.4	794	97.2	95.6-98.8
55-64	1108	404,192	39	3.6	02.2-05.0	1069	96.4	95.0-97.8
65+	1451	416,461	74	4.6	03.4-05.8	1377	95.4	94.2-96.6
Less Than H.S.	397	344,299	24	4.6	02.2-07.0	373	95.4	93.0-97.8
H.S. or G.E.D.	1549	873,007	43	2.6	01.6-03.6	1506	97.4	96.4-98.4
Some Post-H.S.	1095	678,975	31	1.9	00.9-02.9	1064	98.1	97.1-99.1
College Graduate	1582	525,726	47	2.0	01.4-02.6	1535	98.0	97.4-98.6
Less than \$15,000	366	195,293	20	4.3	01.8-06.8	346	95.7	93.2-98.2
\$15,000- 24,999	603	354,470	37	5.6	03.2-08.0	566	94.4	92.0-96.8
\$25,000- 34,999	469	255,989	11	1.8	00.4-03.2	458	98.2	96.8-99.6
\$35,000- 49,999	667	349,060	19	1.7	00.7-02.7	648	98.3	97.3-99.3
\$50,000- 74,999	737	380,282	20	2.4	01.0-03.8	717	97.6	96.2-99.0
\$75,000+	1250	607,746	28	1.8	01.0-02.6	1222	98.2	97.4-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6833	2,576,452	270	2.7	02.3-03.1	6563	97.3	96.9-97.7
White/Non-Hisp	5966	2,103,427	237	2.7	02.3-03.1	5729	97.3	96.9-97.7
Black or Afr. Am./Non-Hisp	395	226,258	24	4.1	01.9-06.3	371	95.9	93.7-98.1
Oth. Race/Non-Hisp.	107	38,733	3	2.4	00.0-05.9	104	97.6	94.1-0100
MultiRacial/Non-Hisp.	78	27,721	1	1.5	00.0-04.4	77	98.5	95.6-0100
Hispanic	186	141,510	1	0.4	00.0-01.2	185	99.6	98.8-0100
18-24	260	335,036	1	0.0	00.0-00.0	259	100.0	0100-0100
25-34	491	409,583	7	1.3	00.1-02.5	484	98.7	97.5-99.9
35-44	724	407,862	9	1.1	00.3-01.9	715	98.9	98.1-99.7
45-54	1070	439,447	26	2.0	01.2-02.8	1044	98.0	97.2-98.8
55-64	1497	415,306	55	3.6	02.4-04.8	1442	96.4	95.2-97.6
65+	2696	540,816	172	6.7	05.5-07.9	2524	93.3	92.1-94.5
Less Than H.S.	607	348,076	28	2.9	01.5-04.3	579	97.1	95.7-98.5
H.S. or G.E.D.	2393	861,995	113	3.2	02.4-04.0	2280	96.8	96.0-97.6
Some Post-H.S.	1819	840,618	76	2.8	02.0-03.6	1743	97.2	96.4-98.0
College Graduate	1956	510,174	53	1.7	01.1-02.3	1903	98.3	97.7-98.9
Less than \$15,000	764	330,040	63	6.0	03.8-08.2	701	94.0	91.8-96.2
\$15,000- 24,999	1233	464,953	68	3.7	02.5-04.9	1165	96.3	95.1-97.5
\$25,000- 34,999	717	255,961	27	1.9	00.9-02.9	690	98.1	97.1-99.1
\$35,000- 49,999	853	320,716	26	1.7	00.9-02.5	827	98.3	97.5-99.1
\$50,000- 74,999	797	317,628	16	1.3	00.5-02.1	781	98.7	97.9-99.5
\$75,000+	1282	476,831	25	1.5	00.9-02.1	1257	98.5	97.9-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 34: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11505	5,018,636	1653	10.7	10.1-11.3	77	0.8	0.6-01.0	9629	87.5	86.7-88.3	146	1.0	0.8-01.2
Male	4665	2,441,188	721	11.1	10.1-12.1				3899	88.1	87.1-89.1	45	0.7	0.5-00.9
Female	6840	2,577,448	932	10.3	09.5-11.1	77	1.5	01.1-01.9	5730	87.0	86.0-88.0	101	1.3	00.9-01.7
White/Non-Hisp	10015	4,087,151	1441	11.1	10.3-11.9	61	0.7	00.5-00.9	8389	87.3	86.5-88.1	124	0.9	00.7-01.1
Black or Afr. Am./Non-Hisp	635	426,267	114	12.2	09.5-14.9	5	0.5	00.0-01.1	505	86.1	83.2-89.0	11	1.2	00.2-02.2
Oth. Race/Non-Hisp.	230	104,081	26	5.5	02.6-08.4				201	93.3	90.0-96.6	3	1.2	00.0-03.0
MultiRacial/Non-Hisp.	131	55,302	21	8.5	04.0-13.0	2	2.4	00.0-06.7	105	87.4	80.9-93.9	3	1.6	00.0-03.8
Hispanic	318	272,933	24	4.8	02.6-07.0	8	3.0	00.8-05.2	281	90.5	87.2-93.8	5	1.7	00.1-03.3
18-24	572	686,325	9	1.8	00.4-03.2				560	97.8	96.4-99.2	3	0.4	00.0-00.8
25-34	872	822,739	19	2.1	00.9-03.3	16	2.0	00.8-03.2	832	95.3	93.7-96.9	5	0.6	00.0-01.2
35-44	1270	815,163	59	5.2	03.6-06.8	19	1.2	00.6-01.8	1186	92.9	91.1-94.7	6	0.7	00.1-01.3
45-54	1880	866,557	209	11.1	09.3-12.9	26	1.0	00.6-01.4	1624	86.7	84.9-88.5	21	1.2	00.6-01.8
55-64	2608	820,525	450	18.0	16.2-19.8	6	0.2	00.0-00.4	2121	80.6	78.8-82.4	31	1.2	00.8-01.6
65+	4154	957,261	890	22.6	21.0-24.2	10	0.2	00.0-00.4	3175	75.3	73.5-77.1	79	1.8	01.4-02.2
Less Than H.S.	1006	691,973	209	14.3	11.9-16.7	10	1.5	00.5-02.5	768	82.7	80.0-85.4	19	1.6	00.6-02.6
H.S. or G.E.D.	3946	1,736,335	645	12.1	10.9-13.3	16	0.5	00.1-00.9	3229	86.4	85.2-87.6	56	1.0	00.6-01.4
Some Post-H.S.	2917	1,520,130	425	10.0	08.8-11.2	18	0.7	00.3-01.1	2439	88.4	87.0-89.8	35	0.9	00.5-01.3
College Graduate	3539	1,035,401	366	7.1	06.3-07.9	32	0.9	00.5-01.3	3107	91.3	90.3-92.3	34	0.7	00.3-01.1
Less than \$15,000	1137	528,476	257	16.1	13.6-18.6	9	1.1	00.3-01.9	852	81.5	78.8-84.2	19	1.3	00.5-02.1
\$15,000- 24,999	1841	820,481	369	14.9	12.9-16.9	14	1.0	00.4-01.6	1429	82.9	80.7-85.1	29	1.3	00.5-02.1
\$25,000- 34,999	1186	512,254	180	10.5	08.5-12.5	7	0.5	00.1-00.9	979	87.8	85.6-90.0	20	1.2	00.6-01.8
\$35,000- 49,999	1521	669,906	241	11.8	10.0-13.6	8	0.4	00.0-00.8	1249	87.1	85.3-88.9	23	0.8	00.4-01.2
\$50,000- 74,999	1532	695,644	164	8.5	06.9-10.1	8	1.0	00.0-02.0	1339	89.2	87.2-91.2	21	1.2	00.6-01.8
\$75,000+	2534	1,084,679	214	6.6	05.6-07.6	22	0.7	00.3-01.1	2283	92.3	91.1-93.5	15	0.4	00.2-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 35: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4665	2,441,188	721	11.1	10.1-12.1	3899	88.1	87.1-89.1	45	0.7	00.5-00.9
White/Non-Hisp	4044	1,984,223	638	11.8	10.6-13.0	3367	87.4	86.2-88.6	39	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	240	200,008	36	10.7	06.8-14.6	201	88.6	84.5-92.7	3	0.7	00.0-01.7
Oth. Race/Non-Hisp.	121	65,056	14	4.2	01.3-07.1	105	94.0	90.1-97.9	2	1.8	00.0-04.5
MultiRacial/Non-Hisp.	52	27,462	8	8.4	01.7-15.1	44	91.6	84.9-98.3			
Hispanic	131	130,057	10	4.9	01.4-08.4	120	94.8	91.3-98.3	1	0.3	00.0-00.9
18-24	312	351,289	4	1.3	00.0-02.7	306	98.2	96.6-99.8	2	0.4	00.0-01.0
25-34	382	412,560	5	1.4	00.0-02.8	375	98.2	96.8-99.6	2	0.4	00.0-01.0
35-44	546	407,301	26	5.2	02.8-07.6	519	94.7	92.3-97.1	1	0.1	00.0-00.3
45-54	810	427,241	107	12.5	10.0-15.0	698	86.8	84.1-89.5	5	0.7	00.0-01.7
55-64	1110	404,458	202	18.1	15.6-20.6	897	80.7	78.0-83.4	11	1.2	00.4-02.0
65+	1454	417,146	374	27.0	24.1-29.9	1056	71.4	68.5-74.3	24	1.6	00.8-02.4
Less Than H.S.	396	343,545	88	12.8	09.5-16.1	303	86.3	82.8-89.8	5	0.9	00.0-02.1
H.S. or G.E.D.	1549	873,286	247	11.9	10.1-13.7	1289	87.5	85.7-89.3	13	0.6	00.2-01.0
Some Post-H.S.	1099	679,716	178	11.5	09.5-13.5	909	87.6	85.6-89.6	12	0.9	00.3-01.5
College Graduate	1582	525,434	204	8.5	07.1-09.9	1363	90.8	89.4-92.2	15	0.7	00.3-01.1
Less than \$15,000	368	196,723	81	16.9	12.6-21.2	282	81.9	77.4-86.4	5	1.2	00.0-02.4
\$15,000- 24,999	605	354,979	131	15.3	12.2-18.4	467	83.7	80.4-87.0	7	1.1	00.0-02.3
\$25,000- 34,999	469	256,293	77	9.9	07.2-12.6	386	89.1	86.2-92.0	6	1.0	00.0-02.0
\$35,000- 49,999	668	349,190	132	14.0	11.3-16.7	528	85.3	82.6-88.0	8	0.7	00.1-01.3
\$50,000- 74,999	735	378,140	95	9.4	07.0-11.8	629	89.4	86.9-91.9	11	1.1	00.3-01.9
\$75,000+	1252	607,848	129	8.0	06.2-09.8	1119	91.8	90.0-93.6	4	0.2	00.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 36: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6840	2,577,448	932	10.3	09.5-11.1	77	1.5	01.1-01.9	5730	87.0	86.0-88.0	101	1.3	00.9-01.7
White/Non-Hisp	5971	2,102,927	803	10.4	09.4-11.4	61	1.3	00.9-01.7	5022	87.2	86.2-88.2	85	1.1	00.7-01.5
Black or Afr. Am./Non-Hisp	395	226,258	78	13.5	09.8-17.2	5	1.0	00.0-02.0	304	83.9	79.8-88.0	8	1.7	00.1-03.3
Oth. Race/Non-Hisp.	109	39,025	12	7.8	01.5-14.1				96	92.0	85.7-98.3	1	0.2	00.0-00.6
MultiRacial/Non-Hisp.	79	27,840	13	8.6	02.7-14.5	2	4.8	00.0-13.4	61	83.3	72.7-93.9	3	3.2	00.0-07.3
Hispanic	187	142,876	14	4.7	02.0-07.4	8	5.7	01.6-09.8	161	86.7	81.2-92.2	4	2.9	00.0-05.8
18-24	260	335,036	5	2.3	00.1-04.5				254	97.4	95.2-99.6	1	0.3	00.0-00.9
25-34	490	410,179	14	2.9	01.1-04.7	16	3.9	01.7-06.1	457	92.5	89.6-95.4	3	0.8	00.0-01.8
35-44	724	407,862	33	5.2	03.2-07.2	19	2.4	01.0-03.8	667	91.1	88.6-93.6	5	1.4	00.2-02.6
45-54	1070	439,317	102	9.7	07.5-11.9	26	2.0	01.0-03.0	926	86.6	84.2-89.0	16	1.6	00.6-02.6
55-64	1498	416,066	248	17.9	15.5-20.3	6	0.5	00.1-00.9	1224	80.5	78.0-83.0	20	1.1	00.5-01.7
65+	2700	540,115	516	19.2	17.2-21.2	10	0.4	00.2-00.6	2119	78.3	76.3-80.3	55	2.0	01.4-02.6
Less Than H.S.	610	348,428	121	15.7	12.4-19.0	10	2.9	00.9-04.9	465	79.1	75.2-83.0	14	2.2	00.8-03.6
H.S. or G.E.D.	2397	863,049	398	12.2	10.6-13.8	16	1.0	00.2-01.8	1940	85.3	83.5-87.1	43	1.5	00.9-02.1
Some Post-H.S.	1818	840,414	247	8.8	07.2-10.4	18	1.2	00.6-01.8	1530	88.9	87.1-90.7	23	1.0	00.4-01.6
College Graduate	1957	509,967	162	5.7	04.7-06.7	32	1.8	01.0-02.6	1744	91.8	90.4-93.2	19	0.6	00.2-01.0
Less than \$15,000	769	331,754	176	15.7	12.6-18.8	9	1.8	00.4-03.2	570	81.2	77.7-84.7	14	1.3	00.3-02.3
\$15,000- 24,999	1236	465,502	238	14.6	12.1-17.1	14	1.7	00.7-02.7	962	82.3	79.6-85.0	22	1.5	00.7-02.3
\$25,000- 34,999	717	255,961	103	11.1	08.0-14.2	7	1.0	00.2-01.8	593	86.4	83.1-89.7	14	1.4	00.4-02.4
\$35,000- 49,999	853	320,716	109	9.3	07.3-11.3	8	0.8	00.0-01.6	721	89.0	86.6-91.4	15	0.9	00.3-01.5
\$50,000- 74,999	797	317,505	69	7.4	05.2-09.6	8	2.2	00.2-04.2	710	89.0	86.1-91.9	10	1.3	00.3-02.3
\$75,000+	1282	476,831	85	4.9	03.7-06.1	22	1.6	00.8-02.4	1164	92.9	91.3-94.5	11	0.6	00.2-01.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 37: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1571	513,088	30	2.7	01.3-04.1	113	11.4	08.9-13.9	346	27.1	24.2-30.0	669	39.9	36.8-43.0	413	19.0	16.8-21.2
Male	697	261,139	14	2.7	00.7-04.7	41	9.0	05.5-12.5	143	25.7	21.4-30.0	321	43.9	39.2-48.6	178	18.6	15.5-21.7
Female	874	251,949	16	2.6	00.8-04.4	72	13.9	10.0-17.8	203	28.5	24.4-32.6	348	35.7	31.6-39.8	235	19.4	16.5-22.3
White/Non-Hisp	1374	435,361	27	3.0	01.4-04.6	91	11.2	08.3-14.1	296	27.4	24.1-30.7	588	39.5	36.2-42.8	372	18.9	16.7-21.1
Black or Afr. Am./Non-Hisp	105	47,868	10	10.8	02.2-19.4	32	26.6	16.6-36.6	43	41.9	30.1-53.7	20	20.6	11.2-30.0			
35-44	56	39,772	1	1.8	00.0-05.3	20	34.9	20.0-49.8	35	63.3	48.4-78.2						
45-54	205	93,912	7	2.3	00.3-04.3	20	8.0	04.1-11.9	111	59.4	51.6-67.2	67	30.2	22.8-37.6			
55-64	438	143,773	6	0.9	00.1-01.7	29	6.7	03.8-09.6	100	22.3	17.6-27.0	284	66.2	60.9-71.5	19	3.9	01.7-06.1
65+	833	203,585	6	0.8	00.0-01.6	27	2.9	01.7-04.1	97	12.2	09.3-15.1	311	39.1	34.8-43.4	392	45.0	40.7-49.3
Less Than H.S.	189	91,094	2	0.8	00.0-02.0	18	14.8	07.2-22.4	56	35.3	26.5-44.1	63	31.9	23.9-39.9	50	17.2	11.7-22.7
H.S. or G.E.D.	614	201,170	10	3.4	00.7-06.1	39	8.5	05.0-12.0	115	22.5	18.0-27.0	273	43.4	38.5-48.3	177	22.2	18.5-25.9
Some Post-H.S.	409	148,319	7	2.1	00.1-04.1	36	14.7	09.0-20.4	101	30.3	24.6-36.0	171	38.1	32.2-44.0	94	14.8	11.3-18.3
College Graduate	352	71,348	11	4.2	01.3-07.1	18	8.1	04.0-12.2	73	22.9	17.4-28.4	160	44.1	37.8-50.4	90	20.7	16.0-25.4
Less than \$15,000	240	78,944	3	1.7	00.0-04.2	29	14.3	07.8-20.8	68	37.9	29.3-46.5	97	34.8	27.2-42.4	43	11.3	07.0-15.6
\$15,000- 24,999	353	116,901	9	3.2	00.3-06.1	26	12.7	06.8-18.6	80	29.0	22.3-35.7	130	31.8	25.5-38.1	108	23.4	17.9-28.9
\$25,000- 34,999	176	52,992	3	2.6	00.0-05.9	14	14.9	04.7-25.1	33	19.4	11.6-27.2	69	38.3	28.9-47.7	57	24.7	17.4-32.0
\$35,000- 49,999	232	75,651	3	1.7	00.0-03.9	16	9.1	04.0-14.2	44	23.1	16.4-29.8	110	46.0	38.2-53.8	59	20.1	14.2-26.0
\$50,000- 74,999	159	57,646	5	6.9	00.0-14.2	9	8.3	01.6-15.0	40	28.2	19.0-37.4	71	42.8	33.2-52.4	34	13.9	08.6-19.2
\$75,000+	212	71,668	6	2.3	00.0-04.7	11	7.7	02.2-13.2	50	28.0	20.4-35.6	114	51.8	43.4-60.2	31	10.1	05.6-14.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 38: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	697	261,139	14	2.7	00.7-04.7	41	9.0	05.7-12.3	143	25.7	21.4-30.0	321	43.9	39.2-48.6	178	18.6	15.5-21.7
White/Non-Hisp	620	227,085	14	3.2	01.0-05.4	34	8.6	05.1-12.1	130	27.1	22.4-31.8	282	42.9	38.0-47.8	160	18.4	15.1-21.7
45-54	104	51,678	3	1.8	00.0-04.2	5	4.0	00.3-07.7	57	57.3	45.9-68.7	39	36.9	25.9-47.9			
55-64	197	71,287	1	0.3	00.0-00.9	15	8.2	03.3-13.1	40	19.8	13.5-26.1	136	69.6	62.2-77.0	5	2.1	00.0-04.5
65+	361	107,509	5	1.3	00.0-02.7	7	2.1	00.3-03.9	32	10.2	06.1-14.3	144	42.4	35.9-48.9	173	43.9	37.4-50.4
Less Than H.S.	79	39,090	2	1.8	00.0-04.7	6	13.2	00.1-26.3	16	22.6	09.9-35.3	34	45.1	30.8-59.4	21	17.3	08.7-25.9
H.S. or G.E.D.	243	101,840	5	3.8	00.0-08.1	10	5.0	01.3-08.7	48	25.7	18.4-33.0	119	46.1	38.5-53.7	61	19.4	14.1-24.7
Some Post-H.S.	172	76,337	2	1.1	00.0-02.7	14	12.5	05.2-19.8	43	30.8	22.4-39.2	73	39.1	30.7-47.5	40	16.5	10.8-22.2
College Graduate	200	43,386	5	4.0	00.0-08.1	11	8.8	03.3-14.3	35	19.4	12.7-26.1	94	46.1	37.9-54.3	55	21.7	15.6-27.8
Less than \$15,000	71	28,467	1	0.6	00.0-01.8	7	8.9	01.8-16.0	22	43.2	28.5-57.9	29	37.0	23.7-50.3	12	10.3	03.0-17.6
\$15,000- 24,999	128	52,463	4	2.4	00.0-05.3	7	10.1	01.7-18.5	27	28.4	17.6-39.2	51	32.9	22.7-43.1	39	26.1	17.1-35.1
\$25,000- 34,999	76	25,145	1	3.1	00.0-09.2	3	2.7	00.0-05.8	15	24.0	11.5-36.5	28	40.5	27.0-54.0	29	29.6	18.4-40.8
\$35,000- 49,999	128	46,951	1	1.2	00.0-03.6	13	12.2	04.8-19.6	25	21.3	13.1-29.5	58	45.6	35.2-56.0	31	19.7	11.7-27.7
\$50,000- 74,999	93	35,035	4	9.6	00.0-20.8	4	5.2	00.0-10.5	18	25.9	13.6-38.2	45	46.8	33.7-59.9	22	12.6	06.5-18.7
\$75,000+	128	48,515	3	2.2	00.0-05.3	4	6.3	00.0-13.4	26	24.5	14.9-34.1	73	55.7	44.7-66.7	22	11.3	05.2-17.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 39: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	874	251,949	16	2.6	00.8-04.4	72	13.9	10.0-17.8	203	28.5	24.4-32.6	348	35.7	31.8-39.6	235	19.4	16.5-22.3
White/Non-Hisp	754	208,276	13	2.7	00.7-04.7	57	14.0	09.5-18.5	166	27.8	23.3-32.3	306	35.9	31.6-40.2	212	19.6	16.7-22.5
Black or Afr. Am./Non-Hisp	72	28,316				7	11.0	00.4-21.6	24	30.0	17.3-42.7	29	38.2	24.1-52.3	12	20.9	08.2-33.6
45-54	101	42,235	4	3.0	00.0-06.3	15	13.0	05.6-20.4	54	62.0	51.0-73.0	28	22.0	12.8-31.2			
55-64	241	72,487	5	1.4	00.0-03.0	14	5.3	02.0-08.6	60	24.7	18.0-31.4	148	62.9	55.5-70.3	14	5.7	02.2-09.2
65+	472	96,076	1	0.2	00.0-00.6	20	3.7	01.9-05.5	65	14.4	10.1-18.7	167	35.4	29.9-40.9	219	46.3	40.4-52.2
Less Than H.S.	110	52,004				12	16.0	06.8-25.2	40	44.8	33.2-56.4	29	22.0	13.2-30.8	29	17.2	09.8-24.6
H.S. or G.E.D.	371	99,330	5	3.0	00.0-06.3	29	12.1	06.2-18.0	67	19.2	14.1-24.3	154	40.5	34.0-47.0	116	25.2	19.9-30.5
Some Post-H.S.	237	71,982	5	3.2	00.0-06.5	22	17.0	08.0-26.0	58	29.8	22.2-37.4	98	37.0	29.2-44.8	54	13.0	08.9-17.1
College Graduate	152	27,961	6	4.4	00.3-08.5	7	7.0	01.1-12.9	38	28.5	19.1-37.9	66	40.9	31.3-50.5	35	19.1	12.0-26.2
Less than \$15,000	169	50,476	2	2.3	00.0-06.2	22	17.3	08.3-26.3	46	34.9	24.7-45.1	68	33.6	24.6-42.6	31	11.9	06.4-17.4
\$15,000- 24,999	225	64,437	5	3.8	00.0-08.5	19	14.8	06.8-22.8	53	29.5	21.1-37.9	79	30.8	22.8-38.8	69	21.2	14.5-27.9
\$25,000- 34,999	100	27,847	2	2.1	00.0-05.0	11	25.9	08.8-43.0	18	15.3	06.3-24.3	41	36.4	23.9-48.9	28	20.3	10.9-29.7
\$35,000- 49,999	104	28,701	2	2.6	00.0-06.7	3	4.0	00.0-09.3	19	25.9	15.1-36.7	52	46.7	35.5-57.9	28	20.8	12.4-29.2
\$50,000- 74,999	66	22,611	1	2.7	00.0-07.8	5	13.2	00.0-27.7	22	31.7	18.0-45.4	26	36.6	22.3-50.9	12	15.8	06.2-25.4
\$75,000+	84	23,153	3	2.5	00.0-05.6	7	10.7	02.7-18.7	24	35.5	23.3-47.7	41	43.7	31.5-55.9	9	7.5	02.2-12.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014

SECTION 7: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS. (LASTDEN3)	
1	MALES AND FEMALES	75
2	MALES ONLY	76
3	FEMALES ONLY	77
	HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)	
4	MALES AND FEMALES	78
5	MALES ONLY	79
6	FEMALES ONLY	80

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

**TABLE 1: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11426	4,989,568	7555	61.5	60.3-62.7	1064	11.1	10.3-11.9	1163	12.1	11.3-12.9	1583	14.5	13.5-15.5	61	0.8	0.6-01.0
Male	4631	2,424,952	2997	59.9	57.9-61.9	426	10.9	09.7-12.1	497	12.5	11.1-13.9	677	15.8	14.4-17.2	34	1.0	0.6-01.4
Female	6795	2,564,616	4558	63.1	61.5-64.7	638	11.3	10.1-12.5	666	11.8	10.6-13.0	906	13.2	12.0-14.4	27	0.6	0.2-01.0
White/Non-Hisp	9960	4,066,227	6736	63.4	62.0-64.8	868	10.2	09.4-11.0	955	11.4	10.4-12.4	1362	14.5	13.5-15.5	39	0.5	0.3-00.7
Black or Afr. Am./Non-Hisp	627	420,974	353	55.1	50.0-60.2	97	15.9	12.0-19.8	89	13.5	10.4-16.6	81	14.3	10.8-17.8	7	1.1	0.1-02.1
Oth. Race/Non-Hisp.	226	103,403	125	57.2	48.6-65.8	26	13.7	07.2-20.2	28	12.5	07.0-18.0	40	12.0	06.3-17.7	7	4.6	01.1-08.1
MultiRacial/Non-Hisp.	129	54,799	79	58.3	46.7-69.9	16	13.2	05.6-20.8	14	14.7	05.5-23.9	20	13.9	05.9-21.9			
Hispanic	317	272,377	168	47.3	41.0-53.6	44	15.6	10.9-20.3	51	19.4	14.1-24.7	47	14.7	10.2-19.2	7	3.0	0.6-05.4
18-24	571	685,250	352	60.6	56.1-65.1	89	16.5	13.0-20.0	75	13.0	10.1-15.9	46	8.4	05.9-10.9	9	1.5	0.5-02.5
25-34	871	820,754	509	54.9	51.2-58.6	111	12.9	10.4-15.4	126	15.3	12.6-18.0	117	15.9	13.0-18.8	8	1.0	0.2-01.8
35-44	1263	808,985	852	62.3	59.0-65.6	128	11.3	09.1-13.5	138	12.8	10.4-15.2	138	13.1	10.7-15.5	7	0.6	0.0-01.2
45-54	1879	866,499	1273	63.5	61.0-66.0	156	9.2	07.6-10.8	197	11.9	10.1-13.7	246	14.8	12.8-16.8	7	0.6	0.2-01.0
55-64	2592	812,377	1814	66.7	64.5-68.9	207	8.7	07.3-10.1	258	11.0	09.4-12.6	300	12.9	11.3-14.5	13	0.8	0.4-01.2
65+	4110	947,986	2653	60.5	58.5-62.5	364	9.5	08.3-10.7	354	9.4	08.2-10.6	722	20.1	18.3-21.9	17	0.5	0.1-00.9
Less Than H.S.	987	682,322	338	35.9	32.0-39.8	138	16.0	12.9-19.1	165	17.1	14.0-20.2	327	28.4	24.7-32.1	19	2.5	0.1-03.9
H.S. or G.E.D.	3911	1,724,112	2286	57.8	55.6-60.0	393	11.0	09.6-12.4	460	12.8	11.4-14.2	747	17.7	16.1-19.3	25	0.8	0.4-01.2
Some Post-H.S.	2902	1,514,629	1926	63.8	61.4-66.2	318	12.0	10.4-13.6	323	12.8	11.2-14.4	328	11.1	09.5-12.7	7	0.3	0.1-00.5
College Graduate	3534	1,035,309	2947	81.1	79.3-82.9	206	6.8	05.6-08.0	205	6.8	05.6-08.0	170	4.9	03.9-05.9	6	0.3	0.1-00.5
Less than \$15,000	1130	528,311	423	39.5	35.6-43.4	141	13.9	11.0-16.8	189	16.5	13.8-19.2	362	28.0	24.5-31.5	15	2.0	0.8-03.2
\$15,000- 24,999	1819	808,068	866	44.6	41.3-47.9	239	15.0	12.6-17.4	271	16.1	13.7-18.5	432	23.6	20.9-26.3	11	0.8	0.2-01.4
\$25,000- 34,999	1175	507,778	731	57.4	53.3-61.5	132	11.0	08.6-13.4	145	16.2	13.1-19.3	164	15.3	12.4-18.2	3	0.2	0.0-00.4
\$35,000- 49,999	1513	666,745	1046	62.0	58.7-65.3	130	10.4	08.0-12.8	165	14.2	11.8-16.6	165	12.8	10.4-15.2	7	0.6	0.0-01.2
\$50,000- 74,999	1534	697,477	1161	69.9	66.8-73.0	125	9.8	07.6-12.0	111	9.5	07.3-11.7	135	10.6	08.4-12.8	2	0.2	0.0-00.4
\$75,000+	2530	1,083,431	2192	82.0	79.8-84.2	140	7.9	06.3-09.5	123	6.3	04.9-07.7	74	3.7	02.7-04.7	1	0.1	0.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4631	2,424,952	2997	59.9	57.9-61.9	426	10.9	09.7-12.1	497	12.5	11.1-13.9	677	15.8	14.4-17.2	34	1.0	00.6-01.4
White/Non-Hisp	4018	1,970,373	2671	62.2	60.2-64.2	356	10.1	08.7-11.5	395	11.3	09.9-12.7	574	15.7	14.1-17.3	22	0.6	00.2-01.0
Black or Afr. Am./Non-Hisp	238	196,757	123	48.7	40.9-56.5	32	15.9	09.6-22.2	42	17.1	11.6-22.6	37	16.5	10.6-22.4	4	1.8	00.0-03.6
Oth. Race/Non-Hisp.	118	65,160	61	52.7	41.1-64.3	13	13.4	05.0-21.8	17	14.0	06.4-21.6	22	14.5	06.1-22.9	5	5.4	00.5-10.3
MultiRacial/Non-Hisp.	52	27,462	30	55.1	37.7-72.5	5	8.5	00.3-16.7	6	14.0	00.0-28.9	11	22.3	07.8-36.8			
Hispanic	131	130,057	69	47.2	37.6-56.8	14	13.6	06.5-20.7	26	21.1	13.1-29.1	20	15.8	08.5-23.1	2	2.4	00.0-05.7
18-24	311	350,214	188	60.0	53.9-66.1	44	15.4	10.7-20.1	45	14.1	10.0-18.2	27	8.2	04.9-11.5	7	2.4	00.6-04.2
25-34	381	412,056	206	51.2	45.5-56.9	46	12.4	08.7-16.1	60	16.0	11.9-20.1	64	19.5	14.8-24.2	5	1.0	00.0-02.2
35-44	542	401,662	347	59.4	54.3-64.5	54	11.3	08.0-14.6	65	13.5	10.0-17.0	73	15.5	11.6-19.4	3	0.3	00.0-00.7
45-54	811	428,927	536	62.0	58.1-65.9	69	9.4	07.0-11.8	82	11.2	08.7-13.7	119	16.4	13.3-19.5	5	0.9	00.1-01.7
55-64	1101	399,428	751	65.7	62.4-69.0	87	8.4	06.2-10.6	124	11.9	09.5-14.3	131	12.9	10.5-15.3	8	1.0	00.2-01.8
65+	1438	412,978	932	59.9	56.8-63.0	125	9.2	07.4-11.0	117	8.9	06.9-10.9	258	21.6	18.7-24.5	6	0.4	00.0-00.8
Less Than H.S.	389	337,228	129	35.9	29.8-42.0	54	15.1	10.6-19.6	66	17.3	12.4-22.2	134	29.8	24.1-35.5	6	1.9	00.3-03.5
H.S. or G.E.D.	1535	867,021	874	57.1	54.0-60.2	144	10.4	08.4-12.4	188	12.7	10.5-14.9	313	18.6	16.2-21.0	16	1.2	00.4-02.0
Some Post-H.S.	1091	677,143	699	61.9	58.4-65.4	116	11.7	09.3-14.1	131	13.1	10.6-15.6	140	12.8	10.3-15.3	5	0.5	00.0-01.1
College Graduate	1578	525,067	1272	77.0	74.3-79.7	110	8.0	06.2-09.8	107	8.4	06.4-10.4	85	6.2	04.6-07.8	4	0.4	00.0-00.8
Less than \$15,000	366	197,259	124	32.9	26.8-39.0	53	13.6	09.3-17.9	60	16.4	11.7-21.1	121	33.6	27.1-40.1	8	3.6	01.1-06.1
\$15,000- 24,999	593	346,489	253	41.2	35.9-46.5	78	16.2	12.1-20.3	83	13.6	09.9-17.3	172	27.7	23.0-32.4	7	1.2	00.2-02.2
\$25,000- 34,999	464	252,624	268	53.9	47.8-60.0	51	10.7	07.2-14.2	74	18.0	13.3-22.7	70	17.4	12.5-22.3	1	0.1	00.0-00.3
\$35,000- 49,999	664	348,258	433	59.5	54.6-64.4	47	7.8	05.1-10.5	86	16.8	12.9-20.7	92	14.9	11.4-18.4	6	1.0	00.0-02.2
\$50,000- 74,999	736	379,629	527	65.5	61.0-70.0	69	11.5	08.4-14.6	56	9.9	06.8-13.0	83	13.0	09.9-16.1	1	0.1	00.0-00.3
\$75,000+	1251	607,304	1048	79.3	76.2-82.4	79	8.7	06.3-11.1	73	7.1	05.3-08.9	51	4.9	03.3-06.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

**TABLE 3: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6795	2,564,616	4558	63.1	61.5-64.7	638	11.3	10.1-12.5	666	11.8	10.6-13.0	906	13.2	12.0-14.4	27	0.6	0.2-01.0
White/Non-Hisp	5942	2,095,854	4065	64.5	62.7-66.3	512	10.4	09.2-11.6	560	11.4	10.2-12.6	788	13.3	12.1-14.5	17	0.4	0.2-00.6
Black or Afr. Am./Non-Hisp	389	224,217	230	60.7	54.4-67.0	65	15.9	11.2-20.6	47	10.3	06.8-13.8	44	12.5	08.2-16.8	3	0.6	0.0-01.4
Oth. Race/Non-Hisp.	108	38,243	64	64.8	52.5-77.1	13	14.1	04.1-24.1	11	10.0	02.7-17.3	18	7.9	02.4-13.4	2	3.3	0.0-07.8
MultiRacial/Non-Hisp.	77	27,337	49	61.4	46.7-76.1	11	17.9	05.6-30.2	8	15.3	04.1-26.5	9	5.4	01.1-09.7			
Hispanic	186	142,320	99	47.5	39.1-55.9	30	17.5	11.0-24.0	25	17.8	10.9-24.7	27	13.7	08.0-19.4	5	3.5	0.0-07.0
18-24	260	335,036	164	61.2	54.7-67.7	45	17.7	12.4-23.0	30	11.9	07.6-16.2	19	8.6	04.7-12.5	2	0.6	0.0-01.4
25-34	490	408,698	303	58.5	53.4-63.6	65	13.5	10.2-16.8	66	14.7	11.0-18.4	53	12.3	08.8-15.8	3	0.9	0.0-02.1
35-44	721	407,323	505	65.1	60.8-69.4	74	11.2	08.3-14.1	73	12.1	09.2-15.0	65	10.7	07.8-13.6	4	0.9	0.0-02.1
45-54	1068	437,572	737	64.9	61.6-68.2	87	9.0	07.0-11.0	115	12.6	10.2-15.0	127	13.3	10.8-15.8	2	0.2	0.0-00.6
55-64	1491	412,950	1063	67.8	64.9-70.7	120	8.9	07.1-10.7	134	10.0	08.0-12.0	169	12.9	10.7-15.1	5	0.5	0.1-00.9
65+	2672	535,007	1721	61.0	58.6-63.4	239	9.7	08.1-11.3	237	9.7	08.1-11.3	464	18.9	16.9-20.9	11	0.6	0.2-01.0
Less Than H.S.	598	345,094	209	36.0	30.7-41.3	84	16.9	12.6-21.2	99	16.9	13.0-20.8	193	27.1	22.4-31.8	13	3.1	0.9-05.3
H.S. or G.E.D.	2376	857,090	1412	58.4	55.7-61.1	249	11.5	09.7-13.3	272	13.0	11.0-15.0	434	16.7	14.5-18.9	9	0.4	0.0-00.8
Some Post-H.S.	1811	837,486	1227	65.4	62.5-68.3	202	12.2	10.0-14.4	192	12.5	10.3-14.7	188	9.8	08.0-11.6	2	0.1	0.0-00.3
College Graduate	1956	510,242	1675	85.4	83.4-87.4	96	5.6	04.2-07.0	98	5.1	03.9-06.3	85	3.6	02.6-04.6	2	0.2	0.0-00.4
Less than \$15,000	764	331,052	299	43.5	38.4-48.6	88	14.2	10.3-18.1	129	16.5	13.0-20.0	241	24.7	20.6-28.8	7	1.1	0.1-02.1
\$15,000- 24,999	1226	461,579	613	47.1	43.0-51.2	161	14.0	11.3-16.7	188	17.9	14.8-21.0	260	20.5	17.4-23.6	4	0.5	0.0-01.3
\$25,000- 34,999	711	255,154	463	60.9	55.6-66.2	81	11.3	08.2-14.4	71	14.3	10.0-18.6	94	13.2	09.9-16.5	2	0.4	0.0-01.0
\$35,000- 49,999	849	318,487	613	64.7	60.2-69.2	83	13.3	09.6-17.0	79	11.4	08.7-14.1	73	10.5	07.8-13.2	1	0.2	0.0-00.6
\$50,000- 74,999	798	317,848	634	75.3	70.8-79.8	56	7.8	05.3-10.3	55	9.1	06.0-12.2	52	7.6	04.7-10.5	1	0.2	0.0-00.6
\$75,000+	1279	476,126	1144	85.5	82.8-88.2	61	6.9	04.7-09.1	50	5.3	03.5-07.1	23	2.2	01.0-03.4	1	0.1	0.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

TABLE 4: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11267	4,960,934	3592	29.2	28.0-30.4	1569	11.6	10.8-12.4	1048	7.0	06.4-07.6	5058	52.2	51.0-53.4
Male	4595	2,421,340	1503	29.8	28.0-31.6	611	10.9	09.9-11.9	380	6.4	05.6-07.2	2101	52.9	50.9-54.9
Female	6672	2,539,594	2089	28.6	27.0-30.2	958	12.3	11.3-13.3	668	7.6	06.8-08.4	2957	51.5	49.9-53.1
White/Non-Hisp	9817	4,043,875	3142	29.1	27.9-30.3	1355	11.6	10.8-12.4	921	7.4	06.8-08.0	4399	51.9	50.5-53.3
Black or Afr. Am./Non-Hisp	622	418,744	202	29.5	25.0-34.0	116	15.9	12.4-19.4	58	6.9	04.5-09.3	246	47.7	42.6-52.8
Oth. Race/Non-Hisp.	225	103,184	58	23.1	16.2-30.0	22	3.5	01.5-05.5	21	4.1	01.7-06.5	124	69.3	61.9-76.7
MultiRacial/Non-Hisp.	125	53,985	39	30.2	19.2-41.2	22	13.9	06.8-21.0	10	5.4	01.1-09.7	54	50.4	38.8-62.0
Hispanic	315	271,898	99	30.6	24.7-36.5	25	6.0	03.5-08.5	7	0.9	00.0-01.9	184	62.5	56.4-68.6
18-24	570	683,593	68	11.9	09.0-14.8	4	0.8	00.0-01.6	3	0.5	00.0-01.1	495	86.8	83.9-89.7
25-34	872	823,288	200	26.3	22.8-29.8	46	5.8	04.0-07.6	12	1.1	00.3-01.9	614	66.8	63.1-70.5
35-44	1264	811,425	329	29.2	26.1-32.3	82	8.3	06.3-10.3	32	3.1	01.9-04.3	821	59.4	56.1-62.7
45-54	1872	862,758	566	32.1	29.6-34.6	208	12.4	10.6-14.2	115	7.2	05.6-08.8	983	48.3	45.6-51.0
55-64	2570	809,068	937	36.5	34.1-38.9	386	16.6	14.8-18.4	224	9.9	08.3-11.5	1023	37.0	34.8-39.2
65+	3978	922,892	1447	35.5	33.5-37.5	827	22.5	20.7-24.3	652	18.0	16.4-19.6	1052	24.0	22.4-25.6
Less Than H.S.	969	679,574	239	28.5	24.6-32.4	227	19.4	16.3-22.5	244	14.5	12.1-16.9	259	37.6	33.3-41.9
H.S. or G.E.D.	3832	1,707,805	1352	31.8	29.8-33.8	717	14.9	13.5-16.3	514	9.7	08.7-10.7	1249	43.6	41.4-45.8
Some Post-H.S.	2878	1,509,669	1002	30.7	28.5-32.9	393	9.6	08.4-10.8	197	4.6	03.8-05.4	1286	55.1	52.7-57.5
College Graduate	3498	1,030,964	965	22.8	21.0-24.6	219	3.9	03.3-04.5	83	1.3	00.9-01.7	2231	72.1	70.3-73.9
Less than \$15,000	1104	523,023	307	27.5	23.8-31.2	261	20.9	17.8-24.0	241	14.9	12.5-17.3	295	36.7	32.6-40.8
\$15,000- 24,999	1790	809,186	592	30.4	27.5-33.3	355	16.8	14.4-19.2	309	12.6	10.8-14.4	534	40.2	36.9-43.5
\$25,000- 34,999	1161	506,991	427	33.5	29.8-37.2	212	13.5	11.3-15.7	131	8.7	06.7-10.7	391	44.3	40.2-48.4
\$35,000- 49,999	1503	665,543	565	35.3	32.2-38.4	246	13.4	11.4-15.4	88	4.6	03.4-05.8	604	46.8	43.5-50.1
\$50,000- 74,999	1525	695,284	518	30.9	28.0-33.8	148	8.6	06.8-10.4	68	4.0	02.8-05.2	791	56.6	53.3-59.9
\$75,000+	2531	1,084,611	667	23.5	21.5-25.5	123	4.0	03.0-05.0	39	1.6	01.0-02.2	1702	70.9	68.7-73.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

TABLE 5: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4595	2,421,340	1503	29.8	28.0-31.6	611	10.9	09.9-11.9	380	6.4	05.6-07.2	2101	52.9	50.9-54.9
White/Non-Hisp	3984	1,967,086	1319	30.0	28.2-31.8	531	11.2	10.0-12.4	335	6.8	05.8-07.8	1799	52.0	50.0-54.0
Black or Afr. Am./Non-Hisp	238	198,754	77	29.3	22.2-36.4	34	11.6	07.1-16.1	18	5.4	02.3-08.5	109	53.7	45.9-61.5
Oth. Race/Non-Hisp.	118	64,758	26	21.0	12.4-29.6	11	2.9	00.9-04.9	11	4.9	01.2-08.6	70	71.3	61.9-80.7
MultiRacial/Non-Hisp.	52	27,462	18	31.1	15.4-46.8	10	16.9	05.1-28.7	3	6.2	00.0-13.5	21	45.8	28.2-63.4
Hispanic	130	129,767	40	30.6	21.8-39.4	8	3.4	00.9-05.9	3	1.4	00.0-03.6	79	64.6	55.6-73.6
18-24	311	350,297	34	10.8	07.1-14.5	2	0.6	00.0-01.4	1	0.2	00.0-00.6	274	88.3	84.6-92.0
25-34	382	414,235	89	25.7	20.6-30.8	14	4.4	02.0-06.8	4	0.9	00.0-01.9	275	69.0	63.7-74.3
35-44	543	406,153	158	32.7	27.8-37.6	27	6.1	03.4-08.8	8	1.4	00.4-02.4	350	59.8	54.7-64.9
45-54	806	425,394	251	32.9	29.0-36.8	85	11.7	09.0-14.4	52	7.5	05.1-09.9	418	47.8	43.7-51.9
55-64	1100	400,965	412	36.7	33.4-40.0	174	17.6	14.9-20.3	92	10.2	07.8-12.6	422	35.6	32.3-38.9
65+	1405	404,235	545	37.6	34.5-40.7	307	23.7	21.0-26.4	219	17.6	15.1-20.1	334	21.1	18.6-23.6
Less Than H.S.	385	341,907	94	27.8	22.1-33.5	92	17.2	12.9-21.5	84	12.8	09.5-16.1	115	42.2	35.7-48.7
H.S. or G.E.D.	1521	863,852	525	30.4	27.7-33.1	263	14.2	12.2-16.2	183	8.5	07.1-09.9	550	46.9	43.8-50.0
Some Post-H.S.	1086	674,236	398	33.0	29.7-36.3	140	8.6	06.8-10.4	71	4.4	03.2-05.6	477	54.0	50.5-57.5
College Graduate	1566	523,083	478	26.5	23.8-29.2	109	4.0	03.2-04.8	38	1.3	00.7-01.9	941	68.3	65.6-71.0
Less than \$15,000	359	195,997	102	26.4	20.7-32.1	73	17.7	13.0-22.4	72	15.5	11.2-19.8	112	40.4	33.7-47.1
\$15,000- 24,999	597	351,501	188	30.8	25.7-35.9	129	17.2	13.5-20.9	104	12.2	09.3-15.1	176	39.8	34.3-45.3
\$25,000- 34,999	458	253,358	165	32.8	27.1-38.5	88	12.8	09.7-15.9	52	8.6	05.7-11.5	153	45.8	39.5-52.1
\$35,000- 49,999	657	345,475	248	34.7	30.0-39.4	102	12.3	09.4-15.2	43	5.1	03.3-06.9	264	47.9	43.0-52.8
\$50,000- 74,999	733	378,799	275	34.0	29.7-38.3	71	8.6	06.1-11.1	39	4.3	02.7-05.9	348	53.1	48.4-57.8
\$75,000+	1250	607,951	369	25.9	23.0-28.8	65	4.4	03.0-05.8	22	1.4	00.6-02.2	794	68.2	65.1-71.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 7: ORAL HEALTH**

TABLE 6: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6672	2,539,594	2089	28.6	27.0-30.2	958	12.3	11.3-13.3	668	7.6	06.8-08.4	2957	51.5	49.9-53.1
White/Non-Hisp	5833	2,076,789	1823	28.3	26.7-29.9	824	12.0	11.0-13.0	586	8.0	07.2-08.8	2600	51.8	50.0-53.6
Black or Afr. Am./Non-Hisp	384	219,990	125	29.6	23.9-35.3	82	19.9	14.6-25.2	40	8.2	04.9-11.5	137	42.2	35.5-48.9
Oth. Race/Non-Hisp.	107	38,426	32	26.7	15.5-37.9	11	4.5	00.4-08.6	10	2.8	00.6-05.0	54	66.0	54.2-77.8
MultiRacial/Non-Hisp.	73	26,523	21	29.4	14.3-44.5	12	10.9	03.5-18.3	7	4.6	00.3-08.9	33	55.2	39.7-70.7
Hispanic	185	142,131	59	30.7	23.1-38.3	17	8.4	03.9-12.9	4	0.4	00.0-00.8	105	60.5	52.5-68.5
18-24	259	333,296	34	13.1	08.6-17.6	2	0.9	00.0-02.1	2	0.9	00.0-02.1	221	85.1	80.4-89.8
25-34	490	409,053	111	26.8	22.1-31.5	32	7.3	04.6-10.0	8	1.4	00.4-02.4	339	64.5	59.6-69.4
35-44	721	405,272	171	25.7	21.8-29.6	55	10.4	07.5-13.3	24	4.8	02.8-06.8	471	59.1	54.8-63.4
45-54	1066	437,364	315	31.2	27.9-34.5	123	13.1	10.6-15.6	63	6.9	05.1-08.7	565	48.8	45.3-52.3
55-64	1470	408,103	525	36.3	33.4-39.2	212	15.6	13.4-17.8	132	9.7	07.9-11.5	601	38.5	35.6-41.4
65+	2573	518,657	902	33.8	31.4-36.2	520	21.5	19.3-23.7	433	18.3	16.3-20.3	718	26.4	24.2-28.6
Less Than H.S.	584	337,667	145	29.2	24.1-34.3	135	21.6	17.3-25.9	160	16.2	13.1-19.3	144	33.0	27.5-38.5
H.S. or G.E.D.	2311	843,953	827	33.2	30.7-35.7	454	15.7	13.9-17.5	331	10.9	09.3-12.5	699	40.2	37.3-43.1
Some Post-H.S.	1792	835,433	604	28.9	26.2-31.6	253	10.3	08.7-11.9	126	4.8	03.6-06.0	809	56.0	53.1-58.9
College Graduate	1932	507,881	487	19.0	17.0-21.0	110	3.8	02.8-04.8	45	1.2	00.8-01.6	1290	76.0	73.8-78.2
Less than \$15,000	745	327,025	205	28.2	23.5-32.9	188	22.8	18.7-26.9	169	14.5	11.6-17.4	183	34.5	29.4-39.6
\$15,000- 24,999	1193	457,686	404	30.1	26.6-33.6	226	16.5	13.8-19.2	205	12.9	10.5-15.3	358	40.5	36.4-44.6
\$25,000- 34,999	703	253,633	262	34.1	29.2-39.0	124	14.2	11.1-17.3	79	8.8	06.3-11.3	238	42.9	37.6-48.2
\$35,000- 49,999	846	320,068	317	36.0	31.7-40.3	144	14.5	11.6-17.4	45	4.0	02.6-05.4	340	45.5	40.8-50.2
\$50,000- 74,999	792	316,485	243	27.2	23.1-31.3	77	8.5	06.0-11.0	29	3.6	01.8-05.4	443	60.8	56.3-65.3
\$75,000+	1281	476,660	298	20.5	17.8-23.2	58	3.5	02.5-04.5	17	1.7	00.7-02.7	908	74.2	71.3-77.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS YOUR AGE? (AGE)	
1 MALES AND FEMALES	85
2 MALES ONLY	86
3 FEMALES ONLY	87
ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISpanC3)	
4 MALES AND FEMALES	88
5 MALES ONLY	89
6 FEMALES ONLY	90
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)	
7 MALES AND FEMALES	91
8 MALES ONLY	92
9 FEMALES ONLY	93
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)	
10 MALES AND FEMALES	94
11 MALES ONLY	95
12 FEMALES ONLY	96
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
13 MALES AND FEMALES	97
14 MALES ONLY	98
15 FEMALES ONLY	99
ARE YOU: (MARITAL STATUS) (MARITAL)	
16 MALES AND FEMALES	100
17 MALES ONLY	101
18 FEMALES ONLY	102
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
19 MALES AND FEMALES	103
20 MALES ONLY	104
21 FEMALES ONLY	105

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
22 MALES AND FEMALES	106
23 MALES ONLY	107
24 FEMALES ONLY	108
ARE YOU CURRENTLY...? (EMPLOY1)	
25 MALES AND FEMALES	109
26 MALES ONLY	110
27 FEMALES ONLY	111
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
28 MALES AND FEMALES	112
29 MALES ONLY	113
30 FEMALES ONLY	114
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
31 MALES AND FEMALES	115
32 MALES ONLY	116
33 FEMALES ONLY	117
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
34 MALES AND FEMALES	118
35 MALES ONLY	119
36 FEMALES ONLY	120
WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)	
37 MALES AND FEMALES	121
38 MALES ONLY	122
39 FEMALES ONLY	123
WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
40 MALES AND FEMALES	124
41 MALES ONLY	125
42 FEMALES ONLY	126

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
43 MALES AND FEMALES	127
44 MALES ONLY	128
45 FEMALES ONLY	129
HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
46 MALES AND FEMALES	130
DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)	
47 FEMALES ONLY	131
THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)	
52 MALES AND FEMALES	136
53 MALES ONLY	137
54 FEMALES ONLY	138
HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)	
55 MALES AND FEMALES	139
56 MALES ONLY	140
57 FEMALES ONLY	141
DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
58 MALES AND FEMALES	142
59 MALES ONLY	143
60 FEMALES ONLY	144
INDICATE SEX OF RESPONDENT. (SEX)	
61 MALES AND FEMALES	145
62 MALES ONLY	146
63 FEMALES ONLY	147
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
64 MALES AND FEMALES	148
65 MALES ONLY	149
66 FEMALES ONLY	150
ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
67 MALES AND FEMALES	151
68 MALES ONLY	152
69 FEMALES ONLY	153
DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
70 MALES AND FEMALES	154
71 MALES ONLY	155
72 FEMALES ONLY	156
ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
73 MALES AND FEMALES	157
74 MALES ONLY	158
75 FEMALES ONLY	159
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	
76 MALES AND FEMALES	160
77 MALES ONLY	161
78 FEMALES ONLY	162
DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	
79 MALES AND FEMALES	163
80 MALES ONLY	164
81 FEMALES ONLY	165
DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	
82 MALES AND FEMALES	166
83 MALES ONLY	167
84 FEMALES ONLY	168
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	
85 MALES AND FEMALES	169
86 MALES ONLY	170
87 FEMALES ONLY	171

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
TOTAL	11380	4,979,526	573	13.8	12.6-15.0	875	16.6	15.4-17.8	1272	16.4	15.4-17.4	1884	17.5	16.7-18.3	2612	16.5	15.7-17.3	4164	19.3	18.5-20.1
Male	4626	2,426,898	313	14.5	12.9-16.1	383	17.1	15.3-18.9	547	16.8	15.2-18.4	813	17.7	16.3-19.1	1113	16.7	15.5-17.9	1457	17.2	16.0-18.4
Female	6754	2,552,628	260	13.1	11.5-14.7	492	16.1	14.7-17.5	725	16.0	14.8-17.2	1071	17.2	16.0-18.4	1499	16.3	15.3-17.3	2707	21.3	20.3-22.3
White/Non-Hisp	9916	4,060,298	413	12.4	11.2-13.6	661	15.6	14.4-16.8	1029	15.4	14.4-16.4	1647	18.0	17.0-19.0	2327	17.5	16.7-18.3	3839	21.2	20.4-22.0
Black or Afr. Am./Non-Hisp	628	421,912	54	17.7	13.2-22.2	78	18.3	14.2-22.4	91	17.6	13.5-21.7	108	15.4	12.1-18.7	145	16.4	13.3-19.5	152	14.4	11.5-17.3
Oth. Race/Non-Hisp.	227	102,686	38	32.5	23.7-41.3	34	19.9	13.0-26.8	40	20.4	13.3-27.5	39	15.2	09.9-20.5	40	7.1	04.0-10.2	36	5.0	02.6-07.4
MultiRacial/Non-Hisp.	131	55,302	19	28.6	17.0-40.2	17	20.1	10.3-29.9	16	13.5	06.1-20.9	17	12.3	04.9-19.7	25	10.0	05.3-14.7	37	15.6	09.1-22.1
Hispanic	317	272,049	44	20.1	14.6-25.6	73	26.9	21.2-32.6	83	28.8	22.9-34.7	53	14.1	10.2-18.0	36	6.6	04.1-09.1	28	3.5	01.7-05.3
Less Than H.S.	1003	694,393	62	14.8	11.3-18.3	104	21.0	17.3-24.7	111	18.2	14.7-21.7	147	14.9	12.4-17.4	166	11.7	09.5-13.9	413	19.4	16.9-21.9
H.S. or G.E.D.	3914	1,725,083	221	15.4	13.4-17.4	215	12.9	11.1-14.7	292	12.5	10.9-14.1	559	16.6	15.0-18.2	917	18.1	16.7-19.5	1710	24.5	23.1-25.9
Some Post-H.S.	2880	1,500,921	207	17.3	15.1-19.5	234	16.4	14.2-18.6	308	15.2	13.4-17.0	487	18.1	16.3-19.9	699	16.9	15.5-18.3	945	16.1	14.7-17.5
College Graduate	3495	1,026,262	83	5.8	04.6-07.0	314	19.8	17.8-21.8	552	23.3	21.3-25.3	682	20.0	18.4-21.6	804	16.1	14.7-17.5	1060	14.9	13.7-16.1
Less than \$15,000	1130	526,726	70	15.5	12.0-19.0	108	20.3	16.6-24.0	106	14.1	11.2-17.0	185	16.9	14.2-19.6	257	16.0	13.5-18.5	404	17.2	14.8-19.6
\$15,000- 24,999	1825	816,027	105	15.0	12.3-17.7	144	18.0	15.1-20.9	156	15.6	12.9-18.3	202	12.8	10.8-14.8	326	13.0	11.2-14.8	892	25.6	23.4-27.8
\$25,000- 34,999	1179	509,377	64	15.7	12.0-19.4	100	19.5	15.6-23.4	97	13.0	10.3-15.7	126	12.6	10.1-15.1	237	13.5	11.3-15.7	555	25.6	22.9-28.3
\$35,000- 49,999	1512	667,670	66	11.2	08.5-13.9	127	18.1	15.0-21.2	128	12.8	10.4-15.2	233	18.4	15.9-20.9	346	16.3	14.3-18.3	612	23.2	20.8-25.6
\$50,000- 74,999	1526	694,938	54	11.0	08.1-13.9	128	17.0	14.1-19.9	207	18.8	16.1-21.5	290	18.8	16.4-21.2	428	20.2	18.0-22.4	419	14.2	12.4-16.0
\$75,000+	2524	1,079,818	71	7.9	05.9-09.9	186	14.7	12.5-16.9	473	23.9	21.7-26.1	679	26.0	23.8-28.2	684	18.8	17.2-20.4	431	8.8	07.8-09.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Male	4626	2,426,898	313	14.5	12.9-16.1	383	17.1	15.3-18.9	547	16.8	15.2-18.4	813	17.7	16.3-19.1	1113	16.7	15.5-17.9	1457	17.2	16.2-18.2
White/Non-Hisp	4013	1,974,054	222	12.6	11.0-14.2	296	16.3	14.5-18.1	436	15.6	14.0-17.2	709	18.4	16.8-20.0	1007	18.0	16.8-19.2	1343	19.1	17.9-20.3
Black or Afr. Am./Non-Hisp	240	199,186	30	19.1	12.6-25.6	33	21.7	14.8-28.6	36	17.7	11.0-24.4	49	16.8	11.5-22.1	44	13.4	08.9-17.9	48	11.2	07.3-15.1
Oth. Race/Non-Hisp.	119	63,854	25	36.0	24.2-47.8	18	18.4	09.6-27.2	25	22.8	13.0-32.6	19	12.2	05.9-18.5	18	5.7	02.0-09.4	14	4.9	01.6-08.2
MultiRacial/Non-Hisp.	52	27,462	9	30.8	12.8-48.8	5	11.1	00.5-21.7	7	13.9	02.5-25.3	10	18.4	04.9-31.9	9	10.1	02.8-17.4	12	15.6	05.2-26.0
Hispanic	131	130,057	24	22.5	14.3-30.7	27	24.1	15.7-32.5	35	30.8	21.6-40.0	16	10.7	05.4-16.0	17	7.4	03.5-11.3	12	4.4	01.5-07.3
Less Than H.S.	397	345,636	37	17.0	11.9-22.1	45	20.7	15.0-26.4	53	20.7	15.0-26.4	59	13.7	09.8-17.6	78	12.1	08.8-15.4	125	15.7	12.4-19.0
H.S. or G.E.D.	1542	868,431	137	17.8	14.9-20.7	107	14.5	11.8-17.2	138	12.7	10.5-14.9	262	17.6	15.2-20.0	384	17.7	15.7-19.7	514	19.7	17.7-21.7
Some Post-H.S.	1089	674,112	101	16.4	13.5-19.3	90	16.9	13.6-20.2	120	15.5	12.8-18.2	200	19.3	16.6-22.0	277	17.2	14.8-19.6	301	14.7	12.7-16.7
College Graduate	1563	520,256	38	5.5	03.7-07.3	137	19.3	16.4-22.2	229	22.2	19.5-24.9	287	18.7	16.3-21.1	363	17.0	15.0-19.0	509	17.3	15.5-19.1
Less than \$15,000	369	198,583	30	14.9	09.8-20.0	31	16.1	10.6-21.6	45	16.3	11.2-21.4	70	17.6	13.1-22.1	106	20.9	16.0-25.8	87	14.2	10.5-17.9
\$15,000- 24,999	604	354,779	51	15.0	10.9-19.1	57	20.1	15.0-25.2	61	18.4	13.5-23.3	74	12.5	09.2-15.8	113	12.5	09.8-15.2	248	21.5	18.2-24.8
\$25,000- 34,999	467	254,741	38	17.2	11.9-22.5	54	24.8	18.5-31.1	38	11.6	07.5-15.7	48	11.2	07.7-14.7	87	11.6	08.7-14.5	202	23.7	19.6-27.8
\$35,000- 49,999	664	348,383	34	11.4	07.7-15.1	63	20.1	15.4-24.8	52	11.5	08.2-14.8	110	19.1	15.4-22.8	149	14.9	12.2-17.6	256	23.0	19.7-26.3
\$50,000- 74,999	734	379,296	34	11.2	07.5-14.9	54	14.5	10.8-18.2	99	19.5	15.6-23.4	134	19.3	15.8-22.8	203	20.6	17.5-23.7	210	15.1	12.6-17.6
\$75,000+	1246	604,223	48	9.6	06.7-12.5	90	14.7	11.8-17.6	208	22.1	19.0-25.2	307	24.3	21.4-27.2	340	19.2	16.8-21.6	253	10.0	08.4-11.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 3: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Female	6754	2,552,628	260	13.1	11.5-14.7	492	16.1	14.7-17.5	725	16.0	14.8-17.2	1071	17.2	16.0-18.4	1499	16.3	15.3-17.3	2707	21.3	20.3-22.3
White/Non-Hisp	5903	2,086,244	191	12.1	10.3-13.9	365	14.9	13.3-16.5	593	15.2	13.8-16.6	938	17.7	16.5-18.9	1320	16.9	15.9-17.9	2496	23.2	22.0-24.4
Black or Afr. Am./Non-Hisp	388	222,726	24	16.5	10.4-22.6	45	15.3	10.6-20.0	55	17.5	12.4-22.6	59	14.2	10.1-18.3	101	19.1	14.6-23.6	104	17.3	12.8-21.8
Oth. Race/Non-Hisp.	108	38,832	13	26.7	13.4-40.0	16	22.2	11.4-33.0	15	16.4	07.0-25.8	20	20.2	10.6-29.8	22	9.2	04.1-14.3	22	5.2	02.3-08.1
MultiRacial/Non-Hisp.	79	27,840	10	26.4	12.1-40.7	12	29.0	13.9-44.1	9	13.0	03.6-22.4	7	6.2	00.9-11.5	16	9.8	03.7-15.9	25	15.6	07.8-23.4
Hispanic	186	141,993	20	18.0	10.6-25.4	46	29.4	21.8-37.0	48	26.9	19.5-34.3	37	17.2	11.3-23.1	19	5.9	03.0-08.8	16	2.7	00.9-04.5
Less Than H.S.	606	348,757	25	12.6	07.9-17.3	59	21.3	16.4-26.2	58	15.7	11.6-19.8	88	16.0	12.5-19.5	88	11.3	08.6-14.0	288	23.1	19.6-26.6
H.S. or G.E.D.	2372	856,652	84	12.8	10.3-15.3	108	11.4	09.2-13.6	154	12.3	10.1-14.5	297	15.5	13.5-17.5	533	18.6	16.8-20.4	1196	29.3	27.1-31.5
Some Post-H.S.	1791	826,809	106	18.1	15.0-21.2	144	16.1	13.6-18.6	188	15.0	12.8-17.2	287	17.1	14.9-19.3	422	16.6	14.8-18.4	644	17.2	15.4-19.0
College Graduate	1932	506,006	45	6.2	04.4-08.0	177	20.3	17.6-23.0	323	24.4	21.9-26.9	395	21.4	19.2-23.6	441	15.3	13.7-16.9	551	12.4	11.0-13.8
Less than \$15,000	761	328,143	40	15.9	11.2-20.6	77	22.8	17.9-27.7	61	12.7	09.2-16.2	115	16.4	13.1-19.7	151	13.0	10.5-15.5	317	19.1	16.2-22.0
\$15,000- 24,999	1221	461,248	54	14.9	11.2-18.6	87	16.4	12.9-19.9	95	13.5	10.6-16.4	128	13.0	10.5-15.5	213	13.5	11.3-15.7	644	28.7	25.8-31.6
\$25,000- 34,999	712	254,636	26	14.3	09.0-19.6	46	14.3	10.0-18.6	59	14.4	10.5-18.3	78	14.1	10.8-17.4	150	15.4	12.5-18.3	353	27.6	23.9-31.3
\$35,000- 49,999	848	319,287	32	11.1	07.0-15.2	64	15.9	12.0-19.8	76	14.3	11.0-17.6	123	17.5	14.2-20.8	197	17.8	14.9-20.7	356	23.4	20.3-26.5
\$50,000- 74,999	792	315,642	20	10.7	06.2-15.2	74	19.9	15.4-24.4	108	18.1	14.4-21.8	156	18.3	15.2-21.4	225	19.8	16.7-22.9	209	13.2	10.8-15.6
\$75,000+	1278	475,594	23	5.7	03.3-08.1	96	14.6	11.7-17.5	265	26.2	23.1-29.3	372	28.1	25.2-31.0	344	18.2	16.0-20.4	178	7.1	05.7-08.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 4: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11439	4,992,630	200	3.8	03.2-04.4	23	0.3	00.1-00.5	3	0.1	00.1-00.1	85	1.2	00.8-01.6	7	0.1	00.1-00.1	11121	94.5	93.9-95.1
Male	4638	2,431,352	84	3.7	02.9-04.5	12	0.3	00.1-00.5	3	0.1	00.0-00.3	31	1.2	00.8-01.6	1	0.0	00.0-00.0	4507	94.7	93.7-95.7
Female	6801	2,561,278	116	3.9	03.1-04.7	11	0.3	00.1-00.5				54	1.2	00.8-01.6	6	0.2	00.0-00.4	6614	94.4	93.4-95.4
18-24	570	683,350	32	6.0	03.8-08.2	3	0.5	00.0-01.1				8	1.3	00.3-02.3	1	0.2	00.0-00.6	526	92.0	89.6-94.4
25-34	872	822,203	48	5.9	04.1-07.7	3	0.5	00.0-01.1	2	0.2	00.0-00.6	19	2.2	01.0-03.4	1	0.0	00.0-00.0	799	91.1	88.9-93.3
35-44	1268	813,279	59	7.4	05.4-09.4	5	0.5	00.1-00.9	1	0.1	00.0-00.3	17	1.5	00.7-02.3	1	0.1	00.0-00.3	1185	90.4	88.2-92.6
45-54	1872	862,494	32	2.8	01.8-03.8	5	0.4	00.0-00.8				14	1.1	00.5-01.7	2	0.1	00.0-00.3	1819	95.6	94.2-97.0
55-64	2590	813,977	17	1.2	00.6-01.8	3	0.2	00.0-00.4				14	0.7	00.3-01.1	2	0.1	00.0-00.3	2554	97.8	97.0-98.6
65+	4131	952,678	11	0.5	00.1-00.9	4	0.1	00.1-00.1				13	0.4	00.0-00.8				4103	99.0	98.6-99.4
Less Than H.S.	994	689,890	91	14.3	11.4-17.2	2	0.3	00.0-00.7				18	2.2	01.0-03.4				883	83.2	80.1-86.3
H.S. or G.E.D.	3925	1,726,658	57	2.9	02.1-03.7	8	0.4	00.0-00.8	1	0.1	00.0-00.3	21	1.2	00.6-01.8	1	0.1	00.0-00.3	3837	95.4	94.4-96.4
Some Post-H.S.	2903	1,511,505	32	1.9	01.1-02.7	8	0.5	00.1-00.9	1	0.1	00.0-00.3	18	0.7	00.3-01.1	5	0.2	00.0-00.4	2839	96.7	95.7-97.7
College Graduate	3526	1,032,562	16	1.0	00.4-01.6	5	0.2	00.0-00.4	1	0.1	00.0-00.3	28	1.2	00.6-01.8	1	0.0	00.0-00.0	3475	97.5	96.7-98.3
Less than \$15,000	1131	527,854	28	4.9	02.9-06.9	2	0.3	00.0-00.9	1	0.1	00.0-00.3	11	1.6	00.6-02.6	1	0.2	00.0-00.6	1088	92.9	90.5-95.3
\$15,000- 24,999	1826	813,869	64	7.2	05.2-09.2	8	0.6	00.0-01.2	1	0.1	00.0-00.3	15	1.5	00.5-02.5	2	0.3	00.0-00.7	1736	90.3	88.1-92.5
\$25,000- 34,999	1186	512,519	24	4.6	02.6-06.6	3	0.3	00.0-00.7				10	1.3	00.3-02.3				1149	93.8	91.4-96.2
\$35,000- 49,999	1516	668,107	20	2.6	01.4-03.8	1	0.0	00.0-00.0				4	0.4	00.0-00.8	1	0.0	00.0-00.0	1490	96.9	95.5-98.3
\$50,000- 74,999	1529	695,366	21	3.3	01.7-04.9	1	0.1	00.0-00.3				11	1.1	00.3-01.9				1496	95.5	93.7-97.3
\$75,000+	2529	1,083,802	15	1.6	00.8-02.4	7	0.6	00.0-01.2				17	1.0	00.4-01.6	2	0.1	00.0-00.3	2488	96.8	95.6-98.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4638	2,431,352	84	3.7	02.9-04.5	12	0.3	00.1-00.5	3	0.1	00.0-00.3	31	1.2	00.8-01.6	1	0.0	00.0-00.0	4507	94.7	93.7-95.7
18-24	311	349,225	17	6.3	03.2-09.4	1	0.2	00.0-00.6				6	1.9	00.3-03.5				287	91.6	88.3-94.9
25-34	382	414,237	15	4.0	01.8-06.2	3	0.9	00.0-02.1	2	0.5	00.0-01.1	7	2.1	00.3-03.9				355	92.4	89.5-95.3
35-44	545	406,771	26	8.2	04.9-11.5	1	0.2	00.0-00.6	1	0.2	00.0-00.6	7	1.2	00.2-02.2				510	90.1	86.8-93.4
45-54	807	425,841	10	2.1	00.7-03.5	2	0.2	00.0-00.4				4	1.0	00.0-02.0				791	96.7	94.9-98.5
55-64	1106	402,696	10	1.6	00.4-02.8	3	0.4	00.0-01.0				3	0.4	00.0-00.8	1	0.0	00.0-00.0	1089	97.6	96.2-99.0
65+	1442	414,323	6	0.7	00.1-01.3	2	0.1	00.0-00.3				4	0.6	00.0-01.4				1430	98.6	97.6-99.6
Less Than H.S.	394	344,521	36	13.6	09.1-18.1	1	0.2	00.0-00.6				5	1.5	00.0-03.1				352	84.7	80.2-89.2
H.S. or G.E.D.	1541	869,288	30	3.3	01.9-04.7	6	0.5	00.0-01.1	1	0.1	00.0-00.3	10	1.4	00.6-02.2				1494	94.7	93.1-96.3
Some Post-H.S.	1094	675,981	8	1.1	00.3-01.9	1	0.2	00.0-00.6	1	0.1	00.0-00.3	5	0.7	00.1-01.3	1	0.0	00.0-00.0	1078	97.8	96.6-99.0
College Graduate	1572	522,860	8	1.0	00.2-01.8	4	0.3	00.0-00.7	1	0.1	00.0-00.3	11	1.4	00.4-02.4				1548	97.2	96.0-98.4
Less than \$15,000	368	198,023	8	4.9	01.4-08.4				1	0.4	00.0-01.2	3	1.1	00.0-02.5				356	93.7	89.8-97.6
\$15,000- 24,999	599	352,092	22	7.0	04.1-09.9	5	0.7	00.1-01.3	1	0.3	00.0-00.9	6	1.9	00.1-03.7				565	90.2	86.7-93.7
\$25,000- 34,999	470	256,446	12	4.4	01.7-07.1							3	1.3	00.0-02.9				455	94.3	91.2-97.4
\$35,000- 49,999	665	348,661	11	3.1	01.1-05.1	1	0.1	00.0-00.3				2	0.6	00.0-01.4				651	96.2	94.0-98.4
\$50,000- 74,999	733	378,156	12	3.7	01.3-06.1							7	1.6	00.2-03.0				714	94.7	92.2-97.2
\$75,000+	1248	607,019	8	1.4	00.4-02.4	6	1.0	00.2-01.8				6	1.0	00.2-01.8				1228	96.7	95.1-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6801	2,561,278	116	3.9	03.1-04.7	11	0.3	00.1-00.5	54	1.2	00.8-01.6	6	0.2	00.0-00.4	6614	94.4	93.4-95.4
18-24	259	334,125	15	5.7	02.6-08.8	2	0.9	00.0-02.1	2	0.7	00.0-01.7	1	0.4	00.0-01.2	239	92.4	88.9-95.9
25-34	490	407,966	33	7.9	05.2-10.6				12	2.3	00.9-03.7	1	0.1	00.0-00.3	444	89.8	86.9-92.7
35-44	723	406,508	33	6.6	04.1-09.1	4	0.8	00.0-01.6	10	1.9	00.5-03.3	1	0.1	00.0-00.3	675	90.6	87.9-93.3
45-54	1065	436,652	22	3.6	02.0-05.2	3	0.6	00.0-01.4	10	1.2	00.4-02.0	2	0.3	00.0-00.7	1028	94.4	92.4-96.4
55-64	1484	411,280	7	0.8	00.2-01.4				11	1.1	00.3-01.9	1	0.2	00.0-00.6	1465	98.0	97.0-99.0
65+	2689	538,354	5	0.4	00.0-00.8	2	0.0	00.0-00.0	9	0.3	00.1-00.5				2673	99.3	98.9-99.7
Less Than H.S.	600	345,369	55	15.0	10.9-19.1	1	0.4	00.0-01.2	13	2.9	01.1-04.7				531	81.7	77.4-86.0
H.S. or G.E.D.	2384	857,370	27	2.5	01.5-03.5	2	0.2	00.0-00.6	11	1.0	00.4-01.6	1	0.2	00.0-00.6	2343	96.2	94.8-97.6
Some Post-H.S.	1809	835,524	24	2.5	01.3-03.7	7	0.7	00.1-01.3	13	0.8	00.2-01.4	4	0.3	00.1-00.5	1761	95.7	94.3-97.1
College Graduate	1954	509,702	8	0.9	00.1-01.7	1	0.0	00.0-00.0	17	1.1	00.3-01.9	1	0.1	00.0-00.3	1927	97.9	96.9-98.9
Less than \$15,000	763	329,831	20	5.0	02.6-07.4	2	0.5	00.0-01.3	8	1.9	00.3-03.5	1	0.3	00.0-00.9	732	92.4	89.5-95.3
\$15,000- 24,999	1227	461,777	42	7.4	05.0-09.8	3	0.6	00.0-01.4	9	1.1	00.1-02.1	2	0.4	00.0-01.0	1171	90.4	87.7-93.1
\$25,000- 34,999	716	256,073	12	4.8	01.9-07.7	3	0.7	00.0-01.7	7	1.3	00.1-02.5				694	93.3	90.0-96.6
\$35,000- 49,999	851	319,446	9	2.1	00.7-03.5				2	0.3	00.0-00.7	1	0.1	00.0-00.3	839	97.6	96.2-99.0
\$50,000- 74,999	796	317,210	9	2.9	00.9-04.9	1	0.2	00.0-00.6	4	0.6	00.0-01.2				782	96.3	94.1-98.5
\$75,000+	1281	476,783	7	1.8	00.4-03.2	1	0.1	00.0-00.3	11	0.9	00.1-01.7	2	0.2	00.0-00.4	1260	96.9	95.3-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Asian Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11347	4,927,472	11206	98.8	98.6-99.0	130	1.1	00.9-01.3	8	0.1	00.1-00.1	1	0.0	00.0-00.0	2	0.0	00.0-00.0
Male	4597	2,401,516	4542	98.8	98.4-99.2	52	1.1	00.7-01.5	2	0.1	00.0-00.3	1	0.0	00.0-00.0			
Female	6750	2,525,956	6664	98.8	98.4-99.2	78	1.1	00.7-01.5	6	0.1	00.1-00.1				2	0.0	00.0-00.0
18-24	565	676,110	544	97.5	96.3-98.7	19	2.2	01.0-03.4	2	0.3	00.0-00.7						
25-34	851	802,493	832	98.4	97.6-99.2	17	1.4	00.6-02.2				1	0.1	00.0-00.3	1	0.1	00.0-00.3
35-44	1244	789,129	1227	98.9	98.3-99.5	17	1.1	00.5-01.7									
45-54	1863	856,370	1846	99.2	98.6-99.8	17	0.8	00.2-01.4									
55-64	2581	810,036	2551	99.1	98.7-99.5	28	0.9	00.5-01.3	1	0.0	00.0-00.0				1	0.0	00.0-00.0
65+	4107	948,745	4070	99.1	98.7-99.5	32	0.7	00.3-01.1	5	0.2	00.0-00.4						
Less Than H.S.	973	661,017	963	98.8	98.0-99.6	9	1.1	00.3-01.9	1	0.1	00.0-00.3						
H.S. or G.E.D.	3904	1,709,828	3857	98.7	98.3-99.1	45	1.3	00.9-01.7	2	0.0	00.0-00.0						
Some Post-H.S.	2885	1,506,248	2836	98.4	97.8-99.0	42	1.2	00.8-01.6	4	0.2	00.0-00.4	1	0.0	00.0-00.0	2	0.1	00.1-00.1
College Graduate	3497	1,019,753	3463	99.2	98.8-99.6	33	0.7	00.3-01.1	1	0.0	00.0-00.0						
Less than \$15,000	1120	518,968	1097	98.6	97.8-99.4	23	1.4	00.6-02.2									
\$15,000- 24,999	1811	799,163	1779	98.1	97.3-98.9	28	1.6	00.8-02.4	3	0.2	00.0-00.4				1	0.1	00.0-00.3
\$25,000- 34,999	1173	503,889	1154	98.3	97.1-99.5	19	1.7	00.5-02.9									
\$35,000- 49,999	1508	663,232	1493	98.9	98.3-99.5	13	1.0	00.4-01.6	1	0.0	00.0-00.0				1	0.0	00.0-00.0
\$50,000- 74,999	1520	688,850	1509	99.5	99.1-99.9	11	0.5	00.1-00.9									
\$75,000+	2514	1,073,729	2497	99.2	98.8-99.6	16	0.8	00.4-01.2				1	0.1	00.0-00.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Asian Only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4597	2,401,516	4542	98.8	98.4-99.2	52	1.1	00.7-01.5	2	0.1	00.0-00.3	1	0.0	00.0-00.0
18-24	309	346,772	300	97.6	95.8-99.4	8	2.1	00.3-03.9	1	0.4	00.0-01.2			
25-34	377	409,080	371	99.1	98.3-99.9	5	0.8	00.0-01.6				1	0.2	00.0-00.6
35-44	533	393,209	526	99.0	98.2-99.8	7	1.0	00.2-01.8						
45-54	802	422,178	792	98.8	97.8-99.8	10	1.2	00.2-02.2						
55-64	1094	397,809	1083	99.0	98.2-99.8	11	1.0	00.2-01.8						
65+	1436	413,384	1424	99.0	98.2-99.8	11	0.8	00.2-01.4	1	0.2	00.0-00.6			
Less Than H.S.	386	332,586	382	98.8	97.6-0100	4	1.2	00.0-02.4						
H.S. or G.E.D.	1530	861,155	1510	98.6	97.8-99.4	20	1.4	00.6-02.2						
Some Post-H.S.	1089	674,840	1071	98.6	97.8-99.4	15	1.0	00.4-01.6	2	0.3	00.0-00.7	1	0.1	00.0-00.3
College Graduate	1557	515,580	1544	99.3	98.7-99.9	13	0.7	00.1-01.3						
Less than \$15,000	366	196,062	361	99.0	98.0-0100	5	1.0	00.0-02.0						
\$15,000- 24,999	592	343,518	578	97.8	96.4-99.2	13	2.0	00.6-03.4	1	0.2	00.0-00.6			
\$25,000- 34,999	464	253,327	457	97.6	95.4-99.8	7	2.4	00.2-04.6						
\$35,000- 49,999	663	346,408	659	99.4	98.8-0100	4	0.6	00.0-01.2						
\$50,000- 74,999	727	374,862	719	99.3	98.7-99.9	8	0.7	00.1-01.3						
\$75,000+	1240	603,469	1230	99.0	98.2-99.8	9	0.9	00.1-01.7				1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6750	2,525,956	6664	98.8	98.4-99.2	78	1.1	00.7-01.5	6	0.1	00.1-00.1	2	0.0	00.0-00.0
18-24	256	329,338	244	97.3	95.7-98.9	11	2.4	00.8-04.0	1	0.3	00.0-00.9			
25-34	474	393,413	461	97.8	96.4-99.2	12	2.1	00.7-03.5				1	0.2	00.0-00.6
35-44	711	395,919	701	98.9	98.1-99.7	10	1.1	00.3-01.9						
45-54	1061	434,191	1054	99.6	99.2-0100	7	0.4	00.0-00.8						
55-64	1487	412,226	1468	99.2	98.8-99.6	17	0.7	00.3-01.1	1	0.0	00.0-00.0	1	0.0	00.0-00.0
65+	2671	535,360	2646	99.2	98.8-99.6	21	0.7	00.3-01.1	4	0.1	00.0-00.3			
Less Than H.S.	587	328,431	581	98.9	97.7-0100	5	1.0	00.0-02.2	1	0.1	00.0-00.3			
H.S. or G.E.D.	2374	848,673	2347	98.9	98.3-99.5	25	1.1	00.5-01.7	2	0.0	00.0-00.0			
Some Post-H.S.	1796	831,408	1765	98.3	97.5-99.1	27	1.5	00.9-02.1	2	0.1	00.0-00.3	2	0.1	00.0-00.3
College Graduate	1940	504,173	1919	99.2	98.8-99.6	20	0.7	00.3-01.1	1	0.0	00.0-00.0			
Less than \$15,000	754	322,906	736	98.4	97.4-99.4	18	1.6	00.6-02.6						
\$15,000- 24,999	1219	455,644	1201	98.2	97.0-99.4	15	1.4	00.4-02.4	2	0.2	00.0-00.6	1	0.1	00.0-00.3
\$25,000- 34,999	709	250,562	697	99.0	98.4-99.6	12	1.0	00.4-01.6						
\$35,000- 49,999	845	316,824	834	98.4	97.2-99.6	9	1.5	00.3-02.7	1	0.0	00.0-00.0	1	0.1	00.0-00.3
\$50,000- 74,999	793	313,988	790	99.8	99.6-0100	3	0.2	00.0-00.4						
\$75,000+	1274	470,260	1267	99.4	98.8-0100	7	0.6	00.0-01.2						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2014

SECTION 8: DEMOGRAPHICS

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		Black or African American			Am. Indian or Alaskan Native			Asian			Pacific Islanders		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	139	63,265	76	44.4	34.2-54.6	25	23.7	13.9-33.5	14	11.1	04.2-18.0	23	19.7	11.3-28.1	1	1.1	00.0-03.3
Male	59	32,859	33	51.9	35.8-68.0	9	20.5	05.4-35.6	6	5.6	00.9-10.3	10	19.8	06.5-33.1	1	2.1	00.0-06.2
Female	80	30,407	43	36.3	23.4-49.2	16	27.1	13.0-41.2	8	17.0	04.8-29.2	13	19.5	09.1-29.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2014

SECTION 8: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		Black or African American			Am. Indian or Alaskan Native			Asian			Pacific Islanders		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	59	32,859	33	51.9	38.4-65.4	9	20.5	09.7-31.3	6	5.6	01.3-09.9	10	19.8	07.1-32.5	1	2.1	00.0-06.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2014

SECTION 8: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		Black or African American			Am. Indian or Alaskan Native			Asian		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	80	30,407	43	36.3	23.8-48.8	16	27.1	12.8-41.4	8	17.0	05.2-28.8	13	19.5	09.3-29.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 13: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11501	5,019,136	1442	11.1	10.3-11.9	10059	88.9	88.1-89.7
Male	4660	2,439,885	1332	21.0	19.6-22.4	3328	79.0	77.6-80.4
Female	6841	2,579,251	110	1.8	01.4-02.2	6731	98.2	97.8-98.6
18-24	572	686,325	22	4.0	02.2-05.8	550	96.0	94.2-97.8
25-34	873	824,549	46	6.3	04.3-08.3	827	93.7	91.7-95.7
35-44	1269	813,956	78	6.7	04.9-08.5	1191	93.3	91.5-95.1
45-54	1882	868,389	167	10.3	08.5-12.1	1715	89.7	87.9-91.5
55-64	2601	816,950	269	11.3	09.7-12.9	2332	88.7	87.1-90.3
65+	4157	959,178	845	24.6	22.8-26.4	3312	75.4	73.6-77.2
Less Than H.S.	1010	697,310	79	6.5	04.5-08.5	931	93.5	91.5-95.5
H.S. or G.E.D.	3952	1,737,268	520	12.6	11.2-14.0	3432	87.4	86.0-88.8
Some Post-H.S.	2919	1,520,554	418	12.7	11.3-14.1	2501	87.3	85.9-88.7
College Graduate	3542	1,035,372	424	9.5	08.3-10.7	3118	90.5	89.3-91.7
Less than \$15,000	1140	530,437	96	7.1	05.1-09.1	1044	92.9	90.9-94.9
\$15,000- 24,999	1841	820,432	235	11.0	09.2-12.8	1606	89.0	87.2-90.8
\$25,000- 34,999	1187	512,470	190	14.9	12.2-17.6	997	85.1	82.4-87.8
\$35,000- 49,999	1522	670,105	250	15.2	12.8-17.6	1272	84.8	82.4-87.2
\$50,000- 74,999	1531	696,745	207	10.8	09.0-12.6	1324	89.2	87.4-91.0
\$75,000+	2536	1,085,230	276	9.8	08.4-11.2	2260	90.2	88.8-91.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 14: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4660	2,439,885	1332	21.0	19.6-22.4	3328	79.0	77.6-80.4
18-24	312	351,289	16	5.7	02.8-08.6	296	94.3	91.4-97.2
25-34	381	413,599	36	10.5	07.0-14.0	345	89.5	86.0-93.0
35-44	544	405,851	59	10.9	07.8-14.0	485	89.1	86.0-92.2
45-54	813	429,343	145	18.6	15.5-21.7	668	81.4	78.3-84.5
55-64	1105	401,782	239	21.2	18.5-23.9	866	78.8	76.1-81.5
65+	1455	417,096	823	55.9	52.8-59.0	632	44.1	41.0-47.2
Less Than H.S.	400	347,605	78	13.1	09.4-16.8	322	86.9	83.2-90.6
H.S. or G.E.D.	1550	873,001	489	23.5	21.1-25.9	1061	76.5	74.1-78.9
Some Post-H.S.	1099	679,716	377	25.4	22.5-28.3	722	74.6	71.7-77.5
College Graduate	1581	524,169	387	16.8	14.8-18.8	1194	83.2	81.2-85.2
Less than \$15,000	370	198,032	82	16.9	12.0-21.8	288	83.1	78.2-88.0
\$15,000- 24,999	605	354,979	211	22.7	18.8-26.6	394	77.3	73.4-81.2
\$25,000- 34,999	469	256,082	180	28.8	23.7-33.9	289	71.2	66.1-76.3
\$35,000- 49,999	668	349,190	238	27.8	23.7-31.9	430	72.2	68.1-76.3
\$50,000- 74,999	733	378,897	195	18.6	15.5-21.7	538	81.4	78.3-84.5
\$75,000+	1253	607,987	255	15.8	13.4-18.2	998	84.2	81.8-86.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 15: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6841	2,579,251	110	1.8	01.4-02.2	6731	98.2	97.8-98.6
18-24	260	335,036	6	2.2	00.4-04.0	254	97.8	96.0-99.6
25-34	492	410,949	10	2.0	00.6-03.4	482	98.0	96.6-99.4
35-44	725	408,105	19	2.6	01.2-04.0	706	97.4	96.0-98.8
45-54	1069	439,046	22	2.1	01.1-03.1	1047	97.9	96.9-98.9
55-64	1496	415,168	30	1.6	00.8-02.4	1466	98.4	97.6-99.2
65+	2702	542,082	22	0.6	00.2-01.0	2680	99.4	99.0-99.8
Less Than H.S.	610	349,704	1	0.0	00.0-00.0	609	100.0	0100-0100
H.S. or G.E.D.	2402	864,267	31	1.7	00.9-02.5	2371	98.3	97.5-99.1
Some Post-H.S.	1820	840,838	41	2.5	01.5-03.5	1779	97.5	96.5-98.5
College Graduate	1961	511,203	37	2.1	01.3-02.9	1924	97.9	97.1-98.7
Less than \$15,000	770	332,404	14	1.3	00.3-02.3	756	98.7	97.7-99.7
\$15,000- 24,999	1236	465,453	24	2.1	00.9-03.3	1212	97.9	96.7-99.1
\$25,000- 34,999	718	256,388	10	1.1	00.1-02.1	708	98.9	97.9-99.9
\$35,000- 49,999	854	320,915	12	1.5	00.3-02.7	842	98.5	97.3-99.7
\$50,000- 74,999	798	317,848	12	1.6	00.4-02.8	786	98.4	97.2-99.6
\$75,000+	1283	477,243	21	2.1	01.1-03.1	1262	97.9	96.9-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11404	4,984,625	6168	52.9	51.7-54.1	1640	12.2	11.4-13.0	1706	7.0	06.6-07.4	171	2.0	01.6-02.4	1469	21.7	20.5-22.9	250	4.1	03.5-04.7
Male	4629	2,424,330	2800	55.2	53.2-57.2	579	11.4	10.2-12.6	332	3.5	02.9-04.1	58	1.6	01.0-02.2	745	24.0	22.2-25.8	115	4.3	03.3-05.3
Female	6775	2,560,295	3368	50.7	49.1-52.3	1061	13.0	12.0-14.0	1374	10.3	09.5-11.1	113	2.4	01.8-03.0	724	19.6	18.0-21.2	135	4.0	03.2-04.8
White/Non-Hisp	9942	4,067,751	5589	56.5	55.1-57.9	1431	12.4	11.6-13.2	1543	7.4	07.0-07.8	114	1.6	01.2-02.0	1079	18.5	17.3-19.7	186	3.7	03.1-04.3
Black or Afr. Am./Non-Hisp	624	419,428	186	28.8	24.3-33.3	120	15.1	11.8-18.4	77	7.5	05.1-09.9	26	3.8	02.0-05.6	197	40.9	35.8-46.0	18	3.9	01.9-05.9
Oth. Race/Non-Hisp.	229	104,797	112	46.1	37.7-54.5	23	3.9	01.5-06.3	21	3.1	00.9-05.3	4	1.0	00.0-02.2	65	45.0	36.2-53.8	4	0.9	00.0-01.9
MultiRacial/Non-Hisp.	130	55,183	49	35.7	25.3-46.1	17	8.1	03.0-13.2	19	6.8	02.7-10.9	6	5.1	00.2-10.0	32	35.9	24.1-47.7	7	8.4	01.1-15.7
Hispanic	312	268,007	146	43.6	37.3-49.9	31	9.4	05.9-12.9	13	1.7	00.5-02.9	17	5.1	02.4-07.8	73	28.8	22.7-34.9	32	11.4	07.3-15.5
18-24	569	683,349	55	8.2	05.8-10.6	3	0.4	00.0-00.8				7	1.2	00.2-02.2	454	80.7	77.2-84.2	50	9.5	06.8-12.2
25-34	869	820,879	445	49.8	46.1-53.5	67	7.9	05.7-10.1	3	0.3	00.0-00.7	29	3.3	01.9-04.7	254	29.5	26.0-33.0	71	9.3	06.9-11.7
35-44	1257	806,406	859	66.5	63.4-69.6	145	11.9	09.7-14.1	17	1.3	00.5-02.1	34	3.1	01.7-04.5	164	13.6	11.2-16.0	38	3.6	02.2-05.0
45-54	1874	865,667	1190	63.3	60.6-66.0	358	20.3	17.9-22.7	44	1.6	01.0-02.2	41	2.6	01.6-03.6	203	9.9	08.3-11.5	38	2.3	01.5-03.1
55-64	2583	812,824	1594	65.2	63.0-67.4	503	18.3	16.5-20.1	191	5.9	04.9-06.9	39	1.6	01.0-02.2	220	7.6	06.2-09.0	36	1.4	00.8-02.0
65+	4126	951,227	1947	56.0	54.0-58.0	552	12.0	10.8-13.2	1432	28.3	26.5-30.1	20	0.5	00.3-00.7	161	2.7	02.1-03.3	14	0.5	00.1-00.9
Less Than H.S.	1004	693,887	365	40.4	36.3-44.5	187	15.3	12.6-18.0	243	10.6	08.8-12.4	30	3.5	01.9-05.1	145	23.7	19.8-27.6	34	6.4	04.0-08.8
H.S. or G.E.D.	3927	1,725,200	1898	47.6	45.4-49.8	608	14.0	12.6-15.4	781	9.1	08.3-09.9	62	2.2	01.6-02.8	510	23.8	21.6-26.0	68	3.3	02.3-04.3
Some Post-H.S.	2900	1,515,254	1533	52.8	50.4-55.2	464	12.0	10.6-13.4	363	5.1	04.3-05.9	52	2.0	01.4-02.6	406	23.3	20.9-25.7	82	4.8	03.6-06.0
College Graduate	3526	1,032,002	2349	70.3	68.3-72.3	375	7.5	06.5-08.5	311	3.9	03.3-04.5	26	0.7	00.3-01.1	401	14.6	12.8-16.4	64	3.1	02.3-03.9
Less than \$15,000	1132	526,667	156	16.4	13.5-19.3	368	25.8	22.5-29.1	243	11.0	09.0-13.0	52	6.0	04.0-08.0	286	36.5	32.4-40.6	27	4.3	02.5-06.1
\$15,000- 24,999	1833	817,195	576	35.4	32.3-38.5	385	17.3	14.9-19.7	485	12.7	11.1-14.3	40	3.0	01.8-04.2	296	25.7	22.6-28.8	51	5.9	03.9-07.9
\$25,000- 34,999	1183	511,335	513	44.4	40.5-48.3	202	15.3	12.4-18.2	257	9.5	07.9-11.1	16	2.2	00.8-03.6	165	23.3	19.4-27.2	30	5.3	03.1-07.5
\$35,000- 49,999	1520	669,589	880	57.3	54.0-60.6	220	12.0	09.8-14.2	191	5.5	04.3-06.7	14	1.0	00.2-01.8	172	18.2	15.1-21.3	43	5.9	03.9-07.9
\$50,000- 74,999	1533	697,270	1057	67.4	64.1-70.7	174	9.7	07.7-11.7	99	2.8	02.0-03.6	10	0.4	00.0-00.8	157	16.0	13.1-18.9	36	3.7	02.3-05.1
\$75,000+	2533	1,082,648	2151	81.1	78.7-83.5	114	4.2	03.0-05.4	72	1.2	00.8-01.6	12	0.4	00.2-00.6	147	11.2	09.0-13.4	37	1.9	01.1-02.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS
TABLE 17: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4629	2,424,330	2800	55.2	53.2-57.2	579	11.4	10.2-12.6	332	3.5	02.9-04.1	58	1.6	01.0-02.2	745	24.0	22.2-25.8	115	4.3	03.3-05.3
White/Non-Hisp	4019	1,974,078	2525	58.8	56.8-60.8	510	11.7	10.3-13.1	301	3.8	03.2-04.4	40	1.3	00.7-01.9	554	20.6	18.6-22.6	89	3.9	02.9-04.9
Black or Afr. Am./Non-Hisp	237	198,248	91	34.6	27.2-42.0	36	13.9	08.8-19.0	12	2.7	00.7-04.7	6	2.6	00.2-05.0	84	41.8	34.0-49.6	8	4.4	01.3-07.5
Oth. Race/Non-Hisp.	121	65,848	59	44.9	33.7-56.1	12	4.0	00.9-07.1	5	1.9	00.0-04.1	1	0.1	00.0-00.3	42	48.6	37.2-60.0	2	0.5	00.0-01.1
MultiRacial/Non-Hisp.	52	27,462	26	41.8	25.3-58.3	5	8.1	00.0-16.7	2	2.8	00.0-07.7	3	4.6	00.0-10.9	13	31.5	14.1-48.9	3	11.1	00.0-24.0
Hispanic	127	126,235	56	40.1	30.7-49.5	11	9.3	03.4-15.2	5	1.7	00.1-03.3	5	4.1	00.2-08.0	39	33.8	24.4-43.2	11	11.0	04.5-17.5
18-24	310	350,436	22	6.0	03.5-08.5							5	1.6	00.0-03.2	254	82.6	78.1-87.1	29	9.7	06.0-13.4
25-34	379	411,149	190	48.0	42.3-53.7	25	7.9	04.6-11.2				6	1.8	00.2-03.4	127	33.4	28.1-38.7	31	9.0	05.7-12.3
35-44	536	400,299	375	68.5	63.6-73.4	59	11.0	07.9-14.1	3	0.3	00.0-00.7	10	2.4	00.4-04.4	73	14.3	10.6-18.0	16	3.5	01.5-05.5
45-54	807	426,969	508	62.6	58.5-66.7	145	20.3	16.8-23.8	11	1.0	00.2-01.8	14	2.0	00.6-03.4	112	11.7	09.2-14.2	17	2.4	01.0-03.8
55-64	1105	402,277	728	68.9	65.6-72.2	190	17.4	14.7-20.1	47	3.0	02.0-04.0	14	1.4	00.6-02.2	111	8.0	06.0-10.0	15	1.4	00.6-02.2
65+	1448	414,620	947	69.4	66.5-72.3	158	10.6	08.4-12.8	265	15.7	13.3-18.1	9	0.6	00.0-01.2	62	3.0	02.0-04.0	7	0.7	00.1-01.3
Less Than H.S.	397	347,033	177	45.7	39.4-52.0	69	13.6	09.9-17.3	50	5.2	03.4-07.0	11	3.4	00.9-05.9	71	24.8	18.9-30.7	19	7.4	03.9-10.9
H.S. or G.E.D.	1538	865,217	832	47.6	44.5-50.7	230	14.6	12.2-17.0	133	4.1	03.3-04.9	24	2.2	01.2-03.2	284	28.1	25.0-31.2	35	3.4	02.0-04.8
Some Post-H.S.	1096	679,369	638	55.7	52.0-59.4	155	10.6	08.4-12.8	63	2.7	01.9-03.5	11	0.9	00.3-01.5	200	25.6	22.1-29.1	29	4.5	02.7-06.3
College Graduate	1579	522,923	1144	73.3	70.6-76.0	122	5.8	04.4-07.2	84	2.4	01.8-03.0	12	0.6	00.2-01.0	186	14.6	12.2-17.0	31	3.3	01.9-04.7
Less than \$15,000	367	196,943	56	16.2	11.5-20.9	104	24.1	19.0-29.2	37	5.7	03.3-08.1	16	5.0	01.9-08.1	141	43.5	36.8-50.2	13	5.5	02.2-08.8
\$15,000- 24,999	603	354,556	235	39.0	33.7-44.3	123	17.2	13.5-20.9	82	5.9	04.1-07.7	12	2.9	00.9-04.9	129	29.0	23.9-34.1	22	5.8	02.9-08.7
\$25,000- 34,999	469	256,118	243	49.1	43.0-55.2	65	13.6	08.9-18.3	61	6.4	04.2-08.6	3	1.1	00.0-02.5	84	25.2	19.3-31.1	13	4.5	01.8-07.2
\$35,000- 49,999	667	348,989	405	56.6	51.7-61.5	93	11.5	08.6-14.4	50	3.2	02.0-04.4	6	1.2	00.0-02.4	93	20.8	16.3-25.3	20	6.7	03.6-09.8
\$50,000- 74,999	736	379,816	512	64.8	60.1-69.5	83	10.7	07.8-13.6	28	1.9	00.9-02.9	3	0.1	00.0-00.3	91	18.3	14.2-22.4	19	4.2	02.0-06.4
\$75,000+	1250	605,404	1058	79.1	75.6-82.6	55	4.6	02.8-06.4	31	1.1	00.7-01.5	7	0.4	00.0-00.8	83	13.1	10.0-16.2	16	1.7	00.7-02.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS
TABLE 18: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6775	2,560,295	3368	50.7	49.1-52.3	1061	13.0	12.0-14.0	1374	10.3	09.5-11.1	113	2.4	01.8-03.0	724	19.6	18.0-21.2	135	4.0	03.2-04.8
White/Non-Hisp	5923	2,093,673	3064	54.2	52.4-56.0	921	13.1	11.9-14.3	1242	10.8	10.0-11.6	74	1.9	01.3-02.5	525	16.5	14.7-18.3	97	3.6	02.8-04.4
Black or Afr. Am./Non-Hisp	387	221,180	95	23.5	18.4-28.6	84	16.1	11.8-20.4	65	11.8	07.9-15.7	20	5.0	02.5-07.5	113	40.1	33.4-46.8	10	3.5	01.0-06.0
Oth. Race/Non-Hisp.	108	38,949	53	48.2	35.3-61.1	11	3.6	00.7-06.5	16	5.2	00.9-09.5	3	2.5	00.0-05.6	23	38.9	25.4-52.4	2	1.6	00.0-04.0
MultiRacial/Non-Hisp.	78	27,721	23	29.7	16.6-42.8	12	8.0	02.3-13.7	17	10.7	04.2-17.2	3	5.6	00.0-13.0	19	40.3	24.8-55.8	4	5.7	00.0-12.0
Hispanic	185	141,771	90	46.6	38.2-55.0	20	9.5	05.0-14.0	8	1.7	00.0-03.7	12	5.9	02.2-09.6	34	24.4	16.6-32.2	21	11.8	06.5-17.1
18-24	259	332,913	33	10.6	06.9-14.3	3	0.8	00.0-01.8				2	0.7	00.0-01.7	200	78.7	73.4-84.0	21	9.3	05.2-13.4
25-34	490	409,730	255	51.6	46.5-56.7	42	7.9	05.2-10.6	3	0.6	00.0-01.4	23	4.7	02.5-06.9	127	25.6	21.1-30.1	40	9.6	06.5-12.7
35-44	721	406,107	484	64.5	60.2-68.8	86	12.8	09.7-15.9	14	2.2	00.8-03.6	24	3.9	02.1-05.7	91	13.0	10.1-15.9	22	3.7	01.9-05.5
45-54	1067	438,697	682	64.0	60.7-67.3	213	20.4	17.5-23.3	33	2.3	01.3-03.3	27	3.1	01.7-04.5	91	8.1	06.1-10.1	21	2.1	01.1-03.1
55-64	1478	410,546	866	61.5	58.6-64.4	313	19.3	16.9-21.7	144	8.8	07.0-10.6	25	1.8	01.0-02.6	109	7.1	05.3-08.9	21	1.5	00.7-02.3
65+	2678	536,607	1000	45.8	43.4-48.2	394	13.1	11.5-14.7	1167	38.0	35.6-40.4	11	0.3	00.1-00.5	99	2.6	01.8-03.4	7	0.2	00.0-00.4
Less Than H.S.	607	346,853	188	35.0	29.9-40.1	118	17.1	13.4-20.8	193	16.1	13.0-19.2	19	3.7	01.7-05.7	74	22.7	17.4-28.0	15	5.5	02.6-08.4
H.S. or G.E.D.	2389	859,983	1066	47.6	44.9-50.3	378	13.4	11.6-15.2	648	14.1	12.7-15.5	38	2.1	01.1-03.1	226	19.5	16.8-22.2	33	3.2	02.0-04.4
Some Post-H.S.	1804	835,884	895	50.4	47.3-53.5	309	13.1	11.3-14.9	300	7.0	05.8-08.2	41	3.0	02.0-04.0	206	21.4	18.3-24.5	53	5.1	03.5-06.7
College Graduate	1947	509,079	1205	67.3	64.6-70.0	253	9.2	07.8-10.6	227	5.4	04.4-06.4	14	0.8	00.2-01.4	215	14.6	12.2-17.0	33	2.8	01.6-04.0
Less than \$15,000	765	329,724	100	16.5	12.8-20.2	264	26.9	22.8-31.0	206	14.2	11.5-16.9	36	6.5	04.0-09.0	145	32.3	27.0-37.6	14	3.5	01.3-05.7
\$15,000- 24,999	1230	462,639	341	32.5	28.8-36.2	262	17.3	14.6-20.0	403	18.0	15.5-20.5	28	3.0	01.6-04.4	167	23.2	19.3-27.1	29	6.0	03.5-08.5
\$25,000- 34,999	714	255,217	270	39.7	34.8-44.6	137	17.0	13.5-20.5	196	12.6	10.2-15.0	13	3.4	01.2-05.6	81	21.4	16.1-26.7	17	6.0	02.7-09.3
\$35,000- 49,999	853	320,601	475	58.1	53.4-62.8	127	12.5	09.6-15.4	141	8.1	06.3-09.9	8	0.8	00.0-01.6	79	15.4	11.1-19.7	23	5.1	02.7-07.5
\$50,000- 74,999	797	317,454	545	70.5	65.8-75.2	91	8.5	06.1-10.9	71	3.9	02.7-05.1	7	0.7	00.1-01.3	66	13.3	09.0-17.6	17	3.1	01.1-05.1
\$75,000+	1283	477,243	1093	83.6	80.7-86.5	59	3.6	02.4-04.8	41	1.4	00.8-02.0	5	0.4	00.0-00.8	64	8.8	06.3-11.3	21	2.2	01.0-03.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 19: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11446	4,999,167	1108	14.4	13.4-15.4	1025	13.1	12.1-14.1	475	6.5	05.7-07.3	168	2.3	01.9-02.7	76	1.2	00.8-01.6	8594	62.4	61.2-63.6
Male	4647	2,434,823	452	13.8	12.4-15.2	437	12.7	11.3-14.1	189	6.1	05.1-07.1	81	2.5	01.9-03.1	34	1.1	00.7-01.5	3454	63.7	61.7-65.7
Female	6799	2,564,344	656	15.0	13.6-16.4	588	13.5	12.3-14.7	286	6.9	05.9-07.9	87	2.1	01.5-02.7	42	1.2	00.8-01.6	5140	61.2	59.4-63.0
White/Non-Hisp	9970	4,074,838	889	13.4	12.4-14.4	849	12.7	11.7-13.7	372	5.8	05.0-06.6	132	2.1	01.7-02.5	58	1.0	00.6-01.4	7670	64.9	63.5-66.3
Black or Afr. Am./Non-Hisp	631	424,492	89	19.1	14.6-23.6	60	11.3	08.2-14.4	40	8.6	05.7-11.5	15	3.2	01.4-05.0	7	1.3	00.1-02.5	420	56.5	51.4-61.6
Oth. Race/Non-Hisp.	228	104,277	30	16.7	10.2-23.2	27	13.4	07.9-18.9	11	3.8	01.1-06.5	3	1.4	00.0-03.2	2	1.0	00.0-02.6	155	63.8	55.6-72.0
MultiRacial/Non-Hisp.	131	55,302	25	26.7	16.3-37.1	18	17.3	08.7-25.9	7	7.2	01.9-12.5	1	3.0	00.0-08.7	1	3.0	00.0-08.7	80	45.8	34.4-57.2
Hispanic	314	270,961	62	19.7	14.6-24.8	63	22.2	16.9-27.5	40	15.5	10.8-20.2	16	5.7	02.6-08.8	8	3.4	00.9-05.9	125	33.6	27.7-39.5
18-24	573	687,537	116	22.2	18.3-26.1	69	12.9	09.8-16.0	31	5.4	03.4-07.4	6	1.3	00.3-02.3	6	1.2	00.2-02.2	345	57.1	52.6-61.6
25-34	867	818,403	190	21.6	18.5-24.7	200	22.2	19.1-25.3	114	13.8	11.1-16.5	39	4.2	02.8-05.6	27	2.9	01.7-04.1	297	35.3	31.6-39.0
35-44	1258	807,726	252	20.6	17.9-23.3	394	29.0	26.1-31.9	213	15.0	12.8-17.2	81	6.9	05.1-08.7	26	2.4	01.2-03.6	292	26.2	23.3-29.1
45-54	1877	867,278	332	17.2	15.2-19.2	258	12.8	11.0-14.6	93	5.1	03.7-06.5	28	1.3	00.7-01.9	12	0.7	00.3-01.1	1154	62.9	60.4-65.4
55-64	2592	815,394	157	6.7	05.5-07.9	65	3.2	02.2-04.2	13	0.7	00.1-01.3	8	0.5	00.1-00.9	3	0.1	00.0-00.3	2346	88.7	87.1-90.3
65+	4136	953,661	53	1.9	01.3-02.5	29	1.2	00.6-01.8	9	0.4	00.2-00.6	5	0.2	00.0-00.4	2	0.0	00.0-00.0	4038	96.3	95.5-97.1
Less Than H.S.	1010	697,247	110	17.8	14.3-21.3	80	13.5	10.6-16.4	53	8.2	05.8-10.6	19	3.0	01.4-04.6	19	3.4	01.6-05.2	729	54.0	49.9-58.1
H.S. or G.E.D.	3950	1,733,933	319	13.4	11.8-15.0	230	9.8	08.4-11.2	113	5.2	04.0-06.4	41	1.7	01.1-02.3	15	0.7	00.3-01.1	3232	69.1	66.9-71.3
Some Post-H.S.	2910	1,517,981	287	13.7	11.9-15.5	280	14.4	12.6-16.2	119	6.6	05.2-08.0	38	2.4	01.6-03.2	23	1.0	00.6-01.4	2163	61.9	59.5-64.3
College Graduate	3532	1,033,578	389	15.1	13.5-16.7	433	16.4	14.8-18.0	188	7.5	06.3-08.7	70	2.8	02.0-03.6	19	0.7	00.3-01.1	2433	57.5	55.3-59.7
Less than \$15,000	1142	531,401	105	14.0	11.1-16.9	66	10.9	08.0-13.8	34	4.9	02.9-06.9	18	3.3	01.7-04.9	8	1.0	00.2-01.8	911	65.9	61.8-70.0
\$15,000- 24,999	1842	820,624	152	14.5	11.8-17.2	135	12.0	09.6-14.4	62	6.5	04.7-08.3	27	2.7	01.5-03.9	15	1.5	00.5-02.5	1451	62.8	59.5-66.1
\$25,000- 34,999	1184	510,796	93	12.5	09.6-15.4	79	12.1	09.2-15.0	36	5.3	03.1-07.5	14	1.8	00.6-03.0	10	1.6	00.4-02.8	952	66.6	62.5-70.7
\$35,000- 49,999	1521	669,791	131	13.1	10.6-15.6	95	10.6	08.2-13.0	63	7.5	05.5-09.5	14	1.5	00.5-02.5	12	1.7	00.5-02.9	1206	65.6	62.3-68.9
\$50,000- 74,999	1533	697,131	178	16.6	13.9-19.3	149	12.7	10.3-15.1	67	7.6	05.4-09.8	26	2.6	01.4-03.8	6	0.9	00.0-01.9	1107	59.5	56.2-62.8
\$75,000+	2535	1,084,484	345	17.1	14.9-19.3	405	19.2	17.2-21.2	181	8.4	07.0-09.8	58	2.7	01.9-03.5	18	0.8	00.4-01.2	1528	51.8	49.3-54.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 20: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4647	2,434,823	452	13.8	12.4-15.2	437	12.7	11.3-14.1	189	6.1	05.1-07.1	81	2.5	01.9-03.1	34	1.1	00.7-01.5	3454	63.7	61.7-65.7
White/Non-Hisp	4032	1,979,446	365	12.7	11.1-14.3	374	13.1	11.5-14.7	144	5.2	04.2-06.2	65	2.4	01.6-03.2	28	1.1	00.5-01.7	3056	65.5	63.5-67.5
Black or Afr. Am./Non-Hisp	240	200,251	25	17.1	10.0-24.2	19	8.2	04.1-12.3	18	9.6	04.7-14.5	7	4.2	01.1-07.3	3	0.8	00.0-01.8	168	60.0	52.0-68.0
Oth. Race/Non-Hisp.	120	65,328	16	14.5	06.9-22.1	15	11.7	05.0-18.4	4	3.2	00.0-06.7	3	2.2	00.0-04.9	1	1.3	00.0-03.8	81	67.2	57.0-77.4
MultiRacial/Non-Hisp.	52	27,462	9	24.2	08.7-39.7	8	16.0	03.8-28.2	5	10.8	01.2-20.4							30	49.0	31.6-66.4
Hispanic	128	128,320	28	22.0	14.0-30.0	16	15.4	08.1-22.7	16	15.4	08.1-22.7	4	2.8	00.0-05.9	2	1.8	00.0-04.5	62	42.7	33.3-52.1
18-24	313	352,501	55	19.6	14.5-24.7	35	12.0	08.1-15.9	18	5.8	03.1-08.5	2	0.4	00.0-01.0	3	1.0	00.0-02.2	200	61.2	55.3-67.1
25-34	380	412,691	78	20.8	16.3-25.3	68	19.0	14.5-23.5	36	10.3	06.8-13.8	18	4.3	02.1-06.5	6	1.5	00.1-02.9	174	44.1	38.6-49.6
35-44	537	401,080	94	19.0	14.7-23.3	156	26.1	22.0-30.2	82	14.1	10.8-17.4	37	7.7	05.0-10.4	16	3.2	01.0-05.4	152	29.8	25.1-34.5
45-54	811	428,948	122	15.0	12.1-17.9	136	15.6	12.9-18.3	47	5.9	03.9-07.9	16	1.7	00.7-02.7	6	0.8	00.0-01.6	484	61.0	57.1-64.9
55-64	1108	403,000	83	8.2	06.2-10.2	28	2.8	01.6-04.0	3	0.5	00.0-01.3	4	0.7	00.0-01.5	1	0.1	00.0-00.3	989	87.7	85.3-90.1
65+	1450	415,927	16	1.3	00.5-02.1	9	1.2	00.4-02.0	2	0.2	00.0-00.6	3	0.3	00.0-00.7	2	0.1	00.0-00.3	1418	96.9	95.7-98.1
Less Than H.S.	400	347,605	49	19.8	14.1-25.5	33	11.9	07.8-16.0	23	8.9	05.2-12.6	10	3.7	01.2-06.2	10	3.6	01.1-06.1	275	52.1	45.8-58.4
H.S. or G.E.D.	1551	872,958	149	13.4	11.0-15.8	104	10.0	07.8-12.2	48	4.9	03.3-06.5	18	1.8	01.0-02.6	6	0.7	00.1-01.3	1226	69.2	66.1-72.3
Some Post-H.S.	1097	679,918	103	12.4	09.9-14.9	117	14.6	11.9-17.3	45	5.9	04.1-07.7	14	2.1	00.9-03.3	6	0.7	00.1-01.3	812	64.3	60.8-67.8
College Graduate	1579	523,859	150	12.6	10.4-14.8	182	15.6	13.2-18.0	71	6.5	04.9-08.1	39	3.5	02.3-04.7	12	0.8	00.4-01.2	1125	61.0	57.9-64.1
Less than \$15,000	371	198,877	23	8.7	04.8-12.6	13	7.3	03.2-11.4	7	2.5	00.3-04.7	8	4.7	01.6-07.8	2	0.5	00.0-01.3	318	76.3	70.2-82.4
\$15,000- 24,999	605	354,979	56	15.2	10.5-19.9	48	11.3	07.6-15.0	22	6.2	03.3-09.1	9	2.6	00.8-04.4	3	0.6	00.0-01.4	467	64.0	58.5-69.5
\$25,000- 34,999	468	255,409	37	13.0	08.5-17.5	33	11.7	07.2-16.2	11	4.7	01.4-08.0	9	2.2	00.6-03.8	7	2.4	00.4-04.4	371	66.0	59.7-72.3
\$35,000- 49,999	668	349,190	54	12.3	08.8-15.8	32	7.9	05.0-10.8	28	7.9	04.8-11.0	10	2.3	00.5-04.1	7	2.3	00.5-04.1	537	67.3	62.4-72.2
\$50,000- 74,999	736	379,676	87	16.0	12.5-19.5	65	12.0	08.9-15.1	30	6.2	03.7-08.7	12	2.7	00.9-04.5	4	1.3	00.0-03.1	538	61.8	57.1-66.5
\$75,000+	1253	607,970	152	15.8	12.9-18.7	212	20.7	17.8-23.6	77	7.6	05.8-09.4	32	2.8	01.6-04.0	9	0.6	00.2-01.0	771	52.5	49.0-56.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 21: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6799	2,564,344	656	15.0	13.6-16.4	588	13.5	12.3-14.7	286	6.9	05.9-07.9	87	2.1	01.5-02.7	42	1.2	00.8-01.6	5140	61.2	59.4-63.0
White/Non-Hisp	5938	2,095,391	524	14.1	12.7-15.5	475	12.4	11.0-13.8	228	6.4	05.4-07.4	67	1.8	01.2-02.4	30	0.9	00.5-01.3	4614	64.5	62.7-66.3
Black or Afr. Am./Non-Hisp	391	224,241	64	20.9	15.0-26.8	41	14.0	09.3-18.7	22	7.7	04.2-11.2	8	2.3	00.5-04.1	4	1.8	00.0-03.8	252	53.4	46.9-59.9
Oth. Race/Non-Hisp.	108	38,949	14	20.4	08.6-32.2	12	16.2	06.8-25.6	7	4.8	00.7-08.9				1	0.6	00.0-01.8	74	58.1	45.2-71.0
MultiRacial/Non-Hisp.	79	27,840	16	29.3	15.2-43.4	10	18.7	06.4-31.0	2	3.6	00.0-08.5				1	5.9	00.0-16.9	50	42.6	28.5-56.7
Hispanic	186	142,642	34	17.6	11.3-23.9	47	28.3	20.7-35.9	24	15.5	09.4-21.6	12	8.3	03.2-13.4	6	4.9	01.0-08.8	63	25.3	18.4-32.2
18-24	260	335,036	61	24.8	18.9-30.7	34	13.9	09.2-18.6	13	5.0	02.3-07.7	4	2.1	00.0-04.3	3	1.4	00.0-03.0	145	52.8	46.1-59.5
25-34	487	405,712	112	22.4	18.3-26.5	132	25.3	21.0-29.6	78	17.4	13.5-21.3	21	4.1	02.1-06.1	21	4.3	02.3-06.3	123	26.4	21.9-30.9
35-44	721	406,646	158	22.1	18.6-25.6	238	31.9	27.8-36.0	131	15.9	13.0-18.8	44	6.1	04.1-08.1	10	1.6	00.4-02.8	140	22.5	18.8-26.2
45-54	1066	438,330	210	19.2	16.5-21.9	122	10.1	08.1-12.1	46	4.3	02.7-05.9	12	1.0	00.4-01.6	6	0.6	00.2-01.0	670	64.8	61.5-68.1
55-64	1484	412,394	74	5.3	03.9-06.7	37	3.5	02.3-04.7	10	0.9	00.1-01.7	4	0.3	00.0-00.7	2	0.2	00.0-00.6	1357	89.7	87.7-91.7
65+	2686	537,734	37	2.4	01.4-03.4	20	1.2	00.6-01.8	7	0.5	00.1-00.9	2	0.2	00.0-00.4				2620	95.8	94.6-97.0
Less Than H.S.	610	349,642	61	15.9	11.6-20.2	47	15.1	10.8-19.4	30	7.5	04.6-10.4	9	2.3	00.7-03.9	9	3.2	00.8-05.6	454	56.0	50.5-61.5
H.S. or G.E.D.	2399	860,975	170	13.3	10.9-15.7	126	9.7	07.7-11.7	65	5.5	03.9-07.1	23	1.6	00.8-02.4	9	0.8	00.2-01.4	2006	69.0	66.1-71.9
Some Post-H.S.	1813	838,063	184	14.8	12.4-17.2	163	14.3	11.9-16.7	74	7.2	05.4-09.0	24	2.6	01.4-03.8	17	1.3	00.7-01.9	1351	59.8	56.7-62.9
College Graduate	1953	509,719	239	17.7	15.3-20.1	251	17.3	14.9-19.7	117	8.5	06.7-10.3	31	2.1	01.3-02.9	7	0.6	00.2-01.0	1308	53.9	51.0-56.8
Less than \$15,000	771	332,524	82	17.2	13.1-21.3	53	13.0	09.1-16.9	27	6.3	03.6-09.0	10	2.5	00.7-04.3	6	1.3	00.1-02.5	593	59.7	54.4-65.0
\$15,000- 24,999	1237	465,646	96	13.9	10.8-17.0	87	12.5	09.6-15.4	40	6.8	04.4-09.2	18	2.8	01.2-04.4	12	2.2	00.6-03.8	984	61.8	57.7-65.9
\$25,000- 34,999	716	255,387	56	12.0	08.3-15.7	46	12.6	08.5-16.7	25	5.8	03.3-08.3	5	1.5	00.0-03.1	3	0.8	00.0-02.0	581	67.3	62.0-72.6
\$35,000- 49,999	853	320,601	77	13.9	10.4-17.4	63	13.6	09.9-17.3	35	7.0	04.3-09.7	4	0.7	00.0-01.5	5	1.1	00.0-02.3	669	63.7	59.0-68.4
\$50,000- 74,999	797	317,454	91	17.4	13.5-21.3	84	13.5	10.2-16.8	37	9.3	05.8-12.8	14	2.5	00.9-04.1	2	0.4	00.0-01.0	569	56.9	52.0-61.8
\$75,000+	1282	476,515	193	18.8	15.9-21.7	193	17.2	14.5-19.9	104	9.4	07.2-11.6	26	2.7	01.3-04.1	9	1.0	00.4-01.6	757	50.9	47.4-54.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 22: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11433	4,995,209	6	0.2	00.0-00.4	258	3.4	02.8-04.0	747	10.4	09.4-11.4	3955	34.8	33.6-36.0	2920	30.5	29.3-31.7	3547	20.8	20.0-21.6
Male	4638	2,428,885	2	0.2	00.0-00.4	110	3.4	02.6-04.2	288	10.7	09.3-12.1	1552	36.0	34.2-37.8	1100	28.0	26.2-29.8	1586	21.7	20.3-23.1
Female	6795	2,566,324	4	0.2	00.0-00.4	148	3.4	02.6-04.2	459	10.1	08.9-11.3	2403	33.7	32.1-35.3	1820	32.8	31.2-34.4	1961	19.9	18.7-21.1
White/Non-Hisp	9960	4,071,105	4	0.2	00.0-00.4	183	2.7	02.1-03.3	570	9.0	08.0-10.0	3492	35.3	34.1-36.5	2533	31.0	29.6-32.4	3178	21.9	20.9-22.9
Black or Afr. Am./Non-Hisp	631	424,270				8	0.7	00.1-01.3	70	14.4	10.3-18.5	218	36.2	31.3-41.1	198	35.4	30.5-40.3	137	13.3	10.8-15.8
Oth. Race/Non-Hisp.	228	103,254				7	2.5	00.0-05.0	22	9.2	03.1-15.3	60	28.0	19.8-36.2	40	19.5	12.4-26.6	99	40.9	32.7-49.1
MultiRacial/Non-Hisp.	130	55,210				1	1.3	00.0-03.8	8	11.7	02.7-20.7	43	35.7	24.5-46.9	44	37.4	26.4-48.4	34	13.9	07.6-20.2
Hispanic	314	270,556				50	19.5	14.2-24.8	61	23.3	17.6-29.0	88	29.1	23.4-34.8	64	18.6	13.9-23.3	51	9.4	06.5-12.3
18-24	573	687,537	1	0.2	00.0-00.6	10	2.0	00.6-03.4	51	12.7	09.4-16.0	221	38.5	34.2-42.8	207	37.8	33.5-42.1	83	8.7	06.7-10.7
25-34	867	819,093	1	0.2	00.0-00.6	26	4.9	02.9-06.9	77	12.8	10.1-15.5	215	27.2	23.9-30.5	234	30.1	26.6-33.6	314	24.8	22.1-27.5
35-44	1263	809,759	2	0.5	00.0-01.3	34	4.7	02.9-06.5	75	10.4	07.9-12.9	292	26.7	23.8-29.6	308	28.2	25.3-31.1	552	29.5	26.8-32.2
45-54	1875	866,466				33	2.7	01.7-03.7	114	9.2	07.4-11.0	559	33.1	30.6-35.6	487	31.3	28.8-33.8	682	23.7	21.7-25.7
55-64	2586	812,694	2	0.2	00.0-00.4	39	2.3	01.5-03.1	125	7.5	05.9-09.1	917	38.5	36.1-40.9	699	31.2	29.0-33.4	804	20.4	18.8-22.0
65+	4128	951,110				115	3.8	03.0-04.6	298	10.4	09.0-11.8	1710	44.4	42.4-46.4	945	25.4	23.6-27.2	1060	16.1	14.9-17.3
Less than \$15,000	1137	530,619				75	7.7	05.3-10.1	208	23.7	20.2-27.2	465	34.8	31.1-38.5	273	26.8	23.1-30.5	116	7.0	05.2-08.8
\$15,000- 24,999	1839	820,097	3	0.7	00.0-01.5	68	6.2	04.4-08.0	232	19.5	16.6-22.4	848	40.9	37.8-44.0	462	25.9	23.2-28.6	226	6.8	05.6-08.0
\$25,000- 34,999	1184	512,180				20	2.7	01.1-04.3	71	8.0	05.6-10.4	518	45.5	41.4-49.6	333	32.1	28.2-36.0	242	11.7	09.7-13.7
\$35,000- 49,999	1520	668,656				19	2.1	01.1-03.1	47	6.0	04.0-08.0	589	39.9	36.6-43.2	442	34.9	31.6-38.2	423	17.0	14.8-19.2
\$50,000- 74,999	1533	696,385				11	1.5	00.3-02.7	36	5.6	03.4-07.8	415	29.9	26.8-33.0	471	37.3	34.0-40.6	600	25.8	23.3-28.3
\$75,000+	2535	1,084,743	1	0.2	00.0-00.6	8	0.7	00.1-01.3	22	2.1	00.9-03.3	414	21.9	19.5-24.3	522	28.6	26.2-31.0	1568	46.5	44.1-48.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 23: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4638	2,428,885	2	0.2	00.0-00.4	110	3.4	02.6-04.2	288	10.7	09.3-12.1	1552	36.0	34.2-37.8	1100	28.0	26.2-29.8	1586	21.7	20.3-23.1
White/Non-Hisp	4023	1,974,334	2	0.2	00.0-00.6	81	2.9	02.1-03.7	213	9.1	07.7-10.5	1349	36.1	34.1-38.1	968	29.2	27.2-31.2	1410	22.4	21.0-23.8
Black or Afr. Am./Non-Hisp	239	199,648				2	0.5	00.0-01.3	27	16.3	09.4-23.2	88	38.7	31.1-46.3	66	30.3	23.2-37.4	56	14.2	09.9-18.5
Oth. Race/Non-Hisp.	120	64,305				5	2.2	00.0-04.9	14	11.8	02.8-20.8	28	26.5	15.9-37.1	18	17.3	08.1-26.5	55	42.1	31.1-53.1
MultiRacial/Non-Hisp.	52	27,462							4	14.5	00.6-28.4	18	38.3	21.1-55.5	17	33.2	17.1-49.3	13	14.0	04.4-23.6
Hispanic	129	128,516				18	17.1	09.3-24.9	24	23.9	15.1-32.7	47	36.0	26.8-45.2	16	11.5	05.6-17.4	24	11.5	06.4-16.6
18-24	313	352,501	1	0.5	00.0-01.5	7	2.4	00.4-04.4	29	13.8	09.1-18.5	137	43.9	37.8-50.0	101	31.3	25.8-36.8	38	8.1	05.6-10.6
25-34	379	411,570				9	4.2	01.3-07.1	36	13.2	08.9-17.5	107	30.5	25.2-35.8	90	27.6	22.5-32.7	137	24.4	20.3-28.5
35-44	540	402,274	1	0.8	00.0-02.4	16	5.0	02.3-07.7	36	12.0	07.9-16.1	138	27.4	22.9-31.9	120	26.0	21.5-30.5	229	28.7	24.8-32.6
45-54	808	427,980				12	2.0	00.8-03.2	47	9.1	06.4-11.8	262	35.8	31.9-39.7	200	30.4	26.5-34.3	287	22.8	19.9-25.7
55-64	1102	400,119				22	2.6	01.4-03.8	56	7.9	05.5-10.3	384	38.4	35.1-41.7	277	29.1	25.8-32.4	363	22.1	19.6-24.6
65+	1449	413,990				43	4.3	02.9-05.7	82	8.8	06.6-11.0	514	41.3	38.2-44.4	301	23.9	21.2-26.6	509	21.7	19.5-23.9
Less than \$15,000	369	198,597				28	7.9	03.8-12.0	60	21.2	15.5-26.9	148	38.0	31.7-44.3	81	22.3	17.0-27.6	52	10.6	07.1-14.1
\$15,000- 24,999	605	354,979	1	0.9	00.0-02.7	29	6.9	03.8-10.0	84	21.7	16.6-26.8	266	40.2	35.1-45.3	137	22.1	17.8-26.4	88	8.2	05.8-10.6
\$25,000- 34,999	469	256,171				13	4.3	01.4-07.2	35	10.1	06.2-14.0	202	43.6	37.5-49.7	117	30.2	24.3-36.1	102	11.8	08.7-14.9
\$35,000- 49,999	666	347,741				14	3.1	01.3-04.9	26	7.4	04.3-10.5	283	44.2	39.3-49.1	163	29.0	24.3-33.7	180	16.4	13.5-19.3
\$50,000- 74,999	735	378,536				7	2.1	00.1-04.1	24	7.9	04.6-11.2	212	31.8	27.5-36.1	215	33.7	29.4-38.0	277	24.7	21.2-28.2
\$75,000+	1252	607,500	1	0.3	00.0-00.9	6	0.9	00.1-01.7	12	2.8	01.0-04.6	231	25.8	22.5-29.1	259	28.7	25.4-32.0	743	41.6	38.3-44.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 24: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6795	2,566,324	4	0.2	00.0-00.4	148	3.4	02.6-04.2	459	10.1	08.9-11.3	2403	33.7	32.1-35.3	1820	32.8	31.2-34.4	1961	19.9	18.7-21.1
White/Non-Hisp	5937	2,096,770	2	0.1	00.0-00.3	102	2.5	01.9-03.1	357	9.0	07.8-10.2	2143	34.5	32.9-36.1	1565	32.7	30.9-34.5	1768	21.4	20.2-22.6
Black or Afr. Am./Non-Hisp	392	224,622				6	1.0	00.0-02.0	43	12.7	08.2-17.2	130	33.9	27.6-40.2	132	40.0	33.5-46.5	81	12.4	09.1-15.7
Oth. Race/Non-Hisp.	108	38,949				2	2.9	00.0-08.2	8	4.9	00.0-10.2	32	30.4	17.7-43.1	22	23.0	11.8-34.2	44	38.8	26.8-50.8
MultiRacial/Non-Hisp.	78	27,748				1	2.5	00.0-07.4	4	9.0	00.0-20.4	25	33.2	19.3-47.1	27	41.6	26.9-56.3	21	13.7	05.7-21.7
Hispanic	185	142,040				32	21.7	14.4-29.0	37	22.7	15.4-30.0	41	22.9	15.8-30.0	48	25.1	17.8-32.4	27	7.5	04.0-11.0
18-24	260	335,036				3	1.6	00.0-03.6	22	11.6	06.9-16.3	84	32.8	26.5-39.1	106	44.6	37.9-51.3	45	9.4	06.5-12.3
25-34	488	407,523	1	0.3	00.0-00.9	17	5.6	02.9-08.3	41	12.3	08.6-16.0	108	23.9	19.4-28.4	144	32.7	28.0-37.4	177	25.2	21.5-28.9
35-44	723	407,485	1	0.3	00.0-00.9	18	4.4	02.2-06.6	39	8.7	05.8-11.6	154	25.9	22.0-29.8	188	30.4	26.3-34.5	323	30.3	26.8-33.8
45-54	1067	438,486				21	3.4	01.8-05.0	67	9.4	07.0-11.8	297	30.4	27.1-33.7	287	32.2	28.9-35.5	395	24.7	22.2-27.2
55-64	1484	412,575	2	0.4	00.0-01.0	17	2.0	01.0-03.0	69	7.1	05.1-09.1	533	38.5	35.6-41.4	422	33.2	30.3-36.1	441	18.7	16.7-20.7
65+	2679	537,119				72	3.4	02.4-04.4	216	11.6	09.8-13.4	1196	46.8	44.4-49.2	644	26.5	24.3-28.7	551	11.7	10.5-12.9
Less than \$15,000	768	332,022				47	7.5	04.6-10.4	148	25.2	20.7-29.7	317	32.8	28.1-37.5	192	29.5	24.8-34.2	64	4.9	03.3-06.5
\$15,000- 24,999	1234	465,119	2	0.5	00.0-01.3	39	5.7	03.5-07.9	148	17.8	14.3-21.3	582	41.5	37.6-45.4	325	28.8	25.1-32.5	138	5.7	04.3-07.1
\$25,000- 34,999	715	256,010				7	1.1	00.1-02.1	36	6.0	03.5-08.5	316	47.3	42.0-52.6	216	34.0	28.9-39.1	140	11.5	08.8-14.2
\$35,000- 49,999	854	320,915				5	1.0	00.0-02.0	21	4.6	02.1-07.1	306	35.3	31.0-39.6	279	41.4	36.9-45.9	243	17.7	14.8-20.6
\$50,000- 74,999	798	317,848				4	0.8	00.0-01.6	12	3.0	00.8-05.2	203	27.6	23.3-31.9	256	41.5	36.6-46.4	323	27.1	23.4-30.8
\$75,000+	1283	477,243				2	0.5	00.0-01.3	10	1.3	00.3-02.3	183	17.1	14.4-19.8	263	28.4	25.1-31.7	825	52.7	49.2-56.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 25: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11376	4,966,783	5305	56.1	54.9-57.3	434	5.9	05.3-06.5	846	7.1	06.5-07.7	257	5.4	04.6-06.2	3597	17.4	16.6-18.2	937	8.2	07.4-09.0
Male	4608	2,412,899	2540	63.7	61.9-65.5	189	6.2	05.2-07.2	13	0.3	00.1-00.5	115	4.7	03.7-05.7	1413	17.5	16.3-18.7	338	7.6	06.6-08.6
Female	6768	2,553,884	2765	49.0	47.4-50.6	245	5.6	04.8-06.4	833	13.5	12.3-14.7	142	6.0	04.8-07.2	2184	17.3	16.3-18.3	599	8.7	07.7-09.7
White/Non-Hisp	9917	4,054,218	4620	56.5	55.1-57.9	317	5.0	04.4-05.6	741	7.0	06.4-07.6	171	4.6	03.8-05.4	3310	19.0	18.2-19.8	758	7.9	07.1-08.7
Black or Afr. Am./Non-Hisp	624	418,427	293	51.7	46.6-56.8	46	9.8	06.7-12.9	16	2.7	01.1-04.3	34	9.2	05.9-12.5	145	13.8	10.9-16.7	90	12.9	09.4-16.4
Oth. Race/Non-Hisp.	227	103,422	102	49.3	40.7-57.9	22	9.8	04.9-14.7	21	7.9	03.8-12.0	29	21.7	14.1-29.3	28	6.2	02.7-09.7	25	5.1	02.4-07.8
MultiRacial/Non-Hisp.	131	55,302	48	48.6	37.0-60.2	12	12.8	04.4-21.2	5	4.3	00.4-08.2	7	6.9	01.6-12.2	33	13.6	07.5-19.7	26	13.8	06.7-20.9
Hispanic	311	266,460	185	63.5	57.4-69.6	23	8.6	04.9-12.3	48	15.1	10.6-19.6	12	4.7	02.0-07.4	24	4.0	02.0-06.0	19	4.1	01.9-06.3
18-24	566	680,428	309	53.5	49.0-58.0	58	10.9	08.0-13.8	13	2.0	00.8-03.2	178	32.0	27.7-36.3				8	1.5	00.3-02.7
25-34	863	815,238	613	71.6	68.1-75.1	68	8.6	06.4-10.8	103	10.8	08.4-13.2	43	4.4	03.0-05.8				36	4.6	02.6-06.6
35-44	1258	804,551	947	74.0	71.1-76.9	61	6.0	04.2-07.8	130	9.2	07.4-11.0	19	1.1	00.5-01.7	2	0.2	00.0-00.4	99	9.5	07.3-11.7
45-54	1866	861,600	1376	72.8	70.4-75.2	97	6.1	04.7-07.5	129	6.5	05.3-07.7	6	0.3	00.1-00.5	28	1.5	00.9-02.1	230	12.9	10.9-14.9
55-64	2577	810,315	1475	58.0	55.6-60.4	111	4.3	03.3-05.3	127	5.0	04.0-06.0	7	0.2	00.0-00.4	473	16.9	15.1-18.7	384	15.5	13.7-17.3
65+	4110	947,404	521	12.8	11.4-14.2	36	1.0	00.6-01.4	333	8.1	06.9-09.3	2	0.1	00.1-00.1	3042	73.7	71.9-75.5	176	4.4	03.6-05.2
Less Than H.S.	993	685,432	271	40.9	36.8-45.0	59	9.4	06.9-11.9	125	10.8	08.4-13.2	20	4.8	02.6-07.0	290	13.9	11.7-16.1	228	20.1	17.0-23.2
H.S. or G.E.D.	3917	1,722,084	1472	49.6	47.4-51.8	182	7.7	06.3-09.1	347	7.2	06.2-08.2	71	4.7	03.5-05.9	1448	21.9	20.5-23.3	397	8.9	07.7-10.1
Some Post-H.S.	2899	1,513,896	1446	60.4	58.0-62.8	90	3.8	02.8-04.8	179	6.0	04.8-07.2	97	7.7	06.1-09.3	866	15.8	14.4-17.2	221	6.3	05.1-07.5
College Graduate	3536	1,034,680	2104	70.8	69.0-72.6	101	3.6	02.8-04.4	194	6.0	05.0-07.0	68	3.6	02.6-04.6	983	14.5	13.3-15.7	86	1.7	01.3-02.1
Less than \$15,000	1132	525,519	165	23.7	20.0-27.4	123	15.8	12.7-18.9	79	7.8	05.6-10.0	54	9.0	06.5-11.5	319	14.4	12.2-16.6	392	29.4	25.9-32.9
\$15,000- 24,999	1830	816,279	533	42.7	39.4-46.0	89	7.5	05.5-09.5	154	8.0	06.2-09.8	43	4.7	03.1-06.3	764	22.6	20.4-24.8	247	14.5	12.1-16.9
\$25,000- 34,999	1183	510,344	506	56.7	52.8-60.6	35	4.6	02.6-06.6	68	4.9	03.3-06.5	19	4.5	02.3-06.7	485	23.1	20.4-25.8	70	6.3	04.1-08.5
\$35,000- 49,999	1515	666,474	753	62.6	59.5-65.7	30	2.8	01.6-04.0	91	5.8	04.4-07.2	30	4.4	02.6-06.2	561	21.2	19.0-23.4	50	3.2	02.0-04.4
\$50,000- 74,999	1530	696,409	945	70.6	67.7-73.5	29	2.6	01.4-03.8	93	6.1	04.5-07.7	21	3.6	01.8-05.4	411	15.5	13.5-17.5	31	1.6	01.0-02.2
\$75,000+	2532	1,083,740	1875	78.3	76.3-80.3	45	2.5	01.5-03.5	186	7.1	05.9-08.3	37	3.6	02.2-05.0	362	7.6	06.6-08.6	27	0.9	00.5-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS
TABLE 26: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4608	2,412,899	2540	63.7	61.9-65.5	189	6.2	05.2-07.2	13	0.3	00.1-00.5	115	4.7	03.7-05.7	1413	17.5	16.3-18.7	338	7.6	06.6-08.6
White/Non-Hisp	4000	1,963,833	2200	64.1	62.1-66.1	133	5.2	04.2-06.2	12	0.4	00.2-00.6	75	4.0	03.0-05.0	1299	19.1	17.9-20.3	281	7.3	06.1-08.5
Black or Afr. Am./Non-Hisp	238	198,827	121	53.7	45.9-61.5	27	14.3	08.6-20.0	14	7.0	02.9-11.1	51	12.8	08.7-16.9	25	12.1	06.2-18.0			
Oth. Race/Non-Hisp.	119	64,473	65	56.7	45.3-68.1	13	11.5	04.6-18.4	17	21.8	11.8-31.8	14	6.6	01.5-11.7	10	3.4	01.0-05.8			
MultiRacial/Non-Hisp.	52	27,462	24	56.0	39.1-72.9	6	12.1	01.3-22.9				3	5.2	00.0-11.3	12	16.0	05.6-26.4	7	10.8	00.0-21.6
Hispanic	127	125,030	95	78.9	71.3-86.5	7	6.0	00.9-11.1	1	0.8	00.0-02.4	4	3.3	00.0-06.6	12	5.8	01.9-09.7	8	5.2	01.3-09.1
18-24	308	347,460	177	56.8	50.7-62.9	36	13.0	08.7-17.3	1	0.3	00.0-00.9	89	28.2	22.7-33.7				5	1.8	00.2-03.4
25-34	378	410,373	319	84.3	80.0-88.6	32	8.7	05.6-11.8	2	0.4	00.0-01.0	13	2.8	01.2-04.4				12	3.8	01.1-06.5
35-44	538	399,930	450	81.3	77.0-85.6	28	6.0	03.6-08.4	3	0.5	00.0-01.1	6	0.8	00.2-01.4	2	0.4	00.0-01.0	49	11.1	07.4-14.8
45-54	802	423,862	651	80.3	77.0-83.6	38	5.8	03.8-07.8	5	0.7	00.1-01.3	3	0.2	00.0-00.4	19	2.3	01.1-03.5	86	10.8	08.3-13.3
55-64	1098	399,169	677	62.6	59.3-65.9	44	4.2	02.8-05.6	2	0.2	00.0-00.4	2	0.1	00.0-00.3	225	18.3	15.6-21.0	148	14.6	12.1-17.1
65+	1436	411,431	237	15.5	13.1-17.9	10	0.6	00.2-01.0							1152	81.0	78.5-83.5	37	2.9	01.7-04.1
Less Than H.S.	389	339,104	151	52.3	46.0-58.6	24	8.9	05.2-12.6	3	0.9	00.0-01.9	9	4.7	01.6-07.8	109	14.0	10.7-17.3	93	19.1	14.2-24.0
H.S. or G.E.D.	1531	864,306	732	57.7	54.6-60.8	93	8.7	06.7-10.7	2	0.1	00.0-00.3	36	4.4	02.8-06.0	531	21.0	18.8-23.2	137	8.1	06.5-09.7
Some Post-H.S.	1092	677,554	638	68.5	65.2-71.8	31	3.4	02.0-04.8	3	0.2	00.0-00.4	39	6.1	04.1-08.1	308	15.9	13.7-18.1	73	5.9	04.1-07.7
College Graduate	1581	524,585	1009	74.5	72.0-77.0	40	3.8	02.4-05.2	5	0.5	00.0-01.1	30	3.5	02.1-04.9	463	16.3	14.5-18.1	34	1.4	00.8-02.0
Less than \$15,000	365	193,878	58	24.1	18.0-30.2	54	19.8	14.3-25.3	2	1.0	00.0-02.4	25	9.4	05.5-13.3	91	15.1	11.2-19.0	135	30.6	24.9-36.3
\$15,000- 24,999	598	352,094	192	46.2	40.7-51.7	40	9.4	06.1-12.7	1	0.3	00.0-00.9	16	3.2	01.4-05.0	246	22.2	18.7-25.7	103	18.8	14.3-23.3
\$25,000- 34,999	467	254,543	218	62.2	56.5-67.9	13	3.1	01.1-05.1				9	4.2	01.3-07.1	202	24.3	20.2-28.4	25	6.2	02.7-09.7
\$35,000- 49,999	664	347,462	352	67.0	62.7-71.3	10	2.9	00.7-05.1	2	0.2	00.0-00.4	13	3.7	01.5-05.9	266	23.5	20.0-27.0	21	2.8	01.2-04.4
\$50,000- 74,999	733	379,008	474	75.0	71.3-78.7	16	3.1	01.3-04.9	2	0.3	00.0-00.9	9	2.7	00.9-04.5	223	17.6	14.9-20.3	9	1.3	00.3-02.3
\$75,000+	1251	607,084	1004	84.3	81.6-87.0	20	2.8	01.2-04.4	5	0.4	00.0-00.8	21	4.0	02.2-05.8	194	7.8	06.4-09.2	7	0.6	00.0-01.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS
TABLE 27: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6768	2,553,884	2765	49.0	47.4-50.6	245	5.6	04.8-06.4	833	13.5	12.3-14.7	142	6.0	04.8-07.2	2184	17.3	16.3-18.3	599	8.7	07.7-09.7
White/Non-Hisp	5917	2,090,385	2420	49.5	47.7-51.3	184	4.8	03.8-05.8	729	13.3	12.1-14.5	96	5.1	03.9-06.3	2011	18.9	17.9-19.9	477	8.5	07.5-09.5
Black or Afr. Am./Non-Hisp	386	219,599	172	49.8	43.3-56.3	19	5.7	02.6-08.8	16	5.1	02.0-08.2	20	11.1	06.0-16.2	94	14.7	10.8-18.6	65	13.6	09.5-17.7
Oth. Race/Non-Hisp.	108	38,949	37	37.0	24.1-49.9	9	6.8	00.9-12.7	21	21.1	11.1-31.1	12	21.5	10.1-32.9	14	5.6	01.3-09.9	15	8.0	01.9-14.1
MultiRacial/Non-Hisp.	79	27,840	24	41.3	26.4-56.2	6	13.6	00.9-26.3	5	8.5	00.9-16.1	4	8.7	00.1-17.3	21	11.3	05.0-17.6	19	16.7	07.7-25.7
Hispanic	184	141,431	90	49.9	41.5-58.3	16	10.9	05.4-16.4	47	27.8	20.2-35.4	8	6.0	01.5-10.5	12	2.3	00.5-04.1	11	3.2	01.0-05.4
18-24	258	332,968	132	50.1	43.4-56.8	22	8.8	05.1-12.5	12	3.9	01.5-06.3	89	35.9	29.4-42.4				3	1.3	00.0-02.9
25-34	485	404,865	294	58.7	53.6-63.8	36	8.6	05.7-11.5	101	21.4	17.1-25.7	30	5.9	03.5-08.3				24	5.4	02.9-07.9
35-44	720	404,621	497	66.8	62.7-70.9	33	6.0	03.6-08.4	127	17.8	14.5-21.1	13	1.4	00.6-02.2				50	8.0	05.6-10.4
45-54	1064	437,738	725	65.4	62.1-68.7	59	6.4	04.6-08.2	124	12.2	09.8-14.6	3	0.4	00.0-00.8	9	0.8	00.2-01.4	144	14.9	12.2-17.6
55-64	1479	411,145	798	53.5	50.4-56.6	67	4.4	03.2-05.6	125	9.7	07.7-11.7	5	0.4	00.0-00.8	248	15.6	13.4-17.8	236	16.4	14.0-18.8
65+	2674	535,973	284	10.7	09.3-12.1	26	1.3	00.5-02.1	333	14.2	12.4-16.0	2	0.1	00.0-00.3	1890	68.1	65.7-70.5	139	5.5	04.3-06.7
Less Than H.S.	604	346,329	120	29.7	24.4-35.0	35	9.9	06.6-13.2	122	20.6	16.5-24.7	11	4.8	01.7-07.9	181	13.9	11.4-16.4	135	21.1	17.0-25.2
H.S. or G.E.D.	2386	857,778	740	41.5	38.8-44.2	89	6.6	04.8-08.4	345	14.4	12.4-16.4	35	5.0	03.2-06.8	917	22.9	21.1-24.7	260	9.7	08.1-11.3
Some Post-H.S.	1807	836,342	808	53.8	50.7-56.9	59	4.1	02.7-05.5	176	10.7	08.7-12.7	58	8.9	06.5-11.3	558	15.8	14.2-17.4	148	6.7	05.3-08.1
College Graduate	1955	510,095	1095	66.9	64.4-69.4	61	3.3	02.3-04.3	189	11.6	09.8-13.4	38	3.6	02.4-04.8	520	12.7	11.3-14.1	52	1.9	01.3-02.5
Less than \$15,000	767	331,641	107	23.4	18.7-28.1	69	13.4	09.7-17.1	77	11.8	08.5-15.1	29	8.7	05.4-12.0	228	13.9	11.4-16.4	257	28.8	24.5-33.1
\$15,000- 24,999	1232	464,185	341	40.0	35.9-44.1	49	6.1	03.9-08.3	153	13.9	11.2-16.6	27	5.9	03.4-08.4	518	22.8	20.3-25.3	144	11.3	08.9-13.7
\$25,000- 34,999	716	255,802	288	51.2	45.9-56.5	22	6.1	02.8-09.4	68	9.7	06.6-12.8	10	4.7	01.6-07.8	283	21.9	18.6-25.2	45	6.4	04.0-08.8
\$35,000- 49,999	851	319,012	401	57.8	53.5-62.1	20	2.7	01.3-04.1	89	12.0	09.3-14.7	17	5.2	02.5-07.9	295	18.7	16.0-21.4	29	3.6	01.8-05.4
\$50,000- 74,999	797	317,400	471	65.3	60.8-69.8	13	2.0	00.6-03.4	91	13.0	09.7-16.3	12	4.8	01.7-07.9	188	12.9	10.5-15.3	22	2.0	01.0-03.0
\$75,000+	1281	476,656	871	70.6	67.5-73.7	25	2.1	01.1-03.1	181	15.7	13.2-18.2	16	3.1	01.3-04.9	168	7.3	05.9-08.7	20	1.3	00.7-01.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 28: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9766	4,318,911	532	7.0	06.2-07.8	610	5.3	04.7-05.9	834	8.8	08.0-09.6	1008	10.2	09.4-11.0	1188	11.9	10.9-12.9	5594	56.8	55.4-58.2
Male	4105	2,148,346	182	5.5	04.5-06.5	189	3.7	03.1-04.3	262	7.7	06.5-08.9	343	8.8	07.6-10.0	470	11.9	10.5-13.3	2659	62.3	60.3-64.3
Female	5661	2,170,565	350	8.5	07.3-09.7	421	6.8	05.8-07.8	572	9.9	08.7-11.1	665	11.5	10.3-12.7	718	11.8	10.6-13.0	2935	51.4	49.6-53.2
White/Non-Hisp	8519	3,525,857	386	5.8	05.0-06.6	505	4.9	04.3-05.5	668	7.6	06.8-08.4	842	9.4	08.6-10.2	1035	11.5	10.5-12.5	5083	60.8	59.4-62.2
Black or Afr. Am./Non-Hisp	570	381,882	76	13.9	10.2-17.6	59	9.2	06.5-11.9	75	13.0	09.1-16.9	69	12.8	09.3-16.3	70	15.0	11.1-18.9	221	36.0	30.9-41.1
Oth. Race/Non-Hisp.	194	87,526	22	11.1	05.4-16.8	8	1.5	00.0-03.1	14	8.9	02.6-15.2	25	13.4	06.7-20.1	22	9.2	04.3-14.1	103	55.9	46.5-65.3
MultiRacial/Non-Hisp.	108	45,039	12	8.2	02.1-14.3	9	6.7	01.2-12.2	14	16.2	06.0-26.4	16	14.9	05.9-23.9	18	16.9	05.9-27.9	39	37.1	25.3-48.9
Hispanic	270	235,826	25	10.7	06.4-15.0	18	5.2	02.5-07.9	51	18.8	13.5-24.1	39	14.7	09.8-19.6	37	13.6	08.9-18.3	100	37.1	30.4-43.8
18-24	430	520,126	55	12.8	09.3-16.3	15	2.9	01.3-04.5	53	11.8	08.5-15.1	52	11.7	08.6-14.8	64	15.4	11.7-19.1	191	45.4	40.1-50.7
25-34	793	750,542	62	8.9	06.5-11.3	46	5.3	03.5-07.1	64	8.6	06.2-11.0	80	10.9	08.4-13.4	100	13.3	10.6-16.0	441	52.9	49.0-56.8
35-44	1167	742,691	63	6.2	04.4-08.0	43	3.7	02.3-05.1	79	8.8	06.4-11.2	77	8.3	06.1-10.5	97	8.9	06.9-10.9	808	63.9	60.4-67.4
45-54	1715	792,031	106	6.5	05.1-07.9	79	4.7	03.5-05.9	89	5.9	04.5-07.3	113	7.3	05.7-08.9	126	8.1	06.5-09.7	1202	67.4	64.7-70.1
55-64	2278	711,060	121	6.1	04.7-07.5	136	5.8	04.6-07.0	155	7.2	05.8-08.6	171	7.7	06.3-09.1	237	9.7	08.3-11.1	1458	63.5	61.1-65.9
65+	3313	778,107	119	3.4	02.6-04.2	285	8.2	07.0-09.4	386	11.7	10.3-13.1	506	15.1	13.5-16.7	555	16.8	15.2-18.4	1462	44.7	42.5-46.9
Less Than H.S.	821	574,123	158	19.0	15.5-22.5	125	10.0	07.8-12.2	164	19.5	15.8-23.2	139	18.2	14.7-21.7	91	9.6	07.1-12.1	144	23.7	19.6-27.8
H.S. or G.E.D.	3249	1,465,919	195	6.4	05.2-07.6	270	6.2	05.2-07.2	386	10.2	08.8-11.6	462	12.7	11.1-14.3	518	15.9	14.1-17.7	1418	48.6	46.2-51.0
Some Post-H.S.	2503	1,322,512	120	5.8	04.4-07.2	153	5.0	04.0-06.0	199	7.5	06.1-08.9	263	8.6	07.2-10.0	333	12.4	10.6-14.2	1435	60.7	58.2-63.2
College Graduate	3175	950,126	55	2.4	01.6-03.2	61	1.5	00.9-02.1	83	2.3	01.7-02.9	143	3.6	02.8-04.4	242	6.3	05.3-07.3	2591	83.9	82.3-85.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 29: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4105	2,148,346	182	5.5	04.5-06.5	189	3.7	03.1-04.3	262	7.7	06.5-08.9	343	8.8	07.6-10.0	470	11.9	10.5-13.3	2659	62.3	60.3-64.3
White/Non-Hisp	3581	1,753,806	130	4.3	03.3-05.3	155	3.5	02.7-04.3	208	6.6	05.4-07.8	273	7.9	06.7-09.1	406	11.3	09.9-12.7	2409	66.4	64.2-68.6
Black or Afr. Am./Non-Hisp	216	181,842	24	11.8	06.7-16.9	24	9.0	05.1-12.9	15	10.3	04.0-16.6	29	12.2	07.3-17.1	33	18.0	11.5-24.5	91	38.6	30.8-46.4
Oth. Race/Non-Hisp.	101	54,191	10	9.8	02.9-16.7	3	1.6	00.0-04.0	8	8.5	01.4-15.6	15	14.4	05.2-23.6	9	9.7	02.8-16.6	56	56.0	43.5-68.5
Hispanic	114	115,122	11	10.7	04.2-17.2	1	0.2	00.0-00.6	21	17.1	09.7-24.5	13	13.0	05.7-20.3	15	12.8	05.9-19.7	53	46.3	36.1-56.5
18-24	235	266,915	24	9.0	05.3-12.7	6	2.1	00.3-03.9	24	9.7	05.8-13.6	27	10.3	06.2-14.4	38	16.4	11.1-21.7	116	52.5	45.4-59.6
25-34	349	380,408	18	5.4	02.7-08.1	13	3.0	01.2-04.8	26	8.7	05.2-12.2	31	10.1	06.2-14.0	54	16.6	11.9-21.3	207	56.2	50.3-62.1
35-44	503	374,481	29	6.2	03.7-08.7	16	2.4	01.0-03.8	28	9.2	05.3-13.1	33	8.2	05.1-11.3	38	7.9	05.0-10.8	359	66.1	60.8-71.4
45-54	743	394,620	36	5.0	03.2-06.8	34	3.9	02.3-05.5	34	5.3	03.3-07.3	40	6.0	03.6-08.4	48	7.2	04.8-09.6	551	72.6	68.7-76.5
55-64	998	361,016	52	6.3	04.1-08.5	54	5.2	03.4-07.0	54	5.7	03.9-07.5	59	6.6	04.6-08.6	87	8.2	06.2-10.2	692	68.1	64.6-71.6
65+	1256	362,566	22	2.2	01.0-03.4	65	5.6	03.8-07.4	95	8.6	06.6-10.6	153	12.4	10.2-14.6	202	16.6	14.1-19.1	719	54.6	51.3-57.9
Less Than H.S.	340	297,025	52	13.3	09.0-17.6	36	6.2	03.7-08.7	59	18.4	12.7-24.1	55	16.9	11.6-22.2	48	12.4	08.3-16.5	90	32.9	26.4-39.4
H.S. or G.E.D.	1342	760,265	61	5.4	03.8-07.0	87	4.5	03.3-05.7	122	9.0	07.0-11.0	144	9.8	07.8-11.8	202	14.7	12.2-17.2	726	56.6	53.3-59.9
Some Post-H.S.	972	602,949	37	3.7	02.3-05.1	44	3.7	02.3-05.1	56	5.8	04.0-07.6	81	7.2	05.2-09.2	117	12.8	10.1-15.5	637	66.8	63.1-70.5
College Graduate	1442	483,284	30	3.2	01.8-04.6	22	1.2	00.6-01.8	25	1.7	00.7-02.7	63	4.3	02.9-05.7	102	6.2	04.6-07.8	1200	83.4	80.9-85.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 30: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5661	2,170,565	350	8.5	07.3-09.7	421	6.8	05.8-07.8	572	9.9	08.7-11.1	665	11.5	10.3-12.7	718	11.8	10.6-13.0	2935	51.4	49.6-53.2
White/Non-Hisp	4938	1,772,051	256	7.3	06.1-08.5	350	6.4	05.4-07.4	460	8.5	07.5-09.5	569	10.8	09.6-12.0	629	11.7	10.5-12.9	2674	55.3	53.3-57.3
Black or Afr. Am./Non-Hisp	354	200,040	52	15.8	10.5-21.1	35	9.4	05.5-13.3	60	15.5	10.4-20.6	40	13.3	08.4-18.2	37	12.3	07.6-17.0	130	33.6	27.3-39.9
Oth. Race/Non-Hisp.	93	33,335	12	13.2	03.8-22.6	5	1.3	00.0-02.7	6	9.4	00.0-20.8	10	11.9	02.9-20.9	13	8.4	01.5-15.3	47	55.7	41.6-69.8
MultiRacial/Non-Hisp.	62	20,656	10	14.4	02.8-26.0	6	9.0	00.2-17.8	8	16.8	01.3-32.3	8	14.6	01.9-27.3	12	11.7	03.5-19.9	18	33.6	17.5-49.7
Hispanic	156	120,704	14	10.7	04.8-16.6	17	10.0	04.7-15.3	30	20.4	13.1-27.7	26	16.2	09.5-22.9	22	14.3	07.6-21.0	47	28.3	20.1-36.5
18-24	195	253,211	31	16.9	11.0-22.8	9	3.8	01.3-06.3	29	14.0	08.7-19.3	25	13.1	08.0-18.2	26	14.3	08.8-19.8	75	37.9	30.5-45.3
25-34	444	370,134	44	12.5	08.6-16.4	33	7.7	04.8-10.6	38	8.6	05.5-11.7	49	11.8	08.3-15.3	46	9.8	06.7-12.9	234	49.5	44.2-54.8
35-44	664	368,210	34	6.3	03.9-08.7	27	5.1	02.7-07.5	51	8.4	05.9-10.9	44	8.5	05.6-11.4	59	10.0	07.3-12.7	449	61.8	57.3-66.3
45-54	972	397,411	70	8.1	05.9-10.3	45	5.5	03.7-07.3	55	6.4	04.4-08.4	73	8.7	06.3-11.1	78	9.0	06.8-11.2	651	62.3	58.6-66.0
55-64	1280	350,044	69	5.8	04.0-07.6	82	6.4	04.8-08.0	101	8.9	06.9-10.9	112	8.9	06.9-10.9	150	11.2	09.2-13.2	766	58.9	55.6-62.2
65+	2057	415,541	97	4.5	03.3-05.7	220	10.6	08.8-12.4	291	14.3	12.1-16.5	353	17.5	15.3-19.7	353	16.9	14.9-18.9	743	36.2	33.7-38.7
Less Than H.S.	481	277,098	106	25.2	19.9-30.5	89	14.0	10.3-17.7	105	20.7	15.8-25.6	84	19.6	14.9-24.3	43	6.6	04.1-09.1	54	14.0	09.5-18.5
H.S. or G.E.D.	1907	705,654	134	7.4	05.6-09.2	183	8.1	06.3-09.9	264	11.5	09.5-13.5	318	15.9	13.5-18.3	316	17.2	14.8-19.6	692	40.0	37.1-42.9
Some Post-H.S.	1531	719,563	83	7.6	05.4-09.8	109	6.0	04.4-07.6	143	8.9	06.9-10.9	182	9.7	07.7-11.7	216	12.1	09.9-14.3	798	55.6	52.3-58.9
College Graduate	1733	466,843	25	1.6	00.8-02.4	39	1.9	01.1-02.7	58	2.8	01.8-03.8	80	2.9	02.1-03.7	140	6.3	04.9-07.7	1391	84.5	82.3-86.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 31: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10874	4,766,992	117	0.8	00.6-01.0	3259	28.2	27.0-29.4	4766	43.0	41.8-44.2	1999	19.6	18.6-20.6	706	8.0	07.2-08.8	27	0.4	00.2-00.6
Male	4559	2,381,626	4	0.1	00.0-00.3	461	12.3	10.9-13.7	2234	47.5	45.5-49.5	1355	27.9	26.3-29.5	487	11.6	10.4-12.8	18	0.6	00.2-01.0
Female	6315	2,385,366	113	1.5	01.1-01.9	2798	44.0	42.2-45.8	2532	38.6	37.0-40.2	644	11.3	10.1-12.5	219	4.4	03.6-05.2	9	0.2	00.0-00.4
White/Non-Hisp	9490	3,896,695	99	0.7	00.5-00.9	2849	27.7	26.5-28.9	4186	43.4	42.0-44.8	1755	20.3	19.1-21.5	594	7.7	06.9-08.5	7	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	588	395,772	4	0.8	00.0-01.8	143	24.9	20.2-29.6	233	36.1	31.2-41.0	136	23.0	18.7-27.3	71	15.1	11.0-19.2	1	0.0	00.0-00.0
Oth. Race/Non-Hisp.	216	97,382	5	2.4	00.0-05.3	68	29.5	21.5-37.5	93	46.5	37.7-55.3	28	9.7	05.0-14.4	13	4.0	00.0-08.3	9	7.9	02.6-13.2
MultiRacial/Non-Hisp.	125	53,619				39	33.5	22.7-44.3	52	42.4	30.6-54.2	25	19.2	10.0-28.4	9	5.0	01.5-08.5			
Hispanic	306	263,508	6	2.6	00.2-05.0	108	35.7	29.4-42.0	144	47.7	41.2-54.2	31	8.4	05.1-11.7	9	2.7	00.7-04.7	8	2.8	00.6-05.0
18-24	548	659,361	4	1.0	00.0-02.0	214	41.4	36.9-45.9	231	39.6	35.1-44.1	69	12.3	09.4-15.2	22	4.5	02.5-06.5	8	1.2	00.4-02.0
25-34	833	784,828	6	0.5	00.1-00.9	259	29.6	26.1-33.1	336	40.6	36.9-44.3	154	19.3	16.2-22.4	75	9.7	07.3-12.1	3	0.3	00.0-00.7
35-44	1207	773,863	11	1.3	00.5-02.1	308	23.4	20.5-26.3	526	42.8	39.5-46.1	252	22.0	19.3-24.7	104	9.7	07.5-11.9	6	0.8	00.2-01.4
45-54	1786	826,767	10	0.5	00.1-00.9	454	23.0	20.8-25.2	743	42.2	39.5-44.9	407	24.1	21.7-26.5	168	10.0	08.2-11.8	4	0.2	00.0-00.4
55-64	2450	772,557	18	0.5	00.3-00.7	594	22.4	20.4-24.4	1105	45.0	42.6-47.4	530	22.9	20.9-24.9	201	9.0	07.6-10.4	2	0.1	00.0-00.3
65+	3956	916,327	66	1.2	00.8-01.6	1390	30.6	28.8-32.4	1787	46.7	44.7-48.7	575	16.4	14.8-18.0	134	5.0	04.0-06.0	4	0.1	00.1-00.1
Less Than H.S.	969	669,384	19	1.6	00.6-02.6	326	33.5	29.4-37.6	389	41.0	36.9-45.1	159	14.6	11.9-17.3	70	8.3	05.9-10.7	6	1.1	00.1-02.1
H.S. or G.E.D.	3721	1,635,234	49	1.0	00.6-01.4	1112	27.5	25.5-29.5	1624	42.5	40.3-44.7	694	20.4	18.6-22.2	237	8.4	07.0-09.8	5	0.3	00.1-00.5
Some Post-H.S.	2764	1,453,215	26	0.7	00.3-01.1	809	27.4	25.2-29.6	1203	42.1	39.7-44.5	513	21.3	19.3-23.3	210	8.4	07.0-09.8	3	0.1	00.0-00.3
College Graduate	3393	999,684	22	0.4	00.2-00.6	1002	26.8	24.8-28.8	1540	46.5	44.3-48.7	628	19.2	17.4-21.0	189	6.4	05.2-07.6	12	0.6	00.2-01.0
Less than \$15,000	1094	510,233	24	0.9	00.3-01.5	339	32.8	28.9-36.7	423	37.2	33.3-41.1	192	17.7	14.8-20.6	111	10.7	08.2-13.2	5	0.7	00.0-01.5
\$15,000- 24,999	1769	781,910	32	1.4	00.6-02.2	586	31.1	28.0-34.2	757	41.1	37.8-44.4	273	17.4	14.9-19.9	112	7.9	05.9-09.9	9	1.0	00.2-01.8
\$25,000- 34,999	1154	498,002	10	1.2	00.0-02.4	363	27.4	23.9-30.9	510	44.8	40.7-48.9	216	19.3	16.2-22.4	53	7.2	04.5-09.9	2	0.1	00.0-00.3
\$35,000- 49,999	1465	653,594	10	0.5	00.1-00.9	389	23.9	21.0-26.8	666	44.8	41.5-48.1	290	21.4	18.7-24.1	110	9.4	07.2-11.6			
\$50,000- 74,999	1487	683,230	5	0.4	00.0-00.8	374	26.3	23.2-29.4	680	43.6	40.3-46.9	330	22.9	20.2-25.6	97	6.7	05.1-08.3	1	0.1	00.0-00.3
\$75,000+	2466	1,060,331	12	0.3	00.1-00.5	648	24.1	21.9-26.3	1133	45.4	42.9-47.9	504	21.6	19.4-23.8	166	8.4	06.8-10.0	3	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 32: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4559	2,381,626	4	0.1	00.0-00.3	461	12.3	10.9-13.7	2234	47.5	45.5-49.5	1355	27.9	26.3-29.5	487	11.6	10.4-12.8	18	0.6	00.2-01.0
White/Non-Hisp	3970	1,943,648	1	0.0	00.0-00.0	368	10.9	09.5-12.3	1964	47.7	45.7-49.7	1217	29.6	27.8-31.4	415	11.5	10.1-12.9	5	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	230	193,739				35	16.8	10.3-23.3	87	36.3	28.9-43.7	68	27.5	20.4-34.6	40	19.4	12.9-25.9			
Oth. Race/Non-Hisp.	114	60,364	1	0.4	00.0-01.2	16	13.2	04.8-21.6	62	60.8	49.2-72.4	18	11.3	04.8-17.8	11	6.0	00.0-12.7	6	8.3	01.6-15.0
MultiRacial/Non-Hisp.	52	27,462				8	19.0	05.7-32.3	24	53.5	36.4-70.6	14	21.4	08.5-34.3	6	6.0	00.7-11.3			
Hispanic	127	127,113	2	2.3	00.0-05.6	26	22.6	14.2-31.0	69	55.6	46.0-65.2	18	10.8	05.3-16.3	5	3.3	00.4-06.2	7	5.4	01.1-09.7
18-24	302	339,226				82	29.3	23.6-35.0	149	47.6	41.5-53.7	49	15.5	11.2-19.8	17	6.1	03.0-09.2	5	1.5	00.1-02.9
25-34	373	402,849				47	13.3	09.4-17.2	185	48.0	42.3-53.7	95	25.4	20.5-30.3	43	12.8	08.9-16.7	3	0.5	00.0-01.1
35-44	533	397,639	2	0.7	00.0-01.7	36	8.9	05.4-12.4	246	44.2	39.1-49.3	167	30.8	26.3-35.3	77	14.0	10.5-17.5	5	1.3	00.1-02.5
45-54	799	423,034				60	7.4	05.2-09.6	352	45.8	41.7-49.9	267	32.2	28.5-35.9	117	14.2	11.5-16.9	3	0.4	00.0-01.0
55-64	1079	391,077	1	0.1	00.0-00.3	79	7.5	05.5-09.5	502	45.9	42.4-49.4	362	33.4	30.1-36.7	134	13.0	10.5-15.5	1	0.2	00.0-00.6
65+	1436	411,250	1	0.0	00.0-00.0	154	10.4	08.4-12.4	778	52.6	49.5-55.7	404	28.1	25.4-30.8	98	8.8	06.6-11.0	1	0.0	00.0-00.0
Less Than H.S.	390	339,672	1	0.6	00.0-01.8	80	23.5	17.8-29.2	167	45.5	39.2-51.8	87	15.5	11.4-19.6	50	13.0	08.9-17.1	5	2.0	00.2-03.8
H.S. or G.E.D.	1511	846,562	1	0.0	00.0-00.0	165	13.3	10.9-15.7	703	44.8	41.7-47.9	478	29.6	26.9-32.3	160	11.9	09.7-14.1	4	0.4	00.0-00.8
Some Post-H.S.	1083	670,361	2	0.2	00.0-00.6	101	9.4	07.2-11.6	524	47.2	43.5-50.9	325	31.5	28.0-35.0	131	11.8	09.4-14.2			
College Graduate	1564	518,799				114	7.1	05.5-08.7	835	53.3	50.2-56.4	460	28.5	25.8-31.2	146	10.1	08.1-12.1	9	1.0	00.4-01.6
Less than \$15,000	361	195,178				70	19.7	14.2-25.2	151	41.7	35.2-48.2	86	23.2	17.7-28.7	51	13.7	09.4-18.0	3	1.7	00.0-03.7
\$15,000- 24,999	595	346,247	1	0.3	00.0-00.9	97	20.7	15.8-25.6	288	45.0	39.7-50.3	133	20.2	16.1-24.3	67	11.4	08.1-14.7	9	2.3	00.7-03.9
\$25,000- 34,999	466	253,763	1	0.8	00.0-02.4	61	13.1	09.0-17.2	237	49.9	43.6-56.2	136	27.4	22.1-32.7	30	8.8	04.5-13.1	1	0.1	00.0-00.3
\$35,000- 49,999	664	348,247	1	0.1	00.0-00.3	55	9.3	06.4-12.2	322	47.3	42.4-52.2	205	29.4	25.1-33.7	81	13.9	10.4-17.4			
\$50,000- 74,999	733	378,948				60	11.4	07.9-14.9	352	46.1	41.4-50.8	246	32.9	28.6-37.2	74	9.5	07.0-12.0	1	0.1	00.0-00.3
\$75,000+	1248	606,157				64	6.2	04.2-08.2	633	48.7	45.2-52.2	410	31.9	28.6-35.2	140	13.2	10.7-15.7	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 33: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6315	2,385,366	113	1.5	01.1-01.9	2798	44.0	42.2-45.8	2532	38.6	37.0-40.2	644	11.3	10.1-12.5	219	4.4	03.6-05.2	9	0.2	00.0-00.4
White/Non-Hisp	5520	1,953,047	98	1.3	00.9-01.7	2481	44.5	42.7-46.3	2222	39.1	37.3-40.9	538	11.0	09.8-12.2	179	4.0	03.2-04.8	2	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	358	202,033	4	1.6	00.0-03.6	108	32.6	25.9-39.3	146	35.9	29.4-42.4	68	18.7	13.6-23.8	31	11.0	06.1-15.9	1	0.1	00.0-00.3
Oth. Race/Non-Hisp.	102	37,017	4	5.8	00.0-13.1	52	56.0	42.7-69.3	31	23.1	12.7-33.5	10	7.1	00.4-13.8	2	0.8	00.0-02.2	3	7.2	00.0-15.6
MultiRacial/Non-Hisp.	73	26,157				31	48.6	33.1-64.1	28	30.7	16.6-44.8	11	16.8	03.7-29.9	3	3.9	00.0-08.8			
Hispanic	179	136,395	4	2.9	00.0-06.4	82	47.9	39.3-56.5	75	40.4	32.0-48.8	13	6.2	02.3-10.1	4	2.2	00.0-04.4	1	0.3	00.0-00.9
18-24	246	320,135	4	2.1	00.0-04.3	132	54.3	47.4-61.2	82	31.1	24.8-37.4	20	9.0	04.9-13.1	5	2.7	00.2-05.2	3	0.8	00.0-01.8
25-34	460	381,979	6	1.0	00.2-01.8	212	46.8	41.5-52.1	151	32.8	27.9-37.7	59	12.9	09.4-16.4	32	6.5	04.0-09.0			
35-44	674	376,225	9	1.8	00.4-03.2	272	38.8	34.5-43.1	280	41.4	37.1-45.7	85	12.7	09.8-15.6	27	5.2	02.8-07.6	1	0.1	00.0-00.3
45-54	987	403,734	10	1.0	00.2-01.8	394	39.3	35.8-42.8	391	38.5	35.0-42.0	140	15.6	12.9-18.3	51	5.6	03.8-07.4	1	0.1	00.0-00.3
55-64	1371	381,479	17	1.0	00.4-01.6	515	37.7	34.6-40.8	603	44.0	40.9-47.1	168	12.2	10.0-14.4	67	4.9	03.5-06.3	1	0.1	00.0-00.3
65+	2520	505,077	65	2.1	01.5-02.7	1236	47.1	44.6-49.6	1009	41.9	39.4-44.4	171	6.9	05.7-08.1	36	1.9	01.1-02.7	3	0.1	00.1-00.1
Less Than H.S.	579	329,712	18	2.6	01.0-04.2	246	43.7	38.2-49.2	222	36.5	31.2-41.8	72	13.6	09.7-17.5	20	3.4	01.6-05.2	1	0.1	00.0-00.3
H.S. or G.E.D.	2210	788,672	48	2.0	01.0-03.0	947	42.8	39.9-45.7	921	40.0	37.3-42.7	216	10.4	08.6-12.2	77	4.7	03.3-06.1	1	0.1	00.0-00.3
Some Post-H.S.	1681	782,854	24	1.1	00.5-01.7	708	42.8	39.7-45.9	679	37.7	34.8-40.6	188	12.6	10.4-14.8	79	5.6	04.0-07.2	3	0.2	00.0-00.6
College Graduate	1829	480,885	22	0.8	00.4-01.2	888	48.1	45.2-51.0	705	39.1	36.2-42.0	168	9.2	07.4-11.0	43	2.5	01.5-03.5	3	0.3	00.0-00.7
Less than \$15,000	733	315,055	24	1.5	00.7-02.3	269	41.0	35.7-46.3	272	34.4	29.5-39.3	106	14.2	10.9-17.5	60	8.8	05.7-11.9	2	0.1	00.1-00.1
\$15,000- 24,999	1174	435,663	31	2.4	01.2-03.6	489	39.3	35.2-43.4	469	38.0	34.1-41.9	140	15.2	12.1-18.3	45	5.1	03.1-07.1			
\$25,000- 34,999	688	244,239	9	1.7	00.0-03.5	302	42.2	36.9-47.5	273	39.4	34.1-44.7	80	10.9	07.8-14.0	23	5.6	02.5-08.7	1	0.2	00.0-00.6
\$35,000- 49,999	801	305,347	9	1.0	00.2-01.8	334	40.5	35.8-45.2	344	41.8	37.1-46.5	85	12.3	09.0-15.6	29	4.4	02.4-06.4			
\$50,000- 74,999	754	304,282	5	0.9	00.0-01.9	314	44.8	39.7-49.9	328	40.5	35.8-45.2	84	10.5	07.6-13.4	23	3.3	01.5-05.1			
\$75,000+	1218	454,174	12	0.8	00.2-01.4	584	48.1	44.6-51.6	500	41.0	37.5-44.5	94	7.9	05.9-09.9	26	2.0	01.0-03.0	2	0.2	00.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 34: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11260	4,902,867	654	4.7	04.1-05.3	5258	41.5	40.3-42.7	4381	42.6	41.4-43.8	899	10.1	09.3-10.9	15	0.2	00.0-00.4	53	0.9	00.7-01.1
Male	4580	2,389,496	12	0.3	00.1-00.5	516	11.6	10.4-12.8	3126	66.3	64.5-68.1	885	20.4	18.8-22.0	15	0.3	00.1-00.5	26	1.0	00.6-01.4
Female	6680	2,513,371	642	8.9	07.9-09.9	4742	69.9	68.3-71.5	1255	20.0	18.6-21.4	14	0.3	00.1-00.5				27	0.8	00.4-01.2
White/Non-Hisp	9845	4,023,842	554	4.4	03.8-05.0	4574	40.8	39.4-42.2	3899	43.9	42.5-45.3	804	10.7	09.7-11.7	11	0.1	00.1-00.1	3	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	611	411,981	33	4.8	02.8-06.8	296	42.3	37.2-47.4	229	42.7	37.6-47.8	50	9.5	06.4-12.6	3	0.7	00.0-01.7			
Oth. Race/Non-Hisp.	220	98,140	16	5.5	02.0-09.0	98	39.0	30.6-47.4	85	43.2	34.4-52.0	13	5.8	01.3-10.3				8	6.4	01.7-11.1
MultiRacial/Non-Hisp.	131	55,302	7	2.7	00.3-05.1	74	50.7	39.1-62.3	43	38.4	26.8-50.0	7	8.3	01.0-15.6						
Hispanic	291	249,059	28	9.7	05.8-13.6	151	49.8	43.1-56.5	61	22.0	16.5-27.5	10	3.9	01.4-06.4	1	0.1	00.0-00.3	40	14.5	09.8-19.2
18-24	561	672,671	24	4.8	02.8-06.8	206	39.0	34.5-43.5	242	41.7	37.2-46.2	81	13.2	10.3-16.1	2	0.5	00.0-01.3	6	0.9	00.1-01.7
25-34	846	794,201	34	3.8	02.4-05.2	368	39.9	36.2-43.6	336	41.8	38.1-45.5	94	12.6	10.1-15.1	1	0.1	00.0-00.3	13	1.8	00.8-02.8
35-44	1247	796,760	38	3.2	02.0-04.4	504	37.1	34.0-40.2	547	45.4	42.1-48.7	134	12.0	09.6-14.4	2	0.1	00.0-00.3	22	2.2	01.2-03.2
45-54	1859	858,044	59	3.0	02.2-03.8	812	41.1	38.6-43.6	831	47.0	44.3-49.7	150	8.3	06.7-09.9	1	0.0	00.0-00.0	6	0.6	00.2-01.0
55-64	2546	796,254	105	4.1	03.1-05.1	1172	42.8	40.4-45.2	1058	43.8	41.4-46.2	204	8.9	07.5-10.3	5	0.2	00.0-00.4	2	0.2	00.0-00.4
65+	4076	941,960	385	8.9	07.7-10.1	2132	47.3	45.3-49.3	1329	36.8	34.8-38.8	223	6.8	05.6-08.0	3	0.1	00.1-00.1	4	0.1	00.1-00.1
Less Than H.S.	965	664,907	91	7.6	05.6-09.6	501	45.7	41.6-49.8	302	35.4	31.3-39.5	50	7.8	05.3-10.3	1	0.1	00.0-00.3	20	3.4	01.8-05.0
H.S. or G.E.D.	3880	1,703,338	277	5.1	04.3-05.9	1894	41.7	39.7-43.7	1424	42.6	40.4-44.8	266	9.7	08.3-11.1	3	0.1	00.0-00.3	16	0.7	00.3-01.1
Some Post-H.S.	2882	1,500,517	172	4.8	03.8-05.8	1375	41.7	39.3-44.1	1098	42.4	40.0-44.8	227	10.5	08.9-12.1	5	0.2	00.0-00.4	5	0.3	00.1-00.5
College Graduate	3504	1,025,173	110	2.1	01.5-02.7	1477	38.3	36.3-40.3	1546	47.2	45.0-49.4	355	11.8	10.4-13.2	5	0.2	00.0-00.4	11	0.5	00.1-00.9
Less than \$15,000	1117	515,049	114	8.3	06.1-10.5	577	48.5	44.4-52.6	348	32.5	28.8-36.2	64	8.4	06.0-10.8	1	0.1	00.0-00.3	13	2.1	00.9-03.3
\$15,000- 24,999	1820	806,950	155	6.3	04.9-07.7	954	45.9	42.6-49.2	589	36.9	33.6-40.2	99	8.4	06.2-10.6	2	0.1	00.0-00.3	21	2.4	01.2-03.6
\$25,000- 34,999	1182	509,207	78	5.0	03.4-06.6	578	42.1	38.2-46.0	428	41.6	37.5-45.7	90	9.9	07.4-12.4	4	0.8	00.0-01.8	4	0.6	00.0-01.4
\$35,000- 49,999	1514	667,606	65	3.2	02.2-04.2	700	40.1	36.8-43.4	631	46.5	43.2-49.8	115	9.7	07.5-11.9	1	0.0	00.0-00.0	2	0.3	00.0-00.7
\$50,000- 74,999	1529	696,371	46	3.1	01.9-04.3	640	37.9	34.8-41.0	697	48.6	45.3-51.9	143	10.4	08.2-12.6	2	0.1	00.0-00.3	1	0.0	00.0-00.0
\$75,000+	2528	1,082,794	52	1.9	01.3-02.5	998	35.3	32.9-37.7	1182	48.5	46.0-51.0	289	14.1	12.1-16.1	4	0.1	00.1-00.1	3	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 35: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4580	2,389,496	12	0.3	00.1-00.5	516	11.6	10.4-12.8	3126	66.3	64.5-68.1	885	20.4	18.8-22.0	15	0.3	00.1-00.5	26	1.0	00.6-01.4
White/Non-Hisp	3986	1,953,173	8	0.3	00.1-00.5	406	9.6	08.4-10.8	2765	68.2	66.2-70.2	794	21.7	19.9-23.5	11	0.2	00.0-00.4	2	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	235	197,719				27	12.8	07.7-17.9	157	66.5	59.2-73.8	48	19.4	13.3-25.5	3	1.4	00.0-03.6			
Oth. Race/Non-Hisp.	116	60,582	1	0.8	00.0-02.4	23	17.3	09.1-25.5	74	64.8	53.6-76.0	12	9.4	02.1-16.7				6	7.7	01.0-14.4
MultiRacial/Non-Hisp.	52	27,462				13	25.5	11.6-39.4	32	57.8	40.7-74.9	7	16.7	02.8-30.6						
Hispanic	120	119,313	3	1.9	00.0-04.4	41	37.5	27.5-47.5	48	37.9	28.1-47.7	10	8.2	03.1-13.3	1	0.3	00.0-00.9	17	14.2	07.1-21.3
18-24	304	341,175				30	10.3	06.6-14.0	187	61.4	55.5-67.3	81	26.1	20.8-31.4	2	1.0	00.0-02.4	4	1.2	00.0-02.4
25-34	374	404,324	2	0.4	00.0-01.0	44	12.1	08.4-15.8	231	61.8	56.3-67.3	90	23.7	19.0-28.4	1	0.1	00.0-00.3	6	1.9	00.3-03.5
35-44	532	394,727	1	0.1	00.0-00.3	43	9.4	06.3-12.5	346	64.9	60.0-69.8	130	23.5	19.2-27.8	2	0.2	00.0-00.4	10	1.9	00.5-03.3
45-54	806	426,344	1	0.1	00.0-00.3	85	12.0	09.3-14.7	567	70.6	66.9-74.3	149	16.6	13.7-19.5	1	0.0	00.0-00.0	3	0.7	00.0-01.5
55-64	1083	391,664	3	0.3	00.0-00.7	115	11.5	09.1-13.9	757	69.5	66.2-72.8	202	18.1	15.4-20.8	5	0.4	00.0-00.8	1	0.2	00.0-00.6
65+	1436	411,762	5	1.0	00.0-02.0	194	14.2	11.8-16.6	1012	69.1	66.0-72.2	220	15.4	13.0-17.8	3	0.2	00.0-00.4	2	0.1	00.0-00.3
Less Than H.S.	386	335,017	7	1.7	00.1-03.3	83	21.2	16.1-26.3	238	58.6	52.3-64.9	49	15.2	10.5-19.9	1	0.2	00.0-00.6	8	3.1	00.9-05.3
H.S. or G.E.D.	1522	854,903				184	11.8	09.8-13.8	1062	68.0	65.1-70.9	263	19.0	16.5-21.5	3	0.2	00.0-00.6	10	1.0	00.4-01.6
Some Post-H.S.	1090	673,853	2	0.2	00.0-00.4	115	8.9	06.9-10.9	744	67.1	63.6-70.6	223	23.2	20.1-26.3	5	0.5	00.0-01.1	1	0.2	00.0-00.6
College Graduate	1569	520,033	3	0.2	00.0-00.4	132	8.7	06.9-10.5	1073	67.5	64.6-70.4	349	22.6	20.1-25.1	5	0.3	00.0-00.7	7	0.7	00.1-01.3
Less than \$15,000	365	193,625	4	1.7	00.0-03.9	59	15.5	10.6-20.4	234	58.5	52.0-65.0	61	21.3	15.8-26.8	1	0.4	00.0-01.2	6	2.7	00.3-05.1
\$15,000- 24,999	596	348,286	3	0.7	00.0-01.5	92	15.2	11.5-18.9	391	61.3	56.0-66.6	98	19.2	14.7-23.7	2	0.2	00.0-00.6	10	3.3	01.1-05.5
\$25,000- 34,999	466	253,327	1	0.1	00.0-00.3	57	11.4	07.7-15.1	313	66.4	60.5-72.3	89	20.0	15.1-24.9	4	1.7	00.0-03.7	2	0.5	00.0-01.3
\$35,000- 49,999	666	348,583	1	0.1	00.0-00.3	79	11.2	08.1-14.3	471	69.8	65.3-74.3	112	18.2	14.3-22.1	1	0.1	00.0-00.3	2	0.6	00.0-01.4
\$50,000- 74,999	733	379,635	1	0.1	00.0-00.3	76	11.3	08.4-14.2	511	69.4	65.1-73.7	142	19.0	15.5-22.5	2	0.1	00.0-00.3	1	0.1	00.0-00.3
\$75,000+	1250	607,270				91	7.6	05.6-09.6	869	67.6	64.3-70.9	284	24.5	21.4-27.6	4	0.2	00.0-00.4	2	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 36: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6680	2,513,371	642	8.9	07.9-09.9	4742	69.9	68.3-71.5	1255	20.0	18.6-21.4	14	0.3	00.1-00.5	27	0.8	00.4-01.2
White/Non-Hisp	5859	2,070,669	546	8.3	07.3-09.3	4168	70.3	68.7-71.9	1134	21.0	19.4-22.6	10	0.3	00.1-00.5	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	376	214,263	33	9.2	05.5-12.9	269	69.6	63.5-75.7	72	20.9	15.4-26.4	2	0.3	00.0-00.9			
Oth. Race/Non-Hisp.	104	37,558	15	13.3	04.7-21.9	75	74.1	62.5-85.7	11	8.4	01.3-15.5	1	0.1	00.0-00.3	2	4.1	00.0-10.4
MultiRacial/Non-Hisp.	79	27,840	7	5.3	00.8-09.8	61	75.5	62.4-88.6	11	19.2	06.3-32.1						
Hispanic	171	129,746	25	16.8	09.7-23.9	110	61.1	52.5-69.7	13	7.5	03.4-11.6				23	14.7	08.4-21.0
18-24	257	331,496	24	9.7	05.8-13.6	176	68.5	62.2-74.8	55	21.4	15.9-26.9				2	0.5	00.0-01.3
25-34	472	389,877	32	7.3	04.6-10.0	324	68.8	64.1-73.5	105	21.0	16.9-25.1	4	1.1	00.0-02.3	7	1.8	00.4-03.2
35-44	715	402,033	37	6.3	04.1-08.5	461	64.3	60.2-68.4	201	26.3	22.6-30.0	4	0.8	00.0-01.6	12	2.4	00.8-04.0
45-54	1053	431,700	58	5.9	04.3-07.5	727	69.9	66.8-73.0	264	23.7	20.8-26.6	1	0.0	00.0-00.0	3	0.4	00.0-01.0
55-64	1463	404,590	102	7.8	06.0-09.6	1057	73.1	70.4-75.8	301	18.8	16.4-21.2	2	0.1	00.1-00.1	1	0.2	00.0-00.6
65+	2640	530,198	380	15.0	13.2-16.8	1938	73.1	70.9-75.3	317	11.8	10.2-13.4	3	0.1	00.0-00.3	2	0.0	00.0-00.0
Less Than H.S.	579	329,889	84	13.7	10.0-17.4	418	70.5	65.4-75.6	64	11.8	08.3-15.3	1	0.3	00.0-00.9	12	3.7	01.3-06.1
H.S. or G.E.D.	2358	848,435	277	10.3	08.7-11.9	1710	71.8	69.3-74.3	362	17.1	14.9-19.3	3	0.3	00.0-00.7	6	0.5	00.1-00.9
Some Post-H.S.	1792	826,664	170	8.6	06.8-10.4	1260	68.4	65.5-71.3	354	22.4	19.7-25.1	4	0.2	00.0-00.6	4	0.4	00.0-00.8
College Graduate	1935	505,140	107	4.1	02.9-05.3	1345	68.6	65.9-71.3	473	26.4	23.9-28.9	6	0.6	00.0-01.2	4	0.3	00.0-00.7
Less than \$15,000	752	321,424	110	12.3	09.2-15.4	518	68.4	63.7-73.1	114	16.9	13.2-20.6	3	0.6	00.0-01.6	7	1.8	00.2-03.4
\$15,000- 24,999	1224	458,664	152	10.5	08.1-12.9	862	69.2	65.5-72.9	198	18.3	15.0-21.6	1	0.2	00.0-00.6	11	1.8	00.6-03.0
\$25,000- 34,999	716	255,880	77	9.8	06.7-12.9	521	72.5	67.8-77.2	115	16.9	12.8-21.0	1	0.0	00.0-00.0	2	0.7	00.0-01.9
\$35,000- 49,999	848	319,023	64	6.7	04.7-08.7	621	71.7	67.6-75.8	160	21.1	17.2-25.0	3	0.5	00.0-01.1			
\$50,000- 74,999	796	316,736	45	6.6	03.9-09.3	564	69.8	65.3-74.3	186	23.6	19.5-27.7	1	0.0	00.0-00.0			
\$75,000+	1278	475,525	52	4.4	03.0-05.8	907	70.6	67.5-73.7	313	24.1	21.2-27.0	5	0.7	00.0-01.5	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 37: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11173	4,821,522	10922	97.3	96.9-97.7	109	1.3	00.9-01.7	142	1.4	01.0-01.8
Male	4513	2,331,491	4417	97.5	96.9-98.1	44	1.4	00.8-02.0	52	1.1	00.7-01.5
Female	6660	2,490,032	6505	97.1	96.5-97.7	65	1.1	00.7-01.5	90	1.7	01.1-02.3
White/Non-Hisp	9755	3,942,372	9574	98.1	97.7-98.5	64	0.6	00.4-00.8	117	1.3	00.9-01.7
Black or Afr. Am./Non-Hisp	603	400,660	590	97.5	95.9-99.1	6	0.6	00.0-01.4	7	1.9	00.5-03.3
Oth. Race/Non-Hisp.	210	91,039	190	87.3	81.0-93.6	11	8.5	03.2-13.8	9	4.2	00.5-07.9
MultiRacial/Non-Hisp.	130	54,607	127	97.6	94.9-0100	3	2.4	00.0-05.1			
Hispanic	307	266,469	285	91.1	87.2-95.0	20	8.0	04.3-11.7	2	0.9	00.0-02.3
18-24	543	652,195	513	95.0	93.0-97.0	16	2.4	01.0-03.8	14	2.6	01.0-04.2
25-34	800	757,384	777	97.4	96.2-98.6	11	1.3	00.5-02.1	12	1.3	00.5-02.1
35-44	1226	783,925	1200	97.3	96.1-98.5	13	1.6	00.6-02.6	13	1.1	00.3-01.9
45-54	1839	847,270	1807	98.0	97.2-98.8	12	0.9	00.3-01.5	20	1.1	00.5-01.7
55-64	2541	793,596	2500	98.1	97.5-98.7	11	0.5	00.1-00.9	30	1.4	00.8-02.0
65+	4084	940,290	4005	97.9	97.3-98.5	45	1.3	00.9-01.7	34	0.8	00.4-01.2
Less Than H.S.	989	681,584	932	94.2	92.4-96.0	36	4.1	02.5-05.7	21	1.7	00.7-02.7
H.S. or G.E.D.	3875	1,686,395	3798	97.4	96.6-98.2	28	1.0	00.6-01.4	49	1.6	01.0-02.2
Some Post-H.S.	2845	1,463,636	2796	98.2	97.6-98.8	19	0.5	00.1-00.9	30	1.2	00.6-01.8
College Graduate	3430	979,634	3368	98.0	97.4-98.6	25	0.8	00.4-01.2	37	1.2	00.6-01.8
Less than \$15,000	1115	511,181	1088	97.6	96.4-98.8	20	1.9	00.7-03.1	7	0.4	00.0-00.8
\$15,000- 24,999	1807	797,155	1762	96.3	94.9-97.7	28	2.6	01.4-03.8	17	1.2	00.4-02.0
\$25,000- 34,999	1168	497,153	1145	98.0	96.8-99.2	10	0.7	00.1-01.3	13	1.3	00.1-02.5
\$35,000- 49,999	1500	658,861	1481	98.7	97.9-99.5	6	0.3	00.1-00.5	13	1.0	00.2-01.8
\$50,000- 74,999	1504	679,380	1487	99.0	98.4-99.6	5	0.2	00.0-00.4	12	0.7	00.1-01.3
\$75,000+	2475	1,044,397	2452	98.8	98.2-99.4	9	0.5	00.1-00.9	14	0.7	00.3-01.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 38: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4513	2,331,491	4417	97.5	96.9-98.1	44	1.4	00.8-02.0	52	1.1	00.7-01.5
White/Non-Hisp	3927	1,902,860	3861	98.2	97.6-98.8	26	0.7	00.3-01.1	40	1.0	00.6-01.4
Black or Afr. Am./Non-Hisp	225	186,647	222	98.6	97.0-0100	2	1.1	00.0-02.7	1	0.3	00.0-00.9
Oth. Race/Non-Hisp.	109	55,500	97	87.5	79.3-95.7	6	6.9	00.8-13.0	6	5.5	00.0-11.6
MultiRacial/Non-Hisp.	51	26,766	50	97.7	93.2-0100	1	2.3	00.0-06.8			
Hispanic	127	127,516	117	89.3	82.8-95.8	9	9.4	03.3-15.5	1	1.3	00.0-03.8
18-24	294	330,685	276	94.7	92.2-97.2	12	3.8	01.4-06.2	6	1.6	00.2-03.0
25-34	341	375,184	333	98.3	96.9-99.7	4	0.8	00.0-01.8	4	0.9	00.0-01.9
35-44	522	387,772	510	96.9	94.9-98.9	8	2.1	00.3-03.9	4	1.0	00.0-02.2
45-54	797	420,228	789	98.7	97.7-99.7	4	0.8	00.0-01.6	4	0.5	00.0-01.1
55-64	1076	388,341	1055	98.0	97.0-99.0	5	0.4	00.0-01.0	16	1.5	00.7-02.3
65+	1436	409,706	1416	98.5	97.7-99.3	11	1.0	00.4-01.6	9	0.6	00.2-01.0
Less Than H.S.	394	342,233	372	94.6	91.9-97.3	14	4.2	01.8-06.6	8	1.3	00.0-02.7
H.S. or G.E.D.	1512	844,228	1480	97.6	96.6-98.6	12	1.2	00.4-02.0	20	1.1	00.5-01.7
Some Post-H.S.	1062	646,003	1047	98.7	97.9-99.5	6	0.6	00.0-01.2	9	0.8	00.2-01.4
College Graduate	1530	492,864	1507	98.0	97.0-99.0	11	0.8	00.2-01.4	12	1.1	00.3-01.9
Less than \$15,000	355	185,801	341	95.4	92.5-98.3	10	4.1	01.2-07.0	4	0.5	00.0-01.1
\$15,000- 24,999	592	345,995	573	95.9	93.5-98.3	13	3.2	01.0-05.4	6	1.0	00.0-02.0
\$25,000- 34,999	458	244,879	451	98.7	97.3-0100	3	0.7	00.0-01.7	4	0.7	00.0-01.5
\$35,000- 49,999	659	343,081	654	99.1	98.1-0100	1	0.1	00.0-00.3	4	0.8	00.0-01.8
\$50,000- 74,999	718	368,111	712	99.3	98.7-99.9	2	0.2	00.0-00.4	4	0.6	00.0-01.2
\$75,000+	1220	583,019	1209	98.9	98.1-99.7	5	0.4	00.0-00.8	6	0.7	00.1-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 39: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6660	2,490,032	6505	97.1	96.5-97.7	65	1.1	00.7-01.5	90	1.7	01.1-02.3
White/Non-Hisp	5828	2,039,512	5713	97.9	97.3-98.5	38	0.5	00.3-00.7	77	1.6	01.0-02.2
Black or Afr. Am./Non-Hisp	378	214,013	368	96.5	93.8-99.2	4	0.2	00.0-00.4	6	3.2	00.7-05.7
Oth. Race/Non-Hisp.	101	35,538	93	87.1	77.3-96.9	5	10.9	01.3-20.5	3	2.0	00.0-04.5
MultiRacial/Non-Hisp.	79	27,840	77	97.6	94.1-0100	2	2.4	00.0-05.9			
Hispanic	180	138,952	168	92.8	88.3-97.3	11	6.8	02.3-11.3	1	0.4	00.0-01.2
18-24	249	321,510	237	95.4	92.5-98.3	4	1.0	00.0-02.0	8	3.6	00.9-06.3
25-34	459	382,200	444	96.6	94.6-98.6	7	1.7	00.3-03.1	8	1.8	00.4-03.2
35-44	704	396,153	690	97.7	96.3-99.1	5	1.1	00.1-02.1	9	1.2	00.4-02.0
45-54	1042	427,042	1018	97.2	95.8-98.6	8	1.0	00.2-01.8	16	1.8	00.8-02.8
55-64	1465	405,255	1445	98.2	97.2-99.2	6	0.5	00.1-00.9	14	1.3	00.5-02.1
65+	2648	530,585	2589	97.5	96.7-98.3	34	1.5	00.9-02.1	25	1.0	00.4-01.6
Less Than H.S.	595	339,351	560	93.9	91.5-96.3	22	4.1	01.9-06.3	13	2.1	00.7-03.5
H.S. or G.E.D.	2363	842,167	2318	97.2	96.0-98.4	16	0.8	00.2-01.4	29	2.0	01.0-03.0
Some Post-H.S.	1783	817,633	1749	97.9	96.9-98.9	13	0.5	00.1-00.9	21	1.6	00.6-02.6
College Graduate	1900	486,770	1861	97.9	97.1-98.7	14	0.8	00.2-01.4	25	1.3	00.7-01.9
Less than \$15,000	760	325,380	747	98.9	98.1-99.7	10	0.7	00.1-01.3	3	0.4	00.0-01.0
\$15,000- 24,999	1215	451,159	1189	96.6	95.0-98.2	15	2.1	00.9-03.3	11	1.3	00.1-02.5
\$25,000- 34,999	710	252,274	694	97.4	95.2-99.6	7	0.7	00.1-01.3	9	2.0	00.0-04.2
\$35,000- 49,999	841	315,780	827	98.3	97.1-99.5	5	0.5	00.1-00.9	9	1.3	00.1-02.5
\$50,000- 74,999	786	311,270	775	98.8	97.8-99.8	3	0.3	00.0-00.7	8	1.0	00.2-01.8
\$75,000+	1255	461,378	1243	98.6	97.6-99.6	4	0.7	00.0-01.5	8	0.7	00.1-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 40: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11304	4,926,186	10784	95.6	95.0-96.2	2	0.0	00.0-00.0	116	1.0	00.8-01.2	402	3.4	03.0-03.8
Male	4585	2,393,554	4386	95.8	95.0-96.6	1	0.0	00.0-00.0	59	1.4	01.0-01.8	139	2.8	02.2-03.4
Female	6719	2,532,632	6398	95.4	94.6-96.2	1	0.0	00.0-00.0	57	0.7	00.5-00.9	263	3.9	03.3-04.5
White/Non-Hisp	9856	4,021,758	9439	96.1	95.5-96.7				85	0.7	00.5-00.9	332	3.2	02.8-03.6
Black or Afr. Am./Non-Hisp	615	413,870	585	96.1	94.5-97.7				8	1.0	00.2-01.8	22	2.9	01.5-04.3
Oth. Race/Non-Hisp.	226	101,696	211	94.6	91.1-98.1				6	2.5	00.0-05.0	9	2.9	00.5-05.3
MultiRacial/Non-Hisp.	131	55,302	125	95.4	91.1-99.7				2	1.8	00.0-04.3	4	2.8	00.0-06.1
Hispanic	307	264,863	282	90.6	86.9-94.3	2	0.7	00.0-01.7	12	4.9	02.0-07.8	11	3.8	01.4-06.2
18-24	565	677,838	531	95.0	93.2-96.8				11	1.4	00.4-02.4	23	3.6	02.0-05.2
25-34	853	801,372	818	96.6	95.4-97.8				8	0.9	00.3-01.5	27	2.6	01.6-03.6
35-44	1253	800,844	1203	95.7	94.3-97.1				8	0.9	00.1-01.7	42	3.4	02.2-04.6
45-54	1856	856,675	1783	95.9	94.7-97.1	2	0.2	00.0-00.6	9	0.8	00.2-01.4	62	3.1	02.1-04.1
55-64	2549	798,322	2457	96.5	95.7-97.3				16	0.7	00.3-01.1	76	2.9	02.1-03.7
65+	4086	942,513	3897	95.3	94.5-96.1				61	1.6	01.0-02.2	128	3.1	02.3-03.9
Less Than H.S.	987	680,546	922	94.3	92.5-96.1	1	0.1	00.0-00.3	36	3.1	01.7-04.5	28	2.5	01.3-03.7
H.S. or G.E.D.	3888	1,704,957	3715	96.0	95.2-96.8	1	0.1	00.0-00.3	35	0.8	00.4-01.2	137	3.1	02.5-03.7
Some Post-H.S.	2885	1,501,262	2778	96.4	95.4-97.4				18	0.6	00.2-01.0	89	3.0	02.2-03.8
College Graduate	3509	1,028,063	3344	94.6	93.6-95.6				26	0.8	00.4-01.2	139	4.6	03.6-05.6
Less than \$15,000	1134	525,921	1079	94.3	92.5-96.1	1	0.1	00.0-00.3	27	2.8	01.4-04.2	27	2.7	01.5-03.9
\$15,000- 24,999	1822	809,059	1758	96.4	95.2-97.6				19	1.5	00.5-02.5	45	2.1	01.3-02.9
\$25,000- 34,999	1179	506,749	1132	96.2	94.6-97.8				14	1.2	00.4-02.0	33	2.6	01.2-04.0
\$35,000- 49,999	1513	667,741	1463	97.4	96.4-98.4				10	0.3	00.1-00.5	40	2.3	01.3-03.3
\$50,000- 74,999	1527	696,526	1479	96.9	95.9-97.9				5	0.3	00.0-00.7	43	2.8	01.8-03.8
\$75,000+	2522	1,077,948	2451	97.0	96.2-97.8	1	0.1	00.0-00.3	4	0.2	00.0-00.4	66	2.7	01.9-03.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 41: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4585	2,393,554	4386	95.8	95.0-96.6	1	0.0	00.0-00.0	59	1.4	01.0-01.8	139	2.8	02.2-03.4
White/Non-Hisp	3980	1,947,692	3827	96.3	95.5-97.1				41	1.0	00.6-01.4	112	2.7	02.1-03.3
Black or Afr. Am./Non-Hisp	234	196,447	223	96.2	93.8-98.6				4	1.5	00.0-03.1	7	2.3	00.5-04.1
Oth. Race/Non-Hisp.	119	63,136	108	93.4	88.5-98.3				4	2.3	00.0-05.2	7	4.3	00.4-08.2
MultiRacial/Non-Hisp.	52	27,462	50	97.2	92.7-0100				1	2.2	00.0-06.5	1	0.5	00.0-01.7
Hispanic	125	125,403	114	90.6	85.1-96.1	1	0.9	00.0-02.7	8	7.1	02.2-12.0	2	1.4	00.0-03.8
18-24	307	345,084	288	94.9	92.5-97.3				8	2.2	00.6-03.8	11	2.9	01.1-04.7
25-34	374	404,526	358	96.8	95.2-98.4				5	1.2	00.0-02.4	11	2.0	00.8-03.2
35-44	534	396,090	517	96.9	95.3-98.5				5	1.2	00.0-02.4	12	1.9	00.7-03.1
45-54	804	425,499	776	96.0	94.2-97.8	1	0.3	00.0-00.9	5	1.2	00.0-02.4	22	2.5	01.3-03.7
55-64	1081	391,296	1037	96.0	94.6-97.4				12	1.0	00.2-01.8	32	2.9	01.7-04.1
65+	1438	410,486	1381	95.3	93.7-96.9				23	1.9	00.9-02.9	34	2.8	01.6-04.0
Less Than H.S.	392	341,016	361	94.2	91.8-96.6				24	4.5	02.3-06.7	7	1.3	00.3-02.3
H.S. or G.E.D.	1520	852,445	1459	96.3	95.1-97.5	1	0.1	00.0-00.3	12	0.7	00.1-01.3	48	2.8	01.8-03.8
Some Post-H.S.	1087	672,089	1056	97.3	96.1-98.5				9	1.0	00.2-01.8	22	1.7	00.9-02.5
College Graduate	1570	520,756	1499	94.2	92.6-95.8				13	1.1	00.3-01.9	58	4.7	03.1-06.3
Less than \$15,000	366	195,335	342	93.0	89.9-96.1				16	5.3	02.4-08.2	8	1.7	00.3-03.1
\$15,000- 24,999	598	350,726	572	95.8	93.6-98.0				13	2.4	00.6-04.2	13	1.8	00.4-03.2
\$25,000- 34,999	465	251,772	446	96.4	94.4-98.4				9	1.9	00.3-03.5	10	1.7	00.5-02.9
\$35,000- 49,999	664	347,739	645	97.9	96.7-99.1				5	0.3	00.0-00.7	14	1.8	00.6-03.0
\$50,000- 74,999	731	379,008	712	96.9	95.3-98.5				1	0.3	00.0-00.9	18	2.8	01.2-04.4
\$75,000+	1246	603,354	1210	96.9	95.7-98.1	1	0.2	00.0-00.6	3	0.2	00.0-00.6	32	2.6	01.4-03.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 42: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6719	2,532,632	6398	95.4	94.6-96.2	1	0.0	00.0-00.0	57	0.7	00.5-00.9	263	3.9	03.3-04.5
White/Non-Hisp	5876	2,074,066	5612	95.9	95.1-96.7				44	0.4	00.2-00.6	220	3.7	03.1-04.3
Black or Afr. Am./Non-Hisp	381	217,422	362	96.0	93.6-98.4				4	0.6	00.0-01.4	15	3.4	01.2-05.6
Oth. Race/Non-Hisp.	107	38,560	103	96.6	91.9-0100				2	3.0	00.0-07.7	2	0.5	00.0-01.3
MultiRacial/Non-Hisp.	79	27,840	75	93.6	86.5-0100				1	1.5	00.0-04.2	3	5.0	00.0-11.5
Hispanic	182	139,459	168	90.5	85.4-95.6	1	0.5	00.0-01.5	4	2.9	00.0-06.2	9	6.0	01.9-10.1
18-24	258	332,754	243	95.0	92.3-97.7				3	0.6	00.0-01.4	12	4.3	01.6-07.0
25-34	479	396,846	460	96.3	94.5-98.1				3	0.5	00.0-01.1	16	3.2	01.4-05.0
35-44	719	404,754	686	94.5	92.3-96.7				3	0.7	00.0-01.7	30	4.9	02.9-06.9
45-54	1052	431,176	1007	95.8	94.4-97.2	1	0.2	00.0-00.6	4	0.3	00.0-00.7	40	3.7	02.3-05.1
55-64	1468	407,027	1420	96.9	95.9-97.9				4	0.3	00.0-00.7	44	2.9	01.9-03.9
65+	2648	532,027	2516	95.3	94.3-96.3				38	1.3	00.7-01.9	94	3.4	02.6-04.2
Less Than H.S.	595	339,530	561	94.4	92.0-96.8	1	0.2	00.0-00.6	12	1.7	00.3-03.1	21	3.7	01.7-05.7
H.S. or G.E.D.	2368	852,512	2256	95.8	94.8-96.8				23	0.8	00.4-01.2	89	3.5	02.5-04.5
Some Post-H.S.	1798	829,173	1722	95.7	94.3-97.1				9	0.2	00.0-00.4	67	4.1	02.7-05.5
College Graduate	1939	507,307	1845	95.0	93.8-96.2				13	0.5	00.1-00.9	81	4.5	03.3-05.7
Less than \$15,000	768	330,586	737	95.1	92.9-97.3	1	0.2	00.0-00.6	11	1.4	00.4-02.4	19	3.3	01.5-05.1
\$15,000- 24,999	1224	458,333	1186	97.0	95.6-98.4				6	0.7	00.0-01.7	32	2.3	01.1-03.5
\$25,000- 34,999	714	254,977	686	96.1	93.7-98.5				5	0.5	00.0-01.1	23	3.5	01.1-05.9
\$35,000- 49,999	849	320,002	818	96.8	95.2-98.4				5	0.3	00.0-00.7	26	2.9	01.5-04.3
\$50,000- 74,999	796	317,517	767	96.9	95.5-98.3				4	0.4	00.0-00.8	25	2.7	01.5-03.9
\$75,000+	1276	474,594	1241	97.1	95.9-98.3				1	0.0	00.0-00.0	34	2.8	01.6-04.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 43: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7885	2,370,424	288	3.0	02.4-03.6	7597	97.0	96.4-97.6
Male	2955	1,064,647	127	3.0	02.2-03.8	2828	97.0	96.2-97.8
Female	4930	1,305,777	161	3.0	02.2-03.8	4769	97.0	96.2-97.8
White/Non-Hisp	7053	2,022,536	252	3.1	02.5-03.7	6801	96.9	96.3-97.5
Black or Afr. Am./Non-Hisp	386	185,041	21	2.9	01.3-04.5	365	97.1	95.5-98.7
Oth. Race/Non-Hisp.	118	33,812	2	0.5	00.0-01.3	116	99.5	98.7-0100
MultiRacial/Non-Hisp.	82	23,850	6	6.1	00.0-12.8	76	93.9	87.2-0100
Hispanic	118	68,707	5	1.8	00.0-03.6	113	98.2	96.4-0100
18-24	158	166,320	11	7.1	02.6-11.6	147	92.9	88.4-97.4
25-34	298	203,596	4	0.6	00.0-01.2	294	99.4	98.8-0100
35-44	749	365,363	22	2.1	01.1-03.1	727	97.9	96.9-98.9
45-54	1191	432,392	48	2.5	01.7-03.3	1143	97.5	96.7-98.3
55-64	1907	487,675	69	3.6	02.4-04.8	1838	96.4	95.2-97.6
65+	3477	689,396	131	3.1	02.3-03.9	3346	96.9	96.1-97.7
Less Than H.S.	659	291,538	17	3.6	01.2-06.0	642	96.4	94.0-98.8
H.S. or G.E.D.	2816	874,656	72	2.1	01.5-02.7	2744	97.9	97.3-98.5
Some Post-H.S.	1940	692,611	74	3.2	02.2-04.2	1866	96.8	95.8-97.8
College Graduate	2446	505,858	125	4.1	03.1-05.1	2321	95.9	94.9-96.9
Less than \$15,000	754	207,391	20	2.4	01.2-03.6	734	97.6	96.4-98.8
\$15,000- 24,999	1291	369,392	30	1.5	00.7-02.3	1261	98.5	97.7-99.3
\$25,000- 34,999	849	246,474	18	1.3	00.5-02.1	831	98.7	97.9-99.5
\$35,000- 49,999	1023	307,538	42	3.9	02.3-05.5	981	96.1	94.5-97.7
\$50,000- 74,999	1035	343,787	33	2.3	01.3-03.3	1002	97.7	96.7-98.7
\$75,000+	1738	568,337	84	3.6	02.4-04.8	1654	96.4	95.2-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 44: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2955	1,064,647	127	3.0	02.2-03.8	2828	97.0	96.2-97.8
White/Non-Hisp	2649	908,127	110	3.1	02.3-03.9	2539	96.9	96.1-97.7
Black or Afr. Am./Non-Hisp	115	70,446	8	3.0	00.6-05.4	107	97.0	94.6-99.4
Oth. Race/Non-Hisp.	56	20,562	1	0.4	00.0-01.2	55	99.6	98.8-0100
18-24	89	93,519	3	2.6	00.0-06.3	86	97.4	93.7-0100
25-34	96	79,799	2	0.8	00.0-02.0	94	99.2	98.0-0100
35-44	304	171,908	9	1.6	00.4-02.8	295	98.4	97.2-99.6
45-54	507	205,745	21	2.2	01.2-03.2	486	97.8	96.8-98.8
55-64	770	227,019	31	4.5	02.3-06.7	739	95.5	93.3-97.7
65+	1163	278,534	60	4.1	02.7-05.5	1103	95.9	94.5-97.3
Less Than H.S.	231	134,338	7	3.1	00.2-06.0	224	96.9	94.0-99.8
H.S. or G.E.D.	972	385,463	26	1.9	00.9-02.9	946	98.1	97.1-99.1
Some Post-H.S.	688	296,534	32	3.6	02.0-05.2	656	96.4	94.8-98.0
College Graduate	1055	245,297	62	4.2	03.0-05.4	993	95.8	94.6-97.0
Less than \$15,000	219	71,507	7	3.1	00.6-05.6	212	96.9	94.4-99.4
\$15,000- 24,999	380	137,078	14	1.8	00.6-03.0	366	98.2	97.0-99.4
\$25,000- 34,999	307	118,038	10	1.4	00.4-02.4	297	98.6	97.6-99.6
\$35,000- 49,999	420	147,294	19	4.4	02.2-06.6	401	95.6	93.4-97.8
\$50,000- 74,999	463	170,884	17	2.5	00.9-04.1	446	97.5	95.9-99.1
\$75,000+	828	299,074	35	2.9	01.5-04.3	793	97.1	95.7-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 45: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4930	1,305,777	161	3.0	02.2-03.8	4769	97.0	96.2-97.8
White/Non-Hisp	4404	1,114,409	142	3.1	02.3-03.9	4262	96.9	96.1-97.7
Black or Afr. Am./Non-Hisp	271	114,595	13	2.8	00.6-05.0	258	97.2	95.0-99.4
Oth. Race/Non-Hisp.	62	13,250	1	0.6	00.0-01.8	61	99.4	98.2-0100
MultiRacial/Non-Hisp.	53	13,388	3	7.0	00.0-17.8	50	93.0	82.2-0100
Hispanic	69	31,785	2	0.9	00.0-02.3	67	99.1	97.7-0100
18-24	69	72,801	8	12.7	03.9-21.5	61	87.3	78.5-96.1
25-34	202	123,797	2	0.4	00.0-01.0	200	99.6	99.0-0100
35-44	445	193,455	13	2.6	01.0-04.2	432	97.4	95.8-99.0
45-54	684	226,647	27	2.8	01.6-04.0	657	97.2	96.0-98.4
55-64	1137	260,656	38	2.9	01.7-04.1	1099	97.1	95.9-98.3
65+	2314	410,862	71	2.4	01.8-03.0	2243	97.6	97.0-98.2
Less Than H.S.	428	157,200	10	4.1	00.6-07.6	418	95.9	92.4-99.4
H.S. or G.E.D.	1844	489,193	46	2.2	01.4-03.0	1798	97.8	97.0-98.6
Some Post-H.S.	1252	396,077	42	2.8	01.6-04.0	1210	97.2	96.0-98.4
College Graduate	1391	260,561	63	3.9	02.5-05.3	1328	96.1	94.7-97.5
Less than \$15,000	535	135,884	13	2.1	00.7-03.5	522	97.9	96.5-99.3
\$15,000- 24,999	911	232,314	16	1.2	00.2-02.2	895	98.8	97.8-99.8
\$25,000- 34,999	542	128,436	8	1.2	00.2-02.2	534	98.8	97.8-99.8
\$35,000- 49,999	603	160,245	23	3.5	01.3-05.7	580	96.5	94.3-98.7
\$50,000- 74,999	572	172,904	16	2.1	00.7-03.5	556	97.9	96.5-99.3
\$75,000+	910	269,263	49	4.5	02.5-06.5	861	95.5	93.5-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 46: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	281	67,475	152	71.9	65.2-78.6	109	26.0	19.5-32.5	12	1.2	00.4-02.0	4	0.4	00.0-00.8	2	0.4	00.0-01.0	2	0.1	00.0-00.3
Male	124	30,681	68	74.4	65.8-83.0	48	23.7	15.5-31.9	4	1.0	00.0-02.0	3	0.6	00.0-01.4	1	0.3	00.0-00.9			
Female	157	36,794	84	69.9	60.1-79.7	61	28.0	18.4-37.6	8	1.4	00.2-02.6	1	0.2	00.0-00.6	1	0.5	00.0-01.5	2	0.1	00.0-00.3
White/Non-Hisp	246	58,701	133	74.8	68.3-81.3	95	23.0	16.7-29.3	10	1.2	00.4-02.0	4	0.4	00.0-00.8	2	0.5	00.0-01.1	2	0.1	00.0-00.3
55-64	66	16,090	39	79.5	69.9-89.1	22	18.4	09.2-27.6	5	2.1	00.0-04.3									
65+	130	20,976	64	66.8	56.6-77.0	53	28.9	19.1-38.7	7	2.3	00.3-04.3	3	0.9	00.0-02.1	1	0.8	00.0-02.4	2	0.3	00.0-00.7
H.S. or G.E.D.	70	16,404	40	71.4	59.8-83.0	22	24.6	13.2-36.0	6	3.2	00.5-05.9	1	0.6	00.0-02.0				1	0.2	00.0-00.6
Some Post-H.S.	73	21,750	41	70.7	58.2-83.2	30	28.1	15.8-40.4	1	0.4	00.0-01.2				1	0.8	00.0-02.4			
College Graduate	122	20,080	64	71.5	61.9-81.1	48	26.1	16.7-35.5	5	1.2	00.2-02.2	3	0.7	00.0-01.5	1	0.5	00.0-01.5	1	0.1	00.0-00.3
\$75,000+	81	18,864	41	71.7	59.4-84.0	32	25.4	13.4-37.4	4	1.3	00.0-02.7	3	1.1	00.0-02.5	1	0.5	00.0-01.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 47: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	124	30,681	68	74.4	65.8-83.0	48	23.7	15.3-32.1	4	1.0	00.0-02.0	3	0.6	00.0-01.4	1	0.3	00.0-00.9
White/Non-Hisp	107	26,334	55	73.9	64.5-83.3	44	23.8	14.8-32.8	4	1.2	00.0-02.4	3	0.7	00.0-01.7	1	0.4	00.0-01.2
65+	59	11,299	28	68.6	53.3-83.9	26	29.0	14.1-43.9	2	0.9	00.0-02.3	3	1.6	00.0-03.8			
College Graduate	61	10,069	32	69.8	57.1-82.5	24	27.4	15.1-39.7	2	1.0	00.0-02.4	2	0.7	00.0-01.7	1	1.0	00.0-03.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2014

SECTION 8: DEMOGRAPHICS

TABLE 48: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	157	36,794	84	69.9	60.1-79.7	61	28.0	18.4-37.6	8	1.4	00.2-02.6	1	0.2	00.0-00.6	1	0.5	00.0-01.5	2	0.1	00.0-00.3
White/Non-Hisp	139	32,367	78	75.5	66.5-84.5	51	22.4	13.6-31.2	6	1.2	00.0-02.4	1	0.2	00.0-00.6	1	0.5	00.0-01.5	2	0.2	00.0-00.4
65+	71	9,677	36	64.8	52.1-77.5	27	28.8	16.5-41.1	5	4.0	00.1-07.9				1	1.8	00.0-05.3	2	0.6	00.0-01.4
College Graduate	61	10,012	32	73.1	59.0-87.2	24	24.8	10.9-38.7	3	1.3	00.0-02.9	1	0.6	00.0-01.8				1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 49: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7878	2,371,434	6215	81.4	80.2-82.6	1663	18.6	17.4-19.8
Male	2952	1,065,385	2346	82.0	80.0-84.0	606	18.0	16.0-20.0
Female	4926	1,306,049	3869	80.8	79.4-82.2	1057	19.2	17.8-20.6
White/Non-Hisp	7048	2,023,568	5646	82.8	81.6-84.0	1402	17.2	16.0-18.4
Black or Afr. Am./Non-Hisp	387	185,225	276	76.9	71.6-82.2	111	23.1	17.8-28.4
Oth. Race/Non-Hisp.	118	33,961	85	80.1	71.1-89.1	33	19.9	10.9-28.9
MultiRacial/Non-Hisp.	82	23,850	57	81.8	72.8-90.8	25	18.2	09.2-27.2
Hispanic	117	68,578	71	58.1	46.5-69.7	46	41.9	30.3-53.5
18-24	158	166,320	138	88.0	82.3-93.7	20	12.0	06.3-17.7
25-34	298	203,596	230	78.5	72.8-84.2	68	21.5	15.8-27.2
35-44	749	366,183	648	85.6	82.1-89.1	101	14.4	10.9-17.9
45-54	1189	431,738	1004	84.8	82.3-87.3	185	15.2	12.7-17.7
55-64	1907	487,956	1544	82.2	80.0-84.4	363	17.8	15.6-20.0
65+	3476	690,533	2577	75.9	74.1-77.7	899	24.1	22.3-25.9
Less Than H.S.	657	291,452	326	56.1	50.6-61.6	331	43.9	38.4-49.4
H.S. or G.E.D.	2815	875,154	2049	78.3	76.3-80.3	766	21.7	19.7-23.7
Some Post-H.S.	1937	692,993	1618	87.5	85.7-89.3	319	12.5	10.7-14.3
College Graduate	2445	506,238	2208	92.8	91.6-94.0	237	7.2	06.0-08.4
Less than \$15,000	753	207,695	380	55.6	50.3-60.9	373	44.4	39.1-49.7
\$15,000- 24,999	1286	368,365	823	65.9	62.0-69.8	463	34.1	30.2-38.0
\$25,000- 34,999	852	247,846	663	79.5	75.6-83.4	189	20.5	16.6-24.4
\$35,000- 49,999	1024	308,559	871	87.0	84.5-89.5	153	13.0	10.5-15.5
\$50,000- 74,999	1035	343,758	934	90.2	87.7-92.7	101	9.8	07.3-12.3
\$75,000+	1737	567,987	1667	96.7	95.7-97.7	70	3.3	02.3-04.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 50: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2952	1,065,385	2346	82.0	80.0-84.0	606	18.0	16.0-20.0
White/Non-Hisp	2648	909,329	2143	83.6	81.6-85.6	505	16.4	14.4-18.4
Black or Afr. Am./Non-Hisp	115	70,445	78	74.4	64.2-84.6	37	25.6	15.4-35.8
Oth. Race/Non-Hisp.	55	20,261	39	83.4	71.6-95.2	16	16.6	04.8-28.4
18-24	89	93,519	81	90.4	83.0-97.8	8	9.6	02.2-17.0
25-34	96	79,799	71	77.9	67.9-87.9	25	22.1	12.1-32.1
35-44	305	172,720	253	82.7	76.8-88.6	52	17.3	11.4-23.2
45-54	508	205,940	422	84.5	80.6-88.4	86	15.5	11.6-19.4
55-64	767	226,156	605	81.3	78.0-84.6	162	18.7	15.4-22.0
65+	1161	279,129	897	79.1	76.4-81.8	264	20.9	18.2-23.6
Less Than H.S.	230	134,381	124	59.8	50.4-69.2	106	40.2	30.8-49.6
H.S. or G.E.D.	971	386,035	717	80.3	77.4-83.2	254	19.7	16.8-22.6
Some Post-H.S.	686	296,534	569	87.4	84.5-90.3	117	12.6	09.7-15.5
College Graduate	1056	245,420	931	90.4	88.2-92.6	125	9.6	07.4-11.8
Less than \$15,000	219	71,460	108	49.9	40.7-59.1	111	50.1	40.9-59.3
\$15,000- 24,999	378	136,610	232	67.6	60.7-74.5	146	32.4	25.5-39.3
\$25,000- 34,999	309	118,649	231	77.7	71.0-84.4	78	22.3	15.6-29.0
\$35,000- 49,999	421	148,133	336	84.0	79.7-88.3	85	16.0	11.7-20.3
\$50,000- 74,999	462	170,787	400	88.2	84.5-91.9	62	11.8	08.1-15.5
\$75,000+	828	299,046	794	96.4	95.0-97.8	34	3.6	02.2-05.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 51: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4926	1,306,049	3869	80.8	79.4-82.2	1057	19.2	17.8-20.6
White/Non-Hisp	4400	1,114,239	3503	82.1	80.5-83.7	897	17.9	16.3-19.5
Black or Afr. Am./Non-Hisp	272	114,780	198	78.5	72.4-84.6	74	21.5	15.4-27.6
Oth. Race/Non-Hisp.	63	13,700	46	75.4	61.7-89.1	17	24.6	10.9-38.3
MultiRacial/Non-Hisp.	53	13,388	35	80.6	68.8-92.4	18	19.4	07.6-31.2
Hispanic	68	31,656	45	59.2	43.9-74.5	23	40.8	25.5-56.1
18-24	69	72,801	57	84.8	75.8-93.8	12	15.2	06.2-24.2
25-34	202	123,797	159	78.8	72.1-85.5	43	21.2	14.5-27.9
35-44	444	193,463	395	88.1	84.2-92.0	49	11.9	08.0-15.8
45-54	681	225,797	582	85.1	82.0-88.2	99	14.9	11.8-18.0
55-64	1140	261,800	939	82.9	80.2-85.6	201	17.1	14.4-19.8
65+	2315	411,404	1680	73.8	71.4-76.2	635	26.2	23.8-28.6
Less Than H.S.	427	157,071	202	53.0	46.5-59.5	225	47.0	40.5-53.5
H.S. or G.E.D.	1844	489,119	1332	76.8	74.3-79.3	512	23.2	20.7-25.7
Some Post-H.S.	1251	396,459	1049	87.6	85.2-90.0	202	12.4	10.0-14.8
College Graduate	1389	260,818	1277	95.1	93.9-96.3	112	4.9	03.7-06.1
Less than \$15,000	534	136,234	272	58.6	52.3-64.9	262	41.4	35.1-47.7
\$15,000- 24,999	908	231,754	591	64.9	60.4-69.4	317	35.1	30.6-39.6
\$25,000- 34,999	543	129,197	432	81.1	76.8-85.4	111	18.9	14.6-23.2
\$35,000- 49,999	603	160,427	535	89.7	86.6-92.8	68	10.3	07.2-13.4
\$50,000- 74,999	573	172,971	534	92.1	88.8-95.4	39	7.9	04.6-11.2
\$75,000+	909	268,941	873	97.1	95.9-98.3	36	2.9	01.7-04.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 52: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11248	4,903,930	8440	80.7	79.7-81.7	2808	19.3	18.3-20.3
Male	4560	2,382,733	3553	81.5	80.1-82.9	1007	18.5	17.1-19.9
Female	6688	2,521,197	4887	80.0	78.8-81.2	1801	20.0	18.8-21.2
18-24	561	674,433	545	96.9	95.3-98.5	16	3.1	01.5-04.7
25-34	850	798,905	786	91.1	88.7-93.5	64	8.9	06.5-11.3
35-44	1249	796,094	1140	88.1	85.6-90.6	109	11.9	09.4-14.4
45-54	1851	854,838	1590	83.6	81.4-85.8	261	16.4	14.2-18.6
55-64	2535	794,089	2053	78.8	76.8-80.8	482	21.2	19.2-23.2
65+	4064	937,827	2235	53.4	51.4-55.4	1829	46.6	44.6-48.6
Less Than H.S.	984	679,563	392	56.1	52.0-60.2	592	43.9	39.8-48.0
H.S. or G.E.D.	3862	1,692,135	2423	73.4	71.6-75.2	1439	26.6	24.8-28.4
Some Post-H.S.	2869	1,495,735	2367	89.7	88.5-90.9	502	10.3	09.1-11.5
College Graduate	3501	1,025,831	3241	96.2	95.6-96.8	260	3.8	03.2-04.4
Less than \$15,000	1133	526,163	571	61.0	57.3-64.7	562	39.0	35.3-42.7
\$15,000- 24,999	1812	802,669	1032	67.1	64.2-70.0	780	32.9	30.0-35.8
\$25,000- 34,999	1176	506,083	833	78.1	75.0-81.2	343	21.9	18.8-25.0
\$35,000- 49,999	1507	665,702	1206	83.5	81.1-85.9	301	16.5	14.1-18.9
\$50,000- 74,999	1522	693,980	1390	93.2	91.6-94.8	132	6.8	05.2-08.4
\$75,000+	2516	1,075,288	2408	96.1	95.1-97.1	108	3.9	02.9-04.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 53: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4560	2,382,733	3553	81.5	80.1-82.9	1007	18.5	17.1-19.9
18-24	305	343,092	299	97.9	96.1-99.7	6	2.1	00.3-03.9
25-34	371	402,059	343	91.1	87.4-94.8	28	8.9	05.2-12.6
35-44	533	395,591	476	86.3	82.4-90.2	57	13.7	09.8-17.6
45-54	802	424,592	664	81.5	78.2-84.8	138	18.5	15.2-21.8
55-64	1071	388,213	856	77.8	74.7-80.9	215	22.2	19.1-25.3
65+	1433	408,943	880	57.1	54.0-60.2	553	42.9	39.8-46.0
Less Than H.S.	391	340,460	175	58.9	52.8-65.0	216	41.1	35.0-47.2
H.S. or G.E.D.	1513	848,631	1003	75.0	72.5-77.5	510	25.0	22.5-27.5
Some Post-H.S.	1076	667,779	914	90.2	88.4-92.0	162	9.8	08.0-11.6
College Graduate	1566	519,029	1453	95.9	94.9-96.9	113	4.1	03.1-05.1
Less than \$15,000	367	196,045	198	58.3	51.8-64.8	169	41.7	35.2-48.2
\$15,000- 24,999	593	348,206	350	66.8	61.9-71.7	243	33.2	28.3-38.1
\$25,000- 34,999	465	251,772	322	76.7	72.0-81.4	143	23.3	18.6-28.0
\$35,000- 49,999	662	346,655	497	79.7	76.0-83.4	165	20.3	16.6-24.0
\$50,000- 74,999	728	377,256	654	91.7	89.3-94.1	74	8.3	05.9-10.7
\$75,000+	1243	602,350	1179	95.5	94.1-96.9	64	4.5	03.1-05.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 54: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6688	2,521,197	4887	80.0	78.8-81.2	1801	20.0	18.8-21.2
18-24	256	331,341	246	96.0	93.5-98.5	10	4.0	01.5-06.5
25-34	479	396,846	443	91.1	88.2-94.0	36	8.9	06.0-11.8
35-44	716	400,503	664	89.9	87.0-92.8	52	10.1	07.2-13.0
45-54	1049	430,246	926	85.7	83.2-88.2	123	14.3	11.8-16.8
55-64	1464	405,876	1197	79.7	77.2-82.2	267	20.3	17.8-22.8
65+	2631	528,884	1355	50.5	48.0-53.0	1276	49.5	47.0-52.0
Less Than H.S.	593	339,103	217	53.3	48.0-58.6	376	46.7	41.4-52.0
H.S. or G.E.D.	2349	843,504	1420	71.7	69.3-74.1	929	28.3	25.9-30.7
Some Post-H.S.	1793	827,956	1453	89.3	87.7-90.9	340	10.7	09.1-12.3
College Graduate	1935	506,802	1788	96.5	95.7-97.3	147	3.5	02.7-04.3
Less than \$15,000	766	330,118	373	62.7	58.0-67.4	393	37.3	32.6-42.0
\$15,000- 24,999	1219	454,463	682	67.3	63.8-70.8	537	32.7	29.2-36.2
\$25,000- 34,999	711	254,311	511	79.4	75.5-83.3	200	20.6	16.7-24.5
\$35,000- 49,999	845	319,047	709	87.7	85.0-90.4	136	12.3	09.6-15.0
\$50,000- 74,999	794	316,724	736	95.0	93.4-96.6	58	5.0	03.4-06.6
\$75,000+	1273	472,938	1229	96.8	95.4-98.2	44	3.2	01.8-04.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 55: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11140	4,855,986	8660	73.2	72.0-74.4	2150	22.4	21.4-23.4	330	4.4	03.8-05.0
Male	4521	2,361,549	3533	73.5	71.7-75.3	829	21.7	20.1-23.3	159	4.8	04.0-05.6
Female	6619	2,494,437	5127	72.9	71.3-74.5	1321	23.1	21.7-24.5	171	4.0	03.2-04.8
18-24	553	662,573	194	42.6	37.9-47.3	245	39.6	35.3-43.9	114	17.8	14.5-21.1
25-34	848	798,221	426	55.7	52.0-59.4	375	39.3	35.6-43.0	47	5.0	03.4-06.6
35-44	1238	788,507	924	74.9	72.2-77.6	287	23.0	20.3-25.7	27	2.1	01.1-03.1
45-54	1828	844,530	1470	81.5	79.5-83.5	324	16.8	14.8-18.8	34	1.7	01.1-02.3
55-64	2515	786,828	2114	86.1	84.5-87.7	348	11.9	10.3-13.5	53	2.0	01.4-02.6
65+	4035	931,951	3430	89.3	88.1-90.5	553	9.7	08.7-10.7	52	1.0	00.6-01.4
Less Than H.S.	975	670,383	524	52.2	48.1-56.3	400	41.0	36.9-45.1	51	6.8	04.6-09.0
H.S. or G.E.D.	3832	1,680,224	2927	73.5	71.5-75.5	780	21.9	20.1-23.7	125	4.6	03.6-05.6
Some Post-H.S.	2838	1,479,163	2179	73.8	71.6-76.0	564	21.5	19.5-23.5	95	4.7	03.5-05.9
College Graduate	3468	1,016,599	3010	85.5	83.9-87.1	399	12.4	11.0-13.8	59	2.1	01.5-02.7
Less than \$15,000	1128	522,994	468	40.0	36.1-43.9	590	51.9	47.8-56.0	70	8.1	05.9-10.3
\$15,000- 24,999	1799	797,500	1157	58.6	55.3-61.9	569	36.2	33.1-39.3	73	5.2	03.6-06.8
\$25,000- 34,999	1168	500,206	881	69.3	65.6-73.0	254	27.0	23.3-30.7	33	3.7	02.3-05.1
\$35,000- 49,999	1500	664,169	1242	79.5	76.8-82.2	234	18.8	16.1-21.5	24	1.7	00.9-02.5
\$50,000- 74,999	1514	689,756	1343	85.9	83.5-88.3	154	12.3	10.1-14.5	17	1.7	00.7-02.7
\$75,000+	2509	1,072,484	2379	92.8	91.2-94.4	100	4.6	03.4-05.8	30	2.6	01.4-03.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 56: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4521	2,361,549	3533	73.5	71.7-75.3	829	21.7	20.1-23.3	159	4.8	04.0-05.6
18-24	298	333,972	110	43.7	37.4-50.0	123	37.6	31.7-43.5	65	18.7	14.2-23.2
25-34	370	402,070	187	56.4	50.9-61.9	156	37.5	32.2-42.8	27	6.1	03.6-08.6
35-44	532	394,182	399	76.3	72.2-80.4	122	21.5	17.4-25.6	11	2.1	00.7-03.5
45-54	794	421,077	630	80.8	77.7-83.9	148	17.6	14.5-20.7	16	1.6	00.8-02.4
55-64	1064	385,519	901	86.5	84.1-88.9	139	11.1	08.9-13.3	24	2.4	01.2-03.6
65+	1425	406,825	1277	92.1	90.5-93.7	132	7.3	05.7-08.9	16	0.6	00.2-01.0
Less Than H.S.	386	335,078	210	55.0	48.7-61.3	153	37.3	31.2-43.4	23	7.7	04.2-11.2
H.S. or G.E.D.	1502	842,624	1134	72.6	69.9-75.3	304	22.3	19.6-25.0	64	5.1	03.7-06.5
Some Post-H.S.	1071	663,966	837	74.9	71.8-78.0	189	19.8	16.9-22.7	45	5.3	03.7-06.9
College Graduate	1551	513,633	1344	85.2	82.8-87.6	180	12.9	10.7-15.1	27	1.8	00.8-02.8
Less than \$15,000	362	193,270	137	36.5	30.0-43.0	190	52.0	45.3-58.7	35	11.4	07.3-15.5
\$15,000- 24,999	592	345,948	373	59.1	53.8-64.4	190	35.3	30.2-40.4	29	5.6	03.1-08.1
\$25,000- 34,999	460	248,883	324	63.9	57.8-70.0	116	30.9	25.0-36.8	20	5.3	02.8-07.8
\$35,000- 49,999	661	346,821	541	78.5	74.2-82.8	112	20.3	16.2-24.4	8	1.2	00.2-02.2
\$50,000- 74,999	725	375,466	632	83.7	80.2-87.2	84	15.1	11.6-18.6	9	1.3	00.1-02.5
\$75,000+	1239	601,229	1175	92.3	90.1-94.5	44	4.4	02.8-06.0	20	3.3	01.5-05.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 57: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6619	2,494,437	5127	72.9	71.3-74.5	1321	23.1	21.7-24.5	171	4.0	03.2-04.8
18-24	255	328,601	84	41.4	34.5-48.3	122	41.7	35.2-48.2	49	16.9	12.2-21.6
25-34	478	396,150	239	55.1	50.0-60.2	219	41.0	36.1-45.9	20	3.9	01.9-05.9
35-44	706	394,325	525	73.5	69.6-77.4	165	24.5	20.8-28.2	16	2.0	00.8-03.2
45-54	1034	423,453	840	82.3	79.8-84.8	176	16.0	13.5-18.5	18	1.7	00.9-02.5
55-64	1451	401,310	1213	85.7	83.5-87.9	209	12.7	10.7-14.7	29	1.6	00.8-02.4
65+	2610	525,126	2153	87.2	85.6-88.8	421	11.5	10.1-12.9	36	1.3	00.7-01.9
Less Than H.S.	589	335,304	314	49.4	43.9-54.9	247	44.7	39.4-50.0	28	6.0	03.3-08.7
H.S. or G.E.D.	2330	837,600	1793	74.5	72.0-77.0	476	21.4	19.0-23.8	61	4.1	02.7-05.5
Some Post-H.S.	1767	815,197	1342	72.9	70.2-75.6	375	23.0	20.5-25.5	50	4.2	02.8-05.6
College Graduate	1917	502,966	1666	85.9	83.7-88.1	219	11.8	09.8-13.8	32	2.3	01.3-03.3
Less than \$15,000	766	329,724	331	42.0	36.9-47.1	400	51.9	46.8-57.0	35	6.1	03.6-08.6
\$15,000- 24,999	1207	451,552	784	58.1	54.0-62.2	379	36.9	33.0-40.8	44	4.9	02.9-06.9
\$25,000- 34,999	708	251,323	557	74.7	70.2-79.2	138	23.1	18.6-27.6	13	2.2	00.8-03.6
\$35,000- 49,999	839	317,347	701	80.7	77.0-84.4	122	17.1	13.6-20.6	16	2.2	00.8-03.6
\$50,000- 74,999	789	314,290	711	88.7	85.8-91.6	70	9.0	06.6-11.4	8	2.3	00.3-04.3
\$75,000+	1270	471,255	1204	93.6	91.6-95.6	56	4.8	03.2-06.4	10	1.6	00.4-02.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 58: INDICATE SEX OF RESPONDENT. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11530	5,030,005	4677	48.7	47.5-49.9	6853	51.3	50.1-52.5
White/Non-Hisp	10034	4,095,556	4052	48.6	47.2-50.0	5982	51.4	50.0-52.8
Black or Afr. Am./Non-Hisp	637	426,881	242	47.0	41.9-52.1	395	53.0	47.9-58.1
Oth. Race/Non-Hisp.	231	104,936	122	62.8	54.8-70.8	109	37.2	29.2-45.2
MultiRacial/Non-Hisp.	131	55,302	52	49.7	38.3-61.1	79	50.3	38.9-61.7
Hispanic	318	272,933	131	47.7	41.4-54.0	187	52.3	46.0-58.6
18-24	573	687,537	313	51.3	46.8-55.8	260	48.7	44.2-53.2
25-34	875	825,415	383	50.2	46.5-53.9	492	49.8	46.1-53.5
35-44	1272	815,819	547	50.0	46.7-53.3	725	50.0	46.7-53.3
45-54	1884	869,003	813	49.4	46.7-52.1	1071	50.6	47.9-53.3
55-64	2612	821,356	1113	49.3	46.9-51.7	1499	50.7	48.3-53.1
65+	4164	960,396	1457	43.5	41.5-45.5	2707	56.5	54.5-58.5
Less Than H.S.	1011	697,429	400	49.8	45.7-53.9	611	50.2	46.1-54.3
H.S. or G.E.D.	3955	1,738,258	1552	50.3	48.1-52.5	2403	49.7	47.5-51.9
Some Post-H.S.	2920	1,521,766	1100	44.7	42.3-47.1	1820	55.3	52.9-57.7
College Graduate	3547	1,037,755	1586	50.7	48.5-52.9	1961	49.3	47.1-51.5
Less than \$15,000	1142	531,401	371	37.4	33.5-41.3	771	62.6	58.7-66.5
\$15,000- 24,999	1842	820,624	605	43.3	40.0-46.6	1237	56.7	53.4-60.0
\$25,000- 34,999	1188	512,835	470	50.0	45.9-54.1	718	50.0	45.9-54.1
\$35,000- 49,999	1522	670,105	668	52.1	48.8-55.4	854	47.9	44.6-51.2
\$50,000- 74,999	1535	698,130	737	54.5	51.2-57.8	798	45.5	42.2-48.8
\$75,000+	2537	1,085,817	1254	56.0	53.6-58.4	1283	44.0	41.6-46.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 59: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 45 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1446	1,125,352	47	3.6	02.4-04.8	1399	96.4	95.2-97.6
White/Non-Hisp	1128	859,573	33	3.7	02.3-05.1	1095	96.3	94.9-97.7
Black or Afr. Am./Non-Hisp	118	104,780	5	2.8	00.0-06.5	113	97.2	93.5-0100
Hispanic	112	104,298	1	1.0	00.0-03.0	111	99.0	97.0-0100
18-24	256	330,330	9	3.5	01.0-06.0	247	96.5	94.0-99.0
25-34	477	395,390	30	6.6	04.1-09.1	447	93.4	90.9-95.9
35-44	713	399,632	8	0.7	00.1-01.3	705	99.3	98.7-99.9
Less Than H.S.	139	168,383	6	4.6	00.7-08.5	133	95.4	91.5-99.3
H.S. or G.E.D.	337	302,379	8	2.9	00.7-05.1	329	97.1	94.9-99.3
Some Post-H.S.	430	399,672	13	3.4	01.4-05.4	417	96.6	94.6-98.6
College Graduate	539	254,644	20	3.9	01.9-05.9	519	96.1	94.1-98.1
Less than \$15,000	178	168,880	6	4.6	00.7-08.5	172	95.4	91.5-99.3
\$15,000- 24,999	233	200,313	4	0.8	00.0-01.6	229	99.2	98.4-0100
\$25,000- 34,999	129	108,157	1	1.2	00.0-03.6	128	98.8	96.4-0100
\$35,000- 49,999	170	131,217	7	2.9	00.5-05.3	163	97.1	94.7-99.5
\$50,000- 74,999	200	151,876	6	4.5	00.8-08.2	194	95.5	91.8-99.2
\$75,000+	379	217,309	17	4.7	02.3-07.1	362	95.3	92.9-97.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 60: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11087	4,826,940	2817	22.2	21.2-23.2	8270	77.8	76.8-78.8
Male	4498	2,349,371	1010	20.2	18.6-21.8	3488	79.8	78.2-81.4
Female	6589	2,477,569	1807	24.0	22.6-25.4	4782	76.0	74.6-77.4
18-24	556	665,366	40	7.8	05.3-10.3	516	92.2	89.7-94.7
25-34	836	782,832	124	15.9	13.0-18.8	712	84.1	81.2-87.0
35-44	1234	788,172	212	19.9	17.0-22.8	1022	80.1	77.2-83.0
45-54	1824	843,405	460	25.8	23.4-28.2	1364	74.2	71.8-76.6
55-64	2506	782,286	754	30.7	28.5-32.9	1752	69.3	67.1-71.5
65+	4001	920,987	1205	29.5	27.7-31.3	2796	70.5	68.7-72.3
Less Than H.S.	963	661,353	371	33.2	29.3-37.1	592	66.8	62.9-70.7
H.S. or G.E.D.	3790	1,662,651	1063	23.2	21.4-25.0	2727	76.8	75.0-78.6
Some Post-H.S.	2837	1,476,419	737	21.6	19.6-23.6	2100	78.4	76.4-80.4
College Graduate	3464	1,015,583	634	14.0	12.6-15.4	2830	86.0	84.6-87.4
Less than \$15,000	1114	511,465	576	45.2	41.3-49.1	538	54.8	50.9-58.7
\$15,000- 24,999	1785	788,229	623	30.3	27.4-33.2	1162	69.7	66.8-72.6
\$25,000- 34,999	1161	497,816	312	21.2	18.1-24.3	849	78.8	75.7-81.9
\$35,000- 49,999	1489	658,269	332	18.3	15.9-20.7	1157	81.7	79.3-84.1
\$50,000- 74,999	1506	687,868	279	16.6	14.1-19.1	1227	83.4	80.9-85.9
\$75,000+	2494	1,065,307	295	10.7	09.1-12.3	2199	89.3	87.7-90.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 61: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4498	2,349,371	1010	20.2	18.6-21.8	3488	79.8	78.2-81.4
18-24	302	337,763	9	3.1	00.9-05.3	293	96.9	94.7-99.1
25-34	368	396,296	61	17.2	12.7-21.7	307	82.8	78.3-87.3
35-44	526	390,943	83	18.9	14.6-23.2	443	81.1	76.8-85.4
45-54	790	418,783	172	23.0	19.5-26.5	618	77.0	73.5-80.5
55-64	1059	383,812	295	29.1	25.8-32.4	764	70.9	67.6-74.2
65+	1410	402,864	385	27.8	24.9-30.7	1025	72.2	69.3-75.1
Less Than H.S.	381	331,318	130	28.9	23.2-34.6	251	71.1	65.4-76.8
H.S. or G.E.D.	1488	837,375	369	20.8	18.4-23.2	1119	79.2	76.8-81.6
Some Post-H.S.	1063	658,639	252	20.6	17.7-23.5	811	79.4	76.5-82.3
College Graduate	1551	514,937	256	13.2	11.2-15.2	1295	86.8	84.8-88.8
Less than \$15,000	355	187,960	183	45.6	39.1-52.1	172	54.4	47.9-60.9
\$15,000- 24,999	584	339,889	213	31.5	26.4-36.6	371	68.5	63.4-73.6
\$25,000- 34,999	459	247,636	115	20.9	16.0-25.8	344	79.1	74.2-84.0
\$35,000- 49,999	656	345,177	135	17.7	14.2-21.2	521	82.3	78.8-85.8
\$50,000- 74,999	723	374,501	128	15.5	12.2-18.8	595	84.5	81.2-87.8
\$75,000+	1236	599,132	133	10.1	07.9-12.3	1103	89.9	87.7-92.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 62: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6589	2,477,569	1807	24.0	22.6-25.4	4782	76.0	74.6-77.4
18-24	254	327,603	31	12.6	08.1-17.1	223	87.4	82.9-91.9
25-34	468	386,536	63	14.6	10.7-18.5	405	85.4	81.5-89.3
35-44	708	397,229	129	20.9	17.2-24.6	579	79.1	75.4-82.8
45-54	1034	424,622	288	28.5	25.2-31.8	746	71.5	68.2-74.8
55-64	1447	398,474	459	32.2	29.3-35.1	988	67.8	64.9-70.7
65+	2591	518,123	820	30.8	28.6-33.0	1771	69.2	67.0-71.4
Less Than H.S.	582	330,035	241	37.6	32.5-42.7	341	62.4	57.3-67.5
H.S. or G.E.D.	2302	825,276	694	25.7	23.3-28.1	1608	74.3	71.9-76.7
Some Post-H.S.	1774	817,780	485	22.3	19.9-24.7	1289	77.7	75.3-80.1
College Graduate	1913	500,646	378	14.8	13.0-16.6	1535	85.2	83.4-87.0
Less than \$15,000	759	323,506	393	45.0	39.9-50.1	366	55.0	49.9-60.1
\$15,000- 24,999	1201	448,340	410	29.3	25.8-32.8	791	70.7	67.2-74.2
\$25,000- 34,999	702	250,179	197	21.5	17.6-25.4	505	78.5	74.6-82.4
\$35,000- 49,999	833	313,092	197	19.1	15.8-22.4	636	80.9	77.6-84.2
\$50,000- 74,999	783	313,367	151	18.0	14.3-21.7	632	82.0	78.3-85.7
\$75,000+	1258	466,176	162	11.5	09.5-13.5	1096	88.5	86.5-90.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 63: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11095	4,829,314	1456	9.4	08.8-10.0	9639	90.6	90.0-91.2
Male	4504	2,353,075	517	9.2	08.2-10.2	3987	90.8	89.8-91.8
Female	6591	2,476,239	939	9.6	08.8-10.4	5652	90.4	89.6-91.2
18-24	553	662,140	5	0.8	00.0-01.6	548	99.2	98.4-0100
25-34	834	783,050	22	2.5	01.3-03.7	812	97.5	96.3-98.7
35-44	1233	788,558	55	5.7	03.9-07.5	1178	94.3	92.5-96.1
45-54	1823	843,308	181	11.0	09.2-12.8	1642	89.0	87.2-90.8
55-64	2508	782,926	333	13.7	11.9-15.5	2175	86.3	84.5-88.1
65+	4016	926,035	850	19.7	18.1-21.3	3166	80.3	78.7-81.9
Less Than H.S.	971	667,173	210	14.1	11.6-16.6	761	85.9	83.4-88.4
H.S. or G.E.D.	3787	1,658,840	569	10.2	09.2-11.2	3218	89.8	88.8-90.8
Some Post-H.S.	2844	1,480,107	375	9.2	08.0-10.4	2469	90.8	89.6-92.0
College Graduate	3463	1,012,900	296	5.2	04.4-06.0	3167	94.8	94.0-95.6
Less than \$15,000	1121	516,563	347	21.4	18.5-24.3	774	78.6	75.7-81.5
\$15,000- 24,999	1780	787,283	384	16.2	14.0-18.4	1396	83.8	81.6-86.0
\$25,000- 34,999	1163	498,426	140	7.2	05.6-08.8	1023	92.8	91.2-94.4
\$35,000- 49,999	1491	658,161	149	7.1	05.5-08.7	1342	92.9	91.3-94.5
\$50,000- 74,999	1503	685,632	92	4.3	03.1-05.5	1411	95.7	94.5-96.9
\$75,000+	2490	1,062,721	110	3.7	02.9-04.5	2380	96.3	95.5-97.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 64: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4504	2,353,075	517	9.2	08.2-10.2	3987	90.8	89.8-91.8
18-24	302	338,076	4	1.1	00.0-02.3	298	98.9	97.7-0100
25-34	368	397,548	15	3.8	01.6-06.0	353	96.2	94.0-98.4
35-44	529	393,303	30	7.4	04.3-10.5	499	92.6	89.5-95.7
45-54	791	419,603	78	10.8	08.1-13.5	713	89.2	86.5-91.9
55-64	1058	382,630	141	14.1	11.6-16.6	917	85.9	83.4-88.4
65+	1415	403,493	247	17.2	14.7-19.7	1168	82.8	80.3-85.3
Less Than H.S.	385	334,348	80	15.5	11.2-19.8	305	84.5	80.2-88.8
H.S. or G.E.D.	1488	836,023	180	8.6	07.0-10.2	1308	91.4	89.8-93.0
Some Post-H.S.	1069	662,500	123	9.3	07.3-11.3	946	90.7	88.7-92.7
College Graduate	1549	513,451	132	5.9	04.5-07.3	1417	94.1	92.7-95.5
Less than \$15,000	358	189,171	104	24.1	18.8-29.4	254	75.9	70.6-81.2
\$15,000- 24,999	584	342,102	126	16.8	12.9-20.7	458	83.2	79.3-87.1
\$25,000- 34,999	459	247,405	55	8.4	05.5-11.3	404	91.6	88.7-94.5
\$35,000- 49,999	657	345,268	62	7.4	05.0-09.8	595	92.6	90.2-95.0
\$50,000- 74,999	722	373,514	51	5.3	03.5-07.1	671	94.7	92.9-96.5
\$75,000+	1236	599,191	61	3.8	02.6-05.0	1175	96.2	95.0-97.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 65: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6591	2,476,239	939	9.6	08.8-10.4	5652	90.4	89.6-91.2
18-24	251	324,064	1	0.4	00.0-01.2	250	99.6	98.8-0100
25-34	466	385,502	7	1.2	00.2-02.2	459	98.8	97.8-99.8
35-44	704	395,254	25	4.0	02.2-05.8	679	96.0	94.2-97.8
45-54	1032	423,705	103	11.1	08.7-13.5	929	88.9	86.5-91.3
55-64	1450	400,296	192	13.3	11.1-15.5	1258	86.7	84.5-88.9
65+	2601	522,543	603	21.7	19.7-23.7	1998	78.3	76.3-80.3
Less Than H.S.	586	332,825	130	12.6	09.9-15.3	456	87.4	84.7-90.1
H.S. or G.E.D.	2299	822,817	389	11.9	10.3-13.5	1910	88.1	86.5-89.7
Some Post-H.S.	1775	817,607	252	9.1	07.5-10.7	1523	90.9	89.3-92.5
College Graduate	1914	499,449	164	4.6	03.6-05.6	1750	95.4	94.4-96.4
Less than \$15,000	763	327,392	243	19.7	16.4-23.0	520	80.3	77.0-83.6
\$15,000- 24,999	1196	445,181	258	15.7	13.2-18.2	938	84.3	81.8-86.8
\$25,000- 34,999	704	251,022	85	6.1	04.5-07.7	619	93.9	92.3-95.5
\$35,000- 49,999	834	312,893	87	6.7	04.7-08.7	747	93.3	91.3-95.3
\$50,000- 74,999	781	312,118	41	3.2	02.0-04.4	740	96.8	95.6-98.0
\$75,000+	1254	463,530	49	3.5	02.3-04.7	1205	96.5	95.3-97.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 66: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11058	4,813,668	567	4.5	03.9-05.1	10491	95.5	94.9-96.1
Male	4484	2,343,721	193	3.9	03.1-04.7	4291	96.1	95.3-96.9
Female	6574	2,469,947	374	5.0	04.2-05.8	6200	95.0	94.2-95.8
18-24	552	660,960	13	2.6	01.0-04.2	539	97.4	95.8-99.0
25-34	831	780,923	15	1.9	00.9-02.9	816	98.1	97.1-99.1
35-44	1229	784,557	45	4.7	03.1-06.3	1184	95.3	93.7-96.9
45-54	1818	840,460	100	5.3	04.1-06.5	1718	94.7	93.5-95.9
55-64	2506	781,999	140	5.7	04.5-06.9	2366	94.3	93.1-95.5
65+	3995	921,653	250	5.9	04.9-06.9	3745	94.1	93.1-95.1
Less Than H.S.	963	661,912	117	9.3	07.1-11.5	846	90.7	88.5-92.9
H.S. or G.E.D.	3773	1,653,399	232	5.2	04.2-06.2	3541	94.8	93.8-95.8
Some Post-H.S.	2836	1,477,254	115	3.2	02.4-04.0	2721	96.8	96.0-97.6
College Graduate	3455	1,010,518	101	1.9	01.5-02.3	3354	98.1	97.7-98.5
Less than \$15,000	1111	512,130	160	12.6	10.1-15.1	951	87.4	84.9-89.9
\$15,000- 24,999	1770	782,071	146	6.5	05.1-07.9	1624	93.5	92.1-94.9
\$25,000- 34,999	1163	497,566	69	5.7	03.7-07.7	1094	94.3	92.3-96.3
\$35,000- 49,999	1487	656,321	44	2.4	01.4-03.4	1443	97.6	96.6-98.6
\$50,000- 74,999	1502	685,810	44	2.4	01.4-03.4	1458	97.6	96.6-98.6
\$75,000+	2490	1,062,816	24	1.0	00.4-01.6	2466	99.0	98.4-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 67: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4484	2,343,721	193	3.9	03.1-04.7	4291	96.1	95.3-96.9
18-24	301	336,896	5	1.5	00.1-02.9	296	98.5	97.1-99.9
25-34	366	395,624	6	1.6	00.2-03.0	360	98.4	97.0-99.8
35-44	527	391,062	17	4.2	02.0-06.4	510	95.8	93.6-98.0
45-54	789	417,745	33	4.2	02.6-05.8	756	95.8	94.2-97.4
55-64	1057	383,277	47	5.0	03.2-06.8	1010	95.0	93.2-96.8
65+	1404	400,878	84	6.5	04.9-08.1	1320	93.5	91.9-95.1
Less Than H.S.	381	330,983	38	7.9	04.8-11.0	343	92.1	89.0-95.2
H.S. or G.E.D.	1480	833,008	80	4.4	03.2-05.6	1400	95.6	94.4-96.8
Some Post-H.S.	1065	660,910	42	3.0	02.0-04.0	1023	97.0	96.0-98.0
College Graduate	1545	512,067	33	1.7	00.9-02.5	1512	98.3	97.5-99.1
Less than \$15,000	352	185,851	52	15.3	10.6-20.0	300	84.7	80.0-89.4
\$15,000- 24,999	579	338,821	50	6.3	04.1-08.5	529	93.7	91.5-95.9
\$25,000- 34,999	460	247,877	29	5.3	02.9-07.7	431	94.7	92.3-97.1
\$35,000- 49,999	655	343,868	25	3.1	01.7-04.5	630	96.9	95.5-98.3
\$50,000- 74,999	721	373,692	14	1.5	00.7-02.3	707	98.5	97.7-99.3
\$75,000+	1236	599,305	9	0.8	00.0-01.6	1227	99.2	98.4-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 68: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6574	2,469,947	374	5.0	04.2-05.8	6200	95.0	94.2-95.8
18-24	251	324,064	8	3.7	01.0-06.4	243	96.3	93.6-99.0
25-34	465	385,299	9	2.2	00.6-03.8	456	97.8	96.2-99.4
35-44	702	393,495	28	5.2	02.8-07.6	674	94.8	92.4-97.2
45-54	1029	422,715	67	6.3	04.5-08.1	962	93.7	91.9-95.5
55-64	1449	398,722	93	6.4	04.8-08.0	1356	93.6	92.0-95.2
65+	2591	520,775	166	5.5	04.5-06.5	2425	94.5	93.5-95.5
Less Than H.S.	582	330,929	79	10.7	07.8-13.6	503	89.3	86.4-92.2
H.S. or G.E.D.	2293	820,391	152	5.9	04.5-07.3	2141	94.1	92.7-95.5
Some Post-H.S.	1771	816,344	73	3.4	02.2-04.6	1698	96.6	95.4-97.8
College Graduate	1910	498,450	68	2.1	01.5-02.7	1842	97.9	97.3-98.5
Less than \$15,000	759	326,279	108	11.1	08.4-13.8	651	88.9	86.2-91.6
\$15,000- 24,999	1191	443,250	96	6.6	04.8-08.4	1095	93.4	91.6-95.2
\$25,000- 34,999	703	249,689	40	6.0	03.1-08.9	663	94.0	91.1-96.9
\$35,000- 49,999	832	312,452	19	1.7	00.7-02.7	813	98.3	97.3-99.3
\$50,000- 74,999	781	312,118	30	3.5	01.7-05.3	751	96.5	94.7-98.3
\$75,000+	1254	463,511	15	1.3	00.1-02.5	1239	98.7	97.5-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 69: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11045	4,802,603	1092	10.8	10.0-11.6	9953	89.2	88.4-90.0
Male	4487	2,343,821	377	9.4	08.2-10.6	4110	90.6	89.4-91.8
Female	6558	2,458,781	715	12.2	11.0-13.4	5843	87.8	86.6-89.0
18-24	549	657,690	51	10.0	07.1-12.9	498	90.0	87.1-92.9
25-34	826	776,842	81	11.3	08.8-13.8	745	88.7	86.2-91.2
35-44	1225	781,198	122	11.8	09.4-14.2	1103	88.2	85.8-90.6
45-54	1819	842,796	207	11.2	09.4-13.0	1612	88.8	87.0-90.6
55-64	2505	781,737	273	11.3	09.7-12.9	2232	88.7	87.1-90.3
65+	3995	919,124	350	9.7	08.3-11.1	3645	90.3	88.9-91.7
Less Than H.S.	963	659,743	215	22.2	18.7-25.7	748	77.8	74.3-81.3
H.S. or G.E.D.	3775	1,651,676	441	11.5	10.1-12.9	3334	88.5	87.1-89.9
Some Post-H.S.	2826	1,471,648	265	9.5	08.1-10.9	2561	90.5	89.1-91.9
College Graduate	3451	1,009,082	168	4.2	03.4-05.0	3283	95.8	95.0-96.6
Less than \$15,000	1112	509,998	309	29.3	25.6-33.0	803	70.7	67.0-74.4
\$15,000- 24,999	1767	780,277	283	17.6	15.1-20.1	1484	82.4	79.9-84.9
\$25,000- 34,999	1157	496,058	101	8.4	06.0-10.8	1056	91.6	89.2-94.0
\$35,000- 49,999	1490	656,640	96	7.1	05.3-08.9	1394	92.9	91.1-94.7
\$50,000- 74,999	1497	683,440	81	6.2	04.2-08.2	1416	93.8	91.8-95.8
\$75,000+	2488	1,060,996	66	3.2	02.0-04.4	2422	96.8	95.6-98.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 70: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4487	2,343,821	377	9.4	08.2-10.6	4110	90.6	89.4-91.8
18-24	301	337,342	22	8.3	04.6-12.0	279	91.7	88.0-95.4
25-34	366	395,624	32	10.1	06.2-14.0	334	89.9	86.0-93.8
35-44	524	388,270	45	10.5	07.2-13.8	479	89.5	86.2-92.8
45-54	789	419,271	79	9.7	07.3-12.1	710	90.3	87.9-92.7
55-64	1058	382,967	96	9.6	07.2-12.0	962	90.4	88.0-92.8
65+	1407	401,556	102	8.2	06.2-10.2	1305	91.8	89.8-93.8
Less Than H.S.	382	330,973	82	19.5	14.2-24.8	300	80.5	75.2-85.8
H.S. or G.E.D.	1483	833,986	140	9.1	07.3-10.9	1343	90.9	89.1-92.7
Some Post-H.S.	1064	659,969	90	8.8	06.6-11.0	974	91.2	89.0-93.4
College Graduate	1545	512,141	63	3.8	02.6-05.0	1482	96.2	95.0-97.4
Less than \$15,000	355	188,413	105	28.3	22.4-34.2	250	71.7	65.8-77.6
\$15,000- 24,999	580	337,746	91	16.9	12.6-21.2	489	83.1	78.8-87.4
\$25,000- 34,999	459	247,761	40	8.2	04.5-11.9	419	91.8	88.1-95.5
\$35,000- 49,999	657	344,315	42	7.4	04.9-09.9	615	92.6	90.1-95.1
\$50,000- 74,999	718	372,402	41	6.5	03.8-09.2	677	93.5	90.8-96.2
\$75,000+	1235	598,053	20	2.6	01.0-04.2	1215	97.4	95.8-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 71: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6558	2,458,781	715	12.2	11.0-13.4	5843	87.8	86.6-89.0
18-24	248	320,348	29	11.8	07.5-16.1	219	88.2	83.9-92.5
25-34	460	381,218	49	12.4	08.9-15.9	411	87.6	84.1-91.1
35-44	701	392,928	77	13.0	09.9-16.1	624	87.0	83.9-90.1
45-54	1030	423,526	128	12.8	10.3-15.3	902	87.2	84.7-89.7
55-64	1447	398,770	177	13.0	10.8-15.2	1270	87.0	84.8-89.2
65+	2588	517,568	248	10.8	09.0-12.6	2340	89.2	87.4-91.0
Less Than H.S.	581	328,769	133	24.9	20.2-29.6	448	75.1	70.4-79.8
H.S. or G.E.D.	2292	817,690	301	14.0	12.0-16.0	1991	86.0	84.0-88.0
Some Post-H.S.	1762	811,679	175	10.0	08.2-11.8	1587	90.0	88.2-91.8
College Graduate	1906	496,942	105	4.6	03.4-05.8	1801	95.4	94.2-96.6
Less than \$15,000	757	321,585	204	29.9	25.2-34.6	553	70.1	65.4-74.8
\$15,000- 24,999	1187	442,531	192	18.2	14.9-21.5	995	81.8	78.5-85.1
\$25,000- 34,999	698	248,298	61	8.5	05.8-11.2	637	91.5	88.8-94.2
\$35,000- 49,999	833	312,325	54	6.8	04.4-09.2	779	93.2	90.8-95.6
\$50,000- 74,999	779	311,038	40	5.9	03.2-08.6	739	94.1	91.4-96.8
\$75,000+	1253	462,942	46	4.0	02.4-05.6	1207	96.0	94.4-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 72: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11025	4,799,135	2116	15.0	14.2-15.8	8909	85.0	84.2-85.8
Male	4481	2,341,882	649	12.1	10.9-13.3	3832	87.9	86.7-89.1
Female	6544	2,457,254	1467	17.8	16.6-19.0	5077	82.2	81.0-83.4
18-24	550	658,906	12	2.4	00.8-04.0	538	97.6	96.0-99.2
25-34	828	777,824	53	6.2	04.4-08.0	775	93.8	92.0-95.6
35-44	1227	783,863	102	10.2	07.8-12.6	1125	89.8	87.4-92.2
45-54	1814	838,731	303	17.9	15.7-20.1	1511	82.1	79.9-84.3
55-64	2501	779,861	558	23.0	21.0-25.0	1943	77.0	75.0-79.0
65+	3978	917,332	1071	26.7	24.9-28.5	2907	73.3	71.5-75.1
Less Than H.S.	966	662,760	346	26.4	22.9-29.9	620	73.6	70.1-77.1
H.S. or G.E.D.	3760	1,648,988	885	17.2	15.8-18.6	2875	82.8	81.4-84.2
Some Post-H.S.	2822	1,470,223	542	13.5	12.1-14.9	2280	86.5	85.1-87.9
College Graduate	3446	1,006,580	336	6.3	05.5-07.1	3110	93.7	92.9-94.5
Less than \$15,000	1109	511,720	505	35.9	32.2-39.6	604	64.1	60.4-67.8
\$15,000- 24,999	1774	784,222	554	24.9	22.2-27.6	1220	75.1	72.4-77.8
\$25,000- 34,999	1155	494,954	213	13.5	11.1-15.9	942	86.5	84.1-88.9
\$35,000- 49,999	1484	654,279	232	12.4	10.4-14.4	1252	87.6	85.6-89.6
\$50,000- 74,999	1497	683,620	159	7.1	05.7-08.5	1338	92.9	91.5-94.3
\$75,000+	2481	1,056,789	145	4.9	03.9-05.9	2336	95.1	94.1-96.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 73: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4481	2,341,882	649	12.1	10.9-13.3	3832	87.9	86.7-89.1
18-24	301	337,342	4	1.0	00.0-02.0	297	99.0	98.0-100.0
25-34	366	395,624	25	6.2	03.5-08.9	341	93.8	91.1-96.5
35-44	525	390,367	35	9.1	05.6-12.6	490	90.9	87.4-94.4
45-54	788	418,289	106	14.5	11.6-17.4	682	85.5	82.6-88.4
55-64	1055	381,451	198	20.2	17.1-23.3	857	79.8	76.7-82.9
65+	1404	400,018	279	20.6	17.9-23.3	1125	79.4	76.7-82.1
Less Than H.S.	382	331,732	106	22.6	17.5-27.7	276	77.4	72.3-82.5
H.S. or G.E.D.	1479	833,211	266	13.2	11.4-15.0	1213	86.8	85.0-88.6
Some Post-H.S.	1062	658,962	150	10.6	08.6-12.6	912	89.4	87.4-91.4
College Graduate	1545	511,224	126	5.6	04.4-06.8	1419	94.4	93.2-95.6
Less than \$15,000	355	188,325	142	36.2	29.9-42.5	213	63.8	57.5-70.1
\$15,000- 24,999	582	340,642	157	22.5	18.0-27.0	425	77.5	73.0-82.0
\$25,000- 34,999	459	247,198	69	11.4	08.3-14.5	390	88.6	85.5-91.7
\$35,000- 49,999	654	343,101	95	11.5	08.8-14.2	559	88.5	85.8-91.2
\$50,000- 74,999	719	372,857	67	6.3	04.5-08.1	652	93.7	91.9-95.5
\$75,000+	1231	596,159	52	3.3	02.1-04.5	1179	96.7	95.5-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 74: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6544	2,457,254	1467	17.8	16.6-19.0	5077	82.2	81.0-83.4
18-24	249	321,564	8	3.8	01.1-06.5	241	96.2	93.5-98.9
25-34	462	382,199	28	6.3	03.8-08.8	434	93.7	91.2-96.2
35-44	702	393,495	67	11.3	08.4-14.2	635	88.7	85.8-91.6
45-54	1026	420,442	197	21.3	18.2-24.4	829	78.7	75.6-81.8
55-64	1446	398,411	360	25.6	22.9-28.3	1086	74.4	71.7-77.1
65+	2574	517,315	792	31.3	28.9-33.7	1782	68.7	66.3-71.1
Less Than H.S.	584	331,028	240	30.3	25.8-34.8	344	69.7	65.2-74.2
H.S. or G.E.D.	2281	815,777	619	21.3	19.1-23.5	1662	78.7	76.5-80.9
Some Post-H.S.	1760	811,260	392	15.8	13.8-17.8	1368	84.2	82.2-86.2
College Graduate	1901	495,356	210	6.9	05.7-08.1	1691	93.1	91.9-94.3
Less than \$15,000	754	323,395	363	35.7	31.2-40.2	391	64.3	59.8-68.8
\$15,000- 24,999	1192	443,580	397	26.8	23.5-30.1	795	73.2	69.9-76.5
\$25,000- 34,999	696	247,755	144	15.6	12.3-18.9	552	84.4	81.1-87.7
\$35,000- 49,999	830	311,178	137	13.4	10.5-16.3	693	86.6	83.7-89.5
\$50,000- 74,999	778	310,763	92	8.1	06.1-10.1	686	91.9	89.9-93.9
\$75,000+	1250	460,630	93	6.9	05.1-08.7	1157	93.1	91.3-94.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 75: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11041	4,799,619	507	3.9	03.5-04.3	10534	96.1	95.7-96.5
Male	4483	2,340,880	188	3.7	02.9-04.5	4295	96.3	95.5-97.1
Female	6558	2,458,739	319	4.2	03.6-04.8	6239	95.8	95.2-96.4
18-24	549	657,923	3	0.4	00.0-01.0	546	99.6	99.0-100.0
25-34	828	777,301	13	1.7	00.7-02.7	815	98.3	97.3-99.3
35-44	1226	782,450	40	4.0	02.4-05.6	1186	96.0	94.4-97.6
45-54	1814	838,007	93	5.7	04.3-07.1	1721	94.3	92.9-95.7
55-64	2502	781,508	135	5.4	04.4-06.4	2367	94.6	93.6-95.6
65+	3996	920,004	220	5.5	04.5-06.5	3776	94.5	93.5-95.5
Less Than H.S.	965	661,044	83	6.3	04.5-08.1	882	93.7	91.9-95.5
H.S. or G.E.D.	3766	1,650,768	224	4.5	03.7-05.3	3542	95.5	94.7-96.3
Some Post-H.S.	2826	1,470,175	126	3.9	03.1-04.7	2700	96.1	95.3-96.9
College Graduate	3454	1,007,337	73	1.5	01.1-01.9	3381	98.5	98.1-98.9
Less than \$15,000	1112	510,570	150	11.5	09.1-13.9	962	88.5	86.1-90.9
\$15,000- 24,999	1769	782,290	136	6.6	05.0-08.2	1633	93.4	91.8-95.0
\$25,000- 34,999	1160	495,999	32	2.1	01.3-02.9	1128	97.9	97.1-98.7
\$35,000- 49,999	1488	654,918	48	2.8	01.6-04.0	1440	97.2	96.0-98.4
\$50,000- 74,999	1497	681,681	35	2.0	01.2-02.8	1462	98.0	97.2-98.8
\$75,000+	2481	1,056,139	36	1.5	00.9-02.1	2445	98.5	97.9-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 76: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4483	2,340,880	188	3.7	02.9-04.5	4295	96.3	95.5-97.1
18-24	300	336,359	3	0.9	00.0-01.9	297	99.1	98.1-0100
25-34	365	393,496	4	1.1	00.0-02.5	361	98.9	97.5-0100
35-44	526	390,840	18	4.4	02.0-06.8	508	95.6	93.2-98.0
45-54	789	418,111	43	5.4	03.6-07.2	746	94.6	92.8-96.4
55-64	1056	382,681	53	5.2	03.6-06.8	1003	94.8	93.2-96.4
65+	1405	400,602	66	4.7	03.3-06.1	1339	95.3	93.9-96.7
Less Than H.S.	381	329,548	33	6.8	03.9-09.7	348	93.2	90.3-96.1
H.S. or G.E.D.	1480	833,546	77	3.8	02.8-04.8	1403	96.2	95.2-97.2
Some Post-H.S.	1062	659,447	53	4.1	02.7-05.5	1009	95.9	94.5-97.3
College Graduate	1547	511,587	24	1.0	00.4-01.6	1523	99.0	98.4-99.6
Less than \$15,000	355	187,923	56	12.8	08.9-16.7	299	87.2	83.3-91.1
\$15,000- 24,999	578	339,195	47	7.1	04.4-09.8	531	92.9	90.2-95.6
\$25,000- 34,999	460	247,877	12	2.1	00.7-03.5	448	97.9	96.5-99.3
\$35,000- 49,999	655	343,275	19	2.3	00.9-03.7	636	97.7	96.3-99.1
\$50,000- 74,999	719	370,993	16	1.7	00.7-02.7	703	98.3	97.3-99.3
\$75,000+	1232	596,298	14	1.4	00.4-02.4	1218	98.6	97.6-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

TABLE 77: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6558	2,458,739	319	4.2	03.6-04.8	6239	95.8	95.2-96.4
18-24	249	321,564				249	100.0	0100-0100
25-34	463	383,805	9	2.3	00.7-03.9	454	97.7	96.1-99.3
35-44	700	391,610	22	3.5	01.7-05.3	678	96.5	94.7-98.3
45-54	1025	419,895	50	6.0	04.0-08.0	975	94.0	92.0-96.0
55-64	1446	398,827	82	5.5	04.1-06.9	1364	94.5	93.1-95.9
65+	2591	519,402	154	6.2	04.8-07.6	2437	93.8	92.4-95.2
Less Than H.S.	584	331,496	50	5.8	03.8-07.8	534	94.2	92.2-96.2
H.S. or G.E.D.	2286	817,222	147	5.3	04.1-06.5	2139	94.7	93.5-95.9
Some Post-H.S.	1764	810,729	73	3.7	02.5-04.9	1691	96.3	95.1-97.5
College Graduate	1907	495,750	49	2.0	01.4-02.6	1858	98.0	97.4-98.6
Less than \$15,000	757	322,648	94	10.7	07.8-13.6	663	89.3	86.4-92.2
\$15,000- 24,999	1191	443,095	89	6.2	04.4-08.0	1102	93.8	92.0-95.6
\$25,000- 34,999	700	248,122	20	2.1	01.1-03.1	680	97.9	96.9-98.9
\$35,000- 49,999	833	311,643	29	3.4	01.6-05.2	804	96.6	94.8-98.4
\$50,000- 74,999	778	310,688	19	2.2	01.0-03.4	759	97.8	96.6-99.0
\$75,000+	1249	459,841	22	1.5	00.7-02.3	1227	98.5	97.7-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 78: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11005	4,788,626	915	7.6	07.0-08.2	10090	92.4	91.8-93.0
Male	4473	2,335,800	269	6.0	05.0-07.0	4204	94.0	93.0-95.0
Female	6532	2,452,827	646	9.1	08.1-10.1	5886	90.9	89.9-91.9
18-24	549	657,923	18	3.6	01.8-05.4	531	96.4	94.6-98.2
25-34	824	773,727	46	6.6	04.4-08.8	778	93.4	91.2-95.6
35-44	1225	782,645	75	6.9	05.1-08.7	1150	93.1	91.3-94.9
45-54	1811	837,573	166	9.7	08.1-11.3	1645	90.3	88.7-91.9
55-64	2502	780,517	218	8.7	07.3-10.1	2284	91.3	89.9-92.7
65+	3968	913,816	388	9.4	08.2-10.6	3580	90.6	89.4-91.8
Less Than H.S.	960	657,822	164	14.8	11.9-17.7	796	85.2	82.3-88.1
H.S. or G.E.D.	3750	1,645,813	389	8.1	07.1-09.1	3361	91.9	90.9-92.9
Some Post-H.S.	2822	1,470,375	234	7.2	06.0-08.4	2588	92.8	91.6-94.0
College Graduate	3443	1,004,139	125	2.8	02.0-03.6	3318	97.2	96.4-98.0
Less than \$15,000	1109	510,049	275	21.2	18.1-24.3	834	78.8	75.7-81.9
\$15,000- 24,999	1762	781,573	244	13.3	11.1-15.5	1518	86.7	84.5-88.9
\$25,000- 34,999	1158	495,330	91	6.8	04.6-09.0	1067	93.2	91.0-95.4
\$35,000- 49,999	1484	653,956	86	6.0	04.4-07.6	1398	94.0	92.4-95.6
\$50,000- 74,999	1497	681,452	56	3.9	02.5-05.3	1441	96.1	94.7-97.5
\$75,000+	2479	1,053,993	38	1.3	00.7-01.9	2441	98.7	98.1-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 79: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4473	2,335,800	269	6.0	05.0-07.0	4204	94.0	93.0-95.0
18-24	300	336,359	8	2.4	00.6-04.2	292	97.6	95.8-99.4
25-34	362	390,298	15	5.7	02.6-08.8	347	94.3	91.2-97.4
35-44	525	390,299	28	6.1	03.4-08.8	497	93.9	91.2-96.6
45-54	789	417,769	62	7.8	05.6-10.0	727	92.2	90.0-94.4
55-64	1058	383,102	73	7.4	05.4-09.4	985	92.6	90.6-94.6
65+	1397	399,181	82	6.3	04.5-08.1	1315	93.7	91.9-95.5
Less Than H.S.	381	328,690	52	12.4	08.1-16.7	329	87.6	83.3-91.9
H.S. or G.E.D.	1474	830,907	109	5.8	04.4-07.2	1365	94.2	92.8-95.6
Some Post-H.S.	1064	659,868	71	6.4	04.4-08.4	993	93.6	91.6-95.6
College Graduate	1541	509,582	36	1.9	00.9-02.9	1505	98.1	97.1-99.1
Less than \$15,000	356	188,478	81	20.8	15.7-25.9	275	79.2	74.1-84.3
\$15,000- 24,999	576	338,491	73	13.0	09.1-16.9	503	87.0	83.1-90.9
\$25,000- 34,999	460	247,877	26	6.1	02.6-09.6	434	93.9	90.4-97.4
\$35,000- 49,999	653	342,800	35	6.0	03.5-08.5	618	94.0	91.5-96.5
\$50,000- 74,999	719	370,993	20	2.2	01.2-03.2	699	97.8	96.8-98.8
\$75,000+	1230	593,766	10	0.7	00.1-01.3	1220	99.3	98.7-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 8: DEMOGRAPHICS**

**TABLE 80: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6532	2,452,827	646	9.1	08.1-10.1	5886	90.9	89.9-91.9
18-24	249	321,564	10	4.8	01.7-07.9	239	95.2	92.1-98.3
25-34	462	383,429	31	7.5	04.6-10.4	431	92.5	89.6-95.4
35-44	700	392,345	47	7.8	05.4-10.2	653	92.2	89.8-94.6
45-54	1022	419,804	104	11.5	09.0-14.0	918	88.5	86.0-91.0
55-64	1444	397,414	145	9.9	08.1-11.7	1299	90.1	88.3-91.9
65+	2571	514,635	306	11.7	09.9-13.5	2265	88.3	86.5-90.1
Less Than H.S.	579	329,131	112	17.1	13.2-21.0	467	82.9	79.0-86.8
H.S. or G.E.D.	2276	814,906	280	10.4	08.8-12.0	1996	89.6	88.0-91.2
Some Post-H.S.	1758	810,507	163	7.8	06.2-09.4	1595	92.2	90.6-93.8
College Graduate	1902	494,557	89	3.7	02.7-04.7	1813	96.3	95.3-97.3
Less than \$15,000	753	321,570	194	21.4	17.5-25.3	559	78.6	74.7-82.5
\$15,000- 24,999	1186	443,083	171	13.5	11.0-16.0	1015	86.5	84.0-89.0
\$25,000- 34,999	698	247,454	65	7.6	05.1-10.1	633	92.4	89.9-94.9
\$35,000- 49,999	831	311,156	51	5.9	03.7-08.1	780	94.1	91.9-96.3
\$50,000- 74,999	778	310,459	36	5.9	03.2-08.6	742	94.1	91.4-96.8
\$75,000+	1249	460,227	28	2.2	01.2-03.2	1221	97.8	96.8-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014**

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	169
2 MALES ONLY	170
3 FEMALES ONLY	171
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	172
5 MALES ONLY	173
6 FEMALES ONLY	174
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7 MALES AND FEMALES	175
8 MALES ONLY	176
9 FEMALES ONLY	177
HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10 MALES AND FEMALES	178
11 MALES ONLY	179
12 FEMALES ONLY	180
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13 MALES AND FEMALES	181
14 MALES ONLY	182
15 FEMALES ONLY	183

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10995	4,783,281	5065	47.0	45.6-48.4	5930	53.0	51.6-54.4
Male	4471	2,335,002	2368	52.3	50.3-54.3	2103	47.7	45.7-49.7
Female	6524	2,448,279	2697	42.0	40.2-43.8	3827	58.0	56.2-59.8
White/Non-Hisp	9598	3,909,661	4477	48.8	47.4-50.2	5121	51.2	49.8-52.6
Black or Afr. Am./Non-Hisp	597	401,976	256	42.1	37.0-47.2	341	57.9	52.8-63.0
Oth. Race/Non-Hisp.	216	97,746	83	29.9	21.9-37.9	133	70.1	62.1-78.1
MultiRacial/Non-Hisp.	130	55,031	70	55.7	44.3-67.1	60	44.3	32.9-55.7
Hispanic	294	254,825	99	31.8	25.7-37.9	195	68.2	62.1-74.3
18-24	547	655,912	141	28.7	24.4-33.0	406	71.3	67.0-75.6
25-34	827	776,394	363	47.4	43.5-51.3	464	52.6	48.7-56.5
35-44	1221	779,138	514	47.1	43.8-50.4	707	52.9	49.6-56.2
45-54	1806	836,216	857	52.1	49.4-54.8	949	47.9	45.2-50.6
55-64	2499	779,462	1221	51.7	49.3-54.1	1278	48.3	45.9-50.7
65+	3972	914,910	1925	51.6	49.6-53.6	2047	48.4	46.4-50.4
Less Than H.S.	958	657,052	601	62.5	58.4-66.6	357	37.5	33.4-41.6
H.S. or G.E.D.	3752	1,645,685	1944	53.0	50.8-55.2	1808	47.0	44.8-49.2
Some Post-H.S.	2821	1,468,201	1376	46.0	43.6-48.4	1445	54.0	51.6-56.4
College Graduate	3434	1,002,048	1131	28.5	26.5-30.5	2303	71.5	69.5-73.5
Less than \$15,000	1110	508,682	661	62.1	58.2-66.0	449	37.9	34.0-41.8
\$15,000- 24,999	1766	781,419	953	55.5	52.2-58.8	813	44.5	41.2-47.8
\$25,000- 34,999	1156	494,540	600	51.7	47.6-55.8	556	48.3	44.2-52.4
\$35,000- 49,999	1482	653,070	704	49.5	46.2-52.8	778	50.5	47.2-53.8
\$50,000- 74,999	1494	680,933	673	44.9	41.6-48.2	821	55.1	51.8-58.4
\$75,000+	2473	1,053,439	868	35.7	33.2-38.2	1605	64.3	61.8-66.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

**TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4471	2,335,002	2368	52.3	50.3-54.3	2103	47.7	45.7-49.7
White/Non-Hisp	3887	1,903,231	2083	53.4	51.4-55.4	1804	46.6	44.6-48.6
Black or Afr. Am./Non-Hisp	227	190,557	108	47.1	39.1-55.1	119	52.9	44.9-60.9
Oth. Race/Non-Hisp.	113	60,710	46	33.4	22.4-44.4	67	66.6	55.6-77.6
MultiRacial/Non-Hisp.	51	27,190	32	64.6	48.1-81.1	19	35.4	18.9-51.9
Hispanic	121	121,396	56	45.5	35.5-55.5	65	54.5	44.5-64.5
18-24	299	336,088	80	29.4	23.7-35.1	219	70.6	64.9-76.3
25-34	364	392,589	167	51.0	45.3-56.7	197	49.0	43.3-54.7
35-44	522	387,560	239	50.9	45.8-56.0	283	49.1	44.0-54.2
45-54	789	418,845	394	55.8	51.7-59.9	395	44.2	40.1-48.3
55-64	1055	381,805	592	58.2	54.7-61.7	463	41.8	38.3-45.3
65+	1402	399,838	881	65.3	62.2-68.4	521	34.7	31.6-37.8
Less Than H.S.	380	328,605	280	72.1	66.2-78.0	100	27.9	22.0-33.8
H.S. or G.E.D.	1478	832,685	919	58.2	55.1-61.3	559	41.8	38.7-44.9
Some Post-H.S.	1063	659,596	588	49.8	46.1-53.5	475	50.2	46.5-53.9
College Graduate	1537	507,362	575	33.0	30.1-35.9	962	67.0	64.1-69.9
Less than \$15,000	354	186,345	230	65.8	59.5-72.1	124	34.2	27.9-40.5
\$15,000- 24,999	579	339,243	379	63.9	58.6-69.2	200	36.1	30.8-41.4
\$25,000- 34,999	460	247,877	287	60.3	54.2-66.4	173	39.7	33.6-45.8
\$35,000- 49,999	653	342,528	376	56.4	51.5-61.3	277	43.6	38.7-48.5
\$50,000- 74,999	719	370,993	366	50.2	45.5-54.9	353	49.8	45.1-54.5
\$75,000+	1227	594,025	489	39.6	36.1-43.1	738	60.4	56.9-63.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6524	2,448,279	2697	42.0	40.2-43.8	3827	58.0	56.2-59.8
White/Non-Hisp	5711	2,006,430	2394	44.4	42.6-46.2	3317	55.6	53.8-57.4
Black or Afr. Am./Non-Hisp	370	211,419	148	37.6	31.3-43.9	222	62.4	56.1-68.7
Oth. Race/Non-Hisp.	103	37,036	37	24.2	13.4-35.0	66	75.8	65.0-86.6
MultiRacial/Non-Hisp.	79	27,840	38	47.1	32.2-62.0	41	52.9	38.0-67.8
Hispanic	173	133,430	43	19.4	12.9-25.9	130	80.6	74.1-87.1
18-24	248	319,824	61	27.9	21.6-34.2	187	72.1	65.8-78.4
25-34	463	383,805	196	43.7	38.6-48.8	267	56.3	51.2-61.4
35-44	699	391,578	275	43.4	39.1-47.7	424	56.6	52.3-60.9
45-54	1017	417,371	463	48.5	45.0-52.0	554	51.5	48.0-55.0
55-64	1444	397,657	629	45.5	42.4-48.6	815	54.5	51.4-57.6
65+	2570	515,072	1044	40.9	38.4-43.4	1526	59.1	56.6-61.6
Less Than H.S.	578	328,446	321	53.0	47.5-58.5	257	47.0	41.5-52.5
H.S. or G.E.D.	2274	813,000	1025	47.7	44.8-50.6	1249	52.3	49.4-55.2
Some Post-H.S.	1758	808,605	788	43.0	39.9-46.1	970	57.0	53.9-60.1
College Graduate	1897	494,685	556	23.9	21.5-26.3	1341	76.1	73.7-78.5
Less than \$15,000	756	322,337	431	60.0	54.9-65.1	325	40.0	34.9-45.1
\$15,000- 24,999	1187	442,175	574	48.9	44.8-53.0	613	51.1	47.0-55.2
\$25,000- 34,999	696	246,663	313	43.0	37.7-48.3	383	57.0	51.7-62.3
\$35,000- 49,999	829	310,542	328	41.9	37.4-46.4	501	58.1	53.6-62.6
\$50,000- 74,999	775	309,939	307	38.6	33.9-43.3	468	61.4	56.7-66.1
\$75,000+	1246	459,414	379	30.6	27.3-33.9	867	69.4	66.1-72.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5048	2,244,871	1426	36.0	34.0-38.0	504	12.8	11.4-14.2	3118	51.2	49.2-53.2
Male	2358	1,217,224	646	34.1	31.6-36.6	205	12.8	10.8-14.8	1507	53.1	50.4-55.8
Female	2690	1,027,648	780	38.2	35.7-40.7	299	12.8	11.0-14.6	1611	48.9	46.4-51.4
White/Non-Hisp	4463	1,902,261	1248	36.6	34.6-38.6	393	10.7	09.3-12.1	2822	52.7	50.7-54.7
Black or Afr. Am./Non-Hisp	255	169,105	81	38.3	30.3-46.3	59	26.2	19.3-33.1	115	35.5	28.2-42.8
Oth. Race/Non-Hisp.	82	29,204	30	36.8	21.9-51.7	11	16.9	02.8-31.0	41	46.3	30.4-62.2
MultiRacial/Non-Hisp.	69	30,606	26	43.9	27.8-60.0	11	18.7	05.8-31.6	32	37.4	22.9-51.9
Hispanic	99	81,040	16	14.1	06.5-21.7	23	30.3	19.1-41.5	60	55.6	44.0-67.2
18-24	140	187,458	80	56.4	47.6-65.2	39	26.3	18.7-33.9	21	17.3	10.0-24.6
25-34	363	367,831	158	46.0	40.1-51.9	60	16.3	12.0-20.6	145	37.6	31.9-43.3
35-44	512	366,407	192	40.9	35.8-46.0	75	16.6	12.5-20.7	245	42.5	37.4-47.6
45-54	855	435,425	355	44.0	40.1-47.9	100	11.9	09.4-14.4	400	44.1	40.2-48.0
55-64	1217	402,478	349	29.5	26.4-32.6	126	11.1	08.9-13.3	742	59.4	56.1-62.7
65+	1917	469,278	282	14.7	12.7-16.7	101	4.1	03.1-05.1	1534	81.2	79.0-83.4
Less Than H.S.	600	410,757	247	49.7	44.4-55.0	72	13.6	09.9-17.3	281	36.7	31.8-41.6
H.S. or G.E.D.	1938	870,824	625	37.8	34.9-40.7	206	13.5	11.3-15.7	1107	48.8	45.9-51.7
Some Post-H.S.	1372	674,073	387	33.4	30.1-36.7	138	12.8	10.3-15.3	847	53.8	50.3-57.3
College Graduate	1125	284,293	161	16.3	13.4-19.2	87	9.7	07.2-12.2	877	74.0	70.5-77.5
Less than \$15,000	661	316,020	265	48.4	43.3-53.5	113	19.2	15.1-23.3	283	32.4	27.7-37.1
\$15,000- 24,999	951	433,220	324	44.3	39.8-48.8	109	13.8	10.5-17.1	518	41.8	37.5-46.1
\$25,000- 34,999	598	254,721	182	35.9	30.6-41.2	59	13.9	09.6-18.2	357	50.2	44.7-55.7
\$35,000- 49,999	700	321,564	183	33.5	28.8-38.2	52	10.1	07.0-13.2	465	56.4	51.5-61.3
\$50,000- 74,999	670	304,295	170	34.3	29.2-39.4	52	10.1	06.8-13.4	448	55.6	50.3-60.9
\$75,000+	863	374,533	146	19.1	15.6-22.6	64	10.4	07.3-13.5	653	70.5	66.4-74.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2358	1,217,224	646	34.1	31.6-36.6	205	12.8	10.8-14.8	1507	53.1	50.4-55.8
White/Non-Hisp	2074	1,013,332	553	34.1	31.4-36.8	152	10.3	08.3-12.3	1369	55.6	52.7-58.5
Black or Afr. Am./Non-Hisp	108	89,846	43	45.2	33.2-57.2	23	25.8	15.4-36.2	42	29.0	19.4-38.6
Hispanic	56	55,200	8	14.7	04.7-24.7	14	29.6	15.7-43.5	34	55.7	41.0-70.4
18-24	79	98,209	41	52.3	40.5-64.1	28	34.9	23.7-46.1	10	12.8	04.8-20.8
25-34	167	200,180	62	41.2	33.0-49.4	29	17.8	11.3-24.3	76	41.0	32.8-49.2
35-44	239	197,260	78	36.3	28.9-43.7	35	17.4	11.3-23.5	126	46.3	38.9-53.7
45-54	392	232,958	169	43.7	37.8-49.6	43	12.2	08.3-16.1	180	44.0	38.3-49.7
55-64	591	222,066	176	31.3	26.6-36.0	42	7.0	04.5-09.5	373	61.7	56.8-66.6
65+	875	258,589	117	14.1	11.2-17.0	26	2.3	01.3-03.3	732	83.5	80.6-86.4
Less Than H.S.	280	236,962	118	48.5	41.1-55.9	24	12.3	07.0-17.6	138	39.2	32.1-46.3
H.S. or G.E.D.	914	483,025	290	36.2	32.3-40.1	94	14.1	11.0-17.2	530	49.8	45.9-53.7
Some Post-H.S.	585	326,716	158	30.2	25.5-34.9	53	13.7	09.8-17.6	374	56.2	51.1-61.3
College Graduate	573	167,062	76	14.3	10.6-18.0	34	8.3	05.0-11.6	463	77.4	72.7-82.1
Less than \$15,000	230	122,530	95	44.5	36.3-52.7	37	23.9	16.5-31.3	98	31.6	24.5-38.7
\$15,000- 24,999	378	216,857	123	42.0	34.9-49.1	43	14.3	09.0-19.6	212	43.6	36.9-50.3
\$25,000- 34,999	286	148,939	85	35.4	28.0-42.8	22	12.0	06.1-17.9	179	52.6	44.8-60.4
\$35,000- 49,999	372	191,310	94	30.9	24.6-37.2	27	9.9	05.4-14.4	251	59.2	52.5-65.9
\$50,000- 74,999	363	184,797	95	33.1	26.6-39.6	22	9.7	05.2-14.2	246	57.2	50.5-63.9
\$75,000+	488	234,975	86	21.2	16.3-26.1	32	10.4	06.3-14.5	370	68.4	62.7-74.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2690	1,027,648	780	38.2	35.7-40.7	299	12.8	11.0-14.6	1611	48.9	46.4-51.4
White/Non-Hisp	2389	888,929	695	39.5	36.8-42.2	241	11.2	09.4-13.0	1453	49.3	46.6-52.0
Black or Afr. Am./Non-Hisp	147	79,258	38	30.5	20.9-40.1	36	26.6	17.6-35.6	73	42.9	32.7-53.1
18-24	61	89,248	39	60.9	47.6-74.2	11	16.8	07.0-26.6	11	22.2	10.0-34.4
25-34	196	167,651	96	51.9	43.9-59.9	31	14.5	09.0-20.0	69	33.6	26.2-41.0
35-44	273	169,147	114	46.3	39.2-53.4	40	15.7	10.6-20.8	119	38.1	31.4-44.8
45-54	463	202,467	186	44.3	39.0-49.6	57	11.5	08.2-14.8	220	44.2	38.9-49.5
55-64	626	180,412	173	27.3	23.2-31.4	84	16.2	12.5-19.9	369	56.5	51.8-61.2
65+	1042	210,689	165	15.3	12.6-18.0	75	6.4	04.6-08.2	802	78.3	75.4-81.2
Less Than H.S.	320	173,795	129	51.3	44.0-58.6	48	15.4	10.3-20.5	143	33.2	26.7-39.7
H.S. or G.E.D.	1024	387,799	335	39.8	35.5-44.1	112	12.7	09.8-15.6	577	47.5	43.4-51.6
Some Post-H.S.	787	347,357	229	36.4	31.9-40.9	85	12.1	09.0-15.2	473	51.5	46.8-56.2
College Graduate	552	117,231	85	19.1	14.4-23.8	53	11.6	07.9-15.3	414	69.2	63.9-74.5
Less than \$15,000	431	193,490	170	50.9	44.2-57.6	76	16.2	11.7-20.7	185	32.9	26.8-39.0
\$15,000- 24,999	573	216,364	201	46.7	41.0-52.4	66	13.4	09.5-17.3	306	40.0	34.7-45.3
\$25,000- 34,999	312	105,782	97	36.6	29.2-44.0	37	16.6	10.1-23.1	178	46.8	39.4-54.2
\$35,000- 49,999	328	130,254	89	37.3	30.2-44.4	25	10.3	05.8-14.8	214	52.4	45.3-59.5
\$50,000- 74,999	307	119,499	75	36.2	27.8-44.6	30	10.7	05.8-15.6	202	53.1	44.9-61.3
\$75,000+	375	139,558	60	15.5	11.2-19.8	32	10.4	05.7-15.1	283	74.1	68.2-80.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1922	1,090,514	1055	58.4	55.5-61.3	867	41.6	38.7-44.5
Male	847	567,492	430	55.3	51.0-59.6	417	44.7	40.4-49.0
Female	1075	523,021	625	61.7	58.0-65.4	450	38.3	34.6-42.0
White/Non-Hisp	1635	897,742	862	56.1	53.0-59.2	773	43.9	40.8-47.0
Black or Afr. Am./Non-Hisp	140	109,028	105	69.5	59.1-79.9	35	30.5	20.1-40.9
18-24	119	155,027	77	63.8	54.6-73.0	42	36.2	27.0-45.4
25-34	217	228,678	139	65.1	58.0-72.2	78	34.9	27.8-42.0
35-44	266	208,692	153	61.0	53.9-68.1	113	39.0	31.9-46.1
45-54	454	242,477	246	52.4	46.9-57.9	208	47.6	42.1-53.1
55-64	472	162,581	256	57.2	51.7-62.7	216	42.8	37.3-48.3
65+	381	88,024	178	44.1	38.0-50.2	203	55.9	49.8-62.0
Less Than H.S.	317	258,087	182	58.7	51.8-65.6	135	41.3	34.4-48.2
H.S. or G.E.D.	828	444,667	429	56.0	51.7-60.3	399	44.0	39.7-48.3
Some Post-H.S.	525	311,621	315	62.1	57.0-67.2	210	37.9	32.8-43.0
College Graduate	245	72,797	124	55.1	47.1-63.1	121	44.9	36.9-52.9
Less than \$15,000	378	213,653	250	64.5	58.2-70.8	128	35.5	29.2-41.8
\$15,000- 24,999	431	251,475	237	59.7	53.4-66.0	194	40.3	34.0-46.6
\$25,000- 34,999	240	126,706	123	54.4	46.2-62.6	117	45.6	37.4-53.8
\$35,000- 49,999	234	139,903	114	52.8	44.8-60.8	120	47.2	39.2-55.2
\$50,000- 74,999	221	133,053	110	57.0	48.6-65.4	111	43.0	34.6-51.4
\$75,000+	209	110,317	107	54.5	45.7-63.3	102	45.5	36.7-54.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	847	567,492	430	55.3	51.2-59.4	417	44.7	40.6-48.8
White/Non-Hisp	702	449,075	336	51.6	46.9-56.3	366	48.4	43.7-53.1
Black or Afr. Am./Non-Hisp	66	63,781	49	69.0	53.9-84.1	17	31.0	15.9-46.1
18-24	69	85,633	46	65.9	53.9-77.9	23	34.1	22.1-46.1
25-34	91	118,096	56	61.6	50.8-72.4	35	38.4	27.6-49.2
35-44	112	103,916	62	57.4	46.4-68.4	50	42.6	31.6-53.6
45-54	212	130,360	110	51.1	43.1-59.1	102	48.9	40.9-56.9
55-64	215	84,185	100	50.4	42.2-58.6	115	49.6	41.4-57.8
65+	143	42,573	55	35.1	25.9-44.3	88	64.9	55.7-74.1
Less Than H.S.	141	142,068	80	59.7	49.7-69.7	61	40.3	30.3-50.3
H.S. or G.E.D.	382	241,825	182	52.4	46.3-58.5	200	47.6	41.5-53.7
Some Post-H.S.	211	143,183	119	57.8	49.6-66.0	92	42.2	34.0-50.4
College Graduate	109	37,683	47	48.4	36.1-60.7	62	51.6	39.3-63.9
Less than \$15,000	132	83,791	82	63.9	54.1-73.7	50	36.1	26.3-45.9
\$15,000- 24,999	165	121,631	86	57.9	47.7-68.1	79	42.1	31.9-52.3
\$25,000- 34,999	106	70,392	51	48.9	36.9-60.9	55	51.1	39.1-63.1
\$35,000- 49,999	121	78,098	57	49.4	38.0-60.8	64	50.6	39.2-62.0
\$50,000- 74,999	116	76,986	54	56.6	45.6-67.6	62	43.4	32.4-54.4
\$75,000+	117	74,164	57	52.0	40.6-63.4	60	48.0	36.6-59.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1075	523,021	625	61.7	58.0-65.4	450	38.3	34.6-42.0
White/Non-Hisp	933	448,667	526	60.6	56.5-64.7	407	39.4	35.3-43.5
Black or Afr. Am./Non-Hisp	74	45,247	56	70.1	56.8-83.4	18	29.9	16.6-43.2
18-24	50	69,394	31	61.3	46.8-75.8	19	38.7	24.2-53.2
25-34	126	110,582	83	68.8	59.8-77.8	43	31.2	22.2-40.2
35-44	154	104,776	91	64.5	56.1-72.9	63	35.5	27.1-43.9
45-54	242	112,118	136	54.0	46.7-61.3	106	46.0	38.7-53.3
55-64	257	78,396	156	64.4	57.5-71.3	101	35.6	28.7-42.5
65+	238	45,451	123	52.6	44.8-60.4	115	47.4	39.6-55.2
Less Than H.S.	176	116,019	102	57.6	48.4-66.8	74	42.4	33.2-51.6
H.S. or G.E.D.	446	202,841	247	60.3	54.2-66.4	199	39.7	33.6-45.8
Some Post-H.S.	314	168,438	196	65.8	59.3-72.3	118	34.2	27.7-40.7
College Graduate	136	35,114	77	62.3	52.1-72.5	59	37.7	27.5-47.9
Less than \$15,000	246	129,862	168	64.8	56.6-73.0	78	35.2	27.0-43.4
\$15,000- 24,999	266	129,844	151	61.4	53.8-69.0	115	38.6	31.0-46.2
\$25,000- 34,999	134	56,313	72	61.3	50.9-71.7	62	38.7	28.3-49.1
\$35,000- 49,999	113	61,805	57	57.0	46.0-68.0	56	43.0	32.0-54.0
\$50,000- 74,999	105	56,068	56	57.6	44.3-70.9	49	42.4	29.1-55.7
\$75,000+	92	36,154	50	59.8	47.5-72.1	42	40.2	27.9-52.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3104	1,146,940	309	14.1	12.3-15.9	393	17.3	15.3-19.3	306	10.6	09.0-12.2	1973	53.8	51.4-56.2	123	4.1	03.1-05.1
Male	1500	645,100	133	12.1	09.7-14.5	187	17.5	14.6-20.4	138	10.9	08.7-13.1	989	56.2	52.9-59.5	53	3.3	02.1-04.5
Female	1604	501,841	176	16.8	13.9-19.7	206	16.9	14.2-19.6	168	10.3	08.3-12.3	984	50.8	47.5-54.1	70	5.2	03.2-07.2
White/Non-Hisp	2812	1,000,308	264	13.7	11.7-15.7	348	17.1	14.9-19.3	281	10.6	09.0-12.2	1805	54.4	51.9-56.9	114	4.3	03.1-05.5
Black or Afr. Am./Non-Hisp	113	59,280	15	9.8	04.3-15.3	20	26.0	14.4-37.6	9	8.5	01.6-15.4	65	50.9	38.9-62.9	4	4.7	00.0-09.8
Hispanic	59	44,888	11	24.5	11.2-37.8	7	15.2	03.6-26.8	10	18.8	06.6-31.0	28	38.1	24.0-52.2	3	3.5	00.0-07.8
25-34	143	137,538	51	33.1	24.5-41.7	55	41.1	31.7-50.5	20	14.0	07.5-20.5	12	9.5	03.6-15.4	5	2.3	00.3-04.3
35-44	245	155,677	45	17.3	12.0-22.6	61	23.2	17.3-29.1	41	17.1	11.6-22.6	88	38.9	31.6-46.2	10	3.6	01.1-06.1
45-54	400	192,123	58	12.3	08.8-15.8	84	23.0	17.9-28.1	52	13.1	09.2-17.0	187	46.1	40.2-52.0	19	5.6	02.9-08.3
55-64	739	238,489	84	12.6	09.7-15.5	91	12.0	09.1-14.9	83	11.3	08.6-14.0	457	60.7	56.4-65.0	24	3.4	01.8-05.0
65+	1526	379,915	54	4.0	02.6-05.4	96	6.4	04.8-08.0	108	5.8	04.4-07.2	1208	80.0	77.5-82.5	60	3.8	02.6-05.0
Less Than H.S.	278	150,019	31	15.8	09.5-22.1	37	16.6	10.5-22.7	32	13.4	07.7-19.1	169	51.4	43.6-59.2	9	2.8	00.6-05.0
H.S. or G.E.D.	1103	423,997	116	13.9	11.0-16.8	139	17.4	14.1-20.7	113	10.0	07.8-12.2	701	55.2	51.3-59.1	34	3.5	01.9-05.1
Some Post-H.S.	844	361,985	91	14.8	11.5-18.1	109	16.9	13.0-20.8	91	11.7	08.8-14.6	516	51.7	47.2-56.2	37	4.9	02.5-07.3
College Graduate	873	209,356	71	12.2	09.1-15.3	106	17.9	14.2-21.6	70	8.1	05.6-10.6	583	56.5	52.0-61.0	43	5.3	03.3-07.3
Less than \$15,000	282	102,091	53	25.1	17.7-32.5	39	17.6	11.1-24.1	32	10.0	04.9-15.1	144	40.7	32.9-48.5	14	6.6	00.3-12.9
\$15,000- 24,999	513	180,641	47	14.2	09.7-18.7	61	14.0	09.7-18.3	45	9.0	05.5-12.5	337	59.6	53.7-65.5	23	3.1	01.5-04.7
\$25,000- 34,999	356	127,104	30	10.3	06.0-14.6	43	19.5	12.1-26.9	49	14.0	08.9-19.1	222	52.0	44.4-59.6	12	4.3	01.4-07.2
\$35,000- 49,999	464	181,280	40	11.9	07.6-16.2	64	20.0	14.5-25.5	45	10.9	07.0-14.8	300	54.5	48.4-60.6	15	2.8	00.8-04.8
\$50,000- 74,999	447	169,057	40	11.6	07.5-15.7	63	19.1	13.6-24.6	45	10.6	07.1-14.1	284	54.8	48.7-60.9	15	3.9	01.5-06.3
\$75,000+	653	264,110	69	14.3	10.4-18.2	90	18.1	14.0-22.2	67	12.0	08.7-15.3	393	50.0	45.1-54.9	34	5.6	03.2-08.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1500	645,100	133	12.1	09.7-14.5	187	17.5	14.6-20.4	138	10.9	08.7-13.1	989	56.2	52.9-59.5	53	3.3	02.1-04.5
White/Non-Hisp	1364	562,583	114	11.7	09.2-14.2	167	17.5	14.6-20.4	126	10.8	08.6-13.0	905	56.5	53.0-60.0	52	3.6	02.4-04.8
25-34	74	81,165	20	25.7	14.9-36.5	32	44.5	31.4-57.6	10	15.0	06.0-24.0	9	12.6	03.6-21.6	3	2.1	00.0-04.6
35-44	126	91,306	20	14.9	07.8-22.0	33	22.7	14.9-30.5	22	19.1	11.1-27.1	45	40.5	30.5-50.5	6	2.9	00.4-05.4
45-54	180	102,599	23	10.7	06.0-15.4	43	24.8	17.2-32.4	23	13.5	07.6-19.4	84	46.4	37.8-55.0	7	4.6	00.7-08.5
55-64	371	136,747	36	11.8	07.7-15.9	42	10.9	07.0-14.8	39	10.8	06.9-14.7	241	63.3	57.4-69.2	13	3.2	01.0-05.4
65+	730	215,667	24	2.9	01.5-04.3	34	5.6	03.4-07.8	44	5.6	03.6-07.6	604	82.2	78.7-85.7	24	3.7	01.9-05.5
Less Than H.S.	138	92,856	14	12.2	05.3-19.1	16	16.6	08.2-25.0	17	17.0	08.4-25.6	88	51.9	41.5-62.3	3	2.2	00.0-05.1
H.S. or G.E.D.	528	240,062	41	11.3	07.4-15.2	69	17.0	12.7-21.3	53	10.3	07.2-13.4	354	58.8	53.5-64.1	11	2.6	00.8-04.4
Some Post-H.S.	372	183,195	40	13.2	08.5-17.9	47	18.9	12.6-25.2	40	10.8	06.9-14.7	231	53.7	47.0-60.4	14	3.5	01.3-05.7
College Graduate	460	128,259	38	12.0	07.9-16.1	53	16.7	11.8-21.6	28	7.9	04.4-11.4	316	58.1	52.2-64.0	25	5.2	02.8-07.6
Less than \$15,000	98	38,739	16	20.5	10.3-30.7	15	18.6	08.2-29.0	9	8.7	01.1-16.3	54	48.9	36.2-61.6	4	3.4	00.0-07.7
\$15,000- 24,999	210	94,439	13	10.0	03.9-16.1	18	12.5	05.8-19.2	18	11.0	04.9-17.1	154	64.4	55.4-73.4	7	2.2	00.2-04.2
\$25,000- 34,999	178	77,635	12	8.3	02.8-13.8	21	20.0	09.4-30.6	18	11.6	04.9-18.3	122	57.3	46.5-68.1	5	2.9	00.0-06.2
\$35,000- 49,999	251	113,212	22	11.4	05.7-17.1	33	19.0	11.7-26.3	23	11.0	05.5-16.5	165	55.9	47.7-64.1	8	2.7	00.2-05.2
\$50,000- 74,999	245	105,626	16	8.8	03.5-14.1	37	21.5	14.1-28.9	24	10.3	05.8-14.8	159	54.6	46.6-62.6	9	4.8	01.5-08.1
\$75,000+	370	160,705	43	16.5	11.2-21.8	50	16.7	11.6-21.8	37	11.8	07.5-16.1	221	50.3	43.8-56.8	19	4.6	02.1-07.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1604	501,841	176	16.8	13.9-19.7	206	16.9	14.2-19.6	168	10.3	08.3-12.3	984	50.8	47.5-54.1	70	5.2	03.2-07.2
White/Non-Hisp	1448	437,725	150	16.3	13.2-19.4	181	16.5	13.6-19.4	155	10.3	08.3-12.3	900	51.8	48.3-55.3	62	5.1	03.1-07.1
Black or Afr. Am./Non-Hisp	72	33,938	10	10.8	03.2-18.4	14	28.2	13.3-43.1	5	9.1	00.0-19.7	40	47.0	31.7-62.3	3	4.9	00.0-11.4
25-34	69	56,373	31	43.8	30.7-56.9	23	36.2	23.5-48.9	10	12.4	04.2-20.6	3	5.1	00.0-11.0	2	2.5	00.0-06.0
35-44	119	64,370	25	20.6	12.4-28.8	28	24.0	14.8-33.2	19	14.2	07.5-20.9	43	36.6	26.4-46.8	4	4.5	00.0-09.2
45-54	220	89,524	35	14.0	09.1-18.9	41	21.0	14.3-27.7	29	12.6	07.7-17.5	103	45.6	38.0-53.2	12	6.8	02.7-10.9
55-64	368	101,741	48	13.7	09.6-17.8	49	13.5	09.4-17.6	44	12.0	08.3-15.7	216	57.3	51.2-63.4	11	3.5	01.1-05.9
65+	796	164,248	30	5.4	03.0-07.8	62	7.6	05.2-10.0	64	6.1	04.3-07.9	604	77.0	73.3-80.7	36	3.9	02.3-05.5
Less Than H.S.	140	57,163	17	21.7	10.3-33.1	21	16.6	08.6-24.6	15	7.5	03.2-11.8	81	50.6	39.4-61.8	6	3.6	00.1-07.1
H.S. or G.E.D.	575	183,935	75	17.3	12.8-21.8	70	17.9	13.0-22.8	60	9.7	06.8-12.6	347	50.5	45.0-56.0	23	4.6	01.9-07.3
Some Post-H.S.	472	178,790	51	16.5	11.6-21.4	62	14.9	10.4-19.4	51	12.6	08.5-16.7	285	49.6	43.7-55.5	23	6.3	02.2-10.4
College Graduate	413	81,097	33	12.6	07.9-17.3	53	19.6	13.7-25.5	42	8.5	05.4-11.6	267	53.8	47.3-60.3	18	5.4	02.3-08.5
Less than \$15,000	184	63,352	37	27.9	17.7-38.1	24	17.0	08.8-25.2	23	10.8	04.1-17.5	90	35.6	26.2-45.0	10	8.6	00.0-18.4
\$15,000- 24,999	303	86,202	34	18.9	12.2-25.6	43	15.7	10.2-21.2	27	6.8	03.7-09.9	183	54.4	47.0-61.8	16	4.2	01.7-06.7
\$25,000- 34,999	178	49,469	18	13.3	06.4-20.2	22	18.6	08.6-28.6	31	17.8	10.4-25.2	100	43.7	34.1-53.3	7	6.6	01.1-12.1
\$35,000- 49,999	213	68,068	18	12.7	05.8-19.6	31	21.5	13.1-29.9	22	10.9	05.4-16.4	135	52.0	43.0-61.0	7	2.9	00.0-05.8
\$50,000- 74,999	202	63,431	24	16.4	09.7-23.1	26	14.9	07.6-22.2	21	11.2	05.7-16.7	125	55.1	46.3-63.9	6	2.3	00.0-04.8
\$75,000+	283	103,405	26	10.9	06.0-15.8	40	20.2	13.5-26.9	30	12.2	07.1-17.3	172	49.7	42.3-57.1	15	7.0	02.3-11.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10969	4,773,006	151	2.1	01.7-02.5	142	2.0	01.6-02.4	10676	95.8	95.2-96.4
Male	4460	2,329,780	133	3.9	03.1-04.7	116	3.5	02.7-04.3	4211	92.6	91.4-93.8
Female	6509	2,443,226	18	0.4	00.2-00.6	26	0.7	00.3-01.1	6465	98.9	98.5-99.3
White/Non-Hisp	9571	3,898,876	137	2.4	01.8-03.0	119	2.0	01.6-02.4	9315	95.6	95.0-96.2
Black or Afr. Am./Non-Hisp	594	399,217	5	1.0	00.0-02.0	9	1.7	00.3-03.1	580	97.3	95.7-98.9
Oth. Race/Non-Hisp.	216	97,561	2	0.2	00.0-00.6	2	1.6	00.0-03.8	212	98.2	96.0-0100
MultiRacial/Non-Hisp.	130	55,031	2	1.7	00.0-04.8	5	3.3	00.0-07.2	123	95.0	90.1-99.9
Hispanic	296	256,982	1	0.3	00.0-00.9	6	3.1	00.6-05.6	289	96.5	94.0-99.0
18-24	547	656,907	14	2.6	01.2-04.0	22	3.9	02.1-05.7	511	93.5	91.3-95.7
25-34	824	771,447	11	1.5	00.5-02.5	20	2.8	01.4-04.2	793	95.6	93.8-97.4
35-44	1216	776,956	36	4.5	02.9-06.1	31	3.0	01.8-04.2	1149	92.5	90.5-94.5
45-54	1809	836,685	32	2.0	01.2-02.8	22	1.5	00.7-02.3	1755	96.4	95.4-97.4
55-64	2492	778,004	26	1.4	00.8-02.0	20	0.7	00.3-01.1	2446	97.9	97.1-98.7
65+	3957	910,926	31	1.1	00.7-01.5	26	0.8	00.4-01.2	3900	98.1	97.5-98.7
Less Than H.S.	960	659,670	21	2.7	01.3-04.1	24	4.3	02.3-06.3	915	93.0	90.5-95.5
H.S. or G.E.D.	3739	1,640,977	65	2.8	02.0-03.6	50	1.9	01.3-02.5	3624	95.4	94.4-96.4
Some Post-H.S.	2807	1,460,439	45	2.1	01.3-02.9	29	1.5	00.9-02.1	2733	96.4	95.4-97.4
College Graduate	3434	1,001,832	20	0.8	00.4-01.2	38	1.6	01.0-02.2	3376	97.6	96.8-98.4
Less than \$15,000	1107	506,625	12	1.3	00.5-02.1	15	1.9	00.7-03.1	1080	96.8	95.4-98.2
\$15,000- 24,999	1762	780,774	21	2.1	00.9-03.3	28	2.3	01.1-03.5	1713	95.6	93.8-97.4
\$25,000- 34,999	1156	494,772	19	2.2	01.0-03.4	15	2.4	01.0-03.8	1122	95.4	93.6-97.2
\$35,000- 49,999	1471	647,996	18	2.0	01.0-03.0	15	1.3	00.5-02.1	1438	96.7	95.3-98.1
\$50,000- 74,999	1491	678,960	34	3.3	02.1-04.5	24	2.9	01.5-04.3	1433	93.8	92.0-95.6
\$75,000+	2470	1,052,733	29	1.8	01.0-02.6	29	1.7	00.9-02.5	2412	96.5	95.5-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4460	2,329,780	133	3.9	03.1-04.7	116	3.5	02.7-04.3	4211	92.6	91.4-93.8
White/Non-Hisp	3874	1,896,069	121	4.4	03.4-05.4	102	3.6	02.8-04.4	3651	91.9	90.7-93.1
Black or Afr. Am./Non-Hisp	228	190,797	4	1.8	00.0-03.8	5	2.6	00.2-05.0	219	95.6	92.5-98.7
Oth. Race/Non-Hisp.	112	60,486	2	0.4	00.0-01.0	2	2.5	00.0-06.0	108	97.1	93.6-0100
MultiRacial/Non-Hisp.	51	27,190	2	3.5	00.0-09.8	3	2.5	00.0-05.6	46	94.0	87.1-0100
Hispanic	122	122,953	1	0.7	00.0-02.1	4	4.6	00.1-09.1	117	94.7	90.0-99.4
18-24	298	335,343	11	4.2	01.7-06.7	19	6.1	03.4-08.8	268	89.6	85.9-93.3
25-34	362	389,949	10	2.9	01.1-04.7	15	4.7	02.0-07.4	337	92.4	89.3-95.5
35-44	523	388,547	34	8.7	05.6-11.8	27	5.2	02.8-07.6	462	86.1	82.4-89.8
45-54	790	418,966	26	3.3	01.9-04.7	20	2.7	01.3-04.1	744	94.0	92.0-96.0
55-64	1054	382,233	24	2.5	01.3-03.7	15	1.2	00.6-01.8	1015	96.4	95.0-97.8
65+	1393	396,296	27	2.2	01.2-03.2	19	1.4	00.6-02.2	1347	96.3	95.1-97.5
Less Than H.S.	381	330,179	14	4.3	01.6-07.0	14	6.6	02.9-10.3	353	89.2	84.9-93.5
H.S. or G.E.D.	1476	832,222	62	5.3	03.7-06.9	42	3.0	02.0-04.0	1372	91.7	89.9-93.5
Some Post-H.S.	1052	652,696	37	3.9	02.5-05.3	26	3.0	01.6-04.4	989	93.1	91.1-95.1
College Graduate	1538	507,931	20	1.6	00.8-02.4	33	2.9	01.7-04.1	1485	95.5	94.1-96.9
Less than \$15,000	353	186,613	6	1.2	00.0-02.4	9	3.3	00.8-05.8	338	95.5	92.8-98.2
\$15,000- 24,999	578	338,877	15	4.0	01.3-06.7	20	4.4	01.7-07.1	543	91.6	87.9-95.3
\$25,000- 34,999	459	247,679	18	4.2	02.0-06.4	12	3.6	01.2-06.0	429	92.2	89.1-95.3
\$35,000- 49,999	647	338,238	17	3.6	01.6-05.6	14	2.4	01.0-03.8	616	94.0	91.6-96.4
\$50,000- 74,999	716	369,389	32	5.7	03.5-07.9	22	4.3	02.1-06.5	662	90.0	87.1-92.9
\$75,000+	1226	594,302	29	3.2	01.8-04.6	27	2.8	01.6-04.0	1170	94.0	92.2-95.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 9: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6509	2,443,226	18	0.4	00.2-00.6	26	0.7	00.3-01.1	6465	98.9	98.5-99.3
White/Non-Hisp	5697	2,002,808	16	0.5	00.3-00.7	17	0.5	00.1-00.9	5664	99.0	98.6-99.4
Black or Afr. Am./Non-Hisp	366	208,420	1	0.2	00.0-00.6	4	1.0	00.0-02.0	361	98.8	97.6-0100
Oth. Race/Non-Hisp.	104	37,075							104	100.0	0100-0100
MultiRacial/Non-Hisp.	79	27,840				2	4.0	00.0-11.1	77	96.0	88.9-0100
Hispanic	174	134,029				2	1.8	00.0-04.2	172	98.2	95.8-0100
18-24	249	321,564	3	0.9	00.0-01.9	3	1.5	00.0-03.3	243	97.6	95.4-99.8
25-34	462	381,498	1	0.2	00.0-00.6	5	0.9	00.1-01.7	456	98.9	97.9-99.9
35-44	693	388,409	2	0.4	00.0-01.0	4	0.8	00.0-01.6	687	98.9	97.9-99.9
45-54	1019	417,719	6	0.8	00.2-01.4	2	0.4	00.0-01.0	1011	98.9	98.1-99.7
55-64	1438	395,771	2	0.4	00.0-01.0	5	0.3	00.0-00.7	1431	99.3	98.7-99.9
65+	2564	514,630	4	0.2	00.0-00.6	7	0.3	00.0-00.7	2553	99.4	99.0-99.8
Less Than H.S.	579	329,492	7	1.2	00.2-02.2	10	2.0	00.2-03.8	562	96.9	94.9-98.9
H.S. or G.E.D.	2263	808,755	3	0.1	00.0-00.3	8	0.7	00.1-01.3	2252	99.2	98.6-99.8
Some Post-H.S.	1755	807,743	8	0.7	00.1-01.3	3	0.2	00.0-00.6	1744	99.1	98.5-99.7
College Graduate	1896	493,901				5	0.4	00.0-00.8	1891	99.6	99.2-0100
Less than \$15,000	754	320,012	6	1.3	00.1-02.5	6	1.1	00.0-02.3	742	97.5	95.9-99.1
\$15,000- 24,999	1184	441,897	6	0.6	00.0-01.2	8	0.7	00.1-01.3	1170	98.7	97.7-99.7
\$25,000- 34,999	697	247,093	1	0.2	00.0-00.6	3	1.2	00.0-02.6	693	98.6	97.2-0100
\$35,000- 49,999	824	309,758	1	0.3	00.0-00.9	1	0.1	00.0-00.3	822	99.6	99.0-0100
\$50,000- 74,999	775	309,571	2	0.4	00.0-01.0	2	1.2	00.0-03.0	771	98.4	96.6-0100
\$75,000+	1244	458,431				2	0.2	00.0-00.6	1242	99.8	99.4-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014**

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1 MALES AND FEMALES	185
2 MALES ONLY	186
3 FEMALES ONLY	187
ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4 MALES AND FEMALES	188
5 MALES ONLY	189
6 FEMALES ONLY	190
CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7 MALES AND FEMALES	191
8 MALES ONLY	192
9 FEMALES ONLY	193
DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK5)	
10 MALES AND FEMALES	194
11 MALES ONLY	195
12 FEMALES ONLY	196

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10892	4,735,186	1159	10.9	10.1-11.7	202	1.5	0.1-0.7	2800	29.0	27.8-30.2	716	6.4	0.5-7.0	6015	52.1	50.7-53.5
Male	4417	2,304,117	601	13.7	12.3-15.1	120	2.2	0.1-0.8	1187	29.2	27.4-31.0	465	9.7	0.5-10.9	2044	45.2	43.2-47.2
Female	6475	2,431,068	558	8.2	0.7-0.9	82	0.9	0.0-0.1	1613	28.8	27.2-30.4	251	3.3	0.2-0.9	3971	58.7	56.9-60.5
White/Non-Hisp	9520	3,879,366	1039	11.2	10.4-12.0	188	1.7	0.1-0.2	2468	29.7	28.3-31.1	653	6.7	0.5-0.7	5172	50.7	49.3-52.1
Black or Afr. Am./Non-Hisp	588	396,863	55	10.6	0.7-1.4	3	0.6	0.0-0.1	146	25.6	21.3-29.9	27	5.6	0.3-0.8	357	57.6	52.5-62.7
Oth. Race/Non-Hisp.	215	96,927	17	9.3	0.3-1.5	2	0.7	0.0-0.2	42	19.3	12.4-26.2	6	2.1	0.0-0.4	148	68.5	60.3-76.7
MultiRacial/Non-Hisp.	129	54,146	9	5.6	0.1-0.9	3	1.0	0.0-0.2	31	32.1	21.1-43.1	6	4.0	0.0-0.7	80	57.3	45.9-68.7
Hispanic	283	244,866	31	10.2	0.6-1.4	3	0.6	0.0-0.1	82	30.8	24.5-37.1	14	4.7	0.1-0.7	153	53.6	46.9-60.3
18-24	534	643,863	58	9.6	0.7-1.2	1	0.1	0.0-0.0	177	33.7	29.4-38.0	27	4.9	0.2-0.9	271	51.8	47.1-56.5
25-34	822	770,913	92	10.8	0.8-1.3	6	0.9	0.0-0.1	316	36.5	32.8-40.2	53	7.1	0.4-0.9	355	44.7	40.8-48.6
35-44	1208	771,065	153	12.0	0.9-1.4	15	1.3	0.0-0.2	443	36.5	33.2-39.8	72	6.1	0.4-0.7	525	44.1	40.8-47.4
45-54	1796	828,870	239	13.6	1.1-1.5	36	2.3	0.1-0.3	557	29.5	27.0-32.0	122	6.8	0.5-0.8	842	47.8	45.1-50.5
55-64	2475	770,325	275	11.1	0.9-1.2	45	1.8	0.1-0.2	603	24.0	22.0-26.0	194	8.0	0.6-0.9	1358	55.1	52.7-57.5
65+	3940	909,475	331	8.5	0.7-0.9	96	2.2	0.1-0.2	680	17.0	15.6-18.4	241	5.4	0.4-0.6	2592	66.9	64.9-68.9
Less Than H.S.	946	646,248	48	7.5	0.4-1.0	7	0.7	0.0-0.1	138	19.1	15.6-22.6	34	4.6	0.2-0.6	719	68.1	64.0-72.2
H.S. or G.E.D.	3700	1,622,724	296	8.9	0.7-1.0	62	1.5	0.1-0.1	738	24.3	22.3-26.3	189	5.3	0.4-0.6	2415	60.1	57.9-62.3
Some Post-H.S.	2804	1,458,673	297	11.4	0.9-1.3	47	1.5	0.0-0.2	812	34.0	31.6-36.4	161	6.5	0.5-0.7	1487	46.6	44.2-49.0
College Graduate	3415	997,547	515	15.7	1.4-1.7	85	2.0	0.1-0.2	1106	36.0	33.8-38.2	331	9.3	0.8-1.0	1378	37.0	35.0-39.0
Less than \$15,000	1099	505,080	51	5.8	0.3-0.7	3	0.3	0.0-0.0	182	22.1	18.4-25.8	40	4.3	0.2-0.6	823	67.5	63.6-71.4
\$15,000- 24,999	1751	770,870	112	7.7	0.5-0.9	19	1.1	0.0-0.1	313	24.1	21.2-27.0	57	3.3	0.2-0.4	1250	63.8	60.5-67.1
\$25,000- 34,999	1146	485,642	106	8.3	0.6-1.0	17	1.5	0.0-0.2	258	26.9	23.2-30.6	72	7.2	0.4-0.9	693	56.1	52.0-60.2
\$35,000- 49,999	1469	649,004	153	10.3	0.8-1.2	33	1.5	0.0-0.2	386	29.1	26.0-32.2	98	6.3	0.4-0.8	799	52.8	49.5-56.1
\$50,000- 74,999	1484	677,026	200	14.2	1.1-1.6	35	2.0	0.1-0.2	467	33.7	30.4-37.0	119	7.8	0.6-0.9	663	42.3	39.0-45.6
\$75,000+	2462	1,049,382	426	17.5	1.5-1.9	67	2.2	0.1-0.2	904	37.5	35.0-40.0	260	9.8	0.8-1.1	805	33.0	30.6-35.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4417	2,304,117	601	13.7	12.3-15.1	120	2.2	0.16-02.8	1187	29.2	27.4-31.0	465	9.7	08.5-10.9	2044	45.2	43.2-47.2
White/Non-Hisp	3847	1,881,998	537	13.9	12.5-15.3	111	2.4	0.18-03.0	1040	29.7	27.7-31.7	417	10.1	08.9-11.3	1742	43.9	41.9-45.9
Black or Afr. Am./Non-Hisp	224	189,994	25	13.4	07.1-19.7	2	1.2	00.0-03.2	61	27.2	20.3-34.1	20	10.0	05.1-14.9	116	48.3	40.3-56.3
Oth. Race/Non-Hisp.	112	59,966	9	10.6	02.2-19.0	2	1.2	00.0-03.4	21	16.3	07.9-24.7	5	3.2	00.0-06.7	75	68.8	57.6-80.0
MultiRacial/Non-Hisp.	51	27,190	4	5.0	00.0-10.3	3	2.0	00.0-04.7	15	39.5	22.3-56.7	4	5.5	00.0-11.6	25	48.0	30.4-65.6
Hispanic	114	114,972	20	17.3	09.9-24.7				34	32.5	22.7-42.3	12	7.4	02.9-11.9	48	42.8	32.6-53.0
18-24	290	327,059	34	11.4	07.5-15.3	1	0.2	00.0-00.6	85	30.0	24.1-35.9	19	6.7	03.6-09.8	151	51.7	45.4-58.0
25-34	360	388,455	46	12.8	09.1-16.5	5	1.5	00.1-02.9	133	35.7	30.2-41.2	38	11.5	07.6-15.4	138	38.6	32.9-44.3
35-44	516	383,294	91	16.9	12.8-21.0	10	1.8	00.4-03.2	178	36.2	31.3-41.1	51	9.5	06.6-12.4	186	35.6	30.5-40.7
45-54	782	415,085	127	17.2	14.1-20.3	28	3.8	02.2-05.4	241	28.1	24.4-31.8	78	9.6	07.2-12.0	308	41.2	37.1-45.3
55-64	1042	375,772	131	12.1	09.7-14.5	24	2.2	01.2-03.2	265	25.6	22.5-28.7	133	12.0	09.6-14.4	489	48.1	44.6-51.6
65+	1389	396,563	167	11.4	09.2-13.6	51	3.1	02.1-04.1	277	20.4	17.9-22.9	141	8.1	06.5-09.7	753	57.0	53.9-60.1
Less Than H.S.	373	321,096	31	11.8	06.9-16.7	6	1.3	00.0-02.7	64	20.7	15.2-26.2	31	8.6	04.9-12.3	241	57.6	51.1-64.1
H.S. or G.E.D.	1453	819,210	177	12.5	10.3-14.7	39	2.3	01.5-03.1	333	26.1	23.2-29.0	116	7.6	05.8-09.4	788	51.6	48.5-54.7
Some Post-H.S.	1054	653,022	148	14.7	12.0-17.4	32	2.3	01.3-03.3	316	33.0	29.5-36.5	103	10.2	07.8-12.6	455	39.7	36.2-43.2
College Graduate	1525	504,205	242	15.7	13.3-18.1	42	2.2	01.4-03.0	470	34.9	31.8-38.0	215	13.0	10.8-15.2	556	34.2	31.3-37.1
Less than \$15,000	346	182,813	32	10.3	06.2-14.4	2	0.7	00.0-01.7	65	20.3	14.8-25.8	24	9.9	05.2-14.6	223	58.8	52.1-65.5
\$15,000- 24,999	572	333,865	58	11.6	07.5-15.7	10	1.7	00.1-03.3	118	25.7	20.8-30.6	36	5.7	03.0-08.4	350	55.3	49.6-61.0
\$25,000- 34,999	452	239,818	53	11.2	07.5-14.9	10	2.5	00.5-04.5	104	25.9	20.4-31.4	48	11.2	06.7-15.7	237	49.2	42.9-55.5
\$35,000- 49,999	647	340,382	79	12.1	09.0-15.2	21	2.2	01.0-03.4	160	28.0	23.3-32.7	66	9.2	06.3-12.1	321	48.5	43.6-53.4
\$50,000- 74,999	715	369,691	109	16.0	12.7-19.3	24	2.7	01.3-04.1	212	31.4	27.1-35.7	85	11.5	08.6-14.4	285	38.5	33.8-43.2
\$75,000+	1222	592,117	223	18.5	15.6-21.4	41	2.6	01.6-03.6	427	37.0	33.5-40.5	172	12.1	09.9-14.3	359	29.8	26.5-33.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6475	2,431,068	558	8.2	07.4-09.0	82	0.9	00.7-01.1	1613	28.8	27.2-30.4	251	3.3	02.7-03.9	3971	58.7	56.9-60.5
White/Non-Hisp	5673	1,997,368	502	8.7	07.7-09.7	77	1.0	00.6-01.4	1428	29.6	27.8-31.4	236	3.6	03.0-04.2	3430	57.1	55.3-58.9
Black or Afr. Am./Non-Hisp	364	206,869	30	8.0	04.7-11.3	1	0.1	00.0-00.3	85	24.1	18.4-29.8	7	1.6	00.2-03.0	241	66.2	59.9-72.5
Oth. Race/Non-Hisp.	103	36,961	8	7.1	01.2-13.0				21	24.3	12.7-35.9	1	0.4	00.0-01.2	73	68.1	55.9-80.3
MultiRacial/Non-Hisp.	78	26,956	5	6.2	00.0-12.9				16	24.6	11.7-37.5	2	2.5	00.0-06.0	55	66.7	52.8-80.6
Hispanic	169	129,894	11	4.0	01.3-06.7	3	1.1	00.0-02.5	48	29.4	21.4-37.4	2	2.4	00.0-05.9	105	63.1	54.7-71.5
18-24	244	316,804	24	7.8	04.5-11.1				92	37.5	30.8-44.2	8	2.9	00.7-05.1	120	51.8	44.9-58.7
25-34	462	382,458	46	8.8	06.1-11.5	1	0.3	00.0-00.9	183	37.3	32.4-42.2	15	2.6	01.2-04.0	217	51.0	45.9-56.1
35-44	692	387,771	62	7.1	04.9-09.3	5	0.9	00.1-01.7	265	36.8	32.5-41.1	21	2.8	01.4-04.2	339	52.4	48.1-56.7
45-54	1014	413,785	112	9.9	07.9-11.9	8	0.7	00.1-01.3	316	30.9	27.6-34.2	44	4.0	02.6-05.4	534	54.5	51.0-58.0
55-64	1433	394,553	144	10.1	08.1-12.1	21	1.5	00.7-02.3	338	22.5	20.0-25.0	61	4.2	02.8-05.6	869	61.7	58.6-64.8
65+	2551	512,912	164	6.3	05.1-07.5	45	1.5	00.9-02.1	403	14.4	12.8-16.0	100	3.3	02.5-04.1	1839	74.5	72.3-76.7
Less Than H.S.	573	325,152	17	3.3	01.3-05.3	1	0.1	00.0-00.3	74	17.5	13.0-22.0	3	0.6	00.0-01.4	478	78.5	73.8-83.2
H.S. or G.E.D.	2247	803,514	119	5.2	04.0-06.4	23	0.7	00.3-01.1	405	22.5	20.0-25.0	73	2.9	02.1-03.7	1627	68.7	66.0-71.4
Some Post-H.S.	1750	805,651	149	8.8	07.0-10.6	15	0.8	00.2-01.4	496	34.8	31.7-37.9	58	3.5	02.3-04.7	1032	52.1	49.0-55.2
College Graduate	1890	493,341	273	15.7	13.5-17.9	43	1.8	01.0-02.6	636	37.1	34.4-39.8	116	5.6	04.2-07.0	822	40.0	37.3-42.7
Less than \$15,000	753	322,267	19	3.3	01.3-05.3	1	0.1	00.0-00.3	117	23.1	18.4-27.8	16	1.2	00.4-02.0	600	72.4	67.5-77.3
\$15,000- 24,999	1179	437,005	54	4.8	03.0-06.6	9	0.6	00.0-01.2	195	22.9	19.2-26.6	21	1.4	00.6-02.2	900	70.3	66.4-74.2
\$25,000- 34,999	694	245,824	53	5.5	03.5-07.5	7	0.6	00.0-01.2	154	27.9	22.6-33.2	24	3.3	01.5-05.1	456	62.8	57.5-68.1
\$35,000- 49,999	822	308,622	74	8.3	05.9-10.7	12	0.7	00.1-01.3	226	30.3	26.0-34.6	32	3.1	01.5-04.7	478	57.5	53.0-62.0
\$50,000- 74,999	769	307,335	91	12.1	09.0-15.2	11	1.2	00.2-02.2	255	36.5	31.6-41.4	34	3.4	01.8-05.0	378	46.8	41.9-51.7
\$75,000+	1240	457,266	203	16.2	13.7-18.7	26	1.7	00.9-02.5	477	38.1	34.8-41.4	88	6.8	05.0-08.6	446	37.2	33.7-40.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4790	2,224,046	2327	39.7	37.9-41.5	1355	28.9	27.1-30.7	567	14.7	13.3-16.1	199	5.6	04.6-06.6	342	11.1	09.7-12.5
Male	2324	1,233,963	846	30.6	28.2-33.0	709	29.3	26.9-31.7	365	17.3	15.1-19.5	141	7.3	05.9-08.7	263	15.6	13.4-17.8
Female	2466	990,083	1481	51.1	48.4-53.8	646	28.5	26.0-31.0	202	11.4	09.6-13.2	58	3.6	02.4-04.8	79	5.5	04.1-06.9
White/Non-Hisp	4274	1,877,204	2107	40.2	38.2-42.2	1223	29.9	28.1-31.7	490	13.8	12.4-15.2	175	5.8	04.8-06.8	279	10.3	08.9-11.7
Black or Afr. Am./Non-Hisp	223	163,824	95	37.3	29.7-44.9	59	25.4	18.5-32.3	37	19.5	12.6-26.4	8	4.8	01.3-08.3	24	13.0	06.3-19.7
Oth. Race/Non-Hisp.	66	30,037	32	52.2	35.9-68.5	15	21.7	07.4-36.0	7	9.6	00.8-18.4	5	7.5	00.0-16.3	7	9.0	00.0-18.8
Hispanic	128	111,467	49	32.4	23.4-41.4	31	19.5	12.2-26.8	24	24.5	15.3-33.7	4	2.9	00.0-05.8	20	20.7	12.3-29.1
18-24	255	299,535	70	27.0	21.1-32.9	59	22.8	17.1-28.5	44	18.1	12.8-23.4	24	9.1	05.4-12.8	58	22.9	17.2-28.6
25-34	464	423,284	161	32.5	27.8-37.2	139	29.1	24.6-33.6	83	18.7	14.6-22.8	29	7.0	04.1-09.9	52	12.6	09.1-16.1
35-44	676	427,994	254	33.0	28.9-37.1	236	33.2	28.9-37.5	88	15.4	12.1-18.7	35	5.9	03.7-08.1	63	12.6	09.1-16.1
45-54	937	423,093	380	37.7	34.0-41.4	291	31.7	28.0-35.4	138	14.6	11.9-17.3	56	6.7	04.7-08.7	72	9.3	06.9-11.7
55-64	1098	339,956	572	48.8	45.3-52.3	312	29.3	26.0-32.6	136	14.0	11.3-16.7	25	2.3	01.1-03.5	53	5.6	04.0-07.2
65+	1317	292,703	863	63.7	60.4-67.0	308	24.1	21.2-27.0	76	5.7	04.3-07.1	28	2.3	01.1-03.5	42	4.1	02.7-05.5
Less Than H.S.	219	197,239	77	30.1	22.7-37.5	59	23.9	17.0-30.8	31	16.4	10.1-22.7	12	4.9	01.6-08.2	40	24.7	16.7-32.7
H.S. or G.E.D.	1251	633,689	556	34.4	31.3-37.5	343	29.7	26.4-33.0	164	15.9	13.2-18.6	56	5.7	03.9-07.5	132	14.3	11.6-17.0
Some Post-H.S.	1292	765,225	608	40.7	37.4-44.0	360	27.6	24.5-30.7	169	15.1	12.6-17.6	61	6.7	04.7-08.7	94	9.9	07.7-12.1
College Graduate	2019	623,317	1085	47.0	44.3-49.7	588	31.1	28.6-33.6	202	12.3	10.3-14.3	70	4.6	03.4-05.8	74	5.0	03.6-06.4
Less than \$15,000	265	158,352	116	40.3	32.7-47.9	65	25.0	17.9-32.1	36	14.0	08.5-19.5	14	6.6	02.3-10.9	34	14.0	08.7-19.3
\$15,000- 24,999	493	276,133	238	36.3	30.6-42.0	113	25.1	19.8-30.4	68	16.3	12.0-20.6	22	6.0	03.1-08.9	52	16.3	11.0-21.6
\$25,000- 34,999	445	208,757	216	35.9	29.8-42.0	118	27.8	22.1-33.5	47	13.8	09.3-18.3	23	7.0	02.7-11.3	41	15.6	10.5-20.7
\$35,000- 49,999	662	300,643	330	40.9	36.0-45.8	161	23.5	19.4-27.6	86	17.0	12.9-21.1	30	6.0	03.6-08.4	55	12.6	08.9-16.3
\$50,000- 74,999	816	388,316	378	37.6	33.5-41.7	247	32.3	28.0-36.6	101	14.0	10.7-17.3	32	5.5	03.1-07.9	58	10.6	07.5-13.7
\$75,000+	1637	695,489	783	41.0	38.1-43.9	516	31.3	28.4-34.2	200	15.2	12.7-17.7	68	5.7	04.1-07.3	70	6.9	04.9-08.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2324	1,233,963	846	30.6	28.2-33.0	709	29.3	26.9-31.7	365	17.3	15.1-19.5	141	7.3	05.9-08.7	263	15.6	13.4-17.8
White/Non-Hisp	2063	1,031,350	754	30.6	28.1-33.1	653	31.2	28.7-33.7	317	16.4	14.2-18.6	124	7.5	05.9-09.1	215	14.3	12.1-16.5
Black or Afr. Am./Non-Hisp	103	94,737	34	29.3	19.5-39.1	24	20.4	11.8-29.0	22	24.4	14.2-34.6	5	5.8	00.7-10.9	18	20.1	09.5-30.7
Hispanic	65	64,373	19	22.7	12.1-33.3	13	17.5	08.1-26.9	12	23.5	11.3-35.7	4	5.0	00.0-10.1	17	31.4	18.7-44.1
18-24	133	150,602	28	18.3	11.4-25.2	27	19.6	12.3-26.9	26	21.5	13.5-29.5	14	9.9	04.8-15.0	38	30.7	21.9-39.5
25-34	220	236,048	51	23.2	16.9-29.5	69	29.9	23.4-36.4	46	20.0	14.3-25.7	17	8.6	04.1-13.1	37	18.4	12.5-24.3
35-44	325	244,048	90	26.0	20.5-31.5	112	30.6	24.9-36.3	51	17.6	12.5-22.7	29	8.5	05.2-11.8	43	17.3	11.8-22.8
45-54	465	238,676	134	26.9	22.2-31.6	149	32.8	27.7-37.9	87	17.6	13.7-21.5	36	8.9	05.8-12.0	59	13.8	10.1-17.5
55-64	540	190,102	209	38.5	33.6-43.4	170	31.4	26.9-35.9	96	18.4	14.3-22.5	19	3.3	01.5-05.1	46	8.4	05.7-11.1
65+	623	165,460	327	54.7	49.8-59.6	176	26.7	22.6-30.8	57	7.9	05.5-10.3	25	3.8	01.6-06.0	38	6.9	04.4-09.4
Less Than H.S.	126	130,827	35	23.5	14.5-32.5	30	20.7	12.5-28.9	20	17.0	09.2-24.8	8	5.3	01.2-09.4	33	33.4	22.4-44.4
H.S. or G.E.D.	643	385,211	195	25.6	21.7-29.5	199	31.0	26.5-35.5	106	18.5	14.6-22.4	40	6.2	04.0-08.4	103	18.8	15.1-22.5
Some Post-H.S.	586	384,193	200	31.1	26.6-35.6	167	26.8	22.5-31.1	106	18.1	14.2-22.0	46	10.3	06.8-13.8	67	13.6	10.1-17.1
College Graduate	961	329,328	415	38.7	35.0-42.4	308	33.0	29.3-36.7	133	15.2	12.3-18.1	47	5.9	03.9-07.9	58	7.2	05.0-09.4
Less than \$15,000	115	69,902	36	28.9	18.7-39.1	26	21.0	12.0-30.0	19	16.9	08.3-25.5	10	10.5	03.1-17.9	24	22.6	13.0-32.2
\$15,000- 24,999	220	148,006	76	30.8	22.6-39.0	57	22.5	15.6-29.4	33	13.6	07.9-19.3	16	8.9	04.0-13.8	38	24.2	15.6-32.8
\$25,000- 34,999	210	117,917	71	26.1	18.8-33.4	66	29.1	21.3-36.9	31	17.1	10.2-24.0	17	9.7	02.6-16.8	25	17.9	10.6-25.2
\$35,000- 49,999	319	169,605	117	31.5	24.8-38.2	83	23.9	18.0-29.8	56	19.8	13.7-25.9	20	7.8	04.1-11.5	43	17.0	11.5-22.5
\$50,000- 74,999	426	224,912	149	27.4	22.5-32.3	129	32.2	26.5-37.9	71	17.3	12.6-22.0	27	7.0	04.1-09.9	50	16.1	11.2-21.0
\$75,000+	852	412,049	326	33.4	29.5-37.3	283	31.7	27.8-35.6	140	19.1	15.4-22.8	48	6.7	04.5-08.9	55	9.1	06.2-12.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2466	990,083	1481	51.1	48.4-53.8	646	28.5	26.0-31.0	202	11.4	09.6-13.2	58	3.6	02.4-04.8	79	5.5	04.1-06.9
White/Non-Hisp	2211	845,855	1353	51.8	48.9-54.7	570	28.4	25.9-30.9	173	10.7	08.7-12.7	51	3.7	02.3-05.1	64	5.4	03.8-07.0
Black or Afr. Am./Non-Hisp	120	69,087	61	48.3	37.1-59.5	35	32.2	21.6-42.8	15	12.8	05.2-20.4	3	3.5	00.0-07.8	6	3.2	00.3-06.1
Hispanic	63	47,093	30	45.8	31.3-60.3	18	22.2	11.2-33.2	12	26.0	11.9-40.1				3	6.1	00.0-12.8
18-24	122	148,932	42	35.8	26.4-45.2	32	26.2	17.6-34.8	18	14.8	07.9-21.7	10	8.3	02.8-13.8	20	15.0	08.5-21.5
25-34	244	187,236	110	44.2	37.1-51.3	70	28.2	21.9-34.5	37	17.2	11.7-22.7	12	5.0	01.5-08.5	15	5.4	02.3-08.5
35-44	351	183,946	164	42.2	36.1-48.3	124	36.7	30.6-42.8	37	12.4	08.1-16.7	6	2.4	00.0-04.8	20	6.3	03.2-09.4
45-54	472	184,417	246	51.7	46.4-57.0	142	30.3	25.2-35.4	51	10.8	07.5-14.1	20	3.8	02.0-05.6	13	3.4	01.0-05.8
55-64	558	149,855	363	61.9	56.8-67.0	142	26.6	22.1-31.1	40	8.4	05.5-11.3	6	1.0	00.0-02.2	7	2.1	00.5-03.7
65+	694	127,244	536	75.4	71.1-79.7	132	20.8	16.7-24.9	19	2.9	01.3-04.5	3	0.4	00.0-01.0	4	0.6	00.0-01.2
Less Than H.S.	93	66,412	42	43.0	30.5-55.5	29	30.1	18.5-41.7	11	15.3	05.7-24.9	4	4.1	00.0-09.8	7	7.4	01.3-13.5
H.S. or G.E.D.	608	248,478	361	48.2	42.9-53.5	144	27.7	22.8-32.6	58	12.0	08.5-15.5	16	4.9	01.8-08.0	29	7.3	04.0-10.6
Some Post-H.S.	706	381,032	408	50.3	45.4-55.2	193	28.3	24.0-32.6	63	12.1	08.8-15.4	15	3.0	01.0-05.0	27	6.2	03.7-08.7
College Graduate	1058	293,988	670	56.3	52.4-60.2	280	29.1	25.6-32.6	69	9.1	06.6-11.6	23	3.0	01.4-04.6	16	2.5	01.1-03.9
Less than \$15,000	150	88,450	80	49.2	38.2-60.2	39	28.2	17.8-38.6	17	11.8	04.9-18.7	4	3.6	00.0-08.3	10	7.3	02.0-12.6
\$15,000- 24,999	273	128,127	162	42.8	35.0-50.6	56	28.0	20.4-35.6	35	19.3	12.6-26.0	6	2.7	00.0-05.6	14	7.2	02.9-11.5
\$25,000- 34,999	235	90,839	145	48.6	39.2-58.0	52	26.0	17.8-34.2	16	9.4	04.1-14.7	6	3.4	00.0-07.3	16	12.6	05.5-19.7
\$35,000- 49,999	343	131,038	213	53.1	46.0-60.2	78	22.9	17.2-28.6	30	13.5	08.0-19.0	10	3.6	01.1-06.1	12	6.9	02.6-11.2
\$50,000- 74,999	390	163,404	229	51.7	44.6-58.8	118	32.5	26.0-39.0	30	9.5	05.2-13.8	5	3.4	00.0-07.5	8	2.9	00.4-05.4
\$75,000+	785	283,441	457	52.1	47.8-56.4	233	30.7	26.8-34.6	60	9.5	06.6-12.4	20	4.1	01.9-06.3	15	3.5	01.3-05.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4789	2,218,536	387	11.0	09.6-12.4	245	6.6	05.6-07.6	105	3.2	02.4-04.0	91	2.4	01.8-03.0	295	8.0	06.8-09.2	3666	68.8	67.0-70.6
Male	2322	1,226,834	226	11.6	09.8-13.4	146	7.4	06.0-08.8	70	3.9	02.9-04.9	60	3.1	02.1-04.1	205	10.9	09.1-12.7	1615	63.2	60.7-65.7
Female	2467	991,702	161	10.4	08.4-12.4	99	5.7	04.3-07.1	35	2.3	01.3-03.3	31	1.5	00.7-02.3	90	4.4	03.2-05.6	2051	75.7	73.2-78.2
White/Non-Hisp	4278	1,876,818	340	11.0	09.6-12.4	214	6.5	05.3-07.7	92	3.2	02.4-04.0	78	2.3	01.7-02.9	259	7.9	06.7-09.1	3295	69.1	67.1-71.1
Black or Afr. Am./Non-Hisp	225	165,337	18	10.0	05.1-14.9	8	4.2	01.1-07.3	4	2.0	00.0-04.2	7	3.8	00.3-07.3	15	7.9	03.2-12.6	173	72.1	64.7-79.5
Oth. Race/Non-Hisp.	64	28,204	9	14.4	00.0-29.1	6	15.2	03.0-27.4	2	0.6	00.0-01.4	2	1.0	00.0-02.6	3	3.8	00.0-09.3	42	65.0	48.3-81.7
Hispanic	125	108,387	14	13.2	06.1-20.3	11	9.9	03.6-16.2	5	5.7	00.8-10.6	1	1.1	00.0-03.3	9	10.2	03.3-17.1	85	59.8	49.6-70.0
18-24	257	303,557	45	19.5	13.8-25.2	28	11.4	07.1-15.7	11	4.0	01.6-06.4	12	4.7	02.0-07.4	34	11.4	07.5-15.3	127	49.0	42.3-55.7
25-34	463	421,867	64	15.1	11.4-18.8	35	7.3	04.8-09.8	17	4.0	01.8-06.2	10	2.7	00.9-04.5	41	9.7	06.4-13.0	296	61.2	56.1-66.3
35-44	674	423,590	76	10.8	08.1-13.5	50	7.5	05.1-09.9	24	4.3	02.3-06.3	5	1.1	00.1-02.1	51	9.4	06.5-12.3	468	67.0	62.7-71.3
45-54	930	417,151	88	10.3	07.9-12.7	49	5.1	03.3-06.9	23	3.1	01.7-04.5	23	3.0	01.6-04.4	66	7.1	05.1-09.1	681	71.4	67.9-74.9
55-64	1096	338,824	80	7.3	05.5-09.1	45	4.9	03.1-06.7	18	2.2	01.0-03.4	25	2.0	01.0-03.0	58	6.5	04.3-08.7	870	77.1	74.0-80.2
65+	1325	294,566	32	2.8	01.6-04.0	34	3.3	01.7-04.9	12	1.0	00.4-01.6	14	0.8	00.4-01.2	43	3.5	02.3-04.7	1190	88.6	86.2-91.0
Less Than H.S.	216	195,449	22	14.4	08.1-20.7	15	9.1	03.8-14.4	8	5.6	01.7-09.5	7	2.9	00.2-05.6	27	13.2	07.1-19.3	137	54.8	46.2-63.4
H.S. or G.E.D.	1250	631,980	106	11.3	08.8-13.8	74	7.1	05.1-09.1	24	2.5	01.3-03.7	21	1.7	00.7-02.7	112	10.0	07.8-12.2	913	67.5	64.0-71.0
Some Post-H.S.	1296	765,450	116	12.0	09.5-14.5	57	5.7	03.9-07.5	38	3.6	02.2-05.0	32	3.7	02.3-05.1	66	7.1	05.1-09.1	987	67.9	64.6-71.2
College Graduate	2017	621,003	141	8.5	06.9-10.1	99	6.5	05.1-07.9	35	2.7	01.7-03.7	31	1.4	00.8-02.0	89	5.4	04.0-06.8	1622	75.5	73.0-78.0
Less than \$15,000	269	162,195	27	13.4	07.3-19.5	11	6.6	02.3-10.9	9	4.0	01.1-06.9	6	2.1	00.0-04.5	23	8.2	04.1-12.3	193	65.7	58.1-73.3
\$15,000- 24,999	487	269,815	34	11.3	07.2-15.4	26	6.1	03.2-09.0	12	4.0	01.5-06.5	17	5.1	02.2-08.0	34	9.2	05.1-13.3	364	64.3	58.2-70.4
\$25,000- 34,999	445	209,653	41	14.6	09.7-19.5	20	4.8	02.3-07.3	6	2.3	00.0-04.7	7	1.9	00.0-04.1	32	12.9	07.6-18.2	339	63.5	56.8-70.2
\$35,000- 49,999	658	299,553	41	8.5	05.4-11.6	26	6.2	03.5-08.9	19	4.7	02.3-07.1	14	2.5	00.5-04.5	51	8.3	05.6-11.0	507	69.8	64.9-74.7
\$50,000- 74,999	816	389,421	82	13.6	10.1-17.1	37	6.3	03.8-08.8	16	2.5	00.9-04.1	12	1.9	00.7-03.1	51	7.9	05.2-10.6	618	67.7	63.2-72.2
\$75,000+	1637	690,630	139	9.9	07.9-11.9	104	7.6	05.8-09.4	37	3.2	02.0-04.4	29	1.9	01.1-02.7	78	6.2	04.6-07.8	1250	71.1	68.2-74.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2322	1,226,834	226	11.6	09.8-13.4	146	7.4	06.0-08.8	70	3.9	02.9-04.9	60	3.1	02.1-04.1	205	10.9	09.1-12.7	1615	63.2	60.7-65.7
White/Non-Hisp	2065	1,028,842	194	11.4	09.4-13.4	129	7.5	05.9-09.1	60	3.8	02.6-05.0	52	3.0	02.0-04.0	181	10.8	08.8-12.8	1449	63.6	60.9-66.3
Black or Afr. Am./Non-Hisp	106	96,190	11	10.2	03.9-16.5	4	4.4	00.0-08.9	3	2.2	00.0-04.7	4	4.5	00.0-09.4	10	10.8	03.5-18.1	74	68.0	57.4-78.6
Hispanic	61	60,518	8	12.5	03.7-21.3	6	9.3	01.9-16.7	5	10.3	01.7-18.9	1	2.0	00.0-05.9	5	13.2	02.4-24.0	36	52.8	38.9-66.7
18-24	136	153,835	26	19.1	11.7-26.5	13	10.1	04.2-16.0	6	3.8	00.7-06.9	8	6.5	02.0-11.0	22	15.4	09.1-21.7	61	45.1	35.9-54.3
25-34	219	235,191	33	15.0	09.9-20.1	18	7.1	03.6-10.6	13	6.4	02.9-09.9	7	3.8	00.9-06.7	26	13.2	07.7-18.7	122	54.5	47.1-61.9
35-44	324	240,004	43	12.5	08.4-16.6	33	9.8	06.1-13.5	15	4.4	01.9-06.9	2	0.8	00.0-02.0	33	12.0	07.3-16.7	198	60.5	54.0-67.0
45-54	459	231,553	50	11.0	07.5-14.5	25	5.8	03.3-08.3	15	3.9	01.5-06.3	17	4.3	02.1-06.5	44	9.7	06.6-12.8	308	65.3	60.0-70.6
55-64	540	190,178	45	7.2	04.8-09.6	28	5.6	03.2-08.0	12	2.6	01.0-04.2	18	2.8	01.2-04.4	42	9.4	06.1-12.7	395	72.4	67.7-77.1
65+	626	166,374	28	4.6	02.4-06.8	26	5.3	02.8-07.8	9	1.3	00.3-02.3	7	0.7	00.1-01.3	37	5.7	03.5-07.9	519	82.4	78.7-86.1
Less Than H.S.	123	125,997	15	17.2	08.4-26.0	12	11.5	04.2-18.8	5	5.0	00.7-09.3	3	1.9	00.0-04.8	21	17.2	08.4-26.0	67	47.3	35.9-58.7
H.S. or G.E.D.	645	384,654	66	11.7	08.6-14.8	50	8.2	05.7-10.7	14	2.4	00.8-04.0	14	2.3	00.9-03.7	83	13.4	10.3-16.5	418	62.0	57.3-66.7
Some Post-H.S.	586	384,151	58	10.6	07.7-13.5	24	5.1	02.7-07.5	27	5.3	02.9-07.7	25	5.7	03.2-08.2	48	10.0	06.7-13.3	404	63.3	58.4-68.2
College Graduate	960	327,629	86	10.4	07.9-12.9	60	7.6	05.4-09.8	24	3.6	02.0-05.2	18	1.4	00.6-02.2	52	6.4	04.4-08.4	720	70.5	66.8-74.2
Less than \$15,000	121	74,151	12	7.6	02.1-13.1	6	6.3	00.6-12.0	6	6.4	00.9-11.9	3	1.8	00.0-04.3	15	14.2	06.2-22.2	79	63.7	52.9-74.5
\$15,000- 24,999	215	142,261	22	13.7	07.4-20.0	14	7.6	02.7-12.5	8	4.0	01.1-06.9	9	6.3	01.6-11.0	23	13.8	06.5-21.1	139	54.6	45.2-64.0
\$25,000- 34,999	210	118,678	25	16.8	09.7-23.9	10	3.6	01.1-06.1	3	1.4	00.0-03.6	6	3.3	00.0-07.0	22	17.7	09.3-26.1	144	57.2	48.0-66.4
\$35,000- 49,999	316	168,588	24	8.2	04.1-12.3	18	8.8	04.3-13.3	14	6.6	02.7-10.5	7	2.4	00.0-04.9	37	11.5	07.4-15.6	216	62.5	55.4-69.6
\$50,000- 74,999	427	226,295	57	14.7	10.4-19.0	24	7.1	03.4-10.8	10	2.4	00.6-04.2	11	3.2	01.0-05.4	40	11.5	07.4-15.6	285	61.1	55.2-67.0
\$75,000+	850	406,857	75	10.1	07.2-13.0	64	8.0	05.6-10.4	26	4.3	02.3-06.3	20	2.5	01.1-03.9	50	6.9	04.7-09.1	615	68.0	63.9-72.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2467	991,702	161	10.4	08.4-12.4	99	5.7	04.3-07.1	35	2.3	01.3-03.3	31	1.5	00.7-02.3	90	4.4	03.2-05.6	2051	75.7	73.2-78.2
White/Non-Hisp	2213	847,976	146	10.5	08.3-12.7	85	5.3	03.9-06.7	32	2.5	01.5-03.5	26	1.4	00.6-02.2	78	4.4	03.2-05.6	1846	75.9	73.2-78.6
Black or Afr. Am./Non-Hisp	119	69,147	7	9.7	01.9-17.5	4	4.0	00.1-07.9	1	1.7	00.0-05.0	3	3.0	00.0-07.7	5	3.9	00.0-07.8	99	77.8	67.6-88.0
Hispanic	64	47,869	6	14.1	02.5-25.7	5	10.7	00.1-21.3							4	6.5	00.0-13.4	49	68.7	54.2-83.2
18-24	121	149,722	19	19.8	11.4-28.2	15	12.8	06.3-19.3	5	4.2	00.5-07.9	4	2.8	00.1-05.5	12	7.3	02.8-11.8	66	53.1	43.3-62.9
25-34	244	186,676	31	15.3	09.6-21.0	17	7.5	03.8-11.2	4	1.1	00.0-02.5	3	1.3	00.0-02.9	15	5.2	02.3-08.1	174	69.7	63.0-76.4
35-44	350	183,586	33	8.5	05.2-11.8	17	4.5	02.0-07.0	9	4.1	01.2-07.0	3	1.4	00.0-03.4	18	5.9	03.0-08.8	270	75.6	70.1-81.1
45-54	471	185,598	38	9.3	06.0-12.6	24	4.3	02.3-06.3	8	2.1	00.7-03.5	6	1.3	00.0-03.1	22	3.9	02.1-05.7	373	79.1	74.8-83.4
55-64	556	148,646	35	7.4	04.7-10.1	17	4.1	01.7-06.5	6	1.7	00.0-03.7	7	1.0	00.2-01.8	16	2.7	01.1-04.3	475	83.1	79.0-87.2
65+	699	128,192	4	0.4	00.0-00.8	8	0.8	00.0-01.6	3	0.6	00.0-01.4	7	0.9	00.1-01.7	6	0.5	00.1-00.9	671	96.7	95.3-98.1
Less Than H.S.	93	69,452	7	9.4	02.3-16.5	3	4.9	00.0-11.2	3	6.7	00.0-14.0	4	4.8	00.0-10.3	6	5.9	00.4-11.4	70	68.3	56.3-80.3
H.S. or G.E.D.	605	247,326	40	10.7	06.6-14.8	24	5.4	02.7-08.1	10	2.6	00.6-04.6	7	0.7	00.1-01.3	29	4.6	02.6-06.6	495	76.0	70.9-81.1
Some Post-H.S.	710	381,299	58	13.4	09.5-17.3	33	6.4	03.9-08.9	11	1.9	00.5-03.3	7	1.7	00.3-03.1	18	4.1	01.9-06.3	583	72.6	67.9-77.3
College Graduate	1057	293,374	55	6.3	04.3-08.3	39	5.3	03.3-07.3	11	1.6	00.6-02.6	13	1.3	00.3-02.3	37	4.3	02.7-05.9	902	81.2	78.1-84.3
Less than \$15,000	148	88,044	15	18.3	08.5-28.1	5	6.9	00.4-13.4	3	1.9	00.0-04.6	3	2.3	00.0-06.0	8	3.1	00.4-05.8	114	67.5	56.5-78.5
\$15,000- 24,999	272	127,554	12	8.5	03.2-13.8	12	4.4	01.5-07.3	4	4.0	00.1-07.9	8	3.8	00.5-07.1	11	4.1	01.2-07.0	225	75.2	67.8-82.6
\$25,000- 34,999	235	90,975	16	11.7	05.0-18.4	10	6.4	01.3-11.5	3	3.5	00.0-08.0	1	0.2	00.0-00.6	10	6.5	02.0-11.0	195	71.7	62.7-80.7
\$35,000- 49,999	342	130,965	17	9.0	04.1-13.9	8	2.8	00.6-05.0	5	2.2	00.0-04.4	7	2.5	00.0-05.2	14	4.3	01.4-07.2	291	79.1	72.8-85.4
\$50,000- 74,999	389	163,126	25	12.1	06.0-18.2	13	5.3	01.8-08.8	6	2.7	00.2-05.2	1	0.1	00.0-00.3	11	3.1	00.4-05.8	333	76.8	69.7-83.9
\$75,000+	787	283,773	64	9.6	06.9-12.3	40	7.1	04.4-09.8	11	1.6	00.6-02.6	9	1.1	00.3-01.9	28	5.2	03.0-07.4	635	75.4	71.3-79.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4706	2,174,115	1422	24.8	23.2-26.4	1370	25.5	23.9-27.1	673	15.0	13.6-16.4	364	8.8	07.6-10.0	877	25.9	24.1-27.7
Male	2262	1,195,953	470	18.5	16.5-20.5	545	20.5	18.5-22.5	410	17.2	15.0-19.4	186	8.3	06.9-09.7	651	35.5	32.8-38.2
Female	2444	978,162	952	32.5	30.0-35.0	825	31.6	29.2-34.0	263	12.2	10.4-14.0	178	9.4	07.6-11.2	226	14.3	12.1-16.5
White/Non-Hisp	4210	1,838,749	1276	24.6	23.0-26.2	1241	26.3	24.5-28.1	594	14.5	13.1-15.9	328	8.8	07.6-10.0	771	25.8	23.8-27.8
Black or Afr. Am./Non-Hisp	218	159,187	62	25.4	18.5-32.3	62	24.4	17.7-31.1	43	21.3	13.9-28.7	15	8.9	04.2-13.6	36	20.0	13.1-26.9
Oth. Race/Non-Hisp.	59	26,824	19	31.2	15.9-46.5	16	26.9	12.4-41.4	5	6.9	00.2-13.6	7	12.9	01.9-23.9	12	22.0	05.7-38.3
Hispanic	123	108,385	38	25.6	17.2-34.0	26	15.6	08.9-22.3	18	17.2	09.6-24.8	9	7.9	02.6-13.2	32	33.7	23.7-43.7
18-24	247	290,959	47	19.3	13.8-24.8	38	14.6	09.9-19.3	27	10.8	06.5-15.1	23	10.2	05.9-14.5	112	45.1	38.2-52.0
25-34	451	411,502	90	19.1	15.0-23.2	109	22.1	18.0-26.2	70	15.5	11.8-19.2	49	11.3	08.0-14.6	133	32.0	27.1-36.9
35-44	663	417,909	156	20.9	17.4-24.4	183	25.1	21.2-29.0	92	16.0	12.3-19.7	60	8.9	06.4-11.4	172	29.1	24.8-33.4
45-54	924	416,269	211	21.9	18.8-25.0	274	28.3	24.8-31.8	158	17.4	14.5-20.3	94	10.2	08.0-12.4	187	22.2	18.9-25.5
55-64	1078	332,643	334	29.0	25.7-32.3	325	28.9	25.8-32.0	171	16.9	14.2-19.6	80	7.7	05.7-09.7	168	17.4	14.5-20.3
65+	1303	288,431	570	42.7	39.4-46.0	427	33.2	29.9-36.5	152	11.7	09.5-13.9	56	3.4	02.4-04.4	98	9.1	06.9-11.3
Less Than H.S.	207	190,790	47	19.0	12.3-25.7	46	17.6	11.7-23.5	34	16.3	09.6-23.0	16	8.7	03.8-13.6	64	38.4	29.8-47.0
H.S. or G.E.D.	1219	611,152	363	24.1	21.2-27.0	360	26.9	23.8-30.0	156	14.2	11.5-16.9	76	7.5	05.5-09.5	264	27.4	24.1-30.7
Some Post-H.S.	1270	749,060	405	26.7	23.8-29.6	351	23.9	21.2-26.6	167	13.6	11.2-16.0	112	10.1	07.9-12.3	235	25.8	22.5-29.1
College Graduate	2001	618,457	606	25.1	22.7-27.5	611	28.4	26.0-30.8	313	17.0	14.8-19.2	160	8.6	07.0-10.2	311	20.8	18.4-23.2
Less than \$15,000	258	153,086	75	25.3	18.4-32.2	56	22.4	15.7-29.1	42	12.9	08.2-17.6	22	8.9	04.2-13.6	63	30.5	22.9-38.1
\$15,000- 24,999	477	265,772	173	28.5	23.2-33.8	115	19.9	15.4-24.4	62	14.6	09.7-19.5	35	9.2	05.7-12.7	92	27.7	21.8-33.6
\$25,000- 34,999	433	201,250	136	25.1	19.4-30.8	131	21.7	17.0-26.4	52	13.1	08.8-17.4	30	7.9	04.2-11.6	84	32.2	25.5-38.9
\$35,000- 49,999	649	296,072	213	25.3	21.2-29.4	177	25.5	21.2-29.8	95	16.7	12.6-20.8	42	5.8	03.4-08.2	122	26.7	22.0-31.4
\$50,000- 74,999	806	382,996	236	23.0	19.5-26.5	241	26.7	22.8-30.6	108	13.7	10.6-16.8	52	7.7	05.0-10.4	169	28.8	24.3-33.3
\$75,000+	1621	684,756	424	22.2	19.7-24.7	485	26.9	24.2-29.6	261	16.8	14.3-19.3	156	10.6	08.6-12.6	295	23.4	20.5-26.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2262	1,195,953	470	18.5	16.5-20.5	545	20.5	18.5-22.5	410	17.2	15.0-19.4	186	8.3	06.9-09.7	651	35.5	32.8-38.2
White/Non-Hisp	2018	1,004,156	415	18.0	15.8-20.2	504	22.1	19.9-24.3	357	16.0	13.8-18.2	171	8.6	07.0-10.2	571	35.3	32.4-38.2
Black or Afr. Am./Non-Hisp	101	91,932	20	19.5	10.7-28.3	18	14.4	07.0-21.8	29	30.0	18.4-41.6	8	8.2	02.3-14.1	26	28.0	17.4-38.6
Hispanic	59	60,515	15	19.5	08.9-30.1	5	6.4	00.5-12.3	13	24.4	12.2-36.6	2	4.1	00.0-10.0	24	45.5	31.6-59.4
18-24	127	143,616	15	10.7	05.0-16.4	16	13.1	06.8-19.4	16	13.5	06.2-20.8	12	9.4	04.1-14.7	68	53.4	43.8-63.0
25-34	213	230,139	31	15.0	09.5-20.5	34	14.4	09.5-19.3	33	16.1	10.6-21.6	25	11.0	06.5-15.5	90	43.4	36.0-50.8
35-44	317	238,137	49	15.7	11.0-20.4	64	18.8	13.9-23.7	50	16.5	11.0-22.0	29	8.1	04.6-11.6	125	40.9	34.4-47.4
45-54	454	230,983	71	15.2	11.3-19.1	100	21.7	17.2-26.2	102	21.4	16.9-25.9	38	8.9	06.0-11.8	143	32.7	27.6-37.8
55-64	528	184,748	106	22.0	17.7-26.3	142	26.3	22.0-30.6	107	19.5	15.6-23.4	41	6.6	04.4-08.8	132	25.6	20.9-30.3
65+	607	160,115	194	34.9	30.0-39.8	185	30.0	25.5-34.5	100	15.0	11.7-18.3	41	5.1	03.3-06.9	87	15.0	11.3-18.7
Less Than H.S.	119	125,378	21	16.7	08.5-24.9	19	11.8	05.7-17.9	21	16.9	08.1-25.7	7	4.2	00.5-07.9	51	50.4	39.0-61.8
H.S. or G.E.D.	614	364,674	115	17.3	13.8-20.8	167	23.8	19.9-27.7	99	16.5	12.6-20.4	34	6.7	04.2-09.2	199	35.8	31.1-40.5
Some Post-H.S.	573	376,201	125	19.5	15.8-23.2	119	17.7	14.0-21.4	100	16.8	12.9-20.7	59	10.2	07.3-13.1	170	35.7	30.8-40.6
College Graduate	949	325,566	208	19.3	16.4-22.2	238	23.3	20.0-26.6	188	18.8	15.7-21.9	86	9.6	07.1-12.1	229	29.0	25.3-32.7
Less than \$15,000	113	69,843	23	19.2	09.8-28.6	19	17.9	09.5-26.3	18	10.5	04.6-16.4	14	13.3	05.3-21.3	39	39.1	27.7-50.5
\$15,000- 24,999	209	141,102	48	21.3	14.0-28.6	46	14.8	09.3-20.3	33	15.0	07.7-22.3	17	7.7	03.2-12.2	65	41.2	31.8-50.6
\$25,000- 34,999	198	110,720	44	19.3	12.4-26.2	50	17.0	11.5-22.5	27	13.3	07.2-19.4	17	8.1	02.8-13.4	60	42.3	32.7-51.9
\$35,000- 49,999	309	165,523	62	14.6	09.9-19.3	72	21.6	15.9-27.3	61	21.0	14.7-27.3	22	5.4	02.7-08.1	92	37.4	30.1-44.7
\$50,000- 74,999	422	222,812	85	16.8	12.7-20.9	100	19.6	15.1-24.1	72	17.6	12.9-22.3	30	7.9	04.8-11.0	135	38.1	32.0-44.2
\$75,000+	841	404,005	166	18.8	15.5-22.1	198	21.2	17.9-24.5	174	19.0	15.5-22.5	77	9.7	07.2-12.2	226	31.2	27.1-35.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2444	978,162	952	32.5	30.1-34.9	825	31.6	29.2-34.0	263	12.2	10.4-14.0	178	9.4	07.6-11.2	226	14.3	12.1-16.5
White/Non-Hisp	2192	834,594	861	32.5	30.0-35.0	737	31.3	28.8-33.8	237	12.6	10.6-14.6	157	9.1	07.1-11.1	200	14.4	12.0-16.8
Black or Afr. Am./Non-Hisp	117	67,255	42	33.4	22.8-44.0	44	38.0	27.2-48.8	14	9.6	03.9-15.3	7	10.0	02.4-17.6	10	9.1	02.2-16.0
Hispanic	64	47,869	23	33.4	20.1-46.7	21	27.2	14.9-39.5	5	8.1	01.0-15.2	7	12.6	03.2-22.0	8	18.7	05.2-32.2
18-24	120	147,343	32	27.7	18.9-36.5	22	16.1	09.2-23.0	11	8.2	03.3-13.1	11	10.9	04.4-17.4	44	37.0	27.4-46.6
25-34	238	181,362	59	24.3	18.2-30.4	75	31.9	25.2-38.6	37	14.8	09.9-19.7	24	11.5	06.4-16.6	43	17.5	12.2-22.8
35-44	346	179,772	107	27.9	22.6-33.2	119	33.6	27.7-39.5	42	15.2	10.7-19.7	31	9.9	06.0-13.8	47	13.5	09.2-17.8
45-54	470	185,285	140	30.2	25.3-35.1	174	36.6	31.5-41.7	56	12.4	08.9-15.9	56	11.8	08.5-15.1	44	9.0	06.1-11.9
55-64	550	147,895	228	37.8	32.9-42.7	183	32.3	27.6-37.0	64	13.7	09.8-17.6	39	9.1	05.8-12.4	36	7.1	04.4-09.8
65+	696	128,316	376	52.4	47.7-57.1	242	37.2	32.5-41.9	52	7.6	05.2-10.0	15	1.2	00.6-01.8	11	1.6	00.4-02.8
Less Than H.S.	88	65,412	26	23.5	12.9-34.1	27	28.7	17.1-40.3	13	15.1	05.7-24.5	9	17.3	05.7-28.9	13	15.3	06.5-24.1
H.S. or G.E.D.	605	246,478	248	34.1	29.2-39.0	193	31.6	26.7-36.5	57	10.7	07.4-14.0	42	8.6	05.3-11.9	65	14.9	10.6-19.2
Some Post-H.S.	697	372,859	280	33.9	29.4-38.4	232	30.0	25.7-34.3	67	10.3	07.6-13.0	53	10.1	07.0-13.2	65	15.7	11.6-19.8
College Graduate	1052	292,890	398	31.6	28.3-34.9	373	34.2	30.7-37.7	125	15.0	12.1-17.9	74	7.5	05.5-09.5	82	11.8	09.1-14.5
Less than \$15,000	145	83,243	52	30.4	20.4-40.4	37	26.3	16.5-36.1	24	14.8	07.5-22.1	8	5.3	00.0-10.6	24	23.3	12.9-33.7
\$15,000- 24,999	268	124,670	125	36.7	29.1-44.3	69	25.6	18.3-32.9	29	14.2	08.1-20.3	18	11.0	05.3-16.7	27	12.4	06.9-17.9
\$25,000- 34,999	235	90,530	92	32.2	23.2-41.2	81	27.5	20.1-34.9	25	12.8	06.7-18.9	13	7.7	02.8-12.6	24	19.8	11.4-28.2
\$35,000- 49,999	340	130,550	151	38.8	32.1-45.5	105	30.5	24.2-36.8	34	11.4	07.1-15.7	20	6.3	02.4-10.2	30	13.1	08.0-18.2
\$50,000- 74,999	384	160,184	151	31.7	25.6-37.8	141	36.7	30.2-43.2	36	8.3	05.0-11.6	22	7.5	02.8-12.2	34	15.8	09.5-22.1
\$75,000+	780	280,752	258	27.1	23.4-30.8	287	35.2	31.1-39.3	87	13.7	10.6-16.8	79	11.9	09.0-14.8	69	12.1	08.8-15.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014**

SECTION 11: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)	
1	MALES AND FEMALES	198
2	MALES ONLY	199
3	FEMALES ONLY	200
	DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4	MALES AND FEMALES	201
5	MALES ONLY	202
6	FEMALES ONLY	203
	A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
7	MALES AND FEMALES	204
8	MALES ONLY	205
9	FEMALES ONLY	206
	THE NEXT QUESTION IS ABOUT THE SHINGLES VACCINE. HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)	
10	MALES AND FEMALES	207
11	MALES ONLY	208
12	FEMALES ONLY	209

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 1: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10890	4,722,663	4896	36.4	35.2-37.6	5994	63.6	62.4-64.8
Male	4417	2,300,664	1812	32.4	30.6-34.2	2605	67.6	65.8-69.4
Female	6473	2,421,999	3084	40.2	38.6-41.8	3389	59.8	58.2-61.4
White/Non-Hisp	9514	3,862,132	4434	38.3	36.9-39.7	5080	61.7	60.3-63.1
Black or Afr. Am./Non-Hisp	586	395,703	186	25.7	21.4-30.0	400	74.3	70.0-78.6
Oth. Race/Non-Hisp.	211	96,863	79	34.0	25.6-42.4	132	66.0	57.6-74.4
MultiRacial/Non-Hisp.	129	54,146	45	32.3	21.9-42.7	84	67.7	57.3-78.1
Hispanic	289	248,563	91	27.0	21.3-32.7	198	73.0	67.3-78.7
18-24	533	640,433	147	26.0	22.1-29.9	386	74.0	70.1-77.9
25-34	811	759,736	236	25.9	22.6-29.2	575	74.1	70.8-77.4
35-44	1210	772,921	396	28.9	26.0-31.8	814	71.1	68.2-74.0
45-54	1792	829,236	651	33.6	31.1-36.1	1141	66.4	63.9-68.9
55-64	2468	769,645	1116	43.1	40.7-45.5	1352	56.9	54.5-59.3
65+	3955	909,193	2301	56.3	54.3-58.3	1654	43.7	41.7-45.7
Less Than H.S.	945	645,254	340	26.2	22.9-29.5	605	73.8	70.5-77.1
H.S. or G.E.D.	3700	1,622,204	1548	34.0	32.0-36.0	2152	66.0	64.0-68.0
Some Post-H.S.	2794	1,448,890	1215	36.4	34.2-38.6	1579	63.6	61.4-65.8
College Graduate	3422	996,172	1781	46.7	44.5-48.9	1641	53.3	51.1-55.5
Less than \$15,000	1102	505,846	408	28.6	25.1-32.1	694	71.4	67.9-74.9
\$15,000- 24,999	1750	771,344	721	32.6	29.7-35.5	1029	67.4	64.5-70.3
\$25,000- 34,999	1150	490,945	518	36.2	32.5-39.9	632	63.8	60.1-67.5
\$35,000- 49,999	1467	644,455	685	37.8	34.7-40.9	782	62.2	59.1-65.3
\$50,000- 74,999	1477	671,776	684	39.1	35.8-42.4	793	60.9	57.6-64.2
\$75,000+	2452	1,038,280	1180	41.3	38.9-43.7	1272	58.7	56.3-61.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 2: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4417	2,300,664	1812	32.4	30.6-34.2	2605	67.6	65.8-69.4
White/Non-Hisp	3843	1,875,093	1634	34.2	32.2-36.2	2209	65.8	63.8-67.8
Black or Afr. Am./Non-Hisp	225	188,867	64	21.9	15.8-28.0	161	78.1	72.0-84.2
Oth. Race/Non-Hisp.	110	60,274	41	33.3	22.3-44.3	69	66.7	55.7-77.7
MultiRacial/Non-Hisp.	51	27,190	16	31.7	16.0-47.4	35	68.3	52.6-84.0
Hispanic	117	117,265	28	20.3	12.5-28.1	89	79.7	71.9-87.5
18-24	290	326,742	71	22.3	17.2-27.4	219	77.7	72.6-82.8
25-34	354	382,203	78	20.8	16.1-25.5	276	79.2	74.5-83.9
35-44	519	385,641	142	23.6	19.5-27.7	377	76.4	72.3-80.5
45-54	785	415,722	253	29.7	26.0-33.4	532	70.3	66.6-74.0
55-64	1036	375,489	440	40.9	37.4-44.4	596	59.1	55.6-62.6
65+	1394	396,612	813	55.8	52.5-59.1	581	44.2	40.9-47.5
Less Than H.S.	375	325,288	110	21.5	16.6-26.4	265	78.5	73.6-83.4
H.S. or G.E.D.	1451	816,454	526	29.9	27.2-32.6	925	70.1	67.4-72.8
Some Post-H.S.	1048	647,732	410	32.7	29.4-36.0	638	67.3	64.0-70.6
College Graduate	1531	504,605	759	43.0	39.9-46.1	772	57.0	53.9-60.1
Less than \$15,000	352	186,789	118	26.0	20.5-31.5	234	74.0	68.5-79.5
\$15,000- 24,999	571	333,327	214	27.6	23.1-32.1	357	72.4	67.9-76.9
\$25,000- 34,999	453	243,700	189	32.7	27.2-38.2	264	67.3	61.8-72.8
\$35,000- 49,999	641	334,535	279	36.4	31.7-41.1	362	63.6	58.9-68.3
\$50,000- 74,999	708	364,398	300	35.6	31.1-40.1	408	64.4	59.9-68.9
\$75,000+	1220	588,531	547	35.8	32.5-39.1	673	64.2	60.9-67.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 3: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6473	2,421,999	3084	40.2	38.6-41.8	3389	59.8	58.2-61.4
White/Non-Hisp	5671	1,987,039	2800	42.1	40.3-43.9	2871	57.9	56.1-59.7
Black or Afr. Am./Non-Hisp	361	206,836	122	29.1	23.2-35.0	239	70.9	65.0-76.8
Oth. Race/Non-Hisp.	101	36,589	38	35.2	22.5-47.9	63	64.8	52.1-77.5
MultiRacial/Non-Hisp.	78	26,956	29	32.9	19.6-46.2	49	67.1	53.8-80.4
Hispanic	172	131,299	63	32.9	25.1-40.7	109	67.1	59.3-74.9
18-24	243	313,691	76	29.8	23.5-36.1	167	70.2	63.9-76.5
25-34	457	377,534	158	31.0	26.3-35.7	299	69.0	64.3-73.7
35-44	691	387,280	254	34.2	30.1-38.3	437	65.8	61.7-69.9
45-54	1007	413,514	398	37.5	34.0-41.0	609	62.5	59.0-66.0
55-64	1432	394,156	676	45.1	42.0-48.2	756	54.9	51.8-58.0
65+	2561	512,580	1488	56.7	54.2-59.2	1073	43.3	40.8-45.8
Less Than H.S.	570	319,965	230	31.0	26.3-35.7	340	69.0	64.3-73.7
H.S. or G.E.D.	2249	805,750	1022	38.2	35.5-40.9	1227	61.8	59.1-64.5
Some Post-H.S.	1746	801,158	805	39.4	36.5-42.3	941	60.6	57.7-63.5
College Graduate	1891	491,567	1022	50.6	47.7-53.5	869	49.4	46.5-52.3
Less than \$15,000	750	319,057	290	30.1	25.6-34.6	460	69.9	65.4-74.4
\$15,000- 24,999	1179	438,017	507	36.4	32.7-40.1	672	63.6	59.9-67.3
\$25,000- 34,999	697	247,246	329	39.6	34.5-44.7	368	60.4	55.3-65.5
\$35,000- 49,999	826	309,920	406	39.3	35.0-43.6	420	60.7	56.4-65.0
\$50,000- 74,999	769	307,378	384	43.2	38.5-47.9	385	56.8	52.1-61.5
\$75,000+	1232	449,749	633	48.3	44.8-51.8	599	51.7	48.2-55.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2013			May-Aug 2013			Sep-Dec 2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3183	1,116,955	10	0.4	00.0-00.8	50	2.3	01.5-03.1	3123	97.3	96.3-98.3
Male	1167	478,927	6	0.7	00.0-01.5	28	2.7	01.5-03.9	1133	96.6	95.2-98.0
Female	2016	638,028	4	0.2	00.0-00.4	22	2.0	00.8-03.2	1990	97.9	96.7-99.1
White/Non-Hisp	2916	983,113	9	0.4	00.0-00.8	37	1.4	00.8-02.0	2870	98.1	97.3-98.9
Black or Afr. Am./Non-Hisp	97	49,300				5	9.7	00.5-18.9	92	90.3	81.1-99.5
Hispanic	63	45,974				3	5.4	00.0-12.1	60	94.6	87.9-0100
18-24	82	92,728	1	0.9	00.0-02.7	5	6.6	00.1-13.1	76	92.5	85.8-99.2
25-34	158	128,694				6	4.2	00.7-07.7	152	95.8	92.3-99.3
35-44	263	148,520				5	2.1	00.1-04.1	258	97.9	95.9-99.9
45-54	418	180,547	2	0.6	00.0-01.6	4	1.1	00.0-02.5	412	98.3	96.7-99.9
55-64	773	228,653	1	0.5	00.0-01.5	10	1.3	00.3-02.3	762	98.2	96.8-99.6
65+	1455	330,337	6	0.5	00.0-01.1	20	1.7	00.7-02.7	1429	97.9	96.9-98.9
Less Than H.S.	199	98,334	1	0.8	00.0-02.4	4	2.3	00.0-05.2	194	96.9	93.6-0100
H.S. or G.E.D.	949	339,854	6	0.7	00.0-01.5	22	2.6	01.0-04.2	921	96.7	94.9-98.5
Some Post-H.S.	804	348,019	1	0.3	00.0-00.9	9	1.9	00.3-03.5	794	97.8	96.0-99.6
College Graduate	1225	329,103	2	0.1	00.0-00.3	15	2.3	00.9-03.7	1208	97.6	96.2-99.0
Less than \$15,000	228	81,192				9	7.6	01.3-13.9	219	92.4	86.1-98.7
\$15,000- 24,999	454	155,731	3	1.1	00.0-02.5	11	2.7	00.5-04.9	440	96.2	93.7-98.7
\$25,000- 34,999	328	113,367				7	2.3	00.0-04.7	321	97.7	95.3-0100
\$35,000- 49,999	450	157,554	2	0.3	00.0-00.7	7	2.4	00.4-04.4	441	97.3	95.3-99.3
\$50,000- 74,999	471	179,128	1	0.0	00.0-00.0	6	2.2	00.0-04.6	464	97.7	95.3-0100
\$75,000+	832	308,929	1	0.4	00.0-01.2	9	1.4	00.4-02.4	822	98.2	97.0-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2013			May-Aug 2013			Sep-Dec 2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1167	478,927	6	0.7	00.0-01.5	28	2.7	01.5-03.9	1133	96.6	95.2-98.0
White/Non-Hisp	1065	418,236	6	0.8	00.0-01.6	21	1.9	00.9-02.9	1038	97.3	95.9-98.7
35-44	89	57,543				2	2.7	00.0-06.6	87	97.3	93.4-0100
45-54	167	81,764	1	0.2	00.0-00.6	4	2.5	00.0-05.4	162	97.3	94.4-0100
55-64	308	109,929	1	1.1	00.0-03.3	7	2.4	00.4-04.4	300	96.5	93.6-99.4
65+	509	144,836	3	0.8	00.0-02.0	10	2.1	00.5-03.7	496	97.1	95.1-99.1
Less Than H.S.	64	38,738				3	2.3	00.0-04.8	61	97.7	95.2-0100
H.S. or G.E.D.	325	152,925	3	1.3	00.0-02.9	9	2.1	00.3-03.9	313	96.6	94.2-99.0
Some Post-H.S.	271	135,054	1	0.9	00.0-02.7	5	2.0	00.0-04.0	265	97.1	94.6-99.6
College Graduate	505	151,385	2	0.2	00.0-00.4	11	3.9	01.4-06.4	492	95.9	93.4-98.4
Less than \$15,000	63	27,109				3	6.3	00.0-14.5	60	93.7	85.5-0100
\$15,000- 24,999	120	50,065	1	1.6	00.0-04.7	5	3.0	00.0-06.1	114	95.3	90.8-99.8
\$25,000- 34,999	119	50,298				4	4.5	00.0-09.8	115	95.5	90.2-0100
\$35,000- 49,999	186	81,316	1	0.4	00.0-01.2	5	3.3	00.2-06.4	180	96.3	93.0-99.6
\$50,000- 74,999	198	82,514	1	0.1	00.0-00.3	4	1.3	00.0-02.7	193	98.6	97.2-0100
\$75,000+	379	149,954	1	0.8	00.0-02.4	6	2.2	00.2-04.2	372	97.0	94.6-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2013			May-Aug 2013			Sep-Dec 2013		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2016	638,028	4	0.2	00.0-00.4	22	2.0	00.8-03.2	1990	97.9	96.7-99.1
White/Non-Hisp	1851	564,878	3	0.2	00.0-00.4	16	1.1	00.3-01.9	1832	98.7	97.9-99.5
Black or Afr. Am./Non-Hisp	61	27,662				3	10.3	00.0-23.8	58	89.7	76.2-0100
25-34	109	80,017				3	3.4	00.0-07.5	106	96.6	92.5-0100
35-44	174	90,977				3	1.7	00.0-03.7	171	98.3	96.3-0100
45-54	251	98,784	1	0.8	00.0-02.4				250	99.2	97.6-0100
55-64	465	118,724				3	0.3	00.0-00.7	462	99.7	99.3-0100
65+	946	185,501	3	0.2	00.0-00.4	10	1.4	00.4-02.4	933	98.4	97.4-99.4
Less Than H.S.	135	59,596	1	1.4	00.0-04.1	1	2.3	00.0-06.8	133	96.3	91.2-0100
H.S. or G.E.D.	624	186,928	3	0.2	00.0-00.4	13	3.0	00.6-05.4	608	96.8	94.4-99.2
Some Post-H.S.	533	212,964				4	1.8	00.0-04.0	529	98.2	96.0-0100
College Graduate	720	177,718				4	0.9	00.0-02.1	716	99.1	97.9-0100
Less than \$15,000	165	54,083				6	8.2	00.0-16.6	159	91.8	83.4-0100
\$15,000- 24,999	334	105,667	2	0.9	00.0-02.5	6	2.5	00.0-05.2	326	96.6	93.5-99.7
\$25,000- 34,999	209	63,069				3	0.6	00.0-01.4	206	99.4	98.6-0100
\$35,000- 49,999	264	76,238	1	0.2	00.0-00.6	2	1.5	00.0-03.7	261	98.3	96.1-0100
\$50,000- 74,999	273	96,614				2	3.0	00.0-07.3	271	97.0	92.7-0100
\$75,000+	453	158,975				3	0.6	00.0-01.4	450	99.4	98.6-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 7. A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10215	4,302,524	4296	31.8	30.6-33.0	5919	68.2	67.0-69.4
Male	4032	2,054,500	1559	31.0	29.2-32.8	2473	69.0	67.2-70.8
Female	6183	2,248,023	2737	32.6	31.0-34.2	3446	67.4	65.8-69.0
White/Non-Hisp	8947	3,520,205	3864	33.1	31.9-34.3	5083	66.9	65.7-68.1
Black or Afr. Am./Non-Hisp	552	370,182	206	28.4	23.7-33.1	346	71.6	66.9-76.3
Oth. Race/Non-Hisp.	184	77,267	56	27.8	18.8-36.8	128	72.2	63.2-81.2
MultiRacial/Non-Hisp.	118	48,218	50	32.0	21.6-42.4	68	68.0	57.6-78.4
Hispanic	263	226,649	55	18.2	12.9-23.5	208	81.8	76.5-87.1
18-24	430	519,664	109	25.9	21.4-30.4	321	74.1	69.6-78.6
25-34	687	647,244	122	18.6	15.3-21.9	565	81.4	78.1-84.7
35-44	1073	690,673	156	13.3	10.9-15.7	917	86.7	84.3-89.1
45-54	1665	776,535	359	21.8	19.4-24.2	1306	78.2	75.8-80.6
55-64	2382	741,317	752	30.3	28.1-32.5	1630	69.7	67.5-71.9
65+	3861	886,950	2752	69.7	67.7-71.7	1109	30.3	28.3-32.3
Less Than H.S.	899	593,537	428	34.4	30.5-38.3	471	65.6	61.7-69.5
H.S. or G.E.D.	3520	1,494,928	1620	34.8	32.8-36.8	1900	65.2	63.2-67.2
Some Post-H.S.	2643	1,328,514	1087	30.7	28.5-32.9	1556	69.3	67.1-71.5
College Graduate	3127	876,740	1150	26.7	24.9-28.5	1977	73.3	71.5-75.1
Less than \$15,000	1033	461,633	492	35.9	32.0-39.8	541	64.1	60.2-68.0
\$15,000- 24,999	1671	718,420	855	39.3	36.2-42.4	816	60.7	57.6-63.8
\$25,000- 34,999	1088	445,215	540	37.1	33.2-41.0	548	62.9	59.0-66.8
\$35,000- 49,999	1401	608,605	638	34.5	31.4-37.6	763	65.5	62.4-68.6
\$50,000- 74,999	1380	608,016	478	26.3	23.4-29.2	902	73.7	70.8-76.6
\$75,000+	2251	935,361	596	21.0	19.0-23.0	1655	79.0	77.0-81.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 8: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4032	2,054,500	1559	31.0	29.2-32.8	2473	69.0	67.2-70.8
White/Non-Hisp	3518	1,676,096	1398	32.2	30.2-34.2	2120	67.8	65.8-69.8
Black or Afr. Am./Non-Hisp	205	171,696	66	26.2	18.9-33.5	139	73.8	66.5-81.1
Oth. Race/Non-Hisp.	92	45,321	26	30.1	17.2-43.0	66	69.9	57.0-82.8
Hispanic	107	108,584	25	22.5	13.7-31.3	82	77.5	68.7-86.3
18-24	234	264,873	70	32.0	25.3-38.7	164	68.0	61.3-74.7
25-34	292	314,543	58	20.4	15.1-25.7	234	79.6	74.3-84.9
35-44	451	343,245	57	11.7	08.4-15.0	394	88.3	85.0-91.6
45-54	699	377,822	153	21.6	18.1-25.1	546	78.4	74.9-81.9
55-64	971	352,655	286	28.4	25.1-31.7	685	71.6	68.3-74.9
65+	1347	383,354	927	68.7	65.6-71.8	420	31.3	28.2-34.4
Less Than H.S.	353	297,209	150	32.0	26.1-37.9	203	68.0	62.1-73.9
H.S. or G.E.D.	1334	728,147	516	31.7	28.8-34.6	818	68.3	65.4-71.2
Some Post-H.S.	967	583,230	371	31.1	27.6-34.6	596	68.9	65.4-72.4
College Graduate	1368	440,317	519	29.3	26.4-32.2	849	70.7	67.8-73.6
Less than \$15,000	316	163,627	133	33.6	27.3-39.9	183	66.4	60.1-72.7
\$15,000- 24,999	533	305,660	258	39.0	33.5-44.5	275	61.0	55.5-66.5
\$25,000- 34,999	419	215,971	202	37.6	31.5-43.7	217	62.4	56.3-68.5
\$35,000- 49,999	604	314,581	279	38.0	33.1-42.9	325	62.0	57.1-66.9
\$50,000- 74,999	648	324,894	215	25.4	21.3-29.5	433	74.6	70.5-78.7
\$75,000+	1087	516,353	298	21.7	18.8-24.6	789	78.3	75.4-81.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 9: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Female	6183	2,248,023	2737	32.6	31.0-34.2	3446	67.4	65.8-69.0		
White/Non-Hisp	5429	1,844,109	2466	33.9	32.3-35.5	2963	66.1	64.5-67.7		
Black or Afr. Am./Non-Hisp	347	198,486	140	30.3	24.2-36.4	207	69.7	63.6-75.8		
Oth. Race/Non-Hisp.	92	31,946	30	24.7	13.1-36.3	62	75.3	63.7-86.9		
MultiRacial/Non-Hisp.	74	25,371	33	37.6	22.9-52.3	41	62.4	47.7-77.1		
Hispanic	156	118,065	30	14.3	08.4-20.2	126	85.7	79.8-91.6		
18-24	196	254,791	39	19.6	13.7-25.5	157	80.4	74.5-86.3		
25-34	395	332,701	64	16.9	12.6-21.2	331	83.1	78.8-87.4		
35-44	622	347,428	99	14.9	11.6-18.2	523	85.1	81.8-88.4		
45-54	966	398,713	206	21.9	18.8-25.0	760	78.1	75.0-81.2		
55-64	1411	388,662	466	32.0	29.1-34.9	945	68.0	65.1-70.9		
65+	2514	503,596	1825	70.5	68.1-72.9	689	29.5	27.1-31.9		
Less Than H.S.	546	296,328	278	36.7	31.6-41.8	268	63.3	58.2-68.4		
H.S. or G.E.D.	2186	766,781	1104	37.8	35.1-40.5	1082	62.2	59.5-64.9		
Some Post-H.S.	1676	745,284	716	30.4	27.7-33.1	960	69.6	66.9-72.3		
College Graduate	1759	436,423	631	24.1	21.7-26.5	1128	75.9	73.5-78.3		
Less than \$15,000	717	298,007	359	37.1	32.0-42.2	358	62.9	57.8-68.0		
\$15,000- 24,999	1138	412,760	597	39.6	35.7-43.5	541	60.4	56.5-64.3		
\$25,000- 34,999	669	229,244	338	36.6	31.7-41.5	331	63.4	58.5-68.3		
\$35,000- 49,999	797	294,024	359	30.9	27.0-34.8	438	69.1	65.2-73.0		
\$50,000- 74,999	732	283,122	263	27.2	23.1-31.3	469	72.8	68.7-76.9		
\$75,000+	1164	419,008	298	20.2	17.5-22.9	866	79.8	77.1-82.5		

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

**TABLE 10: THE NEXT QUESTION IS ABOUT THE SHINGLES VACCINE. HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7369	2,136,453	1813	19.2	18.2-20.2	5556	80.8	79.8-81.8
Male	2832	1,001,272	626	17.4	15.8-19.0	2206	82.6	81.0-84.2
Female	4537	1,135,181	1187	20.8	19.4-22.2	3350	79.2	77.8-80.6
White/Non-Hisp	6705	1,880,537	1718	20.4	19.2-21.6	4987	79.6	78.4-80.8
Black or Afr. Am./Non-Hisp	331	154,017	37	8.2	04.7-11.7	294	91.8	88.3-95.3
Oth. Race/Non-Hisp.	82	16,382	8	13.1	02.5-23.7	74	86.9	76.3-97.5
MultiRacial/Non-Hisp.	68	17,672	14	17.9	07.3-28.5	54	82.1	71.5-92.7
Hispanic	72	36,489	15	11.1	04.6-17.6	57	88.9	82.4-95.4
45-54	1006	471,693	44	3.9	02.3-05.5	962	96.1	94.5-97.7
55-64	2448	763,716	375	12.6	11.2-14.0	2073	87.4	86.0-88.8
65+	3915	901,044	1394	32.9	31.1-34.7	2521	67.1	65.3-68.9
Less Than H.S.	626	264,296	96	11.0	08.5-13.5	530	89.0	86.5-91.5
H.S. or G.E.D.	2770	847,321	596	18.2	16.6-19.8	2174	81.8	80.2-83.4
Some Post-H.S.	1838	619,405	429	19.1	16.9-21.3	1409	80.9	78.7-83.1
College Graduate	2115	399,379	686	26.9	24.7-29.1	1429	73.1	70.9-75.3
Less than \$15,000	740	214,241	121	12.0	09.3-14.7	619	88.0	85.3-90.7
\$15,000- 24,999	1263	354,394	263	16.8	14.3-19.3	1000	83.2	80.7-85.7
\$25,000- 34,999	835	226,586	215	20.5	17.4-23.6	620	79.5	76.4-82.6
\$35,000- 49,999	1056	322,888	278	20.3	17.6-23.0	778	79.7	77.0-82.4
\$50,000- 74,999	971	300,819	251	20.6	17.5-23.7	720	79.4	76.3-82.5
\$75,000+	1432	437,722	354	17.9	15.7-20.1	1078	82.1	79.9-84.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 11: THE NEXT QUESTION IS ABOUT THE SHINGLES VACCINE. HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2832	1,001,272	626	17.4	15.8-19.0	2206	82.6	81.0-84.2
White/Non-Hisp	2583	885,934	591	18.4	16.6-20.2	1992	81.6	79.8-83.4
Black or Afr. Am./Non-Hisp	113	64,551	10	5.7	01.4-10.0	103	94.3	90.0-98.6
45-54	438	239,069	14	3.3	00.8-05.8	424	96.7	94.2-99.2
55-64	1022	370,792	132	10.7	08.7-12.7	890	89.3	87.3-91.3
65+	1372	391,410	480	32.4	29.5-35.3	892	67.6	64.7-70.5
Less Than H.S.	228	123,438	24	8.9	05.0-12.8	204	91.1	87.2-95.0
H.S. or G.E.D.	975	384,265	167	15.0	12.5-17.5	808	85.0	82.5-87.5
Some Post-H.S.	659	277,239	127	16.6	13.3-19.9	532	83.4	80.1-86.7
College Graduate	964	213,162	307	27.8	24.7-30.9	657	72.2	69.1-75.3
Less than \$15,000	221	83,931	24	8.5	04.4-12.6	197	91.5	87.4-95.6
\$15,000- 24,999	380	140,398	70	15.5	11.4-19.6	310	84.5	80.4-88.6
\$25,000- 34,999	302	101,982	67	18.6	13.7-23.5	235	81.4	76.5-86.3
\$35,000- 49,999	451	164,603	105	18.6	14.5-22.7	346	81.4	77.3-85.5
\$50,000- 74,999	466	167,439	114	20.2	15.7-24.7	352	79.8	75.3-84.3
\$75,000+	730	250,243	178	17.0	14.3-19.7	552	83.0	80.3-85.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 11: IMMUNIZATION**

TABLE 12: THE NEXT QUESTION IS ABOUT THE SHINGLES VACCINE. HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4537	1,135,181	1187	20.8	19.4-22.2	3350	79.2	77.8-80.6
White/Non-Hisp	4122	994,602	1127	22.2	20.8-23.6	2995	77.8	76.4-79.2
Black or Afr. Am./Non-Hisp	218	89,466	27	10.1	05.0-15.2	191	89.9	84.8-95.0
45-54	568	232,624	30	4.4	02.6-06.2	538	95.6	93.8-97.4
55-64	1426	392,924	243	14.3	12.3-16.3	1183	85.7	83.7-87.7
65+	2543	509,634	914	33.3	30.9-35.7	1629	66.7	64.3-69.1
Less Than H.S.	398	140,858	72	12.9	09.6-16.2	326	87.1	83.8-90.4
H.S. or G.E.D.	1795	463,056	429	20.8	18.6-23.0	1366	79.2	77.0-81.4
Some Post-H.S.	1179	342,165	302	21.2	18.5-23.9	877	78.8	76.1-81.5
College Graduate	1151	186,217	379	25.9	23.2-28.6	772	74.1	71.4-76.8
Less than \$15,000	519	130,310	97	14.3	10.6-18.0	422	85.7	82.0-89.4
\$15,000- 24,999	883	213,995	193	17.7	14.8-20.6	690	82.3	79.4-85.2
\$25,000- 34,999	533	124,604	148	22.0	18.1-25.9	385	78.0	74.1-81.9
\$35,000- 49,999	605	158,285	173	22.2	18.5-25.9	432	77.8	74.1-81.5
\$50,000- 74,999	505	133,380	137	21.2	17.3-25.1	368	78.8	74.9-82.7
\$75,000+	702	187,479	176	19.0	15.9-22.1	526	81.0	77.9-84.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014

SECTION 12: FALLS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)	
1	MALES AND FEMALES	211
2	MALES ONLY	212
3	FEMALES ONLY	213
	HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)	
4	MALES AND FEMALES	214
5	MALES ONLY	215
6	FEMALES ONLY	216

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 12: FALLS**

TABLE 1: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are < 45 years of age

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8262	2,526,504	1281	14.1	13.1-15.1	568	7.0	06.2-07.8	267	3.4	02.8-04.0	122	1.4	01.0-01.8	317	4.1	03.5-04.7	5707	70.1	68.9-71.3
Male	3225	1,193,866	448	13.1	11.7-14.5	199	6.1	05.1-07.1	93	3.1	02.3-03.9	46	1.4	00.8-02.0	141	4.7	03.7-05.7	2298	71.5	69.5-73.5
Female	5037	1,332,638	833	15.0	13.8-16.2	369	7.8	06.8-08.8	174	3.6	02.8-04.4	76	1.4	01.0-01.8	176	3.5	02.9-04.1	3409	68.7	67.1-70.3
White/Non-Hisp	7468	2,196,914	1164	14.2	13.2-15.2	505	6.8	06.0-07.6	238	3.1	02.7-03.5	110	1.4	01.0-01.8	280	4.0	03.4-04.6	5171	70.5	69.1-71.9
Black or Afr. Am./Non-Hisp	374	182,073	50	11.6	07.7-15.5	28	8.4	04.7-12.1	11	4.9	01.4-08.4	6	2.2	00.2-04.2	12	3.8	01.3-06.3	267	69.0	62.9-75.1
Oth. Race/Non-Hisp.	106	27,057	13	7.0	02.3-11.7	8	7.2	00.0-14.8	2	0.6	00.0-01.6	4	1.7	00.0-03.5	12	12.5	04.1-20.9	67	70.9	59.3-82.5
MultiRacial/Non-Hisp.	79	20,907	14	19.5	08.5-30.5	10	11.8	03.2-20.4	6	12.5	00.0-26.0	2	1.0	00.0-02.4	7	6.7	01.4-12.0	40	48.6	33.7-63.5
Hispanic	104	59,087	21	18.9	10.1-27.7	7	8.2	01.7-14.7	2	2.4	00.0-06.1				2	2.2	00.0-05.9	72	68.3	57.5-79.1
45-54	1779	824,119	222	12.1	10.3-13.9	114	6.8	05.4-08.2	62	3.9	02.7-05.1	19	0.8	00.4-01.2	78	4.6	03.4-05.8	1284	71.8	69.3-74.3
55-64	2453	765,447	364	13.6	12.0-15.2	160	6.2	05.0-07.4	71	3.3	02.3-04.3	48	2.3	01.5-03.1	122	4.9	03.9-05.9	1688	69.8	67.6-72.0
65+	3914	898,911	682	16.5	15.1-17.9	288	7.8	06.6-09.0	131	3.1	02.5-03.7	55	1.3	00.9-01.7	116	3.0	02.4-03.6	2642	68.2	66.2-70.2
Less Than H.S.	682	299,541	107	14.3	11.0-17.6	64	9.7	07.0-12.4	37	6.5	04.0-09.0	15	2.3	00.9-03.7	50	7.7	05.2-10.2	409	59.4	54.7-64.1
H.S. or G.E.D.	2991	958,623	414	12.5	11.1-13.9	195	6.3	05.3-07.3	89	2.7	02.1-03.3	55	1.7	01.1-02.3	127	4.1	03.3-04.9	2111	72.7	70.7-74.7
Some Post-H.S.	2076	751,067	321	14.9	13.1-16.7	155	7.8	06.4-09.2	68	3.3	02.3-04.3	23	1.1	00.5-01.7	74	3.6	02.6-04.6	1435	69.4	67.0-71.8
College Graduate	2488	510,069	434	15.9	14.1-17.7	153	5.6	04.6-06.6	73	2.8	02.0-03.6	29	1.0	00.6-01.4	65	2.3	01.7-02.9	1734	72.3	70.1-74.5
Less than \$15,000	820	253,142	127	12.9	10.2-15.6	78	11.2	08.1-14.3	48	7.3	04.6-10.0	26	3.3	01.7-04.9	99	13.1	10.0-16.2	442	52.1	47.6-56.6
\$15,000- 24,999	1353	398,303	213	15.7	13.2-18.2	125	9.7	07.7-11.7	62	5.2	03.6-06.8	34	2.7	01.5-03.9	59	4.8	03.2-06.4	860	61.9	58.4-65.4
\$25,000- 34,999	893	255,891	150	14.9	12.2-17.6	51	5.3	03.5-07.1	26	3.2	01.8-04.6	9	0.6	00.2-01.0	33	3.9	02.3-05.5	624	72.0	68.5-75.5
\$35,000- 49,999	1153	372,521	177	13.0	10.6-15.4	81	7.0	05.0-09.0	33	2.7	01.3-04.1	10	0.8	00.2-01.4	31	2.9	01.7-04.1	821	73.6	70.3-76.9
\$50,000- 74,999	1099	358,384	166	13.5	11.1-15.9	71	6.4	04.6-08.2	16	1.2	00.6-01.8	15	1.4	00.4-02.4	35	3.4	02.0-04.8	796	74.1	71.0-77.2
\$75,000+	1752	563,176	264	13.6	11.8-15.4	87	4.5	03.3-05.7	37	2.3	01.5-03.1	10	0.5	00.1-00.9	31	2.0	01.0-03.0	1323	77.0	74.6-79.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 12: FALLS**

TABLE 2: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3225	1,193,866	448	13.1	11.7-14.5	199	6.1	05.1-07.1	93	3.1	02.3-03.9	46	1.4	00.8-02.0	141	4.7	03.7-05.7	2298	71.5	69.5-73.5
White/Non-Hisp	2921	1,044,209	405	12.9	11.5-14.3	178	5.9	04.9-06.9	85	2.8	02.0-03.6	41	1.4	00.8-02.0	120	4.4	03.4-05.4	2092	72.6	70.6-74.6
Black or Afr. Am./Non-Hisp	128	75,360	15	13.0	05.7-20.3	8	9.3	02.2-16.4	2	3.5	00.0-09.0	4	3.6	00.0-07.3	8	7.2	01.9-12.5	91	63.4	52.8-74.0
45-54	778	412,733	94	12.0	09.3-14.7	47	6.3	04.1-08.5	23	3.0	01.6-04.4	4	0.5	00.0-01.1	43	5.5	03.5-07.5	567	72.7	69.0-76.4
55-64	1032	374,492	124	11.3	09.1-13.5	55	4.5	03.1-05.9	26	3.3	01.7-04.9	21	2.8	01.4-04.2	58	5.8	04.0-07.6	748	72.3	69.0-75.6
65+	1378	390,693	227	16.4	13.9-18.9	96	7.6	05.6-09.6	43	3.0	02.0-04.0	21	1.2	00.6-01.8	40	3.1	01.9-04.3	951	68.8	65.7-71.9
Less Than H.S.	249	136,346	36	14.2	08.7-19.7	21	6.8	03.5-10.1	13	6.2	02.1-10.3	6	3.2	00.5-05.9	26	11.3	06.4-16.2	147	58.4	50.8-66.0
H.S. or G.E.D.	1080	446,349	123	11.0	08.8-13.2	62	5.7	03.9-07.5	28	2.4	01.4-03.4	20	1.6	00.8-02.4	42	3.7	02.3-05.1	805	75.5	72.6-78.4
Some Post-H.S.	751	337,144	105	13.6	10.9-16.3	53	7.3	04.9-09.7	19	2.8	01.4-04.2	7	1.0	00.2-01.8	43	5.2	03.2-07.2	524	70.1	66.2-74.0
College Graduate	1136	270,154	183	15.5	13.0-18.0	63	5.1	03.7-06.5	33	2.8	01.6-04.0	13	0.9	00.3-01.5	29	2.2	01.2-03.2	815	73.5	70.6-76.4
Less than \$15,000	247	95,972	33	11.0	06.9-15.1	17	8.4	03.3-13.5	18	10.5	04.4-16.6	9	4.1	00.8-07.4	47	18.5	12.2-24.8	123	47.5	39.5-55.5
\$15,000- 24,999	409	155,994	65	17.1	12.2-22.0	33	7.0	04.3-09.7	22	6.0	03.1-08.9	10	3.2	00.8-05.6	27	7.0	03.9-10.1	252	59.7	53.6-65.8
\$25,000- 34,999	329	116,205	51	12.7	08.8-16.6	16	5.8	02.5-09.1	12	3.2	01.2-05.2	2	0.5	00.0-01.1	11	3.5	01.0-06.0	237	74.4	68.9-79.9
\$35,000- 49,999	495	190,233	67	12.6	08.9-16.3	40	8.2	05.1-11.3	10	1.8	00.4-03.2	6	1.1	00.1-02.1	17	4.1	01.7-06.5	355	72.3	67.4-77.2
\$50,000- 74,999	526	200,955	63	10.9	07.8-14.0	37	7.0	04.3-09.7	8	1.0	00.2-01.8	8	1.3	00.1-02.5	13	3.2	01.2-05.2	397	76.6	72.3-80.9
\$75,000+	886	319,283	120	12.6	10.1-15.1	36	3.5	02.1-04.9	14	1.7	00.7-02.7	6	0.5	00.1-00.9	18	2.3	00.9-03.7	692	79.4	76.3-82.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 12: FALLS**

**TABLE 3: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5037	1,332,638	833	15.0	13.8-16.2	369	7.8	06.8-08.8	174	3.6	02.8-04.4	76	1.4	01.0-01.8	176	3.5	02.9-04.1	3409	68.7	67.1-70.3
White/Non-Hisp	4547	1,152,706	759	15.3	14.1-16.5	327	7.7	06.7-08.7	153	3.3	02.7-03.9	69	1.5	01.1-01.9	160	3.7	03.1-04.3	3079	68.5	66.9-70.1
Black or Afr. Am./Non-Hisp	246	106,713	35	10.6	06.3-14.9	20	7.8	04.1-11.5	9	6.0	01.3-10.7	2	1.2	00.0-03.2	4	1.4	00.0-03.6	176	73.0	65.9-80.1
Oth. Race/Non-Hisp.	58	12,162	7	7.2	00.3-14.1	5	11.3	00.0-26.6	2	1.4	00.0-03.6	4	3.7	00.0-07.4	5	8.2	00.0-17.4	35	68.1	51.0-85.2
Hispanic	63	31,487	15	22.6	09.9-35.3	4	6.1	00.0-12.4	1	1.0	00.0-03.0				1	0.5	00.0-01.5	42	69.9	56.4-83.4
45-54	1001	411,386	128	12.3	09.9-14.7	67	7.4	05.4-09.4	39	4.7	02.9-06.5	15	1.1	00.5-01.7	35	3.6	02.2-05.0	717	70.9	67.6-74.2
55-64	1421	390,955	240	15.8	13.6-18.0	105	7.9	06.1-09.7	45	3.3	02.1-04.5	27	1.7	00.9-02.5	64	4.0	02.8-05.2	940	67.4	64.5-70.3
65+	2536	508,218	455	16.6	14.8-18.4	192	8.0	06.6-09.4	88	3.2	02.4-04.0	34	1.4	00.8-02.0	76	3.0	02.2-03.8	1691	67.8	65.4-70.2
Less Than H.S.	433	163,196	71	14.4	10.7-18.1	43	12.2	08.3-16.1	24	6.7	03.6-09.8	9	1.6	00.4-02.8	24	4.8	02.6-07.0	262	60.3	54.6-66.0
H.S. or G.E.D.	1911	512,274	291	13.7	11.9-15.5	133	6.8	05.4-08.2	61	3.0	02.0-04.0	35	1.7	00.9-02.5	85	4.5	03.3-05.7	1306	70.3	67.8-72.8
Some Post-H.S.	1325	413,923	216	15.9	13.5-18.3	102	8.2	06.4-10.0	49	3.7	02.3-05.1	16	1.1	00.5-01.7	31	2.3	01.3-03.3	911	68.8	65.7-71.9
College Graduate	1352	239,915	251	16.5	14.3-18.7	90	6.2	04.6-07.8	40	2.8	01.6-04.0	16	1.1	00.3-01.9	36	2.4	01.4-03.4	919	70.9	68.0-73.8
Less than \$15,000	573	157,170	94	14.1	10.6-17.6	61	12.9	09.0-16.8	30	5.4	02.9-07.9	17	2.8	01.0-04.6	52	9.9	06.8-13.0	319	55.0	49.5-60.5
\$15,000- 24,999	944	242,309	148	14.9	12.0-17.8	92	11.4	08.7-14.1	40	4.7	02.7-06.7	24	2.4	01.2-03.6	32	3.4	02.0-04.8	608	63.3	59.2-67.4
\$25,000- 34,999	564	139,687	99	16.8	12.9-20.7	35	4.9	02.9-06.9	14	3.2	01.4-05.0	7	0.8	00.2-01.4	22	4.2	02.0-06.4	387	70.1	65.4-74.8
\$35,000- 49,999	658	182,288	110	13.5	10.4-16.6	41	5.8	03.6-08.0	23	3.7	01.3-06.1	4	0.5	00.0-01.1	14	1.6	00.6-02.6	466	74.9	70.8-79.0
\$50,000- 74,999	573	157,429	103	16.9	13.4-20.4	34	5.5	03.5-07.5	8	1.5	00.3-02.7	7	1.6	00.2-03.0	22	3.6	01.6-05.6	399	71.0	66.7-75.3
\$75,000+	866	243,893	144	15.1	12.4-17.8	51	5.8	03.8-07.8	23	3.0	01.4-04.6	4	0.6	00.0-01.4	13	1.7	00.7-02.7	631	73.9	70.4-77.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 12: FALLS**

TABLE 4: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2538	751,178	661	26.0	23.8-28.2	152	7.2	05.8-08.6	71	2.9	01.9-03.9	38	1.6	01.0-02.2	59	2.5	01.7-03.3	1557	59.7	57.2-62.2
Male	921	337,028	204	22.8	19.3-26.3	41	5.7	03.7-07.7	15	1.9	00.7-03.1	14	1.5	00.5-02.5	23	2.9	01.5-04.3	624	65.3	61.4-69.2
Female	1617	414,150	457	28.6	25.9-31.3	111	8.5	06.7-10.3	56	3.8	02.4-05.2	24	1.8	01.0-02.6	36	2.2	01.2-03.2	933	55.1	52.0-58.2
White/Non-Hisp	2283	644,349	590	25.6	23.4-27.8	123	6.4	05.0-07.8	58	2.6	01.8-03.4	35	1.9	01.1-02.7	49	2.5	01.5-03.5	1428	61.1	58.6-63.6
Black or Afr. Am./Non-Hisp	107	56,374	35	29.1	18.7-39.5	11	11.0	03.4-18.6	6	7.2	00.0-14.6							55	52.7	40.5-64.9
45-54	492	230,252	129	25.0	20.5-29.5	43	10.1	07.0-13.2	25	5.4	02.9-07.9	9	2.0	00.6-03.4	15	3.2	01.4-05.0	271	54.2	48.9-59.5
55-64	761	230,585	194	26.6	22.7-30.5	49	6.9	04.7-09.1	22	2.4	01.2-03.6	17	2.4	01.0-03.8	27	3.6	01.8-05.4	452	58.1	53.8-62.4
65+	1262	283,184	333	26.6	23.5-29.7	56	4.9	03.3-06.5	23	1.4	00.6-02.2	12	0.7	00.3-01.1	17	1.1	00.3-01.9	821	65.2	61.9-68.5
Less Than H.S.	266	118,316	65	27.9	20.8-35.0	26	11.3	06.8-15.8	17	5.9	02.6-09.2	4	1.1	00.1-02.1	12	4.0	01.5-06.5	142	49.8	42.4-57.2
H.S. or G.E.D.	876	259,719	218	24.2	20.7-27.7	52	6.5	04.5-08.5	22	2.3	01.1-03.5	19	2.4	01.0-03.8	24	2.5	01.3-03.7	541	62.0	58.1-65.9
Some Post-H.S.	639	229,706	170	25.6	21.7-29.5	51	8.6	05.9-11.3	18	3.0	01.0-05.0	7	1.2	00.2-02.2	16	3.0	01.0-05.0	377	58.6	53.9-63.3
College Graduate	750	141,038	205	28.0	24.1-31.9	23	3.0	01.6-04.4	14	1.5	00.5-02.5	8	1.3	00.1-02.5	7	0.6	00.2-01.0	493	65.5	61.4-69.6
Less than \$15,000	371	119,519	98	25.8	20.1-31.5	40	12.0	07.5-16.5	16	5.8	02.7-08.9	10	2.9	00.7-05.1	32	9.3	05.4-13.2	175	44.3	37.6-51.0
\$15,000- 24,999	488	149,829	139	29.8	24.3-35.3	39	9.6	06.3-12.9	15	2.8	01.0-04.6	16	4.1	01.7-06.5	12	2.4	00.8-04.0	267	51.3	45.6-57.0
\$25,000- 34,999	268	70,546	63	23.3	17.2-29.4	13	3.6	01.4-05.8	9	2.6	00.6-04.6	3	1.3	00.0-02.9	6	1.1	00.1-02.1	174	68.0	61.3-74.7
\$35,000- 49,999	330	98,272	86	26.9	20.6-33.2	13	5.7	02.2-09.2	8	4.0	00.0-08.1	2	0.5	00.0-01.3	3	0.5	00.0-01.1	218	62.5	55.4-69.6
\$50,000- 74,999	303	92,747	76	23.0	17.5-28.5	14	4.7	01.8-07.6	5	2.2	00.0-04.4	1	0.3	00.0-00.9	3	1.8	00.0-04.5	204	68.1	61.6-74.6
\$75,000+	429	129,468	108	22.7	18.0-27.4	14	4.9	02.2-07.6	6	1.0	00.0-02.0	2	0.3	00.0-00.9	3	1.0	00.0-02.2	296	70.1	65.0-75.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 12: FALLS**

TABLE 5: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	921	337,028	204	22.8	19.3-26.3	41	5.7	03.7-07.7	15	1.9	00.7-03.1	14	1.5	00.5-02.5	23	2.9	01.5-04.3	624	65.3	61.4-69.2
White/Non-Hisp	825	283,821	176	21.7	18.2-25.2	34	4.9	03.1-06.7	12	1.8	00.6-03.0	13	1.7	00.7-02.7	19	2.8	01.2-04.4	571	67.1	63.0-71.2
45-54	210	111,733	51	24.1	17.0-31.2	14	8.8	04.1-13.5	7	3.4	00.7-06.1	3	1.2	00.0-02.6	7	3.4	00.5-06.3	128	59.1	51.1-67.1
55-64	282	103,193	55	21.7	15.6-27.8	16	5.6	02.7-08.5	5	1.5	00.0-03.1	8	3.1	00.7-05.5	9	4.3	01.0-07.6	189	63.8	56.7-70.9
65+	424	120,370	97	22.6	17.7-27.5	11	2.9	00.9-04.9	3	0.9	00.0-02.3	3	0.3	00.0-00.7	7	1.3	00.1-02.5	303	71.9	66.6-77.2
Less Than H.S.	99	54,463	25	29.7	17.9-41.5	9	10.3	03.4-17.2	5	5.0	00.1-09.9	2	1.2	00.0-03.0	6	4.3	00.4-08.2	52	49.5	37.3-61.7
H.S. or G.E.D.	274	108,765	54	22.3	16.0-28.6	12	4.3	01.8-06.8	4	2.2	00.0-04.4	8	2.7	00.3-05.1	6	1.6	00.0-03.2	190	66.9	60.2-73.6
Some Post-H.S.	226	100,827	46	18.1	12.6-23.6	15	8.0	03.3-12.7	3	0.9	00.0-01.9	1	0.3	00.0-00.9	10	5.6	01.5-09.7	151	67.2	59.9-74.5
College Graduate	320	71,524	78	24.4	18.7-30.1	5	1.1	00.1-02.1	3	0.8	00.0-01.8	3	1.3	00.0-03.1	1	0.1	00.0-00.3	230	72.2	66.3-78.1
Less than \$15,000	122	49,391	36	29.1	19.1-39.1	13	13.9	06.1-21.7	4	5.4	00.1-10.7	2	0.7	00.0-01.7	10	9.1	02.4-15.8	57	41.8	30.2-53.4
\$15,000- 24,999	155	62,444	35	26.2	16.6-35.8	9	6.1	01.8-10.4	2	1.5	00.0-03.9	8	5.5	01.2-09.8	8	4.4	01.1-07.7	93	56.3	46.3-66.3
\$25,000- 34,999	91	28,773	19	21.1	11.3-30.9	3	3.0	00.0-06.7	3	3.1	00.0-06.6	1	1.4	00.0-04.1	1	0.4	00.0-01.2	64	71.0	60.4-81.6
\$35,000- 49,999	140	52,712	30	22.6	14.0-31.2	7	7.6	01.3-13.9	2	1.1	00.0-02.7	1	0.3	00.0-00.9	1	0.3	00.0-00.9	99	68.1	58.3-77.9
\$50,000- 74,999	129	47,022	33	21.5	13.5-29.5	2	1.9	00.0-05.0	1	1.8	00.0-05.3	1	0.5	00.0-01.5	1	2.8	00.0-08.1	91	71.5	61.7-81.3
\$75,000+	194	65,737	37	17.6	11.3-23.9	2	0.9	00.0-02.1	1	0.2	00.0-00.6	1	0.5	00.0-01.5	2	1.5	00.0-03.7	151	79.3	72.6-86.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 12: FALLS**

TABLE 6: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1617	414,150	457	28.6	25.9-31.3	111	8.5	06.7-10.3	56	3.8	02.4-05.2	24	1.8	01.0-02.6	36	2.2	01.2-03.2	933	55.1	52.0-58.2
White/Non-Hisp	1458	360,529	414	28.6	25.7-31.5	89	7.6	05.8-09.4	46	3.1	01.9-04.3	22	2.0	01.0-03.0	30	2.2	01.2-03.2	857	56.5	53.4-59.6
Black or Afr. Am./Non-Hisp	70	28,786	22	28.6	15.9-41.3	9	12.5	03.3-21.7	4	10.7	00.0-24.0							35	48.1	33.0-63.2
45-54	282	118,519	78	25.9	20.0-31.8	29	11.4	07.1-15.7	18	7.3	03.2-11.4	6	2.8	00.4-05.2	8	3.0	00.8-05.2	143	49.6	42.7-56.5
55-64	479	127,391	139	30.5	25.4-35.6	33	8.0	05.1-10.9	17	3.1	01.3-04.9	9	1.8	00.4-03.2	18	3.1	01.3-04.9	263	53.5	48.0-59.0
65+	838	162,814	236	29.6	25.7-33.5	45	6.4	04.0-08.8	20	1.7	00.7-02.7	9	1.0	00.2-01.8	10	1.0	00.2-01.8	518	60.3	56.2-64.4
Less Than H.S.	167	63,853	40	26.4	18.2-34.6	17	12.1	06.0-18.2	12	6.6	02.1-11.1	2	0.9	00.0-02.3	6	3.8	00.3-07.3	90	50.1	40.9-59.3
H.S. or G.E.D.	602	150,954	164	25.6	21.5-29.7	40	8.2	05.3-11.1	18	2.4	01.0-03.8	11	2.2	00.8-03.6	18	3.1	01.3-04.9	351	58.5	53.8-63.2
Some Post-H.S.	413	128,879	124	31.5	26.0-37.0	36	9.1	05.6-12.6	15	4.7	01.4-08.0	6	2.0	00.2-03.8	6	0.9	00.0-01.9	226	51.8	45.7-57.9
College Graduate	430	69,514	127	31.8	26.3-37.3	18	5.0	02.3-07.7	11	2.3	00.7-03.9	5	1.3	00.0-02.9	6	1.0	00.2-01.8	263	58.6	52.9-64.3
Less than \$15,000	249	70,128	62	23.4	16.7-30.1	27	10.8	05.9-15.7	12	6.0	02.1-09.9	8	4.4	00.9-07.9	22	9.4	04.7-14.1	118	46.0	38.0-54.0
\$15,000- 24,999	333	87,385	104	32.4	25.9-38.9	30	12.2	07.5-16.9	13	3.8	01.3-06.3	8	3.1	00.6-05.6	4	0.9	00.0-02.1	174	47.6	40.7-54.5
\$25,000- 34,999	177	41,773	44	24.8	17.2-32.4	10	4.1	01.4-06.8	6	2.3	00.3-04.3	2	1.2	00.0-03.2	5	1.7	00.1-03.3	110	66.0	57.6-74.4
\$35,000- 49,999	190	45,560	56	31.9	23.1-40.7	6	3.4	00.5-06.3	6	7.4	00.0-15.6	1	0.7	00.0-02.1	2	0.7	00.0-01.7	119	56.0	46.4-65.6
\$50,000- 74,999	174	45,725	43	24.5	17.1-31.9	12	7.5	02.6-12.4	4	2.5	00.0-05.0				2	0.8	00.0-02.0	113	64.6	56.2-73.0
\$75,000+	235	63,731	71	28.0	21.3-34.7	12	9.0	03.9-14.1	5	1.9	00.0-03.9	1	0.2	00.0-00.6	1	0.3	00.0-00.9	145	60.6	53.2-68.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014

SECTION 13: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)	
1	MALES AND FEMALES	218
2	MALES ONLY	219
3	FEMALES ONLY	220

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 13: SEATBELT USE**

**TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10856	4,712,558	9582	85.1	84.1-86.1	762	8.8	08.0-09.6	234	2.6	02.2-03.0	89	1.2	00.8-01.6	181	2.1	01.7-02.5	8	0.1	00.0-00.3
Male	4399	2,293,089	3636	79.5	77.9-81.1	426	11.6	10.2-13.0	152	3.7	02.9-04.5	66	2.1	01.5-02.7	115	3.0	02.2-03.8	4	0.1	00.0-00.3
Female	6457	2,419,469	5946	90.5	89.3-91.7	336	6.2	05.2-07.2	82	1.6	01.2-02.0	23	0.4	00.2-00.6	66	1.2	00.8-01.6	4	0.1	00.0-00.3
White/Non-Hisp	9490	3,856,767	8387	84.7	83.5-85.9	674	9.3	08.5-10.1	195	2.6	02.2-03.0	81	1.4	01.0-01.8	148	2.0	01.6-02.4	5	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	582	393,011	511	86.1	82.4-89.8	41	8.4	05.5-11.3	13	2.5	00.9-04.1	2	0.3	00.0-00.9	13	2.0	00.4-03.6	2	0.6	00.0-01.6
Oth. Race/Non-Hisp.	210	94,609	182	85.8	79.1-92.5	10	4.3	00.0-08.8	10	4.3	01.2-07.4				7	4.7	00.8-08.6	1	0.9	00.0-02.7
MultiRacial/Non-Hisp.	128	53,816	113	88.3	80.9-95.7	11	8.9	02.6-15.2	2	0.4	00.0-01.0	2	2.4	00.0-06.7						
Hispanic	290	250,281	260	89.4	85.1-93.7	15	5.3	02.0-08.6	7	3.0	00.6-05.4	2	0.6	00.0-01.4	6	1.7	00.1-03.3			
18-24	538	647,211	423	78.6	74.9-82.3	71	13.9	10.6-17.2	11	1.7	00.7-02.7	12	2.1	00.9-03.3	20	3.5	01.9-05.1	1	0.2	00.0-00.6
25-34	810	759,121	679	81.4	78.3-84.5	82	11.1	08.6-13.6	21	3.3	01.7-04.9	15	2.3	00.9-03.7	12	1.7	00.7-02.7	1	0.2	00.0-00.6
35-44	1206	769,289	1031	83.3	80.6-86.0	107	9.3	07.3-11.3	33	3.6	02.2-05.0	9	0.9	00.3-01.5	25	2.8	01.4-04.2	1	0.0	00.0-00.0
45-54	1785	826,680	1612	89.0	87.2-90.8	100	5.7	04.5-06.9	31	2.4	01.4-03.4	11	0.9	00.3-01.5	29	1.6	01.0-02.2	2	0.3	00.0-00.7
55-64	2464	767,927	2217	88.9	87.3-90.5	160	7.4	06.0-08.8	49	2.2	01.4-03.0	17	0.7	00.3-01.1	21	0.8	00.4-01.2			
65+	3937	903,775	3516	87.5	86.1-88.9	236	7.0	05.8-08.2	84	2.4	01.8-03.0	25	0.7	00.3-01.1	73	2.3	01.7-02.9	3	0.1	00.1-00.1
Less Than H.S.	943	647,067	801	81.2	77.7-84.7	70	10.6	07.7-13.5	31	3.4	01.8-05.0	8	1.2	00.2-02.2	28	3.1	01.5-04.7	5	0.5	00.0-01.1
H.S. or G.E.D.	3687	1,617,253	3201	83.7	81.9-85.5	265	8.7	07.3-10.1	106	3.2	02.4-04.0	36	1.6	01.0-02.2	79	2.9	02.1-03.7			
Some Post-H.S.	2790	1,446,869	2456	85.8	84.0-87.6	204	8.7	07.3-10.1	58	2.6	01.8-03.4	25	1.3	00.7-01.9	45	1.5	00.9-02.1	2	0.2	00.0-00.4
College Graduate	3407	991,181	3097	88.9	87.5-90.3	221	8.1	06.9-09.3	39	1.4	00.8-02.0	20	0.6	00.2-01.0	29	1.0	00.6-01.4	1	0.0	00.0-00.0
Less than \$15,000	1094	501,505	958	85.9	83.0-88.8	61	6.4	04.2-08.6	32	4.0	02.2-05.8	6	0.4	00.0-00.8	32	2.4	01.2-03.6	5	0.8	00.0-01.6
\$15,000- 24,999	1743	767,426	1525	82.7	80.0-85.4	107	7.6	05.8-09.4	40	3.5	02.1-04.9	20	1.9	00.9-02.9	49	4.3	02.7-05.9	2	0.1	00.1-00.1
\$25,000- 34,999	1144	487,768	984	82.9	79.8-86.0	89	9.7	07.2-12.2	34	2.9	01.7-04.1	9	1.1	00.3-01.9	27	3.2	01.6-04.8	1	0.2	00.0-00.6
\$35,000- 49,999	1461	642,770	1274	82.7	79.8-85.6	116	11.4	08.9-13.9	34	2.6	01.4-03.8	19	2.1	01.1-03.1	18	1.3	00.5-02.1			
\$50,000- 74,999	1477	673,795	1295	83.8	81.1-86.5	118	10.3	07.9-12.7	36	3.2	02.0-04.4	7	1.2	00.2-02.2	21	1.6	00.8-02.4			
\$75,000+	2448	1,038,856	2201	87.7	85.9-89.5	181	8.8	07.2-10.4	30	1.5	00.9-02.1	19	1.0	00.4-01.6	17	1.0	00.4-01.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 13: SEATBELT USE**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4399	2,293,089	3636	79.5	77.9-81.1	426	11.6	10.2-13.0	152	3.7	02.9-04.5	66	2.1	01.5-02.7	115	3.0	02.2-03.8	4	0.1	00.0-00.3
White/Non-Hisp	3832	1,872,281	3162	78.4	76.6-80.2	386	12.5	11.1-13.9	121	3.5	02.7-04.3	63	2.4	01.6-03.2	98	3.2	02.4-04.0	2	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	222	186,925	188	82.6	76.5-88.7	16	8.7	04.0-13.4	10	4.4	01.5-07.3	1	0.5	00.0-01.5	6	2.9	00.0-06.0	1	0.7	00.0-02.1
Oth. Race/Non-Hisp.	110	58,437	90	81.4	71.8-91.0	5	6.0	00.0-13.3	9	6.5	01.4-11.6				5	4.7	00.0-09.6	1	1.5	00.0-04.4
MultiRacial/Non-Hisp.	50	26,861	43	86.2	74.4-98.0	5	9.0	00.4-17.6	1	0.4	00.0-01.2	1	4.5	00.0-12.9						
Hispanic	117	117,097	103	89.2	83.3-95.1	9	7.0	02.1-11.9	4	3.4	00.1-06.7				1	0.4	00.0-01.2			
18-24	292	330,226	216	73.3	67.8-78.8	46	16.7	12.0-21.4	7	2.0	00.4-03.6	9	3.3	01.1-05.5	14	4.6	02.1-07.1			
25-34	352	379,753	272	74.4	69.1-79.7	47	14.7	10.4-19.0	14	4.4	01.9-06.9	11	3.9	01.5-06.3	8	2.6	00.6-04.6			
35-44	518	384,174	402	76.0	71.5-80.5	69	13.4	09.9-16.9	21	4.5	02.3-06.7	6	1.4	00.2-02.6	19	4.6	02.1-07.1	1	0.1	00.0-00.3
45-54	782	414,161	678	85.8	82.9-88.7	56	6.9	04.9-08.9	22	3.7	01.9-05.5	10	1.6	00.6-02.6	14	1.5	00.5-02.5	2	0.5	00.0-01.3
55-64	1037	375,728	881	84.0	81.5-86.5	97	10.3	08.1-12.5	36	3.5	02.1-04.9	11	1.1	00.3-01.9	12	1.0	00.4-01.6			
65+	1381	392,402	1157	81.8	79.3-84.3	108	8.9	06.9-10.9	49	3.9	02.7-05.1	19	1.4	00.6-02.2	47	4.1	02.7-05.5	1	0.0	00.0-00.0
Less Than H.S.	373	324,907	292	76.8	71.1-82.5	36	12.2	07.7-16.7	19	4.2	01.7-06.7	5	1.9	00.0-03.9	19	4.5	01.8-07.2	2	0.3	00.0-00.9
H.S. or G.E.D.	1444	814,008	1136	76.0	73.3-78.7	155	12.4	10.2-14.6	70	4.6	03.4-05.8	32	2.9	01.7-04.1	51	4.1	02.7-05.5			
Some Post-H.S.	1046	645,528	861	80.3	77.2-83.4	106	11.6	09.1-14.1	36	3.6	02.2-05.0	15	2.1	00.9-03.3	27	2.3	01.3-03.3	1	0.2	00.0-00.6
College Graduate	1524	502,061	1336	85.7	83.3-88.1	128	9.9	07.9-11.9	27	2.2	01.2-03.2	14	0.7	00.3-01.1	18	1.5	00.7-02.3	1	0.0	00.0-00.0
Less than \$15,000	349	184,742	286	82.2	77.3-87.1	21	6.4	03.1-09.7	17	5.6	02.7-08.5	6	1.1	00.1-02.1	16	3.5	01.3-05.7	3	1.3	00.0-03.1
\$15,000- 24,999	566	330,840	461	75.0	69.9-80.1	42	9.6	06.3-12.9	20	4.8	02.3-07.3	16	3.8	01.4-06.2	26	6.8	03.5-10.1	1	0.0	00.0-00.0
\$25,000- 34,999	450	242,081	357	77.3	72.0-82.6	45	12.3	08.0-16.6	21	3.2	01.6-04.8	7	2.0	00.2-03.8	20	5.2	02.3-08.1			
\$35,000- 49,999	637	332,959	518	75.9	71.2-80.6	72	16.3	12.0-20.6	24	3.9	01.9-05.9	13	2.7	00.9-04.5	10	1.2	00.4-02.0			
\$50,000- 74,999	713	368,411	582	78.7	74.6-82.8	75	11.7	08.4-15.0	31	5.1	02.9-07.3	6	1.9	00.3-03.5	19	2.6	01.2-04.0			
\$75,000+	1215	586,121	1040	83.4	80.7-86.1	127	11.7	09.3-14.1	22	2.2	01.2-03.2	13	1.3	00.5-02.1	13	1.4	00.4-02.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 13: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6457	2,419,469	5946	90.5	89.3-91.7	336	6.2	05.2-07.2	82	1.6	01.2-02.0	23	0.4	00.2-00.6	66	1.2	00.8-01.6	4	0.1	00.0-00.3
White/Non-Hisp	5658	1,984,487	5225	90.6	89.4-91.8	288	6.2	05.2-07.2	74	1.7	01.1-02.3	18	0.5	00.3-00.7	50	1.0	00.6-01.4	3	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	360	206,086	323	89.3	85.2-93.4	25	8.2	04.5-11.9	3	0.7	00.0-01.9	1	0.1	00.0-00.3	7	1.1	00.1-02.1	1	0.6	00.0-01.8
Oth. Race/Non-Hisp.	100	36,171	92	92.8	85.9-99.7	5	1.8	00.0-03.6	1	0.7	00.0-02.1				2	4.7	00.0-11.4			
MultiRacial/Non-Hisp.	78	26,956	70	90.4	81.2-99.6	6	8.8	00.0-18.0	1	0.4	00.0-01.2	1	0.4	00.0-01.2						
Hispanic	173	133,184	157	89.6	83.5-95.7	6	3.9	00.0-08.2	3	2.6	00.0-05.9	2	1.1	00.0-02.5	5	2.9	00.2-05.6			
18-24	246	316,985	207	84.0	79.1-88.9	25	11.0	06.5-15.5	4	1.3	00.0-02.7	3	0.9	00.0-01.9	6	2.3	00.3-04.3	1	0.4	00.0-01.2
25-34	458	379,368	407	88.4	84.9-91.9	35	7.4	04.7-10.1	7	2.2	00.4-04.0	4	0.8	00.0-01.6	4	0.8	00.0-01.6	1	0.4	00.0-01.2
35-44	688	385,114	629	90.6	87.9-93.3	38	5.3	03.3-07.3	12	2.8	01.0-04.6	3	0.4	00.0-00.8	6	1.0	00.0-02.0			
45-54	1003	412,519	934	92.3	90.3-94.3	44	4.5	03.1-05.9	9	1.2	00.4-02.0	1	0.2	00.0-00.6	15	1.7	00.7-02.7			
55-64	1427	392,199	1336	93.5	91.9-95.1	63	4.6	03.2-06.0	13	1.0	00.4-01.6	6	0.4	00.0-00.8	9	0.6	00.2-01.0			
65+	2556	511,373	2359	91.9	90.5-93.3	128	5.5	04.3-06.7	35	1.3	00.7-01.9	6	0.2	00.0-00.4	26	0.9	00.5-01.3	2	0.1	00.0-00.3
Less Than H.S.	570	322,160	509	85.6	81.1-90.1	34	8.9	05.0-12.8	12	2.7	00.7-04.7	3	0.6	00.0-01.4	9	1.7	00.3-03.1	3	0.6	00.0-01.6
H.S. or G.E.D.	2243	803,245	2065	91.5	89.9-93.1	110	4.9	03.7-06.1	36	1.7	00.9-02.5	4	0.2	00.0-00.4	28	1.6	00.8-02.4			
Some Post-H.S.	1744	801,341	1595	90.3	88.3-92.3	98	6.4	04.8-08.0	22	1.8	01.0-02.6	10	0.6	00.2-01.0	18	0.8	00.2-01.4	1	0.1	00.0-00.3
College Graduate	1883	489,120	1761	92.2	90.4-94.0	93	6.2	04.6-07.8	12	0.5	00.1-00.9	6	0.5	00.0-01.1	11	0.6	00.2-01.0			
Less than \$15,000	745	316,763	672	88.1	84.2-92.0	40	6.4	03.5-09.3	15	3.1	00.9-05.3				16	1.8	00.4-03.2	2	0.5	00.0-01.5
\$15,000- 24,999	1177	436,586	1064	88.6	85.9-91.3	65	6.0	04.0-08.0	20	2.5	00.9-04.1	4	0.5	00.0-01.1	23	2.4	01.0-03.8	1	0.1	00.0-00.3
\$25,000- 34,999	694	245,687	627	88.5	85.0-92.0	44	7.1	04.2-10.0	13	2.5	00.7-04.3	2	0.2	00.0-00.4	7	1.1	00.1-02.1	1	0.5	00.0-01.5
\$35,000- 49,999	824	309,810	756	89.9	87.0-92.8	44	6.2	03.8-08.6	10	1.2	00.2-02.2	6	1.4	00.2-02.6	8	1.3	00.1-02.5			
\$50,000- 74,999	764	305,383	713	89.9	86.6-93.2	43	8.5	05.4-11.6	5	0.9	00.0-01.9	1	0.3	00.0-00.9	2	0.4	00.0-01.0			
\$75,000+	1233	452,734	1161	93.2	91.2-95.2	54	5.0	03.2-06.8	8	0.7	00.1-01.3	6	0.6	00.0-01.2	4	0.5	00.1-00.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014

SECTION 14: DRINKING AND DRIVING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2)	
1	MALES AND FEMALES	222
2	MALES ONLY	223
3	FEMALES ONLY	224

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 14: DRINKING AND DRIVING**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4884	2,258,679	71	2.2	01.6-02.8	30	0.9	00.5-01.3	10	0.1	00.1-00.1	2	0.1	00.0-00.3	12	0.2	00.0-00.4	4759	96.6	95.8-97.4
Male	2367	1,255,702	51	2.8	01.8-03.8	24	1.4	00.8-02.0	7	0.1	00.0-00.3	2	0.1	00.0-00.3	7	0.1	00.0-00.3	2276	95.5	94.3-96.7
Female	2517	1,002,977	20	1.4	00.6-02.2	6	0.4	00.0-00.8	3	0.1	00.0-00.3				5	0.2	00.0-00.4	2483	97.9	96.9-98.9
White/Non-Hisp	4347	1,898,298	64	2.2	01.4-03.0	25	0.8	00.4-01.2	10	0.1	00.1-00.1	2	0.1	00.0-00.3	12	0.2	00.0-00.4	4234	96.5	95.7-97.3
Black or Afr. Am./Non-Hisp	232	167,716	2	1.3	00.0-03.3	2	1.8	00.0-04.3										228	96.9	93.8-0100
Oth. Race/Non-Hisp.	65	30,294	1	0.2	00.0-00.6													64	99.8	99.4-0100
Hispanic	136	118,217	3	3.1	00.0-07.0	2	1.5	00.0-03.7										131	95.4	90.9-99.9
18-24	268	315,316	9	3.5	01.1-05.9	2	0.9	00.0-02.1				1	0.4	00.0-01.2				256	95.2	92.5-97.9
25-34	457	416,086	13	3.6	01.4-05.8	6	1.6	00.2-03.0										438	94.8	92.3-97.3
35-44	683	428,852	10	2.2	00.6-03.8	4	0.8	00.0-01.6	2	0.1	00.0-00.3				2	0.2	00.0-00.4	665	96.7	94.9-98.5
45-54	947	430,468	14	1.4	00.6-02.2	8	1.1	00.1-02.1	4	0.2	00.0-00.4				2	0.1	00.0-00.3	919	97.2	96.0-98.4
55-64	1118	347,634	18	1.4	00.6-02.2	6	0.7	00.1-01.3	4	0.3	00.1-00.5	1	0.0	00.0-00.0	5	0.6	00.0-01.2	1084	97.1	95.9-98.3
65+	1362	300,606	6	0.9	00.0-01.9	4	0.4	00.0-00.8							3	0.2	00.0-00.4	1349	98.5	97.5-99.5
Less Than H.S.	233	208,595	5	2.1	00.0-04.5	2	0.9	00.0-02.1							1	0.2	00.0-00.6	225	96.8	94.1-99.5
H.S. or G.E.D.	1293	651,043	13	2.2	00.8-03.6	10	1.0	00.2-01.8	5	0.2	00.0-00.4				4	0.2	00.0-00.4	1261	96.4	94.8-98.0
Some Post-H.S.	1308	768,396	22	2.3	01.1-03.5	7	0.9	00.1-01.7				1	0.2	00.0-00.6	1	0.1	00.0-00.3	1277	96.5	95.1-97.9
College Graduate	2036	625,217	31	2.1	01.3-02.9	11	0.8	00.2-01.4	5	0.2	00.0-00.4	1	0.0	00.0-00.0	6	0.3	00.1-00.5	1982	96.7	95.7-97.7
Less than \$15,000	282	165,278	4	2.4	00.0-05.1	1	0.4	00.0-01.2	1	0.1	00.0-00.3				1	0.1	00.0-00.3	275	97.1	94.2-0100
\$15,000- 24,999	497	276,240	6	2.3	00.1-04.5	4	0.8	00.0-01.8	1	0.1	00.0-00.3				2	0.4	00.0-01.0	484	96.5	94.1-98.9
\$25,000- 34,999	457	217,688	2	0.5	00.0-01.5	4	1.3	00.0-02.7	1	0.1	00.0-00.3				1	0.2	00.0-00.6	449	97.9	96.1-99.7
\$35,000- 49,999	665	301,074	7	2.2	00.2-04.2	6	0.9	00.0-01.9	1	0.0	00.0-00.0				2	0.1	00.0-00.3	649	96.7	94.5-98.9
\$50,000- 74,999	820	389,629	15	2.5	00.7-04.3	7	2.1	00.5-03.7	1	0.1	00.0-00.3	1	0.3	00.0-00.9	2	0.1	00.0-00.3	794	94.8	92.3-97.3
\$75,000+	1647	692,676	32	2.5	01.5-03.5	6	0.5	00.0-01.1	5	0.2	00.0-00.4	1	0.0	00.0-00.0	4	0.2	00.0-00.4	1599	96.6	95.4-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 14: DRINKING AND DRIVING**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2367	1,255,702	51	2.8	01.8-03.8	24	1.4	00.8-02.0	7	0.1	00.0-00.3	2	0.1	00.0-00.3	7	0.1	00.0-00.3	2276	95.5	94.3-96.7
White/Non-Hisp	2098	1,047,224	45	2.8	01.8-03.8	21	1.3	00.7-01.9	7	0.2	00.0-00.4	2	0.1	00.0-00.3	7	0.1	00.0-00.3	2016	95.4	94.2-96.6
Black or Afr. Am./Non-Hisp	107	96,043	1	1.6	00.0-04.7	1	1.3	00.0-03.8										105	97.1	93.2-0100
Hispanic	68	67,058	3	5.4	00.0-12.3	2	2.6	00.0-06.3										63	92.0	84.4-99.6
18-24	142	162,510	6	4.9	00.8-09.0							1	0.8	00.0-02.4				135	94.3	90.0-98.6
25-34	215	230,946	8	3.7	01.0-06.4	5	2.6	00.2-05.0										202	93.7	90.2-97.2
35-44	331	244,892	9	3.6	01.1-06.1	4	1.4	00.0-03.0	1	0.1	00.0-00.3							317	94.8	91.9-97.7
45-54	474	242,501	8	1.4	00.4-02.4	7	1.8	00.2-03.4	3	0.2	00.0-00.6				2	0.2	00.0-00.4	454	96.4	94.4-98.4
55-64	551	195,573	15	2.1	00.9-03.3	5	1.1	00.1-02.1	3	0.4	00.0-00.8	1	0.0	00.0-00.0	2	0.3	00.0-00.7	525	96.1	94.5-97.7
65+	634	168,670	4	1.0	00.0-02.2	3	0.6	00.0-01.4							3	0.3	00.0-00.7	624	98.0	96.6-99.4
Less Than H.S.	135	139,001	3	2.6	00.0-05.9	2	1.3	00.0-03.1							1	0.3	00.0-00.9	129	95.8	91.9-99.7
H.S. or G.E.D.	662	395,467	10	2.3	00.7-03.9	9	1.7	00.3-03.1	2	0.1	00.0-00.3				3	0.2	00.0-00.4	638	95.7	93.5-97.9
Some Post-H.S.	590	385,195	16	3.5	01.5-05.5	5	1.2	00.0-02.4				1	0.3	00.0-00.9				568	95.0	92.6-97.4
College Graduate	972	331,636	22	2.6	01.4-03.8	8	1.2	00.2-02.2	5	0.4	00.0-00.8	1	0.0	00.0-00.0	3	0.2	00.0-00.4	933	95.7	94.1-97.3
Less than \$15,000	129	78,586	3	2.9	00.0-07.0	1	0.8	00.0-02.4	1	0.1	00.0-00.3				1	0.2	00.0-00.6	123	96.0	91.7-0100
\$15,000- 24,999	216	144,526	5	3.4	00.0-06.9	3	1.4	00.0-03.2							1	0.3	00.0-00.9	207	95.0	91.1-98.9
\$25,000- 34,999	217	125,333	1	0.8	00.0-02.4	2	1.4	00.0-03.6	1	0.1	00.0-00.3							213	97.6	94.9-0100
\$35,000- 49,999	318	169,456	6	3.7	00.4-07.0	6	1.6	00.0-03.2							2	0.2	00.0-00.6	304	94.4	90.7-98.1
\$50,000- 74,999	429	226,113	11	2.8	00.8-04.8	6	2.8	00.4-05.2	1	0.1	00.0-00.3	1	0.6	00.0-01.8	2	0.2	00.0-00.6	408	93.4	90.1-96.7
\$75,000+	858	409,532	23	3.1	01.5-04.7	5	0.8	00.0-01.6	4	0.3	00.1-00.5	1	0.0	00.0-00.0	1	0.0	00.0-00.0	824	95.8	94.0-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 14: DRINKING AND DRIVING**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2517	1,002,977	20	1.4	00.6-02.2	6	0.4	00.0-00.8	3	0.1	00.0-00.3	5	0.2	00.0-00.4	2483	97.9	96.9-98.9
White/Non-Hisp	2249	851,074	19	1.6	00.6-02.6	4	0.2	00.0-00.4	3	0.1	00.0-00.3	5	0.3	00.1-00.5	2218	97.9	96.9-98.9
Black or Afr. Am./Non-Hisp	125	71,673	1	0.8	00.0-02.4	1	2.5	00.0-07.2							123	96.7	91.6-0100
Hispanic	68	51,159													68	100.0	0100-0100
18-24	126	152,807	3	2.0	00.0-04.4	2	1.8	00.0-04.3							121	96.3	93.0-99.6
25-34	242	185,141	5	3.4	00.0-06.9	1	0.3	00.0-00.9							236	96.2	92.7-99.7
35-44	352	183,961	1	0.2	00.0-00.6				1	0.2	00.0-00.6	2	0.4	00.0-01.0	348	99.2	98.4-0100
45-54	473	187,967	6	1.4	00.2-02.6	1	0.2	00.0-00.6	1	0.2	00.0-00.6				465	98.2	96.8-99.6
55-64	567	152,061	3	0.4	00.0-01.0	1	0.1	00.0-00.3	1	0.1	00.0-00.3	3	0.9	00.0-01.9	559	98.4	97.2-99.6
65+	728	131,935	2	0.8	00.0-02.2	1	0.1	00.0-00.3							725	99.1	97.7-0100
Less Than H.S.	98	69,594	2	1.2	00.0-03.0										96	98.8	97.0-0100
H.S. or G.E.D.	631	255,576	3	1.9	00.0-04.3	1	0.0	00.0-00.0	3	0.3	00.0-00.7	1	0.2	00.0-00.6	623	97.6	95.2-0100
Some Post-H.S.	718	383,201	6	1.1	00.1-02.1	2	0.7	00.0-01.7				1	0.2	00.0-00.6	709	98.0	96.6-99.4
College Graduate	1064	293,581	9	1.5	00.3-02.7	3	0.4	00.0-01.0				3	0.4	00.0-00.8	1049	97.8	96.4-99.2
Less than \$15,000	153	86,692	1	2.0	00.0-05.7										152	98.0	94.3-0100
\$15,000- 24,999	281	131,714	1	1.1	00.0-03.3	1	0.1	00.0-00.3	1	0.2	00.0-00.6	1	0.5	00.0-01.5	277	98.1	95.7-0100
\$25,000- 34,999	240	92,355	1	0.1	00.0-00.3	2	1.0	00.0-02.6				1	0.5	00.0-01.5	236	98.4	96.6-0100
\$35,000- 49,999	347	131,618	1	0.3	00.0-00.9				1	0.1	00.0-00.3				345	99.6	99.0-0100
\$50,000- 74,999	391	163,516	4	2.2	00.0-05.3	1	1.1	00.0-03.3							386	96.7	93.0-0100
\$75,000+	789	283,144	9	1.6	00.4-02.8	1	0.1	00.0-00.3	1	0.1	00.0-00.3	3	0.4	00.0-00.8	775	97.8	96.4-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014

SECTION 15: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
1 A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM) FEMALES ONLY	226
2 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG) FEMALES ONLY	227
3 A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM? (PROFEXAM) FEMALES ONLY	228
4 HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM) FEMALES ONLY	229
5 A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2) FEMALES ONLY	230
6 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2) FEMALES ONLY	231
7 HAVE YOU HAD A HYSTERECTOMY? (HADHYST2) FEMALES ONLY	232

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 1: A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6440	2,412,141	5275	65.0	63.2-66.8	1165	35.0	33.2-36.8
White/Non-Hisp	5645	1,979,746	4723	67.3	65.3-69.3	922	32.7	30.7-34.7
Black or Afr. Am./Non-Hisp	357	203,791	283	67.3	60.4-74.2	74	32.7	25.8-39.6
Oth. Race/Non-Hisp.	99	35,879	61	39.8	27.3-52.3	38	60.2	47.7-72.7
MultiRacial/Non-Hisp.	78	26,956	52	45.7	31.2-60.2	26	54.3	39.8-68.8
Hispanic	173	133,184	84	38.5	30.3-46.7	89	61.5	53.3-69.7
18-24	244	315,235	24	9.6	05.7-13.5	220	90.4	86.5-94.3
25-34	456	378,099	78	17.8	13.7-21.9	378	82.2	78.1-86.3
35-44	688	385,883	404	57.5	53.2-61.8	284	42.5	38.2-46.8
45-54	1002	411,725	915	90.5	88.3-92.7	87	9.5	07.3-11.7
55-64	1422	389,292	1341	94.3	92.9-95.7	81	5.7	04.3-07.1
65+	2549	509,998	2443	96.2	95.2-97.2	106	3.8	02.8-04.8
Less Than H.S.	565	320,346	443	62.7	57.0-68.4	122	37.3	31.6-43.0
H.S. or G.E.D.	2241	800,787	1921	71.2	68.1-74.3	320	28.8	25.7-31.9
Some Post-H.S.	1737	798,500	1374	59.8	56.5-63.1	363	40.2	36.9-43.5
College Graduate	1880	488,905	1520	64.8	61.7-67.9	360	35.2	32.1-38.3
Less than \$15,000	741	314,601	570	58.0	52.5-63.5	171	42.0	36.5-47.5
\$15,000- 24,999	1175	435,794	956	64.4	60.1-68.7	219	35.6	31.3-39.9
\$25,000- 34,999	692	244,221	574	65.4	59.7-71.1	118	34.6	28.9-40.3
\$35,000- 49,999	822	308,372	680	65.9	61.0-70.8	142	34.1	29.2-39.0
\$50,000- 74,999	765	306,413	630	64.8	59.5-70.1	135	35.2	29.9-40.5
\$75,000+	1232	452,621	1003	68.7	65.0-72.4	229	31.3	27.6-35.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a mammogram.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5226	1,553,902	2919	54.5	52.7-56.3	895	17.6	16.2-19.0	475	9.6	08.4-10.8	359	6.9	05.9-07.9	578	11.5	10.3-12.7
White/Non-Hisp	4685	1,322,884	2633	54.5	52.5-56.5	787	17.1	15.7-18.5	422	9.4	08.2-10.6	312	7.0	06.0-08.0	531	12.0	10.6-13.4
Black or Afr. Am./Non-Hisp	277	133,429	156	55.1	47.5-62.7	54	19.3	13.2-25.4	32	14.3	08.2-20.4	20	5.3	02.6-08.0	15	5.9	02.6-09.2
Oth. Race/Non-Hisp.	61	14,262	27	51.0	33.6-68.4	14	20.0	07.3-32.7	5	6.6	00.0-13.5	6	4.5	00.2-08.8	9	18.0	02.1-33.9
MultiRacial/Non-Hisp.	52	12,320	21	38.4	20.8-56.0	14	36.7	17.5-55.9	4	6.6	00.0-13.7	7	9.9	01.3-18.5	6	8.3	00.3-16.3
Hispanic	84	51,291	49	57.1	44.4-69.8	16	20.2	10.0-30.4	3	3.3	00.0-07.2	9	9.1	02.4-15.8	7	10.3	00.9-19.7
25-34	76	66,357	25	33.5	21.3-45.7	15	21.1	10.5-31.7	9	10.9	02.7-19.1	11	12.9	04.9-20.9	16	21.6	10.6-32.6
35-44	400	220,130	205	51.3	45.4-57.2	67	15.6	11.5-19.7	43	10.1	06.8-13.4	29	7.0	04.3-09.7	56	16.0	11.5-20.5
45-54	910	369,671	505	54.5	50.8-58.2	168	18.6	15.7-21.5	88	8.7	06.7-10.7	58	6.8	04.8-08.8	91	11.3	08.8-13.8
55-64	1331	363,381	793	57.9	54.8-61.0	235	18.3	15.8-20.8	113	8.6	06.8-10.4	78	6.6	04.8-08.4	112	8.5	06.7-10.3
65+	2417	485,540	1345	57.1	54.6-59.6	390	15.6	13.8-17.4	211	9.6	07.8-11.4	178	6.8	05.6-08.0	293	10.9	09.3-12.5
Less Than H.S.	433	196,772	198	44.6	38.5-50.7	76	17.0	12.5-21.5	44	12.6	07.7-17.5	34	7.6	04.5-10.7	81	18.2	13.5-22.9
H.S. or G.E.D.	1907	567,140	1008	52.9	50.0-55.8	339	18.3	15.9-20.7	183	9.4	07.8-11.0	147	7.3	05.7-08.9	230	12.1	09.9-14.3
Some Post-H.S.	1359	471,564	751	55.6	52.3-58.9	238	18.3	15.6-21.0	130	9.0	07.2-10.8	87	6.8	05.0-08.6	153	10.3	08.3-12.3
College Graduate	1511	315,112	954	62.0	58.9-65.1	238	15.4	13.2-17.6	116	8.8	06.8-10.8	90	5.8	04.2-07.4	113	8.0	06.0-10.0
Less than \$15,000	565	180,495	239	44.6	38.7-50.5	103	15.9	11.6-20.2	80	12.5	08.8-16.2	44	8.4	05.1-11.7	99	18.6	13.7-23.5
\$15,000- 24,999	945	278,522	476	49.6	45.1-54.1	164	16.5	13.2-19.8	84	11.0	07.7-14.3	80	8.5	06.1-10.9	141	14.4	11.3-17.5
\$25,000- 34,999	572	159,500	296	49.2	43.7-54.7	103	20.1	15.8-24.4	58	9.3	06.4-12.2	52	9.0	05.9-12.1	63	12.3	08.4-16.2
\$35,000- 49,999	677	202,630	410	57.9	53.0-62.8	120	19.3	15.4-23.2	54	8.8	06.1-11.5	35	5.1	02.9-07.3	58	8.8	05.9-11.7
\$50,000- 74,999	627	197,359	367	53.9	48.8-59.0	113	19.8	15.5-24.1	45	7.8	05.3-10.3	40	7.4	04.7-10.1	62	11.0	07.9-14.1
\$75,000+	1000	309,172	653	63.7	60.2-67.2	158	15.7	13.2-18.2	71	7.5	05.5-09.5	48	5.0	03.4-06.6	70	8.0	05.6-10.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 3: A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM?
(PROFEXAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6407	2,403,265	5741	85.3	83.9-86.7	666	14.7	13.3-16.1
White/Non-Hisp	5621	1,974,176	5094	87.4	86.0-88.8	527	12.6	11.2-14.0
Black or Afr. Am./Non-Hisp	355	202,564	318	85.2	79.9-90.5	37	14.8	09.5-20.1
Oth. Race/Non-Hisp.	97	34,994	72	54.4	40.1-68.7	25	45.6	31.3-59.9
MultiRacial/Non-Hisp.	77	26,604	64	74.8	60.5-89.1	13	25.2	10.9-39.5
Hispanic	171	132,540	122	63.3	54.5-72.1	49	36.7	27.9-45.5
18-24	244	315,235	127	50.8	43.9-57.7	117	49.2	42.3-56.1
25-34	454	376,697	397	86.2	82.5-89.9	57	13.8	10.1-17.5
35-44	688	385,794	639	91.9	89.4-94.4	49	8.1	05.6-10.6
45-54	995	409,210	950	94.1	92.1-96.1	45	5.9	03.9-07.9
55-64	1421	389,049	1340	93.8	92.2-95.4	81	6.2	04.6-07.8
65+	2527	505,433	2213	87.0	85.2-88.8	314	13.0	11.2-14.8
Less Than H.S.	560	319,390	428	74.0	68.9-79.1	132	26.0	20.9-31.1
H.S. or G.E.D.	2227	796,664	1920	82.0	79.5-84.5	307	18.0	15.5-20.5
Some Post-H.S.	1732	796,645	1589	87.7	85.2-90.2	143	12.3	09.8-14.8
College Graduate	1872	487,069	1788	94.1	92.5-95.7	84	5.9	04.3-07.5
Less than \$15,000	730	311,533	585	77.3	72.8-81.8	145	22.7	18.2-27.2
\$15,000- 24,999	1168	433,781	981	79.5	76.0-83.0	187	20.5	17.0-24.0
\$25,000- 34,999	691	243,793	612	83.3	78.6-88.0	79	16.7	12.0-21.4
\$35,000- 49,999	817	307,536	760	88.3	84.4-92.2	57	11.7	07.8-15.6
\$50,000- 74,999	764	305,967	736	93.2	89.9-96.5	28	6.8	03.5-10.1
\$75,000+	1230	452,290	1198	94.8	92.6-97.0	32	5.2	03.0-07.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report ever having a clinical breast exam.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5654	2,027,086	3108	55.6	53.8-57.4	1031	19.4	18.0-20.8	494	9.0	08.0-10.0	338	5.8	05.0-06.6	683	10.3	09.3-11.3
White/Non-Hisp	5015	1,707,729	2739	55.1	53.1-57.1	897	18.9	17.3-20.5	449	9.4	08.2-10.6	293	5.7	04.9-06.5	637	11.0	09.8-12.2
Black or Afr. Am./Non-Hisp	314	169,226	195	63.0	55.9-70.1	69	19.9	14.4-25.4	23	8.2	03.7-12.7	13	5.0	01.9-08.1	14	3.9	01.5-06.3
Oth. Race/Non-Hisp.	72	19,052	41	61.8	45.9-77.7	14	20.9	08.2-33.6	4	3.3	00.0-07.8	5	2.1	00.0-04.3	8	11.9	00.0-24.2
MultiRacial/Non-Hisp.	63	19,796	33	49.6	32.7-66.5	11	26.1	08.5-43.7	6	6.3	00.0-13.2	7	11.8	02.4-21.2	6	6.2	00.3-12.1
Hispanic	122	83,958	63	49.8	39.4-60.2	29	29.9	19.7-40.1	5	3.5	00.4-06.6	11	6.2	02.1-10.3	14	10.5	04.4-16.6
18-24	127	160,287	70	57.0	47.6-66.4	39	28.5	20.1-36.9	4	3.5	00.0-07.0	11	8.6	03.5-13.7	3	2.4	00.0-05.3
25-34	396	323,266	231	57.6	51.9-63.3	77	19.7	15.2-24.2	39	10.4	06.9-13.9	22	4.9	02.5-07.3	27	7.4	04.5-10.3
35-44	637	353,884	388	57.8	53.1-62.5	118	19.9	16.0-23.8	55	9.4	06.7-12.1	28	4.8	02.8-06.8	48	8.1	05.6-10.6
45-54	942	380,849	523	55.0	51.3-58.7	174	17.7	15.0-20.4	92	9.4	07.2-11.6	59	6.0	04.2-07.8	94	11.8	09.3-14.3
55-64	1324	360,378	777	57.0	53.9-60.1	232	18.8	16.3-21.3	112	8.8	07.0-10.6	67	5.1	03.5-06.7	136	10.3	08.3-12.3
65+	2155	428,338	1078	51.0	48.3-53.7	376	17.4	15.4-19.4	188	9.2	07.4-11.0	147	6.7	05.3-08.1	366	15.7	13.7-17.7
Less Than H.S.	416	232,231	216	52.4	45.9-58.9	66	20.1	14.6-25.6	41	10.3	06.2-14.4	26	4.7	02.2-07.2	67	12.5	08.8-16.2
H.S. or G.E.D.	1891	647,379	911	49.2	46.1-52.3	365	20.4	17.9-22.9	184	10.0	08.2-11.8	143	7.0	05.6-08.4	288	13.4	11.4-15.4
Some Post-H.S.	1563	688,840	865	56.5	53.2-59.8	293	19.3	16.6-22.0	139	8.6	06.8-10.4	87	5.9	04.3-07.5	179	9.7	07.9-11.5
College Graduate	1768	455,139	1107	64.8	61.9-67.7	304	17.5	15.1-19.9	129	7.5	05.9-09.1	81	4.5	03.1-05.9	147	5.7	04.5-06.9
Less than \$15,000	576	237,375	249	45.8	39.9-51.7	102	17.9	13.2-22.6	76	12.4	08.5-16.3	50	8.5	05.2-11.8	99	15.3	11.4-19.2
\$15,000- 24,999	963	341,739	462	47.9	43.4-52.4	194	23.3	19.4-27.2	91	10.8	07.7-13.9	66	6.6	04.6-08.6	150	11.4	09.0-13.8
\$25,000- 34,999	600	200,311	308	49.8	44.1-55.5	99	17.5	13.4-21.6	55	10.6	07.3-13.9	41	6.4	03.9-08.9	97	15.7	11.6-19.8
\$35,000- 49,999	753	270,237	415	55.3	50.6-60.0	140	18.0	14.5-21.5	71	9.5	06.8-12.2	43	6.9	04.4-09.4	84	10.3	07.6-13.0
\$50,000- 74,999	731	283,348	436	61.5	56.8-66.2	139	19.4	15.5-23.3	48	7.2	04.7-09.7	43	4.8	03.0-06.6	65	7.2	05.0-09.4
\$75,000+	1195	427,752	789	65.2	61.9-68.5	214	19.2	16.3-22.1	84	7.1	05.3-08.9	41	3.8	02.4-05.2	67	4.8	03.2-06.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 5: A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6408	2,401,204	6080	90.9	89.7-92.1	328	9.1	07.9-10.3
White/Non-Hisp	5618	1,970,199	5372	92.4	91.0-93.8	246	7.6	06.2-09.0
Black or Afr. Am./Non-Hisp	357	203,477	329	87.5	82.4-92.6	28	12.5	07.4-17.6
Oth. Race/Non-Hisp.	98	35,444	77	60.6	46.3-74.9	21	39.4	25.1-53.7
MultiRacial/Non-Hisp.	78	26,956	72	84.1	71.9-96.3	6	15.9	03.7-28.1
Hispanic	173	133,184	153	83.6	76.5-90.7	20	16.4	09.3-23.5
18-24	244	315,235	138	53.7	46.8-60.6	106	46.3	39.4-53.2
25-34	451	373,464	430	95.5	93.3-97.7	21	4.5	02.3-06.7
35-44	688	385,987	673	97.0	95.4-98.6	15	3.0	01.4-04.6
45-54	999	410,482	985	98.3	97.3-99.3	14	1.7	00.7-02.7
55-64	1417	388,089	1388	97.4	96.2-98.6	29	2.6	01.4-03.8
65+	2532	506,339	2392	95.0	94.0-96.0	140	5.0	04.0-06.0
Less Than H.S.	565	319,135	511	87.8	83.9-91.7	54	12.2	08.3-16.1
H.S. or G.E.D.	2223	796,410	2074	89.3	87.1-91.5	149	10.7	08.5-12.9
Some Post-H.S.	1732	794,246	1651	89.8	87.3-92.3	81	10.2	07.7-12.7
College Graduate	1871	487,810	1829	97.2	96.2-98.2	42	2.8	01.8-03.8
Less than \$15,000	737	312,267	681	88.2	84.3-92.1	56	11.8	07.9-15.7
\$15,000- 24,999	1167	432,298	1076	88.1	84.8-91.4	91	11.9	08.6-15.2
\$25,000- 34,999	689	243,781	651	91.3	87.4-95.2	38	8.7	04.8-12.6
\$35,000- 49,999	819	306,632	793	93.0	89.7-96.3	26	7.0	03.7-10.3
\$50,000- 74,999	763	305,598	745	95.3	92.4-98.2	18	4.7	01.8-07.6
\$75,000+	1232	452,621	1211	96.0	93.8-98.2	21	4.0	01.8-06.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a Pap Test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5999	2,162,918	1994	39.7	37.9-41.5	1074	20.1	18.7-21.5	660	10.7	09.5-11.9	592	8.8	07.8-09.8	1679	20.7	19.5-21.9
White/Non-Hisp	5300	1,801,938	1706	38.7	36.9-40.5	918	19.1	17.5-20.7	594	11.0	09.8-12.2	536	9.2	08.2-10.2	1546	22.1	20.7-23.5
Black or Afr. Am./Non-Hisp	326	177,369	139	46.2	39.1-53.3	74	23.5	17.4-29.6	31	8.5	04.6-12.4	25	6.7	03.4-10.0	57	15.1	10.0-20.2
Oth. Race/Non-Hisp.	77	21,467	31	47.1	31.8-62.4	14	26.5	11.6-41.4	9	8.9	01.8-16.0	3	3.1	00.0-07.2	20	14.3	04.1-24.5
MultiRacial/Non-Hisp.	72	22,667	24	39.5	24.0-55.0	14	20.2	05.9-34.5	6	4.5	00.2-08.8	7	14.2	02.2-26.2	21	21.6	09.3-33.9
Hispanic	153	111,285	66	41.1	32.1-50.1	39	31.2	22.4-40.0	18	12.6	06.3-18.9	16	7.9	03.4-12.4	14	7.2	02.7-11.7
18-24	138	169,379	85	63.3	54.5-72.1	32	20.7	13.4-28.0	11	9.0	03.5-14.5	9	5.9	01.8-10.0	1	1.1	00.0-03.3
25-34	429	355,161	239	54.1	48.6-59.6	102	24.8	20.1-29.5	39	9.6	06.3-12.9	28	6.1	03.4-08.8	21	5.3	02.8-07.8
35-44	670	373,046	355	48.8	44.3-53.3	138	23.1	19.0-27.2	73	10.9	08.2-13.6	44	6.7	04.5-08.9	60	10.6	07.9-13.3
45-54	982	401,775	383	38.3	34.8-41.8	208	20.5	17.6-23.4	128	13.2	10.7-15.7	85	9.2	07.0-11.4	178	18.8	15.9-21.7
55-64	1372	373,884	509	36.1	33.0-39.2	261	19.1	16.6-21.6	157	10.9	08.9-12.9	114	9.5	07.5-11.5	331	24.4	21.7-27.1
65+	2337	470,984	398	17.4	15.4-19.4	313	14.0	12.2-15.8	246	9.7	08.3-11.1	307	12.8	11.0-14.6	1073	46.1	43.6-48.6
Less Than H.S.	501	277,286	127	32.2	26.5-37.9	83	22.3	17.2-27.4	45	10.2	06.5-13.9	49	9.4	06.3-12.5	197	25.8	21.3-30.3
H.S. or G.E.D.	2035	702,518	521	31.6	28.7-34.5	340	19.2	16.8-21.6	222	11.3	09.3-13.3	241	10.9	09.1-12.7	711	27.1	24.7-29.5
Some Post-H.S.	1634	708,342	554	43.2	39.9-46.5	292	19.3	16.8-21.8	185	10.8	08.8-12.8	159	7.6	06.0-09.2	444	19.1	16.9-21.3
College Graduate	1815	471,614	788	51.0	48.1-53.9	355	21.2	18.7-23.7	208	10.2	08.4-12.0	143	7.2	05.6-08.8	321	10.5	09.1-11.9
Less than \$15,000	670	271,514	172	33.4	27.9-38.9	97	20.1	15.4-24.8	76	10.7	07.2-14.2	69	8.1	05.4-10.8	256	27.8	23.5-32.1
\$15,000- 24,999	1058	376,534	250	32.0	27.7-36.3	171	19.5	16.0-23.0	109	10.1	07.4-12.8	136	11.7	09.2-14.2	392	26.7	23.4-30.0
\$25,000- 34,999	643	220,974	175	36.7	31.0-42.4	106	17.2	13.3-21.1	76	11.6	08.3-14.9	60	7.5	05.1-09.9	226	27.0	22.5-31.5
\$35,000- 49,999	784	283,115	274	41.9	37.2-46.6	132	16.0	12.7-19.3	91	11.8	08.9-14.7	81	9.7	07.2-12.2	206	20.6	17.3-23.9
\$50,000- 74,999	740	289,744	285	44.4	39.5-49.3	161	22.5	18.2-26.8	73	10.1	07.0-13.2	71	8.9	06.0-11.8	150	14.1	11.4-16.8
\$75,000+	1205	432,452	592	49.9	46.4-53.4	259	23.7	20.6-26.8	131	10.5	08.3-12.7	74	6.4	04.6-08.2	149	9.5	07.5-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 15: BREAST/CERVICAL CANCER SCREENING
TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6363	2,356,852	2184	25.6	24.2-27.0	4179	74.4	73.0-75.8
White/Non-Hisp	5589	1,937,417	1959	26.9	25.5-28.3	3630	73.1	71.7-74.5
Black or Afr. Am./Non-Hisp	349	197,687	129	29.9	24.0-35.8	220	70.1	64.2-76.0
Oth. Race/Non-Hisp.	94	33,587	23	10.3	04.4-16.2	71	89.7	83.8-95.6
MultiRacial/Non-Hisp.	75	24,936	27	21.1	11.1-31.1	48	78.9	68.9-88.9
Hispanic	172	132,145	20	7.4	03.7-11.1	152	92.6	88.9-96.3
18-24	234	303,027	1	0.6	00.0-01.8	233	99.4	98.2-0100
25-34	424	348,770	11	2.2	00.8-03.6	413	97.8	96.4-99.2
35-44	677	380,013	103	17.7	14.2-21.2	574	82.3	78.8-85.8
45-54	997	408,422	273	27.6	24.5-30.7	724	72.4	69.3-75.5
55-64	1414	386,768	523	36.9	33.8-40.0	891	63.1	60.0-66.2
65+	2540	508,093	1249	52.1	49.6-54.6	1291	47.9	45.4-50.4
Less Than H.S.	556	310,003	232	28.3	23.8-32.8	324	71.7	67.2-76.2
H.S. or G.E.D.	2215	785,392	905	31.4	29.0-33.8	1310	68.6	66.2-71.0
Some Post-H.S.	1718	779,752	612	25.2	22.8-27.6	1106	74.8	72.4-77.2
College Graduate	1857	478,101	426	15.0	13.2-16.8	1431	85.0	83.2-86.8
Less than \$15,000	730	303,386	274	24.9	21.0-28.8	456	75.1	71.2-79.0
\$15,000- 24,999	1166	432,361	483	30.4	27.1-33.7	683	69.6	66.3-72.9
\$25,000- 34,999	689	243,688	254	27.0	22.9-31.1	435	73.0	68.9-77.1
\$35,000- 49,999	813	302,949	289	27.8	24.1-31.5	524	72.2	68.5-75.9
\$50,000- 74,999	758	299,026	228	23.0	19.5-26.5	530	77.0	73.5-80.5
\$75,000+	1213	441,347	285	18.4	16.0-20.8	928	81.6	79.2-84.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014**

SECTION 16: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
<p>1 A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD2) MALES ONLY</p>	234
<p>2 HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1) MALES ONLY</p>	235
<p>3 HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1) MALES ONLY</p>	236
<p>4 HAVE YOU EVER HAD A PSA TEST? (PSATEST1) MALES ONLY</p>	237
<p>5 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME) MALES ONLY</p>	238
<p>6 WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST - WAS IT ...? (PCPSARS1) MALES ONLY</p>	239

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 1: A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3375	1,339,643	2179	59.3	57.1-61.5	1196	40.7	38.5-42.9
White/Non-Hisp	3040	1,162,743	1982	59.4	57.2-61.6	1058	40.6	38.4-42.8
Black or Afr. Am./Non-Hisp	139	85,489	98	68.0	58.6-77.4	41	32.0	22.6-41.4
Oth. Race/Non-Hisp.	60	18,487	24	42.7	26.0-59.4	36	57.3	40.6-74.0
Hispanic	50	39,886	25	43.8	27.9-59.7	25	56.2	40.3-72.1
35-44	295	204,670	89	28.5	22.4-34.6	206	71.5	65.4-77.6
45-54	757	397,550	381	49.7	45.4-54.0	376	50.3	46.0-54.6
55-64	992	357,228	696	70.4	67.1-73.7	296	29.6	26.3-32.9
65+	1331	380,195	1013	75.7	72.8-78.6	318	24.3	21.4-27.2
Less Than H.S.	262	155,733	119	43.9	36.3-51.5	143	56.1	48.5-63.7
H.S. or G.E.D.	1100	480,657	670	57.3	53.8-60.8	430	42.7	39.2-46.2
Some Post-H.S.	789	375,468	522	62.2	58.1-66.3	267	37.8	33.7-41.9
College Graduate	1217	324,852	864	66.5	63.2-69.8	353	33.5	30.2-36.8
Less than \$15,000	256	106,860	119	44.4	36.6-52.2	137	55.6	47.8-63.4
\$15,000- 24,999	420	175,332	249	54.1	47.8-60.4	171	45.9	39.6-52.2
\$25,000- 34,999	342	127,058	214	58.2	51.5-64.9	128	41.8	35.1-48.5
\$35,000- 49,999	491	200,995	319	59.2	53.7-64.7	172	40.8	35.3-46.3
\$50,000- 74,999	570	236,472	381	61.3	56.2-66.4	189	38.7	33.6-43.8
\$75,000+	979	378,641	700	66.4	62.7-70.1	279	33.6	29.9-37.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3388	1,346,535	845	23.9	22.1-25.7	2543	76.1	74.3-77.9
White/Non-Hisp	3047	1,163,202	740	22.8	21.0-24.6	2307	77.2	75.4-79.0
Black or Afr. Am./Non-Hisp	141	86,367	61	37.8	28.4-47.2	80	62.2	52.8-71.6
Oth. Race/Non-Hisp.	60	18,487	10	20.4	06.7-34.1	50	79.6	65.9-93.3
Hispanic	55	45,035	12	21.4	08.3-34.5	43	78.6	65.5-91.7
35-44	297	207,420	40	12.6	08.3-16.9	257	87.4	83.1-91.7
45-54	758	398,926	163	21.9	18.4-25.4	595	78.1	74.6-81.6
55-64	1001	361,830	277	28.7	25.4-32.0	724	71.3	68.0-74.6
65+	1332	378,360	365	27.5	24.6-30.4	967	72.5	69.6-75.4
Less Than H.S.	262	158,225	51	19.1	13.2-25.0	211	80.9	75.0-86.8
H.S. or G.E.D.	1116	486,063	250	21.8	18.9-24.7	866	78.2	75.3-81.1
Some Post-H.S.	782	374,501	203	26.0	22.3-29.7	579	74.0	70.3-77.7
College Graduate	1221	324,812	341	27.2	24.3-30.1	880	72.8	69.9-75.7
Less than \$15,000	260	107,486	58	22.4	16.1-28.7	202	77.6	71.3-83.9
\$15,000- 24,999	428	181,413	96	20.9	16.2-25.6	332	79.1	74.4-83.8
\$25,000- 34,999	343	126,878	81	22.6	17.3-27.9	262	77.4	72.1-82.7
\$35,000- 49,999	497	202,675	112	22.6	18.1-27.1	385	77.4	72.9-81.9
\$50,000- 74,999	568	236,630	143	27.5	22.8-32.2	425	72.5	67.8-77.2
\$75,000+	981	378,233	283	26.0	22.7-29.3	698	74.0	70.7-77.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3363	1,338,130	1922	51.3	49.1-53.5	1441	48.7	46.5-50.9
White/Non-Hisp	3028	1,158,827	1758	51.6	49.4-53.8	1270	48.4	46.2-50.6
Black or Afr. Am./Non-Hisp	138	84,172	78	56.5	46.5-66.5	60	43.5	33.5-53.5
Oth. Race/Non-Hisp.	58	17,701	17	28.1	13.4-42.8	41	71.9	57.2-86.6
Hispanic	53	43,587	20	34.8	19.9-49.7	33	65.2	50.3-80.1
35-44	298	207,738	51	15.8	10.9-20.7	247	84.2	79.3-89.1
45-54	754	398,708	294	39.5	35.4-43.6	460	60.5	56.4-64.6
55-64	989	355,262	627	63.8	60.3-67.3	362	36.2	32.7-39.7
65+	1322	376,421	950	71.5	68.6-74.4	372	28.5	25.6-31.4
Less Than H.S.	257	155,557	100	37.2	29.8-44.6	157	62.8	55.4-70.2
H.S. or G.E.D.	1114	485,437	615	51.8	48.3-55.3	499	48.2	44.7-51.7
Some Post-H.S.	776	370,432	460	54.3	50.0-58.6	316	45.7	41.4-50.0
College Graduate	1210	324,007	745	53.8	50.3-57.3	465	46.2	42.7-49.7
Less than \$15,000	257	107,103	107	37.5	30.1-44.9	150	62.5	55.1-69.9
\$15,000- 24,999	424	179,067	208	43.9	37.8-50.0	216	56.1	50.0-62.2
\$25,000- 34,999	336	125,860	195	52.3	45.6-59.0	141	47.7	41.0-54.4
\$35,000- 49,999	498	204,214	296	52.4	46.9-57.9	202	47.6	42.1-53.1
\$50,000- 74,999	571	236,641	345	55.0	49.9-60.1	226	45.0	39.9-50.1
\$75,000+	964	372,614	588	54.8	50.9-58.7	376	45.2	41.3-49.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 4: HAVE YOU EVER HAD A PSA TEST? (PSATEST1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never recommended to have a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1909	681,200	1786	90.7	88.9-92.5	123	9.3	07.5-11.1
White/Non-Hisp	1745	593,522	1644	91.7	89.9-93.5	101	8.3	06.5-10.1
Black or Afr. Am./Non-Hisp	78	47,555	68	82.6	71.6-93.6	10	17.4	06.4-28.4
35-44	51	32,781	36	66.0	49.9-82.1	15	34.0	17.9-50.1
45-54	292	156,605	243	81.8	76.5-87.1	49	18.2	12.9-23.5
55-64	625	225,441	588	92.2	89.5-94.9	37	7.8	05.1-10.5
65+	941	266,373	919	97.6	96.4-98.8	22	2.4	01.2-03.6
Less Than H.S.	99	57,010	86	82.5	72.7-92.3	13	17.5	07.7-27.3
H.S. or G.E.D.	610	249,648	550	88.0	84.9-91.1	60	12.0	08.9-15.1
Some Post-H.S.	456	199,636	426	91.5	88.0-95.0	30	8.5	05.0-12.0
College Graduate	742	173,810	722	96.2	94.0-98.4	20	3.8	01.6-06.0
Less than \$15,000	106	39,238	94	86.0	77.6-94.4	12	14.0	05.6-22.4
\$15,000- 24,999	207	78,279	188	86.9	80.4-93.4	19	13.1	06.6-19.6
\$25,000- 34,999	195	65,768	185	92.0	86.7-97.3	10	8.0	02.7-13.3
\$35,000- 49,999	293	106,272	277	90.2	84.5-95.9	16	9.8	04.1-15.5
\$50,000- 74,999	342	128,935	320	90.5	86.2-94.8	22	9.5	05.2-13.8
\$75,000+	586	203,772	552	91.9	89.0-94.8	34	8.1	05.2-11.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2056	723,050	1203	57.8	55.1-60.5	335	16.0	14.0-18.0	192	9.9	08.3-11.5	153	7.8	06.2-09.4	173	8.5	06.9-10.1
White/Non-Hisp	1875	630,934	1100	57.8	55.1-60.5	307	16.2	14.2-18.2	171	9.7	07.9-11.5	137	7.4	05.8-09.0	160	8.9	07.3-10.5
Black or Afr. Am./Non-Hisp	85	49,458	45	56.9	44.0-69.8	13	13.1	04.3-21.9	11	10.3	03.4-17.2	10	15.1	03.9-26.3	6	4.6	00.5-08.7
35-44	56	37,804	26	48.0	32.1-63.9	10	18.6	05.5-31.7	8	9.0	01.6-16.4	3	5.1	00.0-12.0	9	19.3	06.6-32.0
45-54	299	156,205	138	48.2	41.5-54.9	62	17.9	13.2-22.6	39	13.0	08.5-17.5	34	12.4	07.5-17.3	26	8.5	05.0-12.0
55-64	663	235,936	385	59.1	54.8-63.4	118	16.0	12.9-19.1	73	11.6	08.9-14.3	42	6.5	04.1-08.9	45	6.8	04.4-09.2
65+	1038	293,105	654	63.0	59.3-66.7	145	14.7	12.0-17.4	72	7.0	05.0-09.0	74	6.8	05.0-08.6	93	8.5	06.5-10.5
Less Than H.S.	111	59,449	65	56.1	44.7-67.5	20	16.6	07.6-25.6	8	8.9	01.5-16.3	6	6.8	01.1-12.5	12	11.6	04.7-18.5
H.S. or G.E.D.	646	260,767	354	54.4	49.9-58.9	110	17.8	14.3-21.3	65	10.3	07.6-13.0	47	8.1	05.2-11.0	70	9.4	06.9-11.9
Some Post-H.S.	485	210,587	287	60.0	54.7-65.3	71	13.0	09.7-16.3	55	10.5	07.6-13.4	38	8.9	05.8-12.0	34	7.6	04.7-10.5
College Graduate	811	190,917	496	60.7	56.6-64.8	132	16.3	13.4-19.2	64	9.0	06.5-11.5	62	6.6	04.8-08.4	57	7.4	05.0-09.8
Less than \$15,000	116	43,716	51	46.4	35.0-57.8	26	20.7	11.5-29.9	16	11.7	05.4-18.0	8	8.2	00.9-15.5	15	13.0	05.7-20.3
\$15,000- 24,999	225	84,040	131	57.1	48.9-65.3	31	13.2	07.9-18.5	17	8.6	03.7-13.5	17	8.0	03.3-12.7	29	13.2	07.1-19.3
\$25,000- 34,999	212	71,214	121	58.4	50.4-66.4	34	13.5	08.6-18.4	20	12.1	06.2-18.0	13	6.4	02.7-10.1	24	9.6	05.1-14.1
\$35,000- 49,999	323	112,967	179	52.5	45.8-59.2	61	20.8	15.1-26.5	30	9.2	05.7-12.7	28	9.4	05.3-13.5	25	8.2	04.5-11.9
\$50,000- 74,999	360	132,498	220	60.5	54.0-67.0	61	16.4	11.3-21.5	34	9.5	06.0-13.0	22	6.7	03.2-10.2	23	6.9	03.6-10.2
\$75,000+	620	213,383	378	58.6	53.7-63.5	92	15.1	11.6-18.6	56	10.0	06.9-13.1	52	8.8	05.7-11.9	42	7.6	04.9-10.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 6: WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST – WAS IT ...? (PCPSARS1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Routine Exam			A Prostate Problem			Family History of Prostate Cancer			Told you had Prostate Cancer			Some Other Reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2067	721,571	1496	71.7	69.2-74.2	125	6.0	04.8-07.2	108	6.2	04.8-07.6	86	2.9	02.1-03.7	252	13.1	11.1-15.1
White/Non-Hisp	1887	630,634	1362	70.9	68.4-73.4	118	6.1	04.7-07.5	100	6.6	05.0-08.2	78	3.1	02.3-03.9	229	13.2	11.2-15.2
Black or Afr. Am./Non-Hisp	85	48,968	61	74.4	63.2-85.6	7	9.1	01.7-16.5	4	3.7	00.0-08.0	3	1.4	00.0-03.0	10	11.4	03.2-19.6
35-44	55	37,481	34	55.8	39.7-71.9	3	6.3	00.0-13.7	4	4.0	00.0-08.3				14	34.0	18.3-49.7
45-54	298	155,213	214	70.5	64.2-76.8	13	6.4	02.9-09.9	23	8.0	04.3-11.7	3	1.3	00.0-02.9	45	13.9	09.4-18.4
55-64	670	237,570	511	75.1	71.2-79.0	20	2.6	01.4-03.8	44	8.2	05.5-10.9	9	1.1	00.3-01.9	86	13.0	10.1-15.9
65+	1044	291,307	737	71.7	68.4-75.0	89	8.5	06.3-10.7	37	4.0	02.4-05.6	74	5.7	04.1-07.3	107	10.1	07.9-12.3
Less Than H.S.	101	54,991	57	59.5	48.1-70.9	13	12.5	05.1-19.9	10	9.2	03.1-15.3	6	4.6	00.5-08.7	15	14.2	06.0-22.4
H.S. or G.E.D.	658	264,606	465	71.1	67.0-75.2	39	5.6	03.4-07.8	31	5.0	03.0-07.0	30	3.1	01.9-04.3	93	15.2	11.9-18.5
Some Post-H.S.	487	210,215	355	72.5	67.6-77.4	36	6.5	04.0-09.0	28	7.1	04.0-10.2	11	2.1	00.7-03.5	57	11.8	08.3-15.3
College Graduate	818	190,428	618	75.3	71.8-78.8	37	4.1	02.7-05.5	38	6.0	03.8-08.2	39	3.3	02.1-04.5	86	11.3	08.6-14.0
Less than \$15,000	115	42,188	70	56.4	44.8-68.0	11	9.2	02.9-15.5	6	7.5	01.2-13.8	2	1.2	00.0-03.4	26	25.8	15.0-36.6
\$15,000- 24,999	228	84,345	146	63.0	55.0-71.0	25	11.0	05.9-16.1	9	3.5	01.0-06.0	14	5.3	02.4-08.2	34	17.2	10.5-23.9
\$25,000- 34,999	210	69,676	145	68.5	61.1-75.9	15	8.6	03.9-13.3	8	4.2	01.3-07.1	14	5.7	02.2-09.2	28	13.0	07.7-18.3
\$35,000- 49,999	327	114,649	251	76.9	71.2-82.6	24	6.5	03.2-09.8	8	1.8	00.4-03.2	11	2.7	00.7-04.7	33	12.1	07.6-16.6
\$50,000- 74,999	363	133,777	268	72.8	66.9-78.7	14	3.6	01.2-06.0	25	9.7	05.2-14.2	8	1.1	00.3-01.9	48	12.8	08.5-17.1
\$75,000+	623	213,034	473	75.3	71.0-79.6	25	4.1	01.9-06.3	42	8.0	05.3-10.7	23	2.4	01.2-03.6	60	10.2	07.1-13.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014**

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)	
1 MALES AND FEMALES	241
2 MALES ONLY	242
3 FEMALES ONLY	243
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)	
4 MALES AND FEMALES	244
5 MALES ONLY	245
6 FEMALES ONLY	246
SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HDSIGM3)	
7 MALES AND FEMALES	247
8 MALES ONLY	248
9 FEMALES ONLY	249
FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGCO1)	
10 MALES AND FEMALES	250
11 MALES ONLY	251
12 FEMALES ONLY	252
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)	
13 MALES AND FEMALES	253
14 MALES ONLY	254
15 FEMALES ONLY	255

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7305	2,116,210	2685	33.0	31.6-34.4	4620	67.0	65.6-68.4
Male	2823	997,969	963	30.3	28.3-32.3	1860	69.7	67.7-71.7
Female	4482	1,118,240	1722	35.3	33.5-37.1	2760	64.7	62.9-66.5
White/Non-Hisp	6649	1,865,177	2463	33.3	31.9-34.7	4186	66.7	65.3-68.1
Black or Afr. Am./Non-Hisp	324	148,904	121	33.9	27.2-40.6	203	66.1	59.4-72.8
Oth. Race/Non-Hisp.	81	15,965	27	22.2	11.0-33.4	54	77.8	66.6-89.0
MultiRacial/Non-Hisp.	69	17,970	27	37.3	20.8-53.8	42	62.7	46.2-79.2
Hispanic	75	38,640	14	15.2	06.0-24.4	61	84.8	75.6-94.0
45-54	1008	475,770	179	17.1	14.4-19.8	829	82.9	80.2-85.6
55-64	2420	748,327	741	28.8	26.6-31.0	1679	71.2	69.0-73.4
65+	3877	892,113	1765	44.9	42.9-46.9	2112	55.1	53.1-57.1
Less Than H.S.	622	258,481	187	27.3	23.0-31.6	435	72.7	68.4-77.0
H.S. or G.E.D.	2729	837,481	959	32.2	30.0-34.4	1770	67.8	65.6-70.0
Some Post-H.S.	1822	614,369	694	33.8	31.3-36.3	1128	66.2	63.7-68.7
College Graduate	2113	400,496	839	37.2	34.7-39.7	1274	62.8	60.3-65.3
Less than \$15,000	729	209,238	235	29.0	24.7-33.3	494	71.0	66.7-75.3
\$15,000- 24,999	1250	347,680	477	36.9	33.4-40.4	773	63.1	59.6-66.6
\$25,000- 34,999	823	222,889	329	36.1	32.0-40.2	494	63.9	59.8-68.0
\$35,000- 49,999	1045	317,893	397	32.8	29.3-36.3	648	67.2	63.7-70.7
\$50,000- 74,999	970	300,725	340	29.7	26.4-33.0	630	70.3	67.0-73.6
\$75,000+	1425	437,078	488	30.8	27.9-33.7	937	69.2	66.3-72.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2823	997,969	963	30.3	28.3-32.3	1860	69.7	67.7-71.7
White/Non-Hisp	2577	883,297	884	30.3	28.1-32.5	1693	69.7	67.5-71.9
Black or Afr. Am./Non-Hisp	109	61,839	42	35.3	24.5-46.1	67	64.7	53.9-75.5
45-54	444	244,376	72	16.1	12.0-20.2	372	83.9	79.8-88.0
55-64	1014	364,972	284	26.4	23.3-29.5	730	73.6	70.5-76.7
65+	1365	388,621	607	42.9	39.6-46.2	758	57.1	53.8-60.4
Less Than H.S.	228	120,409	66	25.5	18.8-32.2	162	74.5	67.8-81.2
H.S. or G.E.D.	964	382,140	268	25.7	22.4-29.0	696	74.3	71.0-77.6
Some Post-H.S.	658	277,494	237	32.7	28.6-36.8	421	67.3	63.2-71.4
College Graduate	968	215,429	391	38.3	34.8-41.8	577	61.7	58.2-65.2
Less than \$15,000	215	80,919	64	27.4	20.0-34.8	151	72.6	65.2-80.0
\$15,000- 24,999	376	137,654	134	36.5	30.4-42.6	242	63.5	57.4-69.6
\$25,000- 34,999	304	103,125	119	34.5	28.0-41.0	185	65.5	59.0-72.0
\$35,000- 49,999	442	160,542	144	28.6	23.5-33.7	298	71.4	66.3-76.5
\$50,000- 74,999	468	168,039	151	25.5	21.0-30.0	317	74.5	70.0-79.0
\$75,000+	729	251,513	252	30.3	26.2-34.4	477	69.7	65.6-73.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4482	1,118,240	1722	35.3	33.5-37.1	2760	64.7	62.9-66.5
White/Non-Hisp	4072	981,880	1579	36.1	34.3-37.9	2493	63.9	62.1-65.7
Black or Afr. Am./Non-Hisp	215	87,065	79	33.0	24.6-41.4	136	67.0	58.6-75.4
45-54	564	231,393	107	18.2	14.7-21.7	457	81.8	78.3-85.3
55-64	1406	383,355	457	31.2	28.3-34.1	949	68.8	65.9-71.7
65+	2512	503,492	1158	46.4	43.9-48.9	1354	53.6	51.1-56.1
Less Than H.S.	394	138,072	121	28.9	23.0-34.8	273	71.1	65.2-77.0
H.S. or G.E.D.	1765	455,341	691	37.6	34.9-40.3	1074	62.4	59.7-65.1
Some Post-H.S.	1164	336,874	457	34.6	31.5-37.7	707	65.4	62.3-68.5
College Graduate	1145	185,068	448	36.0	32.7-39.3	697	64.0	60.7-67.3
Less than \$15,000	514	128,319	171	30.0	24.9-35.1	343	70.0	64.9-75.1
\$15,000- 24,999	874	210,026	343	37.1	32.8-41.4	531	62.9	58.6-67.2
\$25,000- 34,999	519	119,764	210	37.6	32.5-42.7	309	62.4	57.3-67.5
\$35,000- 49,999	603	157,351	253	37.0	32.3-41.7	350	63.0	58.3-67.7
\$50,000- 74,999	502	132,686	189	35.1	30.2-40.0	313	64.9	60.0-69.8
\$75,000+	696	185,565	236	31.4	27.3-35.5	460	68.6	64.5-72.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2623	687,371	608	25.1	22.9-27.3	358	13.0	11.4-14.6	303	12.6	10.8-14.4	382	14.1	12.5-15.7	972	35.1	32.7-37.5
Male	952	300,703	251	28.6	24.9-32.3	135	12.3	09.9-14.7	118	13.4	10.7-16.1	134	14.4	11.7-17.1	314	31.2	27.5-34.9
Female	1671	386,668	357	22.3	19.8-24.8	223	13.6	11.4-15.8	185	12.1	09.9-14.3	248	13.9	11.9-15.9	658	38.2	35.3-41.1
White/Non-Hisp	2405	612,408	537	23.9	21.7-26.1	334	13.1	11.5-14.7	282	13.0	11.2-14.8	354	14.6	12.8-16.4	898	35.3	32.9-37.7
Black or Afr. Am./Non-Hisp	121	50,537	45	34.8	24.0-45.6	14	12.4	04.4-20.4	11	10.0	00.8-19.2	16	10.2	04.3-16.1	35	32.7	20.9-44.5
45-54	179	81,571	57	33.0	24.6-41.4	23	10.6	05.9-15.3	22	14.7	08.4-21.0	30	15.7	09.8-21.6	47	26.0	18.0-34.0
55-64	735	214,719	184	26.6	22.7-30.5	108	13.1	10.4-15.8	100	13.7	10.8-16.6	113	15.7	12.6-18.8	230	31.0	26.9-35.1
65+	1709	391,081	367	22.6	20.1-25.1	227	13.5	11.3-15.7	181	11.7	09.5-13.9	239	12.9	10.9-14.9	695	39.4	36.5-42.3
Less Than H.S.	182	69,566	52	27.5	19.3-35.7	25	11.9	06.4-17.4	25	15.9	07.7-24.1	21	8.2	04.1-12.3	59	36.5	27.1-45.9
H.S. or G.E.D.	932	264,335	215	24.7	21.2-28.2	128	12.7	10.2-15.2	113	13.7	11.0-16.4	127	13.0	10.5-15.5	349	36.0	32.1-39.9
Some Post-H.S.	684	205,623	177	27.3	23.2-31.4	89	12.7	09.8-15.6	78	11.5	08.6-14.4	108	16.1	12.8-19.4	232	32.5	28.2-36.8
College Graduate	820	147,045	162	21.6	18.1-25.1	116	14.7	11.8-17.6	87	11.0	08.3-13.7	126	16.2	13.1-19.3	329	36.6	32.7-40.5
Less than \$15,000	231	59,970	70	33.0	25.0-41.0	29	11.2	06.7-15.7	25	13.0	06.7-19.3	43	16.5	10.2-22.8	64	26.3	18.9-33.7
\$15,000- 24,999	467	126,229	116	27.3	21.6-33.0	54	10.6	07.1-14.1	66	16.3	11.2-21.4	58	11.0	07.5-14.5	173	34.7	29.0-40.4
\$25,000- 34,999	324	79,255	80	26.1	20.0-32.2	43	13.4	08.9-17.9	35	12.0	07.3-16.7	48	16.3	11.2-21.4	118	32.1	26.0-38.2
\$35,000- 49,999	392	103,528	96	24.6	19.5-29.7	47	11.7	07.8-15.6	39	11.9	07.8-16.0	50	11.7	07.8-15.6	160	40.1	33.8-46.4
\$50,000- 74,999	337	89,133	74	24.9	18.8-31.0	56	15.1	10.8-19.4	36	11.9	07.6-16.2	55	16.9	12.2-21.6	116	31.2	25.3-37.1
\$75,000+	476	132,491	103	24.9	20.0-29.8	76	14.1	10.6-17.6	53	11.3	07.8-14.8	72	15.6	11.7-19.5	172	34.0	28.5-39.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	952	300,703	251	28.6	24.9-32.3	135	12.3	09.9-14.7	118	13.4	10.7-16.1	134	14.4	11.7-17.1	314	31.2	27.5-34.9
White/Non-Hisp	873	265,494	221	26.6	22.9-30.3	123	12.4	10.0-14.8	111	14.1	11.2-17.0	126	15.4	12.5-18.3	292	31.5	27.8-35.2
45-54	72	39,398	24	33.2	19.7-46.7	7	8.8	01.4-16.2	9	13.9	04.7-23.1	14	17.6	08.2-27.0	18	26.5	13.6-39.4
55-64	281	95,597	74	28.8	22.3-35.3	41	11.9	08.0-15.8	42	14.4	09.7-19.1	44	17.0	11.7-22.3	80	27.9	21.6-34.2
65+	599	165,708	153	27.4	22.9-31.9	87	13.4	10.3-16.5	67	12.6	09.1-16.1	76	12.2	09.1-15.3	216	34.3	29.4-39.2
Less Than H.S.	64	30,257	24	38.7	24.2-53.2	9	11.0	02.4-19.6	9	14.1	04.5-23.7	6	4.9	00.6-09.2	16	31.3	16.4-46.2
H.S. or G.E.D.	265	97,778	81	30.8	23.9-37.7	29	8.8	05.3-12.3	36	15.8	10.3-21.3	34	12.3	07.8-16.8	85	32.3	25.2-39.4
Some Post-H.S.	237	90,845	64	28.9	21.8-36.0	37	13.6	08.9-18.3	27	10.5	06.0-15.0	39	19.4	13.3-25.5	70	27.6	20.9-34.3
College Graduate	385	81,506	82	22.1	17.2-27.0	60	15.8	11.5-20.1	46	13.4	09.1-17.7	55	15.1	10.8-19.4	142	33.7	28.2-39.2
Less than \$15,000	63	22,000	24	38.8	23.7-53.9	9	9.0	02.5-15.5	11	21.9	08.6-35.2	7	15.4	03.1-27.7	12	14.8	04.6-25.0
\$15,000- 24,999	133	50,070	41	37.2	26.4-48.0	15	9.6	04.1-15.1	20	15.0	07.4-22.6	18	12.2	05.5-18.9	39	26.1	16.7-35.5
\$25,000- 34,999	118	35,472	36	28.2	18.4-38.0	13	10.8	04.3-17.3	17	15.3	06.9-23.7	13	14.0	06.2-21.8	39	31.6	21.6-41.6
\$35,000- 49,999	143	45,694	38	26.8	18.0-35.6	16	7.8	03.7-11.9	13	11.9	04.6-19.2	22	14.2	07.5-20.9	54	39.3	29.1-49.5
\$50,000- 74,999	148	42,521	34	27.6	18.0-37.2	22	14.7	08.2-21.2	19	12.3	06.0-18.6	29	19.1	11.8-26.4	44	26.3	18.3-34.3
\$75,000+	249	75,379	55	24.1	17.2-31.0	47	16.0	10.9-21.1	26	9.6	05.5-13.7	37	15.7	10.2-21.2	84	34.6	26.6-42.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1671	386,668	357	22.3	19.8-24.8	223	13.6	11.4-15.8	185	12.1	09.9-14.3	248	13.9	11.9-15.9	658	38.2	35.3-41.1
White/Non-Hisp	1532	346,914	316	21.9	19.4-24.4	211	13.7	11.5-15.9	171	12.2	10.0-14.4	228	13.9	11.9-15.9	606	38.3	35.4-41.2
Black or Afr. Am./Non-Hisp	79	28,728	27	29.4	16.7-42.1	7	13.9	01.4-26.4	7	11.2	00.0-25.9	12	12.0	03.6-20.4	26	33.4	19.3-47.5
45-54	107	42,173	33	32.9	22.7-43.1	16	12.4	06.1-18.7	13	15.4	06.8-24.0	16	13.8	06.7-20.9	29	25.5	15.9-35.1
55-64	454	119,121	110	24.9	20.2-29.6	67	14.0	10.3-17.7	58	13.0	09.3-16.7	69	14.6	10.9-18.3	150	33.4	28.1-38.7
65+	1110	225,373	214	19.0	16.1-21.9	140	13.5	10.8-16.2	114	11.0	08.1-13.9	163	13.4	10.9-15.9	479	43.1	39.4-46.8
Less Than H.S.	118	39,309	28	18.9	10.7-27.1	16	12.5	05.4-19.6	16	17.3	05.1-29.5	15	10.8	04.3-17.3	43	40.5	28.3-52.7
H.S. or G.E.D.	667	166,557	134	21.2	17.3-25.1	99	15.0	11.5-18.5	77	12.4	09.3-15.5	93	13.3	10.2-16.4	264	38.1	33.6-42.6
Some Post-H.S.	447	114,778	113	25.9	21.0-30.8	52	12.0	08.3-15.7	51	12.2	08.3-16.1	69	13.5	10.0-17.0	162	36.3	31.0-41.6
College Graduate	435	65,539	80	20.9	16.0-25.8	56	13.3	09.4-17.2	41	8.0	05.3-10.7	71	17.6	13.1-22.1	187	40.1	34.6-45.6
Less than \$15,000	168	37,971	46	29.7	20.3-39.1	20	12.4	06.3-18.5	14	7.8	02.1-13.5	36	17.1	10.0-24.2	52	33.0	23.4-42.6
\$15,000- 24,999	334	76,159	75	20.8	15.3-26.3	39	11.3	06.8-15.8	46	17.2	10.1-24.3	40	10.2	06.3-14.1	134	40.4	33.3-47.5
\$25,000- 34,999	206	43,783	44	24.4	16.8-32.0	30	15.6	09.5-21.7	18	9.4	04.5-14.3	35	18.1	11.6-24.6	79	32.5	25.2-39.8
\$35,000- 49,999	249	57,834	58	22.9	16.8-29.0	31	14.7	08.6-20.8	26	11.9	07.0-16.8	28	9.8	05.5-14.1	106	40.7	33.3-48.1
\$50,000- 74,999	189	46,612	40	22.4	15.0-29.8	34	15.5	09.8-21.2	17	11.6	05.9-17.3	26	14.8	08.7-20.9	72	35.7	27.5-43.9
\$75,000+	227	57,111	48	25.9	18.6-33.2	29	11.6	07.1-16.1	27	13.6	07.3-19.9	35	15.6	10.1-21.1	88	33.3	26.0-40.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7308	2,115,472	5100	65.0	63.6-66.4	2208	35.0	33.6-36.4
Male	2822	996,648	1917	62.1	59.7-64.5	905	37.9	35.5-40.3
Female	4486	1,118,824	3183	67.6	65.8-69.4	1303	32.4	30.6-34.2
White/Non-Hisp	6658	1,864,805	4686	65.7	64.1-67.3	1972	34.3	32.7-35.9
Black or Afr. Am./Non-Hisp	322	149,157	222	64.9	58.2-71.6	100	35.1	28.4-41.8
Oth. Race/Non-Hisp.	81	15,965	44	55.3	39.8-70.8	37	44.7	29.2-60.2
MultiRacial/Non-Hisp.	69	17,970	37	47.0	31.1-62.9	32	53.0	37.1-68.9
Hispanic	73	38,295	36	43.7	30.2-57.2	37	56.3	42.8-69.8
45-54	1008	475,725	493	47.1	43.4-50.8	515	52.9	49.2-56.6
55-64	2420	749,121	1654	65.1	62.7-67.5	766	34.9	32.5-37.3
65+	3880	890,626	2953	74.6	72.8-76.4	927	25.4	23.6-27.2
Less Than H.S.	619	257,667	350	55.2	50.3-60.1	269	44.8	39.9-49.7
H.S. or G.E.D.	2734	838,873	1829	63.2	60.8-65.6	905	36.8	34.4-39.2
Some Post-H.S.	1819	612,444	1285	66.2	63.5-68.9	534	33.8	31.1-36.5
College Graduate	2116	400,945	1621	73.3	70.9-75.7	495	26.7	24.3-29.1
Less than \$15,000	727	208,726	442	58.4	53.5-63.3	285	41.6	36.7-46.5
\$15,000- 24,999	1250	346,769	814	60.0	56.3-63.7	436	40.0	36.3-43.7
\$25,000- 34,999	825	223,262	582	66.9	62.8-71.0	243	33.1	29.0-37.2
\$35,000- 49,999	1045	318,305	745	63.9	60.0-67.8	300	36.1	32.2-40.0
\$50,000- 74,999	969	300,841	698	66.9	63.2-70.6	271	33.1	29.4-36.8
\$75,000+	1427	437,252	1068	69.6	66.5-72.7	359	30.4	27.3-33.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2822	996,648	1917	62.1	59.7-64.5	905	37.9	35.5-40.3
White/Non-Hisp	2577	881,583	1776	63.1	60.7-65.5	801	36.9	34.5-39.3
Black or Afr. Am./Non-Hisp	109	62,347	68	58.5	47.3-69.7	41	41.5	30.3-52.7
45-54	444	243,893	204	44.0	38.5-49.5	240	56.0	50.5-61.5
55-64	1016	366,429	680	63.4	59.9-66.9	336	36.6	33.1-40.1
65+	1362	386,326	1033	72.3	69.2-75.4	329	27.7	24.6-30.8
Less Than H.S.	225	119,627	121	52.7	44.7-60.7	104	47.3	39.3-55.3
H.S. or G.E.D.	964	381,777	586	56.7	53.0-60.4	378	43.3	39.6-47.0
Some Post-H.S.	657	276,704	447	63.7	59.2-68.2	210	36.3	31.8-40.8
College Graduate	970	215,882	760	75.0	71.5-78.5	210	25.0	21.5-28.5
Less than \$15,000	218	81,776	116	51.0	42.4-59.6	102	49.0	40.4-57.6
\$15,000- 24,999	373	135,445	220	52.8	46.5-59.1	153	47.2	40.9-53.5
\$25,000- 34,999	303	102,987	213	67.8	61.1-74.5	90	32.2	25.5-38.9
\$35,000- 49,999	442	161,037	299	60.2	54.3-66.1	143	39.8	33.9-45.7
\$50,000- 74,999	468	168,395	332	65.1	59.6-70.6	136	34.9	29.4-40.4
\$75,000+	728	250,943	546	67.3	62.8-71.8	182	32.7	28.2-37.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4486	1,118,824	3183	67.6	65.8-69.4	1303	32.4	30.6-34.2
White/Non-Hisp	4081	983,222	2910	68.1	66.3-69.9	1171	31.9	30.1-33.7
Black or Afr. Am./Non-Hisp	213	86,810	154	69.6	61.4-77.8	59	30.4	22.2-38.6
45-54	564	231,832	289	50.5	45.8-55.2	275	49.5	44.8-54.2
55-64	1404	382,691	974	66.7	63.8-69.6	430	33.3	30.4-36.2
65+	2518	504,300	1920	76.3	74.1-78.5	598	23.7	21.5-25.9
Less Than H.S.	394	138,040	229	57.4	51.3-63.5	165	42.6	36.5-48.7
H.S. or G.E.D.	1770	457,096	1243	68.7	66.0-71.4	527	31.3	28.6-34.0
Some Post-H.S.	1162	335,740	838	68.3	65.0-71.6	324	31.7	28.4-35.0
College Graduate	1146	185,063	861	71.3	68.0-74.6	285	28.7	25.4-32.0
Less than \$15,000	509	126,950	326	63.1	57.4-68.8	183	36.9	31.2-42.6
\$15,000- 24,999	877	211,324	594	64.6	60.3-68.9	283	35.4	31.1-39.7
\$25,000- 34,999	522	120,275	369	66.1	60.8-71.4	153	33.9	28.6-39.2
\$35,000- 49,999	603	157,268	446	67.6	62.7-72.5	157	32.4	27.5-37.3
\$50,000- 74,999	501	132,446	366	69.3	64.4-74.2	135	30.7	25.8-35.6
\$75,000+	699	186,309	522	72.6	68.7-76.5	177	27.4	23.5-31.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 10: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4955	1,335,912	173	3.2	02.6-03.8	4782	96.8	96.2-97.4
Male	1849	597,135	73	3.6	02.6-04.6	1776	96.4	95.4-97.4
Female	3106	738,777	100	2.8	02.0-03.6	3006	97.2	96.4-98.0
White/Non-Hisp	4562	1,193,320	155	3.0	02.4-03.6	4407	97.0	96.4-97.6
Black or Afr. Am./Non-Hisp	210	92,167	13	3.9	01.2-06.6	197	96.1	93.4-98.8
45-54	481	216,235	12	2.4	00.8-04.0	469	97.6	96.0-99.2
55-64	1636	479,933	48	3.2	02.2-04.2	1588	96.8	95.8-97.8
65+	2838	639,744	113	3.4	02.6-04.2	2725	96.6	95.8-97.4
Less Than H.S.	333	134,247	5	1.8	00.0-03.8	328	98.2	96.2-0100
H.S. or G.E.D.	1768	514,210	54	2.8	01.8-03.8	1714	97.2	96.2-98.2
Some Post-H.S.	1250	395,697	51	3.5	02.3-04.7	1199	96.5	95.3-97.7
College Graduate	1590	288,195	62	3.9	02.7-05.1	1528	96.1	94.9-97.3
Less than \$15,000	415	112,513	18	3.6	01.2-06.0	397	96.4	94.0-98.8
\$15,000- 24,999	779	198,437	33	4.2	02.4-06.0	746	95.8	94.0-97.6
\$25,000- 34,999	567	144,850	19	2.5	01.1-03.9	548	97.5	96.1-98.9
\$35,000- 49,999	732	199,370	32	4.3	02.3-06.3	700	95.7	93.7-97.7
\$50,000- 74,999	693	199,886	14	1.8	00.8-02.8	679	98.2	97.2-99.2
\$75,000+	1057	300,968	30	2.6	01.4-03.8	1027	97.4	96.2-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 11: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1849	597,135	73	3.6	02.6-04.6	1776	96.4	95.4-97.4
White/Non-Hisp	1720	539,068	67	3.5	02.5-04.5	1653	96.5	95.5-97.5
Black or Afr. Am./Non-Hisp	60	33,258	2	1.2	00.0-03.0	58	98.8	97.0-0100
45-54	199	103,690	6	2.6	00.0-05.3	193	97.4	94.7-0100
55-64	670	227,245	24	3.5	01.9-05.1	646	96.5	94.9-98.1
65+	980	266,199	43	3.9	02.5-05.3	937	96.1	94.7-97.5
Less Than H.S.	111	58,156	4	3.9	00.0-08.4	107	96.1	91.6-0100
H.S. or G.E.D.	560	206,927	17	2.3	01.1-03.5	543	97.7	96.5-98.9
Some Post-H.S.	436	172,794	16	3.7	01.5-05.9	420	96.3	94.1-98.5
College Graduate	739	158,002	36	4.9	03.1-06.7	703	95.1	93.3-96.9
Less than \$15,000	104	36,508	6	4.0	00.3-07.7	98	96.0	92.3-99.7
\$15,000- 24,999	208	67,030	11	5.7	01.6-09.8	197	94.3	90.2-98.4
\$25,000- 34,999	203	66,699	8	2.8	00.4-05.2	195	97.2	94.8-99.6
\$35,000- 49,999	290	94,220	15	5.2	01.9-08.5	275	94.8	91.5-98.1
\$50,000- 74,999	329	108,894	6	1.9	00.3-03.5	323	98.1	96.5-99.7
\$75,000+	537	166,670	21	3.3	01.5-05.1	516	96.7	94.9-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 12: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3106	738,777	100	2.8	02.0-03.6	3006	97.2	96.4-98.0
White/Non-Hisp	2842	654,252	88	2.7	01.9-03.5	2754	97.3	96.5-98.1
Black or Afr. Am./Non-Hisp	150	58,909	11	5.5	01.2-09.8	139	94.5	90.2-98.8
45-54	282	112,545	6	2.2	00.4-04.0	276	97.8	96.0-99.6
55-64	966	252,688	24	2.8	01.4-04.2	942	97.2	95.8-98.6
65+	1858	373,545	70	3.0	02.0-04.0	1788	97.0	96.0-98.0
Less Than H.S.	222	76,091	1	0.2	00.0-00.6	221	99.8	99.4-0100
H.S. or G.E.D.	1208	307,282	37	3.2	01.8-04.6	1171	96.8	95.4-98.2
Some Post-H.S.	814	222,903	35	3.3	01.9-04.7	779	96.7	95.3-98.1
College Graduate	851	130,193	26	2.6	01.4-03.8	825	97.4	96.2-98.6
Less than \$15,000	311	76,004	12	3.5	00.8-06.2	299	96.5	93.8-99.2
\$15,000- 24,999	571	131,407	22	3.5	01.7-05.3	549	96.5	94.7-98.3
\$25,000- 34,999	364	78,151	11	2.2	00.6-03.8	353	97.8	96.2-99.4
\$35,000- 49,999	442	105,150	17	3.6	01.4-05.8	425	96.4	94.2-98.6
\$50,000- 74,999	364	90,992	8	1.8	00.4-03.2	356	98.2	96.8-99.6
\$75,000+	520	134,298	9	1.7	00.3-03.1	511	98.3	96.9-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 13: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5025	1,359,729	939	19.5	18.1-20.9	762	15.6	14.2-17.0	802	16.2	14.8-17.6	1154	22.2	20.8-23.6	1010	19.7	18.3-21.1	358	6.8	06.0-07.6
Male	1891	613,714	372	20.9	18.5-23.3	323	17.1	14.9-19.3	302	16.2	14.2-18.2	415	21.0	18.6-23.4	358	19.0	16.8-21.2	121	5.9	04.7-07.1
Female	3134	746,014	567	18.3	16.5-20.1	439	14.5	12.9-16.1	500	16.2	14.6-17.8	739	23.1	21.1-25.1	652	20.4	18.6-22.2	237	7.5	06.3-08.7
White/Non-Hisp	4625	1,213,439	848	19.0	17.6-20.4	681	15.1	13.7-16.5	735	16.2	14.8-17.6	1077	22.6	21.0-24.2	947	20.1	18.7-21.5	337	6.9	05.9-07.9
Black or Afr. Am./Non-Hisp	217	94,687	44	20.9	13.6-28.2	52	22.4	15.5-29.3	33	14.0	08.1-19.9	47	20.8	13.0-28.6	31	16.3	09.6-23.0	10	5.7	01.6-09.8
45-54	488	222,723	124	27.2	22.5-31.9	96	18.4	14.3-22.5	76	15.8	11.9-19.7	97	20.5	16.2-24.8	65	12.1	08.8-15.4	30	6.0	03.5-08.5
55-64	1639	484,281	304	18.4	16.0-20.8	249	15.8	13.6-18.0	239	16.2	14.0-18.4	359	20.9	18.5-23.3	380	22.1	19.7-24.5	108	6.6	05.2-08.0
65+	2898	652,725	511	17.6	15.8-19.4	417	14.5	12.9-16.1	487	16.4	14.8-18.0	698	23.7	21.7-25.7	565	20.6	18.6-22.6	220	7.2	06.0-08.4
Less Than H.S.	339	139,104	85	28.7	22.4-35.0	49	12.7	08.6-16.8	57	16.3	11.2-21.4	65	18.9	13.4-24.4	55	15.7	10.8-20.6	28	7.7	04.2-11.2
H.S. or G.E.D.	1800	523,012	315	17.4	15.2-19.6	264	15.3	13.1-17.5	287	16.2	14.0-18.4	409	21.7	19.3-24.1	389	21.6	19.2-24.0	136	7.8	06.2-09.4
Some Post-H.S.	1266	401,916	257	20.8	18.1-23.5	192	16.7	14.2-19.2	210	16.1	13.7-18.5	290	22.8	19.9-25.7	217	17.6	15.1-20.1	100	6.0	04.6-07.4
College Graduate	1607	292,209	277	16.6	14.4-18.8	256	16.5	14.3-18.7	247	16.1	13.9-18.3	387	23.8	21.3-26.3	347	21.3	18.9-23.7	93	5.7	04.3-07.1
Less than \$15,000	430	119,116	93	26.2	20.1-32.3	58	14.8	10.3-19.3	78	14.4	10.7-18.1	77	18.5	13.6-23.4	77	14.2	10.3-18.1	47	11.9	07.8-16.0
\$15,000- 24,999	799	203,450	151	19.3	15.8-22.8	111	13.7	10.8-16.6	137	16.1	13.0-19.2	160	19.4	15.5-23.3	159	22.4	18.5-26.3	81	9.2	06.7-11.7
\$25,000- 34,999	580	148,735	111	21.2	16.9-25.5	88	17.1	13.2-21.0	81	13.7	10.4-17.0	141	21.4	17.5-25.3	119	21.0	16.7-25.3	40	5.6	03.6-07.6
\$35,000- 49,999	733	200,867	142	19.9	16.4-23.4	128	17.4	14.1-20.7	105	15.0	11.7-18.3	178	22.0	18.5-25.5	131	19.9	16.2-23.6	49	5.7	03.9-07.5
\$50,000- 74,999	695	201,025	105	15.2	11.7-18.7	111	15.7	12.2-19.2	109	15.2	12.1-18.3	181	26.7	22.6-30.8	146	20.7	17.0-24.4	43	6.5	04.1-08.9
\$75,000+	1063	302,972	197	18.6	15.7-21.5	168	16.4	13.5-19.3	169	18.3	15.4-21.2	253	23.5	20.4-26.6	231	18.7	16.0-21.4	45	4.5	02.9-06.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 14: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1891	613,714	372	20.9	18.5-23.3	323	17.1	14.9-19.3	302	16.2	14.2-18.2	415	21.0	18.6-23.4	358	19.0	16.8-21.2	121	5.9	04.7-07.1
White/Non-Hisp	1755	552,029	333	19.9	17.5-22.3	297	17.3	15.1-19.5	282	16.3	14.1-18.5	391	21.3	18.9-23.7	336	19.1	16.9-21.3	116	6.1	04.7-07.5
Black or Afr. Am./Non-Hisp	66	35,918	18	28.9	14.6-43.2	16	16.5	07.1-25.9	8	13.5	02.9-24.1	15	23.6	09.5-37.7	8	15.0	03.8-26.2	1	2.6	00.0-07.7
45-54	202	106,349	45	25.6	18.2-33.0	46	21.2	14.3-28.1	39	18.7	12.0-25.4	36	19.1	12.4-25.8	26	11.0	06.1-15.9	10	4.3	01.0-07.6
55-64	674	231,315	126	19.6	15.9-23.3	116	17.0	13.7-20.3	102	16.4	13.1-19.7	139	19.6	16.1-23.1	148	21.1	17.6-24.6	43	6.2	04.2-08.2
65+	1015	276,051	201	20.1	17.2-23.0	161	15.5	12.8-18.2	161	15.1	12.6-17.6	240	22.9	19.8-26.0	184	20.2	17.1-23.3	68	6.2	04.4-08.0
Less Than H.S.	119	62,536	39	36.3	25.5-47.1	19	14.2	07.3-21.1	20	18.6	09.4-27.8	17	12.8	06.1-19.5	15	12.2	05.1-19.3	9	5.9	01.4-10.4
H.S. or G.E.D.	577	214,197	108	17.5	14.0-21.0	91	15.7	12.2-19.2	92	16.1	12.6-19.6	122	21.6	17.5-25.7	119	21.6	17.7-25.5	45	7.6	05.1-10.1
Some Post-H.S.	442	175,102	103	24.0	19.1-28.9	79	18.2	13.7-22.7	62	13.7	10.2-17.2	93	21.5	16.8-26.2	76	17.4	13.3-21.5	29	5.2	03.0-07.4
College Graduate	750	160,623	119	15.4	12.5-18.3	134	18.9	15.6-22.2	128	18.2	14.9-21.5	183	23.0	19.5-26.5	148	20.0	16.5-23.5	38	4.4	02.8-06.0
Less than \$15,000	113	40,934	27	30.6	18.3-42.9	15	15.7	07.1-24.3	20	12.6	06.3-18.9	21	18.4	09.4-27.4	16	10.8	04.7-16.9	14	11.9	04.6-19.2
\$15,000- 24,999	217	70,642	54	25.3	18.2-32.4	29	12.2	07.3-17.1	33	14.7	09.2-20.2	40	17.7	11.4-24.0	39	22.4	15.0-29.8	22	7.7	03.8-11.6
\$25,000- 34,999	213	69,807	43	20.9	13.8-28.0	41	19.2	12.7-25.7	31	15.4	09.5-21.3	42	17.8	11.5-24.1	45	22.4	15.5-29.3	11	4.3	01.6-07.0
\$35,000- 49,999	291	95,348	59	21.9	16.2-27.6	60	18.9	13.8-24.0	40	13.7	08.8-18.6	65	20.1	14.8-25.4	49	21.0	14.7-27.3	18	4.4	01.9-06.9
\$50,000- 74,999	331	109,528	49	16.5	11.0-22.0	55	16.2	10.7-21.7	53	16.4	11.5-21.3	92	26.5	20.6-32.4	60	17.1	12.4-21.8	22	7.3	03.8-10.8
\$75,000+	543	168,127	98	18.3	14.4-22.2	94	19.2	14.9-23.5	99	19.3	15.2-23.4	120	21.9	17.4-26.4	113	17.9	14.2-21.6	19	3.3	01.7-04.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 15: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3134	746,014	567	18.3	16.5-20.1	439	14.5	12.9-16.1	500	16.2	14.6-17.8	739	23.1	21.1-25.1	652	20.4	18.6-22.2	237	7.5	06.3-08.7
White/Non-Hisp	2870	661,410	515	18.3	16.5-20.1	384	13.3	11.7-14.9	453	16.2	14.4-18.0	686	23.7	21.7-25.7	611	21.0	19.2-22.8	221	7.6	06.4-08.8
Black or Afr. Am./Non-Hisp	151	58,769	26	16.0	08.7-23.3	36	26.0	17.0-35.0	25	14.3	07.4-21.2	32	19.1	09.9-28.3	23	17.1	08.7-25.5	9	7.6	01.9-13.3
45-54	286	116,374	79	28.6	22.3-34.9	50	15.9	11.0-20.8	37	13.1	08.4-17.8	61	21.8	16.3-27.3	39	13.1	08.8-17.4	20	7.6	03.9-11.3
55-64	965	252,966	178	17.3	14.6-20.0	133	14.8	12.1-17.5	137	15.9	13.0-18.8	220	22.0	18.9-25.1	232	23.0	19.9-26.1	65	6.9	04.9-08.9
65+	1883	376,674	310	15.8	13.8-17.8	256	13.8	11.8-15.8	326	17.3	15.1-19.5	458	24.3	21.8-26.8	381	20.8	18.4-23.2	152	8.0	06.4-09.6
Less Than H.S.	220	76,568	46	22.4	15.3-29.5	30	11.5	06.8-16.2	37	14.4	09.1-19.7	48	23.9	15.9-31.9	40	18.6	11.9-25.3	19	9.2	04.1-14.3
H.S. or G.E.D.	1223	308,815	207	17.3	14.8-19.8	173	15.0	12.5-17.5	195	16.3	13.8-18.8	287	21.8	19.1-24.5	270	21.6	18.7-24.5	91	7.9	05.9-09.9
Some Post-H.S.	824	226,814	154	18.4	15.1-21.7	113	15.5	12.4-18.6	148	18.0	14.7-21.3	197	23.7	20.2-27.2	141	17.7	14.6-20.8	71	6.7	04.9-08.5
College Graduate	857	131,586	158	18.2	15.1-21.3	122	13.5	10.8-16.2	119	13.6	10.7-16.5	204	24.7	21.2-28.2	199	22.9	19.6-26.2	55	7.3	04.9-09.7
Less than \$15,000	317	78,182	66	23.9	17.2-30.6	43	14.3	09.2-19.4	58	15.4	10.7-20.1	56	18.6	12.7-24.5	61	15.9	10.8-21.0	33	11.9	06.8-17.0
\$15,000- 24,999	582	132,807	97	16.1	12.4-19.8	82	14.5	10.8-18.2	104	16.9	13.2-20.6	120	20.3	15.4-25.2	120	22.3	17.8-26.8	59	9.9	06.8-13.0
\$25,000- 34,999	367	78,929	68	21.5	16.0-27.0	47	15.2	10.5-19.9	50	12.3	08.4-16.2	99	24.5	19.4-29.6	74	19.8	14.5-25.1	29	6.8	03.9-09.7
\$35,000- 49,999	442	105,519	83	18.1	13.8-22.4	68	16.1	12.0-20.2	65	16.2	11.9-20.5	113	23.8	18.9-28.7	82	18.9	14.4-23.4	31	6.9	04.4-09.4
\$50,000- 74,999	364	91,497	56	13.8	09.9-17.7	56	15.0	10.7-19.3	56	13.7	09.6-17.8	89	27.0	21.1-32.9	86	25.0	19.3-30.7	21	5.6	02.9-08.3
\$75,000+	520	134,845	99	19.0	14.9-23.1	74	12.9	09.6-16.2	70	17.0	12.7-21.3	133	25.6	21.1-30.1	118	19.6	15.7-23.5	26	5.9	03.2-08.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014**

SECTION 18: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1 MALES AND FEMALES	257
2 MALES ONLY	258
3 FEMALES ONLY	259
NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3)	
4 MALES AND FEMALES	260
5 MALES ONLY	261
6 FEMALES ONLY	262
WHERE DID YOU HAVE YOUR LAST HIV TEST – AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)	
7 MALES AND FEMALES	263
8 MALES ONLY	264
9 FEMALES ONLY	265

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

**TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10412	4,536,322	2452	30.4	29.2-31.6	7960	69.6	68.4-70.8
Male	4201	2,203,143	962	27.9	26.1-29.7	3239	72.1	70.3-73.9
Female	6211	2,333,180	1490	32.8	31.0-34.6	4721	67.2	65.4-69.0
White/Non-Hisp	9104	3,708,954	1917	27.0	25.6-28.4	7187	73.0	71.6-74.4
Black or Afr. Am./Non-Hisp	564	380,434	296	57.6	52.3-62.9	268	42.4	37.1-47.7
Oth. Race/Non-Hisp.	201	90,934	45	19.0	11.9-26.1	156	81.0	73.9-88.1
MultiRacial/Non-Hisp.	123	52,493	44	43.5	31.5-55.5	79	56.5	44.5-68.5
Hispanic	279	243,313	108	37.4	30.9-43.9	171	62.6	56.1-69.1
18-24	525	632,102	137	27.8	23.5-32.1	388	72.2	67.9-76.5
25-34	782	733,138	369	49.0	45.1-52.9	413	51.0	47.1-54.9
35-44	1171	749,503	512	43.5	40.0-47.0	659	56.5	53.0-60.0
45-54	1716	794,338	584	34.0	31.3-36.7	1132	66.0	63.3-68.7
55-64	2372	734,865	504	21.4	19.4-23.4	1868	78.6	76.6-80.6
65+	3738	857,006	324	9.7	08.3-11.1	3414	90.3	88.9-91.7
Less Than H.S.	897	622,118	216	32.6	28.3-36.9	681	67.4	63.1-71.7
H.S. or G.E.D.	3535	1,551,314	661	26.2	24.0-28.4	2874	73.8	71.6-76.0
Some Post-H.S.	2682	1,397,070	738	34.7	32.3-37.1	1944	65.3	62.9-67.7
College Graduate	3271	956,593	833	29.7	27.7-31.7	2438	70.3	68.3-72.3
Less than \$15,000	1035	473,570	345	43.5	39.2-47.8	690	56.5	52.2-60.8
\$15,000- 24,999	1686	746,175	400	34.8	31.3-38.3	1286	65.2	61.7-68.7
\$25,000- 34,999	1095	468,128	223	29.7	25.6-33.8	872	70.3	66.2-74.4
\$35,000- 49,999	1410	623,053	314	29.1	25.8-32.4	1096	70.9	67.6-74.2
\$50,000- 74,999	1423	650,942	322	27.1	24.0-30.2	1101	72.9	69.8-76.0
\$75,000+	2375	1,011,653	613	27.9	25.5-30.3	1762	72.1	69.7-74.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4201	2,203,143	962	27.9	26.1-29.7	3239	72.1	70.3-73.9
White/Non-Hisp	3656	1,794,428	741	24.0	22.0-26.0	2915	76.0	74.0-78.0
Black or Afr. Am./Non-Hisp	215	181,350	123	60.2	52.2-68.2	92	39.8	31.8-47.8
Oth. Race/Non-Hisp.	106	56,756	22	19.0	09.2-28.8	84	81.0	71.2-90.8
Hispanic	112	114,577	38	31.9	22.5-41.3	74	68.1	58.7-77.5
18-24	286	323,368	60	21.8	16.5-27.1	226	78.2	72.9-83.5
25-34	339	363,382	122	40.6	34.7-46.5	217	59.4	53.5-65.3
35-44	510	381,159	181	36.9	31.8-42.0	329	63.1	58.0-68.2
45-54	749	395,998	239	32.6	28.7-36.5	510	67.4	63.5-71.3
55-64	994	358,253	219	21.8	18.7-24.9	775	78.2	75.1-81.3
65+	1290	366,774	134	12.0	09.6-14.4	1156	88.0	85.6-90.4
Less Than H.S.	357	314,055	81	28.9	22.4-35.4	276	71.1	64.6-77.6
H.S. or G.E.D.	1373	776,307	284	25.7	22.8-28.6	1089	74.3	71.4-77.2
Some Post-H.S.	1001	621,071	267	31.6	27.9-35.3	734	68.4	64.7-72.1
College Graduate	1459	485,796	328	26.0	23.1-28.9	1131	74.0	71.1-76.9
Less than \$15,000	326	172,179	107	37.8	30.9-44.7	219	62.2	55.3-69.1
\$15,000- 24,999	546	320,293	141	35.1	29.2-41.0	405	64.9	59.0-70.8
\$25,000- 34,999	429	232,258	93	29.8	23.5-36.1	336	70.2	63.9-76.5
\$35,000- 49,999	609	322,742	143	30.2	25.3-35.1	466	69.8	64.9-74.7
\$50,000- 74,999	682	351,963	142	23.6	19.5-27.7	540	76.4	72.3-80.5
\$75,000+	1175	570,907	248	22.0	19.1-24.9	927	78.0	75.1-80.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6211	2,333,180	1490	32.8	31.0-34.6	4721	67.2	65.4-69.0
White/Non-Hisp	5448	1,914,527	1176	29.8	28.0-31.6	4272	70.2	68.4-72.0
Black or Afr. Am./Non-Hisp	349	199,084	173	55.3	48.4-62.2	176	44.7	37.8-51.6
Oth. Race/Non-Hisp.	95	34,179	23	19.1	09.3-28.9	72	80.9	71.1-90.7
MultiRacial/Non-Hisp.	75	25,853	27	41.0	26.1-55.9	48	59.0	44.1-73.9
Hispanic	167	128,737	70	42.2	33.6-50.8	97	57.8	49.2-66.4
18-24	239	308,734	77	34.1	27.4-40.8	162	65.9	59.2-72.6
25-34	443	369,755	247	57.3	52.0-62.6	196	42.7	37.4-48.0
35-44	661	368,344	331	50.3	45.8-54.8	330	49.7	45.2-54.2
45-54	967	398,340	345	35.5	32.0-39.0	622	64.5	61.0-68.0
55-64	1378	376,613	285	21.1	18.6-23.6	1093	78.9	76.4-81.4
65+	2448	490,232	190	7.9	06.5-09.3	2258	92.1	90.7-93.5
Less Than H.S.	540	308,063	135	36.3	30.6-42.0	405	63.7	58.0-69.4
H.S. or G.E.D.	2162	775,008	377	26.6	23.7-29.5	1785	73.4	70.5-76.3
Some Post-H.S.	1681	775,998	471	37.2	34.1-40.3	1210	62.8	59.7-65.9
College Graduate	1812	470,797	505	33.5	30.6-36.4	1307	66.5	63.6-69.4
Less than \$15,000	709	301,391	238	46.8	41.5-52.1	471	53.2	47.9-58.5
\$15,000- 24,999	1140	425,882	259	34.5	30.4-38.6	881	65.5	61.4-69.6
\$25,000- 34,999	666	235,870	130	29.5	24.2-34.8	536	70.5	65.2-75.8
\$35,000- 49,999	801	300,312	171	27.8	23.3-32.3	630	72.2	67.7-76.7
\$50,000- 74,999	741	298,979	180	31.2	26.3-36.1	561	68.8	63.9-73.7
\$75,000+	1200	440,746	365	35.4	31.9-38.9	835	64.6	61.1-68.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2013			2014		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1991	1,165,202	86	2.5	01.7-03.3	163	5.2	04.2-06.2	212	7.6	06.4-08.8	334	15.3	13.3-17.3	961	55.7	53.0-58.4	235	13.7	11.7-15.7
Male	778	515,041	32	2.5	01.3-03.7	53	4.2	02.8-05.6	59	6.2	04.2-08.2	114	14.9	11.6-18.2	411	58.2	53.9-62.5	109	14.1	11.0-17.2
Female	1213	650,161	54	2.5	01.7-03.3	110	6.0	04.6-07.4	153	8.7	07.1-10.3	220	15.7	13.2-18.2	550	53.7	50.2-57.2	126	13.4	10.7-16.1
White/Non-Hisp	1540	839,827	79	3.2	02.2-04.2	147	6.4	05.0-07.8	191	9.1	07.5-10.7	287	16.9	14.5-19.3	673	51.5	48.4-54.6	163	12.9	10.5-15.3
Black or Afr. Am./Non-Hisp	254	193,028	2	0.2	00.0-00.4	5	1.2	00.0-02.4	6	2.4	00.0-04.8	20	9.6	04.1-15.1	169	67.1	59.7-74.5	52	19.6	13.7-25.5
Hispanic	97	80,552	2	1.6	00.0-04.1	4	3.2	00.1-06.3	7	6.9	01.4-12.4	9	9.9	03.0-16.8	68	72.4	62.8-82.0	7	6.0	01.3-10.7
18-24	124	157,329												95	74.8	66.4-83.2	29	25.2	16.8-33.6	
25-34	334	324,047							8	1.8	00.4-03.2	37	12.4	08.1-16.7	230	68.3	62.6-74.0	59	17.6	13.1-22.1
35-44	453	284,363	7	2.0	00.4-03.6	31	6.6	04.1-09.1	49	10.5	07.2-13.8	101	23.7	18.4-29.0	221	49.5	43.8-55.2	44	7.7	05.2-10.2
45-54	486	228,664	34	5.8	03.4-08.2	52	9.8	06.9-12.7	77	14.2	10.7-17.7	98	19.9	15.8-24.0	178	40.6	35.1-46.1	47	9.8	06.7-12.9
55-64	369	112,337	30	6.6	03.9-09.3	50	10.9	07.2-14.6	55	13.3	09.4-17.2	59	15.0	10.7-19.3	142	41.4	35.1-47.7	33	12.9	08.2-17.6
65+	211	53,349	15	5.3	01.8-08.8	27	12.7	07.2-18.2	21	9.8	04.7-14.9	37	15.0	09.3-20.7	88	48.5	39.7-57.3	23	8.7	04.4-13.0
Less Than H.S.	172	173,124	6	3.0	00.3-05.7	6	1.7	00.3-03.1	17	5.7	02.6-08.8	25	17.2	09.6-24.8	100	64.9	56.3-73.5	18	7.5	03.4-11.6
H.S. or G.E.D.	509	326,272	13	1.0	00.4-01.6	32	4.1	02.3-05.9	50	7.0	04.6-09.4	78	14.5	10.8-18.2	266	54.8	49.5-60.1	70	18.6	14.1-23.1
Some Post-H.S.	616	424,825	25	2.2	01.2-03.2	46	5.4	03.6-07.2	68	8.3	05.9-10.7	97	13.3	10.4-16.2	306	57.2	52.5-61.9	74	13.6	10.1-17.1
College Graduate	691	239,140	40	4.1	02.3-05.9	79	9.0	06.6-11.4	77	8.7	06.3-11.1	134	18.7	15.2-22.2	288	47.6	43.1-52.1	73	12.0	08.9-15.1
Less than \$15,000	277	179,808	8	2.5	00.3-04.7	21	5.2	02.5-07.9	22	5.5	02.4-08.6	35	11.0	06.5-15.5	151	60.7	53.4-68.0	40	15.1	09.8-20.4
\$15,000- 24,999	337	222,206	7	1.3	00.0-02.9	16	2.2	00.8-03.6	28	6.3	03.6-09.0	45	11.9	06.6-17.2	199	66.3	59.8-72.8	42	11.9	07.8-16.0
\$25,000- 34,999	183	116,399	8	1.3	00.3-02.3	9	2.4	00.6-04.2	15	3.4	01.2-05.6	32	17.3	10.0-24.6	89	52.5	43.1-61.9	30	23.1	14.5-31.7
\$35,000- 49,999	262	156,119	14	2.7	00.9-04.5	19	3.7	01.5-05.9	31	9.1	05.2-13.0	35	11.9	07.0-16.8	130	59.0	51.6-66.4	33	13.5	08.4-18.6
\$50,000- 74,999	255	148,573	14	2.5	00.7-04.3	30	10.1	05.8-14.4	32	9.9	06.0-13.8	47	17.8	11.7-23.9	104	47.7	39.9-55.5	28	12.0	06.5-17.5
\$75,000+	520	243,013	26	3.8	02.0-05.6	56	8.1	05.7-10.5	67	10.2	07.3-13.1	117	21.5	17.4-25.6	215	46.7	41.4-52.0	39	9.6	06.3-12.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2013			2014		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	778	515,041	32	2.5	01.3-03.7	53	4.2	02.8-05.6	59	6.2	04.2-08.2	114	14.9	11.6-18.2	411	58.2	53.9-62.5	109	14.1	11.0-17.2
White/Non-Hisp	590	354,640	29	3.4	01.8-05.0	49	5.7	03.7-07.7	53	7.3	04.9-09.7	99	16.8	12.9-20.7	281	53.5	48.4-58.6	79	13.2	09.9-16.5
Black or Afr. Am./Non-Hisp	111	101,010	1	0.1	00.0-00.3	2	0.8	00.0-02.0	3	3.2	00.0-07.1	6	9.8	00.6-19.0	77	68.0	56.6-79.4	22	18.0	09.6-26.4
18-24	56	66,607												44	74.7	61.8-87.6	12	25.3	12.4-38.2	
25-34	107	130,044							3	2.1	00.0-04.6	13	12.0	04.9-19.1	75	72.4	63.2-81.6	16	13.5	06.8-20.2
35-44	150	116,876	3	1.7	00.0-03.9	11	5.9	02.0-09.8	11	8.2	02.9-13.5	30	25.7	15.9-35.5	77	49.7	39.9-59.5	18	8.8	04.3-13.3
45-54	199	109,816	14	6.3	02.2-10.4	18	7.5	03.6-11.4	18	10.1	05.0-15.2	30	16.5	10.4-22.6	91	46.8	38.4-55.2	28	12.8	07.7-17.9
55-64	168	57,702	11	4.5	01.4-07.6	14	4.8	02.1-07.5	21	11.7	06.2-17.2	27	14.3	07.8-20.8	76	47.3	37.7-56.9	19	17.4	09.6-25.2
65+	93	30,778	4	3.8	00.0-08.9	9	11.0	03.7-18.3	6	6.2	00.1-12.3	14	14.6	06.0-23.2	44	51.8	39.3-64.3	16	12.5	05.4-19.6
Less Than H.S.	65	77,679	2	2.5	00.0-06.8	2	1.0	00.0-02.6	6	5.6	00.3-10.9	12	25.1	10.6-39.6	36	59.5	44.6-74.4	7	6.3	01.2-11.4
H.S. or G.E.D.	219	161,377	7	1.1	00.1-02.1	10	3.3	00.9-05.7	13	5.2	02.3-08.1	25	9.6	05.5-13.7	128	61.4	53.8-69.0	36	19.4	12.7-26.1
Some Post-H.S.	228	171,225	9	2.3	00.5-04.1	11	3.1	00.9-05.3	19	7.5	03.6-11.4	33	13.1	08.0-18.2	125	61.3	53.9-68.7	31	12.7	07.4-18.0
College Graduate	264	103,473	12	3.6	00.9-06.3	30	9.6	05.5-13.7	21	6.4	03.1-09.7	44	18.4	12.5-24.3	122	47.9	40.5-55.3	35	14.1	09.0-19.2
Less than \$15,000	87	55,193	5	3.0	00.0-06.9	6	3.6	00.1-07.1	5	6.7	00.0-14.0	11	10.5	03.6-17.4	45	56.1	43.2-69.0	15	20.1	09.9-30.3
\$15,000- 24,999	118	93,897	4	2.7	00.0-06.4	2	0.5	00.0-01.3	8	4.2	00.9-07.5	12	13.3	02.9-23.7	76	69.1	57.5-80.7	16	10.2	03.9-16.5
\$25,000- 34,999	74	58,563	1	0.6	00.0-01.8	3	1.4	00.0-03.4	1	0.3	00.0-00.9	8	11.5	00.9-22.1	45	61.0	46.7-75.3	16	25.2	11.9-38.5
\$35,000- 49,999	118	83,448	5	2.0	00.0-04.2	9	5.0	01.3-08.7	9	7.3	01.8-12.8	16	13.8	06.2-21.4	65	62.5	51.9-73.1	14	9.4	03.7-15.1
\$50,000- 74,999	111	69,895	5	1.8	00.2-03.4	13	9.5	03.6-15.4	8	6.2	01.3-11.1	21	19.3	10.1-28.5	48	50.7	39.3-62.1	16	12.6	05.7-19.5
\$75,000+	206	107,077	9	3.9	01.2-06.6	19	6.5	03.0-10.0	23	10.0	05.1-14.9	40	18.8	12.7-24.9	93	47.6	39.2-56.0	22	13.1	07.0-19.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2007-2013			2014		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1213	650,161	54	2.5	01.7-03.3	110	6.0	04.6-07.4	153	8.7	07.1-10.3	220	15.7	13.2-18.2	550	53.7	50.2-57.2	126	13.4	10.7-16.1
White/Non-Hisp	950	485,187	50	3.0	02.0-04.0	98	6.9	05.1-08.7	138	10.4	08.2-12.6	188	17.0	14.1-19.9	392	50.0	45.9-54.1	84	12.7	09.6-15.8
Black or Afr. Am./Non-Hisp	143	92,018	1	0.2	00.0-00.6	3	1.6	00.0-03.8	3	1.6	00.0-03.8	14	9.2	03.9-14.5	92	66.0	56.8-75.2	30	21.3	13.1-29.5
Hispanic	66	50,940	1	2.0	00.0-05.9	4	5.1	00.0-10.2	5	5.6	00.3-10.9	7	10.4	02.6-18.2	44	71.2	59.8-82.6	5	5.8	00.1-11.5
18-24	68	90,722													51	74.8	63.8-85.8	17	25.2	14.2-36.2
25-34	227	194,002							5	1.6	00.0-03.2	24	12.6	07.3-17.9	155	65.5	58.4-72.6	43	20.3	14.4-26.2
35-44	303	167,488	4	2.1	00.0-04.3	20	7.2	03.7-10.7	38	12.1	08.0-16.2	71	22.3	17.0-27.6	144	49.3	42.6-56.0	26	7.0	03.9-10.1
45-54	287	118,848	20	5.2	02.7-07.7	34	11.9	07.6-16.2	59	18.0	13.1-22.9	68	23.0	17.3-28.7	87	34.8	27.7-41.9	19	7.0	03.5-10.5
55-64	201	54,635	19	8.8	04.5-13.1	36	17.3	10.6-24.0	34	15.0	09.3-20.7	32	15.7	09.8-21.6	66	35.1	27.1-43.1	14	8.1	03.4-12.8
65+	118	22,571	11	7.2	02.3-12.1	18	15.1	06.9-23.3	15	14.6	06.0-23.2	23	15.4	08.3-22.5	44	44.1	32.1-56.1	7	3.5	00.4-06.6
Less Than H.S.	107	95,445	4	3.3	00.0-06.8	4	2.2	00.0-04.4	11	5.7	01.8-09.6	13	10.8	04.5-17.1	64	69.4	59.8-79.0	11	8.6	02.5-14.7
H.S. or G.E.D.	290	164,895	6	0.8	00.0-01.6	22	5.0	02.3-07.7	37	8.8	05.3-12.3	53	19.2	13.1-25.3	138	48.4	41.0-55.8	34	17.8	11.5-24.1
Some Post-H.S.	388	253,600	16	2.2	01.0-03.4	35	6.9	04.2-09.6	49	8.8	06.1-11.5	64	13.5	09.8-17.2	181	54.5	48.6-60.4	43	14.1	09.6-18.6
College Graduate	427	135,667	28	4.4	02.2-06.6	49	8.5	05.8-11.2	56	10.4	07.3-13.5	90	18.9	14.6-23.2	166	47.4	41.5-53.3	38	10.4	06.7-14.1
Less than \$15,000	190	124,614	3	2.3	00.0-04.8	15	5.8	02.1-09.5	17	5.0	01.7-08.3	24	11.3	05.6-17.0	106	62.8	54.2-71.4	25	12.9	06.8-19.0
\$15,000- 24,999	219	128,310	3	0.4	00.0-00.8	14	3.4	01.2-05.6	20	7.9	04.0-11.8	33	10.9	06.2-15.6	123	64.3	56.7-71.9	26	13.1	07.4-18.8
\$25,000- 34,999	109	57,836	7	2.0	00.2-03.8	6	3.3	00.2-06.4	14	6.7	02.6-10.8	24	23.2	13.2-33.2	44	43.8	31.8-55.8	14	20.9	09.9-31.9
\$35,000- 49,999	144	72,671	9	3.4	00.7-06.1	10	2.3	00.3-04.3	22	11.2	05.9-16.5	19	9.8	04.3-15.3	65	55.0	44.8-65.2	19	18.2	09.6-26.8
\$50,000- 74,999	144	78,678	9	3.2	00.3-06.1	17	10.7	04.4-17.0	24	13.3	07.4-19.2	26	16.5	08.5-24.5	56	45.1	34.3-55.9	12	11.3	03.1-19.5
\$75,000+	314	135,936	17	3.8	01.8-05.8	37	9.3	06.0-12.6	44	10.3	06.8-13.8	77	23.7	18.0-29.4	122	46.0	39.3-52.7	17	6.9	03.4-10.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

TABLE 7: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2400	1,353,163	1095	44.4	41.9-46.9	109	4.7	03.5-05.9	795	34.6	32.1-37.1	37	2.1	01.3-02.9	13	0.9	00.3-01.5	351	13.3	11.5-15.1
Male	937	599,008	338	33.4	29.7-37.1	45	5.5	03.5-07.5	340	36.7	32.8-40.6	31	4.2	02.4-06.0	7	1.7	00.3-03.1	176	18.5	15.4-21.6
Female	1463	754,155	757	53.2	49.9-56.5	64	4.0	02.8-05.2	455	32.9	29.8-36.0	6	0.5	00.1-00.9	6	0.3	00.0-00.7	175	9.1	07.3-10.9
White/Non-Hisp	1876	980,816	902	48.0	45.1-50.9	79	3.9	02.7-05.1	572	31.0	28.3-33.7	25	1.6	00.8-02.4	9	0.9	00.1-01.7	289	14.6	12.4-16.8
Black or Afr. Am./Non-Hisp	291	216,336	103	34.5	27.6-41.4	21	7.9	04.2-11.6	124	42.8	35.5-50.1	6	4.1	00.6-07.6	3	1.4	00.0-03.4	34	9.2	05.3-13.1
Hispanic	106	89,293	37	32.3	22.5-42.1	4	3.8	00.0-07.7	54	55.1	44.7-65.5							11	8.8	03.3-14.3
18-24	135	173,073	53	39.1	30.1-48.1	9	5.8	01.9-09.7	51	39.0	30.0-48.0	1	0.3	00.0-00.9				21	15.8	09.1-22.5
25-34	365	355,882	199	49.2	43.5-54.9	16	5.0	02.3-07.7	110	32.8	27.3-38.3	7	2.7	00.5-04.9	4	1.7	00.0-03.7	29	8.7	05.4-12.0
35-44	505	320,465	268	47.9	42.6-53.2	21	4.4	02.2-06.6	143	32.5	27.2-37.8	9	2.3	00.7-03.9	2	1.1	00.0-02.7	62	11.8	08.7-14.9
45-54	568	263,188	252	43.5	38.6-48.4	22	3.3	01.7-04.9	185	32.7	28.0-37.4	11	3.0	00.8-05.2	2	0.5	00.0-01.3	96	16.9	13.2-20.6
55-64	493	152,826	190	37.9	32.6-43.2	32	6.7	03.8-09.6	181	38.2	32.9-43.5	7	1.6	00.2-03.0	4	0.8	00.0-01.8	79	14.8	11.1-18.5
65+	312	80,254	121	35.4	28.5-42.3	8	2.0	00.0-04.0	122	42.7	35.4-50.0	2	1.3	00.0-03.5	1	0.1	00.0-00.3	58	18.4	12.7-24.1
Less Than H.S.	210	197,726	77	34.4	26.8-42.0	5	4.1	00.2-08.0	101	47.5	39.1-55.9	6	3.3	00.2-06.4	3	3.6	00.0-07.5	18	7.1	03.0-11.2
H.S. or G.E.D.	643	397,119	275	40.5	35.8-45.2	25	4.8	02.6-07.0	245	37.1	32.4-41.8	17	3.1	01.3-04.9	4	0.3	00.0-00.7	77	14.1	10.6-17.6
Some Post-H.S.	726	478,472	317	45.6	41.1-50.1	35	4.5	02.5-06.5	241	33.9	29.6-38.2	8	1.6	00.4-02.8	4	0.6	00.0-01.2	121	13.8	10.9-16.7
College Graduate	817	277,833	424	55.3	51.2-59.4	44	5.1	03.3-06.9	206	22.6	19.3-25.9	6	0.9	00.0-01.9	2	0.4	00.0-01.2	135	15.7	12.8-18.6
Less than \$15,000	338	203,532	120	36.9	30.2-43.6	11	3.7	01.2-06.2	157	44.9	38.0-51.8	8	3.1	00.7-05.5	4	1.4	00.0-03.4	38	10.1	06.2-14.0
\$15,000- 24,999	391	253,722	148	34.4	28.3-40.5	16	4.2	01.3-07.1	162	44.3	37.8-50.8	14	4.5	01.4-07.6	3	1.2	00.0-03.4	48	11.3	07.2-15.4
\$25,000- 34,999	221	137,519	98	41.8	33.4-50.2	11	3.3	01.1-05.5	78	38.8	30.4-47.2	2	1.1	00.0-02.7				32	15.1	08.8-21.4
\$35,000- 49,999	310	179,130	144	44.9	37.8-52.0	16	5.6	01.7-09.5	94	33.7	26.4-41.0	7	2.9	00.4-05.4	2	0.9	00.0-02.1	47	12.1	08.0-16.2
\$50,000- 74,999	318	173,565	152	49.7	42.6-56.8	17	5.2	02.3-08.1	102	30.7	24.4-37.0	2	1.3	00.0-03.3				45	13.1	08.4-17.8
\$75,000+	599	276,791	325	55.8	50.9-60.7	29	5.0	02.6-07.4	142	22.1	18.2-26.0							103	17.1	13.4-20.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

TABLE 8: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	937	599,008	338	33.4	29.7-37.1	45	5.5	03.5-07.5	340	36.7	32.8-40.6	31	4.2	02.4-06.0	7	1.7	00.3-03.1	176	18.5	15.4-21.6
White/Non-Hisp	722	419,777	273	35.7	31.4-40.0	32	5.1	02.7-07.5	243	32.9	28.6-37.2	20	3.1	01.5-04.7	5	1.7	00.0-03.5	149	21.6	17.7-25.5
Black or Afr. Am./Non-Hisp	122	108,464	33	25.7	16.7-34.7	8	5.5	01.4-09.6	60	47.2	36.2-58.2	6	8.3	01.6-15.0	2	2.7	00.0-06.6	13	10.6	03.9-17.3
18-24	58	67,683	18	28.4	16.1-40.7	3	4.6	00.0-09.7	22	41.0	27.1-54.9	1	0.8	00.0-02.4				14	25.3	13.0-37.6
25-34	121	146,877	43	32.3	23.5-41.1	7	7.1	01.6-12.6	41	34.0	24.8-43.2	5	5.0	00.3-09.7	2	3.1	00.0-07.4	23	18.5	11.1-25.9
35-44	177	137,394	63	30.8	23.0-38.6	14	7.7	03.0-12.4	58	38.0	29.0-47.0	8	4.8	01.1-08.5	2	2.6	00.0-06.5	32	16.0	09.9-22.1
45-54	232	125,095	84	37.0	29.7-44.3	6	2.5	00.3-04.7	84	33.4	26.3-40.5	9	5.9	01.8-10.0	1	0.8	00.0-02.4	48	20.3	14.0-26.6
55-64	213	74,755	76	35.9	27.7-44.1	13	6.5	02.0-11.0	82	38.6	30.8-46.4	6	2.9	00.2-05.6	2	1.2	00.0-02.8	34	14.9	09.4-20.4
65+	129	43,074	51	36.0	26.0-46.0	1	0.4	00.0-01.2	52	43.6	33.2-54.0	2	2.5	00.0-06.4				23	17.6	09.6-25.6
Less Than H.S.	77	86,736	20	21.0	10.8-31.2	3	7.0	00.0-14.8	37	47.2	33.3-61.1	6	7.5	00.4-14.6	3	8.2	00.0-17.0	8	9.2	01.8-16.6
H.S. or G.E.D.	274	193,167	85	29.0	22.7-35.3	16	6.6	03.1-10.1	116	40.2	33.3-47.1	13	4.7	01.8-07.6	1	0.3	00.0-00.9	43	19.3	13.4-25.2
Some Post-H.S.	264	195,312	90	34.7	27.8-41.6	11	4.4	01.1-07.7	103	37.3	30.2-44.4	7	3.7	00.8-06.6	2	0.7	00.0-01.9	51	19.2	13.5-24.9
College Graduate	320	122,507	142	47.0	40.3-53.7	15	4.6	02.1-07.1	83	22.6	17.3-27.9	5	2.0	00.0-04.2	1	0.9	00.0-02.5	74	23.1	17.6-28.6
Less than \$15,000	104	63,815	23	19.7	10.1-29.3	1	1.9	00.0-05.6	58	51.4	39.6-63.2	7	8.4	01.9-14.9	1	3.0	00.0-08.7	14	15.6	07.2-24.0
\$15,000- 24,999	137	109,312	36	19.7	12.3-27.1	9	6.3	00.6-12.0	56	44.0	32.8-55.2	11	8.7	02.2-15.2	2	2.8	00.0-07.5	23	18.5	10.1-26.9
\$25,000- 34,999	91	67,908	34	37.3	24.8-49.8	6	4.0	00.3-07.7	31	33.7	21.4-46.0	2	2.1	00.0-05.0				18	22.8	11.8-33.8
\$35,000- 49,999	141	97,258	57	35.8	26.4-45.2	5	5.9	00.0-12.0	48	37.8	27.6-48.0	6	5.0	00.3-09.7	2	1.6	00.0-04.0	23	14.0	07.3-20.7
\$50,000- 74,999	140	81,927	52	38.0	28.0-48.0	8	6.0	01.1-10.9	56	38.5	28.7-48.3	2	2.8	00.0-06.7				22	14.6	07.5-21.7
\$75,000+	241	122,410	103	44.1	36.5-51.7	13	6.9	02.4-11.4	64	24.5	18.2-30.8							61	24.5	17.6-31.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014
SECTION 18: HIV/AIDS**

TABLE 9: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1463	754,155	757	53.2	49.9-56.5	64	4.0	0.2-0.5	455	32.9	29.8-36.0	6	0.5	0.0-0.9	6	0.3	0.0-0.7	175	9.1	0.7-10.9
White/Non-Hisp	1154	561,039	629	57.3	53.4-61.2	47	2.9	0.1-0.4	329	29.6	26.1-33.1	5	0.5	0.0-0.1	4	0.4	0.0-0.8	140	9.3	0.7-11.3
Black or Afr. Am./Non-Hisp	169	107,872	70	43.3	33.7-52.9	13	10.3	0.4-1.6	64	38.4	29.0-47.8				1	0.1	0.0-0.3	21	7.9	0.4-11.6
Hispanic	70	54,336	24	32.5	20.7-44.3	2	1.9	0.0-0.4	37	55.4	42.7-68.1							7	10.3	0.2-18.1
18-24	77	105,390	35	46.0	33.8-58.2	6	6.6	0.1-1.2	29	37.7	25.9-49.5							7	9.6	0.2-16.9
25-34	244	209,005	156	61.0	53.9-68.1	9	3.5	0.1-0.6	69	31.9	25.2-38.6	2	1.0	0.0-0.2	2	0.7	0.0-0.9	6	1.8	0.0-3.4
35-44	328	183,072	205	60.7	54.2-67.2	7	1.9	0.0-0.3	85	28.4	22.3-34.5	1	0.5	0.0-0.1				30	8.6	0.5-11.9
45-54	336	138,093	168	49.4	43.1-55.7	16	4.0	0.1-0.6	101	32.1	26.0-38.2	2	0.4	0.0-0.1	1	0.2	0.0-0.6	48	13.8	0.9-18.1
55-64	280	78,071	114	39.7	32.8-46.6	19	7.0	0.3-1.0	99	37.7	30.8-44.6	1	0.3	0.0-0.9	2	0.5	0.0-0.1	45	14.7	1.0-19.4
65+	183	37,180	70	34.8	25.8-43.8	7	4.0	0.0-0.7	70	41.6	31.6-51.6				1	0.3	0.0-0.9	35	19.3	1.1-27.1
Less Than H.S.	133	110,990	57	44.9	34.7-55.1	2	1.9	0.0-0.4	64	47.8	37.6-58.0							10	5.4	0.9-9.9
H.S. or G.E.D.	369	203,952	190	51.4	44.7-58.1	9	3.2	0.0-0.5	129	34.3	28.0-40.6	4	1.6	0.0-0.3	3	0.4	0.0-0.8	34	9.2	0.5-13.1
Some Post-H.S.	462	283,160	227	53.1	47.4-58.8	24	4.7	0.2-0.7	138	31.6	26.3-36.9	1	0.1	0.0-0.3	2	0.5	0.0-0.1	70	10.1	0.7-12.8
College Graduate	497	155,326	282	61.8	56.7-66.9	29	5.5	0.3-0.7	123	22.6	18.1-27.1	1	0.1	0.0-0.3	1	0.1	0.0-0.3	61	9.9	0.7-12.8
Less than \$15,000	234	139,716	97	44.7	36.3-53.1	10	4.5	0.1-0.7	99	41.9	33.5-50.3	1	0.7	0.0-0.1	3	0.6	0.0-0.4	24	7.6	0.3-11.7
\$15,000- 24,999	254	144,411	112	45.6	37.8-53.4	7	2.7	0.0-0.5	106	44.5	36.7-52.3	3	1.2	0.0-0.3	1	0.1	0.0-0.3	25	5.9	0.3-8.8
\$25,000- 34,999	130	69,611	64	46.1	34.7-57.5	5	2.5	0.0-0.5	47	43.7	32.1-55.3							14	7.7	0.2-13.4
\$35,000- 49,999	169	81,872	87	55.7	45.5-65.9	11	5.4	0.1-0.9	46	28.7	18.7-38.7	1	0.3	0.0-0.9				24	9.9	0.5-14.6
\$50,000- 74,999	178	91,638	100	60.1	50.7-69.5	9	4.4	0.0-0.7	46	23.7	15.7-31.7							23	11.8	0.5-18.1
\$75,000+	358	154,381	222	65.1	59.2-71.0	16	3.5	0.1-0.5	78	20.2	15.3-25.1							42	11.2	0.7-15.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2014**

End of Core Data Report