


INDIANA

2015 Calculated Variables Report

Behavioral Risk Factor Surveillance System

June 1, 2016



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6050	5,054,020	4808	81.2	79.8-82.6	1242	18.8	17.4-20.2
Male	2573	2,460,295	2035	80.9	78.7-83.1	538	19.1	16.9-21.3
Female	3477	2,593,725	2773	81.5	79.5-83.5	704	18.5	16.5-20.5
White/Non-Hisp	5249	4,086,695	4212	81.9	80.3-83.5	1037	18.1	16.5-19.7
Black or Afr. Am./Non-Hisp	319	426,765	231	78.7	73.0-84.4	88	21.3	15.6-27.0
Oth. Race/Non-Hisp.	116	107,827	92	76.0	64.8-87.2	24	24.0	12.8-35.2
MultiRacial/Non-Hisp.	78	57,700	57	80.3	68.7-91.9	21	19.7	8.1-31.3
Hispanic	183	279,675	143	81.1	73.7-88.5	40	18.9	11.5-26.3
18-24	278	688,227	250	88.0	83.3-92.7	28	12.0	7.3-16.7
25-34	455	833,816	411	88.3	84.4-92.2	44	11.7	7.8-15.6
35-44	620	819,520	550	87.1	83.8-90.4	70	12.9	9.6-16.2
45-54	902	853,676	721	78.9	75.4-82.4	181	21.1	17.6-24.6
55-64	1385	837,969	1053	73.6	70.5-76.7	332	26.4	23.3-29.5
65+	2347	982,261	1770	73.9	71.5-76.3	577	26.1	23.7-28.5
Less Than H.S.	480	676,849	263	64.7	59.0-70.4	217	35.3	29.6-41.0
H.S. or G.E.D.	2029	1,743,492	1537	78.6	76.1-81.1	492	21.4	18.9-23.9
Some Post-H.S.	1519	1,535,727	1224	84.4	82.0-86.8	295	15.6	13.2-18.0
College Graduate	1982	1,068,358	1756	91.2	89.6-92.8	226	8.8	7.2-10.4
Less than \$15,000	520	488,466	277	60.5	54.4-66.6	243	39.5	33.4-45.6
\$15,000- 24,999	901	755,104	615	71.2	66.9-75.5	286	28.8	24.5-33.1
\$25,000- 34,999	571	476,873	437	78.8	74.3-83.3	134	21.2	16.7-25.7
\$35,000- 49,999	843	704,286	701	84.8	81.5-88.1	142	15.2	11.9-18.5
\$50,000- 74,999	849	734,226	767	91.6	89.2-94.0	82	8.4	6.0-10.8
\$75,000+	1421	1,152,031	1296	92.0	89.8-94.2	125	8.0	5.8-10.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2573	2,460,295	2035	80.9	78.7-83.1	538	19.1	16.9-21.3
White/Non-Hisp	2219	1,963,764	1774	82.0	79.8-84.2	445	18.0	15.8-20.2
Black or Afr. Am./Non-Hisp	118	195,578	84	75.3	65.7-84.9	34	24.7	15.1-34.3
Oth. Race/Non-Hisp.	62	68,956	50	73.0	57.1-88.9	12	27.0	11.1-42.9
Hispanic	70	134,905	56	81.5	69.9-93.1	14	18.5	6.9-30.1
18-24	151	352,626	139	90.9	85.4-96.4	12	9.1	3.6-14.6
25-34	202	418,494	183	89.3	83.8-94.8	19	10.7	5.2-16.2
35-44	279	410,690	251	87.9	83.0-92.8	28	12.1	7.2-17.0
45-54	404	429,419	321	77.0	71.5-82.5	83	23.0	17.5-28.5
55-64	620	409,867	446	68.8	63.9-73.7	174	31.2	26.3-36.1
65+	897	427,525	679	73.4	69.3-77.5	218	26.6	22.5-30.7
Less Than H.S.	209	353,409	116	64.4	56.2-72.6	93	35.6	27.4-43.8
H.S. or G.E.D.	853	908,111	652	80.1	76.6-83.6	201	19.9	16.4-23.4
Some Post-H.S.	585	675,614	471	84.3	80.6-88.0	114	15.7	12.0-19.4
College Graduate	910	511,918	785	89.1	86.4-91.8	125	10.9	8.2-13.6
Less than \$15,000	183	183,414	95	58.4	49.0-67.8	88	41.6	32.2-51.0
\$15,000- 24,999	318	320,989	209	71.2	64.7-77.7	109	28.8	22.3-35.3
\$25,000- 34,999	228	237,154	167	76.4	69.1-83.7	61	23.6	16.3-30.9
\$35,000- 49,999	379	346,261	306	82.5	77.0-88.0	73	17.5	12.0-23.0
\$50,000- 74,999	411	407,948	362	90.6	87.3-93.9	49	9.4	6.1-12.7
\$75,000+	718	634,772	646	90.6	87.1-94.1	72	9.4	5.9-12.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3477	2,593,725	2773	81.5	79.5-83.5	704	18.5	16.5-20.5
White/Non-Hisp	3030	2,122,932	2438	81.8	79.6-84.0	592	18.2	16.0-20.4
Black or Afr. Am./Non-Hisp	201	231,187	147	81.6	75.3-87.9	54	18.4	12.1-24.7
Oth. Race/Non-Hisp.	54	38,871	42	81.3	69.5-93.1	12	18.7	6.9-30.5
Hispanic	113	144,770	87	80.8	71.4-90.2	26	19.2	9.8-28.6
18-24	127	335,601	111	85.0	77.6-92.4	16	15.0	7.6-22.4
25-34	253	415,322	228	87.3	81.8-92.8	25	12.7	7.2-18.2
35-44	341	408,830	299	86.3	81.8-90.8	42	13.7	9.2-18.2
45-54	498	424,257	400	80.7	76.4-85.0	98	19.3	15.0-23.6
55-64	765	428,101	607	78.1	74.2-82.0	158	21.9	18.0-25.8
65+	1450	554,737	1091	74.4	71.5-77.3	359	25.6	22.7-28.5
Less Than H.S.	271	323,440	147	65.0	56.8-73.2	124	35.0	26.8-43.2
H.S. or G.E.D.	1176	835,380	885	77.0	73.5-80.5	291	23.0	19.5-26.5
Some Post-H.S.	934	860,113	753	84.4	81.3-87.5	181	15.6	12.5-18.7
College Graduate	1072	556,440	971	93.2	91.4-95.0	101	6.8	5.0- 8.6
Less than \$15,000	337	305,052	182	61.7	53.9-69.5	155	38.3	30.5-46.1
\$15,000- 24,999	583	434,115	406	71.2	65.3-77.1	177	28.8	22.9-34.7
\$25,000- 34,999	343	239,719	270	81.3	76.0-86.6	73	18.7	13.4-24.0
\$35,000- 49,999	464	358,024	395	87.0	83.1-90.9	69	13.0	9.1-16.9
\$50,000- 74,999	438	326,277	405	92.8	89.1-96.5	33	7.2	3.5-10.9
\$75,000+	703	517,258	650	93.8	91.6-96.0	53	6.2	4.0- 8.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3634	4,012,054	3253	86.0	84.2-87.8	381	14.0	12.2-15.8
Male	1649	2,007,084	1459	85.1	82.6-87.6	190	14.9	12.4-17.4
Female	1985	2,004,970	1794	86.9	84.7-89.1	191	13.1	10.9-15.3
White/Non-Hisp	3040	3,163,832	2772	88.1	86.3-89.9	268	11.9	10.1-13.7
Black or Afr. Am./Non-Hisp	236	365,534	200	82.2	75.9-88.5	36	17.8	11.5-24.1
Oth. Race/Non-Hisp.	86	95,870	74	78.0	65.3-90.7	12	22.0	9.3-34.7
MultiRacial/Non-Hisp.	53	53,128	45	82.5	69.4-95.6	8	17.5	4.4-30.6
Hispanic	165	270,812	116	72.2	64.2-80.2	49	27.8	19.8-35.8
18-24	273	673,367	219	79.8	74.3-85.3	54	20.2	14.7-25.7
25-34	452	829,459	375	81.5	77.0-86.0	77	18.5	14.0-23.0
35-44	619	818,155	546	85.7	82.2-89.2	73	14.3	10.8-17.8
45-54	904	852,649	817	89.1	86.4-91.8	87	10.9	8.2-13.6
55-64	1386	838,425	1296	92.6	90.6-94.6	90	7.4	5.4- 9.4
Less Than H.S.	274	527,529	210	72.4	65.3-79.5	64	27.6	20.5-34.7
H.S. or G.E.D.	1078	1,319,857	917	82.6	79.5-85.7	161	17.4	14.3-20.5
Some Post-H.S.	954	1,244,507	866	89.8	87.3-92.3	88	10.2	7.7-12.7
College Graduate	1310	902,554	1245	93.6	91.4-95.8	65	6.4	4.2- 8.6
Less than \$15,000	318	390,796	255	74.9	68.2-81.6	63	25.1	18.4-31.8
\$15,000- 24,999	444	569,213	341	71.8	66.1-77.5	103	28.2	22.5-33.9
\$25,000- 34,999	297	347,104	244	84.6	79.5-89.7	53	15.4	10.3-20.5
\$35,000- 49,999	468	542,470	422	88.5	84.2-92.8	46	11.5	7.2-15.8
\$50,000- 74,999	568	612,362	526	90.3	87.0-93.6	42	9.7	6.4-13.0
\$75,000+	1122	1,042,949	1091	95.8	93.6-98.0	31	4.2	2.0- 6.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1649	2,007,084	1459	85.1	82.6-87.6	190	14.9	12.4-17.4
White/Non-Hisp	1390	1,576,248	1254	87.1	84.4-89.8	136	12.9	10.2-15.6
Black or Afr. Am./Non-Hisp	86	162,233	71	81.5	71.3-91.7	15	18.5	8.3-28.7
Hispanic	64	131,138	43	73.6	61.4-85.8	21	26.4	14.2-38.6
18-24	149	347,023	121	80.2	72.8-87.6	28	19.8	12.4-27.2
25-34	199	414,137	161	79.3	72.2-86.4	38	20.7	13.6-27.8
35-44	278	409,325	243	86.1	81.0-91.2	35	13.9	8.8-19.0
45-54	403	426,716	360	88.0	83.9-92.1	43	12.0	7.9-16.1
55-64	620	409,883	574	91.0	87.9-94.1	46	9.0	5.9-12.1
Less Than H.S.	138	286,263	108	72.9	63.5-82.3	30	27.1	17.7-36.5
H.S. or G.E.D.	551	738,479	463	81.8	77.5-86.1	88	18.2	13.9-22.5
Some Post-H.S.	383	558,202	345	89.8	85.9-93.7	38	10.2	6.3-14.1
College Graduate	572	419,318	538	92.7	89.2-96.2	34	7.3	3.8-10.8
Less than \$15,000	116	139,374	94	75.8	65.6-86.0	22	24.2	14.0-34.4
\$15,000- 24,999	198	257,764	144	67.8	59.2-76.4	54	32.2	23.6-40.8
\$25,000- 34,999	127	179,130	104	84.7	77.1-92.3	23	15.3	7.7-22.9
\$35,000- 49,999	206	263,274	183	85.5	78.1-92.9	23	14.5	7.1-21.9
\$50,000- 74,999	272	341,096	253	92.1	88.0-96.2	19	7.9	3.8-12.0
\$75,000+	546	572,475	523	93.4	89.7-97.1	23	6.6	2.9-10.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1985	2,004,970	1794	86.9	84.7-89.1	191	13.1	10.9-15.3
White/Non-Hisp	1650	1,587,585	1518	89.1	86.7-91.5	132	10.9	8.5-13.3
Black or Afr. Am./Non-Hisp	150	203,301	129	82.9	75.1-90.7	21	17.1	9.3-24.9
Hispanic	101	139,675	73	70.9	60.3-81.5	28	29.1	18.5-39.7
18-24	124	326,345	98	79.5	71.3-87.7	26	20.5	12.3-28.7
25-34	253	415,322	214	83.6	77.9-89.3	39	16.4	10.7-22.1
35-44	341	408,830	303	85.2	80.1-90.3	38	14.8	9.7-19.9
45-54	501	425,932	457	90.2	86.9-93.5	44	9.8	6.5-13.1
55-64	766	428,541	722	94.1	91.7-96.5	44	5.9	3.5- 8.3
Less Than H.S.	136	241,266	102	71.8	61.4-82.2	34	28.2	17.8-38.6
H.S. or G.E.D.	527	581,379	454	83.7	79.4-88.0	73	16.3	12.0-20.6
Some Post-H.S.	571	686,305	521	89.8	86.5-93.1	50	10.2	6.9-13.5
College Graduate	738	483,236	707	94.4	92.0-96.8	31	5.6	3.2- 8.0
Less than \$15,000	202	251,422	161	74.4	65.6-83.2	41	25.6	16.8-34.4
\$15,000- 24,999	246	311,449	197	75.1	67.5-82.7	49	24.9	17.3-32.5
\$25,000- 34,999	170	167,974	140	84.5	77.8-91.2	30	15.5	8.8-22.2
\$35,000- 49,999	262	279,197	239	91.4	87.3-95.5	23	8.6	4.5-12.7
\$50,000- 74,999	296	271,266	273	88.0	82.5-93.5	23	12.0	6.5-17.5
\$75,000+	576	470,474	568	98.8	97.8-99.8	8	1.2	0.2- 2.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015

SECTION 4: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6045	5,051,730	3397	67.6	66.0-69.2	2648	32.4	30.8-34.0
Male	2572	2,462,114	1414	65.6	63.1-68.1	1158	34.4	31.9-36.9
Female	3473	2,589,616	1983	69.6	67.4-71.8	1490	30.4	28.2-32.6
White/Non-Hisp	5245	4,084,891	2912	66.8	65.0-68.6	2333	33.2	31.4-35.0
Black or Afr. Am./Non-Hisp	318	425,841	171	66.3	59.8-72.8	147	33.7	27.2-40.2
Oth. Race/Non-Hisp.	117	109,094	77	76.1	67.1-85.1	40	23.9	14.9-32.9
MultiRacial/Non-Hisp.	79	58,362	48	75.8	63.6-88.0	31	24.2	12.0-36.4
Hispanic	183	279,675	133	77.4	69.2-85.6	50	22.6	14.4-30.8
18-24	278	688,227	252	91.2	87.3-95.1	26	8.8	4.9-12.7
25-34	454	832,468	403	89.3	86.0-92.6	51	10.7	7.4-14.0
35-44	620	819,520	506	82.1	78.2-86.0	114	17.9	14.0-21.8
45-54	902	852,232	604	66.4	62.5-70.3	298	33.6	29.7-37.5
55-64	1384	836,963	697	48.3	45.0-51.6	687	51.7	48.4-55.0
65+	2346	984,850	896	38.1	35.4-40.8	1450	61.9	59.2-64.6
Less Than H.S.	479	675,962	219	61.9	56.0-67.8	260	38.1	32.2-44.0
H.S. or G.E.D.	2025	1,740,343	1038	64.3	61.6-67.0	987	35.7	33.0-38.4
Some Post-H.S.	1520	1,538,074	862	70.0	67.1-72.9	658	30.0	27.1-32.9
College Graduate	1981	1,067,756	1255	73.5	71.0-76.0	726	26.5	24.0-29.0
Less than \$15,000	520	487,247	245	63.7	58.0-69.4	275	36.3	30.6-42.0
\$15,000- 24,999	897	753,490	433	62.2	57.7-66.7	464	37.8	33.3-42.3
\$25,000- 34,999	570	475,846	271	59.6	54.1-65.1	299	40.4	34.9-45.9
\$35,000- 49,999	843	704,321	486	69.1	64.8-73.4	357	30.9	26.6-35.2
\$50,000- 74,999	848	733,611	481	68.6	64.1-73.1	367	31.4	26.9-35.9
\$75,000+	1423	1,153,318	964	75.1	72.2-78.0	459	24.9	22.0-27.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2572	2,462,114	1414	65.6	63.1-68.1	1158	34.4	31.9-36.9
White/Non-Hisp	2219	1,966,267	1199	64.1	61.4-66.8	1020	35.9	33.2-38.6
Black or Afr. Am./Non-Hisp	117	194,654	63	68.5	58.7-78.3	54	31.5	21.7-41.3
Oth. Race/Non-Hisp.	63	70,010	43	78.2	66.2-90.2	20	21.8	9.8-33.8
Hispanic	70	134,905	50	73.7	59.6-87.8	20	26.3	12.2-40.4
18-24	151	352,626	134	88.9	83.0-94.8	17	11.1	5.2-17.0
25-34	202	418,494	169	86.3	80.8-91.8	33	13.7	8.2-19.2
35-44	279	410,690	213	76.5	70.2-82.8	66	23.5	17.2-29.8
45-54	404	429,419	254	62.6	56.5-68.7	150	37.4	31.3-43.5
55-64	618	408,894	287	46.2	41.3-51.1	331	53.8	48.9-58.7
65+	899	430,721	345	38.0	33.7-42.3	554	62.0	57.7-66.3
Less Than H.S.	209	353,354	105	61.7	53.3-70.1	104	38.3	29.9-46.7
H.S. or G.E.D.	851	907,128	450	64.4	60.3-68.5	401	35.6	31.5-39.7
Some Post-H.S.	588	679,445	317	67.6	62.9-72.3	271	32.4	27.7-37.1
College Graduate	908	510,943	535	68.1	64.2-72.0	373	31.9	28.0-35.8
Less than \$15,000	184	183,584	82	54.2	44.6-63.8	102	45.8	36.2-55.4
\$15,000- 24,999	316	320,598	155	58.0	50.7-65.3	161	42.0	34.7-49.3
\$25,000- 34,999	227	236,708	109	61.7	53.3-70.1	118	38.3	29.9-46.7
\$35,000- 49,999	379	346,297	205	65.9	59.4-72.4	174	34.1	27.6-40.6
\$50,000- 74,999	411	407,948	216	66.5	60.0-73.0	195	33.5	27.0-40.0
\$75,000+	719	635,726	455	72.3	68.0-76.6	264	27.7	23.4-32.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3473	2,589,616	1983	69.6	67.6-71.6	1490	30.4	28.4-32.4
White/Non-Hisp	3026	2,118,624	1713	69.3	67.1-71.5	1313	30.7	28.5-32.9
Black or Afr. Am./Non-Hisp	201	231,187	108	64.4	55.6-73.2	93	35.6	26.8-44.4
Oth. Race/Non-Hisp.	54	39,084	34	72.5	59.0-86.0	20	27.5	14.0-41.0
Hispanic	113	144,770	83	80.9	72.7-89.1	30	19.1	10.9-27.3
18-24	127	335,601	118	93.6	88.5-98.7	9	6.4	1.3-11.5
25-34	252	413,974	234	92.4	88.3-96.5	18	7.6	3.5-11.7
35-44	341	408,830	293	87.7	83.8-91.6	48	12.3	8.4-16.2
45-54	498	422,813	350	70.2	65.3-75.1	148	29.8	24.9-34.7
55-64	766	428,069	410	50.3	45.8-54.8	356	49.7	45.2-54.2
65+	1447	554,130	551	38.2	34.9-41.5	896	61.8	58.5-65.1
Less Than H.S.	270	322,608	114	62.1	54.1-70.1	156	37.9	29.9-45.9
H.S. or G.E.D.	1174	833,215	588	64.1	60.2-68.0	586	35.9	32.0-39.8
Some Post-H.S.	932	858,629	545	71.8	68.3-75.3	387	28.2	24.7-31.7
College Graduate	1073	556,813	720	78.5	75.6-81.4	353	21.5	18.6-24.4
Less than \$15,000	336	303,663	163	69.5	63.0-76.0	173	30.5	24.0-37.0
\$15,000- 24,999	581	432,892	278	65.3	59.8-70.8	303	34.7	29.2-40.2
\$25,000- 34,999	343	239,138	162	57.6	50.3-64.9	181	42.4	35.1-49.7
\$35,000- 49,999	464	358,024	281	72.3	66.8-77.8	183	27.7	22.2-33.2
\$50,000- 74,999	437	325,663	265	71.2	65.3-77.1	172	28.8	22.9-34.7
\$75,000+	704	517,592	509	78.4	74.7-82.1	195	21.6	17.9-25.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)	
1	MALES AND FEMALES	15
2	MALES ONLY	16
3	FEMALES ONLY	17
	ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)	
4	MALES AND FEMALES	18
5	MALES ONLY	19
6	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 1: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5918	4,902,726	5048	73.5	71.5-75.5	227	4.2	3.4- 5.0	643	22.3	20.5-24.1
Male	2523	2,393,940	2108	71.9	69.2-74.6	103	4.6	3.4- 5.8	312	23.5	20.8-26.2
Female	3395	2,508,786	2940	75.0	72.5-77.5	124	3.9	2.9- 4.9	331	21.2	18.7-23.7
White/Non-Hisp	5134	3,971,644	4440	75.5	73.5-77.5	213	4.9	3.9- 5.9	481	19.6	17.6-21.6
Black or Afr. Am./Non-Hisp	310	405,489	257	75.1	68.0-82.2	5	1.3	0.0- 2.7	48	23.5	16.4-30.6
Oth. Race/Non-Hisp.	115	104,171	93	68.1	55.8-80.4	4	3.5	0.0- 7.2	18	28.4	16.1-40.7
MultiRacial/Non-Hisp.	78	56,764	60	64.3	47.4-81.2	1	0.7	0.0- 2.1	17	35.1	18.2-52.0
Hispanic	179	273,106	114	48.5	38.9-58.1	1	0.2	0.0- 0.6	64	51.3	41.7-60.9
18-24	262	651,011	88	31.3	24.8-37.8	5	2.0	0.0- 4.0	169	66.7	60.2-73.2
25-34	428	781,099	250	53.4	47.5-59.3	27	5.8	3.1- 8.5	151	40.8	34.9-46.7
35-44	607	805,104	472	74.0	69.5-78.5	34	5.6	3.2- 8.0	101	20.5	16.2-24.8
45-54	895	839,096	749	81.4	78.1-84.7	59	6.5	4.5- 8.5	87	12.1	9.2-15.0
55-64	1371	826,403	1251	91.1	89.1-93.1	52	3.7	2.3- 5.1	68	5.2	3.6- 6.8
65+	2296	962,651	2184	95.1	93.9-96.3	49	1.8	1.2- 2.4	63	3.1	2.1- 4.1
Less Than H.S.	459	638,287	335	54.9	48.0-61.8	15	2.4	0.8- 4.0	109	42.8	35.9-49.7
H.S. or G.E.D.	1974	1,697,228	1649	72.2	69.1-75.3	78	3.9	2.7- 5.1	247	23.9	20.8-27.0
Some Post-H.S.	1495	1,493,067	1284	76.9	73.6-80.2	64	5.4	3.6- 7.2	147	17.8	14.7-20.9
College Graduate	1950	1,044,550	1745	81.7	79.0-84.4	70	4.4	3.0- 5.8	135	13.9	11.4-16.4
Less than \$15,000	502	465,820	374	59.7	52.8-66.6	30	5.9	3.2- 8.6	98	34.3	27.2-41.4
\$15,000- 24,999	883	743,405	727	67.0	61.9-72.1	33	4.6	2.4- 6.8	123	28.4	23.3-33.5
\$25,000- 34,999	561	469,336	469	73.1	67.2-79.0	18	3.5	1.3- 5.7	74	23.4	17.7-29.1
\$35,000- 49,999	826	689,855	706	74.3	69.2-79.4	43	6.2	3.7- 8.7	77	19.5	14.6-24.4
\$50,000- 74,999	841	724,655	736	75.4	70.3-80.5	30	4.0	2.0- 6.0	75	20.7	15.6-25.8
\$75,000+	1400	1,111,936	1255	82.4	78.9-85.9	45	2.8	1.8- 3.8	100	14.8	11.5-18.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 2: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2523	2,393,940	2108	71.9	69.2-74.6	103	4.6	3.4- 5.8	312	23.5	20.8-26.2
White/Non-Hisp	2175	1,912,111	1849	74.0	71.1-76.9	96	5.4	4.0- 6.8	230	20.6	17.7-23.5
Black or Afr. Am./Non-Hisp	114	183,968	93	79.4	70.0-88.8	1	0.6	0.0- 1.8	20	20.0	10.6-29.4
Oth. Race/Non-Hisp.	62	68,653	48	65.9	49.6-82.2	3	4.1	0.0- 9.4	11	30.0	13.7-46.3
Hispanic	69	133,715	37	44.7	29.4-60.0				32	55.3	40.0-70.6
18-24	144	341,634	47	32.7	23.9-41.5	4	2.6	0.0- 5.3	93	64.7	55.9-73.5
25-34	189	391,065	106	49.6	41.0-58.2	16	7.9	3.4-12.4	67	42.5	33.7-51.3
35-44	273	404,171	213	75.5	69.0-82.0	13	4.7	1.6- 7.8	47	19.7	13.8-25.6
45-54	401	421,933	326	80.2	75.3-85.1	27	6.0	3.3- 8.7	48	13.8	9.3-18.3
55-64	613	404,223	554	89.5	86.2-92.8	26	4.8	2.3- 7.3	33	5.8	3.3- 8.3
65+	884	419,790	846	95.4	93.6-97.2	16	1.4	0.4- 2.4	22	3.2	1.6- 4.8
Less Than H.S.	203	342,194	139	55.5	46.1-64.9	7	2.9	0.4- 5.4	57	41.6	32.2-51.0
H.S. or G.E.D.	831	880,084	674	70.8	66.1-75.5	33	3.2	1.6- 4.8	124	26.0	21.5-30.5
Some Post-H.S.	578	661,442	485	74.5	69.2-79.8	24	6.3	3.4- 9.2	69	19.2	14.3-24.1
College Graduate	895	498,977	797	81.8	77.7-85.9	39	5.8	3.3- 8.3	59	12.4	8.9-15.9
Less than \$15,000	173	175,427	131	68.2	58.0-78.4	9	3.6	0.9- 6.3	33	28.2	18.0-38.4
\$15,000- 24,999	317	318,764	238	65.2	57.8-72.6	17	6.0	2.5- 9.5	62	28.8	21.5-36.1
\$25,000- 34,999	223	231,147	188	73.2	64.0-82.4	7	3.5	0.0- 7.0	28	23.3	14.3-32.3
\$35,000- 49,999	372	339,409	304	71.1	63.8-78.4	26	8.7	4.4-13.0	42	20.2	13.5-26.9
\$50,000- 74,999	406	402,907	347	72.3	64.9-79.7	14	4.0	1.5- 6.5	45	23.7	16.4-31.0
\$75,000+	706	610,075	629	78.1	72.6-83.6	20	2.4	1.0- 3.8	57	19.5	14.0-25.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 3: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3395	2,508,786	2940	75.0	72.5-77.5	124	3.9	2.9- 4.9	331	21.2	18.7-23.7
White/Non-Hisp	2959	2,059,532	2591	76.8	74.1-79.5	117	4.4	3.2- 5.6	251	18.7	16.0-21.4
Black or Afr. Am./Non-Hisp	196	221,521	164	71.6	61.4-81.8	4	1.9	0.0- 4.1	28	26.5	16.3-36.7
Oth. Race/Non-Hisp.	53	35,518	45	72.5	54.5-90.5	1	2.3	0.0- 6.8	7	25.3	7.3-43.3
Hispanic	110	139,391	77	52.2	40.2-64.2	1	0.3	0.0- 0.9	32	47.5	35.5-59.5
18-24	118	309,377	41	29.7	20.3-39.1	1	1.4	0.0- 4.1	76	68.9	59.3-78.5
25-34	239	390,034	144	57.2	49.6-64.8	11	3.8	0.9- 6.7	84	39.0	31.6-46.4
35-44	334	400,933	259	72.4	65.9-78.9	21	6.4	3.1- 9.7	54	21.2	15.1-27.3
45-54	494	417,163	423	82.6	78.3-86.9	32	7.0	4.1- 9.9	39	10.4	6.9-13.9
55-64	758	422,180	697	92.6	90.4-94.8	26	2.7	1.5- 3.9	35	4.6	2.8- 6.4
65+	1412	542,860	1338	94.9	93.5-96.3	33	2.1	1.1- 3.1	41	3.0	1.8- 4.2
Less Than H.S.	256	296,094	196	54.1	44.3-63.9	8	1.8	0.2- 3.4	52	44.2	34.2-54.2
H.S. or G.E.D.	1143	817,144	975	73.8	69.5-78.1	45	4.5	2.5- 6.5	123	21.7	17.4-26.0
Some Post-H.S.	917	831,624	799	78.8	74.7-82.9	40	4.6	2.6- 6.6	78	16.7	12.8-20.6
College Graduate	1055	545,573	948	81.6	77.9-85.3	31	3.0	1.8- 4.2	76	15.3	11.6-19.0
Less than \$15,000	329	290,393	243	54.7	45.7-63.7	21	7.3	3.2-11.4	65	38.0	28.8-47.2
\$15,000- 24,999	566	424,641	489	68.3	61.2-75.4	16	3.5	1.0- 6.0	61	28.2	21.3-35.1
\$25,000- 34,999	338	238,188	281	73.1	66.0-80.2	11	3.4	0.9- 5.9	46	23.5	16.6-30.4
\$35,000- 49,999	454	350,446	402	77.5	70.2-84.8	17	3.7	1.3- 6.1	35	18.8	11.5-26.1
\$50,000- 74,999	435	321,748	389	79.2	72.3-86.1	16	3.9	1.4- 6.4	30	16.9	10.2-23.6
\$75,000+	694	501,861	626	87.6	84.1-91.1	25	3.3	1.7- 4.9	43	9.0	5.9-12.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 4: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5291	3,813,962	2854	60.9	59.1-62.7	2437	39.1	37.3-40.9
Male	2222	1,838,656	1170	59.9	57.2-62.6	1052	40.1	37.4-42.8
Female	3069	1,975,306	1684	61.7	59.3-64.1	1385	38.3	35.9-40.7
White/Non-Hisp	4669	3,197,044	2489	60.3	58.3-62.3	2180	39.7	37.7-41.7
Black or Afr. Am./Non-Hisp	262	309,862	145	60.7	52.9-68.5	117	39.3	31.5-47.1
Oth. Race/Non-Hisp.	98	76,200	61	67.0	55.0-79.0	37	33.0	21.0-45.0
MultiRacial/Non-Hisp.	60	36,576	37	76.2	63.7-88.7	23	23.8	11.3-36.3
Hispanic	116	133,208	69	62.5	49.6-75.4	47	37.5	24.6-50.4
18-24	94	215,895	88	94.7	90.4-99.0	6	5.3	1.0- 9.6
25-34	280	465,860	237	86.4	81.9-90.9	43	13.6	9.1-18.1
35-44	509	643,656	383	74.3	69.2-79.4	126	25.7	20.6-30.8
45-54	805	735,999	493	61.5	57.2-65.8	312	38.5	34.2-42.8
55-64	1305	783,566	611	46.4	42.9-49.9	694	53.6	50.1-57.1
65+	2242	934,096	1005	42.2	39.5-44.9	1237	57.8	55.1-60.5
Less Than H.S.	354	368,295	148	46.8	39.5-54.1	206	53.2	45.9-60.5
H.S. or G.E.D.	1731	1,286,931	902	60.0	56.9-63.1	829	40.0	36.9-43.1
Some Post-H.S.	1350	1,232,745	740	61.9	58.6-65.2	610	38.1	34.8-41.4
College Graduate	1821	900,905	1045	66.6	63.7-69.5	776	33.4	30.5-36.3
Less than \$15,000	409	308,354	181	50.6	43.7-57.5	228	49.4	42.5-56.3
\$15,000- 24,999	760	525,177	392	56.1	51.0-61.2	368	43.9	38.8-49.0
\$25,000- 34,999	490	360,352	243	54.5	48.2-60.8	247	45.5	39.2-51.8
\$35,000- 49,999	749	555,198	422	66.0	61.5-70.5	327	34.0	29.5-38.5
\$50,000- 74,999	764	575,079	389	57.1	52.2-62.0	375	42.9	38.0-47.8
\$75,000+	1305	956,050	794	68.9	65.6-72.2	511	31.1	27.8-34.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 5: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2222	1,838,656	1170	59.9	57.2-62.6	1052	40.1	37.4-42.8
White/Non-Hisp	1958	1,528,524	1013	59.0	56.1-61.9	945	41.0	38.1-43.9
Black or Afr. Am./Non-Hisp	93	145,841	50	60.4	48.1-72.7	43	39.6	27.3-51.9
Oth. Race/Non-Hisp.	51	48,067	33	70.5	54.6-86.4	18	29.5	13.6-45.4
18-24	52	121,558	47	91.7	84.3-99.1	5	8.3	0.9-15.7
25-34	122	224,700	105	88.0	81.3-94.7	17	12.0	5.3-18.7
35-44	229	328,137	159	67.7	59.7-75.7	70	32.3	24.3-40.3
45-54	353	363,808	208	61.3	54.8-67.8	145	38.7	32.2-45.2
55-64	583	382,055	264	45.2	40.1-50.3	319	54.8	49.7-59.9
65+	865	407,552	374	41.2	36.9-45.5	491	58.8	54.5-63.1
Less Than H.S.	149	201,476	72	53.8	42.8-64.8	77	46.2	35.2-57.2
H.S. or G.E.D.	708	651,668	377	61.2	56.5-65.9	331	38.8	34.1-43.5
Some Post-H.S.	513	539,920	271	60.2	54.7-65.7	242	39.8	34.3-45.3
College Graduate	839	437,441	446	61.0	56.5-65.5	393	39.0	34.5-43.5
Less than \$15,000	142	126,797	54	44.7	33.5-55.9	88	55.3	44.1-66.5
\$15,000- 24,999	254	225,683	130	56.4	48.0-64.8	124	43.6	35.2-52.0
\$25,000- 34,999	197	178,173	105	58.1	48.7-67.5	92	41.9	32.5-51.3
\$35,000- 49,999	333	272,334	188	66.8	59.9-73.7	145	33.2	26.3-40.1
\$50,000- 74,999	361	307,477	159	51.0	43.6-58.4	202	49.0	41.6-56.4
\$75,000+	652	495,072	374	65.8	61.1-70.5	278	34.2	29.5-38.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 6: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3069	1,975,306	1684	61.7	59.3-64.1	1385	38.3	35.9-40.7
White/Non-Hisp	2711	1,668,521	1476	61.5	59.0-64.0	1235	38.5	36.0-41.0
Black or Afr. Am./Non-Hisp	169	164,021	95	61.0	51.0-71.0	74	39.0	29.0-49.0
Hispanic	79	73,389	46	60.2	46.5-73.9	33	39.8	26.1-53.5
25-34	158	241,161	132	84.8	78.7-90.9	26	15.2	9.1-21.3
35-44	280	315,520	224	81.2	75.7-86.7	56	18.8	13.3-24.3
45-54	452	372,191	285	61.7	56.0-67.4	167	38.3	32.6-44.0
55-64	722	401,511	347	47.5	42.8-52.2	375	52.5	47.8-57.2
65+	1377	526,544	631	43.0	39.5-46.5	746	57.0	53.5-60.5
Less Than H.S.	205	166,819	76	38.3	29.5-47.1	129	61.7	52.9-70.5
H.S. or G.E.D.	1023	635,263	525	58.7	54.4-63.0	498	41.3	37.0-45.6
Some Post-H.S.	837	692,824	469	63.3	59.0-67.6	368	36.7	32.4-41.0
College Graduate	982	463,464	599	71.8	68.3-75.3	383	28.2	24.7-31.7
Less than \$15,000	267	181,557	127	54.7	46.1-63.3	140	45.3	36.7-53.9
\$15,000- 24,999	506	299,493	262	55.9	49.6-62.2	244	44.1	37.8-50.4
\$25,000- 34,999	293	182,179	138	51.1	42.9-59.3	155	48.9	40.7-57.1
\$35,000- 49,999	416	282,863	234	65.1	58.8-71.4	182	34.9	28.6-41.2
\$50,000- 74,999	403	267,602	230	64.1	58.0-70.2	173	35.9	29.8-42.0
\$75,000+	653	460,977	420	72.2	67.9-76.5	233	27.8	23.5-32.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	22
2 MALES ONLY	23
3 FEMALES ONLY	24
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	25
5 MALES ONLY	26
6 FEMALES ONLY	27
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	28
8 MALES ONLY	29
9 FEMALES ONLY	30
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	31
11 MALES ONLY	32
12 FEMALES ONLY	33
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
13 MALES AND FEMALES	34
14 MALES ONLY	35
15 FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6016	5,033,117	678	7.9	7.1- 8.7	5338	92.1	91.3-92.9
Male	2568	2,453,224	406	10.7	9.3-12.1	2162	89.3	87.9-90.7
Female	3448	2,579,893	272	5.2	4.4- 6.0	3176	94.8	94.0-95.6
White/Non-Hisp	5218	4,070,698	610	8.3	7.3- 9.3	4608	91.7	90.7-92.7
Black or Afr. Am./Non-Hisp	318	426,418	25	7.3	3.6-11.0	293	92.7	89.0-96.4
Oth. Race/Non-Hisp.	119	110,243	12	7.7	1.8-13.6	107	92.3	86.4-98.2
MultiRacial/Non-Hisp.	76	55,481	8	3.0	0.5- 5.5	68	97.0	94.5-99.5
Hispanic	182	276,575	10	2.8	0.6- 5.0	172	97.2	95.0-99.4
18-24	278	688,227	1	0.3	0.0- 0.9	277	99.7	99.1- 100
25-34	455	833,816	4	1.0	0.0- 2.0	451	99.0	98.0- 100
35-44	617	813,856	16	3.8	1.6- 6.0	601	96.2	94.0-98.4
45-54	901	849,910	52	5.6	3.6- 7.6	849	94.4	92.4-96.4
55-64	1379	831,670	158	12.6	10.2-15.0	1221	87.4	85.0-89.8
65+	2323	977,086	444	20.6	18.2-23.0	1879	79.4	77.0-81.8
Less Than H.S.	473	671,113	90	13.0	9.7-16.3	383	87.0	83.7-90.3
H.S. or G.E.D.	2013	1,737,968	267	8.7	7.3-10.1	1746	91.3	89.9-92.7
Some Post-H.S.	1515	1,528,887	175	7.7	6.1- 9.3	1340	92.3	90.7-93.9
College Graduate	1977	1,067,011	143	3.6	2.8- 4.4	1834	96.4	95.6-97.2
Less than \$15,000	512	482,191	95	13.8	10.1-17.5	417	86.2	82.5-89.9
\$15,000- 24,999	891	746,807	130	9.5	7.3-11.7	761	90.5	88.3-92.7
\$25,000- 34,999	562	471,784	81	10.7	7.4-14.0	481	89.3	86.0-92.6
\$35,000- 49,999	841	701,584	95	8.2	6.0-10.4	746	91.8	89.6-94.0
\$50,000- 74,999	846	733,217	74	4.8	3.2- 6.4	772	95.2	93.6-96.8
\$75,000+	1422	1,152,852	78	3.6	2.4- 4.8	1344	96.4	95.2-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2568	2,453,224	406	10.7	9.3-12.1	2162	89.3	87.9-90.7
White/Non-Hisp	2215	1,960,329	365	11.4	9.8-13.0	1850	88.6	87.0-90.2
Black or Afr. Am./Non-Hisp	118	195,578	15	11.0	4.3-17.7	103	89.0	82.3-95.7
Oth. Race/Non-Hisp.	63	70,010	9	10.4	1.6-19.2	54	89.6	80.8-98.4
Hispanic	69	131,805	4	2.9	0.0- 6.2	65	97.1	93.8- 100
18-24	151	352,626	1	0.5	0.0- 1.5	150	99.5	98.5- 100
25-34	202	418,494	2	1.1	0.0- 2.7	200	98.9	97.3- 100
35-44	278	407,590	12	6.1	2.2-10.0	266	93.9	90.0-97.8
45-54	404	429,419	29	7.5	4.2-10.8	375	92.5	89.2-95.8
55-64	616	404,437	111	19.2	15.1-23.3	505	80.8	76.7-84.9
65+	897	428,983	250	28.0	23.9-32.1	647	72.0	67.9-76.1
Less Than H.S.	206	348,849	47	16.3	10.6-22.0	159	83.7	78.0-89.4
H.S. or G.E.D.	853	908,196	145	10.5	8.3-12.7	708	89.5	87.3-91.7
Some Post-H.S.	587	675,749	104	11.6	8.7-14.5	483	88.4	85.5-91.3
College Graduate	908	510,644	107	6.1	4.3- 7.9	801	93.9	92.1-95.7
Less than \$15,000	182	182,179	39	19.1	11.8-26.4	143	80.9	73.6-88.2
\$15,000- 24,999	314	315,520	66	13.3	9.2-17.4	248	86.7	82.6-90.8
\$25,000- 34,999	224	232,897	50	15.3	9.4-21.2	174	84.7	78.8-90.6
\$35,000- 49,999	381	346,779	70	12.6	8.7-16.5	311	87.4	83.5-91.3
\$50,000- 74,999	411	407,948	53	6.7	4.2- 9.2	358	93.3	90.8-95.8
\$75,000+	718	635,260	63	5.5	3.5- 7.5	655	94.5	92.5-96.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3448	2,579,893	272	5.2	4.4- 6.0	3176	94.8	94.0-95.6
White/Non-Hisp	3003	2,110,369	245	5.5	4.5- 6.5	2758	94.5	93.5-95.5
Black or Afr. Am./Non-Hisp	200	230,840	10	4.2	0.9- 7.5	190	95.8	92.5-99.1
Oth. Race/Non-Hisp.	56	40,233	3	3.1	0.0- 7.0	53	96.9	93.0- 100
Hispanic	113	144,770	6	2.7	0.0- 5.4	107	97.3	94.6- 100
18-24	127	335,601				127	100.0	100.0- 100
25-34	253	415,322	2	0.8	0.0- 2.0	251	99.2	98.0- 100
35-44	339	406,266	4	1.5	0.0- 3.1	335	98.5	96.9- 100
45-54	497	420,492	23	3.6	1.8- 5.4	474	96.4	94.6-98.2
55-64	763	427,232	47	6.4	3.9- 8.9	716	93.6	91.1-96.1
65+	1426	548,103	194	14.8	12.3-17.3	1232	85.2	82.7-87.7
Less Than H.S.	267	322,265	43	9.4	5.9-12.9	224	90.6	87.1-94.1
H.S. or G.E.D.	1160	829,772	122	6.8	5.0- 8.6	1038	93.2	91.4-95.0
Some Post-H.S.	928	853,138	71	4.6	3.2- 6.0	857	95.4	94.0-96.8
College Graduate	1069	556,367	36	1.3	0.7- 1.9	1033	98.7	98.1-99.3
Less than \$15,000	330	300,012	56	10.6	6.7-14.5	274	89.4	85.5-93.3
\$15,000- 24,999	577	431,287	64	6.7	4.3- 9.1	513	93.3	90.9-95.7
\$25,000- 34,999	338	238,887	31	6.2	3.5- 8.9	307	93.8	91.1-96.5
\$35,000- 49,999	460	354,805	25	3.9	1.7- 6.1	435	96.1	93.9-98.3
\$50,000- 74,999	435	325,269	21	2.5	1.1- 3.9	414	97.5	96.1-98.9
\$75,000+	704	517,592	15	1.2	0.4- 2.0	689	98.8	98.0-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6049	5,042,905	5249	85.2	83.8-86.6	800	14.8	13.4-16.2
Male	2571	2,455,980	2297	88.5	86.7-90.3	274	11.5	9.7-13.3
Female	3478	2,586,925	2952	82.1	80.1-84.1	526	17.9	15.9-19.9
White/Non-Hisp	5245	4,074,159	4566	85.3	83.7-86.9	679	14.7	13.1-16.3
Black or Afr. Am./Non-Hisp	318	425,108	263	82.3	76.8-87.8	55	17.7	12.2-23.2
Oth. Race/Non-Hisp.	119	110,243	106	85.7	76.9-94.5	13	14.3	5.5-23.1
MultiRacial/Non-Hisp.	79	58,362	56	64.8	48.5-81.1	23	35.2	18.9-51.5
Hispanic	183	279,675	164	91.7	86.8-96.6	19	8.3	3.4-13.2
18-24	277	683,859	224	80.4	74.9-85.9	53	19.6	14.1-25.1
25-34	455	833,816	379	80.6	76.1-85.1	76	19.4	14.9-23.9
35-44	617	811,223	546	88.4	85.3-91.5	71	11.6	8.5-14.7
45-54	904	853,679	779	86.6	83.7-89.5	125	13.4	10.5-16.3
55-64	1384	837,983	1185	85.2	82.8-87.6	199	14.8	12.4-17.2
65+	2349	983,794	2074	88.2	86.4-90.0	275	11.8	10.0-13.6
Less Than H.S.	476	669,947	384	80.1	74.8-85.4	92	19.9	14.6-25.2
H.S. or G.E.D.	2027	1,737,395	1767	85.1	82.7-87.5	260	14.9	12.5-17.3
Some Post-H.S.	1525	1,538,019	1333	85.7	83.2-88.2	192	14.3	11.8-16.8
College Graduate	1981	1,067,949	1729	87.9	85.9-89.9	252	12.1	10.1-14.1
Less than \$15,000	521	488,929	412	78.5	73.4-83.6	109	21.5	16.4-26.6
\$15,000- 24,999	900	750,635	764	82.2	78.1-86.3	136	17.8	13.7-21.9
\$25,000- 34,999	571	476,292	494	87.0	83.1-90.9	77	13.0	9.1-16.9
\$35,000- 49,999	842	704,011	737	83.1	79.0-87.2	105	16.9	12.8-21.0
\$50,000- 74,999	845	731,961	761	88.8	85.5-92.1	84	11.2	7.9-14.5
\$75,000+	1422	1,153,126	1247	87.0	84.5-89.5	175	13.0	10.5-15.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2571	2,455,980	2297	88.5	86.7-90.3	274	11.5	9.7-13.3
White/Non-Hisp	2217	1,960,053	1986	88.9	86.9-90.9	231	11.1	9.1-13.1
Black or Afr. Am./Non-Hisp	117	193,921	102	85.6	77.4-93.8	15	14.4	6.2-22.6
Oth. Race/Non-Hisp.	63	70,010	57	87.3	75.3-99.3	6	12.7	0.7-24.7
Hispanic	70	134,905	66	93.3	85.3- 100	4	6.7	0.0-14.7
18-24	151	352,626	125	82.2	75.1-89.3	26	17.8	10.7-24.9
25-34	202	418,494	175	86.5	81.2-91.8	27	13.5	8.2-18.8
35-44	277	405,609	257	92.6	88.9-96.3	20	7.4	3.7-11.1
45-54	404	429,419	360	89.5	85.6-93.4	44	10.5	6.6-14.4
55-64	619	410,212	550	88.6	85.5-91.7	69	11.4	8.3-14.5
65+	898	427,946	811	90.8	88.3-93.3	87	9.2	6.7-11.7
Less Than H.S.	205	346,507	170	82.1	75.0-89.2	35	17.9	10.8-25.0
H.S. or G.E.D.	851	906,794	768	89.1	86.2-92.0	83	10.9	8.0-13.8
Some Post-H.S.	590	679,948	528	90.0	86.9-93.1	62	10.0	6.9-13.1
College Graduate	909	511,487	818	90.2	87.5-92.9	91	9.8	7.1-12.5
Less than \$15,000	182	183,045	151	83.6	76.3-90.9	31	16.4	9.1-23.7
\$15,000- 24,999	317	320,655	276	87.4	82.3-92.5	41	12.6	7.5-17.7
\$25,000- 34,999	228	237,154	200	85.0	78.3-91.7	28	15.0	8.3-21.7
\$35,000- 49,999	380	346,407	340	88.1	82.8-93.4	40	11.9	6.6-17.2
\$50,000- 74,999	408	406,333	380	92.5	88.8-96.2	28	7.5	3.8-11.2
\$75,000+	718	635,535	648	89.8	86.7-92.9	70	10.2	7.1-13.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3478	2,586,925	2952	82.1	80.1-84.1	526	17.9	15.9-19.9
White/Non-Hisp	3028	2,114,106	2580	82.0	79.6-84.4	448	18.0	15.6-20.4
Black or Afr. Am./Non-Hisp	201	231,187	161	79.6	72.3-86.9	40	20.4	13.1-27.7
Oth. Race/Non-Hisp.	56	40,233	49	83.0	70.5-95.5	7	17.0	4.5-29.5
Hispanic	113	144,770	98	90.3	84.2-96.4	15	9.7	3.6-15.8
18-24	126	331,233	99	78.5	69.9-87.1	27	21.5	12.9-30.1
25-34	253	415,322	204	74.7	67.8-81.6	49	25.3	18.4-32.2
35-44	340	405,614	289	84.3	79.6-89.0	51	15.7	11.0-20.4
45-54	500	424,260	419	83.6	79.5-87.7	81	16.4	12.3-20.5
55-64	765	427,770	635	82.0	78.3-85.7	130	18.0	14.3-21.7
65+	1451	555,847	1263	86.2	83.7-88.7	188	13.8	11.3-16.3
Less Than H.S.	271	323,440	214	78.0	70.4-85.6	57	22.0	14.4-29.6
H.S. or G.E.D.	1176	830,601	999	80.8	77.1-84.5	177	19.2	15.5-22.9
Some Post-H.S.	935	858,071	805	82.3	78.6-86.0	130	17.7	14.0-21.4
College Graduate	1072	556,462	911	85.7	82.8-88.6	161	14.3	11.4-17.2
Less than \$15,000	339	305,884	261	75.4	68.5-82.3	78	24.6	17.7-31.5
\$15,000- 24,999	583	429,980	488	78.4	72.5-84.3	95	21.6	15.7-27.5
\$25,000- 34,999	343	239,138	294	89.1	85.0-93.2	49	10.9	6.8-15.0
\$35,000- 49,999	462	357,604	397	78.4	72.1-84.7	65	21.6	15.3-27.9
\$50,000- 74,999	437	325,628	381	84.1	78.2-90.0	56	15.9	10.0-21.8
\$75,000+	704	517,592	599	83.6	79.5-87.7	105	16.4	12.3-20.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6028	5,022,232	5485	89.8	88.6-91.0	543	10.2	9.0-11.4
Male	2566	2,445,678	2404	93.3	91.9-94.7	162	6.7	5.3- 8.1
Female	3462	2,576,554	3081	86.4	84.4-88.4	381	13.6	11.6-15.6
White/Non-Hisp	5229	4,061,300	4772	90.0	88.6-91.4	457	10.0	8.6-11.4
Black or Afr. Am./Non-Hisp	315	419,476	274	87.1	82.2-92.0	41	12.9	8.0-17.8
Oth. Race/Non-Hisp.	119	110,243	110	90.7	83.8-97.6	9	9.3	2.4-16.2
MultiRacial/Non-Hisp.	78	58,119	60	67.4	50.9-83.9	18	32.6	16.1-49.1
Hispanic	182	277,736	169	94.3	89.8-98.8	13	5.7	1.2-10.2
18-24	276	680,396	239	85.2	79.9-90.5	37	14.8	9.5-20.1
25-34	452	826,716	409	89.0	85.5-92.5	43	11.0	7.5-14.5
35-44	616	809,285	571	92.1	89.6-94.6	45	7.9	5.4-10.4
45-54	902	851,409	814	89.7	87.2-92.2	88	10.3	7.8-12.8
55-64	1378	834,344	1242	89.7	87.5-91.9	136	10.3	8.1-12.5
65+	2341	981,531	2147	91.4	89.8-93.0	194	8.6	7.0-10.2
Less Than H.S.	476	669,947	398	83.1	78.2-88.0	78	16.9	12.0-21.8
H.S. or G.E.D.	2013	1,721,621	1841	90.7	88.7-92.7	172	9.3	7.3-11.3
Some Post-H.S.	1519	1,533,206	1385	89.7	87.3-92.1	134	10.3	7.9-12.7
College Graduate	1980	1,067,863	1823	92.6	91.0-94.2	157	7.4	5.8- 9.0
Less than \$15,000	517	482,170	426	82.1	77.4-86.8	91	17.9	13.2-22.6
\$15,000- 24,999	895	749,932	794	85.8	81.9-89.7	101	14.2	10.3-18.1
\$25,000- 34,999	567	473,985	516	91.6	88.7-94.5	51	8.4	5.5-11.3
\$35,000- 49,999	841	701,623	777	89.8	86.3-93.3	64	10.2	6.7-13.7
\$50,000- 74,999	844	730,942	792	93.0	90.1-95.9	52	7.0	4.1- 9.9
\$75,000+	1421	1,152,932	1315	92.0	89.8-94.2	106	8.0	5.8-10.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2566	2,445,678	2404	93.3	91.9-94.7	162	6.7	5.3- 8.1
White/Non-Hisp	2214	1,954,115	2080	94.1	92.7-95.5	134	5.9	4.5- 7.3
Black or Afr. Am./Non-Hisp	116	191,495	104	87.5	79.5-95.5	12	12.5	4.5-20.5
Oth. Race/Non-Hisp.	63	70,010	59	92.2	83.4- 100	4	7.8	0.0-16.6
Hispanic	69	132,967	68	96.1	88.7- 100	1	3.9	0.0-11.3
18-24	150	349,163	137	89.6	83.3-95.9	13	10.4	4.1-16.7
25-34	200	413,679	192	97.1	94.9-99.3	8	2.9	0.7- 5.1
35-44	276	403,670	265	94.9	91.4-98.4	11	5.1	1.6- 8.6
45-54	403	429,333	377	92.9	89.4-96.4	26	7.1	3.6-10.6
55-64	619	410,212	572	91.3	88.4-94.2	47	8.7	5.8-11.6
65+	898	427,946	841	93.6	91.2-96.0	57	6.4	4.0- 8.8
Less Than H.S.	205	346,507	177	86.0	79.5-92.5	28	14.0	7.5-20.5
H.S. or G.E.D.	847	896,578	804	95.5	93.7-97.3	43	4.5	2.7- 6.3
Some Post-H.S.	590	679,948	552	93.6	90.9-96.3	38	6.4	3.7- 9.1
College Graduate	908	511,402	856	94.5	92.3-96.7	52	5.5	3.3- 7.7
Less than \$15,000	181	181,107	154	85.0	77.9-92.1	27	15.0	7.9-22.1
\$15,000- 24,999	316	320,570	293	93.4	89.3-97.5	23	6.6	2.5-10.7
\$25,000- 34,999	228	237,154	210	91.0	86.1-95.9	18	9.0	4.1-13.9
\$35,000- 49,999	379	344,019	358	93.7	89.2-98.2	21	6.3	1.8-10.8
\$50,000- 74,999	408	406,333	392	95.6	92.5-98.7	16	4.4	1.3- 7.5
\$75,000+	718	635,535	679	94.4	91.9-96.9	39	5.6	3.1- 8.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3462	2,576,554	3081	86.4	84.4-88.4	381	13.6	11.6-15.6
White/Non-Hisp	3015	2,107,185	2692	86.1	83.9-88.3	323	13.9	11.7-16.1
Black or Afr. Am./Non-Hisp	199	227,981	170	86.7	80.8-92.6	29	13.3	7.4-19.2
Oth. Race/Non-Hisp.	56	40,233	51	88.1	77.1-99.1	5	11.9	0.9-22.9
Hispanic	113	144,770	101	92.6	87.1-98.1	12	7.4	1.9-12.9
18-24	126	331,233	102	80.5	72.1-88.9	24	19.5	11.1-27.9
25-34	252	413,037	217	81.0	74.5-87.5	35	19.0	12.5-25.5
35-44	340	405,614	306	89.4	85.5-93.3	34	10.6	6.7-14.5
45-54	499	422,076	437	86.6	82.7-90.5	62	13.4	9.5-17.3
55-64	759	424,132	670	88.2	85.1-91.3	89	11.8	8.7-14.9
65+	1443	553,585	1306	89.7	87.3-92.1	137	10.3	7.9-12.7
Less Than H.S.	271	323,440	221	80.0	72.6-87.4	50	20.0	12.6-27.4
H.S. or G.E.D.	1166	825,044	1037	85.5	82.2-88.8	129	14.5	11.2-17.8
Some Post-H.S.	929	853,258	833	86.6	83.3-89.9	96	13.4	10.1-16.7
College Graduate	1072	556,462	967	91.0	88.6-93.4	105	9.0	6.6-11.4
Less than \$15,000	336	301,064	272	80.3	74.0-86.6	64	19.7	13.4-26.0
\$15,000- 24,999	579	429,362	501	80.0	74.1-85.9	78	20.0	14.1-25.9
\$25,000- 34,999	339	236,831	306	92.1	88.6-95.6	33	7.9	4.4-11.4
\$35,000- 49,999	462	357,604	419	86.0	80.5-91.5	43	14.0	8.5-19.5
\$50,000- 74,999	436	324,609	400	89.8	84.5-95.1	36	10.2	4.9-15.5
\$75,000+	703	517,398	636	89.1	85.6-92.6	67	10.9	7.4-14.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6028	5,022,232	543	10.2	9.0-11.4	236	4.2	3.4- 5.0	5249	85.6	84.2-87.0
Male	2566	2,445,678	162	6.7	5.3- 8.1	107	4.4	3.2- 5.6	2297	88.9	87.1-90.7
Female	3462	2,576,554	381	13.6	11.6-15.6	129	4.0	3.0- 5.0	2952	82.4	80.4-84.4
White/Non-Hisp	5229	4,061,300	457	10.0	8.6-11.4	206	4.4	3.6- 5.2	4566	85.6	84.0-87.2
Black or Afr. Am./Non-Hisp	315	419,476	41	12.9	8.0-17.8	11	3.6	1.1- 6.1	263	83.4	78.1-88.7
Oth. Race/Non-Hisp.	119	110,243	9	9.3	2.4-16.2	4	5.0	0.0-11.1	106	85.7	76.9-94.5
MultiRacial/Non-Hisp.	78	58,119	18	32.6	16.1-49.1	4	2.3	0.0- 4.8	56	65.1	48.8-81.4
Hispanic	182	277,736	13	5.7	1.2-10.2	5	1.9	0.1- 3.7	164	92.3	87.4-97.2
18-24	276	680,396	37	14.8	9.5-20.1	15	4.4	2.0- 6.8	224	80.8	75.3-86.3
25-34	452	826,716	43	11.0	7.5-14.5	30	7.7	4.8-10.6	379	81.3	77.0-85.6
35-44	616	809,285	45	7.9	5.4-10.4	25	3.5	1.7- 5.3	546	88.6	85.5-91.7
45-54	902	851,409	88	10.3	7.8-12.8	35	3.0	1.8- 4.2	779	86.8	84.1-89.5
55-64	1378	834,344	136	10.3	8.1-12.5	57	4.1	2.7- 5.5	1185	85.6	83.2-88.0
65+	2341	981,531	194	8.6	7.0-10.2	73	3.0	2.0- 4.0	2074	88.4	86.6-90.2
Less Than H.S.	476	669,947	78	16.9	12.0-21.8	14	2.9	0.9- 4.9	384	80.1	74.8-85.4
H.S. or G.E.D.	2013	1,721,621	172	9.3	7.3-11.3	74	4.8	3.4- 6.2	1767	85.9	83.5-88.3
Some Post-H.S.	1519	1,533,206	134	10.3	7.9-12.7	52	3.7	2.3- 5.1	1333	86.0	83.5-88.5
College Graduate	1980	1,067,863	157	7.4	5.8- 9.0	94	4.8	3.4- 6.2	1729	87.9	85.9-89.9
Less than \$15,000	517	482,170	91	17.9	13.2-22.6	14	2.5	0.9- 4.1	412	79.6	74.7-84.5
\$15,000- 24,999	895	749,932	101	14.2	10.3-18.1	30	3.5	1.9- 5.1	764	82.3	78.2-86.4
\$25,000- 34,999	567	473,985	51	8.4	5.5-11.3	22	4.1	1.6- 6.6	494	87.4	83.5-91.3
\$35,000- 49,999	841	701,623	64	10.2	6.7-13.7	40	6.3	3.8- 8.8	737	83.4	79.3-87.5
\$50,000- 74,999	844	730,942	52	7.0	4.1- 9.9	31	4.1	2.1- 6.1	761	88.9	85.6-92.2
\$75,000+	1421	1,152,932	106	8.0	5.8-10.2	68	5.0	3.4- 6.6	1247	87.0	84.5-89.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2566	2,445,678	162	6.7	5.3- 8.1	107	4.4	3.2- 5.6	2297	88.9	87.1-90.7
White/Non-Hisp	2214	1,954,115	134	5.9	4.5- 7.3	94	4.9	3.5- 6.3	1986	89.2	87.2-91.2
Black or Afr. Am./Non-Hisp	116	191,495	12	12.5	4.5-20.5	2	0.9	0.0- 2.3	102	86.7	78.7-94.7
Oth. Race/Non-Hisp.	63	70,010	4	7.8	0.0-16.6	2	4.9	0.0-13.5	57	87.3	75.3-99.3
Hispanic	69	132,967	1	3.9	0.0-11.3	2	1.5	0.0- 3.9	66	94.6	87.0- 100
18-24	150	349,163	13	10.4	4.1-16.7	12	6.6	2.7-10.5	125	83.0	75.9-90.1
25-34	200	413,679	8	2.9	0.7- 5.1	17	9.6	4.9-14.3	175	87.5	82.4-92.6
35-44	276	403,670	11	5.1	1.6- 8.6	8	1.8	0.4- 3.2	257	93.0	89.3-96.7
45-54	403	429,333	26	7.1	3.6-10.6	17	3.3	1.3- 5.3	360	89.5	85.6-93.4
55-64	619	410,212	47	8.7	5.8-11.6	22	2.7	1.3- 4.1	550	88.6	85.5-91.7
65+	898	427,946	57	6.4	4.0- 8.8	30	2.8	1.4- 4.2	811	90.8	88.3-93.3
Less Than H.S.	205	346,507	28	14.0	7.5-20.5	7	3.8	0.3- 7.3	170	82.1	75.0-89.2
H.S. or G.E.D.	847	896,578	43	4.5	2.7- 6.3	36	5.4	3.2- 7.6	768	90.1	87.4-92.8
Some Post-H.S.	590	679,948	38	6.4	3.7- 9.1	24	3.6	1.8- 5.4	528	90.0	86.9-93.1
College Graduate	908	511,402	52	5.5	3.3- 7.7	38	4.2	2.4- 6.0	818	90.3	87.6-93.0
Less than \$15,000	181	181,107	27	15.0	7.9-22.1	3	0.5	0.0- 1.1	151	84.5	77.4-91.6
\$15,000- 24,999	316	320,570	23	6.6	2.5-10.7	17	6.1	2.6- 9.6	276	87.4	82.3-92.5
\$25,000- 34,999	228	237,154	18	9.0	4.1-13.9	10	6.1	1.2-11.0	200	85.0	78.3-91.7
\$35,000- 49,999	379	344,019	21	6.3	1.8-10.8	18	5.0	1.9- 8.1	340	88.7	83.4-94.0
\$50,000- 74,999	408	406,333	16	4.4	1.3- 7.5	12	3.1	0.7- 5.5	380	92.5	88.8-96.2
\$75,000+	718	635,535	39	5.6	3.1- 8.1	31	4.6	2.6- 6.6	648	89.8	86.7-92.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3462	2,576,554	381	13.6	11.6-15.6	129	4.0	3.0- 5.0	2952	82.4	80.4-84.4
White/Non-Hisp	3015	2,107,185	323	13.9	11.7-16.1	112	3.9	2.9- 4.9	2580	82.2	79.8-84.6
Black or Afr. Am./Non-Hisp	199	227,981	29	13.3	7.4-19.2	9	5.9	1.6-10.2	161	80.7	73.6-87.8
Oth. Race/Non-Hisp.	56	40,233	5	11.9	0.9-22.9	2	5.0	0.0-11.9	49	83.0	70.5-95.5
Hispanic	113	144,770	12	7.4	1.9-12.9	3	2.3	0.0- 5.0	98	90.3	84.2-96.4
18-24	126	331,233	24	19.5	11.1-27.9	3	2.0	0.0- 4.4	99	78.5	69.9-87.1
25-34	252	413,037	35	19.0	12.5-25.5	13	5.8	2.3- 9.3	204	75.1	68.2-82.0
35-44	340	405,614	34	10.6	6.7-14.5	17	5.2	2.3- 8.1	289	84.3	79.6-89.0
45-54	499	422,076	62	13.4	9.5-17.3	18	2.5	1.1- 3.9	419	84.0	79.9-88.1
55-64	759	424,132	89	11.8	8.7-14.9	35	5.5	3.3- 7.7	635	82.7	79.2-86.2
65+	1443	553,585	137	10.3	7.9-12.7	43	3.1	1.9- 4.3	1263	86.6	84.1-89.1
Less Than H.S.	271	323,440	50	20.0	12.6-27.4	7	2.0	0.4- 3.6	214	78.0	70.4-85.6
H.S. or G.E.D.	1166	825,044	129	14.5	11.2-17.8	38	4.2	2.4- 6.0	999	81.4	77.7-85.1
Some Post-H.S.	929	853,258	96	13.4	10.1-16.7	28	3.9	2.1- 5.7	805	82.8	79.1-86.5
College Graduate	1072	556,462	105	9.0	6.6-11.4	56	5.3	3.3- 7.3	911	85.7	82.8-88.6
Less than \$15,000	336	301,064	64	19.7	13.4-26.0	11	3.7	1.3- 6.1	261	76.6	69.9-83.3
\$15,000- 24,999	579	429,362	78	20.0	14.1-25.9	13	1.6	0.4- 2.8	488	78.5	72.6-84.4
\$25,000- 34,999	339	236,831	33	7.9	4.4-11.4	12	2.2	0.4- 4.0	294	89.9	86.0-93.8
\$35,000- 49,999	462	357,604	43	14.0	8.5-19.5	22	7.6	3.7-11.5	397	78.4	72.1-84.7
\$50,000- 74,999	436	324,609	36	10.2	4.9-15.5	19	5.4	2.5- 8.3	381	84.4	78.5-90.3
\$75,000+	703	517,398	67	10.9	7.4-14.4	37	5.4	2.9- 7.9	599	83.6	79.5-87.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6038	5,039,019	2273	27.6	26.0-29.2	3765	72.4	70.8-74.0
Male	2569	2,449,027	836	24.6	22.4-26.8	1733	75.4	73.2-77.6
Female	3469	2,589,991	1437	30.4	28.2-32.6	2032	69.6	67.4-71.8
White/Non-Hisp	5236	4,079,134	2029	29.5	27.7-31.3	3207	70.5	68.7-72.3
Black or Afr. Am./Non-Hisp	319	426,765	105	22.8	17.1-28.5	214	77.2	71.5-82.9
Oth. Race/Non-Hisp.	118	107,043	32	23.1	12.9-33.3	86	76.9	66.7-87.1
MultiRacial/Non-Hisp.	79	58,362	36	24.4	13.0-35.8	43	75.6	64.2-87.0
Hispanic	181	272,356	28	7.8	3.9-11.7	153	92.2	88.3-96.1
18-24	276	683,580	12	4.4	1.7- 7.1	264	95.6	92.9-98.3
25-34	454	827,945	34	7.3	4.4-10.2	420	92.7	89.8-95.6
35-44	620	819,520	91	14.5	11.2-17.8	529	85.5	82.2-88.8
45-54	901	852,761	271	33.8	29.7-37.9	630	66.2	62.1-70.3
55-64	1383	837,412	580	43.1	39.8-46.4	803	56.9	53.6-60.2
65+	2343	981,012	1270	53.5	50.8-56.2	1073	46.5	43.8-49.2
Less Than H.S.	477	668,587	215	29.8	24.7-34.9	262	70.2	65.1-75.3
H.S. or G.E.D.	2020	1,736,316	879	31.5	28.8-34.2	1141	68.5	65.8-71.2
Some Post-H.S.	1521	1,536,262	584	28.0	25.1-30.9	937	72.0	69.1-74.9
College Graduate	1980	1,068,259	582	19.3	17.1-21.5	1398	80.7	78.5-82.9
Less than \$15,000	520	487,870	274	37.4	31.7-43.1	246	62.6	56.9-68.3
\$15,000- 24,999	895	748,138	393	31.4	27.1-35.7	502	68.6	64.3-72.9
\$25,000- 34,999	570	477,642	259	33.6	28.3-38.9	311	66.4	61.1-71.7
\$35,000- 49,999	844	703,961	312	26.8	22.9-30.7	532	73.2	69.3-77.1
\$50,000- 74,999	844	726,182	287	22.2	18.9-25.5	557	77.8	74.5-81.1
\$75,000+	1419	1,151,041	352	19.5	16.8-22.2	1067	80.5	77.8-83.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2569	2,449,027	836	24.6	22.4-26.8	1733	75.4	73.2-77.6
White/Non-Hisp	2217	1,961,961	736	26.0	23.6-28.4	1481	74.0	71.6-76.4
Black or Afr. Am./Non-Hisp	118	195,578	36	25.2	15.8-34.6	82	74.8	65.4-84.2
Oth. Race/Non-Hisp.	62	66,810	16	22.2	7.9-36.5	46	77.8	63.5-92.1
Hispanic	68	127,586	4	2.3	0.0- 5.0	64	97.7	95.0- 100
18-24	149	347,979	4	2.2	0.0- 4.6	145	97.8	95.4- 100
25-34	201	412,623	13	6.3	2.2-10.4	188	93.7	89.6-97.8
35-44	279	410,690	40	14.3	9.2-19.4	239	85.7	80.6-90.8
45-54	403	429,134	101	30.2	24.1-36.3	302	69.8	63.7-75.9
55-64	619	409,893	236	39.8	34.9-44.7	383	60.2	55.3-65.1
65+	899	428,681	436	49.7	45.2-54.2	463	50.3	45.8-54.8
Less Than H.S.	209	347,816	80	26.7	19.8-33.6	129	73.3	66.4-80.2
H.S. or G.E.D.	848	902,080	313	27.8	24.1-31.5	535	72.2	68.5-75.9
Some Post-H.S.	588	676,524	209	24.4	20.3-28.5	379	75.6	71.5-79.7
College Graduate	908	511,364	230	17.6	14.5-20.7	678	82.4	79.3-85.5
Less than \$15,000	183	183,299	84	37.7	28.7-46.7	99	62.3	53.3-71.3
\$15,000- 24,999	314	315,525	106	26.1	19.6-32.6	208	73.9	67.4-80.4
\$25,000- 34,999	227	237,066	95	31.0	23.0-39.0	132	69.0	61.0-77.0
\$35,000- 49,999	381	346,779	132	25.4	19.9-30.9	249	74.6	69.1-80.1
\$50,000- 74,999	409	401,334	138	21.4	16.7-26.1	271	78.6	73.9-83.3
\$75,000+	718	635,182	162	17.4	13.9-20.9	556	82.6	79.1-86.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3469	2,589,991	1437	30.4	28.2-32.6	2032	69.6	67.4-71.8
White/Non-Hisp	3019	2,117,173	1293	32.9	30.5-35.3	1726	67.1	64.7-69.5
Black or Afr. Am./Non-Hisp	201	231,187	69	20.7	13.8-27.6	132	79.3	72.4-86.2
Oth. Race/Non-Hisp.	56	40,233	16	24.6	11.1-38.1	40	75.4	61.9-88.9
Hispanic	113	144,770	24	12.6	5.7-19.5	89	87.4	80.5-94.3
18-24	127	335,601	8	6.7	1.8-11.6	119	93.3	88.4-98.2
25-34	253	415,322	21	8.3	4.0-12.6	232	91.7	87.4-96.0
35-44	341	408,830	51	14.6	10.1-19.1	290	85.4	80.9-89.9
45-54	498	423,628	170	37.5	32.2-42.8	328	62.5	57.2-67.8
55-64	764	427,519	344	46.2	41.7-50.7	420	53.8	49.3-58.3
65+	1444	552,331	834	56.4	52.9-59.9	610	43.6	40.1-47.1
Less Than H.S.	268	320,771	135	33.3	25.9-40.7	133	66.7	59.3-74.1
H.S. or G.E.D.	1172	834,236	566	35.4	31.7-39.1	606	64.6	60.9-68.3
Some Post-H.S.	933	859,738	375	30.7	26.8-34.6	558	69.3	65.4-73.2
College Graduate	1072	556,895	352	20.9	18.0-23.8	720	79.1	76.2-82.0
Less than \$15,000	337	304,571	190	37.3	29.9-44.7	147	62.7	55.3-70.1
\$15,000- 24,999	581	432,613	287	35.3	29.6-41.0	294	64.7	59.0-70.4
\$25,000- 34,999	343	240,575	164	36.1	29.2-43.0	179	63.9	57.0-70.8
\$35,000- 49,999	463	357,182	180	28.1	22.6-33.6	283	71.9	66.4-77.4
\$50,000- 74,999	435	324,848	149	23.1	18.2-28.0	286	76.9	72.0-81.8
\$75,000+	701	515,859	190	22.1	18.2-26.0	511	77.9	74.0-81.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	40
2 MALES ONLY	41
3 FEMALES ONLY	42
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	43
5 MALES ONLY	44
6 FEMALES ONLY	45
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	46
8 MALES ONLY	47
9 FEMALES ONLY	48
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	49
11 MALES ONLY	50
12 FEMALES ONLY	51
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	52
14 MALES ONLY	53
15 FEMALES ONLY	54
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	55
17 MALES ONLY	56
18 FEMALES ONLY	57

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	58
20 MALES ONLY	59
21 FEMALES ONLY	60
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	61
23 MALES ONLY	62
24 FEMALES ONLY	63
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	64
26 MALES ONLY	65
27 FEMALES ONLY	66
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	67
29 MALES ONLY	68
30 FEMALES ONLY	69
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	70
32 MALES ONLY	71
33 FEMALES ONLY	72
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	73
35 MALES ONLY	74
36 FEMALES ONLY	75
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	76
38 MALES ONLY	77
39 FEMALES ONLY	78

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
40	MALES AND FEMALES	79
41	MALES ONLY	80
42	FEMALES ONLY	81
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
43	MALES AND FEMALES	82
44	MALES ONLY	83
45	FEMALES ONLY	84
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) .	
46	MALES AND FEMALES	85
47	MALES ONLY	86
48	FEMALES ONLY	87

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5962	4,945,824	5469	87.8	86.4-89.2	344	9.3	7.9-10.7	64	1.3	0.9- 1.7	67	1.3	0.9- 1.7	8	0.1	0.0- 0.3	10	0.1	0.0- 0.3
Male	2527	2,409,695	2315	87.1	84.9-89.3	132	9.1	7.1-11.1	34	1.7	0.9- 2.5	34	1.7	0.9- 2.5	6	0.2	0.0- 0.6	6	0.2	0.0- 0.4
Female	3435	2,536,128	3154	88.5	86.7-90.3	212	9.6	7.8-11.4	30	0.9	0.5- 1.3	33	1.0	0.6- 1.4	2	0.0	0.0- 0.0	4	0.1	0.0- 0.3
18-24	274	678,258	228	82.8	77.3-88.3	27	11.5	6.6-16.4	6	2.0	0.2- 3.8	12	3.6	1.2- 6.0				1	0.1	0.0- 0.3
25-34	441	806,877	369	85.7	82.0-89.4	44	10.2	6.9-13.5	3	0.6	0.0- 1.2	14	2.1	0.9- 3.3	4	0.7	0.0- 1.7	7	0.7	0.1- 1.3
35-44	603	785,822	535	86.5	82.6-90.4	43	10.4	6.7-14.1	5	1.2	0.0- 2.4	18	1.8	1.0- 2.6	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0
45-54	890	840,533	803	88.1	85.0-91.2	67	9.9	7.0-12.8	10	1.5	0.3- 2.7	9	0.5	0.1- 0.9	1	0.0	0.0- 0.0			
55-64	1370	826,363	1277	89.5	87.1-91.9	76	8.9	6.5-11.3	11	1.2	0.4- 2.0	5	0.3	0.0- 0.7	1	0.0	0.0- 0.0			
65+	2329	973,439	2204	92.1	90.1-94.1	86	6.3	4.5- 8.1	29	1.2	0.6- 1.8	8	0.3	0.1- 0.5	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0
Less Than H.S.	449	621,469	386	81.8	76.1-87.5	45	13.3	8.2-18.4	12	2.2	0.4- 4.0	4	1.9	0.0- 4.1	1	0.6	0.0- 1.8	1	0.3	0.0- 0.9
H.S. or G.E.D.	2014	1,720,395	1864	88.4	86.0-90.8	117	9.5	7.3-11.7	26	1.8	0.8- 2.8	7	0.3	0.1- 0.5						
Some Post-H.S.	1509	1,523,239	1365	87.6	85.1-90.1	117	10.7	8.3-13.1	13	0.7	0.1- 1.3	9	0.9	0.1- 1.7	2	0.0	0.0- 0.0	3	0.0	0.0- 0.0
College Graduate	1957	1,057,588	1824	90.6	88.6-92.6	63	4.8	3.2- 6.4	12	0.6	0.2- 1.0	47	3.3	2.3- 4.3	5	0.2	0.0- 0.4	6	0.5	0.1- 0.9
Less than \$15,000	508	461,570	426	76.3	70.0-82.6	58	18.4	12.3-24.5	17	3.2	1.2- 5.2	5	1.9	0.0- 3.9	1	0.2	0.0- 0.6	1	0.0	0.0- 0.0
\$15,000- 24,999	883	731,342	786	84.7	81.2-88.2	69	11.5	8.4-14.6	16	1.7	0.5- 2.9	9	1.3	0.3- 2.3	1	0.5	0.0- 1.5	2	0.3	0.0- 0.7
\$25,000- 34,999	558	461,916	504	84.7	79.8-89.6	45	12.8	8.3-17.3	6	2.1	0.0- 4.3	3	0.4	0.0- 1.0						
\$35,000- 49,999	835	694,847	779	89.3	86.0-92.6	42	8.3	5.4-11.2	4	0.6	0.0- 1.2	9	1.8	0.4- 3.2				1	0.1	0.0- 0.3
\$50,000- 74,999	846	727,527	791	91.2	87.9-94.5	37	6.4	3.3- 9.5	4	0.7	0.0- 1.5	10	1.3	0.3- 2.3	1	0.0	0.0- 0.0	3	0.4	0.0- 0.8
\$75,000+	1409	1,146,605	1335	93.0	90.6-95.4	37	4.8	2.6- 7.0	6	0.2	0.0- 0.4	24	1.7	0.7- 2.7	5	0.1	0.0- 0.3	2	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2527	2,409,695	2315	87.1	84.9-89.3	132	9.1	7.1-11.1	34	1.7	0.9- 2.5	34	1.7	0.9- 2.5	6	0.2	0.0- 0.6	6	0.2	0.0- 0.4
18-24	150	350,844	125	82.2	75.1-89.3	11	9.3	3.6-15.0	4	2.7	0.0- 5.4	9	5.5	1.4- 9.6				1	0.3	0.0- 0.9
25-34	195	401,412	166	86.9	81.4-92.4	14	8.2	3.5-12.9				7	2.7	0.5- 4.9	4	1.4	0.0- 3.2	4	0.8	0.0- 1.8
35-44	270	396,263	241	85.4	78.9-91.9	16	10.7	4.4-17.0	3	1.9	0.0- 4.3	9	1.9	0.5- 3.3	1	0.0	0.0- 0.0			
45-54	397	422,296	357	86.1	80.8-91.4	29	11.0	6.1-15.9	8	2.6	0.2- 5.0	3	0.3	0.0- 0.7						
55-64	613	405,718	576	90.3	86.8-93.8	29	7.9	4.6-11.2	6	1.5	0.1- 2.9	2	0.2	0.0- 0.6						
65+	886	423,124	835	90.7	87.6-93.8	32	7.3	4.4-10.2	13	1.4	0.4- 2.4	4	0.4	0.0- 1.0	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3
Less Than H.S.	196	327,901	163	78.1	69.7-86.5	21	13.6	6.5-20.7	7	3.4	0.3- 6.5	3	3.3	0.0- 7.2	1	1.1	0.0- 3.3	1	0.5	0.0- 1.5
H.S. or G.E.D.	842	896,060	778	88.4	85.1-91.7	48	9.0	6.1-11.9	13	2.3	0.7- 3.9	3	0.4	0.0- 0.8						
Some Post-H.S.	581	670,400	531	87.7	83.6-91.8	41	10.6	6.7-14.5	4	0.5	0.0- 1.1	4	1.2	0.0- 2.4				1	0.1	0.0- 0.3
College Graduate	894	505,449	830	89.8	86.7-92.9	21	4.3	1.9- 6.7	10	1.0	0.2- 1.8	24	4.0	2.2- 5.8	5	0.5	0.1- 0.9	4	0.5	0.0- 1.1
Less than \$15,000	177	172,835	148	74.0	64.2-83.8	19	16.6	8.0-25.2	6	4.7	0.4- 9.0	3	4.2	0.0- 8.9	1	0.5	0.0- 1.5			
\$15,000- 24,999	307	310,053	266	79.5	72.8-86.2	25	14.0	8.1-19.9	10	3.0	0.5- 5.5	4	1.8	0.0- 3.8	1	1.2	0.0- 3.4	1	0.5	0.0- 1.5
\$25,000- 34,999	222	230,592	195	82.0	74.2-89.8	22	14.9	7.5-22.3	2	2.3	0.0- 5.8	3	0.8	0.0- 1.8						
\$35,000- 49,999	375	340,163	351	90.6	86.5-94.7	15	6.6	2.9-10.3	3	0.7	0.0- 1.5	5	1.9	0.1- 3.7				1	0.2	0.0- 0.6
\$50,000- 74,999	408	401,249	385	91.6	86.5-96.7	14	5.7	1.0-10.4	2	0.7	0.0- 1.7	6	1.9	0.1- 3.7				1	0.1	0.0- 0.3
\$75,000+	712	632,323	672	91.5	87.6-95.4	19	6.2	2.7- 9.7	4	0.2	0.0- 0.4	11	1.8	0.0- 3.6	4	0.2	0.0- 0.4	2	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3435	2,536,128	3154	88.5	86.7-90.3	212	9.6	7.8-11.4	30	0.9	0.5- 1.3	33	1.0	0.6- 1.4	2	0.0	0.0- 0.0	4	0.1	0.0- 0.3
18-24	124	327,414	103	83.4	75.0-91.8	16	13.7	5.7-21.7	2	1.3	0.0- 3.1	3	1.6	0.0- 3.8						
25-34	246	405,465	203	84.5	79.4-89.6	30	12.3	7.4-17.2	3	1.1	0.0- 2.3	7	1.5	0.3- 2.7				3	0.6	0.0- 1.4
35-44	333	389,559	294	87.8	83.5-92.1	27	10.1	6.0-14.2	2	0.5	0.0- 1.3	9	1.6	0.4- 2.8				1	0.0	0.0- 0.0
45-54	493	418,237	446	90.2	87.1-93.3	38	8.9	5.8-12.0	2	0.3	0.0- 0.7	6	0.6	0.0- 1.2	1	0.0	0.0- 0.0			
55-64	757	420,645	701	88.7	85.4-92.0	47	9.9	6.6-13.2	5	0.9	0.0- 1.9	3	0.4	0.0- 1.0	1	0.0	0.0- 0.0			
65+	1443	550,315	1369	93.2	90.8-95.6	54	5.6	3.2- 8.0	16	1.0	0.4- 1.6	4	0.2	0.0- 0.4						
Less Than H.S.	253	293,568	223	85.9	78.5-93.3	24	12.9	5.5-20.3	5	1.0	0.0- 2.0	1	0.3	0.0- 0.9						
H.S. or G.E.D.	1172	824,334	1086	88.4	85.3-91.5	69	10.1	7.0-13.2	13	1.2	0.4- 2.0	4	0.3	0.0- 0.7						
Some Post-H.S.	928	852,839	834	87.6	84.5-90.7	76	10.8	7.9-13.7	9	0.9	0.1- 1.7	5	0.7	0.0- 1.5	2	0.0	0.0- 0.0	2	0.0	0.0- 0.0
College Graduate	1063	552,140	994	91.4	89.0-93.8	42	5.3	3.3- 7.3	2	0.2	0.0- 0.6	23	2.7	1.3- 4.1				2	0.4	0.0- 1.0
Less than \$15,000	331	288,735	278	77.7	69.5-85.9	39	19.5	11.3-27.7	11	2.3	0.5- 4.1	2	0.5	0.0- 1.1				1	0.0	0.0- 0.0
\$15,000- 24,999	576	421,289	520	88.6	84.9-92.3	44	9.6	6.1-13.1	6	0.8	0.0- 1.6	5	0.9	0.0- 1.9				1	0.0	0.0- 0.0
\$25,000- 34,999	336	231,324	309	87.5	82.0-93.0	23	10.7	5.6-15.8	4	1.8	0.0- 4.2									
\$35,000- 49,999	460	354,683	428	88.0	83.1-92.9	27	9.9	5.2-14.6	1	0.4	0.0- 1.2	4	1.7	0.0- 3.7						
\$50,000- 74,999	438	326,277	406	90.7	86.8-94.6	23	7.3	3.8-10.8	2	0.6	0.0- 1.6	4	0.6	0.0- 1.4	1	0.1	0.0- 0.3	2	0.7	0.0- 1.7
\$75,000+	697	514,281	663	95.0	93.0-97.0	18	3.1	1.5- 4.7	2	0.2	0.0- 0.6	13	1.7	0.7- 2.7	1	0.0	0.0- 0.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5962	4,945,824	5415	87.0	85.6-88.4	330	9.0	7.8-10.2	57	1.1	0.7- 1.5	66	1.3	0.9- 1.7	7	0.1	0.0- 0.3	87	1.4	1.0- 1.8
Male	2527	2,409,695	2294	86.3	84.1-88.5	123	8.7	6.7-10.7	30	1.6	0.8- 2.4	34	1.7	0.9- 2.5	5	0.2	0.0- 0.6	41	1.5	0.9- 2.1
Female	3435	2,536,128	3121	87.7	85.9-89.5	207	9.4	7.6-11.2	27	0.7	0.3- 1.1	32	1.0	0.6- 1.4	2	0.0	0.0- 0.0	46	1.3	0.7- 1.9
18-24	274	678,258	218	80.2	74.5-85.9	25	10.9	6.0-15.8	5	1.6	0.0- 3.2	12	3.6	1.2- 6.0				14	3.7	1.5- 5.9
25-34	441	806,877	364	84.9	81.0-88.8	40	9.5	6.2-12.8	3	0.6	0.0- 1.2	14	2.1	0.9- 3.3	3	0.6	0.0- 1.6	17	2.3	1.1- 3.5
35-44	603	785,822	531	85.9	82.0-89.8	43	10.4	6.7-14.1	5	1.2	0.0- 2.4	18	1.8	1.0- 2.6	1	0.0	0.0- 0.0	5	0.6	0.0- 1.2
45-54	890	840,533	799	87.8	84.7-90.9	65	9.6	6.7-12.5	8	1.3	0.1- 2.5	8	0.4	0.0- 0.8	1	0.0	0.0- 0.0	9	0.9	0.3- 1.5
55-64	1370	826,363	1267	89.1	86.7-91.5	71	8.5	6.1-10.9	10	1.1	0.3- 1.9	5	0.3	0.0- 0.7	1	0.0	0.0- 0.0	16	0.8	0.2- 1.4
65+	2329	973,439	2183	91.7	89.7-93.7	85	6.3	4.5- 8.1	26	1.1	0.5- 1.7	8	0.3	0.1- 0.5	1	0.0	0.0- 0.0	26	0.5	0.3- 0.7
Less Than H.S.	449	621,469	377	79.9	74.0-85.8	43	12.7	7.6-17.8	10	2.1	0.3- 3.9	4	1.9	0.0- 4.1	1	0.6	0.0- 1.8	14	2.8	0.8- 4.8
H.S. or G.E.D.	2014	1,720,395	1850	87.9	85.5-90.3	114	9.3	7.1-11.5	25	1.7	0.7- 2.7	6	0.3	0.1- 0.5				19	0.7	0.3- 1.1
Some Post-H.S.	1509	1,523,239	1349	86.8	84.3-89.3	108	10.0	7.6-12.4	12	0.5	0.1- 0.9	9	0.9	0.1- 1.7	2	0.0	0.0- 0.0	29	1.7	0.9- 2.5
College Graduate	1957	1,057,588	1809	90.0	88.0-92.0	63	4.8	3.2- 6.4	9	0.5	0.1- 0.9	47	3.3	2.3- 4.3	4	0.2	0.0- 0.4	25	1.2	0.6- 1.8
Less than \$15,000	508	461,570	417	75.0	68.7-81.3	57	18.3	12.2-24.4	16	3.1	1.1- 5.1	5	1.9	0.0- 3.9	1	0.2	0.0- 0.6	12	1.5	0.3- 2.7
\$15,000- 24,999	883	731,342	777	84.3	80.8-87.8	68	11.1	8.0-14.2	14	1.7	0.5- 2.9	9	1.3	0.3- 2.3	1	0.5	0.0- 1.5	14	1.1	0.1- 2.1
\$25,000- 34,999	558	461,916	501	83.8	78.9-88.7	42	12.1	7.6-16.6	5	1.5	0.0- 3.3	3	0.4	0.0- 1.0				7	2.2	0.4- 4.0
\$35,000- 49,999	835	694,847	769	88.5	85.2-91.8	39	7.7	4.8-10.6	3	0.4	0.0- 0.8	9	1.8	0.4- 3.2				15	1.7	0.7- 2.7
\$50,000- 74,999	846	727,527	785	90.4	86.9-93.9	35	6.2	3.1- 9.3	4	0.7	0.0- 1.5	10	1.3	0.3- 2.3	1	0.0	0.0- 0.0	11	1.4	0.2- 2.6
\$75,000+	1409	1,146,605	1331	92.9	90.5-95.3	35	4.6	2.4- 6.8	4	0.1	0.0- 0.3	23	1.7	0.7- 2.7	4	0.1	0.0- 0.3	12	0.6	0.2- 1.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2527	2,409,695	2294	86.3	84.1-88.5	123	8.7	6.7-10.7	30	1.6	0.8- 2.4	34	1.7	0.9- 2.5	5	0.2	0.0- 0.6	41	1.5	0.9- 2.1
18-24	150	350,844	121	79.7	72.3-87.1	9	8.2	2.7-13.7	4	2.7	0.0- 5.4	9	5.5	1.4- 9.6				7	4.0	0.7- 7.3
25-34	195	401,412	163	85.9	80.2-91.6	13	7.8	3.1-12.5				7	2.7	0.5- 4.9	3	1.2	0.0- 3.0	9	2.4	0.6- 4.2
35-44	270	396,263	239	85.0	78.5-91.5	16	10.7	4.4-17.0	3	1.9	0.0- 4.3	9	1.9	0.5- 3.3	1	0.0	0.0- 0.0	2	0.3	0.0- 0.7
45-54	397	422,296	355	85.7	80.4-91.0	28	10.6	5.7-15.5	6	2.3	0.0- 4.7	3	0.3	0.0- 0.7				5	1.2	0.0- 2.4
55-64	613	405,718	574	90.1	86.6-93.6	25	7.2	4.1-10.3	6	1.5	0.1- 2.9	2	0.2	0.0- 0.6				6	0.9	0.1- 1.7
65+	886	423,124	827	90.3	87.2-93.4	31	7.2	4.3-10.1	11	1.3	0.3- 2.3	4	0.4	0.0- 1.0	1	0.1	0.0- 0.3	12	0.6	0.2- 1.0
Less Than H.S.	196	327,901	158	75.3	66.7-83.9	19	12.5	5.4-19.6	6	3.3	0.2- 6.4	3	3.3	0.0- 7.2	1	1.1	0.0- 3.3	9	4.5	0.8- 8.2
H.S. or G.E.D.	842	896,060	774	88.1	84.8-91.4	47	8.9	6.0-11.8	12	2.2	0.6- 3.8	3	0.4	0.0- 0.8				6	0.4	0.0- 0.8
Some Post-H.S.	581	670,400	526	87.1	83.0-91.2	35	9.7	5.8-13.6	4	0.5	0.0- 1.1	4	1.2	0.0- 2.4				12	1.7	0.5- 2.9
College Graduate	894	505,449	823	89.1	86.0-92.2	21	4.3	1.9- 6.7	8	1.0	0.2- 1.8	24	4.0	2.2- 5.8	4	0.4	0.0- 0.8	14	1.3	0.5- 2.1
Less than \$15,000	177	172,835	146	73.2	63.4-83.0	19	16.6	8.0-25.2	5	4.5	0.2- 8.8	3	4.2	0.0- 8.9	1	0.5	0.0- 1.5	3	1.1	0.0- 2.7
\$15,000- 24,999	307	310,053	262	78.8	72.1-85.5	24	13.1	7.4-18.8	9	3.0	0.5- 5.5	4	1.8	0.0- 3.8	1	1.2	0.0- 3.4	7	2.1	0.0- 4.3
\$25,000- 34,999	222	230,592	193	80.9	72.9-88.9	21	14.7	7.3-22.1	2	2.3	0.0- 5.8	3	0.8	0.0- 1.8				3	1.3	0.0- 3.3
\$35,000- 49,999	375	340,163	349	90.4	86.3-94.5	12	5.3	1.8- 8.8	2	0.4	0.0- 1.0	5	1.9	0.1- 3.7				7	2.0	0.2- 3.8
\$50,000- 74,999	408	401,249	381	90.4	84.9-95.9	13	5.7	1.0-10.4	2	0.7	0.0- 1.7	6	1.9	0.1- 3.7				6	1.3	0.0- 3.3
\$75,000+	712	632,323	669	91.3	87.4-95.2	18	6.0	2.5- 9.5	3	0.2	0.0- 0.4	11	1.8	0.0- 3.6	3	0.1	0.0- 0.3	8	0.6	0.0- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3435	2,536,128	3121	87.7	85.9-89.5	207	9.4	7.6-11.2	27	0.7	0.3- 1.1	32	1.0	0.6- 1.4	2	0.0	0.0- 0.0	46	1.3	0.7- 1.9
18-24	124	327,414	97	80.8	72.4-89.2	16	13.7	5.7-21.7	1	0.5	0.0- 1.5	3	1.6	0.0- 3.8				7	3.4	0.9- 5.9
25-34	246	405,465	201	84.0	78.7-89.3	27	11.2	6.5-15.9	3	1.1	0.0- 2.3	7	1.5	0.3- 2.7				8	2.2	0.4- 4.0
35-44	333	389,559	292	86.8	82.3-91.3	27	10.1	6.0-14.2	2	0.5	0.0- 1.3	9	1.6	0.4- 2.8				3	0.9	0.0- 2.3
45-54	493	418,237	444	90.0	86.9-93.1	37	8.5	5.4-11.6	2	0.3	0.0- 0.7	5	0.5	0.0- 1.1	1	0.0	0.0- 0.0	4	0.6	0.0- 1.4
55-64	757	420,645	693	88.2	84.9-91.5	46	9.8	6.5-13.1	4	0.8	0.0- 1.6	3	0.4	0.0- 1.0	1	0.0	0.0- 0.0	10	0.8	0.2- 1.4
65+	1443	550,315	1356	92.8	90.4-95.2	54	5.6	3.2- 8.0	15	1.0	0.4- 1.6	4	0.2	0.0- 0.4				14	0.5	0.1- 0.9
Less Than H.S.	253	293,568	219	84.9	77.5-92.3	24	12.9	5.5-20.3	4	0.9	0.0- 1.9	1	0.3	0.0- 0.9				5	1.0	0.0- 2.2
H.S. or G.E.D.	1172	824,334	1076	87.7	84.6-90.8	67	9.8	6.7-12.9	13	1.2	0.4- 2.0	3	0.3	0.0- 0.7				13	1.0	0.2- 1.8
Some Post-H.S.	928	852,839	823	86.6	83.5-89.7	73	10.3	7.4-13.2	8	0.6	0.0- 1.2	5	0.7	0.0- 1.5	2	0.0	0.0- 0.0	17	1.8	0.6- 3.0
College Graduate	1063	552,140	986	90.8	88.3-93.3	42	5.3	3.3- 7.3	1	0.1	0.0- 0.3	23	2.7	1.3- 4.1				11	1.1	0.1- 2.1
Less than \$15,000	331	288,735	271	76.1	67.9-84.3	38	19.4	11.2-27.6	11	2.3	0.5- 4.1	2	0.5	0.0- 1.1				9	1.7	0.0- 3.5
\$15,000- 24,999	576	421,289	515	88.3	84.6-92.0	44	9.6	6.1-13.1	5	0.7	0.0- 1.5	5	0.9	0.0- 1.9				7	0.4	0.0- 0.8
\$25,000- 34,999	336	231,324	308	86.8	81.3-92.3	21	9.6	4.7-14.5	3	0.7	0.0- 1.7							4	3.0	0.0- 6.1
\$35,000- 49,999	460	354,683	420	86.6	81.5-91.7	27	9.9	5.2-14.6	1	0.4	0.0- 1.2	4	1.7	0.0- 3.7				8	1.4	0.0- 2.8
\$50,000- 74,999	438	326,277	404	90.4	86.5-94.3	22	6.9	3.4-10.4	2	0.6	0.0- 1.6	4	0.6	0.0- 1.4	1	0.1	0.0- 0.3	5	1.4	0.0- 2.8
\$75,000+	697	514,281	662	95.0	93.0-97.0	17	2.9	1.3- 4.5	1	0.0	0.0- 0.0	12	1.6	0.6- 2.6	1	0.0	0.0- 0.0	4	0.5	0.0- 1.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5962	4,968,458	5262	82.4	80.8-84.0	319	8.6	7.4- 9.8	53	1.0	0.6- 1.4	62	1.1	0.7- 1.5	83	1.3	0.9- 1.7	183	5.6	4.6- 6.6
Male	2515	2,401,179	2227	82.0	79.6-84.4	118	8.1	6.3- 9.9	28	1.4	0.6- 2.2	32	1.4	0.8- 2.0	40	1.5	0.9- 2.1	70	5.6	4.0- 7.2
Female	3447	2,567,279	3035	82.8	80.6-85.0	201	9.0	7.2-10.8	25	0.6	0.2- 1.0	30	0.9	0.5- 1.3	43	1.1	0.7- 1.5	113	5.6	4.2- 7.0
18-24	274	680,682	196	72.7	66.4-79.0	25	10.8	5.9-15.7	3	1.2	0.0- 2.6	11	2.8	1.0- 4.6	11	3.1	1.1- 5.1	28	9.4	5.5-13.3
25-34	444	814,114	330	76.2	71.5-80.9	40	9.4	6.1-12.7	4	0.6	0.0- 1.2	12	1.7	0.7- 2.7	16	2.0	0.8- 3.2	42	10.0	6.5-13.5
35-44	612	808,259	504	78.6	74.1-83.1	39	8.7	5.6-11.8	6	1.2	0.0- 2.4	17	1.6	0.8- 2.4	5	0.6	0.0- 1.2	41	9.2	5.9-12.5
45-54	892	841,804	772	84.2	80.9-87.5	65	9.6	6.7-12.5	7	1.1	0.0- 2.3	8	0.4	0.0- 0.8	9	0.9	0.3- 1.5	31	3.8	2.0- 5.6
55-64	1370	826,580	1248	87.4	84.9-89.9	68	8.1	5.9-10.3	9	0.8	0.2- 1.4	5	0.3	0.0- 0.7	16	0.8	0.2- 1.4	24	2.4	1.2- 3.6
65+	2316	964,101	2160	91.4	89.4-93.4	81	5.9	4.1- 7.7	24	1.0	0.4- 1.6	8	0.3	0.1- 0.5	26	0.5	0.3- 0.7	17	0.8	0.2- 1.4
Less Than H.S.	462	653,257	340	66.3	60.0-72.6	40	10.3	6.0-14.6	7	1.7	0.1- 3.3	2	0.6	0.0- 1.6	14	2.7	0.7- 4.7	59	18.4	13.1-23.7
H.S. or G.E.D.	2004	1,711,654	1802	84.4	81.9-86.9	108	9.0	6.8-11.2	21	1.5	0.7- 2.3	6	0.3	0.1- 0.5	18	0.6	0.2- 1.0	49	4.2	2.8- 5.6
Some Post-H.S.	1509	1,522,627	1320	83.4	80.5-86.3	107	10.0	7.6-12.4	13	0.5	0.1- 0.9	8	0.9	0.1- 1.7	27	1.5	0.7- 2.3	34	3.7	2.1- 5.3
College Graduate	1953	1,055,354	1771	87.7	85.5-89.9	62	4.8	3.2- 6.4	11	0.4	0.0- 0.8	46	3.3	2.3- 4.3	24	1.1	0.5- 1.7	39	2.6	1.6- 3.6
Less than \$15,000	513	478,218	396	66.1	59.4-72.8	55	17.4	11.5-23.3	14	2.7	0.9- 4.5	5	1.8	0.0- 3.6	12	1.4	0.2- 2.6	31	10.6	6.3-14.9
\$15,000- 24,999	882	735,782	745	78.1	74.0-82.2	66	10.6	7.5-13.7	12	1.4	0.2- 2.6	7	0.8	0.2- 1.4	14	1.1	0.1- 2.1	38	8.0	5.3-10.7
\$25,000- 34,999	562	465,709	483	77.4	71.9-82.9	40	11.1	6.8-15.4	4	1.2	0.0- 3.0	3	0.4	0.0- 1.0	5	1.4	0.0- 3.0	27	8.5	5.0-12.0
\$35,000- 49,999	835	696,051	753	84.9	81.0-88.8	38	7.6	4.7-10.5	2	0.3	0.0- 0.7	9	1.8	0.4- 3.2	15	1.7	0.7- 2.7	18	3.8	1.4- 6.2
\$50,000- 74,999	844	730,738	773	88.6	84.9-92.3	34	5.0	2.8- 7.2	3	0.4	0.0- 1.0	10	1.3	0.3- 2.3	11	1.4	0.2- 2.6	13	3.3	0.4- 6.2
\$75,000+	1406	1,139,496	1303	90.7	88.2-93.2	35	4.6	2.4- 6.8	8	0.2	0.0- 0.4	21	1.2	0.6- 1.8	12	0.6	0.2- 1.0	27	2.6	1.0- 4.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2515	2,401,179	2227	82.0	79.6-84.4	118	8.1	6.3- 9.9	28	1.4	0.6- 2.2	32	1.4	0.8- 2.0	40	1.5	0.9- 2.1	70	5.6	4.0- 7.2
18-24	147	345,081	106	71.3	62.9-79.7	9	8.3	2.8-13.8	2	1.9	0.0- 4.4	8	4.1	1.0- 7.2	6	3.8	0.5- 7.1	16	10.6	4.7-16.5
25-34	195	403,575	152	78.5	71.4-85.6	13	7.8	3.1-12.5	1	0.1	0.0- 0.3	6	2.1	0.3- 3.9	9	2.4	0.6- 4.2	14	9.2	3.7-14.7
35-44	274	404,020	227	78.6	71.7-85.5	14	8.2	3.5-12.9	4	1.9	0.0- 4.3	9	1.9	0.5- 3.3	2	0.3	0.0- 0.7	18	9.0	3.9-14.1
45-54	396	419,468	343	82.0	76.3-87.7	28	10.7	5.8-15.6	5	2.0	0.0- 4.4	3	0.3	0.0- 0.7	5	1.2	0.0- 2.4	12	3.9	1.2- 6.6
55-64	609	402,514	568	89.5	85.8-93.2	23	6.7	3.6- 9.8	5	1.1	0.1- 2.1	2	0.2	0.0- 0.6	6	0.9	0.1- 1.7	5	1.5	0.0- 3.1
65+	878	416,484	816	90.1	87.0-93.2	30	7.0	4.1- 9.9	11	1.3	0.3- 2.3	4	0.5	0.0- 1.1	12	0.6	0.2- 1.0	5	0.6	0.0- 1.2
Less Than H.S.	197	335,569	142	64.5	55.3-73.7	17	9.1	4.0-14.2	5	2.8	0.0- 5.9	1	0.9	0.0- 2.7	9	4.4	0.9- 7.9	23	18.2	10.2-26.2
H.S. or G.E.D.	837	885,754	752	84.9	81.4-88.4	45	8.8	5.9-11.7	9	1.8	0.4- 3.2	3	0.4	0.0- 0.8	6	0.4	0.0- 0.8	22	3.8	2.0- 5.6
Some Post-H.S.	580	667,971	513	82.7	77.8-87.6	34	9.6	5.7-13.5	4	0.5	0.0- 1.1	4	1.2	0.0- 2.4	12	1.7	0.5- 2.9	13	4.4	1.5- 7.3
College Graduate	887	502,000	808	87.7	84.4-91.0	21	4.3	1.8- 6.8	10	0.9	0.1- 1.7	24	4.0	2.2- 5.8	13	1.1	0.3- 1.9	11	2.0	0.6- 3.4
Less than \$15,000	179	177,609	141	67.5	57.5-77.5	19	16.1	7.7-24.5	4	3.5	0.0- 7.4	3	4.1	0.0- 8.8	3	1.1	0.0- 2.5	9	7.8	2.5-13.1
\$15,000- 24,999	304	309,136	249	74.0	66.9-81.1	23	12.6	6.9-18.3	8	2.6	0.1- 5.1	3	1.0	0.0- 2.2	7	2.1	0.0- 4.3	14	7.7	3.4-12.0
\$25,000- 34,999	221	227,670	184	74.8	66.2-83.4	20	14.1	6.7-21.5	1	1.7	0.0- 5.0	3	0.8	0.0- 1.8	3	1.3	0.0- 3.3	10	7.2	2.3-12.1
\$35,000- 49,999	376	342,254	340	84.9	79.4-90.4	11	5.1	1.6- 8.6	1	0.2	0.0- 0.6	5	1.9	0.1- 3.7	7	2.0	0.2- 3.8	12	5.9	1.6-10.2
\$50,000- 74,999	407	404,899	378	88.8	82.9-94.7	12	3.5	1.0- 6.0	1	0.2	0.0- 0.6	6	1.8	0.0- 3.6	6	1.3	0.0- 3.3	4	4.3	0.0- 9.4
\$75,000+	707	625,444	655	89.3	85.2-93.4	18	6.1	2.6- 9.6	6	0.3	0.1- 0.5	10	1.0	0.4- 1.6	8	0.6	0.0- 1.2	10	2.6	0.2- 5.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3447	2,567,279	3035	82.8	80.8-84.8	201	9.0	7.4-10.6	25	0.6	0.2- 1.0	30	0.9	0.5- 1.3	43	1.1	0.7- 1.5	113	5.6	4.2- 7.0
18-24	127	335,601	90	74.0	65.0-83.0	16	13.4	5.4-21.4	1	0.5	0.0- 1.5	3	1.6	0.0- 3.6	5	2.4	0.2- 4.6	12	8.2	3.3-13.1
25-34	249	410,539	178	74.0	67.7-80.3	27	11.1	6.4-15.8	3	1.1	0.0- 2.3	6	1.4	0.2- 2.6	7	1.7	0.3- 3.1	28	10.8	6.5-15.1
35-44	338	404,240	277	78.6	72.9-84.3	25	9.2	5.3-13.1	2	0.5	0.0- 1.3	8	1.3	0.3- 2.3	3	0.9	0.0- 2.1	23	9.4	4.9-13.9
45-54	496	422,337	429	86.4	82.7-90.1	37	8.5	5.4-11.6	2	0.3	0.0- 0.7	5	0.5	0.0- 1.1	4	0.6	0.0- 1.4	19	3.7	1.5- 5.9
55-64	761	424,066	680	85.4	81.7-89.1	45	9.4	6.3-12.5	4	0.6	0.0- 1.4	3	0.4	0.0- 1.0	10	0.8	0.2- 1.4	19	3.3	1.5- 5.1
65+	1438	547,617	1344	92.5	90.1-94.9	51	5.1	2.9- 7.3	13	0.8	0.2- 1.4	4	0.2	0.0- 0.4	14	0.5	0.1- 0.9	12	0.9	0.1- 1.7
Less Than H.S.	265	317,688	198	68.3	59.7-76.9	23	11.5	4.6-18.4	2	0.5	0.0- 1.3	1	0.3	0.0- 0.9	5	0.9	0.0- 1.9	36	18.5	11.6-25.4
H.S. or G.E.D.	1167	825,900	1050	83.9	80.4-87.4	63	9.3	6.4-12.2	12	1.1	0.3- 1.9	3	0.3	0.0- 0.7	12	0.8	0.2- 1.4	27	4.7	2.5- 6.9
Some Post-H.S.	929	854,656	807	84.0	80.7-87.3	73	10.3	7.4-13.2	9	0.6	0.0- 1.2	4	0.6	0.0- 1.4	15	1.4	0.4- 2.4	21	3.2	1.6- 4.8
College Graduate	1066	553,355	963	87.8	84.9-90.7	41	5.2	3.2- 7.2	1	0.1	0.0- 0.3	22	2.6	1.4- 3.8	11	1.1	0.1- 2.1	28	3.2	1.6- 4.8
Less than \$15,000	334	300,608	255	65.3	56.7-73.9	36	18.1	10.3-25.9	10	2.2	0.6- 3.8	2	0.4	0.0- 1.0	9	1.6	0.0- 3.2	22	12.3	6.2-18.4
\$15,000- 24,999	578	426,646	496	81.1	76.2-86.0	43	9.1	5.8-12.4	4	0.5	0.0- 1.3	4	0.7	0.0- 1.5	7	0.4	0.0- 0.8	24	8.2	4.5-11.9
\$25,000- 34,999	341	238,039	299	79.9	73.4-86.4	20	8.3	4.0-12.6	3	0.6	0.0- 1.6				2	1.4	0.0- 3.6	17	9.7	4.6-14.8
\$35,000- 49,999	459	353,797	413	84.9	79.6-90.2	27	10.0	5.3-14.7	1	0.4	0.0- 1.2	4	1.7	0.0- 3.7	8	1.4	0.0- 2.8	6	1.7	0.1- 3.3
\$50,000- 74,999	437	325,839	395	88.4	84.3-92.5	22	6.9	3.4-10.4	2	0.6	0.0- 1.6	4	0.6	0.0- 1.4	5	1.4	0.0- 2.8	9	2.1	0.3- 3.9
\$75,000+	699	514,052	648	92.4	89.9-94.9	17	2.9	1.3- 4.5	2	0.1	0.1- 0.1	11	1.5	0.5- 2.5	4	0.5	0.0- 1.1	17	2.6	0.8- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5962	4,968,458	5262	82.4	80.8-84.0	700	17.6	16.0-19.2
Male	2515	2,401,179	2227	82.0	79.6-84.4	288	18.0	15.6-20.4
Female	3447	2,567,279	3035	82.8	80.6-85.0	412	17.2	15.0-19.4
18-24	274	680,682	196	72.7	66.4-79.0	78	27.3	21.0-33.6
25-34	444	814,114	330	76.2	71.5-80.9	114	23.8	19.1-28.5
35-44	612	808,259	504	78.6	74.1-83.1	108	21.4	16.9-25.9
45-54	892	841,804	772	84.2	80.9-87.5	120	15.8	12.5-19.1
55-64	1370	826,580	1248	87.4	84.9-89.9	122	12.6	10.1-15.1
65+	2316	964,101	2160	91.4	89.4-93.4	156	8.6	6.6-10.6
Less Than H.S.	462	653,257	340	66.3	60.0-72.6	122	33.7	27.4-40.0
H.S. or G.E.D.	2004	1,711,654	1802	84.4	81.9-86.9	202	15.6	13.1-18.1
Some Post-H.S.	1509	1,522,627	1320	83.4	80.5-86.3	189	16.6	13.7-19.5
College Graduate	1953	1,055,354	1771	87.7	85.5-89.9	182	12.3	10.1-14.5
Less than \$15,000	513	478,218	396	66.1	59.4-72.8	117	33.9	27.2-40.6
\$15,000- 24,999	882	735,782	745	78.1	74.0-82.2	137	21.9	17.8-26.0
\$25,000- 34,999	562	465,709	483	77.4	71.9-82.9	79	22.6	17.1-28.1
\$35,000- 49,999	835	696,051	753	84.9	81.0-88.8	82	15.1	11.2-19.0
\$50,000- 74,999	844	730,738	773	88.6	84.9-92.3	71	11.4	7.7-15.1
\$75,000+	1406	1,139,496	1303	90.7	88.2-93.2	103	9.3	6.8-11.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2515	2,401,179	2227	82.0	79.6-84.4	288	18.0	15.6-20.4
18-24	147	345,081	106	71.3	62.9-79.7	41	28.7	20.3-37.1
25-34	195	403,575	152	78.5	71.4-85.6	43	21.5	14.4-28.6
35-44	274	404,020	227	78.6	71.7-85.5	47	21.4	14.5-28.3
45-54	396	419,468	343	82.0	76.3-87.7	53	18.0	12.3-23.7
55-64	609	402,514	568	89.5	85.8-93.2	41	10.5	6.8-14.2
65+	878	416,484	816	90.1	87.0-93.2	62	9.9	6.8-13.0
Less Than H.S.	197	335,569	142	64.5	55.3-73.7	55	35.5	26.3-44.7
H.S. or G.E.D.	837	885,754	752	84.9	81.4-88.4	85	15.1	11.6-18.6
Some Post-H.S.	580	667,971	513	82.7	77.8-87.6	67	17.3	12.4-22.2
College Graduate	887	502,000	808	87.7	84.4-91.0	79	12.3	9.0-15.6
Less than \$15,000	179	177,609	141	67.5	57.5-77.5	38	32.5	22.5-42.5
\$15,000- 24,999	304	309,136	249	74.0	66.9-81.1	55	26.0	18.9-33.1
\$25,000- 34,999	221	227,670	184	74.8	66.2-83.4	37	25.2	16.6-33.8
\$35,000- 49,999	376	342,254	340	84.9	79.4-90.4	36	15.1	9.6-20.6
\$50,000- 74,999	407	404,899	378	88.8	82.9-94.7	29	11.2	5.3-17.1
\$75,000+	707	625,444	655	89.3	85.2-93.4	52	10.7	6.6-14.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3447	2,567,279	3035	82.8	80.8-84.8	412	17.2	15.2-19.2
18-24	127	335,601	90	74.0	65.0-83.0	37	26.0	17.0-35.0
25-34	249	410,539	178	74.0	67.7-80.3	71	26.0	19.7-32.3
35-44	338	404,240	277	78.6	72.9-84.3	61	21.4	15.7-27.1
45-54	496	422,337	429	86.4	82.7-90.1	67	13.6	9.9-17.3
55-64	761	424,066	680	85.4	81.7-89.1	81	14.6	10.9-18.3
65+	1438	547,617	1344	92.5	90.1-94.9	94	7.5	5.1- 9.9
Less Than H.S.	265	317,688	198	68.3	59.7-76.9	67	31.7	23.1-40.3
H.S. or G.E.D.	1167	825,900	1050	83.9	80.4-87.4	117	16.1	12.6-19.6
Some Post-H.S.	929	854,656	807	84.0	80.7-87.3	122	16.0	12.7-19.3
College Graduate	1066	553,355	963	87.8	84.9-90.7	103	12.2	9.3-15.1
Less than \$15,000	334	300,608	255	65.3	56.7-73.9	79	34.7	26.1-43.3
\$15,000- 24,999	578	426,646	496	81.1	76.2-86.0	82	18.9	14.0-23.8
\$25,000- 34,999	341	238,039	299	79.9	73.4-86.4	42	20.1	13.6-26.6
\$35,000- 49,999	459	353,797	413	84.9	79.6-90.2	46	15.1	9.8-20.4
\$50,000- 74,999	437	325,839	395	88.4	84.3-92.5	42	11.6	7.5-15.7
\$75,000+	699	514,052	648	92.4	89.9-94.9	51	7.6	5.1-10.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5962	4,968,458	5262	82.4	80.8-84.0	319	8.6	7.4- 9.8	119	2.2	1.6- 2.8	79	1.2	0.8- 1.6	183	5.6	4.6- 6.6
Male	2515	2,401,179	2227	82.0	79.6-84.4	118	8.1	6.3- 9.9	63	2.9	1.9- 3.9	37	1.3	0.7- 1.9	70	5.6	4.0- 7.2
Female	3447	2,567,279	3035	82.8	80.6-85.0	201	9.0	7.2-10.8	56	1.6	1.0- 2.2	42	1.0	0.6- 1.4	113	5.6	4.2- 7.0
18-24	274	680,682	196	72.7	66.4-79.0	25	10.8	5.9-15.7	14	4.0	1.6- 6.4	11	3.1	1.1- 5.1	28	9.4	5.5-13.3
25-34	444	814,114	330	76.2	71.5-80.9	40	9.4	6.1-12.7	20	2.8	1.4- 4.2	12	1.6	0.6- 2.6	42	10.0	6.5-13.5
35-44	612	808,259	504	78.6	74.1-83.1	39	8.7	5.6-11.8	23	2.8	1.2- 4.4	5	0.6	0.0- 1.2	41	9.2	5.9-12.5
45-54	892	841,804	772	84.2	80.9-87.5	65	9.6	6.7-12.5	15	1.6	0.4- 2.8	9	0.9	0.3- 1.5	31	3.8	2.0- 5.6
55-64	1370	826,580	1248	87.4	84.9-89.9	68	8.1	5.9-10.3	14	1.2	0.4- 2.0	16	0.8	0.2- 1.4	24	2.4	1.2- 3.6
65+	2316	964,101	2160	91.4	89.4-93.4	81	5.9	4.1- 7.7	32	1.3	0.7- 1.9	26	0.5	0.3- 0.7	17	0.8	0.2- 1.4
Less Than H.S.	462	653,257	340	66.3	60.0-72.6	40	10.3	6.0-14.6	10	2.6	0.6- 4.6	13	2.5	0.5- 4.5	59	18.4	13.1-23.7
H.S. or G.E.D.	2004	1,711,654	1802	84.4	81.9-86.9	108	9.0	6.8-11.2	27	1.8	0.8- 2.8	18	0.6	0.2- 1.0	49	4.2	2.8- 5.6
Some Post-H.S.	1509	1,522,627	1320	83.4	80.5-86.3	107	10.0	7.6-12.4	21	1.4	0.6- 2.2	27	1.5	0.7- 2.3	34	3.7	2.1- 5.3
College Graduate	1953	1,055,354	1771	87.7	85.5-89.9	62	4.8	3.2- 6.4	60	3.9	2.7- 5.1	21	0.9	0.3- 1.5	39	2.6	1.6- 3.6
Less than \$15,000	513	478,218	396	66.1	59.4-72.8	55	17.4	11.5-23.3	19	4.4	1.9- 6.9	12	1.4	0.2- 2.6	31	10.6	6.3-14.9
\$15,000- 24,999	882	735,782	745	78.1	74.0-82.2	66	10.6	7.5-13.7	20	2.5	1.1- 3.9	13	0.9	0.1- 1.7	38	8.0	5.3-10.7
\$25,000- 34,999	562	465,709	483	77.4	71.9-82.9	40	11.1	6.8-15.4	7	1.6	0.0- 3.4	5	1.4	0.0- 3.0	27	8.5	5.0-12.0
\$35,000- 49,999	835	696,051	753	84.9	81.0-88.8	38	7.6	4.7-10.5	12	2.2	0.8- 3.6	14	1.6	0.6- 2.6	18	3.8	1.4- 6.2
\$50,000- 74,999	844	730,738	773	88.6	84.9-92.3	34	5.0	2.8- 7.2	14	1.8	0.6- 3.0	10	1.2	0.0- 2.4	13	3.3	0.4- 6.2
\$75,000+	1406	1,139,496	1303	90.7	88.2-93.2	35	4.6	2.4- 6.8	30	1.5	0.9- 2.1	11	0.5	0.1- 0.9	27	2.6	1.0- 4.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2515	2,401,179	2227	82.0	79.6-84.4	118	8.1	6.3- 9.9	63	2.9	1.9- 3.9	37	1.3	0.7- 1.9	70	5.6	4.0- 7.2
18-24	147	345,081	106	71.3	62.9-79.7	9	8.3	2.8-13.8	10	6.0	2.1- 9.9	6	3.8	0.5- 7.1	16	10.6	4.7-16.5
25-34	195	403,575	152	78.5	71.4-85.6	13	7.8	3.1-12.5	10	2.9	0.9- 4.9	6	1.7	0.1- 3.3	14	9.2	3.7-14.7
35-44	274	404,020	227	78.6	71.7-85.5	14	8.2	3.5-12.9	13	3.8	1.1- 6.5	2	0.3	0.0- 0.7	18	9.0	3.9-14.1
45-54	396	419,468	343	82.0	76.3-87.7	28	10.7	5.8-15.6	8	2.3	0.0- 4.7	5	1.2	0.0- 2.4	12	3.9	1.2- 6.6
55-64	609	402,514	568	89.5	85.8-93.2	23	6.7	3.6- 9.8	7	1.3	0.1- 2.5	6	0.9	0.1- 1.7	5	1.5	0.0- 3.1
65+	878	416,484	816	90.1	87.0-93.2	30	7.0	4.1- 9.9	15	1.7	0.7- 2.7	12	0.6	0.2- 1.0	5	0.6	0.0- 1.2
Less Than H.S.	197	335,569	142	64.5	55.3-73.7	17	9.1	4.0-14.2	7	4.2	0.5- 7.9	8	3.9	0.4- 7.4	23	18.2	10.2-26.2
H.S. or G.E.D.	837	885,754	752	84.9	81.4-88.4	45	8.8	5.9-11.7	12	2.2	0.6- 3.8	6	0.4	0.0- 0.8	22	3.8	2.0- 5.6
Some Post-H.S.	580	667,971	513	82.7	77.8-87.6	34	9.6	5.7-13.5	8	1.6	0.2- 3.0	12	1.7	0.5- 2.9	13	4.4	1.5- 7.3
College Graduate	887	502,000	808	87.7	84.4-91.0	21	4.3	1.8- 6.8	36	5.1	3.1- 7.1	11	0.8	0.2- 1.4	11	2.0	0.6- 3.4
Less than \$15,000	179	177,609	141	67.5	57.5-77.5	19	16.1	7.7-24.5	7	7.6	1.7-13.5	3	1.1	0.0- 2.5	9	7.8	2.5-13.1
\$15,000- 24,999	304	309,136	249	74.0	66.9-81.1	23	12.6	6.9-18.3	12	4.1	1.2- 7.0	6	1.6	0.0- 3.6	14	7.7	3.4-12.0
\$25,000- 34,999	221	227,670	184	74.8	66.2-83.4	20	14.1	6.7-21.5	4	2.5	0.0- 6.0	3	1.3	0.0- 3.3	10	7.2	2.3-12.1
\$35,000- 49,999	376	342,254	340	84.9	79.4-90.4	11	5.1	1.6- 8.6	7	2.3	0.5- 4.1	6	1.9	0.3- 3.5	12	5.9	1.6-10.2
\$50,000- 74,999	407	404,899	378	88.8	82.9-94.7	12	3.5	1.0- 6.0	7	2.1	0.3- 3.9	6	1.3	0.0- 3.3	4	4.3	0.0- 9.4
\$75,000+	707	625,444	655	89.3	85.2-93.4	18	6.1	2.6- 9.6	17	1.4	0.6- 2.2	7	0.5	0.1- 0.9	10	2.6	0.2- 5.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3447	2,567,279	3035	82.8	80.8-84.8	201	9.0	7.4-10.6	56	1.6	1.0- 2.2	42	1.0	0.6- 1.4	113	5.6	4.2- 7.0
18-24	127	335,601	90	74.0	65.0-83.0	16	13.4	5.4-21.4	4	2.0	0.0- 4.2	5	2.4	0.2- 4.6	12	8.2	3.3-13.1
25-34	249	410,539	178	74.0	67.7-80.3	27	11.1	6.4-15.8	10	2.7	0.9- 4.5	6	1.5	0.1- 2.9	28	10.8	6.5-15.1
35-44	338	404,240	277	78.6	72.9-84.3	25	9.2	5.3-13.1	10	1.8	0.6- 3.0	3	0.9	0.0- 2.1	23	9.4	4.9-13.9
45-54	496	422,337	429	86.4	82.7-90.1	37	8.5	5.4-11.6	7	0.8	0.2- 1.4	4	0.6	0.0- 1.4	19	3.7	1.5- 5.9
55-64	761	424,066	680	85.4	81.7-89.1	45	9.4	6.3-12.5	7	1.0	0.0- 2.0	10	0.8	0.2- 1.4	19	3.3	1.5- 5.1
65+	1438	547,617	1344	92.5	90.1-94.9	51	5.1	2.9- 7.3	17	1.0	0.4- 1.6	14	0.5	0.1- 0.9	12	0.9	0.1- 1.7
Less Than H.S.	265	317,688	198	68.3	59.7-76.9	23	11.5	4.6-18.4	3	0.8	0.0- 1.8	5	0.9	0.0- 1.9	36	18.5	11.6-25.4
H.S. or G.E.D.	1167	825,900	1050	83.9	80.4-87.4	63	9.3	6.4-12.2	15	1.4	0.6- 2.2	12	0.8	0.2- 1.4	27	4.7	2.5- 6.9
Some Post-H.S.	929	854,656	807	84.0	80.7-87.3	73	10.3	7.4-13.2	13	1.2	0.2- 2.2	15	1.4	0.4- 2.4	21	3.2	1.6- 4.8
College Graduate	1066	553,355	963	87.8	84.9-90.7	41	5.2	3.2- 7.2	24	2.9	1.5- 4.3	10	1.0	0.2- 1.8	28	3.2	1.6- 4.8
Less than \$15,000	334	300,608	255	65.3	56.7-73.9	36	18.1	10.3-25.9	12	2.6	0.8- 4.4	9	1.6	0.0- 3.2	22	12.3	6.2-18.4
\$15,000- 24,999	578	426,646	496	81.1	76.2-86.0	43	9.1	5.8-12.4	8	1.2	0.0- 2.4	7	0.4	0.0- 0.8	24	8.2	4.5-11.9
\$25,000- 34,999	341	238,039	299	79.9	73.4-86.4	20	8.3	4.0-12.6	3	0.6	0.0- 1.6	2	1.4	0.0- 3.6	17	9.7	4.6-14.8
\$35,000- 49,999	459	353,797	413	84.9	79.6-90.2	27	10.0	5.3-14.7	5	2.1	0.0- 4.3	8	1.4	0.0- 2.8	6	1.7	0.1- 3.3
\$50,000- 74,999	437	325,839	395	88.4	84.3-92.5	22	6.9	3.4-10.4	7	1.5	0.1- 2.9	4	1.1	0.0- 2.3	9	2.1	0.3- 3.9
\$75,000+	699	514,052	648	92.4	89.9-94.9	17	2.9	1.3- 4.5	13	1.6	0.6- 2.6	4	0.5	0.0- 1.1	17	2.6	0.8- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
TOTAL	6004	5,025,264	480	21.4	19.4-23.4	547	16.8	15.2-18.4	698	15.3	13.9-16.7	1208	18.6	17.2-20.0	1421	14.6	13.6-15.6	1650	13.4	12.6-14.2
Male	2562	2,454,453	247	22.2	19.5-24.9	240	17.6	15.2-20.0	315	15.7	13.7-17.7	514	18.5	16.5-20.5	644	14.7	13.1-16.3	602	11.4	10.2-12.6
Female	3442	2,570,812	233	20.7	18.0-23.4	307	16.0	14.0-18.0	383	15.0	13.2-16.8	694	18.6	16.8-20.4	777	14.4	13.0-15.8	1048	15.2	13.8-16.6
White/Non-Hisp	5210	4,063,629	346	19.1	17.1-21.1	405	15.4	13.6-17.2	598	15.8	14.4-17.2	1051	19.0	17.6-20.4	1296	16.0	14.8-17.2	1514	14.8	13.8-15.8
Black or Afr. Am./Non-Hisp	318	425,176	46	29.1	21.3-36.9	43	16.4	11.1-21.7	41	12.6	7.9-17.3	77	22.0	16.1-27.9	55	12.1	8.0-16.2	56	7.8	4.9-10.7
Oth. Race/Non-Hisp.	118	108,697	22	35.8	23.5-48.1	24	24.6	14.2-35.0	15	8.2	3.5-12.9	19	16.3	7.1-25.5	16	7.3	2.8-11.8	22	7.7	3.6-11.8
MultiRacial/Non-Hisp.	79	58,362	19	52.6	36.9-68.3	8	12.3	2.3-22.3	3	4.8	0.0-10.9	13	15.7	6.5-24.9	23	9.9	4.2-15.6	13	4.8	1.3- 8.3
Hispanic	183	279,675	38	31.4	22.2-40.6	54	34.7	25.5-43.9	36	19.5	11.5-27.5	30	9.5	5.4-13.6	17	3.7	1.3- 6.1	8	1.2	0.2- 2.2
Less Than H.S.	479	675,956	51	26.6	19.7-33.5	38	15.5	10.4-20.6	47	12.1	8.0-16.2	101	19.4	14.9-23.9	78	11.0	8.1-13.9	164	15.4	12.3-18.5
H.S. or G.E.D.	2016	1,735,620	147	21.5	18.2-24.8	136	14.4	11.9-16.9	162	12.5	10.3-14.7	408	19.8	17.6-22.0	462	15.0	13.2-16.8	701	16.8	15.0-18.6
Some Post-H.S.	1509	1,529,616	128	20.8	17.5-24.1	136	16.3	13.4-19.2	178	16.6	13.9-19.3	314	18.6	16.2-21.0	388	15.9	13.9-17.9	365	11.8	10.2-13.4
College Graduate	1965	1,057,784	152	19.2	16.3-22.1	233	22.1	19.2-25.0	309	20.3	17.8-22.8	378	15.7	13.7-17.7	487	14.2	12.6-15.8	406	8.5	7.3- 9.7
Less than \$15,000	518	486,247	45	25.5	18.4-32.6	49	17.6	12.3-22.9	51	11.1	7.6-14.6	127	21.0	16.5-25.5	111	12.8	9.7-15.9	135	12.0	9.1-14.9
\$15,000- 24,999	897	753,802	80	24.1	19.0-29.2	61	12.7	9.2-16.2	65	12.2	8.9-15.5	146	18.7	15.0-22.4	196	13.5	11.0-16.0	349	18.8	16.1-21.5
\$25,000- 34,999	570	477,308	44	19.7	14.2-25.2	46	15.5	10.4-20.6	40	10.0	6.1-13.9	100	18.4	14.1-22.7	143	18.0	14.3-21.7	197	18.4	14.9-21.9
\$35,000- 49,999	841	702,488	67	22.5	17.0-28.0	71	15.5	11.6-19.4	79	14.0	10.5-17.5	158	17.9	14.6-21.2	203	14.7	12.0-17.4	263	15.5	12.8-18.2
\$50,000- 74,999	846	731,419	68	19.6	14.7-24.5	89	19.7	15.4-24.0	119	18.8	14.7-22.9	170	17.1	14.0-20.2	222	15.1	12.6-17.6	178	9.8	7.8-11.8
\$75,000+	1412	1,146,664	98	16.3	13.0-19.6	183	22.1	18.4-25.8	285	23.2	20.1-26.3	380	21.9	19.2-24.6	302	11.7	9.9-13.5	164	4.8	3.8- 5.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Male	2562	2,454,453	247	22.2	19.5-24.9	240	17.6	15.2-20.0	315	15.7	13.7-17.7	514	18.5	16.5-20.5	644	14.7	13.1-16.3	602	11.4	10.2-12.6
White/Non-Hisp	2212	1,960,093	178	19.4	16.7-22.1	183	17.1	14.4-19.8	269	15.7	13.5-17.9	444	18.8	16.6-21.0	597	16.5	14.7-18.3	541	12.5	11.1-13.9
Black or Afr. Am./Non-Hisp	117	193,989	17	27.3	15.9-38.7	13	12.3	5.0-19.6	17	16.0	7.4-24.6	32	24.4	14.4-34.4	18	12.2	5.7-18.7	20	7.7	3.6-11.8
Oth. Race/Non-Hisp.	63	70,010	14	37.9	21.4-54.4	14	26.4	11.9-40.9	5	4.0	0.1- 7.9	13	18.6	5.5-31.7	8	7.1	1.2-13.0	9	6.0	1.1-10.9
Hispanic	70	134,905	20	35.8	21.1-50.5	19	30.0	16.5-43.5	17	25.0	10.9-39.1	8	7.0	1.5-12.5	5	1.5	0.0- 3.1	1	0.7	0.0- 2.1
Less Than H.S.	210	353,688	24	22.4	13.8-31.0	18	16.7	9.1-24.3	25	13.5	6.8-20.2	55	24.0	16.7-31.3	34	11.0	6.5-15.5	54	12.4	8.1-16.7
H.S. or G.E.D.	850	906,037	83	22.3	17.8-26.8	76	17.7	13.6-21.8	90	14.1	11.0-17.2	191	19.9	16.6-23.2	192	13.5	11.1-15.9	218	12.6	10.4-14.8
Some Post-H.S.	586	676,873	65	24.3	19.0-29.6	48	14.5	10.0-19.0	70	17.2	12.9-21.5	117	17.3	13.6-21.0	159	16.0	12.9-19.1	127	10.6	8.2-13.0
College Graduate	902	507,703	74	19.1	14.8-23.4	96	21.9	17.6-26.2	129	18.0	14.5-21.5	151	14.2	11.7-16.7	255	17.4	14.7-20.1	197	9.5	7.7-11.3
Less than \$15,000	182	181,715	16	21.3	10.9-31.7	11	9.9	3.8-16.0	17	10.9	5.2-16.6	57	30.6	22.0-39.2	37	12.8	7.5-18.1	44	14.7	9.0-20.4
\$15,000- 24,999	316	320,574	33	22.4	15.3-29.5	30	15.9	9.8-22.0	28	10.8	6.3-15.3	63	22.2	15.9-28.5	80	14.1	9.8-18.4	82	14.6	10.5-18.7
\$25,000- 34,999	228	237,154	21	22.6	13.8-31.4	19	18.7	10.3-27.1	17	9.4	4.1-14.7	47	19.1	12.4-25.8	48	13.3	8.8-17.8	76	16.9	11.8-22.0
\$35,000- 49,999	379	345,951	38	23.7	16.3-31.1	28	14.6	8.9-20.3	43	16.7	11.0-22.4	55	13.3	9.0-17.6	99	16.1	12.0-20.2	116	15.5	11.8-19.2
\$50,000- 74,999	410	406,839	39	20.7	13.8-27.6	47	21.8	15.3-28.3	53	18.0	12.1-23.9	63	14.2	10.1-18.3	116	15.7	12.0-19.4	92	9.6	6.9-12.3
\$75,000+	715	634,553	62	20.2	15.1-25.3	84	21.0	15.9-26.1	127	21.2	16.9-25.5	173	19.2	15.5-22.9	175	13.2	10.7-15.7	94	5.2	3.8- 6.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Female	3442	2,570,812	233	20.7	18.0-23.4	307	16.0	14.0-18.0	383	15.0	13.2-16.8	694	18.6	16.8-20.4	777	14.4	13.0-15.8	1048	15.2	14.0-16.4
White/Non-Hisp	2998	2,103,536	168	18.8	15.9-21.7	222	13.8	11.6-16.0	329	15.8	13.8-17.8	607	19.1	17.1-21.1	699	15.5	13.9-17.1	973	17.0	15.6-18.4
Black or Afr. Am./Non-Hisp	201	231,187	29	30.6	19.8-41.4	30	19.8	12.2-27.4	24	9.8	5.1-14.5	45	20.0	13.3-26.7	37	12.0	6.9-17.1	36	7.8	3.5-12.1
Oth. Race/Non-Hisp.	55	38,688	8	32.2	14.2-50.2	10	21.2	8.1-34.3	10	15.8	5.4-26.2	6	12.1	1.9-22.3	8	7.8	0.9-14.7	13	10.9	3.5-18.3
Hispanic	113	144,770	18	27.3	16.1-38.5	35	39.1	27.1-51.1	19	14.5	7.1-21.9	22	11.8	5.7-17.9	12	5.7	1.2-10.2	7	1.7	0.1-3.3
Less Than H.S.	269	322,269	27	31.2	20.8-41.6	20	14.1	7.2-21.0	22	10.6	5.9-15.3	46	14.4	9.5-19.3	44	11.1	7.2-15.0	110	18.6	13.7-23.5
H.S. or G.E.D.	1166	829,584	64	20.6	15.9-25.3	60	10.8	7.7-13.9	72	10.7	7.8-13.6	217	19.8	16.7-22.9	270	16.7	14.2-19.2	483	21.5	19.0-24.0
Some Post-H.S.	923	852,743	63	18.0	13.7-22.3	88	17.8	13.9-21.7	108	16.0	12.7-19.3	197	19.7	16.6-22.8	229	15.8	13.3-18.3	238	12.7	10.5-14.9
College Graduate	1063	550,081	78	19.2	15.3-23.1	137	22.3	18.4-26.2	180	22.5	19.0-26.0	227	17.2	14.5-19.9	232	11.2	9.2-13.2	209	7.6	6.2-9.0
Less than \$15,000	336	304,532	29	28.1	18.7-37.5	38	22.2	14.6-29.8	34	11.2	6.9-15.5	70	15.3	10.8-19.8	74	12.9	8.8-17.0	91	10.4	7.3-13.5
\$15,000- 24,999	581	433,228	47	25.4	18.3-32.5	31	10.3	6.4-14.2	37	13.2	8.5-17.9	83	16.0	11.9-20.1	116	13.0	9.9-16.1	267	22.0	18.1-25.9
\$25,000- 34,999	342	240,154	23	16.8	10.3-23.3	27	12.3	7.0-17.6	23	10.6	4.7-16.5	53	17.6	12.1-23.1	95	22.8	17.3-28.3	121	19.9	15.2-24.6
\$35,000- 49,999	462	356,538	29	21.3	13.5-29.1	43	16.3	10.8-21.8	36	11.3	7.2-15.4	103	22.4	17.3-27.5	104	13.3	10.0-16.6	147	15.5	11.6-19.4
\$50,000- 74,999	436	324,580	29	18.3	11.4-25.2	42	17.0	11.5-22.5	66	19.8	14.5-25.1	107	20.7	16.0-25.4	106	14.3	10.8-17.8	86	10.0	7.3-12.7
\$75,000+	697	512,111	36	11.6	7.5-15.7	99	23.4	18.3-28.5	158	25.7	21.4-30.0	207	25.1	21.0-29.2	127	9.9	7.5-12.3	70	4.2	3.0-5.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6004	5,025,264	3647	80.3	79.1-81.5	2357	19.7	18.5-20.9
Male	2562	2,454,453	1658	82.4	80.8-84.0	904	17.6	16.0-19.2
Female	3442	2,570,812	1989	78.4	76.8-80.0	1453	21.6	20.0-23.2
White/Non-Hisp	5210	4,063,629	3050	78.3	77.1-79.5	2160	21.7	20.5-22.9
Black or Afr. Am./Non-Hisp	318	425,176	237	86.6	82.5-90.7	81	13.4	9.3-17.5
Oth. Race/Non-Hisp.	118	108,697	86	88.2	82.9-93.5	32	11.8	6.5-17.1
MultiRacial/Non-Hisp.	79	58,362	53	91.0	86.3-95.7	26	9.0	4.3-13.7
Hispanic	183	279,675	166	97.3	95.5-99.1	17	2.7	0.9- 4.5
Less Than H.S.	479	675,956	278	79.8	76.1-83.5	201	20.2	16.5-23.9
H.S. or G.E.D.	2016	1,735,620	1084	76.6	74.6-78.6	932	23.4	21.4-25.4
Some Post-H.S.	1509	1,529,616	955	81.6	79.6-83.6	554	18.4	16.4-20.4
College Graduate	1965	1,057,784	1311	85.3	83.7-86.9	654	14.7	13.1-16.3
Less than \$15,000	518	486,247	319	80.9	77.2-84.6	199	19.1	15.4-22.8
\$15,000- 24,999	897	753,802	445	75.7	72.6-78.8	452	24.3	21.2-27.4
\$25,000- 34,999	570	477,308	297	72.7	68.4-77.0	273	27.3	23.0-31.6
\$35,000- 49,999	841	702,488	469	77.4	74.1-80.7	372	22.6	19.3-25.9
\$50,000- 74,999	846	731,419	570	84.1	81.6-86.6	276	15.9	13.4-18.4
\$75,000+	1412	1,146,664	1125	91.5	90.1-92.9	287	8.5	7.1- 9.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2562	2,454,453	1658	82.4	80.8-84.0	904	17.6	16.0-19.2
White/Non-Hisp	2212	1,960,093	1396	80.9	79.1-82.7	816	19.1	17.3-20.9
Black or Afr. Am./Non-Hisp	117	193,989	87	85.0	78.5-91.5	30	15.0	8.5-21.5
Oth. Race/Non-Hisp.	63	70,010	48	89.7	83.0-96.4	15	10.3	3.6-17.0
Hispanic	70	134,905	65	98.2	96.4- 100	5	1.8	0.0- 3.6
Less Than H.S.	210	353,688	140	82.5	77.2-87.8	70	17.5	12.2-22.8
H.S. or G.E.D.	850	906,037	556	82.4	79.9-84.9	294	17.6	15.1-20.1
Some Post-H.S.	586	676,873	383	82.5	79.4-85.6	203	17.5	14.4-20.6
College Graduate	902	507,703	573	82.6	80.1-85.1	329	17.4	14.9-19.9
Less than \$15,000	182	181,715	117	78.2	71.3-85.1	65	21.8	14.9-28.7
\$15,000- 24,999	316	320,574	199	80.8	76.1-85.5	117	19.2	14.5-23.9
\$25,000- 34,999	228	237,154	127	75.5	69.2-81.8	101	24.5	18.2-30.8
\$35,000- 49,999	379	345,951	207	76.4	71.7-81.1	172	23.6	18.9-28.3
\$50,000- 74,999	410	406,839	274	84.6	81.1-88.1	136	15.4	11.9-18.9
\$75,000+	715	634,553	548	90.5	88.5-92.5	167	9.5	7.5-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3442	2,570,812	1989	78.4	76.8-80.0	1453	21.6	20.0-23.2
White/Non-Hisp	2998	2,103,536	1654	75.9	74.1-77.7	1344	24.1	22.3-25.9
Black or Afr. Am./Non-Hisp	201	231,187	150	87.9	82.6-93.2	51	12.1	6.8-17.4
Oth. Race/Non-Hisp.	55	38,688	38	85.5	76.9-94.1	17	14.5	5.9-23.1
Hispanic	113	144,770	101	96.5	93.6-99.4	12	3.5	0.6- 6.4
Less Than H.S.	269	322,269	138	76.8	71.1-82.5	131	23.2	17.5-28.9
H.S. or G.E.D.	1166	829,584	528	70.1	67.0-73.2	638	29.9	26.8-33.0
Some Post-H.S.	923	852,743	572	80.8	78.1-83.5	351	19.2	16.5-21.9
College Graduate	1063	550,081	738	87.8	86.0-89.6	325	12.2	10.4-14.0
Less than \$15,000	336	304,532	202	82.6	78.3-86.9	134	17.4	13.1-21.7
\$15,000- 24,999	581	433,228	246	71.9	67.4-76.4	335	28.1	23.6-32.6
\$25,000- 34,999	342	240,154	170	69.9	64.0-75.8	172	30.1	24.2-36.0
\$35,000- 49,999	462	356,538	262	78.3	73.8-82.8	200	21.7	17.2-26.2
\$50,000- 74,999	436	324,580	296	83.6	79.9-87.3	140	16.4	12.7-20.1
\$75,000+	697	512,111	577	92.7	90.9-94.5	120	7.3	5.5- 9.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	5860	4,843,360	1	0.0	0.0- 0.0	337	4.3	3.7- 4.9	2613	40.6	38.8-42.4	2417	44.4	42.4-46.4	492	10.7	9.5-11.9	
Male	2510	2,381,662	1	0.0	0.0- 0.0	2	0.1	0.0- 0.3	238	10.0	8.2-11.8	1779	68.2	65.5-70.9	490	21.6	19.2-24.0	
Female	3350	2,461,698				335	8.3	7.1- 9.5	2375	70.3	67.9-72.7	638	21.3	19.1-23.5	2	0.0	0.0- 0.0	
White/Non-Hisp	5127	3,977,110				280	3.9	3.3- 4.5	2274	39.9	37.9-41.9	2143	45.8	43.8-47.8	430	10.4	9.0-11.8	
Black or Afr. Am./Non-Hisp	303	405,735				13	2.6	0.6- 4.6	153	43.9	36.3-51.5	100	35.6	28.2-43.0	37	17.8	11.5-24.1	
Oth. Race/Non-Hisp.	111	102,057				8	5.2	0.9- 9.5	53	41.8	29.5-54.1	44	42.6	30.3-54.9	6	10.4	1.4-19.4	
MultiRacial/Non-Hisp.	77	56,827				5	6.0	0.0-12.5	27	33.8	18.1-49.5	36	44.3	28.2-60.4	9	15.9	3.6-28.2	
Hispanic	146	216,469				22	11.5	5.8-17.2	80	54.5	43.7-65.3	42	32.8	22.2-43.4	2	1.2	0.0- 3.2	
18-24	267	665,639				7	1.9	0.3- 3.5	104	41.7	34.6-48.8	115	43.0	35.9-50.1	41	13.4	8.9-17.9	
25-34	431	789,992	1	0.1	0.0- 0.3	13	2.6	0.8- 4.4	166	34.0	28.7-39.3	203	51.4	45.5-57.3	48	11.9	8.2-15.6	
35-44	592	766,147				18	3.0	1.4- 4.6	243	39.0	34.1-43.9	272	45.7	40.6-50.8	59	12.3	8.8-15.8	
45-54	871	818,467				31	4.0	2.4- 5.6	359	39.1	35.0-43.2	395	45.4	41.1-49.7	86	11.5	8.6-14.4	
55-64	1354	817,757				57	4.8	3.2- 6.4	584	41.6	38.3-44.9	595	43.6	40.3-46.9	118	10.0	7.8-12.2	
65+	2300	957,143				207	8.1	6.7- 9.5	1135	46.9	44.2-49.6	825	38.9	36.2-41.6	133	6.1	4.7- 7.5	
Less Than H.S.	435	603,315				48	7.0	4.1- 9.9	199	44.1	37.2-51.0	160	40.3	33.4-47.2	28	8.5	4.4-12.6	
H.S. or G.E.D.	1977	1,683,387				166	5.7	4.5- 6.9	900	38.4	35.3-41.5	765	44.6	41.5-47.7	146	11.2	9.0-13.4	
Some Post-H.S.	1487	1,496,712				71	3.0	2.0- 4.0	704	43.3	39.8-46.8	609	44.6	41.1-48.1	103	9.1	6.9-11.3	
College Graduate	1933	1,039,146	1	0.1	0.0- 0.3	52	2.3	1.3- 3.3	791	37.9	35.0-40.8	877	46.6	43.5-49.7	212	13.1	10.9-15.3	
Less than \$15,000	501	448,868	1	0.2	0.0- 0.6	39	6.5	3.4- 9.6	255	49.6	42.9-56.3	174	35.1	28.8-41.4	32	8.6	4.5-12.7	
\$15,000- 24,999	884	736,225				76	5.7	3.9- 7.5	462	49.1	44.2-54.0	292	37.8	32.9-42.7	54	7.3	4.8- 9.8	
\$25,000- 34,999	561	464,095				43	5.3	3.1- 7.5	266	41.1	35.4-46.8	219	45.6	39.5-51.7	33	8.0	4.1-11.9	
\$35,000- 49,999	831	685,285				41	3.7	2.1- 5.3	355	39.2	34.3-44.1	376	48.3	43.2-53.4	59	8.8	5.9-11.7	
\$50,000- 74,999	839	720,641				32	2.8	1.6- 4.0	331	36.6	31.7-41.5	391	46.1	41.2-51.0	85	14.5	11.0-18.0	
\$75,000+	1406	1,139,326				27	1.5	0.7- 2.3	518	31.9	28.6-35.2	691	53.2	49.5-56.9	170	13.4	10.7-16.1	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2510	2,381,662	1	0.0	0.0- 0.0	2	0.1	0.0- 0.3	238	10.0	8.2-11.8	1779	68.2	65.5-70.9	490	21.6	19.2-24.0
White/Non-Hisp	2181	1,922,907				1	0.0	0.0- 0.0	176	7.5	5.9- 9.1	1576	70.9	68.2-73.6	428	21.5	19.0-24.0
Black or Afr. Am./Non-Hisp	114	191,668							15	10.1	4.2-16.0	62	52.2	40.4-64.0	37	37.8	26.2-49.4
Oth. Race/Non-Hisp.	58	65,782							13	23.0	7.5-38.5	39	60.8	43.6-78.0	6	16.2	2.7-29.7
Hispanic	59	112,377							26	44.8	27.9-61.7	31	52.8	35.9-69.7	2	2.4	0.0- 6.1
18-24	143	336,123							14	9.6	3.7-15.5	88	63.8	54.8-72.8	41	26.6	18.4-34.8
25-34	195	404,010	1	0.2	0.0- 0.6				14	6.8	2.3-11.3	132	69.7	62.1-77.3	48	23.3	16.4-30.2
35-44	271	396,690							28	11.2	5.7-16.7	185	65.3	58.0-72.6	58	23.6	17.3-29.9
45-54	388	410,794				1	0.5	0.0- 1.5	39	10.6	6.7-14.5	263	66.1	59.8-72.4	85	22.8	17.3-28.3
55-64	610	404,514				1	0.2	0.0- 0.6	48	9.7	6.4-13.0	443	69.8	64.9-74.7	118	20.3	16.2-24.4
65+	887	420,254							95	12.1	9.0-15.2	659	74.1	70.2-78.0	133	13.8	10.9-16.7
Less Than H.S.	196	325,730				1	0.6	0.0- 1.8	39	22.4	14.2-30.6	128	61.2	51.6-70.8	28	15.8	8.4-23.2
H.S. or G.E.D.	838	886,633							96	10.8	8.1-13.5	596	67.9	63.6-72.2	146	21.3	17.4-25.2
Some Post-H.S.	577	663,731				1	0.1	0.0- 0.3	38	5.6	3.2- 8.0	435	73.6	68.7-78.5	103	20.6	16.1-25.1
College Graduate	889	498,127	1	0.2	0.0- 0.6				64	6.2	4.2- 8.2	614	66.5	62.2-70.8	210	27.1	22.8-31.4
Less than \$15,000	182	181,025	1	0.5	0.0- 1.5				29	16.3	9.4-23.2	120	62.0	52.0-72.0	32	21.3	12.1-30.5
\$15,000- 24,999	315	315,694							50	18.5	12.4-24.6	211	64.3	57.0-71.6	54	17.1	11.4-22.8
\$25,000- 34,999	223	232,057				1	0.9	0.0- 2.7	26	8.3	4.2-12.4	163	74.8	66.8-82.8	33	16.0	8.6-23.4
\$35,000- 49,999	373	332,632				1	0.3	0.0- 0.9	36	10.1	5.2-15.0	277	71.5	64.6-78.4	59	18.2	12.3-24.1
\$50,000- 74,999	408	403,550							27	9.8	4.1-15.5	296	64.4	57.3-71.5	85	25.8	19.9-31.7
\$75,000+	716	634,320							36	3.4	2.0- 4.8	512	72.8	68.1-77.5	168	23.8	19.3-28.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3350	2,461,698	335	8.3	7.1- 9.5	2375	70.3	67.9-72.7	638	21.3	19.1-23.5	2	0.0	0.0- 0.0
White/Non-Hisp	2946	2,054,202	279	7.6	6.4- 8.8	2098	70.2	67.7-72.7	567	22.2	19.8-24.6	2	0.1	0.1- 0.1
Black or Afr. Am./Non-Hisp	189	214,067	13	5.0	1.5- 8.5	138	74.2	66.0-82.4	38	20.8	13.2-28.4			
Oth. Race/Non-Hisp.	53	36,275	8	14.7	2.9-26.5	40	75.8	61.7-89.9	5	9.5	0.1-18.9			
Hispanic	87	104,091	22	23.8	13.0-34.6	54	64.9	52.4-77.4	11	11.2	2.8-19.6			
18-24	124	329,516	7	3.8	0.7- 6.9	90	74.5	65.5-83.5	27	21.7	12.9-30.5			
25-34	236	385,982	13	5.3	1.6- 9.0	152	62.5	54.9-70.1	71	32.2	24.8-39.6			
35-44	321	369,457	18	6.3	3.0- 9.6	215	68.8	62.5-75.1	87	24.8	18.9-30.7	1	0.1	0.0- 0.3
45-54	483	407,673	30	7.5	4.6-10.4	320	67.8	62.7-72.9	132	24.6	20.1-29.1	1	0.1	0.0- 0.3
55-64	744	413,243	56	9.2	6.3-12.1	536	72.9	68.8-77.0	152	17.9	14.6-21.2			
65+	1413	536,889	207	14.5	12.1-16.9	1040	74.2	71.3-77.1	166	11.3	9.1-13.5			
Less Than H.S.	239	277,585	47	14.6	8.7-20.5	160	69.5	60.1-78.9	32	15.9	7.5-24.3			
H.S. or G.E.D.	1139	796,754	166	12.1	9.6-14.6	804	69.1	65.0-73.2	169	18.8	15.1-22.5			
Some Post-H.S.	910	832,982	70	5.3	3.7- 6.9	666	73.3	69.4-77.2	174	21.4	17.7-25.1			
College Graduate	1044	541,018	52	4.4	2.6- 6.2	727	67.1	63.0-71.2	263	28.3	24.4-32.2	2	0.2	0.0- 0.4
Less than \$15,000	319	267,843	39	10.9	5.8-16.0	226	72.2	64.4-80.0	54	16.9	10.2-23.6			
\$15,000- 24,999	569	420,531	76	10.0	6.9-13.1	412	72.0	66.3-77.7	81	17.9	12.8-23.0			
\$25,000- 34,999	338	232,039	42	9.8	5.9-13.7	240	73.9	67.6-80.2	56	16.4	11.1-21.7			
\$35,000- 49,999	458	352,654	40	6.9	3.8-10.0	319	66.7	59.6-73.8	99	26.5	19.6-33.4			
\$50,000- 74,999	431	317,090	32	6.4	3.7- 9.1	304	70.7	64.8-76.6	95	22.9	17.4-28.4			
\$75,000+	690	505,007	27	3.5	1.7- 5.3	482	67.8	62.7-72.9	179	28.5	23.6-33.4	2	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 25: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5889	4,897,618	1	0.0	0.0- 0.0	347	4.6	4.0- 5.2	2623	40.6	38.8-42.4	2423	44.1	42.1-46.1	495	10.7	9.5-11.9
Male	2520	2,401,846	1	0.0	0.0- 0.0	2	0.1	0.0- 0.3	241	10.2	8.4-12.0	1784	68.0	65.3-70.7	492	21.6	19.2-24.0
Female	3369	2,495,771				345	8.9	7.5-10.3	2382	69.8	67.4-72.2	639	21.1	18.9-23.3	3	0.3	0.0- 0.7
White/Non-Hisp	5131	3,981,030				281	3.9	3.3- 4.5	2275	39.9	37.9-41.9	2145	45.8	43.8-47.8	430	10.4	9.0-11.8
Black or Afr. Am./Non-Hisp	303	405,735				13	2.6	0.6- 4.6	153	43.9	36.3-51.5	100	35.6	28.2-43.0	37	17.8	11.5-24.1
Oth. Race/Non-Hisp.	114	105,817				8	5.1	0.8- 9.4	54	41.7	29.5-53.9	45	41.7	29.5-53.9	7	11.5	2.5-20.5
MultiRacial/Non-Hisp.	77	56,827				5	6.0	0.0-12.5	27	33.8	18.1-49.5	36	44.3	28.2-60.4	9	15.9	3.6-28.2
Hispanic	167	260,767				31	15.7	9.2-22.2	88	51.7	41.7-61.7	44	28.6	19.4-37.8	4	4.0	0.0- 8.9
18-24	269	668,694				7	1.9	0.3- 3.5	105	41.8	34.7-48.9	115	42.8	35.9-49.7	42	13.6	9.1-18.1
25-34	440	811,169	1	0.1	0.0- 0.3	17	3.5	1.5- 5.5	168	33.8	28.5-39.1	206	51.0	45.3-56.7	48	11.6	8.1-15.1
35-44	599	783,978				21	3.8	1.8- 5.8	245	38.7	33.8-43.6	273	44.8	39.7-49.9	60	12.8	9.1-16.5
45-54	874	825,422				33	4.2	2.6- 5.8	360	39.4	35.3-43.5	395	45.0	40.7-49.3	86	11.4	8.5-14.3
55-64	1359	821,370				57	4.7	3.1- 6.3	587	41.7	38.4-45.0	596	43.4	40.1-46.7	119	10.2	8.0-12.4
65+	2302	957,746				208	8.1	6.7- 9.5	1135	46.9	44.2-49.6	826	38.9	36.2-41.6	133	6.1	4.7- 7.5
Less Than H.S.	449	633,122				52	8.1	5.0-11.2	204	43.2	36.5-49.9	163	39.3	32.8-45.8	30	9.4	5.1-13.7
H.S. or G.E.D.	1981	1,690,205				170	6.1	4.9- 7.3	900	38.3	35.2-41.4	765	44.5	41.4-47.6	146	11.2	9.0-13.4
Some Post-H.S.	1492	1,509,981				71	3.0	2.0- 4.0	708	43.6	40.1-47.1	610	44.3	40.8-47.8	103	9.1	6.9-11.3
College Graduate	1939	1,043,510	1	0.1	0.0- 0.3	54	2.3	1.3- 3.3	792	37.9	35.0-40.8	879	46.5	43.4-49.6	213	13.2	11.0-15.4
Less than \$15,000	509	469,535	1	0.2	0.0- 0.6	43	7.6	4.3-10.9	257	48.7	42.0-55.4	175	34.0	27.9-40.1	33	9.5	5.0-14.0
\$15,000- 24,999	892	746,138				79	6.1	4.3- 7.9	467	49.3	44.4-54.2	292	37.3	32.6-42.0	54	7.3	4.8- 9.8
\$25,000- 34,999	564	467,541				44	5.5	3.3- 7.7	267	40.9	35.2-46.6	219	45.3	39.4-51.2	34	8.3	4.4-12.2
\$35,000- 49,999	834	693,914				42	3.9	2.1- 5.7	356	39.4	34.5-44.3	376	47.7	42.6-52.8	60	8.9	6.0-11.8
\$50,000- 74,999	840	723,367				32	2.8	1.6- 4.0	331	36.5	31.6-41.4	392	46.3	41.4-51.2	85	14.4	10.9-17.9
\$75,000+	1406	1,139,326				27	1.5	0.7- 2.3	518	31.9	28.6-35.2	691	53.2	49.5-56.9	170	13.4	10.7-16.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2520	2,401,846	1	0.0	0.0- 0.0	2	0.1	0.0- 0.3	241	10.2	8.4-12.0	1784	68.0	65.3-70.7	492	21.6	19.2-24.0
White/Non-Hisp	2183	1,925,764				1	0.0	0.0- 0.0	176	7.5	5.9- 9.1	1578	71.0	68.3-73.7	428	21.5	19.0-24.0
Black or Afr. Am./Non-Hisp	114	191,668							15	10.1	4.2-16.0	62	52.2	40.4-64.0	37	37.8	26.2-49.4
Oth. Race/Non-Hisp.	60	67,999							13	22.2	7.1-37.3	40	59.9	43.0-76.8	7	17.9	4.4-31.4
Hispanic	64	125,209							29	46.8	30.7-62.9	32	49.7	33.6-65.8	3	3.5	0.0- 7.8
18-24	144	337,635							14	9.6	3.9-15.3	88	63.5	54.5-72.5	42	26.9	18.7-35.1
25-34	199	414,547	1	0.2	0.0- 0.6				15	7.3	2.8-11.8	135	69.8	62.2-77.4	48	22.7	16.0-29.4
35-44	272	397,395							28	11.2	5.7-16.7	186	65.3	58.0-72.6	58	23.5	17.2-29.8
45-54	389	415,690				1	0.5	0.0- 1.5	40	11.6	7.3-15.9	263	65.3	59.0-71.6	85	22.6	17.1-28.1
55-64	613	407,047				1	0.2	0.0- 0.6	49	9.8	6.5-13.1	444	69.4	64.5-74.3	119	20.5	16.4-24.6
65+	887	420,254							95	12.1	9.0-15.2	659	74.1	70.2-78.0	133	13.8	10.9-16.7
Less Than H.S.	201	335,945				1	0.6	0.0- 1.8	41	22.8	14.6-31.0	130	60.8	51.4-70.2	29	15.8	8.5-23.1
H.S. or G.E.D.	838	886,633							96	10.8	8.1-13.5	596	67.9	63.6-72.2	146	21.3	17.4-25.2
Some Post-H.S.	579	671,353				1	0.1	0.0- 0.3	39	6.3	3.8- 8.8	436	73.2	68.3-78.1	103	20.4	15.9-24.9
College Graduate	892	500,475	1	0.2	0.0- 0.6				64	6.2	4.2- 8.2	616	66.3	62.0-70.6	211	27.3	23.0-31.6
Less than \$15,000	183	183,303	1	0.5	0.0- 1.5				29	16.1	9.2-23.0	121	62.5	52.7-72.3	32	21.0	12.0-30.0
\$15,000- 24,999	316	318,331							51	19.2	13.1-25.3	211	63.8	56.5-71.1	54	17.0	11.3-22.7
\$25,000- 34,999	225	234,461				1	0.9	0.0- 2.7	27	8.6	4.5-12.7	163	74.0	66.0-82.0	34	16.6	9.2-24.0
\$35,000- 49,999	375	339,040				1	0.2	0.0- 0.6	37	11.4	5.9-16.9	277	70.1	63.0-77.2	60	18.3	12.4-24.2
\$50,000- 74,999	409	406,277							27	9.7	4.0-15.4	297	64.7	57.6-71.8	85	25.6	19.7-31.5
\$75,000+	716	634,320							36	3.4	2.0- 4.8	512	72.8	68.1-77.5	168	23.8	19.3-28.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3369	2,495,771	345	8.9	7.5-10.3	2382	69.8	67.4-72.2	639	21.1	18.9-23.3	3	0.3	0.0- 0.7
White/Non-Hisp	2948	2,055,267	280	7.6	6.4- 8.8	2099	70.2	67.7-72.7	567	22.2	19.8-24.6	2	0.1	0.1- 0.1
Black or Afr. Am./Non-Hisp	189	214,067	13	5.0	1.5- 8.5	138	74.2	66.0-82.4	38	20.8	13.2-28.4			
Oth. Race/Non-Hisp.	54	37,818	8	14.1	2.9-25.3	41	76.8	63.1-90.5	5	9.1	0.1-18.1			
Hispanic	103	135,557	31	30.2	19.0-41.4	59	56.2	43.7-68.7	12	9.0	2.3-15.7	1	4.6	0.0-13.2
18-24	125	331,059	7	3.8	0.7- 6.9	91	74.6	65.6-83.6	27	21.6	12.8-30.4			
25-34	241	396,622	17	7.1	3.0-11.2	153	61.5	53.9-69.1	71	31.4	24.1-38.7			
35-44	327	386,583	21	7.6	3.9-11.3	217	66.9	60.2-73.6	87	23.7	18.0-29.4	2	1.7	0.0- 4.8
45-54	485	409,733	32	7.9	4.8-11.0	320	67.5	62.4-72.6	132	24.4	19.9-28.9	1	0.1	0.0- 0.3
55-64	746	414,322	56	9.2	6.3-12.1	538	73.0	68.9-77.1	152	17.8	14.5-21.1			
65+	1415	537,492	208	14.5	12.1-16.9	1040	74.1	71.2-77.0	167	11.4	9.2-13.6			
Less Than H.S.	248	297,177	51	16.6	10.3-22.9	163	66.2	56.8-75.6	33	15.0	7.0-23.0	1	2.1	0.0- 6.2
H.S. or G.E.D.	1143	803,572	170	12.9	10.4-15.4	804	68.5	64.4-72.6	169	18.6	14.9-22.3			
Some Post-H.S.	913	838,628	70	5.3	3.7- 6.9	669	73.5	69.6-77.4	174	21.3	17.6-25.0			
College Graduate	1047	543,035	54	4.4	2.6- 6.2	728	67.2	63.1-71.3	263	28.2	24.3-32.1	2	0.2	0.0- 0.4
Less than \$15,000	326	286,232	43	12.4	6.9-17.9	228	69.6	61.4-77.8	54	15.8	9.3-22.3	1	2.2	0.0- 6.3
\$15,000- 24,999	576	427,807	79	10.6	7.5-13.7	416	71.8	66.1-77.5	81	17.6	12.5-22.7			
\$25,000- 34,999	339	233,080	43	10.2	6.3-14.1	240	73.5	67.2-79.8	56	16.3	11.0-21.6			
\$35,000- 49,999	459	354,874	41	7.5	4.2-10.8	319	66.2	59.1-73.3	99	26.3	19.4-33.2			
\$50,000- 74,999	431	317,090	32	6.4	3.7- 9.1	304	70.7	64.8-76.6	95	22.9	17.4-28.4			
\$75,000+	690	505,007	27	3.5	1.7- 5.3	482	67.8	62.7-72.9	179	28.5	23.6-33.4	2	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5712	4,796,294	57	0.8	0.4- 1.2	1691	28.7	26.9-30.5	2554	44.7	42.7-46.7	1051	18.8	17.2-20.4	290	5.5	4.7- 6.3	69	1.6	1.0- 2.2
Male	2508	2,388,750	2	0.1	0.1- 0.1	239	11.4	9.4-13.4	1278	50.3	47.6-53.0	725	27.3	24.8-29.8	215	8.3	6.7- 9.9	49	2.6	1.6- 3.6
Female	3204	2,407,545	55	1.5	0.7- 2.3	1452	45.8	43.3-48.3	1276	39.0	36.5-41.5	326	10.3	8.7-11.9	75	2.7	1.9- 3.5	20	0.6	0.2- 1.0
White/Non-Hisp	4967	3,890,725	48	0.8	0.4- 1.2	1477	28.4	26.4-30.4	2220	44.3	42.1-46.5	910	19.4	17.8-21.0	254	5.7	4.7- 6.7	58	1.4	0.8- 2.0
Black or Afr. Am./Non-Hisp	292	398,563	3	0.7	0.0- 1.7	58	23.3	16.4-30.2	131	43.8	36.0-51.6	73	21.0	14.9-27.1	21	7.5	3.6-11.4	6	3.7	0.4- 7.0
Oth. Race/Non-Hisp.	108	100,501	4	2.5	0.0- 5.0	40	35.7	23.5-47.9	45	42.3	29.8-54.8	15	15.9	5.5-26.3	3	2.0	0.0- 4.5	1	1.5	0.0- 4.4
MultiRacial/Non-Hisp.	74	56,548	19	26.0	12.1-39.9	19	26.0	12.1-39.9	34	48.9	32.6-65.2	16	16.4	5.0-27.8	3	2.9	0.0- 7.4	2	5.8	0.0-15.4
Hispanic	178	271,149	1	0.6	0.0- 1.8	69	38.2	29.0-47.4	80	50.6	41.0-60.2	20	8.0	3.1-12.9	6	2.0	0.0- 4.0	2	0.6	0.0- 1.6
18-24	268	668,796	3	1.3	0.0- 3.3	98	37.2	30.3-44.1	115	43.1	36.0-50.2	36	13.3	8.4-18.2	12	4.0	1.6- 6.4	4	1.1	0.0- 2.3
25-34	433	801,635	7	1.1	0.1- 2.1	131	30.2	24.9-35.5	203	47.2	41.5-52.9	63	14.5	10.4-18.6	20	4.5	2.1- 6.9	9	2.5	0.5- 4.5
35-44	589	772,508	3	0.3	0.0- 0.7	166	25.6	21.3-29.9	256	43.3	38.2-48.4	125	23.9	19.4-28.4	35	6.0	3.6- 8.4	4	0.8	0.0- 1.8
45-54	852	809,728	5	0.4	0.0- 0.8	224	23.9	20.4-27.4	356	43.2	38.9-47.5	197	22.4	18.7-26.1	56	7.8	5.1-10.5	14	2.3	0.7- 3.9
55-64	1313	793,986	7	0.6	0.2- 1.0	320	24.0	21.1-26.9	599	45.2	41.7-48.7	284	22.0	19.1-24.9	74	5.7	4.1- 7.3	29	2.4	1.2- 3.6
65+	2224	931,105	32	1.1	0.7- 1.5	736	31.6	29.1-34.1	1013	45.7	43.0-48.4	343	16.7	14.5-18.9	92	4.6	3.4- 5.8	8	0.3	0.1- 0.5
Less Than H.S.	456	649,329	9	1.7	0.0- 3.9	162	31.6	25.5-37.7	200	47.6	40.9-54.3	65	14.3	9.8-18.8	11	2.8	0.6- 5.0	9	2.0	0.4- 3.6
H.S. or G.E.D.	1920	1,659,664	22	0.6	0.2- 1.0	579	28.0	25.1-30.9	856	42.9	39.8-46.0	351	20.7	18.0-23.4	90	5.7	4.1- 7.3	22	2.1	0.9- 3.3
Some Post-H.S.	1423	1,450,003	10	0.5	0.1- 0.9	400	28.9	25.6-32.2	632	44.6	41.1-48.1	282	19.1	16.4-21.8	83	5.9	4.1- 7.7	16	1.1	0.3- 1.9
College Graduate	1888	1,020,938	15	0.7	0.3- 1.1	543	27.8	25.1-30.5	852	45.7	42.6-48.8	351	18.3	15.9-20.7	106	6.3	4.7- 7.9	21	1.1	0.3- 1.9
Less than \$15,000	505	479,643	9	1.1	0.3- 1.9	168	35.8	29.5-42.1	208	41.3	34.6-48.0	90	16.4	11.7-21.1	24	4.3	1.8- 6.8	6	1.0	0.0- 2.2
\$15,000- 24,999	871	737,101	10	1.5	0.0- 3.3	257	28.5	24.0-33.0	412	46.3	41.4-51.2	131	15.7	11.8-19.6	47	6.1	3.7- 8.5	14	1.9	0.7- 3.1
\$25,000- 34,999	544	452,403	7	1.1	0.1- 2.1	162	25.3	20.2-30.4	246	44.9	39.0-50.8	97	20.3	15.4-25.2	25	5.7	2.8- 8.6	7	2.6	0.0- 5.3
\$35,000- 49,999	818	685,147	4	0.2	0.0- 0.4	214	28.0	22.9-33.1	386	47.4	42.3-52.5	161	18.7	14.8-22.6	43	4.8	3.0- 6.6	10	1.0	0.2- 1.8
\$50,000- 74,999	819	713,105	3	0.4	0.0- 1.0	200	24.4	19.9-28.9	383	46.3	41.2-51.4	171	20.8	16.9-24.7	56	6.9	4.5- 9.3	6	1.1	0.1- 2.1
\$75,000+	1380	1,117,303	8	0.4	0.0- 0.8	380	26.1	22.8-29.4	615	43.9	40.2-47.6	289	22.7	19.4-26.0	70	5.2	3.6- 6.8	18	1.6	0.6- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2508	2,388,750	2	0.1	0.1- 0.1	239	11.4	9.4-13.4	1278	50.3	47.6-53.0	725	27.3	24.8-29.8	215	8.3	6.7- 9.9	49	2.6	1.6- 3.6
White/Non-Hisp	2173	1,919,237	1	0.0	0.0- 0.0	189	9.8	7.8-11.8	1110	50.2	47.3-53.1	640	29.0	26.3-31.7	190	8.6	7.0-10.2	43	2.4	1.4- 3.4
Black or Afr. Am./Non-Hisp	113	187,568				9	9.3	3.0-15.6	50	46.1	34.1-58.1	35	25.7	15.5-35.9	15	12.5	4.9-20.1	4	6.4	0.0-13.3
Oth. Race/Non-Hisp.	58	65,695				12	26.4	10.9-41.9	32	49.7	32.6-66.8	12	21.3	6.6-36.0	2	2.6	0.0- 6.5			
Hispanic	68	131,634				16	27.4	13.9-40.9	34	55.7	40.6-70.8	13	13.1	3.7-22.5	5	3.8	0.0- 7.7			
18-24	145	342,941				31	20.8	13.2-28.4	78	55.4	46.2-64.6	26	17.9	10.6-25.2	6	3.7	0.6- 6.8	4	2.2	0.0- 4.4
25-34	196	408,276	1	0.2	0.0- 0.6	28	16.7	9.8-23.6	107	53.9	45.5-62.3	39	18.0	11.5-24.5	15	7.1	3.0-11.2	6	4.1	0.6- 7.6
35-44	269	390,145				18	6.6	3.1-10.1	135	46.2	38.8-53.6	91	36.5	29.2-43.8	23	9.3	5.2-13.4	2	1.4	0.0- 3.4
45-54	389	416,030				27	5.8	3.1- 8.5	177	45.7	39.2-52.2	133	32.7	26.6-38.8	44	12.1	7.4-16.8	8	3.7	0.8- 6.6
55-64	612	405,282	1	0.1	0.0- 0.3	45	8.9	5.6-12.2	294	48.6	43.5-53.7	198	30.8	26.3-35.3	51	8.0	5.3-10.7	23	3.5	1.5- 5.5
65+	886	420,154				89	11.1	8.0-14.2	481	53.0	48.5-57.5	235	27.1	23.2-31.0	75	8.4	6.0-10.8	6	0.4	0.0- 0.8
Less Than H.S.	201	337,919	1	0.2	0.0- 0.6	43	24.8	16.6-33.0	101	46.7	37.3-56.1	40	20.7	12.9-28.5	9	4.1	0.6- 7.6	7	3.4	0.3- 6.5
H.S. or G.E.D.	836	883,321				83	11.6	8.7-14.5	427	47.4	42.7-52.1	240	29.1	24.8-33.4	70	8.5	6.1-10.9	16	3.5	1.5- 5.5
Some Post-H.S.	573	659,988				43	8.3	4.8-11.8	287	54.3	48.8-59.8	178	26.7	22.0-31.4	53	8.8	5.7-11.9	12	1.9	0.5- 3.3
College Graduate	888	500,580	1	0.2	0.0- 0.6	70	6.5	4.5- 8.5	455	52.4	47.7-57.1	265	29.4	25.3-33.5	83	10.2	7.3-13.1	14	1.3	0.1- 2.5
Less than \$15,000	182	181,650	1	0.5	0.0- 1.5	36	20.6	12.8-28.4	81	45.1	35.1-55.1	44	24.3	15.1-33.5	16	7.3	2.6-12.0	4	2.2	0.0- 5.1
\$15,000- 24,999	314	315,720				38	16.1	10.2-22.0	163	48.9	41.3-56.5	76	22.5	16.2-28.8	27	8.8	4.3-13.3	10	3.7	1.0- 6.4
\$25,000- 34,999	224	229,361				26	12.6	6.1-19.1	116	49.1	39.9-58.3	63	26.5	18.7-34.3	16	7.9	3.2-12.6	3	3.8	0.0- 9.1
\$35,000- 49,999	375	343,043				34	10.9	5.6-16.2	194	57.5	50.2-64.8	109	24.0	17.9-30.1	31	6.4	3.5- 9.3	7	1.3	0.0- 2.7
\$50,000- 74,999	409	407,423				28	10.0	4.3-15.7	210	49.8	42.5-57.1	119	28.4	22.3-34.5	49	10.8	6.9-14.7	3	1.1	0.0- 2.5
\$75,000+	712	628,728				45	6.1	3.6- 8.6	362	50.7	45.2-56.2	235	33.6	28.5-38.7	56	7.3	4.8- 9.8	14	2.4	0.6- 4.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3204	2,407,545	55	1.5	0.7- 2.3	1452	45.8	43.3-48.3	1276	39.0	36.5-41.5	326	10.3	8.7-11.9	75	2.7	1.9- 3.5	20	0.6	0.2- 1.0
White/Non-Hisp	2794	1,971,488	47	1.5	0.7- 2.3	1288	46.5	43.8-49.2	1110	38.6	35.9-41.3	270	10.1	8.3-11.9	64	2.9	1.9- 3.9	15	0.5	0.3- 0.7
Black or Afr. Am./Non-Hisp	179	210,996	3	1.3	0.0- 3.1	49	35.7	25.3-46.1	81	41.7	31.3-52.1	38	16.8	9.9-23.7	6	3.1	0.2- 6.0	2	1.3	0.0- 3.3
Oth. Race/Non-Hisp.	50	34,806	4	7.3	0.0-14.7	28	53.1	35.3-70.9	13	28.5	12.8-44.2	3	5.7	0.0-14.1	1	0.9	0.0- 2.7	1	4.4	0.0-12.8
Hispanic	110	139,514	1	1.1	0.0- 3.3	53	48.5	36.5-60.5	46	45.8	33.6-58.0	7	3.1	0.0- 6.2	1	0.3	0.0- 0.9	2	1.2	0.0- 3.2
18-24	123	325,855	3	2.7	0.0- 6.8	67	54.4	43.8-65.0	37	30.2	20.2-40.2	10	8.4	2.1-14.7	6	4.2	0.5- 7.9			
25-34	237	393,359	6	2.1	0.3- 3.9	103	44.2	36.6-51.8	96	40.3	32.7-47.9	24	10.9	5.8-16.0	5	1.9	0.1- 3.7	3	0.8	0.0- 1.8
35-44	320	382,362	3	0.7	0.0- 1.7	148	45.0	38.1-51.9	121	40.4	33.5-47.3	34	11.0	6.9-15.1	12	2.6	0.6- 4.6	2	0.2	0.0- 0.6
45-54	463	393,698	5	0.7	0.0- 1.5	197	43.1	37.4-48.8	179	40.5	35.0-46.0	64	11.5	8.0-15.0	12	3.3	1.1- 5.5	6	0.9	0.1- 1.7
55-64	701	388,704	6	1.0	0.2- 1.8	275	39.8	35.1-44.5	305	41.7	37.0-46.4	86	12.9	9.4-16.4	23	3.4	1.6- 5.2	6	1.3	0.1- 2.5
65+	1338	510,950	32	1.9	1.1- 2.7	647	48.5	44.8-52.2	532	39.7	36.2-43.2	108	8.1	6.1-10.1	17	1.5	0.5- 2.5	2	0.2	0.0- 0.6
Less Than H.S.	255	311,410	8	3.4	0.0- 7.7	119	38.9	30.1-47.7	99	48.7	39.3-58.1	25	7.3	3.4-11.2	2	1.2	0.0- 3.4	2	0.5	0.0- 1.3
H.S. or G.E.D.	1084	776,342	22	1.4	0.6- 2.2	496	46.7	42.2-51.2	429	37.7	33.4-42.0	111	11.1	8.2-14.0	20	2.6	1.0- 4.2	6	0.6	0.0- 1.2
Some Post-H.S.	850	790,015	10	1.0	0.2- 1.8	357	46.1	41.4-50.8	345	36.4	32.1-40.7	104	12.7	9.4-16.0	30	3.4	1.8- 5.0	4	0.4	0.0- 0.8
College Graduate	1000	520,358	14	1.3	0.5- 2.1	473	48.3	44.0-52.6	397	39.1	34.8-43.4	86	7.7	5.5- 9.9	23	2.6	1.2- 4.0	7	1.0	0.0- 2.0
Less than \$15,000	323	297,993	8	1.4	0.2- 2.6	132	45.1	36.5-53.7	127	39.0	30.2-47.8	46	11.6	6.9-16.3	8	2.5	0.0- 5.4	2	0.4	0.0- 1.0
\$15,000- 24,999	557	421,381	10	2.6	0.0- 5.7	219	37.8	31.5-44.1	249	44.3	37.8-50.8	55	10.7	5.8-15.6	20	4.2	1.7- 6.7	4	0.5	0.0- 1.1
\$25,000- 34,999	320	223,042	7	2.3	0.1- 4.5	136	38.3	30.9-45.7	130	40.6	33.2-48.0	34	13.9	8.2-19.6	9	3.6	0.5- 6.7	4	1.3	0.0- 2.9
\$35,000- 49,999	443	342,104	4	0.4	0.0- 0.8	180	45.2	37.9-52.5	192	37.2	30.7-43.7	52	13.3	8.2-18.4	12	3.1	1.1- 5.1	3	0.7	0.0- 1.5
\$50,000- 74,999	410	305,682	3	0.9	0.0- 2.1	172	43.6	36.5-50.7	173	41.7	34.8-48.6	52	10.8	7.1-14.5	7	1.8	0.0- 3.6	3	1.2	0.0- 2.6
\$75,000+	668	488,574	8	1.0	0.2- 1.8	335	51.8	46.5-57.1	253	35.2	30.3-40.1	54	8.7	5.6-11.8	14	2.6	0.8- 4.4	4	0.7	0.0- 1.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5647	4,713,541	48	1.0	0.4- 1.6	1782	32.5	30.7-34.3	2013	35.3	33.5-37.1	1099	18.3	16.9-19.7	705	12.8	11.4-14.2
Male	2494	2,371,964	9	0.4	0.2- 0.6	625	27.1	24.6-29.6	1062	40.8	38.1-43.5	516	20.0	17.8-22.2	282	11.7	9.9-13.5
Female	3153	2,341,577	39	1.7	0.5- 2.9	1157	37.9	35.4-40.4	951	29.8	27.4-32.2	583	16.6	14.6-18.6	423	14.0	12.2-15.8
White/Non-Hisp	4931	3,848,392	40	0.9	0.3- 1.5	1584	33.1	31.1-35.1	1767	35.3	33.3-37.3	945	18.0	16.4-19.6	595	12.8	11.4-14.2
Black or Afr. Am./Non-Hisp	287	389,849	5	3.5	0.0- 7.6	63	25.8	18.9-32.7	86	30.4	23.1-37.7	72	21.6	14.9-28.3	61	18.6	12.7-24.5
Oth. Race/Non-Hisp.	106	98,978	2	1.4	0.0- 3.4	38	36.1	23.8-48.4	47	43.7	31.0-56.4	9	10.6	1.4-19.8	10	8.2	2.3-14.1
MultiRacial/Non-Hisp.	72	54,863	21	31.9	16.6-47.2	23	34.7	18.4-51.0	19	22.1	8.8-35.4	9	11.2	0.2-22.2	9	11.2	0.2-22.2
Hispanic	160	243,347	1	0.4	0.0- 1.2	41	30.0	20.2-39.8	60	41.1	30.7-51.5	35	19.3	11.5-27.1	23	9.2	4.7-13.7
18-24	262	650,540	7	3.7	0.0- 7.4	134	49.9	42.8-57.0	61	23.9	17.8-30.0	34	13.4	8.1-18.7	26	9.1	5.2-13.0
25-34	416	777,361	8	1.3	0.3- 2.3	145	35.6	29.9-41.3	142	34.8	29.3-40.3	70	15.4	11.3-19.5	51	12.9	9.0-16.8
35-44	576	753,621	1	0.2	0.0- 0.6	188	29.5	24.8-34.2	209	39.6	34.5-44.7	113	18.2	14.5-21.9	65	12.5	9.2-15.8
45-54	842	798,084	4	0.4	0.0- 0.8	247	26.0	22.5-29.5	280	35.5	31.4-39.6	175	21.4	17.7-25.1	136	16.8	13.5-20.1
55-64	1311	793,145	7	0.5	0.1- 0.9	357	26.5	23.4-29.6	465	36.2	32.9-39.5	296	21.9	19.2-24.6	186	15.0	12.5-17.5
65+	2209	922,755	21	0.8	0.4- 1.2	696	30.4	27.9-32.9	846	39.7	37.0-42.4	407	18.7	16.5-20.9	239	10.5	8.7-12.3
Less Than H.S.	437	620,418	8	2.5	0.0- 5.6	141	30.1	24.0-36.2	167	41.3	34.6-48.0	68	15.3	10.0-20.6	53	10.8	7.1-14.5
H.S. or G.E.D.	1902	1,630,540	22	1.5	0.3- 2.7	574	30.6	27.5-33.7	656	32.8	29.7-35.9	408	21.7	19.0-24.4	242	13.3	11.1-15.5
Some Post-H.S.	1415	1,440,397	9	0.3	0.1- 0.5	419	33.7	30.2-37.2	484	33.7	30.4-37.0	288	17.0	14.5-19.5	215	15.3	12.6-18.0
College Graduate	1871	1,007,278	8	0.4	0.0- 0.8	641	35.2	32.3-38.1	697	37.9	34.8-41.0	333	16.6	14.2-19.0	192	9.8	7.8-11.8
Less than \$15,000	493	459,114	9	1.1	0.1- 2.1	155	33.5	27.2-39.8	154	33.3	27.0-39.6	88	14.8	9.9-19.7	87	17.4	12.5-22.3
\$15,000- 24,999	858	715,283	9	0.8	0.0- 1.6	241	29.7	25.0-34.4	292	35.5	30.8-40.2	175	18.9	15.0-22.8	141	15.1	11.6-18.6
\$25,000- 34,999	543	451,691	4	0.4	0.0- 0.8	167	28.3	23.0-33.6	181	33.3	27.6-39.0	113	21.3	16.6-26.0	78	16.8	12.1-21.5
\$35,000- 49,999	815	679,088	3	1.6	0.0- 4.3	232	33.1	28.0-38.2	308	36.2	31.5-40.9	173	17.0	13.5-20.5	99	12.2	8.9-15.5
\$50,000- 74,999	812	703,121	1	0.0	0.0- 0.0	235	30.3	25.4-35.2	295	35.7	30.8-40.6	180	20.7	16.8-24.6	101	13.2	9.9-16.5
\$75,000+	1368	1,107,131	10	0.6	0.2- 1.0	460	35.8	32.1-39.5	517	35.3	31.8-38.8	248	18.2	15.3-21.1	133	10.1	7.7-12.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2494	2,371,964	9	0.4	0.2- 0.6	625	27.1	24.6-29.6	1062	40.8	38.1-43.5	516	20.0	17.8-22.2	282	11.7	9.9-13.5
White/Non-Hisp	2163	1,908,876	7	0.2	0.0- 0.4	534	26.4	23.7-29.1	931	41.0	38.1-43.9	441	20.1	17.7-22.5	250	12.2	10.2-14.2
Black or Afr. Am./Non-Hisp	113	187,568	2	2.0	0.0- 5.1	26	25.3	15.1-35.5	40	37.1	25.5-48.7	30	20.0	11.4-28.6	15	15.6	6.4-24.8
Oth. Race/Non-Hisp.	58	65,695				18	36.9	20.6-53.2	29	45.7	28.6-62.8	7	13.0	0.3-25.7	4	4.4	0.0- 9.1
Hispanic	64	125,209				18	32.5	17.6-47.4	22	38.8	22.7-54.9	18	24.0	11.1-36.9	6	4.7	0.4- 9.0
18-24	143	336,981	3	1.2	0.0- 3.0	73	50.6	41.2-60.0	37	28.4	19.4-37.4	19	12.1	6.2-18.0	11	7.6	3.1-12.1
25-34	195	406,333	1	0.2	0.0- 0.6	63	32.8	24.8-40.8	78	39.0	30.8-47.2	35	17.7	11.2-24.2	18	10.4	5.1-15.7
35-44	268	388,603				59	19.0	13.5-24.5	120	46.3	38.9-53.7	63	22.3	16.2-28.4	26	12.4	7.3-17.5
45-54	385	411,889	1	0.3	0.0- 0.9	79	17.4	12.9-21.9	156	40.0	33.7-46.3	91	24.9	19.0-30.8	58	17.3	12.0-22.6
55-64	611	404,820	2	0.2	0.0- 0.6	127	20.7	16.4-25.0	266	44.9	39.8-50.0	138	22.5	18.4-26.6	78	11.6	8.5-14.7
65+	882	417,698	2	0.3	0.0- 0.9	220	25.8	21.7-29.9	401	44.6	40.1-49.1	168	19.3	15.8-22.8	91	10.1	7.4-12.8
Less Than H.S.	199	333,784	2	0.6	0.0- 1.6	64	33.0	24.2-41.8	84	42.9	33.5-52.3	30	15.3	8.6-22.0	19	8.3	3.6-13.0
H.S. or G.E.D.	832	877,495	6	0.7	0.0- 1.5	206	26.3	22.2-30.4	328	36.9	32.4-41.4	200	23.6	19.7-27.5	92	12.5	9.4-15.6
Some Post-H.S.	572	658,788	1	0.0	0.0- 0.0	138	28.0	22.7-33.3	241	40.1	34.8-45.4	117	19.2	15.1-23.3	75	12.8	9.1-16.5
College Graduate	883	496,186				215	23.5	19.8-27.2	404	47.1	42.4-51.8	169	18.4	15.1-21.7	95	11.1	8.0-14.2
Less than \$15,000	181	181,369	2	1.4	0.0- 3.4	59	31.7	22.9-40.5	66	41.7	31.5-51.9	32	12.5	7.2-17.8	22	12.6	6.1-19.1
\$15,000- 24,999	313	313,528				92	30.0	23.1-36.9	121	36.0	28.7-43.3	57	20.2	13.7-26.7	43	13.7	8.4-19.0
\$25,000- 34,999	224	229,361				61	26.1	18.3-33.9	95	41.2	32.2-50.2	44	19.8	12.9-26.7	24	12.8	5.9-19.7
\$35,000- 49,999	372	336,984				87	28.6	21.5-35.7	162	43.4	36.1-50.7	84	19.3	13.6-25.0	39	8.7	4.8-12.6
\$50,000- 74,999	408	405,880	1	0.1	0.0- 0.3	94	25.4	18.7-32.1	164	39.8	32.5-47.1	97	21.2	16.1-26.3	52	13.6	9.1-18.1
\$75,000+	710	627,590	3	0.2	0.0- 0.6	160	25.9	20.8-31.0	322	41.8	36.5-47.1	155	22.2	17.7-26.7	70	9.9	6.8-13.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3153	2,341,577	39	1.7	0.5- 2.9	1157	37.9	35.4-40.4	951	29.8	27.4-32.2	583	16.6	14.6-18.6	423	14.0	12.2-15.8
White/Non-Hisp	2768	1,939,516	33	1.5	0.5- 2.5	1050	39.6	36.9-42.3	836	29.7	27.2-32.2	504	15.9	13.9-17.9	345	13.3	11.3-15.3
Black or Afr. Am./Non-Hisp	174	202,281	3	4.9	0.0-12.3	37	26.3	16.9-35.7	46	24.3	16.1-32.5	42	23.1	13.1-33.1	46	21.4	13.8-29.0
Hispanic	96	118,138	1	0.8	0.0- 2.4	23	27.3	14.8-39.8	38	43.6	30.9-56.3	17	14.3	6.3-22.3	17	14.1	6.5-21.7
18-24	119	313,559	4	6.3	0.0-13.7	61	49.1	38.3-59.9	24	19.0	10.8-27.2	15	14.9	6.1-23.7	15	10.8	4.5-17.1
25-34	221	371,028	7	2.5	0.5- 4.5	82	38.8	31.0-46.6	64	30.2	22.8-37.6	35	12.8	8.1-17.5	33	15.7	9.6-21.8
35-44	308	365,018	1	0.3	0.0- 0.9	129	40.7	33.6-47.8	89	32.5	25.6-39.4	50	13.8	9.5-18.1	39	12.6	8.1-17.1
45-54	457	386,195	3	0.5	0.0- 1.1	168	35.1	29.8-40.4	124	30.7	25.2-36.2	84	17.6	13.3-21.9	78	16.2	12.1-20.3
55-64	700	388,325	5	0.7	0.0- 1.5	230	32.6	28.3-36.9	199	27.1	22.8-31.4	158	21.2	17.5-24.9	108	18.5	14.4-22.6
65+	1327	505,057	19	1.2	0.6- 1.8	476	34.2	30.7-37.7	445	35.6	32.1-39.1	239	18.2	15.5-20.9	148	10.8	8.6-13.0
Less Than H.S.	238	286,633	6	4.6	0.0-11.1	77	26.8	18.6-35.0	83	39.5	30.1-48.9	38	15.5	7.3-23.7	34	13.7	7.6-19.8
H.S. or G.E.D.	1070	753,045	16	2.5	0.3- 4.7	368	35.6	31.1-40.1	328	28.1	24.2-32.0	208	19.5	16.0-23.0	150	14.3	11.2-17.4
Some Post-H.S.	843	781,608	8	0.6	0.2- 1.0	281	38.6	33.9-43.3	243	28.3	24.2-32.4	171	15.2	12.5-17.9	140	17.4	13.7-21.1
College Graduate	988	511,092	8	0.8	0.2- 1.4	426	46.7	42.4-51.0	293	29.0	24.9-33.1	164	14.9	12.0-17.8	97	8.7	6.3-11.1
Less than \$15,000	312	277,745	7	1.0	0.2- 1.8	96	34.6	25.8-43.4	88	27.7	20.3-35.1	56	16.3	8.9-23.7	65	20.5	13.4-27.6
\$15,000- 24,999	545	401,754	9	1.4	0.2- 2.6	149	29.4	23.1-35.7	171	35.1	28.8-41.4	118	17.9	13.0-22.8	98	16.2	11.5-20.9
\$25,000- 34,999	319	222,330	4	0.8	0.0- 1.8	106	30.4	23.3-37.5	86	25.2	18.5-31.9	69	22.8	16.5-29.1	54	20.8	14.3-27.3
\$35,000- 49,999	443	342,104	3	3.1	0.0- 8.4	145	37.4	30.3-44.5	146	29.1	23.0-35.2	89	14.6	10.5-18.7	60	15.7	10.4-21.0
\$50,000- 74,999	404	297,241				141	37.1	30.2-44.0	131	30.2	23.9-36.5	83	20.0	13.9-26.1	49	12.7	8.2-17.2
\$75,000+	658	479,541	7	1.1	0.1- 2.1	300	48.7	43.4-54.0	195	26.8	22.1-31.5	93	13.1	9.8-16.4	63	10.4	7.1-13.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5647	4,713,541	82	1.7	1.1- 2.3	1746	31.8	30.0-33.6	2009	35.2	33.4-37.0	1810	31.3	29.5-33.1
Male	2494	2,371,964	14	0.6	0.2- 1.0	620	26.8	24.3-29.3	1058	40.7	38.0-43.4	802	31.9	29.4-34.4
Female	3153	2,341,577	68	2.7	1.3- 4.1	1126	36.9	34.4-39.4	951	29.8	27.4-32.2	1008	30.7	28.3-33.1
White/Non-Hisp	4931	3,848,392	68	1.4	0.8- 2.0	1554	32.5	30.5-34.5	1764	35.3	33.3-37.3	1545	30.8	28.8-32.8
Black or Afr. Am./Non-Hisp	287	389,849	6	3.7	0.0- 7.8	62	25.6	18.7-32.5	85	29.8	22.5-37.1	134	40.9	33.1-48.7
Oth. Race/Non-Hisp.	106	98,978	3	4.2	0.0- 9.9	37	33.4	21.4-45.4	47	43.7	31.0-56.4	19	18.8	8.6-29.0
MultiRacial/Non-Hisp.	72	54,863	1	0.2	0.0- 0.6	20	31.7	16.4-47.0	23	34.7	18.4-51.0	28	33.4	17.9-48.9
Hispanic	160	243,347	3	2.0	0.0- 4.9	39	28.3	18.5-38.1	60	41.1	30.7-51.5	58	28.5	19.9-37.1
18-24	262	650,540	11	5.7	1.4-10.0	130	47.8	40.7-54.9	61	23.9	17.8-30.0	60	22.6	16.5-28.7
25-34	416	777,361	9	1.4	0.4- 2.4	144	35.5	29.8-41.2	142	34.8	29.3-40.3	121	28.3	23.0-33.6
35-44	576	753,621	3	0.6	0.0- 1.4	186	29.1	24.4-33.8	208	39.6	34.5-44.7	179	30.8	26.1-35.5
45-54	842	798,084	10	0.8	0.2- 1.4	241	25.6	22.1-29.1	279	35.4	31.3-39.5	312	38.2	33.9-42.5
55-64	1311	793,145	13	0.8	0.2- 1.4	351	26.2	23.1-29.3	465	36.2	32.9-39.5	482	36.8	33.5-40.1
65+	2209	922,755	36	1.4	0.8- 2.0	679	29.8	27.3-32.3	844	39.3	36.6-42.0	650	29.5	27.0-32.0
Less Than H.S.	437	620,418	14	4.4	0.7- 8.1	135	28.1	22.2-34.0	167	41.3	34.6-48.0	121	26.1	20.0-32.2
H.S. or G.E.D.	1902	1,630,540	35	2.1	0.9- 3.3	560	30.0	26.9-33.1	655	32.7	29.8-35.6	652	35.3	32.2-38.4
Some Post-H.S.	1415	1,440,397	18	0.7	0.3- 1.1	409	33.4	29.9-36.9	483	33.7	30.4-37.0	505	32.3	29.0-35.6
College Graduate	1871	1,007,278	13	0.6	0.2- 1.0	636	35.1	32.2-38.0	695	37.9	34.8-41.0	527	26.5	23.8-29.2
Less than \$15,000	493	459,114	14	2.0	0.4- 3.6	150	32.6	26.3-38.9	153	33.1	26.8-39.4	176	32.3	26.0-38.6
\$15,000- 24,999	858	715,283	15	2.1	0.1- 4.1	235	28.4	23.9-32.9	292	35.5	30.8-40.2	316	34.0	29.3-38.7
\$25,000- 34,999	543	451,691	7	0.7	0.1- 1.3	164	28.0	22.7-33.3	180	33.3	27.6-39.0	192	38.1	32.2-44.0
\$35,000- 49,999	815	679,088	4	1.6	0.0- 4.3	230	33.0	27.9-38.1	307	35.8	31.1-40.5	274	29.6	25.1-34.1
\$50,000- 74,999	812	703,121	5	0.5	0.0- 1.1	231	29.8	25.1-34.5	295	35.7	30.8-40.6	281	33.9	29.2-38.6
\$75,000+	1368	1,107,131	15	1.2	0.4- 2.0	454	35.2	31.5-38.9	517	35.3	31.8-38.8	382	28.4	24.9-31.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2494	2,371,964	14	0.6	0.2- 1.0	620	26.8	24.3-29.3	1058	40.7	38.0-43.4	802	31.9	29.4-34.4
White/Non-Hisp	2163	1,908,876	10	0.4	0.0- 0.8	531	26.2	23.5-28.9	928	41.0	38.1-43.9	694	32.4	29.7-35.1
Black or Afr. Am./Non-Hisp	113	187,568	2	2.0	0.0- 5.1	26	25.3	15.1-35.5	39	35.7	24.1-47.3	46	36.9	25.5-48.3
Oth. Race/Non-Hisp.	58	65,695	1	4.2	0.0-12.2	17	32.7	17.0-48.4	29	45.7	28.6-62.8	11	17.4	4.1-30.7
Hispanic	64	125,209				18	32.5	17.6-47.4	22	38.8	22.7-54.9	24	28.7	15.2-42.2
18-24	143	336,981	4	1.7	0.0- 3.7	72	50.1	40.7-59.5	37	28.4	19.4-37.4	30	19.7	12.6-26.8
25-34	195	406,333	2	0.5	0.0- 1.3	62	32.4	24.4-40.4	78	39.0	30.8-47.2	53	28.1	20.5-35.7
35-44	268	388,603	1	0.7	0.0- 2.1	58	18.3	12.8-23.8	119	46.2	38.8-53.6	90	34.9	27.8-42.0
45-54	385	411,889	1	0.3	0.0- 0.9	79	17.4	12.9-21.9	155	39.9	33.6-46.2	150	42.3	35.8-48.8
55-64	611	404,820	3	0.3	0.0- 0.7	126	20.7	16.4-25.0	266	44.9	39.8-50.0	216	34.2	29.5-38.9
65+	882	417,698	3	0.4	0.0- 1.0	219	25.6	21.5-29.7	399	43.9	39.4-48.4	261	30.0	25.9-34.1
Less Than H.S.	199	333,784	5	2.0	0.0- 4.0	61	31.6	22.8-40.4	84	42.9	33.5-52.3	49	23.5	15.7-31.3
H.S. or G.E.D.	832	877,495	7	0.9	0.1- 1.7	205	26.2	22.1-30.3	327	36.6	32.1-41.1	293	36.4	31.9-40.9
Some Post-H.S.	572	658,788	1	0.0	0.0- 0.0	138	28.0	22.7-33.3	239	40.0	34.7-45.3	194	32.0	26.9-37.1
College Graduate	883	496,186	1	0.0	0.0- 0.0	214	23.4	19.7-27.1	403	47.0	42.3-51.7	265	29.5	25.2-33.8
Less than \$15,000	181	181,369	4	3.2	0.0- 6.7	57	29.9	21.3-38.5	66	41.7	31.5-51.9	54	25.1	17.1-33.1
\$15,000- 24,999	313	313,528	1	0.5	0.0- 1.5	91	29.5	22.6-36.4	121	36.0	28.7-43.3	100	33.9	26.5-41.3
\$25,000- 34,999	224	229,361				61	26.1	18.3-33.9	94	41.1	32.1-50.1	69	32.7	23.9-41.5
\$35,000- 49,999	372	336,984				87	28.6	21.5-35.7	161	42.6	35.3-49.9	124	28.8	22.3-35.3
\$50,000- 74,999	408	405,880	2	0.4	0.0- 1.0	93	25.0	18.3-31.7	164	39.8	32.5-47.1	149	34.8	28.3-41.3
\$75,000+	710	627,590	3	0.2	0.0- 0.6	160	25.9	20.8-31.0	321	41.7	36.4-47.0	226	32.2	27.1-37.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3153	2,341,577	68	2.7	1.3- 4.1	1126	36.9	34.4-39.4	951	29.8	27.4-32.2	1008	30.7	28.3-33.1
White/Non-Hisp	2768	1,939,516	58	2.4	1.0- 3.8	1023	38.7	36.0-41.4	836	29.7	27.2-32.2	851	29.3	26.8-31.8
Black or Afr. Am./Non-Hisp	174	202,281	4	5.3	0.0-12.7	36	25.9	16.5-35.3	46	24.3	16.1-32.5	88	44.5	33.7-55.3
Hispanic	96	118,138	3	4.2	0.0-10.1	21	23.8	11.8-35.8	38	43.6	30.9-56.3	34	28.4	17.8-39.0
18-24	119	313,559	7	10.0	1.6-18.4	58	45.3	34.7-55.9	24	19.0	10.8-27.2	30	25.6	15.6-35.6
25-34	221	371,028	7	2.5	0.5- 4.5	82	38.8	31.0-46.6	64	30.2	22.8-37.6	68	28.5	21.4-35.6
35-44	308	365,018	2	0.5	0.0- 1.1	128	40.6	33.5-47.7	89	32.5	25.6-39.4	89	26.4	20.5-32.3
45-54	457	386,195	9	1.3	0.3- 2.3	162	34.2	28.9-39.5	124	30.7	25.2-36.2	162	33.8	28.5-39.1
55-64	700	388,325	10	1.3	0.3- 2.3	225	31.9	27.6-36.2	199	27.1	22.8-31.4	266	39.6	34.9-44.3
65+	1327	505,057	33	2.1	1.3- 2.9	460	33.2	29.7-36.7	445	35.6	32.1-39.1	389	29.1	25.8-32.4
Less Than H.S.	238	286,633	9	7.3	0.0-14.9	74	24.1	16.5-31.7	83	39.5	30.1-48.9	72	29.1	19.9-38.3
H.S. or G.E.D.	1070	753,045	28	3.5	1.1- 5.9	355	34.5	30.0-39.0	328	28.1	24.2-32.0	359	33.9	29.6-38.2
Some Post-H.S.	843	781,608	17	1.2	0.4- 2.0	271	37.9	33.2-42.6	244	28.4	24.3-32.5	311	32.5	28.2-36.8
College Graduate	988	511,092	12	1.1	0.3- 1.9	422	46.4	42.1-50.7	292	29.0	24.9-33.1	262	23.6	20.1-27.1
Less than \$15,000	312	277,745	10	1.3	0.3- 2.3	93	34.3	25.5-43.1	87	27.5	20.1-34.9	122	36.9	28.1-45.7
\$15,000- 24,999	545	401,754	14	3.3	0.0- 6.6	144	27.6	21.7-33.5	171	35.1	28.8-41.4	216	34.1	28.0-40.2
\$25,000- 34,999	319	222,330	7	1.4	0.2- 2.6	103	29.8	22.7-36.9	86	25.2	18.5-31.9	123	43.6	36.0-51.2
\$35,000- 49,999	443	342,104	4	3.2	0.0- 8.5	143	37.3	30.2-44.4	146	29.1	23.0-35.2	150	30.4	24.1-36.7
\$50,000- 74,999	404	297,241	3	0.7	0.0- 1.9	138	36.4	29.5-43.3	131	30.2	23.9-36.5	132	32.7	26.0-39.4
\$75,000+	658	479,541	12	2.4	0.6- 4.2	294	47.3	42.0-52.6	196	26.8	22.1-31.5	156	23.5	19.0-28.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5647	4,713,541	1828	33.5	31.5-35.5	3819	66.5	64.5-68.5
Male	2494	2,371,964	634	27.5	25.0-30.0	1860	72.5	70.0-75.0
Female	3153	2,341,577	1194	39.6	36.9-42.3	1959	60.4	57.7-63.1
White/Non-Hisp	4931	3,848,392	1622	33.9	31.9-35.9	3309	66.1	64.1-68.1
Black or Afr. Am./Non-Hisp	287	389,849	68	29.3	21.9-36.7	219	70.7	63.3-78.1
Oth. Race/Non-Hisp.	106	98,978	40	37.5	25.2-49.8	66	62.5	50.2-74.8
MultiRacial/Non-Hisp.	72	54,863	21	31.9	16.6-47.2	51	68.1	52.8-83.4
Hispanic	160	243,347	42	30.3	20.5-40.1	118	69.7	59.9-79.5
18-24	262	650,540	141	53.5	46.4-60.6	121	46.5	39.4-53.6
25-34	416	777,361	153	36.9	31.2-42.6	263	63.1	57.4-68.8
35-44	576	753,621	189	29.7	25.0-34.4	387	70.3	65.6-75.0
45-54	842	798,084	251	26.4	22.9-29.9	591	73.6	70.1-77.1
55-64	1311	793,145	364	27.0	23.9-30.1	947	73.0	69.9-76.1
65+	2209	922,755	715	31.1	28.4-33.8	1494	68.9	66.2-71.6
Less Than H.S.	437	620,418	149	32.6	26.1-39.1	288	67.4	60.9-73.9
H.S. or G.E.D.	1902	1,630,540	595	32.1	29.0-35.2	1307	67.9	64.8-71.0
Some Post-H.S.	1415	1,440,397	427	34.0	30.5-37.5	988	66.0	62.5-69.5
College Graduate	1871	1,007,278	649	35.6	32.7-38.5	1222	64.4	61.5-67.3
Less than \$15,000	493	459,114	164	34.6	28.1-41.1	329	65.4	58.9-71.9
\$15,000- 24,999	858	715,283	250	30.5	25.8-35.2	608	69.5	64.8-74.2
\$25,000- 34,999	543	451,691	171	28.7	23.4-34.0	372	71.3	66.0-76.6
\$35,000- 49,999	815	679,088	234	34.6	29.3-39.9	581	65.4	60.1-70.7
\$50,000- 74,999	812	703,121	236	30.4	25.5-35.3	576	69.6	64.7-74.5
\$75,000+	1368	1,107,131	469	36.3	32.6-40.0	899	63.7	60.0-67.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2494	2,371,964	634	27.5	25.0-30.0	1860	72.5	70.0-75.0
White/Non-Hisp	2163	1,908,876	541	26.6	23.9-29.3	1622	73.4	70.7-76.1
Black or Afr. Am./Non-Hisp	113	187,568	28	27.3	16.9-37.7	85	72.7	62.3-83.1
Oth. Race/Non-Hisp.	58	65,695	18	36.9	20.6-53.2	40	63.1	46.8-79.4
Hispanic	64	125,209	18	32.5	17.6-47.4	46	67.5	52.6-82.4
18-24	143	336,981	76	51.9	42.5-61.3	67	48.1	38.7-57.5
25-34	195	406,333	64	32.9	24.9-40.9	131	67.1	59.1-75.1
35-44	268	388,603	59	19.0	13.5-24.5	209	81.0	75.5-86.5
45-54	385	411,889	80	17.8	13.3-22.3	305	82.2	77.7-86.7
55-64	611	404,820	129	21.0	16.7-25.3	482	79.0	74.7-83.3
65+	882	417,698	222	26.1	22.0-30.2	660	73.9	69.8-78.0
Less Than H.S.	199	333,784	66	33.6	24.8-42.4	133	66.4	57.6-75.2
H.S. or G.E.D.	832	877,495	212	27.0	22.9-31.1	620	73.0	68.9-77.1
Some Post-H.S.	572	658,788	139	28.0	22.7-33.3	433	72.0	66.7-77.3
College Graduate	883	496,186	215	23.5	19.8-27.2	668	76.5	72.8-80.2
Less than \$15,000	181	181,369	61	33.1	24.1-42.1	120	66.9	57.9-75.9
\$15,000- 24,999	313	313,528	92	30.0	23.1-36.9	221	70.0	63.1-76.9
\$25,000- 34,999	224	229,361	61	26.1	18.3-33.9	163	73.9	66.1-81.7
\$35,000- 49,999	372	336,984	87	28.6	21.5-35.7	285	71.4	64.3-78.5
\$50,000- 74,999	408	405,880	95	25.5	18.8-32.2	313	74.5	67.8-81.2
\$75,000+	710	627,590	163	26.1	21.0-31.2	547	73.9	68.8-79.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3153	2,341,577	1194	39.6	36.9-42.3	1959	60.4	57.7-63.1
White/Non-Hisp	2768	1,939,516	1081	41.1	38.2-44.0	1687	58.9	56.0-61.8
Black or Afr. Am./Non-Hisp	174	202,281	40	31.2	20.6-41.8	134	68.8	58.2-79.4
Hispanic	96	118,138	24	28.0	15.5-40.5	72	72.0	59.5-84.5
18-24	119	313,559	65	55.3	44.5-66.1	54	44.7	33.9-55.5
25-34	221	371,028	89	41.3	33.5-49.1	132	58.7	50.9-66.5
35-44	308	365,018	130	41.1	34.0-48.2	178	58.9	51.8-66.0
45-54	457	386,195	171	35.5	30.2-40.8	286	64.5	59.2-69.8
55-64	700	388,325	235	33.2	28.7-37.7	465	66.8	62.3-71.3
65+	1327	505,057	493	35.3	31.8-38.8	834	64.7	61.2-68.2
Less Than H.S.	238	286,633	83	31.4	22.0-40.8	155	68.6	59.2-78.0
H.S. or G.E.D.	1070	753,045	383	38.0	33.3-42.7	687	62.0	57.3-66.7
Some Post-H.S.	843	781,608	288	39.1	34.4-43.8	555	60.9	56.2-65.6
College Graduate	988	511,092	434	47.5	43.2-51.8	554	52.5	48.2-56.8
Less than \$15,000	312	277,745	103	35.5	26.7-44.3	209	64.5	55.7-73.3
\$15,000- 24,999	545	401,754	158	30.8	24.3-37.3	387	69.2	62.7-75.7
\$25,000- 34,999	319	222,330	110	31.3	24.2-38.4	209	68.7	61.6-75.8
\$35,000- 49,999	443	342,104	147	40.5	33.1-47.9	296	59.5	52.1-66.9
\$50,000- 74,999	404	297,241	141	37.1	30.2-44.0	263	62.9	56.0-69.8
\$75,000+	658	479,541	306	49.7	44.4-55.0	352	50.3	45.0-55.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6038	5,033,293	4582	61.8	59.8-63.8	573	15.9	14.3-17.5	540	13.2	11.8-14.6	226	6.0	5.0- 7.0	77	2.1	1.5- 2.7	40	0.9	0.5- 1.3
Male	2569	2,448,362	1979	64.8	62.1-67.5	239	14.0	11.8-16.2	222	12.7	10.5-14.9	81	5.6	4.0- 7.2	31	1.9	1.1- 2.7	17	1.1	0.5- 1.7
Female	3469	2,584,931	2603	59.0	56.5-61.5	334	17.7	15.3-20.1	318	13.7	11.7-15.7	145	6.4	5.2- 7.6	46	2.3	1.3- 3.3	23	0.8	0.4- 1.2
White/Non-Hisp	5243	4,072,206	4094	64.2	62.0-66.4	463	15.6	13.8-17.4	423	12.2	10.6-13.8	176	5.4	4.4- 6.4	56	1.7	1.1- 2.3	31	0.9	0.5- 1.3
Black or Afr. Am./Non-Hisp	316	422,043	199	54.8	47.2-62.4	45	18.6	11.9-25.3	47	17.2	11.7-22.7	12	6.2	1.7-10.7	9	2.3	0.7- 3.9	4	0.9	0.0- 1.9
Oth. Race/Non-Hisp.	119	110,243	75	62.0	50.4-73.6	22	19.6	10.2-29.0	15	12.7	5.8-19.6	7	5.7	0.0-12.8						
MultiRacial/Non-Hisp.	78	56,986	60	67.3	51.0-83.6	8	17.6	2.1-33.1	4	4.2	0.0- 8.9	3	4.9	0.0-10.8	2	5.1	0.0-12.7	1	1.0	0.0- 3.0
Hispanic	182	279,091	72	34.6	25.8-43.4	33	18.4	11.5-25.3	43	24.1	15.5-32.7	25	15.2	8.3-22.1	7	6.4	0.5-12.3	2	1.2	0.0- 3.0
18-24	276	685,268	191	63.6	56.7-70.5	54	23.3	17.0-29.6	21	9.2	4.7-13.7	9	3.3	0.9- 5.7	1	0.5	0.0- 1.5			
25-34	448	825,706	159	32.3	27.2-37.4	94	22.7	17.8-27.6	111	25.9	20.8-31.0	57	13.9	9.8-18.0	18	3.4	1.6- 5.2	9	1.9	0.5- 3.3
35-44	616	810,903	126	21.8	17.7-25.9	126	24.4	19.9-28.9	208	30.3	25.8-34.8	100	14.3	11.0-17.6	39	6.7	4.0- 9.4	17	2.3	0.9- 3.7
45-54	903	854,549	524	59.8	55.7-63.9	183	21.4	17.9-24.9	133	12.0	9.6-14.4	40	3.7	1.9- 5.5	15	2.0	0.6- 3.4	8	1.0	0.0- 2.0
55-64	1386	837,569	1254	89.6	87.6-91.6	75	5.6	4.2- 7.0	41	3.1	1.9- 4.3	12	1.4	0.4- 2.4	1	0.1	0.0- 0.3	3	0.2	0.0- 0.4
65+	2352	985,926	2279	95.9	94.7-97.1	38	2.4	1.2- 3.6	23	1.1	0.5- 1.7	7	0.2	0.0- 0.4	3	0.2	0.0- 0.4	2	0.2	0.0- 0.4
Less Than H.S.	480	672,478	354	55.7	49.0-62.4	48	17.6	11.9-23.3	42	14.1	8.8-19.4	20	6.9	3.6-10.2	11	3.9	1.2- 6.6	5	1.8	0.2- 3.4
H.S. or G.E.D.	2027	1,734,435	1660	66.2	62.9-69.5	165	16.0	13.3-18.7	129	10.7	8.3-13.1	49	5.1	3.5- 6.7	14	1.2	0.4- 2.0	10	0.9	0.3- 1.5
Some Post-H.S.	1521	1,537,708	1160	63.7	60.2-67.2	147	15.5	12.8-18.2	122	11.7	9.3-14.1	61	6.3	4.3- 8.3	25	2.3	1.1- 3.5	6	0.4	0.0- 0.8
College Graduate	1973	1,061,907	1374	55.2	52.1-58.3	213	15.9	13.5-18.3	245	19.0	16.3-21.7	95	6.5	4.9- 8.1	27	2.1	1.1- 3.1	19	1.3	0.5- 2.1
Less than \$15,000	522	488,624	423	66.5	59.6-73.4	45	15.0	9.3-20.7	31	10.4	5.9-14.9	15	4.8	1.9- 7.7	5	2.3	0.0- 5.0	3	1.0	0.0- 2.2
\$15,000- 24,999	901	755,129	739	66.2	61.1-71.3	71	15.8	11.5-20.1	48	8.1	5.4-10.8	35	8.5	5.4-11.6	3	0.7	0.0- 1.7	5	0.7	0.0- 1.5
\$25,000- 34,999	572	477,964	462	66.8	60.7-72.9	46	13.3	8.8-17.8	38	10.3	6.2-14.4	18	6.5	3.0-10.0	7	2.6	0.4- 4.8	1	0.5	0.0- 1.5
\$35,000- 49,999	845	704,803	673	66.1	61.0-71.2	68	13.0	9.5-16.5	56	11.5	7.6-15.4	24	4.7	2.5- 6.9	16	3.4	1.2- 5.6	8	1.3	0.1- 2.5
\$50,000- 74,999	849	734,226	614	55.1	50.0-60.2	95	19.1	14.8-23.4	88	16.3	12.2-20.4	30	5.8	3.1- 8.5	14	2.4	0.8- 4.0	8	1.3	0.3- 2.3
\$75,000+	1420	1,149,805	882	51.9	48.2-55.6	192	18.4	15.3-21.5	224	19.8	16.7-22.9	88	7.3	5.3- 9.3	24	2.1	0.9- 3.3	10	0.5	0.1- 0.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2569	2,448,362	1979	64.8	62.1-67.5	239	14.0	11.8-16.2	222	12.7	10.5-14.9	81	5.6	4.0- 7.2	31	1.9	1.1- 2.7	17	1.1	0.5- 1.7
White/Non-Hisp	2220	1,957,321	1747	66.5	63.6-69.4	194	14.0	11.6-16.4	179	12.1	9.9-14.3	64	4.7	3.3- 6.1	23	1.6	0.8- 2.4	13	1.1	0.5- 1.7
Black or Afr. Am./Non-Hisp	116	190,978	86	66.9	55.3-78.5	12	12.0	4.6-19.4	10	10.7	3.3-18.1	4	8.3	0.0-16.9	3	1.8	0.0- 4.0	1	0.3	0.0- 0.9
Oth. Race/Non-Hisp.	63	70,010	42	66.4	50.7-82.1	11	16.7	4.4-29.0	7	10.5	2.3-18.7	3	6.5	0.0-17.1						
Hispanic	69	134,321	26	36.0	21.7-50.3	14	16.0	6.2-25.8	16	23.7	9.6-37.8	9	17.0	5.2-28.8	3	6.5	0.0-14.5	1	0.9	0.0- 2.7
18-24	149	349,667	111	71.1	62.5-79.7	26	19.6	12.2-27.0	9	6.5	2.0-11.0	3	2.9	0.0- 6.6						
25-34	199	414,645	101	44.0	35.8-52.2	32	15.1	9.2-21.0	38	22.9	15.3-30.5	21	14.4	8.1-20.7	4	1.8	0.0- 3.8	3	1.8	0.0- 4.0
35-44	277	403,866	71	25.8	19.5-32.1	54	22.7	16.4-29.0	95	32.1	25.0-39.2	31	10.3	6.0-14.6	17	6.0	2.5- 9.5	9	3.1	0.7- 5.5
45-54	404	429,419	240	59.9	53.6-66.2	77	20.0	14.9-25.1	56	11.5	8.0-15.0	17	3.9	1.2- 6.6	10	3.3	0.6- 6.0	4	1.3	0.0- 2.9
55-64	621	410,617	562	90.2	87.5-92.9	34	5.4	3.2- 7.6	16	2.4	1.0- 3.8	8	1.9	0.5- 3.3				1	0.1	0.0- 0.3
65+	902	430,314	879	96.4	94.4-98.4	15	2.8	0.8- 4.8	7	0.8	0.0- 1.6	1	0.0	0.0- 0.0						
Less Than H.S.	209	349,037	156	60.3	50.9-69.7	19	14.7	7.4-22.0	18	13.5	6.2-20.8	8	6.7	1.6-11.8	5	2.6	0.1- 5.1	3	2.2	0.0- 4.7
H.S. or G.E.D.	851	900,799	672	65.3	60.6-70.0	85	16.5	12.8-20.2	55	9.7	6.6-12.8	24	5.8	3.1- 8.5	9	1.5	0.3- 2.7	6	1.2	0.0- 2.4
Some Post-H.S.	589	679,113	468	69.4	64.1-74.7	40	10.4	6.9-13.9	51	12.2	8.3-16.1	21	5.6	2.7- 8.5	8	2.2	0.2- 4.2	1	0.1	0.0- 0.3
College Graduate	905	508,596	668	59.8	55.1-64.5	95	14.4	11.1-17.7	98	18.3	14.2-22.4	28	4.5	2.5- 6.5	9	1.5	0.3- 2.7	7	1.4	0.2- 2.6
Less than \$15,000	183	182,741	165	85.7	77.9-93.5	11	8.1	2.8-13.4	4	1.8	0.0- 4.0	2	3.8	0.0- 9.7				1	0.6	0.0- 1.8
\$15,000- 24,999	318	320,989	265	72.4	65.0-79.8	20	9.4	4.5-14.3	20	9.5	4.8-14.2	11	7.6	2.3-12.9				2	1.0	0.0- 2.8
\$25,000- 34,999	228	237,154	183	65.5	56.1-74.9	21	12.0	6.1-17.9	13	10.6	3.7-17.5	6	7.5	1.2-13.8	4	3.5	0.0- 7.0	1	0.9	0.0- 2.7
\$35,000- 49,999	381	346,779	315	70.8	63.7-77.9	22	11.0	5.9-16.1	22	7.5	3.8-11.2	11	5.3	1.8- 8.8	9	4.2	0.5- 7.9	2	1.3	0.0- 3.3
\$50,000- 74,999	411	407,948	300	52.6	45.5-59.7	42	17.7	11.8-23.6	43	18.5	12.2-24.8	15	7.2	2.7-11.7	7	2.6	0.2- 5.0	4	1.4	0.0- 3.0
\$75,000+	717	633,023	471	54.4	48.9-59.9	101	19.2	14.7-23.7	99	19.1	14.4-23.8	32	5.5	3.0- 8.0	9	1.2	0.2- 2.2	5	0.6	0.0- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3469	2,584,931	2603	59.0	56.5-61.5	334	17.7	15.3-20.1	318	13.7	11.7-15.7	145	6.4	5.2- 7.6	46	2.3	1.3- 3.3	23	0.8	0.4- 1.2
White/Non-Hisp	3023	2,114,886	2347	62.0	59.3-64.7	269	17.1	14.6-19.6	244	12.2	10.2-14.2	112	6.0	4.6- 7.4	33	1.8	1.0- 2.6	18	0.7	0.3- 1.1
Black or Afr. Am./Non-Hisp	200	231,065	113	44.8	35.2-54.4	33	24.1	14.1-34.1	37	22.6	15.0-30.2	8	4.4	0.7- 8.1	6	2.7	0.2- 5.2	3	1.4	0.0- 3.2
Oth. Race/Non-Hisp.	56	40,233	33	54.5	38.0-71.0	11	24.7	10.4-39.0	8	16.5	4.3-28.7	4	4.3	0.0- 9.0						
Hispanic	113	144,770	46	33.3	22.5-44.1	19	20.7	11.1-30.3	27	24.6	14.4-34.8	16	13.6	6.2-21.0	4	6.3	0.0-14.7	1	1.6	0.0- 4.7
18-24	127	335,601	80	55.9	45.3-66.5	28	27.3	17.5-37.1	12	12.1	4.5-19.7	6	3.7	0.6- 6.8	1	1.0	0.0- 3.0			
25-34	249	411,061	58	20.5	14.8-26.2	62	30.4	23.1-37.7	73	28.9	22.2-35.6	36	13.4	8.5-18.3	14	4.9	2.0- 7.8	6	2.0	0.2- 3.8
35-44	339	407,037	55	17.9	12.4-23.4	72	26.1	19.8-32.4	113	28.6	22.7-34.5	69	18.3	13.4-23.2	22	7.5	3.4-11.6	8	1.6	0.4- 2.8
45-54	499	425,131	284	59.7	54.4-65.0	106	22.9	18.2-27.6	77	12.5	9.4-15.6	23	3.5	1.7- 5.3	5	0.6	0.0- 1.2	4	0.8	0.0- 2.0
55-64	765	426,952	692	89.0	86.3-91.7	41	5.8	3.8- 7.8	25	3.7	1.9- 5.5	4	1.0	0.0- 2.2	1	0.2	0.0- 0.6	2	0.3	0.0- 0.7
65+	1450	555,613	1400	95.5	93.9-97.1	23	2.2	1.0- 3.4	16	1.3	0.5- 2.1	6	0.4	0.0- 0.8	3	0.3	0.0- 0.7	2	0.3	0.0- 0.7
Less Than H.S.	271	323,440	198	50.8	41.6-60.0	29	20.7	11.7-29.7	24	14.8	7.4-22.2	12	7.0	2.5-11.5	6	5.3	0.2-10.4	2	1.4	0.0- 3.4
H.S. or G.E.D.	1176	833,636	988	67.1	62.6-71.6	80	15.4	11.5-19.3	74	11.8	8.7-14.9	25	4.3	2.5- 6.1	5	0.8	0.0- 1.6	4	0.6	0.0- 1.2
Some Post-H.S.	932	858,595	692	59.2	54.7-63.7	107	19.5	15.6-23.4	71	11.3	8.2-14.4	40	6.9	4.5- 9.3	17	2.4	1.0- 3.8	5	0.7	0.1- 1.3
College Graduate	1068	553,311	706	51.0	46.7-55.3	118	17.3	13.8-20.8	147	19.6	16.1-23.1	67	8.3	5.9-10.7	18	2.6	1.0- 4.2	12	1.1	0.3- 1.9
Less than \$15,000	339	305,884	258	55.1	46.3-63.9	34	19.2	11.0-27.4	27	15.6	8.7-22.5	13	5.4	2.1- 8.7	5	3.6	0.0- 7.9	2	1.2	0.0- 3.0
\$15,000- 24,999	583	434,141	474	61.6	54.9-68.3	51	20.6	14.3-26.9	28	7.0	4.1- 9.9	24	9.1	5.2-13.0	3	1.1	0.0- 2.7	3	0.5	0.0- 1.1
\$25,000- 34,999	344	240,810	279	68.1	60.3-75.9	25	14.7	8.0-21.4	25	10.1	5.4-14.8	12	5.5	2.0- 9.0	3	1.6	0.0- 4.3			
\$35,000- 49,999	464	358,024	358	61.6	54.3-68.9	46	15.0	9.9-20.1	34	15.4	8.7-22.1	13	4.2	1.5- 6.9	7	2.6	0.6- 4.6	6	1.3	0.1- 2.5
\$50,000- 74,999	438	326,277	314	58.3	51.4-65.2	53	20.8	14.3-27.3	45	13.5	8.8-18.2	15	4.0	1.5- 6.5	7	2.3	0.5- 4.1	4	1.0	0.0- 2.2
\$75,000+	703	516,782	411	48.9	43.8-54.0	91	17.5	13.2-21.8	125	20.5	16.2-24.8	56	9.5	6.6-12.4	15	3.2	1.0- 5.4	5	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6027	5,034,222	481	13.5	11.9-15.1	2033	34.7	32.9-36.5	1527	30.6	28.8-32.4	1986	21.2	20.0-22.4
Male	2566	2,454,883	210	14.4	12.0-16.8	855	37.0	34.3-39.7	590	27.7	25.2-30.2	911	20.9	19.1-22.7
Female	3461	2,579,338	271	12.5	10.3-14.7	1178	32.4	30.0-34.8	937	33.4	31.0-35.8	1075	21.6	19.8-23.4
White/Non-Hisp	5233	4,074,249	340	10.6	9.0-12.2	1802	35.5	33.5-37.5	1320	31.2	29.2-33.2	1771	22.7	21.3-24.1
Black or Afr. Am./Non-Hisp	317	423,981	40	15.8	9.5-22.1	108	36.4	29.1-43.7	107	35.8	28.5-43.1	62	11.9	8.0-15.8
Oth. Race/Non-Hisp.	118	109,997	10	15.3	4.9-25.7	27	27.8	16.4-39.2	21	19.2	9.4-29.0	60	37.7	27.1-48.3
MultiRacial/Non-Hisp.	79	58,362	13	27.4	10.7-44.1	18	17.2	7.2-27.2	27	39.1	23.6-54.6	21	16.3	6.7-25.9
Hispanic	181	276,303	59	43.4	33.6-53.2	49	26.1	18.3-33.9	34	20.5	12.5-28.5	39	10.0	5.9-14.1
18-24	278	688,227	33	19.1	12.6-25.6	103	39.5	32.8-46.2	84	30.5	24.4-36.6	58	10.8	7.7-13.9
25-34	450	827,220	38	13.3	9.0-17.6	106	27.8	22.5-33.1	101	27.5	22.2-32.8	205	31.4	26.7-36.1
35-44	619	818,046	35	9.6	6.1-13.1	143	29.2	24.5-33.9	170	34.0	29.1-38.9	271	27.2	23.5-30.9
45-54	899	849,168	71	13.4	9.9-16.9	264	34.4	30.5-38.3	229	30.3	26.4-34.2	335	21.9	19.2-24.6
55-64	1382	835,620	101	12.6	9.9-15.3	468	35.4	32.3-38.5	371	32.9	29.6-36.2	442	19.1	16.9-21.3
65+	2341	980,696	201	13.9	11.7-16.1	932	41.5	38.8-44.2	554	28.8	26.3-31.3	654	15.8	14.2-17.4
Less Than H.S.	481	677,128	481	100.0	100.0- 100									
H.S. or G.E.D.	2033	1,745,779				2033	100.0	100.0- 100						
Some Post-H.S.	1527	1,541,674							1527	100.0	100.0- 100			
College Graduate	1986	1,069,640										1986	100.0	100.0- 100
Less than \$15,000	520	486,902	141	35.9	29.2-42.6	215	35.4	29.5-41.3	118	24.1	18.4-29.8	46	4.5	2.7- 6.3
\$15,000- 24,999	898	753,887	132	22.2	17.9-26.5	446	45.3	40.4-50.2	218	26.0	21.7-30.3	102	6.4	4.6- 8.2
\$25,000- 34,999	568	473,314	39	12.5	8.2-16.8	253	47.6	41.7-53.5	176	31.7	26.4-37.0	100	8.2	5.8-10.6
\$35,000- 49,999	843	702,778	29	6.1	2.4- 9.8	312	35.0	30.3-39.7	244	39.6	34.5-44.7	258	19.3	16.0-22.6
\$50,000- 74,999	848	732,751	21	6.8	2.7-10.9	240	29.2	24.9-33.5	250	36.1	31.2-41.0	337	27.8	23.9-31.7
\$75,000+	1417	1,150,672	17	4.4	1.9- 6.9	214	20.7	17.4-24.0	292	29.5	26.0-33.0	894	45.5	41.8-49.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2566	2,454,883	210	14.4	12.0-16.8	855	37.0	34.3-39.7	590	27.7	25.2-30.2	911	20.9	19.1-22.7
White/Non-Hisp	2215	1,960,906	142	11.0	8.6-13.4	752	38.3	35.4-41.2	513	28.2	25.5-30.9	808	22.4	20.2-24.6
Black or Afr. Am./Non-Hisp	117	194,268	17	15.8	7.4-24.2	45	40.0	28.6-51.4	34	33.0	21.6-44.4	21	11.2	4.9-17.5
Oth. Race/Non-Hisp.	63	70,010	7	20.4	5.1-35.7	12	27.3	11.4-43.2	8	15.7	3.7-27.7	36	36.6	22.7-50.5
Hispanic	69	133,966	23	45.7	30.2-61.2	22	24.9	13.5-36.3	13	21.8	8.5-35.1	11	7.6	2.3-12.9
18-24	151	352,626	16	16.1	8.3-23.9	61	41.7	32.7-50.7	48	33.7	25.1-42.3	26	8.4	4.9-11.9
25-34	199	415,029	19	15.5	8.6-22.4	57	33.6	25.4-41.8	30	20.1	12.8-27.4	93	30.8	23.9-37.7
35-44	279	410,690	16	9.5	4.0-15.0	77	33.7	26.6-40.8	72	31.8	24.9-38.7	114	25.1	19.8-30.4
45-54	403	428,718	36	17.4	11.3-23.5	144	40.0	33.9-46.1	80	24.2	18.5-29.9	143	18.4	14.7-22.1
55-64	620	409,457	53	14.0	9.9-18.1	217	36.9	32.2-41.6	153	29.6	24.9-34.3	197	19.5	16.2-22.8
65+	896	427,780	70	14.5	10.8-18.2	294	37.2	32.9-41.5	203	27.7	23.6-31.8	329	20.6	17.9-23.3
Less Than H.S.	210	353,688	210	100.0	100.0- 100									
H.S. or G.E.D.	855	909,138				855	100.0	100.0- 100						
Some Post-H.S.	590	679,948							590	100.0	100.0- 100			
College Graduate	911	512,109										911	100.0	100.0- 100
Less than \$15,000	183	182,516	57	38.7	28.7-48.7	73	36.4	27.0-45.8	31	18.7	10.9-26.5	22	6.1	2.8- 9.4
\$15,000- 24,999	317	320,288	48	22.6	15.7-29.5	156	46.9	39.3-54.5	67	23.6	16.9-30.3	46	7.0	4.3- 9.7
\$25,000- 34,999	227	236,323	21	16.9	9.5-24.3	109	53.1	44.1-62.1	65	24.2	16.9-31.5	32	5.9	3.0- 8.8
\$35,000- 49,999	379	344,753	20	7.6	2.5-12.7	150	39.8	32.7-46.9	98	33.7	26.6-40.8	111	18.9	14.0-23.8
\$50,000- 74,999	411	407,948	15	9.6	3.3-15.9	131	34.7	28.2-41.2	108	31.5	24.6-38.4	157	24.2	19.3-29.1
\$75,000+	717	634,636	10	5.4	1.5- 9.3	113	22.3	17.6-27.0	150	31.2	26.1-36.3	444	41.1	36.2-46.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3461	2,579,338	271	12.5	10.3-14.7	1178	32.4	30.0-34.8	937	33.4	31.0-35.8	1075	21.6	19.8-23.4
White/Non-Hisp	3018	2,113,343	198	10.3	8.1-12.5	1050	32.8	30.3-35.3	807	34.0	31.5-36.5	963	23.0	21.0-25.0
Black or Afr. Am./Non-Hisp	200	229,713	23	15.9	6.9-24.9	63	33.4	24.0-42.8	73	38.2	28.8-47.6	41	12.6	7.5-17.7
Oth. Race/Non-Hisp.	55	39,988	3	6.4	0.0-13.5	15	28.7	13.8-43.6	13	25.5	9.0-42.0	24	39.5	23.8-55.2
Hispanic	112	142,337	36	41.3	29.1-53.5	27	27.2	16.2-38.2	21	19.2	10.2-28.2	28	12.3	6.2-18.4
18-24	127	335,601	17	22.3	11.9-32.7	42	37.2	27.2-47.2	36	27.1	18.3-35.9	32	13.4	8.3-18.5
25-34	251	412,190	19	11.2	5.9-16.5	49	21.9	15.4-28.4	71	34.9	27.5-42.3	112	32.0	25.7-38.3
35-44	340	407,356	19	9.7	4.8-14.6	66	24.8	18.7-30.9	98	36.2	29.5-42.9	157	29.4	24.1-34.7
45-54	496	420,450	35	9.3	6.0-12.6	120	28.7	23.6-33.8	149	36.5	31.0-42.0	192	25.6	21.5-29.7
55-64	762	426,163	48	11.3	7.8-14.8	251	34.0	29.7-38.3	218	36.0	31.5-40.5	245	18.7	15.8-21.6
65+	1445	552,916	131	13.5	10.8-16.2	638	44.8	41.3-48.3	351	29.5	26.2-32.8	325	12.1	10.3-13.9
Less Than H.S.	271	323,440	271	100.0	100.0- 100									
H.S. or G.E.D.	1178	836,641				1178	100.0	100.0- 100						
Some Post-H.S.	937	861,726							937	100.0	100.0- 100			
College Graduate	1075	557,531										1075	100.0	100.0- 100
Less than \$15,000	337	304,385	84	34.2	25.4-43.0	142	34.8	27.2-42.4	87	27.4	19.8-35.0	24	3.6	1.4- 5.8
\$15,000- 24,999	581	433,599	84	22.0	16.3-27.7	290	44.1	37.8-50.4	151	27.9	22.0-33.8	56	6.0	3.6- 8.4
\$25,000- 34,999	341	236,991	18	8.0	3.9-12.1	144	42.1	34.7-49.5	111	39.3	31.9-46.7	68	10.5	7.0-14.0
\$35,000- 49,999	464	358,024	9	4.7	0.0-10.0	162	30.3	24.4-36.2	146	45.3	38.2-52.4	147	19.7	15.0-24.4
\$50,000- 74,999	437	324,803	6	3.4	0.0- 7.7	109	22.4	17.1-27.7	142	41.9	35.2-48.6	180	32.3	26.4-38.2
\$75,000+	700	516,036	7	3.1	0.4- 5.8	101	18.7	14.2-23.2	142	27.4	22.5-32.3	450	50.9	45.8-56.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 lt 25,000			\$25,000 lt 35,000			\$35,000 lt 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5114	4,315,115	523	11.3	9.9-12.7	902	17.5	15.9-19.1	572	11.1	9.9-12.3	845	16.3	14.7-17.9	2272	43.7	41.7-45.7
Male	2241	2,132,180	184	8.6	7.0-10.2	318	15.1	12.9-17.3	228	11.1	9.1-13.1	381	16.3	14.1-18.5	1130	48.9	46.0-51.8
Female	2873	2,182,936	339	14.0	11.8-16.2	584	19.9	17.5-22.3	344	11.0	9.4-12.6	464	16.4	14.2-18.6	1142	38.7	36.2-41.2
White/Non-Hisp	4453	3,524,045	396	9.0	7.6-10.4	745	16.3	14.7-17.9	483	10.2	9.0-11.4	753	16.8	15.0-18.6	2076	47.7	45.5-49.9
Black or Afr. Am./Non-Hisp	268	354,682	55	23.4	15.8-31.0	66	21.9	15.6-28.2	40	14.6	8.9-20.3	38	14.8	9.3-20.3	69	25.2	18.1-32.3
Oth. Race/Non-Hisp.	102	92,264	19	23.1	11.7-34.5	20	19.6	9.6-29.6	7	8.0	0.0-16.6	12	16.3	6.7-25.9	44	33.1	22.1-44.1
MultiRacial/Non-Hisp.	65	45,572	12	14.9	3.3-26.5	13	14.1	1.6-26.6	5	14.2	0.3-28.1	14	24.9	10.4-39.4	21	31.9	14.3-49.5
Hispanic	154	229,430	31	22.2	13.6-30.8	38	25.5	17.1-33.9	27	17.2	10.1-24.3	18	11.4	4.7-18.1	40	23.7	13.5-33.9
18-24	227	557,697	31	15.9	9.8-22.0	45	19.9	13.8-26.0	21	8.2	4.7-11.7	31	16.9	10.4-23.4	99	39.0	31.6-46.4
25-34	409	740,964	33	9.3	5.6-13.0	72	18.8	14.1-23.5	49	13.0	8.9-17.1	74	17.6	13.3-21.9	181	41.4	35.5-47.3
35-44	563	736,836	53	10.8	7.5-14.1	55	11.3	8.0-14.6	36	7.1	4.2-10.0	67	12.5	9.2-15.8	352	58.2	53.1-63.3
45-54	816	757,960	89	11.3	8.6-14.0	92	14.4	11.1-17.7	64	9.0	6.5-11.5	113	15.0	11.9-18.1	458	50.4	46.1-54.7
55-64	1210	725,906	113	9.7	7.5-11.9	181	17.6	14.7-20.5	127	11.6	9.2-14.0	184	15.6	12.9-18.3	605	45.4	41.9-48.9
65+	1859	778,566	199	11.9	9.7-14.1	452	23.5	21.0-26.0	273	16.7	14.3-19.1	372	20.4	17.9-22.9	563	27.4	24.7-30.1
Less Than H.S.	379	545,125	141	32.1	25.4-38.8	132	30.7	24.4-37.0	39	10.8	6.9-14.7	29	7.9	3.2-12.6	38	18.5	11.6-25.4
H.S. or G.E.D.	1680	1,437,150	215	12.0	9.8-14.2	446	23.8	20.9-26.7	253	15.7	13.2-18.2	312	17.1	14.6-19.6	454	31.4	28.1-34.7
Some Post-H.S.	1298	1,346,119	118	8.7	6.5-10.9	218	14.6	11.9-17.3	176	11.2	9.0-13.4	244	20.7	17.6-23.8	542	44.8	41.1-48.5
College Graduate	1737	971,910	46	2.3	1.3- 3.3	102	5.0	3.6- 6.4	100	4.0	2.8- 5.2	258	13.9	11.5-16.3	1231	74.8	72.1-77.5
Less than \$15,000	523	489,468	523	100.0	100.0- 100												
\$15,000- 24,999	902	755,336				902	100.0	100.0- 100									
\$25,000- 34,999	572	477,964							572	100.0	100.0- 100						
\$35,000- 49,999	845	704,803										845	100.0	100.0- 100			
\$50,000- 74,999	849	734,226													849	100.0	100.0- 100
\$75,000+	1423	1,153,318													1423	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2241	2,132,180	184	8.6	7.0-10.2	318	15.1	12.9-17.3	228	11.1	9.1-13.1	381	16.3	14.1-18.5	1130	48.9	46.0-51.8
White/Non-Hisp	1947	1,727,951	141	6.9	5.3- 8.5	249	13.2	11.0-15.4	184	9.9	7.9-11.9	340	16.8	14.4-19.2	1033	53.2	50.1-56.3
Black or Afr. Am./Non-Hisp	103	169,195	19	16.9	7.7-26.1	23	23.0	12.8-33.2	20	19.0	9.2-28.8	11	10.3	3.4-17.2	30	30.7	18.5-42.9
Oth. Race/Non-Hisp.	54	57,111	7	23.6	7.3-39.9	12	22.4	8.3-36.5	4	10.1	0.0-23.2	7	13.5	2.9-24.1	24	30.3	16.0-44.6
Hispanic	59	107,968	9	12.8	3.8-21.8	14	22.0	9.8-34.2	10	15.2	5.0-25.4	12	18.6	5.9-31.3	14	31.5	13.5-49.5
18-24	126	294,383	11	10.3	3.4-17.2	20	14.1	7.8-20.4	13	9.9	4.6-15.2	18	16.8	8.6-25.0	64	48.9	38.9-58.9
25-34	179	368,205	9	3.5	1.0- 6.0	31	18.1	11.2-25.0	19	14.8	7.9-21.7	36	17.2	11.1-23.3	84	46.5	37.5-55.5
35-44	256	370,673	12	5.7	2.2- 9.2	21	8.2	4.5-11.9	14	6.6	2.7-10.5	32	13.6	8.3-18.9	177	65.8	58.7-72.9
45-54	355	367,067	33	10.7	6.6-14.8	46	15.6	10.3-20.9	30	10.0	5.7-14.3	49	15.2	10.1-20.3	197	48.5	41.8-55.2
55-64	556	362,755	52	10.6	7.1-14.1	81	17.5	13.2-21.8	51	9.4	6.5-12.3	72	12.6	9.1-16.1	300	49.9	44.6-55.2
65+	758	363,702	65	10.9	7.6-14.2	117	16.9	13.2-20.6	101	16.0	12.3-19.7	172	22.4	18.5-26.3	303	33.8	29.5-38.1
Less Than H.S.	171	282,758	57	25.0	17.2-32.8	48	25.6	17.6-33.6	21	14.1	7.4-20.8	20	9.2	2.9-15.5	25	26.1	15.3-36.9
H.S. or G.E.D.	732	762,385	73	8.7	6.0-11.4	156	19.7	15.8-23.6	109	16.4	12.5-20.3	150	18.0	14.3-21.7	244	37.1	32.2-42.0
Some Post-H.S.	519	609,228	31	5.6	3.1- 8.1	67	12.4	8.7-16.1	65	9.4	6.5-12.3	98	19.1	14.6-23.6	258	53.6	47.9-59.3
College Graduate	812	472,094	22	2.3	0.9- 3.7	46	4.7	2.9- 6.5	32	2.9	1.5- 4.3	111	13.8	10.3-17.3	601	76.2	72.1-80.3
Less than \$15,000	184	183,584	184	100.0	100.0- 100												
\$15,000- 24,999	318	320,989				318	100.0	100.0- 100									
\$25,000- 34,999	228	237,154							228	100.0	100.0- 100						
\$35,000- 49,999	381	346,779										381	100.0	100.0- 100			
\$50,000- 74,999	411	407,948													411	100.0	100.0- 100
\$75,000+	719	635,726													719	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2873	2,182,936	339	14.0	11.8-16.2	584	19.9	17.5-22.3	344	11.0	9.4-12.6	464	16.4	14.2-18.6	1142	38.7	36.2-41.2
White/Non-Hisp	2506	1,796,095	255	10.9	8.9-12.9	496	19.3	16.8-21.8	299	10.6	8.8-12.4	413	16.7	14.3-19.1	1043	42.5	39.6-45.4
Black or Afr. Am./Non-Hisp	165	185,487	36	29.3	17.9-40.7	43	21.0	13.4-28.6	20	10.6	4.9-16.3	27	19.0	10.6-27.4	39	20.1	12.7-27.5
Hispanic	95	121,462	22	30.5	17.6-43.4	24	28.7	17.1-40.3	17	19.0	9.4-28.6	6	5.0	0.3- 9.7	26	16.8	8.6-25.0
18-24	101	263,313	20	22.2	11.8-32.6	25	26.4	16.0-36.8	8	6.4	1.9-10.9	13	17.0	7.0-27.0	35	28.0	18.0-38.0
25-34	230	372,760	24	15.0	8.5-21.5	41	19.6	13.1-26.1	30	11.2	6.7-15.7	38	18.0	11.9-24.1	97	36.3	29.0-43.6
35-44	307	366,163	41	16.1	10.6-21.6	34	14.5	9.2-19.8	22	7.7	3.4-12.0	35	11.4	7.3-15.5	175	50.4	43.3-57.5
45-54	461	390,893	56	11.8	8.3-15.3	46	13.3	9.2-17.4	34	8.0	4.9-11.1	64	14.9	10.8-19.0	261	52.1	46.4-57.8
55-64	654	363,151	61	8.8	5.9-11.7	100	17.7	13.8-21.6	76	13.9	10.2-17.6	112	18.7	14.8-22.6	305	41.0	36.3-45.7
65+	1101	414,864	134	12.8	10.1-15.5	335	29.4	25.9-32.9	172	17.4	14.3-20.5	200	18.6	15.3-21.9	260	21.8	18.7-24.9
Less Than H.S.	208	262,367	84	39.7	29.5-49.9	84	36.3	26.9-45.7	18	7.3	3.4-11.2	9	6.5	0.0-13.8	13	10.3	3.0-17.6
H.S. or G.E.D.	948	674,765	142	15.7	12.2-19.2	290	28.4	24.1-32.7	144	14.8	11.5-18.1	162	16.1	12.8-19.4	210	25.0	20.9-29.1
Some Post-H.S.	779	736,891	87	11.3	8.0-14.6	151	16.4	12.7-20.1	111	12.6	9.7-15.5	146	22.0	17.7-26.3	284	37.6	32.9-42.3
College Graduate	925	499,816	24	2.2	1.0- 3.4	56	5.2	3.2- 7.2	68	5.0	3.4- 6.6	147	14.1	11.0-17.2	630	73.5	69.6-77.4
Less than \$15,000	339	305,884	339	100.0	100.0- 100												
\$15,000- 24,999	584	434,348				584	100.0	100.0- 100									
\$25,000- 34,999	344	240,810							344	100.0	100.0- 100						
\$35,000- 49,999	464	358,024										464	100.0	100.0- 100			
\$50,000- 74,999	438	326,277													438	100.0	100.0- 100
\$75,000+	704	517,592													704	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015

SECTION 8: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	89
2	MALES ONLY	90
3	FEMALES ONLY	91
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	92
5	MALES ONLY	93
6	FEMALES ONLY	94

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 8: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5846	4,853,147	670	14.7	13.3-16.1	247	5.9	4.9- 6.9	1703	25.5	23.9-27.1	3226	53.9	51.9-55.9
Male	2484	2,352,646	317	15.6	13.4-17.8	120	6.3	4.7- 7.9	897	31.5	29.0-34.0	1150	46.6	43.9-49.3
Female	3362	2,500,500	353	13.9	11.9-15.9	127	5.4	4.0- 6.8	806	19.9	17.9-21.9	2076	60.8	58.3-63.3
White/Non-Hisp	5091	3,946,351	580	15.3	13.7-16.9	201	5.6	4.4- 6.8	1544	26.8	25.0-28.6	2766	52.3	50.3-54.3
Black or Afr. Am./Non-Hisp	295	394,062	39	11.6	7.3-15.9	26	9.9	5.2-14.6	68	21.8	15.5-28.1	162	56.6	49.0-64.2
Oth. Race/Non-Hisp.	110	99,349	17	25.0	12.7-37.3	3	2.5	0.0- 5.8	17	14.5	5.5-23.5	73	58.0	45.3-70.7
MultiRacial/Non-Hisp.	77	56,217	9	10.8	2.4-19.2	7	12.5	1.3-23.7	21	28.1	12.2-44.0	40	48.6	32.3-64.9
Hispanic	179	273,748	10	5.3	1.6- 9.0	10	6.0	1.3-10.7	27	16.1	8.1-24.1	132	72.6	63.4-81.8
18-24	265	654,067	30	15.1	9.4-20.8	21	9.3	5.0-13.6	24	10.8	6.3-15.3	190	64.8	57.7-71.9
25-34	440	815,134	60	17.3	12.6-22.0	26	5.7	3.0- 8.4	85	19.4	14.9-23.9	269	57.6	51.9-63.3
35-44	592	773,888	85	14.3	11.0-17.6	30	6.7	3.8- 9.6	118	22.6	18.1-27.1	359	56.4	51.3-61.5
45-54	876	825,944	157	21.0	17.5-24.5	49	6.1	4.1- 8.1	192	23.8	20.1-27.5	478	49.2	44.9-53.5
55-64	1346	808,389	181	14.5	12.0-17.0	56	5.4	3.6- 7.2	401	32.0	28.7-35.3	708	48.1	44.6-51.6
65+	2273	944,969	154	7.6	6.0- 9.2	65	3.3	2.3- 4.3	877	39.8	37.1-42.5	1177	49.3	46.6-52.0
Less Than H.S.	451	636,191	115	29.1	22.8-35.4	29	7.4	3.9-10.9	138	25.0	19.5-30.5	169	38.5	31.8-45.2
H.S. or G.E.D.	1956	1,664,028	304	18.2	15.7-20.7	98	6.4	4.6- 8.2	597	26.4	23.7-29.1	957	49.0	45.7-52.3
Some Post-H.S.	1478	1,491,905	178	12.6	10.2-15.0	69	6.6	4.6- 8.6	441	27.3	24.2-30.4	790	53.5	50.0-57.0
College Graduate	1927	1,036,418	72	3.4	2.4- 4.4	49	3.1	1.9- 4.3	516	21.6	19.1-24.1	1290	71.9	69.2-74.6
Less than \$15,000	507	473,291	118	24.8	18.9-30.7	43	10.5	6.4-14.6	134	21.2	16.5-25.9	212	43.5	36.8-50.2
\$15,000- 24,999	875	729,533	152	21.9	17.6-26.2	51	8.6	5.7-11.5	240	23.8	19.5-28.1	432	45.6	40.7-50.5
\$25,000- 34,999	554	463,523	74	18.0	12.9-23.1	24	4.8	2.4- 7.2	177	27.5	22.6-32.4	279	49.7	43.6-55.8
\$35,000- 49,999	825	682,450	89	14.7	10.6-18.8	42	6.3	3.4- 9.2	269	26.7	22.4-31.0	425	52.3	47.2-57.4
\$50,000- 74,999	835	719,751	88	11.5	8.4-14.6	19	3.2	1.4- 5.0	253	29.6	24.9-34.3	475	55.7	50.6-60.8
\$75,000+	1397	1,128,523	62	5.7	3.7- 7.7	39	4.1	2.3- 5.9	387	25.1	22.0-28.2	909	65.1	61.4-68.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 8: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2484	2,352,646	317	15.6	13.4-17.8	120	6.3	4.7- 7.9	897	31.5	29.0-34.0	1150	46.6	43.9-49.3
White/Non-Hisp	2155	1,891,981	269	15.9	13.5-18.3	93	5.5	3.9- 7.1	809	32.8	30.1-35.5	984	45.8	42.9-48.7
Black or Afr. Am./Non-Hisp	108	179,252	17	10.4	4.7-16.1	14	13.9	5.3-22.5	29	25.7	15.1-36.3	48	50.0	37.8-62.2
Oth. Race/Non-Hisp.	57	62,970	10	31.3	13.9-48.7	2	3.5	0.0- 8.6	11	15.9	3.2-28.6	34	49.3	32.1-66.5
Hispanic	68	131,634	5	5.3	0.0-10.6	9	11.9	2.5-21.3	15	26.5	11.6-41.4	39	56.3	40.8-71.8
18-24	142	329,422	11	9.1	3.2-15.0	12	9.4	3.5-15.3	17	15.7	8.4-23.0	102	65.9	56.5-75.3
25-34	197	410,741	32	17.8	11.1-24.5	12	4.4	1.3- 7.5	43	23.1	16.0-30.2	110	54.7	46.3-63.1
35-44	267	387,788	41	16.5	11.0-22.0	18	8.2	3.5-12.9	68	29.3	22.0-36.6	140	46.0	38.7-53.3
45-54	388	413,497	77	23.6	17.9-29.3	17	4.9	2.2- 7.6	103	30.3	24.0-36.6	191	41.1	34.8-47.4
55-64	598	391,399	84	16.4	12.3-20.5	30	7.3	4.2-10.4	208	35.7	30.8-40.6	276	40.6	35.7-45.5
65+	876	412,780	70	9.0	6.5-11.5	31	4.4	2.4- 6.4	457	52.4	47.9-56.9	318	34.2	29.9-38.5
Less Than H.S.	194	325,119	53	26.6	18.4-34.8	18	9.5	3.6-15.4	72	32.3	23.5-41.1	51	31.6	22.4-40.8
H.S. or G.E.D.	820	864,105	150	20.8	16.9-24.7	45	5.8	3.8- 7.8	320	32.8	28.5-37.1	305	40.7	36.0-45.4
Some Post-H.S.	568	654,244	73	12.1	8.8-15.4	26	7.3	4.0-10.6	216	33.1	27.8-38.4	253	47.6	41.9-53.3
College Graduate	889	499,966	41	4.3	2.5- 6.1	30	3.7	1.9- 5.5	282	26.4	22.5-30.3	536	65.5	61.2-69.8
Less than \$15,000	176	174,376	45	26.9	17.3-36.5	17	12.1	5.8-18.4	59	29.3	20.7-37.9	55	31.7	22.1-41.3
\$15,000- 24,999	307	309,685	73	24.5	18.0-31.0	22	10.1	5.4-14.8	99	27.4	20.5-34.3	113	38.0	30.6-45.4
\$25,000- 34,999	220	232,061	33	18.4	10.6-26.2	11	4.8	1.5- 8.1	86	30.3	22.3-38.3	90	46.5	37.1-55.9
\$35,000- 49,999	368	329,007	40	13.3	8.4-18.2	24	7.8	2.9-12.7	146	31.0	24.5-37.5	158	47.9	40.5-55.3
\$50,000- 74,999	408	403,902	50	13.2	8.9-17.5	6	1.9	0.3- 3.5	159	37.9	30.8-45.0	193	47.0	39.9-54.1
\$75,000+	706	620,181	33	6.6	3.5- 9.7	25	4.9	2.2- 7.6	233	30.6	25.7-35.5	415	57.9	52.6-63.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 8: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3362	2,500,500	353	13.9	11.9-15.9	127	5.4	4.0- 6.8	806	19.9	17.9-21.9	2076	60.8	58.3-63.3
White/Non-Hisp	2936	2,054,370	311	14.7	12.3-17.1	108	5.6	4.0- 7.2	735	21.2	19.0-23.4	1782	58.4	55.7-61.1
Black or Afr. Am./Non-Hisp	187	214,810	22	12.7	6.6-18.8	12	6.6	2.3-10.9	39	18.6	11.0-26.2	114	62.1	52.5-71.7
Oth. Race/Non-Hisp.	53	36,379	7	14.0	2.0-26.0	1	0.9	0.0- 2.7	6	12.0	1.0-23.0	39	73.1	58.2-88.0
Hispanic	111	142,114	5	5.3	0.0-10.6	1	0.6	0.0- 1.8	12	6.5	2.2-10.8	93	87.7	80.8-94.6
18-24	123	324,645	19	21.2	11.6-30.8	9	9.2	2.9-15.5	7	5.8	0.7-10.9	88	63.8	53.2-74.4
25-34	243	404,393	28	16.7	10.4-23.0	14	7.0	2.7-11.3	42	15.6	10.1-21.1	159	60.7	53.1-68.3
35-44	325	386,100	44	12.1	8.2-16.0	12	5.2	1.7- 8.7	50	15.9	11.0-20.8	219	66.8	60.5-73.1
45-54	488	412,447	80	18.3	14.0-22.6	32	7.2	4.3-10.1	89	17.1	13.2-21.0	287	57.3	51.8-62.8
55-64	748	416,991	97	12.8	9.9-15.7	26	3.5	1.7- 5.3	193	28.5	24.2-32.8	432	55.3	50.6-60.0
65+	1397	532,189	84	6.5	4.7- 8.3	34	2.5	1.5- 3.5	420	30.1	26.8-33.4	859	60.9	57.4-64.4
Less Than H.S.	257	311,072	62	31.8	22.4-41.2	11	5.1	1.0- 9.2	66	17.4	11.9-22.9	118	45.7	36.3-55.1
H.S. or G.E.D.	1136	799,922	154	15.4	12.5-18.3	53	7.1	4.2-10.0	277	19.5	16.4-22.6	652	58.0	53.7-62.3
Some Post-H.S.	910	837,661	105	13.1	9.8-16.4	43	6.0	3.6- 8.4	225	22.8	19.1-26.5	537	58.2	53.7-62.7
College Graduate	1038	536,452	31	2.6	1.2- 4.0	19	2.5	1.1- 3.9	234	17.2	14.3-20.1	754	77.8	74.5-81.1
Less than \$15,000	331	298,916	73	23.6	16.3-30.9	26	9.7	4.2-15.2	75	16.4	11.1-21.7	157	50.3	41.7-58.9
\$15,000- 24,999	568	419,848	79	20.0	14.3-25.7	29	7.5	3.6-11.4	141	21.2	15.7-26.7	319	51.3	44.8-57.8
\$25,000- 34,999	334	231,461	41	17.5	11.0-24.0	13	4.9	1.4- 8.4	91	24.7	18.8-30.6	189	52.9	45.5-60.3
\$35,000- 49,999	457	353,444	49	15.9	9.2-22.6	18	4.9	1.8- 8.0	123	22.8	17.3-28.3	267	56.4	49.1-63.7
\$50,000- 74,999	427	315,849	38	9.3	5.2-13.4	13	4.8	1.5- 8.1	94	19.1	14.2-24.0	282	66.8	60.5-73.1
\$75,000+	691	508,342	29	4.7	2.5- 6.9	14	3.1	0.9- 5.3	154	18.5	14.8-22.2	494	73.8	69.3-78.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5846	4,853,147	4929	79.4	77.6-81.2	917	20.6	18.8-22.4
Male	2484	2,352,646	2047	78.1	75.7-80.5	437	21.9	19.5-24.3
Female	3362	2,500,500	2882	80.7	78.3-83.1	480	19.3	16.9-21.7
White/Non-Hisp	5091	3,946,351	4310	79.1	77.3-80.9	781	20.9	19.1-22.7
Black or Afr. Am./Non-Hisp	295	394,062	230	78.4	72.5-84.3	65	21.6	15.7-27.5
Oth. Race/Non-Hisp.	110	99,349	90	72.5	60.2-84.8	20	27.5	15.2-39.8
MultiRacial/Non-Hisp.	77	56,217	61	76.7	63.6-89.8	16	23.3	10.2-36.4
Hispanic	179	273,748	159	88.7	82.8-94.6	20	11.3	5.4-17.2
18-24	265	654,067	214	75.6	68.9-82.3	51	24.4	17.7-31.1
25-34	440	815,134	354	77.0	71.9-82.1	86	23.0	17.9-28.1
35-44	592	773,888	477	79.0	74.9-83.1	115	21.0	16.9-25.1
45-54	876	825,944	670	73.0	69.1-76.9	206	27.0	23.1-30.9
55-64	1346	808,389	1109	80.1	77.2-83.0	237	19.9	17.0-22.8
65+	2273	944,969	2054	89.1	87.3-90.9	219	10.9	9.1-12.7
Less Than H.S.	451	636,191	307	63.5	56.8-70.2	144	36.5	29.8-43.2
H.S. or G.E.D.	1956	1,664,028	1554	75.4	72.5-78.3	402	24.6	21.7-27.5
Some Post-H.S.	1478	1,491,905	1231	80.8	77.9-83.7	247	19.2	16.3-22.1
College Graduate	1927	1,036,418	1806	93.5	91.9-95.1	121	6.5	4.9- 8.1
Less than \$15,000	507	473,291	346	64.7	58.2-71.2	161	35.3	28.8-41.8
\$15,000- 24,999	875	729,533	672	69.4	64.7-74.1	203	30.6	25.9-35.3
\$25,000- 34,999	554	463,523	456	77.2	71.9-82.5	98	22.8	17.5-28.1
\$35,000- 49,999	825	682,450	694	79.0	74.3-83.7	131	21.0	16.3-25.7
\$50,000- 74,999	835	719,751	728	85.3	81.8-88.8	107	14.7	11.2-18.2
\$75,000+	1397	1,128,523	1296	90.2	87.7-92.7	101	9.8	7.3-12.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2484	2,352,646	2047	78.1	75.7-80.5	437	21.9	19.5-24.3
White/Non-Hisp	2155	1,891,981	1793	78.6	75.9-81.3	362	21.4	18.7-24.1
Black or Afr. Am./Non-Hisp	108	179,252	77	75.7	65.9-85.5	31	24.3	14.5-34.1
Oth. Race/Non-Hisp.	57	62,970	45	65.2	47.8-82.6	12	34.8	17.4-52.2
Hispanic	68	131,634	54	82.8	72.2-93.4	14	17.2	6.6-27.8
18-24	142	329,422	119	81.5	73.7-89.3	23	18.5	10.7-26.3
25-34	197	410,741	153	77.8	70.7-84.9	44	22.2	15.1-29.3
35-44	267	387,788	208	75.3	68.6-82.0	59	24.7	18.0-31.4
45-54	388	413,497	294	71.5	65.6-77.4	94	28.5	22.6-34.4
55-64	598	391,399	484	76.3	71.6-81.0	114	23.7	19.0-28.4
65+	876	412,780	775	86.6	83.5-89.7	101	13.4	10.3-16.5
Less Than H.S.	194	325,119	123	63.9	54.7-73.1	71	36.1	26.9-45.3
H.S. or G.E.D.	820	864,105	625	73.5	69.2-77.8	195	26.5	22.2-30.8
Some Post-H.S.	568	654,244	469	80.7	76.2-85.2	99	19.3	14.8-23.8
College Graduate	889	499,966	818	92.0	89.6-94.4	71	8.0	5.6-10.4
Less than \$15,000	176	174,376	114	61.0	50.8-71.2	62	39.0	28.8-49.2
\$15,000- 24,999	307	309,685	212	65.4	58.1-72.7	95	34.6	27.3-41.9
\$25,000- 34,999	220	232,061	176	76.8	68.6-85.0	44	23.2	15.0-31.4
\$35,000- 49,999	368	329,007	304	78.9	72.6-85.2	64	21.1	14.8-27.4
\$50,000- 74,999	408	403,902	352	84.9	80.2-89.6	56	15.1	10.4-19.8
\$75,000+	706	620,181	648	88.5	84.6-92.4	58	11.5	7.6-15.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3362	2,500,500	2882	80.7	78.3-83.1	480	19.3	16.9-21.7
White/Non-Hisp	2936	2,054,370	2517	79.6	77.1-82.1	419	20.4	17.9-22.9
Black or Afr. Am./Non-Hisp	187	214,810	153	80.7	73.4-88.0	34	19.3	12.0-26.6
Oth. Race/Non-Hisp.	53	36,379	45	85.1	73.1-97.1	8	14.9	2.9-26.9
Hispanic	111	142,114	105	94.2	88.7-99.7	6	5.8	0.3-11.3
18-24	123	324,645	95	69.6	59.2-80.0	28	30.4	20.0-40.8
25-34	243	404,393	201	76.2	69.1-83.3	42	23.8	16.7-30.9
35-44	325	386,100	269	82.7	77.6-87.8	56	17.3	12.2-22.4
45-54	488	412,447	376	74.5	69.6-79.4	112	25.5	20.6-30.4
55-64	748	416,991	625	83.7	80.4-87.0	123	16.3	13.0-19.6
65+	1397	532,189	1279	91.0	89.0-93.0	118	9.0	7.0-11.0
Less Than H.S.	257	311,072	184	63.1	53.5-72.7	73	36.9	27.3-46.5
H.S. or G.E.D.	1136	799,922	929	77.5	73.6-81.4	207	22.5	18.6-26.4
Some Post-H.S.	910	837,661	762	80.9	77.0-84.8	148	19.1	15.2-23.0
College Graduate	1038	536,452	988	95.0	93.2-96.8	50	5.0	3.2- 6.8
Less than \$15,000	331	298,916	232	66.8	58.6-75.0	99	33.2	25.0-41.4
\$15,000- 24,999	568	419,848	460	72.4	66.1-78.7	108	27.6	21.3-33.9
\$25,000- 34,999	334	231,461	280	77.6	70.7-84.5	54	22.4	15.5-29.3
\$35,000- 49,999	457	353,444	390	79.2	72.3-86.1	67	20.8	13.9-27.7
\$50,000- 74,999	427	315,849	376	85.9	80.8-91.0	51	14.1	9.0-19.2
\$75,000+	691	508,342	648	92.3	89.4-95.2	43	7.7	4.8-10.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 9: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	96
2 MALES ONLY	97
3 FEMALES ONLY	98
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	99
5 MALES ONLY	100
6 FEMALES ONLY	101
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	102
8 MALES ONLY	103
9 FEMALES ONLY	104
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)	
10 MALES AND FEMALES	105
11 MALES ONLY	106
12 FEMALES ONLY	107
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)	
13 MALES AND FEMALES	108
14 MALES ONLY	109
15 FEMALES ONLY	110

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5797	4,812,369	2651	49.4	47.4-51.4	3146	50.6	48.6-52.6
Male	2460	2,332,844	1350	56.3	53.4-59.2	1110	43.7	40.8-46.6
Female	3337	2,479,525	1301	42.9	40.4-45.4	2036	57.1	54.6-59.6
White/Non-Hisp	5052	3,918,823	2341	50.2	48.0-52.4	2711	49.8	47.6-52.0
Black or Afr. Am./Non-Hisp	290	383,668	124	47.3	39.3-55.3	166	52.7	44.7-60.7
Oth. Race/Non-Hisp.	109	99,081	41	35.5	23.5-47.5	68	64.5	52.5-76.5
MultiRacial/Non-Hisp.	76	55,788	27	42.6	26.5-58.7	49	57.4	41.3-73.5
Hispanic	178	271,810	81	48.6	39.0-58.2	97	51.4	41.8-61.0
18-24	263	649,426	154	54.1	46.8-61.4	109	45.9	38.6-53.2
25-34	439	813,922	252	57.7	52.0-63.4	187	42.3	36.6-48.0
35-44	584	762,062	347	58.4	53.3-63.5	237	41.6	36.5-46.7
45-54	869	820,863	464	51.2	46.9-55.5	405	48.8	44.5-53.1
55-64	1334	800,574	644	48.5	45.0-52.0	690	51.5	48.0-55.0
65+	2257	938,139	773	31.2	28.7-33.7	1484	68.8	66.3-71.3
Less Than H.S.	444	628,083	98	28.4	22.1-34.7	346	71.6	65.3-77.9
H.S. or G.E.D.	1944	1,655,294	698	44.2	40.9-47.5	1246	55.8	52.5-59.1
Some Post-H.S.	1465	1,482,119	676	53.5	50.0-57.0	789	46.5	43.0-50.0
College Graduate	1913	1,024,875	1174	65.2	62.3-68.1	739	34.8	31.9-37.7
Less than \$15,000	503	468,630	135	34.2	27.9-40.5	368	65.8	59.5-72.1
\$15,000- 24,999	869	723,233	264	36.7	31.6-41.8	605	63.3	58.2-68.4
\$25,000- 34,999	552	458,677	216	44.4	38.3-50.5	336	55.6	49.5-61.7
\$35,000- 49,999	821	677,681	376	50.7	45.6-55.8	445	49.3	44.2-54.4
\$50,000- 74,999	832	716,948	449	56.8	51.9-61.7	383	43.2	38.3-48.1
\$75,000+	1385	1,119,703	930	67.8	64.3-71.3	455	32.2	28.7-35.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2460	2,332,844	1350	56.3	53.4-59.2	1110	43.7	40.8-46.6
White/Non-Hisp	2139	1,882,553	1181	56.5	53.4-59.6	958	43.5	40.4-46.6
Black or Afr. Am./Non-Hisp	104	172,075	52	51.7	39.2-64.2	52	48.3	35.8-60.8
Oth. Race/Non-Hisp.	56	62,702	30	47.2	30.0-64.4	26	52.8	35.6-70.0
Hispanic	67	129,696	47	71.0	56.5-85.5	20	29.0	14.5-43.5
18-24	142	329,422	93	63.0	53.6-72.4	49	37.0	27.6-46.4
25-34	197	410,359	132	63.7	55.5-71.9	65	36.3	28.1-44.5
35-44	262	379,049	179	63.8	56.4-71.2	83	36.2	28.8-43.6
45-54	382	408,957	226	54.6	47.9-61.3	156	45.4	38.7-52.1
55-64	593	388,941	323	54.4	49.3-59.5	270	45.6	40.5-50.7
65+	868	409,095	392	40.2	35.9-44.5	476	59.8	55.5-64.1
Less Than H.S.	188	317,330	61	34.2	25.2-43.2	127	65.8	56.8-74.8
H.S. or G.E.D.	813	860,009	376	51.4	46.7-56.1	437	48.6	43.9-53.3
Some Post-H.S.	564	652,832	314	62.9	57.6-68.2	250	37.1	31.8-42.4
College Graduate	883	494,087	596	70.5	66.2-74.8	287	29.5	25.2-33.8
Less than \$15,000	173	169,003	69	42.2	32.2-52.2	104	57.8	47.8-67.8
\$15,000- 24,999	302	303,635	123	39.8	32.2-47.4	179	60.2	52.6-67.8
\$25,000- 34,999	219	231,827	102	51.2	41.8-60.6	117	48.8	39.4-58.2
\$35,000- 49,999	371	332,240	192	60.0	52.9-67.1	179	40.0	32.9-47.1
\$50,000- 74,999	406	401,920	236	58.6	51.3-65.9	170	41.4	34.1-48.7
\$75,000+	697	612,898	498	71.6	66.5-76.7	199	28.4	23.3-33.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3337	2,479,525	1301	42.9	40.4-45.4	2036	57.1	54.6-59.6
White/Non-Hisp	2913	2,036,270	1160	44.4	41.7-47.1	1753	55.6	52.9-58.3
Black or Afr. Am./Non-Hisp	186	211,593	72	43.8	33.8-53.8	114	56.2	46.2-66.2
Oth. Race/Non-Hisp.	53	36,379	11	15.5	3.9-27.1	42	84.5	72.9-96.1
Hispanic	111	142,114	34	28.2	17.8-38.6	77	71.8	61.4-82.2
18-24	121	320,004	61	44.9	34.3-55.5	60	55.1	44.5-65.7
25-34	242	403,563	120	51.5	43.9-59.1	122	48.5	40.9-56.1
35-44	322	383,013	168	53.0	46.1-59.9	154	47.0	40.1-53.9
45-54	487	411,906	238	47.9	42.4-53.4	249	52.1	46.6-57.6
55-64	741	411,633	321	42.9	38.4-47.4	420	57.1	52.6-61.6
65+	1389	529,044	381	24.2	21.3-27.1	1008	75.8	72.9-78.7
Less Than H.S.	256	310,753	37	22.4	14.0-30.8	219	77.6	69.2-86.0
H.S. or G.E.D.	1131	795,285	322	36.4	31.9-40.9	809	63.6	59.1-68.1
Some Post-H.S.	901	829,287	362	46.1	41.6-50.6	539	53.9	49.4-58.4
College Graduate	1030	530,787	578	60.4	56.3-64.5	452	39.6	35.5-43.7
Less than \$15,000	330	299,627	66	29.7	21.5-37.9	264	70.3	62.1-78.5
\$15,000- 24,999	567	419,598	141	34.4	27.7-41.1	426	65.6	58.9-72.3
\$25,000- 34,999	333	226,850	114	37.3	29.9-44.7	219	62.7	55.3-70.1
\$35,000- 49,999	450	345,441	184	41.8	34.9-48.7	266	58.2	51.3-65.1
\$50,000- 74,999	426	315,027	213	54.5	47.8-61.2	213	45.5	38.8-52.2
\$75,000+	688	506,805	432	63.1	58.0-68.2	256	36.9	31.8-42.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION
TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5797	4,812,369	1610	31.2	29.4-33.0	525	10.4	9.2-11.6	185	2.9	2.3- 3.5	331	4.9	4.1- 5.7	3146	50.6	48.6-52.6
Male	2460	2,332,844	725	31.8	29.1-34.5	299	13.0	11.0-15.0	111	3.7	2.7- 4.7	215	7.7	6.1- 9.3	1110	43.7	40.8-46.6
Female	3337	2,479,525	885	30.6	28.2-33.0	226	7.9	6.5- 9.3	74	2.2	1.6- 2.8	116	2.2	1.6- 2.8	2036	57.1	54.6-59.6
White/Non-Hisp	5052	3,918,823	1384	30.8	28.8-32.8	483	11.1	9.7-12.5	167	3.0	2.2- 3.8	307	5.3	4.5- 6.1	2711	49.8	47.6-52.0
Black or Afr. Am./Non-Hisp	290	383,668	88	31.7	24.6-38.8	19	8.5	3.8-13.2	8	3.5	0.6- 6.4	9	3.6	0.9- 6.3	166	52.7	44.7-60.7
Oth. Race/Non-Hisp.	109	99,081	32	26.3	15.5-37.1	4	5.5	0.0-12.4				5	3.7	0.0- 7.6	68	64.5	52.5-76.5
MultiRacial/Non-Hisp.	76	55,788	19	26.6	12.9-40.3	3	7.0	0.0-15.0	4	8.4	0.0-18.4	1	0.5	0.0- 1.5	49	57.4	41.3-73.5
Hispanic	178	271,810	63	37.8	28.4-47.2	12	6.9	2.0-11.8	3	1.2	0.0- 2.6	3	2.7	0.0- 6.6	97	51.4	41.8-61.0
18-24	263	649,426	96	33.3	26.8-39.8	40	14.0	9.3-18.7	9	3.2	0.8- 5.6	9	3.5	1.0- 6.0	109	45.9	38.6-53.2
25-34	439	813,922	160	37.3	31.8-42.8	63	14.2	10.3-18.1	12	2.4	0.8- 4.0	17	3.7	1.5- 5.9	187	42.3	36.6-48.0
35-44	584	762,062	221	37.7	32.8-42.6	72	11.7	8.4-15.0	23	4.0	1.8- 6.2	31	4.9	2.9- 6.9	237	41.6	36.5-46.7
45-54	869	820,863	290	32.9	28.8-37.0	96	10.1	7.7-12.5	38	3.2	2.0- 4.4	40	5.0	3.0- 7.0	405	48.8	44.5-53.1
55-64	1334	800,574	398	30.0	26.9-33.1	122	9.6	7.6-11.6	41	2.7	1.7- 3.7	83	6.2	4.4- 8.0	690	51.5	48.0-55.0
65+	2257	938,139	434	19.0	16.8-21.2	128	4.4	3.4- 5.4	61	2.2	1.6- 2.8	150	5.6	4.4- 6.8	1484	68.8	66.3-71.3
Less Than H.S.	444	628,083	69	21.8	15.9-27.7	13	2.2	0.6- 3.8	3	0.4	0.0- 0.8	13	4.0	1.5- 6.5	346	71.6	65.3-77.9
H.S. or G.E.D.	1944	1,655,294	456	29.5	26.4-32.6	113	7.7	5.7- 9.7	35	2.5	1.3- 3.7	94	4.6	3.2- 6.0	1246	55.8	52.5-59.1
Some Post-H.S.	1465	1,482,119	428	33.9	30.6-37.2	133	11.9	9.4-14.4	47	3.2	2.0- 4.4	68	4.5	2.9- 6.1	789	46.5	43.0-50.0
College Graduate	1913	1,024,875	655	36.3	33.4-39.2	265	17.6	15.1-20.1	99	4.8	3.4- 6.2	155	6.6	5.2- 8.0	739	34.8	31.9-37.7
Less than \$15,000	503	468,630	85	22.3	16.6-28.0	27	7.2	3.5-10.9	4	1.2	0.0- 2.4	19	3.4	1.2- 5.6	368	65.8	59.5-72.1
\$15,000- 24,999	869	723,233	174	25.5	20.8-30.2	42	5.5	3.1- 7.9	13	1.1	0.3- 1.9	35	4.6	2.4- 6.8	605	63.3	58.2-68.4
\$25,000- 34,999	552	458,677	141	27.9	22.4-33.4	31	7.9	4.2-11.6	15	3.4	0.9- 5.9	29	5.1	2.9- 7.3	336	55.6	49.5-61.7
\$35,000- 49,999	821	677,681	250	34.7	29.8-39.6	69	9.6	6.5-12.7	24	3.5	1.3- 5.7	33	3.0	1.2- 4.8	445	49.3	44.2-54.4
\$50,000- 74,999	832	716,948	274	35.3	30.4-40.2	94	12.7	9.4-16.0	29	3.2	1.6- 4.8	52	5.6	3.2- 8.0	383	43.2	38.3-48.1
\$75,000+	1385	1,119,703	512	38.7	35.0-42.4	214	17.2	14.3-20.1	81	5.0	3.4- 6.6	123	6.8	5.0- 8.6	455	32.2	28.7-35.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION
TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2460	2,332,844	725	31.8	29.1-34.5	299	13.0	11.0-15.0	111	3.7	2.7- 4.7	215	7.7	6.1- 9.3	1110	43.7	40.8-46.6
White/Non-Hisp	2139	1,882,553	612	30.6	27.7-33.5	273	13.7	11.5-15.9	100	3.9	2.7- 5.1	196	8.3	6.5-10.1	958	43.5	40.4-46.6
Black or Afr. Am./Non-Hisp	104	172,075	30	27.3	16.7-37.9	11	13.2	4.0-22.4	5	5.8	0.0-11.9	6	5.4	0.3-10.5	52	48.3	35.8-60.8
Oth. Race/Non-Hisp.	56	62,702	23	33.4	17.9-48.9	3	8.2	0.0-19.0				4	5.5	0.0-11.6	26	52.8	35.6-70.0
Hispanic	67	129,696	34	52.4	36.9-67.9	8	11.4	2.0-20.8	2	1.5	0.0- 3.9	3	5.6	0.0-13.6	20	29.0	14.5-43.5
18-24	142	329,422	53	33.1	24.5-41.7	29	20.3	12.7-27.9	4	3.6	0.0- 7.5	7	6.0	1.3-10.7	49	37.0	27.6-46.4
25-34	197	410,359	73	38.0	29.6-46.4	39	16.2	10.3-22.1	9	4.0	0.9- 7.1	11	5.6	1.7- 9.5	65	36.3	28.1-44.5
35-44	262	379,049	99	36.7	29.4-44.0	38	13.2	8.3-18.1	16	5.4	1.9- 8.9	26	8.6	4.7-12.5	83	36.2	28.8-43.6
45-54	382	408,957	121	31.3	25.2-37.4	56	12.0	8.3-15.7	19	2.9	1.1- 4.7	30	8.3	4.8-11.8	156	45.4	38.7-52.1
55-64	593	388,941	178	30.0	25.3-34.7	67	11.4	8.3-14.5	23	3.4	1.6- 5.2	55	9.6	6.3-12.9	270	45.6	40.5-50.7
65+	868	409,095	200	22.7	19.0-26.4	67	6.3	4.3- 8.3	39	3.0	1.8- 4.2	86	8.1	5.9-10.3	476	59.8	55.5-64.1
Less Than H.S.	188	317,330	37	23.0	14.8-31.2	11	3.8	0.9- 6.7	2	0.5	0.0- 1.3	11	7.0	2.3-11.7	127	65.8	56.8-74.8
H.S. or G.E.D.	813	860,009	228	30.7	26.2-35.2	72	10.5	7.4-13.6	20	3.2	1.2- 5.2	56	7.0	4.6- 9.4	437	48.6	43.9-53.3
Some Post-H.S.	564	652,832	171	35.8	30.3-41.3	72	15.0	10.7-19.3	29	4.5	2.3- 6.7	42	7.7	4.6-10.8	250	37.1	31.8-42.4
College Graduate	883	494,087	288	34.4	30.1-38.7	143	20.8	16.9-24.7	60	5.7	3.3- 8.1	105	9.6	7.1-12.1	287	29.5	25.2-33.8
Less than \$15,000	173	169,003	34	22.2	14.0-30.4	20	10.4	4.7-16.1	1	0.7	0.0- 2.1	14	8.9	3.2-14.6	104	57.8	47.8-67.8
\$15,000- 24,999	302	303,635	67	23.0	16.3-29.7	26	8.4	3.9-12.9	9	1.7	0.5- 2.9	21	6.8	2.9-10.7	179	60.2	52.6-67.8
\$25,000- 34,999	219	231,827	61	31.7	22.9-40.5	16	10.3	3.8-16.8	7	1.9	0.1- 3.7	18	7.3	3.4-11.2	117	48.8	39.4-58.2
\$35,000- 49,999	371	332,240	118	36.6	29.5-43.7	39	12.9	7.6-18.2	15	5.6	1.5- 9.7	20	4.9	1.4- 8.4	179	40.0	32.9-47.1
\$50,000- 74,999	406	401,920	127	32.8	25.9-39.7	54	13.4	9.1-17.7	18	4.0	1.5- 6.5	37	8.4	4.3-12.5	170	41.4	34.1-48.7
\$75,000+	697	612,898	242	36.5	31.2-41.8	121	18.9	14.6-23.2	48	6.0	3.5- 8.5	87	10.2	7.1-13.3	199	28.4	23.3-33.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION
TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3337	2,479,525	885	30.6	28.2-33.0	226	7.9	6.5- 9.3	74	2.2	1.6- 2.8	116	2.2	1.6- 2.8	2036	57.1	54.6-59.6
White/Non-Hisp	2913	2,036,270	772	31.1	28.4-33.8	210	8.7	6.9-10.5	67	2.2	1.4- 3.0	111	2.4	1.8- 3.0	1753	55.6	52.9-58.3
Black or Afr. Am./Non-Hisp	186	211,593	58	35.3	25.9-44.7	8	4.7	1.2- 8.2	3	1.7	0.0- 4.1	3	2.1	0.0- 4.8	114	56.2	46.2-66.2
Oth. Race/Non-Hisp.	53	36,379	9	14.0	2.6-25.4	1	0.9	0.0- 2.7				1	0.6	0.0- 1.8	42	84.5	72.9-96.1
Hispanic	111	142,114	29	24.5	14.5-34.5	4	2.8	0.0- 5.9	1	0.9	0.0- 2.7				77	71.8	61.4-82.2
18-24	121	320,004	43	33.6	23.6-43.6	11	7.5	2.6-12.4	5	2.9	0.2- 5.6	2	0.9	0.0- 2.3	60	55.1	44.5-65.7
25-34	242	403,563	87	36.7	29.3-44.1	24	12.2	6.9-17.5	3	0.8	0.0- 1.8	6	1.8	0.0- 3.6	122	48.5	40.9-56.1
35-44	322	383,013	122	38.8	32.1-45.5	34	10.3	5.8-14.8	7	2.7	0.0- 5.4	5	1.2	0.2- 2.2	154	47.0	40.1-53.9
45-54	487	411,906	169	34.5	29.2-39.8	40	8.2	5.3-11.1	19	3.4	1.6- 5.2	10	1.8	0.4- 3.2	249	52.1	46.6-57.6
55-64	741	411,633	220	30.0	25.7-34.3	55	7.8	5.4-10.2	18	2.0	1.0- 3.0	28	3.1	1.7- 4.5	420	57.1	52.6-61.6
65+	1389	529,044	234	16.1	13.6-18.6	61	2.9	1.9- 3.9	22	1.5	0.7- 2.3	64	3.7	2.5- 4.9	1008	75.8	72.9-78.7
Less Than H.S.	256	310,753	32	20.6	12.4-28.8	2	0.7	0.0- 1.7	1	0.2	0.0- 0.6	2	0.9	0.0- 2.3	219	77.6	69.2-86.0
H.S. or G.E.D.	1131	795,285	228	28.1	23.8-32.4	41	4.6	2.6- 6.6	15	1.7	0.3- 3.1	38	2.0	1.2- 2.8	809	63.6	59.1-68.1
Some Post-H.S.	901	829,287	257	32.5	28.2-36.8	61	9.5	6.4-12.6	18	2.2	1.0- 3.4	26	1.9	0.9- 2.9	539	53.9	49.4-58.4
College Graduate	1030	530,787	367	38.1	34.0-42.2	122	14.6	11.3-17.9	39	4.0	2.4- 5.6	50	3.8	2.2- 5.4	452	39.6	35.5-43.7
Less than \$15,000	330	299,627	51	22.4	15.0-29.8	7	5.4	0.3-10.5	3	1.5	0.0- 3.3	5	0.4	0.0- 0.8	264	70.3	62.1-78.5
\$15,000- 24,999	567	419,598	107	27.3	20.8-33.8	16	3.4	1.2- 5.6	4	0.7	0.0- 1.7	14	3.0	0.8- 5.2	426	65.6	58.9-72.3
\$25,000- 34,999	333	226,850	80	24.0	17.7-30.3	15	5.6	1.9- 9.3	8	5.0	0.5- 9.5	11	2.8	0.8- 4.8	219	62.7	55.3-70.1
\$35,000- 49,999	450	345,441	132	32.8	26.3-39.3	30	6.3	3.0- 9.6	9	1.4	0.2- 2.6	13	1.3	0.1- 2.5	266	58.2	51.3-65.1
\$50,000- 74,999	426	315,027	147	38.4	31.5-45.3	40	11.9	6.8-17.0	11	2.2	0.6- 3.8	15	2.1	0.5- 3.7	213	45.5	38.8-52.2
\$75,000+	688	506,805	270	41.4	36.3-46.5	93	15.2	11.3-19.1	33	3.8	2.0- 5.6	36	2.7	1.7- 3.7	256	36.9	31.8-42.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5742	4,761,345	5132	84.3	82.7-85.9	610	15.7	14.1-17.3
Male	2430	2,313,376	2030	78.0	75.5-80.5	400	22.0	19.5-24.5
Female	3312	2,447,968	3102	90.2	88.4-92.0	210	9.8	8.0-11.6
White/Non-Hisp	5007	3,877,556	4486	84.4	82.8-86.0	521	15.6	14.0-17.2
Black or Afr. Am./Non-Hisp	285	378,178	253	85.3	79.6-91.0	32	14.7	9.0-20.4
Oth. Race/Non-Hisp.	109	99,081	98	87.3	78.5-96.1	11	12.7	3.9-21.5
MultiRacial/Non-Hisp.	76	55,788	66	80.2	66.9-93.5	10	19.8	6.5-33.1
Hispanic	173	267,544	144	78.5	70.1-86.9	29	21.5	13.1-29.9
18-24	261	644,044	181	71.3	65.0-77.6	80	28.7	22.4-35.0
25-34	433	800,767	337	78.2	73.5-82.9	96	21.8	17.1-26.5
35-44	579	754,519	455	79.1	75.0-83.2	124	20.9	16.8-25.0
45-54	856	809,147	743	85.8	82.9-88.7	113	14.2	11.3-17.1
55-64	1323	794,577	1202	90.1	87.9-92.3	121	9.9	7.7-12.1
65+	2239	930,908	2165	96.0	94.8-97.2	74	4.0	2.8- 5.2
Less Than H.S.	434	612,407	401	88.6	84.1-93.1	33	11.4	6.9-15.9
H.S. or G.E.D.	1921	1,637,260	1751	85.1	82.6-87.6	170	14.9	12.4-17.4
Some Post-H.S.	1452	1,469,234	1278	82.5	79.6-85.4	174	17.5	14.6-20.4
College Graduate	1904	1,020,445	1673	82.7	80.2-85.2	231	17.3	14.8-19.8
Less than \$15,000	496	458,507	461	88.6	84.1-93.1	35	11.4	6.9-15.9
\$15,000- 24,999	863	719,570	793	85.9	81.8-90.0	70	14.1	10.0-18.2
\$25,000- 34,999	548	456,515	486	83.5	78.6-88.4	62	16.5	11.6-21.4
\$35,000- 49,999	816	674,081	743	85.9	82.0-89.8	73	14.1	10.2-18.0
\$50,000- 74,999	825	710,536	730	82.2	78.1-86.3	95	17.8	13.7-21.9
\$75,000+	1374	1,107,951	1150	78.7	75.4-82.0	224	21.3	18.0-24.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2430	2,313,376	2030	78.0	75.5-80.5	400	22.0	19.5-24.5
White/Non-Hisp	2112	1,866,133	1774	78.3	75.8-80.8	338	21.7	19.2-24.2
Black or Afr. Am./Non-Hisp	103	170,418	85	81.4	71.6-91.2	18	18.6	8.8-28.4
Oth. Race/Non-Hisp.	56	62,702	46	82.5	69.6-95.4	10	17.5	4.6-30.4
Hispanic	65	128,306	43	62.6	47.3-77.9	22	37.4	22.1-52.7
18-24	142	329,422	87	61.8	52.6-71.0	55	38.2	29.0-47.4
25-34	195	409,122	134	73.8	66.5-81.1	61	26.2	18.9-33.5
35-44	260	377,074	182	70.8	63.9-77.7	78	29.2	22.3-36.1
45-54	377	403,876	306	80.6	75.5-85.7	71	19.4	14.3-24.5
55-64	584	383,705	498	84.2	80.3-88.1	86	15.8	11.9-19.7
65+	856	403,157	809	93.5	91.1-95.9	47	6.5	4.1- 8.9
Less Than H.S.	182	311,109	157	82.8	75.4-90.2	25	17.2	9.8-24.6
H.S. or G.E.D.	798	851,760	678	78.7	74.6-82.8	120	21.3	17.2-25.4
Some Post-H.S.	560	650,238	449	74.4	69.3-79.5	111	25.6	20.5-30.7
College Graduate	878	491,683	735	78.5	74.6-82.4	143	21.5	17.6-25.4
Less than \$15,000	170	167,593	149	83.9	76.5-91.3	21	16.1	8.7-23.5
\$15,000- 24,999	299	302,538	252	79.9	73.4-86.4	47	20.1	13.6-26.6
\$25,000- 34,999	216	230,280	177	78.1	70.1-86.1	39	21.9	13.9-29.9
\$35,000- 49,999	366	328,640	319	80.1	73.6-86.6	47	19.9	13.4-26.4
\$50,000- 74,999	401	399,199	334	78.3	72.4-84.2	67	21.7	15.8-27.6
\$75,000+	692	608,187	545	71.9	66.8-77.0	147	28.1	23.0-33.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3312	2,447,968	3102	90.2	88.4-92.0	210	9.8	8.0-11.6
White/Non-Hisp	2895	2,011,423	2712	90.1	88.1-92.1	183	9.9	7.9-11.9
Black or Afr. Am./Non-Hisp	182	207,760	168	88.6	82.1-95.1	14	11.4	4.9-17.9
Oth. Race/Non-Hisp.	53	36,379	52	95.7	87.7- 100	1	4.3	0.0-12.3
Hispanic	108	139,238	101	93.1	87.2-99.0	7	6.9	1.0-12.8
18-24	119	314,622	94	81.3	73.1-89.5	25	18.7	10.5-26.9
25-34	238	391,645	203	82.8	76.7-88.9	35	17.2	11.1-23.3
35-44	319	377,445	273	87.4	82.9-91.9	46	12.6	8.1-17.1
45-54	479	405,271	437	91.0	87.9-94.1	42	9.0	5.9-12.1
55-64	739	410,872	704	95.5	93.7-97.3	35	4.5	2.7- 6.3
65+	1383	527,751	1356	97.9	96.9-98.9	27	2.1	1.1- 3.1
Less Than H.S.	252	301,298	244	94.5	89.4-99.6	8	5.5	0.4-10.6
H.S. or G.E.D.	1123	785,500	1073	92.1	89.2-95.0	50	7.9	5.0-10.8
Some Post-H.S.	892	818,995	829	89.0	85.7-92.3	63	11.0	7.7-14.3
College Graduate	1026	528,762	938	86.6	83.3-89.9	88	13.4	10.1-16.7
Less than \$15,000	326	290,914	312	91.3	85.6-97.0	14	8.7	3.0-14.4
\$15,000- 24,999	564	417,032	541	90.2	84.9-95.5	23	9.8	4.5-15.1
\$25,000- 34,999	332	226,235	309	88.9	83.0-94.8	23	11.1	5.2-17.0
\$35,000- 49,999	450	345,441	424	91.4	87.3-95.5	26	8.6	4.5-12.7
\$50,000- 74,999	424	311,337	396	87.2	81.5-92.9	28	12.8	7.1-18.5
\$75,000+	682	499,764	605	87.1	83.6-90.6	77	12.9	9.4-16.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5759	4,770,037	1021	17.8	16.4-19.2	365	7.1	6.1- 8.1	520	10.7	9.5-11.9	388	6.8	5.8- 7.8	319	6.5	5.5- 7.5	3146	51.1	49.1-53.1
Male	2432	2,301,035	401	15.5	13.5-17.5	175	7.7	6.1- 9.3	274	12.4	10.4-14.4	228	8.8	7.2-10.4	244	11.2	9.4-13.0	1110	44.3	41.4-47.2
Female	3327	2,469,002	620	20.0	18.0-22.0	190	6.5	5.3- 7.7	246	9.1	7.5-10.7	160	5.0	3.8- 6.2	75	2.2	1.4- 3.0	2036	57.4	54.9-59.9
White/Non-Hisp	5022	3,889,773	882	17.6	16.0-19.2	328	7.3	6.1- 8.5	461	11.0	9.6-12.4	355	7.2	6.2- 8.2	285	6.8	5.8- 7.8	2711	50.1	47.9-52.3
Black or Afr. Am./Non-Hisp	284	371,377	54	18.4	12.5-24.3	18	7.9	3.8-12.0	21	8.0	4.3-11.7	13	6.2	2.1-10.3	12	5.1	1.4- 8.8	166	54.4	46.4-62.4
Oth. Race/Non-Hisp.	108	98,569	18	15.4	6.0-24.8	5	7.1	1.0-13.2	8	3.9	0.8- 7.0	4	1.1	0.0- 2.5	5	7.7	0.1-15.3	68	64.8	52.6-77.0
MultiRacial/Non-Hisp.	76	55,788	12	16.6	4.8-28.4	2	1.0	0.0- 2.4	6	10.1	1.1-19.1	3	5.2	0.0-11.7	4	9.6	0.0-20.0	49	57.4	41.3-73.5
Hispanic	178	271,810	39	22.0	14.0-30.0	6	3.2	0.3- 6.1	18	12.3	5.6-19.0	10	5.5	1.2- 9.8	8	5.5	0.8-10.2	97	51.4	41.8-61.0
18-24	260	644,369	44	16.5	11.4-21.6	22	7.1	4.0-10.2	33	12.4	7.7-17.1	22	7.0	3.7-10.3	30	10.8	6.5-15.1	109	46.3	39.0-53.6
25-34	435	805,157	78	17.7	13.6-21.8	42	9.2	5.9-12.5	65	15.9	11.6-20.2	34	8.7	5.2-12.2	29	5.7	3.3- 8.1	187	42.8	37.1-48.5
35-44	579	748,325	121	21.9	17.8-26.0	49	7.5	5.0-10.0	79	12.5	9.2-15.8	49	8.0	5.3-10.7	44	7.7	5.0-10.4	237	42.4	37.3-47.5
45-54	861	813,678	180	19.4	16.1-22.7	65	7.8	5.4-10.2	96	11.1	8.4-13.8	64	5.7	3.9- 7.5	51	6.8	4.6- 9.0	405	49.2	44.9-53.5
55-64	1329	798,752	259	18.2	15.7-20.7	99	7.6	5.8- 9.4	107	8.8	6.8-10.8	99	7.8	5.8- 9.8	75	6.0	4.2- 7.8	690	51.6	48.1-55.1
65+	2244	932,374	330	14.0	12.0-16.0	86	3.9	2.7- 5.1	139	5.0	4.0- 6.0	116	4.1	3.1- 5.1	89	3.8	2.8- 4.8	1484	69.2	66.7-71.7
Less Than H.S.	442	626,821	38	10.2	6.1-14.3	16	4.3	1.6- 7.0	17	7.2	3.1-11.3	7	1.5	0.3- 2.7	18	5.1	2.4- 7.8	346	71.8	65.5-78.1
H.S. or G.E.D.	1925	1,637,899	302	17.5	15.0-20.0	92	6.0	4.4- 7.6	105	8.2	6.0-10.4	84	5.1	3.5- 6.7	96	6.8	5.0- 8.6	1246	56.4	53.1-59.7
Some Post-H.S.	1456	1,462,569	262	19.5	16.6-22.4	95	7.6	5.6- 9.6	135	11.0	8.6-13.4	96	8.3	6.1-10.5	79	6.5	4.7- 8.3	789	47.1	43.6-50.6
College Graduate	1905	1,020,750	418	21.1	18.6-23.6	161	9.9	7.9-11.9	261	16.3	13.8-18.8	200	10.7	8.7-12.7	126	7.1	5.5- 8.7	739	34.9	32.0-37.8
Less than \$15,000	498	462,701	55	13.9	9.4-18.4	20	6.1	2.8- 9.4	14	4.4	1.1- 7.7	23	5.6	2.3- 8.9	18	3.4	1.2- 5.6	368	66.6	60.1-73.1
\$15,000- 24,999	863	720,709	119	16.3	12.4-20.2	27	2.6	1.0- 4.2	48	8.1	4.8-11.4	27	3.8	2.0- 5.6	37	5.7	3.2- 8.2	605	63.5	58.4-68.6
\$25,000- 34,999	549	456,675	89	16.2	12.1-20.3	29	4.5	2.1- 6.9	41	10.6	6.3-14.9	18	4.0	1.1- 6.9	36	8.8	5.3-12.3	336	55.9	49.8-62.0
\$35,000- 49,999	818	675,139	163	20.9	16.8-25.0	55	7.0	4.5- 9.5	74	11.0	7.9-14.1	52	6.6	4.1- 9.1	29	5.0	2.3- 7.7	445	49.5	44.4-54.6
\$50,000- 74,999	828	703,347	181	18.5	14.8-22.2	64	8.7	6.0-11.4	73	11.3	8.0-14.6	61	8.5	5.4-11.6	66	9.0	6.3-11.7	383	44.0	39.1-48.9
\$75,000+	1380	1,113,688	303	19.8	16.9-22.7	132	11.4	8.9-13.9	217	16.8	13.9-19.7	171	11.4	9.0-13.8	102	8.2	6.0-10.4	455	32.4	28.9-35.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2432	2,301,035	401	15.5	13.5-17.5	175	7.7	6.1- 9.3	274	12.4	10.4-14.4	228	8.8	7.2-10.4	244	11.2	9.4-13.0	1110	44.3	41.4-47.2
White/Non-Hisp	2117	1,861,027	341	14.5	12.5-16.5	153	7.9	6.1- 9.7	245	12.9	10.7-15.1	206	9.1	7.3-10.9	214	11.7	9.7-13.7	958	44.0	40.9-47.1
Black or Afr. Am./Non-Hisp	100	162,782	19	19.0	9.2-28.8	8	7.2	1.3-13.1	4	3.5	0.0- 7.2	7	9.0	1.2-16.8	10	10.3	2.3-18.3	52	51.0	38.3-63.7
Oth. Race/Non-Hisp.	55	62,190	12	19.2	5.5-32.9	4	8.8	0.4-17.2	5	5.1	0.4- 9.8	3	1.4	0.0- 3.4	5	12.2	0.2-24.2	26	53.3	36.1-70.5
Hispanic	67	129,696	15	24.5	11.0-38.0	4	5.6	0.0-11.5	12	19.5	7.0-32.0	9	11.2	2.2-20.2	7	10.1	0.7-19.5	20	29.0	14.5-43.5
18-24	140	326,967	20	13.6	7.3-19.9	10	7.5	2.8-12.2	22	14.2	7.7-20.7	15	9.3	4.2-14.4	24	18.2	10.6-25.8	49	37.3	27.9-46.7
25-34	193	401,594	30	15.6	9.7-21.5	17	8.5	3.8-13.2	39	18.9	12.0-25.8	21	11.1	5.6-16.6	21	8.9	4.6-13.2	65	37.0	28.8-45.2
35-44	259	369,195	45	17.8	11.9-23.7	22	8.2	4.1-12.3	37	12.5	7.8-17.2	36	11.1	6.6-15.6	36	13.3	8.4-18.2	83	37.1	29.5-44.7
45-54	377	405,057	70	16.8	12.1-21.5	30	7.7	4.2-11.2	42	11.5	7.2-15.8	39	6.8	4.3- 9.3	40	11.4	7.5-15.3	156	45.9	39.2-52.6
55-64	589	387,217	95	14.1	10.8-17.4	50	9.2	6.1-12.3	61	11.0	7.9-14.1	55	9.3	6.2-12.4	58	10.7	7.2-14.2	270	45.8	40.7-50.9
65+	858	403,985	141	15.5	12.2-18.8	45	5.3	3.1- 7.5	72	6.6	4.6- 8.6	60	5.4	3.6- 7.2	64	6.5	4.3- 8.7	476	60.6	56.3-64.9
Less Than H.S.	186	316,068	16	8.0	3.3-12.7	13	7.0	1.9-12.1	10	8.1	2.2-14.0	3	1.5	0.0- 3.3	17	9.5	4.2-14.8	127	66.0	57.0-75.0
H.S. or G.E.D.	797	845,900	132	15.5	12.2-18.8	53	7.8	5.1-10.5	54	8.9	6.0-11.8	47	7.2	4.7- 9.7	74	11.2	8.1-14.3	437	49.4	44.7-54.1
Some Post-H.S.	560	639,698	86	17.5	13.0-22.0	40	7.5	4.8-10.2	73	14.4	10.3-18.5	51	10.7	6.8-14.6	60	12.1	8.4-15.8	250	37.9	32.6-43.2
College Graduate	877	490,784	167	18.3	14.8-21.8	68	8.3	5.8-10.8	136	18.3	14.4-22.2	126	13.8	10.9-16.7	93	11.5	8.6-14.4	287	29.7	25.4-34.0
Less than \$15,000	170	164,637	23	13.9	7.0-20.8	9	7.7	2.2-13.2	5	2.3	0.0- 4.7	13	7.5	2.4-12.6	16	9.1	3.4-14.8	104	59.3	49.3-69.3
\$15,000- 24,999	296	301,112	38	13.2	7.7-18.7	9	1.7	0.1- 3.3	29	8.9	4.8-13.0	14	4.3	1.4- 7.2	27	11.3	6.0-16.6	179	60.7	53.1-68.3
\$25,000- 34,999	216	229,825	35	15.5	9.2-21.8	13	5.4	1.3- 9.5	19	13.9	6.6-21.2	8	5.5	0.2-10.8	24	10.4	5.5-15.3	117	49.2	39.8-58.6
\$35,000- 49,999	368	329,697	65	19.5	13.4-25.6	30	7.5	4.0-11.0	42	14.1	8.8-19.4	28	9.1	4.6-13.6	24	9.6	4.3-14.9	179	40.3	33.2-47.4
\$50,000- 74,999	403	391,479	72	13.1	8.8-17.4	35	9.6	5.7-13.5	35	11.6	6.7-16.5	36	9.6	5.3-13.9	55	13.5	9.2-17.8	170	42.5	35.4-49.6
\$75,000+	693	607,085	127	15.2	11.7-18.7	63	11.5	7.6-15.4	111	17.1	12.8-21.4	112	14.1	10.6-17.6	81	13.4	9.5-17.3	199	28.7	23.6-33.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3327	2,469,002	620	20.0	18.0-22.0	190	6.5	5.3- 7.7	246	9.1	7.5-10.7	160	5.0	3.8- 6.2	75	2.2	1.4- 3.0	2036	57.4	54.9-59.9
White/Non-Hisp	2905	2,028,746	541	20.4	18.0-22.8	175	6.8	5.4- 8.2	216	9.3	7.5-11.1	149	5.4	4.0- 6.8	71	2.3	1.5- 3.1	1753	55.8	53.1-58.5
Black or Afr. Am./Non-Hisp	184	208,595	35	17.9	10.8-25.0	10	8.4	2.5-14.3	17	11.6	5.7-17.5	6	4.1	0.4- 7.8	2	1.0	0.0- 2.4	114	57.0	46.8-67.2
Oth. Race/Non-Hisp.	53	36,379	6	8.9	0.5-17.3	1	4.3	0.0-12.3	3	1.7	0.0- 3.9	1	0.6	0.0- 1.8				42	84.5	72.9-96.1
Hispanic	111	142,114	24	19.7	10.5-28.9	2	1.0	0.0- 2.6	6	5.8	0.3-11.3	1	0.3	0.0- 0.9	1	1.4	0.0- 4.1	77	71.8	61.4-82.2
18-24	120	317,403	24	19.5	11.3-27.7	12	6.6	2.5-10.7	11	10.6	3.5-17.7	7	4.6	0.7- 8.5	6	3.1	0.4- 5.8	60	55.6	45.0-66.2
25-34	242	403,563	48	19.8	13.9-25.7	25	9.9	5.4-14.4	26	12.9	7.6-18.2	13	6.4	2.3-10.5	8	2.6	0.2- 5.0	122	48.5	40.9-56.1
35-44	320	379,131	76	25.9	20.0-31.8	27	6.8	3.5-10.1	42	12.5	7.8-17.2	13	4.9	1.6- 8.2	8	2.3	0.0- 4.7	154	47.5	40.4-54.6
45-54	484	408,621	110	22.0	17.3-26.7	35	7.9	4.8-11.0	54	10.7	7.4-14.0	25	4.7	2.5- 6.9	11	2.3	0.7- 3.9	249	52.5	47.0-58.0
55-64	740	411,535	164	22.1	18.4-25.8	49	6.2	4.0- 8.4	46	6.7	4.3- 9.1	44	6.3	3.9- 8.7	17	1.6	0.8- 2.4	420	57.1	52.6-61.6
65+	1386	528,389	189	12.9	10.5-15.3	41	2.9	1.7- 4.1	67	3.7	2.5- 4.9	56	3.1	2.1- 4.1	25	1.6	0.8- 2.4	1008	75.9	73.0-78.8
Less Than H.S.	256	310,753	22	12.4	5.7-19.1	3	1.6	0.0- 3.6	7	6.2	0.5-11.9	4	1.4	0.0- 3.0	1	0.7	0.0- 2.1	219	77.6	69.2-86.0
H.S. or G.E.D.	1128	791,999	170	19.6	15.9-23.3	39	4.1	2.3- 5.9	51	7.5	4.6-10.4	37	2.9	1.7- 4.1	22	2.1	0.7- 3.5	809	63.8	59.3-68.3
Some Post-H.S.	896	822,871	176	21.1	17.4-24.8	55	7.6	5.1-10.1	62	8.3	5.8-10.8	45	6.5	3.8- 9.2	19	2.2	0.8- 3.6	539	54.3	49.8-58.8
College Graduate	1028	529,967	251	23.7	20.2-27.2	93	11.4	8.5-14.3	125	14.3	11.2-17.4	74	7.9	5.5-10.3	33	3.1	1.7- 4.5	452	39.7	35.6-43.8
Less than \$15,000	328	298,064	32	13.9	8.2-19.6	11	5.2	0.9- 9.5	9	5.6	0.7-10.5	10	4.5	0.2- 8.8	2	0.2	0.0- 0.6	264	70.7	62.5-78.9
\$15,000- 24,999	567	419,598	81	18.6	13.3-23.9	18	3.2	0.8- 5.6	19	7.5	2.6-12.4	13	3.4	1.0- 5.8	10	1.7	0.1- 3.3	426	65.6	58.9-72.3
\$25,000- 34,999	333	226,850	54	16.9	11.4-22.4	16	3.6	1.2- 6.0	22	7.2	3.3-11.1	10	2.6	0.6- 4.6	12	7.1	2.0-12.2	219	62.7	55.3-70.1
\$35,000- 49,999	450	345,441	98	22.3	16.6-28.0	25	6.5	3.0-10.0	32	8.0	4.3-11.7	24	4.2	1.5- 6.9	5	0.7	0.0- 1.7	266	58.2	51.3-65.1
\$50,000- 74,999	425	311,868	109	25.2	19.1-31.3	29	7.5	3.8-11.2	38	10.8	6.5-15.1	25	7.2	2.9-11.5	11	3.3	0.6- 6.0	213	45.9	39.2-52.6
\$75,000+	687	506,603	176	25.4	20.9-29.9	69	11.3	8.2-14.4	106	16.5	12.4-20.6	59	8.1	5.4-10.8	21	1.9	0.9- 2.9	256	36.9	31.8-42.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5759	4,770,037	5511	94.7	93.7-95.7	248	5.3	4.3- 6.3
Male	2432	2,301,035	2299	93.3	91.7-94.9	133	6.7	5.1- 8.3
Female	3327	2,469,002	3212	96.0	95.0-97.0	115	4.0	3.0- 5.0
White/Non-Hisp	5022	3,889,773	4803	94.6	93.6-95.6	219	5.4	4.4- 6.4
Black or Afr. Am./Non-Hisp	284	371,377	271	94.5	90.6-98.4	13	5.5	1.6- 9.4
Oth. Race/Non-Hisp.	108	98,569	104	93.7	86.4- 100	4	6.3	0.0-13.6
MultiRacial/Non-Hisp.	76	55,788	73	92.4	82.6- 100	3	7.6	0.0-17.4
Hispanic	178	271,810	172	95.9	91.6- 100	6	4.1	0.0- 8.4
18-24	260	644,369	236	91.3	87.4-95.2	24	8.7	4.8-12.6
25-34	435	805,157	410	94.5	92.0-97.0	25	5.5	3.0- 8.0
35-44	579	748,325	545	94.3	91.9-96.7	34	5.7	3.3- 8.1
45-54	861	813,678	816	94.0	92.0-96.0	45	6.0	4.0- 8.0
55-64	1329	798,752	1270	95.0	93.2-96.8	59	5.0	3.2- 6.8
65+	2244	932,374	2184	97.5	96.7-98.3	60	2.5	1.7- 3.3
Less Than H.S.	442	626,821	430	96.5	94.1-98.9	12	3.5	1.1- 5.9
H.S. or G.E.D.	1925	1,637,899	1844	94.3	92.5-96.1	81	5.7	3.9- 7.5
Some Post-H.S.	1456	1,462,569	1394	94.5	92.7-96.3	62	5.5	3.7- 7.3
College Graduate	1905	1,020,750	1812	94.3	92.7-95.9	93	5.7	4.1- 7.3
Less than \$15,000	498	462,701	481	95.8	92.7-98.9	17	4.2	1.1- 7.3
\$15,000- 24,999	863	720,709	832	96.3	94.5-98.1	31	3.7	1.9- 5.5
\$25,000- 34,999	549	456,675	517	92.7	89.6-95.8	32	7.3	4.2-10.4
\$35,000- 49,999	818	675,139	795	95.2	92.5-97.9	23	4.8	2.1- 7.5
\$50,000- 74,999	828	703,347	778	92.4	89.9-94.9	50	7.6	5.1-10.1
\$75,000+	1380	1,113,688	1309	94.2	92.2-96.2	71	5.8	3.8- 7.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2432	2,301,035	2299	93.3	91.7-94.9	133	6.7	5.1- 8.3
White/Non-Hisp	2117	1,861,027	2005	93.4	91.8-95.0	112	6.6	5.0- 8.2
Black or Afr. Am./Non-Hisp	100	162,782	92	90.6	82.8-98.4	8	9.4	1.6-17.2
Oth. Race/Non-Hisp.	55	62,190	51	90.0	78.6- 100	4	10.0	0.0-21.4
Hispanic	67	129,696	62	92.9	84.7- 100	5	7.1	0.0-15.3
18-24	140	326,967	126	88.2	81.3-95.1	14	11.8	4.9-18.7
25-34	193	401,594	181	94.9	91.8-98.0	12	5.1	2.0- 8.2
35-44	259	369,195	239	93.2	89.7-96.7	20	6.8	3.3-10.3
45-54	377	405,057	350	91.9	88.4-95.4	27	8.1	4.6-11.6
55-64	589	387,217	557	93.4	90.3-96.5	32	6.6	3.5- 9.7
65+	858	403,985	831	97.2	95.8-98.6	27	2.8	1.4- 4.2
Less Than H.S.	186	316,068	177	94.3	89.8-98.8	9	5.7	1.2-10.2
H.S. or G.E.D.	797	845,900	749	92.0	89.1-94.9	48	8.0	5.1-10.9
Some Post-H.S.	560	639,698	529	93.7	91.0-96.4	31	6.3	3.6- 9.0
College Graduate	877	490,784	832	94.2	92.0-96.4	45	5.8	3.6- 8.0
Less than \$15,000	170	164,637	162	96.3	93.0-99.6	8	3.7	0.4- 7.0
\$15,000- 24,999	296	301,112	280	94.4	90.9-97.9	16	5.6	2.1- 9.1
\$25,000- 34,999	216	229,825	199	93.6	89.9-97.3	17	6.4	2.7-10.1
\$35,000- 49,999	368	329,697	357	94.1	89.2-99.0	11	5.9	1.0-10.8
\$50,000- 74,999	403	391,479	368	89.8	85.7-93.9	35	10.2	6.1-14.3
\$75,000+	693	607,085	657	93.2	90.1-96.3	36	6.8	3.7- 9.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3327	2,469,002	3212	96.0	95.0-97.0	115	4.0	3.0- 5.0
White/Non-Hisp	2905	2,028,746	2798	95.6	94.4-96.8	107	4.4	3.2- 5.6
Black or Afr. Am./Non-Hisp	184	208,595	179	97.6	95.1- 100	5	2.4	0.0- 4.9
Oth. Race/Non-Hisp.	53	36,379	53	100.0	100.0- 100			
Hispanic	111	142,114	110	98.6	95.9- 100	1	1.4	0.0- 4.1
18-24	120	317,403	110	94.6	91.1-98.1	10	5.4	1.9- 8.9
25-34	242	403,563	229	94.1	90.0-98.2	13	5.9	1.8-10.0
35-44	320	379,131	306	95.4	92.1-98.7	14	4.6	1.3- 7.9
45-54	484	408,621	466	96.2	94.2-98.2	18	3.8	1.8- 5.8
55-64	740	411,535	713	96.6	95.0-98.2	27	3.4	1.8- 5.0
65+	1386	528,389	1353	97.7	96.7-98.7	33	2.3	1.3- 3.3
Less Than H.S.	256	310,753	253	98.7	97.1- 100	3	1.3	0.0- 2.9
H.S. or G.E.D.	1128	791,999	1095	96.7	95.1-98.3	33	3.3	1.7- 4.9
Some Post-H.S.	896	822,871	865	95.1	92.7-97.5	31	4.9	2.5- 7.3
College Graduate	1028	529,967	980	94.5	92.5-96.5	48	5.5	3.5- 7.5
Less than \$15,000	328	298,064	319	95.5	91.2-99.8	9	4.5	0.2- 8.8
\$15,000- 24,999	567	419,598	552	97.7	96.1-99.3	15	2.3	0.7- 3.9
\$25,000- 34,999	333	226,850	318	91.8	86.5-97.1	15	8.2	2.9-13.5
\$35,000- 49,999	450	345,441	438	96.2	93.5-98.9	12	3.8	1.1- 6.5
\$50,000- 74,999	425	311,868	410	95.7	92.8-98.6	15	4.3	1.4- 7.2
\$75,000+	687	506,603	652	95.3	93.1-97.5	35	4.7	2.5- 6.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 10: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)	
1 MALES AND FEMALES	113
2 MALES ONLY	114
3 FEMALES ONLY	115
FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)	
4 MALES AND FEMALES	116
5 MALES ONLY	117
6 FEMALES ONLY	118
BEAN INTAKE IN TIMES PER DAY (BEANDAY_)	
7 MALES AND FEMALES	119
8 MALES ONLY	120
9 FEMALES ONLY	121
DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)	
10 MALES AND FEMALES	122
11 MALES ONLY	123
12 FEMALES ONLY	124
ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)	
13 MALES AND FEMALES	125
14 MALES ONLY	126
15 FEMALES ONLY	127
VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)	
16 MALES AND FEMALES	128
17 MALES ONLY	129
18 FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 10: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)	
19 MALES AND FEMALES	131
20 MALES ONLY	132
21 FEMALES ONLY	133
TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)	
22 MALES AND FEMALES	134
23 MALES ONLY	135
24 FEMALES ONLY	136
CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)	
25 MALES AND FEMALES	137
26 MALES ONLY	138
27 FEMALES ONLY	139
CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGL1)	
28 MALES AND FEMALES	140
29 MALES ONLY	141
30 FEMALES ONLY	142

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 1: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5581	4,612,180	2044	40.2	38.2-42.2	1069	16.9	15.5-18.3	39	1.5	0.9- 2.1	20	0.5	0.3- 0.7	3	0.3	0.0- 0.7	2406	40.6	38.6-42.6
Male	2363	2,225,145	916	39.5	36.6-42.4	454	17.0	14.8-19.2	21	2.0	0.8- 3.2	9	0.5	0.1- 0.9	1	0.1	0.0- 0.3	962	40.9	38.0-43.8
Female	3218	2,387,034	1128	40.9	38.2-43.6	615	16.7	14.7-18.7	18	1.1	0.3- 1.9	11	0.5	0.1- 0.9	2	0.4	0.0- 1.0	1444	40.4	37.9-42.9
White/Non-Hisp	4864	3,755,148	1751	39.3	37.1-41.5	922	16.4	14.8-18.0	22	0.9	0.3- 1.5	14	0.4	0.2- 0.6	1	0.2	0.0- 0.6	2154	42.8	40.8-44.8
Black or Afr. Am./Non-Hisp	277	368,703	112	44.8	36.6-53.0	62	20.6	14.3-26.9	10	4.6	1.3- 7.9	3	1.0	0.0- 2.4	2	1.5	0.0- 3.5	88	27.7	20.6-34.8
Oth. Race/Non-Hisp.	108	97,616	44	37.2	25.2-49.2	16	11.1	3.3-18.9										48	51.7	39.0-64.4
MultiRacial/Non-Hisp.	74	52,244	24	36.8	19.9-53.7	17	17.8	6.6-29.0	2	3.8	0.0- 9.9	1	0.2	0.0- 0.6				30	41.4	24.7-58.1
Hispanic	172	259,264	82	49.7	39.9-59.5	30	19.5	11.3-27.7	4	4.6	0.0- 9.5	1	1.0	0.0- 2.8				55	25.3	17.7-32.9
18-24	253	629,806	121	50.4	43.1-57.7	41	16.7	11.2-22.2	6	2.1	0.1- 4.1	2	0.6	0.0- 1.6	2	1.5	0.0- 3.7	81	28.8	22.5-35.1
25-34	414	763,134	211	50.5	44.6-56.4	57	15.3	11.0-19.6	9	4.2	1.1- 7.3	2	0.5	0.0- 1.3				135	29.5	24.4-34.6
35-44	555	715,252	226	41.4	36.1-46.7	73	13.8	10.1-17.5	3	1.0	0.0- 2.4	4	1.2	0.0- 2.4	1	0.4	0.0- 1.2	248	42.2	37.1-47.3
45-54	848	797,378	323	36.2	32.1-40.3	135	15.0	12.1-17.9	3	0.6	0.0- 1.4	3	0.2	0.0- 0.4				384	48.0	43.7-52.3
55-64	1296	785,811	489	36.5	33.2-39.8	205	15.2	12.7-17.7	8	1.0	0.2- 1.8	3	0.5	0.0- 1.1				591	46.8	43.3-50.3
65+	2167	893,179	662	30.7	28.0-33.4	542	23.4	21.0-25.8	9	0.6	0.0- 1.2	6	0.1	0.0- 0.3				948	45.1	42.2-48.0
Less Than H.S.	422	596,929	126	36.0	28.9-43.1	79	18.2	13.1-23.3	10	3.6	0.7- 6.5	3	1.0	0.0- 2.2	1	1.1	0.0- 3.3	203	40.1	33.6-46.6
H.S. or G.E.D.	1840	1,564,408	614	35.8	32.5-39.1	380	19.6	16.9-22.3	12	1.5	0.3- 2.7	4	0.5	0.0- 1.1	1	0.2	0.0- 0.6	829	42.4	39.1-45.7
Some Post-H.S.	1421	1,423,548	556	43.5	40.0-47.0	241	14.4	12.0-16.8	9	1.2	0.0- 2.4	6	0.6	0.0- 1.2	1	0.2	0.0- 0.6	608	40.1	36.6-43.6
College Graduate	1869	1,006,307	740	45.1	42.0-48.2	359	15.0	12.8-17.2	8	0.9	0.1- 1.7	7	0.1	0.0- 0.3				755	38.8	35.7-41.9
Less than \$15,000	481	444,588	169	43.4	36.3-50.5	76	16.2	11.1-21.3	8	2.0	0.0- 4.0	2	0.7	0.0- 1.9	1	0.6	0.0- 1.8	225	37.1	31.0-43.2
\$15,000- 24,999	839	700,832	294	37.6	32.5-42.7	171	19.7	15.8-23.6	9	2.0	0.0- 4.0	3	0.4	0.0- 1.0	2	1.3	0.0- 3.3	360	38.9	34.0-43.8
\$25,000- 34,999	524	428,869	184	38.2	32.1-44.3	123	19.6	15.1-24.1	2	1.3	0.0- 3.7	1	0.6	0.0- 1.8				214	40.3	34.2-46.4
\$35,000- 49,999	802	665,452	315	46.2	40.9-51.5	163	16.7	13.0-20.4	2	0.5	0.0- 1.1	6	1.3	0.1- 2.5				316	35.4	30.7-40.1
\$50,000- 74,999	803	678,949	305	42.0	36.9-47.1	151	16.8	12.9-20.7	3	0.5	0.0- 1.1	1	0.2	0.0- 0.6				343	40.5	35.8-45.2
\$75,000+	1355	1,088,517	569	43.8	39.9-47.7	209	13.6	11.1-16.1	7	1.6	0.0- 3.2	2	0.0	0.0- 0.0				568	41.0	37.3-44.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES
TABLE 2: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2363	2,225,145	916	39.5	36.6-42.4	454	17.0	14.8-19.2	21	2.0	0.8- 3.2	9	0.5	0.1- 0.9	1	0.1	0.0- 0.3	962	40.9	38.0-43.8
White/Non-Hisp	2061	1,802,369	789	38.6	35.5-41.7	394	16.5	14.1-18.9	12	1.1	0.1- 2.1	7	0.5	0.1- 0.9				859	43.3	40.2-46.4
Black or Afr. Am./Non-Hisp	98	164,298	43	44.1	31.4-56.8	20	20.2	10.2-30.2	5	6.2	0.0-12.5				1	1.6	0.0- 4.7	29	27.8	16.2-39.4
Oth. Race/Non-Hisp.	56	61,815	24	35.9	20.0-51.8	7	9.5	0.0-20.1										25	54.6	37.5-71.7
Hispanic	62	117,602	32	50.3	34.0-66.6	11	23.3	9.0-37.6	2	5.3	0.0-13.7	1	2.1	0.0- 6.2				16	19.0	8.6-29.4
18-24	134	315,789	61	43.4	33.8-53.0	22	19.9	11.5-28.3	3	2.5	0.0- 5.8	1	0.9	0.0- 2.7				47	33.3	24.5-42.1
25-34	186	385,749	92	48.7	40.1-57.3	25	14.6	8.5-20.7	4	4.8	0.0- 9.7							65	31.9	24.1-39.7
35-44	246	349,858	103	39.8	32.0-47.6	39	15.4	9.7-21.1	2	1.5	0.0- 4.0	3	1.7	0.0- 3.7	1	0.8	0.0- 2.4	98	40.9	33.3-48.5
45-54	371	394,784	154	36.1	29.8-42.4	53	14.0	9.7-18.3	2	0.6	0.0- 1.4	1	0.1	0.0- 0.3				161	49.3	42.6-56.0
55-64	581	384,145	229	38.5	33.4-43.6	102	15.0	11.5-18.5	6	1.6	0.2- 3.0	1	0.5	0.0- 1.5				243	44.3	39.0-49.6
65+	832	389,536	270	31.1	27.0-35.2	209	23.4	19.7-27.1	4	0.9	0.0- 2.1	3	0.1	0.0- 0.3				346	44.5	39.8-49.2
Less Than H.S.	183	304,721	53	33.4	23.8-43.0	33	14.6	7.7-21.5	6	5.8	0.1-11.5	3	1.9	0.0- 4.1				88	44.3	34.7-53.9
H.S. or G.E.D.	768	816,226	275	34.2	29.7-38.7	148	20.2	16.1-24.3	5	1.6	0.0- 3.4	1	0.3	0.0- 0.9	1	0.3	0.0- 0.9	338	43.4	38.5-48.3
Some Post-H.S.	543	615,309	230	44.1	38.4-49.8	95	14.4	10.5-18.3	6	1.6	0.0- 3.2	1	0.5	0.0- 1.5				211	39.4	33.9-44.9
College Graduate	858	481,391	353	46.1	41.4-50.8	175	16.5	13.4-19.6	4	0.7	0.0- 1.5	4	0.1	0.0- 0.3				322	36.5	32.0-41.0
Less than \$15,000	168	162,604	62	38.6	28.0-49.2	28	17.2	8.8-25.6	1	0.7	0.0- 2.1	1	1.7	0.0- 5.0	1	1.7	0.0- 4.8	75	40.2	30.4-50.0
\$15,000- 24,999	292	296,840	112	41.0	33.0-49.0	52	16.9	11.0-22.8	4	1.5	0.0- 3.5							124	40.6	33.0-48.2
\$25,000- 34,999	201	210,676	68	37.0	27.4-46.6	51	18.7	11.8-25.6	1	2.4	0.0- 7.1	1	1.2	0.0- 3.6				80	40.7	31.3-50.1
\$35,000- 49,999	356	322,162	150	44.2	36.8-51.6	65	17.0	11.1-22.9	2	1.0	0.0- 2.4	3	1.4	0.0- 3.2				136	36.5	29.2-43.8
\$50,000- 74,999	389	375,607	145	41.2	33.9-48.5	80	18.5	12.6-24.4	1	0.2	0.0- 0.6	1	0.3	0.0- 0.9				162	39.7	32.8-46.6
\$75,000+	684	598,796	298	42.5	37.0-48.0	120	16.5	12.4-20.6	6	2.5	0.0- 5.2	1	0.0	0.0- 0.0				259	38.5	33.0-44.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 3: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3218	2,387,034	1128	40.9	38.2-43.6	615	16.7	14.7-18.7	18	1.1	0.3- 1.9	11	0.5	0.1- 0.9	2	0.4	0.0- 1.0	1444	40.4	37.9-42.9
White/Non-Hisp	2803	1,952,778	962	40.0	37.1-42.9	528	16.3	14.3-18.3	10	0.7	0.1- 1.3	7	0.3	0.1- 0.5	1	0.3	0.0- 0.9	1295	42.3	39.6-45.0
Black or Afr. Am./Non-Hisp	179	204,405	69	45.3	34.3-56.3	42	20.9	13.3-28.5	5	3.2	0.1- 6.3	3	1.7	0.0- 4.2	1	1.3	0.0- 3.8	59	27.5	19.1-35.9
Oth. Race/Non-Hisp.	52	35,801	20	39.5	21.9-57.1	9	13.9	2.7-25.1										23	46.6	29.4-63.8
Hispanic	110	141,661	50	49.2	37.2-61.2	19	16.3	7.5-25.1	2	4.0	0.0- 9.5							39	30.4	19.8-41.0
18-24	119	314,018	60	57.4	47.0-67.8	19	13.5	7.0-20.0	3	1.6	0.0- 3.6	1	0.2	0.0- 0.6	2	3.0	0.0- 7.3	34	24.3	15.7-32.9
25-34	228	377,384	119	52.4	44.6-60.2	32	16.0	9.9-22.1	5	3.6	0.0- 7.3	2	1.1	0.0- 2.7				70	27.0	20.5-33.5
35-44	309	365,394	123	43.0	35.7-50.3	34	12.4	7.5-17.3	1	0.5	0.0- 1.5	1	0.7	0.0- 2.1				150	43.5	36.6-50.4
45-54	477	402,594	169	36.4	31.1-41.7	82	16.1	12.2-20.0	1	0.6	0.0- 1.8	2	0.3	0.0- 0.7				223	46.6	41.1-52.1
55-64	715	401,666	260	34.5	30.0-39.0	103	15.3	11.8-18.8	2	0.4	0.0- 1.0	2	0.5	0.0- 1.3				348	49.3	44.6-54.0
65+	1335	503,642	392	30.3	26.8-33.8	333	23.5	20.4-26.6	5	0.4	0.0- 0.8	3	0.2	0.0- 0.4				602	45.6	42.1-49.1
Less Than H.S.	239	292,208	73	38.7	28.5-48.9	46	22.0	14.2-29.8	4	1.2	0.0- 2.6				1	2.3	0.0- 6.6	115	35.8	27.4-44.2
H.S. or G.E.D.	1072	748,182	339	37.6	32.9-42.3	232	19.0	15.7-22.3	7	1.4	0.0- 2.8	3	0.7	0.0- 1.5				491	41.3	37.0-45.6
Some Post-H.S.	878	808,239	326	43.1	38.4-47.8	146	14.3	11.4-17.2	3	1.0	0.0- 2.4	5	0.7	0.0- 1.5	1	0.3	0.0- 0.9	397	40.6	36.1-45.1
College Graduate	1011	524,916	387	44.3	40.0-48.6	184	13.7	11.0-16.4	4	1.0	0.0- 2.2	3	0.1	0.0- 0.3				433	40.9	36.8-45.0
Less than \$15,000	313	281,984	107	46.2	37.2-55.2	48	15.7	9.2-22.2	7	2.7	0.0- 5.4	1	0.1	0.0- 0.3				150	35.4	27.8-43.0
\$15,000- 24,999	547	403,992	182	35.1	28.6-41.6	119	21.8	16.3-27.3	5	2.4	0.0- 5.3	3	0.8	0.0- 1.8	2	2.3	0.0- 5.6	236	37.6	31.5-43.7
\$25,000- 34,999	323	218,193	116	39.5	31.9-47.1	72	20.4	14.5-26.3	1	0.2	0.0- 0.6							134	39.9	32.5-47.3
\$35,000- 49,999	446	343,291	165	48.0	40.7-55.3	98	16.4	11.9-20.9				3	1.2	0.0- 2.8				180	34.4	27.9-40.9
\$50,000- 74,999	414	303,342	160	43.1	36.0-50.2	71	14.6	10.3-18.9	2	0.9	0.0- 2.3							181	41.5	34.8-48.2
\$75,000+	671	489,722	271	45.4	40.1-50.7	89	10.1	7.6-12.6	1	0.4	0.0- 1.2	1	0.1	0.0- 0.3				309	44.0	38.9-49.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES
TABLE 4: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5574	4,595,256	2597	49.2	47.2-51.2	2404	40.5	38.5-42.5	246	3.9	3.3- 4.5	82	1.6	1.0- 2.2	3	0.1	0.1- 0.1	242	4.8	4.0- 5.6
Male	2359	2,216,157	1237	54.8	51.9-57.7	885	34.4	31.7-37.1	66	2.9	1.9- 3.9	31	1.7	0.7- 2.7	1	0.1	0.0- 0.3	139	6.1	4.7- 7.5
Female	3215	2,379,099	1360	43.9	41.4-46.4	1519	46.2	43.7-48.7	180	4.8	3.8- 5.8	51	1.5	0.9- 2.1	2	0.0	0.0- 0.0	103	3.5	2.5- 4.5
White/Non-Hisp	4868	3,752,703	2248	48.6	46.4-50.8	2118	41.0	39.0-43.0	219	4.1	3.3- 4.9	71	1.5	0.9- 2.1	1	0.0	0.0- 0.0	211	4.8	3.8- 5.8
Black or Afr. Am./Non-Hisp	274	362,662	145	55.5	47.3-63.7	101	36.3	28.3-44.3	11	3.0	0.6- 5.4	3	0.9	0.0- 2.1	2	0.2	0.0- 0.4	12	4.0	0.9- 7.1
Oth. Race/Non-Hisp.	105	96,105	44	47.5	34.6-60.4	56	43.8	31.3-56.3	1	1.3	0.0- 3.8							4	7.3	0.0-16.1
MultiRacial/Non-Hisp.	74	52,244	38	52.7	35.8-69.6	26	35.0	19.1-50.9	4	2.8	0.0- 6.9	3	4.0	0.0- 9.5				3	5.5	0.0-12.8
Hispanic	168	253,910	81	48.3	38.3-58.3	71	41.0	31.2-50.8	7	2.9	0.4- 5.4	3	3.9	0.0- 8.6				6	3.9	0.2- 7.6
18-24	253	630,991	135	55.0	47.7-62.3	96	37.8	30.7-44.9	8	2.4	0.6- 4.2	4	1.1	0.0- 2.3				10	3.8	1.3- 6.3
25-34	414	757,254	199	46.5	40.6-52.4	166	42.4	36.5-48.3	23	4.1	2.1- 6.1	9	2.8	0.4- 5.2				17	4.2	1.7- 6.7
35-44	554	714,360	246	45.3	40.0-50.6	240	41.4	36.1-46.7	31	5.3	2.9- 7.7	12	2.8	0.8- 4.8				25	5.2	2.8- 7.6
45-54	846	793,190	419	52.2	47.9-56.5	333	36.2	32.1-40.3	35	4.0	2.4- 5.6	9	0.7	0.1- 1.3	1	0.0	0.0- 0.0	49	6.8	4.4- 9.2
55-64	1288	777,459	622	49.5	46.0-53.0	525	39.5	36.2-42.8	52	4.2	2.8- 5.6	23	1.5	0.7- 2.3				66	5.2	3.6- 6.8
65+	2171	895,527	960	48.0	45.1-50.9	1016	44.2	41.5-46.9	94	3.2	2.4- 4.0	24	0.8	0.4- 1.2	2	0.2	0.0- 0.6	75	3.5	2.5- 4.5
Less Than H.S.	415	588,382	210	53.2	46.1-60.3	153	33.4	26.9-39.9	14	3.0	1.0- 5.0	5	2.6	0.0- 5.5				33	7.8	4.7-10.9
H.S. or G.E.D.	1848	1,569,491	961	52.6	49.3-55.9	695	37.0	33.7-40.3	49	2.4	1.4- 3.4	25	1.4	0.6- 2.2	1	0.0	0.0- 0.0	117	6.6	4.8- 8.4
Some Post-H.S.	1410	1,409,598	649	49.0	45.5-52.5	640	42.4	38.9-45.9	55	3.6	2.4- 4.8	17	1.5	0.5- 2.5	2	0.2	0.0- 0.4	47	3.3	2.1- 4.5
College Graduate	1871	1,004,761	765	42.0	38.9-45.1	905	47.6	44.5-50.7	126	7.0	5.2- 8.8	35	1.4	0.8- 2.0				40	2.0	1.2- 2.8
Less than \$15,000	476	440,485	253	52.3	45.4-59.2	162	35.9	29.0-42.8	16	2.8	0.8- 4.8	2	0.8	0.0- 2.4				43	8.2	5.1-11.3
\$15,000- 24,999	833	688,256	413	53.5	48.4-58.6	351	39.4	34.3-44.5	28	2.8	1.2- 4.4	10	1.3	0.3- 2.3				31	3.0	1.6- 4.4
\$25,000- 34,999	527	432,260	249	48.7	42.6-54.8	231	42.3	36.2-48.4	12	1.5	0.3- 2.7	4	0.7	0.0- 1.7				31	6.7	3.6- 9.8
\$35,000- 49,999	802	666,385	377	50.6	45.5-55.7	338	40.3	35.2-45.4	31	2.5	1.3- 3.7	16	1.8	0.4- 3.2	1	0.1	0.0- 0.3	39	4.8	2.6- 7.0
\$50,000- 74,999	804	678,763	401	53.8	48.7-58.9	329	37.4	32.5-42.3	39	4.7	2.7- 6.7	10	1.6	0.0- 3.2	1	0.0	0.0- 0.0	24	2.6	1.4- 3.8
\$75,000+	1352	1,084,907	571	42.8	39.1-46.5	632	44.6	40.9-48.3	88	6.5	4.7- 8.3	27	2.2	0.8- 3.6	1	0.2	0.0- 0.6	33	3.7	1.7- 5.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES
TABLE 5: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2359	2,216,157	1237	54.8	51.9-57.7	885	34.4	31.7-37.1	66	2.9	1.9- 3.9	31	1.7	0.7- 2.7	1	0.1	0.0- 0.3	139	6.1	4.7- 7.5
White/Non-Hisp	2061	1,801,617	1068	54.1	51.0-57.2	784	35.0	32.1-37.9	60	3.1	1.9- 4.3	25	1.6	0.6- 2.6	1	0.1	0.0- 0.3	123	6.0	4.4- 7.6
Black or Afr. Am./Non-Hisp	97	161,391	62	58.9	46.2-71.6	28	33.6	21.1-46.1	2	2.7	0.0- 6.4	1	0.4	0.0- 1.2				4	4.4	0.0- 9.9
Oth. Race/Non-Hisp.	55	60,762	29	58.9	41.5-76.3	23	31.1	15.6-46.6	1	2.1	0.0- 6.2							2	8.0	0.0-20.9
Hispanic	61	115,410	37	61.0	45.1-76.9	18	27.8	13.7-41.9	1	0.1	0.0- 0.3	2	5.5	0.0-14.3				3	5.5	0.0-12.6
18-24	133	314,341	73	57.6	48.0-67.2	46	33.5	24.3-42.7	4	2.4	0.0- 4.9	2	0.9	0.0- 2.1				8	5.6	1.7- 9.5
25-34	187	384,807	107	54.9	46.3-63.5	52	30.0	22.0-38.0	11	4.5	1.6- 7.4	4	3.5	0.0- 7.8				13	7.0	2.1-11.9
35-44	247	352,527	116	47.8	40.0-55.6	106	39.8	32.4-47.2	8	4.4	0.9- 7.9	5	3.4	0.3- 6.5				12	4.5	1.6- 7.4
45-54	372	392,978	208	58.1	51.6-64.6	127	31.4	25.3-37.5	6	1.4	0.0- 2.8	2	0.3	0.0- 0.7				29	8.7	4.6-12.8
55-64	576	375,946	305	56.0	50.9-61.1	210	33.9	29.0-38.8	14	2.8	1.0- 4.6	9	1.3	0.3- 2.3				38	6.0	3.5- 8.5
65+	831	390,274	421	54.1	49.6-58.6	339	38.1	33.6-42.6	23	2.1	0.9- 3.3	8	0.7	0.1- 1.3	1	0.5	0.0- 1.5	39	4.6	2.8- 6.4
Less Than H.S.	178	298,722	96	55.3	45.5-65.1	60	28.9	20.3-37.5	2	1.0	0.0- 2.6	3	4.2	0.0- 9.7				17	10.5	5.0-16.0
H.S. or G.E.D.	770	814,665	443	58.0	53.1-62.9	230	30.4	25.9-34.9	16	2.7	1.1- 4.3	10	1.1	0.3- 1.9				71	7.8	5.1-10.5
Some Post-H.S.	539	611,817	295	55.3	49.6-61.0	205	35.8	30.3-41.3	10	2.3	0.5- 4.1	7	2.0	0.2- 3.8	1	0.3	0.0- 0.9	21	4.2	2.0- 6.4
College Graduate	860	482,367	395	47.9	43.2-52.6	388	43.0	38.3-47.7	38	5.3	2.9- 7.7	11	0.7	0.3- 1.1				28	3.1	1.5- 4.7
Less than \$15,000	166	159,451	88	51.3	40.5-62.1	55	35.8	24.8-46.8	2	1.8	0.0- 5.1							21	11.1	5.2-17.0
\$15,000- 24,999	287	290,865	170	62.5	54.9-70.1	91	31.9	24.5-39.3	5	1.4	0.0- 3.0	3	0.4	0.0- 0.8				18	3.8	1.4- 6.2
\$25,000- 34,999	203	211,704	107	53.1	43.5-62.7	75	37.5	28.1-46.9	3	1.2	0.0- 2.8	3	1.4	0.0- 3.2				15	6.8	2.1-11.5
\$35,000- 49,999	358	323,727	191	52.9	45.5-60.3	132	36.8	29.5-44.1	7	1.9	0.1- 3.7	6	2.3	0.0- 4.7				22	6.2	2.5- 9.9
\$50,000- 74,999	392	377,320	219	60.5	53.4-67.6	143	32.3	25.6-39.0	10	2.5	0.3- 4.7	3	1.3	0.0- 3.5				17	3.4	1.2- 5.6
\$75,000+	684	598,673	330	50.2	44.7-55.7	290	37.2	31.9-42.5	32	5.5	3.0- 8.0	9	2.0	0.0- 4.4	1	0.3	0.0- 0.9	22	4.7	1.8- 7.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES
TABLE 6: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3215	2,379,099	1360	43.9	41.4-46.4	1519	46.2	43.7-48.7	180	4.8	3.8- 5.8	51	1.5	0.9- 2.1	2	0.0	0.0- 0.0	103	3.5	2.5- 4.5
White/Non-Hisp	2807	1,951,087	1180	43.4	40.7-46.1	1334	46.6	43.9-49.3	159	5.0	4.0- 6.0	46	1.4	0.8- 2.0				88	3.6	2.6- 4.6
Black or Afr. Am./Non-Hisp	177	201,271	83	52.9	42.1-63.7	73	38.5	28.1-48.9	9	3.2	0.5- 5.9	2	1.3	0.0- 3.3	2	0.3	0.0- 0.7	8	3.7	0.4- 7.0
Oth. Race/Non-Hisp.	50	35,343	15	28.1	12.8-43.4	33	65.8	49.5-82.1										2	6.1	0.0-14.5
Hispanic	107	138,500	44	37.7	26.3-49.1	53	52.0	40.0-64.0	6	5.2	0.5- 9.9	1	2.5	0.0- 7.4				3	2.5	0.0- 6.0
18-24	120	316,650	62	52.4	41.6-63.2	50	42.0	31.4-52.6	4	2.3	0.0- 4.8	2	1.3	0.0- 3.1				2	2.0	0.0- 4.9
25-34	227	372,447	92	37.9	30.5-45.3	114	55.2	47.6-62.8	12	3.6	1.2- 6.0	5	2.0	0.0- 4.2				4	1.3	0.0- 2.9
35-44	307	361,834	130	42.9	35.8-50.0	134	42.9	35.6-50.2	23	6.2	3.3- 9.1	7	2.2	0.0- 4.6				13	5.8	2.1- 9.5
45-54	474	400,212	211	46.4	40.7-52.1	206	40.9	35.4-46.4	29	6.6	3.7- 9.5	7	1.1	0.1- 2.1	1	0.1	0.0- 0.3	20	4.9	2.4- 7.4
55-64	712	401,514	317	43.5	38.8-48.2	315	44.8	40.1-49.5	38	5.6	3.4- 7.8	14	1.7	0.5- 2.9				28	4.5	2.5- 6.5
65+	1340	505,253	539	43.3	39.6-47.0	677	49.0	45.3-52.7	71	4.0	2.8- 5.2	16	0.9	0.3- 1.5	1	0.1	0.0- 0.3	36	2.7	1.5- 3.9
Less Than H.S.	237	289,660	114	51.0	41.2-60.8	93	38.0	28.6-47.4	12	5.1	1.4- 8.8	2	0.8	0.0- 2.2				16	5.0	1.9- 8.1
H.S. or G.E.D.	1078	754,826	518	46.8	42.3-51.3	465	44.1	39.4-48.8	33	2.1	1.1- 3.1	15	1.7	0.5- 2.9	1	0.0	0.0- 0.0	46	5.2	3.0- 7.4
Some Post-H.S.	871	797,781	354	44.1	39.4-48.8	435	47.5	42.8-52.2	45	4.7	2.9- 6.5	10	1.2	0.2- 2.2	1	0.0	0.0- 0.0	26	2.5	1.3- 3.7
College Graduate	1011	522,394	370	36.4	32.3-40.5	517	51.9	47.6-56.2	88	8.6	6.2-11.0	24	2.0	1.0- 3.0				12	1.0	0.2- 1.8
Less than \$15,000	310	281,034	165	52.8	43.8-61.8	107	35.9	27.1-44.7	14	3.3	0.9- 5.7	2	1.3	0.0- 3.7				22	6.6	3.1-10.1
\$15,000- 24,999	546	397,391	243	46.8	40.1-53.5	260	44.9	38.2-51.6	23	3.9	1.5- 6.3	7	1.9	0.1- 3.7				13	2.4	0.6- 4.2
\$25,000- 34,999	324	220,556	142	44.5	36.9-52.1	156	46.9	39.3-54.5	9	1.9	0.3- 3.5	1	0.0	0.0- 0.0				16	6.7	2.6-10.8
\$35,000- 49,999	444	342,659	186	48.4	41.1-55.7	206	43.5	36.4-50.6	24	3.1	1.3- 4.9	10	1.3	0.3- 2.3	1	0.1	0.0- 0.3	17	3.5	1.5- 5.5
\$50,000- 74,999	412	301,442	182	45.4	38.3-52.5	186	43.7	36.8-50.6	29	7.4	4.1-10.7	7	1.9	0.0- 4.3	1	0.1	0.0- 0.3	7	1.6	0.4- 2.8
\$75,000+	668	486,234	241	33.7	29.0-38.4	342	53.7	48.6-58.8	56	7.8	5.3-10.3	18	2.4	1.0- 3.8				11	2.5	0.1- 4.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES
TABLE 7: BEAN INTAKE IN TIMES PER DAY (BEANDAY_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5544	4,589,970	4231	74.1	72.3-75.9	292	5.6	4.6- 6.6	10	0.2	0.0- 0.4	4	0.1	0.1- 0.1	1	0.0	0.0- 0.0	1006	20.0	18.4-21.6
Male	2345	2,207,628	1815	74.3	71.6-77.0	122	5.1	3.7- 6.5	2	0.0	0.0- 0.0	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	404	20.4	17.9-22.9
Female	3199	2,382,342	2416	73.8	71.4-76.2	170	6.1	4.7- 7.5	8	0.3	0.0- 0.7	3	0.0	0.0- 0.0				602	19.7	17.5-21.9
White/Non-Hisp	4836	3,738,729	3734	75.4	73.4-77.4	225	4.7	3.7- 5.7	8	0.1	0.0- 0.3	4	0.1	0.1- 0.1	1	0.0	0.0- 0.0	864	19.7	17.9-21.5
Black or Afr. Am./Non-Hisp	276	367,479	186	65.4	57.6-73.2	14	3.9	1.4- 6.4	1	0.7	0.0- 2.1							75	30.0	22.4-37.6
Oth. Race/Non-Hisp.	105	94,667	67	58.6	45.7-71.5	17	15.5	5.9-25.1										21	25.9	14.3-37.5
MultiRacial/Non-Hisp.	74	52,244	59	77.2	62.9-91.5	3	5.6	0.0-12.9										12	17.2	4.1-30.3
Hispanic	169	258,103	126	74.0	65.0-83.0	29	18.3	10.1-26.5	1	0.6	0.0- 1.8							13	7.1	2.6-11.6
18-24	253	630,975	178	68.8	61.9-75.7	10	4.3	0.8- 7.8	1	0.4	0.0- 1.2							64	26.5	20.0-33.0
25-34	412	755,872	300	71.7	66.4-77.0	26	4.7	2.5- 6.9	2	0.2	0.0- 0.6							84	23.3	18.2-28.4
35-44	556	719,568	428	73.4	68.5-78.3	38	8.9	5.2-12.6				1	0.2	0.0- 0.6				89	17.5	13.6-21.4
45-54	838	792,624	644	76.2	72.5-79.9	52	5.5	3.5- 7.5	2	0.3	0.0- 0.7							140	17.9	14.6-21.2
55-64	1279	772,679	1004	77.1	74.2-80.0	58	5.1	3.5- 6.7	3	0.1	0.0- 0.3	2	0.1	0.0- 0.3				212	17.5	14.8-20.2
65+	2159	891,070	1645	76.0	73.5-78.5	105	5.0	3.8- 6.2	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	406	18.8	16.4-21.2
Less Than H.S.	425	600,728	282	63.8	57.1-70.5	35	11.1	6.2-16.0	1	0.3	0.0- 0.9							107	24.9	19.0-30.8
H.S. or G.E.D.	1831	1,559,540	1332	70.6	67.5-73.7	87	4.1	2.9- 5.3	5	0.2	0.0- 0.4	2	0.0	0.0- 0.0	1	0.1	0.0- 0.3	404	25.0	22.1-27.9
Some Post-H.S.	1402	1,410,294	1085	76.8	73.7-79.9	73	5.4	3.6- 7.2	1	0.2	0.0- 0.6							243	17.6	14.7-20.5
College Graduate	1859	999,300	1514	81.9	79.4-84.4	96	5.0	3.8- 6.2	3	0.2	0.0- 0.4	2	0.2	0.0- 0.6				244	12.7	10.5-14.9
Less than \$15,000	482	447,628	332	69.4	63.5-75.3	25	5.0	2.6- 7.4	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3				123	25.5	19.8-31.2
\$15,000- 24,999	828	690,782	608	71.3	66.6-76.0	46	6.4	3.7- 9.1	2	0.6	0.0- 1.6	2	0.1	0.0- 0.3				170	21.5	17.2-25.8
\$25,000- 34,999	519	428,471	384	70.0	64.1-75.9	29	5.3	2.8- 7.8							1	0.3	0.0- 0.9	105	24.4	18.7-30.1
\$35,000- 49,999	795	660,420	612	74.2	69.3-79.1	46	7.0	3.7-10.3	2	0.2	0.0- 0.6							135	18.5	14.2-22.8
\$50,000- 74,999	806	682,446	638	76.3	71.6-81.0	29	5.0	1.9- 8.1	2	0.1	0.0- 0.3	1	0.2	0.0- 0.6				136	18.4	14.3-22.5
\$75,000+	1345	1,081,882	1100	80.1	77.0-83.2	73	4.4	3.0- 5.8	2	0.2	0.0- 0.4							170	15.3	12.4-18.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES
TABLE 8: BEAN INTAKE IN TIMES PER DAY (BEANDAY_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2345	2,207,628	1815	74.3	71.6-77.0	122	5.1	3.7- 6.5	2	0.0	0.0- 0.0	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	404	20.4	17.9-22.9
White/Non-Hisp	2050	1,791,208	1597	75.1	72.4-77.8	98	4.2	3.0- 5.4	2	0.0	0.0- 0.0	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	351	20.5	17.8-23.2
Black or Afr. Am./Non-Hisp	95	160,579	71	72.9	61.3-84.5	4	3.0	0.0- 6.3										20	24.0	12.6-35.4
Oth. Race/Non-Hisp.	54	59,112	35	60.8	42.8-78.8	10	16.8	2.7-30.9										9	22.4	6.5-38.3
Hispanic	62	118,823	52	77.1	61.8-92.4	6	16.0	1.5-30.5										4	6.9	0.0-14.2
18-24	132	312,791	99	74.0	65.6-82.4	5	3.5	0.2- 6.8										28	22.4	14.4-30.4
25-34	186	384,496	138	72.6	64.8-80.4	10	4.2	1.3- 7.1	1	0.1	0.0- 0.3							37	23.0	15.4-30.6
35-44	247	352,681	184	68.9	61.3-76.5	16	7.5	2.0-13.0				1	0.4	0.0- 1.2				46	23.2	16.3-30.1
45-54	368	393,314	285	75.7	69.8-81.6	20	5.0	2.1- 7.9										63	19.3	14.0-24.6
55-64	571	373,011	442	74.6	69.9-79.3	30	6.3	3.8- 8.8	1	0.1	0.0- 0.3							98	19.0	14.7-23.3
65+	828	386,051	656	79.6	75.9-83.3	41	3.9	2.5- 5.3							1	0.3	0.0- 0.9	130	16.1	12.8-19.4
Less Than H.S.	182	303,280	120	62.6	53.0-72.2	15	10.1	3.2-17.0										47	27.2	18.4-36.0
H.S. or G.E.D.	762	806,955	555	70.8	66.3-75.3	39	4.3	2.5- 6.1	1	0.1	0.0- 0.3				1	0.2	0.0- 0.6	166	24.7	20.4-29.0
Some Post-H.S.	538	611,945	428	78.8	74.1-83.5	24	3.9	1.7- 6.1										86	17.3	12.8-21.8
College Graduate	854	479,777	705	81.9	78.2-85.6	44	4.7	2.9- 6.5	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9				103	13.0	9.5-16.5
Less than \$15,000	170	164,800	114	66.4	57.0-75.8	15	9.0	3.7-14.3										41	24.7	16.1-33.3
\$15,000- 24,999	291	293,713	222	71.5	64.1-78.9	13	6.6	2.3-10.9										56	22.0	15.1-28.9
\$25,000- 34,999	197	210,090	149	72.2	63.2-81.2	8	3.2	0.3- 6.1							1	0.6	0.0- 1.8	39	24.0	15.2-32.8
\$35,000- 49,999	351	316,302	271	76.4	69.7-83.1	20	4.6	2.1- 7.1	1	0.1	0.0- 0.3							59	18.9	12.6-25.2
\$50,000- 74,999	392	377,268	308	76.5	70.0-83.0	14	4.7	0.0- 9.4	1	0.1	0.0- 0.3	1	0.4	0.0- 1.2				68	18.3	13.0-23.6
\$75,000+	680	596,775	561	79.2	74.3-84.1	38	4.4	2.4- 6.4										81	16.4	11.7-21.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES
TABLE 9: BEAN INTAKE IN TIMES PER DAY (BEANDAY_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3199	2,382,342	2416	73.8	71.4-76.2	170	6.1	4.7- 7.5	8	0.3	0.0- 0.7	3	0.0	0.0- 0.0	602	19.7	17.5-21.9
White/Non-Hisp	2786	1,947,521	2137	75.8	73.3-78.3	127	5.1	3.7- 6.5	6	0.2	0.0- 0.4	3	0.1	0.1- 0.1	513	18.9	16.5-21.3
Black or Afr. Am./Non-Hisp	181	206,900	115	59.5	49.1-69.9	10	4.5	0.8- 8.2	1	1.3	0.0- 3.8				55	34.6	24.4-44.8
Oth. Race/Non-Hisp.	51	35,556	32	54.9	37.7-72.1	7	13.4	2.6-24.2							12	31.6	15.3-47.9
Hispanic	107	139,280	74	71.3	60.9-81.7	23	20.3	11.1-29.5	1	1.2	0.0- 3.6				9	7.2	1.5-12.9
18-24	121	318,185	79	63.6	53.0-74.2	5	5.0	0.0-11.1	1	0.8	0.0- 2.4				36	30.5	20.7-40.3
25-34	226	371,376	162	70.8	63.7-77.9	16	5.3	2.6- 8.0	1	0.4	0.0- 1.2				47	23.6	16.9-30.3
35-44	309	366,888	244	77.6	71.5-83.7	22	10.3	5.2-15.4							43	12.0	8.1-15.9
45-54	470	399,310	359	76.7	72.0-81.4	32	6.1	3.6- 8.6	2	0.6	0.0- 1.6				77	16.5	12.2-20.8
55-64	708	399,668	562	79.4	75.5-83.3	28	4.0	2.2- 5.8	2	0.2	0.0- 0.4	2	0.2	0.0- 0.6	114	16.1	12.6-19.6
65+	1331	505,020	989	73.3	69.8-76.8	64	5.7	3.7- 7.7	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	276	20.9	17.8-24.0
Less Than H.S.	243	297,447	162	65.0	55.6-74.4	20	12.0	4.7-19.3	1	0.5	0.0- 1.5				60	22.4	14.6-30.2
H.S. or G.E.D.	1069	752,584	777	70.5	66.2-74.8	48	3.9	2.3- 5.5	4	0.3	0.1- 0.5	2	0.1	0.1- 0.1	238	25.3	21.2-29.4
Some Post-H.S.	864	798,349	657	75.2	70.9-79.5	49	6.6	4.1- 9.1	1	0.3	0.0- 0.9				157	17.9	14.2-21.6
College Graduate	1005	519,523	809	81.9	78.8-85.0	52	5.3	3.5- 7.1	2	0.3	0.0- 0.9	1	0.1	0.0- 0.3	141	12.3	9.6-15.0
Less than \$15,000	312	282,829	218	71.1	63.5-78.7	10	2.8	0.8- 4.8	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	82	25.9	18.5-33.3
\$15,000- 24,999	537	397,069	386	71.2	65.1-77.3	33	6.2	2.9- 9.5	2	1.1	0.0- 2.7	2	0.2	0.0- 0.6	114	21.2	15.7-26.7
\$25,000- 34,999	322	218,382	235	67.9	60.5-75.3	21	7.4	3.3-11.5							66	24.7	17.8-31.6
\$35,000- 49,999	444	344,118	341	72.3	65.0-79.6	26	9.2	3.3-15.1	1	0.3	0.0- 0.9				76	18.3	12.4-24.2
\$50,000- 74,999	414	305,178	330	76.1	69.2-83.0	15	5.3	1.6- 9.0	1	0.1	0.0- 0.3				68	18.5	12.0-25.0
\$75,000+	665	485,107	539	81.3	77.4-85.2	35	4.5	2.7- 6.3	2	0.4	0.0- 1.0				89	13.9	10.4-17.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 10: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5546	4,585,039	3916	70.0	68.2-71.8	1016	18.1	16.5-19.7	45	1.0	0.6- 1.4	15	0.2	0.0- 0.4	1	0.0	0.0- 0.0	553	10.6	9.4-11.8
Male	2349	2,209,776	1708	71.5	68.8-74.2	348	14.8	12.6-17.0	15	0.9	0.3- 1.5	3	0.1	0.0- 0.3				275	12.7	10.7-14.7
Female	3197	2,375,263	2208	68.7	66.3-71.1	668	21.2	19.0-23.4	30	1.1	0.5- 1.7	12	0.2	0.0- 0.4	1	0.0	0.0- 0.0	278	8.7	7.1-10.3
White/Non-Hisp	4833	3,734,718	3423	70.5	68.5-72.5	866	17.4	15.8-19.0	37	1.0	0.6- 1.4	13	0.2	0.0- 0.4	1	0.0	0.0- 0.0	493	10.9	9.5-12.3
Black or Afr. Am./Non-Hisp	280	365,456	199	70.2	62.8-77.6	54	20.4	13.7-27.1	3	0.7	0.0- 1.9	2	0.2	0.0- 0.6				22	8.4	3.9-12.9
Oth. Race/Non-Hisp.	104	95,530	73	59.3	46.0-72.6	23	25.3	13.1-37.5	1	1.4	0.0- 4.1							7	14.0	3.2-24.8
MultiRacial/Non-Hisp.	73	51,491	49	61.6	44.7-78.5	16	32.2	15.5-48.9	1	0.2	0.0- 0.6							7	6.0	0.0-12.5
Hispanic	170	258,165	115	72.6	64.4-80.8	40	18.5	11.4-25.6	2	1.9	0.0- 4.8							13	7.1	2.6-11.6
18-24	252	626,909	168	68.6	61.9-75.3	51	18.9	13.4-24.4	2	0.9	0.0- 2.1	1	0.1	0.0- 0.3				30	11.5	7.0-16.0
25-34	414	758,609	289	67.6	61.9-73.3	79	20.0	15.3-24.7	9	1.4	0.4- 2.4	1	0.0	0.0- 0.0				36	11.1	7.0-15.2
35-44	556	714,873	385	69.0	64.1-73.9	115	19.7	15.6-23.8	11	2.2	0.4- 4.0	2	0.2	0.0- 0.6				43	8.9	6.0-11.8
45-54	838	787,306	591	70.7	66.8-74.6	146	15.9	12.8-19.0	3	0.7	0.0- 1.7	4	0.4	0.0- 0.8				94	12.4	9.5-15.3
55-64	1280	775,650	927	72.4	69.3-75.5	223	17.5	14.8-20.2	8	0.7	0.1- 1.3	4	0.2	0.0- 0.4				118	9.3	7.3-11.3
65+	2159	894,451	1525	71.5	69.0-74.0	390	17.0	14.8-19.2	11	0.6	0.2- 1.0	2	0.0	0.0- 0.0	1	0.0	0.0- 0.0	230	10.9	9.1-12.7
Less Than H.S.	420	596,467	257	65.0	58.5-71.5	57	14.6	9.7-19.5	2	0.8	0.0- 2.0							104	19.6	14.7-24.5
H.S. or G.E.D.	1835	1,561,592	1294	70.4	67.3-73.5	259	14.3	11.9-16.7	12	0.6	0.0- 1.2	4	0.1	0.1- 0.1	1	0.0	0.0- 0.0	265	14.7	12.3-17.1
Some Post-H.S.	1410	1,408,261	1016	70.8	67.5-74.1	275	20.5	17.6-23.4	15	1.7	0.5- 2.9	4	0.2	0.0- 0.4				100	6.8	4.8- 8.8
College Graduate	1853	996,328	1329	71.5	68.6-74.4	423	23.3	20.6-26.0	16	0.8	0.2- 1.4	7	0.3	0.0- 0.7				78	4.1	2.7- 5.5
Less than \$15,000	480	446,684	306	63.5	57.0-70.0	75	18.9	13.4-24.4	4	0.7	0.0- 1.5	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3	92	16.7	12.0-21.4
\$15,000- 24,999	833	697,669	584	70.1	65.6-74.6	116	13.7	10.4-17.0	4	0.3	0.0- 0.7	1	0.1	0.0- 0.3				128	15.8	12.1-19.5
\$25,000- 34,999	526	432,687	365	63.9	57.8-70.0	90	19.1	14.4-23.8	2	0.7	0.0- 1.9	2	0.1	0.0- 0.3				67	16.2	11.3-21.1
\$35,000- 49,999	796	662,310	542	69.8	65.1-74.5	167	19.1	15.4-22.8	9	1.3	0.1- 2.5							78	9.8	6.7-12.9
\$50,000- 74,999	797	674,286	587	73.9	69.4-78.4	148	18.5	14.6-22.4	8	1.7	0.1- 3.3	1	0.0	0.0- 0.0				53	5.9	3.9- 7.9
\$75,000+	1340	1,067,314	1000	74.4	70.9-77.9	265	18.6	15.7-21.5	15	1.4	0.4- 2.4	6	0.5	0.1- 0.9				54	5.2	3.2- 7.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 11: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2349	2,209,776	1708	71.5	68.8-74.2	348	14.8	12.6-17.0	15	0.9	0.3- 1.5	3	0.1	0.0- 0.3	275	12.7	10.7-14.7
White/Non-Hisp	2047	1,791,197	1490	71.8	69.1-74.5	298	14.3	12.1-16.5	15	1.1	0.3- 1.9	3	0.1	0.0- 0.3	241	12.6	10.4-14.8
Black or Afr. Am./Non-Hisp	99	159,857	76	74.7	63.3-86.1	15	15.1	5.7-24.5				8	10.2	2.0-18.4			
Oth. Race/Non-Hisp.	56	61,815	40	58.6	40.6-76.6	10	22.2	6.5-37.9				6	19.2	3.7-34.7			
Hispanic	62	118,823	46	78.3	66.1-90.5	9	12.1	1.9-22.3				7	9.6	2.2-17.0			
18-24	131	308,725	92	70.5	61.7-79.3	23	16.2	9.3-23.1	2	1.8	0.0- 4.3				14	11.5	5.0-18.0
25-34	188	387,233	138	69.8	61.4-78.2	29	17.5	10.4-24.6	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	19	12.4	6.1-18.7
35-44	249	353,967	170	68.4	61.3-75.5	46	16.7	11.4-22.0	5	2.5	0.0- 5.4				28	12.4	7.3-17.5
45-54	370	389,814	272	72.2	66.1-78.3	43	11.5	7.0-16.0	1	0.1	0.0- 0.3	2	0.4	0.0- 1.2	52	15.8	11.1-20.5
55-64	571	376,148	425	74.0	69.3-78.7	75	13.2	9.7-16.7	5	1.1	0.0- 2.5				66	11.6	8.1-15.1
65+	827	388,604	602	73.4	69.3-77.5	130	14.2	11.1-17.3	1	0.3	0.0- 0.9				94	12.2	9.1-15.3
Less Than H.S.	178	298,774	110	61.2	51.6-70.8	21	15.2	7.8-22.6	1	0.4	0.0- 1.2				46	23.3	15.3-31.3
H.S. or G.E.D.	768	812,127	539	70.4	65.9-74.9	95	11.9	8.8-15.0	2	0.5	0.0- 1.3				132	17.2	13.3-21.1
Some Post-H.S.	539	611,885	404	74.3	69.2-79.4	82	16.2	11.7-20.7	6	2.2	0.2- 4.2	1	0.2	0.0- 0.6	46	7.2	4.5- 9.9
College Graduate	853	478,694	646	75.6	71.5-79.7	150	18.1	14.4-21.8	6	0.5	0.0- 1.1	2	0.1	0.0- 0.3	49	5.7	3.5- 7.9
Less than \$15,000	169	164,588	115	65.6	55.4-75.8	19	15.7	7.1-24.3	2	1.3	0.0- 3.1				33	17.4	10.0-24.8
\$15,000- 24,999	293	298,634	204	70.3	63.2-77.4	33	11.7	6.8-16.6							56	18.0	12.1-23.9
\$25,000- 34,999	201	212,114	149	68.5	59.1-77.9	25	13.3	7.0-19.6	1	1.1	0.0- 3.3				26	17.1	8.9-25.3
\$35,000- 49,999	352	318,720	244	70.8	63.7-77.9	57	14.7	9.4-20.0	2	0.8	0.0- 2.2				49	13.8	8.1-19.5
\$50,000- 74,999	388	373,599	292	75.4	69.1-81.7	57	15.1	9.8-20.4	6	2.5	0.0- 5.2				33	7.0	4.1- 9.9
\$75,000+	676	586,290	517	75.0	69.9-80.1	114	16.5	12.4-20.6	4	0.7	0.0- 1.9	3	0.3	0.0- 0.7	38	7.5	4.0-11.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 12: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3197	2,375,263	2208	68.7	66.3-71.1	668	21.2	19.0-23.4	30	1.1	0.5- 1.7	12	0.2	0.0- 0.4	1	0.0	0.0- 0.0	278	8.7	7.3-10.1
White/Non-Hisp	2786	1,943,521	1933	69.2	66.7-71.7	568	20.3	18.1-22.5	22	0.9	0.3- 1.5	10	0.2	0.0- 0.4	1	0.0	0.0- 0.0	252	9.4	7.6-11.2
Black or Afr. Am./Non-Hisp	181	205,599	123	66.8	56.8-76.8	39	24.5	15.1-33.9	3	1.3	0.0- 3.3	2	0.4	0.0- 1.0				14	7.0	2.5-11.5
Hispanic	108	139,342	69	67.7	56.5-78.9	31	23.9	14.3-33.5	2	3.5	0.0- 8.8							6	4.9	0.0-10.2
18-24	121	318,185	76	66.7	56.9-76.5	28	21.5	12.9-30.1				1	0.2	0.0- 0.6				16	11.6	5.7-17.5
25-34	226	371,376	151	65.2	57.8-72.6	50	22.5	16.0-29.0	8	2.7	0.7- 4.7							17	9.6	4.3-14.9
35-44	307	360,907	215	69.6	62.9-76.3	69	22.6	16.5-28.7	6	1.9	0.0- 4.1	2	0.4	0.0- 1.0				15	5.6	2.5- 8.7
45-54	468	397,492	319	69.2	63.9-74.5	103	20.1	15.8-24.4	2	1.2	0.0- 3.2	2	0.3	0.0- 0.9				42	9.2	5.9-12.5
55-64	709	399,502	502	70.8	66.5-75.1	148	21.5	17.6-25.4	3	0.3	0.0- 0.7	4	0.4	0.0- 0.8				52	7.0	4.8- 9.2
65+	1332	505,847	923	70.0	66.7-73.3	260	19.2	16.5-21.9	10	0.7	0.1- 1.3	2	0.1	0.1- 0.1	1	0.0	0.0- 0.0	136	10.0	8.0-12.0
Less Than H.S.	242	297,693	147	68.8	60.6-77.0	36	14.0	7.5-20.5	1	1.2	0.0- 3.6							58	16.0	10.3-21.7
H.S. or G.E.D.	1067	749,465	755	70.3	66.2-74.4	164	16.8	13.3-20.3	10	0.8	0.2- 1.4	4	0.1	0.0- 0.3	1	0.0	0.0- 0.0	133	11.9	9.2-14.6
Some Post-H.S.	871	796,376	612	68.1	63.6-72.6	193	23.8	19.9-27.7	9	1.4	0.2- 2.6	3	0.2	0.0- 0.6				54	6.5	4.0- 9.0
College Graduate	1000	517,633	683	67.6	63.5-71.7	273	28.0	24.1-31.9	10	1.1	0.1- 2.1	5	0.5	0.0- 1.1				29	2.7	1.3- 4.1
Less than \$15,000	311	282,097	191	62.3	53.9-70.7	56	20.8	13.5-28.1	2	0.3	0.0- 0.9	2	0.2	0.0- 0.4	1	0.1	0.0- 0.3	59	16.3	10.4-22.2
\$15,000- 24,999	540	399,035	380	69.9	63.8-76.0	83	15.2	10.9-19.5	4	0.5	0.0- 1.3	1	0.2	0.0- 0.6				72	14.2	9.1-19.3
\$25,000- 34,999	325	220,573	216	59.6	52.0-67.2	65	24.7	17.6-31.8	1	0.2	0.0- 0.6	2	0.2	0.0- 0.6				41	15.3	9.6-21.0
\$35,000- 49,999	444	343,589	298	68.9	62.6-75.2	110	23.1	17.6-28.6	7	1.9	0.1- 3.7							29	6.1	3.0- 9.2
\$50,000- 74,999	409	300,687	295	71.9	65.6-78.2	91	22.9	16.8-29.0	2	0.6	0.0- 1.8	1	0.1	0.0- 0.3				20	4.5	2.1- 6.9
\$75,000+	664	481,024	483	73.7	69.2-78.2	151	21.2	17.1-25.3	11	2.2	0.4- 4.0	3	0.6	0.0- 1.4				16	2.4	0.8- 4.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 13: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5544	4,578,320	4188	72.0	70.2-73.8	349	6.2	5.2- 7.2	14	0.3	0.1- 0.5	7	0.1	0.0- 0.3	986	21.4	19.6-23.2
Male	2354	2,214,386	1717	68.4	65.7-71.1	115	5.8	4.2- 7.4	6	0.3	0.1- 0.5	1	0.0	0.0- 0.0	515	25.5	22.8-28.2
Female	3190	2,363,934	2471	75.4	73.0-77.8	234	6.5	5.3- 7.7	8	0.3	0.1- 0.5	6	0.2	0.0- 0.4	471	17.5	15.3-19.7
White/Non-Hisp	4833	3,728,562	3679	73.0	71.0-75.0	297	6.0	5.0- 7.0	8	0.1	0.0- 0.3	4	0.0	0.0- 0.0	845	20.8	19.0-22.6
Black or Afr. Am./Non-Hisp	278	368,134	190	64.8	57.0-72.6	22	7.0	3.5-10.5	5	2.1	0.1- 4.1	2	0.8	0.0- 2.2	59	25.2	17.9-32.5
Oth. Race/Non-Hisp.	106	96,538	78	73.9	63.3-84.5	10	6.6	1.5-11.7							18	19.5	9.9-29.1
MultiRacial/Non-Hisp.	73	50,562	57	77.1	63.8-90.4	4	3.7	0.0- 8.2							12	19.2	6.5-31.9
Hispanic	169	258,055	120	68.4	59.2-77.6	11	7.1	1.8-12.4	1	0.5	0.0- 1.5				37	24.0	15.6-32.4
18-24	250	622,975	166	67.8	61.1-74.5	13	4.6	2.1- 7.1	1	0.2	0.0- 0.6	1	0.4	0.0- 1.2	69	27.1	20.8-33.4
25-34	414	758,609	306	69.7	64.0-75.4	25	7.3	3.8-10.8	2	0.3	0.0- 0.7				81	22.7	17.4-28.0
35-44	554	708,622	423	71.2	66.3-76.1	34	6.8	4.1- 9.5	2	0.6	0.0- 1.4	1	0.1	0.0- 0.3	94	21.4	16.9-25.9
45-54	839	791,189	611	69.8	65.7-73.9	56	6.5	4.3- 8.7	4	0.5	0.0- 1.1	2	0.3	0.0- 0.7	166	22.9	19.2-26.6
55-64	1280	775,099	974	75.0	71.9-78.1	70	5.5	3.9- 7.1	5	0.4	0.0- 0.8	1	0.1	0.0- 0.3	230	19.0	16.3-21.7
65+	2161	895,935	1668	76.5	74.0-79.0	150	6.3	4.9- 7.7				2	0.0	0.0- 0.0	341	17.2	14.8-19.6
Less Than H.S.	415	593,144	247	60.2	53.5-66.9	29	6.6	3.1-10.1				1	0.1	0.0- 0.3	138	33.1	26.8-39.4
H.S. or G.E.D.	1838	1,555,962	1319	69.4	66.3-72.5	85	4.7	3.3- 6.1	7	0.5	0.1- 0.9	2	0.1	0.0- 0.3	425	25.3	22.4-28.2
Some Post-H.S.	1406	1,406,867	1066	73.1	69.8-76.4	99	7.3	5.3- 9.3	4	0.3	0.0- 0.7	3	0.2	0.0- 0.6	234	19.1	16.2-22.0
College Graduate	1856	999,613	1534	81.5	79.0-84.0	134	6.7	5.1- 8.3	3	0.3	0.0- 0.7	1	0.0	0.0- 0.0	184	11.5	9.3-13.7
Less than \$15,000	476	445,028	305	62.3	55.8-68.8	26	4.7	2.2- 7.2	2	0.7	0.0- 1.7	1	0.1	0.0- 0.3	142	32.2	25.9-38.5
\$15,000- 24,999	831	694,356	589	68.6	63.7-73.5	52	6.2	3.8- 8.6	3	0.5	0.0- 1.3	2	0.2	0.0- 0.6	185	24.5	20.0-29.0
\$25,000- 34,999	527	430,773	389	68.4	62.3-74.5	36	6.0	3.3- 8.7							102	25.6	19.7-31.5
\$35,000- 49,999	799	664,041	622	75.3	70.8-79.8	38	4.7	2.5- 6.9	1	0.0	0.0- 0.0				138	20.0	15.7-24.3
\$50,000- 74,999	799	674,893	617	73.1	68.4-77.8	58	9.0	5.7-12.3	2	0.1	0.0- 0.3				122	17.7	13.8-21.6
\$75,000+	1339	1,065,907	1091	77.8	74.3-81.3	84	6.4	4.2- 8.6	4	0.5	0.0- 1.1				160	15.4	12.3-18.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 14: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2354	2,214,386	1717	68.4	65.7-71.1	115	5.8	4.2- 7.4	6	0.3	0.1- 0.5	1	0.0	0.0- 0.0	515	25.5	22.8-28.2
White/Non-Hisp	2053	1,793,922	1509	69.2	66.3-72.1	96	5.5	3.7- 7.3	4	0.2	0.0- 0.4				444	25.1	22.4-27.8
Black or Afr. Am./Non-Hisp	98	162,876	64	61.4	48.7-74.1	7	6.8	0.9-12.7	2	2.3	0.0- 5.4	1	0.4	0.0- 1.2	24	29.1	16.8-41.4
Oth. Race/Non-Hisp.	56	61,815	39	71.7	57.2-86.2	5	5.6	0.0-11.9							12	22.7	9.2-36.2
Hispanic	62	118,823	39	61.8	46.1-77.5	2	7.1	0.0-16.5							21	31.1	16.6-45.6
18-24	131	308,725	87	66.8	57.6-76.0	7	5.4	1.3- 9.5							37	27.8	19.0-36.6
25-34	188	387,233	130	61.7	52.9-70.5	11	9.8	3.5-16.1							47	28.5	20.3-36.7
35-44	247	351,373	176	65.7	58.1-73.3	14	5.3	1.8- 8.8	1	0.6	0.0- 1.8				56	28.4	21.1-35.7
45-54	373	397,030	269	67.9	61.6-74.2	14	4.1	1.6- 6.6	3	0.8	0.0- 2.0				87	27.1	21.2-33.0
55-64	572	375,905	416	72.5	67.8-77.2	27	5.0	2.5- 7.5	2	0.4	0.0- 1.0	1	0.2	0.0- 0.6	126	22.0	17.7-26.3
65+	830	388,836	627	75.0	70.9-79.1	42	5.0	2.8- 7.2							161	20.0	16.3-23.7
Less Than H.S.	177	300,973	103	60.8	51.2-70.4	13	7.2	1.9-12.5				1	0.2	0.0- 0.6	60	31.8	22.6-41.0
H.S. or G.E.D.	771	814,191	520	64.6	59.9-69.3	30	4.6	2.4- 6.8	2	0.3	0.0- 0.9				219	30.5	25.8-35.2
Some Post-H.S.	538	609,550	384	68.3	62.8-73.8	29	7.4	3.7-11.1	2	0.3	0.0- 0.7				123	24.1	19.2-29.0
College Graduate	857	481,377	702	79.7	75.6-83.8	43	5.0	2.8- 7.2	2	0.5	0.0- 1.3				110	14.8	11.1-18.5
Less than \$15,000	167	163,313	108	64.2	54.0-74.4	9	3.0	0.1- 5.9	1	1.0	0.0- 3.0				49	31.8	21.8-41.8
\$15,000- 24,999	291	295,265	188	63.0	55.2-70.8	19	6.5	2.4-10.6							84	30.5	23.1-37.9
\$25,000- 34,999	202	212,298	133	61.7	51.9-71.5	12	5.7	1.2-10.2							57	32.7	22.9-42.5
\$35,000- 49,999	357	322,219	260	70.3	63.0-77.6	9	3.6	0.3- 6.9	1	0.1	0.0- 0.3				87	26.0	19.1-32.9
\$50,000- 74,999	389	373,879	282	70.1	63.4-76.8	25	8.6	3.7-13.5	1	0.1	0.0- 0.3				81	21.3	15.8-26.8
\$75,000+	678	591,950	547	73.9	68.4-79.4	25	5.4	2.3- 8.5	3	0.8	0.0- 1.8				103	19.9	15.0-24.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 15: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3190	2,363,934	2471	75.4	73.0-77.8	234	6.5	5.3- 7.7	8	0.3	0.1- 0.5	6	0.2	0.0- 0.4	471	17.5	15.3-19.7
White/Non-Hisp	2780	1,934,640	2170	76.4	73.9-78.9	201	6.5	5.1- 7.9	4	0.1	0.0- 0.3	4	0.1	0.1- 0.1	401	16.8	14.4-19.2
Black or Afr. Am./Non-Hisp	180	205,258	126	67.5	58.1-76.9	15	7.2	2.7-11.7	3	2.0	0.0- 4.4	1	1.1	0.0- 3.3	35	22.2	13.8-30.6
Oth. Race/Non-Hisp.	50	34,723	39	77.8	63.9-91.7	5	8.3	0.0-16.7							6	13.9	2.1-25.7
Hispanic	107	139,232	81	74.0	63.6-84.4	9	7.0	1.5-12.5	1	1.0	0.0- 3.0				16	18.0	8.6-27.4
18-24	119	314,250	79	68.8	59.2-78.4	6	3.7	0.4- 7.0	1	0.4	0.0- 1.2	1	0.7	0.0- 2.1	32	26.3	17.1-35.5
25-34	226	371,376	176	77.9	71.2-84.6	14	4.8	1.7- 7.9	2	0.6	0.0- 1.4				34	16.7	10.4-23.0
35-44	307	357,249	247	76.6	70.3-82.9	20	8.2	4.1-12.3	1	0.6	0.0- 1.8	1	0.1	0.0- 0.3	38	14.5	9.4-19.6
45-54	466	394,159	342	71.7	66.6-76.8	42	8.8	5.7-11.9	1	0.2	0.0- 0.6	2	0.5	0.0- 1.3	79	18.8	14.1-23.5
55-64	708	399,194	558	77.4	73.5-81.3	43	6.0	3.8- 8.2	3	0.4	0.0- 0.8				104	16.3	12.8-19.8
65+	1331	507,100	1041	77.7	74.6-80.8	108	7.3	5.5- 9.1				2	0.1	0.1- 0.1	180	15.0	12.3-17.7
Less Than H.S.	238	292,171	144	59.6	50.4-68.8	16	5.9	1.8-10.0							78	34.5	25.7-43.3
H.S. or G.E.D.	1067	741,771	799	74.6	70.7-78.5	55	4.8	2.8- 6.8	5	0.6	0.0- 1.2	2	0.2	0.0- 0.6	206	19.7	16.2-23.2
Some Post-H.S.	868	797,317	682	76.8	72.7-80.9	70	7.2	5.0- 9.4	2	0.3	0.0- 0.9	3	0.4	0.0- 1.0	111	15.2	11.5-18.9
College Graduate	999	518,236	832	83.2	80.1-86.3	91	8.3	5.9-10.7	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	74	8.3	5.9-10.7
Less than \$15,000	309	281,715	197	61.2	52.6-69.8	17	5.7	2.0- 9.4	1	0.5	0.0- 1.5	1	0.2	0.0- 0.6	93	32.5	24.3-40.7
\$15,000- 24,999	540	399,091	401	72.7	66.6-78.8	33	6.0	3.3- 8.7	3	0.9	0.0- 2.1	2	0.4	0.0- 1.0	101	20.0	14.3-25.7
\$25,000- 34,999	325	218,474	256	75.0	68.3-81.7	24	6.3	3.2- 9.4							45	18.6	12.3-24.9
\$35,000- 49,999	442	341,822	362	79.9	74.6-85.2	29	5.7	3.2- 8.2							51	14.4	9.5-19.3
\$50,000- 74,999	410	301,015	335	76.8	69.9-83.7	33	9.6	4.9-14.3	1	0.2	0.0- 0.6				41	13.4	7.5-19.3
\$75,000+	661	473,957	544	82.5	78.6-86.4	59	7.6	4.9-10.3	1	0.2	0.0- 0.6				57	9.7	6.6-12.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES
TABLE 16: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5509	4,545,908	3128	57.6	55.6-59.6	2155	37.4	35.4-39.4	99	1.9	1.3- 2.5	42	0.8	0.4- 1.2	3	0.1	0.0- 0.3	82	2.1	1.5- 2.7
Male	2337	2,195,279	1421	61.2	58.3-64.1	820	33.4	30.7-36.1	38	1.8	1.0- 2.6	14	0.7	0.1- 1.3	2	0.2	0.0- 0.6	42	2.7	1.5- 3.9
Female	3172	2,350,630	1707	54.2	51.7-56.7	1335	41.1	38.6-43.6	61	2.1	1.3- 2.9	28	0.9	0.3- 1.5	1	0.0	0.0- 0.0	40	1.6	0.8- 2.4
White/Non-Hisp	4806	3,707,817	2678	56.3	54.1-58.5	1944	39.5	37.3-41.7	89	1.9	1.3- 2.5	37	1.0	0.4- 1.6	1	0.0	0.0- 0.0	57	1.3	0.9- 1.7
Black or Afr. Am./Non-Hisp	277	366,662	187	68.9	61.6-76.2	78	26.6	19.9-33.3	2	0.8	0.0- 2.0	3	0.4	0.0- 1.0	2	1.3	0.0- 3.7	5	2.0	0.0- 4.2
Oth. Race/Non-Hisp.	105	93,429	65	62.0	49.5-74.5	37	30.7	19.7-41.7	2	5.8	0.0-14.6							1	1.5	0.0- 4.4
MultiRacial/Non-Hisp.	72	49,758	38	49.6	32.2-67.0	31	44.6	27.7-61.5	2	4.6	0.0-12.8							1	1.1	0.0- 3.3
Hispanic	167	252,768	104	57.4	47.2-67.6	45	28.4	19.4-37.4	3	2.5	0.0- 6.4	1	0.3	0.0- 0.9				14	11.3	3.9-18.7
18-24	248	615,199	162	65.5	58.4-72.6	72	28.1	21.6-34.6	3	1.8	0.0- 4.0	2	1.4	0.0- 3.6				9	3.2	1.0- 5.4
25-34	411	755,422	226	54.9	49.0-60.8	159	38.4	32.7-44.1	10	1.7	0.5- 2.9	1	0.8	0.0- 2.4				15	4.3	1.8- 6.8
35-44	554	706,407	303	52.1	46.8-57.4	223	42.3	37.0-47.6	12	2.2	0.8- 3.6	5	0.6	0.0- 1.2	1	0.6	0.0- 1.8	10	2.3	0.3- 4.3
45-54	834	784,530	488	58.1	53.8-62.4	304	36.3	32.0-40.6	20	3.1	1.3- 4.9	5	0.4	0.0- 1.0	1	0.0	0.0- 0.0	16	1.9	0.5- 3.3
55-64	1272	768,795	714	57.2	53.7-60.7	506	38.7	35.2-42.2	25	2.1	1.1- 3.1	13	1.3	0.5- 2.1				14	0.8	0.4- 1.2
65+	2143	888,036	1212	59.1	56.4-61.8	867	38.3	35.6-41.0	29	1.0	0.4- 1.6	16	0.8	0.4- 1.2	1	0.1	0.0- 0.3	18	0.8	0.2- 1.4
Less Than H.S.	409	586,786	261	61.7	54.8-68.6	120	29.1	22.8-35.4	7	2.6	0.1- 5.1	5	1.8	0.0- 4.2				16	4.8	1.7- 7.9
H.S. or G.E.D.	1815	1,537,101	1102	62.1	58.8-65.4	646	34.1	31.0-37.2	26	1.0	0.4- 1.6	10	0.8	0.0- 1.6	2	0.1	0.0- 0.3	29	1.9	0.9- 2.9
Some Post-H.S.	1403	1,400,465	767	53.9	50.4-57.4	579	40.7	37.2-44.2	26	2.2	1.2- 3.2	9	0.7	0.3- 1.1	1	0.3	0.0- 0.9	21	2.2	1.0- 3.4
College Graduate	1853	998,823	983	53.4	50.3-56.5	797	42.5	39.4-45.6	40	2.6	1.6- 3.6	18	0.6	0.2- 1.0				15	0.8	0.2- 1.4
Less than \$15,000	470	436,921	288	64.0	57.5-70.5	159	31.6	25.3-37.9	8	1.7	0.1- 3.3							15	2.7	0.0- 5.6
\$15,000- 24,999	821	687,848	504	60.7	55.6-65.8	284	33.5	28.6-38.4	12	1.2	0.4- 2.0	7	1.2	0.2- 2.2				14	3.4	1.4- 5.4
\$25,000- 34,999	522	429,386	315	60.1	54.0-66.2	183	33.6	27.9-39.3	11	1.8	0.6- 3.0	6	2.1	0.0- 4.8				7	2.4	0.0- 5.1
\$35,000- 49,999	792	653,475	432	56.4	51.3-61.5	335	39.9	34.8-45.0	7	1.1	0.1- 2.1	7	0.6	0.0- 1.2				11	1.9	0.1- 3.7
\$50,000- 74,999	798	674,162	458	60.0	55.1-64.9	311	35.9	31.2-40.6	16	2.6	0.8- 4.4	5	0.4	0.0- 0.8	2	0.2	0.0- 0.4	6	1.0	0.0- 2.0
\$75,000+	1338	1,065,763	723	53.1	49.2-57.0	564	42.1	38.4-45.8	30	2.8	1.4- 4.2	9	0.4	0.0- 0.8	1	0.4	0.0- 1.2	11	1.2	0.4- 2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 17: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2337	2,195,279	1421	61.2	58.3-64.1	820	33.4	30.7-36.1	38	1.8	1.0- 2.6	14	0.7	0.1- 1.3	2	0.2	0.0- 0.6	42	2.7	1.5- 3.9
White/Non-Hisp	2039	1,779,732	1228	60.4	57.3-63.5	735	35.5	32.6-38.4	35	1.6	0.8- 2.4	11	0.8	0.0- 1.6	1	0.0	0.0- 0.0	29	1.7	0.9- 2.5
Black or Afr. Am./Non-Hisp	99	165,149	69	70.3	59.1-81.5	26	24.6	14.2-35.0				1	0.4	0.0- 1.2	1	2.6	0.0- 7.7	2	2.0	0.0- 5.3
Oth. Race/Non-Hisp.	56	61,815	37	63.7	46.8-80.6	17	27.2	12.9-41.5	1	6.8	0.0-19.3							1	2.3	0.0- 6.8
Hispanic	60	113,488	38	55.5	38.8-72.2	13	23.4	9.3-37.5	1	4.5	0.0-13.1	1	0.7	0.0- 2.1				7	15.9	3.2-28.6
18-24	130	304,059	89	68.4	59.4-77.4	31	22.7	14.7-30.7	3	3.6	0.0- 7.7							7	5.4	1.3- 9.5
25-34	186	384,199	111	58.4	49.8-67.0	61	33.2	25.0-41.4	3	1.0	0.0- 2.4	1	1.5	0.0- 4.4				10	5.9	1.4-10.4
35-44	248	351,039	135	54.8	47.2-62.4	99	39.7	32.3-47.1	5	1.8	0.0- 3.8	3	0.9	0.0- 2.1	1	1.2	0.0- 3.6	5	1.6	0.0- 3.2
45-54	371	391,767	239	62.4	55.7-69.1	119	32.9	26.6-39.2	5	1.7	0.0- 3.9	2	0.5	0.0- 1.5				6	2.5	0.0- 5.2
55-64	570	375,439	348	61.2	56.1-66.3	199	35.5	30.4-40.6	10	1.6	0.4- 2.8	5	0.9	0.0- 1.9				8	0.8	0.2- 1.4
65+	819	383,491	493	63.0	58.5-67.5	304	34.5	30.2-38.8	12	1.3	0.3- 2.3	3	0.5	0.0- 1.3	1	0.2	0.0- 0.6	6	0.5	0.1- 0.9
Less Than H.S.	173	294,613	106	61.6	52.0-71.2	50	27.4	18.8-36.0	5	4.9	0.2- 9.6	3	1.1	0.0- 2.5				9	5.1	0.8- 9.4
H.S. or G.E.D.	765	803,767	490	64.9	60.4-69.4	244	31.0	26.7-35.3	11	0.6	0.2- 1.0	4	1.1	0.0- 2.7	1	0.1	0.0- 0.3	15	2.3	0.5- 4.1
Some Post-H.S.	535	608,844	313	57.8	52.1-63.5	200	36.0	30.5-41.5	8	1.6	0.0- 3.2	2	0.5	0.0- 1.3	1	0.7	0.0- 2.1	11	3.3	0.9- 5.7
College Graduate	853	479,760	508	59.5	54.8-64.2	320	37.2	32.5-41.9	14	1.9	0.5- 3.3	5	0.3	0.1- 0.5				6	1.1	0.0- 2.3
Less than \$15,000	165	159,874	107	66.6	56.6-76.6	51	30.8	21.0-40.6	1	0.8	0.0- 2.4							6	1.7	0.0- 3.9
\$15,000- 24,999	289	292,416	185	63.0	55.4-70.6	88	30.2	22.9-37.5	5	1.1	0.0- 2.3	3	1.3	0.0- 2.9				8	4.5	1.0- 8.0
\$25,000- 34,999	200	211,625	123	64.1	54.7-73.5	67	27.9	19.7-36.1	4	1.1	0.0- 2.3	3	3.9	0.0- 9.4				3	3.0	0.0- 7.7
\$35,000- 49,999	352	314,867	211	61.2	53.9-68.5	129	34.2	27.3-41.1	2	0.2	0.0- 0.6	2	0.7	0.0- 1.7				8	3.6	0.1- 7.1
\$50,000- 74,999	389	373,879	247	65.0	58.1-71.9	127	30.5	23.8-37.2	8	2.4	0.0- 4.8	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	5	1.7	0.0- 3.7
\$75,000+	677	590,769	402	57.1	51.6-62.6	255	38.2	32.7-43.7	12	2.5	0.3- 4.7	3	0.2	0.0- 0.4	1	0.7	0.0- 2.1	4	1.2	0.0- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES
TABLE 18: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3172	2,350,630	1707	54.2	51.7-56.7	1335	41.1	38.6-43.6	61	2.1	1.3- 2.9	28	0.9	0.3- 1.5	1	0.0	0.0- 0.0	40	1.6	0.8- 2.4
White/Non-Hisp	2767	1,928,085	1450	52.5	49.6-55.4	1209	43.2	40.5-45.9	54	2.2	1.4- 3.0	26	1.1	0.3- 1.9				28	1.0	0.4- 1.6
Black or Afr. Am./Non-Hisp	178	201,513	118	67.7	58.5-76.9	52	28.2	19.4-37.0	2	1.4	0.0- 3.4	2	0.4	0.0- 1.0	1	0.1	0.0- 0.3	3	2.0	0.0- 4.9
Hispanic	107	139,280	66	59.0	46.7-71.3	32	32.5	20.9-44.1	2	0.9	0.0- 2.3							7	7.6	0.0-16.2
18-24	118	311,140	73	62.6	52.2-73.0	41	33.4	23.2-43.6				2	2.9	0.0- 7.2				2	1.1	0.0- 2.7
25-34	225	371,222	115	51.2	43.4-59.0	98	43.7	35.9-51.5	7	2.4	0.4- 4.4							5	2.6	0.1- 5.1
35-44	306	355,368	168	49.4	42.3-56.5	124	44.9	37.6-52.2	7	2.5	0.3- 4.7	2	0.3	0.0- 0.7				5	2.9	0.0- 6.4
45-54	463	392,763	249	53.9	48.2-59.6	185	39.8	34.1-45.5	15	4.6	1.9- 7.3	3	0.3	0.0- 0.7	1	0.1	0.0- 0.3	10	1.3	0.3- 2.3
55-64	702	393,356	366	53.5	48.8-58.2	307	41.7	37.0-46.4	15	2.5	1.1- 3.9	8	1.6	0.4- 2.8				6	0.8	0.0- 1.6
65+	1324	504,544	719	56.1	52.6-59.6	563	41.1	37.6-44.6	17	0.9	0.3- 1.5	13	0.9	0.3- 1.5				12	1.0	0.2- 1.8
Less Than H.S.	236	292,173	155	61.9	52.3-71.5	70	30.8	21.8-39.8	2	0.4	0.0- 1.0	2	2.4	0.0- 6.7				7	4.5	0.0- 9.2
H.S. or G.E.D.	1050	733,334	612	59.0	54.5-63.5	402	37.6	33.1-42.1	15	1.5	0.5- 2.5	6	0.5	0.0- 1.1	1	0.0	0.0- 0.0	14	1.4	0.6- 2.2
Some Post-H.S.	868	791,621	454	50.9	46.2-55.6	379	44.3	39.6-49.0	18	2.7	1.1- 4.3	7	0.8	0.2- 1.4				10	1.3	0.1- 2.5
College Graduate	1000	519,063	475	47.8	43.5-52.1	477	47.4	43.1-51.7	26	3.3	1.7- 4.9	13	0.9	0.3- 1.5				9	0.6	0.0- 1.2
Less than \$15,000	305	277,047	181	62.5	53.9-71.1	108	32.0	24.0-40.0	7	2.2	0.0- 4.6							9	3.3	0.0- 7.6
\$15,000- 24,999	532	395,432	319	59.0	52.3-65.7	196	35.9	29.2-42.6	7	1.4	0.2- 2.6	4	1.1	0.0- 2.5				6	2.7	0.3- 5.1
\$25,000- 34,999	322	217,761	192	56.1	48.5-63.7	116	39.2	31.6-46.8	7	2.5	0.3- 4.7	3	0.4	0.0- 1.0				4	1.8	0.0- 4.3
\$35,000- 49,999	440	338,608	221	51.8	44.5-59.1	206	45.3	38.0-52.6	5	2.0	0.0- 4.0	5	0.6	0.0- 1.2				3	0.3	0.0- 0.7
\$50,000- 74,999	409	300,283	211	53.7	46.8-60.6	184	42.6	35.7-49.5	8	2.8	0.4- 5.2	4	0.8	0.0- 1.8	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3
\$75,000+	661	474,994	321	48.1	42.8-53.4	309	46.9	41.6-52.2	18	3.1	1.3- 4.9	6	0.8	0.0- 1.6				7	1.1	0.1- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 19: TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5505	4,546,898	2021	39.3	37.3-41.3	2407	40.1	38.1-42.1	623	10.6	9.4-11.8	269	5.9	4.9- 6.9	14	0.6	0.2- 1.0	171	3.5	2.7- 4.3
Male	2330	2,192,787	961	43.5	40.6-46.4	975	38.0	35.3-40.7	199	7.6	6.2- 9.0	97	5.8	4.2- 7.4	6	0.6	0.0- 1.2	92	4.5	3.1- 5.9
Female	3175	2,354,111	1060	35.3	32.8-37.8	1432	42.1	39.6-44.6	424	13.3	11.5-15.1	172	5.9	4.5- 7.3	8	0.6	0.0- 1.2	79	2.7	1.9- 3.5
White/Non-Hisp	4809	3,715,765	1760	39.1	36.9-41.3	2130	41.3	39.1-43.5	550	10.8	9.6-12.0	215	5.0	4.0- 6.0	6	0.3	0.0- 0.7	148	3.5	2.7- 4.3
Black or Afr. Am./Non-Hisp	267	354,100	104	42.0	33.6-50.4	96	32.5	24.9-40.1	29	11.6	6.1-17.1	23	8.0	3.9-12.1	6	2.6	0.1- 5.1	9	3.2	0.5- 5.9
Oth. Race/Non-Hisp.	105	96,105	35	38.3	25.6-51.0	50	45.2	32.3-58.1	14	7.6	2.9-12.3	2	1.7	0.0- 4.4				4	7.3	0.0-16.1
MultiRacial/Non-Hisp.	74	52,244	31	46.3	29.2-63.4	27	34.3	18.4-50.2	6	3.7	0.0- 8.6	6	10.0	1.2-18.8	1	0.2	0.0- 0.6	3	5.5	0.0-12.8
Hispanic	167	252,105	61	37.7	27.7-47.7	67	35.4	26.0-44.8	19	9.6	4.9-14.3	15	13.0	5.6-20.4	1	2.1	0.0- 6.0	4	2.2	0.0- 4.7
18-24	251	626,824	102	41.8	34.5-49.1	94	37.4	30.3-44.5	21	7.0	3.5-10.5	23	8.8	4.9-12.7	2	1.5	0.0- 3.7	9	3.5	1.1- 5.9
25-34	409	751,717	152	36.1	30.6-41.6	156	38.4	32.7-44.1	60	13.7	10.0-17.4	26	7.8	4.3-11.3	3	0.9	0.0- 2.3	12	3.0	0.6- 5.4
35-44	551	710,080	202	37.7	32.6-42.8	233	40.7	35.4-46.0	61	10.0	6.9-13.1	34	7.2	4.3-10.1	3	1.1	0.0- 2.3	18	3.4	1.8- 5.0
45-54	841	787,325	349	43.3	39.0-47.6	317	36.3	32.2-40.4	105	11.2	8.7-13.7	35	4.1	2.5- 5.7	3	0.1	0.0- 0.3	32	5.0	2.8- 7.2
55-64	1282	773,551	504	40.5	37.0-44.0	533	40.0	36.7-43.3	133	9.9	7.9-11.9	63	5.4	3.6- 7.2				49	4.3	2.7- 5.9
65+	2124	871,277	703	37.7	34.8-40.6	1046	45.9	43.0-48.8	237	10.9	9.1-12.7	84	2.9	2.1- 3.7	3	0.3	0.0- 0.7	51	2.3	1.5- 3.1
Less Than H.S.	407	578,396	173	43.0	35.9-50.1	146	32.8	26.1-39.5	35	7.3	4.2-10.4	26	8.6	4.5-12.7	2	2.1	0.0- 4.8	25	6.3	3.4- 9.2
H.S. or G.E.D.	1808	1,542,420	751	42.4	39.1-45.7	731	37.8	34.5-41.1	169	9.9	7.9-11.9	68	4.4	2.8- 6.0	5	0.6	0.0- 1.2	84	4.9	3.3- 6.5
Some Post-H.S.	1401	1,403,765	510	39.6	36.1-43.1	637	41.3	37.8-44.8	155	10.3	8.1-12.5	60	6.1	4.1- 8.1	4	0.4	0.0- 0.8	35	2.4	1.4- 3.4
College Graduate	1861	1,001,575	579	32.3	29.4-35.2	879	46.1	43.0-49.2	262	14.1	11.9-16.3	114	6.2	4.6- 7.8	3	0.1	0.1- 0.1	24	1.2	0.4- 2.0
Less than \$15,000	471	435,324	211	44.2	37.3-51.1	153	30.9	24.4-37.4	56	13.1	8.2-18.0	19	5.7	2.2- 9.2	1	0.6	0.0- 1.8	31	5.5	3.1- 7.9
\$15,000- 24,999	818	678,544	317	42.1	37.0-47.2	345	36.2	31.3-41.1	86	10.8	7.7-13.9	42	6.8	3.9- 9.7	3	1.5	0.0- 3.7	25	2.6	1.2- 4.0
\$25,000- 34,999	518	423,838	181	38.8	32.5-45.1	243	42.8	36.7-48.9	53	9.4	6.1-12.7	18	4.1	1.2- 7.0				23	5.0	2.3- 7.7
\$35,000- 49,999	794	660,855	289	39.7	34.4-45.0	361	42.3	37.2-47.4	80	9.6	6.7-12.5	39	4.7	2.5- 6.9	2	0.4	0.0- 1.2	23	3.3	1.3- 5.3
\$50,000- 74,999	799	676,468	307	41.8	36.7-46.9	349	39.3	34.2-44.4	86	10.8	7.9-13.7	37	5.7	3.2- 8.2	1	0.0	0.0- 0.0	19	2.4	1.2- 3.6
\$75,000+	1350	1,083,539	463	34.7	31.2-38.2	593	43.3	39.4-47.2	195	12.5	10.1-14.9	74	7.0	4.6- 9.4	4	0.3	0.0- 0.7	21	2.2	0.6- 3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 20: TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2330	2,192,787	961	43.5	40.6-46.4	975	38.0	35.3-40.7	199	7.6	6.2- 9.0	97	5.8	4.2- 7.4	6	0.6	0.0- 1.2	92	4.5	3.1- 5.9
White/Non-Hisp	2037	1,783,121	829	42.7	39.6-45.8	870	39.9	36.8-43.0	179	8.2	6.6- 9.8	75	4.6	3.0- 6.2	3	0.2	0.0- 0.6	81	4.3	2.9- 5.7
Black or Afr. Am./Non-Hisp	94	158,388	47	47.9	34.8-61.0	29	27.9	16.5-39.3	7	10.4	1.6-19.2	7	8.0	1.1-14.9	1	1.7	0.0- 5.0	3	4.1	0.0- 9.6
Oth. Race/Non-Hisp.	55	60,762	24	47.9	30.3-65.5	23	38.8	21.7-55.9	5	3.2	0.0- 6.9	1	2.1	0.0- 6.2				2	8.0	0.0-20.9
Hispanic	60	113,606	29	49.5	32.8-66.2	18	25.8	12.7-38.9	3	1.0	0.0- 2.4	8	17.2	4.3-30.1	1	4.6	0.0-13.2	1	1.9	0.0- 5.6
18-24	133	314,341	56	43.0	33.2-52.8	49	37.1	27.7-46.5	8	5.2	0.7- 9.7	13	9.7	3.8-15.6				7	5.0	1.3- 8.7
25-34	185	383,323	83	44.3	35.7-52.9	64	32.6	24.6-40.6	15	7.6	3.5-11.7	13	8.8	3.1-14.5	1	1.4	0.0- 3.9	9	5.3	0.8- 9.8
35-44	244	348,246	86	34.7	27.1-42.3	112	44.1	36.3-51.9	23	8.9	4.6-13.2	14	8.2	3.5-12.9	2	1.4	0.0- 3.4	7	2.6	0.6- 4.6
45-54	367	387,113	178	49.7	42.8-56.6	122	32.8	26.5-39.1	42	9.3	6.2-12.4	7	1.9	0.1- 3.7	1	0.1	0.0- 0.3	17	6.2	2.5- 9.9
55-64	574	374,844	246	46.3	41.0-51.6	233	36.8	31.9-41.7	45	7.6	4.9-10.3	23	4.5	2.1- 6.9				27	4.7	2.2- 7.2
65+	814	379,635	307	42.3	37.6-47.0	388	44.8	40.1-49.5	66	7.0	4.8- 9.2	26	2.5	1.1- 3.9	2	0.5	0.0- 1.5	25	2.9	1.5- 4.3
Less Than H.S.	175	293,897	78	46.5	36.5-56.5	61	29.6	20.6-38.6	9	3.0	0.6- 5.4	11	9.7	3.2-16.2	1	1.8	0.0- 5.3	15	9.5	4.2-14.8
H.S. or G.E.D.	753	802,894	358	46.8	41.9-51.7	263	34.0	29.3-38.7	60	8.9	6.0-11.8	23	4.0	1.6- 6.4	2	0.6	0.0- 1.4	47	5.6	3.1- 8.1
Some Post-H.S.	537	608,281	225	44.0	38.3-49.7	239	40.6	34.9-46.3	35	5.3	2.9- 7.7	24	7.3	4.0-10.6	1	0.3	0.0- 0.9	13	2.5	0.7- 4.3
College Graduate	854	480,217	295	35.7	31.4-40.0	407	46.2	41.5-50.9	95	11.5	8.4-14.6	39	4.5	2.5- 6.5	2	0.1	0.0- 0.3	16	2.0	0.6- 3.4
Less than \$15,000	165	157,560	79	46.0	35.6-56.4	49	29.8	19.4-40.2	18	12.0	4.2-19.8	4	3.7	0.0- 8.0	1	1.7	0.0- 5.0	14	6.7	2.4-11.0
\$15,000- 24,999	281	284,990	133	51.2	43.2-59.2	100	31.4	24.1-38.7	21	8.5	4.0-13.0	12	5.3	1.2- 9.4				15	3.6	1.2- 6.0
\$25,000- 34,999	200	209,291	78	43.4	33.6-53.2	89	40.1	30.7-49.5	17	7.3	2.4-12.2	7	5.8	0.3-11.3				9	3.4	0.3- 6.5
\$35,000- 49,999	353	319,996	149	42.9	35.3-50.5	154	40.4	33.1-47.7	24	6.6	2.9-10.3	13	5.1	1.2- 9.0	1	0.7	0.0- 2.1	12	4.2	0.9- 7.5
\$50,000- 74,999	387	375,025	168	46.0	38.7-53.3	163	39.4	32.1-46.7	31	6.6	3.7- 9.5	13	5.0	1.7- 8.3				12	3.0	1.0- 5.0
\$75,000+	682	597,305	250	37.0	31.7-42.3	310	42.9	37.4-48.4	71	8.8	6.1-11.5	35	7.8	4.1-11.5	2	0.3	0.0- 0.9	14	3.2	0.7- 5.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 21: TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3175	2,354,111	1060	35.3	32.8-37.8	1432	42.1	39.6-44.6	424	13.3	11.5-15.1	172	5.9	4.5- 7.3	8	0.6	0.0- 1.2	79	2.7	1.9- 3.5
White/Non-Hisp	2772	1,932,644	931	35.7	33.0-38.4	1260	42.6	39.9-45.3	371	13.3	11.3-15.3	140	5.3	3.9- 6.7	3	0.4	0.0- 1.0	67	2.7	1.7- 3.7
Black or Afr. Am./Non-Hisp	173	195,712	57	37.2	26.2-48.2	67	36.2	25.8-46.6	22	12.6	5.7-19.5	16	8.1	3.2-13.0	5	3.4	0.0- 7.1	6	2.4	0.0- 4.9
Oth. Race/Non-Hisp.	50	35,343	11	21.8	7.9-35.7	27	56.2	39.1-73.3	9	15.0	4.6-25.4	1	0.9	0.0- 2.7				2	6.1	0.0-14.5
Hispanic	107	138,500	32	28.1	17.9-38.3	49	43.3	31.1-55.5	16	16.6	8.4-24.8	7	9.5	1.3-17.7				3	2.5	0.0- 6.0
18-24	118	312,483	46	40.6	29.8-51.4	45	37.8	27.2-48.4	13	8.8	3.5-14.1	10	7.8	2.3-13.3	2	3.0	0.0- 7.5	2	2.0	0.0- 4.9
25-34	224	368,394	69	27.5	20.6-34.4	92	44.3	36.5-52.1	45	20.1	13.8-26.4	13	6.9	2.6-11.2	2	0.5	0.0- 1.1	3	0.7	0.0- 1.5
35-44	307	361,834	116	40.5	33.4-47.6	121	37.5	30.4-44.6	38	11.1	6.8-15.4	20	6.1	2.8- 9.4	1	0.7	0.0- 2.1	11	4.1	1.6- 6.6
45-54	474	400,212	171	37.1	31.6-42.6	195	39.7	34.2-45.2	63	13.1	9.2-17.0	28	6.2	3.5- 8.9	2	0.1	0.0- 0.3	15	3.8	1.4- 6.2
55-64	708	398,707	258	34.9	30.4-39.4	300	43.0	38.3-47.7	88	12.0	9.1-14.9	40	6.2	3.8- 8.6				22	3.8	1.8- 5.8
65+	1310	491,642	396	34.1	30.4-37.8	658	46.8	43.1-50.5	171	13.8	11.1-16.5	58	3.3	2.3- 4.3	1	0.1	0.0- 0.3	26	1.9	0.9- 2.9
Less Than H.S.	232	284,499	95	39.4	29.4-49.4	85	36.1	26.7-45.5	26	11.7	5.8-17.6	15	7.4	2.3-12.5	1	2.3	0.0- 6.8	10	3.0	0.6- 5.4
H.S. or G.E.D.	1055	739,526	393	37.6	33.1-42.1	468	41.8	37.3-46.3	109	11.1	8.2-14.0	45	4.9	2.7- 7.1	3	0.5	0.0- 1.3	37	4.1	2.1- 6.1
Some Post-H.S.	864	795,484	285	36.2	31.7-40.7	398	41.9	37.4-46.4	120	14.1	11.0-17.2	36	5.1	2.7- 7.5	3	0.5	0.0- 1.3	22	2.3	1.1- 3.5
College Graduate	1007	521,358	284	29.3	25.4-33.2	472	46.0	41.7-50.3	167	16.5	13.4-19.6	75	7.7	5.3-10.1	1	0.1	0.0- 0.3	8	0.5	0.1- 0.9
Less than \$15,000	306	277,763	132	43.1	34.1-52.1	104	31.5	23.3-39.7	38	13.7	7.4-20.0	15	6.8	1.7-11.9				17	4.8	1.9- 7.7
\$15,000- 24,999	537	393,554	184	35.6	29.3-41.9	245	39.6	33.1-46.1	65	12.5	8.0-17.0	30	7.9	3.8-12.0	3	2.6	0.0- 6.1	10	1.8	0.2- 3.4
\$25,000- 34,999	318	214,548	103	34.3	26.9-41.7	154	45.4	37.8-53.0	36	11.4	6.7-16.1	11	2.3	0.5- 4.1				14	6.5	2.4-10.6
\$35,000- 49,999	441	340,859	140	36.7	29.3-44.1	207	44.2	37.1-51.3	56	12.3	8.0-16.6	26	4.2	2.0- 6.4	1	0.1	0.0- 0.3	11	2.4	0.6- 4.2
\$50,000- 74,999	412	301,442	139	36.5	29.8-43.2	186	39.2	32.5-45.9	55	16.0	10.5-21.5	24	6.6	3.1-10.1	1	0.1	0.0- 0.3	7	1.6	0.4- 2.8
\$75,000+	668	486,234	213	31.8	26.9-36.7	283	43.8	38.5-49.1	124	17.0	13.3-20.7	39	6.1	3.6- 8.6	2	0.3	0.0- 0.7	7	1.0	0.0- 2.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

**TABLE 22: TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5392	4,468,631	1306	26.1	24.3-27.9	2211	40.0	38.0-42.0	1052	18.9	17.3-20.5	769	13.9	12.5-15.3	31	0.6	0.2- 1.0	23	0.6	0.2- 1.0
Male	2285	2,148,777	623	29.8	27.1-32.5	971	40.2	37.3-43.1	410	17.0	14.8-19.2	259	11.4	9.4-13.4	9	0.6	0.0- 1.2	13	1.0	0.2- 1.8
Female	3107	2,319,854	683	22.7	20.5-24.9	1240	39.8	37.3-42.3	642	20.6	18.4-22.8	510	16.1	14.3-17.9	22	0.6	0.2- 1.0	10	0.2	0.0- 0.4
White/Non-Hisp	4708	3,654,530	1107	24.9	22.9-26.9	1964	41.2	39.0-43.4	925	19.4	17.6-21.2	666	13.5	12.1-14.9	26	0.6	0.2- 1.0	20	0.5	0.3- 0.7
Black or Afr. Am./Non-Hisp	269	351,965	90	36.3	28.3-44.3	98	34.9	26.7-43.1	37	13.9	8.4-19.4	38	12.3	7.6-17.0	5	1.8	0.0- 4.3	1	0.8	0.0- 2.4
Oth. Race/Non-Hisp.	101	89,717	19	27.7	14.8-40.6	41	34.1	22.1-46.1	25	23.3	13.1-33.5	16	14.9	4.7-25.1						
MultiRacial/Non-Hisp.	71	49,005	17	16.1	5.7-26.5	26	38.9	21.1-56.7	18	26.4	11.3-41.5	10	18.5	4.4-32.6						
Hispanic	166	252,658	44	27.4	18.4-36.4	58	35.3	26.1-44.5	36	17.1	10.2-24.0	28	20.2	11.0-29.4						
18-24	247	612,482	74	29.8	23.1-36.5	102	42.9	35.5-50.3	39	15.2	9.7-20.7	28	11.1	6.8-15.4	1	0.1	0.0- 0.3	3	0.9	0.0- 1.9
25-34	409	752,685	94	26.1	20.8-31.4	163	38.3	32.6-44.0	82	19.9	15.2-24.6	63	13.5	9.6-17.4	2	0.3	0.0- 0.7	5	1.8	0.0- 3.6
35-44	547	699,258	125	25.3	20.6-30.0	214	36.2	31.3-41.1	113	19.2	15.1-23.3	88	17.5	13.0-22.0	6	1.5	0.0- 3.1	1	0.2	0.0- 0.6
45-54	824	771,833	203	26.2	22.3-30.1	317	37.7	33.4-42.0	165	20.5	17.0-24.0	130	14.8	11.7-17.9	5	0.6	0.0- 1.2	4	0.3	0.0- 0.7
55-64	1254	756,792	298	24.4	21.3-27.5	515	41.5	38.0-45.0	236	18.5	15.8-21.2	194	14.7	12.2-17.2	6	0.6	0.0- 1.2	5	0.2	0.0- 0.4
65+	2068	850,609	503	25.7	23.0-28.4	886	43.4	40.5-46.3	405	19.0	16.6-21.4	259	11.3	9.5-13.1	10	0.5	0.1- 0.9	5	0.1	0.0- 0.3
Less Than H.S.	392	568,028	162	38.9	32.0-45.8	120	30.8	24.1-37.5	62	15.3	10.2-20.4	40	13.8	8.3-19.3	1	0.2	0.0- 0.6	7	1.0	0.0- 2.0
H.S. or G.E.D.	1766	1,506,383	555	31.7	28.6-34.8	721	41.0	37.7-44.3	284	16.7	14.2-19.2	185	9.3	7.5-11.1	12	0.5	0.1- 0.9	9	1.0	0.0- 2.0
Some Post-H.S.	1375	1,385,119	292	22.7	19.6-25.8	592	40.9	37.4-44.4	278	19.6	16.7-22.5	201	15.7	13.0-18.4	9	1.0	0.2- 1.8	3	0.1	0.0- 0.3
College Graduate	1833	989,334	291	15.0	12.6-17.4	764	42.2	39.1-45.3	426	23.6	20.9-26.3	340	18.3	15.8-20.8	9	0.7	0.1- 1.3	3	0.3	0.0- 0.9
Less than \$15,000	462	433,200	155	33.0	26.3-39.7	171	38.0	31.1-44.9	84	19.2	13.7-24.7	42	8.6	5.1-12.1	3	0.3	0.0- 0.7	7	0.8	0.0- 1.6
\$15,000- 24,999	798	670,928	263	35.5	30.4-40.6	302	34.3	29.4-39.2	136	18.6	14.5-22.7	91	10.7	7.8-13.6	4	0.4	0.0- 1.0	2	0.4	0.0- 1.0
\$25,000- 34,999	508	422,791	153	30.9	25.0-36.8	203	38.2	32.3-44.1	76	16.7	12.0-21.4	72	12.6	8.5-16.7	2	0.4	0.0- 1.0	2	1.3	0.0- 3.7
\$35,000- 49,999	781	643,478	187	26.8	21.9-31.7	314	39.3	34.2-44.4	162	18.7	14.4-23.0	113	14.5	11.2-17.8	1	0.1	0.0- 0.3	4	0.6	0.0- 1.4
\$50,000- 74,999	794	672,827	153	20.7	16.6-24.8	355	43.5	38.6-48.4	169	19.0	15.3-22.7	111	15.8	11.5-20.1	6	1.0	0.0- 2.2			
\$75,000+	1323	1,049,956	225	17.9	14.8-21.0	574	43.2	39.5-46.9	279	20.8	17.7-23.9	233	16.7	14.0-19.4	9	1.2	0.2- 2.2	3	0.3	0.0- 0.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 23: TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2285	2,148,777	623	29.8	27.1-32.5	971	40.2	37.3-43.1	410	17.0	14.8-19.2	259	11.4	9.4-13.4	9	0.6	0.0- 1.2	13	1.0	0.2- 1.8
White/Non-Hisp	2001	1,754,200	535	29.3	26.4-32.2	866	41.4	38.3-44.5	355	17.0	14.6-19.4	227	11.2	9.0-13.4	8	0.5	0.1- 0.9	10	0.7	0.1- 1.3
Black or Afr. Am./Non-Hisp	91	150,452	31	36.9	24.0-49.8	37	35.0	22.8-47.2	10	13.8	4.4-23.2	11	9.6	2.9-16.3	1	2.9	0.0- 8.6	1	1.8	0.0- 5.3
Oth. Race/Non-Hisp.	54	59,112	13	30.5	12.9-48.1	18	31.2	15.3-47.1	16	25.1	11.0-39.2	7	13.1	0.0-27.0						
Hispanic	60	113,488	19	28.6	14.1-43.1	25	36.9	21.8-52.0	10	16.7	4.7-28.7	6	17.7	1.0-34.4						
18-24	129	301,342	39	31.0	21.4-40.6	58	42.7	33.1-52.3	19	15.6	8.0-23.2	11	9.6	3.9-15.3				2	1.2	0.0- 3.2
25-34	184	381,462	49	31.1	22.7-39.5	76	36.0	28.0-44.0	33	17.5	11.0-24.0	21	12.0	5.9-18.1				5	3.5	0.2- 6.8
35-44	244	346,942	63	28.7	21.6-35.8	95	35.7	28.3-43.1	48	18.9	13.2-24.6	35	14.5	8.0-21.0	2	1.7	0.0- 4.2	1	0.5	0.0- 1.5
45-54	363	381,454	111	33.0	26.5-39.5	145	38.3	31.8-44.8	65	17.3	12.6-22.0	39	10.2	5.7-14.7	2	0.8	0.0- 2.0	1	0.3	0.0- 0.9
55-64	560	367,512	145	25.9	21.2-30.6	245	44.3	39.0-49.6	100	17.4	13.5-21.3	65	11.8	8.3-15.3	2	0.2	0.0- 0.4	3	0.3	0.0- 0.7
65+	792	364,781	213	28.8	24.5-33.1	348	44.7	40.0-49.4	140	15.2	11.9-18.5	87	10.4	7.5-13.3	3	0.8	0.0- 1.8	1	0.1	0.0- 0.3
Less Than H.S.	164	280,680	70	43.8	33.4-54.2	46	24.3	16.1-32.5	23	13.8	7.1-20.5	20	16.6	8.0-25.2	1	0.3	0.0- 0.9	4	1.2	0.0- 2.6
H.S. or G.E.D.	743	786,335	257	33.9	29.2-38.6	307	40.4	35.5-45.3	106	15.6	11.9-19.3	63	7.8	5.1-10.5	4	0.5	0.0- 1.1	6	1.7	0.0- 3.5
Some Post-H.S.	525	601,117	127	25.9	20.6-31.2	239	43.7	38.0-49.4	100	17.2	12.9-21.5	55	11.9	7.8-16.0	3	1.0	0.0- 2.6	1	0.2	0.0- 0.6
College Graduate	844	474,975	166	19.4	15.7-23.1	375	44.8	40.1-49.5	180	21.2	17.1-25.3	121	13.7	10.4-17.0	1	0.3	0.0- 0.9	1	0.6	0.0- 1.8
Less than \$15,000	162	158,671	61	34.0	23.6-44.4	54	33.2	23.4-43.0	27	21.6	12.4-30.8	17	9.4	3.9-14.9	1	0.6	0.0- 1.8	2	1.2	0.0- 3.4
\$15,000- 24,999	282	283,483	110	42.7	34.5-50.9	100	31.1	23.7-38.5	42	15.8	10.3-21.3	27	8.7	4.2-13.2	1	0.6	0.0- 1.8	2	1.0	0.0- 2.6
\$25,000- 34,999	192	208,441	60	33.6	24.0-43.2	88	42.5	32.9-52.1	25	12.6	6.1-19.1	17	8.3	2.0-14.6	1	0.6	0.0- 1.8	1	2.4	0.0- 7.1
\$35,000- 49,999	345	309,472	100	30.8	23.4-38.2	148	44.1	36.5-51.7	65	14.8	9.9-19.7	29	9.2	4.7-13.7				3	1.2	0.0- 3.0
\$50,000- 74,999	386	372,871	92	26.0	19.7-32.3	177	41.5	34.6-48.4	73	17.0	12.1-21.9	40	14.7	8.4-21.0	4	0.8	0.0- 1.8			
\$75,000+	667	577,788	137	22.6	17.7-27.5	298	43.5	38.0-49.0	132	18.8	14.3-23.3	97	13.6	9.9-17.3	2	1.0	0.0- 2.6	1	0.5	0.0- 1.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 24: TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3107	2,319,854	683	22.7	20.5-24.9	1240	39.8	37.3-42.3	642	20.6	18.4-22.8	510	16.1	14.1-18.1	22	0.6	0.2- 1.0	10	0.2	0.0- 0.4
White/Non-Hisp	2707	1,900,331	572	20.8	18.4-23.2	1098	41.1	38.4-43.8	570	21.6	19.2-24.0	439	15.6	13.6-17.6	18	0.7	0.3- 1.1	10	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	178	201,513	59	35.9	25.9-45.9	61	34.8	23.6-46.0	27	14.0	7.5-20.5	27	14.3	7.8-20.8	4	0.9	0.0- 1.9			
Hispanic	106	139,170	25	26.4	14.8-38.0	33	34.0	22.2-45.8	26	17.4	9.8-25.0	22	22.2	12.2-32.2						
18-24	118	311,140	35	28.7	19.3-38.1	44	43.1	32.1-54.1	20	14.8	7.0-22.6	17	12.6	6.1-19.1	1	0.2	0.0- 0.6	1	0.5	0.0- 1.5
25-34	225	371,222	45	20.9	14.4-27.4	87	40.8	33.2-48.4	49	22.5	15.6-29.4	42	15.2	10.3-20.1	2	0.6	0.0- 1.6			
35-44	303	352,317	62	21.9	15.8-28.0	119	36.8	29.9-43.7	65	19.5	13.8-25.2	53	20.5	14.4-26.6	4	1.4	0.0- 3.4			
45-54	461	390,380	92	19.5	15.0-24.0	172	37.0	31.5-42.5	100	23.6	18.7-28.5	91	19.2	14.7-23.7	3	0.4	0.0- 1.0	3	0.2	0.0- 0.4
55-64	694	389,280	153	23.0	18.9-27.1	270	38.8	34.1-43.5	136	19.5	15.6-23.4	129	17.5	14.0-21.0	4	0.9	0.0- 1.9	2	0.2	0.0- 0.6
65+	1276	485,828	290	23.3	20.0-26.6	538	42.4	38.7-46.1	265	21.8	18.7-24.9	172	12.1	9.9-14.3	7	0.3	0.1- 0.5	4	0.2	0.0- 0.4
Less Than H.S.	228	287,349	92	34.1	25.3-42.9	74	37.2	27.4-47.0	39	16.8	9.2-24.4	20	11.1	4.6-17.6				3	0.8	0.0- 2.0
H.S. or G.E.D.	1023	720,048	298	29.2	25.1-33.3	414	41.6	36.9-46.3	178	17.8	14.3-21.3	122	10.8	8.3-13.3	8	0.4	0.0- 0.8	3	0.2	0.0- 0.4
Some Post-H.S.	850	784,003	165	20.3	16.2-24.4	353	38.7	34.2-43.2	178	21.5	17.6-25.4	146	18.6	15.1-22.1	6	0.9	0.0- 1.9	2	0.1	0.0- 0.3
College Graduate	989	514,359	125	10.9	8.4-13.4	389	39.9	35.6-44.2	246	25.7	21.8-29.6	219	22.5	18.8-26.2	8	1.0	0.2- 1.8	2	0.1	0.1- 0.1
Less than \$15,000	300	274,529	94	32.5	24.1-40.9	117	40.8	31.8-49.8	57	17.8	11.1-24.5	25	8.1	3.6-12.6	2	0.2	0.0- 0.4	5	0.6	0.0- 1.2
\$15,000- 24,999	516	387,445	153	30.2	24.1-36.3	202	36.7	30.0-43.4	94	20.7	14.8-26.6	64	12.1	8.2-16.0	3	0.3	0.0- 0.7			
\$25,000- 34,999	316	214,350	93	28.3	21.4-35.2	115	34.1	26.8-41.4	51	20.6	13.7-27.5	55	16.7	11.2-22.2	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3
\$35,000- 49,999	436	334,006	87	23.1	16.6-29.6	166	34.9	28.0-41.8	97	22.4	15.7-29.1	84	19.4	14.3-24.5	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0
\$50,000- 74,999	408	299,955	61	14.2	9.5-18.9	178	45.9	38.8-53.0	96	21.6	16.1-27.1	71	17.1	12.0-22.2	2	1.2	0.0- 3.4			
\$75,000+	656	472,168	88	12.2	9.1-15.3	276	42.8	37.5-48.1	147	23.1	18.8-27.4	136	20.4	16.1-24.7	7	1.3	0.3- 2.3	2	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 25: CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming fruit 1 or more times a day			Reported consuming fruit LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5505	4,546,898	3313	57.2	55.2-59.2	2192	42.8	40.8-44.8
Male	2330	2,192,787	1277	52.0	49.1-54.9	1053	48.0	45.1-50.9
Female	3175	2,354,111	2036	62.0	59.5-64.5	1139	38.0	35.5-40.5
White/Non-Hisp	4809	3,715,765	2901	57.4	55.2-59.6	1908	42.6	40.4-44.8
Black or Afr. Am./Non-Hisp	267	354,100	154	54.8	46.4-63.2	113	45.2	36.8-53.6
Oth. Race/Non-Hisp.	105	96,105	66	54.4	41.3-67.5	39	45.6	32.5-58.7
MultiRacial/Non-Hisp.	74	52,244	40	48.2	31.3-65.1	34	51.8	34.9-68.7
Hispanic	167	252,105	102	60.0	50.0-70.0	65	40.0	30.0-50.0
18-24	251	626,824	140	54.7	47.4-62.0	111	45.3	38.0-52.6
25-34	409	751,717	245	60.9	55.2-66.6	164	39.1	33.4-44.8
35-44	551	710,080	331	59.0	53.7-64.3	220	41.0	35.7-46.3
45-54	841	787,325	460	51.7	47.4-56.0	381	48.3	44.0-52.6
55-64	1282	773,551	729	55.3	51.8-58.8	553	44.7	41.2-48.2
65+	2124	871,277	1370	60.0	57.1-62.9	754	40.0	37.1-42.9
Less Than H.S.	407	578,396	209	50.7	43.6-57.8	198	49.3	42.2-56.4
H.S. or G.E.D.	1808	1,542,420	973	52.7	49.4-56.0	835	47.3	44.0-50.6
Some Post-H.S.	1401	1,403,765	856	58.0	54.5-61.5	545	42.0	38.5-45.5
College Graduate	1861	1,001,575	1258	66.4	63.5-69.3	603	33.6	30.7-36.5
Less than \$15,000	471	435,324	229	50.3	43.4-57.2	242	49.7	42.8-56.6
\$15,000- 24,999	818	678,544	476	55.3	50.2-60.4	342	44.7	39.6-49.8
\$25,000- 34,999	518	423,838	314	56.2	49.9-62.5	204	43.8	37.5-50.1
\$35,000- 49,999	794	660,855	482	57.0	51.7-62.3	312	43.0	37.7-48.3
\$50,000- 74,999	799	676,468	473	55.9	50.8-61.0	326	44.1	39.0-49.2
\$75,000+	1350	1,083,539	866	63.1	59.4-66.8	484	36.9	33.2-40.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 26: CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming fruit 1 or more times a day			Reported consuming fruit LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2330	2,192,787	1277	52.0	49.1-54.9	1053	48.0	45.1-50.9
White/Non-Hisp	2037	1,783,121	1127	53.0	49.9-56.1	910	47.0	43.9-50.1
Black or Afr. Am./Non-Hisp	94	158,388	44	48.0	34.9-61.1	50	52.0	38.9-65.1
Oth. Race/Non-Hisp.	55	60,762	29	44.2	26.8-61.6	26	55.8	38.4-73.2
Hispanic	60	113,606	30	48.6	31.9-65.3	30	51.4	34.7-68.1
18-24	133	314,341	70	52.0	42.2-61.8	63	48.0	38.2-57.8
25-34	185	383,323	93	50.4	41.8-59.0	92	49.6	41.0-58.2
35-44	244	348,246	151	62.6	55.0-70.2	93	37.4	29.8-45.0
45-54	367	387,113	172	44.1	37.4-50.8	195	55.9	49.2-62.6
55-64	574	374,844	301	48.9	43.6-54.2	273	51.1	45.8-56.4
65+	814	379,635	482	54.8	50.1-59.5	332	45.2	40.5-49.9
Less Than H.S.	175	293,897	82	44.0	34.0-54.0	93	56.0	46.0-66.0
H.S. or G.E.D.	753	802,894	348	47.5	42.6-52.4	405	52.5	47.6-57.4
Some Post-H.S.	537	608,281	299	53.5	47.8-59.2	238	46.5	40.8-52.2
College Graduate	854	480,217	543	62.4	57.9-66.9	311	37.6	33.1-42.1
Less than \$15,000	165	157,560	72	47.2	36.4-58.0	93	52.8	42.0-63.6
\$15,000- 24,999	281	284,990	133	45.2	37.2-53.2	148	54.8	46.8-62.8
\$25,000- 34,999	200	209,291	113	53.2	43.4-63.0	87	46.8	37.0-56.6
\$35,000- 49,999	353	319,996	192	52.9	45.3-60.5	161	47.1	39.5-54.7
\$50,000- 74,999	387	375,025	207	51.0	43.7-58.3	180	49.0	41.7-56.3
\$75,000+	682	597,305	418	59.8	54.3-65.3	264	40.2	34.7-45.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 27: CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming fruit 1 or more times a day			Reported consuming fruit LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3175	2,354,111	2036	62.0	59.5-64.5	1139	38.0	35.5-40.5
White/Non-Hisp	2772	1,932,644	1774	61.5	58.8-64.2	998	38.5	35.8-41.2
Black or Afr. Am./Non-Hisp	173	195,712	110	60.3	49.3-71.3	63	39.7	28.7-50.7
Oth. Race/Non-Hisp.	50	35,343	37	72.1	56.8-87.4	13	27.9	12.6-43.2
Hispanic	107	138,500	72	69.4	58.8-80.0	35	30.6	20.0-41.2
18-24	118	312,483	70	57.4	46.6-68.2	48	42.6	31.8-53.4
25-34	224	368,394	152	71.8	64.9-78.7	72	28.2	21.3-35.1
35-44	307	361,834	180	55.4	48.3-62.5	127	44.6	37.5-51.7
45-54	474	400,212	288	59.1	53.6-64.6	186	40.9	35.4-46.4
55-64	708	398,707	428	61.2	56.5-65.9	280	38.8	34.1-43.5
65+	1310	491,642	888	64.0	60.3-67.7	422	36.0	32.3-39.7
Less Than H.S.	232	284,499	127	57.5	47.5-67.5	105	42.5	32.5-52.5
H.S. or G.E.D.	1055	739,526	625	58.3	53.8-62.8	430	41.7	37.2-46.2
Some Post-H.S.	864	795,484	557	61.5	57.0-66.0	307	38.5	34.0-43.0
College Graduate	1007	521,358	715	70.2	66.3-74.1	292	29.8	25.9-33.7
Less than \$15,000	306	277,763	157	52.0	43.0-61.0	149	48.0	39.0-57.0
\$15,000- 24,999	537	393,554	343	62.6	56.3-68.9	194	37.4	31.1-43.7
\$25,000- 34,999	318	214,548	201	59.2	51.6-66.8	117	40.8	33.2-48.4
\$35,000- 49,999	441	340,859	290	60.8	53.4-68.2	151	39.2	31.8-46.6
\$50,000- 74,999	412	301,442	266	62.0	55.3-68.7	146	38.0	31.3-44.7
\$75,000+	668	486,234	448	67.2	62.3-72.1	220	32.8	27.9-37.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

**TABLE 28: CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGLT1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming vegetables 1 or more times a day			Reported consuming vegetables LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5392	4,468,631	4063	73.3	71.5-75.1	1329	26.7	24.9-28.5
Male	2285	2,148,777	1649	69.3	66.6-72.0	636	30.7	28.0-33.4
Female	3107	2,319,854	2414	77.1	74.9-79.3	693	22.9	20.7-25.1
White/Non-Hisp	4708	3,654,530	3581	74.6	72.6-76.6	1127	25.4	23.4-27.4
Black or Afr. Am./Non-Hisp	269	351,965	178	62.9	54.9-70.9	91	37.1	29.1-45.1
Oth. Race/Non-Hisp.	101	89,717	82	72.3	59.4-85.2	19	27.7	14.8-40.6
MultiRacial/Non-Hisp.	71	49,005	54	83.9	73.5-94.3	17	16.1	5.7-26.5
Hispanic	166	252,658	122	72.6	63.6-81.6	44	27.4	18.4-36.4
18-24	247	612,482	170	69.3	62.6-76.0	77	30.7	24.0-37.4
25-34	409	752,685	310	72.1	66.6-77.6	99	27.9	22.4-33.4
35-44	547	699,258	421	74.5	69.8-79.2	126	25.5	20.8-30.2
45-54	824	771,833	617	73.5	69.6-77.4	207	26.5	22.6-30.4
55-64	1254	756,792	951	75.3	72.2-78.4	303	24.7	21.6-27.8
65+	2068	850,609	1560	74.2	71.5-76.9	508	25.8	23.1-28.5
Less Than H.S.	392	568,028	223	60.1	53.2-67.0	169	39.9	33.0-46.8
H.S. or G.E.D.	1766	1,506,383	1202	67.4	64.3-70.5	564	32.6	29.5-35.7
Some Post-H.S.	1375	1,385,119	1080	77.2	74.1-80.3	295	22.8	19.7-25.9
College Graduate	1833	989,334	1539	84.7	82.3-87.1	294	15.3	12.9-17.7
Less than \$15,000	462	433,200	300	66.1	59.4-72.8	162	33.9	27.2-40.6
\$15,000- 24,999	798	670,928	533	64.1	59.0-69.2	265	35.9	30.8-41.0
\$25,000- 34,999	508	422,791	353	67.8	61.7-73.9	155	32.2	26.1-38.3
\$35,000- 49,999	781	643,478	590	72.6	67.7-77.5	191	27.4	22.5-32.3
\$50,000- 74,999	794	672,827	641	79.3	75.2-83.4	153	20.7	16.6-24.8
\$75,000+	1323	1,049,956	1095	81.8	78.7-84.9	228	18.2	15.1-21.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 29: CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGLT1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming vegetables 1 or more times a day			Reported consuming vegetables LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2285	2,148,777	1649	69.3	66.6-72.0	636	30.7	28.0-33.4
White/Non-Hisp	2001	1,754,200	1456	70.0	67.1-72.9	545	30.0	27.1-32.9
Black or Afr. Am./Non-Hisp	91	150,452	59	61.3	48.2-74.4	32	38.7	25.6-51.8
Oth. Race/Non-Hisp.	54	59,112	41	69.5	51.9-87.1	13	30.5	12.9-48.1
Hispanic	60	113,488	41	71.4	56.9-85.9	19	28.6	14.1-43.1
18-24	129	301,342	88	67.8	58.2-77.4	41	32.2	22.6-41.8
25-34	184	381,462	130	65.4	56.8-74.0	54	34.6	26.0-43.2
35-44	244	346,942	180	70.8	63.7-77.9	64	29.2	22.1-36.3
45-54	363	381,454	251	66.6	60.1-73.1	112	33.4	26.9-39.9
55-64	560	367,512	412	73.8	69.1-78.5	148	26.2	21.5-30.9
65+	792	364,781	578	71.1	66.8-75.4	214	28.9	24.6-33.2
Less Than H.S.	164	280,680	90	55.0	44.6-65.4	74	45.0	34.6-55.4
H.S. or G.E.D.	743	786,335	480	64.4	59.5-69.3	263	35.6	30.7-40.5
Some Post-H.S.	525	601,117	397	73.9	68.6-79.2	128	26.1	20.8-31.4
College Graduate	844	474,975	677	80.0	76.1-83.9	167	20.0	16.1-23.9
Less than \$15,000	162	158,671	99	64.8	54.2-75.4	63	35.2	24.6-45.8
\$15,000- 24,999	282	283,483	170	56.2	48.0-64.4	112	43.8	35.6-52.0
\$25,000- 34,999	192	208,441	131	64.0	54.0-74.0	61	36.0	26.0-46.0
\$35,000- 49,999	345	309,472	242	68.1	60.7-75.5	103	31.9	24.5-39.3
\$50,000- 74,999	386	372,871	294	74.0	67.7-80.3	92	26.0	19.7-32.3
\$75,000+	667	577,788	529	76.9	72.0-81.8	138	23.1	18.2-28.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 30: CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGLT1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming vegetables 1 or more times a day			Reported consuming vegetables LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3107	2,319,854	2414	77.1	74.7-79.5	693	22.9	20.5-25.3
White/Non-Hisp	2707	1,900,331	2125	78.9	76.5-81.3	582	21.1	18.7-23.5
Black or Afr. Am./Non-Hisp	178	201,513	119	64.1	54.1-74.1	59	35.9	25.9-45.9
Hispanic	106	139,170	81	73.6	62.0-85.2	25	26.4	14.8-38.0
18-24	118	311,140	82	70.7	61.3-80.1	36	29.3	19.9-38.7
25-34	225	371,222	180	79.1	72.6-85.6	45	20.9	14.4-27.4
35-44	303	352,317	241	78.1	72.0-84.2	62	21.9	15.8-28.0
45-54	461	390,380	366	80.3	75.8-84.8	95	19.7	15.2-24.2
55-64	694	389,280	539	76.7	72.6-80.8	155	23.3	19.2-27.4
65+	1276	485,828	982	76.5	73.2-79.8	294	23.5	20.2-26.8
Less Than H.S.	228	287,349	133	65.1	56.3-73.9	95	34.9	26.1-43.7
H.S. or G.E.D.	1023	720,048	722	70.6	66.5-74.7	301	29.4	25.3-33.5
Some Post-H.S.	850	784,003	683	79.7	75.6-83.8	167	20.3	16.2-24.4
College Graduate	989	514,359	862	89.1	86.6-91.6	127	10.9	8.4-13.4
Less than \$15,000	300	274,529	201	66.9	58.5-75.3	99	33.1	24.7-41.5
\$15,000- 24,999	516	387,445	363	69.8	63.7-75.9	153	30.2	24.1-36.3
\$25,000- 34,999	316	214,350	222	71.6	64.7-78.5	94	28.4	21.5-35.3
\$35,000- 49,999	436	334,006	348	76.9	70.4-83.4	88	23.1	16.6-29.6
\$50,000- 74,999	408	299,955	347	85.8	81.1-90.5	61	14.2	9.5-18.9
\$75,000+	656	472,168	566	87.7	84.6-90.8	90	12.3	9.2-15.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 11: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1 MALES AND FEMALES	144
2 MALES ONLY	145
3 FEMALES ONLY	146
PHYSICAL ACTIVITY CATEGORIES (_PACAT1)	
4 MALES AND FEMALES	147
5 MALES ONLY	148
6 FEMALES ONLY	149
PHYSICAL ACTIVITY INDEX (_PAINDX1)	
7 MALES AND FEMALES	150
8 MALES ONLY	151
9 FEMALES ONLY	152
MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)	
10 MALES AND FEMALES	153
11 MALES ONLY	154
12 FEMALES ONLY	155
AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)	
13 MALES AND FEMALES	156
14 MALES ONLY	157
15 FEMALES ONLY	158
AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)	
16 MALES AND FEMALES	159
17 MALES ONLY	160
18 FEMALES ONLY	161

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5553	4,563,088	3914	70.6	68.8-72.4	1639	29.4	27.6-31.2
Male	2352	2,202,563	1716	72.3	69.6-75.0	636	27.7	25.0-30.4
Female	3201	2,360,526	2198	69.0	66.6-71.4	1003	31.0	28.6-33.4
White/Non-Hisp	4846	3,724,317	3449	71.9	69.9-73.9	1397	28.1	26.1-30.1
Black or Afr. Am./Non-Hisp	275	361,080	171	63.7	56.1-71.3	104	36.3	28.7-43.9
Oth. Race/Non-Hisp.	105	94,804	82	74.6	62.6-86.6	23	25.4	13.4-37.4
MultiRacial/Non-Hisp.	72	49,758	55	83.5	72.1-94.9	17	16.5	5.1-27.9
Hispanic	169	255,066	102	61.2	51.4-71.0	67	38.8	29.0-48.6
18-24	247	614,389	205	80.7	74.8-86.6	42	19.3	13.4-25.2
25-34	411	754,248	321	77.4	72.5-82.3	90	22.6	17.7-27.5
35-44	556	708,650	407	69.5	64.4-74.6	149	30.5	25.4-35.6
45-54	834	782,504	599	67.8	63.7-71.9	235	32.2	28.1-36.3
55-64	1276	770,932	903	67.0	63.5-70.5	373	33.0	29.5-36.5
65+	2180	904,182	1440	64.1	61.4-66.8	740	35.9	33.2-38.6
Less Than H.S.	422	588,182	217	52.5	45.6-59.4	205	47.5	40.6-54.4
H.S. or G.E.D.	1837	1,554,154	1147	66.3	63.2-69.4	690	33.7	30.6-36.8
Some Post-H.S.	1407	1,402,265	1011	74.5	71.4-77.6	396	25.5	22.4-28.6
College Graduate	1858	995,753	1524	82.8	80.4-85.2	334	17.2	14.8-19.6
Less than \$15,000	480	445,149	275	57.4	50.7-64.1	205	42.6	35.9-49.3
\$15,000- 24,999	830	694,795	507	63.8	58.9-68.7	323	36.2	31.3-41.1
\$25,000- 34,999	522	429,491	312	58.0	51.9-64.1	210	42.0	35.9-48.1
\$35,000- 49,999	797	655,726	562	69.3	64.6-74.0	235	30.7	26.0-35.4
\$50,000- 74,999	802	674,337	600	76.1	71.8-80.4	202	23.9	19.6-28.2
\$75,000+	1338	1,057,811	1131	84.2	81.5-86.9	207	15.8	13.1-18.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2352	2,202,563	1716	72.3	69.6-75.0	636	27.7	25.0-30.4
White/Non-Hisp	2052	1,787,492	1499	72.8	70.1-75.5	553	27.2	24.5-29.9
Black or Afr. Am./Non-Hisp	99	160,028	66	67.0	55.2-78.8	33	33.0	21.2-44.8
Oth. Race/Non-Hisp.	56	63,190	46	75.3	59.0-91.6	10	24.7	8.4-41.0
Hispanic	61	115,723	43	72.2	57.1-87.3	18	27.8	12.7-42.9
18-24	132	307,693	112	82.0	74.0-90.0	20	18.0	10.0-26.0
25-34	186	384,923	148	77.7	70.4-85.0	38	22.3	15.0-29.6
35-44	248	351,145	194	74.7	67.4-82.0	54	25.3	18.0-32.6
45-54	371	388,030	265	65.1	58.4-71.8	106	34.9	28.2-41.6
55-64	569	373,736	402	67.9	62.8-73.0	167	32.1	27.0-37.2
65+	833	391,751	583	68.1	63.8-72.4	250	31.9	27.6-36.2
Less Than H.S.	176	292,684	103	57.8	48.0-67.6	73	42.2	32.4-52.0
H.S. or G.E.D.	771	809,407	511	69.1	64.6-73.6	260	30.9	26.4-35.4
Some Post-H.S.	539	612,461	391	74.6	69.9-79.3	148	25.4	20.7-30.1
College Graduate	855	479,715	704	83.3	80.0-86.6	151	16.7	13.4-20.0
Less than \$15,000	168	163,236	107	63.9	53.7-74.1	61	36.1	25.9-46.3
\$15,000- 24,999	289	294,497	187	66.4	58.8-74.0	102	33.6	26.0-41.2
\$25,000- 34,999	201	213,915	122	56.5	46.7-66.3	79	43.5	33.7-53.3
\$35,000- 49,999	353	315,123	250	69.9	62.6-77.2	103	30.1	22.8-37.4
\$50,000- 74,999	390	372,630	290	74.6	67.9-81.3	100	25.4	18.7-32.1
\$75,000+	678	583,401	572	84.3	80.6-88.0	106	15.7	12.0-19.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3201	2,360,526	2198	69.0	66.6-71.4	1003	31.0	28.6-33.4
White/Non-Hisp	2794	1,936,824	1950	71.1	68.6-73.6	844	28.9	26.4-31.4
Black or Afr. Am./Non-Hisp	176	201,052	105	61.0	51.0-71.0	71	39.0	29.0-49.0
Hispanic	108	139,342	59	52.1	39.8-64.4	49	47.9	35.6-60.2
18-24	115	306,696	93	79.4	70.6-88.2	22	20.6	11.8-29.4
25-34	225	369,325	173	77.0	70.3-83.7	52	23.0	16.3-29.7
35-44	308	357,504	213	64.5	57.6-71.4	95	35.5	28.6-42.4
45-54	463	394,474	334	70.5	65.2-75.8	129	29.5	24.2-34.8
55-64	707	397,197	501	66.1	61.4-70.8	206	33.9	29.2-38.6
65+	1347	512,431	857	61.0	57.5-64.5	490	39.0	35.5-42.5
Less Than H.S.	246	295,498	114	47.3	37.5-57.1	132	52.7	42.9-62.5
H.S. or G.E.D.	1066	744,747	636	63.3	59.0-67.6	430	36.7	32.4-41.0
Some Post-H.S.	868	789,804	620	74.4	70.5-78.3	248	25.6	21.7-29.5
College Graduate	1003	516,038	820	82.3	79.0-85.6	183	17.7	14.4-21.0
Less than \$15,000	312	281,913	168	53.7	44.9-62.5	144	46.3	37.5-55.1
\$15,000- 24,999	541	400,298	320	61.9	55.4-68.4	221	38.1	31.6-44.6
\$25,000- 34,999	321	215,576	190	59.4	51.8-67.0	131	40.6	33.0-48.2
\$35,000- 49,999	444	340,603	312	68.8	62.5-75.1	132	31.2	24.9-37.5
\$50,000- 74,999	412	301,707	310	77.9	72.6-83.2	102	22.1	16.8-27.4
\$75,000+	660	474,410	559	84.1	80.4-87.8	101	15.9	12.2-19.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
TABLE 4: PHYSICAL ACTIVITY CATEGORIES (_PACAT1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5287	4,382,052	1571	26.2	24.4-28.0	924	17.7	16.1-19.3	1010	21.9	20.1-23.7	1782	34.2	32.2-36.2
Male	2243	2,120,524	693	26.0	23.5-28.5	402	17.6	15.2-20.0	427	22.7	20.2-25.2	721	33.7	30.8-36.6
Female	3044	2,261,528	878	26.4	24.0-28.8	522	17.7	15.5-19.9	583	21.3	19.1-23.5	1061	34.7	32.2-37.2
White/Non-Hisp	4628	3,588,146	1413	26.9	25.1-28.7	819	18.2	16.4-20.0	876	22.3	20.5-24.1	1520	32.6	30.6-34.6
Black or Afr. Am./Non-Hisp	255	335,917	62	25.4	17.6-33.2	34	11.6	6.7-16.5	48	19.8	12.7-26.9	111	43.1	34.7-51.5
Oth. Race/Non-Hisp.	95	88,052	23	23.2	11.0-35.4	21	18.5	9.5-27.5	25	25.9	14.9-36.9	26	32.4	19.3-45.5
MultiRacial/Non-Hisp.	72	49,758	23	34.6	17.0-52.2	9	18.8	4.1-33.5	21	26.5	13.0-40.0	19	20.1	7.8-32.4
Hispanic	164	249,336	31	17.7	10.6-24.8	29	18.9	11.1-26.7	34	21.3	12.9-29.7	70	42.2	32.2-52.2
18-24	238	589,512	55	23.7	17.2-30.2	48	17.2	11.9-22.5	81	31.8	24.7-38.9	54	27.2	20.1-34.3
25-34	402	735,462	92	23.0	17.9-28.1	89	22.9	17.8-28.0	104	24.9	20.0-29.8	117	29.3	24.0-34.6
35-44	537	689,282	132	22.3	18.0-26.6	107	20.2	15.9-24.5	135	22.2	17.9-26.5	163	35.3	30.0-40.6
45-54	812	761,290	233	28.2	24.3-32.1	148	15.8	12.7-18.9	176	21.0	17.5-24.5	255	35.0	30.7-39.3
55-64	1242	752,309	368	26.9	23.8-30.0	220	15.6	13.2-18.0	255	21.7	18.8-24.6	399	35.8	32.3-39.3
65+	2046	848,450	691	31.6	28.9-34.3	312	15.0	12.8-17.2	259	13.5	11.3-15.7	784	39.8	36.9-42.7
Less Than H.S.	390	561,795	86	21.7	15.8-27.6	40	11.4	6.9-15.9	52	14.8	9.5-20.1	212	52.2	45.1-59.3
H.S. or G.E.D.	1747	1,479,058	462	24.8	21.9-27.7	224	14.0	11.5-16.5	320	21.9	19.0-24.8	741	39.3	36.0-42.6
Some Post-H.S.	1332	1,351,363	405	27.4	24.1-30.7	232	19.9	16.8-23.0	265	22.7	19.6-25.8	430	30.0	26.7-33.3
College Graduate	1792	968,451	610	29.1	26.4-31.8	424	23.8	21.1-26.5	373	25.6	22.5-28.7	385	21.5	18.8-24.2
Less than \$15,000	443	421,165	106	25.8	18.9-32.7	54	9.5	6.2-12.8	64	15.9	10.6-21.2	219	48.9	41.8-56.0
\$15,000- 24,999	791	669,437	204	20.4	16.7-24.1	112	18.3	13.8-22.8	137	22.1	17.6-26.6	338	39.2	34.1-44.3
\$25,000- 34,999	498	406,860	125	22.4	16.9-27.9	77	15.6	11.1-20.1	71	13.8	9.7-17.9	225	48.3	42.0-54.6
\$35,000- 49,999	767	636,222	246	24.3	20.4-28.2	119	14.8	11.1-18.5	147	24.1	19.4-28.8	255	36.8	31.5-42.1
\$50,000- 74,999	774	660,868	247	29.9	25.0-34.8	148	18.0	14.3-21.7	154	23.9	19.4-28.4	225	28.2	23.5-32.9
\$75,000+	1303	1,032,777	433	29.7	26.2-33.2	308	23.2	19.9-26.5	317	26.6	23.1-30.1	245	20.5	17.4-23.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
TABLE 5: PHYSICAL ACTIVITY CATEGORIES (_PACAT1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2243	2,120,524	693	26.0	23.5-28.5	402	17.6	15.2-20.0	427	22.7	20.2-25.2	721	33.7	30.8-36.6
White/Non-Hisp	1964	1,732,141	612	26.1	23.4-28.8	362	18.5	16.0-21.0	366	22.9	20.2-25.6	624	32.5	29.6-35.4
Black or Afr. Am./Non-Hisp	91	143,171	24	24.0	12.6-35.4	11	11.1	3.8-18.4	17	19.0	9.0-29.0	39	45.9	32.6-59.2
Oth. Race/Non-Hisp.	52	59,700	14	26.8	9.9-43.7	10	16.5	5.1-27.9	15	23.2	9.5-36.9	13	33.5	15.7-51.3
Hispanic	59	113,191	13	19.3	7.7-30.9	11	19.8	6.5-33.1	16	28.4	13.1-43.7	19	32.5	16.4-48.6
18-24	128	297,679	28	20.0	12.6-27.4	23	15.3	8.8-21.8	47	36.7	26.9-46.5	30	28.1	18.7-37.5
25-34	180	374,213	38	21.6	14.0-29.2	40	24.6	16.8-32.4	50	24.4	17.3-31.5	52	29.4	21.6-37.2
35-44	241	343,293	60	24.5	17.6-31.4	50	17.9	12.2-23.6	65	24.1	17.6-30.6	66	33.5	25.5-41.5
45-54	361	375,876	105	28.6	22.5-34.7	73	17.1	12.2-22.0	65	16.0	11.5-20.5	118	38.3	31.6-45.0
55-64	552	364,114	166	25.6	21.1-30.1	92	14.2	10.9-17.5	110	24.5	19.6-29.4	184	35.8	30.7-40.9
65+	780	364,945	296	34.4	30.1-38.7	124	16.3	12.8-19.8	90	13.2	9.7-16.7	270	36.1	31.6-40.6
Less Than H.S.	162	274,886	43	21.4	13.8-29.0	18	15.9	7.9-23.9	25	16.7	8.3-25.1	76	46.1	35.9-56.3
H.S. or G.E.D.	736	777,602	203	26.5	22.0-31.0	94	12.9	9.6-16.2	145	22.9	18.8-27.0	294	37.6	32.9-42.3
Some Post-H.S.	519	598,195	152	24.4	19.5-29.3	98	19.8	15.1-24.5	101	24.2	19.1-29.3	168	31.6	26.1-37.1
College Graduate	816	462,208	291	29.6	25.5-33.7	190	23.5	19.6-27.4	156	24.1	19.6-28.6	179	22.7	18.6-26.8
Less than \$15,000	155	152,688	41	21.8	13.8-29.8	19	11.2	5.3-17.1	24	20.9	10.5-31.3	71	46.1	35.1-57.1
\$15,000- 24,999	274	281,996	69	19.8	13.9-25.7	44	22.4	15.0-29.8	50	20.2	13.7-26.7	111	37.6	29.6-45.6
\$25,000- 34,999	191	202,039	51	24.7	15.7-33.7	26	10.0	5.1-14.9	23	12.7	6.6-18.8	91	52.7	42.7-62.7
\$35,000- 49,999	340	304,270	106	22.7	17.2-28.2	48	14.2	8.9-19.5	70	26.7	19.6-33.8	116	36.4	28.8-44.0
\$50,000- 74,999	375	366,045	119	26.6	20.1-33.1	73	19.7	14.2-25.2	70	24.0	17.5-30.5	113	29.7	22.8-36.6
\$75,000+	659	570,686	229	30.5	25.4-35.6	153	20.7	16.2-25.2	151	27.0	22.1-31.9	126	21.8	16.9-26.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
TABLE 6: PHYSICAL ACTIVITY CATEGORIES (_PACAT1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3044	2,261,528	878	26.4	24.0-28.8	522	17.7	15.5-19.9	583	21.3	19.1-23.5	1061	34.7	32.2-37.2
White/Non-Hisp	2664	1,856,005	801	27.7	25.2-30.2	457	17.9	15.5-20.3	510	21.7	19.3-24.1	896	32.6	29.9-35.3
Black or Afr. Am./Non-Hisp	164	192,746	38	26.4	15.6-37.2	23	12.0	5.5-18.5	31	20.5	10.9-30.1	72	41.1	30.5-51.7
Hispanic	105	136,145	18	16.3	7.5-25.1	18	18.1	9.1-27.1	18	15.4	7.2-23.6	51	50.3	38.0-62.6
18-24	110	291,833	27	27.6	17.2-38.0	25	19.2	10.8-27.6	34	26.9	17.3-36.5	24	26.3	15.7-36.9
25-34	222	361,248	54	24.4	17.5-31.3	49	21.1	14.8-27.4	54	25.4	18.5-32.3	65	29.1	21.8-36.4
35-44	296	345,989	72	20.2	14.7-25.7	57	22.6	16.3-28.9	70	20.2	14.7-25.7	97	37.1	30.0-44.2
45-54	451	385,414	128	27.8	22.7-32.9	75	14.6	10.7-18.5	111	25.8	20.7-30.9	137	31.8	26.5-37.1
55-64	690	388,196	202	28.1	23.8-32.4	128	16.9	13.4-20.4	145	19.1	15.4-22.8	215	35.8	30.9-40.7
65+	1266	483,505	395	29.5	26.2-32.8	188	14.0	11.5-16.5	169	13.8	10.9-16.7	514	42.7	39.0-46.4
Less Than H.S.	228	286,909	43	21.9	12.7-31.1	22	7.1	3.2-11.0	27	13.0	6.7-19.3	136	58.0	48.2-67.8
H.S. or G.E.D.	1011	701,456	259	23.0	19.3-26.7	130	15.1	11.4-18.8	175	20.7	16.4-25.0	447	41.1	36.6-45.6
Some Post-H.S.	813	753,168	253	29.8	25.5-34.1	134	20.0	15.9-24.1	164	21.4	17.5-25.3	262	28.8	24.5-33.1
College Graduate	976	506,242	319	28.6	24.7-32.5	234	24.0	20.3-27.7	217	27.0	22.9-31.1	206	20.4	16.9-23.9
Less than \$15,000	288	268,478	65	28.0	18.4-37.6	35	8.6	4.5-12.7	40	13.0	7.5-18.5	148	50.4	41.2-59.6
\$15,000- 24,999	517	387,441	135	20.9	16.0-25.8	68	15.2	9.5-20.9	87	23.4	17.3-29.5	227	40.4	33.7-47.1
\$25,000- 34,999	307	204,821	74	20.1	14.0-26.2	51	21.1	14.0-28.2	48	14.9	9.6-20.2	134	43.9	36.1-51.7
\$35,000- 49,999	427	331,952	140	25.8	20.1-31.5	71	15.5	10.0-21.0	77	21.6	15.3-27.9	139	37.1	29.7-44.5
\$50,000- 74,999	399	294,822	128	34.1	26.8-41.4	75	15.8	11.1-20.5	84	23.8	18.1-29.5	112	26.3	20.4-32.2
\$75,000+	644	462,091	204	28.8	24.1-33.5	155	26.4	21.5-31.3	166	26.1	21.4-30.8	119	18.8	14.9-22.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
TABLE 7: PHYSICAL ACTIVITY INDEX (_PAIDX1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5321	4,400,131	2529	44.1	42.1-46.1	2792	55.9	53.9-57.9
Male	2255	2,126,597	1107	43.8	40.9-46.7	1148	56.2	53.3-59.1
Female	3066	2,273,535	1422	44.4	41.7-47.1	1644	55.6	52.9-58.3
White/Non-Hisp	4655	3,601,903	2259	45.3	43.1-47.5	2396	54.7	52.5-56.9
Black or Afr. Am./Non-Hisp	257	338,400	98	37.5	29.3-45.7	159	62.5	54.3-70.7
Oth. Race/Non-Hisp.	97	89,238	46	42.5	29.4-55.6	51	57.5	44.4-70.6
MultiRacial/Non-Hisp.	72	49,758	32	53.5	36.4-70.6	40	46.5	29.4-63.6
Hispanic	165	249,379	61	36.5	27.1-45.9	104	63.5	54.1-72.9
18-24	239	591,902	104	41.2	33.8-48.6	135	58.8	51.4-66.2
25-34	403	736,955	182	46.0	40.1-51.9	221	54.0	48.1-59.9
35-44	539	690,798	241	42.7	37.4-48.0	298	57.3	52.0-62.6
45-54	815	763,796	384	44.2	39.9-48.5	431	55.8	51.5-60.1
55-64	1249	756,229	595	42.8	39.3-46.3	654	57.2	53.7-60.7
65+	2066	854,703	1023	47.0	44.1-49.9	1043	53.0	50.1-55.9
Less Than H.S.	392	562,448	128	33.1	26.4-39.8	264	66.9	60.2-73.6
H.S. or G.E.D.	1757	1,486,117	696	39.1	35.8-42.4	1061	60.9	57.6-64.2
Some Post-H.S.	1341	1,357,647	646	47.6	43.9-51.3	695	52.4	48.7-56.1
College Graduate	1804	972,069	1046	53.0	49.7-56.3	758	47.0	43.7-50.3
Less than \$15,000	447	424,925	164	35.9	28.8-43.0	283	64.1	57.0-71.2
\$15,000- 24,999	793	672,334	318	39.0	33.9-44.1	475	61.0	55.9-66.1
\$25,000- 34,999	503	410,090	207	38.4	32.3-44.5	296	61.6	55.5-67.7
\$35,000- 49,999	774	639,337	372	39.5	34.6-44.4	402	60.5	55.6-65.4
\$50,000- 74,999	777	661,414	398	47.9	42.8-53.0	379	52.1	47.0-57.2
\$75,000+	1308	1,035,330	746	53.1	49.2-57.0	562	46.9	43.0-50.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
TABLE 8: PHYSICAL ACTIVITY INDEX (_PAIDX1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2255	2,126,597	1107	43.8	40.9-46.7	1148	56.2	53.3-59.1
White/Non-Hisp	1973	1,736,730	983	44.7	41.6-47.8	990	55.3	52.2-58.4
Black or Afr. Am./Non-Hisp	92	144,061	36	35.5	23.2-47.8	56	64.5	52.2-76.8
Oth. Race/Non-Hisp.	53	60,148	25	43.7	26.1-61.3	28	56.3	38.7-73.9
Hispanic	59	113,191	24	39.2	23.3-55.1	35	60.8	44.9-76.7
18-24	128	297,679	51	35.2	26.2-44.2	77	64.8	55.8-73.8
25-34	180	374,213	78	46.2	37.4-55.0	102	53.8	45.0-62.6
35-44	241	343,293	110	42.4	34.6-50.2	131	57.6	49.8-65.4
45-54	362	376,324	179	45.8	39.1-52.5	183	54.2	47.5-60.9
55-64	557	366,740	263	40.2	35.1-45.3	294	59.8	54.7-64.9
65+	786	367,944	426	51.1	46.4-55.8	360	48.9	44.2-53.6
Less Than H.S.	163	275,392	62	37.4	27.6-47.2	101	62.6	52.8-72.4
H.S. or G.E.D.	740	778,720	301	39.5	34.6-44.4	439	60.5	55.6-65.4
Some Post-H.S.	521	600,425	252	44.4	38.7-50.1	269	55.6	49.9-61.3
College Graduate	821	464,428	486	53.4	48.5-58.3	335	46.6	41.7-51.5
Less than \$15,000	156	154,028	61	33.5	23.9-43.1	95	66.5	56.9-76.1
\$15,000- 24,999	275	282,502	114	42.3	34.3-50.3	161	57.7	49.7-65.7
\$25,000- 34,999	193	203,074	79	35.0	25.6-44.4	114	65.0	55.6-74.4
\$35,000- 49,999	342	304,861	156	37.0	29.9-44.1	186	63.0	55.9-70.1
\$50,000- 74,999	376	366,216	193	46.3	39.0-53.6	183	53.7	46.4-61.0
\$75,000+	662	572,488	385	51.4	45.7-57.1	277	48.6	42.9-54.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
TABLE 9: PHYSICAL ACTIVITY INDEX (_PAIDX1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3066	2,273,535	1422	44.4	41.7-47.1	1644	55.6	52.9-58.3
White/Non-Hisp	2682	1,865,173	1276	45.9	43.0-48.8	1406	54.1	51.2-57.0
Black or Afr. Am./Non-Hisp	165	194,339	62	39.0	27.8-50.2	103	61.0	49.8-72.2
Hispanic	106	136,188	37	34.4	22.8-46.0	69	65.6	54.0-77.2
18-24	111	294,224	53	47.2	35.8-58.6	58	52.8	41.4-64.2
25-34	223	362,742	104	45.7	37.9-53.5	119	54.3	46.5-62.1
35-44	298	347,505	131	43.0	35.9-50.1	167	57.0	49.9-64.1
45-54	453	387,472	205	42.6	36.9-48.3	248	57.4	51.7-63.1
55-64	692	389,489	332	45.2	40.5-49.9	360	54.8	50.1-59.5
65+	1280	486,760	597	43.9	40.2-47.6	683	56.1	52.4-59.8
Less Than H.S.	229	287,056	66	29.0	19.6-38.4	163	71.0	61.6-80.4
H.S. or G.E.D.	1017	707,398	395	38.6	34.1-43.1	622	61.4	56.9-65.9
Some Post-H.S.	820	757,222	394	50.0	45.3-54.7	426	50.0	45.3-54.7
College Graduate	983	507,641	560	52.8	48.3-57.3	423	47.2	42.7-51.7
Less than \$15,000	291	270,897	103	37.2	27.8-46.6	188	62.8	53.4-72.2
\$15,000- 24,999	518	389,832	204	36.6	30.1-43.1	314	63.4	56.9-69.9
\$25,000- 34,999	310	207,016	128	41.8	34.0-49.6	182	58.2	50.4-66.0
\$35,000- 49,999	432	334,476	216	41.7	34.6-48.8	216	58.3	51.2-65.4
\$50,000- 74,999	401	295,197	205	50.0	42.9-57.1	196	50.0	42.9-57.1
\$75,000+	646	462,841	361	55.2	49.9-60.5	285	44.8	39.5-50.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 10: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5459	4,474,206	1345	27.0	25.2-28.8	4114	73.0	71.2-74.8
Male	2306	2,150,453	659	31.3	28.6-34.0	1647	68.7	66.0-71.4
Female	3153	2,323,754	686	23.0	20.6-25.4	2467	77.0	74.6-79.4
White/Non-Hisp	4772	3,667,862	1140	25.6	23.6-27.6	3632	74.4	72.4-76.4
Black or Afr. Am./Non-Hisp	264	343,209	72	36.0	27.2-44.8	192	64.0	55.2-72.8
Oth. Race/Non-Hisp.	102	89,153	39	41.5	28.4-54.6	63	58.5	45.4-71.6
MultiRacial/Non-Hisp.	71	47,159	29	51.5	34.1-68.9	42	48.5	31.1-65.9
Hispanic	165	248,823	46	27.7	18.1-37.3	119	72.3	62.7-81.9
18-24	237	590,607	117	50.3	42.7-57.9	120	49.7	42.1-57.3
25-34	406	743,400	143	31.9	26.6-37.2	263	68.1	62.8-73.4
35-44	543	688,649	145	25.6	20.9-30.3	398	74.4	69.7-79.1
45-54	829	780,551	212	22.9	19.4-26.4	617	77.1	73.6-80.6
55-64	1257	757,703	300	20.4	17.7-23.1	957	79.6	76.9-82.3
65+	2139	885,728	419	17.9	15.7-20.1	1720	82.1	79.9-84.3
Less Than H.S.	411	583,032	62	22.1	15.2-29.0	349	77.9	71.0-84.8
H.S. or G.E.D.	1808	1,516,972	340	24.3	21.2-27.4	1468	75.7	72.6-78.8
Some Post-H.S.	1379	1,367,742	329	26.3	23.0-29.6	1050	73.7	70.4-77.0
College Graduate	1832	983,727	605	34.9	31.8-38.0	1227	65.1	62.0-68.2
Less than \$15,000	464	432,995	80	23.6	16.5-30.7	384	76.4	69.3-83.5
\$15,000- 24,999	821	684,041	163	24.5	19.8-29.2	658	75.5	70.8-80.2
\$25,000- 34,999	514	419,935	107	20.4	15.5-25.3	407	79.6	74.7-84.5
\$35,000- 49,999	780	644,276	189	24.8	20.3-29.3	591	75.2	70.7-79.7
\$50,000- 74,999	795	669,119	195	29.5	24.4-34.6	600	70.5	65.4-75.6
\$75,000+	1323	1,044,271	462	35.8	32.1-39.5	861	64.2	60.5-67.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 11: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2306	2,150,453	659	31.3	28.6-34.0	1647	68.7	66.0-71.4
White/Non-Hisp	2017	1,758,509	552	29.0	26.1-31.9	1465	71.0	68.1-73.9
Black or Afr. Am./Non-Hisp	93	146,204	31	42.1	28.6-55.6	62	57.9	44.4-71.4
Oth. Race/Non-Hisp.	55	58,595	25	49.8	32.2-67.4	30	50.2	32.6-67.8
Hispanic	58	111,082	22	40.2	23.1-57.3	36	59.8	42.7-76.9
18-24	127	293,975	73	58.0	48.0-68.0	54	42.0	32.0-52.0
25-34	184	381,355	73	35.8	27.8-43.8	111	64.2	56.2-72.2
35-44	241	338,289	74	33.2	25.4-41.0	167	66.8	59.0-74.6
45-54	367	386,748	106	25.6	19.9-31.3	261	74.4	68.7-80.1
55-64	557	363,036	133	20.3	16.4-24.2	424	79.7	75.8-83.6
65+	817	381,766	196	20.6	17.1-24.1	621	79.4	75.9-82.9
Less Than H.S.	173	291,549	31	26.0	15.8-36.2	142	74.0	63.8-84.2
H.S. or G.E.D.	752	786,196	182	29.5	25.0-34.0	570	70.5	66.0-75.0
Some Post-H.S.	527	593,376	145	29.6	24.3-34.9	382	70.4	65.1-75.7
College Graduate	843	471,035	298	39.5	34.8-44.2	545	60.5	55.8-65.2
Less than \$15,000	161	155,111	34	27.8	16.4-39.2	127	72.2	60.8-83.6
\$15,000- 24,999	288	292,082	76	26.4	19.5-33.3	212	73.6	66.7-80.5
\$25,000- 34,999	197	208,830	44	21.5	13.7-29.3	153	78.5	70.7-86.3
\$35,000- 49,999	347	306,671	98	32.1	24.8-39.4	249	67.9	60.6-75.2
\$50,000- 74,999	384	367,604	106	35.0	27.6-42.4	278	65.0	57.6-72.4
\$75,000+	669	577,927	242	39.1	33.6-44.6	427	60.9	55.4-66.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 12: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3153	2,323,754	686	23.0	20.6-25.4	2467	77.0	74.6-79.4
White/Non-Hisp	2755	1,909,353	588	22.4	19.9-24.9	2167	77.6	75.1-80.1
Black or Afr. Am./Non-Hisp	171	197,005	41	31.6	19.6-43.6	130	68.4	56.4-80.4
Hispanic	107	137,741	24	17.7	9.5-25.9	83	82.3	74.1-90.5
18-24	110	296,632	44	42.6	31.2-54.0	66	57.4	46.0-68.8
25-34	222	362,045	70	27.7	20.8-34.6	152	72.3	65.4-79.2
35-44	302	350,360	71	18.4	13.3-23.5	231	81.6	76.5-86.7
45-54	462	393,802	106	20.3	16.0-24.6	356	79.7	75.4-84.0
55-64	700	394,667	167	20.5	16.8-24.2	533	79.5	75.8-83.2
65+	1322	503,962	223	15.8	13.1-18.5	1099	84.2	81.5-86.9
Less Than H.S.	238	291,482	31	18.1	9.1-27.1	207	81.9	72.9-90.9
H.S. or G.E.D.	1056	730,776	158	18.8	14.5-23.1	898	81.2	76.9-85.5
Some Post-H.S.	852	774,366	184	23.7	19.6-27.8	668	76.3	72.2-80.4
College Graduate	989	512,691	307	30.6	26.7-34.5	682	69.4	65.5-73.3
Less than \$15,000	303	277,885	46	21.2	12.2-30.2	257	78.8	69.8-87.8
\$15,000- 24,999	533	391,959	87	23.1	16.6-29.6	446	76.9	70.4-83.4
\$25,000- 34,999	317	211,105	63	19.4	13.5-25.3	254	80.6	74.7-86.5
\$35,000- 49,999	433	337,604	91	18.3	13.0-23.6	342	81.7	76.4-87.0
\$50,000- 74,999	411	301,515	89	22.7	16.4-29.0	322	77.3	71.0-83.6
\$75,000+	654	466,344	220	31.5	26.8-36.2	434	68.5	63.8-73.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 13: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5264	4,348,860	852	15.6	14.2-17.0	1648	28.4	26.6-30.2	452	11.6	10.0-13.2	2312	44.4	42.4-46.4
Male	2229	2,095,099	399	16.3	14.1-18.5	691	27.3	24.6-30.0	238	15.0	12.6-17.4	901	41.4	38.5-44.3
Female	3035	2,253,762	453	14.9	12.9-16.9	957	29.4	27.0-31.8	214	8.4	6.6-10.2	1411	47.3	44.6-50.0
White/Non-Hisp	4609	3,570,453	743	15.4	13.8-17.0	1495	29.9	27.9-31.9	368	10.5	9.1-11.9	2003	44.2	42.0-46.4
Black or Afr. Am./Non-Hisp	251	327,436	39	18.0	10.6-25.4	56	19.7	13.4-26.0	26	16.8	9.2-24.4	130	45.6	37.2-54.0
Oth. Race/Non-Hisp.	95	85,154	21	18.4	9.4-27.4	23	21.3	9.9-32.7	16	24.1	11.0-37.2	35	36.2	23.9-48.5
MultiRacial/Non-Hisp.	71	47,159	16	34.9	16.1-53.7	15	16.0	5.4-26.6	13	16.6	5.0-28.2	27	32.5	17.4-47.6
Hispanic	164	247,270	25	12.6	6.7-18.5	35	23.4	14.8-32.0	21	15.3	6.5-24.1	83	48.7	38.5-58.9
18-24	232	575,832	52	22.2	15.7-28.7	48	18.2	12.7-23.7	64	29.1	22.0-36.2	68	30.4	23.1-37.7
25-34	401	735,188	74	16.2	12.1-20.3	107	29.7	24.0-35.4	67	15.8	11.7-19.9	153	38.2	32.5-43.9
35-44	530	675,877	102	17.4	13.5-21.3	134	25.4	20.7-30.1	40	8.4	4.9-11.9	254	48.9	43.4-54.4
45-54	813	761,419	142	14.7	12.0-17.4	241	29.4	25.3-33.5	65	7.6	5.4-9.8	365	48.3	43.8-52.8
55-64	1238	747,984	202	13.3	11.1-15.5	387	29.4	26.3-32.5	94	7.1	5.3-8.9	555	50.2	46.7-53.7
65+	2040	846,813	280	11.9	10.1-13.7	731	35.1	32.4-37.8	122	6.2	4.6-7.8	907	46.9	44.0-49.8
Less Than H.S.	388	560,373	32	11.0	5.7-16.3	95	22.2	16.5-27.9	26	10.5	5.0-16.0	235	56.3	49.0-63.6
H.S. or G.E.D.	1741	1,469,076	194	13.2	10.7-15.7	493	25.7	22.8-28.6	138	11.8	9.3-14.3	916	49.4	45.9-52.9
Some Post-H.S.	1320	1,333,485	202	14.8	12.3-17.3	435	32.7	29.2-36.2	117	11.6	9.1-14.1	566	40.8	37.3-44.3
College Graduate	1788	964,077	416	22.5	20.0-25.0	620	30.6	27.7-33.5	171	12.2	9.8-14.6	581	34.8	31.7-37.9
Less than \$15,000	441	419,404	46	11.5	5.6-17.4	112	23.5	17.6-29.4	32	12.7	7.2-18.2	251	52.3	45.0-59.6
\$15,000- 24,999	784	664,592	90	14.1	10.2-18.0	226	24.8	20.5-29.1	66	10.5	7.0-14.0	402	50.5	45.2-55.8
\$25,000- 34,999	498	405,678	59	10.3	6.8-13.8	144	27.5	21.8-33.2	46	10.6	6.5-14.7	249	51.6	45.3-57.9
\$35,000- 49,999	762	634,128	127	13.6	10.5-16.7	239	25.8	21.5-30.1	59	11.4	7.7-15.1	337	49.1	43.8-54.4
\$50,000- 74,999	775	659,169	124	16.5	12.6-20.4	273	31.5	26.8-36.2	63	12.7	8.4-17.0	315	39.3	34.4-44.2
\$75,000+	1297	1,021,260	318	22.4	19.3-25.5	422	30.9	27.2-34.6	135	13.1	10.2-16.0	422	33.6	29.9-37.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 14: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2229	2,095,099	399	16.3	14.1-18.5	691	27.3	24.6-30.0	238	15.0	12.6-17.4	901	41.4	38.5-44.3
White/Non-Hisp	1954	1,720,441	348	16.1	13.7-18.5	623	28.6	25.7-31.5	189	13.2	10.8-15.6	794	42.2	39.1-45.3
Black or Afr. Am./Non-Hisp	88	134,372	16	17.1	7.5-26.7	18	19.0	8.0-30.0	12	22.5	9.6-35.4	42	41.3	28.2-54.4
Oth. Race/Non-Hisp.	52	56,802	10	17.4	5.8-29.0	14	23.0	7.3-38.7	13	32.6	14.6-50.6	15	27.0	11.9-42.1
Hispanic	58	111,082	11	14.5	4.7-24.3	12	23.5	9.2-37.8	11	25.7	8.6-42.8	24	36.3	20.8-51.8
18-24	125	289,281	28	20.3	12.7-27.9	21	14.0	7.7-20.3	44	38.2	28.0-48.4	32	27.6	18.2-37.0
25-34	180	374,213	30	15.4	9.5-21.3	48	30.8	22.2-39.4	42	21.0	14.1-27.9	60	32.8	24.8-40.8
35-44	237	333,464	46	19.4	13.1-25.7	63	23.5	17.0-30.0	26	13.7	7.0-20.4	102	43.4	35.8-51.0
45-54	361	374,619	73	16.2	11.9-20.5	105	29.4	23.1-35.7	31	8.2	4.9-11.5	152	46.2	39.3-53.1
55-64	549	359,822	94	14.0	10.7-17.3	164	26.0	21.5-30.5	37	6.3	3.9- 8.7	254	53.7	48.4-59.0
65+	776	363,297	128	13.5	10.6-16.4	290	37.2	32.7-41.7	58	7.3	4.8- 9.8	300	41.9	37.2-46.6
Less Than H.S.	162	274,979	16	10.6	4.3-16.9	45	26.7	17.9-35.5	12	14.2	4.6-23.8	89	48.5	38.1-58.9
H.S. or G.E.D.	730	766,272	100	15.0	11.5-18.5	194	24.1	19.8-28.4	80	15.1	11.4-18.8	356	45.7	40.8-50.6
Some Post-H.S.	511	585,178	89	15.3	11.4-19.2	158	29.1	23.8-34.4	52	14.3	9.8-18.8	212	41.4	35.7-47.1
College Graduate	816	461,038	191	22.6	18.7-26.5	291	30.8	26.5-35.1	94	16.4	12.3-20.5	240	30.1	25.6-34.6
Less than \$15,000	153	150,088	17	7.6	3.1-12.1	41	24.2	15.6-32.8	16	21.0	9.2-32.8	79	47.2	36.2-58.2
\$15,000- 24,999	274	280,989	39	15.9	9.8-22.0	75	26.6	19.3-33.9	34	10.7	6.0-15.4	126	46.7	38.5-54.9
\$25,000- 34,999	190	201,459	23	9.6	4.3-14.9	53	24.9	16.1-33.7	19	12.3	5.4-19.2	95	53.2	43.2-63.2
\$35,000- 49,999	338	301,921	59	15.5	10.4-20.6	95	21.5	16.0-27.0	36	16.6	10.3-22.9	148	46.3	38.5-54.1
\$50,000- 74,999	374	363,972	60	15.8	10.7-20.9	132	30.7	24.0-37.4	42	19.0	11.9-26.1	140	34.5	27.8-41.2
\$75,000+	656	563,884	168	23.0	18.5-27.5	213	28.4	23.3-33.5	69	15.6	10.9-20.3	206	32.9	27.8-38.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 15: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3035	2,253,762	453	14.9	12.9-16.9	957	29.4	27.0-31.8	214	8.4	6.6-10.2	1411	47.3	44.6-50.0
White/Non-Hisp	2655	1,850,012	395	14.7	12.5-16.9	872	31.2	28.5-33.9	179	8.0	6.2- 9.8	1209	46.1	43.2-49.0
Black or Afr. Am./Non-Hisp	163	193,064	23	18.6	7.8-29.4	38	20.1	12.5-27.7	14	12.7	3.5-21.9	88	48.5	37.5-59.5
Hispanic	106	136,188	14	11.1	3.8-18.4	23	23.3	13.1-33.5	10	6.8	2.1-11.5	59	58.8	46.8-70.8
18-24	107	286,551	24	24.2	13.8-34.6	27	22.6	13.6-31.6	20	19.9	10.7-29.1	36	33.3	22.5-44.1
25-34	221	360,975	44	17.0	11.1-22.9	59	28.7	21.6-35.8	25	10.5	6.0-15.0	93	43.8	36.0-51.6
35-44	293	342,413	56	15.3	10.4-20.2	71	27.2	20.5-33.9	14	3.2	1.0- 5.4	152	54.2	46.9-61.5
45-54	452	386,800	69	13.2	9.7-16.7	136	29.5	24.2-34.8	34	7.0	4.1- 9.9	213	50.2	44.5-55.9
55-64	689	388,163	108	12.7	9.8-15.6	223	32.5	28.0-37.0	57	7.9	5.2-10.6	301	46.9	42.0-51.8
65+	1264	483,517	152	10.6	8.2-13.0	441	33.4	29.9-36.9	64	5.3	3.5- 7.1	607	50.6	46.9-54.3
Less Than H.S.	226	285,394	16	11.4	3.2-19.6	50	17.8	11.1-24.5	14	6.9	1.6-12.2	146	63.9	54.1-73.7
H.S. or G.E.D.	1011	702,804	94	11.1	7.8-14.4	299	27.4	23.5-31.3	58	8.1	4.8-11.4	560	53.4	48.7-58.1
Some Post-H.S.	809	748,307	113	14.4	10.9-17.9	277	35.5	30.8-40.2	65	9.6	6.7-12.5	354	40.5	35.8-45.2
College Graduate	972	503,039	225	22.4	18.9-25.9	329	30.3	26.4-34.2	77	8.2	5.7-10.7	341	39.1	34.8-43.4
Less than \$15,000	288	269,316	29	13.7	5.1-22.3	71	23.1	15.5-30.7	16	8.0	2.9-13.1	172	55.2	45.8-64.6
\$15,000- 24,999	510	383,603	51	12.7	7.6-17.8	151	23.6	18.1-29.1	32	10.4	5.1-15.7	276	53.3	46.4-60.2
\$25,000- 34,999	308	204,219	36	11.1	6.4-15.8	91	30.0	22.6-37.4	27	9.0	4.5-13.5	154	50.0	42.2-57.8
\$35,000- 49,999	424	332,207	68	11.9	8.0-15.8	144	29.8	23.3-36.3	23	6.6	2.5-10.7	189	51.7	44.4-59.0
\$50,000- 74,999	401	295,197	64	17.4	11.3-23.5	141	32.6	25.9-39.3	21	4.8	2.3- 7.3	175	45.2	38.3-52.1
\$75,000+	641	457,377	150	21.5	17.2-25.8	209	33.9	28.8-39.0	66	10.1	7.0-13.2	216	34.5	29.4-39.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 16: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Both Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5264	4,348,860	852	15.6	14.2-17.0	4412	84.4	83.0-85.8
Male	2229	2,095,099	399	16.3	14.1-18.5	1830	83.7	81.5-85.9
Female	3035	2,253,762	453	14.9	12.9-16.9	2582	85.1	83.1-87.1
White/Non-Hisp	4609	3,570,453	743	15.4	13.8-17.0	3866	84.6	83.0-86.2
Black or Afr. Am./Non-Hisp	251	327,436	39	18.0	10.6-25.4	212	82.0	74.6-89.4
Oth. Race/Non-Hisp.	95	85,154	21	18.4	9.4-27.4	74	81.6	72.6-90.6
MultiRacial/Non-Hisp.	71	47,159	16	34.9	16.1-53.7	55	65.1	46.3-83.9
Hispanic	164	247,270	25	12.6	6.7-18.5	139	87.4	81.5-93.3
18-24	232	575,832	52	22.2	15.7-28.7	180	77.8	71.3-84.3
25-34	401	735,188	74	16.2	12.1-20.3	327	83.8	79.7-87.9
35-44	530	675,877	102	17.4	13.5-21.3	428	82.6	78.7-86.5
45-54	813	761,419	142	14.7	12.0-17.4	671	85.3	82.6-88.0
55-64	1238	747,984	202	13.3	11.1-15.5	1036	86.7	84.5-88.9
65+	2040	846,813	280	11.9	10.1-13.7	1760	88.1	86.3-89.9
Less Than H.S.	388	560,373	32	11.0	5.7-16.3	356	89.0	83.7-94.3
H.S. or G.E.D.	1741	1,469,076	194	13.2	10.7-15.7	1547	86.8	84.3-89.3
Some Post-H.S.	1320	1,333,485	202	14.8	12.3-17.3	1118	85.2	82.7-87.7
College Graduate	1788	964,077	416	22.5	20.0-25.0	1372	77.5	75.0-80.0
Less than \$15,000	441	419,404	46	11.5	5.6-17.4	395	88.5	82.6-94.4
\$15,000- 24,999	784	664,592	90	14.1	10.2-18.0	694	85.9	82.0-89.8
\$25,000- 34,999	498	405,678	59	10.3	6.8-13.8	439	89.7	86.2-93.2
\$35,000- 49,999	762	634,128	127	13.6	10.5-16.7	635	86.4	83.3-89.5
\$50,000- 74,999	775	659,169	124	16.5	12.6-20.4	651	83.5	79.6-87.4
\$75,000+	1297	1,021,260	318	22.4	19.3-25.5	979	77.6	74.5-80.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 17: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Both Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2229	2,095,099	399	16.3	14.1-18.5	1830	83.7	81.5-85.9
White/Non-Hisp	1954	1,720,441	348	16.1	13.7-18.5	1606	83.9	81.5-86.3
Black or Afr. Am./Non-Hisp	88	134,372	16	17.1	7.5-26.7	72	82.9	73.3-92.5
Oth. Race/Non-Hisp.	52	56,802	10	17.4	5.8-29.0	42	82.6	71.0-94.2
Hispanic	58	111,082	11	14.5	4.7-24.3	47	85.5	75.7-95.3
18-24	125	289,281	28	20.3	12.7-27.9	97	79.7	72.1-87.3
25-34	180	374,213	30	15.4	9.5-21.3	150	84.6	78.7-90.5
35-44	237	333,464	46	19.4	13.1-25.7	191	80.6	74.3-86.9
45-54	361	374,619	73	16.2	11.9-20.5	288	83.8	79.5-88.1
55-64	549	359,822	94	14.0	10.7-17.3	455	86.0	82.7-89.3
65+	776	363,297	128	13.5	10.6-16.4	648	86.5	83.6-89.4
Less Than H.S.	162	274,979	16	10.6	4.3-16.9	146	89.4	83.1-95.7
H.S. or G.E.D.	730	766,272	100	15.0	11.5-18.5	630	85.0	81.5-88.5
Some Post-H.S.	511	585,178	89	15.3	11.4-19.2	422	84.7	80.8-88.6
College Graduate	816	461,038	191	22.6	18.7-26.5	625	77.4	73.5-81.3
Less than \$15,000	153	150,088	17	7.6	3.1-12.1	136	92.4	87.9-96.9
\$15,000- 24,999	274	280,989	39	15.9	9.8-22.0	235	84.1	78.0-90.2
\$25,000- 34,999	190	201,459	23	9.6	4.3-14.9	167	90.4	85.1-95.7
\$35,000- 49,999	338	301,921	59	15.5	10.4-20.6	279	84.5	79.4-89.6
\$50,000- 74,999	374	363,972	60	15.8	10.7-20.9	314	84.2	79.1-89.3
\$75,000+	656	563,884	168	23.0	18.5-27.5	488	77.0	72.5-81.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 18: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Both Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3035	2,253,762	453	14.9	12.9-16.9	2582	85.1	83.1-87.1
White/Non-Hisp	2655	1,850,012	395	14.7	12.5-16.9	2260	85.3	83.1-87.5
Black or Afr. Am./Non-Hisp	163	193,064	23	18.6	7.8-29.4	140	81.4	70.6-92.2
Hispanic	106	136,188	14	11.1	3.8-18.4	92	88.9	81.6-96.2
18-24	107	286,551	24	24.2	13.8-34.6	83	75.8	65.4-86.2
25-34	221	360,975	44	17.0	11.1-22.9	177	83.0	77.1-88.9
35-44	293	342,413	56	15.3	10.4-20.2	237	84.7	79.8-89.6
45-54	452	386,800	69	13.2	9.7-16.7	383	86.8	83.3-90.3
55-64	689	388,163	108	12.7	9.8-15.6	581	87.3	84.4-90.2
65+	1264	483,517	152	10.6	8.2-13.0	1112	89.4	87.0-91.8
Less Than H.S.	226	285,394	16	11.4	3.2-19.6	210	88.6	80.4-96.8
H.S. or G.E.D.	1011	702,804	94	11.1	7.8-14.4	917	88.9	85.6-92.2
Some Post-H.S.	809	748,307	113	14.4	10.9-17.9	696	85.6	82.1-89.1
College Graduate	972	503,039	225	22.4	18.9-25.9	747	77.6	74.1-81.1
Less than \$15,000	288	269,316	29	13.7	5.1-22.3	259	86.3	77.7-94.9
\$15,000- 24,999	510	383,603	51	12.7	7.6-17.8	459	87.3	82.2-92.4
\$25,000- 34,999	308	204,219	36	11.1	6.4-15.8	272	88.9	84.2-93.6
\$35,000- 49,999	424	332,207	68	11.9	8.0-15.8	356	88.1	84.2-92.0
\$50,000- 74,999	401	295,197	64	17.4	11.3-23.5	337	82.6	76.5-88.7
\$75,000+	641	457,377	150	21.5	17.2-25.8	491	78.5	74.2-82.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015

SECTION 12: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	LIMITED USUAL ACTIVITIES (_LMTACT1)	
1	MALES AND FEMALES	163
2	MALES ONLY	164
3	FEMALES ONLY	165
	LIMITED WORK ACTIVITIES (_LMTWRK1)	
4	MALES AND FEMALES	166
5	MALES ONLY	167
6	FEMALES ONLY	168
	LIMITED SOCIAL ACTIVITIES (_LMTSCL1)	
7	MALES AND FEMALES	169
8	MALES ONLY	170
9	FEMALES ONLY	171

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 1: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5841	4,903,690	964	12.2	11.2-13.2	1112	13.4	12.2-14.6	3765	74.4	72.8-76.0
Male	2487	2,384,161	326	9.6	8.2-11.0	428	12.9	11.1-14.7	1733	77.5	75.3-79.7
Female	3354	2,519,530	638	14.7	13.1-16.3	684	13.8	12.2-15.4	2032	71.5	69.3-73.7
White/Non-Hisp	5064	3,966,209	851	12.9	11.7-14.1	1006	14.6	13.2-16.0	3207	72.5	70.9-74.1
Black or Afr. Am./Non-Hisp	307	414,699	53	10.6	7.1-14.1	40	10.0	5.7-14.3	214	79.5	74.0-85.0
Oth. Race/Non-Hisp.	114	102,823	14	15.0	5.0-25.0	14	4.9	1.6- 8.2	86	80.0	69.8-90.2
MultiRacial/Non-Hisp.	77	57,165	18	13.1	3.9-22.3	16	9.7	3.4-16.0	43	77.2	66.0-88.4
Hispanic	181	272,356	14	3.3	0.9- 5.7	14	4.4	1.1- 7.7	153	92.2	88.3-96.1
18-24	275	682,816	2	0.6	0.0- 1.6	9	3.7	1.2- 6.2	264	95.7	93.0-98.4
25-34	451	824,204	11	2.2	0.4- 4.0	20	4.6	2.2- 7.0	420	93.1	90.2-96.0
35-44	609	798,715	39	5.9	3.7- 8.1	41	6.4	4.0- 8.8	529	87.8	84.7-90.9
45-54	874	825,482	136	17.3	14.0-20.6	108	14.4	11.3-17.5	630	68.3	64.2-72.4
55-64	1330	803,772	277	22.4	19.5-25.3	250	18.3	15.8-20.8	803	59.3	56.0-62.6
65+	2245	935,340	495	21.9	19.5-24.3	677	29.3	26.8-31.8	1073	48.8	46.1-51.5
Less Than H.S.	458	653,691	115	18.1	14.0-22.2	81	10.1	7.4-12.8	262	71.8	66.9-76.7
H.S. or G.E.D.	1934	1,669,284	352	12.3	10.7-13.9	441	16.4	14.2-18.6	1141	71.3	68.8-73.8
Some Post-H.S.	1467	1,495,757	271	13.2	11.2-15.2	259	12.8	10.6-15.0	937	74.0	71.3-76.7
College Graduate	1946	1,057,595	222	7.1	5.9- 8.3	326	11.4	9.6-13.2	1398	81.5	79.3-83.7
Less than \$15,000	497	470,436	167	24.4	19.5-29.3	84	10.7	7.4-14.0	246	64.9	59.2-70.6
\$15,000- 24,999	873	735,414	197	16.6	13.3-19.9	174	13.6	10.5-16.7	502	69.7	65.4-74.0
\$25,000- 34,999	546	455,678	100	13.3	9.8-16.8	135	17.1	13.0-21.2	311	69.6	64.5-74.7
\$35,000- 49,999	829	698,479	133	11.1	8.7-13.5	164	15.1	12.0-18.2	532	73.8	69.9-77.7
\$50,000- 74,999	829	719,294	100	8.0	6.0-10.0	172	13.5	10.8-16.2	557	78.6	75.3-81.9
\$75,000+	1395	1,127,061	122	6.7	5.1- 8.3	206	11.1	8.9-13.3	1067	82.2	79.7-84.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN
TABLE 2: LIMITED USUAL ACTIVITIES (_LMTACT1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Total have arthritis and limited usual activities			Total have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2487	2,384,161	326	9.6	8.2-11.0	428	12.9	11.1-14.7	1733	77.5	75.3-79.7
White/Non-Hisp	2150	1,913,367	293	10.3	8.7-11.9	376	13.8	11.8-15.8	1481	75.9	73.5-78.3
Black or Afr. Am./Non-Hisp	112	186,226	13	7.6	2.9-12.3	17	13.8	6.0-21.6	82	78.6	69.8-87.4
Oth. Race/Non-Hisp.	60	64,860	6	15.1	0.8-29.4	8	4.8	0.7- 8.9	46	80.1	65.6-94.6
Hispanic	68	127,586	2	0.7	0.0- 1.7	2	1.6	0.0- 4.1	64	97.7	95.0- 100
18-24	148	347,215				3	1.9	0.0- 4.3	145	98.1	95.7- 100
25-34	200	411,857	3	1.2	0.0- 2.6	9	4.9	1.0- 8.8	188	93.8	89.7-97.9
35-44	277	405,172	13	4.4	1.9- 6.9	25	8.8	4.7-12.9	239	86.8	82.1-91.5
45-54	393	416,439	47	14.4	9.9-18.9	44	13.7	8.8-18.6	302	71.9	65.8-78.0
55-64	591	387,108	102	17.8	13.9-21.7	106	18.4	14.5-22.3	383	63.8	58.9-68.7
65+	862	409,092	160	18.9	15.4-22.4	239	28.5	24.4-32.6	463	52.7	48.2-57.2
Less Than H.S.	199	338,390	40	15.5	9.8-21.2	30	9.2	5.3-13.1	129	75.4	68.5-82.3
H.S. or G.E.D.	810	867,410	106	8.7	6.7-10.7	169	16.2	13.1-19.3	535	75.1	71.4-78.8
Some Post-H.S.	567	660,619	94	10.8	8.1-13.5	94	11.9	8.6-15.2	379	77.4	73.3-81.5
College Graduate	896	506,792	84	5.7	4.1- 7.3	134	11.2	8.5-13.9	678	83.1	80.2-86.0
Less than \$15,000	175	175,192	47	24.2	16.2-32.2	29	10.6	5.7-15.5	99	65.1	56.1-74.1
\$15,000- 24,999	307	310,323	52	12.9	8.4-17.4	47	12.0	6.9-17.1	208	75.1	68.6-81.6
\$25,000- 34,999	214	226,386	38	10.7	6.2-15.2	44	17.0	10.1-23.9	132	72.3	64.5-80.1
\$35,000- 49,999	372	343,295	50	8.8	5.7-11.9	73	15.8	11.3-20.3	249	75.4	69.9-80.9
\$50,000- 74,999	403	398,475	44	7.4	4.7-10.1	88	13.5	9.6-17.4	271	79.1	74.4-83.8
\$75,000+	707	621,227	53	5.3	3.3- 7.3	98	10.3	7.4-13.2	556	84.4	81.1-87.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 3: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3354	2,519,530	638	14.7	13.1-16.3	684	13.8	12.2-15.4	2032	71.5	69.5-73.5
White/Non-Hisp	2914	2,052,841	558	15.4	13.6-17.2	630	15.4	13.6-17.2	1726	69.2	66.8-71.6
Black or Afr. Am./Non-Hisp	195	228,473	40	13.0	7.7-18.3	23	6.8	2.3-11.3	132	80.2	73.5-86.9
Oth. Race/Non-Hisp.	54	37,963	8	14.9	3.5-26.3	6	5.2	0.0-10.5	40	79.9	67.6-92.2
Hispanic	113	144,770	12	5.7	1.4-10.0	12	6.9	1.2-12.6	89	87.4	80.5-94.3
18-24	127	335,601	2	1.2	0.0- 3.2	6	5.5	1.0-10.0	119	93.3	88.4-98.2
25-34	251	412,347	8	3.3	0.2- 6.4	11	4.3	1.4- 7.2	232	92.4	88.3-96.5
35-44	332	393,543	26	7.4	4.3-10.5	16	3.9	1.5- 6.3	290	88.7	84.8-92.6
45-54	481	409,044	89	20.3	15.6-25.0	64	15.0	10.9-19.1	328	64.7	59.2-70.2
55-64	739	416,664	175	26.7	22.4-31.0	144	18.1	14.6-21.6	420	55.2	50.5-59.9
65+	1383	526,248	335	24.3	21.2-27.4	438	29.9	26.6-33.2	610	45.8	42.3-49.3
Less Than H.S.	259	315,301	75	21.0	14.9-27.1	51	11.1	7.0-15.2	133	67.9	60.5-75.3
H.S. or G.E.D.	1124	801,874	246	16.2	13.7-18.7	272	16.7	13.8-19.6	606	67.2	63.5-70.9
Some Post-H.S.	900	835,138	177	15.1	12.2-18.0	165	13.6	10.9-16.3	558	71.3	67.4-75.2
College Graduate	1050	550,804	138	8.5	6.5-10.5	192	11.6	9.2-14.0	720	80.0	77.1-82.9
Less than \$15,000	322	295,244	120	24.6	18.5-30.7	55	10.7	6.2-15.2	147	64.7	57.3-72.1
\$15,000- 24,999	566	425,091	145	19.3	14.8-23.8	127	14.8	10.9-18.7	294	65.8	60.1-71.5
\$25,000- 34,999	332	229,292	62	15.8	10.7-20.9	91	17.2	12.7-21.7	179	67.0	60.5-73.5
\$35,000- 49,999	457	355,184	83	13.3	9.6-17.0	91	14.4	9.9-18.9	283	72.3	66.6-78.0
\$50,000- 74,999	426	320,818	56	8.7	5.8-11.6	84	13.4	9.5-17.3	286	77.9	73.0-82.8
\$75,000+	688	505,833	69	8.6	6.1-11.1	108	12.0	8.9-15.1	511	79.4	75.5-83.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 4: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5780	4,866,822	619	9.5	8.5-10.5	1396	15.5	14.3-16.7	3765	75.0	73.6-76.4
Male	2465	2,372,005	229	9.0	7.4-10.6	503	13.1	11.5-14.7	1733	77.9	75.7-80.1
Female	3315	2,494,817	390	9.9	8.7-11.1	893	17.8	16.0-19.6	2032	72.2	70.2-74.2
White/Non-Hisp	5011	3,931,110	524	9.7	8.7-10.7	1280	17.2	15.8-18.6	3207	73.1	71.5-74.7
Black or Afr. Am./Non-Hisp	304	414,247	44	11.0	6.7-15.3	46	9.4	5.7-13.1	214	79.6	74.1-85.1
Oth. Race/Non-Hisp.	113	102,739	11	12.3	2.7-21.9	16	7.6	2.9-12.3	86	80.1	69.9-90.3
MultiRacial/Non-Hisp.	77	57,165	16	8.7	2.8-14.6	18	14.1	4.7-23.5	43	77.2	66.0-88.4
Hispanic	181	272,356	14	2.6	0.8- 4.4	14	5.1	1.6- 8.6	153	92.2	88.3-96.1
18-24	275	682,816	4	1.1	0.0- 2.3	7	3.2	0.8- 5.6	264	95.7	93.0-98.4
25-34	450	821,778	11	2.1	0.3- 3.9	19	4.5	2.1- 6.9	420	93.4	90.5-96.3
35-44	611	803,914	39	6.2	4.0- 8.4	43	6.6	4.1- 9.1	529	87.2	84.1-90.3
45-54	869	812,568	121	17.5	14.0-21.0	118	13.1	10.4-15.8	630	69.4	65.3-73.5
55-64	1316	793,915	198	16.5	14.0-19.0	315	23.4	20.5-26.3	803	60.0	56.7-63.3
65+	2202	918,471	245	12.5	10.5-14.5	884	37.8	35.1-40.5	1073	49.7	46.8-52.6
Less Than H.S.	448	644,160	96	15.6	11.9-19.3	90	11.6	8.5-14.7	262	72.8	67.9-77.7
H.S. or G.E.D.	1910	1,658,776	237	10.0	8.2-11.8	532	18.3	16.1-20.5	1141	71.7	69.2-74.2
Some Post-H.S.	1451	1,482,853	177	10.0	8.0-12.0	337	15.4	13.0-17.8	937	74.6	71.9-77.3
College Graduate	1937	1,055,754	104	4.3	3.1- 5.5	435	14.1	12.3-15.9	1398	81.6	79.4-83.8
Less than \$15,000	483	465,424	126	20.7	16.2-25.2	111	13.8	10.1-17.5	246	65.6	59.9-71.3
\$15,000- 24,999	862	724,432	144	13.1	10.2-16.0	216	16.1	13.0-19.2	502	70.8	66.7-74.9
\$25,000- 34,999	532	449,677	66	11.9	7.8-16.0	155	17.6	13.9-21.3	311	70.6	65.5-75.7
\$35,000- 49,999	821	691,583	85	9.0	6.6-11.4	204	16.4	13.3-19.5	532	74.6	70.7-78.5
\$50,000- 74,999	827	719,132	55	6.3	4.3- 8.3	215	15.1	12.4-17.8	557	78.6	75.3-81.9
\$75,000+	1391	1,126,369	63	4.4	3.0- 5.8	261	13.4	11.2-15.6	1067	82.2	79.7-84.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN
TABLE 5: LIMITED WORK ACTIVITIES (_LMTWRK1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2465	2,372,005	229	9.0	7.4-10.6	503	13.1	11.5-14.7	1733	77.9	75.7-80.1
White/Non-Hisp	2131	1,900,141	193	8.9	7.3-10.5	457	14.6	12.8-16.4	1481	76.4	74.0-78.8
Black or Afr. Am./Non-Hisp	112	187,707	16	13.3	5.1-21.5	14	8.7	3.8-13.6	82	78.0	68.8-87.2
Oth. Race/Non-Hisp.	59	64,776	7	15.4	1.1-29.7	6	4.4	0.5- 8.3	46	80.2	65.7-94.7
Hispanic	68	127,586	2	0.7	0.0- 1.7	2	1.6	0.0- 4.1	64	97.7	95.0- 100
18-24	148	347,215	1	0.5	0.0- 1.5	2	1.4	0.0- 3.4	145	98.1	95.7- 100
25-34	199	409,431	5	3.0	0.0- 6.3	6	2.5	0.1- 4.9	188	94.4	90.5-98.3
35-44	278	409,079	17	6.2	2.9- 9.5	22	7.8	3.9-11.7	239	86.0	80.9-91.1
45-54	391	412,478	48	17.2	11.9-22.5	41	10.2	6.5-13.9	302	72.6	66.7-78.5
55-64	589	386,821	77	15.2	11.3-19.1	129	20.9	16.8-25.0	383	63.8	58.9-68.7
65+	844	399,704	80	11.1	8.2-14.0	301	34.9	30.6-39.2	463	53.9	49.4-58.4
Less Than H.S.	197	337,452	37	16.0	10.1-21.9	31	8.5	4.8-12.2	129	75.6	68.7-82.5
H.S. or G.E.D.	804	863,623	78	8.5	6.0-11.0	191	16.0	13.1-18.9	535	75.4	71.7-79.1
Some Post-H.S.	560	655,423	71	9.8	6.9-12.7	110	12.2	9.3-15.1	379	78.0	73.9-82.1
College Graduate	890	505,388	41	4.0	2.2- 5.8	171	12.6	10.1-15.1	678	83.4	80.5-86.3
Less than \$15,000	171	173,171	35	21.3	13.5-29.1	37	12.8	7.3-18.3	99	65.9	56.9-74.9
\$15,000- 24,999	303	305,984	35	11.3	6.2-16.4	60	12.5	8.4-16.6	208	76.2	69.9-82.5
\$25,000- 34,999	209	226,756	27	11.9	5.2-18.6	50	15.9	10.0-21.8	132	72.2	64.0-80.4
\$35,000- 49,999	369	340,345	41	9.9	6.0-13.8	79	14.0	10.1-17.9	249	76.0	70.5-81.5
\$50,000- 74,999	400	397,991	35	7.4	4.5-10.3	94	13.4	9.7-17.1	271	79.2	74.5-83.9
\$75,000+	704	620,586	30	4.0	2.2- 5.8	118	11.5	8.6-14.4	556	84.5	81.2-87.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 6: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3315	2,494,817	390	9.9	8.7-11.1	893	17.8	16.0-19.6	2032	72.2	70.2-74.2
White/Non-Hisp	2880	2,030,969	331	10.4	9.0-11.8	823	19.6	17.6-21.6	1726	70.0	67.6-72.4
Black or Afr. Am./Non-Hisp	192	226,539	28	9.1	4.8-13.4	32	10.0	4.7-15.3	132	80.9	74.2-87.6
Oth. Race/Non-Hisp.	54	37,963	4	6.9	0.0-14.5	10	13.2	3.0-23.4	40	79.9	67.6-92.2
Hispanic	113	144,770	12	4.4	1.3- 7.5	12	8.2	1.9-14.5	89	87.4	80.5-94.3
18-24	127	335,601	3	1.6	0.0- 3.6	5	5.1	0.6- 9.6	119	93.3	88.4-98.2
25-34	251	412,347	6	1.2	0.2- 2.2	13	6.4	2.3-10.5	232	92.4	88.3-96.5
35-44	333	394,835	22	6.2	3.3- 9.1	21	5.4	2.7- 8.1	290	88.4	84.5-92.3
45-54	478	400,090	73	17.8	13.3-22.3	77	16.1	12.0-20.2	328	66.1	60.8-71.4
55-64	727	407,094	121	17.8	14.3-21.3	186	25.8	21.7-29.9	420	56.5	51.8-61.2
65+	1358	518,767	165	13.5	11.0-16.0	583	40.1	36.6-43.6	610	46.5	43.0-50.0
Less Than H.S.	251	306,708	59	15.1	10.2-20.0	59	15.1	10.0-20.2	133	69.8	62.5-77.1
H.S. or G.E.D.	1106	795,154	159	11.6	9.2-14.0	341	20.7	17.6-23.8	606	67.7	64.0-71.4
Some Post-H.S.	891	827,430	106	10.1	7.7-12.5	227	17.9	14.6-21.2	558	72.0	68.3-75.7
College Graduate	1047	550,365	63	4.6	3.0- 6.2	264	15.4	12.9-17.9	720	80.0	77.1-82.9
Less than \$15,000	312	292,254	91	20.3	14.8-25.8	74	14.3	9.2-19.4	147	65.4	58.0-72.8
\$15,000- 24,999	559	418,448	109	14.3	10.8-17.8	156	18.8	14.1-23.5	294	66.9	61.2-72.6
\$25,000- 34,999	323	222,922	39	11.8	7.3-16.3	105	19.3	14.6-24.0	179	68.9	62.6-75.2
\$35,000- 49,999	452	351,238	44	8.2	5.3-11.1	125	18.7	13.8-23.6	283	73.1	67.6-78.6
\$50,000- 74,999	427	321,141	20	4.9	2.2- 7.6	121	17.4	13.3-21.5	286	77.8	72.9-82.7
\$75,000+	687	505,784	33	5.0	2.8- 7.2	143	15.6	12.1-19.1	511	79.4	75.5-83.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 7: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5843	4,907,063	354	4.8	4.2- 5.4	503	6.4	5.6- 7.2	1221	14.4	13.2-15.6	3765	74.4	72.8-76.0
Male	2491	2,390,626	105	3.4	2.6- 4.2	165	5.5	4.3- 6.7	488	13.8	12.0-15.6	1733	77.3	75.1-79.5
Female	3352	2,516,438	249	6.2	5.2- 7.2	338	7.2	6.0- 8.4	733	15.0	13.4-16.6	2032	71.6	69.6-73.6
White/Non-Hisp	5066	3,967,098	309	5.0	4.2- 5.8	425	6.5	5.7- 7.3	1125	16.1	14.7-17.5	3207	72.4	70.8-74.0
Black or Afr. Am./Non-Hisp	307	417,183	19	3.7	1.5- 5.9	37	9.2	5.1-13.3	37	8.1	4.6-11.6	214	79.0	73.3-84.7
Oth. Race/Non-Hisp.	114	102,823	7	7.9	1.0-14.8	12	4.3	1.4- 7.2	9	7.8	0.0-15.8	86	80.0	69.8-90.2
MultiRacial/Non-Hisp.	77	57,165	8	6.8	0.0-14.6	9	3.9	0.6- 7.2	17	12.2	4.8-19.6	43	77.2	66.0-88.4
Hispanic	181	272,356	4	1.4	0.0- 3.2	11	2.8	0.6- 5.0	13	3.6	0.7- 6.5	153	92.2	88.3-96.1
18-24	275	682,816				5	1.6	0.0- 3.2	6	2.7	0.5- 4.9	264	95.7	93.0-98.4
25-34	451	824,204	6	1.2	0.0- 2.6	8	1.3	0.1- 2.5	17	4.4	2.0- 6.8	420	93.1	90.2-96.0
35-44	611	803,914	22	3.7	1.9- 5.5	12	1.5	0.3- 2.7	48	7.6	5.1-10.1	529	87.2	84.1-90.3
45-54	874	823,902	58	6.6	4.6- 8.6	63	9.7	7.0-12.4	123	15.2	12.1-18.3	630	68.5	64.4-72.6
55-64	1332	804,820	115	9.3	7.3-11.3	138	11.7	9.3-14.1	276	19.8	17.1-22.5	803	59.2	55.9-62.5
65+	2243	934,046	151	7.3	5.9- 8.7	276	11.3	9.5-13.1	743	32.5	29.8-35.2	1073	48.9	46.2-51.6
Less Than H.S.	456	650,095	61	8.8	6.1-11.5	65	9.3	6.4-12.2	68	9.7	6.8-12.6	262	72.2	67.3-77.1
H.S. or G.E.D.	1936	1,674,380	143	5.0	4.0- 6.0	186	6.6	5.2- 8.0	466	17.4	15.2-19.6	1141	71.1	68.4-73.8
Some Post-H.S.	1470	1,497,563	101	5.2	3.8- 6.6	124	6.5	4.9- 8.1	308	14.4	12.2-16.6	937	73.9	71.2-76.6
College Graduate	1945	1,057,662	47	1.5	0.9- 2.1	126	4.4	3.4- 5.4	374	12.6	10.8-14.4	1398	81.5	79.3-83.7
Less than \$15,000	496	468,589	100	15.4	11.5-19.3	67	8.7	5.8-11.6	83	10.7	7.4-14.0	246	65.1	59.4-70.8
\$15,000- 24,999	872	735,369	87	7.8	5.4-10.2	102	9.6	6.9-12.3	181	12.8	10.1-15.5	502	69.8	65.5-74.1
\$25,000- 34,999	545	458,624	35	4.5	2.5- 6.5	60	8.2	5.3-11.1	139	18.0	13.7-22.3	311	69.2	63.9-74.5
\$35,000- 49,999	832	699,669	41	3.7	2.3- 5.1	73	7.2	4.8- 9.6	186	15.4	12.3-18.5	532	73.7	69.8-77.6
\$50,000- 74,999	830	719,616	24	2.3	1.1- 3.5	50	4.0	2.6- 5.4	199	15.2	12.3-18.1	557	78.5	75.2-81.8
\$75,000+	1397	1,128,924	26	1.6	0.8- 2.4	73	3.6	2.4- 4.8	231	12.8	10.4-15.2	1067	82.0	79.5-84.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN
TABLE 8: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2491	2,390,626	105	3.4	2.6- 4.2	165	5.5	4.3- 6.7	488	13.8	12.0-15.6	1733	77.3	75.1-79.5
White/Non-Hisp	2153	1,915,925	93	3.6	2.6- 4.6	140	5.3	4.1- 6.5	439	15.3	13.3-17.3	1481	75.8	73.4-78.2
Black or Afr. Am./Non-Hisp	113	190,134	7	3.6	0.3- 6.9	11	11.0	3.4-18.6	13	8.4	3.3-13.5	82	77.0	67.8-86.2
Oth. Race/Non-Hisp.	60	64,860	3	6.7	0.0-15.7	4	2.6	0.0- 5.5	7	10.6	0.0-22.9	46	80.1	65.6-94.6
Hispanic	68	127,586				2	1.7	0.0- 4.2	2	0.6	0.0- 1.4	64	97.7	95.0- 100
18-24	148	347,215				2	1.4	0.0- 3.4	1	0.5	0.0- 1.5	145	98.1	95.7- 100
25-34	200	411,857				1	0.3	0.0- 0.9	11	5.9	1.8-10.0	188	93.8	89.7-97.9
35-44	278	409,079	6	2.5	0.3- 4.7	6	1.9	0.0- 3.9	27	9.6	5.3-13.9	239	86.0	80.9-91.1
45-54	393	416,439	19	5.1	2.4- 7.8	23	9.1	4.8-13.4	49	13.9	9.4-18.4	302	71.9	65.8-78.0
55-64	594	389,464	44	8.3	5.4-11.2	43	8.6	5.5-11.7	124	19.7	15.8-23.6	383	63.4	58.5-68.3
65+	862	409,295	36	4.3	2.5- 6.1	89	11.4	8.5-14.3	274	31.6	27.5-35.7	463	52.7	48.2-57.2
Less Than H.S.	200	339,597	21	7.4	3.7-11.1	23	7.7	4.0-11.4	27	9.8	5.3-14.3	129	75.1	68.2-82.0
H.S. or G.E.D.	812	871,706	39	3.0	1.8- 4.2	53	5.4	3.4- 7.4	185	16.8	13.7-19.9	535	74.7	71.0-78.4
Some Post-H.S.	567	661,344	32	3.5	1.9- 5.1	38	6.1	3.4- 8.8	118	13.1	10.0-16.2	379	77.3	73.2-81.4
College Graduate	897	507,028	12	0.9	0.3- 1.5	50	3.6	2.4- 4.8	157	12.3	9.6-15.0	678	83.1	80.2-86.0
Less than \$15,000	174	175,005	31	17.8	10.5-25.1	22	9.6	4.3-14.9	22	7.4	3.5-11.3	99	65.2	56.2-74.2
\$15,000- 24,999	307	310,323	12	3.4	0.9- 5.9	29	10.3	5.0-15.6	58	11.2	7.5-14.9	208	75.1	68.6-81.6
\$25,000- 34,999	214	229,726	11	2.8	0.8- 4.8	16	6.7	2.2-11.2	55	19.2	12.1-26.3	132	71.2	63.2-79.2
\$35,000- 49,999	374	344,250	13	2.3	0.7- 3.9	36	7.7	4.4-11.0	76	14.8	10.5-19.1	249	75.2	69.7-80.7
\$50,000- 74,999	403	398,475	12	2.2	0.6- 3.8	19	2.7	1.1- 4.3	101	16.0	11.9-20.1	271	79.1	74.4-83.8
\$75,000+	708	622,435	9	0.7	0.1- 1.3	25	2.6	1.4- 3.8	118	12.5	9.4-15.6	556	84.2	80.9-87.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN
TABLE 9: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3352	2,516,438	249	6.2	5.2-7.2	338	7.2	6.0-8.4	733	15.0	13.4-16.6	2032	71.6	69.6-73.6
White/Non-Hisp	2913	2,051,173	216	6.4	5.2-7.6	285	7.5	6.3-8.7	686	16.9	15.1-18.7	1726	69.3	66.9-71.7
Black or Afr. Am./Non-Hisp	194	227,049	12	3.8	0.9-6.7	26	7.7	3.8-11.6	24	7.8	2.9-12.7	132	80.7	74.0-87.4
Oth. Race/Non-Hisp.	54	37,963	4	9.9	0.0-20.1	8	7.2	1.1-13.3	2	3.0	0.0-7.7	40	79.9	67.6-92.2
Hispanic	113	144,770	4	2.5	0.0-5.8	9	3.9	0.8-7.0	11	6.2	0.9-11.5	89	87.4	80.5-94.3
18-24	127	335,601				3	1.9	0.0-4.3	5	4.9	0.6-9.2	119	93.3	88.4-98.2
25-34	251	412,347	6	2.4	0.0-5.3	7	2.4	0.2-4.6	6	2.8	0.4-5.2	232	92.4	88.3-96.5
35-44	333	394,835	16	4.9	2.4-7.4	6	1.2	0.0-2.4	21	5.5	2.8-8.2	290	88.4	84.5-92.3
45-54	481	407,464	39	8.2	5.3-11.1	40	10.2	6.7-13.7	74	16.7	12.4-21.0	328	64.9	59.4-70.4
55-64	738	415,356	71	10.1	7.2-13.0	95	14.6	11.1-18.1	152	19.9	16.2-23.6	420	55.3	50.6-60.0
65+	1381	524,752	115	9.6	7.4-11.8	187	11.2	9.2-13.2	469	33.2	29.7-36.7	610	45.9	42.4-49.4
Less Than H.S.	256	310,498	40	10.4	6.5-14.3	42	11.0	6.5-15.5	41	9.6	5.7-13.5	133	68.9	61.6-76.2
H.S. or G.E.D.	1124	802,674	104	7.0	5.2-8.8	133	7.8	6.0-9.6	281	18.1	15.2-21.0	606	67.1	63.4-70.8
Some Post-H.S.	903	836,219	69	6.5	4.3-8.7	86	6.8	4.8-8.8	190	15.5	12.6-18.4	558	71.2	67.3-75.1
College Graduate	1048	550,633	35	2.1	1.1-3.1	76	5.1	3.5-6.7	217	12.8	10.4-15.2	720	80.0	77.1-82.9
Less than \$15,000	322	293,584	69	14.1	9.6-18.6	45	8.2	4.7-11.7	61	12.7	8.0-17.4	147	65.1	57.7-72.5
\$15,000- 24,999	565	425,046	75	11.1	7.4-14.8	73	9.1	6.0-12.2	123	14.0	10.3-17.7	294	65.8	60.1-71.5
\$25,000- 34,999	331	228,897	24	6.2	3.1-9.3	44	9.8	5.9-13.7	84	16.9	12.2-21.6	179	67.1	60.6-73.6
\$35,000- 49,999	458	355,419	28	5.0	2.6-7.4	37	6.7	3.6-9.8	110	16.0	11.7-20.3	283	72.2	66.5-77.9
\$50,000- 74,999	427	321,141	12	2.4	0.8-4.0	31	5.5	3.1-7.9	98	14.3	10.4-18.2	286	77.8	72.9-82.7
\$75,000+	689	506,490	17	2.6	1.0-4.2	48	4.9	2.9-6.9	113	13.2	9.9-16.5	511	79.3	75.4-83.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015

SECTION 13: SEATBELT USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	173
2	MALES ONLY	174
3	FEMALES ONLY	175
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	176
5	MALES ONLY	177
6	FEMALES ONLY	178

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 13: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5479	4,489,875	5253	94.2	93.0-95.4	226	5.8	4.6- 7.0
Male	2313	2,163,229	2166	92.0	90.2-93.8	147	8.0	6.2- 9.8
Female	3166	2,326,645	3087	96.3	94.9-97.7	79	3.7	2.3- 5.1
White/Non-Hisp	4788	3,674,661	4594	94.4	93.2-95.6	194	5.6	4.4- 6.8
Black or Afr. Am./Non-Hisp	267	351,484	256	94.0	89.7-98.3	11	6.0	1.7-10.3
Oth. Race/Non-Hisp.	104	90,208	97	93.9	88.6-99.2	7	6.1	0.8-11.4
MultiRacial/Non-Hisp.	71	47,159	67	87.6	71.1- 100	4	12.4	0.0-28.9
Hispanic	164	248,934	160	95.8	91.1- 100	4	4.2	0.0- 8.9
18-24	239	595,320	228	92.5	87.8-97.2	11	7.5	2.8-12.2
25-34	405	743,456	382	91.7	87.8-95.6	23	8.3	4.4-12.2
35-44	548	699,175	529	95.5	93.1-97.9	19	4.5	2.1- 6.9
45-54	825	779,266	787	94.7	92.7-96.7	38	5.3	3.3- 7.3
55-64	1261	757,273	1213	95.1	93.3-96.9	48	4.9	3.1- 6.7
65+	2152	887,934	2067	95.2	93.8-96.6	85	4.8	3.4- 6.2
Less Than H.S.	417	587,469	378	88.1	83.2-93.0	39	11.9	7.0-16.8
H.S. or G.E.D.	1813	1,520,472	1711	92.9	90.9-94.9	102	7.1	5.1- 9.1
Some Post-H.S.	1385	1,375,867	1341	95.9	94.1-97.7	44	4.1	2.3- 5.9
College Graduate	1836	984,272	1796	97.6	96.6-98.6	40	2.4	1.4- 3.4
Less than \$15,000	468	434,572	436	91.6	87.9-95.3	32	8.4	4.7-12.1
\$15,000- 24,999	825	685,650	783	93.7	91.2-96.2	42	6.3	3.8- 8.8
\$25,000- 34,999	515	420,398	493	94.5	91.0-98.0	22	5.5	2.0- 9.0
\$35,000- 49,999	783	644,011	747	93.5	90.0-97.0	36	6.5	3.0-10.0
\$50,000- 74,999	796	670,927	767	95.6	93.1-98.1	29	4.4	1.9- 6.9
\$75,000+	1324	1,049,642	1290	95.1	92.7-97.5	34	4.9	2.5- 7.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 13: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2313	2,163,229	2166	92.0	90.2-93.8	147	8.0	6.2- 9.8
White/Non-Hisp	2024	1,764,967	1901	92.8	91.0-94.6	123	7.2	5.4- 9.0
Black or Afr. Am./Non-Hisp	94	152,983	85	86.8	77.2-96.4	9	13.2	3.6-22.8
Oth. Race/Non-Hisp.	55	58,595	51	95.3	89.4- 100	4	4.7	0.0-10.6
Hispanic	57	111,193	54	91.4	81.4- 100	3	8.6	0.0-18.6
18-24	129	299,820	123	91.8	85.1-98.5	6	8.2	1.5-14.9
25-34	185	383,590	170	88.9	82.6-95.2	15	11.1	4.8-17.4
35-44	243	344,496	229	92.8	88.5-97.1	14	7.2	2.9-11.5
45-54	365	386,145	340	92.8	89.3-96.3	25	7.2	3.7-10.7
55-64	558	362,296	529	93.7	91.0-96.4	29	6.3	3.6- 9.0
65+	820	381,597	763	91.9	89.2-94.6	57	8.1	5.4-10.8
Less Than H.S.	173	293,557	148	87.1	80.8-93.4	25	12.9	6.6-19.2
H.S. or G.E.D.	756	790,737	689	90.4	87.1-93.7	67	9.6	6.3-12.9
Some Post-H.S.	529	598,637	503	93.1	89.4-96.8	26	6.9	3.2-10.6
College Graduate	845	472,941	817	96.3	94.5-98.1	28	3.7	1.9- 5.5
Less than \$15,000	162	157,478	146	88.5	81.8-95.2	16	11.5	4.8-18.2
\$15,000- 24,999	287	290,319	260	90.4	85.9-94.9	27	9.6	5.1-14.1
\$25,000- 34,999	198	208,716	186	92.7	86.6-98.8	12	7.3	1.2-13.4
\$35,000- 49,999	345	304,912	320	92.3	87.8-96.8	25	7.7	3.2-12.2
\$50,000- 74,999	386	370,220	364	92.7	88.0-97.4	22	7.3	2.6-12.0
\$75,000+	672	583,481	644	92.1	88.0-96.2	28	7.9	3.8-12.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 13: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3166	2,326,645	3087	96.3	94.9-97.7	79	3.7	2.3- 5.1
White/Non-Hisp	2764	1,909,694	2693	95.9	94.3-97.5	71	4.1	2.5- 5.7
Black or Afr. Am./Non-Hisp	173	198,501	171	99.5	98.9- 100	2	0.5	0.0- 1.1
Hispanic	107	137,741	106	99.3	97.9- 100	1	0.7	0.0- 2.1
18-24	110	295,500	105	93.3	86.4- 100	5	6.7	0.0-13.6
25-34	220	359,866	212	94.8	90.5-99.1	8	5.2	0.9- 9.5
35-44	305	354,679	300	98.1	96.3-99.9	5	1.9	0.1- 3.7
45-54	460	393,121	447	96.5	94.3-98.7	13	3.5	1.3- 5.7
55-64	703	394,977	684	96.3	94.3-98.3	19	3.7	1.7- 5.7
65+	1332	506,337	1304	97.7	96.5-98.9	28	2.3	1.1- 3.5
Less Than H.S.	244	293,912	230	89.2	81.6-96.8	14	10.8	3.2-18.4
H.S. or G.E.D.	1057	729,734	1022	95.7	93.7-97.7	35	4.3	2.3- 6.3
Some Post-H.S.	856	777,230	838	98.0	96.8-99.2	18	2.0	0.8- 3.2
College Graduate	991	511,331	979	98.8	97.8-99.8	12	1.2	0.2- 2.2
Less than \$15,000	306	277,094	290	93.3	88.8-97.8	16	6.7	2.2-11.2
\$15,000- 24,999	538	395,331	523	96.1	93.4-98.8	15	3.9	1.2- 6.6
\$25,000- 34,999	317	211,682	307	96.3	93.4-99.2	10	3.7	0.8- 6.6
\$35,000- 49,999	438	339,099	427	94.7	89.0- 100	11	5.3	0.0-11.0
\$50,000- 74,999	410	300,707	403	99.2	98.6-99.8	7	0.8	0.2- 1.4
\$75,000+	652	466,161	646	98.9	97.7- 100	6	1.1	0.0- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 13: SEATBELT USE

TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5479	4,489,875	4864	85.8	84.2-87.4	615	14.2	12.6-15.8
Male	2313	2,163,229	1954	82.3	79.9-84.7	359	17.7	15.3-20.1
Female	3166	2,326,645	2910	89.0	87.0-91.0	256	11.0	9.0-13.0
White/Non-Hisp	4788	3,674,661	4252	85.7	83.9-87.5	536	14.3	12.5-16.1
Black or Afr. Am./Non-Hisp	267	351,484	233	84.0	77.7-90.3	34	16.0	9.7-22.3
Oth. Race/Non-Hisp.	104	90,208	92	86.5	78.1-94.9	12	13.5	5.1-21.9
MultiRacial/Non-Hisp.	71	47,159	61	78.8	61.7-95.9	10	21.2	4.1-38.3
Hispanic	164	248,934	155	93.5	88.4-98.6	9	6.5	1.4-11.6
18-24	239	595,320	199	80.2	73.7-86.7	40	19.8	13.3-26.3
25-34	405	743,456	348	82.7	77.8-87.6	57	17.3	12.4-22.2
35-44	548	699,175	488	88.0	84.7-91.3	60	12.0	8.7-15.3
45-54	825	779,266	715	84.4	80.9-87.9	110	15.6	12.1-19.1
55-64	1261	757,273	1127	88.2	85.8-90.6	134	11.8	9.4-14.2
65+	2152	887,934	1941	89.2	87.4-91.0	211	10.8	9.0-12.6
Less Than H.S.	417	587,469	355	81.5	75.6-87.4	62	18.5	12.6-24.4
H.S. or G.E.D.	1813	1,520,472	1582	85.2	82.7-87.7	231	14.8	12.3-17.3
Some Post-H.S.	1385	1,375,867	1220	84.8	81.9-87.7	165	15.2	12.3-18.1
College Graduate	1836	984,272	1682	90.5	88.5-92.5	154	9.5	7.5-11.5
Less than \$15,000	468	434,572	407	85.1	80.4-89.8	61	14.9	10.2-19.6
\$15,000- 24,999	825	685,650	734	85.9	82.0-89.8	91	14.1	10.2-18.0
\$25,000- 34,999	515	420,398	459	89.5	85.4-93.6	56	10.5	6.4-14.6
\$35,000- 49,999	783	644,011	678	81.8	76.9-86.7	105	18.2	13.3-23.1
\$50,000- 74,999	796	670,927	704	84.7	80.6-88.8	92	15.3	11.2-19.4
\$75,000+	1324	1,049,642	1196	86.5	83.4-89.6	128	13.5	10.4-16.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 13: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2313	2,163,229	1954	82.3	79.9-84.7	359	17.7	15.3-20.1
White/Non-Hisp	2024	1,764,967	1715	83.0	80.5-85.5	309	17.0	14.5-19.5
Black or Afr. Am./Non-Hisp	94	152,983	72	72.5	60.2-84.8	22	27.5	15.2-39.8
Oth. Race/Non-Hisp.	55	58,595	48	89.3	79.7-98.9	7	10.7	1.1-20.3
Hispanic	57	111,193	51	88.3	77.7-98.9	6	11.7	1.1-22.3
18-24	129	299,820	109	80.0	71.4-88.6	20	20.0	11.4-28.6
25-34	185	383,590	158	82.5	75.2-89.8	27	17.5	10.2-24.8
35-44	243	344,496	202	81.9	75.8-88.0	41	18.1	12.0-24.2
45-54	365	386,145	301	81.0	75.3-86.7	64	19.0	13.3-24.7
55-64	558	362,296	475	84.1	80.2-88.0	83	15.9	12.0-19.8
65+	820	381,597	697	83.7	80.4-87.0	123	16.3	13.0-19.6
Less Than H.S.	173	293,557	135	80.1	72.1-88.1	38	19.9	11.9-27.9
H.S. or G.E.D.	756	790,737	612	80.6	76.5-84.7	144	19.4	15.3-23.5
Some Post-H.S.	529	598,637	442	81.1	76.2-86.0	87	18.9	14.0-23.8
College Graduate	845	472,941	757	88.1	84.8-91.4	88	11.9	8.6-15.2
Less than \$15,000	162	157,478	134	83.1	75.7-90.5	28	16.9	9.5-24.3
\$15,000- 24,999	287	290,319	238	81.3	74.8-87.8	49	18.7	12.2-25.2
\$25,000- 34,999	198	208,716	169	87.3	80.4-94.2	29	12.7	5.8-19.6
\$35,000- 49,999	345	304,912	284	80.5	73.8-87.2	61	19.5	12.8-26.2
\$50,000- 74,999	386	370,220	328	80.3	74.0-86.6	58	19.7	13.4-26.0
\$75,000+	672	583,481	583	82.0	77.1-86.9	89	18.0	13.1-22.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 13: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3166	2,326,645	2910	89.0	87.0-91.0	256	11.0	9.0-13.0
White/Non-Hisp	2764	1,909,694	2537	88.2	86.0-90.4	227	11.8	9.6-14.0
Black or Afr. Am./Non-Hisp	173	198,501	161	92.9	88.2-97.6	12	7.1	2.4-11.8
Hispanic	107	137,741	104	97.7	94.6- 100	3	2.3	0.0- 5.4
18-24	110	295,500	90	80.5	70.9-90.1	20	19.5	9.9-29.1
25-34	220	359,866	190	82.8	76.3-89.3	30	17.2	10.7-23.7
35-44	305	354,679	286	94.0	91.1-96.9	19	6.0	3.1- 8.9
45-54	460	393,121	414	87.7	83.6-91.8	46	12.3	8.2-16.4
55-64	703	394,977	652	92.0	89.3-94.7	51	8.0	5.3-10.7
65+	1332	506,337	1244	93.3	91.3-95.3	88	6.7	4.7- 8.7
Less Than H.S.	244	293,912	220	82.9	74.1-91.7	24	17.1	8.3-25.9
H.S. or G.E.D.	1057	729,734	970	90.1	87.4-92.8	87	9.9	7.2-12.6
Some Post-H.S.	856	777,230	778	87.7	84.2-91.2	78	12.3	8.8-15.8
College Graduate	991	511,331	925	92.7	90.3-95.1	66	7.3	4.9- 9.7
Less than \$15,000	306	277,094	273	86.3	80.2-92.4	33	13.7	7.6-19.8
\$15,000- 24,999	538	395,331	496	89.3	84.6-94.0	42	10.7	6.0-15.4
\$25,000- 34,999	317	211,682	290	91.8	87.7-95.9	27	8.2	4.1-12.3
\$35,000- 49,999	438	339,099	394	83.0	75.7-90.3	44	17.0	9.7-24.3
\$50,000- 74,999	410	300,707	376	90.2	86.1-94.3	34	9.8	5.7-13.9
\$75,000+	652	466,161	613	92.2	88.9-95.5	39	7.8	4.5-11.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015

SECTION 14: IMMUNIZATION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)	
1	MALES AND FEMALES	180
2	MALES ONLY	181
3	FEMALES ONLY	182
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	183
5	MALES ONLY	184
6	FEMALES ONLY	185

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2148	888,959	1351	61.3	58.4-64.2	797	38.7	35.8-41.6
Male	818	384,266	525	62.3	57.6-67.0	293	37.7	33.0-42.4
Female	1330	504,693	826	60.6	57.1-64.1	504	39.4	35.9-42.9
White/Non-Hisp	1970	795,016	1243	61.5	58.6-64.4	727	38.5	35.6-41.4
Black or Afr. Am./Non-Hisp	72	50,317	43	58.3	41.8-74.8	29	41.7	25.2-58.2
65+	2148	888,959	1351	61.3	58.4-64.2	797	38.7	35.8-41.6
Less Than H.S.	178	119,695	98	55.9	46.3-65.5	80	44.1	34.5-53.7
H.S. or G.E.D.	847	364,831	505	59.0	54.7-63.3	342	41.0	36.7-45.3
Some Post-H.S.	506	256,811	322	61.0	55.3-66.7	184	39.0	33.3-44.7
College Graduate	608	143,420	421	72.5	68.2-76.8	187	27.5	23.2-31.8
Less than \$15,000	183	85,167	104	49.5	39.7-59.3	79	50.5	40.7-60.3
\$15,000- 24,999	419	168,662	249	58.4	51.9-64.9	170	41.6	35.1-48.1
\$25,000- 34,999	245	117,037	155	62.2	54.4-70.0	90	37.8	30.0-45.6
\$35,000- 49,999	351	151,586	232	68.1	61.4-74.8	119	31.9	25.2-38.6
\$50,000- 74,999	265	111,127	192	72.4	65.0-79.8	73	27.6	20.2-35.0
\$75,000+	270	88,543	175	61.2	53.4-69.0	95	38.8	31.0-46.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	818	384,266	525	62.3	57.6-67.0	293	37.7	33.0-42.4
White/Non-Hisp	742	336,659	478	64.0	59.3-68.7	264	36.0	31.3-40.7
65+	818	384,266	525	62.3	57.6-67.0	293	37.7	33.0-42.4
Less Than H.S.	60	52,096	36	62.6	47.3-77.9	24	37.4	22.1-52.7
H.S. or G.E.D.	257	136,609	152	57.9	50.3-65.5	105	42.1	34.5-49.7
Some Post-H.S.	186	109,664	120	58.7	49.3-68.1	66	41.3	31.9-50.7
College Graduate	310	82,865	215	74.7	69.2-80.2	95	25.3	19.8-30.8
Less than \$15,000	59	34,440	30	40.7	24.0-57.4	29	59.3	42.6-76.0
\$15,000- 24,999	106	55,300	61	56.8	43.9-69.7	45	43.2	30.3-56.1
\$25,000- 34,999	85	51,453	54	59.7	46.4-73.0	31	40.3	27.0-53.6
\$35,000- 49,999	162	77,551	108	65.1	55.1-75.1	54	34.9	24.9-44.9
\$50,000- 74,999	132	60,528	97	78.3	68.7-87.9	35	21.7	12.1-31.3
\$75,000+	157	54,200	101	62.4	52.0-72.8	56	37.6	27.2-48.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1330	504,693	826	60.6	57.1-64.1	504	39.4	35.9-42.9
White/Non-Hisp	1228	458,356	765	59.6	55.9-63.3	463	40.4	36.7-44.1
65+	1330	504,693	826	60.6	57.1-64.1	504	39.4	35.9-42.9
Less Than H.S.	118	67,599	62	50.8	39.0-62.6	56	49.2	37.4-61.0
H.S. or G.E.D.	590	228,222	353	59.6	54.5-64.7	237	40.4	35.3-45.5
Some Post-H.S.	320	147,147	202	62.7	55.6-69.8	118	37.3	30.2-44.4
College Graduate	298	60,556	206	69.5	62.8-76.2	92	30.5	23.8-37.2
Less than \$15,000	124	50,727	74	55.5	43.7-67.3	50	44.5	32.7-56.3
\$15,000- 24,999	313	113,362	188	59.2	51.8-66.6	125	40.8	33.4-48.2
\$25,000- 34,999	160	65,583	101	64.1	54.5-73.7	59	35.9	26.3-45.5
\$35,000- 49,999	189	74,036	124	71.2	62.8-79.6	65	28.8	20.4-37.2
\$50,000- 74,999	133	50,599	95	65.3	54.1-76.5	38	34.7	23.5-45.9
\$75,000+	113	34,343	74	59.2	47.4-71.0	39	40.8	29.0-52.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2110	874,692	1555	71.0	68.3-73.7	555	29.0	26.3-31.7
Male	793	374,633	556	65.7	61.0-70.4	237	34.3	29.6-39.0
Female	1317	500,059	999	75.1	72.0-78.2	318	24.9	21.8-28.0
White/Non-Hisp	1936	782,361	1439	71.7	69.0-74.4	497	28.3	25.6-31.0
Black or Afr. Am./Non-Hisp	71	50,098	52	69.0	53.7-84.3	19	31.0	15.7-46.3
65+	2110	874,692	1555	71.0	68.3-73.7	555	29.0	26.3-31.7
Less Than H.S.	177	120,305	128	67.6	58.4-76.8	49	32.4	23.2-41.6
H.S. or G.E.D.	835	359,232	602	69.9	65.8-74.0	233	30.1	26.0-34.2
Some Post-H.S.	492	250,121	375	72.7	67.4-78.0	117	27.3	22.0-32.6
College Graduate	598	141,175	445	74.0	69.5-78.5	153	26.0	21.5-30.5
Less than \$15,000	181	84,385	125	66.8	57.0-76.6	56	33.2	23.4-43.0
\$15,000- 24,999	411	164,772	306	74.3	68.4-80.2	105	25.7	19.8-31.6
\$25,000- 34,999	245	116,880	184	67.3	59.3-75.3	61	32.7	24.7-40.7
\$35,000- 49,999	342	148,190	236	66.8	59.9-73.7	106	33.2	26.3-40.1
\$50,000- 74,999	261	108,853	208	80.0	73.5-86.5	53	20.0	13.5-26.5
\$75,000+	264	87,208	197	72.7	65.3-80.1	67	27.3	19.9-34.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	793	374,633	556	65.7	61.0-70.4	237	34.3	29.6-39.0
White/Non-Hisp	719	327,942	512	67.3	62.6-72.0	207	32.7	28.0-37.4
65+	793	374,633	556	65.7	61.0-70.4	237	34.3	29.6-39.0
Less Than H.S.	59	51,638	35	52.0	35.7-68.3	24	48.0	31.7-64.3
H.S. or G.E.D.	252	133,704	171	66.9	59.6-74.2	81	33.1	25.8-40.4
Some Post-H.S.	176	105,341	127	64.9	55.3-74.5	49	35.1	25.5-44.7
College Graduate	301	80,918	220	73.3	67.0-79.6	81	26.7	20.4-33.0
Less than \$15,000	58	34,136	35	51.2	33.8-68.6	23	48.8	31.4-66.2
\$15,000- 24,999	103	54,246	72	68.2	55.9-80.5	31	31.8	19.5-44.1
\$25,000- 34,999	85	51,296	61	62.5	49.2-75.8	24	37.5	24.2-50.8
\$35,000- 49,999	157	75,126	105	63.5	53.7-73.3	52	36.5	26.7-46.3
\$50,000- 74,999	129	58,541	100	79.6	70.0-89.2	29	20.4	10.8-30.0
\$75,000+	151	52,876	110	70.2	59.8-80.6	41	29.8	19.4-40.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1317	500,059	999	75.1	72.0-78.2	318	24.9	21.8-28.0
White/Non-Hisp	1217	454,419	927	74.9	71.6-78.2	290	25.1	21.8-28.4
65+	1317	500,059	999	75.1	72.0-78.2	318	24.9	21.8-28.0
Less Than H.S.	118	68,667	93	79.4	69.6-89.2	25	20.6	10.8-30.4
H.S. or G.E.D.	583	225,529	431	71.7	66.8-76.6	152	28.3	23.4-33.2
Some Post-H.S.	316	144,780	248	78.3	72.6-84.0	68	21.7	16.0-27.4
College Graduate	297	60,257	225	75.0	68.7-81.3	72	25.0	18.7-31.3
Less than \$15,000	123	50,249	90	77.5	67.5-87.5	33	22.5	12.5-32.5
\$15,000- 24,999	308	110,526	234	77.2	70.9-83.5	74	22.8	16.5-29.1
\$25,000- 34,999	160	65,583	123	71.0	61.0-81.0	37	29.0	19.0-39.0
\$35,000- 49,999	185	73,064	131	70.2	61.0-79.4	54	29.8	20.6-39.0
\$50,000- 74,999	132	50,312	108	80.4	71.8-89.0	24	19.6	11.0-28.2
\$75,000+	113	34,332	87	76.7	67.1-86.3	26	23.3	13.7-32.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015

SECTION 15: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	187
2	MALES ONLY	188
3	FEMALES ONLY	189

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 15: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5329	4,361,043	1304	32.6	30.6-34.6	4025	67.4	65.4-69.4
Male	2250	2,108,838	553	29.8	27.1-32.5	1697	70.2	67.5-72.9
Female	3079	2,252,205	751	35.2	32.5-37.9	2328	64.8	62.1-67.5
White/Non-Hisp	4659	3,562,471	1012	28.7	26.7-30.7	3647	71.3	69.3-73.3
Black or Afr. Am./Non-Hisp	265	351,532	143	58.2	49.8-66.6	122	41.8	33.4-50.2
Oth. Race/Non-Hisp.	99	86,649	21	33.4	19.9-46.9	78	66.6	53.1-80.1
MultiRacial/Non-Hisp.	70	46,444	27	45.5	28.1-62.9	43	54.5	37.1-71.9
Hispanic	160	245,540	74	46.0	35.8-56.2	86	54.0	43.8-64.2
18-24	231	573,897	63	26.3	19.4-33.2	168	73.7	66.8-80.6
25-34	394	718,045	216	54.2	48.3-60.1	178	45.8	39.9-51.7
35-44	532	681,230	248	47.9	42.4-53.4	284	52.1	46.6-57.6
45-54	789	750,921	291	37.6	33.3-41.9	498	62.4	58.1-66.7
55-64	1234	740,027	273	24.1	21.0-27.2	961	75.9	72.8-79.0
65+	2103	870,359	194	9.0	7.4-10.6	1909	91.0	89.4-92.6
Less Than H.S.	408	576,306	103	32.3	25.6-39.0	305	67.7	61.0-74.4
H.S. or G.E.D.	1767	1,477,567	344	28.1	24.8-31.4	1423	71.9	68.6-75.2
Some Post-H.S.	1347	1,333,840	369	35.2	31.5-38.9	978	64.8	61.1-68.5
College Graduate	1780	952,314	478	35.6	32.3-38.9	1302	64.4	61.1-67.7
Less than \$15,000	454	422,355	153	41.5	34.6-48.4	301	58.5	51.6-65.4
\$15,000- 24,999	806	673,894	206	38.3	33.0-43.6	600	61.7	56.4-67.0
\$25,000- 34,999	503	403,766	118	34.2	27.9-40.5	385	65.8	59.5-72.1
\$35,000- 49,999	764	630,666	177	30.8	25.5-36.1	587	69.2	63.9-74.5
\$50,000- 74,999	776	647,190	184	29.2	24.3-34.1	592	70.8	65.9-75.7
\$75,000+	1286	1,013,317	339	30.4	26.7-34.1	947	69.6	65.9-73.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2250	2,108,838	553	29.8	27.1-32.5	1697	70.2	67.5-72.9
White/Non-Hisp	1968	1,717,623	428	25.5	22.8-28.2	1540	74.5	71.8-77.2
Black or Afr. Am./Non-Hisp	94	153,884	55	58.8	45.9-71.7	39	41.2	28.3-54.1
Oth. Race/Non-Hisp.	53	57,016	15	40.1	21.7-58.5	38	59.9	41.5-78.3
Hispanic	58	112,132	25	46.0	29.1-62.9	33	54.0	37.1-70.9
18-24	125	287,689	22	13.7	7.4-20.0	103	86.3	80.0-92.6
25-34	183	377,080	83	45.6	37.0-54.2	100	54.4	45.8-63.0
35-44	238	336,675	95	43.2	35.4-51.0	143	56.8	49.0-64.6
45-54	351	374,419	119	34.5	28.0-41.0	232	65.5	59.0-72.0
55-64	546	354,275	126	26.9	21.8-32.0	420	73.1	68.0-78.2
65+	796	374,093	102	11.8	8.7-14.9	694	88.2	85.1-91.3
Less Than H.S.	167	288,753	48	30.5	21.1-39.9	119	69.5	60.1-78.9
H.S. or G.E.D.	736	764,881	178	29.7	25.2-34.2	558	70.3	65.8-74.8
Some Post-H.S.	517	585,086	126	28.3	22.8-33.8	391	71.7	66.2-77.2
College Graduate	819	461,822	198	31.2	26.5-35.9	621	68.8	64.1-73.5
Less than \$15,000	160	155,793	56	35.4	25.4-45.4	104	64.6	54.6-74.6
\$15,000- 24,999	276	282,435	91	39.3	31.3-47.3	185	60.7	52.7-68.7
\$25,000- 34,999	192	198,143	47	33.6	23.8-43.4	145	66.4	56.6-76.2
\$35,000- 49,999	339	300,064	78	26.4	19.7-33.1	261	73.6	66.9-80.3
\$50,000- 74,999	378	360,905	79	27.2	20.3-34.1	299	72.8	65.9-79.7
\$75,000+	653	570,030	151	26.7	21.6-31.8	502	73.3	68.2-78.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3079	2,252,205	751	35.2	32.5-37.9	2328	64.8	62.1-67.5
White/Non-Hisp	2691	1,844,848	584	31.8	28.9-34.7	2107	68.2	65.3-71.1
Black or Afr. Am./Non-Hisp	171	197,649	88	57.7	46.7-68.7	83	42.3	31.3-53.3
Hispanic	102	133,409	49	45.9	33.7-58.1	53	54.1	41.9-66.3
18-24	106	286,208	41	39.0	27.6-50.4	65	61.0	49.6-72.4
25-34	211	340,965	133	63.6	56.0-71.2	78	36.4	28.8-44.0
35-44	294	344,555	153	52.5	45.2-59.8	141	47.5	40.2-54.8
45-54	438	376,502	172	40.6	34.9-46.3	266	59.4	53.7-65.1
55-64	688	385,752	147	21.6	17.5-25.7	541	78.4	74.3-82.5
65+	1307	496,265	92	6.9	5.1- 8.7	1215	93.1	91.3-94.9
Less Than H.S.	241	287,553	55	34.1	24.5-43.7	186	65.9	56.3-75.5
H.S. or G.E.D.	1031	712,685	166	26.4	21.9-30.9	865	73.6	69.1-78.1
Some Post-H.S.	830	748,755	243	40.7	35.8-45.6	587	59.3	54.4-64.2
College Graduate	961	490,492	280	39.7	35.2-44.2	681	60.3	55.8-64.8
Less than \$15,000	294	266,562	97	45.1	35.9-54.3	197	54.9	45.7-64.1
\$15,000- 24,999	530	391,458	115	37.6	30.7-44.5	415	62.4	55.5-69.3
\$25,000- 34,999	311	205,623	71	34.8	27.0-42.6	240	65.2	57.4-73.0
\$35,000- 49,999	425	330,601	99	34.7	27.1-42.3	326	65.3	57.7-72.9
\$50,000- 74,999	398	286,285	105	31.8	25.3-38.3	293	68.2	61.7-74.7
\$75,000+	633	443,287	188	35.1	30.0-40.2	445	64.9	59.8-70.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2015**

End of Calculated Variable Data Report