


INDIANA

2015 Core Variables Report

Behavioral Risk Factor Surveillance System

May 31, 2016



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6050	5,054,020	886	16.5	15.1-17.9	1977	31.9	30.1-33.7	1945	32.8	31.0-34.6	882	13.5	12.3-14.7	360	5.4	4.6- 6.2
Male	2573	2,460,295	384	17.1	14.9-19.3	815	31.1	28.6-33.6	836	32.7	30.2-35.2	377	13.4	11.6-15.2	161	5.7	4.5- 6.9
Female	3477	2,593,725	502	15.9	14.1-17.7	1162	32.6	30.2-35.0	1109	33.0	30.6-35.4	505	13.5	11.7-15.3	199	5.0	4.0- 6.0
White/Non-Hisp	5249	4,086,695	767	16.6	15.0-18.2	1784	34.1	32.1-36.1	1661	31.2	29.4-33.0	728	12.5	11.1-13.9	309	5.6	4.8- 6.4
Black or Afr. Am./Non-Hisp	319	426,765	39	15.4	9.9-20.9	74	23.5	17.4-29.6	118	39.9	32.3-47.5	66	15.9	10.8-21.0	22	5.3	2.6- 8.0
Oth. Race/Non-Hisp.	116	107,827	21	14.5	7.4-21.6	32	25.8	15.2-36.4	39	35.7	23.9-47.5	16	18.3	7.5-29.1	8	5.8	1.1-10.5
MultiRacial/Non-Hisp.	78	57,700	12	24.3	9.4-39.2	24	33.6	17.9-49.3	21	22.4	9.9-34.9	16	18.1	6.5-29.7	5	1.6	0.0- 3.2
Hispanic	183	279,675	31	15.7	9.4-22.0	39	20.0	12.4-27.6	73	45.3	35.9-54.7	33	17.3	10.0-24.6	7	1.6	0.2- 3.0
18-24	278	688,227	56	19.8	14.5-25.1	107	36.6	29.9-43.3	87	31.6	24.9-38.3	25	10.5	6.2-14.8	3	1.5	0.0- 3.3
25-34	455	833,816	105	22.4	17.7-27.1	153	33.0	27.7-38.3	153	32.9	27.6-38.2	33	9.0	5.5-12.5	11	2.7	0.9- 4.5
35-44	620	819,520	123	17.5	14.0-21.0	236	37.2	32.5-41.9	191	32.4	27.7-37.1	54	9.9	7.0-12.8	16	3.0	1.2- 4.8
45-54	902	853,676	154	16.8	13.7-19.9	312	29.6	25.9-33.3	255	32.5	28.4-36.6	125	14.8	11.7-17.9	56	6.3	4.3- 8.3
55-64	1385	837,969	175	12.5	10.3-14.7	457	30.0	27.1-32.9	421	31.1	28.0-34.2	234	18.1	15.4-20.8	98	8.3	6.3-10.3
65+	2347	982,261	263	11.2	9.4-13.0	690	27.3	24.9-29.7	817	35.5	33.0-38.0	403	16.9	14.9-18.9	174	9.1	7.3-10.9
Less Than H.S.	480	676,849	50	13.7	9.0-18.4	62	15.8	10.7-20.9	151	35.2	28.9-41.5	124	23.2	18.1-28.3	93	12.1	9.0-15.2
H.S. or G.E.D.	2029	1,743,492	216	14.1	11.7-16.5	597	28.8	25.9-31.7	724	35.7	32.6-38.8	361	15.4	13.2-17.6	131	5.9	4.5- 7.3
Some Post-H.S.	1519	1,535,727	201	15.0	12.5-17.5	511	36.0	32.7-39.3	512	33.4	30.1-36.7	212	11.6	9.4-13.8	83	4.0	2.8- 5.2
College Graduate	1982	1,068,358	411	23.9	21.2-26.6	798	41.6	38.5-44.7	547	25.8	23.3-28.3	177	6.8	5.4- 8.2	49	2.0	1.2- 2.8
Less than \$15,000	520	488,466	36	11.6	6.7-16.5	85	15.7	10.8-20.6	156	33.2	26.9-39.5	136	23.9	18.6-29.2	107	15.6	11.7-19.5
\$15,000- 24,999	901	755,104	102	15.3	11.6-19.0	206	21.9	17.8-26.0	307	33.9	29.4-38.4	208	21.1	17.0-25.2	78	7.7	5.3-10.1
\$25,000- 34,999	571	476,873	70	13.6	9.5-17.7	142	23.6	18.7-28.5	225	41.6	35.5-47.7	99	15.9	11.8-20.0	35	5.3	3.1- 7.5
\$35,000- 49,999	843	704,286	119	14.9	11.4-18.4	292	35.7	30.8-40.6	290	34.2	29.3-39.1	110	10.5	7.8-13.2	32	4.7	2.5- 6.9
\$50,000- 74,999	849	734,226	121	14.5	11.2-17.8	370	45.9	40.8-51.0	276	31.1	26.6-35.6	66	6.7	4.5- 8.9	16	1.7	0.7- 2.7
\$75,000+	1421	1,152,031	323	25.5	22.0-29.0	583	38.3	34.8-41.8	390	28.3	25.0-31.6	100	6.4	4.4- 8.4	25	1.6	0.8- 2.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2573	2,460,295	384	17.1	14.9-19.3	815	31.1	28.6-33.6	836	32.7	30.2-35.2	377	13.4	11.6-15.2	161	5.7	4.5- 6.9
White/Non-Hisp	2219	1,963,764	325	17.2	14.8-19.6	732	33.6	30.7-36.5	717	31.2	28.5-33.9	306	12.1	10.3-13.9	139	5.9	4.5- 7.3
Black or Afr. Am./Non-Hisp	118	195,578	17	18.3	8.9-27.7	26	20.3	11.3-29.3	41	36.7	25.3-48.1	25	17.9	9.1-26.7	9	6.9	1.8-12.0
Oth. Race/Non-Hisp.	62	68,956	15	14.8	6.0-23.6	17	25.1	11.4-38.8	18	33.0	17.1-48.9	9	23.2	7.5-38.9	3	3.8	0.0- 8.9
Hispanic	70	134,905	15	15.8	6.2-25.4	10	19.1	6.6-31.6	31	46.5	31.2-61.8	12	17.2	5.6-28.8	2	1.3	0.0- 3.3
18-24	151	352,626	39	24.9	17.1-32.7	58	41.4	32.2-50.6	42	24.5	17.1-31.9	11	7.8	2.9-12.7	1	1.3	0.0- 3.8
25-34	202	418,494	49	23.0	15.9-30.1	59	30.8	23.0-38.6	75	35.5	27.7-43.3	15	8.9	3.6-14.2	4	1.8	0.0- 3.6
35-44	279	410,690	56	17.7	12.6-22.8	106	35.5	28.6-42.4	89	34.7	27.4-42.0	22	8.9	4.8-13.0	6	3.1	0.2- 6.0
45-54	404	429,419	64	16.6	11.7-21.5	137	26.4	21.3-31.5	120	34.1	27.8-40.4	58	16.4	11.5-21.3	25	6.6	3.7- 9.5
55-64	620	409,867	69	10.2	7.3-13.1	194	30.3	25.8-34.8	183	28.3	24.0-32.6	121	20.4	16.1-24.7	53	10.8	7.5-14.1
65+	897	427,525	104	11.7	9.0-14.4	256	24.5	21.0-28.0	319	37.2	32.9-41.5	146	16.5	13.2-19.8	72	10.1	7.2-13.0
Less Than H.S.	209	353,409	28	18.2	10.4-26.0	29	18.3	10.5-26.1	59	27.8	19.6-36.0	50	22.3	15.2-29.4	43	13.3	8.4-18.2
H.S. or G.E.D.	853	908,111	93	13.6	10.5-16.7	260	30.9	26.6-35.2	299	35.6	31.1-40.1	143	14.5	11.4-17.6	58	5.4	3.6- 7.2
Some Post-H.S.	585	675,614	72	14.6	10.7-18.5	185	34.3	29.0-39.6	214	35.5	30.2-40.8	81	10.6	7.5-13.7	33	5.1	2.9- 7.3
College Graduate	910	511,918	187	25.7	21.4-30.0	337	36.3	32.0-40.6	261	27.2	23.3-31.1	99	9.0	6.5-11.5	26	1.9	0.9- 2.9
Less than \$15,000	183	183,414	15	12.0	3.6-20.4	27	13.4	7.1-19.7	53	33.0	23.6-42.4	42	18.8	11.7-25.9	46	22.8	15.2-30.4
\$15,000- 24,999	318	320,989	44	17.7	11.8-23.6	60	20.1	14.0-26.2	105	33.4	26.1-40.7	77	21.6	15.5-27.7	32	7.2	4.1-10.3
\$25,000- 34,999	228	237,154	28	13.3	7.2-19.4	47	18.1	11.4-24.8	92	44.9	35.7-54.1	48	19.7	12.8-26.6	13	3.9	1.5- 6.3
\$35,000- 49,999	379	346,261	52	16.3	10.8-21.8	116	33.5	26.2-40.8	138	32.7	26.2-39.2	53	10.7	6.6-14.8	20	6.7	2.8-10.6
\$50,000- 74,999	411	407,948	60	15.9	11.0-20.8	165	43.2	35.9-50.5	137	31.5	24.8-38.2	37	6.8	4.1- 9.5	12	2.6	0.8- 4.4
\$75,000+	718	634,772	151	24.2	19.3-29.1	289	37.1	32.0-42.2	206	29.2	24.5-33.9	59	8.1	4.8-11.4	13	1.4	0.4- 2.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3477	2,593,725	502	15.9	14.1-17.7	1162	32.6	30.2-35.0	1109	33.0	30.6-35.4	505	13.5	11.7-15.3	199	5.0	4.0- 6.0
White/Non-Hisp	3030	2,122,932	442	16.1	14.1-18.1	1052	34.6	32.1-37.1	944	31.1	28.6-33.6	422	13.0	11.2-14.8	170	5.3	4.1- 6.5
Black or Afr. Am./Non-Hisp	201	231,187	22	12.9	6.4-19.4	48	26.1	17.7-34.5	77	42.6	32.4-52.8	41	14.3	8.6-20.0	13	4.0	1.1- 6.9
Oth. Race/Non-Hisp.	54	38,871	6	13.8	2.4-25.2	15	27.0	10.5-43.5	21	40.5	24.0-57.0	7	9.4	1.8-17.0	5	9.3	0.1-18.5
Hispanic	113	144,770	16	15.6	7.4-23.8	29	20.9	11.9-29.9	42	44.3	32.5-56.1	21	17.4	8.2-26.6	5	1.8	0.0- 3.6
18-24	127	335,601	17	14.4	7.1-21.7	49	31.5	22.5-40.5	45	39.1	28.5-49.7	14	13.4	6.1-20.7	2	1.7	0.0- 4.2
25-34	253	415,322	56	21.9	15.6-28.2	94	35.1	28.0-42.2	78	30.3	23.4-37.2	18	9.0	4.1-13.9	7	3.6	0.5- 6.7
35-44	341	408,830	67	17.4	12.5-22.3	130	38.9	32.2-45.6	102	30.1	24.0-36.2	32	10.8	6.5-15.1	10	2.9	0.9- 4.9
45-54	498	424,257	90	17.0	12.9-21.1	175	32.8	27.7-37.9	135	30.9	25.8-36.0	67	13.3	9.6-17.0	31	6.0	3.5- 8.5
55-64	765	428,101	106	14.8	11.5-18.1	263	29.6	25.7-33.5	238	33.7	29.2-38.2	113	16.0	12.5-19.5	45	5.9	3.9- 7.9
65+	1450	554,737	159	10.8	8.6-13.0	434	29.4	26.1-32.7	498	34.1	30.8-37.4	257	17.2	14.7-19.7	102	8.4	6.4-10.4
Less Than H.S.	271	323,440	22	8.7	4.2-13.2	33	13.1	6.8-19.4	92	43.2	33.8-52.6	74	24.3	16.9-31.7	50	10.7	6.8-14.6
H.S. or G.E.D.	1176	835,380	123	14.7	11.0-18.4	337	26.5	22.8-30.2	425	35.8	31.7-39.9	218	16.5	13.6-19.4	73	6.5	4.3- 8.7
Some Post-H.S.	934	860,113	129	15.4	12.3-18.5	326	37.4	33.1-41.7	298	31.7	27.6-35.8	131	12.3	9.4-15.2	50	3.2	2.0- 4.4
College Graduate	1072	556,440	224	22.2	18.9-25.5	461	46.5	42.2-50.8	286	24.5	21.0-28.0	78	4.8	3.4- 6.2	23	2.1	0.9- 3.3
Less than \$15,000	337	305,052	21	11.3	5.4-17.2	58	17.1	10.4-23.8	103	33.3	25.1-41.5	94	27.0	19.7-34.3	61	11.3	7.0-15.6
\$15,000- 24,999	583	434,115	58	13.6	8.7-18.5	146	23.3	18.0-28.6	202	34.3	28.4-40.2	131	20.7	15.2-26.2	46	8.1	4.6-11.6
\$25,000- 34,999	343	239,719	42	13.9	8.6-19.2	95	29.0	22.1-35.9	133	38.4	31.0-45.8	51	12.1	8.0-16.2	22	6.6	3.1-10.1
\$35,000- 49,999	464	358,024	67	13.5	9.0-18.0	176	37.9	31.2-44.6	152	35.5	28.2-42.8	57	10.3	6.8-13.8	12	2.7	0.9- 4.5
\$50,000- 74,999	438	326,277	61	12.8	8.7-16.9	205	49.3	42.6-56.0	139	30.6	24.7-36.5	29	6.6	2.9-10.3	4	0.6	0.0- 1.4
\$75,000+	703	517,258	172	26.9	22.2-31.6	294	39.6	34.7-44.5	184	27.2	22.7-31.7	41	4.2	2.4- 6.0	12	2.0	0.8- 3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2015

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	5877	4,921,080	3589	61.6	59.8-63.4	598	11.2	10.0-12.4	634	10.8	9.6-12.0	581	9.6	8.4-10.8	475	6.8	6.0- 7.6	
Male	2507	2,405,076	1609	65.3	62.6-68.0	234	10.3	8.5-12.1	249	10.0	8.2-11.8	196	7.4	6.0- 8.8	219	7.1	5.9- 8.3	
Female	3370	2,516,005	1980	58.1	55.6-60.6	364	12.1	10.3-13.9	385	11.6	9.8-13.4	385	11.7	9.9-13.5	256	6.5	5.5- 7.5	
White/Non-Hisp	5112	3,991,245	3133	61.9	59.9-63.9	526	11.5	10.1-12.9	540	10.4	9.2-11.6	494	9.3	8.1-10.5	419	6.9	5.9- 7.9	
Black or Afr. Am./Non-Hisp	302	405,042	176	62.8	55.4-70.2	24	5.5	2.8- 8.2	37	13.3	8.0-18.6	40	10.4	5.1-15.7	25	8.0	4.3-11.7	
Oth. Race/Non-Hisp.	111	103,850	70	47.5	35.3-59.7	14	19.0	7.8-30.2	12	16.1	5.5-26.7	9	10.2	1.8-18.6	6	7.2	0.7-13.7	
MultiRacial/Non-Hisp.	75	57,095	41	64.2	49.5-78.9	3	4.9	0.0-10.6	16	14.4	5.0-23.8	11	14.5	3.1-25.9	4	2.0	0.0- 4.2	
Hispanic	178	275,231	105	59.8	50.2-69.4	26	15.8	8.0-23.6	23	11.9	5.8-18.0	17	9.7	3.8-15.6	7	2.8	0.4- 5.2	
18-24	270	666,030	164	58.9	51.8-66.0	42	16.6	11.3-21.9	44	16.2	10.9-21.5	13	5.7	1.8- 9.6	7	2.6	0.4- 4.8	
25-34	451	824,058	298	67.7	62.6-72.8	67	13.7	10.2-17.2	53	10.2	7.1-13.3	27	7.2	4.1-10.3	6	1.3	0.1- 2.5	
35-44	615	812,525	412	66.1	61.2-71.0	66	10.1	7.0-13.2	61	10.2	7.1-13.3	49	8.6	5.7-11.5	27	5.0	2.8- 7.2	
45-54	883	828,620	536	58.3	54.2-62.4	91	10.9	8.2-13.6	99	11.4	8.7-14.1	86	11.4	8.7-14.1	71	7.9	5.7-10.1	
55-64	1357	815,760	780	57.5	54.2-60.8	145	10.7	8.5-12.9	132	9.2	7.2-11.2	157	11.7	9.5-13.9	143	10.9	8.7-13.1	
65+	2241	937,909	1356	60.4	57.7-63.1	179	7.0	5.6- 8.4	243	9.4	7.8-11.0	246	11.9	10.1-13.7	217	11.3	9.3-13.3	
Less Than H.S.	444	634,532	193	45.5	38.8-52.2	45	13.7	8.4-19.0	55	13.1	8.2-18.0	82	17.4	12.5-22.3	69	10.4	7.3-13.5	
H.S. or G.E.D.	1942	1,678,555	1165	62.2	59.1-65.3	160	8.5	6.7-10.3	213	11.0	9.0-13.0	233	10.5	8.5-12.5	171	7.8	6.2- 9.4	
Some Post-H.S.	1488	1,516,725	894	63.2	59.9-66.5	167	12.4	10.2-14.6	153	9.9	7.7-12.1	147	8.2	6.4-10.0	127	6.3	4.9- 7.7	
College Graduate	1966	1,063,294	1316	68.3	65.4-71.2	222	12.3	10.1-14.5	209	10.6	8.6-12.6	116	5.4	4.0- 6.8	103	3.5	2.7- 4.3	
Less than \$15,000	485	455,779	180	40.6	33.9-47.3	40	10.7	6.0-15.4	65	12.6	8.7-16.5	99	19.8	13.9-25.7	101	16.2	11.9-20.5	
\$15,000- 24,999	866	727,482	457	54.4	49.5-59.3	74	10.5	7.0-14.0	107	12.0	8.9-15.1	132	14.7	11.2-18.2	96	8.4	6.2-10.6	
\$25,000- 34,999	557	468,698	319	57.4	51.5-63.3	56	9.3	6.2-12.4	60	10.7	7.2-14.2	58	12.3	8.0-16.6	64	10.3	7.0-13.6	
\$35,000- 49,999	835	696,116	539	65.1	60.2-70.0	93	11.6	8.3-14.9	87	10.9	7.2-14.6	68	6.6	4.2- 9.0	48	5.8	3.4- 8.2	
\$50,000- 74,999	835	726,842	569	68.7	64.0-73.4	95	12.6	9.1-16.1	74	9.0	6.1-11.9	53	5.5	3.3- 7.7	44	4.2	2.6- 5.8	
\$75,000+	1406	1,142,168	981	67.9	64.4-71.4	159	12.7	10.2-15.2	143	11.7	9.2-14.2	75	4.6	3.2- 6.0	48	3.0	1.6- 4.4	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	2507	2,405,076	1609	65.3	62.6-68.0	234	10.3	8.5-12.1	249	10.0	8.2-11.8	196	7.4	6.0- 8.8	219	7.1	5.9- 8.3			
White/Non-Hisp	2165	1,926,553	1398	66.4	63.7-69.1	202	10.0	8.0-12.0	212	9.3	7.5-11.1	166	7.3	5.7- 8.9	187	6.9	5.5- 8.3			
Black or Afr. Am./Non-Hisp	111	181,819	67	64.6	53.4-75.8	7	3.9	0.6- 7.2	11	13.3	4.1-22.5	11	6.1	1.8-10.4	15	12.0	4.9-19.1			
Oth. Race/Non-Hisp.	62	68,154	38	39.8	25.1-54.5	10	24.0	8.3-39.7	8	20.4	5.5-35.3	4	10.8	0.0-23.0	2	5.1	0.0-12.9			
Hispanic	69	133,553	41	59.5	44.4-74.6	13	20.8	7.1-34.5	9	13.3	3.1-23.5	4	4.7	0.0- 9.6	2	1.8	0.0- 4.3			
18-24	150	351,758	99	63.3	54.3-72.3	23	17.2	9.8-24.6	21	14.9	8.4-21.4	5	2.3	0.1- 4.5	2	2.3	0.0- 5.4			
25-34	201	415,721	143	74.3	67.4-81.2	27	10.8	6.5-15.1	23	9.5	5.2-13.8	6	4.0	0.5- 7.5	2	1.4	0.0- 3.4			
35-44	278	408,210	197	69.0	61.9-76.1	28	10.5	5.2-15.8	25	9.9	5.4-14.4	18	6.5	2.8-10.2	10	4.1	1.4- 6.8			
45-54	393	413,073	256	63.1	56.8-69.4	31	7.8	4.3-11.3	37	8.6	4.9-12.3	33	10.9	6.8-15.0	36	9.5	6.0-13.0			
55-64	608	399,353	357	58.6	53.7-63.5	58	9.7	6.6-12.8	61	9.0	6.5-11.5	61	10.9	7.8-14.0	71	11.8	8.5-15.1			
65+	859	407,355	542	63.0	58.7-67.3	66	6.6	4.6- 8.6	82	8.8	6.3-11.3	72	8.9	6.4-11.4	97	12.7	9.6-15.8			
Less Than H.S.	202	339,584	87	49.0	39.8-58.2	18	14.2	6.4-22.0	20	9.1	4.2-14.0	39	16.3	10.4-22.2	38	11.3	6.8-15.8			
H.S. or G.E.D.	816	878,929	528	66.5	62.2-70.8	56	7.4	5.0- 9.8	88	11.0	8.1-13.9	70	7.4	5.0- 9.8	74	7.8	5.4-10.2			
Some Post-H.S.	577	669,990	367	67.4	62.3-72.5	64	11.5	8.2-14.8	50	9.1	5.6-12.6	40	5.0	3.0- 7.0	56	6.9	4.5- 9.3			
College Graduate	899	506,950	619	71.4	67.3-75.5	95	11.0	8.1-13.9	91	10.1	7.4-12.8	45	4.4	2.6- 6.2	49	3.1	1.9- 4.3			
Less than \$15,000	173	172,394	63	36.4	26.6-46.2	17	16.1	6.5-25.7	20	11.9	5.8-18.0	23	14.0	7.3-20.7	50	21.7	14.1-29.3			
\$15,000- 24,999	307	311,500	166	58.2	50.8-65.6	25	7.4	3.5-11.3	36	12.6	6.9-18.3	37	12.2	7.7-16.7	43	9.6	5.9-13.3			
\$25,000- 34,999	222	233,252	129	57.9	48.7-67.1	17	7.5	3.4-11.6	26	10.6	5.3-15.9	20	12.4	5.3-19.5	30	11.6	6.1-17.1			
\$35,000- 49,999	375	343,449	252	68.8	61.9-75.7	33	10.3	5.2-15.4	40	10.2	6.1-14.3	25	4.0	1.8- 6.2	25	6.7	2.8-10.6			
\$50,000- 74,999	402	402,124	287	73.1	66.6-79.6	41	12.2	6.7-17.7	28	6.5	3.2- 9.8	19	3.2	1.4- 5.0	27	5.1	2.7- 7.5			
\$75,000+	711	627,348	510	71.6	66.9-76.3	74	10.6	7.5-13.7	70	11.8	8.1-15.5	39	4.1	2.3- 5.9	18	1.8	0.6- 3.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2015

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	3370	2,516,005	1980	58.1	55.6-60.6	364	12.1	10.3-13.9	385	11.6	9.8-13.4	385	11.7	9.9-13.5	256	6.5	5.5- 7.5	
White/Non-Hisp	2947	2,064,692	1735	57.6	54.9-60.3	324	12.9	10.9-14.9	328	11.5	9.5-13.5	328	11.2	9.4-13.0	232	6.8	5.6- 8.0	
Black or Afr. Am./Non-Hisp	191	223,223	109	61.4	51.4-71.4	17	6.8	2.7-10.9	26	13.3	7.4-19.2	29	13.8	5.0-22.6	10	4.7	1.0- 8.4	
Hispanic	109	141,678	64	60.0	48.0-72.0	13	11.1	3.8-18.4	14	10.6	3.7-17.5	13	14.5	4.5-24.5	5	3.8	0.0- 7.7	
18-24	120	314,272	65	53.9	43.1-64.7	19	15.9	8.3-23.5	23	17.6	9.2-26.0	8	9.6	2.0-17.2	5	3.0	0.0- 6.1	
25-34	250	408,337	155	61.1	53.8-68.4	40	16.6	11.1-22.1	30	10.8	6.5-15.1	21	10.3	5.4-15.2	4	1.2	0.0- 2.4	
35-44	337	404,315	215	63.2	56.5-69.9	38	9.6	6.1-13.1	36	10.5	6.4-14.6	31	10.7	6.0-15.4	17	6.0	2.7- 9.3	
45-54	490	415,548	280	53.6	48.1-59.1	60	14.0	10.1-17.9	62	14.2	10.3-18.1	53	11.9	8.2-15.6	35	6.3	3.9- 8.7	
55-64	749	416,407	423	56.4	51.7-61.1	87	11.6	8.7-14.5	71	9.4	6.7-12.1	96	12.5	9.4-15.6	72	10.0	7.1-12.9	
65+	1382	530,554	814	58.3	54.8-61.8	113	7.4	5.6- 9.2	161	9.8	7.8-11.8	174	14.2	11.7-16.7	120	10.3	7.9-12.7	
Less Than H.S.	242	294,948	106	41.4	32.2-50.6	27	13.0	6.1-19.9	35	17.6	9.2-26.0	43	18.7	10.7-26.7	31	9.3	4.8-13.8	
H.S. or G.E.D.	1126	799,627	637	57.4	53.1-61.7	104	9.8	7.1-12.5	125	10.9	8.4-13.4	163	14.0	10.9-17.1	97	7.8	5.6-10.0	
Some Post-H.S.	911	846,736	527	59.9	55.6-64.2	103	13.0	10.1-15.9	103	10.5	8.0-13.0	107	10.7	8.0-13.4	71	5.9	4.3- 7.5	
College Graduate	1067	556,344	697	65.4	61.5-69.3	127	13.5	10.6-16.4	118	11.0	8.3-13.7	71	6.3	4.3- 8.3	54	3.8	2.6- 5.0	
Less than \$15,000	312	283,385	117	43.2	34.4-52.0	23	7.5	3.0-12.0	45	13.1	8.0-18.2	76	23.4	15.2-31.6	51	12.9	8.0-17.8	
\$15,000- 24,999	559	415,982	291	51.5	45.0-58.0	49	12.9	7.8-18.0	71	11.5	7.8-15.2	95	16.6	11.7-21.5	53	7.5	5.0-10.0	
\$25,000- 34,999	335	235,446	190	57.0	49.6-64.4	39	11.0	6.3-15.7	34	10.7	5.8-15.6	38	12.1	7.4-16.8	34	9.1	5.4-12.8	
\$35,000- 49,999	460	352,667	287	61.6	54.5-68.7	60	12.9	8.8-17.0	47	11.6	5.7-17.5	43	9.0	5.1-12.9	23	4.9	2.5- 7.3	
\$50,000- 74,999	433	324,718	282	63.4	56.7-70.1	54	13.0	8.7-17.3	46	12.2	6.9-17.5	34	8.3	4.2-12.4	17	3.0	1.0- 5.0	
\$75,000+	695	514,820	471	63.4	58.3-68.5	85	15.2	11.3-19.1	73	11.6	8.1-15.1	36	5.3	3.1- 7.5	30	4.5	2.1- 6.9	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days		3-7 days		8-29 days		30 days					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	5950	4,978,319	4011	62.9	61.1-64.7	498	8.6	7.6-9.6	586	12.3	10.9-13.7	549	10.7	9.3-12.1	306	5.5	4.7-6.3
Male	2543	2,429,187	1888	69.9	67.2-72.6	166	7.5	5.9-9.1	197	9.7	7.9-11.5	177	8.1	6.5-9.7	115	4.8	3.6-6.0
Female	3407	2,549,132	2123	56.1	53.6-58.6	332	9.6	8.2-11.0	389	14.8	12.8-16.8	372	13.2	11.2-15.2	191	6.2	5.0-7.4
White/Non-Hisp	5165	4,028,469	3507	62.6	60.6-64.6	441	8.9	7.7-10.1	492	12.3	10.9-13.7	471	10.6	9.2-12.0	254	5.6	4.6-6.6
Black or Afr. Am./Non-Hisp	315	422,459	202	63.7	56.4-71.0	18	7.2	3.3-11.1	45	12.8	8.3-17.3	33	12.7	6.8-18.6	17	3.6	1.4-5.8
Oth. Race/Non-Hisp.	113	101,662	74	58.4	46.1-70.7	9	5.2	0.9-9.5	10	13.8	4.4-23.2	13	13.2	4.2-22.2	7	9.4	2.0-16.8
MultiRacial/Non-Hisp.	79	58,362	42	49.8	33.7-65.9	5	5.4	0.0-11.5	8	15.8	4.6-27.0	13	17.5	5.7-29.3	11	11.5	3.1-19.9
Hispanic	179	275,686	114	68.2	59.2-77.2	21	9.6	3.9-15.3	22	12.7	6.2-19.2	12	5.8	1.3-10.3	10	3.6	0.9-6.3
18-24	272	672,878	130	48.6	41.5-55.7	31	9.8	5.9-13.7	52	17.7	12.8-22.6	49	19.9	13.8-26.0	10	4.1	1.2-7.0
25-34	452	828,640	244	53.1	47.4-58.8	47	11.0	7.5-14.5	83	19.5	15.0-24.0	52	11.3	7.8-14.8	26	5.2	2.8-7.6
35-44	615	813,385	383	63.7	58.8-68.6	62	8.7	6.2-11.2	79	12.9	9.4-16.4	58	7.2	4.8-9.6	33	7.4	4.5-10.3
45-54	891	842,034	551	63.6	59.7-67.5	81	7.6	5.6-9.6	98	10.8	8.3-13.3	100	11.5	8.8-14.2	61	6.6	4.6-8.6
55-64	1354	815,552	893	64.7	61.4-68.0	112	9.3	7.1-11.5	115	9.3	7.3-11.3	138	10.3	8.1-12.5	96	6.4	4.8-8.0
65+	2304	967,587	1763	77.6	75.2-80.0	157	6.0	4.6-7.4	155	6.3	4.9-7.7	151	6.4	5.0-7.8	78	3.8	2.8-4.8
Less Than H.S.	455	657,707	258	55.6	48.9-62.3	30	8.3	4.4-12.2	42	10.5	6.6-14.4	67	16.6	11.1-22.1	58	9.1	5.8-12.4
H.S. or G.E.D.	1976	1,702,563	1358	65.0	61.9-68.1	134	6.7	5.1-8.3	178	10.6	8.6-12.6	187	10.9	8.7-13.1	119	6.7	5.1-8.3
Some Post-H.S.	1510	1,525,346	989	62.3	58.8-65.8	147	9.6	7.6-11.6	160	14.3	11.6-17.0	139	8.6	6.6-10.6	75	5.2	3.6-6.8
College Graduate	1969	1,063,108	1377	64.5	61.4-67.6	183	10.2	8.2-12.2	202	13.6	11.2-16.0	154	9.8	7.8-11.8	53	1.9	1.1-2.7
Less than \$15,000	504	474,147	256	48.5	42.0-55.0	36	6.1	3.0-9.2	49	12.7	7.8-17.6	88	19.1	13.2-25.0	75	13.6	9.3-17.9
\$15,000- 24,999	879	734,087	555	57.9	53.0-62.8	63	8.2	5.7-10.7	100	13.9	10.4-17.4	98	13.9	10.0-17.8	63	6.2	4.0-8.4
\$25,000- 34,999	562	469,486	362	61.7	55.8-67.6	40	6.3	3.6-9.0	60	11.4	7.7-15.1	69	14.2	9.7-18.7	31	6.4	3.3-9.5
\$35,000- 49,999	837	699,183	589	66.6	61.7-71.5	78	8.4	5.9-10.9	85	12.5	9.2-15.8	61	8.8	5.7-11.9	24	3.7	1.5-5.9
\$50,000- 74,999	839	727,842	595	63.8	58.7-68.9	70	11.2	7.5-14.9	86	14.0	10.3-17.7	50	6.3	3.6-9.0	38	4.6	2.4-6.8
\$75,000+	1416	1,148,148	993	67.5	64.0-71.0	153	10.8	8.4-13.2	135	11.1	8.7-13.5	105	8.3	6.1-10.5	30	2.2	1.2-3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2015

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2543	2,429,187	1888	69.9	67.2-72.6	166	7.5	5.9- 9.1	197	9.7	7.9-11.5	177	8.1	6.5- 9.7	115	4.8	3.6- 6.0	
White/Non-Hisp	2196	1,939,272	1656	70.7	67.8-73.6	141	7.3	5.5- 9.1	158	9.6	7.6-11.6	147	7.6	5.8- 9.4	94	4.8	3.4- 6.2	
Black or Afr. Am./Non-Hisp	117	194,858	77	66.9	56.3-77.5	7	9.3	2.0-16.6	14	9.3	3.4-15.2	13	11.3	4.4-18.2	6	3.2	0.0- 6.7	
Oth. Race/Non-Hisp.	61	65,351	39	58.2	41.3-75.1	4	2.5	0.0- 5.4	9	19.2	5.5-32.9	5	11.2	0.0-23.7	4	8.9	0.0-18.7	
Hispanic	70	134,905	48	70.6	57.1-84.1	9	12.2	2.0-22.4	7	8.2	1.1-15.3	4	6.4	0.0-14.2	2	2.6	0.0- 6.1	
18-24	147	343,897	82	55.1	45.9-64.3	17	11.4	5.1-17.7	26	16.5	10.2-22.8	18	12.6	6.1-19.1	4	4.4	0.0- 9.1	
25-34	202	418,494	123	60.6	52.6-68.6	23	11.1	5.8-16.4	26	14.4	8.5-20.3	18	9.1	4.4-13.8	12	4.8	1.9- 7.7	
35-44	276	407,438	201	75.1	68.8-81.4	22	6.5	3.2- 9.8	30	10.5	6.0-15.0	15	3.3	0.9- 5.7	8	4.7	1.0- 8.4	
45-54	398	420,300	284	72.2	66.7-77.7	23	5.0	2.6- 7.4	35	7.4	4.5-10.3	33	10.1	6.0-14.2	23	5.2	2.5- 7.9	
55-64	609	401,638	450	70.8	66.1-75.5	35	7.0	4.1- 9.9	38	6.7	4.2- 9.2	45	8.4	5.5-11.3	41	7.0	4.5- 9.5	
65+	891	425,745	731	82.9	79.6-86.2	46	4.8	2.6- 7.0	41	4.2	2.6- 5.8	47	5.5	3.3- 7.7	26	2.5	1.1- 3.9	
Less Than H.S.	205	347,533	129	65.1	56.1-74.1	13	10.0	3.9-16.1	17	5.7	2.4- 9.0	22	10.2	4.3-16.1	24	9.0	3.7-14.3	
H.S. or G.E.D.	835	889,805	618	70.6	66.3-74.9	42	5.8	3.4- 8.2	67	9.0	6.3-11.7	65	9.2	6.3-12.1	43	5.3	3.3- 7.3	
Some Post-H.S.	583	671,791	428	69.9	64.8-75.0	44	7.6	4.7-10.5	52	13.2	9.1-17.3	36	5.6	3.2- 8.0	23	3.7	1.5- 5.9	
College Graduate	904	508,815	700	71.9	67.6-76.2	67	8.7	6.0-11.4	60	9.2	6.1-12.3	53	8.1	5.4-10.8	24	2.1	0.9- 3.3	
Less than \$15,000	182	182,279	102	58.5	48.7-68.3	8	4.4	0.7- 8.1	17	9.6	4.3-14.9	24	11.8	5.9-17.7	31	15.7	7.3-24.1	
\$15,000- 24,999	309	307,726	209	66.1	58.8-73.4	19	7.3	3.4-11.2	29	12.2	7.1-17.3	32	10.9	6.2-15.6	20	3.5	1.3- 5.7	
\$25,000- 34,999	225	233,619	164	68.9	59.9-77.9	11	5.1	1.0- 9.2	19	8.6	3.5-13.7	25	14.7	7.3-22.1	6	2.6	0.0- 5.7	
\$35,000- 49,999	376	343,987	289	69.7	62.4-77.0	21	5.8	2.3- 9.3	32	10.4	5.7-15.1	23	9.9	4.6-15.2	11	4.1	0.8- 7.4	
\$50,000- 74,999	404	403,138	316	71.5	64.4-78.6	27	12.0	6.1-17.9	25	9.5	4.8-14.2	18	3.5	1.3- 5.7	18	3.6	1.4- 5.8	
\$75,000+	716	633,124	551	73.4	68.5-78.3	62	8.9	5.8-12.0	55	9.6	6.5-12.7	35	6.0	3.3- 8.7	13	2.2	0.6- 3.8	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	3407	2,549,132	2123	56.1	53.6-58.6	332	9.6	8.2-11.0	389	14.8	12.8-16.8	372	13.2	11.2-15.2	191	6.2	5.0- 7.4			
White/Non-Hisp	2969	2,089,197	1851	55.1	52.4-57.8	300	10.4	8.8-12.0	334	14.8	12.6-17.0	324	13.3	11.1-15.5	160	6.3	4.9- 7.7			
Black or Afr. Am./Non-Hisp	198	227,601	125	60.9	50.9-70.9	11	5.4	1.5- 9.3	31	15.8	9.1-22.5	20	13.9	4.9-22.9	11	3.9	1.0- 6.8			
Oth. Race/Non-Hisp.	52	36,311	35	58.8	41.6-76.0	5	10.0	0.0-20.6	1	4.2	0.0-12.2	8	16.7	4.5-28.9	3	10.2	0.0-21.4			
Hispanic	109	140,781	66	65.9	54.3-77.5	12	7.1	2.2-12.0	15	17.0	6.4-27.6	8	5.3	0.6-10.0	8	4.6	0.5- 8.7			
18-24	125	328,981	48	41.7	31.3-52.1	14	8.1	3.4-12.8	26	18.9	11.3-26.5	31	27.6	17.6-37.6	6	3.7	0.2- 7.2			
25-34	250	410,146	121	45.4	38.0-52.8	24	10.8	5.9-15.7	57	24.7	18.0-31.4	34	13.5	8.2-18.8	14	5.6	2.3- 8.9			
35-44	339	405,947	182	52.3	45.4-59.2	40	11.0	6.9-15.1	49	15.4	10.1-20.7	43	11.2	7.3-15.1	25	10.1	5.8-14.4			
45-54	493	421,734	267	55.0	49.5-60.5	58	10.1	7.2-13.0	63	14.1	10.2-18.0	67	12.9	9.4-16.4	38	7.9	5.0-10.8			
55-64	745	413,914	443	58.7	54.2-63.2	77	11.6	8.5-14.7	77	11.8	8.7-14.9	93	12.2	9.3-15.1	55	5.7	3.9- 7.5			
65+	1413	541,841	1032	73.4	70.3-76.5	111	6.9	5.3- 8.5	114	7.8	5.8- 9.8	104	7.2	5.4- 9.0	52	4.7	3.1- 6.3			
Less Than H.S.	250	310,174	129	45.1	35.9-54.3	17	6.3	2.0-10.6	25	15.8	8.5-23.1	45	23.6	14.4-32.8	34	9.2	5.3-13.1			
H.S. or G.E.D.	1141	812,759	740	58.9	54.4-63.4	92	7.7	5.3-10.1	111	12.4	9.3-15.5	122	12.7	9.6-15.8	76	8.3	5.9-10.7			
Some Post-H.S.	927	853,556	561	56.3	51.8-60.8	103	11.3	8.6-14.0	108	15.1	11.6-18.6	103	11.0	8.1-13.9	52	6.3	3.9- 8.7			
College Graduate	1065	554,293	677	57.6	53.3-61.9	116	11.6	8.9-14.3	142	17.6	14.3-20.9	101	11.5	8.8-14.2	29	1.7	0.9- 2.5			
Less than \$15,000	322	291,867	154	42.3	33.9-50.7	28	7.2	2.7-11.7	32	14.6	7.3-21.9	64	23.6	15.2-32.0	44	12.3	7.8-16.8			
\$15,000- 24,999	570	426,361	346	52.0	45.5-58.5	44	8.8	5.3-12.3	71	15.0	10.1-19.9	66	16.0	10.1-21.9	43	8.1	4.8-11.4			
\$25,000- 34,999	337	235,867	198	54.6	47.0-62.2	29	7.5	4.0-11.0	41	14.1	8.8-19.4	44	13.6	8.5-18.7	25	10.1	4.6-15.6			
\$35,000- 49,999	461	355,196	300	63.6	57.1-70.1	57	11.0	7.3-14.7	53	14.4	9.5-19.3	38	7.6	4.5-10.7	13	3.3	0.6- 6.0			
\$50,000- 74,999	435	324,704	279	54.2	47.3-61.1	43	10.3	6.2-14.4	61	19.7	14.0-25.4	32	9.9	4.6-15.2	20	5.9	2.0- 9.8			
\$75,000+	700	515,024	442	60.3	55.2-65.4	91	13.2	9.7-16.7	80	13.0	9.5-16.5	70	11.2	7.9-14.5	17	2.3	1.1- 3.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2015

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3262	2,855,107	1918	59.6	57.1-62.1	329	11.0	9.2-12.8	332	10.5	8.9-12.1	402	11.6	9.8-13.4	281	7.4	6.2- 8.6
Male	1239	1,225,405	716	60.6	56.7-64.5	133	10.1	7.6-12.6	122	11.5	8.8-14.2	130	9.0	7.0-11.0	138	8.8	6.8-10.8
Female	2023	1,629,701	1202	58.8	55.5-62.1	196	11.6	9.2-14.0	210	9.7	7.9-11.5	272	13.6	11.1-16.1	143	6.3	4.5- 8.1
White/Non-Hisp	2807	2,308,729	1650	59.5	56.8-62.2	286	10.8	9.0-12.6	280	10.2	8.6-11.8	346	12.1	10.3-13.9	245	7.5	6.1- 8.9
Black or Afr. Am./Non-Hisp	184	242,310	105	62.7	52.9-72.5	17	7.1	3.0-11.2	22	10.8	4.5-17.1	23	11.1	3.1-19.1	17	8.3	3.6-13.0
Oth. Race/Non-Hisp.	65	73,850	32	43.8	28.1-59.5	9	11.4	3.0-19.8	9	21.1	6.6-35.6	8	11.0	0.0-22.2	7	12.7	2.7-22.7
MultiRacial/Non-Hisp.	51	36,270	27	51.5	33.1-69.9	4	14.2	0.0-29.9	5	9.2	0.0-19.2	12	22.9	7.4-38.4	3	2.1	0.0- 4.8
Hispanic	106	151,116	71	61.9	48.8-75.0	12	21.2	8.3-34.1	13	11.8	3.6-20.0	7	3.5	0.2- 6.8	3	1.6	0.0- 3.6
18-24	186	463,642	113	57.6	49.0-66.2	29	14.0	8.1-19.9	24	14.0	8.1-19.9	15	10.3	4.0-16.6	5	4.1	0.0- 8.6
25-34	270	496,621	177	67.8	61.3-74.3	40	13.8	9.1-18.5	24	7.2	3.9-10.5	23	8.8	4.7-12.9	6	2.4	0.2- 4.6
35-44	329	435,043	201	59.4	52.5-66.3	39	13.5	8.0-19.0	43	12.6	8.1-17.1	33	9.7	5.8-13.6	13	4.8	1.7- 7.9
45-54	505	489,645	256	53.3	47.8-58.8	63	9.8	6.9-12.7	58	11.7	8.2-15.2	77	15.6	11.7-19.5	51	9.6	6.7-12.5
55-64	771	477,423	422	56.6	52.1-61.1	67	8.9	6.4-11.4	74	9.5	6.8-12.2	114	12.5	9.6-15.4	94	12.5	9.6-15.4
65+	1174	479,479	727	61.9	58.2-65.6	89	6.2	4.4- 8.0	107	8.4	6.2-10.6	140	12.7	10.2-15.2	111	10.6	8.2-13.0
Less Than H.S.	319	455,155	150	49.8	41.8-57.8	21	11.2	5.1-17.3	35	10.9	5.8-16.0	57	15.5	9.6-21.4	56	12.6	7.5-17.7
H.S. or G.E.D.	1087	956,274	660	59.9	55.6-64.2	84	8.3	5.8-10.8	104	11.4	8.7-14.1	142	13.0	10.1-15.9	97	7.3	5.3- 9.3
Some Post-H.S.	839	859,188	495	63.0	58.7-67.3	86	10.8	8.1-13.5	79	8.7	6.2-11.2	106	10.0	7.3-12.7	73	7.5	5.3- 9.7
College Graduate	993	567,390	599	61.4	57.1-65.7	137	15.7	12.6-18.8	111	11.4	8.7-14.1	93	8.5	6.1-10.9	53	3.1	2.1- 4.1
Less than \$15,000	372	353,438	142	41.9	34.1-49.7	26	7.6	3.1-12.1	44	14.5	9.2-19.8	84	19.9	13.2-26.6	76	16.1	11.6-20.6
\$15,000- 24,999	546	467,006	294	51.8	45.5-58.1	44	10.4	6.3-14.5	60	11.3	7.4-15.2	93	18.3	12.8-23.8	55	8.2	5.1-11.3
\$25,000- 34,999	325	276,625	192	59.8	52.4-67.2	29	9.6	5.5-13.7	31	10.2	5.3-15.1	40	13.1	8.0-18.2	33	7.4	4.1-10.7
\$35,000- 49,999	416	366,911	263	62.7	55.4-70.0	49	12.6	8.3-16.9	32	7.7	3.2-12.2	45	8.6	5.1-12.1	27	8.4	2.7-14.1
\$50,000- 74,999	408	388,350	262	63.7	56.4-71.0	51	16.8	10.1-23.5	48	9.7	6.2-13.2	25	5.7	2.8- 8.6	22	4.1	1.9- 6.3
\$75,000+	691	598,744	452	67.7	62.8-72.6	91	11.2	8.3-14.1	69	10.9	7.2-14.6	58	7.9	5.2-10.6	21	2.3	0.9- 3.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2015

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1239	1,225,405	716	60.6	56.7-64.5	133	10.1	7.6-12.6	122	11.5	8.8-14.2	130	9.0	7.0-11.0	138	8.8	6.8-10.8
White/Non-Hisp	1045	951,771	606	61.6	57.5-65.7	116	9.9	7.5-12.3	98	10.5	7.8-13.2	108	9.3	6.9-11.7	117	8.7	6.5-10.9
Black or Afr. Am./Non-Hisp	68	109,230	41	66.3	52.2-80.4	4	3.1	0.0- 6.8	8	13.3	1.7-24.9	6	5.2	0.3-10.1	9	12.1	3.3-20.9
18-24	90	210,671	62	66.6	55.2-78.0	11	9.2	3.5-14.9	11	17.4	7.2-27.6	3	2.6	0.0- 5.7	3	4.1	0.0- 8.8
25-34	107	214,989	71	68.6	58.4-78.8	16	14.3	6.5-22.1	8	7.1	1.6-12.6	12	10.0	3.9-16.1			
35-44	121	175,202	78	59.0	47.4-70.6	12	11.2	1.4-21.0	20	19.0	9.6-28.4	4	3.5	0.0- 8.0	7	7.3	1.0-13.6
45-54	197	216,940	95	54.6	45.8-63.4	28	9.1	4.8-13.4	22	10.0	5.3-14.7	24	13.5	7.6-19.4	28	12.8	7.5-18.1
55-64	314	217,478	160	55.0	47.9-62.1	35	10.1	6.0-14.2	25	7.3	3.8-10.8	46	12.7	8.2-17.2	48	14.9	10.0-19.8
65+	404	184,954	246	59.7	53.2-66.2	30	6.4	3.5- 9.3	36	10.0	5.3-14.7	41	10.8	6.5-15.1	51	13.1	8.8-17.4
Less Than H.S.	132	208,009	57	54.9	43.5-66.3	8	10.1	0.9-19.3	12	10.7	2.3-19.1	23	9.7	4.8-14.6	32	14.6	8.5-20.7
H.S. or G.E.D.	406	435,513	244	59.7	53.2-66.2	35	8.3	4.6-12.0	44	14.8	9.7-19.9	37	9.3	5.6-13.0	46	7.9	5.0-10.8
Some Post-H.S.	289	336,013	168	64.6	57.3-71.9	31	8.3	4.6-12.0	25	8.6	3.9-13.3	32	8.7	4.6-12.8	33	9.8	5.3-14.3
College Graduate	402	240,350	242	62.1	55.4-68.8	58	15.9	10.8-21.0	40	10.6	6.3-14.9	36	7.6	4.1-11.1	26	3.9	1.9- 5.9
Less than \$15,000	131	129,486	48	45.4	33.4-57.4	10	5.7	1.2-10.2	15	12.2	5.1-19.3	24	15.3	7.7-22.9	34	21.5	12.9-30.1
\$15,000- 24,999	182	174,823	91	56.0	46.2-65.8	20	9.4	3.3-15.5	21	14.7	7.1-22.3	25	9.9	4.8-15.0	25	10.0	5.1-14.9
\$25,000- 34,999	114	122,847	64	55.9	43.4-68.4	8	8.1	2.0-14.2	11	12.8	4.0-21.6	15	13.6	4.6-22.6	16	9.6	2.9-16.3
\$35,000- 49,999	166	162,154	103	61.9	50.7-73.1	17	8.7	3.8-13.6	13	10.4	1.2-19.6	17	10.5	3.6-17.4	16	8.4	1.9-14.9
\$50,000- 74,999	176	194,636	115	64.7	53.7-75.7	21	17.8	7.4-28.2	17	8.0	2.7-13.3	7	2.7	0.5- 4.9	16	6.7	2.6-10.8
\$75,000+	301	282,530	200	68.2	60.6-75.8	45	11.6	7.1-16.1	29	13.1	6.6-19.6	18	5.6	2.3- 8.9	9	1.6	0.2- 3.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2015

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2023	1,629,701	1202	58.8	55.5-62.1	196	11.6	9.4-13.8	210	9.7	7.9-11.5	272	13.6	11.1-16.1	143	6.3	4.5- 8.1
White/Non-Hisp	1762	1,356,958	1044	58.0	54.5-61.5	170	11.4	8.9-13.9	182	9.9	7.9-11.9	238	14.1	11.6-16.6	128	6.7	4.7- 8.7
Black or Afr. Am./Non-Hisp	116	133,080	64	59.8	46.5-73.1	13	10.3	3.6-17.0	14	8.7	2.6-14.8	17	16.0	2.5-29.5	8	5.2	0.9- 9.5
Hispanic	68	80,280	47	69.6	53.9-85.3	7	16.3	1.4-31.2	7	9.8	1.2-18.4	5	2.7	0.0- 5.6	2	1.5	0.0- 3.9
18-24	96	252,972	51	50.0	37.8-62.2	18	18.0	8.6-27.4	13	11.2	4.5-17.9	12	16.7	6.1-27.3	2	4.1	0.0-11.4
25-34	163	281,632	106	67.2	58.8-75.6	24	13.4	7.7-19.1	16	7.3	3.4-11.2	11	7.8	2.1-13.5	6	4.3	0.4- 8.2
35-44	208	259,841	123	59.7	51.3-68.1	27	15.0	8.1-21.9	23	8.3	4.6-12.0	29	14.0	8.1-19.9	6	3.1	0.4- 5.8
45-54	308	272,705	161	52.3	45.4-59.2	35	10.4	6.3-14.5	36	13.1	8.2-18.0	53	17.2	12.1-22.3	23	7.0	3.7-10.3
55-64	457	259,946	262	58.0	52.1-63.9	32	7.8	4.5-11.1	49	11.3	7.4-15.2	68	12.3	8.6-16.0	46	10.5	6.8-14.2
65+	770	294,526	481	63.3	58.8-67.8	59	6.1	4.1- 8.1	71	7.5	5.3- 9.7	99	14.0	10.7-17.3	60	9.1	6.4-11.8
Less Than H.S.	187	247,146	93	45.6	34.8-56.4	13	12.2	3.4-21.0	23	11.1	4.8-17.4	34	20.3	10.5-30.1	24	10.8	3.0-18.6
H.S. or G.E.D.	681	520,761	416	60.1	54.4-65.8	49	8.4	5.1-11.7	60	8.6	5.7-11.5	105	16.1	11.8-20.4	51	6.8	4.1- 9.5
Some Post-H.S.	550	523,176	327	62.0	56.5-67.5	55	12.4	8.5-16.3	54	8.7	6.0-11.4	74	10.8	7.3-14.3	40	6.1	3.9- 8.3
College Graduate	591	327,040	357	60.9	55.4-66.4	79	15.5	11.4-19.6	71	12.0	8.3-15.7	57	9.1	6.0-12.2	27	2.5	1.3- 3.7
Less than \$15,000	241	223,952	94	39.9	29.7-50.1	16	8.8	2.3-15.3	29	15.9	8.6-23.2	60	22.6	13.2-32.0	42	12.9	7.8-18.0
\$15,000- 24,999	364	292,183	203	49.4	41.4-57.4	24	11.0	5.5-16.5	39	9.2	5.1-13.3	68	23.3	15.3-31.3	30	7.1	3.2-11.0
\$25,000- 34,999	211	153,778	128	62.9	54.1-71.7	21	10.7	5.2-16.2	20	8.1	3.0-13.2	25	12.8	6.9-18.7	17	5.6	2.7- 8.5
\$35,000- 49,999	250	204,757	160	63.3	53.7-72.9	32	15.6	9.1-22.1	19	5.6	2.5- 8.7	28	7.0	3.9-10.1	11	8.4	0.0-17.2
\$50,000- 74,999	232	193,714	147	62.7	53.3-72.1	30	15.8	7.2-24.4	31	11.3	6.4-16.2	18	8.8	3.3-14.3	6	1.4	0.0- 2.8
\$75,000+	390	316,214	252	67.3	61.0-73.6	46	10.9	7.0-14.8	40	8.9	5.4-12.4	40	10.0	5.9-14.1	12	2.9	0.5- 5.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6048	5,036,468	5625	88.4	87.0-89.8	423	11.6	10.2-13.0
Male	2570	2,449,155	2365	87.4	85.2-89.6	205	12.6	10.4-14.8
Female	3478	2,587,313	3260	89.4	87.6-91.2	218	10.6	8.8-12.4
White/Non-Hisp	5248	4,073,185	4947	90.4	89.0-91.8	301	9.6	8.2-11.0
Black or Afr. Am./Non-Hisp	318	424,048	279	84.1	78.6-89.6	39	15.9	10.4-21.4
Oth. Race/Non-Hisp.	119	110,243	106	80.6	69.4-91.8	13	19.4	8.2-30.6
MultiRacial/Non-Hisp.	79	58,362	70	83.9	71.9-95.9	9	16.1	4.1-28.1
Hispanic	182	278,310	130	72.1	64.3-79.9	52	27.9	20.1-35.7
18-24	273	673,367	219	79.8	74.3-85.3	54	20.2	14.7-25.7
25-34	452	829,459	375	81.5	77.0-86.0	77	18.5	14.0-23.0
35-44	619	818,155	546	85.7	82.2-89.2	73	14.3	10.8-17.8
45-54	904	852,649	817	89.1	86.4-91.8	87	10.9	8.2-13.6
55-64	1386	838,425	1296	92.6	90.6-94.6	90	7.4	5.4- 9.4
65+	2353	986,244	2315	98.1	97.3-98.9	38	1.9	1.1- 2.7
Less Than H.S.	477	665,371	399	76.6	70.9-82.3	78	23.4	17.7-29.1
H.S. or G.E.D.	2024	1,735,431	1848	86.4	84.0-88.8	176	13.6	11.2-16.0
Some Post-H.S.	1526	1,538,586	1429	91.5	89.3-93.7	97	8.5	6.3-10.7
College Graduate	1983	1,068,792	1914	94.5	92.7-96.3	69	5.5	3.7- 7.3
Less than \$15,000	521	485,518	448	78.2	72.7-83.7	73	21.8	16.3-27.3
\$15,000- 24,999	899	753,714	786	78.0	73.5-82.5	113	22.0	17.5-26.5
\$25,000- 34,999	571	477,746	517	88.8	85.1-92.5	54	11.2	7.5-14.9
\$35,000- 49,999	844	703,717	795	91.0	87.7-94.3	49	9.0	5.7-12.3
\$50,000- 74,999	847	731,136	802	91.6	88.7-94.5	45	8.4	5.5-11.3
\$75,000+	1419	1,146,870	1386	96.1	94.1-98.1	33	3.9	1.9- 5.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2570	2,449,155	2365	87.4	85.2-89.6	205	12.6	10.4-14.8
White/Non-Hisp	2219	1,958,470	2071	89.3	87.1-91.5	148	10.7	8.5-12.9
Black or Afr. Am./Non-Hisp	117	192,861	100	83.3	74.5-92.1	17	16.7	7.9-25.5
Oth. Race/Non-Hisp.	63	70,010	54	73.8	57.5-90.1	9	26.2	9.9-42.5
Hispanic	69	133,540	48	74.1	62.3-85.9	21	25.9	14.1-37.7
18-24	149	347,023	121	80.2	72.8-87.6	28	19.8	12.4-27.2
25-34	199	414,137	161	79.3	72.2-86.4	38	20.7	13.6-27.8
35-44	278	409,325	243	86.1	81.0-91.2	35	13.9	8.8-19.0
45-54	403	426,716	360	88.0	83.9-92.1	43	12.0	7.9-16.1
55-64	620	409,883	574	91.0	87.9-94.1	46	9.0	5.9-12.1
65+	902	430,557	889	98.2	96.8-99.6	13	1.8	0.4- 3.2
Less Than H.S.	208	348,099	175	76.5	68.5-84.5	33	23.5	15.5-31.5
H.S. or G.E.D.	848	899,205	752	84.6	81.1-88.1	96	15.4	11.9-18.9
Some Post-H.S.	590	679,948	549	91.5	88.2-94.8	41	8.5	5.2-11.8
College Graduate	909	511,745	874	94.0	91.1-96.9	35	6.0	3.1- 8.9
Less than \$15,000	182	179,634	156	78.3	69.9-86.7	26	21.7	13.3-30.1
\$15,000- 24,999	316	319,463	261	74.0	66.9-81.1	55	26.0	18.9-33.1
\$25,000- 34,999	227	236,936	204	88.4	82.7-94.1	23	11.6	5.9-17.3
\$35,000- 49,999	380	345,692	354	88.6	82.7-94.5	26	11.4	5.5-17.3
\$50,000- 74,999	409	404,859	388	93.3	89.8-96.8	21	6.7	3.2-10.2
\$75,000+	717	633,998	694	94.0	90.7-97.3	23	6.0	2.7- 9.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3478	2,587,313	3260	89.4	87.6-91.2	218	10.6	8.8-12.4
White/Non-Hisp	3029	2,114,715	2876	91.3	89.5-93.1	153	8.7	6.9-10.5
Black or Afr. Am./Non-Hisp	201	231,187	179	84.8	77.9-91.7	22	15.2	8.3-22.1
Oth. Race/Non-Hisp.	56	40,233	52	92.4	83.8- 100	4	7.6	0.0-16.2
Hispanic	113	144,770	82	70.3	59.9-80.7	31	29.7	19.3-40.1
18-24	124	326,345	98	79.5	71.3-87.7	26	20.5	12.3-28.7
25-34	253	415,322	214	83.6	77.9-89.3	39	16.4	10.7-22.1
35-44	341	408,830	303	85.2	80.1-90.3	38	14.8	9.7-19.9
45-54	501	425,932	457	90.2	86.9-93.5	44	9.8	6.5-13.1
55-64	766	428,541	722	94.1	91.7-96.5	44	5.9	3.5- 8.3
65+	1451	555,687	1426	98.1	97.1-99.1	25	1.9	0.9- 2.9
Less Than H.S.	269	317,272	224	76.7	68.7-84.7	45	23.3	15.3-31.3
H.S. or G.E.D.	1176	836,226	1096	88.4	85.3-91.5	80	11.6	8.5-14.7
Some Post-H.S.	936	858,637	880	91.4	88.7-94.1	56	8.6	5.9-11.3
College Graduate	1074	557,047	1040	95.0	92.8-97.2	34	5.0	2.8- 7.2
Less than \$15,000	339	305,884	292	78.1	70.8-85.4	47	21.9	14.6-29.2
\$15,000- 24,999	583	434,251	525	80.9	75.2-86.6	58	19.1	13.4-24.8
\$25,000- 34,999	344	240,810	313	89.2	84.5-93.9	31	10.8	6.1-15.5
\$35,000- 49,999	464	358,024	441	93.3	90.2-96.4	23	6.7	3.6- 9.8
\$50,000- 74,999	438	326,277	414	89.6	85.1-94.1	24	10.4	5.9-14.9
\$75,000+	702	512,873	692	98.8	98.0-99.6	10	1.2	0.4- 2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6025	5,021,076	4962	75.4	73.6-77.2	378	5.8	5.0- 6.6	685	18.7	17.1-20.3
Male	2563	2,443,879	1976	68.9	66.2-71.6	168	5.2	4.0- 6.4	419	25.8	23.1-28.5
Female	3462	2,577,198	2986	81.6	79.4-83.8	210	6.4	5.2- 7.6	266	12.0	10.2-13.8
White/Non-Hisp	5234	4,066,558	4382	77.5	75.7-79.3	326	5.9	4.9- 6.9	526	16.5	14.7-18.3
Black or Afr. Am./Non-Hisp	317	423,584	248	74.2	67.5-80.9	19	3.6	1.4- 5.8	50	22.2	15.7-28.7
Oth. Race/Non-Hisp.	116	108,789	84	58.0	45.7-70.3	7	5.1	0.8- 9.4	25	36.9	24.6-49.2
MultiRacial/Non-Hisp.	79	58,362	58	71.5	57.8-85.2	6	4.7	0.0- 9.8	15	23.8	10.7-36.9
Hispanic	178	271,539	115	57.4	47.8-67.0	12	7.5	2.0-13.0	51	35.1	26.1-44.1
18-24	276	682,727	160	59.9	53.2-66.6	19	5.0	2.5- 7.5	97	35.1	28.6-41.6
25-34	453	826,749	281	57.3	51.6-63.0	26	5.9	3.4- 8.4	146	36.8	31.3-42.3
35-44	617	813,795	478	76.0	71.7-80.3	33	5.2	2.8- 7.6	106	18.9	15.2-22.6
45-54	896	845,426	733	81.4	78.3-84.5	42	4.3	2.7- 5.9	121	14.3	11.4-17.2
55-64	1381	834,169	1188	84.5	82.0-87.0	83	6.6	4.8- 8.4	110	8.9	6.9-10.9
65+	2339	979,659	2069	87.7	85.7-89.7	171	7.6	6.2- 9.0	99	4.7	3.3- 6.1
Less Than H.S.	476	673,078	356	68.5	62.4-74.6	42	6.7	4.0- 9.4	78	24.8	18.9-30.7
H.S. or G.E.D.	2015	1,724,911	1631	72.8	69.7-75.9	128	5.9	4.3- 7.5	256	21.3	18.4-24.2
Some Post-H.S.	1512	1,524,852	1270	79.2	76.1-82.3	94	4.8	3.4- 6.2	148	16.0	13.1-18.9
College Graduate	1983	1,069,106	1675	78.7	76.0-81.4	112	6.8	5.2- 8.4	196	14.6	12.2-17.0
Less than \$15,000	514	476,983	387	67.5	61.0-74.0	38	6.8	3.5-10.1	89	25.7	19.6-31.8
\$15,000- 24,999	898	754,360	701	67.5	62.8-72.2	71	8.0	5.5-10.5	126	24.5	20.0-29.0
\$25,000- 34,999	565	471,776	472	79.2	74.3-84.1	36	5.4	3.0- 7.8	57	15.4	10.9-19.9
\$35,000- 49,999	842	702,617	687	75.3	70.6-80.0	51	5.4	3.2- 7.6	104	19.4	14.9-23.9
\$50,000- 74,999	846	729,389	716	77.0	72.5-81.5	36	4.1	2.3- 5.9	94	18.9	14.6-23.2
\$75,000+	1420	1,148,008	1219	81.8	78.5-85.1	86	6.7	4.7- 8.7	115	11.5	8.6-14.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2563	2,443,879	1976	68.9	66.2-71.6	168	5.2	4.0- 6.4	419	25.8	23.1-28.5
White/Non-Hisp	2213	1,952,352	1743	70.7	67.8-73.6	146	5.6	4.4- 6.8	324	23.7	20.8-26.6
Black or Afr. Am./Non-Hisp	117	193,991	85	69.3	58.5-80.1	5	1.5	0.0- 3.1	27	29.1	18.3-39.9
Oth. Race/Non-Hisp.	61	68,873	41	53.2	36.5-69.9	4	3.9	0.0- 8.4	16	42.8	26.1-59.5
Hispanic	69	132,356	37	52.6	37.5-67.7	4	5.2	0.0-10.5	28	42.2	27.5-56.9
18-24	150	351,039	75	49.1	39.9-58.3	6	3.4	0.3- 6.5	69	47.5	38.3-56.7
25-34	200	411,427	100	46.5	38.1-54.9	12	5.4	2.1- 8.7	88	48.0	39.6-56.4
35-44	277	408,035	192	69.3	62.8-75.8	13	4.1	1.6- 6.6	72	26.6	20.3-32.9
45-54	402	425,047	313	78.2	73.1-83.3	15	3.0	1.0- 5.0	74	18.8	13.9-23.7
55-64	618	407,316	510	80.3	76.2-84.4	47	7.4	4.9- 9.9	61	12.3	8.6-16.0
65+	896	429,341	771	86.0	82.9-89.1	75	8.0	5.6-10.4	50	6.0	3.6- 8.4
Less Than H.S.	210	353,688	142	63.1	54.3-71.9	19	5.6	2.5- 8.7	49	31.3	22.5-40.1
H.S. or G.E.D.	843	894,832	621	64.2	59.5-68.9	56	5.5	3.5- 7.5	166	30.2	25.7-34.7
Some Post-H.S.	585	672,242	465	74.3	69.2-79.4	38	3.3	1.9- 4.7	82	22.3	17.2-27.4
College Graduate	909	511,874	739	74.4	70.1-78.7	53	7.0	4.5- 9.5	117	18.6	14.7-22.5
Less than \$15,000	180	180,351	120	54.0	43.8-64.2	17	7.0	2.5-11.5	43	38.9	28.5-49.3
\$15,000- 24,999	316	320,558	210	56.2	48.6-63.8	26	6.6	2.9-10.3	80	37.2	29.6-44.8
\$25,000- 34,999	228	237,154	175	72.6	64.6-80.6	16	4.9	2.0- 7.8	37	22.5	14.9-30.1
\$35,000- 49,999	379	344,891	286	68.6	61.3-75.9	28	6.3	3.0- 9.6	65	25.1	18.0-32.2
\$50,000- 74,999	409	403,790	324	70.2	63.3-77.1	19	2.9	1.3- 4.5	66	26.9	20.0-33.8
\$75,000+	716	630,417	607	79.1	74.2-84.0	38	5.8	3.4- 8.2	71	15.1	10.4-19.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3462	2,577,198	2986	81.6	79.4-83.8	210	6.4	5.2- 7.6	266	12.0	10.2-13.8
White/Non-Hisp	3021	2,114,206	2639	83.8	81.6-86.0	180	6.2	4.8- 7.6	202	10.0	8.0-12.0
Black or Afr. Am./Non-Hisp	200	229,594	163	78.3	70.3-86.3	14	5.4	1.9- 8.9	23	16.3	8.9-23.7
Oth. Race/Non-Hisp.	55	39,916	43	66.3	48.9-83.7	3	7.0	0.0-15.4	9	26.7	9.6-43.8
Hispanic	109	139,183	78	61.9	49.7-74.1	8	9.7	0.3-19.1	23	28.4	17.2-39.6
18-24	126	331,688	85	71.3	62.3-80.3	13	6.7	2.6-10.8	28	22.0	13.8-30.2
25-34	253	415,322	181	68.0	60.9-75.1	14	6.4	2.7-10.1	58	25.6	18.9-32.3
35-44	340	405,760	286	82.6	77.3-87.9	20	6.2	2.5- 9.9	34	11.1	7.0-15.2
45-54	494	420,378	420	84.6	80.5-88.7	27	5.7	3.0- 8.4	47	9.7	6.6-12.8
55-64	763	426,853	678	88.5	85.4-91.6	36	5.9	3.2- 8.6	49	5.6	3.8- 7.4
65+	1443	550,318	1298	89.0	86.5-91.5	96	7.3	5.3- 9.3	49	3.7	1.9- 5.5
Less Than H.S.	266	319,391	214	74.4	66.2-82.6	23	8.0	3.1-12.9	29	17.6	10.2-25.0
H.S. or G.E.D.	1172	830,078	1010	82.0	78.5-85.5	72	6.4	4.2- 8.6	90	11.6	8.5-14.7
Some Post-H.S.	927	852,610	805	83.1	79.4-86.8	56	5.9	3.7- 8.1	66	11.0	7.7-14.3
College Graduate	1074	557,232	936	82.6	79.3-85.9	59	6.5	4.3- 8.7	79	10.8	7.9-13.7
Less than \$15,000	334	296,632	267	75.6	68.2-83.0	21	6.7	2.0-11.4	46	17.7	11.0-24.4
\$15,000- 24,999	582	433,801	491	75.8	69.9-81.7	45	9.1	5.6-12.6	46	15.1	9.8-20.4
\$25,000- 34,999	337	234,622	297	85.9	80.6-91.2	20	5.9	2.4- 9.4	20	8.1	3.8-12.4
\$35,000- 49,999	463	357,725	401	81.7	75.8-87.6	23	4.5	2.0- 7.0	39	13.9	8.4-19.4
\$50,000- 74,999	437	325,599	392	85.4	80.3-90.5	17	5.6	2.1- 9.1	28	9.1	5.0-13.2
\$75,000+	704	517,592	612	85.1	81.2-89.0	48	7.8	4.7-10.9	44	7.2	4.7- 9.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6049	5,044,459	582	14.3	12.9-15.7	5467	85.7	84.3-87.1
Male	2573	2,453,159	211	12.6	10.6-14.6	2362	87.4	85.4-89.4
Female	3476	2,591,300	371	16.0	14.0-18.0	3105	84.0	82.0-86.0
White/Non-Hisp	5253	4,087,679	434	12.4	10.8-14.0	4819	87.6	86.0-89.2
Black or Afr. Am./Non-Hisp	316	422,390	58	20.9	15.0-26.8	258	79.1	73.2-85.0
Oth. Race/Non-Hisp.	119	110,243	14	18.5	8.3-28.7	105	81.5	71.3-91.7
MultiRacial/Non-Hisp.	79	58,362	18	27.1	12.8-41.4	61	72.9	58.6-87.2
Hispanic	180	276,158	45	27.6	19.0-36.2	135	72.4	63.8-81.0
18-24	275	681,182	49	19.5	13.8-25.2	226	80.5	74.8-86.2
25-34	454	832,892	81	19.0	14.7-23.3	373	81.0	76.7-85.3
35-44	619	818,228	82	16.7	12.8-20.6	537	83.3	79.4-87.2
45-54	903	854,582	126	16.3	13.2-19.4	777	83.7	80.6-86.8
55-64	1384	834,200	150	12.5	10.1-14.9	1234	87.5	85.1-89.9
65+	2351	984,824	88	4.8	3.4- 6.2	2263	95.2	93.8-96.6
Less Than H.S.	478	675,579	97	25.7	20.0-31.4	381	74.3	68.6-80.0
H.S. or G.E.D.	2025	1,734,668	204	15.4	12.9-17.9	1821	84.6	82.1-87.1
Some Post-H.S.	1525	1,538,153	161	13.3	10.9-15.7	1364	86.7	84.3-89.1
College Graduate	1981	1,066,465	115	7.1	5.5- 8.7	1866	92.9	91.3-94.5
Less than \$15,000	518	484,112	122	30.9	24.6-37.2	396	69.1	62.8-75.4
\$15,000- 24,999	900	754,329	136	21.7	17.4-26.0	764	78.3	74.0-82.6
\$25,000- 34,999	571	477,440	76	19.0	13.9-24.1	495	81.0	75.9-86.1
\$35,000- 49,999	844	703,832	65	10.9	7.6-14.2	779	89.1	85.8-92.4
\$50,000- 74,999	848	732,322	63	11.2	7.9-14.5	785	88.8	85.5-92.1
\$75,000+	1422	1,152,393	45	4.1	2.5- 5.7	1377	95.9	94.3-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2573	2,453,159	211	12.6	10.6-14.6	2362	87.4	85.4-89.4
White/Non-Hisp	2224	1,967,544	162	11.1	8.9-13.3	2062	88.9	86.7-91.1
Black or Afr. Am./Non-Hisp	116	191,889	18	17.9	9.1-26.7	98	82.1	73.3-90.9
Oth. Race/Non-Hisp.	63	70,010	7	19.2	4.9-33.5	56	80.8	66.5-95.1
Hispanic	69	132,356	12	19.8	8.2-31.4	57	80.2	68.6-91.8
18-24	149	346,893	15	13.9	6.6-21.2	134	86.1	78.8-93.4
25-34	202	418,494	33	17.7	11.2-24.2	169	82.3	75.8-88.8
35-44	279	410,690	28	13.3	8.0-18.6	251	86.7	81.4-92.0
45-54	404	429,419	57	16.4	11.7-21.1	347	83.6	78.9-88.3
55-64	617	405,341	46	9.2	6.3-12.1	571	90.8	87.9-93.7
65+	902	430,648	29	4.7	2.3- 7.1	873	95.3	92.9-97.7
Less Than H.S.	208	353,093	42	24.3	16.3-32.3	166	75.7	67.7-83.7
H.S. or G.E.D.	851	901,099	84	14.3	10.8-17.8	767	85.7	82.2-89.2
Some Post-H.S.	588	676,428	48	10.3	6.8-13.8	540	89.7	86.2-93.2
College Graduate	910	511,296	36	4.6	2.8- 6.4	874	95.4	93.6-97.2
Less than \$15,000	181	180,475	43	32.5	22.3-42.7	138	67.5	57.3-77.7
\$15,000- 24,999	317	320,551	50	20.8	14.3-27.3	267	79.2	72.7-85.7
\$25,000- 34,999	228	237,154	22	15.7	7.9-23.5	206	84.3	76.5-92.1
\$35,000- 49,999	380	345,807	24	11.2	5.5-16.9	356	88.8	83.1-94.5
\$50,000- 74,999	410	406,045	23	7.2	3.9-10.5	387	92.8	89.5-96.1
\$75,000+	719	635,726	23	4.7	2.2- 7.2	696	95.3	92.8-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3476	2,591,300	371	16.0	14.0-18.0	3105	84.0	82.0-86.0
White/Non-Hisp	3029	2,120,135	272	13.5	11.3-15.7	2757	86.5	84.3-88.7
Black or Afr. Am./Non-Hisp	200	230,501	40	23.4	15.4-31.4	160	76.6	68.6-84.6
Oth. Race/Non-Hisp.	56	40,233	7	17.5	4.8-30.2	49	82.5	69.8-95.2
Hispanic	111	143,803	33	34.8	23.2-46.4	78	65.2	53.6-76.8
18-24	126	334,289	34	25.3	16.5-34.1	92	74.7	65.9-83.5
25-34	252	414,398	48	20.3	14.4-26.2	204	79.7	73.8-85.6
35-44	340	407,538	54	20.1	14.2-26.0	286	79.9	74.0-85.8
45-54	499	425,163	69	16.2	12.1-20.3	430	83.8	79.7-87.9
55-64	767	428,859	104	15.7	12.2-19.2	663	84.3	80.8-87.8
65+	1449	554,176	59	4.9	3.3- 6.5	1390	95.1	93.5-96.7
Less Than H.S.	270	322,486	55	27.2	19.0-35.4	215	72.8	64.6-81.0
H.S. or G.E.D.	1174	833,569	120	16.6	13.1-20.1	1054	83.4	79.9-86.9
Some Post-H.S.	937	861,726	113	15.7	12.4-19.0	824	84.3	81.0-87.6
College Graduate	1071	555,169	79	9.3	6.8-11.8	992	90.7	88.2-93.2
Less than \$15,000	337	303,637	79	29.9	22.1-37.7	258	70.1	62.3-77.9
\$15,000- 24,999	583	433,778	86	22.3	16.4-28.2	497	77.7	71.8-83.6
\$25,000- 34,999	343	240,286	54	22.4	15.9-28.9	289	77.6	71.1-84.1
\$35,000- 49,999	464	358,024	41	10.6	6.9-14.3	423	89.4	85.7-93.1
\$50,000- 74,999	438	326,277	40	16.2	10.3-22.1	398	83.8	77.9-89.7
\$75,000+	703	516,667	22	3.2	1.6- 4.8	681	96.8	95.2-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6008	5,015,218	4407	65.5	63.7-67.3	691	13.5	12.1-14.9	389	8.8	7.6-10.0	476	11.3	9.9-12.7	45	1.0	0.6- 1.4
Male	2561	2,445,135	1731	57.4	54.7-60.1	336	15.9	13.7-18.1	206	10.4	8.6-12.2	263	14.7	12.5-16.9	25	1.6	0.8- 2.4
Female	3447	2,570,083	2676	73.1	70.7-75.5	355	11.1	9.5-12.7	183	7.3	5.9- 8.7	213	8.0	6.4- 9.6	20	0.4	0.2- 0.6
White/Non-Hisp	5208	4,048,404	3838	65.6	63.6-67.6	602	13.8	12.2-15.4	323	8.2	7.0- 9.4	409	11.5	9.9-13.1	36	0.9	0.5- 1.3
Black or Afr. Am./Non-Hisp	318	425,334	252	77.6	71.7-83.5	31	10.1	5.8-14.4	18	7.8	3.9-11.7	16	4.1	1.6- 6.6	1	0.4	0.0- 1.2
Oth. Race/Non-Hisp.	118	109,411	75	54.0	41.8-66.2	17	14.6	5.0-24.2	11	12.8	4.8-20.8	14	16.1	6.7-25.5	1	2.5	0.0- 7.4
MultiRacial/Non-Hisp.	79	58,362	55	64.4	48.9-79.9	8	9.2	0.0-18.4	10	20.8	7.1-34.5	5	4.4	0.0-10.1	1	1.2	0.0- 3.6
Hispanic	181	278,530	111	51.6	42.0-61.2	23	15.0	7.6-22.4	20	14.6	7.0-22.2	21	14.9	8.2-21.6	6	3.9	0.6- 7.2
18-24	271	671,662	140	51.1	44.0-58.2	58	20.9	15.4-26.4	41	14.9	10.0-19.8	28	11.9	7.4-16.4	4	1.3	0.1- 2.5
25-34	453	830,180	247	53.2	47.5-58.9	75	16.3	12.2-20.4	50	10.1	7.0-13.2	77	19.4	14.7-24.1	4	1.0	0.0- 2.0
35-44	617	815,950	370	58.4	53.5-63.3	102	15.5	12.0-19.0	70	11.8	8.5-15.1	68	12.5	9.2-15.8	7	1.8	0.2- 3.4
45-54	900	851,612	615	65.4	61.3-69.5	108	12.5	9.6-15.4	68	8.6	6.1-11.1	104	12.8	9.9-15.7	5	0.7	0.0- 1.5
55-64	1379	831,184	1032	74.4	71.5-77.3	155	10.1	8.1-12.1	76	6.0	4.4- 7.6	107	8.5	6.3-10.7	9	1.0	0.2- 1.8
65+	2326	976,311	1958	83.8	81.8-85.8	182	7.8	6.4- 9.2	81	3.8	2.6- 5.0	89	4.1	2.9- 5.3	16	0.6	0.2- 1.0
Less Than H.S.	468	664,902	316	58.8	52.3-65.3	51	14.1	9.2-19.0	44	11.4	7.1-15.7	48	14.0	9.5-18.5	9	1.7	0.3- 3.1
H.S. or G.E.D.	2011	1,729,755	1447	63.0	59.9-66.1	218	12.6	10.4-14.8	130	9.0	7.0-11.0	203	14.4	11.9-16.9	13	1.1	0.3- 1.9
Some Post-H.S.	1513	1,527,900	1142	68.8	65.5-72.1	165	13.2	10.7-15.7	92	8.0	6.0-10.0	97	8.9	6.7-11.1	17	1.1	0.3- 1.9
College Graduate	1977	1,063,286	1472	68.5	65.6-71.4	253	15.1	12.7-17.5	121	7.9	6.1- 9.7	125	8.0	6.2- 9.8	6	0.5	0.1- 0.9
Less than \$15,000	516	487,011	358	61.7	55.2-68.2	55	14.0	9.1-18.9	39	9.8	5.9-13.7	54	12.2	7.9-16.5	10	2.3	0.5- 4.1
\$15,000- 24,999	889	747,384	651	63.2	58.3-68.1	89	13.3	9.8-16.8	60	8.8	5.7-11.9	77	13.1	9.4-16.8	12	1.7	0.5- 2.9
\$25,000- 34,999	564	471,543	409	65.9	60.2-71.6	64	11.6	7.9-15.3	45	10.0	6.5-13.5	42	11.6	7.3-15.9	4	0.9	0.0- 2.1
\$35,000- 49,999	842	703,505	613	66.4	61.5-71.3	95	13.7	9.8-17.6	60	10.0	6.9-13.1	71	9.6	6.7-12.5	3	0.3	0.0- 0.7
\$50,000- 74,999	847	731,337	628	66.1	61.2-71.0	95	12.9	9.2-16.6	48	8.3	5.4-11.2	71	11.9	8.4-15.4	5	0.8	0.0- 1.6
\$75,000+	1416	1,140,861	1034	67.0	63.3-70.7	195	14.7	12.2-17.2	93	9.1	6.6-11.6	91	8.5	6.1-10.9	3	0.7	0.0- 1.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2561	2,445,135	1731	57.4	54.7-60.1	336	15.9	13.7-18.1	206	10.4	8.6-12.2	263	14.7	12.5-16.9	25	1.6	0.8- 2.4
White/Non-Hisp	2208	1,949,163	1510	58.0	54.9-61.1	294	16.4	14.0-18.8	167	9.6	7.8-11.4	217	14.6	12.2-17.0	20	1.5	0.7- 2.3
Black or Afr. Am./Non-Hisp	117	194,147	83	68.7	58.3-79.1	14	12.0	4.7-19.3	10	12.1	4.7-19.5	9	6.4	1.7-11.1	1	0.9	0.0- 2.7
Oth. Race/Non-Hisp.	63	70,010	36	45.7	29.6-61.8	10	17.0	3.3-30.7	8	16.2	4.6-27.8	8	17.2	4.1-30.3	1	3.9	0.0-11.3
Hispanic	70	134,905	33	39.1	24.4-53.8	9	18.9	5.8-32.0	11	15.9	4.5-27.3	14	20.6	9.6-31.6	3	5.4	0.0-11.5
18-24	148	345,748	65	41.3	32.1-50.5	40	29.3	20.7-37.9	22	14.8	8.1-21.5	17	12.1	6.4-17.8	4	2.5	0.1- 4.9
25-34	201	416,062	71	35.7	27.7-43.7	39	19.3	12.4-26.2	33	14.1	8.6-19.6	55	29.4	21.6-37.2	3	1.6	0.0- 3.4
35-44	277	407,696	149	52.0	44.7-59.3	44	15.2	10.3-20.1	37	12.8	8.1-17.5	42	16.9	11.2-22.6	5	3.1	0.2- 6.0
45-54	403	427,987	242	56.8	50.3-63.3	61	16.1	11.0-21.2	35	9.5	5.6-13.4	61	16.7	12.0-21.4	4	1.0	0.0- 2.0
55-64	619	408,373	457	72.7	68.2-77.2	70	10.0	7.1-12.9	42	7.2	4.7- 9.7	44	8.5	5.2-11.8	6	1.6	0.0- 3.2
65+	893	427,594	734	82.6	79.3-85.9	78	7.8	5.6-10.0	37	5.2	3.0- 7.4	41	4.1	2.5- 5.7	3	0.4	0.0- 1.2
Less Than H.S.	207	351,520	122	49.2	40.0-58.4	27	17.9	9.9-25.9	21	11.3	5.4-17.2	32	19.1	12.0-26.2	5	2.4	0.0- 4.8
H.S. or G.E.D.	848	901,998	553	55.5	50.8-60.2	108	14.7	11.4-18.0	73	11.3	8.2-14.4	106	16.9	13.2-20.6	8	1.6	0.4- 2.8
Some Post-H.S.	583	671,471	411	61.4	55.7-67.1	71	15.8	11.3-20.3	45	9.1	6.0-12.2	46	11.6	7.5-15.7	10	2.2	0.4- 4.0
College Graduate	907	508,903	636	61.2	56.7-65.7	127	16.9	13.2-20.6	65	9.7	7.0-12.4	77	11.6	8.3-14.9	2	0.6	0.0- 1.4
Less than \$15,000	183	183,308	125	58.7	48.5-68.9	18	13.4	5.0-21.8	13	9.7	3.6-15.8	22	13.2	6.5-19.9	5	5.0	0.5- 9.5
\$15,000- 24,999	316	320,119	201	55.8	48.2-63.4	34	13.6	8.3-18.9	33	12.0	6.9-17.1	42	16.0	10.3-21.7	6	2.6	0.1- 5.1
\$25,000- 34,999	222	231,703	151	58.0	48.8-67.2	27	13.5	7.4-19.6	23	11.9	6.4-17.4	19	15.5	7.7-23.3	2	1.1	0.0- 2.9
\$35,000- 49,999	380	346,125	261	58.6	51.2-66.0	47	17.4	10.7-24.1	31	10.6	6.3-14.9	39	12.9	7.8-18.0	2	0.5	0.0- 1.3
\$50,000- 74,999	410	405,516	271	56.8	49.5-64.1	59	16.5	10.6-22.4	31	9.3	5.2-13.4	45	16.1	10.6-21.6	4	1.3	0.0- 2.9
\$75,000+	716	629,484	498	60.7	55.2-66.2	106	16.6	12.7-20.5	55	10.5	6.6-14.4	54	10.9	7.0-14.8	3	1.3	0.0- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3447	2,570,083	2676	73.1	70.7-75.5	355	11.1	9.5-12.7	183	7.3	5.9- 8.7	213	8.0	6.4- 9.6	20	0.4	0.2- 0.6
White/Non-Hisp	3000	2,099,241	2328	72.5	70.0-75.0	308	11.5	9.7-13.3	156	7.0	5.4- 8.6	192	8.7	6.9-10.5	16	0.3	0.1- 0.5
Black or Afr. Am./Non-Hisp	201	231,187	169	85.1	79.0-91.2	17	8.4	3.5-13.3	8	4.3	0.8- 7.8	7	2.2	0.0- 4.4			
Oth. Race/Non-Hisp.	55	39,401	39	68.7	53.2-84.2	7	10.4	0.6-20.2	3	6.9	0.0-15.5	6	14.0	2.2-25.8			
Hispanic	111	143,625	78	63.4	51.4-75.4	14	11.3	4.4-18.2	9	13.3	3.1-23.5	7	9.5	1.7-17.3	3	2.5	0.0- 5.4
18-24	123	325,914	75	61.4	51.2-71.6	18	12.0	5.9-18.1	19	14.9	7.8-22.0	11	11.6	4.3-18.9			
25-34	252	414,118	176	70.9	64.2-77.6	36	13.3	8.4-18.2	17	6.1	3.0- 9.2	22	9.4	5.1-13.7	1	0.3	0.0- 0.9
35-44	340	408,254	221	64.8	58.3-71.3	58	15.9	11.0-20.8	33	10.8	6.1-15.5	26	8.2	4.5-11.9	2	0.4	0.0- 1.0
45-54	497	423,624	373	74.0	69.1-78.9	47	8.8	5.9-11.7	33	7.7	4.6-10.8	43	9.0	5.9-12.1	1	0.5	0.0- 1.5
55-64	760	422,811	575	76.1	72.2-80.0	85	10.1	7.6-12.6	34	4.8	2.8- 6.8	63	8.5	6.0-11.0	3	0.5	0.0- 1.1
65+	1433	548,717	1224	84.8	82.3-87.3	104	7.8	6.0- 9.6	44	2.7	1.7- 3.7	48	4.1	2.5- 5.7	13	0.6	0.2- 1.0
Less Than H.S.	261	313,383	194	69.5	60.9-78.1	24	9.9	4.6-15.2	23	11.6	5.3-17.9	16	8.2	2.9-13.5	4	0.9	0.0- 2.1
H.S. or G.E.D.	1163	827,758	894	71.1	67.0-75.2	110	10.3	7.8-12.8	57	6.5	4.3- 8.7	97	11.6	8.5-14.7	5	0.5	0.0- 1.1
Some Post-H.S.	930	856,429	731	74.6	70.5-78.7	94	11.1	8.2-14.0	47	7.3	4.8- 9.8	51	6.8	4.4- 9.2	7	0.2	0.0- 0.4
College Graduate	1070	554,382	836	75.3	71.6-79.0	126	13.5	10.6-16.4	56	6.2	4.0- 8.4	48	4.6	2.8- 6.4	4	0.4	0.0- 0.8
Less than \$15,000	333	303,703	233	63.6	55.4-71.8	37	14.3	8.4-20.2	26	9.8	4.5-15.1	32	11.7	6.0-17.4	5	0.7	0.0- 1.5
\$15,000- 24,999	573	427,265	450	68.6	62.1-75.1	55	13.1	8.4-17.8	27	6.4	2.5-10.3	35	10.8	5.9-15.7	6	1.0	0.0- 2.2
\$25,000- 34,999	342	239,840	258	73.5	67.0-80.0	37	9.8	5.7-13.9	22	8.2	3.7-12.7	23	7.7	4.0-11.4	2	0.8	0.0- 2.0
\$35,000- 49,999	462	357,380	352	74.0	67.9-80.1	48	10.1	6.4-13.8	29	9.4	4.9-13.9	32	6.3	3.4- 9.2	1	0.1	0.0- 0.3
\$50,000- 74,999	437	325,821	357	77.7	71.8-83.6	36	8.4	4.9-11.9	17	6.9	3.0-10.8	26	6.7	3.0-10.4	1	0.2	0.0- 0.6
\$75,000+	700	511,377	536	74.8	70.5-79.1	89	12.3	9.2-15.4	38	7.3	4.4-10.2	37	5.6	3.4- 7.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015

SECTION 4: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32
	ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)	
4	MALES AND FEMALES	33
5	MALES ONLY	34
6	FEMALES ONLY	35

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6045	5,051,730	2648	32.4	30.8-34.0	41	0.9	0.5- 1.3	3316	66.2	64.6-67.8	40	0.5	0.3- 0.7
Male	2572	2,462,114	1158	34.4	31.9-36.9				1391	64.9	62.4-67.4	23	0.7	0.3- 1.1
Female	3473	2,589,616	1490	30.4	28.2-32.6	41	1.8	1.2- 2.4	1925	67.5	65.3-69.7	17	0.3	0.1- 0.5
White/Non-Hisp	5245	4,084,891	2333	33.2	31.4-35.0	29	0.8	0.4- 1.2	2847	65.4	63.6-67.2	36	0.5	0.3- 0.7
Black or Afr. Am./Non-Hisp	318	425,841	147	33.7	27.2-40.2	6	1.5	0.0- 3.3	164	64.5	57.8-71.2	1	0.3	0.0- 0.9
Oth. Race/Non-Hisp.	117	109,094	40	23.9	14.9-32.9	1	1.5	0.0- 4.2	75	73.5	63.9-83.1	1	1.2	0.0- 3.6
MultiRacial/Non-Hisp.	79	58,362	31	24.2	12.0-36.4	1	0.2	0.0- 0.6	47	75.6	63.4-87.8			
Hispanic	183	279,675	50	22.6	14.4-30.8	3	1.3	0.0- 2.9	129	75.4	67.0-83.8	1	0.7	0.0- 2.1
18-24	278	688,227	26	8.8	4.9-12.7	2	0.9	0.0- 2.3	250	90.3	86.2-94.4			
25-34	454	832,468	51	10.7	7.4-14.0	10	1.7	0.5- 2.9	389	86.9	83.2-90.6	4	0.7	0.1- 1.3
35-44	620	819,520	114	17.9	14.0-21.8	16	2.3	0.9- 3.7	487	79.5	75.6-83.4	3	0.3	0.0- 0.7
45-54	902	852,232	298	33.6	29.7-37.5	3	0.3	0.0- 0.7	593	65.1	61.2-69.0	8	1.0	0.2- 1.8
55-64	1384	836,963	687	51.7	48.4-55.0	5	0.4	0.0- 0.8	682	47.4	44.1-50.7	10	0.5	0.1- 0.9
65+	2346	984,850	1450	61.9	59.2-64.6	5	0.2	0.0- 0.4	876	37.4	34.7-40.1	15	0.5	0.1- 0.9
Less Than H.S.	479	675,962	260	38.1	32.2-44.0	4	0.9	0.0- 1.9	213	60.8	54.9-66.7	2	0.2	0.0- 0.6
H.S. or G.E.D.	2025	1,740,343	987	35.7	33.0-38.4	12	0.9	0.3- 1.5	1014	62.9	60.0-65.8	12	0.5	0.1- 0.9
Some Post-H.S.	1520	1,538,074	658	30.0	27.1-32.9	14	0.9	0.3- 1.5	836	68.5	65.6-71.4	12	0.6	0.2- 1.0
College Graduate	1981	1,067,756	726	26.5	24.0-29.0	11	1.0	0.2- 1.8	1230	71.9	69.4-74.4	14	0.6	0.2- 1.0
Less than \$15,000	520	487,247	275	36.3	30.6-42.0	5	0.9	0.0- 2.1	237	62.3	56.6-68.0	3	0.5	0.0- 1.1
\$15,000- 24,999	897	753,490	464	37.8	33.3-42.3	7	1.5	0.1- 2.9	422	60.5	56.0-65.0	4	0.2	0.0- 0.4
\$25,000- 34,999	570	475,846	299	40.4	34.9-45.9	5	1.4	0.0- 3.0	260	56.7	51.0-62.4	6	1.5	0.1- 2.9
\$35,000- 49,999	843	704,321	357	30.9	26.6-35.2	5	0.8	0.0- 1.6	472	67.5	63.2-71.8	9	0.9	0.1- 1.7
\$50,000- 74,999	848	733,611	367	31.4	26.9-35.9	6	0.9	0.1- 1.7	470	66.9	62.4-71.4	5	0.7	0.0- 1.5
\$75,000+	1423	1,153,318	459	24.9	22.0-27.8	8	0.8	0.2- 1.4	949	74.1	71.2-77.0	7	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 4: HYPERTENSION AWARENESS**

TABLE 2. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2572	2,462,114	1158	34.4	31.9-36.9	1391	64.9	62.4-67.4	23	0.7	0.3- 1.1
White/Non-Hisp	2219	1,966,267	1020	35.9	33.2-38.6	1179	63.3	60.6-66.0	20	0.8	0.4- 1.2
Black or Afr. Am./Non-Hisp	117	194,654	54	31.5	21.7-41.3	62	68.0	58.2-77.8	1	0.6	0.0- 1.8
Oth. Race/Non-Hisp.	63	70,010	20	21.8	9.8-33.8	42	76.3	64.0-88.6	1	1.8	0.0- 5.3
Hispanic	70	134,905	20	26.3	12.2-40.4	50	73.7	59.6-87.8			
18-24	151	352,626	17	11.1	5.2-17.0	134	88.9	83.0-94.8			
25-34	202	418,494	33	13.7	8.2-19.2	166	85.4	79.9-90.9	3	0.9	0.0- 1.9
35-44	279	410,690	66	23.5	17.2-29.8	210	75.9	69.6-82.2	3	0.6	0.0- 1.4
45-54	404	429,419	150	37.4	31.3-43.5	249	60.9	54.8-67.0	5	1.6	0.0- 3.2
55-64	618	408,894	331	53.8	48.9-58.7	282	45.6	40.7-50.5	5	0.6	0.0- 1.2
65+	899	430,721	554	62.0	57.7-66.3	338	37.5	33.2-41.8	7	0.5	0.0- 1.1
Less Than H.S.	209	353,354	104	38.3	29.9-46.7	104	61.7	53.3-70.1	1	0.1	0.0- 0.3
H.S. or G.E.D.	851	907,128	401	35.6	31.5-39.7	443	63.6	59.5-67.7	7	0.8	0.0- 1.6
Some Post-H.S.	588	679,445	271	32.4	27.7-37.1	313	66.9	62.2-71.6	4	0.7	0.0- 1.5
College Graduate	908	510,943	373	31.9	28.0-35.8	524	67.0	63.1-70.9	11	1.1	0.3- 1.9
Less than \$15,000	184	183,584	102	45.8	36.2-55.4	81	53.7	44.1-63.3	1	0.5	0.0- 1.5
\$15,000- 24,999	316	320,598	161	42.0	34.7-49.3	153	57.8	50.5-65.1	2	0.2	0.0- 0.4
\$25,000- 34,999	227	236,708	118	38.3	29.9-46.7	105	59.7	51.1-68.3	4	2.0	0.0- 4.4
\$35,000- 49,999	379	346,297	174	34.1	27.6-40.6	200	64.5	57.8-71.2	5	1.4	0.0- 2.8
\$50,000- 74,999	411	407,948	195	33.5	27.0-40.0	211	65.2	58.7-71.7	5	1.2	0.0- 2.6
\$75,000+	719	635,726	264	27.7	23.4-32.0	451	72.2	67.9-76.5	4	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 4: HYPERTENSION AWARENESS**

TABLE 3. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3473	2,589,616	1490	30.4	28.4-32.4	41	1.8	1.2- 2.4	1925	67.5	65.3-69.7	17	0.3	0.1- 0.5
White/Non-Hisp	3026	2,118,624	1313	30.7	28.5-32.9	29	1.6	0.8- 2.4	1668	67.4	65.0-69.8	16	0.3	0.1- 0.5
Black or Afr. Am./Non-Hisp	201	231,187	93	35.6	26.8-44.4	6	2.8	0.0- 5.9	102	61.5	52.5-70.5			
Oth. Race/Non-Hisp.	54	39,084	20	27.5	14.0-41.0	1	4.1	0.0-11.7	33	68.5	53.8-83.2			
Hispanic	113	144,770	30	19.1	10.9-27.3	3	2.5	0.0- 5.6	79	77.1	68.1-86.1	1	1.3	0.0- 3.8
18-24	127	335,601	9	6.4	1.3-11.5	2	1.8	0.0- 4.5	116	91.8	86.1-97.5			
25-34	252	413,974	18	7.6	3.5-11.7	10	3.4	1.0- 5.8	223	88.5	83.8-93.2	1	0.5	0.0- 1.5
35-44	341	408,830	48	12.3	8.4-16.2	16	4.6	2.1- 7.1	277	83.1	78.6-87.6			
45-54	498	422,813	148	29.8	24.9-34.7	3	0.6	0.0- 1.4	344	69.3	64.4-74.2	3	0.3	0.0- 0.7
55-64	766	428,069	356	49.7	45.2-54.2	5	0.8	0.0- 1.6	400	49.1	44.6-53.6	5	0.4	0.0- 0.8
65+	1447	554,130	896	61.8	58.5-65.1	5	0.3	0.0- 0.7	538	37.4	34.1-40.7	8	0.5	0.0- 1.1
Less Than H.S.	270	322,608	156	37.9	29.9-45.9	4	1.8	0.0- 4.0	109	59.9	51.5-68.3	1	0.4	0.0- 1.2
H.S. or G.E.D.	1174	833,215	586	35.9	32.0-39.8	12	1.9	0.5- 3.3	571	62.1	58.2-66.0	5	0.2	0.0- 0.4
Some Post-H.S.	932	858,629	387	28.2	24.7-31.7	14	1.6	0.6- 2.6	523	69.7	66.0-73.4	8	0.5	0.0- 1.1
College Graduate	1073	556,813	353	21.5	18.6-24.4	11	2.0	0.6- 3.4	706	76.4	73.1-79.7	3	0.1	0.0- 0.3
Less than \$15,000	336	303,663	173	30.5	24.0-37.0	5	1.5	0.0- 3.3	156	67.5	60.6-74.4	2	0.5	0.0- 1.3
\$15,000- 24,999	581	432,892	303	34.7	29.2-40.2	7	2.6	0.1- 5.1	269	62.5	56.8-68.2	2	0.1	0.0- 0.3
\$25,000- 34,999	343	239,138	181	42.4	35.1-49.7	5	2.9	0.0- 5.8	155	53.8	46.4-61.2	2	1.0	0.0- 2.6
\$35,000- 49,999	464	358,024	183	27.7	22.2-33.2	5	1.6	0.0- 3.2	272	70.3	64.6-76.0	4	0.4	0.0- 0.8
\$50,000- 74,999	437	325,663	172	28.8	22.9-34.7	6	2.1	0.3- 3.9	259	69.1	63.0-75.2			
\$75,000+	704	517,592	195	21.6	17.9-25.3	8	1.8	0.4- 3.2	498	76.5	72.6-80.4	3	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 4: HYPERTENSION AWARENESS**

TABLE 4. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2642	1,632,155	2266	79.3	76.8-81.8	376	20.7	18.2-23.2
Male	1156	846,429	956	76.4	72.5-80.3	200	23.6	19.7-27.5
Female	1486	785,727	1310	82.4	78.9-85.9	176	17.6	14.1-21.1
White/Non-Hisp	2327	1,354,277	2000	79.5	76.8-82.2	327	20.5	17.8-23.2
Black or Afr. Am./Non-Hisp	147	143,587	135	89.7	82.8-96.6	12	10.3	3.4-17.2
Hispanic	50	63,181	35	58.1	36.3-79.9	15	41.9	20.1-63.7
25-34	51	88,873	22	34.9	19.2-50.6	29	65.1	49.4-80.8
35-44	114	146,433	65	57.3	45.0-69.6	49	42.7	30.4-55.0
45-54	298	286,564	224	77.4	71.5-83.3	74	22.6	16.7-28.5
55-64	686	432,318	586	86.2	83.1-89.3	100	13.8	10.7-16.9
65+	1445	606,821	1345	93.3	91.7-94.9	100	6.7	5.1- 8.3
Less Than H.S.	259	255,578	217	73.5	64.3-82.7	42	26.5	17.3-35.7
H.S. or G.E.D.	983	621,194	866	82.1	78.0-86.2	117	17.9	13.8-22.0
Some Post-H.S.	657	461,788	554	80.3	76.0-84.6	103	19.7	15.4-24.0
College Graduate	726	282,680	615	77.1	72.2-82.0	111	22.9	18.0-27.8
Less than \$15,000	275	176,794	232	80.1	73.2-87.0	43	19.9	13.0-26.8
\$15,000- 24,999	462	282,910	402	80.0	73.9-86.1	60	20.0	13.9-26.1
\$25,000- 34,999	298	191,707	262	81.5	74.2-88.8	36	18.5	11.2-25.8
\$35,000- 49,999	357	217,402	302	76.9	69.6-84.2	55	23.1	15.8-30.4
\$50,000- 74,999	367	230,704	316	75.8	66.4-85.2	51	24.2	14.8-33.6
\$75,000+	459	287,420	374	76.7	71.2-82.2	85	23.3	17.8-28.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 4: HYPERTENSION AWARENESS**

TABLE 5. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1156	846,429	956	76.4	72.5-80.3	200	23.6	19.7-27.5
White/Non-Hisp	1018	705,221	845	77.2	73.3-81.1	173	22.8	18.9-26.7
Black or Afr. Am./Non-Hisp	54	61,232	51	93.0	84.2- 100	3	7.0	0.0-15.8
35-44	66	96,350	29	50.9	34.2-67.6	37	49.1	32.4-65.8
45-54	150	160,692	112	77.3	69.1-85.5	38	22.7	14.5-30.9
55-64	330	219,746	280	85.9	81.2-90.6	50	14.1	9.4-18.8
65+	553	266,798	511	92.8	90.1-95.5	42	7.2	4.5- 9.9
Less Than H.S.	104	135,167	80	68.8	55.3-82.3	24	31.2	17.7-44.7
H.S. or G.E.D.	399	322,724	339	80.1	74.0-86.2	60	19.9	13.8-26.0
Some Post-H.S.	271	220,022	227	80.2	73.7-86.7	44	19.8	13.3-26.3
College Graduate	373	162,834	303	70.8	63.5-78.1	70	29.2	21.9-36.5
Less than \$15,000	102	84,094	81	76.1	65.1-87.1	21	23.9	12.9-34.9
\$15,000- 24,999	161	134,721	135	77.2	67.6-86.8	26	22.8	13.2-32.4
\$25,000- 34,999	117	90,283	98	79.2	67.6-90.8	19	20.8	9.2-32.4
\$35,000- 49,999	174	118,152	142	70.8	59.4-82.2	32	29.2	17.8-40.6
\$50,000- 74,999	195	136,797	165	74.4	61.7-87.1	30	25.6	12.9-38.3
\$75,000+	264	175,782	207	71.6	63.8-79.4	57	28.4	20.6-36.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2015

SECTION 4: HYPERTENSION AWARENESS

TABLE 6. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1486	785,727	1310	82.4	79.1-85.7	176	17.6	14.3-20.9
White/Non-Hisp	1309	649,056	1155	82.1	78.4-85.8	154	17.9	14.2-21.6
Black or Afr. Am./Non-Hisp	93	82,355	84	87.3	77.5-97.1	9	12.7	2.9-22.5
45-54	148	125,873	112	77.5	69.5-85.5	36	22.5	14.5-30.5
55-64	356	212,573	306	86.7	82.4-91.0	50	13.3	9.0-17.6
65+	892	340,024	834	93.7	91.5-95.9	58	6.3	4.1- 8.5
Less Than H.S.	155	120,411	137	78.7	66.9-90.5	18	21.3	9.5-33.1
H.S. or G.E.D.	584	298,470	527	84.3	78.8-89.8	57	15.7	10.2-21.2
Some Post-H.S.	386	241,766	327	80.4	74.7-86.1	59	19.6	13.9-25.3
College Graduate	353	119,846	312	85.6	80.1-91.1	41	14.4	8.9-19.9
Less than \$15,000	173	92,700	151	83.8	75.6-92.0	22	16.2	8.0-24.4
\$15,000- 24,999	301	148,189	267	82.4	74.6-90.2	34	17.6	9.8-25.4
\$25,000- 34,999	181	101,424	164	83.6	74.6-92.6	17	16.4	7.4-25.4
\$35,000- 49,999	183	99,249	160	84.1	76.7-91.5	23	15.9	8.5-23.3
\$50,000- 74,999	172	93,907	151	77.7	64.2-91.2	21	22.3	8.8-35.8
\$75,000+	195	111,639	167	84.7	78.0-91.4	28	15.3	8.6-22.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015**

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)	
1 MALES AND FEMALES	37
2 MALES ONLY	38
3 FEMALES ONLY	39
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)	
4 MALES AND FEMALES	40
5 MALES ONLY	41
6 FEMALES ONLY	42
HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)	
7 MALES AND FEMALES	43
8 MALES ONLY	44
9 FEMALES ONLY	45

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 1: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5975	4,935,368	5332	77.8	76.0-79.6	643	22.2	20.4-24.0
Male	2543	2,407,569	2231	76.6	73.9-79.3	312	23.4	20.7-26.1
Female	3432	2,527,799	3101	79.0	76.5-81.5	331	21.0	18.5-23.5
White/Non-Hisp	5187	4,000,470	4706	80.5	78.5-82.5	481	19.5	17.5-21.5
Black or Afr. Am./Non-Hisp	311	406,659	263	76.5	69.4-83.6	48	23.5	16.4-30.6
Oth. Race/Non-Hisp.	116	105,754	98	72.1	59.9-84.3	18	27.9	15.7-40.1
MultiRacial/Non-Hisp.	78	56,764	61	64.9	48.0-81.8	17	35.1	18.2-52.0
Hispanic	180	273,358	116	48.7	39.1-58.3	64	51.3	41.7-60.9
18-24	264	654,572	95	33.6	27.1-40.1	169	66.4	59.9-72.9
25-34	431	784,188	280	59.4	53.5-65.3	151	40.6	34.7-46.5
35-44	611	809,098	510	79.7	75.4-84.0	101	20.3	16.0-24.6
45-54	898	842,463	811	87.9	85.0-90.8	87	12.1	9.2-15.0
55-64	1381	832,233	1313	94.9	93.3-96.5	68	5.1	3.5- 6.7
65+	2329	974,702	2266	96.9	95.9-97.9	63	3.1	2.1- 4.1
Less Than H.S.	466	642,618	357	57.5	50.6-64.4	109	42.5	35.6-49.4
H.S. or G.E.D.	1997	1,710,079	1750	76.3	73.2-79.4	247	23.7	20.6-26.8
Some Post-H.S.	1508	1,504,184	1361	82.3	79.2-85.4	147	17.7	14.6-20.8
College Graduate	1964	1,048,892	1829	86.1	83.6-88.6	135	13.9	11.4-16.4
Less than \$15,000	509	469,530	411	65.9	58.8-73.0	98	34.1	27.0-41.2
\$15,000- 24,999	891	746,309	768	71.7	66.6-76.8	123	28.3	23.2-33.4
\$25,000- 34,999	567	471,373	493	76.7	71.0-82.4	74	23.3	17.6-29.0
\$35,000- 49,999	832	693,402	755	80.6	75.7-85.5	77	19.4	14.5-24.3
\$50,000- 74,999	842	725,826	767	79.4	74.3-84.5	75	20.6	15.5-25.7
\$75,000+	1407	1,120,889	1307	85.3	82.0-88.6	100	14.7	11.4-18.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 2: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2543	2,407,569	2231	76.6	73.9-79.3	312	23.4	20.7-26.1
White/Non-Hisp	2195	1,925,740	1965	79.6	76.7-82.5	230	20.4	17.5-23.3
Black or Afr. Am./Non-Hisp	114	183,968	94	80.0	70.6-89.4	20	20.0	10.6-29.4
Oth. Race/Non-Hisp.	62	68,653	51	70.0	53.7-86.3	11	30.0	13.7-46.3
Hispanic	69	133,715	37	44.7	29.4-60.0	32	55.3	40.0-70.6
18-24	145	342,593	52	35.5	26.7-44.3	93	64.5	55.7-73.3
25-34	189	391,065	122	57.5	48.7-66.3	67	42.5	33.7-51.3
35-44	276	407,912	229	80.4	74.5-86.3	47	19.6	13.7-25.5
45-54	402	422,452	354	86.2	81.7-90.7	48	13.8	9.3-18.3
55-64	617	406,208	584	94.3	91.8-96.8	33	5.7	3.2- 8.2
65+	894	425,663	872	96.9	95.3-98.5	22	3.1	1.5- 4.7
Less Than H.S.	206	343,709	149	58.6	49.2-68.0	57	41.4	32.0-50.8
H.S. or G.E.D.	837	884,614	713	74.2	69.7-78.7	124	25.8	21.3-30.3
Some Post-H.S.	584	667,506	515	81.0	76.1-85.9	69	19.0	14.1-23.9
College Graduate	900	500,497	841	87.6	84.1-91.1	59	12.4	8.9-15.9
Less than \$15,000	176	176,764	143	72.0	62.0-82.0	33	28.0	18.0-38.0
\$15,000- 24,999	317	318,764	255	71.2	63.9-78.5	62	28.8	21.5-36.1
\$25,000- 34,999	225	231,969	197	76.8	68.0-85.6	28	23.2	14.4-32.0
\$35,000- 49,999	376	341,487	334	79.9	73.2-86.6	42	20.1	13.4-26.8
\$50,000- 74,999	406	402,907	361	76.3	69.0-83.6	45	23.7	16.4-31.0
\$75,000+	710	614,304	653	80.6	75.1-86.1	57	19.4	13.9-24.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 3: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3432	2,527,799	3101	79.0	76.5-81.5	331	21.0	18.5-23.5
White/Non-Hisp	2992	2,074,730	2741	81.4	78.7-84.1	251	18.6	15.9-21.3
Black or Afr. Am./Non-Hisp	197	222,691	169	73.7	63.5-83.9	28	26.3	16.1-36.5
Oth. Race/Non-Hisp.	54	37,101	47	75.8	58.4-93.2	7	24.2	6.8-41.6
Hispanic	111	139,643	79	52.6	40.6-64.6	32	47.4	35.4-59.4
18-24	119	311,978	43	31.6	22.0-41.2	76	68.4	58.8-78.0
25-34	242	393,122	158	61.3	53.9-68.7	84	38.7	31.3-46.1
35-44	335	401,186	281	78.8	72.7-84.9	54	21.2	15.1-27.3
45-54	496	420,011	457	89.7	86.2-93.2	39	10.3	6.8-13.8
55-64	764	426,025	729	95.4	93.6-97.2	35	4.6	2.8- 6.4
65+	1435	549,039	1394	97.0	95.8-98.2	41	3.0	1.8- 4.2
Less Than H.S.	260	298,910	208	56.2	46.2-66.2	52	43.8	33.8-53.8
H.S. or G.E.D.	1160	825,465	1037	78.6	74.5-82.7	123	21.4	17.3-25.5
Some Post-H.S.	924	836,678	846	83.4	79.5-87.3	78	16.6	12.7-20.5
College Graduate	1064	548,395	988	84.8	81.1-88.5	76	15.2	11.5-18.9
Less than \$15,000	333	292,765	268	62.3	53.1-71.5	65	37.7	28.5-46.9
\$15,000- 24,999	574	427,545	513	72.0	65.1-78.9	61	28.0	21.1-34.9
\$25,000- 34,999	342	239,403	296	76.6	69.7-83.5	46	23.4	16.5-30.3
\$35,000- 49,999	456	351,915	421	81.3	74.0-88.6	35	18.7	11.4-26.0
\$50,000- 74,999	436	322,918	406	83.2	76.5-89.9	30	16.8	10.1-23.5
\$75,000+	697	506,585	654	91.0	87.9-94.1	43	9.0	5.9-12.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 4: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5275	3,808,701	4053	71.4	69.6-73.2	627	14.1	12.7-15.5	368	9.1	7.9-10.3	227	5.4	4.4- 6.4
Male	2211	1,831,121	1693	70.2	67.3-73.1	261	14.2	12.0-16.4	154	9.6	7.6-11.6	103	6.0	4.4- 7.6
Female	3064	1,977,580	2360	72.5	70.1-74.9	366	14.0	12.0-16.0	214	8.6	7.0-10.2	124	4.9	3.7- 6.1
White/Non-Hisp	4653	3,192,479	3571	71.0	69.0-73.0	538	13.6	12.0-15.2	331	9.3	7.9-10.7	213	6.1	4.9- 7.3
Black or Afr. Am./Non-Hisp	262	310,036	220	79.2	72.3-86.1	22	11.1	5.6-16.6	15	7.9	3.0-12.8	5	1.7	0.0- 3.5
Oth. Race/Non-Hisp.	97	74,617	72	75.2	64.0-86.4	19	16.2	6.8-25.6	2	3.7	0.0- 8.8	4	4.9	0.0-10.2
MultiRacial/Non-Hisp.	61	36,862	42	67.5	50.4-84.6	10	8.8	2.1-15.5	8	22.7	5.8-39.6	1	1.0	0.0- 3.0
Hispanic	115	132,955	76	60.5	48.0-73.0	28	32.1	19.9-44.3	10	7.1	2.0-12.2	1	0.3	0.0- 0.9
18-24	93	216,702	54	58.1	46.7-69.5	18	19.4	10.6-28.2	16	16.5	8.3-24.7	5	6.1	0.4-11.8
25-34	277	462,771	156	56.0	48.7-63.3	60	23.1	16.8-29.4	34	11.1	7.0-15.2	27	9.8	5.3-14.3
35-44	506	640,457	307	61.4	56.1-66.7	87	16.7	12.6-20.8	78	14.9	11.0-18.8	34	7.0	4.3- 9.7
45-54	808	737,505	574	70.1	66.0-74.2	110	14.2	10.9-17.5	65	8.3	5.8-10.8	59	7.3	4.9- 9.7
55-64	1303	783,572	1007	76.6	73.5-79.7	158	12.4	10.0-14.8	86	7.0	5.0- 9.0	52	3.9	2.5- 5.3
65+	2233	932,876	1910	85.3	83.3-87.3	189	8.1	6.5- 9.7	85	4.7	3.3- 6.1	49	1.9	1.3- 2.5
Less Than H.S.	350	365,273	279	74.3	67.4-81.2	39	15.8	9.7-21.9	17	5.8	2.1- 9.5	15	4.2	1.5- 6.9
H.S. or G.E.D.	1727	1,291,811	1318	71.4	68.3-74.5	199	13.3	10.9-15.7	132	10.2	8.0-12.4	78	5.1	3.5- 6.7
Some Post-H.S.	1348	1,227,542	1037	69.8	66.3-73.3	152	14.3	11.6-17.0	95	9.3	6.9-11.7	64	6.5	4.5- 8.5
College Graduate	1815	898,989	1385	71.6	68.7-74.5	236	14.5	12.1-16.9	124	8.8	6.8-10.8	70	5.1	3.5- 6.7
Less than \$15,000	404	305,897	306	68.5	61.6-75.4	36	11.7	6.6-16.8	32	10.8	6.1-15.5	30	9.0	4.9-13.1
\$15,000- 24,999	760	532,008	590	72.5	67.6-77.4	90	13.6	9.7-17.5	47	7.5	4.8-10.2	33	6.4	3.5- 9.3
\$25,000- 34,999	487	359,531	376	73.0	67.1-78.9	63	16.3	11.2-21.4	30	6.2	3.1- 9.3	18	4.5	1.8- 7.2
\$35,000- 49,999	749	555,340	562	69.1	64.2-74.0	91	15.0	10.9-19.1	53	8.2	5.7-10.7	43	7.7	4.6-10.8
\$50,000- 74,999	766	574,824	586	70.4	65.7-75.1	89	13.4	9.9-16.9	61	11.2	7.9-14.5	30	5.0	2.6- 7.4
\$75,000+	1300	947,631	970	70.8	67.1-74.5	184	15.8	12.9-18.7	101	10.2	7.7-12.7	45	3.3	2.1- 4.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 5: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2211	1,831,121	1693	70.2	67.3-73.1	261	14.2	12.0-16.4	154	9.6	7.6-11.6	103	6.0	4.4- 7.6
White/Non-Hisp	1945	1,518,831	1495	70.3	67.2-73.4	220	13.4	11.0-15.8	134	9.5	7.5-11.5	96	6.8	5.0- 8.6
Black or Afr. Am./Non-Hisp	94	147,185	78	77.7	66.7-88.7	9	11.6	3.4-19.8	6	9.9	1.5-18.3	1	0.8	0.0- 2.4
Oth. Race/Non-Hisp.	51	48,067	36	74.0	58.9-89.1	10	14.3	2.3-26.3	2	5.8	0.0-13.6	3	5.9	0.0-13.5
18-24	51	120,599	29	58.7	43.6-73.8	11	21.3	9.1-33.5	7	12.7	2.5-22.9	4	7.3	0.0-14.7
25-34	122	224,700	58	48.6	37.8-59.4	28	22.5	13.5-31.5	20	15.2	8.1-22.3	16	13.7	6.1-21.3
35-44	226	324,395	133	59.9	51.9-67.9	42	18.3	12.0-24.6	38	15.8	9.9-21.7	13	5.9	2.2- 9.6
45-54	353	363,747	256	71.4	64.9-77.9	48	14.0	8.7-19.3	22	7.7	3.8-11.6	27	6.9	3.8-10.0
55-64	580	380,884	457	77.4	72.9-81.9	62	11.1	7.8-14.4	35	6.4	3.7- 9.1	26	5.1	2.6- 7.6
65+	862	406,501	746	85.9	82.8-89.0	69	7.5	5.1- 9.9	31	5.2	3.0- 7.4	16	1.5	0.5- 2.5
Less Than H.S.	146	199,961	118	73.8	63.2-84.4	13	14.3	5.3-23.3	8	7.0	0.9-13.1	7	5.0	0.7- 9.3
H.S. or G.E.D.	707	651,590	528	70.5	65.8-75.2	87	14.2	10.7-17.7	59	11.0	7.7-14.3	33	4.4	2.4- 6.4
Some Post-H.S.	509	534,410	396	68.4	62.5-74.3	52	13.6	9.1-18.1	37	10.2	6.3-14.1	24	7.8	4.1-11.5
College Graduate	836	437,009	638	70.0	65.5-74.5	109	15.1	11.6-18.6	50	8.3	5.6-11.0	39	6.6	3.7- 9.5
Less than \$15,000	140	125,918	108	73.3	63.1-83.5	12	12.3	3.9-20.7	11	9.4	3.1-15.7	9	5.0	1.3- 8.7
\$15,000- 24,999	255	227,027	194	72.4	64.8-80.0	25	11.2	5.5-16.9	19	7.9	3.4-12.4	17	8.4	3.5-13.3
\$25,000- 34,999	195	177,351	154	71.2	61.6-80.8	22	16.5	8.5-24.5	12	7.7	2.0-13.4	7	4.6	0.0- 9.3
\$35,000- 49,999	330	270,734	243	67.1	59.5-74.7	41	15.0	8.7-21.3	20	7.0	3.5-10.5	26	10.9	5.6-16.2
\$50,000- 74,999	361	307,477	275	70.0	63.1-76.9	42	12.0	7.5-16.5	30	12.7	7.6-17.8	14	5.3	2.0- 8.6
\$75,000+	649	491,119	494	70.3	65.0-75.6	91	16.7	12.2-21.2	44	10.0	6.1-13.9	20	3.0	1.2- 4.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 6: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3064	1,977,580	2360	72.5	70.1-74.9	366	14.0	12.0-16.0	214	8.6	7.0-10.2	124	4.9	3.7- 6.1
White/Non-Hisp	2708	1,673,647	2076	71.6	69.1-74.1	318	13.8	11.8-15.8	197	9.2	7.6-10.8	117	5.5	4.1- 6.9
Black or Afr. Am./Non-Hisp	168	162,851	142	80.6	72.0-89.2	13	10.7	3.4-18.0	9	6.1	1.0-11.2	4	2.6	0.0- 5.5
Hispanic	78	73,136	55	67.0	53.1-80.9	17	26.4	12.9-39.9	5	6.1	0.2-12.0	1	0.6	0.0- 1.8
25-34	155	238,072	98	62.9	53.3-72.5	32	23.6	14.8-32.4	14	7.3	2.8-11.8	11	6.2	1.5-10.9
35-44	280	316,062	174	63.0	55.9-70.1	45	15.0	9.7-20.3	40	13.9	9.0-18.8	21	8.2	4.1-12.3
45-54	455	373,758	318	68.9	63.6-74.2	62	14.4	10.3-18.5	43	8.9	5.8-12.0	32	7.8	4.7-10.9
55-64	723	402,688	550	75.8	71.7-79.9	96	13.7	10.4-17.0	51	7.6	5.1-10.1	26	2.9	1.5- 4.3
65+	1371	526,375	1164	84.8	82.3-87.3	120	8.7	6.7-10.7	54	4.4	2.8- 6.0	33	2.2	1.2- 3.2
Less Than H.S.	204	165,312	161	74.9	66.5-83.3	26	17.6	9.8-25.4	9	4.3	0.6- 8.0	8	3.2	0.5- 5.9
H.S. or G.E.D.	1020	640,221	790	72.4	68.1-76.7	112	12.5	9.2-15.8	73	9.3	6.6-12.0	45	5.8	3.3- 8.3
Some Post-H.S.	839	693,132	641	70.9	66.4-75.4	100	14.9	11.2-18.6	58	8.7	6.0-11.4	40	5.5	3.3- 7.7
College Graduate	979	461,980	747	73.1	69.2-77.0	127	14.0	11.1-16.9	74	9.3	6.6-12.0	31	3.6	2.0- 5.2
Less than \$15,000	264	179,979	198	65.2	56.2-74.2	24	11.3	5.0-17.6	21	11.8	5.1-18.5	21	11.8	5.3-18.3
\$15,000- 24,999	505	304,981	396	72.6	66.1-79.1	65	15.4	9.9-20.9	28	7.2	3.7-10.7	16	4.8	1.3- 8.3
\$25,000- 34,999	292	182,180	222	74.7	67.8-81.6	41	16.0	10.1-21.9	18	4.8	2.1- 7.5	11	4.5	1.2- 7.8
\$35,000- 49,999	419	284,607	319	71.1	64.8-77.4	50	14.9	9.6-20.2	33	9.4	5.7-13.1	17	4.6	1.7- 7.5
\$50,000- 74,999	405	267,346	311	70.8	64.3-77.3	47	15.0	9.5-20.5	31	9.4	5.3-13.5	16	4.7	1.6- 7.8
\$75,000+	651	456,512	476	71.2	66.3-76.1	93	14.8	10.9-18.7	57	10.3	7.0-13.6	25	3.7	1.9- 5.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 7: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5291	3,813,962	2437	39.1	37.3-40.9	2854	60.9	59.1-62.7
Male	2222	1,838,656	1052	40.1	37.4-42.8	1170	59.9	57.2-62.6
Female	3069	1,975,306	1385	38.3	35.9-40.7	1684	61.7	59.3-64.1
White/Non-Hisp	4669	3,197,044	2180	39.7	37.7-41.7	2489	60.3	58.3-62.3
Black or Afr. Am./Non-Hisp	262	309,862	117	39.3	31.5-47.1	145	60.7	52.9-68.5
Oth. Race/Non-Hisp.	98	76,200	37	33.0	21.0-45.0	61	67.0	55.0-79.0
MultiRacial/Non-Hisp.	60	36,576	23	23.8	11.3-36.3	37	76.2	63.7-88.7
Hispanic	116	133,208	47	37.5	24.6-50.4	69	62.5	49.6-75.4
18-24	94	215,895	6	5.3	1.0- 9.6	88	94.7	90.4-99.0
25-34	280	465,860	43	13.6	9.1-18.1	237	86.4	81.9-90.9
35-44	509	643,656	126	25.7	20.6-30.8	383	74.3	69.2-79.4
45-54	805	735,999	312	38.5	34.2-42.8	493	61.5	57.2-65.8
55-64	1305	783,566	694	53.6	50.1-57.1	611	46.4	42.9-49.9
65+	2242	934,096	1237	57.8	55.1-60.5	1005	42.2	39.5-44.9
Less Than H.S.	354	368,295	206	53.2	45.9-60.5	148	46.8	39.5-54.1
H.S. or G.E.D.	1731	1,286,931	829	40.0	36.9-43.1	902	60.0	56.9-63.1
Some Post-H.S.	1350	1,232,745	610	38.1	34.8-41.4	740	61.9	58.6-65.2
College Graduate	1821	900,905	776	33.4	30.5-36.3	1045	66.6	63.7-69.5
Less than \$15,000	409	308,354	228	49.4	42.5-56.3	181	50.6	43.7-57.5
\$15,000- 24,999	760	525,177	368	43.9	38.8-49.0	392	56.1	51.0-61.2
\$25,000- 34,999	490	360,352	247	45.5	39.2-51.8	243	54.5	48.2-60.8
\$35,000- 49,999	749	555,198	327	34.0	29.5-38.5	422	66.0	61.5-70.5
\$50,000- 74,999	764	575,079	375	42.9	38.0-47.8	389	57.1	52.2-62.0
\$75,000+	1305	956,050	511	31.1	27.8-34.4	794	68.9	65.6-72.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2015

SECTION 5: CHOLESTEROL AWARENESS

TABLE 8: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2222	1,838,656	1052	40.1	37.4-42.8	1170	59.9	57.2-62.6
White/Non-Hisp	1958	1,528,524	945	41.0	38.1-43.9	1013	59.0	56.1-61.9
Black or Afr. Am./Non-Hisp	93	145,841	43	39.6	27.3-51.9	50	60.4	48.1-72.7
Oth. Race/Non-Hisp.	51	48,067	18	29.5	13.6-45.4	33	70.5	54.6-86.4
18-24	52	121,558	5	8.3	0.9-15.7	47	91.7	84.3-99.1
25-34	122	224,700	17	12.0	5.3-18.7	105	88.0	81.3-94.7
35-44	229	328,137	70	32.3	24.3-40.3	159	67.7	59.7-75.7
45-54	353	363,808	145	38.7	32.2-45.2	208	61.3	54.8-67.8
55-64	583	382,055	319	54.8	49.7-59.9	264	45.2	40.1-50.3
65+	865	407,552	491	58.8	54.5-63.1	374	41.2	36.9-45.5
Less Than H.S.	149	201,476	77	46.2	35.2-57.2	72	53.8	42.8-64.8
H.S. or G.E.D.	708	651,668	331	38.8	34.1-43.5	377	61.2	56.5-65.9
Some Post-H.S.	513	539,920	242	39.8	34.3-45.3	271	60.2	54.7-65.7
College Graduate	839	437,441	393	39.0	34.5-43.5	446	61.0	56.5-65.5
Less than \$15,000	142	126,797	88	55.3	44.1-66.5	54	44.7	33.5-55.9
\$15,000- 24,999	254	225,683	124	43.6	35.2-52.0	130	56.4	48.0-64.8
\$25,000- 34,999	197	178,173	92	41.9	32.5-51.3	105	58.1	48.7-67.5
\$35,000- 49,999	333	272,334	145	33.2	26.3-40.1	188	66.8	59.9-73.7
\$50,000- 74,999	361	307,477	202	49.0	41.6-56.4	159	51.0	43.6-58.4
\$75,000+	652	495,072	278	34.2	29.5-38.9	374	65.8	61.1-70.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 9: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3069	1,975,306	1385	38.3	35.9-40.7	1684	61.7	59.3-64.1
White/Non-Hisp	2711	1,668,521	1235	38.5	36.0-41.0	1476	61.5	59.0-64.0
Black or Afr. Am./Non-Hisp	169	164,021	74	39.0	29.0-49.0	95	61.0	51.0-71.0
Hispanic	79	73,389	33	39.8	26.1-53.5	46	60.2	46.5-73.9
25-34	158	241,161	26	15.2	9.1-21.3	132	84.8	78.7-90.9
35-44	280	315,520	56	18.8	13.3-24.3	224	81.2	75.7-86.7
45-54	452	372,191	167	38.3	32.6-44.0	285	61.7	56.0-67.4
55-64	722	401,511	375	52.5	47.8-57.2	347	47.5	42.8-52.2
65+	1377	526,544	746	57.0	53.5-60.5	631	43.0	39.5-46.5
Less Than H.S.	205	166,819	129	61.7	52.9-70.5	76	38.3	29.5-47.1
H.S. or G.E.D.	1023	635,263	498	41.3	37.0-45.6	525	58.7	54.4-63.0
Some Post-H.S.	837	692,824	368	36.7	32.4-41.0	469	63.3	59.0-67.6
College Graduate	982	463,464	383	28.2	24.7-31.7	599	71.8	68.3-75.3
Less than \$15,000	267	181,557	140	45.3	36.7-53.9	127	54.7	46.1-63.3
\$15,000- 24,999	506	299,493	244	44.1	37.8-50.4	262	55.9	49.6-62.2
\$25,000- 34,999	293	182,179	155	48.9	40.7-57.1	138	51.1	42.9-59.3
\$35,000- 49,999	416	282,863	182	34.9	28.6-41.2	234	65.1	58.8-71.4
\$50,000- 74,999	403	267,602	173	35.9	29.8-42.0	230	64.1	58.0-70.2
\$75,000+	653	460,977	233	27.8	23.5-32.1	420	72.2	67.9-76.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	48
2 MALES ONLY	49
3 FEMALES ONLY	50
(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	51
5 MALES ONLY	52
6 FEMALES ONLY	53
(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	54
8 MALES ONLY	55
9 FEMALES ONLY	56
(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	57
11 MALES ONLY	58
12 FEMALES ONLY	59
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	60
14 MALES ONLY	61
15 FEMALES ONLY	62
(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16 MALES AND FEMALES	63
17 MALES ONLY	64
18 FEMALES ONLY	65
(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19 MALES AND FEMALES	66
20 MALES ONLY	67
21 FEMALES ONLY	68
(EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
22 MALES AND FEMALES	69
23 MALES ONLY	70
24 FEMALES ONLY	71
(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25 MALES AND FEMALES	72
26 MALES ONLY	73
27 FEMALES ONLY	74
(EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)	
28 MALES AND FEMALES	75
29 MALES ONLY	76
30 FEMALES ONLY	77
(EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)	
31 MALES AND FEMALES	78
32 MALES ONLY	79
33 FEMALES ONLY	80
(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
34 MALES AND FEMALES	81
35 MALES ONLY	82
36 FEMALES ONLY	83
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
37 MALES AND FEMALES	84
38 MALES ONLY	85
39 FEMALES ONLY	86

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6041	5,044,103	468	5.3	4.7- 5.9	5573	94.7	94.1-95.3
Male	2571	2,454,781	279	7.2	6.0- 8.4	2292	92.8	91.6-94.0
Female	3470	2,589,323	189	3.5	2.9- 4.1	3281	96.5	95.9-97.1
White/Non-Hisp	5239	4,080,563	418	5.6	4.8- 6.4	4821	94.4	93.6-95.2
Black or Afr. Am./Non-Hisp	319	426,765	18	4.4	2.0- 6.8	301	95.6	93.2-98.0
Oth. Race/Non-Hisp.	119	110,243	9	6.2	0.5-11.9	110	93.8	88.1-99.5
MultiRacial/Non-Hisp.	78	56,189	6	2.4	0.2- 4.6	72	97.6	95.4-99.8
Hispanic	182	276,575	8	2.4	0.2- 4.6	174	97.6	95.4-99.8
18-24	278	688,227				278	100.0	100.0- 100
25-34	455	833,816	3	0.7	0.0- 1.5	452	99.3	98.5- 100
35-44	617	813,856	13	2.7	1.1- 4.3	604	97.3	95.7-98.9
45-54	903	853,557	36	3.5	2.1- 4.9	867	96.5	95.1-97.9
55-64	1385	834,570	103	8.3	6.3-10.3	1282	91.7	89.7-93.7
65+	2340	981,526	311	14.1	12.1-16.1	2029	85.9	83.9-87.9
Less Than H.S.	476	671,180	66	9.4	6.5-12.3	410	90.6	87.7-93.5
H.S. or G.E.D.	2023	1,740,563	175	5.7	4.5- 6.9	1848	94.3	93.1-95.5
Some Post-H.S.	1523	1,535,568	130	5.3	4.1- 6.5	1393	94.7	93.5-95.9
College Graduate	1980	1,067,825	95	2.2	1.6- 2.8	1885	97.8	97.2-98.4
Less than \$15,000	519	485,615	73	10.8	7.5-14.1	446	89.2	85.9-92.5
\$15,000- 24,999	893	747,244	94	6.8	5.0- 8.6	799	93.2	91.4-95.0
\$25,000- 34,999	568	474,813	53	6.8	4.4- 9.2	515	93.2	90.8-95.6
\$35,000- 49,999	845	704,803	70	5.5	3.7- 7.3	775	94.5	92.7-96.3
\$50,000- 74,999	848	734,125	44	2.8	1.6- 4.0	804	97.2	96.0-98.4
\$75,000+	1421	1,151,645	46	2.0	1.0- 3.0	1375	98.0	97.0-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2571	2,454,781	279	7.2	6.0- 8.4	2292	92.8	91.6-94.0
White/Non-Hisp	2218	1,961,885	251	7.8	6.4- 9.2	1967	92.2	90.8-93.6
Black or Afr. Am./Non-Hisp	118	195,578	10	5.8	1.9- 9.7	108	94.2	90.3-98.1
Oth. Race/Non-Hisp.	63	70,010	7	8.3	0.0-16.7	56	91.7	83.3- 100
Hispanic	69	131,805	3	2.4	0.0- 5.5	66	97.6	94.5- 100
18-24	151	352,626				151	100.0	100.0- 100
25-34	202	418,494	2	1.1	0.0- 2.7	200	98.9	97.3- 100
35-44	278	407,590	10	4.4	1.3- 7.5	268	95.6	92.5-98.7
45-54	403	428,555	17	4.4	1.9- 6.9	386	95.6	93.1-98.1
55-64	619	406,341	70	12.7	9.2-16.2	549	87.3	83.8-90.8
65+	898	429,500	179	19.3	15.8-22.8	719	80.7	77.2-84.2
Less Than H.S.	207	349,182	35	12.6	7.7-17.5	172	87.4	82.5-92.3
H.S. or G.E.D.	853	907,882	98	6.8	5.0- 8.6	755	93.2	91.4-95.0
Some Post-H.S.	588	676,214	76	7.8	5.4-10.2	512	92.2	89.8-94.6
College Graduate	908	510,884	68	3.5	2.1- 4.9	840	96.5	95.1-97.9
Less than \$15,000	182	182,179	31	15.4	8.7-22.1	151	84.6	77.9-91.3
\$15,000- 24,999	315	315,854	47	9.6	6.1-13.1	268	90.4	86.9-93.9
\$25,000- 34,999	226	234,831	36	10.6	6.1-15.1	190	89.4	84.9-93.9
\$35,000- 49,999	381	346,779	55	9.3	6.0-12.6	326	90.7	87.4-94.0
\$50,000- 74,999	411	407,948	28	3.5	1.5- 5.5	383	96.5	94.5-98.5
\$75,000+	717	634,053	33	2.7	1.1- 4.3	684	97.3	95.7-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3470	2,589,323	189	3.5	2.9- 4.1	3281	96.5	95.9-97.1
White/Non-Hisp	3021	2,118,678	167	3.6	2.8- 4.4	2854	96.4	95.6-97.2
Black or Afr. Am./Non-Hisp	201	231,187	8	3.1	0.4- 5.8	193	96.9	94.2-99.6
Oth. Race/Non-Hisp.	56	40,233	2	2.6	0.0- 6.3	54	97.4	93.7- 100
Hispanic	113	144,770	5	2.4	0.0- 5.1	108	97.6	94.9- 100
18-24	127	335,601				127	100.0	100.0- 100
25-34	253	415,322	1	0.3	0.0- 0.9	252	99.7	99.1- 100
35-44	339	406,266	3	1.0	0.0- 2.2	336	99.0	97.8- 100
45-54	500	425,002	19	2.7	1.3- 4.1	481	97.3	95.9-98.7
55-64	766	428,229	33	4.2	2.2- 6.2	733	95.8	93.8-97.8
65+	1442	552,026	132	10.0	7.8-12.2	1310	90.0	87.8-92.2
Less Than H.S.	269	321,998	31	5.9	3.2- 8.6	238	94.1	91.4-96.8
H.S. or G.E.D.	1170	832,680	77	4.4	3.0- 5.8	1093	95.6	94.2-97.0
Some Post-H.S.	935	859,353	54	3.3	2.1- 4.5	881	96.7	95.5-97.9
College Graduate	1072	556,940	27	1.1	0.7- 1.5	1045	98.9	98.5-99.3
Less than \$15,000	337	303,436	42	8.1	4.8-11.4	295	91.9	88.6-95.2
\$15,000- 24,999	578	431,390	47	4.8	2.8- 6.8	531	95.2	93.2-97.2
\$25,000- 34,999	342	239,982	17	3.2	1.4- 5.0	325	96.8	95.0-98.6
\$35,000- 49,999	464	358,024	15	1.8	0.8- 2.8	449	98.2	97.2-99.2
\$50,000- 74,999	437	326,177	16	2.0	0.8- 3.2	421	98.0	96.8-99.2
\$75,000+	704	517,592	13	1.2	0.4- 2.0	691	98.8	98.0-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6008	5,030,220	456	5.2	4.4- 6.0	5552	94.8	94.0-95.6
Male	2560	2,449,739	281	7.2	6.0- 8.4	2279	92.8	91.6-94.0
Female	3448	2,580,481	175	3.4	2.6- 4.2	3273	96.6	95.8-97.4
White/Non-Hisp	5211	4,064,243	418	5.7	4.9- 6.5	4793	94.3	93.5-95.1
Black or Afr. Am./Non-Hisp	317	424,994	14	4.4	1.3- 7.5	303	95.6	92.5-98.7
Oth. Race/Non-Hisp.	118	110,060	7	4.1	0.8- 7.4	111	95.9	92.6-99.2
MultiRacial/Non-Hisp.	77	57,655	5	1.5	0.0- 3.1	72	98.5	96.9- 100
Hispanic	182	279,564	5	1.2	0.0- 2.4	177	98.8	97.6- 100
18-24	278	688,227	1	0.3	0.0- 0.9	277	99.7	99.1- 100
25-34	455	833,816	2	0.4	0.0- 1.0	453	99.6	99.0- 100
35-44	619	817,767	9	2.5	0.7- 4.3	610	97.5	95.7-99.3
45-54	899	848,005	32	3.6	2.0- 5.2	867	96.4	94.8-98.0
55-64	1379	832,322	110	8.2	6.2-10.2	1269	91.8	89.8-93.8
65+	2315	971,532	299	14.2	12.0-16.4	2016	85.8	83.6-88.0
Less Than H.S.	469	666,886	48	7.1	4.6- 9.6	421	92.9	90.4-95.4
H.S. or G.E.D.	2013	1,738,698	177	5.6	4.4- 6.8	1836	94.4	93.2-95.6
Some Post-H.S.	1513	1,529,014	121	5.9	4.5- 7.3	1392	94.1	92.7-95.5
College Graduate	1974	1,066,858	108	2.8	2.0- 3.6	1866	97.2	96.4-98.0
Less than \$15,000	510	482,796	61	8.9	5.8-12.0	449	91.1	88.0-94.2
\$15,000- 24,999	890	745,242	80	4.8	3.4- 6.2	810	95.2	93.8-96.6
\$25,000- 34,999	564	473,951	60	7.2	4.5- 9.9	504	92.8	90.1-95.5
\$35,000- 49,999	837	700,277	60	5.9	3.9- 7.9	777	94.1	92.1-96.1
\$50,000- 74,999	847	733,318	58	3.9	2.3- 5.5	789	96.1	94.5-97.7
\$75,000+	1420	1,150,984	62	2.8	1.8- 3.8	1358	97.2	96.2-98.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2560	2,449,739	281	7.2	6.0- 8.4	2279	92.8	91.6-94.0
White/Non-Hisp	2207	1,953,926	258	7.9	6.5- 9.3	1949	92.1	90.7-93.5
Black or Afr. Am./Non-Hisp	118	195,578	8	6.6	0.7-12.5	110	93.4	87.5-99.3
Oth. Race/Non-Hisp.	62	69,827	5	5.1	0.2-10.0	57	94.9	90.0-99.8
Hispanic	70	134,905	3	1.7	0.0- 4.1	67	98.3	95.9- 100
18-24	151	352,626	1	0.5	0.0- 1.5	150	99.5	98.5- 100
25-34	202	418,494				202	100.0	100.0- 100
35-44	278	408,937	6	3.7	0.4- 7.0	272	96.3	93.0-99.6
45-54	403	427,723	19	5.0	2.1- 7.9	384	95.0	92.1-97.9
55-64	615	404,460	77	11.9	8.8-15.0	538	88.1	85.0-91.2
65+	891	425,824	177	20.6	16.9-24.3	714	79.4	75.7-83.1
Less Than H.S.	206	348,733	25	8.7	4.4-13.0	181	91.3	87.0-95.6
H.S. or G.E.D.	850	906,131	93	6.4	4.6- 8.2	757	93.6	91.8-95.4
Some Post-H.S.	584	674,175	76	9.1	6.4-11.8	508	90.9	88.2-93.6
College Graduate	905	510,287	85	5.0	3.6- 6.4	820	95.0	93.6-96.4
Less than \$15,000	182	182,885	24	12.5	6.4-18.6	158	87.5	81.4-93.6
\$15,000- 24,999	312	313,638	41	6.7	4.2- 9.2	271	93.3	90.8-95.8
\$25,000- 34,999	224	234,235	35	9.5	4.6-14.4	189	90.5	85.6-95.4
\$35,000- 49,999	380	346,679	46	9.0	5.5-12.5	334	91.0	87.5-94.5
\$50,000- 74,999	411	407,948	47	6.3	3.8- 8.8	364	93.7	91.2-96.2
\$75,000+	716	633,393	54	4.6	2.8- 6.4	662	95.4	93.6-97.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3448	2,580,481	175	3.4	2.6- 4.2	3273	96.6	95.8-97.4
White/Non-Hisp	3004	2,110,317	160	3.7	2.9- 4.5	2844	96.3	95.5-97.1
Black or Afr. Am./Non-Hisp	199	229,416	6	2.6	0.0- 5.5	193	97.4	94.5- 100
Oth. Race/Non-Hisp.	56	40,233	2	2.2	0.0- 5.7	54	97.8	94.3- 100
Hispanic	112	144,659	2	0.8	0.0- 2.0	110	99.2	98.0- 100
18-24	127	335,601				127	100.0	100.0- 100
25-34	253	415,322	2	0.8	0.0- 2.0	251	99.2	98.0- 100
35-44	341	408,830	3	1.2	0.0- 2.6	338	98.8	97.4- 100
45-54	496	420,282	13	2.1	0.7- 3.5	483	97.9	96.5-99.3
55-64	764	427,862	33	4.7	2.3- 7.1	731	95.3	92.9-97.7
65+	1424	545,708	122	9.1	6.9-11.3	1302	90.9	88.7-93.1
Less Than H.S.	263	318,154	23	5.3	2.6- 8.0	240	94.7	92.0-97.4
H.S. or G.E.D.	1163	832,567	84	4.7	3.3- 6.1	1079	95.3	93.9-96.7
Some Post-H.S.	929	854,839	45	3.3	2.1- 4.5	884	96.7	95.5-97.9
College Graduate	1069	556,572	23	0.8	0.4- 1.2	1046	99.2	98.8-99.6
Less than \$15,000	328	299,911	37	6.8	3.7- 9.9	291	93.2	90.1-96.3
\$15,000- 24,999	578	431,604	39	3.5	1.7- 5.3	539	96.5	94.7-98.3
\$25,000- 34,999	340	239,716	25	4.9	2.4- 7.4	315	95.1	92.6-97.6
\$35,000- 49,999	457	353,597	14	2.8	0.8- 4.8	443	97.2	95.2-99.2
\$50,000- 74,999	436	325,370	11	1.0	0.2- 1.8	425	99.0	98.2-99.8
\$75,000+	704	517,592	8	0.7	0.1- 1.3	696	99.3	98.7-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6056	5,058,814	315	3.5	2.9- 4.1	5741	96.5	95.9-97.1
Male	2576	2,463,349	137	3.8	2.8- 4.8	2439	96.2	95.2-97.2
Female	3480	2,595,465	178	3.3	2.7- 3.9	3302	96.7	96.1-97.3
White/Non-Hisp	5251	4,088,411	273	3.5	2.9- 4.1	4978	96.5	95.9-97.1
Black or Afr. Am./Non-Hisp	319	426,765	19	4.5	2.0- 7.0	300	95.5	93.0-98.0
Oth. Race/Non-Hisp.	119	110,243	7	5.5	0.0-11.2	112	94.5	88.8- 100
MultiRacial/Non-Hisp.	79	58,362	7	5.3	0.0-12.6	72	94.7	87.4- 100
Hispanic	183	279,675	5	2.5	0.0- 6.2	178	97.5	93.8- 100
18-24	278	688,227	2	1.2	0.0- 3.0	276	98.8	97.0- 100
25-34	455	833,816	3	0.4	0.0- 1.0	452	99.6	99.0- 100
35-44	620	819,520	10	1.6	0.4- 2.8	610	98.4	97.2-99.6
45-54	905	855,351	27	2.8	1.4- 4.2	878	97.2	95.8-98.6
55-64	1389	840,060	56	3.8	2.6- 5.0	1333	96.2	95.0-97.4
65+	2346	983,289	215	9.9	8.1-11.7	2131	90.1	88.3-91.9
Less Than H.S.	481	677,128	52	7.6	4.9-10.3	429	92.4	89.7-95.1
H.S. or G.E.D.	2029	1,742,936	124	3.7	2.9- 4.5	1905	96.3	95.5-97.1
Some Post-H.S.	1523	1,540,733	73	2.9	1.9- 3.9	1450	97.1	96.1-98.1
College Graduate	1983	1,068,421	62	1.5	1.1- 1.9	1921	98.5	98.1-98.9
Less than \$15,000	522	488,504	59	7.5	4.8-10.2	463	92.5	89.8-95.2
\$15,000- 24,999	900	754,441	78	5.3	3.5- 7.1	822	94.7	92.9-96.5
\$25,000- 34,999	571	477,615	35	5.3	2.9- 7.7	536	94.7	92.3-97.1
\$35,000- 49,999	845	704,803	35	2.3	1.3- 3.3	810	97.7	96.7-98.7
\$50,000- 74,999	846	732,930	25	1.2	0.6- 1.8	821	98.8	98.2-99.4
\$75,000+	1423	1,153,318	19	1.3	0.3- 2.3	1404	98.7	97.7-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2576	2,463,349	137	3.8	2.8- 4.8	2439	96.2	95.2-97.2
White/Non-Hisp	2221	1,965,764	119	3.6	2.6- 4.6	2102	96.4	95.4-97.4
Black or Afr. Am./Non-Hisp	118	195,578	8	5.3	0.8- 9.8	110	94.7	90.2-99.2
Oth. Race/Non-Hisp.	63	70,010	3	5.9	0.0-14.1	60	94.1	85.9- 100
Hispanic	70	134,905	2	3.9	0.0-11.2	68	96.1	88.8- 100
18-24	151	352,626	2	2.4	0.0- 5.7	149	97.6	94.3- 100
25-34	202	418,494				202	100.0	100.0- 100
35-44	279	410,690	6	2.4	0.2- 4.6	273	97.6	95.4-99.8
45-54	404	429,419	15	3.6	1.2- 6.0	389	96.4	94.0-98.8
55-64	622	411,201	26	4.0	2.2- 5.8	596	96.0	94.2-97.8
65+	898	429,245	88	10.0	7.1-12.9	810	90.0	87.1-92.9
Less Than H.S.	210	353,688	24	8.7	4.2-13.2	186	91.3	86.8-95.8
H.S. or G.E.D.	854	908,174	41	2.9	1.7- 4.1	813	97.1	95.9-98.3
Some Post-H.S.	587	679,174	28	3.5	1.7- 5.3	559	96.5	94.7-98.3
College Graduate	909	511,069	43	2.3	1.5- 3.1	866	97.7	96.9-98.5
Less than \$15,000	183	182,620	21	8.1	3.4-12.8	162	91.9	87.2-96.6
\$15,000- 24,999	318	320,989	30	6.5	3.4- 9.6	288	93.5	90.4-96.6
\$25,000- 34,999	227	236,805	13	5.8	1.7- 9.9	214	94.2	90.1-98.3
\$35,000- 49,999	381	346,779	20	2.8	1.2- 4.4	361	97.2	95.6-98.8
\$50,000- 74,999	409	406,908	14	1.2	0.4- 2.0	395	98.8	98.0-99.6
\$75,000+	719	635,726	11	1.7	0.0- 3.5	708	98.3	96.5- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3480	2,595,465	178	3.3	2.7- 3.9	3302	96.7	96.1-97.3
White/Non-Hisp	3030	2,122,646	154	3.3	2.5- 4.1	2876	96.7	95.9-97.5
Black or Afr. Am./Non-Hisp	201	231,187	11	3.7	0.8- 6.6	190	96.3	93.4-99.2
Oth. Race/Non-Hisp.	56	40,233	4	4.8	0.0-10.5	52	95.2	89.5- 100
Hispanic	113	144,770	3	1.2	0.0- 3.0	110	98.8	97.0- 100
18-24	127	335,601				127	100.0	100.0- 100
25-34	253	415,322	3	0.9	0.0- 2.1	250	99.1	97.9- 100
35-44	341	408,830	4	0.8	0.0- 2.0	337	99.2	98.0- 100
45-54	501	425,932	12	2.0	0.6- 3.4	489	98.0	96.6-99.4
55-64	767	428,859	30	3.6	2.0- 5.2	737	96.4	94.8-98.0
65+	1448	554,044	127	9.9	7.7-12.1	1321	90.1	87.9-92.3
Less Than H.S.	271	323,440	28	6.3	3.4- 9.2	243	93.7	90.8-96.6
H.S. or G.E.D.	1175	834,763	83	4.6	3.2- 6.0	1092	95.4	94.0-96.8
Some Post-H.S.	936	861,559	45	2.4	1.4- 3.4	891	97.6	96.6-98.6
College Graduate	1074	557,352	19	0.9	0.5- 1.3	1055	99.1	98.7-99.5
Less than \$15,000	339	305,884	38	7.1	4.0-10.2	301	92.9	89.8-96.0
\$15,000- 24,999	582	433,452	48	4.4	2.6- 6.2	534	95.6	93.8-97.4
\$25,000- 34,999	344	240,810	22	4.8	2.3- 7.3	322	95.2	92.7-97.7
\$35,000- 49,999	464	358,024	15	1.8	0.8- 2.8	449	98.2	97.2-99.2
\$50,000- 74,999	437	326,022	11	1.3	0.3- 2.3	426	98.7	97.7-99.7
\$75,000+	704	517,592	8	0.9	0.1- 1.7	696	99.1	98.3-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6049	5,042,905	800	14.8	13.4-16.2	5249	85.2	83.8-86.6
Male	2571	2,455,980	274	11.5	9.7-13.3	2297	88.5	86.7-90.3
Female	3478	2,586,925	526	17.9	15.9-19.9	2952	82.1	80.1-84.1
White/Non-Hisp	5245	4,074,159	679	14.7	13.1-16.3	4566	85.3	83.7-86.9
Black or Afr. Am./Non-Hisp	318	425,108	55	17.7	12.2-23.2	263	82.3	76.8-87.8
Oth. Race/Non-Hisp.	119	110,243	13	14.3	5.5-23.1	106	85.7	76.9-94.5
MultiRacial/Non-Hisp.	79	58,362	23	35.2	18.9-51.5	56	64.8	48.5-81.1
Hispanic	183	279,675	19	8.3	3.4-13.2	164	91.7	86.8-96.6
18-24	277	683,859	53	19.6	14.1-25.1	224	80.4	74.9-85.9
25-34	455	833,816	76	19.4	14.9-23.9	379	80.6	76.1-85.1
35-44	617	811,223	71	11.6	8.5-14.7	546	88.4	85.3-91.5
45-54	904	853,679	125	13.4	10.5-16.3	779	86.6	83.7-89.5
55-64	1384	837,983	199	14.8	12.4-17.2	1185	85.2	82.8-87.6
65+	2349	983,794	275	11.8	10.0-13.6	2074	88.2	86.4-90.0
Less Than H.S.	476	669,947	92	19.9	14.6-25.2	384	80.1	74.8-85.4
H.S. or G.E.D.	2027	1,737,395	260	14.9	12.5-17.3	1767	85.1	82.7-87.5
Some Post-H.S.	1525	1,538,019	192	14.3	11.8-16.8	1333	85.7	83.2-88.2
College Graduate	1981	1,067,949	252	12.1	10.1-14.1	1729	87.9	85.9-89.9
Less than \$15,000	521	488,929	109	21.5	16.4-26.6	412	78.5	73.4-83.6
\$15,000- 24,999	900	750,635	136	17.8	13.7-21.9	764	82.2	78.1-86.3
\$25,000- 34,999	571	476,292	77	13.0	9.1-16.9	494	87.0	83.1-90.9
\$35,000- 49,999	842	704,011	105	16.9	12.8-21.0	737	83.1	79.0-87.2
\$50,000- 74,999	845	731,961	84	11.2	7.9-14.5	761	88.8	85.5-92.1
\$75,000+	1422	1,153,126	175	13.0	10.5-15.5	1247	87.0	84.5-89.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2571	2,455,980	274	11.5	9.7-13.3	2297	88.5	86.7-90.3
White/Non-Hisp	2217	1,960,053	231	11.1	9.1-13.1	1986	88.9	86.9-90.9
Black or Afr. Am./Non-Hisp	117	193,921	15	14.4	6.2-22.6	102	85.6	77.4-93.8
Oth. Race/Non-Hisp.	63	70,010	6	12.7	0.7-24.7	57	87.3	75.3-99.3
Hispanic	70	134,905	4	6.7	0.0-14.7	66	93.3	85.3- 100
18-24	151	352,626	26	17.8	10.7-24.9	125	82.2	75.1-89.3
25-34	202	418,494	27	13.5	8.2-18.8	175	86.5	81.2-91.8
35-44	277	405,609	20	7.4	3.7-11.1	257	92.6	88.9-96.3
45-54	404	429,419	44	10.5	6.6-14.4	360	89.5	85.6-93.4
55-64	619	410,212	69	11.4	8.3-14.5	550	88.6	85.5-91.7
65+	898	427,946	87	9.2	6.7-11.7	811	90.8	88.3-93.3
Less Than H.S.	205	346,507	35	17.9	10.8-25.0	170	82.1	75.0-89.2
H.S. or G.E.D.	851	906,794	83	10.9	8.0-13.8	768	89.1	86.2-92.0
Some Post-H.S.	590	679,948	62	10.0	6.9-13.1	528	90.0	86.9-93.1
College Graduate	909	511,487	91	9.8	7.1-12.5	818	90.2	87.5-92.9
Less than \$15,000	182	183,045	31	16.4	9.1-23.7	151	83.6	76.3-90.9
\$15,000- 24,999	317	320,655	41	12.6	7.5-17.7	276	87.4	82.3-92.5
\$25,000- 34,999	228	237,154	28	15.0	8.3-21.7	200	85.0	78.3-91.7
\$35,000- 49,999	380	346,407	40	11.9	6.6-17.2	340	88.1	82.8-93.4
\$50,000- 74,999	408	406,333	28	7.5	3.8-11.2	380	92.5	88.8-96.2
\$75,000+	718	635,535	70	10.2	7.1-13.3	648	89.8	86.7-92.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3478	2,586,925	526	17.9	15.9-19.9	2952	82.1	80.1-84.1
White/Non-Hisp	3028	2,114,106	448	18.0	15.6-20.4	2580	82.0	79.6-84.4
Black or Afr. Am./Non-Hisp	201	231,187	40	20.4	13.1-27.7	161	79.6	72.3-86.9
Oth. Race/Non-Hisp.	56	40,233	7	17.0	4.5-29.5	49	83.0	70.5-95.5
Hispanic	113	144,770	15	9.7	3.6-15.8	98	90.3	84.2-96.4
18-24	126	331,233	27	21.5	12.9-30.1	99	78.5	69.9-87.1
25-34	253	415,322	49	25.3	18.4-32.2	204	74.7	67.8-81.6
35-44	340	405,614	51	15.7	11.0-20.4	289	84.3	79.6-89.0
45-54	500	424,260	81	16.4	12.3-20.5	419	83.6	79.5-87.7
55-64	765	427,770	130	18.0	14.3-21.7	635	82.0	78.3-85.7
65+	1451	555,847	188	13.8	11.3-16.3	1263	86.2	83.7-88.7
Less Than H.S.	271	323,440	57	22.0	14.4-29.6	214	78.0	70.4-85.6
H.S. or G.E.D.	1176	830,601	177	19.2	15.5-22.9	999	80.8	77.1-84.5
Some Post-H.S.	935	858,071	130	17.7	14.0-21.4	805	82.3	78.6-86.0
College Graduate	1072	556,462	161	14.3	11.4-17.2	911	85.7	82.8-88.6
Less than \$15,000	339	305,884	78	24.6	17.7-31.5	261	75.4	68.5-82.3
\$15,000- 24,999	583	429,980	95	21.6	15.7-27.5	488	78.4	72.5-84.3
\$25,000- 34,999	343	239,138	49	10.9	6.8-15.0	294	89.1	85.0-93.2
\$35,000- 49,999	462	357,604	65	21.6	15.3-27.9	397	78.4	72.1-84.7
\$50,000- 74,999	437	325,628	56	15.9	10.0-21.8	381	84.1	78.2-90.0
\$75,000+	704	517,592	105	16.4	12.3-20.5	599	83.6	79.5-87.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	779	723,757	543	70.8	66.3-75.3	236	29.2	24.7-33.7
Male	269	270,915	162	60.1	52.1-68.1	107	39.9	31.9-47.9
Female	510	452,842	381	77.3	72.2-82.4	129	22.7	17.6-27.8
White/Non-Hisp	663	585,162	457	69.6	64.5-74.7	206	30.4	25.3-35.5
Black or Afr. Am./Non-Hisp	52	69,488	41	78.1	64.4-91.8	11	21.9	8.2-35.6
18-24	52	130,406	37	77.3	65.5-89.1	15	22.7	10.9-34.5
25-34	73	154,414	43	58.8	46.1-71.5	30	41.2	28.5-53.9
35-44	70	91,989	45	69.1	56.4-81.8	25	30.9	18.2-43.6
45-54	123	112,517	88	77.7	69.1-86.3	35	22.3	13.7-30.9
55-64	193	120,365	136	71.4	63.4-79.4	57	28.6	20.6-36.6
65+	267	113,603	194	74.0	66.9-81.1	73	26.0	18.9-33.1
Less Than H.S.	92	133,138	78	85.2	75.6-94.8	14	14.8	5.2-24.4
H.S. or G.E.D.	246	242,467	172	66.0	57.8-74.2	74	34.0	25.8-42.2
Some Post-H.S.	186	215,056	134	73.4	65.2-81.6	52	26.6	18.4-34.8
College Graduate	251	129,428	157	60.7	52.1-69.3	94	39.3	30.7-47.9
Less than \$15,000	105	98,438	91	87.8	80.5-95.1	14	12.2	4.9-19.5
\$15,000- 24,999	131	132,833	101	80.4	71.4-89.4	30	19.6	10.6-28.6
\$25,000- 34,999	73	59,560	51	67.1	50.4-83.8	22	32.9	16.2-49.6
\$35,000- 49,999	104	116,325	64	61.8	48.9-74.7	40	38.2	25.3-51.1
\$50,000- 74,999	83	81,070	52	62.8	47.7-77.9	31	37.2	22.1-52.3
\$75,000+	174	149,513	106	61.5	51.3-71.7	68	38.5	28.3-48.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	269	270,915	162	60.1	52.5-67.7	107	39.9	32.3-47.5
White/Non-Hisp	228	210,889	134	54.6	46.0-63.2	94	45.4	36.8-54.0
55-64	69	46,921	47	76.1	65.1-87.1	22	23.9	12.9-34.9
65+	87	39,255	57	69.3	56.8-81.8	30	30.7	18.2-43.2
H.S. or G.E.D.	79	88,622	43	45.8	32.1-59.5	36	54.2	40.5-67.9
Some Post-H.S.	62	68,044	38	64.3	48.8-79.8	24	35.7	20.2-51.2
College Graduate	90	49,835	52	56.9	42.4-71.4	38	43.1	28.6-57.6
\$75,000+	70	64,867	39	54.7	38.8-70.6	31	45.3	29.4-61.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	510	452,842	381	77.3	72.2-82.4	129	22.7	17.6-27.8
White/Non-Hisp	435	374,273	323	78.1	72.6-83.6	112	21.9	16.4-27.4
35-44	51	63,791	34	67.2	51.3-83.1	17	32.8	16.9-48.7
45-54	80	67,504	62	84.1	75.9-92.3	18	15.9	7.7-24.1
55-64	124	73,444	89	68.4	57.6-79.2	35	31.6	20.8-42.4
65+	180	74,347	137	76.6	68.2-85.0	43	23.4	15.0-31.8
Less Than H.S.	57	71,138	50	91.1	83.5-98.7	7	8.9	1.3-16.5
H.S. or G.E.D.	167	153,845	129	77.6	69.0-86.2	38	22.4	13.8-31.0
Some Post-H.S.	124	147,012	96	77.6	68.0-87.2	28	22.4	12.8-32.0
College Graduate	161	79,594	105	63.1	52.3-73.9	56	36.9	26.1-47.7
Less than \$15,000	75	70,415	64	84.2	74.2-94.2	11	15.8	5.8-25.8
\$15,000- 24,999	91	92,371	78	92.8	87.3-98.3	13	7.2	1.7-12.7
\$35,000- 49,999	65	77,322	43	64.8	49.1-80.5	22	35.2	19.5-50.9
\$50,000- 74,999	55	50,626	36	65.1	46.5-83.7	19	34.9	16.3-53.5
\$75,000+	104	84,646	67	66.7	53.2-80.2	37	33.3	19.8-46.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6050	5,052,155	598	5.6	5.0- 6.2	5452	94.4	93.8-95.0
Male	2571	2,458,700	280	6.0	5.0- 7.0	2291	94.0	93.0-95.0
Female	3479	2,593,455	318	5.1	4.3- 5.9	3161	94.9	94.1-95.7
White/Non-Hisp	5245	4,081,752	581	6.7	5.9- 7.5	4664	93.3	92.5-94.1
Black or Afr. Am./Non-Hisp	319	426,765	2	0.3	0.0- 0.7	317	99.7	99.3- 100
Oth. Race/Non-Hisp.	119	110,243	3	1.4	0.0- 3.4	116	98.6	96.6- 100
MultiRacial/Non-Hisp.	79	58,362	3	1.6	0.0- 3.6	76	98.4	96.4- 100
Hispanic	183	279,675	3	0.1	0.0- 0.3	180	99.9	99.7- 100
18-24	277	685,024				277	100.0	100.0- 100
25-34	455	833,816	2	0.3	0.0- 0.9	453	99.7	99.1- 100
35-44	620	819,520	9	0.9	0.3- 1.5	611	99.1	98.5-99.7
45-54	903	852,440	28	2.2	1.2- 3.2	875	97.8	96.8-98.8
55-64	1386	838,954	116	8.8	6.8-10.8	1270	91.2	89.2-93.2
65+	2346	983,849	437	17.9	15.7-20.1	1909	82.1	79.9-84.3
Less Than H.S.	479	675,556	43	4.7	2.9- 6.5	436	95.3	93.5-97.1
H.S. or G.E.D.	2026	1,740,982	179	5.4	4.4- 6.4	1847	94.6	93.6-95.6
Some Post-H.S.	1523	1,537,180	162	6.0	4.8- 7.2	1361	94.0	92.8-95.2
College Graduate	1982	1,068,843	211	5.8	4.8- 6.8	1771	94.2	93.2-95.2
Less than \$15,000	520	488,418	36	4.5	2.3- 6.7	484	95.5	93.3-97.7
\$15,000- 24,999	899	751,028	80	5.6	3.8- 7.4	819	94.4	92.6-96.2
\$25,000- 34,999	569	475,483	54	5.5	3.5- 7.5	515	94.5	92.5-96.5
\$35,000- 49,999	844	704,359	109	7.6	5.6- 9.6	735	92.4	90.4-94.4
\$50,000- 74,999	847	733,892	78	4.7	3.3- 6.1	769	95.3	93.9-96.7
\$75,000+	1422	1,153,026	130	5.1	3.9- 6.3	1292	94.9	93.7-96.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2571	2,458,700	280	6.0	5.0- 7.0	2291	94.0	93.0-95.0
White/Non-Hisp	2216	1,961,115	269	7.3	6.1- 8.5	1947	92.7	91.5-93.9
Black or Afr. Am./Non-Hisp	118	195,578	2	0.6	0.0- 1.6	116	99.4	98.4- 100
Oth. Race/Non-Hisp.	63	70,010	2	1.8	0.0- 4.7	61	98.2	95.3- 100
Hispanic	70	134,905				70	100.0	100.0- 100
18-24	150	349,423				150	100.0	100.0- 100
25-34	202	418,494				202	100.0	100.0- 100
35-44	279	410,690	4	1.1	0.1- 2.1	275	98.9	97.9-99.9
45-54	403	428,180	8	0.9	0.1- 1.7	395	99.1	98.3-99.9
55-64	620	410,636	47	9.8	6.7-12.9	573	90.2	87.1-93.3
65+	897	429,602	218	22.7	19.2-26.2	679	77.3	73.8-80.8
Less Than H.S.	208	352,115	18	4.5	2.0- 7.0	190	95.5	93.0-98.0
H.S. or G.E.D.	852	907,859	75	5.4	3.8- 7.0	777	94.6	93.0-96.2
Some Post-H.S.	587	675,997	74	7.1	4.9- 9.3	513	92.9	90.7-95.1
College Graduate	908	511,485	111	6.8	5.2- 8.4	797	93.2	91.6-94.8
Less than \$15,000	182	183,075	18	6.1	2.4- 9.8	164	93.9	90.2-97.6
\$15,000- 24,999	315	316,680	25	6.0	3.1- 8.9	290	94.0	91.1-96.9
\$25,000- 34,999	227	236,852	24	5.8	2.7- 8.9	203	94.2	91.1-97.3
\$35,000- 49,999	380	346,334	60	8.8	6.1-11.5	320	91.2	88.5-93.9
\$50,000- 74,999	409	407,615	44	6.0	3.6- 8.4	365	94.0	91.6-96.4
\$75,000+	718	635,435	69	5.3	3.5- 7.1	649	94.7	92.9-96.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3479	2,593,455	318	5.1	4.3- 5.9	3161	94.9	94.1-95.7
White/Non-Hisp	3029	2,120,637	312	6.2	5.2- 7.2	2717	93.8	92.8-94.8
Black or Afr. Am./Non-Hisp	201	231,187				201	100.0	100.0- 100
Oth. Race/Non-Hisp.	56	40,233	1	0.7	0.0- 2.1	55	99.3	97.9- 100
Hispanic	113	144,770	3	0.2	0.0- 0.6	110	99.8	99.4- 100
18-24	127	335,601				127	100.0	100.0- 100
25-34	253	415,322	2	0.7	0.0- 1.9	251	99.3	98.1- 100
35-44	341	408,830	5	0.8	0.0- 1.6	336	99.2	98.4- 100
45-54	500	424,260	20	3.4	1.6- 5.2	480	96.6	94.8-98.4
55-64	766	428,318	69	7.7	5.3-10.1	697	92.3	89.9-94.7
65+	1449	554,247	219	14.2	11.8-16.6	1230	85.8	83.4-88.2
Less Than H.S.	271	323,440	25	4.8	2.3- 7.3	246	95.2	92.7-97.7
H.S. or G.E.D.	1174	833,123	104	5.4	4.0- 6.8	1070	94.6	93.2-96.0
Some Post-H.S.	936	861,183	88	5.1	3.7- 6.5	848	94.9	93.5-96.3
College Graduate	1074	557,358	100	5.0	3.8- 6.2	974	95.0	93.8-96.2
Less than \$15,000	338	305,343	18	3.6	1.2- 6.0	320	96.4	94.0-98.8
\$15,000- 24,999	584	434,348	55	5.3	3.3- 7.3	529	94.7	92.7-96.7
\$25,000- 34,999	342	238,631	30	5.3	2.9- 7.7	312	94.7	92.3-97.1
\$35,000- 49,999	464	358,024	49	6.5	3.8- 9.2	415	93.5	90.8-96.2
\$50,000- 74,999	438	326,277	34	3.0	1.8- 4.2	404	97.0	95.8-98.2
\$75,000+	704	517,592	61	4.8	3.2- 6.4	643	95.2	93.6-96.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6054	5,055,272	658	6.7	5.9- 7.5	5396	93.3	92.5-94.1
Male	2573	2,461,443	231	5.3	4.3- 6.3	2342	94.7	93.7-95.7
Female	3481	2,593,829	427	8.0	6.8- 9.2	3054	92.0	90.8-93.2
White/Non-Hisp	5254	4,089,619	600	7.0	6.2- 7.8	4654	93.0	92.2-93.8
Black or Afr. Am./Non-Hisp	318	426,206	30	8.6	4.5-12.7	288	91.4	87.3-95.5
Oth. Race/Non-Hisp.	118	109,795	6	2.7	0.3- 5.1	112	97.3	94.9-99.7
MultiRacial/Non-Hisp.	78	56,939	9	7.8	0.0-15.8	69	92.2	84.2- 100
Hispanic	183	279,675	6	1.6	0.0- 3.2	177	98.4	96.8- 100
18-24	277	686,804	3	1.4	0.0- 3.2	274	98.6	96.8- 100
25-34	453	830,152	11	2.0	0.6- 3.4	442	98.0	96.6-99.4
35-44	620	819,520	20	3.1	1.3- 4.9	600	96.9	95.1-98.7
45-54	903	854,515	52	4.1	2.7- 5.5	851	95.9	94.5-97.3
55-64	1385	838,642	132	9.4	7.4-11.4	1253	90.6	88.6-92.6
65+	2353	987,088	436	17.3	15.1-19.5	1917	82.7	80.5-84.9
Less Than H.S.	478	674,456	58	6.7	4.5- 8.9	420	93.3	91.1-95.5
H.S. or G.E.D.	2031	1,743,736	236	6.9	5.5- 8.3	1795	93.1	91.7-94.5
Some Post-H.S.	1525	1,539,106	144	6.5	4.9- 8.1	1381	93.5	91.9-95.1
College Graduate	1980	1,068,380	217	6.7	5.5- 7.9	1763	93.3	92.1-94.5
Less than \$15,000	522	489,427	73	9.7	6.4-13.0	449	90.3	87.0-93.6
\$15,000- 24,999	898	751,769	107	6.8	5.0- 8.6	791	93.2	91.4-95.0
\$25,000- 34,999	570	477,432	79	9.7	6.6-12.8	491	90.3	87.2-93.4
\$35,000- 49,999	845	704,803	88	5.7	3.7- 7.7	757	94.3	92.3-96.3
\$50,000- 74,999	849	734,226	79	5.8	4.2- 7.4	770	94.2	92.6-95.8
\$75,000+	1420	1,150,999	103	4.1	2.9- 5.3	1317	95.9	94.7-97.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2573	2,461,443	231	5.3	4.3- 6.3	2342	94.7	93.7-95.7
White/Non-Hisp	2221	1,965,177	211	5.5	4.5- 6.5	2010	94.5	93.5-95.5
Black or Afr. Am./Non-Hisp	117	195,019	8	7.7	1.0-14.4	109	92.3	85.6-99.0
Oth. Race/Non-Hisp.	62	69,561	3	1.6	0.0- 3.6	59	98.4	96.4- 100
Hispanic	70	134,905	3	1.8	0.0- 4.2	67	98.2	95.8- 100
18-24	151	352,626	2	2.0	0.0- 5.1	149	98.0	94.9- 100
25-34	201	416,838	3	1.4	0.0- 3.2	198	98.6	96.8- 100
35-44	279	410,690	8	2.0	0.4- 3.6	271	98.0	96.4-99.6
45-54	403	428,971	10	1.8	0.4- 3.2	393	98.2	96.8-99.6
55-64	618	409,783	44	7.0	4.3- 9.7	574	93.0	90.3-95.7
65+	901	430,861	163	16.5	13.4-19.6	738	83.5	80.4-86.6
Less Than H.S.	208	352,438	18	5.4	2.5- 8.3	190	94.6	91.7-97.5
H.S. or G.E.D.	854	907,483	78	5.5	3.7- 7.3	776	94.5	92.7-96.3
Some Post-H.S.	589	679,389	44	4.3	2.5- 6.1	545	95.7	93.9-97.5
College Graduate	906	510,890	91	6.2	4.4- 8.0	815	93.8	92.0-95.6
Less than \$15,000	184	183,584	21	7.3	1.2-13.4	163	92.7	86.6-98.8
\$15,000- 24,999	315	319,429	29	5.8	2.9- 8.7	286	94.2	91.3-97.1
\$25,000- 34,999	227	237,010	25	7.0	3.7-10.3	202	93.0	89.7-96.3
\$35,000- 49,999	381	346,779	40	5.5	3.1- 7.9	341	94.5	92.1-96.9
\$50,000- 74,999	411	407,948	33	4.9	2.7- 7.1	378	95.1	92.9-97.3
\$75,000+	716	633,407	39	2.6	1.4- 3.8	677	97.4	96.2-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3481	2,593,829	427	8.0	6.8- 9.2	3054	92.0	90.8-93.2
White/Non-Hisp	3033	2,124,442	389	8.4	7.2- 9.6	2644	91.6	90.4-92.8
Black or Afr. Am./Non-Hisp	201	231,187	22	9.4	4.1-14.7	179	90.6	85.3-95.9
Oth. Race/Non-Hisp.	56	40,233	3	4.5	0.0-10.0	53	95.5	90.0- 100
Hispanic	113	144,770	3	1.5	0.0- 3.5	110	98.5	96.5- 100
18-24	126	334,178	1	0.7	0.0- 2.1	125	99.3	97.9- 100
25-34	252	413,313	8	2.5	0.3- 4.7	244	97.5	95.3-99.7
35-44	341	408,830	12	4.1	1.0- 7.2	329	95.9	92.8-99.0
45-54	500	425,544	42	6.5	4.1- 8.9	458	93.5	91.1-95.9
55-64	767	428,859	88	11.7	8.8-14.6	679	88.3	85.4-91.2
65+	1452	556,227	273	17.9	15.2-20.6	1179	82.1	79.4-84.8
Less Than H.S.	270	322,017	40	8.2	5.1-11.3	230	91.8	88.7-94.9
H.S. or G.E.D.	1177	836,253	158	8.5	6.7-10.3	1019	91.5	89.7-93.3
Some Post-H.S.	936	859,717	100	8.2	5.8-10.6	836	91.8	89.4-94.2
College Graduate	1074	557,490	126	7.1	5.5- 8.7	948	92.9	91.3-94.5
Less than \$15,000	338	305,843	52	11.1	7.2-15.0	286	88.9	85.0-92.8
\$15,000- 24,999	583	432,339	78	7.5	5.1- 9.9	505	92.5	90.1-94.9
\$25,000- 34,999	343	240,422	54	12.4	7.1-17.7	289	87.6	82.3-92.9
\$35,000- 49,999	464	358,024	48	6.0	3.1- 8.9	416	94.0	91.1-96.9
\$50,000- 74,999	438	326,277	46	7.1	4.6- 9.6	392	92.9	90.4-95.4
\$75,000+	704	517,592	64	6.0	3.8- 8.2	640	94.0	91.8-96.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6030	5,023,650	593	8.0	7.0- 9.0	5437	92.0	91.0-93.0
Male	2561	2,438,980	243	7.7	6.3- 9.1	2318	92.3	90.9-93.7
Female	3469	2,584,669	350	8.2	7.0- 9.4	3119	91.8	90.6-93.0
White/Non-Hisp	5233	4,068,773	527	8.4	7.4- 9.4	4706	91.6	90.6-92.6
Black or Afr. Am./Non-Hisp	315	419,866	29	7.9	4.2-11.6	286	92.1	88.4-95.8
Oth. Race/Non-Hisp.	118	108,784	11	8.8	1.0-16.6	107	91.2	83.4-99.0
MultiRacial/Non-Hisp.	79	58,362	14	8.5	2.8-14.2	65	91.5	85.8-97.2
Hispanic	182	273,804	4	2.0	0.0- 4.2	178	98.0	95.8- 100
18-24	276	684,147	8	2.8	0.8- 4.8	268	97.2	95.2-99.2
25-34	452	821,551	10	2.3	0.7- 3.9	442	97.7	96.1-99.3
35-44	618	818,015	14	3.1	0.9- 5.3	604	96.9	94.7-99.1
45-54	899	845,911	78	9.7	7.2-12.2	821	90.3	87.8-92.8
55-64	1381	833,271	152	12.8	10.4-15.2	1229	87.2	84.8-89.6
65+	2341	982,203	329	15.0	13.0-17.0	2012	85.0	83.0-87.0
Less Than H.S.	472	656,206	100	13.8	10.3-17.3	372	86.2	82.7-89.7
H.S. or G.E.D.	2023	1,735,133	251	9.1	7.5-10.7	1772	90.9	89.3-92.5
Some Post-H.S.	1520	1,536,930	144	8.0	6.2- 9.8	1376	92.0	90.2-93.8
College Graduate	1975	1,065,786	94	2.5	1.7- 3.3	1881	97.5	96.7-98.3
Less than \$15,000	518	479,271	129	19.4	15.1-23.7	389	80.6	76.3-84.9
\$15,000- 24,999	894	746,594	132	11.2	8.7-13.7	762	88.8	86.3-91.3
\$25,000- 34,999	570	477,829	70	9.2	6.5-11.9	500	90.8	88.1-93.5
\$35,000- 49,999	841	701,821	68	4.9	3.3- 6.5	773	95.1	93.5-96.7
\$50,000- 74,999	845	725,382	38	4.0	2.2- 5.8	807	96.0	94.2-97.8
\$75,000+	1422	1,152,884	55	2.9	1.9- 3.9	1367	97.1	96.1-98.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2561	2,438,980	243	7.7	6.3- 9.1	2318	92.3	90.9-93.7
White/Non-Hisp	2212	1,954,471	213	7.9	6.5- 9.3	1999	92.1	90.7-93.5
Black or Afr. Am./Non-Hisp	115	190,143	11	7.9	1.6-14.2	104	92.1	85.8-98.4
Oth. Race/Non-Hisp.	62	68,551	5	10.4	0.0-22.4	57	89.6	77.6- 100
Hispanic	69	129,034	2	2.9	0.0- 7.2	67	97.1	92.8- 100
18-24	149	348,546	4	2.2	0.0- 4.6	145	97.8	95.4- 100
25-34	201	412,623	3	1.3	0.0- 2.9	198	98.7	97.1- 100
35-44	279	410,690	2	2.4	0.0- 5.5	277	97.6	94.5- 100
45-54	399	421,443	27	8.3	4.8-11.8	372	91.7	88.2-95.2
55-64	616	405,727	70	14.8	10.9-18.7	546	85.2	81.3-89.1
65+	897	428,277	137	16.3	13.0-19.6	760	83.7	80.4-87.0
Less Than H.S.	204	340,146	40	13.7	8.2-19.2	164	86.3	80.8-91.8
H.S. or G.E.D.	850	901,395	90	7.4	5.4- 9.4	760	92.6	90.6-94.6
Some Post-H.S.	586	676,543	60	8.4	5.7-11.1	526	91.6	88.9-94.3
College Graduate	905	509,653	52	3.2	1.8- 4.6	853	96.8	95.4-98.2
Less than \$15,000	182	181,210	43	21.3	14.0-28.6	139	78.7	71.4-86.0
\$15,000- 24,999	313	314,417	43	11.2	6.9-15.5	270	88.8	84.5-93.1
\$25,000- 34,999	228	237,154	26	8.0	4.5-11.5	202	92.0	88.5-95.5
\$35,000- 49,999	379	344,661	40	5.9	3.5- 8.3	339	94.1	91.7-96.5
\$50,000- 74,999	407	399,104	27	5.1	2.6- 7.6	380	94.9	92.4-97.4
\$75,000+	719	635,726	34	2.9	1.5- 4.3	685	97.1	95.7-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3469	2,584,669	350	8.2	7.0- 9.4	3119	91.8	90.6-93.0
White/Non-Hisp	3021	2,114,302	314	8.9	7.5-10.3	2707	91.1	89.7-92.5
Black or Afr. Am./Non-Hisp	200	229,723	18	7.9	3.2-12.6	182	92.1	87.4-96.8
Oth. Race/Non-Hisp.	56	40,233	6	6.1	0.4-11.8	50	93.9	88.2-99.6
Hispanic	113	144,770	2	1.1	0.0- 2.7	111	98.9	97.3- 100
18-24	127	335,601	4	3.3	0.0- 6.6	123	96.7	93.4- 100
25-34	251	408,928	7	3.3	0.8- 5.8	244	96.7	94.2-99.2
35-44	339	407,325	12	3.9	1.2- 6.6	327	96.1	93.4-98.8
45-54	500	424,468	51	11.1	7.6-14.6	449	88.9	85.4-92.4
55-64	765	427,544	82	10.9	8.0-13.8	683	89.1	86.2-92.0
65+	1444	553,926	192	14.1	11.6-16.6	1252	85.9	83.4-88.4
Less Than H.S.	268	316,060	60	13.9	9.2-18.6	208	86.1	81.4-90.8
H.S. or G.E.D.	1173	833,738	161	11.0	8.6-13.4	1012	89.0	86.6-91.4
Some Post-H.S.	934	860,387	84	7.7	5.5- 9.9	850	92.3	90.1-94.5
College Graduate	1070	556,133	42	1.9	1.1- 2.7	1028	98.1	97.3-98.9
Less than \$15,000	336	298,061	86	18.3	12.8-23.8	250	81.7	76.2-87.2
\$15,000- 24,999	581	432,177	89	11.2	7.9-14.5	492	88.8	85.5-92.1
\$25,000- 34,999	342	240,675	44	10.3	6.2-14.4	298	89.7	85.6-93.8
\$35,000- 49,999	462	357,160	28	4.0	2.0- 6.0	434	96.0	94.0-98.0
\$50,000- 74,999	438	326,277	11	2.6	0.6- 4.6	427	97.4	95.4-99.4
\$75,000+	703	517,158	21	2.8	1.0- 4.6	682	97.2	95.4-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6038	5,039,019	2273	27.6	26.0-29.2	3765	72.4	70.8-74.0
Male	2569	2,449,027	836	24.6	22.4-26.8	1733	75.4	73.2-77.6
Female	3469	2,589,991	1437	30.4	28.2-32.6	2032	69.6	67.4-71.8
White/Non-Hisp	5236	4,079,134	2029	29.5	27.7-31.3	3207	70.5	68.7-72.3
Black or Afr. Am./Non-Hisp	319	426,765	105	22.8	17.1-28.5	214	77.2	71.5-82.9
Oth. Race/Non-Hisp.	118	107,043	32	23.1	12.9-33.3	86	76.9	66.7-87.1
MultiRacial/Non-Hisp.	79	58,362	36	24.4	13.0-35.8	43	75.6	64.2-87.0
Hispanic	181	272,356	28	7.8	3.9-11.7	153	92.2	88.3-96.1
18-24	276	683,580	12	4.4	1.7- 7.1	264	95.6	92.9-98.3
25-34	454	827,945	34	7.3	4.4-10.2	420	92.7	89.8-95.6
35-44	620	819,520	91	14.5	11.2-17.8	529	85.5	82.2-88.8
45-54	901	852,761	271	33.8	29.7-37.9	630	66.2	62.1-70.3
55-64	1383	837,412	580	43.1	39.8-46.4	803	56.9	53.6-60.2
65+	2343	981,012	1270	53.5	50.8-56.2	1073	46.5	43.8-49.2
Less Than H.S.	477	668,587	215	29.8	24.7-34.9	262	70.2	65.1-75.3
H.S. or G.E.D.	2020	1,736,316	879	31.5	28.8-34.2	1141	68.5	65.8-71.2
Some Post-H.S.	1521	1,536,262	584	28.0	25.1-30.9	937	72.0	69.1-74.9
College Graduate	1980	1,068,259	582	19.3	17.1-21.5	1398	80.7	78.5-82.9
Less than \$15,000	520	487,870	274	37.4	31.7-43.1	246	62.6	56.9-68.3
\$15,000- 24,999	895	748,138	393	31.4	27.1-35.7	502	68.6	64.3-72.9
\$25,000- 34,999	570	477,642	259	33.6	28.3-38.9	311	66.4	61.1-71.7
\$35,000- 49,999	844	703,961	312	26.8	22.9-30.7	532	73.2	69.3-77.1
\$50,000- 74,999	844	726,182	287	22.2	18.9-25.5	557	77.8	74.5-81.1
\$75,000+	1419	1,151,041	352	19.5	16.8-22.2	1067	80.5	77.8-83.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2569	2,449,027	836	24.6	22.4-26.8	1733	75.4	73.2-77.6
White/Non-Hisp	2217	1,961,961	736	26.0	23.6-28.4	1481	74.0	71.6-76.4
Black or Afr. Am./Non-Hisp	118	195,578	36	25.2	15.8-34.6	82	74.8	65.4-84.2
Oth. Race/Non-Hisp.	62	66,810	16	22.2	7.9-36.5	46	77.8	63.5-92.1
Hispanic	68	127,586	4	2.3	0.0- 5.0	64	97.7	95.0- 100
18-24	149	347,979	4	2.2	0.0- 4.6	145	97.8	95.4- 100
25-34	201	412,623	13	6.3	2.2-10.4	188	93.7	89.6-97.8
35-44	279	410,690	40	14.3	9.2-19.4	239	85.7	80.6-90.8
45-54	403	429,134	101	30.2	24.1-36.3	302	69.8	63.7-75.9
55-64	619	409,893	236	39.8	34.9-44.7	383	60.2	55.3-65.1
65+	899	428,681	436	49.7	45.2-54.2	463	50.3	45.8-54.8
Less Than H.S.	209	347,816	80	26.7	19.8-33.6	129	73.3	66.4-80.2
H.S. or G.E.D.	848	902,080	313	27.8	24.1-31.5	535	72.2	68.5-75.9
Some Post-H.S.	588	676,524	209	24.4	20.3-28.5	379	75.6	71.5-79.7
College Graduate	908	511,364	230	17.6	14.5-20.7	678	82.4	79.3-85.5
Less than \$15,000	183	183,299	84	37.7	28.7-46.7	99	62.3	53.3-71.3
\$15,000- 24,999	314	315,525	106	26.1	19.6-32.6	208	73.9	67.4-80.4
\$25,000- 34,999	227	237,066	95	31.0	23.0-39.0	132	69.0	61.0-77.0
\$35,000- 49,999	381	346,779	132	25.4	19.9-30.9	249	74.6	69.1-80.1
\$50,000- 74,999	409	401,334	138	21.4	16.7-26.1	271	78.6	73.9-83.3
\$75,000+	718	635,182	162	17.4	13.9-20.9	556	82.6	79.1-86.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3469	2,589,991	1437	30.4	28.2-32.6	2032	69.6	67.4-71.8
White/Non-Hisp	3019	2,117,173	1293	32.9	30.5-35.3	1726	67.1	64.7-69.5
Black or Afr. Am./Non-Hisp	201	231,187	69	20.7	13.8-27.6	132	79.3	72.4-86.2
Oth. Race/Non-Hisp.	56	40,233	16	24.6	11.1-38.1	40	75.4	61.9-88.9
Hispanic	113	144,770	24	12.6	5.7-19.5	89	87.4	80.5-94.3
18-24	127	335,601	8	6.7	1.8-11.6	119	93.3	88.4-98.2
25-34	253	415,322	21	8.3	4.0-12.6	232	91.7	87.4-96.0
35-44	341	408,830	51	14.6	10.1-19.1	290	85.4	80.9-89.9
45-54	498	423,628	170	37.5	32.2-42.8	328	62.5	57.2-67.8
55-64	764	427,519	344	46.2	41.7-50.7	420	53.8	49.3-58.3
65+	1444	552,331	834	56.4	52.9-59.9	610	43.6	40.1-47.1
Less Than H.S.	268	320,771	135	33.3	25.9-40.7	133	66.7	59.3-74.1
H.S. or G.E.D.	1172	834,236	566	35.4	31.7-39.1	606	64.6	60.9-68.3
Some Post-H.S.	933	859,738	375	30.7	26.8-34.6	558	69.3	65.4-73.2
College Graduate	1072	556,895	352	20.9	18.0-23.8	720	79.1	76.2-82.0
Less than \$15,000	337	304,571	190	37.3	29.9-44.7	147	62.7	55.3-70.1
\$15,000- 24,999	581	432,613	287	35.3	29.6-41.0	294	64.7	59.0-70.4
\$25,000- 34,999	343	240,575	164	36.1	29.2-43.0	179	63.9	57.0-70.8
\$35,000- 49,999	463	357,182	180	28.1	22.6-33.6	283	71.9	66.4-77.4
\$50,000- 74,999	435	324,848	149	23.1	18.2-28.0	286	76.9	72.0-81.8
\$75,000+	701	515,859	190	22.1	18.2-26.0	511	77.9	74.0-81.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 28: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6046	5,044,108	1194	20.4	18.8-22.0	4852	79.6	78.0-81.2
Male	2577	2,460,223	362	14.7	12.7-16.7	2215	85.3	83.3-87.3
Female	3469	2,583,886	832	25.9	23.5-28.3	2637	74.1	71.7-76.5
White/Non-Hisp	5245	4,077,389	1053	21.3	19.5-23.1	4192	78.7	76.9-80.5
Black or Afr. Am./Non-Hisp	319	426,765	58	15.3	9.6-21.0	261	84.7	79.0-90.4
Oth. Race/Non-Hisp.	119	110,243	21	19.5	9.9-29.1	98	80.5	70.9-90.1
MultiRacial/Non-Hisp.	78	58,254	26	33.7	18.8-48.6	52	66.3	51.4-81.2
Hispanic	183	279,675	27	15.9	7.7-24.1	156	84.1	75.9-92.3
18-24	277	686,936	69	29.3	22.4-36.2	208	70.7	63.8-77.6
25-34	452	823,227	82	17.4	13.3-21.5	370	82.6	78.5-86.7
35-44	619	819,059	104	16.9	13.0-20.8	515	83.1	79.2-87.0
45-54	900	851,772	215	21.9	18.6-25.2	685	78.1	74.8-81.4
55-64	1384	838,428	349	24.3	21.4-27.2	1035	75.7	72.8-78.6
65+	2351	986,135	371	15.8	13.8-17.8	1980	84.2	82.2-86.2
Less Than H.S.	476	666,572	135	28.2	21.9-34.5	341	71.8	65.5-78.1
H.S. or G.E.D.	2026	1,743,648	401	18.7	16.3-21.1	1625	81.3	78.9-83.7
Some Post-H.S.	1525	1,540,671	326	22.5	19.6-25.4	1199	77.5	74.6-80.4
College Graduate	1979	1,063,622	327	15.7	13.5-17.9	1652	84.3	82.1-86.5
Less than \$15,000	519	481,191	183	30.8	24.7-36.9	336	69.2	63.1-75.3
\$15,000- 24,999	901	755,138	232	27.1	22.6-31.6	669	72.9	68.4-77.4
\$25,000- 34,999	572	477,964	134	23.8	18.9-28.7	438	76.2	71.3-81.1
\$35,000- 49,999	845	704,803	149	19.0	14.5-23.5	696	81.0	76.5-85.5
\$50,000- 74,999	846	733,275	151	20.6	16.1-25.1	695	79.4	74.9-83.9
\$75,000+	1418	1,148,784	189	13.2	10.8-15.6	1229	86.8	84.4-89.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2577	2,460,223	362	14.7	12.7-16.7	2215	85.3	83.3-87.3
White/Non-Hisp	2224	1,965,026	310	14.5	12.3-16.7	1914	85.5	83.3-87.7
Black or Afr. Am./Non-Hisp	118	195,578	18	11.0	4.9-17.1	100	89.0	82.9-95.1
Oth. Race/Non-Hisp.	63	70,010	9	17.3	4.6-30.0	54	82.7	70.0-95.4
Hispanic	70	134,905	10	21.9	7.0-36.8	60	78.1	63.2-93.0
18-24	151	352,626	29	20.3	12.7-27.9	122	79.7	72.1-87.3
25-34	200	413,277	32	13.9	8.8-19.0	168	86.1	81.0-91.2
35-44	279	410,690	30	12.6	6.9-18.3	249	87.4	81.7-93.1
45-54	404	429,419	61	13.6	9.7-17.5	343	86.4	82.5-90.3
55-64	621	410,877	100	16.4	12.7-20.1	521	83.6	79.9-87.3
65+	902	431,660	110	12.6	9.5-15.7	792	87.4	84.3-90.5
Less Than H.S.	209	351,409	43	17.8	10.5-25.1	166	82.2	74.9-89.5
H.S. or G.E.D.	854	908,883	112	13.3	10.4-16.2	742	86.7	83.8-89.6
Some Post-H.S.	589	679,624	90	17.2	12.9-21.5	499	82.8	78.5-87.1
College Graduate	909	509,062	116	11.6	8.9-14.3	793	88.4	85.7-91.1
Less than \$15,000	184	183,584	51	18.5	12.0-25.0	133	81.5	75.0-88.0
\$15,000- 24,999	318	320,989	68	21.8	15.7-27.9	250	78.2	72.1-84.3
\$25,000- 34,999	228	237,154	38	17.5	10.8-24.2	190	82.5	75.8-89.2
\$35,000- 49,999	381	346,779	52	15.3	9.4-21.2	329	84.7	78.8-90.6
\$50,000- 74,999	410	407,624	49	12.6	7.1-18.1	361	87.4	81.9-92.9
\$75,000+	717	632,679	63	9.9	6.6-13.2	654	90.1	86.8-93.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3469	2,583,886	832	25.9	23.5-28.3	2637	74.1	71.7-76.5
White/Non-Hisp	3021	2,112,363	743	27.7	25.2-30.2	2278	72.3	69.8-74.8
Black or Afr. Am./Non-Hisp	201	231,187	40	18.9	9.9-27.9	161	81.1	72.1-90.1
Oth. Race/Non-Hisp.	56	40,233	12	23.2	9.9-36.5	44	76.8	63.5-90.1
Hispanic	113	144,770	17	10.2	3.7-16.7	96	89.8	83.3-96.3
18-24	126	334,310	40	38.7	27.9-49.5	86	61.3	50.5-72.1
25-34	252	409,950	50	21.0	14.7-27.3	202	79.0	72.7-85.3
35-44	340	408,369	74	21.3	15.8-26.8	266	78.7	73.2-84.2
45-54	496	422,354	154	30.3	25.4-35.2	342	69.7	64.8-74.6
55-64	763	427,551	249	32.0	27.7-36.3	514	68.0	63.7-72.3
65+	1449	554,475	261	18.3	15.6-21.0	1188	81.7	79.0-84.4
Less Than H.S.	267	315,163	92	39.7	30.3-49.1	175	60.3	50.9-69.7
H.S. or G.E.D.	1172	834,765	289	24.5	20.8-28.2	883	75.5	71.8-79.2
Some Post-H.S.	936	861,047	236	26.7	22.6-30.8	700	73.3	69.2-77.4
College Graduate	1070	554,560	211	19.5	16.2-22.8	859	80.5	77.2-83.8
Less than \$15,000	335	297,607	132	38.4	30.0-46.8	203	61.6	53.2-70.0
\$15,000- 24,999	583	434,149	164	31.0	24.7-37.3	419	69.0	62.7-75.3
\$25,000- 34,999	344	240,810	96	30.0	22.9-37.1	248	70.0	62.9-77.1
\$35,000- 49,999	464	358,024	97	22.6	15.7-29.5	367	77.4	70.5-84.3
\$50,000- 74,999	436	325,650	102	30.5	23.4-37.6	334	69.5	62.4-76.6
\$75,000+	701	516,104	126	17.3	13.8-20.8	575	82.7	79.2-86.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6040	5,048,223	230	2.8	2.2- 3.4	5810	97.2	96.6-97.8
Male	2570	2,458,109	89	2.3	1.7- 2.9	2481	97.7	97.1-98.3
Female	3470	2,590,113	141	3.2	2.4- 4.0	3329	96.8	96.0-97.6
White/Non-Hisp	5239	4,078,996	202	2.9	2.3- 3.5	5037	97.1	96.5-97.7
Black or Afr. Am./Non-Hisp	317	426,367	17	3.5	1.3- 5.7	300	96.5	94.3-98.7
Oth. Race/Non-Hisp.	119	110,243	2	1.5	0.0- 3.7	117	98.5	96.3- 100
MultiRacial/Non-Hisp.	79	58,362	5	5.3	0.0-12.6	74	94.7	87.4- 100
Hispanic	183	279,675				183	100.0	100.0- 100
18-24	277	686,643				277	100.0	100.0- 100
25-34	454	831,535	4	0.7	0.0- 1.5	450	99.3	98.5- 100
35-44	620	819,520	11	2.8	0.8- 4.8	609	97.2	95.2-99.2
45-54	903	853,435	24	2.7	1.5- 3.9	879	97.3	96.1-98.5
55-64	1383	836,898	50	3.6	2.2- 5.0	1333	96.4	95.0-97.8
65+	2340	981,641	140	5.9	4.7- 7.1	2200	94.1	92.9-95.3
Less Than H.S.	474	673,273	27	3.2	1.8- 4.6	447	96.8	95.4-98.2
H.S. or G.E.D.	2022	1,735,990	85	2.8	2.0- 3.6	1937	97.2	96.4-98.0
Some Post-H.S.	1523	1,540,731	60	3.2	2.0- 4.4	1463	96.8	95.6-98.0
College Graduate	1981	1,068,634	58	2.0	1.2- 2.8	1923	98.0	97.2-98.8
Less than \$15,000	519	488,311	37	4.4	2.4- 6.4	482	95.6	93.6-97.6
\$15,000- 24,999	897	754,271	45	3.2	2.0- 4.4	852	96.8	95.6-98.0
\$25,000- 34,999	569	474,623	29	4.7	2.5- 6.9	540	95.3	93.1-97.5
\$35,000- 49,999	843	704,190	30	2.0	1.0- 3.0	813	98.0	97.0-99.0
\$50,000- 74,999	848	733,469	28	2.4	0.8- 4.0	820	97.6	96.0-99.2
\$75,000+	1419	1,151,620	32	2.1	0.9- 3.3	1387	97.9	96.7-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2570	2,458,109	89	2.3	1.7- 2.9	2481	97.7	97.1-98.3
White/Non-Hisp	2216	1,960,835	77	2.3	1.5- 3.1	2139	97.7	96.9-98.5
Black or Afr. Am./Non-Hisp	118	195,578	5	4.0	0.5- 7.5	113	96.0	92.5-99.5
Oth. Race/Non-Hisp.	63	70,010	1	0.8	0.0- 2.4	62	99.2	97.6- 100
Hispanic	70	134,905				70	100.0	100.0- 100
18-24	150	351,042				150	100.0	100.0- 100
25-34	201	416,213	1	0.3	0.0- 0.9	200	99.7	99.1- 100
35-44	279	410,690	3	1.2	0.0- 2.8	276	98.8	97.2- 100
45-54	403	428,517	6	1.7	0.1- 3.3	397	98.3	96.7-99.9
55-64	619	409,832	23	4.4	2.0- 6.8	596	95.6	93.2-98.0
65+	898	430,142	56	5.7	3.7- 7.7	842	94.3	92.3-96.3
Less Than H.S.	210	353,688	7	2.0	0.4- 3.6	203	98.0	96.4-99.6
H.S. or G.E.D.	849	902,504	31	2.0	1.0- 3.0	818	98.0	97.0-99.0
Some Post-H.S.	588	679,398	21	2.9	1.3- 4.5	567	97.1	95.5-98.7
College Graduate	907	511,276	30	2.2	0.8- 3.6	877	97.8	96.4-99.2
Less than \$15,000	183	183,398	10	3.2	0.8- 5.6	173	96.8	94.4-99.2
\$15,000- 24,999	317	320,679	15	4.2	1.7- 6.7	302	95.8	93.3-98.3
\$25,000- 34,999	225	233,812	14	5.3	2.0- 8.6	211	94.7	91.4-98.0
\$35,000- 49,999	381	346,779	14	1.8	0.4- 3.2	367	98.2	96.8-99.6
\$50,000- 74,999	410	407,192	15	1.6	0.2- 3.0	395	98.4	97.0-99.8
\$75,000+	716	635,042	15	1.5	0.3- 2.7	701	98.5	97.3-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3470	2,590,113	141	3.2	2.4- 4.0	3329	96.8	96.0-97.6
White/Non-Hisp	3023	2,118,161	125	3.4	2.4- 4.4	2898	96.6	95.6-97.6
Black or Afr. Am./Non-Hisp	199	230,789	12	3.1	0.7- 5.5	187	96.9	94.5-99.3
Oth. Race/Non-Hisp.	56	40,233	1	2.7	0.0- 8.0	55	97.3	92.0- 100
Hispanic	113	144,770				113	100.0	100.0- 100
18-24	127	335,601				127	100.0	100.0- 100
25-34	253	415,322	3	1.1	0.0- 2.5	250	98.9	97.5- 100
35-44	341	408,830	8	4.4	0.9- 7.9	333	95.6	92.1-99.1
45-54	500	424,918	18	3.6	1.6- 5.6	482	96.4	94.4-98.4
55-64	764	427,066	27	2.8	1.4- 4.2	737	97.2	95.8-98.6
65+	1442	551,500	84	6.1	4.3- 7.9	1358	93.9	92.1-95.7
Less Than H.S.	264	319,586	20	4.5	2.1- 6.9	244	95.5	93.1-97.9
H.S. or G.E.D.	1173	833,486	54	3.5	1.9- 5.1	1119	96.5	94.9-98.1
Some Post-H.S.	935	861,332	39	3.5	1.9- 5.1	896	96.5	94.9-98.1
College Graduate	1074	557,358	28	1.8	0.8- 2.8	1046	98.2	97.2-99.2
Less than \$15,000	336	304,913	27	5.1	2.4- 7.8	309	94.9	92.2-97.6
\$15,000- 24,999	580	433,592	30	2.4	1.4- 3.4	550	97.6	96.6-98.6
\$25,000- 34,999	344	240,810	15	4.1	1.4- 6.8	329	95.9	93.2-98.6
\$35,000- 49,999	462	357,411	16	2.2	0.6- 3.8	446	97.8	96.2-99.4
\$50,000- 74,999	438	326,277	13	3.3	0.2- 6.4	425	96.7	93.6-99.8
\$75,000+	703	516,578	17	2.9	0.5- 5.3	686	97.1	94.7-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 34: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6059	5,055,258	888	11.4	10.4-12.4	33	0.6	0.4- 0.8	5038	86.6	85.4-87.8	100	1.3	0.9- 1.7
Male	2577	2,461,892	412	12.2	10.6-13.8				2125	86.8	85.0-88.6	40	1.0	0.6- 1.4
Female	3482	2,593,366	476	10.7	9.3-12.1	33	1.2	0.6- 1.8	2913	86.5	84.9-88.1	60	1.6	1.0- 2.2
White/Non-Hisp	5257	4,091,115	765	11.3	10.1-12.5	30	0.6	0.2- 1.0	4374	86.7	85.5-87.9	88	1.4	1.0- 1.8
Black or Afr. Am./Non-Hisp	319	426,765	58	14.1	9.0-19.2	1	0.4	0.0- 1.2	256	84.8	79.7-89.9	4	0.7	0.0- 1.5
Oth. Race/Non-Hisp.	119	110,243	19	13.7	5.3-22.1				99	86.1	77.7-94.5	1	0.2	0.0- 0.6
MultiRacial/Non-Hisp.	78	56,680	12	6.0	0.5-11.5				65	93.2	87.5-98.9	1	0.8	0.0- 2.4
Hispanic	182	277,375	29	11.1	5.4-16.8	2	1.2	0.0- 2.8	146	85.8	79.7-91.9	5	1.9	0.1- 3.7
18-24	276	684,245	7	2.5	0.5- 4.5				268	97.1	95.1-99.1	1	0.4	0.0- 1.2
25-34	453	830,302	14	3.0	1.0- 5.0	5	0.8	0.0- 1.6	432	95.5	93.1-97.9	2	0.6	0.0- 1.4
35-44	620	819,520	32	6.7	4.0- 9.4	12	1.9	0.5- 3.3	569	90.1	87.0-93.2	7	1.3	0.1- 2.5
45-54	905	855,351	113	13.9	10.8-17.0	6	0.6	0.2- 1.0	773	84.2	80.9-87.5	13	1.3	0.5- 2.1
55-64	1388	839,931	243	18.5	16.0-21.0	6	0.3	0.1- 0.5	1111	79.1	76.4-81.8	28	2.1	1.1- 3.1
65+	2354	987,356	476	20.9	18.5-23.3	4	0.2	0.0- 0.4	1826	77.1	74.7-79.5	48	1.8	1.2- 2.4
Less Than H.S.	480	674,849	108	15.7	11.6-19.8	2	0.4	0.0- 1.0	358	82.4	78.1-86.7	12	1.6	0.6- 2.6
H.S. or G.E.D.	2028	1,740,863	326	12.2	10.4-14.0	7	0.3	0.1- 0.5	1653	85.9	83.9-87.9	42	1.6	1.0- 2.2
Some Post-H.S.	1526	1,540,439	238	12.1	10.1-14.1	8	0.7	0.1- 1.3	1257	85.9	83.7-88.1	23	1.3	0.5- 2.1
College Graduate	1985	1,069,512	209	6.6	5.2- 8.0	16	1.3	0.5- 2.1	1737	91.5	89.9-93.1	23	0.6	0.2- 1.0
Less than \$15,000	522	487,169	107	13.6	9.7-17.5	3	0.2	0.0- 0.4	394	83.4	79.3-87.5	18	2.9	1.1- 4.7
\$15,000- 24,999	901	754,995	175	14.5	11.4-17.6	3	0.6	0.0- 1.4	705	83.7	80.4-87.0	18	1.2	0.6- 1.8
\$25,000- 34,999	571	477,662	108	16.5	12.2-20.8	4	1.2	0.0- 2.4	453	81.2	76.7-85.7	6	1.1	0.0- 2.5
\$35,000- 49,999	844	704,513	127	10.0	7.6-12.4	5	0.5	0.1- 0.9	696	87.8	85.3-90.3	16	1.7	0.5- 2.9
\$50,000- 74,999	848	734,097	115	9.2	6.8-11.6	4	0.2	0.0- 0.4	717	89.5	87.0-92.0	12	1.0	0.2- 1.8
\$75,000+	1422	1,152,083	111	7.1	5.1- 9.1	12	1.0	0.4- 1.6	1283	90.9	88.7-93.1	16	1.0	0.4- 1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 35: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2577	2,461,892	412	12.2	10.6-13.8	2125	86.8	85.0-88.6	40	1.0	0.6- 1.4
White/Non-Hisp	2223	1,966,586	366	12.5	10.7-14.3	1819	86.3	84.5-88.1	38	1.1	0.5- 1.7
Black or Afr. Am./Non-Hisp	118	195,578	19	16.7	7.5-25.9	99	83.3	74.1-92.5			
Oth. Race/Non-Hisp.	63	70,010	10	13.5	1.7-25.3	53	86.5	74.7-98.3			
Hispanic	70	134,905	10	7.3	2.0-12.6	59	91.5	85.6-97.4	1	1.1	0.0- 3.3
18-24	151	352,626	7	4.8	1.1- 8.5	144	95.2	91.5-98.9			
25-34	200	414,980	5	2.0	0.0- 4.5	195	98.0	95.5- 100			
35-44	279	410,690	20	7.8	4.1-11.5	257	91.0	86.9-95.1	2	1.1	0.0- 2.7
45-54	404	429,419	46	14.7	9.6-19.8	352	84.5	79.4-89.6	6	0.8	0.2- 1.4
55-64	621	411,072	114	18.2	14.5-21.9	492	79.4	75.5-83.3	15	2.4	1.0- 3.8
65+	902	431,430	219	24.3	20.4-28.2	666	74.3	70.4-78.2	17	1.4	0.4- 2.4
Less Than H.S.	209	351,409	43	14.9	9.0-20.8	163	84.4	78.5-90.3	3	0.7	0.0- 1.7
H.S. or G.E.D.	853	908,546	144	12.3	9.8-14.8	693	86.6	83.9-89.3	16	1.1	0.5- 1.7
Some Post-H.S.	589	678,713	107	13.6	10.3-16.9	474	85.2	81.7-88.7	8	1.2	0.0- 2.4
College Graduate	910	511,981	116	8.4	6.2-10.6	781	90.9	88.7-93.1	13	0.7	0.3- 1.1
Less than \$15,000	184	183,584	37	13.3	7.6-19.0	141	85.2	79.5-90.9	6	1.5	0.1- 2.9
\$15,000- 24,999	318	320,989	64	14.3	9.2-19.4	250	85.2	80.1-90.3	4	0.5	0.0- 1.1
\$25,000- 34,999	227	236,852	53	17.9	11.4-24.4	171	81.5	75.0-88.0	3	0.6	0.0- 1.4
\$35,000- 49,999	380	346,489	55	8.9	6.0-11.8	317	88.9	85.4-92.4	8	2.1	0.0- 4.3
\$50,000- 74,999	410	407,819	69	10.7	7.2-14.2	335	88.6	84.9-92.3	6	0.7	0.0- 1.5
\$75,000+	718	634,491	73	9.6	6.5-12.7	638	89.5	86.2-92.8	7	0.9	0.1- 1.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 36: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3482	2,593,366	476	10.7	9.3-12.1	33	1.2	0.6- 1.8	2913	86.5	84.9-88.1	60	1.6	1.0- 2.2
White/Non-Hisp	3034	2,124,529	399	10.2	8.8-11.6	30	1.2	0.6- 1.8	2555	87.0	85.4-88.6	50	1.6	1.0- 2.2
Black or Afr. Am./Non-Hisp	201	231,187	39	11.9	7.0-16.8	1	0.7	0.0- 2.1	157	86.1	80.8-91.4	4	1.3	0.0- 2.9
Oth. Race/Non-Hisp.	56	40,233	9	14.1	3.7-24.5				46	85.4	75.0-95.8	1	0.5	0.0- 1.5
Hispanic	112	142,470	19	14.7	5.1-24.3	2	2.3	0.0- 5.4	87	80.3	70.3-90.3	4	2.6	0.0- 5.5
18-24	125	331,619				124	99.2	97.6- 100				1	0.8	0.0- 2.4
25-34	253	415,322	9	4.1	1.2- 7.0	5	1.6	0.0- 3.2	237	93.1	89.4-96.8	2	1.2	0.0- 3.0
35-44	341	408,830	12	5.6	1.5- 9.7	12	3.8	1.3- 6.3	312	89.2	84.3-94.1	5	1.5	0.1- 2.9
45-54	501	425,932	67	13.1	9.4-16.8	6	1.1	0.1- 2.1	421	84.0	80.1-87.9	7	1.8	0.2- 3.4
55-64	767	428,859	129	18.7	15.0-22.4	6	0.6	0.0- 1.2	619	78.8	75.1-82.5	13	1.9	0.7- 3.1
65+	1452	555,926	257	18.2	15.5-20.9	4	0.3	0.0- 0.7	1160	79.4	76.7-82.1	31	2.2	1.2- 3.2
Less Than H.S.	271	323,440	65	16.5	10.8-22.2	2	0.7	0.0- 2.1	195	80.3	74.2-86.4	9	2.5	0.5- 4.5
H.S. or G.E.D.	1175	832,317	182	12.0	9.6-14.4	7	0.7	0.1- 1.3	960	85.2	82.5-87.9	26	2.2	1.0- 3.4
Some Post-H.S.	937	861,726	131	11.0	8.5-13.5	8	1.2	0.2- 2.2	783	86.4	83.7-89.1	15	1.4	0.4- 2.4
College Graduate	1075	557,531	93	5.0	3.4- 6.6	16	2.4	1.0- 3.8	956	92.0	90.0-94.0	10	0.6	0.2- 1.0
Less than \$15,000	338	303,585	70	13.8	8.5-19.1	3	0.3	0.0- 0.7	253	82.3	76.6-88.0	12	3.7	1.2- 6.2
\$15,000- 24,999	583	434,006	111	14.6	10.7-18.5	3	1.0	0.0- 2.4	455	82.7	78.4-87.0	14	1.7	0.7- 2.7
\$25,000- 34,999	344	240,810	55	15.1	9.6-20.6	4	2.4	0.0- 4.8	282	80.8	74.5-87.1	3	1.7	0.0- 4.4
\$35,000- 49,999	464	358,024	72	11.1	7.6-14.6	5	1.0	0.0- 2.0	379	86.7	83.0-90.4	8	1.3	0.3- 2.3
\$50,000- 74,999	438	326,277	46	7.4	4.7-10.1	4	0.5	0.0- 1.1	382	90.6	87.5-93.7	6	1.4	0.0- 2.8
\$75,000+	704	517,592	38	4.0	2.2- 5.8	12	2.2	0.8- 3.6	645	92.6	90.1-95.1	9	1.2	0.0- 2.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 37: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	853	556,653	26	6.8	3.7- 9.9	47	8.8	5.7-11.9	192	28.5	23.6-33.4	363	39.6	34.9-44.3	225	16.3	13.6-19.0
Male	403	292,181	15	8.7	3.6-13.8	21	8.6	4.1-13.1	91	27.9	21.2-34.6	171	38.8	31.9-45.7	105	15.9	11.8-20.0
Female	450	264,471	11	4.7	1.2- 8.2	26	9.0	4.5-13.5	101	29.2	22.3-36.1	192	40.4	33.9-46.9	120	16.7	12.8-20.6
White/Non-Hisp	737	446,469	22	7.6	3.9-11.3	33	6.5	3.6- 9.4	165	27.7	23.0-32.4	307	39.3	34.4-44.2	210	18.9	15.6-22.2
Black or Afr. Am./Non-Hisp	56	57,788	2	2.2	0.0- 5.3	3	6.2	0.0-14.2	15	35.2	15.4-55.0	28	49.4	29.6-69.2	8	7.0	0.7-13.3
45-54	111	117,842	4	3.4	0.1- 6.7	12	8.8	2.1-15.5	62	56.1	43.6-68.6	33	31.6	19.4-43.8			
55-64	237	150,771	4	1.8	0.0- 3.8	8	2.8	0.4- 5.2	60	23.4	16.7-30.1	151	66.8	59.4-74.2	14	5.1	2.0- 8.2
65+	452	193,932	5	1.2	0.0- 2.6	7	1.2	0.0- 2.4	51	12.5	8.2-16.8	179	42.4	36.1-48.7	210	42.6	36.5-48.7
Less Than H.S.	101	100,628	4	6.7	0.0-15.7	7	8.7	1.1-16.3	28	38.8	24.5-53.1	39	35.5	22.2-48.8	23	10.3	5.0-15.6
H.S. or G.E.D.	309	200,138	10	6.8	1.5-12.1	21	12.3	6.0-18.6	61	21.9	15.6-28.2	124	38.5	31.1-45.9	93	20.5	15.2-25.8
Some Post-H.S.	233	182,880	7	7.4	1.9-12.9	8	3.7	0.6- 6.8	61	34.4	25.2-43.6	111	41.0	32.6-49.4	46	13.5	8.6-18.4
College Graduate	203	69,767	5	5.8	0.3-11.3	11	13.0	3.4-22.6	42	18.3	11.4-25.2	85	44.0	34.0-54.0	60	19.0	12.5-25.5
Less than \$15,000	101	63,954	1	0.2	0.0- 0.6	12	13.9	4.1-23.7	30	45.8	29.9-61.7	38	29.7	17.5-41.9	20	10.4	3.9-16.9
\$15,000- 24,999	166	105,423	7	9.5	1.3-17.7	9	12.4	3.0-21.8	33	26.2	14.6-37.8	74	36.4	26.0-46.8	43	15.5	9.2-21.8
\$25,000- 34,999	106	78,001	2	8.1	0.0-19.7	6	10.0	0.0-20.4	26	27.5	14.0-41.0	45	36.8	24.3-49.3	27	17.6	9.2-26.0
\$35,000- 49,999	126	68,521	2	2.4	0.0- 5.7	5	3.6	0.3- 6.9	21	16.3	8.1-24.5	62	58.7	47.7-69.7	36	19.1	11.5-26.7
\$50,000- 74,999	114	67,537	3	6.0	0.0-14.2	2	2.9	0.0- 7.2	29	41.4	28.1-54.7	44	30.2	19.4-41.0	36	19.4	10.6-28.2
\$75,000+	110	81,300	7	16.4	4.6-28.2	7	7.7	0.0-15.7	28	23.9	12.5-35.3	51	44.3	29.8-58.8	17	7.7	2.8-12.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 38: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	403	292,181	15	8.7	3.6-13.8	21	8.6	4.1-13.1	91	27.9	21.2-34.6	171	38.8	31.9-45.7	105	15.9	11.8-20.0
White/Non-Hisp	358	239,422	13	10.0	3.9-16.1	14	5.6	1.9- 9.3	82	27.4	20.7-34.1	149	37.9	31.0-44.8	100	19.0	14.1-23.9
55-64	112	72,594	2	1.9	0.0- 4.4	2	1.1	0.0- 2.9	28	23.4	13.6-33.2	74	69.1	58.7-79.5	6	4.5	0.0- 9.0
65+	213	101,996	1	0.4	0.0- 1.2	3	1.4	0.0- 3.4	24	11.9	5.8-18.0	87	44.1	34.7-53.5	98	42.2	33.0-51.4
H.S. or G.E.D.	139	104,679	4	6.0	0.0-12.9	9	12.3	2.9-21.7	29	24.8	15.2-34.4	58	38.3	27.5-49.1	39	18.5	11.1-25.9
Some Post-H.S.	107	92,096	6	12.5	2.7-22.3	4	3.8	0.0- 8.7	24	31.3	17.4-45.2	49	35.6	24.4-46.8	24	16.8	8.6-25.0
College Graduate	113	42,244	2	3.6	0.0- 8.9	6	14.8	0.7-28.9	25	19.9	10.1-29.7	46	43.0	30.1-55.9	34	18.7	9.7-27.7
\$15,000- 24,999	61	43,780	1	1.7	0.0- 5.0	2	8.8	0.0-20.8	16	35.8	14.8-56.8	30	39.7	22.3-57.1	12	14.0	3.6-24.4
\$25,000- 34,999	53	42,424	2	14.9	0.0-35.1	4	13.6	0.0-30.7	10	15.2	3.4-27.0	23	35.9	19.2-52.6	14	20.4	7.1-33.7
\$35,000- 49,999	55	30,943	2	5.3	0.0-12.6	1	2.5	0.0- 7.4	10	20.0	5.1-34.9	29	55.3	38.2-72.4	13	17.0	6.4-27.6
\$50,000- 74,999	68	43,270	3	9.3	0.0-21.8	1	1.3	0.0- 3.8	14	36.6	19.2-54.0	24	30.6	15.9-45.3	26	22.2	9.9-34.5
\$75,000+	72	60,547	6	19.9	4.6-35.2	5	9.4	0.0-20.0	21	22.8	9.9-35.7	28	39.9	21.7-58.1	12	8.0	1.7-14.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 39: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	450	264,471	11	4.7	1.2- 8.2	26	9.0	4.5-13.5	101	29.2	23.1-35.3	192	40.4	34.1-46.7	120	16.7	13.0-20.4
White/Non-Hisp	379	207,046	9	4.8	0.7- 8.9	19	7.5	2.6-12.4	83	28.0	20.9-35.1	158	41.0	33.7-48.3	110	18.7	14.2-23.2
45-54	65	54,504	1	2.4	0.0- 7.1	9	12.8	1.4-24.2	32	50.0	34.1-65.9	23	34.9	20.2-49.6			
55-64	125	78,177	2	1.7	0.0- 4.4	6	4.5	0.4- 8.6	32	23.4	14.4-32.4	77	64.7	54.3-75.1	8	5.7	1.0-10.4
65+	239	91,937	4	2.2	0.0- 4.9	4	1.0	0.0- 2.0	27	13.1	7.0-19.2	92	40.6	32.4-48.8	112	43.1	34.9-51.3
Less Than H.S.	59	48,704	1	1.1	0.0- 3.3	5	12.6	0.0-25.5	15	42.9	28.6-57.2	22	28.4	16.1-40.7	16	14.9	6.3-23.5
H.S. or G.E.D.	170	95,459	6	7.8	0.0-16.0	12	12.2	3.2-21.2	32	18.7	11.1-26.3	66	38.7	28.5-48.9	54	22.6	15.2-30.0
Some Post-H.S.	126	90,784	1	2.2	0.0- 6.5	4	3.5	0.0- 7.6	37	37.5	25.2-49.8	62	46.5	34.3-58.7	22	10.2	4.7-15.7
College Graduate	90	27,523	3	9.1	0.0-20.3	5	10.2	0.0-21.0	17	15.8	6.4-25.2	39	45.5	30.2-60.8	26	19.4	10.0-28.8
Less than \$15,000	64	39,557	1	0.4	0.0- 1.2	8	16.4	2.9-29.9	19	46.4	33.1-59.7	25	27.1	14.8-39.4	11	9.7	1.7-17.7
\$15,000- 24,999	105	61,642	6	15.1	1.8-28.4	7	14.9	1.4-28.4	17	19.3	9.5-29.1	44	34.1	21.8-46.4	31	16.6	9.0-24.2
\$25,000- 34,999	53	35,577				2	5.7	0.0-14.1	16	42.2	20.6-63.8	22	37.9	19.5-56.3	13	14.2	4.6-23.8
\$35,000- 49,999	71	37,578				4	4.5	0.0- 9.2	11	13.3	4.7-21.9	33	61.5	47.6-75.4	23	20.8	9.8-31.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	INDICATE SEX OF RESPONDENT. (SEX)	
1	MALES AND FEMALES	91
	WHAT IS YOUR AGE? (AGE)	
4	MALES AND FEMALES	94
5	MALES ONLY	95
6	FEMALES ONLY	96
	ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)	
7	MALES AND FEMALES	97
8	MALES ONLY	98
9	FEMALES ONLY	99
	WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)	
10	MALES AND FEMALES	100
11	MALES ONLY	101
12	FEMALES ONLY	102
	WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)	
13	MALES AND FEMALES	103
14	MALES ONLY	104
15	FEMALES ONLY	105
	ARE YOU: (MARITAL STATUS) (MARITAL)	
16	MALES AND FEMALES	106
17	MALES ONLY	107
18	FEMALES ONLY	108
	WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
19	MALES AND FEMALES	109
20	MALES ONLY	110
21	FEMALES ONLY	111

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
22 MALES AND FEMALES	112
23 MALES ONLY	113
24 FEMALES ONLY	114
WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)	
25 MALES AND FEMALES	115
26 MALES ONLY	116
27 FEMALES ONLY	117
WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
28 MALES AND FEMALES	118
29 MALES ONLY	119
30 FEMALES ONLY	120
DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
31 MALES AND FEMALES	121
32 MALES ONLY	122
33 FEMALES ONLY	123
HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
34 MALES AND FEMALES	124
35 MALES ONLY	125
36 FEMALES ONLY	126
DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)	
37 MALES AND FEMALES	127
38 MALES ONLY	128
39 FEMALES ONLY	129
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
40 MALES AND FEMALES	130
41 MALES ONLY	131
42 FEMALES ONLY	132

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARE YOU CURRENTLY...? (EMPLOY1)	
43 MALES AND FEMALES	133
44 MALES ONLY	134
45 FEMALES ONLY	135
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
46 MALES AND FEMALES	136
47 MALES ONLY	137
48 FEMALES ONLY	138
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
49 MALES AND FEMALES	139
50 MALES ONLY	140
51 FEMALES ONLY	141
HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)	
52 MALES AND FEMALES	142
53 MALES ONLY	143
54 FEMALES ONLY	144
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
55 MALES AND FEMALES	145
56 MALES ONLY	146
57 FEMALES ONLY	147
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
58 MALES AND FEMALES	148
59 MALES ONLY	149
60 FEMALES ONLY	150
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	
64 MALES AND FEMALES	154
65 MALES ONLY	155
66 FEMALES ONLY	156
DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
67 MALES AND FEMALES	157

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
68	MALES ONLY	158
69	FEMALES ONLY	159
	ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
70	MALES AND FEMALES	160
71	MALES ONLY	161
72	FEMALES ONLY	162
	BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	
73	MALES AND FEMALES	163
74	MALES ONLY	164
75	FEMALES ONLY	165
	DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	
76	MALES AND FEMALES	166
77	MALES ONLY	167
78	FEMALES ONLY	168
	DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	
79	MALES AND FEMALES	169
80	MALES ONLY	170
81	FEMALES ONLY	171
	BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	
82	MALES AND FEMALES	172
83	MALES ONLY	173
84	FEMALES ONLY	174

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 1: Indicate sex of respondent. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6067	5,063,816	2582	48.7	46.7-50.7	3485	51.3	49.3-53.3
White/Non-Hisp	5262	4,093,413	2227	48.1	46.1-50.1	3035	51.9	49.9-53.9
Black or Afr. Am./Non-Hisp	319	426,765	118	45.8	38.2-53.4	201	54.2	46.6-61.8
Oth. Race/Non-Hisp.	119	110,243	63	63.5	52.7-74.3	56	36.5	25.7-47.3
MultiRacial/Non-Hisp.	79	58,362	37	55.1	39.4-70.8	42	44.9	29.2-60.6
Hispanic	183	279,675	70	48.2	38.6-57.8	113	51.8	42.2-61.4
18-24	278	688,227	151	51.2	44.3-58.1	127	48.8	41.9-55.7
25-34	455	833,816	202	50.2	44.5-55.9	253	49.8	44.1-55.5
35-44	620	819,520	279	50.1	45.2-55.0	341	49.9	45.0-54.8
45-54	905	855,351	404	50.2	46.1-54.3	501	49.8	45.7-53.9
55-64	1389	840,060	622	48.9	45.6-52.2	767	51.1	47.8-54.4
65+	2357	988,291	904	43.7	41.0-46.4	1453	56.3	53.6-59.0
Less Than H.S.	481	677,128	210	52.2	45.7-58.7	271	47.8	41.3-54.3
H.S. or G.E.D.	2033	1,745,779	855	52.1	49.0-55.2	1178	47.9	44.8-51.0
Some Post-H.S.	1527	1,541,674	590	44.1	40.6-47.6	937	55.9	52.4-59.4
College Graduate	1986	1,069,640	911	47.9	44.8-51.0	1075	52.1	49.0-55.2
Less than \$15,000	523	489,468	184	37.5	31.4-43.6	339	62.5	56.4-68.6
\$15,000- 24,999	902	755,336	318	42.5	37.6-47.4	584	57.5	52.6-62.4
\$25,000- 34,999	572	477,964	228	49.6	43.7-55.5	344	50.4	44.5-56.3
\$35,000- 49,999	845	704,803	381	49.2	44.1-54.3	464	50.8	45.7-55.9
\$50,000- 74,999	849	734,226	411	55.6	50.7-60.5	438	44.4	39.5-49.3
\$75,000+	1423	1,153,318	719	55.1	51.4-58.8	704	44.9	41.2-48.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
TOTAL	6004	5,025,264	278	13.7	11.9-15.5	455	16.6	15.0-18.2	620	16.3	14.9-17.7	905	17.0	15.6-18.4	1389	16.7	15.5-17.9	2357	19.7	18.5-20.9
Male	2562	2,454,453	151	14.4	12.0-16.8	202	17.1	14.6-19.6	279	16.7	14.5-18.9	404	17.5	15.5-19.5	622	16.8	15.2-18.4	904	17.6	16.0-19.2
Female	3442	2,570,812	127	13.1	10.7-15.5	253	16.2	14.0-18.4	341	15.9	13.9-17.9	501	16.6	14.8-18.4	767	16.7	15.1-18.3	1453	21.6	20.0-23.2
White/Non-Hisp	5210	4,063,629	196	12.2	10.4-14.0	330	15.3	13.5-17.1	504	15.6	14.0-17.2	772	17.4	16.0-18.8	1248	17.8	16.6-19.0	2160	21.7	20.5-22.9
Black or Afr. Am./Non-Hisp	318	425,176	25	17.3	10.0-24.6	40	18.0	11.9-24.1	39	16.5	10.8-22.2	65	18.9	13.4-24.4	68	15.8	11.3-20.3	81	13.4	9.3-17.5
Oth. Race/Non-Hisp.	118	108,697	14	25.2	13.2-37.2	20	21.0	11.8-30.2	23	21.1	11.3-30.9	15	12.1	3.5-20.7	14	8.8	3.5-14.1	32	11.8	6.5-17.1
MultiRacial/Non-Hisp.	79	58,362	11	35.8	18.6-53.0	12	21.8	9.1-34.5	5	8.5	0.0-17.3	9	12.8	3.6-22.0	16	12.0	4.7-19.3	26	9.0	4.3-13.7
Hispanic	183	279,675	28	23.0	14.6-31.4	42	29.1	20.3-37.9	41	26.6	17.8-35.4	31	11.4	6.1-16.7	24	7.2	3.7-10.7	17	2.7	0.9- 4.5
Less Than H.S.	479	675,956	33	19.5	12.8-26.2	38	16.3	11.0-21.6	35	11.6	7.3-15.9	71	16.8	12.3-21.3	101	15.6	11.9-19.3	201	20.2	16.5-23.9
H.S. or G.E.D.	2016	1,735,620	103	15.7	12.8-18.6	106	13.2	10.5-15.9	143	13.8	11.4-16.2	264	16.8	14.6-19.0	468	17.0	15.0-19.0	932	23.4	21.4-25.4
Some Post-H.S.	1509	1,529,616	84	13.7	10.8-16.6	101	14.9	12.0-17.8	170	18.2	15.3-21.1	229	16.8	14.3-19.3	371	18.0	15.8-20.2	554	18.4	16.4-20.4
College Graduate	1965	1,057,784	58	7.1	5.3- 8.9	205	24.5	21.4-27.6	271	21.1	18.6-23.6	335	17.6	15.4-19.8	442	15.1	13.3-16.9	654	14.7	13.1-16.3
Less than \$15,000	518	486,247	31	18.3	11.6-25.0	33	14.1	8.8-19.4	53	16.4	11.5-21.3	89	17.6	13.3-21.9	113	14.5	11.0-18.0	199	19.1	15.4-22.8
\$15,000- 24,999	897	753,802	45	14.7	10.4-19.0	72	18.5	14.0-23.0	55	11.1	8.0-14.2	92	14.5	11.0-18.0	181	16.9	13.8-20.0	452	24.3	21.2-27.4
\$25,000- 34,999	570	477,308	21	9.6	5.7-13.5	49	20.1	14.2-26.0	36	11.0	6.7-15.3	64	14.2	10.1-18.3	127	17.7	14.0-21.4	273	27.3	23.0-31.6
\$35,000- 49,999	841	702,488	31	13.4	8.3-18.5	74	18.5	14.2-22.8	67	13.1	9.6-16.6	113	16.2	12.7-19.7	184	16.1	13.2-19.0	372	22.6	19.3-25.9
\$50,000- 74,999	846	731,419	35	12.2	7.9-16.5	71	16.5	12.2-20.8	103	20.8	16.3-25.3	142	18.0	14.7-21.3	219	16.7	14.0-19.4	276	15.9	13.4-18.4
\$75,000+	1412	1,146,664	64	11.2	8.3-14.1	110	16.2	12.9-19.5	249	24.1	20.8-27.4	316	21.8	18.9-24.7	386	18.1	15.7-20.5	287	8.5	7.1- 9.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS
TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Male	2562	2,454,453	151	14.4	12.0-16.8	202	17.1	14.6-19.6	279	16.7	14.5-18.9	404	17.5	15.5-19.5	622	16.8	15.2-18.4	904	17.6	16.0-19.2
White/Non-Hisp	2212	1,960,093	106	12.6	10.1-15.1	152	16.2	13.5-18.9	227	16.2	13.8-18.6	343	17.5	15.3-19.7	568	18.4	16.4-20.4	816	19.1	17.3-20.9
Black or Afr. Am./Non-Hisp	117	193,989	9	14.7	5.3-24.1	13	16.1	6.9-25.3	14	17.1	7.7-26.5	28	23.0	13.2-32.8	23	14.0	7.3-20.7	30	15.0	8.5-21.5
Oth. Race/Non-Hisp.	63	70,010	10	29.5	13.4-45.6	10	16.7	5.5-27.9	13	22.1	8.4-35.8	8	13.8	1.3-26.3	7	7.6	1.3-13.9	15	10.3	3.6-17.0
Hispanic	70	134,905	16	27.2	13.7-40.7	14	27.6	13.3-41.9	18	26.9	13.2-40.6	12	12.1	3.5-20.7	5	4.5	0.0- 9.2	5	1.8	0.0- 3.6
Less Than H.S.	210	353,688	16	16.1	8.1-24.1	19	18.1	10.3-25.9	16	11.0	4.7-17.3	36	21.1	13.7-28.5	53	16.2	10.9-21.5	70	17.5	12.2-22.8
H.S. or G.E.D.	850	906,037	61	16.2	12.3-20.1	57	15.4	11.3-19.5	77	15.3	11.8-18.8	144	18.9	15.6-22.2	217	16.7	14.0-19.4	294	17.6	15.1-20.1
Some Post-H.S.	586	676,873	48	17.6	12.9-22.3	30	12.4	7.9-16.9	72	19.3	14.6-24.0	80	15.4	11.5-19.3	153	17.9	14.4-21.4	203	17.5	14.4-20.6
College Graduate	902	507,703	26	5.9	3.5- 8.3	93	25.2	20.3-30.1	114	20.3	16.4-24.2	143	15.5	12.6-18.4	197	15.7	13.0-18.4	329	17.4	14.9-19.9
Less than \$15,000	182	181,715	11	16.8	6.6-27.0	9	7.0	1.9-12.1	12	11.6	4.9-18.3	33	21.6	13.8-29.4	52	21.2	14.1-28.3	65	21.8	14.9-28.7
\$15,000- 24,999	316	320,574	20	12.9	7.4-18.4	31	20.8	13.5-28.1	21	9.5	5.2-13.8	46	17.9	11.8-24.0	81	19.8	14.5-25.1	117	19.2	14.5-23.9
\$25,000- 34,999	228	237,154	13	12.3	5.8-18.8	19	23.0	13.4-32.6	14	10.4	4.3-16.5	30	15.5	9.0-22.0	51	14.4	9.7-19.1	101	24.5	18.2-30.8
\$35,000- 49,999	379	345,951	18	14.3	7.4-21.2	36	18.3	12.2-24.4	32	14.6	9.1-20.1	49	16.1	10.8-21.4	72	13.2	9.3-17.1	172	23.6	18.9-28.3
\$50,000- 74,999	410	406,839	20	12.6	6.9-18.3	33	16.2	9.7-22.7	59	24.6	17.9-31.3	58	15.2	10.7-19.7	104	16.0	12.1-19.9	136	15.4	11.9-18.9
\$75,000+	715	634,553	44	14.7	10.2-19.2	51	16.6	11.5-21.7	118	22.6	18.1-27.1	139	18.3	14.4-22.2	196	18.3	15.2-21.4	167	9.5	7.5-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS
TABLE 4: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Female	3442	2,570,812	127	13.1	10.7-15.5	253	16.2	14.0-18.4	341	15.9	13.9-17.9	501	16.6	14.8-18.4	767	16.7	15.1-18.3	1453	21.6	20.0-23.2
White/Non-Hisp	2998	2,103,536	90	11.8	9.3-14.3	178	14.4	12.0-16.8	277	15.1	12.9-17.3	429	17.3	15.3-19.3	680	17.2	15.6-18.8	1344	24.1	22.3-25.9
Black or Afr. Am./Non-Hisp	201	231,187	16	19.5	8.9-30.1	27	19.6	11.8-27.4	25	16.1	9.4-22.8	37	15.5	9.8-21.2	45	17.3	11.2-23.4	51	12.1	6.8-17.4
Oth. Race/Non-Hisp.	55	38,688	4	17.5	0.8-34.2	10	28.7	13.0-44.4	10	19.3	7.3-31.3	7	9.0	1.7-16.3	7	10.9	1.3-20.5	17	14.5	5.9-23.1
Hispanic	113	144,770	12	19.0	8.8-29.2	28	30.5	19.7-41.3	23	26.3	14.9-37.7	19	10.8	4.5-17.1	19	9.8	4.5-15.1	12	3.5	0.6-6.4
Less Than H.S.	269	322,269	17	23.2	12.8-33.6	19	14.3	7.6-21.0	19	12.2	6.1-18.3	35	12.1	7.4-16.8	48	14.9	9.8-20.0	131	23.2	17.5-28.9
H.S. or G.E.D.	1166	829,584	42	15.0	10.5-19.5	49	10.9	7.6-14.2	66	12.2	9.1-15.3	120	14.5	11.6-17.4	251	17.5	14.8-20.2	638	29.9	26.8-33.0
Some Post-H.S.	923	852,743	36	10.7	7.2-14.2	71	16.9	12.8-21.0	98	17.3	13.6-21.0	149	18.0	14.9-21.1	218	18.0	15.3-20.7	351	19.2	16.5-21.9
College Graduate	1063	550,081	32	8.2	5.5-10.9	112	23.9	19.8-28.0	157	21.8	18.3-25.3	192	19.5	16.4-22.6	245	14.5	12.1-16.9	325	12.2	10.4-14.0
Less than \$15,000	336	304,532	20	19.2	10.4-28.0	24	18.4	10.8-26.0	41	19.3	12.6-26.0	56	15.2	10.3-20.1	61	10.5	6.8-14.2	134	17.4	13.1-21.7
\$15,000- 24,999	581	433,228	25	16.1	9.8-22.4	41	16.8	11.3-22.3	34	12.2	7.7-16.7	46	12.0	8.1-15.9	100	14.8	11.1-18.5	335	28.1	23.6-32.6
\$25,000- 34,999	342	240,154	8	7.0	2.3-11.7	30	17.3	11.0-23.6	22	11.7	5.4-18.0	34	12.9	7.8-18.0	76	21.0	15.3-26.7	172	30.1	24.2-36.0
\$35,000- 49,999	462	356,538	13	12.5	5.1-19.9	38	18.8	12.7-24.9	35	11.7	7.6-15.8	64	16.3	11.8-20.8	112	19.0	14.5-23.5	200	21.7	17.2-26.2
\$50,000- 74,999	436	324,580	15	11.8	5.5-18.1	38	16.8	11.5-22.1	44	15.9	10.6-21.2	84	21.6	16.3-26.9	115	17.5	13.6-21.4	140	16.4	12.7-20.1
\$75,000+	697	512,111	20	6.9	3.6-10.2	59	15.8	11.5-20.1	131	26.0	21.3-30.7	177	26.1	21.8-30.4	190	18.0	14.9-21.1	120	7.3	5.5- 9.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican Chicano~a			Puerto Rican			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6017	5,008,773	116	3.7	2.9- 4.5	18	0.3	0.1- 0.5	48	1.5	0.9- 2.1	1	0.0	0.0- 0.0	5834	94.4	93.4-95.4
Male	2553	2,432,208	48	3.8	2.4- 5.2	6	0.2	0.0- 0.4	16	1.5	0.5- 2.5				2483	94.5	92.9-96.1
Female	3464	2,576,565	68	3.7	2.7- 4.7	12	0.3	0.1- 0.5	32	1.5	0.7- 2.3	1	0.1	0.0- 0.3	3351	94.4	93.0-95.8
18-24	275	682,464	15	5.8	2.7- 8.9	1	0.2	0.0- 0.6	12	3.4	1.2- 5.6				247	90.6	86.9-94.3
25-34	449	823,205	31	7.7	4.6-10.8	1	0.2	0.0- 0.6	10	2.0	0.6- 3.4				407	90.1	86.8-93.4
35-44	614	810,974	29	5.8	3.6- 8.0	4	0.7	0.0- 1.5	8	2.6	0.1- 5.1				573	90.8	87.5-94.1
45-54	900	848,636	19	2.7	1.1- 4.3	5	0.2	0.0- 0.4	6	0.6	0.0- 1.2	1	0.3	0.0- 0.9	869	96.2	94.4-98.0
55-64	1381	833,350	15	1.5	0.5- 2.5	1	0.1	0.0- 0.3	8	0.8	0.0- 1.6				1357	97.6	96.4-98.8
65+	2339	975,560	7	0.3	0.1- 0.5	6	0.2	0.0- 0.4	4	0.3	0.0- 0.7				2322	99.2	98.8-99.6
Less Than H.S.	471	663,854	45	13.0	8.7-17.3	1	0.2	0.0- 0.6	13	4.9	1.6- 8.2				412	81.9	76.8-87.0
H.S. or G.E.D.	2014	1,720,544	35	3.1	1.9- 4.3	4	0.3	0.0- 0.7	10	0.8	0.2- 1.4				1965	95.8	94.4-97.2
Some Post-H.S.	1520	1,532,497	19	2.0	0.8- 3.2	5	0.3	0.0- 0.7	10	1.4	0.4- 2.4				1486	96.3	94.7-97.9
College Graduate	1973	1,062,936	17	1.6	0.8- 2.4	8	0.3	0.1- 0.5	14	0.7	0.1- 1.3				1934	97.4	96.4-98.4
Less than \$15,000	519	484,813	25	7.3	4.2-10.4	1	0.4	0.0- 1.2	5	2.8	0.0- 5.7				488	89.5	85.2-93.8
\$15,000- 24,999	892	743,507	25	5.2	2.8- 7.6	1	0.0	0.0- 0.0	12	2.6	1.0- 4.2				854	92.1	89.4-94.8
\$25,000- 34,999	569	470,182	15	4.1	1.7- 6.5	2	0.9	0.0- 2.1	9	2.9	0.7- 5.1	1	0.5	0.0- 1.5	542	91.6	88.1-95.1
\$35,000- 49,999	839	698,754	13	3.1	0.9- 5.3	3	0.4	0.0- 0.8	2	0.2	0.0- 0.6				821	96.3	94.1-98.5
\$50,000- 74,999	846	731,566	8	1.8	0.0- 3.6	1	0.0	0.0- 0.0	4	1.5	0.0- 3.9				833	96.7	93.8-99.6
\$75,000+	1416	1,144,360	11	1.8	0.4- 3.2	7	0.3	0.1- 0.5	9	0.5	0.1- 0.9				1389	97.4	95.8-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Another Hispanic, Latino-a or Spanish origin			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2553	2,432,208	48	3.8	2.4- 5.2	6	0.2	0.0- 0.4	16	1.5	0.5- 2.5	2483	94.5	92.9-96.1
18-24	148	346,863	8	6.0	1.3-10.7				8	4.6	0.9- 8.3	132	89.4	83.5-95.3
25-34	199	411,857	12	8.4	3.1-13.7				2	0.6	0.0- 1.6	185	90.9	85.6-96.2
35-44	276	406,734	12	4.4	1.9- 6.9	3	1.1	0.0- 2.5	3	3.3	0.0- 7.8	258	91.1	86.0-96.2
45-54	401	423,794	9	3.4	0.7- 6.1	2	0.2	0.0- 0.4	1	0.3	0.0- 0.9	389	96.2	93.5-98.9
55-64	617	407,531	4	0.9	0.0- 1.9				1	0.6	0.0- 1.8	612	98.5	96.9- 100
65+	893	424,177	3	0.3	0.0- 0.7	1	0.0	0.0- 0.0	1	0.2	0.0- 0.6	888	99.4	98.8- 100
Less Than H.S.	204	344,702	17	12.3	5.8-18.8				6	5.5	0.0-11.0	181	82.2	74.4-90.0
H.S. or G.E.D.	845	892,834	16	2.7	1.1- 4.3	2	0.4	0.0- 1.0	4	0.6	0.0- 1.2	823	96.3	94.5-98.1
Some Post-H.S.	588	677,054	9	2.9	0.5- 5.3	1	0.1	0.0- 0.3	3	1.3	0.0- 3.1	575	95.7	92.8-98.6
College Graduate	900	506,374	6	1.4	0.2- 2.6	3	0.2	0.0- 0.4	2	0.4	0.0- 1.0	889	98.0	96.6-99.4
Less than \$15,000	183	182,741	7	5.1	1.0- 9.2	1	1.1	0.0- 3.3	1	1.4	0.0- 4.1	174	92.5	87.4-97.6
\$15,000- 24,999	312	315,051	8	3.8	0.7- 6.9				6	3.7	0.6- 6.8	298	92.5	88.2-96.8
\$25,000- 34,999	226	231,761	6	4.4	0.3- 8.5	1	0.9	0.0- 2.7	3	1.8	0.0- 4.0	216	92.9	88.2-97.6
\$35,000- 49,999	378	344,542	9	5.2	1.1- 9.3	1	0.2	0.0- 0.6	2	0.5	0.0- 1.3	366	94.2	90.1-98.3
\$50,000- 74,999	409	405,726	2	2.1	0.0- 5.2	1	0.1	0.0- 0.3	1	2.1	0.0- 6.2	405	95.7	90.6- 100
\$75,000+	713	628,381	6	2.1	0.0- 4.3	2	0.1	0.0- 0.3	2	0.4	0.0- 1.0	703	97.4	95.0-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 7: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican Chicano~a			Puerto Rican			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3464	2,576,565	68	3.7	2.7- 4.7	12	0.3	0.1- 0.5	32	1.5	0.7- 2.3	1	0.1	0.0- 0.3	3351	94.4	93.0-95.8
18-24	127	335,601	7	5.6	1.3- 9.9	1	0.4	0.0- 1.2	4	2.2	0.0- 4.6				115	91.8	86.9-96.7
25-34	250	411,348	19	6.9	3.6-10.2	1	0.5	0.0- 1.5	8	3.3	0.6- 6.0				222	89.3	85.0-93.6
35-44	338	404,240	17	7.2	3.5-10.9	1	0.3	0.0- 0.9	5	1.9	0.0- 4.8				315	90.6	86.1-95.1
45-54	499	424,842	10	2.0	0.6- 3.4	3	0.3	0.0- 0.7	5	0.9	0.0- 2.1	1	0.6	0.0- 1.8	480	96.3	94.1-98.5
55-64	764	425,818	11	2.0	0.4- 3.6	1	0.3	0.0- 0.9	7	1.0	0.2- 1.8				745	96.7	94.9-98.5
65+	1446	551,382	4	0.2	0.0- 0.4	5	0.3	0.0- 0.7	3	0.4	0.0- 1.0				1434	99.1	98.3-99.9
Less Than H.S.	267	319,152	28	13.8	8.1-19.5	1	0.4	0.0- 1.2	7	4.3	0.0- 8.6				231	81.6	74.7-88.5
H.S. or G.E.D.	1169	827,710	19	3.6	1.6- 5.6	2	0.1	0.0- 0.3	6	1.0	0.0- 2.0				1142	95.3	93.1-97.5
Some Post-H.S.	932	855,443	10	1.3	0.3- 2.3	4	0.5	0.0- 1.1	7	1.4	0.2- 2.6				911	96.8	95.2-98.4
College Graduate	1073	556,562	11	1.8	0.6- 3.0	5	0.4	0.0- 1.0	12	1.0	0.2- 1.8				1045	96.9	95.3-98.5
Less than \$15,000	336	302,073	18	8.7	4.2-13.2				4	3.6	0.0- 7.9				314	87.7	81.6-93.8
\$15,000- 24,999	580	428,456	17	6.3	3.0- 9.6	1	0.0	0.0- 0.0	6	1.8	0.0- 3.6				556	91.9	88.2-95.6
\$25,000- 34,999	343	238,421	9	3.8	1.1- 6.5	1	0.8	0.0- 2.4	6	4.1	0.4- 7.8	1	1.0	0.0- 3.0	326	90.3	85.2-95.4
\$35,000- 49,999	461	354,212	4	1.2	0.0- 2.6	2	0.5	0.0- 1.3							455	98.3	96.7-99.9
\$50,000- 74,999	437	325,839	6	1.4	0.2- 2.6				3	0.7	0.0- 1.9				428	97.9	96.1-99.7
\$75,000+	703	515,979	5	1.5	0.0- 3.1	5	0.5	0.0- 1.1	7	0.6	0.0- 1.2				686	97.4	95.6-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5962	4,945,824	5874	98.6	98.2-99.0	77	1.1	0.7- 1.5	6	0.2	0.0- 0.4	5	0.1	0.1- 0.1
Male	2527	2,409,695	2485	98.5	97.9-99.1	36	1.2	0.6- 1.8	2	0.2	0.0- 0.6	4	0.2	0.0- 0.4
Female	3435	2,536,128	3389	98.7	98.1-99.3	41	1.1	0.7- 1.5	4	0.2	0.0- 0.4	1	0.0	0.0- 0.0
18-24	274	678,258	260	96.3	94.1-98.5	10	2.5	0.7- 4.3	3	1.1	0.0- 2.5	1	0.1	0.0- 0.3
25-34	441	806,877	423	97.5	96.1-98.9	14	2.0	0.8- 3.2				4	0.5	0.0- 1.1
35-44	603	785,822	598	99.4	98.8- 100	4	0.6	0.0- 1.2	1	0.0	0.0- 0.0			
45-54	890	840,533	881	99.1	98.5-99.7	8	0.7	0.1- 1.3	1	0.2	0.0- 0.6			
55-64	1370	826,363	1354	99.2	98.6-99.8	16	0.8	0.2- 1.4						
65+	2329	973,439	2303	99.5	99.3-99.7	25	0.5	0.3- 0.7	1	0.0	0.0- 0.0			
Less Than H.S.	449	621,469	435	97.2	95.2-99.2	12	1.9	0.3- 3.5	1	0.7	0.0- 2.1	1	0.3	0.0- 0.9
H.S. or G.E.D.	2014	1,720,395	1995	99.3	98.9-99.7	18	0.6	0.2- 1.0	1	0.1	0.0- 0.3			
Some Post-H.S.	1509	1,523,239	1480	98.3	97.5-99.1	25	1.5	0.7- 2.3	4	0.2	0.0- 0.4			
College Graduate	1957	1,057,588	1931	98.7	98.1-99.3	22	1.0	0.4- 1.6				4	0.3	0.0- 0.7
Less than \$15,000	508	461,570	496	98.5	97.3-99.7	11	1.4	0.2- 2.6	1	0.0	0.0- 0.0			
\$15,000- 24,999	883	731,342	869	98.9	97.9-99.9	13	0.9	0.1- 1.7				1	0.2	0.0- 0.6
\$25,000- 34,999	558	461,916	551	97.8	96.0-99.6	6	1.8	0.0- 3.6	1	0.3	0.0- 0.9			
\$35,000- 49,999	835	694,847	819	98.1	96.9-99.3	15	1.8	0.6- 3.0				1	0.1	0.0- 0.3
\$50,000- 74,999	846	727,527	835	98.6	97.4-99.8	8	0.6	0.0- 1.2	2	0.6	0.0- 1.8	1	0.1	0.0- 0.3
\$75,000+	1409	1,146,605	1397	99.4	99.0-99.8	10	0.4	0.2- 0.6	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2527	2,409,695	2485	98.5	97.9-99.1	36	1.2	0.6- 1.8	2	0.2	0.0- 0.6	4	0.2	0.0- 0.4
18-24	150	350,844	143	96.0	92.7-99.3	5	2.5	0.0- 5.0	1	1.2	0.0- 3.6	1	0.3	0.0- 0.9
25-34	195	401,412	185	97.3	95.3-99.3	7	2.0	0.4- 3.6				3	0.7	0.0- 1.7
35-44	270	396,263	268	99.7	99.3- 100	2	0.3	0.0- 0.7						
45-54	397	422,296	392	98.8	97.6- 100	5	1.2	0.0- 2.4						
55-64	613	405,718	607	99.1	98.3-99.9	6	0.9	0.1- 1.7						
65+	886	423,124	874	99.4	99.0-99.8	11	0.6	0.2- 1.0	1	0.0	0.0- 0.0			
Less Than H.S.	196	327,901	187	95.5	91.8-99.2	7	2.7	0.2- 5.2	1	1.2	0.0- 3.6	1	0.5	0.0- 1.5
H.S. or G.E.D.	842	896,060	836	99.6	99.2- 100	6	0.4	0.0- 0.8						
Some Post-H.S.	581	670,400	569	98.3	97.1-99.5	11	1.6	0.4- 2.8	1	0.0	0.0- 0.0			
College Graduate	894	505,449	879	98.5	97.5-99.5	12	1.1	0.3- 1.9				3	0.4	0.0- 1.0
Less than \$15,000	177	172,835	174	98.9	97.3- 100	3	1.1	0.0- 2.7						
\$15,000- 24,999	307	310,053	300	97.9	95.7- 100	6	1.6	0.0- 3.6				1	0.5	0.0- 1.5
\$25,000- 34,999	222	230,592	219	98.7	96.7- 100	3	1.3	0.0- 3.3						
\$35,000- 49,999	375	340,163	367	97.6	95.8-99.4	7	2.3	0.5- 4.1				1	0.2	0.0- 0.6
\$50,000- 74,999	408	401,249	402	98.7	96.7- 100	4	0.3	0.0- 0.7	2	1.1	0.0- 3.1			
\$75,000+	712	632,323	704	99.4	98.8- 100	7	0.5	0.1- 0.9				1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? SELECT ALL THAT APPLY. (MRACE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White Only			Black Afr. Amer. Only			Amer. Indian Alaskan Native Only			Multiracial Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3435	2,536,128	3389	98.7	98.1-99.3	41	1.1	0.7- 1.5	4	0.2	0.0- 0.4	1	0.0	0.0- 0.0
18-24	124	327,414	117	96.6	94.1-99.1	5	2.4	0.0- 4.8	2	1.0	0.0- 2.4			
25-34	246	405,465	238	97.8	96.0-99.6	7	2.0	0.4- 3.6				1	0.2	0.0- 0.6
35-44	333	389,559	330	99.1	97.7- 100	2	0.9	0.0- 2.3	1	0.0	0.0- 0.0			
45-54	493	418,237	489	99.4	98.6- 100	3	0.3	0.0- 0.7	1	0.3	0.0- 0.9			
55-64	757	420,645	747	99.2	98.6-99.8	10	0.8	0.2- 1.4						
65+	1443	550,315	1429	99.5	99.1-99.9	14	0.5	0.1- 0.9						
Less Than H.S.	253	293,568	248	99.0	97.8- 100	5	1.0	0.0- 2.2						
H.S. or G.E.D.	1172	824,334	1159	99.0	98.2-99.8	12	0.8	0.2- 1.4	1	0.2	0.0- 0.6			
Some Post-H.S.	928	852,839	911	98.2	97.0-99.4	14	1.4	0.4- 2.4	3	0.3	0.0- 0.7			
College Graduate	1063	552,140	1052	98.9	97.9-99.9	10	1.0	0.2- 1.8				1	0.2	0.0- 0.6
Less than \$15,000	331	288,735	322	98.3	96.5- 100	8	1.7	0.0- 3.5	1	0.0	0.0- 0.0			
\$15,000- 24,999	576	421,289	569	99.6	99.2- 100	7	0.4	0.0- 0.8						
\$25,000- 34,999	336	231,324	332	97.0	93.9- 100	3	2.3	0.0- 5.0	1	0.7	0.0- 2.1			
\$35,000- 49,999	460	354,683	452	98.6	97.2- 100	8	1.4	0.0- 2.8						
\$50,000- 74,999	438	326,277	433	98.6	97.2- 100	4	1.1	0.0- 2.3				1	0.3	0.0- 0.9
\$75,000+	697	514,281	693	99.5	98.9- 100	3	0.2	0.0- 0.6	1	0.2	0.0- 0.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2015

SECTION 7: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		Black or African American			Am. Indian or Alaskan Native			Asian			Pacific Islanders		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	78	62,507	54	61.5	48.8-74.2	14	26.4	15.2-37.6	7	8.6	0.0-17.4	2	2.5	0.0- 6.6	1	0.9	0.0- 2.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2015

SECTION 7: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2015

SECTION 7: DEMOGRAPHICS

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS
TABLE 14: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6027	5,030,487	3281	52.5	50.5-54.5	841	12.4	11.2-13.6	909	7.0	6.4- 7.6	81	1.9	1.3- 2.5	774	22.1	20.3-23.9	141	4.0	3.2- 4.8
Male	2566	2,448,699	1534	53.2	50.5-55.9	343	12.8	11.0-14.6	198	3.7	2.9- 4.5	28	1.5	0.7- 2.3	403	24.7	22.2-27.2	60	4.1	2.7- 5.5
Female	3461	2,581,789	1747	51.8	49.3-54.3	498	12.1	10.5-13.7	711	10.1	9.1-11.1	53	2.3	1.5- 3.1	371	19.7	17.2-22.2	81	3.9	2.9- 4.9
White/Non-Hisp	5231	4,067,839	2941	56.2	54.2-58.2	738	12.6	11.2-14.0	830	7.4	6.6- 8.2	57	1.8	1.2- 2.4	563	18.6	16.6-20.6	102	3.5	2.7- 4.3
Black or Afr. Am./Non-Hisp	316	424,509	96	27.1	20.6-33.6	62	15.7	10.6-20.8	31	5.2	2.8- 7.6	12	2.5	0.7- 4.3	109	46.1	38.5-53.7	6	3.5	0.4- 6.6
Oth. Race/Non-Hisp.	118	109,983	72	44.4	32.8-56.0	10	10.3	2.1-18.5	9	2.7	0.3- 5.1				25	38.3	26.1-50.5	2	4.3	0.0-10.6
MultiRacial/Non-Hisp.	79	58,362	32	28.9	15.6-42.2	8	8.9	1.1-16.7	9	3.6	0.5- 6.7	2	0.5	0.0- 1.3	22	48.9	32.8-65.0	6	9.2	1.0-17.4
Hispanic	183	279,675	89	48.6	39.2-58.0	17	7.3	3.2-11.4	14	5.8	1.3-10.3	8	4.3	0.2- 8.4	34	23.6	15.6-31.6	21	10.5	5.2-15.8
18-24	274	681,477	27	10.1	6.0-14.2	2	0.8	0.0- 2.0	2	1.1	0.0- 2.7	2	1.3	0.0- 3.1	219	79.2	73.7-84.7	22	7.5	4.0-11.0
25-34	454	831,879	211	45.5	39.8-51.2	27	7.1	4.0-10.2	1	0.4	0.0- 1.2	12	3.9	1.4- 6.4	163	35.4	30.1-40.7	40	7.7	5.0-10.4
35-44	617	813,469	438	69.4	64.9-73.9	63	11.3	8.0-14.6	3	0.4	0.0- 1.0	11	2.0	0.6- 3.4	75	11.9	8.8-15.0	27	5.0	2.8- 7.2
45-54	900	851,879	578	62.7	58.6-66.8	167	20.5	17.0-24.0	21	2.0	1.0- 3.0	23	2.5	1.1- 3.9	94	8.9	6.5-11.3	17	3.3	1.1- 5.5
55-64	1382	836,307	845	62.2	58.9-65.5	270	19.7	16.8-22.6	110	7.2	5.4- 9.0	16	1.3	0.5- 2.1	121	8.2	6.2-10.2	20	1.3	0.5- 2.1
65+	2343	981,182	1147	55.9	53.2-58.6	304	12.9	10.9-14.9	765	26.5	24.1-28.9	16	0.6	0.2- 1.0	96	3.5	2.5- 4.5	15	0.6	0.2- 1.0
Less Than H.S.	476	666,855	161	38.6	32.3-44.9	91	14.8	11.1-18.5	115	10.0	7.5-12.5	16	2.9	0.7- 5.1	76	27.9	21.2-34.6	17	5.9	2.6- 9.2
H.S. or G.E.D.	2026	1,739,222	970	48.2	45.1-51.3	318	13.7	11.5-15.9	415	9.1	7.9-10.3	27	2.1	1.1- 3.1	247	23.2	20.1-26.3	49	3.7	2.5- 4.9
Some Post-H.S.	1519	1,536,725	819	52.2	48.7-55.7	241	14.1	11.7-16.5	194	5.7	4.5- 6.9	23	2.2	1.0- 3.4	210	22.0	18.7-25.3	32	3.8	2.2- 5.4
College Graduate	1972	1,063,508	1313	68.6	65.7-71.5	188	6.6	5.2- 8.0	178	3.6	2.8- 4.4	13	0.4	0.2- 0.6	237	17.2	14.7-19.7	43	3.7	2.3- 5.1
Less than \$15,000	515	482,910	57	16.1	11.0-21.2	166	25.3	20.4-30.2	112	9.8	7.3-12.3	26	4.1	2.1- 6.1	131	38.0	31.1-44.9	23	6.8	3.7- 9.9
\$15,000- 24,999	900	753,205	259	33.6	28.9-38.3	179	15.7	12.6-18.8	260	13.6	11.1-16.1	17	4.4	1.9- 6.9	158	28.0	23.3-32.7	27	4.8	2.4- 7.2
\$25,000- 34,999	570	477,743	257	46.0	40.1-51.9	115	18.8	13.9-23.7	109	10.5	7.8-13.2	2	0.6	0.0- 1.6	71	19.0	13.9-24.1	16	5.2	2.3- 8.1
\$35,000- 49,999	844	704,601	446	49.7	44.6-54.8	128	14.7	11.4-18.0	130	5.9	4.5- 7.3	12	1.3	0.3- 2.3	109	23.2	18.1-28.3	19	5.2	2.1- 8.3
\$50,000- 74,999	847	733,392	588	66.5	61.6-71.4	89	8.4	5.9-10.9	59	2.6	1.6- 3.6	6	2.0	0.0- 4.0	86	17.0	12.7-21.3	19	3.5	1.7- 5.3
\$75,000+	1419	1,148,867	1172	75.9	72.2-79.6	65	5.2	3.0- 7.4	43	1.9	0.9- 2.9	6	0.7	0.0- 1.7	112	14.5	11.4-17.6	21	1.9	0.7- 3.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS
TABLE 15: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2566	2,448,699	1534	53.2	50.5-55.9	343	12.8	11.0-14.6	198	3.7	2.9- 4.5	28	1.5	0.7- 2.3	403	24.7	22.2-27.2	60	4.1	2.7- 5.5
White/Non-Hisp	2216	1,956,492	1363	56.4	53.5-59.3	312	13.7	11.7-15.7	180	3.7	2.9- 4.5	18	1.1	0.3- 1.9	303	21.7	19.0-24.4	40	3.3	1.9- 4.7
Black or Afr. Am./Non-Hisp	116	193,430	46	35.9	24.7-47.1	15	9.4	2.9-15.9	6	3.9	0.4- 7.4	6	3.5	0.2- 6.8	39	41.8	30.2-53.4	4	5.6	0.0-11.5
Oth. Race/Non-Hisp.	63	70,010	39	42.4	26.9-57.9	4	10.2	0.0-22.2	2	0.4	0.0- 1.0				17	42.5	26.0-59.0	1	4.6	0.0-13.2
Hispanic	70	134,905	35	47.3	32.0-62.6	4	6.6	0.3-12.9	2	4.1	0.0-10.8	2	4.7	0.0-12.1	17	25.4	12.7-38.1	10	11.9	2.9-20.9
18-24	150	351,179	13	9.6	4.1-15.1	1	1.0	0.0- 3.0	2	2.1	0.0- 5.0	1	1.5	0.0- 4.4	122	78.6	70.8-86.4	11	7.2	2.1-12.3
25-34	202	418,494	76	40.5	32.3-48.7	12	9.0	3.5-14.5				3	2.3	0.0- 5.4	94	42.0	33.8-50.2	17	6.2	2.9- 9.5
35-44	276	404,640	195	67.0	59.9-74.1	28	11.8	6.9-16.7	1	0.1	0.0- 0.3	4	1.6	0.0- 3.2	34	13.1	8.2-18.0	14	6.5	2.8-10.2
45-54	401	426,179	267	63.8	57.5-70.1	69	19.4	14.3-24.5	6	0.7	0.1- 1.3	5	1.2	0.0- 2.6	47	10.4	6.7-14.1	7	4.4	0.7- 8.1
55-64	621	410,642	394	63.0	58.1-67.9	127	21.8	17.5-26.1	23	3.5	1.7- 5.3	7	1.6	0.0- 3.2	67	9.7	6.6-12.8	3	0.5	0.0- 1.1
65+	899	428,892	576	67.5	63.4-71.6	104	12.1	9.2-15.0	166	15.4	12.3-18.5	8	0.7	0.1- 1.3	37	3.7	1.7- 5.7	8	0.6	0.0- 1.2
Less Than H.S.	205	343,414	86	44.1	34.9-53.3	39	14.5	9.0-20.0	24	4.7	2.2- 7.2	8	3.5	0.0- 7.0	39	25.1	16.7-33.5	9	8.2	2.3-14.1
H.S. or G.E.D.	853	907,309	453	49.7	45.2-54.2	150	15.3	12.0-18.6	80	4.8	3.4- 6.2	7	1.1	0.3- 1.9	141	25.6	21.3-29.9	22	3.6	1.8- 5.4
Some Post-H.S.	587	678,150	334	50.2	44.7-55.7	87	13.4	9.9-16.9	43	3.0	1.4- 4.6	9	1.9	0.0- 3.9	103	27.6	22.3-32.9	11	3.8	1.3- 6.3
College Graduate	906	509,209	653	69.6	65.3-73.9	67	6.7	4.3- 9.1	48	1.9	1.1- 2.7	4	0.2	0.0- 0.4	116	18.8	14.9-22.7	18	2.8	1.2- 4.4
Less than \$15,000	180	179,656	31	19.2	11.9-26.5	53	21.8	14.5-29.1	22	6.9	3.0-10.8	5	1.8	0.0- 3.6	59	43.7	33.3-54.1	10	6.6	2.1-11.1
\$15,000- 24,999	317	319,117	111	37.3	29.9-44.7	73	18.3	13.0-23.6	41	5.8	3.3- 8.3	6	2.4	0.0- 4.8	74	29.4	22.1-36.7	12	6.8	2.3-11.3
\$25,000- 34,999	227	237,066	114	47.8	38.8-56.8	46	18.5	11.1-25.9	25	4.8	2.3- 7.3				36	23.9	15.5-32.3	6	5.0	0.1- 9.9
\$35,000- 49,999	381	346,779	206	46.7	39.4-54.0	53	13.8	9.1-18.5	44	5.3	3.1- 7.5	4	0.8	0.0- 2.0	61	25.8	18.7-32.9	13	7.6	2.5-12.7
\$50,000- 74,999	411	407,948	293	65.3	58.2-72.4	38	8.5	5.0-12.0	20	1.7	0.7- 2.7	4	2.4	0.0- 5.5	50	20.3	14.0-26.6	6	1.8	0.2- 3.4
\$75,000+	717	634,326	583	69.1	63.4-74.8	39	7.8	4.3-11.3	14	1.7	0.1- 3.3	4	1.2	0.0- 3.0	70	18.7	14.0-23.4	7	1.6	0.0- 3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS
TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3461	2,581,789	1747	51.8	49.3-54.3	498	12.1	10.5-13.7	711	10.1	9.1-11.1	53	2.3	1.5- 3.1	371	19.7	17.2-22.2	81	3.9	2.9- 4.9
White/Non-Hisp	3015	2,111,348	1578	55.9	53.2-58.6	426	11.6	10.0-13.2	650	10.8	9.6-12.0	39	2.4	1.4- 3.4	260	15.6	13.1-18.1	62	3.7	2.5- 4.9
Black or Afr. Am./Non-Hisp	200	231,079	50	19.8	13.1-26.5	47	21.0	13.6-28.4	25	6.2	2.9- 9.5	6	1.6	0.0- 3.4	70	49.6	39.6-59.6	2	1.7	0.0- 4.4
Oth. Race/Non-Hisp.	55	39,974	33	48.0	31.5-64.5	6	10.4	1.4-19.4	7	6.7	0.4-13.0				8	30.9	13.3-48.5	1	4.0	0.0-11.6
Hispanic	113	144,770	54	49.8	38.0-61.6	13	8.0	2.7-13.3	12	7.3	1.4-13.2	6	3.9	0.0- 7.8	17	21.9	11.7-32.1	11	9.1	3.2-15.0
18-24	124	330,298	14	10.7	4.8-16.6	1	0.7	0.0- 2.1				1	1.1	0.0- 3.3	97	79.7	71.9-87.5	11	7.8	2.7-12.9
25-34	252	413,385	135	50.5	43.1-57.9	15	5.2	1.9- 8.5	1	0.8	0.0- 2.4	9	5.5	1.6- 9.4	69	28.6	21.7-35.5	23	9.3	5.2-13.4
35-44	341	408,830	243	71.9	66.0-77.8	35	10.8	6.5-15.1	2	0.7	0.0- 1.7	7	2.4	0.4- 4.4	41	10.7	7.0-14.4	13	3.6	1.2- 6.0
45-54	499	425,700	311	61.7	56.4-67.0	98	21.7	17.0-26.4	15	3.3	1.5- 5.1	18	3.9	1.5- 6.3	47	7.3	4.6-10.0	10	2.3	0.7- 3.9
55-64	761	425,666	451	61.4	56.9-65.9	143	17.6	13.9-21.3	87	10.9	8.0-13.8	9	1.0	0.2- 1.8	54	6.9	4.5- 9.3	17	2.1	0.7- 3.5
65+	1444	552,290	571	46.9	43.4-50.4	200	13.6	10.9-16.3	599	35.1	31.8-38.4	8	0.5	0.1- 0.9	59	3.4	2.2- 4.6	7	0.6	0.0- 1.2
Less Than H.S.	271	323,440	75	32.7	24.5-40.9	52	15.1	9.8-20.4	91	15.6	11.1-20.1	8	2.3	0.0- 4.7	37	30.8	20.8-40.8	8	3.6	0.9- 6.3
H.S. or G.E.D.	1173	831,914	517	46.7	42.4-51.0	168	12.0	9.5-14.5	335	13.8	11.6-16.0	20	3.2	1.4- 5.0	106	20.5	16.0-25.0	27	3.9	2.1- 5.7
Some Post-H.S.	932	858,575	485	53.7	49.2-58.2	154	14.6	11.5-17.7	151	7.8	6.0- 9.6	14	2.4	0.8- 4.0	107	17.6	13.7-21.5	21	3.8	1.8- 5.8
College Graduate	1066	554,299	660	67.7	63.8-71.6	121	6.5	4.7- 8.3	130	5.1	3.9- 6.3	9	0.6	0.2- 1.0	121	15.7	12.4-19.0	25	4.4	2.2- 6.6
Less than \$15,000	335	303,253	26	14.2	7.3-21.1	113	27.3	20.6-34.0	90	11.5	8.2-14.8	21	5.4	2.5- 8.3	72	34.6	25.6-43.6	13	6.9	2.4-11.4
\$15,000- 24,999	583	434,088	148	30.9	25.0-36.8	106	13.8	10.1-17.5	219	19.3	15.4-23.2	11	5.8	1.9- 9.7	84	26.9	20.4-33.4	15	3.3	1.1- 5.5
\$25,000- 34,999	343	240,677	143	44.2	36.8-51.6	69	19.1	12.8-25.4	84	16.1	11.4-20.8	2	1.1	0.0- 3.1	35	14.3	8.6-20.0	10	5.3	1.6- 9.0
\$35,000- 49,999	463	357,823	240	52.7	45.4-60.0	75	15.6	10.7-20.5	86	6.5	4.5- 8.5	8	1.7	0.3- 3.1	48	20.6	13.2-28.0	6	2.9	0.0- 6.0
\$50,000- 74,999	436	325,444	295	68.1	61.2-75.0	51	8.2	4.7-11.7	39	3.6	1.8- 5.4	2	1.4	0.0- 3.6	36	12.9	7.0-18.8	13	5.8	2.5- 9.1
\$75,000+	702	514,541	589	84.3	80.2-88.4	26	2.0	0.8- 3.2	29	2.1	0.9- 3.3	2	0.1	0.0- 0.3	42	9.3	5.6-13.0	14	2.2	0.8- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 17: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6027	5,034,222	2	0.0	0.0- 0.0	120	3.0	2.2- 3.8	359	10.4	9.0-11.8	2033	34.7	32.9-36.5	1527	30.6	28.8-32.4	1986	21.2	20.0-22.4
Male	2566	2,454,883				49	3.1	1.9- 4.3	161	11.3	9.1-13.5	855	37.0	34.3-39.7	590	27.7	25.2-30.2	911	20.9	19.1-22.7
Female	3461	2,579,338	2	0.0	0.0- 0.0	71	2.9	1.9- 3.9	198	9.6	7.6-11.6	1178	32.4	30.0-34.8	937	33.4	31.0-35.8	1075	21.6	19.8-23.4
White/Non-Hisp	5233	4,074,249	1	0.0	0.0- 0.0	69	2.1	1.3- 2.9	270	8.5	7.1- 9.9	1802	35.5	33.5-37.5	1320	31.2	29.2-33.2	1771	22.7	21.3-24.1
Black or Afr. Am./Non-Hisp	317	423,981				5	0.8	0.0- 1.6	35	15.0	8.7-21.3	108	36.4	29.1-43.7	107	35.8	28.5-43.1	62	11.9	8.0-15.8
Oth. Race/Non-Hisp.	118	109,997				2	2.2	0.0- 5.3	8	13.1	2.9-23.3	27	27.8	16.4-39.2	21	19.2	9.4-29.0	60	37.7	27.1-48.3
MultiRacial/Non-Hisp.	79	58,362				3	2.0	0.0- 4.7	10	25.5	8.8-42.2	18	17.2	7.2-27.2	27	39.1	23.6-54.6	21	16.3	6.7-25.9
Hispanic	181	276,303	1	0.2	0.0- 0.6	32	17.5	10.8-24.2	26	25.7	16.1-35.3	49	26.1	18.3-33.9	34	20.5	12.5-28.5	39	10.0	5.9-14.1
18-24	278	688,227				4	1.8	0.0- 4.0	29	17.3	10.8-23.8	103	39.5	32.8-46.2	84	30.5	24.4-36.6	58	10.8	7.7-13.9
25-34	450	827,220				11	4.3	1.4- 7.2	27	9.0	5.5-12.5	106	27.8	22.5-33.1	101	27.5	22.2-32.8	205	31.4	26.7-36.1
35-44	619	818,046				9	2.2	0.6- 3.8	26	7.4	4.1-10.7	143	29.2	24.5-33.9	170	34.0	29.1-38.9	271	27.2	23.5-30.9
45-54	899	849,168				19	3.3	1.3- 5.3	52	10.1	7.0-13.2	264	34.4	30.5-38.3	229	30.3	26.4-34.2	335	21.9	19.2-24.6
55-64	1382	835,620	1	0.1	0.0- 0.3	20	2.0	0.8- 3.2	80	10.5	8.0-13.0	468	35.4	32.3-38.5	371	32.9	29.6-36.2	442	19.1	16.9-21.3
65+	2341	980,696	1	0.1	0.0- 0.3	56	4.0	2.8- 5.2	144	9.9	7.9-11.9	932	41.5	38.8-44.2	554	28.8	26.3-31.3	654	15.8	14.2-17.4
Less than \$15,000	520	486,902				37	6.6	4.1- 9.1	104	29.4	22.7-36.1	215	35.4	29.5-41.3	118	24.1	18.4-29.8	46	4.5	2.7- 6.3
\$15,000- 24,999	898	753,887				35	6.5	3.6- 9.4	97	15.8	12.1-19.5	446	45.3	40.4-50.2	218	26.0	21.7-30.3	102	6.4	4.6- 8.2
\$25,000- 34,999	568	473,314				12	3.2	0.8- 5.6	27	9.2	5.3-13.1	253	47.6	41.7-53.5	176	31.7	26.4-37.0	100	8.2	5.8-10.6
\$35,000- 49,999	843	702,778				5	0.8	0.0- 1.6	24	5.3	1.8- 8.8	312	35.0	30.3-39.7	244	39.6	34.5-44.7	258	19.3	16.0-22.6
\$50,000- 74,999	848	732,751				2	0.2	0.0- 0.4	19	6.7	2.6-10.8	240	29.2	24.9-33.5	250	36.1	31.2-41.0	337	27.8	23.9-31.7
\$75,000+	1417	1,150,672				3	1.1	0.0- 2.5	14	3.3	1.3- 5.3	214	20.7	17.4-24.0	292	29.5	26.0-33.0	894	45.5	41.8-49.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 18: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2566	2,454,883	49	3.1	1.9- 4.3	161	11.3	9.1-13.5	855	37.0	34.3-39.7	590	27.7	25.2-30.2	911	20.9	19.1-22.7
White/Non-Hisp	2215	1,960,906	25	2.1	0.9- 3.3	117	9.0	6.8-11.2	752	38.3	35.4-41.2	513	28.2	25.5-30.9	808	22.4	20.2-24.6
Black or Afr. Am./Non-Hisp	117	194,268	2	0.9	0.0- 2.3	15	14.9	6.7-23.1	45	40.0	28.6-51.4	34	33.0	21.6-44.4	21	11.2	4.9-17.5
Oth. Race/Non-Hisp.	63	70,010	1	2.3	0.0- 6.8	6	18.1	3.2-33.0	12	27.3	11.4-43.2	8	15.7	3.7-27.7	36	36.6	22.7-50.5
Hispanic	69	133,966	13	18.2	7.6-28.8	10	27.5	11.8-43.2	22	24.9	13.5-36.3	13	21.8	8.5-35.1	11	7.6	2.3-12.9
18-24	151	352,626	2	1.2	0.0- 2.8	14	14.9	7.1-22.7	61	41.7	32.7-50.7	48	33.7	25.1-42.3	26	8.4	4.9-11.9
25-34	199	415,029	7	6.3	1.2-11.4	12	9.1	3.8-14.4	57	33.6	25.4-41.8	30	20.1	12.8-27.4	93	30.8	23.9-37.7
35-44	279	410,690	4	1.4	0.0- 2.8	12	8.0	2.7-13.3	77	33.7	26.6-40.8	72	31.8	24.9-38.7	114	25.1	19.8-30.4
45-54	403	428,718	7	3.6	0.5- 6.7	29	13.8	8.3-19.3	144	40.0	33.9-46.1	80	24.2	18.5-29.9	143	18.4	14.7-22.1
55-64	620	409,457	11	2.5	0.3- 4.7	42	11.5	7.8-15.2	217	36.9	32.2-41.6	153	29.6	24.9-34.3	197	19.5	16.2-22.8
65+	896	427,780	18	3.3	1.7- 4.9	52	11.2	7.7-14.7	294	37.2	32.9-41.5	203	27.7	23.6-31.8	329	20.6	17.9-23.3
Less than \$15,000	183	182,516	13	5.7	2.0- 9.4	44	33.1	23.3-42.9	73	36.4	27.0-45.8	31	18.7	10.9-26.5	22	6.1	2.8- 9.4
\$15,000- 24,999	317	320,288	13	6.2	2.1-10.3	35	16.3	10.4-22.2	156	46.9	39.3-54.5	67	23.6	16.9-30.3	46	7.0	4.3- 9.7
\$25,000- 34,999	227	236,323	9	5.3	0.8- 9.8	12	11.6	5.1-18.1	109	53.1	44.1-62.1	65	24.2	16.9-31.5	32	5.9	3.0- 8.8
\$35,000- 49,999	379	344,753	4	1.0	0.0- 2.2	16	6.6	1.7-11.5	150	39.8	32.7-46.9	98	33.7	26.6-40.8	111	18.9	14.0-23.8
\$50,000- 74,999	411	407,948				15	9.6	3.3-15.9	131	34.7	28.2-41.2	108	31.5	24.6-38.4	157	24.2	19.3-29.1
\$75,000+	717	634,636	2	1.9	0.0- 4.4	8	3.6	0.7- 6.5	113	22.3	17.6-27.0	150	31.2	26.1-36.3	444	41.1	36.2-46.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 19: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3461	2,579,338	2	0.0	0.0- 0.0	71	2.9	1.9- 3.9	198	9.6	7.6-11.6	1178	32.4	30.0-34.8	937	33.4	31.0-35.8	1075	21.6	19.8-23.4
White/Non-Hisp	3018	2,113,343	1	0.0	0.0- 0.0	44	2.1	1.1- 3.1	153	8.1	6.1-10.1	1050	32.8	30.3-35.3	807	34.0	31.5-36.5	963	23.0	21.0-25.0
Black or Afr. Am./Non-Hisp	200	229,713				3	0.8	0.0- 1.8	20	15.1	6.1-24.1	63	33.4	24.0-42.8	73	38.2	28.8-47.6	41	12.6	7.5-17.7
Oth. Race/Non-Hisp.	55	39,988				1	2.1	0.0- 6.2	2	4.3	0.0-10.2	15	28.7	13.8-43.6	13	25.5	9.0-42.0	24	39.5	23.8-55.2
Hispanic	112	142,337	1	0.4	0.0- 1.2	19	16.9	8.3-25.5	16	24.0	12.6-35.4	27	27.2	16.2-38.2	21	19.2	10.2-28.2	28	12.3	6.2-18.4
18-24	127	335,601				2	2.5	0.0- 6.4	15	19.8	9.8-29.8	42	37.2	27.2-47.2	36	27.1	18.3-35.9	32	13.4	8.3-18.5
25-34	251	412,190				4	2.3	0.0- 5.0	15	8.8	4.1-13.5	49	21.9	15.4-28.4	71	34.9	27.5-42.3	112	32.0	25.7-38.3
35-44	340	407,356				5	2.9	0.2- 5.6	14	6.7	2.4-11.0	66	24.8	18.7-30.9	98	36.2	29.5-42.9	157	29.4	24.1-34.7
45-54	496	420,450				12	3.0	0.8- 5.2	23	6.3	3.6- 9.0	120	28.7	23.6-33.8	149	36.5	31.0-42.0	192	25.6	21.5-29.7
55-64	762	426,163	1	0.1	0.0- 0.3	9	1.5	0.3- 2.7	38	9.6	6.3-12.9	251	34.0	29.7-38.3	218	36.0	31.5-40.5	245	18.7	15.8-21.6
65+	1445	552,916	1	0.1	0.0- 0.3	38	4.5	2.7- 6.3	92	8.9	6.7-11.1	638	44.8	41.3-48.3	351	29.5	26.2-32.8	325	12.1	10.3-13.9
Less than \$15,000	337	304,385				24	7.1	3.8-10.4	60	27.1	18.3-35.9	142	34.8	27.2-42.4	87	27.4	19.8-35.0	24	3.6	1.4- 5.8
\$15,000- 24,999	581	433,599				22	6.7	2.8-10.6	62	15.3	10.6-20.0	290	44.1	37.8-50.4	151	27.9	22.0-33.8	56	6.0	3.6- 8.4
\$25,000- 34,999	341	236,991				3	1.2	0.0- 2.6	15	6.8	2.9-10.7	144	42.1	34.7-49.5	111	39.3	31.9-46.7	68	10.5	7.0-14.0
\$35,000- 49,999	464	358,024				1	0.6	0.0- 1.8	8	4.1	0.0- 9.4	162	30.3	24.4-36.2	146	45.3	38.2-52.4	147	19.7	15.0-24.4
\$50,000- 74,999	437	324,803				2	0.4	0.0- 1.0	4	3.0	0.0- 7.3	109	22.4	17.1-27.7	142	41.9	35.2-48.6	180	32.3	26.4-38.2
\$75,000+	700	516,036				1	0.1	0.0- 0.3	6	3.0	0.3- 5.7	101	18.7	14.2-23.2	142	27.4	22.5-32.3	450	50.9	45.8-56.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 20: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6021	5,028,266	4685	72.7	70.9-74.5	1119	22.0	20.4-23.6	217	5.3	4.3- 6.3
Male	2561	2,449,913	1983	71.5	69.0-74.0	477	22.8	20.4-25.2	101	5.7	4.3- 7.1
Female	3460	2,578,353	2702	73.9	71.7-76.1	642	21.3	19.3-23.3	116	4.8	3.6- 6.0
18-24	275	681,089	68	36.8	29.5-44.1	134	41.4	34.7-48.1	73	21.8	16.5-27.1
25-34	453	830,569	223	56.9	51.4-62.4	198	36.9	31.8-42.0	32	6.2	3.7- 8.7
35-44	620	819,520	457	75.9	72.0-79.8	150	22.4	18.7-26.1	13	1.7	0.7- 2.7
45-54	901	852,599	711	81.9	79.0-84.8	164	15.7	13.0-18.4	26	2.4	1.2- 3.6
55-64	1385	836,996	1174	86.1	83.7-88.5	184	12.3	10.1-14.5	27	1.7	0.9- 2.5
65+	2329	972,491	2009	89.2	87.6-90.8	276	9.3	7.7-10.9	44	1.6	1.0- 2.2
Less Than H.S.	477	674,418	261	58.4	52.1-64.7	186	35.5	29.6-41.4	30	6.1	3.4- 8.8
H.S. or G.E.D.	2016	1,735,553	1522	70.6	67.7-73.5	411	22.8	20.3-25.3	83	6.6	4.8- 8.4
Some Post-H.S.	1514	1,528,074	1169	74.2	71.1-77.3	288	20.9	18.0-23.8	57	5.0	3.4- 6.6
College Graduate	1982	1,068,420	1709	83.2	80.8-85.6	227	13.7	11.5-15.9	46	3.1	2.1- 4.1
Less than \$15,000	520	485,491	219	44.2	37.5-50.9	270	48.0	41.5-54.5	31	7.7	4.2-11.2
\$15,000- 24,999	895	752,070	583	58.4	53.5-63.3	280	37.9	33.2-42.6	32	3.6	1.8- 5.4
\$25,000- 34,999	571	476,903	431	69.6	64.3-74.9	118	24.2	19.3-29.1	22	6.2	3.1- 9.3
\$35,000- 49,999	843	700,720	699	77.1	72.8-81.4	121	18.6	14.7-22.5	23	4.2	2.0- 6.4
\$50,000- 74,999	848	732,914	736	83.5	80.0-87.0	99	14.4	11.1-17.7	13	2.2	0.6- 3.8
\$75,000+	1420	1,151,992	1296	87.6	84.9-90.3	86	7.6	5.4- 9.8	38	4.8	3.0- 6.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 21: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2561	2,449,913	1983	71.5	69.0-74.0	477	22.8	20.4-25.2	101	5.7	4.3- 7.1
18-24	150	350,907	35	32.3	23.1-41.5	72	43.6	34.6-52.6	43	24.1	16.7-31.5
25-34	201	417,184	89	54.9	46.7-63.1	100	39.2	31.6-46.8	12	5.9	2.2- 9.6
35-44	279	410,690	206	76.0	70.3-81.7	66	22.0	16.5-27.5	7	2.0	0.4- 3.6
45-54	401	427,346	321	83.1	78.8-87.4	66	14.0	10.1-17.9	14	2.9	0.9- 4.9
55-64	621	410,228	528	86.3	82.8-89.8	79	12.2	8.9-15.5	14	1.5	0.5- 2.5
65+	891	422,970	791	90.3	87.8-92.8	89	8.6	6.2-11.0	11	1.1	0.1- 2.1
Less Than H.S.	209	352,507	119	59.6	50.8-68.4	77	33.6	25.4-41.8	13	6.8	2.7-10.9
H.S. or G.E.D.	849	904,602	633	70.0	65.9-74.1	177	23.2	19.5-26.9	39	6.9	4.4- 9.4
Some Post-H.S.	583	673,271	448	71.7	66.6-76.8	108	22.1	17.4-26.8	27	6.2	3.5- 8.9
College Graduate	907	510,889	774	82.3	79.0-85.6	111	15.2	12.1-18.3	22	2.5	1.1- 3.9
Less than \$15,000	182	180,413	83	44.0	34.0-54.0	88	48.2	38.2-58.2	11	7.7	2.2-13.2
\$15,000- 24,999	315	318,891	184	53.5	45.9-61.1	113	41.5	34.1-48.9	18	5.0	1.7- 8.3
\$25,000- 34,999	227	236,093	165	67.7	59.3-76.1	54	26.0	18.4-33.6	8	6.3	1.4-11.2
\$35,000- 49,999	380	345,805	304	72.7	66.0-79.4	60	20.8	14.5-27.1	16	6.5	2.8-10.2
\$50,000- 74,999	410	406,636	351	83.7	78.8-88.6	50	13.8	9.3-18.3	9	2.4	0.0- 4.8
\$75,000+	717	634,839	643	84.1	80.0-88.2	58	11.2	7.7-14.7	16	4.6	2.1- 7.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 22: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3460	2,578,353	2702	73.9	71.7-76.1	642	21.3	19.3-23.3	116	4.8	3.6- 6.0
18-24	125	330,182	33	41.6	30.6-52.6	62	39.1	29.5-48.7	30	19.3	11.7-26.9
25-34	252	413,385	134	58.9	51.6-66.2	98	34.7	27.8-41.6	20	6.4	3.1- 9.7
35-44	341	408,830	251	75.9	70.6-81.2	84	22.7	17.4-28.0	6	1.4	0.2- 2.6
45-54	500	425,253	390	80.7	76.6-84.8	98	17.5	13.6-21.4	12	1.8	0.4- 3.2
55-64	764	426,768	646	85.9	83.0-88.8	105	12.4	9.5-15.3	13	1.8	0.6- 3.0
65+	1438	549,521	1218	88.2	86.2-90.2	187	9.8	7.8-11.8	33	2.0	1.2- 2.8
Less Than H.S.	268	321,911	142	57.1	48.3-65.9	109	37.6	29.2-46.0	17	5.3	1.8- 8.8
H.S. or G.E.D.	1167	830,951	889	71.2	67.1-75.3	234	22.4	18.9-25.9	44	6.4	3.7- 9.1
Some Post-H.S.	931	854,803	721	76.1	72.2-80.0	180	20.0	16.5-23.5	30	4.0	2.0- 6.0
College Graduate	1075	557,531	935	84.1	81.0-87.2	116	12.3	9.6-15.0	24	3.6	1.8- 5.4
Less than \$15,000	338	305,078	136	44.4	35.8-53.0	182	47.9	39.5-56.3	20	7.8	3.3-12.3
\$15,000- 24,999	580	433,179	399	62.1	55.8-68.4	167	35.3	29.2-41.4	14	2.6	0.8- 4.4
\$25,000- 34,999	344	240,810	266	71.4	64.5-78.3	64	22.4	16.1-28.7	14	6.2	2.5- 9.9
\$35,000- 49,999	463	354,915	395	81.5	76.2-86.8	61	16.5	11.6-21.4	7	2.0	0.0- 4.4
\$50,000- 74,999	438	326,277	385	83.1	78.2-88.0	49	15.1	10.4-19.8	4	1.8	0.0- 3.6
\$75,000+	703	517,152	653	91.8	88.7-94.9	28	3.1	1.3- 4.9	22	5.0	2.5- 7.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 23: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5868	4,770,557	5746	97.4	96.8-98.0	47	1.3	0.7- 1.9	75	1.3	0.9- 1.7
Male	2477	2,300,157	2424	97.2	96.2-98.2	21	1.5	0.7- 2.3	32	1.4	0.8- 2.0
Female	3391	2,470,400	3322	97.6	96.8-98.4	26	1.1	0.5- 1.7	43	1.3	0.7- 1.9
White/Non-Hisp	5111	3,875,307	5030	97.9	97.3-98.5	22	0.8	0.2- 1.4	59	1.3	0.9- 1.7
Black or Afr. Am./Non-Hisp	307	402,718	299	97.3	95.1-99.5	3	0.8	0.0- 1.8	5	1.9	0.0- 3.9
Oth. Race/Non-Hisp.	102	88,814	94	91.2	84.5-97.9	7	7.6	1.3-13.9	1	1.2	0.0- 3.6
MultiRacial/Non-Hisp.	74	51,274	73	99.5	98.5- 100				1	0.5	0.0- 1.5
Hispanic	171	260,202	159	93.8	89.7-97.9	12	6.2	2.1-10.3			
18-24	247	614,904	240	97.0	94.5-99.5	6	2.7	0.2- 5.2	1	0.3	0.0- 0.9
25-34	399	742,415	387	96.7	94.5-98.9	6	1.7	0.0- 3.5	6	1.6	0.2- 3.0
35-44	594	778,838	580	97.2	95.6-98.8	6	1.5	0.3- 2.7	8	1.4	0.2- 2.6
45-54	877	815,500	860	98.1	96.9-99.3	10	1.1	0.3- 1.9	7	0.9	0.1- 1.7
55-64	1360	816,589	1346	99.2	98.8-99.6	5	0.4	0.0- 0.8	9	0.4	0.2- 0.6
65+	2329	965,305	2286	97.3	96.1-98.5	13	0.9	0.3- 1.5	30	1.8	0.8- 2.8
Less Than H.S.	474	659,020	449	96.3	94.5-98.1	18	2.7	1.1- 4.3	7	1.0	0.0- 2.0
H.S. or G.E.D.	1995	1,667,075	1964	97.5	96.1-98.9	9	1.3	0.1- 2.5	22	1.1	0.5- 1.7
Some Post-H.S.	1483	1,463,118	1453	97.9	96.9-98.9	6	0.5	0.1- 0.9	24	1.7	0.9- 2.5
College Graduate	1877	953,083	1849	97.8	96.8-98.8	12	1.2	0.4- 2.0	16	1.0	0.4- 1.6
Less than \$15,000	515	479,603	502	96.8	94.6-99.0	10	2.8	0.6- 5.0	3	0.4	0.0- 1.0
\$15,000- 24,999	881	720,235	863	96.5	94.3-98.7	11	2.5	0.5- 4.5	7	1.0	0.0- 2.0
\$25,000- 34,999	556	456,825	548	98.1	96.5-99.7	3	1.1	0.0- 2.5	5	0.8	0.0- 1.6
\$35,000- 49,999	813	661,216	801	97.5	95.3-99.7	5	1.4	0.0- 3.2	7	1.1	0.0- 2.3
\$50,000- 74,999	808	676,067	801	98.6	97.4-99.8	2	0.6	0.0- 1.4	5	0.8	0.0- 1.6
\$75,000+	1371	1,079,967	1357	99.0	98.2-99.8	3	0.3	0.0- 0.7	11	0.7	0.1- 1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 24: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2477	2,300,157	2424	97.2	96.2-98.2	21	1.5	0.7- 2.3	32	1.4	0.8- 2.0
White/Non-Hisp	2144	1,845,250	2108	97.6	96.4-98.8	11	1.2	0.2- 2.2	25	1.2	0.6- 1.8
Black or Afr. Am./Non-Hisp	115	183,250	112	96.4	92.3- 100	1	0.7	0.0- 2.1	2	2.9	0.0- 6.8
Oth. Race/Non-Hisp.	54	59,069	48	88.8	79.4-98.2	5	9.4	0.6-18.2	1	1.8	0.0- 5.3
Hispanic	64	122,661	62	96.7	92.2- 100	2	3.3	0.0- 7.8			
18-24	133	311,332	128	96.0	91.9- 100	4	3.5	0.0- 7.6	1	0.5	0.0- 1.5
25-34	173	366,681	166	96.3	92.8-99.8	5	2.9	0.0- 6.0	2	0.9	0.0- 2.3
35-44	262	382,399	256	97.5	95.3-99.7	4	1.8	0.0- 3.8	2	0.7	0.0- 1.7
45-54	391	407,757	385	98.2	96.4- 100	2	0.5	0.0- 1.3	4	1.4	0.0- 3.0
55-64	613	403,897	609	99.6	99.2- 100	2	0.2	0.0- 0.4	2	0.2	0.0- 0.6
65+	885	416,417	867	96.5	94.3-98.7	4	0.6	0.0- 1.6	14	2.9	0.9- 4.9
Less Than H.S.	204	337,003	197	96.9	94.4-99.4	4	1.8	0.0- 3.8	3	1.3	0.0- 3.1
H.S. or G.E.D.	832	858,480	817	97.0	94.8-99.2	6	1.9	0.0- 3.9	9	1.1	0.3- 1.9
Some Post-H.S.	568	641,331	556	97.6	96.0-99.2	1	0.3	0.0- 0.9	11	2.1	0.7- 3.5
College Graduate	857	452,098	841	97.2	95.6-98.8	9	2.0	0.6- 3.4	7	0.8	0.2- 1.4
Less than \$15,000	182	180,515	181	99.5	98.5- 100	1	0.5	0.0- 1.5			
\$15,000- 24,999	308	303,593	299	95.1	91.0-99.2	5	3.8	0.0- 7.7	4	1.1	0.0- 2.3
\$25,000- 34,999	219	222,502	217	99.0	97.4- 100				2	1.0	0.0- 2.6
\$35,000- 49,999	368	332,967	362	97.0	93.5- 100	5	2.8	0.0- 6.3	1	0.2	0.0- 0.6
\$50,000- 74,999	385	366,634	381	98.1	96.1- 100	2	1.0	0.0- 2.6	2	0.9	0.0- 2.1
\$75,000+	691	590,987	685	99.1	98.3-99.9	2	0.6	0.0- 1.4	4	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS
TABLE 25: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3391	2,470,400	3322	97.6	96.8-98.4	26	1.1	0.5- 1.7	43	1.3	0.7- 1.9
White/Non-Hisp	2967	2,030,057	2922	98.2	97.4-99.0	11	0.5	0.1- 0.9	34	1.3	0.7- 1.9
Black or Afr. Am./Non-Hisp	192	219,468	187	98.0	96.0- 100	2	0.9	0.0- 2.3	3	1.1	0.0- 2.5
Hispanic	107	137,541	97	91.2	84.7-97.7	10	8.8	2.3-15.3			
18-24	114	303,571	112	98.1	95.4- 100	2	1.9	0.0- 4.6			
25-34	226	375,735	221	97.1	94.6-99.6	1	0.5	0.0- 1.5	4	2.3	0.0- 4.7
35-44	332	396,439	324	96.9	94.4-99.4	2	1.1	0.0- 2.7	6	2.0	0.0- 4.0
45-54	486	407,743	475	98.0	96.4-99.6	8	1.7	0.1- 3.3	3	0.3	0.0- 0.7
55-64	747	412,692	737	98.9	98.1-99.7	3	0.5	0.0- 1.1	7	0.6	0.2- 1.0
65+	1444	548,888	1419	97.9	96.9-98.9	9	1.1	0.1- 2.1	16	1.0	0.4- 1.6
Less Than H.S.	270	322,017	252	95.7	93.2-98.2	14	3.7	1.2- 6.2	4	0.6	0.0- 1.2
H.S. or G.E.D.	1163	808,594	1147	98.1	96.7-99.5	3	0.7	0.0- 1.7	13	1.2	0.2- 2.2
Some Post-H.S.	915	821,787	897	98.1	96.9-99.3	5	0.6	0.0- 1.2	13	1.3	0.3- 2.3
College Graduate	1020	500,985	1008	98.4	97.2-99.6	3	0.5	0.0- 1.3	9	1.1	0.1- 2.1
Less than \$15,000	333	299,087	321	95.2	91.9-98.5	9	4.1	0.8- 7.4	3	0.7	0.0- 1.5
\$15,000- 24,999	573	416,641	564	97.5	95.3-99.7	6	1.6	0.0- 3.4	3	0.9	0.0- 2.3
\$25,000- 34,999	337	234,323	331	97.2	94.5-99.9	3	2.2	0.0- 4.7	3	0.6	0.0- 1.2
\$35,000- 49,999	445	328,249	439	98.0	95.6- 100				6	2.0	0.0- 4.4
\$50,000- 74,999	423	309,433	420	99.3	98.3- 100				3	0.7	0.0- 1.7
\$75,000+	680	488,981	672	98.7	97.5-99.9	1	0.1	0.0- 0.3	7	1.2	0.0- 2.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 26: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6067	5,063,816	5827	96.0	95.2-96.8	53	0.9	0.5- 1.3	187	3.1	2.5- 3.7
Male	2582	2,466,127	2476	95.2	94.0-96.4	31	1.4	0.8- 2.0	75	3.4	2.4- 4.4
Female	3485	2,597,689	3351	96.7	95.9-97.5	22	0.5	0.3- 0.7	112	2.8	2.0- 3.6
White/Non-Hisp	5262	4,093,413	5067	96.1	95.3-96.9	39	0.8	0.4- 1.2	156	3.1	2.3- 3.9
Black or Afr. Am./Non-Hisp	319	426,765	309	97.3	95.5-99.1	3	0.5	0.0- 1.1	7	2.3	0.5- 4.1
Oth. Race/Non-Hisp.	119	110,243	115	95.0	88.7- 100	1	3.0	0.0- 8.9	3	2.0	0.0- 4.4
MultiRacial/Non-Hisp.	79	58,362	78	98.9	96.7- 100	1	1.1	0.0- 3.3	1	1.1	0.0- 3.3
Hispanic	183	279,675	172	95.4	92.5-98.3	4	1.7	0.0- 3.5	7	2.9	0.4- 5.4
18-24	278	688,227	261	93.4	90.1-96.7	6	2.5	0.3- 4.7	11	4.1	1.6- 6.6
25-34	455	833,816	436	96.6	95.0-98.2	4	0.6	0.0- 1.2	15	2.7	1.1- 4.3
35-44	620	819,520	600	97.1	95.5-98.7	2	0.4	0.0- 1.0	18	2.5	1.1- 3.9
45-54	905	855,351	880	96.8	95.4-98.2	2	0.2	0.0- 0.6	23	2.9	1.5- 4.3
55-64	1389	840,060	1342	96.6	95.4-97.8	7	0.6	0.2- 1.0	40	2.8	1.6- 4.0
65+	2357	988,291	2266	96.2	95.2-97.2	31	1.4	0.8- 2.0	60	2.4	1.6- 3.2
Less Than H.S.	481	677,128	452	95.5	93.3-97.7	13	2.1	0.5- 3.7	16	2.4	1.0- 3.8
H.S. or G.E.D.	2033	1,745,779	1959	96.0	94.6-97.4	23	1.3	0.5- 2.1	51	2.7	1.7- 3.7
Some Post-H.S.	1527	1,541,674	1464	95.9	94.5-97.3	9	0.5	0.1- 0.9	54	3.7	2.5- 4.9
College Graduate	1986	1,069,640	1920	96.8	95.8-97.8	8	0.3	0.1- 0.5	58	2.9	1.9- 3.9
Less than \$15,000	523	489,468	502	96.9	95.3-98.5	5	1.2	0.0- 2.4	16	2.0	0.8- 3.2
\$15,000- 24,999	902	755,336	870	96.5	94.7-98.3	15	1.1	0.1- 2.1	17	2.3	0.9- 3.7
\$25,000- 34,999	572	477,964	552	96.2	94.2-98.2	6	0.8	0.0- 1.6	14	3.0	1.0- 5.0
\$35,000- 49,999	845	704,803	827	97.0	95.0-99.0	5	1.0	0.0- 2.2	13	2.0	0.4- 3.6
\$50,000- 74,999	849	734,226	832	98.0	96.6-99.4	1	0.1	0.0- 0.3	16	1.9	0.5- 3.3
\$75,000+	1423	1,153,318	1391	97.5	96.3-98.7	6	0.6	0.0- 1.2	26	1.9	0.9- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 27: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2582	2,466,127	2476	95.2	94.0-96.4	31	1.4	0.8- 2.0	75	3.4	2.4- 4.4
White/Non-Hisp	2227	1,968,543	2148	95.5	94.1-96.9	21	1.1	0.3- 1.9	58	3.4	2.2- 4.6
Black or Afr. Am./Non-Hisp	118	195,578	112	96.5	93.4-99.6	2	0.7	0.0- 1.7	4	2.8	0.0- 5.9
Oth. Race/Non-Hisp.	63	70,010	60	93.4	84.0- 100	1	4.8	0.0-13.8	2	1.8	0.0- 4.7
Hispanic	70	134,905	65	94.9	90.0-99.8	1	1.4	0.0- 4.1	4	3.7	0.0- 7.8
18-24	151	352,626	137	88.3	82.2-94.4	5	4.6	0.7- 8.5	9	7.2	2.3-12.1
25-34	202	418,494	190	96.1	93.7-98.5	3	1.0	0.0- 2.2	9	2.9	0.9- 4.9
35-44	279	410,690	270	97.4	95.4-99.4	2	0.8	0.0- 2.0	7	1.8	0.2- 3.4
45-54	404	429,419	393	96.4	94.0-98.8				11	3.6	1.2- 6.0
55-64	622	411,201	605	96.8	95.0-98.6	5	0.9	0.1- 1.7	12	2.2	0.6- 3.8
65+	904	432,023	868	96.1	94.5-97.7	16	1.5	0.5- 2.5	20	2.4	1.0- 3.8
Less Than H.S.	210	353,688	196	94.2	90.7-97.7	9	3.3	0.6- 6.0	5	2.4	0.0- 4.8
H.S. or G.E.D.	855	909,138	818	94.8	92.6-97.0	15	2.0	0.6- 3.4	22	3.1	1.3- 4.9
Some Post-H.S.	590	679,948	566	95.3	92.9-97.7	4	0.4	0.0- 0.8	20	4.3	2.1- 6.5
College Graduate	911	512,109	884	97.0	95.6-98.4	3	0.2	0.0- 0.6	24	2.8	1.4- 4.2
Less than \$15,000	184	183,584	175	95.4	91.9-98.9	4	2.4	0.0- 4.9	5	2.3	0.0- 4.7
\$15,000- 24,999	318	320,989	300	94.5	91.4-97.6	9	1.8	0.0- 3.8	9	3.7	1.2- 6.2
\$25,000- 34,999	228	237,154	219	95.4	92.1-98.7	4	1.3	0.0- 2.7	5	3.3	0.2- 6.4
\$35,000- 49,999	381	346,779	375	97.3	94.2- 100	2	1.2	0.0- 3.4	4	1.6	0.0- 3.8
\$50,000- 74,999	411	407,948	403	97.3	95.1-99.5				8	2.7	0.5- 4.9
\$75,000+	719	635,726	701	96.9	94.9-98.9	3	0.7	0.0- 1.7	15	2.4	0.6- 4.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 28: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3485	2,597,689	3351	96.7	95.9-97.5	22	0.5	0.3- 0.7	112	2.8	2.0- 3.6
White/Non-Hisp	3035	2,124,871	2919	96.7	95.9-97.5	18	0.5	0.3- 0.7	98	2.8	2.0- 3.6
Black or Afr. Am./Non-Hisp	201	231,187	197	97.9	95.7- 100	1	0.3	0.0- 0.9	3	1.8	0.0- 3.8
Oth. Race/Non-Hisp.	56	40,233	55	97.7	93.4- 100				1	2.3	0.0- 6.6
Hispanic	113	144,770	107	96.0	92.5-99.5	3	1.9	0.0- 4.1	3	2.2	0.0- 5.1
18-24	127	335,601	124	98.7	97.1- 100	1	0.4	0.0- 1.2	2	0.9	0.0- 2.3
25-34	253	415,322	246	97.2	95.0-99.4	1	0.2	0.0- 0.6	6	2.6	0.4- 4.8
35-44	341	408,830	330	96.9	94.5-99.3				11	3.1	0.7- 5.5
45-54	501	425,932	487	97.3	95.7-98.9	2	0.5	0.0- 1.1	12	2.3	0.7- 3.9
55-64	767	428,859	737	96.3	94.7-97.9	2	0.3	0.0- 0.7	28	3.4	1.8- 5.0
65+	1453	556,268	1398	96.3	94.9-97.7	15	1.3	0.5- 2.1	40	2.4	1.4- 3.4
Less Than H.S.	271	323,440	256	96.9	95.1-98.7	4	0.8	0.0- 1.8	11	2.3	0.7- 3.9
H.S. or G.E.D.	1178	836,641	1141	97.4	96.2-98.6	8	0.4	0.0- 0.8	29	2.2	1.0- 3.4
Some Post-H.S.	937	861,726	898	96.3	94.7-97.9	5	0.5	0.0- 1.1	34	3.2	1.8- 4.6
College Graduate	1075	557,531	1036	96.6	95.2-98.0	5	0.4	0.0- 0.8	34	2.9	1.5- 4.3
Less than \$15,000	339	305,884	327	97.8	96.2-99.4	1	0.4	0.0- 1.2	11	1.8	0.6- 3.0
\$15,000- 24,999	584	434,348	570	98.0	96.2-99.8	6	0.6	0.0- 1.2	8	1.3	0.0- 2.9
\$25,000- 34,999	344	240,810	333	96.9	94.7-99.1	2	0.3	0.0- 0.7	9	2.8	0.6- 5.0
\$35,000- 49,999	464	358,024	452	96.8	94.3-99.3	3	0.7	0.0- 1.7	9	2.5	0.1- 4.9
\$50,000- 74,999	438	326,277	429	98.8	97.8-99.8	1	0.2	0.0- 0.6	8	1.0	0.0- 2.0
\$75,000+	704	517,592	690	98.3	97.3-99.3	3	0.4	0.0- 0.8	11	1.3	0.3- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 29: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3931	1,951,439	163	2.7	2.1- 3.3	3768	97.3	96.7-97.9
Male	1510	827,862	72	2.9	1.9- 3.9	1438	97.1	96.1-98.1
Female	2421	1,123,578	91	2.6	1.8- 3.4	2330	97.4	96.6-98.2
White/Non-Hisp	3550	1,677,704	148	2.7	2.1- 3.3	3402	97.3	96.7-97.9
Black or Afr. Am./Non-Hisp	155	118,518	7	4.1	0.4- 7.8	148	95.9	92.2-99.6
Oth. Race/Non-Hisp.	54	27,061				54	100.0	100.0- 100
Hispanic	62	77,556	2	0.2	0.0- 0.6	60	99.8	99.4- 100
18-24	59	115,443	1	0.3	0.0- 0.9	58	99.7	99.1- 100
25-34	133	147,314	5	2.9	0.0- 6.2	128	97.1	93.8- 100
35-44	321	272,896	5	0.7	0.1- 1.3	316	99.3	98.7-99.9
45-54	549	368,560	24	2.8	1.6- 4.0	525	97.2	96.0-98.4
55-64	938	413,779	44	3.3	2.1- 4.5	894	96.7	95.5-97.9
65+	1888	617,193	80	3.3	2.3- 4.3	1808	96.7	95.7-97.7
Less Than H.S.	291	266,527	6	1.4	0.0- 2.8	285	98.6	97.2- 100
H.S. or G.E.D.	1383	706,500	47	2.8	1.8- 3.8	1336	97.2	96.2-98.2
Some Post-H.S.	977	572,039	37	2.3	1.5- 3.1	940	97.7	96.9-98.5
College Graduate	1260	398,182	69	3.6	2.4- 4.8	1191	96.4	95.2-97.6
Less than \$15,000	320	166,575	7	1.6	0.0- 3.2	313	98.4	96.8- 100
\$15,000- 24,999	618	292,549	15	1.3	0.5- 2.1	603	98.7	97.9-99.5
\$25,000- 34,999	386	192,430	6	2.0	0.0- 4.0	380	98.0	96.0- 100
\$35,000- 49,999	541	262,097	21	2.6	0.8- 4.4	520	97.4	95.6-99.2
\$50,000- 74,999	538	271,298	16	1.7	0.7- 2.7	522	98.3	97.3-99.3
\$75,000+	883	457,195	60	3.9	2.7- 5.1	823	96.1	94.9-97.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 30: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1510	827,862	72	2.9	1.9- 3.9	1438	97.1	96.1-98.1
White/Non-Hisp	1361	707,242	65	3.0	2.0- 4.0	1296	97.0	96.0-98.0
35-44	136	126,141	3	0.9	0.0- 1.9	133	99.1	98.1- 100
45-54	220	163,152	9	2.7	0.7- 4.7	211	97.3	95.3-99.3
55-64	397	187,889	20	3.0	1.4- 4.6	377	97.0	95.4-98.6
65+	665	228,714	34	3.4	2.0- 4.8	631	96.6	95.2-98.0
Less Than H.S.	108	114,293	2	1.0	0.0- 2.4	106	99.0	97.6- 100
H.S. or G.E.D.	501	310,719	16	2.3	0.7- 3.9	485	97.7	96.1-99.3
Some Post-H.S.	340	216,323	19	3.2	1.4- 5.0	321	96.8	95.0-98.6
College Graduate	554	183,676	32	3.9	2.1- 5.7	522	96.1	94.3-97.9
Less than \$15,000	102	56,492	2	1.5	0.0- 3.9	100	98.5	96.1- 100
\$15,000- 24,999	192	111,539	6	1.1	0.1- 2.1	186	98.9	97.9-99.9
\$25,000- 34,999	139	81,845	3	2.0	0.0- 4.9	136	98.0	95.1- 100
\$35,000- 49,999	216	110,925	8	3.2	0.0- 7.1	208	96.8	92.9- 100
\$50,000- 74,999	243	135,132	10	2.2	0.4- 4.0	233	97.8	96.0-99.6
\$75,000+	417	213,625	31	4.7	2.7- 6.7	386	95.3	93.3-97.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 31: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2421	1,123,578	91	2.6	1.8- 3.4	2330	97.4	96.6-98.2
White/Non-Hisp	2189	970,462	83	2.5	1.7- 3.3	2106	97.5	96.7-98.3
Black or Afr. Am./Non-Hisp	107	72,159	5	4.9	0.0-10.2	102	95.1	89.8- 100
25-34	84	78,621	1	0.7	0.0- 2.1	83	99.3	97.9- 100
35-44	185	146,755	2	0.5	0.0- 1.3	183	99.5	98.7- 100
45-54	329	205,408	15	2.9	1.1- 4.7	314	97.1	95.3-98.9
55-64	541	225,890	24	3.6	1.6- 5.6	517	96.4	94.4-98.4
65+	1223	388,478	46	3.3	1.9- 4.7	1177	96.7	95.3-98.1
Less Than H.S.	183	152,234	4	1.6	0.0- 3.8	179	98.4	96.2- 100
H.S. or G.E.D.	882	395,780	31	3.2	1.8- 4.6	851	96.8	95.4-98.2
Some Post-H.S.	637	355,716	18	1.7	0.7- 2.7	619	98.3	97.3-99.3
College Graduate	706	214,506	37	3.3	1.9- 4.7	669	96.7	95.3-98.1
Less than \$15,000	218	110,083	5	1.7	0.0- 3.7	213	98.3	96.3- 100
\$15,000- 24,999	426	181,009	9	1.4	0.4- 2.4	417	98.6	97.6-99.6
\$25,000- 34,999	247	110,586	3	2.1	0.0- 5.0	244	97.9	95.0- 100
\$35,000- 49,999	325	151,173	13	2.2	0.6- 3.8	312	97.8	96.2-99.4
\$50,000- 74,999	295	136,167	6	1.2	0.0- 2.4	289	98.8	97.6- 100
\$75,000+	466	243,570	29	3.2	1.8- 4.6	437	96.8	95.4-98.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 32: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	160	51,092	87	63.9	54.9-72.9	61	30.4	22.0-38.8	8	3.3	0.8- 5.8	2	1.2	0.0- 3.2	1	0.6	0.0- 1.8	1	0.6	0.0- 1.8
Male	72	23,683	39	70.8	59.2-82.4	27	23.2	13.2-33.2	4	4.3	0.0- 9.0	1	0.4	0.0- 1.2				1	1.3	0.0- 3.8
Female	88	27,409	48	58.0	46.4-69.6	34	36.6	25.0-48.2	4	2.4	0.0- 4.9	1	1.8	0.0- 5.3	1	1.1	0.0- 3.3			
White/Non-Hisp	145	44,548	82	68.1	58.3-77.9	52	26.1	16.7-35.5	8	3.8	0.9- 6.7	2	1.3	0.0- 3.5	1	0.7	0.0- 2.1			
65+	77	19,212	39	58.0	41.1-74.9	34	38.7	21.8-55.6	3	2.8	0.0- 6.5	1	0.5	0.0- 1.5						
College Graduate	69	14,414	34	61.4	46.9-75.9	30	33.6	19.5-47.7	4	4.3	0.0- 9.0	1	0.7	0.0- 2.1						
\$75,000+	60	17,849	33	69.6	56.9-82.3	23	25.7	13.5-37.9	2	2.5	0.0- 6.0	1	0.5	0.0- 1.5	1	1.7	0.0- 5.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2015

SECTION 7: DEMOGRAPHICS

TABLE 33: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	72	23,683	39	70.8	59.6-82.0	27	23.2	13.6-32.8	4	4.3	0.0- 9.0	1	0.4	0.0- 1.2	1	1.3	0.0- 4.0
White/Non-Hisp	65	21,279	36	70.5	58.7-82.3	24	24.2	13.8-34.6	4	4.8	0.0-10.1	1	0.4	0.0- 1.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2015

SECTION 7: DEMOGRAPHICS

TABLE 34: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	88	27,409	48	58.0	47.2-68.8	34	36.6	26.2-47.0	4	2.4	0.0- 4.9	1	1.8	0.0- 5.3	1	1.1	0.0- 3.3
White/Non-Hisp	80	23,269	46	65.9	52.0-79.8	28	27.8	13.7-41.9	4	2.8	0.0- 5.9	1	2.2	0.0- 6.3	1	1.3	0.0- 3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 35: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3930	1,946,687	3181	74.9	72.7-77.1	749	25.1	22.9-27.3
Male	1508	825,546	1206	73.0	69.3-76.7	302	27.0	23.3-30.7
Female	2422	1,121,141	1975	76.4	73.7-79.1	447	23.6	20.9-26.3
White/Non-Hisp	3549	1,672,951	2908	76.1	73.7-78.5	641	23.9	21.5-26.3
Black or Afr. Am./Non-Hisp	155	118,518	120	81.9	74.5-89.3	35	18.1	10.7-25.5
Oth. Race/Non-Hisp.	54	27,061	40	63.2	43.0-83.4	14	36.8	16.6-57.0
Hispanic	62	77,556	37	57.2	38.2-76.2	25	42.8	23.8-61.8
18-24	59	115,443	53	80.4	64.7-96.1	6	19.6	3.9-35.3
25-34	133	147,314	113	75.8	64.2-87.4	20	24.2	12.6-35.8
35-44	320	271,056	280	82.9	77.2-88.6	40	17.1	11.4-22.8
45-54	546	367,493	466	76.1	70.6-81.6	80	23.9	18.4-29.4
55-64	940	413,789	763	75.6	71.9-79.3	177	24.4	20.7-28.1
65+	1889	615,337	1475	69.3	66.4-72.2	414	30.7	27.8-33.6
Less Than H.S.	293	266,735	157	49.0	39.4-58.6	136	51.0	41.4-60.6
H.S. or G.E.D.	1384	705,101	1050	72.0	68.7-75.3	334	28.0	24.7-31.3
Some Post-H.S.	975	570,605	814	81.2	77.5-84.9	161	18.8	15.1-22.5
College Graduate	1258	396,054	1144	88.3	85.4-91.2	114	11.7	8.8-14.6
Less than \$15,000	322	166,970	168	47.6	38.6-56.6	154	52.4	43.4-61.4
\$15,000- 24,999	620	292,946	438	60.7	54.4-67.0	182	39.3	33.0-45.6
\$25,000- 34,999	385	192,133	282	64.5	57.4-71.6	103	35.5	28.4-42.6
\$35,000- 49,999	540	261,369	449	75.6	68.5-82.7	91	24.4	17.3-31.5
\$50,000- 74,999	536	268,014	488	88.9	85.4-92.4	48	11.1	7.6-14.6
\$75,000+	883	457,195	843	93.0	90.5-95.5	40	7.0	4.5- 9.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 36: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1508	825,546	1206	73.0	69.3-76.7	302	27.0	23.3-30.7
White/Non-Hisp	1359	704,927	1096	73.7	69.8-77.6	263	26.3	22.4-30.2
35-44	135	124,302	117	83.4	75.0-91.8	18	16.6	8.2-25.0
45-54	217	162,085	182	74.2	65.0-83.4	35	25.8	16.6-35.0
55-64	398	188,314	302	68.6	62.5-74.7	96	31.4	25.3-37.5
65+	666	228,880	529	71.1	66.2-76.0	137	28.9	24.0-33.8
Less Than H.S.	109	114,718	62	52.5	37.4-67.6	47	47.5	32.4-62.6
H.S. or G.E.D.	501	309,392	368	69.1	63.4-74.8	133	30.9	25.2-36.6
Some Post-H.S.	339	215,794	284	79.1	71.8-86.4	55	20.9	13.6-28.2
College Graduate	552	182,792	487	84.9	79.8-90.0	65	15.1	10.0-20.2
Less than \$15,000	102	56,492	47	43.3	29.6-57.0	55	56.7	43.0-70.4
\$15,000- 24,999	192	111,539	130	60.1	49.5-70.7	62	39.9	29.3-50.5
\$25,000- 34,999	138	81,548	92	56.9	44.7-69.1	46	43.1	30.9-55.3
\$35,000- 49,999	216	111,101	176	67.4	54.7-80.1	40	32.6	19.9-45.3
\$50,000- 74,999	242	133,292	207	83.1	76.6-89.6	35	16.9	10.4-23.4
\$75,000+	417	213,625	394	92.5	89.0-96.0	23	7.5	4.0-11.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 37: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2422	1,121,141	1975	76.4	73.7-79.1	447	23.6	20.9-26.3
White/Non-Hisp	2190	968,024	1812	77.8	75.1-80.5	378	22.2	19.5-24.9
Black or Afr. Am./Non-Hisp	107	72,159	83	81.6	72.2-91.0	24	18.4	9.0-27.8
25-34	84	78,621	73	81.0	68.5-93.5	11	19.0	6.5-31.5
35-44	185	146,755	163	82.4	74.6-90.2	22	17.6	9.8-25.4
45-54	329	205,408	284	77.7	71.2-84.2	45	22.3	15.8-28.8
55-64	542	225,475	461	81.5	77.0-86.0	81	18.5	14.0-23.0
65+	1223	386,457	946	68.2	64.5-71.9	277	31.8	28.1-35.5
Less Than H.S.	184	152,017	95	46.3	34.0-58.6	89	53.7	41.4-66.0
H.S. or G.E.D.	883	395,710	682	74.3	70.2-78.4	201	25.7	21.6-29.8
Some Post-H.S.	636	354,810	530	82.4	78.5-86.3	106	17.6	13.7-21.5
College Graduate	706	213,262	657	91.3	87.8-94.8	49	8.7	5.2-12.2
Less than \$15,000	220	110,479	121	49.8	38.4-61.2	99	50.2	38.8-61.6
\$15,000- 24,999	428	181,407	308	61.0	53.2-68.8	120	39.0	31.2-46.8
\$25,000- 34,999	247	110,586	190	70.1	62.1-78.1	57	29.9	21.9-37.9
\$35,000- 49,999	324	150,267	273	81.6	75.3-87.9	51	18.4	12.1-24.7
\$50,000- 74,999	294	134,722	281	94.6	91.3-97.9	13	5.4	2.1- 8.7
\$75,000+	466	243,570	449	93.4	89.7-97.1	17	6.6	2.9-10.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 38: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6060	5,056,319	797	10.5	9.5-11.5	5263	89.5	88.5-90.5
Male	2577	2,460,292	740	19.6	17.6-21.6	1837	80.4	78.4-82.4
Female	3483	2,596,027	57	1.8	1.2- 2.4	3426	98.2	97.6-98.8
18-24	278	688,227	10	3.7	1.2- 6.2	268	96.3	93.8-98.8
25-34	454	831,062	19	4.8	2.4- 7.2	435	95.2	92.8-97.6
35-44	620	819,520	37	6.2	3.8- 8.6	583	93.8	91.4-96.2
45-54	904	854,886	83	9.6	7.2-12.0	821	90.4	88.0-92.8
55-64	1386	837,719	134	11.8	9.4-14.2	1252	88.2	85.8-90.6
65+	2355	986,353	506	23.0	20.6-25.4	1849	77.0	74.6-79.4
Less Than H.S.	481	677,128	40	6.3	3.9- 8.7	441	93.7	91.3-96.1
H.S. or G.E.D.	2033	1,745,779	268	11.2	9.4-13.0	1765	88.8	87.0-90.6
Some Post-H.S.	1524	1,538,605	230	12.3	10.3-14.3	1294	87.7	85.7-89.7
College Graduate	1984	1,066,303	255	9.5	7.9-11.1	1729	90.5	88.9-92.1
Less than \$15,000	523	489,468	60	7.8	4.9-10.7	463	92.2	89.3-95.1
\$15,000- 24,999	902	755,336	113	11.3	8.6-14.0	789	88.7	86.0-91.4
\$25,000- 34,999	572	477,964	81	12.1	8.6-15.6	491	87.9	84.4-91.4
\$35,000- 49,999	844	702,050	138	13.1	10.2-16.0	706	86.9	84.0-89.8
\$50,000- 74,999	848	732,914	132	11.1	8.6-13.6	716	88.9	86.4-91.4
\$75,000+	1423	1,153,318	164	9.8	7.6-12.0	1259	90.2	88.0-92.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 39: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2577	2,460,292	740	19.6	17.6-21.6	1837	80.4	78.4-82.4
18-24	151	352,626	7	5.1	1.0- 9.2	144	94.9	90.8-99.0
25-34	201	415,740	16	8.0	3.9-12.1	185	92.0	87.9-96.1
35-44	279	410,690	28	9.9	5.8-14.0	251	90.1	86.0-94.2
45-54	404	429,419	71	16.5	12.2-20.8	333	83.5	79.2-87.8
55-64	620	410,058	116	22.2	17.7-26.7	504	77.8	73.3-82.3
65+	902	430,085	494	51.9	47.4-56.4	408	48.1	43.6-52.6
Less Than H.S.	210	353,688	40	12.0	7.3-16.7	170	88.0	83.3-92.7
H.S. or G.E.D.	855	909,138	258	20.6	17.5-23.7	597	79.4	76.3-82.5
Some Post-H.S.	588	678,078	201	24.0	19.9-28.1	387	76.0	71.9-80.1
College Graduate	909	508,772	237	17.4	14.3-20.5	672	82.6	79.5-85.7
Less than \$15,000	184	183,584	53	19.3	12.2-26.4	131	80.7	73.6-87.8
\$15,000- 24,999	318	320,989	106	25.7	19.6-31.8	212	74.3	68.2-80.4
\$25,000- 34,999	228	237,154	78	23.2	16.3-30.1	150	76.8	69.9-83.7
\$35,000- 49,999	380	344,025	124	21.8	16.5-27.1	256	78.2	72.9-83.5
\$50,000- 74,999	410	406,636	123	18.2	13.9-22.5	287	81.8	77.5-86.1
\$75,000+	719	635,726	153	16.5	12.8-20.2	566	83.5	79.8-87.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 40: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3483	2,596,027	57	1.8	1.2- 2.4	3426	98.2	97.6-98.8
18-24	127	335,601	3	2.2	0.0- 4.9	124	97.8	95.1- 100
25-34	253	415,322	3	1.6	0.0- 3.4	250	98.4	96.6- 100
35-44	341	408,830	9	2.4	0.6- 4.2	332	97.6	95.8-99.4
45-54	500	425,468	12	2.7	0.9- 4.5	488	97.3	95.5-99.1
55-64	766	427,661	18	1.8	0.8- 2.8	748	98.2	97.2-99.2
65+	1453	556,268	12	0.7	0.1- 1.3	1441	99.3	98.7-99.9
Less Than H.S.	271	323,440				271	100.0	100.0- 100
H.S. or G.E.D.	1178	836,641	10	1.0	0.2- 1.8	1168	99.0	98.2-99.8
Some Post-H.S.	936	860,528	29	3.1	1.5- 4.7	907	96.9	95.3-98.5
College Graduate	1075	557,531	18	2.2	0.8- 3.6	1057	97.8	96.4-99.2
Less than \$15,000	339	305,884	7	1.0	0.0- 2.0	332	99.0	98.0- 100
\$15,000- 24,999	584	434,348	7	0.7	0.1- 1.3	577	99.3	98.7-99.9
\$25,000- 34,999	344	240,810	3	1.2	0.0- 3.0	341	98.8	97.0- 100
\$35,000- 49,999	464	358,024	14	4.8	1.7- 7.9	450	95.2	92.1-98.3
\$50,000- 74,999	438	326,277	9	2.3	0.3- 4.3	429	97.7	95.7-99.7
\$75,000+	704	517,592	11	1.6	0.4- 2.8	693	98.4	97.2-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 41: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6002	4,998,240	2783	56.2	54.4-58.0	204	5.3	4.3- 6.3	405	6.8	5.8- 7.8	146	6.3	5.1- 7.5	1993	17.5	16.5-18.5	471	7.9	6.9- 8.9
Male	2554	2,439,966	1367	63.1	60.6-65.6	108	6.1	4.5- 7.7	13	0.9	0.3- 1.5	61	5.3	3.7- 6.9	828	17.5	15.9-19.1	177	7.1	5.7- 8.5
Female	3448	2,558,275	1416	49.6	47.1-52.1	96	4.6	3.4- 5.8	392	12.4	10.8-14.0	85	7.2	5.4- 9.0	1165	17.5	16.1-18.9	294	8.6	7.2-10.0
White/Non-Hisp	5215	4,048,956	2405	56.8	54.8-58.8	159	4.9	3.9- 5.9	345	6.4	5.4- 7.4	101	5.3	4.1- 6.5	1818	19.2	18.0-20.4	387	7.4	6.4- 8.4
Black or Afr. Am./Non-Hisp	316	420,879	141	52.7	45.1-60.3	18	5.8	2.7- 8.9	11	2.7	0.7- 4.7	17	11.2	5.3-17.1	83	12.6	8.9-16.3	46	15.0	8.9-21.1
Oth. Race/Non-Hisp.	116	106,324	46	31.1	20.9-41.3	6	8.3	1.0-15.6	11	11.1	2.7-19.5	14	22.7	11.3-34.1	25	14.8	6.0-23.6	14	11.9	4.3-19.5
MultiRacial/Non-Hisp.	79	58,362	37	53.0	36.7-69.3	5	11.9	0.0-24.6	4	2.4	0.0- 4.9	3	14.3	0.0-29.6	19	9.0	3.7-14.3	11	9.4	0.8-18.0
Hispanic	179	277,043	112	66.1	57.1-75.1	9	6.0	1.3-10.7	29	17.1	9.8-24.4	10	6.7	2.2-11.2	11	1.2	0.2- 2.2	8	2.9	0.5- 5.3
18-24	272	672,938	132	46.2	39.1-53.3	31	12.7	7.8-17.6	1	0.5	0.0- 1.5	104	38.4	31.5-45.3				4	2.2	0.0- 5.1
25-34	451	821,179	337	75.1	70.2-80.0	26	6.8	3.9- 9.7	47	9.5	6.4-12.6	25	4.9	2.7- 7.1	1	0.2	0.0- 0.6	15	3.4	1.2- 5.6
35-44	614	810,790	480	76.8	72.5-81.1	28	4.7	2.7- 6.7	66	10.8	7.5-14.1	7	0.9	0.1- 1.7	1	0.0	0.0- 0.0	32	6.9	4.2- 9.6
45-54	894	847,707	654	72.7	69.0-76.4	37	4.6	2.8- 6.4	62	6.4	4.4- 8.4	8	0.8	0.0- 1.6	14	2.2	0.8- 3.6	119	13.4	10.7-16.1
55-64	1374	829,297	792	56.8	53.5-60.1	53	4.0	2.6- 5.4	67	5.0	3.6- 6.4				255	17.9	15.2-20.6	207	16.4	13.9-18.9
65+	2338	981,324	351	15.3	13.3-17.3	28	1.5	0.7- 2.3	159	7.3	5.7- 8.9	1	0.0	0.0- 0.0	1709	71.5	69.0-74.0	90	4.4	3.2- 5.6
Less Than H.S.	472	671,712	111	35.6	28.9-42.3	38	12.1	7.6-16.6	55	10.3	6.6-14.0	13	7.2	2.9-11.5	138	16.0	12.5-19.5	117	18.7	14.2-23.2
H.S. or G.E.D.	2010	1,714,922	784	52.8	49.7-55.9	79	6.3	4.5- 8.1	159	6.7	5.1- 8.3	32	5.0	3.0- 7.0	779	21.2	19.2-23.2	177	8.0	6.4- 9.6
Some Post-H.S.	1517	1,526,915	706	57.6	54.3-60.9	45	3.7	2.3- 5.1	98	6.7	4.9- 8.5	54	8.1	5.9-10.3	489	16.7	14.7-18.7	125	7.2	5.4- 9.0
College Graduate	1971	1,062,651	1171	73.0	70.5-75.5	41	2.0	1.2- 2.8	90	4.7	3.5- 5.9	47	5.2	3.6- 6.8	575	13.6	12.0-15.2	47	1.5	0.9- 2.1
Less than \$15,000	512	477,642	89	26.4	20.5-32.3	48	12.6	7.7-17.5	25	5.9	2.6- 9.2	24	11.0	6.1-15.9	150	15.7	12.2-19.2	176	28.4	22.7-34.1
\$15,000- 24,999	897	748,489	244	38.3	33.4-43.2	55	10.1	6.8-13.4	85	10.5	7.4-13.6	15	4.4	1.7- 7.1	387	22.5	19.4-25.6	111	14.3	10.8-17.8
\$25,000- 34,999	567	474,704	231	56.6	50.9-62.3	21	4.1	1.7- 6.5	33	5.8	2.7- 8.9	9	3.1	0.9- 5.3	227	21.9	18.2-25.6	46	8.5	5.6-11.4
\$35,000- 49,999	842	701,251	410	62.9	58.2-67.6	26	6.1	3.0- 9.2	46	5.1	3.3- 6.9	9	2.7	0.7- 4.7	319	20.4	17.3-23.5	32	2.8	1.6- 4.0
\$50,000- 74,999	845	727,970	490	69.6	65.3-73.9	16	1.6	0.6- 2.6	46	5.6	3.6- 7.6	21	6.6	3.5- 9.7	249	14.3	11.9-16.7	23	2.3	1.1- 3.5
\$75,000+	1416	1,148,274	1040	79.2	76.3-82.1	14	1.1	0.3- 1.9	79	4.9	3.5- 6.3	43	7.0	4.6- 9.4	231	7.4	6.0- 8.8	9	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS
TABLE 42: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2554	2,439,966	1367	63.1	60.6-65.6	108	6.1	4.5- 7.7	13	0.9	0.3- 1.5	61	5.3	3.7- 6.9	828	17.5	15.9-19.1	177	7.1	5.7- 8.5
White/Non-Hisp	2209	1,955,697	1180	64.0	61.3-66.7	84	5.7	3.9- 7.5	8	0.4	0.0- 0.8	42	4.4	2.8- 6.0	749	18.9	17.1-20.7	146	6.6	5.2- 8.0
Black or Afr. Am./Non-Hisp	117	192,861	55	54.8	43.2-66.4	8	5.9	1.4-10.4				6	8.9	0.9-16.9	28	13.4	7.1-19.7	20	17.0	8.4-25.6
Oth. Race/Non-Hisp.	61	67,674	24	26.3	13.6-39.0	4	10.1	0.0-20.7	2	8.3	0.0-20.1	10	26.8	11.5-42.1	16	17.9	5.0-30.8	5	10.7	0.5-20.9
Hispanic	68	132,873	59	88.9	79.3-98.5	2	4.8	0.0-12.4	1	2.7	0.0- 8.0	1	0.9	0.0- 2.7	4	1.5	0.0- 3.3	1	1.2	0.0- 3.6
18-24	147	343,017	78	50.3	40.9-59.7	20	16.0	8.7-23.3				48	32.7	23.9-41.5				1	1.0	0.0- 3.0
25-34	202	418,494	173	85.8	80.1-91.5	9	5.6	1.5- 9.7	6	3.6	0.5- 6.7	9	3.1	0.9- 5.3	1	0.4	0.0- 1.2	4	1.5	0.0- 3.1
35-44	277	408,795	250	86.9	81.6-92.2	12	5.1	2.0- 8.2	4	1.4	0.0- 3.4	1	0.2	0.0- 0.6				10	6.4	2.3-10.5
45-54	399	424,166	320	78.3	73.0-83.6	24	5.8	3.1- 8.5	2	0.2	0.0- 0.4	3	0.6	0.0- 1.4	7	3.0	0.3- 5.7	43	12.0	7.9-16.1
55-64	616	406,740	371	58.9	53.8-64.0	24	3.6	1.8- 5.4	1	0.1	0.0- 0.3				127	20.4	16.1-24.7	93	17.1	13.2-21.0
65+	895	428,533	162	17.5	14.2-20.8	18	2.5	0.9- 4.1							691	76.6	72.9-80.3	24	3.4	1.4- 5.4
Less Than H.S.	206	350,264	67	44.6	35.2-54.0	18	13.8	6.7-20.9	2	1.5	0.0- 3.7	4	4.3	0.0- 9.0	62	18.5	12.6-24.4	53	17.3	11.6-23.0
H.S. or G.E.D.	846	897,683	429	62.2	57.9-66.5	43	6.4	4.2- 8.6	6	1.4	0.0- 2.8	18	4.8	2.4- 7.2	287	18.7	16.0-21.4	63	6.6	4.6- 8.6
Some Post-H.S.	585	673,978	303	63.6	58.5-68.7	21	4.7	2.3- 7.1	2	0.3	0.0- 0.7	22	7.7	4.4-11.0	192	16.7	13.6-19.8	45	6.9	4.2- 9.6
College Graduate	902	507,425	563	77.2	74.1-80.3	25	2.3	1.1- 3.5	3	0.5	0.0- 1.3	17	3.7	1.9- 5.5	281	15.6	13.2-18.0	13	0.6	0.2- 1.0
Less than \$15,000	178	178,798	30	24.3	15.7-32.9	23	14.6	5.8-23.4				9	10.4	3.0-17.8	56	20.6	13.7-27.5	60	30.0	21.4-38.6
\$15,000- 24,999	316	318,239	112	47.0	39.4-54.6	30	13.3	8.0-18.6	4	2.0	0.0- 4.4	4	2.3	0.0- 4.8	123	21.9	16.6-27.2	43	13.5	8.8-18.2
\$25,000- 34,999	226	235,779	106	63.3	54.9-71.7	9	3.8	0.7- 6.9	3	4.0	0.0- 9.3	3	1.6	0.0- 3.6	93	21.8	15.9-27.7	12	5.6	1.9- 9.3
\$35,000- 49,999	380	345,112	191	63.6	56.9-70.3	17	8.7	3.4-14.0				5	2.1	0.3- 3.9	154	22.6	17.9-27.3	13	3.0	0.8- 5.2
\$50,000- 74,999	410	407,133	245	73.6	67.7-79.5	7	1.3	0.1- 2.5				11	8.1	3.0-13.2	134	14.4	11.1-17.7	13	2.6	0.8- 4.4
\$75,000+	713	630,998	555	83.5	79.8-87.2	6	0.8	0.0- 1.6	4	0.4	0.0- 0.8	23	7.5	4.2-10.8	121	7.5	5.7- 9.3	4	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS
TABLE 43: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3448	2,558,275	1416	49.6	47.1-52.1	96	4.6	3.4- 5.8	392	12.4	10.8-14.0	85	7.2	5.4- 9.0	1165	17.5	16.1-18.9	294	8.6	7.2-10.0
White/Non-Hisp	3006	2,093,259	1225	50.1	47.4-52.8	75	4.2	2.8- 5.6	337	12.0	10.2-13.8	59	6.1	4.3- 7.9	1069	19.5	17.9-21.1	241	8.2	6.8- 9.6
Black or Afr. Am./Non-Hisp	199	228,018	86	51.0	41.0-61.0	10	5.8	1.7- 9.9	11	5.0	1.3- 8.7	11	13.2	4.6-21.8	55	11.8	7.3-16.3	26	13.3	4.7-21.9
Oth. Race/Non-Hisp.	55	38,650	22	39.5	23.4-55.6	2	5.2	0.0-12.3	9	16.0	4.8-27.2	4	15.7	0.0-31.8	9	9.4	1.0-17.8	9	14.2	3.2-25.2
Hispanic	111	144,169	53	45.1	33.5-56.7	7	7.2	1.7-12.7	28	30.3	18.7-41.9	9	12.1	3.9-20.3	7	0.8	0.0- 1.6	7	4.5	0.4- 8.6
18-24	125	329,921	54	41.9	31.5-52.3	11	9.4	3.3-15.5	1	1.1	0.0- 3.3	56	44.2	33.8-54.6				3	3.5	0.0- 9.2
25-34	249	402,685	164	63.9	56.5-71.3	17	8.2	3.9-12.5	41	15.7	10.4-21.0	16	6.7	2.8-10.6				11	5.4	1.3- 9.5
35-44	337	401,995	230	66.4	59.9-72.9	16	4.2	2.0- 6.4	62	20.3	14.4-26.2	6	1.5	0.1- 2.9	1	0.1	0.0- 0.3	22	7.5	4.0-11.0
45-54	495	423,541	334	67.0	61.9-72.1	13	3.3	1.1- 5.5	60	12.7	9.0-16.4	5	1.0	0.0- 2.2	7	1.3	0.3- 2.3	76	14.7	11.0-18.4
55-64	758	422,558	421	54.8	50.3-59.3	29	4.3	2.1- 6.5	66	9.8	7.1-12.5				128	15.5	12.4-18.6	114	15.7	12.4-19.0
65+	1443	552,791	189	13.5	11.0-16.0	10	0.7	0.1- 1.3	159	13.0	10.5-15.5	1	0.1	0.0- 0.3	1018	67.5	64.0-71.0	66	5.1	3.5- 6.7
Less Than H.S.	266	321,448	44	25.8	17.0-34.6	20	10.2	5.3-15.1	53	20.0	12.9-27.1	9	10.4	3.1-17.7	76	13.3	9.2-17.4	64	20.3	13.2-27.4
H.S. or G.E.D.	1164	817,239	355	42.3	38.0-46.6	36	6.2	3.5- 8.9	153	12.6	9.9-15.3	14	5.3	2.4- 8.2	492	24.1	21.4-26.8	114	9.5	7.1-11.9
Some Post-H.S.	932	852,938	403	52.8	48.3-57.3	24	2.8	1.0- 4.6	96	11.8	8.9-14.7	32	8.4	5.3-11.5	297	16.7	14.2-19.2	80	7.5	5.1- 9.9
College Graduate	1069	555,227	608	69.2	65.5-72.9	16	1.7	0.5- 2.9	87	8.5	6.3-10.7	30	6.6	4.1- 9.1	294	11.7	9.9-13.5	34	2.3	1.3- 3.3
Less than \$15,000	334	298,844	59	27.6	19.8-35.4	25	11.4	5.7-17.1	25	9.4	4.1-14.7	15	11.4	4.9-17.9	94	12.8	9.1-16.5	116	27.4	20.0-34.8
\$15,000- 24,999	581	430,250	132	31.9	25.8-38.0	25	7.7	3.6-11.8	81	16.8	11.9-21.7	11	5.9	1.8-10.0	264	22.9	19.0-26.8	68	14.8	9.9-19.7
\$25,000- 34,999	341	238,926	125	49.9	42.5-57.3	12	4.4	1.1- 7.7	30	7.6	4.3-10.9	6	4.7	0.8- 8.6	134	22.0	17.1-26.9	34	11.3	6.8-15.8
\$35,000- 49,999	462	356,139	219	62.1	55.6-68.6	9	3.5	0.4- 6.6	46	10.1	6.6-13.6	4	3.3	0.0- 6.8	165	18.3	14.4-22.2	19	2.7	1.3- 4.1
\$50,000- 74,999	435	320,837	245	64.6	58.5-70.7	9	2.0	0.6- 3.4	46	12.7	8.2-17.2	10	4.6	1.5- 7.7	115	14.2	10.7-17.7	10	1.9	0.5- 3.3
\$75,000+	703	517,276	485	74.0	69.5-78.5	8	1.5	0.3- 2.7	75	10.3	7.4-13.2	20	6.3	3.0- 9.6	110	7.2	5.4- 9.0	5	0.6	0.0- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 44: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6038	5,033,293	573	15.9	14.3-17.5	540	13.2	11.8-14.6	226	6.0	5.0- 7.0	77	2.1	1.5- 2.7	40	0.9	0.5- 1.3	4582	61.8	59.8-63.8
Male	2569	2,448,362	239	14.0	11.8-16.2	222	12.7	10.5-14.9	81	5.6	4.0- 7.2	31	1.9	1.1- 2.7	17	1.1	0.5- 1.7	1979	64.8	62.1-67.5
Female	3469	2,584,931	334	17.7	15.3-20.1	318	13.7	11.7-15.7	145	6.4	5.2- 7.6	46	2.3	1.3- 3.3	23	0.8	0.4- 1.2	2603	59.0	56.5-61.5
White/Non-Hisp	5243	4,072,206	463	15.6	13.8-17.4	423	12.2	10.6-13.8	176	5.4	4.4- 6.4	56	1.7	1.1- 2.3	31	0.9	0.5- 1.3	4094	64.2	62.0-66.4
Black or Afr. Am./Non-Hisp	316	422,043	45	18.6	11.9-25.3	47	17.2	11.7-22.7	12	6.2	1.7-10.7	9	2.3	0.7- 3.9	4	0.9	0.0- 1.9	199	54.8	47.2-62.4
Oth. Race/Non-Hisp.	119	110,243	22	19.6	10.2-29.0	15	12.7	5.8-19.6	7	5.7	0.0-12.8							75	62.0	50.4-73.6
MultiRacial/Non-Hisp.	78	56,986	8	17.6	2.1-33.1	4	4.2	0.0- 8.9	3	4.9	0.0-10.8	2	5.1	0.0-12.7	1	1.0	0.0- 3.0	60	67.3	51.0-83.6
Hispanic	182	279,091	33	18.4	11.5-25.3	43	24.1	15.5-32.7	25	15.2	8.3-22.1	7	6.4	0.5-12.3	2	1.2	0.0- 3.0	72	34.6	25.8-43.4
18-24	276	685,268	54	23.3	17.0-29.6	21	9.2	4.7-13.7	9	3.3	0.9- 5.7	1	0.5	0.0- 1.5				191	63.6	56.7-70.5
25-34	448	825,706	94	22.7	17.8-27.6	111	25.9	20.8-31.0	57	13.9	9.8-18.0	18	3.4	1.6- 5.2	9	1.9	0.5- 3.3	159	32.3	27.2-37.4
35-44	616	810,903	126	24.4	19.9-28.9	208	30.3	25.8-34.8	100	14.3	11.0-17.6	39	6.7	4.0- 9.4	17	2.3	0.9- 3.7	126	21.8	17.7-25.9
45-54	903	854,549	183	21.4	17.9-24.9	133	12.0	9.6-14.4	40	3.7	1.9- 5.5	15	2.0	0.6- 3.4	8	1.0	0.0- 2.0	524	59.8	55.7-63.9
55-64	1386	837,569	75	5.6	4.2- 7.0	41	3.1	1.9- 4.3	12	1.4	0.4- 2.4	1	0.1	0.0- 0.3	3	0.2	0.0- 0.4	1254	89.6	87.6-91.6
65+	2352	985,926	38	2.4	1.2- 3.6	23	1.1	0.5- 1.7	7	0.2	0.0- 0.4	3	0.2	0.0- 0.4	2	0.2	0.0- 0.4	2279	95.9	94.7-97.1
Less Than H.S.	480	672,478	48	17.6	11.9-23.3	42	14.1	8.8-19.4	20	6.9	3.6-10.2	11	3.9	1.2- 6.6	5	1.8	0.2- 3.4	354	55.7	49.0-62.4
H.S. or G.E.D.	2027	1,734,435	165	16.0	13.3-18.7	129	10.7	8.3-13.1	49	5.1	3.5- 6.7	14	1.2	0.4- 2.0	10	0.9	0.3- 1.5	1660	66.2	62.9-69.5
Some Post-H.S.	1521	1,537,708	147	15.5	12.8-18.2	122	11.7	9.3-14.1	61	6.3	4.3- 8.3	25	2.3	1.1- 3.5	6	0.4	0.0- 0.8	1160	63.7	60.2-67.2
College Graduate	1973	1,061,907	213	15.9	13.5-18.3	245	19.0	16.3-21.7	95	6.5	4.9- 8.1	27	2.1	1.1- 3.1	19	1.3	0.5- 2.1	1374	55.2	52.1-58.3
Less than \$15,000	522	488,624	45	15.0	9.3-20.7	31	10.4	5.9-14.9	15	4.8	1.9- 7.7	5	2.3	0.0- 5.0	3	1.0	0.0- 2.2	423	66.5	59.6-73.4
\$15,000- 24,999	901	755,129	71	15.8	11.5-20.1	48	8.1	5.4-10.8	35	8.5	5.4-11.6	3	0.7	0.0- 1.7	5	0.7	0.0- 1.5	739	66.2	61.1-71.3
\$25,000- 34,999	572	477,964	46	13.3	8.8-17.8	38	10.3	6.2-14.4	18	6.5	3.0-10.0	7	2.6	0.4- 4.8	1	0.5	0.0- 1.5	462	66.8	60.7-72.9
\$35,000- 49,999	845	704,803	68	13.0	9.5-16.5	56	11.5	7.6-15.4	24	4.7	2.5- 6.9	16	3.4	1.2- 5.6	8	1.3	0.1- 2.5	673	66.1	61.0-71.2
\$50,000- 74,999	849	734,226	95	19.1	14.8-23.4	88	16.3	12.2-20.4	30	5.8	3.1- 8.5	14	2.4	0.8- 4.0	8	1.3	0.3- 2.3	614	55.1	50.0-60.2
\$75,000+	1420	1,149,805	192	18.4	15.3-21.5	224	19.8	16.7-22.9	88	7.3	5.3- 9.3	24	2.1	0.9- 3.3	10	0.5	0.1- 0.9	882	51.9	48.2-55.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 45: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2569	2,448,362	239	14.0	11.8-16.2	222	12.7	10.5-14.9	81	5.6	4.0- 7.2	31	1.9	1.1- 2.7	17	1.1	0.5- 1.7	1979	64.8	62.1-67.5
White/Non-Hisp	2220	1,957,321	194	14.0	11.6-16.4	179	12.1	9.9-14.3	64	4.7	3.3- 6.1	23	1.6	0.8- 2.4	13	1.1	0.5- 1.7	1747	66.5	63.6-69.4
Black or Afr. Am./Non-Hisp	116	190,978	12	12.0	4.6-19.4	10	10.7	3.3-18.1	4	8.3	0.0-16.9	3	1.8	0.0- 4.0	1	0.3	0.0- 0.9	86	66.9	55.3-78.5
Oth. Race/Non-Hisp.	63	70,010	11	16.7	4.4-29.0	7	10.5	2.3-18.7	3	6.5	0.0-17.1							42	66.4	50.7-82.1
Hispanic	69	134,321	14	16.0	6.2-25.8	16	23.7	9.6-37.8	9	17.0	5.2-28.8	3	6.5	0.0-14.5	1	0.9	0.0- 2.7	26	36.0	21.7-50.3
18-24	149	349,667	26	19.6	12.2-27.0	9	6.5	2.0-11.0	3	2.9	0.0- 6.6							111	71.1	62.5-79.7
25-34	199	414,645	32	15.1	9.2-21.0	38	22.9	15.3-30.5	21	14.4	8.1-20.7	4	1.8	0.0- 3.8	3	1.8	0.0- 4.0	101	44.0	35.8-52.2
35-44	277	403,866	54	22.7	16.4-29.0	95	32.1	25.0-39.2	31	10.3	6.0-14.6	17	6.0	2.5- 9.5	9	3.1	0.7- 5.5	71	25.8	19.5-32.1
45-54	404	429,419	77	20.0	14.9-25.1	56	11.5	8.0-15.0	17	3.9	1.2- 6.6	10	3.3	0.6- 6.0	4	1.3	0.0- 2.9	240	59.9	53.6-66.2
55-64	621	410,617	34	5.4	3.2- 7.6	16	2.4	1.0- 3.8	8	1.9	0.5- 3.3				1	0.1	0.0- 0.3	562	90.2	87.5-92.9
65+	902	430,314	15	2.8	0.8- 4.8	7	0.8	0.0- 1.6	1	0.0	0.0- 0.0							879	96.4	94.4-98.4
Less Than H.S.	209	349,037	19	14.7	7.4-22.0	18	13.5	6.2-20.8	8	6.7	1.6-11.8	5	2.6	0.1- 5.1	3	2.2	0.0- 4.7	156	60.3	50.9-69.7
H.S. or G.E.D.	851	900,799	85	16.5	12.8-20.2	55	9.7	6.6-12.8	24	5.8	3.1- 8.5	9	1.5	0.3- 2.7	6	1.2	0.0- 2.4	672	65.3	60.6-70.0
Some Post-H.S.	589	679,113	40	10.4	6.9-13.9	51	12.2	8.3-16.1	21	5.6	2.7- 8.5	8	2.2	0.2- 4.2	1	0.1	0.0- 0.3	468	69.4	64.1-74.7
College Graduate	905	508,596	95	14.4	11.1-17.7	98	18.3	14.2-22.4	28	4.5	2.5- 6.5	9	1.5	0.3- 2.7	7	1.4	0.2- 2.6	668	59.8	55.1-64.5
Less than \$15,000	183	182,741	11	8.1	2.8-13.4	4	1.8	0.0- 4.0	2	3.8	0.0- 9.7				1	0.6	0.0- 1.8	165	85.7	77.9-93.5
\$15,000- 24,999	318	320,989	20	9.4	4.5-14.3	20	9.5	4.8-14.2	11	7.6	2.3-12.9				2	1.0	0.0- 2.8	265	72.4	65.0-79.8
\$25,000- 34,999	228	237,154	21	12.0	6.1-17.9	13	10.6	3.7-17.5	6	7.5	1.2-13.8	4	3.5	0.0- 7.0	1	0.9	0.0- 2.7	183	65.5	56.1-74.9
\$35,000- 49,999	381	346,779	22	11.0	5.9-16.1	22	7.5	3.8-11.2	11	5.3	1.8- 8.8	9	4.2	0.5- 7.9	2	1.3	0.0- 3.3	315	70.8	63.7-77.9
\$50,000- 74,999	411	407,948	42	17.7	11.8-23.6	43	18.5	12.2-24.8	15	7.2	2.7-11.7	7	2.6	0.2- 5.0	4	1.4	0.0- 3.0	300	52.6	45.5-59.7
\$75,000+	717	633,023	101	19.2	14.7-23.7	99	19.1	14.4-23.8	32	5.5	3.0- 8.0	9	1.2	0.2- 2.2	5	0.6	0.0- 1.2	471	54.4	48.9-59.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 46: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3469	2,584,931	334	17.7	15.3-20.1	318	13.7	11.7-15.7	145	6.4	5.2- 7.6	46	2.3	1.3- 3.3	23	0.8	0.4- 1.2	2603	59.0	56.5-61.5
White/Non-Hisp	3023	2,114,886	269	17.1	14.6-19.6	244	12.2	10.2-14.2	112	6.0	4.6- 7.4	33	1.8	1.0- 2.6	18	0.7	0.3- 1.1	2347	62.0	59.3-64.7
Black or Afr. Am./Non-Hisp	200	231,065	33	24.1	14.1-34.1	37	22.6	15.0-30.2	8	4.4	0.7- 8.1	6	2.7	0.2- 5.2	3	1.4	0.0- 3.2	113	44.8	35.2-54.4
Oth. Race/Non-Hisp.	56	40,233	11	24.7	10.4-39.0	8	16.5	4.3-28.7	4	4.3	0.0- 9.0							33	54.5	38.0-71.0
Hispanic	113	144,770	19	20.7	11.1-30.3	27	24.6	14.4-34.8	16	13.6	6.2-21.0	4	6.3	0.0-14.7	1	1.6	0.0- 4.7	46	33.3	22.5-44.1
18-24	127	335,601	28	27.3	17.5-37.1	12	12.1	4.5-19.7	6	3.7	0.6- 6.8	1	1.0	0.0- 3.0				80	55.9	45.3-66.5
25-34	249	411,061	62	30.4	23.1-37.7	73	28.9	22.2-35.6	36	13.4	8.5-18.3	14	4.9	2.0- 7.8	6	2.0	0.2- 3.8	58	20.5	14.8-26.2
35-44	339	407,037	72	26.1	19.8-32.4	113	28.6	22.7-34.5	69	18.3	13.4-23.2	22	7.5	3.4-11.6	8	1.6	0.4- 2.8	55	17.9	12.4-23.4
45-54	499	425,131	106	22.9	18.2-27.6	77	12.5	9.4-15.6	23	3.5	1.7- 5.3	5	0.6	0.0- 1.2	4	0.8	0.0- 2.0	284	59.7	54.4-65.0
55-64	765	426,952	41	5.8	3.8- 7.8	25	3.7	1.9- 5.5	4	1.0	0.0- 2.2	1	0.2	0.0- 0.6	2	0.3	0.0- 0.7	692	89.0	86.3-91.7
65+	1450	555,613	23	2.2	1.0- 3.4	16	1.3	0.5- 2.1	6	0.4	0.0- 0.8	3	0.3	0.0- 0.7	2	0.3	0.0- 0.7	1400	95.5	93.9-97.1
Less Than H.S.	271	323,440	29	20.7	11.7-29.7	24	14.8	7.4-22.2	12	7.0	2.5-11.5	6	5.3	0.2-10.4	2	1.4	0.0- 3.4	198	50.8	41.6-60.0
H.S. or G.E.D.	1176	833,636	80	15.4	11.5-19.3	74	11.8	8.7-14.9	25	4.3	2.5- 6.1	5	0.8	0.0- 1.6	4	0.6	0.0- 1.2	988	67.1	62.6-71.6
Some Post-H.S.	932	858,595	107	19.5	15.6-23.4	71	11.3	8.2-14.4	40	6.9	4.5- 9.3	17	2.4	1.0- 3.8	5	0.7	0.1- 1.3	692	59.2	54.7-63.7
College Graduate	1068	553,311	118	17.3	13.8-20.8	147	19.6	16.1-23.1	67	8.3	5.9-10.7	18	2.6	1.0- 4.2	12	1.1	0.3- 1.9	706	51.0	46.7-55.3
Less than \$15,000	339	305,884	34	19.2	11.0-27.4	27	15.6	8.7-22.5	13	5.4	2.1- 8.7	5	3.6	0.0- 7.9	2	1.2	0.0- 3.0	258	55.1	46.3-63.9
\$15,000- 24,999	583	434,141	51	20.6	14.3-26.9	28	7.0	4.1- 9.9	24	9.1	5.2-13.0	3	1.1	0.0- 2.7	3	0.5	0.0- 1.1	474	61.6	54.9-68.3
\$25,000- 34,999	344	240,810	25	14.7	8.0-21.4	25	10.1	5.4-14.8	12	5.5	2.0- 9.0	3	1.6	0.0- 4.3				279	68.1	60.3-75.9
\$35,000- 49,999	464	358,024	46	15.0	9.9-20.1	34	15.4	8.7-22.1	13	4.2	1.5- 6.9	7	2.6	0.6- 4.6	6	1.3	0.1- 2.5	358	61.6	54.3-68.9
\$50,000- 74,999	438	326,277	53	20.8	14.3-27.3	45	13.5	8.8-18.2	15	4.0	1.5- 6.5	7	2.3	0.5- 4.1	4	1.0	0.0- 2.2	314	58.3	51.4-65.2
\$75,000+	703	516,782	91	17.5	13.2-21.8	125	20.5	16.2-24.8	56	9.5	6.6-12.4	15	3.2	1.0- 5.4	5	0.4	0.0- 0.8	411	48.9	43.8-54.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 47: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5114	4,315,115	227	5.9	4.7- 7.1	296	5.5	4.5- 6.5	402	8.3	7.1- 9.5	500	9.2	8.0-10.4	572	11.1	9.9-12.3	3117	60.1	58.1-62.1
Male	2241	2,132,180	82	4.3	3.1- 5.5	102	4.3	3.1- 5.5	142	7.2	5.6- 8.8	176	7.9	6.3- 9.5	228	11.1	9.1-13.1	1511	65.2	62.5-67.9
Female	2873	2,182,936	145	7.4	5.6- 9.2	194	6.6	5.2- 8.0	260	9.5	7.7-11.3	324	10.4	8.6-12.2	344	11.0	9.4-12.6	1606	55.1	52.4-57.8
White/Non-Hisp	4453	3,524,045	159	4.4	3.4- 5.4	237	4.5	3.7- 5.3	313	7.3	6.1- 8.5	432	9.0	7.8-10.2	483	10.2	9.0-11.4	2829	64.5	62.3-66.7
Black or Afr. Am./Non-Hisp	268	354,682	36	16.7	9.4-24.0	19	6.7	3.0-10.4	38	12.1	7.6-16.6	28	9.8	5.1-14.5	40	14.6	8.9-20.3	107	40.0	32.0-48.0
Oth. Race/Non-Hisp.	102	92,264	11	13.0	4.2-21.8	8	10.1	1.5-18.7	8	4.7	0.6- 8.8	12	14.9	5.5-24.3	7	8.0	0.0-16.6	56	49.4	36.7-62.1
MultiRacial/Non-Hisp.	65	45,572	4	1.5	0.0- 3.5	8	13.4	2.0-24.8	5	9.6	0.0-21.8	8	4.5	0.4- 8.6	5	14.2	0.3-28.1	35	56.8	38.8-74.8
Hispanic	154	229,430	12	8.4	3.5-13.3	19	13.8	6.2-21.4	25	16.1	9.0-23.2	13	9.4	3.9-14.9	27	17.2	10.1-24.3	58	35.1	24.5-45.7
18-24	227	557,697	19	10.4	5.1-15.7	12	5.5	2.0- 9.0	21	9.8	5.3-14.3	24	10.1	5.6-14.6	21	8.2	4.7-11.7	130	55.9	48.3-63.5
25-34	409	740,964	20	5.7	2.6- 8.8	13	3.6	1.4- 5.8	27	7.4	4.1-10.7	45	11.4	7.7-15.1	49	13.0	8.9-17.1	255	58.9	53.0-64.8
35-44	563	736,836	32	6.4	4.0- 8.8	21	4.4	1.9- 6.9	33	6.4	3.9- 8.9	22	4.9	2.5- 7.3	36	7.1	4.2-10.0	419	70.7	65.8-75.6
45-54	816	757,960	45	5.3	3.3- 7.3	44	6.0	4.0- 8.0	45	7.3	4.9- 9.7	47	7.1	4.6- 9.6	64	9.0	6.5-11.5	571	65.4	61.1-69.7
55-64	1210	725,906	48	5.0	3.2- 6.8	65	4.7	3.3- 6.1	77	9.0	6.6-11.4	104	8.5	6.5-10.5	127	11.6	9.2-14.0	789	61.1	57.6-64.6
65+	1859	778,566	59	3.4	2.2- 4.6	140	8.5	6.7-10.3	195	10.3	8.3-12.3	257	13.2	11.0-15.4	273	16.7	14.3-19.1	935	47.8	44.7-50.9
Less Than H.S.	379	545,125	73	18.5	12.8-24.2	68	13.5	9.0-18.0	87	19.0	14.1-23.9	45	11.7	7.2-16.2	39	10.8	6.9-14.7	67	26.4	19.0-33.8
H.S. or G.E.D.	1680	1,437,150	86	6.6	4.6- 8.6	129	5.4	4.0- 6.8	198	11.2	8.8-13.6	248	12.6	10.4-14.8	253	15.7	13.2-18.2	766	48.6	45.1-52.1
Some Post-H.S.	1298	1,346,119	42	3.0	1.6- 4.4	76	5.7	3.9- 7.5	87	5.9	4.1- 7.7	131	8.7	6.5-10.9	176	11.2	9.0-13.4	786	65.5	62.0-69.0
College Graduate	1737	971,910	23	1.4	0.6- 2.2	23	0.8	0.4- 1.2	29	1.6	0.8- 2.4	73	3.4	2.2- 4.6	100	4.0	2.8- 5.2	1489	88.8	86.8-90.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 48: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2241	2,132,180	82	4.3	3.1- 5.5	102	4.3	3.1- 5.5	142	7.2	5.6- 8.8	176	7.9	6.3- 9.5	228	11.1	9.1-13.1	1511	65.2	62.5-67.9
White/Non-Hisp	1947	1,727,951	57	3.0	2.0- 4.0	84	3.9	2.7- 5.1	99	5.6	4.0- 7.2	150	7.7	5.9- 9.5	184	9.9	7.9-11.9	1373	70.0	67.1-72.9
Black or Afr. Am./Non-Hisp	103	169,195	12	13.1	4.3-21.9	7	3.9	0.6- 7.2	15	13.2	5.9-20.5	8	9.8	2.0-17.6	20	19.0	9.2-28.8	41	41.1	28.6-53.6
Oth. Race/Non-Hisp.	54	57,111	5	13.5	1.2-25.8	2	10.0	0.0-22.9	5	5.9	0.0-12.2	7	16.5	3.2-29.8	4	10.1	0.0-23.2	31	43.9	27.2-60.6
Hispanic	59	107,968	4	6.4	0.0-13.1	5	6.4	0.3-12.5	11	16.4	5.6-27.2	3	5.6	0.0-12.1	10	15.2	5.0-25.4	26	50.1	33.2-67.0
18-24	126	294,383	6	5.0	0.5- 9.5	5	5.3	0.0-10.8	10	6.8	2.3-11.3	10	7.3	2.6-12.0	13	9.9	4.6-15.2	82	65.7	56.3-75.1
25-34	179	368,205	6	1.5	0.1- 2.9	3	2.0	0.0- 4.2	11	6.4	1.9-10.9	20	11.6	6.1-17.1	19	14.8	7.9-21.7	120	63.7	55.1-72.3
35-44	256	370,673	8	4.5	1.4- 7.6	4	1.2	0.0- 2.6	10	4.4	1.5- 7.3	11	3.8	1.4- 6.2	14	6.6	2.7-10.5	209	79.4	73.3-85.5
45-54	355	367,067	18	5.9	2.8- 9.0	15	4.8	2.1- 7.5	21	7.3	4.0-10.6	25	8.3	3.8-12.8	30	10.0	5.7-14.3	246	63.7	57.0-70.4
55-64	556	362,755	23	5.8	2.9- 8.7	29	4.8	2.6- 7.0	41	10.3	6.6-14.0	40	7.1	4.6- 9.6	51	9.4	6.5-12.3	372	62.5	57.2-67.8
65+	758	363,702	19	2.9	1.3- 4.5	46	8.0	5.1-10.9	47	7.7	4.8-10.6	70	9.2	6.5-11.9	101	16.0	12.3-19.7	475	56.3	51.4-61.2
Less Than H.S.	171	282,758	28	10.6	5.9-15.3	29	14.4	7.7-21.1	35	17.7	10.8-24.6	13	7.8	2.9-12.7	21	14.1	7.4-20.8	45	35.3	24.7-45.9
H.S. or G.E.D.	732	762,385	29	4.9	2.5- 7.3	44	3.8	2.4- 5.2	66	8.4	5.9-10.9	90	11.3	8.2-14.4	109	16.4	12.5-20.3	394	55.1	50.2-60.0
Some Post-H.S.	519	609,228	12	2.7	0.9- 4.5	19	2.9	1.1- 4.7	26	5.1	2.7- 7.5	41	7.2	4.3-10.1	65	9.4	6.5-12.3	356	72.6	67.7-77.5
College Graduate	812	472,094	12	1.5	0.5- 2.5	10	0.9	0.1- 1.7	15	1.6	0.4- 2.8	31	3.2	1.6- 4.8	32	2.9	1.5- 4.3	712	90.0	87.5-92.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 49: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2873	2,182,936	145	7.4	5.6- 9.2	194	6.6	5.2- 8.0	260	9.5	7.7-11.3	324	10.4	8.6-12.2	344	11.0	9.4-12.6	1606	55.1	52.4-57.8
White/Non-Hisp	2506	1,796,095	102	5.8	4.0- 7.6	153	5.1	3.9- 6.3	214	8.9	6.9-10.9	282	10.3	8.5-12.1	299	10.6	8.8-12.4	1456	59.2	56.3-62.1
Black or Afr. Am./Non-Hisp	165	185,487	24	19.9	8.9-30.9	12	9.4	3.1-15.7	23	11.1	5.8-16.4	20	9.9	4.4-15.4	20	10.6	4.9-16.3	66	39.1	28.9-49.3
Hispanic	95	121,462	8	10.1	3.0-17.2	14	20.4	8.1-32.7	14	15.8	6.8-24.8	10	12.9	4.3-21.5	17	19.0	9.4-28.6	32	21.8	12.6-31.0
18-24	101	263,313	13	16.4	6.6-26.2	7	5.8	1.1-10.5	11	13.2	5.0-21.4	14	13.2	5.6-20.8	8	6.4	1.9-10.9	48	44.9	33.1-56.7
25-34	230	372,760	14	9.8	4.1-15.5	10	5.2	1.5- 8.9	16	8.4	3.3-13.5	25	11.1	6.2-16.0	30	11.2	6.7-15.7	135	54.3	46.5-62.1
35-44	307	366,163	24	8.4	4.9-11.9	17	7.7	3.0-12.4	23	8.4	4.3-12.5	11	6.0	2.1- 9.9	22	7.7	3.4-12.0	210	61.8	54.5-69.1
45-54	461	390,893	27	4.7	2.5- 6.9	29	7.1	4.2-10.0	24	7.3	4.0-10.6	22	5.9	3.2- 8.6	34	8.0	4.9-11.1	325	67.0	61.5-72.5
55-64	654	363,151	25	4.2	2.0- 6.4	36	4.6	2.6- 6.6	36	7.7	4.6-10.8	64	9.9	7.0-12.8	76	13.9	10.2-17.6	417	59.7	54.8-64.6
65+	1101	414,864	40	3.9	2.1- 5.7	94	8.9	6.7-11.1	148	12.7	10.3-15.1	187	16.7	13.6-19.8	172	17.4	14.3-20.5	460	40.4	36.5-44.3
Less Than H.S.	208	262,367	45	27.0	17.2-36.8	39	12.6	6.5-18.7	52	20.5	13.4-27.6	32	15.8	8.4-23.2	18	7.3	3.4-11.2	22	16.7	7.3-26.1
H.S. or G.E.D.	948	674,765	57	8.5	5.4-11.6	85	7.2	5.0- 9.4	132	14.4	10.7-18.1	158	14.0	11.1-16.9	144	14.8	11.5-18.1	372	41.1	36.4-45.8
Some Post-H.S.	779	736,891	30	3.3	1.1- 5.5	57	8.0	5.3-10.7	61	6.6	3.9- 9.3	90	9.8	6.9-12.7	111	12.6	9.7-15.5	430	59.6	54.7-64.5
College Graduate	925	499,816	11	1.4	0.2- 2.6	13	0.8	0.2- 1.4	14	1.6	0.4- 2.8	42	3.7	1.9- 5.5	68	5.0	3.4- 6.6	777	87.6	84.9-90.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 50: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5986	4,990,773	4590	82.2	80.8-83.6	1396	17.8	16.4-19.2
Male	2548	2,426,675	1977	81.4	79.4-83.4	571	18.6	16.6-20.6
Female	3438	2,564,099	2613	82.9	81.1-84.7	825	17.1	15.3-18.9
18-24	272	676,310	265	97.1	94.7-99.5	7	2.9	0.5- 5.3
25-34	452	828,474	429	92.8	89.5-96.1	23	7.2	3.9-10.5
35-44	611	802,834	573	91.6	88.7-94.5	38	8.4	5.5-11.3
45-54	896	844,575	791	85.2	81.9-88.5	105	14.8	11.5-18.1
55-64	1379	834,660	1114	77.3	74.4-80.2	265	22.7	19.8-25.6
65+	2318	968,913	1374	56.7	54.0-59.4	944	43.3	40.6-46.0
Less Than H.S.	470	658,768	182	56.2	49.9-62.5	288	43.8	37.5-50.1
H.S. or G.E.D.	1996	1,711,026	1293	76.7	74.3-79.1	703	23.3	20.9-25.7
Some Post-H.S.	1514	1,533,626	1275	90.2	88.4-92.0	239	9.8	8.0-11.6
College Graduate	1970	1,061,178	1817	96.0	95.0-97.0	153	4.0	3.0- 5.0
Less than \$15,000	520	488,540	265	63.6	57.9-69.3	255	36.4	30.7-42.1
\$15,000- 24,999	895	748,360	520	69.2	65.1-73.3	375	30.8	26.7-34.9
\$25,000- 34,999	568	476,676	397	75.6	70.7-80.5	171	24.4	19.5-29.3
\$35,000- 49,999	842	702,925	672	86.0	83.1-88.9	170	14.0	11.1-16.9
\$50,000- 74,999	848	731,148	769	93.0	90.8-95.2	79	7.0	4.8- 9.2
\$75,000+	1420	1,150,789	1363	97.1	95.9-98.3	57	2.9	1.7- 4.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 51: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2548	2,426,675	1977	81.4	79.4-83.4	571	18.6	16.6-20.6
18-24	147	345,251	144	98.3	96.3- 100	3	1.7	0.0- 3.7
25-34	201	417,184	191	93.4	88.7-98.1	10	6.6	1.9-11.3
35-44	274	399,378	255	91.7	87.8-95.6	19	8.3	4.4-12.2
45-54	398	422,828	335	79.8	74.1-85.5	63	20.2	14.5-25.9
55-64	619	409,163	474	72.2	67.5-76.9	145	27.8	23.1-32.5
65+	890	422,187	563	57.2	52.7-61.7	327	42.8	38.3-47.3
Less Than H.S.	205	342,158	82	54.1	45.1-63.1	123	45.9	36.9-54.9
H.S. or G.E.D.	841	890,258	553	77.3	74.0-80.6	288	22.7	19.4-26.0
Some Post-H.S.	584	675,983	502	90.4	87.7-93.1	82	9.6	6.9-12.3
College Graduate	904	508,968	831	95.3	93.7-96.9	73	4.7	3.1- 6.3
Less than \$15,000	184	183,584	83	53.3	43.5-63.1	101	46.7	36.9-56.5
\$15,000- 24,999	316	319,001	184	65.4	58.3-72.5	132	34.6	27.5-41.7
\$25,000- 34,999	225	236,298	149	72.3	64.5-80.1	76	27.7	19.9-35.5
\$35,000- 49,999	380	345,993	290	82.2	77.3-87.1	90	17.8	12.9-22.7
\$50,000- 74,999	411	407,948	363	92.6	89.9-95.3	48	7.4	4.7-10.1
\$75,000+	718	633,849	685	96.8	95.4-98.2	33	3.2	1.8- 4.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 52: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3438	2,564,099	2613	82.9	81.3-84.5	825	17.1	15.5-18.7
18-24	125	331,059	121	95.8	91.7-99.9	4	4.2	0.1- 8.3
25-34	251	411,290	238	92.2	87.5-96.9	13	7.8	3.1-12.5
35-44	337	403,456	318	91.6	87.3-95.9	19	8.4	4.1-12.7
45-54	498	421,748	456	90.5	87.2-93.8	42	9.5	6.2-12.8
55-64	760	425,497	640	82.3	78.8-85.8	120	17.7	14.2-21.2
65+	1428	546,726	811	56.4	52.9-59.9	617	43.6	40.1-47.1
Less Than H.S.	265	316,610	100	58.4	49.8-67.0	165	41.6	33.0-50.2
H.S. or G.E.D.	1155	820,768	740	76.0	72.7-79.3	415	24.0	20.7-27.3
Some Post-H.S.	930	857,643	773	90.0	87.6-92.4	157	10.0	7.6-12.4
College Graduate	1066	552,210	986	96.6	95.6-97.6	80	3.4	2.4- 4.4
Less than \$15,000	336	304,956	182	69.7	62.8-76.6	154	30.3	23.4-37.2
\$15,000- 24,999	579	429,359	336	72.0	66.9-77.1	243	28.0	22.9-33.1
\$25,000- 34,999	343	240,377	248	78.8	72.9-84.7	95	21.2	15.3-27.1
\$35,000- 49,999	462	356,932	382	89.7	86.8-92.6	80	10.3	7.4-13.2
\$50,000- 74,999	437	323,200	406	93.4	90.3-96.5	31	6.6	3.5- 9.7
\$75,000+	702	516,940	678	97.5	95.7-99.3	24	2.5	0.7- 4.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 53: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5712	4,796,294	54	0.8	0.4- 1.2	1670	28.3	26.5-30.1	2572	44.9	42.9-46.9	1048	18.7	17.1-20.3	361	7.1	6.1- 8.1	7	0.2	0.0- 0.4
Male	2508	2,388,750	2	0.1	0.1- 0.1	234	11.2	9.2-13.2	1279	50.3	47.6-53.0	724	27.3	24.8-29.8	265	10.9	9.1-12.7	4	0.3	0.0- 0.7
Female	3204	2,407,545	52	1.5	0.7- 2.3	1436	45.3	42.8-47.8	1293	39.5	37.0-42.0	324	10.2	8.6-11.8	96	3.4	2.4- 4.4	3	0.1	0.0- 0.3
White/Non-Hisp	4967	3,890,725	46	0.8	0.4- 1.2	1460	28.1	26.1-30.1	2237	44.5	42.3-46.7	909	19.4	17.8-21.0	312	7.1	6.1- 8.1	3	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	292	398,563	3	0.7	0.0- 1.7	56	22.3	15.6-29.0	133	44.8	37.0-52.6	71	20.3	14.4-26.2	29	12.0	6.7-17.3			
Oth. Race/Non-Hisp.	108	100,501	3	1.7	0.0- 3.9	40	36.3	24.1-48.5	43	39.3	27.0-51.6	15	15.9	5.5-26.3	4	3.5	0.0- 7.4	3	3.2	0.0- 7.3
MultiRacial/Non-Hisp.	74	56,548				19	26.0	12.1-39.9	34	48.9	32.6-65.2	16	16.4	5.0-27.8	5	8.7	0.0-19.1			
Hispanic	178	271,149	1	0.6	0.0- 1.8	67	37.3	28.1-46.5	81	51.0	41.4-60.6	20	8.0	3.1-12.9	8	2.6	0.4- 4.8	1	0.6	0.0- 1.8
18-24	268	668,796	3	1.3	0.0- 3.3	98	37.2	30.3-44.1	113	42.6	35.5-49.7	36	13.3	8.4-18.2	16	5.1	2.4- 7.8	2	0.5	0.0- 1.1
25-34	433	801,635	7	1.1	0.1- 2.1	129	29.7	24.4-35.0	204	47.3	41.6-53.0	62	14.1	10.0-18.2	30	7.4	4.5-10.3	1	0.3	0.0- 0.9
35-44	589	772,508	3	0.3	0.0- 0.7	165	25.4	21.1-29.7	257	43.6	38.5-48.7	125	23.9	19.4-28.4	39	6.8	4.3- 9.3			
45-54	852	809,728	5	0.4	0.0- 0.8	220	23.3	19.8-26.8	359	43.8	39.5-48.1	196	22.4	18.7-26.1	71	10.2	7.3-13.1	1	0.0	0.0- 0.0
55-64	1313	793,986	7	0.6	0.2- 1.0	313	23.7	20.8-26.6	605	45.4	41.9-48.9	284	22.0	19.1-24.9	103	8.2	6.2-10.2	1	0.2	0.0- 0.6
65+	2224	931,105	29	0.9	0.5- 1.3	730	31.2	28.7-33.7	1022	46.2	43.5-48.9	342	16.6	14.4-18.8	100	4.9	3.7- 6.1	1	0.1	0.0- 0.3
Less Than H.S.	456	649,329	8	1.6	0.0- 3.8	159	30.8	24.7-36.9	203	48.2	41.5-54.9	64	13.8	9.3-18.3	21	5.2	2.5- 7.9	1	0.3	0.0- 0.9
H.S. or G.E.D.	1920	1,659,664	21	0.6	0.2- 1.0	571	27.6	24.7-30.5	865	43.3	40.2-46.4	349	20.6	17.9-23.3	113	7.8	6.0- 9.6	1	0.1	0.0- 0.3
Some Post-H.S.	1423	1,450,003	10	0.5	0.1- 0.9	396	28.7	25.4-32.0	634	44.5	41.0-48.0	282	19.1	16.4-21.8	99	6.9	5.1- 8.7	2	0.3	0.0- 0.7
College Graduate	1888	1,020,938	14	0.7	0.3- 1.1	537	27.4	24.7-30.1	856	45.7	42.6-48.8	351	18.3	15.9-20.7	127	7.5	5.7- 9.3	3	0.3	0.0- 0.7
Less than \$15,000	505	479,643	8	0.9	0.1- 1.7	167	35.2	28.9-41.5	209	41.8	35.1-48.5	88	15.8	11.1-20.5	32	6.0	3.1- 8.9	1	0.3	0.0- 0.9
\$15,000- 24,999	871	737,101	9	1.5	0.0- 3.3	255	28.1	23.8-32.4	415	46.7	41.8-51.6	130	15.7	11.8-19.6	62	8.0	5.3-10.7			
\$25,000- 34,999	544	452,403	7	1.1	0.1- 2.1	158	24.8	19.7-29.9	249	45.1	39.2-51.0	97	20.3	15.4-25.2	32	8.3	4.4-12.2	1	0.4	0.0- 1.2
\$35,000- 49,999	818	685,147	4	0.2	0.0- 0.4	209	27.7	22.6-32.8	390	47.5	42.4-52.6	161	18.7	14.8-22.6	52	5.6	3.6- 7.6	2	0.4	0.0- 1.0
\$50,000- 74,999	819	713,105	3	0.4	0.0- 1.0	199	24.4	19.9-28.9	383	46.0	40.9-51.1	171	20.8	16.9-24.7	62	8.0	5.5-10.5	1	0.4	0.0- 1.2
\$75,000+	1380	1,117,303	7	0.4	0.0- 0.8	377	25.8	22.5-29.1	619	44.3	40.6-48.0	289	22.7	19.4-26.0	88	6.8	4.8- 8.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 54: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2508	2,388,750	2	0.1	0.1- 0.1	234	11.2	9.2-13.2	1279	50.3	47.6-53.0	724	27.3	24.8-29.8	265	10.9	9.1-12.7	4	0.3	0.0- 0.7
White/Non-Hisp	2173	1,919,237	1	0.0	0.0- 0.0	186	9.7	7.7-11.7	1112	50.1	47.2-53.0	640	29.0	26.3-31.7	233	11.0	9.0-13.0	1	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	113	187,568				8	7.8	2.1-13.5	51	47.6	35.6-59.6	34	25.7	15.5-35.9	20	19.0	9.4-28.6			
Oth. Race/Non-Hisp.	58	65,695				12	26.4	10.9-41.9	30	45.1	28.2-62.0	12	21.3	6.6-36.0	2	2.6	0.0- 6.5	2	4.6	0.0-10.9
Hispanic	68	131,634				15	25.7	12.4-39.0	34	56.2	41.1-71.3	13	13.1	3.7-22.5	5	3.8	0.0- 7.7	1	1.2	0.0- 3.6
18-24	145	342,941				31	20.8	13.2-28.4	76	54.5	45.3-63.7	26	17.9	10.6-25.2	10	5.9	2.2- 9.6	2	0.9	0.0- 2.1
25-34	196	408,276	1	0.2	0.0- 0.6	27	16.1	9.4-22.8	107	53.8	45.4-62.2	39	18.0	11.5-24.5	21	11.2	5.9-16.5	1	0.7	0.0- 2.1
35-44	269	390,145				18	6.6	3.1-10.1	135	46.2	38.8-53.6	91	36.5	29.2-43.8	25	10.7	6.2-15.2			
45-54	389	416,030				27	5.8	3.1- 8.5	177	45.7	39.2-52.2	132	32.7	26.6-38.8	53	15.8	10.5-21.1			
55-64	612	405,282	1	0.1	0.0- 0.3	44	8.8	5.5-12.1	294	48.3	43.2-53.4	198	30.8	26.3-35.3	74	11.5	8.4-14.6	1	0.4	0.0- 1.2
65+	886	420,154				86	10.3	7.4-13.2	484	53.7	49.2-58.2	235	27.1	23.2-31.0	81	8.9	6.4-11.4			
Less Than H.S.	201	337,919	1	0.2	0.0- 0.6	40	23.3	15.3-31.3	103	47.8	38.4-57.2	40	20.7	12.9-28.5	16	7.5	2.8-12.2	1	0.5	0.0- 1.5
H.S. or G.E.D.	836	883,321				82	11.5	8.6-14.4	428	47.5	42.8-52.2	239	29.1	24.8-33.4	87	12.0	8.9-15.1			
Some Post-H.S.	573	659,988				43	8.3	4.8-11.8	286	53.9	48.4-59.4	178	26.7	22.0-31.4	65	10.7	7.2-14.2	1	0.4	0.0- 1.2
College Graduate	888	500,580	1	0.2	0.0- 0.6	69	6.4	4.4- 8.4	454	51.9	47.2-56.6	265	29.4	25.3-33.5	97	11.5	8.4-14.6	2	0.6	0.0- 1.4
Less than \$15,000	182	181,650	1	0.5	0.0- 1.5	35	19.4	12.0-26.8	81	45.5	35.5-55.5	43	24.3	15.1-33.5	21	9.5	4.0-15.0	1	0.8	0.0- 2.4
\$15,000- 24,999	314	315,720				38	16.1	10.2-22.0	163	48.9	41.3-56.5	76	22.5	16.2-28.8	37	12.5	7.4-17.6			
\$25,000- 34,999	224	229,361				26	12.6	6.1-19.1	115	48.4	39.2-57.6	63	26.5	18.7-34.3	19	11.7	4.8-18.6	1	0.7	0.0- 2.1
\$35,000- 49,999	375	343,043				32	10.6	5.3-15.9	195	57.3	50.0-64.6	109	24.0	17.9-30.1	38	7.7	4.6-10.8	1	0.4	0.0- 1.2
\$50,000- 74,999	409	407,423				27	9.9	4.2-15.6	210	49.2	41.9-56.5	119	28.4	22.3-34.5	52	11.8	7.7-15.9	1	0.7	0.0- 2.1
\$75,000+	712	628,728				45	6.1	3.6- 8.6	362	50.7	45.2-56.2	235	33.6	28.5-38.7	70	9.6	6.7-12.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 55: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3204	2,407,545	52	1.5	0.7- 2.3	1436	45.3	42.8-47.8	1293	39.5	37.0-42.0	324	10.2	8.6-11.8	96	3.4	2.4- 4.4	3	0.1	0.0- 0.3
White/Non-Hisp	2794	1,971,488	45	1.5	0.7- 2.3	1274	45.9	43.2-48.6	1125	39.1	36.4-41.8	269	10.1	8.3-11.9	79	3.3	2.3- 4.3	2	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	179	210,996	3	1.3	0.0- 3.1	48	35.1	24.7-45.5	82	42.3	31.9-52.7	37	15.5	9.0-22.0	9	5.8	1.5-10.1			
Oth. Race/Non-Hisp.	50	34,806	3	5.0	0.0-10.9	28	54.9	37.3-72.5	13	28.5	12.8-44.2	3	5.7	0.0-14.1	2	5.4	0.0-14.0	1	0.5	0.0- 1.5
Hispanic	110	139,514	1	1.1	0.0- 3.3	52	48.2	36.2-60.2	47	46.1	33.9-58.3	7	3.1	0.0- 6.2	3	1.5	0.0- 3.7			
18-24	123	325,855	3	2.7	0.0- 6.8	67	54.4	43.8-65.0	37	30.2	20.2-40.2	10	8.4	2.1-14.7	6	4.2	0.5- 7.9			
25-34	237	393,359	6	2.1	0.3- 3.9	102	43.9	36.3-51.5	97	40.6	33.0-48.2	23	10.1	5.2-15.0	9	3.4	0.9- 5.9			
35-44	320	382,362	3	0.7	0.0- 1.7	147	44.5	37.6-51.4	122	40.9	33.8-48.0	34	11.0	6.9-15.1	14	2.9	0.9- 4.9			
45-54	463	393,698	5	0.7	0.0- 1.5	193	41.8	36.1-47.5	182	41.8	36.1-47.5	64	11.5	8.0-15.0	18	4.2	1.8- 6.6	1	0.0	0.0- 0.0
55-64	701	388,704	6	1.0	0.2- 1.8	269	39.2	34.5-43.9	311	42.3	37.6-47.0	86	12.9	9.4-16.4	29	4.6	2.4- 6.8			
65+	1338	510,950	29	1.7	0.9- 2.5	644	48.4	44.7-52.1	538	40.1	36.6-43.6	107	8.1	6.1-10.1	19	1.6	0.6- 2.6	1	0.2	0.0- 0.6
Less Than H.S.	255	311,410	7	3.2	0.0- 7.5	119	39.0	30.2-47.8	100	48.7	39.3-58.1	24	6.3	3.0- 9.6	5	2.7	0.0- 5.6			
H.S. or G.E.D.	1084	776,342	21	1.4	0.6- 2.2	489	45.9	41.4-50.4	437	38.5	34.2-42.8	110	11.0	8.1-13.9	26	3.0	1.4- 4.6	1	0.1	0.0- 0.3
Some Post-H.S.	850	790,015	10	1.0	0.2- 1.8	353	45.8	41.1-50.5	348	36.6	32.3-40.9	104	12.7	9.4-16.0	34	3.8	2.2- 5.4	1	0.1	0.0- 0.3
College Graduate	1000	520,358	13	1.3	0.5- 2.1	468	47.6	43.3-51.9	402	39.9	35.6-44.2	86	7.7	5.5- 9.9	30	3.6	2.0- 5.2	1	0.0	0.0- 0.0
Less than \$15,000	323	297,993	7	1.1	0.0- 2.3	132	44.8	36.2-53.4	128	39.5	30.7-48.3	45	10.7	6.4-15.0	11	3.8	0.3- 7.3			
\$15,000- 24,999	557	421,381	9	2.6	0.0- 5.7	217	37.1	30.8-43.4	252	45.0	38.5-51.5	54	10.6	5.7-15.5	25	4.7	2.2- 7.2			
\$25,000- 34,999	320	223,042	7	2.3	0.1- 4.5	132	37.3	29.9-44.7	134	41.6	34.2-49.0	34	13.9	8.2-19.6	13	4.9	1.4- 8.4			
\$35,000- 49,999	443	342,104	4	0.4	0.0- 0.8	177	44.8	37.4-52.2	195	37.6	31.1-44.1	52	13.3	8.2-18.4	14	3.5	1.3- 5.7	1	0.3	0.0- 0.9
\$50,000- 74,999	410	305,682	3	0.9	0.0- 2.1	172	43.6	36.5-50.7	173	41.7	34.8-48.6	52	10.8	7.1-14.5	10	3.0	0.8- 5.2			
\$75,000+	668	488,574	7	1.0	0.2- 1.8	332	51.0	45.7-56.3	257	36.0	31.1-40.9	54	8.7	5.6-11.8	18	3.3	1.3- 5.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 56: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5889	4,897,618	338	4.3	3.7- 4.9	2613	40.2	38.4-42.0	2417	43.9	41.9-45.9	489	10.5	9.3-11.7	3	0.1	0.1- 0.1	29	1.1	0.5- 1.7
Male	2520	2,401,846	3	0.2	0.0- 0.4	238	9.9	8.1-11.7	1779	67.7	65.0-70.4	487	21.3	18.9-23.7	3	0.1	0.0- 0.3	10	0.8	0.2- 1.4
Female	3369	2,495,771	335	8.2	7.0- 9.4	2375	69.3	66.9-71.7	638	21.0	18.8-23.2	2	0.0	0.0- 0.0				19	1.4	0.6- 2.2
White/Non-Hisp	5131	3,981,030	280	3.9	3.3- 4.5	2274	39.8	37.8-41.8	2143	45.7	43.7-47.7	428	10.4	9.0-11.8	2	0.1	0.1- 0.1	4	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	303	405,735	13	2.6	0.6- 4.6	153	43.9	36.3-51.5	100	35.6	28.2-43.0	37	17.8	11.5-24.1						
Oth. Race/Non-Hisp.	114	105,817	8	5.1	0.8- 9.4	53	40.3	28.3-52.3	44	41.1	28.9-53.3	6	10.1	1.5-18.7				3	3.6	0.0- 7.7
MultiRacial/Non-Hisp.	77	56,827	5	6.0	0.0-12.5	27	33.8	18.1-49.5	36	44.3	28.2-60.4	9	15.9	3.6-28.2						
Hispanic	167	260,767	22	9.5	4.8-14.2	80	45.2	35.2-55.2	42	27.2	18.0-36.4	1	0.8	0.0- 2.4	1	0.2	0.0- 0.6	21	17.0	9.0-25.0
18-24	269	668,694	7	1.9	0.3- 3.5	104	41.5	34.4-48.6	115	42.8	35.9-49.7	41	13.4	8.9-17.9				2	0.5	0.0- 1.1
25-34	440	811,169	14	2.6	0.8- 4.4	166	33.1	27.8-38.4	203	50.0	44.3-55.7	48	11.6	8.1-15.1				9	2.6	0.8- 4.4
35-44	599	783,978	18	3.0	1.4- 4.6	243	38.1	33.2-43.0	272	44.7	39.6-49.8	59	12.0	8.7-15.3				7	2.3	0.3- 4.3
45-54	874	825,422	31	3.9	2.3- 5.5	359	38.8	34.7-42.9	395	45.0	40.7-49.3	86	11.4	8.5-14.3				3	0.8	0.0- 2.0
55-64	1359	821,370	57	4.7	3.1- 6.3	584	41.5	38.2-44.8	595	43.4	40.1-46.7	117	9.9	7.7-12.1	1	0.1	0.0- 0.3	5	0.4	0.0- 0.8
65+	2302	957,746	207	8.1	6.7- 9.5	1135	46.9	44.2-49.6	825	38.9	36.2-41.6	131	5.8	4.4- 7.2	2	0.2	0.0- 0.6	2	0.1	0.0- 0.3
Less Than H.S.	449	633,122	48	6.7	4.0- 9.4	199	42.0	35.3-48.7	160	38.4	31.9-44.9	28	8.1	4.2-12.0				14	4.7	1.8- 7.6
H.S. or G.E.D.	1981	1,690,205	166	5.7	4.5- 6.9	900	38.3	35.2-41.4	765	44.5	41.4-47.6	145	11.1	8.9-13.3	1	0.1	0.0- 0.3	4	0.4	0.0- 0.8
Some Post-H.S.	1492	1,509,981	71	3.0	2.0- 4.0	704	42.9	39.4-46.4	609	44.2	40.7-47.7	102	9.0	6.8-11.2	1	0.0	0.0- 0.0	5	0.9	0.1- 1.7
College Graduate	1939	1,043,510	53	2.3	1.3- 3.3	791	37.8	34.9-40.7	877	46.4	43.3-49.5	211	13.0	10.8-15.2	1	0.1	0.0- 0.3	6	0.4	0.0- 0.8
Less than \$15,000	509	469,535	40	6.4	3.5- 9.3	255	47.4	40.7-54.1	174	33.5	27.4-39.6	32	8.2	4.3-12.1				8	4.4	0.9- 7.9
\$15,000- 24,999	892	746,138	76	5.6	3.8- 7.4	462	48.4	43.5-53.3	292	37.3	32.6-42.0	53	7.2	4.7- 9.7	1	0.1	0.0- 0.3	8	1.3	0.3- 2.3
\$25,000- 34,999	564	467,541	43	5.3	3.1- 7.5	266	40.8	35.1-46.5	219	45.3	39.4-51.2	33	8.0	4.1-11.9				3	0.7	0.0- 1.5
\$35,000- 49,999	834	693,914	41	3.6	2.0- 5.2	355	38.7	33.8-43.6	376	47.7	42.6-52.8	59	8.7	5.8-11.6				3	1.2	0.0- 2.8
\$50,000- 74,999	840	723,367	32	2.8	1.6- 4.0	331	36.5	31.6-41.4	391	46.0	41.1-50.9	85	14.4	10.9-17.9				1	0.4	0.0- 1.2
\$75,000+	1406	1,139,326	27	1.5	0.7- 2.3	518	31.9	28.6-35.2	691	53.2	49.5-56.9	170	13.4	10.7-16.1						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 57: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2520	2,401,846	3	0.2	0.0- 0.4	238	9.9	8.1-11.7	1779	67.7	65.0-70.4	487	21.3	18.9-23.7	3	0.1	0.0- 0.3	10	0.8	0.2- 1.4
White/Non-Hisp	2183	1,925,764	1	0.0	0.0- 0.0	176	7.5	5.9- 9.1	1576	70.8	68.1-73.5	426	21.4	18.9-23.9	2	0.1	0.0- 0.3	2	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	114	191,668				15	10.1	4.2-16.0	62	52.2	40.4-64.0	37	37.8	26.2-49.4						
Oth. Race/Non-Hisp.	60	67,999				13	22.2	7.1-37.3	39	58.8	41.9-75.7	6	15.7	2.6-28.8				2	3.3	0.0- 8.0
Hispanic	64	125,209				26	40.2	24.3-56.1	31	47.4	31.3-63.5	1	1.7	0.0- 5.0	1	0.5	0.0- 1.5	5	10.2	0.6-19.8
18-24	144	337,635				14	9.6	3.9-15.3	88	63.5	54.5-72.5	41	26.5	18.3-34.7				1	0.4	0.0- 1.2
25-34	199	414,547	1	0.2	0.0- 0.6	14	6.6	2.3-10.9	132	67.9	60.3-75.5	48	22.7	16.0-29.4				4	2.5	0.0- 5.0
35-44	272	397,395				28	11.2	5.7-16.7	185	65.1	57.8-72.4	58	23.5	17.2-29.8				1	0.2	0.0- 0.6
45-54	389	415,690	1	0.5	0.0- 1.5	39	10.5	6.6-14.4	263	65.3	59.0-71.6	85	22.6	17.1-28.1				1	1.2	0.0- 3.6
55-64	613	407,047	1	0.2	0.0- 0.6	48	9.7	6.4-13.0	443	69.4	64.5-74.3	117	20.0	15.9-24.1	1	0.1	0.0- 0.3	3	0.6	0.0- 1.4
65+	887	420,254				95	12.1	9.0-15.2	659	74.1	70.2-78.0	131	13.3	10.4-16.2	2	0.5	0.0- 1.3			
Less Than H.S.	201	335,945	1	0.6	0.0- 1.8	39	21.8	13.8-29.8	128	59.3	49.9-68.7	28	15.3	8.0-22.6				5	3.0	0.3- 5.7
H.S. or G.E.D.	838	886,633				96	10.8	8.1-13.5	596	67.9	63.6-72.2	145	21.1	17.2-25.0	1	0.2	0.0- 0.6			
Some Post-H.S.	579	671,353	1	0.1	0.0- 0.3	38	5.6	3.2- 8.0	435	72.8	67.9-77.7	102	20.3	15.8-24.8	1	0.1	0.0- 0.3	2	1.1	0.0- 2.7
College Graduate	892	500,475	1	0.2	0.0- 0.6	64	6.2	4.2- 8.2	614	66.1	61.8-70.4	209	26.9	22.6-31.2	1	0.1	0.0- 0.3	3	0.5	0.0- 1.1
Less than \$15,000	183	183,303	1	0.5	0.0- 1.5	29	16.1	9.2-23.0	120	61.2	51.2-71.2	32	21.0	12.0-30.0				1	1.2	0.0- 3.6
\$15,000- 24,999	316	318,331				50	18.4	12.3-24.5	211	63.8	56.5-71.1	53	16.9	11.2-22.6	1	0.1	0.0- 0.3	1	0.8	0.0- 2.4
\$25,000- 34,999	225	234,461	1	0.9	0.0- 2.7	26	8.2	4.3-12.1	163	74.0	66.0-82.0	33	15.9	8.5-23.3				2	1.0	0.0- 2.6
\$35,000- 49,999	375	339,040	1	0.2	0.0- 0.6	36	9.9	5.0-14.8	277	70.1	63.0-77.2	59	17.8	12.1-23.5				2	1.9	0.0- 4.8
\$50,000- 74,999	409	406,277				27	9.7	4.0-15.4	296	64.0	56.9-71.1	85	25.6	19.7-31.5				1	0.7	0.0- 2.1
\$75,000+	716	634,320				36	3.4	2.0- 4.8	512	72.8	68.1-77.5	168	23.8	19.3-28.3						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 58: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3369	2,495,771	335	8.2	7.0- 9.4	2375	69.3	66.9-71.7	638	21.0	18.8-23.2	2	0.0	0.0- 0.0	19	1.4	0.6- 2.2
White/Non-Hisp	2948	2,055,267	279	7.6	6.4- 8.8	2098	70.2	67.7-72.7	567	22.2	19.8-24.6	2	0.1	0.1- 0.1	2	0.1	0.1- 0.1
Black or Afr. Am./Non-Hisp	189	214,067	13	5.0	1.5- 8.5	138	74.2	66.0-82.4	38	20.8	13.2-28.4						
Oth. Race/Non-Hisp.	54	37,818	8	14.1	2.9-25.3	40	72.7	57.8-87.6	5	9.1	0.1-18.1				1	4.1	0.0-11.9
Hispanic	103	135,557	22	18.3	9.5-27.1	54	49.9	37.4-62.4	11	8.6	1.9-15.3				16	23.2	11.2-35.2
18-24	125	331,059	7	3.8	0.7- 6.9	90	74.1	65.1-83.1	27	21.6	12.8-30.4				1	0.5	0.0- 1.5
25-34	241	396,622	13	5.2	1.7- 8.7	152	60.8	53.2-68.4	71	31.4	24.1-38.7				5	2.7	0.2- 5.2
35-44	327	386,583	18	6.0	2.9- 9.1	215	65.8	59.1-72.5	87	23.7	18.0-29.4	1	0.1	0.0- 0.3	6	4.4	0.5- 8.3
45-54	485	409,733	30	7.4	4.5-10.3	320	67.5	62.4-72.6	132	24.4	19.9-28.9	1	0.1	0.0- 0.3	2	0.5	0.0- 1.3
55-64	746	414,322	56	9.2	6.3-12.1	536	72.7	68.6-76.8	152	17.8	14.5-21.1				2	0.3	0.0- 0.7
65+	1415	537,492	207	14.5	12.1-16.9	1040	74.1	71.2-77.0	166	11.3	9.1-13.5				2	0.1	0.0- 0.3
Less Than H.S.	248	297,177	47	13.6	7.9-19.3	160	64.9	55.5-74.3	32	14.9	6.9-22.9				9	6.6	1.3-11.9
H.S. or G.E.D.	1143	803,572	166	12.0	9.6-14.4	804	68.5	64.4-72.6	169	18.6	14.9-22.3				4	0.8	0.0- 1.8
Some Post-H.S.	913	838,628	70	5.3	3.7- 6.9	666	72.8	68.7-76.9	174	21.3	17.6-25.0				3	0.7	0.0- 1.5
College Graduate	1047	543,035	52	4.4	2.6- 6.2	727	66.9	62.8-71.0	263	28.2	24.3-32.1	2	0.2	0.0- 0.4	3	0.4	0.0- 1.0
Less than \$15,000	326	286,232	39	10.2	5.3-15.1	226	67.6	59.2-76.0	54	15.8	9.3-22.3				7	6.4	0.9-11.9
\$15,000- 24,999	576	427,807	76	9.8	6.7-12.9	412	70.8	65.1-76.5	81	17.6	12.5-22.7				7	1.7	0.3- 3.1
\$25,000- 34,999	339	233,080	42	9.7	6.0-13.4	240	73.5	67.2-79.8	56	16.3	11.0-21.6				1	0.4	0.0- 1.2
\$35,000- 49,999	459	354,874	40	6.8	3.7- 9.9	319	66.2	59.1-73.3	99	26.3	19.4-33.2				1	0.6	0.0- 1.8
\$50,000- 74,999	431	317,090	32	6.4	3.7- 9.1	304	70.7	64.8-76.6	95	22.9	17.4-28.4						
\$75,000+	690	505,007	27	3.5	1.7- 5.3	482	67.8	62.7-72.9	179	28.5	23.6-33.4	2	0.2	0.0- 0.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 59: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 45 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	702	1,128,568	25	3.3	1.7- 4.9	677	96.7	95.1-98.3
White/Non-Hisp	532	851,066	15	2.1	0.7- 3.5	517	97.9	96.5-99.3
Black or Afr. Am./Non-Hisp	65	120,338	2	3.0	0.0- 7.7	63	97.0	92.3- 100
Hispanic	62	107,704	5	11.8	1.8-21.8	57	88.2	78.2-98.2
18-24	124	328,943	4	3.7	0.0- 7.4	120	96.3	92.6- 100
25-34	246	405,258	13	3.5	1.1- 5.9	233	96.5	94.1-98.9
35-44	332	394,368	8	2.6	0.6- 4.6	324	97.4	95.4-99.4
Less Than H.S.	53	155,952	2	3.7	0.0- 8.8	51	96.3	91.2- 100
H.S. or G.E.D.	153	307,459	7	4.8	0.7- 8.9	146	95.2	91.1-99.3
Some Post-H.S.	200	373,037	7	2.4	0.4- 4.4	193	97.6	95.6-99.6
College Graduate	294	288,988	9	2.6	0.6- 4.6	285	97.4	95.4-99.4
Less than \$15,000	84	171,846	2	2.5	0.0- 6.6	82	97.5	93.4- 100
\$15,000- 24,999	98	191,109	8	8.4	1.7-15.1	90	91.6	84.9-98.3
\$25,000- 34,999	57	79,640				57	100.0	100.0- 100
\$35,000- 49,999	86	153,385				86	100.0	100.0- 100
\$50,000- 74,999	95	139,884	4	3.8	0.0- 7.9	91	96.2	92.1- 100
\$75,000+	208	247,334	8	2.5	0.5- 4.5	200	97.5	95.5-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 60: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5909	4,917,880	1529	21.2	19.8-22.6	4380	78.8	77.4-80.2
Male	2517	2,398,363	660	21.2	19.0-23.4	1857	78.8	76.6-81.0
Female	3392	2,519,516	869	21.1	19.1-23.1	2523	78.9	76.9-80.9
18-24	269	670,467	27	12.3	6.8-17.8	242	87.7	82.2-93.2
25-34	444	821,018	40	8.5	5.4-11.6	404	91.5	88.4-94.6
35-44	599	782,141	86	14.6	11.1-18.1	513	85.4	81.9-88.9
45-54	882	830,494	223	26.9	23.2-30.6	659	73.1	69.4-76.8
55-64	1363	824,914	436	31.3	28.2-34.4	927	68.7	65.6-71.8
65+	2298	958,088	707	30.0	27.5-32.5	1591	70.0	67.5-72.5
Less Than H.S.	462	650,451	184	30.1	24.2-36.0	278	69.9	64.0-75.8
H.S. or G.E.D.	1977	1,690,696	523	22.2	19.7-24.7	1454	77.8	75.3-80.3
Some Post-H.S.	1493	1,506,229	402	20.9	18.4-23.4	1091	79.1	76.6-81.6
College Graduate	1944	1,046,105	410	14.2	12.4-16.0	1534	85.8	84.0-87.6
Less than \$15,000	517	483,494	270	41.3	35.0-47.6	247	58.7	52.4-65.0
\$15,000- 24,999	881	734,315	295	28.5	24.2-32.8	586	71.5	67.2-75.8
\$25,000- 34,999	562	467,168	162	23.5	18.8-28.2	400	76.5	71.8-81.2
\$35,000- 49,999	835	698,126	195	19.0	14.7-23.3	640	81.0	76.7-85.3
\$50,000- 74,999	839	721,470	152	13.2	10.5-15.9	687	86.8	84.1-89.5
\$75,000+	1408	1,140,774	227	13.3	10.9-15.7	1181	86.7	84.3-89.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 61: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2517	2,398,363	660	21.2	19.0-23.4	1857	78.8	76.6-81.0
18-24	146	342,098	13	11.2	4.5-17.9	133	88.8	82.1-95.5
25-34	200	416,786	21	8.7	4.6-12.8	179	91.3	87.2-95.4
35-44	270	391,980	34	14.4	9.1-19.7	236	85.6	80.3-90.9
45-54	394	419,305	97	27.6	21.9-33.3	297	72.4	66.7-78.1
55-64	611	403,440	210	32.6	27.9-37.3	401	67.4	62.7-72.1
65+	880	417,734	282	31.0	26.9-35.1	598	69.0	64.9-73.1
Less Than H.S.	202	338,240	85	30.4	22.6-38.2	117	69.6	61.8-77.4
H.S. or G.E.D.	830	879,614	208	20.8	17.3-24.3	622	79.2	75.7-82.7
Some Post-H.S.	574	664,973	157	21.1	16.8-25.4	417	78.9	74.6-83.2
College Graduate	899	506,530	207	15.8	12.9-18.7	692	84.2	81.3-87.1
Less than \$15,000	181	180,835	101	51.7	41.7-61.7	80	48.3	38.3-58.3
\$15,000- 24,999	310	311,410	113	30.0	23.5-36.5	197	70.0	63.5-76.5
\$25,000- 34,999	225	234,951	57	18.8	12.3-25.3	168	81.2	74.7-87.7
\$35,000- 49,999	377	344,363	90	17.9	12.4-23.4	287	82.1	76.6-87.6
\$50,000- 74,999	408	403,902	86	14.5	10.4-18.6	322	85.5	81.4-89.6
\$75,000+	714	629,739	121	13.9	10.4-17.4	593	86.1	82.6-89.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 62: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3392	2,519,516	869	21.1	19.1-23.1	2523	78.9	76.9-80.9
18-24	123	328,369	14	13.4	4.8-22.0	109	86.6	78.0-95.2
25-34	244	404,232	19	8.3	3.6-13.0	225	91.7	87.0-96.4
35-44	329	390,161	52	14.8	10.3-19.3	277	85.2	80.7-89.7
45-54	488	411,189	126	26.2	21.3-31.1	362	73.8	68.9-78.7
55-64	752	421,474	226	30.0	25.7-34.3	526	70.0	65.7-74.3
65+	1418	540,354	425	29.2	26.1-32.3	993	70.8	67.7-73.9
Less Than H.S.	260	312,211	99	29.7	21.1-38.3	161	70.3	61.7-78.9
H.S. or G.E.D.	1147	811,082	315	23.7	20.2-27.2	832	76.3	72.8-79.8
Some Post-H.S.	919	841,256	245	20.7	17.4-24.0	674	79.3	76.0-82.6
College Graduate	1045	539,574	203	12.7	10.3-15.1	842	87.3	84.9-89.7
Less than \$15,000	336	302,659	169	35.1	27.3-42.9	167	64.9	57.1-72.7
\$15,000- 24,999	571	422,906	182	27.5	22.0-33.0	389	72.5	67.0-78.0
\$25,000- 34,999	337	232,217	105	28.2	21.7-34.7	232	71.8	65.3-78.3
\$35,000- 49,999	458	353,763	105	20.0	13.5-26.5	353	80.0	73.5-86.5
\$50,000- 74,999	431	317,568	66	11.5	7.8-15.2	365	88.5	84.8-92.2
\$75,000+	694	511,034	106	12.7	9.6-15.8	588	87.3	84.2-90.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 63: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5914	4,913,706	713	8.1	7.3- 8.9	5201	91.9	91.1-92.7
Male	2518	2,395,600	272	7.2	6.0- 8.4	2246	92.8	91.6-94.0
Female	3396	2,518,106	441	9.0	7.8-10.2	2955	91.0	89.8-92.2
18-24	268	664,892				268	100.0	100.0- 100
25-34	445	821,800	9	1.9	0.3- 3.5	436	98.1	96.5-99.7
35-44	598	782,902	19	3.0	1.4- 4.6	579	97.0	95.4-98.6
45-54	884	833,821	80	9.3	6.9-11.7	804	90.7	88.3-93.1
55-64	1361	821,236	172	14.1	11.6-16.6	1189	85.9	83.4-88.4
65+	2304	958,298	425	16.8	14.8-18.8	1879	83.2	81.2-85.2
Less Than H.S.	465	653,727	107	13.1	10.0-16.2	358	86.9	83.8-90.0
H.S. or G.E.D.	1978	1,686,565	257	8.4	7.0- 9.8	1721	91.6	90.2-93.0
Some Post-H.S.	1493	1,502,965	183	7.8	6.2- 9.4	1310	92.2	90.6-93.8
College Graduate	1944	1,045,844	158	4.6	3.6- 5.6	1786	95.4	94.4-96.4
Less than \$15,000	520	484,816	148	17.9	14.0-21.8	372	82.1	78.2-86.0
\$15,000- 24,999	882	734,778	167	13.2	10.3-16.1	715	86.8	83.9-89.7
\$25,000- 34,999	562	467,457	90	11.1	8.2-14.0	472	88.9	86.0-91.8
\$35,000- 49,999	834	696,137	71	4.7	3.3- 6.1	763	95.3	93.9-96.7
\$50,000- 74,999	838	721,370	59	4.8	3.2- 6.4	779	95.2	93.6-96.8
\$75,000+	1408	1,137,923	55	2.7	1.7- 3.7	1353	97.3	96.3-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 64: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2518	2,395,600	272	7.2	6.0- 8.4	2246	92.8	91.6-94.0
18-24	145	340,247				145	100.0	100.0- 100
25-34	200	416,786	3	1.3	0.0- 2.9	197	98.7	97.1- 100
35-44	268	390,690	8	3.1	0.6- 5.6	260	96.9	94.4-99.4
45-54	394	419,999	30	8.2	4.9-11.5	364	91.8	88.5-95.1
55-64	611	402,248	87	16.1	12.2-20.0	524	83.9	80.0-87.8
65+	884	418,610	143	13.1	10.4-15.8	741	86.9	84.2-89.6
Less Than H.S.	202	338,767	38	11.5	7.2-15.8	164	88.5	84.2-92.8
H.S. or G.E.D.	831	880,587	85	6.6	4.8- 8.4	746	93.4	91.6-95.2
Some Post-H.S.	575	662,509	68	6.9	4.7- 9.1	507	93.1	90.9-95.3
College Graduate	897	504,524	78	5.4	3.8- 7.0	819	94.6	93.0-96.2
Less than \$15,000	183	181,995	51	18.7	12.2-25.2	132	81.3	74.8-87.8
\$15,000- 24,999	309	312,752	49	11.7	7.2-16.2	260	88.3	83.8-92.8
\$25,000- 34,999	224	234,598	35	9.0	5.3-12.7	189	91.0	87.3-94.7
\$35,000- 49,999	376	343,716	32	4.2	2.2- 6.2	344	95.8	93.8-97.8
\$50,000- 74,999	408	403,902	35	5.2	2.8- 7.6	373	94.8	92.4-97.2
\$75,000+	712	625,825	32	3.2	1.6- 4.8	680	96.8	95.2-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 65: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQUIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3396	2,518,106	441	9.0	7.8-10.2	2955	91.0	89.8-92.2
18-24	123	324,645				123	100.0	100.0- 100
25-34	245	405,014	6	2.5	0.0- 5.0	239	97.5	95.0- 100
35-44	330	392,213	11	2.8	0.8- 4.8	319	97.2	95.2-99.2
45-54	490	413,822	50	10.3	7.0-13.6	440	89.7	86.4-93.0
55-64	750	418,988	85	12.2	9.1-15.3	665	87.8	84.7-90.9
65+	1420	539,688	282	19.7	17.0-22.4	1138	80.3	77.6-83.0
Less Than H.S.	263	314,961	69	14.9	10.2-19.6	194	85.1	80.4-89.8
H.S. or G.E.D.	1147	805,977	172	10.3	8.1-12.5	975	89.7	87.5-91.9
Some Post-H.S.	918	840,456	115	8.6	6.6-10.6	803	91.4	89.4-93.4
College Graduate	1047	541,320	80	3.9	2.7- 5.1	967	96.1	94.9-97.3
Less than \$15,000	337	302,821	97	17.5	12.6-22.4	240	82.5	77.6-87.4
\$15,000- 24,999	573	422,026	118	14.3	10.4-18.2	455	85.7	81.8-89.6
\$25,000- 34,999	338	232,860	55	13.2	8.9-17.5	283	86.8	82.5-91.1
\$35,000- 49,999	458	352,421	39	5.2	3.0- 7.4	419	94.8	92.6-97.0
\$50,000- 74,999	430	317,468	24	4.3	2.1- 6.5	406	95.7	93.5-97.9
\$75,000+	696	512,098	23	2.1	0.9- 3.3	673	97.9	96.7-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 66: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5888	4,883,774	281	4.1	3.5- 4.7	5607	95.9	95.3-96.5
Male	2507	2,376,722	99	3.8	2.8- 4.8	2408	96.2	95.2-97.2
Female	3381	2,507,051	182	4.4	3.4- 5.4	3199	95.6	94.6-96.6
18-24	265	655,158	8	2.7	0.7- 4.7	257	97.3	95.3-99.3
25-34	444	819,273	11	2.7	0.9- 4.5	433	97.3	95.5-99.1
35-44	597	781,335	13	2.1	0.7- 3.5	584	97.9	96.5-99.3
45-54	878	828,632	44	5.3	3.3- 7.3	834	94.7	92.7-96.7
55-64	1355	817,015	60	4.3	2.9- 5.7	1295	95.7	94.3-97.1
65+	2295	951,604	144	6.6	5.0- 8.2	2151	93.4	91.8-95.0
Less Than H.S.	456	639,138	61	9.7	6.6-12.8	395	90.3	87.2-93.4
H.S. or G.E.D.	1969	1,677,609	112	4.7	3.5- 5.9	1857	95.3	94.1-96.5
Some Post-H.S.	1488	1,499,747	64	2.7	1.7- 3.7	1424	97.3	96.3-98.3
College Graduate	1942	1,043,140	42	1.6	0.8- 2.4	1900	98.4	97.6-99.2
Less than \$15,000	514	480,681	83	10.7	7.6-13.8	431	89.3	86.2-92.4
\$15,000- 24,999	878	730,079	65	7.4	4.9- 9.9	813	92.6	90.1-95.1
\$25,000- 34,999	560	464,809	24	4.2	1.7- 6.7	536	95.8	93.3-98.3
\$35,000- 49,999	832	692,754	27	2.9	1.3- 4.5	805	97.1	95.5-98.7
\$50,000- 74,999	839	721,470	18	1.5	0.5- 2.5	821	98.5	97.5-99.5
\$75,000+	1405	1,128,961	12	1.0	0.2- 1.8	1393	99.0	98.2-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 67: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2507	2,376,722	99	3.8	2.8- 4.8	2408	96.2	95.2-97.2
18-24	143	331,163	2	1.6	0.0- 4.0	141	98.4	96.0- 100
25-34	199	414,258	4	2.1	0.0- 4.3	195	97.9	95.7- 100
35-44	268	390,690	6	2.6	0.4- 4.8	262	97.4	95.2-99.6
45-54	390	416,392	14	5.8	2.3- 9.3	376	94.2	90.7-97.7
55-64	607	398,363	24	3.9	1.9- 5.9	583	96.1	94.1-98.1
65+	884	418,835	49	6.0	3.6- 8.4	835	94.0	91.6-96.4
Less Than H.S.	194	324,721	25	10.3	5.2-15.4	169	89.7	84.6-94.8
H.S. or G.E.D.	830	878,439	40	4.3	2.7- 5.9	790	95.7	94.1-97.3
Some Post-H.S.	573	660,032	18	1.6	0.4- 2.8	555	98.4	97.2-99.6
College Graduate	897	504,318	14	1.3	0.3- 2.3	883	98.7	97.7-99.7
Less than \$15,000	180	179,511	23	10.3	4.6-16.0	157	89.7	84.0-95.4
\$15,000- 24,999	309	310,671	26	8.2	4.5-11.9	283	91.8	88.1-95.5
\$25,000- 34,999	224	235,194	11	4.9	0.4- 9.4	213	95.1	90.6-99.6
\$35,000- 49,999	374	338,984	12	3.4	0.7- 6.1	362	96.6	93.9-99.3
\$50,000- 74,999	408	403,902	6	0.8	0.0- 1.8	402	99.2	98.2- 100
\$75,000+	711	618,974	6	1.0	0.0- 2.0	705	99.0	98.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 68: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3381	2,507,051	182	4.4	3.4- 5.4	3199	95.6	94.6-96.6
18-24	122	323,995	6	3.8	0.5- 7.1	116	96.2	92.9-99.5
25-34	245	405,014	7	3.4	0.5- 6.3	238	96.6	93.7-99.5
35-44	329	390,645	7	1.6	0.2- 3.0	322	98.4	97.0-99.8
45-54	488	412,240	30	4.9	2.9- 6.9	458	95.1	93.1-97.1
55-64	748	418,652	36	4.6	2.6- 6.6	712	95.4	93.4-97.4
65+	1411	532,769	95	7.1	5.1- 9.1	1316	92.9	90.9-94.9
Less Than H.S.	262	314,418	36	9.0	5.1-12.9	226	91.0	87.1-94.9
H.S. or G.E.D.	1139	799,170	72	5.2	3.4- 7.0	1067	94.8	93.0-96.6
Some Post-H.S.	915	839,715	46	3.5	2.1- 4.9	869	96.5	95.1-97.9
College Graduate	1045	538,821	28	2.0	0.8- 3.2	1017	98.0	96.8-99.2
Less than \$15,000	334	301,170	60	11.0	7.3-14.7	274	89.0	85.3-92.7
\$15,000- 24,999	569	419,408	39	6.7	3.4-10.0	530	93.3	90.0-96.6
\$25,000- 34,999	336	229,615	13	3.5	1.3- 5.7	323	96.5	94.3-98.7
\$35,000- 49,999	458	353,770	15	2.4	0.8- 4.0	443	97.6	96.0-99.2
\$50,000- 74,999	431	317,568	12	2.4	0.4- 4.4	419	97.6	95.6-99.6
\$75,000+	694	509,987	6	0.9	0.0- 1.9	688	99.1	98.1- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 69: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5877	4,881,193	549	10.3	9.1-11.5	5328	89.7	88.5-90.9
Male	2503	2,376,136	214	8.7	7.1-10.3	2289	91.3	89.7-92.9
Female	3374	2,505,056	335	11.9	9.9-13.9	3039	88.1	86.1-90.1
18-24	266	657,762	30	14.0	8.3-19.7	236	86.0	80.3-91.7
25-34	443	818,943	49	10.8	7.3-14.3	394	89.2	85.7-92.7
35-44	592	772,272	48	8.0	5.5-10.5	544	92.0	89.5-94.5
45-54	878	830,089	105	11.6	9.1-14.1	773	88.4	85.9-90.9
55-64	1356	818,058	141	10.1	8.1-12.1	1215	89.9	87.9-91.9
65+	2288	953,311	175	8.4	6.8-10.0	2113	91.6	90.0-93.2
Less Than H.S.	460	647,654	114	23.3	17.4-29.2	346	76.7	70.8-82.6
H.S. or G.E.D.	1963	1,672,666	208	10.8	8.8-12.8	1755	89.2	87.2-91.2
Some Post-H.S.	1486	1,496,762	124	8.2	6.2-10.2	1362	91.8	89.8-93.8
College Graduate	1936	1,040,598	101	4.5	3.1- 5.9	1835	95.5	94.1-96.9
Less than \$15,000	514	480,760	138	24.8	18.9-30.7	376	75.2	69.3-81.1
\$15,000- 24,999	876	727,465	133	18.6	14.5-22.7	743	81.4	77.3-85.5
\$25,000- 34,999	559	462,810	53	11.5	7.6-15.4	506	88.5	84.6-92.4
\$35,000- 49,999	833	693,617	51	6.9	3.4-10.4	782	93.1	89.6-96.6
\$50,000- 74,999	836	719,809	38	4.5	2.7- 6.3	798	95.5	93.7-97.3
\$75,000+	1403	1,132,182	53	4.2	2.4- 6.0	1350	95.8	94.0-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 70: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2503	2,376,136	214	8.7	7.1-10.3	2289	91.3	89.7-92.9	
18-24	143	333,117	14	9.4	3.9-14.9	129	90.6	85.1-96.1	
25-34	199	414,258	21	8.5	4.4-12.6	178	91.5	87.4-95.6	
35-44	266	385,924	19	6.3	3.2- 9.4	247	93.7	90.6-96.8	
45-54	391	417,901	41	11.4	7.3-15.5	350	88.6	84.5-92.7	
55-64	607	398,873	57	9.0	6.1-11.9	550	91.0	88.1-93.9	
65+	881	419,042	62	7.5	5.1- 9.9	819	92.5	90.1-94.9	
Less Than H.S.	199	333,684	45	15.9	9.8-22.0	154	84.1	78.0-90.2	
H.S. or G.E.D.	825	870,343	78	8.5	6.1-10.9	747	91.5	89.1-93.9	
Some Post-H.S.	573	660,188	44	8.2	5.3-11.1	529	91.8	88.9-94.7	
College Graduate	894	503,336	47	4.9	2.9- 6.9	847	95.1	93.1-97.1	
Less than \$15,000	179	178,703	44	18.5	11.4-25.6	135	81.5	74.4-88.6	
\$15,000- 24,999	309	309,343	45	14.0	9.1-18.9	264	86.0	81.1-90.9	
\$25,000- 34,999	222	230,806	22	10.4	4.9-15.9	200	89.6	84.1-95.1	
\$35,000- 49,999	375	340,128	23	4.9	2.4- 7.4	352	95.1	92.6-97.6	
\$50,000- 74,999	408	403,902	23	5.7	2.8- 8.6	385	94.3	91.4-97.2	
\$75,000+	711	623,270	24	5.0	2.3- 7.7	687	95.0	92.3-97.7	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 71: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3374	2,505,056	335	11.9	9.9-13.9	3039	88.1	86.1-90.1
18-24	123	324,645	16	18.7	8.9-28.5	107	81.3	71.5-91.1
25-34	244	404,685	28	13.2	7.5-18.9	216	86.8	81.1-92.5
35-44	326	386,348	29	9.7	5.8-13.6	297	90.3	86.4-94.2
45-54	487	412,187	64	11.9	8.6-15.2	423	88.1	84.8-91.4
55-64	749	419,185	84	11.2	8.3-14.1	665	88.8	85.9-91.7
65+	1407	534,269	113	9.0	6.8-11.2	1294	91.0	88.8-93.2
Less Than H.S.	261	313,969	69	31.0	21.6-40.4	192	69.0	59.6-78.4
H.S. or G.E.D.	1138	802,323	130	13.2	10.1-16.3	1008	86.8	83.7-89.9
Some Post-H.S.	913	836,574	80	8.2	5.7-10.7	833	91.8	89.3-94.3
College Graduate	1042	537,262	54	4.2	2.4- 6.0	988	95.8	94.0-97.6
Less than \$15,000	335	302,057	94	28.6	20.4-36.8	241	71.4	63.2-79.6
\$15,000- 24,999	567	418,122	88	22.1	16.2-28.0	479	77.9	72.0-83.8
\$25,000- 34,999	337	232,004	31	12.6	7.1-18.1	306	87.4	81.9-92.9
\$35,000- 49,999	458	353,489	28	8.9	2.6-15.2	430	91.1	84.8-97.4
\$50,000- 74,999	428	315,907	15	3.0	1.0- 5.0	413	97.0	95.0-99.0
\$75,000+	692	508,912	29	3.3	1.9- 4.7	663	96.7	95.3-98.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 72: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5877	4,884,733	1056	13.7	12.5-14.9	4821	86.3	85.1-87.5
Male	2504	2,378,447	380	11.8	10.2-13.4	2124	88.2	86.6-89.8
Female	3373	2,506,287	676	15.4	13.8-17.0	2697	84.6	83.0-86.2
18-24	266	657,115	5	2.4	0.0- 4.9	261	97.6	95.1- 100
25-34	442	818,651	11	2.9	0.9- 4.9	431	97.1	95.1-99.1
35-44	595	778,939	39	6.5	4.1- 8.9	556	93.5	91.1-95.9
45-54	880	829,727	138	17.6	14.5-20.7	742	82.4	79.3-85.5
55-64	1354	818,141	292	23.7	20.8-26.6	1062	76.3	73.4-79.2
65+	2286	951,403	565	24.6	22.2-27.0	1721	75.4	73.0-77.8
Less Than H.S.	460	647,889	170	24.4	19.7-29.1	290	75.6	70.9-80.3
H.S. or G.E.D.	1961	1,672,306	419	15.5	13.5-17.5	1542	84.5	82.5-86.5
Some Post-H.S.	1486	1,498,356	252	12.0	10.0-14.0	1234	88.0	86.0-90.0
College Graduate	1936	1,041,577	206	6.1	4.9- 7.3	1730	93.9	92.7-95.1
Less than \$15,000	515	481,264	207	29.5	24.2-34.8	308	70.5	65.2-75.8
\$15,000- 24,999	876	732,058	263	22.4	18.7-26.1	613	77.6	73.9-81.3
\$25,000- 34,999	558	465,787	121	16.8	13.1-20.5	437	83.2	79.5-86.9
\$35,000- 49,999	831	689,573	122	10.0	7.6-12.4	709	90.0	87.6-92.4
\$50,000- 74,999	837	720,475	77	6.8	4.8- 8.8	760	93.2	91.2-95.2
\$75,000+	1405	1,133,381	96	5.3	3.7- 6.9	1309	94.7	93.1-96.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 73: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2504	2,378,447	380	11.8	10.2-13.4	2124	88.2	86.6-89.8
18-24	143	332,470	3	4.3	0.0- 9.0	140	95.7	91.0- 100
25-34	199	414,258	3	1.2	0.0- 2.6	196	98.8	97.4- 100
35-44	268	390,690	13	5.0	2.1- 7.9	255	95.0	92.1-97.9
45-54	391	417,518	54	16.1	11.6-20.6	337	83.9	79.4-88.4
55-64	606	398,863	120	23.1	18.6-27.6	486	76.9	72.4-81.4
65+	881	417,627	185	19.9	16.4-23.4	696	80.1	76.6-83.6
Less Than H.S.	198	333,472	64	23.1	16.4-29.8	134	76.9	70.2-83.6
H.S. or G.E.D.	826	872,033	138	12.9	10.2-15.6	688	87.1	84.4-89.8
Some Post-H.S.	573	659,932	82	9.2	6.7-11.7	491	90.8	88.3-93.3
College Graduate	894	503,798	93	5.7	4.1- 7.3	801	94.3	92.7-95.9
Less than \$15,000	179	178,614	65	33.5	24.1-42.9	114	66.5	57.1-75.9
\$15,000- 24,999	308	312,031	80	20.5	15.0-26.0	228	79.5	74.0-85.0
\$25,000- 34,999	222	234,016	40	11.8	7.3-16.3	182	88.2	83.7-92.7
\$35,000- 49,999	375	336,459	52	9.0	5.9-12.1	323	91.0	87.9-94.1
\$50,000- 74,999	408	403,902	43	7.0	4.3- 9.7	365	93.0	90.3-95.7
\$75,000+	712	624,128	46	4.5	2.5- 6.5	666	95.5	93.5-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 74: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3373	2,506,287	676	15.4	13.8-17.0	2697	84.6	83.0-86.2
18-24	123	324,645	2	0.5	0.0- 1.1	121	99.5	98.9- 100
25-34	243	404,393	8	4.7	1.0- 8.4	235	95.3	91.6-99.0
35-44	327	388,250	26	8.0	4.7-11.3	301	92.0	88.7-95.3
45-54	489	412,209	84	19.1	14.6-23.6	405	80.9	76.4-85.4
55-64	748	419,278	172	24.3	20.2-28.4	576	75.7	71.6-79.8
65+	1405	533,776	380	28.2	25.1-31.3	1025	71.8	68.7-74.9
Less Than H.S.	262	314,418	106	25.7	19.2-32.2	156	74.3	67.8-80.8
H.S. or G.E.D.	1135	800,273	281	18.4	15.5-21.3	854	81.6	78.7-84.5
Some Post-H.S.	913	838,424	170	14.1	11.2-17.0	743	85.9	83.0-88.8
College Graduate	1042	537,779	113	6.4	4.8- 8.0	929	93.6	92.0-95.2
Less than \$15,000	336	302,650	142	27.2	20.9-33.5	194	72.8	66.5-79.1
\$15,000- 24,999	568	420,026	183	23.9	18.8-29.0	385	76.1	71.0-81.2
\$25,000- 34,999	336	231,771	81	21.9	16.2-27.6	255	78.1	72.4-83.8
\$35,000- 49,999	456	353,114	70	11.0	7.7-14.3	386	89.0	85.7-92.3
\$50,000- 74,999	429	316,572	34	6.5	3.8- 9.2	395	93.5	90.8-96.2
\$75,000+	693	509,253	50	6.4	4.0- 8.8	643	93.6	91.2-96.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 75: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5884	4,884,201	257	3.4	2.8- 4.0	5627	96.6	96.0-97.2
Male	2505	2,376,872	113	3.7	2.7- 4.7	2392	96.3	95.3-97.3
Female	3379	2,507,329	144	3.1	2.5- 3.7	3235	96.9	96.3-97.5
18-24	266	657,115	2	0.9	0.0- 2.5	264	99.1	97.5- 100
25-34	442	818,651	4	0.6	0.0- 1.2	438	99.4	98.8- 100
35-44	593	777,015	14	2.0	0.8- 3.2	579	98.0	96.8-99.2
45-54	879	829,300	46	5.6	3.6- 7.6	833	94.4	92.4-96.4
55-64	1355	817,916	73	4.7	3.3- 6.1	1282	95.3	93.9-96.7
65+	2295	953,447	117	5.6	4.2- 7.0	2178	94.4	93.0-95.8
Less Than H.S.	459	645,915	49	7.0	4.5- 9.5	410	93.0	90.5-95.5
H.S. or G.E.D.	1964	1,674,325	91	3.2	2.4- 4.0	1873	96.8	96.0-97.6
Some Post-H.S.	1487	1,497,638	66	3.2	2.2- 4.2	1421	96.8	95.8-97.8
College Graduate	1940	1,041,718	48	1.5	0.9- 2.1	1892	98.5	97.9-99.1
Less than \$15,000	514	479,627	70	7.8	5.4-10.2	444	92.2	89.8-94.6
\$15,000- 24,999	877	731,518	66	6.0	4.0- 8.0	811	94.0	92.0-96.0
\$25,000- 34,999	558	465,808	26	4.1	2.3- 5.9	532	95.9	94.1-97.7
\$35,000- 49,999	833	689,637	28	2.3	1.1- 3.5	805	97.7	96.5-98.9
\$50,000- 74,999	838	720,698	11	1.2	0.2- 2.2	827	98.8	97.8-99.8
\$75,000+	1403	1,130,551	18	1.3	0.3- 2.3	1385	98.7	97.7-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 76: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2505	2,376,872	113	3.7	2.7- 4.7	2392	96.3	95.3-97.3
18-24	143	332,470	1	1.6	0.0- 4.5	142	98.4	95.5- 100
25-34	199	414,258	1	0.4	0.0- 1.2	198	99.6	98.8- 100
35-44	268	390,690	6	1.9	0.3- 3.5	262	98.1	96.5-99.7
45-54	390	416,250	23	6.8	3.7- 9.9	367	93.2	90.1-96.3
55-64	607	399,075	33	5.0	2.8- 7.2	574	95.0	92.8-97.2
65+	882	417,108	48	6.2	3.8- 8.6	834	93.8	91.4-96.2
Less Than H.S.	198	331,966	23	8.4	3.9-12.9	175	91.6	87.1-96.1
H.S. or G.E.D.	826	873,025	39	3.5	2.1- 4.9	787	96.5	95.1-97.9
Some Post-H.S.	572	658,921	30	3.5	1.9- 5.1	542	96.5	94.9-98.1
College Graduate	896	503,747	20	1.2	0.6- 1.8	876	98.8	98.2-99.4
Less than \$15,000	178	177,274	21	5.9	2.6- 9.2	157	94.1	90.8-97.4
\$15,000- 24,999	308	310,768	26	8.4	4.5-12.3	282	91.6	87.7-95.5
\$25,000- 34,999	223	234,680	16	5.5	2.4- 8.6	207	94.5	91.4-97.6
\$35,000- 49,999	374	335,692	15	2.4	0.6- 4.2	359	97.6	95.8-99.4
\$50,000- 74,999	408	403,902	8	1.9	0.1- 3.7	400	98.1	96.3-99.9
\$75,000+	711	622,812	7	1.3	0.0- 3.1	704	98.7	96.9- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 77: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3379	2,507,329	144	3.1	2.5- 3.7	3235	96.9	96.3-97.5
18-24	123	324,645	1	0.2	0.0- 0.6	122	99.8	99.4- 100
25-34	243	404,393	3	0.8	0.0- 1.8	240	99.2	98.2- 100
35-44	325	386,325	8	2.1	0.5- 3.7	317	97.9	96.3-99.5
45-54	489	413,050	23	4.4	2.2- 6.6	466	95.6	93.4-97.8
55-64	748	418,840	40	4.4	2.8- 6.0	708	95.6	94.0-97.2
65+	1413	536,339	69	5.2	3.6- 6.8	1344	94.8	93.2-96.4
Less Than H.S.	261	313,949	26	5.6	2.9- 8.3	235	94.4	91.7-97.1
H.S. or G.E.D.	1138	801,300	52	2.8	1.8- 3.8	1086	97.2	96.2-98.2
Some Post-H.S.	915	838,717	36	3.0	1.8- 4.2	879	97.0	95.8-98.2
College Graduate	1044	537,970	28	1.7	0.9- 2.5	1016	98.3	97.5-99.1
Less than \$15,000	336	302,353	49	9.0	5.7-12.3	287	91.0	87.7-94.3
\$15,000- 24,999	569	420,751	40	4.3	2.5- 6.1	529	95.7	93.9-97.5
\$25,000- 34,999	335	231,128	10	2.6	0.8- 4.4	325	97.4	95.6-99.2
\$35,000- 49,999	459	353,946	13	2.3	0.7- 3.9	446	97.7	96.1-99.3
\$50,000- 74,999	430	316,796	3	0.4	0.0- 0.8	427	99.6	99.2- 100
\$75,000+	692	507,739	11	1.4	0.4- 2.4	681	98.6	97.6-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 78: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5862	4,867,628	470	6.6	5.6- 7.6	5392	93.4	92.4-94.4
Male	2496	2,366,073	141	4.9	3.7- 6.1	2355	95.1	93.9-96.3
Female	3366	2,501,555	329	8.3	6.9- 9.7	3037	91.7	90.3-93.1
18-24	265	654,067	8	4.1	0.4- 7.8	257	95.9	92.2-99.6
25-34	441	817,178	19	3.1	1.5- 4.7	422	96.9	95.3-98.5
35-44	593	774,511	31	5.8	3.3- 8.3	562	94.2	91.7-96.7
45-54	878	827,869	78	7.4	5.4- 9.4	800	92.6	90.6-94.6
55-64	1354	816,425	127	9.4	7.4-11.4	1227	90.6	88.6-92.6
65+	2277	946,821	205	9.0	7.4-10.6	2072	91.0	89.4-92.6
Less Than H.S.	455	639,302	90	14.4	10.3-18.5	365	85.6	81.5-89.7
H.S. or G.E.D.	1953	1,664,411	175	7.0	5.4- 8.6	1778	93.0	91.4-94.6
Some Post-H.S.	1483	1,497,968	117	5.3	3.9- 6.7	1366	94.7	93.3-96.1
College Graduate	1937	1,041,342	83	2.9	2.1- 3.7	1854	97.1	96.3-97.9
Less than \$15,000	510	475,802	131	22.5	16.8-28.2	379	77.5	71.8-83.2
\$15,000- 24,999	871	726,513	111	9.6	7.2-12.0	760	90.4	88.0-92.8
\$25,000- 34,999	554	463,651	54	7.7	5.2-10.2	500	92.3	89.8-94.8
\$35,000- 49,999	832	686,736	39	3.3	1.9- 4.7	793	96.7	95.3-98.1
\$50,000- 74,999	834	718,839	24	1.6	0.8- 2.4	810	98.4	97.6-99.2
\$75,000+	1403	1,131,956	30	1.5	0.9- 2.1	1373	98.5	97.9-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 79: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2496	2,366,073	141	4.9	3.7- 6.1	2355	95.1	93.9-96.3
18-24	142	329,422	3	3.6	0.0- 7.7	139	96.4	92.3- 100
25-34	198	412,786	8	2.5	0.7- 4.3	190	97.5	95.7-99.3
35-44	267	387,788	9	4.2	0.9- 7.5	258	95.8	92.5-99.1
45-54	389	414,819	25	5.6	2.9- 8.3	364	94.4	91.7-97.1
55-64	607	398,986	49	8.3	5.6-11.0	558	91.7	89.0-94.4
65+	877	415,253	47	4.8	3.0- 6.6	830	95.2	93.4-97.0
Less Than H.S.	195	325,808	30	8.7	4.8-12.6	165	91.3	87.4-95.2
H.S. or G.E.D.	821	866,846	46	5.3	3.1- 7.5	775	94.7	92.5-96.9
Some Post-H.S.	572	660,568	35	4.4	2.2- 6.6	537	95.6	93.4-97.8
College Graduate	895	503,639	28	1.9	0.9- 2.9	867	98.1	97.1-99.1
Less than \$15,000	177	175,261	39	19.9	11.5-28.3	138	80.1	71.7-88.5
\$15,000- 24,999	304	307,254	31	8.0	4.5-11.5	273	92.0	88.5-95.5
\$25,000- 34,999	222	233,618	15	4.8	1.9- 7.7	207	95.2	92.3-98.1
\$35,000- 49,999	373	332,790	13	2.5	0.7- 4.3	360	97.5	95.7-99.3
\$50,000- 74,999	408	403,902	11	1.3	0.3- 2.3	397	98.7	97.7-99.7
\$75,000+	710	622,703	7	0.8	0.0- 1.6	703	99.2	98.4- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 80: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3366	2,501,555	329	8.3	6.9- 9.7	3037	91.7	90.3-93.1
18-24	123	324,645	5	4.6	0.0-10.5	118	95.4	89.5- 100
25-34	243	404,393	11	3.8	1.3- 6.3	232	96.2	93.7-98.7
35-44	326	386,723	22	7.4	3.7-11.1	304	92.6	88.9-96.3
45-54	489	413,050	53	9.2	6.3-12.1	436	90.8	87.9-93.7
55-64	747	417,439	78	10.5	7.8-13.2	669	89.5	86.8-92.2
65+	1400	531,568	158	12.4	10.0-14.8	1242	87.6	85.2-90.0
Less Than H.S.	260	313,494	60	20.3	13.0-27.6	200	79.7	72.4-87.0
H.S. or G.E.D.	1132	797,565	129	8.8	6.6-11.0	1003	91.2	89.0-93.4
Some Post-H.S.	911	837,399	82	6.1	4.3- 7.9	829	93.9	92.1-95.7
College Graduate	1042	537,703	55	3.9	2.5- 5.3	987	96.1	94.7-97.5
Less than \$15,000	333	300,541	92	24.0	16.6-31.4	241	76.0	68.6-83.4
\$15,000- 24,999	567	419,259	80	10.8	7.7-13.9	487	89.2	86.1-92.3
\$25,000- 34,999	332	230,033	39	10.6	6.3-14.9	293	89.4	85.1-93.7
\$35,000- 49,999	459	353,946	26	4.0	2.0- 6.0	433	96.0	94.0-98.0
\$50,000- 74,999	426	314,937	13	1.9	0.7- 3.1	413	98.1	96.9-99.3
\$75,000+	693	509,253	23	2.4	1.2- 3.6	670	97.6	96.4-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015**

SECTION 8: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	172
2 MALES ONLY	173
3 FEMALES ONLY	174
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	175
5 MALES ONLY	176
6 FEMALES ONLY	177
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7 MALES AND FEMALES	178
8 MALES ONLY	179
9 FEMALES ONLY	180
HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10 MALES AND FEMALES	181
11 MALES ONLY	182
12 FEMALES ONLY	183
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13 MALES AND FEMALES	184
14 MALES ONLY	185
15 FEMALES ONLY	186

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5856	4,862,049	2630	46.2	44.2-48.2	3226	53.8	51.8-55.8
Male	2491	2,360,497	1341	53.6	50.9-56.3	1150	46.4	43.7-49.1
Female	3365	2,501,552	1289	39.2	36.7-41.7	2076	60.8	58.3-63.3
White/Non-Hisp	5098	3,952,713	2332	47.7	45.7-49.7	2766	52.3	50.3-54.3
Black or Afr. Am./Non-Hisp	296	394,350	134	43.4	35.8-51.0	162	56.6	49.0-64.2
Oth. Race/Non-Hisp.	112	101,601	39	43.3	30.8-55.8	73	56.7	44.2-69.2
MultiRacial/Non-Hisp.	77	56,217	37	51.4	35.1-67.7	40	48.6	32.3-64.9
Hispanic	179	273,748	47	27.4	18.2-36.6	132	72.6	63.4-81.8
18-24	265	654,067	75	35.2	28.1-42.3	190	64.8	57.7-71.9
25-34	440	815,134	171	42.4	36.7-48.1	269	57.6	51.9-63.3
35-44	592	773,888	233	43.6	38.5-48.7	359	56.4	51.3-61.5
45-54	876	825,944	398	50.8	46.5-55.1	478	49.2	44.9-53.5
55-64	1349	812,662	641	52.1	48.8-55.4	708	47.9	44.6-51.2
65+	2280	949,599	1103	51.0	48.3-53.7	1177	49.0	46.3-51.7
Less Than H.S.	454	638,268	285	61.6	54.9-68.3	169	38.4	31.7-45.1
H.S. or G.E.D.	1959	1,666,528	1002	51.1	47.8-54.4	957	48.9	45.6-52.2
Some Post-H.S.	1480	1,494,745	690	46.6	43.1-50.1	790	53.4	49.9-56.9
College Graduate	1929	1,037,903	639	28.2	25.5-30.9	1290	71.8	69.1-74.5
Less than \$15,000	510	474,461	298	56.6	49.9-63.3	212	43.4	36.7-50.1
\$15,000- 24,999	876	730,732	444	54.4	49.5-59.3	432	45.6	40.7-50.5
\$25,000- 34,999	556	465,168	277	50.5	44.6-56.4	279	49.5	43.6-55.4
\$35,000- 49,999	826	684,237	401	47.8	42.7-52.9	425	52.2	47.1-57.3
\$50,000- 74,999	835	719,751	360	44.3	39.2-49.4	475	55.7	50.6-60.8
\$75,000+	1398	1,128,810	489	34.9	31.2-38.6	909	65.1	61.4-68.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2491	2,360,497	1341	53.6	50.9-56.3	1150	46.4	43.7-49.1
White/Non-Hisp	2160	1,897,579	1176	54.3	51.4-57.2	984	45.7	42.8-48.6
Black or Afr. Am./Non-Hisp	108	179,252	60	50.0	37.8-62.2	48	50.0	37.8-62.2
Oth. Race/Non-Hisp.	59	65,222	25	52.4	35.7-69.1	34	47.6	30.9-64.3
Hispanic	68	131,634	29	43.7	28.2-59.2	39	56.3	40.8-71.8
18-24	142	329,422	40	34.1	24.7-43.5	102	65.9	56.5-75.3
25-34	197	410,741	87	45.3	36.9-53.7	110	54.7	46.3-63.1
35-44	267	387,788	127	54.0	46.7-61.3	140	46.0	38.7-53.3
45-54	388	413,497	197	58.9	52.6-65.2	191	41.1	34.8-47.4
55-64	601	395,671	325	59.9	55.0-64.8	276	40.1	35.2-45.0
65+	880	416,358	562	66.1	61.8-70.4	318	33.9	29.6-38.2
Less Than H.S.	195	326,430	144	68.5	59.3-77.7	51	31.5	22.3-40.7
H.S. or G.E.D.	823	866,606	518	59.4	54.7-64.1	305	40.6	35.9-45.3
Some Post-H.S.	570	657,084	317	52.6	46.9-58.3	253	47.4	41.7-53.1
College Graduate	890	501,165	354	34.6	30.3-38.9	536	65.4	61.1-69.7
Less than \$15,000	177	174,779	122	68.4	58.8-78.0	55	31.6	22.0-41.2
\$15,000- 24,999	308	310,884	195	62.1	54.7-69.5	113	37.9	30.5-45.3
\$25,000- 34,999	222	233,707	132	53.8	44.6-63.0	90	46.2	37.0-55.4
\$35,000- 49,999	369	330,794	211	52.4	45.0-59.8	158	47.6	40.2-55.0
\$50,000- 74,999	408	403,902	215	53.0	45.9-60.1	193	47.0	39.9-54.1
\$75,000+	706	620,181	291	42.1	36.8-47.4	415	57.9	52.6-63.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3365	2,501,552	1289	39.2	36.7-41.7	2076	60.8	58.3-63.3
White/Non-Hisp	2938	2,055,134	1156	41.6	38.9-44.3	1782	58.4	55.7-61.1
Black or Afr. Am./Non-Hisp	188	215,098	74	38.0	28.4-47.6	114	62.0	52.4-71.6
Oth. Race/Non-Hisp.	53	36,379	14	26.9	12.0-41.8	39	73.1	58.2-88.0
Hispanic	111	142,114	18	12.3	5.4-19.2	93	87.7	80.8-94.6
18-24	123	324,645	35	36.2	25.6-46.8	88	63.8	53.2-74.4
25-34	243	404,393	84	39.3	31.7-46.9	159	60.7	53.1-68.3
35-44	325	386,100	106	33.2	26.9-39.5	219	66.8	60.5-73.1
45-54	488	412,447	201	42.7	37.2-48.2	287	57.3	51.8-62.8
55-64	748	416,991	316	44.7	40.0-49.4	432	55.3	50.6-60.0
65+	1400	533,241	541	39.2	35.7-42.7	859	60.8	57.3-64.3
Less Than H.S.	259	311,838	141	54.4	45.0-63.8	118	45.6	36.2-55.0
H.S. or G.E.D.	1136	799,922	484	42.0	37.7-46.3	652	58.0	53.7-62.3
Some Post-H.S.	910	837,661	373	41.8	37.3-46.3	537	58.2	53.7-62.7
College Graduate	1039	536,738	285	22.2	18.9-25.5	754	77.8	74.5-81.1
Less than \$15,000	333	299,681	176	49.8	41.2-58.4	157	50.2	41.6-58.8
\$15,000- 24,999	568	419,848	249	48.7	42.2-55.2	319	51.3	44.8-57.8
\$25,000- 34,999	334	231,461	145	47.1	39.7-54.5	189	52.9	45.5-60.3
\$35,000- 49,999	457	353,444	190	43.6	36.3-50.9	267	56.4	49.1-63.7
\$50,000- 74,999	427	315,849	145	33.2	26.9-39.5	282	66.8	60.5-73.1
\$75,000+	692	508,629	198	26.2	21.7-30.7	494	73.8	69.3-78.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2620	2,236,514	670	31.9	29.2-34.6	247	12.7	10.5-14.9	1703	55.4	52.5-58.3
Male	1334	1,256,644	317	29.2	25.7-32.7	120	11.8	9.1-14.5	897	59.1	55.2-63.0
Female	1286	979,870	353	35.4	31.1-39.7	127	13.9	10.6-17.2	806	50.7	46.4-55.0
White/Non-Hisp	2325	1,880,724	580	32.1	29.0-35.2	201	11.7	9.5-13.9	1544	56.2	53.1-59.3
Black or Afr. Am./Non-Hisp	133	171,007	39	26.8	17.8-35.8	26	22.9	13.1-32.7	68	50.3	39.1-61.5
18-24	75	229,943	30	43.0	29.9-56.1	21	26.4	15.2-37.6	24	30.6	18.8-42.4
25-34	171	345,298	60	40.7	31.7-49.7	26	13.5	7.4-19.6	85	45.7	36.7-54.7
35-44	233	337,591	85	32.8	25.5-40.1	30	15.4	9.1-21.7	118	51.8	43.8-59.8
45-54	398	419,448	157	41.3	35.2-47.4	49	12.0	8.1-15.9	192	46.8	40.5-53.1
55-64	638	419,189	181	28.0	23.5-32.5	56	10.3	7.0-13.6	401	61.7	56.8-66.6
65+	1096	479,534	154	14.9	12.2-17.6	65	6.6	4.6- 8.6	877	78.5	75.2-81.8
Less Than H.S.	282	391,400	115	47.4	39.0-55.8	29	12.0	6.3-17.7	138	40.7	32.7-48.7
H.S. or G.E.D.	999	848,664	304	35.7	31.4-40.0	98	12.6	9.3-15.9	597	51.8	47.3-56.3
Some Post-H.S.	688	693,530	178	27.2	22.5-31.9	69	14.1	10.0-18.2	441	58.7	53.4-64.0
College Graduate	637	291,443	72	12.1	8.6-15.6	49	10.9	7.2-14.6	516	77.0	72.3-81.7
Less than \$15,000	295	267,513	118	43.9	35.5-52.3	43	18.7	11.8-25.6	134	37.5	29.9-45.1
\$15,000- 24,999	443	396,604	152	40.4	33.5-47.3	51	15.9	10.6-21.2	240	43.8	36.7-50.9
\$25,000- 34,999	275	233,109	74	35.7	27.3-44.1	24	9.6	4.9-14.3	177	54.7	46.3-63.1
\$35,000- 49,999	400	325,465	89	30.7	23.1-38.3	42	13.2	7.5-18.9	269	56.0	48.2-63.8
\$50,000- 74,999	360	318,844	88	25.9	19.4-32.4	19	7.2	3.3-11.1	253	66.9	59.8-74.0
\$75,000+	488	393,992	62	16.5	11.2-21.8	39	11.6	6.9-16.3	387	71.9	65.4-78.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1334	1,256,644	317	29.2	25.7-32.7	120	11.8	9.1-14.5	897	59.1	55.2-63.0
White/Non-Hisp	1171	1,025,648	269	29.4	25.5-33.3	93	10.1	7.4-12.8	809	60.5	56.4-64.6
Black or Afr. Am./Non-Hisp	60	89,614	17	20.7	9.5-31.9	14	27.8	12.3-43.3	29	51.4	34.9-67.9
25-34	87	186,197	32	39.2	26.7-51.7	12	9.8	2.9-16.7	43	51.0	38.5-63.5
35-44	127	209,395	41	30.6	21.0-40.2	18	15.2	7.0-23.4	68	54.2	43.4-65.0
45-54	197	243,475	77	40.1	31.5-48.7	17	8.4	3.9-12.9	103	51.5	42.7-60.3
55-64	322	232,593	84	27.6	21.3-33.9	30	12.4	7.3-17.5	208	60.1	53.2-67.0
65+	558	271,568	70	13.7	10.0-17.4	31	6.7	3.6- 9.8	457	79.7	75.2-84.2
Less Than H.S.	143	222,449	53	38.9	28.1-49.7	18	13.9	5.5-22.3	72	47.2	35.8-58.6
H.S. or G.E.D.	515	512,589	150	35.0	29.1-40.9	45	9.7	6.4-13.0	320	55.3	49.4-61.2
Some Post-H.S.	315	343,085	73	23.0	16.9-29.1	26	13.9	7.8-20.0	216	63.1	55.7-70.5
College Graduate	353	172,359	41	12.5	7.8-17.2	30	10.8	5.9-15.7	282	76.7	70.4-83.0
Less than \$15,000	121	119,061	45	39.4	27.1-51.7	17	17.7	8.7-26.7	59	42.9	31.1-54.7
\$15,000- 24,999	194	191,988	73	39.5	30.1-48.9	22	16.3	9.0-23.6	99	44.1	34.3-53.9
\$25,000- 34,999	130	124,041	33	34.5	22.0-47.0	11	8.9	2.8-15.0	86	56.6	44.3-68.9
\$35,000- 49,999	210	171,481	40	25.6	17.2-34.0	24	14.9	6.1-23.7	146	59.5	49.5-69.5
\$50,000- 74,999	215	213,889	50	24.9	17.1-32.7	6	3.6	0.5- 6.7	159	71.5	63.1-79.9
\$75,000+	291	260,850	33	15.8	8.7-22.9	25	11.6	5.5-17.7	233	72.6	64.2-81.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1286	979,870	353	35.4	31.1-39.7	127	13.9	10.6-17.2	806	50.7	46.4-55.0
White/Non-Hisp	1154	855,076	311	35.4	30.9-39.9	108	13.5	10.0-17.0	735	51.0	46.5-55.5
Black or Afr. Am./Non-Hisp	73	81,393	22	33.6	19.7-47.5	12	17.4	6.6-28.2	39	49.0	34.1-63.9
25-34	84	159,101	28	42.5	29.4-55.6	14	17.9	7.5-28.3	42	39.5	27.0-52.0
35-44	106	128,196	44	36.4	25.8-47.0	12	15.7	5.7-25.7	50	47.9	36.5-59.3
45-54	201	175,974	80	42.9	34.7-51.1	32	16.9	10.2-23.6	89	40.2	32.2-48.2
55-64	316	186,596	97	28.5	22.4-34.6	26	7.8	4.1-11.5	193	63.7	57.0-70.4
65+	538	207,966	84	16.6	12.3-20.9	34	6.4	3.9- 8.9	420	77.0	72.3-81.7
Less Than H.S.	139	168,951	62	58.5	46.7-70.3	11	9.5	2.1-16.9	66	32.0	22.0-42.0
H.S. or G.E.D.	484	336,076	154	36.7	30.4-43.0	53	16.8	10.5-23.1	277	46.5	39.8-53.2
Some Post-H.S.	373	350,446	105	31.2	24.1-38.3	43	14.3	9.0-19.6	225	54.4	47.0-61.8
College Graduate	284	119,084	31	11.5	6.0-17.0	19	11.1	5.4-16.8	234	77.4	70.1-84.7
Less than \$15,000	174	148,452	73	47.4	35.8-59.0	26	19.4	9.4-29.4	75	33.1	23.1-43.1
\$15,000- 24,999	249	204,616	79	41.1	31.1-51.1	29	15.4	7.6-23.2	141	43.4	33.4-53.4
\$25,000- 34,999	145	109,069	41	37.1	25.9-48.3	13	10.5	3.4-17.6	91	52.4	41.4-63.4
\$35,000- 49,999	190	153,984	49	36.5	24.0-49.0	18	11.3	4.4-18.2	123	52.2	40.2-64.2
\$50,000- 74,999	145	104,954	38	27.9	16.9-38.9	13	14.6	5.0-24.2	94	57.5	45.5-69.5
\$75,000+	197	133,142	29	17.8	10.2-25.4	14	11.7	4.1-19.3	154	70.5	61.1-79.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	914	996,143	498	58.0	53.3-62.7	416	42.0	37.3-46.7
Male	435	513,463	232	56.6	50.1-63.1	203	43.4	36.9-49.9
Female	479	482,680	266	59.4	52.7-66.1	213	40.6	33.9-47.3
White/Non-Hisp	780	823,493	412	55.0	49.7-60.3	368	45.0	39.7-50.3
Black or Afr. Am./Non-Hisp	64	84,458	44	71.2	58.3-84.1	20	28.8	15.9-41.7
18-24	51	159,540	37	72.3	58.0-86.6	14	27.7	13.4-42.0
25-34	86	187,452	57	59.9	46.8-73.0	29	40.1	27.0-53.2
35-44	115	162,583	65	54.7	43.5-65.9	50	45.3	34.1-56.5
45-54	206	223,285	112	56.5	48.3-64.7	94	43.5	35.3-51.7
55-64	235	159,954	123	52.9	44.7-61.1	112	47.1	38.9-55.3
65+	218	102,460	104	49.0	40.4-57.6	114	51.0	42.4-59.6
Less Than H.S.	144	232,251	79	58.6	47.4-69.8	65	41.4	30.2-52.6
H.S. or G.E.D.	400	408,518	209	56.1	49.4-62.8	191	43.9	37.2-50.6
Some Post-H.S.	246	285,745	136	58.6	50.2-67.0	110	41.4	33.0-49.8
College Graduate	121	67,097	71	62.9	51.7-74.1	50	37.1	25.9-48.3
Less than \$15,000	160	167,097	94	57.3	45.9-68.7	66	42.7	31.3-54.1
\$15,000- 24,999	203	222,973	107	57.8	48.6-67.0	96	42.2	33.0-51.4
\$25,000- 34,999	98	105,698	52	58.9	45.4-72.4	46	41.1	27.6-54.6
\$35,000- 49,999	130	142,527	77	67.0	55.6-78.4	53	33.0	21.6-44.4
\$50,000- 74,999	107	105,531	61	64.3	52.1-76.5	46	35.7	23.5-47.9
\$75,000+	101	110,627	49	42.5	28.8-56.2	52	57.5	43.8-71.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	435	513,463	232	56.6	50.1-63.1	203	43.4	36.9-49.9
White/Non-Hisp	362	405,047	189	52.7	45.4-60.0	173	47.3	40.0-54.6
35-44	59	95,820	33	54.7	39.4-70.0	26	45.3	30.0-60.6
45-54	94	118,010	46	49.1	36.6-61.6	48	50.9	38.4-63.4
55-64	113	92,333	63	59.2	48.2-70.2	50	40.8	29.8-51.8
65+	100	54,644	46	49.6	36.9-62.3	54	50.4	37.7-63.1
Less Than H.S.	71	117,440	38	61.4	47.3-75.5	33	38.6	24.5-52.7
H.S. or G.E.D.	194	228,787	99	53.7	44.5-62.9	95	46.3	37.1-55.5
Some Post-H.S.	98	126,025	51	55.2	42.7-67.7	47	44.8	32.3-57.3
College Graduate	71	40,125	43	62.8	48.1-77.5	28	37.2	22.5-51.9
Less than \$15,000	62	68,006	34	60.4	44.5-76.3	28	39.6	23.7-55.5
\$15,000- 24,999	95	107,251	50	53.9	41.2-66.6	45	46.1	33.4-58.8
\$35,000- 49,999	63	68,961	41	71.1	57.4-84.8	22	28.9	15.2-42.6
\$50,000- 74,999	56	60,963	32	64.9	49.8-80.0	24	35.1	20.0-50.2
\$75,000+	58	71,346	25	32.8	16.5-49.1	33	67.2	50.9-83.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	479	482,680	266	59.4	52.9-65.9	213	40.6	34.1-47.1
White/Non-Hisp	418	418,446	223	57.2	49.9-64.5	195	42.8	35.5-50.1
35-44	56	66,763	32	54.8	38.7-70.9	24	45.2	29.1-61.3
45-54	112	105,275	66	64.7	54.5-74.9	46	35.3	25.1-45.5
55-64	122	67,621	60	44.3	33.5-55.1	62	55.7	44.9-66.5
65+	118	47,816	58	48.4	37.0-59.8	60	51.6	40.2-63.0
Less Than H.S.	73	114,811	41	55.8	38.7-72.9	32	44.2	27.1-61.3
H.S. or G.E.D.	206	179,731	110	59.2	49.8-68.6	96	40.8	31.4-50.2
Some Post-H.S.	148	159,720	85	61.3	49.9-72.7	63	38.7	27.3-50.1
College Graduate	50	26,972	28	63.1	45.5-80.7	22	36.9	19.3-54.5
Less than \$15,000	98	99,090	60	55.2	39.7-70.7	38	44.8	29.3-60.3
\$15,000- 24,999	108	115,722	57	61.3	48.6-74.0	51	38.7	26.0-51.4
\$25,000- 34,999	54	51,875	30	63.3	46.2-80.4	24	36.7	19.6-53.8
\$35,000- 49,999	67	73,566	36	63.1	45.3-80.9	31	36.9	19.1-54.7
\$50,000- 74,999	51	44,568	29	63.4	43.6-83.2	22	36.6	16.8-56.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1692	1,230,915	144	15.5	12.4-18.6	238	20.1	17.0-23.2	168	12.2	9.8-14.6	1078	49.7	46.2-53.2	64	2.6	1.8- 3.4
Male	890	735,191	72	15.1	10.8-19.4	115	21.2	16.7-25.7	88	11.7	8.6-14.8	583	49.8	45.1-54.5	32	2.1	1.1- 3.1
Female	802	495,723	72	16.0	11.3-20.7	123	18.4	14.5-22.3	80	12.9	9.0-16.8	495	49.5	44.4-54.6	32	3.2	1.6- 4.8
White/Non-Hisp	1534	1,051,713	126	15.8	12.3-19.3	201	18.9	15.8-22.0	155	12.2	9.7-14.7	993	50.5	46.8-54.2	59	2.6	1.6- 3.6
Black or Afr. Am./Non-Hisp	67	83,166	8	11.0	2.2-19.8	15	17.9	6.7-29.1	6	12.6	1.4-23.8	35	54.3	38.0-70.6	3	4.3	0.0-10.2
25-34	85	157,845	27	32.1	19.6-44.6	34	40.2	27.7-52.7	13	16.5	6.9-26.1	9	9.2	2.3-16.1	2	2.1	0.0- 5.0
35-44	117	172,185	20	14.7	7.3-22.1	39	38.7	27.1-50.3	21	19.9	10.7-29.1	34	24.2	15.4-33.0	3	2.6	0.0- 5.7
45-54	192	196,163	27	15.3	8.8-21.8	38	16.3	10.2-22.4	29	16.0	9.3-22.7	97	52.0	42.8-61.2	1	0.3	0.0- 0.9
55-64	397	255,304	23	5.9	2.8- 9.0	58	16.1	11.2-21.0	43	10.5	6.6-14.4	257	63.9	57.8-70.0	16	3.7	1.5- 5.9
65+	871	374,373	30	4.6	2.4- 6.8	64	7.6	5.2-10.0	58	7.4	4.9- 9.9	677	76.6	72.7-80.5	42	3.7	2.3- 5.1
Less Than H.S.	138	159,149	18	16.1	7.5-24.7	15	18.4	6.2-30.6	13	7.7	2.8-12.6	89	57.2	45.0-69.4	3	0.6	0.0- 1.4
H.S. or G.E.D.	592	438,142	56	19.0	13.3-24.7	87	18.9	14.2-23.6	62	13.7	9.4-18.0	367	46.4	40.7-52.1	20	2.0	0.8- 3.2
Some Post-H.S.	438	402,426	31	13.9	8.0-19.8	70	20.2	14.3-26.1	43	12.6	7.9-17.3	281	50.4	43.7-57.1	13	2.9	0.9- 4.9
College Graduate	514	222,881	37	11.0	6.5-15.5	65	24.0	17.7-30.3	48	11.4	7.3-15.5	336	49.2	42.9-55.5	28	4.4	2.0- 6.8
Less than \$15,000	132	96,849	17	18.5	8.9-28.1	22	19.2	9.8-28.6	20	18.9	8.3-29.5	70	41.8	30.4-53.2	3	1.6	0.0- 3.6
\$15,000- 24,999	237	173,045	26	24.4	13.2-35.6	38	16.3	8.9-23.7	27	12.6	6.3-18.9	138	45.0	35.0-55.0	8	1.7	0.0- 3.5
\$25,000- 34,999	176	125,791	15	12.5	5.1-19.9	23	16.9	9.1-24.7	16	15.8	6.6-25.0	119	54.3	43.9-64.7	3	0.5	0.0- 1.1
\$35,000- 49,999	269	182,383	24	18.8	10.6-27.0	33	16.1	9.6-22.6	19	8.7	3.0-14.4	178	52.0	43.2-60.8	15	4.4	1.3- 7.5
\$50,000- 74,999	253	213,312	19	13.1	4.9-21.3	45	33.7	23.1-44.3	18	6.1	2.4- 9.8	158	44.9	35.9-53.9	13	2.1	0.5- 3.7
\$75,000+	385	281,901	30	10.9	6.0-15.8	48	16.9	10.8-23.0	42	14.0	8.7-19.3	248	53.8	46.5-61.1	17	4.3	1.8- 6.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	890	735,191	72	15.1	10.8-19.4	115	21.2	16.7-25.7	88	11.7	8.6-14.8	583	49.8	45.1-54.5	32	2.1	1.1- 3.1
White/Non-Hisp	803	616,549	63	15.8	11.1-20.5	97	19.9	15.4-24.4	79	11.6	8.5-14.7	534	50.4	45.3-55.5	30	2.3	1.3- 3.3
35-44	67	110,752	7	9.0	1.0-17.0	25	45.8	30.3-61.3	11	18.2	6.6-29.8	24	26.9	14.9-38.9			
45-54	103	125,465	15	16.3	7.3-25.3	15	12.9	5.5-20.3	20	19.7	10.3-29.1	52	50.6	38.1-63.1	1	0.4	0.0- 1.2
55-64	205	137,073	10	4.3	1.2- 7.4	28	15.1	8.8-21.4	21	8.6	4.3-12.9	137	68.0	60.2-75.8	9	4.0	1.1- 6.9
65+	454	214,946	16	5.1	2.0- 8.2	23	4.3	1.9- 6.7	28	7.1	3.8-10.4	366	79.8	74.7-84.9	21	3.7	1.7- 5.7
Less Than H.S.	72	105,009	14	21.0	8.7-33.3	9	22.1	5.2-39.0	4	3.4	0.0- 7.1	42	52.6	36.3-68.9	3	0.9	0.0- 2.1
H.S. or G.E.D.	318	282,907	27	17.5	10.4-24.6	47	20.0	13.7-26.3	32	14.2	8.5-19.9	202	46.3	39.0-53.6	10	2.0	0.4- 3.6
Some Post-H.S.	214	212,057	12	13.0	4.4-21.6	29	20.3	11.3-29.3	19	10.6	4.9-16.3	149	54.8	45.0-64.6	5	1.4	0.0- 2.8
College Graduate	280	130,769	18	9.1	4.0-14.2	30	25.5	16.5-34.5	32	14.4	7.9-20.9	186	46.3	37.9-54.7	14	4.7	1.4- 8.0
Less than \$15,000	58	48,232	9	21.5	7.4-35.6	8	16.4	3.3-29.5	6	15.3	2.4-28.2	34	45.6	29.1-62.1	1	1.2	0.0- 3.6
\$15,000- 24,999	98	84,518	11	19.5	6.8-32.2	12	12.6	2.6-22.6	9	11.3	2.7-19.9	62	53.9	39.4-68.4	4	2.6	0.0- 5.9
\$25,000- 34,999	85	68,597	3	8.1	0.0-18.3	9	14.4	3.4-25.4	8	18.9	4.0-33.8	65	58.5	42.6-74.4			
\$35,000- 49,999	146	101,965	14	22.0	10.0-34.0	18	19.2	9.4-29.0	8	6.8	0.1-13.5	97	47.2	35.8-58.6	9	4.8	0.7- 8.9
\$50,000- 74,999	159	152,927	12	14.6	3.8-25.4	30	35.8	22.1-49.5	9	3.8	0.7- 6.9	102	44.5	32.9-56.1	6	1.3	0.0- 2.7
\$75,000+	231	188,039	14	9.5	3.0-16.0	25	17.8	9.6-26.0	33	16.8	9.9-23.7	150	53.2	43.6-62.8	9	2.6	0.4- 4.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	802	495,723	72	16.0	11.3-20.7	123	18.4	14.5-22.3	80	12.9	9.0-16.8	495	49.5	44.4-54.6	32	3.2	1.6- 4.8
White/Non-Hisp	731	435,164	63	15.8	10.7-20.9	104	17.6	13.5-21.7	76	13.0	9.1-16.9	459	50.5	45.2-55.8	29	3.1	1.5- 4.7
35-44	50	61,433	13	24.8	10.5-39.1	14	25.9	11.4-40.4	10	22.9	8.0-37.8	10	19.2	6.5-31.9	3	7.1	0.0-15.9
45-54	89	70,699	12	13.5	5.1-21.9	23	22.5	12.7-32.3	9	9.5	1.7-17.3	45	54.5	42.2-66.8			
55-64	192	118,231	13	7.7	1.8-13.6	30	17.3	9.9-24.7	22	12.7	6.0-19.4	120	59.1	49.7-68.5	7	3.3	0.4- 6.2
65+	417	159,427	14	4.1	1.4- 6.8	41	12.0	7.5-16.5	30	7.9	4.2-11.6	311	72.3	66.2-78.4	21	3.8	1.6- 6.0
Less Than H.S.	66	54,140	4	6.6	0.0-13.9	6	11.2	0.0-22.6	9	16.0	4.4-27.6	47	66.2	51.1-81.3			
H.S. or G.E.D.	274	155,234	29	21.8	11.8-31.8	40	16.8	10.7-22.9	30	12.8	6.9-18.7	165	46.6	38.0-55.2	10	2.0	0.4- 3.6
Some Post-H.S.	224	190,369	19	14.9	7.1-22.7	41	20.1	13.0-27.2	24	14.9	7.3-22.5	132	45.4	36.4-54.4	8	4.7	1.0- 8.4
College Graduate	234	92,113	19	13.6	5.8-21.4	35	21.9	13.5-30.3	16	7.0	2.7-11.3	150	53.4	44.0-62.8	14	4.0	1.3- 6.7
Less than \$15,000	74	48,618	8	15.5	2.6-28.4	14	21.9	8.6-35.2	14	22.6	6.1-39.1	36	37.9	22.6-53.2	2	2.1	0.0- 5.6
\$15,000- 24,999	139	88,527	15	29.1	12.0-46.2	26	19.8	8.6-31.0	18	13.8	5.0-22.6	76	36.5	24.2-48.8	4	0.8	0.0- 1.8
\$25,000- 34,999	91	57,194	12	17.8	6.8-28.8	14	20.0	8.8-31.2	8	12.0	2.4-21.6	54	49.2	36.1-62.3	3	1.0	0.0- 2.4
\$35,000- 49,999	123	80,418	10	14.6	4.6-24.6	15	12.1	4.7-19.5	11	11.2	1.2-21.2	81	58.1	45.0-71.2	6	3.9	0.0- 9.0
\$50,000- 74,999	94	60,386	7	9.5	0.9-18.1	15	28.3	14.6-42.0	9	11.9	1.9-21.9	56	46.0	32.7-59.3	7	4.3	0.2- 8.4
\$75,000+	154	93,862	16	13.8	6.2-21.4	23	15.0	7.9-22.1	9	8.4	0.4-16.4	98	55.1	44.1-66.1	8	7.7	1.6-13.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5825	4,841,480	82	2.7	1.9- 3.5	65	1.7	1.1- 2.3	5678	95.6	94.6-96.6
Male	2473	2,344,125	77	5.5	3.9- 7.1	57	3.2	2.0- 4.4	2339	91.3	89.3-93.3
Female	3352	2,497,355	5	0.1	0.0- 0.3	8	0.3	0.1- 0.5	3339	99.6	99.4-99.8
White/Non-Hisp	5075	3,939,346	73	2.9	2.1- 3.7	49	1.5	0.9- 2.1	4953	95.6	94.6-96.6
Black or Afr. Am./Non-Hisp	297	392,840	4	1.0	0.0- 2.4	5	1.7	0.1- 3.3	288	97.3	95.1-99.5
Oth. Race/Non-Hisp.	109	99,032							109	100.0	100.0- 100
MultiRacial/Non-Hisp.	75	55,702	2	7.9	0.0-21.4	3	8.1	0.0-16.9	70	84.0	68.9-99.1
Hispanic	176	271,194	1	1.9	0.0- 5.6	3	2.6	0.0- 5.7	172	95.5	90.8- 100
18-24	265	654,067	10	5.2	1.9- 8.5	7	2.9	0.4- 5.4	248	92.0	87.9-96.1
25-34	439	811,835	11	3.7	1.2- 6.2	9	2.1	0.5- 3.7	419	94.2	91.3-97.1
35-44	589	767,583	10	2.7	0.7- 4.7	6	0.9	0.1- 1.7	573	96.4	94.2-98.6
45-54	873	825,801	22	3.8	1.8- 5.8	18	3.1	1.5- 4.7	833	93.2	90.7-95.7
55-64	1342	807,502	14	1.1	0.5- 1.7	8	0.8	0.2- 1.4	1320	98.2	97.4-99.0
65+	2263	943,934	14	0.8	0.2- 1.4	17	0.8	0.4- 1.2	2232	98.4	97.6-99.2
Less Than H.S.	451	637,556	10	3.2	0.5- 5.9	14	3.7	1.0- 6.4	427	93.0	89.3-96.7
H.S. or G.E.D.	1944	1,656,169	40	4.3	2.5- 6.1	23	1.5	0.7- 2.3	1881	94.2	92.2-96.2
Some Post-H.S.	1471	1,489,049	19	1.8	0.8- 2.8	14	1.7	0.7- 2.7	1438	96.5	95.1-97.9
College Graduate	1926	1,034,321	13	1.3	0.5- 2.1	14	0.8	0.2- 1.4	1899	97.9	96.9-98.9
Less than \$15,000	502	469,376	6	0.5	0.1- 0.9	11	3.6	0.5- 6.7	485	95.9	92.6-99.2
\$15,000- 24,999	867	726,511	5	0.5	0.0- 1.1	8	1.0	0.2- 1.8	854	98.5	97.5-99.5
\$25,000- 34,999	552	456,583	10	4.0	0.9- 7.1	5	2.6	0.1- 5.1	537	93.4	89.5-97.3
\$35,000- 49,999	828	684,790	15	3.8	1.3- 6.3	14	2.8	1.0- 4.6	799	93.4	90.3-96.5
\$50,000- 74,999	834	717,687	16	3.6	1.4- 5.8	10	1.4	0.2- 2.6	808	95.0	92.6-97.4
\$75,000+	1392	1,125,731	18	3.4	1.2- 5.6	11	1.0	0.2- 1.8	1363	95.6	93.4-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2473	2,344,125	77	5.5	3.9- 7.1	57	3.2	2.0- 4.4	2339	91.3	89.3-93.3
White/Non-Hisp	2148	1,888,795	69	5.9	4.1- 7.7	43	2.9	1.7- 4.1	2036	91.2	89.0-93.4
Black or Afr. Am./Non-Hisp	108	177,400	3	2.2	0.0- 5.3	4	2.9	0.0- 5.8	101	94.9	90.6-99.2
Oth. Race/Non-Hisp.	57	62,970							57	100.0	100.0- 100
Hispanic	66	129,142	1	4.0	0.0-11.6	3	5.4	0.0-11.9	62	90.6	81.0- 100
18-24	142	329,422	10	10.2	3.7-16.7	6	5.3	0.2-10.4	126	84.4	76.6-92.2
25-34	196	407,443	10	7.3	2.4-12.2	9	4.2	1.1- 7.3	177	88.5	82.8-94.2
35-44	264	381,484	10	5.4	1.5- 9.3	6	1.7	0.1- 3.3	248	92.8	88.7-96.9
45-54	386	413,668	20	7.1	3.4-10.8	16	5.5	2.4- 8.6	350	87.4	82.7-92.1
55-64	600	393,391	14	2.2	0.8- 3.6	6	1.2	0.0- 2.4	580	96.6	95.0-98.2
65+	869	411,698	13	1.8	0.6- 3.0	14	1.6	0.6- 2.6	842	96.6	95.0-98.2
Less Than H.S.	192	324,508	9	6.3	1.0-11.6	13	7.2	1.9-12.5	170	86.5	79.4-93.6
H.S. or G.E.D.	816	859,465	39	8.2	4.9-11.5	18	2.3	0.9- 3.7	759	89.4	85.9-92.9
Some Post-H.S.	564	653,317	16	3.9	1.7- 6.1	13	3.6	1.4- 5.8	535	92.5	89.4-95.6
College Graduate	888	497,623	13	2.7	0.9- 4.5	13	1.6	0.6- 2.6	862	95.8	93.8-97.8
Less than \$15,000	173	170,019	5	1.3	0.1- 2.5	9	8.9	0.5-17.3	159	89.8	81.4-98.2
\$15,000- 24,999	305	308,103	4	1.1	0.0- 2.5	7	2.3	0.3- 4.3	294	96.6	94.2-99.0
\$25,000- 34,999	218	226,834	10	8.1	2.0-14.2	5	5.2	0.1-10.3	203	86.7	79.3-94.1
\$35,000- 49,999	371	331,828	12	7.2	2.1-12.3	12	5.0	1.5- 8.5	347	87.7	81.8-93.6
\$50,000- 74,999	406	401,657	16	6.4	2.7-10.1	8	2.2	0.2- 4.2	382	91.4	87.3-95.5
\$75,000+	702	617,603	18	6.3	2.6-10.0	11	1.8	0.4- 3.2	673	92.0	88.1-95.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3352	2,497,355	5	0.1	0.0- 0.3	8	0.3	0.1- 0.5	3339	99.6	99.4-99.8
White/Non-Hisp	2927	2,050,550	4	0.1	0.0- 0.3	6	0.2	0.0- 0.4	2917	99.7	99.5-99.9
Black or Afr. Am./Non-Hisp	189	215,440	1	0.1	0.0- 0.3	1	0.7	0.0- 2.1	187	99.2	97.8- 100
Oth. Race/Non-Hisp.	52	36,062							52	100.0	100.0- 100
Hispanic	110	142,052							110	100.0	100.0- 100
18-24	123	324,645				1	0.4	0.0- 1.2	122	99.6	98.8- 100
25-34	243	404,393	1	0.1	0.0- 0.3				242	99.9	99.7- 100
35-44	325	386,100							325	100.0	100.0- 100
45-54	487	412,133	2	0.4	0.0- 1.0	2	0.6	0.0- 1.4	483	99.0	98.0- 100
55-64	742	414,111				2	0.4	0.0- 1.0	740	99.6	99.0- 100
65+	1394	532,236	1	0.0	0.0- 0.0	3	0.3	0.0- 0.7	1390	99.7	99.3- 100
Less Than H.S.	259	313,048	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	257	99.8	99.6- 100
H.S. or G.E.D.	1128	796,704	1	0.0	0.0- 0.0	5	0.5	0.0- 1.1	1122	99.4	98.8- 100
Some Post-H.S.	907	835,732	3	0.2	0.0- 0.4	1	0.2	0.0- 0.6	903	99.6	99.2- 100
College Graduate	1038	536,698				1	0.2	0.0- 0.6	1037	99.8	99.4- 100
Less than \$15,000	329	299,357	1	0.1	0.0- 0.3	2	0.6	0.0- 1.6	326	99.3	98.3- 100
\$15,000- 24,999	562	418,409	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	560	99.9	99.7- 100
\$25,000- 34,999	334	229,749							334	100.0	100.0- 100
\$35,000- 49,999	457	352,962	3	0.6	0.0- 1.2	2	0.7	0.0- 1.7	452	98.7	97.5-99.9
\$50,000- 74,999	428	316,030				2	0.4	0.0- 1.0	426	99.6	99.0- 100
\$75,000+	690	508,127							690	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015**

SECTION 9: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1	MALES AND FEMALES	188
2	MALES ONLY	189
3	FEMALES ONLY	190
	ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4	MALES AND FEMALES	191
5	MALES ONLY	192
6	FEMALES ONLY	193
	CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7	MALES AND FEMALES	194
8	MALES ONLY	195
9	FEMALES ONLY	196
	DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK5)	
10	MALES AND FEMALES	197
11	MALES ONLY	198
12	FEMALES ONLY	199

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5797	4,812,369	604	10.8	9.6-12.0	127	1.9	1.3- 2.5	1544	30.7	28.9-32.5	376	6.0	5.2- 6.8	3146	50.6	48.6-52.6
Male	2460	2,332,844	332	12.4	10.6-14.2	70	2.8	1.8- 3.8	690	31.9	29.2-34.6	258	9.2	7.6-10.8	1110	43.7	40.8-46.6
Female	3337	2,479,525	272	9.2	7.6-10.8	57	1.0	0.6- 1.4	854	29.7	27.3-32.1	118	3.0	2.2- 3.8	2036	57.1	54.6-59.6
White/Non-Hisp	5052	3,918,823	542	11.3	9.9-12.7	120	2.1	1.5- 2.7	1337	30.5	28.5-32.5	342	6.3	5.3- 7.3	2711	49.8	47.6-52.0
Black or Afr. Am./Non-Hisp	290	383,668	25	9.9	5.2-14.6	3	1.3	0.0- 2.9	82	30.2	23.1-37.3	14	5.9	2.2- 9.6	166	52.7	44.7-60.7
Oth. Race/Non-Hisp.	109	99,081	9	4.4	0.9- 7.9	1	1.6	0.0- 4.7	26	24.0	13.4-34.6	5	5.5	0.0-12.4	68	64.5	52.5-76.5
MultiRacial/Non-Hisp.	76	55,788	3	7.7	0.0-17.9				19	28.6	14.5-42.7	5	6.3	0.0-12.8	49	57.4	41.3-73.5
Hispanic	178	271,810	16	7.8	3.1-12.5				59	37.5	28.1-46.9	6	3.2	0.0- 7.1	97	51.4	41.8-61.0
18-24	263	649,426	34	11.9	7.6-16.2	1	0.2	0.0- 0.6	101	35.8	29.1-42.5	18	6.1	3.0- 9.2	109	45.9	38.6-53.2
25-34	439	813,922	64	14.5	10.6-18.4	6	1.7	0.0- 3.5	156	36.4	30.9-41.9	26	5.1	2.7- 7.5	187	42.3	36.6-48.0
35-44	584	762,062	65	10.1	7.2-13.0	7	1.1	0.1- 2.1	231	39.5	34.6-44.4	44	7.7	5.0-10.4	237	41.6	36.5-46.7
45-54	869	820,863	103	10.9	8.4-13.4	16	2.5	0.9- 4.1	279	30.8	26.9-34.7	66	7.0	5.0- 9.0	405	48.8	44.5-53.1
55-64	1334	800,574	145	10.9	8.7-13.1	31	2.7	1.3- 4.1	385	29.1	26.0-32.2	83	5.8	4.2- 7.4	690	51.5	48.0-55.0
65+	2257	938,139	188	6.8	5.6- 8.0	66	2.7	1.9- 3.5	382	16.9	14.7-19.1	137	4.7	3.7- 5.7	1484	68.8	66.3-71.3
Less Than H.S.	444	628,083	22	4.6	1.7- 7.5	6	1.9	0.3- 3.5	61	19.5	14.0-25.0	9	2.3	0.3- 4.3	346	71.6	65.3-77.9
H.S. or G.E.D.	1944	1,655,294	144	8.1	6.3- 9.9	35	1.7	0.9- 2.5	427	29.0	25.9-32.1	92	5.4	3.8- 7.0	1246	55.8	52.5-59.1
Some Post-H.S.	1465	1,482,119	151	12.4	9.9-14.9	29	1.9	0.9- 2.9	411	33.4	29.9-36.9	85	5.9	4.3- 7.5	789	46.5	43.0-50.0
College Graduate	1913	1,024,875	284	16.4	14.0-18.8	57	2.2	1.4- 3.0	644	37.2	34.1-40.3	189	9.5	7.5-11.5	739	34.8	31.9-37.7
Less than \$15,000	503	468,630	21	5.8	2.7- 8.9	4	0.8	0.0- 2.0	87	23.6	17.7-29.5	23	4.0	1.8- 6.2	368	65.8	59.5-72.1
\$15,000- 24,999	869	723,233	65	7.3	4.9- 9.7	12	1.5	0.3- 2.7	157	23.6	18.9-28.3	30	4.3	2.3- 6.3	605	63.3	58.2-68.4
\$25,000- 34,999	552	458,677	44	8.9	5.4-12.4	13	2.4	0.8- 4.0	130	27.8	22.3-33.3	29	5.2	2.5- 7.9	336	55.6	49.5-61.7
\$35,000- 49,999	821	677,681	84	11.9	8.2-15.6	12	0.7	0.1- 1.3	237	33.2	28.5-37.9	43	5.0	2.6- 7.4	445	49.3	44.2-54.4
\$50,000- 74,999	832	716,948	95	11.2	8.3-14.1	26	3.5	1.3- 5.7	264	35.4	30.5-40.3	64	6.8	4.6- 9.0	383	43.2	38.3-48.1
\$75,000+	1385	1,119,703	232	17.1	14.2-20.0	41	1.9	1.1- 2.7	506	38.6	34.9-42.3	151	10.1	7.7-12.5	455	32.2	28.7-35.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2460	2,332,844	332	12.4	10.6-14.2	70	2.8	1.8- 3.8	690	31.9	29.2-34.6	258	9.2	7.6-10.8	1110	43.7	40.8-46.6
White/Non-Hisp	2139	1,882,553	295	13.0	11.0-15.0	65	3.1	1.9- 4.3	588	30.9	28.0-33.8	233	9.5	7.7-11.3	958	43.5	40.4-46.6
Black or Afr. Am./Non-Hisp	104	172,075	11	11.1	3.3-18.9	2	2.3	0.0- 5.6	30	29.0	17.8-40.2	9	9.3	2.0-16.6	52	48.3	35.8-60.8
Oth. Race/Non-Hisp.	56	62,702	7	5.8	0.3-11.3	1	2.5	0.0- 7.4	18	30.4	15.1-45.7	4	8.3	0.0-18.9	26	52.8	35.6-70.0
Hispanic	67	129,696	11	12.4	3.4-21.4				31	52.1	36.6-67.6	5	6.5	0.0-14.7	20	29.0	14.5-43.5
18-24	142	329,422	20	15.5	8.4-22.6				58	36.7	27.7-45.7	15	10.8	4.9-16.7	49	37.0	27.6-46.4
25-34	197	410,359	30	13.1	7.6-18.6	3	2.3	0.0- 5.4	80	40.2	31.8-48.6	19	8.1	4.0-12.2	65	36.3	28.1-44.5
35-44	262	379,049	33	10.6	6.5-14.7	6	2.0	0.0- 4.0	106	39.5	32.1-46.9	34	11.8	7.1-16.5	83	36.2	28.8-43.6
45-54	382	408,957	55	12.5	8.4-16.6	11	4.5	1.6- 7.4	116	28.6	22.9-34.3	44	9.0	5.9-12.1	156	45.4	38.7-52.1
55-64	593	388,941	78	12.6	9.3-15.9	18	3.9	1.4- 6.4	171	29.3	24.6-34.0	56	8.6	5.7-11.5	270	45.6	40.5-50.7
65+	868	409,095	112	10.5	8.1-12.9	32	3.6	1.8- 5.4	159	18.8	15.3-22.3	89	7.3	5.3- 9.3	476	59.8	55.5-64.1
Less Than H.S.	188	317,330	18	8.0	2.5-13.5	6	3.7	0.4- 7.0	31	19.1	11.7-26.5	6	3.5	0.0- 7.2	127	65.8	56.8-74.8
H.S. or G.E.D.	813	860,009	86	9.6	6.9-12.3	21	2.6	1.2- 4.0	211	31.4	26.9-35.9	58	7.7	5.2-10.2	437	48.6	43.9-53.3
Some Post-H.S.	564	652,832	83	15.9	11.6-20.2	13	2.9	0.5- 5.3	162	34.5	29.0-40.0	56	9.6	6.5-12.7	250	37.1	31.8-42.4
College Graduate	883	494,087	144	15.4	12.3-18.5	30	2.4	1.2- 3.6	285	37.9	33.4-42.4	137	14.8	11.5-18.1	287	29.5	25.2-33.8
Less than \$15,000	173	169,003	16	10.2	4.3-16.1	2	1.8	0.0- 4.7	33	20.8	12.8-28.8	18	9.4	3.9-14.9	104	57.8	47.8-67.8
\$15,000- 24,999	302	303,635	36	9.0	5.3-12.7	7	2.5	0.0- 5.0	62	22.4	15.5-29.3	18	5.9	2.2- 9.6	179	60.2	52.6-67.8
\$25,000- 34,999	219	231,827	25	11.3	5.4-17.2	7	3.3	0.6- 6.0	53	30.8	21.8-39.8	17	5.8	2.5- 9.1	117	48.8	39.4-58.2
\$35,000- 49,999	371	332,240	48	15.4	9.5-21.3	5	0.8	0.0- 1.6	110	35.8	28.7-42.9	29	8.0	3.7-12.3	179	40.0	32.9-47.1
\$50,000- 74,999	406	401,920	50	10.5	6.8-14.2	18	5.3	1.6- 9.0	121	33.1	26.2-40.0	47	9.7	6.0-13.4	170	41.4	34.1-48.7
\$75,000+	697	612,898	120	16.2	12.1-20.3	22	2.3	0.9- 3.7	246	38.6	33.3-43.9	110	14.5	10.6-18.4	199	28.4	23.3-33.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3337	2,479,525	272	9.2	7.6-10.8	57	1.0	0.6- 1.4	854	29.7	27.3-32.1	118	3.0	2.2- 3.8	2036	57.1	54.6-59.6
White/Non-Hisp	2913	2,036,270	247	9.8	8.2-11.4	55	1.2	0.8- 1.6	749	30.2	27.5-32.9	109	3.2	2.2- 4.2	1753	55.6	52.9-58.3
Black or Afr. Am./Non-Hisp	186	211,593	14	9.0	3.5-14.5	1	0.5	0.0- 1.5	52	31.3	22.3-40.3	5	3.0	0.0- 6.1	114	56.2	46.2-66.2
Oth. Race/Non-Hisp.	53	36,379	2	2.0	0.0- 4.9				8	12.9	1.7-24.1	1	0.6	0.0- 1.8	42	84.5	72.9-96.1
Hispanic	111	142,114	5	3.7	0.0- 7.4				28	24.2	14.2-34.2	1	0.3	0.0- 0.9	77	71.8	61.4-82.2
18-24	121	320,004	14	8.3	3.4-13.2	1	0.4	0.0- 1.2	43	34.8	24.8-44.8	3	1.4	0.0- 3.0	60	55.1	44.5-65.7
25-34	242	403,563	34	15.9	10.2-21.6	3	1.0	0.0- 2.2	76	32.5	25.2-39.8	7	2.1	0.1- 4.1	122	48.5	40.9-56.1
35-44	322	383,013	32	9.7	5.6-13.8	1	0.3	0.0- 0.9	125	39.5	32.8-46.2	10	3.6	0.5- 6.7	154	47.0	40.1-53.9
45-54	487	411,906	48	9.4	6.3-12.5	5	0.5	0.1- 0.9	163	33.0	27.7-38.3	22	5.0	2.6- 7.4	249	52.1	46.6-57.6
55-64	741	411,633	67	9.3	6.8-11.8	13	1.5	0.5- 2.5	214	28.9	24.6-33.2	27	3.1	1.7- 4.5	420	57.1	52.6-61.6
65+	1389	529,044	76	4.0	2.8- 5.2	34	2.0	1.2- 2.8	223	15.5	13.0-18.0	48	2.7	1.7- 3.7	1008	75.8	72.9-78.7
Less Than H.S.	256	310,753	4	1.3	0.0- 2.9				30	20.0	11.8-28.2	3	1.1	0.0- 2.7	219	77.6	69.2-86.0
H.S. or G.E.D.	1131	795,285	58	6.5	4.1- 8.9	14	0.7	0.3- 1.1	216	26.4	22.3-30.5	34	2.9	1.3- 4.5	809	63.6	59.1-68.1
Some Post-H.S.	901	829,287	68	9.6	6.7-12.5	16	1.1	0.5- 1.7	249	32.5	28.2-36.8	29	3.0	1.6- 4.4	539	53.9	49.4-58.4
College Graduate	1030	530,787	140	17.2	13.9-20.5	27	2.1	0.9- 3.3	359	36.6	32.5-40.7	52	4.5	2.9- 6.1	452	39.6	35.5-43.7
Less than \$15,000	330	299,627	5	3.4	0.0- 6.9	2	0.2	0.0- 0.6	54	25.1	17.1-33.1	5	1.0	0.0- 2.2	264	70.3	62.1-78.5
\$15,000- 24,999	567	419,598	29	6.1	3.0- 9.2	5	0.7	0.0- 1.5	95	24.4	17.9-30.9	12	3.2	0.8- 5.6	426	65.6	58.9-72.3
\$25,000- 34,999	333	226,850	19	6.5	2.8-10.2	6	1.4	0.0- 2.8	77	24.7	18.2-31.2	12	4.6	0.5- 8.7	219	62.7	55.3-70.1
\$35,000- 49,999	450	345,441	36	8.4	4.1-12.7	7	0.5	0.0- 1.1	127	30.7	24.4-37.0	14	2.1	0.5- 3.7	266	58.2	51.3-65.1
\$50,000- 74,999	426	315,027	45	11.9	7.2-16.6	8	1.2	0.0- 2.4	143	38.4	31.5-45.3	17	3.0	1.2- 4.8	213	45.5	38.8-52.2
\$75,000+	688	506,805	112	18.2	14.1-22.3	19	1.5	0.7- 2.3	260	38.6	33.5-43.7	41	4.8	2.6- 7.0	256	36.9	31.8-42.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2613	2,333,319	1275	39.4	36.9-41.9	769	29.6	27.1-32.1	277	14.1	11.9-16.3	102	5.5	4.1- 6.9	190	11.5	9.5-13.5
Male	1322	1,280,568	505	30.8	27.3-34.3	423	29.3	26.0-32.6	170	16.4	13.3-19.5	74	6.5	4.5- 8.5	150	17.0	13.9-20.1
Female	1291	1,052,751	770	49.7	45.8-53.6	346	30.0	26.3-33.7	107	11.2	8.5-13.9	28	4.2	2.0- 6.4	40	4.9	2.9- 6.9
White/Non-Hisp	2311	1,939,991	1157	40.6	37.7-43.5	672	29.6	26.9-32.3	243	13.8	11.6-16.0	87	5.6	4.0- 7.2	152	10.3	8.3-12.3
Black or Afr. Am./Non-Hisp	118	169,361	50	35.8	25.4-46.2	38	34.8	24.0-45.6	15	11.4	4.0-18.8	4	4.0	0.0- 8.5	11	14.0	5.4-22.6
Hispanic	81	132,109	25	32.0	18.7-45.3	24	18.5	8.9-28.1	10	21.9	8.6-35.2	5	5.8	0.0-11.7	17	21.8	10.6-33.0
18-24	151	346,003	29	19.7	12.3-27.1	52	32.1	23.7-40.5	25	16.5	9.6-23.4	14	11.1	4.8-17.4	31	20.7	13.3-28.1
25-34	248	460,846	78	31.9	25.0-38.8	83	29.6	22.9-36.3	38	18.1	11.8-24.4	16	5.9	2.4- 9.4	33	14.4	9.1-19.7
35-44	342	431,184	136	40.2	33.7-46.7	108	29.5	23.4-35.6	42	12.6	8.1-17.1	17	4.8	1.9- 7.7	39	12.8	8.3-17.3
45-54	456	413,450	195	39.3	33.6-45.0	139	29.0	23.7-34.3	68	17.6	12.9-22.3	20	4.6	2.2- 7.0	34	9.5	6.0-13.0
55-64	639	386,387	325	46.5	41.6-51.4	187	30.0	25.5-34.5	67	11.7	8.4-15.0	24	4.4	1.9- 6.9	36	7.4	4.5-10.3
65+	760	286,709	502	63.9	59.2-68.6	194	26.3	22.0-30.6	37	5.3	3.3- 7.3	10	1.9	0.5- 3.3	17	2.7	1.1- 4.3
Less Than H.S.	96	176,962	30	24.0	13.4-34.6	26	28.1	16.1-40.1	17	21.9	10.5-33.3	6	9.8	1.0-18.6	17	16.2	7.4-25.0
H.S. or G.E.D.	679	713,988	317	36.7	31.8-41.6	171	24.6	20.1-29.1	78	15.4	11.3-19.5	37	6.8	3.9- 9.7	76	16.5	12.2-20.8
Some Post-H.S.	667	773,793	304	38.4	33.5-43.3	207	33.2	28.3-38.1	80	13.0	9.5-16.5	28	5.8	3.3- 8.3	48	9.7	6.6-12.8
College Graduate	1166	664,586	620	47.3	43.4-51.2	364	31.2	27.7-34.7	102	11.8	9.1-14.5	31	2.6	1.6- 3.6	49	7.1	4.7- 9.5
Less than \$15,000	130	154,392	51	29.8	20.0-39.6	41	37.4	25.8-49.0	21	19.1	9.3-28.9	6	6.7	0.0-14.5	11	6.9	1.8-12.0
\$15,000- 24,999	258	262,855	115	38.1	29.7-46.5	72	24.1	16.5-31.7	34	16.5	9.2-23.8	12	7.1	1.4-12.8	25	14.1	7.8-20.4
\$25,000- 34,999	213	201,457	98	33.9	25.7-42.1	57	30.3	21.7-38.9	28	16.7	8.9-24.5	7	3.6	0.1- 7.1	23	15.4	7.8-23.0
\$35,000- 49,999	373	341,126	198	43.2	36.1-50.3	101	27.5	21.0-34.0	36	14.4	8.9-19.9	15	6.1	2.0-10.2	23	8.8	4.5-13.1
\$50,000- 74,999	445	393,574	212	36.5	30.0-43.0	130	29.4	23.7-35.1	48	16.5	11.0-22.0	21	5.1	2.4- 7.8	34	12.5	8.0-17.0
\$75,000+	925	752,645	453	42.4	37.9-46.9	304	31.8	27.5-36.1	83	9.8	7.1-12.5	34	5.1	2.7- 7.5	51	10.8	7.3-14.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1322	1,280,568	505	30.8	27.5-34.1	423	29.3	26.0-32.6	170	16.4	13.3-19.5	74	6.5	4.5- 8.5	150	17.0	14.1-19.9
White/Non-Hisp	1159	1,042,889	464	32.3	28.6-36.0	365	29.6	25.9-33.3	147	15.6	12.5-18.7	64	7.3	4.9- 9.7	119	15.3	12.2-18.4
18-24	91	204,964	15	16.6	8.0-25.2	26	25.7	15.5-35.9	14	15.1	7.1-23.1	10	12.1	4.1-20.1	26	30.5	19.5-41.5
25-34	128	252,814	31	25.7	16.3-35.1	38	27.2	18.0-36.4	26	23.8	14.2-33.4	10	5.1	1.6- 8.6	23	18.3	10.5-26.1
35-44	176	232,109	51	29.8	21.4-38.2	60	29.4	21.2-37.6	23	14.7	7.8-21.6	11	7.4	2.1-12.7	31	18.7	11.6-25.8
45-54	221	219,285	78	32.9	24.9-40.9	64	25.9	18.6-33.2	37	20.0	12.9-27.1	14	5.4	2.1- 8.7	28	15.8	9.5-22.1
55-64	319	210,025	116	32.3	25.8-38.8	116	36.8	29.9-43.7	40	13.4	8.5-18.3	20	6.4	2.3-10.5	27	11.0	6.1-15.9
65+	382	159,167	214	54.6	47.9-61.3	115	30.8	24.3-37.3	30	7.9	4.6-11.2	8	2.2	0.4- 4.0	15	4.5	1.8- 7.2
Less Than H.S.	59	107,421	14	17.4	7.0-27.8	16	27.1	11.6-42.6	10	22.3	7.4-37.2	4	8.7	0.0-17.5	15	24.5	11.2-37.8
H.S. or G.E.D.	360	427,660	120	26.7	20.8-32.6	99	24.4	18.7-30.1	50	18.2	12.5-23.9	27	8.6	4.1-13.1	64	22.1	16.2-28.0
Some Post-H.S.	310	397,557	100	30.6	23.7-37.5	112	33.2	26.3-40.1	45	15.5	10.0-21.0	17	5.9	2.8- 9.0	36	14.8	9.5-20.1
College Graduate	590	344,828	269	40.2	34.7-45.7	195	31.3	26.4-36.2	65	13.5	9.6-17.4	26	4.2	2.4- 6.0	35	10.9	6.8-15.0
Less than \$15,000	66	66,950	23	32.7	18.6-46.8	20	32.4	17.9-46.9	13	23.3	10.4-36.2	2	1.3	0.0- 3.3	8	10.2	1.6-18.8
\$15,000- 24,999	117	118,462	33	28.2	16.4-40.0	35	21.4	12.4-30.4	19	17.4	7.8-27.0	8	4.8	0.9- 8.7	22	28.3	16.3-40.3
\$25,000- 34,999	99	116,743	36	26.2	15.6-36.8	26	31.3	19.1-43.5	18	22.0	9.7-34.3	4	3.3	0.0- 8.0	15	17.2	6.8-27.6
\$35,000- 49,999	189	196,815	79	32.5	23.5-41.5	55	27.8	19.0-36.6	25	19.3	11.1-27.5	12	8.0	1.3-14.7	18	12.4	5.5-19.3
\$50,000- 74,999	233	224,961	86	28.2	20.0-36.4	72	28.6	21.2-36.0	29	17.5	9.7-25.3	18	7.5	3.2-11.8	28	18.1	11.0-25.2
\$75,000+	494	432,802	197	33.3	27.6-39.0	179	32.9	26.8-39.0	50	10.7	6.6-14.8	27	7.6	3.9-11.3	41	15.4	10.1-20.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1291	1,052,751	770	49.7	45.8-53.6	346	30.0	26.3-33.7	107	11.2	8.5-13.9	28	4.2	2.0- 6.4	40	4.9	2.9- 6.9
White/Non-Hisp	1152	897,102	693	50.4	46.1-54.7	307	29.7	25.6-33.8	96	11.8	8.7-14.9	23	3.6	1.4- 5.8	33	4.4	2.4- 6.4
Black or Afr. Am./Non-Hisp	70	89,622	36	42.2	28.5-55.9	18	32.9	19.0-46.8	9	9.0	2.3-15.7	3	7.2	0.0-15.4	4	8.6	0.4-16.8
18-24	60	141,039	14	24.2	11.1-37.3	26	41.4	26.9-55.9	11	18.4	6.2-30.6	4	9.6	0.0-19.8	5	6.4	0.5-12.3
25-34	120	208,032	47	39.5	29.1-49.9	45	32.7	22.9-42.5	12	11.2	4.1-18.3	6	7.0	0.3-13.7	10	9.6	3.1-16.1
35-44	166	199,076	85	52.4	42.8-62.0	48	29.6	20.8-38.4	19	10.2	4.3-16.1	6	1.7	0.1- 3.3	8	6.0	0.7-11.3
45-54	235	194,164	117	46.5	38.5-54.5	75	32.5	24.9-40.1	31	15.0	9.1-20.9	6	3.7	0.4- 7.0	6	2.3	0.3- 4.3
55-64	320	176,362	209	63.5	56.6-70.4	71	21.9	16.0-27.8	27	9.6	5.1-14.1	4	1.9	0.0- 3.9	9	3.1	0.4- 5.8
65+	378	127,542	288	75.4	69.7-81.1	79	20.6	15.3-25.9	7	2.1	0.3- 3.9	2	1.6	0.0- 4.0	2	0.3	0.0- 0.7
H.S. or G.E.D.	319	286,328	197	51.5	43.3-59.7	72	25.0	17.7-32.3	28	11.3	5.2-17.4	10	4.2	1.3- 7.1	12	8.1	2.6-13.6
Some Post-H.S.	357	376,236	204	46.6	39.7-53.5	95	33.1	26.2-40.0	35	10.3	6.2-14.4	11	5.7	1.6- 9.8	12	4.3	1.6- 7.0
College Graduate	576	319,758	351	55.1	49.4-60.8	169	31.0	25.9-36.1	37	10.1	6.2-14.0	5	0.9	0.0- 1.9	14	3.0	1.0- 5.0
Less than \$15,000	64	87,442	28	27.6	14.3-40.9	21	41.3	24.2-58.4	8	15.9	2.0-29.8	4	10.8	0.0-24.1	3	4.4	0.0-10.3
\$15,000- 24,999	141	144,394	82	46.3	34.0-58.6	37	26.3	14.9-37.7	15	15.9	5.3-26.5	4	8.9	0.0-18.7	3	2.5	0.0- 5.8
\$25,000- 34,999	114	84,714	62	44.5	32.2-56.8	31	29.0	17.4-40.6	10	9.4	2.3-16.5	3	4.1	0.0- 9.2	8	13.0	1.8-24.2
\$35,000- 49,999	184	144,311	119	57.8	47.4-68.2	46	27.2	17.8-36.6	11	7.8	1.7-13.9	3	3.4	0.0- 7.5	5	3.8	0.0- 7.7
\$50,000- 74,999	212	168,613	126	47.5	37.7-57.3	58	30.4	21.4-39.4	19	15.1	7.7-22.5	3	2.0	0.0- 4.9	6	5.0	0.0-10.1
\$75,000+	431	319,843	256	54.8	48.3-61.3	125	30.3	24.4-36.2	33	8.5	5.0-12.0	7	1.7	0.3- 3.1	10	4.6	1.1- 8.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2596	2,324,626	228	12.5	10.5-14.5	136	6.2	4.8- 7.6	58	3.4	2.2- 4.6	42	2.1	1.3- 2.9	146	8.0	6.4- 9.6	1986	67.8	65.1-70.5
Male	1320	1,292,909	133	13.7	10.8-16.6	88	7.8	5.6-10.0	45	4.3	2.7- 5.9	22	2.1	0.9- 3.3	112	11.5	9.0-14.0	920	60.7	56.8-64.6
Female	1276	1,031,718	95	10.9	8.0-13.8	48	4.1	2.5- 5.7	13	2.3	0.7- 3.9	20	2.1	0.9- 3.3	34	3.7	2.1- 5.3	1066	76.8	73.1-80.5
White/Non-Hisp	2296	1,927,774	191	11.7	9.5-13.9	118	6.4	4.8- 8.0	52	3.8	2.4- 5.2	35	1.9	1.1- 2.7	125	7.5	5.7- 9.3	1775	68.7	65.8-71.6
Black or Afr. Am./Non-Hisp	119	176,162	9	7.5	1.4-13.6	7	5.5	1.2- 9.8	1	0.3	0.0- 0.9	5	5.0	0.5- 9.5	10	13.2	4.4-22.0	87	68.5	57.7-79.3
Hispanic	76	127,843	15	26.6	12.7-40.5	6	5.4	0.7-10.1	3	3.1	0.0- 7.4	1	2.4	0.0- 7.1	4	7.5	0.0-15.9	47	55.0	40.3-69.7
18-24	152	345,678	29	19.9	12.3-27.5	13	7.8	2.9-12.7	11	7.8	2.5-13.1	7	4.5	0.8- 8.2	20	13.4	6.9-19.9	72	46.6	37.4-55.8
25-34	246	456,456	45	19.8	13.5-26.1	21	6.4	3.3- 9.5	9	3.1	0.7- 5.5	4	1.7	0.0- 3.5	17	7.3	3.6-11.0	150	61.7	54.3-69.1
35-44	342	437,378	49	13.0	8.7-17.3	26	6.7	3.6- 9.8	7	2.1	0.1- 4.1	7	1.6	0.0- 3.2	35	12.6	7.9-17.3	218	64.0	57.5-70.5
45-54	451	408,919	42	10.5	6.8-14.2	28	6.8	3.7- 9.9	14	3.9	1.5- 6.3	5	1.1	0.0- 2.3	24	5.8	3.1- 8.5	338	71.9	66.4-77.4
55-64	633	382,212	36	5.1	3.1- 7.1	28	4.9	2.5- 7.3	11	2.5	0.5- 4.5	12	2.5	0.7- 4.3	34	5.7	3.3- 8.1	512	79.4	75.1-83.7
65+	755	285,243	26	3.9	2.1- 5.7	19	4.0	1.8- 6.2	6	1.2	0.0- 2.4	7	1.7	0.0- 3.5	16	2.3	0.9- 3.7	681	87.0	83.5-90.5
Less Than H.S.	88	162,548	9	14.1	3.9-24.3	8	7.0	0.7-13.3	3	6.1	0.0-14.3	6	7.0	0.9-13.1	7	8.9	1.1-16.7	55	56.9	43.2-70.6
H.S. or G.E.D.	675	713,349	53	11.4	7.5-15.3	33	6.7	4.0- 9.4	20	4.2	2.0- 6.4	15	2.1	0.7- 3.5	49	9.7	6.4-13.0	505	65.9	60.6-71.2
Some Post-H.S.	663	780,458	63	13.0	9.3-16.7	39	6.1	3.7- 8.5	13	2.2	0.6- 3.8	9	2.2	0.4- 4.0	50	9.4	6.3-12.5	489	67.1	62.2-72.0
College Graduate	1165	664,281	101	12.4	9.5-15.3	56	5.5	3.7- 7.3	22	3.3	1.7- 4.9	12	0.8	0.2- 1.4	40	4.6	2.8- 6.4	934	73.4	69.7-77.1
Less than \$15,000	128	150,198	11	12.3	3.1-21.5	7	4.2	0.7- 7.7	2	2.9	0.0- 6.8	5	6.3	0.0-13.0	10	9.1	2.8-15.4	93	65.2	53.6-76.8
\$15,000- 24,999	258	261,716	21	11.2	4.7-17.7	21	10.1	4.8-15.4	9	6.1	0.4-11.8	4	3.7	0.2- 7.2	15	7.8	3.1-12.5	188	61.1	51.9-70.3
\$25,000- 34,999	212	201,297	22	14.1	6.7-21.5	13	9.1	2.8-15.4	7	4.6	0.7- 8.5	3	1.2	0.0- 2.8	17	8.5	3.0-14.0	150	62.5	53.1-71.9
\$35,000- 49,999	371	340,069	28	10.8	6.3-15.3	18	7.4	2.9-11.9	8	3.6	0.7- 6.5	6	1.7	0.0- 3.5	13	4.6	1.1- 8.1	298	72.0	65.1-78.9
\$50,000- 74,999	442	400,763	27	12.0	6.7-17.3	22	6.6	3.3- 9.9	8	1.8	0.4- 3.2	6	1.8	0.0- 3.6	32	9.3	5.4-13.2	347	68.5	62.0-75.0
\$75,000+	919	746,908	94	12.4	9.3-15.5	49	4.8	3.2- 6.4	21	3.5	1.5- 5.5	14	1.7	0.5- 2.9	46	9.1	5.8-12.4	695	68.5	64.0-73.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1320	1,292,909	133	13.7	10.8-16.6	88	7.8	5.6-10.0	45	4.3	2.7- 5.9	22	2.1	0.9- 3.3	112	11.5	9.0-14.0	920	60.7	56.8-64.6
White/Non-Hisp	1154	1,047,995	111	12.9	10.0-15.8	74	8.2	5.8-10.6	39	4.8	3.0- 6.6	19	2.1	0.9- 3.3	95	10.7	8.0-13.4	816	61.4	57.3-65.5
Black or Afr. Am./Non-Hisp	51	87,375	3	3.6	0.0- 8.5	5	7.2	0.1-14.3	1	0.5	0.0- 1.5	1	2.6	0.0- 7.7	8	22.5	6.4-38.6	33	63.7	46.8-80.6
18-24	93	207,419	19	21.1	11.5-30.7	10	10.7	3.3-18.1	7	6.6	1.1-12.1	4	3.6	0.0- 7.5	15	18.6	8.8-28.4	38	39.3	28.1-50.5
25-34	130	260,342	26	19.6	11.0-28.2	15	8.4	3.3-13.5	7	3.5	0.8- 6.2	1	1.1	0.0- 3.3	12	8.6	3.3-13.9	69	58.8	48.6-69.0
35-44	177	239,988	27	15.8	9.1-22.5	14	6.2	2.3-10.1	6	3.6	0.3- 6.9	4	1.9	0.0- 4.4	27	18.4	11.0-25.8	99	54.1	44.9-63.3
45-54	221	218,104	22	11.1	5.8-16.4	17	8.9	3.6-14.2	11	5.7	1.6- 9.8	2	1.3	0.0- 3.5	19	8.9	4.2-13.6	150	64.2	56.2-72.2
55-64	314	206,513	24	6.7	3.6- 9.8	20	7.0	3.3-10.7	9	4.3	0.8- 7.8	8	3.1	0.4- 5.8	25	8.4	4.3-12.5	228	70.7	64.0-77.4
65+	380	158,339	14	3.7	1.3- 6.1	11	4.9	1.8- 8.0	5	2.1	0.0- 4.3	3	1.8	0.0- 4.7	14	3.9	1.4- 6.4	333	83.5	78.2-88.8
Less Than H.S.	55	102,462	8	20.3	5.4-35.2	6	10.3	0.7-19.9	2	3.2	0.0- 8.1	3	6.4	0.0-13.8	6	11.9	0.5-23.3	30	47.9	30.8-65.0
H.S. or G.E.D.	361	433,520	33	12.6	7.5-17.7	20	7.6	3.5-11.7	18	6.3	3.0- 9.6	7	2.1	0.1- 4.1	42	13.3	8.6-18.0	241	58.1	51.2-65.0
Some Post-H.S.	310	408,097	37	14.5	9.2-19.8	25	8.1	4.4-11.8	9	2.4	0.2- 4.6	4	2.0	0.0- 4.2	36	13.8	8.5-19.1	199	59.2	51.9-66.5
College Graduate	591	345,727	54	11.9	8.2-15.6	37	7.0	4.5- 9.5	16	4.5	2.0- 7.0	8	0.9	0.1- 1.7	28	6.4	3.5- 9.3	448	69.4	64.1-74.7
Less than \$15,000	66	69,906	8	16.2	4.4-28.0	5	6.3	0.0-12.6							8	16.1	4.1-28.1	45	61.4	46.5-76.3
\$15,000- 24,999	120	119,888	11	7.5	2.2-12.8	13	16.5	6.7-26.3	8	7.8	1.3-14.3	3	6.4	0.0-13.5	12	12.6	4.0-21.2	73	49.2	36.7-61.7
\$25,000- 34,999	99	117,198	12	16.6	5.6-27.6	9	14.0	3.6-24.4	6	6.0	0.3-11.7	2	1.1	0.0- 2.7	10	5.3	1.6- 9.0	60	57.0	43.7-70.3
\$35,000- 49,999	187	195,758	17	11.5	5.4-17.6	11	9.7	2.6-16.8	5	3.6	0.1- 7.1	5	2.8	0.0- 5.9	9	5.9	0.2-11.6	140	66.6	56.8-76.4
\$50,000- 74,999	231	232,681	17	13.4	6.0-20.8	15	6.5	2.6-10.4	7	2.6	0.4- 4.8	3	1.7	0.0- 3.9	25	13.1	7.2-19.0	164	62.8	53.8-71.8
\$75,000+	493	433,904	52	12.6	8.1-17.1	32	5.5	3.1- 7.9	16	5.2	2.3- 8.1	8	2.0	0.0- 4.0	39	14.1	8.8-19.4	346	60.6	53.9-67.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1276	1,031,718	95	10.9	8.0-13.8	48	4.1	2.5- 5.7	13	2.3	0.7- 3.9	20	2.1	0.9- 3.3	34	3.7	2.1- 5.3	1066	76.8	73.1-80.5
White/Non-Hisp	1142	879,779	80	10.2	7.1-13.3	44	4.4	2.6- 6.2	13	2.7	0.7- 4.7	16	1.8	0.6- 3.0	30	3.6	2.0- 5.2	959	77.4	73.5-81.3
Black or Afr. Am./Non-Hisp	68	88,787	6	11.4	0.6-22.2	2	3.8	0.0- 9.1				4	7.4	0.0-14.8	2	4.1	0.0- 9.8	54	73.3	60.0-86.6
18-24	59	138,258	10	18.0	5.5-30.5	3	3.5	0.0- 7.6	4	9.6	0.0-19.8	3	5.9	0.0-13.2	5	5.5	0.2-10.8	34	57.4	42.3-72.5
25-34	116	196,114	19	20.0	10.8-29.2	6	3.7	0.6- 6.8	2	2.6	0.0- 6.3	3	2.5	0.0- 5.4	5	5.5	1.2- 9.8	81	65.7	55.3-76.1
35-44	165	197,390	22	9.5	4.6-14.4	12	7.2	2.1-12.3	1	0.4	0.0- 1.2	3	1.4	0.0- 3.0	8	5.6	0.5-10.7	119	75.9	67.9-83.9
45-54	230	190,815	20	9.9	4.8-15.0	11	4.4	1.1- 7.7	3	1.8	0.0- 4.0	3	0.8	0.0- 1.8	5	2.2	0.2- 4.2	188	80.8	74.3-87.3
55-64	319	175,700	12	3.2	1.2- 5.2	8	2.4	0.2- 4.6	2	0.4	0.0- 1.0	4	1.8	0.0- 4.2	9	2.6	0.6- 4.6	284	89.6	85.5-93.7
65+	375	126,904	12	4.1	1.6- 6.6	8	2.9	0.4- 5.4	1	0.1	0.0- 0.3	4	1.4	0.0- 3.0	2	0.2	0.0- 0.6	348	91.2	87.3-95.1
H.S. or G.E.D.	314	279,829	20	9.5	3.6-15.4	13	5.2	1.9- 8.5	2	1.1	0.0- 2.7	8	2.2	0.6- 3.8	7	4.1	0.4- 7.8	264	77.8	70.5-85.1
Some Post-H.S.	353	372,361	26	11.3	5.8-16.8	14	4.0	1.3- 6.7	4	2.0	0.0- 4.2	5	2.4	0.0- 5.1	14	4.5	2.0- 7.0	290	75.8	69.1-82.5
College Graduate	574	318,554	47	13.0	8.7-17.3	19	3.9	1.5- 6.3	6	2.0	0.0- 4.0	4	0.7	0.0- 1.7	12	2.6	0.8- 4.4	486	77.8	72.7-82.9
Less than \$15,000	62	80,292	3	8.9	0.0-22.8	2	2.4	0.0- 6.1	2	5.4	0.0-12.8	5	11.8	0.0-24.0	2	3.0	0.0- 7.1	48	68.5	51.1-85.9
\$15,000- 24,999	138	141,828	10	14.2	3.2-25.2	8	4.8	0.3- 9.3	1	4.7	0.0-13.5	1	1.3	0.0- 3.8	3	3.7	0.0- 8.0	115	71.3	58.2-84.4
\$25,000- 34,999	113	84,099	10	10.6	2.0-19.2	4	2.1	0.0- 4.3	1	2.7	0.0- 7.8	1	1.5	0.0- 4.4	7	12.9	1.5-24.3	90	70.2	56.9-83.5
\$35,000- 49,999	184	144,311	11	9.7	2.6-16.8	7	4.3	0.6- 8.0	3	3.6	0.0- 8.3	1	0.2	0.0- 0.6	4	2.9	0.0- 6.4	158	79.3	70.3-88.3
\$50,000- 74,999	211	168,082	10	10.1	3.0-17.2	7	6.6	0.7-12.5	1	0.8	0.0- 2.4	3	2.0	0.0- 4.9	7	4.2	0.0- 8.7	183	76.3	66.9-85.7
\$75,000+	426	313,004	42	12.1	7.8-16.4	17	3.9	1.5- 6.3	5	1.2	0.0- 2.6	6	1.3	0.1- 2.5	7	2.1	0.9- 3.3	349	79.4	74.3-84.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2559	2,281,078	785	24.9	22.5-27.3	691	24.4	22.0-26.8	399	14.7	12.7-16.7	199	8.6	7.0-10.2	485	27.5	24.8-30.2
Male	1287	1,248,985	271	17.7	14.8-20.6	316	20.6	17.5-23.7	225	15.9	13.2-18.6	106	7.9	5.7-10.1	369	37.8	33.9-41.7
Female	1272	1,032,092	514	33.6	29.9-37.3	375	28.9	25.4-32.4	174	13.2	10.8-15.6	93	9.3	6.6-12.0	116	15.0	11.7-18.3
White/Non-Hisp	2271	1,899,656	703	24.8	22.4-27.2	617	25.0	22.5-27.5	353	14.5	12.5-16.5	177	8.7	6.9-10.5	421	26.9	24.0-29.8
Black or Afr. Am./Non-Hisp	117	169,848	39	26.8	17.2-36.4	30	28.0	17.8-38.2	19	17.4	8.8-26.0	10	6.9	1.6-12.2	19	20.9	11.1-30.7
Hispanic	70	120,796	17	27.6	13.7-41.5	10	7.3	2.0-12.6	15	16.1	5.7-26.5	6	6.6	0.9-12.3	22	42.4	27.1-57.7
18-24	147	331,719	19	13.4	6.7-20.1	23	15.5	9.0-22.0	14	9.3	4.2-14.4	16	10.7	4.6-16.8	75	51.1	41.7-60.5
25-34	242	456,218	41	18.2	12.5-23.9	57	22.3	15.8-28.8	40	15.5	9.8-21.2	24	10.8	6.1-15.5	80	33.3	26.0-40.6
35-44	338	427,038	83	25.5	19.6-31.4	80	26.6	20.5-32.7	42	9.7	6.4-13.0	33	8.7	5.0-12.4	100	29.5	23.4-35.6
45-54	449	406,642	115	23.9	18.8-29.0	120	25.7	20.6-30.8	86	20.5	15.8-25.2	42	7.9	4.8-11.0	86	22.0	16.9-27.1
55-64	620	373,036	195	30.2	25.7-34.7	186	27.5	23.2-31.8	105	18.0	14.1-21.9	40	6.7	3.8-9.6	94	17.6	13.5-21.7
65+	748	278,288	326	42.8	38.1-47.5	220	28.3	23.8-32.8	109	14.0	10.7-17.3	44	5.8	3.8-7.8	49	9.0	5.9-12.1
Less Than H.S.	86	163,630	21	20.1	9.3-30.9	20	22.3	10.1-34.5	11	11.2	3.9-18.5	8	10.0	1.8-18.2	26	36.4	22.7-50.1
H.S. or G.E.D.	666	693,511	217	26.4	21.9-30.9	175	21.0	16.9-25.1	87	13.6	10.1-17.1	50	10.3	6.6-14.0	137	28.7	23.6-33.8
Some Post-H.S.	653	763,938	189	23.3	19.2-27.4	175	27.3	22.6-32.0	102	14.0	10.5-17.5	46	6.0	3.8-8.2	141	29.4	24.5-34.3
College Graduate	1149	656,008	356	26.2	22.9-29.5	320	25.1	21.8-28.4	198	17.5	14.6-20.4	95	9.4	6.9-11.9	180	21.8	18.3-25.3
Less than \$15,000	122	145,504	32	19.4	10.8-28.0	32	23.8	14.0-33.6	19	13.6	6.2-21.0	13	14.4	4.8-24.0	26	28.8	17.2-40.4
\$15,000- 24,999	253	254,370	82	27.5	19.7-35.3	60	20.8	13.4-28.2	39	10.7	6.2-15.2	17	8.9	2.4-15.4	55	32.1	23.3-40.9
\$25,000- 34,999	204	193,512	62	24.6	17.0-32.2	55	22.3	15.0-29.6	28	14.4	7.1-21.7	14	6.2	1.9-10.5	45	32.4	22.6-42.2
\$35,000- 49,999	370	340,117	128	29.1	22.6-35.6	106	25.3	19.0-31.6	48	13.0	8.3-17.7	22	5.6	2.7-8.5	66	27.0	19.9-34.1
\$50,000- 74,999	437	393,600	141	23.8	18.3-29.3	117	22.9	17.2-28.6	77	20.9	15.2-26.6	26	7.2	3.7-10.7	76	25.2	18.9-31.5
\$75,000+	910	735,104	238	21.8	18.1-25.5	253	26.9	22.8-31.0	156	14.7	11.8-17.6	87	9.6	6.9-12.3	176	27.0	22.5-31.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKs)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1287	1,248,985	271	17.7	15.0-20.4	316	20.6	17.5-23.7	225	15.9	13.2-18.6	106	7.9	5.7-10.1	369	37.8	33.9-41.7
White/Non-Hisp	1137	1,024,738	245	17.3	14.4-20.2	281	21.4	17.9-24.9	195	15.3	12.4-18.2	94	8.2	5.8-10.6	322	37.8	33.7-41.9
18-24	89	198,053	8	7.7	1.2-14.2	10	11.9	4.5-19.3	6	8.7	2.0-15.4	11	9.6	3.5-15.7	54	62.1	50.7-73.5
25-34	125	254,605	15	13.0	5.9-20.1	21	17.6	8.8-26.4	20	17.9	9.1-26.7	12	9.8	3.9-15.7	57	41.6	31.0-52.2
35-44	172	227,630	31	18.8	11.4-26.2	31	20.9	13.1-28.7	24	11.0	5.9-16.1	13	6.7	1.8-11.6	73	42.5	33.3-51.7
45-54	217	212,734	42	20.9	13.5-28.3	51	19.2	12.9-25.5	41	20.8	13.9-27.7	18	5.8	2.3-9.3	65	33.2	25.2-41.2
55-64	305	199,803	54	17.1	11.8-22.4	91	27.3	21.0-33.6	58	18.8	13.1-24.5	26	9.7	4.8-14.6	76	27.1	20.4-33.8
65+	375	154,072	121	33.6	27.3-39.9	112	29.5	23.0-36.0	73	17.5	12.6-22.4	26	5.3	2.9-7.7	43	14.1	9.0-19.2
Less Than H.S.	51	96,154	8	12.3	2.9-21.7	12	22.2	5.7-38.7	4	6.3	0.0-12.6	5	8.8	0.2-17.4	22	50.5	32.7-68.3
H.S. or G.E.D.	351	416,681	80	19.5	14.0-25.0	85	16.5	12.0-21.0	49	15.7	10.6-20.8	28	9.1	5.0-13.2	109	39.2	32.1-46.3
Some Post-H.S.	304	395,266	50	15.1	9.8-20.4	74	23.0	16.5-29.5	56	16.6	10.9-22.3	20	5.0	2.3-7.7	104	40.3	32.9-47.7
College Graduate	578	337,783	132	19.9	15.6-24.2	144	22.4	17.9-26.9	116	18.2	14.1-22.3	53	9.8	5.9-13.7	133	29.6	24.3-34.9
Less than \$15,000	61	63,338	11	17.1	4.9-29.3	17	19.2	7.8-30.6	12	21.5	8.6-34.4	4	8.3	0.0-17.9	17	33.9	18.6-49.2
\$15,000- 24,999	114	111,764	21	18.4	7.4-29.4	18	9.6	3.3-15.9	24	15.6	7.8-23.4	10	7.7	0.4-15.0	41	48.7	35.8-61.6
\$25,000- 34,999	95	112,643	22	20.4	10.2-30.6	23	19.2	9.8-28.6	11	14.6	3.4-25.8	7	5.8	0.5-11.1	32	39.9	26.2-53.6
\$35,000- 49,999	187	196,155	45	20.3	12.1-28.5	52	24.2	16.0-32.4	29	15.0	7.9-22.1	12	4.8	1.5-8.1	49	35.7	25.7-45.7
\$50,000- 74,999	227	225,874	47	14.0	8.3-19.7	65	26.3	17.9-34.7	41	20.9	13.1-28.7	14	6.0	2.1-9.9	60	32.7	23.9-41.5
\$75,000+	484	422,064	94	15.9	11.8-20.0	111	20.7	15.4-26.0	92	15.0	10.7-19.3	47	9.8	5.9-13.7	140	38.6	31.9-45.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1272	1,032,092	514	33.6	29.9-37.3	375	28.9	25.4-32.4	174	13.2	10.8-15.6	93	9.3	6.6-12.0	116	15.0	11.7-18.3
White/Non-Hisp	1134	874,918	458	33.7	29.8-37.6	336	29.2	25.3-33.1	158	13.6	11.1-16.1	83	9.3	6.4-12.2	99	14.2	10.7-17.7
Black or Afr. Am./Non-Hisp	71	92,005	28	29.4	17.2-41.6	19	30.2	17.1-43.3	7	10.8	2.6-19.0	8	12.1	2.7-21.5	9	17.5	6.1-28.9
18-24	58	133,666	11	21.8	8.5-35.1	13	20.9	9.1-32.7	8	10.3	2.7-17.9	5	12.2	0.2-24.2	21	34.7	20.4-49.0
25-34	117	201,613	26	24.7	15.5-33.9	36	28.1	18.5-37.7	20	12.4	6.3-18.5	12	12.0	4.7-19.3	23	22.8	13.4-32.2
35-44	166	199,408	52	33.1	24.1-42.1	49	33.1	23.9-42.3	18	8.2	3.9-12.5	20	11.0	5.1-16.9	27	14.6	7.9-21.3
45-54	232	193,907	73	27.2	19.9-34.5	69	32.7	24.9-40.5	45	20.2	13.7-26.7	24	10.1	5.0-15.2	21	9.7	5.2-14.2
55-64	315	173,234	141	45.3	38.4-52.2	95	27.7	21.4-34.0	47	17.0	11.3-22.7	14	3.2	1.2- 5.2	18	6.7	3.0-10.4
65+	373	124,216	205	54.3	47.4-61.2	108	26.9	20.8-33.0	36	9.8	5.9-13.7	18	6.6	3.3- 9.9	6	2.5	0.0- 5.0
H.S. or G.E.D.	315	276,830	137	36.9	29.5-44.3	90	27.8	20.5-35.1	38	10.4	6.3-14.5	22	12.1	5.4-18.8	28	12.8	7.3-18.3
Some Post-H.S.	349	368,673	139	32.1	25.8-38.4	101	31.9	25.2-38.6	46	11.2	7.5-14.9	26	7.0	3.5-10.5	37	17.8	11.5-24.1
College Graduate	571	318,226	224	32.9	27.6-38.2	176	28.0	23.1-32.9	82	16.7	12.4-21.0	42	9.0	5.5-12.5	47	13.5	9.2-17.8
Less than \$15,000	61	82,167	21	21.3	9.1-33.5	15	27.3	12.2-42.4	7	7.6	0.0-15.8	9	19.0	3.7-34.3	9	24.9	8.0-41.8
\$15,000- 24,999	139	142,605	61	34.6	23.2-46.0	42	29.6	17.6-41.6	15	6.9	2.0-11.8	7	9.8	0.0-20.0	14	19.1	7.9-30.3
\$25,000- 34,999	109	80,869	40	30.5	18.9-42.1	32	26.5	15.3-37.7	17	14.2	6.4-22.0	7	6.9	0.0-14.3	13	21.9	9.0-34.8
\$35,000- 49,999	183	143,962	83	41.2	31.2-51.2	54	26.9	17.5-36.3	19	10.2	4.5-15.9	10	6.7	1.6-11.8	17	15.1	6.7-23.5
\$50,000- 74,999	210	167,726	94	37.0	27.4-46.6	52	18.2	11.9-24.5	36	21.0	13.4-28.6	12	8.7	2.4-15.0	16	15.0	6.6-23.4
\$75,000+	426	313,040	144	29.8	23.7-35.9	142	35.3	29.0-41.6	64	14.4	10.3-18.5	40	9.3	5.8-12.8	36	11.2	7.3-15.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015**

SECTION 10: FRUITS AND VEGETABLES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100 PERCENT PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100 PERCENT JUICE. (FRUITJU1)	
1 MALES AND FEMALES	201
2 MALES ONLY	202
3 FEMALES ONLY	203
DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)	
4 MALES AND FEMALES	204
5 MALES ONLY	205
6 FEMALES ONLY	206
DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)	
7 MALES AND FEMALES	207
8 MALES ONLY	208
9 FEMALES ONLY	209
DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)	
10 MALES AND FEMALES	210
11 MALES ONLY	211
12 FEMALES ONLY	212
DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)	
13 MALES AND FEMALES	213
14 MALES ONLY	214
15 FEMALES ONLY	215
NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES? EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH AS BAKED OR MASHED POTATOES. (VEGETAB1)	
16 MALES AND FEMALES	216
17 MALES ONLY	217

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015

SECTION 10: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE
18 FEMALES ONLY

PAGE
218

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 1: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100 PERCENT PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100 PERCENT JUICE. (FRUITJU1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5581	4,612,180	1056	17.8	16.2-19.4	888	18.4	16.8-20.0	1161	22.3	20.5-24.1	70	0.9	0.7- 1.1	2406	40.6	38.6-42.6
Male	2363	2,225,145	450	17.7	15.3-20.1	418	18.6	16.2-21.0	503	21.8	19.4-24.2	30	1.0	0.4- 1.6	962	40.9	38.0-43.8
Female	3218	2,387,034	606	17.8	15.8-19.8	470	18.2	15.8-20.6	658	22.8	20.4-25.2	40	0.8	0.4- 1.2	1444	40.4	37.9-42.9
White/Non-Hisp	4864	3,755,148	897	16.6	15.0-18.2	729	17.1	15.3-18.9	1018	22.4	20.6-24.2	66	1.0	0.6- 1.4	2154	42.8	40.8-44.8
Black or Afr. Am./Non-Hisp	277	368,703	72	24.9	18.2-31.6	61	26.4	18.6-34.2	54	20.9	14.2-27.6	2	0.2	0.0- 0.4	88	27.7	20.6-34.8
Oth. Race/Non-Hisp.	108	97,616	16	11.1	3.3-18.9	24	18.2	9.2-27.2	19	18.0	8.2-27.8	1	1.0	0.0- 3.0	48	51.7	39.0-64.4
MultiRacial/Non-Hisp.	74	52,244	17	18.5	6.9-30.1	6	12.4	0.6-24.2	21	27.7	11.8-43.6				30	41.4	24.7-58.1
Hispanic	172	259,264	33	24.1	15.1-33.1	52	27.1	19.1-35.1	32	23.5	14.1-32.9				55	25.3	17.7-32.9
18-24	253	629,806	47	19.6	13.7-25.5	62	25.8	19.1-32.5	62	25.3	18.8-31.8	1	0.6	0.0- 1.8	81	28.8	22.5-35.1
25-34	414	763,134	63	18.6	13.7-23.5	103	27.2	21.9-32.5	112	24.6	19.7-29.5	1	0.2	0.0- 0.6	135	29.5	24.4-34.6
35-44	555	715,252	76	14.9	11.0-18.8	98	18.3	14.2-22.4	128	23.8	19.1-28.5	5	0.7	0.1- 1.3	248	42.2	37.1-47.3
45-54	848	797,378	132	14.6	11.7-17.5	145	15.9	13.0-18.8	180	21.0	17.5-24.5	7	0.6	0.2- 1.0	384	48.0	43.7-52.3
55-64	1296	785,811	205	15.7	13.2-18.2	195	14.0	11.6-16.4	285	21.9	19.0-24.8	20	1.5	0.5- 2.5	591	46.8	43.3-50.3
65+	2167	893,179	516	22.4	20.0-24.8	282	12.3	10.5-14.1	385	18.6	16.2-21.0	36	1.6	1.0- 2.2	948	45.1	42.2-48.0
Less Than H.S.	422	596,929	89	23.0	17.1-28.9	54	15.2	9.7-20.7	73	21.5	15.2-27.8	3	0.2	0.0- 0.4	203	40.1	33.6-46.6
H.S. or G.E.D.	1840	1,564,408	368	19.8	17.1-22.5	277	18.2	15.3-21.1	337	18.4	15.9-20.9	29	1.1	0.7- 1.5	829	42.4	39.1-45.7
Some Post-H.S.	1421	1,423,548	243	15.5	13.0-18.0	239	18.6	15.7-21.5	309	24.5	21.4-27.6	22	1.3	0.5- 2.1	608	40.1	36.6-43.6
College Graduate	1869	1,006,307	346	14.5	12.5-16.5	316	20.5	17.8-23.2	436	25.7	23.0-28.4	16	0.5	0.1- 0.9	755	38.8	35.7-41.9
Less than \$15,000	481	444,588	82	18.4	12.9-23.9	89	22.3	15.6-29.0	81	21.4	15.5-27.3	4	0.7	0.0- 1.5	225	37.1	31.0-43.2
\$15,000- 24,999	839	700,832	171	22.3	17.8-26.8	124	18.6	14.3-22.9	172	19.0	15.1-22.9	12	1.2	0.2- 2.2	360	38.9	34.0-43.8
\$25,000- 34,999	524	428,869	114	18.2	13.7-22.7	78	16.9	12.0-21.8	109	23.5	18.0-29.0	9	1.2	0.2- 2.2	214	40.3	34.2-46.4
\$35,000- 49,999	802	665,452	160	17.1	13.4-20.8	134	19.3	15.2-23.4	181	27.1	22.2-32.0	11	1.1	0.0- 2.3	316	35.4	30.7-40.1
\$50,000- 74,999	803	678,949	147	16.8	12.9-20.7	126	17.5	13.6-21.4	176	24.6	19.9-29.3	11	0.6	0.2- 1.0	343	40.5	35.8-45.2
\$75,000+	1355	1,088,517	200	13.4	10.7-16.1	256	20.3	17.2-23.4	316	24.5	21.2-27.8	15	0.8	0.2- 1.4	568	41.0	37.3-44.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 2: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100 PERCENT PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100 PERCENT JUICE. (FRUITJU1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2363	2,225,145	450	17.7	15.3-20.1	418	18.6	16.2-21.0	503	21.8	19.4-24.2	30	1.0	0.4- 1.6	962	40.9	38.0-43.8
White/Non-Hisp	2061	1,802,369	385	16.3	13.9-18.7	341	17.7	15.2-20.2	449	21.6	19.1-24.1	27	1.1	0.5- 1.7	859	43.3	40.2-46.4
Black or Afr. Am./Non-Hisp	98	164,298	24	24.7	13.9-35.5	27	26.8	15.8-37.8	17	20.5	9.7-31.3	1	0.3	0.0- 0.9	29	27.8	16.2-39.4
Oth. Race/Non-Hisp.	56	61,815	7	9.5	0.0-20.1	16	16.3	6.7-25.9	7	18.0	4.1-31.9	1	1.6	0.0- 4.7	25	54.6	37.5-71.7
Hispanic	62	117,602	13	29.8	14.1-45.5	19	22.2	10.8-33.6	14	28.9	12.4-45.4				16	19.0	8.6-29.4
18-24	134	315,789	22	20.8	12.2-29.4	29	18.9	11.6-26.2	35	25.9	17.1-34.7	1	1.1	0.0- 3.3	47	33.3	24.5-42.1
25-34	186	385,749	26	17.7	10.4-25.0	44	25.4	17.8-33.0	51	25.0	17.7-32.3				65	31.9	24.1-39.7
35-44	246	349,858	40	16.4	10.7-22.1	50	21.9	15.4-28.4	54	19.5	13.0-26.0	4	1.3	0.0- 2.7	98	40.9	33.3-48.5
45-54	371	394,784	52	13.0	8.9-17.1	79	17.3	12.6-22.0	76	19.7	14.6-24.8	3	0.7	0.0- 1.5	161	49.3	42.6-56.0
55-64	581	384,145	102	16.1	12.4-19.8	94	15.0	11.5-18.5	134	23.3	19.0-27.6	8	1.4	0.0- 2.8	243	44.3	39.0-49.6
65+	832	389,536	204	22.6	18.9-26.3	119	13.5	10.6-16.4	149	17.8	14.3-21.3	14	1.6	0.6- 2.6	346	44.5	39.8-49.2
Less Than H.S.	183	304,721	41	22.0	13.6-30.4	23	14.2	7.1-21.3	30	19.4	11.4-27.4	1	0.2	0.0- 0.6	88	44.3	34.7-53.9
H.S. or G.E.D.	768	816,226	141	19.4	15.3-23.5	128	17.3	13.6-21.0	150	19.1	15.4-22.8	11	0.9	0.3- 1.5	338	43.4	38.5-48.3
Some Post-H.S.	543	615,309	96	15.7	11.6-19.8	105	18.9	14.4-23.4	122	24.3	19.2-29.4	9	1.8	0.2- 3.4	211	39.4	33.9-44.9
College Graduate	858	481,391	169	14.9	12.0-17.8	161	23.3	18.8-27.8	197	24.6	20.7-28.5	9	0.7	0.1- 1.3	322	36.5	32.0-41.0
Less than \$15,000	168	162,604	29	19.4	10.4-28.4	33	18.9	9.5-28.3	29	20.2	12.0-28.4	2	1.3	0.0- 3.3	75	40.2	30.4-50.0
\$15,000- 24,999	292	296,840	51	17.2	11.1-23.3	45	16.9	10.8-23.0	66	23.5	16.4-30.6	6	1.9	0.0- 3.9	124	40.6	33.0-48.2
\$25,000- 34,999	201	210,676	48	18.5	11.2-25.8	30	19.7	11.3-28.1	38	19.8	11.8-27.8	5	1.4	0.0- 2.8	80	40.7	31.3-50.1
\$35,000- 49,999	356	322,162	68	17.6	11.9-23.3	59	17.2	11.7-22.7	87	27.0	20.1-33.9	6	1.8	0.0- 4.0	136	36.5	29.2-43.8
\$50,000- 74,999	389	375,607	77	18.1	12.2-24.0	67	18.9	13.0-24.8	79	22.7	16.0-29.4	4	0.5	0.0- 1.1	162	39.7	32.8-46.6
\$75,000+	684	598,796	113	16.2	11.9-20.5	150	22.8	18.3-27.3	158	22.1	17.8-26.4	4	0.3	0.0- 0.7	259	38.5	33.0-44.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 3: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100 PERCENT PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100 PERCENT JUICE. (FRUITJU1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3218	2,387,034	606	17.8	15.8-19.8	470	18.2	15.8-20.6	658	22.8	20.4-25.2	40	0.8	0.4- 1.2	1444	40.4	37.9-42.9
White/Non-Hisp	2803	1,952,778	512	17.0	14.8-19.2	388	16.6	14.2-19.0	569	23.2	20.7-25.7	39	1.0	0.6- 1.4	1295	42.3	39.6-45.0
Black or Afr. Am./Non-Hisp	179	204,405	48	25.0	16.6-33.4	34	26.1	14.7-37.5	37	21.2	12.8-29.6	1	0.1	0.0- 0.3	59	27.5	19.1-35.9
Oth. Race/Non-Hisp.	52	35,801	9	13.9	2.7-25.1	8	21.6	4.5-38.7	12	17.9	6.1-29.7				23	46.6	29.4-63.8
Hispanic	110	141,661	20	19.4	9.6-29.2	33	31.1	20.1-42.1	18	19.1	8.7-29.5				39	30.4	19.8-41.0
18-24	119	314,018	25	18.3	10.5-26.1	33	32.7	22.1-43.3	27	24.7	15.1-34.3				34	24.3	15.7-32.9
25-34	228	377,384	37	19.5	12.8-26.2	59	28.9	21.8-36.0	61	24.2	17.5-30.9	1	0.4	0.0- 1.2	70	27.0	20.5-33.5
35-44	309	365,394	36	13.6	8.5-18.7	48	14.8	9.9-19.7	74	27.9	21.0-34.8	1	0.2	0.0- 0.6	150	43.5	36.6-50.4
45-54	477	402,594	80	16.1	12.2-20.0	66	14.5	10.6-18.4	104	22.3	17.6-27.0	4	0.5	0.0- 1.1	223	46.6	41.1-52.1
55-64	715	401,666	103	15.3	11.8-18.8	101	13.2	10.3-16.1	151	20.5	16.6-24.4	12	1.7	0.5- 2.9	348	49.3	44.6-54.0
65+	1335	503,642	312	22.2	19.1-25.3	163	11.4	9.2-13.6	236	19.2	16.1-22.3	22	1.6	0.8- 2.4	602	45.6	42.1-49.1
Less Than H.S.	239	292,208	48	24.0	15.6-32.4	31	16.3	8.1-24.5	43	23.7	14.1-33.3	2	0.2	0.0- 0.6	115	35.8	27.4-44.2
H.S. or G.E.D.	1072	748,182	227	20.4	16.9-23.9	149	19.2	14.9-23.5	187	17.8	14.3-21.3	18	1.3	0.5- 2.1	491	41.3	37.0-45.6
Some Post-H.S.	878	808,239	147	15.3	12.0-18.6	134	18.4	14.5-22.3	187	24.7	20.6-28.8	13	1.0	0.4- 1.6	397	40.6	36.1-45.1
College Graduate	1011	524,916	177	14.1	11.2-17.0	155	17.9	14.6-21.2	239	26.8	22.9-30.7	7	0.3	0.1- 0.5	433	40.9	36.8-45.0
Less than \$15,000	313	281,984	53	17.8	11.1-24.5	56	24.3	15.5-33.1	52	22.1	14.3-29.9	2	0.4	0.0- 1.0	150	35.4	27.8-43.0
\$15,000- 24,999	547	403,992	120	26.1	19.8-32.4	79	19.9	14.0-25.8	106	15.7	11.4-20.0	6	0.6	0.0- 1.2	236	37.6	31.5-43.7
\$25,000- 34,999	323	218,193	66	17.9	12.4-23.4	48	14.1	8.8-19.4	71	27.0	19.7-34.3	4	1.0	0.0- 2.4	134	39.9	32.5-47.3
\$35,000- 49,999	446	343,291	92	16.6	11.9-21.3	75	21.3	15.0-27.6	94	27.1	20.0-34.2	5	0.6	0.0- 1.2	180	34.4	27.9-40.9
\$50,000- 74,999	414	303,342	70	15.2	10.7-19.7	59	15.7	10.4-21.0	97	26.9	20.2-33.6	7	0.6	0.0- 1.2	181	41.5	34.8-48.2
\$75,000+	671	489,722	87	9.9	7.4-12.4	106	17.1	12.8-21.4	158	27.5	22.6-32.4	11	1.4	0.4- 2.4	309	44.0	38.9-49.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 4: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5574	4,595,256	2539	42.6	40.6-44.6	1415	26.8	25.0-28.6	1370	25.7	23.9-27.5	8	0.2	0.0- 0.4	242	4.8	4.0- 5.6
Male	2359	2,216,157	909	35.6	32.9-38.3	637	28.5	25.8-31.2	672	29.5	26.8-32.2	2	0.2	0.0- 0.6	139	6.1	4.7- 7.5
Female	3215	2,379,099	1630	49.0	46.5-51.5	778	25.2	22.8-27.6	698	22.1	19.9-24.3	6	0.1	0.0- 0.3	103	3.5	2.5- 4.5
White/Non-Hisp	4868	3,752,703	2239	43.2	41.0-45.4	1202	25.6	23.8-27.4	1210	26.3	24.3-28.3	6	0.1	0.0- 0.3	211	4.8	3.8- 5.8
Black or Afr. Am./Non-Hisp	274	362,662	107	36.3	28.5-44.1	85	31.8	24.0-39.6	68	26.9	19.5-34.3	2	1.0	0.0- 2.8	12	4.0	0.9- 7.1
Oth. Race/Non-Hisp.	105	96,105	52	41.6	29.1-54.1	31	30.0	18.2-41.8	18	21.1	10.1-32.1				4	7.3	0.0-16.1
MultiRacial/Non-Hisp.	74	52,244	30	39.7	23.4-56.0	16	17.7	6.1-29.3	25	37.1	20.0-54.2				3	5.5	0.0-12.8
Hispanic	168	253,910	75	44.9	34.9-54.9	60	36.2	26.4-46.0	27	15.0	8.3-21.7				6	3.9	0.2- 7.6
18-24	253	630,991	98	37.9	30.8-45.0	87	32.6	25.9-39.3	57	25.1	18.4-31.8	1	0.5	0.0- 1.5	10	3.8	1.3- 6.3
25-34	414	757,254	181	45.4	39.5-51.3	127	30.0	24.7-35.3	89	20.4	15.9-24.9				17	4.2	1.7- 6.7
35-44	554	714,360	261	45.7	40.4-51.0	135	25.2	20.5-29.9	132	23.7	19.2-28.2	1	0.2	0.0- 0.6	25	5.2	2.8- 7.6
45-54	846	793,190	356	37.7	33.6-41.8	225	26.6	22.7-30.5	215	28.8	24.7-32.9	1	0.1	0.0- 0.3	49	6.8	4.4- 9.2
55-64	1288	777,459	556	42.4	38.9-45.9	316	24.6	21.7-27.5	347	27.6	24.5-30.7	3	0.2	0.0- 0.4	66	5.2	3.6- 6.8
65+	2171	895,527	1056	44.5	41.8-47.2	515	23.7	21.3-26.1	523	28.2	25.5-30.9	2	0.0	0.0- 0.0	75	3.5	2.5- 4.5
Less Than H.S.	415	588,382	161	36.1	29.4-42.8	106	26.6	20.1-33.1	115	29.6	22.9-36.3				33	7.8	4.7-10.9
H.S. or G.E.D.	1848	1,569,491	723	37.9	34.6-41.2	509	28.2	25.3-31.1	495	27.1	24.2-30.0	4	0.2	0.0- 0.4	117	6.6	4.8- 8.4
Some Post-H.S.	1410	1,409,598	652	43.6	40.1-47.1	338	26.6	23.3-29.9	370	26.2	23.1-29.3	3	0.3	0.0- 0.7	47	3.3	2.1- 4.5
College Graduate	1871	1,004,761	992	52.4	49.3-55.5	453	25.0	22.3-27.7	385	20.6	18.1-23.1	1	0.0	0.0- 0.0	40	2.0	1.2- 2.8
Less than \$15,000	476	440,485	163	35.1	28.2-42.0	132	29.9	23.4-36.4	137	26.3	20.6-32.0	1	0.4	0.0- 1.2	43	8.2	5.1-11.3
\$15,000- 24,999	833	688,256	359	40.6	35.5-45.7	237	28.7	24.2-33.2	205	27.7	23.0-32.4	1	0.0	0.0- 0.0	31	3.0	1.6- 4.4
\$25,000- 34,999	527	432,260	230	40.1	34.2-46.0	119	25.0	19.3-30.7	146	27.4	21.9-32.9	1	0.8	0.0- 2.4	31	6.7	3.6- 9.8
\$35,000- 49,999	802	666,385	361	40.7	35.8-45.6	208	29.0	24.3-33.7	194	25.4	20.5-30.3				39	4.8	2.6- 7.0
\$50,000- 74,999	804	678,763	354	41.2	36.3-46.1	220	29.1	24.2-34.0	205	27.1	22.6-31.6	1	0.0	0.0- 0.0	24	2.6	1.4- 3.8
\$75,000+	1352	1,084,907	689	49.2	45.3-53.1	327	23.8	20.5-27.1	299	23.1	19.8-26.4	4	0.2	0.0- 0.4	33	3.7	1.7- 5.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

**TABLE 5: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2359	2,216,157	909	35.6	32.9-38.3	637	28.5	25.8-31.2	672	29.5	26.8-32.2	2	0.2	0.0- 0.6	139	6.1	4.7- 7.5
White/Non-Hisp	2061	1,801,617	808	36.6	33.7-39.5	538	27.2	24.5-29.9	591	30.1	27.2-33.0	1	0.1	0.0- 0.3	123	6.0	4.4- 7.6
Black or Afr. Am./Non-Hisp	97	161,391	28	31.7	19.7-43.7	33	31.1	19.7-42.5	31	30.7	18.4-43.0	1	2.1	0.0- 6.0	4	4.4	0.0- 9.9
Oth. Race/Non-Hisp.	55	60,762	20	28.3	13.2-43.4	20	35.9	19.2-52.6	13	27.8	11.7-43.9				2	8.0	0.0-20.9
Hispanic	61	115,410	19	31.5	16.4-46.6	26	42.8	26.3-59.3	13	20.2	7.7-32.7				3	5.5	0.0-12.6
18-24	133	314,341	48	33.6	24.4-42.8	43	30.4	21.6-39.2	33	29.3	20.1-38.5	1	1.1	0.0- 3.3	8	5.6	1.7- 9.5
25-34	187	384,807	61	34.9	26.5-43.3	67	34.7	26.5-42.9	46	23.4	16.3-30.5				13	7.0	2.1-11.9
35-44	247	352,527	107	43.2	35.6-50.8	58	25.6	18.3-32.9	69	26.3	19.6-33.0	1	0.5	0.0- 1.5	12	4.5	1.6- 7.4
45-54	372	392,978	124	28.6	23.1-34.1	109	28.3	22.2-34.4	110	34.4	27.9-40.9				29	8.7	4.6-12.8
55-64	576	375,946	219	36.0	31.1-40.9	143	26.3	21.6-31.0	176	31.7	26.8-36.6				38	6.0	3.5- 8.5
65+	831	390,274	345	37.9	33.4-42.4	211	25.4	21.3-29.5	236	32.0	27.7-36.3				39	4.6	2.8- 6.4
Less Than H.S.	178	298,722	62	31.6	22.4-40.8	46	29.1	19.7-38.5	53	28.8	19.6-38.0				17	10.5	5.0-16.0
H.S. or G.E.D.	770	814,665	240	30.7	26.2-35.2	221	29.5	25.0-34.0	237	31.8	27.3-36.3	1	0.2	0.0- 0.6	71	7.8	5.1-10.5
Some Post-H.S.	539	611,817	198	36.1	30.6-41.6	145	28.6	23.3-33.9	174	30.5	25.4-35.6	1	0.5	0.0- 1.5	21	4.2	2.0- 6.4
College Graduate	860	482,367	407	46.1	41.4-50.8	221	26.1	22.0-30.2	204	24.8	20.9-28.7				28	3.1	1.5- 4.7
Less than \$15,000	166	159,451	52	34.6	23.6-45.6	50	31.3	21.9-40.7	42	22.0	14.0-30.0	1	1.0	0.0- 3.0	21	11.1	5.2-17.0
\$15,000- 24,999	287	290,865	93	31.4	24.0-38.8	83	30.6	23.3-37.9	93	34.2	26.4-42.0				18	3.8	1.4- 6.2
\$25,000- 34,999	203	211,704	74	34.9	25.9-43.9	44	26.7	17.3-36.1	69	30.1	21.5-38.7	1	1.6	0.0- 4.7	15	6.8	2.1-11.5
\$35,000- 49,999	358	323,727	137	36.7	29.6-43.8	98	28.7	22.0-35.4	101	28.5	21.4-35.6				22	6.2	2.5- 9.9
\$50,000- 74,999	392	377,320	142	33.3	26.4-40.2	117	32.7	25.4-40.0	116	30.6	24.3-36.9				17	3.4	1.2- 5.6
\$75,000+	684	598,673	304	40.8	35.3-46.3	183	26.8	21.9-31.7	175	27.7	22.8-32.6				22	4.7	1.8- 7.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

**TABLE 6: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3215	2,379,099	1630	49.0	46.5-51.5	778	25.2	22.8-27.6	698	22.1	19.9-24.3	6	0.1	0.0- 0.3	103	3.5	2.5- 4.5
White/Non-Hisp	2807	1,951,087	1431	49.3	46.6-52.0	664	24.2	21.8-26.6	619	22.7	20.3-25.1	5	0.1	0.0- 0.3	88	3.6	2.6- 4.6
Black or Afr. Am./Non-Hisp	177	201,271	79	40.0	29.6-50.4	52	32.3	21.7-42.9	37	23.8	15.2-32.4	1	0.1	0.0- 0.3	8	3.7	0.4- 7.0
Oth. Race/Non-Hisp.	50	35,343	32	64.5	48.0-81.0	11	19.9	6.6-33.2	5	9.5	0.0-19.3				2	6.1	0.0-14.5
Hispanic	107	138,500	56	56.1	44.3-67.9	34	30.7	19.9-41.5	14	10.7	4.6-16.8				3	2.5	0.0- 6.0
18-24	120	316,650	50	42.2	31.6-52.8	44	34.8	24.6-45.0	24	21.0	11.6-30.4				2	2.0	0.0- 4.9
25-34	227	372,447	120	56.2	48.6-63.8	60	25.3	18.6-32.0	43	17.2	11.3-23.1				4	1.3	0.0- 2.9
35-44	307	361,834	154	48.1	40.8-55.4	77	24.8	18.9-30.7	63	21.3	15.4-27.2				13	5.8	2.1- 9.5
45-54	474	400,212	232	46.6	41.1-52.1	116	25.0	20.1-29.9	105	23.3	18.4-28.2	1	0.2	0.0- 0.6	20	4.9	2.4- 7.4
55-64	712	401,514	337	48.5	43.8-53.2	173	23.0	19.1-26.9	171	23.7	19.6-27.8	3	0.4	0.0- 0.8	28	4.5	2.5- 6.5
65+	1340	505,253	711	49.7	46.0-53.4	304	22.4	19.5-25.3	287	25.2	21.9-28.5	2	0.1	0.0- 0.3	36	2.7	1.5- 3.9
Less Than H.S.	237	289,660	99	40.7	31.3-50.1	60	23.9	15.3-32.5	62	30.4	20.8-40.0				16	5.0	1.9- 8.1
H.S. or G.E.D.	1078	754,826	483	45.6	40.9-50.3	288	26.9	22.8-31.0	258	22.1	18.6-25.6	3	0.2	0.0- 0.4	46	5.2	3.0- 7.4
Some Post-H.S.	871	797,781	454	49.4	44.7-54.1	193	25.0	20.9-29.1	196	22.9	19.0-26.8	2	0.2	0.0- 0.4	26	2.5	1.3- 3.7
College Graduate	1011	522,394	585	58.2	53.9-62.5	232	24.1	20.4-27.8	181	16.7	13.6-19.8	1	0.0	0.0- 0.0	12	1.0	0.2- 1.8
Less than \$15,000	310	281,034	111	35.4	26.8-44.0	82	29.2	20.6-37.8	95	28.8	21.2-36.4				22	6.6	3.1-10.1
\$15,000- 24,999	546	397,391	266	47.3	40.6-54.0	154	27.3	21.6-33.0	112	22.9	17.2-28.6	1	0.1	0.0- 0.3	13	2.4	0.6- 4.2
\$25,000- 34,999	324	220,556	156	45.1	37.5-52.7	75	23.5	17.0-30.0	77	24.8	18.1-31.5				16	6.7	2.6-10.8
\$35,000- 49,999	444	342,659	224	44.6	37.5-51.7	110	29.4	22.7-36.1	93	22.5	15.6-29.4				17	3.5	1.5- 5.5
\$50,000- 74,999	412	301,442	212	51.0	44.1-57.9	103	24.6	18.7-30.5	89	22.8	16.5-29.1	1	0.1	0.0- 0.3	7	1.6	0.4- 2.8
\$75,000+	668	486,234	385	59.6	54.5-64.7	144	20.0	16.1-23.9	124	17.5	13.6-21.4	4	0.5	0.0- 1.1	11	2.5	0.1- 4.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 7: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5544	4,589,970	271	5.3	4.3- 6.3	1880	32.7	30.9-34.5	2351	41.3	39.3-43.3	36	0.6	0.4- 0.8	1006	20.0	18.4-21.6
Male	2345	2,207,628	108	4.7	3.3- 6.1	777	31.3	28.6-34.0	1040	42.9	40.0-45.8	16	0.6	0.0- 1.2	404	20.4	17.9-22.9
Female	3199	2,382,342	163	5.9	4.5- 7.3	1103	34.0	31.5-36.5	1311	39.9	37.4-42.4	20	0.5	0.3- 0.7	602	19.7	17.5-21.9
White/Non-Hisp	4836	3,738,729	207	4.4	3.4- 5.4	1647	33.2	31.2-35.2	2084	42.2	40.0-44.4	34	0.6	0.4- 0.8	864	19.7	17.9-21.5
Black or Afr. Am./Non-Hisp	276	367,479	15	4.6	1.7- 7.5	63	21.4	14.3-28.5	121	42.9	34.9-50.9	2	1.1	0.0- 2.9	75	30.0	22.4-37.6
Oth. Race/Non-Hisp.	105	94,667	15	14.0	4.6-23.4	41	31.8	20.2-43.4	28	28.3	16.3-40.3	21	25.9	14.3-37.5	21	25.9	14.3-37.5
MultiRacial/Non-Hisp.	74	52,244	2	2.3	0.0- 6.0	31	36.6	20.5-52.7	29	43.9	27.0-60.8	12	17.2	4.1-30.3	12	17.2	4.1-30.3
Hispanic	169	258,103	28	18.4	10.0-26.8	74	43.7	33.9-53.5	54	30.8	21.6-40.0				13	7.1	2.6-11.6
18-24	253	630,975	8	3.8	0.3- 7.3	82	31.2	24.5-37.9	97	37.4	30.3-44.5	2	1.1	0.0- 2.7	64	26.5	20.0-33.0
25-34	412	755,872	24	4.5	2.5- 6.5	138	33.1	27.6-38.6	165	39.0	33.3-44.7	1	0.1	0.0- 0.3	84	23.3	18.2-28.4
35-44	556	719,568	36	8.9	5.2-12.6	193	33.2	28.3-38.1	236	40.1	35.0-45.2	2	0.4	0.0- 1.0	89	17.5	13.6-21.4
45-54	838	792,624	46	4.9	3.1- 6.7	297	33.7	29.6-37.8	349	42.8	38.5-47.1	6	0.7	0.1- 1.3	140	17.9	14.6-21.2
55-64	1279	772,679	55	4.9	3.3- 6.5	430	32.7	29.4-36.0	572	44.4	40.9-47.9	10	0.6	0.2- 1.0	212	17.5	14.8-20.2
65+	2159	891,070	99	4.9	3.7- 6.1	723	32.3	29.6-35.0	917	43.5	40.6-46.4	14	0.5	0.3- 0.7	406	18.8	16.4-21.2
Less Than H.S.	425	600,728	35	11.1	6.2-16.0	105	23.0	17.3-28.7	176	40.9	34.0-47.8	2	0.2	0.0- 0.4	107	24.9	19.0-30.8
H.S. or G.E.D.	1831	1,559,540	81	3.9	2.7- 5.1	580	32.0	28.9-35.1	750	38.6	35.5-41.7	16	0.6	0.2- 1.0	404	25.0	22.1-27.9
Some Post-H.S.	1402	1,410,294	66	5.0	3.4- 6.6	471	32.8	29.5-36.1	612	43.8	40.3-47.3	10	0.8	0.0- 1.6	243	17.6	14.7-20.5
College Graduate	1859	999,300	89	4.7	3.5- 5.9	714	39.8	36.7-42.9	805	42.5	39.4-45.6	7	0.3	0.0- 0.7	244	12.7	10.5-14.9
Less than \$15,000	482	447,628	24	4.6	2.4- 6.8	130	28.3	21.8-34.8	204	41.4	34.7-48.1	1	0.2	0.0- 0.6	123	25.5	19.8-31.2
\$15,000- 24,999	828	690,782	47	7.0	4.3- 9.7	247	30.6	25.9-35.3	355	40.3	35.2-45.4	9	0.5	0.1- 0.9	170	21.5	17.2-25.8
\$25,000- 34,999	519	428,471	26	4.8	2.4- 7.2	171	29.8	24.1-35.5	214	39.8	33.7-45.9	3	1.2	0.0- 3.0	105	24.4	18.7-30.1
\$35,000- 49,999	795	660,420	40	6.5	3.2- 9.8	267	32.5	27.6-37.4	345	41.6	36.5-46.7	8	1.0	0.0- 2.2	135	18.5	14.2-22.8
\$50,000- 74,999	806	682,446	30	5.2	2.1- 8.3	303	38.3	33.4-43.2	328	37.3	32.6-42.0	9	0.9	0.1- 1.7	136	18.4	14.3-22.5
\$75,000+	1345	1,081,882	65	3.9	2.7- 5.1	516	36.9	33.2-40.6	590	43.8	40.1-47.5	4	0.2	0.0- 0.4	170	15.3	12.4-18.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 8: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2345	2,207,628	108	4.7	3.3- 6.1	777	31.3	28.6-34.0	1040	42.9	40.0-45.8	16	0.6	0.0- 1.2	404	20.4	17.9-22.9
White/Non-Hisp	2050	1,791,208	86	3.9	2.7- 5.1	676	31.2	28.3-34.1	922	43.8	40.7-46.9	15	0.6	0.2- 1.0	351	20.5	17.8-23.2
Black or Afr. Am./Non-Hisp	95	160,579	4	3.0	0.0- 6.3	28	26.7	15.7-37.7	42	44.1	31.2-57.0	1	2.1	0.0- 6.2	20	24.0	12.6-35.4
Oth. Race/Non-Hisp.	54	59,112	8	14.3	0.6-28.0	20	28.0	13.3-42.7	17	35.3	18.1-52.5				9	22.4	6.5-38.3
Hispanic	62	118,823	6	16.0	1.5-30.5	28	44.4	28.3-60.5	24	32.7	18.2-47.2				4	6.9	0.0-14.2
18-24	132	312,791	4	2.8	0.0- 5.9	42	32.1	22.9-41.3	56	40.5	30.7-50.3	2	2.2	0.0- 5.1	28	22.4	14.4-30.4
25-34	186	384,496	8	3.7	0.8- 6.6	61	34.0	25.6-42.4	79	39.0	30.8-47.2	1	0.2	0.0- 0.6	37	23.0	15.4-30.6
35-44	247	352,681	14	7.4	1.9-12.9	78	31.0	23.9-38.1	107	37.7	30.4-45.0	2	0.8	0.0- 2.0	46	23.2	16.3-30.1
45-54	368	393,314	17	4.5	1.8- 7.2	116	28.4	22.3-34.5	171	47.5	40.8-54.2	1	0.2	0.0- 0.6	63	19.3	14.0-24.6
55-64	571	373,011	27	5.9	3.4- 8.4	183	30.1	25.4-34.8	258	44.6	39.3-49.9	5	0.4	0.0- 0.8	98	19.0	14.7-23.3
65+	828	386,051	38	4.1	2.5- 5.7	289	32.2	27.9-36.5	366	47.2	42.5-51.9	5	0.3	0.0- 0.7	130	16.1	12.8-19.4
Less Than H.S.	182	303,280	15	10.1	3.2-17.0	45	23.1	15.1-31.1	75	39.5	29.9-49.1				47	27.2	18.4-36.0
H.S. or G.E.D.	762	806,955	34	4.1	2.3- 5.9	238	30.6	25.9-35.3	319	40.1	35.4-44.8	5	0.5	0.0- 1.1	166	24.7	20.4-29.0
Some Post-H.S.	538	611,945	20	3.2	1.2- 5.2	179	32.6	27.1-38.1	246	45.4	39.7-51.1	7	1.5	0.0- 3.1	86	17.3	12.8-21.8
College Graduate	854	479,777	39	4.4	2.6- 6.2	312	36.2	31.7-40.7	396	46.1	41.4-50.8	4	0.3	0.0- 0.7	103	13.0	9.5-16.5
Less than \$15,000	170	164,800	13	8.3	3.2-13.4	44	27.3	17.9-36.7	72	39.7	29.3-50.1				41	24.7	16.1-33.3
\$15,000- 24,999	291	293,713	13	6.6	2.3-10.9	89	30.0	22.9-37.1	129	40.8	33.0-48.6	4	0.7	0.0- 1.5	56	22.0	15.1-28.9
\$25,000- 34,999	197	210,090	7	2.5	0.3- 4.7	62	27.9	19.3-36.5	88	44.0	34.4-53.6	1	1.6	0.0- 4.7	39	24.0	15.2-32.8
\$35,000- 49,999	351	316,302	16	3.8	1.4- 6.2	121	34.8	27.4-42.2	151	41.1	33.7-48.5	4	1.4	0.0- 3.6	59	18.9	12.6-25.2
\$50,000- 74,999	392	377,268	14	5.1	0.4- 9.8	141	36.6	29.5-43.7	165	39.1	32.2-46.0	4	1.0	0.0- 2.2	68	18.3	13.0-23.6
\$75,000+	680	596,775	33	4.0	2.0- 6.0	244	34.0	28.7-39.3	320	45.5	40.0-51.0	2	0.1	0.0- 0.3	81	16.4	11.7-21.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 9: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3199	2,382,342	163	5.9	4.5- 7.3	1103	34.0	31.5-36.5	1311	39.9	37.4-42.4	20	0.5	0.3- 0.7	602	19.7	17.5-21.9
White/Non-Hisp	2786	1,947,521	121	4.8	3.4- 6.2	971	35.0	32.3-37.7	1162	40.8	38.1-43.5	19	0.6	0.2- 1.0	513	18.9	16.5-21.3
Black or Afr. Am./Non-Hisp	181	206,900	11	5.8	1.3-10.3	35	17.3	7.9-26.7	79	42.0	31.8-52.2	1	0.3	0.0- 0.9	55	34.6	24.4-44.8
Oth. Race/Non-Hisp.	51	35,556	7	13.4	2.6-24.2	21	38.2	20.6-55.8	11	16.7	5.1-28.3				12	31.6	15.3-47.9
Hispanic	107	139,280	22	20.4	11.0-29.8	46	43.1	31.1-55.1	30	29.2	17.2-41.2				9	7.2	1.5-12.9
18-24	121	318,185	4	4.9	0.0-11.0	40	30.3	20.7-39.9	41	34.3	24.1-44.5				36	30.5	20.7-40.3
25-34	226	371,376	16	5.3	2.6- 8.0	77	32.1	24.8-39.4	86	39.0	31.4-46.6				47	23.6	16.9-30.3
35-44	309	366,888	22	10.3	5.2-15.4	115	35.3	28.6-42.0	129	42.4	35.3-49.5				43	12.0	8.1-15.9
45-54	470	399,310	29	5.3	3.1- 7.5	181	38.9	33.4-44.4	178	38.1	32.6-43.6	5	1.1	0.1- 2.1	77	16.5	12.2-20.8
55-64	708	399,668	28	3.9	2.1- 5.7	247	35.1	30.4-39.8	314	44.1	39.4-48.8	5	0.7	0.0- 1.5	114	16.1	12.6-19.6
65+	1331	505,020	61	5.5	3.5- 7.5	434	32.4	29.1-35.7	551	40.7	37.2-44.2	9	0.6	0.2- 1.0	276	20.9	17.8-24.0
Less Than H.S.	243	297,447	20	12.1	4.8-19.4	60	22.8	14.8-30.8	101	42.4	33.0-51.8	2	0.3	0.0- 0.7	60	22.4	14.6-30.2
H.S. or G.E.D.	1069	752,584	47	3.7	2.3- 5.1	342	33.5	29.0-38.0	431	36.9	32.6-41.2	11	0.8	0.2- 1.4	238	25.3	21.2-29.4
Some Post-H.S.	864	798,349	46	6.4	3.9- 8.9	292	33.0	28.7-37.3	366	42.5	38.0-47.0	3	0.2	0.0- 0.4	157	17.9	14.2-21.6
College Graduate	1005	519,523	50	5.0	3.2- 6.8	402	43.1	38.8-47.4	409	39.2	34.9-43.5	3	0.3	0.0- 0.9	141	12.3	9.6-15.0
Less than \$15,000	312	282,829	11	2.4	0.6- 4.2	86	28.9	20.5-37.3	132	42.4	33.6-51.2	1	0.4	0.0- 1.2	82	25.9	18.5-33.3
\$15,000- 24,999	537	397,069	34	7.3	3.6-11.0	158	31.1	25.0-37.2	226	40.0	33.3-46.7	5	0.4	0.0- 0.8	114	21.2	15.7-26.7
\$25,000- 34,999	322	218,382	19	6.9	2.8-11.0	109	31.7	24.4-39.0	126	35.9	28.8-43.0	2	0.8	0.0- 2.2	66	24.7	17.8-31.6
\$35,000- 49,999	444	344,118	24	8.9	3.0-14.8	146	30.3	24.0-36.6	194	42.0	35.1-48.9	4	0.6	0.0- 1.4	76	18.3	12.4-24.2
\$50,000- 74,999	414	305,178	16	5.4	1.7- 9.1	162	40.3	33.6-47.0	163	35.0	28.7-41.3	5	0.8	0.0- 1.6	68	18.5	12.0-25.0
\$75,000+	665	485,107	32	3.9	2.3- 5.5	272	40.4	35.3-45.5	270	41.6	36.3-46.9	2	0.2	0.0- 0.6	89	13.9	10.4-17.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 10: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5546	4,585,039	943	17.3	15.7-18.9	2176	38.9	36.9-40.9	1857	32.9	31.1-34.7	17	0.3	0.1- 0.5	553	10.6	9.4-11.8
Male	2349	2,209,776	309	13.8	11.6-16.0	886	37.1	34.4-39.8	868	35.9	33.2-38.6	11	0.5	0.1- 0.9	275	12.7	10.7-14.7
Female	3197	2,375,263	634	20.5	18.3-22.7	1290	40.5	38.0-43.0	989	30.1	27.6-32.6	6	0.2	0.0- 0.4	278	8.7	7.1-10.3
White/Non-Hisp	4833	3,734,718	799	16.4	14.8-18.0	1880	38.6	36.6-40.6	1645	33.8	31.8-35.8	16	0.3	0.1- 0.5	493	10.9	9.5-12.3
Black or Afr. Am./Non-Hisp	280	365,456	50	19.4	12.7-26.1	109	35.5	27.9-43.1	98	35.8	28.2-43.4	1	0.9	0.0- 2.7	22	8.4	3.9-12.9
Oth. Race/Non-Hisp.	104	95,530	24	26.7	14.5-38.9	50	36.4	25.0-47.8	23	22.9	11.5-34.3				7	14.0	3.2-24.8
MultiRacial/Non-Hisp.	73	51,491	13	27.4	11.1-43.7	29	31.2	16.5-45.9	24	35.4	18.5-52.3				7	6.0	0.0-12.5
Hispanic	170	258,165	39	19.3	12.0-26.6	79	52.3	42.3-62.3	39	21.3	13.5-29.1				13	7.1	2.6-11.6
18-24	252	626,909	50	18.6	13.1-24.1	92	37.4	30.3-44.5	78	31.8	24.7-38.9	2	0.7	0.0- 1.9	30	11.5	7.0-16.0
25-34	414	758,609	82	19.8	15.1-24.5	175	41.2	35.5-46.9	121	28.0	22.9-33.1				36	11.1	7.0-15.2
35-44	556	714,873	116	20.5	16.4-24.6	215	38.2	33.1-43.3	180	32.1	27.2-37.0	2	0.2	0.0- 0.6	43	8.9	6.0-11.8
45-54	838	787,306	133	14.6	11.5-17.7	338	39.4	35.1-43.7	272	33.4	29.3-37.5	1	0.1	0.0- 0.3	94	12.4	9.5-15.3
55-64	1280	775,650	200	15.6	13.1-18.1	489	39.0	35.5-42.5	469	35.7	32.4-39.0	4	0.5	0.0- 1.1	118	9.3	7.3-11.3
65+	2159	894,451	349	15.2	13.2-17.2	847	37.7	35.0-40.4	725	35.8	33.1-38.5	8	0.4	0.0- 0.8	230	10.9	9.1-12.7
Less Than H.S.	420	596,467	57	15.3	10.4-20.2	129	30.4	23.9-36.9	130	34.7	28.0-41.4				104	19.6	14.7-24.5
H.S. or G.E.D.	1835	1,561,592	241	13.3	10.9-15.7	673	38.2	34.9-41.5	644	33.3	30.2-36.4	12	0.6	0.2- 1.0	265	14.7	12.3-17.1
Some Post-H.S.	1410	1,408,261	257	19.5	16.6-22.4	551	38.9	35.4-42.4	497	34.5	31.0-38.0	5	0.4	0.0- 1.0	100	6.8	4.8- 8.8
College Graduate	1853	996,328	386	21.9	19.2-24.6	811	45.1	42.0-48.2	578	28.8	26.1-31.5				78	4.1	2.7- 5.5
Less than \$15,000	480	446,684	64	16.0	10.9-21.1	155	31.0	24.7-37.3	168	36.1	29.4-42.8	1	0.2	0.0- 0.6	92	16.7	12.0-21.4
\$15,000- 24,999	833	697,669	106	12.5	9.4-15.6	308	38.7	33.8-43.6	289	32.8	27.9-37.7	2	0.2	0.0- 0.4	128	15.8	12.1-19.5
\$25,000- 34,999	526	432,687	85	18.3	13.6-23.0	189	34.5	28.6-40.4	183	29.9	24.6-35.2	2	1.1	0.0- 2.7	67	16.2	11.3-21.1
\$35,000- 49,999	796	662,310	151	17.9	14.2-21.6	297	36.1	31.2-41.0	266	36.1	30.8-41.4	4	0.2	0.0- 0.4	78	9.8	6.7-12.9
\$50,000- 74,999	797	674,286	143	19.3	15.2-23.4	330	42.0	36.9-47.1	266	32.3	27.6-37.0	5	0.4	0.0- 0.8	53	5.9	3.9- 7.9
\$75,000+	1340	1,067,314	248	17.8	14.9-20.7	585	43.8	39.9-47.7	450	32.8	29.3-36.3	3	0.3	0.0- 0.7	54	5.2	3.2- 7.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 11: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2349	2,209,776	309	13.8	11.6-16.0	886	37.1	34.2-40.0	868	35.9	33.2-38.6	11	0.5	0.1- 0.9	275	12.7	10.7-14.7
White/Non-Hisp	2047	1,791,197	266	13.5	11.3-15.7	757	36.0	33.1-38.9	773	37.4	34.5-40.3	10	0.4	0.2- 0.6	241	12.6	10.4-14.8
Black or Afr. Am./Non-Hisp	99	159,857	11	12.5	3.5-21.5	42	38.7	26.9-50.5	37	36.6	24.3-48.9	1	2.1	0.0- 6.2	8	10.2	2.0-18.4
Oth. Race/Non-Hisp.	56	61,815	10	22.2	6.5-37.9	27	33.5	19.0-48.0	13	25.1	9.4-40.8				6	19.2	3.7-34.7
Hispanic	62	118,823	8	11.1	1.1-21.1	31	56.9	41.4-72.4	16	22.4	10.1-34.7				7	9.6	2.2-17.0
18-24	131	308,725	21	15.4	8.7-22.1	46	36.9	27.3-46.5	48	34.9	25.5-44.3	2	1.4	0.0- 3.6	14	11.5	5.0-18.0
25-34	188	387,233	27	16.5	9.6-23.4	79	41.5	33.1-49.9	63	29.5	22.1-36.9				19	12.4	6.1-18.7
35-44	249	353,967	43	16.9	11.2-22.6	89	35.1	27.5-42.7	87	35.1	27.8-42.4	2	0.5	0.0- 1.3	28	12.4	7.3-17.5
45-54	370	389,814	40	10.1	5.8-14.4	140	36.6	30.3-42.9	137	37.3	30.8-43.8	1	0.2	0.0- 0.6	52	15.8	11.1-20.5
55-64	571	376,148	69	12.6	9.1-16.1	211	36.4	31.3-41.5	224	39.2	34.1-44.3	1	0.2	0.0- 0.6	66	11.6	8.1-15.1
65+	827	388,604	108	12.2	9.3-15.1	314	35.4	31.1-39.7	306	39.5	35.0-44.0	5	0.7	0.0- 1.5	94	12.2	9.1-15.3
Less Than H.S.	178	298,774	22	15.5	8.1-22.9	52	30.9	21.3-40.5	58	30.3	21.5-39.1				46	23.3	15.3-31.3
H.S. or G.E.D.	768	812,127	84	10.7	7.8-13.6	261	35.2	30.5-39.9	284	36.3	31.6-41.0	7	0.6	0.0- 1.2	132	17.2	13.3-21.1
Some Post-H.S.	539	611,885	74	15.6	11.1-20.1	194	35.6	30.1-41.1	221	40.7	35.2-46.2	4	0.9	0.0- 2.1	46	7.2	4.5- 9.9
College Graduate	853	478,694	129	16.1	12.6-19.6	375	46.2	41.5-50.9	300	32.1	27.8-36.4				49	5.7	3.5- 7.9
Less than \$15,000	169	164,588	17	15.5	6.9-24.1	55	30.4	21.4-39.4	64	36.6	26.4-46.8				33	17.4	10.0-24.8
\$15,000- 24,999	293	298,634	28	10.5	5.6-15.4	92	34.0	26.6-41.4	115	37.1	29.3-44.9	2	0.4	0.0- 1.0	56	18.0	12.1-23.9
\$25,000- 34,999	201	212,114	22	12.8	6.5-19.1	68	34.7	25.3-44.1	84	33.8	25.0-42.6	1	1.6	0.0- 4.7	26	17.1	8.9-25.3
\$35,000- 49,999	352	318,720	50	12.8	7.7-17.9	128	35.7	28.4-43.0	123	37.6	30.3-44.9	2	0.2	0.0- 0.4	49	13.8	8.1-19.5
\$50,000- 74,999	388	373,599	52	16.1	10.4-21.8	158	41.2	33.8-48.6	142	35.2	28.5-41.9	3	0.5	0.0- 1.1	33	7.0	4.1- 9.9
\$75,000+	676	586,290	101	14.6	10.7-18.5	287	41.7	36.2-47.2	247	35.7	30.4-41.0	3	0.6	0.0- 1.2	38	7.5	4.0-11.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 12: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3197	2,375,263	634	20.5	18.3-22.7	1290	40.5	38.0-43.0	989	30.1	27.6-32.6	6	0.2	0.0- 0.4	278	8.7	7.3-10.1
White/Non-Hisp	2786	1,943,521	533	19.1	16.9-21.3	1123	40.9	38.2-43.6	872	30.3	27.6-33.0	6	0.2	0.0- 0.4	252	9.4	7.6-11.2
Black or Afr. Am./Non-Hisp	181	205,599	39	24.8	15.2-34.4	67	33.0	22.6-43.4	61	35.2	25.4-45.0				14	7.0	2.5-11.5
Hispanic	108	139,342	31	26.3	15.9-36.7	48	48.4	36.2-60.6	23	20.4	10.0-30.8				6	4.9	0.0-10.2
18-24	121	318,185	29	21.7	13.1-30.3	46	37.9	27.5-48.3	30	28.9	18.5-39.3				16	11.6	5.7-17.5
25-34	226	371,376	55	23.1	16.8-29.4	96	41.0	33.4-48.6	58	26.3	19.2-33.4				17	9.6	4.3-14.9
35-44	307	360,907	73	24.0	17.7-30.3	126	41.3	34.2-48.4	93	29.2	22.7-35.7				15	5.6	2.5- 8.7
45-54	468	397,492	93	18.9	14.6-23.2	198	42.3	36.8-47.8	135	29.7	24.4-35.0				42	9.2	5.9-12.5
55-64	709	399,502	131	18.4	14.7-22.1	278	41.4	36.7-46.1	245	32.4	28.1-36.7	3	0.8	0.0- 1.8	52	7.0	4.8- 9.2
65+	1332	505,847	241	17.5	14.8-20.2	533	39.4	35.9-42.9	419	32.9	29.4-36.4	3	0.2	0.0- 0.4	136	10.0	8.0-12.0
Less Than H.S.	242	297,693	35	15.0	8.3-21.7	77	29.9	21.3-38.5	72	39.1	29.3-48.9				58	16.0	10.3-21.7
H.S. or G.E.D.	1067	749,465	157	16.1	12.6-19.6	412	41.4	36.7-46.1	360	30.1	26.2-34.0	5	0.5	0.0- 1.1	133	11.9	9.2-14.6
Some Post-H.S.	871	796,376	183	22.4	18.5-26.3	357	41.4	36.9-45.9	276	29.7	25.4-34.0	1	0.0	0.0- 0.0	54	6.5	4.0- 9.0
College Graduate	1000	517,633	257	27.3	23.4-31.2	436	44.1	39.8-48.4	278	25.9	22.2-29.6				29	2.7	1.3- 4.1
Less than \$15,000	311	282,097	47	16.4	10.3-22.5	100	31.3	22.7-39.9	104	35.7	27.1-44.3	1	0.3	0.0- 0.9	59	16.3	10.4-22.2
\$15,000- 24,999	540	399,035	78	14.0	9.9-18.1	216	42.2	35.7-48.7	174	29.6	23.5-35.7				72	14.2	9.1-19.3
\$25,000- 34,999	325	220,573	63	23.5	16.6-30.4	121	34.3	27.0-41.6	99	26.1	19.8-32.4	1	0.7	0.0- 2.1	41	15.3	9.6-21.0
\$35,000- 49,999	444	343,589	101	22.6	17.1-28.1	169	36.5	29.8-43.2	143	34.7	27.3-42.1	2	0.1	0.0- 0.3	29	6.1	3.0- 9.2
\$50,000- 74,999	409	300,687	91	23.3	17.2-29.4	172	43.1	36.2-50.0	124	28.8	22.1-35.5	2	0.3	0.0- 0.7	20	4.5	2.1- 6.9
\$75,000+	664	481,024	147	21.8	17.5-26.1	298	46.4	41.1-51.7	203	29.4	24.7-34.1				16	2.4	0.8- 4.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 13: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5544	4,578,320	341	6.1	5.1- 7.1	1940	33.3	31.5-35.1	2249	38.8	36.8-40.8	28	0.5	0.3- 0.7	986	21.4	19.6-23.2
Male	2354	2,214,386	111	5.6	4.0- 7.2	719	28.1	25.6-30.6	994	40.2	37.3-43.1	15	0.7	0.1- 1.3	515	25.5	22.8-28.2
Female	3190	2,363,934	230	6.6	5.4- 7.8	1221	38.2	35.7-40.7	1255	37.5	35.0-40.0	13	0.3	0.1- 0.5	471	17.5	15.3-19.7
White/Non-Hisp	4833	3,728,562	284	5.6	4.6- 6.6	1685	33.7	31.7-35.7	1996	39.4	37.4-41.4	23	0.5	0.3- 0.7	845	20.8	19.0-22.6
Black or Afr. Am./Non-Hisp	278	368,134	29	9.9	5.6-14.2	78	24.5	17.2-31.8	109	39.3	31.3-47.3	3	1.1	0.0- 2.9	59	25.2	17.9-32.5
Oth. Race/Non-Hisp.	106	96,538	9	6.4	1.3-11.5	50	43.9	31.0-56.8	28	29.6	17.6-41.6	1	0.5	0.0- 1.5	18	19.5	9.9-29.1
MultiRacial/Non-Hisp.	73	50,562	3	2.8	0.0- 6.9	28	37.5	20.6-54.4	29	40.1	23.2-57.0	1	0.4	0.0- 1.4	12	19.2	6.5-31.9
Hispanic	169	258,055	10	7.3	2.0-12.6	74	35.9	27.1-44.7	48	32.8	22.8-42.8				37	24.0	15.6-32.4
18-24	250	622,975	13	4.2	1.7- 6.7	81	31.2	24.5-37.9	85	36.4	29.1-43.7	2	1.1	0.0- 2.7	69	27.1	20.8-33.4
25-34	414	758,609	27	7.6	4.1-11.1	153	34.8	29.3-40.3	151	34.5	29.0-40.0	2	0.4	0.0- 1.0	81	22.7	17.4-28.0
35-44	554	708,622	34	7.0	4.3- 9.7	193	32.0	27.3-36.7	230	39.1	34.0-44.2	3	0.5	0.0- 1.1	94	21.4	16.9-25.9
45-54	839	791,189	53	6.4	4.2- 8.6	276	30.9	27.0-34.8	342	39.5	35.2-43.8	2	0.2	0.0- 0.6	166	22.9	19.2-26.6
55-64	1280	775,099	71	5.2	3.6- 6.8	436	35.2	31.9-38.5	533	40.0	36.5-43.5	10	0.5	0.1- 0.9	230	19.0	16.3-21.7
65+	2161	895,935	142	6.0	4.6- 7.4	778	34.5	31.8-37.2	891	42.0	39.1-44.9	9	0.3	0.1- 0.5	341	17.2	14.8-19.6
Less Than H.S.	415	593,144	28	6.5	3.0-10.0	104	23.1	17.6-28.6	145	37.2	30.1-44.3				138	33.1	26.8-39.4
H.S. or G.E.D.	1838	1,555,962	85	4.8	3.4- 6.2	563	30.1	27.0-33.2	751	39.2	36.1-42.3	14	0.6	0.2- 1.0	425	25.3	22.4-28.2
Some Post-H.S.	1406	1,406,867	100	7.1	5.1- 9.1	487	33.9	30.6-37.2	577	39.3	35.8-42.8	8	0.6	0.0- 1.2	234	19.1	16.2-22.0
College Graduate	1856	999,613	126	6.6	5.0- 8.2	775	43.3	40.2-46.4	765	38.2	35.1-41.3	6	0.4	0.0- 0.8	184	11.5	9.3-13.7
Less than \$15,000	476	445,028	27	5.4	2.7- 8.1	128	26.7	20.4-33.0	176	35.2	28.7-41.7	3	0.5	0.0- 1.1	142	32.2	25.9-38.5
\$15,000- 24,999	831	694,356	51	6.1	3.7- 8.5	263	33.7	28.8-38.6	329	35.5	30.6-40.4	3	0.2	0.0- 0.4	185	24.5	20.0-29.0
\$25,000- 34,999	527	430,773	34	5.2	2.7- 7.7	169	32.3	26.4-38.2	219	36.0	30.3-41.7	3	0.9	0.0- 2.5	102	25.6	19.7-31.5
\$35,000- 49,999	799	664,041	35	4.3	2.1- 6.5	285	34.5	29.6-39.4	336	40.4	35.3-45.5	5	0.7	0.0- 1.7	138	20.0	15.7-24.3
\$50,000- 74,999	799	674,893	57	8.7	5.4-12.0	293	34.0	29.5-38.5	320	38.6	33.5-43.7	7	1.0	0.0- 2.0	122	17.7	13.8-21.6
\$75,000+	1339	1,065,907	80	6.2	4.2- 8.2	538	37.6	33.9-41.3	555	40.6	36.9-44.3	6	0.2	0.0- 0.4	160	15.4	12.3-18.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 14: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2354	2,214,386	111	5.6	4.0- 7.2	719	28.1	25.6-30.6	994	40.2	37.3-43.1	15	0.7	0.1- 1.3	515	25.5	22.8-28.2
White/Non-Hisp	2053	1,793,922	90	5.1	3.5- 6.7	625	28.2	25.5-30.9	883	41.1	38.0-44.2	11	0.6	0.0- 1.2	444	25.1	22.4-27.8
Black or Afr. Am./Non-Hisp	98	162,876	10	9.5	2.8-16.2	25	20.8	11.4-30.2	37	38.3	25.8-50.8	2	2.3	0.0- 6.2	24	29.1	16.8-41.4
Oth. Race/Non-Hisp.	56	61,815	4	5.4	0.0-11.7	23	39.4	22.0-56.8	16	31.8	15.3-48.3	1	0.8	0.0- 2.4	12	22.7	9.2-36.2
Hispanic	62	118,823	2	7.1	0.0-16.5	22	27.4	15.1-39.7	17	34.4	17.9-50.9				21	31.1	16.6-45.6
18-24	131	308,725	5	3.6	0.3- 6.9	36	25.3	17.3-33.3	51	41.1	31.1-51.1	2	2.2	0.0- 5.1	37	27.8	19.0-36.6
25-34	188	387,233	11	9.8	3.5-16.1	56	28.4	21.0-35.8	72	32.6	25.0-40.2	2	0.7	0.0- 1.9	47	28.5	20.3-36.7
35-44	247	351,373	13	5.7	2.0- 9.4	74	27.2	20.5-33.9	102	37.9	30.3-45.5	2	0.8	0.0- 2.2	56	28.4	21.1-35.7
45-54	373	397,030	13	4.0	1.5- 6.5	106	24.4	18.9-29.9	167	44.5	37.8-51.2				87	27.1	21.2-33.0
55-64	572	375,905	29	5.3	2.8- 7.8	172	31.3	26.4-36.2	241	41.1	36.0-46.2	4	0.4	0.0- 0.8	126	22.0	17.7-26.3
65+	830	388,836	40	4.9	2.7- 7.1	267	31.0	26.9-35.1	357	43.7	39.2-48.2	5	0.4	0.0- 0.8	161	20.0	16.3-23.7
Less Than H.S.	177	300,973	13	7.2	1.9-12.5	43	21.8	14.5-29.1	61	39.2	29.0-49.4				60	31.8	22.6-41.0
H.S. or G.E.D.	771	814,191	29	4.4	2.2- 6.6	198	24.2	20.1-28.3	319	40.4	35.7-45.1	6	0.5	0.0- 1.1	219	30.5	25.8-35.2
Some Post-H.S.	538	609,550	29	6.7	3.2-10.2	155	27.7	22.8-32.6	225	40.1	34.4-45.8	6	1.4	0.0- 3.0	123	24.1	19.2-29.0
College Graduate	857	481,377	40	5.2	2.8- 7.6	320	39.1	34.4-43.8	384	40.3	35.8-44.8	3	0.6	0.0- 1.6	110	14.8	11.1-18.5
Less than \$15,000	167	163,313	9	3.9	0.4- 7.4	46	27.9	18.9-36.9	62	36.2	26.0-46.4	1	0.1	0.0- 0.3	49	31.8	21.8-41.8
\$15,000- 24,999	291	295,265	16	5.4	1.5- 9.3	67	25.5	18.6-32.4	121	38.0	30.4-45.6	3	0.5	0.0- 1.1	84	30.5	23.1-37.9
\$25,000- 34,999	202	212,298	11	4.5	0.6- 8.4	50	26.8	18.2-35.4	81	34.1	25.5-42.7	3	1.9	0.0- 5.0	57	32.7	22.9-42.5
\$35,000- 49,999	357	322,219	10	3.7	0.4- 7.0	108	29.7	22.8-36.6	149	39.3	32.0-46.6	3	1.3	0.0- 3.5	87	26.0	19.1-32.9
\$50,000- 74,999	389	373,879	24	8.3	3.4-13.2	118	28.0	21.9-34.1	162	40.9	33.6-48.2	4	1.4	0.0- 3.2	81	21.3	15.8-26.8
\$75,000+	678	591,950	25	5.4	2.5- 8.3	248	32.0	27.1-36.9	301	42.7	37.2-48.2	1	0.0	0.0- 0.0	103	19.9	15.0-24.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 15: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3190	2,363,934	230	6.6	5.4- 7.8	1221	38.2	35.7-40.7	1255	37.5	35.0-40.0	13	0.3	0.1- 0.5	471	17.5	15.3-19.7
White/Non-Hisp	2780	1,934,640	194	6.1	4.9- 7.3	1060	38.8	36.1-41.5	1113	37.9	35.2-40.6	12	0.3	0.1- 0.5	401	16.8	14.4-19.2
Black or Afr. Am./Non-Hisp	180	205,258	19	10.3	4.8-15.8	53	27.4	17.2-37.6	72	40.0	29.6-50.4	1	0.1	0.0- 0.3	35	22.2	13.8-30.6
Oth. Race/Non-Hisp.	50	34,723	5	8.3	0.0-16.7	27	52.0	34.4-69.6	12	25.8	9.9-41.7				6	13.9	2.1-25.7
Hispanic	107	139,232	8	7.4	1.7-13.1	52	43.1	31.1-55.1	31	31.4	19.2-43.6				16	18.0	8.6-27.4
18-24	119	314,250	8	4.8	1.1- 8.5	45	37.1	26.7-47.5	34	31.7	21.1-42.3				32	26.3	17.1-35.5
25-34	226	371,376	16	5.4	2.3- 8.5	97	41.4	33.8-49.0	79	36.5	28.9-44.1				34	16.7	10.4-23.0
35-44	307	357,249	21	8.2	4.1-12.3	119	36.8	29.9-43.7	128	40.2	33.1-47.3	1	0.2	0.0- 0.6	38	14.5	9.4-19.6
45-54	466	394,159	40	8.9	5.6-12.2	170	37.4	31.9-42.9	175	34.5	29.2-39.8	2	0.5	0.0- 1.1	79	18.8	14.1-23.5
55-64	708	399,194	42	5.1	3.3- 6.9	264	38.9	34.2-43.6	292	39.0	34.3-43.7	6	0.7	0.1- 1.3	104	16.3	12.8-19.8
65+	1331	507,100	102	6.8	5.2- 8.4	511	37.2	33.7-40.7	534	40.8	37.1-44.5	4	0.2	0.0- 0.4	180	15.0	12.3-17.7
Less Than H.S.	238	292,171	15	5.9	1.8-10.0	61	24.5	16.1-32.9	84	35.1	25.5-44.7				78	34.5	25.7-43.3
H.S. or G.E.D.	1067	741,771	56	5.1	3.1- 7.1	365	36.6	31.9-41.3	432	37.9	33.6-42.2	8	0.7	0.1- 1.3	206	19.7	16.2-23.2
Some Post-H.S.	868	797,317	71	7.3	5.1- 9.5	332	38.7	34.2-43.2	352	38.6	34.1-43.1	2	0.1	0.0- 0.3	111	15.2	11.5-18.9
College Graduate	999	518,236	86	7.9	5.7-10.1	455	47.3	43.0-51.6	381	36.4	32.3-40.5	3	0.1	0.0- 0.3	74	8.3	5.9-10.7
Less than \$15,000	309	281,715	18	6.3	2.4-10.2	82	25.9	17.5-34.3	114	34.7	26.3-43.1	2	0.7	0.0- 1.7	93	32.5	24.3-40.7
\$15,000- 24,999	540	399,091	35	6.6	3.7- 9.5	196	39.7	33.0-46.4	208	33.6	27.5-39.7				101	20.0	14.3-25.7
\$25,000- 34,999	325	218,474	23	5.9	3.0- 8.8	119	37.6	30.0-45.2	138	37.8	30.5-45.1				45	18.6	12.3-24.9
\$35,000- 49,999	442	341,822	25	4.9	2.5- 7.3	177	39.1	32.2-46.0	187	41.4	34.1-48.7	2	0.2	0.0- 0.4	51	14.4	9.5-19.3
\$50,000- 74,999	410	301,015	33	9.1	4.6-13.6	175	41.5	34.8-48.2	158	35.6	29.1-42.1	3	0.5	0.0- 1.1	41	13.4	7.5-19.3
\$75,000+	661	473,957	55	7.3	4.8- 9.8	290	44.5	39.4-49.6	254	38.1	33.0-43.2	5	0.4	0.0- 0.8	57	9.7	6.6-12.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

**TABLE 16: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5509	4,545,908	1912	33.9	31.9-35.9	1868	34.9	32.9-36.9	1645	29.0	27.2-30.8	2	0.0	0.0- 0.0	82	2.1	1.5- 2.7
Male	2337	2,195,279	723	30.2	27.5-32.9	799	35.1	32.2-38.0	773	32.0	29.3-34.7				42	2.7	1.5- 3.9
Female	3172	2,350,630	1189	37.5	35.0-40.0	1069	34.8	32.3-37.3	872	26.2	23.8-28.6	2	0.0	0.0- 0.0	40	1.6	0.8- 2.4
White/Non-Hisp	4806	3,707,817	1712	35.2	33.2-37.2	1598	34.5	32.5-36.5	1437	28.9	26.9-30.9	2	0.0	0.0- 0.0	57	1.3	0.9- 1.7
Black or Afr. Am./Non-Hisp	277	366,662	73	26.5	19.6-33.4	102	38.8	30.6-47.0	97	32.8	25.4-40.2				5	2.0	0.0- 4.2
Oth. Race/Non-Hisp.	105	93,429	37	33.8	21.6-46.0	48	37.8	25.6-50.0	19	26.9	14.9-38.9				1	1.5	0.0- 4.4
MultiRacial/Non-Hisp.	72	49,758	26	38.8	22.1-55.5	25	25.4	11.3-39.5	20	34.7	17.1-52.3				1	1.1	0.0- 3.3
Hispanic	167	252,768	46	30.4	21.0-39.8	69	38.4	28.6-48.2	38	19.9	12.8-27.0				14	11.3	3.9-18.7
18-24	248	615,199	69	29.3	22.6-36.0	103	40.8	33.5-48.1	67	26.7	20.2-33.2				9	3.2	1.0- 5.4
25-34	411	755,422	152	36.7	31.0-42.4	145	34.8	29.3-40.3	99	24.3	19.4-29.2				15	4.3	1.8- 6.8
35-44	554	706,407	200	38.1	33.0-43.2	184	32.6	27.5-37.7	160	27.1	22.6-31.6				10	2.3	0.3- 4.3
45-54	834	784,530	262	31.4	27.3-35.5	294	35.0	30.9-39.1	262	31.6	27.5-35.7				16	1.9	0.5- 3.3
55-64	1272	768,795	437	34.2	30.9-37.5	405	33.1	29.8-36.4	416	31.9	28.6-35.2				14	0.8	0.4- 1.2
65+	2143	888,036	772	33.2	30.7-35.7	720	34.4	31.7-37.1	631	31.5	28.8-34.2	2	0.1	0.0- 0.3	18	0.8	0.2- 1.4
Less Than H.S.	409	586,786	115	29.6	23.1-36.1	132	32.3	25.6-39.0	146	33.2	26.7-39.7				16	4.8	1.7- 7.9
H.S. or G.E.D.	1815	1,537,101	565	29.8	26.7-32.9	647	38.2	34.9-41.5	572	30.1	27.2-33.0	2	0.1	0.1- 0.1	29	1.9	0.9- 2.9
Some Post-H.S.	1403	1,400,465	513	37.1	33.6-40.6	453	32.0	28.7-35.3	416	28.7	25.4-32.0				21	2.2	1.0- 3.4
College Graduate	1853	998,823	710	38.7	35.6-41.8	627	35.7	32.6-38.8	501	24.8	22.3-27.3				15	0.8	0.2- 1.4
Less than \$15,000	470	436,921	136	27.3	21.4-33.2	150	35.3	28.4-42.2	169	34.6	28.1-41.1				15	2.7	0.0- 5.6
\$15,000- 24,999	821	687,848	255	30.7	25.8-35.6	291	35.2	30.5-39.9	260	30.6	25.9-35.3	1	0.0	0.0- 0.0	14	3.4	1.4- 5.4
\$25,000- 34,999	522	429,386	169	30.4	24.7-36.1	173	35.4	29.3-41.5	173	31.8	26.3-37.3				7	2.4	0.0- 5.1
\$35,000- 49,999	792	653,475	283	34.6	29.7-39.5	265	34.9	30.0-39.8	233	28.6	23.9-33.3				11	1.9	0.1- 3.7
\$50,000- 74,999	798	674,162	286	34.7	30.0-39.4	286	38.5	33.4-43.6	220	25.8	21.5-30.1				6	1.0	0.0- 2.0
\$75,000+	1338	1,065,763	494	37.6	33.9-41.3	461	34.5	30.8-38.2	372	26.8	23.5-30.1				11	1.2	0.4- 2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

**TABLE 17: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2337	2,195,279	723	30.2	27.5-32.9	799	35.1	32.2-38.0	773	32.0	29.3-34.7	42	2.7	1.5- 3.9
White/Non-Hisp	2039	1,779,732	643	31.2	28.3-34.1	687	34.7	31.8-37.6	680	32.5	29.6-35.4	29	1.7	0.9- 2.5
Black or Afr. Am./Non-Hisp	99	165,149	25	25.9	15.1-36.7	36	39.0	26.7-51.3	36	33.2	21.2-45.2	2	2.0	0.0- 5.3
Oth. Race/Non-Hisp.	56	61,815	16	29.9	13.4-46.4	26	35.2	18.9-51.5	13	32.6	15.9-49.3	1	2.3	0.0- 6.8
Hispanic	60	113,488	15	28.6	13.3-43.9	25	41.5	25.0-58.0	13	13.9	4.9-22.9	7	15.9	3.2-28.6
18-24	130	304,059	29	23.9	15.5-32.3	53	39.4	29.6-49.2	41	31.4	22.2-40.6	7	5.4	1.3- 9.5
25-34	186	384,199	56	31.2	23.0-39.4	67	36.3	27.9-44.7	53	26.6	19.2-34.0	10	5.9	1.4-10.4
35-44	248	351,039	82	34.1	26.8-41.4	80	33.9	26.3-41.5	81	30.4	23.3-37.5	5	1.6	0.0- 3.2
45-54	371	391,767	100	27.4	21.3-33.5	130	33.7	27.4-40.0	135	36.3	29.8-42.8	6	2.5	0.0- 5.2
55-64	570	375,439	176	32.5	27.6-37.4	188	32.4	27.5-37.3	198	34.4	29.5-39.3	8	0.8	0.2- 1.4
65+	819	383,491	274	31.1	26.8-35.4	276	35.6	31.1-40.1	263	32.8	28.5-37.1	6	0.5	0.1- 0.9
Less Than H.S.	173	294,613	52	28.4	19.6-37.2	53	33.7	23.7-43.7	59	32.8	23.6-42.0	9	5.1	0.8- 9.4
H.S. or G.E.D.	765	803,767	219	26.8	22.5-31.1	270	37.9	33.0-42.8	261	33.0	28.5-37.5	15	2.3	0.5- 4.1
Some Post-H.S.	535	608,844	174	33.7	28.2-39.2	171	30.9	25.6-36.2	179	32.1	26.8-37.4	11	3.3	0.9- 5.7
College Graduate	853	479,760	275	32.5	28.0-37.0	303	37.0	32.5-41.5	269	29.4	25.3-33.5	6	1.1	0.0- 2.3
Less than \$15,000	165	159,874	43	27.9	18.3-37.5	60	42.0	31.2-52.8	56	28.4	19.6-37.2	6	1.7	0.0- 3.9
\$15,000- 24,999	289	292,416	84	28.9	21.8-36.0	89	30.9	23.6-38.2	108	35.7	27.9-43.5	8	4.5	1.0- 8.0
\$25,000- 34,999	200	211,625	60	25.3	17.1-33.5	61	37.4	27.8-47.0	76	34.3	25.5-43.1	3	3.0	0.0- 7.7
\$35,000- 49,999	352	314,867	107	29.3	22.6-36.0	123	37.0	29.6-44.4	114	30.1	23.2-37.0	8	3.6	0.1- 7.1
\$50,000- 74,999	389	373,879	116	29.7	23.0-36.4	153	40.2	32.9-47.5	115	28.4	22.3-34.5	5	1.7	0.0- 3.7
\$75,000+	677	590,769	221	33.1	27.8-38.4	235	34.4	29.1-39.7	217	31.3	26.4-36.2	4	1.2	0.0- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

**TABLE 18: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3172	2,350,630	1189	37.5	35.0-40.0	1069	34.8	32.3-37.3	872	26.2	23.8-28.6	2	0.0	0.0- 0.0	40	1.6	0.8- 2.4
White/Non-Hisp	2767	1,928,085	1069	39.0	36.3-41.7	911	34.4	31.7-37.1	757	25.6	23.2-28.0	2	0.0	0.0- 0.0	28	1.0	0.4- 1.6
Black or Afr. Am./Non-Hisp	178	201,513	48	27.0	18.2-35.8	66	38.6	27.4-49.8	61	32.4	22.8-42.0				3	2.0	0.0- 4.9
Hispanic	107	139,280	31	31.8	20.2-43.4	44	35.8	24.6-47.0	25	24.8	14.6-35.0				7	7.6	0.0-16.2
18-24	118	311,140	40	34.6	24.2-45.0	50	42.1	31.3-52.9	26	22.1	13.1-31.1				2	1.1	0.0- 2.7
25-34	225	371,222	96	42.3	34.5-50.1	78	33.2	25.9-40.5	46	21.8	15.1-28.5				5	2.6	0.1- 5.1
35-44	306	355,368	118	42.0	34.9-49.1	104	31.3	24.8-37.8	79	23.8	18.1-29.5				5	2.9	0.0- 6.4
45-54	463	392,763	162	35.5	30.0-41.0	164	36.3	30.8-41.8	127	26.9	22.0-31.8				10	1.3	0.3- 2.3
55-64	702	393,356	261	35.8	31.3-40.3	217	33.8	29.1-38.5	218	29.6	25.3-33.9				6	0.8	0.0- 1.6
65+	1324	504,544	498	34.8	31.5-38.1	444	33.4	30.1-36.7	368	30.6	27.1-34.1	2	0.2	0.0- 0.4	12	1.0	0.2- 1.8
Less Than H.S.	236	292,173	63	30.9	21.5-40.3	79	30.9	21.9-39.9	87	33.7	24.9-42.5				7	4.5	0.0- 9.2
H.S. or G.E.D.	1050	733,334	346	33.0	28.5-37.5	377	38.5	33.8-43.2	311	26.9	23.2-30.6	2	0.1	0.0- 0.3	14	1.4	0.6- 2.2
Some Post-H.S.	868	791,621	339	39.7	35.2-44.2	282	32.9	28.6-37.2	237	26.1	22.0-30.2				10	1.3	0.1- 2.5
College Graduate	1000	519,063	435	44.4	40.1-48.7	324	34.4	30.3-38.5	232	20.5	17.2-23.8				9	0.6	0.0- 1.2
Less than \$15,000	305	277,047	93	27.0	19.7-34.3	90	31.5	22.7-40.3	113	38.2	29.6-46.8				9	3.3	0.0- 7.6
\$15,000- 24,999	532	395,432	171	32.0	25.5-38.5	202	38.4	31.9-44.9	152	26.9	21.0-32.8	1	0.1	0.0- 0.3	6	2.7	0.3- 5.1
\$25,000- 34,999	322	217,761	109	35.3	27.9-42.7	112	33.6	26.3-40.9	97	29.3	22.6-36.0				4	1.8	0.0- 4.3
\$35,000- 49,999	440	338,608	176	39.5	32.2-46.8	142	33.0	26.3-39.7	119	27.2	20.7-33.7				3	0.3	0.0- 0.7
\$50,000- 74,999	409	300,283	170	40.9	34.0-47.8	133	36.4	29.5-43.3	105	22.6	16.7-28.5				1	0.1	0.0- 0.3
\$75,000+	661	474,994	273	43.1	38.0-48.2	226	34.6	29.7-39.5	155	21.2	17.3-25.1				7	1.1	0.1- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015**

SECTION 11: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1 MALES AND FEMALES	221
2 MALES ONLY	222
3 FEMALES ONLY	223
WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)	
4 MALES AND FEMALES	224
5 MALES ONLY	225
6 FEMALES ONLY	226
HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)	
7 MALES AND FEMALES	227
8 MALES ONLY	228
9 FEMALES ONLY	229
AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)	
10 MALES AND FEMALES	230
11 MALES ONLY	231
12 FEMALES ONLY	232
WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)	
13 MALES AND FEMALES	233
14 MALES ONLY	234
15 FEMALES ONLY	235
HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)	
16 MALES AND FEMALES	236
17 MALES ONLY	237
18 FEMALES ONLY	238

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015**

SECTION 11: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
19	239
20	240
21	241
22	242
23	243
24	244

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF,
GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5553	4,563,088	3914	70.6	68.8-72.4	1639	29.4	27.6-31.2
Male	2352	2,202,563	1716	72.3	69.6-75.0	636	27.7	25.0-30.4
Female	3201	2,360,526	2198	69.0	66.6-71.4	1003	31.0	28.6-33.4
White/Non-Hisp	4846	3,724,317	3449	71.9	69.9-73.9	1397	28.1	26.1-30.1
Black or Afr. Am./Non-Hisp	275	361,080	171	63.7	56.1-71.3	104	36.3	28.7-43.9
Oth. Race/Non-Hisp.	105	94,804	82	74.6	62.6-86.6	23	25.4	13.4-37.4
MultiRacial/Non-Hisp.	72	49,758	55	83.5	72.1-94.9	17	16.5	5.1-27.9
Hispanic	169	255,066	102	61.2	51.4-71.0	67	38.8	29.0-48.6
18-24	247	614,389	205	80.7	74.8-86.6	42	19.3	13.4-25.2
25-34	411	754,248	321	77.4	72.5-82.3	90	22.6	17.7-27.5
35-44	556	708,650	407	69.5	64.4-74.6	149	30.5	25.4-35.6
45-54	834	782,504	599	67.8	63.7-71.9	235	32.2	28.1-36.3
55-64	1276	770,932	903	67.0	63.5-70.5	373	33.0	29.5-36.5
65+	2180	904,182	1440	64.1	61.4-66.8	740	35.9	33.2-38.6
Less Than H.S.	422	588,182	217	52.5	45.6-59.4	205	47.5	40.6-54.4
H.S. or G.E.D.	1837	1,554,154	1147	66.3	63.2-69.4	690	33.7	30.6-36.8
Some Post-H.S.	1407	1,402,265	1011	74.5	71.4-77.6	396	25.5	22.4-28.6
College Graduate	1858	995,753	1524	82.8	80.4-85.2	334	17.2	14.8-19.6
Less than \$15,000	480	445,149	275	57.4	50.7-64.1	205	42.6	35.9-49.3
\$15,000- 24,999	830	694,795	507	63.8	58.9-68.7	323	36.2	31.3-41.1
\$25,000- 34,999	522	429,491	312	58.0	51.9-64.1	210	42.0	35.9-48.1
\$35,000- 49,999	797	655,726	562	69.3	64.6-74.0	235	30.7	26.0-35.4
\$50,000- 74,999	802	674,337	600	76.1	71.8-80.4	202	23.9	19.6-28.2
\$75,000+	1338	1,057,811	1131	84.2	81.5-86.9	207	15.8	13.1-18.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF,
GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

**TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF,
GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2352	2,202,563	1716	72.3	69.6-75.0	636	27.7	25.0-30.4
White/Non-Hisp	2052	1,787,492	1499	72.8	70.1-75.5	553	27.2	24.5-29.9
Black or Afr. Am./Non-Hisp	99	160,028	66	67.0	55.2-78.8	33	33.0	21.2-44.8
Oth. Race/Non-Hisp.	56	63,190	46	75.3	59.0-91.6	10	24.7	8.4-41.0
Hispanic	61	115,723	43	72.2	57.1-87.3	18	27.8	12.7-42.9
18-24	132	307,693	112	82.0	74.0-90.0	20	18.0	10.0-26.0
25-34	186	384,923	148	77.7	70.4-85.0	38	22.3	15.0-29.6
35-44	248	351,145	194	74.7	67.4-82.0	54	25.3	18.0-32.6
45-54	371	388,030	265	65.1	58.4-71.8	106	34.9	28.2-41.6
55-64	569	373,736	402	67.9	62.8-73.0	167	32.1	27.0-37.2
65+	833	391,751	583	68.1	63.8-72.4	250	31.9	27.6-36.2
Less Than H.S.	176	292,684	103	57.8	48.0-67.6	73	42.2	32.4-52.0
H.S. or G.E.D.	771	809,407	511	69.1	64.6-73.6	260	30.9	26.4-35.4
Some Post-H.S.	539	612,461	391	74.6	69.9-79.3	148	25.4	20.7-30.1
College Graduate	855	479,715	704	83.3	80.0-86.6	151	16.7	13.4-20.0
Less than \$15,000	168	163,236	107	63.9	53.7-74.1	61	36.1	25.9-46.3
\$15,000- 24,999	289	294,497	187	66.4	58.8-74.0	102	33.6	26.0-41.2
\$25,000- 34,999	201	213,915	122	56.5	46.7-66.3	79	43.5	33.7-53.3
\$35,000- 49,999	353	315,123	250	69.9	62.6-77.2	103	30.1	22.8-37.4
\$50,000- 74,999	390	372,630	290	74.6	67.9-81.3	100	25.4	18.7-32.1
\$75,000+	678	583,401	572	84.3	80.6-88.0	106	15.7	12.0-19.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF,
GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3201	2,360,526	2198	69.0	66.6-71.4	1003	31.0	28.6-33.4
White/Non-Hisp	2794	1,936,824	1950	71.1	68.6-73.6	844	28.9	26.4-31.4
Black or Afr. Am./Non-Hisp	176	201,052	105	61.0	51.0-71.0	71	39.0	29.0-49.0
Hispanic	108	139,342	59	52.1	39.8-64.4	49	47.9	35.6-60.2
18-24	115	306,696	93	79.4	70.6-88.2	22	20.6	11.8-29.4
25-34	225	369,325	173	77.0	70.3-83.7	52	23.0	16.3-29.7
35-44	308	357,504	213	64.5	57.6-71.4	95	35.5	28.6-42.4
45-54	463	394,474	334	70.5	65.2-75.8	129	29.5	24.2-34.8
55-64	707	397,197	501	66.1	61.4-70.8	206	33.9	29.2-38.6
65+	1347	512,431	857	61.0	57.5-64.5	490	39.0	35.5-42.5
Less Than H.S.	246	295,498	114	47.3	37.5-57.1	132	52.7	42.9-62.5
H.S. or G.E.D.	1066	744,747	636	63.3	59.0-67.6	430	36.7	32.4-41.0
Some Post-H.S.	868	789,804	620	74.4	70.5-78.3	248	25.6	21.7-29.5
College Graduate	1003	516,038	820	82.3	79.0-85.6	183	17.7	14.4-21.0
Less than \$15,000	312	281,913	168	53.7	44.9-62.5	144	46.3	37.5-55.1
\$15,000- 24,999	541	400,298	320	61.9	55.4-68.4	221	38.1	31.6-44.6
\$25,000- 34,999	321	215,576	190	59.4	51.8-67.0	131	40.6	33.0-48.2
\$35,000- 49,999	444	340,603	312	68.8	62.5-75.1	132	31.2	24.9-37.5
\$50,000- 74,999	412	301,707	310	77.9	72.6-83.2	102	22.1	16.8-27.4
\$75,000+	660	474,410	559	84.1	80.4-87.8	101	15.9	12.2-19.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3605	2,972,868	776	24.6	22.4-26.8	2181	56.1	53.7-58.5	152	5.0	3.8- 6.2	31	0.9	0.5- 1.3	10	0.3	0.1- 0.5	455	13.2	11.6-14.8
Male	1587	1,467,556	392	27.1	24.0-30.2	848	46.9	43.4-50.4	122	9.0	6.8-11.2	16	1.0	0.4- 1.6	6	0.5	0.1- 0.9	203	15.4	12.7-18.1
Female	2018	1,505,312	384	22.1	19.2-25.0	1333	65.0	61.9-68.1	30	1.1	0.7- 1.5	15	0.7	0.1- 1.3	4	0.1	0.0- 0.3	252	11.0	9.0-13.0
White/Non-Hisp	3175	2,468,401	648	23.5	21.1-25.9	1949	57.3	54.8-59.8	138	4.8	3.6- 6.0	27	0.8	0.4- 1.2	10	0.3	0.1- 0.5	403	13.2	11.4-15.0
Black or Afr. Am./Non-Hisp	156	213,909	45	31.2	20.6-41.8	92	52.5	41.3-63.7	5	5.8	0.0-11.7	1	0.3	0.0- 0.9				13	10.1	3.2-17.0
Oth. Race/Non-Hisp.	79	67,994	23	25.7	14.3-37.1	40	53.9	39.4-68.4	2	3.6	0.0- 8.7	2	2.7	0.0- 7.2				12	14.1	3.5-24.7
MultiRacial/Non-Hisp.	52	40,694	15	38.9	19.5-58.3	28	35.8	18.2-53.4	1	10.0	0.0-28.0							8	15.3	2.4-28.2
Hispanic	94	141,695	29	26.3	15.7-36.9	47	48.4	35.5-61.3	5	7.2	0.1-14.3							13	18.1	7.1-29.1
18-24	196	464,605	84	40.3	32.3-48.3	60	34.6	26.2-43.0	12	5.6	1.9- 9.3	4	1.8	0.0- 3.8				36	17.6	11.5-23.7
25-34	300	531,569	94	29.2	23.1-35.3	143	48.3	41.4-55.2	18	6.7	3.0-10.4	1	0.5	0.0- 1.5				44	15.3	10.6-20.0
35-44	387	461,624	124	28.6	22.9-34.3	195	51.3	45.0-57.6	22	6.5	3.4- 9.6	2	0.2	0.0- 0.4	2	0.4	0.0- 1.2	42	13.0	8.5-17.5
45-54	568	508,363	139	22.2	18.1-26.3	341	61.3	56.2-66.4	17	3.3	1.3- 5.3	3	0.7	0.0- 1.5	2	0.5	0.0- 1.3	66	12.1	8.8-15.4
55-64	830	473,093	134	16.1	12.8-19.4	546	67.8	63.9-71.7	32	4.1	2.3- 5.9	10	1.4	0.4- 2.4	1	0.1	0.0- 0.3	107	10.4	8.0-12.8
65+	1288	513,051	190	12.5	10.1-14.9	877	71.6	68.5-74.7	51	3.9	2.5- 5.3	11	0.7	0.1- 1.3	5	0.7	0.0- 1.5	154	10.6	8.4-12.8
Less Than H.S.	185	274,044	33	22.1	12.9-31.3	123	60.9	50.5-71.3	5	6.6	0.3-12.9	4	2.1	0.0- 4.6	1	0.7	0.0- 2.1	19	7.6	2.7-12.5
H.S. or G.E.D.	1054	953,623	166	22.4	18.3-26.5	676	56.8	52.3-61.3	39	5.0	3.0- 7.0	9	1.3	0.3- 2.3	4	0.4	0.0- 1.0	160	14.1	11.2-17.0
Some Post-H.S.	926	956,477	171	20.8	17.3-24.3	617	61.1	56.8-65.4	40	4.7	2.7- 6.7	5	0.3	0.1- 0.5	2	0.1	0.0- 0.3	91	13.0	9.7-16.3
College Graduate	1425	776,631	402	32.9	29.4-36.4	756	47.1	43.6-50.6	68	4.8	3.4- 6.2	13	0.7	0.3- 1.1	3	0.3	0.0- 0.7	183	14.3	11.6-17.0
Less than \$15,000	253	240,820	39	19.2	11.0-27.4	187	69.4	60.2-78.6	1	0.7	0.0- 2.1	3	1.9	0.0- 4.6	1	0.1	0.0- 0.3	22	8.6	3.5-13.7
\$15,000- 24,999	456	397,617	79	22.0	16.3-27.7	310	63.7	57.2-70.2	8	3.0	0.5- 5.5	2	0.5	0.0- 1.3	3	0.7	0.0- 1.7	54	10.1	6.4-13.8
\$25,000- 34,999	288	235,241	38	12.5	7.0-18.0	189	66.0	58.2-73.8	12	6.7	2.2-11.2	2	1.1	0.0- 2.9				47	13.7	8.2-19.2
\$35,000- 49,999	511	428,076	99	20.3	15.2-25.4	320	60.9	54.6-67.2	16	2.8	1.0- 4.6	4	0.5	0.0- 1.1	2	0.4	0.0- 1.2	70	15.0	10.5-19.5
\$50,000- 74,999	549	459,582	125	28.1	22.4-33.8	326	51.1	45.2-57.0	28	6.7	3.4-10.0	3	0.4	0.0- 1.0	1	0.1	0.0- 0.3	66	13.5	9.2-17.8
\$75,000+	1066	827,558	313	31.6	27.7-35.5	548	46.1	41.8-50.4	65	6.8	4.3- 9.3	7	0.7	0.1- 1.3	2	0.3	0.0- 0.9	131	14.5	11.2-17.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 5: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1587	1,467,556	392	27.1	24.0-30.2	848	46.9	43.4-50.4	122	9.0	6.8-11.2	16	1.0	0.4- 1.6	6	0.5	0.1- 0.9	203	15.4	12.7-18.1
White/Non-Hisp	1385	1,198,746	326	27.0	23.5-30.5	757	47.9	44.2-51.6	109	8.7	6.5-10.9	13	1.0	0.4- 1.6	6	0.6	0.0- 1.2	174	14.9	12.2-17.6
Black or Afr. Am./Non-Hisp	60	96,300	16	25.5	11.4-39.6	32	45.9	29.6-62.2	4	11.1	0.0-23.3	1	0.7	0.0- 2.3				7	16.8	3.1-30.5
18-24	110	245,224	43	40.6	30.0-51.2	23	18.9	11.1-26.7	11	10.4	3.5-17.3	1	0.9	0.0- 2.7				32	29.2	19.4-39.0
25-34	138	265,235	39	28.6	19.6-37.6	53	38.9	29.1-48.7	16	12.7	5.6-19.8	1	1.0	0.0- 3.0				29	18.8	11.5-26.1
35-44	185	246,103	71	31.6	23.8-39.4	69	40.5	31.9-49.1	17	10.3	4.6-16.0	1	0.2	0.0- 0.6	2	0.8	0.0- 2.2	25	16.5	9.6-23.4
45-54	254	241,068	81	27.7	20.8-34.6	129	52.7	44.7-60.7	14	6.4	2.3-10.5	2	1.3	0.0- 3.1	1	0.9	0.0- 2.7	27	11.1	6.2-16.0
55-64	366	230,386	69	18.1	13.4-22.8	227	64.6	58.5-70.7	27	7.7	4.2-11.2	6	2.1	0.1- 4.1	1	0.3	0.0- 0.9	36	7.3	4.4-10.2
65+	522	234,659	84	14.9	10.8-19.0	342	69.1	64.0-74.2	37	6.1	3.6- 8.6	5	1.0	0.0- 2.0	2	0.9	0.0- 2.5	52	8.0	5.5-10.5
Less Than H.S.	93	156,265	21	31.4	17.5-45.3	50	43.2	30.3-56.1	5	11.6	1.0-22.2	3	1.6	0.0- 3.6	1	1.2	0.0- 3.6	13	10.9	2.9-18.9
H.S. or G.E.D.	470	513,834	88	23.4	18.1-28.7	269	49.8	43.7-55.9	33	8.6	5.1-12.1	5	1.7	0.1- 3.3	3	0.6	0.0- 1.4	72	15.9	11.6-20.2
Some Post-H.S.	355	410,176	82	25.3	19.4-31.2	204	50.4	43.5-57.3	34	10.1	5.6-14.6	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	33	14.0	8.5-19.5
College Graduate	662	380,896	199	32.2	27.3-37.1	322	41.1	36.0-46.2	50	7.4	4.9- 9.9	7	1.0	0.2- 1.8	1	0.4	0.0- 1.2	83	17.9	13.2-22.6
Less than \$15,000	99	98,805	20	29.1	14.8-43.4	64	58.3	44.4-72.2	1	1.7	0.0- 5.0	1	1.3	0.0- 3.8	1	0.4	0.0- 1.2	12	9.1	2.2-16.0
\$15,000- 24,999	167	169,969	34	27.4	18.0-36.8	101	51.5	41.5-61.5	6	6.4	0.7-12.1	1	0.3	0.0- 0.9	1	1.1	0.0- 3.3	24	13.4	6.7-20.1
\$25,000- 34,999	114	116,311	16	10.6	2.6-18.6	69	59.2	46.5-71.9	10	13.2	4.4-22.0	2	2.2	0.0- 5.5				17	14.7	5.5-23.9
\$35,000- 49,999	232	208,502	49	23.2	15.8-30.6	138	54.2	45.4-63.0	13	5.5	2.0- 9.0	1	0.3	0.0- 0.9	2	0.9	0.0- 2.5	29	15.8	8.7-22.9
\$50,000- 74,999	262	250,720	60	30.2	21.8-38.6	141	41.1	33.3-48.9	26	11.4	5.7-17.1	1	0.4	0.0- 1.2	1	0.3	0.0- 0.9	33	16.6	10.1-23.1
\$75,000+	545	461,727	180	31.4	25.9-36.9	242	38.9	33.0-44.8	52	10.6	6.1-15.1	5	1.1	0.0- 2.3	1	0.5	0.0- 1.5	65	17.6	12.1-23.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 6: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2018	1,505,312	384	22.1	19.2-25.0	1333	65.0	61.9-68.1	30	1.1	0.7- 1.5	15	0.7	0.1- 1.3	4	0.1	0.0- 0.3	252	11.0	9.0-13.0
White/Non-Hisp	1790	1,269,655	322	20.3	17.4-23.2	1192	66.2	62.9-69.5	29	1.1	0.5- 1.7	14	0.7	0.1- 1.3	4	0.1	0.0- 0.3	229	11.6	9.4-13.8
Black or Afr. Am./Non-Hisp	96	117,609	29	36.0	20.9-51.1	60	57.9	42.6-73.2	1	1.6	0.0- 4.7							6	4.6	0.7- 8.5
Hispanic	54	64,154	16	27.8	14.1-41.5	32	60.2	44.3-76.1										6	12.0	0.4-23.6
18-24	86	219,381	41	39.9	27.6-52.2	37	52.2	39.3-65.1	1	0.3	0.0- 0.9	3	2.9	0.0- 6.4				4	4.7	0.0- 9.6
25-34	162	266,335	55	29.8	21.8-37.8	90	57.7	48.7-66.7	2	0.6	0.0- 1.4							15	11.8	5.5-18.1
35-44	202	215,521	53	25.2	17.4-33.0	126	63.5	54.9-72.1	5	2.2	0.0- 4.4	1	0.2	0.0- 0.6				17	8.9	3.4-14.4
45-54	314	267,295	58	17.2	12.3-22.1	212	69.1	62.8-75.4	3	0.5	0.0- 1.1	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	39	12.9	8.2-17.6
55-64	464	242,707	65	14.2	9.7-18.7	319	70.9	65.6-76.2	5	0.7	0.1- 1.3	4	0.9	0.0- 1.9				71	13.3	9.6-17.0
65+	766	278,392	106	10.4	8.0-12.8	535	73.7	69.8-77.6	14	2.1	0.5- 3.7	6	0.4	0.0- 0.8	3	0.5	0.0- 1.1	102	12.8	9.7-15.9
Less Than H.S.	92	117,779	12	9.7	2.4-17.0	73	84.4	75.0-93.8				1	2.7	0.0- 8.0				6	3.2	0.0- 6.7
H.S. or G.E.D.	584	439,789	78	21.2	14.9-27.5	407	65.0	58.5-71.5	6	0.8	0.0- 1.6	4	0.8	0.0- 1.8	1	0.2	0.0- 0.6	88	11.9	8.4-15.4
Some Post-H.S.	571	546,301	89	17.4	13.1-21.7	413	69.2	63.9-74.5	6	0.6	0.0- 1.2	4	0.4	0.0- 0.8	1	0.1	0.0- 0.3	58	12.3	8.4-16.2
College Graduate	763	395,735	203	33.6	28.7-38.5	434	52.9	48.0-57.8	18	2.3	0.9- 3.7	6	0.3	0.0- 0.7	2	0.1	0.0- 0.3	100	10.8	7.7-13.9
Less than \$15,000	154	142,015	19	12.4	3.8-21.0	123	77.1	65.9-88.3				2	2.3	0.0- 6.6				10	8.3	1.2-15.4
\$15,000- 24,999	289	227,648	45	18.0	10.9-25.1	209	72.8	65.0-80.6	2	0.5	0.0- 1.3	1	0.7	0.0- 2.1	2	0.4	0.0- 1.0	30	7.6	3.3-11.9
\$25,000- 34,999	174	118,930	22	14.4	6.8-22.0	120	72.6	63.4-81.8	2	0.3	0.0- 0.7							30	12.8	6.3-19.3
\$35,000- 49,999	279	219,574	50	17.5	10.4-24.6	182	67.2	58.6-75.8	3	0.3	0.0- 0.7	3	0.7	0.0- 1.7				41	14.3	8.4-20.2
\$50,000- 74,999	287	208,861	65	25.6	18.5-32.7	185	63.0	55.2-70.8	2	1.1	0.0- 2.9	2	0.4	0.0- 1.0				33	9.8	4.5-15.1
\$75,000+	521	365,831	133	31.8	26.1-37.5	306	55.1	49.2-61.0	13	2.1	0.7- 3.5	2	0.2	0.0- 0.6	1	0.1	0.0- 0.3	66	10.6	7.1-14.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 7: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3810	3,142,683	1812	49.5	47.1-51.9	895	22.1	20.1-24.1	525	14.1	12.5-15.7	141	3.0	2.4- 3.6	437	11.3	9.7-12.9
Male	1663	1,547,050	746	46.6	43.1-50.1	375	22.9	20.0-25.8	254	14.9	12.5-17.3	70	3.8	2.6- 5.0	218	11.9	9.7-14.1
Female	2147	1,595,634	1066	52.4	49.1-55.7	520	21.3	18.9-23.7	271	13.3	11.1-15.5	71	2.2	1.6- 2.8	219	10.8	8.6-13.0
White/Non-Hisp	3368	2,622,115	1602	49.9	47.4-52.4	785	21.8	19.8-23.8	459	14.2	12.4-16.0	128	3.2	2.4- 4.0	394	10.9	9.3-12.5
Black or Afr. Am./Non-Hisp	161	218,180	85	48.2	37.2-59.2	33	22.1	13.3-30.9	23	12.4	5.9-18.9	4	1.7	0.0- 3.5	16	15.6	5.6-25.6
Oth. Race/Non-Hisp.	76	66,620	37	51.6	36.7-66.5	24	30.5	17.0-44.0	12	14.7	5.5-23.9	2	1.4	0.0- 3.8	1	1.8	0.0- 5.3
MultiRacial/Non-Hisp.	55	41,554	13	20.4	5.5-35.3	17	34.6	16.4-52.8	9	14.5	2.7-26.3	5	7.3	0.0-14.6	11	23.3	3.5-43.1
Hispanic	99	152,076	53	52.1	39.4-64.8	22	19.1	9.9-28.3	13	14.7	5.7-23.7	1	0.5	0.0- 1.5	10	13.7	4.5-22.9
18-24	202	486,195	111	55.8	47.8-63.8	45	18.8	13.1-24.5	25	12.8	7.5-18.1	3	1.4	0.0- 3.2	18	11.1	5.2-17.0
25-34	315	567,078	151	50.4	43.7-57.1	73	22.6	16.9-28.3	48	13.7	9.4-18.0	8	1.4	0.4- 2.4	35	12.0	7.5-16.5
35-44	401	485,869	212	49.3	43.2-55.4	89	23.7	18.4-29.0	59	16.1	11.6-20.6	18	4.1	1.7- 6.5	23	6.8	3.7- 9.9
45-54	592	522,877	308	52.6	47.5-57.7	122	19.6	15.7-23.5	73	13.4	9.9-16.9	25	3.8	2.2- 5.4	64	10.6	7.5-13.7
55-64	882	504,355	432	49.3	45.0-53.6	189	20.0	16.7-23.3	121	14.7	11.6-17.8	26	3.2	1.6- 4.8	114	12.9	10.2-15.6
65+	1379	553,874	580	40.8	37.3-44.3	364	27.0	23.9-30.1	196	14.1	11.4-16.8	60	4.0	2.6- 5.4	179	14.1	11.6-16.6
Less Than H.S.	198	292,923	85	54.5	44.5-64.5	49	18.4	12.1-24.7	31	9.1	4.8-13.4	7	2.0	0.2- 3.8	26	16.0	7.4-24.6
H.S. or G.E.D.	1109	991,983	471	44.5	40.2-48.8	273	22.9	19.4-26.4	176	16.1	13.0-19.2	56	4.8	3.0- 6.6	133	11.6	9.1-14.1
Some Post-H.S.	986	1,030,252	459	48.9	44.6-53.2	223	21.5	18.0-25.0	153	16.4	13.3-19.5	31	1.8	1.0- 2.6	120	11.4	8.7-14.1
College Graduate	1502	815,433	790	54.8	51.3-58.3	347	23.1	20.2-26.0	165	10.6	8.4-12.8	47	2.6	1.6- 3.6	153	8.9	6.9-10.9
Less than \$15,000	260	244,097	86	38.6	29.2-48.0	77	28.0	20.2-35.8	38	12.3	6.8-17.8	16	2.6	0.8- 4.4	43	18.5	9.3-27.7
\$15,000- 24,999	496	435,948	201	44.9	38.4-51.4	133	23.1	18.0-28.2	85	19.0	13.7-24.3	14	2.7	0.9- 4.5	63	10.3	6.8-13.8
\$25,000- 34,999	300	238,881	136	47.7	39.7-55.7	62	20.4	13.3-27.5	50	15.8	10.3-21.3	16	3.5	1.5- 5.5	36	12.6	7.1-18.1
\$35,000- 49,999	550	446,017	247	50.2	43.9-56.5	145	22.1	17.4-26.8	79	14.9	10.2-19.6	17	2.5	0.9- 4.1	62	10.3	6.8-13.8
\$50,000- 74,999	585	506,348	288	47.6	41.7-53.5	129	21.8	16.9-26.7	78	15.7	11.4-20.0	23	3.2	1.4- 5.0	67	11.7	7.4-16.0
\$75,000+	1119	881,062	610	54.0	49.7-58.3	236	22.0	18.5-25.5	131	11.4	8.9-13.9	34	2.5	1.5- 3.5	108	10.1	7.7-12.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 8: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1663	1,547,050	746	46.6	43.1-50.1	375	22.9	20.0-25.8	254	14.9	12.5-17.3	70	3.8	2.6- 5.0	218	11.9	9.7-14.1
White/Non-Hisp	1457	1,271,146	656	46.9	43.2-50.6	325	22.5	19.4-25.6	217	15.2	12.7-17.7	64	4.3	2.9- 5.7	195	11.2	9.0-13.4
Black or Afr. Am./Non-Hisp	63	100,186	28	44.4	28.5-60.3	15	30.0	14.9-45.1	13	12.8	3.8-21.8	2	1.6	0.0- 4.1	5	11.2	1.2-21.2
18-24	111	249,003	52	49.0	38.4-59.6	28	22.8	14.6-31.0	17	15.2	7.8-22.6	3	2.8	0.0- 6.1	11	10.3	3.8-16.8
25-34	144	289,110	65	49.6	39.6-59.6	29	21.0	12.4-29.6	27	14.4	8.1-20.7	4	1.5	0.0- 3.3	19	13.5	6.8-20.2
35-44	191	258,676	93	44.2	35.6-52.8	40	25.2	17.2-33.2	31	17.0	10.7-23.3	13	6.2	1.9-10.5	14	7.5	3.4-11.6
45-54	261	247,112	131	51.4	43.6-59.2	54	20.1	14.2-26.0	31	11.9	7.2-16.6	12	4.2	1.7- 6.7	33	12.4	7.5-17.3
55-64	391	246,920	180	45.0	38.7-51.3	83	21.5	16.4-26.6	59	16.8	11.7-21.9	12	3.6	1.1- 6.1	57	13.2	9.3-17.1
65+	553	251,348	221	40.1	34.6-45.6	136	26.5	21.4-31.6	87	14.3	10.6-18.0	26	4.6	2.2- 7.0	83	14.5	10.6-18.4
Less Than H.S.	95	158,472	38	56.7	43.8-69.6	26	20.8	11.6-30.0	15	10.3	3.6-17.0	4	1.9	0.0- 4.3	12	10.3	2.9-17.7
H.S. or G.E.D.	491	538,039	197	39.1	33.4-44.8	114	24.1	18.8-29.4	93	18.9	14.4-23.4	29	6.3	3.4- 9.2	58	11.7	7.8-15.6
Some Post-H.S.	381	451,524	167	49.1	42.2-56.0	80	20.8	15.3-26.3	66	15.7	11.0-20.4	11	1.3	0.3- 2.3	57	13.1	8.8-17.4
College Graduate	689	392,629	342	50.0	44.7-55.3	153	24.4	19.9-28.9	80	10.7	7.8-13.6	26	3.9	2.1- 5.7	88	11.1	8.2-14.0
Less than \$15,000	100	96,887	31	38.2	23.9-52.5	34	40.6	27.5-53.7	15	8.8	2.9-14.7	7	1.6	0.2- 3.0	13	10.8	3.7-17.9
\$15,000- 24,999	181	191,384	64	38.5	28.9-48.1	41	19.6	12.3-26.9	39	24.9	15.7-34.1	7	4.6	0.9- 8.3	30	12.4	6.1-18.7
\$25,000- 34,999	116	115,773	53	48.4	35.7-61.1	23	19.7	7.9-31.5	22	17.7	8.3-27.1	6	3.8	0.5- 7.1	12	10.4	2.4-18.4
\$35,000- 49,999	244	213,532	97	44.3	35.7-52.9	61	21.8	14.9-28.7	41	16.9	10.6-23.2	7	3.0	0.5- 5.5	38	14.1	8.0-20.2
\$50,000- 74,999	279	273,464	124	46.0	37.8-54.2	60	22.7	15.3-30.1	43	16.1	10.4-21.8	12	3.6	0.9- 6.3	40	11.5	6.6-16.4
\$75,000+	564	484,401	289	50.5	44.4-56.6	119	23.9	18.6-29.2	72	11.3	7.8-14.8	21	3.0	1.4- 4.6	63	11.4	7.7-15.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 9: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2147	1,595,634	1066	52.4	49.1-55.7	520	21.3	18.9-23.7	271	13.3	11.1-15.5	71	2.2	1.6- 2.8	219	10.8	8.6-13.0
White/Non-Hisp	1911	1,350,969	946	52.8	49.3-56.3	460	21.2	18.7-23.7	242	13.2	10.8-15.6	64	2.2	1.6- 2.8	199	10.6	8.4-12.8
Black or Afr. Am./Non-Hisp	98	117,994	57	51.4	36.1-66.7	18	15.4	6.6-24.2	10	12.1	2.7-21.5	2	1.7	0.0- 4.1	11	19.3	3.4-35.2
Hispanic	58	70,999	33	54.4	38.5-70.3	15	28.6	13.3-43.9	6	11.7	2.1-21.3	1	1.0	0.0- 3.0	3	4.3	0.0- 9.6
18-24	91	237,192	59	63.0	50.8-75.2	17	14.7	7.3-22.1	8	10.4	3.0-17.8				7	11.9	1.9-21.9
25-34	171	277,968	86	51.2	42.2-60.2	44	24.2	16.8-31.6	21	13.0	6.9-19.1	4	1.2	0.0- 2.4	16	10.4	4.3-16.5
35-44	210	227,193	119	55.2	46.6-63.8	49	22.0	15.1-28.9	28	15.2	8.9-21.5	5	1.6	0.0- 3.2	9	6.0	1.5-10.5
45-54	331	275,765	177	53.6	46.9-60.3	68	19.2	13.9-24.5	42	14.7	9.6-19.8	13	3.4	1.2- 5.6	31	9.0	5.3-12.7
55-64	491	257,435	252	53.4	47.7-59.1	106	18.7	14.6-22.8	62	12.6	9.1-16.1	14	2.8	1.0- 4.6	57	12.5	8.8-16.2
65+	826	302,526	359	41.4	36.7-46.1	228	27.3	23.4-31.2	109	13.9	10.0-17.8	34	3.6	2.2- 5.0	96	13.9	10.4-17.4
Less Than H.S.	103	134,450	47	51.8	36.1-67.5	23	15.7	7.1-24.3	16	7.8	2.9-12.7	3	2.1	0.0- 4.6	14	22.6	6.7-38.5
H.S. or G.E.D.	618	453,944	274	50.9	44.8-57.0	159	21.6	17.1-26.1	83	12.9	8.8-17.0	27	3.0	1.6- 4.4	75	11.5	8.2-14.8
Some Post-H.S.	605	578,728	292	48.7	43.2-54.2	143	22.1	17.8-26.4	87	17.0	12.5-21.5	20	2.1	1.1- 3.1	63	10.0	6.5-13.5
College Graduate	813	422,803	448	59.3	54.6-64.0	194	22.0	18.1-25.9	85	10.5	7.4-13.6	21	1.5	0.7- 2.3	65	6.8	4.6- 9.0
Less than \$15,000	160	147,210	55	38.8	26.3-51.3	43	19.7	10.7-28.7	23	14.6	6.6-22.6	9	3.3	0.6- 6.0	30	23.5	9.6-37.4
\$15,000- 24,999	315	244,564	137	49.9	41.3-58.5	92	25.9	18.6-33.2	46	14.4	8.5-20.3	7	1.2	0.2- 2.2	33	8.6	4.5-12.7
\$25,000- 34,999	184	123,108	83	47.1	36.9-57.3	39	21.1	12.7-29.5	28	14.1	7.8-20.4	10	3.1	0.7- 5.5	24	14.6	7.2-22.0
\$35,000- 49,999	306	232,486	150	55.7	46.9-64.5	84	22.3	16.0-28.6	38	13.1	6.2-20.0	10	2.0	0.4- 3.6	24	6.9	3.2-10.6
\$50,000- 74,999	306	232,884	164	49.4	41.2-57.6	69	20.7	14.6-26.8	35	15.2	8.9-21.5	11	2.7	0.7- 4.7	27	12.0	4.9-19.1
\$75,000+	555	396,661	321	58.4	52.7-64.1	117	19.6	15.1-24.1	59	11.5	7.8-15.2	13	2.0	0.6- 3.4	45	8.6	5.7-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 10: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3856	3,172,634	1770	42.7	40.3-45.1	523	14.0	12.2-15.8	24	0.3	0.1- 0.5	983	25.9	23.9-27.9	350	11.9	10.1-13.7	206	5.1	4.1- 6.1
Male	1684	1,561,694	698	37.9	34.6-41.2	218	13.0	10.6-15.4	15	0.5	0.1- 0.9	454	28.1	25.0-31.2	186	14.4	11.7-17.1	113	6.1	4.5- 7.7
Female	2172	1,610,940	1072	47.4	44.3-50.5	305	15.0	12.6-17.4	9	0.2	0.0- 0.4	529	23.8	21.3-26.3	164	9.5	7.1-11.9	93	4.1	2.9- 5.3
White/Non-Hisp	3403	2,650,166	1574	43.4	40.9-45.9	463	14.0	12.2-15.8	23	0.4	0.2- 0.6	866	26.4	24.2-28.6	294	10.4	8.6-12.2	183	5.4	4.2- 6.6
Black or Afr. Am./Non-Hisp	166	219,990	79	43.5	32.9-54.1	18	14.6	6.0-23.2				41	19.3	12.0-26.6	20	19.3	8.7-29.9	8	3.3	0.6- 6.0
Oth. Race/Non-Hisp.	79	68,474	34	36.0	22.5-49.5	11	10.9	3.8-18.0				20	29.1	16.0-42.2	9	20.5	5.8-35.2	5	3.5	0.0- 7.0
MultiRacial/Non-Hisp.	55	41,554	18	27.8	12.3-43.3	12	19.9	4.8-35.0				15	25.6	8.2-43.0	8	21.9	3.3-40.5	2	4.8	0.0-13.0
Hispanic	99	149,158	39	34.4	22.6-46.2	15	15.1	5.3-24.9	1	0.3	0.0- 0.9	26	23.6	13.6-33.6	15	23.2	11.8-34.6	3	3.4	0.0- 7.3
18-24	202	485,540	78	37.6	29.6-45.6	24	14.5	8.4-20.6				63	26.1	19.4-32.8	30	17.4	10.5-24.3	7	4.3	1.0- 7.6
25-34	317	575,274	132	38.0	31.7-44.3	39	11.7	7.6-15.8				99	30.9	24.8-37.0	30	14.4	8.9-19.9	17	5.1	2.0- 8.2
35-44	405	490,686	175	40.4	34.5-46.3	72	18.7	13.6-23.8	4	0.6	0.0- 1.2	107	25.9	20.6-31.2	34	11.1	7.0-15.2	13	3.3	1.1- 5.5
45-54	595	528,020	263	43.2	38.1-48.3	104	15.8	12.3-19.3	2	0.1	0.0- 0.3	155	25.9	21.4-30.4	45	9.9	6.6-13.2	26	5.1	2.7- 7.5
55-64	892	510,196	385	44.2	40.1-48.3	142	15.2	12.5-17.9	7	0.7	0.1- 1.3	234	26.2	22.5-29.9	94	10.6	8.1-13.1	30	3.2	1.6- 4.8
65+	1406	560,483	710	50.9	47.4-54.4	138	9.5	7.3-11.7	11	0.7	0.1- 1.3	321	21.1	18.4-23.8	114	8.7	6.5-10.9	112	9.0	7.0-11.0
Less Than H.S.	210	296,404	99	44.0	34.0-54.0	15	8.4	3.3-13.5				41	15.7	9.4-22.0	33	24.4	14.4-34.4	22	7.4	3.3-11.5
H.S. or G.E.D.	1127	1,014,014	535	42.7	38.6-46.8	109	11.2	8.3-14.1	3	0.1	0.0- 0.3	273	24.5	21.0-28.0	125	14.4	11.1-17.7	82	7.2	5.0- 9.4
Some Post-H.S.	994	1,031,783	472	42.7	38.6-46.8	135	16.4	13.1-19.7	2	0.1	0.0- 0.3	238	26.6	22.7-30.5	99	10.2	7.5-12.9	48	4.0	2.2- 5.8
College Graduate	1510	818,340	657	42.4	38.9-45.9	263	16.5	14.0-19.0	19	1.1	0.5- 1.7	425	30.4	27.1-33.7	92	6.6	4.8- 8.4	54	3.1	1.9- 4.3
Less than \$15,000	269	252,948	139	44.7	35.5-53.9	26	9.9	4.6-15.2	1	0.4	0.0- 1.2	50	16.0	10.1-21.9	31	21.4	11.6-31.2	22	7.5	3.4-11.6
\$15,000- 24,999	500	437,112	257	47.8	41.3-54.3	41	8.2	4.3-12.1	2	0.4	0.0- 1.0	106	24.0	18.5-29.5	61	13.3	8.8-17.8	33	6.2	3.3- 9.1
\$25,000- 34,999	306	241,543	148	45.0	37.2-52.8	29	11.6	6.5-16.7				77	26.2	18.9-33.5	39	13.9	7.4-20.4	13	3.3	0.9- 5.7
\$35,000- 49,999	555	451,947	261	46.5	40.2-52.8	61	9.6	6.5-12.7	4	0.2	0.0- 0.4	147	30.0	24.1-35.9	58	10.0	6.7-13.3	24	3.7	1.9- 5.5
\$50,000- 74,999	590	508,235	260	39.5	33.8-45.2	89	15.7	11.6-19.8	4	0.3	0.0- 0.7	161	27.7	22.6-32.8	53	12.2	7.7-16.7	23	4.5	1.2- 7.8
\$75,000+	1123	880,423	479	41.3	37.2-45.4	218	19.2	15.9-22.5	10	0.5	0.1- 0.9	307	27.9	24.2-31.6	63	8.1	5.0-11.2	46	2.9	1.7- 4.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 11: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1684	1,561,694	698	37.9	34.6-41.2	218	13.0	10.6-15.4	15	0.5	0.1- 0.9	454	28.1	25.0-31.2	186	14.4	11.7-17.1	113	6.1	4.5- 7.7
White/Non-Hisp	1475	1,289,283	611	37.7	34.2-41.2	194	13.6	11.1-16.1	15	0.6	0.2- 1.0	404	29.3	26.0-32.6	150	12.2	9.5-14.9	101	6.5	4.5- 8.5
Black or Afr. Am./Non-Hisp	62	97,433	33	53.4	37.3-69.5	3	3.5	0.0- 8.6				11	15.4	4.4-26.4	11	23.4	8.3-38.5	4	4.3	0.0- 9.2
18-24	110	243,756	34	31.1	20.7-41.5	13	17.0	8.0-26.0				44	35.6	25.8-45.4	15	12.9	6.0-19.8	4	3.4	0.0- 6.9
25-34	146	297,306	52	32.8	24.0-41.6	15	8.1	3.2-13.0				47	30.8	22.0-39.6	20	20.6	11.4-29.8	12	7.7	2.2-13.2
35-44	193	260,897	80	37.4	29.2-45.6	31	17.2	10.3-24.1	2	0.9	0.0- 2.1	48	26.5	18.7-34.3	24	14.5	8.2-20.8	8	3.5	0.4- 6.6
45-54	261	249,978	108	38.0	30.6-45.4	40	12.1	7.6-16.6	1	0.1	0.0- 0.3	73	28.7	21.4-36.0	27	14.8	8.7-20.9	12	6.3	2.2-10.4
55-64	396	249,575	153	40.7	34.4-47.0	66	15.2	11.1-19.3	5	1.1	0.1- 2.1	102	26.0	20.5-31.5	52	12.6	8.3-16.9	18	4.5	1.8- 7.2
65+	566	255,301	263	47.5	42.0-53.0	52	9.5	6.2-12.8	7	1.1	0.1- 2.1	137	20.7	16.6-24.8	48	10.3	6.6-14.0	59	10.9	7.6-14.2
Less Than H.S.	98	157,315	45	42.5	29.4-55.6	6	8.3	0.3-16.3				18	18.2	8.6-27.8	19	25.2	12.7-37.7	10	5.8	1.5-10.1
H.S. or G.E.D.	499	552,598	203	35.8	30.3-41.3	46	10.3	6.6-14.0	3	0.2	0.0- 0.4	138	27.7	22.4-33.0	68	17.2	12.1-22.3	41	8.8	5.5-12.1
Some Post-H.S.	385	450,377	166	37.4	31.1-43.7	54	16.5	11.0-22.0	2	0.2	0.0- 0.6	95	29.2	22.9-35.5	41	11.8	7.5-16.1	27	4.9	1.8- 8.0
College Graduate	695	395,020	280	39.4	34.3-44.5	112	14.9	11.6-18.2	10	1.5	0.3- 2.7	201	31.2	26.3-36.1	57	9.2	6.1-12.3	35	3.9	2.1- 5.7
Less than \$15,000	103	102,073	56	56.6	43.7-69.5	11	8.8	2.1-15.5	1	1.0	0.0- 3.0	21	21.1	11.1-31.1	8	7.5	1.2-13.8	6	5.0	0.0-10.5
\$15,000- 24,999	182	190,026	78	38.6	29.4-47.8	14	5.0	1.1- 8.9	2	0.9	0.0- 2.3	41	25.2	16.4-34.0	32	22.1	13.3-30.9	15	8.2	3.1-13.3
\$25,000- 34,999	120	116,948	50	38.0	26.0-50.0	11	10.4	3.5-17.3				37	27.6	16.4-38.8	17	20.2	8.2-32.2	5	3.9	0.0- 8.0
\$35,000- 49,999	248	219,463	113	45.7	37.1-54.3	22	8.2	4.1-12.3	2	0.3	0.0- 0.7	66	28.8	20.8-36.8	29	11.6	6.5-16.7	16	5.3	2.4- 8.2
\$50,000- 74,999	282	274,194	114	34.6	27.0-42.2	38	15.1	9.2-21.0	2	0.3	0.0- 0.7	79	32.7	24.9-40.5	33	12.0	6.7-17.3	16	5.3	0.2-10.4
\$75,000+	567	483,489	219	35.8	30.1-41.5	102	17.9	13.0-22.8	6	0.6	0.0- 1.2	162	29.6	24.1-35.1	43	12.0	6.9-17.1	35	4.0	2.0- 6.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 12: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2172	1,610,940	1072	47.4	44.3-50.5	305	15.0	12.6-17.4	9	0.2	0.0- 0.4	529	23.8	21.3-26.3	164	9.5	7.1-11.9	93	4.1	2.9- 5.3
White/Non-Hisp	1928	1,360,883	963	48.8	45.3-52.3	269	14.4	12.0-16.8	8	0.2	0.0- 0.4	462	23.7	21.0-26.4	144	8.7	6.3-11.1	82	4.2	2.8- 5.6
Black or Afr. Am./Non-Hisp	104	122,557	46	35.6	22.7-48.5	15	23.5	9.4-37.6				30	22.5	12.7-32.3	9	16.0	1.1-30.9	4	2.5	0.0- 5.0
Hispanic	58	70,999	24	40.5	24.8-56.2	10	14.0	4.2-23.8	1	0.6	0.0- 1.8	15	24.6	11.3-37.9	7	18.4	4.7-32.1	1	1.9	0.0- 5.6
18-24	92	241,784	44	44.2	31.9-56.5	11	12.1	3.7-20.5				19	16.5	8.5-24.5	15	22.0	10.6-33.4	3	5.2	0.0-10.9
25-34	171	277,968	80	43.5	34.7-52.3	24	15.5	9.0-22.0				52	31.0	22.8-39.2	10	7.7	2.2-13.2	5	2.3	0.1- 4.5
35-44	212	229,788	95	43.7	35.1-52.3	41	20.4	13.1-27.7	2	0.4	0.0- 1.0	59	25.1	18.0-32.2	10	7.3	2.2-12.4	5	3.1	0.0- 6.2
45-54	334	278,043	155	47.9	41.2-54.6	64	19.1	13.8-24.4	1	0.1	0.0- 0.3	82	23.4	17.9-28.9	18	5.5	2.6- 8.4	14	4.0	1.3- 6.7
55-64	496	260,621	232	47.6	41.9-53.3	76	15.2	11.3-19.1	2	0.3	0.0- 0.7	132	26.3	21.4-31.2	42	8.6	5.5-11.7	12	2.0	0.6- 3.4
65+	840	305,182	447	53.8	49.1-58.5	86	9.6	6.7-12.5	4	0.3	0.0- 0.7	184	21.5	17.8-25.2	66	7.5	5.3- 9.7	53	7.4	5.0- 9.8
Less Than H.S.	112	139,089	54	45.6	30.5-60.7	9	8.6	2.3-14.9				23	12.9	5.6-20.2	14	23.6	7.7-39.5	12	9.3	2.0-16.6
H.S. or G.E.D.	628	461,417	332	50.9	44.6-57.2	63	12.3	7.6-17.0				135	20.6	16.1-25.1	57	11.0	7.1-14.9	41	5.2	2.7- 7.7
Some Post-H.S.	609	581,405	306	46.9	41.4-52.4	81	16.3	12.0-20.6				143	24.6	19.7-29.5	58	9.0	5.7-12.3	21	3.2	1.0- 5.4
College Graduate	815	423,321	377	45.2	40.5-49.9	151	18.0	14.3-21.7	9	0.7	0.1- 1.3	224	29.6	25.3-33.9	35	4.2	2.0- 6.4	19	2.3	0.9- 3.7
Less than \$15,000	166	150,875	83	36.7	25.1-48.3	15	10.7	3.3-18.1				29	12.5	5.4-19.6	23	30.9	16.6-45.2	16	9.2	3.3-15.1
\$15,000- 24,999	318	247,087	179	54.9	46.3-63.5	27	10.7	4.6-16.8				65	23.1	16.0-30.2	29	6.6	3.3- 9.9	18	4.7	1.4- 8.0
\$25,000- 34,999	186	124,596	98	51.6	41.6-61.6	18	12.6	5.2-20.0				40	24.8	15.6-34.0	22	8.1	3.6-12.6	8	2.8	0.3- 5.3
\$35,000- 49,999	307	232,483	148	47.2	38.0-56.4	39	10.9	6.4-15.4	2	0.1	0.0- 0.3	81	31.1	22.7-39.5	29	8.5	4.2-12.8	8	2.1	0.3- 3.9
\$50,000- 74,999	308	234,041	146	45.3	37.3-53.3	51	16.5	10.8-22.2	2	0.3	0.0- 0.9	82	21.9	16.0-27.8	20	12.4	5.0-19.8	7	3.6	0.0- 7.7
\$75,000+	556	396,934	260	48.0	42.3-53.7	116	20.8	16.1-25.5	4	0.4	0.0- 0.8	145	25.8	20.9-30.7	20	3.4	1.2- 5.6	11	1.6	0.6- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1989	1,705,535	624	35.0	31.9-38.1	617	26.0	23.5-28.5	129	7.2	5.6- 8.8	54	2.8	1.8- 3.8	33	1.6	0.6- 2.6	532	27.4	24.5-30.3
Male	908	857,618	280	32.9	28.4-37.4	258	24.1	20.4-27.8	87	9.9	7.4-12.4	26	2.5	1.1- 3.9	21	2.4	0.8- 4.0	236	28.3	24.0-32.6
Female	1081	847,917	344	37.1	32.6-41.6	359	27.9	24.2-31.6	42	4.6	2.6- 6.6	28	3.1	1.5- 4.7	12	0.9	0.3- 1.5	296	26.4	22.3-30.5
White/Non-Hisp	1752	1,434,126	542	34.8	31.5-38.1	556	27.6	24.7-30.5	98	5.8	4.2- 7.4	50	3.0	1.8- 4.2	30	1.5	0.7- 2.3	476	27.3	24.2-30.4
Black or Afr. Am./Non-Hisp	85	117,080	30	33.4	19.7-47.1	23	15.8	7.6-24.0	12	16.6	6.2-27.0	2	1.8	0.0- 4.7	1	1.0	0.0- 3.0	17	31.4	15.7-47.1
Hispanic	50	71,418	19	42.0	24.9-59.1	9	11.0	3.0-19.0	5	10.3	0.9-19.7	1	1.8	0.0- 5.3	1	6.9	0.0-19.6	15	28.1	13.4-42.8
18-24	143	325,037	52	35.0	26.0-44.0	30	17.0	10.7-23.3	11	7.9	3.2-12.6	2	1.3	0.0- 3.3				48	38.6	29.0-48.2
25-34	191	338,980	79	45.4	37.0-53.8	46	22.7	15.8-29.6	19	8.3	4.2-12.4	6	2.8	0.4- 5.2				41	20.8	13.9-27.7
35-44	242	281,848	85	36.7	28.7-44.7	55	21.6	15.1-28.1	23	9.0	4.9-13.1	6	3.1	0.2- 6.0	8	3.5	0.2- 6.8	65	26.1	19.0-33.2
45-54	323	277,129	101	30.8	24.3-37.3	100	29.9	23.6-36.2	21	6.4	2.7-10.1	10	3.3	0.8- 5.8	4	2.3	0.0- 5.8	87	27.2	20.7-33.7
55-64	441	226,402	145	32.8	26.9-38.7	143	33.9	28.2-39.6	18	4.4	1.9- 6.9	15	3.4	1.2- 5.6	5	0.8	0.0- 1.6	115	24.6	19.7-29.5
65+	632	247,579	160	26.1	21.4-30.8	234	34.2	29.3-39.1	36	6.4	3.7- 9.1	15	3.3	0.8- 5.8	16	4.0	1.5- 6.5	171	26.1	21.4-30.8
Less Than H.S.	78	121,367	26	35.1	19.8-50.4	25	24.2	12.8-35.6	8	13.3	3.5-23.1							19	27.4	12.7-42.1
H.S. or G.E.D.	490	498,255	169	39.3	32.8-45.8	166	25.2	20.3-30.1	24	4.8	2.6- 7.0	15	2.9	0.9- 4.9	5	1.2	0.0- 3.0	111	26.6	20.5-32.7
Some Post-H.S.	491	549,858	125	30.0	24.3-35.7	157	25.9	21.0-30.8	31	7.4	4.3-10.5	16	3.6	1.4- 5.8	14	2.8	0.6- 5.0	148	30.3	24.8-35.8
College Graduate	922	527,498	301	36.0	31.5-40.5	268	27.4	23.3-31.5	64	7.8	5.4-10.2	23	2.5	1.1- 3.9	14	1.2	0.4- 2.0	252	25.1	21.2-29.0
Less than \$15,000	104	108,959	38	42.0	27.9-56.1	29	20.8	11.2-30.4	7	8.9	1.6-16.2	3	0.8	0.0- 1.8	1	0.1	0.0- 0.3	26	27.4	14.7-40.1
\$15,000- 24,999	219	208,722	76	42.3	32.5-52.1	74	24.2	16.8-31.6	17	9.8	4.5-15.1	8	4.3	0.6- 8.0	1	0.0	0.0- 0.0	43	19.4	11.8-27.0
\$25,000- 34,999	137	112,853	44	42.0	29.8-54.2	45	25.4	15.6-35.2	3	1.7	0.0- 3.7	5	2.9	0.2- 5.6	1	0.3	0.0- 0.9	39	27.7	17.5-37.9
\$35,000- 49,999	283	237,262	90	37.2	29.0-45.4	90	23.4	17.1-29.7	17	4.7	2.0- 7.4	9	3.3	0.6- 6.0	8	4.1	0.0- 8.4	69	27.4	19.2-35.6
\$50,000- 74,999	306	282,218	93	29.7	22.4-37.0	98	31.2	23.9-38.5	23	10.3	5.0-15.6	5	1.1	0.0- 2.7	7	1.3	0.1- 2.5	80	26.4	18.8-34.0
\$75,000+	716	561,705	233	33.5	28.4-38.6	194	25.0	20.7-29.3	48	7.0	4.3- 9.7	18	3.2	1.2- 5.2	11	2.1	0.3- 3.9	212	29.2	24.3-34.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 14: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	908	857,618	280	32.9	28.4-37.4	258	24.1	20.4-27.8	87	9.9	7.4-12.4	26	2.5	1.1- 3.9	21	2.4	0.8- 4.0	236	28.3	24.0-32.6
White/Non-Hisp	791	710,920	240	31.9	27.2-36.6	235	26.5	22.4-30.6	64	7.5	5.1- 9.9	24	2.9	1.3- 4.5	19	2.1	0.5- 3.7	209	29.2	24.5-33.9
18-24	80	175,361	32	35.4	23.6-47.2	17	18.7	9.9-27.5	10	13.4	5.2-21.6	1	0.9	0.0- 2.7				20	31.7	19.5-43.9
25-34	86	166,332	36	45.6	33.1-58.1	16	16.7	8.1-25.3	14	12.1	5.0-19.2	1	1.3	0.0- 3.8				19	24.4	13.2-35.6
35-44	120	147,820	39	35.9	24.7-47.1	25	19.2	10.8-27.6	15	10.3	4.4-16.2	2	1.3	0.0- 3.5	5	4.9	0.0-10.8	34	28.4	18.2-38.6
45-54	145	137,077	38	23.5	14.5-32.5	46	29.7	20.3-39.1	12	6.8	2.5-11.1	5	3.7	0.0- 8.0	3	4.3	0.0-11.2	41	32.0	21.4-42.6
55-64	187	101,489	63	28.6	20.8-36.4	57	34.6	25.8-43.4	13	6.8	2.1-11.5	7	4.4	0.5- 8.3	4	1.6	0.0- 3.4	43	24.2	16.4-32.0
65+	282	125,832	72	23.9	17.4-30.4	92	31.2	24.1-38.3	22	7.2	3.9-10.5	10	4.9	0.4- 9.4	9	4.6	0.5- 8.7	77	28.1	20.8-35.4
H.S. or G.E.D.	237	283,286	80	35.4	27.4-43.4	75	26.8	19.9-33.7	15	5.5	2.2- 8.8	7	1.9	0.0- 3.9	2	1.6	0.0- 4.5	58	28.7	20.9-36.5
Some Post-H.S.	201	233,997	46	25.6	17.4-33.8	57	22.9	15.6-30.2	18	10.4	4.7-16.1	7	3.3	0.4- 6.2	9	5.1	0.4- 9.8	64	32.8	24.2-41.4
College Graduate	424	256,534	143	38.1	31.4-44.8	113	24.2	18.7-29.7	46	11.7	7.6-15.8	12	3.1	0.7- 5.5	10	1.5	0.3- 2.7	100	21.3	15.8-26.8
\$15,000- 24,999	85	96,606	23	25.9	14.1-37.7	27	28.2	15.7-40.7	13	17.1	7.1-27.1	4	3.4	0.0- 7.5	1	0.1	0.0- 0.3	17	25.3	12.2-38.4
\$25,000- 34,999	54	54,836	18	47.0	27.8-66.2	15	21.8	7.7-35.9	2	2.1	0.0- 5.0	2	1.3	0.0- 3.3	1	0.6	0.0- 1.8	16	27.3	11.8-42.8
\$35,000- 49,999	122	118,405	40	38.5	26.3-50.7	33	18.5	10.9-26.1	12	7.6	2.5-12.7	5	3.6	0.0- 7.7	5	5.4	0.0-13.2	27	26.4	14.8-38.0
\$50,000- 74,999	155	155,346	52	32.0	21.8-42.2	44	28.3	18.5-38.1	14	13.7	5.3-22.1	1	1.4	0.0- 4.1	4	1.7	0.0- 3.7	40	22.9	12.5-33.3
\$75,000+	356	302,482	109	32.3	24.7-39.9	93	22.9	17.0-28.8	35	8.7	5.0-12.4	10	2.3	0.3- 4.3	10	3.7	0.4- 7.0	99	30.2	22.8-37.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 15: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1081	847,917	344	37.1	32.6-41.6	359	27.9	24.2-31.6	42	4.6	2.6- 6.6	28	3.1	1.5- 4.7	12	0.9	0.3- 1.5	296	26.4	22.3-30.5
White/Non-Hisp	961	723,206	302	37.6	32.7-42.5	321	28.7	24.6-32.8	34	4.1	2.1- 6.1	26	3.2	1.4- 5.0	11	0.9	0.3- 1.5	267	25.5	21.4-29.6
Black or Afr. Am./Non-Hisp	54	65,676	18	28.9	13.8-44.0	19	22.9	9.8-36.0	5	10.0	0.0-20.2	1	2.5	0.0- 7.4	1	1.8	0.0- 5.3	10	33.9	12.5-55.3
18-24	63	149,676	20	34.7	20.4-49.0	13	15.1	6.3-23.9	1	1.5	0.0- 4.4	1	1.9	0.0- 5.6				28	46.8	31.9-61.7
25-34	105	172,648	43	45.3	33.9-56.7	30	28.5	18.5-38.5	5	4.6	0.1- 9.1	5	4.2	0.1- 8.3				22	17.4	9.4-25.4
35-44	122	134,028	46	37.6	26.0-49.2	30	24.3	14.1-34.5	8	7.6	1.5-13.7	4	5.0	0.0-10.5	3	2.0	0.0- 4.4	31	23.4	14.2-32.6
45-54	178	140,052	63	38.0	29.2-46.8	54	30.2	22.0-38.4	9	6.0	0.1-11.9	5	3.0	0.1- 5.9	1	0.3	0.0- 0.9	46	22.5	14.9-30.1
55-64	254	124,913	82	36.3	28.1-44.5	86	33.4	26.0-40.8	5	2.5	0.0- 5.2	8	2.6	0.2- 5.0	1	0.1	0.0- 0.3	72	25.0	18.5-31.5
65+	350	121,747	88	28.2	21.3-35.1	142	37.3	30.4-44.2	14	5.5	1.4- 9.6	5	1.5	0.0- 3.5	7	3.3	0.4- 6.2	94	24.1	18.4-29.8
H.S. or G.E.D.	253	214,969	89	44.5	34.3-54.7	91	23.1	16.4-29.8	9	3.7	0.8- 6.6	8	4.2	0.7- 7.7	3	0.5	0.0- 1.3	53	23.9	14.1-33.7
Some Post-H.S.	290	315,861	79	33.3	25.7-40.9	100	28.1	21.4-34.8	13	5.1	1.4- 8.8	9	3.8	0.9- 6.7	5	1.2	0.0- 2.4	84	28.5	21.2-35.8
College Graduate	498	270,964	158	34.1	28.4-39.8	155	30.4	24.7-36.1	18	4.0	1.3- 6.7	11	1.9	0.5- 3.3	4	0.9	0.0- 1.9	152	28.6	23.1-34.1
Less than \$15,000	61	63,985	21	47.8	27.6-68.0	15	16.1	4.1-28.1	5	9.2	0.0-18.8	2	0.6	0.0- 1.6	1	0.2	0.0- 0.6	17	26.1	8.9-43.3
\$15,000- 24,999	134	112,116	53	56.4	43.9-68.9	47	20.7	12.7-28.7	4	3.5	0.0- 7.8	4	5.1	0.0-11.0				26	14.3	6.5-22.1
\$25,000- 34,999	83	58,016	26	37.3	23.2-51.4	30	28.7	15.2-42.2	1	1.4	0.0- 4.1	3	4.4	0.0- 9.5				23	28.2	14.9-41.5
\$35,000- 49,999	161	118,857	50	35.9	24.5-47.3	57	28.2	18.6-37.8	5	1.9	0.0- 4.1	4	3.0	0.0- 6.5	3	2.8	0.0- 5.9	42	28.3	16.3-40.3
\$50,000- 74,999	151	126,872	41	27.0	17.0-37.0	54	34.6	23.8-45.4	9	6.1	0.6-11.6	4	0.7	0.0- 1.5	3	1.0	0.0- 2.2	40	30.6	19.2-42.0
\$75,000+	360	259,224	124	34.9	28.0-41.8	101	27.6	21.3-33.9	13	5.1	1.2- 9.0	8	4.2	0.7- 7.7	1	0.3	0.0- 0.9	113	27.9	21.8-34.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 16: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2594	2,096,642	1359	54.9	52.2-57.6	363	12.2	10.4-14.0	570	22.5	20.1-24.9	82	3.0	2.0- 4.0	220	7.4	6.0- 8.8
Male	1123	1,008,317	590	54.7	50.4-59.0	127	10.5	8.1-12.9	273	24.2	20.7-27.7	38	3.2	1.8- 4.6	95	7.4	5.4- 9.4
Female	1471	1,088,325	769	55.1	51.2-59.0	236	13.8	11.4-16.2	297	21.0	17.7-24.3	44	2.8	1.6- 4.0	125	7.3	5.1- 9.5
White/Non-Hisp	2310	1,782,059	1197	54.0	51.1-56.9	325	12.2	10.4-14.0	507	22.7	20.2-25.2	77	3.1	2.1- 4.1	204	8.0	6.4- 9.6
Black or Afr. Am./Non-Hisp	104	135,305	61	63.3	50.8-75.8	12	11.7	3.3-20.1	22	17.9	8.5-27.3	2	3.9	0.0- 9.2	7	3.3	0.4- 6.2
Oth. Race/Non-Hisp.	51	38,461	32	61.9	43.9-79.9	8	18.3	4.4-32.2	10	19.1	5.2-33.0				1	0.7	0.0- 2.1
Hispanic	59	83,151	37	61.2	44.9-77.5	8	10.9	1.3-20.5	10	25.0	9.7-40.3	3	2.2	0.0- 5.1	1	0.6	0.0- 1.8
18-24	152	353,624	95	61.0	51.8-70.2	18	11.7	6.4-17.0	33	22.3	14.3-30.3	1	0.6	0.0- 1.8	5	4.5	0.0- 9.2
25-34	217	373,496	123	60.5	52.9-68.1	24	9.4	5.5-13.3	42	19.8	13.5-26.1	13	4.3	1.6- 7.0	15	6.0	2.5- 9.5
35-44	281	328,931	169	56.6	49.2-64.0	22	7.3	3.4-11.2	71	27.6	20.9-34.3	5	3.0	0.0- 6.1	14	5.5	1.8- 9.2
45-54	415	357,215	224	53.3	47.0-59.6	51	12.8	8.7-16.9	95	22.9	17.8-28.0	8	2.3	0.3- 4.3	37	8.7	5.4-12.0
55-64	588	309,334	309	54.8	49.7-59.9	74	12.3	9.0-15.6	131	20.5	16.6-24.4	25	4.3	2.3- 6.3	49	8.1	5.4-10.8
65+	921	363,618	427	43.1	38.8-47.4	171	19.4	16.1-22.7	195	22.6	18.7-26.5	30	3.7	1.7- 5.7	98	11.2	8.5-13.9
Less Than H.S.	107	165,484	38	43.8	30.1-57.5	22	13.2	6.1-20.3	29	25.8	14.0-37.6	5	4.8	0.1- 9.5	13	12.4	2.8-22.0
H.S. or G.E.D.	693	622,648	324	51.3	45.8-56.8	120	14.7	11.2-18.2	148	21.3	16.8-25.8	29	4.1	1.9- 6.3	72	8.6	5.7-11.5
Some Post-H.S.	661	687,792	337	55.3	50.2-60.4	91	11.9	8.8-15.0	157	24.3	19.8-28.8	19	2.3	1.1- 3.5	57	6.2	4.2- 8.2
College Graduate	1121	610,354	654	61.3	57.4-65.2	129	9.9	7.5-12.3	233	20.6	17.3-23.9	29	2.3	1.1- 3.5	76	5.9	4.1- 7.7
Less than \$15,000	148	138,233	69	55.2	43.0-67.4	21	11.2	4.5-17.9	29	22.0	11.4-32.6	8	3.3	0.0- 6.6	21	8.3	3.6-13.0
\$15,000- 24,999	304	265,553	142	52.3	44.1-60.5	54	14.3	9.4-19.2	72	22.6	15.3-29.9	9	2.7	0.3- 5.1	27	8.2	3.9-12.5
\$25,000- 34,999	198	158,431	94	48.8	38.6-59.0	28	14.9	7.8-22.0	39	21.7	13.1-30.3	7	3.9	0.0- 7.8	30	10.7	5.4-16.0
\$35,000- 49,999	377	291,613	184	54.0	46.7-61.3	62	12.2	8.3-16.1	82	24.0	17.3-30.7	13	2.4	0.4- 4.4	36	7.4	3.9-10.9
\$50,000- 74,999	401	342,564	221	56.1	48.8-63.4	53	10.1	6.6-13.6	85	23.1	17.0-29.2	13	2.7	0.7- 4.7	29	8.1	3.0-13.2
\$75,000+	847	649,995	489	57.9	53.2-62.6	93	10.3	7.6-13.0	188	22.6	18.5-26.7	27	3.1	1.7- 4.5	50	6.1	3.7- 8.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 17: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1123	1,008,317	590	54.7	50.4-59.0	127	10.5	8.1-12.9	273	24.2	20.7-27.7	38	3.2	1.8- 4.6	95	7.4	5.4- 9.4
White/Non-Hisp	988	838,992	522	54.5	50.0-59.0	107	9.9	7.5-12.3	237	24.2	20.3-28.1	37	3.5	1.9- 5.1	85	7.9	5.7-10.1
18-24	87	194,159	51	61.3	49.7-72.9	11	12.1	5.0-19.2	20	21.0	11.4-30.6	1	1.1	0.0- 3.3	4	4.5	0.0- 9.6
25-34	92	173,063	49	58.6	46.6-70.6	9	8.2	2.7-13.7	21	22.3	12.3-32.3	5	3.4	0.0- 7.1	8	7.5	1.4-13.6
35-44	133	166,086	76	51.1	40.5-61.7	6	5.0	0.0-10.1	39	33.3	22.9-43.7	3	4.1	0.0- 9.4	9	6.5	2.0-11.0
45-54	179	167,921	93	51.7	41.9-61.5	22	12.9	6.4-19.4	43	22.5	14.5-30.5	4	3.4	0.0- 7.1	17	9.5	4.2-14.8
55-64	253	138,496	137	57.4	50.0-64.8	19	8.1	3.6-12.6	60	21.5	15.4-27.6	13	3.8	1.4- 6.2	24	9.2	5.3-13.1
65+	371	164,883	179	46.6	39.7-53.5	59	16.4	11.3-21.5	90	25.4	19.1-31.7	12	3.7	0.6- 6.8	31	7.9	4.4-11.4
Less Than H.S.	50	96,779	18	47.8	28.6-67.0	8	10.9	2.3-19.5	15	29.0	11.4-46.6	1	2.2	0.0- 6.5	8	10.1	0.5-19.7
H.S. or G.E.D.	303	331,264	153	53.9	46.5-61.3	45	13.7	8.8-18.6	64	19.8	13.9-25.7	12	4.5	1.0- 8.0	29	8.0	4.1-11.9
Some Post-H.S.	256	281,413	129	56.2	48.2-64.2	24	8.0	3.9-12.1	71	27.4	20.3-34.5	7	2.3	0.3- 4.3	25	6.1	3.0- 9.2
College Graduate	508	293,544	287	56.3	50.2-62.4	49	9.1	5.8-12.4	123	24.9	19.6-30.2	18	2.9	1.1- 4.7	31	6.8	3.9- 9.7
Less than \$15,000	58	60,545	25	55.5	37.5-73.5	10	8.5	1.4-15.6	10	20.1	6.0-34.2	3	5.0	0.0-12.3	10	10.9	2.1-19.7
\$15,000- 24,999	105	110,392	53	56.8	44.5-69.1	12	11.7	4.3-19.1	29	21.5	12.3-30.7	3	2.7	0.0- 6.8	8	7.3	0.0-15.1
\$25,000- 34,999	73	75,398	30	49.4	32.9-65.9	12	15.9	4.3-27.5	16	22.7	8.6-36.8	2	0.9	0.0- 2.3	13	11.1	2.3-19.9
\$35,000- 49,999	158	136,742	79	54.7	43.9-65.5	22	9.8	4.9-14.7	38	25.4	16.0-34.8	8	3.9	0.0- 7.8	11	6.3	1.6-11.0
\$50,000- 74,999	201	183,429	107	52.9	42.9-62.9	18	7.7	3.0-12.4	53	27.7	18.9-36.5	7	2.2	0.0- 4.4	16	9.5	3.4-15.6
\$75,000+	415	338,413	240	57.7	50.6-64.8	40	9.8	5.9-13.7	97	23.9	17.4-30.4	13	3.0	0.8- 5.2	25	5.7	3.0- 8.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 18: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1471	1,088,325	769	55.1	51.2-59.0	236	13.8	11.4-16.2	297	21.0	17.9-24.1	44	2.8	1.6- 4.0	125	7.3	5.1- 9.5
White/Non-Hisp	1322	943,068	675	53.5	49.4-57.6	218	14.3	11.8-16.8	270	21.4	17.9-24.9	40	2.8	1.6- 4.0	119	8.0	5.6-10.4
Black or Afr. Am./Non-Hisp	66	74,136	42	65.8	49.5-82.1	8	10.0	0.6-19.4	12	17.1	4.0-30.2	1	3.9	0.0-11.3	3	3.1	0.0- 7.2
18-24	65	159,466	44	60.5	45.6-75.4	7	11.2	3.0-19.4	13	23.9	10.4-37.4				1	4.4	0.0-12.8
25-34	125	200,433	74	62.1	52.3-71.9	15	10.4	4.7-16.1	21	17.6	9.8-25.4	8	5.1	1.2- 9.0	7	4.8	0.7- 8.9
35-44	148	162,845	93	62.1	51.9-72.3	16	9.5	3.6-15.4	32	21.9	13.7-30.1	2	1.9	0.0- 4.8	5	4.5	0.0-10.4
45-54	236	189,294	131	54.8	46.8-62.8	29	12.8	7.5-18.1	52	23.3	16.4-30.2	4	1.2	0.0- 2.4	20	7.9	3.8-12.0
55-64	335	170,838	172	52.6	45.5-59.7	55	15.7	10.8-20.6	71	19.8	14.5-25.1	12	4.6	1.7- 7.5	25	7.2	3.5-10.9
65+	550	198,735	248	40.2	34.7-45.7	112	21.8	17.1-26.5	105	20.3	15.6-25.0	18	3.7	1.0- 6.4	67	14.0	9.9-18.1
Less Than H.S.	57	68,705	20	38.1	20.1-56.1	14	16.5	4.7-28.3	14	21.3	8.2-34.4	4	8.4	0.0-18.0	5	15.7	0.0-34.1
H.S. or G.E.D.	390	291,384	171	48.4	40.4-56.4	75	15.8	10.9-20.7	84	23.0	15.9-30.1	17	3.5	1.1- 5.9	43	9.3	5.0-13.6
Some Post-H.S.	405	406,379	208	54.7	48.0-61.4	67	14.6	10.3-18.9	86	22.2	16.3-28.1	12	2.3	0.7- 3.9	32	6.2	3.5- 8.9
College Graduate	613	316,809	367	65.8	60.7-70.9	80	10.7	7.6-13.8	110	16.7	12.8-20.6	11	1.8	0.4- 3.2	45	5.1	3.1- 7.1
Less than \$15,000	90	77,688	44	55.0	38.3-71.7	11	13.4	2.8-24.0	19	23.5	8.4-38.6	5	1.9	0.0- 3.9	11	6.2	1.3-11.1
\$15,000- 24,999	199	155,161	89	49.1	38.1-60.1	42	16.1	9.4-22.8	43	23.3	12.9-33.7	6	2.7	0.0- 5.6	19	8.8	3.7-13.9
\$25,000- 34,999	125	83,032	64	48.2	36.0-60.4	16	14.0	5.6-22.4	23	20.9	10.1-31.7	5	6.7	0.0-14.0	17	10.3	4.2-16.4
\$35,000- 49,999	219	154,871	105	53.4	43.4-63.4	40	14.3	8.4-20.2	44	22.7	13.5-31.9	5	1.1	0.0- 2.3	25	8.4	3.3-13.5
\$50,000- 74,999	200	159,135	114	59.8	49.2-70.4	35	12.7	7.2-18.2	32	17.7	9.7-25.7	6	3.3	0.0- 6.8	13	6.5	0.0-14.9
\$75,000+	432	311,583	249	58.2	51.9-64.5	53	10.9	7.0-14.8	91	21.1	16.0-26.2	14	3.4	1.4- 5.4	25	6.5	2.8-10.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 19: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2606	2,098,528	1209	48.7	45.8-51.6	255	10.4	8.4-12.4	12	0.3	0.1- 0.5	610	22.8	20.4-25.2	353	12.3	10.5-14.1	167	5.4	4.2- 6.6
Male	1129	1,008,226	507	48.0	43.7-52.3	118	11.0	8.3-13.7	5	0.2	0.0- 0.4	264	23.4	19.9-26.9	146	11.5	9.0-14.0	89	5.9	4.1- 7.7
Female	1477	1,090,302	702	49.3	45.4-53.2	137	9.9	7.4-12.4	7	0.4	0.0- 0.8	346	22.3	19.2-25.4	207	13.0	10.5-15.5	78	5.0	3.4- 6.6
White/Non-Hisp	2322	1,787,797	1077	49.2	46.1-52.3	218	9.4	7.6-11.2	9	0.3	0.1- 0.5	541	22.6	20.1-25.1	328	12.8	10.8-14.8	149	5.8	4.4- 7.2
Black or Afr. Am./Non-Hisp	104	131,188	48	46.2	32.5-59.9	14	20.5	7.6-33.4	1	0.3	0.0- 0.9	27	22.5	12.1-32.9	9	8.8	1.5-16.1	5	1.6	0.0- 3.2
Oth. Race/Non-Hisp.	51	38,461	27	41.7	23.7-59.7	5	16.4	0.0-32.9	1	0.8	0.0- 2.4	11	22.2	7.7-36.7	5	16.1	0.0-35.5	2	2.9	0.0- 7.4
Hispanic	58	83,234	26	48.9	32.4-65.4	7	11.3	1.9-20.7	1	0.8	0.0- 2.4	17	24.2	9.9-38.5	5	8.9	0.1-17.7	2	5.8	0.0-14.0
18-24	151	352,408	80	48.5	39.1-57.9	18	13.4	6.5-20.3				36	25.1	16.9-33.3	15	10.6	4.7-16.5	2	2.3	0.0- 5.4
25-34	219	378,504	123	60.6	53.0-68.2	30	13.7	8.2-19.2	1	0.2	0.0- 0.6	41	16.7	11.2-22.2	18	6.1	2.8- 9.4	6	2.7	0.3- 5.1
35-44	279	325,180	132	47.4	40.0-54.8	27	8.2	4.1-12.3				66	24.3	17.8-30.8	38	14.7	9.2-20.2	16	5.5	2.2- 8.8
45-54	415	352,749	174	39.8	33.7-45.9	56	14.1	9.8-18.4	2	0.8	0.0- 2.2	108	23.9	18.6-29.2	50	13.0	8.5-17.5	25	8.5	4.6-12.4
55-64	593	311,469	267	48.4	43.3-53.5	49	6.4	4.2- 8.6	4	0.3	0.0- 0.7	156	26.4	21.9-30.9	84	13.6	10.3-16.9	33	4.9	2.9- 6.9
65+	929	367,794	421	46.3	41.8-50.8	73	6.2	4.4- 8.0	5	0.6	0.0- 1.2	200	22.0	18.3-25.7	145	16.1	12.8-19.4	85	8.9	6.5-11.3
Less Than H.S.	109	168,307	48	39.6	26.3-52.9	8	10.2	1.0-19.4				28	26.0	15.0-37.0	14	17.0	6.2-27.8	11	7.3	1.2-13.4
H.S. or G.E.D.	693	618,384	328	52.5	47.0-58.0	55	9.5	5.8-13.2	1	0.1	0.0- 0.3	143	17.7	13.8-21.6	113	13.6	10.3-16.9	53	6.5	4.0- 9.0
Some Post-H.S.	668	690,867	293	46.4	41.1-51.7	53	8.7	5.6-11.8	4	0.5	0.0- 1.3	171	27.0	22.3-31.7	101	12.3	9.2-15.4	46	5.2	3.0- 7.4
College Graduate	1124	610,605	536	50.2	46.1-54.3	138	13.5	10.6-16.4	7	0.4	0.0- 0.8	264	22.2	18.9-25.5	124	9.7	7.3-12.1	55	4.0	2.6- 5.4
Less than \$15,000	150	139,198	67	39.9	27.6-52.2	15	16.8	5.8-27.8				34	21.7	12.1-31.3	22	17.4	8.4-26.4	12	4.2	1.5- 6.9
\$15,000- 24,999	304	264,801	142	49.9	41.7-58.1	23	9.9	4.8-15.0	1	0.3	0.0- 0.9	82	26.5	19.2-33.8	39	9.7	5.4-14.0	17	3.8	1.3- 6.3
\$25,000- 34,999	201	159,693	110	60.1	50.5-69.7	6	3.1	0.2- 6.0	1	0.3	0.0- 0.9	41	18.0	10.7-25.3	28	11.8	5.9-17.7	15	6.7	1.0-12.4
\$35,000- 49,999	376	288,250	180	52.4	45.1-59.7	29	7.1	3.6-10.6				82	22.2	15.9-28.5	59	12.6	8.5-16.7	26	5.8	3.1- 8.5
\$50,000- 74,999	400	342,403	183	44.1	37.0-51.2	38	10.2	5.1-15.3	2	0.2	0.0- 0.6	92	25.1	18.6-31.6	58	14.0	8.5-19.5	27	6.5	2.8-10.2
\$75,000+	848	650,056	395	49.5	44.6-54.4	105	11.7	8.8-14.6	4	0.5	0.0- 1.3	214	23.1	19.2-27.0	93	10.8	7.9-13.7	37	4.3	2.3- 6.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 20: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1129	1,008,226	507	48.0	43.7-52.3	118	11.0	8.3-13.7	5	0.2	0.0- 0.4	264	23.4	19.9-26.9	146	11.5	9.0-14.0	89	5.9	4.1- 7.7
White/Non-Hisp	996	844,104	448	48.7	44.2-53.2	100	10.7	7.6-13.8	3	0.1	0.0- 0.3	233	22.8	19.1-26.5	134	11.5	9.0-14.0	78	6.2	4.2- 8.2
18-24	87	194,159	44	50.8	38.5-63.1	11	15.1	5.7-24.5				24	25.7	15.3-36.1	7	6.8	1.3-12.3	1	1.7	0.0- 5.0
25-34	94	178,071	53	63.4	52.2-74.6	12	10.7	4.2-17.2	1	0.4	0.0- 1.2	18	16.0	7.8-24.2	6	5.1	0.8- 9.4	4	4.5	0.0- 9.0
35-44	131	162,335	57	40.1	29.7-50.5	15	11.1	3.5-18.7				34	28.5	18.9-38.1	17	15.8	7.2-24.4	8	4.6	0.7- 8.5
45-54	178	162,769	72	40.2	30.6-49.8	24	15.0	7.9-22.1	1	0.3	0.0- 0.9	49	22.9	15.1-30.7	21	12.6	5.7-19.5	11	9.0	2.3-15.7
55-64	255	139,470	111	44.9	37.3-52.5	23	6.6	3.7- 9.5	1	0.2	0.0- 0.6	60	26.6	19.3-33.9	39	15.6	9.9-21.3	21	6.2	3.3- 9.1
65+	376	167,714	166	46.1	39.2-53.0	31	6.1	3.6- 8.6	2	0.4	0.0- 1.2	78	21.8	15.9-27.7	55	15.4	10.5-20.3	44	10.2	6.3-14.1
Less Than H.S.	52	99,520	17	33.5	14.9-52.1	6	14.8	0.0-29.7				18	32.4	15.9-48.9	6	11.0	0.6-21.4	5	8.2	0.0-17.4
H.S. or G.E.D.	302	327,045	147	54.2	46.6-61.8	26	10.4	5.3-15.5	1	0.2	0.0- 0.6	56	14.3	9.6-19.0	45	13.6	8.5-18.7	27	7.2	3.5-10.9
Some Post-H.S.	258	282,168	107	46.7	38.5-54.9	23	8.8	4.3-13.3	2	0.3	0.0- 0.7	67	29.6	22.2-37.0	36	10.1	5.8-14.4	23	4.4	2.0- 6.8
College Graduate	511	294,176	234	47.8	41.5-54.1	62	12.5	8.6-16.4	2	0.2	0.0- 0.6	120	23.6	18.3-28.9	59	10.9	7.4-14.4	34	5.1	2.7- 7.5
Less than \$15,000	60	61,861	31	53.2	34.8-71.6	7	11.7	0.9-22.5				11	22.4	7.7-37.1	6	9.1	0.0-19.3	5	3.6	0.1- 7.1
\$15,000- 24,999	107	110,681	45	44.2	31.5-56.9	14	14.9	5.9-23.9	1	0.6	0.0- 1.8	33	32.7	20.5-44.9	9	5.6	0.7-10.5	5	1.9	0.0- 3.9
\$25,000- 34,999	74	75,762	45	62.0	46.5-77.5	3	3.4	0.0- 7.7	1	0.6	0.0- 1.8	8	11.2	1.6-20.8	10	11.9	3.1-20.7	7	10.9	0.0-22.5
\$35,000- 49,999	157	133,460	72	55.4	45.0-65.8	12	7.4	2.1-12.7				33	18.5	11.1-25.9	27	12.4	6.5-18.3	13	6.3	2.0-10.6
\$50,000- 74,999	201	183,458	87	40.5	30.9-50.1	18	12.1	3.7-20.5	1	0.3	0.0- 0.9	47	27.8	18.4-37.2	28	11.6	5.5-17.7	20	7.6	2.9-12.3
\$75,000+	416	338,933	182	48.4	41.1-55.7	51	11.2	6.9-15.5				111	24.6	18.7-30.5	47	11.8	7.5-16.1	25	4.0	1.8- 6.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 21: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1477	1,090,302	702	49.3	45.4-53.2	137	9.9	7.4-12.4	7	0.4	0.0- 0.8	346	22.3	19.2-25.4	207	13.0	10.5-15.5	78	5.0	3.4- 6.6
White/Non-Hisp	1326	943,693	629	49.6	45.5-53.7	118	8.3	6.1-10.5	6	0.4	0.0- 1.0	308	22.3	19.0-25.6	194	13.9	11.0-16.8	71	5.4	3.6- 7.2
Black or Afr. Am./Non-Hisp	68	75,348	33	41.1	25.2-57.0	8	25.0	5.6-44.4				19	25.3	11.8-38.8	6	7.1	0.0-14.2	2	1.5	0.0- 3.7
18-24	64	158,249	36	45.8	31.5-60.1	7	11.4	1.0-21.8				12	24.4	11.5-37.3	8	15.4	4.4-26.4	1	3.0	0.0- 8.9
25-34	125	200,433	70	58.2	47.8-68.6	18	16.4	8.0-24.8				23	17.3	9.7-24.9	12	7.0	2.3-11.7	2	1.2	0.0- 2.8
35-44	148	162,845	75	54.6	44.2-65.0	12	5.3	2.0- 8.6				32	20.1	11.9-28.3	21	13.6	6.7-20.5	8	6.3	1.2-11.4
45-54	237	189,980	102	39.5	31.7-47.3	32	13.2	7.9-18.5	1	1.2	0.0- 3.6	59	24.7	17.6-31.8	29	13.4	7.5-19.3	14	8.0	3.1-12.9
55-64	338	172,000	156	51.2	44.3-58.1	26	6.2	3.1- 9.3	3	0.5	0.0- 1.1	96	26.3	20.4-32.2	45	12.0	7.9-16.1	12	3.8	1.3- 6.3
65+	553	200,080	255	46.4	40.7-52.1	42	6.2	3.8- 8.6	3	0.7	0.0- 1.5	122	22.1	17.4-26.8	90	16.8	12.5-21.1	41	7.8	4.9-10.7
Less Than H.S.	57	68,786	31	48.4	29.8-67.0	2	3.4	0.0- 8.3				10	16.6	4.8-28.4	8	25.6	5.8-45.4	6	6.0	0.1-11.9
H.S. or G.E.D.	391	291,339	181	50.6	42.6-58.6	29	8.5	3.0-14.0				87	21.6	15.1-28.1	68	13.5	9.0-18.0	26	5.8	2.7- 8.9
Some Post-H.S.	410	408,699	186	46.2	39.5-52.9	30	8.6	4.3-12.9	2	0.7	0.0- 1.9	104	25.2	19.1-31.3	65	13.7	9.4-18.0	23	5.7	2.4- 9.0
College Graduate	613	316,429	302	52.5	47.0-58.0	76	14.5	10.4-18.6	5	0.5	0.0- 1.1	144	20.9	16.6-25.2	65	8.6	5.7-11.5	21	3.0	1.4- 4.6
Less than \$15,000	90	77,337	36	29.3	14.4-44.2	8	20.9	3.8-38.0				23	21.1	8.2-34.0	16	24.0	10.1-37.9	7	4.7	0.8- 8.6
\$15,000- 24,999	197	154,121	97	54.0	43.2-64.8	9	6.2	0.5-11.9				49	22.0	13.4-30.6	30	12.6	6.1-19.1	12	5.2	0.9- 9.5
\$25,000- 34,999	127	83,931	65	58.4	46.4-70.4	3	2.8	0.0- 6.9				33	24.1	13.7-34.5	18	11.8	4.0-19.6	8	3.0	0.6- 5.4
\$35,000- 49,999	219	154,790	108	49.7	39.7-59.7	17	6.9	2.2-11.6				49	25.4	15.8-35.0	32	12.7	7.0-18.4	13	5.3	1.8- 8.8
\$50,000- 74,999	199	158,944	96	48.3	37.7-58.9	20	7.9	3.6-12.2	1	0.1	0.0- 0.3	45	22.0	13.4-30.6	30	16.6	7.2-26.0	7	5.2	0.0-11.3
\$75,000+	432	311,123	213	50.7	44.2-57.2	54	12.2	8.3-16.1	4	1.1	0.0- 2.7	103	21.5	16.2-26.8	46	9.8	6.1-13.5	12	4.8	1.5- 8.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 22: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5459	4,474,206	1025	20.0	18.4-21.6	286	5.8	4.8- 6.8	408	8.8	7.6-10.0	74	1.8	1.2- 2.4	132	2.3	1.7- 2.9	3534	61.3	59.3-63.3
Male	2306	2,150,453	450	20.8	18.3-23.3	152	8.0	6.4- 9.6	180	8.0	6.4- 9.6	42	2.5	1.5- 3.5	79	3.2	2.2- 4.2	1403	57.6	54.7-60.5
Female	3153	2,323,754	575	19.2	17.0-21.4	134	3.8	2.8- 4.8	228	9.6	7.8-11.4	32	1.1	0.7- 1.5	53	1.5	0.7- 2.3	2131	64.8	62.3-67.3
White/Non-Hisp	4772	3,667,862	866	18.9	17.1-20.7	234	5.1	4.1- 6.1	362	9.2	7.8-10.6	63	1.7	1.1- 2.3	114	2.2	1.6- 2.8	3133	62.8	60.6-65.0
Black or Afr. Am./Non-Hisp	264	343,209	62	28.8	20.2-37.4	17	9.5	4.2-14.8	19	5.9	2.6- 9.2	2	0.5	0.0- 1.5	8	3.5	0.6- 6.4	156	51.7	43.1-60.3
Oth. Race/Non-Hisp.	102	89,153	35	34.4	21.9-46.9	8	10.1	1.9-18.3	7	6.7	1.0-12.4				1	0.1	0.0- 0.3	51	48.7	35.8-61.6
MultiRacial/Non-Hisp.	71	47,159	12	19.4	5.5-33.3	11	20.2	5.3-35.1	3	2.3	0.0- 5.0	5	13.9	0.0-30.0	3	0.8	0.0- 1.8	37	43.3	26.6-60.0
Hispanic	165	248,823	35	18.7	10.3-27.1	12	6.5	1.6-11.4	12	10.1	3.8-16.4	2	1.9	0.0- 4.8	4	3.3	0.0- 7.2	100	59.6	49.4-69.8
18-24	237	590,607	83	33.8	26.5-41.1	27	11.0	6.7-15.3	33	15.0	9.3-20.7	6	2.8	0.4- 5.2	9	4.3	1.2- 7.4	79	33.1	26.0-40.2
25-34	406	743,400	101	22.2	17.5-26.9	32	7.0	4.3- 9.7	40	10.1	6.6-13.6	14	2.3	0.5- 4.1	11	2.6	0.6- 4.6	208	55.8	49.9-61.7
35-44	543	688,649	131	21.0	16.5-25.5	30	6.2	3.5- 8.9	53	11.0	7.7-14.3	10	2.0	0.6- 3.4	8	1.2	0.2- 2.2	311	58.6	53.3-63.9
45-54	829	780,551	183	19.6	16.3-22.9	32	3.7	2.1- 5.3	76	8.2	6.0-10.4	11	1.6	0.4- 2.8	16	1.5	0.7- 2.3	511	65.4	61.3-69.5
55-64	1257	757,703	215	14.8	12.4-17.2	57	4.1	2.7- 5.5	91	6.7	4.9- 8.5	15	1.0	0.4- 1.6	40	2.7	1.7- 3.7	839	70.7	67.6-73.8
65+	2139	885,728	301	12.8	10.8-14.8	106	4.1	3.1- 5.1	111	4.3	3.3- 5.3	18	1.3	0.5- 2.1	48	2.2	1.4- 3.0	1555	75.3	72.9-77.7
Less Than H.S.	411	583,032	40	13.3	7.4-19.2	17	4.4	1.9- 6.9	18	7.5	3.0-12.0	5	2.4	0.0- 4.9	4	0.4	0.0- 0.8	327	72.0	64.9-79.1
H.S. or G.E.D.	1808	1,516,972	238	17.2	14.5-19.9	91	6.3	4.5- 8.1	99	7.4	5.4- 9.4	21	1.9	0.9- 2.9	31	2.2	0.8- 3.6	1328	65.0	61.7-68.3
Some Post-H.S.	1379	1,367,742	234	18.6	15.7-21.5	79	6.0	4.2- 7.8	106	9.6	7.2-12.0	16	1.2	0.4- 2.0	37	2.7	1.5- 3.9	907	61.9	58.4-65.4
College Graduate	1832	983,727	506	30.2	27.3-33.1	98	5.4	3.8- 7.0	182	10.4	8.4-12.4	31	1.9	0.9- 2.9	58	2.9	1.9- 3.9	957	49.1	46.0-52.2
Less than \$15,000	464	432,995	63	19.0	12.5-25.5	19	5.1	1.6- 8.6	29	9.5	4.8-14.2	3	0.5	0.0- 1.3	8	0.7	0.1- 1.3	342	65.2	57.9-72.5
\$15,000- 24,999	821	684,041	106	15.9	12.0-19.8	40	5.3	3.1- 7.5	53	8.6	5.3-11.9	11	1.6	0.4- 2.8	18	3.0	0.5- 5.5	593	65.5	60.4-70.6
\$25,000- 34,999	514	419,935	74	15.0	10.7-19.3	34	6.3	3.4- 9.2	35	7.7	4.4-11.0	5	0.9	0.0- 1.9	8	0.8	0.0- 1.6	358	69.2	63.5-74.9
\$35,000- 49,999	780	644,276	135	18.5	14.4-22.6	44	5.7	3.3- 8.1	42	7.6	4.3-10.9	13	1.0	0.2- 1.8	22	3.1	1.1- 5.1	524	64.1	59.0-69.2
\$50,000- 74,999	795	669,119	156	21.4	16.9-25.9	30	4.0	2.0- 6.0	62	9.5	6.2-12.8	10	2.4	0.6- 4.2	20	2.3	0.9- 3.7	517	60.4	55.3-65.5
\$75,000+	1323	1,044,271	369	27.8	24.3-31.3	83	7.9	5.5-10.3	145	10.9	8.4-13.4	24	2.4	1.0- 3.8	44	2.9	1.9- 3.9	658	48.1	44.2-52.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 23: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2306	2,150,453	450	20.8	18.3-23.3	152	8.0	6.4-9.6	180	8.0	6.4-9.6	42	2.5	1.5-3.5	79	3.2	2.2-4.2	1403	57.6	54.7-60.5
White/Non-Hisp	2017	1,758,509	381	19.9	17.4-22.4	121	6.7	5.1-8.3	164	8.4	6.6-10.2	33	2.2	1.2-3.2	66	2.9	1.9-3.9	1252	59.8	56.7-62.9
Black or Afr. Am./Non-Hisp	93	146,204	21	25.0	12.7-37.3	11	17.5	6.7-28.3	7	6.8	1.1-12.5	1	1.1	0.0-3.3	5	5.8	0.0-11.7	48	43.8	30.7-56.9
Oth. Race/Non-Hisp.	55	58,595	21	37.9	20.7-55.1	5	12.4	0.6-24.2	2	3.3	0.0-8.6				1	0.1	0.0-0.3	26	46.1	28.5-63.7
Hispanic	58	111,082	14	22.7	7.4-38.0	6	9.6	0.0-19.4	3	7.3	0.0-16.1	2	4.4	0.0-10.7	3	6.5	0.0-15.1	30	49.6	32.7-66.5
18-24	127	293,975	43	34.8	25.0-44.6	21	16.7	9.3-24.1	16	12.2	5.9-18.5	5	4.8	0.3-9.3	7	5.2	1.1-9.3	35	26.3	17.5-35.1
25-34	184	381,355	46	21.6	14.9-28.3	15	8.3	4.0-12.6	16	8.5	4.0-13.0	8	3.3	0.2-6.4	8	4.4	0.9-7.9	91	54.1	45.5-62.7
35-44	241	338,289	57	23.4	16.1-30.7	20	9.8	4.9-14.7	27	12.6	7.3-17.9	8	3.6	0.9-6.3	7	1.7	0.3-3.1	122	48.9	41.1-56.7
45-54	367	386,748	86	19.9	14.8-25.0	18	5.2	2.5-7.9	29	6.0	3.3-8.7	7	2.9	0.7-5.1	9	1.7	0.5-2.9	218	64.3	58.0-70.6
55-64	557	363,036	88	14.1	10.6-17.6	32	5.3	3.1-7.5	40	5.8	3.6-8.0	7	0.5	0.1-0.9	19	3.0	1.4-4.6	371	71.3	66.8-75.8
65+	817	381,766	126	13.6	10.5-16.7	46	4.7	3.1-6.3	51	4.4	2.8-6.0	7	0.7	0.1-1.3	29	3.5	1.7-5.3	558	73.1	69.2-77.0
Less Than H.S.	173	291,549	16	15.8	6.4-25.2	11	6.8	1.9-11.7	8	4.3	0.4-8.2	4	4.2	0.0-8.9	3	0.7	0.0-1.5	131	68.3	57.9-78.7
H.S. or G.E.D.	752	786,196	121	19.4	15.5-23.3	49	8.2	5.3-11.1	45	7.7	5.0-10.4	14	2.8	1.0-4.6	18	2.6	1.0-4.2	505	59.4	54.5-64.3
Some Post-H.S.	527	593,376	81	17.7	13.2-22.2	43	8.5	5.4-11.6	42	9.4	5.9-12.9	6	1.5	0.0-3.1	23	4.3	1.9-6.7	332	58.6	52.9-64.3
College Graduate	843	471,035	230	29.9	25.4-34.4	49	7.7	5.0-10.4	85	9.3	6.8-11.8	18	2.5	1.1-3.9	33	3.9	2.1-5.7	428	46.7	42.0-51.4
Less than \$15,000	161	155,111	25	23.2	12.6-33.8	11	8.2	0.6-15.8	10	7.6	1.9-13.3	2	0.3	0.0-0.7	3	1.2	0.0-2.8	110	59.5	48.1-70.9
\$15,000- 24,999	288	292,082	37	13.9	8.4-19.4	19	8.6	4.1-13.1	28	10.5	5.4-15.6	7	2.6	0.1-5.1	13	3.3	0.2-6.4	184	61.1	53.3-68.9
\$25,000- 34,999	197	208,830	26	15.7	8.6-22.8	15	7.9	2.8-13.0	13	6.4	1.9-10.9	3	0.6	0.0-1.4	3	0.2	0.0-0.4	137	69.2	60.4-78.0
\$35,000- 49,999	347	306,671	65	20.6	14.5-26.7	24	8.9	4.2-13.6	21	5.7	2.2-9.2	6	0.9	0.0-1.9	14	5.3	1.4-9.2	217	58.6	51.2-66.0
\$50,000- 74,999	384	367,604	77	24.0	16.9-31.1	16	4.9	2.0-7.8	27	8.5	4.4-12.6	6	3.4	0.3-6.5	13	3.0	0.6-5.4	245	56.3	48.9-63.7
\$75,000+	669	577,927	173	26.0	20.9-31.1	57	10.7	7.0-14.4	67	9.2	5.9-12.5	13	3.2	0.8-5.6	24	3.4	1.6-5.2	335	47.5	41.8-53.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 24: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3153	2,323,754	575	19.2	17.0-21.4	134	3.8	2.8- 4.8	228	9.6	7.8-11.4	32	1.1	0.7- 1.5	53	1.5	0.7- 2.3	2131	64.8	62.3-67.3
White/Non-Hisp	2755	1,909,353	485	18.1	15.9-20.3	113	3.7	2.7- 4.7	198	9.9	7.9-11.9	30	1.2	0.6- 1.8	48	1.6	0.8- 2.4	1881	65.5	62.8-68.2
Black or Afr. Am./Non-Hisp	171	197,005	41	31.7	19.9-43.5	6	3.6	0.0- 7.3	12	5.2	1.5- 8.9	1	0.1	0.0- 0.3	3	1.8	0.0- 4.5	108	57.6	46.2-69.0
Hispanic	107	137,741	21	15.4	7.0-23.8	6	4.0	0.5- 7.5	9	12.3	3.7-20.9				1	0.7	0.0- 2.1	70	67.6	56.4-78.8
18-24	110	296,632	40	32.9	22.3-43.5	6	5.2	0.9- 9.5	17	17.9	8.7-27.1	1	0.8	0.0- 2.4	2	3.3	0.0- 8.2	44	39.8	28.8-50.8
25-34	222	362,045	55	22.9	16.4-29.4	17	5.7	2.8- 8.6	24	11.8	6.5-17.1	6	1.3	0.0- 2.7	3	0.7	0.0- 1.5	117	57.5	49.9-65.1
35-44	302	350,360	74	18.7	13.6-23.8	10	2.7	0.3- 5.1	26	9.4	5.1-13.7	2	0.5	0.0- 1.1	1	0.7	0.0- 2.1	189	68.1	61.6-74.6
45-54	462	393,802	97	19.3	15.0-23.6	14	2.3	0.9- 3.7	47	10.3	7.0-13.6	4	0.3	0.0- 0.7	7	1.2	0.0- 2.4	293	66.6	61.3-71.9
55-64	700	394,667	127	15.4	12.1-18.7	25	3.0	1.4- 4.6	51	7.6	5.1-10.1	8	1.4	0.2- 2.6	21	2.4	1.2- 3.6	468	70.2	65.9-74.5
65+	1322	503,962	175	12.1	9.7-14.5	60	3.7	2.5- 4.9	60	4.2	2.8- 5.6	11	1.8	0.6- 3.0	19	1.2	0.6- 1.8	997	77.0	73.9-80.1
Less Than H.S.	238	291,482	24	10.7	3.6-17.8	6	2.1	0.1- 4.1	10	10.7	2.9-18.5	1	0.6	0.0- 1.8	1	0.2	0.0- 0.6	196	75.6	66.0-85.2
H.S. or G.E.D.	1056	730,776	117	14.8	10.9-18.7	42	4.3	2.5- 6.1	54	7.2	4.7- 9.7	7	0.9	0.1- 1.7	13	1.8	0.0- 3.8	823	71.0	66.3-75.7
Some Post-H.S.	852	774,366	153	19.2	15.5-22.9	36	4.2	2.4- 6.0	64	9.9	6.6-13.2	10	0.9	0.1- 1.7	14	1.4	0.4- 2.4	575	64.4	59.9-68.9
College Graduate	989	512,691	276	30.4	26.3-34.5	49	3.3	2.1- 4.5	97	11.5	8.6-14.4	13	1.4	0.2- 2.6	25	2.0	1.0- 3.0	529	51.3	47.0-55.6
Less than \$15,000	303	277,885	38	16.7	8.5-24.9	8	3.4	0.3- 6.5	19	10.5	4.0-17.0	1	0.6	0.0- 1.8	5	0.4	0.0- 0.8	232	68.4	59.0-77.8
\$15,000- 24,999	533	391,959	69	17.4	12.1-22.7	21	2.9	1.1- 4.7	25	7.1	2.8-11.4	4	0.9	0.0- 2.1	5	2.9	0.0- 6.6	409	68.8	61.9-75.7
\$25,000- 34,999	317	211,105	48	14.4	9.3-19.5	19	4.8	1.9- 7.7	22	9.0	4.3-13.7	2	1.2	0.0- 3.2	5	1.4	0.0- 3.2	221	69.2	62.1-76.3
\$35,000- 49,999	433	337,604	70	16.7	11.2-22.2	20	2.9	1.1- 4.7	21	9.3	4.0-14.6	7	1.1	0.1- 2.1	8	1.0	0.0- 2.0	307	69.0	62.1-75.9
\$50,000- 74,999	411	301,515	79	18.3	13.4-23.2	14	3.0	0.8- 5.2	35	10.8	5.5-16.1	4	1.1	0.0- 2.7	7	1.4	0.0- 3.0	272	65.4	58.7-72.1
\$75,000+	654	466,344	196	30.1	25.2-35.0	26	4.5	2.1- 6.9	78	13.0	9.3-16.7	11	1.3	0.5- 2.1	20	2.2	1.2- 3.2	323	49.0	43.7-54.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015**

SECTION 12: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARTHRTIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)	
1 MALES AND FEMALES	248
2 MALES ONLY	249
3 FEMALES ONLY	250
IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)	
4 MALES AND FEMALES	251
5 MALES ONLY	252
6 FEMALES ONLY	253
DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)	
7 MALES AND FEMALES	254
8 MALES ONLY	255
9 FEMALES ONLY	256
PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)	
10 MALES AND FEMALES	257
11 MALES ONLY	258
12 FEMALES ONLY	259

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 1: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2076	1,254,418	964	47.7	44.6-50.8	1112	52.3	49.2-55.4
Male	754	537,025	326	42.6	37.7-47.5	428	57.4	52.5-62.3
Female	1322	717,392	638	51.5	47.6-55.4	684	48.5	44.6-52.4
White/Non-Hisp	1857	1,092,368	851	46.9	43.8-50.0	1006	53.1	50.0-56.2
Black or Afr. Am./Non-Hisp	93	85,097	53	51.5	37.4-65.6	40	48.5	34.4-62.6
35-44	80	97,679	39	47.9	35.0-60.8	41	52.1	39.2-65.0
45-54	244	261,309	136	54.6	46.8-62.4	108	45.4	37.6-53.2
55-64	527	327,058	277	55.1	49.8-60.4	250	44.9	39.6-50.2
65+	1172	478,853	495	42.8	38.9-46.7	677	57.2	53.3-61.1
Less Than H.S.	196	184,618	115	64.2	56.0-72.4	81	35.8	27.6-44.0
H.S. or G.E.D.	793	479,253	352	42.7	38.0-47.4	441	57.3	52.6-62.0
Some Post-H.S.	530	388,914	271	50.6	44.7-56.5	259	49.4	43.5-55.3
College Graduate	548	195,808	222	38.6	32.9-44.3	326	61.4	55.7-67.1
Less than \$15,000	251	165,241	167	69.6	61.6-77.6	84	30.4	22.4-38.4
\$15,000- 24,999	371	222,483	197	55.0	47.2-62.8	174	45.0	37.2-52.8
\$25,000- 34,999	235	138,383	100	43.8	34.6-53.0	135	56.2	47.0-65.4
\$35,000- 49,999	297	182,885	133	42.2	34.6-49.8	164	57.8	50.2-65.4
\$50,000- 74,999	272	154,162	100	37.2	29.6-44.8	172	62.8	55.2-70.4
\$75,000+	328	200,955	122	37.8	30.5-45.1	206	62.2	54.9-69.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 2: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	754	537,025	326	42.6	37.7-47.5	428	57.4	52.5-62.3
White/Non-Hisp	669	460,772	293	42.6	37.5-47.7	376	57.4	52.3-62.5
45-54	91	116,884	47	51.2	38.3-64.1	44	48.8	35.9-61.7
55-64	208	140,278	102	49.1	40.7-57.5	106	50.9	42.5-59.3
65+	399	193,589	160	39.9	33.4-46.4	239	60.1	53.6-66.6
Less Than H.S.	70	83,401	40	62.9	49.6-76.2	30	37.1	23.8-50.4
H.S. or G.E.D.	275	215,916	106	34.8	27.5-42.1	169	65.2	57.9-72.5
Some Post-H.S.	188	149,407	94	47.6	37.8-57.4	94	52.4	42.6-62.2
College Graduate	218	85,455	84	33.8	25.8-41.8	134	66.2	58.2-74.2
Less than \$15,000	76	61,062	47	69.5	57.0-82.0	29	30.5	18.0-43.0
\$15,000- 24,999	99	77,253	52	51.9	37.2-66.6	47	48.1	33.4-62.8
\$25,000- 34,999	82	62,741	38	38.7	24.2-53.2	44	61.3	46.8-75.8
\$35,000- 49,999	123	84,478	50	35.7	24.9-46.5	73	64.3	53.5-75.1
\$50,000- 74,999	132	83,147	44	35.4	24.4-46.4	88	64.6	53.6-75.6
\$75,000+	151	96,835	53	33.7	23.3-44.1	98	66.3	55.9-76.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 3: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1322	717,392	638	51.5	47.6-55.4	684	48.5	44.6-52.4
White/Non-Hisp	1188	631,596	558	50.0	45.9-54.1	630	50.0	45.9-54.1
Black or Afr. Am./Non-Hisp	63	45,230	40	65.5	47.5-83.5	23	34.5	16.5-52.5
45-54	153	144,426	89	57.4	47.8-67.0	64	42.6	33.0-52.2
55-64	319	186,781	175	59.5	52.6-66.4	144	40.5	33.6-47.4
65+	773	285,264	335	44.8	39.9-49.7	438	55.2	50.3-60.1
Less Than H.S.	126	101,218	75	65.3	54.9-75.7	51	34.7	24.3-45.1
H.S. or G.E.D.	518	263,336	246	49.2	43.1-55.3	272	50.8	44.7-56.9
Some Post-H.S.	342	239,507	177	52.5	45.1-59.9	165	47.5	40.1-54.9
College Graduate	330	110,353	138	42.3	34.7-49.9	192	57.7	50.1-65.3
Less than \$15,000	175	104,179	120	69.6	59.2-80.0	55	30.4	20.0-40.8
\$15,000- 24,999	272	145,230	145	56.6	47.6-65.6	127	43.4	34.4-52.4
\$25,000- 34,999	153	75,642	62	48.0	37.0-59.0	91	52.0	41.0-63.0
\$35,000- 49,999	174	98,407	83	47.9	37.3-58.5	91	52.1	41.5-62.7
\$50,000- 74,999	140	71,015	56	39.4	28.6-50.2	84	60.6	49.8-71.4
\$75,000+	177	104,120	69	41.6	31.6-51.6	108	58.4	48.4-68.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 4: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2015	1,217,550	619	38.0	34.9-41.1	1396	62.0	58.9-65.1
Male	732	524,870	229	40.8	35.7-45.9	503	59.2	54.1-64.3
Female	1283	692,679	390	35.8	32.1-39.5	893	64.2	60.5-67.9
White/Non-Hisp	1804	1,057,270	524	36.0	32.9-39.1	1280	64.0	60.9-67.1
Black or Afr. Am./Non-Hisp	90	84,645	44	54.0	39.7-68.3	46	46.0	31.7-60.3
35-44	82	102,879	39	48.4	35.5-61.3	43	51.6	38.7-64.5
45-54	239	248,395	121	57.2	49.4-65.0	118	42.8	35.0-50.6
55-64	513	317,201	198	41.4	35.9-46.9	315	58.6	53.1-64.1
65+	1129	461,984	245	24.8	21.3-28.3	884	75.2	71.7-78.7
Less Than H.S.	186	175,087	96	57.2	48.4-66.0	90	42.8	34.0-51.6
H.S. or G.E.D.	769	468,745	237	35.4	30.5-40.3	532	64.6	59.7-69.5
Some Post-H.S.	514	376,010	177	39.3	33.4-45.2	337	60.7	54.8-66.6
College Graduate	539	193,966	104	23.5	18.0-29.0	435	76.5	71.0-82.0
Less than \$15,000	237	160,229	126	60.0	51.2-68.8	111	40.0	31.2-48.8
\$15,000- 24,999	360	211,501	144	44.7	36.9-52.5	216	55.3	47.5-63.1
\$25,000- 34,999	221	132,382	66	40.3	30.1-50.5	155	59.7	49.5-69.9
\$35,000- 49,999	289	175,989	85	35.4	27.8-43.0	204	64.6	57.0-72.2
\$50,000- 74,999	270	154,000	55	29.3	21.5-37.1	215	70.7	62.9-78.5
\$75,000+	324	200,263	63	24.8	18.1-31.5	261	75.2	68.5-81.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 5: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	732	524,870	229	40.8	35.7-45.9	503	59.2	54.1-64.3
White/Non-Hisp	650	447,546	193	37.9	32.6-43.2	457	62.1	56.8-67.4
45-54	89	112,923	48	62.9	51.1-74.7	41	37.1	25.3-48.9
55-64	206	139,990	77	42.1	33.5-50.7	129	57.9	49.3-66.5
65+	381	184,201	80	24.2	18.1-30.3	301	75.8	69.7-81.9
Less Than H.S.	68	82,462	37	65.4	52.5-78.3	31	34.6	21.7-47.5
H.S. or G.E.D.	269	212,129	78	34.8	26.6-43.0	191	65.2	57.0-73.4
Some Post-H.S.	181	144,212	71	44.4	34.2-54.6	110	55.6	45.4-65.8
College Graduate	212	84,051	41	24.3	15.3-33.3	171	75.7	66.7-84.7
Less than \$15,000	72	59,041	35	62.4	48.7-76.1	37	37.6	23.9-51.3
\$15,000- 24,999	95	72,913	35	47.5	32.8-62.2	60	52.5	37.8-67.2
\$25,000- 34,999	77	63,110	27	42.9	25.5-60.3	50	57.1	39.7-74.5
\$35,000- 49,999	120	81,528	41	41.4	29.4-53.4	79	58.6	46.6-70.6
\$50,000- 74,999	129	82,662	35	35.6	24.4-46.8	94	64.4	53.2-75.6
\$75,000+	148	96,193	30	25.6	15.6-35.6	118	74.4	64.4-84.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 6: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1283	692,679	390	35.8	32.1-39.5	893	64.2	60.5-67.9
White/Non-Hisp	1154	609,724	331	34.6	30.7-38.5	823	65.4	61.5-69.3
Black or Afr. Am./Non-Hisp	60	43,296	28	47.6	29.8-65.4	32	52.4	34.6-70.2
45-54	150	135,472	73	52.4	42.6-62.2	77	47.6	37.8-57.4
55-64	307	177,211	121	40.8	33.7-47.9	186	59.2	52.1-66.3
65+	748	277,783	165	25.1	20.8-29.4	583	74.9	70.6-79.2
Less Than H.S.	118	92,625	59	50.0	38.6-61.4	59	50.0	38.6-61.4
H.S. or G.E.D.	500	256,616	159	35.9	30.0-41.8	341	64.1	58.2-70.0
Some Post-H.S.	333	231,799	106	36.1	29.0-43.2	227	63.9	56.8-71.0
College Graduate	327	109,915	63	22.9	16.0-29.8	264	77.1	70.2-84.0
Less than \$15,000	165	101,189	91	58.7	47.5-69.9	74	41.3	30.1-52.5
\$15,000- 24,999	265	138,588	109	43.2	34.2-52.2	156	56.8	47.8-65.8
\$25,000- 34,999	144	69,272	39	38.0	26.8-49.2	105	62.0	50.8-73.2
\$35,000- 49,999	169	94,462	44	30.3	21.1-39.5	125	69.7	60.5-78.9
\$50,000- 74,999	141	71,338	20	21.9	11.1-32.7	121	78.1	67.3-88.9
\$75,000+	176	104,070	33	24.1	14.9-33.3	143	75.9	66.7-85.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 7. DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			A Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2078	1,257,790	354	18.8	16.4-21.2	503	25.0	22.3-27.7	1221	56.2	53.1-59.3
Male	758	543,490	105	15.0	11.7-18.3	165	24.3	19.8-28.8	488	60.7	55.8-65.6
Female	1320	714,300	249	21.8	18.5-25.1	338	25.5	22.2-28.8	733	52.7	48.8-56.6
White/Non-Hisp	1859	1,093,258	309	18.2	15.7-20.7	425	23.4	20.7-26.1	1125	58.4	55.3-61.5
Black or Afr. Am./Non-Hisp	93	87,581	19	17.8	8.2-27.4	37	43.8	29.3-58.3	37	38.4	24.7-52.1
35-44	82	102,879	22	28.7	17.1-40.3	12	11.8	3.2-20.4	48	59.5	46.8-72.2
45-54	244	259,729	58	20.9	15.0-26.8	63	30.7	23.1-38.3	123	48.4	40.6-56.2
55-64	529	328,106	115	22.7	18.2-27.2	138	28.7	23.6-33.8	276	48.6	43.1-54.1
65+	1170	477,560	151	14.3	11.6-17.0	276	22.1	19.0-25.2	743	63.6	59.9-67.3
Less Than H.S.	194	181,023	61	31.8	23.6-40.0	65	33.3	24.9-41.7	68	34.9	26.3-43.5
H.S. or G.E.D.	795	484,349	143	17.1	13.8-20.4	186	22.7	18.6-26.8	466	60.2	55.5-64.9
Some Post-H.S.	533	390,720	101	19.8	14.9-24.7	124	24.9	19.6-30.2	308	55.3	49.2-61.4
College Graduate	547	195,874	47	8.3	5.4-11.2	126	23.7	18.8-28.6	374	68.0	62.7-73.3
Less than \$15,000	250	163,394	100	44.3	35.7-52.9	67	25.0	17.6-32.4	83	30.8	22.8-38.8
\$15,000- 24,999	370	222,439	87	25.8	18.7-32.9	102	31.8	24.0-39.6	181	42.3	34.9-49.7
\$25,000- 34,999	234	141,329	35	14.7	8.8-20.6	60	26.8	18.2-35.4	139	58.6	49.2-68.0
\$35,000- 49,999	300	184,076	41	14.1	9.2-19.0	73	27.4	20.1-34.7	186	58.5	50.7-66.3
\$50,000- 74,999	273	154,484	24	10.7	5.8-15.6	50	18.4	12.5-24.3	199	70.8	63.7-77.9
\$75,000+	330	202,818	26	8.7	4.6-12.8	73	20.2	14.5-25.9	231	71.1	64.6-77.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 8: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			A Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	758	543,490	105	15.0	11.7-18.3	165	24.3	19.8-28.8	488	60.7	55.8-65.6
White/Non-Hisp	672	463,330	93	14.7	11.2-18.2	140	22.1	17.6-26.6	439	63.2	58.3-68.1
45-54	91	116,884	19	18.0	8.8-27.2	23	32.6	19.9-45.3	49	49.4	36.5-62.3
55-64	211	142,633	44	22.8	15.7-29.9	43	23.5	15.9-31.1	124	53.7	45.3-62.1
65+	399	193,792	36	9.1	5.6-12.6	89	24.1	18.2-30.0	274	66.8	60.5-73.1
Less Than H.S.	71	84,608	21	29.8	16.9-42.7	23	30.8	18.3-43.3	27	39.4	25.1-53.7
H.S. or G.E.D.	277	220,212	39	12.0	7.5-16.5	53	21.4	14.7-28.1	185	66.6	59.3-73.9
Some Post-H.S.	188	150,133	32	15.6	9.1-22.1	38	26.8	17.0-36.6	118	57.7	47.7-67.7
College Graduate	219	85,691	12	5.6	1.9- 9.3	50	21.4	14.3-28.5	157	73.0	65.4-80.6
Less than \$15,000	75	60,875	31	51.1	36.6-65.6	22	27.7	14.6-40.8	22	21.3	10.5-32.1
\$15,000- 24,999	99	77,253	12	13.6	4.0-23.2	29	41.5	26.4-56.6	58	44.9	31.2-58.6
\$25,000- 34,999	82	66,081	11	9.8	2.9-16.7	16	23.3	9.2-37.4	55	66.8	51.9-81.7
\$35,000- 49,999	125	85,433	13	9.3	3.4-15.2	36	31.0	20.0-42.0	76	59.6	48.2-71.0
\$50,000- 74,999	132	83,147	12	10.6	3.5-17.7	19	12.9	6.0-19.8	101	76.5	67.3-85.7
\$75,000+	152	98,042	9	4.7	1.0- 8.4	25	16.2	8.8-23.6	118	79.1	70.9-87.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 9: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		A Lot			A Little			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1320	714,300	249	21.8	18.5-25.1	338	25.5	22.2-28.8	733	52.7	48.8-56.6
White/Non-Hisp	1187	629,928	216	20.8	17.5-24.1	285	24.4	20.9-27.9	686	54.9	50.8-59.0
Black or Afr. Am./Non-Hisp	62	43,806	12	19.7	6.2-33.2	26	40.0	22.8-57.2	24	40.2	21.8-58.6
45-54	153	142,845	39	23.3	15.5-31.1	40	29.2	20.2-38.2	74	47.5	37.9-57.1
55-64	318	185,473	71	22.6	16.5-28.7	95	32.8	25.9-39.7	152	44.6	37.5-51.7
65+	771	283,768	115	17.8	14.1-21.5	187	20.8	17.3-24.3	469	61.4	56.7-66.1
Less Than H.S.	123	96,415	40	33.5	22.9-44.1	42	35.6	24.2-47.0	41	31.0	20.6-41.4
H.S. or G.E.D.	518	264,136	104	21.4	16.5-26.3	133	23.7	18.8-28.6	281	54.9	48.8-61.0
Some Post-H.S.	345	240,588	69	22.5	15.8-29.2	86	23.7	17.6-29.8	190	53.9	46.5-61.3
College Graduate	328	110,183	35	10.5	6.2-14.8	76	25.5	18.8-32.2	217	64.0	56.7-71.3
Less than \$15,000	175	102,519	69	40.3	29.7-50.9	45	23.3	14.3-32.3	61	36.4	25.6-47.2
\$15,000- 24,999	271	145,186	75	32.4	23.4-41.4	73	26.7	18.7-34.7	123	40.9	31.9-49.9
\$25,000- 34,999	152	75,247	24	18.9	10.1-27.7	44	29.8	19.4-40.2	84	51.3	40.3-62.3
\$35,000- 49,999	175	98,642	28	18.2	10.8-25.6	37	24.3	14.5-34.1	110	57.5	46.7-68.3
\$50,000- 74,999	141	71,338	12	10.9	4.0-17.8	31	24.8	15.4-34.2	98	64.2	53.6-74.8
\$75,000+	178	104,776	17	12.4	5.5-19.3	48	23.9	15.7-32.1	113	63.7	54.1-73.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

**TABLE 10: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE.
(JOINPAIN)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1957	1,183,828	145	7.6	5.8- 9.4	582	27.5	24.8-30.2	778	39.4	36.3-42.5	315	17.6	15.1-20.1	137	7.9	6.1- 9.7
Male	719	518,515	65	9.2	6.3-12.1	262	31.4	26.7-36.1	250	36.2	31.1-41.3	104	17.4	13.3-21.5	38	5.8	3.4- 8.2
Female	1238	665,313	80	6.3	4.3- 8.3	320	24.5	21.0-28.0	528	41.9	38.0-45.8	211	17.8	14.9-20.7	99	9.5	7.0-12.0
White/Non-Hisp	1755	1,030,665	131	7.5	5.7- 9.3	541	29.4	26.3-32.5	701	38.7	35.4-42.0	277	17.8	15.3-20.3	105	6.6	4.8- 8.4
Black or Afr. Am./Non-Hisp	84	81,986	6	8.8	1.5-16.1	11	12.8	1.6-24.0	34	45.1	29.8-60.4	14	16.1	5.9-26.3	19	17.2	7.6-26.8
35-44	78	98,929	9	11.9	2.9-20.9	21	25.3	13.0-37.6	30	42.1	28.0-56.2	7	5.7	1.0-10.4	11	15.0	5.4-24.6
45-54	233	250,651	20	7.3	3.6-11.0	61	24.8	17.9-31.7	75	35.9	27.9-43.9	52	21.8	15.3-28.3	25	10.2	5.7-14.7
55-64	496	310,007	26	4.3	2.1- 6.5	144	27.2	22.3-32.1	192	42.2	36.7-47.7	102	20.2	15.7-24.7	32	6.1	3.6- 8.6
65+	1102	444,215	82	8.1	5.7-10.5	344	30.5	26.6-34.4	464	40.1	36.2-44.0	145	15.2	12.3-18.1	67	6.1	4.3- 7.9
Less Than H.S.	181	172,476	10	5.2	1.5- 8.9	20	9.2	4.1-14.3	57	34.8	25.6-44.0	52	28.9	20.7-37.1	42	21.9	14.6-29.2
H.S. or G.E.D.	749	456,877	55	7.3	4.8- 9.8	185	26.0	21.3-30.7	315	39.6	34.5-44.7	142	21.4	17.1-25.7	52	5.7	3.7- 7.7
Some Post-H.S.	495	361,539	34	8.0	4.5-11.5	147	29.2	23.7-34.7	217	43.8	37.5-50.1	73	12.6	9.1-16.1	24	6.3	2.6-10.0
College Graduate	524	187,298	46	9.9	6.2-13.6	227	44.6	38.5-50.7	186	34.6	28.9-40.3	47	8.1	5.0-11.2	18	2.8	1.2- 4.4
Less than \$15,000	229	150,163	7	1.8	0.2- 3.4	32	12.9	7.4-18.4	83	33.1	24.5-41.7	64	29.7	21.7-37.7	43	22.5	14.9-30.1
\$15,000- 24,999	348	207,000	30	7.8	4.1-11.5	58	14.7	9.0-20.4	139	41.3	33.3-49.3	84	23.1	16.8-29.4	37	13.0	6.5-19.5
\$25,000- 34,999	222	134,666	16	6.1	2.2-10.0	53	21.7	14.4-29.0	103	44.4	34.8-54.0	33	19.9	9.9-29.9	17	8.0	3.5-12.5
\$35,000- 49,999	284	171,663	17	8.2	3.5-12.9	93	34.9	26.9-42.9	130	41.0	33.2-48.8	32	13.1	8.0-18.2	12	2.7	1.1- 4.3
\$50,000- 74,999	252	145,308	24	10.5	4.2-16.8	104	35.6	27.6-43.6	95	42.0	33.6-50.4	24	9.4	4.7-14.1	5	2.6	0.2- 5.0
\$75,000+	315	193,644	28	10.2	4.9-15.5	149	44.0	36.0-52.0	111	36.8	29.4-44.2	21	7.1	3.2-11.0	6	2.0	0.2- 3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 11: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	719	518,515	65	9.2	6.3-12.1	262	31.4	26.7-36.1	250	36.2	31.1-41.3	104	17.4	13.1-21.7	38	5.8	3.4- 8.2
White/Non-Hisp	635	440,202	54	8.5	5.4-11.6	238	34.1	28.8-39.4	220	34.2	28.9-39.5	93	18.3	13.6-23.0	30	4.9	2.7- 7.1
45-54	90	116,000	9	8.0	2.1-13.9	19	20.9	10.7-31.1	31	39.0	25.9-52.1	23	24.4	14.0-34.8	8	7.6	1.5-13.7
55-64	198	137,557	14	5.4	1.9- 8.9	74	35.1	26.9-43.3	64	34.9	26.5-43.3	37	19.8	12.7-26.9	9	4.8	1.3- 8.3
65+	375	175,574	33	11.0	6.3-15.7	153	38.0	31.5-44.5	134	36.1	29.6-42.6	38	10.7	6.6-14.8	17	4.2	2.0- 6.4
Less Than H.S.	67	81,942	3	3.0	0.0- 6.5	8	10.4	1.6-19.2	22	36.3	22.0-50.6	21	33.8	20.3-47.3	13	16.4	6.4-26.4
H.S. or G.E.D.	262	210,789	26	10.8	5.7-15.9	86	30.5	22.7-38.3	96	35.7	27.7-43.7	42	19.9	12.5-27.3	12	3.2	0.8- 5.6
Some Post-H.S.	177	141,047	14	8.7	3.0-14.4	66	35.2	25.8-44.6	65	39.7	29.3-50.1	22	10.0	4.7-15.3	10	6.3	1.6-11.0
College Graduate	210	81,890	22	12.6	5.5-19.7	101	49.0	39.4-58.6	65	29.9	21.7-38.1	19	7.5	3.4-11.6	3	1.0	0.0- 2.6
Less than \$15,000	71	57,446	2	2.0	0.0- 5.3	11	13.2	3.6-22.8	23	25.7	12.8-38.6	23	38.1	23.4-52.8	12	21.1	8.0-34.2
\$15,000- 24,999	96	75,956	14	13.6	5.2-22.0	22	12.4	5.5-19.3	33	47.4	32.7-62.1	19	21.2	10.2-32.2	8	5.4	0.1-10.7
\$25,000- 34,999	79	64,064	6	5.9	0.0-11.8	22	24.6	11.9-37.3	30	34.4	19.3-49.5	16	27.7	9.7-45.7	5	7.3	0.2-14.4
\$35,000- 49,999	118	80,732	10	9.8	2.4-17.2	42	38.2	26.4-50.0	52	39.0	27.2-50.8	11	11.1	4.0-18.2	3	1.9	0.0- 4.1
\$50,000- 74,999	122	78,837	13	13.2	2.8-23.6	52	32.2	22.2-42.2	45	44.6	32.8-56.4	11	9.6	2.5-16.7	1	0.4	0.0- 1.2
\$75,000+	144	92,413	11	7.8	2.3-13.3	86	61.1	50.3-71.9	38	26.1	16.5-35.7	7	3.5	0.6- 6.4	2	1.4	0.0- 3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 12: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale			4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1238	665,313	80	6.3	4.5- 8.1	320	24.5	21.0-28.0	528	41.9	38.0-45.8	211	17.8	14.9-20.7	99	9.5	7.0-12.0
White/Non-Hisp	1120	590,463	77	6.8	4.8- 8.8	303	25.9	22.2-29.6	481	42.0	37.9-46.1	184	17.4	14.5-20.3	75	8.0	5.3-10.7
Black or Afr. Am./Non-Hisp	54	38,998	1	1.8	0.0- 5.3	7	17.1	0.0-36.7	21	35.5	17.5-53.5	10	18.5	5.0-32.0	15	27.2	10.5-43.9
45-54	143	134,651	11	6.6	1.9-11.3	42	28.2	19.2-37.2	44	33.3	23.5-43.1	29	19.5	11.7-27.3	17	12.3	6.0-18.6
55-64	298	172,449	12	3.5	1.0- 6.0	70	20.9	15.0-26.8	128	48.0	40.7-55.3	65	20.5	14.8-26.2	23	7.1	3.4-10.8
65+	727	268,641	49	6.2	3.8- 8.6	191	25.6	20.9-30.3	330	42.7	37.8-47.6	107	18.1	14.0-22.2	50	7.3	4.8- 9.8
Less Than H.S.	114	90,534	7	7.2	0.9-13.5	12	8.1	2.4-13.8	35	33.4	21.6-45.2	31	24.5	15.3-33.7	29	26.8	16.6-37.0
H.S. or G.E.D.	487	246,088	29	4.3	2.3- 6.3	99	22.2	16.5-27.9	219	42.9	36.6-49.2	100	22.7	17.6-27.8	40	7.8	4.7-10.9
Some Post-H.S.	318	220,492	20	7.5	3.8-11.2	81	25.4	18.7-32.1	152	46.4	38.8-54.0	51	14.3	9.4-19.2	14	6.3	0.8-11.8
College Graduate	314	105,408	24	7.8	4.1-11.5	126	41.3	33.5-49.1	121	38.2	30.6-45.8	28	8.5	3.8-13.2	15	4.2	1.7- 6.7
Less than \$15,000	158	92,718	5	1.7	0.0- 3.5	21	12.7	6.0-19.4	60	37.7	26.7-48.7	41	24.5	15.5-33.5	31	23.4	14.0-32.8
\$15,000- 24,999	252	131,043	16	4.4	1.1- 7.7	36	16.1	8.1-24.1	106	37.8	28.6-47.0	65	24.3	17.0-31.6	29	17.4	8.2-26.6
\$25,000- 34,999	143	70,602	10	6.2	1.1-11.3	31	19.1	10.9-27.3	73	53.4	42.2-64.6	17	12.7	4.7-20.7	12	8.6	3.1-14.1
\$35,000- 49,999	166	90,931	7	6.8	0.7-12.9	51	32.1	21.3-42.9	78	42.8	32.2-53.4	21	14.8	7.7-21.9	9	3.4	0.9- 5.9
\$50,000- 74,999	130	66,471	11	7.2	2.3-12.1	52	39.7	27.4-52.0	50	38.8	27.0-50.6	13	9.2	3.5-14.9	4	5.2	0.1-10.3
\$75,000+	171	101,231	17	12.3	5.8-18.8	63	28.3	20.1-36.5	73	46.5	36.3-56.7	14	10.4	3.7-17.1	4	2.5	0.0- 5.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015

SECTION 13: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)	
1	MALES AND FEMALES	261
2	MALES ONLY	262
3	FEMALES ONLY	263

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 13: SEATBELT USE**

**TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5479	4,489,875	4857	85.7	84.1-87.3	389	8.5	7.3- 9.7	107	3.3	2.3- 4.3	56	1.2	0.8- 1.6	63	1.3	0.9- 1.7	7	0.1	0.1- 0.1
Male	2313	2,163,229	1952	82.2	79.8-84.6	212	9.7	7.9-11.5	67	4.2	2.8- 5.6	35	1.8	1.0- 2.6	45	2.0	1.2- 2.8	2	0.1	0.0- 0.3
Female	3166	2,326,645	2905	88.9	86.9-90.9	177	7.4	5.8- 9.0	40	2.5	1.3- 3.7	21	0.5	0.1- 0.9	18	0.6	0.2- 1.0	5	0.0	0.0- 0.0
White/Non-Hisp	4788	3,674,661	4249	85.7	83.9-87.5	342	8.7	7.3-10.1	94	3.4	2.4- 4.4	49	1.1	0.7- 1.5	51	1.2	0.8- 1.6	3	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	267	351,484	232	83.6	77.1-90.1	23	10.0	4.9-15.1	6	4.4	0.3- 8.5	3	0.6	0.0- 1.4	2	1.0	0.0- 2.4	1	0.4	0.0- 1.2
Oth. Race/Non-Hisp.	104	90,208	91	86.2	77.8-94.6	5	7.3	0.4-14.2	3	3.1	0.0- 7.0				4	3.1	0.0- 6.8	1	0.3	0.0- 0.9
MultiRacial/Non-Hisp.	71	47,159	60	78.4	61.3-95.5	6	8.9	0.5-17.3	2	3.5	0.0-10.0	1	8.7	0.0-24.4	1	0.2	0.0- 0.6	1	0.4	0.0- 1.2
Hispanic	164	248,934	155	93.5	88.4-98.6	5	2.3	0.0- 4.7	1	1.0	0.0- 3.0	1	2.1	0.0- 6.0	2	1.1	0.0- 2.7			
18-24	239	595,320	199	80.2	73.7-86.7	29	12.3	7.2-17.4	9	5.9	1.6-10.2	2	1.6	0.0- 3.8						
25-34	405	743,456	348	82.7	77.8-87.6	34	9.1	5.6-12.6	10	4.7	1.4- 8.0	6	1.4	0.2- 2.6	7	2.2	0.2- 4.2			
35-44	548	699,175	488	88.0	84.7-91.3	41	7.5	4.8-10.2	9	1.8	0.4- 3.2	2	0.3	0.0- 0.9	8	2.3	0.5- 4.1			
45-54	825	779,266	713	84.3	80.8-87.8	72	10.3	7.4-13.2	24	3.6	1.8- 5.4	7	0.8	0.0- 1.6	7	1.0	0.2- 1.8	2	0.0	0.0- 0.0
55-64	1261	757,273	1127	88.2	85.8-90.6	86	6.9	5.1- 8.7	22	2.2	1.0- 3.4	20	2.3	1.1- 3.5	6	0.5	0.1- 0.9			
65+	2152	887,934	1936	88.9	87.1-90.7	126	6.1	4.7- 7.5	32	2.4	1.2- 3.6	19	0.8	0.4- 1.2	34	1.6	0.8- 2.4	5	0.3	0.0- 0.7
Less Than H.S.	417	587,469	352	81.2	75.3-87.1	23	6.6	2.7-10.5	21	6.9	2.8-11.0	6	2.2	0.0- 4.6	12	2.7	0.7- 4.7	3	0.3	0.0- 0.7
H.S. or G.E.D.	1813	1,520,472	1581	85.2	82.7-87.7	129	7.8	6.0- 9.6	42	4.2	2.4- 6.0	30	1.3	0.7- 1.9	30	1.6	0.6- 2.6	1	0.0	0.0- 0.0
Some Post-H.S.	1385	1,375,867	1219	84.8	81.9-87.7	121	11.0	8.5-13.5	21	2.3	0.9- 3.7	11	0.8	0.2- 1.4	12	1.0	0.2- 1.8	1	0.0	0.0- 0.0
College Graduate	1836	984,272	1680	90.4	88.4-92.4	114	7.1	5.3- 8.9	23	1.2	0.6- 1.8	8	0.8	0.2- 1.4	9	0.4	0.0- 0.8	2	0.0	0.0- 0.0
Less than \$15,000	468	434,572	406	85.1	80.4-89.8	29	6.5	3.4- 9.6	14	3.5	1.0- 6.0	8	2.2	0.4- 4.0	10	2.8	0.4- 5.2	1	0.0	0.0- 0.0
\$15,000- 24,999	825	685,650	733	85.9	82.0-89.8	49	7.8	4.5-11.1	18	4.1	1.9- 6.3	10	0.6	0.2- 1.0	14	1.6	0.4- 2.8	1	0.0	0.0- 0.0
\$25,000- 34,999	515	420,398	457	89.1	85.0-93.2	34	5.0	2.6- 7.4	11	2.5	0.3- 4.7	4	0.9	0.0- 2.3	7	2.1	0.0- 4.6	2	0.4	0.0- 1.0
\$35,000- 49,999	783	644,011	678	81.8	76.9-86.7	69	11.7	7.8-15.6	18	4.9	1.4- 8.4	11	1.1	0.3- 1.9	7	0.5	0.1- 0.9			
\$50,000- 74,999	796	670,927	704	84.7	80.6-88.8	63	10.9	7.6-14.2	10	2.2	0.0- 4.4	10	1.4	0.0- 2.8	9	0.8	0.0- 1.6			
\$75,000+	1324	1,049,642	1196	86.5	83.4-89.6	94	8.6	6.2-11.0	20	2.5	0.7- 4.3	8	1.3	0.1- 2.5	6	1.1	0.1- 2.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 13: SEATBELT USE**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2313	2,163,229	1952	82.2	79.8-84.6	212	9.7	7.9-11.5	67	4.2	2.6- 5.8	35	1.8	1.0- 2.6	45	2.0	1.2- 2.8	2	0.1	0.0- 0.3
White/Non-Hisp	2024	1,764,967	1715	83.0	80.5-85.5	186	9.8	7.8-11.8	58	3.9	2.3- 5.5	31	1.6	0.8- 2.4	34	1.7	0.9- 2.5			
Black or Afr. Am./Non-Hisp	94	152,983	71	71.6	59.3-83.9	13	14.3	4.7-23.9	6	10.2	1.2-19.2	1	0.7	0.0- 2.1	2	2.2	0.0- 5.5	1	0.9	0.0- 2.7
Oth. Race/Non-Hisp.	55	58,595	48	89.3	79.7-98.9	3	6.0	0.0-13.8							4	4.7	0.0-10.6			
Hispanic	57	111,193	51	88.3	77.7-98.9	3	3.2	0.0- 6.9	1	2.3	0.0- 6.8	1	4.6	0.0-13.4	1	1.6	0.0- 4.7			
18-24	129	299,820	109	80.0	71.4-88.6	14	11.8	5.3-18.3	4	5.2	0.0-10.5	2	3.1	0.0- 7.2						
25-34	185	383,590	158	82.5	75.2-89.8	12	6.4	2.1-10.7	7	6.4	0.9-11.9	4	2.0	0.0- 4.2	4	2.7	0.0- 5.6			
35-44	243	344,496	202	81.9	75.8-88.0	27	10.9	6.2-15.6	6	2.7	0.2- 5.2	2	0.7	0.0- 1.7	6	3.8	0.5- 7.1			
45-54	365	386,145	301	81.0	75.3-86.7	39	11.8	6.9-16.7	15	4.4	1.7- 7.1	5	1.3	0.0- 2.7	5	1.6	0.0- 3.2			
55-64	558	362,296	475	84.1	80.2-88.0	54	9.6	6.7-12.5	13	2.8	0.8- 4.8	12	2.8	1.0- 4.6	4	0.7	0.0- 1.5			
65+	820	381,597	695	83.3	79.8-86.8	66	8.3	5.9-10.7	21	3.8	1.8- 5.8	10	1.2	0.2- 2.2	26	3.0	1.4- 4.6	2	0.4	0.0- 1.2
Less Than H.S.	173	293,557	133	79.6	71.6-87.6	13	7.0	1.3-12.7	11	5.9	2.0- 9.8	5	3.9	0.0- 8.4	9	3.0	0.6- 5.4	2	0.5	0.0- 1.5
H.S. or G.E.D.	756	790,737	612	80.6	76.5-84.7	77	9.8	7.1-12.5	26	5.0	2.3- 7.7	18	1.9	0.7- 3.1	23	2.7	0.9- 4.5			
Some Post-H.S.	529	598,637	442	81.1	76.2-86.0	61	12.0	8.3-15.7	13	4.1	1.0- 7.2	6	0.9	0.0- 1.9	7	1.9	0.1- 3.7			
College Graduate	845	472,941	757	88.1	84.8-91.4	60	8.2	5.3-11.1	17	1.8	0.6- 3.0	5	1.3	0.0- 2.7	6	0.5	0.0- 1.1			
Less than \$15,000	162	157,478	134	83.1	75.7-90.5	12	5.4	1.5- 9.3	6	4.3	0.0- 8.6	5	4.9	0.4- 9.4	5	2.3	0.0- 5.2			
\$15,000- 24,999	287	290,319	237	81.2	74.7-87.7	22	9.1	3.8-14.4	10	5.5	1.6- 9.4	7	1.0	0.2- 1.8	10	3.1	0.7- 5.5	1	0.1	0.0- 0.3
\$25,000- 34,999	198	208,716	168	86.6	79.5-93.7	17	5.4	1.7- 9.1	6	3.5	0.0- 7.6				6	3.9	0.0- 8.8	1	0.7	0.0- 2.1
\$35,000- 49,999	345	304,912	284	80.5	73.8-87.2	36	11.7	6.2-17.2	12	5.3	1.2- 9.4	7	1.6	0.0- 3.2	6	0.8	0.0- 1.6			
\$50,000- 74,999	386	370,220	328	80.3	74.0-86.6	36	12.5	7.6-17.4	9	3.7	0.0- 7.6	7	2.3	0.0- 7.6	6	1.2	0.0- 2.4			
\$75,000+	672	583,481	583	82.0	77.1-86.9	61	10.2	6.7-13.7	16	3.8	0.7- 6.9	7	2.2	0.0- 4.4	5	1.9	0.0- 3.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 13: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3166	2,326,645	2905	88.9	86.9-90.9	177	7.4	5.8- 9.0	40	2.5	1.3- 3.7	21	0.5	0.1- 0.9	18	0.6	0.2- 1.0	5	0.0	0.0- 0.0
White/Non-Hisp	2764	1,909,694	2534	88.1	85.9-90.3	156	7.7	5.9- 9.5	36	2.9	1.5- 4.3	18	0.5	0.1- 0.9	17	0.7	0.1- 1.3	3	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	173	198,501	161	92.9	88.2-97.6	10	6.7	2.0-11.4				2	0.5	0.0- 1.1						
Hispanic	107	137,741	104	97.7	94.6- 100	2	1.6	0.0- 4.3							1	0.7	0.0- 2.1			
18-24	110	295,500	90	80.5	70.9-90.1	15	12.8	5.2-20.4	5	6.7	0.0-13.6									
25-34	220	359,866	190	82.8	76.3-89.3	22	12.0	6.7-17.3	3	2.9	0.0- 6.4	2	0.6	0.0- 1.6	3	1.6	0.0- 4.0			
35-44	305	354,679	286	94.0	91.1-96.9	14	4.1	1.6- 6.6	3	0.9	0.0- 2.1				2	0.9	0.0- 2.3			
45-54	460	393,121	412	87.6	83.5-91.7	33	8.9	5.4-12.4	9	2.8	0.6- 5.0	2	0.3	0.0- 0.9	2	0.4	0.0- 1.0	2	0.1	0.0- 0.3
55-64	703	394,977	652	92.0	89.3-94.7	32	4.4	2.6- 6.2	9	1.7	0.5- 2.9	8	1.8	0.2- 3.4	2	0.2	0.0- 0.6			
65+	1332	506,337	1241	93.2	91.2-95.2	60	4.4	3.0- 5.8	11	1.3	0.1- 2.5	9	0.4	0.0- 0.8	8	0.6	0.0- 1.2	3	0.2	0.0- 0.4
Less Than H.S.	244	293,912	219	82.9	74.1-91.7	10	6.2	0.7-11.7	10	7.9	0.6-15.2	1	0.5	0.0- 1.5	3	2.4	0.0- 5.5	1	0.1	0.0- 0.3
H.S. or G.E.D.	1057	729,734	969	90.1	87.4-92.8	52	5.6	3.6- 7.6	16	3.3	1.3- 5.3	12	0.6	0.2- 1.0	7	0.5	0.1- 0.9	1	0.0	0.0- 0.0
Some Post-H.S.	856	777,230	777	87.7	84.2-91.2	60	10.3	7.0-13.6	8	0.9	0.1- 1.7	5	0.7	0.0- 1.5	5	0.3	0.1- 0.5	1	0.0	0.0- 0.0
College Graduate	991	511,331	923	92.6	90.2-95.0	54	6.1	3.9- 8.3	6	0.6	0.0- 1.4	3	0.2	0.0- 0.6	3	0.4	0.0- 0.8	2	0.1	0.0- 0.3
Less than \$15,000	306	277,094	272	86.2	80.1-92.3	17	7.1	2.8-11.4	8	3.0	0.0- 6.1	3	0.6	0.0- 1.6	5	3.1	0.0- 6.4	1	0.1	0.0- 0.3
\$15,000- 24,999	538	395,331	496	89.3	84.6-94.0	27	6.8	2.7-10.9	8	3.1	0.6- 5.6	3	0.3	0.0- 0.7	4	0.5	0.0- 1.1			
\$25,000- 34,999	317	211,682	289	91.7	87.6-95.8	17	4.6	1.7- 7.5	5	1.6	0.0- 3.2	4	1.7	0.0- 4.2	1	0.4	0.0- 1.2	1	0.1	0.0- 0.3
\$35,000- 49,999	438	339,099	394	83.0	75.7-90.3	33	11.7	6.0-17.4	6	4.5	0.0-10.0	4	0.6	0.0- 1.4	1	0.1	0.0- 0.3			
\$50,000- 74,999	410	300,707	376	90.2	86.1-94.3	27	9.0	4.9-13.1	1	0.2	0.0- 0.6	3	0.4	0.0- 0.8	3	0.2	0.0- 0.4			
\$75,000+	652	466,161	613	92.2	88.9-95.5	33	6.7	3.6- 9.8	4	0.9	0.0- 2.1	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015**

SECTION 14: IMMUNIZATION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)	
1 MALES AND FEMALES	265
2 MALES ONLY	266
3 FEMALES ONLY	267
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4 MALES AND FEMALES	268
5 MALES ONLY	269
6 FEMALES ONLY	270
AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)	
7 MALES AND FEMALES	271
8 MALES ONLY	272
9 FEMALES ONLY	273
A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
10 MALES AND FEMALES	274
11 MALES ONLY	275
12 FEMALES ONLY	276

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 1: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5465	4,473,059	2678	38.5	36.7-40.3	2787	61.5	59.7-63.3
Male	2308	2,156,901	1054	34.2	31.7-36.7	1254	65.8	63.3-68.3
Female	3157	2,316,158	1624	42.4	39.9-44.9	1533	57.6	55.1-60.1
White/Non-Hisp	4776	3,658,270	2408	40.5	38.5-42.5	2368	59.5	57.5-61.5
Black or Afr. Am./Non-Hisp	267	353,783	103	29.6	22.5-36.7	164	70.4	63.3-77.5
Oth. Race/Non-Hisp.	101	86,546	45	37.3	24.8-49.8	56	62.7	50.2-75.2
MultiRacial/Non-Hisp.	71	47,159	30	29.0	15.3-42.7	41	71.0	57.3-84.7
Hispanic	165	249,873	60	28.0	19.8-36.2	105	72.0	63.8-80.2
18-24	236	591,000	69	27.3	20.6-34.0	167	72.7	66.0-79.4
25-34	400	730,882	124	27.4	22.3-32.5	276	72.6	67.5-77.7
35-44	546	698,094	186	28.9	24.4-33.4	360	71.1	66.6-75.6
45-54	826	779,555	333	35.1	31.0-39.2	493	64.9	60.8-69.0
55-64	1260	757,119	592	43.1	39.6-46.6	668	56.9	53.4-60.4
65+	2148	888,959	1351	61.3	58.4-64.2	797	38.7	35.8-41.6
Less Than H.S.	416	587,350	175	32.5	26.4-38.6	241	67.5	61.4-73.6
H.S. or G.E.D.	1810	1,514,102	828	33.8	30.9-36.7	982	66.2	63.3-69.1
Some Post-H.S.	1379	1,367,359	663	39.2	35.7-42.7	716	60.8	57.3-64.3
College Graduate	1831	981,515	998	48.0	44.9-51.1	833	52.0	48.9-55.1
Less than \$15,000	467	433,998	211	34.5	28.4-40.6	256	65.5	59.4-71.6
\$15,000- 24,999	826	688,625	379	34.9	30.4-39.4	447	65.1	60.6-69.6
\$25,000- 34,999	510	412,067	230	33.0	27.7-38.3	280	67.0	61.7-72.3
\$35,000- 49,999	785	645,238	399	40.7	35.6-45.8	386	59.3	54.2-64.4
\$50,000- 74,999	793	668,850	396	38.9	34.0-43.8	397	61.1	56.2-66.0
\$75,000+	1318	1,040,918	676	42.4	38.7-46.1	642	57.6	53.9-61.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 2: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2308	2,156,901	1054	34.2	31.7-36.7	1254	65.8	63.3-68.3
White/Non-Hisp	2019	1,757,162	957	37.3	34.4-40.2	1062	62.7	59.8-65.6
Black or Afr. Am./Non-Hisp	95	155,856	27	18.8	9.4-28.2	68	81.2	71.8-90.6
Oth. Race/Non-Hisp.	53	56,260	23	33.9	17.0-50.8	30	66.1	49.2-83.0
Hispanic	58	112,132	13	14.6	4.2-25.0	45	85.4	75.0-95.8
18-24	127	296,915	36	23.8	15.8-31.8	91	76.2	68.2-84.2
25-34	184	377,783	43	19.9	13.4-26.4	141	80.1	73.6-86.6
35-44	242	343,620	81	27.8	21.1-34.5	161	72.2	65.5-78.9
45-54	366	386,434	127	31.1	24.8-37.4	239	68.9	62.6-75.2
55-64	558	362,598	239	37.7	32.6-42.8	319	62.3	57.2-67.4
65+	818	384,266	525	62.3	57.6-67.0	293	37.7	33.0-42.4
Less Than H.S.	173	294,984	63	27.1	18.7-35.5	110	72.9	64.5-81.3
H.S. or G.E.D.	754	784,755	308	29.6	25.7-33.5	446	70.4	66.5-74.3
Some Post-H.S.	528	598,324	235	36.0	30.5-41.5	293	64.0	58.5-69.5
College Graduate	842	470,544	445	44.5	39.8-49.2	397	55.5	50.8-60.2
Less than \$15,000	162	157,478	63	29.6	20.6-38.6	99	70.4	61.4-79.4
\$15,000- 24,999	287	291,875	114	33.3	26.0-40.6	173	66.7	59.4-74.0
\$25,000- 34,999	194	200,955	81	27.5	19.9-35.1	113	72.5	64.9-80.1
\$35,000- 49,999	347	306,140	171	37.8	30.7-44.9	176	62.2	55.1-69.3
\$50,000- 74,999	386	370,220	183	36.2	29.3-43.1	203	63.8	56.9-70.7
\$75,000+	670	582,085	324	36.1	31.2-41.0	346	63.9	59.0-68.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 3: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3157	2,316,158	1624	42.4	39.9-44.9	1533	57.6	55.1-60.1
White/Non-Hisp	2757	1,901,108	1451	43.4	40.7-46.1	1306	56.6	53.9-59.3
Black or Afr. Am./Non-Hisp	172	197,927	76	38.1	28.1-48.1	96	61.9	51.9-71.9
Hispanic	107	137,741	47	38.9	27.3-50.5	60	61.1	49.5-72.7
18-24	109	294,085	33	30.9	20.5-41.3	76	69.1	58.7-79.5
25-34	216	353,099	81	35.4	28.0-42.8	135	64.6	57.2-72.0
35-44	304	354,474	105	30.0	23.7-36.3	199	70.0	63.7-76.3
45-54	460	393,121	206	39.2	33.7-44.7	254	60.8	55.3-66.3
55-64	702	394,521	353	48.0	43.3-52.7	349	52.0	47.3-56.7
65+	1330	504,693	826	60.6	57.1-64.1	504	39.4	35.9-42.9
Less Than H.S.	243	292,367	112	38.0	29.0-47.0	131	62.0	53.0-71.0
H.S. or G.E.D.	1056	729,347	520	38.4	34.1-42.7	536	61.6	57.3-65.9
Some Post-H.S.	851	769,035	428	41.7	37.2-46.2	423	58.3	53.8-62.8
College Graduate	989	510,970	553	51.2	46.9-55.5	436	48.8	44.5-53.1
Less than \$15,000	305	276,520	148	37.4	29.2-45.6	157	62.6	54.4-70.8
\$15,000- 24,999	539	396,750	265	36.1	30.2-42.0	274	63.9	58.0-69.8
\$25,000- 34,999	316	211,112	149	38.2	30.9-45.5	167	61.8	54.5-69.1
\$35,000- 49,999	438	339,099	228	43.3	36.2-50.4	210	56.7	49.6-63.8
\$50,000- 74,999	407	298,630	213	42.3	35.4-49.2	194	57.7	50.8-64.6
\$75,000+	648	458,833	352	50.3	45.0-55.6	296	49.7	44.4-55.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2014			May-Aug 2014			Sep-Dec 2014			Jan-Apr 2015			May-Aug 2015			Sep-Dec 2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2574	1,640,999	12	0.7	0.1- 1.3	32	1.9	0.9- 2.9	1744	64.9	62.2-67.6	165	8.5	6.7-10.3	43	2.3	1.1- 3.5	578	21.7	19.3-24.1
Male	1005	692,198	7	1.3	0.1- 2.5	13	1.8	0.4- 3.2	662	64.6	60.3-68.9	64	7.7	5.3-10.1	20	2.9	0.5- 5.3	239	21.6	18.1-25.1
Female	1569	948,802	5	0.2	0.0- 0.4	19	2.0	0.4- 3.6	1082	65.1	61.4-68.8	101	9.0	6.5-11.5	23	1.9	0.7- 3.1	339	21.7	18.8-24.6
White/Non-Hisp	2329	1,420,277	9	0.4	0.0- 0.8	29	2.1	0.9- 3.3	1589	65.8	62.9-68.7	136	7.6	5.8- 9.4	36	2.2	1.0- 3.4	530	21.9	19.5-24.3
Black or Afr. Am./Non-Hisp	98	97,192	1	0.5	0.0- 1.5	1	1.2	0.0- 3.6	56	51.2	37.7-64.7	11	12.9	4.5-21.3	4	3.8	0.0-10.1	25	30.5	18.2-42.8
Hispanic	54	62,926	1	3.1	0.0- 9.2	2	1.6	0.0- 4.1	37	64.2	47.7-80.7	9	18.6	6.3-30.9	1	5.5	0.0-15.9	4	6.9	0.0-14.9
18-24	64	148,745	2	3.2	0.0- 7.7	1	4.4	0.0-12.8	31	42.2	28.1-56.3	10	17.0	5.4-28.6	4	10.6	0.0-21.2	16	22.4	11.0-33.8
25-34	121	194,762	1	1.4	0.0- 4.1	6	5.4	1.1- 9.7	76	61.9	52.1-71.7	16	13.4	6.7-20.1	2	1.7	0.0- 4.1	20	16.2	8.8-23.6
35-44	174	184,589	2	0.6	0.0- 1.6	4	1.0	0.0- 2.0	124	69.8	61.0-78.6	6	4.9	0.6- 9.2				38	23.7	15.5-31.9
45-54	326	267,360	1	0.2	0.0- 0.6	6	2.1	0.0- 4.5	230	69.6	63.1-76.1	19	6.5	3.2- 9.8	5	1.6	0.0- 3.2	65	20.1	14.6-25.6
55-64	577	315,434	1	0.1	0.0- 0.3	5	1.0	0.0- 2.2	423	72.3	67.4-77.2	26	6.8	3.7- 9.9	10	1.2	0.4- 2.0	112	18.4	14.3-22.5
65+	1292	519,752	5	0.3	0.1- 0.5	10	0.7	0.1- 1.3	847	64.1	60.6-67.6	86	7.3	5.3- 9.3	22	2.1	0.9- 3.3	322	25.5	22.4-28.6
Less Than H.S.	152	167,348	1	1.2	0.0- 3.6	5	6.1	0.0-14.1	88	51.7	39.7-63.7	13	12.2	3.4-21.0	5	6.2	0.0-14.4	40	22.6	13.8-31.4
H.S. or G.E.D.	795	486,223	2	0.1	0.0- 0.3	7	1.2	0.2- 2.2	543	66.9	62.2-71.6	52	7.9	5.0-10.8	12	1.6	0.0- 3.2	179	22.4	18.3-26.5
Some Post-H.S.	641	520,676	5	1.3	0.0- 2.9	5	1.1	0.0- 2.3	431	65.7	60.6-70.8	44	8.5	5.6-11.4	19	3.1	1.3- 4.9	137	20.3	16.0-24.6
College Graduate	973	456,122	4	0.4	0.0- 0.8	15	2.1	0.5- 3.7	674	67.1	62.8-71.4	54	7.3	4.6-10.0	7	0.9	0.0- 1.9	219	22.2	18.5-25.9
Less than \$15,000	192	134,092	1	2.0	0.0- 5.9	3	2.7	0.0- 6.8	118	56.2	45.6-66.8	16	12.8	4.8-20.8	8	4.4	0.5- 8.3	46	21.9	13.5-30.3
\$15,000- 24,999	361	229,940	1	0.9	0.0- 2.5	4	1.9	0.0- 4.1	236	62.4	55.0-69.8	28	10.3	5.4-15.2	9	2.3	0.0- 4.7	83	22.2	16.1-28.3
\$25,000- 34,999	224	131,374	3	0.6	0.0- 1.4	3	1.3	0.0- 3.1	149	59.9	50.9-68.9	13	9.8	3.9-15.7	3	1.1	0.0- 2.5	53	27.3	18.7-35.9
\$35,000- 49,999	389	252,366				5	1.8	0.0- 4.0	268	69.0	62.1-75.9	31	9.0	4.9-13.1	7	1.6	0.0- 3.2	78	18.5	12.8-24.2
\$50,000- 74,999	391	258,540	2	1.3	0.0- 3.5	3	1.3	0.0- 3.1	273	66.3	58.5-74.1	24	9.0	3.1-14.9	4	3.6	0.0- 8.9	85	18.6	13.5-23.7
\$75,000+	658	426,650	1	0.1	0.0- 0.3	9	1.2	0.2- 2.2	456	66.9	61.8-72.0	36	6.7	4.0- 9.4	8	1.9	0.0- 3.9	148	23.1	18.4-27.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2014			May-Aug 2014			Sep-Dec 2014			Jan-Apr 2015			May-Aug 2015			Sep-Dec 2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1005	692,198	7	1.3	0.1- 2.5	13	1.8	0.4- 3.2	662	64.6	60.3-68.9	64	7.7	5.3-10.1	20	2.9	0.5- 5.3	239	21.6	18.3-24.9
White/Non-Hisp	919	617,401	4	0.6	0.0- 1.6	12	1.8	0.4- 3.2	602	64.3	59.8-68.8	60	8.2	5.5-10.9	17	3.2	0.7- 5.7	224	21.9	18.4-25.4
35-44	75	84,576				1	0.3	0.0- 0.9	53	69.3	56.0-82.6	4	5.9	0.0-12.2				17	24.6	11.9-37.3
45-54	122	114,796	1	0.4	0.0- 1.2	3	2.7	0.0- 7.2	82	69.9	59.3-80.5	10	9.0	2.5-15.5	2	2.3	0.0- 5.6	24	15.7	8.1-23.3
55-64	232	132,049	1	0.3	0.0- 0.9	2	1.4	0.0- 3.8	162	70.8	63.0-78.6	9	4.7	0.4- 9.0	3	0.7	0.0- 1.7	55	22.1	15.0-29.2
65+	499	225,218	2	0.3	0.0- 0.7	4	0.7	0.0- 1.5	319	63.2	57.5-68.9	31	5.8	3.1- 8.5	12	2.6	0.6- 4.6	131	27.5	22.2-32.8
Less Than H.S.	53	69,132	1	2.8	0.0- 8.3	3	4.5	0.0-11.9	32	59.6	40.0-79.2	1	2.8	0.0- 8.3	3	11.4	0.0-29.6	13	18.9	6.6-31.2
H.S. or G.E.D.	293	213,927	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6	196	67.1	60.0-74.2	25	9.1	4.8-13.4	3	1.1	0.0- 2.7	67	22.4	16.3-28.5
Some Post-H.S.	222	203,916	2	2.7	0.0- 6.4	3	2.3	0.0- 4.8	140	62.8	54.0-71.6	14	7.6	2.7-12.5	8	3.3	0.6- 6.0	55	21.3	14.2-28.4
College Graduate	435	203,780	3	0.5	0.0- 1.1	6	2.0	0.0- 4.4	292	65.4	58.9-71.9	24	8.1	3.6-12.6	6	1.7	0.0- 3.7	104	22.2	16.9-27.5
Less than \$15,000	55	37,853	1	7.1	0.0-20.2	2	7.6	0.0-20.7	32	56.8	38.0-75.6	2	1.6	0.0- 4.0	4	7.6	0.0-18.2	14	19.4	5.9-32.9
\$15,000- 24,999	107	93,578	1	2.1	0.0- 6.2	3	2.7	0.0- 6.6	64	61.0	48.7-73.3	11	12.9	4.9-20.9	4	2.8	0.0- 6.7	24	18.6	9.8-27.4
\$25,000- 34,999	77	53,159	1	0.9	0.0- 2.7	1	2.1	0.0- 6.2	46	54.1	39.2-69.0	4	7.6	0.0-16.6				25	35.3	20.6-50.0
\$35,000- 49,999	165	107,958				2	2.4	0.0- 6.7	111	66.6	56.0-77.2	11	7.6	1.5-13.7	4	2.3	0.0- 5.0	37	21.0	11.8-30.2
\$50,000- 74,999	181	133,031	1	2.1	0.0- 6.2				124	68.0	56.8-79.2	10	5.8	0.7-10.9	3	6.8	0.0-16.8	43	17.3	10.6-24.0
\$75,000+	313	200,365	1	0.2	0.0- 0.6	4	1.2	0.0- 2.8	206	64.0	56.7-71.3	21	9.0	4.3-13.7	4	1.5	0.0- 3.5	77	24.1	17.6-30.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2014			May-Aug 2014			Sep-Dec 2014			Jan-Apr 2015			May-Aug 2015			Sep-Dec 2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1569	948,802	5	0.2	0.0- 0.4	19	2.0	0.4- 3.6	1082	65.1	61.6-68.6	101	9.0	6.5-11.5	23	1.9	0.7- 3.1	339	21.7	18.8-24.6
White/Non-Hisp	1410	802,875	5	0.3	0.1- 0.5	17	2.3	0.5- 4.1	987	67.0	63.1-70.9	76	7.1	4.6- 9.6	19	1.4	0.6- 2.2	306	22.0	18.7-25.3
Black or Afr. Am./Non-Hisp	74	72,707							39	45.4	30.3-60.5	10	16.9	5.9-27.9	3	4.8	0.0-13.0	22	32.9	18.6-47.2
25-34	79	120,737				3	4.2	0.0- 8.9	48	62.0	49.8-74.2	11	13.5	5.5-21.5	1	1.2	0.0- 3.6	16	19.2	9.4-29.0
35-44	99	100,013	2	1.2	0.0- 2.8	3	1.5	0.0- 3.3	71	70.2	58.4-82.0	2	4.1	0.0- 9.8				21	23.0	12.0-34.0
45-54	204	152,564				3	1.7	0.0- 3.9	148	69.4	61.6-77.2	9	4.5	1.2- 7.8	3	1.1	0.0- 2.3	41	23.4	16.1-30.7
55-64	345	183,386				3	0.7	0.0- 1.7	261	73.5	67.4-79.6	17	8.3	3.8-12.8	7	1.6	0.2- 3.0	57	15.8	10.9-20.7
65+	793	294,533	3	0.3	0.0- 0.7	6	0.7	0.1- 1.3	528	64.8	60.3-69.3	55	8.4	5.7-11.1	10	1.8	0.2- 3.4	191	24.0	19.9-28.1
Less Than H.S.	99	98,216				2	7.2	0.0-19.5	56	46.2	31.9-60.5	12	18.9	5.0-32.8	2	2.6	0.0- 6.5	27	25.1	13.1-37.1
H.S. or G.E.D.	502	272,296	1	0.1	0.0- 0.3	6	1.9	0.1- 3.7	347	66.7	60.2-73.2	27	6.9	3.0-10.8	9	2.1	0.0- 4.6	112	22.4	16.9-27.9
Some Post-H.S.	419	316,760	3	0.4	0.0- 0.8	2	0.4	0.0- 1.0	291	67.6	61.3-73.9	30	9.1	5.4-12.8	11	2.9	0.5- 5.3	82	19.6	14.3-24.9
College Graduate	538	252,342	1	0.3	0.0- 0.9	9	2.3	0.3- 4.3	382	68.5	62.8-74.2	30	6.7	3.4-10.0	1	0.2	0.0- 0.6	115	22.1	17.0-27.2
Less than \$15,000	137	96,239				1	0.8	0.0- 2.4	86	55.9	43.0-68.8	14	17.2	6.2-28.2	4	3.2	0.0- 6.7	32	22.9	12.3-33.5
\$15,000- 24,999	254	136,361				1	1.4	0.0- 3.9	172	63.4	54.4-72.4	17	8.6	2.9-14.3	5	2.0	0.0- 4.7	59	24.6	16.4-32.8
\$25,000- 34,999	147	78,215	2	0.4	0.0- 1.0	2	0.8	0.0- 2.0	103	63.8	52.6-75.0	9	11.2	3.4-19.0	3	1.8	0.0- 4.0	28	21.9	11.9-31.9
\$35,000- 49,999	224	144,408				3	1.3	0.0- 3.3	157	70.8	62.2-79.4	20	10.1	4.6-15.6	3	1.2	0.0- 2.8	41	16.7	9.8-23.6
\$50,000- 74,999	210	125,509	1	0.3	0.0- 0.9	3	2.6	0.0- 5.9	149	64.5	53.5-75.5	14	12.4	1.8-23.0	1	0.2	0.0- 0.6	42	20.0	12.2-27.8
\$75,000+	345	226,285				5	1.2	0.0- 2.4	250	69.4	62.3-76.5	15	4.7	1.8- 7.6	4	2.3	0.0- 5.4	71	22.3	15.6-29.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

**TABLE 7. AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2667	1,712,839	1193	42.1	39.4-44.8	193	9.5	7.7-11.3	24	0.7	0.3- 1.1	797	26.4	23.9-28.9	460	21.3	18.9-23.7
Male	1048	731,786	451	40.1	35.8-44.4	98	12.4	9.3-15.5	8	0.6	0.0- 1.2	303	26.8	22.9-30.7	188	20.2	16.9-23.5
Female	1619	981,053	742	43.6	40.1-47.1	95	7.4	5.4- 9.4	16	0.8	0.2- 1.4	494	26.2	23.1-29.3	272	22.1	18.8-25.4
White/Non-Hisp	2400	1,475,064	1064	41.6	38.7-44.5	155	7.8	6.2- 9.4	23	0.7	0.3- 1.1	734	27.3	24.8-29.8	424	22.6	20.1-25.1
Black or Afr. Am./Non-Hisp	100	101,377	55	50.6	37.1-64.1	16	24.1	11.0-37.2				18	18.1	7.5-28.7	11	7.1	2.0-12.2
Hispanic	60	69,905	22	40.1	23.2-57.0	13	21.6	8.7-34.5	1	3.4	0.0-10.1	12	13.2	3.0-23.4	12	21.7	9.2-34.2
18-24	69	161,454	23	33.8	20.5-47.1	15	20.6	10.0-31.2	1	0.8	0.0- 2.4	18	26.6	14.3-38.9	12	18.2	6.6-29.8
25-34	122	197,358	48	42.4	32.2-52.6	12	8.8	3.5-14.1	1	0.5	0.0- 1.5	20	16.7	8.1-25.3	41	31.7	22.1-41.3
35-44	185	201,203	62	32.3	23.9-40.7	14	7.6	3.3-11.9				41	25.1	16.9-33.3	68	35.1	26.9-43.3
45-54	332	271,257	131	37.6	30.7-44.5	26	10.0	4.7-15.3				61	19.0	13.3-24.7	114	33.4	27.1-39.7
55-64	591	325,916	232	40.7	35.4-46.0	45	8.3	5.6-11.0	2	1.0	0.0- 2.6	160	24.8	20.3-29.3	152	25.2	20.7-29.7
65+	1345	542,921	691	51.5	47.8-55.2	79	7.8	5.4-10.2	20	1.2	0.4- 2.0	489	34.8	31.3-38.3	66	4.7	3.1- 6.3
Less Than H.S.	174	190,722	91	45.4	34.6-56.2	20	15.7	8.1-23.3	5	2.4	0.0- 5.1	45	26.0	16.0-36.0	13	10.5	2.7-18.3
H.S. or G.E.D.	822	505,995	412	47.3	42.4-52.2	59	9.3	6.0-12.6	9	0.7	0.1- 1.3	251	28.6	24.3-32.9	91	14.1	10.8-17.4
Some Post-H.S.	663	536,018	307	42.1	36.8-47.4	52	9.2	5.9-12.5	5	0.5	0.0- 1.1	179	24.8	20.1-29.5	120	23.4	18.7-28.1
College Graduate	994	468,773	377	35.5	31.2-39.8	62	7.8	5.4-10.2	5	0.3	0.0- 0.7	317	25.7	22.2-29.2	233	30.7	26.4-35.0
Less than \$15,000	210	149,650	118	53.8	43.8-63.8	18	15.2	6.8-23.6	6	1.9	0.0- 4.1	57	24.5	15.9-33.1	11	4.6	1.1- 8.1
\$15,000- 24,999	376	239,367	199	48.4	41.0-55.8	28	12.2	6.1-18.3	8	2.1	0.0- 4.5	106	23.8	17.9-29.7	35	13.5	8.0-19.0
\$25,000- 34,999	230	135,926	100	36.9	28.7-45.1	15	11.3	5.0-17.6	1	0.1	0.0- 0.3	85	33.6	25.2-42.0	29	18.0	10.4-25.6
\$35,000- 49,999	397	261,928	183	45.6	38.2-53.0	35	10.4	5.9-14.9	1	0.1	0.0- 0.3	128	26.6	20.9-32.3	50	17.2	10.5-23.9
\$50,000- 74,999	396	260,408	170	39.6	32.3-46.9	31	8.2	4.5-11.9	2	0.2	0.0- 0.4	109	26.5	18.9-34.1	84	25.6	19.3-31.9
\$75,000+	674	439,571	251	35.4	30.3-40.5	37	6.0	3.5- 8.5	4	0.7	0.0- 1.5	171	23.4	18.7-28.1	211	34.5	29.6-39.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 8: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1048	731,786	451	40.1	35.8-44.4	98	12.4	9.3-15.5	8	0.6	0.0- 1.2	303	26.8	22.9-30.7	188	20.2	17.1-23.3
White/Non-Hisp	952	650,450	407	39.9	35.4-44.4	82	10.5	7.6-13.4	8	0.7	0.1- 1.3	281	28.1	23.8-32.4	174	20.8	17.3-24.3
35-44	81	95,359	22	26.7	14.5-38.9	7	8.7	1.8-15.6				16	25.7	12.8-38.6	36	38.8	26.5-51.1
45-54	126	117,345	45	34.5	23.1-45.9	13	15.7	4.9-26.5				26	22.6	11.6-33.6	42	27.2	18.0-36.4
55-64	238	136,664	97	43.1	34.7-51.5	26	12.2	6.9-17.5				57	18.4	12.9-23.9	58	26.3	19.0-33.6
65+	522	238,022	260	48.2	42.5-53.9	42	11.5	6.8-16.2	7	1.3	0.1- 2.5	185	33.9	28.6-39.2	28	5.1	2.7- 7.5
Less Than H.S.	63	79,949	37	49.9	32.3-67.5	8	20.9	6.6-35.2	2	0.6	0.0- 1.4	12	23.1	8.2-38.0	4	5.6	0.0-11.7
H.S. or G.E.D.	304	226,253	142	43.5	36.2-50.8	31	10.6	5.9-15.3	1	0.6	0.0- 1.8	85	27.6	20.7-34.5	45	17.7	12.2-23.2
Some Post-H.S.	235	215,226	101	37.6	29.0-46.2	29	15.1	8.2-22.0	3	1.1	0.0- 2.5	61	27.6	18.8-36.4	41	18.6	12.3-24.9
College Graduate	443	208,214	170	35.3	29.2-41.4	30	8.3	4.8-11.8	2	0.1	0.0- 0.3	143	26.0	20.7-31.3	98	30.3	24.0-36.6
Less than \$15,000	63	46,539	29	43.8	27.1-60.5	11	23.7	8.4-39.0	2	0.6	0.0- 1.6	17	23.4	10.1-36.7	4	8.5	0.0-18.5
\$15,000- 24,999	113	96,734	58	43.6	31.3-55.9	16	21.2	8.3-34.1	2	1.5	0.0- 4.0	28	24.1	13.5-34.7	9	9.5	2.6-16.4
\$25,000- 34,999	81	55,289	31	31.2	18.3-44.1	8	16.3	4.1-28.5				29	32.9	19.4-46.4	13	19.6	8.0-31.2
\$35,000- 49,999	170	115,486	76	41.6	30.6-52.6	17	14.8	6.6-23.0				55	29.2	20.0-38.4	22	14.3	6.9-21.7
\$50,000- 74,999	183	134,030	83	42.7	31.7-53.7	19	10.3	4.4-16.2	1	0.2	0.0- 0.6	48	26.3	15.5-37.1	32	20.4	12.8-28.0
\$75,000+	323	209,407	118	32.8	25.9-39.7	20	6.4	3.1- 9.7	2	0.9	0.0- 2.3	84	25.1	17.8-32.4	99	35.0	27.9-42.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 9: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1619	981,053	742	43.6	40.1-47.1	95	7.4	5.4- 9.4	16	0.8	0.2- 1.4	494	26.2	23.1-29.3	272	22.1	18.8-25.4
White/Non-Hisp	1448	824,614	657	42.9	39.2-46.6	73	5.7	3.7- 7.7	15	0.7	0.3- 1.1	453	26.7	23.4-30.0	250	24.0	20.3-27.7
Black or Afr. Am./Non-Hisp	74	74,427	45	57.0	41.9-72.1	7	13.4	2.2-24.6				15	22.7	9.2-36.2	7	6.8	0.5-13.1
25-34	80	124,656	34	45.2	32.7-57.7	9	9.6	2.7-16.5	1	0.8	0.0- 2.4	11	12.1	4.5-19.7	25	32.3	20.1-44.5
35-44	104	105,844	40	37.2	25.6-48.8	7	6.6	0.9-12.3				25	24.5	13.9-35.1	32	31.7	20.5-42.9
45-54	206	153,911	86	40.1	31.9-48.3	13	5.6	1.9- 9.3				35	16.3	10.6-22.0	72	38.1	29.9-46.3
55-64	353	189,253	135	38.9	32.2-45.6	19	5.5	2.6- 8.4	2	1.8	0.0- 4.3	103	29.4	22.9-35.9	94	24.4	18.5-30.3
65+	823	304,899	431	54.2	49.5-58.9	37	4.8	2.8- 6.8	13	1.2	0.2- 2.2	304	35.4	30.9-39.9	38	4.3	2.3- 6.3
Less Than H.S.	111	110,773	54	42.2	29.3-55.1	12	12.0	4.2-19.8	3	3.7	0.0- 8.4	33	28.1	14.8-41.4	9	14.0	1.8-26.2
H.S. or G.E.D.	518	279,742	270	50.3	43.8-56.8	28	8.2	3.7-12.7	8	0.8	0.0- 1.6	166	29.5	23.8-35.2	46	11.2	6.9-15.5
Some Post-H.S.	428	320,792	206	45.0	38.3-51.7	23	5.3	2.4- 8.2	2	0.2	0.0- 0.4	118	22.9	17.6-28.2	79	26.6	19.9-33.3
College Graduate	551	260,559	207	35.8	30.1-41.5	32	7.4	4.1-10.7	3	0.5	0.0- 1.3	174	25.4	20.3-30.5	135	31.0	25.1-36.9
Less than \$15,000	147	103,111	89	58.3	46.0-70.6	7	11.3	1.3-21.3	4	2.5	0.0- 5.6	40	25.0	14.2-35.8	7	2.8	0.4- 5.2
\$15,000- 24,999	263	142,633	141	51.7	42.7-60.7	12	6.1	2.0-10.2	6	2.5	0.0- 5.8	78	23.5	16.4-30.6	26	16.2	8.4-24.0
\$25,000- 34,999	149	80,637	69	40.9	30.3-51.5	7	7.9	1.4-14.4	1	0.2	0.0- 0.6	56	34.0	23.2-44.8	16	17.0	6.8-27.2
\$35,000- 49,999	227	146,442	107	48.7	38.5-58.9	18	7.0	2.3-11.7	1	0.3	0.0- 0.9	73	24.6	17.3-31.9	28	19.4	9.4-29.4
\$50,000- 74,999	213	126,378	87	36.2	27.0-45.4	12	5.9	1.4-10.4	1	0.1	0.0- 0.3	61	26.7	16.1-37.3	52	31.1	21.5-40.7
\$75,000+	351	230,164	133	37.8	30.5-45.1	17	5.7	1.8- 9.6	2	0.5	0.0- 1.3	87	21.9	16.2-27.6	112	34.1	27.2-41.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 10: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5171	4,086,467	2341	34.4	32.6-36.2	2830	65.6	63.8-67.4
Male	2129	1,922,267	924	33.8	31.1-36.5	1205	66.2	63.5-68.9
Female	3042	2,164,200	1417	34.9	32.5-37.3	1625	65.1	62.7-67.5
White/Non-Hisp	4542	3,364,221	2106	35.2	33.2-37.2	2436	64.8	62.8-66.8
Black or Afr. Am./Non-Hisp	252	316,315	98	32.5	24.5-40.5	154	67.5	59.5-75.5
Oth. Race/Non-Hisp.	88	76,796	37	40.2	26.3-54.1	51	59.8	45.9-73.7
MultiRacial/Non-Hisp.	63	35,833	32	45.6	26.0-65.2	31	54.4	34.8-74.0
Hispanic	146	219,208	32	19.6	11.4-27.8	114	80.4	72.2-88.6
18-24	197	481,624	67	33.6	25.8-41.4	130	66.4	58.6-74.2
25-34	333	607,781	72	22.7	17.2-28.2	261	77.3	71.8-82.8
35-44	495	634,581	89	15.9	12.2-19.6	406	84.1	80.4-87.8
45-54	778	734,884	166	21.9	18.0-25.8	612	78.1	74.2-82.0
55-64	1216	728,994	376	29.4	26.3-32.5	840	70.6	67.5-73.7
65+	2110	874,692	1555	71.0	68.3-73.7	555	29.0	26.3-31.7
Less Than H.S.	390	522,256	194	37.1	30.4-43.8	196	62.9	56.2-69.6
H.S. or G.E.D.	1745	1,416,192	845	35.0	31.9-38.1	900	65.0	61.9-68.1
Some Post-H.S.	1301	1,241,422	603	35.6	32.1-39.1	698	64.4	60.9-67.9
College Graduate	1708	885,292	685	29.8	26.9-32.7	1023	70.2	67.3-73.1
Less than \$15,000	447	392,758	228	40.3	33.8-46.8	219	59.7	53.2-66.2
\$15,000- 24,999	782	627,824	429	39.2	34.3-44.1	353	60.8	55.9-65.7
\$25,000- 34,999	497	394,396	248	37.1	31.2-43.0	249	62.9	57.0-68.8
\$35,000- 49,999	743	578,504	349	36.3	31.4-41.2	394	63.7	58.8-68.6
\$50,000- 74,999	748	611,338	314	34.1	29.0-39.2	434	65.9	60.8-71.0
\$75,000+	1235	957,512	392	25.2	21.9-28.5	843	74.8	71.5-78.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 11: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2129	1,922,267	924	33.8	31.1-36.5	1205	66.2	63.5-68.9
White/Non-Hisp	1871	1,572,903	828	34.2	31.3-37.1	1043	65.8	62.9-68.7
Black or Afr. Am./Non-Hisp	89	141,419	28	28.4	16.4-40.4	61	71.6	59.6-83.6
18-24	101	232,042	37	35.2	24.6-45.8	64	64.8	54.2-75.4
25-34	145	304,682	41	25.7	17.5-33.9	104	74.3	66.1-82.5
35-44	211	302,471	41	18.2	12.1-24.3	170	81.8	75.7-87.9
45-54	338	360,132	79	26.1	19.6-32.6	259	73.9	67.4-80.4
55-64	531	343,971	168	27.3	22.6-32.0	363	72.7	68.0-77.4
65+	793	374,633	556	65.7	61.0-70.4	237	34.3	29.6-39.0
Less Than H.S.	161	271,929	65	31.9	22.5-41.3	96	68.1	58.7-77.5
H.S. or G.E.D.	714	713,601	295	33.3	28.6-38.0	419	66.7	62.0-71.4
Some Post-H.S.	478	512,516	222	35.6	30.1-41.1	256	64.4	58.9-69.9
College Graduate	766	417,012	336	33.2	28.7-37.7	430	66.8	62.3-71.3
Less than \$15,000	153	140,772	71	39.1	28.7-49.5	82	60.9	50.5-71.3
\$15,000- 24,999	263	257,799	134	37.8	30.2-45.4	129	62.2	54.6-69.8
\$25,000- 34,999	187	190,877	93	41.1	31.3-50.9	94	58.9	49.1-68.7
\$35,000- 49,999	315	261,981	152	37.2	29.8-44.6	163	62.8	55.4-70.2
\$50,000- 74,999	358	331,596	150	34.2	26.9-41.5	208	65.8	58.5-73.1
\$75,000+	615	522,209	216	26.8	21.9-31.7	399	73.2	68.3-78.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 12: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3042	2,164,200	1417	34.9	32.5-37.3	1625	65.1	62.7-67.5
White/Non-Hisp	2671	1,791,318	1278	36.1	33.6-38.6	1393	63.9	61.4-66.4
Black or Afr. Am./Non-Hisp	163	174,896	70	35.7	25.1-46.3	93	64.3	53.7-74.9
Hispanic	98	127,993	21	18.3	9.3-27.3	77	81.7	72.7-90.7
18-24	96	249,582	30	32.1	20.9-43.3	66	67.9	56.7-79.1
25-34	188	303,099	31	19.8	12.5-27.1	157	80.2	72.9-87.5
35-44	284	332,110	48	13.8	9.3-18.3	236	86.2	81.7-90.7
45-54	440	374,751	87	17.8	13.5-22.1	353	82.2	77.9-86.5
55-64	685	385,022	208	31.4	26.9-35.9	477	68.6	64.1-73.1
65+	1317	500,059	999	75.1	72.0-78.2	318	24.9	21.8-28.0
Less Than H.S.	229	250,327	129	42.7	33.5-51.9	100	57.3	48.1-66.5
H.S. or G.E.D.	1031	702,591	550	36.7	32.6-40.8	481	63.3	59.2-67.4
Some Post-H.S.	823	728,907	381	35.6	31.1-40.1	442	64.4	59.9-68.9
College Graduate	942	468,280	349	26.7	23.0-30.4	593	73.3	69.6-77.0
Less than \$15,000	294	251,986	157	41.0	32.6-49.4	137	59.0	50.6-67.4
\$15,000- 24,999	519	370,025	295	40.1	33.6-46.6	224	59.9	53.4-66.4
\$25,000- 34,999	310	203,519	155	33.4	26.7-40.1	155	66.6	59.9-73.3
\$35,000- 49,999	428	316,523	197	35.6	29.3-41.9	231	64.4	58.1-70.7
\$50,000- 74,999	390	279,742	164	34.0	27.1-40.9	226	66.0	59.1-72.9
\$75,000+	620	435,303	176	23.4	18.9-27.9	444	76.6	72.1-81.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015**

SECTION 15: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1 MALES AND FEMALES	278
2 MALES ONLY	279
3 FEMALES ONLY	280
NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3)	
4 MALES AND FEMALES	281
5 MALES ONLY	282
6 FEMALES ONLY	283
WHERE DID YOU HAVE YOUR LAST HIV TEST – AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHR TST10)	
7 MALES AND FEMALES	284
8 MALES ONLY	285
9 FEMALES ONLY	286

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

**TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5329	4,361,043	1304	32.6	30.6-34.6	4025	67.4	65.4-69.4
Male	2250	2,108,838	553	29.8	27.1-32.5	1697	70.2	67.5-72.9
Female	3079	2,252,205	751	35.2	32.5-37.9	2328	64.8	62.1-67.5
White/Non-Hisp	4659	3,562,471	1012	28.7	26.7-30.7	3647	71.3	69.3-73.3
Black or Afr. Am./Non-Hisp	265	351,532	143	58.2	49.8-66.6	122	41.8	33.4-50.2
Oth. Race/Non-Hisp.	99	86,649	21	33.4	19.9-46.9	78	66.6	53.1-80.1
MultiRacial/Non-Hisp.	70	46,444	27	45.5	28.1-62.9	43	54.5	37.1-71.9
Hispanic	160	245,540	74	46.0	35.8-56.2	86	54.0	43.8-64.2
18-24	231	573,897	63	26.3	19.4-33.2	168	73.7	66.8-80.6
25-34	394	718,045	216	54.2	48.3-60.1	178	45.8	39.9-51.7
35-44	532	681,230	248	47.9	42.4-53.4	284	52.1	46.6-57.6
45-54	789	750,921	291	37.6	33.3-41.9	498	62.4	58.1-66.7
55-64	1234	740,027	273	24.1	21.0-27.2	961	75.9	72.8-79.0
65+	2103	870,359	194	9.0	7.4-10.6	1909	91.0	89.4-92.6
Less Than H.S.	408	576,306	103	32.3	25.6-39.0	305	67.7	61.0-74.4
H.S. or G.E.D.	1767	1,477,567	344	28.1	24.8-31.4	1423	71.9	68.6-75.2
Some Post-H.S.	1347	1,333,840	369	35.2	31.5-38.9	978	64.8	61.1-68.5
College Graduate	1780	952,314	478	35.6	32.3-38.9	1302	64.4	61.1-67.7
Less than \$15,000	454	422,355	153	41.5	34.6-48.4	301	58.5	51.6-65.4
\$15,000- 24,999	806	673,894	206	38.3	33.0-43.6	600	61.7	56.4-67.0
\$25,000- 34,999	503	403,766	118	34.2	27.9-40.5	385	65.8	59.5-72.1
\$35,000- 49,999	764	630,666	177	30.8	25.5-36.1	587	69.2	63.9-74.5
\$50,000- 74,999	776	647,190	184	29.2	24.3-34.1	592	70.8	65.9-75.7
\$75,000+	1286	1,013,317	339	30.4	26.7-34.1	947	69.6	65.9-73.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2250	2,108,838	553	29.8	27.1-32.5	1697	70.2	67.5-72.9
White/Non-Hisp	1968	1,717,623	428	25.5	22.8-28.2	1540	74.5	71.8-77.2
Black or Afr. Am./Non-Hisp	94	153,884	55	58.8	45.9-71.7	39	41.2	28.3-54.1
Oth. Race/Non-Hisp.	53	57,016	15	40.1	21.7-58.5	38	59.9	41.5-78.3
Hispanic	58	112,132	25	46.0	29.1-62.9	33	54.0	37.1-70.9
18-24	125	287,689	22	13.7	7.4-20.0	103	86.3	80.0-92.6
25-34	183	377,080	83	45.6	37.0-54.2	100	54.4	45.8-63.0
35-44	238	336,675	95	43.2	35.4-51.0	143	56.8	49.0-64.6
45-54	351	374,419	119	34.5	28.0-41.0	232	65.5	59.0-72.0
55-64	546	354,275	126	26.9	21.8-32.0	420	73.1	68.0-78.2
65+	796	374,093	102	11.8	8.7-14.9	694	88.2	85.1-91.3
Less Than H.S.	167	288,753	48	30.5	21.1-39.9	119	69.5	60.1-78.9
H.S. or G.E.D.	736	764,881	178	29.7	25.2-34.2	558	70.3	65.8-74.8
Some Post-H.S.	517	585,086	126	28.3	22.8-33.8	391	71.7	66.2-77.2
College Graduate	819	461,822	198	31.2	26.5-35.9	621	68.8	64.1-73.5
Less than \$15,000	160	155,793	56	35.4	25.4-45.4	104	64.6	54.6-74.6
\$15,000- 24,999	276	282,435	91	39.3	31.3-47.3	185	60.7	52.7-68.7
\$25,000- 34,999	192	198,143	47	33.6	23.8-43.4	145	66.4	56.6-76.2
\$35,000- 49,999	339	300,064	78	26.4	19.7-33.1	261	73.6	66.9-80.3
\$50,000- 74,999	378	360,905	79	27.2	20.3-34.1	299	72.8	65.9-79.7
\$75,000+	653	570,030	151	26.7	21.6-31.8	502	73.3	68.2-78.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3079	2,252,205	751	35.2	32.5-37.9	2328	64.8	62.1-67.5
White/Non-Hisp	2691	1,844,848	584	31.8	28.9-34.7	2107	68.2	65.3-71.1
Black or Afr. Am./Non-Hisp	171	197,649	88	57.7	46.7-68.7	83	42.3	31.3-53.3
Hispanic	102	133,409	49	45.9	33.7-58.1	53	54.1	41.9-66.3
18-24	106	286,208	41	39.0	27.6-50.4	65	61.0	49.6-72.4
25-34	211	340,965	133	63.6	56.0-71.2	78	36.4	28.8-44.0
35-44	294	344,555	153	52.5	45.2-59.8	141	47.5	40.2-54.8
45-54	438	376,502	172	40.6	34.9-46.3	266	59.4	53.7-65.1
55-64	688	385,752	147	21.6	17.5-25.7	541	78.4	74.3-82.5
65+	1307	496,265	92	6.9	5.1- 8.7	1215	93.1	91.3-94.9
Less Than H.S.	241	287,553	55	34.1	24.5-43.7	186	65.9	56.3-75.5
H.S. or G.E.D.	1031	712,685	166	26.4	21.9-30.9	865	73.6	69.1-78.1
Some Post-H.S.	830	748,755	243	40.7	35.8-45.6	587	59.3	54.4-64.2
College Graduate	961	490,492	280	39.7	35.2-44.2	681	60.3	55.8-64.8
Less than \$15,000	294	266,562	97	45.1	35.9-54.3	197	54.9	45.7-64.1
\$15,000- 24,999	530	391,458	115	37.6	30.7-44.5	415	62.4	55.5-69.3
\$25,000- 34,999	311	205,623	71	34.8	27.0-42.6	240	65.2	57.4-73.0
\$35,000- 49,999	425	330,601	99	34.7	27.1-42.3	326	65.3	57.7-72.9
\$50,000- 74,999	398	286,285	105	31.8	25.3-38.3	293	68.2	61.7-74.7
\$75,000+	633	443,287	188	35.1	30.0-40.2	445	64.9	59.8-70.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2007			2008-2014			2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1113	1,237,539	59	2.8	1.8- 3.8	90	6.0	4.2- 7.8	119	8.3	6.3-10.3	193	14.7	12.0-17.4	524	53.9	49.8-58.0	128	14.4	11.5-17.3
Male	466	533,494	25	2.2	1.0- 3.4	37	6.1	3.4- 8.8	37	7.6	4.7-10.5	74	16.3	11.4-21.2	233	54.4	48.1-60.7	60	13.4	9.3-17.5
Female	647	704,045	34	3.2	1.8- 4.6	53	5.8	3.6- 8.0	82	8.9	6.4-11.4	119	13.4	10.3-16.5	291	53.5	48.2-58.8	68	15.1	11.0-19.2
White/Non-Hisp	864	890,582	55	3.7	2.3- 5.1	83	7.2	5.2- 9.2	102	9.3	6.9-11.7	167	16.6	13.3-19.9	374	51.2	46.5-55.9	83	12.1	9.0-15.2
Black or Afr. Am./Non-Hisp	124	179,675	2	0.4	0.0- 1.2	3	3.5	0.0- 9.4	6	3.9	0.0- 7.8	14	11.9	4.1-19.7	71	56.7	45.3-68.1	28	23.7	14.7-32.7
Hispanic	61	102,797	2	0.8	0.0- 2.0	2	1.6	0.0- 4.1	4	6.8	0.0-14.4	5	5.2	0.0-12.1	41	69.6	55.1-84.1	7	16.0	3.8-28.2
18-24	60	146,516							1	2.3	0.0- 6.6				46	74.1	60.6-87.6	13	23.6	10.5-36.7
25-34	202	358,729							2	0.9	0.0- 2.3	29	16.0	9.5-22.5	130	63.0	55.0-71.0	41	20.1	13.8-26.4
35-44	225	295,863	1	0.2	0.0- 0.6	10	4.3	1.4- 7.2	27	12.3	7.0-17.6	53	21.5	14.6-28.4	113	51.9	43.5-60.3	21	9.8	5.1-14.5
45-54	250	232,932	19	6.2	2.9- 9.5	30	15.8	8.9-22.7	41	17.4	11.3-23.5	43	11.8	7.7-15.9	98	39.5	31.9-47.1	19	9.3	5.0-13.6
55-64	221	139,110	24	11.6	6.1-17.1	34	13.1	8.0-18.2	29	9.5	5.4-13.6	42	17.4	11.1-23.7	73	39.5	30.7-48.3	19	8.9	4.2-13.6
65+	142	54,293	15	6.3	2.6-10.0	15	9.9	3.4-16.4	17	8.5	3.8-13.2	25	15.2	7.2-23.2	57	49.0	37.4-60.6	13	11.0	3.4-18.6
Less Than H.S.	78	146,533				1	0.6	0.0- 1.8	7	5.7	0.8-10.6	8	6.3	1.0-11.6	47	64.7	51.0-78.4	15	22.7	10.0-35.4
H.S. or G.E.D.	288	365,338	13	2.6	0.8- 4.4	22	4.5	2.3- 6.7	28	10.3	5.8-14.8	42	13.4	8.3-18.5	147	55.8	48.4-63.2	36	13.4	8.5-18.3
Some Post-H.S.	314	407,687	19	3.9	1.7- 6.1	28	8.4	4.3-12.5	33	7.8	4.5-11.1	51	14.9	9.6-20.2	142	50.5	43.2-57.8	41	14.5	9.4-19.6
College Graduate	425	309,202	26	2.8	1.6- 4.0	39	7.2	4.3-10.1	51	8.1	5.4-10.8	90	19.4	14.1-24.7	183	50.6	44.3-56.9	36	11.9	7.6-16.2
Less than \$15,000	125	149,032	1	0.3	0.0- 0.9	5	1.6	0.0- 3.2	15	10.5	4.4-16.6	12	5.3	1.2- 9.4	72	61.8	50.4-73.2	20	20.4	10.2-30.6
\$15,000- 24,999	174	221,235	10	2.5	0.3- 4.7	10	4.9	0.0-10.0	11	3.4	0.9- 5.9	14	5.8	2.3- 9.3	96	59.0	49.2-68.8	33	24.4	15.6-33.2
\$25,000- 34,999	99	116,179	5	2.7	0.2- 5.2	6	3.6	0.1- 7.1	13	13.5	4.1-22.9	17	15.1	6.1-24.1	46	51.0	37.9-64.1	12	14.1	5.1-23.1
\$35,000- 49,999	151	169,003	4	1.2	0.0- 2.6	11	6.4	2.1-10.7	16	6.8	2.1-11.5	33	12.4	6.7-18.1	69	56.5	45.5-67.5	18	16.7	8.1-25.3
\$50,000- 74,999	168	176,942	13	3.1	1.1- 5.1	17	6.8	2.9-10.7	21	7.1	3.4-10.8	32	19.9	10.1-29.7	75	53.3	42.1-64.5	10	9.7	3.4-16.0
\$75,000+	312	290,761	23	5.5	2.6- 8.4	36	10.0	5.7-14.3	33	9.1	5.2-13.0	71	25.1	18.2-32.0	121	41.5	34.1-48.9	28	8.7	5.0-12.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2007			2008-2014			2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	466	533,494	25	2.2	1.0- 3.4	37	6.1	3.4- 8.8	37	7.6	4.7-10.5	74	16.3	11.4-21.2	233	54.4	48.1-60.7	60	13.4	9.3-17.5
White/Non-Hisp	359	368,749	25	3.2	1.6- 4.8	33	6.8	3.9- 9.7	29	7.4	4.1-10.7	62	17.1	11.4-22.8	167	52.8	45.9-59.7	43	12.7	8.0-17.4
Black or Afr. Am./Non-Hisp	50	82,693				2	6.8	0.0-19.1	2	5.4	0.0-13.2	4	15.3	0.4-30.2	33	58.6	40.6-76.6	9	13.8	3.8-23.8
25-34	73	151,678							1	1.6	0.0- 4.7	12	22.5	10.0-35.0	48	57.9	44.2-71.6	12	18.0	7.6-28.4
35-44	83	125,067	1	0.4	0.0- 1.2	4	4.7	0.0- 9.8	9	9.0	2.9-15.1	15	21.5	9.3-33.7	43	54.7	40.6-68.8	11	9.7	3.4-16.0
45-54	103	109,227	5	2.7	0.2- 5.2	14	14.5	4.1-24.9	9	13.8	5.0-22.6	14	8.8	2.9-14.7	48	45.4	33.4-57.4	13	14.7	6.7-22.7
55-64	103	74,109	10	8.8	2.1-15.5	13	11.1	4.2-18.0	10	8.0	2.1-13.9	18	14.3	7.0-21.6	40	48.6	36.4-60.8	12	9.1	2.8-15.4
65+	79	34,576	9	5.0	1.1- 8.9	5	6.4	0.0-14.4	6	4.7	0.2- 9.2	15	16.0	4.8-27.2	35	56.2	41.1-71.3	9	11.5	1.5-21.5
H.S. or G.E.D.	149	196,572	5	1.9	0.1- 3.7	11	4.8	1.7- 7.9	13	9.0	3.5-14.5	16	13.2	5.4-21.0	82	57.7	47.5-67.9	22	13.5	6.8-20.2
Some Post-H.S.	110	145,643	5	2.8	0.0- 5.7	9	9.8	1.8-17.8	10	8.1	2.0-14.2	18	17.8	6.6-29.0	54	47.5	35.2-59.8	14	13.9	5.1-22.7
College Graduate	171	126,978	15	3.2	1.2- 5.2	17	7.1	2.6-11.6	13	7.3	2.6-12.0	35	22.5	12.7-32.3	72	46.6	36.4-56.8	19	13.3	6.2-20.4
\$15,000- 24,999	74	91,428	2	1.1	0.0- 2.9	3	9.3	0.0-21.1	6	4.9	0.0- 9.8	6	6.9	0.6-13.2	43	62.1	47.6-76.6	14	15.7	6.3-25.1
\$35,000- 49,999	68	69,104	4	2.9	0.0- 6.4	2	1.9	0.0- 4.6	8	10.9	1.1-20.7	11	8.9	1.8-16.0	34	54.1	38.6-69.6	9	21.3	6.0-36.6
\$50,000- 74,999	72	91,608	4	1.3	0.0- 2.7	7	7.7	1.4-14.0	7	6.4	0.9-11.9	15	20.5	4.6-36.4	35	57.4	39.8-75.0	4	6.8	0.0-13.9
\$75,000+	138	144,572	13	5.0	1.3- 8.7	18	8.4	3.5-13.3	9	6.8	1.3-12.3	27	28.1	16.7-39.5	53	41.0	29.4-52.6	18	10.7	4.6-16.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2007			2008-2014			2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	647	704,045	34	3.2	1.8- 4.6	53	5.8	3.6- 8.0	82	8.9	6.2-11.6	119	13.4	10.3-16.5	291	53.5	48.2-58.8	68	15.1	11.0-19.2
White/Non-Hisp	505	521,833	30	4.0	2.2- 5.8	50	7.5	4.8-10.2	73	10.6	7.3-13.9	105	16.1	12.2-20.0	207	50.0	43.7-56.3	40	11.7	7.2-16.2
Black or Afr. Am./Non-Hisp	74	96,983	2	0.8	0.0- 2.2	1	0.6	0.0- 1.8	4	2.5	0.0- 5.0	10	8.9	2.0-15.8	38	55.1	40.4-69.8	19	32.1	18.4-45.8
25-34	129	207,051							1	0.4	0.0- 1.2	17	11.2	5.3-17.1	82	66.7	57.5-75.9	29	21.7	13.9-29.5
35-44	142	170,796				6	4.0	0.5- 7.5	18	14.8	7.0-22.6	38	21.6	13.8-29.4	70	49.8	39.6-60.0	10	9.9	3.2-16.6
45-54	147	123,705	14	9.2	3.5-14.9	16	16.9	7.9-25.9	32	20.5	12.5-28.5	29	14.5	8.6-20.4	50	34.2	24.6-43.8	6	4.6	0.5- 8.7
55-64	118	65,001	14	14.7	5.7-23.7	21	15.4	8.0-22.8	19	11.3	5.2-17.4	24	20.9	10.3-31.5	33	29.0	17.8-40.2	7	8.6	1.2-16.0
65+	63	19,717	6	8.6	1.0-16.2	10	16.0	5.2-26.8	11	15.2	5.4-25.0	10	13.8	3.8-23.8	22	36.2	21.1-51.3	4	10.1	0.0-21.7
H.S. or G.E.D.	139	168,766	8	3.4	0.3- 6.5	11	4.1	1.0- 7.2	15	11.9	4.3-19.5	26	13.6	7.3-19.9	65	53.7	42.3-65.1	14	13.3	6.0-20.6
Some Post-H.S.	204	262,044	14	4.6	1.7- 7.5	19	7.6	3.1-12.1	23	7.7	4.0-11.4	33	13.2	7.9-18.5	88	52.1	43.3-60.9	27	14.8	8.7-20.9
College Graduate	254	182,223	11	2.5	0.9- 4.1	22	7.2	3.5-10.9	38	8.6	5.3-11.9	55	17.3	11.6-23.0	111	53.4	45.6-61.2	17	11.0	5.3-16.7
Less than \$15,000	84	109,148	1	0.5	0.0- 1.5	4	1.7	0.0- 3.7	13	11.5	4.1-18.9	9	6.6	1.1-12.1	44	59.2	45.1-73.3	13	20.5	8.0-33.0
\$15,000- 24,999	100	129,807	8	3.5	0.0- 7.0	7	1.7	0.1- 3.3	5	2.3	0.0- 4.8	8	5.0	0.9- 9.1	53	56.8	43.5-70.1	19	30.6	17.5-43.7
\$25,000- 34,999	59	60,967	4	4.8	0.0- 9.7	4	5.0	0.0-10.9	11	20.1	5.0-35.2	14	21.2	8.3-34.1	20	37.7	21.6-53.8	6	11.2	1.8-20.6
\$35,000- 49,999	83	99,900				9	9.5	2.2-16.8	8	4.0	0.3- 7.7	22	14.8	6.6-23.0	35	58.2	43.1-73.3	9	13.5	3.7-23.3
\$50,000- 74,999	96	85,334	9	4.9	1.2- 8.6	10	5.9	1.2-10.6	14	7.8	2.7-12.9	17	19.4	8.8-30.0	40	49.0	36.3-61.7	6	12.9	2.5-23.3
\$75,000+	174	146,189	10	6.0	1.3-10.7	18	11.7	4.6-18.8	24	11.5	5.6-17.4	44	22.3	14.5-30.1	68	41.9	32.5-51.3	10	6.7	2.2-11.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 7: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1270	1,390,726	577	44.0	40.3-47.7	47	2.6	1.6- 3.6	433	36.1	32.4-39.8	25	3.3	1.7- 4.9	6	0.9	0.0- 1.9	182	13.2	10.7-15.7
Male	540	614,957	169	29.9	24.8-35.0	26	3.7	1.9- 5.5	221	43.6	37.9-49.3	21	5.6	3.1- 8.1	3	0.8	0.0- 1.8	100	16.4	12.3-20.5
Female	730	775,769	408	55.1	50.0-60.2	21	1.7	0.7- 2.7	212	30.1	25.4-34.8	4	1.5	0.0- 3.3	3	0.9	0.0- 2.3	82	10.6	7.7-13.5
White/Non-Hisp	985	1,001,720	470	46.9	42.6-51.2	36	2.3	1.3- 3.3	310	32.5	28.4-36.6	18	3.5	1.7- 5.3	6	1.2	0.0- 2.6	145	13.6	10.7-16.5
Black or Afr. Am./Non-Hisp	140	199,751	58	42.7	31.9-53.5	9	5.8	1.5-10.1	51	35.5	25.1-45.9	4	3.9	0.0- 8.0				18	12.2	5.5-18.9
Hispanic	72	111,445	22	25.9	13.7-38.1	1	0.5	0.0- 1.5	42	63.5	49.4-77.6							7	10.2	0.6-19.8
18-24	61	147,463	20	34.3	19.4-49.2				29	45.8	30.1-61.5				2	5.6	0.0-13.4	10	14.4	4.8-24.0
25-34	213	384,388	105	48.1	40.1-56.1	3	1.3	0.0- 2.9	76	34.7	27.3-42.1	9	6.3	2.0-10.6	1	0.4	0.0- 1.2	19	9.1	4.6-13.6
35-44	246	324,492	130	48.4	40.8-56.0	12	4.5	1.6- 7.4	71	32.9	24.9-40.9	4	1.8	0.0- 3.6				29	12.4	7.1-17.7
45-54	285	275,264	142	45.8	38.5-53.1	8	1.4	0.2- 2.6	85	33.9	26.6-41.2	7	2.9	0.5- 5.3	1	0.5	0.0- 1.5	42	15.5	10.0-21.0
55-64	262	169,638	109	37.4	30.0-44.8	9	3.9	0.4- 7.4	96	37.5	29.5-45.5	4	3.9	0.0- 8.0	2	0.6	0.0- 1.6	42	16.7	10.6-22.8
65+	185	74,981	61	28.1	19.9-36.3	15	8.2	2.9-13.5	71	44.8	34.8-54.8							38	18.9	11.6-26.2
Less Than H.S.	99	182,252	30	20.1	10.9-29.3	2	2.1	0.0- 5.0	53	59.5	47.2-71.8	5	6.6	0.7-12.5	2	4.5	0.0-11.0	7	7.1	1.4-12.8
H.S. or G.E.D.	335	405,004	124	40.5	33.2-47.8	15	3.0	0.8- 5.2	134	37.9	31.0-44.8	14	5.3	2.4- 8.2	2	0.5	0.0- 1.3	46	12.9	8.2-17.6
Some Post-H.S.	358	460,479	178	52.1	45.2-59.0	12	2.2	0.6- 3.8	117	29.0	22.7-35.3	5	2.7	0.0- 5.4				46	14.0	9.3-18.7
College Graduate	470	333,753	242	50.0	43.9-56.1	17	2.8	1.0- 4.6	126	30.7	24.8-36.6	1	0.2	0.0- 0.6	2	0.6	0.0- 1.6	82	15.6	11.5-19.7
Less than \$15,000	148	171,034	48	29.0	18.8-39.2	5	2.1	0.0- 4.8	69	44.2	33.4-55.0	4	3.6	0.0- 7.3	2	3.3	0.0- 9.4	20	17.8	9.2-26.4
\$15,000- 24,999	201	254,197	72	36.1	27.3-44.9	9	4.2	0.7- 7.7	83	40.7	31.7-49.7	8	7.4	1.5-13.3				29	11.6	6.3-16.9
\$25,000- 34,999	114	136,024	58	49.7	37.5-61.9	3	1.0	0.0- 2.2	42	38.4	26.6-50.2	1	0.4	0.0- 1.2	1	2.0	0.0- 5.9	9	8.5	1.2-15.8
\$35,000- 49,999	173	189,669	82	51.2	40.4-62.0	10	4.4	1.1- 7.7	58	33.9	22.9-44.9	5	4.4	0.3- 8.5				18	6.2	2.5- 9.9
\$50,000- 74,999	182	185,949	96	50.4	40.2-60.6	7	1.8	0.0- 3.6	51	33.0	22.4-43.6	4	3.9	0.0- 7.8	1	0.4	0.0- 1.2	23	10.4	5.5-15.3
\$75,000+	334	305,178	171	49.5	42.2-56.8	9	2.1	0.3- 3.9	84	26.9	20.2-33.6	1	0.4	0.0- 1.2	1	0.4	0.0- 1.2	68	20.5	14.2-26.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 8: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	540	614,957	169	29.9	24.8-35.0	26	3.7	1.9- 5.5	221	43.6	37.9-49.3	21	5.6	3.1- 8.1	3	0.8	0.0- 1.8	100	16.4	12.3-20.5
White/Non-Hisp	417	428,401	135	32.0	25.9-38.1	20	3.4	1.4- 5.4	161	38.6	32.3-44.9	16	6.2	3.1- 9.3	3	1.2	0.0- 2.8	82	18.6	13.5-23.7
Black or Afr. Am./Non-Hisp	53	87,104	16	29.6	14.1-45.1	5	8.0	0.0-16.0	24	48.9	32.0-65.8	3	6.1	0.0-13.7				5	7.3	0.6-14.0
25-34	81	168,275	23	31.2	19.0-43.4	3	2.9	0.0- 6.6	36	45.5	33.0-58.0	6	8.3	1.4-15.2	1	1.0	0.0- 3.0	12	11.1	4.0-18.2
35-44	95	145,450	33	34.1	23.1-45.1	9	6.6	1.7-11.5	34	40.7	27.6-53.8	4	4.1	0.0- 8.2				15	14.6	5.8-23.4
45-54	117	126,578	43	31.5	20.9-42.1	2	0.5	0.0- 1.1	42	43.9	32.1-55.7	7	6.4	1.3-11.5				23	17.6	9.6-25.6
55-64	121	90,670	34	26.0	16.6-35.4	4	4.2	0.0- 9.7	54	42.4	30.6-54.2	4	7.2	0.0-14.6	1	0.9	0.0- 2.7	24	19.2	10.2-28.2
65+	98	41,970	28	21.0	11.0-31.0	8	9.0	0.6-17.4	43	53.7	39.6-67.8							19	16.3	6.5-26.1
H.S. or G.E.D.	172	220,088	45	30.3	21.3-39.3	9	3.5	0.4- 6.6	75	39.2	30.0-48.4	14	9.7	4.4-15.0	1	0.8	0.0- 2.4	28	16.6	9.2-24.0
Some Post-H.S.	121	161,412	41	32.7	21.9-43.5	6	3.7	0.4- 7.0	52	43.5	31.2-55.8	2	2.0	0.0- 4.9				20	18.1	9.1-27.1
College Graduate	198	143,986	70	32.2	23.4-41.0	10	4.7	0.8- 8.6	68	42.2	32.4-52.0	1	0.4	0.0- 1.2	1	0.6	0.0- 1.8	48	19.9	13.2-26.6
Less than \$15,000	53	52,584	7	7.8	0.0-15.8	2	5.1	0.0-13.9	35	66.3	50.0-82.6	3	6.9	0.0-15.1				6	13.9	1.7-26.1
\$15,000- 24,999	89	109,187	22	20.1	10.5-29.7	6	7.3	0.6-14.0	35	38.6	25.5-51.7	7	11.9	2.7-21.1				19	22.1	11.1-33.1
\$35,000- 49,999	76	77,593	26	36.8	22.5-51.1	6	5.3	0.6-10.0	32	43.3	28.6-58.0	3	6.4	0.0-14.2				9	8.3	2.0-14.6
\$50,000- 74,999	79	98,021	25	31.0	18.3-43.7	6	3.3	0.0- 6.8	30	45.8	30.7-60.9	4	7.5	0.1-14.9	1	0.8	0.0- 2.4	13	11.7	4.4-19.0
\$75,000+	151	152,088	57	38.2	27.0-49.4	5	3.1	0.0- 6.4	49	35.5	24.5-46.5	1	0.8	0.0- 2.6				39	22.4	12.8-32.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 9: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, IN THE EMERGENCY ROOM, AS AN INPATIENT IN A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST10)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic Emergency Rm			Jail or Prison Other correction facility			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	730	775,769	408	55.1	50.0-60.2	21	1.7	0.7- 2.7	212	30.1	25.4-34.8	4	1.5	0.0- 3.3	3	0.9	0.0- 2.3	82	10.6	7.7-13.5
White/Non-Hisp	568	573,319	335	58.1	52.2-64.0	16	1.5	0.5- 2.5	149	28.0	22.5-33.5	2	1.4	0.0- 3.4	3	1.2	0.0- 3.2	63	9.9	6.6-13.2
Black or Afr. Am./Non-Hisp	87	112,646	42	52.8	39.3-66.3	4	4.0	0.0- 8.7	27	25.0	14.4-35.6	1	2.2	0.0- 6.5				13	16.0	5.6-26.4
25-34	132	216,113	82	61.3	51.5-71.1				40	26.3	18.1-34.5	3	4.8	0.0-10.5				7	7.6	1.7-13.5
35-44	151	179,042	97	60.0	50.2-69.8	3	2.9	0.0- 6.4	37	26.6	17.6-35.6							14	10.5	4.2-16.8
45-54	168	148,687	99	57.9	48.5-67.3	6	2.1	0.1- 4.1	43	25.3	16.9-33.7				1	0.9	0.0- 2.7	19	13.8	6.4-21.2
55-64	141	78,967	75	50.5	39.5-61.5	5	3.4	0.0- 7.3	42	32.0	21.6-42.4				1	0.2	0.0- 0.6	18	13.9	5.7-22.1
65+	87	33,012	33	37.1	24.0-50.2	7	7.2	1.1-13.3	28	33.4	20.1-46.7							19	22.3	11.3-33.3
Less Than H.S.	53	96,105	18	20.3	8.9-31.7	1	1.5	0.0- 4.4	28	61.8	44.9-78.7	1	2.6	0.0- 7.5	1	5.7	0.0-16.5	4	8.1	0.0-16.9
H.S. or G.E.D.	163	184,916	79	52.6	42.0-63.2	6	2.4	0.0- 5.1	59	36.4	26.2-46.6				1	0.1	0.0- 0.3	18	8.5	3.2-13.8
Some Post-H.S.	237	299,068	137	62.5	54.5-70.5	6	1.4	0.0- 3.0	65	21.2	15.3-27.1	3	3.0	0.0- 6.9				26	11.9	6.4-17.4
College Graduate	272	189,767	172	63.5	56.1-70.9	7	1.4	0.0- 2.8	58	22.0	15.5-28.5				1	0.7	0.0- 2.1	34	12.4	7.3-17.5
Less than \$15,000	95	118,449	41	38.3	24.8-51.8	3	0.8	0.0- 1.8	34	34.4	21.7-47.1	1	2.1	0.0- 6.2	2	4.8	0.0-13.6	14	19.6	8.2-31.0
\$15,000- 24,999	112	145,010	50	48.2	35.5-60.9	3	1.9	0.0- 5.0	48	42.2	29.7-54.7	1	4.0	0.0-11.6				10	3.7	1.0- 6.4
\$25,000- 34,999	69	70,450	39	58.8	43.9-73.7	3	1.9	0.0- 4.3	23	36.5	21.6-51.4							4	2.9	0.0- 6.2
\$35,000- 49,999	97	112,076	56	61.1	45.6-76.6	4	3.8	0.0- 8.3	26	27.4	11.9-42.9	2	3.0	0.0- 7.1				9	4.7	0.2- 9.2
\$50,000- 74,999	103	87,928	71	72.0	61.8-82.2	1	0.2	0.0- 0.6	21	18.8	10.0-27.6							10	9.0	2.5-15.5
\$75,000+	183	153,090	114	60.8	51.6-70.0	4	1.2	0.0- 2.4	35	18.4	11.3-25.5				1	0.8	0.0- 2.4	29	18.7	10.7-26.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2015**

End of Core Data Report