


INDIANA

2016 Core Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2017



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016

SECTION 1: HEALTH STATUS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11033	5,077,251	1601	16.3	15.3-17.3	3540	32.7	31.3-34.1	3583	32.6	31.2-34.0	1635	13.4	12.4-14.4	674	5.1	4.5- 5.7
Male	4544	2,473,721	686	17.0	15.4-18.6	1434	32.1	30.1-34.1	1528	33.3	31.3-35.3	641	13.1	11.7-14.5	255	4.5	3.7- 5.3
Female	6489	2,603,529	915	15.6	14.2-17.0	2106	33.2	31.4-35.0	2055	31.9	30.1-33.7	994	13.6	12.4-14.8	419	5.7	4.9- 6.5
White/Non-Hisp	9405	4,108,305	1377	16.5	15.3-17.7	3141	34.6	33.2-36.0	2997	31.2	29.8-32.6	1329	12.4	11.4-13.4	561	5.3	4.7- 5.9
Black or Afr. Am./Non-Hisp	732	433,320	89	13.5	10.0-17.0	180	25.0	20.5-29.5	274	38.1	33.0-43.2	151	18.9	15.0-22.8	38	4.5	2.1- 6.9
Oth. Race/Non-Hisp.	224	122,845	47	25.6	16.8-34.4	59	29.5	20.3-38.7	67	31.7	22.1-41.3	32	11.4	4.5-18.3	19	1.7	0.7- 2.7
MultiRacial/Non-Hisp.	158	55,144	11	7.4	2.1-12.7	36	25.6	15.0-36.2	55	43.8	31.6-56.0	31	15.3	7.9-22.7	25	7.8	3.9-11.7
Hispanic	358	280,745	54	15.4	10.3-20.5	79	19.6	14.7-24.5	144	43.5	36.8-50.2	63	18.6	13.3-23.9	18	3.0	1.0- 5.0
18-24	456	687,791	115	24.8	20.3-29.3	174	38.1	33.0-43.2	129	28.8	23.9-33.7	33	7.3	4.6-10.0	5	0.9	0.0- 2.1
25-34	816	835,977	172	20.4	17.1-23.7	288	36.7	32.8-40.6	261	32.2	28.3-36.1	82	9.5	7.1-11.9	13	1.2	0.4- 2.0
35-44	1095	815,952	231	18.6	15.9-21.3	361	32.3	28.8-35.8	339	32.6	29.1-36.1	133	13.2	10.7-15.7	31	3.4	1.8- 5.0
45-54	1619	823,769	250	13.9	11.9-15.9	536	30.1	27.4-32.8	530	35.0	32.1-37.9	200	14.1	11.7-16.5	103	6.9	5.3- 8.5
55-64	2447	850,352	308	11.6	10.0-13.2	794	30.6	28.2-33.0	752	31.8	29.4-34.2	387	16.4	14.4-18.4	206	9.6	8.0-11.2
65+	4450	1,007,005	501	11.2	10.0-12.4	1332	29.6	27.8-31.4	1530	34.4	32.6-36.2	779	17.6	16.0-19.2	308	7.2	6.2- 8.2
Less Than H.S.	888	659,263	59	10.9	7.4-14.4	125	15.7	12.2-19.2	292	36.6	32.1-41.1	253	23.5	20.0-27.0	159	13.3	10.6-16.0
H.S. or G.E.D.	3750	1,740,351	381	12.7	10.9-14.5	1030	30.3	28.1-32.5	1388	35.7	33.5-37.9	673	15.6	14.0-17.2	278	5.6	4.8- 6.4
Some Post-H.S.	2743	1,562,348	395	17.0	14.8-19.2	933	36.7	34.2-39.2	888	31.4	28.9-33.9	391	11.3	9.7-12.9	136	3.6	2.8- 4.4
College Graduate	3627	1,103,610	765	24.2	22.2-26.2	1443	40.8	38.6-43.0	1008	27.0	25.0-29.0	311	6.4	5.4- 7.4	100	1.6	1.2- 2.0
Less than \$15,000	933	463,136	61	10.3	7.0-13.6	139	15.0	11.5-18.5	317	34.4	29.9-38.9	255	25.1	21.2-29.0	161	15.2	12.1-18.3
\$15,000- 24,999	1831	824,034	165	10.5	8.3-12.7	409	24.6	21.5-27.7	598	32.1	28.8-35.4	454	23.6	20.7-26.5	205	9.2	7.4-11.0
\$25,000- 34,999	1144	495,640	111	11.7	8.8-14.6	343	31.1	27.0-35.2	413	38.4	33.9-42.9	199	14.1	11.6-16.6	78	4.8	3.4- 6.2
\$35,000- 49,999	1489	690,004	181	13.6	10.9-16.3	511	34.0	30.5-37.5	535	36.7	33.2-40.2	210	13.1	10.7-15.5	52	2.6	1.6- 3.6
\$50,000- 74,999	1506	706,593	247	18.4	15.5-21.3	561	37.4	33.9-40.9	518	34.2	30.7-37.7	140	7.6	6.0- 9.2	40	2.3	1.3- 3.3
\$75,000+	2614	1,281,287	622	24.7	22.3-27.1	1099	41.5	38.8-44.2	689	26.7	24.3-29.1	164	5.8	4.6- 7.0	40	1.3	0.7- 1.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 1: HEALTH STATUS**

**TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4544	2,473,721	686	17.0	15.4-18.6	1434	32.1	30.1-34.1	1528	33.3	31.3-35.3	641	13.1	11.7-14.5	255	4.5	3.7- 5.3
White/Non-Hisp	3844	1,981,068	572	16.9	15.1-18.7	1258	33.8	31.6-36.0	1279	32.3	30.1-34.5	525	12.6	11.2-14.0	210	4.4	3.6- 5.2
Black or Afr. Am./Non-Hisp	268	202,608	34	14.0	8.1-19.9	69	24.9	17.8-32.0	111	41.5	33.5-49.5	45	15.5	9.8-21.2	9	4.0	0.9- 7.1
Oth. Race/Non-Hisp.	127	78,196	33	30.5	18.3-42.7	30	28.1	15.8-40.4	39	29.9	17.7-42.1	17	10.9	1.9-19.9	8	0.7	0.1- 1.3
MultiRacial/Non-Hisp.	65	26,553	8	11.5	1.7-21.3	18	32.4	15.7-49.1	20	44.1	24.7-63.5	11	8.6	2.1-15.1	8	3.4	0.7- 6.1
Hispanic	157	132,111	27	17.0	9.9-24.1	34	20.6	13.0-28.2	54	36.0	26.6-45.4	31	20.9	12.7-29.1	11	5.4	1.7- 9.1
18-24	251	351,455	74	30.3	23.6-37.0	95	38.3	31.2-45.4	61	23.1	17.2-29.0	18	7.5	3.8-11.2	3	0.8	0.0- 2.0
25-34	381	420,378	88	20.7	16.0-25.4	131	35.8	30.1-41.5	130	35.2	29.5-40.9	27	7.0	4.1- 9.9	5	1.1	0.1- 2.1
35-44	499	410,502	102	18.0	13.9-22.1	154	30.8	25.7-35.9	172	35.5	30.2-40.8	64	13.6	9.9-17.3	7	2.2	0.0- 4.4
45-54	701	410,980	97	12.2	9.3-15.1	241	31.0	26.9-35.1	239	36.6	32.1-41.1	86	14.7	11.2-18.2	38	5.5	3.3- 7.7
55-64	1010	414,549	118	11.1	8.7-13.5	330	29.9	26.4-33.4	330	33.0	29.3-36.7	143	15.8	12.9-18.7	89	10.2	7.5-12.9
65+	1649	443,665	198	12.1	10.1-14.1	469	28.2	25.5-30.9	578	34.6	31.7-37.5	294	18.5	16.0-21.0	110	6.6	5.0- 8.2
Less Than H.S.	375	346,064	33	12.2	7.1-17.3	56	17.4	12.1-22.7	122	35.1	28.4-41.8	107	23.5	18.2-28.8	57	11.8	7.7-15.9
H.S. or G.E.D.	1462	848,108	143	13.1	10.6-15.6	399	30.5	27.2-33.8	558	36.6	33.3-39.9	253	14.8	12.4-17.2	109	5.0	3.8- 6.2
Some Post-H.S.	1020	707,073	161	17.8	14.5-21.1	335	36.2	32.3-40.1	334	31.5	27.8-35.2	143	11.6	9.1-14.1	47	2.9	1.9- 3.9
College Graduate	1675	565,733	348	24.8	21.9-27.7	639	38.4	35.3-41.5	511	29.5	26.6-32.4	135	6.0	4.6- 7.4	42	1.3	0.9- 1.7
Less than \$15,000	313	198,692	28	14.2	8.5-19.9	47	15.6	9.5-21.7	107	31.2	24.5-37.9	80	25.5	19.0-32.0	51	13.5	8.8-18.2
\$15,000- 24,999	655	377,144	70	12.9	9.0-16.8	139	26.1	20.8-31.4	210	28.1	23.4-32.8	161	25.1	20.4-29.8	75	7.8	5.6-10.0
\$25,000- 34,999	441	231,507	44	12.3	7.6-17.0	121	28.5	22.4-34.6	170	42.5	35.4-49.6	72	12.5	8.8-16.2	34	4.2	2.4- 6.0
\$35,000- 49,999	647	358,229	82	14.9	10.8-19.0	198	31.5	26.2-36.8	249	39.3	34.0-44.6	98	12.4	9.1-15.7	20	2.0	1.0- 3.0
\$50,000- 74,999	707	363,732	119	18.2	14.1-22.3	244	34.7	29.8-39.6	250	36.8	31.7-41.9	74	8.3	5.9-10.7	20	2.0	0.8- 3.2
\$75,000+	1309	694,222	291	24.1	20.6-27.6	538	40.0	36.3-43.7	373	28.5	25.2-31.8	90	5.9	4.3- 7.5	17	1.4	0.4- 2.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 1: HEALTH STATUS**

**TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6489	2,603,529	915	15.6	14.2-17.0	2106	33.2	31.4-35.0	2055	31.9	30.1-33.7	994	13.6	12.4-14.8	419	5.7	4.9- 6.5
White/Non-Hisp	5561	2,127,237	805	16.1	14.5-17.7	1883	35.4	33.4-37.4	1718	30.1	28.3-31.9	804	12.4	11.2-13.6	351	6.1	5.3- 6.9
Black or Afr. Am./Non-Hisp	464	230,711	55	13.0	8.7-17.3	111	25.1	19.2-31.0	163	35.0	28.3-41.7	106	21.9	16.4-27.4	29	5.0	1.7- 8.3
Oth. Race/Non-Hisp.	97	44,650	14	17.2	6.2-28.2	29	32.0	18.1-45.9	28	34.9	19.2-50.6	15	12.4	2.2-22.6	11	3.5	1.0- 6.0
MultiRacial/Non-Hisp.	93	28,591	3	3.6	0.0- 8.3	18	19.3	5.8-32.8	35	43.6	28.7-58.5	20	21.6	9.3-33.9	17	11.8	4.5-19.1
Hispanic	201	148,635	27	13.9	6.8-21.0	45	18.6	12.1-25.1	90	50.1	40.9-59.3	32	16.5	9.6-23.4	7	0.9	0.1- 1.7
18-24	205	336,336	41	19.1	13.0-25.2	79	37.9	30.5-45.3	68	34.7	27.1-42.3	15	7.2	3.3-11.1	2	1.1	0.0- 2.9
25-34	435	415,599	84	20.1	15.4-24.8	157	37.5	32.0-43.0	131	29.2	24.1-34.3	55	11.9	8.6-15.2	8	1.3	0.1- 2.5
35-44	596	405,450	129	19.2	15.5-22.9	207	33.9	29.2-38.6	167	29.6	24.9-34.3	69	12.8	9.5-16.1	24	4.5	2.3- 6.7
45-54	918	412,789	153	15.5	12.8-18.2	295	29.3	25.8-32.8	291	33.4	29.5-37.3	114	13.5	10.6-16.4	65	8.3	5.9-10.7
55-64	1437	435,804	190	12.1	10.1-14.1	464	31.2	28.3-34.1	422	30.8	27.9-33.7	244	16.9	14.4-19.4	117	9.1	7.1-11.1
65+	2801	563,340	303	10.4	9.0-11.8	863	30.6	28.4-32.8	952	34.3	32.1-36.5	485	17.0	15.2-18.8	198	7.8	6.4- 9.2
Less Than H.S.	513	313,200	26	9.4	4.7-14.1	69	13.9	9.6-18.2	170	38.3	32.0-44.6	146	23.6	18.7-28.5	102	14.9	11.0-18.8
H.S. or G.E.D.	2288	892,243	238	12.4	10.2-14.6	631	30.1	27.2-33.0	830	34.8	31.9-37.7	420	16.5	14.3-18.7	169	6.2	5.0- 7.4
Some Post-H.S.	1723	855,276	234	16.4	13.7-19.1	598	37.1	33.6-40.6	554	31.3	28.0-34.6	248	11.1	9.1-13.1	89	4.2	3.0- 5.4
College Graduate	1952	537,876	417	23.5	20.8-26.2	804	43.3	40.2-46.4	497	24.3	21.6-27.0	176	6.9	5.3- 8.5	58	1.9	1.3- 2.5
Less than \$15,000	620	264,444	33	7.4	3.3-11.5	92	14.5	10.2-18.8	210	36.8	30.9-42.7	175	24.8	19.9-29.7	110	16.5	12.2-20.8
\$15,000- 24,999	1176	446,890	95	8.5	6.0-11.0	270	23.4	19.7-27.1	388	35.4	30.9-39.9	293	22.3	18.8-25.8	130	10.4	7.9-12.9
\$25,000- 34,999	703	264,133	67	11.1	7.4-14.8	222	33.3	27.6-39.0	243	34.8	29.1-40.5	127	15.6	11.9-19.3	44	5.3	3.3- 7.3
\$35,000- 49,999	842	331,775	99	12.2	8.3-16.1	313	36.7	31.8-41.6	286	33.9	29.2-38.6	112	13.8	10.3-17.3	32	3.3	1.9- 4.7
\$50,000- 74,999	799	342,861	128	18.7	14.6-22.8	317	40.4	35.3-45.5	268	31.4	26.7-36.1	66	6.8	4.6- 9.0	20	2.6	1.0- 4.2
\$75,000+	1305	587,064	331	25.4	22.1-28.7	561	43.3	39.4-47.2	316	24.6	21.1-28.1	74	5.6	3.8- 7.4	23	1.1	0.5- 1.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2016

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None						1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	10799	4,985,021	6615	61.8	60.4-63.2	1071	11.1	10.1-12.1	1149	11.5	10.5-12.5	1052	8.6	7.8- 9.4	912	7.0	6.4- 7.6			
Male	4461	2,429,133	2931	65.4	63.4-67.4	423	10.6	9.2-12.0	409	10.0	8.6-11.4	345	7.3	6.1- 8.5	353	6.8	5.8- 7.8			
Female	6338	2,555,888	3684	58.5	56.7-60.3	648	11.5	10.1-12.9	740	13.0	11.6-14.4	707	9.8	8.8-10.8	559	7.2	6.4- 8.0			
White/Non-Hisp	9224	4,044,989	5664	61.4	59.8-63.0	933	11.3	10.3-12.3	973	11.6	10.6-12.6	871	8.2	7.4- 9.0	783	7.5	6.7- 8.3			
Black or Afr. Am./Non-Hisp	708	421,523	437	60.8	55.5-66.1	64	11.3	7.6-15.0	72	11.2	7.9-14.5	79	10.1	6.8-13.4	56	6.7	4.2- 9.2			
Oth. Race/Non-Hisp.	218	120,056	141	75.3	66.3-84.3	16	6.8	2.3-11.3	18	8.8	2.7-14.9	19	7.1	0.8-13.4	24	2.1	0.9- 3.3			
MultiRacial/Non-Hisp.	156	54,950	62	48.5	36.5-60.5	13	9.7	3.2-16.2	27	19.9	11.1-28.7	27	10.8	5.5-16.1	27	11.0	3.9-18.1			
Hispanic	343	267,789	220	67.2	60.9-73.5	31	10.1	5.8-14.4	44	10.4	6.5-14.3	35	10.3	6.2-14.4	13	2.0	0.2- 3.8			
18-24	450	674,031	287	62.3	57.0-67.6	58	14.2	10.5-17.9	63	14.1	10.4-17.8	30	7.2	4.5- 9.9	12	2.2	0.8- 3.6			
25-34	803	822,869	528	65.6	61.7-69.5	98	12.7	9.8-15.6	111	14.1	11.2-17.0	40	4.7	3.1- 6.3	26	2.9	1.5- 4.3			
35-44	1085	807,127	718	64.7	61.2-68.2	137	12.7	10.2-15.2	108	10.8	8.4-13.2	83	7.9	5.7-10.1	39	3.9	2.5- 5.3			
45-54	1604	812,426	970	60.0	56.9-63.1	163	9.6	7.8-11.4	178	10.6	8.6-12.6	141	8.9	7.1-10.7	152	10.8	8.8-12.8			
55-64	2406	833,863	1380	57.3	54.8-59.8	233	9.6	8.0-11.2	257	10.3	8.7-11.9	274	11.8	10.2-13.4	262	11.1	9.3-12.9			
65+	4307	979,249	2638	61.5	59.5-63.5	363	8.6	7.4- 9.8	420	10.0	8.8-11.2	476	10.5	9.3-11.7	410	9.5	8.3-10.7			
Less Than H.S.	851	637,062	378	49.7	45.0-54.4	76	11.2	8.1-14.3	109	12.2	9.3-15.1	139	12.8	9.9-15.7	149	14.1	11.0-17.2			
H.S. or G.E.D.	3627	1,694,575	2129	60.5	58.1-62.9	347	10.8	9.2-12.4	395	11.3	9.7-12.9	402	9.9	8.5-11.3	354	7.5	6.5- 8.5			
Some Post-H.S.	2698	1,543,542	1649	63.0	60.5-65.5	252	10.4	8.6-12.2	287	12.4	10.4-14.4	283	8.1	6.7- 9.5	227	6.0	5.0- 7.0			
College Graduate	3602	1,098,717	2443	69.2	67.0-71.4	395	12.4	10.8-14.0	355	10.1	8.7-11.5	227	4.8	3.8- 5.8	182	3.6	2.8- 4.4			
Less than \$15,000	898	447,746	344	39.5	34.8-44.2	80	10.8	7.5-14.1	113	15.3	11.8-18.8	176	16.0	12.7-19.3	185	18.4	14.9-21.9			
\$15,000- 24,999	1772	805,212	877	52.1	48.6-55.6	151	10.2	7.8-12.6	211	12.6	10.1-15.1	277	13.6	11.4-15.8	256	11.4	9.4-13.4			
\$25,000- 34,999	1114	482,893	654	60.1	55.6-64.6	102	10.5	7.4-13.6	143	13.7	10.6-16.8	123	9.2	6.7-11.7	92	6.4	4.4- 8.4			
\$35,000- 49,999	1468	680,111	929	63.4	59.9-66.9	170	13.4	10.7-16.1	157	11.4	9.0-13.8	121	7.2	5.4- 9.0	91	4.5	3.3- 5.7			
\$50,000- 74,999	1493	701,739	987	66.0	62.5-69.5	158	11.4	9.0-13.8	173	12.4	9.9-14.9	100	6.0	4.4- 7.6	75	4.2	3.0- 5.4			
\$75,000+	2602	1,275,125	1881	72.6	70.1-75.1	281	11.2	9.4-13.0	222	8.3	6.7- 9.9	130	4.6	3.6- 5.6	88	3.3	2.3- 4.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days		3-7 days		8-29 days		30 days					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	4461	2,429,133	2931	65.4	63.4-67.4	423	10.6	9.2-12.0	409	10.0	8.6-11.4	345	7.3	6.1- 8.5	353	6.8	5.8- 7.8
White/Non-Hisp	3778	1,944,327	2495	65.3	63.1-67.5	363	11.0	9.4-12.6	337	9.7	8.3-11.1	281	6.8	5.8- 7.8	302	7.2	6.0- 8.4
Black or Afr. Am./Non-Hisp	256	197,984	174	63.4	55.4-71.4	21	9.4	4.1-14.7	23	11.8	6.5-17.1	19	8.4	3.3-13.5	19	7.0	3.1-10.9
Oth. Race/Non-Hisp.	127	78,196	86	72.5	60.2-84.8	10	8.7	2.0-15.4	10	8.4	0.6-16.2	11	9.3	0.1-18.5	10	1.1	0.3- 1.9
MultiRacial/Non-Hisp.	65	26,909	29	54.5	36.7-72.3	8	14.1	2.3-25.9	11	20.6	7.3-33.9	11	6.8	1.9-11.7	6	4.1	0.0- 8.2
Hispanic	153	128,798	99	69.1	60.3-77.9	13	8.5	2.8-14.2	18	9.5	4.4-14.6	14	9.8	3.9-15.7	9	3.0	0.1- 5.9
18-24	249	346,599	170	68.4	61.7-75.1	28	11.3	6.8-15.8	28	9.5	5.8-13.2	18	9.2	4.7-13.7	5	1.6	0.0- 3.4
25-34	374	411,395	258	68.0	62.3-73.7	50	13.5	9.2-17.8	43	12.0	8.1-15.9	11	2.8	0.8- 4.8	12	3.7	1.2- 6.2
35-44	492	405,898	347	67.2	61.9-72.5	55	12.8	9.1-16.5	52	11.4	7.7-15.1	25	5.9	3.0- 8.8	13	2.7	1.1- 4.3
45-54	690	403,420	454	63.8	59.3-68.3	65	8.3	5.9-10.7	60	8.8	6.1-11.5	50	7.8	5.3-10.3	61	11.3	8.2-14.4
55-64	990	404,968	608	60.5	56.6-64.4	103	10.6	8.1-13.1	88	8.6	6.4-10.8	86	9.5	7.1-11.9	105	10.8	8.3-13.3
65+	1614	435,327	1062	65.0	61.9-68.1	114	7.2	5.4- 9.0	133	9.2	7.2-11.2	153	8.8	7.0-10.6	152	9.7	7.7-11.7
Less Than H.S.	360	332,541	176	52.0	45.1-58.9	28	9.0	4.7-13.3	47	12.8	8.3-17.3	46	11.9	7.4-16.4	63	14.4	9.9-18.9
H.S. or G.E.D.	1418	826,510	871	65.0	61.7-68.3	137	9.7	7.7-11.7	132	9.2	7.2-11.2	140	9.1	7.1-11.1	138	7.0	5.6- 8.4
Some Post-H.S.	1005	700,939	676	66.6	62.7-70.5	91	11.3	8.4-14.2	84	10.2	7.5-12.9	76	6.2	4.4- 8.0	78	5.8	4.2- 7.4
College Graduate	1665	562,026	1197	72.1	69.2-75.0	167	12.1	9.7-14.5	144	9.1	7.1-11.1	83	3.3	2.3- 4.3	74	3.4	2.2- 4.6
Less than \$15,000	305	194,713	115	38.7	31.3-46.1	27	9.1	4.6-13.6	47	17.4	11.7-23.1	52	15.6	10.3-20.9	64	19.2	13.5-24.9
\$15,000- 24,999	642	370,893	349	56.5	51.0-62.0	54	8.3	5.4-11.2	72	13.3	9.2-17.4	74	11.1	7.8-14.4	93	10.7	7.8-13.6
\$25,000- 34,999	426	222,140	266	63.0	56.1-69.9	32	10.6	5.5-15.7	41	11.4	6.9-15.9	47	9.0	4.5-13.5	40	6.1	3.7- 8.5
\$35,000- 49,999	634	350,536	427	68.4	63.3-73.5	76	13.5	9.8-17.2	50	9.3	6.0-12.6	38	4.3	2.3- 6.3	43	4.6	2.8- 6.4
\$50,000- 74,999	704	362,847	486	67.3	62.2-72.4	73	11.9	8.2-15.6	69	10.9	7.6-14.2	38	5.6	3.1- 8.1	38	4.3	2.5- 6.1
\$75,000+	1301	689,606	999	76.4	73.1-79.7	118	9.8	7.4-12.2	97	6.7	4.7- 8.7	52	3.6	2.2- 5.0	35	3.6	1.8- 5.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	6338	2,555,888	3684	58.5	56.7-60.3	648	11.5	10.1-12.9	740	13.0	11.6-14.4	707	9.8	8.8-10.8	559	7.2	6.4- 8.0	
White/Non-Hisp	5446	2,100,663	3169	57.8	55.8-59.8	570	11.7	10.3-13.1	636	13.3	11.7-14.9	590	9.6	8.6-10.6	481	7.7	6.7- 8.7	
Black or Afr. Am./Non-Hisp	452	223,538	263	58.5	51.6-65.4	43	13.0	7.9-18.1	49	10.6	6.7-14.5	60	11.5	7.4-15.6	37	6.4	3.5- 9.3	
Oth. Race/Non-Hisp.	91	41,860	55	80.6	69.8-91.4	6	3.2	0.0- 6.5	8	9.4	0.0-18.8	8	2.9	0.0- 6.4	14	4.0	1.3- 6.7	
MultiRacial/Non-Hisp.	91	28,041	33	42.7	27.4-58.0	5	5.6	0.1-11.1	16	19.3	7.5-31.1	16	14.7	5.9-23.5	21	17.6	5.1-30.1	
Hispanic	190	138,991	121	65.3	56.3-74.3	18	11.7	5.0-18.4	26	11.2	5.5-16.9	21	10.7	5.0-16.4	4	1.1	0.0- 2.7	
18-24	201	327,432	117	55.9	48.1-63.7	30	17.3	11.2-23.4	35	18.9	12.6-25.2	12	5.2	2.1- 8.3	7	2.8	0.4- 5.2	
25-34	429	411,474	270	63.2	57.7-68.7	48	12.0	8.1-15.9	68	16.2	12.1-20.3	29	6.5	4.0- 9.0	14	2.1	0.7- 3.5	
35-44	593	401,229	371	62.2	57.3-67.1	82	12.5	9.2-15.8	56	10.2	7.1-13.3	58	10.0	7.1-12.9	26	5.0	2.8- 7.2	
45-54	914	409,006	516	56.3	52.2-60.4	98	10.9	8.4-13.4	118	12.4	9.9-14.9	91	10.0	7.6-12.4	91	10.4	7.9-12.9	
55-64	1416	428,895	772	54.3	51.2-57.4	130	8.6	6.8-10.4	169	11.8	9.6-14.0	188	13.9	11.5-16.3	157	11.4	9.2-13.6	
65+	2693	543,922	1576	58.6	56.2-61.0	249	9.6	8.2-11.0	287	10.7	9.1-12.3	323	11.8	10.2-13.4	258	9.3	7.9-10.7	
Less Than H.S.	491	304,521	202	47.1	40.6-53.6	48	13.7	9.0-18.4	62	11.5	7.8-15.2	93	13.8	10.1-17.5	86	13.8	9.7-17.9	
H.S. or G.E.D.	2209	868,065	1258	56.2	53.1-59.3	210	11.8	9.4-14.2	263	13.4	11.0-15.8	262	10.6	8.8-12.4	216	7.9	6.5- 9.3	
Some Post-H.S.	1693	842,603	973	60.0	56.5-63.5	161	9.7	7.5-11.9	203	14.3	11.6-17.0	207	9.7	7.9-11.5	149	6.2	4.8- 7.6	
College Graduate	1937	536,691	1246	66.1	63.2-69.0	228	12.7	10.5-14.9	211	11.0	9.0-13.0	144	6.4	4.8- 8.0	108	3.8	2.8- 4.8	
Less than \$15,000	593	253,033	229	40.2	34.1-46.3	53	12.1	7.4-16.8	66	13.7	9.4-18.0	124	16.3	12.2-20.4	121	17.7	13.4-22.0	
\$15,000- 24,999	1130	434,319	528	48.4	43.9-52.9	97	11.8	8.3-15.3	139	12.0	9.1-14.9	203	15.7	12.8-18.6	163	12.0	9.5-14.5	
\$25,000- 34,999	688	260,754	388	57.7	52.0-63.4	70	10.5	6.8-14.2	102	15.6	11.5-19.7	76	9.5	6.6-12.4	52	6.8	3.9- 9.7	
\$35,000- 49,999	834	329,576	502	58.0	52.9-63.1	94	13.4	9.5-17.3	107	13.8	10.3-17.3	83	10.3	7.2-13.4	48	4.5	2.7- 6.3	
\$50,000- 74,999	789	338,892	501	64.7	59.8-69.6	85	10.9	7.8-14.0	104	14.1	10.4-17.8	62	6.4	4.2- 8.6	37	4.0	2.4- 5.6	
\$75,000+	1301	585,519	882	68.2	64.5-71.9	163	13.0	10.3-15.7	125	10.2	7.7-12.7	78	5.7	3.9- 7.5	53	2.9	1.9- 3.9	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10863	5,008,657	7395	62.8	61.4-64.2	900	8.6	7.8- 9.4	1031	11.3	10.3-12.3	966	11.1	10.1-12.1	571	6.1	5.3- 6.9
Male	4481	2,437,427	3299	68.6	66.6-70.6	325	7.6	6.4- 8.8	339	9.2	8.0-10.4	319	9.4	8.0-10.8	199	5.2	4.2- 6.2
Female	6382	2,571,230	4096	57.4	55.4-59.4	575	9.6	8.4-10.8	692	13.4	12.0-14.8	647	12.8	11.4-14.2	372	6.9	5.9- 7.9
White/Non-Hisp	9271	4,050,982	6337	62.7	61.1-64.3	760	8.5	7.7- 9.3	886	11.6	10.6-12.6	802	11.0	10.0-12.0	486	6.2	5.4- 7.0
Black or Afr. Am./Non-Hisp	720	430,060	483	60.3	55.0-65.6	70	10.1	7.0-13.2	64	11.0	7.5-14.5	67	10.8	7.3-14.3	36	7.8	4.5-11.1
Oth. Race/Non-Hisp.	218	121,540	146	69.3	59.9-78.7	14	8.3	3.0-13.6	17	4.4	0.9- 7.9	23	11.1	3.7-18.5	18	7.0	2.3-11.7
MultiRacial/Non-Hisp.	152	53,898	84	46.9	34.9-58.9	10	7.8	1.9-13.7	25	29.6	16.7-42.5	19	10.9	4.2-17.6	14	4.8	1.3- 8.3
Hispanic	347	275,297	229	64.6	58.1-71.1	34	9.3	5.4-13.2	33	9.8	5.7-13.9	42	14.9	10.0-19.8	9	1.4	0.2- 2.6
18-24	457	687,158	210	46.8	41.5-52.1	52	9.8	6.9-12.7	85	18.2	14.1-22.3	85	18.5	14.4-22.6	25	6.8	4.1- 9.5
25-34	808	827,270	431	54.2	50.1-58.3	100	12.2	9.5-14.9	117	14.2	11.3-17.1	115	14.3	11.6-17.0	45	5.1	3.3- 6.9
35-44	1075	804,124	657	62.9	59.4-66.4	98	8.2	6.2-10.2	136	12.1	9.7-14.5	122	10.9	8.5-13.3	62	5.8	4.0- 7.6
45-54	1601	813,024	976	61.4	58.5-64.3	154	8.5	6.7-10.3	172	10.1	8.3-11.9	176	11.2	9.2-13.2	123	8.8	7.0-10.6
55-64	2412	832,418	1599	66.8	64.4-69.2	192	7.5	6.1- 8.9	215	8.9	7.5-10.3	240	9.8	8.2-11.4	166	7.0	5.6- 8.4
65+	4361	988,260	3405	78.2	76.6-79.8	297	6.4	5.4- 7.4	300	6.9	5.9- 7.9	218	5.1	4.3- 5.9	141	3.4	2.6- 4.2
Less Than H.S.	856	639,512	481	50.9	46.2-55.6	62	9.6	6.7-12.5	98	13.9	10.6-17.2	121	14.7	11.2-18.2	94	10.8	7.9-13.7
H.S. or G.E.D.	3667	1,710,480	2489	64.4	62.0-66.8	257	7.2	6.0- 8.4	337	10.4	9.0-11.8	361	11.5	9.9-13.1	223	6.5	5.3- 7.7
Some Post-H.S.	2707	1,548,823	1810	63.1	60.6-65.6	220	7.5	6.1- 8.9	257	11.3	9.5-13.1	272	12.3	10.5-14.1	148	5.8	4.4- 7.2
College Graduate	3608	1,098,168	2597	67.0	64.8-69.2	360	11.9	10.3-13.5	335	11.2	9.6-12.8	211	6.9	5.7- 8.1	105	3.0	2.2- 3.8
Less than \$15,000	904	451,400	471	47.2	42.5-51.9	74	9.6	6.5-12.7	94	11.8	8.7-14.9	140	16.6	13.1-20.1	125	14.8	11.5-18.1
\$15,000- 24,999	1788	815,452	1093	54.1	50.6-57.6	129	7.6	5.6- 9.6	177	11.9	9.5-14.3	244	17.2	14.5-19.9	145	9.2	7.0-11.4
\$25,000- 34,999	1119	488,040	730	59.9	55.4-64.4	110	9.7	7.2-12.2	113	12.7	9.4-16.0	112	12.8	9.3-16.3	54	4.7	2.9- 6.5
\$35,000- 49,999	1473	677,894	1039	64.2	60.5-67.9	116	8.1	6.1-10.1	143	12.0	9.5-14.5	119	10.5	8.1-12.9	56	5.2	3.4- 7.0
\$50,000- 74,999	1502	706,097	1105	69.1	65.6-72.6	120	7.6	5.6- 9.6	134	10.9	8.5-13.3	100	8.6	6.4-10.8	43	3.8	2.0- 5.6
\$75,000+	2604	1,273,380	1895	69.6	67.1-72.1	243	10.1	8.3-11.9	247	10.1	8.5-11.7	150	7.3	5.7- 8.9	69	2.8	2.0- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2016

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	4481	2,437,427	3299	68.6	66.6-70.6	325	7.6	6.4- 8.8	339	9.2	8.0-10.4	319	9.4	8.0-10.8	199	5.2	4.2- 6.2	
White/Non-Hisp	3790	1,948,133	2813	68.6	66.4-70.8	278	7.7	6.5- 8.9	285	9.4	8.0-10.8	249	8.7	7.3-10.1	165	5.6	4.4- 6.8	
Black or Afr. Am./Non-Hisp	263	201,439	193	69.9	62.3-77.5	19	5.9	2.4- 9.4	16	7.0	2.5-11.5	23	11.8	6.1-17.5	12	5.5	1.8- 9.2	
Oth. Race/Non-Hisp.	127	78,196	89	71.6	59.3-83.9	9	8.4	1.3-15.5	8	4.0	0.0- 8.3	15	14.0	3.2-24.8	6	2.0	0.0- 4.2	
MultiRacial/Non-Hisp.	63	26,595	40	55.7	36.5-74.9	1	1.5	0.0- 4.4	10	29.5	9.3-49.7	7	10.7	0.0-21.9	5	2.5	0.0- 5.2	
Hispanic	154	129,751	100	63.4	53.8-73.0	15	11.7	4.8-18.6	15	10.4	4.5-16.3	20	13.8	6.9-20.7	4	0.7	0.0- 1.5	
18-24	253	353,418	138	56.0	48.9-63.1	30	9.7	6.0-13.4	35	14.3	9.4-19.2	41	15.3	10.2-20.4	9	4.8	1.5- 8.1	
25-34	375	413,505	213	58.0	52.1-63.9	41	10.3	6.8-13.8	50	12.3	8.4-16.2	55	15.1	10.8-19.4	16	4.4	1.9- 6.9	
35-44	487	402,433	327	68.1	63.0-73.2	36	6.8	4.3- 9.3	52	9.8	6.7-12.9	48	10.1	6.8-13.4	24	5.1	2.7- 7.5	
45-54	694	406,542	485	69.3	65.0-73.6	55	7.1	4.6- 9.6	67	9.4	6.7-12.1	45	6.5	4.3- 8.7	42	7.7	5.2-10.2	
55-64	990	401,748	737	74.2	70.7-77.7	71	7.5	5.3- 9.7	55	5.3	3.7- 6.9	65	6.6	4.6- 8.6	62	6.5	4.5- 8.5	
65+	1630	437,876	1357	82.9	80.4-85.4	88	5.0	3.6- 6.4	79	5.0	3.6- 6.4	63	4.3	2.9- 5.7	43	2.8	1.6- 4.0	
Less Than H.S.	362	335,144	201	52.4	45.5-59.3	30	10.4	6.1-14.7	40	12.4	7.7-17.1	55	14.6	9.7-19.5	36	10.2	6.1-14.3	
H.S. or G.E.D.	1429	830,508	1031	69.9	66.6-73.2	97	6.6	4.8- 8.4	111	9.0	6.8-11.2	113	8.9	6.7-11.1	77	5.6	4.0- 7.2	
Some Post-H.S.	1008	701,554	758	71.8	68.1-75.5	61	5.8	4.0- 7.6	59	7.3	4.9- 9.7	80	10.4	7.7-13.1	50	4.8	3.0- 6.6	
College Graduate	1668	562,905	1298	72.4	69.3-75.5	136	9.7	7.5-11.9	127	9.7	7.5-11.9	71	6.0	4.2- 7.8	36	2.2	1.2- 3.2	
Less than \$15,000	301	192,272	166	50.7	43.1-58.3	28	11.2	6.1-16.3	24	8.0	4.1-11.9	40	14.0	8.9-19.1	43	16.1	10.6-21.6	
\$15,000- 24,999	648	373,931	412	58.0	52.5-63.5	47	7.6	4.7-10.5	64	11.4	7.9-14.9	80	15.9	11.6-20.2	45	7.1	4.2-10.0	
\$25,000- 34,999	430	226,900	308	68.2	61.5-74.9	37	9.8	5.9-13.7	34	10.0	5.3-14.7	32	9.4	4.5-14.3	19	2.6	1.2- 4.0	
\$35,000- 49,999	640	351,652	475	69.9	64.8-75.0	45	6.3	3.9- 8.7	48	10.3	6.6-14.0	50	9.2	5.9-12.5	22	4.3	2.1- 6.5	
\$50,000- 74,999	706	364,157	566	73.5	68.4-78.6	46	6.3	3.8- 8.8	44	8.7	5.4-12.0	31	7.2	4.3-10.1	19	4.3	1.4- 7.2	
\$75,000+	1302	689,156	1025	75.5	72.2-78.8	94	7.6	5.6- 9.6	95	7.6	5.6- 9.6	57	6.4	4.2- 8.6	31	2.9	1.5- 4.3	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	6382	2,571,230	4096	57.4	55.4-59.4	575	9.6	8.4-10.8	692	13.4	12.0-14.8	647	12.8	11.4-14.2	372	6.9	5.9- 7.9			
White/Non-Hisp	5481	2,102,850	3524	57.3	55.3-59.3	482	9.2	8.0-10.4	601	13.6	12.0-15.2	553	13.0	11.6-14.4	321	6.8	5.8- 7.8			
Black or Afr. Am./Non-Hisp	457	228,621	290	51.8	44.9-58.7	51	13.9	9.2-18.6	48	14.6	9.3-19.9	44	9.9	5.8-14.0	24	9.8	4.5-15.1			
Oth. Race/Non-Hisp.	91	43,344	57	65.2	50.5-79.9	5	8.1	0.3-15.9	9	5.0	0.0-10.5	8	5.7	0.0-11.6	12	15.9	3.7-28.1			
MultiRacial/Non-Hisp.	89	27,304	44	38.3	23.8-52.8	9	14.0	3.2-24.8	15	29.7	13.4-46.0	12	11.1	3.3-18.9	9	6.9	0.6-13.2			
Hispanic	193	145,546	129	65.7	56.9-74.5	19	7.2	2.7-11.7	18	9.3	3.8-14.8	22	15.9	9.0-22.8	5	1.9	0.0- 4.1			
18-24	204	333,740	72	37.0	29.4-44.6	22	9.9	5.6-14.2	50	22.3	16.0-28.6	44	21.9	15.4-28.4	16	8.9	4.4-13.4			
25-34	433	413,765	218	50.5	44.8-56.2	59	14.2	10.3-18.1	67	16.0	11.7-20.3	60	13.4	9.7-17.1	29	5.8	3.4- 8.2			
35-44	588	401,690	330	57.6	52.7-62.5	62	9.7	6.8-12.6	84	14.5	11.0-18.0	74	11.7	8.6-14.8	38	6.5	4.0- 9.0			
45-54	907	406,482	491	53.5	49.4-57.6	99	9.9	7.5-12.3	105	10.8	8.4-13.2	131	16.0	12.9-19.1	81	9.8	7.3-12.3			
55-64	1422	430,670	862	59.9	56.8-63.0	121	7.6	6.0- 9.2	160	12.2	10.0-14.4	175	12.8	10.6-15.0	104	7.5	5.7- 9.3			
65+	2731	550,385	2048	74.5	72.3-76.7	209	7.5	6.3- 8.7	221	8.4	7.0- 9.8	155	5.7	4.5- 6.9	98	3.8	2.8- 4.8			
Less Than H.S.	494	304,368	280	49.3	42.8-55.8	32	8.7	4.6-12.8	58	15.6	10.7-20.5	66	14.9	10.0-19.8	58	11.4	7.5-15.3			
H.S. or G.E.D.	2238	879,972	1458	59.2	56.1-62.3	160	7.7	5.9- 9.5	226	11.7	9.7-13.7	248	14.0	11.6-16.4	146	7.3	5.7- 8.9			
Some Post-H.S.	1699	847,269	1052	55.8	52.3-59.3	159	8.9	6.9-10.9	198	14.6	11.9-17.3	192	13.9	11.4-16.4	98	6.7	4.7- 8.7			
College Graduate	1940	535,263	1299	61.3	58.2-64.4	224	14.3	11.9-16.7	208	12.7	10.5-14.9	140	7.7	5.9- 9.5	69	4.0	2.6- 5.4			
Less than \$15,000	603	259,127	305	44.6	38.5-50.7	46	8.4	4.5-12.3	70	14.6	9.9-19.3	100	18.6	13.7-23.5	82	13.8	9.9-17.7			
\$15,000- 24,999	1140	441,521	681	50.7	46.2-55.2	82	7.6	5.2-10.0	113	12.3	9.0-15.6	164	18.4	14.9-21.9	100	11.0	7.9-14.1			
\$25,000- 34,999	689	261,140	422	52.7	46.8-58.6	73	9.7	6.6-12.8	79	15.1	10.6-19.6	80	15.8	10.7-20.9	35	6.6	3.7- 9.5			
\$35,000- 49,999	833	326,242	564	58.2	53.1-63.3	71	10.1	7.0-13.2	95	13.9	10.2-17.6	69	11.8	8.5-15.1	34	6.1	3.2- 9.0			
\$50,000- 74,999	796	341,940	539	64.4	59.5-69.3	74	8.9	6.2-11.6	90	13.3	9.8-16.8	69	10.2	7.1-13.3	24	3.3	1.5- 5.1			
\$75,000+	1302	584,224	870	62.7	58.8-66.6	149	13.1	10.4-15.8	152	13.1	10.4-15.8	93	8.4	6.0-10.8	38	2.7	1.5- 3.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2016

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses  
 Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5762	2,802,648	3319	59.8	58.0-61.6	512	9.4	8.2-10.6	634	11.2	10.0-12.4	776	12.4	11.2-13.6	521	7.2	6.4- 8.0
Male	2116	1,245,223	1280	62.9	60.0-65.8	174	7.7	6.1- 9.3	214	10.5	8.5-12.5	257	11.8	9.8-13.8	191	7.1	5.7- 8.5
Female	3646	1,557,425	2039	57.3	54.9-59.7	338	10.8	9.2-12.4	420	11.7	10.1-13.3	519	12.8	11.2-14.4	330	7.3	6.3- 8.3
White/Non-Hisp	4888	2,284,102	2826	59.9	57.9-61.9	446	9.9	8.7-11.1	536	10.7	9.5-11.9	631	12.0	10.8-13.2	449	7.6	6.6- 8.6
Black or Afr. Am./Non-Hisp	382	238,190	217	57.1	49.8-64.4	25	5.5	2.6- 8.4	46	15.0	9.7-20.3	67	16.0	10.9-21.1	27	6.4	2.9- 9.9
Oth. Race/Non-Hisp.	117	52,931	67	55.0	39.9-70.1	9	11.1	2.1-20.1	9	11.3	1.7-20.9	22	19.7	5.6-33.8	10	3.0	0.0- 6.1
MultiRacial/Non-Hisp.	114	42,143	55	57.5	44.0-71.0	9	8.2	1.7-14.7	11	15.3	3.7-26.9	21	12.3	5.8-18.8	18	6.7	2.4-11.0
Hispanic	182	146,297	110	66.5	57.9-75.1	18	10.2	4.3-16.1	24	11.9	6.0-17.8	19	7.6	3.3-11.9	11	3.7	0.8- 6.6
18-24	301	457,327	203	68.1	62.2-74.0	40	11.8	7.9-15.7	33	11.3	7.4-15.2	20	7.9	4.2-11.6	5	0.8	0.0- 1.6
25-34	488	495,478	316	67.3	62.4-72.2	53	11.3	7.8-14.8	48	9.6	6.5-12.7	50	8.7	6.0-11.4	21	3.1	1.5- 4.7
35-44	579	433,297	345	57.0	51.9-62.1	62	9.6	6.9-12.3	75	12.9	9.4-16.4	70	14.2	10.3-18.1	27	6.3	3.6- 9.0
45-54	892	458,562	484	54.1	50.0-58.2	90	8.8	6.4-11.2	101	12.1	9.4-14.8	123	14.2	11.3-17.1	94	10.8	8.3-13.3
55-64	1327	455,552	692	52.3	48.8-55.8	113	8.6	6.6-10.6	140	10.3	8.1-12.5	225	16.3	13.9-18.7	157	12.5	10.1-14.9
65+	2107	475,114	1243	60.0	57.3-62.7	146	5.9	4.7- 7.1	228	11.0	9.2-12.8	282	13.6	11.6-15.6	208	9.5	7.9-11.1
Less Than H.S.	597	449,898	302	55.9	50.4-61.4	39	8.5	5.2-11.8	59	10.3	7.0-13.6	111	15.4	11.7-19.1	86	10.0	7.3-12.7
H.S. or G.E.D.	1998	949,409	1147	60.3	57.4-63.2	144	7.5	5.9- 9.1	206	10.3	8.3-12.3	290	13.7	11.5-15.9	211	8.2	6.8- 9.6
Some Post-H.S.	1454	855,190	811	58.7	55.2-62.2	124	9.4	7.2-11.6	181	12.9	10.4-15.4	210	12.6	10.2-15.0	128	6.4	4.8- 8.0
College Graduate	1699	542,040	1052	64.2	61.1-67.3	205	13.8	11.4-16.2	185	10.4	8.2-12.6	163	7.2	5.8- 8.6	94	4.4	3.0- 5.8
Less than \$15,000	651	334,973	268	43.8	38.1-49.5	41	7.8	4.3-11.3	71	12.0	8.5-15.5	153	21.7	17.2-26.2	118	14.8	11.1-18.5
\$15,000- 24,999	1153	542,375	571	49.7	45.4-54.0	77	8.6	6.1-11.1	137	13.2	10.1-16.3	220	18.4	15.1-21.7	148	10.1	7.9-12.3
\$25,000- 34,999	637	288,718	365	63.6	58.1-69.1	50	9.0	5.5-12.5	80	11.5	8.0-15.0	87	10.7	7.6-13.8	55	5.2	3.4- 7.0
\$35,000- 49,999	749	374,983	441	60.7	55.8-65.6	70	8.6	5.9-11.3	92	12.4	9.1-15.7	96	11.6	8.5-14.7	50	6.7	4.2- 9.2
\$50,000- 74,999	722	361,461	468	67.7	63.0-72.4	94	11.3	8.4-14.2	69	9.9	6.6-13.2	56	7.1	4.6- 9.6	35	4.0	2.2- 5.8
\$75,000+	1126	577,329	758	68.3	64.6-72.0	135	12.4	9.7-15.1	117	10.3	7.8-12.8	79	6.2	4.4- 8.0	37	2.8	1.6- 4.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2116	1,245,223	1280	62.9	60.0-65.8	174	7.7	6.1- 9.3	214	10.5	8.5-12.5	257	11.8	9.8-13.8	191	7.1	5.7- 8.5
White/Non-Hisp	1776	1,004,401	1081	63.0	59.9-66.1	151	7.8	6.2- 9.4	183	10.7	8.5-12.9	196	10.8	8.8-12.8	165	7.7	6.1- 9.3
Black or Afr. Am./Non-Hisp	120	94,139	77	65.0	54.0-76.0	3	1.8	0.0- 4.3	11	11.9	4.3-19.5	23	17.0	8.8-25.2	6	4.3	0.4- 8.2
Oth. Race/Non-Hisp.	58	31,438	34	52.8	31.4-74.2	4	11.9	0.0-25.4	5	11.7	0.0-24.6	11	22.8	1.6-44.0	4	0.9	0.0- 1.9
Hispanic	79	69,697	51	67.6	54.7-80.5	7	11.8	1.4-22.2	5	5.0	0.1- 9.9	10	10.1	2.3-17.9	6	5.6	0.1-11.1
18-24	145	199,776	107	74.8	66.6-83.0	16	9.4	4.3-14.5	13	9.1	3.6-14.6	7	6.1	1.0-11.2	2	0.6	0.0- 1.6
25-34	215	238,985	150	74.8	68.3-81.3	17	6.2	3.1- 9.3	21	8.3	4.2-12.4	20	7.8	3.9-11.7	7	2.8	0.6- 5.0
35-44	241	206,888	143	53.0	45.2-60.8	29	11.2	6.5-15.9	32	14.4	8.5-20.3	25	14.8	8.5-21.1	12	6.5	2.6-10.4
45-54	333	206,132	185	54.4	47.7-61.1	31	7.8	3.9-11.7	41	12.5	8.0-17.0	44	14.8	9.9-19.7	32	10.4	6.3-14.5
55-64	478	197,699	266	55.5	49.8-61.2	35	6.7	4.0- 9.4	44	10.0	6.5-13.5	69	14.2	10.5-17.9	64	13.5	9.4-17.6
65+	678	184,770	416	63.3	58.6-68.0	43	4.9	3.1- 6.7	58	8.4	5.5-11.3	90	13.5	10.2-16.8	71	9.9	7.4-12.4
Less Than H.S.	247	233,815	142	61.3	53.3-69.3	16	7.2	2.7-11.7	16	7.2	2.9-11.5	42	15.0	9.3-20.7	31	9.3	5.2-13.4
H.S. or G.E.D.	727	421,359	415	61.5	56.8-66.2	49	6.6	4.2- 9.0	73	10.6	7.5-13.7	102	12.9	9.8-16.0	88	8.4	6.2-10.6
Some Post-H.S.	465	341,070	284	62.9	57.2-68.6	27	5.2	2.8- 7.6	52	12.8	8.7-16.9	66	12.9	8.8-17.0	36	6.3	3.8- 8.8
College Graduate	672	246,303	436	66.8	61.9-71.7	82	13.7	9.8-17.6	71	9.9	6.8-13.0	47	5.5	3.3- 7.7	36	4.1	2.1- 6.1
Less than \$15,000	217	141,018	98	48.9	40.1-57.7	8	2.9	0.4- 5.4	24	11.3	5.8-16.8	45	19.5	12.8-26.2	42	17.4	10.9-23.9
\$15,000- 24,999	389	233,647	192	48.8	41.7-55.9	27	9.0	4.7-13.3	44	13.7	8.4-19.0	72	20.0	14.1-25.9	54	8.5	5.6-11.4
\$25,000- 34,999	224	125,927	144	74.3	66.9-81.7	13	6.2	1.5-10.9	21	7.8	3.5-12.1	26	7.1	4.0-10.2	20	4.7	2.0- 7.4
\$35,000- 49,999	293	172,695	182	65.4	58.1-72.7	22	6.8	3.3-10.3	31	11.3	6.0-16.6	34	9.7	5.4-14.0	24	6.8	3.5-10.1
\$50,000- 74,999	297	177,151	195	68.9	61.6-76.2	35	7.9	4.6-11.2	28	11.0	5.5-16.5	23	7.4	3.1-11.7	16	4.8	1.9- 7.7
\$75,000+	478	271,400	337	70.8	65.3-76.3	57	10.7	7.2-14.2	45	9.6	5.9-13.3	25	5.8	3.1- 8.5	14	3.1	0.9- 5.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2016

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3646	1,557,425	2039	57.3	54.9-59.7	338	10.8	9.2-12.4	420	11.7	10.1-13.3	519	12.8	11.2-14.4	330	7.3	6.1- 8.5
White/Non-Hisp	3112	1,279,701	1745	57.4	54.9-59.9	295	11.5	9.7-13.3	353	10.7	9.1-12.3	435	12.9	11.3-14.5	284	7.6	6.4- 8.8
Black or Afr. Am./Non-Hisp	262	144,052	140	52.0	42.8-61.2	22	8.0	3.3-12.7	35	17.0	9.7-24.3	44	15.4	8.7-22.1	21	7.7	2.6-12.8
Oth. Race/Non-Hisp.	59	21,493	33	58.2	38.8-77.6	5	10.0	0.0-20.4	4	10.7	0.0-25.2	11	15.1	1.0-29.2	6	6.0	0.0-13.3
MultiRacial/Non-Hisp.	70	22,333	36	50.7	33.5-67.9	3	2.9	0.0- 7.8	7	22.8	4.2-41.4	12	13.9	4.3-23.5	12	9.7	2.1-17.3
Hispanic	103	76,601	59	65.6	54.0-77.2	11	8.7	2.6-14.8	19	18.3	8.5-28.1	9	5.4	1.3- 9.5	5	2.0	0.0- 4.2
18-24	156	257,551	96	62.8	54.4-71.2	24	13.7	8.0-19.4	20	13.0	7.3-18.7	13	9.4	4.3-14.5	3	1.1	0.0- 2.3
25-34	273	256,493	166	60.3	53.2-67.4	36	16.1	10.2-22.0	27	10.8	6.5-15.1	30	9.5	5.8-13.2	14	3.3	1.3- 5.3
35-44	338	226,410	202	60.7	54.2-67.2	33	8.2	5.1-11.3	43	11.5	7.6-15.4	45	13.7	9.0-18.4	15	6.0	2.3- 9.7
45-54	559	252,430	299	53.8	48.7-58.9	59	9.7	7.0-12.4	60	11.8	8.3-15.3	79	13.6	10.1-17.1	62	11.1	8.0-14.2
55-64	849	257,853	426	49.8	45.5-54.1	78	10.1	7.4-12.8	96	10.6	8.1-13.1	156	17.8	14.7-20.9	93	11.7	9.0-14.4
65+	1429	290,345	827	57.9	54.6-61.2	103	6.6	4.8- 8.4	170	12.7	10.3-15.1	192	13.6	11.2-16.0	137	9.2	7.2-11.2
Less Than H.S.	350	216,084	160	50.0	42.4-57.6	23	9.8	4.7-14.9	43	13.6	8.5-18.7	69	15.8	10.9-20.7	55	10.7	7.0-14.4
H.S. or G.E.D.	1271	528,049	732	59.3	55.4-63.2	95	8.2	5.8-10.6	133	10.1	7.7-12.5	188	14.4	11.5-17.3	123	8.1	6.3- 9.9
Some Post-H.S.	989	514,121	527	55.9	51.4-60.4	97	12.1	9.0-15.2	129	13.0	10.1-15.9	144	12.4	9.7-15.1	92	6.6	4.6- 8.6
College Graduate	1027	295,737	616	62.0	57.7-66.3	123	13.9	10.8-17.0	114	10.7	8.0-13.4	116	8.6	6.6-10.6	58	4.7	2.9- 6.5
Less than \$15,000	434	193,955	170	40.0	32.7-47.3	33	11.3	5.6-17.0	47	12.5	7.8-17.2	108	23.3	17.4-29.2	76	12.9	8.8-17.0
\$15,000- 24,999	764	308,727	379	50.3	44.8-55.8	50	8.3	5.0-11.6	93	12.8	9.1-16.5	148	17.2	13.3-21.1	94	11.4	8.5-14.3
\$25,000- 34,999	413	162,791	221	55.4	48.0-62.8	37	11.1	6.0-16.2	59	14.5	9.2-19.8	61	13.5	8.8-18.2	35	5.6	3.2- 8.0
\$35,000- 49,999	456	202,287	259	56.7	50.0-63.4	48	10.1	6.2-14.0	61	13.4	8.9-17.9	62	13.2	8.9-17.5	26	6.7	3.0-10.4
\$50,000- 74,999	425	184,310	273	66.6	60.5-72.7	59	14.6	10.1-19.1	41	8.8	5.3-12.3	33	6.7	3.8- 9.6	19	3.2	1.4- 5.0
\$75,000+	648	305,929	421	66.1	61.0-71.2	78	13.8	9.7-17.9	72	10.9	7.6-14.2	54	6.6	4.1- 9.1	23	2.6	1.2- 4.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 3: HEALTH CARE ACCESS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11036	5,067,058	10354	88.9	87.9-89.9	682	11.1	10.1-12.1
Male	4543	2,467,373	4179	86.6	85.0-88.2	364	13.4	11.8-15.0
Female	6493	2,599,685	6175	91.1	89.7-92.5	318	8.9	7.5-10.3
White/Non-Hisp	9407	4,098,890	8947	91.4	90.4-92.4	460	8.6	7.6- 9.6
Black or Afr. Am./Non-Hisp	732	432,914	666	85.3	81.0-89.6	66	14.7	10.4-19.0
Oth. Race/Non-Hisp.	222	121,873	201	85.2	76.8-93.6	21	14.8	6.4-23.2
MultiRacial/Non-Hisp.	157	53,648	145	87.7	80.1-95.3	12	12.3	4.7-19.9
Hispanic	359	282,123	252	62.5	56.0-69.0	107	37.5	31.0-44.0
18-24	451	679,460	377	80.8	76.3-85.3	74	19.2	14.7-23.7
25-34	814	834,126	701	84.5	81.6-87.4	113	15.5	12.6-18.4
35-44	1095	815,964	948	82.1	79.2-85.0	147	17.9	15.0-20.8
45-54	1618	821,350	1481	89.5	87.5-91.5	137	10.5	8.5-12.5
55-64	2444	848,920	2300	93.8	92.4-95.2	144	6.2	4.8- 7.6
65+	4464	1,010,636	4405	98.6	98.2-99.0	59	1.4	1.0- 1.8
Less Than H.S.	891	660,613	751	72.8	68.3-77.3	140	27.2	22.7-31.7
H.S. or G.E.D.	3747	1,729,324	3485	89.2	87.6-90.8	262	10.8	9.2-12.4
Some Post-H.S.	2747	1,563,264	2575	90.2	88.4-92.0	172	9.8	8.0-11.6
College Graduate	3624	1,102,275	3521	96.4	95.4-97.4	103	3.6	2.6- 4.6
Less than \$15,000	932	462,522	821	79.8	75.7-83.9	111	20.2	16.1-24.3
\$15,000- 24,999	1835	828,071	1644	80.6	77.5-83.7	191	19.4	16.3-22.5
\$25,000- 34,999	1143	493,080	1041	83.9	80.0-87.8	102	16.1	12.2-20.0
\$35,000- 49,999	1490	689,260	1396	90.1	87.7-92.5	94	9.9	7.5-12.3
\$50,000- 74,999	1512	707,699	1463	93.8	91.6-96.0	49	6.2	4.0- 8.4
\$75,000+	2618	1,280,565	2565	96.8	95.4-98.2	53	3.2	1.8- 4.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4543	2,467,373	4179	86.6	85.0-88.2	364	13.4	11.8-15.0
White/Non-Hisp	3846	1,975,824	3593	89.0	87.4-90.6	253	11.0	9.4-12.6
Black or Afr. Am./Non-Hisp	266	201,620	235	83.4	76.5-90.3	31	16.6	9.7-23.5
Oth. Race/Non-Hisp.	125	77,223	109	82.8	71.6-94.0	16	17.2	6.0-28.4
MultiRacial/Non-Hisp.	65	26,783	58	86.1	74.7-97.5	7	13.9	2.5-25.3
Hispanic	157	132,610	108	61.4	52.0-70.8	49	38.6	29.2-48.0
18-24	249	347,823	209	81.0	74.7-87.3	40	19.0	12.7-25.3
25-34	380	418,946	311	79.5	74.6-84.4	69	20.5	15.6-25.4
35-44	497	408,530	417	79.7	75.2-84.2	80	20.3	15.8-24.8
45-54	698	409,575	628	86.5	83.0-90.0	70	13.5	10.0-17.0
55-64	1011	414,541	936	92.2	90.0-94.4	75	7.8	5.6-10.0
65+	1655	445,766	1628	98.4	97.6-99.2	27	1.6	0.8- 2.4
Less Than H.S.	377	346,360	294	67.1	60.4-73.8	83	32.9	26.2-39.6
H.S. or G.E.D.	1458	841,663	1317	87.2	84.8-89.6	141	12.8	10.4-15.2
Some Post-H.S.	1022	708,290	942	88.7	86.0-91.4	80	11.3	8.6-14.0
College Graduate	1673	564,787	1614	95.1	93.5-96.7	59	4.9	3.3- 6.5
Less than \$15,000	314	198,350	257	71.6	64.3-78.9	57	28.4	21.1-35.7
\$15,000- 24,999	657	377,737	552	76.0	71.1-80.9	105	24.0	19.1-28.9
\$25,000- 34,999	440	230,730	385	79.0	72.5-85.5	55	21.0	14.5-27.5
\$35,000- 49,999	648	357,485	598	88.2	84.5-91.9	50	11.8	8.1-15.5
\$50,000- 74,999	711	365,477	675	91.1	87.8-94.4	36	8.9	5.6-12.2
\$75,000+	1308	692,437	1280	96.3	94.3-98.3	28	3.7	1.7- 5.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6493	2,599,685	6175	91.1	89.7-92.5	318	8.9	7.5-10.3
White/Non-Hisp	5561	2,123,066	5354	93.7	92.5-94.9	207	6.3	5.1- 7.5
Black or Afr. Am./Non-Hisp	466	231,294	431	86.9	81.4-92.4	35	13.1	7.6-18.6
Oth. Race/Non-Hisp.	97	44,650	92	89.5	76.6- 100	5	10.5	0.0-23.4
MultiRacial/Non-Hisp.	92	26,865	87	89.2	78.6-99.8	5	10.8	0.2-21.4
Hispanic	202	149,513	144	63.4	54.4-72.4	58	36.6	27.6-45.6
18-24	202	331,637	168	80.5	73.8-87.2	34	19.5	12.8-26.2
25-34	434	415,179	390	89.5	86.0-93.0	44	10.5	7.0-14.0
35-44	598	407,433	531	84.6	80.7-88.5	67	15.4	11.5-19.3
45-54	920	411,775	853	92.5	90.3-94.7	67	7.5	5.3- 9.7
55-64	1433	434,378	1364	95.2	93.8-96.6	69	4.8	3.4- 6.2
65+	2809	564,870	2777	98.7	98.1-99.3	32	1.3	0.7- 1.9
Less Than H.S.	514	314,253	457	79.1	73.2-85.0	57	20.9	15.0-26.8
H.S. or G.E.D.	2289	887,661	2168	91.1	89.1-93.1	121	8.9	6.9-10.9
Some Post-H.S.	1725	854,974	1633	91.5	89.1-93.9	92	8.5	6.1-10.9
College Graduate	1951	537,488	1907	97.7	96.9-98.5	44	2.3	1.5- 3.1
Less than \$15,000	618	264,172	564	86.1	81.6-90.6	54	13.9	9.4-18.4
\$15,000- 24,999	1178	450,334	1092	84.5	80.6-88.4	86	15.5	11.6-19.4
\$25,000- 34,999	703	262,350	656	88.3	83.6-93.0	47	11.7	7.0-16.4
\$35,000- 49,999	842	331,775	798	92.2	89.5-94.9	44	7.8	5.1-10.5
\$50,000- 74,999	801	342,222	788	96.7	94.3-99.1	13	3.3	0.9- 5.7
\$75,000+	1310	588,128	1285	97.4	96.0-98.8	25	2.6	1.2- 4.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11017	5,067,178	9041	75.9	74.7-77.1	721	5.8	5.2- 6.4	1255	18.3	17.1-19.5
Male	4528	2,460,806	3477	70.0	68.0-72.0	314	5.7	4.7- 6.7	737	24.3	22.3-26.3
Female	6489	2,606,372	5564	81.5	79.9-83.1	407	5.9	4.9- 6.9	518	12.6	11.2-14.0
White/Non-Hisp	9392	4,100,489	7834	77.9	76.5-79.3	621	6.0	5.2- 6.8	937	16.1	14.9-17.3
Black or Afr. Am./Non-Hisp	732	433,527	580	70.8	65.7-75.9	39	5.3	2.8- 7.8	113	23.9	19.0-28.8
Oth. Race/Non-Hisp.	223	121,964	163	67.1	57.3-76.9	12	2.6	0.8- 4.4	48	30.3	20.7-39.9
MultiRacial/Non-Hisp.	158	55,249	126	74.5	63.7-85.3	11	3.8	1.1- 6.5	21	21.6	10.8-32.4
Hispanic	357	281,637	228	59.9	53.2-66.6	17	4.8	1.9- 7.7	112	35.3	28.8-41.8
18-24	453	686,468	287	63.9	58.8-69.0	24	5.9	3.2- 8.6	142	30.2	25.5-34.9
25-34	815	832,921	508	60.7	56.6-64.8	34	3.9	2.3- 5.5	273	35.4	31.5-39.3
35-44	1093	815,792	850	75.3	72.0-78.6	32	3.2	1.8- 4.6	211	21.5	18.4-24.6
45-54	1617	821,416	1323	80.2	77.7-82.7	93	6.3	4.7- 7.9	201	13.6	11.4-15.8
55-64	2446	850,557	2066	83.0	81.0-85.0	155	6.5	5.1- 7.9	225	10.4	8.8-12.0
65+	4444	1,004,025	3878	87.0	85.6-88.4	371	8.5	7.3- 9.7	195	4.4	3.6- 5.2
Less Than H.S.	888	659,256	660	66.2	61.7-70.7	72	6.7	4.7- 8.7	156	27.1	22.6-31.6
H.S. or G.E.D.	3742	1,735,523	3023	75.2	73.0-77.4	268	6.5	5.3- 7.7	451	18.3	16.3-20.3
Some Post-H.S.	2738	1,560,077	2282	77.3	74.9-79.7	169	5.6	4.2- 7.0	287	17.1	14.9-19.3
College Graduate	3623	1,101,037	3057	80.9	78.9-82.9	209	4.6	3.8- 5.4	357	14.5	12.7-16.3
Less than \$15,000	931	461,502	696	65.4	60.7-70.1	72	6.9	4.7- 9.1	163	27.7	23.0-32.4
\$15,000- 24,999	1829	823,647	1458	70.0	66.7-73.3	122	6.7	4.9- 8.5	249	23.3	20.2-26.4
\$25,000- 34,999	1138	491,441	941	74.9	70.6-79.2	60	4.6	2.4- 6.8	137	20.6	16.7-24.5
\$35,000- 49,999	1483	687,596	1208	76.0	72.7-79.3	106	4.8	3.6- 6.0	169	19.3	16.0-22.6
\$50,000- 74,999	1507	707,308	1255	78.8	75.7-81.9	94	5.0	3.6- 6.4	158	16.1	13.2-19.0
\$75,000+	2619	1,282,287	2257	83.6	81.4-85.8	138	5.0	3.6- 6.4	224	11.4	9.4-13.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4528	2,460,806	3477	70.0	68.0-72.0	314	5.7	4.7- 6.7	737	24.3	22.3-26.3
White/Non-Hisp	3833	1,973,798	3013	72.6	70.4-74.8	272	5.9	4.9- 6.9	548	21.5	19.5-23.5
Black or Afr. Am./Non-Hisp	268	202,608	193	61.1	52.9-69.3	13	6.0	1.7-10.3	62	33.0	25.0-41.0
Oth. Race/Non-Hisp.	126	77,315	88	67.8	55.6-80.0	5	2.1	0.0- 4.3	33	30.1	18.1-42.1
MultiRacial/Non-Hisp.	66	26,967	49	63.7	45.3-82.1	4	2.2	0.0- 4.7	13	34.1	15.7-52.5
Hispanic	154	129,805	84	49.4	39.6-59.2	8	5.0	0.3- 9.7	62	45.6	35.8-55.4
18-24	248	350,132	140	59.0	51.9-66.1	13	4.8	1.9- 7.7	95	36.2	29.3-43.1
25-34	379	415,879	198	50.2	44.3-56.1	14	4.1	1.6- 6.6	167	45.6	39.7-51.5
35-44	496	408,839	347	66.9	61.6-72.2	13	2.5	0.7- 4.3	136	30.6	25.5-35.7
45-54	698	408,440	545	76.9	72.8-81.0	41	6.2	4.0- 8.4	112	16.9	13.4-20.4
55-64	1011	414,803	821	79.5	76.2-82.8	60	5.9	3.9- 7.9	130	14.5	11.6-17.4
65+	1643	440,520	1380	84.2	81.8-86.6	169	10.3	8.3-12.3	94	5.5	4.1- 6.9
Less Than H.S.	374	342,831	239	54.8	47.9-61.7	28	6.3	3.2- 9.4	107	38.9	32.0-45.8
H.S. or G.E.D.	1455	843,669	1084	70.0	66.7-73.3	115	7.0	5.2- 8.8	256	22.9	20.0-25.8
Some Post-H.S.	1014	704,361	791	72.1	68.2-76.0	64	4.8	3.0- 6.6	159	23.1	19.4-26.8
College Graduate	1672	563,672	1353	76.9	74.0-79.8	105	4.2	3.0- 5.4	214	18.9	16.2-21.6
Less than \$15,000	313	197,413	209	56.9	49.3-64.5	16	4.9	1.8- 8.0	88	38.3	30.7-45.9
\$15,000- 24,999	653	373,610	450	59.7	54.2-65.2	51	6.6	4.1- 9.1	152	33.7	28.2-39.2
\$25,000- 34,999	435	227,514	325	63.7	56.6-70.8	20	4.7	0.8- 8.6	90	31.6	24.7-38.5
\$35,000- 49,999	645	357,272	489	69.3	64.0-74.6	58	5.4	3.6- 7.2	98	25.3	20.2-30.4
\$50,000- 74,999	706	363,841	544	70.9	65.8-76.0	54	6.1	3.9- 8.3	108	22.9	18.0-27.8
\$75,000+	1310	694,294	1111	82.3	79.4-85.2	66	4.2	2.8- 5.6	133	13.5	10.8-16.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6489	2,606,372	5564	81.5	79.9-83.1	407	5.9	4.9- 6.9	518	12.6	11.2-14.0
White/Non-Hisp	5559	2,126,692	4821	82.8	81.0-84.6	349	6.2	5.2- 7.2	389	11.0	9.6-12.4
Black or Afr. Am./Non-Hisp	464	230,919	387	79.3	73.2-85.4	26	4.7	1.8- 7.6	51	16.0	10.5-21.5
Oth. Race/Non-Hisp.	97	44,650	75	65.8	49.7-81.9	7	3.5	0.2- 6.8	15	30.6	14.3-46.9
MultiRacial/Non-Hisp.	92	28,281	77	84.8	75.4-94.2	7	5.4	0.7-10.1	8	9.8	1.6-18.0
Hispanic	203	151,832	144	68.9	60.3-77.5	9	4.6	1.1- 8.1	50	26.5	18.3-34.7
18-24	205	336,336	147	69.1	61.8-76.4	11	7.0	2.5-11.5	47	24.0	17.3-30.7
25-34	436	417,042	310	71.2	66.1-76.3	20	3.7	1.7- 5.7	106	25.1	20.2-30.0
35-44	597	406,952	503	83.8	80.1-87.5	19	3.9	1.9- 5.9	75	12.3	9.0-15.6
45-54	919	412,976	778	83.4	80.3-86.5	52	6.3	4.1- 8.5	89	10.3	7.9-12.7
55-64	1435	435,754	1245	86.4	84.0-88.8	95	7.1	5.3- 8.9	95	6.6	5.0- 8.2
65+	2801	563,505	2498	89.3	87.7-90.9	202	7.2	6.0- 8.4	101	3.6	2.6- 4.6
Less Than H.S.	514	316,424	421	78.6	73.3-83.9	44	7.1	4.4- 9.8	49	14.4	9.5-19.3
H.S. or G.E.D.	2287	891,855	1939	80.1	77.6-82.6	153	5.9	4.5- 7.3	195	14.0	11.6-16.4
Some Post-H.S.	1724	855,717	1491	81.7	78.6-84.8	105	6.1	4.1- 8.1	128	12.2	9.7-14.7
College Graduate	1951	537,366	1704	85.1	82.7-87.5	104	5.0	3.6- 6.4	143	9.9	7.7-12.1
Less than \$15,000	618	264,089	487	71.8	65.9-77.7	56	8.4	5.5-11.3	75	19.8	14.3-25.3
\$15,000- 24,999	1176	450,037	1008	78.6	74.7-82.5	71	6.8	4.4- 9.2	97	14.6	11.1-18.1
\$25,000- 34,999	703	263,927	616	84.5	80.2-88.8	40	4.4	2.0- 6.8	47	11.1	7.2-15.0
\$35,000- 49,999	838	330,324	719	83.2	79.3-87.1	48	4.2	2.6- 5.8	71	12.7	9.2-16.2
\$50,000- 74,999	801	343,466	711	87.1	83.8-90.4	40	3.9	2.1- 5.7	50	9.0	5.9-12.1
\$75,000+	1309	587,993	1146	85.2	81.9-88.5	72	5.9	3.5- 8.3	91	9.0	6.5-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11047	5,079,631	983	12.6	11.6-13.6	10064	87.4	86.4-88.4
Male	4551	2,476,297	375	11.5	10.1-12.9	4176	88.5	87.1-89.9
Female	6496	2,603,334	608	13.7	12.3-15.1	5888	86.3	84.9-87.7
White/Non-Hisp	9415	4,109,262	730	11.0	10.0-12.0	8685	89.0	88.0-90.0
Black or Afr. Am./Non-Hisp	732	433,151	104	17.8	13.5-22.1	628	82.2	77.9-86.5
Oth. Race/Non-Hisp.	223	120,808	32	17.7	8.9-26.5	191	82.3	73.5-91.1
MultiRacial/Non-Hisp.	157	55,427	30	18.2	9.2-27.2	127	81.8	72.8-90.8
Hispanic	361	283,372	70	24.1	18.0-30.2	291	75.9	69.8-82.0
18-24	458	689,754	63	15.1	11.2-19.0	395	84.9	81.0-88.8
25-34	817	835,797	133	16.1	13.2-19.0	684	83.9	81.0-86.8
35-44	1093	815,190	166	17.5	14.6-20.4	927	82.5	79.6-85.4
45-54	1619	821,543	232	15.7	13.3-18.1	1387	84.3	81.9-86.7
55-64	2450	851,217	235	10.8	9.0-12.6	2215	89.2	87.4-91.0
65+	4460	1,009,541	145	3.3	2.5- 4.1	4315	96.7	95.9-97.5
Less Than H.S.	891	659,776	146	22.1	18.0-26.2	745	77.9	73.8-82.0
H.S. or G.E.D.	3751	1,737,779	372	13.4	11.6-15.2	3379	86.6	84.8-88.4
Some Post-H.S.	2750	1,567,175	266	11.7	9.9-13.5	2484	88.3	86.5-90.1
College Graduate	3627	1,102,276	199	7.1	5.7- 8.5	3428	92.9	91.5-94.3
Less than \$15,000	931	460,895	173	22.7	18.6-26.8	758	77.3	73.2-81.4
\$15,000- 24,999	1836	828,269	280	22.5	19.4-25.6	1556	77.5	74.4-80.6
\$25,000- 34,999	1144	495,459	136	17.3	13.8-20.8	1008	82.7	79.2-86.2
\$35,000- 49,999	1489	689,332	118	11.1	8.6-13.6	1371	88.9	86.4-91.4
\$50,000- 74,999	1510	708,257	101	9.4	7.2-11.6	1409	90.6	88.4-92.8
\$75,000+	2620	1,282,631	77	4.3	3.1- 5.5	2543	95.7	94.5-96.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4551	2,476,297	375	11.5	10.1-12.9	4176	88.5	87.1-89.9
White/Non-Hisp	3849	1,982,105	287	10.7	9.1-12.3	3562	89.3	87.7-90.9
Black or Afr. Am./Non-Hisp	266	201,856	32	13.3	7.8-18.8	234	86.7	81.2-92.2
Oth. Race/Non-Hisp.	127	78,196	17	15.6	4.8-26.4	110	84.4	73.6-95.2
MultiRacial/Non-Hisp.	66	26,967	8	11.6	2.0-21.2	58	88.4	78.8-98.0
Hispanic	159	133,859	23	17.4	9.6-25.2	136	82.6	74.8-90.4
18-24	253	353,418	20	9.8	5.3-14.3	233	90.2	85.7-94.7
25-34	382	420,792	53	13.8	9.9-17.7	329	86.2	82.3-90.1
35-44	497	409,109	73	17.7	13.4-22.0	424	82.3	78.0-86.6
45-54	700	410,757	89	14.8	11.3-18.3	611	85.2	81.7-88.7
55-64	1012	414,969	88	10.6	7.9-13.3	924	89.4	86.7-92.1
65+	1654	445,060	51	3.1	1.9- 4.3	1603	96.9	95.7-98.1
Less Than H.S.	377	346,360	71	23.7	17.8-29.6	306	76.3	70.4-82.2
H.S. or G.E.D.	1460	846,739	140	10.3	8.1-12.5	1320	89.7	87.5-91.9
Some Post-H.S.	1024	710,408	93	11.7	9.0-14.4	931	88.3	85.6-91.0
College Graduate	1676	565,475	71	5.6	3.8- 7.4	1605	94.4	92.6-96.2
Less than \$15,000	314	198,794	61	23.2	16.5-29.9	253	76.8	70.1-83.5
\$15,000- 24,999	657	377,737	105	21.9	17.2-26.6	552	78.1	73.4-82.8
\$25,000- 34,999	440	231,274	52	18.5	12.8-24.2	388	81.5	75.8-87.2
\$35,000- 49,999	649	358,499	44	8.1	4.8-11.4	605	91.9	88.6-95.2
\$50,000- 74,999	709	364,791	46	9.9	6.6-13.2	663	90.1	86.8-93.4
\$75,000+	1310	694,503	37	3.9	2.3- 5.5	1273	96.1	94.5-97.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6496	2,603,334	608	13.7	12.3-15.1	5888	86.3	84.9-87.7
White/Non-Hisp	5566	2,127,157	443	11.4	10.0-12.8	5123	88.6	87.2-90.0
Black or Afr. Am./Non-Hisp	466	231,294	72	21.8	15.7-27.9	394	78.2	72.1-84.3
Oth. Race/Non-Hisp.	96	42,612	15	21.6	6.9-36.3	81	78.4	63.7-93.1
MultiRacial/Non-Hisp.	91	28,460	22	24.4	10.3-38.5	69	75.6	61.5-89.7
Hispanic	202	149,513	47	30.1	21.3-38.9	155	69.9	61.1-78.7
18-24	205	336,336	43	20.7	14.4-27.0	162	79.3	73.0-85.6
25-34	435	415,005	80	18.4	14.1-22.7	355	81.6	77.3-85.9
35-44	596	406,081	93	17.3	13.4-21.2	503	82.7	78.8-86.6
45-54	919	410,786	143	16.6	13.7-19.5	776	83.4	80.5-86.3
55-64	1438	436,249	147	11.0	8.8-13.2	1291	89.0	86.8-91.2
65+	2806	564,481	94	3.5	2.5- 4.5	2712	96.5	95.5-97.5
Less Than H.S.	514	313,416	75	20.4	14.7-26.1	439	79.6	73.9-85.3
H.S. or G.E.D.	2291	891,040	232	16.3	13.8-18.8	2059	83.7	81.2-86.2
Some Post-H.S.	1726	856,767	173	11.7	9.5-13.9	1553	88.3	86.1-90.5
College Graduate	1951	536,801	128	8.7	6.7-10.7	1823	91.3	89.3-93.3
Less than \$15,000	617	262,101	112	22.3	17.2-27.4	505	77.7	72.6-82.8
\$15,000- 24,999	1179	450,532	175	22.9	18.8-27.0	1004	77.1	73.0-81.2
\$25,000- 34,999	704	264,185	84	16.2	11.9-20.5	620	83.8	79.5-88.1
\$35,000- 49,999	840	330,834	74	14.3	10.2-18.4	766	85.7	81.6-89.8
\$50,000- 74,999	801	343,466	55	8.9	6.0-11.8	746	91.1	88.2-94.0
\$75,000+	1310	588,128	40	4.9	2.7- 7.1	1270	95.1	92.9-97.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10976	5,048,456	8244	67.2	65.8-68.6	1121	12.6	11.6-13.6	690	8.6	7.8- 9.4	865	10.8	9.8-11.8	56	0.8	0.4- 1.2
Male	4514	2,454,889	3199	61.8	59.6-64.0	466	12.8	11.2-14.4	347	10.3	8.9-11.7	467	13.8	12.2-15.4	35	1.4	0.8- 2.0
Female	6462	2,593,567	5045	72.2	70.4-74.0	655	12.4	11.0-13.8	343	7.1	6.1- 8.1	398	8.1	6.9- 9.3	21	0.3	0.1- 0.5
White/Non-Hisp	9355	4,086,446	7064	68.1	66.7-69.5	935	12.0	11.0-13.0	592	8.6	7.6- 9.6	730	10.7	9.7-11.7	34	0.5	0.3- 0.7
Black or Afr. Am./Non-Hisp	732	433,067	587	71.4	66.3-76.5	79	13.9	10.2-17.6	27	5.0	2.6- 7.4	35	8.3	4.8-11.8	4	1.5	0.0- 3.3
Oth. Race/Non-Hisp.	221	119,460	150	57.9	47.5-68.3	30	19.6	10.6-28.6	18	9.2	3.7-14.7	22	13.1	5.8-20.4	1	0.2	0.0- 0.6
MultiRacial/Non-Hisp.	156	55,023	113	62.4	50.1-74.7	11	8.0	2.5-13.5	14	18.0	6.0-30.0	17	11.5	4.1-18.9	1	0.1	0.0- 0.3
Hispanic	357	278,719	216	52.1	45.4-58.8	53	18.2	12.7-23.7	33	12.4	7.5-17.3	42	13.3	8.4-18.2	13	4.0	1.5- 6.5
18-24	451	681,717	261	58.7	53.4-64.0	74	16.4	12.5-20.3	61	13.4	9.9-16.9	51	10.6	7.5-13.7	4	0.8	0.0- 1.6
25-34	811	829,711	425	50.6	46.5-54.7	136	16.5	13.6-19.4	104	13.3	10.6-16.0	136	17.9	14.8-21.0	10	1.7	0.5- 2.9
35-44	1091	811,908	649	57.6	53.9-61.3	172	15.6	12.9-18.3	111	10.2	8.0-12.4	148	15.2	12.5-17.9	11	1.3	0.3- 2.3
45-54	1616	820,910	1166	70.2	67.3-73.1	178	11.3	9.3-13.3	111	7.4	5.6- 9.2	155	10.7	8.7-12.7	6	0.4	0.0- 0.8
55-64	2435	846,372	1828	73.9	71.7-76.1	246	10.5	8.9-12.1	153	6.7	5.3- 8.1	199	8.5	7.1- 9.9	9	0.4	0.0- 0.8
65+	4425	1,003,196	3797	85.5	84.1-86.9	302	7.1	6.1- 8.1	143	3.0	2.4- 3.6	168	4.0	3.2- 4.8	15	0.4	0.2- 0.6
Less Than H.S.	884	655,215	630	60.6	55.9-65.3	90	12.7	9.4-16.0	60	10.4	7.3-13.5	84	13.1	9.8-16.4	20	3.1	1.5- 4.7
H.S. or G.E.D.	3710	1,723,293	2793	68.0	65.6-70.4	374	12.1	10.5-13.7	211	8.1	6.7- 9.5	312	11.3	9.7-12.9	20	0.6	0.2- 1.0
Some Post-H.S.	2741	1,560,899	2081	67.5	65.0-70.0	268	12.4	10.6-14.2	173	8.5	6.9-10.1	211	11.0	9.2-12.8	8	0.6	0.0- 1.2
College Graduate	3614	1,097,467	2723	69.5	67.3-71.7	383	13.3	11.7-14.9	243	8.5	7.1- 9.9	257	8.5	7.1- 9.9	8	0.2	0.0- 0.4
Less than \$15,000	920	457,326	698	69.7	65.2-74.2	85	11.8	8.5-15.1	44	6.0	3.8- 8.2	84	10.5	7.6-13.4	9	2.0	0.4- 3.6
\$15,000- 24,999	1821	820,076	1393	65.5	62.0-69.0	167	11.7	9.3-14.1	101	9.5	7.1-11.9	149	12.0	9.5-14.5	11	1.3	0.1- 2.5
\$25,000- 34,999	1140	493,062	839	62.3	57.8-66.8	136	16.4	12.9-19.9	75	10.1	7.0-13.2	83	10.1	7.4-12.8	7	1.1	0.1- 2.1
\$35,000- 49,999	1484	687,350	1105	65.3	61.6-69.0	137	11.5	9.0-14.0	88	7.4	5.2- 9.6	148	15.2	12.3-18.1	6	0.6	0.0- 1.2
\$50,000- 74,999	1506	707,011	1107	65.3	61.6-69.0	160	13.1	10.4-15.8	118	10.2	7.8-12.6	116	11.0	8.5-13.5	5	0.5	0.1- 0.9
\$75,000+	2613	1,275,989	1951	69.6	67.1-72.1	310	13.5	11.5-15.5	172	8.4	6.8-10.0	173	8.2	6.6- 9.8	7	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4514	2,454,889	3199	61.8	59.6-64.0	466	12.8	11.2-14.4	347	10.3	8.9-11.7	467	13.8	12.2-15.4	35	1.4	0.8- 2.0
White/Non-Hisp	3820	1,967,346	2747	63.3	61.1-65.5	373	11.9	10.3-13.5	297	10.3	8.7-11.9	385	13.7	12.1-15.3	18	0.8	0.4- 1.2
Black or Afr. Am./Non-Hisp	267	202,338	194	63.6	55.4-71.8	34	14.6	8.7-20.5	16	7.1	3.2-11.0	20	12.3	6.2-18.4	3	2.4	0.0- 6.1
Oth. Race/Non-Hisp.	125	75,822	78	57.5	44.0-71.0	21	22.9	10.4-35.4	12	11.1	3.3-18.9	13	8.2	1.9-14.5	1	0.3	0.0- 0.9
MultiRacial/Non-Hisp.	65	26,637	44	56.9	37.5-76.3	5	8.0	0.4-15.6	6	26.0	5.0-47.0	9	8.9	1.1-16.7	1	0.3	0.0- 0.9
Hispanic	156	130,648	83	42.2	32.8-51.6	28	20.9	12.7-29.1	11	11.5	4.2-18.8	25	18.6	10.8-26.4	9	6.7	1.8-11.6
18-24	247	346,032	124	50.0	42.7-57.3	45	18.4	12.9-23.9	41	17.1	11.6-22.6	33	12.9	8.2-17.6	4	1.6	0.0- 3.4
25-34	379	417,588	167	43.6	37.7-49.5	64	15.8	11.5-20.1	53	14.7	10.4-19.0	86	22.8	17.9-27.7	9	3.0	0.6- 5.4
35-44	495	405,746	249	47.8	42.3-53.3	85	17.1	12.8-21.4	56	10.8	7.5-14.1	97	22.1	17.6-26.6	8	2.1	0.3- 3.9
45-54	699	410,481	484	66.6	62.1-71.1	73	11.2	8.1-14.3	57	8.9	6.2-11.6	82	12.6	9.3-15.9	3	0.6	0.0- 1.4
55-64	1005	412,019	727	72.0	68.5-75.5	100	10.1	7.7-12.5	75	8.2	6.0-10.4	99	9.1	6.9-11.3	4	0.5	0.0- 1.1
65+	1638	442,361	1405	86.2	84.0-88.4	97	6.0	4.4- 7.6	62	3.4	2.2- 4.6	67	3.9	2.7- 5.1	7	0.4	0.0- 0.8
Less Than H.S.	374	342,889	232	51.4	44.5-58.3	42	13.8	8.9-18.7	32	12.1	7.4-16.8	52	17.6	12.3-22.9	16	5.2	2.3- 8.1
H.S. or G.E.D.	1441	838,091	1017	63.0	59.5-66.5	148	12.6	10.1-15.1	105	9.6	7.2-12.0	161	14.1	11.6-16.6	10	0.8	0.2- 1.4
Some Post-H.S.	1019	705,365	723	61.9	57.8-66.0	99	12.5	9.6-15.4	83	10.6	7.9-13.3	109	13.9	11.0-16.8	5	1.1	0.0- 2.3
College Graduate	1667	562,271	1221	66.8	63.7-69.9	172	12.6	10.2-15.0	126	9.8	7.6-12.0	144	10.6	8.4-12.8	4	0.3	0.0- 0.7
Less than \$15,000	310	194,448	212	61.6	54.2-69.0	27	9.9	5.4-14.4	15	6.1	2.4- 9.8	49	18.6	12.3-24.9	7	3.9	0.6- 7.2
\$15,000- 24,999	649	372,581	461	58.4	52.7-64.1	62	12.8	8.7-16.9	42	9.6	6.1-13.1	79	16.7	12.4-21.0	5	2.5	0.0- 5.0
\$25,000- 34,999	438	230,156	298	56.9	50.0-63.8	49	14.9	9.8-20.0	37	13.1	8.0-18.2	51	13.9	9.2-18.6	3	1.2	0.0- 2.8
\$35,000- 49,999	643	355,846	451	60.5	55.0-66.0	62	11.2	7.7-14.7	51	9.7	6.2-13.2	74	17.5	13.0-22.0	5	1.1	0.0- 2.3
\$50,000- 74,999	708	365,010	494	59.0	53.7-64.3	72	13.2	9.3-17.1	66	12.9	9.0-16.8	72	14.1	10.0-18.2	4	0.8	0.0- 1.8
\$75,000+	1304	689,168	939	66.5	62.8-70.2	160	14.6	11.7-17.5	100	9.6	7.2-12.0	100	8.8	6.6-11.0	5	0.5	0.0- 1.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6462	2,593,567	5045	72.2	70.4-74.0	655	12.4	11.0-13.8	343	7.1	6.1- 8.1	398	8.1	6.9- 9.3	21	0.3	0.1- 0.5
White/Non-Hisp	5535	2,119,099	4317	72.6	70.8-74.4	562	12.0	10.6-13.4	295	7.1	5.9- 8.3	345	8.0	6.8- 9.2	16	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	465	230,729	393	78.2	72.3-84.1	45	13.3	8.6-18.0	11	3.2	0.5- 5.9	15	4.7	1.2- 8.2	1	0.6	0.0- 1.8
Oth. Race/Non-Hisp.	96	43,637	72	58.6	42.5-74.7	9	14.0	2.8-25.2	6	5.9	0.0-12.2	9	21.5	6.2-36.8			
MultiRacial/Non-Hisp.	91	28,386	69	67.6	52.7-82.5	6	7.9	0.3-15.5	8	10.6	1.2-20.0	8	13.9	1.6-26.2			
Hispanic	201	148,070	133	60.8	51.6-70.0	25	15.9	8.8-23.0	22	13.1	6.6-19.6	17	8.6	2.7-14.5	4	1.6	0.0- 3.8
18-24	204	335,685	137	67.8	60.5-75.1	29	14.4	8.9-19.9	20	9.6	5.3-13.9	18	8.2	4.1-12.3			
25-34	432	412,123	258	57.7	52.0-63.4	72	17.2	12.9-21.5	51	11.9	8.2-15.6	50	12.9	8.8-17.0	1	0.3	0.0- 0.9
35-44	596	406,162	400	67.4	62.7-72.1	87	14.2	10.7-17.7	55	9.5	6.6-12.4	51	8.3	5.6-11.0	3	0.5	0.0- 1.3
45-54	917	410,429	682	73.9	70.4-77.4	105	11.3	8.8-13.8	54	5.9	3.9- 7.9	73	8.7	6.3-11.1	3	0.2	0.0- 0.4
55-64	1430	434,353	1101	75.6	72.9-78.3	146	11.0	8.8-13.2	78	5.2	3.8- 6.6	100	7.9	6.1- 9.7	5	0.3	0.0- 0.7
65+	2787	560,836	2392	84.9	83.1-86.7	205	8.0	6.6- 9.4	81	2.7	1.9- 3.5	101	4.1	3.1- 5.1	8	0.3	0.1- 0.5
Less Than H.S.	510	312,327	398	70.8	64.7-76.9	48	11.5	7.2-15.8	28	8.6	4.7-12.5	32	8.3	4.6-12.0	4	0.8	0.0- 1.8
H.S. or G.E.D.	2269	885,202	1776	72.7	69.8-75.6	226	11.7	9.5-13.9	106	6.6	4.8- 8.4	151	8.5	6.7-10.3	10	0.4	0.0- 0.8
Some Post-H.S.	1722	855,534	1358	72.1	68.8-75.4	169	12.3	9.9-14.7	90	6.9	4.9- 8.9	102	8.6	6.4-10.8	3	0.1	0.0- 0.3
College Graduate	1947	535,196	1502	72.4	69.5-75.3	211	13.9	11.5-16.3	117	7.2	5.4- 9.0	113	6.4	4.8- 8.0	4	0.1	0.1- 0.1
Less than \$15,000	610	262,878	486	75.8	70.3-81.3	58	13.2	8.5-17.9	29	5.9	3.2- 8.6	35	4.5	2.3- 6.7	2	0.6	0.0- 1.8
\$15,000- 24,999	1172	447,496	932	71.3	67.0-75.6	105	10.8	8.1-13.5	59	9.4	6.1-12.7	70	8.1	5.4-10.8	6	0.4	0.0- 0.8
\$25,000- 34,999	702	262,905	541	67.0	61.1-72.9	87	17.7	12.8-22.6	38	7.5	4.0-11.0	32	6.8	3.7- 9.9	4	1.0	0.0- 2.2
\$35,000- 49,999	841	331,504	654	70.3	65.6-75.0	75	11.9	8.4-15.4	37	5.0	2.8- 7.2	74	12.8	9.3-16.3	1	0.0	0.0- 0.0
\$50,000- 74,999	798	342,001	613	72.2	67.5-76.9	88	12.9	9.0-16.8	52	7.2	4.7- 9.7	44	7.7	5.0-10.4	1	0.1	0.0- 0.3
\$75,000+	1309	586,822	1012	73.3	69.8-76.8	150	12.2	9.7-14.7	72	7.0	4.6- 9.4	73	7.4	5.0- 9.8	2	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016

SECTION 4: EXERCISE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 4: EXERCISE**

**TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11042	5,083,691	7835	73.2	72.0-74.4	3207	26.8	25.6-28.0
Male	4548	2,475,070	3361	75.0	73.2-76.8	1187	25.0	23.2-26.8
Female	6494	2,608,620	4474	71.5	69.9-73.1	2020	28.5	26.9-30.1
White/Non-Hisp	9407	4,109,890	6704	73.7	72.5-74.9	2703	26.3	25.1-27.5
Black or Afr. Am./Non-Hisp	732	433,414	504	72.5	67.8-77.2	228	27.5	22.8-32.2
Oth. Race/Non-Hisp.	224	122,845	165	74.5	64.9-84.1	59	25.5	15.9-35.1
MultiRacial/Non-Hisp.	159	55,558	115	75.7	65.9-85.5	44	24.3	14.5-34.1
Hispanic	362	285,691	239	67.1	61.0-73.2	123	32.9	26.8-39.0
18-24	458	689,754	382	83.6	79.7-87.5	76	16.4	12.5-20.3
25-34	817	837,571	647	78.6	75.3-81.9	170	21.4	18.1-24.7
35-44	1096	817,006	879	77.9	74.8-81.0	217	22.1	19.0-25.2
45-54	1619	823,004	1217	71.0	68.1-73.9	402	29.0	26.1-31.9
55-64	2448	850,814	1717	68.1	65.7-70.5	731	31.9	29.5-34.3
65+	4454	1,009,020	2870	63.6	61.8-65.4	1584	36.4	34.6-38.2
Less Than H.S.	890	661,514	473	58.8	54.3-63.3	417	41.2	36.7-45.7
H.S. or G.E.D.	3746	1,738,779	2307	66.0	63.8-68.2	1439	34.0	31.8-36.2
Some Post-H.S.	2750	1,567,150	1996	77.7	75.7-79.7	754	22.3	20.3-24.3
College Graduate	3628	1,103,623	3041	86.9	85.5-88.3	587	13.1	11.7-14.5
Less than \$15,000	933	463,194	498	57.5	52.8-62.2	435	42.5	37.8-47.2
\$15,000- 24,999	1832	827,611	1074	62.0	58.7-65.3	758	38.0	34.7-41.3
\$25,000- 34,999	1143	495,419	746	69.1	65.2-73.0	397	30.9	27.0-34.8
\$35,000- 49,999	1487	688,328	1078	73.0	69.9-76.1	409	27.0	23.9-30.1
\$50,000- 74,999	1512	709,162	1176	79.2	76.3-82.1	336	20.8	17.9-23.7
\$75,000+	2620	1,282,717	2236	86.3	84.5-88.1	384	13.7	11.9-15.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 4: EXERCISE**

**TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4548	2,475,070	3361	75.0	73.2-76.8	1187	25.0	23.2-26.8
White/Non-Hisp	3845	1,981,444	2828	74.9	73.1-76.7	1017	25.1	23.3-26.9
Black or Afr. Am./Non-Hisp	268	202,608	204	78.8	72.1-85.5	64	21.2	14.5-27.9
Oth. Race/Non-Hisp.	127	78,196	97	77.3	65.3-89.3	30	22.7	10.7-34.7
MultiRacial/Non-Hisp.	66	26,967	56	88.9	78.7-99.1	10	11.1	0.9-21.3
Hispanic	159	133,859	114	69.0	60.0-78.0	45	31.0	22.0-40.0
18-24	253	353,418	216	85.4	80.5-90.3	37	14.6	9.7-19.5
25-34	382	420,792	317	82.1	77.6-86.6	65	17.9	13.4-22.4
35-44	498	409,573	398	77.3	72.6-82.0	100	22.7	18.0-27.4
45-54	699	409,294	520	69.9	65.6-74.2	179	30.1	25.8-34.4
55-64	1012	415,062	702	67.6	63.9-71.3	310	32.4	28.7-36.1
65+	1652	444,997	1165	69.3	66.4-72.2	487	30.7	27.8-33.6
Less Than H.S.	375	344,845	214	61.8	55.3-68.3	161	38.2	31.7-44.7
H.S. or G.E.D.	1458	846,387	940	68.4	65.3-71.5	518	31.6	28.5-34.7
Some Post-H.S.	1024	710,429	777	79.7	76.6-82.8	247	20.3	17.2-23.4
College Graduate	1677	566,094	1420	87.3	85.3-89.3	257	12.7	10.7-14.7
Less than \$15,000	315	199,231	175	56.9	49.6-64.2	140	43.1	35.8-50.4
\$15,000- 24,999	654	377,168	411	65.3	60.2-70.4	243	34.7	29.6-39.8
\$25,000- 34,999	441	231,507	291	71.5	65.6-77.4	150	28.5	22.6-34.4
\$35,000- 49,999	646	356,770	458	71.4	66.5-76.3	188	28.6	23.7-33.5
\$50,000- 74,999	711	365,477	553	79.3	75.4-83.2	158	20.7	16.8-24.6
\$75,000+	1311	694,798	1134	88.0	85.8-90.2	177	12.0	9.8-14.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 4: EXERCISE**

**TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6494	2,608,620	4474	71.5	69.9-73.1	2020	28.5	26.9-30.1
White/Non-Hisp	5562	2,128,446	3876	72.6	70.8-74.4	1686	27.4	25.6-29.2
Black or Afr. Am./Non-Hisp	464	230,806	300	66.8	60.5-73.1	164	33.2	26.9-39.5
Oth. Race/Non-Hisp.	97	44,650	68	69.6	53.9-85.3	29	30.4	14.7-46.1
MultiRacial/Non-Hisp.	93	28,591	59	63.2	48.3-78.1	34	36.8	21.9-51.7
Hispanic	203	151,832	125	65.3	56.9-73.7	78	34.7	26.3-43.1
18-24	205	336,336	166	81.7	75.6-87.8	39	18.3	12.2-24.4
25-34	435	416,779	330	75.0	70.1-79.9	105	25.0	20.1-29.9
35-44	598	407,433	481	78.4	74.3-82.5	117	21.6	17.5-25.7
45-54	920	413,710	697	72.1	68.4-75.8	223	27.9	24.2-31.6
55-64	1436	435,752	1015	68.7	65.8-71.6	421	31.3	28.4-34.2
65+	2802	564,023	1705	59.1	56.7-61.5	1097	40.9	38.5-43.3
Less Than H.S.	515	316,669	259	55.4	49.3-61.5	256	44.6	38.5-50.7
H.S. or G.E.D.	2288	892,392	1367	63.7	60.8-66.6	921	36.3	33.4-39.2
Some Post-H.S.	1726	856,720	1219	76.1	73.4-78.8	507	23.9	21.2-26.6
College Graduate	1951	537,529	1621	86.4	84.2-88.6	330	13.6	11.4-15.8
Less than \$15,000	618	263,963	323	57.9	52.0-63.8	295	42.1	36.2-48.0
\$15,000- 24,999	1178	450,443	663	59.2	54.9-63.5	515	40.8	36.5-45.1
\$25,000- 34,999	702	263,912	455	67.1	61.8-72.4	247	32.9	27.6-38.2
\$35,000- 49,999	841	331,559	620	74.6	70.5-78.7	221	25.4	21.3-29.5
\$50,000- 74,999	801	343,685	623	79.1	75.0-83.2	178	20.9	16.8-25.0
\$75,000+	1309	587,919	1102	84.3	81.4-87.2	207	15.7	12.8-18.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016

SECTION 5: INADEQUATE SLEEP CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 5: INADEQUATE SLEEP**

**TABLE 1: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10969	5,056,921	3518	36.0	34.6-37.4	6983	60.5	59.1-61.9	468	3.5	3.1- 3.9
Male	4527	2,464,701	1493	37.9	35.9-39.9	2854	58.8	56.6-61.0	180	3.3	2.5- 4.1
Female	6442	2,592,220	2025	34.2	32.4-36.0	4129	62.1	60.3-63.9	288	3.7	3.1- 4.3
White/Non-Hisp	9359	4,090,779	2886	34.8	33.4-36.2	6079	61.7	60.1-63.3	394	3.5	2.9- 4.1
Black or Afr. Am./Non-Hisp	726	430,250	308	47.7	42.4-53.0	380	48.0	42.7-53.3	38	4.3	2.5- 6.1
Oth. Race/Non-Hisp.	221	122,338	71	30.3	20.7-39.9	139	68.7	59.1-78.3	11	1.0	0.0- 2.0
MultiRacial/Non-Hisp.	156	55,127	69	50.1	38.1-62.1	79	46.3	34.5-58.1	8	3.7	0.6- 6.8
Hispanic	360	284,322	129	32.2	26.1-38.3	220	64.4	58.1-70.7	11	3.4	0.9- 5.9
18-24	456	687,017	155	34.5	29.4-39.6	282	61.5	56.4-66.6	19	3.9	1.9- 5.9
25-34	816	836,501	322	40.5	36.4-44.6	476	57.3	53.2-61.4	18	2.2	1.0- 3.4
35-44	1090	812,885	414	39.7	36.0-43.4	654	58.6	54.9-62.3	22	1.7	0.9- 2.5
45-54	1613	821,132	654	42.6	39.5-45.7	919	55.1	52.0-58.2	40	2.3	1.5- 3.1
55-64	2429	842,418	856	36.1	33.7-38.5	1479	59.6	57.1-62.1	94	4.2	3.0- 5.4
65+	4418	1,001,277	1073	24.6	22.8-26.4	3074	69.1	67.3-70.9	271	6.3	5.3- 7.3
Less Than H.S.	867	654,053	356	40.6	35.9-45.3	446	53.4	48.7-58.1	65	6.0	4.2- 7.8
H.S. or G.E.D.	3716	1,727,861	1250	36.7	34.3-39.1	2262	58.8	56.4-61.2	204	4.6	3.6- 5.6
Some Post-H.S.	2739	1,561,426	915	37.9	35.4-40.4	1713	59.3	56.8-61.8	111	2.8	2.0- 3.6
College Graduate	3621	1,101,413	989	29.6	27.4-31.8	2546	68.9	66.7-71.1	86	1.5	1.1- 1.9
Less than \$15,000	916	458,281	377	42.5	37.8-47.2	463	50.2	45.5-54.9	76	7.3	5.1- 9.5
\$15,000- 24,999	1820	823,824	655	40.0	36.5-43.5	1055	54.6	51.1-58.1	110	5.4	4.0- 6.8
\$25,000- 34,999	1139	494,173	352	36.5	32.2-40.8	721	59.3	54.8-63.8	66	4.2	2.6- 5.8
\$35,000- 49,999	1488	688,922	463	38.0	34.3-41.7	950	57.9	54.2-61.6	75	4.2	2.6- 5.8
\$50,000- 74,999	1509	707,343	438	34.3	30.8-37.8	1033	63.9	60.4-67.4	38	1.8	1.0- 2.6
\$75,000+	2613	1,279,720	785	33.2	30.7-35.7	1798	65.9	63.4-68.4	30	0.8	0.4- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 5: INADEQUATE SLEEP**

**TABLE 2: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4527	2,464,701	1493	37.9	35.9-39.9	2854	58.8	56.6-61.0	180	3.3	2.5- 4.1
White/Non-Hisp	3835	1,975,641	1212	36.4	34.2-38.6	2471	60.3	58.1-62.5	152	3.3	2.5- 4.1
Black or Afr. Am./Non-Hisp	263	199,634	116	48.1	39.9-56.3	131	47.2	39.2-55.2	16	4.6	1.7- 7.5
Oth. Race/Non-Hisp.	126	78,121	42	33.1	20.2-46.0	80	66.0	53.1-78.9	4	0.9	0.0- 2.3
MultiRacial/Non-Hisp.	65	26,673	29	58.2	40.4-76.0	34	39.5	21.9-57.1	2	2.3	0.0- 5.6
Hispanic	158	132,773	63	36.9	27.9-45.9	91	60.1	50.7-69.5	4	3.0	0.0- 6.9
18-24	251	350,681	94	38.5	31.4-45.6	146	56.5	49.2-63.8	11	5.0	1.9- 8.1
25-34	382	420,792	160	44.3	38.4-50.2	217	54.0	48.1-59.9	5	1.7	0.0- 3.5
35-44	497	409,279	211	43.3	37.8-48.8	276	55.1	49.6-60.6	10	1.6	0.4- 2.8
45-54	697	409,117	292	43.6	38.9-48.3	393	54.6	49.9-59.3	12	1.8	0.6- 3.0
55-64	1004	410,782	358	36.7	33.0-40.4	610	59.8	55.9-63.7	36	3.5	2.1- 4.9
65+	1644	442,239	366	22.9	20.2-25.6	1174	71.2	68.3-74.1	104	6.0	4.6- 7.4
Less Than H.S.	367	341,706	157	44.8	37.9-51.7	188	51.0	44.1-57.9	22	4.2	1.8- 6.6
H.S. or G.E.D.	1450	841,274	488	37.9	34.4-41.4	878	57.2	53.7-60.7	84	4.9	3.3- 6.5
Some Post-H.S.	1023	710,177	361	39.0	35.1-42.9	631	58.5	54.4-62.6	31	2.4	1.2- 3.6
College Graduate	1674	564,610	484	32.8	29.7-35.9	1147	65.9	62.8-69.0	43	1.3	0.7- 1.9
Less than \$15,000	309	196,927	123	42.2	34.8-49.6	165	52.4	45.0-59.8	21	5.4	2.3- 8.5
\$15,000- 24,999	653	376,900	230	39.8	34.3-45.3	377	53.3	47.8-58.8	46	6.8	4.3- 9.3
\$25,000- 34,999	439	231,182	140	38.6	31.7-45.5	276	58.6	51.7-65.5	23	2.8	1.2- 4.4
\$35,000- 49,999	647	357,856	214	39.8	34.3-45.3	401	56.2	50.7-61.7	32	4.0	1.8- 6.2
\$50,000- 74,999	708	363,945	219	38.5	33.2-43.8	469	59.5	54.2-64.8	20	2.0	0.8- 3.2
\$75,000+	1308	693,405	432	37.2	33.5-40.9	862	62.0	58.3-65.7	14	0.8	0.0- 1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 5: INADEQUATE SLEEP**

**TABLE 3: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6442	2,592,220	2025	34.2	32.4-36.0	4129	62.1	60.3-63.9	288	3.7	3.1- 4.3
White/Non-Hisp	5524	2,115,138	1674	33.2	31.2-35.2	3608	63.0	61.0-65.0	242	3.7	3.1- 4.3
Black or Afr. Am./Non-Hisp	463	230,616	192	47.3	40.4-54.2	249	48.6	41.7-55.5	22	4.1	1.7- 6.5
Oth. Race/Non-Hisp.	95	44,217	29	25.2	12.9-37.5	59	73.6	61.3-85.9	7	1.2	0.0- 2.4
MultiRacial/Non-Hisp.	91	28,454	40	42.5	27.2-57.8	45	52.5	37.2-67.8	6	4.9	0.0-10.0
Hispanic	202	151,549	66	28.1	20.3-35.9	129	68.2	60.0-76.4	7	3.7	0.6- 6.8
18-24	205	336,336	61	30.4	23.1-37.7	136	66.8	59.4-74.2	8	2.8	0.8- 4.8
25-34	434	415,709	162	36.6	31.1-42.1	259	60.8	55.3-66.3	13	2.6	0.8- 4.4
35-44	593	403,607	203	36.1	31.2-41.0	378	62.2	57.3-67.1	12	1.7	0.5- 2.9
45-54	916	412,016	362	41.6	37.5-45.7	526	55.6	51.5-59.7	28	2.8	1.6- 4.0
55-64	1425	431,637	498	35.6	32.5-38.7	869	59.4	56.3-62.5	58	4.9	3.3- 6.5
65+	2774	559,038	707	26.0	23.8-28.2	1900	67.5	65.3-69.7	167	6.5	5.3- 7.7
Less Than H.S.	500	312,348	199	36.1	30.2-42.0	258	56.1	50.0-62.2	43	7.8	4.9-10.7
H.S. or G.E.D.	2266	886,587	762	35.5	32.6-38.4	1384	60.2	57.3-63.1	120	4.3	3.3- 5.3
Some Post-H.S.	1716	851,249	554	37.0	33.5-40.5	1082	60.0	56.5-63.5	80	3.0	2.0- 4.0
College Graduate	1947	536,802	505	26.3	23.6-29.0	1399	72.1	69.4-74.8	43	1.6	0.8- 2.4
Less than \$15,000	607	261,354	254	42.8	36.7-48.9	298	48.5	42.4-54.6	55	8.7	5.8-11.6
\$15,000- 24,999	1167	446,924	425	40.1	35.8-44.4	678	55.7	51.4-60.0	64	4.2	2.8- 5.6
\$25,000- 34,999	700	262,991	212	34.6	28.9-40.3	445	59.9	54.2-65.6	43	5.5	3.1- 7.9
\$35,000- 49,999	841	331,066	249	36.0	31.1-40.9	549	59.6	54.5-64.7	43	4.4	2.4- 6.4
\$50,000- 74,999	801	343,399	219	29.8	25.1-34.5	564	68.6	63.9-73.3	18	1.6	0.6- 2.6
\$75,000+	1305	586,315	353	28.5	25.0-32.0	936	70.7	67.0-74.4	16	0.8	0.2- 1.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	39
2 MALES ONLY	40
3 FEMALES ONLY	41
(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	42
5 MALES ONLY	43
6 FEMALES ONLY	44
(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	45
8 MALES ONLY	46
9 FEMALES ONLY	47
(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	48
11 MALES ONLY	49
12 FEMALES ONLY	50
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	51
14 MALES ONLY	52
15 FEMALES ONLY	53
(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16 MALES AND FEMALES	54
17 MALES ONLY	55
18 FEMALES ONLY	56
(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19 MALES AND FEMALES	57
20 MALES ONLY	58
21 FEMALES ONLY	59
(EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
22 MALES AND FEMALES	60
23 MALES ONLY	61
24 FEMALES ONLY	62
(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25 MALES AND FEMALES	63
26 MALES ONLY	64
27 FEMALES ONLY	65
(EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)	
28 MALES AND FEMALES	66
29 MALES ONLY	67
30 FEMALES ONLY	68
(EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)	
31 MALES AND FEMALES	69
32 MALES ONLY	70
33 FEMALES ONLY	71
(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
34 MALES AND FEMALES	72
35 MALES ONLY	73
36 FEMALES ONLY	74
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
37 MALES AND FEMALES	75
38 MALES ONLY	76
39 FEMALES ONLY	77

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11019	5,074,276	842	5.4	5.0- 5.8	10177	94.6	94.2-95.0
Male	4541	2,470,991	463	6.7	5.9- 7.5	4078	93.3	92.5-94.1
Female	6478	2,603,285	379	4.2	3.6- 4.8	6099	95.8	95.2-96.4
White/Non-Hisp	9399	4,105,785	717	5.6	5.0- 6.2	8682	94.4	93.8-95.0
Black or Afr. Am./Non-Hisp	727	430,241	43	4.9	2.9- 6.9	684	95.1	93.1-97.1
Oth. Race/Non-Hisp.	221	121,018	25	3.1	1.3- 4.9	196	96.9	95.1-98.7
MultiRacial/Non-Hisp.	157	55,430	22	6.1	2.2-10.0	135	93.9	90.0-97.8
Hispanic	360	285,348	16	2.2	0.8- 3.6	344	97.8	96.4-99.2
18-24	457	689,103	1	0.1	0.0- 0.3	456	99.9	99.7- 100
25-34	817	837,429	2	0.1	0.0- 0.3	815	99.9	99.7- 100
35-44	1093	815,370	15	1.2	0.6- 1.8	1078	98.8	98.2-99.4
45-54	1618	820,824	66	4.8	3.4- 6.2	1552	95.2	93.8-96.6
55-64	2446	849,863	169	8.5	6.9-10.1	2277	91.5	89.9-93.1
65+	4438	1,004,991	576	14.4	13.0-15.8	3862	85.6	84.2-87.0
Less Than H.S.	882	657,504	123	8.6	6.6-10.6	759	91.4	89.4-93.4
H.S. or G.E.D.	3733	1,734,645	320	6.0	5.2- 6.8	3413	94.0	93.2-94.8
Some Post-H.S.	2750	1,566,572	211	5.0	4.2- 5.8	2539	95.0	94.2-95.8
College Graduate	3628	1,103,920	187	3.1	2.5- 3.7	3441	96.9	96.3-97.5
Less than \$15,000	925	458,027	127	9.5	7.3-11.7	798	90.5	88.3-92.7
\$15,000- 24,999	1828	826,004	224	9.1	7.3-10.9	1604	90.9	89.1-92.7
\$25,000- 34,999	1139	494,567	99	5.6	4.2- 7.0	1040	94.4	93.0-95.8
\$35,000- 49,999	1488	688,903	101	5.3	3.9- 6.7	1387	94.7	93.3-96.1
\$50,000- 74,999	1510	708,909	84	3.5	2.5- 4.5	1426	96.5	95.5-97.5
\$75,000+	2620	1,282,521	101	2.5	1.9- 3.1	2519	97.5	96.9-98.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4541	2,470,991	463	6.7	5.9- 7.5	4078	93.3	92.5-94.1
White/Non-Hisp	3841	1,979,672	407	7.2	6.2- 8.2	3434	92.8	91.8-93.8
Black or Afr. Am./Non-Hisp	265	199,498	17	5.3	1.8- 8.8	248	94.7	91.2-98.2
Oth. Race/Non-Hisp.	126	77,681	12	2.1	0.1- 4.1	114	97.9	95.9-99.9
MultiRacial/Non-Hisp.	66	26,967	8	3.5	0.4- 6.6	58	96.5	93.4-99.6
Hispanic	159	133,859	9	2.5	0.3- 4.7	150	97.5	95.3-99.7
18-24	253	353,418				253	100.0	100.0- 100
25-34	382	420,792	1	0.1	0.0- 0.3	381	99.9	99.7- 100
35-44	497	409,058	5	0.8	0.0- 1.6	492	99.2	98.4- 100
45-54	699	408,075	33	4.8	2.8- 6.8	666	95.2	93.2-97.2
55-64	1010	414,374	94	11.2	8.7-13.7	916	88.8	86.3-91.3
65+	1647	443,081	320	20.4	17.7-23.1	1327	79.6	76.9-82.3
Less Than H.S.	373	342,622	58	9.0	6.1-11.9	315	91.0	88.1-93.9
H.S. or G.E.D.	1452	844,350	170	7.6	6.2- 9.0	1282	92.4	91.0-93.8
Some Post-H.S.	1025	710,616	110	6.6	5.0- 8.2	915	93.4	91.8-95.0
College Graduate	1677	566,088	124	4.0	3.0- 5.0	1553	96.0	95.0-97.0
Less than \$15,000	310	194,615	37	8.9	5.4-12.4	273	91.1	87.6-94.6
\$15,000- 24,999	656	377,476	112	12.2	9.3-15.1	544	87.8	84.9-90.7
\$25,000- 34,999	438	230,742	56	7.4	4.9- 9.9	382	92.6	90.1-95.1
\$35,000- 49,999	647	357,888	70	7.4	5.2- 9.6	577	92.6	90.4-94.8
\$50,000- 74,999	709	365,027	62	4.5	3.1- 5.9	647	95.5	94.1-96.9
\$75,000+	1311	694,798	70	3.1	2.1- 4.1	1241	96.9	95.9-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6478	2,603,285	379	4.2	3.6- 4.8	6099	95.8	95.2-96.4
White/Non-Hisp	5558	2,126,113	310	4.2	3.6- 4.8	5248	95.8	95.2-96.4
Black or Afr. Am./Non-Hisp	462	230,743	26	4.5	2.1- 6.9	436	95.5	93.1-97.9
Oth. Race/Non-Hisp.	95	43,337	13	4.9	1.0- 8.8	82	95.1	91.2-99.0
MultiRacial/Non-Hisp.	91	28,463	14	8.7	2.0-15.4	77	91.3	84.6-98.0
Hispanic	201	151,489	7	2.0	0.2- 3.8	194	98.0	96.2-99.8
18-24	204	335,685	1	0.2	0.0- 0.6	203	99.8	99.4- 100
25-34	435	416,637	1	0.1	0.0- 0.3	434	99.9	99.7- 100
35-44	596	406,312	10	1.6	0.4- 2.8	586	98.4	97.2-99.6
45-54	919	412,749	33	4.7	2.7- 6.7	886	95.3	93.3-97.3
55-64	1436	435,489	75	5.9	4.3- 7.5	1361	94.1	92.5-95.7
65+	2791	561,910	256	9.7	8.1-11.3	2535	90.3	88.7-91.9
Less Than H.S.	509	314,882	65	8.2	5.5-10.9	444	91.8	89.1-94.5
H.S. or G.E.D.	2281	890,295	150	4.6	3.6- 5.6	2131	95.4	94.4-96.4
Some Post-H.S.	1725	855,957	101	3.6	2.6- 4.6	1624	96.4	95.4-97.4
College Graduate	1951	537,832	63	2.0	1.2- 2.8	1888	98.0	97.2-98.8
Less than \$15,000	615	263,413	90	10.0	7.1-12.9	525	90.0	87.1-92.9
\$15,000- 24,999	1172	448,528	112	6.5	4.7- 8.3	1060	93.5	91.7-95.3
\$25,000- 34,999	701	263,825	43	3.9	2.3- 5.5	658	96.1	94.5-97.7
\$35,000- 49,999	841	331,016	31	3.1	1.7- 4.5	810	96.9	95.5-98.3
\$50,000- 74,999	801	343,883	22	2.4	1.2- 3.6	779	97.6	96.4-98.8
\$75,000+	1309	587,723	31	1.8	1.0- 2.6	1278	98.2	97.4-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10994	5,065,126	841	4.9	4.5- 5.3	10153	95.1	94.7-95.5
Male	4528	2,467,037	446	6.1	5.3- 6.9	4082	93.9	93.1-94.7
Female	6466	2,598,089	395	3.7	3.3- 4.1	6071	96.3	95.9-96.7
White/Non-Hisp	9371	4,095,783	739	5.1	4.7- 5.5	8632	94.9	94.5-95.3
Black or Afr. Am./Non-Hisp	730	430,448	42	4.2	2.4- 6.0	688	95.8	94.0-97.6
Oth. Race/Non-Hisp.	221	121,611	14	1.6	0.2- 3.0	207	98.4	97.0-99.8
MultiRacial/Non-Hisp.	158	55,533	13	3.0	1.0- 5.0	145	97.0	95.0-99.0
Hispanic	360	285,132	12	2.2	0.6- 3.8	348	97.8	96.2-99.4
18-24	458	689,754				458	100.0	100.0- 100
25-34	816	835,674	3	0.2	0.0- 0.6	813	99.8	99.4- 100
35-44	1094	815,181	17	1.1	0.5- 1.7	1077	98.9	98.3-99.5
45-54	1613	818,489	60	3.8	2.6- 5.0	1553	96.2	95.0-97.4
55-64	2444	847,831	154	7.5	6.1- 8.9	2290	92.5	91.1-93.9
65+	4419	1,001,503	600	13.8	12.4-15.2	3819	86.2	84.8-87.6
Less Than H.S.	881	655,857	92	6.3	4.7- 7.9	789	93.7	92.1-95.3
H.S. or G.E.D.	3728	1,732,428	307	5.3	4.5- 6.1	3421	94.7	93.9-95.5
Some Post-H.S.	2737	1,561,627	218	4.9	4.1- 5.7	2519	95.1	94.3-95.9
College Graduate	3621	1,102,672	222	3.4	2.8- 4.0	3399	96.6	96.0-97.2
Less than \$15,000	919	458,313	116	8.3	6.1-10.5	803	91.7	89.5-93.9
\$15,000- 24,999	1824	823,384	186	6.5	5.3- 7.7	1638	93.5	92.3-94.7
\$25,000- 34,999	1135	493,207	103	5.2	3.8- 6.6	1032	94.8	93.4-96.2
\$35,000- 49,999	1485	686,775	114	5.1	3.9- 6.3	1371	94.9	93.7-96.1
\$50,000- 74,999	1511	709,247	81	3.0	2.2- 3.8	1430	97.0	96.2-97.8
\$75,000+	2616	1,281,126	120	3.0	2.2- 3.8	2496	97.0	96.2-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4528	2,467,037	446	6.1	5.3- 6.9	4082	93.9	93.1-94.7
White/Non-Hisp	3830	1,975,017	392	6.4	5.6- 7.2	3438	93.6	92.8-94.4
Black or Afr. Am./Non-Hisp	266	201,099	17	4.0	1.3- 6.7	249	96.0	93.3-98.7
Oth. Race/Non-Hisp.	124	76,961	8	1.6	0.0- 3.4	116	98.4	96.6- 100
MultiRacial/Non-Hisp.	66	26,967	5	2.9	0.0- 5.8	61	97.1	94.2- 100
Hispanic	159	133,859	10	4.3	1.2- 7.4	149	95.7	92.6-98.8
18-24	253	353,418				253	100.0	100.0- 100
25-34	382	420,792	1	0.3	0.0- 0.9	381	99.7	99.1- 100
35-44	497	408,615	9	1.5	0.5- 2.5	488	98.5	97.5-99.5
45-54	693	405,536	33	4.9	2.7- 7.1	660	95.1	92.9-97.3
55-64	1010	413,843	82	9.5	7.1-11.9	928	90.5	88.1-92.9
65+	1640	442,642	316	18.4	16.0-20.8	1324	81.6	79.2-84.0
Less Than H.S.	374	343,576	45	7.7	5.0-10.4	329	92.3	89.6-95.0
H.S. or G.E.D.	1451	844,324	141	5.8	4.6- 7.0	1310	94.2	93.0-95.4
Some Post-H.S.	1020	707,212	109	6.5	4.9- 8.1	911	93.5	91.9-95.1
College Graduate	1669	564,610	150	4.9	3.9- 5.9	1519	95.1	94.1-96.1
Less than \$15,000	309	196,191	38	8.8	5.1-12.5	271	91.2	87.5-94.9
\$15,000- 24,999	652	375,720	87	8.1	5.9-10.3	565	91.9	89.7-94.1
\$25,000- 34,999	436	230,249	52	6.0	3.8- 8.2	384	94.0	91.8-96.2
\$35,000- 49,999	645	355,972	72	7.0	4.8- 9.2	573	93.0	90.8-95.2
\$50,000- 74,999	710	365,370	56	3.8	2.6- 5.0	654	96.2	95.0-97.4
\$75,000+	1307	693,134	85	4.2	3.0- 5.4	1222	95.8	94.6-97.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6466	2,598,089	395	3.7	3.3- 4.1	6071	96.3	95.9-96.7
White/Non-Hisp	5541	2,120,765	347	3.9	3.3- 4.5	5194	96.1	95.5-96.7
Black or Afr. Am./Non-Hisp	464	229,348	25	4.3	1.9- 6.7	439	95.7	93.3-98.1
Oth. Race/Non-Hisp.	97	44,650	6	1.6	0.0- 3.4	91	98.4	96.6- 100
MultiRacial/Non-Hisp.	92	28,565	8	3.2	0.7- 5.7	84	96.8	94.3-99.3
Hispanic	201	151,273	2	0.3	0.0- 0.7	199	99.7	99.3- 100
18-24	205	336,336				205	100.0	100.0- 100
25-34	434	414,882	2	0.2	0.0- 0.6	432	99.8	99.4- 100
35-44	597	406,566	8	0.8	0.0- 1.6	589	99.2	98.4- 100
45-54	920	412,953	27	2.8	1.4- 4.2	893	97.2	95.8-98.6
55-64	1434	433,988	72	5.6	4.0- 7.2	1362	94.4	92.8-96.0
65+	2779	558,861	284	10.1	8.7-11.5	2495	89.9	88.5-91.3
Less Than H.S.	507	312,282	47	4.6	3.0- 6.2	460	95.4	93.8-97.0
H.S. or G.E.D.	2277	888,104	166	4.7	3.7- 5.7	2111	95.3	94.3-96.3
Some Post-H.S.	1717	854,415	109	3.5	2.5- 4.5	1608	96.5	95.5-97.5
College Graduate	1952	538,062	72	1.9	1.3- 2.5	1880	98.1	97.5-98.7
Less than \$15,000	610	262,122	78	8.0	5.5-10.5	532	92.0	89.5-94.5
\$15,000- 24,999	1172	447,664	99	5.2	3.8- 6.6	1073	94.8	93.4-96.2
\$25,000- 34,999	699	262,958	51	4.5	2.9- 6.1	648	95.5	93.9-97.1
\$35,000- 49,999	840	330,803	42	3.0	1.8- 4.2	798	97.0	95.8-98.2
\$50,000- 74,999	801	343,877	25	2.2	1.0- 3.4	776	97.8	96.6-99.0
\$75,000+	1309	587,992	35	1.6	0.8- 2.4	1274	98.4	97.6-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11047	5,083,964	585	4.0	3.6- 4.4	10462	96.0	95.6-96.4
Male	4552	2,477,586	240	4.3	3.5- 5.1	4312	95.7	94.9-96.5
Female	6495	2,606,378	345	3.7	3.1- 4.3	6150	96.3	95.7-96.9
White/Non-Hisp	9411	4,108,813	489	3.9	3.5- 4.3	8922	96.1	95.7-96.5
Black or Afr. Am./Non-Hisp	733	433,834	41	5.0	2.8- 7.2	692	95.0	92.8-97.2
Oth. Race/Non-Hisp.	224	122,845	17	2.5	0.7- 4.3	207	97.5	95.7-99.3
MultiRacial/Non-Hisp.	158	55,170	14	6.5	2.2-10.8	144	93.5	89.2-97.8
Hispanic	362	285,691	10	2.0	0.4- 3.6	352	98.0	96.4-99.6
18-24	458	689,754	2	0.3	0.0- 0.7	456	99.7	99.3- 100
25-34	818	837,834	2	0.1	0.0- 0.3	816	99.9	99.7- 100
35-44	1096	816,028	20	2.0	0.8- 3.2	1076	98.0	96.8-99.2
45-54	1621	823,891	56	4.8	3.2- 6.4	1565	95.2	93.6-96.8
55-64	2447	850,225	131	6.3	4.9- 7.7	2316	93.7	92.3-95.1
65+	4456	1,009,454	369	8.8	7.6-10.0	4087	91.2	90.0-92.4
Less Than H.S.	889	660,189	94	8.7	6.3-11.1	795	91.3	88.9-93.7
H.S. or G.E.D.	3750	1,739,839	232	4.2	3.4- 5.0	3518	95.8	95.0-96.6
Some Post-H.S.	2750	1,566,972	151	3.2	2.6- 3.8	2599	96.8	96.2-97.4
College Graduate	3630	1,104,339	107	2.0	1.4- 2.6	3523	98.0	97.4-98.6
Less than \$15,000	930	462,736	88	8.4	6.0-10.8	842	91.6	89.2-94.0
\$15,000- 24,999	1833	827,706	175	7.1	5.5- 8.7	1658	92.9	91.3-94.5
\$25,000- 34,999	1142	493,403	77	4.7	3.3- 6.1	1065	95.3	93.9-96.7
\$35,000- 49,999	1490	689,514	65	3.8	2.4- 5.2	1425	96.2	94.8-97.6
\$50,000- 74,999	1512	709,245	33	1.5	0.9- 2.1	1479	98.5	97.9-99.1
\$75,000+	2621	1,282,926	55	1.4	1.0- 1.8	2566	98.6	98.2-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4552	2,477,586	240	4.3	3.5- 5.1	4312	95.7	94.9-96.5
White/Non-Hisp	3848	1,982,642	199	4.0	3.2- 4.8	3649	96.0	95.2-96.8
Black or Afr. Am./Non-Hisp	268	202,608	14	6.2	2.3-10.1	254	93.8	89.9-97.7
Oth. Race/Non-Hisp.	127	78,196	9	2.9	0.2- 5.6	118	97.1	94.4-99.8
MultiRacial/Non-Hisp.	66	26,967	5	2.5	0.1- 4.9	61	97.5	95.1-99.9
Hispanic	159	133,859	6	3.4	0.5- 6.3	153	96.6	93.7-99.5
18-24	253	353,418	2	0.5	0.0- 1.3	251	99.5	98.7- 100
25-34	382	420,792				382	100.0	100.0- 100
35-44	499	410,502	5	2.0	0.0- 4.2	494	98.0	95.8- 100
45-54	701	410,980	31	6.3	3.6- 9.0	670	93.7	91.0-96.4
55-64	1010	414,045	52	6.2	4.2- 8.2	958	93.8	91.8-95.8
65+	1654	445,657	146	9.6	7.6-11.6	1508	90.4	88.4-92.4
Less Than H.S.	377	346,360	43	10.3	6.4-14.2	334	89.7	85.8-93.6
H.S. or G.E.D.	1460	847,159	86	3.9	2.7- 5.1	1374	96.1	94.9-97.3
Some Post-H.S.	1025	710,703	54	3.4	2.2- 4.6	971	96.6	95.4-97.8
College Graduate	1676	566,050	57	2.5	1.7- 3.3	1619	97.5	96.7-98.3
Less than \$15,000	314	199,086	28	9.2	4.9-13.5	286	90.8	86.5-95.1
\$15,000- 24,999	656	377,602	75	8.8	6.1-11.5	581	91.2	88.5-93.9
\$25,000- 34,999	440	231,254	31	4.5	2.5- 6.5	409	95.5	93.5-97.5
\$35,000- 49,999	649	358,499	28	3.9	1.9- 5.9	621	96.1	94.1-98.1
\$50,000- 74,999	711	365,477	22	1.8	0.8- 2.8	689	98.2	97.2-99.2
\$75,000+	1311	694,798	27	1.4	0.8- 2.0	1284	98.6	98.0-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6495	2,606,378	345	3.7	3.1- 4.3	6150	96.3	95.7-96.9
White/Non-Hisp	5563	2,126,171	290	3.7	3.1- 4.3	5273	96.3	95.7-96.9
Black or Afr. Am./Non-Hisp	465	231,226	27	4.1	1.9- 6.3	438	95.9	93.7-98.1
Oth. Race/Non-Hisp.	97	44,650	8	1.7	0.1- 3.3	89	98.3	96.7-99.9
MultiRacial/Non-Hisp.	92	28,203	9	10.3	2.3-18.3	83	89.7	81.7-97.7
Hispanic	203	151,832	4	0.9	0.0- 2.1	199	99.1	97.9- 100
18-24	205	336,336				205	100.0	100.0- 100
25-34	436	417,042	2	0.2	0.0- 0.4	434	99.8	99.6- 100
35-44	597	405,526	15	1.9	0.7- 3.1	582	98.1	96.9-99.3
45-54	920	412,911	25	3.3	1.5- 5.1	895	96.7	94.9-98.5
55-64	1437	436,180	79	6.4	4.8- 8.0	1358	93.6	92.0-95.2
65+	2802	563,797	223	8.1	6.7- 9.5	2579	91.9	90.5-93.3
Less Than H.S.	512	313,830	51	6.9	4.4- 9.4	461	93.1	90.6-95.6
H.S. or G.E.D.	2290	892,681	146	4.5	3.5- 5.5	2144	95.5	94.5-96.5
Some Post-H.S.	1725	856,269	97	3.0	2.2- 3.8	1628	97.0	96.2-97.8
College Graduate	1954	538,289	50	1.5	0.9- 2.1	1904	98.5	97.9-99.1
Less than \$15,000	616	263,650	60	7.8	5.3-10.3	556	92.2	89.7-94.7
\$15,000- 24,999	1177	450,105	100	5.7	4.1- 7.3	1077	94.3	92.7-95.9
\$25,000- 34,999	702	262,149	46	4.8	3.0- 6.6	656	95.2	93.4-97.0
\$35,000- 49,999	841	331,016	37	3.7	2.1- 5.3	804	96.3	94.7-97.9
\$50,000- 74,999	801	343,767	11	1.1	0.3- 1.9	790	98.9	98.1-99.7
\$75,000+	1310	588,128	28	1.3	0.7- 1.9	1282	98.7	98.1-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11048	5,082,903	1511	14.4	13.4-15.4	9537	85.6	84.6-86.6
Male	4551	2,475,700	494	11.6	10.2-13.0	4057	88.4	87.0-89.8
Female	6497	2,607,202	1017	17.1	15.7-18.5	5480	82.9	81.5-84.3
White/Non-Hisp	9412	4,107,476	1240	13.9	12.9-14.9	8172	86.1	85.1-87.1
Black or Afr. Am./Non-Hisp	732	433,723	131	20.4	15.9-24.9	601	79.6	75.1-84.1
Oth. Race/Non-Hisp.	224	122,845	37	12.7	6.0-19.4	187	87.3	80.6-94.0
MultiRacial/Non-Hisp.	159	55,558	39	27.8	16.6-39.0	120	72.2	61.0-83.4
Hispanic	362	285,691	38	11.1	7.0-15.2	324	88.9	84.8-93.0
18-24	457	688,561	85	17.5	13.6-21.4	372	82.5	78.6-86.4
25-34	817	837,450	129	16.3	13.2-19.4	688	83.7	80.6-86.8
35-44	1096	817,278	150	13.1	10.6-15.6	946	86.9	84.4-89.4
45-54	1620	823,735	239	14.8	12.6-17.0	1381	85.2	83.0-87.4
55-64	2447	849,245	385	15.7	13.9-17.5	2062	84.3	82.5-86.1
65+	4460	1,009,855	505	10.4	9.2-11.6	3955	89.6	88.4-90.8
Less Than H.S.	890	660,976	171	19.3	15.6-23.0	719	80.7	77.0-84.4
H.S. or G.E.D.	3751	1,738,598	493	14.1	12.5-15.7	3258	85.9	84.3-87.5
Some Post-H.S.	2751	1,567,309	383	13.7	11.9-15.5	2368	86.3	84.5-88.1
College Graduate	3628	1,103,395	460	13.1	11.5-14.7	3168	86.9	85.3-88.5
Less than \$15,000	928	459,094	227	24.4	20.3-28.5	701	75.6	71.5-79.7
\$15,000- 24,999	1833	827,712	294	18.1	15.2-21.0	1539	81.9	79.0-84.8
\$25,000- 34,999	1146	495,793	146	13.1	10.2-16.0	1000	86.9	84.0-89.8
\$35,000- 49,999	1489	689,431	188	13.4	10.7-16.1	1301	86.6	83.9-89.3
\$50,000- 74,999	1511	709,106	179	12.0	9.6-14.4	1332	88.0	85.6-90.4
\$75,000+	2619	1,282,408	291	11.4	9.6-13.2	2328	88.6	86.8-90.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4551	2,475,700	494	11.6	10.2-13.0	4057	88.4	87.0-89.8
White/Non-Hisp	3847	1,980,756	411	11.4	10.0-12.8	3436	88.6	87.2-90.0
Black or Afr. Am./Non-Hisp	268	202,608	31	13.4	7.7-19.1	237	86.6	80.9-92.3
Oth. Race/Non-Hisp.	127	78,196	18	12.3	3.3-21.3	109	87.7	78.7-96.7
MultiRacial/Non-Hisp.	66	26,967	8	19.4	1.8-37.0	58	80.6	63.0-98.2
Hispanic	159	133,859	16	9.6	4.3-14.9	143	90.4	85.1-95.7
18-24	253	353,418	40	15.4	10.3-20.5	213	84.6	79.5-89.7
25-34	382	420,792	51	13.1	9.0-17.2	331	86.9	82.8-91.0
35-44	499	410,502	50	9.4	6.5-12.3	449	90.6	87.7-93.5
45-54	700	410,323	68	9.2	6.5-11.9	632	90.8	88.1-93.5
55-64	1010	413,066	133	14.2	11.5-16.9	877	85.8	83.1-88.5
65+	1654	445,407	145	8.7	6.9-10.5	1509	91.3	89.5-93.1
Less Than H.S.	374	344,218	56	14.1	9.4-18.8	318	85.9	81.2-90.6
H.S. or G.E.D.	1461	847,398	154	11.3	8.9-13.7	1307	88.7	86.3-91.1
Some Post-H.S.	1026	710,957	105	10.7	8.2-13.2	921	89.3	86.8-91.8
College Graduate	1676	565,813	178	11.8	9.6-14.0	1498	88.2	86.0-90.4
Less than \$15,000	311	196,433	57	19.4	13.3-25.5	254	80.6	74.5-86.7
\$15,000- 24,999	656	377,391	82	14.8	10.5-19.1	574	85.2	80.9-89.5
\$25,000- 34,999	441	231,507	39	7.8	4.7-10.9	402	92.2	89.1-95.3
\$35,000- 49,999	649	358,499	76	12.3	8.6-16.0	573	87.7	84.0-91.4
\$50,000- 74,999	711	365,477	68	10.6	7.7-13.5	643	89.4	86.5-92.3
\$75,000+	1310	694,665	124	9.8	7.4-12.2	1186	90.2	87.8-92.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6497	2,607,202	1017	17.1	15.7-18.5	5480	82.9	81.5-84.3
White/Non-Hisp	5565	2,126,719	829	16.2	14.6-17.8	4736	83.8	82.2-85.4
Black or Afr. Am./Non-Hisp	464	231,114	100	26.6	20.1-33.1	364	73.4	66.9-79.9
Oth. Race/Non-Hisp.	97	44,650	19	13.5	4.1-22.9	78	86.5	77.1-95.9
MultiRacial/Non-Hisp.	93	28,591	31	35.7	21.2-50.2	62	64.3	49.8-78.8
Hispanic	203	151,832	22	12.5	6.2-18.8	181	87.5	81.2-93.8
18-24	204	335,143	45	19.8	13.9-25.7	159	80.2	74.3-86.1
25-34	435	416,658	78	19.4	14.7-24.1	357	80.6	75.9-85.3
35-44	597	406,776	100	16.9	13.0-20.8	497	83.1	79.2-87.0
45-54	920	413,412	171	20.4	17.1-23.7	749	79.6	76.3-82.9
55-64	1437	436,180	252	17.1	14.7-19.5	1185	82.9	80.5-85.3
65+	2806	564,448	360	11.7	10.1-13.3	2446	88.3	86.7-89.9
Less Than H.S.	516	316,759	115	25.0	19.3-30.7	401	75.0	69.3-80.7
H.S. or G.E.D.	2290	891,200	339	16.8	14.4-19.2	1951	83.2	80.8-85.6
Some Post-H.S.	1725	856,353	278	16.2	13.7-18.7	1447	83.8	81.3-86.3
College Graduate	1952	537,582	282	14.4	12.2-16.6	1670	85.6	83.4-87.8
Less than \$15,000	617	262,661	170	28.1	22.4-33.8	447	71.9	66.2-77.6
\$15,000- 24,999	1177	450,321	212	20.8	16.9-24.7	965	79.2	75.3-83.1
\$25,000- 34,999	705	264,286	107	17.6	13.1-22.1	598	82.4	77.9-86.9
\$35,000- 49,999	840	330,933	112	14.6	10.9-18.3	728	85.4	81.7-89.1
\$50,000- 74,999	800	343,629	111	13.6	10.1-17.1	689	86.4	82.9-89.9
\$75,000+	1309	587,743	167	13.2	10.7-15.7	1142	86.8	84.3-89.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1486	716,315	1131	71.8	68.3-75.3	355	28.2	24.7-31.7
Male	483	277,988	316	59.2	52.9-65.5	167	40.8	34.5-47.1
Female	1003	438,327	815	79.8	75.9-83.7	188	20.2	16.3-24.1
White/Non-Hisp	1224	560,796	931	71.6	67.7-75.5	293	28.4	24.5-32.3
Black or Afr. Am./Non-Hisp	127	84,645	98	80.6	71.2-90.0	29	19.4	10.0-28.8
18-24	83	118,027	54	64.5	52.7-76.3	29	35.5	23.7-47.3
25-34	122	127,757	84	65.1	54.5-75.7	38	34.9	24.3-45.5
35-44	149	106,489	102	68.7	59.5-77.9	47	31.3	22.1-40.5
45-54	237	120,558	175	73.1	65.7-80.5	62	26.9	19.5-34.3
55-64	377	131,516	300	77.4	71.9-82.9	77	22.6	17.1-28.1
65+	500	103,386	403	82.2	77.7-86.7	97	17.8	13.3-22.3
Less Than H.S.	169	126,298	142	81.6	72.6-90.6	27	18.4	9.4-27.4
H.S. or G.E.D.	486	238,919	374	70.4	63.9-76.9	112	29.6	23.1-36.1
Some Post-H.S.	374	208,150	285	69.9	62.8-77.0	89	30.1	23.0-37.2
College Graduate	453	141,647	326	68.0	61.9-74.1	127	32.0	25.9-38.1
Less than \$15,000	224	109,341	188	85.4	78.9-91.9	36	14.6	8.1-21.1
\$15,000- 24,999	290	148,374	223	70.4	61.6-79.2	67	29.6	20.8-38.4
\$25,000- 34,999	142	62,456	120	78.2	67.6-88.8	22	21.8	11.2-32.4
\$35,000- 49,999	185	88,643	141	70.6	60.0-81.2	44	29.4	18.8-40.0
\$50,000- 74,999	176	83,685	125	63.0	52.8-73.2	51	37.0	26.8-47.2
\$75,000+	289	144,580	196	63.2	55.0-71.4	93	36.8	28.6-45.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	483	277,988	316	59.2	52.7-65.7	167	40.8	34.3-47.3
White/Non-Hisp	403	219,850	265	60.2	53.1-67.3	138	39.8	32.7-46.9
35-44	50	38,550	21	42.8	25.9-59.7	29	57.2	40.3-74.1
45-54	67	37,283	43	63.2	48.3-78.1	24	36.8	21.9-51.7
55-64	129	57,293	93	71.5	61.7-81.3	36	28.5	18.7-38.3
65+	144	38,414	109	79.0	70.2-87.8	35	21.0	12.2-29.8
Less Than H.S.	56	48,488	42	63.6	45.6-81.6	14	36.4	18.4-54.4
H.S. or G.E.D.	150	91,718	99	55.3	43.9-66.7	51	44.7	33.3-56.1
Some Post-H.S.	100	72,038	67	61.4	48.7-74.1	33	38.6	25.9-51.3
College Graduate	176	65,363	107	58.8	49.4-68.2	69	41.2	31.8-50.6
Less than \$15,000	57	38,019	45	77.7	63.4-92.0	12	22.3	8.0-36.6
\$15,000- 24,999	81	55,586	59	60.0	43.5-76.5	22	40.0	23.5-56.5
\$35,000- 49,999	74	41,047	50	59.9	43.2-76.6	24	40.1	23.4-56.8
\$50,000- 74,999	65	37,068	37	45.5	30.2-60.8	28	54.5	39.2-69.8
\$75,000+	122	66,837	69	54.7	41.8-67.6	53	45.3	32.4-58.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1003	438,327	815	79.8	75.9-83.7	188	20.2	16.3-24.1
White/Non-Hisp	821	340,946	666	79.0	74.5-83.5	155	21.0	16.5-25.5
Black or Afr. Am./Non-Hisp	97	59,726	76	82.9	72.1-93.7	21	17.1	6.3-27.9
25-34	74	77,091	59	75.7	63.0-88.4	15	24.3	11.6-37.0
35-44	99	67,940	81	83.4	75.0-91.8	18	16.6	8.2-25.0
45-54	170	83,274	132	77.4	69.0-85.8	38	22.6	14.2-31.0
55-64	248	74,223	207	82.0	75.9-88.1	41	18.0	11.9-24.1
65+	356	64,972	294	84.1	79.4-88.8	62	15.9	11.2-20.6
Less Than H.S.	113	77,810	100	92.9	86.8-99.0	13	7.1	1.0-13.2
H.S. or G.E.D.	336	147,201	275	79.7	72.8-86.6	61	20.3	13.4-27.2
Some Post-H.S.	274	136,112	218	74.4	66.2-82.6	56	25.6	17.4-33.8
College Graduate	277	76,284	219	75.8	68.2-83.4	58	24.2	16.6-31.8
Less than \$15,000	167	71,321	143	89.5	83.6-95.4	24	10.5	4.6-16.4
\$15,000- 24,999	209	92,788	164	76.7	67.5-85.9	45	23.3	14.1-32.5
\$25,000- 34,999	105	45,136	97	88.1	77.3-98.9	8	11.9	1.1-22.7
\$35,000- 49,999	111	47,596	91	79.8	66.7-92.9	20	20.2	7.1-33.3
\$50,000- 74,999	111	46,617	88	76.9	64.4-89.4	23	23.1	10.6-35.6
\$75,000+	167	77,744	127	70.4	60.2-80.6	40	29.6	19.4-39.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11051	5,084,202	1034	5.5	5.1- 5.9	10017	94.5	94.1-94.9
Male	4548	2,476,200	478	5.8	5.0- 6.6	4070	94.2	93.4-95.0
Female	6503	2,608,002	556	5.1	4.5- 5.7	5947	94.9	94.3-95.5
White/Non-Hisp	9415	4,110,578	995	6.6	6.0- 7.2	8420	93.4	92.8-94.0
Black or Afr. Am./Non-Hisp	733	432,028	2	0.2	0.0- 0.6	731	99.8	99.4- 100
Oth. Race/Non-Hisp.	223	122,737	11	0.7	0.1- 1.3	212	99.3	98.7-99.9
MultiRacial/Non-Hisp.	159	55,558	13	2.9	0.9- 4.9	146	97.1	95.1-99.1
Hispanic	362	285,691	3	1.0	0.0- 2.4	359	99.0	97.6- 100
18-24	458	689,754				458	100.0	100.0- 100
25-34	817	835,959	4	0.3	0.0- 0.7	813	99.7	99.3- 100
35-44	1095	817,089	20	2.2	1.0- 3.4	1075	97.8	96.6-99.0
45-54	1622	825,063	78	4.2	3.0- 5.4	1544	95.8	94.6-97.0
55-64	2448	850,632	179	7.5	6.1- 8.9	2269	92.5	91.1-93.9
65+	4460	1,008,927	736	15.3	13.9-16.7	3724	84.7	83.3-86.1
Less Than H.S.	893	663,118	47	3.2	2.0- 4.4	846	96.8	95.6-98.0
H.S. or G.E.D.	3753	1,738,741	307	5.1	4.3- 5.9	3446	94.9	94.1-95.7
Some Post-H.S.	2748	1,565,730	270	5.6	4.6- 6.6	2478	94.4	93.4-95.4
College Graduate	3629	1,103,988	408	7.3	6.3- 8.3	3221	92.7	91.7-93.7
Less than \$15,000	932	462,147	55	4.7	2.9- 6.5	877	95.3	93.5-97.1
\$15,000- 24,999	1833	825,899	164	4.5	3.5- 5.5	1669	95.5	94.5-96.5
\$25,000- 34,999	1145	495,738	106	4.8	3.6- 6.0	1039	95.2	94.0-96.4
\$35,000- 49,999	1488	689,197	158	6.2	4.8- 7.6	1330	93.8	92.4-95.2
\$50,000- 74,999	1512	709,119	149	6.0	4.8- 7.2	1363	94.0	92.8-95.2
\$75,000+	2620	1,282,810	242	5.9	4.9- 6.9	2378	94.1	93.1-95.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4548	2,476,200	478	5.8	5.0- 6.6	4070	94.2	93.4-95.0
White/Non-Hisp	3845	1,981,364	457	7.0	6.2- 7.8	3388	93.0	92.2-93.8
Black or Afr. Am./Non-Hisp	268	202,608	1	0.1	0.0- 0.3	267	99.9	99.7- 100
Oth. Race/Non-Hisp.	126	78,088	7	0.6	0.0- 1.2	119	99.4	98.8- 100
MultiRacial/Non-Hisp.	66	26,967	5	1.4	0.0- 2.8	61	98.6	97.2- 100
Hispanic	159	133,859	2	1.7	0.0- 4.2	157	98.3	95.8- 100
18-24	253	353,418				253	100.0	100.0- 100
25-34	382	420,792	1	0.2	0.0- 0.6	381	99.8	99.4- 100
35-44	498	410,197	8	1.9	0.3- 3.5	490	98.1	96.5-99.7
45-54	700	410,872	31	3.7	2.1- 5.3	669	96.3	94.7-97.9
55-64	1010	414,384	75	8.3	5.9-10.7	935	91.7	89.3-94.1
65+	1652	444,345	357	18.8	16.4-21.2	1295	81.2	78.8-83.6
Less Than H.S.	377	346,360	20	3.8	1.6- 6.0	357	96.2	94.0-98.4
H.S. or G.E.D.	1462	848,055	131	5.1	4.1- 6.1	1331	94.9	93.9-95.9
Some Post-H.S.	1021	708,893	113	6.2	4.6- 7.8	908	93.8	92.2-95.4
College Graduate	1674	565,577	214	7.8	6.4- 9.2	1460	92.2	90.8-93.6
Less than \$15,000	313	198,244	18	4.8	1.9- 7.7	295	95.2	92.3-98.1
\$15,000- 24,999	656	377,391	57	3.9	2.5- 5.3	599	96.1	94.7-97.5
\$25,000- 34,999	440	231,452	48	5.5	3.5- 7.5	392	94.5	92.5-96.5
\$35,000- 49,999	646	357,422	93	8.0	5.8-10.2	553	92.0	89.8-94.2
\$50,000- 74,999	710	365,172	86	7.1	5.1- 9.1	624	92.9	90.9-94.9
\$75,000+	1310	694,683	118	5.5	4.1- 6.9	1192	94.5	93.1-95.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6503	2,608,002	556	5.1	4.5- 5.7	5947	94.9	94.3-95.5
White/Non-Hisp	5570	2,129,214	538	6.1	5.3- 6.9	5032	93.9	93.1-94.7
Black or Afr. Am./Non-Hisp	465	229,419	1	0.3	0.0- 0.9	464	99.7	99.1- 100
Oth. Race/Non-Hisp.	97	44,650	4	0.9	0.0- 2.3	93	99.1	97.7- 100
MultiRacial/Non-Hisp.	93	28,591	8	4.3	0.6- 8.0	85	95.7	92.0-99.4
Hispanic	203	151,832	1	0.3	0.0- 0.9	202	99.7	99.1- 100
18-24	205	336,336				205	100.0	100.0- 100
25-34	435	415,167	3	0.5	0.0- 1.1	432	99.5	98.9- 100
35-44	597	406,892	12	2.5	0.9- 4.1	585	97.5	95.9-99.1
45-54	922	414,191	47	4.7	3.1- 6.3	875	95.3	93.7-96.9
55-64	1438	436,249	104	6.7	5.1- 8.3	1334	93.3	91.7-94.9
65+	2808	564,582	379	12.5	11.1-13.9	2429	87.5	86.1-88.9
Less Than H.S.	516	316,759	27	2.6	1.2- 4.0	489	97.4	96.0-98.8
H.S. or G.E.D.	2291	890,686	176	5.0	4.0- 6.0	2115	95.0	94.0-96.0
Some Post-H.S.	1727	856,837	157	5.1	4.1- 6.1	1570	94.9	93.9-95.9
College Graduate	1955	538,411	194	6.7	5.3- 8.1	1761	93.3	91.9-94.7
Less than \$15,000	619	263,903	37	4.7	2.5- 6.9	582	95.3	93.1-97.5
\$15,000- 24,999	1177	448,508	107	5.0	3.8- 6.2	1070	95.0	93.8-96.2
\$25,000- 34,999	705	264,286	58	4.1	2.9- 5.3	647	95.9	94.7-97.1
\$35,000- 49,999	842	331,775	65	4.3	2.9- 5.7	777	95.7	94.3-97.1
\$50,000- 74,999	802	343,947	63	4.8	3.2- 6.4	739	95.2	93.6-96.8
\$75,000+	1310	588,128	124	6.2	4.6- 7.8	1186	93.8	92.2-95.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11049	5,083,982	1151	6.3	5.7- 6.9	9898	93.7	93.1-94.3
Male	4551	2,476,974	361	4.3	3.7- 4.9	4190	95.7	95.1-96.3
Female	6498	2,607,008	790	8.1	7.3- 8.9	5708	91.9	91.1-92.7
White/Non-Hisp	9416	4,111,123	1032	7.0	6.4- 7.6	8384	93.0	92.4-93.6
Black or Afr. Am./Non-Hisp	731	431,452	47	3.9	2.3- 5.5	684	96.1	94.5-97.7
Oth. Race/Non-Hisp.	223	122,645	19	2.2	0.6- 3.8	204	97.8	96.2-99.4
MultiRacial/Non-Hisp.	158	55,461	27	9.9	5.0-14.8	131	90.1	85.2-95.0
Hispanic	362	285,691	10	1.6	0.2- 3.0	352	98.4	97.0-99.8
18-24	458	689,754	1	0.1	0.0- 0.3	457	99.9	99.7- 100
25-34	817	835,959	20	2.5	1.3- 3.7	797	97.5	96.3-98.7
35-44	1097	817,935	35	3.4	2.0- 4.8	1062	96.6	95.2-98.0
45-54	1620	823,867	101	5.6	4.2- 7.0	1519	94.4	93.0-95.8
55-64	2447	849,939	224	7.4	6.2- 8.6	2223	92.6	91.4-93.8
65+	4459	1,009,750	756	15.5	14.1-16.9	3703	84.5	83.1-85.9
Less Than H.S.	889	661,440	96	5.5	3.9- 7.1	793	94.5	92.9-96.1
H.S. or G.E.D.	3754	1,738,952	397	7.2	6.2- 8.2	3357	92.8	91.8-93.8
Some Post-H.S.	2749	1,566,745	284	6.0	5.0- 7.0	2465	94.0	93.0-95.0
College Graduate	3629	1,104,222	372	5.7	4.9- 6.5	3257	94.3	93.5-95.1
Less than \$15,000	931	462,321	106	7.6	5.4- 9.8	825	92.4	90.2-94.6
\$15,000- 24,999	1832	825,449	229	8.3	6.7- 9.9	1603	91.7	90.1-93.3
\$25,000- 34,999	1144	495,231	134	6.4	4.8- 8.0	1010	93.6	92.0-95.2
\$35,000- 49,999	1489	689,252	181	7.2	5.8- 8.6	1308	92.8	91.4-94.2
\$50,000- 74,999	1513	709,425	145	6.0	4.6- 7.4	1368	94.0	92.6-95.4
\$75,000+	2620	1,282,859	191	4.1	3.3- 4.9	2429	95.9	95.1-96.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4551	2,476,974	361	4.3	3.7- 4.9	4190	95.7	95.1-96.3
White/Non-Hisp	3849	1,982,668	323	4.8	4.0- 5.6	3526	95.2	94.4-96.0
Black or Afr. Am./Non-Hisp	267	202,171	17	3.5	1.3- 5.7	250	96.5	94.3-98.7
Oth. Race/Non-Hisp.	126	77,996	4	0.4	0.0- 1.0	122	99.6	99.0- 100
MultiRacial/Non-Hisp.	66	26,967	5	3.0	0.1- 5.9	61	97.0	94.1-99.9
Hispanic	159	133,859	3	0.4	0.0- 0.8	156	99.6	99.2- 100
18-24	253	353,418	1	0.2	0.0- 0.6	252	99.8	99.4- 100
25-34	382	420,792	3	0.4	0.0- 1.0	379	99.6	99.0- 100
35-44	499	410,502	7	1.7	0.1- 3.3	492	98.3	96.7-99.9
45-54	699	410,417	14	2.1	0.7- 3.5	685	97.9	96.5-99.3
55-64	1011	414,243	56	4.4	3.0- 5.8	955	95.6	94.2-97.0
65+	1654	445,410	276	15.3	13.1-17.5	1378	84.7	82.5-86.9
Less Than H.S.	375	345,271	27	2.9	1.5- 4.3	348	97.1	95.7-98.5
H.S. or G.E.D.	1462	847,963	129	5.2	4.0- 6.4	1333	94.8	93.6-96.0
Some Post-H.S.	1024	710,460	65	3.7	2.5- 4.9	959	96.3	95.1-97.5
College Graduate	1676	565,964	139	4.6	3.6- 5.6	1537	95.4	94.4-96.4
Less than \$15,000	314	198,794	14	3.2	0.8- 5.6	300	96.8	94.4-99.2
\$15,000- 24,999	656	377,374	61	4.3	2.9- 5.7	595	95.7	94.3-97.1
\$25,000- 34,999	441	231,507	38	4.1	2.3- 5.9	403	95.9	94.1-97.7
\$35,000- 49,999	647	357,477	68	5.3	3.7- 6.9	579	94.7	93.1-96.3
\$50,000- 74,999	711	365,477	54	5.2	3.2- 7.2	657	94.8	92.8-96.8
\$75,000+	1310	694,731	74	2.9	1.9- 3.9	1236	97.1	96.1-98.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6498	2,607,008	790	8.1	7.3- 8.9	5708	91.9	91.1-92.7
White/Non-Hisp	5567	2,128,455	709	8.9	7.9- 9.9	4858	91.1	90.1-92.1
Black or Afr. Am./Non-Hisp	464	229,281	30	4.4	2.0- 6.8	434	95.6	93.2-98.0
Oth. Race/Non-Hisp.	97	44,650	15	5.4	1.1- 9.7	82	94.6	90.3-98.9
MultiRacial/Non-Hisp.	92	28,494	22	16.4	7.4-25.4	70	83.6	74.6-92.6
Hispanic	203	151,832	7	2.6	0.1- 5.1	196	97.4	94.9-99.9
18-24	205	336,336				205	100.0	100.0- 100
25-34	435	415,167	17	4.6	2.1- 7.1	418	95.4	92.9-97.9
35-44	598	407,433	28	5.1	2.7- 7.5	570	94.9	92.5-97.3
45-54	921	413,450	87	9.1	6.7-11.5	834	90.9	88.5-93.3
55-64	1436	435,696	168	10.2	8.4-12.0	1268	89.8	88.0-91.6
65+	2805	564,340	480	15.7	13.9-17.5	2325	84.3	82.5-86.1
Less Than H.S.	514	316,169	69	8.4	5.7-11.1	445	91.6	88.9-94.3
H.S. or G.E.D.	2292	890,989	268	9.1	7.5-10.7	2024	90.9	89.3-92.5
Some Post-H.S.	1725	856,284	219	8.0	6.4- 9.6	1506	92.0	90.4-93.6
College Graduate	1953	538,257	233	6.9	5.7- 8.1	1720	93.1	91.9-94.3
Less than \$15,000	617	263,527	92	11.0	7.7-14.3	525	89.0	85.7-92.3
\$15,000- 24,999	1176	448,075	168	11.7	9.0-14.4	1008	88.3	85.6-91.0
\$25,000- 34,999	703	263,723	96	8.4	6.0-10.8	607	91.6	89.2-94.0
\$35,000- 49,999	842	331,775	113	9.2	6.8-11.6	729	90.8	88.4-93.2
\$50,000- 74,999	802	343,947	91	6.8	5.0- 8.6	711	93.2	91.4-95.0
\$75,000+	1310	588,128	117	5.4	4.0- 6.8	1193	94.6	93.2-96.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11031	5,075,243	1107	8.0	7.4- 8.6	9924	92.0	91.4-92.6
Male	4540	2,468,088	392	7.2	6.2- 8.2	4148	92.8	91.8-93.8
Female	6491	2,607,155	715	8.8	7.8- 9.8	5776	91.2	90.2-92.2
White/Non-Hisp	9399	4,102,688	962	8.3	7.5- 9.1	8437	91.7	90.9-92.5
Black or Afr. Am./Non-Hisp	731	433,078	60	8.3	5.0-11.6	671	91.7	88.4-95.0
Oth. Race/Non-Hisp.	224	122,845	21	5.2	0.0-10.5	203	94.8	89.5- 100
MultiRacial/Non-Hisp.	158	54,964	30	15.2	8.3-22.1	128	84.8	77.9-91.7
Hispanic	361	284,195	15	3.3	1.1- 5.5	346	96.7	94.5-98.9
18-24	457	688,620	16	4.4	2.0- 6.8	441	95.6	93.2-98.0
25-34	817	836,338	26	2.3	1.3- 3.3	791	97.7	96.7-98.7
35-44	1095	815,409	41	4.1	2.5- 5.7	1054	95.9	94.3-97.5
45-54	1620	823,544	142	9.8	7.8-11.8	1478	90.2	88.2-92.2
55-64	2443	847,943	291	12.8	11.0-14.6	2152	87.2	85.4-89.0
65+	4448	1,006,611	581	13.0	11.8-14.2	3867	87.0	85.8-88.2
Less Than H.S.	891	661,998	193	16.6	13.5-19.7	698	83.4	80.3-86.5
H.S. or G.E.D.	3742	1,735,749	439	9.0	7.8-10.2	3303	91.0	89.8-92.2
Some Post-H.S.	2742	1,560,947	294	6.9	5.7- 8.1	2448	93.1	91.9-94.3
College Graduate	3628	1,103,924	176	2.9	2.3- 3.5	3452	97.1	96.5-97.7
Less than \$15,000	924	458,745	204	18.6	15.1-22.1	720	81.4	77.9-84.9
\$15,000- 24,999	1831	827,407	294	13.2	10.8-15.6	1537	86.8	84.4-89.2
\$25,000- 34,999	1143	495,322	146	9.3	7.1-11.5	997	90.7	88.5-92.9
\$35,000- 49,999	1487	687,412	133	7.1	5.5- 8.7	1354	92.9	91.3-94.5
\$50,000- 74,999	1509	706,595	85	4.1	2.9- 5.3	1424	95.9	94.7-97.1
\$75,000+	2620	1,282,583	99	3.1	2.3- 3.9	2521	96.9	96.1-97.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4540	2,468,088	392	7.2	6.2- 8.2	4148	92.8	91.8-93.8
White/Non-Hisp	3839	1,975,396	333	7.3	6.3- 8.3	3506	92.7	91.7-93.7
Black or Afr. Am./Non-Hisp	266	201,852	18	6.8	2.3-11.3	248	93.2	88.7-97.7
Oth. Race/Non-Hisp.	127	78,196	9	6.2	0.0-14.4	118	93.8	85.6- 100
MultiRacial/Non-Hisp.	66	26,967	11	12.9	3.5-22.3	55	87.1	77.7-96.5
Hispanic	158	132,363	9	6.4	1.9-10.9	149	93.6	89.1-98.1
18-24	252	352,284	8	4.3	1.2- 7.4	244	95.7	92.6-98.8
25-34	381	419,296	10	2.2	0.6- 3.8	371	97.8	96.2-99.4
35-44	498	409,049	15	3.6	1.4- 5.8	483	96.4	94.2-98.6
45-54	699	409,946	46	7.6	5.1-10.1	653	92.4	89.9-94.9
55-64	1009	412,582	109	12.1	9.4-14.8	900	87.9	85.2-90.6
65+	1648	442,738	200	12.5	10.5-14.5	1448	87.5	85.5-89.5
Less Than H.S.	376	345,437	74	14.1	10.0-18.2	302	85.9	81.8-90.0
H.S. or G.E.D.	1455	844,311	150	8.0	6.2- 9.8	1305	92.0	90.2-93.8
Some Post-H.S.	1018	705,068	98	6.8	5.0- 8.6	920	93.2	91.4-95.0
College Graduate	1677	565,956	69	2.4	1.6- 3.2	1608	97.6	96.8-98.4
Less than \$15,000	311	196,711	59	17.4	11.7-23.1	252	82.6	76.9-88.3
\$15,000- 24,999	656	377,602	92	11.8	8.5-15.1	564	88.2	84.9-91.5
\$25,000- 34,999	440	231,275	46	7.0	4.5- 9.5	394	93.0	90.5-95.5
\$35,000- 49,999	646	355,708	63	7.9	5.4-10.4	583	92.1	89.6-94.6
\$50,000- 74,999	709	363,104	44	4.5	2.7- 6.3	665	95.5	93.7-97.3
\$75,000+	1310	694,455	49	3.3	2.1- 4.5	1261	96.7	95.5-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6491	2,607,155	715	8.8	7.8- 9.8	5776	91.2	90.2-92.2
White/Non-Hisp	5560	2,127,292	629	9.3	8.3-10.3	4931	90.7	89.7-91.7
Black or Afr. Am./Non-Hisp	465	231,226	42	9.6	4.5-14.7	423	90.4	85.3-95.5
Oth. Race/Non-Hisp.	97	44,650	12	3.6	1.1- 6.1	85	96.4	93.9-98.9
MultiRacial/Non-Hisp.	92	27,997	19	17.5	7.3-27.7	73	82.5	72.3-92.7
Hispanic	203	151,832	6	0.6	0.0- 1.2	197	99.4	98.8- 100
18-24	205	336,336	8	4.6	1.1- 8.1	197	95.4	91.9-98.9
25-34	436	417,042	16	2.4	1.0- 3.8	420	97.6	96.2-99.0
35-44	597	406,360	26	4.7	2.3- 7.1	571	95.3	92.9-97.7
45-54	921	413,597	96	12.0	9.3-14.7	825	88.0	85.3-90.7
55-64	1434	435,361	182	13.5	11.1-15.9	1252	86.5	84.1-88.9
65+	2800	563,873	381	13.3	11.7-14.9	2419	86.7	85.1-88.3
Less Than H.S.	515	316,560	119	19.3	14.6-24.0	396	80.7	76.0-85.4
H.S. or G.E.D.	2287	891,438	289	10.0	8.4-11.6	1998	90.0	88.4-91.6
Some Post-H.S.	1724	855,879	196	7.0	5.6- 8.4	1528	93.0	91.6-94.4
College Graduate	1951	537,968	107	3.4	2.4- 4.4	1844	96.6	95.6-97.6
Less than \$15,000	613	262,034	145	19.6	15.1-24.1	468	80.4	75.9-84.9
\$15,000- 24,999	1175	449,805	202	14.3	11.2-17.4	973	85.7	82.6-88.8
\$25,000- 34,999	703	264,047	100	11.3	8.2-14.4	603	88.7	85.6-91.8
\$35,000- 49,999	841	331,704	70	6.3	4.3- 8.3	771	93.7	91.7-95.7
\$50,000- 74,999	800	343,491	41	3.8	2.2- 5.4	759	96.2	94.6-97.8
\$75,000+	1310	588,128	50	3.0	2.0- 4.0	1260	97.0	96.0-98.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11033	5,072,965	4326	27.8	26.6-29.0	6707	72.2	71.0-73.4
Male	4543	2,472,658	1424	22.8	21.2-24.4	3119	77.2	75.6-78.8
Female	6490	2,600,308	2902	32.5	30.9-34.1	3588	67.5	65.9-69.1
White/Non-Hisp	9406	4,103,441	3790	29.5	28.3-30.7	5616	70.5	69.3-71.7
Black or Afr. Am./Non-Hisp	730	430,831	262	24.9	20.8-29.0	468	75.1	71.0-79.2
Oth. Race/Non-Hisp.	221	120,511	66	15.7	8.4-23.0	155	84.3	77.0-91.6
MultiRacial/Non-Hisp.	159	55,558	83	32.1	22.7-41.5	76	67.9	58.5-77.3
Hispanic	362	285,691	70	12.4	8.7-16.1	292	87.6	83.9-91.3
18-24	457	686,837	15	3.2	1.4- 5.0	442	96.8	95.0-98.6
25-34	812	831,255	79	9.7	7.3-12.1	733	90.3	87.9-92.7
35-44	1095	816,504	181	16.4	13.7-19.1	914	83.6	80.9-86.3
45-54	1616	821,978	471	29.5	26.8-32.2	1145	70.5	67.8-73.2
55-64	2449	851,240	1097	44.8	42.3-47.3	1352	55.2	52.7-57.7
65+	4453	1,008,373	2432	52.7	50.7-54.7	2021	47.3	45.3-49.3
Less Than H.S.	890	659,742	451	34.1	30.0-38.2	439	65.9	61.8-70.0
H.S. or G.E.D.	3747	1,735,349	1631	31.0	29.0-33.0	2116	69.0	67.0-71.0
Some Post-H.S.	2746	1,564,268	1114	27.3	25.1-29.5	1632	72.7	70.5-74.9
College Graduate	3623	1,101,281	1121	19.6	18.0-21.2	2502	80.4	78.8-82.0
Less than \$15,000	932	463,243	476	38.1	33.8-42.4	456	61.9	57.6-66.2
\$15,000- 24,999	1830	824,423	909	36.8	33.7-39.9	921	63.2	60.1-66.3
\$25,000- 34,999	1143	492,156	507	31.6	27.9-35.3	636	68.4	64.7-72.1
\$35,000- 49,999	1488	689,129	610	28.3	25.4-31.2	878	71.7	68.8-74.6
\$50,000- 74,999	1510	708,396	512	23.4	20.9-25.9	998	76.6	74.1-79.1
\$75,000+	2618	1,279,997	684	18.2	16.4-20.0	1934	81.8	80.0-83.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4543	2,472,658	1424	22.8	21.2-24.4	3119	77.2	75.6-78.8
White/Non-Hisp	3843	1,979,442	1248	24.1	22.3-25.9	2595	75.9	74.1-77.7
Black or Afr. Am./Non-Hisp	267	201,963	66	20.7	14.2-27.2	201	79.3	72.8-85.8
Oth. Race/Non-Hisp.	125	77,316	29	14.1	4.1-24.1	96	85.9	75.9-95.9
MultiRacial/Non-Hisp.	66	26,967	29	25.8	13.1-38.5	37	74.2	61.5-86.9
Hispanic	159	133,859	27	10.8	5.9-15.7	132	89.2	84.3-94.1
18-24	253	353,418	5	1.9	0.0- 3.9	248	98.1	96.1- 100
25-34	379	417,915	25	6.8	3.7- 9.9	354	93.2	90.1-96.3
35-44	499	410,502	69	15.3	11.2-19.4	430	84.7	80.6-88.8
45-54	697	408,969	164	24.2	20.3-28.1	533	75.8	71.9-79.7
55-64	1011	414,992	400	40.6	36.7-44.5	611	59.4	55.5-63.3
65+	1651	444,669	739	42.9	39.8-46.0	912	57.1	54.0-60.2
Less Than H.S.	375	345,901	148	27.6	22.1-33.1	227	72.4	66.9-77.9
H.S. or G.E.D.	1459	845,284	499	24.3	21.8-26.8	960	75.7	73.2-78.2
Some Post-H.S.	1025	710,841	338	23.7	20.6-26.8	687	76.3	73.2-79.4
College Graduate	1670	563,317	436	16.5	14.5-18.5	1234	83.5	81.5-85.5
Less than \$15,000	314	198,976	120	31.4	24.9-37.9	194	68.6	62.1-75.1
\$15,000- 24,999	655	377,079	258	30.3	25.6-35.0	397	69.7	65.0-74.4
\$25,000- 34,999	440	230,862	148	23.5	18.4-28.6	292	76.5	71.4-81.6
\$35,000- 49,999	648	358,383	221	23.8	19.9-27.7	427	76.2	72.3-80.1
\$50,000- 74,999	708	364,448	220	21.2	17.7-24.7	488	78.8	75.3-82.3
\$75,000+	1308	691,869	306	16.7	14.3-19.1	1002	83.3	80.9-85.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6490	2,600,308	2902	32.5	30.9-34.1	3588	67.5	65.9-69.1
White/Non-Hisp	5563	2,123,999	2542	34.5	32.7-36.3	3021	65.5	63.7-67.3
Black or Afr. Am./Non-Hisp	463	228,868	196	28.6	23.3-33.9	267	71.4	66.1-76.7
Oth. Race/Non-Hisp.	96	43,195	37	18.7	8.5-28.9	59	81.3	71.1-91.5
MultiRacial/Non-Hisp.	93	28,591	54	38.1	25.0-51.2	39	61.9	48.8-75.0
Hispanic	203	151,832	43	13.7	8.0-19.4	160	86.3	80.6-92.0
18-24	204	333,419	10	4.5	1.6- 7.4	194	95.5	92.6-98.4
25-34	433	413,340	54	12.5	9.0-16.0	379	87.5	84.0-91.0
35-44	596	406,002	112	17.6	13.9-21.3	484	82.4	78.7-86.1
45-54	919	413,009	307	34.8	30.9-38.7	612	65.2	61.3-69.1
55-64	1438	436,249	697	48.8	45.7-51.9	741	51.2	48.1-54.3
65+	2802	563,704	1693	60.4	58.0-62.8	1109	39.6	37.2-42.0
Less Than H.S.	515	313,841	303	41.3	35.4-47.2	212	58.7	52.8-64.6
H.S. or G.E.D.	2288	890,065	1132	37.4	34.7-40.1	1156	62.6	59.9-65.3
Some Post-H.S.	1721	853,427	776	30.3	27.6-33.0	945	69.7	67.0-72.4
College Graduate	1953	537,964	685	22.9	20.5-25.3	1268	77.1	74.7-79.5
Less than \$15,000	618	264,267	356	43.1	37.2-49.0	262	56.9	51.0-62.8
\$15,000- 24,999	1175	447,344	651	42.4	38.3-46.5	524	57.6	53.5-61.7
\$25,000- 34,999	703	261,294	359	38.8	33.5-44.1	344	61.2	55.9-66.5
\$35,000- 49,999	840	330,746	389	33.2	29.1-37.3	451	66.8	62.7-70.9
\$50,000- 74,999	802	343,947	292	25.7	21.8-29.6	510	74.3	70.4-78.2
\$75,000+	1310	588,128	378	20.1	17.6-22.6	932	79.9	77.4-82.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 28: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11032	5,072,503	1678	15.9	14.9-16.9	9354	84.1	83.1-85.1
Male	4540	2,472,115	485	11.0	9.6-12.4	4055	89.0	87.6-90.4
Female	6492	2,600,388	1193	20.5	18.9-22.1	5299	79.5	77.9-81.1
White/Non-Hisp	9400	4,103,792	1444	16.3	15.1-17.5	7956	83.7	82.5-84.9
Black or Afr. Am./Non-Hisp	731	428,601	91	15.4	11.1-19.7	640	84.6	80.3-88.9
Oth. Race/Non-Hisp.	224	122,845	34	12.2	5.1-19.3	190	87.8	80.7-94.9
MultiRacial/Non-Hisp.	158	55,500	44	31.0	19.4-42.6	114	69.0	57.4-80.6
Hispanic	360	284,156	40	10.1	6.4-13.8	320	89.9	86.2-93.6
18-24	454	683,688	79	17.6	13.5-21.7	375	82.4	78.3-86.5
25-34	815	834,179	136	14.8	12.1-17.5	679	85.2	82.5-87.9
35-44	1095	816,987	197	18.0	15.3-20.7	898	82.0	79.3-84.7
45-54	1618	822,824	309	19.1	16.7-21.5	1309	80.9	78.5-83.3
55-64	2443	849,500	486	18.6	16.6-20.6	1957	81.4	79.4-83.4
65+	4456	1,008,547	460	9.5	8.5-10.5	3996	90.5	89.5-91.5
Less Than H.S.	889	661,090	202	22.7	18.8-26.6	687	77.3	73.4-81.2
H.S. or G.E.D.	3745	1,733,725	590	16.3	14.5-18.1	3155	83.7	81.9-85.5
Some Post-H.S.	2741	1,561,903	448	15.7	13.9-17.5	2293	84.3	82.5-86.1
College Graduate	3629	1,103,161	433	11.2	9.8-12.6	3196	88.8	87.4-90.2
Less than \$15,000	929	461,620	275	31.9	27.4-36.4	654	68.1	63.6-72.6
\$15,000- 24,999	1828	823,697	392	22.4	19.5-25.3	1436	77.6	74.7-80.5
\$25,000- 34,999	1142	494,785	185	17.2	13.7-20.7	957	82.8	79.3-86.3
\$35,000- 49,999	1490	689,968	209	14.8	12.3-17.3	1281	85.2	82.7-87.7
\$50,000- 74,999	1512	708,945	175	11.4	9.2-13.6	1337	88.6	86.4-90.8
\$75,000+	2618	1,280,119	266	9.3	7.7-10.9	2352	90.7	89.1-92.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 29: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4540	2,472,115	485	11.0	9.6-12.4	4055	89.0	87.6-90.4
White/Non-Hisp	3838	1,977,754	406	10.7	9.3-12.1	3432	89.3	87.9-90.7
Black or Afr. Am./Non-Hisp	268	202,608	24	12.7	6.4-19.0	244	87.3	81.0-93.6
Oth. Race/Non-Hisp.	127	78,196	14	9.4	0.4-18.4	113	90.6	81.6-99.6
MultiRacial/Non-Hisp.	65	26,909	11	22.9	4.9-40.9	54	77.1	59.1-95.1
Hispanic	158	133,334	17	10.2	4.3-16.1	141	89.8	83.9-95.7
18-24	251	351,044	34	14.0	8.9-19.1	217	86.0	80.9-91.1
25-34	382	420,792	39	8.7	5.6-11.8	343	91.3	88.2-94.4
35-44	498	410,328	66	12.9	9.4-16.4	432	87.1	83.6-90.6
45-54	697	409,113	92	12.9	9.8-16.0	605	87.1	84.0-90.2
55-64	1007	413,723	137	12.3	9.8-14.8	870	87.7	85.2-90.2
65+	1652	444,922	115	6.5	4.9- 8.1	1537	93.5	91.9-95.1
Less Than H.S.	376	346,054	71	17.8	12.7-22.9	305	82.2	77.1-87.3
H.S. or G.E.D.	1454	844,802	167	11.5	9.3-13.7	1287	88.5	86.3-90.7
Some Post-H.S.	1019	707,957	110	9.9	7.5-12.3	909	90.1	87.7-92.5
College Graduate	1677	565,987	135	7.4	5.8- 9.0	1542	92.6	91.0-94.2
Less than \$15,000	310	197,921	70	27.1	20.2-34.0	240	72.9	66.0-79.8
\$15,000- 24,999	654	377,217	106	16.6	12.7-20.5	548	83.4	79.5-87.3
\$25,000- 34,999	439	230,750	46	9.4	4.9-13.9	393	90.6	86.1-95.1
\$35,000- 49,999	648	358,193	70	9.7	6.6-12.8	578	90.3	87.2-93.4
\$50,000- 74,999	711	365,477	65	10.0	6.9-13.1	646	90.0	86.9-93.1
\$75,000+	1309	692,776	89	5.7	4.1- 7.3	1220	94.3	92.7-95.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 30: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6492	2,600,388	1193	20.5	18.9-22.1	5299	79.5	77.9-81.1
White/Non-Hisp	5562	2,126,038	1038	21.4	19.8-23.0	4524	78.6	77.0-80.2
Black or Afr. Am./Non-Hisp	463	225,992	67	17.8	11.9-23.7	396	82.2	76.3-88.1
Oth. Race/Non-Hisp.	97	44,650	20	17.0	6.0-28.0	77	83.0	72.0-94.0
MultiRacial/Non-Hisp.	93	28,591	33	38.5	23.6-53.4	60	61.5	46.6-76.4
Hispanic	202	150,822	23	10.1	5.2-15.0	179	89.9	85.0-94.8
18-24	203	332,644	45	21.5	15.2-27.8	158	78.5	72.2-84.8
25-34	433	413,387	97	21.0	16.5-25.5	336	79.0	74.5-83.5
35-44	597	406,659	131	23.2	18.9-27.5	466	76.8	72.5-81.1
45-54	921	413,711	217	25.1	21.6-28.6	704	74.9	71.4-78.4
55-64	1436	435,777	349	24.5	21.8-27.2	1087	75.5	72.8-78.2
65+	2804	563,624	345	11.9	10.3-13.5	2459	88.1	86.5-89.7
Less Than H.S.	513	315,036	131	28.0	22.3-33.7	382	72.0	66.3-77.7
H.S. or G.E.D.	2291	888,923	423	20.9	18.4-23.4	1868	79.1	76.6-81.6
Some Post-H.S.	1722	853,946	338	20.5	17.8-23.2	1384	79.5	76.8-82.2
College Graduate	1952	537,174	298	15.3	12.9-17.7	1654	84.7	82.3-87.1
Less than \$15,000	619	263,699	205	35.5	29.6-41.4	414	64.5	58.6-70.4
\$15,000- 24,999	1174	446,480	286	27.2	23.1-31.3	888	72.8	68.7-76.9
\$25,000- 34,999	703	264,035	139	24.0	18.9-29.1	564	76.0	70.9-81.1
\$35,000- 49,999	842	331,775	139	20.3	16.2-24.4	703	79.7	75.6-83.8
\$50,000- 74,999	801	343,468	110	13.0	9.9-16.1	691	87.0	83.9-90.1
\$75,000+	1309	587,344	177	13.6	10.9-16.3	1132	86.4	83.7-89.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11040	5,081,998	471	2.9	2.5- 3.3	10569	97.1	96.7-97.5
Male	4549	2,475,442	171	2.3	1.9- 2.7	4378	97.7	97.3-98.1
Female	6491	2,606,556	300	3.4	2.8- 4.0	6191	96.6	96.0-97.2
White/Non-Hisp	9408	4,111,095	400	2.9	2.5- 3.3	9008	97.1	96.7-97.5
Black or Afr. Am./Non-Hisp	731	429,975	36	3.2	1.8- 4.6	695	96.8	95.4-98.2
Oth. Race/Non-Hisp.	222	122,138	8	2.1	0.0- 4.8	214	97.9	95.2- 100
MultiRacial/Non-Hisp.	158	55,490	12	3.1	0.9- 5.3	146	96.9	94.7-99.1
Hispanic	362	285,691	7	1.8	0.0- 3.8	355	98.2	96.2- 100
18-24	458	689,754	6	1.0	0.0- 2.0	452	99.0	98.0- 100
25-34	817	835,959	6	0.4	0.0- 0.8	811	99.6	99.2- 100
35-44	1097	817,935	21	1.6	0.8- 2.4	1076	98.4	97.6-99.2
45-54	1620	822,473	43	2.6	1.6- 3.6	1577	97.4	96.4-98.4
55-64	2444	849,549	94	3.9	2.9- 4.9	2350	96.1	95.1-97.1
65+	4453	1,009,550	292	6.3	5.3- 7.3	4161	93.7	92.7-94.7
Less Than H.S.	889	660,437	52	3.1	1.9- 4.3	837	96.9	95.7-98.1
H.S. or G.E.D.	3752	1,738,469	188	3.4	2.8- 4.0	3564	96.6	96.0-97.2
Some Post-H.S.	2749	1,567,022	106	2.5	1.9- 3.1	2643	97.5	96.9-98.1
College Graduate	3622	1,103,445	124	2.4	1.8- 3.0	3498	97.6	97.0-98.2
Less than \$15,000	929	460,634	53	3.3	1.9- 4.7	876	96.7	95.3-98.1
\$15,000- 24,999	1833	826,188	124	4.6	3.6- 5.6	1709	95.4	94.4-96.4
\$25,000- 34,999	1144	495,606	65	3.6	2.4- 4.8	1079	96.4	95.2-97.6
\$35,000- 49,999	1485	689,047	62	2.6	1.8- 3.4	1423	97.4	96.6-98.2
\$50,000- 74,999	1511	708,662	47	2.1	1.3- 2.9	1464	97.9	97.1-98.7
\$75,000+	2619	1,282,647	57	1.3	0.9- 1.7	2562	98.7	98.3-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4549	2,475,442	171	2.3	1.9- 2.7	4378	97.7	97.3-98.1
White/Non-Hisp	3847	1,983,078	137	2.2	1.8- 2.6	3710	97.8	97.4-98.2
Black or Afr. Am./Non-Hisp	267	200,696	15	3.3	1.1- 5.5	252	96.7	94.5-98.9
Oth. Race/Non-Hisp.	126	77,529	4	1.0	0.0- 2.4	122	99.0	97.6- 100
MultiRacial/Non-Hisp.	66	26,967	6	3.1	0.0- 6.2	60	96.9	93.8- 100
Hispanic	159	133,859	5	2.0	0.0- 4.5	154	98.0	95.5- 100
18-24	253	353,418	1	0.2	0.0- 0.6	252	99.8	99.4- 100
25-34	382	420,792	2	0.2	0.0- 0.4	380	99.8	99.6- 100
35-44	499	410,502	5	0.7	0.0- 1.5	494	99.3	98.5- 100
45-54	698	408,282	19	2.5	1.1- 3.9	679	97.5	96.1-98.9
55-64	1011	414,837	36	3.6	2.2- 5.0	975	96.4	95.0-97.8
65+	1653	445,419	102	5.5	4.1- 6.9	1551	94.5	93.1-95.9
Less Than H.S.	376	344,447	17	1.9	0.7- 3.1	359	98.1	96.9-99.3
H.S. or G.E.D.	1461	847,615	65	2.7	1.9- 3.5	1396	97.3	96.5-98.1
Some Post-H.S.	1024	710,388	31	2.0	1.2- 2.8	993	98.0	97.2-98.8
College Graduate	1674	565,677	57	2.2	1.4- 3.0	1617	97.8	97.0-98.6
Less than \$15,000	313	196,651	14	3.1	1.1- 5.1	299	96.9	94.9-98.9
\$15,000- 24,999	655	377,531	40	3.3	1.9- 4.7	615	96.7	95.3-98.1
\$25,000- 34,999	440	231,395	21	2.2	1.0- 3.4	419	97.8	96.6-99.0
\$35,000- 49,999	647	358,202	22	2.0	1.0- 3.0	625	98.0	97.0-99.0
\$50,000- 74,999	710	364,997	23	2.8	1.4- 4.2	687	97.2	95.8-98.6
\$75,000+	1310	694,723	30	1.1	0.7- 1.5	1280	98.9	98.5-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6491	2,606,556	300	3.4	2.8- 4.0	6191	96.6	96.0-97.2
White/Non-Hisp	5561	2,128,016	263	3.5	2.9- 4.1	5298	96.5	95.9-97.1
Black or Afr. Am./Non-Hisp	464	229,279	21	3.2	1.4- 5.0	443	96.8	95.0-98.6
Oth. Race/Non-Hisp.	96	44,609	4	4.1	0.0-11.0	92	95.9	89.0- 100
MultiRacial/Non-Hisp.	92	28,523	6	3.0	0.1- 5.9	86	97.0	94.1-99.9
Hispanic	203	151,832	2	1.6	0.0- 4.5	201	98.4	95.5- 100
18-24	205	336,336	5	1.9	0.1- 3.7	200	98.1	96.3-99.9
25-34	435	415,167	4	0.6	0.0- 1.2	431	99.4	98.8- 100
35-44	598	407,433	16	2.5	1.1- 3.9	582	97.5	96.1-98.9
45-54	922	414,191	24	2.7	1.1- 4.3	898	97.3	95.7-98.9
55-64	1433	434,712	58	4.3	2.9- 5.7	1375	95.7	94.3-97.1
65+	2800	564,131	190	6.9	5.7- 8.1	2610	93.1	91.9-94.3
Less Than H.S.	513	315,991	35	4.5	2.3- 6.7	478	95.5	93.3-97.7
H.S. or G.E.D.	2291	890,854	123	4.0	3.0- 5.0	2168	96.0	95.0-97.0
Some Post-H.S.	1725	856,634	75	3.0	2.2- 3.8	1650	97.0	96.2-97.8
College Graduate	1948	537,769	67	2.6	1.8- 3.4	1881	97.4	96.6-98.2
Less than \$15,000	616	263,983	39	3.5	1.7- 5.3	577	96.5	94.7-98.3
\$15,000- 24,999	1178	448,657	84	5.6	4.0- 7.2	1094	94.4	92.8-96.0
\$25,000- 34,999	704	264,211	44	4.9	2.7- 7.1	660	95.1	92.9-97.3
\$35,000- 49,999	838	330,845	40	3.4	2.0- 4.8	798	96.6	95.2-98.0
\$50,000- 74,999	801	343,666	24	1.4	0.6- 2.2	777	98.6	97.8-99.4
\$75,000+	1309	587,923	27	1.6	0.8- 2.4	1282	98.4	97.6-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**INDIANA CORE QUESTIONS DATA REPORT, 2016**  
**SECTION 6: CHRONIC HEALTH CONDITIONS**  
**TABLE 34: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**  
**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11051	5,082,943	1785	11.5	10.7-12.3	68	0.7	0.5- 0.9	9044	86.6	85.8-87.4	154	1.2	1.0- 1.4
Male	4552	2,477,001	751	11.6	10.4-12.8				3743	87.3	86.1-88.5	58	1.1	0.7- 1.5
Female	6499	2,605,942	1034	11.5	10.5-12.5	68	1.3	0.9- 1.7	5301	86.0	84.8-87.2	96	1.2	0.8- 1.6
White/Non-Hisp	9416	4,109,427	1463	11.4	10.6-12.2	57	0.7	0.5- 0.9	7769	86.9	86.1-87.7	127	1.1	0.9- 1.3
Black or Afr. Am./Non-Hisp	732	431,867	163	16.2	12.9-19.5	2	0.1	0.0- 0.3	556	82.8	79.3-86.3	11	0.9	0.3- 1.5
Oth. Race/Non-Hisp.	223	122,789	37	7.5	3.2-11.8	1	0.9	0.0- 2.7	179	87.7	81.8-93.6	6	3.8	0.1- 7.5
MultiRacial/Non-Hisp.	159	55,558	42	12.7	7.2-18.2	3	2.6	0.0- 6.7	112	83.6	76.5-90.7	2	1.2	0.0- 3.4
Hispanic	362	285,691	51	8.8	5.7-11.9	3	0.9	0.0- 1.9	304	89.5	86.2-92.8	4	0.8	0.0- 2.0
18-24	458	689,754	3	0.6	0.0- 1.4				453	98.9	97.9-99.9	2	0.5	0.0- 1.1
25-34	817	835,959	19	2.0	1.0- 3.0	13	1.4	0.6- 2.2	779	95.8	94.2-97.4	6	0.7	0.1- 1.3
35-44	1096	817,278	64	7.1	5.1- 9.1	15	1.1	0.5- 1.7	1005	90.6	88.4-92.8	12	1.2	0.4- 2.0
45-54	1621	823,947	186	12.2	10.0-14.4	13	0.7	0.3- 1.1	1409	86.3	84.1-88.5	13	0.7	0.3- 1.1
55-64	2450	851,448	445	18.4	16.4-20.4	14	0.4	0.2- 0.6	1945	79.3	77.3-81.3	46	1.8	1.2- 2.4
65+	4459	1,007,843	1044	23.8	22.2-25.4	13	0.3	0.1- 0.5	3329	74.1	72.3-75.9	73	1.8	1.2- 2.4
Less Than H.S.	891	661,850	196	15.4	12.5-18.3	3	0.3	0.0- 0.7	676	83.1	80.2-86.0	16	1.2	0.4- 2.0
H.S. or G.E.D.	3754	1,738,560	693	13.1	11.7-14.5	26	0.7	0.3- 1.1	2975	84.9	83.5-86.3	60	1.2	0.8- 1.6
Some Post-H.S.	2748	1,565,676	427	10.5	9.1-11.9	16	0.6	0.2- 1.0	2266	87.6	86.0-89.2	39	1.3	0.7- 1.9
College Graduate	3630	1,104,232	463	8.2	7.2- 9.2	23	0.8	0.4- 1.2	3105	90.1	88.9-91.3	39	0.9	0.5- 1.3
Less than \$15,000	933	463,458	228	18.7	15.2-22.2	4	0.5	0.0- 1.1	683	79.1	75.6-82.6	18	1.7	0.5- 2.9
\$15,000- 24,999	1834	826,329	425	17.4	15.0-19.8	8	0.6	0.0- 1.2	1368	80.4	78.0-82.8	33	1.6	0.8- 2.4
\$25,000- 34,999	1144	495,278	235	13.7	11.2-16.2	7	0.5	0.1- 0.9	882	84.0	81.3-86.7	20	1.8	0.8- 2.8
\$35,000- 49,999	1488	689,114	220	10.6	8.8-12.4	7	0.6	0.0- 1.2	1235	87.4	85.4-89.4	26	1.5	0.7- 2.3
\$50,000- 74,999	1512	709,309	218	9.3	7.7-10.9	10	0.7	0.1- 1.3	1269	89.3	87.5-91.1	15	0.7	0.3- 1.1
\$75,000+	2621	1,282,926	222	6.5	5.3- 7.7	24	0.7	0.3- 1.1	2353	92.2	91.0-93.4	22	0.7	0.3- 1.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 35: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4552	2,477,001	751	11.6	10.4-12.8	3743	87.3	86.1-88.5	58	1.1	0.7- 1.5
White/Non-Hisp	3849	1,982,217	617	11.5	10.3-12.7	3185	87.6	86.4-88.8	47	1.0	0.6- 1.4
Black or Afr. Am./Non-Hisp	267	202,448	65	18.1	12.6-23.6	199	81.0	75.3-86.7	3	0.9	0.0- 1.9
Oth. Race/Non-Hisp.	127	78,196	18	5.6	1.3- 9.9	105	89.6	82.7-96.5	4	4.8	0.0-10.3
MultiRacial/Non-Hisp.	66	26,967	15	8.5	2.6-14.4	51	91.5	85.6-97.4			
Hispanic	159	133,859	24	9.6	4.9-14.3	133	89.0	83.9-94.1	2	1.4	0.0- 3.8
18-24	253	353,418	1	0.7	0.0- 2.1	251	98.8	97.0- 100	1	0.5	0.0- 1.5
25-34	382	420,792	9	2.2	0.4- 4.0	371	97.4	95.6-99.2	2	0.4	0.0- 1.2
35-44	499	410,502	31	6.7	4.0- 9.4	463	92.1	89.2-95.0	5	1.1	0.0- 2.3
45-54	701	410,980	93	14.2	10.9-17.5	603	85.0	81.7-88.3	5	0.8	0.0- 1.6
55-64	1012	415,199	178	17.6	14.7-20.5	815	80.7	77.6-83.8	19	1.6	0.6- 2.6
65+	1652	443,917	428	25.5	22.8-28.2	1198	72.6	69.9-75.3	26	2.0	1.0- 3.0
Less Than H.S.	377	346,360	74	13.4	9.5-17.3	299	86.0	82.1-89.9	4	0.6	0.0- 1.2
H.S. or G.E.D.	1463	848,401	272	12.9	10.9-14.9	1171	85.9	83.9-87.9	20	1.2	0.6- 1.8
Some Post-H.S.	1022	709,040	158	10.8	8.6-13.0	847	87.7	85.3-90.1	17	1.5	0.5- 2.5
College Graduate	1676	565,885	245	9.6	8.0-11.2	1414	89.6	88.0-91.2	17	0.8	0.4- 1.2
Less than \$15,000	314	199,071	72	19.6	13.9-25.3	236	78.7	72.8-84.6	6	1.7	0.0- 3.7
\$15,000- 24,999	657	377,737	149	15.9	12.6-19.2	500	83.4	79.9-86.9	8	0.7	0.1- 1.3
\$25,000- 34,999	440	231,193	85	11.4	7.9-14.9	345	85.9	82.0-89.8	10	2.7	0.7- 4.7
\$35,000- 49,999	647	357,995	104	10.7	8.0-13.4	535	88.2	85.3-91.1	8	1.2	0.0- 2.4
\$50,000- 74,999	710	365,362	118	10.6	8.1-13.1	584	88.5	86.0-91.0	8	0.9	0.1- 1.7
\$75,000+	1311	694,798	143	8.0	6.2- 9.8	1155	91.1	89.1-93.1	13	0.9	0.1- 1.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 36: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6499	2,605,942	1034	11.5	10.5-12.5	68	1.3	0.9- 1.7	5301	86.0	84.8-87.2	96	1.2	0.8- 1.6
White/Non-Hisp	5567	2,127,211	846	11.3	10.3-12.3	57	1.3	0.9- 1.7	4584	86.2	85.0-87.4	80	1.3	0.9- 1.7
Black or Afr. Am./Non-Hisp	465	229,419	98	14.6	10.5-18.7	2	0.2	0.0- 0.4	357	84.3	80.2-88.4	8	0.9	0.1- 1.7
Oth. Race/Non-Hisp.	96	44,593	19	10.9	2.1-19.7	1	2.4	0.0- 7.1	74	84.4	74.2-94.6	2	2.2	0.0- 5.9
MultiRacial/Non-Hisp.	93	28,591	27	16.6	7.8-25.4	3	5.0	0.0-12.8	61	76.0	64.2-87.8	2	2.4	0.0- 6.7
Hispanic	203	151,832	27	8.1	4.0-12.2	3	1.6	0.0- 3.6	171	90.0	85.5-94.5	2	0.3	0.0- 0.7
18-24	205	336,336	2	0.5	0.0- 1.3				202	99.1	98.1- 100	1	0.4	0.0- 1.2
25-34	435	415,167	10	1.9	0.7- 3.1	13	2.9	1.3- 4.5	408	94.3	91.9-96.7	4	1.0	0.0- 2.2
35-44	597	406,776	33	7.5	4.6-10.4	15	2.3	0.9- 3.7	542	89.0	85.7-92.3	7	1.2	0.2- 2.2
45-54	920	412,967	93	10.3	7.8-12.8	13	1.5	0.5- 2.5	806	87.7	85.0-90.4	8	0.6	0.2- 1.0
55-64	1438	436,249	267	19.2	16.7-21.7	14	0.8	0.2- 1.4	1130	78.0	75.3-80.7	27	2.0	1.2- 2.8
65+	2807	563,926	616	22.6	20.6-24.6	13	0.5	0.1- 0.9	2131	75.3	73.1-77.5	47	1.7	1.1- 2.3
Less Than H.S.	514	315,491	122	17.7	13.4-22.0	3	0.6	0.0- 1.4	377	79.9	75.4-84.4	12	1.9	0.5- 3.3
H.S. or G.E.D.	2291	890,159	421	13.4	11.6-15.2	26	1.4	0.6- 2.2	1804	84.0	82.2-85.8	40	1.3	0.9- 1.7
Some Post-H.S.	1726	856,636	269	10.2	8.6-11.8	16	1.2	0.4- 2.0	1419	87.5	85.5-89.5	22	1.1	0.5- 1.7
College Graduate	1954	538,347	218	6.7	5.5- 7.9	23	1.7	0.9- 2.5	1691	90.6	89.0-92.2	22	1.0	0.4- 1.6
Less than \$15,000	619	264,387	156	18.1	13.8-22.4	4	0.8	0.0- 1.8	447	79.4	74.9-83.9	12	1.7	0.5- 2.9
\$15,000- 24,999	1177	448,593	276	18.7	15.8-21.6	8	1.1	0.1- 2.1	868	77.9	74.6-81.2	25	2.3	0.9- 3.7
\$25,000- 34,999	704	264,085	150	15.6	12.1-19.1	7	0.9	0.1- 1.7	537	82.4	78.7-86.1	10	1.1	0.0- 2.3
\$35,000- 49,999	841	331,118	116	10.4	7.9-12.9	7	1.2	0.2- 2.2	700	86.5	83.6-89.4	18	1.9	0.9- 2.9
\$50,000- 74,999	802	343,947	100	7.9	5.9- 9.9	10	1.5	0.3- 2.7	685	90.1	87.7-92.5	7	0.5	0.1- 0.9
\$75,000+	1310	588,128	79	4.6	3.2- 6.0	24	1.6	0.8- 2.4	1198	93.4	91.8-95.0	9	0.4	0.2- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 37: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1706	562,498	27	2.2	1.0- 3.4	123	12.4	9.7-15.1	371	26.6	23.5-29.7	739	40.9	37.6-44.2	446	18.0	15.8-20.2
Male	723	276,324	12	2.9	0.5- 5.3	44	11.6	7.5-15.7	158	25.6	21.1-30.1	348	45.2	40.1-50.3	161	14.7	11.8-17.6
Female	983	286,174	15	1.5	0.5- 2.5	79	13.1	9.6-16.6	213	27.5	23.0-32.0	391	36.7	32.6-40.8	285	21.2	18.1-24.3
White/Non-Hisp	1403	450,829	22	2.0	0.6- 3.4	100	12.5	9.6-15.4	281	24.0	20.7-27.3	615	42.4	38.9-45.9	385	19.1	16.7-21.5
Black or Afr. Am./Non-Hisp	155	65,669	3	1.5	0.0- 3.5	12	7.7	2.2-13.2	44	36.7	25.1-48.3	64	37.0	26.4-47.6	32	17.0	9.2-24.8
35-44	63	57,188	1	0.5	0.0- 1.5	21	37.6	22.9-52.3	41	61.9	47.2-76.6						
45-54	185	100,427	11	5.9	1.8-10.0	24	13.6	7.1-20.1	83	45.2	36.0-54.4	67	35.3	26.3-44.3			
55-64	440	154,491	7	0.9	0.1- 1.7	32	7.3	4.2-10.4	114	23.9	18.8-29.0	273	65.3	59.6-71.0	14	2.5	0.9- 4.1
65+	979	224,179	4	0.3	0.1- 0.5	27	3.1	1.5- 4.7	127	13.2	10.5-15.9	392	40.7	36.8-44.6	429	42.8	38.7-46.9
Less Than H.S.	179	96,344				16	15.1	6.7-23.5	45	31.3	21.3-41.3	74	37.9	28.3-47.5	44	15.7	9.8-21.6
H.S. or G.E.D.	654	216,325	9	1.8	0.4- 3.2	52	13.0	8.9-17.1	122	23.2	18.5-27.9	278	41.0	35.9-46.1	193	21.0	17.5-24.5
Some Post-H.S.	419	161,809	8	3.9	0.2- 7.6	33	12.4	7.3-17.5	105	27.9	21.8-34.0	179	40.8	34.5-47.1	94	15.1	11.2-19.0
College Graduate	450	87,587	10	2.5	0.3- 4.7	22	7.7	3.6-11.8	98	27.4	21.5-33.3	206	44.1	38.0-50.2	114	18.4	14.1-22.7
Less than \$15,000	214	81,727	5	1.6	0.0- 3.6	24	15.5	7.9-23.1	62	38.2	27.6-48.8	87	33.2	24.0-42.4	36	11.5	6.0-17.0
\$15,000- 24,999	406	138,466	5	2.0	0.0- 4.2	38	14.7	9.0-20.4	79	24.2	17.7-30.7	168	37.6	31.1-44.1	116	21.5	16.4-26.6
\$25,000- 34,999	226	64,847	3	2.9	0.0- 6.6	10	13.5	3.7-23.3	43	21.6	14.2-29.0	91	37.7	28.9-46.5	79	24.3	17.6-31.0
\$35,000- 49,999	216	72,168	2	1.5	0.0- 3.7	18	9.8	4.1-15.5	40	22.1	14.3-29.9	93	44.5	35.5-53.5	63	22.1	15.4-28.8
\$50,000- 74,999	214	63,860	5	2.4	0.0- 4.9	11	8.1	2.2-14.0	56	31.9	23.5-40.3	88	42.5	34.1-50.9	54	15.0	10.5-19.5
\$75,000+	219	82,410	6	4.3	0.0-10.4	10	8.9	2.6-15.2	48	25.6	17.4-33.8	122	53.0	43.6-62.4	33	8.2	4.9-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 38: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	723	276,324	12	2.9	0.5- 5.3	44	11.6	7.5-15.7	158	25.6	21.1-30.1	348	45.2	40.1-50.3	161	14.7	11.8-17.6
White/Non-Hisp	598	220,997	11	3.0	0.5- 5.5	37	12.5	7.8-17.2	119	22.1	17.6-26.6	295	47.3	41.8-52.8	136	15.1	12.0-18.2
Black or Afr. Am./Non-Hisp	61	33,393				5	10.2	0.4-20.0	17	35.4	18.5-52.3	25	36.4	20.7-52.1	14	18.0	5.5-30.5
45-54	92	57,917	6	6.8	0.7-12.9	8	11.9	2.7-21.1	42	45.5	33.0-58.0	36	35.7	23.4-48.0			
55-64	176	71,892	3	1.2	0.0- 2.6	11	6.9	2.2-11.6	37	17.7	11.2-24.2	123	73.5	65.7-81.3	2	0.8	0.0- 2.0
65+	408	106,830	1	0.2	0.0- 0.6	8	1.6	0.4- 2.8	55	14.2	10.1-18.3	187	47.8	41.5-54.1	157	36.3	30.2-42.4
Less Than H.S.	70	44,681				3	8.2	0.0-19.4	18	25.8	11.9-39.7	33	50.1	34.4-65.8	16	15.9	6.3-25.5
H.S. or G.E.D.	259	103,616	5	1.8	0.0- 3.6	21	14.6	7.9-21.3	51	23.8	16.7-30.9	118	43.5	35.7-51.3	64	16.3	11.6-21.0
Some Post-H.S.	155	75,126	4	6.3	0.0-13.7	12	14.2	5.2-23.2	40	27.6	18.4-36.8	77	42.9	32.7-53.1	22	9.0	3.7-14.3
College Graduate	238	52,702	3	2.5	0.0- 5.6	8	5.0	0.5- 9.5	49	26.1	18.3-33.9	119	47.7	39.3-56.1	59	18.7	12.6-24.8
Less than \$15,000	69	36,880	2	2.4	0.0- 6.3	4	9.2	0.0-19.8	24	38.8	22.5-55.1	31	42.1	25.6-58.6	8	7.6	0.5-14.7
\$15,000- 24,999	140	56,887	4	3.8	0.0- 8.5	14	17.3	7.3-27.3	22	19.5	9.7-29.3	66	39.5	28.3-50.7	34	19.8	11.0-28.6
\$25,000- 34,999	79	24,516				2	11.5	0.0-30.1	22	29.0	16.1-41.9	33	39.9	25.0-54.8	22	19.6	9.4-29.8
\$35,000- 49,999	102	37,868	2	2.8	0.0- 6.9	9	11.3	1.9-20.7	21	22.0	11.0-33.0	46	44.9	32.0-57.8	24	19.0	9.8-28.2
\$50,000- 74,999	117	37,715	1	1.8	0.0- 5.3	5	8.7	0.0-17.7	25	27.2	16.4-38.0	53	48.5	36.7-60.3	33	13.8	8.5-19.1
\$75,000+	142	55,319	3	5.7	0.0-14.5	6	9.0	0.8-17.2	28	22.1	12.7-31.5	83	55.1	43.3-66.9	22	8.1	4.0-12.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 39: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	983	286,174	15	1.5	0.5- 2.5	79	13.1	9.6-16.6	213	27.5	23.0-32.0	391	36.7	32.6-40.8	285	21.2	18.3-24.1
White/Non-Hisp	805	229,832	11	1.0	0.2- 1.8	63	12.6	8.9-16.3	162	25.8	21.1-30.5	320	37.6	33.1-42.1	249	23.0	19.5-26.5
Black or Afr. Am./Non-Hisp	94	32,277	3	3.1	0.0- 7.0	7	5.2	0.9- 9.5	27	38.1	22.4-53.8	39	37.7	23.4-52.0	18	15.9	6.7-25.1
45-54	93	42,510	5	4.7	0.2- 9.2	16	16.0	7.2-24.8	41	44.7	31.2-58.2	31	34.6	21.5-47.7			
55-64	264	82,599	4	0.7	0.0- 1.5	21	7.8	3.9-11.7	77	29.4	22.1-36.7	150	58.2	50.6-65.8	12	3.9	1.4- 6.4
65+	571	117,348	3	0.4	0.0- 0.8	19	4.5	1.8- 7.2	72	12.3	9.0-15.6	205	34.2	29.3-39.1	272	48.7	43.4-54.0
Less Than H.S.	109	51,663				13	21.1	8.9-33.3	27	36.1	22.4-49.8	41	27.3	17.1-37.5	28	15.5	8.2-22.8
H.S. or G.E.D.	395	112,709	4	1.8	0.0- 4.0	31	11.6	6.9-16.3	71	22.6	16.1-29.1	160	38.8	32.3-45.3	129	25.3	20.2-30.4
Some Post-H.S.	264	86,684	4	1.8	0.0- 3.8	21	10.8	5.1-16.5	65	28.1	20.3-35.9	102	38.9	30.9-46.9	72	20.4	14.7-26.1
College Graduate	212	34,885	7	2.4	0.4- 4.4	14	11.9	4.3-19.5	49	29.3	20.5-38.1	87	38.6	30.2-47.0	55	17.8	12.5-23.1
Less than \$15,000	145	44,846	3	1.0	0.0- 2.4	20	20.6	9.8-31.4	38	37.8	23.9-51.7	56	26.0	17.0-35.0	28	14.6	6.8-22.4
\$15,000- 24,999	266	81,579	1	0.7	0.0- 2.1	24	12.9	6.4-19.4	57	27.5	18.9-36.1	102	36.3	28.3-44.3	82	22.6	16.5-28.7
\$25,000- 34,999	147	40,331	3	4.7	0.0-10.6	8	14.7	3.5-25.9	21	17.1	7.9-26.3	58	36.4	25.4-47.4	57	27.2	18.6-35.8
\$35,000- 49,999	114	34,300				9	8.2	2.5-13.9	19	22.2	10.8-33.6	47	44.0	31.7-56.3	39	25.6	16.2-35.0
\$50,000- 74,999	97	26,145	4	3.4	0.0- 7.1	6	7.2	0.9-13.5	31	38.7	26.0-51.4	35	33.9	22.5-45.3	21	16.9	9.1-24.7
\$75,000+	77	27,091	3	1.5	0.0- 3.3	4	8.5	0.0-17.5	20	33.0	17.7-48.3	39	48.5	33.4-63.6	11	8.5	3.0-14.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016

SECTION 7: ORAL HEALTH CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS. (LASTDEN3)	
1	MALES AND FEMALES	79
2	MALES ONLY	80
3	FEMALES ONLY	81
	HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)	
4	MALES AND FEMALES	82
5	MALES ONLY	83
6	FEMALES ONLY	84

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 1: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.  
(LASTDEN3)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10991	5,065,232	7178	61.9	60.5-63.3	1124	11.6	10.6-12.6	1130	12.1	11.1-13.1	1496	13.6	12.6-14.6	63	0.9	0.7- 1.1
Male	4537	2,470,798	2823	57.5	55.3-59.7	456	11.2	9.8-12.6	512	14.1	12.5-15.7	709	16.1	14.5-17.7	37	1.1	0.5- 1.7
Female	6454	2,594,435	4355	66.1	64.3-67.9	668	12.0	10.8-13.2	618	10.1	8.9-11.3	787	11.2	10.0-12.4	26	0.6	0.2- 1.0
White/Non-Hisp	9371	4,094,650	6281	64.3	62.9-65.7	872	10.2	9.2-11.2	905	11.4	10.4-12.4	1287	13.9	12.9-14.9	26	0.3	0.1- 0.5
Black or Afr. Am./Non-Hisp	728	432,515	395	48.9	43.6-54.2	125	20.9	16.2-25.6	110	16.2	12.1-20.3	91	12.7	9.2-16.2	7	1.2	0.2- 2.2
Oth. Race/Non-Hisp.	222	122,125	130	61.9	51.9-71.9	29	12.6	6.3-18.9	27	9.5	4.0-15.0	31	14.7	6.3-23.1	5	1.3	0.0- 2.7
MultiRacial/Non-Hisp.	159	55,558	83	57.0	45.6-68.4	20	12.8	5.7-19.9	21	16.1	6.7-25.5	35	14.1	8.2-20.0			
Hispanic	359	284,230	201	50.2	43.5-56.9	54	16.3	11.6-21.0	51	16.9	11.6-22.2	31	9.9	5.8-14.0	22	6.8	3.7- 9.9
18-24	455	686,374	302	66.2	61.1-71.3	58	13.0	9.5-16.5	61	14.0	10.3-17.7	29	6.1	3.6- 8.6	5	0.6	0.0- 1.2
25-34	817	836,848	476	56.5	52.4-60.6	109	13.1	10.6-15.6	126	15.1	12.2-18.0	93	13.9	10.8-17.0	13	1.4	0.4- 2.4
35-44	1092	814,941	713	61.0	57.3-64.7	135	13.2	10.7-15.7	117	12.9	10.2-15.6	115	11.1	8.7-13.5	12	1.9	0.5- 3.3
45-54	1615	821,563	1065	61.5	58.4-64.6	185	12.5	10.3-14.7	174	11.4	9.4-13.4	185	14.2	11.8-16.6	6	0.4	0.0- 0.8
55-64	2444	848,022	1638	64.8	62.4-67.2	236	9.7	8.3-11.1	249	10.5	8.9-12.1	312	14.5	12.5-16.5	9	0.5	0.1- 0.9
65+	4419	1,001,650	2872	61.4	59.4-63.4	381	9.0	7.8-10.2	396	9.7	8.5-10.9	753	19.4	17.8-21.0	17	0.5	0.1- 0.9
Less Than H.S.	880	657,344	304	37.1	32.6-41.6	117	13.8	10.7-16.9	157	19.7	16.0-23.4	279	25.6	21.7-29.5	23	3.7	1.7- 5.7
H.S. or G.E.D.	3713	1,725,933	2123	57.8	55.4-60.2	421	11.5	10.1-12.9	471	14.4	12.6-16.2	675	15.6	14.0-17.2	23	0.7	0.3- 1.1
Some Post-H.S.	2746	1,566,169	1814	65.3	62.8-67.8	319	12.4	10.6-14.2	271	10.1	8.5-11.7	334	11.9	10.1-13.7	8	0.3	0.1- 0.5
College Graduate	3625	1,103,460	2923	78.1	76.1-80.1	264	9.5	7.9-11.1	228	6.7	5.5- 7.9	202	5.4	4.4- 6.4	8	0.3	0.1- 0.5
Less than \$15,000	922	459,047	355	41.0	36.3-45.7	122	14.0	10.7-17.3	149	15.9	12.6-19.2	277	26.6	22.5-30.7	19	2.5	1.1- 3.9
\$15,000- 24,999	1821	824,122	876	46.5	43.0-50.0	249	15.2	12.7-17.7	263	14.7	12.3-17.1	411	21.7	18.8-24.6	22	1.9	0.9- 2.9
\$25,000- 34,999	1142	494,787	641	49.6	45.1-54.1	140	14.9	11.6-18.2	154	18.4	14.7-22.1	200	16.3	13.4-19.2	7	0.8	0.0- 1.6
\$35,000- 49,999	1487	688,874	1001	61.4	57.7-65.1	137	10.4	8.0-12.8	167	13.7	11.0-16.4	181	14.4	11.7-17.1	1	0.1	0.0- 0.3
\$50,000- 74,999	1509	708,551	1116	67.4	63.9-70.9	146	11.6	9.2-14.0	119	10.8	8.1-13.5	126	10.0	7.6-12.4	2	0.2	0.0- 0.6
\$75,000+	2617	1,281,080	2194	81.1	78.9-83.3	179	7.7	6.3- 9.1	137	6.6	5.2- 8.0	105	4.6	3.4- 5.8	2	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.  
(LASTDEN3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4537	2,470,798	2823	57.5	55.5-59.5	456	11.2	9.8-12.6	512	14.1	12.5-15.7	709	16.1	14.5-17.7	37	1.1	0.5- 1.7
White/Non-Hisp	3837	1,977,222	2451	59.5	57.3-61.7	357	10.1	8.7-11.5	416	13.7	12.1-15.3	597	16.3	14.5-18.1	16	0.4	0.2- 0.6
Black or Afr. Am./Non-Hisp	267	202,210	136	46.7	38.7-54.7	45	20.2	13.3-27.1	43	16.8	10.3-23.3	40	15.3	9.2-21.4	3	1.0	0.0- 2.2
Oth. Race/Non-Hisp.	125	77,475	77	65.4	52.7-78.1	12	9.0	1.9-16.1	15	10.6	3.0-18.2	18	14.4	4.0-24.8	3	0.6	0.0- 1.4
MultiRacial/Non-Hisp.	66	26,967	31	51.7	33.3-70.1	7	9.8	0.6-19.0	8	19.6	2.9-36.3	20	19.0	8.4-29.6			
Hispanic	158	133,610	76	42.2	32.8-51.6	25	16.7	9.8-23.6	23	19.6	11.4-27.8	21	13.5	6.6-20.4	13	8.1	3.4-12.8
18-24	252	353,168	157	62.6	55.7-69.5	37	14.1	9.2-19.0	36	15.3	10.0-20.6	17	6.9	3.4-10.4	5	1.2	0.0- 2.4
25-34	382	420,792	203	48.5	42.6-54.4	49	12.3	8.6-16.0	69	19.0	14.3-23.7	53	18.5	13.4-23.6	8	1.7	0.3- 3.1
35-44	497	409,058	286	54.2	48.7-59.7	60	11.9	8.4-15.4	71	17.4	13.1-21.7	73	14.3	10.6-18.0	7	2.2	0.0- 4.4
45-54	700	410,310	432	54.9	50.2-59.6	84	13.3	10.0-16.6	71	12.1	9.0-15.2	110	19.4	15.3-23.5	3	0.4	0.0- 1.0
55-64	1011	412,940	655	63.4	59.7-67.1	85	8.2	6.2-10.2	118	12.0	9.5-14.5	149	15.8	12.9-18.7	4	0.6	0.0- 1.4
65+	1643	442,734	1050	60.8	57.7-63.9	133	8.3	6.7- 9.9	146	9.7	7.7-11.7	305	20.5	17.8-23.2	9	0.7	0.1- 1.3
Less Than H.S.	374	343,868	116	31.1	24.6-37.6	45	12.9	8.4-17.4	78	23.9	18.0-29.8	122	27.7	21.8-33.6	13	4.5	1.6- 7.4
H.S. or G.E.D.	1449	843,039	771	54.6	51.1-58.1	162	11.5	9.3-13.7	199	15.3	12.8-17.8	303	17.7	15.2-20.2	14	0.9	0.3- 1.5
Some Post-H.S.	1025	710,877	639	60.1	56.2-64.0	107	10.9	8.4-13.4	121	13.1	10.4-15.8	154	15.4	12.5-18.3	4	0.5	0.0- 1.1
College Graduate	1675	565,698	1289	74.6	71.7-77.5	141	10.3	8.1-12.5	114	7.6	5.8- 9.4	126	7.2	5.4- 9.0	5	0.3	0.0- 0.7
Less than \$15,000	312	198,294	118	37.7	30.4-45.0	37	12.1	7.0-17.2	48	16.5	11.0-22.0	100	30.6	23.7-37.5	9	3.1	0.7- 5.5
\$15,000- 24,999	653	376,406	268	40.7	35.2-46.2	83	12.9	9.4-16.4	102	16.1	12.4-19.8	186	28.0	22.9-33.1	14	2.3	0.7- 3.9
\$25,000- 34,999	439	231,010	212	43.9	37.0-50.8	56	13.5	8.6-18.4	68	22.8	16.3-29.3	100	19.1	14.2-24.0	3	0.7	0.0- 1.7
\$35,000- 49,999	646	357,273	391	54.6	49.1-60.1	62	10.9	7.4-14.4	82	15.0	10.9-19.1	110	19.2	14.9-23.5	1	0.3	0.0- 0.9
\$50,000- 74,999	709	364,922	476	59.6	54.3-64.9	77	12.0	8.7-15.3	70	13.8	9.5-18.1	85	14.6	10.7-18.5	1	0.1	0.0- 0.3
\$75,000+	1310	694,676	1055	76.8	73.5-80.1	99	8.9	6.7-11.1	87	8.3	6.1-10.5	69	6.0	4.0- 8.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 3: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.  
(LASTDEN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6454	2,594,435	4355	66.1	64.3-67.9	668	12.0	10.8-13.2	618	10.1	8.9-11.3	787	11.2	10.0-12.4	26	0.6	0.2- 1.0
White/Non-Hisp	5534	2,117,428	3830	68.7	66.9-70.5	515	10.4	9.2-11.6	489	9.2	8.0-10.4	690	11.6	10.4-12.8	10	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	461	230,305	259	50.8	43.9-57.7	80	21.6	15.1-28.1	67	15.8	10.7-20.9	51	10.3	6.6-14.0	4	1.5	0.0- 3.3
Oth. Race/Non-Hisp.	97	44,650	53	55.8	40.1-71.5	17	18.8	6.8-30.8	12	7.6	0.0-15.2	13	15.3	1.0-29.6	2	2.5	0.0- 6.0
MultiRacial/Non-Hisp.	93	28,591	52	62.1	48.4-75.8	13	15.6	5.0-26.2	13	12.8	4.2-21.4	15	9.4	3.5-15.3			
Hispanic	201	150,620	125	57.3	48.1-66.5	29	16.0	9.3-22.7	28	14.5	7.6-21.4	10	6.6	1.7-11.5	9	5.6	1.3- 9.9
18-24	203	333,205	145	70.0	62.7-77.3	21	11.9	6.6-17.2	25	12.7	7.6-17.8	12	5.3	1.8- 8.8			
25-34	435	416,056	273	64.6	59.3-69.9	60	13.9	10.2-17.6	57	11.2	7.9-14.5	40	9.2	5.9-12.5	5	1.2	0.0- 2.4
35-44	595	405,883	427	67.8	62.9-72.7	75	14.4	10.7-18.1	46	8.3	5.4-11.2	42	8.0	5.3-10.7	5	1.5	0.1- 2.9
45-54	915	411,252	633	68.0	64.1-71.9	101	11.7	8.8-14.6	103	10.8	8.4-13.2	75	9.1	6.7-11.5	3	0.4	0.0- 1.0
55-64	1433	435,082	983	66.2	63.1-69.3	151	11.1	8.9-13.3	131	9.0	7.2-10.8	163	13.3	10.9-15.7	5	0.4	0.0- 0.8
65+	2776	558,915	1822	61.9	59.5-64.3	248	9.6	8.2-11.0	250	9.7	8.1-11.3	448	18.4	16.4-20.4	8	0.4	0.0- 0.8
Less Than H.S.	506	313,476	188	43.7	37.2-50.2	72	14.9	10.4-19.4	79	15.2	10.9-19.5	157	23.3	18.6-28.0	10	2.9	0.7- 5.1
H.S. or G.E.D.	2264	882,894	1352	60.9	58.0-63.8	259	11.4	9.4-13.4	272	13.6	11.2-16.0	372	13.6	11.6-15.6	9	0.5	0.1- 0.9
Some Post-H.S.	1721	855,292	1175	69.7	66.6-72.8	212	13.6	11.2-16.0	150	7.5	5.9- 9.1	180	9.0	7.2-10.8	4	0.2	0.0- 0.4
College Graduate	1950	537,762	1634	81.7	79.2-84.2	123	8.6	6.4-10.8	114	5.8	4.2- 7.4	76	3.5	2.3- 4.7	3	0.3	0.0- 0.7
Less than \$15,000	610	260,753	237	43.5	37.2-49.8	85	15.5	11.2-19.8	101	15.5	11.2-19.8	177	23.5	18.6-28.4	10	2.0	0.4- 3.6
\$15,000- 24,999	1168	447,716	608	51.5	47.0-56.0	166	17.1	13.4-20.8	161	13.6	10.7-16.5	225	16.3	13.4-19.2	8	1.5	0.3- 2.7
\$25,000- 34,999	703	263,777	429	54.7	48.8-60.6	84	16.2	11.5-20.9	86	14.6	10.3-18.9	100	13.8	10.3-17.3	4	0.8	0.0- 2.0
\$35,000- 49,999	841	331,601	610	68.8	64.3-73.3	75	9.8	6.9-12.7	85	12.2	8.9-15.5	71	9.2	6.5-11.9			
\$50,000- 74,999	800	343,629	640	75.7	71.2-80.2	69	11.2	7.9-14.5	49	7.6	4.5-10.7	41	5.1	3.1- 7.1	1	0.4	0.0- 1.2
\$75,000+	1307	586,404	1139	86.2	83.5-88.9	80	6.2	4.4- 8.0	50	4.5	2.7- 6.3	36	3.0	1.8- 4.2	2	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 4: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10909	5,044,041	3641	29.7	28.5-30.9	1498	10.6	9.8-11.4	1079	7.2	6.6- 7.8	4691	52.5	51.1-53.9
Male	4501	2,455,681	1535	29.9	28.1-31.7	580	10.2	9.0-11.4	405	6.7	5.9- 7.5	1981	53.2	51.2-55.2
Female	6408	2,588,359	2106	29.4	27.8-31.0	918	11.0	10.0-12.0	674	7.7	6.9- 8.5	2710	51.8	50.0-53.6
White/Non-Hisp	9296	4,076,852	3064	28.8	27.4-30.2	1279	11.0	10.2-11.8	930	7.8	7.2- 8.4	4023	52.5	50.9-54.1
Black or Afr. Am./Non-Hisp	724	429,792	278	34.0	29.1-38.9	120	11.9	9.2-14.6	69	7.0	4.5- 9.5	257	47.1	41.8-52.4
Oth. Race/Non-Hisp.	221	121,440	63	24.9	16.5-33.3	26	3.5	1.5- 5.5	20	2.5	0.9- 4.1	112	69.1	60.3-77.9
MultiRacial/Non-Hisp.	156	55,313	37	24.9	14.5-35.3	25	9.2	4.1-14.3	25	6.0	3.1- 8.9	69	59.9	48.7-71.1
Hispanic	360	285,189	132	35.2	28.9-41.5	28	5.8	3.3- 8.3	14	2.2	0.4- 4.0	186	56.8	50.3-63.3
18-24	457	688,818	50	11.9	8.4-15.4	3	0.5	0.0- 1.1				404	87.6	84.1-91.1
25-34	815	835,550	187	22.5	19.0-26.0	27	4.0	2.2- 5.8	8	1.3	0.1- 2.5	593	72.1	68.4-75.8
35-44	1091	811,968	291	29.3	25.8-32.8	64	6.8	4.8- 8.8	24	2.8	1.4- 4.2	712	61.1	57.4-64.8
45-54	1614	818,902	522	35.7	32.8-38.6	165	11.6	9.6-13.6	80	6.2	4.6- 7.8	847	46.5	43.4-49.6
55-64	2433	845,507	904	37.9	35.4-40.4	358	15.7	13.9-17.5	233	11.2	9.4-13.0	938	35.3	32.9-37.7
65+	4350	986,692	1629	35.7	33.9-37.5	861	21.2	19.6-22.8	726	18.6	17.0-20.2	1134	24.6	23.0-26.2
Less Than H.S.	870	654,187	238	31.4	26.9-35.9	188	17.8	14.5-21.1	258	18.5	15.4-21.6	186	32.3	27.6-37.0
H.S. or G.E.D.	3691	1,722,860	1297	32.1	29.9-34.3	671	13.0	11.6-14.4	523	8.9	7.9- 9.9	1200	46.0	43.6-48.4
Some Post-H.S.	2719	1,556,998	959	29.9	27.5-32.3	388	9.6	8.4-10.8	205	4.7	3.9- 5.5	1167	55.8	53.3-58.3
College Graduate	3604	1,098,909	1138	24.3	22.5-26.1	248	4.2	3.4- 5.0	89	1.5	1.1- 1.9	2129	70.1	68.1-72.1
Less than \$15,000	917	456,830	253	23.3	19.6-27.0	206	18.1	14.8-21.4	231	21.6	17.7-25.5	227	37.0	32.1-41.9
\$15,000- 24,999	1801	819,360	595	31.7	28.6-34.8	365	15.3	13.1-17.5	312	11.6	9.8-13.4	529	41.4	37.9-44.9
\$25,000- 34,999	1124	491,428	409	34.5	30.2-38.8	199	12.6	10.2-15.0	137	8.1	6.3- 9.9	379	44.8	40.3-49.3
\$35,000- 49,999	1481	685,402	576	33.0	29.7-36.3	231	13.8	11.4-16.2	100	5.5	4.1- 6.9	574	47.7	44.0-51.4
\$50,000- 74,999	1507	707,067	550	31.7	28.4-35.0	175	8.9	7.1-10.7	60	2.8	1.8- 3.8	722	56.5	53.0-60.0
\$75,000+	2610	1,277,450	751	25.5	23.1-27.9	141	4.3	3.3- 5.3	57	1.6	1.0- 2.2	1661	68.5	66.0-71.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 5: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4501	2,455,681	1535	29.9	28.1-31.7	580	10.2	9.0-11.4	405	6.7	5.9- 7.5	1981	53.2	51.2-55.2
White/Non-Hisp	3806	1,965,017	1288	29.1	27.1-31.1	504	10.8	9.4-12.2	348	7.1	6.1- 8.1	1666	52.9	50.7-55.1
Black or Afr. Am./Non-Hisp	264	200,022	103	35.4	27.6-43.2	39	10.6	6.5-14.7	23	7.7	3.8-11.6	99	46.3	38.1-54.5
Oth. Race/Non-Hisp.	126	78,161	39	21.9	12.3-31.5	11	2.7	0.3- 5.1	7	1.6	0.0- 3.4	69	73.8	63.6-84.0
MultiRacial/Non-Hisp.	64	26,797	14	18.9	3.4-34.4	6	3.6	0.0- 7.5	12	6.9	2.2-11.6	32	70.6	54.5-86.7
Hispanic	159	133,859	55	33.5	24.7-42.3	9	3.2	0.7- 5.7	5	2.6	0.0- 5.5	90	60.7	51.7-69.7
18-24	252	352,482	24	10.0	5.7-14.3	1	0.4	0.0- 1.2				227	89.5	85.0-94.0
25-34	380	419,146	89	22.7	17.8-27.6	10	4.2	1.3- 7.1	2	0.5	0.0- 1.1	279	72.6	67.3-77.9
35-44	496	407,242	141	30.6	25.5-35.7	29	7.5	4.4-10.6	7	1.5	0.1- 2.9	319	60.4	54.9-65.9
45-54	695	406,341	237	35.9	31.4-40.4	62	11.0	7.9-14.1	30	5.9	3.5- 8.3	366	47.2	42.5-51.9
55-64	1004	411,511	370	39.1	35.2-43.0	147	15.6	12.9-18.3	103	11.7	9.2-14.2	384	33.5	30.0-37.0
65+	1621	436,767	650	37.0	34.1-39.9	324	20.3	17.8-22.8	262	19.3	16.6-22.0	385	23.4	20.7-26.1
Less Than H.S.	366	340,785	98	29.6	23.3-35.9	77	19.0	13.7-24.3	100	15.6	11.7-19.5	91	35.8	28.7-42.9
H.S. or G.E.D.	1439	837,910	503	31.6	28.5-34.7	242	11.9	9.9-13.9	185	8.1	6.5- 9.7	509	48.4	44.9-51.9
Some Post-H.S.	1020	707,565	364	30.3	26.8-33.8	135	8.3	6.5-10.1	77	4.9	3.5- 6.3	444	56.5	52.6-60.4
College Graduate	1663	563,152	565	27.0	24.3-29.7	125	4.8	3.6- 6.0	42	1.4	0.8- 2.0	931	66.8	63.9-69.7
Less than \$15,000	306	194,281	82	21.0	15.1-26.9	59	17.3	12.0-22.6	65	20.5	14.6-26.4	100	41.3	33.7-48.9
\$15,000- 24,999	647	374,443	217	32.1	27.0-37.2	117	13.2	10.1-16.3	115	10.9	8.4-13.4	198	43.8	38.1-49.5
\$25,000- 34,999	432	229,220	159	36.2	29.5-42.9	73	11.7	8.2-15.2	53	7.4	4.9- 9.9	147	44.7	37.6-51.8
\$35,000- 49,999	644	356,243	248	32.1	27.2-37.0	107	13.4	10.1-16.7	50	6.5	4.3- 8.7	239	48.0	42.5-53.5
\$50,000- 74,999	708	364,036	269	32.2	27.7-36.7	93	10.0	7.3-12.7	36	3.4	2.0- 4.8	310	54.4	49.3-59.5
\$75,000+	1303	690,972	400	27.1	23.8-30.4	81	5.1	3.3- 6.9	29	1.5	0.9- 2.1	793	66.3	62.8-69.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 6: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6408	2,588,359	2106	29.4	27.8-31.0	918	11.0	10.0-12.0	674	7.7	6.9- 8.5	2710	51.8	50.0-53.6
White/Non-Hisp	5490	2,111,835	1776	28.4	26.6-30.2	775	11.2	10.2-12.2	582	8.4	7.4- 9.4	2357	52.1	50.1-54.1
Black or Afr. Am./Non-Hisp	460	229,770	175	32.8	26.7-38.9	81	13.0	9.3-16.7	46	6.4	3.3- 9.5	158	47.7	40.8-54.6
Oth. Race/Non-Hisp.	95	43,279	24	30.3	14.8-45.8	15	4.9	1.4- 8.4	13	4.3	1.2- 7.4	43	60.6	45.1-76.1
MultiRacial/Non-Hisp.	92	28,517	23	30.5	16.6-44.4	19	14.5	5.5-23.5	13	5.2	1.9- 8.5	37	49.8	34.7-64.9
Hispanic	201	151,330	77	36.7	27.7-45.7	19	8.1	3.8-12.4	9	1.8	0.0- 4.0	96	53.4	44.2-62.6
18-24	205	336,336	26	13.9	8.4-19.4	2	0.6	0.0- 1.4				177	85.5	79.8-91.2
25-34	435	416,403	98	22.4	17.7-27.1	17	3.8	1.8- 5.8	6	2.2	0.0- 4.4	314	71.5	66.2-76.8
35-44	595	404,726	150	27.9	23.4-32.4	35	6.0	3.6- 8.4	17	4.1	1.7- 6.5	393	61.9	57.0-66.8
45-54	919	412,561	285	35.5	31.4-39.6	103	12.3	9.6-15.0	50	6.5	4.3- 8.7	481	45.7	41.8-49.6
55-64	1429	433,996	534	36.7	33.6-39.8	211	15.7	13.3-18.1	130	10.7	8.5-12.9	554	36.9	33.8-40.0
65+	2729	549,925	979	34.6	32.4-36.8	537	21.8	19.6-24.0	464	18.1	16.3-19.9	749	25.5	23.5-27.5
Less Than H.S.	504	313,402	140	33.5	27.2-39.8	111	16.5	12.6-20.4	158	21.6	16.9-26.3	95	28.5	22.4-34.6
H.S. or G.E.D.	2252	884,951	794	32.5	29.8-35.2	429	14.1	12.3-15.9	338	9.7	8.1-11.3	691	43.7	40.6-46.8
Some Post-H.S.	1699	849,433	595	29.6	26.7-32.5	253	10.6	8.8-12.4	128	4.5	3.5- 5.5	723	55.3	52.0-58.6
College Graduate	1941	535,757	573	21.6	19.2-24.0	123	3.5	2.7- 4.3	47	1.5	0.9- 2.1	1198	73.5	71.0-76.0
Less than \$15,000	611	262,549	171	25.0	20.3-29.7	147	18.8	14.7-22.9	166	22.4	17.3-27.5	127	33.8	27.3-40.3
\$15,000- 24,999	1154	444,917	378	31.4	27.5-35.3	248	17.0	14.1-19.9	197	12.1	9.7-14.5	331	39.4	34.7-44.1
\$25,000- 34,999	692	262,208	250	33.0	27.3-38.7	126	13.3	10.2-16.4	84	8.8	6.3-11.3	232	44.9	39.0-50.8
\$35,000- 49,999	837	329,159	328	33.8	29.3-38.3	124	14.3	11.2-17.4	50	4.5	2.7- 6.3	335	47.4	42.3-52.5
\$50,000- 74,999	799	343,031	281	31.2	26.5-35.9	82	7.8	5.6-10.0	24	2.2	1.0- 3.4	412	58.8	53.9-63.7
\$75,000+	1307	586,478	351	23.7	20.4-27.0	60	3.3	2.1- 4.5	28	1.8	1.0- 2.6	868	71.2	67.9-74.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE		PAGE
	INDICATE SEX OF RESPONDENT. (SEX)	
1	MALES AND FEMALES	89
	WHAT IS YOUR AGE? (AGE)	
4	MALES AND FEMALES	92
5	MALES ONLY	93
6	FEMALES ONLY	94
	ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)	
7	MALES AND FEMALES	95
8	MALES ONLY	96
9	FEMALES ONLY	97
	THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE? (MRACE1)	
10	MALES AND FEMALES	98
11	MALES ONLY	99
12	FEMALES ONLY	100
	WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)	
13	MALES AND FEMALES	101
14	MALES ONLY	102
15	FEMALES ONLY	103
	ARE YOU: (MARITAL STATUS) (MARITAL)	
16	MALES AND FEMALES	104
17	MALES ONLY	105
18	FEMALES ONLY	106
	WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
19	MALES AND FEMALES	107
20	MALES ONLY	108
21	FEMALES ONLY	109

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
22 MALES AND FEMALES	110
23 MALES ONLY	111
24 FEMALES ONLY	112
WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)	
25 MALES AND FEMALES	113
26 MALES ONLY	114
27 FEMALES ONLY	115
WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)	
28 MALES AND FEMALES	116
29 MALES ONLY	117
30 FEMALES ONLY	118
DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
31 MALES AND FEMALES	119
32 MALES ONLY	120
33 FEMALES ONLY	121
HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
34 MALES AND FEMALES	122
35 MALES ONLY	123
36 FEMALES ONLY	124
DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)	
37 MALES AND FEMALES	125
38 MALES ONLY	126
39 FEMALES ONLY	127
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
40 MALES AND FEMALES	128
41 MALES ONLY	129
42 FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
ARE YOU CURRENTLY...? (EMPLOY1)	
43 MALES AND FEMALES	131
44 MALES ONLY	132
45 FEMALES ONLY	133
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
46 MALES AND FEMALES	134
47 MALES ONLY	135
48 FEMALES ONLY	136
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
49 MALES AND FEMALES	137
50 MALES ONLY	138
51 FEMALES ONLY	139
HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)	
52 MALES AND FEMALES	140
53 MALES ONLY	141
54 FEMALES ONLY	142
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
55 MALES AND FEMALES	143
56 MALES ONLY	144
57 FEMALES ONLY	145
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
58 MALES AND FEMALES	146
59 MALES ONLY	147
60 FEMALES ONLY	148
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
61 FEMALES ONLY	
ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)	
64 MALES AND FEMALES	152
65 MALES ONLY	153
66 FEMALES ONLY	154
ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
67 MALES AND FEMALES	155

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
68 MALES ONLY	156
69 FEMALES ONLY	157
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	
70 MALES AND FEMALES	158
71 MALES ONLY	159
72 FEMALES ONLY	160
DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	
73 MALES AND FEMALES	161
74 MALES ONLY	162
75 FEMALES ONLY	163
DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	
76 MALES AND FEMALES	164
77 MALES ONLY	165
78 FEMALES ONLY	166
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	
79 MALES AND FEMALES	167
80 MALES ONLY	168
81 FEMALES ONLY	169

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 1: Indicate sex of respondent. (SEX)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11066	5,090,359	4558	48.7	47.3-50.1	6508	51.3	49.9-52.7
White/Non-Hisp	9428	4,114,752	3854	48.2	46.6-49.8	5574	51.8	50.2-53.4
Black or Afr. Am./Non-Hisp	734	433,903	268	46.7	41.4-52.0	466	53.3	48.0-58.6
Oth. Race/Non-Hisp.	224	122,845	127	63.7	54.3-73.1	97	36.3	26.9-45.7
MultiRacial/Non-Hisp.	159	55,558	66	48.5	36.5-60.5	93	51.5	39.5-63.5
Hispanic	362	285,691	159	46.9	40.2-53.6	203	53.1	46.4-59.8
18-24	458	689,754	253	51.2	45.9-56.5	205	48.8	43.5-54.1
25-34	818	837,834	382	50.2	46.1-54.3	436	49.8	45.7-53.9
35-44	1097	817,935	499	50.2	46.5-53.9	598	49.8	46.1-53.5
45-54	1623	825,171	701	49.8	46.7-52.9	922	50.2	47.1-53.3
55-64	2451	851,654	1013	48.8	46.3-51.3	1438	51.2	48.7-53.7
65+	4468	1,011,232	1657	44.1	42.1-46.1	2811	55.9	53.9-57.9
Less Than H.S.	893	663,118	377	52.2	47.5-56.9	516	47.8	43.1-52.5
H.S. or G.E.D.	3759	1,742,251	1463	48.7	46.3-51.1	2296	51.3	48.9-53.7
Some Post-H.S.	2753	1,567,793	1026	45.3	42.6-48.0	1727	54.7	52.0-57.4
College Graduate	3633	1,104,572	1678	51.3	48.9-53.7	1955	48.7	46.3-51.1
Less than \$15,000	935	463,675	315	43.0	38.3-47.7	620	57.0	52.3-61.7
\$15,000- 24,999	1836	828,269	657	45.6	42.1-49.1	1179	54.4	50.9-57.9
\$25,000- 34,999	1146	495,793	441	46.7	42.2-51.2	705	53.3	48.8-57.8
\$35,000- 49,999	1491	690,274	649	51.9	48.2-55.6	842	48.1	44.4-51.8
\$50,000- 74,999	1513	709,425	711	51.5	47.8-55.2	802	48.5	44.8-52.2
\$75,000+	2621	1,282,926	1311	54.2	51.5-56.9	1310	45.8	43.1-48.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 2: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
TOTAL	10915	5,033,581	458	13.7	12.3-15.1	818	16.6	15.4-17.8	1097	16.2	15.0-17.4	1623	16.4	15.4-17.4	2451	16.9	16.1-17.7	4468	20.1	19.3-20.9
Male	4505	2,457,001	253	14.4	12.6-16.2	382	17.1	15.3-18.9	499	16.7	15.1-18.3	701	16.7	15.3-18.1	1013	16.9	15.5-18.3	1657	18.1	16.9-19.3
Female	6410	2,576,580	205	13.1	11.3-14.9	436	16.2	14.6-17.8	598	15.8	14.4-17.2	922	16.1	14.9-17.3	1438	16.9	15.7-18.1	2811	21.9	20.7-23.1
White/Non-Hisp	9315	4,074,305	326	12.5	11.1-13.9	597	15.5	14.1-16.9	877	15.2	14.0-16.4	1361	16.6	15.6-17.6	2121	18.1	17.1-19.1	4033	22.2	21.2-23.2
Black or Afr. Am./Non-Hisp	720	427,457	43	17.3	12.2-22.4	82	18.8	14.5-23.1	74	17.1	12.8-21.4	126	16.1	12.8-19.4	186	15.6	12.7-18.5	209	15.2	12.3-18.1
Oth. Race/Non-Hisp.	219	120,893	23	28.1	17.5-38.7	39	27.8	18.6-37.0	32	19.4	11.8-27.0	34	12.6	5.7-19.5	36	7.0	3.9-10.1	55	5.1	2.7- 7.5
MultiRacial/Non-Hisp.	157	54,847	17	30.7	18.0-43.4	15	17.6	7.6-27.6	14	7.9	2.6-13.2	28	15.9	8.5-23.3	23	7.9	3.4-12.4	60	19.9	12.6-27.2
Hispanic	361	283,896	46	19.2	13.5-24.9	71	24.3	18.4-30.2	85	28.4	22.3-34.5	58	15.0	10.3-19.7	56	8.6	5.9-11.3	45	4.5	2.5- 6.5
Less Than H.S.	890	662,275	46	15.4	11.1-19.7	72	16.1	12.2-20.0	109	18.8	15.1-22.5	114	15.2	12.1-18.3	188	15.9	13.2-18.6	361	18.6	16.1-21.1
H.S. or G.E.D.	3712	1,719,846	190	17.0	14.6-19.4	204	12.3	10.5-14.1	255	12.5	10.7-14.3	476	15.2	13.6-16.8	877	19.0	17.4-20.6	1710	24.0	22.4-25.6
Some Post-H.S.	2726	1,555,596	132	14.0	11.6-16.4	229	18.2	15.8-20.6	261	16.1	13.9-18.3	430	17.1	15.3-18.9	608	15.9	14.3-17.5	1066	18.6	17.0-20.2
College Graduate	3567	1,087,198	89	7.0	5.4- 8.6	312	21.6	19.4-23.8	470	20.8	18.8-22.8	600	17.8	16.2-19.4	774	15.8	14.4-17.2	1322	17.0	15.8-18.2
Less than \$15,000	926	460,969	53	18.4	13.7-23.1	62	12.9	9.4-16.4	84	14.5	11.0-18.0	148	17.3	14.0-20.6	256	20.7	17.4-24.0	323	16.2	13.7-18.7
\$15,000- 24,999	1820	822,134	85	15.1	12.0-18.2	140	17.5	14.4-20.6	146	14.7	12.0-17.4	188	12.4	10.0-14.8	346	14.9	12.9-16.9	915	25.4	23.0-27.8
\$25,000- 34,999	1139	492,330	41	14.2	9.9-18.5	97	20.0	15.9-24.1	76	12.4	9.1-15.7	118	11.7	9.2-14.2	198	14.4	11.9-16.9	609	27.3	24.2-30.4
\$35,000- 49,999	1479	684,242	67	14.2	10.7-17.7	110	15.5	12.4-18.6	129	15.5	12.6-18.4	178	15.6	12.9-18.3	310	15.5	13.3-17.7	685	23.7	21.3-26.1
\$50,000- 74,999	1503	705,976	49	9.8	6.7-12.9	128	18.9	15.6-22.2	165	17.7	14.8-20.6	253	18.0	15.5-20.5	350	17.0	14.8-19.2	558	18.5	16.3-20.7
\$75,000+	2594	1,271,094	72	8.8	6.6-11.0	214	18.1	15.6-20.6	437	22.9	20.5-25.3	599	22.3	20.3-24.3	703	18.3	16.5-20.1	569	9.5	8.5-10.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Male	4505	2,457,001	253	14.4	12.6-16.2	382	17.1	15.3-18.9	499	16.7	15.1-18.3	701	16.7	15.3-18.1	1013	16.9	15.7-18.1	1657	18.1	16.9-19.3
White/Non-Hisp	3818	1,969,198	185	13.2	11.2-15.2	283	16.3	14.3-18.3	395	15.7	13.9-17.5	582	16.6	15.0-18.2	880	18.1	16.7-19.5	1493	20.1	18.7-21.5
Black or Afr. Am./Non-Hisp	263	200,108	19	15.4	8.3-22.5	25	15.6	8.9-22.3	31	19.0	12.1-25.9	49	17.8	12.1-23.5	68	16.7	11.6-21.8	71	15.4	10.7-20.1
Oth. Race/Non-Hisp.	124	77,286	17	36.1	21.8-50.4	19	18.6	8.8-28.4	23	21.0	10.8-31.2	19	14.4	4.8-24.0	19	6.4	2.5-10.3	27	3.5	1.3- 5.7
MultiRacial/Non-Hisp.	66	26,967	7	26.6	7.6-45.6	10	30.5	12.5-48.5	4	3.8	0.0- 7.9	12	16.9	4.6-29.2	5	2.4	0.2- 4.6	28	19.9	9.1-30.7
Hispanic	159	133,859	23	19.7	11.5-27.9	37	26.4	18.0-34.8	37	25.6	17.2-34.0	26	15.6	8.3-22.9	25	9.6	5.1-14.1	11	3.2	0.5- 5.9
Less Than H.S.	377	346,360	25	15.6	9.5-21.7	36	18.3	12.4-24.2	56	19.0	13.7-24.3	57	16.0	11.3-20.7	82	16.6	12.3-20.9	121	14.5	11.2-17.8
H.S. or G.E.D.	1451	842,312	99	17.5	14.2-20.8	106	13.7	11.0-16.4	125	13.8	11.3-16.3	213	16.2	13.7-18.7	367	18.8	16.4-21.2	541	20.0	17.8-22.2
Some Post-H.S.	1019	706,018	72	14.9	11.6-18.2	88	17.7	14.0-21.4	113	17.3	14.0-20.6	166	17.2	14.3-20.1	224	15.4	13.0-17.8	356	17.5	15.1-19.9
College Graduate	1648	556,890	56	8.3	5.9-10.7	151	20.7	17.6-23.8	204	18.9	16.2-21.6	263	17.3	14.9-19.7	340	16.4	14.4-18.4	634	18.3	16.5-20.1
Less than \$15,000	314	198,544	25	18.1	11.2-25.0	22	11.1	6.0-16.2	34	15.0	9.5-20.5	51	17.7	12.2-23.2	108	25.6	19.7-31.5	74	12.6	8.7-16.5
\$15,000- 24,999	651	374,773	47	16.8	11.9-21.7	54	18.4	13.3-23.5	60	15.5	11.2-19.8	78	14.6	10.7-18.5	138	14.1	11.2-17.0	274	20.6	17.3-23.9
\$25,000- 34,999	440	231,387	21	15.3	8.8-21.8	46	21.0	14.9-27.1	33	13.6	8.3-18.9	45	10.4	6.9-13.9	79	14.6	10.7-18.5	216	25.0	20.5-29.5
\$35,000- 49,999	644	356,561	42	16.6	11.5-21.7	59	17.8	13.1-22.5	56	14.2	10.1-18.3	76	15.5	11.6-19.4	124	13.4	10.5-16.3	287	22.5	19.0-26.0
\$50,000- 74,999	707	363,668	30	10.4	6.3-14.5	66	19.1	14.2-24.0	74	17.9	13.6-22.2	112	16.5	13.0-20.0	136	15.0	12.1-17.9	289	21.2	17.9-24.5
\$75,000+	1299	689,290	46	9.6	6.5-12.7	110	17.6	14.3-20.9	216	21.5	18.2-24.8	286	22.3	19.4-25.2	333	19.1	16.7-21.5	308	9.9	8.5-11.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS  
TABLE 4: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Female	6410	2,576,580	205	13.1	11.3-14.9	436	16.2	14.6-17.8	598	15.8	14.4-17.2	922	16.1	14.9-17.3	1438	16.9	15.7-18.1	2811	21.9	20.9-22.9
White/Non-Hisp	5497	2,105,107	141	11.8	9.8-13.8	314	14.7	12.9-16.5	482	14.8	13.2-16.4	779	16.6	15.2-18.0	1241	18.1	16.9-19.3	2540	24.1	22.9-25.3
Black or Afr. Am./Non-Hisp	457	227,349	24	18.9	11.8-26.0	57	21.5	15.8-27.2	43	15.3	9.6-21.0	77	14.5	10.4-18.6	118	14.7	11.4-18.0	138	15.0	11.7-18.3
Oth. Race/Non-Hisp.	95	43,607	6	14.0	2.6-25.4	20	44.2	28.1-60.3	9	16.5	4.7-28.3	15	9.3	1.5-17.1	17	8.0	2.7-13.3	28	8.0	2.9-13.1
MultiRacial/Non-Hisp.	91	27,879	10	34.7	17.8-51.6	5	5.2	0.5- 9.9	10	11.9	2.5-21.3	16	14.9	6.3-23.5	18	13.3	4.9-21.7	32	20.0	10.4-29.6
Hispanic	202	150,037	23	18.7	11.1-26.3	34	22.6	14.4-30.8	48	30.9	22.3-39.5	32	14.6	8.3-20.9	31	7.7	4.4-11.0	34	5.6	2.9- 8.3
Less Than H.S.	513	315,915	21	15.1	9.0-21.2	36	13.8	8.7-18.9	53	18.5	13.4-23.6	57	14.3	10.2-18.4	106	15.2	11.7-18.7	240	23.0	19.1-26.9
H.S. or G.E.D.	2261	877,534	91	16.6	13.3-19.9	98	10.9	8.5-13.3	130	11.2	9.0-13.4	263	14.3	12.3-16.3	510	19.3	17.3-21.3	1169	27.8	25.6-30.0
Some Post-H.S.	1707	849,579	60	13.3	10.0-16.6	141	18.7	15.6-21.8	148	15.2	12.5-17.9	264	17.1	14.7-19.5	384	16.3	14.3-18.3	710	19.5	17.5-21.5
College Graduate	1919	530,309	33	5.6	3.4- 7.8	161	22.5	19.2-25.8	266	22.8	20.1-25.5	337	18.4	16.2-20.6	434	15.1	13.3-16.9	688	15.6	14.0-17.2
Less than \$15,000	612	262,425	28	18.7	12.4-25.0	40	14.2	9.3-19.1	50	14.1	9.6-18.6	97	17.0	13.1-20.9	148	17.0	13.5-20.5	249	19.0	15.7-22.3
\$15,000- 24,999	1169	447,361	38	13.6	9.3-17.9	86	16.8	13.1-20.5	86	14.0	10.7-17.3	110	10.6	8.1-13.1	208	15.7	13.2-18.2	641	29.4	26.3-32.5
\$25,000- 34,999	699	260,943	20	13.3	7.4-19.2	51	19.1	13.8-24.4	43	11.3	7.4-15.2	73	12.8	9.3-16.3	119	14.3	11.2-17.4	393	29.3	25.2-33.4
\$35,000- 49,999	835	327,681	25	11.6	6.9-16.3	51	13.0	8.9-17.1	73	16.9	12.8-21.0	102	15.8	12.3-19.3	186	17.7	14.6-20.8	398	25.1	21.8-28.4
\$50,000- 74,999	796	342,308	19	9.2	4.7-13.7	62	18.6	13.9-23.3	91	17.6	13.5-21.7	141	19.7	16.0-23.4	214	19.2	16.1-22.3	269	15.7	13.2-18.2
\$75,000+	1295	581,804	26	7.8	4.7-10.9	104	18.8	15.1-22.5	221	24.5	21.0-28.0	313	22.4	19.5-25.3	370	17.4	15.2-19.6	261	9.1	7.7-10.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10983	5,045,471	239	4.1	3.5- 4.7	32	0.4	0.2- 0.6	9	0.1	0.1- 0.1	76	0.9	0.7- 1.1	6	0.1	0.1- 0.1	10621	94.3	93.5-95.1
Male	4520	2,449,296	106	3.9	3.1- 4.7	20	0.6	0.2- 1.0	4	0.1	0.1- 0.1	26	0.8	0.4- 1.2	3	0.1	0.1- 0.1	4361	94.5	93.5-95.5
Female	6463	2,596,175	133	4.3	3.3- 5.3	12	0.3	0.1- 0.5	5	0.1	0.0- 0.3	50	1.1	0.7- 1.5	3	0.1	0.1- 0.1	6260	94.2	93.2-95.2
18-24	457	689,103	32	5.6	3.4- 7.8	3	0.9	0.0- 1.9	2	0.3	0.0- 0.7	8	1.0	0.2- 1.8	1	0.1	0.0- 0.3	411	92.1	89.6-94.6
25-34	811	828,567	49	6.5	4.3- 8.7	5	0.5	0.1- 0.9	3	0.2	0.0- 0.4	12	1.0	0.4- 1.6	2	0.2	0.0- 0.4	740	91.7	89.5-93.9
35-44	1088	805,804	63	7.6	5.4- 9.8	4	0.4	0.0- 0.8				17	1.9	0.9- 2.9	1	0.1	0.0- 0.3	1003	90.0	87.6-92.4
45-54	1614	818,155	38	3.7	2.3- 5.1	5	0.3	0.0- 0.7	1	0.0	0.0- 0.0	13	1.2	0.2- 2.2	1	0.0	0.0- 0.0	1556	94.8	93.0-96.6
55-64	2437	846,553	30	1.7	0.9- 2.5	10	0.6	0.2- 1.0				15	0.5	0.1- 0.9	1	0.1	0.0- 0.3	2381	97.1	96.1-98.1
65+	4433	1,003,402	26	0.8	0.4- 1.2	5	0.2	0.0- 0.6	3	0.0	0.0- 0.0	11	0.2	0.0- 0.4				4388	98.7	98.1-99.3
Less Than H.S.	879	651,075	92	15.7	12.2-19.2	2	0.3	0.0- 0.9	1	0.2	0.0- 0.6	19	3.2	1.4- 5.0	1	0.0	0.0- 0.0	764	80.5	76.8-84.2
H.S. or G.E.D.	3730	1,727,515	73	3.5	2.5- 4.5	11	0.5	0.1- 0.9	3	0.1	0.0- 0.3	21	0.8	0.4- 1.2	1	0.0	0.0- 0.0	3621	95.1	93.9-96.3
Some Post-H.S.	2732	1,556,137	42	2.1	1.3- 2.9	13	0.8	0.2- 1.4				13	0.3	0.1- 0.5	1	0.0	0.0- 0.0	2663	96.8	95.8-97.8
College Graduate	3618	1,099,297	30	0.9	0.5- 1.3	6	0.1	0.1- 0.1	5	0.2	0.0- 0.4	21	0.6	0.2- 1.0	3	0.2	0.0- 0.4	3553	98.0	97.4-98.6
Less than \$15,000	925	459,969	40	7.1	4.6- 9.6	2	0.1	0.1- 0.1				9	1.5	0.5- 2.5				874	91.4	88.7-94.1
\$15,000- 24,999	1826	823,814	63	7.1	5.1- 9.1	9	1.0	0.2- 1.8				20	2.0	0.8- 3.2	2	0.1	0.0- 0.3	1732	89.9	87.5-92.3
\$25,000- 34,999	1138	491,678	38	7.3	4.6-10.0	2	0.5	0.0- 1.3	2	0.1	0.0- 0.3	11	1.3	0.5- 2.1	2	0.2	0.0- 0.6	1083	90.7	87.8-93.6
\$35,000- 49,999	1485	685,652	24	3.0	1.6- 4.4	3	0.6	0.0- 1.4	1	0.0	0.0- 0.0	10	0.9	0.3- 1.5				1447	95.5	93.7-97.3
\$50,000- 74,999	1510	706,743	22	2.1	1.1- 3.1	4	0.5	0.0- 1.1				4	0.3	0.0- 0.7				1480	97.2	96.0-98.4
\$75,000+	2607	1,274,723	28	1.7	0.7- 2.7	9	0.3	0.1- 0.5	3	0.1	0.0- 0.3	9	0.3	0.1- 0.5	2	0.1	0.0- 0.3	2556	97.5	96.5-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4520	2,449,296	106	3.9	3.1- 4.7	20	0.6	0.2- 1.0	4	0.1	0.1- 0.1	26	0.8	0.4- 1.2	3	0.1	0.1- 0.1	4361	94.5	93.5-95.5
18-24	253	353,418	18	5.9	2.8- 9.0	2	1.1	0.0- 2.7				3	0.5	0.0- 1.3				230	92.5	89.0-96.0
25-34	378	413,330	25	6.6	3.9- 9.3	3	0.6	0.0- 1.2	3	0.5	0.0- 1.1	5	0.7	0.1- 1.3	1	0.2	0.0- 0.6	341	91.5	88.6-94.4
35-44	495	402,370	28	6.4	3.7- 9.1	2	0.3	0.0- 0.9				7	1.8	0.2- 3.4				458	91.5	88.4-94.6
45-54	694	405,140	17	3.3	1.5- 5.1	3	0.4	0.0- 1.0	1	0.0	0.0- 0.0	4	1.3	0.0- 3.1	1	0.1	0.0- 0.3	668	94.9	92.4-97.4
55-64	1005	412,067	12	1.8	0.6- 3.0	8	1.1	0.1- 2.1				4	0.2	0.0- 0.4	1	0.1	0.0- 0.3	980	96.9	95.5-98.3
65+	1645	442,713	6	0.4	0.0- 0.8	2	0.4	0.0- 1.2				3	0.2	0.0- 0.4				1634	99.0	98.2-99.8
Less Than H.S.	368	335,916	37	11.7	7.6-15.8	1	0.5	0.0- 1.5				8	3.5	0.8- 6.2	1	0.1	0.0- 0.3	321	84.2	79.3-89.1
H.S. or G.E.D.	1454	840,982	36	3.7	2.3- 5.1	7	0.7	0.0- 1.5	1	0.0	0.0- 0.0	6	0.4	0.0- 0.8				1404	95.1	93.5-96.7
Some Post-H.S.	1014	701,842	19	2.6	1.4- 3.8	6	0.9	0.1- 1.7				6	0.3	0.1- 0.5				983	96.2	94.6-97.8
College Graduate	1670	563,240	12	0.9	0.3- 1.5	6	0.2	0.0- 0.4	3	0.3	0.0- 0.7	6	0.2	0.0- 0.4	2	0.2	0.0- 0.6	1641	98.2	97.4-99.0
Less than \$15,000	312	197,353	12	5.8	2.3- 9.3	1	0.1	0.0- 0.3				3	1.4	0.0- 3.2				296	92.8	88.9-96.7
\$15,000- 24,999	653	374,421	26	6.2	3.5- 8.9	3	0.9	0.0- 2.1				6	2.3	0.1- 4.5	1	0.1	0.0- 0.3	617	90.6	87.1-94.1
\$25,000- 34,999	439	231,163	20	8.5	4.2-12.8	2	1.0	0.0- 2.6	1	0.1	0.0- 0.3	6	1.6	0.0- 3.2				410	88.7	84.0-93.4
\$35,000- 49,999	646	354,618	14	3.0	1.2- 4.8	3	1.2	0.0- 2.8				2	0.2	0.0- 0.4				627	95.6	93.2-98.0
\$50,000- 74,999	709	362,902	9	1.9	0.5- 3.3	3	0.7	0.0- 1.7				2	0.4	0.0- 1.0				695	97.0	95.2-98.8
\$75,000+	1300	688,166	12	1.4	0.2- 2.6	6	0.3	0.1- 0.5	3	0.3	0.0- 0.7	5	0.2	0.0- 0.4	2	0.2	0.0- 0.4	1272	97.7	96.5-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 7: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6463	2,596,175	133	4.3	3.3- 5.3	12	0.3	0.1- 0.5	5	0.1	0.0- 0.3	50	1.1	0.7- 1.5	3	0.1	0.1- 0.1	6260	94.2	93.2-95.2
18-24	204	335,685	14	5.3	2.4- 8.2	1	0.7	0.0- 2.1	2	0.7	0.0- 1.7	5	1.6	0.0- 3.2	1	0.1	0.0- 0.3	181	91.7	88.0-95.4
25-34	433	415,237	24	6.4	3.3- 9.5	2	0.4	0.0- 1.0				7	1.3	0.1- 2.5	1	0.2	0.0- 0.6	399	91.8	88.5-95.1
35-44	593	403,434	35	8.9	5.6-12.2	2	0.4	0.0- 1.0				10	2.1	0.7- 3.5	1	0.2	0.0- 0.6	545	88.5	85.0-92.0
45-54	920	413,015	21	4.0	1.8- 6.2	2	0.2	0.0- 0.6				9	1.1	0.3- 1.9				888	94.7	92.3-97.1
55-64	1432	434,486	18	1.7	0.7- 2.7	2	0.1	0.0- 0.3				11	0.9	0.3- 1.5				1401	97.3	96.1-98.5
65+	2788	560,689	20	1.1	0.5- 1.7	3	0.1	0.0- 0.3	3	0.0	0.0- 0.0	8	0.2	0.0- 0.4				2754	98.5	97.7-99.3
Less Than H.S.	511	315,159	55	20.1	14.4-25.8	1	0.0	0.0- 0.0	1	0.4	0.0- 1.2	11	2.9	0.9- 4.9				443	76.7	71.0-82.4
H.S. or G.E.D.	2276	886,533	37	3.3	1.9- 4.7	4	0.2	0.0- 0.4	2	0.1	0.0- 0.3	15	1.2	0.4- 2.0	1	0.1	0.0- 0.3	2217	95.1	93.5-96.7
Some Post-H.S.	1718	854,295	23	1.6	0.8- 2.4	7	0.7	0.1- 1.3				7	0.4	0.0- 0.8	1	0.1	0.0- 0.3	1680	97.3	96.1-98.5
College Graduate	1948	536,056	18	1.0	0.2- 1.8				2	0.0	0.0- 0.0	15	0.9	0.3- 1.5	1	0.1	0.0- 0.3	1912	97.9	96.9-98.9
Less than \$15,000	613	262,616	28	8.0	4.5-11.5	1	0.0	0.0- 0.0				6	1.5	0.3- 2.7				578	90.4	86.7-94.1
\$15,000- 24,999	1173	449,392	37	7.8	4.9-10.7	6	1.0	0.0- 2.2				14	1.7	0.3- 3.1	1	0.1	0.0- 0.3	1115	89.3	86.0-92.6
\$25,000- 34,999	699	260,515	18	6.2	2.9- 9.5				1	0.0	0.0- 0.0	5	1.0	0.0- 2.0	2	0.4	0.0- 1.0	673	92.4	88.9-95.9
\$35,000- 49,999	839	331,034	10	3.0	0.6- 5.4				1	0.0	0.0- 0.0	8	1.6	0.2- 3.0				820	95.3	92.8-97.8
\$50,000- 74,999	801	343,840	13	2.3	0.7- 3.9	1	0.2	0.0- 0.6				2	0.2	0.0- 0.6				785	97.3	95.7-98.9
\$75,000+	1307	586,557	16	2.0	0.4- 3.6	3	0.3	0.0- 0.7				4	0.4	0.0- 0.8				1284	97.3	95.5-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 8: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10890	4,980,484	10713	98.7	98.3-99.1	150	1.1	0.9-1.3	18	0.2	0.0-0.4	2	0.0	0.0-0.0	1	0.0	0.0-0.0	6	0.1	0.1-0.1
Male	4458	2,404,763	4381	98.6	98.2-99.0	66	1.0	0.6-1.4	6	0.2	0.0-0.4	2	0.0	0.0-0.0				3	0.1	0.0-0.3
Female	6432	2,575,721	6332	98.7	98.3-99.1	84	1.1	0.7-1.5	12	0.1	0.1-0.1				1	0.0	0.0-0.0	3	0.1	0.1-0.1
18-24	446	675,605	427	97.3	95.9-98.7	14	1.7	0.7-2.7	4	0.8	0.0-1.8							1	0.2	0.0-0.6
25-34	800	819,729	778	98.2	97.2-99.2	19	1.6	0.6-2.6	1	0.0	0.0-0.0							2	0.1	0.0-0.3
35-44	1066	787,127	1048	99.0	98.4-99.6	13	0.8	0.2-1.4	3	0.1	0.1-0.1	1	0.0	0.0-0.0				1	0.1	0.0-0.3
45-54	1600	805,741	1570	98.9	98.3-99.5	27	1.1	0.5-1.7	2	0.1	0.1-0.1							1	0.0	0.0-0.0
55-64	2422	839,975	2398	99.4	99.0-99.8	24	0.6	0.2-1.0												
65+	4419	1,000,804	4357	98.9	98.5-99.3	52	0.9	0.5-1.3	8	0.2	0.0-0.4	1	0.0	0.0-0.0				1	0.0	0.0-0.0
Less Than H.S.	846	614,757	828	98.2	97.0-99.4	17	1.8	0.6-3.0	1	0.0	0.0-0.0									
H.S. or G.E.D.	3709	1,712,579	3655	98.6	98.0-99.2	47	1.1	0.7-1.5	5	0.3	0.0-0.7				1	0.0	0.0-0.0	1	0.0	0.0-0.0
Some Post-H.S.	2724	1,553,936	2660	98.5	97.9-99.1	53	1.2	0.8-1.6	9	0.1	0.0-0.3							2	0.1	0.0-0.3
College Graduate	3588	1,089,620	3547	99.3	99.1-99.5	33	0.5	0.3-0.7	3	0.0	0.0-0.0	2	0.0	0.0-0.0				3	0.1	0.0-0.3
Less than \$15,000	917	450,981	894	98.6	97.8-99.4	18	1.2	0.4-2.0	3	0.1	0.1-0.1				1	0.0	0.0-0.0	1	0.1	0.0-0.3
\$15,000- 24,999	1797	800,987	1758	98.5	97.9-99.1	35	1.3	0.7-1.9	4	0.2	0.0-0.4									
\$25,000- 34,999	1120	476,499	1097	98.7	97.9-99.5	18	1.0	0.4-1.6	5	0.3	0.0-0.7									
\$35,000- 49,999	1475	677,567	1454	98.1	96.9-99.3	18	1.3	0.5-2.1	1	0.4	0.0-1.2							2	0.3	0.0-0.7
\$50,000- 74,999	1501	702,835	1480	98.4	97.4-99.4	19	1.5	0.5-2.5				1	0.0	0.0-0.0				1	0.1	0.0-0.3
\$75,000+	2600	1,269,057	2570	99.1	98.7-99.5	25	0.6	0.2-1.0	4	0.2	0.0-0.4	1	0.0	0.0-0.0						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 9: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4458	2,404,763	4381	98.6	98.2-99.0	66	1.0	0.6- 1.4	6	0.2	0.0- 0.4	2	0.0	0.0- 0.0	3	0.1	0.0- 0.3
18-24	245	343,274	236	97.4	95.4-99.4	5	0.9	0.0- 1.9	3	1.2	0.0- 2.8				1	0.4	0.0- 1.2
25-34	370	407,983	357	97.3	95.5-99.1	12	2.6	0.8- 4.4							1	0.1	0.0- 0.3
35-44	479	391,207	473	99.5	98.9- 100	5	0.5	0.1- 0.9				1	0.1	0.0- 0.3			
45-54	686	395,725	672	98.7	97.7-99.7	12	1.2	0.2- 2.2	1	0.0	0.0- 0.0				1	0.0	0.0- 0.0
55-64	999	408,477	993	99.8	99.6- 100	6	0.2	0.0- 0.4									
65+	1635	439,635	1606	98.8	98.2-99.4	26	0.9	0.5- 1.3	2	0.3	0.0- 0.7	1	0.0	0.0- 0.0			
Less Than H.S.	347	310,919	338	98.1	96.3-99.9	9	1.9	0.1- 3.7									
H.S. or G.E.D.	1438	830,190	1414	98.4	97.4-99.4	20	1.0	0.4- 1.6	3	0.5	0.0- 1.1				1	0.1	0.0- 0.3
Some Post-H.S.	1010	701,899	983	98.4	97.6-99.2	23	1.2	0.6- 1.8	3	0.2	0.0- 0.4				1	0.2	0.0- 0.6
College Graduate	1651	556,099	1634	99.5	99.1-99.9	14	0.4	0.0- 0.8				2	0.1	0.0- 0.3	1	0.0	0.0- 0.0
Less than \$15,000	308	192,465	302	98.6	97.4-99.8	5	1.1	0.0- 2.3							1	0.3	0.0- 0.9
\$15,000- 24,999	641	363,209	626	98.5	97.3-99.7	13	1.2	0.2- 2.2	2	0.3	0.0- 0.7						
\$25,000- 34,999	426	217,337	413	98.3	97.1-99.5	12	1.3	0.3- 2.3	1	0.4	0.0- 1.2						
\$35,000- 49,999	636	347,800	628	97.8	95.8-99.8	6	1.1	0.0- 2.3	1	0.7	0.0- 2.1				1	0.4	0.0- 1.2
\$50,000- 74,999	703	361,129	691	98.6	97.2- 100	11	1.4	0.0- 2.8				1	0.1	0.0- 0.3			
\$75,000+	1295	682,967	1280	99.3	98.9-99.7	12	0.5	0.1- 0.9	2	0.2	0.0- 0.4	1	0.0	0.0- 0.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 10: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6432	2,575,721	6332	98.7	98.3-99.1	84	1.1	0.7- 1.5	12	0.1	0.0- 0.3	1	0.0	0.0- 0.0	3	0.1	0.1- 0.1
18-24	201	332,331	191	97.1	95.1-99.1	9	2.6	0.6- 4.6	1	0.3	0.0- 0.9						
25-34	430	411,746	421	99.2	98.6-99.8	7	0.6	0.0- 1.2	1	0.1	0.0- 0.3				1	0.1	0.0- 0.3
35-44	587	395,920	575	98.5	97.3-99.7	8	1.2	0.0- 2.4	3	0.2	0.0- 0.4				1	0.2	0.0- 0.6
45-54	914	410,016	898	99.0	98.4-99.6	15	1.0	0.4- 1.6	1	0.1	0.0- 0.3						
55-64	1423	431,498	1405	99.1	98.5-99.7	18	0.9	0.3- 1.5									
65+	2784	561,169	2751	99.0	98.6-99.4	26	0.9	0.5- 1.3	6	0.1	0.1- 0.1				1	0.0	0.0- 0.0
Less Than H.S.	499	303,839	490	98.3	96.7-99.9	8	1.7	0.1- 3.3	1	0.0	0.0- 0.0						
H.S. or G.E.D.	2271	882,389	2241	98.7	98.1-99.3	27	1.1	0.5- 1.7	2	0.1	0.0- 0.3	1	0.0	0.0- 0.0			
Some Post-H.S.	1714	852,036	1677	98.6	98.0-99.2	30	1.2	0.6- 1.8	6	0.1	0.0- 0.3				1	0.1	0.0- 0.3
College Graduate	1937	533,521	1913	99.2	98.8-99.6	19	0.6	0.2- 1.0	3	0.1	0.0- 0.3				2	0.1	0.0- 0.3
Less than \$15,000	609	258,516	592	98.6	97.6-99.6	13	1.3	0.3- 2.3	3	0.1	0.0- 0.3	1	0.0	0.0- 0.0			
\$15,000- 24,999	1156	437,778	1132	98.6	97.8-99.4	22	1.4	0.6- 2.2	2	0.1	0.0- 0.3						
\$25,000- 34,999	694	259,162	684	99.0	98.2-99.8	6	0.7	0.0- 1.5	4	0.3	0.0- 0.7						
\$35,000- 49,999	839	329,767	826	98.4	97.2-99.6	12	1.4	0.2- 2.6							1	0.2	0.0- 0.6
\$50,000- 74,999	798	341,706	789	98.2	96.8-99.6	8	1.6	0.2- 3.0							1	0.2	0.0- 0.6
\$75,000+	1305	586,091	1290	99.0	98.2-99.8	13	0.8	0.0- 1.6	2	0.2	0.0- 0.6						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)**

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Am. Indian or Alaskan Native			Asian			Pacific Islanders			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	153	58,783	99	64.4	53.0-75.8	28	18.8	10.0-27.6	23	12.7	5.3-20.1	1	3.2	0.0- 9.3	1	0.4	0.0- 1.2	1	0.5	0.0- 1.5
Male	65	28,435	46	75.9	61.2-90.6	7	9.7	1.1-18.3	12	14.5	2.0-27.0									
Female	88	30,348	53	53.6	37.5-69.7	21	27.4	13.5-41.3	11	11.1	2.7-19.5	1	6.2	0.0-17.8	1	0.7	0.0- 2.1	1	0.9	0.0- 2.7
65+	54	9,086	37	64.7	46.1-83.3	9	19.1	2.6-35.6	8	16.1	1.4-30.8									
Some Post-H.S.	52	18,591	34	45.8	27.2-64.4	9	23.7	7.8-39.6	6	17.6	0.4-34.8	1	10.1	0.0-28.3	1	1.2	0.0- 3.6	1	1.5	0.0- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2016

SECTION 8: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		N	Black or African American		N	Am. Indian or Alaskan Native	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	65	28,435	46	75.9	60.8-91.0	7	9.7	0.9-18.5	12	14.5	1.8-27.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2016

SECTION 8: DEMOGRAPHICS

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Am. Indian or Alaskan Native			Asian			Pacific Islanders			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	88	30,348	53	53.6	37.3-69.9	21	27.4	13.3-41.5	11	11.1	2.7-19.5	1	6.2	0.0-18.0	1	0.7	0.0- 2.1	1	0.9	0.0- 2.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS  
TABLE 14: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11015	5,071,120	5757	51.9	50.5-53.3	1644	12.6	11.8-13.4	1805	7.3	6.9- 7.7	148	1.6	1.2- 2.0	1410	21.8	20.4-23.2	251	4.7	3.9- 5.5
Male	4531	2,466,862	2630	52.8	50.6-55.0	596	11.8	10.4-13.2	379	3.6	3.0- 4.2	57	1.4	1.0- 1.8	743	25.2	23.2-27.2	126	5.2	4.2- 6.2
Female	6484	2,604,259	3127	51.1	49.3-52.9	1048	13.3	12.1-14.5	1426	10.7	9.9-11.5	91	1.9	1.3- 2.5	667	18.6	16.8-20.4	125	4.3	3.3- 5.3
White/Non-Hisp	9389	4,102,086	5100	54.7	53.1-56.3	1376	12.7	11.7-13.7	1603	7.8	7.2- 8.4	105	1.5	1.1- 1.9	1028	19.2	17.8-20.6	177	4.2	3.4- 5.0
Black or Afr. Am./Non-Hisp	733	433,252	241	32.5	27.8-37.2	140	14.0	10.7-17.3	103	7.4	5.4- 9.4	21	2.2	1.0- 3.4	210	40.4	35.1-45.7	18	3.5	1.5- 5.5
Oth. Race/Non-Hisp.	223	122,183	118	53.0	42.6-63.4	29	8.3	2.2-14.4	26	2.6	0.8- 4.4	3	0.9	0.0- 2.1	43	33.9	23.7-44.1	4	1.4	0.0- 3.0
MultiRacial/Non-Hisp.	158	55,247	53	27.5	18.3-36.7	30	14.7	6.3-23.1	31	7.2	3.5-10.9	2	0.3	0.0- 0.7	28	33.5	21.9-45.1	14	16.8	5.8-27.8
Hispanic	359	284,085	171	46.6	39.9-53.3	43	8.6	5.1-12.1	17	2.0	0.8- 3.2	14	3.7	1.5- 5.9	82	26.4	20.5-32.3	32	12.7	7.6-17.8
18-24	456	688,780	39	9.4	6.3-12.5	2	0.6	0.0- 1.6	2	0.4	0.0- 1.0	4	0.8	0.0- 1.8	363	78.6	74.3-82.9	46	10.2	7.1-13.3
25-34	811	831,284	401	50.4	46.3-54.5	58	6.8	4.6- 9.0	5	0.4	0.0- 0.8	16	1.4	0.4- 2.4	258	31.0	27.3-34.7	73	10.0	7.5-12.5
35-44	1094	817,513	725	63.8	60.1-67.5	143	14.2	11.5-16.9	6	0.3	0.1- 0.5	30	2.8	1.6- 4.0	150	14.2	11.5-16.9	40	4.6	3.0- 6.2
45-54	1616	822,130	973	61.2	58.1-64.3	326	19.2	16.7-21.7	52	3.5	2.3- 4.7	34	2.5	1.5- 3.5	192	10.6	8.6-12.6	39	3.0	1.6- 4.4
55-64	2448	850,292	1471	61.9	59.4-64.4	488	19.8	17.6-22.0	185	6.7	5.3- 8.1	32	1.4	0.6- 2.2	241	8.3	6.9- 9.7	31	1.9	1.1- 2.7
65+	4452	1,007,688	2070	56.3	54.3-58.3	601	12.2	10.8-13.6	1534	26.8	25.2-28.4	31	1.0	0.6- 1.4	194	3.0	2.4- 3.6	22	0.8	0.4- 1.2
Less Than H.S.	889	662,044	308	35.9	31.6-40.2	182	17.5	14.2-20.8	205	10.0	8.0-12.0	29	3.4	1.8- 5.0	128	25.8	21.1-30.5	37	7.5	4.8-10.2
H.S. or G.E.D.	3746	1,736,398	1737	47.7	45.3-50.1	582	13.1	11.7-14.5	815	9.4	8.4-10.4	69	2.3	1.5- 3.1	466	22.9	20.5-25.3	77	4.6	3.4- 5.8
Some Post-H.S.	2743	1,563,552	1382	51.6	48.9-54.3	448	12.6	11.0-14.2	441	6.5	5.7- 7.3	27	0.8	0.4- 1.2	373	23.7	21.2-26.2	72	4.8	3.4- 6.2
College Graduate	3612	1,097,420	2318	68.7	66.5-70.9	427	8.6	7.4- 9.8	340	3.5	2.9- 4.1	22	0.7	0.3- 1.1	441	15.4	13.4-17.4	64	3.1	2.1- 4.1
Less than \$15,000	927	461,379	133	16.5	13.2-19.8	328	27.8	23.9-31.7	188	10.9	8.5-13.3	36	4.5	2.7- 6.3	217	34.2	29.5-38.9	25	6.0	3.3- 8.7
\$15,000- 24,999	1829	826,480	497	31.1	28.0-34.2	394	17.8	15.4-20.2	531	14.1	12.3-15.9	45	2.8	1.6- 4.0	306	28.1	24.6-31.6	56	6.2	4.2- 8.2
\$25,000- 34,999	1140	493,378	455	42.1	37.8-46.4	196	15.1	12.0-18.2	286	11.1	9.1-13.1	15	1.3	0.3- 2.3	160	25.6	21.1-30.1	28	4.8	2.6- 7.0
\$35,000- 49,999	1490	689,201	774	50.8	47.1-54.5	226	12.7	10.3-15.1	230	6.3	5.1- 7.5	21	1.9	0.7- 3.1	208	23.8	20.1-27.5	31	4.6	2.6- 6.6
\$50,000- 74,999	1506	706,282	980	63.7	60.0-67.4	182	10.4	8.2-12.6	134	3.6	2.6- 4.6	10	0.7	0.1- 1.3	164	17.5	14.0-21.0	36	4.1	2.5- 5.7
\$75,000+	2616	1,279,614	2149	77.9	75.2-80.6	151	5.3	4.1- 6.5	94	1.4	1.0- 1.8	6	0.4	0.0- 0.8	166	11.0	8.8-13.2	50	4.0	2.6- 5.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS  
TABLE 15: ARE YOU: (MARITAL STATUS) (MARITAL)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4531	2,466,862	2630	52.8	50.6-55.0	596	11.8	10.4-13.2	379	3.6	3.0- 4.2	57	1.4	1.0- 1.8	743	25.2	23.2-27.2	126	5.2	4.2- 6.2
White/Non-Hisp	3836	1,977,428	2286	54.6	52.2-57.0	505	11.9	10.5-13.3	334	3.9	3.3- 4.5	42	1.3	0.7- 1.9	578	23.6	21.4-25.8	91	4.7	3.5- 5.9
Black or Afr. Am./Non-Hisp	268	202,608	114	40.2	32.6-47.8	48	15.4	9.5-21.3	20	3.2	0.8- 5.6	6	2.5	0.3- 4.7	69	33.6	25.6-41.6	11	5.1	1.6- 8.6
Oth. Race/Non-Hisp.	126	77,534	71	49.1	35.6-62.6	16	7.9	0.0-16.5	7	1.1	0.0- 2.3	2	0.9	0.0- 2.7	28	40.5	26.8-54.2	2	0.5	0.0- 1.3
MultiRacial/Non-Hisp.	66	26,967	24	27.0	13.1-40.9	10	17.3	1.8-32.8	11	5.9	0.4-11.4	1	0.4	0.0- 1.2	15	35.6	18.4-52.8	5	13.9	0.0-31.3
Hispanic	156	132,253	86	52.5	42.9-62.1	6	1.7	0.1- 3.3	4	1.7	0.0- 3.7	4	1.9	0.0- 4.1	42	30.3	21.3-39.3	14	11.9	5.2-18.6
18-24	251	352,444	24	9.1	5.2-13.0	1	0.9	0.0- 2.7	1	0.0	0.0- 0.0	1	0.2	0.0- 0.6	196	78.8	73.1-84.5	28	11.0	6.7-15.3
25-34	376	415,400	176	47.8	41.9-53.7	19	5.1	2.4- 7.8	2	0.3	0.0- 0.7	6	1.3	0.0- 2.7	142	36.3	30.6-42.0	31	9.3	5.6-13.0
35-44	498	410,344	319	60.3	54.8-65.8	59	13.7	9.6-17.8	4	0.4	0.0- 1.0	10	2.3	0.7- 3.9	84	18.1	13.8-22.4	22	5.2	2.8- 7.6
45-54	699	410,467	435	61.6	56.9-66.3	118	16.9	13.4-20.4	15	2.1	0.7- 3.5	11	1.8	0.6- 3.0	102	13.6	10.5-16.7	18	4.1	1.7- 6.5
55-64	1010	414,044	611	61.3	57.4-65.2	203	20.9	17.6-24.2	39	3.3	1.9- 4.7	11	1.4	0.2- 2.6	132	11.4	8.9-13.9	14	1.7	0.7- 2.7
65+	1649	444,241	1033	68.5	65.6-71.4	189	11.3	9.1-13.5	316	14.4	12.2-16.6	17	1.4	0.6- 2.2	81	3.4	2.4- 4.4	13	1.1	0.3- 1.9
Less Than H.S.	375	345,958	154	37.8	31.3-44.3	77	17.4	12.5-22.3	44	4.9	2.7- 7.1	6	1.4	0.0- 2.8	79	32.5	25.6-39.4	15	6.0	2.5- 9.5
H.S. or G.E.D.	1458	845,318	755	48.6	45.1-52.1	212	12.4	10.2-14.6	152	4.3	3.3- 5.3	33	2.7	1.5- 3.9	262	26.1	22.8-29.4	44	6.0	4.0- 8.0
Some Post-H.S.	1021	709,001	561	52.0	47.9-56.1	150	11.8	9.3-14.3	86	3.4	2.4- 4.4	9	0.5	0.1- 0.9	177	26.5	22.6-30.4	38	5.8	3.6- 8.0
College Graduate	1665	559,848	1152	69.2	66.1-72.3	155	7.4	5.8- 9.0	97	2.2	1.6- 2.8	9	0.6	0.0- 1.2	224	18.2	15.3-21.1	28	2.5	1.3- 3.7
Less than \$15,000	313	198,584	59	20.0	14.1-25.9	85	24.2	17.9-30.5	28	5.6	2.5- 8.7	13	3.5	1.1- 5.9	120	42.4	35.0-49.8	8	4.3	1.0- 7.6
\$15,000- 24,999	654	376,883	220	33.4	28.3-38.5	137	15.8	12.1-19.5	100	6.8	4.8- 8.8	16	2.4	0.8- 4.0	149	33.1	27.6-38.6	32	8.6	5.1-12.1
\$25,000- 34,999	438	230,509	196	44.2	37.5-50.9	73	14.4	9.5-19.3	65	5.9	3.9- 7.9	6	1.3	0.0- 2.7	89	31.0	23.9-38.1	9	3.2	0.8- 5.6
\$35,000- 49,999	649	358,499	347	47.6	42.1-53.1	95	12.6	9.3-15.9	69	3.8	2.6- 5.0	10	2.2	0.4- 4.0	109	27.9	22.4-33.4	19	5.8	2.9- 8.7
\$50,000- 74,999	705	362,472	461	61.1	55.8-66.4	82	10.1	7.2-13.0	47	2.7	1.5- 3.9	4	0.8	0.0- 1.6	92	20.5	15.4-25.6	19	4.8	2.4- 7.2
\$75,000+	1307	692,052	1074	75.5	71.8-79.2	71	5.8	4.0- 7.6	28	0.8	0.4- 1.2	4	0.5	0.0- 1.1	101	13.1	10.0-16.2	29	4.3	2.3- 6.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS  
TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6484	2,604,259	3127	51.1	49.3-52.9	1048	13.3	12.1-14.5	1426	10.7	9.9-11.5	91	1.9	1.3- 2.5	667	18.6	16.8-20.4	125	4.3	3.3- 5.3
White/Non-Hisp	5553	2,124,658	2814	54.8	52.8-56.8	871	13.4	12.2-14.6	1269	11.4	10.4-12.4	63	1.6	1.0- 2.2	450	15.0	13.0-17.0	86	3.7	2.7- 4.7
Black or Afr. Am./Non-Hisp	465	230,644	127	25.8	20.1-31.5	92	12.7	9.2-16.2	83	11.1	7.8-14.4	15	1.9	0.7- 3.1	141	46.4	39.3-53.5	7	2.1	0.1- 4.1
Oth. Race/Non-Hisp.	97	44,650	47	59.8	45.1-74.5	13	8.8	1.0-16.6	19	5.2	0.9- 9.5	1	0.8	0.0- 2.4	15	22.5	10.0-35.0	2	2.9	0.0- 7.0
MultiRacial/Non-Hisp.	92	28,280	29	27.9	15.9-39.9	20	12.2	5.3-19.1	20	8.5	3.6-13.4	1	0.2	0.0- 0.6	13	31.5	15.4-47.6	9	19.6	6.1-33.1
Hispanic	203	151,832	85	41.6	32.6-50.6	37	14.5	8.2-20.8	13	2.2	0.6- 3.8	10	5.3	1.8- 8.8	40	23.1	15.5-30.7	18	13.3	5.9-20.7
18-24	205	336,336	15	9.8	4.7-14.9	1	0.3	0.0- 0.9	1	0.7	0.0- 2.1	3	1.6	0.0- 3.4	167	78.4	71.7-85.1	18	9.4	4.7-14.1
25-34	435	415,885	225	53.0	47.3-58.7	39	8.5	5.4-11.6	3	0.5	0.0- 1.1	10	1.5	0.3- 2.7	116	25.8	20.9-30.7	42	10.8	7.1-14.5
35-44	596	407,169	406	67.4	62.7-72.1	84	14.7	11.0-18.4	2	0.1	0.0- 0.3	20	3.4	1.6- 5.2	66	10.3	7.2-13.4	18	4.0	2.0- 6.0
45-54	917	411,663	538	60.8	56.9-64.7	208	21.6	18.3-24.9	37	5.0	3.0- 7.0	23	3.2	1.6- 4.8	90	7.6	5.4- 9.8	21	1.8	0.8- 2.8
55-64	1438	436,249	860	62.5	59.4-65.6	285	18.7	16.2-21.2	146	9.9	7.7-12.1	21	1.4	0.6- 2.2	109	5.4	4.0- 6.8	17	2.1	0.9- 3.3
65+	2803	563,447	1037	46.6	44.2-49.0	412	12.8	11.2-14.4	1218	36.7	34.5-38.9	14	0.6	0.2- 1.0	113	2.7	2.1- 3.3	9	0.5	0.1- 0.9
Less Than H.S.	514	316,086	154	33.9	28.2-39.6	105	17.7	13.0-22.4	161	15.5	12.0-19.0	23	5.6	2.9- 8.3	49	18.3	12.4-24.2	22	9.1	4.8-13.4
H.S. or G.E.D.	2288	891,079	982	46.9	44.0-49.8	370	13.8	11.8-15.8	663	14.2	12.6-15.8	36	2.0	1.2- 2.8	204	19.8	16.7-22.9	33	3.4	1.8- 5.0
Some Post-H.S.	1722	854,551	821	51.4	47.9-54.9	298	13.3	11.1-15.5	355	9.0	7.6-10.4	18	1.0	0.4- 1.6	196	21.4	17.9-24.9	34	3.9	2.1- 5.7
College Graduate	1947	537,573	1166	68.1	65.2-71.0	272	9.9	8.1-11.7	243	4.9	3.9- 5.9	13	0.7	0.3- 1.1	217	12.5	10.1-14.9	36	3.8	2.4- 5.2
Less than \$15,000	614	262,795	74	13.9	10.0-17.8	243	30.6	25.3-35.9	160	14.9	11.6-18.2	23	5.2	2.8- 7.6	97	28.1	21.8-34.4	17	7.3	3.4-11.2
\$15,000- 24,999	1175	449,598	277	29.2	25.3-33.1	257	19.4	16.3-22.5	431	20.3	17.6-23.0	29	3.1	1.5- 4.7	157	23.9	19.4-28.4	24	4.1	1.9- 6.3
\$25,000- 34,999	702	262,868	259	40.3	34.8-45.8	123	15.7	11.8-19.6	221	15.7	12.6-18.8	9	1.2	0.0- 2.6	71	20.9	15.0-26.8	19	6.1	2.6- 9.6
\$35,000- 49,999	841	330,702	427	54.3	49.2-59.4	131	12.7	9.6-15.8	161	8.9	6.9-10.9	11	1.6	0.4- 2.8	99	19.3	14.6-24.0	12	3.3	0.8- 5.8
\$50,000- 74,999	801	343,810	519	66.6	61.5-71.7	100	10.7	7.6-13.8	87	4.5	3.1- 5.9	6	0.6	0.0- 1.2	72	14.3	9.8-18.8	17	3.3	1.5- 5.1
\$75,000+	1309	587,562	1075	80.7	77.0-84.4	80	4.7	3.1- 6.3	66	2.0	1.2- 2.8	2	0.4	0.0- 1.0	65	8.6	5.5-11.7	21	3.6	1.6- 5.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 17: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11038	5,077,735	3	0.0	0.0- 0.0	220	3.1	2.5- 3.7	670	9.9	8.9-10.9	3759	34.3	32.9-35.7	2753	30.9	29.5-32.3	3633	21.8	20.8-22.8
Male	4544	2,471,877				101	3.4	2.6- 4.2	276	10.6	9.0-12.2	1463	34.3	32.3-36.3	1026	28.8	26.8-30.8	1678	22.9	21.5-24.3
Female	6494	2,605,857	3	0.1	0.1- 0.1	119	2.9	2.1- 3.7	394	9.2	8.0-10.4	2296	34.3	32.5-36.1	1727	32.9	31.1-34.7	1955	20.7	19.5-21.9
White/Non-Hisp	9411	4,107,775				127	1.9	1.5- 2.3	513	8.9	7.9- 9.9	3226	34.8	33.4-36.2	2347	31.5	30.1-32.9	3198	22.8	21.8-23.8
Black or Afr. Am./Non-Hisp	734	433,903				12	1.2	0.2- 2.2	57	10.9	7.0-14.8	264	33.8	29.1-38.5	203	36.5	31.2-41.8	198	17.5	14.2-20.8
Oth. Race/Non-Hisp.	222	121,902				10	1.7	0.1- 3.3	19	3.2	1.4- 5.0	56	30.0	19.2-40.8	42	25.3	16.3-34.3	95	39.7	30.1-49.3
MultiRacial/Non-Hisp.	159	55,558				1	0.1	0.0- 0.3	16	18.8	7.8-29.8	52	41.7	29.7-53.7	58	30.7	21.1-40.3	32	8.7	4.8-12.6
Hispanic	358	282,781	3	0.5	0.0- 1.3	57	22.4	16.3-28.5	55	21.9	16.0-27.8	109	30.0	24.1-35.9	69	17.6	12.9-22.3	65	7.6	5.1-10.1
18-24	457	689,032				7	1.8	0.2- 3.4	39	12.9	8.8-17.0	190	42.5	37.2-47.8	132	31.7	26.8-36.6	89	11.1	8.6-13.6
25-34	817	836,618				16	2.5	1.1- 3.9	56	10.3	7.4-13.2	204	25.2	21.7-28.7	229	33.9	29.8-38.0	312	28.1	24.8-31.4
35-44	1095	815,985	1	0.1	0.0- 0.3	37	6.0	3.8- 8.2	71	9.1	6.7-11.5	255	26.3	23.0-29.6	261	30.8	27.3-34.3	470	27.7	24.8-30.6
45-54	1620	823,205				20	2.7	1.3- 4.1	94	9.6	7.4-11.8	476	31.9	29.0-34.8	430	32.4	29.5-35.3	600	23.6	21.4-25.8
55-64	2447	850,892	2	0.0	0.0- 0.0	50	3.3	2.1- 4.5	136	9.1	7.3-10.9	877	38.5	36.1-40.9	608	29.0	26.6-31.4	774	20.1	18.3-21.9
65+	4459	1,009,182				90	2.7	1.9- 3.5	271	9.5	8.1-10.9	1710	40.8	38.8-42.8	1066	28.7	26.9-30.5	1322	18.3	17.1-19.5
Less than \$15,000	931	463,070	3	0.3	0.0- 0.7	60	7.7	5.2-10.2	174	26.0	21.5-30.5	416	38.9	34.4-43.4	180	21.7	17.6-25.8	98	5.4	3.8- 7.0
\$15,000- 24,999	1833	826,053				67	6.6	4.4- 8.8	210	15.9	13.2-18.6	866	42.8	39.5-46.1	448	27.5	24.4-30.6	242	7.3	5.9- 8.7
\$25,000- 34,999	1145	495,600				24	3.5	1.7- 5.3	79	14.6	10.5-18.7	493	40.9	36.6-45.2	323	30.6	26.5-34.7	226	10.4	8.4-12.4
\$35,000- 49,999	1488	689,316				17	1.7	0.5- 2.9	55	7.2	5.0- 9.4	559	41.9	38.2-45.6	428	32.5	29.0-36.0	429	16.7	14.5-18.9
\$50,000- 74,999	1513	709,425				6	1.0	0.0- 2.0	34	5.2	2.8- 7.6	402	29.3	26.0-32.6	441	37.6	34.1-41.1	630	26.9	24.2-29.6
\$75,000+	2618	1,280,152				7	0.7	0.0- 1.5	21	2.3	0.9- 3.7	414	20.1	17.7-22.5	567	32.2	29.5-34.9	1609	44.8	42.3-47.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 18: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4544	2,471,877	101	3.4	2.6- 4.2	276	10.6	9.0-12.2	1463	34.3	32.3-36.3	1026	28.8	26.8-30.8	1678	22.9	21.5-24.3
White/Non-Hisp	3843	1,979,809	59	2.4	1.6- 3.2	207	9.8	8.0-11.6	1251	35.3	33.1-37.5	860	28.8	26.6-31.0	1466	23.8	22.2-25.4
Black or Afr. Am./Non-Hisp	268	202,608	3	1.1	0.0- 2.5	20	11.5	5.2-17.8	87	30.0	22.9-37.1	73	37.4	29.2-45.6	85	20.1	14.6-25.6
Oth. Race/Non-Hisp.	127	78,196	6	1.1	0.0- 2.3	11	3.3	0.8- 5.8	32	30.2	16.3-44.1	18	23.6	11.6-35.6	60	41.7	29.0-54.4
MultiRacial/Non-Hisp.	66	26,967				8	19.6	2.7-36.5	23	47.6	29.0-66.2	23	27.2	13.9-40.5	12	5.6	1.3- 9.9
Hispanic	157	131,601	24	19.9	11.5-28.3	23	20.5	12.3-28.7	50	31.5	22.5-40.5	31	20.3	12.9-27.7	29	7.9	4.4-11.4
18-24	252	352,696	4	1.5	0.0- 3.3	21	13.8	7.9-19.7	99	41.7	34.6-48.8	72	29.8	23.3-36.3	56	13.2	9.3-17.1
25-34	381	419,576	8	2.7	0.7- 4.7	28	12.4	7.7-17.1	106	27.5	22.4-32.6	88	29.8	24.1-35.5	151	27.5	22.8-32.2
35-44	498	409,460	17	5.2	2.5- 7.9	39	10.9	7.0-14.8	125	28.4	23.5-33.3	113	29.8	24.5-35.1	204	25.7	21.6-29.8
45-54	699	409,736	10	3.1	0.7- 5.5	47	10.4	7.1-13.7	213	33.4	28.9-37.9	166	29.6	25.3-33.9	263	23.5	20.2-26.8
55-64	1013	415,406	29	4.9	2.9- 6.9	53	9.0	6.3-11.7	367	38.1	34.4-41.8	224	26.1	22.6-29.6	340	22.0	19.3-24.7
65+	1652	444,705	33	3.0	1.6- 4.4	88	8.3	6.3-10.3	541	37.9	34.8-41.0	356	27.8	24.9-30.7	634	22.9	20.7-25.1
Less than \$15,000	313	198,784	21	8.5	4.2-12.8	62	29.3	21.9-36.7	136	36.0	29.1-42.9	48	19.4	13.1-25.7	46	6.8	4.1- 9.5
\$15,000- 24,999	655	376,428	34	8.3	4.8-11.8	89	17.8	13.5-22.1	292	41.3	36.0-46.6	143	24.9	20.0-29.8	97	7.7	5.3-10.1
\$25,000- 34,999	441	231,507	12	3.2	0.7- 5.7	35	17.0	10.5-23.5	192	40.6	34.1-47.1	105	27.8	21.5-34.1	97	11.4	8.3-14.5
\$35,000- 49,999	647	357,577	11	2.4	0.4- 4.4	27	7.1	4.0-10.2	267	47.1	41.6-52.6	165	28.5	23.6-33.4	177	14.9	11.8-18.0
\$50,000- 74,999	711	365,477	4	1.6	0.0- 3.6	20	6.8	3.1-10.5	205	31.1	26.2-36.0	197	34.9	30.0-39.8	285	25.5	21.6-29.4
\$75,000+	1309	693,294	4	0.4	0.0- 1.0	12	2.7	0.5- 4.9	212	21.3	18.2-24.4	254	30.6	26.9-34.3	827	45.0	41.3-48.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 19: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6494	2,605,857	3	0.1	0.1- 0.1	119	2.9	2.1- 3.7	394	9.2	8.0-10.4	2296	34.3	32.5-36.1	1727	32.9	31.1-34.7	1955	20.7	19.5-21.9
White/Non-Hisp	5568	2,127,966				68	1.6	1.0- 2.2	306	8.1	6.9- 9.3	1975	34.4	32.4-36.4	1487	34.0	32.0-36.0	1732	21.9	20.5-23.3
Black or Afr. Am./Non-Hisp	466	231,294				9	1.2	0.0- 2.4	37	10.5	5.8-15.2	177	37.2	30.7-43.7	130	35.8	28.9-42.7	113	15.3	11.2-19.4
Oth. Race/Non-Hisp.	95	43,706				4	2.9	0.0- 6.4	8	3.0	0.3- 5.7	24	29.6	13.5-45.7	24	28.4	14.5-42.3	35	36.1	22.0-50.2
MultiRacial/Non-Hisp.	93	28,591				1	0.2	0.0- 0.6	8	18.1	4.0-32.2	29	36.1	21.2-51.0	35	34.0	20.7-47.3	20	11.6	5.1-18.1
Hispanic	201	151,180	3	0.9	0.0- 2.3	33	24.6	16.2-33.0	32	23.2	14.8-31.6	59	28.7	20.7-36.7	38	15.2	9.3-21.1	36	7.4	3.9-10.9
18-24	205	336,336				3	2.2	0.0- 4.7	18	12.0	6.3-17.7	91	43.3	35.7-50.9	60	33.6	26.0-41.2	33	8.9	5.6-12.2
25-34	436	417,042				8	2.4	0.6- 4.2	28	8.1	4.6-11.6	98	22.9	18.2-27.6	141	38.0	32.3-43.7	161	28.7	24.2-33.2
35-44	597	406,526	1	0.2	0.0- 0.6	20	6.9	3.6-10.2	32	7.3	4.6-10.0	130	24.2	19.9-28.5	148	31.7	26.8-36.6	266	29.7	25.6-33.8
45-54	921	413,470				10	2.2	0.8- 3.6	47	8.7	6.0-11.4	263	30.4	26.7-34.1	264	35.2	31.3-39.1	337	23.6	20.7-26.5
55-64	1434	435,486	2	0.1	0.0- 0.3	21	1.8	1.0- 2.6	83	9.2	6.8-11.6	510	38.8	35.7-41.9	384	31.7	28.6-34.8	434	18.4	16.4-20.4
65+	2807	564,477				57	2.4	1.6- 3.2	183	10.5	8.7-12.3	1169	43.1	40.7-45.5	710	29.3	27.1-31.5	688	14.6	13.2-16.0
Less than \$15,000	618	264,286	3	0.5	0.0- 1.3	39	7.2	4.3-10.1	112	23.6	18.3-28.9	280	41.0	35.1-46.9	132	23.4	17.9-28.9	52	4.3	2.5- 6.1
\$15,000- 24,999	1178	449,625				33	5.1	2.7- 7.5	121	14.3	11.0-17.6	574	44.0	39.7-48.3	305	29.8	25.7-33.9	145	6.9	5.1- 8.7
\$25,000- 34,999	704	264,092				12	3.8	1.1- 6.5	44	12.4	7.3-17.5	301	41.2	35.5-46.9	218	33.1	27.8-38.4	129	9.5	7.0-12.0
\$35,000- 49,999	841	331,739				6	0.9	0.0- 1.9	28	7.3	4.2-10.4	292	36.4	31.5-41.3	263	36.7	31.8-41.6	252	18.8	15.5-22.1
\$50,000- 74,999	802	343,947				2	0.2	0.0- 0.6	14	3.6	1.2- 6.0	197	27.3	22.6-32.0	244	40.5	35.2-45.8	345	28.4	24.3-32.5
\$75,000+	1309	586,858				3	1.0	0.0- 2.4	9	1.8	0.2- 3.4	202	18.6	15.5-21.7	313	34.1	30.2-38.0	782	44.5	40.8-48.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 20: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11010	5,069,143	8458	72.2	71.0-73.4	2157	22.9	21.7-24.1	395	4.9	4.3- 5.5
Male	4539	2,467,674	3491	72.0	70.0-74.0	862	22.8	21.0-24.6	186	5.1	4.1- 6.1
Female	6471	2,601,469	4967	72.3	70.5-74.1	1295	23.0	21.4-24.6	209	4.7	3.7- 5.7
18-24	455	686,970	99	32.0	26.5-37.5	232	45.8	40.5-51.1	124	22.2	18.1-26.3
25-34	817	836,384	395	58.1	54.2-62.0	371	38.1	34.4-41.8	51	3.8	2.6- 5.0
35-44	1094	815,661	782	75.4	72.5-78.3	286	22.7	19.8-25.6	26	1.9	0.9- 2.9
45-54	1617	821,280	1237	80.7	78.5-82.9	333	17.1	14.9-19.3	47	2.2	1.4- 3.0
55-64	2444	849,806	2023	85.4	83.6-87.2	372	13.1	11.5-14.7	49	1.4	0.8- 2.0
65+	4446	1,006,841	3808	89.7	88.7-90.7	545	8.7	7.7- 9.7	93	1.7	1.3- 2.1
Less Than H.S.	890	660,288	477	56.1	51.6-60.6	363	37.7	33.4-42.0	50	6.2	3.8- 8.6
H.S. or G.E.D.	3727	1,731,618	2763	70.5	68.3-72.7	794	23.1	21.1-25.1	170	6.4	5.2- 7.6
Some Post-H.S.	2750	1,566,571	2088	72.1	69.7-74.5	567	23.3	20.9-25.7	95	4.5	3.3- 5.7
College Graduate	3619	1,100,180	3113	84.3	82.5-86.1	428	13.4	11.8-15.0	78	2.3	1.7- 2.9
Less than \$15,000	934	463,509	392	39.6	34.9-44.3	483	53.4	48.7-58.1	59	7.0	4.5- 9.5
\$15,000- 24,999	1830	823,645	1158	57.1	53.6-60.6	593	37.6	34.3-40.9	79	5.3	3.5- 7.1
\$25,000- 34,999	1143	494,834	842	65.5	61.2-69.8	274	30.9	26.6-35.2	27	3.6	1.8- 5.4
\$35,000- 49,999	1487	687,860	1185	74.2	70.9-77.5	256	21.1	18.0-24.2	46	4.7	2.9- 6.5
\$50,000- 74,999	1511	708,436	1298	83.1	80.4-85.8	180	14.2	11.7-16.7	33	2.6	1.4- 3.8
\$75,000+	2613	1,278,626	2426	90.8	89.2-92.4	133	6.1	4.7- 7.5	54	3.0	2.0- 4.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 21: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4539	2,467,674	3491	72.0	70.2-73.8	862	22.8	21.0-24.6	186	5.1	4.1- 6.1
18-24	250	350,634	53	32.5	25.1-39.9	135	46.6	39.5-53.7	62	20.9	15.4-26.4
25-34	381	419,342	188	59.8	54.3-65.3	159	35.4	29.9-40.9	34	4.8	3.0- 6.6
35-44	497	409,224	348	73.8	69.3-78.3	134	23.8	19.3-28.3	15	2.4	1.0- 3.8
45-54	698	409,740	551	81.1	77.6-84.6	126	16.5	13.2-19.8	21	2.4	1.2- 3.6
55-64	1011	414,778	833	85.2	82.7-87.7	154	13.0	10.5-15.5	24	1.8	1.0- 2.6
65+	1652	443,748	1476	91.9	90.3-93.5	150	7.1	5.5- 8.7	26	1.0	0.6- 1.4
Less Than H.S.	376	345,774	206	56.7	50.0-63.4	151	37.4	30.9-43.9	19	5.9	2.8- 9.0
H.S. or G.E.D.	1455	843,119	1086	72.1	69.0-75.2	295	21.2	18.5-23.9	74	6.7	4.9- 8.5
Some Post-H.S.	1025	710,493	780	71.1	67.4-74.8	199	24.0	20.5-27.5	46	4.9	3.1- 6.7
College Graduate	1672	562,772	1411	82.5	80.0-85.0	216	15.1	12.7-17.5	45	2.4	1.4- 3.4
Less than \$15,000	315	199,231	133	40.8	33.4-48.2	157	51.3	43.9-58.7	25	7.9	4.2-11.6
\$15,000- 24,999	655	376,012	393	55.3	49.8-60.8	230	39.1	33.8-44.4	32	5.6	3.1- 8.1
\$25,000- 34,999	440	230,982	319	65.0	58.3-71.7	106	30.8	24.3-37.3	15	4.3	1.4- 7.2
\$35,000- 49,999	646	356,319	499	72.6	67.7-77.5	124	23.6	18.9-28.3	23	3.7	1.7- 5.7
\$50,000- 74,999	709	364,488	599	79.3	75.0-83.6	94	17.3	13.4-21.2	16	3.4	1.4- 5.4
\$75,000+	1307	691,875	1201	90.5	88.3-92.7	74	6.2	4.4- 8.0	32	3.3	1.9- 4.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 22: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6471	2,601,469	4967	72.3	70.5-74.1	1295	23.0	21.4-24.6	209	4.7	3.7- 5.7
18-24	205	336,336	46	31.5	23.5-39.5	97	45.0	37.4-52.6	62	23.5	17.4-29.6
25-34	436	417,042	207	56.4	50.9-61.9	212	40.8	35.5-46.1	17	2.8	1.2- 4.4
35-44	597	406,437	434	76.9	73.0-80.8	152	21.6	17.9-25.3	11	1.5	0.5- 2.5
45-54	919	411,540	686	80.4	77.5-83.3	207	17.6	14.9-20.3	26	2.1	1.1- 3.1
55-64	1433	435,029	1190	85.6	83.4-87.8	218	13.3	11.1-15.5	25	1.1	0.5- 1.7
65+	2794	563,092	2332	87.9	86.5-89.3	395	9.9	8.5-11.3	67	2.2	1.6- 2.8
Less Than H.S.	514	314,514	271	55.5	49.2-61.8	212	37.9	32.0-43.8	31	6.6	3.1-10.1
H.S. or G.E.D.	2272	888,499	1677	69.0	66.1-71.9	499	24.9	22.2-27.6	96	6.1	4.5- 7.7
Some Post-H.S.	1725	856,078	1308	72.9	69.8-76.0	368	22.8	19.9-25.7	49	4.3	2.5- 6.1
College Graduate	1947	537,408	1702	86.3	84.1-88.5	212	11.6	9.4-13.8	33	2.1	1.1- 3.1
Less than \$15,000	619	264,278	259	38.6	32.7-44.5	326	55.0	48.9-61.1	34	6.4	2.9- 9.9
\$15,000- 24,999	1175	447,632	765	58.6	54.1-63.1	363	36.4	32.1-40.7	47	5.0	2.8- 7.2
\$25,000- 34,999	703	263,851	523	65.9	60.2-71.6	168	31.0	25.3-36.7	12	3.1	0.9- 5.3
\$35,000- 49,999	841	331,541	686	75.9	71.4-80.4	132	18.5	14.6-22.4	23	5.7	2.8- 8.6
\$50,000- 74,999	802	343,947	699	87.2	83.9-90.5	86	11.1	8.2-14.0	17	1.8	0.4- 3.2
\$75,000+	1306	586,750	1225	91.3	88.9-93.7	59	6.0	4.0- 8.0	22	2.7	1.1- 4.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 23: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10741	4,809,691	10527	97.5	97.1-97.9	106	1.3	0.9- 1.7	108	1.2	0.8- 1.6
Male	4382	2,321,211	4286	97.3	96.5-98.1	45	1.4	0.8- 2.0	51	1.3	0.9- 1.7
Female	6359	2,488,479	6241	97.7	97.1-98.3	61	1.3	0.7- 1.9	57	1.0	0.6- 1.4
White/Non-Hisp	9168	3,898,948	9012	98.1	97.7-98.5	67	0.8	0.4- 1.2	89	1.1	0.7- 1.5
Black or Afr. Am./Non-Hisp	710	403,613	697	97.6	96.0-99.2	7	1.0	0.0- 2.0	6	1.4	0.0- 2.8
Oth. Race/Non-Hisp.	214	115,024	202	91.9	86.4-97.4	10	7.8	2.3-13.3	2	0.3	0.0- 0.9
MultiRacial/Non-Hisp.	154	52,869	153	99.5	98.5- 100	1	0.5	0.0- 1.5			
Hispanic	340	263,566	317	91.8	87.5-96.1	19	7.1	3.2-11.0	4	1.1	0.0- 2.7
18-24	404	614,170	388	96.4	94.4-98.4	9	2.0	0.4- 3.6	7	1.6	0.2- 3.0
25-34	734	756,728	715	97.5	96.3-98.7	15	1.9	0.7- 3.1	4	0.6	0.0- 1.2
35-44	1041	757,025	1027	98.1	96.9-99.3	5	0.9	0.0- 1.9	9	1.0	0.2- 1.8
45-54	1583	799,206	1560	98.0	96.8-99.2	12	1.2	0.2- 2.2	11	0.9	0.3- 1.5
55-64	2404	827,884	2364	97.9	97.1-98.7	17	1.1	0.5- 1.7	23	1.0	0.4- 1.6
65+	4427	1,000,616	4352	98.2	97.6-98.8	44	1.0	0.6- 1.4	31	0.8	0.4- 1.2
Less Than H.S.	872	634,412	834	94.6	92.2-97.0	31	4.1	2.1- 6.1	7	1.3	0.1- 2.5
H.S. or G.E.D.	3704	1,691,919	3628	97.8	97.2-98.4	35	0.9	0.5- 1.3	41	1.2	0.8- 1.6
Some Post-H.S.	2665	1,464,112	2621	97.9	97.1-98.7	19	1.0	0.4- 1.6	25	1.1	0.5- 1.7
College Graduate	3473	1,007,893	3420	98.3	97.7-98.9	21	0.7	0.3- 1.1	32	1.0	0.6- 1.4
Less than \$15,000	912	437,886	888	97.2	95.8-98.6	21	2.6	1.2- 4.0	3	0.2	0.0- 0.4
\$15,000- 24,999	1803	801,451	1774	96.9	95.3-98.5	18	2.1	0.7- 3.5	11	1.1	0.3- 1.9
\$25,000- 34,999	1116	467,008	1092	97.1	95.5-98.7	17	1.9	0.7- 3.1	7	0.9	0.0- 1.9
\$35,000- 49,999	1455	667,581	1440	99.1	98.5-99.7	5	0.3	0.0- 0.7	10	0.6	0.0- 1.2
\$50,000- 74,999	1464	673,322	1451	99.0	98.4-99.6	9	0.6	0.0- 1.2	4	0.4	0.0- 0.8
\$75,000+	2511	1,182,976	2484	98.4	97.4-99.4	7	0.5	0.0- 1.1	20	1.1	0.3- 1.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 24: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4382	2,321,211	4286	97.3	96.5-98.1	45	1.4	0.8- 2.0	51	1.3	0.9- 1.7
White/Non-Hisp	3716	1,867,291	3649	98.0	97.4-98.6	27	0.9	0.5- 1.3	40	1.2	0.8- 1.6
Black or Afr. Am./Non-Hisp	251	178,885	243	96.2	93.3-99.1	4	1.6	0.0- 3.4	4	2.2	0.0- 4.4
Oth. Race/Non-Hisp.	121	72,280	117	97.7	95.0- 100	3	1.8	0.0- 4.3	1	0.5	0.0- 1.5
MultiRacial/Non-Hisp.	66	26,967	65	99.0	97.0- 100	1	1.0	0.0- 3.0			
Hispanic	146	123,632	137	91.5	84.8-98.2	8	8.5	1.8-15.2	1	0.1	0.0- 0.3
18-24	220	313,419	210	96.4	93.9-98.9	5	1.9	0.0- 3.9	5	1.7	0.1- 3.3
25-34	338	378,755	326	97.5	95.9-99.1	9	1.8	0.4- 3.2	3	0.7	0.0- 1.7
35-44	466	368,658	461	98.6	97.2- 100	2	0.6	0.0- 1.6	3	0.8	0.0- 1.6
45-54	678	394,419	661	97.0	95.0-99.0	8	1.6	0.0- 3.4	9	1.5	0.5- 2.5
55-64	988	402,384	971	97.8	96.4-99.2	8	1.3	0.1- 2.5	9	0.9	0.3- 1.5
65+	1639	441,384	1613	97.7	96.5-98.9	13	1.2	0.2- 2.2	13	1.1	0.3- 1.9
Less Than H.S.	363	329,997	344	94.5	91.4-97.6	16	4.7	1.8- 7.6	3	0.8	0.0- 1.8
H.S. or G.E.D.	1436	818,987	1410	98.1	97.3-98.9	11	0.7	0.1- 1.3	15	1.2	0.4- 2.0
Some Post-H.S.	989	662,946	967	97.3	95.9-98.7	7	0.9	0.0- 1.9	15	1.7	0.7- 2.7
College Graduate	1580	501,966	1552	98.0	97.0-99.0	11	0.8	0.2- 1.4	17	1.1	0.3- 1.9
Less than \$15,000	301	184,793	289	96.5	94.1-98.9	10	3.2	1.0- 5.4	2	0.3	0.0- 0.7
\$15,000- 24,999	636	358,009	623	95.9	93.0-98.8	9	3.4	0.7- 6.1	4	0.7	0.0- 1.5
\$25,000- 34,999	427	217,631	413	95.0	91.9-98.1	9	3.1	0.7- 5.5	5	1.9	0.0- 3.9
\$35,000- 49,999	631	346,490	621	98.9	98.1-99.7	3	0.3	0.0- 0.7	7	0.8	0.0- 1.6
\$50,000- 74,999	680	341,609	675	99.4	98.6- 100	3	0.2	0.0- 0.4	2	0.4	0.0- 1.0
\$75,000+	1246	630,092	1232	98.8	98.0-99.6	3	0.2	0.0- 0.4	11	1.0	0.2- 1.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 25: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6359	2,488,479	6241	97.7	97.1-98.3	61	1.3	0.7- 1.9	57	1.0	0.6- 1.4
White/Non-Hisp	5452	2,031,657	5363	98.3	97.7-98.9	40	0.7	0.3- 1.1	49	1.0	0.6- 1.4
Black or Afr. Am./Non-Hisp	459	224,728	454	98.7	97.1- 100	3	0.5	0.0- 1.3	2	0.8	0.0- 2.2
Oth. Race/Non-Hisp.	93	42,745	85	82.1	68.8-95.4	7	17.8	4.5-31.1	1	0.1	0.0- 0.3
MultiRacial/Non-Hisp.	88	25,902	88	100.0	100.0- 100						
Hispanic	194	139,934	180	92.1	86.8-97.4	11	5.8	1.1-10.5	3	2.1	0.0- 4.8
18-24	184	300,752	178	96.4	93.3-99.5	4	2.1	0.0- 4.3	2	1.4	0.0- 3.6
25-34	396	377,973	389	97.5	95.5-99.5	6	2.1	0.3- 3.9	1	0.4	0.0- 1.2
35-44	575	388,367	566	97.6	95.6-99.6	3	1.2	0.0- 2.8	6	1.2	0.0- 2.4
45-54	905	404,787	899	99.0	98.0- 100	4	0.7	0.0- 1.5	2	0.3	0.0- 0.7
55-64	1416	425,500	1393	97.9	96.9-98.9	9	0.9	0.3- 1.5	14	1.2	0.4- 2.0
65+	2788	559,231	2739	98.6	98.2-99.0	31	0.9	0.5- 1.3	18	0.6	0.4- 0.8
Less Than H.S.	509	304,416	490	94.8	91.3-98.3	15	3.5	1.0- 6.0	4	1.8	0.0- 4.2
H.S. or G.E.D.	2268	872,932	2218	97.6	96.6-98.6	24	1.1	0.5- 1.7	26	1.3	0.7- 1.9
Some Post-H.S.	1676	801,166	1654	98.4	97.4-99.4	12	1.1	0.1- 2.1	10	0.5	0.1- 0.9
College Graduate	1893	505,927	1868	98.6	97.8-99.4	10	0.6	0.0- 1.2	15	0.9	0.3- 1.5
Less than \$15,000	611	253,094	599	97.7	95.9-99.5	11	2.2	0.4- 4.0	1	0.1	0.0- 0.3
\$15,000- 24,999	1167	443,442	1151	97.6	96.2-99.0	9	1.0	0.2- 1.8	7	1.4	0.2- 2.6
\$25,000- 34,999	689	249,377	679	99.0	98.0- 100	8	0.9	0.1- 1.7	2	0.1	0.0- 0.3
\$35,000- 49,999	824	321,091	819	99.2	98.4- 100	2	0.3	0.0- 0.9	3	0.4	0.0- 1.0
\$50,000- 74,999	784	331,713	776	98.5	97.3-99.7	6	1.1	0.1- 2.1	2	0.4	0.0- 1.0
\$75,000+	1265	552,884	1252	97.9	96.1-99.7	4	0.8	0.0- 2.0	9	1.3	0.0- 2.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 26: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11066	5,090,359	10562	94.3	93.5-95.1	138	1.7	1.3- 2.1	366	4.0	3.4- 4.6
Male	4558	2,479,193	4320	93.3	92.1-94.5	74	2.3	1.5- 3.1	164	4.3	3.5- 5.1
Female	6508	2,611,166	6242	95.3	94.5-96.1	64	1.0	0.6- 1.4	202	3.7	2.9- 4.5
White/Non-Hisp	9428	4,114,752	9042	94.9	94.1-95.7	93	1.2	0.8- 1.6	293	3.9	3.3- 4.5
Black or Afr. Am./Non-Hisp	734	433,903	708	95.1	92.6-97.6	7	1.5	0.1- 2.9	19	3.4	1.2- 5.6
Oth. Race/Non-Hisp.	224	122,845	205	89.7	83.8-95.6	3	3.6	0.0- 7.7	16	6.6	2.3-10.9
MultiRacial/Non-Hisp.	159	55,558	153	95.2	90.7-99.7	1	0.1	0.0- 0.3	5	4.8	0.3- 9.3
Hispanic	362	285,691	325	91.1	87.8-94.4	25	5.8	3.1- 8.5	12	3.1	1.1- 5.1
18-24	458	689,754	421	92.7	90.0-95.4	14	2.8	1.2- 4.4	23	4.5	2.3- 6.7
25-34	818	837,834	772	93.6	91.6-95.6	15	2.1	0.9- 3.3	31	4.3	2.5- 6.1
35-44	1097	817,935	1040	93.7	91.7-95.7	10	1.4	0.2- 2.6	47	4.9	3.1- 6.7
45-54	1623	825,171	1571	96.1	94.7-97.5	12	1.3	0.5- 2.1	40	2.7	1.7- 3.7
55-64	2451	851,654	2370	95.5	94.3-96.7	24	1.7	0.9- 2.5	57	2.9	1.9- 3.9
65+	4468	1,011,232	4292	96.1	95.3-96.9	59	1.1	0.7- 1.5	117	2.9	2.3- 3.5
Less Than H.S.	893	663,118	825	91.6	88.9-94.3	34	4.0	2.0- 6.0	34	4.3	2.3- 6.3
H.S. or G.E.D.	3759	1,742,251	3596	94.9	93.7-96.1	51	1.4	0.8- 2.0	112	3.7	2.7- 4.7
Some Post-H.S.	2753	1,567,793	2639	95.0	93.8-96.2	27	1.4	0.8- 2.0	87	3.6	2.6- 4.6
College Graduate	3633	1,104,572	3484	94.4	93.2-95.6	24	1.0	0.4- 1.6	125	4.6	3.6- 5.6
Less than \$15,000	935	463,675	892	93.9	91.5-96.3	24	3.9	1.9- 5.9	19	2.2	1.0- 3.4
\$15,000- 24,999	1836	828,269	1769	95.4	93.8-97.0	25	1.7	0.7- 2.7	42	2.9	1.7- 4.1
\$25,000- 34,999	1146	495,793	1118	96.3	94.5-98.1	17	2.0	0.6- 3.4	11	1.6	0.2- 3.0
\$35,000- 49,999	1491	690,274	1442	95.2	93.4-97.0	6	0.9	0.0- 1.9	43	3.9	2.3- 5.5
\$50,000- 74,999	1513	709,425	1464	95.3	93.5-97.1	11	1.0	0.2- 1.8	38	3.7	2.1- 5.3
\$75,000+	2621	1,282,926	2545	95.6	94.2-97.0	13	0.8	0.2- 1.4	63	3.6	2.4- 4.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 27: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4558	2,479,193	4320	93.3	92.1-94.5	74	2.3	1.5- 3.1	164	4.3	3.5- 5.1
White/Non-Hisp	3854	1,984,249	3687	94.3	93.1-95.5	41	1.6	1.0- 2.2	126	4.1	3.1- 5.1
Black or Afr. Am./Non-Hisp	268	202,608	250	92.2	87.5-96.9	7	3.2	0.5- 5.9	11	4.5	0.4- 8.6
Oth. Race/Non-Hisp.	127	78,196	117	92.9	86.6-99.2	1	2.6	0.0- 7.5	9	4.5	0.4- 8.6
MultiRacial/Non-Hisp.	66	26,967	63	94.9	88.0- 100	1	0.1	0.0- 0.3	2	5.0	0.0-11.9
Hispanic	159	133,859	137	88.4	83.1-93.7	17	7.9	3.6-12.2	5	3.7	0.4- 7.0
18-24	253	353,418	225	90.8	87.1-94.5	12	4.6	1.9- 7.3	16	4.7	2.2- 7.2
25-34	382	420,792	354	92.2	89.1-95.3	11	3.0	1.0- 5.0	17	4.8	2.3- 7.3
35-44	499	410,502	471	92.3	88.8-95.8	5	1.9	0.0- 4.1	23	5.8	2.9- 8.7
45-54	701	410,980	676	95.9	93.9-97.9	7	1.8	0.2- 3.4	18	2.3	1.1- 3.5
55-64	1013	415,406	971	94.3	92.1-96.5	16	2.3	0.9- 3.7	26	3.4	1.8- 5.0
65+	1657	445,903	1592	96.0	94.8-97.2	20	0.8	0.4- 1.2	45	3.2	2.0- 4.4
Less Than H.S.	377	346,360	340	89.8	85.7-93.9	19	5.5	2.2- 8.8	18	4.7	2.0- 7.4
H.S. or G.E.D.	1463	848,401	1395	94.8	93.2-96.4	25	2.0	1.0- 3.0	43	3.1	1.9- 4.3
Some Post-H.S.	1026	710,957	972	93.3	90.9-95.7	12	1.7	0.5- 2.9	42	5.0	3.0- 7.0
College Graduate	1678	566,161	1604	93.6	91.8-95.4	17	1.7	0.5- 2.9	57	4.7	3.3- 6.1
Less than \$15,000	315	199,231	292	89.7	85.0-94.4	16	8.2	3.7-12.7	7	2.1	0.3- 3.9
\$15,000- 24,999	657	377,737	622	94.7	92.2-97.2	16	2.7	0.7- 4.7	19	2.7	1.1- 4.3
\$25,000- 34,999	441	231,507	425	95.2	92.3-98.1	8	1.8	0.4- 3.2	8	3.0	0.3- 5.7
\$35,000- 49,999	649	358,499	621	94.1	91.4-96.8	5	1.7	0.0- 3.5	23	4.2	2.0- 6.4
\$50,000- 74,999	711	365,477	689	96.3	94.3-98.3	5	0.6	0.0- 1.2	17	3.1	1.1- 5.1
\$75,000+	1311	694,798	1270	94.9	92.9-96.9	9	1.3	0.3- 2.3	32	3.7	2.1- 5.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 28: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6508	2,611,166	6242	95.3	94.5-96.1	64	1.0	0.6- 1.4	202	3.7	2.9- 4.5
White/Non-Hisp	5574	2,130,503	5355	95.5	94.5-96.5	52	0.8	0.4- 1.2	167	3.7	2.9- 4.5
Black or Afr. Am./Non-Hisp	466	231,294	458	97.6	95.6-99.6				8	2.4	0.4- 4.4
Oth. Race/Non-Hisp.	97	44,650	88	84.2	72.6-95.8	2	5.5	0.0-12.9	7	10.4	1.0-19.8
MultiRacial/Non-Hisp.	93	28,591	90	95.5	89.6- 100				3	4.5	0.0-10.4
Hispanic	203	151,832	188	93.4	89.3-97.5	8	4.0	0.5- 7.5	7	2.5	0.3- 4.7
18-24	205	336,336	196	94.7	90.8-98.6	2	0.9	0.0- 2.3	7	4.4	0.7- 8.1
25-34	436	417,042	418	95.0	92.6-97.4	4	1.2	0.0- 2.4	14	3.8	1.6- 6.0
35-44	598	407,433	569	95.1	92.9-97.3	5	1.0	0.0- 2.0	24	3.9	1.9- 5.9
45-54	922	414,191	895	96.3	94.5-98.1	5	0.7	0.0- 1.7	22	3.0	1.4- 4.6
55-64	1438	436,249	1399	96.5	95.1-97.9	8	1.1	0.1- 2.1	31	2.4	1.4- 3.4
65+	2811	565,329	2700	96.1	95.3-96.9	39	1.3	0.9- 1.7	72	2.6	1.8- 3.4
Less Than H.S.	516	316,759	485	93.7	90.6-96.8	15	2.4	0.6- 4.2	16	4.0	1.3- 6.7
H.S. or G.E.D.	2296	893,850	2201	95.0	93.4-96.6	26	0.8	0.2- 1.4	69	4.3	2.7- 5.9
Some Post-H.S.	1727	856,837	1667	96.4	95.2-97.6	15	1.2	0.4- 2.0	45	2.3	1.3- 3.3
College Graduate	1955	538,411	1880	95.3	93.9-96.7	7	0.2	0.0- 0.4	68	4.4	3.0- 5.8
Less than \$15,000	620	264,444	600	97.0	95.2-98.8	8	0.7	0.1- 1.3	12	2.3	0.7- 3.9
\$15,000- 24,999	1179	450,532	1147	96.0	94.0-98.0	9	0.9	0.0- 1.9	23	3.1	1.3- 4.9
\$25,000- 34,999	705	264,286	693	97.3	95.1-99.5	9	2.3	0.1- 4.5	3	0.4	0.0- 1.0
\$35,000- 49,999	842	331,775	821	96.4	94.2-98.6	1	0.0	0.0- 0.0	20	3.6	1.4- 5.8
\$50,000- 74,999	802	343,947	775	94.2	91.3-97.1	6	1.4	0.0- 2.8	21	4.4	1.7- 7.1
\$75,000+	1310	588,128	1275	96.4	94.8-98.0	4	0.2	0.0- 0.4	31	3.4	1.8- 5.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 29: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7184	1,863,514	342	3.9	3.3- 4.5	6842	96.1	95.5-96.7
Male	2651	785,977	155	4.4	3.4- 5.4	2496	95.6	94.6-96.6
Female	4533	1,077,537	187	3.6	3.0- 4.2	4346	96.4	95.8-97.0
White/Non-Hisp	6258	1,581,086	288	3.7	3.1- 4.3	5970	96.3	95.7-96.9
Black or Afr. Am./Non-Hisp	463	146,560	33	5.6	3.4- 7.8	430	94.4	92.2-96.6
Oth. Race/Non-Hisp.	113	26,498	5	7.7	0.0-16.9	108	92.3	83.1- 100
MultiRacial/Non-Hisp.	98	16,441	3	4.1	0.0-10.8	95	95.9	89.2- 100
Hispanic	155	68,105	8	4.6	0.1- 9.1	147	95.4	90.9-99.9
18-24	98	102,254	5	3.4	0.1- 6.7	93	96.6	93.3-99.9
25-34	235	130,815	9	4.8	1.5- 8.1	226	95.2	91.9-98.5
35-44	546	240,724	21	2.6	1.4- 3.8	525	97.4	96.2-98.6
45-54	940	316,092	44	3.4	2.2- 4.6	896	96.6	95.4-97.8
55-64	1658	414,785	69	3.8	2.6- 5.0	1589	96.2	95.0-97.4
65+	3609	639,593	189	4.5	3.7- 5.3	3420	95.5	94.7-96.3
Less Than H.S.	540	219,163	15	2.3	0.7- 3.9	525	97.7	96.1-99.3
H.S. or G.E.D.	2523	685,312	96	3.5	2.5- 4.5	2427	96.5	95.5-97.5
Some Post-H.S.	1748	554,043	97	4.4	3.2- 5.6	1651	95.6	94.4-96.8
College Graduate	2359	401,999	134	4.7	3.7- 5.7	2225	95.3	94.3-96.3
Less than \$15,000	556	125,183	18	3.1	1.1- 5.1	538	96.9	94.9-98.9
\$15,000- 24,999	1218	288,063	40	3.3	1.9- 4.7	1178	96.7	95.3-98.1
\$25,000- 34,999	791	188,868	33	3.3	1.9- 4.7	758	96.7	95.3-98.1
\$35,000- 49,999	968	251,155	43	3.9	2.3- 5.5	925	96.1	94.5-97.7
\$50,000- 74,999	969	270,909	54	3.7	2.5- 4.9	915	96.3	95.1-97.5
\$75,000+	1598	471,393	104	4.8	3.6- 6.0	1494	95.2	94.0-96.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 30: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2651	785,977	155	4.4	3.4- 5.4	2496	95.6	94.6-96.6
White/Non-Hisp	2307	667,742	134	4.2	3.2- 5.2	2173	95.8	94.8-96.8
Black or Afr. Am./Non-Hisp	147	56,010	9	3.8	0.9- 6.7	138	96.2	93.3-99.1
Oth. Race/Non-Hisp.	60	14,966	5	13.6	0.0-29.3	55	86.4	70.7- 100
Hispanic	56	27,068	4	6.5	0.0-14.5	52	93.5	85.5- 100
18-24	50	47,522	2	2.8	0.0- 7.5	48	97.2	92.5- 100
25-34	89	53,181	3	4.8	0.0-10.5	86	95.2	89.5- 100
35-44	234	109,436	13	3.7	1.3- 6.1	221	96.3	93.9-98.7
45-54	378	141,166	19	3.3	1.5- 5.1	359	96.7	94.9-98.5
55-64	631	180,314	32	4.5	2.5- 6.5	599	95.5	93.5-97.5
65+	1240	247,347	84	5.3	3.9- 6.7	1156	94.7	93.3-96.1
Less Than H.S.	181	85,838	7	3.1	0.2- 6.0	174	96.9	94.0-99.8
H.S. or G.E.D.	865	288,485	37	3.9	2.3- 5.5	828	96.1	94.5-97.7
Some Post-H.S.	579	222,703	41	4.9	3.1- 6.7	538	95.1	93.3-96.9
College Graduate	1021	187,770	70	5.1	3.7- 6.5	951	94.9	93.5-96.3
Less than \$15,000	144	38,510	5	2.4	0.0- 5.5	139	97.6	94.5- 100
\$15,000- 24,999	375	105,255	13	3.3	0.8- 5.8	362	96.7	94.2-99.2
\$25,000- 34,999	267	73,999	11	3.2	0.8- 5.6	256	96.8	94.4-99.2
\$35,000- 49,999	383	111,204	24	4.6	1.9- 7.3	359	95.4	92.7-98.1
\$50,000- 74,999	438	133,723	26	3.6	2.0- 5.2	412	96.4	94.8-98.0
\$75,000+	749	235,883	59	6.0	4.0- 8.0	690	94.0	92.0-96.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 31: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4533	1,077,537	187	3.6	3.0- 4.2	4346	96.4	95.8-97.0
White/Non-Hisp	3951	913,344	154	3.3	2.7- 3.9	3797	96.7	96.1-97.3
Black or Afr. Am./Non-Hisp	316	90,550	24	6.7	3.6- 9.8	292	93.3	90.2-96.4
Oth. Race/Non-Hisp.	53	11,532				53	100.0	100.0- 100
MultiRacial/Non-Hisp.	62	10,723	2	5.9	0.0-16.1	60	94.1	83.9- 100
Hispanic	99	41,037	4	3.3	0.0- 8.8	95	96.7	91.2- 100
25-34	146	77,634	6	4.8	0.7- 8.9	140	95.2	91.1-99.3
35-44	312	131,288	8	1.7	0.3- 3.1	304	98.3	96.9-99.7
45-54	562	174,925	25	3.6	1.8- 5.4	537	96.4	94.6-98.2
55-64	1027	234,471	37	3.4	2.0- 4.8	990	96.6	95.2-98.0
65+	2369	392,246	105	4.0	3.0- 5.0	2264	96.0	95.0-97.0
Less Than H.S.	359	133,325	8	1.8	0.2- 3.4	351	98.2	96.6-99.8
H.S. or G.E.D.	1658	396,827	59	3.2	2.2- 4.2	1599	96.8	95.8-97.8
Some Post-H.S.	1169	331,341	56	4.1	2.7- 5.5	1113	95.9	94.5-97.3
College Graduate	1338	214,229	64	4.4	3.0- 5.8	1274	95.6	94.2-97.0
Less than \$15,000	412	86,672	13	3.4	1.0- 5.8	399	96.6	94.2-99.0
\$15,000- 24,999	843	182,808	27	3.3	1.7- 4.9	816	96.7	95.1-98.3
\$25,000- 34,999	524	114,870	22	3.4	1.6- 5.2	502	96.6	94.8-98.4
\$35,000- 49,999	585	139,951	19	3.3	1.3- 5.3	566	96.7	94.7-98.7
\$50,000- 74,999	531	137,186	28	3.7	2.1- 5.3	503	96.3	94.7-97.9
\$75,000+	849	235,509	45	3.6	2.2- 5.0	804	96.4	95.0-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 32: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)**

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	336	70,632	197	76.4	71.3-81.5	114	21.0	16.1-25.9	14	1.6	0.6- 2.6	5	0.4	0.0- 0.8	4	0.4	0.0- 1.0	2	0.2	0.0- 0.4
Male	154	34,310	85	72.2	63.8-80.6	55	24.8	16.6-33.0	8	2.1	0.3- 3.9	3	0.3	0.0- 0.7	2	0.3	0.0- 0.7	1	0.2	0.0- 0.6
Female	182	36,321	112	80.3	74.2-86.4	59	17.5	11.6-23.4	6	1.1	0.1- 2.1	2	0.4	0.0- 1.0	2	0.5	0.0- 1.3	1	0.2	0.0- 0.6
White/Non-Hisp	282	56,122	165	74.7	68.8-80.6	98	23.0	17.3-28.7	11	1.6	0.4- 2.8	4	0.3	0.0- 0.7	3	0.3	0.0- 0.7	1	0.1	0.0- 0.3
55-64	69	15,928	40	72.2	60.0-84.4	25	25.9	13.9-37.9	2	1.1	0.0- 2.7	1	0.4	0.0- 1.2	1	0.4	0.0- 1.2			
65+	184	27,220	103	74.9	68.6-81.2	64	21.1	15.2-27.0	10	2.5	0.7- 4.3	3	0.4	0.0- 1.0	3	0.8	0.0- 2.0	1	0.3	0.0- 0.9
H.S. or G.E.D.	93	22,906	58	78.0	68.4-87.6	27	19.4	10.2-28.6	5	1.9	0.0- 3.9				2	0.3	0.0- 0.7	1	0.3	0.0- 0.9
Some Post-H.S.	96	24,274	55	76.0	66.8-85.2	33	21.3	12.5-30.1	5	2.0	0.0- 4.0	3	0.7	0.0- 1.7						
College Graduate	133	18,856	77	74.9	67.1-82.7	50	23.2	15.6-30.8	3	0.6	0.0- 1.4	1	0.1	0.0- 0.3	1	0.8	0.0- 2.4	1	0.3	0.0- 0.9
\$50,000- 74,999	54	9,948	34	74.1	61.8-86.4	16	23.1	11.1-35.1	2	1.6	0.6- 2.6				1	0.4	0.0- 1.2	1	0.8	0.0- 2.4
\$75,000+	104	22,517	59	76.6	67.8-85.4	38	21.1	12.7-29.5	6	1.9	0.1- 3.7	1	0.4	0.0- 1.2						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 33: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)**

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	154	34,310	85	72.2	64.0-80.4	55	24.8	16.8-32.8	8	2.1	0.5- 3.7	3	0.3	0.0- 0.7	2	0.3	0.0- 0.7	1	0.2	0.0- 0.6
White/Non-Hisp	133	28,069	72	69.6	60.4-78.8	49	27.5	18.3-36.7	7	2.1	0.5- 3.7	3	0.4	0.0- 1.0	2	0.4	0.0- 1.0			
65+	83	12,964	45	73.6	63.8-83.4	30	23.3	13.9-32.7	5	2.4	0.0- 4.9	2	0.4	0.0- 1.0	1	0.3	0.0- 0.9			
College Graduate	69	9,537	38	71.4	60.0-82.8	26	26.6	15.6-37.6	3	1.2	0.0- 2.6	1	0.2	0.0- 0.6				1	0.6	0.0- 1.8
\$75,000+	59	14,117	35	75.4	63.4-87.4	21	23.1	11.3-34.9	3	1.6	0.0- 4.0									

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 34: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)**

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	182	36,321	112	80.3	74.2-86.4	59	17.5	11.6-23.4	6	1.1	0.1- 2.1	2	0.4	0.0- 1.0	2	0.5	0.0- 1.3	1	0.2	0.0- 0.6
White/Non-Hisp	149	28,052	93	79.8	72.9-86.7	49	18.5	11.8-25.2	4	1.1	0.0- 2.3	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9
65+	101	14,256	58	76.1	68.3-83.9	34	19.1	12.0-26.2	5	2.5	0.1- 4.9	1	0.4	0.0- 1.2	2	1.4	0.0- 3.6	1	0.5	0.0- 1.5
H.S. or G.E.D.	56	11,713	36	79.5	67.0-92.0	16	18.7	6.4-31.0	2	0.8	0.0- 2.0				1	0.3	0.0- 0.9	1	0.7	0.0- 2.1
Some Post-H.S.	55	13,365	33	81.2	72.0-90.4	18	16.6	7.8-25.4	3	1.5	0.0- 3.5	1	0.6	0.0- 1.8						
College Graduate	64	9,319	39	78.5	68.5-88.5	24	19.8	10.4-29.2							1	1.7	0.0- 5.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 35: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	7172	1,858,284	5898	81.2	80.0-82.4	1274	18.8	17.6-20.0	
Male	2650	784,615	2176	81.7	79.7-83.7	474	18.3	16.3-20.3	
Female	4522	1,073,669	3722	80.9	79.3-82.5	800	19.1	17.5-20.7	
White/Non-Hisp	6249	1,577,685	5206	82.6	81.4-83.8	1043	17.4	16.2-18.6	
Black or Afr. Am./Non-Hisp	462	146,160	366	78.9	72.8-85.0	96	21.1	15.0-27.2	
Oth. Race/Non-Hisp.	112	26,264	81	79.8	67.5-92.1	31	20.2	7.9-32.5	
MultiRacial/Non-Hisp.	98	16,441	71	79.3	70.7-87.9	27	20.7	12.1-29.3	
Hispanic	156	68,051	105	57.8	47.2-68.4	51	42.2	31.6-52.8	
18-24	98	102,254	85	84.0	74.4-93.6	13	16.0	6.4-25.6	
25-34	234	130,184	197	80.3	73.8-86.8	37	19.7	13.2-26.2	
35-44	544	239,125	484	86.6	83.1-90.1	60	13.4	9.9-16.9	
45-54	938	315,630	817	85.4	82.5-88.3	121	14.6	11.7-17.5	
55-64	1657	414,247	1409	83.0	80.6-85.4	248	17.0	14.6-19.4	
65+	3613	639,909	2838	75.8	74.0-77.6	775	24.2	22.4-26.0	
Less Than H.S.	538	218,416	317	58.3	52.6-64.0	221	41.7	36.0-47.4	
H.S. or G.E.D.	2514	681,613	1934	78.5	76.5-80.5	580	21.5	19.5-23.5	
Some Post-H.S.	1749	554,090	1493	86.0	83.8-88.2	256	14.0	11.8-16.2	
College Graduate	2357	400,786	2145	91.9	90.5-93.3	212	8.1	6.7- 9.5	
Less than \$15,000	554	124,445	327	58.2	52.7-63.7	227	41.8	36.3-47.3	
\$15,000- 24,999	1217	287,912	862	65.5	61.6-69.4	355	34.5	30.6-38.4	
\$25,000- 34,999	791	188,749	635	75.4	71.1-79.7	156	24.6	20.3-28.9	
\$35,000- 49,999	966	250,298	844	86.6	83.9-89.3	122	13.4	10.7-16.1	
\$50,000- 74,999	969	270,909	879	89.3	86.8-91.8	90	10.7	8.2-13.2	
\$75,000+	1601	470,841	1528	94.8	93.2-96.4	73	5.2	3.6- 6.8	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 36: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2650	784,615	2176	81.7	79.7-83.7	474	18.3	16.3-20.3
White/Non-Hisp	2307	667,386	1916	82.4	80.4-84.4	391	17.6	15.6-19.6
Black or Afr. Am./Non-Hisp	147	56,010	117	82.4	75.0-89.8	30	17.6	10.2-25.0
Oth. Race/Non-Hisp.	60	14,966	47	86.8	76.2-97.4	13	13.2	2.6-23.8
Hispanic	56	27,068	43	67.6	50.9-84.3	13	32.4	15.7-49.1
18-24	50	47,522	44	90.0	80.6-99.4	6	10.0	0.6-19.4
25-34	88	52,550	72	79.2	68.8-89.6	16	20.8	10.4-31.2
35-44	233	108,881	207	87.6	82.7-92.5	26	12.4	7.5-17.3
45-54	377	140,739	321	84.1	79.6-88.6	56	15.9	11.4-20.4
55-64	631	180,115	518	80.2	76.3-84.1	113	19.8	15.9-23.7
65+	1245	248,241	993	77.9	75.2-80.6	252	22.1	19.4-24.8
Less Than H.S.	181	85,964	119	69.8	61.8-77.8	62	30.2	22.2-38.2
H.S. or G.E.D.	862	287,185	655	77.2	73.9-80.5	207	22.8	19.5-26.1
Some Post-H.S.	580	223,061	487	84.6	81.1-88.1	93	15.4	11.9-18.9
College Graduate	1022	187,224	912	90.6	88.4-92.8	110	9.4	7.2-11.6
Less than \$15,000	144	38,759	76	58.5	48.3-68.7	68	41.5	31.3-51.7
\$15,000- 24,999	376	105,368	250	63.2	56.9-69.5	126	36.8	30.5-43.1
\$25,000- 34,999	267	73,999	214	77.0	70.3-83.7	53	23.0	16.3-29.7
\$35,000- 49,999	381	110,347	320	83.1	78.2-88.0	61	16.9	12.0-21.8
\$50,000- 74,999	438	133,723	383	84.9	80.4-89.4	55	15.1	10.6-19.6
\$75,000+	754	236,636	709	93.3	90.6-96.0	45	6.7	4.0- 9.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 37: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4522	1,073,669	3722	80.9	79.3-82.5	800	19.1	17.5-20.7
White/Non-Hisp	3942	910,299	3290	82.8	81.2-84.4	652	17.2	15.6-18.8
Black or Afr. Am./Non-Hisp	315	90,149	249	76.8	68.2-85.4	66	23.2	14.6-31.8
Oth. Race/Non-Hisp.	52	11,298	34	70.4	47.5-93.3	18	29.6	6.7-52.5
MultiRacial/Non-Hisp.	62	10,723	47	82.0	71.6-92.4	15	18.0	7.6-28.4
Hispanic	100	40,983	62	51.4	38.1-64.7	38	48.6	35.3-61.9
25-34	146	77,634	125	81.1	72.9-89.3	21	18.9	10.7-27.1
35-44	311	130,244	277	85.8	80.5-91.1	34	14.2	8.9-19.5
45-54	561	174,891	496	86.5	82.8-90.2	65	13.5	9.8-17.2
55-64	1026	234,132	891	85.2	82.5-87.9	135	14.8	12.1-17.5
65+	2368	391,668	1845	74.5	72.3-76.7	523	25.5	23.3-27.7
Less Than H.S.	357	132,452	198	50.8	43.5-58.1	159	49.2	41.9-56.5
H.S. or G.E.D.	1652	394,428	1279	79.4	77.0-81.8	373	20.6	18.2-23.0
Some Post-H.S.	1169	331,029	1006	86.8	84.3-89.3	163	13.2	10.7-15.7
College Graduate	1335	213,562	1233	93.1	91.5-94.7	102	6.9	5.3- 8.5
Less than \$15,000	410	85,686	251	58.0	51.5-64.5	159	42.0	35.5-48.5
\$15,000- 24,999	841	182,545	612	66.8	61.7-71.9	229	33.2	28.1-38.3
\$25,000- 34,999	524	114,750	421	74.3	68.6-80.0	103	25.7	20.0-31.4
\$35,000- 49,999	585	139,951	524	89.4	86.3-92.5	61	10.6	7.5-13.7
\$50,000- 74,999	531	137,186	496	93.6	91.1-96.1	35	6.4	3.9- 8.9
\$75,000+	847	234,205	819	96.4	94.8-98.0	28	3.6	2.0- 5.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 38: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11053	5,085,382	1386	10.5	9.7-11.3	9667	89.5	88.7-90.3
Male	4548	2,475,346	1279	19.7	18.3-21.1	3269	80.3	78.9-81.7
Female	6505	2,610,037	107	1.8	1.2- 2.4	6398	98.2	97.6-98.8
18-24	457	689,504	14	3.8	1.6- 6.0	443	96.2	94.0-98.4
25-34	817	837,203	48	6.5	4.3- 8.7	769	93.5	91.3-95.7
35-44	1094	816,578	47	5.1	3.3- 6.9	1047	94.9	93.1-96.7
45-54	1623	825,171	143	9.4	7.6-11.2	1480	90.6	88.8-92.4
55-64	2449	850,984	215	10.4	8.8-12.0	2234	89.6	88.0-91.2
65+	4464	1,010,018	902	23.6	21.8-25.4	3562	76.4	74.6-78.2
Less Than H.S.	891	661,826	66	5.4	3.6- 7.2	825	94.6	92.8-96.4
H.S. or G.E.D.	3754	1,740,732	481	11.7	10.3-13.1	3273	88.3	86.9-89.7
Some Post-H.S.	2752	1,567,330	380	12.2	10.6-13.8	2372	87.8	86.2-89.4
College Graduate	3629	1,103,429	456	9.3	8.1-10.5	3173	90.7	89.5-91.9
Less than \$15,000	934	463,143	74	5.9	4.1- 7.7	860	94.1	92.3-95.9
\$15,000- 24,999	1835	828,062	229	11.0	8.8-13.2	1606	89.0	86.8-91.2
\$25,000- 34,999	1145	495,655	163	12.9	10.2-15.6	982	87.1	84.4-89.8
\$35,000- 49,999	1490	689,643	226	12.2	9.8-14.6	1264	87.8	85.4-90.2
\$50,000- 74,999	1512	709,067	238	11.9	9.9-13.9	1274	88.1	86.1-90.1
\$75,000+	2620	1,282,687	297	9.5	8.1-10.9	2323	90.5	89.1-91.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 39: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4548	2,475,346	1279	19.7	18.3-21.1	3269	80.3	78.9-81.7
18-24	252	353,168	11	5.7	2.0- 9.4	241	94.3	90.6-98.0
25-34	381	420,161	42	11.8	7.7-15.9	339	88.2	84.1-92.3
35-44	498	409,742	40	8.3	5.2-11.4	458	91.7	88.6-94.8
45-54	701	410,980	114	15.9	12.8-19.0	587	84.1	81.0-87.2
55-64	1011	414,736	185	19.4	16.3-22.5	826	80.6	77.5-83.7
65+	1654	445,222	872	52.2	49.1-55.3	782	47.8	44.7-50.9
Less Than H.S.	376	345,599	62	10.0	6.7-13.3	314	90.0	86.7-93.3
H.S. or G.E.D.	1458	846,882	463	23.2	20.5-25.9	995	76.8	74.1-79.5
Some Post-H.S.	1025	710,493	339	23.4	20.3-26.5	686	76.6	73.5-79.7
College Graduate	1676	565,615	412	16.0	14.0-18.0	1264	84.0	82.0-86.0
Less than \$15,000	315	199,231	66	13.2	9.1-17.3	249	86.8	82.7-90.9
\$15,000- 24,999	656	377,530	207	22.0	17.7-26.3	449	78.0	73.7-82.3
\$25,000- 34,999	440	231,369	151	24.8	19.3-30.3	289	75.2	69.7-80.7
\$35,000- 49,999	648	357,868	214	22.4	18.3-26.5	434	77.6	73.5-81.7
\$50,000- 74,999	711	365,477	223	21.3	17.8-24.8	488	78.7	75.2-82.2
\$75,000+	1311	694,798	271	15.7	13.2-18.2	1040	84.3	81.8-86.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 40: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6505	2,610,037	107	1.8	1.2- 2.4	6398	98.2	97.6-98.8
18-24	205	336,336	3	1.7	0.0- 3.9	202	98.3	96.1- 100
25-34	436	417,042	6	1.2	0.0- 2.4	430	98.8	97.6- 100
35-44	596	406,836	7	2.0	0.4- 3.6	589	98.0	96.4-99.6
45-54	922	414,191	29	3.0	1.4- 4.6	893	97.0	95.4-98.6
55-64	1438	436,249	30	1.9	0.9- 2.9	1408	98.1	97.1-99.1
65+	2810	564,797	30	1.1	0.5- 1.7	2780	98.9	98.3-99.5
Less Than H.S.	515	316,226	4	0.3	0.0- 0.7	511	99.7	99.3- 100
H.S. or G.E.D.	2296	893,850	18	0.9	0.3- 1.5	2278	99.1	98.5-99.7
Some Post-H.S.	1727	856,837	41	2.9	1.5- 4.3	1686	97.1	95.7-98.5
College Graduate	1953	537,814	44	2.3	1.3- 3.3	1909	97.7	96.7-98.7
Less than \$15,000	619	263,912	8	0.4	0.0- 0.8	611	99.6	99.2- 100
\$15,000- 24,999	1179	450,532	22	1.8	0.4- 3.2	1157	98.2	96.8-99.6
\$25,000- 34,999	705	264,286	12	2.4	0.6- 4.2	693	97.6	95.8-99.4
\$35,000- 49,999	842	331,775	12	1.2	0.2- 2.2	830	98.8	97.8-99.8
\$50,000- 74,999	801	343,590	15	1.9	0.5- 3.3	786	98.1	96.7-99.5
\$75,000+	1309	587,889	26	2.2	1.0- 3.4	1283	97.8	96.6-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 41: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10978	5,042,996	4937	56.8	55.4-58.2	328	4.5	3.9- 5.1	753	6.8	6.2- 7.4	213	5.3	4.5- 6.1	3817	18.3	17.5-19.1	930	8.2	7.4- 9.0
Male	4513	2,450,952	2412	64.9	62.9-66.9	138	4.3	3.3- 5.3	8	0.3	0.1- 0.5	101	4.9	3.7- 6.1	1529	18.3	17.1-19.5	325	7.3	6.3- 8.3
Female	6465	2,592,044	2525	49.2	47.4-51.0	190	4.6	3.6- 5.6	745	13.0	11.8-14.2	112	5.8	4.4- 7.2	2288	18.3	17.3-19.3	605	9.1	8.1-10.1
White/Non-Hisp	9361	4,080,633	4152	56.4	55.0-57.8	250	4.0	3.4- 4.6	648	6.6	5.8- 7.4	142	4.8	3.8- 5.8	3432	20.1	19.1-21.1	737	8.0	7.2- 8.8
Black or Afr. Am./Non-Hisp	728	428,681	342	56.8	51.7-61.9	40	7.3	4.0-10.6	20	3.1	0.9- 5.3	20	5.7	2.8- 8.6	209	15.3	12.4-18.2	97	11.7	8.6-14.8
Oth. Race/Non-Hisp.	222	121,665	105	58.2	48.2-68.2	9	5.8	1.1-10.5	13	8.0	1.9-14.1	25	19.9	11.9-27.9	47	5.3	2.9- 7.7	23	2.8	0.3- 5.3
MultiRacial/Non-Hisp.	157	55,138	63	57.2	45.8-68.6	8	6.6	1.5-11.7	7	2.0	0.2- 3.8	9	10.5	2.3-18.7	42	12.4	6.9-17.9	28	11.3	6.0-16.6
Hispanic	357	281,838	212	62.5	56.0-69.0	16	5.8	2.7- 8.9	59	16.9	11.8-22.0	14	5.1	2.0- 8.2	28	3.6	1.6- 5.6	28	6.1	3.2- 9.0
18-24	450	676,155	250	52.8	47.5-58.1	39	9.6	6.3-12.9	9	2.8	0.8- 4.8	144	33.1	28.0-38.2				8	1.6	0.4- 2.8
25-34	812	828,449	611	78.5	75.4-81.6	50	5.4	3.6- 7.2	75	8.6	6.2-11.0	42	4.0	2.6- 5.4	1	0.2	0.0- 0.6	33	3.2	2.0- 4.4
35-44	1093	815,505	854	76.9	73.8-80.0	43	4.5	2.9- 6.1	116	11.1	8.7-13.5	11	1.0	0.2- 1.8	4	0.1	0.0- 0.3	65	6.4	4.4- 8.4
45-54	1605	819,161	1187	73.2	70.5-75.9	66	4.4	3.0- 5.8	106	6.2	4.8- 7.6	11	0.4	0.2- 0.6	30	1.7	0.9- 2.5	205	14.2	11.8-16.6
55-64	2434	845,890	1350	55.0	52.5-57.5	91	4.0	2.8- 5.2	132	5.3	4.3- 6.3	3	0.1	0.1- 0.1	447	17.4	15.4-19.4	411	18.2	16.2-20.2
65+	4441	1,004,957	614	13.4	12.2-14.6	37	1.0	0.6- 1.4	305	6.4	5.6- 7.2	2	0.1	0.1- 0.1	3286	74.2	72.6-75.8	197	4.9	4.1- 5.7
Less Than H.S.	885	652,583	220	38.3	33.6-43.0	49	9.1	6.2-12.0	105	11.4	8.7-14.1	13	5.2	2.3- 8.1	282	16.0	13.5-18.5	216	20.0	16.7-23.3
H.S. or G.E.D.	3727	1,727,958	1359	52.3	49.9-54.7	127	4.9	3.7- 6.1	319	7.2	6.0- 8.4	52	3.9	2.7- 5.1	1455	21.7	20.3-23.1	415	10.0	8.8-11.2
Some Post-H.S.	2727	1,552,084	1265	59.0	56.5-61.5	89	3.9	2.7- 5.1	169	6.1	4.9- 7.3	86	8.2	6.2-10.2	917	17.4	15.8-19.0	201	5.5	4.5- 6.5
College Graduate	3615	1,100,596	2082	71.8	70.0-73.6	63	2.0	1.2- 2.8	160	4.6	3.6- 5.6	61	3.7	2.7- 4.7	1152	15.6	14.4-16.8	97	2.3	1.7- 2.9
Less than \$15,000	926	459,303	136	22.8	18.5-27.1	88	12.2	8.9-15.5	57	6.7	4.3- 9.1	37	9.5	6.0-13.0	271	14.4	11.9-16.9	337	34.4	30.1-38.7
\$15,000- 24,999	1823	820,598	508	43.1	39.6-46.6	80	6.4	4.4- 8.4	136	7.9	5.9- 9.9	38	5.4	3.4- 7.4	777	23.1	20.7-25.5	284	14.1	11.9-16.3
\$25,000- 34,999	1136	488,730	417	53.1	48.8-57.4	37	5.6	3.1- 8.1	77	6.4	4.2- 8.6	20	4.5	2.0- 7.0	506	24.1	21.2-27.0	79	6.4	4.6- 8.2
\$35,000- 49,999	1484	686,962	678	61.3	57.8-64.8	18	2.5	1.1- 3.9	76	4.9	3.3- 6.5	24	4.5	2.5- 6.5	624	22.8	20.4-25.2	64	4.1	2.9- 5.3
\$50,000- 74,999	1509	705,930	849	68.5	65.4-71.6	32	2.5	1.5- 3.5	97	7.7	5.5- 9.9	20	2.2	1.0- 3.4	477	16.9	14.9-18.9	34	2.3	1.3- 3.3
\$75,000+	2613	1,279,665	1904	78.7	76.3-81.1	24	1.3	0.5- 2.1	143	5.1	3.9- 6.3	37	4.8	2.8- 6.8	474	8.8	7.8- 9.8	31	1.3	0.7- 1.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS  
TABLE 42: ARE YOU CURRENTLY...? (EMPLOY1)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4513	2,450,952	2412	64.9	62.9-66.9	138	4.3	3.3- 5.3	8	0.3	0.1- 0.5	101	4.9	3.7- 6.1	1529	18.3	17.1-19.5	325	7.3	6.3- 8.3
White/Non-Hisp	3819	1,964,414	2012	63.9	61.7-66.1	113	4.3	3.3- 5.3	7	0.3	0.1- 0.5	65	4.4	3.2- 5.6	1360	20.0	18.6-21.4	262	7.2	6.0- 8.4
Black or Afr. Am./Non-Hisp	265	198,876	136	62.2	54.6-69.8	12	6.4	1.3-11.5				7	3.2	0.5- 5.9	83	18.6	13.3-23.9	27	9.6	5.1-14.1
Oth. Race/Non-Hisp.	126	77,071	70	69.9	58.3-81.5	3	2.4	0.0- 5.5				15	21.7	10.7-32.7	30	5.0	2.3- 7.7	8	0.9	0.1- 1.7
MultiRacial/Non-Hisp.	65	26,857	28	59.9	43.0-76.8	5	10.3	0.7-19.9				5	11.7	0.3-23.1	21	13.4	4.8-22.0	6	4.7	0.2- 9.2
Hispanic	156	131,316	123	82.2	75.1-89.3	2	2.4	0.0- 5.7	1	0.7	0.0- 2.1	7	4.2	0.1- 8.3	8	2.8	0.1- 5.5	15	7.6	3.1-12.1
18-24	248	345,380	150	59.9	52.6-67.2	20	9.2	4.9-13.5				73	28.7	22.0-35.4				5	2.2	0.0- 4.4
25-34	379	413,911	327	88.9	85.6-92.2	19	4.2	2.0- 6.4	2	0.7	0.0- 1.7	19	3.5	1.7- 5.3	1	0.4	0.0- 1.2	11	2.3	0.7- 3.9
35-44	497	408,530	444	88.1	84.4-91.8	18	4.1	1.9- 6.3	3	0.6	0.0- 1.4	5	1.3	0.0- 2.9	3	0.2	0.0- 0.4	24	5.7	2.8- 8.6
45-54	687	405,908	564	80.8	77.1-84.5	25	3.8	2.0- 5.6	1	0.1	0.0- 0.3	3	0.1	0.0- 0.3	20	2.5	1.1- 3.9	74	12.6	9.3-15.9
55-64	1005	412,810	619	59.9	56.0-63.8	41	4.7	2.7- 6.7	2	0.1	0.0- 0.3	1	0.0	0.0- 0.0	186	18.6	15.5-21.7	156	16.7	13.8-19.6
65+	1646	443,047	279	15.3	13.1-17.5	15	1.3	0.5- 2.1							1300	79.5	77.1-81.9	52	3.9	2.5- 5.3
Less Than H.S.	373	339,157	142	51.4	44.5-58.3	22	8.9	4.6-13.2	3	0.5	0.0- 1.1	6	4.3	0.4- 8.2	117	15.9	12.2-19.6	83	19.1	14.2-24.0
H.S. or G.E.D.	1450	842,171	687	62.6	59.5-65.7	51	4.5	2.9- 6.1	1	0.1	0.0- 0.3	22	3.4	1.8- 5.0	535	20.6	18.4-22.8	154	8.8	7.0-10.6
Some Post-H.S.	1009	699,592	535	65.1	61.4-68.8	40	4.0	2.4- 5.6	3	0.5	0.0- 1.1	40	7.8	5.3-10.3	337	18.3	15.9-20.7	54	4.3	2.9- 5.7
College Graduate	1669	563,957	1041	75.9	73.4-78.4	25	1.9	0.9- 2.9	1	0.0	0.0- 0.0	33	4.0	2.4- 5.6	535	16.4	14.6-18.2	34	1.8	1.0- 2.6
Less than \$15,000	312	197,520	55	24.3	17.4-31.2	40	16.1	10.2-22.0				19	9.5	4.8-14.2	87	14.8	10.5-19.1	111	35.3	28.2-42.4
\$15,000- 24,999	653	372,696	225	51.3	45.8-56.8	32	5.8	3.1- 8.5	3	0.9	0.0- 2.1	18	5.8	2.9- 8.7	268	22.5	18.8-26.2	107	13.9	10.6-17.2
\$25,000- 34,999	433	225,099	191	60.5	54.0-67.0	15	7.3	2.6-12.0				10	3.9	1.4- 6.4	194	24.4	19.7-29.1	23	3.9	1.9- 5.9
\$35,000- 49,999	644	356,611	323	66.4	61.7-71.1	9	1.6	0.2- 3.0				16	5.7	2.8- 8.6	273	22.7	19.2-26.2	23	3.7	1.9- 5.5
\$50,000- 74,999	708	362,241	412	73.5	69.6-77.4	16	2.6	1.0- 4.2	2	0.3	0.0- 0.9	8	1.1	0.3- 1.9	257	20.5	17.2-23.8	13	2.1	0.7- 3.5
\$75,000+	1307	693,014	1010	84.0	81.1-86.9	11	1.3	0.3- 2.3	3	0.3	0.0- 0.7	16	4.1	1.7- 6.5	254	9.3	7.7-10.9	13	1.1	0.3- 1.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS  
TABLE 43: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6465	2,592,044	2525	49.2	47.4-51.0	190	4.6	3.6-5.6	745	13.0	11.8-14.2	112	5.8	4.4-7.2	2288	18.3	17.3-19.3	605	9.1	8.1-10.1
White/Non-Hisp	5542	2,116,220	2140	49.5	47.5-51.5	137	3.8	2.8-4.8	641	12.4	11.0-13.8	77	5.3	3.9-6.7	2072	20.2	19.0-21.4	475	8.8	7.8-9.8
Black or Afr. Am./Non-Hisp	463	229,805	206	52.2	45.3-59.1	28	8.2	3.7-12.7	20	5.9	2.0-9.8	13	7.9	3.0-12.8	126	12.4	9.5-15.3	70	13.5	9.2-17.8
Oth. Race/Non-Hisp.	96	44,594	35	37.9	23.4-52.4	6	11.6	0.6-22.6	13	21.8	6.9-36.7	10	16.9	5.7-28.1	17	5.7	1.2-10.2	15	6.1	0.0-13.0
MultiRacial/Non-Hisp.	92	28,281	35	54.6	39.7-69.5	3	3.1	0.0-7.4	7	3.9	0.4-7.4	4	9.3	0.0-21.5	21	11.5	4.4-18.6	22	17.6	8.4-26.8
Hispanic	201	150,522	89	45.2	36.0-54.4	14	8.8	3.7-13.9	58	31.0	22.4-39.6	7	5.9	1.4-10.4	20	4.2	1.7-6.7	13	4.8	0.9-8.7
18-24	202	330,775	100	45.5	37.7-53.3	19	10.0	5.1-14.9	9	5.7	1.8-9.6	71	37.7	29.9-45.5				3	1.1	0.0-2.5
25-34	433	414,538	284	68.1	63.0-73.2	31	6.6	3.9-9.3	73	16.6	12.3-20.9	23	4.6	2.4-6.8				22	4.0	2.0-6.0
35-44	596	406,975	410	65.7	60.8-70.6	25	4.9	2.5-7.3	113	21.6	17.3-25.9	6	0.6	0.0-1.2	1	0.1	0.0-0.3	41	7.1	4.6-9.6
45-54	918	413,253	623	65.7	61.8-69.6	41	4.9	2.9-6.9	105	12.2	9.7-14.7	8	0.6	0.2-1.0	10	0.8	0.2-1.4	131	15.7	12.6-18.8
55-64	1429	433,079	731	50.3	47.2-53.4	50	3.4	2.2-4.6	130	10.2	8.2-12.2	2	0.1	0.0-0.3	261	16.3	13.9-18.7	255	19.6	16.9-22.3
65+	2795	561,910	335	12.0	10.4-13.6	22	0.8	0.4-1.2	305	11.4	10.0-12.8	2	0.1	0.0-0.3	1986	70.1	67.9-72.3	145	5.7	4.5-6.9
Less Than H.S.	512	313,426	78	24.2	18.3-30.1	27	9.3	5.2-13.4	102	23.3	18.0-28.6	7	6.1	1.6-10.6	165	16.1	12.8-19.4	133	21.0	16.5-25.5
H.S. or G.E.D.	2277	885,786	672	42.5	39.4-45.6	76	5.2	3.6-6.8	318	13.9	11.7-16.1	30	4.5	2.7-6.3	920	22.7	20.7-24.7	261	11.1	9.3-12.9
Some Post-H.S.	1718	852,492	730	54.0	50.5-57.5	49	3.8	2.2-5.4	166	10.6	8.4-12.8	46	8.5	5.8-11.2	580	16.6	14.8-18.4	147	6.5	5.1-7.9
College Graduate	1946	536,639	1041	67.5	64.8-70.2	38	2.2	1.2-3.2	159	9.4	7.6-11.2	28	3.3	1.9-4.7	617	14.7	13.1-16.3	63	2.9	1.9-3.9
Less than \$15,000	614	261,783	81	21.7	16.2-27.2	48	9.2	5.9-12.5	57	11.8	7.9-15.7	18	9.4	4.3-14.5	184	14.1	11.2-17.0	226	33.7	28.2-39.2
\$15,000- 24,999	1170	447,902	283	36.3	31.8-40.8	48	6.9	4.2-9.6	133	13.8	10.5-17.1	20	5.0	2.5-7.5	509	23.7	20.8-26.6	177	14.2	11.5-16.9
\$25,000- 34,999	703	263,631	226	46.7	40.8-52.6	22	4.2	1.7-6.7	77	11.9	8.2-15.6	10	5.0	0.9-9.1	312	23.7	20.0-27.4	56	8.5	5.8-11.2
\$35,000- 49,999	840	330,351	355	55.8	50.9-60.7	9	3.5	1.0-6.0	76	10.2	7.3-13.1	8	3.2	0.7-5.7	351	22.9	19.6-26.2	41	4.5	2.9-6.1
\$50,000- 74,999	801	343,689	437	63.2	58.3-68.1	16	2.4	1.0-3.8	95	15.4	11.3-19.5	12	3.3	0.9-5.7	220	13.1	10.7-15.5	21	2.6	1.2-4.0
\$75,000+	1306	586,652	894	72.5	69.0-76.0	13	1.3	0.3-2.3	140	10.9	8.5-13.3	21	5.7	2.8-8.6	220	8.2	6.8-9.6	18	1.5	0.7-2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 44: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11018	5,061,936	1007	14.4	13.2-15.6	917	12.9	11.9-13.9	394	5.9	5.1- 6.7	138	2.1	1.7- 2.5	97	1.5	1.1- 1.9	8465	63.3	61.9-64.7
Male	4533	2,461,422	416	13.6	12.0-15.2	384	12.2	10.8-13.6	155	5.1	4.1- 6.1	53	1.8	1.2- 2.4	41	1.4	0.8- 2.0	3484	66.0	63.8-68.2
Female	6485	2,600,514	591	15.1	13.5-16.7	533	13.5	12.1-14.9	239	6.7	5.5- 7.9	85	2.5	1.9- 3.1	56	1.5	0.9- 2.1	4981	60.7	58.7-62.7
White/Non-Hisp	9391	4,097,238	782	13.6	12.4-14.8	724	12.1	10.9-13.3	299	5.3	4.5- 6.1	100	1.8	1.4- 2.2	71	1.2	0.8- 1.6	7415	65.9	64.3-67.5
Black or Afr. Am./Non-Hisp	734	433,903	100	18.5	14.2-22.8	78	15.3	11.4-19.2	30	4.9	2.4- 7.4	14	2.2	0.8- 3.6	9	3.3	0.6- 6.0	503	55.9	50.6-61.2
Oth. Race/Non-Hisp.	222	122,192	32	16.6	9.2-24.0	23	15.5	8.2-22.8	9	6.6	0.9-12.3	1	0.6	0.0- 1.8	4	1.8	0.0- 4.0	153	58.9	48.9-68.9
MultiRacial/Non-Hisp.	159	55,558	13	10.5	4.0-17.0	21	20.3	10.5-30.1	8	4.5	0.8- 8.2	3	2.8	0.0- 7.3	2	0.4	0.0- 1.0	112	61.4	50.0-72.8
Hispanic	359	280,425	63	18.7	13.4-24.0	60	17.8	12.9-22.7	46	16.0	10.9-21.1	18	7.4	3.5-11.3	8	2.2	0.4- 4.0	164	37.9	31.6-44.2
18-24	455	688,051	96	22.5	18.0-27.0	34	7.4	4.7-10.1	23	6.0	3.3- 8.7	12	2.2	0.8- 3.6	5	1.6	0.0- 3.2	285	60.2	54.9-65.5
25-34	814	832,817	149	20.2	16.9-23.5	182	22.6	19.1-26.1	93	10.9	8.4-13.4	32	3.9	2.3- 5.5	23	2.5	1.3- 3.7	335	39.9	36.0-43.8
35-44	1084	807,832	198	18.5	15.6-21.4	361	32.4	28.9-35.9	179	14.9	12.4-17.4	67	5.7	4.1- 7.3	47	4.1	2.7- 5.5	232	24.4	21.1-27.7
45-54	1612	818,081	331	20.7	18.2-23.2	220	12.5	10.5-14.5	69	4.2	3.0- 5.4	22	1.5	0.5- 2.5	16	0.9	0.3- 1.5	954	60.2	57.3-63.1
55-64	2450	851,506	152	6.6	5.4- 7.8	71	3.5	2.5- 4.5	17	0.7	0.3- 1.1	2	0.1	0.1- 0.1	3	0.1	0.0- 0.3	2205	89.0	87.4-90.6
65+	4458	1,009,209	64	1.9	1.3- 2.5	45	1.7	1.1- 2.3	12	0.5	0.1- 0.9	1	0.0	0.0- 0.0	3	0.1	0.0- 0.3	4333	95.8	94.8-96.8
Less Than H.S.	890	658,744	85	14.3	10.6-18.0	74	13.1	9.8-16.4	46	8.4	5.7-11.1	19	3.6	1.6- 5.6	20	4.1	1.9- 6.3	646	56.5	51.8-61.2
H.S. or G.E.D.	3753	1,740,610	316	14.7	12.7-16.7	232	10.5	8.9-12.1	98	4.9	3.7- 6.1	29	1.5	0.9- 2.1	19	0.8	0.4- 1.2	3059	67.6	65.2-70.0
Some Post-H.S.	2736	1,554,379	267	14.8	12.6-17.0	223	13.6	11.6-15.6	91	5.6	4.2- 7.0	32	1.7	0.9- 2.5	26	1.3	0.7- 1.9	2097	63.1	60.4-65.8
College Graduate	3614	1,097,518	335	13.1	11.3-14.9	385	15.4	13.6-17.2	158	6.3	5.1- 7.5	57	2.8	2.0- 3.6	32	1.3	0.7- 1.9	2647	61.1	58.7-63.5
Less than \$15,000	933	463,305	79	12.4	9.1-15.7	54	10.4	7.1-13.7	20	3.4	1.6- 5.2	9	1.6	0.4- 2.8	13	2.6	0.8- 4.4	758	69.6	65.1-74.1
\$15,000- 24,999	1835	826,364	148	13.5	11.0-16.0	122	12.2	9.7-14.7	59	5.8	4.0- 7.6	17	2.0	0.8- 3.2	14	1.7	0.5- 2.9	1475	64.9	61.4-68.4
\$25,000- 34,999	1144	494,712	78	10.9	7.8-14.0	75	11.8	8.7-14.9	43	8.6	5.5-11.7	13	2.6	0.8- 4.4	5	0.7	0.1- 1.3	930	65.3	60.8-69.8
\$35,000- 49,999	1490	689,820	130	15.0	12.1-17.9	95	10.8	8.3-13.3	39	4.8	2.8- 6.8	11	1.7	0.5- 2.9	14	1.3	0.5- 2.1	1201	66.5	62.8-70.2
\$50,000- 74,999	1511	707,019	153	15.9	13.0-18.8	130	12.9	10.2-15.6	51	4.5	2.9- 6.1	24	2.8	1.6- 4.0	15	2.1	0.7- 3.5	1138	61.8	58.1-65.5
\$75,000+	2612	1,278,234	327	16.9	14.5-19.3	374	18.4	16.2-20.6	154	7.5	5.9- 9.1	55	2.5	1.7- 3.3	28	1.2	0.6- 1.8	1674	53.5	50.8-56.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 45: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4533	2,461,422	416	13.6	12.0-15.2	384	12.2	10.8-13.6	155	5.1	4.1- 6.1	53	1.8	1.2- 2.4	41	1.4	0.8- 2.0	3484	66.0	64.0-68.0
White/Non-Hisp	3838	1,974,566	325	12.8	11.0-14.6	310	12.1	10.5-13.7	116	4.7	3.7- 5.7	41	1.6	1.0- 2.2	30	1.2	0.6- 1.8	3016	67.8	65.6-70.0
Black or Afr. Am./Non-Hisp	268	202,608	34	17.8	11.1-24.5	26	12.5	7.6-17.4	10	4.8	0.5- 9.1	4	1.1	0.0- 2.3	2	2.7	0.0- 6.4	192	61.1	53.1-69.1
Oth. Race/Non-Hisp.	125	77,543	18	14.6	5.8-23.4	15	13.0	4.6-21.4	1	0.8	0.0- 2.4				3	1.5	0.0- 3.7	88	70.0	58.4-81.6
MultiRacial/Non-Hisp.	66	26,967	4	5.8	0.0-12.7	7	15.1	3.5-26.7	2	2.6	0.0- 6.3	2	5.5	0.0-14.7	1	0.4	0.0- 1.2	50	70.6	54.9-86.3
Hispanic	157	130,911	25	18.9	10.7-27.1	23	14.9	8.2-21.6	25	15.6	8.9-22.3	4	5.2	0.0-11.1	3	2.1	0.0- 4.8	77	43.2	33.8-52.6
18-24	251	352,412	50	21.3	15.2-27.4	13	4.9	2.0- 7.8	9	3.7	1.2- 6.2	9	3.5	1.0- 6.0	4	2.0	0.0- 4.4	166	64.7	57.6-71.8
25-34	379	416,642	71	20.7	15.8-25.6	71	19.9	15.0-24.8	28	7.3	4.4-10.2	7	1.7	0.1- 3.3	6	1.8	0.4- 3.2	196	48.5	42.6-54.4
35-44	489	402,264	79	14.9	11.2-18.6	151	31.6	26.5-36.7	74	14.9	11.0-18.8	24	4.0	2.2- 5.8	22	4.1	1.9- 6.3	139	30.6	25.3-35.9
45-54	696	408,219	125	18.5	15.0-22.0	106	13.0	10.1-15.9	32	4.2	2.4- 6.0	11	1.8	0.0- 3.6	6	0.6	0.0- 1.2	416	62.1	57.6-66.6
55-64	1012	415,258	69	7.2	5.2- 9.2	28	3.2	1.8- 4.6	9	0.8	0.2- 1.4	1	0.1	0.0- 0.3	2	0.2	0.0- 0.4	903	88.6	86.2-91.0
65+	1655	445,564	18	1.3	0.5- 2.1	13	1.4	0.6- 2.2	2	0.2	0.0- 0.4				1	0.0	0.0- 0.0	1621	97.2	96.0-98.4
Less Than H.S.	376	344,454	39	16.4	10.5-22.3	29	10.6	6.3-14.9	17	6.1	3.0- 9.2	9	3.6	0.9- 6.3	9	4.5	1.2- 7.8	273	58.8	51.7-65.9
H.S. or G.E.D.	1463	848,401	124	13.0	10.5-15.5	108	11.1	8.7-13.5	36	4.1	2.5- 5.7	10	1.2	0.2- 2.2	7	0.7	0.1- 1.3	1178	69.9	66.6-73.2
Some Post-H.S.	1015	701,032	98	13.6	10.7-16.5	86	13.2	10.3-16.1	30	4.8	2.8- 6.8	7	0.7	0.1- 1.3	6	0.5	0.1- 0.9	788	67.2	63.1-71.3
College Graduate	1667	561,822	155	12.8	10.4-15.2	159	13.4	11.0-15.8	72	6.3	4.7- 7.9	26	2.7	1.5- 3.9	19	1.6	0.8- 2.4	1236	63.3	60.0-66.6
Less than \$15,000	314	199,051	21	9.2	4.7-13.7	14	6.3	2.6-10.0	2	0.4	0.0- 1.0	1	0.1	0.0- 0.3	3	2.6	0.0- 6.1	273	81.5	75.2-87.8
\$15,000- 24,999	656	375,832	50	11.2	7.7-14.7	43	13.1	8.8-17.4	11	2.8	0.8- 4.8	6	1.9	0.0- 3.9	1	0.1	0.0- 0.3	545	70.9	65.6-76.2
\$25,000- 34,999	441	231,507	26	10.0	5.1-14.9	22	8.7	4.4-13.0	19	8.2	4.1-12.3	5	2.8	0.0- 5.7	3	0.9	0.0- 2.1	366	69.4	62.5-76.3
\$35,000- 49,999	649	358,499	62	15.8	11.5-20.1	39	9.2	5.9-12.5	13	3.4	1.2- 5.6	4	0.7	0.0- 1.5	6	1.2	0.0- 2.4	525	69.8	64.5-75.1
\$50,000- 74,999	709	363,072	57	12.3	8.4-16.2	64	12.7	9.0-16.4	26	5.9	3.4- 8.4	10	2.1	0.5- 3.7	8	2.6	0.4- 4.8	544	64.5	59.2-69.8
\$75,000+	1304	691,042	167	17.6	14.3-20.9	181	18.0	14.9-21.1	75	7.0	4.8- 9.2	24	2.1	1.1- 3.1	16	1.6	0.6- 2.6	841	53.7	49.8-57.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 46: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6485	2,600,514	591	15.1	13.5-16.7	533	13.5	12.1-14.9	239	6.7	5.5- 7.9	85	2.5	1.9- 3.1	56	1.5	0.9- 2.1	4981	60.7	58.7-62.7
White/Non-Hisp	5553	2,122,672	457	14.4	12.8-16.0	414	12.2	10.8-13.6	183	6.0	4.8- 7.2	59	2.0	1.4- 2.6	41	1.2	0.8- 1.6	4399	64.2	62.2-66.2
Black or Afr. Am./Non-Hisp	466	231,294	66	19.2	13.5-24.9	52	17.7	12.0-23.4	20	4.9	2.2- 7.6	10	3.1	0.7- 5.5	7	3.8	0.1- 7.5	311	51.3	44.4-58.2
Oth. Race/Non-Hisp.	97	44,650	14	20.1	7.0-33.2	8	19.8	6.5-33.1	8	16.7	2.6-30.8	1	1.5	0.0- 4.4	1	2.4	0.0- 7.1	65	39.6	25.7-53.5
MultiRacial/Non-Hisp.	93	28,591	9	15.0	4.4-25.6	14	25.1	10.0-40.2	6	6.4	0.0-12.9	1	0.3	0.0- 0.9	1	0.4	0.0- 1.2	62	52.8	37.7-67.9
Hispanic	202	149,513	38	18.5	11.8-25.2	37	20.3	13.0-27.6	21	16.4	9.0-23.8	14	9.2	3.9-14.5	5	2.3	0.1- 4.5	87	33.2	24.6-41.8
18-24	204	335,639	46	23.8	17.1-30.5	21	10.1	5.4-14.8	14	8.5	3.8-13.2	3	0.9	0.0- 1.9	1	1.2	0.0- 3.6	119	55.5	47.7-63.3
25-34	435	416,175	78	19.6	15.1-24.1	111	25.3	20.4-30.2	65	14.5	10.6-18.4	25	6.1	3.6- 8.6	17	3.1	1.3- 4.9	139	31.3	26.0-36.6
35-44	595	405,568	119	22.1	17.8-26.4	210	33.1	28.4-37.8	105	14.8	11.5-18.1	43	7.4	4.9- 9.9	25	4.2	2.2- 6.2	93	18.3	14.2-22.4
45-54	916	409,862	206	22.9	19.4-26.4	114	12.0	9.3-14.7	37	4.1	2.3- 5.9	11	1.3	0.3- 2.3	10	1.3	0.5- 2.1	538	58.4	54.3-62.5
55-64	1438	436,249	83	6.0	4.4- 7.6	43	3.8	2.4- 5.2	8	0.7	0.1- 1.3	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	1302	89.5	87.5-91.5
65+	2803	563,645	46	2.4	1.6- 3.2	32	1.9	1.1- 2.7	10	0.8	0.2- 1.4	1	0.0	0.0- 0.0	2	0.1	0.0- 0.3	2712	94.7	93.3-96.1
Less Than H.S.	514	314,290	46	12.0	8.1-15.9	45	15.8	10.7-20.9	29	11.1	6.4-15.8	10	3.6	1.1- 6.1	11	3.7	0.8- 6.6	373	53.9	47.4-60.4
H.S. or G.E.D.	2290	892,209	192	16.3	13.6-19.0	124	9.9	7.7-12.1	62	5.7	3.9- 7.5	19	1.7	0.9- 2.5	12	0.8	0.2- 1.4	1881	65.4	62.3-68.5
Some Post-H.S.	1721	853,348	169	15.8	13.1-18.5	137	13.9	11.2-16.6	61	6.2	4.2- 8.2	25	2.6	1.4- 3.8	20	1.9	0.9- 2.9	1309	59.6	56.1-63.1
College Graduate	1947	535,696	180	13.4	11.0-15.8	226	17.5	15.0-20.0	86	6.3	4.7- 7.9	31	3.0	1.8- 4.2	13	1.0	0.4- 1.6	1411	58.8	55.7-61.9
Less than \$15,000	619	264,254	58	14.9	10.2-19.6	40	13.4	8.5-18.3	18	5.7	2.6- 8.8	8	2.6	0.4- 4.8	10	2.6	0.8- 4.4	485	60.7	54.4-67.0
\$15,000- 24,999	1179	450,532	98	15.3	11.6-19.0	79	11.4	8.3-14.5	48	8.2	5.5-10.9	11	2.1	0.5- 3.7	13	3.0	0.8- 5.2	930	59.9	55.2-64.6
\$25,000- 34,999	703	263,205	52	11.7	7.8-15.6	53	14.6	10.1-19.1	24	9.0	4.3-13.7	8	2.5	0.3- 4.7	2	0.5	0.0- 1.3	564	61.6	55.5-67.7
\$35,000- 49,999	841	331,321	68	14.1	10.0-18.2	56	12.5	8.6-16.4	26	6.2	3.1- 9.3	7	2.7	0.5- 4.9	8	1.5	0.3- 2.7	676	62.9	57.6-68.2
\$50,000- 74,999	802	343,947	96	19.6	15.1-24.1	66	13.1	9.2-17.0	25	3.1	1.5- 4.7	14	3.5	1.5- 5.5	7	1.6	0.2- 3.0	594	59.0	53.7-64.3
\$75,000+	1308	587,192	160	16.0	13.1-18.9	193	18.9	15.8-22.0	79	8.1	5.9-10.3	31	2.9	1.7- 4.1	12	0.8	0.2- 1.4	833	53.2	49.3-57.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 47: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9542	4,470,362	421	5.1	4.3- 5.9	514	5.3	4.7- 5.9	837	8.2	7.4- 9.0	999	10.4	9.4-11.4	1146	11.1	10.1-12.1	5625	60.0	58.6-61.4
Male	4084	2,227,249	152	4.6	3.6- 5.6	163	4.4	3.4- 5.4	267	6.5	5.5- 7.5	390	10.5	9.1-11.9	441	10.4	9.0-11.8	2671	63.7	61.5-65.9
Female	5458	2,243,112	269	5.5	4.5- 6.5	351	6.2	5.2- 7.2	570	9.8	8.6-11.0	609	10.3	9.1-11.5	705	11.8	10.4-13.2	2954	56.3	54.3-58.3
White/Non-Hisp	8125	3,618,016	296	4.2	3.6- 4.8	389	4.6	4.0- 5.2	646	7.1	6.3- 7.9	839	9.7	8.7-10.7	962	10.6	9.6-11.6	4993	63.9	62.3-65.5
Black or Afr. Am./Non-Hisp	664	396,079	72	12.1	8.2-16.0	65	9.6	6.5-12.7	89	11.9	8.6-15.2	74	13.6	9.5-17.7	72	11.1	7.4-14.8	292	41.6	36.3-46.9
Oth. Race/Non-Hisp.	188	101,402	13	2.7	0.5- 4.9	16	9.0	2.7-15.3	17	7.6	1.7-13.5	13	9.2	1.6-16.8	20	9.0	3.5-14.5	109	62.5	51.7-73.3
MultiRacial/Non-Hisp.	143	49,136	9	3.8	0.5- 7.1	12	6.2	1.3-11.1	23	11.5	5.2-17.8	16	12.5	4.3-20.7	22	10.7	5.0-16.4	61	55.4	43.2-67.6
Hispanic	319	251,815	26	8.3	4.6-12.0	25	7.4	4.1-10.7	51	17.7	12.2-23.2	43	15.4	9.9-20.9	55	18.2	12.7-23.7	119	33.0	26.3-39.7
18-24	367	556,958	31	8.7	5.6-11.8	22	6.6	3.7- 9.5	39	10.2	6.7-13.7	46	12.0	8.3-15.7	41	12.6	8.5-16.7	188	49.9	44.0-55.8
25-34	751	771,662	31	4.2	2.4- 6.0	31	3.5	2.1- 4.9	62	7.3	5.3- 9.3	78	11.4	8.5-14.3	97	12.7	10.0-15.4	452	60.9	56.8-65.0
35-44	1037	769,936	38	4.0	2.4- 5.6	46	4.7	3.1- 6.3	66	6.6	4.6- 8.6	80	9.0	6.6-11.4	76	7.9	5.7-10.1	731	67.7	64.0-71.4
45-54	1484	757,623	85	5.8	4.2- 7.4	63	4.8	3.4- 6.2	90	6.0	4.4- 7.6	98	7.5	5.5- 9.5	118	7.6	6.0- 9.2	1030	68.4	65.3-71.5
55-64	2163	748,493	123	6.2	4.6- 7.8	133	6.6	5.2- 8.0	174	8.1	6.5- 9.7	172	8.3	6.7- 9.9	198	9.5	7.9-11.1	1363	61.3	58.6-64.0
65+	3659	832,072	109	2.8	2.0- 3.6	214	6.2	5.0- 7.4	401	11.1	9.7-12.5	514	14.0	12.6-15.4	609	16.1	14.5-17.7	1812	49.8	47.6-52.0
Less Than H.S.	757	575,912	113	15.3	11.8-18.8	124	12.1	9.4-14.8	160	16.5	13.2-19.8	117	15.8	12.1-19.5	103	15.6	11.7-19.5	140	24.8	20.1-29.5
H.S. or G.E.D.	3150	1,489,307	195	5.9	4.7- 7.1	221	6.2	5.0- 7.4	400	10.4	9.0-11.8	466	13.3	11.5-15.1	493	13.6	12.0-15.2	1375	50.6	48.1-53.1
Some Post-H.S.	2387	1,382,432	69	2.7	1.7- 3.7	111	4.6	3.2- 6.0	186	6.4	5.0- 7.8	262	10.0	8.2-11.8	323	11.0	9.2-12.8	1436	65.3	62.6-68.0
College Graduate	3234	1,015,966	41	1.2	0.6- 1.8	57	1.2	0.8- 1.6	91	2.5	1.7- 3.3	151	3.4	2.6- 4.2	226	5.1	4.1- 6.1	2668	86.6	85.0-88.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 48: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4084	2,227,249	152	4.6	3.6- 5.6	163	4.4	3.4- 5.4	267	6.5	5.5- 7.5	390	10.5	9.1-11.9	441	10.4	9.0-11.8	2671	63.7	61.5-65.9
White/Non-Hisp	3463	1,787,719	106	3.9	2.9- 4.9	119	3.7	2.7- 4.7	202	5.8	4.6- 7.0	328	9.7	8.3-11.1	357	9.5	8.1-10.9	2351	67.5	65.3-69.7
Black or Afr. Am./Non-Hisp	250	191,307	26	10.9	5.4-16.4	26	9.4	4.9-13.9	23	7.3	3.6-11.0	27	14.2	7.7-20.7	26	12.7	6.4-19.0	122	45.5	37.3-53.7
Oth. Race/Non-Hisp.	113	68,593	7	2.6	0.0- 5.3	7	8.0	0.7-15.3	9	8.5	0.3-16.7	7	10.0	0.0-20.8	10	7.4	1.1-13.7	73	63.6	49.7-77.5
MultiRacial/Non-Hisp.	60	23,894	1	2.6	0.0- 7.5	3	2.9	0.0- 6.8	8	7.5	0.6-14.4	7	15.4	1.5-29.3	13	15.9	4.9-26.9	28	55.8	37.2-74.4
Hispanic	142	118,355	11	7.2	2.5-11.9	5	4.9	0.4- 9.4	20	14.7	7.8-21.6	16	15.1	6.7-23.5	29	22.0	13.4-30.6	61	36.1	26.5-45.7
18-24	211	297,726	17	8.2	4.1-12.3	8	3.9	1.2- 6.6	18	7.1	3.6-10.6	29	14.1	8.8-19.4	21	11.9	6.6-17.2	118	54.8	47.0-62.6
25-34	357	393,596	12	3.1	0.9- 5.3	10	2.5	0.7- 4.3	21	6.0	3.3- 8.7	33	11.5	7.2-15.8	46	12.3	8.4-16.2	235	64.6	58.7-70.5
35-44	473	382,856	13	2.5	0.7- 4.3	21	5.2	2.7- 7.7	23	5.5	3.0- 8.0	37	9.6	6.1-13.1	33	8.2	4.9-11.5	346	68.8	63.5-74.1
45-54	648	382,685	29	4.7	2.5- 6.9	22	4.4	2.2- 6.6	35	5.8	3.4- 8.2	43	8.5	5.4-11.6	45	6.3	4.1- 8.5	474	70.2	65.5-74.9
55-64	918	371,738	56	7.5	5.0-10.0	52	6.2	4.0- 8.4	58	6.1	4.1- 8.1	80	8.1	5.9-10.3	79	9.1	6.7-11.5	593	63.0	58.9-67.1
65+	1448	385,623	24	2.3	1.1- 3.5	50	4.2	2.6- 5.8	109	8.1	6.1-10.1	165	11.9	9.7-14.1	216	15.0	12.6-17.4	884	58.5	55.2-61.8
Less Than H.S.	331	306,655	41	14.0	9.1-18.9	42	10.5	6.6-14.4	68	15.0	10.5-19.5	55	17.1	11.6-22.6	47	15.3	9.8-20.8	78	28.1	21.0-35.2
H.S. or G.E.D.	1304	750,862	71	4.7	3.3- 6.1	65	4.8	3.2- 6.4	121	7.9	5.9- 9.9	171	12.8	10.3-15.3	192	12.5	10.1-14.9	684	57.2	53.7-60.7
Some Post-H.S.	912	638,307	20	2.5	1.1- 3.9	28	3.5	1.9- 5.1	46	4.5	2.7- 6.3	97	10.1	7.4-12.8	105	10.1	7.6-12.6	616	69.2	65.1-73.3
College Graduate	1529	527,245	19	1.4	0.6- 2.2	27	1.2	0.6- 1.8	32	1.9	0.9- 2.9	65	3.6	2.2- 5.0	97	5.0	3.6- 6.4	1289	87.0	84.8-89.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 49: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5458	2,243,112	269	5.5	4.5- 6.5	351	6.2	5.2- 7.2	570	9.8	8.6-11.0	609	10.3	9.1-11.5	705	11.8	10.4-13.2	2954	56.3	54.3-58.3
White/Non-Hisp	4662	1,830,297	190	4.4	3.4- 5.4	270	5.5	4.5- 6.5	444	8.3	7.1- 9.5	511	9.6	8.4-10.8	605	11.7	10.3-13.1	2642	60.4	58.2-62.6
Black or Afr. Am./Non-Hisp	414	204,772	46	13.1	7.6-18.6	39	9.9	5.6-14.2	66	16.2	10.7-21.7	47	13.1	7.8-18.4	46	9.6	5.7-13.5	170	38.1	31.2-45.0
Oth. Race/Non-Hisp.	75	32,809	6	3.1	0.0- 6.6	9	11.1	0.0-23.3	8	5.9	0.0-11.8	6	7.5	0.0-15.1	10	12.2	1.8-22.6	36	60.3	44.2-76.4
MultiRacial/Non-Hisp.	83	25,243	8	4.9	0.4- 9.4	9	9.4	1.0-17.8	15	15.4	5.2-25.6	9	9.7	0.3-19.1	9	5.7	1.2-10.2	33	54.9	39.2-70.6
Hispanic	177	133,460	15	9.2	3.5-14.9	20	9.7	5.0-14.4	31	20.4	12.0-28.8	27	15.6	8.5-22.7	26	14.9	8.2-21.6	58	30.2	21.0-39.4
18-24	156	259,233	14	9.2	4.3-14.1	14	9.7	4.4-15.0	21	13.7	7.6-19.8	17	9.7	4.4-15.0	20	13.4	7.3-19.5	70	44.3	35.5-53.1
25-34	394	378,066	19	5.3	2.4- 8.2	21	4.5	2.3- 6.7	41	8.6	5.7-11.5	45	11.3	7.6-15.0	51	13.2	9.3-17.1	217	57.0	51.1-62.9
35-44	564	387,080	25	5.3	2.8- 7.8	25	4.2	2.2- 6.2	43	7.7	4.8-10.6	43	8.4	5.5-11.3	43	7.6	4.9-10.3	385	66.7	61.8-71.6
45-54	836	374,938	56	6.8	4.6- 9.0	41	5.1	3.3- 6.9	55	6.2	4.0- 8.4	55	6.5	4.3- 8.7	73	8.9	6.4-11.4	556	66.5	62.4-70.6
55-64	1245	376,755	67	4.9	3.3- 6.5	81	6.9	4.9- 8.9	116	10.1	7.9-12.3	92	8.5	6.3-10.7	119	9.9	7.7-12.1	770	59.7	56.2-63.2
65+	2211	446,449	85	3.3	2.3- 4.3	164	7.9	6.3- 9.5	292	13.6	11.6-15.6	349	15.8	13.8-17.8	393	17.1	15.1-19.1	928	42.3	39.8-44.8
Less Than H.S.	426	269,257	72	16.8	11.7-21.9	82	13.9	10.2-17.6	92	18.1	13.0-23.2	62	14.3	9.6-19.0	56	15.9	10.4-21.4	62	21.0	14.9-27.1
H.S. or G.E.D.	1846	738,445	124	7.2	5.2- 9.2	156	7.5	5.7- 9.3	279	13.0	10.8-15.2	295	13.8	11.6-16.0	301	14.7	12.3-17.1	691	43.8	40.5-47.1
Some Post-H.S.	1475	744,125	49	2.8	1.6- 4.0	83	5.5	3.5- 7.5	140	8.0	6.0-10.0	165	9.9	7.7-12.1	218	11.7	9.5-13.9	820	62.0	58.5-65.5
College Graduate	1705	488,721	22	1.1	0.3- 1.9	30	1.2	0.6- 1.8	59	3.2	2.0- 4.4	86	3.1	1.9- 4.3	129	5.1	3.7- 6.5	1379	86.2	84.0-88.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 50: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10947	5,040,479	8370	83.3	82.3-84.3	2577	16.7	15.7-17.7
Male	4516	2,458,140	3519	83.3	81.9-84.7	997	16.7	15.3-18.1
Female	6431	2,582,338	4851	83.3	82.1-84.5	1580	16.7	15.5-17.9
18-24	455	686,083	442	97.5	95.9-99.1	13	2.5	0.9- 4.1
25-34	808	830,052	767	94.9	93.1-96.7	41	5.1	3.3- 6.9
35-44	1087	806,706	1025	92.4	90.2-94.6	62	7.6	5.4- 9.8
45-54	1611	818,247	1446	88.2	86.0-90.4	165	11.8	9.6-14.0
55-64	2428	844,036	1959	77.5	75.1-79.9	469	22.5	20.1-24.9
65+	4416	1,001,217	2623	57.8	55.8-59.8	1793	42.2	40.2-44.2
Less Than H.S.	881	655,443	397	60.4	56.1-64.7	484	39.6	35.3-43.9
H.S. or G.E.D.	3714	1,726,137	2379	77.2	75.6-78.8	1335	22.8	21.2-24.4
Some Post-H.S.	2726	1,551,465	2258	90.4	89.2-91.6	468	9.6	8.4-10.8
College Graduate	3600	1,096,334	3320	96.4	95.8-97.0	280	3.6	3.0- 4.2
Less than \$15,000	933	462,853	490	64.4	60.1-68.7	443	35.6	31.3-39.9
\$15,000- 24,999	1828	825,044	1087	70.5	67.6-73.4	741	29.5	26.6-32.4
\$25,000- 34,999	1140	494,496	796	78.3	75.2-81.4	344	21.7	18.6-24.8
\$35,000- 49,999	1488	689,444	1176	84.9	82.5-87.3	312	15.1	12.7-17.5
\$50,000- 74,999	1511	708,705	1349	92.9	91.5-94.3	162	7.1	5.7- 8.5
\$75,000+	2618	1,282,149	2514	97.2	96.6-97.8	104	2.8	2.2- 3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 51: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4516	2,458,140	3519	83.3	81.9-84.7	997	16.7	15.3-18.1
18-24	253	353,418	247	98.8	97.8-99.8	6	1.2	0.2- 2.2
25-34	378	417,434	355	93.8	90.9-96.7	23	6.2	3.3- 9.1
35-44	494	403,463	472	94.8	92.4-97.2	22	5.2	2.8- 7.6
45-54	695	406,717	607	85.6	82.1-89.1	88	14.4	10.9-17.9
55-64	1005	413,643	770	72.8	69.1-76.5	235	27.2	23.5-30.9
65+	1640	442,459	1028	58.7	55.6-61.8	612	41.3	38.2-44.4
Less Than H.S.	372	340,691	180	63.7	57.6-69.8	192	36.3	30.2-42.4
H.S. or G.E.D.	1450	843,742	958	78.1	75.7-80.5	492	21.9	19.5-24.3
Some Post-H.S.	1018	705,303	835	88.5	86.3-90.7	183	11.5	9.3-13.7
College Graduate	1663	561,705	1536	96.4	95.6-97.2	127	3.6	2.8- 4.4
Less than \$15,000	315	199,231	169	61.8	54.9-68.7	146	38.2	31.3-45.1
\$15,000- 24,999	653	377,177	392	71.7	67.2-76.2	261	28.3	23.8-32.8
\$25,000- 34,999	439	230,905	283	75.9	70.6-81.2	156	24.1	18.8-29.4
\$35,000- 49,999	648	358,383	492	82.1	78.4-85.8	156	17.9	14.2-21.6
\$50,000- 74,999	709	364,758	617	90.9	88.5-93.3	92	9.1	6.7-11.5
\$75,000+	1310	694,723	1251	96.7	95.7-97.7	59	3.3	2.3- 4.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 52: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6431	2,582,338	4851	83.3	82.1-84.5	1580	16.7	15.5-17.9
18-24	202	332,665	195	96.2	93.1-99.3	7	3.8	0.7- 6.9
25-34	430	412,617	412	96.1	94.1-98.1	18	3.9	1.9- 5.9
35-44	593	403,243	553	89.9	86.4-93.4	40	10.1	6.6-13.6
45-54	916	411,530	839	90.8	88.3-93.3	77	9.2	6.7-11.7
55-64	1423	430,393	1189	82.1	79.6-84.6	234	17.9	15.4-20.4
65+	2776	558,758	1595	57.0	54.6-59.4	1181	43.0	40.6-45.4
Less Than H.S.	509	314,752	217	56.7	50.6-62.8	292	43.3	37.2-49.4
H.S. or G.E.D.	2264	882,395	1421	76.4	74.2-78.6	843	23.6	21.4-25.8
Some Post-H.S.	1708	846,162	1423	92.0	90.8-93.2	285	8.0	6.8- 9.2
College Graduate	1937	534,628	1784	96.4	95.6-97.2	153	3.6	2.8- 4.4
Less than \$15,000	618	263,622	321	66.3	61.0-71.6	297	33.7	28.4-39.0
\$15,000- 24,999	1175	447,867	695	69.4	65.5-73.3	480	30.6	26.7-34.5
\$25,000- 34,999	701	263,592	513	80.4	76.7-84.1	188	19.6	15.9-23.3
\$35,000- 49,999	840	331,061	684	87.9	85.4-90.4	156	12.1	9.6-14.6
\$50,000- 74,999	802	343,947	732	95.0	93.4-96.6	70	5.0	3.4- 6.6
\$75,000+	1308	587,426	1263	97.9	97.1-98.7	45	2.1	1.3- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 53: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10422	4,819,419	112	0.8	0.6- 1.0	2999	27.6	26.2-29.0	4630	43.9	42.5-45.3	2010	20.4	19.2-21.6	649	6.8	6.0- 7.6	22	0.4	0.2- 0.6
Male	4440	2,409,408	6	0.1	0.0- 0.3	429	11.6	10.0-13.2	2195	49.3	47.1-51.5	1342	28.6	26.8-30.4	452	9.8	8.6-11.0	16	0.5	0.1- 0.9
Female	5982	2,410,011	106	1.5	1.1- 1.9	2570	43.6	41.6-45.6	2435	38.6	36.8-40.4	668	12.2	11.0-13.4	197	3.8	3.0- 4.6	6	0.2	0.0- 0.4
White/Non-Hisp	8888	3,902,948	98	0.9	0.7- 1.1	2578	27.7	26.3-29.1	3961	44.0	42.4-45.6	1700	20.6	19.4-21.8	545	6.8	6.0- 7.6	6	0.1	0.1- 0.1
Black or Afr. Am./Non-Hisp	700	417,648	4	0.5	0.0- 1.1	149	17.3	13.6-21.0	321	46.2	40.9-51.5	160	24.4	20.1-28.7	64	10.7	7.2-14.2	2	0.9	0.0- 2.5
Oth. Race/Non-Hisp.	205	110,368	5	3.3	0.2- 6.4	77	45.0	34.2-55.8	76	36.6	26.2-47.0	32	9.2	3.7-14.7	9	1.4	0.0- 2.8	6	4.4	0.5- 8.3
MultiRacial/Non-Hisp.	149	52,791	2	0.6	0.0- 1.6	36	18.2	9.6-26.8	65	43.0	30.8-55.2	34	26.9	15.5-38.3	12	11.3	3.5-19.1			
Hispanic	351	271,942	2	0.3	0.0- 0.7	124	39.0	32.3-45.7	149	42.1	35.4-48.8	55	13.4	9.3-17.5	15	4.2	1.8- 6.6	6	1.1	0.1- 2.1
18-24	437	667,470	9	1.7	0.3- 3.1	178	42.2	36.9-47.5	171	39.1	33.8-44.4	59	12.8	9.3-16.3	16	3.3	1.5- 5.1	4	0.9	0.0- 2.1
25-34	774	795,402	7	0.6	0.0- 1.2	234	29.5	25.6-33.4	308	41.1	37.0-45.2	158	20.1	16.8-23.4	61	8.0	5.6-10.4	6	0.6	0.0- 1.2
35-44	1036	766,123	5	0.4	0.0- 0.8	255	23.2	20.1-26.3	461	46.7	43.0-50.4	223	21.3	18.2-24.4	88	8.1	6.1-10.1	4	0.3	0.0- 0.7
45-54	1526	780,735	12	0.9	0.3- 1.5	369	22.1	19.4-24.8	646	42.1	39.0-45.2	361	24.8	22.1-27.5	137	9.8	7.8-11.8	1	0.3	0.0- 0.9
55-64	2331	815,215	16	0.4	0.2- 0.6	583	22.7	20.5-24.9	1011	43.4	40.9-45.9	522	25.1	22.7-27.5	193	8.2	6.8- 9.6	6	0.3	0.1- 0.5
65+	4229	960,094	56	1.0	0.6- 1.4	1350	28.1	26.3-29.9	1999	49.4	47.4-51.4	674	17.7	16.1-19.3	149	3.8	3.0- 4.6	1	0.0	0.0- 0.0
Less Than H.S.	855	634,220	12	0.6	0.2- 1.0	261	29.3	25.0-33.6	384	45.9	41.2-50.6	143	16.6	13.1-20.1	53	7.0	4.5- 9.5	2	0.4	0.0- 1.2
H.S. or G.E.D.	3521	1,641,244	55	1.0	0.6- 1.4	1021	27.9	25.7-30.1	1550	43.4	41.0-45.8	641	19.9	17.9-21.9	248	7.6	6.4- 8.8	6	0.2	0.0- 0.4
Some Post-H.S.	2601	1,490,466	21	1.0	0.4- 1.6	725	26.1	23.6-28.6	1156	44.1	41.4-46.8	530	21.8	19.6-24.0	166	6.5	5.3- 7.7	3	0.4	0.0- 1.0
College Graduate	3424	1,044,602	24	0.6	0.2- 1.0	984	28.3	26.1-30.5	1530	43.1	40.7-45.5	694	21.5	19.5-23.5	181	6.0	4.8- 7.2	11	0.5	0.1- 0.9
Less than \$15,000	898	444,674	16	1.2	0.4- 2.0	282	28.6	24.3-32.9	384	43.5	38.8-48.2	147	18.0	14.3-21.7	65	8.2	5.3-11.1	4	0.6	0.0- 1.2
\$15,000- 24,999	1751	790,726	28	1.2	0.4- 2.0	516	28.5	25.2-31.8	754	43.3	39.8-46.8	316	17.8	15.3-20.3	130	8.1	6.3- 9.9	7	1.1	0.1- 2.1
\$25,000- 34,999	1107	477,896	8	0.7	0.0- 1.5	321	27.8	23.7-31.9	518	47.1	42.6-51.6	203	19.4	15.9-22.9	56	4.9	3.1- 6.7	1	0.1	0.0- 0.3
\$35,000- 49,999	1436	666,015	11	0.6	0.0- 1.2	368	23.1	20.0-26.2	672	47.2	43.5-50.9	295	22.8	19.7-25.9	88	6.0	4.2- 7.8	2	0.3	0.0- 0.9
\$50,000- 74,999	1468	694,048	6	0.3	0.0- 0.7	360	24.4	21.1-27.7	660	42.8	39.1-46.5	339	24.9	21.8-28.0	102	7.5	5.7- 9.3	1	0.1	0.0- 0.3
\$75,000+	2536	1,237,935	13	0.5	0.1- 0.9	686	27.1	24.6-29.6	1119	43.2	40.5-45.9	552	22.0	19.8-24.2	161	7.0	5.6- 8.4	5	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 54: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4440	2,409,408	6	0.1	0.0- 0.3	429	11.6	10.0-13.2	2195	49.3	47.1-51.5	1342	28.6	26.8-30.4	452	9.8	8.6-11.0	16	0.5	0.1- 0.9
White/Non-Hisp	3766	1,940,204	5	0.1	0.0- 0.3	324	10.1	8.5-11.7	1875	49.4	47.0-51.8	1169	30.2	28.2-32.2	389	10.1	8.9-11.3	4	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	265	198,090	1	0.5	0.0- 1.5	30	10.4	5.5-15.3	124	50.1	42.1-58.1	77	25.7	19.2-32.2	32	13.0	7.9-18.1	1	0.4	0.0- 1.2
Oth. Race/Non-Hisp.	116	70,427				26	34.6	20.1-49.1	57	46.3	32.0-60.6	21	11.0	3.6-18.4	7	2.0	0.0- 4.2	5	6.2	0.1-12.3
MultiRacial/Non-Hisp.	66	26,967				9	7.5	0.1-14.9	29	44.0	25.8-62.2	20	35.3	16.9-53.7	8	13.2	1.4-25.0			
Hispanic	155	129,267				29	24.1	15.1-33.1	76	50.1	40.3-59.9	33	16.6	9.9-23.3	13	7.5	2.8-12.2	4	1.8	0.0- 4.0
18-24	244	345,337				68	27.9	21.4-34.4	122	52.6	45.3-59.9	43	15.9	10.6-21.2	8	2.7	0.7- 4.7	3	0.9	0.0- 2.1
25-34	371	411,913				52	13.8	9.5-18.1	169	46.7	40.6-52.8	102	26.5	21.2-31.8	44	12.3	8.4-16.2	4	0.7	0.0- 1.5
35-44	485	392,494	1	0.2	0.0- 0.6	35	8.2	5.1-11.3	236	51.3	45.8-56.8	157	30.2	25.1-35.3	52	9.4	6.5-12.3	4	0.6	0.0- 1.2
45-54	682	399,269	3	0.6	0.0- 1.2	46	8.4	5.3-11.5	299	42.4	37.7-47.1	231	32.7	28.4-37.0	102	15.3	12.0-18.6	1	0.6	0.0- 1.6
55-64	994	408,694				80	7.0	5.0- 9.0	439	44.8	40.9-48.7	340	35.5	31.8-39.2	131	12.3	9.8-14.8	4	0.4	0.0- 0.8
65+	1628	437,086	2	0.1	0.0- 0.3	144	7.4	5.8- 9.0	913	57.6	54.5-60.7	456	28.6	25.7-31.5	113	6.3	4.9- 7.7			
Less Than H.S.	367	334,420				55	17.4	11.7-23.1	187	50.9	44.0-57.8	84	20.4	15.1-25.7	39	10.5	6.4-14.6	2	0.8	0.0- 2.2
H.S. or G.E.D.	1433	831,214	5	0.3	0.0- 0.7	152	12.1	9.6-14.6	685	48.0	44.5-51.5	411	28.3	25.2-31.4	175	10.9	8.9-12.9	5	0.4	0.0- 0.8
Some Post-H.S.	999	690,158				75	9.2	6.7-11.7	497	50.2	46.1-54.3	319	31.1	27.4-34.8	107	9.2	7.0-11.4	1	0.3	0.0- 0.9
College Graduate	1631	548,056	1	0.2	0.0- 0.6	146	10.4	8.2-12.6	819	48.9	45.6-52.2	527	31.2	28.3-34.1	130	8.6	6.6-10.6	8	0.8	0.2- 1.4
Less than \$15,000	308	193,397	2	0.6	0.0- 1.4	51	14.5	9.4-19.6	151	48.9	41.3-56.5	67	23.4	17.1-29.7	34	11.4	6.7-16.1	3	1.2	0.0- 2.6
\$15,000- 24,999	649	375,117	1	0.0	0.0- 0.0	93	15.8	11.7-19.9	292	48.3	42.8-53.8	178	23.3	18.8-27.8	79	11.2	8.1-14.3	6	1.4	0.0- 2.8
\$25,000- 34,999	434	225,560	1	0.1	0.0- 0.3	48	15.2	9.5-20.9	232	54.2	47.3-61.1	116	24.7	19.2-30.2	37	5.8	3.4- 8.2			
\$35,000- 49,999	643	355,109	1	0.3	0.0- 0.9	59	10.1	6.6-13.6	329	52.2	46.7-57.7	196	29.5	24.6-34.4	56	7.3	4.8- 9.8	2	0.5	0.0- 1.5
\$50,000- 74,999	702	361,289				51	7.3	4.2-10.4	340	46.4	41.1-51.7	232	34.8	29.7-39.9	78	11.3	8.4-14.2	1	0.2	0.0- 0.6
\$75,000+	1298	684,172	1	0.1	0.0- 0.3	84	8.5	6.1-10.9	630	48.4	44.7-52.1	445	32.1	28.6-35.6	135	10.7	8.3-13.1	3	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 55: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5982	2,410,011	106	1.5	1.1- 1.9	2570	43.6	41.6-45.6	2435	38.6	36.8-40.4	668	12.2	11.0-13.4	197	3.8	3.0- 4.6	6	0.2	0.0- 0.4
White/Non-Hisp	5122	1,962,744	93	1.6	1.0- 2.2	2254	45.1	42.9-47.3	2086	38.6	36.6-40.6	531	11.1	9.7-12.5	156	3.5	2.7- 4.3	2	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	435	219,558	3	0.5	0.0- 1.1	119	23.6	17.9-29.3	197	42.8	35.7-49.9	83	23.2	17.3-29.1	32	8.5	3.8-13.2	1	1.5	0.0- 4.2
Oth. Race/Non-Hisp.	89	39,941	5	9.3	0.9-17.7	51	63.3	48.8-77.8	19	19.5	7.5-31.5	11	6.1	0.0-13.5	2	0.5	0.0- 1.1	1	1.4	0.0- 4.1
MultiRacial/Non-Hisp.	83	25,824	2	1.2	0.0- 3.2	27	29.3	14.6-44.0	36	42.0	25.9-58.1	14	18.1	6.7-29.5	4	9.3	0.0-19.5			
Hispanic	196	142,675	2	0.6	0.0- 1.4	95	52.5	43.1-61.9	73	34.9	25.9-43.9	22	10.5	5.2-15.8	2	1.2	0.0- 2.8	2	0.4	0.0- 1.0
18-24	193	322,133	9	3.5	1.0- 6.0	110	57.6	49.6-65.6	49	24.6	17.7-31.5	16	9.4	4.5-14.3	8	4.0	0.9- 7.1	1	1.0	0.0- 3.0
25-34	403	383,489	7	1.3	0.1- 2.5	182	46.4	40.5-52.3	139	35.2	29.7-40.7	56	13.3	9.4-17.2	17	3.3	1.5- 5.1	2	0.5	0.0- 1.3
35-44	551	373,629	4	0.6	0.0- 1.2	220	39.0	33.9-44.1	225	41.8	36.7-46.9	66	12.0	8.7-15.3	36	6.6	3.9- 9.3			
45-54	844	381,466	9	1.2	0.2- 2.2	323	36.5	32.4-40.6	347	41.7	37.6-45.8	130	16.6	13.5-19.7	35	4.0	2.4- 5.6			
55-64	1337	406,521	16	0.8	0.4- 1.2	503	38.5	35.2-41.8	572	42.1	38.8-45.4	182	14.5	12.1-16.9	62	4.0	2.8- 5.2	2	0.2	0.0- 0.4
65+	2601	523,008	54	1.8	1.2- 2.4	1206	45.4	43.0-47.8	1086	42.5	40.1-44.9	218	8.6	7.2-10.0	36	1.7	0.9- 2.5	1	0.0	0.0- 0.0
Less Than H.S.	488	299,800	12	1.4	0.4- 2.4	206	42.5	36.0-49.0	197	40.4	34.1-46.7	59	12.5	8.0-17.0	14	3.2	0.8- 5.6			
H.S. or G.E.D.	2088	810,030	50	1.7	1.1- 2.3	869	44.1	40.8-47.4	865	38.7	35.6-41.8	230	11.3	9.3-13.3	73	4.2	2.8- 5.6	1	0.0	0.0- 0.0
Some Post-H.S.	1602	800,308	21	1.8	0.6- 3.0	650	40.7	37.0-44.4	659	38.9	35.4-42.4	211	13.9	11.5-16.3	59	4.2	2.8- 5.6	2	0.6	0.0- 1.4
College Graduate	1793	496,546	23	1.1	0.5- 1.7	838	48.0	44.7-51.3	711	36.8	33.7-39.9	167	10.7	8.5-12.9	51	3.1	1.9- 4.3	3	0.2	0.0- 0.4
Less than \$15,000	590	251,278	14	1.6	0.4- 2.8	231	39.4	33.3-45.5	233	39.3	33.2-45.4	80	13.8	9.3-18.3	31	5.8	2.3- 9.3	1	0.1	0.0- 0.3
\$15,000- 24,999	1102	415,608	27	2.3	0.7- 3.9	423	40.0	35.5-44.5	462	38.8	34.5-43.1	138	12.9	10.0-15.8	51	5.3	3.3- 7.3	1	0.8	0.0- 2.4
\$25,000- 34,999	673	252,336	7	1.2	0.0- 2.6	273	39.0	33.1-44.9	286	40.7	35.0-46.4	87	14.7	10.0-19.4	19	4.1	1.4- 6.8	1	0.2	0.0- 0.6
\$35,000- 49,999	793	310,906	10	1.0	0.0- 2.0	309	37.9	32.8-43.0	343	41.4	36.3-46.5	99	15.3	11.4-19.2	32	4.5	2.5- 6.5			
\$50,000- 74,999	766	332,758	6	0.7	0.0- 1.5	309	42.9	37.6-48.2	320	38.8	33.9-43.7	107	14.1	10.8-17.4	24	3.5	1.7- 5.3			
\$75,000+	1238	553,763	12	1.0	0.2- 1.8	602	49.9	45.8-54.0	489	36.8	32.9-40.7	107	9.6	7.2-12.0	26	2.4	1.2- 3.6	2	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 56: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10786	4,950,202	678	4.7	4.1- 5.3	4864	40.2	38.8-41.6	4305	44.5	43.1-45.9	874	9.5	8.7-10.3	12	0.2	0.0- 0.4	53	0.9	0.5- 1.3
Male	4471	2,424,675	12	0.3	0.1- 0.5	430	10.3	8.9-11.7	3120	68.5	66.5-70.5	864	19.2	17.6-20.8	12	0.3	0.1- 0.5	33	1.4	0.8- 2.0
Female	6315	2,525,527	666	9.0	8.0-10.0	4434	68.9	67.1-70.7	1185	21.4	19.8-23.0	10	0.2	0.0- 0.4				20	0.5	0.3- 0.7
White/Non-Hisp	9217	4,027,446	549	4.3	3.7- 4.9	4177	40.0	38.6-41.4	3723	45.5	43.9-47.1	755	10.0	9.0-11.0	10	0.1	0.0- 0.3	3	0.1	0.1- 0.1
Black or Afr. Am./Non-Hisp	719	424,638	51	4.7	2.7- 6.7	346	42.7	37.4-48.0	259	42.6	37.3-47.9	61	9.4	6.5-12.3	1	0.5	0.0- 1.5	1	0.2	0.0- 0.6
Oth. Race/Non-Hisp.	213	113,660	16	4.2	1.5- 6.9	89	45.1	34.5-55.7	88	40.4	30.2-50.6	15	5.7	0.0-11.4				5	4.6	0.3- 8.9
MultiRacial/Non-Hisp.	157	55,007	12	5.0	1.3- 8.7	58	32.4	21.6-43.2	71	46.8	34.8-58.8	16	15.8	5.8-25.8						
Hispanic	342	265,373	40	12.4	7.7-17.1	149	41.0	34.1-47.9	95	30.1	23.8-36.4	15	2.7	1.1- 4.3	1	0.3	0.0- 0.9	42	13.6	8.9-18.3
18-24	449	679,768	24	5.5	3.0- 8.0	146	34.9	29.8-40.0	227	49.7	44.4-55.0	46	8.8	5.9-11.7				6	1.1	0.1- 2.1
25-34	789	803,131	26	3.0	1.6- 4.4	325	39.4	35.3-43.5	333	43.0	38.9-47.1	87	12.7	9.8-15.6	2	0.2	0.0- 0.4	16	1.7	0.7- 2.7
35-44	1072	791,704	38	3.0	1.8- 4.2	434	40.1	36.4-43.8	476	44.3	40.6-48.0	107	10.6	8.2-13.0	3	0.3	0.0- 0.7	14	1.7	0.7- 2.7
45-54	1585	802,418	62	3.6	2.4- 4.8	640	38.0	35.1-40.9	722	47.2	44.1-50.3	154	10.1	8.1-12.1	2	0.2	0.0- 0.6	5	0.8	0.0- 1.8
55-64	2405	836,195	114	4.1	3.1- 5.1	1107	41.6	39.1-44.1	965	44.5	42.0-47.0	207	9.0	7.4-10.6	5	0.4	0.0- 1.0	7	0.4	0.0- 0.8
65+	4367	990,670	403	8.1	7.1- 9.1	2159	45.2	43.2-47.2	1538	40.1	38.1-42.1	262	6.5	5.5- 7.5				5	0.1	0.1- 0.1
Less Than H.S.	862	630,431	90	7.2	5.0- 9.4	408	44.1	39.4-48.8	298	36.6	31.9-41.3	43	8.1	5.2-11.0				23	4.1	2.1- 6.1
H.S. or G.E.D.	3663	1,698,980	293	5.4	4.4- 6.4	1731	40.5	38.1-42.9	1373	44.4	42.0-46.8	249	9.0	7.6-10.4	4	0.2	0.0- 0.4	13	0.5	0.1- 0.9
Some Post-H.S.	2693	1,532,519	162	4.5	3.3- 5.7	1287	42.1	39.6-44.6	1039	44.0	41.3-46.7	198	8.9	7.3-10.5	1	0.0	0.0- 0.0	6	0.3	0.0- 0.7
College Graduate	3548	1,079,321	131	2.6	2.0- 3.2	1433	35.0	32.8-37.2	1586	49.8	47.4-52.2	383	12.0	10.4-13.6	6	0.2	0.0- 0.4	9	0.4	0.0- 0.8
Less than \$15,000	917	452,569	89	8.5	5.8-11.2	471	44.3	39.6-49.0	301	39.1	34.4-43.8	39	5.7	3.3- 8.1	1	0.1	0.0- 0.3	16	2.3	0.9- 3.7
\$15,000- 24,999	1806	807,655	170	6.8	5.2- 8.4	874	42.4	39.1-45.7	624	41.0	37.5-44.5	119	7.1	5.3- 8.9	2	0.3	0.0- 0.9	17	2.4	1.0- 3.8
\$25,000- 34,999	1126	485,113	82	6.5	4.3- 8.7	553	42.5	38.0-47.0	421	43.4	38.9-47.9	63	6.5	4.3- 8.7	1	0.2	0.0- 0.6	6	0.9	0.1- 1.7
\$35,000- 49,999	1478	682,258	70	3.1	2.1- 4.1	656	37.8	34.3-41.3	630	49.1	45.4-52.8	119	9.5	7.1-11.9				3	0.4	0.0- 1.0
\$50,000- 74,999	1503	703,664	57	3.9	2.1- 5.7	611	36.8	33.3-40.3	662	45.9	42.2-49.6	172	13.2	10.5-15.9				1	0.1	0.0- 0.3
\$75,000+	2605	1,271,949	68	2.0	1.4- 2.6	975	35.3	32.8-37.8	1259	49.4	46.7-52.1	294	12.9	10.9-14.9	8	0.3	0.1- 0.5	1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 57: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4471	2,424,675	12	0.3	0.1- 0.5	430	10.3	8.9-11.7	3120	68.5	66.5-70.5	864	19.2	17.6-20.8	12	0.3	0.1- 0.5	33	1.4	0.8- 2.0
White/Non-Hisp	3788	1,947,387	8	0.1	0.0- 0.3	337	9.0	7.6-10.4	2682	70.0	67.8-72.2	748	20.5	18.7-22.3	10	0.3	0.1- 0.5	3	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	268	202,608				30	12.8	6.9-18.7	176	66.2	58.6-73.8	60	19.6	13.5-25.7	1	1.0	0.0- 3.0	1	0.4	0.0- 1.2
Oth. Race/Non-Hisp.	122	74,428				23	27.8	14.3-41.3	82	60.4	46.1-74.7	14	7.7	0.0-16.1				3	4.1	0.0- 9.4
MultiRacial/Non-Hisp.	65	26,553				3	2.1	0.0- 5.2	47	66.9	48.7-85.1	15	31.1	12.9-49.3						
Hispanic	154	130,224	3	2.9	0.0- 6.2	31	18.9	11.3-26.5	80	52.4	42.6-62.2	15	5.5	2.2- 8.8	1	0.6	0.0- 1.8	24	19.7	11.5-27.9
18-24	249	350,238	2	0.6	0.0- 1.4	22	8.6	4.7-12.5	175	72.0	65.5-78.5	45	17.0	11.7-22.3				5	1.8	0.2- 3.4
25-34	366	402,712				41	12.0	7.9-16.1	232	61.6	55.7-67.5	83	24.5	19.2-29.8	2	0.3	0.0- 0.7	8	1.6	0.4- 2.8
35-44	492	402,025	4	0.6	0.0- 1.2	50	12.0	8.1-15.9	319	63.3	58.0-68.6	105	20.7	16.4-25.0	3	0.5	0.0- 1.1	11	3.0	1.0- 5.0
45-54	688	401,811	2	0.5	0.0- 1.3	45	8.2	5.3-11.1	481	69.2	64.7-73.7	154	20.1	16.6-23.6	2	0.4	0.0- 1.0	4	1.5	0.0- 3.3
55-64	996	410,307	1	0.0	0.0- 0.0	88	10.1	7.6-12.6	692	70.4	66.9-73.9	206	18.2	15.3-21.1	5	0.8	0.0- 1.8	4	0.5	0.0- 1.1
65+	1636	440,212	3	0.2	0.0- 0.4	180	10.8	8.8-12.8	1192	74.4	71.7-77.1	260	14.5	12.3-16.7				1	0.1	0.0- 0.3
Less Than H.S.	369	334,579	2	0.9	0.0- 2.3	72	20.9	15.4-26.4	239	57.5	50.6-64.4	41	14.9	9.6-20.2				15	5.8	2.7- 8.9
H.S. or G.E.D.	1443	837,390	7	0.4	0.0- 0.8	143	9.5	7.3-11.7	1035	70.8	67.5-74.1	246	18.0	15.3-20.7	4	0.5	0.0- 1.1	8	0.7	0.1- 1.3
Some Post-H.S.	1003	692,730	2	0.1	0.0- 0.3	90	9.2	6.7-11.7	712	70.6	66.9-74.3	195	19.5	16.2-22.8	1	0.1	0.0- 0.3	3	0.5	0.0- 1.1
College Graduate	1646	554,415	1	0.0	0.0- 0.0	124	6.3	4.7- 7.9	1128	69.4	66.3-72.5	381	23.2	20.5-25.9	6	0.5	0.1- 0.9	6	0.6	0.0- 1.2
Less than \$15,000	312	198,210	6	2.2	0.0- 4.6	53	16.4	10.9-21.9	205	64.4	57.1-71.7	39	13.0	7.9-18.1	1	0.3	0.0- 0.9	8	3.7	1.0- 6.4
\$15,000- 24,999	647	371,015	1	0.3	0.0- 0.9	64	10.9	7.6-14.2	451	68.9	63.8-74.0	117	15.2	11.3-19.1	2	0.7	0.0- 1.9	12	4.0	1.5- 6.5
\$25,000- 34,999	434	227,007	2	0.2	0.0- 0.6	50	11.8	7.1-16.5	314	72.4	66.3-78.5	63	13.8	9.5-18.1	1	0.3	0.0- 0.9	4	1.5	0.0- 3.1
\$35,000- 49,999	645	355,725	2	0.2	0.0- 0.6	64	9.4	6.1-12.7	461	71.7	66.8-76.6	115	17.8	13.7-21.9				3	0.9	0.0- 2.1
\$50,000- 74,999	706	362,413	1	0.1	0.0- 0.3	53	9.4	5.9-12.9	480	64.8	59.5-70.1	171	25.6	20.7-30.5				1	0.2	0.0- 0.6
\$75,000+	1307	691,610				80	6.5	4.3- 8.7	925	69.2	65.7-72.7	293	23.6	20.3-26.9	8	0.6	0.0- 1.2	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 58: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6315	2,525,527	666	9.0	8.0-10.0	4434	68.9	67.1-70.7	1185	21.4	19.8-23.0	10	0.2	0.0- 0.4	20	0.5	0.3- 0.7
White/Non-Hisp	5429	2,080,059	541	8.1	6.9- 9.3	3840	69.1	67.1-71.1	1041	22.6	20.8-24.4	7	0.2	0.0- 0.4			
Black or Afr. Am./Non-Hisp	451	222,029	51	8.9	5.2-12.6	316	70.0	63.5-76.5	83	21.0	15.1-26.9	1	0.1	0.0- 0.3			
Oth. Race/Non-Hisp.	91	39,232	16	12.3	4.5-20.1	66	78.1	66.7-89.5	6	2.4	0.2- 4.6	1	1.9	0.0- 5.6	2	5.4	0.0-13.0
MultiRacial/Non-Hisp.	92	28,454	12	9.7	2.6-16.8	55	60.7	46.2-75.2	24	28.1	14.6-41.6	1	1.6	0.0- 4.5			
Hispanic	188	135,150	37	21.5	13.3-29.7	118	62.2	52.8-71.6	15	8.5	3.4-13.6				18	7.7	3.2-12.2
18-24	200	329,531	22	10.8	5.7-15.9	124	62.9	55.3-70.5	52	25.9	19.0-32.8	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9
25-34	423	400,419	26	6.0	3.3- 8.7	284	66.9	61.6-72.2	101	24.4	19.5-29.3	4	0.7	0.0- 1.5	8	1.9	0.3- 3.5
35-44	580	389,679	34	5.5	3.1- 7.9	384	69.1	64.6-73.6	157	24.7	20.6-28.8	2	0.3	0.0- 0.7	3	0.4	0.0- 1.0
45-54	897	400,606	60	6.8	4.8- 8.8	595	67.9	64.2-71.6	241	25.2	21.7-28.7				1	0.1	0.0- 0.3
55-64	1409	425,888	113	8.1	6.3- 9.9	1019	72.0	69.1-74.9	273	19.6	17.1-22.1	1	0.1	0.0- 0.3	3	0.3	0.0- 0.7
65+	2731	550,457	400	14.5	12.7-16.3	1979	72.7	70.5-74.9	346	12.7	11.1-14.3	2	0.1	0.0- 0.3	4	0.1	0.0- 0.3
Less Than H.S.	493	295,851	88	14.2	10.1-18.3	336	70.3	64.6-76.0	59	12.9	8.6-17.2	2	0.4	0.0- 1.0	8	2.2	0.2- 4.2
H.S. or G.E.D.	2220	861,591	286	10.3	8.5-12.1	1588	70.5	67.6-73.4	338	18.8	16.3-21.3	3	0.2	0.0- 0.4	5	0.3	0.1- 0.5
Some Post-H.S.	1690	839,788	160	8.2	6.2-10.2	1197	69.2	65.9-72.5	327	22.2	19.3-25.1	3	0.2	0.0- 0.4	3	0.3	0.0- 0.7
College Graduate	1902	524,906	130	5.2	3.8- 6.6	1309	65.2	62.1-68.3	458	29.1	26.2-32.0	2	0.2	0.0- 0.4	3	0.2	0.0- 0.4
Less than \$15,000	605	254,359	83	13.4	8.9-17.9	418	66.0	59.9-72.1	96	19.4	14.3-24.5				8	1.2	0.2- 2.2
\$15,000- 24,999	1159	436,640	169	12.3	9.4-15.2	810	69.1	65.0-73.2	173	17.3	13.8-20.8	2	0.2	0.0- 0.6	5	0.9	0.0- 2.1
\$25,000- 34,999	692	258,107	80	12.1	8.2-16.0	503	69.6	64.1-75.1	107	17.9	13.2-22.6				2	0.5	0.0- 1.1
\$35,000- 49,999	833	326,533	68	6.2	4.0- 8.4	592	68.6	63.7-73.5	169	24.6	19.9-29.3	4	0.5	0.0- 1.1			
\$50,000- 74,999	797	341,251	56	8.0	4.5-11.5	558	66.0	60.9-71.1	182	25.9	21.4-30.4	1	0.1	0.0- 0.3			
\$75,000+	1298	580,339	68	4.5	3.1- 5.9	895	69.6	66.1-73.1	334	25.9	22.6-29.2	1	0.1	0.0- 0.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 59: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Female respondents aged 45 years and older

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1219	1,137,622	55	5.5	3.9- 7.1	1164	94.5	92.9-96.1
White/Non-Hisp	927	856,086	38	5.2	3.2- 7.2	889	94.8	92.8-96.8
Black or Afr. Am./Non-Hisp	119	121,701	7	5.6	0.9-10.3	112	94.4	89.7-99.1
Hispanic	104	107,129	7	6.4	1.5-11.3	97	93.6	88.7-98.5
18-24	201	331,501	10	5.2	1.7- 8.7	191	94.8	91.3-98.3
25-34	427	405,105	39	10.3	7.0-13.6	388	89.7	86.4-93.0
35-44	591	401,016	6	0.8	0.0- 1.6	585	99.2	98.4- 100
Less Than H.S.	108	144,244	8	8.4	2.3-14.5	100	91.6	85.5-97.7
H.S. or G.E.D.	313	331,676	14	4.5	1.8- 7.2	299	95.5	92.8-98.2
Some Post-H.S.	344	394,182	13	4.5	1.8- 7.2	331	95.5	92.8-98.2
College Graduate	454	267,521	20	6.5	3.6- 9.4	434	93.5	90.6-96.4
Less than \$15,000	116	118,737	2	3.0	0.0- 7.1	114	97.0	92.9- 100
\$15,000- 24,999	207	195,108	10	6.1	2.0-10.2	197	93.9	89.8-98.0
\$25,000- 34,999	113	111,995	5	5.0	0.0-10.7	108	95.0	89.3- 100
\$35,000- 49,999	149	135,809	7	4.8	0.5- 9.1	142	95.2	90.9-99.5
\$50,000- 74,999	172	155,404	13	10.4	3.7-17.1	159	89.6	82.9-96.3
\$75,000+	350	297,032	13	4.2	1.8- 6.6	337	95.8	93.4-98.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 60: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10787	4,949,975	786	5.1	4.5- 5.7	10001	94.9	94.3-95.5
Male	4445	2,410,489	406	6.1	5.3- 6.9	4039	93.9	93.1-94.7
Female	6342	2,539,487	380	4.2	3.6- 4.8	5962	95.8	95.2-96.4
18-24	446	675,056	5	1.7	0.0- 3.5	441	98.3	96.5- 100
25-34	791	803,126	10	1.3	0.5- 2.1	781	98.7	97.9-99.5
35-44	1074	799,344	16	1.5	0.7- 2.3	1058	98.5	97.7-99.3
45-54	1583	800,083	64	4.0	2.8- 5.2	1519	96.0	94.8-97.2
55-64	2404	835,760	157	7.3	5.9- 8.7	2247	92.7	91.3-94.1
65+	4351	984,565	525	12.5	11.1-13.9	3826	87.5	86.1-88.9
Less Than H.S.	868	642,646	95	7.3	5.3- 9.3	773	92.7	90.7-94.7
H.S. or G.E.D.	3660	1,695,366	320	5.4	4.6- 6.2	3340	94.6	93.8-95.4
Some Post-H.S.	2683	1,520,526	186	5.3	4.1- 6.5	2497	94.7	93.5-95.9
College Graduate	3552	1,080,611	184	3.2	2.6- 3.8	3368	96.8	96.2-97.4
Less than \$15,000	913	451,309	96	8.9	6.5-11.3	817	91.1	88.7-93.5
\$15,000- 24,999	1799	807,630	193	7.3	5.9- 8.7	1606	92.7	91.3-94.1
\$25,000- 34,999	1129	486,882	100	5.9	4.3- 7.5	1029	94.1	92.5-95.7
\$35,000- 49,999	1470	677,166	113	4.6	3.2- 6.0	1357	95.4	94.0-96.8
\$50,000- 74,999	1495	700,086	83	3.9	2.7- 5.1	1412	96.1	94.9-97.3
\$75,000+	2596	1,267,150	81	2.1	1.5- 2.7	2515	97.9	97.3-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 61: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4445	2,410,489	406	6.1	5.3- 6.9	4039	93.9	93.1-94.7
18-24	247	346,606	2	0.5	0.0- 1.3	245	99.5	98.7- 100
25-34	369	402,000	5	1.0	0.0- 2.0	364	99.0	98.0- 100
35-44	489	400,549	12	2.3	0.9- 3.7	477	97.7	96.3-99.1
45-54	684	398,123	30	3.9	2.3- 5.5	654	96.1	94.5-97.7
55-64	991	408,950	82	8.9	6.5-11.3	909	91.1	88.7-93.5
65+	1617	434,414	270	17.8	15.3-20.3	1347	82.2	79.7-84.7
Less Than H.S.	369	337,177	45	8.5	5.4-11.6	324	91.5	88.4-94.6
H.S. or G.E.D.	1434	833,282	152	5.9	4.7- 7.1	1282	94.1	92.9-95.3
Some Post-H.S.	995	681,465	107	6.8	5.2- 8.4	888	93.2	91.6-94.8
College Graduate	1635	552,065	102	4.3	3.1- 5.5	1533	95.7	94.5-96.9
Less than \$15,000	308	195,392	46	12.6	8.3-16.9	262	87.4	83.1-91.7
\$15,000- 24,999	645	371,604	80	7.4	5.2- 9.6	565	92.6	90.4-94.8
\$25,000- 34,999	434	224,965	56	7.9	5.2-10.6	378	92.1	89.4-94.8
\$35,000- 49,999	637	350,128	67	5.5	3.7- 7.3	570	94.5	92.7-96.3
\$50,000- 74,999	702	360,813	55	6.1	4.1- 8.1	647	93.9	91.9-95.9
\$75,000+	1294	682,411	57	2.8	1.8- 3.8	1237	97.2	96.2-98.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 62: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6342	2,539,487	380	4.2	3.6- 4.8	5962	95.8	95.2-96.4
18-24	199	328,450	3	2.9	0.0- 6.2	196	97.1	93.8- 100
25-34	422	401,126	5	1.5	0.1- 2.9	417	98.5	97.1-99.9
35-44	585	398,795	4	0.7	0.0- 1.5	581	99.3	98.5- 100
45-54	899	401,960	34	4.0	2.4- 5.6	865	96.0	94.4-97.6
55-64	1413	426,810	75	5.8	4.2- 7.4	1338	94.2	92.6-95.8
65+	2734	550,151	255	8.3	6.9- 9.7	2479	91.7	90.3-93.1
Less Than H.S.	499	305,469	50	5.9	3.4- 8.4	449	94.1	91.6-96.6
H.S. or G.E.D.	2226	862,083	168	4.9	3.9- 5.9	2058	95.1	94.1-96.1
Some Post-H.S.	1688	839,061	79	4.1	2.5- 5.7	1609	95.9	94.3-97.5
College Graduate	1917	528,546	82	2.1	1.5- 2.7	1835	97.9	97.3-98.5
Less than \$15,000	605	255,916	50	6.1	3.4- 8.8	555	93.9	91.2-96.6
\$15,000- 24,999	1154	436,026	113	7.2	5.2- 9.2	1041	92.8	90.8-94.8
\$25,000- 34,999	695	261,917	44	4.2	2.4- 6.0	651	95.8	94.0-97.6
\$35,000- 49,999	833	327,038	46	3.7	1.7- 5.7	787	96.3	94.3-98.3
\$50,000- 74,999	793	339,273	28	1.6	0.8- 2.4	765	98.4	97.6-99.2
\$75,000+	1302	584,738	24	1.3	0.5- 2.1	1278	98.7	97.9-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 63: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10777	4,945,226	528	4.1	3.5- 4.7	10249	95.9	95.3-96.5
Male	4442	2,409,047	210	4.0	3.2- 4.8	4232	96.0	95.2-96.8
Female	6335	2,536,179	318	4.1	3.5- 4.7	6017	95.9	95.3-96.5
18-24	446	675,056	11	2.2	0.6- 3.8	435	97.8	96.2-99.4
25-34	789	802,292	14	1.8	0.6- 3.0	775	98.2	97.0-99.4
35-44	1070	798,425	24	2.0	1.0- 3.0	1046	98.0	97.0-99.0
45-54	1578	797,960	79	5.8	4.2- 7.4	1499	94.2	92.6-95.8
55-64	2403	834,331	136	5.9	4.7- 7.1	2267	94.1	92.9-95.3
65+	4355	986,060	263	5.9	4.9- 6.9	4092	94.1	93.1-95.1
Less Than H.S.	863	639,556	113	10.8	8.1-13.5	750	89.2	86.5-91.9
H.S. or G.E.D.	3657	1,695,700	218	4.8	4.0- 5.6	3439	95.2	94.4-96.0
Some Post-H.S.	2678	1,519,782	93	2.0	1.4- 2.6	2585	98.0	97.4-98.6
College Graduate	3554	1,079,286	102	1.9	1.3- 2.5	3452	98.1	97.5-98.7
Less than \$15,000	911	450,438	128	11.3	8.6-14.0	783	88.7	86.0-91.4
\$15,000- 24,999	1793	803,385	154	6.9	5.3- 8.5	1639	93.1	91.5-94.7
\$25,000- 34,999	1126	484,559	61	4.9	2.7- 7.1	1065	95.1	92.9-97.3
\$35,000- 49,999	1474	679,528	54	3.1	1.9- 4.3	1420	96.9	95.7-98.1
\$50,000- 74,999	1494	700,436	36	2.4	1.0- 3.8	1458	97.6	96.2-99.0
\$75,000+	2593	1,267,687	23	0.5	0.3- 0.7	2570	99.5	99.3-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 64: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4442	2,409,047	210	4.0	3.2- 4.8	4232	96.0	95.2-96.8
18-24	247	346,606	3	1.6	0.0- 4.0	244	98.4	96.0- 100
25-34	369	403,176	9	2.6	0.2- 5.0	360	97.4	95.0-99.8
35-44	485	398,852	11	1.7	0.5- 2.9	474	98.3	97.1-99.5
45-54	681	396,221	29	5.4	2.9- 7.9	652	94.6	92.1-97.1
55-64	991	407,894	57	6.4	4.4- 8.4	934	93.6	91.6-95.6
65+	1621	436,370	101	6.0	4.4- 7.6	1520	94.0	92.4-95.6
Less Than H.S.	367	334,886	46	11.8	7.1-16.5	321	88.2	83.5-92.9
H.S. or G.E.D.	1435	834,441	81	4.1	2.9- 5.3	1354	95.9	94.7-97.1
Some Post-H.S.	992	681,058	37	2.1	1.1- 3.1	955	97.9	96.9-98.9
College Graduate	1636	552,162	45	1.5	0.9- 2.1	1591	98.5	97.9-99.1
Less than \$15,000	309	195,658	40	9.9	5.8-14.0	269	90.1	86.0-94.2
\$15,000- 24,999	638	367,819	58	7.9	5.0-10.8	580	92.1	89.2-95.0
\$25,000- 34,999	432	224,633	25	5.7	1.8- 9.6	407	94.3	90.4-98.2
\$35,000- 49,999	639	351,035	33	4.3	2.3- 6.3	606	95.7	93.7-97.7
\$50,000- 74,999	700	360,935	17	2.6	0.2- 5.0	683	97.4	95.0-99.8
\$75,000+	1294	684,166	12	0.4	0.0- 0.8	1282	99.6	99.2- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**

**INDIANA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS**

**TABLE 65: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6335	2,536,179	318	4.1	3.5- 4.7	6017	95.9	95.3-96.5
18-24	199	328,450	8	2.9	0.7- 5.1	191	97.1	94.9-99.3
25-34	420	399,116	5	0.9	0.1- 1.7	415	99.1	98.3-99.9
35-44	585	399,573	13	2.4	0.6- 4.2	572	97.6	95.8-99.4
45-54	897	401,740	50	6.2	4.0- 8.4	847	93.8	91.6-96.0
55-64	1412	426,438	79	5.5	4.1- 6.9	1333	94.5	93.1-95.9
65+	2734	549,690	162	5.9	4.7- 7.1	2572	94.1	92.9-95.3
Less Than H.S.	496	304,670	67	9.7	6.6-12.8	429	90.3	87.2-93.4
H.S. or G.E.D.	2222	861,259	137	5.4	4.2- 6.6	2085	94.6	93.4-95.8
Some Post-H.S.	1686	838,724	56	1.9	1.1- 2.7	1630	98.1	97.3-98.9
College Graduate	1918	527,124	57	2.2	1.4- 3.0	1861	97.8	97.0-98.6
Less than \$15,000	602	254,780	88	12.5	8.8-16.2	514	87.5	83.8-91.2
\$15,000- 24,999	1155	435,567	96	6.1	4.5- 7.7	1059	93.9	92.3-95.5
\$25,000- 34,999	694	259,926	36	4.2	2.4- 6.0	658	95.8	94.0-97.6
\$35,000- 49,999	835	328,494	21	1.8	0.8- 2.8	814	98.2	97.2-99.2
\$50,000- 74,999	794	339,500	19	2.2	0.8- 3.6	775	97.8	96.4-99.2
\$75,000+	1299	583,521	11	0.6	0.2- 1.0	1288	99.4	99.0-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 66: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10753	4,933,831	986	10.1	9.3-10.9	9767	89.9	89.1-90.7
Male	4436	2,404,536	364	9.1	7.9-10.3	4072	90.9	89.7-92.1
Female	6317	2,529,295	622	11.1	9.9-12.3	5695	88.9	87.7-90.1
18-24	444	671,187	51	11.4	8.1-14.7	393	88.6	85.3-91.9
25-34	789	802,008	81	8.6	6.4-10.8	708	91.4	89.2-93.6
35-44	1070	797,645	95	9.8	7.4-12.2	975	90.2	87.8-92.6
45-54	1574	795,666	192	13.3	11.1-15.5	1382	86.7	84.5-88.9
55-64	2397	833,405	262	11.2	9.6-12.8	2135	88.8	87.2-90.4
65+	4342	983,064	296	7.2	6.2- 8.2	4046	92.8	91.8-93.8
Less Than H.S.	856	636,137	186	20.5	16.8-24.2	670	79.5	75.8-83.2
H.S. or G.E.D.	3648	1,692,828	411	11.1	9.7-12.5	3237	88.9	87.5-90.3
Some Post-H.S.	2670	1,515,451	239	9.3	7.7-10.9	2431	90.7	89.1-92.3
College Graduate	3555	1,079,782	145	3.3	2.5- 4.1	3410	96.7	95.9-97.5
Less than \$15,000	912	451,457	234	28.4	24.1-32.7	678	71.6	67.3-75.9
\$15,000- 24,999	1789	803,211	279	17.6	14.9-20.3	1510	82.4	79.7-85.1
\$25,000- 34,999	1126	485,927	106	10.9	8.0-13.8	1020	89.1	86.2-92.0
\$35,000- 49,999	1473	678,193	95	6.5	4.7- 8.3	1378	93.5	91.7-95.3
\$50,000- 74,999	1489	697,155	56	4.5	2.9- 6.1	1433	95.5	93.9-97.1
\$75,000+	2591	1,266,049	81	3.4	2.4- 4.4	2510	96.6	95.6-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 67: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4436	2,404,536	364	9.1	7.9-10.3	4072	90.9	89.7-92.1
18-24	246	345,333	24	10.0	5.5-14.5	222	90.0	85.5-94.5
25-34	368	401,816	30	6.4	3.9- 8.9	338	93.6	91.1-96.1
35-44	486	398,344	36	9.1	5.6-12.6	450	90.9	87.4-94.4
45-54	680	396,031	67	11.0	8.1-13.9	613	89.0	86.1-91.9
55-64	987	407,226	95	10.8	8.3-13.3	892	89.2	86.7-91.7
65+	1621	435,856	109	7.3	5.5- 9.1	1512	92.7	90.9-94.5
Less Than H.S.	366	336,075	78	19.0	13.9-24.1	288	81.0	75.9-86.1
H.S. or G.E.D.	1435	831,972	147	10.0	8.0-12.0	1288	90.0	88.0-92.0
Some Post-H.S.	986	678,103	81	8.1	5.9-10.3	905	91.9	89.7-94.1
College Graduate	1637	551,886	56	2.7	1.7- 3.7	1581	97.3	96.3-98.3
Less than \$15,000	311	196,866	77	29.6	22.5-36.7	234	70.4	63.3-77.5
\$15,000- 24,999	637	368,540	104	16.8	12.7-20.9	533	83.2	79.1-87.3
\$25,000- 34,999	433	224,651	36	8.0	4.3-11.7	397	92.0	88.3-95.7
\$35,000- 49,999	639	350,356	41	5.3	3.1- 7.5	598	94.7	92.5-96.9
\$50,000- 74,999	698	358,338	24	4.1	1.7- 6.5	674	95.9	93.5-98.3
\$75,000+	1293	683,798	36	3.3	1.9- 4.7	1257	96.7	95.3-98.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 68: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6317	2,529,295	622	11.1	9.9-12.3	5695	88.9	87.7-90.1
18-24	198	325,854	27	12.8	7.7-17.9	171	87.2	82.1-92.3
25-34	421	400,192	51	10.8	7.5-14.1	370	89.2	85.9-92.5
35-44	584	399,301	59	10.5	7.2-13.8	525	89.5	86.2-92.8
45-54	894	399,635	125	15.5	12.4-18.6	769	84.5	81.4-87.6
55-64	1410	426,179	167	11.6	9.4-13.8	1243	88.4	86.2-90.6
65+	2721	547,208	187	7.1	5.9- 8.3	2534	92.9	91.7-94.1
Less Than H.S.	490	300,062	108	22.3	16.8-27.8	382	77.7	72.2-83.2
H.S. or G.E.D.	2213	860,856	264	12.3	10.3-14.3	1949	87.7	85.7-89.7
Some Post-H.S.	1684	837,348	158	10.3	8.1-12.5	1526	89.7	87.5-91.9
College Graduate	1918	527,896	89	3.9	2.7- 5.1	1829	96.1	94.9-97.3
Less than \$15,000	601	254,591	157	27.5	22.2-32.8	444	72.5	67.2-77.8
\$15,000- 24,999	1152	434,670	175	18.3	14.6-22.0	977	81.7	78.0-85.4
\$25,000- 34,999	693	261,276	70	13.4	9.1-17.7	623	86.6	82.3-90.9
\$35,000- 49,999	834	327,837	54	7.8	4.9-10.7	780	92.2	89.3-95.1
\$50,000- 74,999	791	338,817	32	4.9	2.7- 7.1	759	95.1	92.9-97.3
\$75,000+	1298	582,252	45	3.6	2.0- 5.2	1253	96.4	94.8-98.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 69: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10747	4,933,615	1943	13.2	12.4-14.0	8804	86.8	86.0-87.6
Male	4431	2,402,977	624	10.6	9.4-11.8	3807	89.4	88.2-90.6
Female	6316	2,530,639	1319	15.6	14.4-16.8	4997	84.4	83.2-85.6
18-24	444	670,668	13	2.4	0.8- 4.0	431	97.6	96.0-99.2
25-34	788	802,557	32	3.7	2.1- 5.3	756	96.3	94.7-97.9
35-44	1067	796,033	64	6.6	4.6- 8.6	1003	93.4	91.4-95.4
45-54	1574	797,352	225	15.5	13.1-17.9	1349	84.5	82.1-86.9
55-64	2391	831,493	493	21.4	19.2-23.6	1898	78.6	76.4-80.8
65+	4346	984,658	1099	24.5	22.9-26.1	3247	75.5	73.9-77.1
Less Than H.S.	858	637,342	313	26.7	23.0-30.4	545	73.3	69.6-77.0
H.S. or G.E.D.	3645	1,692,140	822	15.3	13.9-16.7	2823	84.7	83.3-86.1
Some Post-H.S.	2670	1,516,977	470	10.5	9.1-11.9	2200	89.5	88.1-90.9
College Graduate	3550	1,077,524	331	5.5	4.7- 6.3	3219	94.5	93.7-95.3
Less than \$15,000	909	449,322	366	33.5	29.2-37.8	543	66.5	62.2-70.8
\$15,000- 24,999	1789	802,852	556	22.7	20.2-25.2	1233	77.3	74.8-79.8
\$25,000- 34,999	1126	486,809	242	15.5	12.8-18.2	884	84.5	81.8-87.2
\$35,000- 49,999	1470	679,540	222	10.0	8.2-11.8	1248	90.0	88.2-91.8
\$50,000- 74,999	1491	698,233	147	6.3	4.9- 7.7	1344	93.7	92.3-95.1
\$75,000+	2586	1,263,641	133	3.6	2.8- 4.4	2453	96.4	95.6-97.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 70: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4431	2,402,977	624	10.6	9.4-11.8	3807	89.4	88.2-90.6
18-24	245	342,218	5	1.2	0.0- 2.6	240	98.8	97.4- 100
25-34	368	403,249	9	2.5	0.7- 4.3	359	97.5	95.7-99.3
35-44	484	397,602	20	4.6	2.2- 7.0	464	95.4	93.0-97.8
45-54	682	398,478	78	12.8	9.7-15.9	604	87.2	84.1-90.3
55-64	985	406,220	174	19.4	16.1-22.7	811	80.6	77.3-83.9
65+	1619	435,281	333	20.5	18.0-23.0	1286	79.5	77.0-82.0
Less Than H.S.	366	334,166	102	21.2	16.3-26.1	264	78.8	73.9-83.7
H.S. or G.E.D.	1432	831,679	260	11.5	9.7-13.3	1172	88.5	86.7-90.3
Some Post-H.S.	988	680,666	139	9.0	7.0-11.0	849	91.0	89.0-93.0
College Graduate	1633	549,965	121	4.7	3.5- 5.9	1512	95.3	94.1-96.5
Less than \$15,000	310	195,395	102	30.1	23.4-36.8	208	69.9	63.2-76.6
\$15,000- 24,999	638	368,788	166	18.7	15.0-22.4	472	81.3	77.6-85.0
\$25,000- 34,999	433	225,048	86	12.0	8.7-15.3	347	88.0	84.7-91.3
\$35,000- 49,999	638	352,316	81	8.4	6.0-10.8	557	91.6	89.2-94.0
\$50,000- 74,999	700	359,463	64	5.9	3.9- 7.9	636	94.1	92.1-96.1
\$75,000+	1289	681,625	59	3.2	2.0- 4.4	1230	96.8	95.6-98.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 71: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	6316	2,530,639	1319	15.6	14.4-16.8	4997	84.4	83.2-85.6	
18-24	199	328,450	8	3.7	1.0- 6.4	191	96.3	93.6-99.0	
25-34	420	399,308	23	5.0	2.6- 7.4	397	95.0	92.6-97.4	
35-44	583	398,432	44	8.6	5.5-11.7	539	91.4	88.3-94.5	
45-54	892	398,874	147	18.2	14.9-21.5	745	81.8	78.5-85.1	
55-64	1406	425,273	319	23.3	20.6-26.0	1087	76.7	74.0-79.4	
65+	2727	549,377	766	27.7	25.5-29.9	1961	72.3	70.1-74.5	
Less Than H.S.	492	303,176	211	32.8	27.1-38.5	281	67.2	61.5-72.9	
H.S. or G.E.D.	2213	860,461	562	19.1	16.9-21.3	1651	80.9	78.7-83.1	
Some Post-H.S.	1682	836,311	331	11.6	9.8-13.4	1351	88.4	86.6-90.2	
College Graduate	1917	527,559	210	6.3	5.1- 7.5	1707	93.7	92.5-94.9	
Less than \$15,000	599	253,926	264	36.1	30.4-41.8	335	63.9	58.2-69.6	
\$15,000- 24,999	1151	434,064	390	26.0	22.5-29.5	761	74.0	70.5-77.5	
\$25,000- 34,999	693	261,760	156	18.6	14.3-22.9	537	81.4	77.1-85.7	
\$35,000- 49,999	832	327,225	141	11.7	9.2-14.2	691	88.3	85.8-90.8	
\$50,000- 74,999	791	338,770	83	6.7	4.7- 8.7	708	93.3	91.3-95.3	
\$75,000+	1297	582,016	74	4.1	2.9- 5.3	1223	95.9	94.7-97.1	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 72: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10763	4,930,377	422	3.2	2.8- 3.6	10341	96.8	96.4-97.2
Male	4441	2,402,794	165	3.0	2.4- 3.6	4276	97.0	96.4-97.6
Female	6322	2,527,583	257	3.4	2.8- 4.0	6065	96.6	96.0-97.2
18-24	443	668,987	4	0.6	0.0- 1.4	439	99.4	98.6- 100
25-34	788	802,948	18	2.0	1.0- 3.0	770	98.0	97.0-99.0
35-44	1067	794,207	20	2.0	0.8- 3.2	1047	98.0	96.8-99.2
45-54	1572	793,836	53	3.6	2.4- 4.8	1519	96.4	95.2-97.6
55-64	2397	834,181	124	5.6	4.4- 6.8	2273	94.4	93.2-95.6
65+	4359	985,363	196	4.3	3.5- 5.1	4163	95.7	94.9-96.5
Less Than H.S.	859	633,986	75	7.1	4.9- 9.3	784	92.9	90.7-95.1
H.S. or G.E.D.	3648	1,689,576	174	3.8	3.0- 4.6	3474	96.2	95.4-97.0
Some Post-H.S.	2674	1,517,724	92	2.1	1.5- 2.7	2582	97.9	97.3-98.5
College Graduate	3558	1,079,459	78	1.4	1.0- 1.8	3480	98.6	98.2-99.0
Less than \$15,000	913	450,374	100	10.0	7.3-12.7	813	90.0	87.3-92.7
\$15,000- 24,999	1787	797,643	123	5.6	4.2- 7.0	1664	94.4	93.0-95.8
\$25,000- 34,999	1132	487,594	52	2.9	1.9- 3.9	1080	97.1	96.1-98.1
\$35,000- 49,999	1471	678,037	46	2.4	1.4- 3.4	1425	97.6	96.6-98.6
\$50,000- 74,999	1492	698,481	22	1.0	0.4- 1.6	1470	99.0	98.4-99.6
\$75,000+	2587	1,264,117	26	0.9	0.3- 1.5	2561	99.1	98.5-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 73: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4441	2,402,794	165	3.0	2.4- 3.6	4276	97.0	96.4-97.6
18-24	245	342,218	2	0.7	0.0- 1.9	243	99.3	98.1- 100
25-34	369	404,160	7	1.5	0.3- 2.7	362	98.5	97.3-99.7
35-44	483	395,411	6	1.5	0.1- 2.9	477	98.5	97.1-99.9
45-54	681	395,815	25	3.8	1.8- 5.8	656	96.2	94.2-98.2
55-64	989	408,447	52	6.0	3.8- 8.2	937	94.0	91.8-96.2
65+	1626	436,814	71	3.8	2.8- 4.8	1555	96.2	95.2-97.2
Less Than H.S.	365	331,302	29	7.3	4.0-10.6	336	92.7	89.4-96.0
H.S. or G.E.D.	1435	831,324	72	3.4	2.4- 4.4	1363	96.6	95.6-97.6
Some Post-H.S.	991	682,050	28	1.5	0.7- 2.3	963	98.5	97.7-99.3
College Graduate	1638	551,617	35	1.5	0.7- 2.3	1603	98.5	97.7-99.3
Less than \$15,000	312	197,479	35	10.3	6.0-14.6	277	89.7	85.4-94.0
\$15,000- 24,999	637	365,262	41	4.6	2.6- 6.6	596	95.4	93.4-97.4
\$25,000- 34,999	435	225,517	19	2.5	1.1- 3.9	416	97.5	96.1-98.9
\$35,000- 49,999	639	350,711	24	2.4	1.0- 3.8	615	97.6	96.2-99.0
\$50,000- 74,999	700	359,463	13	1.1	0.3- 1.9	687	98.9	98.1-99.7
\$75,000+	1291	683,055	12	1.1	0.3- 1.9	1279	98.9	98.1-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 74: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6322	2,527,583	257	3.4	2.8- 4.0	6065	96.6	96.0-97.2
18-24	198	326,769	2	0.5	0.0- 1.3	196	99.5	98.7- 100
25-34	419	398,789	11	2.6	1.0- 4.2	408	97.4	95.8-99.0
35-44	584	398,796	14	2.6	0.8- 4.4	570	97.4	95.6-99.2
45-54	891	398,021	28	3.3	1.7- 4.9	863	96.7	95.1-98.3
55-64	1408	425,734	72	5.2	3.6- 6.8	1336	94.8	93.2-96.4
65+	2733	548,549	125	4.7	3.7- 5.7	2608	95.3	94.3-96.3
Less Than H.S.	494	302,684	46	7.0	4.5- 9.5	448	93.0	90.5-95.5
H.S. or G.E.D.	2213	858,252	102	4.2	3.0- 5.4	2111	95.8	94.6-97.0
Some Post-H.S.	1683	835,674	64	2.5	1.7- 3.3	1619	97.5	96.7-98.3
College Graduate	1920	527,842	43	1.3	0.7- 1.9	1877	98.7	98.1-99.3
Less than \$15,000	601	252,895	65	9.8	6.3-13.3	536	90.2	86.7-93.7
\$15,000- 24,999	1150	432,381	82	6.4	4.4- 8.4	1068	93.6	91.6-95.6
\$25,000- 34,999	697	262,077	33	3.2	1.8- 4.6	664	96.8	95.4-98.2
\$35,000- 49,999	832	327,326	22	2.3	1.1- 3.5	810	97.7	96.5-98.9
\$50,000- 74,999	792	339,018	9	1.0	0.2- 1.8	783	99.0	98.2-99.8
\$75,000+	1296	581,062	14	0.7	0.3- 1.1	1282	99.3	98.9-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 75: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10731	4,924,282	864	6.7	6.1- 7.3	9867	93.3	92.7-93.9
Male	4428	2,399,081	248	5.2	4.2- 6.2	4180	94.8	93.8-95.8
Female	6303	2,525,201	616	8.1	7.1- 9.1	5687	91.9	90.9-92.9
18-24	443	668,987	22	5.2	2.8- 7.6	421	94.8	92.4-97.2
25-34	786	802,480	31	3.1	1.9- 4.3	755	96.9	95.7-98.1
35-44	1065	792,243	62	5.6	3.8- 7.4	1003	94.4	92.6-96.2
45-54	1567	793,575	127	7.9	6.1- 9.7	1440	92.1	90.3-93.9
55-64	2388	831,786	206	9.0	7.4-10.6	2182	91.0	89.4-92.6
65+	4347	984,532	406	8.5	7.5- 9.5	3941	91.5	90.5-92.5
Less Than H.S.	854	632,763	148	12.2	9.7-14.7	706	87.8	85.3-90.3
H.S. or G.E.D.	3640	1,689,116	387	9.0	7.6-10.4	3253	91.0	89.6-92.4
Some Post-H.S.	2668	1,514,988	194	4.8	3.8- 5.8	2474	95.2	94.2-96.2
College Graduate	3547	1,078,174	130	2.3	1.7- 2.9	3417	97.7	97.1-98.3
Less than \$15,000	905	448,297	202	19.3	15.8-22.8	703	80.7	77.2-84.2
\$15,000- 24,999	1781	798,358	269	13.1	10.7-15.5	1512	86.9	84.5-89.3
\$25,000- 34,999	1128	487,280	93	5.9	4.3- 7.5	1035	94.1	92.5-95.7
\$35,000- 49,999	1467	677,385	82	4.6	3.2- 6.0	1385	95.4	94.0-96.8
\$50,000- 74,999	1490	697,560	52	3.1	1.9- 4.3	1438	96.9	95.7-98.1
\$75,000+	2585	1,262,464	42	1.3	0.7- 1.9	2543	98.7	98.1-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 76: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4428	2,399,081	248	5.2	4.2- 6.2	4180	94.8	93.8-95.8
18-24	245	342,218	10	5.0	1.5- 8.5	235	95.0	91.5-98.5
25-34	369	404,160	9	2.0	0.6- 3.4	360	98.0	96.6-99.4
35-44	482	393,794	21	4.4	2.2- 6.6	461	95.6	93.4-97.8
45-54	679	395,821	41	6.3	3.9- 8.7	638	93.7	91.3-96.1
55-64	983	406,463	72	8.3	5.9-10.7	911	91.7	89.3-94.1
65+	1622	436,696	94	5.1	3.9- 6.3	1528	94.9	93.7-96.1
Less Than H.S.	362	329,521	45	10.3	6.6-14.0	317	89.7	86.0-93.4
H.S. or G.E.D.	1430	831,654	117	6.8	5.0- 8.6	1313	93.2	91.4-95.0
Some Post-H.S.	989	679,969	43	3.2	1.8- 4.6	946	96.8	95.4-98.2
College Graduate	1636	551,529	41	1.9	0.9- 2.9	1595	98.1	97.1-99.1
Less than \$15,000	308	195,837	52	16.2	10.9-21.5	256	83.8	78.5-89.1
\$15,000- 24,999	634	365,825	83	13.0	9.1-16.9	551	87.0	83.1-90.9
\$25,000- 34,999	435	225,517	26	3.1	1.7- 4.5	409	96.9	95.5-98.3
\$35,000- 49,999	638	350,451	25	2.5	1.1- 3.9	613	97.5	96.1-98.9
\$50,000- 74,999	700	359,463	21	2.5	0.9- 4.1	679	97.5	95.9-99.1
\$75,000+	1289	681,402	15	1.2	0.4- 2.0	1274	98.8	98.0-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 77: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6303	2,525,201	616	8.1	7.1- 9.1	5687	91.9	90.9-92.9
18-24	198	326,769	12	5.4	2.1- 8.7	186	94.6	91.3-97.9
25-34	417	398,320	22	4.3	2.3- 6.3	395	95.7	93.7-97.7
35-44	583	398,449	41	6.7	4.2- 9.2	542	93.3	90.8-95.8
45-54	888	397,754	86	9.6	7.2-12.0	802	90.4	88.0-92.8
55-64	1405	425,323	134	9.6	7.6-11.6	1271	90.4	88.4-92.4
65+	2725	547,836	312	11.2	9.6-12.8	2413	88.8	87.2-90.4
Less Than H.S.	492	303,242	103	14.1	10.6-17.6	389	85.9	82.4-89.4
H.S. or G.E.D.	2210	857,462	270	11.1	9.3-12.9	1940	88.9	87.1-90.7
Some Post-H.S.	1679	835,019	151	6.1	4.7- 7.5	1528	93.9	92.5-95.3
College Graduate	1911	526,645	89	2.8	2.0- 3.6	1822	97.2	96.4-98.0
Less than \$15,000	597	252,460	150	21.8	16.9-26.7	447	78.2	73.3-83.1
\$15,000- 24,999	1147	432,534	186	13.2	10.5-15.9	961	86.8	84.1-89.5
\$25,000- 34,999	693	261,763	67	8.3	5.6-11.0	626	91.7	89.0-94.4
\$35,000- 49,999	829	326,934	57	6.9	4.4- 9.4	772	93.1	90.6-95.6
\$50,000- 74,999	790	338,097	31	3.8	2.0- 5.6	759	96.2	94.4-98.0
\$75,000+	1296	581,062	27	1.4	0.8- 2.0	1269	98.6	98.0-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 9: TOBACCO USE CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	167
2 MALES ONLY	168
3 FEMALES ONLY	169
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	170
5 MALES ONLY	171
6 FEMALES ONLY	172
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7 MALES AND FEMALES	173
8 MALES ONLY	174
9 FEMALES ONLY	175
HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10 MALES AND FEMALES	176
11 MALES ONLY	177
12 FEMALES ONLY	178
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13 MALES AND FEMALES	179
14 MALES ONLY	180
15 FEMALES ONLY	181

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10710	4,904,252	4893	45.7	44.3-47.1	5817	54.3	52.9-55.7
Male	4415	2,392,188	2316	52.4	50.2-54.6	2099	47.6	45.4-49.8
Female	6295	2,512,063	2577	39.4	37.6-41.2	3718	60.6	58.8-62.4
White/Non-Hisp	9147	3,989,136	4259	47.5	45.9-49.1	4888	52.5	50.9-54.1
Black or Afr. Am./Non-Hisp	704	407,604	283	39.7	34.4-45.0	421	60.3	55.0-65.6
Oth. Race/Non-Hisp.	211	113,814	81	24.1	15.1-33.1	130	75.9	66.9-84.9
MultiRacial/Non-Hisp.	155	53,902	78	53.0	40.8-65.2	77	47.0	34.8-59.2
Hispanic	349	274,962	116	32.5	26.2-38.8	233	67.5	61.2-73.8
18-24	441	663,362	101	23.1	18.6-27.6	340	76.9	72.4-81.4
25-34	784	799,262	333	44.5	40.4-48.6	451	55.5	51.4-59.6
35-44	1059	786,154	471	47.9	44.2-51.6	588	52.1	48.4-55.8
45-54	1566	793,434	709	49.6	46.5-52.7	857	50.4	47.3-53.5
55-64	2390	832,348	1190	54.0	51.5-56.5	1200	46.0	43.5-48.5
65+	4337	979,759	2046	50.5	48.5-52.5	2291	49.5	47.5-51.5
Less Than H.S.	852	627,590	554	61.1	56.4-65.8	298	38.9	34.2-43.6
H.S. or G.E.D.	3629	1,682,304	1872	51.7	49.3-54.1	1757	48.3	45.9-50.7
Some Post-H.S.	2667	1,510,300	1313	44.9	42.2-47.6	1354	55.1	52.4-57.8
College Graduate	3540	1,075,145	1144	28.7	26.7-30.7	2396	71.3	69.3-73.3
Less than \$15,000	907	446,996	536	58.0	53.3-62.7	371	42.0	37.3-46.7
\$15,000- 24,999	1779	791,704	975	55.3	51.8-58.8	804	44.7	41.2-48.2
\$25,000- 34,999	1126	485,610	572	51.3	46.8-55.8	554	48.7	44.2-53.2
\$35,000- 49,999	1461	672,773	693	48.6	44.9-52.3	768	51.4	47.7-55.1
\$50,000- 74,999	1487	695,945	627	43.8	40.1-47.5	860	56.2	52.5-59.9
\$75,000+	2584	1,261,719	920	35.4	32.9-37.9	1664	64.6	62.1-67.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4415	2,392,188	2316	52.4	50.2-54.6	2099	47.6	45.4-49.8
White/Non-Hisp	3739	1,923,125	1989	53.6	51.2-56.0	1750	46.4	44.0-48.8
Black or Afr. Am./Non-Hisp	262	194,863	130	49.0	40.8-57.2	132	51.0	42.8-59.2
Oth. Race/Non-Hisp.	120	74,636	48	27.1	14.6-39.6	72	72.9	60.4-85.4
MultiRacial/Non-Hisp.	63	25,621	35	51.5	32.3-70.7	28	48.5	29.3-67.7
Hispanic	156	131,955	70	49.3	39.5-59.1	86	50.7	40.9-60.5
18-24	245	342,218	59	24.6	18.3-30.9	186	75.4	69.1-81.7
25-34	367	401,722	174	53.1	47.0-59.2	193	46.9	40.8-53.0
35-44	479	390,300	241	56.2	50.7-61.7	238	43.8	38.3-49.3
45-54	681	398,199	325	53.0	48.3-57.7	356	47.0	42.3-51.7
55-64	984	406,852	552	60.5	56.8-64.2	432	39.5	35.8-43.2
65+	1613	433,451	950	62.4	59.3-65.5	663	37.6	34.5-40.7
Less Than H.S.	364	331,658	276	73.6	67.3-79.9	88	26.4	20.1-32.7
H.S. or G.E.D.	1425	827,736	883	59.1	55.6-62.6	542	40.9	37.4-44.4
Some Post-H.S.	986	676,612	558	50.4	46.3-54.5	428	49.6	45.5-53.7
College Graduate	1629	550,062	595	32.0	29.1-34.9	1034	68.0	65.1-70.9
Less than \$15,000	308	195,992	195	64.1	56.8-71.4	113	35.9	28.6-43.2
\$15,000- 24,999	631	362,623	412	64.1	58.6-69.6	219	35.9	30.4-41.4
\$25,000- 34,999	432	224,953	257	60.7	54.0-67.4	175	39.3	32.6-46.0
\$35,000- 49,999	635	348,680	371	56.4	50.9-61.9	264	43.6	38.1-49.1
\$50,000- 74,999	696	358,339	352	51.3	46.0-56.6	344	48.7	43.4-54.0
\$75,000+	1290	681,437	512	39.9	36.2-43.6	778	60.1	56.4-63.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6295	2,512,063	2577	39.4	37.6-41.2	3718	60.6	58.8-62.4
White/Non-Hisp	5408	2,066,010	2270	41.9	39.9-43.9	3138	58.1	56.1-60.1
Black or Afr. Am./Non-Hisp	442	212,741	153	31.3	25.0-37.6	289	68.7	62.4-75.0
Oth. Race/Non-Hisp.	91	39,178	33	18.4	8.6-28.2	58	81.6	71.8-91.4
MultiRacial/Non-Hisp.	92	28,281	43	54.4	39.3-69.5	49	45.6	30.5-60.7
Hispanic	193	143,007	46	17.0	10.7-23.3	147	83.0	76.7-89.3
18-24	196	321,144	42	21.5	15.0-28.0	154	78.5	72.0-85.0
25-34	417	397,540	159	35.8	30.3-41.3	258	64.2	58.7-69.7
35-44	580	395,854	230	39.6	34.7-44.5	350	60.4	55.5-65.3
45-54	885	395,235	384	46.1	42.0-50.2	501	53.9	49.8-58.0
55-64	1406	425,496	638	47.8	44.5-51.1	768	52.2	48.9-55.5
65+	2724	546,308	1096	41.0	38.6-43.4	1628	59.0	56.6-61.4
Less Than H.S.	488	295,932	278	47.0	40.7-53.3	210	53.0	46.7-59.3
H.S. or G.E.D.	2204	854,568	989	44.5	41.4-47.6	1215	55.5	52.4-58.6
Some Post-H.S.	1681	833,688	755	40.4	37.1-43.7	926	59.6	56.3-62.9
College Graduate	1911	525,083	549	25.1	22.6-27.6	1362	74.9	72.4-77.4
Less than \$15,000	599	251,004	341	53.3	47.0-59.6	258	46.7	40.4-53.0
\$15,000- 24,999	1148	429,081	563	48.0	43.5-52.5	585	52.0	47.5-56.5
\$25,000- 34,999	694	260,657	315	43.2	37.5-48.9	379	56.8	51.1-62.5
\$35,000- 49,999	826	324,093	322	40.2	35.3-45.1	504	59.8	54.9-64.7
\$50,000- 74,999	791	337,605	275	35.9	31.0-40.8	516	64.1	59.2-69.0
\$75,000+	1294	580,282	408	30.3	26.8-33.8	886	69.7	66.2-73.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4873	2,234,409	1346	33.9	31.9-35.9	476	12.5	11.1-13.9	3051	53.7	51.7-55.7
Male	2310	1,248,592	628	33.6	30.9-36.3	196	11.6	9.6-13.6	1486	54.9	52.0-57.8
Female	2563	985,817	718	34.3	31.6-37.0	280	13.6	11.6-15.6	1565	52.2	49.5-54.9
White/Non-Hisp	4242	1,889,842	1146	33.6	31.4-35.8	358	10.7	9.3-12.1	2738	55.7	53.5-57.9
Black or Afr. Am./Non-Hisp	283	162,018	83	35.3	26.7-43.9	56	22.7	15.6-29.8	144	42.0	33.4-50.6
Oth. Race/Non-Hisp.	81	27,436	27	34.4	13.6-55.2	15	24.0	3.2-44.8	39	41.5	21.5-61.5
MultiRacial/Non-Hisp.	77	27,995	27	37.1	21.2-53.0	17	23.6	10.3-36.9	33	39.2	22.9-55.5
Hispanic	116	89,361	37	32.2	21.2-43.2	23	22.7	12.9-32.5	56	45.1	33.5-56.7
18-24	101	152,945	47	49.5	38.5-60.5	26	23.6	14.4-32.8	28	27.0	17.4-36.6
25-34	331	354,271	132	37.6	31.5-43.7	65	18.3	13.4-23.2	134	44.1	37.6-50.6
35-44	469	373,783	185	41.5	36.0-47.0	59	12.0	8.5-15.5	225	46.5	41.0-52.0
45-54	708	392,922	283	41.9	37.4-46.4	77	10.8	8.1-13.5	348	47.3	42.8-51.8
55-64	1186	448,805	384	33.4	29.9-36.9	125	11.1	8.7-13.5	677	55.5	51.8-59.2
65+	2036	493,177	308	15.3	13.3-17.3	118	7.6	5.6- 9.6	1610	77.1	74.6-79.6
Less Than H.S.	554	383,177	231	46.9	41.2-52.6	84	15.6	11.5-19.7	239	37.5	32.0-43.0
H.S. or G.E.D.	1865	865,706	594	38.3	35.2-41.4	183	12.8	10.4-15.2	1088	48.9	45.8-52.0
Some Post-H.S.	1307	675,374	337	28.4	25.1-31.7	130	12.0	9.5-14.5	840	59.6	55.9-63.3
College Graduate	1138	306,597	181	17.2	14.1-20.3	77	8.4	6.0-10.8	880	74.4	70.9-77.9
Less than \$15,000	534	258,566	210	45.6	39.5-51.7	97	20.9	16.0-25.8	227	33.5	27.8-39.2
\$15,000- 24,999	972	437,277	325	38.4	33.9-42.9	118	15.8	12.1-19.5	529	45.7	41.2-50.2
\$25,000- 34,999	570	248,816	182	37.7	31.4-44.0	59	16.3	11.0-21.6	329	46.0	39.9-52.1
\$35,000- 49,999	690	325,786	203	39.9	34.6-45.2	52	8.7	5.6-11.8	435	51.4	46.1-56.7
\$50,000- 74,999	625	304,851	152	30.7	25.2-36.2	38	7.1	4.6- 9.6	435	62.2	56.5-67.9
\$75,000+	918	446,059	164	21.4	17.7-25.1	56	7.8	5.3-10.3	698	70.9	66.8-75.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2310	1,248,592	628	33.6	30.9-36.3	196	11.6	9.6-13.6	1486	54.9	52.0-57.8
White/Non-Hisp	1984	1,027,956	520	33.1	30.2-36.0	140	9.6	7.6-11.6	1324	57.3	54.2-60.4
Black or Afr. Am./Non-Hisp	130	95,423	42	39.3	27.0-51.6	20	17.2	8.2-26.2	68	43.5	31.2-55.8
Hispanic	70	64,991	19	28.8	15.7-41.9	16	24.8	12.5-37.1	35	46.3	32.0-60.6
18-24	59	84,017	30	52.9	38.2-67.6	15	23.8	11.1-36.5	14	23.2	11.4-35.0
25-34	173	212,352	63	34.7	26.7-42.7	37	19.5	12.8-26.2	73	45.8	37.0-54.6
35-44	240	217,708	91	40.7	33.1-48.3	27	10.7	5.8-15.6	122	48.7	41.1-56.3
45-54	325	211,244	132	42.9	36.0-49.8	27	9.1	5.4-12.8	166	48.0	41.1-54.9
55-64	551	245,973	178	34.6	29.5-39.7	48	8.7	5.6-11.8	325	56.7	51.4-62.0
65+	947	269,909	132	13.1	10.4-15.8	40	7.0	4.3- 9.7	775	79.9	76.4-83.4
Less Than H.S.	276	244,135	115	43.5	35.7-51.3	35	14.9	9.2-20.6	126	41.6	33.8-49.4
H.S. or G.E.D.	881	486,908	272	37.6	33.1-42.1	76	12.4	9.1-15.7	533	50.1	45.6-54.6
Some Post-H.S.	557	340,693	139	28.3	23.4-33.2	51	10.5	7.0-14.0	367	61.2	55.7-66.7
College Graduate	592	174,796	100	18.5	14.2-22.8	33	6.5	4.0- 9.0	459	74.9	70.2-79.6
Less than \$15,000	195	125,570	83	48.4	38.8-58.0	25	13.7	7.2-20.2	87	38.0	28.8-47.2
\$15,000- 24,999	411	232,174	145	39.2	32.5-45.9	48	16.6	10.9-22.3	218	44.2	37.3-51.1
\$25,000- 34,999	257	136,616	75	34.9	25.7-44.1	26	18.8	10.8-26.8	156	46.3	37.5-55.1
\$35,000- 49,999	371	196,823	110	40.8	33.7-47.9	22	7.5	3.6-11.4	239	51.8	44.7-58.9
\$50,000- 74,999	351	183,634	77	26.5	19.6-33.4	27	8.6	4.9-12.3	247	64.9	57.8-72.0
\$75,000+	511	270,437	95	22.0	17.1-26.9	27	7.4	3.9-10.9	389	70.6	65.1-76.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2563	985,817	718	34.3	31.6-37.0	280	13.6	11.6-15.6	1565	52.2	49.5-54.9
White/Non-Hisp	2258	861,886	626	34.2	31.3-37.1	218	12.0	10.0-14.0	1414	53.8	50.9-56.7
Black or Afr. Am./Non-Hisp	153	66,595	41	29.4	18.6-40.2	36	30.6	19.6-41.6	76	40.0	28.8-51.2
25-34	158	141,918	69	41.8	32.6-51.0	28	16.6	9.9-23.3	61	41.6	32.2-51.0
35-44	229	156,075	94	42.6	34.8-50.4	32	13.8	8.5-19.1	103	43.5	35.7-51.3
45-54	383	181,678	151	40.7	34.6-46.8	50	12.9	8.8-17.0	182	46.4	40.3-52.5
55-64	635	202,832	206	31.9	27.4-36.4	77	14.0	10.3-17.7	352	54.0	49.1-58.9
65+	1089	223,268	176	17.9	15.0-20.8	78	8.4	6.0-10.8	835	73.7	70.2-77.2
Less Than H.S.	278	139,042	116	52.7	44.9-60.5	49	16.9	11.2-22.6	113	30.4	23.7-37.1
H.S. or G.E.D.	984	378,798	322	39.2	34.7-43.7	107	13.3	10.2-16.4	555	47.5	43.0-52.0
Some Post-H.S.	750	334,681	198	28.6	24.1-33.1	79	13.4	9.7-17.1	473	58.0	52.9-63.1
College Graduate	546	131,801	81	15.4	11.3-19.5	44	10.8	6.5-15.1	421	73.8	68.5-79.1
Less than \$15,000	339	132,996	127	43.0	35.2-50.8	72	27.7	20.6-34.8	140	29.3	22.8-35.8
\$15,000- 24,999	561	205,103	180	37.5	31.6-43.4	70	15.0	10.7-19.3	311	47.5	41.6-53.4
\$25,000- 34,999	313	112,199	107	41.2	33.0-49.4	33	13.2	7.1-19.3	173	45.6	37.6-53.6
\$35,000- 49,999	319	128,963	93	38.7	31.1-46.3	30	10.5	5.6-15.4	196	50.8	43.0-58.6
\$50,000- 74,999	274	121,218	75	37.0	28.0-46.0	11	4.8	1.5- 8.1	188	58.2	49.4-67.0
\$75,000+	407	175,622	69	20.4	14.9-25.9	29	8.3	4.4-12.2	309	71.3	65.0-77.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime  
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1818	1,033,774	970	56.0	52.9-59.1	848	44.0	40.9-47.1
Male	821	562,377	402	52.9	48.4-57.4	419	47.1	42.6-51.6
Female	997	471,396	568	59.7	55.4-64.0	429	40.3	36.0-44.6
White/Non-Hisp	1502	836,723	772	53.8	50.5-57.1	730	46.2	42.9-49.5
Black or Afr. Am./Non-Hisp	139	93,916	97	72.8	62.6-83.0	42	27.2	17.0-37.4
Hispanic	60	49,048	34	64.8	50.1-79.5	26	35.2	20.5-49.9
18-24	72	110,993	39	53.8	40.5-67.1	33	46.2	32.9-59.5
25-34	197	197,946	118	59.1	51.1-67.1	79	40.9	32.9-48.9
35-44	244	199,836	157	67.2	60.3-74.1	87	32.8	25.9-39.7
45-54	360	207,257	192	53.5	47.0-60.0	168	46.5	40.0-53.0
55-64	508	199,580	264	50.9	45.2-56.6	244	49.1	43.4-54.8
65+	425	112,789	193	46.6	40.1-53.1	232	53.4	46.9-59.9
Less Than H.S.	315	239,410	183	56.0	48.7-63.3	132	44.0	36.7-51.3
H.S. or G.E.D.	774	440,963	392	53.7	48.8-58.6	382	46.3	41.4-51.2
Some Post-H.S.	466	272,255	268	60.5	54.8-66.2	198	39.5	33.8-45.2
College Graduate	258	78,371	125	54.6	46.6-62.6	133	45.4	37.4-53.4
Less than \$15,000	307	171,887	182	61.7	54.3-69.1	125	38.3	30.9-45.7
\$15,000- 24,999	442	237,049	263	58.9	52.6-65.2	179	41.1	34.8-47.4
\$25,000- 34,999	241	134,403	122	59.1	50.1-68.1	119	40.9	31.9-49.9
\$35,000- 49,999	255	158,329	124	49.2	41.2-57.2	131	50.8	42.8-58.8
\$50,000- 74,999	190	115,259	93	55.7	45.9-65.5	97	44.3	34.5-54.1
\$75,000+	219	129,162	108	51.8	43.2-60.4	111	48.2	39.6-56.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	821	562,377	402	52.9	48.4-57.4	419	47.1	42.6-51.6
White/Non-Hisp	658	438,262	312	50.6	45.5-55.7	346	49.4	44.3-54.5
Black or Afr. Am./Non-Hisp	62	53,955	38	69.4	54.3-84.5	24	30.6	15.5-45.7
25-34	100	115,085	56	54.5	43.3-65.7	44	45.5	34.3-56.7
35-44	118	111,729	74	64.8	54.8-74.8	44	35.2	25.2-45.2
45-54	159	109,801	68	46.2	36.6-55.8	91	53.8	44.2-63.4
55-64	225	106,344	110	46.8	38.4-55.2	115	53.2	44.8-61.6
65+	171	53,976	68	44.8	34.4-55.2	103	55.2	44.8-65.6
Less Than H.S.	150	142,591	82	53.6	43.4-63.8	68	46.4	36.2-56.6
H.S. or G.E.D.	346	242,353	162	52.8	45.9-59.7	184	47.2	40.3-54.1
Some Post-H.S.	189	131,725	98	53.9	45.1-62.7	91	46.1	37.3-54.9
College Graduate	133	43,848	59	50.8	39.8-61.8	74	49.2	38.2-60.2
Less than \$15,000	108	77,910	55	53.3	41.0-65.6	53	46.7	34.4-59.0
\$15,000- 24,999	193	129,494	102	53.2	44.0-62.4	91	46.8	37.6-56.0
\$25,000- 34,999	101	73,395	49	61.7	49.2-74.2	52	38.3	25.8-50.8
\$35,000- 49,999	132	94,925	64	48.9	37.9-59.9	68	51.1	40.1-62.1
\$50,000- 74,999	104	64,545	48	57.6	45.1-70.1	56	42.4	29.9-54.9
\$75,000+	121	78,801	53	44.2	32.8-55.6	68	55.8	44.4-67.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	997	471,396	568	59.7	55.4-64.0	429	40.3	36.0-44.6
White/Non-Hisp	844	398,462	460	57.2	52.5-61.9	384	42.8	38.1-47.5
Black or Afr. Am./Non-Hisp	77	39,961	59	77.3	65.0-89.6	18	22.7	10.4-35.0
25-34	97	82,860	62	65.5	54.3-76.7	35	34.5	23.3-45.7
35-44	126	88,107	83	70.3	61.1-79.5	43	29.7	20.5-38.9
45-54	201	97,456	124	61.7	53.5-69.9	77	38.3	30.1-46.5
55-64	283	93,236	154	55.6	48.3-62.9	129	44.4	37.1-51.7
65+	254	58,813	125	48.3	40.3-56.3	129	51.7	43.7-59.7
Less Than H.S.	165	96,818	101	59.7	49.5-69.9	64	40.3	30.1-50.5
H.S. or G.E.D.	428	198,609	230	54.7	48.0-61.4	198	45.3	38.6-52.0
Some Post-H.S.	277	140,530	170	66.7	59.6-73.8	107	33.3	26.2-40.4
College Graduate	125	34,523	66	59.3	47.5-71.1	59	40.7	28.9-52.5
Less than \$15,000	199	93,977	127	68.6	59.8-77.4	72	31.4	22.6-40.2
\$15,000- 24,999	249	107,555	161	65.8	58.0-73.6	88	34.2	26.4-42.0
\$25,000- 34,999	140	61,009	73	55.9	43.9-67.9	67	44.1	32.1-56.1
\$35,000- 49,999	123	63,404	60	49.8	38.2-61.4	63	50.2	38.6-61.8
\$50,000- 74,999	86	50,715	45	53.2	37.9-68.5	41	46.8	31.5-62.1
\$75,000+	98	50,361	55	63.7	51.5-75.9	43	36.3	24.1-48.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3039	1,196,385	275	14.5	12.3-16.7	373	18.1	15.7-20.5	318	13.1	11.1-15.1	1964	51.1	48.6-53.6	109	3.1	2.3- 3.9
Male	1483	684,346	130	15.2	12.1-18.3	181	15.9	13.2-18.6	158	14.1	11.4-16.8	967	52.0	48.3-55.7	47	2.8	1.8- 3.8
Female	1556	512,039	145	13.6	10.9-16.3	192	21.1	17.4-24.8	160	11.8	9.4-14.2	997	49.9	46.2-53.6	62	3.5	2.3- 4.7
White/Non-Hisp	2728	1,049,470	230	13.9	11.5-16.3	325	18.2	15.8-20.6	279	12.8	10.8-14.8	1795	52.0	49.3-54.7	99	3.1	2.3- 3.9
Black or Afr. Am./Non-Hisp	143	67,906	17	17.4	5.6-29.2	23	20.0	9.0-31.0	18	17.2	5.8-28.6	81	44.2	31.9-56.5	4	1.2	0.0- 2.4
Hispanic	56	40,312	13	22.0	8.5-35.5	6	13.8	2.0-25.6	9	14.2	3.6-24.8	26	43.8	26.4-61.2	2	6.1	0.0-14.3
25-34	134	156,325	45	36.9	26.5-47.3	50	37.3	27.3-47.3	23	15.9	8.5-23.3	12	8.1	2.8-13.4	4	1.8	0.0- 3.6
35-44	225	173,947	38	17.0	10.9-23.1	46	21.6	14.5-28.7	57	24.4	17.3-31.5	75	34.6	27.0-42.2	9	2.5	0.5- 4.5
45-54	346	184,685	50	13.5	9.2-17.8	75	24.0	18.3-29.7	44	14.7	9.8-19.6	164	44.6	37.9-51.3	13	3.3	0.9- 5.7
55-64	675	248,547	70	10.3	7.4-13.2	89	13.0	9.7-16.3	75	12.6	9.3-15.9	418	61.4	56.7-66.1	23	2.7	1.3- 4.1
65+	1602	378,725	56	4.3	2.7- 5.9	96	6.0	4.4- 7.6	114	7.4	5.6- 9.2	1278	78.5	75.8-81.2	58	3.8	2.6- 5.0
Less Than H.S.	239	143,767	34	22.6	13.4-31.8	31	15.4	9.5-21.3	22	10.8	4.5-17.1	146	50.0	40.8-59.2	6	1.3	0.0- 2.9
H.S. or G.E.D.	1083	422,388	107	14.1	11.0-17.2	134	18.1	14.2-22.0	115	12.8	9.9-15.7	692	51.8	47.7-55.9	35	3.2	1.6- 4.8
Some Post-H.S.	836	401,966	79	14.6	10.5-18.7	117	21.2	16.7-25.7	98	14.0	10.5-17.5	514	47.8	43.1-52.5	28	2.4	1.2- 3.6
College Graduate	877	227,484	55	10.0	6.7-13.3	91	14.7	11.0-18.4	83	13.5	10.0-17.0	608	56.2	51.5-60.9	40	5.5	3.5- 7.5
Less than \$15,000	226	86,611	37	28.1	17.9-38.3	33	15.8	8.7-22.9	27	11.9	5.4-18.4	121	42.1	32.5-51.7	8	2.2	0.0- 4.6
\$15,000- 24,999	528	199,913	53	14.9	9.4-20.4	66	16.8	11.7-21.9	57	13.7	8.6-18.8	330	50.7	44.0-57.4	22	3.8	1.6- 6.0
\$25,000- 34,999	326	113,294	29	15.2	8.1-22.3	41	18.2	10.9-25.5	24	7.5	3.6-11.4	220	56.5	48.3-64.7	12	2.6	0.8- 4.4
\$35,000- 49,999	433	166,964	33	11.8	6.7-16.9	59	22.2	15.5-28.9	38	11.1	6.6-15.6	289	51.4	44.5-58.3	14	3.5	1.3- 5.7
\$50,000- 74,999	434	189,477	39	14.6	8.9-20.3	49	16.2	10.7-21.7	52	14.1	9.6-18.6	282	51.1	44.4-57.8	12	4.0	1.3- 6.7
\$75,000+	698	316,172	57	13.7	9.2-18.2	86	18.7	14.0-23.4	85	15.8	11.5-20.1	443	49.1	43.8-54.4	27	2.7	1.5- 3.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1483	684,346	130	15.2	12.1-18.3	181	15.9	13.2-18.6	158	14.1	11.4-16.8	967	52.0	48.3-55.7	47	2.8	1.8- 3.8
White/Non-Hisp	1321	587,957	109	14.9	11.4-18.4	156	15.8	12.9-18.7	136	13.8	10.9-16.7	878	52.8	48.9-56.7	42	2.8	1.6- 4.0
Black or Afr. Am./Non-Hisp	68	41,468	7	17.6	0.2-35.0	13	20.9	7.0-34.8	8	15.4	0.0-32.1	39	45.7	28.1-63.3	1	0.4	0.0- 1.2
25-34	73	97,267	28	43.2	29.3-57.1	24	27.8	16.4-39.2	14	19.6	8.6-30.6	6	8.6	1.5-15.7	1	0.7	0.0- 2.3
35-44	122	105,979	18	13.4	6.1-20.7	28	23.1	13.9-32.3	31	24.4	14.6-34.2	41	38.1	27.3-48.9	4	1.0	0.0- 2.0
45-54	166	101,442	23	14.6	7.9-21.3	34	20.0	12.7-27.3	22	16.3	9.0-23.6	78	44.4	34.8-54.0	9	4.8	0.9- 8.7
55-64	325	139,497	32	9.3	5.4-13.2	46	12.9	8.4-17.4	40	14.3	9.4-19.2	197	60.8	54.1-67.5	10	2.7	0.7- 4.7
65+	772	214,921	21	4.1	1.7- 6.5	42	5.7	3.5- 7.9	49	6.4	4.2- 8.6	639	81.2	77.5-84.9	21	2.7	1.3- 4.1
Less Than H.S.	126	101,544	16	23.3	11.1-35.5	17	14.5	7.2-21.8	10	10.1	1.9-18.3	79	50.6	38.4-62.8	4	1.5	0.0- 3.7
H.S. or G.E.D.	533	243,699	52	14.5	10.0-19.0	61	15.0	10.5-19.5	59	14.2	10.1-18.3	347	53.1	47.4-58.8	14	3.2	0.8- 5.6
Some Post-H.S.	364	207,956	35	15.5	9.4-21.6	52	19.2	13.1-25.3	40	15.2	9.3-21.1	229	48.7	41.6-55.8	8	1.4	0.2- 2.6
College Graduate	459	130,948	27	9.6	5.1-14.1	51	13.5	9.0-18.0	49	15.3	10.4-20.2	311	56.4	50.1-62.7	21	5.2	2.7- 7.7
Less than \$15,000	87	47,660	14	31.7	15.6-47.8	13	12.1	3.1-21.1	8	10.9	1.3-20.5	48	44.4	29.7-59.1	4	1.0	0.0- 2.0
\$15,000- 24,999	218	102,680	22	17.5	8.5-26.5	26	13.1	6.8-19.4	24	14.9	6.3-23.5	140	51.3	40.9-61.7	6	3.2	0.0- 6.7
\$25,000- 34,999	156	63,221	18	20.6	9.4-31.8	16	10.9	3.6-18.2	9	8.4	2.1-14.7	108	57.6	46.0-69.2	5	2.5	0.0- 5.2
\$35,000- 49,999	238	101,602	18	9.0	3.5-14.5	29	21.6	13.2-30.0	25	13.5	7.0-20.0	159	53.0	44.0-62.0	7	2.9	0.4- 5.4
\$50,000- 74,999	246	118,974	18	13.5	5.7-21.3	25	13.3	7.4-19.2	31	14.8	8.9-20.7	167	54.8	46.0-63.6	5	3.6	0.0- 7.5
\$75,000+	389	190,911	31	13.9	7.8-20.0	52	18.1	12.2-24.0	48	16.6	10.7-22.5	241	48.6	41.5-55.7	17	2.8	1.2- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1556	512,039	145	13.6	10.9-16.3	192	21.1	17.4-24.8	160	11.8	9.4-14.2	997	49.9	46.4-53.4	62	3.5	2.3- 4.7
White/Non-Hisp	1407	461,513	121	12.6	9.7-15.5	169	21.2	17.3-25.1	143	11.5	9.1-13.9	917	51.1	47.4-54.8	57	3.6	2.4- 4.8
Black or Afr. Am./Non-Hisp	75	26,438	10	17.2	4.3-30.1	10	18.6	0.4-36.8	10	20.0	6.5-33.5	42	41.9	25.4-58.4	3	2.4	0.0- 5.1
25-34	61	59,058	17	26.4	13.1-39.7	26	52.9	37.4-68.4	9	9.7	2.6-16.8	6	7.4	0.1-14.7	3	3.6	0.0- 7.7
35-44	103	67,968	20	22.6	12.2-33.0	18	19.3	8.7-29.9	26	24.4	14.6-34.2	34	29.0	19.0-39.0	5	4.8	0.3- 9.3
45-54	180	83,243	27	12.2	7.1-17.3	41	28.8	20.2-37.4	22	12.7	6.8-18.6	86	44.9	36.1-53.7	4	1.4	0.0- 3.2
55-64	350	109,050	38	11.5	7.2-15.8	43	13.0	8.3-17.7	35	10.5	6.2-14.8	221	62.3	55.8-68.8	13	2.7	1.1- 4.3
65+	830	163,804	35	4.6	2.6- 6.6	54	6.3	4.3- 8.3	65	8.7	6.0-11.4	639	75.1	71.2-79.0	37	5.2	3.0- 7.4
Less Than H.S.	113	42,223	18	20.9	10.1-31.7	14	17.5	7.9-27.1	12	12.5	4.5-20.5	67	48.5	36.7-60.3	2	0.6	0.0- 1.4
H.S. or G.E.D.	550	178,689	55	13.6	9.1-18.1	73	22.3	15.6-29.0	56	10.9	7.0-14.8	345	50.1	43.8-56.4	21	3.1	1.3- 4.9
Some Post-H.S.	472	194,011	44	13.6	8.5-18.7	65	23.3	16.6-30.0	58	12.8	8.9-16.7	285	46.9	40.4-53.4	20	3.4	1.4- 5.4
College Graduate	418	96,535	28	10.7	6.0-15.4	40	16.3	10.2-22.4	34	11.1	6.6-15.6	297	56.0	49.1-62.9	19	5.9	2.6- 9.2
Less than \$15,000	139	38,951	23	23.7	13.5-33.9	20	20.4	9.8-31.0	19	13.1	4.9-21.3	73	39.2	27.4-51.0	4	3.6	0.0- 8.3
\$15,000- 24,999	310	97,234	31	12.2	6.3-18.1	40	20.7	12.9-28.5	33	12.4	7.3-17.5	190	50.2	42.2-58.2	16	4.4	1.7- 7.1
\$25,000- 34,999	170	50,073	11	8.4	2.7-14.1	25	27.4	15.1-39.7	15	6.4	2.7-10.1	112	55.0	43.6-66.4	7	2.7	0.3- 5.1
\$35,000- 49,999	195	65,362	15	16.1	6.1-26.1	30	23.3	12.3-34.3	13	7.4	2.3-12.5	130	48.9	38.1-59.7	7	4.4	0.9- 7.9
\$50,000- 74,999	188	70,503	21	16.4	8.6-24.2	24	21.2	10.6-31.8	21	13.0	6.1-19.9	115	44.9	35.1-54.7	7	4.5	0.8- 8.2
\$75,000+	309	125,261	26	13.4	7.1-19.7	34	19.5	12.1-26.9	37	14.5	9.0-20.0	202	50.0	42.2-57.8	10	2.6	0.6- 4.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10646	4,885,507	165	2.0	1.6- 2.4	146	2.0	1.6- 2.4	10335	95.9	95.3-96.5
Male	4395	2,383,130	150	3.9	3.1- 4.7	118	3.7	2.9- 4.5	4127	92.4	91.2-93.6
Female	6251	2,502,376	15	0.3	0.1- 0.5	28	0.5	0.3- 0.7	6208	99.3	98.9-99.7
White/Non-Hisp	9102	3,975,435	145	2.2	1.8- 2.6	124	2.1	1.5- 2.7	8833	95.7	94.9-96.5
Black or Afr. Am./Non-Hisp	698	408,405	7	1.4	0.2- 2.6	8	1.7	0.3- 3.1	683	96.9	95.1-98.7
Oth. Race/Non-Hisp.	212	113,899	4	0.7	0.0- 1.7	4	0.6	0.0- 1.4	204	98.7	97.5-99.9
MultiRacial/Non-Hisp.	154	53,770	3	3.3	0.0- 8.2	2	1.0	0.0- 2.8	149	95.7	90.6- 100
Hispanic	346	271,874	4	1.1	0.0- 2.5	5	1.7	0.1- 3.3	337	97.2	95.0-99.4
18-24	442	667,306	7	1.8	0.2- 3.4	13	2.8	1.0- 4.6	422	95.4	93.0-97.8
25-34	780	795,338	16	2.4	1.2- 3.6	25	3.8	2.2- 5.4	739	93.8	91.8-95.8
35-44	1059	786,629	20	1.9	0.9- 2.9	21	2.2	1.0- 3.4	1018	95.9	94.3-97.5
45-54	1557	787,637	47	3.3	2.1- 4.5	14	0.9	0.3- 1.5	1496	95.8	94.6-97.0
55-64	2370	823,283	30	1.7	0.9- 2.5	26	1.2	0.6- 1.8	2314	97.0	96.0-98.0
65+	4305	975,427	45	1.4	1.0- 1.8	46	1.6	1.0- 2.2	4214	97.0	96.2-97.8
Less Than H.S.	845	625,595	14	2.1	0.7- 3.5	19	2.8	1.2- 4.4	812	95.2	93.2-97.2
H.S. or G.E.D.	3602	1,670,712	71	2.4	1.6- 3.2	67	2.7	1.9- 3.5	3464	95.0	93.8-96.2
Some Post-H.S.	2653	1,507,607	43	2.2	1.4- 3.0	32	1.7	0.9- 2.5	2578	96.1	94.9-97.3
College Graduate	3524	1,072,333	36	1.4	0.8- 2.0	27	1.0	0.6- 1.4	3461	97.7	96.9-98.5
Less than \$15,000	900	443,596	13	2.1	0.7- 3.5	18	3.0	1.2- 4.8	869	94.9	92.7-97.1
\$15,000- 24,999	1768	793,545	25	1.4	0.8- 2.0	31	3.1	1.7- 4.5	1712	95.5	93.9-97.1
\$25,000- 34,999	1120	483,713	14	1.4	0.4- 2.4	17	2.3	0.9- 3.7	1089	96.3	94.5-98.1
\$35,000- 49,999	1457	673,100	29	2.8	1.2- 4.4	17	1.4	0.6- 2.2	1411	95.8	94.0-97.6
\$50,000- 74,999	1479	690,656	29	2.5	1.3- 3.7	16	1.6	0.6- 2.6	1434	95.9	94.3-97.5
\$75,000+	2568	1,257,140	38	2.2	1.4- 3.0	29	1.5	0.7- 2.3	2501	96.3	95.1-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4395	2,383,130	150	3.9	3.1- 4.7	118	3.7	2.9- 4.5	4127	92.4	91.2-93.6
White/Non-Hisp	3727	1,917,642	131	4.2	3.2- 5.2	102	4.0	3.0- 5.0	3494	91.9	90.5-93.3
Black or Afr. Am./Non-Hisp	258	193,788	7	3.0	0.3- 5.7	4	2.2	0.0- 4.6	247	94.8	91.3-98.3
Oth. Race/Non-Hisp.	120	74,636	3	1.0	0.0- 2.4	2	0.6	0.0- 1.6	115	98.4	96.6- 100
MultiRacial/Non-Hisp.	62	25,489	3	7.0	0.0-17.2	2	2.1	0.0- 5.8	57	90.8	80.0- 100
Hispanic	156	131,414	4	2.3	0.0- 5.0	5	3.5	0.2- 6.8	147	94.2	89.9-98.5
18-24	245	342,218	7	3.6	0.5- 6.7	12	5.0	1.9- 8.1	226	91.5	87.2-95.8
25-34	366	400,929	13	3.8	1.6- 6.0	24	7.2	4.1-10.3	329	89.0	85.3-92.7
35-44	478	390,068	19	3.7	1.7- 5.7	20	4.5	2.1- 6.9	439	91.8	88.9-94.7
45-54	677	396,306	44	6.3	4.1- 8.5	10	1.5	0.3- 2.7	623	92.2	89.8-94.6
55-64	976	401,867	24	3.1	1.5- 4.7	19	1.8	0.8- 2.8	933	95.1	93.3-96.9
65+	1607	432,580	43	3.0	1.8- 4.2	32	2.8	1.6- 4.0	1532	94.2	92.6-95.8
Less Than H.S.	357	326,819	12	3.4	1.0- 5.8	16	5.0	2.1- 7.9	329	91.6	87.9-95.3
H.S. or G.E.D.	1420	824,349	64	4.6	3.0- 6.2	52	4.7	3.1- 6.3	1304	90.7	88.5-92.9
Some Post-H.S.	986	677,997	41	4.4	2.8- 6.0	24	3.2	1.6- 4.8	921	92.4	90.2-94.6
College Graduate	1620	547,466	33	2.6	1.4- 3.8	25	1.9	0.9- 2.9	1562	95.6	94.2-97.0
Less than \$15,000	303	192,667	11	4.7	1.6- 7.8	11	5.5	1.8- 9.2	281	89.8	84.9-94.7
\$15,000- 24,999	631	364,553	20	2.8	1.4- 4.2	23	5.9	3.0- 8.8	588	91.3	88.2-94.4
\$25,000- 34,999	431	224,221	13	3.0	1.0- 5.0	14	3.6	1.2- 6.0	404	93.4	90.3-96.5
\$35,000- 49,999	634	348,045	27	5.1	2.2- 8.0	16	2.7	1.1- 4.3	591	92.2	88.9-95.5
\$50,000- 74,999	696	357,583	27	4.1	2.1- 6.1	15	3.0	1.0- 5.0	654	92.9	90.2-95.6
\$75,000+	1283	679,277	36	3.8	2.2- 5.4	27	2.7	1.3- 4.1	1220	93.5	91.5-95.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6251	2,502,376	15	0.3	0.1- 0.5	28	0.5	0.3- 0.7	6208	99.3	98.9-99.7
White/Non-Hisp	5375	2,057,793	14	0.3	0.1- 0.5	22	0.4	0.2- 0.6	5339	99.2	98.8-99.6
Black or Afr. Am./Non-Hisp	440	214,617				4	1.2	0.0- 2.8	436	98.8	97.2- 100
Oth. Race/Non-Hisp.	92	39,263	1	0.1	0.0- 0.3	2	0.6	0.0- 1.6	89	99.3	98.3- 100
MultiRacial/Non-Hisp.	92	28,281							92	100.0	100.0- 100
Hispanic	190	140,460							190	100.0	100.0- 100
18-24	197	325,089				1	0.5	0.0- 1.5	196	99.5	98.5- 100
25-34	414	394,409	3	0.9	0.0- 2.1	1	0.4	0.0- 1.2	410	98.8	97.4- 100
35-44	581	396,561	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	579	99.9	99.7- 100
45-54	880	391,331	3	0.3	0.0- 0.9	4	0.3	0.1- 0.5	873	99.4	98.8- 100
55-64	1394	421,416	6	0.4	0.0- 0.8	7	0.7	0.1- 1.3	1381	98.9	98.1-99.7
65+	2698	542,847	2	0.0	0.0- 0.0	14	0.7	0.3- 1.1	2682	99.2	98.8-99.6
Less Than H.S.	488	298,776	2	0.6	0.0- 1.4	3	0.4	0.0- 0.8	483	99.1	98.1- 100
H.S. or G.E.D.	2182	846,364	7	0.2	0.0- 0.4	15	0.7	0.3- 1.1	2160	99.1	98.7-99.5
Some Post-H.S.	1667	829,611	2	0.4	0.0- 1.0	8	0.5	0.0- 1.1	1657	99.1	98.3-99.9
College Graduate	1904	524,867	3	0.1	0.0- 0.3	2	0.1	0.1- 0.1	1899	99.8	99.6- 100
Less than \$15,000	597	250,929	2	0.1	0.0- 0.3	7	1.0	0.2- 1.8	588	98.8	97.8-99.8
\$15,000- 24,999	1137	428,992	5	0.3	0.0- 0.7	8	0.7	0.1- 1.3	1124	99.0	98.4-99.6
\$25,000- 34,999	689	259,492	1	0.0	0.0- 0.0	3	1.3	0.0- 3.1	685	98.7	96.9- 100
\$35,000- 49,999	823	325,056	2	0.3	0.0- 0.9	1	0.0	0.0- 0.0	820	99.6	99.0- 100
\$50,000- 74,999	783	333,074	2	0.8	0.0- 2.0	1	0.1	0.0- 0.3	780	99.1	97.9- 100
\$75,000+	1285	577,864	2	0.2	0.0- 0.6	2	0.1	0.0- 0.3	1281	99.7	99.3- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016

SECTION 10: E-CIGARETTES CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC "VAPING" PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)	
1	MALES AND FEMALES	183
2	MALES ONLY	184
3	FEMALES ONLY	185
	DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC "VAPING" PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)	
4	MALES AND FEMALES	186
5	MALES ONLY	187
6	FEMALES ONLY	188

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 10: E-CIGARETTES**

**TABLE 1: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC "VAPING" PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10706	4,904,583	1782	24.5	23.1-25.9	8924	75.5	74.1-76.9
Male	4414	2,390,813	794	26.9	24.9-28.9	3620	73.1	71.1-75.1
Female	6292	2,513,770	988	22.1	20.5-23.7	5304	77.9	76.3-79.5
White/Non-Hisp	9146	3,988,169	1498	24.6	23.2-26.0	7648	75.4	74.0-76.8
Black or Afr. Am./Non-Hisp	704	410,312	103	22.9	18.0-27.8	601	77.1	72.2-82.0
Oth. Race/Non-Hisp.	210	112,386	41	24.2	13.8-34.6	169	75.8	65.4-86.2
MultiRacial/Non-Hisp.	154	53,770	47	43.6	31.3-55.9	107	56.4	44.1-68.7
Hispanic	349	275,421	63	19.0	13.9-24.1	286	81.0	75.9-86.1
18-24	440	665,491	178	41.4	36.1-46.7	262	58.6	53.3-63.9
25-34	781	797,836	278	36.0	32.1-39.9	503	64.0	60.1-67.9
35-44	1063	788,596	244	24.9	21.6-28.2	819	75.1	71.8-78.4
45-54	1562	791,436	340	24.6	21.9-27.3	1222	75.4	72.7-78.1
55-64	2384	828,976	437	20.1	17.9-22.3	1947	79.9	77.7-82.1
65+	4342	982,262	296	7.8	6.6- 9.0	4046	92.2	91.0-93.4
Less Than H.S.	854	632,037	240	34.6	29.9-39.3	614	65.4	60.7-70.1
H.S. or G.E.D.	3629	1,680,089	704	28.6	26.2-31.0	2925	71.4	69.0-73.8
Some Post-H.S.	2662	1,509,359	503	23.8	21.4-26.2	2159	76.2	73.8-78.6
College Graduate	3539	1,073,965	329	12.8	11.0-14.6	3210	87.2	85.4-89.0
Less than \$15,000	908	447,103	249	34.7	30.0-39.4	659	65.3	60.6-70.0
\$15,000- 24,999	1777	794,671	369	28.9	25.6-32.2	1408	71.1	67.8-74.4
\$25,000- 34,999	1125	485,481	220	29.9	25.4-34.4	905	70.1	65.6-74.6
\$35,000- 49,999	1463	675,326	265	28.6	24.9-32.3	1198	71.4	67.7-75.1
\$50,000- 74,999	1485	692,846	220	22.6	19.1-26.1	1265	77.4	73.9-80.9
\$75,000+	2577	1,258,787	305	16.9	14.5-19.3	2272	83.1	80.7-85.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 10: E-CIGARETTES**

**TABLE 2: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC “VAPING” PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4414	2,390,813	794	26.9	24.9-28.9	3620	73.1	71.1-75.1
White/Non-Hisp	3740	1,922,850	646	26.8	24.6-29.0	3094	73.2	71.0-75.4
Black or Afr. Am./Non-Hisp	262	194,863	47	25.0	17.4-32.6	215	75.0	67.4-82.6
Oth. Race/Non-Hisp.	118	73,123	19	23.5	9.6-37.4	99	76.5	62.6-90.4
MultiRacial/Non-Hisp.	62	25,489	23	49.3	30.1-68.5	39	50.7	31.5-69.9
Hispanic	157	132,500	40	27.4	18.8-36.0	117	72.6	64.0-81.2
18-24	243	340,403	106	46.5	39.2-53.8	137	53.5	46.2-60.8
25-34	368	402,956	147	41.8	35.7-47.9	221	58.2	52.1-64.3
35-44	480	390,462	116	27.9	22.8-33.0	364	72.1	67.0-77.2
45-54	678	397,220	143	24.6	20.3-28.9	535	75.4	71.1-79.7
55-64	981	405,415	180	19.9	16.6-23.2	801	80.1	76.8-83.4
65+	1618	435,196	98	6.7	5.1- 8.3	1520	93.3	91.7-94.9
Less Than H.S.	361	330,420	111	39.4	32.3-46.5	250	60.6	53.5-67.7
H.S. or G.E.D.	1426	827,658	307	31.6	28.1-35.1	1119	68.4	64.9-71.9
Some Post-H.S.	986	677,823	204	26.0	22.3-29.7	782	74.0	70.3-77.7
College Graduate	1630	548,611	168	13.4	11.0-15.8	1462	86.6	84.2-89.0
Less than \$15,000	308	195,932	81	34.4	27.0-41.8	227	65.6	58.2-73.0
\$15,000- 24,999	631	364,097	147	32.1	26.6-37.6	484	67.9	62.4-73.4
\$25,000- 34,999	433	224,972	95	34.8	27.7-41.9	338	65.2	58.1-72.3
\$35,000- 49,999	635	348,894	135	33.4	27.9-38.9	500	66.6	61.1-72.1
\$50,000- 74,999	698	358,079	114	24.7	19.6-29.8	584	75.3	70.2-80.4
\$75,000+	1287	679,258	167	18.8	15.3-22.3	1120	81.2	77.7-84.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 10: E-CIGARETTES**

**TABLE 3: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC “VAPING” PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6292	2,513,770	988	22.1	20.5-23.7	5304	77.9	76.3-79.5
White/Non-Hisp	5406	2,065,319	852	22.6	20.8-24.4	4554	77.4	75.6-79.2
Black or Afr. Am./Non-Hisp	442	215,450	56	21.0	14.7-27.3	386	79.0	72.7-85.3
Oth. Race/Non-Hisp.	92	39,263	22	25.4	11.5-39.3	70	74.6	60.7-88.5
MultiRacial/Non-Hisp.	92	28,281	24	38.5	23.0-54.0	68	61.5	46.0-77.0
Hispanic	192	142,921	23	11.2	5.9-16.5	169	88.8	83.5-94.1
18-24	197	325,089	72	36.1	28.7-43.5	125	63.9	56.5-71.3
25-34	413	394,880	131	30.0	24.9-35.1	282	70.0	64.9-75.1
35-44	583	398,134	128	22.0	17.9-26.1	455	78.0	73.9-82.1
45-54	884	394,216	197	24.5	21.0-28.0	687	75.5	72.0-79.0
55-64	1403	423,561	257	20.4	17.7-23.1	1146	79.6	76.9-82.3
65+	2724	547,065	198	8.7	7.3-10.1	2526	91.3	89.9-92.7
Less Than H.S.	493	301,616	129	29.3	23.6-35.0	364	70.7	65.0-76.4
H.S. or G.E.D.	2203	852,431	397	25.7	22.8-28.6	1806	74.3	71.4-77.2
Some Post-H.S.	1676	831,536	299	22.0	19.1-24.9	1377	78.0	75.1-80.9
College Graduate	1909	525,353	161	12.1	9.7-14.5	1748	87.9	85.5-90.3
Less than \$15,000	600	251,172	168	34.9	29.0-40.8	432	65.1	59.2-71.0
\$15,000- 24,999	1146	430,575	222	26.1	22.0-30.2	924	73.9	69.8-78.0
\$25,000- 34,999	692	260,509	125	25.7	20.4-31.0	567	74.3	69.0-79.6
\$35,000- 49,999	828	326,432	130	23.4	18.9-27.9	698	76.6	72.1-81.1
\$50,000- 74,999	787	334,767	106	20.2	15.5-24.9	681	79.8	75.1-84.5
\$75,000+	1290	579,529	138	14.7	11.8-17.6	1152	85.3	82.4-88.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 10: E-CIGARETTES**

**TABLE 4: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC “VAPING” PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1780	1,198,271	117	6.9	5.3- 8.5	235	12.5	10.5-14.5	1428	80.6	78.1-83.1
Male	793	643,106	56	7.1	4.7- 9.5	93	11.3	8.6-14.0	644	81.6	78.1-85.1
Female	987	555,164	61	6.5	4.3- 8.7	142	14.0	11.1-16.9	784	79.5	76.0-83.0
White/Non-Hisp	1498	981,928	105	7.7	5.7- 9.7	188	12.0	9.8-14.2	1205	80.3	77.6-83.0
Black or Afr. Am./Non-Hisp	103	93,936				17	13.7	5.5-21.9	86	86.3	78.1-94.5
Hispanic	62	51,449				10	11.3	3.3-19.3	52	88.7	80.7-96.7
18-24	179	276,171	10	6.3	2.0-10.6	27	14.2	8.7-19.7	142	79.5	72.8-86.2
25-34	277	286,073	20	7.3	4.0-10.6	29	7.8	4.5-11.1	228	84.9	80.2-89.6
35-44	243	196,243	16	7.1	3.0-11.2	45	19.7	13.4-26.0	182	73.2	66.3-80.1
45-54	339	193,946	24	7.0	3.9-10.1	48	12.2	7.9-16.5	267	80.8	75.7-85.9
55-64	437	166,764	22	5.8	2.7- 8.9	52	9.8	6.5-13.1	363	84.4	80.1-88.7
65+	296	76,648	25	8.7	4.4-13.0	34	12.6	7.5-17.7	237	78.7	72.4-85.0
Less Than H.S.	239	218,240	16	6.4	2.5-10.3	40	14.0	8.5-19.5	183	79.6	73.1-86.1
H.S. or G.E.D.	703	479,379	45	7.1	4.4- 9.8	88	11.0	8.1-13.9	570	81.9	78.2-85.6
Some Post-H.S.	503	359,399	35	7.2	4.3-10.1	74	15.1	11.0-19.2	394	77.6	72.7-82.5
College Graduate	329	137,908	21	6.0	2.7- 9.3	33	8.9	5.2-12.6	275	85.1	80.4-89.8
Less than \$15,000	249	155,028	19	5.6	2.3- 8.9	38	16.0	9.5-22.5	192	78.4	71.3-85.5
\$15,000- 24,999	368	228,940	22	4.8	2.3- 7.3	59	13.5	8.6-18.4	287	81.7	76.4-87.0
\$25,000- 34,999	219	144,276	14	10.7	4.2-17.2	24	11.6	5.9-17.3	181	77.8	69.8-85.8
\$35,000- 49,999	264	192,726	15	6.3	2.4-10.2	33	9.8	5.9-13.7	216	83.9	78.6-89.2
\$50,000- 74,999	220	156,276	16	5.6	2.3- 8.9	27	13.2	7.1-19.3	177	81.2	74.5-87.9
\$75,000+	305	212,479	21	6.3	3.0- 9.6	31	10.5	6.0-15.0	253	83.2	77.7-88.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 10: E-CIGARETTES**

**TABLE 5: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC "VAPING" PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	793	643,106	56	7.1	4.7- 9.5	93	11.3	8.6-14.0	644	81.6	78.1-85.1
White/Non-Hisp	647	515,826	48	8.1	5.2-11.0	69	10.2	7.3-13.1	530	81.7	77.8-85.6
18-24	107	158,830	8	8.3	2.0-14.6	21	18.7	10.7-26.7	78	73.0	63.4-82.6
25-34	146	167,689	11	6.5	2.6-10.4	13	5.7	2.2- 9.2	122	87.8	82.5-93.1
35-44	116	108,876	8	6.4	0.9-11.9	15	12.9	5.5-20.3	93	80.7	71.9-89.5
45-54	142	97,295	9	6.1	1.6-10.6	13	7.4	2.3-12.5	120	86.5	79.8-93.2
55-64	180	80,517	11	7.4	1.7-13.1	21	8.6	4.5-12.7	148	83.9	77.2-90.6
65+	98	28,978	9	9.9	1.9-17.9	10	17.6	6.8-28.4	79	72.6	60.4-84.8
Less Than H.S.	110	129,728	10	8.1	1.8-14.4	22	12.9	6.2-19.6	78	79.0	70.2-87.8
H.S. or G.E.D.	306	260,385	19	7.5	3.6-11.4	30	10.3	6.0-14.6	257	82.3	76.8-87.8
Some Post-H.S.	204	176,308	17	6.5	2.8-10.2	27	13.1	7.2-19.0	160	80.4	73.7-87.1
College Graduate	169	74,256	10	5.9	1.2-10.6	14	7.8	2.7-12.9	145	86.3	79.6-93.0
Less than \$15,000	81	67,304	9	8.0	1.3-14.7	9	13.3	3.5-23.1	63	78.7	67.5-89.9
\$15,000- 24,999	146	116,388	6	2.6	0.1- 5.1	21	12.0	4.7-19.3	119	85.4	78.0-92.8
\$25,000- 34,999	94	77,260	6	12.2	2.0-22.4	9	9.8	2.7-16.9	79	77.9	66.1-89.7
\$35,000- 49,999	135	116,522	10	6.9	1.8-12.0	13	8.3	3.4-13.2	112	84.8	77.9-91.7
\$50,000- 74,999	114	88,488	7	3.5	0.4- 6.6	16	16.1	7.1-25.1	91	80.4	71.0-89.8
\$75,000+	167	127,363	14	7.3	2.6-12.0	17	9.3	3.6-15.0	136	83.4	76.1-90.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 10: E-CIGARETTES**

**TABLE 6: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC “VAPING” PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	987	555,164	61	6.5	4.3- 8.7	142	14.0	11.1-16.9	784	79.5	76.0-83.0
White/Non-Hisp	851	466,102	57	7.2	4.7- 9.7	119	14.1	10.8-17.4	675	78.7	74.8-82.6
Black or Afr. Am./Non-Hisp	56	45,170				10	16.6	3.5-29.7	46	83.4	70.3-96.5
18-24	72	117,341	2	3.6	0.0- 8.7	6	8.1	1.4-14.8	64	88.2	80.0-96.4
25-34	131	118,385	9	8.3	2.4-14.2	16	10.8	4.5-17.1	106	80.9	72.9-88.9
35-44	127	87,367	8	8.0	1.7-14.3	30	28.3	18.3-38.3	89	63.8	53.4-74.2
45-54	197	96,652	15	8.0	3.5-12.5	35	17.0	10.3-23.7	147	75.0	67.4-82.6
55-64	257	86,247	11	4.3	1.2- 7.4	31	10.9	6.0-15.8	215	84.8	79.3-90.3
65+	198	47,669	16	7.9	2.8-13.0	24	9.6	4.9-14.3	158	82.5	75.8-89.2
Less Than H.S.	129	88,512	6	3.9	0.6- 7.2	18	15.5	6.3-24.7	105	80.6	71.0-90.2
H.S. or G.E.D.	397	218,994	26	6.6	3.1-10.1	58	11.9	8.0-15.8	313	81.5	76.4-86.6
Some Post-H.S.	299	183,091	18	8.0	3.5-12.5	47	17.0	11.1-22.9	234	75.0	68.1-81.9
College Graduate	160	63,652	11	6.0	1.7-10.3	19	10.2	4.5-15.9	130	83.9	76.8-91.0
Less than \$15,000	168	87,725	10	3.8	0.9- 6.7	29	18.0	9.4-26.6	129	78.2	69.4-87.0
\$15,000- 24,999	222	112,552	16	7.1	2.8-11.4	38	15.1	8.4-21.8	168	77.9	70.3-85.5
\$25,000- 34,999	125	67,016	8	8.8	1.2-16.4	15	13.6	4.8-22.4	102	77.6	66.8-88.4
\$35,000- 49,999	129	76,205	5	5.4	0.0-11.9	20	12.0	5.5-18.5	104	82.6	74.0-91.2
\$50,000- 74,999	106	67,788	9	8.4	1.7-15.1	11	9.4	1.8-17.0	86	82.3	72.7-91.9
\$75,000+	138	85,116	7	4.8	0.3- 9.3	14	12.2	4.8-19.6	117	83.0	74.6-91.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 11: ALCOHOL CONSUMPTION CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1	MALES AND FEMALES	190
2	MALES ONLY	191
3	FEMALES ONLY	192
	ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4	MALES AND FEMALES	193
5	MALES ONLY	194
6	FEMALES ONLY	195
	CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7	MALES AND FEMALES	196
8	MALES ONLY	197
9	FEMALES ONLY	198
	DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK5)	
10	MALES AND FEMALES	199
11	MALES ONLY	200
12	FEMALES ONLY	201

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10608	4,863,177	1168	12.5	11.5-13.5	190	1.3	1.1- 1.5	2892	30.6	29.2-32.0	768	7.6	6.8- 8.4	5590	48.0	46.6-49.4
Male	4368	2,367,165	599	14.6	13.0-16.2	124	2.1	1.5- 2.7	1209	30.4	28.4-32.4	496	11.2	9.8-12.6	1940	41.7	39.5-43.9
Female	6240	2,496,013	569	10.5	9.3-11.7	66	0.7	0.5- 0.9	1683	30.8	29.0-32.6	272	4.1	3.3- 4.9	3650	54.0	52.0-56.0
White/Non-Hisp	9083	3,963,861	1022	12.8	11.8-13.8	170	1.5	1.1- 1.9	2480	30.7	29.3-32.1	695	7.9	7.1- 8.7	4716	47.1	45.5-48.7
Black or Afr. Am./Non-Hisp	690	403,069	65	11.3	7.6-15.0	6	0.4	0.0- 0.8	194	34.1	28.8-39.4	32	6.4	3.7- 9.1	393	47.7	42.2-53.2
Oth. Race/Non-Hisp.	208	112,421	20	10.0	3.3-16.7	2	0.5	0.0- 1.3	47	23.5	14.9-32.1	9	3.3	0.6- 6.0	130	62.7	52.5-72.9
MultiRacial/Non-Hisp.	153	52,508	15	7.5	3.0-12.0	2	0.8	0.0- 2.4	39	35.7	23.2-48.2	9	10.2	2.2-18.2	88	45.8	33.8-57.8
Hispanic	333	265,115	35	10.7	6.2-15.2	7	1.4	0.2- 2.6	95	28.3	22.0-34.6	14	5.6	2.3- 8.9	182	53.9	47.0-60.8
18-24	438	661,638	57	12.1	8.6-15.6	3	0.2	0.0- 0.6	154	33.6	28.5-38.7	27	6.8	4.1- 9.5	197	47.3	41.8-52.8
25-34	776	793,468	108	14.9	12.0-17.8	4	0.5	0.1- 0.9	307	38.6	34.5-42.7	68	9.2	6.7-11.7	289	36.8	32.7-40.9
35-44	1050	781,260	164	16.0	13.3-18.7	5	0.6	0.0- 1.2	387	36.6	32.9-40.3	74	6.9	4.9- 8.9	420	39.9	36.2-43.6
45-54	1552	787,360	207	12.5	10.5-14.5	23	1.9	0.9- 2.9	524	31.6	28.7-34.5	120	8.4	6.6-10.2	678	45.6	42.5-48.7
55-64	2360	821,061	286	12.5	10.7-14.3	44	2.1	1.3- 2.9	642	26.7	24.3-29.1	186	7.9	6.5- 9.3	1202	50.8	48.3-53.3
65+	4305	971,512	339	8.2	7.0- 9.4	109	2.4	1.8- 3.0	845	19.7	18.1-21.3	287	6.6	5.6- 7.6	2725	63.1	61.1-65.1
Less Than H.S.	838	617,894	50	7.3	4.8- 9.8	11	1.2	0.4- 2.0	118	17.8	14.1-21.5	26	4.6	2.4- 6.8	633	69.0	64.5-73.5
H.S. or G.E.D.	3588	1,665,984	306	9.6	8.2-11.0	45	1.2	0.8- 1.6	806	27.8	25.6-30.0	195	7.1	5.7- 8.5	2236	54.2	51.8-56.6
Some Post-H.S.	2643	1,500,305	311	15.1	12.9-17.3	35	1.0	0.6- 1.4	790	34.4	31.9-36.9	185	7.7	6.3- 9.1	1322	41.8	39.3-44.3
College Graduate	3519	1,070,796	499	16.3	14.5-18.1	99	2.1	1.5- 2.7	1169	36.7	34.3-39.1	361	9.8	8.4-11.2	1391	35.1	32.9-37.3
Less than \$15,000	895	438,566	51	6.9	4.4- 9.4	9	1.2	0.0- 2.4	152	22.3	17.8-26.8	31	5.1	2.7- 7.5	652	64.5	59.6-69.4
\$15,000- 24,999	1759	786,400	143	10.1	7.7-12.5	13	0.8	0.2- 1.4	349	24.8	21.5-28.1	83	5.3	3.5- 7.1	1171	59.1	55.6-62.6
\$25,000- 34,999	1120	484,114	90	11.3	8.0-14.6	21	1.3	0.5- 2.1	240	24.9	21.0-28.8	62	6.1	3.9- 8.3	707	56.4	51.9-60.9
\$35,000- 49,999	1455	674,248	155	12.5	10.0-15.0	23	0.8	0.4- 1.2	427	31.8	28.3-35.3	104	8.6	6.2-11.0	746	46.2	42.5-49.9
\$50,000- 74,999	1477	688,894	181	14.5	11.8-17.2	27	1.7	0.9- 2.5	473	34.6	31.1-38.1	137	9.3	6.9-11.7	659	39.9	36.4-43.4
\$75,000+	2559	1,251,185	446	17.3	15.1-19.5	65	1.8	1.2- 2.4	947	38.5	35.8-41.2	283	9.8	8.2-11.4	818	32.5	30.0-35.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4368	2,367,165	599	14.6	13.0-16.2	124	2.1	1.5- 2.7	1209	30.4	28.4-32.4	496	11.2	9.8-12.6	1940	41.7	39.5-43.9
White/Non-Hisp	3712	1,908,272	523	15.2	13.6-16.8	108	2.2	1.6- 2.8	1017	29.8	27.6-32.0	448	11.9	10.3-13.5	1616	41.0	38.8-43.2
Black or Afr. Am./Non-Hisp	255	190,740	30	11.9	6.2-17.6	3	0.6	0.0- 1.4	72	36.0	27.8-44.2	22	10.6	5.5-15.7	128	40.8	33.0-48.6
Oth. Race/Non-Hisp.	119	73,511	14	11.1	1.7-20.5	2	0.7	0.0- 2.1	33	28.7	16.5-40.9	7	4.4	0.3- 8.5	63	55.1	41.2-69.0
MultiRacial/Non-Hisp.	62	25,489	5	8.2	0.4-16.0	2	1.7	0.0- 4.8	19	46.7	27.1-66.3	4	6.5	0.0-14.9	32	36.9	19.7-54.1
Hispanic	147	125,579	20	12.7	5.6-19.8	6	2.9	0.2- 5.6	48	32.3	23.1-41.5	12	9.6	3.3-15.9	61	42.4	32.6-52.2
18-24	242	337,811	36	12.7	8.0-17.4	3	0.5	0.0- 1.1	82	33.1	26.2-40.0	17	7.4	3.5-11.3	104	46.3	38.9-53.7
25-34	365	400,446	54	14.4	10.1-18.7	3	0.7	0.0- 1.5	155	40.1	34.2-46.0	44	13.2	8.9-17.5	109	31.5	25.8-37.2
35-44	475	390,005	87	18.9	14.6-23.2	5	1.1	0.1- 2.1	155	34.5	29.0-40.0	56	11.4	7.9-14.9	172	34.1	28.8-39.4
45-54	671	393,560	108	15.0	11.7-18.3	15	2.8	1.2- 4.4	210	28.9	24.6-33.2	83	12.7	9.6-15.8	255	40.6	35.9-45.3
55-64	970	400,397	143	15.5	12.6-18.4	29	3.2	1.6- 4.8	250	25.6	22.1-29.1	124	12.0	9.6-14.4	424	43.7	39.8-47.6
65+	1602	428,150	167	11.2	9.0-13.4	69	3.7	2.5- 4.9	347	21.9	19.2-24.6	168	10.2	8.2-12.2	851	53.0	49.9-56.1
Less Than H.S.	353	323,656	32	11.0	6.3-15.7	10	2.3	0.5- 4.1	66	20.3	14.6-26.0	19	7.8	3.7-11.9	226	58.6	51.7-65.5
H.S. or G.E.D.	1410	819,688	174	11.8	9.6-14.0	29	1.8	1.0- 2.6	347	30.2	26.9-33.5	130	10.4	8.0-12.8	730	45.8	42.3-49.3
Some Post-H.S.	975	671,245	143	17.3	14.0-20.6	24	1.8	0.8- 2.8	279	32.1	28.2-36.0	120	12.3	9.8-14.8	409	36.6	32.7-40.5
College Graduate	1621	547,170	249	17.7	15.2-20.2	61	2.6	1.6- 3.6	512	34.4	31.3-37.5	226	13.1	10.9-15.3	573	32.2	29.1-35.3
Less than \$15,000	303	191,146	21	7.7	3.2-12.2	6	2.2	0.0- 4.6	56	21.7	15.0-28.4	20	8.9	4.2-13.6	200	59.5	51.9-67.1
\$15,000- 24,999	625	359,579	69	11.7	8.0-15.4	11	1.5	0.3- 2.7	150	27.9	22.6-33.2	49	8.3	5.0-11.6	346	50.5	44.8-56.2
\$25,000- 34,999	430	223,750	46	16.3	10.4-22.2	14	2.1	0.7- 3.5	98	26.0	19.7-32.3	44	10.5	6.2-14.8	228	45.2	38.5-51.9
\$35,000- 49,999	632	349,840	77	13.4	9.7-17.1	17	1.3	0.5- 2.1	178	30.9	25.8-36.0	69	13.4	9.3-17.5	291	41.1	35.6-46.6
\$50,000- 74,999	694	355,649	106	16.2	12.3-20.1	20	2.8	1.2- 4.4	212	33.6	28.5-38.7	81	10.7	7.4-14.0	275	36.7	31.6-41.8
\$75,000+	1276	673,149	240	18.6	15.7-21.5	42	2.4	1.4- 3.4	421	35.0	31.3-38.7	198	14.1	11.6-16.6	375	29.8	26.1-33.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6240	2,496,013	569	10.5	9.3-11.7	66	0.7	0.5- 0.9	1683	30.8	29.0-32.6	272	4.1	3.3- 4.9	3650	54.0	52.0-56.0
White/Non-Hisp	5371	2,055,590	499	10.7	9.3-12.1	62	0.8	0.6- 1.0	1463	31.6	29.6-33.6	247	4.3	3.5- 5.1	3100	52.7	50.7-54.7
Black or Afr. Am./Non-Hisp	435	212,330	35	10.7	6.0-15.4	3	0.3	0.0- 0.7	122	32.4	25.5-39.3	10	2.7	0.3- 5.1	265	53.9	46.6-61.2
Oth. Race/Non-Hisp.	89	38,910	6	8.0	0.2-15.8				14	13.7	4.5-22.9	2	1.1	0.0- 2.7	67	77.2	65.4-89.0
MultiRacial/Non-Hisp.	91	27,019	10	6.9	2.0-11.8				20	25.4	12.7-38.1	5	13.6	0.5-26.7	56	54.1	38.8-69.4
Hispanic	186	139,536	15	8.9	3.4-14.4	1	0.1	0.0- 0.3	47	24.8	16.2-33.4	2	2.0	0.0- 4.9	121	64.3	54.9-73.7
18-24	196	323,827	21	11.4	6.1-16.7				72	34.1	26.7-41.5	10	6.1	2.0-10.2	93	48.3	40.3-56.3
25-34	411	393,022	54	15.4	11.1-19.7	1	0.2	0.0- 0.6	152	37.1	31.4-42.8	24	5.1	2.6- 7.6	180	42.2	36.5-47.9
35-44	575	391,255	77	13.1	9.6-16.6				232	38.8	33.9-43.7	18	2.4	1.0- 3.8	248	45.7	40.6-50.8
45-54	881	393,800	99	10.1	7.7-12.5	8	0.9	0.1- 1.7	314	34.3	30.4-38.2	37	4.1	2.5- 5.7	423	50.6	46.5-54.7
55-64	1390	420,664	143	9.6	7.6-11.6	15	1.1	0.5- 1.7	392	27.8	24.9-30.7	62	3.9	2.7- 5.1	778	57.6	54.5-60.7
65+	2703	543,362	172	5.8	4.6- 7.0	40	1.4	0.8- 2.0	498	18.0	16.2-19.8	119	3.8	3.0- 4.6	1874	71.0	68.8-73.2
Less Than H.S.	485	294,237	18	3.2	1.2- 5.2	1	0.1	0.0- 0.3	52	15.2	10.1-20.3	7	1.1	0.1- 2.1	407	80.4	74.9-85.9
H.S. or G.E.D.	2178	846,296	132	7.5	5.7- 9.3	16	0.7	0.3- 1.1	459	25.5	22.8-28.2	65	3.9	2.3- 5.5	1506	62.4	59.3-65.5
Some Post-H.S.	1668	829,061	168	13.3	10.6-16.0	11	0.4	0.2- 0.6	511	36.3	32.8-39.8	65	4.0	2.6- 5.4	913	46.0	42.5-49.5
College Graduate	1898	523,626	250	14.9	12.5-17.3	38	1.5	0.9- 2.1	657	39.2	36.1-42.3	135	6.3	4.7- 7.9	818	38.2	35.1-41.3
Less than \$15,000	592	247,420	30	6.3	3.2- 9.4	3	0.4	0.0- 1.0	96	22.8	16.9-28.7	11	2.1	0.0- 4.3	452	68.4	62.1-74.7
\$15,000- 24,999	1134	426,821	74	8.7	6.0-11.4	2	0.2	0.0- 0.6	199	22.1	18.0-26.2	34	2.7	1.3- 4.1	825	66.3	61.8-70.8
\$25,000- 34,999	690	260,364	44	7.1	4.0-10.2	7	0.6	0.2- 1.0	142	23.9	18.8-29.0	18	2.4	0.6- 4.2	479	66.0	60.3-71.7
\$35,000- 49,999	823	324,408	78	11.6	8.1-15.1	6	0.3	0.0- 0.7	249	32.9	28.0-37.8	35	3.4	1.8- 5.0	455	51.8	46.7-56.9
\$50,000- 74,999	783	333,245	75	12.6	8.9-16.3	7	0.6	0.0- 1.2	261	35.7	30.6-40.8	56	7.8	4.5-11.1	384	43.4	38.3-48.5
\$75,000+	1283	578,036	206	15.9	13.0-18.8	23	1.1	0.5- 1.7	526	42.5	38.6-46.4	85	4.8	3.2- 6.4	443	35.7	32.0-39.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4942	2,478,394	2407	39.7	37.7-41.7	1365	27.7	25.9-29.5	543	14.1	12.5-15.7	239	6.5	5.5- 7.5	388	12.0	10.6-13.4
Male	2390	1,348,281	921	31.3	28.8-33.8	674	27.3	24.8-29.8	341	16.5	14.3-18.7	148	7.4	6.0- 8.8	306	17.5	15.1-19.9
Female	2552	1,130,113	1486	49.8	46.9-52.7	691	28.2	25.7-30.7	202	11.2	9.0-13.4	91	5.3	3.9- 6.7	82	5.4	3.8- 7.0
White/Non-Hisp	4310	2,061,117	2145	40.9	38.7-43.1	1192	27.4	25.4-29.4	445	13.3	11.7-14.9	205	6.8	5.6- 8.0	323	11.7	10.1-13.3
Black or Afr. Am./Non-Hisp	287	203,496	128	34.8	27.4-42.2	78	33.7	25.9-41.5	39	15.4	8.9-21.9	16	5.6	2.5- 8.7	26	10.5	5.4-15.6
Oth. Race/Non-Hisp.	77	41,393	31	33.1	18.4-47.8	24	32.0	15.7-48.3	9	16.5	5.1-27.9	8	8.7	0.5-16.9	5	9.7	0.0-23.6
MultiRacial/Non-Hisp.	65	28,483	25	32.6	15.2-50.0	20	27.7	13.6-41.8	12	20.5	5.4-35.6	3	5.2	0.0-11.5	5	14.0	0.0-28.1
Hispanic	147	118,399	50	31.8	22.0-41.6	37	23.2	14.8-31.6	32	22.1	13.7-30.5	5	3.7	0.0- 7.8	23	19.2	9.8-28.6
18-24	235	337,986	54	25.9	19.2-32.6	66	26.6	20.3-32.9	46	20.4	14.3-26.5	18	6.2	3.1- 9.3	51	20.9	15.0-26.8
25-34	479	491,039	174	34.8	29.7-39.9	138	28.5	23.6-33.4	66	15.0	11.1-18.9	35	7.0	4.5- 9.5	66	14.7	10.8-18.6
35-44	622	463,124	223	32.4	27.9-36.9	201	29.4	25.1-33.7	88	16.2	12.3-20.1	50	10.1	7.0-13.2	60	11.8	8.5-15.1
45-54	858	417,201	346	37.2	33.1-41.3	277	31.5	27.6-35.4	102	13.9	10.8-17.0	45	5.9	3.9- 7.9	88	11.6	8.7-14.5
55-64	1144	398,608	556	46.4	42.7-50.1	333	27.0	23.7-30.3	118	10.5	8.3-12.7	52	5.7	3.7- 7.7	85	10.5	8.0-13.0
65+	1558	352,582	1027	64.2	61.1-67.3	341	22.2	19.5-24.9	116	8.2	6.2-10.2	36	2.9	1.7- 4.1	38	2.6	1.6- 3.6
Less Than H.S.	194	180,335	67	32.7	23.9-41.5	42	21.3	13.3-29.3	33	14.8	8.7-20.9	13	7.8	2.7-12.9	39	23.3	15.3-31.3
H.S. or G.E.D.	1328	746,179	592	37.1	33.6-40.6	324	24.5	21.4-27.6	167	15.4	12.5-18.3	86	7.1	5.3- 8.9	159	15.8	12.9-18.7
Some Post-H.S.	1298	855,402	610	37.9	34.4-41.4	367	28.1	24.8-31.4	140	15.3	12.4-18.2	74	7.2	5.2- 9.2	107	11.5	9.0-14.0
College Graduate	2111	690,657	1132	46.4	43.5-49.3	632	32.6	29.9-35.3	202	11.1	9.1-13.1	64	4.4	3.0- 5.8	81	5.5	4.1- 6.9
Less than \$15,000	232	147,089	96	42.4	33.0-51.8	49	15.8	9.7-21.9	35	18.6	11.2-26.0	22	9.9	4.4-15.4	30	13.3	6.8-19.8
\$15,000- 24,999	577	314,928	237	33.7	28.0-39.4	165	28.8	23.3-34.3	70	14.1	9.8-18.4	37	7.5	4.6-10.4	68	16.0	11.3-20.7
\$25,000- 34,999	406	205,633	181	33.3	26.8-39.8	104	29.6	22.5-36.7	62	18.2	12.5-23.9	19	6.8	2.5-11.1	40	11.9	7.6-16.2
\$35,000- 49,999	693	349,846	352	39.5	34.4-44.6	164	27.8	22.9-32.7	85	15.0	11.1-18.9	28	3.5	1.9- 5.1	64	14.3	10.2-18.4
\$50,000- 74,999	812	409,743	395	39.9	35.2-44.6	214	24.9	20.8-29.0	92	13.8	10.1-17.5	54	10.7	7.4-14.0	57	10.7	7.4-14.0
\$75,000+	1729	838,628	841	40.9	37.8-44.0	563	31.9	29.0-34.8	165	13.0	10.5-15.5	64	5.0	3.6- 6.4	96	9.3	6.9-11.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2390	1,348,281	921	31.3	28.8-33.8	674	27.3	24.8-29.8	341	16.5	14.3-18.7	148	7.4	6.0- 8.8	306	17.5	15.1-19.9
White/Non-Hisp	2070	1,102,780	817	31.8	29.1-34.5	584	27.1	24.6-29.6	283	15.7	13.5-17.9	126	7.7	6.1- 9.3	260	17.8	15.3-20.3
Black or Afr. Am./Non-Hisp	123	109,486	44	32.3	21.7-42.9	35	30.2	19.2-41.2	19	17.8	8.0-27.6	9	6.9	2.0-11.8	16	12.8	4.8-20.8
Oth. Race/Non-Hisp.	55	32,511	20	29.3	12.6-46.0	16	31.5	12.1-50.9	7	15.7	3.0-28.4	7	11.0	0.4-21.6	5	12.4	0.0-29.8
Hispanic	82	68,534	18	22.0	11.0-33.0	22	24.7	13.3-36.1	21	24.0	12.8-35.2	3	4.3	0.0-11.0	18	24.9	12.6-37.2
18-24	134	174,402	24	18.3	10.7-25.9	34	25.7	16.9-34.5	27	19.9	12.3-27.5	8	4.9	1.2- 8.6	41	31.3	22.1-40.5
25-34	252	268,383	73	27.8	21.1-34.5	69	28.6	21.9-35.3	39	15.6	10.5-20.7	21	8.0	4.3-11.7	50	20.0	14.3-25.7
35-44	298	252,701	77	24.0	18.3-29.7	92	25.9	20.0-31.8	56	21.7	15.6-27.8	28	10.8	6.3-15.3	45	17.6	11.9-23.3
45-54	409	226,658	125	28.1	22.6-33.6	137	32.0	26.3-37.7	58	16.8	12.1-21.5	24	6.9	3.8-10.0	65	16.2	11.5-20.9
55-64	539	222,016	195	35.1	30.0-40.2	160	27.3	22.6-32.0	75	12.6	9.3-15.9	36	7.9	4.8-11.0	73	17.1	12.8-21.4
65+	740	197,086	422	56.2	51.5-60.9	177	24.0	19.9-28.1	81	11.6	8.3-14.9	28	4.2	2.2- 6.2	32	4.0	2.2- 5.8
Less Than H.S.	119	124,053	30	23.9	13.9-33.9	23	21.3	11.1-31.5	24	17.4	9.4-25.4	9	9.1	2.2-16.0	33	28.4	18.4-38.4
H.S. or G.E.D.	668	435,357	215	29.2	24.7-33.7	160	23.4	19.1-27.7	100	16.0	12.3-19.7	60	8.7	6.2-11.2	133	22.8	18.3-27.3
Some Post-H.S.	555	415,637	206	27.8	23.3-32.3	156	28.5	23.6-33.4	76	18.1	13.6-22.6	36	7.4	4.7-10.1	81	18.1	13.8-22.4
College Graduate	1042	369,006	466	39.7	35.8-43.6	335	33.0	29.1-36.9	141	15.3	12.4-18.2	42	5.2	3.2- 7.2	58	6.8	4.6- 9.0
Less than \$15,000	97	72,629	28	30.6	17.9-43.3	18	13.8	5.4-22.2	16	23.0	11.2-34.8	13	9.5	3.0-16.0	22	23.1	11.1-35.1
\$15,000- 24,999	273	172,842	88	26.7	19.3-34.1	74	27.8	20.2-35.4	37	14.9	8.8-21.0	20	7.4	3.3-11.5	54	23.3	15.9-30.7
\$25,000- 34,999	198	117,862	66	25.6	17.6-33.6	50	26.6	17.0-36.2	38	22.1	13.7-30.5	10	7.8	1.1-14.5	34	17.9	11.0-24.8
\$35,000- 49,999	333	198,888	138	33.7	26.8-40.6	80	27.1	20.4-33.8	53	17.3	11.8-22.8	15	3.2	1.0- 5.4	47	18.6	12.5-24.7
\$50,000- 74,999	416	221,516	164	32.5	26.4-38.6	107	23.6	17.9-29.3	63	15.2	10.5-19.9	35	13.1	8.2-18.0	47	15.6	10.3-20.9
\$75,000+	898	471,439	357	32.0	28.1-35.9	298	32.0	27.9-36.1	115	15.9	12.2-19.6	49	6.7	4.5- 8.9	79	13.4	9.9-16.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2552	1,130,113	1486	49.8	46.9-52.7	691	28.2	25.7-30.7	202	11.2	9.0-13.4	91	5.3	3.9- 6.7	82	5.4	3.8- 7.0
White/Non-Hisp	2240	958,337	1328	51.3	48.2-54.4	608	27.7	25.0-30.4	162	10.6	8.2-13.0	79	5.6	4.0- 7.2	63	4.8	3.2- 6.4
Black or Afr. Am./Non-Hisp	164	94,010	84	37.7	27.1-48.3	43	37.7	26.3-49.1	20	12.6	4.6-20.6	7	4.0	0.3- 7.7	10	7.9	2.2-13.6
Hispanic	65	49,866	32	45.1	28.4-61.8	15	21.0	8.7-33.3	11	19.5	7.0-32.0	2	3.0	0.0- 7.1	5	11.4	0.0-25.9
18-24	101	163,585	30	34.0	23.0-45.0	32	27.6	18.2-37.0	19	21.0	11.6-30.4	10	7.6	2.5-12.7	10	9.8	3.3-16.3
25-34	227	222,656	101	43.2	35.4-51.0	69	28.5	21.4-35.6	27	14.3	8.4-20.2	14	5.7	2.2- 9.2	16	8.3	3.4-13.2
35-44	324	210,423	146	42.5	35.6-49.4	109	33.6	27.1-40.1	32	9.7	5.4-14.0	22	9.3	5.0-13.6	15	4.9	2.0- 7.8
45-54	449	190,543	221	48.1	42.4-53.8	140	30.8	25.5-36.1	44	10.3	6.8-13.8	21	4.7	2.3- 7.1	23	6.0	3.3- 8.7
55-64	605	176,592	361	60.7	55.8-65.6	173	26.5	22.2-30.8	43	7.8	5.1-10.5	16	2.8	1.2- 4.4	12	2.1	0.5- 3.7
65+	818	155,496	605	74.4	70.5-78.3	164	19.8	16.3-23.3	35	3.8	2.4- 5.2	8	1.2	0.0- 2.4	6	0.8	0.0- 2.0
Less Than H.S.	75	56,282	37	52.3	36.4-68.2	19	21.5	9.7-33.3	9	9.1	1.8-16.4	4	4.8	0.0-10.3	6	12.3	0.0-25.8
H.S. or G.E.D.	660	310,822	377	48.1	42.6-53.6	164	26.2	21.3-31.1	67	14.7	10.0-19.4	26	4.9	2.5- 7.3	26	6.1	3.2- 9.0
Some Post-H.S.	743	439,765	404	47.4	42.1-52.7	211	27.7	23.2-32.2	64	12.6	8.7-16.5	38	7.1	4.4- 9.8	26	5.2	2.7- 7.7
College Graduate	1069	321,651	666	54.2	49.9-58.5	297	32.2	28.1-36.3	61	6.3	4.1- 8.5	22	3.4	1.6- 5.2	23	3.9	1.9- 5.9
Less than \$15,000	135	74,460	68	53.9	41.0-66.8	31	17.7	8.9-26.5	19	14.3	4.9-23.7	9	10.3	1.7-18.9	8	3.8	0.3- 7.3
\$15,000- 24,999	304	142,086	149	42.2	33.6-50.8	91	29.9	22.3-37.5	33	13.0	6.7-19.3	17	7.8	3.5-12.1	14	7.1	2.4-11.8
\$25,000- 34,999	208	87,771	115	43.7	33.5-53.9	54	33.8	23.6-44.0	24	13.1	6.0-20.2	9	5.5	1.2- 9.8	6	3.9	0.2- 7.6
\$35,000- 49,999	360	150,958	214	47.1	39.5-54.7	84	28.7	21.3-36.1	32	11.9	6.4-17.4	13	3.9	1.4- 6.4	17	8.5	3.6-13.4
\$50,000- 74,999	396	188,227	231	48.6	41.3-55.9	107	26.6	20.3-32.9	29	12.2	5.9-18.5	19	7.8	3.5-12.1	10	4.9	1.4- 8.4
\$75,000+	831	367,189	484	52.3	47.4-57.2	265	31.8	27.3-36.3	50	9.3	6.0-12.6	15	2.7	0.9- 4.5	17	3.9	1.2- 6.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days  
Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4917	2,478,119	407	11.3	9.9-12.7	233	6.2	5.2- 7.2	130	4.0	3.2- 4.8	117	2.8	2.0- 3.6	337	9.8	8.4-11.2	3693	66.0	64.0-68.0
Male	2372	1,348,851	223	12.2	10.2-14.2	147	7.4	5.8- 9.0	90	5.2	3.8- 6.6	60	3.1	1.9- 4.3	236	12.3	10.3-14.3	1616	59.7	57.0-62.4
Female	2545	1,129,268	184	10.1	8.1-12.1	86	4.7	3.3- 6.1	40	2.6	1.6- 3.6	57	2.4	1.6- 3.2	101	6.7	4.9- 8.5	2077	73.4	70.7-76.1
White/Non-Hisp	4290	2,060,032	351	11.2	9.8-12.6	195	6.0	5.0- 7.0	110	4.0	3.0- 5.0	97	3.0	2.2- 3.8	292	10.0	8.4-11.6	3245	65.9	63.7-68.1
Black or Afr. Am./Non-Hisp	285	204,847	24	11.5	6.0-17.0	14	5.1	1.8- 8.4	12	6.3	2.0-10.6	8	1.3	0.3- 2.3	18	8.7	3.6-13.8	209	67.2	59.4-75.0
Oth. Race/Non-Hisp.	75	41,115	7	11.2	0.0-25.3	2	1.9	0.0- 5.6	1	0.9	0.0- 2.7	2	3.4	0.0- 8.1	8	5.6	0.9-10.3	55	77.0	62.1-91.9
MultiRacial/Non-Hisp.	65	28,483	5	10.7	0.3-21.1	1	1.0	0.0- 3.0	3	6.4	0.0-13.7	2	1.4	0.0- 3.6	4	6.1	0.0-12.4	50	74.4	60.5-88.3
Hispanic	147	118,420	16	14.3	6.5-22.1	16	12.7	4.3-21.1	4	1.9	0.0- 4.1	7	2.5	0.3- 4.7	12	9.4	3.3-15.5	92	59.2	48.6-69.8
18-24	238	343,091	40	15.7	10.6-20.8	15	6.4	2.9- 9.9	23	8.2	4.3-12.1	7	2.0	0.4- 3.6	36	18.4	12.3-24.5	117	49.3	42.0-56.6
25-34	477	490,455	71	15.5	11.6-19.4	38	8.5	5.4-11.6	22	4.4	2.4- 6.4	20	4.7	2.2- 7.2	44	9.5	6.4-12.6	282	57.4	52.1-62.7
35-44	622	464,310	75	13.2	9.9-16.5	47	7.8	5.1-10.5	23	4.6	2.4- 6.8	24	3.3	1.7- 4.9	57	9.8	6.9-12.7	396	61.3	56.4-66.2
45-54	856	418,437	82	10.2	7.5-12.9	42	5.8	3.6- 8.0	23	3.2	1.6- 4.8	20	2.2	1.0- 3.4	83	11.1	8.4-13.8	606	67.5	63.4-71.6
55-64	1132	392,242	90	8.7	6.3-11.1	54	5.0	3.4- 6.6	21	2.1	1.1- 3.1	27	2.4	1.2- 3.6	66	7.3	5.1- 9.5	874	74.5	71.2-77.8
65+	1545	350,981	46	3.1	1.9- 4.3	36	2.8	1.6- 4.0	17	1.7	0.7- 2.7	17	1.1	0.5- 1.7	49	2.9	1.9- 3.9	1380	88.4	86.2-90.6
Less Than H.S.	193	185,597	21	9.2	3.9-14.5	11	8.0	2.3-13.7	16	10.0	4.3-15.7	10	4.9	0.4- 9.4	29	16.9	9.6-24.2	106	50.9	41.5-60.3
H.S. or G.E.D.	1308	739,581	122	11.6	9.1-14.1	67	6.3	4.3- 8.3	37	3.6	2.2- 5.0	38	3.0	1.8- 4.2	117	11.9	9.2-14.6	927	63.5	59.8-67.2
Some Post-H.S.	1299	858,155	106	11.1	8.6-13.6	73	6.9	4.9- 8.9	32	3.7	2.1- 5.3	31	2.5	1.3- 3.7	94	9.8	7.4-12.2	963	65.9	62.2-69.6
College Graduate	2107	689,039	158	11.8	9.6-14.0	81	4.7	3.3- 6.1	44	3.1	1.9- 4.3	37	2.1	1.1- 3.1	96	5.6	4.2- 7.0	1691	72.7	70.0-75.4
Less than \$15,000	228	148,582	24	9.9	4.6-15.2	13	3.2	0.5- 5.9	14	11.7	4.6-18.8	3	0.2	0.0- 0.4	29	16.3	9.0-23.6	145	58.8	49.4-68.2
\$15,000- 24,999	573	312,928	49	11.7	7.6-15.8	32	6.5	3.6- 9.4	14	4.1	1.6- 6.6	15	3.0	1.0- 5.0	51	10.7	6.8-14.6	412	63.9	58.0-69.8
\$25,000- 34,999	402	206,474	32	10.0	5.7-14.3	21	8.0	3.7-12.3	13	4.8	1.9- 7.7	10	1.6	0.4- 2.8	36	13.8	8.1-19.5	290	61.8	54.5-69.1
\$35,000- 49,999	695	354,527	50	11.6	7.9-15.3	27	5.0	2.6- 7.4	20	3.8	1.8- 5.8	24	3.6	1.8- 5.4	52	10.8	7.1-14.5	522	65.2	59.9-70.5
\$50,000- 74,999	806	406,514	69	11.3	8.0-14.6	33	5.6	3.1- 8.1	22	3.9	1.9- 5.9	23	3.7	1.3- 6.1	48	8.2	5.1-11.3	611	67.2	62.3-72.1
\$75,000+	1726	835,329	157	12.1	9.7-14.5	91	7.2	5.2- 9.2	36	2.7	1.5- 3.9	32	2.5	1.3- 3.7	97	7.6	5.6- 9.6	1313	67.8	64.5-71.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2372	1,348,851	223	12.2	10.2-14.2	147	7.4	5.8- 9.0	90	5.2	3.8- 6.6	60	3.1	1.9- 4.3	236	12.3	10.3-14.3	1616	59.7	57.0-62.4
White/Non-Hisp	2053	1,102,017	189	12.4	10.2-14.6	121	6.9	5.3- 8.5	78	5.3	3.9- 6.7	54	3.6	2.2- 5.0	204	12.5	10.3-14.7	1407	59.3	56.4-62.2
Black or Afr. Am./Non-Hisp	121	109,377	11	10.2	3.5-16.9	9	7.6	1.9-13.3	6	7.2	0.1-14.3	1	0.3	0.0- 0.9	11	12.0	3.4-20.6	83	62.7	51.1-74.3
Oth. Race/Non-Hisp.	55	32,522	5	12.7	0.0-30.3	1	2.4	0.0- 7.1	1	1.2	0.0- 3.6				7	6.6	0.5-12.7	41	77.2	59.2-95.2
Hispanic	82	68,554	11	13.9	4.5-23.3	12	15.5	5.1-25.9	3	3.0	0.0- 6.7	4	2.6	0.0- 5.5	10	14.1	4.5-23.7	42	50.9	37.4-64.4
18-24	136	177,878	27	17.8	10.9-24.7	9	7.4	2.1-12.7	17	11.3	5.2-17.4	3	1.4	0.0- 3.2	22	19.5	11.1-27.9	58	42.5	32.9-52.1
25-34	254	271,290	35	14.6	9.5-19.7	21	7.9	4.2-11.6	17	6.8	3.5-10.1	13	6.6	2.5-10.7	27	10.8	6.3-15.3	141	53.4	46.1-60.7
35-44	297	253,143	40	14.4	9.5-19.3	31	10.6	6.3-14.9	14	4.6	1.9- 7.3	11	3.4	0.9- 5.9	41	13.2	8.5-17.9	160	53.7	46.6-60.8
45-54	406	227,617	44	11.3	7.2-15.4	24	7.2	3.9-10.5	14	3.8	1.3- 6.3	7	1.4	0.2- 2.6	59	15.3	10.8-19.8	258	61.0	54.9-67.1
55-64	530	216,298	49	10.8	7.1-14.5	37	7.1	4.4- 9.8	17	3.1	1.3- 4.9	15	3.0	1.0- 5.0	54	11.8	8.1-15.5	358	64.1	58.8-69.4
65+	731	195,592	27	4.0	2.0- 6.0	24	3.4	1.6- 5.2	11	2.3	0.7- 3.9	10	1.3	0.3- 2.3	32	3.8	2.2- 5.4	627	85.1	81.8-88.4
Less Than H.S.	119	129,231	15	10.0	3.9-16.1	7	6.2	1.1-11.3	14	13.5	5.7-21.3	4	4.3	0.0-10.2	23	21.3	11.5-31.1	56	44.6	33.4-55.8
H.S. or G.E.D.	654	431,118	74	12.5	9.2-15.8	48	8.3	5.4-11.2	24	4.1	2.3- 5.9	21	3.5	1.5- 5.5	88	14.9	11.0-18.8	399	56.7	51.6-61.8
Some Post-H.S.	555	414,887	46	11.4	7.7-15.1	40	8.8	5.9-11.7	21	4.7	2.3- 7.1	16	3.1	1.1- 5.1	60	11.7	8.2-15.2	372	60.2	54.9-65.5
College Graduate	1037	368,666	88	13.8	10.5-17.1	51	5.4	3.4- 7.4	30	4.0	2.2- 5.8	18	1.9	0.7- 3.1	65	6.9	4.9- 8.9	785	68.0	64.1-71.9
Less than \$15,000	96	73,580	12	11.5	3.5-19.5	6	4.6	0.0- 9.9	6	11.1	0.7-21.5				18	21.5	10.3-32.7	54	51.4	37.9-64.9
\$15,000- 24,999	271	172,892	26	9.8	5.1-14.5	15	6.7	2.4-11.0	13	7.1	2.6-11.6	6	2.1	0.0- 4.6	35	14.0	7.7-20.3	176	60.3	51.9-68.7
\$25,000- 34,999	192	119,020	17	10.8	4.5-17.1	11	7.7	2.2-13.2	8	5.5	1.2- 9.8	3	0.8	0.0- 2.2	26	18.0	9.4-26.6	127	57.1	46.9-67.3
\$35,000- 49,999	335	202,667	20	7.6	3.9-11.3	22	7.9	3.8-12.0	14	5.2	2.3- 8.1	13	4.1	1.4- 6.8	41	15.8	9.9-21.7	225	59.4	52.1-66.7
\$50,000- 74,999	411	218,464	46	14.9	9.6-20.2	24	6.1	3.2- 9.0	10	3.0	1.0- 5.0	15	4.7	1.0- 8.4	34	9.6	5.9-13.3	282	61.7	55.0-68.4
\$75,000+	893	467,881	89	14.5	11.0-18.0	61	8.4	5.7-11.1	32	4.5	2.5- 6.5	18	3.1	1.3- 4.9	70	9.5	6.8-12.2	623	59.9	55.4-64.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2545	1,129,268	184	10.1	8.1-12.1	86	4.7	3.3- 6.1	40	2.6	1.6- 3.6	57	2.4	1.6- 3.2	101	6.7	4.9- 8.5	2077	73.4	70.7-76.1
White/Non-Hisp	2237	958,016	162	9.8	7.8-11.8	74	4.9	3.3- 6.5	32	2.4	1.2- 3.6	43	2.3	1.5- 3.1	88	7.1	4.9- 9.3	1838	73.5	70.6-76.4
Black or Afr. Am./Non-Hisp	164	95,471	13	12.9	3.9-21.9	5	2.1	0.0- 4.6	6	5.3	0.6-10.0	7	2.4	0.2- 4.6	7	5.0	0.9- 9.1	126	72.4	62.0-82.8
Hispanic	65	49,866	5	14.7	1.2-28.2	4	8.9	0.0-23.4	1	0.4	0.0- 1.2	3	2.4	0.0- 5.5	2	3.0	0.0- 7.1	50	70.6	53.4-87.8
18-24	102	165,213	13	13.5	5.9-21.1	6	5.3	0.8- 9.8	6	4.8	0.5- 9.1	4	2.6	0.0- 5.3	14	17.2	8.4-26.0	59	56.5	45.5-67.5
25-34	223	219,165	36	16.6	10.7-22.5	17	9.3	4.0-14.6	5	1.6	0.0- 3.2	7	2.3	0.3- 4.3	17	7.9	3.4-12.4	141	62.4	54.6-70.2
35-44	325	211,166	35	11.6	7.1-16.1	16	4.5	1.8- 7.2	9	4.5	1.2- 7.8	13	3.2	1.2- 5.2	16	5.7	2.4- 9.0	236	70.5	64.0-77.0
45-54	450	190,821	38	8.9	5.6-12.2	18	4.1	1.9- 6.3	9	2.5	0.5- 4.5	13	3.3	1.1- 5.5	24	6.1	3.4- 8.8	348	75.2	70.1-80.3
55-64	602	175,944	41	6.1	3.7- 8.5	17	2.4	1.0- 3.8	4	0.9	0.0- 1.9	12	1.7	0.5- 2.9	12	1.7	0.5- 2.9	516	87.2	84.1-90.3
65+	814	155,389	19	2.1	1.1- 3.1	12	1.9	0.3- 3.5	6	0.8	0.0- 1.6	7	0.8	0.2- 1.4	17	1.8	0.8- 2.8	753	92.5	90.1-94.9
Less Than H.S.	74	56,366	6	7.4	0.0-17.6	4	12.1	0.0-26.6	2	1.8	0.0- 4.7	6	6.3	0.4-12.2	6	6.8	0.3-13.3	50	65.5	49.4-81.6
H.S. or G.E.D.	654	308,463	48	10.3	6.4-14.2	19	3.6	1.4- 5.8	13	3.0	1.2- 4.8	17	2.4	1.0- 3.8	29	7.7	3.8-11.6	528	73.0	67.5-78.5
Some Post-H.S.	744	443,268	60	10.8	7.3-14.3	33	5.2	2.8- 7.6	11	2.8	0.8- 4.8	15	1.9	0.7- 3.1	34	7.9	4.6-11.2	591	71.3	66.2-76.4
College Graduate	1070	320,373	70	9.6	6.9-12.3	30	3.9	2.1- 5.7	14	2.1	0.7- 3.5	19	2.3	0.9- 3.7	31	4.0	2.2- 5.8	906	78.1	74.4-81.8
Less than \$15,000	132	75,002	12	8.3	1.2-15.4	7	1.8	0.0- 3.6	8	12.2	2.8-21.6	3	0.4	0.0- 0.8	11	11.2	2.0-20.4	91	66.0	53.3-78.7
\$15,000- 24,999	302	140,036	23	14.0	6.7-21.3	17	6.2	2.5- 9.9	1	0.5	0.0- 1.5	9	4.2	1.1- 7.3	16	6.7	2.6-10.8	236	68.5	60.1-76.9
\$25,000- 34,999	210	87,454	15	8.9	3.0-14.8	10	8.5	1.4-15.6	5	3.8	0.0- 7.7	7	2.6	0.4- 4.8	10	8.1	2.2-14.0	163	68.3	58.3-78.3
\$35,000- 49,999	360	151,860	30	16.9	10.0-23.8	5	1.2	0.0- 2.4	6	2.0	0.2- 3.8	11	2.9	0.9- 4.9	11	4.0	0.9- 7.1	297	73.0	65.6-80.4
\$50,000- 74,999	395	188,049	23	7.2	3.3-11.1	9	5.1	1.0- 9.2	12	4.9	1.2- 8.6	8	2.5	0.5- 4.5	14	6.7	1.6-11.8	329	73.5	66.1-80.9
\$75,000+	833	367,447	68	9.1	6.2-12.0	30	5.6	2.7- 8.5	4	0.5	0.0- 1.1	14	1.7	0.5- 2.9	27	5.1	2.4- 7.8	690	77.9	73.4-82.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4857	2,440,981	1513	24.3	22.7-25.9	1303	24.0	22.2-25.8	702	14.1	12.7-15.5	350	8.6	7.4- 9.8	989	29.0	27.0-31.0
Male	2346	1,324,104	508	17.5	15.5-19.5	539	19.3	17.1-21.5	400	16.1	14.1-18.1	179	8.4	6.8-10.0	720	38.7	36.0-41.4
Female	2511	1,116,877	1005	32.4	29.9-34.9	764	29.5	26.8-32.2	302	11.7	9.9-13.5	171	8.9	7.1-10.7	269	17.6	15.1-20.1
White/Non-Hisp	4235	2,030,030	1341	25.3	23.5-27.1	1138	23.5	21.7-25.3	600	13.2	11.8-14.6	302	8.5	7.1- 9.9	854	29.5	27.3-31.7
Black or Afr. Am./Non-Hisp	283	205,088	83	18.1	12.8-23.4	86	30.2	22.8-37.6	40	17.7	11.0-24.4	26	9.9	5.2-14.6	48	24.1	16.7-31.5
Oth. Race/Non-Hisp.	73	34,738	21	24.1	10.0-38.2	17	26.3	10.2-42.4	12	24.2	10.1-38.3	6	9.7	0.3-19.1	17	15.7	6.5-24.9
MultiRacial/Non-Hisp.	64	28,357	17	25.9	8.5-43.3	17	22.2	9.5-34.9	15	20.5	5.2-35.8	3	4.3	0.0- 9.8	12	27.1	11.2-43.0
Hispanic	146	118,769	34	17.4	10.5-24.3	25	17.4	9.4-25.4	29	20.1	11.9-28.3	12	10.5	3.2-17.8	46	34.5	24.1-44.9
18-24	236	339,488	30	13.7	8.4-19.0	43	19.5	13.4-25.6	30	11.6	7.3-15.9	25	10.4	5.9-14.9	108	44.8	37.5-52.1
25-34	471	481,632	94	18.6	14.5-22.7	100	21.0	16.5-25.5	64	13.3	10.0-16.6	46	9.6	6.5-12.7	167	37.5	32.2-42.8
35-44	610	456,286	128	19.9	16.0-23.8	154	22.8	18.7-26.9	91	14.4	10.9-17.9	59	11.6	8.3-14.9	178	31.3	26.6-36.0
45-54	844	412,332	221	23.8	20.3-27.3	213	24.1	20.4-27.8	140	15.6	12.5-18.7	61	8.2	5.7-10.7	209	28.3	24.4-32.2
55-64	1120	386,885	351	29.7	26.4-33.0	316	26.7	23.4-30.0	173	16.2	13.5-18.9	73	5.8	4.2- 7.4	207	21.6	18.3-24.9
65+	1531	346,591	670	42.7	39.4-46.0	467	30.2	27.1-33.3	199	13.3	10.9-15.7	81	5.3	3.9- 6.7	114	8.5	6.5-10.5
Less Than H.S.	191	182,108	44	19.4	12.1-26.7	36	16.8	10.1-23.5	18	7.9	3.6-12.2	15	11.1	4.6-17.6	78	44.8	35.4-54.2
H.S. or G.E.D.	1292	729,789	405	24.4	21.3-27.5	297	21.7	18.6-24.8	175	13.5	11.0-16.0	98	8.5	6.3-10.7	317	31.8	28.1-35.5
Some Post-H.S.	1276	841,146	400	23.5	20.6-26.4	348	25.2	21.9-28.5	170	14.0	11.5-16.5	98	9.1	6.7-11.5	260	28.2	24.7-31.7
College Graduate	2087	682,117	660	26.4	23.9-28.9	621	27.0	24.5-29.5	338	16.3	14.1-18.5	139	7.5	5.9- 9.1	329	22.8	20.1-25.5
Less than \$15,000	225	148,594	60	25.1	16.9-33.3	49	17.9	10.6-25.2	31	12.8	7.1-18.5	15	4.2	1.3- 7.1	70	40.0	30.6-49.4
\$15,000- 24,999	566	310,587	156	20.0	15.3-24.7	156	25.0	19.7-30.3	82	16.2	11.9-20.5	45	9.0	5.5-12.5	127	29.8	23.9-35.7
\$25,000- 34,999	400	207,979	131	21.0	15.7-26.3	85	21.3	15.4-27.2	62	14.3	9.6-19.0	39	14.2	8.3-20.1	83	29.2	22.3-36.1
\$35,000- 49,999	688	349,523	245	25.0	20.9-29.1	172	26.2	21.3-31.1	73	9.4	6.5-12.3	58	10.2	6.9-13.5	140	29.2	24.1-34.3
\$50,000- 74,999	801	400,904	259	25.6	21.5-29.7	204	21.9	18.2-25.6	119	15.2	11.7-18.7	52	8.4	5.5-11.3	167	28.9	24.0-33.8
\$75,000+	1708	822,841	464	23.5	21.0-26.0	509	26.8	23.9-29.7	279	14.5	12.3-16.7	117	6.8	5.0- 8.6	339	28.3	25.2-31.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2346	1,324,104	508	17.5	15.5-19.5	539	19.3	17.1-21.5	400	16.1	14.1-18.1	179	8.4	6.8-10.0	720	38.7	36.0-41.4
White/Non-Hisp	2031	1,084,455	451	18.1	15.9-20.3	459	18.6	16.4-20.8	342	15.1	13.1-17.1	156	8.3	6.5-10.1	623	39.9	37.0-42.8
Black or Afr. Am./Non-Hisp	121	110,024	21	14.3	6.7-21.9	34	22.4	13.6-31.2	24	22.8	12.6-33.0	10	9.1	2.8-15.4	32	31.5	20.1-42.9
Oth. Race/Non-Hisp.	52	26,535	13	21.5	5.0-38.0	13	30.2	10.2-50.2	8	20.3	5.2-35.4	5	12.6	0.3-24.9	13	15.4	5.0-25.8
Hispanic	81	68,903	10	10.0	3.3-16.7	14	16.2	6.2-26.2	14	18.4	7.8-29.0	8	11.4	2.4-20.4	35	44.0	30.5-57.5
18-24	135	175,444	13	11.2	4.7-17.7	18	13.4	6.7-20.1	15	11.1	5.4-16.8	12	8.7	3.0-14.4	77	55.5	45.7-65.3
25-34	245	259,920	34	12.8	7.7-17.9	38	15.4	10.1-20.7	44	17.0	11.7-22.3	24	9.0	4.9-13.1	105	45.9	38.5-53.3
35-44	289	246,470	41	14.5	9.6-19.4	51	15.5	10.6-20.4	44	15.6	10.1-21.1	27	11.0	6.3-15.7	126	43.4	36.3-50.5
45-54	405	226,192	74	16.0	11.7-20.3	84	21.0	15.9-26.1	69	16.3	11.8-20.8	31	9.0	5.3-12.7	147	37.7	31.8-43.6
55-64	528	216,277	105	19.5	15.4-23.6	119	21.2	16.7-25.7	103	19.3	15.0-23.6	33	5.4	3.2-7.6	168	34.6	29.3-39.9
65+	726	192,765	237	32.8	28.3-37.3	225	30.8	26.3-35.3	122	16.7	13.0-20.4	50	6.7	4.3-9.1	92	13.0	9.9-16.1
Less Than H.S.	119	128,920	17	13.0	5.2-20.8	20	14.3	6.7-21.9	11	8.4	2.9-13.9	8	8.9	1.8-16.0	63	55.4	44.0-66.8
H.S. or G.E.D.	647	421,501	139	17.9	14.2-21.6	116	18.7	14.6-22.8	99	14.2	10.9-17.5	46	7.7	5.2-10.2	247	41.5	36.4-46.6
Some Post-H.S.	546	404,676	114	15.6	12.1-19.1	124	19.3	15.4-23.2	92	17.9	13.6-22.2	45	9.2	5.9-12.5	171	38.0	32.7-43.3
College Graduate	1027	364,057	235	20.3	17.2-23.4	279	22.2	19.1-25.3	197	19.0	15.7-22.3	80	8.3	5.9-10.7	236	30.3	26.4-34.2
Less than \$15,000	98	75,025	18	15.1	6.5-23.7	18	15.6	5.2-26.0	13	14.3	5.5-23.1	5	5.4	0.3-10.5	44	49.5	36.2-62.8
\$15,000- 24,999	270	171,824	51	14.9	8.6-21.2	63	21.5	14.4-28.6	44	19.1	12.6-25.6	20	5.6	2.3-8.9	92	38.9	30.5-47.3
\$25,000- 34,999	192	119,807	41	14.9	8.4-21.4	36	18.0	10.4-25.6	35	14.6	8.3-20.9	20	14.1	5.7-22.5	60	38.4	28.4-48.4
\$35,000- 49,999	330	197,472	86	19.6	14.1-25.1	67	19.6	13.7-25.5	42	12.3	7.6-17.0	34	11.0	6.5-15.5	101	37.5	30.2-44.8
\$50,000- 74,999	406	212,766	91	18.5	13.2-23.8	93	18.2	13.7-22.7	71	17.2	12.3-22.1	28	9.0	4.7-13.3	123	37.0	30.3-43.7
\$75,000+	883	459,253	180	17.4	14.3-20.5	216	20.4	17.1-23.7	166	16.3	13.2-19.4	61	6.9	4.7-9.1	260	39.1	34.6-43.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2511	1,116,877	1005	32.4	29.9-34.9	764	29.5	26.8-32.2	302	11.7	9.9-13.5	171	8.9	7.1-10.7	269	17.6	15.1-20.1
White/Non-Hisp	2204	945,574	890	33.6	30.9-36.3	679	29.2	26.3-32.1	258	10.9	9.1-12.7	146	8.7	6.7-10.7	231	17.5	14.8-20.2
Black or Afr. Am./Non-Hisp	162	95,064	62	22.4	14.8-30.0	52	39.3	27.9-50.7	16	11.8	4.4-19.2	16	10.9	3.6-18.2	16	15.5	6.7-24.3
Hispanic	65	49,866	24	27.7	14.2-41.2	11	19.1	6.2-32.0	15	22.4	9.5-35.3	4	9.4	0.0-21.2	11	21.4	5.7-37.1
18-24	101	164,043	17	16.4	8.2-24.6	25	26.1	16.1-36.1	15	12.1	5.6-18.6	13	12.1	5.0-19.2	31	33.3	22.7-43.9
25-34	226	221,712	60	25.5	18.8-32.2	62	27.7	20.6-34.8	20	8.9	4.8-13.0	22	10.3	5.6-15.0	62	27.6	20.3-34.9
35-44	321	209,816	87	26.2	20.1-32.3	103	31.5	25.0-38.0	47	13.0	8.3-17.7	32	12.2	7.3-17.1	52	17.0	11.9-22.1
45-54	439	186,140	147	33.3	27.8-38.8	129	28.0	22.9-33.1	71	14.7	10.6-18.8	30	7.3	4.4-10.2	62	16.8	12.3-21.3
55-64	592	170,608	246	42.7	37.8-47.6	197	33.7	29.0-38.4	70	12.3	9.0-15.6	40	6.2	3.8- 8.6	39	5.2	3.2- 7.2
65+	805	153,826	433	55.0	50.7-59.3	242	29.5	25.4-33.6	77	9.0	6.6-11.4	31	3.6	2.0- 5.2	22	2.9	1.3- 4.5
Less Than H.S.	72	53,188	27	35.0	20.1-49.9	16	22.6	9.9-35.3	7	6.9	0.2-13.6	7	16.4	2.5-30.3	15	19.2	4.9-33.5
H.S. or G.E.D.	645	308,288	266	33.2	28.1-38.3	181	25.9	21.2-30.6	76	12.6	8.9-16.3	52	9.7	6.4-13.0	70	18.6	13.5-23.7
Some Post-H.S.	730	436,470	286	30.8	26.3-35.3	224	30.7	25.6-35.8	78	10.5	7.6-13.4	53	9.0	5.9-12.1	89	19.0	14.5-23.5
College Graduate	1060	318,059	425	33.3	29.6-37.0	342	32.6	28.7-36.5	141	13.2	10.5-15.9	59	6.7	4.5- 8.9	93	14.3	11.0-17.6
Less than \$15,000	127	73,569	42	35.3	22.4-48.2	31	20.3	10.3-30.3	18	11.2	3.9-18.5	10	2.9	0.5- 5.3	26	30.2	17.3-43.1
\$15,000- 24,999	296	138,763	105	26.4	19.3-33.5	93	29.4	21.2-37.6	38	12.6	6.9-18.3	25	13.1	6.8-19.4	35	18.5	11.2-25.8
\$25,000- 34,999	208	88,172	90	29.3	20.5-38.1	49	25.7	16.3-35.1	27	14.0	6.7-21.3	19	14.4	6.4-22.4	23	16.7	8.9-24.5
\$35,000- 49,999	358	152,051	159	32.0	25.3-38.7	105	34.8	27.2-42.4	31	5.7	3.2- 8.2	24	9.2	4.7-13.7	39	18.3	11.4-25.2
\$50,000- 74,999	395	188,138	168	33.6	27.1-40.1	111	26.0	19.9-32.1	48	12.9	8.0-17.8	24	7.7	3.6-11.8	44	19.8	12.7-26.9
\$75,000+	825	363,588	284	31.2	26.9-35.5	293	35.0	30.1-39.9	113	12.3	9.4-15.2	56	6.7	4.2- 9.2	79	14.8	10.7-18.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 12: IMMUNIZATION CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)	
1 MALES AND FEMALES	203
2 MALES ONLY	204
3 FEMALES ONLY	205
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4 MALES AND FEMALES	206
5 MALES ONLY	207
6 FEMALES ONLY	208
A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
7 MALES AND FEMALES	209
8 MALES ONLY	210
9 FEMALES ONLY	211
SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)	
10 MALES AND FEMALES	212
11 MALES ONLY	213
12 FEMALES ONLY	214

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 1: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10554	4,812,726	4787	37.7	36.3-39.1	5767	62.3	60.9-63.7
Male	4342	2,337,749	1842	32.3	30.5-34.1	2500	67.7	65.9-69.5
Female	6212	2,474,977	2945	42.8	41.0-44.6	3267	57.2	55.4-59.0
White/Non-Hisp	9023	3,911,560	4229	39.1	37.7-40.5	4794	60.9	59.5-62.3
Black or Afr. Am./Non-Hisp	691	401,426	237	31.4	26.5-36.3	454	68.6	63.7-73.5
Oth. Race/Non-Hisp.	206	111,888	78	32.5	22.7-42.3	128	67.5	57.7-77.3
MultiRacial/Non-Hisp.	154	53,770	71	43.4	31.6-55.2	83	56.6	44.8-68.4
Hispanic	338	269,168	109	28.5	22.6-34.4	229	71.5	65.6-77.4
18-24	431	649,130	131	30.7	25.6-35.8	300	69.3	64.2-74.4
25-34	765	776,344	216	27.1	23.4-30.8	549	72.9	69.2-76.6
35-44	1042	772,312	329	29.3	26.0-32.6	713	70.7	67.4-74.0
45-54	1539	780,360	587	36.4	33.5-39.3	952	63.6	60.7-66.5
55-64	2354	817,931	1049	41.6	39.1-44.1	1305	58.4	55.9-60.9
65+	4292	968,607	2415	55.2	53.2-57.2	1877	44.8	42.8-46.8
Less Than H.S.	839	618,032	317	31.0	26.7-35.3	522	69.0	64.7-73.3
H.S. or G.E.D.	3546	1,627,583	1456	33.7	31.5-35.9	2090	66.3	64.1-68.5
Some Post-H.S.	2635	1,490,233	1175	37.9	35.4-40.4	1460	62.1	59.6-64.6
College Graduate	3510	1,067,246	1827	47.4	45.0-49.8	1683	52.6	50.2-55.0
Less than \$15,000	889	432,365	351	33.6	29.1-38.1	538	66.4	61.9-70.9
\$15,000- 24,999	1748	784,734	741	34.7	31.4-38.0	1007	65.3	62.0-68.6
\$25,000- 34,999	1103	471,861	485	34.9	30.8-39.0	618	65.1	61.0-69.2
\$35,000- 49,999	1442	662,301	650	34.2	30.9-37.5	792	65.8	62.5-69.1
\$50,000- 74,999	1475	685,657	689	39.5	36.0-43.0	786	60.5	57.0-64.0
\$75,000+	2551	1,240,122	1253	42.2	39.5-44.9	1298	57.8	55.1-60.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 2: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4342	2,337,749	1842	32.3	30.5-34.1	2500	67.7	65.9-69.5
White/Non-Hisp	3682	1,876,458	1617	33.9	31.9-35.9	2065	66.1	64.1-68.1
Black or Afr. Am./Non-Hisp	254	190,207	78	24.8	18.3-31.3	176	75.2	68.7-81.7
Oth. Race/Non-Hisp.	118	73,316	44	28.0	15.8-40.2	74	72.0	59.8-84.2
MultiRacial/Non-Hisp.	62	25,489	28	35.1	18.0-52.2	34	64.9	47.8-82.0
Hispanic	152	129,175	46	24.0	16.4-31.6	106	76.0	68.4-83.6
18-24	236	328,683	56	21.8	15.9-27.7	180	78.2	72.3-84.1
25-34	358	387,028	81	20.9	16.2-25.6	277	79.1	74.4-83.8
35-44	469	382,722	129	23.3	18.8-27.8	340	76.7	72.2-81.2
45-54	668	392,949	222	29.2	25.1-33.3	446	70.8	66.7-74.9
55-64	970	400,705	405	37.7	34.0-41.4	565	62.3	58.6-66.0
65+	1595	427,190	932	56.5	53.4-59.6	663	43.5	40.4-46.6
Less Than H.S.	353	321,044	110	22.6	17.1-28.1	243	77.4	71.9-82.9
H.S. or G.E.D.	1387	796,312	524	29.5	26.6-32.4	863	70.5	67.6-73.4
Some Post-H.S.	974	668,639	388	30.7	27.2-34.2	586	69.3	65.8-72.8
College Graduate	1616	545,253	814	44.0	40.7-47.3	802	56.0	52.7-59.3
Less than \$15,000	299	188,589	105	28.2	21.5-34.9	194	71.8	65.1-78.5
\$15,000- 24,999	619	358,204	247	31.9	26.8-37.0	372	68.1	63.0-73.2
\$25,000- 34,999	420	216,823	165	24.4	19.5-29.3	255	75.6	70.7-80.5
\$35,000- 49,999	628	341,089	255	30.0	25.3-34.7	373	70.0	65.3-74.7
\$50,000- 74,999	690	351,318	286	31.5	27.0-36.0	404	68.5	64.0-73.0
\$75,000+	1274	667,084	606	38.0	34.5-41.5	668	62.0	58.5-65.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 3: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6212	2,474,977	2945	42.8	41.0-44.6	3267	57.2	55.4-59.0
White/Non-Hisp	5341	2,035,103	2612	44.0	42.0-46.0	2729	56.0	54.0-58.0
Black or Afr. Am./Non-Hisp	437	211,219	159	37.3	30.4-44.2	278	62.7	55.8-69.6
Oth. Race/Non-Hisp.	88	38,572	34	41.3	25.6-57.0	54	58.7	43.0-74.4
MultiRacial/Non-Hisp.	92	28,281	43	50.8	35.7-65.9	49	49.2	34.1-64.3
Hispanic	186	139,994	63	32.7	23.9-41.5	123	67.3	58.5-76.1
18-24	195	320,446	75	39.8	32.0-47.6	120	60.2	52.4-68.0
25-34	407	389,317	135	33.3	27.8-38.8	272	66.7	61.2-72.2
35-44	573	389,590	200	35.3	30.4-40.2	373	64.7	59.8-69.6
45-54	871	387,411	365	43.7	39.6-47.8	506	56.3	52.2-60.4
55-64	1384	417,226	644	45.4	42.1-48.7	740	54.6	51.3-57.9
65+	2697	541,417	1483	54.2	51.8-56.6	1214	45.8	43.4-48.2
Less Than H.S.	486	296,988	207	40.1	33.8-46.4	279	59.9	53.6-66.2
H.S. or G.E.D.	2159	831,271	932	37.7	34.8-40.6	1227	62.3	59.4-65.2
Some Post-H.S.	1661	821,594	787	43.8	40.3-47.3	874	56.2	52.7-59.7
College Graduate	1894	521,992	1013	50.9	47.8-54.0	881	49.1	46.0-52.2
Less than \$15,000	590	243,776	246	37.8	31.7-43.9	344	62.2	56.1-68.3
\$15,000- 24,999	1129	426,530	494	37.1	32.8-41.4	635	62.9	58.6-67.2
\$25,000- 34,999	683	255,038	320	43.8	37.9-49.7	363	56.2	50.3-62.1
\$35,000- 49,999	814	321,212	395	38.7	34.0-43.4	419	61.3	56.6-66.0
\$50,000- 74,999	785	334,339	403	48.0	42.7-53.3	382	52.0	46.7-57.3
\$75,000+	1277	573,038	647	47.1	43.2-51.0	630	52.9	49.0-56.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2015			May-Aug 2015			Sep-Dec 2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2705	1,004,796	10	0.3	0.1- 0.5	68	3.6	2.2- 5.0	2627	96.1	94.7-97.5
Male	1019	413,700	4	0.2	0.0- 0.4	28	3.3	1.5- 5.1	987	96.5	94.7-98.3
Female	1686	591,096	6	0.3	0.1- 0.5	40	3.8	1.6- 6.0	1640	95.8	93.6-98.0
White/Non-Hisp	2418	864,512	10	0.3	0.1- 0.5	58	3.1	1.7- 4.5	2350	96.5	95.1-97.9
Black or Afr. Am./Non-Hisp	119	64,021				4	8.3	0.0-17.9	115	91.7	82.1- 100
Hispanic	51	34,556				2	7.6	0.0-19.4	49	92.4	80.6- 100
18-24	62	92,279				10	19.3	7.1-31.5	52	80.7	68.5-92.9
25-34	107	98,023	1	0.4	0.0- 1.2	3	1.4	0.0- 3.0	103	98.2	96.4- 100
35-44	190	135,541	1	0.4	0.0- 1.2	3	2.4	0.0- 5.9	186	97.2	93.5- 100
45-54	348	167,126				7	1.4	0.2- 2.6	341	98.6	97.4-99.8
55-64	605	196,891	2	0.2	0.0- 0.4	10	2.1	0.5- 3.7	593	97.7	96.1-99.3
65+	1357	304,815	6	0.5	0.1- 0.9	34	2.3	1.3- 3.3	1317	97.1	95.9-98.3
Less Than H.S.	148	83,079				2	0.6	0.0- 1.6	146	99.4	98.4- 100
H.S. or G.E.D.	791	298,963	4	0.4	0.0- 0.8	34	7.5	3.8-11.2	753	92.1	88.4-95.8
Some Post-H.S.	672	317,820	2	0.3	0.0- 0.7	14	2.4	0.0- 4.8	656	97.3	94.9-99.7
College Graduate	1086	302,177	4	0.3	0.0- 0.7	18	1.9	0.5- 3.3	1064	97.8	96.4-99.2
Less than \$15,000	165	69,293				8	7.3	0.0-15.9	157	92.7	84.1- 100
\$15,000- 24,999	397	145,647	2	0.5	0.0- 1.3	19	6.1	1.6-10.6	376	93.4	88.9-97.9
\$25,000- 34,999	270	87,744	1	0.5	0.0- 1.5	6	2.6	0.0- 5.3	263	96.9	94.0-99.8
\$35,000- 49,999	365	127,187	1	0.3	0.0- 0.9	7	2.1	0.3- 3.9	357	97.6	95.8-99.4
\$50,000- 74,999	388	145,854	2	0.6	0.0- 1.4	5	1.2	0.0- 2.6	381	98.2	96.6-99.8
\$75,000+	762	314,689	2	0.1	0.0- 0.3	9	2.3	0.3- 4.3	751	97.6	95.6-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2015			May-Aug 2015			Sep-Dec 2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1019	413,700	4	0.2	0.0- 0.4	28	3.3	1.5- 5.1	987	96.5	94.7-98.3
White/Non-Hisp	902	353,224	4	0.3	0.0- 0.7	21	2.8	1.0- 4.6	877	96.9	94.9-98.9
35-44	71	48,725				2	6.1	0.0-15.7	69	93.9	84.3- 100
45-54	123	64,887				2	1.9	0.0- 4.4	121	98.1	95.6- 100
55-64	228	87,361	1	0.1	0.0- 0.3	5	2.1	0.0- 4.3	222	97.7	95.5-99.9
65+	517	137,881	3	0.6	0.0- 1.4	13	2.1	0.7- 3.5	501	97.2	95.6-98.8
H.S. or G.E.D.	292	135,012	1	0.2	0.0- 0.6	15	6.6	2.3-10.9	276	93.2	88.9-97.5
Some Post-H.S.	211	108,297	1	0.4	0.0- 1.2	2	0.3	0.0- 0.9	208	99.3	98.3- 100
College Graduate	465	141,581	2	0.2	0.0- 0.4	11	3.1	0.4- 5.8	452	96.7	94.0-99.4
\$15,000- 24,999	135	61,348				7	6.7	0.0-14.5	128	93.3	85.5- 100
\$25,000- 34,999	85	31,259				4	3.1	0.0- 6.4	81	96.9	93.6- 100
\$35,000- 49,999	137	56,537	1	0.7	0.0- 2.1	4	3.4	0.0- 6.9	132	95.9	92.2-99.6
\$50,000- 74,999	155	55,192	1	0.6	0.0- 1.8	3	1.8	0.0- 4.3	151	97.7	94.8- 100
\$75,000+	358	147,817	1	0.1	0.0- 0.3	3	2.0	0.0- 4.5	354	97.9	95.4- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2015			May-Aug 2015			Sep-Dec 2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1686	591,096	6	0.3	0.1- 0.5	40	3.8	1.6- 6.0	1640	95.8	93.6-98.0
White/Non-Hisp	1516	511,288	6	0.4	0.0- 0.8	37	3.3	1.3- 5.3	1473	96.3	94.3-98.3
Black or Afr. Am./Non-Hisp	77	35,528				1	8.6	0.0-24.3	76	91.4	75.7- 100
25-34	60	53,267	1	0.8	0.0- 2.4	3	2.5	0.0- 5.4	56	96.7	93.4- 100
35-44	119	86,816	1	0.6	0.0- 1.8	1	0.3	0.0- 0.9	117	99.1	97.7- 100
45-54	225	102,239				5	1.1	0.0- 2.3	220	98.9	97.7- 100
55-64	377	109,530	1	0.2	0.0- 0.6	5	2.0	0.0- 4.2	371	97.7	95.5-99.9
65+	840	166,933	3	0.5	0.0- 1.1	21	2.5	1.1- 3.9	816	97.0	95.4-98.6
Less Than H.S.	100	55,896				2	0.9	0.0- 2.5	98	99.1	97.5- 100
H.S. or G.E.D.	499	163,952	3	0.6	0.0- 1.4	19	8.2	2.5-13.9	477	91.2	85.5-96.9
Some Post-H.S.	461	209,522	1	0.2	0.0- 0.6	12	3.5	0.0- 7.0	448	96.3	92.8-99.8
College Graduate	621	160,596	2	0.3	0.0- 0.9	7	0.8	0.0- 1.6	612	98.8	97.8-99.8
Less than \$15,000	119	44,428				7	9.4	0.0-22.1	112	90.6	77.9- 100
\$15,000- 24,999	262	84,299	2	0.9	0.0- 2.1	12	5.6	0.1-11.1	248	93.5	88.0-99.0
\$25,000- 34,999	185	56,485	1	0.7	0.0- 2.1	2	2.3	0.0- 6.0	182	96.9	93.0- 100
\$35,000- 49,999	228	70,650				3	1.0	0.0- 2.2	225	99.0	97.8- 100
\$50,000- 74,999	233	90,662	1	0.5	0.0- 1.5	2	0.9	0.0- 2.3	230	98.5	96.7- 100
\$75,000+	404	166,872	1	0.2	0.0- 0.6	6	2.5	0.0- 5.6	397	97.3	94.2- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 7. A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10071	4,451,436	4752	36.1	34.7-37.5	5319	63.9	62.5-65.3
Male	4056	2,123,540	1808	35.6	33.6-37.6	2248	64.4	62.4-66.4
Female	6015	2,327,895	2944	36.5	34.7-38.3	3071	63.5	61.7-65.3
White/Non-Hisp	8641	3,631,660	4191	37.2	35.8-38.6	4450	62.8	61.4-64.2
Black or Afr. Am./Non-Hisp	656	368,657	255	31.4	26.5-36.3	401	68.6	63.7-73.5
Oth. Race/Non-Hisp.	189	100,306	81	37.1	25.9-48.3	108	62.9	51.7-74.1
MultiRacial/Non-Hisp.	147	49,251	79	44.6	32.6-56.6	68	55.4	43.4-67.4
Hispanic	305	241,672	89	24.7	18.6-30.8	216	75.3	69.2-81.4
18-24	366	553,533	122	35.8	29.9-41.7	244	64.2	58.3-70.1
25-34	656	658,538	136	18.9	15.6-22.2	520	81.1	77.8-84.4
35-44	939	700,769	182	18.1	15.2-21.0	757	81.9	79.0-84.8
45-54	1475	745,635	337	23.7	21.0-26.4	1138	76.3	73.6-79.0
55-64	2280	792,103	768	33.0	30.5-35.5	1512	67.0	64.5-69.5
65+	4228	955,724	3153	73.3	71.5-75.1	1075	26.7	24.9-28.5
Less Than H.S.	806	578,089	419	41.5	36.8-46.2	387	58.5	53.8-63.2
H.S. or G.E.D.	3406	1,497,060	1686	38.7	36.3-41.1	1720	61.3	58.9-63.7
Some Post-H.S.	2522	1,389,338	1198	34.9	32.4-37.4	1324	65.1	62.6-67.6
College Graduate	3315	978,559	1440	30.5	28.5-32.5	1875	69.5	67.5-71.5
Less than \$15,000	854	402,887	425	39.6	34.9-44.3	429	60.4	55.7-65.1
\$15,000- 24,999	1684	735,872	924	41.7	38.2-45.2	760	58.3	54.8-61.8
\$25,000- 34,999	1068	441,231	582	41.5	37.0-46.0	486	58.5	54.0-63.0
\$35,000- 49,999	1379	610,645	702	37.3	33.8-40.8	677	62.7	59.2-66.2
\$50,000- 74,999	1409	641,115	604	32.8	29.5-36.1	805	67.2	63.9-70.5
\$75,000+	2405	1,143,265	825	27.3	24.8-29.8	1580	72.7	70.2-75.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 8: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Male	4056	2,123,540	1808	35.6	33.6-37.6	2248	64.4	62.4-66.4		
White/Non-Hisp	3454	1,706,500	1579	36.6	34.4-38.8	1875	63.4	61.2-65.6		
Black or Afr. Am./Non-Hisp	238	176,800	90	30.2	22.9-37.5	148	69.8	62.5-77.1		
Oth. Race/Non-Hisp.	106	67,291	45	40.0	25.1-54.9	61	60.0	45.1-74.9		
MultiRacial/Non-Hisp.	59	21,956	28	41.0	22.8-59.2	31	59.0	40.8-77.2		
Hispanic	132	111,105	41	29.0	19.2-38.8	91	71.0	61.2-80.8		
18-24	192	271,107	74	41.6	33.4-49.8	118	58.4	50.2-66.6		
25-34	304	322,880	70	22.3	17.0-27.6	234	77.7	72.4-83.0		
35-44	408	339,157	75	16.7	12.2-21.2	333	83.3	78.8-87.8		
45-54	631	369,646	152	24.1	19.8-28.4	479	75.9	71.6-80.2		
55-64	922	384,291	282	30.2	26.5-33.9	640	69.8	66.1-73.5		
65+	1554	418,607	1137	71.7	68.8-74.6	417	28.3	25.4-31.2		
Less Than H.S.	336	300,306	152	38.7	31.8-45.6	184	61.3	54.4-68.2		
H.S. or G.E.D.	1308	716,946	599	37.6	34.1-41.1	709	62.4	58.9-65.9		
Some Post-H.S.	914	609,490	400	34.9	31.0-38.8	514	65.1	61.2-69.0		
College Graduate	1488	491,539	653	31.5	28.6-34.4	835	68.5	65.6-71.4		
Less than \$15,000	284	176,728	123	38.4	31.0-45.8	161	61.6	54.2-69.0		
\$15,000- 24,999	581	324,146	286	35.8	30.5-41.1	295	64.2	58.9-69.5		
\$25,000- 34,999	402	200,715	210	41.8	34.9-48.7	192	58.2	51.3-65.1		
\$35,000- 49,999	590	313,444	291	37.7	32.4-43.0	299	62.3	57.0-67.6		
\$50,000- 74,999	648	325,349	279	34.2	29.1-39.3	369	65.8	60.7-70.9		
\$75,000+	1179	606,009	428	29.7	26.0-33.4	751	70.3	66.6-74.0		

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 9: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Female	6015	2,327,895	2944	36.5	34.7-38.3	3071	63.5	61.7-65.3		
White/Non-Hisp	5187	1,925,160	2612	37.8	35.8-39.8	2575	62.2	60.2-64.2		
Black or Afr. Am./Non-Hisp	418	191,858	165	32.6	25.9-39.3	253	67.4	60.7-74.1		
Oth. Race/Non-Hisp.	83	33,015	36	31.2	16.7-45.7	47	68.8	54.3-83.3		
MultiRacial/Non-Hisp.	88	27,295	51	47.6	32.1-63.1	37	52.4	36.9-67.9		
Hispanic	173	130,567	48	21.1	13.7-28.5	125	78.9	71.5-86.3		
18-24	174	282,426	48	30.3	22.3-38.3	126	69.7	61.7-77.7		
25-34	352	335,658	66	15.7	11.6-19.8	286	84.3	80.2-88.4		
35-44	531	361,612	107	19.3	15.2-23.4	424	80.7	76.6-84.8		
45-54	844	375,990	185	23.2	19.5-26.9	659	76.8	73.1-80.5		
55-64	1358	407,812	486	35.6	32.5-38.7	872	64.4	61.3-67.5		
65+	2674	537,117	2016	74.5	72.3-76.7	658	25.5	23.3-27.7		
Less Than H.S.	470	277,783	267	44.5	38.0-51.0	203	55.5	49.0-62.0		
H.S. or G.E.D.	2098	780,113	1087	39.7	36.8-42.6	1011	60.3	57.4-63.2		
Some Post-H.S.	1608	779,848	798	35.0	31.9-38.1	810	65.0	61.9-68.1		
College Graduate	1827	487,020	787	29.5	26.8-32.2	1040	70.5	67.8-73.2		
Less than \$15,000	570	226,159	302	40.6	34.7-46.5	268	59.4	53.5-65.3		
\$15,000- 24,999	1103	411,726	638	46.4	41.9-50.9	465	53.6	49.1-58.1		
\$25,000- 34,999	666	240,517	372	41.3	35.6-47.0	294	58.7	53.0-64.4		
\$35,000- 49,999	789	297,201	411	36.8	32.1-41.5	378	63.2	58.5-67.9		
\$50,000- 74,999	761	315,766	325	31.4	26.9-35.9	436	68.6	64.1-73.1		
\$75,000+	1226	537,257	397	24.5	21.4-27.6	829	75.5	72.4-78.6		

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 10: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes, received Tdap	
	TOTAL	WEIGHTED		%	C.I. (95%)
TOTAL	9967	4,546,117	1811	21.0	19.8-22.2
Male	4134	2,228,156	656	17.6	15.8-19.4
Female	5833	2,317,962	1155	24.3	22.5-26.1
White/Non-Hisp	8525	3,710,593	1582	21.4	20.0-22.8
Black or Afr. Am./Non-Hisp	658	375,721	115	22.5	17.6-27.4
Oth. Race/Non-Hisp.	195	104,665	27	13.5	6.8-20.2
MultiRacial/Non-Hisp.	149	51,270	24	16.6	8.0-25.2
Hispanic	310	245,580	49	17.8	12.5-23.1
18-24	408	619,092	118	31.6	26.3-36.9
25-34	722	728,721	248	32.6	28.7-36.5
35-44	971	712,193	252	23.7	20.4-27.0
45-54	1456	740,678	279	16.1	13.9-18.3
55-64	2246	783,720	408	15.4	13.6-17.2
65+	4045	918,818	486	11.3	10.1-12.5
Less Than H.S.	794	582,789	91	15.1	11.0-19.2
H.S. or G.E.D.	3366	1,540,451	400	15.7	13.7-17.7
Some Post-H.S.	2488	1,409,225	458	22.6	20.2-25.0
College Graduate	3296	1,005,062	860	30.4	28.0-32.8
Less than \$15,000	856	420,525	93	12.9	9.6-16.2
\$15,000- 24,999	1667	743,126	228	17.9	15.0-20.8
\$25,000- 34,999	1049	443,085	145	19.1	15.0-23.2
\$35,000- 49,999	1372	621,654	225	17.5	14.6-20.4
\$50,000- 74,999	1383	646,556	274	22.5	19.2-25.8
\$75,000+	2425	1,177,582	660	28.7	26.2-31.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 10: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus since 2005		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
1026	10.4	9.6-11.2	2381	26.6	25.2-28.0	4749	42.0	40.6-43.4
462	11.3	9.9-12.7	1266	34.0	31.8-36.2	1750	37.2	35.2-39.2
564	9.6	8.4-10.8	1115	19.4	17.8-21.0	2999	46.7	44.7-48.7
902	10.8	9.8-11.8	2070	27.5	26.1-28.9	3971	40.3	38.7-41.9
47	8.3	5.2-11.4	121	19.4	14.9-23.9	375	49.8	44.3-55.3
19	4.7	1.0- 8.4	56	36.9	25.5-48.3	93	44.8	34.0-55.6
22	13.1	6.2-20.0	36	26.8	15.0-38.6	67	43.5	31.7-55.3
25	9.5	5.0-14.0	62	17.3	12.4-22.2	174	55.4	48.3-62.5
41	9.4	6.3-12.5	132	32.9	27.6-38.2	117	26.1	21.4-30.8
54	7.7	5.3-10.1	168	25.4	21.5-29.3	252	34.3	30.2-38.4
94	10.8	8.3-13.3	216	23.5	20.0-27.0	409	42.1	38.2-46.0
173	12.8	10.4-15.2	405	30.5	27.4-33.6	599	40.6	37.5-43.7
278	13.0	11.2-14.8	565	27.2	24.8-29.6	995	44.4	41.9-46.9
378	9.2	8.0-10.4	869	22.1	20.5-23.7	2312	57.4	55.4-59.4
90	12.4	9.1-15.7	185	24.2	19.9-28.5	428	48.2	43.3-53.1
351	10.9	9.3-12.5	783	27.4	25.0-29.8	1832	46.1	43.7-48.5
276	10.8	9.0-12.6	625	28.7	26.2-31.2	1129	38.0	35.5-40.5
309	8.2	7.0- 9.4	777	23.5	21.5-25.5	1350	37.9	35.5-40.3
87	8.9	6.5-11.3	199	28.9	24.2-33.6	477	49.3	44.4-54.2
198	13.8	11.1-16.5	371	22.5	19.4-25.6	870	45.8	42.3-49.3
101	9.1	6.4-11.8	203	21.4	17.3-25.5	600	50.4	45.7-55.1
173	13.1	10.6-15.6	329	27.0	23.5-30.5	645	42.4	38.7-46.1
128	9.2	7.0-11.4	354	29.4	25.7-33.1	627	38.9	35.4-42.4
246	9.9	8.3-11.5	620	27.0	24.5-29.5	899	34.4	31.9-36.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 11: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap		
	TOTAL	WEIGHTED	N	%	C.I. (95%)
Male	4134	2,228,156	656	17.6	15.8-19.4
White/Non-Hisp	3511	1,797,965	558	17.4	15.6-19.2
Black or Afr. Am./Non-Hisp	247	183,956	45	22.4	15.1-29.7
Oth. Race/Non-Hisp.	111	69,261	15	11.6	3.8-19.4
MultiRacial/Non-Hisp.	60	23,234	8	13.4	2.8-24.0
Hispanic	139	116,494	26	20.2	12.2-28.2
18-24	225	318,397	58	25.9	19.2-32.6
25-34	335	363,845	94	25.9	20.6-31.2
35-44	441	359,145	101	20.0	15.5-24.5
45-54	636	372,860	90	12.3	9.4-15.2
55-64	934	387,764	124	12.5	9.8-15.2
65+	1521	409,726	184	11.6	9.4-13.8
Less Than H.S.	332	300,510	47	15.7	9.8-21.6
H.S. or G.E.D.	1332	764,167	141	13.3	10.8-15.8
Some Post-H.S.	926	639,894	135	17.4	14.1-20.7
College Graduate	1533	518,126	333	25.4	22.3-28.5
Less than \$15,000	290	184,486	38	14.2	8.9-19.5
\$15,000- 24,999	590	337,000	71	14.9	10.8-19.0
\$25,000- 34,999	405	206,060	44	16.2	10.1-22.3
\$35,000- 49,999	605	326,968	87	14.5	10.6-18.4
\$50,000- 74,999	654	333,933	96	13.9	10.4-17.4
\$75,000+	1219	643,019	274	24.3	20.8-27.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 11: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus since 2005		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
462	11.3	9.9-12.7	1266	34.0	31.8-36.2	1750	37.2	35.2-39.2
407	12.1	10.5-13.7	1100	35.2	32.8-37.6	1446	35.3	33.1-37.5
16	8.1	3.4-12.8	58	23.5	16.1-30.9	128	46.0	37.8-54.2
12	3.7	0.4- 7.0	34	43.8	29.1-58.5	50	40.8	27.1-54.5
9	12.3	2.1-22.5	12	23.3	3.7-42.9	31	51.0	31.8-70.2
11	7.5	1.8-13.2	34	24.5	15.9-33.1	68	47.8	37.4-58.2
25	9.8	5.7-13.9	88	42.8	35.2-50.4	54	21.5	15.6-27.4
22	7.8	4.3-11.3	104	35.1	28.8-41.4	115	31.2	25.5-36.9
50	13.2	9.1-17.3	125	28.9	23.4-34.4	165	37.8	32.1-43.5
78	13.4	9.9-16.9	221	37.1	32.2-42.0	247	37.3	32.6-42.0
118	13.1	10.4-15.8	307	34.5	30.6-38.4	385	39.9	36.0-43.8
166	10.5	8.5-12.5	406	27.0	24.1-29.9	765	51.0	47.7-54.3
35	11.9	7.2-16.6	94	31.4	24.3-38.5	156	41.0	34.1-47.9
165	12.1	9.7-14.5	420	35.1	31.6-38.6	606	39.4	35.9-42.9
123	12.4	9.7-15.1	305	37.5	33.2-41.8	363	32.8	28.9-36.7
139	8.5	6.7-10.3	441	29.1	26.0-32.2	620	37.0	33.7-40.3
28	7.7	4.0-11.4	74	33.1	25.3-40.9	150	45.0	37.2-52.8
85	15.5	11.4-19.6	167	29.3	23.8-34.8	267	40.4	34.7-46.1
36	7.5	4.0-11.0	106	30.3	23.2-37.4	219	46.0	38.9-53.1
85	15.8	11.5-20.1	182	34.3	28.8-39.8	251	35.4	30.3-40.5
68	11.1	7.6-14.6	212	38.6	33.1-44.1	278	36.3	31.2-41.4
133	10.7	8.3-13.1	391	33.9	30.2-37.6	421	31.1	27.6-34.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 12: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap		
	TOTAL	WEIGHTED	N	%	C.I. (95%)
Female	5833	2,317,962	1155	24.3	22.5-26.1
White/Non-Hisp	5014	1,912,628	1024	25.2	23.2-27.2
Black or Afr. Am./Non-Hisp	411	191,765	70	22.7	16.2-29.2
Oth. Race/Non-Hisp.	84	35,404	12	17.2	5.4-29.0
MultiRacial/Non-Hisp.	89	28,036	16	19.2	6.5-31.9
Hispanic	171	129,086	23	15.6	8.3-22.9
18-24	183	300,694	60	37.7	29.5-45.9
25-34	387	364,876	154	39.3	33.6-45.0
35-44	530	353,048	151	27.4	22.7-32.1
45-54	820	367,819	189	20.0	16.7-23.3
55-64	1312	395,956	284	18.3	15.9-20.7
65+	2524	509,092	302	11.1	9.5-12.7
Less Than H.S.	462	282,279	44	14.5	9.0-20.0
H.S. or G.E.D.	2034	776,284	259	18.0	15.1-20.9
Some Post-H.S.	1562	769,331	323	26.9	23.4-30.4
College Graduate	1763	486,936	527	35.7	32.4-39.0
Less than \$15,000	566	236,039	55	11.9	7.6-16.2
\$15,000- 24,999	1077	406,126	157	20.5	16.2-24.8
\$25,000- 34,999	644	237,024	101	21.6	15.9-27.3
\$35,000- 49,999	767	294,686	138	20.9	16.4-25.4
\$50,000- 74,999	729	312,623	178	31.6	26.1-37.1
\$75,000+	1206	534,563	386	34.0	30.1-37.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 12: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus since 2005		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
564	9.6	8.4-10.8	1115	19.4	17.8-21.0	2999	46.7	44.7-48.7
495	9.6	8.4-10.8	970	20.2	18.4-22.0	2525	45.0	43.0-47.0
31	8.4	4.1-12.7	63	15.5	10.6-20.4	247	53.4	46.0-60.8
7	6.8	0.0-15.2	22	23.5	9.6-37.4	43	52.6	36.3-68.9
13	13.8	4.8-22.8	24	29.7	15.2-44.2	36	37.3	22.8-51.8
14	11.2	4.3-18.1	28	10.9	6.0-15.8	106	62.3	52.7-71.9
16	8.9	4.2-13.6	44	22.5	15.6-29.4	63	30.9	23.5-38.3
32	7.7	4.8-10.6	64	15.6	11.5-19.7	137	37.4	31.5-43.3
44	8.3	5.4-11.2	91	17.9	13.8-22.0	244	46.4	41.1-51.7
95	12.2	9.3-15.1	184	23.8	20.1-27.5	352	43.9	39.6-48.2
160	12.8	10.4-15.2	258	20.0	17.3-22.7	610	48.8	45.5-52.1
212	8.1	6.7- 9.5	463	18.2	16.2-20.2	1547	62.6	60.2-65.0
55	13.0	8.7-17.3	91	16.6	12.3-20.9	272	55.9	49.2-62.6
186	9.6	7.6-11.6	363	19.7	17.2-22.2	1226	52.6	49.3-55.9
153	9.5	7.3-11.7	320	21.3	18.2-24.4	766	42.3	38.8-45.8
170	8.0	6.2- 9.8	336	17.4	15.0-19.8	730	38.8	35.5-42.1
59	9.8	6.5-13.1	125	25.5	19.8-31.2	327	52.7	46.4-59.0
113	12.5	9.0-16.0	204	16.8	13.7-19.9	603	50.2	45.5-54.9
65	10.5	6.6-14.4	97	13.7	9.8-17.6	381	54.2	47.9-60.5
88	10.1	7.4-12.8	147	18.9	14.8-23.0	394	50.2	44.9-55.5
60	7.1	4.6- 9.6	142	19.6	15.5-23.7	349	41.6	36.5-46.7
113	9.0	6.6-11.4	229	18.6	15.7-21.5	478	38.4	34.5-42.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016

SECTION 13: FALLS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)	
1	MALES AND FEMALES	216
2	MALES ONLY	217
3	FEMALES ONLY	218
	HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)	
4	MALES AND FEMALES	219
5	MALES ONLY	220
6	FEMALES ONLY	221

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 13: FALLS**

**TABLE 1: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are < 45 years of age

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8239	2,589,173	1312	15.1	14.1-16.1	565	6.4	5.8- 7.0	280	3.1	2.7- 3.5	105	1.2	0.8- 1.6	331	4.7	4.1- 5.3	5646	69.5	68.1-70.9
Male	3249	1,228,099	483	14.3	12.7-15.9	213	5.9	4.9- 6.9	103	3.0	2.2- 3.8	42	1.2	0.8- 1.6	117	4.1	3.1- 5.1	2291	71.6	69.6-73.6
Female	4990	1,361,075	829	15.8	14.4-17.2	352	6.9	5.9- 7.9	177	3.2	2.6- 3.8	63	1.2	0.8- 1.6	214	5.3	4.3- 6.3	3355	67.7	65.9-69.5
White/Non-Hisp	7241	2,224,826	1176	15.3	14.1-16.5	508	6.8	6.0- 7.6	239	3.2	2.6- 3.8	93	1.2	0.8- 1.6	282	4.5	3.9- 5.1	4943	69.0	67.6-70.4
Black or Afr. Am./Non-Hisp	503	194,165	59	13.7	9.4-18.0	23	3.8	1.8- 5.8	17	2.5	0.9- 4.1	5	0.8	0.0- 1.6	11	3.4	0.9- 5.9	388	75.8	70.7-80.9
Oth. Race/Non-Hisp.	121	30,242	7	1.1	0.1- 2.1	7	2.0	0.0- 4.0	6	1.8	0.0- 3.6	3	2.4	0.0- 6.3	9	4.0	0.7- 7.3	89	88.7	82.4-95.0
MultiRacial/Non-Hisp.	110	24,218	22	30.2	16.5-43.9	10	10.4	2.8-18.0	6	2.4	0.4- 4.4	2	1.4	0.0- 3.6	13	8.3	2.8-13.8	57	47.3	34.4-60.2
Hispanic	150	77,330	23	11.9	4.8-19.0	7	2.8	0.0- 5.7	4	2.5	0.0- 5.2	1	1.4	0.0- 3.9	9	9.7	2.3-17.1	106	71.7	61.5-81.9
45-54	1521	771,689	191	11.7	9.7-13.7	102	6.5	4.9- 8.1	57	3.4	2.4- 4.4	11	0.6	0.2- 1.0	77	5.6	4.0- 7.2	1083	72.2	69.5-74.9
55-64	2333	809,740	377	17.0	15.0-19.0	165	6.5	5.3- 7.7	81	3.2	2.2- 4.2	32	1.5	0.9- 2.1	119	5.9	4.5- 7.3	1559	66.0	63.5-68.5
65+	4257	961,111	728	16.3	14.9-17.7	291	6.5	5.5- 7.5	140	2.9	2.3- 3.5	60	1.4	1.0- 1.8	133	3.0	2.4- 3.6	2905	69.9	68.1-71.7
Less Than H.S.	618	307,465	90	13.7	10.2-17.2	54	6.9	4.7- 9.1	26	3.3	1.5- 5.1	9	1.8	0.4- 3.2	43	8.4	5.3-11.5	396	65.8	60.9-70.7
H.S. or G.E.D.	2913	961,506	442	14.8	13.0-16.6	228	7.6	6.4- 8.8	111	3.5	2.7- 4.3	41	1.0	0.6- 1.4	123	4.8	3.8- 5.8	1968	68.2	66.0-70.4
Some Post-H.S.	2033	768,714	326	15.6	13.6-17.6	110	4.8	3.6- 6.0	71	2.9	1.9- 3.9	30	1.3	0.7- 1.9	87	4.6	3.4- 5.8	1409	70.7	68.2-73.2
College Graduate	2655	544,911	452	15.4	13.6-17.2	172	6.4	5.2- 7.6	71	2.5	1.7- 3.3	24	0.8	0.4- 1.2	76	2.4	1.8- 3.0	1860	72.4	70.2-74.6
Less than \$15,000	695	238,776	100	12.9	9.6-16.2	64	9.1	6.4-11.8	41	5.1	2.9- 7.3	20	2.7	1.1- 4.3	64	11.3	7.8-14.8	406	59.0	53.9-64.1
\$15,000- 24,999	1389	417,124	211	13.5	11.1-15.9	129	7.9	6.1- 9.7	65	4.3	2.9- 5.7	28	1.9	0.9- 2.9	95	8.3	6.1-10.5	861	64.1	60.6-67.6
\$25,000- 34,999	895	254,519	150	13.5	10.8-16.2	60	6.9	4.5- 9.3	35	3.0	1.8- 4.2	11	1.2	0.4- 2.0	35	4.7	2.7- 6.7	604	70.8	66.9-74.7
\$35,000- 49,999	1135	363,620	195	17.0	14.1-19.9	77	7.3	5.1- 9.5	36	2.6	1.6- 3.6	12	1.0	0.2- 1.8	38	4.0	2.4- 5.6	777	68.1	64.4-71.8
\$50,000- 74,999	1137	367,166	177	15.2	12.5-17.9	70	5.6	4.0- 7.2	30	2.2	1.2- 3.2	10	0.5	0.1- 0.9	30	3.3	1.7- 4.9	820	73.1	69.8-76.4
\$75,000+	1844	626,590	293	15.7	13.5-17.9	101	5.2	4.0- 6.4	30	1.9	1.1- 2.7	12	0.4	0.2- 0.6	30	1.3	0.7- 1.9	1378	75.6	73.1-78.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 13: FALLS**

**TABLE 2: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents who are < 45 years of age**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3249	1,228,099	483	14.3	12.7-15.9	213	5.9	4.9- 6.9	103	3.0	2.2- 3.8	42	1.2	0.8- 1.6	117	4.1	3.1- 5.1	2291	71.6	69.6-73.6
White/Non-Hisp	2843	1,037,528	423	14.5	12.7-16.3	192	6.5	5.3- 7.7	88	3.2	2.2- 4.2	36	1.1	0.5- 1.7	98	3.7	2.7- 4.7	2006	71.0	68.8-73.2
Black or Afr. Am./Non-Hisp	181	98,003	26	14.9	8.0-21.8	7	2.6	0.0- 5.3	3	1.6	0.0- 3.6	2	0.8	0.0- 2.0	5	3.9	0.0- 8.0	138	76.2	68.0-84.4
Oth. Race/Non-Hisp.	65	19,176	2	0.6	0.0- 1.6	6	2.2	0.0- 4.6	2	0.9	0.0- 2.3	3	3.8	0.0-10.1	3	1.4	0.0- 3.4	49	91.2	83.6-98.8
Hispanic	59	37,059	8	8.7	1.4-16.0	1	0.3	0.0- 0.9	2	2.4	0.0- 5.7	1	2.8	0.0- 8.3	5	12.1	0.3-23.9	42	73.7	59.4-88.0
45-54	663	391,175	82	11.1	8.4-13.8	37	5.6	3.4- 7.8	20	3.6	1.8- 5.4	3	0.4	0.0- 0.8	28	4.7	2.5- 6.9	493	74.7	70.6-78.8
55-64	958	394,601	138	15.2	12.1-18.3	62	5.8	4.0- 7.6	28	2.8	1.4- 4.2	12	1.4	0.4- 2.4	39	4.7	2.9- 6.5	679	70.1	66.4-73.8
65+	1584	425,191	254	16.1	13.7-18.5	111	6.4	4.8- 8.0	55	2.9	1.9- 3.9	27	1.8	1.0- 2.6	50	3.0	2.0- 4.0	1087	69.8	66.9-72.7
Less Than H.S.	242	155,712	34	13.2	7.9-18.5	15	4.7	1.8- 7.6	10	3.5	0.8- 6.2	4	2.1	0.0- 4.5	16	8.7	3.8-13.6	163	67.9	60.3-75.5
H.S. or G.E.D.	1068	446,291	149	14.0	11.3-16.7	91	7.9	5.9- 9.9	46	4.0	2.6- 5.4	16	1.0	0.4- 1.6	37	3.6	2.4- 4.8	729	69.4	65.9-72.9
Some Post-H.S.	716	335,228	107	14.6	11.3-17.9	34	3.8	2.2- 5.4	22	2.4	1.0- 3.8	10	1.4	0.4- 2.4	26	3.8	2.0- 5.6	517	73.9	70.0-77.8
College Graduate	1214	287,348	191	14.6	12.2-17.0	72	5.9	4.3- 7.5	25	2.1	0.9- 3.3	12	0.6	0.2- 1.0	37	2.5	1.5- 3.5	877	74.3	71.4-77.2
Less than \$15,000	220	106,017	28	10.6	5.3-15.9	20	7.2	3.3-11.1	14	5.5	1.8- 9.2	6	2.9	0.2- 5.6	14	9.1	3.4-14.8	138	64.7	56.3-73.1
\$15,000- 24,999	465	177,760	58	10.9	7.0-14.8	41	7.2	4.5- 9.9	25	5.3	2.6- 8.0	10	2.4	0.6- 4.2	30	6.8	3.9- 9.7	301	67.5	61.8-73.2
\$25,000- 34,999	326	110,235	52	14.2	9.3-19.1	22	5.5	2.2- 8.8	14	2.4	1.0- 3.8	8	2.2	0.4- 4.0	13	4.2	1.3- 7.1	217	71.4	65.1-77.7
\$35,000- 49,999	468	178,326	77	16.0	11.7-20.3	40	9.1	5.6-12.6	12	1.8	0.4- 3.2	2	0.4	0.0- 1.0	16	3.9	1.5- 6.3	321	68.7	63.0-74.4
\$50,000- 74,999	525	186,990	77	14.6	10.7-18.5	32	5.4	3.2- 7.6	9	1.8	0.4- 3.2	7	0.7	0.1- 1.3	15	3.2	1.0- 5.4	385	74.2	69.3-79.1
\$75,000+	915	346,960	145	16.0	12.9-19.1	44	4.5	2.9- 6.1	16	2.1	0.7- 3.5	5	0.2	0.0- 0.4	15	1.4	0.6- 2.2	690	75.7	72.2-79.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 13: FALLS**

**TABLE 3: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents who are < 45 years of age**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4990	1,361,075	829	15.8	14.4-17.2	352	6.9	5.9- 7.9	177	3.2	2.6- 3.8	63	1.2	0.8- 1.6	214	5.3	4.3- 6.3	3355	67.7	65.9-69.5
White/Non-Hisp	4398	1,187,298	753	16.1	14.7-17.5	316	7.0	6.0- 8.0	151	3.2	2.6- 3.8	57	1.2	0.8- 1.6	184	5.3	4.3- 6.3	2937	67.3	65.5-69.1
Black or Afr. Am./Non-Hisp	322	96,161	33	12.6	7.3-17.9	16	5.1	2.2- 8.0	14	3.4	1.2- 5.6	3	0.7	0.0- 1.5	6	2.8	0.1- 5.5	250	75.4	69.1-81.7
Oth. Race/Non-Hisp.	56	11,066	5	1.9	0.0- 3.9	1	1.7	0.0- 5.0	4	3.5	0.0- 7.8				6	8.5	0.3-16.7	40	84.4	73.8-95.0
MultiRacial/Non-Hisp.	67	13,847	11	24.1	8.0-40.2	7	14.4	2.2-26.6	2	1.5	0.0- 3.7	2	2.5	0.0- 6.4	10	8.3	2.6-14.0	35	49.2	33.1-65.3
Hispanic	91	40,270	15	14.8	3.2-26.4	6	5.1	0.0-10.6	2	2.6	0.0- 7.1				4	7.6	0.0-16.8	64	69.9	55.6-84.2
45-54	858	380,514	109	12.3	9.4-15.2	65	7.5	5.3- 9.7	37	3.1	1.9- 4.3	8	0.9	0.1- 1.7	49	6.5	4.3- 8.7	590	69.7	65.8-73.6
55-64	1375	415,139	239	18.7	16.0-21.4	103	7.2	5.6- 8.8	53	3.5	2.3- 4.7	20	1.5	0.7- 2.3	80	7.0	5.0- 9.0	880	62.0	58.9-65.1
65+	2673	535,920	474	16.5	14.7-18.3	180	6.5	5.3- 7.7	85	2.9	2.1- 3.7	33	1.1	0.7- 1.5	83	3.0	2.2- 3.8	1818	70.0	67.8-72.2
Less Than H.S.	376	151,753	56	14.3	9.4-19.2	39	9.2	5.9-12.5	16	3.1	1.1- 5.1	5	1.6	0.0- 3.2	27	8.1	4.6-11.6	233	63.7	57.4-70.0
H.S. or G.E.D.	1845	515,215	293	15.5	13.3-17.7	137	7.3	5.7- 8.9	65	3.1	2.1- 4.1	25	1.0	0.4- 1.6	86	5.9	4.5- 7.3	1239	67.2	64.5-69.9
Some Post-H.S.	1317	433,487	219	16.4	13.9-18.9	76	5.6	4.0- 7.2	49	3.3	2.1- 4.5	20	1.2	0.4- 2.0	61	5.3	3.5- 7.1	892	68.2	64.9-71.5
College Graduate	1441	257,563	261	16.4	14.0-18.8	100	7.0	5.4- 8.6	46	3.0	1.8- 4.2	12	1.1	0.3- 1.9	39	2.2	1.4- 3.0	983	70.3	67.4-73.2
Less than \$15,000	475	132,758	72	14.8	10.5-19.1	44	10.5	6.6-14.4	27	4.8	2.4- 7.2	14	2.6	0.6- 4.6	50	13.0	8.5-17.5	268	54.4	48.3-60.5
\$15,000- 24,999	924	239,364	153	15.4	12.3-18.5	88	8.4	6.2-10.6	40	3.6	2.2- 5.0	18	1.5	0.7- 2.3	65	9.4	6.5-12.3	560	61.6	57.3-65.9
\$25,000- 34,999	569	144,283	98	12.9	9.6-16.2	38	8.0	4.9-11.1	21	3.4	1.6- 5.2	3	0.4	0.0- 0.8	22	5.0	2.5- 7.5	387	70.4	65.5-75.3
\$35,000- 49,999	667	185,295	118	18.0	14.1-21.9	37	5.6	3.2- 8.0	24	3.3	1.7- 4.9	10	1.5	0.1- 2.9	22	4.1	2.1- 6.1	456	67.5	62.8-72.2
\$50,000- 74,999	612	180,176	100	15.8	12.1-19.5	38	5.8	3.6- 8.0	21	2.7	1.1- 4.3	3	0.4	0.0- 0.8	15	3.4	1.0- 5.8	435	71.9	67.2-76.6
\$75,000+	929	279,631	148	15.3	12.4-18.2	57	6.0	4.0- 8.0	14	1.5	0.5- 2.5	7	0.7	0.1- 1.3	15	1.1	0.5- 1.7	688	75.4	71.9-78.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 13: FALLS**

**TABLE 4: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2583	786,727	681	26.8	24.4-29.2	144	6.0	4.6- 7.4	66	2.9	1.9- 3.9	15	0.5	0.3- 0.7	78	4.0	2.8- 5.2	1599	59.8	57.3-62.3
Male	956	348,754	211	23.5	19.8-27.2	35	4.0	2.2- 5.8	24	2.7	1.3- 4.1	3	0.1	0.1- 0.1	20	3.1	1.3- 4.9	663	66.6	62.5-70.7
Female	1627	437,973	470	29.5	26.4-32.6	109	7.6	5.8- 9.4	42	3.1	1.9- 4.3	12	0.8	0.2- 1.4	58	4.7	3.1- 6.3	936	54.4	51.1-57.7
White/Non-Hisp	2289	688,166	591	26.2	23.7-28.7	118	5.8	4.4- 7.2	59	3.0	2.0- 4.0	14	0.5	0.1- 0.9	63	3.9	2.7- 5.1	1444	60.5	57.8-63.2
Black or Afr. Am./Non-Hisp	115	46,964	33	32.8	20.8-44.8	10	8.3	0.3-16.3	1	0.6	0.0- 1.8				1	2.1	0.0- 6.2	70	56.2	43.7-68.7
MultiRacial/Non-Hisp.	53	12,751	16	29.5	12.4-46.6	7	6.7	0.4-13.0	3	2.4	0.0- 5.3	1	0.7	0.0- 2.1	5	5.2	0.1-10.3	21	55.5	36.9-74.1
45-54	438	214,245	113	30.1	24.4-35.8	32	8.4	4.9-11.9	24	5.9	3.2- 8.6	4	0.8	0.0- 1.6	17	4.0	1.8- 6.2	248	50.9	45.0-56.8
55-64	770	274,689	195	23.7	20.0-27.4	38	5.0	3.0- 7.0	23	2.6	1.2- 4.0	4	0.4	0.0- 0.8	37	6.2	3.7- 8.7	473	62.0	57.7-66.3
65+	1346	288,051	363	27.5	24.4-30.6	74	5.4	3.8- 7.0	19	1.0	0.4- 1.6	7	0.3	0.1- 0.5	24	2.1	0.9- 3.3	859	63.7	60.4-67.0
Less Than H.S.	221	104,670	71	32.9	24.7-41.1	21	9.6	4.5-14.7	4	1.6	0.0- 3.8				15	9.7	3.8-15.6	110	46.2	37.6-54.8
H.S. or G.E.D.	943	305,083	245	26.0	22.3-29.7	58	6.1	4.1- 8.1	33	4.3	2.5- 6.1	6	0.7	0.1- 1.3	22	2.6	1.4- 3.8	579	60.4	56.3-64.5
Some Post-H.S.	622	224,753	163	27.4	22.7-32.1	37	6.0	3.5- 8.5	16	2.4	0.6- 4.2	3	0.2	0.0- 0.4	28	5.1	2.7- 7.5	375	58.9	53.8-64.0
College Graduate	791	149,639	200	23.7	20.0-27.4	28	3.4	1.8- 5.0	13	1.7	0.5- 2.9	6	0.7	0.0- 1.5	13	1.4	0.4- 2.4	531	69.1	65.0-73.2
Less than \$15,000	287	97,564	94	37.2	29.4-45.0	30	12.2	6.3-18.1	10	5.0	1.3- 8.7	1	0.2	0.0- 0.6	19	7.7	3.6-11.8	133	37.6	30.2-45.0
\$15,000- 24,999	525	149,219	138	26.4	21.1-31.7	41	8.2	4.7-11.7	17	4.0	1.5- 6.5	5	1.1	0.0- 2.3	24	5.1	2.4- 7.8	300	55.2	49.3-61.1
\$25,000- 34,999	290	74,102	78	28.6	21.3-35.9	12	5.9	2.0- 9.8	4	1.8	0.0- 4.0	2	0.2	0.0- 0.6	6	3.0	0.3- 5.7	188	60.6	52.8-68.4
\$35,000- 49,999	358	115,928	88	22.3	16.6-28.0	26	8.3	4.4-12.2	11	2.6	0.6- 4.6	4	0.8	0.0- 1.6	14	6.3	2.6-10.0	215	59.8	52.9-66.7
\$50,000- 74,999	316	98,489	80	22.3	16.6-28.0	9	2.6	0.8- 4.4	6	1.8	0.0- 3.8	1	0.5	0.0- 1.5	1	0.8	0.0- 2.4	219	72.0	65.7-78.3
\$75,000+	466	153,025	116	26.4	21.1-31.7	13	2.3	0.7- 3.9	6	1.7	0.1- 3.3	1	0.1	0.0- 0.3	7	1.3	0.1- 2.5	323	68.3	62.6-74.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 13: FALLS**

**TABLE 5: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	956	348,754	211	23.5	19.8-27.2	35	4.0	2.2- 5.8	24	2.7	1.3- 4.1	3	0.1	0.1- 0.1	20	3.1	1.3- 4.9	663	66.6	62.5-70.7
White/Non-Hisp	835	300,404	183	23.4	19.5-27.3	27	3.4	1.8- 5.0	19	2.6	1.2- 4.0	3	0.1	0.0- 0.3	16	2.9	1.1- 4.7	587	67.5	63.2-71.8
45-54	170	98,913	44	28.6	20.2-37.0	5	4.1	0.0- 8.6	11	6.6	2.3-10.9				4	3.3	0.0- 6.8	106	57.5	48.3-66.7
55-64	277	117,232	56	19.9	13.8-26.0	13	5.0	2.1- 7.9	7	1.5	0.3- 2.7				10	4.9	0.8- 9.0	191	68.7	61.6-75.8
65+	497	128,250	109	23.5	18.4-28.6	17	3.2	1.4- 5.0	6	0.8	0.0- 1.6	3	0.2	0.0- 0.4	6	1.5	0.1- 2.9	356	70.8	65.5-76.1
Less Than H.S.	78	49,633	24	30.6	17.9-43.3	5	8.1	0.0-16.5	1	0.3	0.0- 0.9				6	10.9	0.9-20.9	42	50.2	36.1-64.3
H.S. or G.E.D.	339	136,370	76	23.0	16.9-29.1	15	4.9	2.2- 7.6	15	4.9	2.0- 7.8				4	1.7	0.1- 3.3	229	65.6	58.9-72.3
Some Post-H.S.	199	87,495	44	23.2	15.8-30.6	6	2.3	0.3- 4.3	5	2.1	0.0- 4.8				7	3.2	0.7- 5.7	137	69.2	61.0-77.4
College Graduate	336	73,478	66	20.2	14.5-25.9	9	1.9	0.5- 3.3	3	0.9	0.0- 1.9	3	0.4	0.0- 0.8	3	0.5	0.0- 1.1	252	76.2	70.5-81.9
Less than \$15,000	81	37,050	25	35.8	21.7-49.9	4	8.7	0.0-19.3	3	3.0	0.0- 6.7				4	7.0	0.1-13.9	45	45.5	31.0-60.0
\$15,000- 24,999	164	57,829	40	27.7	17.7-37.7	7	5.6	0.9-10.3	8	6.3	0.8-11.8				4	1.6	0.0- 3.6	105	58.8	48.4-69.2
\$25,000- 34,999	109	31,497	21	25.9	13.4-38.4	5	5.9	0.4-11.4	1	0.4	0.0- 1.2	2	0.5	0.0- 1.3				80	67.3	54.4-80.2
\$35,000- 49,999	147	55,768	31	18.5	10.7-26.3	9	5.9	1.0-10.8	3	1.6	0.0- 3.6	1	0.2	0.0- 0.6	7	6.9	1.0-12.8	96	66.8	56.8-76.8
\$50,000- 74,999	139	47,920	32	18.3	11.0-25.6	4	2.2	0.0- 4.6	3	3.1	0.0- 7.0							100	76.4	68.2-84.6
\$75,000+	225	84,172	45	21.4	14.1-28.7	3	0.7	0.0- 1.5	4	2.1	0.0- 4.8				1	0.9	0.0- 2.5	172	74.9	67.3-82.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 13: FALLS**

**TABLE 6: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1627	437,973	470	29.5	26.4-32.6	109	7.6	5.8-9.4	42	3.1	1.9-4.3	12	0.8	0.2-1.4	58	4.7	3.1-6.3	936	54.4	51.1-57.7
White/Non-Hisp	1454	387,762	408	28.4	25.3-31.5	91	7.7	5.7-9.7	40	3.3	1.9-4.7	11	0.8	0.2-1.4	47	4.6	3.0-6.2	857	55.1	51.8-58.4
Black or Afr. Am./Non-Hisp	72	23,660	25	36.3	21.2-51.4	7	6.2	1.1-11.3	1	1.2	0.0-3.6				1	4.2	0.0-12.2	38	52.2	37.1-67.3
45-54	268	115,331	69	31.4	23.8-39.0	27	12.0	6.9-17.1	13	5.3	2.0-8.6	4	1.5	0.0-3.1	13	4.6	1.7-7.5	142	45.2	37.6-52.8
55-64	493	157,458	139	26.6	21.9-31.3	25	5.0	2.5-7.5	16	3.5	1.1-5.9	4	0.7	0.0-1.5	27	7.1	4.0-10.2	282	57.1	51.6-62.6
65+	849	159,802	254	30.7	26.6-34.8	57	7.1	4.7-9.5	13	1.2	0.4-2.0	4	0.3	0.0-0.7	18	2.6	1.0-4.2	503	58.1	53.8-62.4
Less Than H.S.	143	55,037	47	35.0	24.4-45.6	16	10.9	4.6-17.2	3	2.9	0.0-6.8				9	8.6	2.5-14.7	68	42.6	32.4-52.8
H.S. or G.E.D.	604	168,712	169	28.4	23.7-33.1	43	7.0	4.5-9.5	18	3.8	1.6-6.0	6	1.3	0.1-2.5	18	3.3	1.5-5.1	350	56.3	51.2-61.4
Some Post-H.S.	423	137,258	119	30.0	24.1-35.9	31	8.4	4.5-12.3	11	2.6	0.4-4.8	3	0.3	0.0-0.7	21	6.3	3.0-9.6	238	52.3	46.0-58.6
College Graduate	455	76,161	134	27.2	22.1-32.3	19	4.9	2.2-7.6	10	2.5	0.3-4.7	3	1.0	0.0-2.4	10	2.3	0.5-4.1	279	62.2	56.5-67.9
Less than \$15,000	206	60,514	69	38.2	29.0-47.4	26	14.4	7.5-21.3	7	6.2	0.9-11.5	1	0.2	0.0-0.6	15	8.2	2.9-13.5	88	32.8	25.0-40.6
\$15,000- 24,999	361	91,390	98	25.6	19.5-31.7	34	9.9	5.2-14.6	9	2.5	0.5-4.5	5	1.8	0.0-3.8	20	7.4	3.3-11.5	195	52.8	45.7-59.9
\$25,000- 34,999	181	42,605	57	30.5	21.7-39.3	7	5.8	0.3-11.3	3	2.9	0.0-6.6				6	5.2	0.7-9.7	108	55.6	46.0-65.2
\$35,000- 49,999	211	60,160	57	25.8	17.8-33.8	17	10.4	4.5-16.3	8	3.6	0.3-6.9	3	1.3	0.0-2.9	7	5.7	1.2-10.2	119	53.3	44.3-62.3
\$50,000- 74,999	177	50,569	48	26.0	17.4-34.6	5	3.0	0.3-5.7	3	0.5	0.0-1.1	1	1.0	0.0-3.0	1	1.6	0.0-4.7	119	67.9	58.9-76.9
\$75,000+	241	68,853	71	32.5	24.7-40.3	10	4.2	1.1-7.3	2	1.1	0.0-2.7	1	0.1	0.0-0.3	6	1.7	0.1-3.3	151	60.3	52.3-68.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016

SECTION 14: SEATBELT USE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)	
1	MALES AND FEMALES	223
2	MALES ONLY	224
3	FEMALES ONLY	225

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 14: SEATBELT USE**

**TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10505	4,795,242	9143	83.8	82.6-85.0	790	9.3	8.3-10.3	266	3.2	2.6- 3.8	104	1.2	0.8- 1.6	185	2.3	1.7- 2.9	17	0.2	0.0- 0.4
Male	4323	2,328,087	3555	79.1	77.3-80.9	407	10.9	9.5-12.3	156	4.5	3.5- 5.5	74	1.8	1.2- 2.4	127	3.6	2.6- 4.6	4	0.1	0.0- 0.3
Female	6182	2,467,155	5588	88.4	87.0-89.8	383	7.7	6.5- 8.9	110	2.0	1.4- 2.6	30	0.6	0.2- 1.0	58	1.0	0.6- 1.4	13	0.2	0.0- 0.4
White/Non-Hisp	8981	3,900,646	7849	84.3	83.1-85.5	672	9.4	8.4-10.4	219	3.1	2.5- 3.7	87	1.2	0.8- 1.6	144	1.9	1.3- 2.5	10	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	686	398,553	588	80.6	75.9-85.3	53	10.7	7.0-14.4	21	4.5	1.8- 7.2	5	0.5	0.1- 0.9	18	3.7	1.3- 6.1	1	0.0	0.0- 0.0
Oth. Race/Non-Hisp.	205	111,257	177	84.3	76.7-91.9	14	6.4	1.5-11.3	4	4.1	0.0- 8.4	2	1.4	0.0- 3.9	8	3.8	0.0- 7.9			
MultiRacial/Non-Hisp.	154	53,770	128	79.5	70.1-88.9	17	13.0	5.4-20.6	6	5.6	0.0-11.3	2	1.8	0.0- 4.9				1	0.1	0.0- 0.3
Hispanic	338	268,397	287	83.1	78.0-88.2	23	6.7	3.4-10.0	8	2.3	0.5- 4.1	5	1.9	0.0- 3.9	12	4.8	1.7- 7.9	3	1.2	0.0- 3.0
18-24	434	655,562	333	75.2	70.3-80.1	58	14.6	10.7-18.5	26	5.7	3.2- 8.2	6	1.1	0.1- 2.1	11	3.5	1.0- 6.0			
25-34	763	772,825	629	81.8	78.5-85.1	83	10.8	8.3-13.3	21	3.2	1.6- 4.8	12	1.8	0.6- 3.0	16	2.0	0.8- 3.2	2	0.3	0.0- 0.7
35-44	1041	770,436	903	85.5	82.8-88.2	83	8.8	6.6-11.0	31	3.1	1.7- 4.5	12	1.2	0.4- 2.0	10	1.1	0.3- 1.9	2	0.3	0.0- 0.7
45-54	1525	772,638	1333	85.4	83.0-87.8	113	8.0	6.2- 9.8	33	2.4	1.4- 3.4	21	1.5	0.7- 2.3	22	2.2	1.0- 3.4	3	0.3	0.0- 0.9
55-64	2338	811,075	2046	86.0	84.0-88.0	170	7.9	6.5- 9.3	55	2.5	1.7- 3.3	24	1.0	0.6- 1.4	41	2.4	1.4- 3.4	2	0.1	0.0- 0.3
65+	4273	964,663	3782	86.7	85.3-88.1	275	7.1	6.1- 8.1	96	2.9	2.1- 3.7	28	0.7	0.3- 1.1	84	2.6	1.8- 3.4	8	0.1	0.1- 0.1
Less Than H.S.	834	615,052	691	78.7	74.6-82.8	53	7.3	4.8- 9.8	40	6.1	3.7- 8.5	10	1.2	0.4- 2.0	36	5.6	3.1- 8.1	4	1.0	0.0- 2.0
H.S. or G.E.D.	3524	1,621,514	3016	82.3	80.3-84.3	281	10.4	8.8-12.0	110	3.6	2.6- 4.6	36	1.4	0.8- 2.0	72	2.3	1.5- 3.1	9	0.1	0.1- 0.1
Some Post-H.S.	2626	1,486,883	2257	83.4	81.2-85.6	239	11.1	9.3-12.9	56	2.5	1.7- 3.3	31	1.4	0.8- 2.0	42	1.7	0.9- 2.5	1	0.0	0.0- 0.0
College Graduate	3497	1,062,162	3156	89.8	88.4-91.2	216	6.2	5.0- 7.4	60	2.0	1.2- 2.8	27	0.7	0.3- 1.1	35	1.2	0.6- 1.8	3	0.1	0.0- 0.3
Less than \$15,000	885	434,081	754	80.8	76.7-84.9	48	7.3	4.6-10.0	26	5.0	2.5- 7.5	16	2.3	0.9- 3.7	35	4.4	2.4- 6.4	6	0.1	0.0- 0.3
\$15,000- 24,999	1736	777,821	1485	83.7	81.0-86.4	132	8.1	6.1-10.1	54	3.7	2.5- 4.9	17	1.2	0.4- 2.0	45	3.3	1.9- 4.7	3	0.0	0.0- 0.0
\$25,000- 34,999	1104	472,407	962	82.1	78.2-86.0	86	11.0	7.7-14.3	32	4.1	2.1- 6.1	6	0.4	0.0- 0.8	18	2.4	0.8- 4.0			
\$35,000- 49,999	1432	655,861	1233	82.6	79.7-85.5	123	9.1	6.9-11.3	32	3.7	1.9- 5.5	15	1.2	0.4- 2.0	28	3.4	1.8- 5.0	1	0.0	0.0- 0.0
\$50,000- 74,999	1470	684,867	1273	84.5	81.6-87.4	132	11.3	8.8-13.8	36	2.6	1.4- 3.8	14	0.8	0.2- 1.4	15	0.8	0.2- 1.4			
\$75,000+	2539	1,233,625	2262	86.2	84.0-88.4	180	8.9	7.1-10.7	47	1.8	1.0- 2.6	24	1.4	0.8- 2.0	24	1.5	0.5- 2.5	2	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 14: SEATBELT USE**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4323	2,328,087	3555	79.1	77.3-80.9	407	10.9	9.5-12.3	156	4.5	3.5- 5.5	74	1.8	1.2- 2.4	127	3.6	2.6- 4.6	4	0.1	0.0- 0.3
White/Non-Hisp	3667	1,871,551	3030	79.2	77.2-81.2	340	11.1	9.5-12.7	132	4.5	3.5- 5.5	62	1.9	1.3- 2.5	101	3.2	2.2- 4.2	2	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	251	189,020	204	77.1	69.7-84.5	23	11.6	5.7-17.5	12	5.8	1.3-10.3	4	0.9	0.0- 1.9	8	4.6	1.1- 8.1			
Oth. Race/Non-Hisp.	118	73,316	98	81.3	70.7-91.9	9	8.0	0.9-15.1	3	5.3	0.0-11.4	1	0.2	0.0- 0.6	7	5.2	0.0-11.3			
MultiRacial/Non-Hisp.	62	25,489	46	68.4	51.2-85.6	12	21.8	7.3-36.3	2	5.9	0.0-15.7	2	3.9	0.0-10.6						
Hispanic	152	127,901	122	81.2	73.6-88.8	14	7.7	2.2-13.2	4	2.0	0.0- 4.2	3	1.5	0.0- 3.3	8	6.9	1.6-12.2	1	0.7	0.0- 2.1
18-24	238	331,417	179	71.9	64.8-79.0	33	15.4	9.9-20.9	15	7.1	3.2-11.0	4	0.9	0.0- 1.9	7	4.7	0.6- 8.8			
25-34	358	385,737	279	77.2	72.1-82.3	40	11.1	7.2-15.0	14	4.4	1.9- 6.9	9	2.9	0.9- 4.9	14	3.8	1.4- 6.2	2	0.7	0.0- 1.7
35-44	468	381,793	376	79.5	75.0-84.0	51	12.3	8.4-16.2	22	4.6	2.4- 6.8	11	2.0	0.6- 3.4	8	1.5	0.1- 2.9			
45-54	662	388,454	541	80.8	77.1-84.5	67	9.7	7.0-12.4	23	3.9	2.1- 5.7	15	2.2	0.8- 3.6	16	3.4	1.4- 5.4			
55-64	961	395,699	792	80.4	77.1-83.7	91	10.0	7.6-12.4	29	3.5	1.9- 5.1	18	1.7	0.7- 2.7	30	4.3	2.5- 6.1	1	0.1	0.0- 0.3
65+	1590	426,516	1347	82.5	80.0-85.0	123	8.4	6.6-10.2	52	4.1	2.7- 5.5	16	0.9	0.3- 1.5	51	4.0	2.6- 5.4	1	0.0	0.0- 0.0
Less Than H.S.	352	319,289	271	72.5	66.0-79.0	28	9.9	5.4-14.4	23	7.7	4.0-11.4	6	1.1	0.1- 2.1	23	8.4	3.9-12.9	1	0.5	0.0- 1.5
H.S. or G.E.D.	1379	794,209	1072	75.6	72.5-78.7	157	13.0	10.5-15.5	68	4.9	3.3- 6.5	31	2.6	1.4- 3.8	50	3.8	2.4- 5.2	1	0.0	0.0- 0.0
Some Post-H.S.	970	665,633	782	79.4	76.1-82.7	109	12.3	9.6-15.0	32	4.1	2.3- 5.9	18	1.6	0.6- 2.6	28	2.5	1.3- 3.7	1	0.1	0.0- 0.3
College Graduate	1610	542,455	1419	87.4	85.0-89.8	112	6.7	4.9- 8.5	33	2.6	1.6- 3.6	19	1.1	0.5- 1.7	26	2.0	0.8- 3.2	1	0.2	0.0- 0.6
Less than \$15,000	298	190,856	237	74.4	67.3-81.5	22	8.2	3.9-12.5	12	7.2	2.3-12.1	10	4.0	1.1- 6.9	16	6.1	2.4- 9.8	1	0.1	0.0- 0.3
\$15,000- 24,999	615	352,857	492	80.4	75.9-84.9	51	8.6	5.1-12.1	28	4.5	2.3- 6.7	11	1.6	0.4- 2.8	33	4.9	2.7- 7.1			
\$25,000- 34,999	423	217,773	338	71.3	64.2-78.4	47	15.6	9.5-21.7	20	8.0	3.7-12.3	5	0.8	0.0- 1.6	13	4.3	1.0- 7.6			
\$35,000- 49,999	622	337,714	497	77.8	73.3-82.3	67	9.8	6.9-12.7	24	5.2	2.7- 7.7	11	1.8	0.6- 3.0	23	5.5	2.6- 8.4			
\$50,000- 74,999	689	353,277	580	82.8	78.7-86.9	68	11.1	7.6-14.6	22	4.0	1.6- 6.4	7	0.6	0.2- 1.0	12	1.6	0.4- 2.8			
\$75,000+	1266	662,181	1079	81.0	77.7-84.3	111	11.1	8.6-13.6	34	2.9	1.7- 4.1	19	2.0	1.0- 3.0	21	2.6	0.6- 4.6	2	0.4	0.0- 1.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 14: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6182	2,467,155	5588	88.4	87.0-89.8	383	7.7	6.5- 8.9	110	2.0	1.4- 2.6	30	0.6	0.2- 1.0	58	1.0	0.6- 1.4	13	0.2	0.0- 0.4
White/Non-Hisp	5314	2,029,096	4819	89.0	87.6-90.4	332	7.8	6.6- 9.0	87	1.8	1.2- 2.4	25	0.5	0.1- 0.9	43	0.7	0.3- 1.1	8	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	435	209,533	384	83.8	77.7-89.9	30	9.8	5.1-14.5	9	3.4	0.3- 6.5	1	0.1	0.0- 0.3	10	2.9	0.0- 6.0	1	0.0	0.0- 0.0
Oth. Race/Non-Hisp.	87	37,941	79	90.1	81.1-99.1	5	3.2	0.0- 6.9	1	1.8	0.0- 5.3	1	3.8	0.0-11.1	1	1.1	0.0- 3.3			
MultiRacial/Non-Hisp.	92	28,281	82	89.5	81.7-97.3	5	5.0	0.0-10.1	4	5.3	0.0-11.2							1	0.1	0.0- 0.3
Hispanic	186	140,496	165	84.8	77.7-91.9	9	5.8	1.7- 9.9	4	2.5	0.0- 5.2	2	2.3	0.0- 5.8	4	2.9	0.0- 6.0	2	1.7	0.0- 4.8
18-24	196	324,145	154	78.5	71.8-85.2	25	13.7	8.0-19.4	11	4.3	1.4- 7.2	2	1.2	0.0- 3.0	4	2.3	0.0- 4.7			
25-34	405	387,088	350	86.4	82.5-90.3	43	10.5	7.0-14.0	7	2.1	0.3- 3.9	3	0.8	0.0- 1.8	2	0.3	0.0- 0.7			
35-44	573	388,643	527	91.5	88.8-94.2	32	5.4	3.2- 7.6	9	1.6	0.2- 3.0	1	0.4	0.0- 1.2	2	0.6	0.0- 1.6	2	0.5	0.0- 1.5
45-54	863	384,184	792	90.1	87.4-92.8	46	6.4	4.2- 8.6	10	1.0	0.2- 1.8	6	0.8	0.0- 1.6	6	1.0	0.0- 2.2	3	0.7	0.0- 1.9
55-64	1377	415,376	1254	91.4	89.6-93.2	79	6.0	4.4- 7.6	26	1.6	1.0- 2.2	6	0.4	0.0- 0.8	11	0.6	0.2- 1.0	1	0.0	0.0- 0.0
65+	2683	538,148	2435	90.0	88.4-91.6	152	6.0	4.8- 7.2	44	1.8	1.0- 2.6	12	0.5	0.1- 0.9	33	1.5	0.7- 2.3	7	0.1	0.0- 0.3
Less Than H.S.	482	295,762	420	85.5	81.0-90.0	25	4.6	2.2- 7.0	17	4.5	1.8- 7.2	4	1.3	0.0- 2.7	13	2.7	0.7- 4.7	3	1.4	0.0- 3.4
H.S. or G.E.D.	2145	827,305	1944	88.6	86.2-91.0	124	7.8	5.8- 9.8	42	2.4	1.2- 3.6	5	0.2	0.0- 0.4	22	0.8	0.2- 1.4	8	0.1	0.0- 0.3
Some Post-H.S.	1656	821,250	1475	86.6	84.1-89.1	130	10.1	7.7-12.5	24	1.1	0.5- 1.7	13	1.1	0.3- 1.9	14	1.0	0.0- 2.0			
College Graduate	1887	519,706	1737	92.3	90.5-94.1	104	5.7	4.3- 7.1	27	1.4	0.4- 2.4	8	0.2	0.0- 0.4	9	0.4	0.0- 0.8	2	0.0	0.0- 0.0
Less than \$15,000	587	243,225	517	85.9	81.2-90.6	26	6.7	3.2-10.2	14	3.3	0.8- 5.8	6	0.9	0.0- 1.9	19	3.1	1.1- 5.1	5	0.2	0.0- 0.4
\$15,000- 24,999	1121	424,964	993	86.4	83.1-89.7	81	7.8	5.4-10.2	26	3.0	1.4- 4.6	6	0.8	0.0- 2.0	12	2.0	0.2- 3.8	3	0.1	0.1- 0.1
\$25,000- 34,999	681	254,634	624	91.3	88.0-94.6	39	7.1	4.0-10.2	12	0.7	0.3- 1.1	1	0.1	0.0- 0.3	5	0.8	0.0- 1.8			
\$35,000- 49,999	810	318,147	736	87.7	83.8-91.6	56	8.4	5.5-11.3	8	2.2	0.0- 4.4	4	0.5	0.0- 1.1	5	1.3	0.0- 2.7	1	0.0	0.0- 0.0
\$50,000- 74,999	781	331,590	693	86.2	82.1-90.3	64	11.5	7.6-15.4	14	1.1	0.3- 1.9	7	1.1	0.0- 2.3	3	0.1	0.0- 0.3			
\$75,000+	1273	571,444	1183	92.4	90.0-94.8	69	6.3	4.1- 8.5	13	0.6	0.2- 1.0	5	0.6	0.0- 1.2	3	0.1	0.0- 0.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016

SECTION 15: DRINKING AND DRIVING CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2)	
1	MALES AND FEMALES	227
2	MALES ONLY	228
3	FEMALES ONLY	229

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 15: DRINKING AND DRIVING**

**TABLE 1: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that didn't drink alcohol in the past 30 days  
Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4954	2,479,904	110	2.9	2.1- 3.7	47	1.5	0.9- 2.1	11	0.3	0.0- 0.7	5	0.1	0.0- 0.3	23	0.5	0.3- 0.7	4758	94.7	93.7-95.7
Male	2395	1,350,531	74	3.4	2.4- 4.4	37	2.1	1.1- 3.1	9	0.4	0.0- 0.8	5	0.3	0.1- 0.5	16	0.6	0.2- 1.0	2254	93.2	91.6-94.8
Female	2559	1,129,373	36	2.2	1.2- 3.2	10	0.7	0.1- 1.3	2	0.3	0.0- 0.9				7	0.3	0.1- 0.5	2504	96.5	95.1-97.9
White/Non-Hisp	4299	2,051,457	92	2.6	1.8- 3.4	34	1.1	0.5- 1.7	10	0.4	0.0- 0.8	5	0.2	0.0- 0.4	16	0.3	0.1- 0.5	4142	95.4	94.4-96.4
Black or Afr. Am./Non-Hisp	296	209,559	5	2.7	0.0- 5.8	7	4.8	0.1- 9.5							1	1.0	0.0- 3.0	283	91.5	85.8-97.2
Oth. Race/Non-Hisp.	77	40,886	1	3.5	0.0-10.2	2	2.6	0.0- 6.3	1	0.4	0.0- 1.2				1	0.8	0.0- 2.4	72	92.6	84.8- 100
MultiRacial/Non-Hisp.	66	29,745	1	2.1	0.0- 6.2													65	97.9	93.8- 100
Hispanic	159	125,499	9	7.3	1.8-12.8	3	1.4	0.0- 3.2							4	2.3	0.0- 5.2	143	89.0	82.7-95.3
18-24	239	347,537	9	3.8	1.1- 6.5	4	3.0	0.0- 6.3	1	0.8	0.0- 2.4				3	0.9	0.0- 2.3	222	91.5	87.0-96.0
25-34	475	484,862	16	3.3	1.3- 5.3	5	1.1	0.1- 2.1				1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	452	95.3	93.1-97.5
35-44	622	459,893	20	4.0	1.8- 6.2	8	1.8	0.4- 3.2	2	0.6	0.0- 1.6				3	0.4	0.0- 1.0	589	93.3	90.6-96.0
45-54	851	413,519	18	2.5	1.1- 3.9	10	1.4	0.4- 2.4				2	0.3	0.0- 0.7	7	1.3	0.1- 2.5	814	94.7	92.7-96.7
55-64	1148	398,420	29	2.4	1.2- 3.6	9	1.0	0.2- 1.8	6	0.6	0.0- 1.2	1	0.3	0.0- 0.9	3	0.2	0.0- 0.4	1100	95.5	93.9-97.1
65+	1568	355,327	17	1.0	0.4- 1.6	10	0.7	0.1- 1.3	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3	6	0.2	0.0- 0.4	1532	98.0	97.2-98.8
Less Than H.S.	208	192,783	2	1.8	0.0- 4.3	5	4.6	0.0- 9.3	2	0.4	0.0- 1.0	1	0.3	0.0- 0.9	3	2.2	0.0- 4.9	195	90.7	84.8-96.6
H.S. or G.E.D.	1313	734,283	31	3.0	1.6- 4.4	18	1.7	0.5- 2.9	2	0.2	0.0- 0.4	3	0.2	0.0- 0.6	5	0.4	0.0- 0.8	1254	94.4	92.4-96.4
Some Post-H.S.	1307	859,304	33	3.4	2.0- 4.8	11	1.2	0.4- 2.0	4	0.7	0.0- 1.5	1	0.1	0.0- 0.3	5	0.2	0.0- 0.4	1253	94.4	92.6-96.2
College Graduate	2111	685,893	43	2.3	1.3- 3.3	13	0.7	0.1- 1.3	3	0.1	0.1- 0.1				10	0.4	0.0- 0.8	2042	96.5	95.3-97.7
Less than \$15,000	239	154,894	4	2.4	0.0- 5.5	2	0.5	0.0- 1.3							1	1.1	0.0- 3.3	232	96.0	92.3-99.7
\$15,000- 24,999	581	317,729	17	3.8	1.4- 6.2	4	1.3	0.0- 3.5	3	0.4	0.0- 0.8				2	0.3	0.0- 0.9	555	94.2	91.1-97.3
\$25,000- 34,999	402	202,365	13	3.9	1.0- 6.8	6	4.4	0.1- 8.7							1	0.1	0.0- 0.3	382	91.6	86.5-96.7
\$35,000- 49,999	693	350,159	13	2.3	0.5- 4.1	6	0.8	0.0- 1.6				3	0.7	0.0- 1.7	5	1.1	0.1- 2.1	666	95.0	92.6-97.4
\$50,000- 74,999	811	409,198	17	3.4	1.0- 5.8	10	1.3	0.3- 2.3	2	0.5	0.0- 1.5	2	0.3	0.0- 0.7	5	0.3	0.1- 0.5	775	94.2	91.7-96.7
\$75,000+	1722	828,781	38	2.3	1.3- 3.3	14	1.2	0.4- 2.0	4	0.2	0.0- 0.4				7	0.5	0.0- 1.1	1659	95.8	94.4-97.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 15: DRINKING AND DRIVING**

**TABLE 2: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2395	1,350,531	74	3.4	2.4- 4.4	37	2.1	1.1- 3.1	9	0.4	0.0- 0.8	5	0.3	0.1- 0.5	16	0.6	0.2- 1.0	2254	93.2	91.6-94.8
White/Non-Hisp	2062	1,099,245	64	3.3	2.1- 4.5	28	1.8	0.8- 2.8	8	0.4	0.0- 0.8	5	0.3	0.0- 0.7	11	0.4	0.2- 0.6	1946	93.7	92.1-95.3
Black or Afr. Am./Non-Hisp	126	111,702	3	2.1	0.0- 4.8	4	5.2	0.0-12.3							1	1.9	0.0- 5.6	118	90.8	82.6-99.0
Oth. Race/Non-Hisp.	55	32,830	1	4.4	0.0-12.8	2	3.2	0.0- 7.9	1	0.6	0.0- 1.8				1	1.0	0.0- 3.0	50	90.8	81.0- 100
Hispanic	91	73,631	5	8.0	0.4-15.6	2	1.5	0.0- 3.9							2	2.5	0.0- 7.0	82	88.0	79.2-96.8
18-24	136	179,948	7	5.1	1.0- 9.2	3	4.4	0.0-10.1							2	1.3	0.0- 3.7	124	89.2	82.1-96.3
25-34	250	264,008	9	3.6	0.9- 6.3	3	1.2	0.0- 2.8				1	0.4	0.0- 1.2	1	0.1	0.0- 0.3	236	94.7	91.6-97.8
35-44	297	249,337	11	3.9	1.2- 6.6	6	2.3	0.3- 4.3	2	1.1	0.0- 2.7				1	0.1	0.0- 0.3	277	92.6	88.9-96.3
45-54	407	227,159	12	3.0	0.8- 5.2	8	2.1	0.3- 3.9				2	0.5	0.0- 1.1	6	2.0	0.0- 4.0	379	92.4	89.1-95.7
55-64	540	222,381	24	3.9	1.9- 5.9	8	1.7	0.5- 2.9	5	1.0	0.0- 2.0	1	0.6	0.0- 1.8	2	0.3	0.0- 0.7	500	92.6	89.9-95.3
65+	745	199,323	10	1.2	0.2- 2.2	8	1.2	0.2- 2.2	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3	4	0.2	0.0- 0.4	720	97.2	95.8-98.6
Less Than H.S.	127	132,541	1	0.8	0.0- 2.4	5	6.8	0.1-13.5	2	0.6	0.0- 1.6	1	0.5	0.0- 1.5	3	3.2	0.0- 7.1	115	88.2	80.4-96.0
H.S. or G.E.D.	661	428,549	20	3.5	1.5- 5.5	14	2.1	0.3- 3.9	2	0.3	0.0- 0.7	3	0.4	0.0- 1.0	4	0.5	0.0- 1.1	618	93.2	90.5-95.9
Some Post-H.S.	560	418,616	22	4.7	2.3- 7.1	8	1.5	0.3- 2.7	2	0.6	0.0- 1.6	1	0.3	0.0- 0.9	3	0.3	0.0- 0.7	524	92.7	90.0-95.4
College Graduate	1038	365,116	30	2.8	1.4- 4.2	10	1.1	0.3- 1.9	3	0.1	0.0- 0.3				6	0.4	0.0- 0.8	989	95.7	94.1-97.3
Less than \$15,000	102	76,866	3	4.7	0.0-10.8	1	0.9	0.0- 2.7							1	2.2	0.0- 6.5	97	92.3	84.9-99.7
\$15,000- 24,999	275	173,655	10	4.8	1.1- 8.5	4	2.4	0.0- 6.3	2	0.5	0.0- 1.3							259	92.3	87.0-97.6
\$25,000- 34,999	197	118,948	8	3.1	0.6- 5.6	5	7.0	0.0-14.3							1	0.1	0.0- 0.3	183	89.8	82.4-97.2
\$35,000- 49,999	335	199,044	9	3.0	0.3- 5.7	3	1.1	0.0- 2.5				3	1.3	0.0- 3.1	4	1.4	0.0- 2.8	316	93.3	89.6-97.0
\$50,000- 74,999	413	221,486	10	1.7	0.3- 3.1	7	1.4	0.2- 2.6	2	0.9	0.0- 2.7	2	0.5	0.0- 1.1	4	0.3	0.0- 0.7	388	95.2	92.7-97.7
\$75,000+	890	463,790	30	3.5	1.9- 5.1	13	1.7	0.5- 2.9	4	0.3	0.0- 0.7				5	0.7	0.0- 1.7	838	93.8	91.6-96.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 15: DRINKING AND DRIVING**

**TABLE 3: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2559	1,129,373	36	2.2	1.2- 3.2	10	0.7	0.1- 1.3	2	0.3	0.0- 0.9	7	0.3	0.1- 0.5	2504	96.5	95.1-97.9
White/Non-Hisp	2237	952,212	28	1.8	0.8- 2.8	6	0.4	0.0- 0.8	2	0.3	0.0- 0.9	5	0.3	0.1- 0.5	2196	97.3	96.1-98.5
Black or Afr. Am./Non-Hisp	170	97,857	2	3.3	0.0- 9.2	3	4.3	0.0-10.2							165	92.4	84.4- 100
Hispanic	68	51,868	4	6.4	0.0-13.5	1	1.3	0.0- 3.8				2	1.9	0.0- 5.0	61	90.4	82.2-98.6
18-24	103	167,589	2	2.3	0.0- 5.6	1	1.6	0.0- 4.7	1	1.7	0.0- 5.0	1	0.5	0.0- 1.5	98	93.9	88.4-99.4
25-34	225	220,854	7	3.1	0.4- 5.8	2	0.9	0.0- 2.3							216	96.0	93.1-98.9
35-44	325	210,557	9	4.1	0.6- 7.6	2	1.1	0.0- 2.9				2	0.7	0.0- 1.9	312	94.1	90.0-98.2
45-54	444	186,360	6	1.8	0.2- 3.4	2	0.4	0.0- 1.2				1	0.4	0.0- 1.2	435	97.4	95.4-99.4
55-64	608	176,039	5	0.5	0.0- 1.1	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	600	99.1	98.5-99.7
65+	823	156,004	7	0.7	0.1- 1.3	2	0.1	0.0- 0.3				2	0.1	0.0- 0.3	812	99.1	98.5-99.7
Less Than H.S.	81	60,242	1	3.9	0.0-11.3										80	96.1	88.7- 100
H.S. or G.E.D.	652	305,733	11	2.4	0.2- 4.6	4	1.2	0.0- 3.0				1	0.2	0.0- 0.6	636	96.2	93.5-98.9
Some Post-H.S.	747	440,688	11	2.1	0.5- 3.7	3	0.9	0.0- 1.9	2	0.7	0.0- 2.1	2	0.2	0.0- 0.6	729	96.1	93.7-98.5
College Graduate	1073	320,777	13	1.8	0.4- 3.2	3	0.3	0.0- 0.7				4	0.5	0.0- 1.3	1053	97.4	95.8-99.0
Less than \$15,000	137	78,028	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6							135	99.6	99.0- 100
\$15,000- 24,999	306	144,074	7	2.6	0.0- 5.3				1	0.2	0.0- 0.6	2	0.7	0.0- 1.9	296	96.5	93.6-99.4
\$25,000- 34,999	205	83,416	5	5.1	0.0-11.0	1	0.8	0.0- 2.4							199	94.0	87.9- 100
\$35,000- 49,999	358	151,115	4	1.5	0.0- 3.3	3	0.5	0.0- 1.3				1	0.7	0.0- 2.1	350	97.2	94.8-99.6
\$50,000- 74,999	398	187,711	7	5.4	0.7-10.1	3	1.2	0.0- 2.8				1	0.2	0.0- 0.6	387	93.1	88.2-98.0
\$75,000+	832	364,991	8	0.9	0.3- 1.5	1	0.5	0.0- 1.5				2	0.2	0.0- 0.6	821	98.4	97.2-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 16: BREAST/CERVICAL CANCER SCREENING CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
1 A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM) FEMALES ONLY	231
2 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG) FEMALES ONLY	232
3 A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2) FEMALES ONLY	233
4 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2) FEMALES ONLY	234
5 NOW, I WOULD LIKE TO ASK YOU ABOUT THE HUMAN PAPILLOMAVIRUS (PAP•UH•LOH•MUH VIRUS) OR HPV. AN HPV TEST IS SOMETIMES GIVEN WITH THE PAP TEST FOR CERVICAL CANCER SCREENING. HAVE YOU EVER HAD AN HPV TEST? (HPVTEST) FEMALES ONLY	235
6 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST HPV TEST? (HPLSTTST) FEMALES ONLY	236
7 HAVE YOU HAD A HYSTERECTOMY? (HADHYST2) FEMALES ONLY	237

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

**TABLE 1: A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMMAM)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6156	2,458,625	5121	63.9	61.9-65.9	1035	36.1	34.1-38.1
White/Non-Hisp	5299	2,023,453	4474	65.6	63.4-67.8	825	34.4	32.2-36.6
Black or Afr. Am./Non-Hisp	428	207,264	339	61.0	53.6-68.4	89	39.0	31.6-46.4
Oth. Race/Non-Hisp.	85	37,662	59	40.2	25.3-55.1	26	59.8	44.9-74.7
MultiRacial/Non-Hisp.	92	28,281	73	61.0	45.1-76.9	19	39.0	23.1-54.9
Hispanic	185	140,273	122	51.6	42.0-61.2	63	48.4	38.8-58.0
18-24	195	321,895	23	11.8	6.7-16.9	172	88.2	83.1-93.3
25-34	403	386,206	59	13.0	9.3-16.7	344	87.0	83.3-90.7
35-44	571	387,546	295	51.7	46.6-56.8	276	48.3	43.2-53.4
45-54	858	382,812	777	90.0	87.5-92.5	81	10.0	7.5-12.5
55-64	1375	415,253	1316	96.1	94.9-97.3	59	3.9	2.7- 5.1
65+	2669	535,344	2577	96.2	95.2-97.2	92	3.8	2.8- 4.8
Less Than H.S.	482	295,727	387	62.5	55.6-69.4	95	37.5	30.6-44.4
H.S. or G.E.D.	2138	825,170	1825	67.6	64.1-71.1	313	32.4	28.9-35.9
Some Post-H.S.	1648	817,814	1356	61.7	57.8-65.6	292	38.3	34.4-42.2
College Graduate	1876	516,782	1542	62.0	58.7-65.3	334	38.0	34.7-41.3
Less than \$15,000	586	241,394	470	63.0	56.5-69.5	116	37.0	30.5-43.5
\$15,000- 24,999	1115	423,728	910	60.7	55.8-65.6	205	39.3	34.4-44.2
\$25,000- 34,999	678	253,934	558	59.8	53.5-66.1	120	40.2	33.9-46.5
\$35,000- 49,999	806	316,685	682	67.2	61.7-72.7	124	32.8	27.3-38.3
\$50,000- 74,999	780	331,161	647	63.5	57.8-69.2	133	36.5	30.8-42.2
\$75,000+	1269	570,352	1037	63.9	59.6-68.2	232	36.1	31.8-40.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a mammogram.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5085	1,559,959	2762	52.4	50.4-54.4	906	19.2	17.6-20.8	468	9.4	8.2-10.6	363	7.3	6.3- 8.3	586	11.7	10.3-13.1
White/Non-Hisp	4446	1,321,161	2414	52.2	50.2-54.2	784	18.7	17.1-20.3	402	9.3	8.1-10.5	312	7.1	6.1- 8.1	534	12.7	11.3-14.1
Black or Afr. Am./Non-Hisp	336	123,816	199	57.3	49.7-64.9	59	18.7	12.8-24.6	34	9.6	5.3-13.9	27	7.1	3.8-10.4	17	7.2	2.9-11.5
Oth. Race/Non-Hisp.	58	15,107	27	43.8	22.6-65.0	9	21.1	0.0-42.7	7	16.7	0.4-33.0	5	9.1	0.0-19.1	10	9.3	1.3-17.3
MultiRacial/Non-Hisp.	72	17,196	34	46.9	29.8-64.0	12	16.5	4.9-28.1	10	17.0	4.3-29.7	3	4.4	0.0-10.3	13	15.2	4.6-25.8
Hispanic	122	72,330	63	50.2	38.0-62.4	30	27.8	16.4-39.2	11	8.3	2.0-14.6	12	11.3	3.9-18.7	6	2.4	0.4- 4.4
25-34	59	50,311	16	28.8	14.7-42.9	8	8.7	2.2-15.2	12	19.5	8.5-30.5	11	18.1	6.9-29.3	12	24.8	10.7-38.9
35-44	294	198,949	128	38.1	31.0-45.2	67	27.2	20.5-33.9	37	14.2	9.1-19.3	27	7.8	4.3-11.3	35	12.7	7.6-17.8
45-54	776	343,982	432	56.1	51.6-60.6	160	19.4	15.9-22.9	67	8.0	5.6-10.4	54	7.3	4.9- 9.7	63	9.2	6.5-11.9
55-64	1311	397,752	753	55.7	52.4-59.0	231	18.5	15.8-21.2	114	8.6	6.8-10.4	81	6.0	4.6- 7.4	132	11.2	8.8-13.6
65+	2553	511,416	1379	54.7	52.3-57.1	424	16.9	15.1-18.7	230	8.5	7.1- 9.9	184	7.2	5.8- 8.6	336	12.7	11.1-14.3
Less Than H.S.	383	180,565	179	48.6	41.5-55.7	70	18.5	13.0-24.0	30	6.5	3.2- 9.8	41	9.0	5.9-12.1	63	17.5	12.0-23.0
H.S. or G.E.D.	1805	554,683	944	52.7	49.6-55.8	331	19.5	17.0-22.0	154	8.2	6.4-10.0	144	7.2	5.6- 8.8	232	12.4	10.2-14.6
Some Post-H.S.	1348	502,425	716	50.8	47.1-54.5	249	20.5	17.4-23.6	144	11.0	8.8-13.2	85	7.0	5.0- 9.0	154	10.7	8.3-13.1
College Graduate	1539	319,951	921	56.7	53.2-60.2	254	16.9	14.4-19.4	137	10.5	8.1-12.9	91	6.7	4.7- 8.7	136	9.1	6.9-11.3
Less than \$15,000	467	149,374	227	47.9	41.2-54.6	79	16.4	11.7-21.1	46	8.4	5.3-11.5	43	8.8	5.5-12.1	72	18.5	12.8-24.2
\$15,000- 24,999	903	256,499	424	45.6	41.1-50.1	173	21.6	17.7-25.5	93	9.7	7.0-12.4	73	8.3	5.8-10.8	140	14.8	11.7-17.9
\$25,000- 34,999	556	151,450	294	53.6	47.7-59.5	100	18.5	14.0-23.0	65	10.3	7.0-13.6	34	7.6	4.1-11.1	63	10.0	6.9-13.1
\$35,000- 49,999	680	212,393	364	51.3	46.0-56.6	126	19.8	15.3-24.3	54	9.1	6.0-12.2	57	7.9	5.2-10.6	79	12.0	8.3-15.7
\$50,000- 74,999	646	210,232	376	56.8	51.5-62.1	120	18.7	14.6-22.8	61	10.4	7.1-13.7	40	6.0	3.5- 8.5	49	8.1	5.4-10.8
\$75,000+	1035	364,184	632	53.9	49.8-58.0	181	18.9	15.4-22.4	90	10.8	8.1-13.5	58	7.1	4.7- 9.5	74	9.4	6.5-12.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

**TABLE 3: A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6141	2,456,482	5793	89.4	87.8-91.0	348	10.6	9.0-12.2
White/Non-Hisp	5287	2,023,334	5029	90.7	89.1-92.3	258	9.3	7.7-10.9
Black or Afr. Am./Non-Hisp	428	206,217	397	88.1	82.6-93.6	31	11.9	6.4-17.4
Oth. Race/Non-Hisp.	84	37,554	65	61.3	45.2-77.4	19	38.7	22.6-54.8
MultiRacial/Non-Hisp.	92	28,281	84	74.4	58.7-90.1	8	25.6	9.9-41.3
Hispanic	183	139,402	154	82.2	74.8-89.6	29	17.8	10.4-25.2
18-24	194	321,913	86	47.6	39.6-55.6	108	52.4	44.4-60.4
25-34	403	386,206	369	91.9	88.8-95.0	34	8.1	5.0-11.2
35-44	569	386,690	554	96.8	95.0-98.6	15	3.2	1.4- 5.0
45-54	857	382,471	843	97.5	95.7-99.3	14	2.5	0.7- 4.3
55-64	1373	415,023	1351	98.5	97.7-99.3	22	1.5	0.7- 2.3
65+	2661	534,669	2511	94.1	92.9-95.3	150	5.9	4.7- 7.1
Less Than H.S.	479	294,876	420	82.6	76.7-88.5	59	17.4	11.5-23.3
H.S. or G.E.D.	2133	822,938	1968	85.6	82.7-88.5	165	14.4	11.5-17.3
Some Post-H.S.	1644	819,029	1571	91.3	88.8-93.8	73	8.7	6.2-11.2
College Graduate	1873	516,507	1823	96.1	94.7-97.5	50	3.9	2.5- 5.3
Less than \$15,000	585	243,092	528	86.2	81.1-91.3	57	13.8	8.7-18.9
\$15,000- 24,999	1111	422,007	1037	89.3	86.0-92.6	74	10.7	7.4-14.0
\$25,000- 34,999	678	254,051	634	84.9	79.2-90.6	44	15.1	9.4-20.8
\$35,000- 49,999	805	316,414	768	90.7	86.8-94.6	37	9.3	5.4-13.2
\$50,000- 74,999	780	331,161	756	91.8	87.5-96.1	24	8.2	3.9-12.5
\$75,000+	1269	570,352	1244	94.5	92.0-97.0	25	5.5	3.0- 8.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

**TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a Pap Test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5702	2,177,197	1738	39.7	37.7-41.7	902	18.1	16.5-19.7	614	10.3	9.1-11.5	612	8.6	7.6- 9.6	1836	23.4	22.0-24.8
White/Non-Hisp	4958	1,821,397	1455	38.6	36.4-40.8	754	17.4	15.6-19.2	529	10.2	9.0-11.4	545	8.8	7.8- 9.8	1675	25.0	23.4-26.6
Black or Afr. Am./Non-Hisp	389	180,029	156	46.1	38.5-53.7	79	23.0	16.5-29.5	43	7.7	4.2-11.2	36	7.7	4.2-11.2	75	15.5	11.0-20.0
Oth. Race/Non-Hisp.	65	23,006	21	33.2	16.1-50.3	14	42.1	22.1-62.1	7	4.5	0.0- 9.0	5	0.6	0.0- 1.2	18	19.5	5.0-34.0
MultiRacial/Non-Hisp.	82	20,868	24	39.0	22.7-55.3	14	16.5	4.3-28.7	9	10.9	2.3-19.5	8	7.8	0.5-15.1	27	25.8	13.6-38.0
Hispanic	152	114,457	64	47.6	37.0-58.2	32	18.5	10.7-26.3	18	16.0	6.6-25.4	15	8.5	3.2-13.8	23	9.4	4.5-14.3
18-24	86	153,074	56	63.2	51.6-74.8	23	28.5	17.5-39.5	3	4.1	0.0- 8.8	3	3.3	0.0- 7.4	1	0.9	0.0- 2.7
25-34	369	354,832	211	59.4	53.5-65.3	89	22.2	17.3-27.1	32	8.2	4.7-11.7	24	6.0	3.3- 8.7	13	4.3	1.6- 7.0
35-44	553	373,809	273	47.4	42.1-52.7	115	22.4	17.9-26.9	56	10.9	7.6-14.2	50	7.2	4.7- 9.7	59	12.1	8.6-15.6
45-54	840	372,491	359	42.6	38.5-46.7	156	17.3	14.2-20.4	104	11.7	9.0-14.4	62	6.5	4.5- 8.5	159	21.9	18.2-25.6
55-64	1340	405,345	450	33.0	29.9-36.1	227	15.5	13.1-17.9	158	11.8	9.6-14.0	141	10.2	8.2-12.2	364	29.5	26.4-32.6
65+	2440	490,414	362	15.6	13.8-17.4	280	11.6	10.0-13.2	252	10.8	9.2-12.4	326	13.1	11.5-14.7	1220	48.8	46.3-51.3
Less Than H.S.	408	240,708	93	32.0	25.3-38.7	63	18.2	12.7-23.7	41	11.4	6.5-16.3	53	10.3	6.4-14.2	158	28.0	22.5-33.5
H.S. or G.E.D.	1925	695,740	503	34.8	31.5-38.1	241	15.6	13.1-18.1	195	9.5	7.7-11.3	219	9.3	7.5-11.1	767	30.8	28.1-33.5
Some Post-H.S.	1553	743,454	474	40.6	36.9-44.3	256	19.7	16.6-22.8	191	11.2	9.2-13.2	138	6.9	5.3- 8.5	494	21.6	19.1-24.1
College Graduate	1805	494,237	665	48.9	45.6-52.2	342	19.4	16.9-21.9	186	9.3	7.5-11.1	198	9.1	7.5-10.7	414	13.3	11.5-15.1
Less than \$15,000	520	207,841	124	35.9	29.2-42.6	75	17.1	12.4-21.8	56	10.1	6.6-13.6	53	7.6	4.9-10.3	212	29.3	24.0-34.6
\$15,000- 24,999	1024	374,904	237	32.0	27.3-36.7	142	17.9	14.0-21.8	96	9.8	6.9-12.7	126	10.2	7.7-12.7	423	30.1	26.2-34.0
\$25,000- 34,999	622	214,018	153	30.7	25.0-36.4	94	18.1	13.4-22.8	77	10.6	7.5-13.7	74	12.0	7.9-16.1	224	28.6	23.7-33.5
\$35,000- 49,999	762	285,613	212	37.5	32.2-42.8	111	15.5	11.6-19.4	87	10.2	7.3-13.1	82	7.6	5.2-10.0	270	29.2	24.7-33.7
\$50,000- 74,999	748	301,710	271	47.5	42.2-52.8	127	17.3	13.4-21.2	100	11.3	8.6-14.0	69	7.6	5.4- 9.8	181	16.2	13.1-19.3
\$75,000+	1237	537,718	530	48.0	44.1-51.9	252	21.2	17.7-24.7	122	10.5	7.8-13.2	112	7.6	5.6- 9.6	221	12.7	10.5-14.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

**TABLE 5: NOW, I WOULD LIKE TO ASK YOU ABOUT THE HUMAN PAPILLOMAVIRUS (PAP-UH•LOH•MUH VIRUS) OR HPV. AN HPV TEST IS SOMETIMES GIVEN WITH THE PAP TEST FOR CERVICAL CANCER SCREENING. HAVE YOU EVER HAD AN HPV TEST? (HPVTEST)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5152	2,100,313	1457	38.0	35.8-40.2	3695	62.0	59.8-64.2
White/Non-Hisp	4403	1,715,921	1187	37.0	34.6-39.4	3216	63.0	60.6-65.4
Black or Afr. Am./Non-Hisp	379	177,466	151	52.8	45.4-60.2	228	47.2	39.8-54.6
Oth. Race/Non-Hisp.	79	35,547	20	34.9	18.6-51.2	59	65.1	48.8-81.4
MultiRacial/Non-Hisp.	74	25,071	28	39.0	22.7-55.3	46	61.0	44.7-77.3
Hispanic	164	128,587	58	33.4	24.2-42.6	106	66.6	57.4-75.8
18-24	184	302,155	61	34.2	26.4-42.0	123	65.8	58.0-73.6
25-34	369	351,649	244	68.6	62.9-74.3	125	31.4	25.7-37.1
35-44	469	320,556	270	54.5	48.8-60.2	199	45.5	39.8-51.2
45-54	716	316,927	337	44.6	40.1-49.1	379	55.4	50.9-59.9
55-64	1106	334,025	285	24.6	21.5-27.7	821	75.4	72.3-78.5
65+	2238	451,648	245	11.2	9.4-13.0	1993	88.8	87.0-90.6
Less Than H.S.	419	262,976	91	27.6	21.3-33.9	328	72.4	66.1-78.7
H.S. or G.E.D.	1802	706,476	354	29.6	26.3-32.9	1448	70.4	67.1-73.7
Some Post-H.S.	1370	691,835	433	42.6	38.5-46.7	937	57.4	53.3-61.5
College Graduate	1550	436,615	577	50.9	47.4-54.4	973	49.1	45.6-52.6
Less than \$15,000	501	214,868	139	38.8	31.9-45.7	362	61.2	54.3-68.1
\$15,000- 24,999	972	376,040	225	35.5	30.6-40.4	747	64.5	59.6-69.4
\$25,000- 34,999	578	223,411	139	34.2	27.9-40.5	439	65.8	59.5-72.1
\$35,000- 49,999	687	271,423	182	33.3	27.8-38.8	505	66.7	61.2-72.2
\$50,000- 74,999	636	279,138	201	41.8	35.9-47.7	435	58.2	52.3-64.1
\$75,000+	1040	471,743	437	48.5	44.0-53.0	603	51.5	47.0-56.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

**TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST HPV TEST? (HPLSTTST)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a clinical breast exam.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1402	777,329	476	40.1	36.4-43.8	240	18.4	15.5-21.3	172	10.8	8.6-13.0	164	9.9	7.7-12.1	350	20.7	17.8-23.6
White/Non-Hisp	1139	614,673	359	36.6	32.5-40.7	187	17.4	14.3-20.5	144	11.6	9.2-14.0	145	11.0	8.5-13.5	304	23.4	19.9-26.9
Black or Afr. Am./Non-Hisp	147	92,585	67	55.3	43.9-66.7	26	19.8	10.0-29.6	20	9.1	3.8-14.4	11	5.0	1.1- 8.9	23	10.9	5.0-16.8
Hispanic	57	42,943	23	49.7	33.0-66.4	14	25.0	11.7-38.3	5	8.3	0.1-16.5	4	7.7	0.0-16.9	11	9.4	2.3-16.5
18-24	61	103,314	34	57.5	43.4-71.6	15	24.2	12.2-36.2	4	4.8	0.0-10.1	5	7.0	0.3-13.7	3	6.4	0.0-16.2
25-34	237	235,081	105	46.2	38.8-53.6	46	20.1	14.0-26.2	26	9.2	5.3-13.1	24	10.1	5.4-14.8	36	14.3	9.2-19.4
35-44	261	169,967	91	34.6	27.2-42.0	44	16.9	11.2-22.6	38	13.0	8.3-17.7	30	10.1	5.8-14.4	58	25.3	18.4-32.2
45-54	325	136,471	108	36.1	29.4-42.8	51	14.7	10.2-19.2	44	13.8	8.5-19.1	36	8.8	5.1-12.5	86	26.6	20.5-32.7
55-64	275	80,370	82	27.7	21.2-34.2	40	14.6	9.5-19.7	33	12.4	7.5-17.3	36	11.3	6.8-15.8	84	33.9	26.6-41.2
65+	230	48,020	53	25.3	17.7-32.9	40	17.5	11.6-23.4	25	13.4	6.5-20.3	31	14.7	8.6-20.8	81	29.1	22.2-36.0
Less Than H.S.	90	71,973	30	34.2	21.7-46.7	20	25.9	13.9-37.9	5	4.7	0.0- 9.6	6	7.8	0.2-15.4	29	27.4	16.0-38.8
H.S. or G.E.D.	340	204,367	123	46.5	39.1-53.9	57	16.9	11.4-22.4	38	11.1	6.6-15.6	35	7.0	4.1- 9.9	87	18.5	13.4-23.6
Some Post-H.S.	417	285,800	149	39.3	32.6-46.0	63	17.0	11.7-22.3	53	11.0	7.5-14.5	47	10.9	6.8-15.0	105	21.8	16.3-27.3
College Graduate	553	214,991	174	37.3	31.6-43.0	100	19.2	14.7-23.7	76	12.6	9.1-16.1	76	12.0	8.7-15.3	127	19.0	14.7-23.3
Less than \$15,000	133	80,951	46	43.2	30.7-55.7	19	19.0	9.6-28.4	21	15.6	7.0-24.2	9	3.2	0.5- 5.9	38	19.0	10.6-27.4
\$15,000- 24,999	217	131,104	71	40.1	30.9-49.3	46	25.6	17.0-34.2	19	7.0	2.9-11.1	26	9.1	4.4-13.8	55	18.2	11.9-24.5
\$25,000- 34,999	137	76,189	45	37.3	25.9-48.7	26	18.5	9.1-27.9	15	9.2	3.3-15.1	20	13.0	5.0-21.0	31	22.0	12.0-32.0
\$35,000- 49,999	174	85,843	68	46.5	36.3-56.7	31	16.1	8.8-23.4	24	13.2	6.5-19.9	14	7.9	3.0-12.8	37	16.3	9.8-22.8
\$50,000- 74,999	197	114,906	64	41.7	32.1-51.3	36	18.2	10.8-25.6	24	8.6	4.1-13.1	19	6.8	3.1-10.5	54	24.7	16.7-32.7
\$75,000+	422	221,234	132	35.1	28.6-41.6	62	13.7	9.2-18.2	62	14.0	9.7-18.3	62	13.5	8.8-18.2	104	23.7	17.6-29.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 16: BREAST/CERVICAL CANCER SCREENING  
TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6065	2,375,360	2105	25.5	24.1-26.9	3960	74.5	73.1-75.9
White/Non-Hisp	5233	1,961,941	1844	26.4	24.8-28.0	3389	73.6	72.0-75.2
Black or Afr. Am./Non-Hisp	418	198,365	144	27.2	20.7-33.7	274	72.8	66.3-79.3
Oth. Race/Non-Hisp.	83	34,865	20	13.2	3.2-23.2	63	86.8	76.8-96.8
MultiRacial/Non-Hisp.	91	28,207	41	30.0	18.0-42.0	50	70.0	58.0-82.0
Hispanic	176	132,663	33	11.9	6.4-17.4	143	88.1	82.6-93.6
18-24	182	298,068	2	2.2	0.0- 5.3	180	97.8	94.7- 100
25-34	361	340,097	8	2.7	0.3- 5.1	353	97.3	94.9-99.7
35-44	563	381,750	58	12.0	8.5-15.5	505	88.0	84.5-91.5
45-54	858	382,536	229	29.7	25.8-33.6	629	70.3	66.4-74.2
55-64	1363	410,908	485	36.8	33.7-39.9	878	63.2	60.1-66.3
65+	2659	534,423	1298	50.9	48.5-53.3	1361	49.1	46.7-51.5
Less Than H.S.	471	282,950	195	29.8	24.1-35.5	276	70.2	64.5-75.9
H.S. or G.E.D.	2104	799,388	822	29.6	27.1-32.1	1282	70.4	67.9-72.9
Some Post-H.S.	1628	792,989	608	24.7	22.2-27.2	1020	75.3	72.8-77.8
College Graduate	1850	496,901	476	17.6	15.6-19.6	1374	82.4	80.4-84.4
Less than \$15,000	582	238,432	237	29.8	24.5-35.1	345	70.2	64.9-75.5
\$15,000- 24,999	1095	404,310	451	31.5	27.6-35.4	644	68.5	64.6-72.4
\$25,000- 34,999	670	246,217	237	25.4	21.1-29.7	433	74.6	70.3-78.9
\$35,000- 49,999	797	307,733	280	27.2	23.1-31.3	517	72.8	68.7-76.9
\$50,000- 74,999	766	314,911	246	23.1	19.4-26.8	520	76.9	73.2-80.6
\$75,000+	1251	555,146	318	19.1	16.4-21.8	933	80.9	78.2-83.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 17: PROSTATE CANCER SCREENING CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE		PAGE
	A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD2)	
1	MALES ONLY	239
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)	
2	MALES ONLY	240
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1)	
3	MALES ONLY	241
	HAVE YOU EVER HAD A PSA TEST? (PSATEST1)	
4	MALES ONLY	242
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)	
5	MALES ONLY	243
	WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST - WAS IT ...? (PCPSARS1)	
6	MALES ONLY	244

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 17: PROSTATE CANCER SCREENING**

**TABLE 1: A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 40 years old.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3369	1,377,949	2138	56.2	53.8-58.6	1231	43.8	41.4-46.2
White/Non-Hisp	2944	1,156,148	1885	56.4	54.0-58.8	1059	43.6	41.2-46.0
Black or Afr. Am./Non-Hisp	188	116,997	122	62.1	52.5-71.7	66	37.9	28.3-47.5
Oth. Race/Non-Hisp.	70	23,055	35	47.2	26.4-68.0	35	52.8	32.0-73.6
Hispanic	71	47,472	42	45.4	30.5-60.3	29	54.6	39.7-69.5
35-44	251	199,033	64	24.0	17.5-30.5	187	76.0	69.5-82.5
45-54	649	382,645	309	44.9	40.0-49.8	340	55.1	50.2-60.0
55-64	937	385,500	624	65.2	61.3-69.1	313	34.8	30.9-38.7
65+	1532	410,772	1141	73.9	71.0-76.8	391	26.1	23.2-29.0
Less Than H.S.	263	177,916	111	35.5	28.2-42.8	152	64.5	57.2-71.8
H.S. or G.E.D.	1085	485,750	625	55.2	51.3-59.1	460	44.8	40.9-48.7
Some Post-H.S.	752	388,972	481	57.3	52.6-62.0	271	42.7	38.0-47.4
College Graduate	1263	323,068	920	68.2	64.7-71.7	343	31.8	28.3-35.3
Less than \$15,000	228	116,579	88	36.5	28.1-44.9	140	63.5	55.1-71.9
\$15,000- 24,999	475	192,216	265	51.1	44.6-57.6	210	48.9	42.4-55.4
\$25,000- 34,999	336	125,093	193	50.0	42.6-57.4	143	50.0	42.6-57.4
\$35,000- 49,999	475	196,820	311	55.6	49.3-61.9	164	44.4	38.1-50.7
\$50,000- 74,999	547	209,828	382	64.7	59.2-70.2	165	35.3	29.8-40.8
\$75,000+	1008	421,663	701	60.9	56.8-65.0	307	39.1	35.0-43.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 17: PROSTATE CANCER SCREENING**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 40 years old.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3383	1,376,537	886	23.9	21.9-25.9	2497	76.1	74.1-78.1
White/Non-Hisp	2957	1,156,433	735	22.1	20.1-24.1	2222	77.9	75.9-79.9
Black or Afr. Am./Non-Hisp	189	116,815	76	40.9	31.5-50.3	113	59.1	49.7-68.5
Oth. Race/Non-Hisp.	69	22,524	21	20.4	8.1-32.7	48	79.6	67.3-91.9
Hispanic	70	47,342	26	30.6	17.5-43.7	44	69.4	56.3-82.5
35-44	251	199,332	33	13.7	8.4-19.0	218	86.3	81.0-91.6
45-54	654	382,216	144	21.6	17.7-25.5	510	78.4	74.5-82.3
55-64	934	381,696	272	28.0	24.5-31.5	662	72.0	68.5-75.5
65+	1544	413,293	437	27.3	24.4-30.2	1107	72.7	69.8-75.6
Less Than H.S.	259	174,287	60	21.7	15.2-28.2	199	78.3	71.8-84.8
H.S. or G.E.D.	1093	488,425	244	22.8	19.7-25.9	849	77.2	74.1-80.3
Some Post-H.S.	750	387,291	177	20.7	17.2-24.2	573	79.3	75.8-82.8
College Graduate	1275	324,291	404	30.7	27.4-34.0	871	69.3	66.0-72.6
Less than \$15,000	225	112,978	49	22.0	14.7-29.3	176	78.0	70.7-85.3
\$15,000- 24,999	478	192,720	120	24.5	19.0-30.0	358	75.5	70.0-81.0
\$25,000- 34,999	336	124,987	74	21.0	15.3-26.7	262	79.0	73.3-84.7
\$35,000- 49,999	481	195,731	108	20.6	15.7-25.5	373	79.4	74.5-84.3
\$50,000- 74,999	548	211,142	151	24.2	19.7-28.7	397	75.8	71.3-80.3
\$75,000+	1013	423,070	304	26.8	23.3-30.3	709	73.2	69.7-76.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 17: PROSTATE CANCER SCREENING**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 40 years old.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3379	1,378,566	1937	50.4	48.0-52.8	1442	49.6	47.2-52.0
White/Non-Hisp	2954	1,158,545	1714	51.0	48.6-53.4	1240	49.0	46.6-51.4
Black or Afr. Am./Non-Hisp	189	117,129	110	54.1	44.5-63.7	79	45.9	36.3-55.5
Oth. Race/Non-Hisp.	67	21,105	29	23.0	9.9-36.1	38	77.0	63.9-90.1
Hispanic	71	47,550	35	44.8	29.5-60.1	36	55.2	39.9-70.5
35-44	251	198,459	44	17.7	11.8-23.6	207	82.3	76.4-88.2
45-54	649	381,397	259	39.0	34.3-43.7	390	61.0	56.3-65.7
55-64	934	383,749	570	59.3	55.2-63.4	364	40.7	36.6-44.8
65+	1545	414,961	1064	68.1	65.2-71.0	481	31.9	29.0-34.8
Less Than H.S.	261	178,571	92	31.0	23.7-38.3	169	69.0	61.7-76.3
H.S. or G.E.D.	1091	484,954	584	50.7	46.8-54.6	507	49.3	45.4-53.2
Some Post-H.S.	755	389,881	440	51.9	47.2-56.6	315	48.1	43.4-52.8
College Graduate	1266	322,917	820	59.0	55.3-62.7	446	41.0	37.3-44.7
Less than \$15,000	227	114,138	78	32.1	23.9-40.3	149	67.9	59.7-76.1
\$15,000- 24,999	468	189,156	238	49.0	42.5-55.5	230	51.0	44.5-57.5
\$25,000- 34,999	335	124,183	175	44.8	37.7-51.9	160	55.2	48.1-62.3
\$35,000- 49,999	487	198,837	288	48.2	42.1-54.3	199	51.8	45.7-57.9
\$50,000- 74,999	546	209,831	353	58.2	52.5-63.9	193	41.8	36.1-47.5
\$75,000+	1008	421,793	616	53.2	49.1-57.3	392	46.8	42.7-50.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 17: PROSTATE CANCER SCREENING**

**TABLE 4: HAVE YOU EVER HAD A PSA TEST? (PSATEST1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never recommended to have a PSA test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1920	686,857	1771	88.8	86.6-91.0	149	11.2	9.0-13.4
White/Non-Hisp	1699	585,468	1581	89.5	87.1-91.9	118	10.5	8.1-12.9
Black or Afr. Am./Non-Hisp	109	62,117	91	80.6	71.0-90.2	18	19.4	9.8-29.0
45-54	256	146,857	206	77.6	70.9-84.3	50	22.4	15.7-29.1
55-64	565	224,049	515	89.8	86.5-93.1	50	10.2	6.9-13.5
65+	1055	280,735	1018	96.1	94.5-97.7	37	3.9	2.3- 5.5
Less Than H.S.	91	54,220	76	81.8	70.2-93.4	15	18.2	6.6-29.8
H.S. or G.E.D.	577	242,298	516	87.0	83.3-90.7	61	13.0	9.3-16.7
Some Post-H.S.	435	200,164	400	88.5	84.0-93.0	35	11.5	7.0-16.0
College Graduate	816	189,715	778	93.4	90.9-95.9	38	6.6	4.1- 9.1
Less than \$15,000	77	36,045	60	74.1	60.2-88.0	17	25.9	12.0-39.8
\$15,000- 24,999	236	91,482	211	83.8	76.2-91.4	25	16.2	8.6-23.8
\$25,000- 34,999	172	54,997	154	85.5	78.2-92.8	18	14.5	7.2-21.8
\$35,000- 49,999	287	94,788	272	92.7	88.4-97.0	15	7.3	3.0-11.6
\$50,000- 74,999	347	120,005	321	90.1	85.2-95.0	26	9.9	5.0-14.8
\$75,000+	615	223,994	583	92.1	88.8-95.4	32	7.9	4.6-11.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 17: PROSTATE CANCER SCREENING**

**TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1999	693,187	1158	57.2	54.3-60.1	310	15.5	13.3-17.7	166	9.0	7.2-10.8	151	7.2	5.8- 8.6	214	11.1	9.1-13.1
White/Non-Hisp	1778	592,036	1043	58.1	55.2-61.0	270	14.9	12.7-17.1	149	9.4	7.4-11.4	129	6.8	5.4- 8.2	187	10.9	8.9-12.9
Black or Afr. Am./Non-Hisp	103	54,761	59	53.7	41.2-66.2	17	20.9	9.7-32.1	5	4.7	0.2- 9.2	10	9.9	3.4-16.4	12	10.8	3.4-18.2
45-54	236	133,345	130	53.2	45.0-61.4	38	13.0	8.3-17.7	28	12.2	6.5-17.9	21	9.1	4.8-13.4	19	12.5	6.4-18.6
55-64	577	229,714	328	53.9	48.8-59.0	92	17.3	13.2-21.4	51	9.8	6.9-12.7	44	7.7	5.2-10.2	62	11.3	8.0-14.6
65+	1140	298,763	680	62.7	59.2-66.2	167	13.9	11.4-16.4	81	6.7	4.9- 8.5	82	6.1	4.5- 7.7	130	10.7	8.3-13.1
Less Than H.S.	89	53,887	45	45.4	31.5-59.3	15	16.9	7.1-26.7	6	9.3	0.0-19.1	8	7.8	1.7-13.9	15	20.5	8.5-32.5
H.S. or G.E.D.	594	241,835	360	60.4	55.5-65.3	84	14.4	10.9-17.9	47	7.7	5.2-10.2	41	7.2	4.7- 9.7	62	10.2	7.1-13.3
Some Post-H.S.	452	200,165	261	58.9	53.2-64.6	69	14.5	10.6-18.4	43	9.8	6.1-13.5	28	5.9	3.4- 8.4	51	11.0	7.5-14.5
College Graduate	863	196,841	492	54.9	50.6-59.2	142	17.6	14.1-21.1	70	9.7	7.0-12.4	74	8.3	5.9-10.7	85	9.5	7.0-12.0
Less than \$15,000	77	32,794	42	50.8	35.7-65.9	12	20.6	7.1-34.1	7	9.9	2.6-17.2	4	4.6	0.0- 9.7	12	14.2	4.2-24.2
\$15,000- 24,999	250	91,977	132	49.7	40.7-58.7	40	15.9	9.8-22.0	25	10.5	4.2-16.8	18	6.7	3.2-10.2	35	17.2	10.3-24.1
\$25,000- 34,999	178	54,812	94	59.7	50.5-68.9	32	17.4	10.5-24.3	11	5.6	1.1-10.1	18	7.8	3.7-11.9	23	9.5	4.2-14.8
\$35,000- 49,999	298	97,746	165	56.2	48.6-63.8	49	16.0	10.9-21.1	25	6.9	3.8-10.0	25	7.5	3.8-11.2	34	13.5	7.2-19.8
\$50,000- 74,999	361	124,027	215	57.2	50.5-63.9	55	14.0	9.5-18.5	30	10.1	5.6-14.6	29	8.5	4.8-12.2	32	10.2	5.9-14.5
\$75,000+	651	230,924	401	59.5	54.6-64.4	99	15.1	11.4-18.8	50	9.5	6.4-12.6	48	7.8	5.1-10.5	53	8.1	5.4-10.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 17: PROSTATE CANCER SCREENING**

**TABLE 6: WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST – WAS IT ...? (PCPSARS1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Routine Exam			A Prostate Problem			Family History of Prostate Cancer			Told you had Prostate Cancer			Some Other Reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2000	686,207	1441	71.4	68.7-74.1	119	5.1	3.9- 6.3	98	5.7	4.3- 7.1	87	3.8	2.6- 5.0	255	14.1	11.9-16.3
White/Non-Hisp	1780	588,095	1285	71.0	68.3-73.7	103	4.9	3.7- 6.1	85	5.6	4.0- 7.2	79	3.8	2.6- 5.0	228	14.6	12.2-17.0
Black or Afr. Am./Non-Hisp	101	52,615	75	73.9	62.5-85.3	7	5.2	0.9- 9.5	5	5.3	0.0-10.6	6	6.1	0.0-12.4	8	9.5	0.9-18.1
45-54	233	130,067	164	69.0	61.4-76.6	10	3.5	1.0- 6.0	18	9.2	4.7-13.7	1	0.2	0.0- 0.6	40	18.1	11.4-24.8
55-64	580	230,239	416	73.0	68.5-77.5	27	4.2	2.4- 6.0	39	6.4	3.9- 8.9	14	1.7	0.7- 2.7	84	14.7	11.2-18.2
65+	1141	294,537	833	72.8	69.5-76.1	82	7.1	5.1- 9.1	36	2.9	1.7- 4.1	70	6.6	4.6- 8.6	120	10.6	8.2-13.0
Less Than H.S.	89	52,758	48	63.0	50.3-75.7	8	5.9	1.0-10.8	5	5.4	0.0-11.1	4	1.6	0.0- 3.4	24	24.0	12.6-35.4
H.S. or G.E.D.	598	241,093	428	69.3	64.4-74.2	31	4.9	2.9- 6.9	22	3.7	1.9- 5.5	28	5.2	2.7- 7.7	89	16.8	12.7-20.9
Some Post-H.S.	448	195,679	317	69.7	64.4-75.0	25	5.7	3.2- 8.2	29	8.3	5.0-11.6	20	3.4	1.8- 5.0	57	12.9	9.0-16.8
College Graduate	864	196,218	647	77.6	74.3-80.9	55	4.6	3.2- 6.0	42	5.5	3.5- 7.5	35	3.0	1.8- 4.2	85	9.3	6.9-11.7
Less than \$15,000	75	30,089	42	45.1	30.0-60.2	5	7.6	0.9-14.3	4	6.7	0.0-15.5	3	9.9	0.0-22.2	21	30.8	17.1-44.5
\$15,000- 24,999	247	90,611	161	66.5	58.3-74.7	21	7.3	3.4-11.2	8	3.0	0.3- 5.7	12	4.1	1.4- 6.8	45	19.0	11.9-26.1
\$25,000- 34,999	176	53,661	119	72.9	65.1-80.7	12	5.6	1.9- 9.3	9	5.0	1.3- 8.7	10	3.5	1.1- 5.9	26	13.0	7.1-18.9
\$35,000- 49,999	300	96,983	209	70.6	63.7-77.5	26	6.2	3.5- 8.9	15	6.1	2.4- 9.8	18	6.5	2.6-10.4	32	10.6	5.5-15.7
\$50,000- 74,999	367	124,897	268	69.1	62.8-75.4	21	7.1	3.4-10.8	22	7.6	3.9-11.3	11	3.5	0.8- 6.2	45	12.5	8.2-16.8
\$75,000+	649	229,690	503	76.9	72.4-81.4	27	3.0	1.6- 4.4	34	5.9	3.4- 8.4	19	1.4	0.8- 2.0	66	12.8	8.9-16.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016**

**SECTION 18: COLORECTAL CANCER SCREENING CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE		PAGE
	A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)	
1	MALES AND FEMALES	246
2	MALES ONLY	247
3	FEMALES ONLY	248
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)	
4	MALES AND FEMALES	249
5	MALES ONLY	250
6	FEMALES ONLY	251
	SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HDSIGM3)	
7	MALES AND FEMALES	252
8	MALES ONLY	253
9	FEMALES ONLY	254
	FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGCO1)	
10	MALES AND FEMALES	255
11	MALES ONLY	256
12	FEMALES ONLY	257
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)	
13	MALES AND FEMALES	258
14	MALES ONLY	259
15	FEMALES ONLY	260

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7369	2,190,902	2505	30.3	28.9-31.7	4864	69.7	68.3-71.1
Male	2883	1,027,521	949	28.9	26.7-31.1	1934	71.1	68.9-73.3
Female	4486	1,163,381	1556	31.6	29.8-33.4	2930	68.4	66.6-70.2
White/Non-Hisp	6526	1,902,738	2258	30.8	29.4-32.2	4268	69.2	67.8-70.6
Black or Afr. Am./Non-Hisp	433	165,199	136	27.9	22.2-33.6	297	72.1	66.4-77.8
Oth. Race/Non-Hisp.	98	22,197	21	13.5	4.1-22.9	77	86.5	77.1-95.9
MultiRacial/Non-Hisp.	97	19,416	33	30.7	18.5-42.9	64	69.3	57.1-81.5
Hispanic	120	54,974	30	26.5	14.9-38.1	90	73.5	61.9-85.1
45-54	863	443,322	155	19.0	15.5-22.5	708	81.0	77.5-84.5
55-64	2310	801,330	616	24.2	22.0-26.4	1694	75.8	73.6-78.0
65+	4196	946,251	1734	40.8	38.8-42.8	2462	59.2	57.2-61.2
Less Than H.S.	555	257,427	143	23.7	19.0-28.4	412	76.3	71.6-81.0
H.S. or G.E.D.	2657	835,151	864	29.7	27.5-31.9	1793	70.3	68.1-72.5
Some Post-H.S.	1828	650,590	647	31.5	29.0-34.0	1181	68.5	66.0-71.0
College Graduate	2315	443,452	849	33.4	31.0-35.8	1466	66.6	64.2-69.0
Less than \$15,000	627	205,454	173	23.8	19.1-28.5	454	76.2	71.5-80.9
\$15,000- 24,999	1265	356,609	438	31.5	28.2-34.8	827	68.5	65.2-71.8
\$25,000- 34,999	839	232,114	295	32.3	28.2-36.4	544	67.7	63.6-71.8
\$35,000- 49,999	1046	310,870	403	34.9	31.2-38.6	643	65.1	61.4-68.8
\$50,000- 74,999	1018	309,281	348	29.4	26.1-32.7	670	70.6	67.3-73.9
\$75,000+	1545	493,219	485	28.5	25.8-31.2	1060	71.5	68.8-74.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2883	1,027,521	949	28.9	26.7-31.1	1934	71.1	68.9-73.3
White/Non-Hisp	2544	881,766	844	28.9	26.7-31.1	1700	71.1	68.9-73.3
Black or Afr. Am./Non-Hisp	154	80,715	50	28.1	18.9-37.3	104	71.9	62.7-81.1
Oth. Race/Non-Hisp.	53	13,634	8	11.7	0.0-24.4	45	88.3	75.6- 100
45-54	380	222,000	65	17.3	12.4-22.2	315	82.7	77.8-87.6
55-64	948	389,963	248	22.4	19.3-25.5	700	77.6	74.5-80.7
65+	1555	415,558	636	41.1	38.0-44.2	919	58.9	55.8-62.0
Less Than H.S.	207	122,127	45	22.3	14.9-29.7	162	77.7	70.3-85.1
H.S. or G.E.D.	966	386,664	304	28.6	25.1-32.1	662	71.4	67.9-74.9
Some Post-H.S.	633	278,761	208	28.0	23.9-32.1	425	72.0	67.9-76.1
College Graduate	1071	237,726	390	33.3	29.8-36.8	681	66.7	63.2-70.2
Less than \$15,000	189	86,160	55	23.7	15.1-32.3	134	76.3	67.7-84.9
\$15,000- 24,999	413	144,591	126	27.1	21.6-32.6	287	72.9	67.4-78.4
\$25,000- 34,999	308	102,705	100	33.0	26.1-39.9	208	67.0	60.1-73.9
\$35,000- 49,999	433	153,239	146	33.1	27.4-38.8	287	66.9	61.2-72.6
\$50,000- 74,999	477	164,841	162	28.3	23.4-33.2	315	71.7	66.8-76.6
\$75,000+	771	270,838	253	27.6	23.7-31.5	518	72.4	68.5-76.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4486	1,163,381	1556	31.6	29.8-33.4	2930	68.4	66.6-70.2
White/Non-Hisp	3982	1,020,972	1414	32.5	30.7-34.3	2568	67.5	65.7-69.3
Black or Afr. Am./Non-Hisp	279	84,483	86	27.8	20.9-34.7	193	72.2	65.3-79.1
MultiRacial/Non-Hisp.	60	11,849	19	27.7	12.6-42.8	41	72.3	57.2-87.4
Hispanic	72	27,186	13	20.8	4.7-36.9	59	79.2	63.1-95.3
45-54	483	221,322	90	20.7	15.8-25.6	393	79.3	74.4-84.2
55-64	1362	411,367	368	25.9	23.2-28.6	994	74.1	71.4-76.8
65+	2641	530,693	1098	40.5	38.1-42.9	1543	59.5	57.1-61.9
Less Than H.S.	348	135,299	98	25.0	19.1-30.9	250	75.0	69.1-80.9
H.S. or G.E.D.	1691	448,487	560	30.8	28.1-33.5	1131	69.2	66.5-71.9
Some Post-H.S.	1195	371,830	439	34.1	30.8-37.4	756	65.9	62.6-69.2
College Graduate	1244	205,727	459	33.5	30.2-36.8	785	66.5	63.2-69.8
Less than \$15,000	438	119,294	118	23.9	18.6-29.2	320	76.1	70.8-81.4
\$15,000- 24,999	852	212,018	312	34.5	30.2-38.8	540	65.5	61.2-69.8
\$25,000- 34,999	531	129,408	195	31.8	26.7-36.9	336	68.2	63.1-73.3
\$35,000- 49,999	613	157,631	257	36.6	31.9-41.3	356	63.4	58.7-68.1
\$50,000- 74,999	541	144,440	186	30.7	26.0-35.4	355	69.3	64.6-74.0
\$75,000+	774	222,381	232	29.5	25.4-33.6	542	70.5	66.4-74.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2463	654,542	599	26.0	23.6-28.4	295	12.5	10.7-14.3	278	11.8	10.0-13.6	314	11.9	10.3-13.5	977	37.7	35.2-40.2
Male	935	293,831	241	26.7	23.0-30.4	118	12.4	9.9-14.9	105	12.0	9.1-14.9	126	12.6	10.1-15.1	345	36.4	32.3-40.5
Female	1528	360,711	358	25.5	22.6-28.4	177	12.7	10.2-15.2	173	11.7	9.5-13.9	188	11.4	9.4-13.4	632	38.7	35.6-41.8
White/Non-Hisp	2219	577,379	521	24.9	22.5-27.3	263	12.3	10.5-14.1	246	11.8	10.0-13.6	283	12.4	10.6-14.2	906	38.6	36.1-41.1
Black or Afr. Am./Non-Hisp	134	45,959	40	33.3	21.7-44.9	19	13.4	6.5-20.3	18	12.8	4.0-21.6	15	7.4	2.9-11.9	42	33.2	21.8-44.6
45-54	154	83,576	42	23.6	15.8-31.4	23	15.1	7.7-22.5	21	15.5	7.5-23.5	15	9.7	3.8-15.6	53	36.1	26.1-46.1
55-64	606	190,578	155	26.2	21.9-30.5	69	10.5	7.6-13.4	71	12.5	9.2-15.8	82	11.8	8.9-14.7	229	39.0	34.1-43.9
65+	1703	380,388	402	26.5	23.6-29.4	203	13.0	10.8-15.2	186	10.6	8.8-12.4	217	12.5	10.5-14.5	695	37.4	34.5-40.3
Less Than H.S.	141	60,197	39	29.6	19.0-40.2	15	14.3	4.9-23.7	12	6.3	1.8-10.8	16	9.2	4.1-14.3	59	40.6	29.2-52.0
H.S. or G.E.D.	850	244,301	215	27.4	23.5-31.3	118	14.3	11.4-17.2	100	12.6	9.5-15.7	104	10.9	8.5-13.3	313	34.8	30.7-38.9
Some Post-H.S.	635	202,250	158	25.1	21.0-29.2	75	11.6	8.5-14.7	81	14.3	10.6-18.0	80	12.3	9.0-15.6	241	36.8	32.1-41.5
College Graduate	835	146,289	186	23.5	19.8-27.2	87	10.4	7.9-12.9	85	9.5	7.1-11.9	114	14.4	11.5-17.3	363	42.1	38.0-46.2
Less than \$15,000	171	48,763	46	25.2	15.2-35.2	19	10.3	5.2-15.4	20	12.4	5.3-19.5	25	12.0	6.3-17.7	61	40.2	28.2-52.2
\$15,000- 24,999	436	112,043	122	33.3	27.0-39.6	59	15.4	10.3-20.5	43	9.4	5.7-13.1	49	8.6	5.3-11.9	163	33.3	27.6-39.0
\$25,000- 34,999	290	74,334	88	31.9	24.6-39.2	20	5.6	2.9- 8.3	33	10.1	5.4-14.8	37	13.7	8.2-19.2	112	38.6	30.8-46.4
\$35,000- 49,999	397	107,022	91	24.6	18.9-30.3	52	13.7	9.2-18.2	45	13.0	7.9-18.1	49	11.4	7.7-15.1	160	37.2	31.1-43.3
\$50,000- 74,999	343	89,425	76	23.4	17.7-29.1	43	11.5	7.6-15.4	37	9.7	6.0-13.4	51	16.9	12.0-21.8	136	38.5	32.0-45.0
\$75,000+	478	139,441	94	20.5	15.8-25.2	60	12.7	8.8-16.6	56	13.9	9.2-18.6	60	11.6	8.3-14.9	208	41.3	35.6-47.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	935	293,831	241	26.7	23.0-30.4	118	12.4	9.9-14.9	105	12.0	9.1-14.9	126	12.6	10.1-15.1	345	36.4	32.3-40.5
White/Non-Hisp	832	252,429	200	24.5	20.8-28.2	106	12.5	9.8-15.2	93	12.1	9.0-15.2	118	13.9	11.0-16.8	315	37.0	32.7-41.3
45-54	65	38,455	19	22.1	10.9-33.3	8	9.2	2.1-16.3	7	16.2	2.5-29.9	8	11.2	2.0-20.4	23	41.2	25.5-56.9
55-64	244	86,309	64	25.8	18.7-32.9	31	12.5	7.6-17.4	36	14.6	9.3-19.9	33	11.2	6.7-15.7	80	36.0	28.4-43.6
65+	626	169,067	158	28.2	23.5-32.9	79	13.0	9.7-16.3	62	9.6	6.7-12.5	85	13.6	10.3-16.9	242	35.5	30.8-40.2
H.S. or G.E.D.	298	109,241	84	28.5	22.0-35.0	38	12.3	7.8-16.8	42	14.6	9.1-20.1	37	11.9	7.6-16.2	97	32.6	25.9-39.3
Some Post-H.S.	204	77,322	49	22.4	15.7-29.1	31	13.2	7.9-18.5	23	15.2	8.1-22.3	26	12.5	6.8-18.2	75	36.7	28.7-44.7
College Graduate	386	78,497	87	23.5	18.2-28.8	44	12.0	8.1-15.9	38	7.9	5.2-10.6	58	15.0	10.7-19.3	159	41.7	35.6-47.8
Less than \$15,000	54	20,362	18	30.2	11.0-49.4	6	9.0	1.4-16.6	10	14.3	3.5-25.1	9	9.6	1.8-17.4	11	36.9	14.2-59.6
\$15,000- 24,999	126	39,157	51	48.3	36.7-59.9	15	15.0	6.2-23.8	12	9.4	2.9-15.9	12	5.0	1.7- 8.3	36	22.3	13.7-30.9
\$25,000- 34,999	98	33,518	29	29.9	18.5-41.3	7	5.7	1.2-10.2	6	3.3	0.2- 6.4	14	17.3	6.9-27.7	42	43.8	30.9-56.7
\$35,000- 49,999	141	49,582	33	25.1	15.5-34.7	22	12.2	5.9-18.5	16	15.8	6.2-25.4	17	11.8	5.3-18.3	53	35.1	25.3-44.9
\$50,000- 74,999	160	46,491	38	24.0	15.8-32.2	17	11.0	5.3-16.7	16	9.8	4.1-15.5	28	19.5	11.7-27.3	61	35.7	26.5-44.9
\$75,000+	250	74,174	44	16.6	11.1-22.1	38	14.2	8.7-19.7	31	14.3	7.6-21.0	35	12.4	7.7-17.1	102	42.4	34.6-50.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1528	360,711	358	25.5	22.6-28.4	177	12.7	10.2-15.2	173	11.7	9.5-13.9	188	11.4	9.4-13.4	632	38.7	35.6-41.8
White/Non-Hisp	1387	324,950	321	25.3	22.2-28.4	157	12.1	9.7-14.5	153	11.5	9.1-13.9	165	11.2	9.2-13.2	591	39.8	36.5-43.1
Black or Afr. Am./Non-Hisp	85	23,408	23	29.1	16.2-42.0	13	14.5	5.7-23.3	13	12.3	4.9-19.7	11	11.2	3.2-19.2	25	32.8	17.9-47.7
45-54	89	45,121	23	24.8	13.8-35.8	15	20.1	7.9-32.3	14	14.9	5.9-23.9	7	8.4	1.0-15.8	30	31.8	19.3-44.3
55-64	362	104,269	91	26.6	20.9-32.3	38	8.9	5.6-12.2	35	10.7	6.4-15.0	49	12.4	8.5-16.3	149	41.5	35.2-47.8
65+	1077	211,321	244	25.2	21.7-28.7	124	13.0	10.3-15.7	124	11.4	9.0-13.8	132	11.6	9.4-13.8	453	38.8	35.3-42.3
Less Than H.S.	96	32,931	19	20.7	10.1-31.3	10	16.4	1.9-30.9	10	7.7	1.2-14.2	11	8.9	3.0-14.8	46	46.2	32.5-59.9
H.S. or G.E.D.	552	135,060	131	26.6	21.7-31.5	80	15.8	11.7-19.9	58	10.9	7.4-14.4	67	10.1	7.4-12.8	216	36.6	31.5-41.7
Some Post-H.S.	431	124,928	109	26.8	21.5-32.1	44	10.5	6.8-14.2	58	13.7	9.4-18.0	54	12.2	8.3-16.1	166	36.8	31.1-42.5
College Graduate	449	67,793	99	23.6	18.5-28.7	43	8.6	5.5-11.7	47	11.3	7.6-15.0	56	13.8	9.5-18.1	204	42.7	36.8-48.6
Less than \$15,000	117	28,402	28	21.6	11.8-31.4	13	11.2	4.3-18.1	10	11.0	1.4-20.6	16	13.7	5.9-21.5	50	42.5	29.8-55.2
\$15,000- 24,999	310	72,887	71	25.2	18.5-31.9	44	15.7	9.4-22.0	31	9.4	4.9-13.9	37	10.5	5.8-15.2	127	39.2	32.1-46.3
\$25,000- 34,999	192	40,816	59	33.6	24.6-42.6	13	5.6	2.3- 8.9	27	15.8	8.2-23.4	23	10.7	5.8-15.6	70	34.3	25.1-43.5
\$35,000- 49,999	256	57,440	58	24.2	17.5-30.9	30	15.0	8.5-21.5	29	10.7	6.6-14.8	32	11.1	6.8-15.4	107	39.1	31.3-46.9
\$50,000- 74,999	183	42,934	38	22.7	14.7-30.7	26	12.0	6.9-17.1	21	9.6	5.1-14.1	23	14.1	8.2-20.0	75	41.6	32.6-50.6
\$75,000+	228	65,267	50	25.0	17.4-32.6	22	11.0	5.3-16.7	25	13.4	7.1-19.7	25	10.6	5.9-15.3	106	40.0	32.2-47.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.  
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HDSIGM3)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7354	2,186,805	5259	67.5	65.9-69.1	2095	32.5	30.9-34.1
Male	2882	1,027,242	2008	64.7	62.3-67.1	874	35.3	32.9-37.7
Female	4472	1,159,564	3251	69.9	68.1-71.7	1221	30.1	28.3-31.9
White/Non-Hisp	6516	1,899,289	4708	68.7	67.1-70.3	1808	31.3	29.7-32.9
Black or Afr. Am./Non-Hisp	432	164,824	293	61.0	54.5-67.5	139	39.0	32.5-45.5
Oth. Race/Non-Hisp.	97	21,997	62	49.2	29.6-68.8	35	50.8	31.2-70.4
MultiRacial/Non-Hisp.	94	19,193	59	58.9	45.2-72.6	35	41.1	27.4-54.8
Hispanic	121	55,248	78	60.9	48.9-72.9	43	39.1	27.1-51.1
45-54	859	441,630	449	50.9	46.8-55.0	410	49.1	45.0-53.2
55-64	2307	800,685	1625	68.2	65.7-70.7	682	31.8	29.3-34.3
65+	4188	944,490	3185	74.6	72.8-76.4	1003	25.4	23.6-27.2
Less Than H.S.	551	256,167	333	53.7	48.2-59.2	218	46.3	40.8-51.8
H.S. or G.E.D.	2644	832,015	1796	66.0	63.6-68.4	848	34.0	31.6-36.4
Some Post-H.S.	1825	650,052	1297	67.8	65.1-70.5	528	32.2	29.5-34.9
College Graduate	2319	443,992	1825	77.8	75.6-80.0	494	22.2	20.0-24.4
Less than \$15,000	619	203,386	382	57.6	51.9-63.3	237	42.4	36.7-48.1
\$15,000- 24,999	1264	356,928	818	60.4	56.7-64.1	446	39.6	35.9-43.3
\$25,000- 34,999	839	231,858	586	63.5	59.0-68.0	253	36.5	32.0-41.0
\$35,000- 49,999	1044	310,229	774	69.3	65.4-73.2	270	30.7	26.8-34.6
\$50,000- 74,999	1019	309,529	774	72.2	68.3-76.1	245	27.8	23.9-31.7
\$75,000+	1545	493,142	1204	74.3	71.4-77.2	341	25.7	22.8-28.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.  
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2882	1,027,242	2008	64.7	62.3-67.1	874	35.3	32.9-37.7
White/Non-Hisp	2546	882,001	1809	66.7	64.2-69.2	737	33.3	30.8-35.8
Black or Afr. Am./Non-Hisp	153	80,459	89	49.1	38.7-59.5	64	50.9	40.5-61.3
Oth. Race/Non-Hisp.	52	13,434	30	39.1	15.2-63.0	22	60.9	37.0-84.8
45-54	376	220,309	188	47.5	41.2-53.8	188	52.5	46.2-58.8
55-64	949	390,543	641	65.1	61.2-69.0	308	34.9	31.0-38.8
65+	1557	416,390	1179	73.3	70.4-76.2	378	26.7	23.8-29.6
Less Than H.S.	208	122,590	107	46.1	37.5-54.7	101	53.9	45.3-62.5
H.S. or G.E.D.	961	385,318	608	61.8	57.9-65.7	353	38.2	34.3-42.1
Some Post-H.S.	633	278,931	438	65.1	60.4-69.8	195	34.9	30.2-39.6
College Graduate	1074	238,159	852	78.5	75.4-81.6	222	21.5	18.4-24.6
Less than \$15,000	189	86,531	96	44.4	34.6-54.2	93	55.6	45.8-65.4
\$15,000- 24,999	414	145,092	249	55.1	48.4-61.8	165	44.9	38.2-51.6
\$25,000- 34,999	308	102,443	193	57.4	50.1-64.7	115	42.6	35.3-49.9
\$35,000- 49,999	433	153,175	303	66.4	60.5-72.3	130	33.6	27.7-39.5
\$50,000- 74,999	478	165,172	360	70.3	64.4-76.2	118	29.7	23.8-35.6
\$75,000+	770	270,547	605	74.3	70.2-78.4	165	25.7	21.6-29.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.  
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4472	1,159,564	3251	69.9	68.1-71.7	1221	30.1	28.3-31.9
White/Non-Hisp	3970	1,017,288	2899	70.3	68.3-72.3	1071	29.7	27.7-31.7
Black or Afr. Am./Non-Hisp	279	84,365	204	72.3	65.4-79.2	75	27.7	20.8-34.6
MultiRacial/Non-Hisp.	58	11,684	41	63.3	45.5-81.1	17	36.7	18.9-54.5
Hispanic	73	27,460	44	55.5	39.0-72.0	29	44.5	28.0-61.0
45-54	483	221,322	261	54.2	48.7-59.7	222	45.8	40.3-51.3
55-64	1358	410,142	984	71.1	68.2-74.0	374	28.9	26.0-31.8
65+	2631	528,100	2006	75.6	73.4-77.8	625	24.4	22.2-26.6
Less Than H.S.	343	133,578	226	60.7	53.8-67.6	117	39.3	32.4-46.2
H.S. or G.E.D.	1683	446,697	1188	69.6	66.9-72.3	495	30.4	27.7-33.1
Some Post-H.S.	1192	371,120	859	69.8	66.5-73.1	333	30.2	26.9-33.5
College Graduate	1245	205,832	973	77.1	74.2-80.0	272	22.9	20.0-25.8
Less than \$15,000	430	116,856	286	67.4	61.3-73.5	144	32.6	26.5-38.7
\$15,000- 24,999	850	211,836	569	64.0	59.7-68.3	281	36.0	31.7-40.3
\$25,000- 34,999	531	129,415	393	68.3	62.6-74.0	138	31.7	26.0-37.4
\$35,000- 49,999	611	157,054	471	72.2	67.3-77.1	140	27.8	22.9-32.7
\$50,000- 74,999	541	144,357	414	74.3	69.4-79.2	127	25.7	20.8-30.6
\$75,000+	775	222,595	599	74.2	70.1-78.3	176	25.8	21.7-29.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 10: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5142	1,440,862	150	3.0	2.4- 3.6	4992	97.0	96.4-97.6
Male	1960	644,424	64	3.3	2.3- 4.3	1896	96.7	95.7-97.7
Female	3182	796,439	86	2.7	1.9- 3.5	3096	97.3	96.5-98.1
White/Non-Hisp	4608	1,275,081	128	2.9	2.1- 3.7	4480	97.1	96.3-97.9
Black or Afr. Am./Non-Hisp	285	98,874	8	1.7	0.3- 3.1	277	98.3	96.9-99.7
Oth. Race/Non-Hisp.	62	10,824	3	4.1	0.0- 9.6	59	95.9	90.4- 100
MultiRacial/Non-Hisp.	57	10,700	7	12.8	3.0-22.6	50	87.2	77.4-97.0
Hispanic	74	31,050	2	3.8	0.0-10.3	72	96.2	89.7- 100
45-54	441	219,862	14	3.4	1.2- 5.6	427	96.6	94.4-98.8
55-64	1602	536,892	37	2.7	1.7- 3.7	1565	97.3	96.3-98.3
65+	3099	684,108	99	3.0	2.2- 3.8	3000	97.0	96.2-97.8
Less Than H.S.	316	129,664	13	4.8	1.5- 8.1	303	95.2	91.9-98.5
H.S. or G.E.D.	1750	534,620	40	2.1	1.3- 2.9	1710	97.9	97.1-98.7
Some Post-H.S.	1265	432,778	49	3.8	2.4- 5.2	1216	96.2	94.8-97.6
College Graduate	1804	341,989	47	2.6	1.6- 3.6	1757	97.4	96.4-98.4
Less than \$15,000	363	109,918	14	5.2	1.9- 8.5	349	94.8	91.5-98.1
\$15,000- 24,999	800	211,227	27	3.6	1.6- 5.6	773	96.4	94.4-98.4
\$25,000- 34,999	574	144,361	13	1.7	0.7- 2.7	561	98.3	97.3-99.3
\$35,000- 49,999	755	210,553	26	3.8	1.8- 5.8	729	96.2	94.2-98.2
\$50,000- 74,999	764	220,327	22	2.2	1.0- 3.4	742	97.8	96.6-99.0
\$75,000+	1195	361,185	25	2.4	1.2- 3.6	1170	97.6	96.4-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 11: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1960	644,424	64	3.3	2.3- 4.3	1896	96.7	95.7-97.7
White/Non-Hisp	1767	571,887	56	3.4	2.2- 4.6	1711	96.6	95.4-97.8
Black or Afr. Am./Non-Hisp	86	38,401	2	1.3	0.0- 3.3	84	98.7	96.7- 100
45-54	186	102,765	6	2.6	0.1- 5.1	180	97.4	94.9-99.9
55-64	628	248,246	19	3.7	1.7- 5.7	609	96.3	94.3-98.3
65+	1146	293,413	39	3.2	1.8- 4.6	1107	96.8	95.4-98.2
Less Than H.S.	99	50,287	4	6.6	0.0-13.7	95	93.4	86.3- 100
H.S. or G.E.D.	590	230,521	17	2.3	0.9- 3.7	573	97.7	96.3-99.1
Some Post-H.S.	429	178,396	17	3.5	1.3- 5.7	412	96.5	94.3-98.7
College Graduate	839	184,007	26	3.4	1.8- 5.0	813	96.6	95.0-98.2
Less than \$15,000	88	32,824	5	8.6	0.2-17.0	83	91.4	83.0-99.8
\$15,000- 24,999	243	77,678	11	6.2	1.5-10.9	232	93.8	89.1-98.5
\$25,000- 34,999	191	58,112	4	1.7	0.0- 3.5	187	98.3	96.5- 100
\$35,000- 49,999	295	99,703	11	2.8	1.0- 4.6	284	97.2	95.4-99.0
\$50,000- 74,999	354	113,573	14	3.2	1.2- 5.2	340	96.8	94.8-98.8
\$75,000+	599	198,269	13	2.2	0.6- 3.8	586	97.8	96.2-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 12: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3182	796,439	86	2.7	1.9- 3.5	3096	97.3	96.5-98.1
White/Non-Hisp	2841	703,193	72	2.6	1.8- 3.4	2769	97.4	96.6-98.2
Black or Afr. Am./Non-Hisp	199	60,473	6	1.9	0.1- 3.7	193	98.1	96.3-99.9
45-54	255	117,098	8	4.1	0.6- 7.6	247	95.9	92.4-99.4
55-64	974	288,646	18	1.8	0.8- 2.8	956	98.2	97.2-99.2
65+	1953	390,695	60	2.9	1.9- 3.9	1893	97.1	96.1-98.1
Less Than H.S.	217	79,378	9	3.6	0.5- 6.7	208	96.4	93.3-99.5
H.S. or G.E.D.	1160	304,099	23	1.8	0.8- 2.8	1137	98.2	97.2-99.2
Some Post-H.S.	836	254,381	32	4.0	2.2- 5.8	804	96.0	94.2-97.8
College Graduate	965	157,983	21	1.8	0.8- 2.8	944	98.2	97.2-99.2
Less than \$15,000	275	77,094	9	3.8	0.7- 6.9	266	96.2	93.1-99.3
\$15,000- 24,999	557	133,549	16	2.1	0.7- 3.5	541	97.9	96.5-99.3
\$25,000- 34,999	383	86,249	9	1.6	0.4- 2.8	374	98.4	97.2-99.6
\$35,000- 49,999	460	110,850	15	4.6	1.3- 7.9	445	95.4	92.1-98.7
\$50,000- 74,999	410	106,754	8	1.2	0.2- 2.2	402	98.8	97.8-99.8
\$75,000+	596	162,915	12	2.7	1.1- 4.3	584	97.3	95.7-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 13: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5209	1,461,780	1027	21.7	20.1-23.3	732	14.7	13.3-16.1	756	15.2	13.8-16.6	1128	20.5	19.1-21.9	1114	20.0	18.6-21.4	452	7.9	6.9- 8.9
Male	1991	658,343	407	22.1	19.6-24.6	284	15.0	12.8-17.2	307	16.8	14.6-19.0	455	20.4	18.2-22.6	377	18.2	16.0-20.4	161	7.5	6.1- 8.9
Female	3218	803,436	620	21.4	19.4-23.4	448	14.4	12.8-16.0	449	14.0	12.4-15.6	673	20.6	18.8-22.4	737	21.4	19.6-23.2	291	8.2	7.0- 9.4
White/Non-Hisp	4663	1,291,432	899	20.7	19.1-22.3	652	14.8	13.4-16.2	670	15.1	13.7-16.5	1016	20.5	19.1-21.9	1010	20.6	19.0-22.2	416	8.3	7.3- 9.3
Black or Afr. Am./Non-Hisp	289	99,992	69	30.5	23.1-37.9	42	14.5	8.4-20.6	51	17.2	11.5-22.9	65	21.3	15.4-27.2	50	13.5	9.0-18.0	12	3.1	0.9- 5.3
Oth. Race/Non-Hisp.	62	10,824	8	21.0	0.0-44.5	11	16.0	2.5-29.5	10	14.7	1.4-28.0	11	14.7	3.3-26.1	14	26.5	8.9-44.1	8	7.1	1.0-13.2
MultiRacial/Non-Hisp.	59	11,303	15	18.3	7.7-28.9	8	17.3	4.0-30.6	4	6.9	0.0-14.7	14	30.0	12.2-47.8	10	13.2	3.0-23.4	8	14.3	3.5-25.1
Hispanic	78	33,636	24	33.1	18.4-47.8	10	12.2	3.2-21.2	12	18.9	4.8-33.0	9	15.9	3.9-27.9	21	17.5	6.5-28.5	2	2.4	0.0- 6.3
45-54	448	224,338	142	34.4	28.7-40.1	80	16.6	12.5-20.7	62	17.0	12.1-21.9	81	15.4	11.7-19.1	49	10.1	6.6-13.6	34	6.6	4.1- 9.1
55-64	1616	543,087	320	19.7	17.3-22.1	223	14.3	12.1-16.5	229	15.2	13.0-17.4	347	20.9	18.4-23.4	378	22.9	20.4-25.4	119	7.0	5.4- 8.6
65+	3145	694,354	565	19.2	17.4-21.0	429	14.4	12.8-16.0	465	14.7	13.1-16.3	700	21.8	20.0-23.6	687	20.9	19.1-22.7	299	9.0	7.8-10.2
Less Than H.S.	324	135,319	75	25.6	19.3-31.9	42	13.2	8.5-17.9	53	16.9	11.4-22.4	64	17.1	12.0-22.2	58	18.5	13.0-24.0	32	8.8	5.1-12.5
H.S. or G.E.D.	1772	543,127	358	22.3	19.8-24.8	261	15.5	13.3-17.7	259	14.9	12.7-17.1	371	20.9	18.5-23.3	366	18.9	16.5-21.3	157	7.6	6.0- 9.2
Some Post-H.S.	1286	436,191	262	22.1	19.2-25.0	192	14.6	12.2-17.0	165	14.6	11.9-17.3	256	18.7	16.2-21.2	298	22.1	19.2-25.0	113	8.0	6.2- 9.8
College Graduate	1819	344,811	330	18.7	16.3-21.1	234	14.2	12.0-16.4	279	16.1	13.9-18.3	436	23.6	21.2-26.0	390	19.5	17.3-21.7	150	7.8	6.2- 9.4
Less than \$15,000	378	115,461	92	26.8	20.3-33.3	57	15.3	10.0-20.6	56	14.5	9.8-19.2	67	16.5	11.2-21.8	58	14.1	9.0-19.2	48	12.9	8.2-17.6
\$15,000- 24,999	809	214,057	173	25.1	21.0-29.2	119	15.9	12.4-19.4	109	11.8	9.1-14.5	179	22.3	18.6-26.0	158	17.6	14.3-20.9	71	7.3	5.1- 9.5
\$25,000- 34,999	580	145,617	115	23.4	18.3-28.5	72	12.1	8.8-15.4	91	18.5	14.0-23.0	114	18.3	14.4-22.2	128	19.0	15.1-22.9	60	8.8	6.3-11.3
\$35,000- 49,999	768	213,669	129	19.8	15.7-23.9	105	13.5	10.4-16.6	118	16.0	12.5-19.5	155	18.3	14.8-21.8	205	25.4	21.3-29.5	56	6.9	4.7- 9.1
\$50,000- 74,999	768	221,951	150	19.2	15.7-22.7	118	15.8	12.5-19.1	106	16.1	12.4-19.8	163	20.6	17.1-24.1	177	22.4	18.7-26.1	54	6.0	4.0- 8.0
\$75,000+	1201	364,657	234	20.3	17.4-23.2	172	15.2	12.7-17.7	180	15.9	13.2-18.6	283	22.2	19.3-25.1	244	19.3	16.4-22.2	88	7.1	5.3- 8.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 14: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1991	658,343	407	22.1	19.6-24.6	284	15.0	12.8-17.2	307	16.8	14.6-19.0	455	20.4	18.2-22.6	377	18.2	16.0-20.4	161	7.5	6.1- 8.9
White/Non-Hisp	1794	583,055	356	20.7	18.2-23.2	262	15.4	13.2-17.6	272	16.7	14.3-19.1	412	20.4	18.0-22.8	346	19.2	16.8-21.6	146	7.7	6.1- 9.3
Black or Afr. Am./Non-Hisp	88	39,299	26	33.6	20.3-46.9	6	11.8	0.0-24.0	20	24.7	13.3-36.1	20	19.5	10.7-28.3	10	6.5	2.0-11.0	6	4.0	0.1- 7.9
45-54	188	104,734	66	36.9	28.3-45.5	31	15.9	9.6-22.2	32	19.7	12.4-27.0	29	10.9	6.6-15.2	18	11.1	5.2-17.0	12	5.6	1.7- 9.5
55-64	638	253,355	127	20.1	16.2-24.0	95	15.4	11.9-18.9	91	16.0	12.3-19.7	152	22.7	18.8-26.6	122	18.5	14.8-22.2	51	7.3	4.9- 9.7
65+	1165	300,255	214	18.6	15.7-21.5	158	14.5	12.0-17.0	184	16.3	13.6-19.0	274	21.8	18.9-24.7	237	20.5	17.6-23.4	98	8.3	6.1-10.5
Less Than H.S.	104	55,459	25	26.3	15.3-37.3	17	16.0	7.4-24.6	15	12.5	5.4-19.6	15	14.0	5.2-22.8	20	19.7	9.3-30.1	12	11.6	4.7-18.5
H.S. or G.E.D.	602	235,871	143	25.2	20.7-29.7	79	14.7	11.0-18.4	100	17.1	13.4-20.8	128	19.0	15.3-22.7	111	17.4	13.7-21.1	41	6.6	4.1- 9.1
Some Post-H.S.	433	179,407	78	19.4	14.7-24.1	67	15.6	11.5-19.7	59	17.4	12.5-22.3	104	21.6	17.1-26.1	97	20.1	15.4-24.8	28	5.9	3.4- 8.4
College Graduate	849	186,394	159	18.8	15.5-22.1	120	14.7	11.6-17.8	133	17.1	13.8-20.4	208	23.1	19.8-26.4	149	17.3	14.2-20.4	80	9.0	6.6-11.4
Less than \$15,000	94	37,039	35	37.0	23.3-50.7	8	11.8	1.6-22.0	11	12.1	4.1-20.1	18	14.3	4.7-23.9	10	13.0	1.4-24.6	12	11.7	3.7-19.7
\$15,000- 24,999	246	79,264	55	25.3	18.0-32.6	30	15.3	8.6-22.0	44	14.0	9.1-18.9	55	21.4	14.7-28.1	38	15.1	9.4-20.8	24	8.9	4.4-13.4
\$25,000- 34,999	193	58,851	44	24.7	16.3-33.1	27	13.0	6.9-19.1	26	18.6	10.6-26.6	38	17.9	11.4-24.4	36	15.7	9.8-21.6	22	10.2	5.3-15.1
\$35,000- 49,999	301	101,052	55	21.7	14.8-28.6	43	14.6	9.5-19.7	47	19.0	13.1-24.9	61	17.5	12.0-23.0	74	21.3	15.4-27.2	21	6.0	2.9- 9.1
\$50,000- 74,999	357	115,216	65	18.9	13.6-24.2	60	16.6	11.7-21.5	52	15.4	10.3-20.5	88	23.5	18.2-28.8	67	20.1	14.6-25.6	25	5.6	2.7- 8.5
\$75,000+	603	200,774	115	19.8	15.7-23.9	92	16.1	12.4-19.8	94	18.2	13.9-22.5	150	22.1	18.2-26.0	113	17.7	13.8-21.6	39	6.0	3.6- 8.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 15: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3218	803,436	620	21.4	19.4-23.4	448	14.4	12.8-16.0	449	14.0	12.4-15.6	673	20.6	18.8-22.4	737	21.4	19.6-23.2	291	8.2	7.0- 9.4
White/Non-Hisp	2869	708,377	543	20.8	18.8-22.8	390	14.3	12.5-16.1	398	13.7	12.1-15.3	604	20.6	18.6-22.6	664	21.8	19.8-23.8	270	8.8	7.4-10.2
Black or Afr. Am./Non-Hisp	201	60,694	43	28.4	19.6-37.2	36	16.2	9.7-22.7	31	12.3	7.0-17.6	45	22.4	14.6-30.2	40	18.1	11.4-24.8	6	2.5	0.1- 4.9
45-54	260	119,605	76	32.2	24.9-39.5	49	17.2	11.7-22.7	30	14.6	8.3-20.9	52	19.4	13.5-25.3	31	9.2	5.1-13.3	22	7.4	4.1-10.7
55-64	978	289,732	193	19.3	16.4-22.2	128	13.4	10.7-16.1	138	14.4	11.7-17.1	195	19.4	16.5-22.3	256	26.7	23.2-30.2	68	6.8	4.8- 8.8
65+	1980	394,100	351	19.7	17.3-22.1	271	14.4	12.4-16.4	281	13.5	11.7-15.3	426	21.8	19.4-24.2	450	21.2	19.0-23.4	201	9.5	7.9-11.1
Less Than H.S.	220	79,861	50	25.2	17.6-32.8	25	11.2	5.9-16.5	38	19.9	12.5-27.3	49	19.2	13.3-25.1	38	17.7	11.8-23.6	20	6.8	2.7-10.9
H.S. or G.E.D.	1170	307,256	215	20.0	17.1-22.9	182	16.1	13.4-18.8	159	13.2	10.8-15.6	243	22.3	19.2-25.4	255	20.1	17.4-22.8	116	8.4	6.6-10.2
Some Post-H.S.	853	256,784	184	23.9	20.0-27.8	125	13.8	11.1-16.5	106	12.6	9.5-15.7	152	16.6	13.5-19.7	201	23.5	19.8-27.2	85	9.5	7.1-11.9
College Graduate	970	158,417	171	18.6	15.5-21.7	114	13.7	10.8-16.6	146	14.8	12.1-17.5	228	24.2	20.7-27.7	241	22.2	19.1-25.3	70	6.5	4.5- 8.5
Less than \$15,000	284	78,422	57	22.0	15.1-28.9	49	17.0	10.9-23.1	45	15.5	9.8-21.2	49	17.5	11.0-24.0	48	14.6	9.3-19.9	36	13.4	7.7-19.1
\$15,000- 24,999	563	134,792	118	24.9	19.8-30.0	89	16.3	12.2-20.4	65	10.6	7.3-13.9	124	22.8	18.3-27.3	120	19.1	15.0-23.2	47	6.3	4.3- 8.3
\$25,000- 34,999	387	86,766	71	22.5	16.2-28.8	45	11.5	7.6-15.4	65	18.4	13.3-23.5	76	18.6	13.9-23.3	92	21.2	15.9-26.5	38	7.8	4.9-10.7
\$35,000- 49,999	467	112,616	74	18.2	13.3-23.1	62	12.6	9.1-16.1	71	13.3	9.6-17.0	94	19.0	14.5-23.5	131	29.2	23.7-34.7	35	7.8	4.7-10.9
\$50,000- 74,999	411	106,735	85	19.5	15.0-24.0	58	14.9	10.4-19.4	54	16.9	11.6-22.2	75	17.5	13.0-22.0	110	24.8	19.7-29.9	29	6.5	3.8- 9.2
\$75,000+	598	163,883	119	20.9	16.6-25.2	80	14.1	10.6-17.6	86	13.0	9.7-16.3	133	22.3	18.0-26.6	131	21.3	17.2-25.4	49	8.5	5.8-11.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016

SECTION 19: HIV/AIDS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1	MALES AND FEMALES	262
2	MALES ONLY	263
3	FEMALES ONLY	264
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3)	
4	MALES AND FEMALES	265
5	MALES ONLY	266
6	FEMALES ONLY	267
	I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK4)	
7	MALES AND FEMALES	268
8	MALES ONLY	269
9	FEMALES ONLY	270

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10084	4,613,290	2410	31.3	29.9-32.7	7674	68.7	67.3-70.1
Male	4144	2,239,457	1005	30.2	28.0-32.4	3139	69.8	67.6-72.0
Female	5940	2,373,833	1405	32.3	30.3-34.3	4535	67.7	65.7-69.7
White/Non-Hisp	8636	3,752,512	1820	27.6	26.2-29.0	6816	72.4	71.0-73.8
Black or Afr. Am./Non-Hisp	644	378,952	314	59.9	54.6-65.2	330	40.1	34.8-45.4
Oth. Race/Non-Hisp.	198	109,230	57	29.7	19.7-39.7	141	70.3	60.3-80.3
MultiRacial/Non-Hisp.	146	52,869	55	40.9	28.7-53.1	91	59.1	46.9-71.3
Hispanic	331	261,967	130	40.8	33.9-47.7	201	59.2	52.3-66.1
18-24	425	642,028	114	28.2	23.1-33.3	311	71.8	66.7-76.9
25-34	730	730,727	357	48.5	44.2-52.8	373	51.5	47.2-55.8
35-44	1011	748,972	481	47.0	43.1-50.9	530	53.0	49.1-56.9
45-54	1478	749,874	571	38.8	35.7-41.9	907	61.2	58.1-64.3
55-64	2241	780,516	462	21.4	19.2-23.6	1779	78.6	76.4-80.8
65+	4079	916,587	398	9.5	8.3-10.7	3681	90.5	89.3-91.7
Less Than H.S.	794	590,444	216	36.9	32.0-41.8	578	63.1	58.2-68.0
H.S. or G.E.D.	3361	1,552,745	660	27.8	25.4-30.2	2701	72.2	69.8-74.6
Some Post-H.S.	2530	1,436,872	663	32.7	30.0-35.4	1867	67.3	64.6-70.0
College Graduate	3376	1,023,977	867	31.5	29.1-33.9	2509	68.5	66.1-70.9
Less than \$15,000	841	413,341	266	39.8	34.9-44.7	575	60.2	55.3-65.1
\$15,000- 24,999	1661	745,216	439	37.4	33.7-41.1	1222	62.6	58.9-66.3
\$25,000- 34,999	1063	449,360	213	26.5	22.2-30.8	850	73.5	69.2-77.8
\$35,000- 49,999	1382	631,073	300	30.2	26.5-33.9	1082	69.8	66.1-73.5
\$50,000- 74,999	1437	672,230	345	30.3	26.8-33.8	1092	69.7	66.2-73.2
\$75,000+	2459	1,194,733	653	30.7	28.0-33.4	1806	69.3	66.6-72.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4144	2,239,457	1005	30.2	28.0-32.4	3139	69.8	67.6-72.0
White/Non-Hisp	3518	1,800,047	761	27.0	24.8-29.2	2757	73.0	70.8-75.2
Black or Afr. Am./Non-Hisp	238	182,462	114	56.7	48.5-64.9	124	43.3	35.1-51.5
Oth. Race/Non-Hisp.	113	71,591	29	22.0	10.0-34.0	84	78.0	66.0-90.0
MultiRacial/Non-Hisp.	60	25,341	20	41.2	22.0-60.4	40	58.8	39.6-78.0
Hispanic	147	121,969	61	39.7	29.9-49.5	86	60.3	50.5-70.1
18-24	234	327,032	60	27.5	20.6-34.4	174	72.5	65.6-79.4
25-34	345	369,343	137	40.2	34.1-46.3	208	59.8	53.7-65.9
35-44	454	371,012	180	40.9	35.2-46.6	274	59.1	53.4-64.8
45-54	639	373,867	224	37.1	32.2-42.0	415	62.9	58.0-67.8
55-64	922	381,652	204	24.9	21.2-28.6	718	75.1	71.4-78.8
65+	1510	401,051	194	12.4	10.2-14.6	1316	87.6	85.4-89.8
Less Than H.S.	334	303,741	95	37.1	29.8-44.4	239	62.9	55.6-70.2
H.S. or G.E.D.	1319	766,407	293	28.8	25.3-32.3	1026	71.2	67.7-74.7
Some Post-H.S.	929	639,952	260	31.7	27.8-35.6	669	68.3	64.4-72.2
College Graduate	1551	523,238	355	26.3	23.4-29.2	1196	73.7	70.8-76.6
Less than \$15,000	282	178,981	91	39.2	31.2-47.2	191	60.8	52.8-68.8
\$15,000- 24,999	584	337,874	180	40.4	34.3-46.5	404	59.6	53.5-65.7
\$25,000- 34,999	406	206,871	79	23.5	17.2-29.8	327	76.5	70.2-82.8
\$35,000- 49,999	600	326,451	133	27.4	22.3-32.5	467	72.6	67.5-77.7
\$50,000- 74,999	673	345,966	152	27.6	22.7-32.5	521	72.4	67.5-77.3
\$75,000+	1223	641,791	301	29.1	25.4-32.8	922	70.9	67.2-74.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5940	2,373,833	1405	32.3	30.3-34.3	4535	67.7	65.7-69.7
White/Non-Hisp	5118	1,952,464	1059	28.2	26.2-30.2	4059	71.8	69.8-73.8
Black or Afr. Am./Non-Hisp	406	196,491	200	62.8	56.1-69.5	206	37.2	30.5-43.9
Oth. Race/Non-Hisp.	85	37,639	28	44.4	28.3-60.5	57	55.6	39.5-71.7
MultiRacial/Non-Hisp.	86	27,528	35	40.6	25.5-55.7	51	59.4	44.3-74.5
Hispanic	184	139,999	69	41.8	32.2-51.4	115	58.2	48.6-67.8
18-24	191	314,996	54	29.0	21.7-36.3	137	71.0	63.7-78.3
25-34	385	361,384	220	56.9	51.0-62.8	165	43.1	37.2-49.0
35-44	557	377,960	301	53.1	48.0-58.2	256	46.9	41.8-52.0
45-54	839	376,007	347	40.4	36.3-44.5	492	59.6	55.5-63.7
55-64	1319	398,864	258	18.1	15.6-20.6	1061	81.9	79.4-84.4
65+	2569	515,536	204	7.3	6.1- 8.5	2365	92.7	91.5-93.9
Less Than H.S.	460	286,704	121	36.7	30.0-43.4	339	63.3	56.6-70.0
H.S. or G.E.D.	2042	786,338	367	26.8	23.9-29.7	1675	73.2	70.3-76.1
Some Post-H.S.	1601	796,920	403	33.4	29.9-36.9	1198	66.6	63.1-70.1
College Graduate	1825	500,739	512	36.8	33.5-40.1	1313	63.2	59.9-66.5
Less than \$15,000	559	234,359	175	40.3	34.0-46.6	384	59.7	53.4-66.0
\$15,000- 24,999	1077	407,342	259	34.9	30.2-39.6	818	65.1	60.4-69.8
\$25,000- 34,999	657	242,490	134	29.1	23.4-34.8	523	70.9	65.2-76.6
\$35,000- 49,999	782	304,622	167	33.3	28.0-38.6	615	66.7	61.4-72.0
\$50,000- 74,999	764	326,264	193	33.1	27.8-38.4	571	66.9	61.6-72.2
\$75,000+	1236	552,942	352	32.6	28.9-36.3	884	67.4	63.7-71.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2007			2008-2014			2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1776	1,084,794	98	3.5	2.5- 4.5	125	4.6	3.4- 5.8	200	7.2	5.8- 8.6	338	17.5	15.1-19.9	675	43.0	39.9-46.1	340	24.2	21.3-27.1
Male	711	487,822	39	3.5	1.9- 5.1	43	4.4	2.6- 6.2	70	6.2	4.4- 8.0	129	17.4	13.9-20.9	280	44.3	39.4-49.2	150	24.3	20.0-28.6
Female	1065	596,972	59	3.5	2.3- 4.7	82	4.8	3.4- 6.2	130	8.1	6.1-10.1	209	17.6	14.7-20.5	395	41.9	37.6-46.2	190	24.1	20.2-28.0
White/Non-Hisp	1374	806,187	86	4.1	2.9- 5.3	104	5.2	3.8- 6.6	169	8.3	6.7- 9.9	291	20.2	17.5-22.9	499	40.9	37.2-44.6	225	21.2	18.1-24.3
Black or Afr. Am./Non-Hisp	218	155,469	4	1.6	0.0- 3.4	6	1.9	0.0- 4.4	15	4.0	1.6- 6.4	27	10.3	5.4-15.2	98	48.8	39.4-58.2	68	33.3	24.5-42.1
Hispanic	88	76,246	4	2.1	0.0- 4.5	4	0.8	0.0- 1.8	9	5.0	1.1- 8.9	7	4.5	0.8- 8.2	37	49.2	35.5-62.9	27	38.4	25.1-51.7
18-24	71	119,202												38	53.1	40.2-66.0	33	46.9	34.0-59.8	
25-34	260	269,123										34	12.3	8.0-16.6	137	57.2	50.1-64.3	89	30.5	24.0-37.0
35-44	389	282,712	4	1.2	0.0- 2.6	16	3.6	1.4- 5.8	43	9.4	6.1-12.7	101	26.5	21.0-32.0	155	38.6	32.3-44.9	70	20.7	15.4-26.0
45-54	443	222,172	33	7.2	4.3-10.1	53	11.7	7.8-15.6	75	12.9	9.4-16.4	82	18.9	14.2-23.6	138	34.0	28.1-39.9	62	15.4	10.7-20.1
55-64	334	124,811	33	10.9	6.4-15.4	34	7.5	4.4-10.6	43	11.1	7.2-15.0	66	20.9	15.0-26.8	116	34.9	28.4-41.4	42	14.7	9.6-19.8
65+	264	60,910	27	7.5	3.8-11.2	21	5.9	2.8- 9.0	36	12.8	8.1-17.5	52	22.3	14.5-30.1	87	32.6	25.3-39.9	41	18.9	12.4-25.4
Less Than H.S.	140	148,747	6	3.5	0.0- 7.0	4	1.4	0.0- 3.0	13	5.4	1.9- 8.9	27	19.3	11.5-27.1	53	45.8	35.0-56.6	37	24.7	15.9-33.5
H.S. or G.E.D.	489	330,979	26	3.5	1.7- 5.3	28	3.9	2.1- 5.7	38	5.1	2.9- 7.3	87	16.1	12.2-20.0	188	43.6	37.7-49.5	122	27.8	22.3-33.3
Some Post-H.S.	497	359,556	23	3.0	1.4- 4.6	35	5.5	3.1- 7.9	53	7.2	4.8- 9.6	96	17.3	13.2-21.4	184	41.4	35.5-47.3	106	25.6	20.3-30.9
College Graduate	646	243,369	42	4.2	2.4- 6.0	57	6.1	3.9- 8.3	96	11.4	8.7-14.1	128	18.9	15.0-22.8	248	42.4	37.3-47.5	75	16.9	12.6-21.2
Less than \$15,000	182	119,583	7	2.6	0.1- 5.1	7	1.8	0.2- 3.4	16	4.6	1.9- 7.3	28	15.4	8.7-22.1	73	39.5	29.7-49.3	51	36.1	26.1-46.1
\$15,000- 24,999	311	198,075	17	3.6	1.2- 6.0	16	2.7	0.5- 4.9	25	3.9	1.9- 5.9	49	14.1	9.2-19.0	118	44.3	36.5-52.1	86	31.4	24.3-38.5
\$25,000- 34,999	162	95,925	5	2.3	0.0- 5.0	8	3.3	0.0- 6.8	17	5.1	2.2- 8.0	35	22.0	12.8-31.2	61	43.1	31.9-54.3	36	24.2	14.6-33.8
\$35,000- 49,999	226	144,663	14	5.4	1.7- 9.1	16	4.8	1.7- 7.9	31	9.6	5.5-13.7	36	14.1	8.0-20.2	89	42.8	34.2-51.4	40	23.3	15.5-31.1
\$50,000- 74,999	260	155,673	12	3.0	0.6- 5.4	19	4.9	2.2- 7.6	29	9.1	5.0-13.2	51	15.2	10.3-20.1	108	46.9	38.3-55.5	41	20.8	13.5-28.1
\$75,000+	514	287,572	33	3.7	2.1- 5.3	51	6.9	4.4- 9.4	71	9.9	6.8-13.0	123	24.9	20.0-29.8	179	40.2	34.3-46.1	57	14.5	10.0-19.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2007			2008-2014			2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	711	487,822	39	3.5	1.9- 5.1	43	4.4	2.6- 6.2	70	6.2	4.4- 8.0	129	17.4	13.9-20.9	280	44.3	39.4-49.2	150	24.3	20.0-28.6
White/Non-Hisp	552	366,490	32	3.6	1.8- 5.4	34	4.6	2.6- 6.6	54	6.1	4.1- 8.1	110	19.5	15.2-23.8	208	41.6	35.9-47.3	114	24.5	19.6-29.4
Black or Afr. Am./Non-Hisp	76	67,517	3	3.5	0.0- 7.6	3	3.5	0.0- 9.4	6	5.4	0.7-10.1	9	11.1	2.9-19.3	35	51.8	37.5-66.1	20	24.8	12.6-37.0
25-34	103	116,695										18	15.7	8.4-23.0	55	60.5	49.9-71.1	30	23.8	15.0-32.6
35-44	133	111,779				9	6.7	1.6-11.8	17	9.5	4.4-14.6	35	26.5	17.1-35.9	47	35.0	24.8-45.2	25	22.2	13.0-31.4
45-54	166	100,764	17	9.4	4.1-14.7	18	8.2	3.1-13.3	23	9.2	4.9-13.5	26	14.4	7.9-20.9	52	36.7	27.3-46.1	30	22.1	13.5-30.7
55-64	140	69,429	14	9.8	3.5-16.1	11	5.8	1.5-10.1	15	9.5	4.0-15.0	21	17.3	8.7-25.9	54	37.8	28.0-47.6	25	19.8	11.6-28.0
65+	131	34,745	8	2.4	0.4- 4.4	5	3.9	0.0- 7.8	14	10.3	4.6-16.0	29	29.4	17.2-41.6	49	30.9	21.3-40.5	26	23.2	13.6-32.8
Less Than H.S.	60	70,134	3	3.1	0.0- 7.6	1	1.0	0.0- 3.0	4	4.1	0.0- 8.6	14	26.1	12.4-39.8	28	52.8	37.1-68.5	10	12.9	3.3-22.5
H.S. or G.E.D.	201	164,524	9	3.2	0.7- 5.7	11	3.5	1.1- 5.9	7	2.7	0.3- 5.1	34	15.1	9.2-21.0	85	49.1	40.3-57.9	55	26.4	18.8-34.0
Some Post-H.S.	190	149,242	6	2.2	0.0- 4.4	9	4.8	0.9- 8.7	22	7.5	3.8-11.2	32	14.7	9.0-20.4	70	37.1	28.7-45.5	51	33.6	25.0-42.2
College Graduate	258	102,632	20	6.1	2.6- 9.6	22	7.4	3.3-11.5	37	11.4	7.1-15.7	49	19.1	13.0-25.2	96	40.6	32.8-48.4	34	15.4	9.9-20.9
Less than \$15,000	58	45,998	2	1.4	0.0- 3.8	1	1.3	0.0- 3.8	4	5.3	0.0-11.0	10	19.3	6.6-32.0	26	36.2	20.3-52.1	15	36.6	19.9-53.3
\$15,000- 24,999	112	89,603	3	1.2	0.0- 2.8	5	3.4	0.0- 7.9	6	2.6	0.1- 5.1	21	17.9	9.1-26.7	49	51.7	39.7-63.7	28	23.2	13.4-33.0
\$25,000- 34,999	55	36,141	2	4.5	0.0-11.4	3	3.5	0.0- 8.0	6	5.6	0.3-10.9	10	22.8	5.6-40.0	21	48.8	29.2-68.4	13	14.8	4.6-25.0
\$35,000- 49,999	97	65,366	7	8.8	1.4-16.2	3	2.5	0.0- 6.4	15	9.9	3.8-16.0	13	10.6	2.8-18.4	37	40.8	27.9-53.7	22	27.4	15.6-39.2
\$50,000- 74,999	115	74,654	6	3.2	0.0- 6.7	7	5.0	0.9- 9.1	11	8.1	2.2-14.0	17	11.4	5.1-17.7	49	46.9	34.4-59.4	25	25.4	14.8-36.0
\$75,000+	227	140,048	15	3.3	1.1- 5.5	22	6.8	2.9-10.7	26	7.5	4.2-10.8	54	23.4	16.5-30.3	77	40.6	32.0-49.2	33	18.5	11.4-25.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2007			2008-2014			2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1065	596,972	59	3.5	2.3- 4.7	82	4.8	3.4- 6.2	130	8.1	6.1-10.1	209	17.6	14.7-20.5	395	41.9	37.6-46.2	190	24.1	20.2-28.0
White/Non-Hisp	822	439,697	54	4.6	3.0- 6.2	70	5.7	3.9- 7.5	115	10.1	7.7-12.5	181	20.8	17.1-24.5	291	40.4	35.7-45.1	111	18.5	14.4-22.6
Black or Afr. Am./Non-Hisp	142	87,952	1	0.2	0.0- 0.6	3	0.7	0.0- 1.5	9	3.0	0.6- 5.4	18	9.7	3.8-15.6	63	46.6	34.4-58.8	48	39.9	27.9-51.9
25-34	157	152,428										16	9.6	4.7-14.5	82	54.8	45.6-64.0	59	35.6	26.8-44.4
35-44	256	170,933	4	2.0	0.0- 4.4	7	1.5	0.3- 2.7	26	9.3	5.0-13.6	66	26.5	19.6-33.4	108	41.0	33.4-48.6	45	19.7	13.2-26.2
45-54	277	121,408	16	5.3	2.0- 8.6	35	14.6	9.1-20.1	52	15.9	10.6-21.2	56	22.7	16.2-29.2	86	31.7	24.6-38.8	32	9.8	5.7-13.9
55-64	194	55,382	19	12.3	5.8-18.8	23	9.6	4.7-14.5	28	13.2	7.9-18.5	45	25.4	17.8-33.0	62	31.1	23.1-39.1	17	8.4	3.5-13.3
65+	133	26,164	19	14.3	6.5-22.1	16	8.6	3.7-13.5	22	16.2	8.4-24.0	23	12.9	6.8-19.0	38	34.8	23.8-45.8	15	13.2	5.4-21.0
Less Than H.S.	80	78,613	3	3.8	0.0- 8.9	3	1.7	0.0- 3.9	9	6.6	1.3-11.9	13	13.2	5.2-21.2	25	39.6	25.3-53.9	27	35.2	21.7-48.7
H.S. or G.E.D.	288	166,455	17	3.8	1.4- 6.2	17	4.4	1.9- 6.9	31	7.4	3.9-10.9	53	17.0	11.7-22.3	103	38.1	30.7-45.5	67	29.3	21.7-36.9
Some Post-H.S.	307	210,314	17	3.5	1.5- 5.5	26	5.9	3.0- 8.8	31	7.0	3.7-10.3	64	19.2	13.5-24.9	114	44.4	36.6-52.2	55	20.0	13.5-26.5
College Graduate	388	140,737	22	2.9	1.5- 4.3	35	5.1	2.9- 7.3	59	11.5	8.0-15.0	79	18.7	13.6-23.8	152	43.8	36.9-50.7	41	18.0	11.7-24.3
Less than \$15,000	124	73,585	5	3.4	0.0- 7.3	6	2.2	0.0- 4.4	12	4.2	1.5- 6.9	18	13.0	5.7-20.3	47	41.5	29.2-53.8	36	35.7	23.4-48.0
\$15,000- 24,999	199	108,473	14	5.6	1.5- 9.7	11	2.1	0.5- 3.7	19	5.0	2.5- 7.5	28	10.9	5.8-16.0	69	38.2	28.2-48.2	58	38.2	28.4-48.0
\$25,000- 34,999	107	59,784	3	0.9	0.0- 2.1	5	3.2	0.0- 8.1	11	4.8	1.3- 8.3	25	21.6	11.2-32.0	40	39.6	26.7-52.5	23	29.9	16.6-43.2
\$35,000- 49,999	129	79,297	7	2.6	0.4- 4.8	13	6.7	2.0-11.4	16	9.4	3.7-15.1	23	16.9	8.1-25.7	52	44.5	32.7-56.3	18	20.0	9.6-30.4
\$50,000- 74,999	145	81,019	6	2.8	0.0- 5.9	12	4.9	1.4- 8.4	18	10.1	4.4-15.8	34	18.7	11.1-26.3	59	46.9	34.9-58.9	16	16.6	6.8-26.4
\$75,000+	287	147,523	18	4.0	1.6- 6.4	29	7.0	3.7-10.3	45	12.2	7.1-17.3	69	26.3	19.2-33.4	102	39.8	31.6-48.0	24	10.7	5.4-16.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK4)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10252	4,669,711	335	7.0	6.0- 8.0	9917	93.0	92.0-94.0
Male	4213	2,267,412	196	8.5	7.1- 9.9	4017	91.5	90.1-92.9
Female	6039	2,402,300	139	5.5	4.3- 6.7	5900	94.5	93.3-95.7
White/Non-Hisp	8792	3,804,823	237	5.8	4.8- 6.8	8555	94.2	93.2-95.2
Black or Afr. Am./Non-Hisp	647	381,493	53	16.4	11.5-21.3	594	83.6	78.7-88.5
Oth. Race/Non-Hisp.	199	109,656	5	6.5	0.0-13.4	194	93.5	86.6- 100
MultiRacial/Non-Hisp.	150	53,358	12	14.0	4.4-23.6	138	86.0	76.4-95.6
Hispanic	333	262,793	26	10.1	5.8-14.4	307	89.9	85.6-94.2
18-24	423	637,462	93	23.0	18.3-27.7	330	77.0	72.3-81.7
25-34	739	747,944	73	9.5	7.1-11.9	666	90.5	88.1-92.9
35-44	1019	749,027	65	7.4	5.2- 9.6	954	92.6	90.4-94.8
45-54	1495	757,446	54	4.5	2.9- 6.1	1441	95.5	93.9-97.1
55-64	2285	794,383	27	1.5	0.7- 2.3	2258	98.5	97.7-99.3
65+	4168	937,296	22	0.5	0.3- 0.7	4146	99.5	99.3-99.7
Less Than H.S.	806	593,141	35	8.9	5.4-12.4	771	91.1	87.6-94.6
H.S. or G.E.D.	3414	1,567,330	121	7.8	6.2- 9.4	3293	92.2	90.6-93.8
Some Post-H.S.	2565	1,455,603	100	7.4	5.8- 9.0	2465	92.6	91.0-94.2
College Graduate	3445	1,045,431	79	3.9	2.9- 4.9	3366	96.1	95.1-97.1
Less than \$15,000	858	418,922	32	8.8	5.5-12.1	826	91.2	87.9-94.5
\$15,000- 24,999	1679	742,605	79	11.0	8.1-13.9	1600	89.0	86.1-91.9
\$25,000- 34,999	1083	459,262	42	9.7	6.0-13.4	1041	90.3	86.6-94.0
\$35,000- 49,999	1396	637,566	46	6.6	4.4- 8.8	1350	93.4	91.2-95.6
\$50,000- 74,999	1450	676,635	44	5.9	3.7- 8.1	1406	94.1	91.9-96.3
\$75,000+	2503	1,217,014	70	4.9	3.3- 6.5	2433	95.1	93.5-96.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4213	2,267,412	196	8.5	7.1- 9.9	4017	91.5	90.1-92.9
White/Non-Hisp	3578	1,824,408	141	7.6	6.0- 9.2	3437	92.4	90.8-94.0
Black or Afr. Am./Non-Hisp	242	184,921	28	16.1	9.4-22.8	214	83.9	77.2-90.6
Oth. Race/Non-Hisp.	115	72,172	4	7.7	0.0-17.1	111	92.3	82.9- 100
MultiRacial/Non-Hisp.	61	25,430	7	17.7	1.4-34.0	54	82.3	66.0-98.6
Hispanic	149	123,623	14	9.8	4.3-15.3	135	90.2	84.7-95.7
18-24	233	323,659	47	21.9	15.4-28.4	186	78.1	71.6-84.6
25-34	352	377,764	44	12.0	8.1-15.9	308	88.0	84.1-91.9
35-44	457	371,719	42	10.2	6.7-13.7	415	89.8	86.3-93.3
45-54	647	378,908	34	7.3	4.4-10.2	613	92.7	89.8-95.6
55-64	939	387,736	14	1.9	0.7- 3.1	925	98.1	96.9-99.3
65+	1543	410,331	15	0.9	0.3- 1.5	1528	99.1	98.5-99.7
Less Than H.S.	339	306,387	23	11.1	5.4-16.8	316	88.9	83.2-94.6
H.S. or G.E.D.	1331	769,359	74	9.6	7.1-12.1	1257	90.4	87.9-92.9
Some Post-H.S.	947	652,356	53	9.2	6.5-11.9	894	90.8	88.1-93.5
College Graduate	1586	534,237	46	4.7	3.1- 6.3	1540	95.3	93.7-96.9
Less than \$15,000	286	180,194	17	10.6	5.1-16.1	269	89.4	83.9-94.9
\$15,000- 24,999	590	336,306	42	13.6	8.9-18.3	548	86.4	81.7-91.1
\$25,000- 34,999	417	214,164	21	11.3	5.2-17.4	396	88.7	82.6-94.8
\$35,000- 49,999	606	328,312	30	8.8	5.3-12.3	576	91.2	87.7-94.7
\$50,000- 74,999	678	349,707	30	6.5	3.8- 9.2	648	93.5	90.8-96.2
\$75,000+	1248	652,982	49	6.8	4.3- 9.3	1199	93.2	90.7-95.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6039	2,402,300	139	5.5	4.3- 6.7	5900	94.5	93.3-95.7
White/Non-Hisp	5214	1,980,416	96	4.0	3.0- 5.0	5118	96.0	95.0-97.0
Black or Afr. Am./Non-Hisp	405	196,573	25	16.7	9.6-23.8	380	83.3	76.2-90.4
Oth. Race/Non-Hisp.	84	37,485	1	4.2	0.0-12.2	83	95.8	87.8- 100
MultiRacial/Non-Hisp.	89	27,927	5	10.7	0.3-21.1	84	89.3	78.9-99.7
Hispanic	184	139,169	12	10.4	4.1-16.7	172	89.6	83.3-95.9
18-24	190	313,803	46	24.2	17.3-31.1	144	75.8	68.9-82.7
25-34	387	370,180	29	7.0	4.1- 9.9	358	93.0	90.1-95.9
35-44	562	377,308	23	4.7	2.2- 7.2	539	95.3	92.8-97.8
45-54	848	378,538	20	1.6	0.8- 2.4	828	98.4	97.6-99.2
55-64	1346	406,647	13	1.2	0.4- 2.0	1333	98.8	98.0-99.6
65+	2625	526,965	7	0.2	0.0- 0.4	2618	99.8	99.6- 100
Less Than H.S.	467	286,754	12	6.6	2.3-10.9	455	93.4	89.1-97.7
H.S. or G.E.D.	2083	797,971	47	6.2	4.0- 8.4	2036	93.8	91.6-96.0
Some Post-H.S.	1618	803,248	47	6.0	4.0- 8.0	1571	94.0	92.0-96.0
College Graduate	1859	511,195	33	3.1	1.7- 4.5	1826	96.9	95.5-98.3
Less than \$15,000	572	238,728	15	7.4	3.3-11.5	557	92.6	88.5-96.7
\$15,000- 24,999	1089	406,299	37	8.9	5.4-12.4	1052	91.1	87.6-94.6
\$25,000- 34,999	666	245,098	21	8.3	4.0-12.6	645	91.7	87.4-96.0
\$35,000- 49,999	790	309,253	16	4.3	1.6- 7.0	774	95.7	93.0-98.4
\$50,000- 74,999	772	326,928	14	5.2	1.7- 8.7	758	94.8	91.3-98.3
\$75,000+	1255	564,033	21	2.6	1.2- 4.0	1234	97.4	96.0-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2016**

End of Core Data Report