


INDIANA

2017 Calculated Variables Report

Behavioral Risk Factor Surveillance System

August 29, 2018



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13788	5,090,799	10711	79.4	78.4-80.4	3077	20.6	19.6-21.6
Male	5920	2,475,780	4659	80.5	79.1-81.9	1261	19.5	18.1-20.9
Female	7868	2,615,018	6052	78.3	77.1-79.5	1816	21.7	20.5-22.9
White/Non-Hisp	11542	4,086,126	9080	80.3	79.3-81.3	2462	19.7	18.7-20.7
Black or Afr. Am./Non-Hisp	932	439,258	660	74.4	70.7-78.1	272	25.6	21.9-29.3
Oth. Race/Non-Hisp.	286	127,532	216	80.9	74.6-87.2	70	19.1	12.8-25.4
MultiRacial/Non-Hisp.	208	60,858	144	70.7	63.1-78.3	64	29.3	21.7-36.9
Hispanic	581	287,559	442	77.6	73.7-81.5	139	22.4	18.5-26.3
18-24	687	686,533	611	87.1	84.0-90.2	76	12.9	9.8-16.0
25-34	1203	840,529	1040	85.9	83.7-88.1	163	14.1	11.9-16.3
35-44	1411	818,151	1177	83.4	81.0-85.8	234	16.6	14.2-19.0
45-54	2116	842,474	1646	76.9	74.7-79.1	470	23.1	20.9-25.3
55-64	2998	866,609	2217	71.8	69.8-73.8	781	28.2	26.2-30.2
65+	5373	1,036,503	4020	74.1	72.7-75.5	1353	25.9	24.5-27.3
Less Than H.S.	1062	645,004	575	61.0	57.3-64.7	487	39.0	35.3-42.7
H.S. or G.E.D.	4615	1,728,631	3337	76.9	75.3-78.5	1278	23.1	21.5-24.7
Some Post-H.S.	3496	1,569,826	2711	81.0	79.4-82.6	785	19.0	17.4-20.6
College Graduate	4583	1,137,240	4065	91.3	90.3-92.3	518	8.7	7.7- 9.7
Less than \$15,000	1219	452,818	629	56.4	52.7-60.1	590	43.6	39.9-47.3
\$15,000- 24,999	2225	806,708	1419	66.7	64.2-69.2	806	33.3	30.8-35.8
\$25,000- 34,999	1426	508,978	1069	77.6	74.9-80.3	357	22.4	19.7-25.1
\$35,000- 49,999	1835	699,497	1467	78.9	76.2-81.6	368	21.1	18.4-23.8
\$50,000- 74,999	1954	739,072	1693	87.0	85.0-89.0	261	13.0	11.0-15.0
\$75,000+	3425	1,296,642	3133	92.2	91.0-93.4	292	7.8	6.6- 9.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5920	2,475,780	4659	80.5	79.1-81.9	1261	19.5	18.1-20.9
White/Non-Hisp	4902	1,972,080	3898	81.2	79.8-82.6	1004	18.8	17.4-20.2
Black or Afr. Am./Non-Hisp	343	208,192	252	76.1	70.2-82.0	91	23.9	18.0-29.8
Oth. Race/Non-Hisp.	168	74,195	128	85.9	80.4-91.4	40	14.1	8.6-19.6
MultiRacial/Non-Hisp.	111	32,913	81	72.7	62.3-83.1	30	27.3	16.9-37.7
Hispanic	266	135,762	204	77.9	72.0-83.8	62	22.1	16.2-28.0
18-24	387	352,062	345	86.0	81.5-90.5	42	14.0	9.5-18.5
25-34	594	421,639	522	87.4	84.3-90.5	72	12.6	9.5-15.7
35-44	629	407,373	533	86.2	83.3-89.1	96	13.8	10.9-16.7
45-54	942	417,642	738	78.3	75.2-81.4	204	21.7	18.6-24.8
55-64	1371	421,798	1030	72.6	69.7-75.5	341	27.4	24.5-30.3
65+	1997	455,265	1491	74.1	71.7-76.5	506	25.9	23.5-28.3
Less Than H.S.	437	318,952	240	60.2	54.5-65.9	197	39.8	34.1-45.5
H.S. or G.E.D.	1917	869,199	1426	79.7	77.5-81.9	491	20.3	18.1-22.5
Some Post-H.S.	1446	719,710	1139	82.5	80.1-84.9	307	17.5	15.1-19.9
College Graduate	2102	560,853	1842	90.7	89.3-92.1	260	9.3	7.9-10.7
Less than \$15,000	414	178,723	215	57.5	51.4-63.6	199	42.5	36.4-48.6
\$15,000- 24,999	836	359,149	524	66.1	62.0-70.2	312	33.9	29.8-38.0
\$25,000- 34,999	561	231,794	412	77.0	72.5-81.5	149	23.0	18.5-27.5
\$35,000- 49,999	861	369,775	676	77.1	73.0-81.2	185	22.9	18.8-27.0
\$50,000- 74,999	911	379,469	778	87.8	85.3-90.3	133	12.2	9.7-14.7
\$75,000+	1773	711,338	1614	92.4	91.0-93.8	159	7.6	6.2- 9.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7868	2,615,018	6052	78.3	77.1-79.5	1816	21.7	20.5-22.9
White/Non-Hisp	6640	2,114,046	5182	79.5	78.1-80.9	1458	20.5	19.1-21.9
Black or Afr. Am./Non-Hisp	589	231,066	408	73.0	68.5-77.5	181	27.0	22.5-31.5
Oth. Race/Non-Hisp.	118	53,337	88	74.0	61.7-86.3	30	26.0	13.7-38.3
MultiRacial/Non-Hisp.	97	27,945	63	68.4	56.6-80.2	34	31.6	19.8-43.4
Hispanic	315	151,796	238	77.3	72.0-82.6	77	22.7	17.4-28.0
18-24	300	334,471	266	88.3	84.0-92.6	34	11.7	7.4-16.0
25-34	609	418,889	518	84.5	81.4-87.6	91	15.5	12.4-18.6
35-44	782	410,778	644	80.6	77.3-83.9	138	19.4	16.1-22.7
45-54	1174	424,832	908	75.6	72.7-78.5	266	24.4	21.5-27.3
55-64	1627	444,810	1187	71.1	68.4-73.8	440	28.9	26.2-31.6
65+	3376	581,238	2529	74.1	72.3-75.9	847	25.9	24.1-27.7
Less Than H.S.	625	326,052	335	61.8	56.7-66.9	290	38.2	33.1-43.3
H.S. or G.E.D.	2698	859,431	1911	74.1	71.9-76.3	787	25.9	23.7-28.1
Some Post-H.S.	2050	850,116	1572	79.7	77.5-81.9	478	20.3	18.1-22.5
College Graduate	2481	576,387	2223	91.9	90.7-93.1	258	8.1	6.9- 9.3
Less than \$15,000	805	274,094	414	55.7	51.0-60.4	391	44.3	39.6-49.0
\$15,000- 24,999	1389	447,558	895	67.2	63.9-70.5	494	32.8	29.5-36.1
\$25,000- 34,999	865	277,183	657	78.1	74.6-81.6	208	21.9	18.4-25.4
\$35,000- 49,999	974	329,722	791	81.0	77.7-84.3	183	19.0	15.7-22.3
\$50,000- 74,999	1043	359,602	915	86.1	83.0-89.2	128	13.9	10.8-17.0
\$75,000+	1652	585,303	1519	91.8	90.0-93.6	133	8.2	6.4-10.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 2: HEALTHY DAYS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 2: HEALTHY DAYS**

**TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13485	4,995,913	8054	61.9	60.7-63.1	3313	24.6	23.6-25.6	2118	13.4	12.6-14.2
Male	5806	2,432,536	3701	66.4	64.8-68.0	1294	22.0	20.6-23.4	811	11.5	10.5-12.5
Female	7679	2,563,377	4353	57.7	56.1-59.3	2019	27.1	25.7-28.5	1307	15.2	14.2-16.2
White/Non-Hisp	11309	4,024,619	6794	62.0	60.8-63.2	2772	24.8	23.8-25.8	1743	13.3	12.5-14.1
Black or Afr. Am./Non-Hisp	904	425,891	511	62.1	58.0-66.2	250	25.3	21.6-29.0	143	12.6	10.1-15.1
Oth. Race/Non-Hisp.	279	124,849	172	64.3	56.7-71.9	54	21.6	15.1-28.1	53	14.1	8.4-19.8
MultiRacial/Non-Hisp.	205	60,301	102	49.0	40.4-57.6	48	25.8	17.6-34.0	55	25.2	17.9-32.5
Hispanic	560	275,985	350	64.4	59.7-69.1	138	23.8	19.7-27.9	72	11.8	8.7-14.9
18-24	681	680,913	449	67.0	62.9-71.1	196	26.6	22.9-30.3	36	6.3	3.9- 8.7
25-34	1182	826,967	771	66.3	63.4-69.2	312	25.2	22.5-27.9	99	8.5	6.7-10.3
35-44	1400	810,360	893	65.9	63.0-68.8	356	23.9	21.4-26.4	151	10.2	8.4-12.0
45-54	2092	831,376	1209	58.5	56.0-61.0	540	25.6	23.4-27.8	343	15.9	14.1-17.7
55-64	2941	844,898	1679	56.4	54.2-58.6	691	23.7	21.7-25.7	571	19.9	18.1-21.7
65+	5189	1,001,400	3053	59.3	57.7-60.9	1218	23.4	22.0-24.8	918	17.3	16.1-18.5
Less Than H.S.	1005	618,852	475	53.8	49.7-57.9	257	24.9	21.4-28.4	273	21.2	18.1-24.3
H.S. or G.E.D.	4481	1,688,173	2575	61.7	59.9-63.5	1054	23.4	21.8-25.0	852	14.9	13.7-16.1
Some Post-H.S.	3441	1,550,727	1969	60.2	58.0-62.4	870	26.0	24.0-28.0	602	13.8	12.4-15.2
College Graduate	4529	1,128,813	3017	69.1	67.3-70.9	1127	24.4	22.8-26.0	385	6.5	5.7- 7.3
Less than \$15,000	1162	431,827	439	42.3	38.4-46.2	293	27.0	23.5-30.5	430	30.7	27.4-34.0
\$15,000- 24,999	2157	786,211	1041	52.1	49.2-55.0	574	26.3	23.8-28.8	542	21.7	19.3-24.1
\$25,000- 34,999	1395	498,171	807	61.5	58.2-64.8	353	25.4	22.3-28.5	235	13.1	11.1-15.1
\$35,000- 49,999	1803	690,149	1098	62.0	58.9-65.1	443	25.2	22.5-27.9	262	12.9	10.7-15.1
\$50,000- 74,999	1940	735,848	1275	66.6	63.7-69.5	483	25.4	22.7-28.1	182	7.9	6.3- 9.5
\$75,000+	3401	1,286,942	2409	71.8	69.8-73.8	776	22.4	20.6-24.2	216	5.8	4.8- 6.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 2: HEALTHY DAYS**

TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5806	2,432,536	3701	66.4	64.8-68.0	1294	22.0	20.6-23.4	811	11.5	10.5-12.5
White/Non-Hisp	4817	1,943,586	3096	66.4	64.6-68.2	1078	22.5	20.9-24.1	643	11.1	9.9-12.3
Black or Afr. Am./Non-Hisp	333	202,366	202	68.5	62.6-74.4	79	19.7	14.8-24.6	52	11.7	8.0-15.4
Oth. Race/Non-Hisp.	166	73,415	106	69.9	61.5-78.3	26	16.8	9.7-23.9	34	13.3	7.4-19.2
MultiRacial/Non-Hisp.	108	32,357	61	59.9	48.7-71.1	22	17.4	8.8-26.0	25	22.6	13.0-32.2
Hispanic	259	132,752	165	64.9	58.0-71.8	61	22.7	16.8-28.6	33	12.4	7.5-17.3
18-24	386	351,103	272	73.0	68.1-77.9	99	21.5	17.2-25.8	15	5.4	2.5- 8.3
25-34	583	413,750	410	71.5	67.4-75.6	137	22.3	18.6-26.0	36	6.2	4.0- 8.4
35-44	623	403,026	419	70.0	65.9-74.1	151	23.2	19.5-26.9	53	6.8	4.8- 8.8
45-54	929	411,448	562	62.0	58.3-65.7	227	24.2	20.9-27.5	140	13.8	11.3-16.3
55-64	1345	411,487	837	60.2	57.1-63.3	270	20.4	17.9-22.9	238	19.3	16.6-22.0
65+	1940	441,722	1201	63.1	60.6-65.6	410	20.5	18.3-22.7	329	16.4	14.4-18.4
Less Than H.S.	418	307,086	215	58.1	52.4-63.8	102	22.0	17.3-26.7	101	19.9	15.4-24.4
H.S. or G.E.D.	1867	851,217	1158	66.5	64.0-69.0	389	20.8	18.6-23.0	320	12.7	10.9-14.5
Some Post-H.S.	1425	711,841	881	65.6	62.7-68.5	328	23.3	20.6-26.0	216	11.1	9.3-12.9
College Graduate	2080	555,818	1438	71.9	69.5-74.3	472	22.2	20.0-24.4	170	5.8	4.6- 7.0
Less than \$15,000	399	172,512	156	44.1	37.8-50.4	102	27.1	21.4-32.8	141	28.8	23.5-34.1
\$15,000- 24,999	809	348,626	426	57.0	52.7-61.3	190	22.0	18.5-25.5	193	21.1	17.8-24.4
\$25,000- 34,999	547	226,135	317	64.0	58.9-69.1	130	23.6	19.1-28.1	100	12.4	9.5-15.3
\$35,000- 49,999	847	365,972	541	65.8	61.5-70.1	184	21.9	18.4-25.4	122	12.3	9.4-15.2
\$50,000- 74,999	904	377,493	615	71.0	67.3-74.7	198	21.7	18.2-25.2	91	7.2	5.4- 9.0
\$75,000+	1754	702,790	1292	74.5	72.0-77.0	375	21.3	18.9-23.7	87	4.1	3.1- 5.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 2: HEALTHY DAYS**

TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7679	2,563,377	4353	57.7	56.1-59.3	2019	27.1	25.7-28.5	1307	15.2	14.2-16.2
White/Non-Hisp	6492	2,081,033	3698	57.8	56.0-59.6	1694	26.9	25.3-28.5	1100	15.3	14.1-16.5
Black or Afr. Am./Non-Hisp	571	223,524	309	56.3	50.6-62.0	171	30.3	25.0-35.6	91	13.4	9.9-16.9
Oth. Race/Non-Hisp.	113	51,434	66	56.3	43.0-69.6	28	28.3	16.3-40.3	19	15.3	4.1-26.5
MultiRacial/Non-Hisp.	97	27,945	41	36.4	24.1-48.7	26	35.4	21.9-48.9	30	28.2	17.0-39.4
Hispanic	301	143,233	185	63.9	57.4-70.4	77	24.9	19.0-30.8	39	11.2	7.3-15.1
18-24	295	329,809	177	60.7	54.2-67.2	97	32.0	25.9-38.1	21	7.3	3.8-10.8
25-34	599	413,217	361	61.1	56.8-65.4	175	28.0	23.9-32.1	63	10.9	8.2-13.6
35-44	777	407,334	474	61.8	57.9-65.7	205	24.6	21.3-27.9	98	13.6	10.7-16.5
45-54	1163	419,929	647	55.0	51.7-58.3	313	27.0	24.1-29.9	203	17.9	15.4-20.4
55-64	1596	433,410	842	52.8	49.9-55.7	421	26.8	24.1-29.5	333	20.4	18.0-22.8
65+	3249	559,678	1852	56.2	54.0-58.4	808	25.7	23.7-27.7	589	18.0	16.4-19.6
Less Than H.S.	587	311,767	260	49.6	43.9-55.3	155	27.9	22.8-33.0	172	22.5	18.2-26.8
H.S. or G.E.D.	2614	836,957	1417	56.8	54.3-59.3	665	26.2	23.8-28.6	532	17.1	15.3-18.9
Some Post-H.S.	2016	838,885	1088	55.6	52.9-58.3	542	28.3	25.8-30.8	386	16.1	14.1-18.1
College Graduate	2449	572,995	1579	66.4	64.0-68.8	655	26.5	24.1-28.9	215	7.1	5.9- 8.3
Less than \$15,000	763	259,315	283	41.0	35.9-46.1	191	27.0	22.3-31.7	289	32.0	27.7-36.3
\$15,000- 24,999	1348	437,585	615	48.2	44.3-52.1	384	29.7	26.4-33.0	349	22.1	19.2-25.0
\$25,000- 34,999	848	272,036	490	59.4	54.9-63.9	223	26.8	22.7-30.9	135	13.8	10.9-16.7
\$35,000- 49,999	956	324,177	557	57.7	53.2-62.2	259	28.8	24.7-32.9	140	13.4	10.5-16.3
\$50,000- 74,999	1036	358,355	660	62.0	57.9-66.1	285	29.3	25.2-33.4	91	8.7	6.2-11.2
\$75,000+	1647	584,152	1117	68.5	65.6-71.4	401	23.7	21.0-26.4	129	7.8	6.2- 9.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13569	5,014,084	8853	60.8	59.6-62.0	3045	24.5	23.5-25.5	1671	14.7	13.9-15.5
Male	5836	2,437,916	4182	67.6	66.0-69.2	1079	21.2	19.8-22.6	575	11.2	10.0-12.4
Female	7733	2,576,168	4671	54.3	52.7-55.9	1966	27.6	26.2-29.0	1096	18.0	16.6-19.4
White/Non-Hisp	11388	4,036,215	7475	60.4	59.2-61.6	2562	24.8	23.6-26.0	1351	14.8	13.8-15.8
Black or Afr. Am./Non-Hisp	909	428,870	579	62.6	58.3-66.9	195	22.0	18.5-25.5	135	15.4	12.1-18.7
Oth. Race/Non-Hisp.	279	125,306	177	61.8	54.0-69.6	53	24.2	17.1-31.3	49	14.0	8.1-19.9
MultiRacial/Non-Hisp.	205	60,222	107	45.7	37.1-54.3	54	28.4	20.6-36.2	44	25.9	17.7-34.1
Hispanic	561	278,309	350	63.5	58.6-68.4	144	24.4	20.1-28.7	67	12.1	9.0-15.2
18-24	676	677,283	288	42.9	38.6-47.2	256	36.6	32.5-40.7	132	20.5	17.0-24.0
25-34	1185	828,903	603	53.1	50.0-56.2	376	29.2	26.3-32.1	206	17.7	15.2-20.2
35-44	1394	806,788	778	57.5	54.6-60.4	393	26.7	24.2-29.2	223	15.8	13.6-18.0
45-54	2096	832,890	1269	61.5	59.1-63.9	504	22.9	20.7-25.1	323	15.6	13.8-17.4
55-64	2952	852,164	1945	65.4	63.2-67.6	591	19.7	17.9-21.5	416	14.9	13.3-16.5
65+	5266	1,016,056	3970	77.1	75.7-78.5	925	16.2	15.0-17.4	371	6.7	5.9- 7.5
Less Than H.S.	1014	622,466	576	55.6	51.5-59.7	223	22.2	18.9-25.5	215	22.2	18.9-25.5
H.S. or G.E.D.	4517	1,695,025	2900	60.9	58.9-62.9	984	23.5	21.7-25.3	633	15.7	14.3-17.1
Some Post-H.S.	3461	1,558,280	2222	60.2	58.0-62.4	759	24.3	22.3-26.3	480	15.5	13.9-17.1
College Graduate	4549	1,128,900	3134	64.2	62.4-66.0	1075	27.6	25.8-29.4	340	8.2	7.2- 9.2
Less than \$15,000	1174	436,251	556	42.3	38.4-46.2	281	26.0	22.5-29.5	337	31.6	27.9-35.3
\$15,000- 24,999	2192	801,527	1244	53.1	50.2-56.0	533	25.2	22.7-27.7	415	21.7	19.3-24.1
\$25,000- 34,999	1406	501,137	907	62.7	59.2-66.2	325	23.3	20.4-26.2	174	13.9	11.4-16.4
\$35,000- 49,999	1813	687,761	1232	63.4	60.3-66.5	388	23.4	20.7-26.1	193	13.2	10.8-15.6
\$50,000- 74,999	1938	731,439	1337	64.7	61.8-67.6	433	23.8	21.3-26.3	168	11.5	9.3-13.7
\$75,000+	3412	1,291,539	2427	66.4	64.2-68.6	771	25.9	23.9-27.9	214	7.7	6.5- 8.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 2: HEALTHY DAYS**

TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5836	2,437,916	4182	67.6	66.0-69.2	1079	21.2	19.8-22.6	575	11.2	10.0-12.4
White/Non-Hisp	4842	1,945,457	3493	67.0	65.2-68.8	891	21.4	19.8-23.0	458	11.6	10.4-12.8
Black or Afr. Am./Non-Hisp	332	202,570	236	71.1	65.2-77.0	64	20.7	15.4-26.0	32	8.3	5.0-11.6
Oth. Race/Non-Hisp.	164	72,467	107	64.5	55.1-73.9	33	27.7	18.5-36.9	24	7.8	3.7-11.9
MultiRacial/Non-Hisp.	110	32,839	71	63.7	52.7-74.7	23	18.9	10.5-27.3	16	17.5	8.5-26.5
Hispanic	259	132,971	174	70.1	63.4-76.8	54	18.8	12.9-24.7	31	11.1	6.6-15.6
18-24	381	346,504	185	49.5	43.8-55.2	136	34.2	28.7-39.7	60	16.3	12.2-20.4
25-34	584	415,110	330	58.2	53.7-62.7	183	29.6	25.5-33.7	71	12.2	9.3-15.1
35-44	619	400,090	401	67.0	62.7-71.3	151	22.9	19.2-26.6	67	10.0	7.3-12.7
45-54	929	410,123	622	68.7	65.2-72.2	181	17.8	14.9-20.7	126	13.4	10.9-15.9
55-64	1354	416,582	1035	74.8	72.1-77.5	175	13.6	11.4-15.8	144	11.5	9.3-13.7
65+	1969	449,508	1609	83.0	81.0-85.0	253	11.9	10.1-13.7	107	5.1	3.9- 6.3
Less Than H.S.	421	309,364	266	62.1	56.4-67.8	71	19.2	14.3-24.1	84	18.7	14.4-23.0
H.S. or G.E.D.	1882	852,772	1312	66.4	63.7-69.1	354	22.1	19.6-24.6	216	11.5	9.7-13.3
Some Post-H.S.	1432	714,116	1024	68.3	65.4-71.2	258	20.1	17.6-22.6	150	11.6	9.4-13.8
College Graduate	2085	554,878	1567	71.3	68.8-73.8	394	22.4	20.0-24.8	124	6.3	4.9- 7.7
Less than \$15,000	401	173,209	209	48.0	41.7-54.3	91	27.1	21.0-33.2	101	24.9	19.6-30.2
\$15,000- 24,999	826	358,707	508	58.1	53.8-62.4	171	22.7	19.0-26.4	147	19.2	15.7-22.7
\$25,000- 34,999	551	226,262	380	69.6	64.7-74.5	104	19.0	14.7-23.3	67	11.4	8.1-14.7
\$35,000- 49,999	850	361,833	634	70.6	66.3-74.9	149	20.3	16.4-24.2	67	9.1	6.6-11.6
\$50,000- 74,999	905	374,996	682	71.7	67.8-75.6	165	20.1	16.6-23.6	58	8.2	5.7-10.7
\$75,000+	1764	708,140	1367	72.9	70.2-75.6	313	21.3	18.8-23.8	84	5.8	4.4- 7.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 2: HEALTHY DAYS**

TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7733	2,576,168	4671	54.3	52.7-55.9	1966	27.6	26.2-29.0	1096	18.0	16.6-19.4
White/Non-Hisp	6546	2,090,758	3982	54.2	52.4-56.0	1671	28.0	26.4-29.6	893	17.7	16.3-19.1
Black or Afr. Am./Non-Hisp	577	226,300	343	55.0	49.3-60.7	131	23.3	18.6-28.0	103	21.7	16.6-26.8
Oth. Race/Non-Hisp.	115	52,839	70	58.1	44.8-71.4	20	19.3	8.3-30.3	25	22.6	10.8-34.4
MultiRacial/Non-Hisp.	95	27,383	36	24.2	14.6-33.8	31	39.8	26.5-53.1	28	36.1	22.4-49.8
Hispanic	302	145,337	176	57.4	50.5-64.3	90	29.6	23.1-36.1	36	12.9	8.4-17.4
18-24	295	330,779	103	36.0	29.7-42.3	120	39.1	32.8-45.4	72	24.9	19.2-30.6
25-34	601	413,793	273	48.1	43.6-52.6	193	28.8	24.9-32.7	135	23.2	19.3-27.1
35-44	775	406,698	377	48.1	44.0-52.2	242	30.4	26.7-34.1	156	21.6	18.1-25.1
45-54	1167	422,767	647	54.5	51.2-57.8	323	27.9	25.0-30.8	197	17.6	15.1-20.1
55-64	1598	435,582	910	56.4	53.5-59.3	416	25.4	22.9-27.9	272	18.2	15.8-20.6
65+	3297	566,548	2361	72.4	70.6-74.2	672	19.6	18.0-21.2	264	8.0	6.8- 9.2
Less Than H.S.	593	313,102	310	49.2	43.7-54.7	152	25.2	20.5-29.9	131	25.6	20.5-30.7
H.S. or G.E.D.	2635	842,252	1588	55.3	52.8-57.8	630	24.9	22.5-27.3	417	19.9	17.5-22.3
Some Post-H.S.	2029	844,164	1198	53.4	50.5-56.3	501	27.8	25.3-30.3	330	18.9	16.5-21.3
College Graduate	2464	574,022	1567	57.3	54.8-59.8	681	32.7	30.2-35.2	216	10.0	8.4-11.6
Less than \$15,000	773	263,042	347	38.7	33.8-43.6	190	25.3	21.0-29.6	236	36.1	31.2-41.0
\$15,000- 24,999	1366	442,820	736	49.0	45.3-52.7	362	27.3	24.0-30.6	268	23.7	20.4-27.0
\$25,000- 34,999	855	274,875	527	57.0	52.3-61.7	221	26.9	22.8-31.0	107	16.1	12.6-19.6
\$35,000- 49,999	963	325,929	598	55.5	51.0-60.0	239	26.8	22.9-30.7	126	17.7	14.0-21.4
\$50,000- 74,999	1033	356,443	655	57.3	53.0-61.6	268	27.7	23.8-31.6	110	15.0	11.5-18.5
\$75,000+	1648	583,400	1060	58.4	55.3-61.5	458	31.6	28.7-34.5	130	10.0	8.0-12.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	14
2	MALES ONLY	15
3	FEMALES ONLY	16

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8286	3,994,441	7397	87.2	86.2-88.2	889	12.8	11.8-13.8
Male	3860	1,988,505	3372	85.0	83.4-86.6	488	15.0	13.4-16.6
Female	4426	2,005,937	4025	89.4	88.2-90.6	401	10.6	9.4-11.8
White/Non-Hisp	6599	3,119,103	6060	90.2	89.2-91.2	539	9.8	8.8-10.8
Black or Afr. Am./Non-Hisp	641	372,269	564	83.8	79.9-87.7	77	16.2	12.3-20.1
Oth. Race/Non-Hisp.	228	113,412	190	83.2	76.7-89.7	38	16.8	10.3-23.3
MultiRacial/Non-Hisp.	157	52,406	133	86.5	80.0-93.0	24	13.5	7.0-20.0
Hispanic	541	276,249	341	58.7	53.6-63.8	200	41.3	36.2-46.4
18-24	674	673,197	549	81.7	78.4-85.0	125	18.3	15.0-21.6
25-34	1200	838,756	1004	84.3	81.9-86.7	196	15.7	13.3-18.1
35-44	1407	815,049	1217	85.8	83.6-88.0	190	14.2	12.0-16.4
45-54	2040	807,615	1863	90.3	88.7-91.9	177	9.7	8.1-11.3
55-64	2965	859,824	2764	92.6	91.4-93.8	201	7.4	6.2- 8.6
Less Than H.S.	663	515,585	497	74.1	70.0-78.2	166	25.9	21.8-30.0
H.S. or G.E.D.	2612	1,312,259	2251	84.8	83.0-86.6	361	15.2	13.4-17.0
Some Post-H.S.	2187	1,252,021	1965	89.3	87.7-90.9	222	10.7	9.1-12.3
College Graduate	2810	908,739	2672	95.1	94.1-96.1	138	4.9	3.9- 5.9
Less than \$15,000	805	373,747	677	81.8	78.3-85.3	128	18.2	14.7-21.7
\$15,000- 24,999	1205	604,453	966	77.6	74.7-80.5	239	22.4	19.5-25.3
\$25,000- 34,999	732	368,271	614	82.0	78.5-85.5	118	18.0	14.5-21.5
\$35,000- 49,999	966	518,168	845	85.0	81.9-88.1	121	15.0	11.9-18.1
\$50,000- 74,999	1236	600,589	1141	91.1	88.9-93.3	95	8.9	6.7-11.1
\$75,000+	2581	1,136,723	2504	96.5	95.5-97.5	77	3.5	2.5- 4.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3860	1,988,505	3372	85.0	83.4-86.6	488	15.0	13.4-16.6
White/Non-Hisp	3054	1,547,937	2767	88.7	87.3-90.1	287	11.3	9.9-12.7
Black or Afr. Am./Non-Hisp	254	179,044	211	77.1	70.2-84.0	43	22.9	16.0-29.8
Oth. Race/Non-Hisp.	144	67,089	120	84.3	77.2-91.4	24	15.7	8.6-22.8
MultiRacial/Non-Hisp.	87	28,257	72	85.0	76.0-94.0	15	15.0	6.0-24.0
Hispanic	257	132,574	145	53.0	45.7-60.3	112	47.0	39.7-54.3
18-24	376	340,186	300	78.5	73.6-83.4	76	21.5	16.6-26.4
25-34	593	421,128	473	80.6	77.1-84.1	120	19.4	15.9-22.9
35-44	627	405,270	527	83.7	80.4-87.0	100	16.3	13.0-19.6
45-54	915	404,557	823	88.6	86.1-91.1	92	11.4	8.9-13.9
55-64	1349	417,363	1249	92.3	90.5-94.1	100	7.7	5.9- 9.5
Less Than H.S.	317	267,134	220	69.1	63.0-75.2	97	30.9	24.8-37.0
H.S. or G.E.D.	1278	698,050	1065	81.9	79.4-84.4	213	18.1	15.6-20.6
Some Post-H.S.	966	582,316	856	88.4	86.0-90.8	110	11.6	9.2-14.0
College Graduate	1290	437,489	1224	94.9	93.5-96.3	66	5.1	3.7- 6.5
Less than \$15,000	318	155,933	258	77.1	71.2-83.0	60	22.9	17.0-28.8
\$15,000- 24,999	529	278,254	404	73.5	68.8-78.2	125	26.5	21.8-31.2
\$25,000- 34,999	308	168,529	245	77.6	71.5-83.7	63	22.4	16.3-28.5
\$35,000- 49,999	487	279,433	408	80.2	75.5-84.9	79	19.8	15.1-24.5
\$50,000- 74,999	578	307,306	524	89.7	86.4-93.0	54	10.3	7.0-13.6
\$75,000+	1325	618,101	1278	96.1	94.9-97.3	47	3.9	2.7- 5.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4426	2,005,937	4025	89.4	88.2-90.6	401	10.6	9.4-11.8
White/Non-Hisp	3545	1,571,166	3293	91.7	90.5-92.9	252	8.3	7.1- 9.5
Black or Afr. Am./Non-Hisp	387	193,225	353	90.1	86.2-94.0	34	9.9	6.0-13.8
Oth. Race/Non-Hisp.	84	46,322	70	81.6	69.4-93.8	14	18.4	6.2-30.6
MultiRacial/Non-Hisp.	70	24,149	61	88.2	79.4-97.0	9	11.8	3.0-20.6
Hispanic	284	143,675	196	64.1	57.2-71.0	88	35.9	29.0-42.8
18-24	298	333,012	249	84.9	80.4-89.4	49	15.1	10.6-19.6
25-34	607	417,628	531	88.2	85.5-90.9	76	11.8	9.1-14.5
35-44	780	409,779	690	87.9	85.2-90.6	90	12.1	9.4-14.8
45-54	1125	403,057	1040	91.9	89.9-93.9	85	8.1	6.1-10.1
55-64	1616	442,461	1515	92.9	91.3-94.5	101	7.1	5.5- 8.7
Less Than H.S.	346	248,451	277	79.4	74.1-84.7	69	20.6	15.3-25.9
H.S. or G.E.D.	1334	614,209	1186	88.0	85.8-90.2	148	12.0	9.8-14.2
Some Post-H.S.	1221	669,705	1109	90.2	88.0-92.4	112	9.8	7.6-12.0
College Graduate	1520	471,250	1448	95.2	93.8-96.6	72	4.8	3.4- 6.2
Less than \$15,000	487	217,814	419	85.3	81.2-89.4	68	14.7	10.6-18.8
\$15,000- 24,999	676	326,199	562	81.2	77.3-85.1	114	18.8	14.9-22.7
\$25,000- 34,999	424	199,742	369	85.6	81.3-89.9	55	14.4	10.1-18.7
\$35,000- 49,999	479	238,736	437	90.6	87.1-94.1	42	9.4	5.9-12.9
\$50,000- 74,999	658	293,283	617	92.6	89.9-95.3	41	7.4	4.7-10.1
\$75,000+	1256	518,622	1226	96.9	95.7-98.1	30	3.1	1.9- 4.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 4: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)	
1	MALES AND FEMALES	18
2	MALES ONLY	19
3	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13796	5,096,214	7570	64.8	63.8-65.8	6226	35.2	34.2-36.2
Male	5932	2,481,219	3261	62.5	60.9-64.1	2671	37.5	35.9-39.1
Female	7864	2,614,995	4309	66.9	65.5-68.3	3555	33.1	31.7-34.5
White/Non-Hisp	11542	4,087,599	6292	64.5	63.3-65.7	5250	35.5	34.3-36.7
Black or Afr. Am./Non-Hisp	931	439,065	403	54.4	50.1-58.7	528	45.6	41.3-49.9
Oth. Race/Non-Hisp.	287	127,809	186	76.2	69.9-82.5	101	23.8	17.5-30.1
MultiRacial/Non-Hisp.	208	60,858	114	58.5	50.1-66.9	94	41.5	33.1-49.9
Hispanic	587	291,068	440	79.1	75.2-83.0	147	20.9	17.0-24.8
18-24	685	684,087	622	90.0	87.3-92.7	63	10.0	7.3-12.7
25-34	1204	841,163	1031	84.3	81.9-86.7	173	15.7	13.3-18.1
35-44	1414	820,374	1107	78.2	75.7-80.7	307	21.8	19.3-24.3
45-54	2120	844,758	1344	63.2	60.8-65.6	776	36.8	34.4-39.2
55-64	3004	868,542	1467	47.8	45.6-50.0	1537	52.2	50.0-54.4
65+	5369	1,037,290	1999	37.2	35.6-38.8	3370	62.8	61.2-64.4
Less Than H.S.	1070	649,412	555	62.8	59.1-66.5	515	37.2	33.5-40.9
H.S. or G.E.D.	4616	1,727,187	2316	61.3	59.5-63.1	2300	38.7	36.9-40.5
Some Post-H.S.	3501	1,572,673	1895	64.7	62.7-66.7	1606	35.3	33.3-37.3
College Graduate	4577	1,136,844	2788	71.3	69.7-72.9	1789	28.7	27.1-30.3
Less than \$15,000	1220	454,941	563	57.5	53.8-61.2	657	42.5	38.8-46.2
\$15,000- 24,999	2232	810,783	1053	57.7	55.0-60.4	1179	42.3	39.6-45.0
\$25,000- 34,999	1428	509,086	733	61.7	58.4-65.0	695	38.3	35.0-41.6
\$35,000- 49,999	1836	700,254	972	64.2	61.3-67.1	864	35.8	32.9-38.7
\$50,000- 74,999	1952	738,656	1116	65.8	63.1-68.5	836	34.2	31.5-36.9
\$75,000+	3424	1,296,976	2243	72.6	70.8-74.4	1181	27.4	25.6-29.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5932	2,481,219	3261	62.5	60.9-64.1	2671	37.5	35.9-39.1
White/Non-Hisp	4904	1,973,128	2657	61.9	60.1-63.7	2247	38.1	36.3-39.9
Black or Afr. Am./Non-Hisp	344	208,446	169	57.4	50.7-64.1	175	42.6	35.9-49.3
Oth. Race/Non-Hisp.	169	74,472	106	72.8	65.0-80.6	63	27.2	19.4-35.0
MultiRacial/Non-Hisp.	111	32,913	60	50.1	38.7-61.5	51	49.9	38.5-61.3
Hispanic	272	139,272	196	74.4	68.1-80.7	76	25.6	19.3-31.9
18-24	385	349,616	342	87.5	83.2-91.8	43	12.5	8.2-16.8
25-34	594	421,943	475	77.2	73.1-81.3	119	22.8	18.7-26.9
35-44	632	409,596	459	73.8	69.9-77.7	173	26.2	22.3-30.1
45-54	946	419,567	570	60.4	56.7-64.1	376	39.6	35.9-43.3
55-64	1375	423,572	659	45.3	42.2-48.4	716	54.7	51.6-57.8
65+	2000	456,925	756	37.4	34.9-39.9	1244	62.6	60.1-65.1
Less Than H.S.	444	323,287	248	61.0	55.5-66.5	196	39.0	33.5-44.5
H.S. or G.E.D.	1920	867,798	1004	60.7	58.2-63.2	916	39.3	36.8-41.8
Some Post-H.S.	1450	722,245	798	62.2	59.3-65.1	652	37.8	34.9-40.7
College Graduate	2100	560,823	1201	66.2	63.8-68.6	899	33.8	31.4-36.2
Less than \$15,000	416	180,894	198	54.5	48.4-60.6	218	45.5	39.4-51.6
\$15,000- 24,999	843	363,249	426	58.0	53.9-62.1	417	42.0	37.9-46.1
\$25,000- 34,999	562	231,846	281	58.8	53.5-64.1	281	41.2	35.9-46.5
\$35,000- 49,999	863	370,609	458	61.2	56.9-65.5	405	38.8	34.5-43.1
\$50,000- 74,999	910	379,105	504	62.2	58.1-66.3	406	37.8	33.7-41.9
\$75,000+	1773	711,567	1082	67.7	65.0-70.4	691	32.3	29.6-35.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7864	2,614,995	4309	66.9	65.5-68.3	3555	33.1	31.7-34.5
White/Non-Hisp	6638	2,114,470	3635	67.0	65.6-68.4	3003	33.0	31.6-34.4
Black or Afr. Am./Non-Hisp	587	230,619	234	51.8	46.3-57.3	353	48.2	42.7-53.7
Oth. Race/Non-Hisp.	118	53,337	80	80.9	70.7-91.1	38	19.1	8.9-29.3
MultiRacial/Non-Hisp.	97	27,945	54	68.4	57.2-79.6	43	31.6	20.4-42.8
Hispanic	315	151,796	244	83.4	79.1-87.7	71	16.6	12.3-20.9
18-24	300	334,471	280	92.5	89.0-96.0	20	7.5	4.0-11.0
25-34	610	419,220	556	91.4	88.9-93.9	54	8.6	6.1-11.1
35-44	782	410,778	648	82.6	79.5-85.7	134	17.4	14.3-20.5
45-54	1174	425,191	774	65.9	62.8-69.0	400	34.1	31.0-37.2
55-64	1629	444,970	808	50.1	47.2-53.0	821	49.9	47.0-52.8
65+	3369	580,365	1243	37.0	35.0-39.0	2126	63.0	61.0-65.0
Less Than H.S.	626	326,125	307	64.5	59.8-69.2	319	35.5	30.8-40.2
H.S. or G.E.D.	2696	859,389	1312	61.9	59.5-64.3	1384	38.1	35.7-40.5
Some Post-H.S.	2051	850,428	1097	66.7	64.3-69.1	954	33.3	30.9-35.7
College Graduate	2477	576,021	1587	76.2	74.2-78.2	890	23.8	21.8-25.8
Less than \$15,000	804	274,048	365	59.6	55.1-64.1	439	40.4	35.9-44.9
\$15,000- 24,999	1389	447,535	627	57.4	53.9-60.9	762	42.6	39.1-46.1
\$25,000- 34,999	866	277,240	452	64.2	60.1-68.3	414	35.8	31.7-39.9
\$35,000- 49,999	973	329,645	514	67.5	63.8-71.2	459	32.5	28.8-36.2
\$50,000- 74,999	1042	359,551	612	69.5	66.0-73.0	430	30.5	27.0-34.0
\$75,000+	1651	585,409	1161	78.7	76.5-80.9	490	21.3	19.1-23.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH1)	
1	MALES AND FEMALES	22
2	MALES ONLY	23
3	FEMALES ONLY	24
	ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL1)	
4	MALES AND FEMALES	25
5	MALES ONLY	26
6	FEMALES ONLY	27

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 1: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13396	4,873,347	12023	83.4	82.4-84.4	523	5.1	4.5- 5.7	850	11.5	10.7-12.3
Male	5758	2,376,762	4993	80.8	79.4-82.2	299	6.5	5.5- 7.5	466	12.8	11.6-14.0
Female	7638	2,496,585	7030	85.8	84.4-87.2	224	3.9	3.3- 4.5	384	10.3	9.1-11.5
White/Non-Hisp	11236	3,917,657	10155	83.5	82.3-84.7	432	5.1	4.5- 5.7	649	11.3	10.3-12.3
Black or Afr. Am./Non-Hisp	899	418,166	826	88.4	85.3-91.5	30	5.4	3.0- 7.8	43	6.2	4.0- 8.4
Oth. Race/Non-Hisp.	271	118,185	232	81.2	74.1-88.3	11	5.1	0.0-10.2	28	13.8	8.1-19.5
MultiRacial/Non-Hisp.	199	57,945	165	74.5	65.9-83.1	11	7.4	2.5-12.3	23	18.1	10.3-25.9
Hispanic	563	277,248	448	76.9	72.6-81.2	27	4.6	2.6- 6.6	88	18.5	14.6-22.4
18-24	599	598,428	349	57.2	52.7-61.7	36	6.1	3.9- 8.3	214	36.7	32.2-41.2
25-34	1119	779,785	808	72.3	69.4-75.2	83	7.8	5.8- 9.8	228	19.9	17.4-22.4
35-44	1368	792,355	1120	81.2	78.8-83.6	95	7.0	5.4- 8.6	153	11.9	9.9-13.9
45-54	2063	824,100	1832	87.6	85.8-89.4	110	5.9	4.7- 7.1	121	6.5	5.1- 7.9
55-64	2963	857,651	2783	93.7	92.7-94.7	107	3.5	2.7- 4.3	73	2.8	2.0- 3.6
65+	5284	1,021,028	5131	96.8	96.2-97.4	92	1.9	1.3- 2.5	61	1.4	1.0- 1.8
Less Than H.S.	1022	612,764	856	76.1	72.4-79.8	49	7.0	4.6- 9.4	117	17.0	13.7-20.3
H.S. or G.E.D.	4460	1,645,028	3967	82.3	80.5-84.1	178	5.3	4.3- 6.3	315	12.4	10.8-14.0
Some Post-H.S.	3384	1,496,163	3010	83.3	81.5-85.1	145	5.1	4.1- 6.1	229	11.6	10.0-13.2
College Graduate	4499	1,109,361	4164	89.2	87.8-90.6	149	4.0	3.2- 4.8	186	6.9	5.7- 8.1
Less than \$15,000	1171	431,223	1039	82.1	78.6-85.6	46	5.6	3.2- 8.0	86	12.3	9.4-15.2
\$15,000- 24,999	2160	766,067	1910	81.7	79.2-84.2	79	5.0	3.6- 6.4	171	13.3	11.1-15.5
\$25,000- 34,999	1385	486,473	1236	82.1	79.0-85.2	64	6.1	4.1- 8.1	85	11.7	9.0-14.4
\$35,000- 49,999	1775	658,311	1581	81.6	78.7-84.5	77	5.5	4.1- 6.9	117	13.0	10.3-15.7
\$50,000- 74,999	1925	724,073	1723	82.4	79.9-84.9	86	6.1	4.5- 7.7	116	11.4	9.2-13.6
\$75,000+	3360	1,263,586	3069	87.0	85.2-88.8	110	3.9	3.1- 4.7	181	9.1	7.5-10.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 2: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5758	2,376,762	4993	80.8	79.4-82.2	299	6.5	5.5- 7.5	466	12.8	11.6-14.0
White/Non-Hisp	4768	1,887,369	4181	80.9	79.3-82.5	244	6.7	5.7- 7.7	343	12.4	11.0-13.8
Black or Afr. Am./Non-Hisp	336	202,885	297	86.1	81.4-90.8	14	6.3	2.8- 9.8	25	7.6	4.3-10.9
Oth. Race/Non-Hisp.	160	70,402	132	83.9	76.8-91.0	8	2.0	0.0- 4.2	20	14.1	7.2-21.0
MultiRacial/Non-Hisp.	105	31,396	81	71.6	60.6-82.6	8	9.7	2.1-17.3	16	18.7	9.3-28.1
Hispanic	264	135,468	195	72.1	65.6-78.6	20	6.8	3.7- 9.9	49	21.1	15.2-27.0
18-24	343	308,663	195	56.1	50.0-62.2	25	7.4	4.3-10.5	123	36.5	30.6-42.4
25-34	556	393,927	383	69.7	65.4-74.0	53	9.6	6.7-12.5	120	20.7	17.0-24.4
35-44	617	397,396	474	76.9	73.2-80.6	54	8.7	6.2-11.2	89	14.4	11.3-17.5
45-54	917	408,267	792	85.4	82.7-88.1	65	7.5	5.5- 9.5	60	7.1	5.1- 9.1
55-64	1354	417,005	1252	92.2	90.4-94.0	52	3.7	2.5- 4.9	50	4.2	2.8- 5.6
65+	1971	451,504	1897	95.9	94.7-97.1	50	2.8	1.8- 3.8	24	1.3	0.7- 1.9
Less Than H.S.	428	308,210	326	71.9	66.4-77.4	33	9.2	5.7-12.7	69	18.9	14.2-23.6
H.S. or G.E.D.	1847	824,157	1543	77.3	74.8-79.8	112	7.4	5.8- 9.0	192	15.3	13.1-17.5
Some Post-H.S.	1399	687,898	1217	82.9	80.4-85.4	75	5.8	4.2- 7.4	107	11.4	9.0-13.8
College Graduate	2066	549,431	1893	88.4	86.4-90.4	77	4.5	3.3- 5.7	96	7.1	5.5- 8.7
Less than \$15,000	400	172,234	334	77.0	71.1-82.9	23	7.8	3.7-11.9	43	15.2	10.1-20.3
\$15,000- 24,999	813	342,582	669	74.2	70.1-78.3	46	6.7	4.3- 9.1	98	19.2	15.3-23.1
\$25,000- 34,999	541	220,294	466	79.5	74.4-84.6	33	8.2	4.5-11.9	42	12.3	8.4-16.2
\$35,000- 49,999	830	348,285	703	78.6	74.5-82.7	56	7.1	4.9- 9.3	71	14.4	10.7-18.1
\$50,000- 74,999	898	372,254	778	79.8	76.1-83.5	54	7.9	5.4-10.4	66	12.3	9.2-15.4
\$75,000+	1738	690,970	1576	86.9	84.7-89.1	60	4.6	3.2- 6.0	102	8.5	6.7-10.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 3: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7638	2,496,585	7030	85.8	84.4-87.2	224	3.9	3.3- 4.5	384	10.3	9.1-11.5
White/Non-Hisp	6468	2,030,288	5974	86.0	84.6-87.4	188	3.7	3.1- 4.3	306	10.3	8.9-11.7
Black or Afr. Am./Non-Hisp	563	215,281	529	90.7	86.8-94.6	16	4.5	1.4- 7.6	18	4.8	2.3- 7.3
Oth. Race/Non-Hisp.	111	47,783	100	77.1	63.4-90.8	3	9.5	0.0-21.1	8	13.4	3.6-23.2
MultiRacial/Non-Hisp.	94	26,549	84	77.9	64.4-91.4	3	4.8	0.0-10.5	7	17.4	4.3-30.5
Hispanic	299	141,780	253	81.4	75.7-87.1	7	2.6	0.4- 4.8	39	16.0	10.7-21.3
18-24	256	289,765	154	58.4	51.5-65.3	11	4.6	1.7- 7.5	91	37.0	30.1-43.9
25-34	563	385,858	425	74.9	70.8-79.0	30	6.0	3.6- 8.4	108	19.1	15.4-22.8
35-44	751	394,959	646	85.5	82.6-88.4	41	5.3	3.5- 7.1	64	9.3	6.9-11.7
45-54	1146	415,834	1040	89.8	87.6-92.0	45	4.3	2.9- 5.7	61	5.9	4.1- 7.7
55-64	1609	440,646	1531	95.1	93.9-96.3	55	3.4	2.4- 4.4	23	1.5	0.7- 2.3
65+	3313	569,524	3234	97.4	96.6-98.2	42	1.1	0.7- 1.5	37	1.4	0.8- 2.0
Less Than H.S.	594	304,554	530	80.3	75.0-85.6	16	4.7	1.8- 7.6	48	15.0	10.3-19.7
H.S. or G.E.D.	2613	820,871	2424	87.4	85.2-89.6	66	3.1	2.1- 4.1	123	9.5	7.5-11.5
Some Post-H.S.	1985	808,265	1793	83.6	81.1-86.1	70	4.6	3.4- 5.8	122	11.8	9.4-14.2
College Graduate	2433	559,930	2271	89.9	88.1-91.7	72	3.5	2.5- 4.5	90	6.7	5.1- 8.3
Less than \$15,000	771	258,989	705	85.5	81.4-89.6	23	4.2	1.5- 6.9	43	10.3	6.8-13.8
\$15,000- 24,999	1347	423,485	1241	87.7	85.0-90.4	33	3.7	2.1- 5.3	73	8.6	6.2-11.0
\$25,000- 34,999	844	266,179	770	84.3	80.4-88.2	31	4.5	2.7- 6.3	43	11.2	7.5-14.9
\$35,000- 49,999	945	310,027	878	84.9	80.8-89.0	21	3.7	1.7- 5.7	46	11.4	7.5-15.3
\$50,000- 74,999	1027	351,819	945	85.3	81.8-88.8	32	4.3	2.3- 6.3	50	10.5	7.4-13.6
\$75,000+	1622	572,617	1493	87.0	84.3-89.7	50	3.1	2.1- 4.1	79	9.9	7.4-12.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 4: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL1)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	12474	4,290,305	7247	65.9	64.9-66.9	5227	34.1	33.1-35.1
Male	5254	2,060,200	3045	65.5	63.9-67.1	2209	34.5	32.9-36.1
Female	7220	2,230,106	4202	66.3	64.9-67.7	3018	33.7	32.3-35.1
White/Non-Hisp	10528	3,457,027	5965	64.2	63.0-65.4	4563	35.8	34.6-37.0
Black or Afr. Am./Non-Hisp	853	391,864	533	71.5	67.8-75.2	320	28.5	24.8-32.2
Oth. Race/Non-Hisp.	243	101,888	169	76.6	69.5-83.7	74	23.4	16.3-30.5
MultiRacial/Non-Hisp.	174	46,883	116	74.8	67.4-82.2	58	25.2	17.8-32.6
Hispanic	469	221,476	332	74.2	69.5-78.9	137	25.8	21.1-30.5
18-24	383	376,643	356	91.1	87.4-94.8	27	8.9	5.2-12.6
25-34	887	622,101	776	87.5	85.0-90.0	111	12.5	10.0-15.0
35-44	1210	694,457	948	79.3	76.8-81.8	262	20.7	18.2-23.2
45-54	1934	768,446	1259	65.2	62.7-67.7	675	34.8	32.3-37.3
55-64	2880	829,765	1517	51.8	49.6-54.0	1363	48.2	46.0-50.4
65+	5180	998,893	2391	45.9	44.1-47.7	2789	54.1	52.3-55.9
Less Than H.S.	894	502,569	463	61.4	57.3-65.5	431	38.6	34.5-42.7
H.S. or G.E.D.	4122	1,433,172	2284	63.3	61.5-65.1	1838	36.7	34.9-38.5
Some Post-H.S.	3135	1,316,606	1865	67.6	65.6-69.6	1270	32.4	30.4-34.4
College Graduate	4295	1,030,219	2620	69.4	67.8-71.0	1675	30.6	29.0-32.2
Less than \$15,000	1074	375,016	571	60.4	56.5-64.3	503	39.6	35.7-43.5
\$15,000- 24,999	1978	657,840	1046	61.3	58.4-64.2	932	38.7	35.8-41.6
\$25,000- 34,999	1294	427,834	744	65.5	62.2-68.8	550	34.5	31.2-37.8
\$35,000- 49,999	1648	569,992	940	64.2	61.3-67.1	708	35.8	32.9-38.7
\$50,000- 74,999	1805	640,179	1088	68.2	65.5-70.9	717	31.8	29.1-34.5
\$75,000+	3165	1,145,746	2011	70.9	68.9-72.9	1154	29.1	27.1-31.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 5: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL1)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5254	2,060,200	3045	65.5	63.9-67.1	2209	34.5	32.9-36.1
White/Non-Hisp	4396	1,645,351	2470	63.7	61.9-65.5	1926	36.3	34.5-38.1
Black or Afr. Am./Non-Hisp	309	186,993	199	71.6	65.7-77.5	110	28.4	22.5-34.3
Oth. Race/Non-Hisp.	140	60,508	104	77.4	69.2-85.6	36	22.6	14.4-30.8
MultiRacial/Non-Hisp.	88	25,096	61	74.1	63.1-85.1	27	25.9	14.9-36.9
Hispanic	211	102,826	147	73.5	66.6-80.4	64	26.5	19.6-33.4
18-24	220	196,052	209	94.2	90.7-97.7	11	5.8	2.3- 9.3
25-34	434	311,216	374	85.7	82.0-89.4	60	14.3	10.6-18.0
35-44	524	336,578	390	77.4	73.3-81.5	134	22.6	18.5-26.7
45-54	854	378,290	552	64.8	61.1-68.5	302	35.2	31.5-38.9
55-64	1297	396,598	674	50.1	46.8-53.4	623	49.9	46.6-53.2
65+	1925	441,466	846	43.9	41.2-46.6	1079	56.1	53.4-58.8
Less Than H.S.	352	244,962	201	64.9	59.0-70.8	151	35.1	29.2-41.0
H.S. or G.E.D.	1643	693,885	915	62.6	59.9-65.3	728	37.4	34.7-40.1
Some Post-H.S.	1285	607,855	773	67.8	64.9-70.7	512	32.2	29.3-35.1
College Graduate	1958	508,254	1147	66.8	64.3-69.3	811	33.2	30.7-35.7
Less than \$15,000	352	143,849	191	59.2	52.7-65.7	161	40.8	34.3-47.3
\$15,000- 24,999	712	273,442	379	60.0	55.5-64.5	333	40.0	35.5-44.5
\$25,000- 34,999	496	192,435	285	66.0	60.9-71.1	211	34.0	28.9-39.1
\$35,000- 49,999	752	296,071	438	63.6	59.1-68.1	314	36.4	31.9-40.9
\$50,000- 74,999	829	325,527	493	67.7	63.8-71.6	336	32.3	28.4-36.2
\$75,000+	1626	630,464	983	69.1	66.4-71.8	643	30.9	28.2-33.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 6: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL1)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7220	2,230,106	4202	66.3	64.9-67.7	3018	33.7	32.3-35.1
White/Non-Hisp	6132	1,811,676	3495	64.7	63.1-66.3	2637	35.3	33.7-36.9
Black or Afr. Am./Non-Hisp	544	204,871	334	71.3	66.4-76.2	210	28.7	23.8-33.6
Oth. Race/Non-Hisp.	103	41,379	65	75.5	63.0-88.0	38	24.5	12.0-37.0
MultiRacial/Non-Hisp.	86	21,788	55	75.6	65.6-85.6	31	24.4	14.4-34.4
Hispanic	258	118,650	185	74.8	68.7-80.9	73	25.2	19.1-31.3
18-24	163	180,591	147	87.8	81.3-94.3	16	12.2	5.7-18.7
25-34	453	310,885	402	89.3	86.2-92.4	51	10.7	7.6-13.8
35-44	686	357,879	558	81.1	77.8-84.4	128	18.9	15.6-22.2
45-54	1080	390,156	707	65.6	62.3-68.9	373	34.4	31.1-37.7
55-64	1583	433,168	843	53.4	50.5-56.3	740	46.6	43.7-49.5
65+	3255	557,427	1545	47.4	45.2-49.6	1710	52.6	50.4-54.8
Less Than H.S.	542	257,608	262	58.1	52.6-63.6	280	41.9	36.4-47.4
H.S. or G.E.D.	2479	739,287	1369	64.1	61.7-66.5	1110	35.9	33.5-38.3
Some Post-H.S.	1850	708,750	1092	67.5	65.0-70.0	758	32.5	30.0-35.0
College Graduate	2337	521,965	1473	72.0	69.8-74.2	864	28.0	25.8-30.2
Less than \$15,000	722	231,167	380	61.1	56.2-66.0	342	38.9	34.0-43.8
\$15,000- 24,999	1266	384,397	667	62.3	58.6-66.0	599	37.7	34.0-41.4
\$25,000- 34,999	798	235,399	459	65.1	60.8-69.4	339	34.9	30.6-39.2
\$35,000- 49,999	896	273,921	502	64.9	60.8-69.0	394	35.1	31.0-39.2
\$50,000- 74,999	976	314,652	595	68.6	64.9-72.3	381	31.4	27.7-35.1
\$75,000+	1539	515,282	1028	73.2	70.7-75.7	511	26.8	24.3-29.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1	MALES AND FEMALES	29
2	MALES ONLY	30
3	FEMALES ONLY	31
	ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4	MALES AND FEMALES	32
5	MALES ONLY	33
6	FEMALES ONLY	34
	ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7	MALES AND FEMALES	35
8	MALES ONLY	36
9	FEMALES ONLY	37
	COMPUTED ASTHMA STATUS (_ASTHMS1)	
10	MALES AND FEMALES	38
11	MALES ONLY	39
12	FEMALES ONLY	40
	RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
13	MALES AND FEMALES	41
14	MALES ONLY	42
15	FEMALES ONLY	43

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13709	5,067,501	1429	7.4	7.0- 7.8	12280	92.6	92.2-93.0
Male	5885	2,464,723	807	9.3	8.5-10.1	5078	90.7	89.9-91.5
Female	7824	2,602,778	622	5.6	5.0- 6.2	7202	94.4	93.8-95.0
White/Non-Hisp	11476	4,065,703	1236	7.9	7.3- 8.5	10240	92.1	91.5-92.7
Black or Afr. Am./Non-Hisp	928	437,354	80	4.8	3.4- 6.2	848	95.2	93.8-96.6
Oth. Race/Non-Hisp.	281	126,305	29	6.9	2.4-11.4	252	93.1	88.6-97.6
MultiRacial/Non-Hisp.	205	60,121	34	15.9	9.4-22.4	171	84.1	77.6-90.6
Hispanic	584	289,850	20	2.7	1.1- 4.3	564	97.3	95.7-98.9
18-24	688	686,810	4	0.7	0.0- 1.5	684	99.3	98.5- 100
25-34	1199	838,416	15	1.3	0.5- 2.1	1184	98.7	97.9-99.5
35-44	1397	810,377	25	1.9	0.9- 2.9	1372	98.1	97.1-99.1
45-54	2113	840,959	112	5.3	4.1- 6.5	2001	94.7	93.5-95.9
55-64	2985	863,097	344	12.5	10.9-14.1	2641	87.5	85.9-89.1
65+	5327	1,027,842	929	18.7	17.3-20.1	4398	81.3	79.9-82.7
Less Than H.S.	1058	643,804	185	12.1	9.9-14.3	873	87.9	85.7-90.1
H.S. or G.E.D.	4590	1,718,496	533	7.8	7.0- 8.6	4057	92.2	91.4-93.0
Some Post-H.S.	3463	1,561,110	371	7.2	6.4- 8.0	3092	92.8	92.0-93.6
College Graduate	4567	1,134,198	337	4.5	3.9- 5.1	4230	95.5	94.9-96.1
Less than \$15,000	1207	449,205	211	13.9	11.5-16.3	996	86.1	83.7-88.5
\$15,000- 24,999	2206	801,800	335	11.3	9.7-12.9	1871	88.7	87.1-90.3
\$25,000- 34,999	1415	504,911	173	8.8	7.2-10.4	1242	91.2	89.6-92.8
\$35,000- 49,999	1824	695,979	198	7.4	6.2- 8.6	1626	92.6	91.4-93.8
\$50,000- 74,999	1941	734,142	143	5.4	4.2- 6.6	1798	94.6	93.4-95.8
\$75,000+	3418	1,295,331	191	3.5	2.9- 4.1	3227	96.5	95.9-97.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5885	2,464,723	807	9.3	8.5-10.1	5078	90.7	89.9-91.5
White/Non-Hisp	4871	1,961,084	711	10.2	9.2-11.2	4160	89.8	88.8-90.8
Black or Afr. Am./Non-Hisp	343	207,556	28	3.9	2.1- 5.7	315	96.1	94.3-97.9
Oth. Race/Non-Hisp.	165	73,414	17	5.9	2.2- 9.6	148	94.1	90.4-97.8
MultiRacial/Non-Hisp.	108	32,176	20	21.4	11.2-31.6	88	78.6	68.4-88.8
Hispanic	271	138,631	9	3.4	0.5- 6.3	262	96.6	93.7-99.5
18-24	388	352,339	2	0.4	0.0- 1.0	386	99.6	99.0- 100
25-34	592	420,651	8	1.8	0.4- 3.2	584	98.2	96.8-99.6
35-44	623	402,830	17	2.8	1.2- 4.4	606	97.2	95.6-98.8
45-54	939	416,249	61	6.0	4.2- 7.8	878	94.0	92.2-95.8
55-64	1367	421,046	193	15.5	13.1-17.9	1174	84.5	82.1-86.9
65+	1976	451,609	526	26.4	24.0-28.8	1450	73.6	71.2-76.0
Less Than H.S.	439	320,422	78	12.7	9.4-16.0	361	87.3	84.0-90.6
H.S. or G.E.D.	1901	861,662	267	9.3	7.9-10.7	1634	90.7	89.3-92.1
Some Post-H.S.	1434	716,432	214	9.8	8.2-11.4	1220	90.2	88.6-91.8
College Graduate	2093	559,142	245	7.0	6.0- 8.0	1848	93.0	92.0-94.0
Less than \$15,000	409	177,676	91	17.6	13.1-22.1	318	82.4	77.9-86.9
\$15,000- 24,999	830	357,958	160	14.7	12.0-17.4	670	85.3	82.6-88.0
\$25,000- 34,999	558	229,266	107	12.2	9.5-14.9	451	87.8	85.1-90.5
\$35,000- 49,999	855	367,754	131	9.4	7.4-11.4	724	90.6	88.6-92.6
\$50,000- 74,999	903	375,959	98	7.0	5.2- 8.8	805	93.0	91.2-94.8
\$75,000+	1767	709,920	149	5.0	4.0- 6.0	1618	95.0	94.0-96.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7824	2,602,778	622	5.6	5.0- 6.2	7202	94.4	93.8-95.0
White/Non-Hisp	6605	2,104,619	525	5.7	5.1- 6.3	6080	94.3	93.7-94.9
Black or Afr. Am./Non-Hisp	585	229,798	52	5.7	3.7- 7.7	533	94.3	92.3-96.3
Oth. Race/Non-Hisp.	116	52,890	12	8.2	0.0-17.4	104	91.8	82.6- 100
MultiRacial/Non-Hisp.	97	27,945	14	9.6	3.5-15.7	83	90.4	84.3-96.5
Hispanic	313	151,219	11	2.2	0.6- 3.8	302	97.8	96.2-99.4
18-24	300	334,471	2	1.0	0.0- 2.6	298	99.0	97.4- 100
25-34	607	417,765	7	0.8	0.2- 1.4	600	99.2	98.6-99.8
35-44	774	407,547	8	1.1	0.3- 1.9	766	98.9	98.1-99.7
45-54	1174	424,710	51	4.7	3.3- 6.1	1123	95.3	93.9-96.7
55-64	1618	442,052	151	9.5	7.7-11.3	1467	90.5	88.7-92.3
65+	3351	576,233	403	12.6	11.2-14.0	2948	87.4	86.0-88.8
Less Than H.S.	619	323,382	107	11.5	8.6-14.4	512	88.5	85.6-91.4
H.S. or G.E.D.	2689	856,834	266	6.3	5.3- 7.3	2423	93.7	92.7-94.7
Some Post-H.S.	2029	844,678	157	5.0	4.0- 6.0	1872	95.0	94.0-96.0
College Graduate	2474	575,056	92	2.1	1.5- 2.7	2382	97.9	97.3-98.5
Less than \$15,000	798	271,529	120	11.5	9.0-14.0	678	88.5	86.0-91.0
\$15,000- 24,999	1376	443,842	175	8.6	7.0-10.2	1201	91.4	89.8-93.0
\$25,000- 34,999	857	275,645	66	5.9	3.9- 7.9	791	94.1	92.1-96.1
\$35,000- 49,999	969	328,225	67	5.2	3.6- 6.8	902	94.8	93.2-96.4
\$50,000- 74,999	1038	358,183	45	3.6	1.8- 5.4	993	96.4	94.6-98.2
\$75,000+	1651	585,412	42	1.7	1.1- 2.3	1609	98.3	97.7-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13795	5,093,568	11876	85.3	84.5-86.1	1919	14.7	13.9-15.5
Male	5926	2,480,105	5271	88.1	86.9-89.3	655	11.9	10.7-13.1
Female	7869	2,613,463	6605	82.7	81.5-83.9	1264	17.3	16.1-18.5
White/Non-Hisp	11541	4,085,417	9971	85.6	84.6-86.6	1570	14.4	13.4-15.4
Black or Afr. Am./Non-Hisp	933	439,512	775	81.0	77.5-84.5	158	19.0	15.5-22.5
Oth. Race/Non-Hisp.	286	127,677	250	88.6	83.1-94.1	36	11.4	5.9-16.9
MultiRacial/Non-Hisp.	207	59,963	153	72.3	64.5-80.1	54	27.7	19.9-35.5
Hispanic	588	291,706	521	88.0	84.9-91.1	67	12.0	8.9-15.1
18-24	686	685,089	535	77.6	74.1-81.1	151	22.4	18.9-25.9
25-34	1203	839,919	1026	85.5	83.3-87.7	177	14.5	12.3-16.7
35-44	1412	819,616	1205	85.8	83.6-88.0	207	14.2	12.0-16.4
45-54	2119	844,262	1817	86.1	84.3-87.9	302	13.9	12.1-15.7
55-64	2997	866,082	2579	86.8	85.4-88.2	418	13.2	11.8-14.6
65+	5378	1,038,601	4714	88.0	87.0-89.0	664	12.0	11.0-13.0
Less Than H.S.	1067	648,403	879	84.8	82.1-87.5	188	15.2	12.5-17.9
H.S. or G.E.D.	4619	1,728,315	3994	84.9	83.5-86.3	625	15.1	13.7-16.5
Some Post-H.S.	3499	1,571,008	2988	84.5	82.9-86.1	511	15.5	13.9-17.1
College Graduate	4578	1,135,744	3988	87.4	86.2-88.6	590	12.6	11.4-13.8
Less than \$15,000	1219	453,906	930	76.8	73.5-80.1	289	23.2	19.9-26.5
\$15,000- 24,999	2229	809,282	1845	80.6	78.2-83.0	384	19.4	17.0-21.8
\$25,000- 34,999	1429	509,162	1228	84.5	82.0-87.0	201	15.5	13.0-18.0
\$35,000- 49,999	1835	699,888	1591	86.3	84.1-88.5	244	13.7	11.5-15.9
\$50,000- 74,999	1951	738,415	1731	87.8	85.6-90.0	220	12.2	10.0-14.4
\$75,000+	3423	1,295,802	3053	89.0	87.6-90.4	370	11.0	9.6-12.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5926	2,480,105	5271	88.1	86.9-89.3	655	11.9	10.7-13.1
White/Non-Hisp	4898	1,972,272	4365	88.0	86.8-89.2	533	12.0	10.8-13.2
Black or Afr. Am./Non-Hisp	344	208,446	290	83.1	78.2-88.0	54	16.9	12.0-21.8
Oth. Race/Non-Hisp.	169	74,472	154	94.0	90.3-97.7	15	6.0	2.3-9.7
MultiRacial/Non-Hisp.	110	32,018	93	84.1	75.9-92.3	17	15.9	7.7-24.1
Hispanic	273	139,910	253	92.9	89.2-96.6	20	7.1	3.4-10.8
18-24	386	350,618	311	80.6	76.1-85.1	75	19.4	14.9-23.9
25-34	594	421,943	521	87.4	84.3-90.5	73	12.6	9.5-15.7
35-44	631	409,522	556	89.5	86.8-92.2	75	10.5	7.8-13.2
45-54	944	418,758	839	89.0	86.6-91.4	105	11.0	8.6-13.4
55-64	1371	422,230	1238	90.6	88.8-92.4	133	9.4	7.6-11.2
65+	2000	457,034	1806	90.0	88.4-91.6	194	10.0	8.4-11.6
Less Than H.S.	443	322,789	383	89.3	86.0-92.6	60	10.7	7.4-14.0
H.S. or G.E.D.	1919	869,564	1723	88.4	86.4-90.4	196	11.6	9.6-13.6
Some Post-H.S.	1448	721,139	1275	86.3	84.1-88.5	173	13.7	11.5-15.9
College Graduate	2098	559,548	1876	89.4	87.8-91.0	222	10.6	9.0-12.2
Less than \$15,000	413	179,951	332	80.9	76.0-85.8	81	19.1	14.2-24.0
\$15,000- 24,999	839	361,502	730	85.5	82.4-88.6	109	14.5	11.4-17.6
\$25,000- 34,999	563	231,921	495	86.6	82.9-90.3	68	13.4	9.7-17.1
\$35,000- 49,999	865	371,414	774	88.4	85.5-91.3	91	11.6	8.7-14.5
\$50,000- 74,999	909	379,033	829	90.8	88.3-93.3	80	9.2	6.7-11.7
\$75,000+	1771	711,220	1610	90.7	88.9-92.5	161	9.3	7.5-11.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7869	2,613,463	6605	82.7	81.5-83.9	1264	17.3	16.1-18.5
White/Non-Hisp	6643	2,113,145	5606	83.3	81.9-84.7	1037	16.7	15.3-18.1
Black or Afr. Am./Non-Hisp	589	231,066	485	79.2	74.3-84.1	104	20.8	15.9-25.7
Oth. Race/Non-Hisp.	117	53,205	96	80.9	69.1-92.7	21	19.1	7.3-30.9
MultiRacial/Non-Hisp.	97	27,945	60	58.9	46.0-71.8	37	41.1	28.2-54.0
Hispanic	315	151,796	268	83.5	78.6-88.4	47	16.5	11.6-21.4
18-24	300	334,471	224	74.4	68.9-79.9	76	25.6	20.1-31.1
25-34	609	417,976	505	83.5	80.2-86.8	104	16.5	13.2-19.8
35-44	781	410,093	649	82.1	79.0-85.2	132	17.9	14.8-21.0
45-54	1175	425,503	978	83.4	80.9-85.9	197	16.6	14.1-19.1
55-64	1626	443,852	1341	83.1	80.9-85.3	285	16.9	14.7-19.1
65+	3378	581,567	2908	86.4	85.0-87.8	470	13.6	12.2-15.0
Less Than H.S.	624	325,614	496	80.4	76.3-84.5	128	19.6	15.5-23.7
H.S. or G.E.D.	2700	858,751	2271	81.3	79.1-83.5	429	18.7	16.5-20.9
Some Post-H.S.	2051	849,869	1713	82.9	80.7-85.1	338	17.1	14.9-19.3
College Graduate	2480	576,196	2112	85.5	83.7-87.3	368	14.5	12.7-16.3
Less than \$15,000	806	273,955	598	74.2	69.9-78.5	208	25.8	21.5-30.1
\$15,000- 24,999	1390	447,781	1115	76.7	73.4-80.0	275	23.3	20.0-26.6
\$25,000- 34,999	866	277,240	733	82.6	78.9-86.3	133	17.4	13.7-21.1
\$35,000- 49,999	970	328,474	817	83.9	80.6-87.2	153	16.1	12.8-19.4
\$50,000- 74,999	1042	359,381	902	84.6	81.3-87.9	140	15.4	12.1-18.7
\$75,000+	1652	584,582	1443	86.9	84.7-89.1	209	13.1	10.9-15.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13745	5,074,885	12388	90.0	89.2-90.8	1357	10.0	9.2-10.8
Male	5905	2,469,993	5505	93.3	92.5-94.1	400	6.7	5.9- 7.5
Female	7840	2,604,891	6883	86.8	85.6-88.0	957	13.2	12.0-14.4
White/Non-Hisp	11501	4,072,090	10399	90.3	89.5-91.1	1102	9.7	8.9-10.5
Black or Afr. Am./Non-Hisp	930	437,080	811	86.7	83.8-89.6	119	13.3	10.4-16.2
Oth. Race/Non-Hisp.	285	127,574	259	92.0	87.1-96.9	26	8.0	3.1-12.9
MultiRacial/Non-Hisp.	206	59,903	168	79.4	72.1-86.7	38	20.6	13.3-27.9
Hispanic	584	289,301	537	91.7	89.0-94.4	47	8.3	5.6-11.0
18-24	683	681,896	605	86.7	83.6-89.8	78	13.3	10.2-16.4
25-34	1200	837,377	1091	90.7	88.7-92.7	109	9.3	7.3-11.3
35-44	1409	818,506	1269	90.8	89.0-92.6	140	9.2	7.4-11.0
45-54	2107	838,809	1877	89.6	88.0-91.2	230	10.4	8.8-12.0
55-64	2985	862,971	2656	89.6	88.2-91.0	329	10.4	9.0-11.8
65+	5361	1,035,325	4890	91.5	90.5-92.5	471	8.5	7.5- 9.5
Less Than H.S.	1059	643,007	915	88.8	86.4-91.2	144	11.2	8.8-13.6
H.S. or G.E.D.	4607	1,723,828	4149	89.5	88.3-90.7	458	10.5	9.3-11.7
Some Post-H.S.	3483	1,565,042	3129	89.8	88.4-91.2	354	10.2	8.8-11.6
College Graduate	4564	1,132,909	4166	91.6	90.6-92.6	398	8.4	7.4- 9.4
Less than \$15,000	1210	450,582	979	81.3	78.2-84.4	231	18.7	15.6-21.8
\$15,000- 24,999	2215	804,035	1943	86.5	84.5-88.5	272	13.5	11.5-15.5
\$25,000- 34,999	1427	508,899	1274	89.1	86.9-91.3	153	10.9	8.7-13.1
\$35,000- 49,999	1833	698,921	1662	90.8	89.0-92.6	171	9.2	7.4-11.0
\$50,000- 74,999	1947	737,249	1806	92.4	90.6-94.2	141	7.6	5.8- 9.4
\$75,000+	3414	1,293,103	3160	92.7	91.5-93.9	254	7.3	6.1- 8.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5905	2,469,993	5505	93.3	92.5-94.1	400	6.7	5.9- 7.5
White/Non-Hisp	4882	1,964,936	4566	93.5	92.5-94.5	316	6.5	5.5- 7.5
Black or Afr. Am./Non-Hisp	342	206,413	306	89.5	85.6-93.4	36	10.5	6.6-14.4
Oth. Race/Non-Hisp.	169	74,472	156	94.9	91.4-98.4	13	5.1	1.6- 8.6
MultiRacial/Non-Hisp.	109	31,958	99	88.9	81.3-96.5	10	11.1	3.5-18.7
Hispanic	272	139,585	258	95.2	92.1-98.3	14	4.8	1.7- 7.9
18-24	385	348,847	354	91.2	87.7-94.7	31	8.8	5.3-12.3
25-34	591	419,401	555	93.5	91.1-95.9	36	6.5	4.1- 8.9
35-44	629	409,003	588	94.7	92.7-96.7	41	5.3	3.3- 7.3
45-54	938	416,015	872	92.9	90.9-94.9	66	7.1	5.1- 9.1
55-64	1367	420,977	1268	93.2	91.6-94.8	99	6.8	5.2- 8.4
65+	1995	455,750	1868	93.8	92.6-95.0	127	6.2	5.0- 7.4
Less Than H.S.	440	318,659	398	93.2	90.5-95.9	42	6.8	4.1- 9.5
H.S. or G.E.D.	1915	868,045	1786	93.0	91.4-94.6	129	7.0	5.4- 8.6
Some Post-H.S.	1440	718,210	1340	92.7	90.9-94.5	100	7.3	5.5- 9.1
College Graduate	2092	558,015	1965	94.3	93.1-95.5	127	5.7	4.5- 6.9
Less than \$15,000	411	179,731	347	84.9	80.2-89.6	64	15.1	10.4-19.8
\$15,000- 24,999	832	357,832	765	91.7	89.2-94.2	67	8.3	5.8-10.8
\$25,000- 34,999	563	231,921	516	91.2	88.3-94.1	47	8.8	5.9-11.7
\$35,000- 49,999	864	370,553	814	94.2	92.2-96.2	50	5.8	3.8- 7.8
\$50,000- 74,999	908	378,839	864	95.5	93.7-97.3	44	4.5	2.7- 6.3
\$75,000+	1765	709,249	1670	95.1	93.9-96.3	95	4.9	3.7- 6.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7840	2,604,891	6883	86.8	85.6-88.0	957	13.2	12.0-14.4
White/Non-Hisp	6619	2,107,155	5833	87.3	86.1-88.5	786	12.7	11.5-13.9
Black or Afr. Am./Non-Hisp	588	230,667	505	84.1	79.6-88.6	83	15.9	11.4-20.4
Oth. Race/Non-Hisp.	116	53,102	103	87.8	77.2-98.4	13	12.2	1.6-22.8
MultiRacial/Non-Hisp.	97	27,945	69	68.5	56.2-80.8	28	31.5	19.2-43.8
Hispanic	312	149,716	279	88.5	84.2-92.8	33	11.5	7.2-15.8
18-24	298	333,049	251	82.0	76.9-87.1	47	18.0	12.9-23.1
25-34	609	417,976	536	87.8	84.9-90.7	73	12.2	9.3-15.1
35-44	780	409,503	681	86.9	84.2-89.6	99	13.1	10.4-15.8
45-54	1169	422,794	1005	86.4	84.0-88.8	164	13.6	11.2-16.0
55-64	1618	441,993	1388	86.2	84.2-88.2	230	13.8	11.8-15.8
65+	3366	579,575	3022	89.7	88.3-91.1	344	10.3	8.9-11.7
Less Than H.S.	619	324,348	517	84.4	80.5-88.3	102	15.6	11.7-19.5
H.S. or G.E.D.	2692	855,784	2363	86.0	84.0-88.0	329	14.0	12.0-16.0
Some Post-H.S.	2043	846,832	1789	87.2	85.2-89.2	254	12.8	10.8-14.8
College Graduate	2472	574,894	2201	89.0	87.4-90.6	271	11.0	9.4-12.6
Less than \$15,000	799	270,851	632	79.0	74.9-83.1	167	21.0	16.9-25.1
\$15,000- 24,999	1383	446,204	1178	82.3	79.4-85.2	205	17.7	14.8-20.6
\$25,000- 34,999	864	276,978	758	87.4	84.5-90.3	106	12.6	9.7-15.5
\$35,000- 49,999	969	328,368	848	86.9	83.8-90.0	121	13.1	10.0-16.2
\$50,000- 74,999	1039	358,410	942	89.2	86.3-92.1	97	10.8	7.9-13.7
\$75,000+	1649	583,854	1490	89.9	87.9-91.9	159	10.1	8.1-12.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13745	5,074,885	1357	10.0	9.2-10.8	512	4.4	4.0- 4.8	11876	85.6	84.8-86.4
Male	5905	2,469,993	400	6.7	5.9- 7.5	234	4.8	4.0- 5.6	5271	88.4	87.2-89.6
Female	7840	2,604,891	957	13.2	12.0-14.4	278	3.9	3.3- 4.5	6605	82.9	81.7-84.1
White/Non-Hisp	11501	4,072,090	1102	9.7	8.9-10.5	428	4.4	3.8- 5.0	9971	85.9	84.9-86.9
Black or Afr. Am./Non-Hisp	930	437,080	119	13.3	10.4-16.2	36	5.2	3.2- 7.2	775	81.5	78.0-85.0
Oth. Race/Non-Hisp.	285	127,574	26	8.0	3.1-12.9	9	3.3	0.4- 6.2	250	88.6	82.9-94.3
MultiRacial/Non-Hisp.	206	59,903	38	20.6	13.3-27.9	15	7.0	3.1-10.9	153	72.4	64.6-80.2
Hispanic	584	289,301	47	8.3	5.6-11.0	16	3.0	1.2- 4.8	521	88.7	85.6-91.8
18-24	683	681,896	78	13.3	10.2-16.4	70	8.7	6.5-10.9	535	77.9	74.4-81.4
25-34	1200	837,377	109	9.3	7.3-11.3	65	4.9	3.5- 6.3	1026	85.8	83.6-88.0
35-44	1409	818,506	140	9.2	7.4-11.0	64	4.9	3.5- 6.3	1205	85.9	83.7-88.1
45-54	2107	838,809	230	10.4	8.8-12.0	60	2.9	2.1- 3.7	1817	86.7	84.9-88.5
55-64	2985	862,971	329	10.4	9.0-11.8	77	2.5	1.9- 3.1	2579	87.1	85.7-88.5
65+	5361	1,035,325	471	8.5	7.5- 9.5	176	3.3	2.7- 3.9	4714	88.2	87.2-89.2
Less Than H.S.	1059	643,007	144	11.2	8.8-13.6	36	3.3	2.1- 4.5	879	85.5	83.0-88.0
H.S. or G.E.D.	4607	1,723,828	458	10.5	9.3-11.7	155	4.4	3.6- 5.2	3994	85.1	83.7-86.5
Some Post-H.S.	3483	1,565,042	354	10.2	8.8-11.6	141	4.9	3.9- 5.9	2988	84.8	83.2-86.4
College Graduate	4564	1,132,909	398	8.4	7.4- 9.4	178	3.9	3.1- 4.7	3988	87.6	86.4-88.8
Less than \$15,000	1210	450,582	231	18.7	15.6-21.8	49	3.9	2.5- 5.3	930	77.4	74.1-80.7
\$15,000- 24,999	2215	804,035	272	13.5	11.5-15.5	98	5.3	3.9- 6.7	1845	81.2	78.8-83.6
\$25,000- 34,999	1427	508,899	153	10.9	8.7-13.1	46	4.7	3.1- 6.3	1228	84.5	82.0-87.0
\$35,000- 49,999	1833	698,921	171	9.2	7.4-11.0	71	4.4	3.0- 5.8	1591	86.4	84.2-88.6
\$50,000- 74,999	1947	737,249	141	7.6	5.8- 9.4	75	4.5	3.1- 5.9	1731	87.9	85.7-90.1
\$75,000+	3414	1,293,103	254	7.3	6.1- 8.5	107	3.6	2.8- 4.4	3053	89.2	87.8-90.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5905	2,469,993	400	6.7	5.9- 7.5	234	4.8	4.0- 5.6	5271	88.4	87.2-89.6
White/Non-Hisp	4882	1,964,936	316	6.5	5.5- 7.5	201	5.2	4.4- 6.0	4365	88.3	87.1-89.5
Black or Afr. Am./Non-Hisp	342	206,413	36	10.5	6.6-14.4	16	5.6	2.5- 8.7	290	83.9	79.2-88.6
Oth. Race/Non-Hisp.	169	74,472	13	5.1	1.6- 8.6	2	0.9	0.0- 2.3	154	94.0	90.3-97.7
MultiRacial/Non-Hisp.	109	31,958	10	11.1	3.5-18.7	6	4.7	0.8- 8.6	93	84.2	76.0-92.4
Hispanic	272	139,585	14	4.8	1.7- 7.9	5	2.0	0.0- 4.4	253	93.1	89.4-96.8
18-24	385	348,847	31	8.8	5.3-12.3	43	10.1	7.0-13.2	311	81.0	76.5-85.5
25-34	591	419,401	36	6.5	4.1- 8.9	34	5.5	3.3- 7.7	521	87.9	85.0-90.8
35-44	629	409,003	41	5.3	3.3- 7.3	32	5.1	3.1- 7.1	556	89.6	86.9-92.3
45-54	938	416,015	66	7.1	5.1- 9.1	33	3.3	1.9- 4.7	839	89.6	87.2-92.0
55-64	1367	420,977	99	6.8	5.2- 8.4	30	2.3	1.3- 3.3	1238	90.9	89.1-92.7
65+	1995	455,750	127	6.2	5.0- 7.4	62	3.6	2.6- 4.6	1806	90.2	88.6-91.8
Less Than H.S.	440	318,659	42	6.8	4.1- 9.5	15	2.7	1.1- 4.3	383	90.4	87.3-93.5
H.S. or G.E.D.	1915	868,045	129	7.0	5.4- 8.6	63	4.5	3.1- 5.9	1723	88.5	86.5-90.5
Some Post-H.S.	1440	718,210	100	7.3	5.5- 9.1	65	6.0	4.4- 7.6	1275	86.7	84.5-88.9
College Graduate	2092	558,015	127	5.7	4.5- 6.9	89	4.6	3.4- 5.8	1876	89.6	88.0-91.2
Less than \$15,000	411	179,731	64	15.1	10.4-19.8	15	3.9	1.5- 6.3	332	81.0	75.9-86.1
\$15,000- 24,999	832	357,832	67	8.3	5.8-10.8	35	5.3	3.3- 7.3	730	86.4	83.5-89.3
\$25,000- 34,999	563	231,921	47	8.8	5.9-11.7	21	4.6	2.4- 6.8	495	86.6	82.9-90.3
\$35,000- 49,999	864	370,553	50	5.8	3.8- 7.8	40	5.7	3.5- 7.9	774	88.6	85.9-91.3
\$50,000- 74,999	908	378,839	44	4.5	2.7- 6.3	35	4.7	2.7- 6.7	829	90.8	88.3-93.3
\$75,000+	1765	709,249	95	4.9	3.7- 6.1	60	4.1	2.7- 5.5	1610	91.0	89.2-92.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)**

**Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7840	2,604,891	957	13.2	12.0-14.4	278	3.9	3.3- 4.5	6605	82.9	81.7-84.1
White/Non-Hisp	6619	2,107,155	786	12.7	11.5-13.9	227	3.7	3.1- 4.3	5606	83.6	82.2-85.0
Black or Afr. Am./Non-Hisp	588	230,667	83	15.9	11.4-20.4	20	4.9	2.2- 7.6	485	79.3	74.4-84.2
Oth. Race/Non-Hisp.	116	53,102	13	12.2	1.6-22.8	7	6.7	0.0-13.4	96	81.1	69.3-92.9
MultiRacial/Non-Hisp.	97	27,945	28	31.5	19.2-43.8	9	9.5	2.6-16.4	60	58.9	46.0-71.8
Hispanic	312	149,716	33	11.5	7.2-15.8	11	3.9	1.4- 6.4	268	84.6	79.7-89.5
18-24	298	333,049	47	18.0	12.9-23.1	27	7.3	4.4-10.2	224	74.7	69.2-80.2
25-34	609	417,976	73	12.2	9.3-15.1	31	4.3	2.7- 5.9	505	83.5	80.2-86.8
35-44	780	409,503	99	13.1	10.4-15.8	32	4.7	2.7- 6.7	649	82.2	79.1-85.3
45-54	1169	422,794	164	13.6	11.2-16.0	27	2.5	1.3- 3.7	978	83.9	81.4-86.4
55-64	1618	441,993	230	13.8	11.8-15.8	47	2.8	1.8- 3.8	1341	83.4	81.2-85.6
65+	3366	579,575	344	10.3	8.9-11.7	114	3.0	2.4- 3.6	2908	86.7	85.3-88.1
Less Than H.S.	619	324,348	102	15.6	11.7-19.5	21	3.8	1.8- 5.8	496	80.7	76.6-84.8
H.S. or G.E.D.	2692	855,784	329	14.0	12.0-16.0	92	4.3	3.1- 5.5	2271	81.6	79.4-83.8
Some Post-H.S.	2043	846,832	254	12.8	10.8-14.8	76	4.0	2.8- 5.2	1713	83.2	81.0-85.4
College Graduate	2472	574,894	271	11.0	9.4-12.6	89	3.3	2.5- 4.1	2112	85.7	83.9-87.5
Less than \$15,000	799	270,851	167	21.0	16.9-25.1	34	4.0	2.2- 5.8	598	75.0	70.7-79.3
\$15,000- 24,999	1383	446,204	205	17.7	14.8-20.6	63	5.3	3.5- 7.1	1115	77.0	73.7-80.3
\$25,000- 34,999	864	276,978	106	12.6	9.7-15.5	25	4.7	2.3- 7.1	733	82.7	79.0-86.4
\$35,000- 49,999	969	328,368	121	13.1	10.0-16.2	31	2.9	1.3- 4.5	817	83.9	80.6-87.2
\$50,000- 74,999	1039	358,410	97	10.8	7.9-13.7	40	4.3	2.5- 6.1	902	84.9	81.6-88.2
\$75,000+	1649	583,854	159	10.1	8.1-12.1	47	2.9	1.9- 3.9	1443	87.0	84.8-89.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13760	5,083,573	5183	28.4	27.4-29.4	8577	71.6	70.6-72.6
Male	5916	2,475,833	1792	23.8	22.4-25.2	4124	76.2	74.8-77.6
Female	7844	2,607,740	3391	32.9	31.5-34.3	4453	67.1	65.7-68.5
White/Non-Hisp	11513	4,077,779	4519	30.3	29.3-31.3	6994	69.7	68.7-70.7
Black or Afr. Am./Non-Hisp	931	438,367	340	24.9	21.6-28.2	591	75.1	71.8-78.4
Oth. Race/Non-Hisp.	284	126,516	83	18.3	13.0-23.6	201	81.7	76.4-87.0
MultiRacial/Non-Hisp.	207	60,343	76	31.7	23.9-39.5	131	68.3	60.5-76.1
Hispanic	586	291,089	75	10.4	7.7-13.1	511	89.6	86.9-92.3
18-24	686	685,713	39	5.3	3.5- 7.1	647	94.7	92.9-96.5
25-34	1201	840,107	115	9.8	7.8-11.8	1086	90.2	88.2-92.2
35-44	1409	814,494	236	17.0	14.6-19.4	1173	83.0	80.6-85.4
45-54	2116	843,161	617	30.3	27.9-32.7	1499	69.7	67.3-72.1
55-64	2993	866,513	1339	45.4	43.2-47.6	1654	54.6	52.4-56.8
65+	5355	1,033,585	2837	52.2	50.6-53.8	2518	47.8	46.2-49.4
Less Than H.S.	1065	646,546	471	32.0	28.7-35.3	594	68.0	64.7-71.3
H.S. or G.E.D.	4607	1,724,618	1936	31.4	29.8-33.0	2671	68.6	67.0-70.2
Some Post-H.S.	3491	1,567,398	1372	28.9	27.1-30.7	2119	71.1	69.3-72.9
College Graduate	4566	1,134,996	1392	21.3	19.9-22.7	3174	78.7	77.3-80.1
Less than \$15,000	1215	452,260	611	39.0	35.5-42.5	604	61.0	57.5-64.5
\$15,000- 24,999	2221	807,590	1070	36.1	33.6-38.6	1151	63.9	61.4-66.4
\$25,000- 34,999	1424	508,168	593	33.2	30.1-36.3	831	66.8	63.7-69.9
\$35,000- 49,999	1829	695,860	731	30.6	28.1-33.1	1098	69.4	66.9-71.9
\$50,000- 74,999	1948	737,382	649	24.5	22.1-26.9	1299	75.5	73.1-77.9
\$75,000+	3418	1,294,156	871	19.2	17.6-20.8	2547	80.8	79.2-82.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5916	2,475,833	1792	23.8	22.4-25.2	4124	76.2	74.8-77.6
White/Non-Hisp	4890	1,967,974	1550	25.2	23.8-26.6	3340	74.8	73.4-76.2
Black or Afr. Am./Non-Hisp	343	208,301	98	20.5	15.4-25.6	245	79.5	74.4-84.6
Oth. Race/Non-Hisp.	168	74,030	44	18.0	11.3-24.7	124	82.0	75.3-88.7
MultiRacial/Non-Hisp.	111	32,913	38	35.0	23.8-46.2	73	65.0	53.8-76.2
Hispanic	273	139,910	19	6.2	2.9- 9.5	254	93.8	90.5-97.1
18-24	387	351,753	21	6.1	3.4- 8.8	366	93.9	91.2-96.6
25-34	594	421,943	44	7.6	5.2-10.0	550	92.4	90.0-94.8
35-44	630	406,379	80	12.2	9.1-15.3	550	87.8	84.7-90.9
45-54	944	418,714	250	27.9	24.6-31.2	694	72.1	68.8-75.4
55-64	1369	422,467	532	40.1	37.0-43.2	837	59.9	56.8-63.0
65+	1992	454,577	865	43.7	41.2-46.2	1127	56.3	53.8-58.8
Less Than H.S.	444	321,687	154	26.7	22.2-31.2	290	73.3	68.8-77.8
H.S. or G.E.D.	1912	866,686	631	25.7	23.5-27.9	1281	74.3	72.1-76.5
Some Post-H.S.	1446	720,630	449	23.7	21.2-26.2	997	76.3	73.8-78.8
College Graduate	2096	559,764	552	19.3	17.3-21.3	1544	80.7	78.7-82.7
Less than \$15,000	411	178,935	168	34.0	28.3-39.7	243	66.0	60.3-71.7
\$15,000- 24,999	838	362,030	312	30.2	26.5-33.9	526	69.8	66.1-73.5
\$25,000- 34,999	562	231,847	191	27.8	23.3-32.3	371	72.2	67.7-76.7
\$35,000- 49,999	860	367,228	274	25.1	21.6-28.6	586	74.9	71.4-78.4
\$50,000- 74,999	906	377,970	271	22.8	19.5-26.1	635	77.2	73.9-80.5
\$75,000+	1770	710,256	417	17.3	15.3-19.3	1353	82.7	80.7-84.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7844	2,607,740	3391	32.9	31.5-34.3	4453	67.1	65.7-68.5
White/Non-Hisp	6623	2,109,805	2969	35.0	33.4-36.6	3654	65.0	63.4-66.6
Black or Afr. Am./Non-Hisp	588	230,066	242	28.9	24.4-33.4	346	71.1	66.6-75.6
Oth. Race/Non-Hisp.	116	52,486	39	18.6	9.6-27.6	77	81.4	72.4-90.4
MultiRacial/Non-Hisp.	96	27,430	38	27.8	17.4-38.2	58	72.2	61.8-82.6
Hispanic	313	151,179	56	14.2	9.9-18.5	257	85.8	81.5-90.1
18-24	299	333,960	18	4.5	2.1- 6.9	281	95.5	93.1-97.9
25-34	607	418,164	71	11.9	9.0-14.8	536	88.1	85.2-91.0
35-44	779	408,114	156	21.7	18.2-25.2	623	78.3	74.8-81.8
45-54	1172	424,447	367	32.5	29.4-35.6	805	67.5	64.4-70.6
55-64	1624	444,047	807	50.5	47.6-53.4	817	49.5	46.6-52.4
65+	3363	579,008	1972	58.9	56.9-60.9	1391	41.1	39.1-43.1
Less Than H.S.	621	324,859	317	37.2	32.3-42.1	304	62.8	57.9-67.7
H.S. or G.E.D.	2695	857,932	1305	37.2	34.8-39.6	1390	62.8	60.4-65.2
Some Post-H.S.	2045	846,768	923	33.4	30.9-35.9	1122	66.6	64.1-69.1
College Graduate	2470	575,232	840	23.2	21.2-25.2	1630	76.8	74.8-78.8
Less than \$15,000	804	273,325	443	42.3	37.6-47.0	361	57.7	53.0-62.4
\$15,000- 24,999	1383	445,560	758	40.9	37.4-44.4	625	59.1	55.6-62.6
\$25,000- 34,999	862	276,321	402	37.7	33.4-42.0	460	62.3	58.0-66.6
\$35,000- 49,999	969	328,632	457	36.9	32.8-41.0	512	63.1	59.0-67.2
\$50,000- 74,999	1042	359,412	378	26.3	23.2-29.4	664	73.7	70.6-76.8
\$75,000+	1648	583,900	454	21.5	19.1-23.9	1194	78.5	76.1-80.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 7: ARTHRITIS BURDEN CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	LIMITED USUAL ACTIVITIES (_LMTACT1)	
1	MALES AND FEMALES	45
2	MALES ONLY	46
3	FEMALES ONLY	47
	LIMITED WORK ACTIVITIES (_LMTWRK1)	
4	MALES AND FEMALES	48
5	MALES ONLY	49
6	FEMALES ONLY	50
	LIMITED SOCIAL ACTIVITIES (_LMTSCL1)	
7	MALES AND FEMALES	51
8	MALES ONLY	52
9	FEMALES ONLY	53

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 1: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13724	5,076,315	2597	14.7	13.9-15.5	2550	13.6	13.0-14.2	8577	71.7	70.7-72.7
Male	5902	2,471,952	870	12.0	11.0-13.0	908	11.7	10.7-12.7	4124	76.4	75.0-77.8
Female	7822	2,604,363	1727	17.3	16.3-18.3	1642	15.5	14.5-16.5	4453	67.2	65.8-68.6
White/Non-Hisp	11483	4,071,312	2216	15.4	14.6-16.2	2273	14.7	13.9-15.5	6994	69.9	68.9-70.9
Black or Afr. Am./Non-Hisp	927	437,893	189	14.1	11.6-16.6	147	10.7	8.3-13.1	591	75.2	71.9-78.5
Oth. Race/Non-Hisp.	283	126,430	47	6.8	3.9- 9.7	35	11.4	6.7-16.1	201	81.8	76.5-87.1
MultiRacial/Non-Hisp.	207	60,343	54	24.9	17.5-32.3	22	6.8	3.5-10.1	131	68.3	60.5-76.1
Hispanic	585	290,858	42	5.6	3.6- 7.6	32	4.7	2.7- 6.7	511	89.7	87.0-92.4
18-24	686	685,713	25	3.3	1.9- 4.7	14	2.0	0.8- 3.2	647	94.7	92.9-96.5
25-34	1201	840,107	60	4.7	3.3- 6.1	55	5.0	3.6- 6.4	1086	90.2	88.2-92.2
35-44	1408	813,972	135	9.7	7.9-11.5	100	7.2	5.6- 8.8	1173	83.1	80.7-85.5
45-54	2112	841,943	365	17.4	15.4-19.4	248	12.7	10.9-14.5	1499	69.8	67.4-72.2
55-64	2987	865,227	763	25.7	23.7-27.7	570	19.6	17.8-21.4	1654	54.7	52.5-56.9
65+	5330	1,029,354	1249	22.8	21.4-24.2	1563	29.2	27.6-30.8	2518	48.0	46.4-49.6
Less Than H.S.	1059	645,104	274	18.7	16.2-21.2	191	13.1	10.7-15.5	594	68.2	64.9-71.5
H.S. or G.E.D.	4598	1,722,750	1008	17.0	15.8-18.2	919	14.4	13.2-15.6	2671	68.7	67.1-70.3
Some Post-H.S.	3483	1,565,145	696	14.7	13.3-16.1	668	14.1	12.7-15.5	2119	71.2	69.4-73.0
College Graduate	4553	1,133,302	612	8.9	8.1- 9.7	767	12.2	11.2-13.2	3174	78.8	77.4-80.2
Less than \$15,000	1212	451,805	430	28.4	25.3-31.5	178	10.6	8.6-12.6	604	61.0	57.5-64.5
\$15,000- 24,999	2219	806,964	625	22.0	19.8-24.2	443	14.0	12.2-15.8	1151	64.0	61.5-66.5
\$25,000- 34,999	1422	507,758	285	16.6	14.2-19.0	306	16.5	14.1-18.9	831	66.9	63.8-70.0
\$35,000- 49,999	1822	694,284	352	15.3	13.3-17.3	372	15.2	13.2-17.2	1098	69.5	67.0-72.0
\$50,000- 74,999	1945	736,210	262	9.9	8.5-11.3	384	14.5	12.5-16.5	1299	75.6	73.2-78.0
\$75,000+	3411	1,292,786	316	6.9	5.9- 7.9	548	12.2	11.0-13.4	2547	80.9	79.3-82.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 2: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5902	2,471,952	870	12.0	11.0-13.0	908	11.7	10.7-12.7	4124	76.4	75.0-77.8
White/Non-Hisp	4876	1,964,094	729	12.5	11.3-13.7	807	12.5	11.5-13.5	3340	75.0	73.6-76.4
Black or Afr. Am./Non-Hisp	343	208,301	50	9.4	6.1-12.7	48	11.0	6.9-15.1	245	79.5	74.4-84.6
Oth. Race/Non-Hisp.	168	74,030	27	8.5	4.0-13.0	17	9.5	4.2-14.8	124	82.0	75.3-88.7
MultiRacial/Non-Hisp.	111	32,913	30	29.8	18.6-41.0	8	5.1	0.8- 9.4	73	65.0	53.8-76.2
Hispanic	273	139,910	11	3.9	1.0- 6.8	8	2.3	0.5- 4.1	254	93.8	90.5-97.1
18-24	387	351,753	12	3.6	1.4- 5.8	9	2.5	0.7- 4.3	366	93.9	91.2-96.6
25-34	594	421,943	20	2.9	1.5- 4.3	24	4.8	2.8- 6.8	550	92.4	90.0-94.8
35-44	629	405,857	47	6.8	4.6- 9.0	32	5.3	2.9- 7.7	550	87.9	84.8-91.0
45-54	941	417,823	147	15.5	12.8-18.2	100	12.3	9.8-14.8	694	72.2	68.9-75.5
55-64	1366	421,635	286	22.5	19.8-25.2	243	17.5	15.1-19.9	837	60.0	56.9-63.1
65+	1985	452,941	358	18.6	16.4-20.8	500	24.8	22.4-27.2	1127	56.5	53.8-59.2
Less Than H.S.	444	321,687	99	17.1	13.4-20.8	55	9.6	6.7-12.5	290	73.3	68.8-77.8
H.S. or G.E.D.	1908	865,309	329	13.7	11.9-15.5	298	11.9	10.3-13.5	1281	74.5	72.3-76.7
Some Post-H.S.	1441	718,933	215	11.0	9.2-12.8	229	12.5	10.5-14.5	997	76.5	74.0-79.0
College Graduate	2091	558,957	222	7.7	6.5- 8.9	325	11.5	9.9-13.1	1544	80.8	79.0-82.6
Less than \$15,000	411	178,935	129	26.6	21.3-31.9	39	7.4	4.7-10.1	243	66.0	60.3-71.7
\$15,000- 24,999	837	361,508	186	18.6	15.5-21.7	125	11.4	9.0-13.8	526	69.9	66.2-73.6
\$25,000- 34,999	561	231,599	98	13.9	10.6-17.2	92	13.8	10.1-17.5	371	72.3	67.8-76.8
\$35,000- 49,999	856	366,039	132	12.8	10.3-15.3	138	12.0	9.6-14.4	586	75.2	71.7-78.7
\$50,000- 74,999	904	377,469	107	9.0	7.0-11.0	162	13.7	11.0-16.4	635	77.3	74.0-80.6
\$75,000+	1766	709,186	135	5.4	4.2- 6.6	278	11.8	10.0-13.6	1353	82.8	80.8-84.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 3: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7822	2,604,363	1727	17.3	16.3-18.3	1642	15.5	14.5-16.5	4453	67.2	65.8-68.6
White/Non-Hisp	6607	2,107,218	1487	18.1	16.9-19.3	1466	16.8	15.8-17.8	3654	65.1	63.5-66.7
Black or Afr. Am./Non-Hisp	584	229,592	139	18.4	14.5-22.3	99	10.3	7.8-12.8	346	71.3	66.8-75.8
Oth. Race/Non-Hisp.	115	52,400	20	4.3	1.8- 6.8	18	14.2	5.6-22.8	77	81.5	72.5-90.5
MultiRacial/Non-Hisp.	96	27,430	24	19.0	9.8-28.2	14	8.8	3.5-14.1	58	72.2	61.8-82.6
Hispanic	312	150,949	31	7.2	4.3-10.1	24	6.9	3.6-10.2	257	85.9	81.6-90.2
18-24	299	333,960	13	3.1	1.1- 5.1	5	1.4	0.0- 2.8	281	95.5	93.1-97.9
25-34	607	418,164	40	6.6	4.4- 8.8	31	5.3	3.3- 7.3	536	88.1	85.2-91.0
35-44	779	408,114	88	12.6	9.7-15.5	68	9.1	6.7-11.5	623	78.3	74.8-81.8
45-54	1171	424,119	218	19.4	16.7-22.1	148	13.1	10.7-15.5	805	67.5	64.4-70.6
55-64	1621	443,592	477	28.8	26.3-31.3	327	21.6	19.1-24.1	817	49.6	46.7-52.5
65+	3345	576,413	891	26.1	24.3-27.9	1063	32.6	30.6-34.6	1391	41.3	39.3-43.3
Less Than H.S.	615	323,417	175	20.4	16.7-24.1	136	16.6	13.1-20.1	304	63.0	58.1-67.9
H.S. or G.E.D.	2690	857,441	679	20.3	18.5-22.1	621	16.9	15.3-18.5	1390	62.8	60.4-65.2
Some Post-H.S.	2042	846,212	481	17.9	15.9-19.9	439	15.4	13.6-17.2	1122	66.7	64.2-69.2
College Graduate	2462	574,345	390	10.2	9.0-11.4	442	12.9	11.3-14.5	1630	77.0	75.0-79.0
Less than \$15,000	801	272,870	301	29.6	25.5-33.7	139	12.6	9.9-15.3	361	57.8	53.1-62.5
\$15,000- 24,999	1382	445,456	439	24.8	21.9-27.7	318	16.0	13.6-18.4	625	59.1	55.6-62.6
\$25,000- 34,999	861	276,159	187	18.9	15.6-22.2	214	18.8	15.7-21.9	460	62.3	58.0-66.6
\$35,000- 49,999	966	328,245	220	18.1	15.2-21.0	234	18.7	15.8-21.6	512	63.2	59.1-67.3
\$50,000- 74,999	1041	358,741	155	10.8	8.6-13.0	222	15.4	12.9-17.9	664	73.8	70.7-76.9
\$75,000+	1645	583,600	181	8.8	7.2-10.4	270	12.7	10.7-14.7	1194	78.5	76.1-80.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 4: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13634	5,056,452	1738	11.3	10.7-11.9	3319	16.8	16.0-17.6	8577	72.0	71.0-73.0
Male	5865	2,461,692	607	9.5	8.5-10.5	1134	13.8	12.8-14.8	4124	76.7	75.3-78.1
Female	7769	2,594,760	1131	13.0	12.0-14.0	2185	19.5	18.5-20.5	4453	67.5	66.1-68.9
White/Non-Hisp	11400	4,053,304	1444	11.4	10.6-12.2	2962	18.4	17.6-19.2	6994	70.2	69.2-71.2
Black or Afr. Am./Non-Hisp	926	436,788	151	13.3	10.6-16.0	184	11.3	8.9-13.7	591	75.4	72.1-78.7
Oth. Race/Non-Hisp.	281	126,170	42	7.4	4.1-10.7	38	10.7	6.2-15.2	201	82.0	76.7-87.3
MultiRacial/Non-Hisp.	205	59,888	38	17.7	11.0-24.4	36	13.5	8.0-19.0	131	68.8	61.0-76.6
Hispanic	585	290,963	33	5.9	3.5- 8.3	41	4.4	2.8- 6.0	511	89.7	87.0-92.4
18-24	686	685,713	20	2.7	1.5- 3.9	19	2.6	1.2- 4.0	647	94.7	92.9-96.5
25-34	1201	840,107	54	4.8	3.4- 6.2	61	4.9	3.5- 6.3	1086	90.2	88.2-92.2
35-44	1405	812,277	124	9.0	7.2-10.8	108	7.7	5.9- 9.5	1173	83.3	80.9-85.7
45-54	2109	841,028	294	14.6	12.8-16.4	316	15.5	13.7-17.3	1499	69.9	67.5-72.3
55-64	2970	860,630	597	21.5	19.7-23.3	719	23.6	21.8-25.4	1654	55.0	52.8-57.2
65+	5263	1,016,696	649	12.8	11.6-14.0	2096	38.6	37.0-40.2	2518	48.6	46.8-50.4
Less Than H.S.	1049	640,966	219	16.1	13.6-18.6	236	15.3	12.9-17.7	594	68.6	65.3-71.9
H.S. or G.E.D.	4558	1,714,712	715	13.3	12.1-14.5	1172	17.7	16.5-18.9	2671	69.0	67.4-70.6
Some Post-H.S.	3458	1,559,137	476	11.6	10.4-12.8	863	16.9	15.5-18.3	2119	71.5	69.7-73.3
College Graduate	4539	1,131,692	324	5.0	4.2- 5.8	1041	16.0	14.8-17.2	3174	79.0	77.6-80.4
Less than \$15,000	1190	446,281	342	24.9	21.8-28.0	244	13.3	11.1-15.5	604	61.8	58.3-65.3
\$15,000- 24,999	2194	801,351	469	19.0	16.8-21.2	574	16.6	14.8-18.4	1151	64.4	61.9-66.9
\$25,000- 34,999	1410	505,465	189	11.4	9.4-13.4	390	21.5	18.8-24.2	831	67.2	64.1-70.3
\$35,000- 49,999	1812	692,167	210	11.4	9.4-13.4	504	18.8	16.8-20.8	1098	69.7	67.2-72.2
\$50,000- 74,999	1940	735,616	159	6.5	5.3- 7.7	482	17.9	15.9-19.9	1299	75.6	73.2-78.0
\$75,000+	3412	1,293,555	186	4.9	4.1- 5.7	679	14.2	12.8-15.6	2547	80.8	79.2-82.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 5: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5865	2,461,692	607	9.5	8.5-10.5	1134	13.8	12.8-14.8	4124	76.7	75.3-78.1
White/Non-Hisp	4845	1,955,566	492	9.6	8.6-10.6	1013	15.1	13.9-16.3	3340	75.3	73.9-76.7
Black or Afr. Am./Non-Hisp	339	206,871	48	11.3	7.6-15.0	46	8.7	5.0-12.4	245	80.1	75.0-85.2
Oth. Race/Non-Hisp.	168	74,030	28	9.1	4.2-14.0	16	8.9	4.0-13.8	124	82.0	75.3-88.7
MultiRacial/Non-Hisp.	110	32,697	21	22.3	11.9-32.7	16	12.2	4.8-19.6	73	65.5	54.1-76.9
Hispanic	273	139,910	6	2.8	0.1- 5.5	13	3.3	1.1- 5.5	254	93.8	90.5-97.1
18-24	387	351,753	11	3.3	1.3- 5.3	10	2.7	0.9- 4.5	366	93.9	91.2-96.6
25-34	594	421,943	20	3.7	1.9- 5.5	24	3.9	2.1- 5.7	550	92.4	90.0-94.8
35-44	630	406,379	42	5.9	3.7- 8.1	38	6.3	3.8- 8.8	550	87.8	84.7-90.9
45-54	940	417,082	120	13.4	10.9-15.9	126	14.2	11.5-16.9	694	72.3	69.0-75.6
55-64	1359	418,830	231	19.1	16.6-21.6	291	20.5	18.0-23.0	837	60.4	57.3-63.5
65+	1955	445,705	183	10.3	8.7-11.9	645	32.2	29.7-34.7	1127	57.4	54.7-60.1
Less Than H.S.	438	318,813	80	14.0	10.5-17.5	68	12.0	8.7-15.3	290	74.0	69.5-78.5
H.S. or G.E.D.	1899	863,032	263	12.1	10.3-13.9	355	13.3	11.7-14.9	1281	74.7	72.5-76.9
Some Post-H.S.	1430	715,241	147	8.3	6.7- 9.9	286	14.8	12.8-16.8	997	76.9	74.4-79.4
College Graduate	2081	557,610	115	4.4	3.4- 5.4	422	14.6	13.0-16.2	1544	81.0	79.2-82.8
Less than \$15,000	409	178,264	108	22.8	17.7-27.9	58	11.0	7.5-14.5	243	66.2	60.5-71.9
\$15,000- 24,999	824	357,608	144	16.1	13.2-19.0	154	13.2	10.7-15.7	526	70.7	67.0-74.4
\$25,000- 34,999	556	230,308	64	8.8	6.1-11.5	121	18.5	14.4-22.6	371	72.7	68.0-77.4
\$35,000- 49,999	848	364,082	98	11.1	8.6-13.6	164	13.3	10.8-15.8	586	75.6	72.1-79.1
\$50,000- 74,999	902	377,144	69	6.9	4.9- 8.9	198	15.7	12.8-18.6	635	77.3	74.0-80.6
\$75,000+	1765	709,791	78	3.9	2.9- 4.9	334	13.3	11.5-15.1	1353	82.8	80.8-84.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 6: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7769	2,594,760	1131	13.0	12.0-14.0	2185	19.5	18.5-20.5	4453	67.5	66.1-68.9
White/Non-Hisp	6555	2,097,738	952	13.2	12.2-14.2	1949	21.4	20.2-22.6	3654	65.4	63.8-67.0
Black or Afr. Am./Non-Hisp	587	229,917	103	15.1	11.4-18.8	138	13.7	10.8-16.6	346	71.2	66.7-75.7
Oth. Race/Non-Hisp.	113	52,140	14	4.9	0.6- 9.2	22	13.2	5.2-21.2	77	81.9	72.9-90.9
MultiRacial/Non-Hisp.	95	27,191	17	12.0	4.7-19.3	20	15.1	7.3-22.9	58	72.9	62.5-83.3
Hispanic	312	151,054	27	8.8	5.1-12.5	28	5.3	2.9- 7.7	257	85.8	81.5-90.1
18-24	299	333,960	9	2.0	0.6- 3.4	9	2.5	0.7- 4.3	281	95.5	93.1-97.9
25-34	607	418,164	34	5.9	3.7- 8.1	37	6.0	3.8- 8.2	536	88.1	85.2-91.0
35-44	775	405,898	82	12.1	9.4-14.8	70	9.2	6.8-11.6	623	78.7	75.2-82.2
45-54	1169	423,946	174	15.8	13.3-18.3	190	16.7	14.2-19.2	805	67.5	64.4-70.6
55-64	1611	441,800	366	23.7	21.2-26.2	428	26.5	24.0-29.0	817	49.8	46.9-52.7
65+	3308	570,992	466	14.7	13.1-16.3	1451	43.6	41.4-45.8	1391	41.7	39.5-43.9
Less Than H.S.	611	322,153	139	18.1	14.6-21.6	168	18.6	15.1-22.1	304	63.3	58.4-68.2
H.S. or G.E.D.	2659	851,680	452	14.6	13.0-16.2	817	22.2	20.4-24.0	1390	63.3	60.9-65.7
Some Post-H.S.	2028	843,896	329	14.4	12.6-16.2	577	18.7	16.7-20.7	1122	66.9	64.4-69.4
College Graduate	2458	574,082	209	5.6	4.6- 6.6	619	17.4	15.6-19.2	1630	77.0	75.0-79.0
Less than \$15,000	781	268,017	234	26.3	22.4-30.2	186	14.9	12.2-17.6	361	58.8	54.1-63.5
\$15,000- 24,999	1370	443,743	325	21.3	18.6-24.0	420	19.3	16.9-21.7	625	59.4	55.9-62.9
\$25,000- 34,999	854	275,156	125	13.5	10.6-16.4	269	23.9	20.4-27.4	460	62.6	58.3-66.9
\$35,000- 49,999	964	328,084	112	11.8	9.1-14.5	340	25.0	21.7-28.3	512	63.2	59.1-67.3
\$50,000- 74,999	1038	358,472	90	6.0	4.4- 7.6	284	20.2	17.3-23.1	664	73.9	70.8-77.0
\$75,000+	1647	583,764	108	6.2	4.8- 7.6	345	15.4	13.4-17.4	1194	78.5	76.1-80.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 7: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13729	5,075,222	1070	6.4	6.0- 6.8	1417	8.0	7.4- 8.6	2665	13.9	13.3-14.5	8577	71.7	70.7-72.7
Male	5904	2,471,956	335	4.8	4.2- 5.4	439	6.1	5.3- 6.9	1006	12.7	11.7-13.7	4124	76.4	75.0-77.8
Female	7825	2,603,266	735	7.9	7.1- 8.7	978	9.7	8.9-10.5	1659	15.1	14.1-16.1	4453	67.3	65.9-68.7
White/Non-Hisp	11492	4,072,733	861	6.4	5.8- 7.0	1238	8.5	7.9- 9.1	2399	15.3	14.5-16.1	6994	69.8	68.8-70.8
Black or Afr. Am./Non-Hisp	926	436,014	99	7.1	5.3- 8.9	99	7.6	5.4- 9.8	137	9.8	7.6-12.0	591	75.5	72.2-78.8
Oth. Race/Non-Hisp.	282	126,042	33	4.2	2.0- 6.4	16	5.2	1.9- 8.5	32	8.6	4.7-12.5	201	82.0	76.7-87.3
MultiRacial/Non-Hisp.	205	59,952	26	12.0	6.5-17.5	22	9.6	4.1-15.1	26	9.7	5.4-14.0	131	68.7	60.9-76.5
Hispanic	586	291,089	19	3.0	1.4- 4.6	26	3.6	2.0- 5.2	30	3.8	2.0- 5.6	511	89.6	86.9-92.3
18-24	686	685,713	6	0.8	0.0- 1.6	26	3.3	1.9- 4.7	7	1.1	0.1- 2.1	647	94.7	92.9-96.5
25-34	1201	840,107	19	1.3	0.7- 1.9	44	3.9	2.7- 5.1	52	4.7	3.3- 6.1	1086	90.2	88.2-92.2
35-44	1407	812,626	69	5.3	3.9- 6.7	69	5.1	3.7- 6.5	96	6.4	5.0- 7.8	1173	83.2	80.8-85.6
45-54	2112	842,250	195	9.9	8.3-11.5	164	7.4	6.0- 8.8	254	12.8	11.0-14.6	1499	69.8	67.4-72.2
55-64	2987	864,604	354	11.9	10.5-13.3	360	12.3	10.9-13.7	619	21.0	19.2-22.8	1654	54.7	52.5-56.9
65+	5336	1,029,923	427	7.6	6.8- 8.4	754	13.5	12.3-14.7	1637	31.0	29.4-32.6	2518	47.9	46.3-49.5
Less Than H.S.	1062	645,643	169	11.8	9.6-14.0	126	8.2	6.4-10.0	173	12.0	9.8-14.2	594	68.1	64.8-71.4
H.S. or G.E.D.	4592	1,720,992	448	7.2	6.4- 8.0	556	9.0	8.0-10.0	917	15.0	13.8-16.2	2671	68.7	67.1-70.3
Some Post-H.S.	3482	1,564,107	289	6.2	5.4- 7.0	394	8.7	7.5- 9.9	680	13.8	12.6-15.0	2119	71.2	69.4-73.0
College Graduate	4562	1,134,466	159	2.2	1.8- 2.6	338	5.3	4.5- 6.1	891	13.7	12.5-14.9	3174	78.8	77.4-80.2
Less than \$15,000	1209	450,925	291	19.9	17.0-22.8	159	9.7	7.7-11.7	155	9.3	7.3-11.3	604	61.1	57.6-64.6
\$15,000- 24,999	2211	805,196	286	10.6	9.0-12.2	344	12.2	10.6-13.8	430	13.1	11.5-14.7	1151	64.1	61.6-66.6
\$25,000- 34,999	1417	506,624	111	6.6	5.0- 8.2	177	9.7	7.9-11.5	298	16.6	14.2-19.0	831	67.0	63.9-70.1
\$35,000- 49,999	1829	695,860	102	4.8	3.6- 6.0	216	9.7	8.1-11.3	413	16.2	14.2-18.2	1098	69.4	66.9-71.9
\$50,000- 74,999	1948	737,382	64	2.8	2.0- 3.6	179	6.7	5.3- 8.1	406	15.1	13.3-16.9	1299	75.5	73.1-77.9
\$75,000+	3416	1,293,840	83	2.0	1.4- 2.6	182	4.4	3.6- 5.2	604	12.9	11.7-14.1	2547	80.8	79.2-82.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 8: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5904	2,471,956	335	4.8	4.2- 5.4	439	6.1	5.3- 6.9	1006	12.7	11.7-13.7	4124	76.4	75.0-77.8
White/Non-Hisp	4884	1,965,465	262	4.7	3.9- 5.5	378	6.5	5.7- 7.3	904	13.8	12.6-15.0	3340	74.9	73.5-76.3
Black or Afr. Am./Non-Hisp	341	207,742	28	5.1	2.7- 7.5	27	6.0	2.5- 9.5	41	9.2	5.9-12.5	245	79.7	74.6-84.8
Oth. Race/Non-Hisp.	167	73,700	21	5.2	1.9- 8.5	7	4.0	0.5- 7.5	15	8.4	3.5-13.3	124	82.4	75.7-89.1
MultiRacial/Non-Hisp.	109	32,522	8	9.9	2.5-17.3	15	13.9	4.5-23.3	13	10.4	4.1-16.7	73	65.8	54.4-77.2
Hispanic	273	139,910	5	2.5	0.0- 5.0	5	1.1	0.0- 2.3	9	2.6	0.6- 4.6	254	93.8	90.5-97.1
18-24	387	351,753	4	1.3	0.0- 2.7	11	2.8	1.0- 4.6	6	2.0	0.2- 3.8	366	93.9	91.2-96.6
25-34	594	421,943	3	0.3	0.0- 0.7	16	2.6	1.2- 4.0	25	4.7	2.7- 6.7	550	92.4	90.0-94.8
35-44	629	405,839	22	2.8	1.2- 4.4	19	3.7	1.7- 5.7	38	5.5	3.5- 7.5	550	87.9	84.8-91.0
45-54	941	417,993	79	8.9	6.7-11.1	62	6.1	4.3- 7.9	106	12.7	10.2-15.2	694	72.2	68.9-75.5
55-64	1366	421,378	123	9.5	7.5-11.5	136	10.7	8.7-12.7	270	19.7	17.2-22.2	837	60.1	57.0-63.2
65+	1987	453,050	104	5.2	4.0- 6.4	195	9.8	8.2-11.4	561	28.5	26.1-30.9	1127	56.5	53.8-59.2
Less Than H.S.	444	321,687	59	10.5	7.4-13.6	34	5.8	3.6- 8.0	61	10.5	7.4-13.6	290	73.3	68.8-77.8
H.S. or G.E.D.	1905	864,354	138	5.5	4.3- 6.7	159	6.4	5.2- 7.6	327	13.6	11.8-15.4	1281	74.5	72.3-76.7
Some Post-H.S.	1442	719,172	78	3.6	2.6- 4.6	130	7.3	5.7- 8.9	237	12.6	10.8-14.4	997	76.5	74.0-79.0
College Graduate	2095	559,677	57	1.9	1.3- 2.5	115	4.4	3.4- 5.4	379	13.0	11.4-14.6	1544	80.7	78.7-82.7
Less than \$15,000	409	178,249	87	18.5	13.8-23.2	43	7.6	4.9-10.3	36	7.6	4.7-10.5	243	66.2	60.5-71.9
\$15,000- 24,999	834	360,551	95	9.6	7.2-12.0	85	8.9	6.7-11.1	128	11.4	9.0-13.8	526	70.1	66.4-73.8
\$25,000- 34,999	558	230,823	32	4.2	2.4- 6.0	57	8.2	5.7-10.7	98	15.1	11.2-19.0	371	72.5	67.8-77.2
\$35,000- 49,999	860	367,228	36	4.1	2.3- 5.9	74	7.3	5.3- 9.3	164	13.7	11.2-16.2	586	74.9	71.4-78.4
\$50,000- 74,999	906	377,970	24	2.2	1.2- 3.2	74	6.6	4.4- 8.8	173	14.0	11.5-16.5	635	77.2	73.9-80.5
\$75,000+	1770	710,256	31	1.2	0.6- 1.8	73	3.2	2.2- 4.2	313	12.9	11.1-14.7	1353	82.7	80.7-84.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 9: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7825	2,603,266	735	7.9	7.1- 8.7	978	9.7	8.9-10.5	1659	15.1	14.1-16.1	4453	67.3	65.9-68.7
White/Non-Hisp	6608	2,107,269	599	8.0	7.2- 8.8	860	10.3	9.3-11.3	1495	16.6	15.6-17.6	3654	65.1	63.5-66.7
Black or Afr. Am./Non-Hisp	585	228,272	71	9.0	6.3-11.7	72	8.9	6.2-11.6	96	10.4	7.9-12.9	346	71.7	67.2-76.2
Oth. Race/Non-Hisp.	115	52,342	12	2.7	0.5- 4.9	9	6.8	0.3-13.3	17	9.0	2.7-15.3	77	81.6	72.6-90.6
MultiRacial/Non-Hisp.	96	27,430	18	14.5	6.5-22.5	7	4.5	0.8- 8.2	13	8.8	3.1-14.5	58	72.2	61.8-82.6
Hispanic	313	151,179	14	3.4	1.4- 5.4	21	5.8	3.1- 8.5	21	5.0	2.1- 7.9	257	85.8	81.5-90.1
18-24	299	333,960	2	0.3	0.0- 0.7	15	4.0	1.8- 6.2	1	0.2	0.0- 0.6	281	95.5	93.1-97.9
25-34	607	418,164	16	2.2	1.0- 3.4	28	5.1	3.1- 7.1	27	4.6	2.6- 6.6	536	88.1	85.2-91.0
35-44	778	406,787	47	7.7	5.3-10.1	50	6.5	4.5- 8.5	58	7.3	5.3- 9.3	623	78.5	75.2-81.8
45-54	1171	424,256	116	10.9	8.7-13.1	102	8.7	6.9-10.5	148	12.9	10.5-15.3	805	67.5	64.4-70.6
55-64	1621	443,226	231	14.2	12.0-16.4	224	13.9	11.7-16.1	349	22.2	19.7-24.7	817	49.6	46.7-52.5
65+	3349	576,873	323	9.5	8.3-10.7	559	16.4	14.8-18.0	1076	32.9	30.9-34.9	1391	41.2	39.2-43.2
Less Than H.S.	618	323,956	110	13.0	10.1-15.9	92	10.5	7.8-13.2	112	13.5	10.4-16.6	304	62.9	58.0-67.8
H.S. or G.E.D.	2687	856,637	310	9.1	7.9-10.3	397	11.6	10.2-13.0	590	16.4	14.8-18.0	1390	62.9	60.5-65.3
Some Post-H.S.	2040	844,935	211	8.4	7.0- 9.8	264	9.9	8.3-11.5	443	14.9	13.1-16.7	1122	66.8	64.3-69.3
College Graduate	2467	574,789	102	2.5	1.9- 3.1	223	6.3	5.3- 7.3	512	14.3	12.7-15.9	1630	76.9	74.9-78.9
Less than \$15,000	800	272,676	204	20.7	17.2-24.2	116	11.0	8.5-13.5	119	10.4	7.9-12.9	361	57.8	53.1-62.5
\$15,000- 24,999	1377	444,645	191	11.4	9.2-13.6	259	15.0	12.6-17.4	302	14.4	12.2-16.6	625	59.2	55.7-62.7
\$25,000- 34,999	859	275,801	79	8.6	6.2-11.0	120	11.0	8.5-13.5	200	17.9	14.8-21.0	460	62.4	58.1-66.7
\$35,000- 49,999	969	328,632	66	5.5	3.7- 7.3	142	12.5	9.8-15.2	249	18.9	16.0-21.8	512	63.1	59.0-67.2
\$50,000- 74,999	1042	359,412	40	3.4	2.2- 4.6	105	6.8	5.0- 8.6	233	16.2	13.7-18.7	664	73.7	70.6-76.8
\$75,000+	1646	583,584	52	2.9	1.9- 3.9	109	5.8	4.4- 7.2	291	12.8	11.0-14.6	1194	78.5	76.1-80.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	57
2 MALES ONLY	58
3 FEMALES ONLY	59
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	60
5 MALES ONLY	61
6 FEMALES ONLY	62
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	63
8 MALES ONLY	64
9 FEMALES ONLY	65
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	66
11 MALES ONLY	67
12 FEMALES ONLY	68
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	69
14 MALES ONLY	70
15 FEMALES ONLY	71
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	72
17 MALES ONLY	73
18 FEMALES ONLY	74

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	75
20 MALES ONLY	76
21 FEMALES ONLY	77
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	78
23 MALES ONLY	79
24 FEMALES ONLY	80
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	81
26 MALES ONLY	82
27 FEMALES ONLY	83
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	84
29 MALES ONLY	85
30 FEMALES ONLY	86
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	87
32 MALES ONLY	88
33 FEMALES ONLY	89
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	90
35 MALES ONLY	91
36 FEMALES ONLY	92
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	93
38 MALES ONLY	94
39 FEMALES ONLY	95

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
40	MALES AND FEMALES	96
41	MALES ONLY	97
42	FEMALES ONLY	98
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
43	MALES AND FEMALES	99
44	MALES ONLY	100
45	FEMALES ONLY	101
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) .	
46	MALES AND FEMALES	102
47	MALES ONLY	103
48	FEMALES ONLY	104

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13509	4,973,872	12127	87.2	86.4-88.0	987	9.3	8.5-10.1	198	1.2	1.0- 1.4	152	1.9	1.5- 2.3	19	0.2	0.0- 0.4	26	0.2	0.2- 0.2
Male	5773	2,413,073	5172	86.8	85.6-88.0	370	9.1	7.9-10.3	119	1.6	1.2- 2.0	88	2.2	1.6- 2.8	8	0.1	0.0- 0.3	16	0.2	0.0- 0.4
Female	7736	2,560,799	6955	87.6	86.4-88.8	617	9.4	8.4-10.4	79	0.9	0.5- 1.3	64	1.7	1.1- 2.3	11	0.3	0.1- 0.5	10	0.2	0.0- 0.4
18-24	668	670,224	536	80.6	77.3-83.9	69	11.0	8.3-13.7	14	1.4	0.4- 2.4	39	5.9	3.9- 7.9	6	0.8	0.0- 1.6	4	0.4	0.0- 0.8
25-34	1162	816,967	972	84.2	81.8-86.6	114	11.4	9.2-13.6	27	1.3	0.7- 1.9	37	2.6	1.8- 3.4	2	0.1	0.1- 0.1	10	0.5	0.1- 0.9
35-44	1372	797,813	1176	84.8	82.4-87.2	134	11.6	9.4-13.8	28	1.6	0.8- 2.4	27	1.7	0.9- 2.5	5	0.3	0.1- 0.5	2	0.0	0.0- 0.0
45-54	2056	818,099	1819	88.3	86.5-90.1	167	9.2	7.6-10.8	42	1.2	0.6- 1.8	23	1.1	0.5- 1.7	1	0.1	0.0- 0.3	4	0.1	0.1- 0.1
55-64	2939	847,730	2649	89.6	88.2-91.0	226	8.0	6.8- 9.2	43	1.3	0.7- 1.9	15	0.9	0.3- 1.5	2	0.1	0.0- 0.3	4	0.1	0.1- 0.1
65+	5312	1,023,040	4975	93.1	92.1-94.1	277	5.7	4.9- 6.5	44	0.7	0.3- 1.1	11	0.4	0.2- 0.6	3	0.0	0.0- 0.0	2	0.0	0.0- 0.0
Less Than H.S.	995	606,715	841	85.2	82.3-88.1	105	10.9	8.2-13.6	40	2.3	1.3- 3.3	5	1.2	0.0- 2.4	4	0.3	0.0- 0.7			
H.S. or G.E.D.	4536	1,692,723	4075	87.3	85.9-88.7	350	10.1	8.9-11.3	75	1.3	0.9- 1.7	22	1.0	0.6- 1.4	5	0.2	0.0- 0.4	9	0.2	0.0- 0.4
Some Post-H.S.	3435	1,542,292	3059	86.9	85.3-88.5	297	10.1	8.7-11.5	39	0.9	0.5- 1.3	29	1.7	1.1- 2.3	4	0.2	0.0- 0.4	7	0.2	0.0- 0.4
College Graduate	4515	1,122,990	4126	88.6	87.2-90.0	234	6.2	5.2- 7.2	43	0.9	0.5- 1.3	96	3.9	3.1- 4.7	6	0.1	0.0- 0.3	10	0.2	0.0- 0.4
Less than \$15,000	1184	437,941	956	76.3	72.8-79.8	178	18.5	15.2-21.8	27	1.4	0.6- 2.2	16	2.9	1.3- 4.5	4	0.6	0.0- 1.4	3	0.3	0.0- 0.7
\$15,000- 24,999	2159	775,067	1836	81.9	79.5-84.3	230	13.7	11.5-15.9	62	1.9	1.1- 2.7	21	1.9	1.1- 2.7	5	0.4	0.0- 1.0	5	0.2	0.0- 0.4
\$25,000- 34,999	1401	499,026	1243	86.8	84.3-89.3	120	10.6	8.2-13.0	20	0.8	0.4- 1.2	12	1.6	0.6- 2.6	1	0.1	0.0- 0.3	5	0.2	0.0- 0.4
\$35,000- 49,999	1806	687,492	1651	87.2	84.8-89.6	122	9.8	7.6-12.0	18	1.3	0.5- 2.1	14	1.7	0.7- 2.7				1	0.0	0.0- 0.0
\$50,000- 74,999	1929	730,193	1778	90.7	88.7-92.7	104	6.2	4.6- 7.8	17	0.9	0.1- 1.7	23	1.8	0.8- 2.8				7	0.3	0.0- 0.7
\$75,000+	3383	1,277,089	3176	92.7	91.5-93.9	121	4.3	3.3- 5.3	29	0.8	0.4- 1.2	49	1.9	1.3- 2.5	5	0.2	0.0- 0.4	3	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5773	2,413,073	5172	86.8	85.6-88.0	370	9.1	7.9-10.3	119	1.6	1.2- 2.0	88	2.2	1.6- 2.8	8	0.1	0.0- 0.3	16	0.2	0.0- 0.4
18-24	377	343,093	309	82.2	77.7-86.7	33	10.1	6.2-14.0	9	1.5	0.3- 2.7	23	5.9	3.4- 8.4	2	0.2	0.0- 0.4	1	0.2	0.0- 0.6
25-34	572	410,007	470	84.1	80.8-87.4	51	10.7	7.6-13.8	17	1.4	0.6- 2.2	25	3.2	1.8- 4.6	2	0.1	0.0- 0.3	7	0.6	0.2- 1.0
35-44	614	398,754	524	83.0	79.3-86.7	55	12.3	9.0-15.6	18	2.4	1.0- 3.8	14	2.0	0.8- 3.2	2	0.3	0.0- 0.7	1	0.1	0.0- 0.3
45-54	906	400,630	808	88.4	85.7-91.1	55	8.3	5.9-10.7	29	1.8	0.8- 2.8	11	1.2	0.4- 2.0	1	0.1	0.0- 0.3	2	0.1	0.0- 0.3
55-64	1338	413,359	1205	88.2	85.8-90.6	91	8.6	6.6-10.6	30	2.1	1.1- 3.1	9	1.0	0.2- 1.8				3	0.1	0.0- 0.3
65+	1966	447,230	1856	93.3	91.7-94.9	85	5.5	4.1- 6.9	16	0.6	0.2- 1.0	6	0.5	0.1- 0.9	1	0.0	0.0- 0.0	2	0.1	0.0- 0.3
Less Than H.S.	406	300,609	342	84.5	79.8-89.2	38	11.8	7.5-16.1	25	3.4	1.4- 5.4				1	0.3	0.0- 0.9			
H.S. or G.E.D.	1874	846,635	1656	86.4	84.2-88.6	148	10.3	8.5-12.1	47	1.7	1.1- 2.3	15	1.4	0.6- 2.2	1	0.0	0.0- 0.0	7	0.2	0.0- 0.4
Some Post-H.S.	1415	705,989	1269	87.6	85.2-90.0	99	9.2	7.0-11.4	28	1.3	0.7- 1.9	12	1.5	0.5- 2.5	3	0.2	0.0- 0.4	4	0.2	0.0- 0.4
College Graduate	2062	553,354	1891	87.3	85.1-89.5	84	6.0	4.4- 7.6	18	0.9	0.3- 1.5	61	5.4	4.0- 6.8	3	0.1	0.0- 0.3	5	0.2	0.0- 0.4
Less than \$15,000	401	173,567	315	75.8	70.3-81.3	61	18.8	13.7-23.9	15	1.7	0.5- 2.9	8	3.4	1.0- 5.8				2	0.3	0.0- 0.7
\$15,000- 24,999	794	338,639	664	81.3	77.6-85.0	77	13.2	9.9-16.5	35	2.9	1.3- 4.5	12	2.2	0.8- 3.6	2	0.1	0.0- 0.3	4	0.3	0.0- 0.7
\$25,000- 34,999	549	225,517	489	86.9	83.0-90.8	39	9.8	6.3-13.3	9	1.0	0.2- 1.8	7	1.9	0.5- 3.3	1	0.1	0.0- 0.3	4	0.3	0.0- 0.7
\$35,000- 49,999	846	363,105	765	85.8	82.1-89.5	57	10.4	7.1-13.7	14	1.8	0.6- 3.0	9	1.9	0.5- 3.3				1	0.1	0.0- 0.3
\$50,000- 74,999	894	374,019	830	91.2	88.7-93.7	39	5.8	3.4- 8.2	9	0.8	0.0- 1.6	14	1.8	0.8- 2.8				2	0.3	0.0- 0.7
\$75,000+	1749	701,717	1637	92.0	90.2-93.8	56	4.4	3.0- 5.8	20	0.9	0.3- 1.5	30	2.3	1.3- 3.3	4	0.3	0.0- 0.7	2	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7736	2,560,799	6955	87.6	86.4-88.8	617	9.4	8.4-10.4	79	0.9	0.5- 1.3	64	1.7	1.1- 2.3	11	0.3	0.1- 0.5	10	0.2	0.0- 0.4
18-24	291	327,131	227	78.9	73.6-84.2	36	11.9	7.8-16.0	5	1.3	0.0- 2.7	16	6.0	3.1- 8.9	4	1.4	0.0- 3.0	3	0.6	0.0- 1.2
25-34	590	406,959	502	84.3	81.0-87.6	63	12.2	9.1-15.3	10	1.2	0.2- 2.2	12	1.9	0.7- 3.1				3	0.4	0.0- 0.8
35-44	758	399,059	652	86.5	83.6-89.4	79	11.0	8.3-13.7	10	0.8	0.2- 1.4	13	1.4	0.6- 2.2	3	0.3	0.0- 0.7	1	0.0	0.0- 0.0
45-54	1150	417,469	1011	88.1	85.9-90.3	112	10.1	7.9-12.3	13	0.7	0.1- 1.3	12	1.0	0.2- 1.8				2	0.1	0.0- 0.3
55-64	1601	434,371	1444	90.9	89.1-92.7	135	7.5	5.9- 9.1	13	0.5	0.1- 0.9	6	0.9	0.1- 1.7	2	0.2	0.0- 0.4	1	0.0	0.0- 0.0
65+	3346	575,810	3119	92.9	91.7-94.1	192	5.9	4.9- 6.9	28	0.8	0.4- 1.2	5	0.3	0.1- 0.5	2	0.1	0.1- 0.1			
Less Than H.S.	589	306,106	499	86.0	82.1-89.9	67	10.1	7.0-13.2	15	1.3	0.3- 2.3	5	2.3	0.0- 4.7	3	0.3	0.0- 0.7			
H.S. or G.E.D.	2662	846,088	2419	88.1	86.1-90.1	202	9.8	8.0-11.6	28	0.9	0.3- 1.5	7	0.7	0.1- 1.3	4	0.4	0.0- 1.0	2	0.1	0.0- 0.3
Some Post-H.S.	2020	836,303	1790	86.3	84.1-88.5	198	10.9	8.9-12.9	11	0.6	0.0- 1.2	17	1.9	0.9- 2.9	1	0.2	0.0- 0.6	3	0.2	0.0- 0.4
College Graduate	2453	569,636	2235	89.8	88.2-91.4	150	6.4	5.0- 7.8	25	0.9	0.3- 1.5	35	2.5	1.5- 3.5	3	0.2	0.0- 0.4	5	0.2	0.0- 0.6
Less than \$15,000	783	264,374	641	76.7	72.0-81.4	117	18.3	14.2-22.4	12	1.1	0.1- 2.1	8	2.6	0.4- 4.8	4	0.9	0.0- 2.1	1	0.3	0.0- 0.9
\$15,000- 24,999	1365	436,428	1172	82.4	79.3-85.5	153	14.0	11.3-16.7	27	1.2	0.6- 1.8	9	1.6	0.4- 2.8	3	0.7	0.0- 1.7	1	0.1	0.0- 0.3
\$25,000- 34,999	852	273,509	754	86.7	83.6-89.8	81	11.2	8.3-14.1	11	0.8	0.2- 1.4	5	1.3	0.1- 2.5				1	0.1	0.0- 0.3
\$35,000- 49,999	960	324,387	886	88.8	85.7-91.9	65	9.1	6.4-11.8	4	0.8	0.0- 1.8	5	1.3	0.1- 2.5						
\$50,000- 74,999	1035	356,174	948	90.2	87.3-93.1	65	6.7	4.3- 9.1	8	0.9	0.0- 2.1	9	1.8	0.2- 3.4				5	0.4	0.0- 0.8
\$75,000+	1634	575,372	1539	93.5	91.9-95.1	65	4.3	2.9- 5.7	9	0.6	0.0- 1.2	19	1.4	0.6- 2.2	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13509	4,973,872	11987	86.4	85.6-87.2	959	9.1	8.3- 9.9	177	1.1	0.9- 1.3	148	1.9	1.5- 2.3	16	0.2	0.0- 0.4	222	1.4	1.2- 1.6
Male	5773	2,413,073	5095	85.8	84.6-87.0	359	9.0	7.8-10.2	107	1.5	1.1- 1.9	86	2.2	1.6- 2.8	6	0.1	0.0- 0.3	120	1.5	1.1- 1.9
Female	7736	2,560,799	6892	86.9	85.7-88.1	600	9.2	8.2-10.2	70	0.7	0.5- 0.9	62	1.6	1.2- 2.0	10	0.3	0.1- 0.5	102	1.2	0.8- 1.6
18-24	668	670,224	521	79.4	75.9-82.9	64	10.6	7.9-13.3	13	1.4	0.4- 2.4	38	5.8	3.8- 7.8	6	0.8	0.0- 1.6	26	2.1	1.1- 3.1
25-34	1162	816,967	950	83.3	80.9-85.7	110	11.3	9.1-13.5	23	1.0	0.4- 1.6	37	2.6	1.8- 3.4	1	0.0	0.0- 0.0	41	1.9	1.1- 2.7
35-44	1372	797,813	1159	84.0	81.6-86.4	129	11.4	9.2-13.6	23	1.3	0.5- 2.1	27	1.7	0.9- 2.5	4	0.3	0.1- 0.5	30	1.3	0.7- 1.9
45-54	2056	818,099	1791	87.2	85.4-89.0	164	9.1	7.5-10.7	37	1.1	0.5- 1.7	21	1.1	0.5- 1.7	1	0.1	0.0- 0.3	42	1.4	0.8- 2.0
55-64	2939	847,730	2626	88.8	87.2-90.4	221	8.0	6.8- 9.2	40	1.2	0.6- 1.8	15	0.9	0.3- 1.5	2	0.1	0.0- 0.3	35	1.0	0.6- 1.4
65+	5312	1,023,040	4940	92.5	91.5-93.5	271	5.6	4.8- 6.4	41	0.7	0.3- 1.1	10	0.3	0.1- 0.5	2	0.0	0.0- 0.0	48	0.8	0.6- 1.0
Less Than H.S.	995	606,715	824	83.5	80.4-86.6	101	10.6	7.9-13.3	37	2.1	1.1- 3.1	5	1.2	0.0- 2.4	4	0.3	0.0- 0.7	24	2.3	1.1- 3.5
H.S. or G.E.D.	4536	1,692,723	4031	86.5	85.1-87.9	343	9.9	8.7-11.1	65	1.0	0.6- 1.4	20	0.9	0.5- 1.3	5	0.2	0.0- 0.4	72	1.4	1.0- 1.8
Some Post-H.S.	3435	1,542,292	3017	86.1	84.5-87.7	290	10.0	8.6-11.4	34	0.9	0.5- 1.3	28	1.7	1.1- 2.3	4	0.2	0.0- 0.4	62	1.2	0.8- 1.6
College Graduate	4515	1,122,990	4089	88.0	86.6-89.4	224	6.0	5.0- 7.0	40	0.8	0.4- 1.2	95	3.9	3.1- 4.7	3	0.1	0.0- 0.3	64	1.1	0.7- 1.5
Less than \$15,000	1184	437,941	946	75.4	71.9-78.9	174	18.2	14.9-21.5	23	1.0	0.4- 1.6	16	2.9	1.3- 4.5	4	0.6	0.0- 1.4	21	1.8	0.8- 2.8
\$15,000- 24,999	2159	775,067	1805	80.8	78.4-83.2	224	13.3	11.1-15.5	57	1.8	1.0- 2.6	20	1.7	0.9- 2.5	4	0.4	0.0- 1.0	49	1.9	1.1- 2.7
\$25,000- 34,999	1401	499,026	1227	86.1	83.6-88.6	118	10.5	8.1-12.9	16	0.6	0.2- 1.0	12	1.6	0.6- 2.6	1	0.1	0.0- 0.3	27	1.2	0.6- 1.8
\$35,000- 49,999	1806	687,492	1626	86.2	83.7-88.7	121	9.8	7.6-12.0	15	0.9	0.3- 1.5	14	1.7	0.7- 2.7				30	1.4	0.6- 2.2
\$50,000- 74,999	1929	730,193	1761	90.2	88.2-92.2	100	6.0	4.4- 7.6	16	0.8	0.0- 1.6	23	1.8	0.8- 2.8				29	1.1	0.5- 1.7
\$75,000+	3383	1,277,089	3156	92.2	91.0-93.4	115	4.2	3.2- 5.2	26	0.7	0.3- 1.1	47	1.9	1.3- 2.5	4	0.2	0.0- 0.4	35	0.8	0.4- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5773	2,413,073	5095	85.8	84.6-87.0	359	9.0	7.8-10.2	107	1.5	1.1- 1.9	86	2.2	1.6- 2.8	6	0.1	0.0- 0.3	120	1.5	1.1- 1.9
18-24	377	343,093	302	81.5	77.0-86.0	32	10.0	6.1-13.9	8	1.4	0.2- 2.6	23	5.9	3.4- 8.4	2	0.2	0.0- 0.4	10	1.0	0.2- 1.8
25-34	572	410,007	459	83.1	79.8-86.4	49	10.5	7.4-13.6	14	1.1	0.3- 1.9	25	3.2	1.8- 4.6	1	0.1	0.0- 0.3	24	2.0	1.2- 2.8
35-44	614	398,754	514	82.3	78.6-86.0	54	12.1	8.8-15.4	15	2.0	0.6- 3.4	14	2.0	0.8- 3.2	1	0.2	0.0- 0.6	16	1.3	0.5- 2.1
45-54	906	400,630	786	86.5	83.8-89.2	54	8.2	5.8-10.6	26	1.6	0.8- 2.4	10	1.2	0.4- 2.0	1	0.1	0.0- 0.3	29	2.3	1.3- 3.3
55-64	1338	413,359	1194	87.0	84.6-89.4	87	8.4	6.4-10.4	29	2.1	1.1- 3.1	9	1.0	0.2- 1.8				19	1.4	0.6- 2.2
65+	1966	447,230	1840	92.6	91.0-94.2	83	5.4	4.0- 6.8	15	0.5	0.1- 0.9	5	0.4	0.0- 0.8	1	0.0	0.0- 0.0	22	1.0	0.6- 1.4
Less Than H.S.	406	300,609	333	82.4	77.5-87.3	38	11.8	7.5-16.1	24	3.3	1.3- 5.3				1	0.3	0.0- 0.9	10	2.1	0.7- 3.5
H.S. or G.E.D.	1874	846,635	1632	85.6	83.4-87.8	143	10.0	8.2-11.8	42	1.5	0.9- 2.1	14	1.3	0.5- 2.1	1	0.0	0.0- 0.0	42	1.5	0.9- 2.1
Some Post-H.S.	1415	705,989	1247	86.7	84.3-89.1	97	9.1	6.9-11.3	24	1.2	0.6- 1.8	12	1.5	0.5- 2.5	3	0.2	0.0- 0.4	32	1.3	0.7- 1.9
College Graduate	2062	553,354	1869	86.5	84.3-88.7	80	5.9	4.3- 7.5	16	0.8	0.2- 1.4	60	5.4	4.0- 6.8	1	0.0	0.0- 0.0	36	1.5	0.9- 2.1
Less than \$15,000	401	173,567	310	74.3	68.6-80.0	59	18.6	13.5-23.7	13	1.6	0.4- 2.8	8	3.4	1.0- 5.8				11	2.2	0.6- 3.8
\$15,000- 24,999	794	338,639	652	79.9	76.0-83.8	75	13.1	9.8-16.4	32	2.8	1.2- 4.4	12	2.2	0.8- 3.6	1	0.1	0.0- 0.3	22	1.9	0.9- 2.9
\$25,000- 34,999	549	225,517	479	85.9	82.0-89.8	39	9.8	6.3-13.3	8	0.7	0.1- 1.3	7	1.9	0.5- 3.3	1	0.1	0.0- 0.3	15	1.5	0.5- 2.5
\$35,000- 49,999	846	363,105	753	84.6	80.9-88.3	57	10.4	7.1-13.7	12	1.5	0.3- 2.7	9	1.9	0.5- 3.3				15	1.5	0.7- 2.3
\$50,000- 74,999	894	374,019	817	90.6	87.9-93.3	37	5.6	3.2- 8.0	8	0.7	0.0- 1.5	14	1.8	0.8- 2.8				18	1.3	0.5- 2.1
\$75,000+	1749	701,717	1622	91.3	89.5-93.1	53	4.3	2.9- 5.7	18	0.8	0.2- 1.4	29	2.3	1.3- 3.3	3	0.3	0.0- 0.7	24	1.1	0.5- 1.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7736	2,560,799	6892	86.9	85.7-88.1	600	9.2	8.2-10.2	70	0.7	0.5- 0.9	62	1.6	1.2- 2.0	10	0.3	0.1- 0.5	102	1.2	0.8- 1.6
18-24	291	327,131	219	77.2	71.9-82.5	32	11.1	7.0-15.2	5	1.3	0.0- 2.7	15	5.7	2.8- 8.6	4	1.4	0.0- 3.0	16	3.3	1.5- 5.1
25-34	590	406,959	491	83.5	80.2-86.8	61	12.0	8.9-15.1	9	0.8	0.2- 1.4	12	1.9	0.7- 3.1				17	1.8	0.8- 2.8
35-44	758	399,059	645	85.7	82.8-88.6	75	10.8	8.1-13.5	8	0.5	0.1- 0.9	13	1.4	0.6- 2.2	3	0.3	0.0- 0.7	14	1.3	0.5- 2.1
45-54	1150	417,469	1005	87.9	85.7-90.1	110	10.0	7.8-12.2	11	0.6	0.2- 1.0	11	0.9	0.3- 1.5				13	0.6	0.2- 1.0
55-64	1601	434,371	1432	90.4	88.6-92.2	134	7.5	5.9- 9.1	11	0.4	0.0- 0.8	6	0.9	0.1- 1.7	2	0.2	0.0- 0.4	16	0.7	0.3- 1.1
65+	3346	575,810	3100	92.5	91.3-93.7	188	5.8	4.8- 6.8	26	0.8	0.4- 1.2	5	0.3	0.1- 0.5	1	0.0	0.0- 0.0	26	0.6	0.2- 1.0
Less Than H.S.	589	306,106	491	84.6	80.7-88.5	63	9.5	6.4-12.6	13	0.9	0.1- 1.7	5	2.3	0.0- 4.7	3	0.3	0.0- 0.7	14	2.4	0.8- 4.0
H.S. or G.E.D.	2662	846,088	2399	87.4	85.4-89.4	200	9.8	8.0-11.6	23	0.6	0.2- 1.0	6	0.5	0.1- 0.9	4	0.4	0.0- 1.0	30	1.3	0.7- 1.9
Some Post-H.S.	2020	836,303	1770	85.6	83.4-87.8	193	10.7	8.7-12.7	10	0.6	0.0- 1.2	16	1.8	0.8- 2.8	1	0.2	0.0- 0.6	30	1.2	0.8- 1.6
College Graduate	2453	569,636	2220	89.5	87.9-91.1	144	6.2	4.8- 7.6	24	0.9	0.3- 1.5	35	2.5	1.5- 3.5	2	0.1	0.0- 0.3	28	0.7	0.3- 1.1
Less than \$15,000	783	264,374	636	76.2	71.5-80.9	115	18.0	13.9-22.1	10	0.7	0.1- 1.3	8	2.6	0.4- 4.8	4	0.9	0.0- 2.1	10	1.6	0.4- 2.8
\$15,000- 24,999	1365	436,428	1153	81.4	78.3-84.5	149	13.5	10.8-16.2	25	1.1	0.5- 1.7	8	1.4	0.4- 2.4	3	0.7	0.0- 1.7	27	1.9	0.9- 2.9
\$25,000- 34,999	852	273,509	748	86.2	83.1-89.3	79	11.0	8.1-13.9	8	0.6	0.0- 1.2	5	1.3	0.1- 2.5				12	0.9	0.3- 1.5
\$35,000- 49,999	960	324,387	873	87.9	84.8-91.0	64	9.1	6.4-11.8	3	0.3	0.0- 0.7	5	1.3	0.1- 2.5				15	1.3	0.1- 2.5
\$50,000- 74,999	1035	356,174	944	89.8	86.9-92.7	63	6.6	4.2- 9.0	8	0.9	0.0- 2.1	9	1.8	0.2- 3.4				11	0.9	0.3- 1.5
\$75,000+	1634	575,372	1534	93.3	91.7-94.9	62	4.2	2.8- 5.6	8	0.6	0.0- 1.2	18	1.4	0.6- 2.2	1	0.0	0.0- 0.0	11	0.5	0.1- 0.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13588	5,015,461	11572	81.7	80.7-82.7	933	8.8	8.0- 9.6	144	0.7	0.5- 0.9	141	1.8	1.4- 2.2	210	1.2	1.0- 1.4	588	5.8	5.2- 6.4
Male	5815	2,434,457	4918	81.3	79.9-82.7	344	8.6	7.4- 9.8	84	0.9	0.7- 1.1	83	2.1	1.5- 2.7	113	1.4	1.0- 1.8	273	5.7	4.9- 6.5
Female	7773	2,581,004	6654	82.0	80.8-83.2	589	9.0	8.0-10.0	60	0.5	0.3- 0.7	58	1.5	1.1- 1.9	97	1.1	0.9- 1.3	315	5.9	5.1- 6.7
18-24	683	681,479	475	73.4	69.7-77.1	58	10.0	7.3-12.7	9	0.9	0.1- 1.7	37	5.6	3.6- 7.6	25	1.8	1.0- 2.6	79	8.3	6.3-10.3
25-34	1185	825,944	856	75.7	73.0-78.4	101	10.3	8.1-12.5	16	0.7	0.3- 1.1	36	2.5	1.7- 3.3	36	1.6	1.0- 2.2	140	9.2	7.4-11.0
35-44	1396	808,266	1067	76.7	74.2-79.2	124	11.0	8.8-13.2	13	0.6	0.2- 1.0	24	1.6	1.0- 2.2	28	1.1	0.7- 1.5	140	9.2	7.4-11.0
45-54	2081	826,042	1717	83.0	81.0-85.0	163	8.9	7.3-10.5	28	0.6	0.2- 1.0	19	1.0	0.4- 1.6	40	1.3	0.7- 1.9	114	5.1	3.9- 6.3
55-64	2956	854,682	2580	85.9	84.3-87.5	218	7.8	6.6- 9.0	38	1.0	0.6- 1.4	15	0.9	0.3- 1.5	33	1.0	0.6- 1.4	72	3.4	2.4- 4.4
65+	5287	1,019,047	4877	91.3	90.3-92.3	269	5.6	4.8- 6.4	40	0.6	0.4- 0.8	10	0.3	0.1- 0.5	48	0.8	0.6- 1.0	43	1.3	0.7- 1.9
Less Than H.S.	1043	634,639	700	67.0	63.3-70.7	94	9.3	6.8-11.8	25	0.9	0.5- 1.3	4	1.1	0.0- 2.3	20	1.6	0.8- 2.4	200	20.2	17.3-23.1
H.S. or G.E.D.	4564	1,708,426	3905	82.8	81.2-84.4	333	9.6	8.4-10.8	52	0.7	0.5- 0.9	20	0.9	0.5- 1.3	71	1.3	0.9- 1.7	183	4.7	3.9- 5.5
Some Post-H.S.	3433	1,540,057	2930	83.3	81.5-85.1	283	9.7	8.3-11.1	30	0.7	0.3- 1.1	26	1.6	1.0- 2.2	57	1.1	0.7- 1.5	107	3.5	2.7- 4.3
College Graduate	4522	1,123,615	4016	86.2	84.8-87.6	222	5.9	4.9- 6.9	36	0.7	0.3- 1.1	91	3.8	3.0- 4.6	62	1.0	0.6- 1.4	95	2.4	1.8- 3.0
Less than \$15,000	1200	448,614	873	66.1	62.4-69.8	172	17.6	14.5-20.7	22	1.0	0.4- 1.6	14	2.7	1.1- 4.3	18	1.4	0.6- 2.2	101	11.3	8.9-13.7
\$15,000- 24,999	2198	795,303	1696	72.0	69.3-74.7	220	12.6	10.6-14.6	43	0.9	0.5- 1.3	20	1.7	0.9- 2.5	46	1.8	1.2- 2.4	173	11.1	9.1-13.1
\$25,000- 34,999	1409	500,640	1181	80.8	78.1-83.5	113	10.0	7.8-12.2	13	0.3	0.1- 0.5	12	1.5	0.5- 2.5	27	1.2	0.6- 1.8	63	6.1	4.3- 7.9
\$35,000- 49,999	1817	694,702	1587	82.8	80.3-85.3	118	9.6	7.4-11.8	12	0.5	0.1- 0.9	14	1.6	0.6- 2.6	29	1.4	0.8- 2.0	57	4.2	2.8- 5.6
\$50,000- 74,999	1932	729,327	1732	87.8	85.6-90.0	98	6.0	4.4- 7.6	14	0.7	0.1- 1.3	22	1.8	0.8- 2.8	28	1.0	0.6- 1.4	38	2.7	1.7- 3.7
\$75,000+	3381	1,277,474	3094	90.4	89.0-91.8	113	4.1	3.1- 5.1	25	0.8	0.4- 1.2	44	1.8	1.2- 2.4	32	0.7	0.5- 0.9	73	2.3	1.7- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5815	2,434,457	4918	81.3	79.9-82.7	344	8.6	7.6- 9.6	84	0.9	0.7- 1.1	83	2.1	1.5- 2.7	113	1.4	1.0- 1.8	273	5.7	4.9- 6.5
18-24	386	350,181	284	76.6	71.9-81.3	29	9.5	5.8-13.2	6	0.8	0.0- 1.6	23	5.7	3.3- 8.1	10	1.0	0.2- 1.8	34	6.4	4.0- 8.8
25-34	583	414,011	417	76.3	72.6-80.0	43	9.2	6.3-12.1	10	0.9	0.1- 1.7	24	3.0	1.8- 4.2	21	1.7	0.9- 2.5	68	8.9	6.5-11.3
35-44	624	401,607	472	75.0	70.9-79.1	50	11.4	8.1-14.7	7	0.8	0.0- 1.6	13	2.0	0.8- 3.2	15	1.2	0.6- 1.8	67	9.6	6.9-12.3
45-54	924	408,085	755	82.1	79.2-85.0	54	8.1	5.7-10.5	20	1.0	0.4- 1.6	9	1.2	0.4- 2.0	28	2.1	1.1- 3.1	58	5.6	3.8- 7.4
55-64	1347	416,362	1176	84.5	82.0-87.0	86	8.3	6.3-10.3	26	1.6	0.8- 2.4	9	1.0	0.2- 1.8	17	1.3	0.5- 2.1	33	3.3	1.9- 4.7
65+	1951	444,212	1814	91.5	89.7-93.3	82	5.4	4.0- 6.8	15	0.5	0.1- 0.9	5	0.5	0.1- 0.9	22	1.0	0.4- 1.6	13	1.2	0.4- 2.0
Less Than H.S.	430	314,358	278	66.7	61.2-72.2	32	9.9	5.8-14.0	15	1.4	0.4- 2.4				10	2.0	0.6- 3.4	95	20.0	15.7-24.3
H.S. or G.E.D.	1894	857,383	1584	82.2	80.0-84.4	136	9.5	7.7-11.3	31	0.9	0.5- 1.3	14	1.3	0.5- 2.1	41	1.4	1.0- 1.8	88	4.7	3.5- 5.9
Some Post-H.S.	1413	703,015	1211	84.2	81.7-86.7	95	8.9	6.7-11.1	23	1.0	0.4- 1.6	12	1.5	0.5- 2.5	27	1.1	0.7- 1.5	45	3.2	2.2- 4.2
College Graduate	2064	553,643	1836	84.7	82.5-86.9	80	5.9	4.3- 7.5	14	0.6	0.2- 1.0	57	5.2	3.8- 6.6	35	1.4	0.8- 2.0	42	2.1	1.3- 2.9
Less than \$15,000	403	175,901	288	67.6	61.7-73.5	57	17.7	12.6-22.8	12	1.4	0.2- 2.6	7	2.9	0.7- 5.1	10	2.0	0.4- 3.6	29	8.3	5.2-11.4
\$15,000- 24,999	827	354,407	612	70.5	66.4-74.6	73	12.0	8.9-15.1	23	1.1	0.5- 1.7	12	2.1	0.9- 3.3	20	1.7	0.7- 2.7	87	12.7	9.6-15.8
\$25,000- 34,999	554	227,655	459	80.3	75.8-84.8	35	8.9	5.4-12.4	7	0.5	0.1- 0.9	7	1.9	0.5- 3.3	15	1.5	0.7- 2.3	31	6.8	4.1- 9.5
\$35,000- 49,999	852	367,616	730	80.5	76.6-84.4	55	10.2	6.9-13.5	9	0.8	0.0- 1.6	9	1.9	0.5- 3.3	14	1.4	0.6- 2.2	35	5.3	3.3- 7.3
\$50,000- 74,999	894	371,645	800	87.9	85.0-90.8	37	5.6	3.2- 8.0	6	0.6	0.0- 1.4	14	1.9	0.7- 3.1	17	1.1	0.5- 1.7	20	2.9	1.3- 4.5
\$75,000+	1743	699,076	1587	89.5	87.5-91.5	52	4.1	2.7- 5.5	18	0.9	0.3- 1.5	27	2.2	1.2- 3.2	22	0.9	0.5- 1.3	37	2.3	1.3- 3.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7773	2,581,004	6654	82.0	80.8-83.2	589	9.0	8.0-10.0	60	0.5	0.3- 0.7	58	1.5	1.1- 1.9	97	1.1	0.9- 1.3	315	5.9	5.1- 6.7
18-24	297	331,298	191	70.1	64.4-75.8	29	10.6	6.7-14.5	3	0.9	0.0- 2.3	14	5.4	2.5- 8.3	15	2.7	1.3- 4.1	45	10.3	7.0-13.6
25-34	602	411,933	439	75.1	71.2-79.0	58	11.4	8.5-14.3	6	0.4	0.0- 1.0	12	1.9	0.7- 3.1	15	1.5	0.5- 2.5	72	9.6	7.1-12.1
35-44	772	406,659	595	78.2	74.9-81.5	74	10.5	7.8-13.2	6	0.3	0.0- 0.7	11	1.2	0.4- 2.0	13	1.0	0.4- 1.6	73	8.8	6.4-11.2
45-54	1157	417,957	962	83.9	81.4-86.4	109	9.8	7.8-11.8	8	0.3	0.0- 0.7	10	0.9	0.3- 1.5	12	0.5	0.1- 0.9	56	4.6	3.2- 6.0
55-64	1609	438,321	1404	87.2	85.0-89.4	132	7.3	5.7- 8.9	12	0.5	0.1- 0.9	6	0.9	0.1- 1.7	16	0.6	0.2- 1.0	39	3.5	2.3- 4.7
65+	3336	574,836	3063	91.2	90.0-92.4	187	5.8	4.8- 6.8	25	0.7	0.3- 1.1	5	0.3	0.1- 0.5	26	0.7	0.3- 1.1	30	1.4	0.8- 2.0
Less Than H.S.	613	320,281	422	67.2	62.3-72.1	62	8.7	5.8-11.6	10	0.4	0.2- 0.6	4	2.2	0.0- 4.4	10	1.2	0.2- 2.2	105	20.3	16.2-24.4
H.S. or G.E.D.	2670	851,043	2321	83.3	81.1-85.5	197	9.6	7.8-11.4	21	0.5	0.1- 0.9	6	0.5	0.1- 0.9	30	1.3	0.7- 1.9	95	4.8	3.6- 6.0
Some Post-H.S.	2020	837,042	1719	82.6	80.2-85.0	188	10.4	8.6-12.2	7	0.5	0.0- 1.1	14	1.7	0.7- 2.7	30	1.2	0.8- 1.6	62	3.8	2.6- 5.0
College Graduate	2458	569,971	2180	87.5	85.7-89.3	142	6.0	4.8- 7.2	22	0.8	0.4- 1.2	34	2.4	1.4- 3.4	27	0.6	0.2- 1.0	53	2.6	1.8- 3.4
Less than \$15,000	797	272,713	585	65.2	60.3-70.1	115	17.5	13.4-21.6	10	0.7	0.1- 1.3	7	2.5	0.5- 4.5	8	1.0	0.2- 1.8	72	13.2	9.9-16.5
\$15,000- 24,999	1371	440,897	1084	73.1	69.6-76.6	147	13.1	10.4-15.8	20	0.6	0.2- 1.0	8	1.4	0.4- 2.4	26	1.8	0.8- 2.8	86	9.9	7.4-12.4
\$25,000- 34,999	855	272,986	722	81.3	77.6-85.0	78	10.9	8.0-13.8	6	0.2	0.0- 0.4	5	1.3	0.1- 2.5	12	0.9	0.3- 1.5	32	5.5	3.3- 7.7
\$35,000- 49,999	965	327,087	857	85.3	82.0-88.6	63	8.8	6.1-11.5	3	0.3	0.0- 0.7	5	1.3	0.1- 2.5	15	1.3	0.3- 2.3	22	2.9	1.3- 4.5
\$50,000- 74,999	1038	357,682	932	87.7	84.6-90.8	61	6.4	4.0- 8.8	8	0.9	0.0- 2.1	8	1.7	0.1- 3.3	11	0.9	0.3- 1.5	18	2.4	1.2- 3.6
\$75,000+	1638	578,398	1507	91.4	89.6-93.2	61	4.1	2.7- 5.5	7	0.6	0.0- 1.2	17	1.3	0.5- 2.1	10	0.4	0.0- 0.8	36	2.2	1.2- 3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13588	5,015,461	11572	81.7	80.7-82.7	2016	18.3	17.3-19.3
Male	5815	2,434,457	4918	81.3	79.9-82.7	897	18.7	17.3-20.1
Female	7773	2,581,004	6654	82.0	80.8-83.2	1119	18.0	16.8-19.2
18-24	683	681,479	475	73.4	69.7-77.1	208	26.6	22.9-30.3
25-34	1185	825,944	856	75.7	73.0-78.4	329	24.3	21.6-27.0
35-44	1396	808,266	1067	76.7	74.2-79.2	329	23.3	20.8-25.8
45-54	2081	826,042	1717	83.0	81.0-85.0	364	17.0	15.0-19.0
55-64	2956	854,682	2580	85.9	84.3-87.5	376	14.1	12.5-15.7
65+	5287	1,019,047	4877	91.3	90.3-92.3	410	8.7	7.7- 9.7
Less Than H.S.	1043	634,639	700	67.0	63.3-70.7	343	33.0	29.3-36.7
H.S. or G.E.D.	4564	1,708,426	3905	82.8	81.2-84.4	659	17.2	15.6-18.8
Some Post-H.S.	3433	1,540,057	2930	83.3	81.5-85.1	503	16.7	14.9-18.5
College Graduate	4522	1,123,615	4016	86.2	84.8-87.6	506	13.8	12.4-15.2
Less than \$15,000	1200	448,614	873	66.1	62.4-69.8	327	33.9	30.2-37.6
\$15,000- 24,999	2198	795,303	1696	72.0	69.3-74.7	502	28.0	25.3-30.7
\$25,000- 34,999	1409	500,640	1181	80.8	78.1-83.5	228	19.2	16.5-21.9
\$35,000- 49,999	1817	694,702	1587	82.8	80.3-85.3	230	17.2	14.7-19.7
\$50,000- 74,999	1932	729,327	1732	87.8	85.6-90.0	200	12.2	10.0-14.4
\$75,000+	3381	1,277,474	3094	90.4	89.0-91.8	287	9.6	8.2-11.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5815	2,434,457	4918	81.3	79.9-82.7	897	18.7	17.3-20.1
18-24	386	350,181	284	76.6	71.9-81.3	102	23.4	18.7-28.1
25-34	583	414,011	417	76.3	72.6-80.0	166	23.7	20.0-27.4
35-44	624	401,607	472	75.0	70.9-79.1	152	25.0	20.9-29.1
45-54	924	408,085	755	82.1	79.2-85.0	169	17.9	15.0-20.8
55-64	1347	416,362	1176	84.5	82.0-87.0	171	15.5	13.0-18.0
65+	1951	444,212	1814	91.5	89.7-93.3	137	8.5	6.7-10.3
Less Than H.S.	430	314,358	278	66.7	61.2-72.2	152	33.3	27.8-38.8
H.S. or G.E.D.	1894	857,383	1584	82.2	80.0-84.4	310	17.8	15.6-20.0
Some Post-H.S.	1413	703,015	1211	84.2	81.7-86.7	202	15.8	13.3-18.3
College Graduate	2064	553,643	1836	84.7	82.5-86.9	228	15.3	13.1-17.5
Less than \$15,000	403	175,901	288	67.6	61.7-73.5	115	32.4	26.5-38.3
\$15,000- 24,999	827	354,407	612	70.5	66.4-74.6	215	29.5	25.4-33.6
\$25,000- 34,999	554	227,655	459	80.3	75.8-84.8	95	19.7	15.2-24.2
\$35,000- 49,999	852	367,616	730	80.5	76.6-84.4	122	19.5	15.6-23.4
\$50,000- 74,999	894	371,645	800	87.9	85.0-90.8	94	12.1	9.2-15.0
\$75,000+	1743	699,076	1587	89.5	87.5-91.5	156	10.5	8.5-12.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7773	2,581,004	6654	82.0	80.8-83.2	1119	18.0	16.8-19.2
18-24	297	331,298	191	70.1	64.4-75.8	106	29.9	24.2-35.6
25-34	602	411,933	439	75.1	71.2-79.0	163	24.9	21.0-28.8
35-44	772	406,659	595	78.2	74.9-81.5	177	21.8	18.5-25.1
45-54	1157	417,957	962	83.9	81.4-86.4	195	16.1	13.6-18.6
55-64	1609	438,321	1404	87.2	85.0-89.4	205	12.8	10.6-15.0
65+	3336	574,836	3063	91.2	90.0-92.4	273	8.8	7.6-10.0
Less Than H.S.	613	320,281	422	67.2	62.3-72.1	191	32.8	27.9-37.7
H.S. or G.E.D.	2670	851,043	2321	83.3	81.1-85.5	349	16.7	14.5-18.9
Some Post-H.S.	2020	837,042	1719	82.6	80.2-85.0	301	17.4	15.0-19.8
College Graduate	2458	569,971	2180	87.5	85.7-89.3	278	12.5	10.7-14.3
Less than \$15,000	797	272,713	585	65.2	60.3-70.1	212	34.8	29.9-39.7
\$15,000- 24,999	1371	440,897	1084	73.1	69.6-76.6	287	26.9	23.4-30.4
\$25,000- 34,999	855	272,986	722	81.3	77.6-85.0	133	18.7	15.0-22.4
\$35,000- 49,999	965	327,087	857	85.3	82.0-88.6	108	14.7	11.4-18.0
\$50,000- 74,999	1038	357,682	932	87.7	84.6-90.8	106	12.3	9.2-15.4
\$75,000+	1638	578,398	1507	91.4	89.6-93.2	131	8.6	6.8-10.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13588	5,015,461	11572	81.7	80.7-82.7	933	8.8	8.0- 9.6	287	2.5	2.1- 2.9	208	1.2	1.0- 1.4	588	5.8	5.2- 6.4
Male	5815	2,434,457	4918	81.3	79.9-82.7	344	8.6	7.4- 9.8	169	3.1	2.5- 3.7	111	1.4	1.0- 1.8	273	5.7	4.9- 6.5
Female	7773	2,581,004	6654	82.0	80.8-83.2	589	9.0	8.0-10.0	118	2.1	1.5- 2.7	97	1.1	0.9- 1.3	315	5.9	5.1- 6.7
18-24	683	681,479	475	73.4	69.7-77.1	58	10.0	7.3-12.7	46	6.4	4.4- 8.4	25	1.8	1.0- 2.6	79	8.3	6.3-10.3
25-34	1185	825,944	856	75.7	73.0-78.4	101	10.3	8.1-12.5	53	3.2	2.2- 4.2	35	1.6	1.0- 2.2	140	9.2	7.4-11.0
35-44	1396	808,266	1067	76.7	74.2-79.2	124	11.0	8.8-13.2	37	2.1	1.3- 2.9	28	1.1	0.7- 1.5	140	9.2	7.4-11.0
45-54	2081	826,042	1717	83.0	81.0-85.0	163	8.9	7.3-10.5	47	1.7	1.1- 2.3	40	1.3	0.7- 1.9	114	5.1	3.9- 6.3
55-64	2956	854,682	2580	85.9	84.3-87.5	218	7.8	6.6- 9.0	54	2.0	1.2- 2.8	32	0.9	0.5- 1.3	72	3.4	2.4- 4.4
65+	5287	1,019,047	4877	91.3	90.3-92.3	269	5.6	4.8- 6.4	50	1.0	0.6- 1.4	48	0.8	0.6- 1.0	43	1.3	0.7- 1.9
Less Than H.S.	1043	634,639	700	67.0	63.3-70.7	94	9.3	6.8-11.8	29	2.0	0.8- 3.2	20	1.6	0.8- 2.4	200	20.2	17.3-23.1
H.S. or G.E.D.	4564	1,708,426	3905	82.8	81.2-84.4	333	9.6	8.4-10.8	73	1.6	1.0- 2.2	70	1.3	0.9- 1.7	183	4.7	3.9- 5.5
Some Post-H.S.	3433	1,540,057	2930	83.3	81.5-85.1	283	9.7	8.3-11.1	57	2.4	1.6- 3.2	56	1.1	0.7- 1.5	107	3.5	2.7- 4.3
College Graduate	4522	1,123,615	4016	86.2	84.8-87.6	222	5.9	4.9- 6.9	127	4.5	3.5- 5.5	62	1.0	0.6- 1.4	95	2.4	1.8- 3.0
Less than \$15,000	1200	448,614	873	66.1	62.4-69.8	172	17.6	14.5-20.7	36	3.6	2.0- 5.2	18	1.4	0.6- 2.2	101	11.3	8.9-13.7
\$15,000- 24,999	2198	795,303	1696	72.0	69.3-74.7	220	12.6	10.6-14.6	63	2.5	1.7- 3.3	46	1.8	1.2- 2.4	173	11.1	9.1-13.1
\$25,000- 34,999	1409	500,640	1181	80.8	78.1-83.5	113	10.0	7.8-12.2	26	1.9	0.9- 2.9	26	1.1	0.5- 1.7	63	6.1	4.3- 7.9
\$35,000- 49,999	1817	694,702	1587	82.8	80.3-85.3	118	9.6	7.4-11.8	26	2.2	1.2- 3.2	29	1.4	0.8- 2.0	57	4.2	2.8- 5.6
\$50,000- 74,999	1932	729,327	1732	87.8	85.6-90.0	98	6.0	4.4- 7.6	36	2.5	1.3- 3.7	28	1.0	0.6- 1.4	38	2.7	1.7- 3.7
\$75,000+	3381	1,277,474	3094	90.4	89.0-91.8	113	4.1	3.1- 5.1	69	2.6	1.8- 3.4	32	0.7	0.5- 0.9	73	2.3	1.7- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5815	2,434,457	4918	81.3	79.9-82.7	344	8.6	7.6- 9.6	169	3.1	2.5- 3.7	111	1.4	1.0- 1.8	273	5.7	4.9- 6.5
18-24	386	350,181	284	76.6	71.9-81.3	29	9.5	5.8-13.2	29	6.5	4.0- 9.0	10	1.0	0.2- 1.8	34	6.4	4.0- 8.8
25-34	583	414,011	417	76.3	72.6-80.0	43	9.2	6.3-12.1	35	4.0	2.6- 5.4	20	1.6	0.8- 2.4	68	8.9	6.5-11.3
35-44	624	401,607	472	75.0	70.9-79.1	50	11.4	8.1-14.7	20	2.8	1.4- 4.2	15	1.2	0.6- 1.8	67	9.6	6.9-12.3
45-54	924	408,085	755	82.1	79.2-85.0	54	8.1	5.7-10.5	29	2.1	1.1- 3.1	28	2.1	1.1- 3.1	58	5.6	3.8- 7.4
55-64	1347	416,362	1176	84.5	82.0-87.0	86	8.3	6.3-10.3	36	2.7	1.5- 3.9	16	1.2	0.4- 2.0	33	3.3	1.9- 4.7
65+	1951	444,212	1814	91.5	89.7-93.3	82	5.4	4.0- 6.8	20	1.0	0.4- 1.6	22	1.0	0.4- 1.6	13	1.2	0.4- 2.0
Less Than H.S.	430	314,358	278	66.7	61.2-72.2	32	9.9	5.8-14.0	15	1.4	0.4- 2.4	10	2.0	0.6- 3.4	95	20.0	15.7-24.3
H.S. or G.E.D.	1894	857,383	1584	82.2	80.0-84.4	136	9.5	7.7-11.3	46	2.2	1.4- 3.0	40	1.4	1.0- 1.8	88	4.7	3.5- 5.9
Some Post-H.S.	1413	703,015	1211	84.2	81.7-86.7	95	8.9	6.7-11.1	36	2.6	1.6- 3.6	26	1.0	0.6- 1.4	45	3.2	2.2- 4.2
College Graduate	2064	553,643	1836	84.7	82.5-86.9	80	5.9	4.3- 7.5	71	5.9	4.3- 7.5	35	1.4	0.8- 2.0	42	2.1	1.3- 2.9
Less than \$15,000	403	175,901	288	67.6	61.7-73.5	57	17.7	12.6-22.8	19	4.3	1.8- 6.8	10	2.0	0.4- 3.6	29	8.3	5.2-11.4
\$15,000- 24,999	827	354,407	612	70.5	66.4-74.6	73	12.0	8.9-15.1	35	3.2	1.8- 4.6	20	1.7	0.7- 2.7	87	12.7	9.6-15.8
\$25,000- 34,999	554	227,655	459	80.3	75.8-84.8	35	8.9	5.4-12.4	15	2.5	0.9- 4.1	14	1.4	0.6- 2.2	31	6.8	4.1- 9.5
\$35,000- 49,999	852	367,616	730	80.5	76.6-84.4	55	10.2	6.9-13.5	18	2.7	1.1- 4.3	14	1.4	0.6- 2.2	35	5.3	3.3- 7.3
\$50,000- 74,999	894	371,645	800	87.9	85.0-90.8	37	5.6	3.2- 8.0	20	2.5	1.1- 3.9	17	1.1	0.5- 1.7	20	2.9	1.3- 4.5
\$75,000+	1743	699,076	1587	89.5	87.5-91.5	52	4.1	2.7- 5.5	45	3.2	2.2- 4.2	22	0.9	0.5- 1.3	37	2.3	1.3- 3.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7773	2,581,004	6654	82.0	80.8-83.2	589	9.0	8.0-10.0	118	2.1	1.5- 2.7	97	1.1	0.9- 1.3	315	5.9	5.1- 6.7
18-24	297	331,298	191	70.1	64.4-75.8	29	10.6	6.7-14.5	17	6.3	3.2- 9.4	15	2.7	1.3- 4.1	45	10.3	7.0-13.6
25-34	602	411,933	439	75.1	71.2-79.0	58	11.4	8.5-14.3	18	2.4	1.2- 3.6	15	1.5	0.5- 2.5	72	9.6	7.1-12.1
35-44	772	406,659	595	78.2	74.9-81.5	74	10.5	7.8-13.2	17	1.5	0.7- 2.3	13	1.0	0.4- 1.6	73	8.8	6.4-11.2
45-54	1157	417,957	962	83.9	81.4-86.4	109	9.8	7.8-11.8	18	1.2	0.4- 2.0	12	0.5	0.1- 0.9	56	4.6	3.2- 6.0
55-64	1609	438,321	1404	87.2	85.0-89.4	132	7.3	5.7- 8.9	18	1.4	0.4- 2.4	16	0.6	0.2- 1.0	39	3.5	2.3- 4.7
65+	3336	574,836	3063	91.2	90.0-92.4	187	5.8	4.8- 6.8	30	1.0	0.4- 1.6	26	0.7	0.3- 1.1	30	1.4	0.8- 2.0
Less Than H.S.	613	320,281	422	67.2	62.3-72.1	62	8.7	5.8-11.6	14	2.5	0.3- 4.7	10	1.2	0.2- 2.2	105	20.3	16.2-24.4
H.S. or G.E.D.	2670	851,043	2321	83.3	81.1-85.5	197	9.6	7.8-11.4	27	1.1	0.5- 1.7	30	1.3	0.7- 1.9	95	4.8	3.6- 6.0
Some Post-H.S.	2020	837,042	1719	82.6	80.2-85.0	188	10.4	8.6-12.2	21	2.2	1.2- 3.2	30	1.2	0.8- 1.6	62	3.8	2.6- 5.0
College Graduate	2458	569,971	2180	87.5	85.7-89.3	142	6.0	4.8- 7.2	56	3.2	2.2- 4.2	27	0.6	0.2- 1.0	53	2.6	1.8- 3.4
Less than \$15,000	797	272,713	585	65.2	60.3-70.1	115	17.5	13.4-21.6	17	3.2	1.0- 5.4	8	1.0	0.2- 1.8	72	13.2	9.9-16.5
\$15,000- 24,999	1371	440,897	1084	73.1	69.6-76.6	147	13.1	10.4-15.8	28	2.0	0.8- 3.2	26	1.8	0.8- 2.8	86	9.9	7.4-12.4
\$25,000- 34,999	855	272,986	722	81.3	77.6-85.0	78	10.9	8.0-13.8	11	1.5	0.3- 2.7	12	0.9	0.3- 1.5	32	5.5	3.3- 7.7
\$35,000- 49,999	965	327,087	857	85.3	82.0-88.6	63	8.8	6.1-11.5	8	1.6	0.2- 3.0	15	1.3	0.3- 2.3	22	2.9	1.3- 4.5
\$50,000- 74,999	1038	357,682	932	87.7	84.6-90.8	61	6.4	4.0- 8.8	16	2.6	0.6- 4.6	11	0.9	0.3- 1.5	18	2.4	1.2- 3.6
\$75,000+	1638	578,398	1507	91.4	89.6-93.2	61	4.1	2.7- 5.5	24	1.9	0.9- 2.9	10	0.4	0.0- 0.8	36	2.2	1.2- 3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
TOTAL	13631	5,046,685	1265	21.5	20.3-22.7	1330	16.9	15.9-17.9	1610	15.5	14.7-16.3	2573	17.0	16.2-17.8	3157	15.3	14.7-15.9	3696	13.9	13.3-14.5
Male	5879	2,462,616	686	22.5	20.9-24.1	609	17.1	15.7-18.5	739	16.4	15.0-17.8	1143	16.4	15.2-17.6	1343	15.3	14.3-16.3	1359	12.2	11.4-13.0
Female	7752	2,584,069	579	20.5	18.9-22.1	721	16.7	15.5-17.9	871	14.6	13.6-15.6	1430	17.5	16.5-18.5	1814	15.3	14.5-16.1	2337	15.4	14.6-16.2
White/Non-Hisp	11430	4,056,178	880	19.6	18.4-20.8	986	16.0	15.0-17.0	1258	14.8	13.8-15.8	2135	17.6	16.8-18.4	2791	16.5	15.7-17.3	3380	15.6	15.0-16.2
Black or Afr. Am./Non-Hisp	916	433,140	106	25.4	20.9-29.9	114	19.5	15.8-23.2	133	18.5	15.2-21.8	202	16.0	13.5-18.5	201	12.7	10.3-15.1	160	7.9	6.3- 9.5
Oth. Race/Non-Hisp.	277	123,114	71	45.3	37.3-53.3	45	17.8	12.1-23.5	31	10.9	6.6-15.2	59	10.6	6.9-14.3	45	11.0	6.5-15.5	26	4.5	2.1- 6.9
MultiRacial/Non-Hisp.	205	60,550	45	31.1	22.7-39.5	28	17.0	9.9-24.1	33	16.7	10.4-23.0	40	14.5	9.0-20.0	26	11.9	6.2-17.6	33	8.9	5.2-12.6
Hispanic	587	291,554	149	31.3	26.6-36.0	140	26.4	22.1-30.7	128	21.6	17.5-25.7	104	13.5	10.6-16.4	38	4.3	2.7- 5.9	28	2.9	1.3- 4.5
Less Than H.S.	1064	647,124	111	23.5	19.4-27.6	137	19.1	16.0-22.2	121	14.3	11.6-17.0	198	15.9	13.5-18.3	190	12.0	10.0-14.0	307	15.2	13.0-17.4
H.S. or G.E.D.	4587	1,718,775	452	23.5	21.5-25.5	335	13.1	11.7-14.5	424	13.2	11.8-14.6	869	17.5	16.3-18.7	1042	16.0	14.8-17.2	1465	16.7	15.7-17.7
Some Post-H.S.	3447	1,551,584	381	23.2	21.0-25.4	329	16.2	14.4-18.0	418	16.3	14.7-17.9	664	16.7	15.3-18.1	827	15.8	14.6-17.0	828	11.9	10.9-12.9
College Graduate	4505	1,119,783	319	14.7	13.1-16.3	526	22.6	20.8-24.4	647	18.7	17.1-20.3	838	17.2	16.0-18.4	1091	15.4	14.4-16.4	1084	11.4	10.6-12.2
Less than \$15,000	1216	452,112	118	23.0	19.1-26.9	138	18.3	15.2-21.4	119	12.3	9.8-14.8	268	18.9	16.4-21.4	300	16.0	13.6-18.4	273	11.6	9.6-13.6
\$15,000- 24,999	2221	807,234	227	23.4	20.5-26.3	194	15.1	12.7-17.5	201	13.1	11.1-15.1	347	14.6	12.8-16.4	496	15.8	14.0-17.6	756	18.0	16.4-19.6
\$25,000- 34,999	1419	508,010	141	23.7	20.0-27.4	128	14.9	12.2-17.6	120	11.9	9.5-14.3	219	15.0	12.8-17.2	290	13.9	11.9-15.9	521	20.6	18.4-22.8
\$35,000- 49,999	1824	697,174	178	23.1	19.8-26.4	159	16.0	13.5-18.5	154	11.6	9.6-13.6	261	14.3	12.3-16.3	488	18.3	16.3-20.3	584	16.8	15.0-18.6
\$50,000- 74,999	1934	732,966	168	19.5	16.6-22.4	206	17.8	15.3-20.3	240	18.0	15.5-20.5	375	17.0	15.0-19.0	517	17.0	15.2-18.8	428	10.6	9.4-11.8
\$75,000+	3393	1,285,161	248	15.3	13.3-17.3	418	21.5	19.5-23.5	676	23.2	21.4-25.0	865	21.1	19.5-22.7	708	12.8	11.6-14.0	478	6.2	5.6- 6.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Male	5879	2,462,616	686	22.5	20.9-24.1	609	17.1	15.7-18.5	739	16.4	15.0-17.8	1143	16.4	15.2-17.6	1343	15.3	14.3-16.3	1359	12.2	11.4-13.0
White/Non-Hisp	4878	1,965,962	489	21.4	19.6-23.2	445	16.1	14.5-17.7	576	15.5	14.1-16.9	940	17.0	15.8-18.2	1187	16.3	15.1-17.5	1241	13.7	12.7-14.7
Black or Afr. Am./Non-Hisp	340	205,528	48	24.0	17.5-30.5	49	21.1	15.2-27.0	49	19.1	13.6-24.6	78	16.6	12.5-20.7	68	12.6	9.1-16.1	48	6.6	4.1- 9.1
Oth. Race/Non-Hisp.	164	71,357	46	43.0	33.2-52.8	27	19.1	11.8-26.4	18	11.6	5.5-17.7	38	10.9	6.2-15.6	24	11.8	6.1-17.5	11	3.7	0.8- 6.6
MultiRacial/Non-Hisp.	109	32,663	23	21.4	12.6-30.2	15	17.5	8.7-26.3	20	19.7	10.5-28.9	22	17.0	8.6-25.4	13	15.9	6.3-25.5	16	8.5	3.6-13.4
Hispanic	272	139,757	71	29.1	22.4-35.8	64	24.8	18.7-30.9	63	25.6	18.9-32.3	50	13.8	9.5-18.1	17	4.2	1.8- 6.6	7	2.5	0.0- 5.0
Less Than H.S.	445	323,027	57	22.7	17.0-28.4	65	20.0	15.1-24.9	68	18.3	13.8-22.8	91	15.3	11.8-18.8	70	11.6	8.7-14.5	94	12.1	9.2-15.0
H.S. or G.E.D.	1916	866,908	266	26.2	23.5-28.9	170	14.2	12.0-16.4	216	14.5	12.5-16.5	402	17.1	15.3-18.9	412	14.9	13.3-16.5	450	13.1	11.7-14.5
Some Post-H.S.	1431	714,230	193	23.7	20.6-26.8	133	15.8	13.3-18.3	177	17.2	14.7-19.7	283	16.3	14.1-18.5	365	17.0	15.0-19.0	280	10.1	8.7-11.5
College Graduate	2071	551,966	168	14.7	12.5-16.9	240	22.1	19.6-24.6	278	17.4	15.2-19.6	365	16.4	14.6-18.2	490	15.9	14.3-17.5	530	13.5	12.1-14.9
Less than \$15,000	414	179,554	56	24.7	18.6-30.8	39	13.4	9.1-17.7	43	13.2	8.7-17.7	106	20.0	15.7-24.3	119	21.2	16.7-25.7	51	7.6	4.7-10.5
\$15,000- 24,999	840	361,636	114	24.4	20.1-28.7	76	13.2	9.9-16.5	91	14.9	11.6-18.2	148	15.2	12.5-17.9	189	16.4	13.7-19.1	222	15.9	13.4-18.4
\$25,000- 34,999	562	231,802	80	27.8	22.3-33.3	51	15.0	10.7-19.3	47	11.2	7.9-14.5	88	13.3	10.2-16.4	108	12.8	9.9-15.7	188	19.9	16.4-23.4
\$35,000- 49,999	863	370,438	99	23.1	18.6-27.6	85	17.2	13.5-20.9	70	11.6	8.7-14.5	124	14.3	11.6-17.0	224	17.9	15.2-20.6	261	16.0	13.6-18.4
\$50,000- 74,999	900	376,165	103	21.4	17.3-25.5	100	17.9	14.4-21.4	110	18.6	14.9-22.3	170	16.0	13.3-18.7	200	14.8	12.4-17.2	217	11.4	9.6-13.2
\$75,000+	1763	705,742	141	15.3	12.8-17.8	211	21.7	19.0-24.4	342	23.6	21.1-26.1	418	19.2	17.2-21.2	380	13.6	12.0-15.2	271	6.6	5.6- 7.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Female	7752	2,584,069	579	20.5	18.9-22.1	721	16.7	15.5-17.9	871	14.6	13.6-15.6	1430	17.5	16.5-18.5	1814	15.3	14.5-16.1	2337	15.4	14.6-16.2
White/Non-Hisp	6552	2,090,216	391	18.0	16.2-19.8	541	15.8	14.4-17.2	682	14.2	13.0-15.4	1195	18.2	17.0-19.4	1604	16.6	15.6-17.6	2139	17.3	16.3-18.3
Black or Afr. Am./Non-Hisp	576	227,612	58	26.7	20.6-32.8	65	18.0	13.5-22.5	84	18.0	13.9-22.1	124	15.5	12.2-18.8	133	12.9	10.0-15.8	112	9.0	6.8-11.2
Oth. Race/Non-Hisp.	113	51,757	25	48.3	35.0-61.6	18	16.1	7.3-24.9	13	9.9	3.6-16.2	21	10.3	4.4-16.2	21	9.8	2.9-16.7	15	5.6	1.9- 9.3
MultiRacial/Non-Hisp.	96	27,887	22	42.4	28.9-55.9	13	16.4	4.8-28.0	13	13.2	5.2-21.2	18	11.5	5.2-17.8	13	7.2	2.3-12.1	17	9.3	3.4-15.2
Hispanic	315	151,796	78	33.3	26.6-40.0	76	27.8	21.7-33.9	65	17.9	13.0-22.8	54	13.3	9.4-17.2	21	4.5	2.3- 6.7	21	3.3	1.3- 5.3
Less Than H.S.	619	324,097	54	24.4	18.5-30.3	72	18.1	13.8-22.4	53	10.2	7.1-13.3	107	16.5	13.0-20.0	120	12.5	9.8-15.2	213	18.2	15.1-21.3
H.S. or G.E.D.	2671	851,867	186	20.7	18.0-23.4	165	12.1	10.1-14.1	208	11.8	10.0-13.6	467	18.0	16.2-19.8	630	17.1	15.5-18.7	1015	20.3	18.7-21.9
Some Post-H.S.	2016	837,354	188	22.8	19.9-25.7	196	16.5	14.1-18.9	241	15.6	13.6-17.6	381	16.9	14.9-18.9	462	14.8	13.2-16.4	548	13.4	12.0-14.8
College Graduate	2434	567,818	151	14.7	12.3-17.1	286	23.0	20.5-25.5	369	19.9	17.7-22.1	473	18.0	16.2-19.8	601	15.0	13.6-16.4	554	9.4	8.4-10.4
Less than \$15,000	802	272,558	62	21.9	16.8-27.0	99	21.5	17.4-25.6	76	11.6	8.7-14.5	162	18.2	14.9-21.5	181	12.6	10.1-15.1	222	14.2	11.7-16.7
\$15,000- 24,999	1381	445,599	113	22.5	18.6-26.4	118	16.7	13.6-19.8	110	11.6	9.2-14.0	199	14.1	11.7-16.5	307	15.4	13.2-17.6	534	19.7	17.5-21.9
\$25,000- 34,999	857	276,208	61	20.3	15.4-25.2	77	14.9	11.4-18.4	73	12.4	9.3-15.5	131	16.4	13.3-19.5	182	14.9	12.2-17.6	333	21.2	18.3-24.1
\$35,000- 49,999	961	326,736	79	23.1	18.2-28.0	74	14.6	11.1-18.1	84	11.5	8.8-14.2	137	14.3	11.6-17.0	264	18.7	16.0-21.4	323	17.7	15.2-20.2
\$50,000- 74,999	1034	356,801	65	17.6	13.3-21.9	106	17.7	14.2-21.2	130	17.4	14.3-20.5	205	18.0	15.3-20.7	317	19.4	16.9-21.9	211	9.8	8.0-11.6
\$75,000+	1630	579,419	107	15.4	12.3-18.5	207	21.1	18.4-23.8	334	22.7	20.2-25.2	447	23.4	21.0-25.8	328	11.7	10.1-13.3	207	5.6	4.6- 6.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13631	5,046,685	8314	79.5	78.9-80.1	5317	20.5	19.9-21.1
Male	5879	2,462,616	3881	81.4	80.4-82.4	1998	18.6	17.6-19.6
Female	7752	2,584,069	4433	77.8	76.8-78.8	3319	22.2	21.2-23.2
White/Non-Hisp	11430	4,056,178	6618	77.2	76.4-78.0	4812	22.8	22.0-23.6
Black or Afr. Am./Non-Hisp	916	433,140	647	86.8	84.6-89.0	269	13.2	11.0-15.4
Oth. Race/Non-Hisp.	277	123,114	228	92.1	89.0-95.2	49	7.9	4.8-11.0
MultiRacial/Non-Hisp.	205	60,550	157	86.5	81.8-91.2	48	13.5	8.8-18.2
Hispanic	587	291,554	544	95.5	93.7-97.3	43	4.5	2.7- 6.3
Less Than H.S.	1064	647,124	665	80.1	77.7-82.5	399	19.9	17.5-22.3
H.S. or G.E.D.	4587	1,718,775	2629	76.9	75.7-78.1	1958	23.1	21.9-24.3
Some Post-H.S.	3447	1,551,584	2195	81.1	79.9-82.3	1252	18.9	17.7-20.1
College Graduate	4505	1,119,783	2810	81.2	80.2-82.2	1695	18.8	17.8-19.8
Less than \$15,000	1216	452,112	807	82.9	80.7-85.1	409	17.1	14.9-19.3
\$15,000- 24,999	2221	807,234	1212	75.7	73.7-77.7	1009	24.3	22.3-26.3
\$25,000- 34,999	1419	508,010	732	72.5	70.0-75.0	687	27.5	25.0-30.0
\$35,000- 49,999	1824	697,174	968	74.5	72.3-76.7	856	25.5	23.3-27.7
\$50,000- 74,999	1934	732,966	1238	82.1	80.5-83.7	696	17.9	16.3-19.5
\$75,000+	3393	1,285,161	2586	88.6	87.6-89.6	807	11.4	10.4-12.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5879	2,462,616	3881	81.4	80.4-82.4	1998	18.6	17.6-19.6
White/Non-Hisp	4878	1,965,962	3069	79.4	78.2-80.6	1809	20.6	19.4-21.8
Black or Afr. Am./Non-Hisp	340	205,528	258	88.4	85.3-91.5	82	11.6	8.5-14.7
Oth. Race/Non-Hisp.	164	71,357	144	94.0	90.3-97.7	20	6.0	2.3- 9.7
MultiRacial/Non-Hisp.	109	32,663	87	86.5	80.0-93.0	22	13.5	7.0-20.0
Hispanic	272	139,757	259	96.2	93.5-98.9	13	3.8	1.1- 6.5
Less Than H.S.	445	323,027	318	83.4	80.1-86.7	127	16.6	13.3-19.9
H.S. or G.E.D.	1916	866,908	1291	81.4	79.6-83.2	625	18.6	16.8-20.4
Some Post-H.S.	1431	714,230	972	82.3	80.5-84.1	459	17.7	15.9-19.5
College Graduate	2071	551,966	1290	79.3	77.5-81.1	781	20.7	18.9-22.5
Less than \$15,000	414	179,554	318	86.8	83.3-90.3	96	13.2	9.7-16.7
\$15,000- 24,999	840	361,636	533	78.4	75.5-81.3	307	21.6	18.7-24.5
\$25,000- 34,999	562	231,802	308	72.7	68.8-76.6	254	27.3	23.4-31.2
\$35,000- 49,999	863	370,438	489	75.8	72.9-78.7	374	24.2	21.3-27.1
\$50,000- 74,999	900	376,165	580	81.9	79.5-84.3	320	18.1	15.7-20.5
\$75,000+	1763	705,742	1330	87.9	86.5-89.3	433	12.1	10.7-13.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7752	2,584,069	4433	77.8	76.8-78.8	3319	22.2	21.2-23.2
White/Non-Hisp	6552	2,090,216	3549	75.3	74.1-76.5	3003	24.7	23.5-25.9
Black or Afr. Am./Non-Hisp	576	227,612	389	85.4	82.7-88.1	187	14.6	11.9-17.3
Oth. Race/Non-Hisp.	113	51,757	84	89.5	83.8-95.2	29	10.5	4.8-16.2
MultiRacial/Non-Hisp.	96	27,887	70	86.6	79.9-93.3	26	13.4	6.7-20.1
Hispanic	315	151,796	285	94.8	92.4-97.2	30	5.2	2.8- 7.6
Less Than H.S.	619	324,097	347	76.7	73.2-80.2	272	23.3	19.8-26.8
H.S. or G.E.D.	2671	851,867	1338	72.3	70.5-74.1	1333	27.7	25.9-29.5
Some Post-H.S.	2016	837,354	1223	80.2	78.4-82.0	793	19.8	18.0-21.6
College Graduate	2434	567,818	1520	83.0	81.6-84.4	914	17.0	15.6-18.4
Less than \$15,000	802	272,558	489	80.3	77.4-83.2	313	19.7	16.8-22.6
\$15,000- 24,999	1381	445,599	679	73.6	71.1-76.1	702	26.4	23.9-28.9
\$25,000- 34,999	857	276,208	424	72.3	69.0-75.6	433	27.7	24.4-31.0
\$35,000- 49,999	961	326,736	479	73.1	70.0-76.2	482	26.9	23.8-30.0
\$50,000- 74,999	1034	356,801	658	82.2	79.8-84.6	376	17.8	15.4-20.2
\$75,000+	1630	579,419	1256	89.5	88.1-90.9	374	10.5	9.1-11.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13357	4,894,000	3	0.1	0.0- 0.3	752	4.8	4.4- 5.2	5990	40.5	39.3-41.7	5443	44.2	43.0-45.4	1167	10.5	9.7-11.3	2	0.0	0.0- 0.0
Male	5717	2,369,128	1	0.0	0.0- 0.0	15	0.3	0.1- 0.5	562	10.2	9.2-11.2	3996	68.3	66.7-69.9	1141	21.2	19.8-22.6	2	0.1	0.0- 0.3
Female	7640	2,524,872	2	0.1	0.0- 0.3	737	9.0	8.0-10.0	5428	68.9	67.3-70.5	1447	21.5	20.1-22.9	26	0.5	0.3- 0.7			
White/Non-Hisp	11329	4,003,805				610	4.3	3.7- 4.9	5040	40.0	38.8-41.2	4687	45.1	43.9-46.3	990	10.6	9.8-11.4	2	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	897	420,237	1	0.1	0.0- 0.3	42	5.0	3.0- 7.0	455	41.9	37.6-46.2	316	41.4	37.1-45.7	83	11.6	8.5-14.7			
Oth. Race/Non-Hisp.	264	111,442	2	2.3	0.0- 6.6	23	7.8	3.1-12.5	101	33.9	26.3-41.5	115	47.8	39.6-56.0	23	8.2	4.1-12.3			
MultiRacial/Non-Hisp.	204	59,119				11	6.0	1.7-10.3	68	32.9	24.7-41.1	99	45.7	37.1-54.3	26	15.5	9.4-21.6			
Hispanic	445	219,029				57	12.3	8.8-15.8	242	54.2	48.5-59.9	127	28.6	23.3-33.9	19	4.9	2.2- 7.6			
18-24	644	648,287	1	0.4	0.0- 1.2	25	4.7	2.5- 6.9	232	37.9	33.6-42.2	293	42.6	38.3-46.9	92	14.2	11.3-17.1	1	0.3	0.0- 0.9
25-34	1132	795,450				59	5.1	3.7- 6.5	422	36.0	32.9-39.1	514	46.2	42.9-49.5	137	12.7	10.3-15.1			
35-44	1341	778,306				47	2.9	1.9- 3.9	572	39.0	36.1-41.9	578	47.1	44.0-50.2	144	11.0	9.0-13.0			
45-54	2049	812,429	1	0.0	0.0- 0.0	83	3.8	2.8- 4.8	851	39.3	36.8-41.8	886	44.8	42.3-47.3	228	12.1	10.3-13.9			
55-64	2926	844,365				111	3.9	3.1- 4.7	1260	41.6	39.4-43.8	1288	45.9	43.7-48.1	267	8.6	7.4- 9.8			
65+	5265	1,015,163	1	0.0	0.0- 0.0	427	7.4	6.6- 8.2	2653	46.8	45.2-48.4	1884	39.3	37.7-40.9	299	6.4	5.6- 7.2	1	0.0	0.0- 0.0
Less Than H.S.	959	582,566	2	0.4	0.0- 1.2	118	9.4	7.0-11.8	470	42.1	38.0-46.2	316	40.5	36.2-44.8	53	7.6	5.1-10.1			
H.S. or G.E.D.	4477	1,664,579				302	5.0	4.2- 5.8	2127	41.3	39.3-43.3	1711	43.8	41.8-45.8	335	9.8	8.6-11.0	2	0.1	0.0- 0.3
Some Post-H.S.	3413	1,528,180				150	3.8	3.0- 4.6	1581	42.0	39.8-44.2	1376	42.9	40.7-45.1	306	11.3	9.9-12.7			
College Graduate	4484	1,111,276	1	0.0	0.0- 0.0	181	3.2	2.6- 3.8	1802	36.3	34.5-38.1	2029	48.6	46.6-50.6	471	11.9	10.7-13.1			
Less than \$15,000	1172	428,154				98	8.1	5.9-10.3	585	45.3	41.4-49.2	411	39.6	35.7-43.5	78	7.0	5.2- 8.8			
\$15,000- 24,999	2157	771,214	1	0.0	0.0- 0.0	168	6.3	4.7- 7.9	1076	45.3	42.4-48.2	795	41.1	38.2-44.0	117	7.2	5.6- 8.8			
\$25,000- 34,999	1398	491,262				103	6.2	4.4- 8.0	693	44.1	40.6-47.6	513	41.7	38.2-45.2	89	8.0	5.8-10.2			
\$35,000- 49,999	1817	691,430				97	5.2	3.8- 6.6	776	37.3	34.2-40.4	799	47.5	44.4-50.6	144	9.8	7.6-12.0	1	0.2	0.0- 0.6
\$50,000- 74,999	1939	731,803	1	0.3	0.0- 0.9	67	2.8	1.8- 3.8	835	39.9	37.0-42.8	852	45.0	42.1-47.9	184	12.1	9.9-14.3			
\$75,000+	3400	1,288,913				86	2.2	1.6- 2.8	1244	34.0	32.0-36.0	1617	49.3	47.1-51.5	453	14.5	12.9-16.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	5717	2,369,128	1	0.0	0.0- 0.0	15	0.3	0.1- 0.5	562	10.2	9.2-11.2	3996	68.3	66.7-69.9	1141	21.2	19.8-22.6	2	0.1	0.0- 0.3	
White/Non-Hisp	4815	1,930,184				9	0.1	0.0- 0.3	405	8.6	7.6- 9.6	3427	69.7	67.9-71.5	972	21.6	20.0-23.2	2	0.1	0.0- 0.3	
Black or Afr. Am./Non-Hisp	325	194,510	1	0.2	0.0- 0.6	1	1.0	0.0- 3.0	42	13.6	9.1-18.1	203	61.4	54.5-68.3	78	23.8	17.7-29.9				
Oth. Race/Non-Hisp.	155	65,670				2	1.1	0.0- 2.7	30	16.5	9.2-23.8	101	68.7	59.5-77.9	22	13.8	7.1-20.5				
MultiRacial/Non-Hisp.	110	32,260							8	5.1	1.4- 8.8	77	69.1	58.9-79.3	25	25.7	15.9-35.5				
Hispanic	193	99,794				3	1.1	0.0- 2.5	64	32.7	24.7-40.7	108	56.0	47.4-64.6	18	10.3	4.6-16.0				
18-24	360	328,447				3	1.0	0.0- 2.4	45	11.4	7.9-14.9	220	59.4	53.5-65.3	91	27.8	22.5-33.1	1	0.5	0.0- 1.5	
25-34	551	394,877							56	9.4	6.7-12.1	368	67.0	62.5-71.5	127	23.6	19.5-27.7				
35-44	594	383,732							63	10.0	7.1-12.9	390	68.1	63.8-72.4	141	21.9	18.0-25.8				
45-54	914	403,936	1	0.1	0.0- 0.3	4	0.3	0.0- 0.7	88	9.9	7.5-12.3	598	65.8	62.3-69.3	223	23.9	20.6-27.2				
55-64	1335	411,669				1	0.1	0.0- 0.3	111	9.1	7.1-11.1	961	73.4	70.7-76.1	262	17.4	15.0-19.8				
65+	1963	446,468				7	0.3	0.1- 0.5	199	11.4	9.6-13.2	1459	73.8	71.4-76.2	297	14.5	12.7-16.3	1	0.0	0.0- 0.0	
Less Than H.S.	389	287,141				4	0.3	0.0- 0.7	82	19.2	14.5-23.9	253	65.5	59.6-71.4	50	14.9	10.0-19.8				
H.S. or G.E.D.	1844	828,100				5	0.4	0.0- 0.8	197	9.6	8.0-11.2	1316	70.6	68.1-73.1	324	19.2	16.8-21.6	2	0.2	0.0- 0.6	
Some Post-H.S.	1415	702,704				2	0.2	0.0- 0.4	134	9.4	7.6-11.2	978	66.6	63.5-69.7	301	23.9	21.0-26.8				
College Graduate	2056	546,305	1	0.1	0.0- 0.3	4	0.2	0.0- 0.4	148	7.3	5.7- 8.9	1439	68.7	66.2-71.2	464	23.8	21.4-26.2				
Less than \$15,000	392	167,218				2	1.4	0.0- 3.8	51	13.7	9.0-18.4	265	68.0	61.9-74.1	74	16.9	12.6-21.2				
\$15,000- 24,999	805	341,432	1	0.1	0.0- 0.3	8	0.6	0.0- 1.2	113	15.1	11.8-18.4	572	68.3	64.0-72.6	111	15.8	12.3-19.3				
\$25,000- 34,999	546	220,819				1	0.0	0.0- 0.0	87	15.9	12.2-19.6	371	67.1	61.8-72.4	87	17.0	12.5-21.5				
\$35,000- 49,999	855	366,108							80	8.8	6.4-11.2	631	72.6	68.5-76.7	143	18.2	14.5-21.9	1	0.5	0.0- 1.5	
\$50,000- 74,999	905	377,093							75	9.1	6.7-11.5	648	67.8	63.7-71.9	182	23.1	19.2-27.0				
\$75,000+	1761	707,176				2	0.2	0.0- 0.4	110	6.2	4.8- 7.6	1203	67.7	65.0-70.4	446	26.0	23.5-28.5				

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7640	2,524,872	2	0.1	0.0- 0.3	737	9.0	8.0-10.0	5428	68.9	67.3-70.5	1447	21.5	20.1-22.9	26	0.5	0.3- 0.7
White/Non-Hisp	6514	2,073,621				601	8.1	7.1- 9.1	4635	69.2	67.6-70.8	1260	22.2	20.8-23.6	18	0.4	0.2- 0.6
Black or Afr. Am./Non-Hisp	572	225,727				41	8.4	5.1-11.7	413	66.3	60.8-71.8	113	24.2	19.1-29.3	5	1.1	0.0- 2.5
Oth. Race/Non-Hisp.	109	45,772	2	5.7	0.0-15.9	21	17.5	6.9-28.1	71	58.8	44.5-73.1	14	17.8	6.4-29.2	1	0.1	0.0- 0.3
MultiRacial/Non-Hisp.	94	26,859				11	13.2	4.0-22.4	60	66.3	53.8-78.8	22	17.5	8.1-26.9	1	3.1	0.0- 9.0
Hispanic	252	119,236				54	21.6	15.5-27.7	178	72.3	65.6-79.0	19	5.7	2.6- 8.8	1	0.4	0.0- 1.2
18-24	284	319,840	1	0.8	0.0- 2.4	22	8.5	4.6-12.4	187	65.1	58.6-71.6	73	25.4	19.7-31.1	1	0.3	0.0- 0.9
25-34	581	400,573				59	10.1	7.4-12.8	366	62.2	57.7-66.7	146	25.7	21.6-29.8	10	2.0	0.6- 3.4
35-44	747	394,575				47	5.7	3.9- 7.5	509	67.1	63.2-71.0	188	26.8	23.1-30.5	3	0.4	0.0- 1.0
45-54	1135	408,493				79	7.2	5.4- 9.0	763	68.3	65.2-71.4	288	24.1	21.4-26.8	5	0.4	0.0- 0.8
55-64	1591	432,696				110	7.6	5.8- 9.4	1149	72.5	70.0-75.0	327	19.8	17.4-22.2	5	0.1	0.0- 0.3
65+	3302	568,695	1	0.0	0.0- 0.0	420	13.0	11.4-14.6	2454	74.6	72.8-76.4	425	12.3	10.9-13.7	2	0.1	0.0- 0.3
Less Than H.S.	570	295,425	2	0.9	0.0- 2.5	114	18.3	14.0-22.6	388	64.3	58.6-70.0	63	16.1	11.2-21.0	3	0.4	0.0- 1.0
H.S. or G.E.D.	2633	836,479				297	9.5	8.1-10.9	1930	72.7	70.3-75.1	395	17.2	15.0-19.4	11	0.6	0.2- 1.0
Some Post-H.S.	1998	825,476				148	7.0	5.6- 8.4	1447	69.8	67.1-72.5	398	22.7	20.2-25.2	5	0.6	0.0- 1.2
College Graduate	2428	564,971				177	6.2	5.0- 7.4	1654	64.3	61.8-66.8	590	29.1	26.7-31.5	7	0.4	0.2- 0.6
Less than \$15,000	780	260,936				96	12.5	9.2-15.8	534	65.5	60.8-70.2	146	21.4	17.3-25.5	4	0.6	0.0- 1.4
\$15,000- 24,999	1352	429,782				160	10.9	8.4-13.4	963	69.2	65.5-72.9	223	19.5	16.2-22.8	6	0.4	0.0- 0.8
\$25,000- 34,999	852	270,443				102	11.2	8.3-14.1	606	67.2	62.7-71.7	142	21.0	17.1-24.9	2	0.7	0.0- 1.7
\$35,000- 49,999	962	325,322				97	11.0	8.1-13.9	696	69.4	65.3-73.5	168	19.3	15.8-22.8	1	0.3	0.0- 0.9
\$50,000- 74,999	1034	354,710	1	0.7	0.0- 2.1	67	5.7	3.9- 7.5	760	72.6	68.7-76.5	204	20.7	17.2-24.2	2	0.3	0.0- 0.7
\$75,000+	1639	581,737				84	4.6	3.4- 5.8	1134	67.8	64.9-70.7	414	26.9	24.2-29.6	7	0.6	0.0- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 25: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13469	4,951,141	6	0.1	0.0- 0.3	772	4.9	4.5- 5.3	6037	40.4	39.2-41.6	5482	44.1	42.9-45.3	1170	10.4	9.6-11.2	2	0.0	0.0- 0.0
Male	5784	2,401,757	2	0.0	0.0- 0.0	18	0.3	0.1- 0.5	588	10.5	9.5-11.5	4032	68.1	66.5-69.7	1142	20.9	19.5-22.3	2	0.1	0.0- 0.3
Female	7685	2,549,384	4	0.2	0.0- 0.4	754	9.2	8.2-10.2	5449	68.6	67.0-70.2	1450	21.4	20.0-22.8	28	0.6	0.4- 0.8			
White/Non-Hisp	11337	4,006,507				610	4.3	3.7- 4.9	5043	40.0	38.8-41.2	4692	45.1	43.9-46.3	990	10.6	9.8-11.4	2	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	899	421,934	2	0.3	0.0- 0.7	42	4.9	2.9- 6.9	455	41.8	37.5-46.1	316	41.2	36.9-45.5	84	11.8	8.7-14.9			
Oth. Race/Non-Hisp.	277	121,062	2	2.2	0.0- 6.1	24	7.6	3.3-11.9	107	35.1	27.7-42.5	121	47.6	39.8-55.4	23	7.5	3.8-11.2			
MultiRacial/Non-Hisp.	205	59,772				11	5.9	1.6-10.2	68	32.6	24.4-40.8	100	46.2	37.6-54.8	26	15.3	9.2-21.4			
Hispanic	532	260,918	2	0.6	0.0- 1.4	75	13.8	10.3-17.3	280	52.1	47.0-57.2	154	28.7	24.0-33.4	21	4.8	2.3- 7.3			
18-24	661	661,842	2	0.5	0.0- 1.3	28	4.9	2.7- 7.1	237	37.8	33.5-42.1	300	42.5	38.2-46.8	93	14.1	11.2-17.0	1	0.3	0.0- 0.7
25-34	1161	808,424				64	5.3	3.9- 6.7	434	36.0	32.9-39.1	524	46.0	42.7-49.3	139	12.7	10.3-15.1			
35-44	1373	793,265	2	0.2	0.0- 0.4	51	2.9	1.9- 3.9	588	39.2	36.3-42.1	588	46.9	43.8-50.0	144	10.8	8.8-12.8			
45-54	2070	822,035	1	0.0	0.0- 0.0	88	4.2	3.2- 5.2	861	39.3	36.9-41.7	892	44.5	42.0-47.0	228	11.9	10.1-13.7			
55-64	2937	848,596				113	4.0	3.0- 5.0	1264	41.5	39.3-43.7	1293	46.0	43.8-48.2	267	8.5	7.3- 9.7			
65+	5267	1,016,980	1	0.0	0.0- 0.0	428	7.4	6.6- 8.2	2653	46.7	45.1-48.3	1885	39.4	37.8-41.0	299	6.4	5.6- 7.2	1	0.0	0.0- 0.0
Less Than H.S.	1009	612,176	3	0.6	0.0- 1.4	130	10.1	7.7-12.5	488	41.7	37.8-45.6	334	40.3	36.2-44.4	54	7.3	4.9- 9.7			
H.S. or G.E.D.	4506	1,678,589	2	0.1	0.0- 0.3	308	5.1	4.3- 5.9	2141	41.3	39.3-43.3	1716	43.6	41.6-45.6	337	9.9	8.7-11.1	2	0.1	0.0- 0.3
Some Post-H.S.	3427	1,536,681				151	3.9	3.1- 4.7	1588	42.1	39.9-44.3	1382	42.8	40.6-45.0	306	11.2	9.8-12.6			
College Graduate	4502	1,116,014	1	0.0	0.0- 0.0	182	3.2	2.6- 3.8	1809	36.3	34.5-38.1	2039	48.6	46.6-50.6	471	11.8	10.6-13.0			
Less than \$15,000	1200	443,466	1	0.2	0.0- 0.6	104	8.4	6.2-10.6	596	45.0	41.1-48.9	420	39.5	35.8-43.2	79	6.9	5.1- 8.7			
\$15,000- 24,999	2194	788,815	2	0.1	0.0- 0.3	176	6.7	5.1- 8.3	1093	45.2	42.3-48.1	806	40.9	38.0-43.8	117	7.1	5.5- 8.7			
\$25,000- 34,999	1411	498,227	1	0.1	0.0- 0.3	105	6.3	4.5- 8.1	700	44.3	40.8-47.8	516	41.4	37.9-44.9	89	7.9	5.7-10.1			
\$35,000- 49,999	1825	696,192				97	5.1	3.7- 6.5	777	37.1	34.2-40.0	805	47.6	44.5-50.7	145	9.9	7.7-12.1	1	0.2	0.0- 0.6
\$50,000- 74,999	1941	732,878	1	0.3	0.0- 0.9	67	2.8	1.8- 3.8	837	40.0	37.1-42.9	852	44.9	42.0-47.8	184	12.0	9.8-14.2			
\$75,000+	3407	1,290,444				86	2.2	1.6- 2.8	1246	34.0	32.0-36.0	1622	49.3	47.1-51.5	453	14.5	12.9-16.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5784	2,401,757	2	0.0	0.0- 0.0	18	0.3	0.1- 0.5	588	10.5	9.5-11.5	4032	68.1	66.5-69.7	1142	20.9	19.5-22.3	2	0.1	0.0- 0.3
White/Non-Hisp	4820	1,932,312				9	0.1	0.0- 0.3	406	8.6	7.6- 9.6	3431	69.7	67.9-71.5	972	21.6	20.0-23.2	2	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	326	195,508	1	0.2	0.0- 0.6	1	1.0	0.0- 3.0	42	13.6	9.1-18.1	203	61.1	54.2-68.0	79	24.2	18.1-30.3			
Oth. Race/Non-Hisp.	162	70,302				3	1.7	0.0- 3.9	31	16.9	9.6-24.2	106	68.5	59.5-77.5	22	12.9	6.6-19.2			
MultiRacial/Non-Hisp.	111	32,913							8	5.0	1.3- 8.7	78	69.7	59.7-79.7	25	25.2	15.6-34.8			
Hispanic	246	124,013	1	0.5	0.0- 1.5	5	1.7	0.1- 3.3	88	35.1	28.0-42.2	134	54.5	46.9-62.1	18	8.3	3.6-13.0			
18-24	372	336,796	1	0.2	0.0- 0.6	4	1.1	0.0- 2.5	48	11.7	8.2-15.2	226	59.1	53.4-64.8	92	27.4	22.1-32.7	1	0.5	0.0- 1.5
25-34	567	401,298							62	9.9	7.2-12.6	378	66.9	62.4-71.4	127	23.2	19.1-27.3			
35-44	611	392,446				1	0.1	0.0- 0.3	69	10.7	7.8-13.6	400	67.8	63.5-72.1	141	21.4	17.7-25.1			
45-54	927	409,047	1	0.1	0.0- 0.3	5	0.4	0.0- 0.8	95	10.6	8.2-13.0	603	65.3	61.8-68.8	223	23.6	20.5-26.7			
55-64	1343	414,196				1	0.1	0.0- 0.3	115	9.3	7.3-11.3	965	73.3	70.6-76.0	262	17.3	14.9-19.7			
65+	1964	447,974				7	0.3	0.1- 0.5	199	11.3	9.5-13.1	1460	73.9	71.5-76.3	297	14.5	12.7-16.3	1	0.0	0.0- 0.0
Less Than H.S.	421	305,397				6	0.6	0.0- 1.2	95	20.4	15.9-24.9	270	65.0	59.3-70.7	50	14.0	9.5-18.5			
H.S. or G.E.D.	1860	835,959	1	0.1	0.0- 0.3	6	0.4	0.0- 1.0	205	9.9	8.3-11.5	1321	70.3	67.8-72.8	325	19.1	16.7-21.5	2	0.2	0.0- 0.6
Some Post-H.S.	1423	706,273				2	0.2	0.0- 0.4	137	9.6	7.8-11.4	983	66.5	63.4-69.6	301	23.8	20.9-26.7			
College Graduate	2066	548,968	1	0.1	0.0- 0.3	4	0.2	0.0- 0.4	149	7.3	5.7- 8.9	1448	68.8	66.3-71.3	464	23.7	21.3-26.1			
Less than \$15,000	407	176,487				2	1.3	0.0- 3.5	57	15.0	10.3-19.7	274	67.7	61.8-73.6	74	16.0	11.9-20.1			
\$15,000- 24,999	828	351,976	2	0.3	0.0- 0.7	8	0.6	0.0- 1.2	125	16.2	12.9-19.5	582	67.5	63.2-71.8	111	15.4	12.1-18.7			
\$25,000- 34,999	554	224,679				2	0.3	0.0- 0.7	91	16.5	12.8-20.2	374	66.5	61.4-71.6	87	16.7	12.4-21.0			
\$35,000- 49,999	862	369,551							81	8.8	6.4-11.2	636	72.5	68.4-76.6	144	18.3	14.6-22.0	1	0.4	0.0- 1.2
\$50,000- 74,999	905	377,093							75	9.1	6.7-11.5	648	67.8	63.7-71.9	182	23.1	19.2-27.0			
\$75,000+	1766	708,187				2	0.2	0.0- 0.4	111	6.2	4.8- 7.6	1207	67.7	65.0-70.4	446	25.9	23.4-28.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7685	2,549,384	4	0.2	0.0- 0.4	754	9.2	8.2-10.2	5449	68.6	67.0-70.2	1450	21.4	20.0-22.8	28	0.6	0.4- 0.8
White/Non-Hisp	6517	2,074,195				601	8.1	7.1- 9.1	4637	69.2	67.6-70.8	1261	22.3	20.9-23.7	18	0.4	0.2- 0.6
Black or Afr. Am./Non-Hisp	573	226,426	1	0.3	0.0- 0.9	41	8.3	5.0-11.6	413	66.1	60.6-71.6	113	24.1	19.0-29.2	5	1.1	0.0- 2.5
Oth. Race/Non-Hisp.	115	50,761	2	5.1	0.0-14.3	21	15.8	6.2-25.4	76	60.3	46.6-74.0	15	18.7	7.5-29.9	1	0.1	0.0- 0.3
MultiRacial/Non-Hisp.	94	26,859				11	13.2	4.0-22.4	60	66.3	53.8-78.8	22	17.5	8.1-26.9	1	3.1	0.0- 9.0
Hispanic	286	136,906	1	0.7	0.0- 2.1	70	24.8	18.7-30.9	192	67.5	61.0-74.0	20	5.4	2.5- 8.3	3	1.6	0.0- 3.6
18-24	289	325,046	1	0.8	0.0- 2.4	24	8.8	4.9-12.7	189	64.8	58.5-71.1	74	25.4	19.7-31.1	1	0.3	0.0- 0.9
25-34	594	407,126				64	10.5	7.8-13.2	372	61.8	57.3-66.3	146	25.3	21.2-29.4	12	2.4	1.0- 3.8
35-44	762	400,819	2	0.4	0.0- 1.0	50	5.7	3.9- 7.5	519	67.1	63.2-71.0	188	26.3	22.6-30.0	3	0.4	0.0- 1.0
45-54	1143	412,988				83	7.9	5.9- 9.9	766	67.8	64.7-70.9	289	23.9	21.2-26.6	5	0.3	0.0- 0.7
55-64	1594	434,400				112	7.8	6.0- 9.6	1149	72.2	69.5-74.9	328	19.8	17.4-22.2	5	0.1	0.0- 0.3
65+	3303	569,006	1	0.0	0.0- 0.0	421	13.1	11.5-14.7	2454	74.6	72.8-76.4	425	12.3	10.9-13.7	2	0.1	0.0- 0.3
Less Than H.S.	588	306,780	3	1.2	0.0- 3.0	124	19.5	15.2-23.8	393	63.0	57.3-68.7	64	15.7	11.0-20.4	4	0.6	0.0- 1.4
H.S. or G.E.D.	2646	842,630	1	0.1	0.0- 0.3	302	9.7	8.3-11.1	1936	72.4	70.0-74.8	395	17.1	14.9-19.3	12	0.7	0.1- 1.3
Some Post-H.S.	2004	830,407				149	7.0	5.6- 8.4	1451	69.7	67.0-72.4	399	22.7	20.2-25.2	5	0.6	0.0- 1.2
College Graduate	2436	567,046				178	6.2	5.0- 7.4	1660	64.3	61.8-66.8	591	29.1	26.7-31.5	7	0.3	0.1- 0.5
Less than \$15,000	793	266,980	1	0.4	0.0- 1.2	102	13.1	9.8-16.4	539	64.8	60.1-69.5	146	20.9	16.8-25.0	5	0.8	0.0- 1.6
\$15,000- 24,999	1366	436,840				168	11.7	9.2-14.2	968	68.5	64.8-72.2	224	19.4	16.1-22.7	6	0.4	0.0- 0.8
\$25,000- 34,999	857	273,549	1	0.3	0.0- 0.9	103	11.2	8.3-14.1	609	67.1	62.6-71.6	142	20.7	16.8-24.6	2	0.7	0.0- 1.7
\$35,000- 49,999	963	326,641				97	11.0	8.1-13.9	696	69.1	65.0-73.2	169	19.6	16.1-23.1	1	0.3	0.0- 0.9
\$50,000- 74,999	1036	355,786	1	0.7	0.0- 2.1	67	5.7	3.9- 7.5	762	72.7	68.8-76.6	204	20.6	17.1-24.1	2	0.3	0.0- 0.7
\$75,000+	1641	582,257				84	4.6	3.4- 5.8	1135	67.7	64.8-70.6	415	27.0	24.3-29.7	7	0.6	0.0- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13106	4,854,443	127	1.1	0.9- 1.3	3737	28.2	27.2-29.2	5690	42.1	40.9-43.3	2636	20.8	19.8-21.8	721	6.0	5.4- 6.6	195	1.8	1.4- 2.2
Male	5764	2,398,455	4	0.1	0.1- 0.1	604	12.7	11.5-13.9	2758	46.7	44.9-48.5	1790	29.7	28.1-31.3	461	8.2	7.2- 9.2	147	2.7	2.1- 3.3
Female	7342	2,455,988	123	2.1	1.5- 2.7	3133	43.4	41.8-45.0	2932	37.7	36.1-39.3	846	12.1	11.1-13.1	260	3.9	3.3- 4.5	48	1.0	0.6- 1.4
White/Non-Hisp	11004	3,912,488	101	0.9	0.7- 1.1	3152	27.8	26.6-29.0	4753	42.2	41.0-43.4	2227	21.1	20.1-22.1	606	6.2	5.6- 6.8	165	1.9	1.5- 2.3
Black or Afr. Am./Non-Hisp	876	418,095	10	1.4	0.0- 2.8	201	24.8	20.9-28.7	377	38.7	34.4-43.0	211	26.3	22.4-30.2	58	6.4	4.4- 8.4	19	2.3	0.9- 3.7
Oth. Race/Non-Hisp.	269	119,079	10	6.1	1.8-10.4	92	37.2	29.6-44.8	111	36.5	28.9-44.1	41	13.3	8.0-18.6	12	4.2	1.3- 7.1	3	2.7	0.0- 6.8
MultiRacial/Non-Hisp.	197	57,454	39	16.5	10.4-22.6	39	16.5	10.4-22.6	93	48.5	39.5-57.5	47	28.0	19.4-36.6	15	5.5	2.0- 9.0	3	1.4	0.0- 3.2
Hispanic	550	270,964	4	0.6	0.0- 1.2	202	39.1	34.0-44.2	248	45.8	40.7-50.9	75	11.1	8.4-13.8	18	3.0	1.4- 4.6	3	0.3	0.0- 0.7
18-24	656	656,872	13	2.7	1.1- 4.3	265	41.2	36.9-45.5	258	37.7	33.4-42.0	84	12.8	9.9-15.7	30	4.4	2.6- 6.2	6	1.2	0.2- 2.2
25-34	1147	801,999	14	1.1	0.5- 1.7	335	29.1	26.2-32.0	474	40.9	37.8-44.0	225	19.7	17.2-22.2	72	6.7	4.9- 8.5	27	2.6	1.6- 3.6
35-44	1346	779,359	10	0.5	0.1- 0.9	376	26.8	24.1-29.5	542	40.2	37.1-43.3	300	23.6	20.9-26.3	85	6.6	5.0- 8.2	33	2.3	1.5- 3.1
45-54	2015	804,068	13	0.6	0.2- 1.0	491	23.2	21.0-25.4	848	42.2	39.7-44.7	481	24.8	22.4-27.2	137	6.5	5.3- 7.7	45	2.6	1.8- 3.4
55-64	2834	821,879	17	0.5	0.3- 0.7	630	22.7	20.7-24.7	1236	43.3	41.1-45.5	694	24.7	22.7-26.7	203	7.1	5.9- 8.3	54	1.8	1.2- 2.4
65+	5108	990,266	60	1.3	0.9- 1.7	1640	28.6	27.0-30.2	2332	46.4	44.6-48.2	852	18.3	16.9-19.7	194	4.7	3.9- 5.5	30	0.7	0.3- 1.1
Less Than H.S.	1003	606,492	23	1.9	0.9- 2.9	320	31.7	27.8-35.6	443	43.3	39.2-47.4	146	15.3	12.4-18.2	50	5.1	3.3- 6.9	21	2.8	1.4- 4.2
H.S. or G.E.D.	4380	1,641,956	56	1.5	0.9- 2.1	1273	27.8	26.0-29.6	1905	42.3	40.3-44.3	837	20.8	19.2-22.4	247	6.0	5.0- 7.0	62	1.6	1.2- 2.0
Some Post-H.S.	3320	1,505,066	21	0.6	0.2- 1.0	914	27.7	25.7-29.7	1398	40.1	37.9-42.3	728	22.9	21.1-24.7	210	6.9	5.7- 8.1	49	1.8	1.2- 2.4
College Graduate	4376	1,091,548	27	0.7	0.3- 1.1	1222	27.5	25.7-29.3	1932	43.7	41.7-45.7	919	21.1	19.5-22.7	214	5.3	4.5- 6.1	62	1.7	1.1- 2.3
Less than \$15,000	1180	439,550	20	1.9	0.7- 3.1	351	30.7	27.0-34.4	473	39.9	36.0-43.8	230	19.2	16.3-22.1	72	5.0	3.6- 6.4	34	3.4	2.0- 4.8
\$15,000- 24,999	2154	776,699	38	1.9	1.1- 2.7	643	30.0	27.3-32.7	943	41.9	39.2-44.6	377	18.3	15.9-20.7	121	6.3	4.9- 7.7	32	1.7	0.9- 2.5
\$25,000- 34,999	1384	493,498	15	1.1	0.3- 1.9	403	27.6	24.5-30.7	627	44.2	40.7-47.7	230	16.9	14.2-19.6	88	8.4	6.2-10.6	21	1.8	0.8- 2.8
\$35,000- 49,999	1781	680,624	11	1.0	0.2- 1.8	478	26.5	23.6-29.4	785	42.1	39.0-45.2	387	23.4	20.7-26.1	95	5.5	4.1- 6.9	25	1.6	0.8- 2.4
\$50,000- 74,999	1893	718,669	6	0.6	0.0- 1.2	463	24.2	21.5-26.9	864	44.0	41.1-46.9	406	21.9	19.4-24.4	130	7.5	5.7- 9.3	24	1.8	0.8- 2.8
\$75,000+	3335	1,272,806	13	0.4	0.2- 0.6	867	27.1	25.1-29.1	1454	42.2	40.0-44.4	792	23.4	21.6-25.2	159	5.2	4.2- 6.2	50	1.9	1.3- 2.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5764	2,398,455	4	0.1	0.1- 0.1	604	12.7	11.5-13.9	2758	46.7	44.9-48.5	1790	29.7	28.1-31.3	461	8.2	7.2- 9.2	147	2.7	2.1- 3.3
White/Non-Hisp	4800	1,925,637	2	0.0	0.0- 0.0	440	10.9	9.7-12.1	2289	46.5	44.7-48.3	1542	30.7	28.9-32.5	397	8.8	7.6-10.0	130	3.0	2.4- 3.6
Black or Afr. Am./Non-Hisp	325	196,333				51	19.2	13.7-24.7	139	39.0	32.3-45.7	98	32.3	25.6-39.0	28	7.3	4.0-10.6	9	2.2	0.4- 4.0
Oth. Race/Non-Hisp.	161	70,222	1	0.7	0.0- 2.1	37	31.5	22.1-40.9	82	47.8	38.0-57.6	30	14.8	8.1-21.5	10	4.8	1.1- 8.5	1	0.3	0.0- 0.9
MultiRacial/Non-Hisp.	108	31,969				18	11.7	5.6-17.8	41	38.2	27.0-49.4	38	41.2	29.6-52.8	8	6.4	1.1-11.7	3	2.5	0.0- 5.6
Hispanic	251	128,565	1	0.3	0.0- 0.9	47	19.6	13.5-25.7	136	59.2	51.9-66.5	56	17.5	12.4-22.6	9	2.9	0.9- 4.9	2	0.5	0.0- 1.3
18-24	369	336,363	1	0.2	0.0- 0.6	108	29.0	23.7-34.3	170	47.1	41.2-53.0	65	16.5	12.4-20.6	22	6.4	3.5- 9.3	3	0.8	0.0- 1.8
25-34	568	402,969				87	14.9	11.6-18.2	274	47.6	42.9-52.3	149	26.4	22.3-30.5	39	7.6	4.9-10.3	19	3.5	1.7- 5.3
35-44	610	392,684				56	8.5	6.0-11.0	282	47.4	42.7-52.1	189	31.2	26.9-35.5	59	9.6	6.9-12.3	24	3.3	1.7- 4.9
45-54	923	407,535	2	0.2	0.0- 0.4	83	9.5	7.1-11.9	392	41.4	37.7-45.1	332	36.9	33.2-40.6	80	8.0	6.0-10.0	34	4.1	2.5- 5.7
55-64	1338	412,580				83	7.6	5.8- 9.4	604	44.8	41.7-47.9	486	35.7	32.6-38.8	123	8.9	7.1-10.7	42	3.0	1.8- 4.2
65+	1956	446,325	1	0.1	0.0- 0.3	187	9.5	7.7-11.3	1036	51.4	48.7-54.1	569	29.3	26.9-31.7	138	8.3	6.7- 9.9	25	1.4	0.8- 2.0
Less Than H.S.	419	304,063	1	0.1	0.0- 0.3	78	20.0	15.1-24.9	215	51.2	45.3-57.1	84	18.9	14.4-23.4	32	8.0	4.7-11.3	9	1.8	0.4- 3.2
H.S. or G.E.D.	1852	832,922	3	0.2	0.0- 0.4	206	13.3	11.3-15.3	898	47.5	44.8-50.2	534	28.1	25.6-30.6	163	8.3	6.7- 9.9	48	2.6	1.8- 3.4
Some Post-H.S.	1422	707,717				155	11.6	9.4-13.8	621	41.8	38.7-44.9	485	34.4	31.3-37.5	122	9.0	7.0-11.0	39	3.2	2.0- 4.4
College Graduate	2056	547,038				165	9.1	7.3-10.9	1015	48.7	46.0-51.4	682	32.3	29.8-34.8	144	7.1	5.7- 8.5	50	2.8	1.8- 3.8
Less than \$15,000	403	174,931	2	0.4	0.0- 1.0	70	20.3	14.8-25.8	182	46.3	40.0-52.6	102	24.0	18.9-29.1	29	5.6	3.2- 8.0	18	3.3	1.3- 5.3
\$15,000- 24,999	831	353,513				123	20.1	16.2-24.0	406	46.9	42.6-51.2	210	22.4	18.9-25.9	69	7.9	5.7-10.1	23	2.8	1.4- 4.2
\$25,000- 34,999	554	227,074				70	13.9	10.0-17.8	278	48.2	42.7-53.7	143	23.3	18.8-27.8	46	11.2	7.3-15.1	17	3.4	1.4- 5.4
\$35,000- 49,999	858	367,485	1	0.1	0.0- 0.3	104	13.0	10.1-15.9	402	45.3	40.8-49.8	264	31.5	27.4-35.6	69	7.8	5.4-10.2	18	2.3	1.1- 3.5
\$50,000- 74,999	906	377,090				76	9.0	6.6-11.4	438	46.7	42.4-51.0	287	31.2	27.3-35.1	86	10.5	7.8-13.2	19	2.6	1.2- 4.0
\$75,000+	1762	707,388	1	0.1	0.0- 0.3	105	7.9	6.1- 9.7	847	47.1	44.2-50.0	641	34.9	32.2-37.6	123	7.0	5.6- 8.4	45	3.0	2.0- 4.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7342	2,455,988	123	2.1	1.5- 2.7	3133	43.4	41.8-45.0	2932	37.7	36.1-39.3	846	12.1	11.1-13.1	260	3.9	3.3- 4.5	48	1.0	0.6- 1.4
White/Non-Hisp	6204	1,986,851	99	1.8	1.2- 2.4	2712	44.1	42.3-45.9	2464	37.9	36.3-39.5	685	11.7	10.5-12.9	209	3.7	3.1- 4.3	35	0.7	0.3- 1.1
Black or Afr. Am./Non-Hisp	551	221,761	10	2.6	0.2- 5.0	150	29.9	24.6-35.2	238	38.5	33.0-44.0	113	20.9	16.4-25.4	30	5.7	3.3- 8.1	10	2.5	0.7- 4.3
Oth. Race/Non-Hisp.	108	48,857	9	13.9	4.1-23.7	55	45.4	32.1-58.7	29	20.2	9.0-31.4	11	11.1	2.5-19.7	2	3.3	0.0- 8.0	2	6.1	0.0-15.9
MultiRacial/Non-Hisp.	89	25,486				21	22.6	11.4-33.8	52	61.5	47.8-75.2	9	11.5	0.1-22.9	7	4.5	0.2- 8.8			
Hispanic	299	142,400	3	0.9	0.0- 1.9	155	56.8	50.1-63.5	112	33.7	27.4-40.0	19	5.3	2.8- 7.8	9	3.2	1.0- 5.4	1	0.1	0.0- 0.3
18-24	287	320,509	12	5.3	2.2- 8.4	157	54.1	47.4-60.8	88	27.9	22.2-33.6	19	8.9	4.8-13.0	8	2.3	0.5- 4.1	3	1.6	0.0- 3.4
25-34	579	399,030	14	2.3	1.1- 3.5	248	43.4	38.9-47.9	200	34.2	29.9-38.5	76	12.9	9.8-16.0	33	5.7	3.5- 7.9	8	1.6	0.4- 2.8
35-44	736	386,675	10	1.0	0.2- 1.8	320	45.3	41.2-49.4	260	33.0	29.3-36.7	111	15.9	12.8-19.0	26	3.6	2.0- 5.2	9	1.2	0.2- 2.2
45-54	1092	396,533	11	1.1	0.5- 1.7	408	37.3	34.0-40.6	456	43.1	39.8-46.4	149	12.4	10.2-14.6	57	5.1	3.5- 6.7	11	1.1	0.3- 1.9
55-64	1496	409,300	17	0.9	0.3- 1.5	547	37.9	35.0-40.8	632	41.8	38.9-44.7	208	13.6	11.4-15.8	80	5.1	3.7- 6.5	12	0.6	0.2- 1.0
65+	3152	543,941	59	2.3	1.5- 3.1	1453	44.2	42.0-46.4	1296	42.3	40.1-44.5	283	9.3	8.1-10.5	56	1.7	1.1- 2.3	5	0.1	0.0- 0.3
Less Than H.S.	584	302,430	22	3.6	1.6- 5.6	242	43.5	38.0-49.0	228	35.4	30.3-40.5	62	11.6	7.7-15.5	18	2.2	1.0- 3.4	12	3.8	1.3- 6.3
H.S. or G.E.D.	2528	809,034	53	2.9	1.7- 4.1	1067	42.7	40.0-45.4	1007	37.0	34.5-39.5	303	13.3	11.5-15.1	84	3.6	2.6- 4.6	14	0.5	0.1- 0.9
Some Post-H.S.	1898	797,349	21	1.1	0.3- 1.9	759	42.1	39.2-45.0	777	38.6	35.9-41.3	243	12.7	10.7-14.7	88	5.0	3.8- 6.2	10	0.6	0.2- 1.0
College Graduate	2320	544,510	27	1.4	0.6- 2.2	1057	46.0	43.3-48.7	917	38.8	36.3-41.3	237	9.7	8.1-11.3	70	3.5	2.5- 4.5	12	0.6	0.2- 1.0
Less than \$15,000	777	264,620	18	2.8	1.0- 4.6	281	37.6	32.7-42.5	291	35.7	30.8-40.6	128	16.0	12.5-19.5	43	4.5	2.9- 6.1	16	3.4	1.4- 5.4
\$15,000- 24,999	1323	423,186	38	3.4	1.8- 5.0	520	38.3	34.6-42.0	537	37.7	34.2-41.2	167	14.9	12.0-17.8	52	4.9	3.1- 6.7	9	0.8	0.0- 1.6
\$25,000- 34,999	830	266,424	15	2.1	0.7- 3.5	333	39.3	34.6-44.0	349	40.7	36.2-45.2	87	11.5	8.6-14.4	42	5.9	3.7- 8.1	4	0.4	0.0- 0.8
\$35,000- 49,999	923	313,139	10	2.0	0.2- 3.8	374	42.3	37.6-47.0	383	38.3	34.0-42.6	123	13.8	10.7-16.9	26	2.8	1.6- 4.0	7	0.8	0.2- 1.4
\$50,000- 74,999	987	341,579	6	1.2	0.0- 2.4	387	40.9	36.6-45.2	426	41.0	36.9-45.1	119	11.7	9.2-14.2	44	4.2	2.6- 5.8	5	1.0	0.0- 2.4
\$75,000+	1573	565,417	12	0.7	0.3- 1.1	762	51.0	47.9-54.1	607	36.0	33.1-38.9	151	8.9	7.1-10.7	36	2.9	1.7- 4.1	5	0.5	0.0- 1.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	12973	4,771,350	135	1.2	0.8- 1.6	3782	30.9	29.7-32.1	4630	34.3	33.1-35.5	2578	19.2	18.2-20.2	1848	14.4	13.6-15.2
Male	5736	2,382,407	30	0.7	0.5- 0.9	1379	26.1	24.5-27.7	2397	39.8	38.2-41.4	1248	21.3	19.9-22.7	682	12.0	11.0-13.0
Female	7237	2,388,943	105	1.7	1.1- 2.3	2403	35.7	34.1-37.3	2233	28.9	27.5-30.3	1330	17.0	15.8-18.2	1166	16.7	15.5-17.9
White/Non-Hisp	10930	3,866,675	110	1.2	0.8- 1.6	3227	31.1	29.9-32.3	3922	34.5	33.3-35.7	2146	19.0	18.0-20.0	1525	14.3	13.3-15.3
Black or Afr. Am./Non-Hisp	862	407,471	11	1.2	0.2- 2.2	204	26.8	22.7-30.9	258	28.5	24.6-32.4	205	23.3	19.2-27.4	184	20.2	16.9-23.5
Oth. Race/Non-Hisp.	267	116,007	4	2.5	0.0- 5.4	102	45.6	37.6-53.6	95	32.7	25.4-40.0	38	10.3	5.6-15.0	28	8.8	4.3-13.3
MultiRacial/Non-Hisp.	196	56,638	1	0.2	0.0- 0.6	53	26.8	19.0-34.6	67	34.9	26.5-43.3	46	24.9	17.1-32.7	29	13.3	6.8-19.8
Hispanic	513	249,411	5	0.6	0.0- 1.2	141	29.9	24.8-35.0	203	40.4	35.1-45.7	102	18.5	14.6-22.4	62	10.6	7.7-13.5
18-24	630	627,620	18	3.6	1.8- 5.4	331	52.2	47.7-56.7	158	23.8	20.1-27.5	77	12.5	9.4-15.6	46	8.0	5.5-10.5
25-34	1107	772,472	11	1.1	0.3- 1.9	397	36.0	32.7-39.3	356	31.7	28.6-34.8	181	16.1	13.6-18.6	162	15.2	12.8-17.6
35-44	1322	766,961	10	0.5	0.1- 0.9	383	28.0	25.3-30.7	448	35.3	32.4-38.2	249	19.7	17.2-22.2	232	16.5	14.1-18.9
45-54	2004	799,432	15	0.6	0.2- 1.0	519	25.0	22.8-27.2	713	36.4	33.9-38.9	419	21.4	19.2-23.6	338	16.6	14.6-18.6
55-64	2826	818,967	19	0.6	0.2- 1.0	667	23.3	21.3-25.3	1030	36.8	34.6-39.0	630	22.2	20.4-24.0	480	17.0	15.2-18.8
65+	5084	985,899	62	1.3	0.9- 1.7	1485	26.9	25.3-28.5	1925	38.6	37.0-40.2	1022	21.1	19.7-22.5	590	12.1	10.9-13.3
Less Than H.S.	968	583,346	21	2.1	0.9- 3.3	260	30.1	26.2-34.0	346	33.8	29.9-37.7	184	19.6	16.3-22.9	157	14.3	11.6-17.0
H.S. or G.E.D.	4342	1,620,411	58	1.7	1.1- 2.3	1215	30.3	28.3-32.3	1512	33.6	31.8-35.4	883	19.2	17.6-20.8	674	15.2	13.8-16.6
Some Post-H.S.	3296	1,485,092	28	0.8	0.4- 1.2	941	30.5	28.3-32.7	1109	32.7	30.7-34.7	710	20.5	18.7-22.3	508	15.5	13.9-17.1
College Graduate	4343	1,074,891	27	0.5	0.3- 0.7	1360	33.0	31.2-34.8	1652	37.9	36.1-39.7	798	17.1	15.7-18.5	506	11.5	10.3-12.7
Less than \$15,000	1161	428,551	23	2.0	1.0- 3.0	328	30.7	27.0-34.4	324	27.5	24.0-31.0	234	20.3	17.0-23.6	252	19.5	16.6-22.4
\$15,000- 24,999	2118	755,545	35	1.7	0.7- 2.7	594	30.7	28.0-33.4	707	30.8	28.3-33.3	416	18.8	16.4-21.2	366	17.9	15.5-20.3
\$25,000- 34,999	1369	482,044	8	0.8	0.2- 1.4	417	31.7	28.2-35.2	455	31.9	28.6-35.2	284	19.6	16.9-22.3	205	16.0	13.5-18.5
\$35,000- 49,999	1774	674,443	12	0.7	0.1- 1.3	473	30.0	26.9-33.1	659	34.0	31.1-36.9	384	21.8	19.3-24.3	246	13.6	11.4-15.8
\$50,000- 74,999	1885	712,572	15	0.9	0.3- 1.5	502	27.4	24.7-30.1	711	37.5	34.6-40.4	382	19.7	17.3-22.1	275	14.4	12.2-16.6
\$75,000+	3318	1,262,082	13	0.6	0.2- 1.0	998	31.9	29.7-34.1	1328	39.0	36.8-41.2	632	17.8	16.2-19.4	347	10.6	9.2-12.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5736	2,382,407	30	0.7	0.5- 0.9	1379	26.1	24.5-27.7	2397	39.8	38.2-41.4	1248	21.3	19.9-22.7	682	12.0	11.0-13.0
White/Non-Hisp	4791	1,921,529	22	0.7	0.3- 1.1	1114	25.1	23.5-26.7	2011	39.9	38.1-41.7	1064	21.7	20.1-23.3	580	12.6	11.4-13.8
Black or Afr. Am./Non-Hisp	321	193,366	1	0.2	0.0- 0.6	89	30.6	24.3-36.9	123	33.5	27.0-40.0	63	22.3	15.8-28.8	45	13.3	9.0-17.6
Oth. Race/Non-Hisp.	160	69,656				59	47.1	37.3-56.9	62	37.6	28.4-46.8	26	10.8	5.1-16.5	13	4.5	1.4- 7.6
MultiRacial/Non-Hisp.	108	31,969	1	0.4	0.0- 1.2	35	28.3	18.5-38.1	36	37.1	25.7-48.5	23	24.0	13.6-34.4	13	10.1	3.8-16.4
Hispanic	240	120,909	4	1.1	0.0- 2.3	56	25.4	18.5-32.3	107	45.9	38.1-53.7	52	20.4	14.1-26.7	21	7.2	3.9-10.5
18-24	365	331,916	9	2.3	0.7- 3.9	190	51.8	45.9-57.7	98	26.8	21.5-32.1	45	12.9	8.6-17.2	23	6.2	3.5- 8.9
25-34	561	397,841	2	0.7	0.0- 1.7	180	30.7	26.4-35.0	218	38.6	34.1-43.1	101	18.7	14.8-22.6	60	11.4	8.3-14.5
35-44	607	390,778	3	0.2	0.0- 0.6	130	20.1	16.6-23.6	250	42.8	38.1-47.5	131	22.8	18.9-26.7	93	14.1	11.0-17.2
45-54	922	406,871	5	0.5	0.1- 0.9	191	20.2	17.3-23.1	392	42.3	38.6-46.0	206	22.5	19.2-25.8	128	14.4	11.7-17.1
55-64	1333	410,533	2	0.3	0.0- 0.7	241	18.0	15.5-20.5	554	41.3	38.2-44.4	348	26.0	23.3-28.7	188	14.4	12.0-16.8
65+	1948	444,468	9	0.5	0.1- 0.9	447	21.2	19.0-23.4	885	44.2	41.5-46.9	417	23.2	20.8-25.6	190	10.9	9.1-12.7
Less Than H.S.	413	299,736	5	1.1	0.0- 2.3	107	27.6	22.1-33.1	169	39.5	33.6-45.4	84	21.8	16.7-26.9	48	10.1	6.8-13.4
H.S. or G.E.D.	1842	829,121	15	0.9	0.3- 1.5	441	27.4	24.9-29.9	734	38.2	35.5-40.9	413	20.9	18.5-23.3	239	12.6	10.8-14.4
Some Post-H.S.	1417	703,353	7	0.6	0.0- 1.2	339	24.8	22.1-27.5	547	37.6	34.5-40.7	345	23.7	21.0-26.4	179	13.4	11.2-15.6
College Graduate	2051	545,107	3	0.2	0.0- 0.6	490	25.2	22.8-27.6	940	45.2	42.5-47.9	404	18.9	16.7-21.1	214	10.5	8.9-12.1
Less than \$15,000	401	174,462	6	1.3	0.1- 2.5	120	30.8	24.9-36.7	129	35.1	29.0-41.2	88	20.6	15.5-25.7	58	12.1	8.4-15.8
\$15,000- 24,999	823	348,694	5	0.8	0.0- 1.8	224	31.0	26.9-35.1	312	36.0	31.9-40.1	159	17.7	14.2-21.2	123	14.4	11.5-17.3
\$25,000- 34,999	550	223,324	1	0.3	0.0- 0.9	148	28.7	23.6-33.8	220	38.0	32.7-43.3	120	19.6	15.3-23.9	61	13.3	9.4-17.2
\$35,000- 49,999	858	367,485	6	0.7	0.0- 1.5	211	28.1	24.0-32.2	344	35.5	31.2-39.8	200	23.9	20.0-27.8	97	11.9	9.2-14.6
\$50,000- 74,999	903	376,197	1	0.2	0.0- 0.6	212	23.8	20.3-27.3	380	39.8	35.7-43.9	192	22.5	18.8-26.2	118	13.7	10.8-16.6
\$75,000+	1760	706,133	5	0.5	0.1- 0.9	348	21.6	19.1-24.1	840	45.8	42.9-48.7	398	22.1	19.7-24.5	169	10.0	8.2-11.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7237	2,388,943	105	1.7	1.1- 2.3	2403	35.7	34.1-37.3	2233	28.9	27.5-30.3	1330	17.0	15.8-18.2	1166	16.7	15.5-17.9
White/Non-Hisp	6139	1,945,146	88	1.7	1.1- 2.3	2113	37.0	35.2-38.8	1911	29.1	27.5-30.7	1082	16.3	15.1-17.5	945	15.9	14.7-17.1
Black or Afr. Am./Non-Hisp	541	214,105	10	2.1	0.3- 3.9	115	23.4	18.1-28.7	135	23.8	19.1-28.5	142	24.2	19.1-29.3	139	26.4	21.5-31.3
Oth. Race/Non-Hisp.	107	46,351	4	6.3	0.0-13.4	43	43.5	30.4-56.6	33	25.3	13.5-37.1	12	9.6	1.4-17.8	15	15.3	5.5-25.1
MultiRacial/Non-Hisp.	88	24,669	18	24.7	12.2-37.2	18	24.7	12.2-37.2	31	31.9	19.6-44.2	23	26.1	13.9-38.3	16	17.3	5.1-29.5
Hispanic	273	128,502	1	0.1	0.0- 0.3	85	34.1	26.8-41.4	96	35.1	28.2-42.0	50	16.8	11.7-21.9	41	13.9	9.2-18.6
18-24	265	295,704	9	5.1	1.8- 8.4	141	52.6	45.7-59.5	60	20.4	15.1-25.7	32	12.0	7.5-16.5	23	10.0	5.5-14.5
25-34	546	374,631	9	1.6	0.4- 2.8	217	41.7	37.0-46.4	138	24.3	20.2-28.4	80	13.2	10.1-16.3	102	19.2	15.5-22.9
35-44	715	376,182	7	0.8	0.0- 1.6	253	36.3	32.2-40.4	198	27.4	23.7-31.1	118	16.5	13.4-19.6	139	18.9	15.6-22.2
45-54	1082	392,560	10	0.8	0.2- 1.4	328	30.0	26.9-33.1	321	30.2	27.1-33.3	213	20.2	17.5-22.9	210	18.9	16.2-21.6
55-64	1493	408,434	17	1.0	0.4- 1.6	426	28.7	26.0-31.4	476	32.3	29.4-35.2	282	18.4	16.0-20.8	292	19.6	17.2-22.0
65+	3136	541,431	53	1.9	1.3- 2.5	1038	31.5	29.5-33.5	1040	34.1	32.1-36.1	605	19.4	17.6-21.2	400	13.1	11.7-14.5
Less Than H.S.	555	283,610	16	3.3	0.9- 5.7	153	32.8	27.1-38.5	177	27.8	22.9-32.7	100	17.3	13.2-21.4	109	18.8	14.3-23.3
H.S. or G.E.D.	2500	791,289	43	2.5	1.3- 3.7	774	33.3	30.8-35.8	778	28.8	26.4-31.2	470	17.4	15.4-19.4	435	18.0	16.0-20.0
Some Post-H.S.	1879	781,738	21	1.1	0.5- 1.7	602	35.6	32.7-38.5	562	28.2	25.7-30.7	365	17.7	15.5-19.9	329	17.4	15.2-19.6
College Graduate	2292	529,785	24	0.7	0.3- 1.1	870	41.0	38.3-43.7	712	30.5	28.0-33.0	394	15.3	13.5-17.1	292	12.5	10.7-14.3
Less than \$15,000	760	254,088	17	2.4	0.8- 4.0	208	30.7	25.8-35.6	195	22.3	18.4-26.2	146	20.2	15.7-24.7	194	24.5	20.4-28.6
\$15,000- 24,999	1295	406,851	30	2.5	1.1- 3.9	370	30.5	26.8-34.2	395	26.4	23.3-29.5	257	19.8	16.9-22.7	243	20.9	17.6-24.2
\$25,000- 34,999	819	258,720	7	1.2	0.2- 2.2	269	34.3	29.6-39.0	235	26.6	22.7-30.5	164	19.5	15.8-23.2	144	18.4	14.9-21.9
\$35,000- 49,999	916	306,958	6	0.7	0.0- 1.5	262	32.3	27.8-36.8	315	32.2	28.1-36.3	184	19.2	15.9-22.5	149	15.6	12.5-18.7
\$50,000- 74,999	982	336,375	14	1.7	0.3- 3.1	290	31.4	27.1-35.7	331	34.9	30.8-39.0	190	16.6	13.9-19.3	157	15.3	12.6-18.0
\$75,000+	1558	555,949	8	0.7	0.1- 1.3	650	45.0	41.7-48.3	488	30.4	27.5-33.3	234	12.4	10.6-14.2	178	11.5	9.5-13.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	12973	4,771,350	206	1.8	1.4- 2.2	3694	30.2	29.0-31.4	4639	34.4	33.2-35.6	4434	33.6	32.4-34.8
Male	5736	2,382,407	51	1.1	0.7- 1.5	1347	25.6	24.0-27.2	2404	39.9	38.3-41.5	1934	33.5	31.9-35.1
Female	7237	2,388,943	155	2.5	1.9- 3.1	2347	34.9	33.3-36.5	2235	28.9	27.5-30.3	2500	33.7	32.1-35.3
White/Non-Hisp	10930	3,866,675	167	1.8	1.4- 2.2	3156	30.5	29.3-31.7	3930	34.5	33.3-35.7	3677	33.3	32.1-34.5
Black or Afr. Am./Non-Hisp	862	407,471	13	1.4	0.4- 2.4	201	26.5	22.4-30.6	258	28.5	24.6-32.4	390	43.5	39.0-48.0
Oth. Race/Non-Hisp.	267	116,007	9	4.6	1.1- 8.1	96	43.4	35.6-51.2	96	32.9	25.6-40.2	66	19.2	12.9-25.5
MultiRacial/Non-Hisp.	196	56,638	3	1.3	0.0- 3.1	51	25.7	18.1-33.3	67	34.9	26.5-43.3	75	38.1	29.3-46.9
Hispanic	513	249,411	8	1.7	0.1- 3.3	137	28.2	23.3-33.1	203	40.8	35.5-46.1	165	29.3	24.6-34.0
18-24	630	627,620	27	4.5	2.5- 6.5	322	51.2	46.7-55.7	158	23.8	20.1-27.5	123	20.5	16.8-24.2
25-34	1107	772,472	22	2.2	1.2- 3.2	386	34.9	31.8-38.0	355	31.5	28.4-34.6	344	31.4	28.3-34.5
35-44	1322	766,961	18	1.2	0.6- 1.8	371	27.1	24.4-29.8	451	35.4	32.5-38.3	482	36.2	33.3-39.1
45-54	2004	799,432	19	0.7	0.3- 1.1	510	24.6	22.4-26.8	718	36.7	34.2-39.2	757	38.0	35.5-40.5
55-64	2826	818,967	29	0.9	0.5- 1.3	655	22.9	20.9-24.9	1030	36.8	34.6-39.0	1112	39.3	37.1-41.5
65+	5084	985,899	91	1.8	1.4- 2.2	1450	26.2	24.6-27.8	1927	38.7	37.1-40.3	1616	33.3	31.7-34.9
Less Than H.S.	968	583,346	31	3.4	1.8- 5.0	249	28.6	24.7-32.5	346	34.0	30.1-37.9	342	33.9	30.0-37.8
H.S. or G.E.D.	4342	1,620,411	80	2.2	1.6- 2.8	1186	29.7	27.7-31.7	1517	33.8	32.0-35.6	1559	34.4	32.6-36.2
Some Post-H.S.	3296	1,485,092	40	1.3	0.7- 1.9	925	30.0	27.8-32.2	1109	32.6	30.6-34.6	1222	36.2	34.0-38.4
College Graduate	4343	1,074,891	54	1.1	0.7- 1.5	1328	32.2	30.4-34.0	1656	38.0	36.2-39.8	1305	28.6	26.8-30.4
Less than \$15,000	1161	428,551	30	2.7	1.5- 3.9	318	29.8	26.1-33.5	327	27.7	24.2-31.2	486	39.8	35.9-43.7
\$15,000- 24,999	2118	755,545	57	3.3	2.1- 4.5	566	28.8	26.1-31.5	711	31.2	28.7-33.7	784	36.7	34.0-39.4
\$25,000- 34,999	1369	482,044	12	1.0	0.2- 1.8	412	31.4	28.1-34.7	456	31.9	28.6-35.2	489	35.6	32.3-38.9
\$35,000- 49,999	1774	674,443	18	1.0	0.4- 1.6	465	29.7	26.6-32.8	661	34.1	31.2-37.0	630	35.3	32.2-38.4
\$50,000- 74,999	1885	712,572	24	1.4	0.6- 2.2	492	26.9	24.2-29.6	709	37.4	34.5-40.3	660	34.3	31.6-37.0
\$75,000+	3318	1,262,082	26	0.9	0.5- 1.3	984	31.5	29.3-33.7	1327	38.9	36.7-41.1	981	28.6	26.6-30.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5736	2,382,407	51	1.1	0.7- 1.5	1347	25.6	24.0-27.2	2404	39.9	38.3-41.5	1934	33.5	31.9-35.1
White/Non-Hisp	4791	1,921,529	35	1.1	0.7- 1.5	1091	24.6	23.0-26.2	2018	40.0	38.2-41.8	1647	34.4	32.6-36.2
Black or Afr. Am./Non-Hisp	321	193,366	3	0.6	0.0- 1.2	87	30.2	23.9-36.5	122	33.5	27.0-40.0	109	35.7	28.8-42.6
Oth. Race/Non-Hisp.	160	69,656	1	0.4	0.0- 1.2	57	46.3	36.5-56.1	63	37.9	28.7-47.1	39	15.4	8.9-21.9
MultiRacial/Non-Hisp.	108	31,969	3	2.4	0.0- 5.5	33	26.4	16.8-36.0	36	37.1	25.7-48.5	36	34.1	23.1-45.1
Hispanic	240	120,909	5	2.4	0.0- 5.1	55	24.1	17.6-30.6	107	45.9	38.1-53.7	73	27.6	20.9-34.3
18-24	365	331,916	13	3.2	1.4- 5.0	186	50.9	45.0-56.8	98	26.8	21.5-32.1	68	19.1	14.2-24.0
25-34	561	397,841	7	1.8	0.4- 3.2	175	29.5	25.2-33.8	217	38.3	33.8-42.8	162	30.4	25.9-34.9
35-44	607	390,778	6	0.6	0.0- 1.2	124	19.4	15.9-22.9	253	43.1	38.4-47.8	224	36.9	32.4-41.4
45-54	922	406,871	7	0.6	0.0- 1.2	186	19.9	17.0-22.8	395	42.6	38.9-46.3	334	36.9	33.2-40.6
55-64	1333	410,533	3	0.3	0.0- 0.7	238	17.8	15.3-20.3	555	41.4	38.3-44.5	537	40.4	37.3-43.5
65+	1948	444,468	15	0.7	0.3- 1.1	438	20.9	18.7-23.1	886	44.2	41.5-46.9	609	34.2	31.7-36.7
Less Than H.S.	413	299,736	8	2.3	0.5- 4.1	104	26.4	21.1-31.7	169	39.5	33.6-45.4	132	31.9	26.2-37.6
H.S. or G.E.D.	1842	829,121	18	1.2	0.6- 1.8	432	26.8	24.3-29.3	739	38.5	35.8-41.2	653	33.5	30.8-36.2
Some Post-H.S.	1417	703,353	12	0.9	0.3- 1.5	332	24.4	21.7-27.1	547	37.5	34.4-40.6	526	37.3	34.2-40.4
College Graduate	2051	545,107	13	0.7	0.1- 1.3	477	24.6	22.2-27.0	942	45.3	42.6-48.0	619	29.5	27.1-31.9
Less than \$15,000	401	174,462	7	1.6	0.4- 2.8	118	30.5	24.6-36.4	130	35.2	29.1-41.3	146	32.7	27.0-38.4
\$15,000- 24,999	823	348,694	11	2.3	0.7- 3.9	214	29.0	24.9-33.1	315	36.5	32.4-40.6	283	32.2	28.1-36.3
\$25,000- 34,999	550	223,324	2	0.4	0.0- 1.0	146	28.5	23.4-33.6	221	38.1	32.8-43.4	181	32.9	27.6-38.2
\$35,000- 49,999	858	367,485	9	0.9	0.1- 1.7	207	27.8	23.7-31.9	345	35.5	31.2-39.8	297	35.8	31.5-40.1
\$50,000- 74,999	903	376,197	5	0.4	0.0- 0.8	207	23.4	19.9-26.9	380	39.8	35.7-43.9	311	36.3	32.2-40.4
\$75,000+	1760	706,133	10	0.8	0.2- 1.4	342	21.2	18.7-23.7	839	45.6	42.7-48.5	569	32.3	29.6-35.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7237	2,388,943	155	2.5	1.9- 3.1	2347	34.9	33.3-36.5	2235	28.9	27.5-30.3	2500	33.7	32.1-35.3
White/Non-Hisp	6139	1,945,146	132	2.4	1.8- 3.0	2065	36.2	34.4-38.0	1912	29.1	27.5-30.7	2030	32.2	30.6-33.8
Black or Afr. Am./Non-Hisp	541	214,105	10	2.1	0.3- 3.9	114	23.2	17.9-28.5	136	24.1	19.4-28.8	281	50.6	44.7-56.5
Oth. Race/Non-Hisp.	107	46,351	8	10.9	2.7-19.1	39	38.9	26.0-51.8	33	25.3	13.5-37.1	27	24.9	13.1-36.7
MultiRacial/Non-Hisp.	88	24,669				18	24.7	12.2-37.2	31	31.9	19.6-44.2	39	43.4	29.3-57.5
Hispanic	273	128,502	3	1.0	0.0- 2.6	82	32.1	25.0-39.2	96	36.0	29.1-42.9	92	30.9	24.6-37.2
18-24	265	295,704	14	6.0	2.5- 9.5	136	51.7	44.8-58.6	60	20.4	15.1-25.7	55	22.0	16.1-27.9
25-34	546	374,631	15	2.7	1.3- 4.1	211	40.5	35.8-45.2	138	24.3	20.2-28.4	182	32.4	27.9-36.9
35-44	715	376,182	12	1.8	0.6- 3.0	247	35.2	31.1-39.3	198	27.4	23.7-31.1	258	35.6	31.7-39.5
45-54	1082	392,560	12	0.8	0.2- 1.4	324	29.4	26.3-32.5	323	30.6	27.5-33.7	423	39.1	35.8-42.4
55-64	1493	408,434	26	1.6	0.8- 2.4	417	28.1	25.4-30.8	475	32.2	29.3-35.1	575	38.1	35.2-41.0
65+	3136	541,431	76	2.7	1.9- 3.5	1012	30.6	28.6-32.6	1041	34.2	32.0-36.4	1007	32.5	30.5-34.5
Less Than H.S.	555	283,610	23	4.6	2.1- 7.1	145	31.0	25.5-36.5	177	28.2	23.3-33.1	210	36.1	30.6-41.6
H.S. or G.E.D.	2500	791,289	62	3.2	2.0- 4.4	754	32.6	30.1-35.1	778	28.8	26.4-31.2	906	35.4	32.9-37.9
Some Post-H.S.	1879	781,738	28	1.6	0.8- 2.4	593	35.0	32.1-37.9	562	28.3	25.8-30.8	696	35.2	32.5-37.9
College Graduate	2292	529,785	41	1.5	0.9- 2.1	851	40.1	37.4-42.8	714	30.6	28.1-33.1	686	27.8	25.4-30.2
Less than \$15,000	760	254,088	23	3.5	1.7- 5.3	200	29.3	24.6-34.0	197	22.6	18.7-26.5	340	44.7	39.6-49.8
\$15,000- 24,999	1295	406,851	46	4.1	2.3- 5.9	352	28.5	25.0-32.0	396	26.7	23.6-29.8	501	40.6	36.7-44.5
\$25,000- 34,999	819	258,720	10	1.6	0.4- 2.8	266	33.9	29.2-38.6	235	26.6	22.7-30.5	308	37.9	33.4-42.4
\$35,000- 49,999	916	306,958	9	1.0	0.0- 2.0	258	31.9	27.4-36.4	316	32.3	28.2-36.4	333	34.8	30.5-39.1
\$50,000- 74,999	982	336,375	19	2.4	0.8- 4.0	285	30.8	26.7-34.9	329	34.7	30.6-38.8	349	32.1	28.4-35.8
\$75,000+	1558	555,949	16	1.0	0.2- 1.8	642	44.7	41.4-48.0	488	30.4	27.5-33.3	412	23.9	21.4-26.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	12973	4,771,350	3900	32.0	30.8-33.2	9073	68.0	66.8-69.2
Male	5736	2,382,407	1398	26.7	25.1-28.3	4338	73.3	71.7-74.9
Female	7237	2,388,943	2502	37.3	35.7-38.9	4735	62.7	61.1-64.3
White/Non-Hisp	10930	3,866,675	3323	32.2	31.0-33.4	7607	67.8	66.6-69.0
Black or Afr. Am./Non-Hisp	862	407,471	214	27.9	23.8-32.0	648	72.1	68.0-76.2
Oth. Race/Non-Hisp.	267	116,007	105	48.0	40.0-56.0	162	52.0	44.0-60.0
MultiRacial/Non-Hisp.	196	56,638	54	27.0	19.2-34.8	142	73.0	65.2-80.8
Hispanic	513	249,411	145	29.9	25.0-34.8	368	70.1	65.2-75.0
18-24	630	627,620	349	55.7	51.2-60.2	281	44.3	39.8-48.8
25-34	1107	772,472	408	37.1	33.8-40.4	699	62.9	59.6-66.2
35-44	1322	766,961	389	28.4	25.7-31.1	933	71.6	68.9-74.3
45-54	2004	799,432	529	25.3	23.1-27.5	1475	74.7	72.5-76.9
55-64	2826	818,967	684	23.9	21.9-25.9	2142	76.1	74.1-78.1
65+	5084	985,899	1541	28.0	26.4-29.6	3543	72.0	70.4-73.6
Less Than H.S.	968	583,346	280	32.1	28.2-36.0	688	67.9	64.0-71.8
H.S. or G.E.D.	4342	1,620,411	1266	31.8	29.8-33.8	3076	68.2	66.2-70.2
Some Post-H.S.	3296	1,485,092	965	31.2	29.0-33.4	2331	68.8	66.6-71.0
College Graduate	4343	1,074,891	1382	33.3	31.5-35.1	2961	66.7	64.9-68.5
Less than \$15,000	1161	428,551	348	32.5	28.8-36.2	813	67.5	63.8-71.2
\$15,000- 24,999	2118	755,545	623	32.1	29.4-34.8	1495	67.9	65.2-70.6
\$25,000- 34,999	1369	482,044	424	32.4	28.9-35.9	945	67.6	64.1-71.1
\$35,000- 49,999	1774	674,443	483	30.6	27.5-33.7	1291	69.4	66.3-72.5
\$50,000- 74,999	1885	712,572	516	28.3	25.6-31.0	1369	71.7	69.0-74.4
\$75,000+	3318	1,262,082	1010	32.4	30.2-34.6	2308	67.6	65.4-69.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5736	2,382,407	1398	26.7	25.1-28.3	4338	73.3	71.7-74.9
White/Non-Hisp	4791	1,921,529	1126	25.7	23.9-27.5	3665	74.3	72.5-76.1
Black or Afr. Am./Non-Hisp	321	193,366	90	30.8	24.5-37.1	231	69.2	62.9-75.5
Oth. Race/Non-Hisp.	160	69,656	58	46.7	36.9-56.5	102	53.3	43.5-63.1
MultiRacial/Non-Hisp.	108	31,969	36	28.8	18.8-38.8	72	71.2	61.2-81.2
Hispanic	240	120,909	60	26.5	19.6-33.4	180	73.5	66.6-80.4
18-24	365	331,916	199	54.0	48.1-59.9	166	46.0	40.1-51.9
25-34	561	397,841	182	31.3	27.0-35.6	379	68.7	64.4-73.0
35-44	607	390,778	130	20.0	16.5-23.5	477	80.0	76.5-83.5
45-54	922	406,871	193	20.5	17.6-23.4	729	79.5	76.6-82.4
55-64	1333	410,533	241	18.1	15.6-20.6	1092	81.9	79.4-84.4
65+	1948	444,468	453	21.6	19.4-23.8	1495	78.4	76.2-80.6
Less Than H.S.	413	299,736	112	28.7	23.2-34.2	301	71.3	65.8-76.8
H.S. or G.E.D.	1842	829,121	450	28.1	25.4-30.8	1392	71.9	69.2-74.6
Some Post-H.S.	1417	703,353	344	25.3	22.6-28.0	1073	74.7	72.0-77.4
College Graduate	2051	545,107	490	25.2	22.8-27.6	1561	74.8	72.4-77.2
Less than \$15,000	401	174,462	125	32.1	26.2-38.0	276	67.9	62.0-73.8
\$15,000- 24,999	823	348,694	225	31.4	27.3-35.5	598	68.6	64.5-72.7
\$25,000- 34,999	550	223,324	148	28.9	23.8-34.0	402	71.1	66.0-76.2
\$35,000- 49,999	858	367,485	216	28.7	24.6-32.8	642	71.3	67.2-75.4
\$50,000- 74,999	903	376,197	212	23.9	20.4-27.4	691	76.1	72.6-79.6
\$75,000+	1760	706,133	352	22.0	19.5-24.5	1408	78.0	75.5-80.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7237	2,388,943	2502	37.3	35.7-38.9	4735	62.7	61.1-64.3
White/Non-Hisp	6139	1,945,146	2197	38.7	36.9-40.5	3942	61.3	59.5-63.1
Black or Afr. Am./Non-Hisp	541	214,105	124	25.4	20.1-30.7	417	74.6	69.3-79.9
Oth. Race/Non-Hisp.	107	46,351	47	49.8	36.5-63.1	60	50.2	36.9-63.5
MultiRacial/Non-Hisp.	88	24,669	18	24.7	12.2-37.2	70	75.3	62.8-87.8
Hispanic	273	128,502	85	33.2	26.1-40.3	188	66.8	59.7-73.9
18-24	265	295,704	150	57.7	50.8-64.6	115	42.3	35.4-49.2
25-34	546	374,631	226	43.3	38.6-48.0	320	56.7	52.0-61.4
35-44	715	376,182	259	37.0	32.9-41.1	456	63.0	58.9-67.1
45-54	1082	392,560	336	30.3	27.2-33.4	746	69.7	66.6-72.8
55-64	1493	408,434	443	29.7	27.0-32.4	1050	70.3	67.6-73.0
65+	3136	541,431	1088	33.3	31.3-35.3	2048	66.7	64.7-68.7
Less Than H.S.	555	283,610	168	35.7	30.0-41.4	387	64.3	58.6-70.0
H.S. or G.E.D.	2500	791,289	816	35.8	33.1-38.5	1684	64.2	61.5-66.9
Some Post-H.S.	1879	781,738	621	36.6	33.7-39.5	1258	63.4	60.5-66.3
College Graduate	2292	529,785	892	41.6	38.9-44.3	1400	58.4	55.7-61.1
Less than \$15,000	760	254,088	223	32.7	27.8-37.6	537	67.3	62.4-72.2
\$15,000- 24,999	1295	406,851	398	32.7	29.0-36.4	897	67.3	63.6-71.0
\$25,000- 34,999	819	258,720	276	35.5	30.8-40.2	543	64.5	59.8-69.2
\$35,000- 49,999	916	306,958	267	32.9	28.4-37.4	649	67.1	62.6-71.6
\$50,000- 74,999	982	336,375	304	33.2	28.9-37.5	678	66.8	62.5-71.1
\$75,000+	1558	555,949	658	45.7	42.4-49.0	900	54.3	51.0-57.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13756	5,073,631	10359	62.5	61.3-63.7	1402	14.7	13.9-15.5	1154	12.7	11.9-13.5	531	6.2	5.6- 6.8	183	2.3	1.9- 2.7	127	1.7	1.3- 2.1
Male	5911	2,469,825	4481	65.2	63.6-66.8	566	14.1	12.7-15.5	503	11.7	10.5-12.9	227	5.6	4.8- 6.4	73	1.8	1.2- 2.4	61	1.7	1.3- 2.1
Female	7845	2,603,806	5878	59.9	58.3-61.5	836	15.3	14.1-16.5	651	13.6	12.4-14.8	304	6.8	5.8- 7.8	110	2.7	2.1- 3.3	66	1.8	1.2- 2.4
White/Non-Hisp	11525	4,074,338	8988	65.0	63.8-66.2	1074	14.1	13.1-15.1	854	11.8	10.8-12.8	383	5.5	4.9- 6.1	130	1.9	1.5- 2.3	96	1.6	1.2- 2.0
Black or Afr. Am./Non-Hisp	924	434,395	627	56.0	51.7-60.3	123	15.6	12.3-18.9	95	14.5	11.2-17.8	55	8.9	6.4-11.4	18	3.6	1.6- 5.6	6	1.3	0.1- 2.5
Oth. Race/Non-Hisp.	286	127,283	196	63.2	55.6-70.8	36	12.9	7.8-18.0	38	16.3	10.2-22.4	8	2.4	0.4- 4.4	4	1.2	0.0- 2.6	4	4.0	0.0- 8.5
MultiRacial/Non-Hisp.	206	60,354	132	55.9	47.1-64.7	34	21.9	14.5-29.3	22	11.0	6.1-15.9	8	5.3	1.4- 9.2	5	2.0	0.0- 4.0	5	3.9	0.0- 8.8
Hispanic	582	289,509	236	36.6	31.9-41.3	116	20.2	16.3-24.1	120	20.1	16.2-24.0	70	13.8	10.5-17.1	25	5.8	3.3- 8.3	15	3.6	1.6- 5.6
18-24	686	684,593	430	57.5	53.2-61.8	135	21.2	17.5-24.9	61	10.6	7.7-13.5	41	6.9	4.5- 9.3	8	1.6	0.2- 3.0	11	2.2	0.8- 3.6
25-34	1197	835,963	484	37.7	34.6-40.8	220	19.4	16.9-21.9	280	24.1	21.4-26.8	136	11.6	9.6-13.6	50	4.4	3.0- 5.8	27	2.8	1.6- 4.0
35-44	1397	809,799	347	25.6	22.9-28.3	307	21.3	18.8-23.8	408	28.0	25.3-30.7	204	14.7	12.5-16.9	76	6.2	4.6- 7.8	55	4.1	2.9- 5.3
45-54	2108	839,494	1228	59.1	56.6-61.6	456	21.8	19.6-24.0	268	11.9	10.3-13.5	95	4.1	3.1- 5.1	36	1.6	1.0- 2.2	25	1.5	0.7- 2.3
55-64	2990	864,845	2685	88.6	87.2-90.0	184	6.7	5.5- 7.9	81	3.1	2.3- 3.9	32	1.3	0.7- 1.9	6	0.2	0.0- 0.4	2	0.1	0.0- 0.3
65+	5378	1,038,937	5185	95.3	94.5-96.1	100	2.3	1.7- 2.9	56	1.4	1.0- 1.8	23	0.6	0.4- 0.8	7	0.2	0.0- 0.4	7	0.2	0.0- 0.4
Less Than H.S.	1067	647,611	719	55.8	51.9-59.7	121	14.2	11.1-17.3	101	12.6	9.9-15.3	64	7.5	5.5- 9.5	28	4.3	2.3- 6.3	34	5.5	3.5- 7.5
H.S. or G.E.D.	4610	1,721,830	3632	65.2	63.2-67.2	436	15.0	13.4-16.6	313	11.1	9.7-12.5	151	6.0	4.8- 7.2	44	1.5	0.9- 2.1	34	1.2	0.8- 1.6
Some Post-H.S.	3488	1,564,008	2613	63.1	60.9-65.3	374	14.8	13.2-16.4	297	12.9	11.3-14.5	131	5.8	4.6- 7.0	49	2.2	1.4- 3.0	24	1.1	0.7- 1.5
College Graduate	4563	1,131,251	3370	61.1	59.1-63.1	468	14.2	12.8-15.6	443	14.9	13.5-16.3	185	6.3	5.3- 7.3	62	2.3	1.7- 2.9	35	1.2	0.8- 1.6
Less than \$15,000	1223	455,302	956	67.5	63.8-71.2	115	12.3	9.6-15.0	72	9.2	6.7-11.7	58	7.7	5.5- 9.9	13	1.8	0.6- 3.0	9	1.5	0.3- 2.7
\$15,000- 24,999	2236	810,958	1735	63.8	60.9-66.7	212	13.9	11.7-16.1	167	11.5	9.5-13.5	81	6.7	5.1- 8.3	28	2.6	1.4- 3.8	13	1.5	0.7- 2.3
\$25,000- 34,999	1425	507,486	1147	68.7	65.2-72.2	114	11.8	9.3-14.3	79	9.0	6.8-11.2	54	6.3	4.3- 8.3	17	2.5	1.1- 3.9	14	1.7	0.7- 2.7
\$35,000- 49,999	1838	700,221	1460	66.4	63.3-69.5	163	14.2	11.7-16.7	108	9.6	7.4-11.8	65	5.5	3.9- 7.1	21	2.0	0.8- 3.2	21	2.3	1.1- 3.5
\$50,000- 74,999	1950	736,534	1454	60.2	57.1-63.3	224	16.3	13.9-18.7	149	12.0	9.8-14.2	80	6.7	4.9- 8.5	25	2.5	1.3- 3.7	18	2.2	1.0- 3.4
\$75,000+	3422	1,295,434	2217	52.7	50.5-54.9	465	18.0	16.2-19.8	482	19.0	17.2-20.8	158	6.4	5.2- 7.6	59	2.3	1.7- 2.9	41	1.5	0.9- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5911	2,469,825	4481	65.2	63.6-66.8	566	14.1	12.7-15.5	503	11.7	10.5-12.9	227	5.6	4.8- 6.4	73	1.8	1.2- 2.4	61	1.7	1.3- 2.1
White/Non-Hisp	4894	1,967,319	3827	67.0	65.2-68.8	437	13.8	12.4-15.2	366	10.9	9.7-12.1	164	5.1	4.1- 6.1	54	1.6	1.0- 2.2	46	1.5	1.1- 1.9
Black or Afr. Am./Non-Hisp	338	203,762	239	61.8	54.9-68.7	33	12.9	7.8-18.0	37	13.9	9.2-18.6	19	6.9	3.6-10.2	6	2.7	0.0- 5.6	4	1.8	0.0- 3.8
Oth. Race/Non-Hisp.	169	74,472	120	67.1	58.3-75.9	20	12.9	6.4-19.4	23	16.3	9.4-23.2	2	1.1	0.0- 2.7	2	1.0	0.0- 2.4	2	1.5	0.0- 3.9
MultiRacial/Non-Hisp.	110	32,550	74	60.5	49.1-71.9	18	22.3	11.9-32.7	12	11.5	4.8-18.2	3	3.5	0.0- 7.6	2	1.6	0.0- 3.8	1	0.6	0.0- 1.8
Hispanic	271	139,394	119	42.1	35.0-49.2	51	20.0	14.1-25.9	51	16.0	11.3-20.7	34	14.1	9.2-19.0	9	4.2	0.9- 7.5	7	3.7	0.6- 6.8
18-24	387	351,290	262	63.7	58.0-69.4	70	20.7	15.8-25.6	31	9.0	5.7-12.3	19	5.3	2.6- 8.0	2	0.5	0.0- 1.3	3	0.8	0.0- 1.8
25-34	590	418,991	297	48.2	43.7-52.7	105	19.0	15.3-22.7	110	18.7	15.2-22.2	48	8.8	6.3-11.3	16	2.5	1.1- 3.9	14	2.9	1.3- 4.5
35-44	623	403,466	205	31.9	27.6-36.2	107	18.7	15.2-22.2	173	26.1	22.2-30.0	79	13.0	9.9-16.1	35	6.3	3.8- 8.8	24	3.9	2.1- 5.7
45-54	941	416,389	555	59.0	55.3-62.7	165	19.3	16.2-22.4	131	12.7	10.3-15.1	56	5.2	3.6- 6.8	17	1.6	0.8- 2.4	17	2.2	1.0- 3.4
55-64	1369	422,326	1222	87.9	85.7-90.1	89	7.0	5.4- 8.6	39	3.3	2.1- 4.5	18	1.6	0.8- 2.4	1	0.1	0.0- 0.3			
65+	2001	457,363	1940	95.7	94.5-96.9	30	2.1	1.3- 2.9	19	1.5	0.7- 2.3	7	0.5	0.1- 0.9	2	0.1	0.1- 0.1	3	0.2	0.0- 0.4
Less Than H.S.	446	324,074	300	60.4	54.7-66.1	53	13.8	9.3-18.3	45	12.2	8.5-15.9	24	6.4	3.5- 9.3	11	3.1	1.1- 5.1	13	4.0	1.6- 6.4
H.S. or G.E.D.	1912	862,506	1464	65.3	62.6-68.0	198	15.9	13.5-18.3	150	11.0	9.2-12.8	71	5.8	4.2- 7.4	13	0.9	0.3- 1.5	16	1.1	0.5- 1.7
Some Post-H.S.	1445	719,090	1113	67.4	64.3-70.5	143	13.5	11.1-15.9	105	10.4	8.2-12.6	51	5.1	3.5- 6.7	20	2.1	0.9- 3.3	13	1.5	0.7- 2.3
College Graduate	2093	557,954	1589	64.5	61.8-67.2	172	12.2	10.2-14.2	203	14.2	12.2-16.2	81	5.6	4.2- 7.0	29	2.1	1.3- 2.9	19	1.4	0.8- 2.0
Less than \$15,000	416	180,894	354	80.8	75.7-85.9	27	8.4	4.7-12.1	21	7.1	3.8-10.4	11	3.1	1.1- 5.1	2	0.4	0.0- 1.0	1	0.3	0.0- 0.9
\$15,000- 24,999	846	364,028	671	70.9	66.8-75.0	73	11.5	8.6-14.4	57	8.9	6.4-11.4	32	5.9	3.7- 8.1	5	0.6	0.0- 1.2	8	2.2	0.6- 3.8
\$25,000- 34,999	562	231,330	467	73.1	67.8-78.4	37	11.4	7.3-15.5	26	6.1	3.4- 8.8	21	5.7	3.2- 8.2	4	1.7	0.0- 3.7	7	2.0	0.4- 3.6
\$35,000- 49,999	865	371,414	688	67.2	62.7-71.7	82	16.0	12.3-19.7	44	8.2	5.5-10.9	34	4.9	3.1- 6.7	8	1.5	0.3- 2.7	9	2.3	0.7- 3.9
\$50,000- 74,999	908	377,235	689	63.1	58.8-67.4	98	15.6	12.3-18.9	63	10.3	7.6-13.0	38	6.9	4.4- 9.4	12	2.7	0.7- 4.7	8	1.4	0.4- 2.4
\$75,000+	1773	711,495	1179	54.4	51.5-57.3	203	16.7	14.2-19.2	256	18.6	16.2-21.0	79	6.3	4.7- 7.9	32	2.5	1.5- 3.5	24	1.6	0.8- 2.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7845	2,603,806	5878	59.9	58.3-61.5	836	15.3	14.1-16.5	651	13.6	12.4-14.8	304	6.8	5.8- 7.8	110	2.7	2.1- 3.3	66	1.8	1.2- 2.4
White/Non-Hisp	6631	2,107,019	5161	63.1	61.3-64.9	637	14.4	13.0-15.8	488	12.7	11.3-14.1	219	6.0	5.0- 7.0	76	2.2	1.6- 2.8	50	1.6	1.0- 2.2
Black or Afr. Am./Non-Hisp	586	230,633	388	51.0	45.3-56.7	90	18.1	13.8-22.4	58	15.0	10.5-19.5	36	10.8	7.1-14.5	12	4.5	1.8- 7.2	2	0.7	0.0- 1.7
Oth. Race/Non-Hisp.	117	52,811	76	57.7	44.4-71.0	16	13.0	5.0-21.0	15	16.3	5.5-27.1	6	4.2	0.1- 8.3	2	1.4	0.0- 3.9	2	7.6	0.0-17.8
MultiRacial/Non-Hisp.	96	27,803	58	50.5	37.2-63.8	16	21.3	10.5-32.1	10	10.3	3.2-17.4	5	7.3	0.2-14.4	3	2.6	0.0- 5.7	4	7.9	0.0-18.3
Hispanic	311	150,116	117	31.5	25.4-37.6	65	20.4	15.1-25.7	69	23.9	18.0-29.8	36	13.5	8.6-18.4	16	7.4	3.5-11.3	8	3.4	0.9- 5.9
18-24	299	333,303	168	50.9	44.4-57.4	65	21.7	16.2-27.2	30	12.4	7.7-17.1	22	8.6	4.9-12.3	6	2.7	0.2- 5.2	8	3.7	1.0- 6.4
25-34	607	416,972	187	27.1	23.2-31.0	115	19.9	16.2-23.6	170	29.6	25.5-33.7	88	14.3	11.2-17.4	34	6.4	4.0- 8.8	13	2.6	1.0- 4.2
35-44	774	406,333	142	19.4	16.1-22.7	200	23.9	20.6-27.2	235	29.8	26.1-33.5	125	16.4	13.5-19.3	41	6.1	3.9- 8.3	31	4.4	2.8- 6.0
45-54	1167	423,104	673	59.1	55.8-62.4	291	24.3	21.6-27.0	137	11.1	8.9-13.3	39	3.0	1.8- 4.2	19	1.6	0.8- 2.4	8	0.8	0.0- 1.6
55-64	1621	442,519	1463	89.3	87.5-91.1	95	6.3	4.9- 7.7	42	3.0	2.0- 4.0	14	0.9	0.3- 1.5	5	0.3	0.0- 0.7	2	0.2	0.0- 0.4
65+	3377	581,574	3245	95.0	94.0-96.0	70	2.4	1.8- 3.0	37	1.4	0.8- 2.0	16	0.7	0.3- 1.1	5	0.2	0.0- 0.4	4	0.2	0.0- 0.4
Less Than H.S.	621	323,537	419	51.1	45.6-56.6	68	14.7	10.4-19.0	56	13.0	8.9-17.1	40	8.6	5.7-11.5	17	5.6	2.5- 8.7	21	7.0	3.7-10.3
H.S. or G.E.D.	2698	859,325	2168	65.0	62.3-67.7	238	14.1	11.9-16.3	163	11.2	9.2-13.2	80	6.3	4.7- 7.9	31	2.1	1.3- 2.9	18	1.3	0.7- 1.9
Some Post-H.S.	2043	844,918	1500	59.5	56.6-62.4	231	15.9	13.7-18.1	192	15.0	12.8-17.2	80	6.5	4.9- 8.1	29	2.4	1.4- 3.4	11	0.8	0.2- 1.4
College Graduate	2470	573,297	1781	57.8	55.3-60.3	296	16.2	14.2-18.2	240	15.6	13.6-17.6	104	6.9	5.5- 8.3	33	2.5	1.5- 3.5	16	1.0	0.4- 1.6
Less than \$15,000	807	274,408	602	58.8	53.7-63.9	88	14.9	11.2-18.6	51	10.6	7.1-14.1	47	10.7	7.4-14.0	11	2.7	0.9- 4.5	8	2.2	0.4- 4.0
\$15,000- 24,999	1390	446,930	1064	58.0	54.1-61.9	139	15.8	12.7-18.9	110	13.7	10.8-16.6	49	7.4	5.0- 9.8	23	4.2	2.0- 6.4	5	0.9	0.1- 1.7
\$25,000- 34,999	863	276,156	680	65.0	60.3-69.7	77	12.1	8.8-15.4	53	11.4	8.1-14.7	33	6.8	4.1- 9.5	13	3.2	1.2- 5.2	7	1.5	0.3- 2.7
\$35,000- 49,999	973	328,807	772	65.5	61.0-70.0	81	12.2	9.1-15.3	64	11.1	8.0-14.2	31	6.2	3.7- 8.7	13	2.6	0.6- 4.6	12	2.4	0.8- 4.0
\$50,000- 74,999	1042	359,299	765	57.3	53.0-61.6	126	17.1	13.8-20.4	86	13.8	10.5-17.1	42	6.4	3.9- 8.9	13	2.2	0.6- 3.8	10	3.1	0.7- 5.5
\$75,000+	1649	583,940	1038	50.7	47.6-53.8	262	19.7	17.2-22.2	226	19.5	16.8-22.2	79	6.6	4.8- 8.4	27	2.1	1.1- 3.1	17	1.3	0.5- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13797	5,095,179	1073	12.8	11.8-13.8	4632	34.0	33.0-35.0	3505	30.9	29.9-31.9	4587	22.3	21.5-23.1
Male	5929	2,480,379	447	13.1	11.7-14.5	1926	35.1	33.5-36.7	1451	29.1	27.5-30.7	2105	22.6	21.4-23.8
Female	7868	2,614,800	626	12.5	11.3-13.7	2706	32.9	31.5-34.3	2054	32.5	30.9-34.1	2482	22.0	20.8-23.2
White/Non-Hisp	11551	4,090,028	700	10.4	9.4-11.4	3905	34.6	33.4-35.8	2930	31.4	30.2-32.6	4016	23.7	22.7-24.7
Black or Afr. Am./Non-Hisp	932	439,356	94	13.4	9.9-16.9	333	37.3	33.2-41.4	283	34.1	30.0-38.2	222	15.2	12.7-17.7
Oth. Race/Non-Hisp.	286	127,462	29	9.8	4.1-15.5	73	21.9	15.6-28.2	57	28.5	21.1-35.9	127	39.7	32.4-47.0
MultiRacial/Non-Hisp.	208	60,858	20	16.7	9.1-24.3	70	36.8	28.4-45.2	56	27.7	20.3-35.1	62	18.8	12.9-24.7
Hispanic	585	289,033	200	44.3	39.4-49.2	183	27.8	23.7-31.9	107	18.7	15.0-22.4	95	9.2	7.0-11.4
18-24	686	683,586	68	16.1	12.4-19.8	284	41.2	37.1-45.3	217	32.9	29.0-36.8	117	9.8	7.8-11.8
25-34	1205	841,527	111	13.1	10.6-15.6	340	29.0	26.1-31.9	316	31.2	28.1-34.3	438	26.7	24.2-29.2
35-44	1412	819,092	128	12.9	10.5-15.3	346	27.0	24.3-29.7	366	31.4	28.5-34.3	572	28.6	26.2-31.0
45-54	2121	844,792	139	10.3	8.5-12.1	631	31.6	29.2-34.0	546	32.2	29.8-34.6	805	25.9	23.9-27.9
55-64	2996	867,035	223	12.5	10.7-14.3	1053	36.8	34.8-38.8	785	30.0	28.0-32.0	935	20.7	19.3-22.1
65+	5377	1,039,147	404	12.5	11.1-13.9	1978	38.5	36.9-40.1	1275	28.5	26.9-30.1	1720	20.5	19.3-21.7
Less Than H.S.	1073	650,664	1073	100.0	100.0- 100									
H.S. or G.E.D.	4632	1,732,764				4632	100.0	100.0- 100						
Some Post-H.S.	3505	1,573,591							3505	100.0	100.0- 100			
College Graduate	4587	1,138,160										4587	100.0	100.0- 100
Less than \$15,000	1222	455,418	282	33.3	29.4-37.2	535	35.8	32.3-39.3	267	24.7	21.4-28.0	138	6.2	4.8- 7.6
\$15,000- 24,999	2231	809,907	337	22.9	20.2-25.6	1048	44.1	41.4-46.8	529	25.4	23.0-27.8	317	7.6	6.4- 8.8
\$25,000- 34,999	1427	508,819	113	13.5	10.8-16.2	609	40.5	37.2-43.8	412	33.7	30.4-37.0	293	12.3	10.3-14.3
\$35,000- 49,999	1838	701,022	87	9.8	7.3-12.3	686	39.7	36.6-42.8	531	34.0	30.9-37.1	534	16.4	14.6-18.2
\$50,000- 74,999	1950	738,318	41	5.4	3.4- 7.4	517	30.3	27.6-33.0	605	39.2	36.3-42.1	787	25.1	22.9-27.3
\$75,000+	3424	1,294,403	39	2.7	1.7- 3.7	565	21.2	19.2-23.2	725	29.9	27.7-32.1	2095	46.2	44.0-48.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5929	2,480,379	447	13.1	11.7-14.5	1926	35.1	33.5-36.7	1451	29.1	27.5-30.7	2105	22.6	21.4-23.8
White/Non-Hisp	4909	1,975,835	278	10.6	9.2-12.0	1584	35.7	33.9-37.5	1211	30.0	28.2-31.8	1836	23.7	22.3-25.1
Black or Afr. Am./Non-Hisp	343	208,290	32	14.9	9.0-20.8	136	39.3	32.8-45.8	95	30.2	23.9-36.5	80	15.6	11.5-19.7
Oth. Race/Non-Hisp.	168	74,125	15	5.9	2.0- 9.8	46	25.6	17.0-34.2	36	24.7	16.3-33.1	71	43.8	34.6-53.0
MultiRacial/Non-Hisp.	111	32,913	10	19.3	8.1-30.5	40	35.5	24.9-46.1	26	21.7	12.7-30.7	35	23.6	15.0-32.2
Hispanic	270	137,236	95	45.8	38.5-53.1	88	29.1	22.8-35.4	45	16.5	11.4-21.6	42	8.6	5.5-11.7
18-24	386	349,115	33	14.0	9.1-18.9	177	46.5	40.8-52.2	118	31.0	25.9-36.1	58	8.4	6.0-10.8
25-34	595	422,307	55	14.0	10.3-17.7	181	31.5	27.2-35.8	135	27.2	22.9-31.5	224	27.3	23.8-30.8
35-44	632	409,868	66	14.9	11.2-18.6	173	29.7	25.6-33.8	148	28.9	24.6-33.2	245	26.5	23.0-30.0
45-54	946	419,487	74	12.3	9.4-15.2	284	31.5	28.0-35.0	238	31.7	28.0-35.4	350	24.5	21.8-27.2
55-64	1369	422,529	92	11.9	9.4-14.4	485	37.9	34.8-41.0	349	28.7	25.8-31.6	443	21.5	19.3-23.7
65+	2001	457,073	127	11.7	9.5-13.9	626	35.3	32.8-37.8	463	27.8	25.4-30.2	785	25.1	23.1-27.1
Less Than H.S.	447	324,538	447	100.0	100.0- 100									
H.S. or G.E.D.	1926	871,350				1926	100.0	100.0- 100						
Some Post-H.S.	1451	722,853							1451	100.0	100.0- 100			
College Graduate	2105	561,638										2105	100.0	100.0- 100
Less than \$15,000	416	180,894	96	32.2	26.1-38.3	172	35.7	30.0-41.4	90	25.1	19.6-30.6	58	7.0	4.6- 9.4
\$15,000- 24,999	841	362,339	150	26.9	22.6-31.2	366	41.4	37.1-45.7	185	23.1	19.4-26.8	140	8.6	6.8-10.4
\$25,000- 34,999	563	231,921	47	15.1	10.4-19.8	249	44.3	39.0-49.6	159	30.0	25.1-34.9	108	10.7	8.2-13.2
\$35,000- 49,999	864	371,300	52	12.7	8.8-16.6	333	42.3	37.8-46.8	244	30.5	26.4-34.6	235	14.6	12.2-17.0
\$50,000- 74,999	909	379,224	23	6.2	3.5- 8.9	273	34.8	30.7-38.9	265	36.1	32.0-40.2	348	23.0	20.1-25.9
\$75,000+	1772	709,661	23	2.9	1.5- 4.3	323	23.9	21.2-26.6	363	29.2	26.3-32.1	1063	44.0	41.3-46.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7868	2,614,800	626	12.5	11.3-13.7	2706	32.9	31.5-34.3	2054	32.5	30.9-34.1	2482	22.0	20.8-23.2
White/Non-Hisp	6642	2,114,193	422	10.2	8.8-11.6	2321	33.5	31.9-35.1	1719	32.7	31.1-34.3	2180	23.6	22.4-24.8
Black or Afr. Am./Non-Hisp	589	231,066	62	12.1	8.2-16.0	197	35.5	30.0-41.0	188	37.6	32.1-43.1	142	14.9	11.8-18.0
Oth. Race/Non-Hisp.	118	53,337	14	15.3	3.5-27.1	27	16.8	8.2-25.4	21	33.8	20.7-46.9	56	34.1	23.3-44.9
MultiRacial/Non-Hisp.	97	27,945	10	13.6	4.0-23.2	30	38.4	25.1-51.7	30	34.8	22.5-47.1	27	13.2	5.9-20.5
Hispanic	315	151,796	105	42.9	36.0-49.8	95	26.6	20.9-32.3	62	20.7	15.2-26.2	53	9.8	6.9-12.7
18-24	300	334,471	35	18.3	12.4-24.2	107	35.6	29.5-41.7	99	34.9	28.8-41.0	59	11.2	8.1-14.3
25-34	610	419,220	56	12.2	8.9-15.5	159	26.5	22.6-30.4	181	35.2	30.9-39.5	214	26.2	22.7-29.7
35-44	780	409,224	62	11.0	8.1-13.9	173	24.3	20.8-27.8	218	34.0	30.1-37.9	327	30.8	27.5-34.1
45-54	1175	425,304	65	8.2	6.0-10.4	347	31.7	28.6-34.8	308	32.7	29.4-36.0	455	27.3	24.8-29.8
55-64	1627	444,506	131	13.0	10.6-15.4	568	35.7	33.0-38.4	436	31.3	28.6-34.0	492	20.0	18.0-22.0
65+	3376	582,075	277	13.1	11.3-14.9	1352	40.9	38.9-42.9	812	29.1	27.1-31.1	935	16.9	15.7-18.1
Less Than H.S.	626	326,125	626	100.0	100.0- 100									
H.S. or G.E.D.	2706	861,414				2706	100.0	100.0- 100						
Some Post-H.S.	2054	850,738							2054	100.0	100.0- 100			
College Graduate	2482	576,522										2482	100.0	100.0- 100
Less than \$15,000	806	274,524	186	34.1	29.2-39.0	363	35.9	31.4-40.4	177	24.3	20.0-28.6	80	5.7	3.9- 7.5
\$15,000- 24,999	1390	447,568	187	19.6	16.1-23.1	682	46.3	42.6-50.0	344	27.2	23.9-30.5	177	6.8	5.4- 8.2
\$25,000- 34,999	864	276,898	66	12.1	8.8-15.4	360	37.4	33.1-41.7	253	36.8	32.3-41.3	185	13.7	11.0-16.4
\$35,000- 49,999	974	329,722	35	6.6	3.9- 9.3	353	36.9	32.6-41.2	287	38.1	33.6-42.6	299	18.5	15.6-21.4
\$50,000- 74,999	1041	359,094	18	4.5	2.0- 7.0	244	25.6	22.1-29.1	340	42.6	38.3-46.9	439	27.3	24.2-30.4
\$75,000+	1652	584,743	16	2.4	0.6- 4.2	242	17.9	15.4-20.4	362	30.8	27.7-33.9	1032	48.9	45.8-52.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 lt 25,000			\$25,000 lt 35,000			\$35,000 lt 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	12111	4,514,661	1224	10.1	9.3-10.9	2238	18.0	17.0-19.0	1429	11.3	10.5-12.1	1839	15.5	14.5-16.5	5381	45.1	43.9-46.3
Male	5375	2,239,441	416	8.1	7.1- 9.1	846	16.3	14.9-17.7	563	10.4	9.4-11.4	865	16.6	15.2-18.0	2685	48.7	46.9-50.5
Female	6736	2,275,220	808	12.1	10.9-13.3	1392	19.7	18.3-21.1	866	12.2	11.2-13.2	974	14.5	13.3-15.7	2696	41.6	40.0-43.2
White/Non-Hisp	10163	3,643,200	873	8.1	7.3- 8.9	1696	15.7	14.7-16.7	1181	11.1	10.3-11.9	1587	15.8	14.8-16.8	4826	49.3	47.9-50.7
Black or Afr. Am./Non-Hisp	834	391,135	172	20.1	16.4-23.8	220	25.6	21.7-29.5	113	12.8	9.9-15.7	118	17.0	13.3-20.7	211	24.5	20.6-28.4
Oth. Race/Non-Hisp.	256	112,729	36	14.4	8.5-20.3	63	18.0	12.3-23.7	26	8.6	4.5-12.7	26	13.4	7.5-19.3	105	45.5	37.3-53.7
MultiRacial/Non-Hisp.	179	51,694	18	12.0	5.7-18.3	46	27.3	18.5-36.1	26	11.1	6.2-16.0	29	18.2	10.2-26.2	60	31.4	23.2-39.6
Hispanic	505	247,302	101	20.5	16.4-24.6	173	35.8	30.5-41.1	63	12.3	9.0-15.6	57	11.7	8.2-15.2	111	19.7	15.6-23.8
18-24	549	549,674	76	13.4	10.3-16.5	116	21.4	17.5-25.3	72	12.6	9.7-15.5	94	19.4	15.3-23.5	191	33.1	28.6-37.6
25-34	1110	774,898	104	8.9	6.9-10.9	208	17.9	15.4-20.4	132	11.7	9.5-13.9	166	15.2	12.8-17.6	500	46.3	43.0-49.6
35-44	1330	770,868	133	9.8	8.0-11.6	190	14.7	12.3-17.1	118	8.8	7.0-10.6	140	11.0	9.0-13.0	749	55.8	52.7-58.9
45-54	1933	765,816	177	8.6	7.2-10.0	252	13.6	11.8-15.4	179	9.4	7.8-11.0	216	12.9	10.9-14.9	1109	55.5	53.0-58.0
55-64	2691	781,844	323	12.0	10.4-13.6	454	18.1	16.3-19.9	236	8.8	7.4-10.2	359	14.7	13.1-16.3	1319	46.3	44.1-48.5
65+	4498	871,560	411	8.9	7.7-10.1	1018	22.6	21.0-24.2	692	16.1	14.7-17.5	864	20.5	18.9-22.1	1513	32.0	30.4-33.6
Less Than H.S.	899	548,648	282	27.7	24.0-31.4	337	33.8	29.9-37.7	113	12.5	9.8-15.2	87	12.5	9.4-15.6	80	13.5	10.2-16.8
H.S. or G.E.D.	3960	1,503,337	535	10.8	9.6-12.0	1048	23.8	22.0-25.6	609	13.7	12.3-15.1	686	18.5	16.9-20.1	1082	33.1	31.1-35.1
Some Post-H.S.	3069	1,404,775	267	8.0	6.8- 9.2	529	14.6	13.0-16.2	412	12.2	10.8-13.6	531	17.0	15.2-18.8	1330	48.2	45.8-50.6
College Graduate	4164	1,051,127	138	2.7	2.1- 3.3	317	5.9	5.1- 6.7	293	6.0	5.0- 7.0	534	10.9	9.7-12.1	2882	74.5	72.9-76.1
Less than \$15,000	1224	455,618	1224	100.0	100.0- 100												
\$15,000- 24,999	2238	812,133				2238	100.0	100.0- 100									
\$25,000- 34,999	1429	509,162							1429	100.0	100.0- 100						
\$35,000- 49,999	1839	701,136										1839	100.0	100.0- 100			
\$50,000- 74,999	1954	739,072													1954	100.0	100.0- 100
\$75,000+	3427	1,297,541													3427	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 lt 25,000			\$25,000 lt 35,000			\$35,000 lt 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5375	2,239,441	416	8.1	7.1- 9.1	846	16.3	14.9-17.7	563	10.4	9.4-11.4	865	16.6	15.2-18.0	2685	48.7	46.9-50.5
White/Non-Hisp	4476	1,799,677	288	6.6	5.6- 7.6	612	13.9	12.5-15.3	459	10.2	9.0-11.4	730	16.4	15.0-17.8	2387	52.9	50.9-54.9
Black or Afr. Am./Non-Hisp	309	180,851	57	17.2	12.1-22.3	73	23.5	17.6-29.4	35	11.3	7.0-15.6	55	20.7	14.4-27.0	89	27.3	21.0-33.6
Oth. Race/Non-Hisp.	152	65,754	19	11.6	5.1-18.1	35	17.2	10.1-24.3	15	8.7	3.6-13.8	18	15.0	7.0-23.0	65	47.6	37.6-57.6
MultiRacial/Non-Hisp.	97	28,330	10	12.5	3.5-21.5	20	21.0	10.4-31.6	14	11.4	4.7-18.1	14	17.9	7.9-27.9	39	37.2	25.8-48.6
Hispanic	239	121,686	29	12.0	7.5-16.5	87	36.9	29.3-44.5	31	12.8	7.9-17.7	35	15.9	10.0-21.8	57	22.5	16.0-29.0
18-24	323	287,590	41	11.8	7.9-15.7	63	19.6	14.7-24.5	43	13.3	9.2-17.4	57	20.5	15.0-26.0	119	34.8	29.1-40.5
25-34	540	385,272	32	5.5	3.3- 7.7	90	15.1	11.6-18.6	62	11.2	8.1-14.3	87	16.1	12.6-19.6	269	52.1	47.2-57.0
35-44	595	383,532	42	6.9	4.5- 9.3	81	13.3	10.2-16.4	47	8.1	5.6-10.6	66	12.0	8.9-15.1	359	59.7	55.0-64.4
45-54	875	386,546	69	7.3	5.3- 9.3	106	13.0	10.3-15.7	71	8.3	6.1-10.5	99	13.7	10.8-16.6	530	57.7	53.8-61.6
55-64	1256	388,314	136	12.2	9.8-14.6	199	18.0	15.3-20.7	86	6.2	4.6- 7.8	182	15.8	13.3-18.3	653	47.7	44.4-51.0
65+	1786	408,187	96	5.8	4.2- 7.4	307	19.2	16.8-21.6	254	15.5	13.3-17.7	374	22.0	19.6-24.4	755	37.6	34.9-40.3
Less Than H.S.	391	281,654	96	20.7	16.2-25.2	150	34.6	28.9-40.3	47	12.4	8.3-16.5	52	16.7	11.6-21.8	46	15.6	10.9-20.3
H.S. or G.E.D.	1716	775,464	172	8.3	6.7- 9.9	366	19.3	17.1-21.5	249	13.2	11.2-15.2	333	20.2	17.8-22.6	596	38.8	35.9-41.7
Some Post-H.S.	1306	656,027	90	6.9	5.1- 8.7	185	12.8	10.6-15.0	159	10.6	8.6-12.6	244	17.2	14.7-19.7	628	52.5	49.2-55.8
College Graduate	1952	522,194	58	2.4	1.6- 3.2	140	6.0	4.8- 7.2	108	4.7	3.5- 5.9	235	10.4	8.8-12.0	1411	76.5	74.3-78.7
Less than \$15,000	416	180,894	416	100.0	100.0- 100												
\$15,000- 24,999	846	364,028				846	100.0	100.0- 100									
\$25,000- 34,999	563	231,921							563	100.0	100.0- 100						
\$35,000- 49,999	865	371,414										865	100.0	100.0- 100			
\$50,000- 74,999	911	379,469													911	100.0	100.0- 100
\$75,000+	1774	711,716													1774	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6736	2,275,220	808	12.1	10.9-13.3	1392	19.7	18.3-21.1	866	12.2	11.2-13.2	974	14.5	13.3-15.7	2696	41.6	40.0-43.2
White/Non-Hisp	5687	1,843,524	585	9.6	8.6-10.6	1084	17.5	16.1-18.9	722	12.0	10.8-13.2	857	15.1	13.7-16.5	2439	45.7	43.9-47.5
Black or Afr. Am./Non-Hisp	525	210,284	115	22.6	17.5-27.7	147	27.5	22.2-32.8	78	14.1	10.4-17.8	63	13.7	9.6-17.8	122	22.0	17.1-26.9
Oth. Race/Non-Hisp.	104	46,975	17	18.4	7.4-29.4	28	19.0	9.4-28.6	11	8.6	1.5-15.7	8	11.3	2.7-19.9	40	42.7	29.0-56.4
MultiRacial/Non-Hisp.	82	23,363	8	11.4	2.6-20.2	26	34.9	20.8-49.0	12	10.7	3.6-17.8	15	18.6	5.5-31.7	21	24.4	12.8-36.0
Hispanic	266	125,616	72	28.7	22.2-35.2	86	34.7	27.4-42.0	32	11.9	7.4-16.4	22	7.6	3.7-11.5	54	17.1	12.0-22.2
18-24	226	262,084	35	15.2	10.1-20.3	53	23.4	17.1-29.7	29	12.0	7.5-16.5	37	18.1	12.2-24.0	72	31.3	24.2-38.4
25-34	570	389,626	72	12.3	9.2-15.4	118	20.6	16.9-24.3	70	12.2	9.1-15.3	79	14.3	11.0-17.6	231	40.7	36.2-45.2
35-44	735	387,336	91	12.7	10.0-15.4	109	16.0	12.9-19.1	71	9.4	7.0-11.8	74	10.0	7.5-12.5	390	51.8	47.7-55.9
45-54	1058	379,270	108	9.8	7.6-12.0	146	14.3	11.8-16.8	108	10.5	8.3-12.7	117	12.1	9.7-14.5	579	53.3	49.8-56.8
55-64	1435	393,531	187	11.9	9.7-14.1	255	18.2	15.8-20.6	150	11.4	9.2-13.6	177	13.5	11.3-15.7	666	44.9	41.8-48.0
65+	2712	463,373	315	11.6	10.0-13.2	711	25.6	23.6-27.6	438	16.6	14.8-18.4	490	19.2	17.4-21.0	758	27.0	25.0-29.0
Less Than H.S.	508	266,994	186	35.0	29.5-40.5	187	32.9	27.4-38.4	66	12.6	8.9-16.3	35	8.1	4.8-11.4	34	11.4	6.7-16.1
H.S. or G.E.D.	2244	727,873	363	13.5	11.7-15.3	682	28.5	26.0-31.0	360	14.2	12.4-16.0	353	16.7	14.5-18.9	486	27.1	24.6-29.6
Some Post-H.S.	1763	748,748	177	8.9	7.1-10.7	344	16.3	14.1-18.5	253	13.6	11.4-15.8	287	16.8	14.4-19.2	702	44.4	41.3-47.5
College Graduate	2212	528,933	80	3.0	2.0- 4.0	177	5.8	4.6- 7.0	185	7.2	5.8- 8.6	299	11.5	9.7-13.3	1471	72.6	70.2-75.0
Less than \$15,000	808	274,724	808	100.0	100.0- 100												
\$15,000- 24,999	1392	448,105				1392	100.0	100.0- 100									
\$25,000- 34,999	866	277,240							866	100.0	100.0- 100						
\$35,000- 49,999	974	329,722										974	100.0	100.0- 100			
\$50,000- 74,999	1043	359,602													1043	100.0	100.0- 100
\$75,000+	1653	585,826													1653	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 9: TOBACCO USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	106
2	MALES ONLY	107
3	FEMALES ONLY	108
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	109
5	MALES ONLY	110
6	FEMALES ONLY	111

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 9: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13261	4,863,284	1704	15.8	14.8-16.8	607	6.0	5.4- 6.6	3777	24.5	23.5-25.5	7173	53.7	52.5-54.9
Male	5683	2,356,779	789	16.4	15.0-17.8	290	7.1	6.1- 8.1	1856	27.8	26.4-29.2	2748	48.7	46.9-50.5
Female	7578	2,506,505	915	15.2	14.0-16.4	317	5.0	4.2- 5.8	1921	21.4	20.2-22.6	4425	58.4	56.8-60.0
White/Non-Hisp	11153	3,928,219	1460	16.7	15.7-17.7	465	5.6	5.0- 6.2	3334	26.4	25.4-27.4	5894	51.2	50.0-52.4
Black or Afr. Am./Non-Hisp	870	406,983	99	12.5	9.6-15.4	64	8.7	6.2-11.2	185	16.1	13.0-19.2	522	62.7	58.4-67.0
Oth. Race/Non-Hisp.	271	118,895	33	9.4	5.1-13.7	15	6.7	1.8-11.6	42	9.3	5.8-12.8	181	74.6	67.7-81.5
MultiRacial/Non-Hisp.	203	58,660	46	23.8	16.2-31.4	18	9.1	4.0-14.2	47	17.9	11.8-24.0	92	49.2	40.6-57.8
Hispanic	545	270,163	32	6.0	3.5- 8.5	35	7.9	5.0-10.8	96	15.6	12.1-19.1	382	70.5	65.8-75.2
18-24	658	651,230	65	11.4	8.5-14.3	42	7.3	4.8- 9.8	50	7.7	5.3-10.1	501	73.6	69.7-77.5
25-34	1141	793,609	220	20.8	18.1-23.5	78	7.6	5.8- 9.4	200	19.8	17.1-22.5	643	51.8	48.5-55.1
35-44	1347	778,569	241	19.1	16.6-21.6	84	7.0	5.4- 8.6	282	21.7	19.2-24.2	740	52.2	49.1-55.3
45-54	2038	807,609	357	19.9	17.7-22.1	116	6.1	4.7- 7.5	452	23.0	20.8-25.2	1113	50.9	48.4-53.4
55-64	2900	836,930	468	17.4	15.6-19.2	151	5.9	4.7- 7.1	803	27.8	25.8-29.8	1478	48.9	46.7-51.1
65+	5177	995,338	353	7.3	6.3- 8.3	136	3.1	2.5- 3.7	1990	39.7	38.1-41.3	2698	49.9	48.1-51.7
Less Than H.S.	995	602,260	244	26.9	23.2-30.6	81	9.9	7.2-12.6	263	22.6	19.5-25.7	407	40.6	36.5-44.7
H.S. or G.E.D.	4429	1,650,772	782	19.7	18.1-21.3	237	6.8	5.8- 7.8	1326	25.6	24.0-27.2	2084	47.9	45.9-49.9
Some Post-H.S.	3352	1,503,723	466	15.1	13.5-16.7	176	5.9	4.9- 6.9	1033	26.4	24.6-28.2	1677	52.5	50.3-54.7
College Graduate	4455	1,096,712	209	4.7	3.9- 5.5	111	2.8	2.2- 3.4	1142	21.2	19.8-22.6	2993	71.3	69.7-72.9
Less than \$15,000	1173	430,764	265	24.3	21.0-27.6	119	11.4	8.9-13.9	284	18.5	15.8-21.2	505	45.8	41.9-49.7
\$15,000- 24,999	2158	778,118	431	25.2	22.5-27.9	127	7.3	5.7- 8.9	602	21.4	19.2-23.6	998	46.1	43.2-49.0
\$25,000- 34,999	1385	492,136	212	17.9	15.2-20.6	69	7.7	5.5- 9.9	426	25.3	22.4-28.2	678	49.1	45.6-52.6
\$35,000- 49,999	1797	683,812	221	16.1	13.6-18.6	82	6.6	4.8- 8.4	593	28.9	26.2-31.6	901	48.5	45.4-51.6
\$50,000- 74,999	1904	716,362	186	12.0	10.0-14.0	73	4.3	2.9- 5.7	582	28.6	25.9-31.3	1063	55.1	52.2-58.0
\$75,000+	3359	1,262,183	238	9.2	7.8-10.6	83	3.9	2.9- 4.9	912	24.6	22.8-26.4	2126	62.4	60.2-64.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 9: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5683	2,356,779	789	16.4	15.0-17.8	290	7.1	6.1- 8.1	1856	27.8	26.4-29.2	2748	48.7	46.9-50.5
White/Non-Hisp	4731	1,893,678	656	16.9	15.5-18.3	207	6.3	5.3- 7.3	1632	29.9	28.3-31.5	2236	46.9	45.1-48.7
Black or Afr. Am./Non-Hisp	317	186,354	44	16.0	10.5-21.5	35	12.5	8.0-17.0	73	19.0	13.5-24.5	165	52.6	45.5-59.7
Oth. Race/Non-Hisp.	158	69,343	22	11.7	5.8-17.6	10	6.7	1.6-11.8	28	9.6	5.1-14.1	98	72.0	63.8-80.2
MultiRacial/Non-Hisp.	109	31,800	28	26.6	16.6-36.6	11	11.5	3.5-19.5	25	20.0	11.0-29.0	45	42.0	30.8-53.2
Hispanic	249	127,984	21	7.9	4.0-11.8	20	11.3	6.2-16.4	55	20.0	14.1-25.9	153	60.7	53.3-68.1
18-24	374	335,533	39	10.5	7.0-14.0	28	8.4	5.1-11.7	32	8.9	5.6-12.2	275	72.2	66.9-77.5
25-34	561	395,429	107	20.3	16.4-24.2	49	10.5	7.4-13.6	114	23.4	19.3-27.5	291	45.9	41.2-50.6
35-44	591	381,766	114	21.1	17.2-25.0	40	7.4	5.0- 9.8	138	23.5	19.4-27.6	299	48.0	43.3-52.7
45-54	908	400,769	171	21.3	18.2-24.4	54	6.6	4.6- 8.6	222	25.7	22.4-29.0	461	46.4	42.5-50.3
55-64	1331	407,610	215	17.6	15.1-20.1	70	6.8	5.0- 8.6	398	30.0	27.1-32.9	648	45.6	42.5-48.7
65+	1918	435,672	143	7.7	6.3- 9.1	49	3.6	2.4- 4.8	952	49.7	47.0-52.4	774	39.0	36.3-41.7
Less Than H.S.	411	296,002	115	29.3	23.8-34.8	41	12.0	7.7-16.3	134	27.9	22.6-33.2	121	30.8	25.1-36.5
H.S. or G.E.D.	1826	823,475	361	20.3	17.9-22.7	118	8.3	6.5-10.1	654	29.3	26.8-31.8	693	42.1	39.2-45.0
Some Post-H.S.	1390	692,410	204	14.6	12.4-16.8	78	6.5	4.7- 8.3	475	29.5	26.6-32.4	633	49.3	46.0-52.6
College Graduate	2040	538,107	109	5.7	4.3- 7.1	52	3.3	2.3- 4.3	587	23.1	20.9-25.3	1292	67.8	65.4-70.2
Less than \$15,000	401	168,942	106	26.3	20.8-31.8	50	13.2	9.1-17.3	99	20.8	15.9-25.7	146	39.7	33.4-46.0
\$15,000- 24,999	813	347,285	180	26.8	22.7-30.9	53	9.4	6.7-12.1	260	23.4	20.1-26.7	320	40.5	36.2-44.8
\$25,000- 34,999	550	225,912	97	19.9	15.2-24.6	34	8.8	5.3-12.3	190	26.0	21.7-30.3	229	45.3	39.8-50.8
\$35,000- 49,999	840	360,126	116	17.0	13.5-20.5	45	8.5	5.6-11.4	326	33.3	29.2-37.4	353	41.2	36.7-45.7
\$50,000- 74,999	881	365,202	105	14.4	11.3-17.5	36	4.8	2.8- 6.8	310	33.6	29.3-37.9	430	47.2	42.9-51.5
\$75,000+	1737	693,779	130	9.4	7.6-11.2	55	4.9	3.3- 6.5	516	26.6	24.1-29.1	1036	59.2	56.3-62.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 9: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7578	2,506,505	915	15.2	14.0-16.4	317	5.0	4.2- 5.8	1921	21.4	20.2-22.6	4425	58.4	56.8-60.0
White/Non-Hisp	6422	2,034,541	804	16.6	15.2-18.0	258	4.9	4.1- 5.7	1702	23.3	21.9-24.7	3658	55.2	53.4-57.0
Black or Afr. Am./Non-Hisp	553	220,629	55	9.5	6.6-12.4	29	5.6	3.1- 8.1	112	13.6	10.3-16.9	357	71.3	66.6-76.0
Oth. Race/Non-Hisp.	113	49,552	11	6.1	0.0-12.4	5	6.6	0.0-16.2	14	8.9	3.2-14.6	83	78.3	66.7-89.9
MultiRacial/Non-Hisp.	94	26,859	18	20.5	8.5-32.5	7	6.2	0.9-11.5	22	15.5	7.9-23.1	47	57.7	44.6-70.8
Hispanic	296	142,179	11	4.3	1.2- 7.4	15	4.8	1.9- 7.7	41	11.6	7.5-15.7	229	79.3	73.8-84.8
18-24	284	315,697	26	12.4	7.5-17.3	14	6.1	2.6- 9.6	18	6.5	3.4- 9.6	226	75.0	68.9-81.1
25-34	580	398,180	113	21.3	17.4-25.2	29	4.8	2.8- 6.8	86	16.2	12.7-19.7	352	57.7	53.2-62.2
35-44	756	396,803	127	17.3	14.2-20.4	44	6.6	4.6- 8.6	144	19.9	16.6-23.2	441	56.2	52.1-60.3
45-54	1130	406,839	186	18.5	15.8-21.2	62	5.7	4.1- 7.3	230	20.4	17.7-23.1	652	55.4	52.1-58.7
55-64	1569	429,320	253	17.2	14.8-19.6	81	5.1	3.7- 6.5	405	25.7	23.2-28.2	830	52.0	49.1-54.9
65+	3259	559,666	210	6.9	5.7- 8.1	87	2.8	2.0- 3.6	1038	32.0	30.0-34.0	1924	58.3	56.1-60.5
Less Than H.S.	584	306,258	129	24.6	19.7-29.5	40	7.9	4.6-11.2	129	17.5	13.8-21.2	286	50.1	44.4-55.8
H.S. or G.E.D.	2603	827,296	421	19.1	16.9-21.3	119	5.3	4.1- 6.5	672	21.9	19.9-23.9	1391	53.7	51.2-56.2
Some Post-H.S.	1962	811,313	262	15.5	13.3-17.7	98	5.5	4.1- 6.9	558	23.7	21.3-26.1	1044	55.3	52.4-58.2
College Graduate	2415	558,605	100	3.7	2.7- 4.7	59	2.3	1.5- 3.1	555	19.4	17.4-21.4	1701	74.6	72.4-76.8
Less than \$15,000	772	261,822	159	23.0	18.9-27.1	69	10.2	6.9-13.5	185	17.1	13.8-20.4	359	49.7	44.6-54.8
\$15,000- 24,999	1345	430,832	251	24.0	20.5-27.5	74	5.6	4.0- 7.2	342	19.7	17.0-22.4	678	50.7	46.8-54.6
\$25,000- 34,999	835	266,225	115	16.3	13.0-19.6	35	6.7	3.8- 9.6	236	24.7	20.8-28.6	449	52.3	47.6-57.0
\$35,000- 49,999	957	323,686	105	15.1	11.6-18.6	37	4.4	2.6- 6.2	267	23.9	20.2-27.6	548	56.6	52.1-61.1
\$50,000- 74,999	1023	351,160	81	9.6	7.1-12.1	37	3.8	2.0- 5.6	272	23.4	20.1-26.7	633	63.3	59.2-67.4
\$75,000+	1622	568,404	108	9.0	7.0-11.0	28	2.6	1.4- 3.8	396	22.1	19.7-24.5	1090	66.4	63.5-69.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13261	4,863,284	10950	78.2	77.2-79.2	2311	21.8	20.8-22.8
Male	5683	2,356,779	4604	76.5	74.9-78.1	1079	23.5	21.9-25.1
Female	7578	2,506,505	6346	79.8	78.4-81.2	1232	20.2	18.8-21.6
White/Non-Hisp	11153	3,928,219	9228	77.7	76.5-78.9	1925	22.3	21.1-23.5
Black or Afr. Am./Non-Hisp	870	406,983	707	78.8	75.1-82.5	163	21.2	17.5-24.9
Oth. Race/Non-Hisp.	271	118,895	223	84.0	77.7-90.3	48	16.0	9.7-22.3
MultiRacial/Non-Hisp.	203	58,660	139	67.1	58.7-75.5	64	32.9	24.5-41.3
Hispanic	545	270,163	478	86.0	82.3-89.7	67	14.0	10.3-17.7
18-24	658	651,230	551	81.3	77.8-84.8	107	18.7	15.2-22.2
25-34	1141	793,609	843	71.6	68.5-74.7	298	28.4	25.3-31.5
35-44	1347	778,569	1022	73.9	71.2-76.6	325	26.1	23.4-28.8
45-54	2038	807,609	1565	74.0	71.6-76.4	473	26.0	23.6-28.4
55-64	2900	836,930	2281	76.7	74.7-78.7	619	23.3	21.3-25.3
65+	5177	995,338	4688	89.6	88.4-90.8	489	10.4	9.2-11.6
Less Than H.S.	995	602,260	670	63.2	59.1-67.3	325	36.8	32.7-40.9
H.S. or G.E.D.	4429	1,650,772	3410	73.5	71.7-75.3	1019	26.5	24.7-28.3
Some Post-H.S.	3352	1,503,723	2710	78.9	77.1-80.7	642	21.1	19.3-22.9
College Graduate	4455	1,096,712	4135	92.5	91.5-93.5	320	7.5	6.5- 8.5
Less than \$15,000	1173	430,764	789	64.3	60.6-68.0	384	35.7	32.0-39.4
\$15,000- 24,999	2158	778,118	1600	67.5	64.8-70.2	558	32.5	29.8-35.2
\$25,000- 34,999	1385	492,136	1104	74.4	71.1-77.7	281	25.6	22.3-28.9
\$35,000- 49,999	1797	683,812	1494	77.3	74.4-80.2	303	22.7	19.8-25.6
\$50,000- 74,999	1904	716,362	1645	83.7	81.3-86.1	259	16.3	13.9-18.7
\$75,000+	3359	1,262,183	3038	87.0	85.4-88.6	321	13.0	11.4-14.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5683	2,356,779	4604	76.5	74.9-78.1	1079	23.5	21.9-25.1
White/Non-Hisp	4731	1,893,678	3868	76.8	75.2-78.4	863	23.2	21.6-24.8
Black or Afr. Am./Non-Hisp	317	186,354	238	71.5	65.0-78.0	79	28.5	22.0-35.0
Oth. Race/Non-Hisp.	158	69,343	126	81.6	74.2-89.0	32	18.4	11.0-25.8
MultiRacial/Non-Hisp.	109	31,800	70	61.9	50.7-73.1	39	38.1	26.9-49.3
Hispanic	249	127,984	208	80.7	74.6-86.8	41	19.3	13.2-25.4
18-24	374	335,533	307	81.2	76.7-85.7	67	18.8	14.3-23.3
25-34	561	395,429	405	69.3	64.8-73.8	156	30.7	26.2-35.2
35-44	591	381,766	437	71.5	67.2-75.8	154	28.5	24.2-32.8
45-54	908	400,769	683	72.1	68.6-75.6	225	27.9	24.4-31.4
55-64	1331	407,610	1046	75.7	72.8-78.6	285	24.3	21.4-27.2
65+	1918	435,672	1726	88.7	86.9-90.5	192	11.3	9.5-13.1
Less Than H.S.	411	296,002	255	58.7	52.8-64.6	156	41.3	35.4-47.2
H.S. or G.E.D.	1826	823,475	1347	71.4	68.9-73.9	479	28.6	26.1-31.1
Some Post-H.S.	1390	692,410	1108	78.9	76.2-81.6	282	21.1	18.4-23.8
College Graduate	2040	538,107	1879	90.9	89.3-92.5	161	9.1	7.5-10.7
Less than \$15,000	401	168,942	245	60.4	54.3-66.5	156	39.6	33.5-45.7
\$15,000- 24,999	813	347,285	580	63.9	59.4-68.4	233	36.1	31.6-40.6
\$25,000- 34,999	550	225,912	419	71.3	66.0-76.6	131	28.7	23.4-34.0
\$35,000- 49,999	840	360,126	679	74.5	70.2-78.8	161	25.5	21.2-29.8
\$50,000- 74,999	881	365,202	740	80.8	77.3-84.3	141	19.2	15.7-22.7
\$75,000+	1737	693,779	1552	85.8	83.4-88.2	185	14.2	11.8-16.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7578	2,506,505	6346	79.8	78.4-81.2	1232	20.2	18.8-21.6
White/Non-Hisp	6422	2,034,541	5360	78.5	76.9-80.1	1062	21.5	19.9-23.1
Black or Afr. Am./Non-Hisp	553	220,629	469	85.0	81.3-88.7	84	15.0	11.3-18.7
Oth. Race/Non-Hisp.	113	49,552	97	87.2	76.2-98.2	16	12.8	1.8-23.8
MultiRacial/Non-Hisp.	94	26,859	69	73.3	60.8-85.8	25	26.7	14.2-39.2
Hispanic	296	142,179	270	90.9	86.8-95.0	26	9.1	5.0-13.2
18-24	284	315,697	244	81.5	75.8-87.2	40	18.5	12.8-24.2
25-34	580	398,180	438	73.9	69.8-78.0	142	26.1	22.0-30.2
35-44	756	396,803	585	76.2	72.7-79.7	171	23.8	20.3-27.3
45-54	1130	406,839	882	75.8	72.9-78.7	248	24.2	21.3-27.1
55-64	1569	429,320	1235	77.7	75.2-80.2	334	22.3	19.8-24.8
65+	3259	559,666	2962	90.3	88.9-91.7	297	9.7	8.3-11.1
Less Than H.S.	584	306,258	415	67.5	62.0-73.0	169	32.5	27.0-38.0
H.S. or G.E.D.	2603	827,296	2063	75.7	73.3-78.1	540	24.3	21.9-26.7
Some Post-H.S.	1962	811,313	1602	79.0	76.6-81.4	360	21.0	18.6-23.4
College Graduate	2415	558,605	2256	94.0	92.8-95.2	159	6.0	4.8- 7.2
Less than \$15,000	772	261,822	544	66.8	62.1-71.5	228	33.2	28.5-37.9
\$15,000- 24,999	1345	430,832	1020	70.4	66.7-74.1	325	29.6	25.9-33.3
\$25,000- 34,999	835	266,225	685	77.0	72.9-81.1	150	23.0	18.9-27.1
\$35,000- 49,999	957	323,686	815	80.5	76.8-84.2	142	19.5	15.8-23.2
\$50,000- 74,999	1023	351,160	905	86.7	83.8-89.6	118	13.3	10.4-16.2
\$75,000+	1622	568,404	1486	88.4	86.0-90.8	136	11.6	9.2-14.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 10: E-CIGARETTES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)	
1	MALES AND FEMALES	113
2	MALES ONLY	114
3	FEMALES ONLY	115
	ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)	
4	MALES AND FEMALES	116
5	MALES ONLY	117
6	FEMALES ONLY	118

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

**TABLE 1: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user-uses every day			Current E-cigarette user-uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13147	4,812,157	172	2.1	1.7- 2.5	326	3.9	3.3- 4.5	1772	18.7	17.7-19.7	10877	75.3	74.1-76.5
Male	5642	2,337,144	89	2.5	1.9- 3.1	152	4.2	3.4- 5.0	868	21.5	19.9-23.1	4533	71.9	70.3-73.5
Female	7505	2,475,013	83	1.8	1.4- 2.2	174	3.7	3.1- 4.3	904	16.1	14.9-17.3	6344	78.5	77.1-79.9
White/Non-Hisp	11060	3,891,557	149	2.4	2.0- 2.8	258	3.9	3.3- 4.5	1477	19.3	18.1-20.5	9176	74.4	73.2-75.6
Black or Afr. Am./Non-Hisp	856	395,933	6	0.8	0.0- 1.6	21	3.5	1.7- 5.3	110	16.8	13.1-20.5	719	78.9	75.0-82.8
Oth. Race/Non-Hisp.	270	117,626	4	0.9	0.0- 2.1	16	6.8	2.7-10.9	37	12.8	7.7-17.9	213	79.6	73.3-85.9
MultiRacial/Non-Hisp.	201	58,409	6	1.7	0.1- 3.3	16	8.2	4.1-12.3	52	28.0	19.6-36.4	127	62.1	53.5-70.7
Hispanic	543	269,172	3	0.3	0.0- 0.7	11	2.8	0.8- 4.8	65	13.6	9.7-17.5	464	83.3	79.2-87.4
18-24	654	644,454	21	3.6	1.8- 5.4	48	7.7	5.3-10.1	215	31.4	27.3-35.5	370	57.2	52.9-61.5
25-34	1128	784,466	40	4.4	3.0- 5.8	69	6.8	5.0- 8.6	293	26.6	23.7-29.5	726	62.2	58.9-65.5
35-44	1336	771,450	24	2.1	1.1- 3.1	51	3.9	2.7- 5.1	250	21.0	18.3-23.7	1011	73.0	70.3-75.7
45-54	2012	793,447	31	1.5	0.9- 2.1	68	3.8	2.8- 4.8	337	18.3	16.1-20.5	1576	76.4	74.2-78.6
55-64	2876	828,488	37	1.3	0.7- 1.9	57	2.1	1.5- 2.7	399	15.5	13.9-17.1	2383	81.2	79.4-83.0
65+	5141	989,853	19	0.5	0.3- 0.7	33	0.8	0.4- 1.2	278	5.4	4.6- 6.2	4811	93.4	92.6-94.2
Less Than H.S.	986	595,145	7	1.3	0.0- 2.7	43	5.3	3.5- 7.1	190	23.1	19.4-26.8	746	70.3	66.4-74.2
H.S. or G.E.D.	4382	1,634,762	72	2.7	1.9- 3.5	139	4.6	3.6- 5.6	688	21.3	19.5-23.1	3483	71.4	69.4-73.4
Some Post-H.S.	3324	1,485,816	50	2.4	1.6- 3.2	105	4.6	3.6- 5.6	531	20.2	18.4-22.0	2638	72.8	70.8-74.8
College Graduate	4425	1,086,949	42	1.2	0.8- 1.6	38	1.3	0.9- 1.7	360	10.5	9.3-11.7	3985	87.1	85.7-88.5
Less than \$15,000	1161	426,519	22	2.2	1.0- 3.4	54	6.6	4.6- 8.6	218	22.9	19.4-26.4	867	68.2	64.5-71.9
\$15,000- 24,999	2130	765,622	27	1.6	0.8- 2.4	80	6.0	4.4- 7.6	365	22.6	20.1-25.1	1658	69.9	67.2-72.6
\$25,000- 34,999	1370	485,728	14	1.6	0.6- 2.6	40	4.3	2.7- 5.9	209	20.6	17.5-23.7	1107	73.4	69.9-76.9
\$35,000- 49,999	1791	682,005	24	3.0	1.6- 4.4	29	2.9	1.7- 4.1	257	20.6	17.7-23.5	1481	73.6	70.5-76.7
\$50,000- 74,999	1891	710,068	29	2.5	1.3- 3.7	32	2.3	1.3- 3.3	244	17.9	15.4-20.4	1586	77.3	74.6-80.0
\$75,000+	3335	1,251,317	44	2.3	1.5- 3.1	57	2.8	2.0- 3.6	305	13.4	11.6-15.2	2929	81.5	79.5-83.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 2: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user-uses every day			Current E-cigarette user-uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5642	2,337,144	89	2.5	1.9-3.1	152	4.2	3.4-5.0	868	21.5	19.9-23.1	4533	71.9	70.3-73.5
White/Non-Hisp	4696	1,879,942	78	2.9	2.1-3.7	114	4.0	3.2-4.8	705	21.6	19.8-23.4	3799	71.4	69.6-73.2
Black or Afr. Am./Non-Hisp	313	181,781	2	0.6	0.0-1.4	10	4.6	1.5-7.7	52	23.9	17.0-30.8	249	70.9	63.8-78.0
Oth. Race/Non-Hisp.	157	68,074	2	0.4	0.0-1.0	10	8.0	2.5-13.5	28	17.2	9.9-24.5	117	74.4	65.8-83.0
MultiRacial/Non-Hisp.	109	31,800	3	1.3	0.0-3.1	10	10.2	3.9-16.5	27	24.0	14.2-33.8	69	64.6	53.8-75.4
Hispanic	249	128,422	2	0.5	0.0-1.3	6	2.7	0.5-4.9	36	17.9	11.4-24.4	205	78.9	72.2-85.6
18-24	371	332,371	17	5.2	2.3-8.1	33	9.3	6.0-12.6	141	37.4	31.7-43.1	180	48.1	42.2-54.0
25-34	553	390,227	23	5.0	2.8-7.2	37	7.3	4.8-9.8	173	32.5	28.0-37.0	320	55.3	50.6-60.0
35-44	586	380,423	13	2.4	1.0-3.8	21	3.5	1.9-5.1	125	24.3	20.2-28.4	427	69.8	65.3-74.3
45-54	902	396,305	14	1.3	0.5-2.1	30	3.7	2.1-5.3	155	19.2	16.1-22.3	703	75.8	72.5-79.1
55-64	1324	404,215	15	1.2	0.4-2.0	20	1.7	0.7-2.7	160	14.2	11.8-16.6	1129	82.9	80.4-85.4
65+	1906	433,603	7	0.4	0.0-0.8	11	0.8	0.2-1.4	114	5.8	4.6-7.0	1774	93.0	91.6-94.4
Less Than H.S.	412	296,804	3	1.8	0.0-4.2	20	5.3	2.8-7.8	94	26.2	20.7-31.7	295	66.7	60.8-72.6
H.S. or G.E.D.	1805	815,970	37	2.9	1.7-4.1	66	5.0	3.6-6.4	348	25.3	22.6-28.0	1354	66.9	64.0-69.8
Some Post-H.S.	1382	684,658	22	2.9	1.5-4.3	47	4.9	3.3-6.5	235	21.6	18.7-24.5	1078	70.5	67.4-73.6
College Graduate	2027	533,258	26	1.6	0.8-2.4	19	1.4	0.6-2.2	191	13.2	11.2-15.2	1791	83.8	81.6-86.0
Less than \$15,000	399	168,303	6	2.2	0.2-4.2	24	8.3	4.8-11.8	92	27.4	21.5-33.3	277	62.1	55.8-68.4
\$15,000- 24,999	802	343,200	11	0.9	0.3-1.5	33	6.3	3.8-8.8	155	24.9	21.0-28.8	603	68.0	63.7-72.3
\$25,000- 34,999	543	222,725	7	2.0	0.2-3.8	16	4.7	2.0-7.4	91	22.3	17.2-27.4	429	71.0	65.5-76.5
\$35,000- 49,999	843	361,212	13	3.4	1.0-5.8	15	3.5	1.5-5.5	144	23.4	19.3-27.5	671	69.6	65.1-74.1
\$50,000- 74,999	876	362,805	19	3.5	1.5-5.5	13	1.7	0.7-2.7	137	23.3	19.2-27.4	707	71.5	67.2-75.8
\$75,000+	1725	687,673	28	2.8	1.6-4.0	34	3.1	1.9-4.3	177	15.8	13.3-18.3	1486	78.3	75.6-81.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 3: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user-uses every day			Current E-cigarette user-uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7505	2,475,013	83	1.8	1.4-2.2	174	3.7	3.1-4.3	904	16.1	14.9-17.3	6344	78.5	77.1-79.9
White/Non-Hisp	6364	2,011,615	71	1.9	1.3-2.5	144	3.8	3.0-4.6	772	17.1	15.7-18.5	5377	77.2	75.6-78.8
Black or Afr. Am./Non-Hisp	543	214,153	4	0.9	0.0-2.1	11	2.6	0.8-4.4	58	10.7	7.4-14.0	470	85.7	81.8-89.6
Oth. Race/Non-Hisp.	113	49,552	2	1.5	0.0-4.0	6	5.1	0.0-11.4	9	6.7	0.8-12.6	96	86.7	78.1-95.3
MultiRacial/Non-Hisp.	92	26,609	3	2.2	0.0-4.9	6	5.8	0.9-10.7	25	32.8	18.9-46.7	58	59.2	45.5-72.9
Hispanic	294	140,751	1	0.1	0.0-0.3	5	2.9	0.0-6.0	29	9.7	5.4-14.0	259	87.3	82.2-92.4
18-24	283	312,084	4	2.0	0.0-4.0	15	6.1	3.0-9.2	74	25.0	19.3-30.7	190	67.0	60.7-73.3
25-34	575	394,239	17	3.8	1.8-5.8	32	6.3	3.9-8.7	120	20.8	17.1-24.5	406	69.1	64.8-73.4
35-44	750	391,026	11	1.9	0.7-3.1	30	4.3	2.7-5.9	125	17.8	14.7-20.9	584	76.1	72.6-79.6
45-54	1110	397,142	17	1.7	0.7-2.7	38	3.9	2.5-5.3	182	17.4	14.7-20.1	873	76.9	74.0-79.8
55-64	1552	424,273	22	1.4	0.8-2.0	37	2.4	1.6-3.2	239	16.7	14.3-19.1	1254	79.5	77.0-82.0
65+	3235	556,250	12	0.5	0.1-0.9	22	0.8	0.4-1.2	164	5.1	4.1-6.1	3037	93.7	92.7-94.7
Less Than H.S.	574	298,341	4	0.8	0.0-2.0	23	5.3	2.6-8.0	96	20.1	15.4-24.8	451	73.9	68.8-79.0
H.S. or G.E.D.	2577	818,791	35	2.6	1.6-3.6	73	4.2	3.0-5.4	340	17.2	15.0-19.4	2129	76.0	73.5-78.5
Some Post-H.S.	1942	801,158	28	1.9	1.1-2.7	58	4.3	3.1-5.5	296	19.0	16.6-21.4	1560	74.8	72.3-77.3
College Graduate	2398	553,691	16	0.9	0.3-1.5	19	1.1	0.5-1.7	169	7.9	6.5-9.3	2194	90.2	88.6-91.8
Less than \$15,000	762	258,216	16	2.2	0.6-3.8	30	5.6	3.4-7.8	126	20.0	15.7-24.3	590	72.2	67.5-76.9
\$15,000- 24,999	1328	422,421	16	2.1	0.7-3.5	47	5.8	3.6-8.0	210	20.7	17.6-23.8	1055	71.4	67.7-75.1
\$25,000- 34,999	827	263,004	7	1.3	0.1-2.5	24	4.0	2.0-6.0	118	19.2	15.1-23.3	678	75.5	71.2-79.8
\$35,000- 49,999	948	320,792	11	2.4	0.8-4.0	14	2.1	0.7-3.5	113	17.5	13.6-21.4	810	78.0	73.9-82.1
\$50,000- 74,999	1015	347,262	10	1.3	0.3-2.3	19	3.0	1.4-4.6	107	12.3	9.6-15.0	879	83.3	80.0-86.6
\$75,000+	1610	563,644	16	1.7	0.7-2.7	23	2.5	1.3-3.7	128	10.5	8.3-12.7	1443	85.4	82.9-87.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

**TABLE 4: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13147	4,812,157	12649	94.0	93.4-94.6	498	6.0	5.4- 6.6
Male	5642	2,337,144	5401	93.4	92.4-94.4	241	6.6	5.6- 7.6
Female	7505	2,475,013	7248	94.6	93.8-95.4	257	5.4	4.6- 6.2
White/Non-Hisp	11060	3,891,557	10653	93.7	92.9-94.5	407	6.3	5.5- 7.1
Black or Afr. Am./Non-Hisp	856	395,933	829	95.7	93.7-97.7	27	4.3	2.3- 6.3
Oth. Race/Non-Hisp.	270	117,626	250	92.4	88.1-96.7	20	7.6	3.3-11.9
MultiRacial/Non-Hisp.	201	58,409	179	90.1	85.6-94.6	22	9.9	5.4-14.4
Hispanic	543	269,172	529	96.9	94.9-98.9	14	3.1	1.1- 5.1
18-24	654	644,454	585	88.7	86.0-91.4	69	11.3	8.6-14.0
25-34	1128	784,466	1019	88.9	86.7-91.1	109	11.1	8.9-13.3
35-44	1336	771,450	1261	94.0	92.6-95.4	75	6.0	4.6- 7.4
45-54	2012	793,447	1913	94.7	93.5-95.9	99	5.3	4.1- 6.5
55-64	2876	828,488	2782	96.6	95.8-97.4	94	3.4	2.6- 4.2
65+	5141	989,853	5089	98.8	98.4-99.2	52	1.2	0.8- 1.6
Less Than H.S.	986	595,145	936	93.4	91.2-95.6	50	6.6	4.4- 8.8
H.S. or G.E.D.	4382	1,634,762	4171	92.7	91.5-93.9	211	7.3	6.1- 8.5
Some Post-H.S.	3324	1,485,816	3169	93.0	91.8-94.2	155	7.0	5.8- 8.2
College Graduate	4425	1,086,949	4345	97.5	96.9-98.1	80	2.5	1.9- 3.1
Less than \$15,000	1161	426,519	1085	91.2	88.8-93.6	76	8.8	6.4-11.2
\$15,000- 24,999	2130	765,622	2023	92.5	90.7-94.3	107	7.5	5.7- 9.3
\$25,000- 34,999	1370	485,728	1316	94.0	92.0-96.0	54	6.0	4.0- 8.0
\$35,000- 49,999	1791	682,005	1738	94.2	92.2-96.2	53	5.8	3.8- 7.8
\$50,000- 74,999	1891	710,068	1830	95.2	93.8-96.6	61	4.8	3.4- 6.2
\$75,000+	3335	1,251,317	3234	94.9	93.7-96.1	101	5.1	3.9- 6.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 5: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5642	2,337,144	5401	93.4	92.4-94.4	241	6.6	5.6- 7.6
White/Non-Hisp	4696	1,879,942	4504	93.1	91.9-94.3	192	6.9	5.7- 8.1
Black or Afr. Am./Non-Hisp	313	181,781	301	94.8	91.7-97.9	12	5.2	2.1- 8.3
Oth. Race/Non-Hisp.	157	68,074	145	91.6	86.1-97.1	12	8.4	2.9-13.9
MultiRacial/Non-Hisp.	109	31,800	96	88.5	82.0-95.0	13	11.5	5.0-18.0
Hispanic	249	128,422	241	96.8	94.4-99.2	8	3.2	0.8- 5.6
18-24	371	332,371	321	85.5	81.2-89.8	50	14.5	10.2-18.8
25-34	553	390,227	493	87.8	84.7-90.9	60	12.2	9.1-15.3
35-44	586	380,423	552	94.1	91.9-96.3	34	5.9	3.7- 8.1
45-54	902	396,305	858	95.0	93.2-96.8	44	5.0	3.2- 6.8
55-64	1324	404,215	1289	97.1	95.9-98.3	35	2.9	1.7- 4.1
65+	1906	433,603	1888	98.8	98.2-99.4	18	1.2	0.6- 1.8
Less Than H.S.	412	296,804	389	92.9	89.6-96.2	23	7.1	3.8-10.4
H.S. or G.E.D.	1805	815,970	1702	92.2	90.4-94.0	103	7.8	6.0- 9.6
Some Post-H.S.	1382	684,658	1313	92.2	90.2-94.2	69	7.8	5.8- 9.8
College Graduate	2027	533,258	1982	97.0	96.0-98.0	45	3.0	2.0- 4.0
Less than \$15,000	399	168,303	369	89.5	85.4-93.6	30	10.5	6.4-14.6
\$15,000- 24,999	802	343,200	758	92.9	90.4-95.4	44	7.1	4.6- 9.6
\$25,000- 34,999	543	222,725	520	93.3	90.2-96.4	23	6.7	3.6- 9.8
\$35,000- 49,999	843	361,212	815	93.0	90.1-95.9	28	7.0	4.1- 9.9
\$50,000- 74,999	876	362,805	844	94.8	92.6-97.0	32	5.2	3.0- 7.4
\$75,000+	1725	687,673	1663	94.1	92.5-95.7	62	5.9	4.3- 7.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 6: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7505	2,475,013	7248	94.6	93.8-95.4	257	5.4	4.6- 6.2
White/Non-Hisp	6364	2,011,615	6149	94.3	93.3-95.3	215	5.7	4.7- 6.7
Black or Afr. Am./Non-Hisp	543	214,153	528	96.5	94.3-98.7	15	3.5	1.3- 5.7
Oth. Race/Non-Hisp.	113	49,552	105	93.4	86.7- 100	8	6.6	0.0-13.3
MultiRacial/Non-Hisp.	92	26,609	83	92.0	86.3-97.7	9	8.0	2.3-13.7
Hispanic	294	140,751	288	97.0	93.9- 100	6	3.0	0.0- 6.1
18-24	283	312,084	264	92.0	88.5-95.5	19	8.0	4.5-11.5
25-34	575	394,239	526	90.0	87.1-92.9	49	10.0	7.1-12.9
35-44	750	391,026	709	93.8	91.8-95.8	41	6.2	4.2- 8.2
45-54	1110	397,142	1055	94.4	92.8-96.0	55	5.6	4.0- 7.2
55-64	1552	424,273	1493	96.2	95.0-97.4	59	3.8	2.6- 5.0
65+	3235	556,250	3201	98.7	98.1-99.3	34	1.3	0.7- 1.9
Less Than H.S.	574	298,341	547	93.9	91.0-96.8	27	6.1	3.2- 9.0
H.S. or G.E.D.	2577	818,791	2469	93.2	91.6-94.8	108	6.8	5.2- 8.4
Some Post-H.S.	1942	801,158	1856	93.8	92.2-95.4	86	6.2	4.6- 7.8
College Graduate	2398	553,691	2363	98.0	97.2-98.8	35	2.0	1.2- 2.8
Less than \$15,000	762	258,216	716	92.2	89.5-94.9	46	7.8	5.1-10.5
\$15,000- 24,999	1328	422,421	1265	92.1	89.6-94.6	63	7.9	5.4-10.4
\$25,000- 34,999	827	263,004	796	94.7	92.5-96.9	31	5.3	3.1- 7.5
\$35,000- 49,999	948	320,792	923	95.5	93.3-97.7	25	4.5	2.3- 6.7
\$50,000- 74,999	1015	347,262	986	95.6	93.6-97.6	29	4.4	2.4- 6.4
\$75,000+	1610	563,644	1571	95.8	94.2-97.4	39	4.2	2.6- 5.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017**

SECTION 11: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	120
2 MALES ONLY	121
3 FEMALES ONLY	122
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	123
5 MALES ONLY	124
6 FEMALES ONLY	125
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	126
8 MALES ONLY	127
9 FEMALES ONLY	128
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)	
10 MALES AND FEMALES	129
11 MALES ONLY	130
12 FEMALES ONLY	131
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)	
13 MALES AND FEMALES	132
14 MALES ONLY	133
15 FEMALES ONLY	134

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13038	4,764,139	6229	51.6	50.4-52.8	6809	48.4	47.2-49.6
Male	5579	2,307,632	3135	58.7	56.9-60.5	2444	41.3	39.5-43.1
Female	7459	2,456,506	3094	45.0	43.4-46.6	4365	55.0	53.4-56.6
White/Non-Hisp	10992	3,868,185	5319	52.1	50.9-53.3	5673	47.9	46.7-49.1
Black or Afr. Am./Non-Hisp	846	388,334	364	50.3	45.8-54.8	482	49.7	45.2-54.2
Oth. Race/Non-Hisp.	268	116,036	128	52.6	44.6-60.6	140	47.4	39.4-55.4
MultiRacial/Non-Hisp.	200	58,215	84	43.2	34.6-51.8	116	56.8	48.2-65.4
Hispanic	523	256,184	246	50.4	45.1-55.7	277	49.6	44.3-54.9
18-24	647	638,611	359	52.9	48.4-57.4	288	47.1	42.6-51.6
25-34	1115	774,020	721	63.8	60.5-67.1	394	36.2	32.9-39.5
35-44	1322	761,802	759	58.4	55.3-61.5	563	41.6	38.5-44.7
45-54	1997	786,137	1084	53.8	51.3-56.3	913	46.2	43.7-48.7
55-64	2852	822,137	1394	48.9	46.7-51.1	1458	51.1	48.9-53.3
65+	5105	981,432	1912	36.5	34.9-38.1	3193	63.5	61.9-65.1
Less Than H.S.	963	582,787	242	30.6	26.7-34.5	721	69.4	65.5-73.3
H.S. or G.E.D.	4349	1,616,812	1656	45.8	43.8-47.8	2693	54.2	52.2-56.2
Some Post-H.S.	3304	1,477,449	1613	54.6	52.4-56.8	1691	45.4	43.2-47.6
College Graduate	4393	1,077,729	2707	67.8	66.0-69.6	1686	32.2	30.4-34.0
Less than \$15,000	1146	419,299	311	33.1	29.4-36.8	835	66.9	63.2-70.6
\$15,000- 24,999	2108	756,837	707	39.3	36.4-42.2	1401	60.7	57.8-63.6
\$25,000- 34,999	1364	482,891	522	42.1	38.6-45.6	842	57.9	54.4-61.4
\$35,000- 49,999	1780	674,894	867	53.8	50.7-56.9	913	46.2	43.1-49.3
\$50,000- 74,999	1882	706,226	1072	60.1	57.2-63.0	810	39.9	37.0-42.8
\$75,000+	3317	1,244,588	2244	69.0	67.0-71.0	1073	31.0	29.0-33.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5579	2,307,632	3135	58.7	56.9-60.5	2444	41.3	39.5-43.1
White/Non-Hisp	4658	1,865,233	2658	59.1	57.3-60.9	2000	40.9	39.1-42.7
Black or Afr. Am./Non-Hisp	310	178,552	157	58.3	51.4-65.2	153	41.7	34.8-48.6
Oth. Race/Non-Hisp.	155	66,484	83	56.4	46.4-66.4	72	43.6	33.6-53.6
MultiRacial/Non-Hisp.	108	31,606	51	48.3	36.9-59.7	57	51.7	40.3-63.1
Hispanic	235	119,713	127	59.5	52.1-66.9	108	40.5	33.1-47.9
18-24	366	329,544	217	57.8	51.9-63.7	149	42.2	36.3-48.1
25-34	546	384,182	396	73.6	69.5-77.7	150	26.4	22.3-30.5
35-44	578	374,529	366	64.0	59.5-68.5	212	36.0	31.5-40.5
45-54	893	392,093	524	57.6	53.7-61.5	369	42.4	38.5-46.3
55-64	1309	399,664	731	54.7	51.6-57.8	578	45.3	42.2-48.4
65+	1887	427,620	901	45.9	43.2-48.6	986	54.1	51.4-56.8
Less Than H.S.	398	288,107	145	40.6	34.5-46.7	253	59.4	53.3-65.5
H.S. or G.E.D.	1787	806,567	901	56.0	53.3-58.7	886	44.0	41.3-46.7
Some Post-H.S.	1373	680,759	768	60.5	57.4-63.6	605	39.5	36.4-42.6
College Graduate	2006	525,869	1315	70.8	68.4-73.2	691	29.2	26.8-31.6
Less than \$15,000	390	164,666	143	41.1	34.8-47.4	247	58.9	52.6-65.2
\$15,000- 24,999	790	337,304	340	47.1	42.6-51.6	450	52.9	48.4-57.4
\$25,000- 34,999	539	220,387	238	47.9	42.4-53.4	301	52.1	46.6-57.6
\$35,000- 49,999	833	354,981	462	59.9	55.6-64.2	371	40.1	35.8-44.4
\$50,000- 74,999	872	361,234	544	66.4	62.3-70.5	328	33.6	29.5-37.7
\$75,000+	1718	683,660	1203	71.6	68.9-74.3	515	28.4	25.7-31.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7459	2,456,506	3094	45.0	43.4-46.6	4365	55.0	53.4-56.6
White/Non-Hisp	6334	2,002,952	2661	45.5	43.7-47.3	3673	54.5	52.7-56.3
Black or Afr. Am./Non-Hisp	536	209,782	207	43.5	37.6-49.4	329	56.5	50.6-62.4
Oth. Race/Non-Hisp.	113	49,552	45	47.4	33.9-60.9	68	52.6	39.1-66.1
MultiRacial/Non-Hisp.	92	26,609	33	37.2	24.3-50.1	59	62.8	49.9-75.7
Hispanic	288	136,471	119	42.5	35.4-49.6	169	57.5	50.4-64.6
18-24	281	309,067	142	47.6	40.9-54.3	139	52.4	45.7-59.1
25-34	569	389,837	325	54.1	49.4-58.8	244	45.9	41.2-50.6
35-44	744	387,273	393	53.0	48.9-57.1	351	47.0	42.9-51.1
45-54	1104	394,044	560	50.0	46.7-53.3	544	50.0	46.7-53.3
55-64	1543	422,473	663	43.4	40.5-46.3	880	56.6	53.7-59.5
65+	3218	553,812	1011	29.2	27.2-31.2	2207	70.8	68.8-72.8
Less Than H.S.	565	294,680	97	20.8	16.1-25.5	468	79.2	74.5-83.9
H.S. or G.E.D.	2562	810,245	755	35.7	33.2-38.2	1807	64.3	61.8-66.8
Some Post-H.S.	1931	796,689	845	49.6	46.7-52.5	1086	50.4	47.5-53.3
College Graduate	2387	551,859	1392	65.0	62.6-67.4	995	35.0	32.6-37.4
Less than \$15,000	756	254,633	168	27.9	23.2-32.6	588	72.1	67.4-76.8
\$15,000- 24,999	1318	419,533	367	33.1	29.4-36.8	951	66.9	63.2-70.6
\$25,000- 34,999	825	262,504	284	37.3	32.6-42.0	541	62.7	58.0-67.4
\$35,000- 49,999	947	319,912	405	47.1	42.6-51.6	542	52.9	48.4-57.4
\$50,000- 74,999	1010	344,992	528	53.5	49.2-57.8	482	46.5	42.2-50.8
\$75,000+	1599	560,929	1041	65.9	62.8-69.0	558	34.1	31.0-37.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION
TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13038	4,764,139	3791	32.1	30.9-33.3	1233	10.7	9.9-11.5	476	3.7	3.3- 4.1	729	5.1	4.5- 5.7	6809	48.4	47.2-49.6
Male	5579	2,307,632	1721	33.2	31.6-34.8	664	13.0	11.8-14.2	295	5.2	4.4- 6.0	455	7.2	6.2- 8.2	2444	41.3	39.5-43.1
Female	7459	2,456,506	2070	31.1	29.5-32.7	569	8.5	7.7- 9.3	181	2.4	2.0- 2.8	274	3.1	2.5- 3.7	4365	55.0	53.4-56.6
White/Non-Hisp	10992	3,868,185	3155	31.4	30.2-32.6	1082	11.1	10.3-11.9	433	4.1	3.5- 4.7	649	5.4	4.8- 6.0	5673	47.9	46.7-49.1
Black or Afr. Am./Non-Hisp	846	388,334	264	34.7	30.4-39.0	60	10.7	7.4-14.0	14	1.7	0.7- 2.7	26	3.2	1.8- 4.6	482	49.7	45.2-54.2
Oth. Race/Non-Hisp.	268	116,036	82	35.5	27.7-43.3	24	9.3	5.0-13.6	4	1.1	0.0- 2.7	18	6.6	2.5-10.7	140	47.4	39.4-55.4
MultiRacial/Non-Hisp.	200	58,215	51	27.1	19.3-34.9	19	9.3	4.8-13.8	3	0.9	0.0- 2.1	11	5.9	1.6-10.2	116	56.8	48.2-65.4
Hispanic	523	256,184	185	38.8	33.5-44.1	35	6.2	3.8- 8.6	14	2.7	0.7- 4.7	12	2.6	0.6- 4.6	277	49.6	44.3-54.9
18-24	647	638,611	240	36.5	32.2-40.8	81	10.5	8.0-13.0	16	2.1	0.9- 3.3	22	3.8	2.0- 5.6	288	47.1	42.6-51.6
25-34	1115	774,020	455	39.1	35.8-42.4	173	15.4	13.0-17.8	55	5.1	3.5- 6.7	38	4.1	2.5- 5.7	394	36.2	32.9-39.5
35-44	1322	761,802	484	37.3	34.4-40.2	172	12.4	10.4-14.4	49	3.8	2.6- 5.0	54	4.9	3.5- 6.3	563	41.6	38.5-44.7
45-54	1997	786,137	663	32.0	29.6-34.4	241	12.1	10.3-13.9	80	4.4	3.4- 5.4	100	5.3	4.1- 6.5	913	46.2	43.7-48.7
55-64	2852	822,137	838	29.5	27.5-31.5	257	9.2	8.0-10.4	118	4.0	3.2- 4.8	181	6.2	5.2- 7.2	1458	51.1	48.9-53.3
65+	5105	981,432	1111	21.8	20.4-23.2	309	5.8	5.0- 6.6	158	2.9	2.3- 3.5	334	5.9	5.1- 6.7	3193	63.5	61.9-65.1
Less Than H.S.	963	582,787	164	20.3	17.0-23.6	30	4.3	2.3- 6.3	14	1.9	0.7- 3.1	34	4.2	2.4- 6.0	721	69.4	65.5-73.3
H.S. or G.E.D.	4349	1,616,812	1072	30.0	28.0-32.0	283	7.9	6.9- 8.9	96	2.9	2.1- 3.7	205	5.1	4.1- 6.1	2693	54.2	52.2-56.2
Some Post-H.S.	3304	1,477,449	1027	34.7	32.5-36.9	304	11.3	9.9-12.7	111	3.9	3.1- 4.7	171	4.7	3.7- 5.7	1691	45.4	43.2-47.6
College Graduate	4393	1,077,729	1521	38.2	36.4-40.0	614	17.5	15.9-19.1	255	6.0	5.2- 6.8	317	6.2	5.4- 7.0	1686	32.2	30.4-34.0
Less than \$15,000	1146	419,299	218	22.6	19.3-25.9	47	5.8	3.8- 7.8	14	1.7	0.7- 2.7	32	3.0	1.6- 4.4	835	66.9	63.2-70.6
\$15,000- 24,999	2108	756,837	479	27.6	24.9-30.3	109	6.3	4.7- 7.9	36	2.0	1.2- 2.8	83	3.5	2.5- 4.5	1401	60.7	57.8-63.6
\$25,000- 34,999	1364	482,891	325	29.0	25.7-32.3	102	7.2	5.4- 9.0	28	2.2	1.2- 3.2	67	3.8	2.6- 5.0	842	57.9	54.4-61.4
\$35,000- 49,999	1780	674,894	564	35.2	32.1-38.3	154	10.6	8.6-12.6	54	2.9	1.9- 3.9	95	5.2	3.8- 6.6	913	46.2	43.1-49.3
\$50,000- 74,999	1882	706,226	657	36.5	33.6-39.4	195	11.4	9.4-13.4	88	5.2	3.8- 6.6	132	7.0	5.2- 8.8	810	39.9	37.0-42.8
\$75,000+	3317	1,244,588	1221	38.7	36.5-40.9	536	17.1	15.5-18.7	221	6.5	5.3- 7.7	266	6.9	5.7- 8.1	1073	31.0	29.0-33.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION
TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5579	2,307,632	1721	33.2	31.6-34.8	664	13.0	11.8-14.2	295	5.2	4.4- 6.0	455	7.2	6.2- 8.2	2444	41.3	39.5-43.1
White/Non-Hisp	4658	1,865,233	1423	32.5	30.7-34.3	569	13.3	12.1-14.5	271	5.8	5.0- 6.6	395	7.5	6.5- 8.5	2000	40.9	39.1-42.7
Black or Afr. Am./Non-Hisp	310	178,552	102	36.7	29.6-43.8	31	14.6	8.7-20.5	9	2.1	0.5- 3.7	15	4.9	2.2- 7.6	153	41.7	34.8-48.6
Oth. Race/Non-Hisp.	155	66,484	48	34.0	24.8-43.2	17	11.6	5.3-17.9	2	1.7	0.0- 4.2	16	9.1	3.2-15.0	72	43.6	33.6-53.6
MultiRacial/Non-Hisp.	108	31,606	26	24.2	14.2-34.2	14	12.6	5.5-19.7	2	1.4	0.0- 3.6	9	10.1	2.7-17.5	57	51.7	40.3-63.1
Hispanic	235	119,713	89	41.4	33.6-49.2	23	9.5	5.2-13.8	6	3.5	0.0- 7.0	9	5.1	1.2- 9.0	108	40.5	33.1-47.9
18-24	366	329,544	136	36.6	30.9-42.3	50	12.0	8.5-15.5	11	2.8	1.0- 4.6	20	6.4	3.3- 9.5	149	42.2	36.3-48.1
25-34	546	384,182	228	41.6	36.9-46.3	111	20.4	16.5-24.3	30	6.1	3.7- 8.5	27	5.5	3.1- 7.9	150	26.4	22.3-30.5
35-44	578	374,529	215	38.7	34.0-43.4	76	11.9	8.8-15.0	37	6.4	4.2- 8.6	38	7.0	4.5- 9.5	212	36.0	31.5-40.5
45-54	893	392,093	280	30.0	26.5-33.5	133	14.5	11.8-17.2	45	5.7	3.9- 7.5	66	7.4	5.4- 9.4	369	42.4	38.5-46.3
55-64	1309	399,664	388	28.4	25.5-31.3	151	12.3	10.1-14.5	79	5.9	4.3- 7.5	113	8.1	6.3- 9.9	578	45.3	42.2-48.4
65+	1887	427,620	474	25.5	23.1-27.9	143	7.3	5.9- 8.7	93	4.3	3.3- 5.3	191	8.7	7.3-10.1	986	54.1	51.4-56.8
Less Than H.S.	398	288,107	88	24.7	19.4-30.0	19	6.4	3.1- 9.7	13	3.2	1.2- 5.2	25	6.2	3.1- 9.3	253	59.4	53.3-65.5
H.S. or G.E.D.	1787	806,567	517	33.4	30.7-36.1	181	10.9	9.1-12.7	66	4.0	2.8- 5.2	137	7.7	6.1- 9.3	886	44.0	41.3-46.7
Some Post-H.S.	1373	680,759	429	34.0	30.9-37.1	158	13.8	11.4-16.2	75	6.0	4.4- 7.6	106	6.7	5.1- 8.3	605	39.5	36.4-42.6
College Graduate	2006	525,869	684	36.7	34.0-39.4	304	18.9	16.7-21.1	141	7.3	5.9- 8.7	186	7.9	6.5- 9.3	691	29.2	26.8-31.6
Less than \$15,000	390	164,666	91	24.3	19.0-29.6	25	8.7	4.6-12.8	10	3.5	1.1- 5.9	17	4.6	2.1- 7.1	247	58.9	52.6-65.2
\$15,000- 24,999	790	337,304	207	29.8	25.5-34.1	58	8.9	6.2-11.6	22	2.7	1.3- 4.1	53	5.7	3.5- 7.9	450	52.9	48.4-57.4
\$25,000- 34,999	539	220,387	128	30.4	25.1-35.7	51	8.7	5.8-11.6	19	3.3	1.5- 5.1	40	5.4	3.0- 7.8	301	52.1	46.6-57.6
\$35,000- 49,999	833	354,981	273	35.6	31.1-40.1	92	13.1	10.0-16.2	29	3.1	1.7- 4.5	68	8.1	5.6-10.6	371	40.1	35.8-44.4
\$50,000- 74,999	872	361,234	301	37.2	32.9-41.5	109	13.3	10.4-16.2	56	6.6	4.4- 8.8	78	9.3	6.6-12.0	328	33.6	29.5-37.7
\$75,000+	1718	683,660	602	36.3	33.4-39.2	291	18.2	15.8-20.6	139	8.5	6.7-10.3	171	8.5	6.7-10.3	515	28.4	25.7-31.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION
TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7459	2,456,506	2070	31.1	29.5-32.7	569	8.5	7.7- 9.3	181	2.4	2.0- 2.8	274	3.1	2.5- 3.7	4365	55.0	53.4-56.6
White/Non-Hisp	6334	2,002,952	1732	30.4	28.8-32.0	513	9.1	8.1-10.1	162	2.5	1.9- 3.1	254	3.5	2.9- 4.1	3673	54.5	52.7-56.3
Black or Afr. Am./Non-Hisp	536	209,782	162	33.0	27.5-38.5	29	7.3	4.2-10.4	5	1.4	0.0- 2.8	11	1.8	0.6- 3.0	329	56.5	50.6-62.4
Oth. Race/Non-Hisp.	113	49,552	34	37.6	24.3-50.9	7	6.3	0.8-11.8	2	0.4	0.0- 1.0	2	3.2	0.0- 8.9	68	52.6	39.1-66.1
MultiRacial/Non-Hisp.	92	26,609	25	30.5	18.0-43.0	5	5.3	0.0-10.6	1	0.3	0.0- 0.9	2	1.0	0.0- 2.8	59	62.8	49.9-75.7
Hispanic	288	136,471	96	36.6	29.7-43.5	12	3.4	1.0- 5.8	8	2.1	0.3- 3.9	3	0.4	0.0- 1.0	169	57.5	50.4-64.6
18-24	281	309,067	104	36.4	29.9-42.9	31	8.9	5.4-12.4	5	1.4	0.0- 2.8	2	0.9	0.0- 2.1	139	52.4	45.7-59.1
25-34	569	389,837	227	36.7	32.4-41.0	62	10.4	7.7-13.1	25	4.3	2.3- 6.3	11	2.8	1.0- 4.6	244	45.9	41.2-50.6
35-44	744	387,273	269	36.0	32.1-39.9	96	12.8	10.1-15.5	12	1.4	0.4- 2.4	16	2.8	1.2- 4.4	351	47.0	42.9-51.1
45-54	1104	394,044	383	34.0	30.7-37.3	108	9.7	7.7-11.7	35	3.1	1.9- 4.3	34	3.2	2.0- 4.4	544	50.0	46.7-53.3
55-64	1543	422,473	450	30.6	27.9-33.3	106	6.3	4.9- 7.7	39	2.1	1.3- 2.9	68	4.4	3.2- 5.6	880	56.6	53.7-59.5
65+	3218	553,812	637	19.0	17.4-20.6	166	4.6	3.8- 5.4	65	1.9	1.3- 2.5	143	3.8	3.0- 4.6	2207	70.8	68.8-72.8
Less Than H.S.	565	294,680	76	15.9	11.8-20.0	11	2.2	0.2- 4.2	1	0.6	0.0- 1.8	9	2.1	0.3- 3.9	468	79.2	74.5-83.9
H.S. or G.E.D.	2562	810,245	555	26.6	24.1-29.1	102	4.8	3.6- 6.0	30	1.7	0.9- 2.5	68	2.5	1.5- 3.5	1807	64.3	61.8-66.8
Some Post-H.S.	1931	796,689	598	35.3	32.4-38.2	146	9.2	7.4-11.0	36	2.0	1.2- 2.8	65	3.1	2.1- 4.1	1086	50.4	47.5-53.3
College Graduate	2387	551,859	837	39.5	37.0-42.0	310	16.2	14.0-18.4	114	4.7	3.7- 5.7	131	4.5	3.5- 5.5	995	35.0	32.6-37.4
Less than \$15,000	756	254,633	127	21.5	17.2-25.8	22	3.9	1.9- 5.9	4	0.6	0.0- 1.4	15	1.9	0.5- 3.3	588	72.1	67.4-76.8
\$15,000- 24,999	1318	419,533	272	25.8	22.3-29.3	51	4.2	2.6- 5.8	14	1.4	0.4- 2.4	30	1.8	1.0- 2.6	951	66.9	63.2-70.6
\$25,000- 34,999	825	262,504	197	27.7	23.4-32.0	51	6.0	3.6- 8.4	9	1.3	0.3- 2.3	27	2.4	1.0- 3.8	541	62.7	58.0-67.4
\$35,000- 49,999	947	319,912	291	34.7	30.4-39.0	62	7.9	5.4-10.4	25	2.6	1.0- 4.2	27	1.9	0.9- 2.9	542	52.9	48.4-57.4
\$50,000- 74,999	1010	344,992	356	35.8	31.7-39.9	86	9.5	7.0-12.0	32	3.7	1.9- 5.5	54	4.6	2.8- 6.4	482	46.5	42.2-50.8
\$75,000+	1599	560,929	619	41.5	38.4-44.6	245	15.6	13.2-18.0	82	4.0	3.0- 5.0	95	4.8	3.4- 6.2	558	34.1	31.0-37.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	12947	4,720,204	11397	83.4	82.4-84.4	1550	16.6	15.6-17.6
Male	5528	2,282,625	4557	77.7	76.1-79.3	971	22.3	20.7-23.9
Female	7419	2,437,579	6840	88.8	87.8-89.8	579	11.2	10.2-12.2
White/Non-Hisp	10928	3,839,271	9657	83.6	82.6-84.6	1271	16.4	15.4-17.4
Black or Afr. Am./Non-Hisp	835	382,613	737	85.2	81.9-88.5	98	14.8	11.5-18.1
Oth. Race/Non-Hisp.	265	115,499	229	81.3	74.2-88.4	36	18.7	11.6-25.8
MultiRacial/Non-Hisp.	198	57,282	169	83.8	77.5-90.1	29	16.2	9.9-22.5
Hispanic	515	248,895	425	78.4	73.7-83.1	90	21.6	16.9-26.3
18-24	637	629,719	467	75.6	71.9-79.3	170	24.4	20.7-28.1
25-34	1107	767,836	810	72.9	70.0-75.8	297	27.1	24.2-30.0
35-44	1307	752,042	1056	80.3	77.8-82.8	251	19.7	17.2-22.2
45-54	1979	779,320	1656	82.4	80.4-84.4	323	17.6	15.6-19.6
55-64	2836	815,959	2550	89.5	88.1-90.9	286	10.5	9.1-11.9
65+	5081	975,328	4858	95.0	94.2-95.8	223	5.0	4.2- 5.8
Less Than H.S.	950	573,219	846	85.4	82.3-88.5	104	14.6	11.5-17.7
H.S. or G.E.D.	4318	1,603,444	3834	83.7	82.1-85.3	484	16.3	14.7-17.9
Some Post-H.S.	3273	1,461,372	2870	83.4	81.6-85.2	403	16.6	14.8-18.4
College Graduate	4377	1,072,807	3819	81.9	80.3-83.5	558	18.1	16.5-19.7
Less than \$15,000	1134	412,121	1033	88.1	85.6-90.6	101	11.9	9.4-14.4
\$15,000- 24,999	2087	746,200	1904	87.3	85.1-89.5	183	12.7	10.5-14.9
\$25,000- 34,999	1358	479,334	1239	87.2	84.7-89.7	119	12.8	10.3-15.3
\$35,000- 49,999	1769	671,478	1548	82.1	79.6-84.6	221	17.9	15.4-20.4
\$50,000- 74,999	1875	703,558	1608	79.8	77.1-82.5	267	20.2	17.5-22.9
\$75,000+	3301	1,236,727	2744	78.5	76.5-80.5	557	21.5	19.5-23.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5528	2,282,625	4557	77.7	76.1-79.3	971	22.3	20.7-23.9
White/Non-Hisp	4624	1,850,650	3832	77.7	76.1-79.3	792	22.3	20.7-23.9
Black or Afr. Am./Non-Hisp	305	175,567	249	80.1	74.4-85.8	56	19.9	14.2-25.6
Oth. Race/Non-Hisp.	153	65,993	124	79.9	71.7-88.1	29	20.1	11.9-28.3
MultiRacial/Non-Hisp.	106	30,673	87	79.5	70.1-88.9	19	20.5	11.1-29.9
Hispanic	229	114,156	174	69.6	61.8-77.4	55	30.4	22.6-38.2
18-24	362	326,777	253	71.0	65.7-76.3	109	29.0	23.7-34.3
25-34	543	382,532	352	63.6	58.9-68.3	191	36.4	31.7-41.1
35-44	569	367,083	421	73.7	69.6-77.8	148	26.3	22.2-30.4
45-54	883	388,146	687	77.4	74.1-80.7	196	22.6	19.3-25.9
55-64	1298	394,902	1107	85.0	82.6-87.4	191	15.0	12.6-17.4
65+	1873	423,184	1737	92.6	91.2-94.0	136	7.4	6.0- 8.8
Less Than H.S.	389	281,657	316	78.7	73.6-83.8	73	21.3	16.2-26.4
H.S. or G.E.D.	1768	797,507	1441	77.0	74.5-79.5	327	23.0	20.5-25.5
Some Post-H.S.	1356	672,684	1114	77.7	74.8-80.6	242	22.3	19.4-25.2
College Graduate	2000	524,447	1671	77.8	75.4-80.2	329	22.2	19.8-24.6
Less than \$15,000	385	161,586	326	83.0	78.3-87.7	59	17.0	12.3-21.7
\$15,000- 24,999	780	331,902	670	83.0	79.5-86.5	110	17.0	13.5-20.5
\$25,000- 34,999	534	216,873	467	83.0	78.5-87.5	67	17.0	12.5-21.5
\$35,000- 49,999	825	352,373	678	75.6	71.5-79.7	147	24.4	20.3-28.5
\$50,000- 74,999	868	359,368	695	72.6	68.5-76.7	173	27.4	23.3-31.5
\$75,000+	1709	680,483	1348	73.4	70.7-76.1	361	26.6	23.9-29.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7419	2,437,579	6840	88.8	87.8-89.8	579	11.2	10.2-12.2
White/Non-Hisp	6304	1,988,621	5825	89.1	87.9-90.3	479	10.9	9.7-12.1
Black or Afr. Am./Non-Hisp	530	207,046	488	89.6	86.1-93.1	42	10.4	6.9-13.9
Oth. Race/Non-Hisp.	112	49,506	105	83.1	70.6-95.6	7	16.9	4.4-29.4
MultiRacial/Non-Hisp.	92	26,609	82	88.7	80.9-96.5	10	11.3	3.5-19.1
Hispanic	286	134,738	251	85.9	80.8-91.0	35	14.1	9.0-19.2
18-24	275	302,942	214	80.6	75.7-85.5	61	19.4	14.5-24.3
25-34	564	385,303	458	82.0	78.5-85.5	106	18.0	14.5-21.5
35-44	738	384,959	635	86.6	83.9-89.3	103	13.4	10.7-16.1
45-54	1096	391,174	969	87.4	85.0-89.8	127	12.6	10.2-15.0
55-64	1538	421,057	1443	93.8	92.4-95.2	95	6.2	4.8- 7.6
65+	3208	552,144	3121	96.8	96.0-97.6	87	3.2	2.4- 4.0
Less Than H.S.	561	291,562	530	91.9	88.6-95.2	31	8.1	4.8-11.4
H.S. or G.E.D.	2550	805,937	2393	90.4	88.6-92.2	157	9.6	7.8-11.4
Some Post-H.S.	1917	788,688	1756	88.2	86.2-90.2	161	11.8	9.8-13.8
College Graduate	2377	548,360	2148	85.7	83.7-87.7	229	14.3	12.3-16.3
Less than \$15,000	749	250,536	707	91.4	88.3-94.5	42	8.6	5.5-11.7
\$15,000- 24,999	1307	414,298	1234	90.7	88.2-93.2	73	9.3	6.8-11.8
\$25,000- 34,999	824	262,460	772	90.8	87.9-93.7	52	9.2	6.3-12.1
\$35,000- 49,999	944	319,106	870	89.4	86.7-92.1	74	10.6	7.9-13.3
\$50,000- 74,999	1007	344,190	913	87.3	84.2-90.4	94	12.7	9.6-15.8
\$75,000+	1592	556,244	1396	84.8	82.4-87.2	196	15.2	12.8-17.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	12945	4,717,383	2400	18.9	17.9-19.9	823	7.0	6.4- 7.6	1261	11.0	10.2-11.8	832	6.8	6.2- 7.4	820	7.4	6.8- 8.0	6809	48.9	47.7-50.1
Male	5525	2,279,102	937	16.8	15.4-18.2	400	7.8	6.8- 8.8	648	12.7	11.5-13.9	492	9.1	8.1-10.1	604	11.8	10.6-13.0	2444	41.9	40.1-43.7
Female	7420	2,438,281	1463	21.0	19.6-22.4	423	6.2	5.4- 7.0	613	9.5	8.5-10.5	340	4.6	4.0- 5.2	216	3.3	2.7- 3.9	4365	55.4	53.8-57.0
White/Non-Hisp	10922	3,833,620	1999	18.3	17.3-19.3	707	7.1	6.5- 7.7	1091	11.4	10.6-12.2	742	7.1	6.5- 7.7	710	7.7	6.9- 8.5	5673	48.4	47.2-49.6
Black or Afr. Am./Non-Hisp	841	386,065	182	23.4	19.5-27.3	41	6.1	3.9- 8.3	70	9.9	7.2-12.6	33	5.6	3.2- 8.0	33	5.1	2.9- 7.3	482	50.0	45.5-54.5
Oth. Race/Non-Hisp.	265	114,584	53	22.0	15.5-28.5	19	7.7	3.6-11.8	20	8.2	3.7-12.7	10	4.1	1.0- 7.2	23	9.9	4.0-15.8	140	48.0	39.8-56.2
MultiRacial/Non-Hisp.	198	57,581	31	16.8	9.9-23.7	14	7.9	3.0-12.8	11	4.3	1.4- 7.2	11	4.2	1.3- 7.1	15	9.5	4.2-14.8	116	57.4	48.6-66.2
Hispanic	513	249,441	102	21.2	16.7-25.7	30	6.3	3.6- 9.0	52	10.2	7.1-13.3	29	6.0	3.5- 8.5	23	5.4	2.9- 7.9	277	50.9	45.6-56.2
18-24	636	627,077	102	16.6	13.3-19.9	55	8.0	5.6-10.4	91	13.3	10.4-16.2	44	5.5	3.7- 7.3	56	8.6	6.2-11.0	288	48.0	43.5-52.5
25-34	1104	764,881	239	20.8	18.1-23.5	100	8.2	6.4-10.0	175	15.6	13.2-18.0	105	9.5	7.5-11.5	91	9.3	7.1-11.5	394	36.7	33.4-40.0
35-44	1311	753,147	275	21.4	18.9-23.9	104	8.0	6.2- 9.8	185	13.2	11.2-15.2	86	6.8	5.2- 8.4	98	8.4	6.6-10.2	563	42.1	39.0-45.2
45-54	1981	779,974	390	18.8	16.8-20.8	148	7.5	6.1- 8.9	239	11.4	9.8-13.0	149	8.0	6.6- 9.4	142	7.7	6.3- 9.1	913	46.6	44.1-49.1
55-64	2841	817,945	567	20.4	18.6-22.2	187	6.4	5.4- 7.4	245	8.3	7.1- 9.5	190	6.6	5.6- 7.6	194	7.0	5.8- 8.2	1458	51.4	49.2-53.6
65+	5072	974,358	827	15.9	14.7-17.1	229	4.6	3.8- 5.4	326	6.2	5.4- 7.0	258	4.7	3.9- 5.5	239	4.7	3.9- 5.5	3193	64.0	62.4-65.6
Less Than H.S.	949	571,202	99	12.1	9.4-14.8	22	2.9	1.5- 4.3	33	4.5	2.7- 6.3	27	2.9	1.5- 4.3	47	6.8	4.4- 9.2	721	70.8	66.9-74.7
H.S. or G.E.D.	4318	1,599,241	656	17.2	15.6-18.8	203	5.9	4.9- 6.9	301	8.8	7.6-10.0	191	5.4	4.4- 6.4	274	7.9	6.7- 9.1	2693	54.8	52.8-56.8
Some Post-H.S.	3277	1,464,864	629	20.0	18.2-21.8	219	7.7	6.5- 8.9	336	12.3	10.7-13.9	208	7.3	6.1- 8.5	194	6.9	5.7- 8.1	1691	45.8	43.6-48.0
College Graduate	4372	1,072,714	1011	23.7	22.1-25.3	377	9.8	8.6-11.0	589	16.0	14.6-17.4	405	10.3	9.1-11.5	304	7.9	6.9- 8.9	1686	32.3	30.5-34.1
Less than \$15,000	1138	416,159	126	13.1	10.4-15.8	37	3.4	2.2- 4.6	61	7.4	5.0- 9.8	32	3.3	1.9- 4.7	47	5.3	3.5- 7.1	835	67.4	63.7-71.1
\$15,000- 24,999	2083	742,594	306	16.4	14.0-18.8	95	6.0	4.4- 7.6	117	6.7	5.1- 8.3	66	3.4	2.4- 4.4	98	5.8	4.2- 7.4	1401	61.8	58.9-64.7
\$25,000- 34,999	1360	480,853	217	17.6	14.9-20.3	61	5.4	3.6- 7.2	96	8.3	6.1-10.5	76	5.2	3.6- 6.8	68	5.4	3.6- 7.2	842	58.1	54.6-61.6
\$35,000- 49,999	1770	671,183	378	22.2	19.5-24.9	109	7.0	5.2- 8.8	170	11.8	9.4-14.2	90	5.1	3.7- 6.5	110	7.4	5.6- 9.2	913	46.4	43.3-49.5
\$50,000- 74,999	1870	698,526	424	21.5	19.0-24.0	130	6.9	5.5- 8.3	221	13.2	11.0-15.4	136	8.4	6.6-10.2	149	9.7	7.7-11.7	810	40.3	37.4-43.2
\$75,000+	3304	1,238,320	733	21.8	20.0-23.6	319	9.8	8.4-11.2	512	15.8	14.2-17.4	369	11.5	10.1-12.9	298	9.9	8.5-11.3	1073	31.1	29.1-33.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5525	2,279,102	937	16.8	15.4-18.2	400	7.8	6.8- 8.8	648	12.7	11.5-13.9	492	9.1	8.1-10.1	604	11.8	10.6-13.0	2444	41.9	40.1-43.7
White/Non-Hisp	4619	1,845,355	775	16.0	14.6-17.4	337	7.8	6.8- 8.8	558	13.2	11.8-14.6	430	9.4	8.4-10.4	519	12.3	10.9-13.7	2000	41.3	39.5-43.1
Black or Afr. Am./Non-Hisp	307	176,839	57	21.3	15.0-27.6	20	7.9	4.0-11.8	35	11.1	6.8-15.4	17	8.1	3.4-12.8	25	9.5	5.2-13.8	153	42.1	35.2-49.0
Oth. Race/Non-Hisp.	152	65,032	29	22.0	13.8-30.2	11	7.9	2.8-13.0	12	8.3	2.8-13.8	9	6.2	1.3-11.1	19	11.0	4.9-17.1	72	44.6	34.4-54.8
MultiRacial/Non-Hisp.	106	30,971	13	10.6	3.5-17.7	12	11.9	4.1-19.7	4	4.3	0.0- 8.8	10	7.7	2.4-13.0	10	12.7	4.3-21.1	57	52.7	41.1-64.3
Hispanic	229	114,912	44	20.1	13.4-26.8	11	5.4	1.7- 9.1	26	11.6	6.3-16.9	23	10.9	5.8-16.0	17	9.8	4.5-15.1	108	42.2	34.6-49.8
18-24	360	325,668	53	14.5	10.4-18.6	37	10.7	7.2-14.2	46	12.4	8.7-16.1	34	7.9	5.0-10.8	41	11.9	8.0-15.8	149	42.7	36.8-48.6
25-34	539	378,675	100	18.8	15.1-22.5	50	8.0	5.5-10.5	96	18.3	14.6-22.0	74	13.5	10.4-16.6	69	14.6	10.9-18.3	150	26.8	22.5-31.1
35-44	571	367,657	91	17.0	13.3-20.7	46	9.0	6.3-11.7	98	15.5	12.2-18.8	46	8.0	5.3-10.7	78	14.0	10.7-17.3	212	36.6	32.1-41.1
45-54	882	387,422	137	15.2	12.5-17.9	63	6.6	4.6- 8.6	118	13.0	10.5-15.5	91	10.5	8.1-12.9	104	11.6	9.2-14.0	369	43.0	39.1-46.9
55-64	1301	395,823	240	18.1	15.6-20.6	90	6.6	5.0- 8.2	133	9.8	8.0-11.6	115	8.6	6.8-10.4	145	11.2	9.0-13.4	578	45.7	42.6-48.8
65+	1872	423,857	316	16.6	14.6-18.6	114	6.5	5.1- 7.9	157	7.8	6.4- 9.2	132	6.3	4.9- 7.7	167	8.1	6.7- 9.5	986	54.6	51.9-57.3
Less Than H.S.	392	281,876	45	13.1	8.6-17.6	13	3.4	1.2- 5.6	22	7.6	4.1-11.1	21	4.8	2.3- 7.3	38	10.2	6.3-14.1	253	60.8	54.7-66.9
H.S. or G.E.D.	1766	794,396	269	16.9	14.7-19.1	108	7.4	5.6- 9.2	170	10.4	8.6-12.2	127	7.8	6.2- 9.4	206	12.8	10.8-14.8	886	44.7	41.8-47.6
Some Post-H.S.	1358	673,081	219	16.2	13.8-18.6	101	8.2	6.2-10.2	177	15.3	12.8-17.8	116	9.4	7.4-11.4	140	11.0	8.8-13.2	605	39.9	36.8-43.0
College Graduate	1994	523,419	403	19.4	17.2-21.6	176	10.2	8.4-12.0	277	15.5	13.5-17.5	227	13.2	11.2-15.2	220	12.4	10.4-14.4	691	29.3	26.9-31.7
Less than \$15,000	385	162,500	44	11.6	7.7-15.5	17	4.3	1.9- 6.7	31	10.1	6.0-14.2	18	5.9	2.8- 9.0	28	8.4	4.9-11.9	247	59.7	53.4-66.0
\$15,000- 24,999	780	331,460	116	15.6	12.1-19.1	52	8.5	5.8-11.2	47	6.9	4.5- 9.3	44	5.5	3.5- 7.5	71	9.7	6.8-12.6	450	53.8	49.3-58.3
\$25,000- 34,999	536	218,447	66	13.3	9.6-17.0	30	7.6	4.3-10.9	52	10.4	6.9-13.9	38	7.6	4.7-10.5	49	8.5	5.6-11.4	301	52.6	47.1-58.1
\$35,000- 49,999	827	351,923	156	18.9	15.2-22.6	60	8.7	6.0-11.4	94	12.7	9.6-15.8	61	7.4	5.0- 9.8	85	11.9	8.8-15.0	371	40.5	36.0-45.0
\$50,000- 74,999	862	354,265	164	17.8	14.5-21.1	62	7.7	5.3-10.1	124	16.4	13.1-19.7	78	9.9	7.2-12.6	106	13.9	10.6-17.2	328	34.3	30.2-38.4
\$75,000+	1709	680,961	330	19.1	16.7-21.5	150	8.2	6.6- 9.8	260	15.9	13.7-18.1	221	13.4	11.4-15.4	233	15.0	12.6-17.4	515	28.5	25.8-31.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7420	2,438,281	1463	21.0	19.6-22.4	423	6.2	5.4- 7.0	613	9.5	8.5-10.5	340	4.6	4.0- 5.2	216	3.3	2.7- 3.9	4365	55.4	53.8-57.0
White/Non-Hisp	6303	1,988,265	1224	20.5	19.1-21.9	370	6.3	5.5- 7.1	533	9.7	8.7-10.7	312	5.0	4.2- 5.8	191	3.5	2.9- 4.1	3673	54.9	53.1-56.7
Black or Afr. Am./Non-Hisp	534	209,226	125	25.1	20.0-30.2	21	4.6	2.2- 7.0	35	8.9	5.4-12.4	16	3.4	1.4- 5.4	8	1.4	0.2- 2.6	329	56.6	50.7-62.5
Oth. Race/Non-Hisp.	113	49,552	24	22.1	11.9-32.3	8	7.4	0.9-13.9	8	8.0	0.4-15.6	1	1.5	0.0- 4.4	4	8.5	0.0-19.3	68	52.6	39.1-66.1
MultiRacial/Non-Hisp.	92	26,609	18	23.9	11.9-35.9	2	3.2	0.0- 8.3	7	4.2	0.9- 7.5	1	0.1	0.0- 0.3	5	5.8	0.1-11.5	59	62.8	49.9-75.7
Hispanic	284	134,529	58	22.2	16.1-28.3	19	7.0	3.3-10.7	26	9.0	5.1-12.9	6	1.7	0.0- 3.5	6	1.7	0.1- 3.3	169	58.4	51.3-65.5
18-24	276	301,409	49	18.9	13.6-24.2	18	5.2	2.5- 7.9	45	14.4	10.1-18.7	10	2.8	0.8- 4.8	15	5.0	2.3- 7.7	139	53.8	47.1-60.5
25-34	565	386,206	139	22.8	18.9-26.7	50	8.3	5.9-10.7	79	12.9	10.0-15.8	31	5.6	3.4- 7.8	22	4.1	2.1- 6.1	244	46.3	41.6-51.0
35-44	740	385,491	184	25.7	22.2-29.2	58	7.1	5.1- 9.1	87	11.1	8.6-13.6	40	5.7	3.7- 7.7	20	3.1	1.5- 4.7	351	47.2	43.1-51.3
45-54	1099	392,552	253	22.3	19.4-25.2	85	8.3	6.3-10.3	121	9.8	7.8-11.8	58	5.5	3.9- 7.1	38	3.9	2.5- 5.3	544	50.2	46.7-53.7
55-64	1540	422,122	327	22.6	20.1-25.1	97	6.2	4.8- 7.6	112	7.0	5.6- 8.4	75	4.7	3.5- 5.9	49	2.9	1.9- 3.9	880	56.6	53.7-59.5
65+	3200	550,500	511	15.3	13.7-16.9	115	3.2	2.4- 4.0	169	4.9	3.9- 5.9	126	3.4	2.6- 4.2	72	2.0	1.4- 2.6	2207	71.2	69.2-73.2
Less Than H.S.	557	289,326	54	11.0	7.5-14.5	9	2.3	0.7- 3.9	11	1.5	0.3- 2.7	6	1.0	0.0- 2.0	9	3.5	0.8- 6.2	468	80.7	76.2-85.2
H.S. or G.E.D.	2552	804,845	387	17.6	15.4-19.8	95	4.3	3.3- 5.3	131	7.3	5.7- 8.9	64	3.0	2.0- 4.0	68	3.1	2.1- 4.1	1807	64.8	62.3-67.3
Some Post-H.S.	1919	791,783	410	23.3	20.8-25.8	118	7.3	5.7- 8.9	159	9.8	8.0-11.6	92	5.5	4.1- 6.9	54	3.4	2.4- 4.4	1086	50.8	47.9-53.7
College Graduate	2378	549,294	608	27.7	25.3-30.1	201	9.5	7.9-11.1	312	16.4	14.2-18.6	178	7.6	6.2- 9.0	84	3.6	2.6- 4.6	995	35.2	32.8-37.6
Less than \$15,000	753	253,659	82	14.1	10.4-17.8	20	2.8	1.4- 4.2	30	5.7	3.2- 8.2	14	1.7	0.5- 2.9	19	3.3	1.3- 5.3	588	72.4	67.7-77.1
\$15,000- 24,999	1303	411,135	190	17.0	13.9-20.1	43	3.9	2.3- 5.5	70	6.6	4.6- 8.6	22	1.6	0.8- 2.4	27	2.6	1.4- 3.8	951	68.3	64.6-72.0
\$25,000- 34,999	824	262,406	151	21.3	17.4-25.2	31	3.5	1.9- 5.1	44	6.5	4.0- 9.0	38	3.3	1.9- 4.7	19	2.8	1.0- 4.6	541	62.7	58.0-67.4
\$35,000- 49,999	943	319,260	222	25.9	22.0-29.8	49	5.1	3.1- 7.1	76	10.9	7.6-14.2	29	2.7	1.5- 3.9	25	2.5	1.3- 3.7	542	53.0	48.5-57.5
\$50,000- 74,999	1008	344,261	260	25.3	21.6-29.0	68	6.2	4.4- 8.0	97	10.0	7.6-12.4	58	6.7	4.3- 9.1	43	5.3	2.9- 7.7	482	46.6	42.3-50.9
\$75,000+	1595	557,358	403	25.1	22.4-27.8	169	11.9	9.7-14.1	252	15.7	13.5-17.9	148	9.2	7.4-11.0	65	3.7	2.5- 4.9	558	34.3	31.2-37.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	12942	4,716,824	12285	94.0	93.4-94.6	657	6.0	5.4- 6.6
Male	5522	2,278,544	5177	92.8	91.8-93.8	345	7.2	6.2- 8.2
Female	7420	2,438,281	7108	95.2	94.4-96.0	312	4.8	4.0- 5.6
White/Non-Hisp	10920	3,833,198	10346	93.8	93.2-94.4	574	6.2	5.6- 6.8
Black or Afr. Am./Non-Hisp	841	386,065	813	95.7	93.9-97.5	28	4.3	2.5- 6.1
Oth. Race/Non-Hisp.	265	114,584	249	93.2	87.9-98.5	16	6.8	1.5-12.1
MultiRacial/Non-Hisp.	198	57,581	187	92.5	87.6-97.4	11	7.5	2.6-12.4
Hispanic	513	249,441	495	95.8	93.4-98.2	18	4.2	1.8- 6.6
18-24	636	627,077	590	92.7	90.3-95.1	46	7.3	4.9- 9.7
25-34	1104	764,881	1024	92.5	90.7-94.3	80	7.5	5.7- 9.3
35-44	1311	753,147	1225	93.2	91.6-94.8	86	6.8	5.2- 8.4
45-54	1981	779,974	1860	93.3	91.9-94.7	121	6.7	5.3- 8.1
55-64	2838	817,387	2696	94.8	93.8-95.8	142	5.2	4.2- 6.2
65+	5072	974,358	4890	96.6	96.0-97.2	182	3.4	2.8- 4.0
Less Than H.S.	949	571,202	909	94.1	91.9-96.3	40	5.9	3.7- 8.1
H.S. or G.E.D.	4318	1,599,241	4106	93.8	92.8-94.8	212	6.2	5.2- 7.2
Some Post-H.S.	3276	1,464,577	3116	94.3	93.3-95.3	160	5.7	4.7- 6.7
College Graduate	4370	1,072,442	4126	93.8	92.8-94.8	244	6.2	5.2- 7.2
Less than \$15,000	1138	416,159	1098	95.3	93.5-97.1	40	4.7	2.9- 6.5
\$15,000- 24,999	2082	742,307	2009	95.7	94.5-96.9	73	4.3	3.1- 5.5
\$25,000- 34,999	1360	480,853	1308	96.2	94.8-97.6	52	3.8	2.4- 5.2
\$35,000- 49,999	1770	671,183	1680	93.9	92.3-95.5	90	6.1	4.5- 7.7
\$50,000- 74,999	1870	698,526	1748	91.9	89.9-93.9	122	8.1	6.1-10.1
\$75,000+	3303	1,238,184	3071	92.2	91.0-93.4	232	7.8	6.6- 9.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5522	2,278,544	5177	92.8	91.8-93.8	345	7.2	6.2- 8.2
White/Non-Hisp	4617	1,844,933	4321	92.5	91.5-93.5	296	7.5	6.5- 8.5
Black or Afr. Am./Non-Hisp	307	176,839	294	94.8	91.7-97.9	13	5.2	2.1- 8.3
Oth. Race/Non-Hisp.	152	65,032	140	94.4	90.3-98.5	12	5.6	1.5- 9.7
MultiRacial/Non-Hisp.	106	30,971	100	91.1	83.5-98.7	6	8.9	1.3-16.5
Hispanic	229	114,912	218	93.0	88.3-97.7	11	7.0	2.3-11.7
18-24	360	325,668	335	92.0	88.7-95.3	25	8.0	4.7-11.3
25-34	539	378,675	491	90.3	87.4-93.2	48	9.7	6.8-12.6
35-44	571	367,657	523	92.1	89.6-94.6	48	7.9	5.4-10.4
45-54	882	387,422	824	92.9	90.9-94.9	58	7.1	5.1- 9.1
55-64	1298	395,265	1217	93.1	91.3-94.9	81	6.9	5.1- 8.7
65+	1872	423,857	1787	95.8	94.8-96.8	85	4.2	3.2- 5.2
Less Than H.S.	392	281,876	362	91.9	88.4-95.4	30	8.1	4.6-11.6
H.S. or G.E.D.	1766	794,396	1640	91.8	90.0-93.6	126	8.2	6.4-10.0
Some Post-H.S.	1357	672,794	1274	93.4	91.6-95.2	83	6.6	4.8- 8.4
College Graduate	1992	523,148	1886	93.9	92.5-95.3	106	6.1	4.7- 7.5
Less than \$15,000	385	162,500	368	94.4	91.5-97.3	17	5.6	2.7- 8.5
\$15,000- 24,999	779	331,173	736	93.8	91.4-96.2	43	6.2	3.8- 8.6
\$25,000- 34,999	536	218,447	509	95.7	93.5-97.9	27	4.3	2.1- 6.5
\$35,000- 49,999	827	351,923	770	91.5	88.8-94.2	57	8.5	5.8-11.2
\$50,000- 74,999	862	354,265	804	91.9	89.4-94.4	58	8.1	5.6-10.6
\$75,000+	1708	680,826	1589	91.5	89.7-93.3	119	8.5	6.7-10.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7420	2,438,281	7108	95.2	94.4-96.0	312	4.8	4.0- 5.6
White/Non-Hisp	6303	1,988,265	6025	94.9	94.1-95.7	278	5.1	4.3- 5.9
Black or Afr. Am./Non-Hisp	534	209,226	519	96.6	94.4-98.8	15	3.4	1.2- 5.6
Oth. Race/Non-Hisp.	113	49,552	109	91.5	80.7- 100	4	8.5	0.0-19.3
MultiRacial/Non-Hisp.	92	26,609	87	94.2	88.5-99.9	5	5.8	0.1-11.5
Hispanic	284	134,529	277	98.1	96.5-99.7	7	1.9	0.3- 3.5
18-24	276	301,409	255	93.5	90.4-96.6	21	6.5	3.4- 9.6
25-34	565	386,206	533	94.5	92.3-96.7	32	5.5	3.3- 7.7
35-44	740	385,491	702	94.3	92.3-96.3	38	5.7	3.7- 7.7
45-54	1099	392,552	1036	93.7	91.9-95.5	63	6.3	4.5- 8.1
55-64	1540	422,122	1479	96.4	95.4-97.4	61	3.6	2.6- 4.6
65+	3200	550,500	3103	97.2	96.6-97.8	97	2.8	2.2- 3.4
Less Than H.S.	557	289,326	547	96.2	93.5-98.9	10	3.8	1.1- 6.5
H.S. or G.E.D.	2552	804,845	2466	95.9	94.7-97.1	86	4.1	2.9- 5.3
Some Post-H.S.	1919	791,783	1842	95.1	93.7-96.5	77	4.9	3.5- 6.3
College Graduate	2378	549,294	2240	93.7	92.5-94.9	138	6.3	5.1- 7.5
Less than \$15,000	753	253,659	730	95.9	93.7-98.1	23	4.1	1.9- 6.3
\$15,000- 24,999	1303	411,135	1273	97.3	96.1-98.5	30	2.7	1.5- 3.9
\$25,000- 34,999	824	262,406	799	96.5	94.7-98.3	25	3.5	1.7- 5.3
\$35,000- 49,999	943	319,260	910	96.6	95.2-98.0	33	3.4	2.0- 4.8
\$50,000- 74,999	1008	344,261	944	92.0	89.3-94.7	64	8.0	5.3-10.7
\$75,000+	1595	557,358	1482	93.1	91.5-94.7	113	6.9	5.3- 8.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017**

SECTION 12: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)	
1 MALES AND FEMALES	136
2 MALES ONLY	137
3 FEMALES ONLY	138
FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)	
4 MALES AND FEMALES	139
5 MALES ONLY	140
6 FEMALES ONLY	141
DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GREENDA1_)	
7 MALES AND FEMALES	142
8 MALES ONLY	143
9 FEMALES ONLY	144
FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)	
10 MALES AND FEMALES	145
11 MALES ONLY	146
12 FEMALES ONLY	147
POTATO SERVINGS PER DAY (POTADA1_)	
13 MALES AND FEMALES	148
14 MALES ONLY	149
15 FEMALES ONLY	150
OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)	
16 MALES AND FEMALES	151
17 MALES ONLY	152
18 FEMALES ONLY	153

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 1: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	12840	4,687,684	4925	42.6	41.4-43.8	2165	15.5	14.7-16.3	76	0.8	0.6- 1.0	37	0.4	0.2- 0.6	3	0.0	0.0- 0.0	5634	40.7	39.5-41.9
Male	5507	2,275,738	2387	46.9	45.1-48.7	1010	16.7	15.3-18.1	34	0.6	0.4- 0.8	21	0.5	0.3- 0.7	1	0.0	0.0- 0.0	2054	35.3	33.7-36.9
Female	7333	2,411,946	2538	38.5	36.9-40.1	1155	14.4	13.2-15.6	42	0.9	0.5- 1.3	16	0.4	0.2- 0.6	2	0.0	0.0- 0.0	3580	45.8	44.2-47.4
White/Non-Hisp	10841	3,806,665	4012	41.5	40.3-42.7	1781	14.5	13.5-15.5	47	0.6	0.4- 0.8	21	0.3	0.1- 0.5	2	0.0	0.0- 0.0	4978	43.2	42.0-44.4
Black or Afr. Am./Non-Hisp	818	378,695	385	49.2	44.5-53.9	172	21.4	17.7-25.1	19	2.4	1.0- 3.8	8	1.7	0.3- 3.1				234	25.3	21.4-29.2
Oth. Race/Non-Hisp.	260	111,431	102	35.8	28.2-43.4	47	20.1	13.4-26.8	2	1.9	0.0- 5.4	1	0.1	0.0- 0.3				108	42.2	34.0-50.4
MultiRacial/Non-Hisp.	197	57,015	80	44.3	35.5-53.1	34	16.0	9.7-22.3	3	0.9	0.0- 2.1	2	0.3	0.0- 0.7				78	38.5	30.1-46.9
Hispanic	517	256,570	274	53.1	47.8-58.4	82	17.0	12.9-21.1	4	0.8	0.0- 1.8	3	0.5	0.0- 1.1	1	0.3	0.0- 0.9	153	28.3	23.6-33.0
18-24	634	622,963	344	52.9	48.4-57.4	95	16.3	13.0-19.6	7	1.5	0.3- 2.7	5	0.9	0.1- 1.7	1	0.1	0.0- 0.3	182	28.3	24.4-32.2
25-34	1101	766,096	529	46.8	43.5-50.1	171	16.6	14.1-19.1	11	1.1	0.3- 1.9	9	0.8	0.2- 1.4				381	34.6	31.5-37.7
35-44	1291	746,946	607	47.3	44.2-50.4	167	12.5	10.3-14.7	4	0.4	0.0- 0.8	6	0.5	0.1- 0.9	1	0.0	0.0- 0.0	506	39.2	36.1-42.3
45-54	1967	773,949	840	43.1	40.6-45.6	248	12.8	11.0-14.6	16	0.7	0.3- 1.1	7	0.5	0.1- 0.9				856	42.9	40.4-45.4
55-64	2825	814,072	1041	38.1	35.9-40.3	411	14.2	12.6-15.8	15	0.4	0.2- 0.6	4	0.2	0.0- 0.4				1354	47.1	44.9-49.3
65+	5022	963,659	1564	32.0	30.4-33.6	1073	19.7	18.3-21.1	23	0.6	0.2- 1.0	6	0.1	0.1- 0.1	1	0.0	0.0- 0.0	2355	47.6	45.8-49.4
Less Than H.S.	941	572,842	327	38.0	33.9-42.1	169	17.7	14.4-21.0	8	1.1	0.1- 2.1	3	0.3	0.0- 0.7				434	42.9	38.8-47.0
H.S. or G.E.D.	4265	1,585,906	1611	42.9	40.9-44.9	726	16.3	14.7-17.9	37	0.9	0.5- 1.3	11	0.3	0.1- 0.5	2	0.1	0.1- 0.1	1878	39.5	37.5-41.5
Some Post-H.S.	3256	1,452,896	1296	44.0	41.8-46.2	530	15.0	13.4-16.6	18	0.8	0.4- 1.2	10	0.6	0.2- 1.0				1402	39.6	37.4-41.8
College Graduate	4348	1,066,554	1679	42.5	40.5-44.5	733	13.7	12.5-14.9	13	0.4	0.2- 0.6	13	0.4	0.0- 0.8	1	0.0	0.0- 0.0	1909	43.0	41.0-45.0
Less than \$15,000	1126	413,268	410	39.4	35.5-43.3	203	18.9	15.6-22.2	12	1.1	0.3- 1.9	5	0.6	0.0- 1.2				496	39.9	36.0-43.8
\$15,000- 24,999	2066	743,016	744	40.4	37.5-43.3	383	17.6	15.2-20.0	26	1.4	0.6- 2.2	12	0.9	0.3- 1.5				901	39.7	36.8-42.6
\$25,000- 34,999	1349	473,482	525	45.2	41.5-48.9	238	15.4	12.9-17.9	12	1.2	0.2- 2.2	1	0.1	0.0- 0.3				573	38.2	34.7-41.7
\$35,000- 49,999	1755	663,695	683	45.0	41.7-48.3	306	14.2	12.2-16.2	4	0.3	0.0- 0.7	2	0.2	0.0- 0.6	1	0.0	0.0- 0.0	759	40.2	37.1-43.3
\$50,000- 74,999	1866	700,075	764	42.2	39.3-45.1	311	15.5	13.3-17.7	7	0.9	0.1- 1.7	5	0.7	0.1- 1.3	1	0.0	0.0- 0.0	778	40.7	37.8-43.6
\$75,000+	3281	1,227,363	1290	43.8	41.6-46.0	480	13.0	11.6-14.4	7	0.2	0.0- 0.4	7	0.3	0.1- 0.5				1497	42.7	40.5-44.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES
TABLE 2: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5507	2,275,738	2387	46.9	45.1-48.7	1010	16.7	15.3-18.1	34	0.6	0.4- 0.8	21	0.5	0.3- 0.7	1	0.0	0.0- 0.0	2054	35.3	33.7-36.9
White/Non-Hisp	4604	1,841,230	1964	46.4	44.4-48.4	819	15.6	14.2-17.0	23	0.6	0.2- 1.0	12	0.3	0.1- 0.5	1	0.0	0.0- 0.0	1785	37.1	35.3-38.9
Black or Afr. Am./Non-Hisp	300	173,976	153	53.3	46.0-60.6	65	22.2	16.3-28.1	6	0.8	0.0- 1.6	5	2.5	0.1- 4.9				71	21.1	15.4-26.8
Oth. Race/Non-Hisp.	150	63,106	65	39.9	30.1-49.7	32	22.1	13.7-30.5	1	0.1	0.0- 0.3							52	37.9	28.1-47.7
MultiRacial/Non-Hisp.	107	31,387	39	37.2	26.0-48.4	22	18.7	10.1-27.3				1	0.3	0.0- 0.9				45	43.8	32.2-55.4
Hispanic	232	119,690	124	52.8	45.0-60.6	42	18.3	12.2-24.4	3	1.3	0.0- 2.9	2	0.5	0.0- 1.3				61	27.2	19.9-34.5
18-24	361	321,670	197	54.4	48.5-60.3	60	18.4	13.7-23.1	1	0.4	0.0- 1.2	1	0.1	0.0- 0.3				102	26.7	21.6-31.8
25-34	544	385,860	277	50.5	45.6-55.4	92	16.9	13.4-20.4	5	1.0	0.0- 2.0	5	1.1	0.1- 2.1				165	30.6	26.1-35.1
35-44	562	365,285	289	51.7	46.8-56.6	82	13.6	10.5-16.7	1	0.4	0.0- 1.2	3	0.6	0.0- 1.4	1	0.1	0.0- 0.3	186	33.6	29.1-38.1
45-54	878	385,766	427	48.4	44.5-52.3	130	14.6	11.9-17.3	7	0.7	0.1- 1.3	5	0.7	0.0- 1.5				309	35.5	31.8-39.2
55-64	1297	395,255	528	42.7	39.6-45.8	225	16.3	13.9-18.7	10	0.6	0.2- 1.0	3	0.2	0.0- 0.4				531	40.1	37.0-43.2
65+	1865	421,903	669	36.2	33.5-38.9	421	20.0	17.8-22.2	10	0.5	0.1- 0.9	4	0.1	0.0- 0.3				761	43.2	40.5-45.9
Less Than H.S.	390	285,873	152	42.0	35.7-48.3	69	17.6	12.9-22.3	4	1.5	0.0- 3.1	2	0.4	0.0- 1.0				163	38.5	32.6-44.4
H.S. or G.E.D.	1756	790,354	746	46.2	43.3-49.1	307	17.0	14.8-19.2	13	0.5	0.3- 0.7	7	0.5	0.1- 0.9	1	0.0	0.0- 0.0	682	35.8	33.1-38.5
Some Post-H.S.	1352	669,703	618	49.5	46.2-52.8	236	15.9	13.5-18.3	9	0.6	0.2- 1.0	5	0.5	0.0- 1.1				484	33.5	30.4-36.6
College Graduate	1993	523,353	865	47.4	44.7-50.1	393	16.3	14.3-18.3	8	0.5	0.1- 0.9	7	0.5	0.0- 1.1				720	35.4	32.9-37.9
Less than \$15,000	386	162,661	149	39.5	33.2-45.8	75	19.9	14.6-25.2	3	1.6	0.0- 3.6	1	0.2	0.0- 0.6				158	38.8	32.5-45.1
\$15,000- 24,999	781	334,172	306	42.0	37.5-46.5	145	16.8	13.5-20.1	9	0.7	0.1- 1.3	6	0.7	0.0- 1.5				315	39.8	35.3-44.3
\$25,000- 34,999	534	218,382	237	49.9	44.4-55.4	104	17.1	13.2-21.0	5	0.7	0.0- 1.5	1	0.2	0.0- 0.6				187	32.1	27.0-37.2
\$35,000- 49,999	824	347,578	364	49.2	44.7-53.7	155	15.0	12.1-17.9	3	0.6	0.0- 1.6	1	0.3	0.0- 0.9				301	35.0	30.7-39.3
\$50,000- 74,999	864	357,128	398	48.6	44.3-52.9	160	17.1	13.8-20.4	4	0.8	0.0- 1.6	3	0.8	0.0- 1.8	1	0.1	0.0- 0.3	298	32.6	28.5-36.7
\$75,000+	1695	674,552	758	48.5	45.6-51.4	292	15.3	13.1-17.5	6	0.3	0.1- 0.5	5	0.3	0.0- 0.7				634	35.6	32.7-38.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 3: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7333	2,411,946	2538	38.5	36.9-40.1	1155	14.4	13.2-15.6	42	0.9	0.5- 1.3	16	0.4	0.2- 0.6	2	0.0	0.0- 0.0	3580	45.8	44.2-47.4
White/Non-Hisp	6237	1,965,435	2048	36.9	35.1-38.7	962	13.4	12.2-14.6	24	0.5	0.1- 0.9	9	0.3	0.1- 0.5	1	0.0	0.0- 0.0	3193	48.8	47.0-50.6
Black or Afr. Am./Non-Hisp	518	204,719	232	45.6	39.7-51.5	107	20.7	15.8-25.6	13	3.7	1.3- 6.1	3	1.0	0.0- 2.4				163	28.9	23.6-34.2
Oth. Race/Non-Hisp.	110	48,325	37	30.3	18.3-42.3	15	17.5	6.9-28.1	1	4.3	0.0-12.5	1	0.2	0.0- 0.6				56	47.7	34.0-61.4
MultiRacial/Non-Hisp.	90	25,627	41	52.9	39.4-66.4	12	12.6	3.4-21.8	3	2.1	0.0- 4.5	1	0.4	0.0- 1.2				33	32.0	20.0-44.0
Hispanic	285	136,880	150	53.4	46.3-60.5	40	15.9	10.4-21.4	1	0.4	0.0- 1.2	1	0.5	0.0- 1.5	1	0.5	0.0- 1.5	92	29.3	23.2-35.4
18-24	273	301,293	147	51.4	44.5-58.3	35	14.0	9.1-18.9	6	2.7	0.3- 5.1	4	1.6	0.0- 3.2	1	0.2	0.0- 0.6	80	30.0	23.7-36.3
25-34	557	380,236	252	43.2	38.5-47.9	79	16.4	12.7-20.1	6	1.2	0.2- 2.2	4	0.5	0.0- 1.1				216	38.8	34.3-43.3
35-44	729	381,661	318	43.2	39.1-47.3	85	11.5	8.8-14.2	3	0.3	0.0- 0.7	3	0.4	0.0- 1.0				320	44.6	40.5-48.7
45-54	1089	388,183	413	37.9	34.6-41.2	118	11.0	8.8-13.2	9	0.6	0.2- 1.0	2	0.2	0.0- 0.6				547	50.3	46.8-53.8
55-64	1528	418,817	513	33.8	30.9-36.7	186	12.2	10.2-14.2	5	0.3	0.1- 0.5	1	0.1	0.0- 0.3				823	53.6	50.7-56.5
65+	3157	541,756	895	28.8	26.8-30.8	652	19.5	17.9-21.1	13	0.7	0.1- 1.3	2	0.0	0.0- 0.0	1	0.0	0.0- 0.0	1594	51.0	48.8-53.2
Less Than H.S.	551	286,969	175	34.0	28.5-39.5	100	17.8	13.3-22.3	4	0.7	0.0- 1.5	1	0.2	0.0- 0.6				271	47.3	41.6-53.0
H.S. or G.E.D.	2509	795,552	865	39.7	37.0-42.4	419	15.6	13.6-17.6	24	1.3	0.7- 1.9	4	0.2	0.0- 0.4	1	0.1	0.0- 0.3	1196	43.2	40.7-45.7
Some Post-H.S.	1904	783,192	678	39.3	36.4-42.2	294	14.2	12.2-16.2	9	1.0	0.2- 1.8	5	0.7	0.1- 1.3				918	44.9	42.0-47.8
College Graduate	2355	543,201	814	37.8	35.3-40.3	340	11.2	9.6-12.8	5	0.3	0.0- 0.7	6	0.4	0.0- 0.8	1	0.0	0.0- 0.0	1189	50.3	47.8-52.8
Less than \$15,000	740	250,607	261	39.3	34.2-44.4	128	18.3	13.8-22.8	9	0.8	0.2- 1.4	4	0.8	0.0- 1.8				338	40.7	35.8-45.6
\$15,000- 24,999	1285	408,844	438	39.1	35.2-43.0	238	18.3	15.2-21.4	17	2.0	0.6- 3.4	6	1.0	0.0- 2.0				586	39.5	35.8-43.2
\$25,000- 34,999	815	255,099	288	41.1	36.4-45.8	134	13.9	10.6-17.2	7	1.6	0.0- 3.2							386	43.4	38.7-48.1
\$35,000- 49,999	931	316,118	319	40.5	35.8-45.2	151	13.3	10.6-16.0	1	0.0	0.0- 0.0	1	0.2	0.0- 0.6	1	0.0	0.0- 0.0	458	46.0	41.5-50.5
\$50,000- 74,999	1002	342,947	366	35.6	31.7-39.5	151	13.9	11.0-16.8	3	1.0	0.0- 2.4	2	0.5	0.0- 1.3				480	49.1	44.8-53.4
\$75,000+	1586	552,810	532	38.1	35.0-41.2	188	10.3	8.5-12.1	1	0.1	0.0- 0.3	2	0.2	0.0- 0.4				863	51.3	48.2-54.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES
TABLE 4: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	12828	4,682,048	5450	45.2	44.0-46.4	5873	43.4	42.2-44.6	844	6.1	5.5- 6.7	221	1.6	1.4- 1.8	9	0.1	0.1- 0.1	431	3.7	3.3- 4.1
Male	5503	2,269,892	2616	48.8	47.0-50.6	2312	40.5	38.7-42.3	306	5.2	4.4- 6.0	74	1.4	1.0- 1.8	5	0.1	0.0- 0.3	190	4.0	3.2- 4.8
Female	7325	2,412,156	2834	41.7	40.1-43.3	3561	46.2	44.6-47.8	538	6.9	6.1- 7.7	147	1.7	1.3- 2.1	4	0.1	0.1- 0.1	241	3.3	2.7- 3.9
White/Non-Hisp	10825	3,799,672	4573	45.1	43.7-46.5	5018	43.8	42.6-45.0	709	6.0	5.4- 6.6	161	1.3	1.1- 1.5	6	0.1	0.0- 0.3	358	3.7	3.1- 4.3
Black or Afr. Am./Non-Hisp	816	375,575	410	52.2	47.5-56.9	300	35.3	30.8-39.8	50	6.3	3.9- 8.7	26	2.5	1.3- 3.7	1	0.2	0.0- 0.6	29	3.6	2.0- 5.2
Oth. Race/Non-Hisp.	257	112,495	98	35.5	27.9-43.1	124	52.9	44.7-61.1	19	5.0	2.3- 7.7	8	2.7	0.3- 5.1				8	4.0	0.0- 8.7
MultiRacial/Non-Hisp.	199	57,649	74	38.8	30.2-47.4	93	44.0	35.2-52.8	9	3.6	0.9- 6.3	10	6.3	1.8-10.8	1	0.6	0.0- 1.8	12	6.7	2.6-10.8
Hispanic	522	258,303	201	40.3	35.2-45.4	254	47.4	42.3-52.5	40	7.5	4.8-10.2	11	2.0	0.2- 3.8				16	2.8	1.2- 4.4
18-24	636	624,426	288	44.7	40.2-49.2	270	43.7	39.2-48.2	36	5.5	3.3- 7.7	15	2.1	0.9- 3.3	1	0.1	0.0- 0.3	26	4.0	2.2- 5.8
25-34	1101	764,015	501	47.1	43.8-50.4	471	40.7	37.4-44.0	73	6.7	5.1- 8.3	20	1.5	0.7- 2.3	2	0.3	0.0- 0.7	34	3.8	2.4- 5.2
35-44	1300	747,347	548	45.3	42.2-48.4	594	43.8	40.7-46.9	85	5.8	4.4- 7.2	27	1.6	1.0- 2.2				46	3.5	2.3- 4.7
45-54	1960	771,704	889	47.3	44.8-49.8	842	41.3	38.8-43.8	121	5.6	4.4- 6.8	29	1.4	0.8- 2.0	2	0.1	0.0- 0.3	77	4.3	3.3- 5.3
55-64	2826	814,487	1265	46.3	44.1-48.5	1220	41.8	39.6-44.0	187	6.8	5.6- 8.0	55	1.6	1.0- 2.2	1	0.0	0.0- 0.0	98	3.5	2.7- 4.3
65+	5005	960,069	1959	41.3	39.5-43.1	2476	48.3	46.5-50.1	342	6.0	5.2- 6.8	75	1.3	0.9- 1.7	3	0.0	0.0- 0.0	150	3.1	2.5- 3.7
Less Than H.S.	940	569,454	477	50.0	45.9-54.1	332	37.1	33.0-41.2	54	6.0	4.0- 8.0	18	1.3	0.5- 2.1				59	5.7	3.9- 7.5
H.S. or G.E.D.	4255	1,585,888	2022	49.6	47.6-51.6	1748	39.0	37.0-41.0	214	4.9	4.1- 5.7	63	1.5	1.1- 1.9	2	0.0	0.0- 0.0	206	5.0	4.2- 5.8
Some Post-H.S.	3257	1,451,856	1418	44.8	42.6-47.0	1474	44.1	41.9-46.3	206	6.1	5.1- 7.1	53	1.5	1.1- 1.9	5	0.2	0.0- 0.4	101	3.2	2.4- 4.0
College Graduate	4348	1,065,629	1524	36.7	34.9-38.5	2304	52.3	50.3-54.3	368	7.9	6.9- 8.9	87	1.9	1.5- 2.3	2	0.0	0.0- 0.0	63	1.3	0.9- 1.7
Less than \$15,000	1126	410,821	554	51.1	47.2-55.0	384	33.7	30.0-37.4	79	6.9	4.7- 9.1	28	1.9	0.9- 2.9	3	0.2	0.0- 0.4	78	6.2	4.4- 8.0
\$15,000- 24,999	2066	741,063	981	49.5	46.6-52.4	819	37.5	34.6-40.4	130	5.9	4.5- 7.3	31	1.8	1.0- 2.6				105	5.3	3.9- 6.7
\$25,000- 34,999	1352	473,882	602	46.8	43.3-50.3	615	42.8	39.3-46.3	70	5.1	3.3- 6.9	20	1.5	0.7- 2.3	1	0.1	0.0- 0.3	44	3.6	2.2- 5.0
\$35,000- 49,999	1758	666,456	765	45.0	41.9-48.1	802	44.5	41.2-47.8	103	5.4	3.8- 7.0	29	1.4	0.8- 2.0				59	3.7	2.5- 4.9
\$50,000- 74,999	1868	699,483	734	43.6	40.5-46.7	959	47.0	43.9-50.1	103	5.2	3.8- 6.6	36	1.3	0.7- 1.9	1	0.1	0.0- 0.3	35	2.8	1.6- 4.0
\$75,000+	3283	1,229,377	1261	41.1	38.9-43.3	1643	48.2	46.0-50.4	256	6.9	5.9- 7.9	61	1.6	1.2- 2.0	2	0.2	0.0- 0.4	60	2.0	1.4- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES
TABLE 5: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5503	2,269,892	2616	48.8	47.0-50.6	2312	40.5	38.7-42.3	306	5.2	4.4- 6.0	74	1.4	1.0- 1.8	5	0.1	0.0- 0.3	190	4.0	3.2- 4.8
White/Non-Hisp	4597	1,836,595	2182	48.8	46.8-50.8	1952	40.5	38.7-42.3	253	5.3	4.5- 6.1	51	1.2	0.8- 1.6	3	0.1	0.0- 0.3	156	4.1	3.3- 4.9
Black or Afr. Am./Non-Hisp	297	171,007	169	56.3	49.0-63.6	95	35.1	28.0-42.2	16	3.5	1.3- 5.7	6	1.2	0.0- 2.6				11	3.8	1.1- 6.5
Oth. Race/Non-Hisp.	151	64,663	70	43.1	33.1-53.1	63	45.5	35.3-55.7	9	5.7	1.4-10.0	6	3.7	0.0- 7.6				3	2.1	0.0- 5.2
MultiRacial/Non-Hisp.	107	31,040	44	41.9	30.3-53.5	45	39.3	28.1-50.5	6	4.3	0.4- 8.2	3	4.7	0.0-10.0	1	1.2	0.0- 3.6	8	8.6	2.3-14.9
Hispanic	237	119,968	95	41.4	33.8-49.0	113	47.9	40.3-55.5	14	5.0	2.1- 7.9	7	2.1	0.3- 3.9				8	3.5	0.6- 6.4
18-24	363	323,966	163	43.9	38.0-49.8	152	44.2	38.3-50.1	19	4.3	1.8- 6.8	9	2.3	0.5- 4.1	1	0.1	0.0- 0.3	19	5.1	2.6- 7.6
25-34	541	381,446	269	49.9	45.0-54.8	211	37.3	32.6-42.0	32	6.1	3.7- 8.5	8	1.2	0.2- 2.2	1	0.4	0.0- 1.2	20	5.1	2.7- 7.5
35-44	565	362,447	281	52.5	47.8-57.2	223	38.1	33.4-42.8	27	4.0	2.4- 5.6	11	1.7	0.7- 2.7				23	3.8	2.0- 5.6
45-54	875	384,736	439	51.4	47.5-55.3	343	38.7	34.8-42.6	50	5.2	3.4- 7.0	10	1.2	0.4- 2.0				33	3.5	2.1- 4.9
55-64	1301	396,569	628	49.4	46.1-52.7	533	39.3	36.2-42.4	77	6.1	4.5- 7.7	16	1.1	0.5- 1.7	1	0.1	0.0- 0.3	46	4.1	2.7- 5.5
65+	1858	420,728	836	45.7	43.0-48.4	850	45.1	42.4-47.8	101	5.2	4.0- 6.4	20	0.9	0.5- 1.3	2	0.1	0.1- 0.1	49	3.0	2.0- 4.0
Less Than H.S.	395	281,785	211	49.6	43.5-55.7	127	37.1	31.0-43.2	23	5.8	2.7- 8.9	7	1.2	0.0- 2.6				27	6.3	3.6- 9.0
H.S. or G.E.D.	1752	791,508	898	51.6	48.7-54.5	659	36.9	34.2-39.6	78	4.3	3.1- 5.5	22	1.5	0.7- 2.3	1	0.0	0.0- 0.0	94	5.6	4.2- 7.0
Some Post-H.S.	1349	667,627	671	50.2	46.9-53.5	546	40.1	37.0-43.2	70	4.8	3.4- 6.2	16	1.1	0.5- 1.7	3	0.3	0.0- 0.9	43	3.4	2.0- 4.8
College Graduate	1991	522,519	832	43.0	40.3-45.7	969	47.4	44.7-50.1	135	6.6	5.2- 8.0	29	1.5	0.9- 2.1	1	0.1	0.0- 0.3	25	1.3	0.7- 1.9
Less than \$15,000	385	159,438	211	54.4	48.1-60.7	112	30.9	24.8-37.0	23	4.9	2.4- 7.4	9	2.1	0.5- 3.7	1	0.2	0.0- 0.6	29	7.5	4.4-10.6
\$15,000- 24,999	778	331,471	405	52.6	48.1-57.1	271	34.6	30.3-38.9	47	5.7	3.7- 7.7	13	1.2	0.4- 2.0				42	5.9	3.5- 8.3
\$25,000- 34,999	533	217,306	268	51.4	45.9-56.9	217	38.5	33.2-43.8	20	2.8	1.2- 4.4	6	1.8	0.2- 3.4				22	5.5	3.0- 8.0
\$35,000- 49,999	825	349,690	407	47.3	42.8-51.8	338	41.2	36.7-45.7	39	5.5	3.0- 8.0	12	1.8	0.6- 3.0				29	4.3	2.3- 6.3
\$50,000- 74,999	864	357,224	391	49.2	44.9-53.5	408	42.8	38.5-47.1	39	4.4	2.6- 6.2	10	0.9	0.3- 1.5				16	2.7	1.1- 4.3
\$75,000+	1695	675,675	738	45.7	42.8-48.6	786	44.4	41.5-47.3	115	6.1	4.7- 7.5	20	1.1	0.5- 1.7	2	0.3	0.0- 0.9	34	2.3	1.3- 3.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES
TABLE 6: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7325	2,412,156	2834	41.7	40.1-43.3	3561	46.2	44.6-47.8	538	6.9	6.1- 7.7	147	1.7	1.3- 2.1	4	0.1	0.1- 0.1	241	3.3	2.7- 3.9
White/Non-Hisp	6228	1,963,078	2391	41.6	39.8-43.4	3066	47.0	45.2-48.8	456	6.7	5.9- 7.5	110	1.4	1.0- 1.8	3	0.1	0.1- 0.1	202	3.2	2.6- 3.8
Black or Afr. Am./Non-Hisp	519	204,568	241	48.7	42.8-54.6	205	35.5	30.0-41.0	34	8.6	4.7-12.5	20	3.6	1.8- 5.4	1	0.3	0.0- 0.9	18	3.3	1.3- 5.3
Oth. Race/Non-Hisp.	106	47,832	28	25.2	14.0-36.4	61	62.9	49.6-76.2	10	4.2	0.9- 7.5	2	1.2	0.0- 3.2				5	6.6	0.0-16.6
MultiRacial/Non-Hisp.	92	26,609	30	35.3	22.6-48.0	48	49.4	35.9-62.9	3	2.7	0.0- 6.2	7	8.2	0.8-15.6				4	4.5	0.0- 9.6
Hispanic	285	138,335	106	39.2	32.3-46.1	141	46.9	39.8-54.0	26	9.6	5.3-13.9	4	2.0	0.0- 4.7				8	2.3	0.5- 4.1
18-24	273	300,460	125	45.5	38.8-52.2	118	43.1	36.4-49.8	17	6.8	3.5-10.1	6	1.8	0.2- 3.4				7	2.8	0.4- 5.2
25-34	560	382,569	232	44.3	39.6-49.0	260	44.0	39.3-48.7	41	7.3	4.9- 9.7	12	1.7	0.5- 2.9	1	0.2	0.0- 0.6	14	2.5	1.1- 3.9
35-44	735	384,900	267	38.5	34.4-42.6	371	49.1	45.0-53.2	58	7.6	5.4- 9.8	16	1.6	0.8- 2.4				23	3.3	1.9- 4.7
45-54	1085	386,969	450	43.3	39.8-46.8	499	43.9	40.6-47.2	71	5.9	4.3- 7.5	19	1.6	0.8- 2.4	2	0.2	0.0- 0.6	44	5.0	3.2- 6.8
55-64	1525	417,917	637	43.3	40.4-46.2	687	44.2	41.3-47.1	110	7.4	5.8- 9.0	39	2.1	1.3- 2.9				52	3.0	2.0- 4.0
65+	3147	539,341	1123	37.8	35.6-40.0	1626	50.8	48.6-53.0	241	6.6	5.6- 7.6	55	1.6	1.0- 2.2	1	0.0	0.0- 0.0	101	3.2	2.4- 4.0
Less Than H.S.	545	287,669	266	50.3	44.6-56.0	205	37.1	31.6-42.6	31	6.1	3.6- 8.6	11	1.4	0.2- 2.6				32	5.0	2.5- 7.5
H.S. or G.E.D.	2503	794,380	1124	47.6	44.9-50.3	1089	41.1	38.6-43.6	136	5.4	4.0- 6.8	41	1.5	0.9- 2.1	1	0.1	0.0- 0.3	112	4.4	3.4- 5.4
Some Post-H.S.	1908	784,229	747	40.3	37.4-43.2	928	47.6	44.7-50.5	136	7.3	5.7- 8.9	37	1.7	1.1- 2.3	2	0.1	0.0- 0.3	58	3.0	2.0- 4.0
College Graduate	2357	543,110	692	30.6	28.1-33.1	1335	56.9	54.4-59.4	233	9.1	7.5-10.7	58	2.2	1.4- 3.0	1	0.0	0.0- 0.0	38	1.2	0.6- 1.8
Less than \$15,000	741	251,383	343	48.9	43.8-54.0	272	35.5	30.6-40.4	56	8.2	5.1-11.3	19	1.8	0.8- 2.8	2	0.1	0.0- 0.3	49	5.4	3.4- 7.4
\$15,000- 24,999	1288	409,592	576	46.9	43.0-50.8	548	39.9	36.2-43.6	83	6.1	4.3- 7.9	18	2.3	0.9- 3.7				63	4.8	3.2- 6.4
\$25,000- 34,999	819	256,576	334	42.9	38.2-47.6	398	46.4	41.7-51.1	50	7.1	4.2-10.0	14	1.3	0.5- 2.1	1	0.2	0.0- 0.6	22	2.1	0.9- 3.3
\$35,000- 49,999	933	316,766	358	42.6	38.1-47.1	464	48.1	43.6-52.6	64	5.3	3.5- 7.1	17	0.9	0.3- 1.5				30	3.2	1.6- 4.8
\$50,000- 74,999	1004	342,259	343	37.8	33.7-41.9	551	51.3	47.0-55.6	64	6.1	4.1- 8.1	26	1.8	1.0- 2.6	1	0.2	0.0- 0.6	19	2.8	0.8- 4.8
\$75,000+	1588	553,702	523	35.5	32.4-38.6	857	52.9	49.8-56.0	141	7.7	6.1- 9.3	41	2.2	1.4- 3.0				26	1.7	0.9- 2.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 7: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GREND1_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	12810	4,676,192	8828	68.9	67.7-70.1	2772	19.8	18.8-20.8	90	0.7	0.5- 0.9	32	0.3	0.1- 0.5	1	0.0	0.0- 0.0	1087	10.2	9.4-11.0
Male	5504	2,273,432	3822	68.5	66.9-70.1	1062	17.5	16.3-18.7	33	0.6	0.4- 0.8	10	0.2	0.0- 0.4	1	0.0	0.0- 0.0	576	13.3	11.9-14.7
Female	7306	2,402,761	5006	69.4	68.0-70.8	1710	22.0	20.6-23.4	57	0.9	0.7- 1.1	22	0.3	0.1- 0.5				511	7.4	6.4- 8.4
White/Non-Hisp	10804	3,790,951	7547	70.3	69.1-71.5	2321	19.3	18.3-20.3	56	0.5	0.3- 0.7	23	0.2	0.0- 0.4	1	0.0	0.0- 0.0	856	9.7	8.9-10.5
Black or Afr. Am./Non-Hisp	821	380,584	546	65.2	60.7-69.7	161	18.5	15.2-21.8	16	1.9	0.7- 3.1	5	0.7	0.0- 1.5				93	13.7	10.0-17.4
Oth. Race/Non-Hisp.	260	112,638	141	51.7	43.5-59.9	78	35.2	27.0-43.4	4	1.9	0.0- 4.3							37	11.2	6.5-15.9
MultiRacial/Non-Hisp.	198	57,663	115	59.4	50.8-68.0	47	23.0	15.2-30.8	6	2.6	0.4- 4.8							30	15.0	9.1-20.9
Hispanic	521	257,553	343	64.5	59.4-69.6	115	21.4	17.3-25.5	7	1.3	0.3- 2.3	2	0.3	0.0- 0.9				54	12.5	8.8-16.2
18-24	633	623,182	412	64.4	60.1-68.7	93	14.5	11.4-17.6	8	1.0	0.2- 1.8	2	0.3	0.0- 0.7				118	19.8	16.1-23.5
25-34	1099	763,211	761	68.5	65.4-71.6	197	17.9	15.4-20.4	8	0.6	0.2- 1.0	3	0.4	0.0- 1.0				130	12.6	10.2-15.0
35-44	1296	749,201	919	71.3	68.4-74.2	261	19.4	16.9-21.9	9	0.4	0.2- 0.6	5	0.3	0.0- 0.7				102	8.6	6.6-10.6
45-54	1961	769,962	1372	70.1	67.7-72.5	419	21.2	19.0-23.4	19	1.0	0.4- 1.6	5	0.2	0.0- 0.4				146	7.4	6.0- 8.8
55-64	2820	813,559	1937	68.6	66.4-70.8	653	22.5	20.7-24.3	21	0.9	0.5- 1.3	6	0.2	0.0- 0.4	1	0.0	0.0- 0.0	202	7.8	6.6- 9.0
65+	5001	957,078	3427	69.8	68.2-71.4	1149	21.8	20.4-23.2	25	0.4	0.2- 0.6	11	0.2	0.0- 0.4				389	7.8	6.8- 8.8
Less Than H.S.	940	567,176	612	63.5	59.4-67.6	138	14.9	12.0-17.8	8	1.0	0.2- 1.8	2	0.1	0.0- 0.3				180	20.6	17.1-24.1
H.S. or G.E.D.	4236	1,580,458	3005	70.2	68.4-72.0	716	15.6	14.2-17.0	28	0.8	0.4- 1.2	7	0.3	0.1- 0.5				480	13.1	11.7-14.5
Some Post-H.S.	3252	1,450,879	2262	69.7	67.7-71.7	707	21.6	19.8-23.4	26	0.6	0.4- 0.8	8	0.3	0.1- 0.5				249	7.8	6.6- 9.0
College Graduate	4353	1,068,279	2938	69.3	67.5-71.1	1199	25.9	24.3-27.5	27	0.6	0.2- 1.0	15	0.3	0.1- 0.5	1	0.0	0.0- 0.0	173	3.9	3.1- 4.7
Less than \$15,000	1117	411,838	724	65.5	61.8-69.2	178	14.8	12.1-17.5	11	0.6	0.2- 1.0	4	0.4	0.0- 1.0	1	0.1	0.0- 0.3	199	18.7	15.6-21.8
\$15,000- 24,999	2069	742,362	1454	70.3	67.6-73.0	348	15.8	13.8-17.8	13	0.8	0.2- 1.4							254	13.2	11.0-15.4
\$25,000- 34,999	1344	469,971	940	67.7	64.2-71.2	251	18.4	15.5-21.3	13	1.1	0.3- 1.9	8	0.9	0.1- 1.7				132	11.9	9.4-14.4
\$35,000- 49,999	1756	665,462	1246	70.1	67.0-73.2	366	19.7	17.2-22.2	5	0.2	0.0- 0.4	3	0.1	0.0- 0.3				136	9.9	7.5-12.3
\$50,000- 74,999	1862	695,632	1322	70.8	67.9-73.7	430	21.3	18.8-23.8	13	0.5	0.1- 0.9	2	0.0	0.0- 0.0				95	7.3	5.3- 9.3
\$75,000+	3283	1,228,425	2233	70.1	68.1-72.1	904	23.9	22.1-25.7	24	0.8	0.4- 1.2	9	0.2	0.0- 0.4				113	4.9	3.7- 6.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 8: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GREND1_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5504	2,273,432	3822	68.5	66.9-70.1	1062	17.5	16.3-18.7	33	0.6	0.4- 0.8	10	0.2	0.0- 0.4	1	0.0	0.0- 0.0	576	13.3	11.9-14.7
White/Non-Hisp	4592	1,833,302	3253	69.8	68.0-71.6	866	16.9	15.5-18.3	22	0.5	0.3- 0.7	5	0.1	0.1- 0.1	1	0.0	0.0- 0.0	445	12.7	11.3-14.1
Black or Afr. Am./Non-Hisp	301	175,254	201	64.9	57.8-72.0	50	14.5	9.8-19.2	5	0.9	0.0- 1.9	4	1.6	0.0- 3.2				41	18.1	11.6-24.6
Oth. Race/Non-Hisp.	153	65,401	84	55.2	45.2-65.2	41	31.0	21.6-40.4	3	1.7	0.0- 3.9							25	12.1	6.4-17.8
MultiRacial/Non-Hisp.	108	31,521	60	62.1	51.5-72.7	26	20.3	12.1-28.5	3	2.9	0.0- 6.2							19	14.7	7.4-22.0
Hispanic	237	122,015	153	63.2	55.8-70.6	51	20.3	14.4-26.2										33	16.5	10.2-22.8
18-24	359	322,303	226	60.7	54.8-66.6	44	12.0	8.3-15.7	1	0.3	0.0- 0.9	1	0.3	0.0- 0.9				87	26.7	21.2-32.2
25-34	545	384,775	375	68.6	64.1-73.1	77	13.6	10.3-16.9	3	0.5	0.0- 1.1	1	0.1	0.0- 0.3				89	17.2	13.5-20.9
35-44	567	367,624	405	70.8	66.5-75.1	98	17.1	13.6-20.6	3	0.4	0.0- 0.8	1	0.2	0.0- 0.6				60	11.6	8.3-14.9
45-54	878	382,489	626	69.9	66.2-73.6	159	19.9	16.6-23.2	10	1.2	0.2- 2.2	3	0.3	0.0- 0.7				80	8.7	6.5-10.9
55-64	1300	397,283	897	69.1	66.2-72.0	275	19.8	17.3-22.3	7	0.6	0.0- 1.2	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	119	10.3	8.1-12.5
65+	1855	418,958	1293	70.4	67.9-72.9	409	21.2	19.0-23.4	9	0.4	0.0- 0.8	3	0.1	0.0- 0.3				141	7.9	6.3- 9.5
Less Than H.S.	393	283,334	246	60.8	54.7-66.9	49	13.1	9.0-17.2	2	0.6	0.0- 1.4							96	25.4	19.7-31.1
H.S. or G.E.D.	1750	789,784	1234	69.6	66.9-72.3	260	13.2	11.2-15.2	13	0.8	0.2- 1.4	4	0.3	0.0- 0.7				239	16.1	13.7-18.5
Some Post-H.S.	1349	669,058	950	69.3	66.2-72.4	255	19.1	16.6-21.6	7	0.3	0.1- 0.5	2	0.2	0.0- 0.4				135	11.2	9.0-13.4
College Graduate	1997	524,887	1387	70.5	68.0-73.0	490	23.4	21.0-25.8	11	0.6	0.2- 1.0	4	0.2	0.0- 0.4	1	0.1	0.0- 0.3	104	5.3	3.9- 6.7
Less than \$15,000	386	164,102	242	66.4	60.5-72.3	51	11.5	7.6-15.4	2	0.1	0.0- 0.3	1	0.6	0.0- 1.8	1	0.2	0.0- 0.6	89	21.1	16.2-26.0
\$15,000- 24,999	778	333,186	546	69.8	65.5-74.1	110	13.0	10.1-15.9	7	0.9	0.1- 1.7							115	16.3	12.8-19.8
\$25,000- 34,999	531	215,218	368	64.7	59.2-70.2	81	14.7	10.6-18.8	6	1.5	0.1- 2.9	2	0.4	0.0- 1.0				74	18.6	13.9-23.3
\$35,000- 49,999	823	348,850	580	66.6	62.1-71.1	157	18.8	15.3-22.3	1	0.1	0.0- 0.3	2	0.2	0.0- 0.6				83	14.3	10.6-18.0
\$50,000- 74,999	862	355,363	617	70.5	66.4-74.6	174	18.3	15.0-21.6	5	0.5	0.0- 1.1							66	10.8	7.7-13.9
\$75,000+	1699	676,399	1192	70.9	68.2-73.6	411	21.5	19.1-23.9	11	0.6	0.2- 1.0	4	0.2	0.0- 0.4				81	6.7	4.9- 8.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 9: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GREND1_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7306	2,402,761	5006	69.4	68.0-70.8	1710	22.0	20.6-23.4	57	0.9	0.7- 1.1	22	0.3	0.1- 0.5	511	7.4	6.4- 8.4
White/Non-Hisp	6212	1,957,648	4294	70.8	69.2-72.4	1455	21.6	20.2-23.0	34	0.5	0.3- 0.7	18	0.3	0.1- 0.5	411	6.8	5.8- 7.8
Black or Afr. Am./Non-Hisp	520	205,330	345	65.4	59.7-71.1	111	21.9	17.0-26.8	11	2.8	0.8- 4.8	1	0.0	0.0- 0.0	52	9.9	5.8-14.0
Oth. Race/Non-Hisp.	107	47,237	57	46.8	33.1-60.5	37	41.0	26.9-55.1	1	2.3	0.0- 6.8				12	9.9	2.1-17.7
MultiRacial/Non-Hisp.	90	26,142	55	56.2	42.3-70.1	21	26.2	12.5-39.9	3	2.1	0.0- 5.0				11	15.5	5.9-25.1
Hispanic	284	135,538	190	65.7	59.0-72.4	64	22.3	16.6-28.0	7	2.5	0.5- 4.5	2	0.6	0.0- 1.6	21	8.9	4.4-13.4
18-24	274	300,879	186	68.4	62.1-74.7	49	17.3	12.2-22.4	7	1.7	0.3- 3.1	1	0.2	0.0- 0.6	31	12.4	7.9-16.9
25-34	554	378,436	386	68.5	64.0-73.0	120	22.2	18.3-26.1	5	0.8	0.0- 1.6	2	0.7	0.0- 1.7	41	7.9	5.2-10.6
35-44	729	381,577	514	71.8	68.1-75.5	163	21.6	18.3-24.9	6	0.4	0.0- 0.8	4	0.5	0.0- 1.1	42	5.7	3.7- 7.7
45-54	1083	387,473	746	70.4	67.3-73.5	260	22.5	19.8-25.2	9	0.9	0.3- 1.5	2	0.1	0.0- 0.3	66	6.1	4.3- 7.9
55-64	1520	416,275	1040	68.0	65.3-70.7	378	25.1	22.6-27.6	14	1.3	0.5- 2.1	5	0.2	0.0- 0.4	83	5.4	4.0- 6.8
65+	3146	538,121	2134	69.4	67.4-71.4	740	22.2	20.4-24.0	16	0.4	0.2- 0.6	8	0.2	0.0- 0.4	248	7.8	6.6- 9.0
Less Than H.S.	547	283,842	366	66.1	60.6-71.6	89	16.6	12.5-20.7	6	1.4	0.2- 2.6	2	0.2	0.0- 0.4	84	15.7	11.4-20.0
H.S. or G.E.D.	2486	790,674	1771	70.8	68.3-73.3	456	18.0	16.0-20.0	15	0.8	0.4- 1.2	3	0.4	0.0- 0.8	241	10.1	8.3-11.9
Some Post-H.S.	1903	781,821	1312	70.0	67.3-72.7	452	23.8	21.3-26.3	19	0.9	0.5- 1.3	6	0.4	0.0- 0.8	114	5.0	3.8- 6.2
College Graduate	2356	543,392	1551	68.2	65.8-70.6	709	28.3	25.9-30.7	16	0.7	0.3- 1.1	11	0.3	0.1- 0.5	69	2.5	1.7- 3.3
Less than \$15,000	731	247,736	482	64.9	59.8-70.0	127	16.9	13.0-20.8	9	0.9	0.1- 1.7	3	0.2	0.0- 0.4	110	17.1	13.0-21.2
\$15,000- 24,999	1291	409,176	908	70.7	67.2-74.2	238	18.1	15.2-21.0	6	0.6	0.0- 1.2				139	10.6	8.1-13.1
\$25,000- 34,999	813	254,754	572	70.2	65.9-74.5	170	21.5	17.6-25.4	7	0.8	0.0- 1.6	6	1.3	0.0- 2.7	58	6.2	4.0- 8.4
\$35,000- 49,999	933	316,612	666	73.9	70.0-77.8	209	20.7	17.0-24.4	4	0.2	0.0- 0.4	1	0.0	0.0- 0.0	53	5.2	3.0- 7.4
\$50,000- 74,999	1000	340,269	705	71.2	67.3-75.1	256	24.5	21.0-28.0	8	0.6	0.2- 1.0	2	0.1	0.0- 0.3	29	3.7	1.7- 5.7
\$75,000+	1584	552,026	1041	69.2	66.5-71.9	493	26.9	24.2-29.6	13	1.1	0.3- 1.9	5	0.3	0.1- 0.5	32	2.6	1.4- 3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES
TABLE 10: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	12802	4,670,523	10240	82.0	81.0-83.0	491	4.9	4.3- 5.5	16	0.2	0.0- 0.4	5	0.1	0.0- 0.3	2050	12.8	12.0-13.6
Male	5492	2,267,773	4600	84.4	83.0-85.8	291	6.2	5.2- 7.2	10	0.3	0.1- 0.5	4	0.1	0.0- 0.3	587	9.1	8.1-10.1
Female	7310	2,402,750	5640	79.8	78.6-81.0	200	3.7	2.9- 4.5	6	0.1	0.1- 0.1	1	0.1	0.0- 0.3	1463	16.3	15.1-17.5
White/Non-Hisp	10796	3,787,896	8699	83.2	82.2-84.2	387	4.5	3.9- 5.1	7	0.1	0.1- 0.1	3	0.1	0.1- 0.1	1700	12.2	11.4-13.0
Black or Afr. Am./Non-Hisp	817	375,704	622	75.5	71.2-79.8	46	8.9	5.8-12.0	4	0.3	0.0- 0.7				145	15.4	11.9-18.9
Oth. Race/Non-Hisp.	258	111,962	202	80.2	73.3-87.1	14	5.3	1.2- 9.4				1	2.2	0.0- 6.5	41	12.2	7.5-16.9
MultiRacial/Non-Hisp.	198	57,206	152	75.7	67.9-83.5	15	9.1	4.0-14.2	1	0.6	0.0- 1.8				30	14.6	7.7-21.5
Hispanic	521	258,740	407	77.4	73.1-81.7	19	4.1	2.1- 6.1	3	0.9	0.0- 2.3				92	17.6	13.7-21.5
18-24	631	619,642	544	85.7	82.6-88.8	35	6.1	3.9- 8.3	2	0.1	0.0- 0.3	1	0.4	0.0- 1.2	49	7.7	5.3-10.1
25-34	1096	762,495	930	82.7	80.0-85.4	68	7.8	5.8- 9.8	6	0.6	0.0- 1.2	1	0.2	0.0- 0.6	91	8.8	6.8-10.8
35-44	1293	745,463	1100	85.0	82.6-87.4	53	4.4	3.0- 5.8							140	10.7	8.7-12.7
45-54	1967	772,069	1639	83.4	81.4-85.4	68	3.8	2.8- 4.8	2	0.2	0.0- 0.6	1	0.0	0.0- 0.0	257	12.5	10.7-14.3
55-64	2814	810,901	2251	80.1	78.3-81.9	93	3.5	2.7- 4.3	4	0.1	0.0- 0.3	1	0.0	0.0- 0.0	465	16.3	14.7-17.9
65+	5001	959,952	3776	77.3	75.9-78.7	174	4.4	3.6- 5.2	2	0.0	0.0- 0.0	1	0.0	0.0- 0.0	1048	18.2	16.8-19.6
Less Than H.S.	938	570,654	695	75.2	71.5-78.9	68	9.4	6.7-12.1	2	0.4	0.0- 1.0	2	0.7	0.0- 1.7	171	14.3	11.6-17.0
H.S. or G.E.D.	4235	1,575,108	3369	82.1	80.5-83.7	220	6.6	5.6- 7.6	5	0.1	0.0- 0.3	1	0.0	0.0- 0.0	640	11.2	10.0-12.4
Some Post-H.S.	3248	1,448,170	2628	83.1	81.5-84.7	115	3.5	2.7- 4.3	8	0.3	0.1- 0.5				497	13.1	11.7-14.5
College Graduate	4353	1,067,365	3528	84.0	82.6-85.4	88	1.9	1.3- 2.5	1	0.0	0.0- 0.0	2	0.0	0.0- 0.0	734	14.1	12.9-15.3
Less than \$15,000	1123	410,860	792	74.7	71.4-78.0	73	9.0	6.5-11.5	2	0.1	0.0- 0.3				256	16.1	13.6-18.6
\$15,000- 24,999	2065	740,188	1590	79.0	76.6-81.4	99	5.5	4.1- 6.9	6	0.4	0.0- 0.8	1	0.2	0.0- 0.6	369	14.8	12.8-16.8
\$25,000- 34,999	1338	467,033	1078	82.0	79.1-84.9	62	6.6	4.4- 8.8							198	11.4	9.2-13.6
\$35,000- 49,999	1754	666,128	1436	83.5	81.0-86.0	65	4.2	2.8- 5.6	1	0.1	0.0- 0.3	2	0.1	0.1- 0.1	250	12.1	9.9-14.3
\$50,000- 74,999	1867	700,247	1554	84.6	82.4-86.8	63	3.9	2.7- 5.1	1	0.1	0.0- 0.3	1	0.4	0.0- 1.2	248	11.0	9.2-12.8
\$75,000+	3273	1,224,378	2718	84.4	82.8-86.0	82	3.4	2.4- 4.4	2	0.1	0.0- 0.3				471	12.0	10.6-13.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES
TABLE 11: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5492	2,267,773	4600	84.4	83.0-85.8	291	6.2	5.2- 7.2	10	0.3	0.1- 0.5	4	0.1	0.0- 0.3	587	9.1	8.1-10.1
White/Non-Hisp	4582	1,829,942	3875	85.9	84.5-87.3	228	5.6	4.6- 6.6	4	0.1	0.0- 0.3	3	0.1	0.0- 0.3	472	8.3	7.3- 9.3
Black or Afr. Am./Non-Hisp	300	173,800	226	72.5	65.4-79.6	25	12.6	7.1-18.1	3	0.5	0.0- 1.3				46	14.4	8.7-20.1
Oth. Race/Non-Hisp.	150	64,324	125	85.8	79.5-92.1	9	3.9	1.0- 6.8							16	10.3	4.6-16.0
MultiRacial/Non-Hisp.	107	30,868	86	77.0	67.0-87.0	10	12.7	4.5-20.9	1	1.2	0.0- 3.6				10	9.1	2.8-15.4
Hispanic	235	121,400	194	80.3	74.0-86.6	11	5.3	2.0- 8.6	2	1.7	0.0- 4.4				28	12.6	7.5-17.7
18-24	357	319,852	312	86.7	82.4-91.0	18	5.1	2.6- 7.6	2	0.2	0.0- 0.6				25	8.0	4.3-11.7
25-34	543	384,907	466	83.3	79.4-87.2	40	9.3	6.2-12.4	4	0.8	0.0- 1.8	1	0.4	0.0- 1.2	32	6.1	3.7- 8.5
35-44	566	365,584	493	86.6	83.3-89.9	28	5.9	3.4- 8.4							45	7.5	5.0-10.0
45-54	879	383,423	753	85.1	82.4-87.8	48	6.1	4.1- 8.1	1	0.3	0.0- 0.9	1	0.0	0.0- 0.0	76	8.4	6.2-10.6
55-64	1293	394,310	1074	83.2	80.7-85.7	56	4.3	2.9- 5.7	2	0.2	0.0- 0.6	1	0.1	0.0- 0.3	160	12.2	10.0-14.4
65+	1854	419,697	1502	82.1	79.9-84.3	101	6.2	4.6- 7.8	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	249	11.6	9.8-13.4
Less Than H.S.	391	283,546	302	76.9	71.4-82.4	41	12.2	7.9-16.5	2	0.7	0.0- 1.9	1	0.5	0.0- 1.5	45	9.6	5.7-13.5
H.S. or G.E.D.	1742	787,221	1449	84.0	81.8-86.2	130	8.5	6.7-10.3	4	0.2	0.0- 0.4	1	0.0	0.0- 0.0	158	7.3	5.7- 8.9
Some Post-H.S.	1345	666,657	1140	86.1	83.9-88.3	61	3.7	2.5- 4.9	3	0.3	0.0- 0.7				141	9.9	7.9-11.9
College Graduate	1999	524,008	1697	86.8	85.0-88.6	59	2.7	1.9- 3.5	1	0.0	0.0- 0.0	2	0.1	0.0- 0.3	240	10.5	8.9-12.1
Less than \$15,000	384	162,253	282	75.0	69.5-80.5	34	12.1	7.4-16.8	1	0.3	0.0- 0.9				67	12.6	8.9-16.3
\$15,000- 24,999	779	333,393	622	80.5	76.8-84.2	62	8.1	5.4-10.8	5	0.9	0.0- 1.9	1	0.5	0.0- 1.5	89	10.0	7.5-12.5
\$25,000- 34,999	523	211,575	448	85.3	81.4-89.2	34	8.2	4.9-11.5							41	6.4	3.9- 8.9
\$35,000- 49,999	823	350,554	705	86.2	82.9-89.5	36	4.4	2.6- 6.2	1	0.1	0.0- 0.3	2	0.1	0.0- 0.3	79	9.1	6.2-12.0
\$50,000- 74,999	863	357,195	729	85.9	83.0-88.8	45	5.6	3.6- 7.6							89	8.6	6.1-11.1
\$75,000+	1693	673,250	1465	86.5	84.3-88.7	61	4.8	3.2- 6.4	2	0.2	0.0- 0.6				165	8.5	6.9-10.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES
TABLE 12: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7310	2,402,750	5640	79.8	78.6-81.0	200	3.7	2.9- 4.5	6	0.1	0.1- 0.1	1	0.1	0.0- 0.3	1463	16.3	15.1-17.5
White/Non-Hisp	6214	1,957,954	4824	80.6	79.2-82.0	159	3.5	2.7- 4.3	3	0.1	0.1- 0.1				1228	15.8	14.6-17.0
Black or Afr. Am./Non-Hisp	517	201,905	396	78.0	73.1-82.9	21	5.7	2.6- 8.8	1	0.0	0.0- 0.0				99	16.2	11.9-20.5
Oth. Race/Non-Hisp.	108	47,639	77	72.8	59.7-85.9	5	7.1	0.0-15.7				1	5.3	0.0-15.1	25	14.9	6.7-23.1
MultiRacial/Non-Hisp.	91	26,338	66	74.2	61.7-86.7	5	4.8	0.1- 9.5							20	21.0	8.7-33.3
Hispanic	286	137,340	213	74.9	68.8-81.0	8	3.0	0.6- 5.4	1	0.1	0.0- 0.3				64	22.0	16.1-27.9
18-24	274	299,791	232	84.5	79.6-89.4	17	7.3	3.6-11.0				1	0.8	0.0- 2.4	24	7.3	4.2-10.4
25-34	553	377,588	464	82.0	78.1-85.9	28	6.1	3.6- 8.6	2	0.3	0.0- 0.7				59	11.5	8.4-14.6
35-44	727	379,879	607	83.4	80.3-86.5	25	2.9	1.5- 4.3							95	13.7	10.8-16.6
45-54	1088	388,646	886	81.7	79.2-84.2	20	1.6	0.8- 2.4	1	0.1	0.0- 0.3				181	16.6	14.1-19.1
55-64	1521	416,591	1177	77.1	74.6-79.6	37	2.7	1.5- 3.9	2	0.1	0.1- 0.1				305	20.2	17.8-22.6
65+	3147	540,255	2274	73.6	71.6-75.6	73	2.9	2.1- 3.7	1	0.0	0.0- 0.0				799	23.4	21.6-25.2
Less Than H.S.	547	287,109	393	73.5	68.4-78.6	27	6.7	3.4-10.0				1	0.9	0.0- 2.7	126	19.0	14.9-23.1
H.S. or G.E.D.	2493	787,887	1920	80.3	78.1-82.5	90	4.7	3.3- 6.1	1	0.0	0.0- 0.0				482	15.0	13.2-16.8
Some Post-H.S.	1903	781,512	1488	80.5	78.1-82.9	54	3.4	2.2- 4.6	5	0.2	0.0- 0.4				356	15.8	13.8-17.8
College Graduate	2354	543,356	1831	81.2	79.2-83.2	29	1.2	0.6- 1.8							494	17.5	15.5-19.5
Less than \$15,000	739	248,607	510	74.6	70.5-78.7	39	7.0	4.1- 9.9	1	0.0	0.0- 0.0				189	18.4	15.1-21.7
\$15,000- 24,999	1286	406,795	968	77.8	74.5-81.1	37	3.4	2.0- 4.8	1	0.0	0.0- 0.0				280	18.8	15.9-21.7
\$25,000- 34,999	815	255,458	630	79.2	75.3-83.1	28	5.3	2.6- 8.0							157	15.6	12.3-18.9
\$35,000- 49,999	931	315,574	731	80.6	77.1-84.1	29	4.0	1.8- 6.2							171	15.4	12.3-18.5
\$50,000- 74,999	1004	343,052	825	83.3	80.2-86.4	18	2.2	0.8- 3.6	1	0.2	0.0- 0.6	1	0.7	0.0- 2.1	159	13.6	10.9-16.3
\$75,000+	1580	551,128	1253	81.9	79.5-84.3	21	1.9	0.9- 2.9							306	16.2	14.0-18.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES
TABLE 13: POTATO SERVINGS PER DAY (POTADA1_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	12720	4,636,970	10539	81.8	80.8-82.8	562	4.5	3.9- 5.1	10	0.1	0.1- 0.1	4	0.1	0.1- 0.1	1	0.0	0.0- 0.0	1604	13.5	12.7-14.3
Male	5458	2,250,612	4489	81.2	79.8-82.6	270	4.8	4.0- 5.6	7	0.1	0.0- 0.3	1	0.1	0.0- 0.3				691	13.8	12.6-15.0
Female	7262	2,386,358	6050	82.4	81.2-83.6	292	4.2	3.6- 4.8	3	0.1	0.0- 0.3	3	0.0	0.0- 0.0	1	0.0	0.0- 0.0	913	13.2	12.0-14.4
White/Non-Hisp	10718	3,759,475	9003	83.6	82.6-84.6	475	4.6	4.0- 5.2	5	0.1	0.1- 0.1	4	0.1	0.1- 0.1	1	0.0	0.0- 0.0	1230	11.7	10.9-12.5
Black or Afr. Am./Non-Hisp	820	377,907	659	75.8	71.5-80.1	26	4.7	2.5- 6.9	1	0.1	0.0- 0.3							134	19.4	15.3-23.5
Oth. Race/Non-Hisp.	261	113,280	198	74.3	66.9-81.7	22	5.3	2.4- 8.2	1	0.5	0.0- 1.5							40	19.8	12.5-27.1
MultiRacial/Non-Hisp.	195	56,903	152	80.1	73.6-86.6	13	5.4	2.1- 8.7										30	14.4	8.5-20.3
Hispanic	519	253,625	367	70.4	65.7-75.1	16	2.5	1.1- 3.9	3	0.4	0.0- 0.8							133	26.7	22.2-31.2
18-24	625	610,293	491	79.1	75.4-82.8	20	3.5	1.7- 5.3	2	0.3	0.0- 0.9							112	17.1	13.8-20.4
25-34	1090	756,291	877	80.0	77.3-82.7	59	5.7	4.1- 7.3	2	0.1	0.0- 0.3	2	0.3	0.0- 0.7				150	14.0	11.6-16.4
35-44	1288	742,215	1038	80.9	78.5-83.3	55	4.3	3.1- 5.5	2	0.1	0.0- 0.3							193	14.7	12.5-16.9
45-54	1957	769,187	1616	82.6	80.6-84.6	76	3.9	2.9- 4.9	1	0.1	0.0- 0.3							264	13.3	11.5-15.1
55-64	2804	807,893	2358	83.7	82.1-85.3	97	4.0	3.0- 5.0	2	0.0	0.0- 0.0				1	0.0	0.0- 0.0	346	12.2	10.8-13.6
65+	4956	951,091	4159	83.6	82.2-85.0	255	5.3	4.5- 6.1	1	0.0	0.0- 0.0	2	0.0	0.0- 0.0				539	11.0	9.8-12.2
Less Than H.S.	932	566,458	674	72.8	69.1-76.5	75	7.9	5.4-10.4	2	0.1	0.0- 0.3				1	0.1	0.0- 0.3	180	19.1	15.8-22.4
H.S. or G.E.D.	4188	1,554,986	3434	81.7	80.1-83.3	236	5.7	4.7- 6.7	3	0.1	0.0- 0.3	2	0.0	0.0- 0.0				513	12.5	11.1-13.9
Some Post-H.S.	3230	1,442,081	2713	83.4	81.8-85.0	124	3.3	2.5- 4.1	3	0.2	0.0- 0.4	1	0.1	0.0- 0.3				389	13.0	11.4-14.6
College Graduate	4343	1,065,709	3696	84.7	83.3-86.1	127	2.5	1.9- 3.1	2	0.0	0.0- 0.0	1	0.0	0.0- 0.0				517	12.7	11.3-14.1
Less than \$15,000	1110	409,073	847	74.1	70.4-77.8	72	7.3	5.1- 9.5	3	0.2	0.0- 0.6	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	186	18.2	15.1-21.3
\$15,000- 24,999	2051	735,869	1653	79.7	77.2-82.2	113	6.0	4.4- 7.6	2	0.2	0.0- 0.4							283	14.2	12.0-16.4
\$25,000- 34,999	1329	464,183	1086	80.8	77.9-83.7	76	4.9	3.5- 6.3										167	14.3	11.6-17.0
\$35,000- 49,999	1747	657,444	1459	82.5	80.0-85.0	71	4.0	2.8- 5.2	1	0.0	0.0- 0.0	2	0.1	0.1- 0.1				214	13.5	11.1-15.9
\$50,000- 74,999	1865	696,946	1584	84.5	82.1-86.9	71	3.9	2.7- 5.1	1	0.2	0.0- 0.6							209	11.4	9.4-13.4
\$75,000+	3265	1,220,557	2814	85.3	83.7-86.9	91	2.9	2.1- 3.7	3	0.1	0.0- 0.3	1	0.1	0.0- 0.3				356	11.6	10.2-13.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES
TABLE 14: POTATO SERVINGS PER DAY (POTADA1_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5458	2,250,612	4489	81.2	79.8-82.6	270	4.8	4.0- 5.6	7	0.1	0.0- 0.3	1	0.1	0.0- 0.3	691	13.8	12.6-15.0
White/Non-Hisp	4552	1,816,513	3809	83.4	82.0-84.8	220	4.7	3.9- 5.5	4	0.1	0.1- 0.1	1	0.1	0.0- 0.3	518	11.7	10.5-12.9
Black or Afr. Am./Non-Hisp	302	175,157	243	73.9	66.8-81.0	9	4.0	0.7- 7.3	1	0.3	0.0- 0.9				49	21.8	15.1-28.5
Oth. Race/Non-Hisp.	152	65,294	113	72.4	63.4-81.4	16	8.5	3.4-13.6	1	0.9	0.0- 2.7				22	18.3	10.3-26.3
MultiRacial/Non-Hisp.	106	30,883	87	83.4	75.2-91.6	7	5.9	1.2-10.6							12	10.7	3.6-17.8
Hispanic	233	117,848	152	65.0	57.7-72.3	10	3.7	1.3- 6.1	1	0.3	0.0- 0.9				70	31.1	24.0-38.2
18-24	354	315,470	272	77.0	71.9-82.1	10	2.3	0.7- 3.9	1	0.2	0.0- 0.6				71	20.5	15.6-25.4
25-34	539	380,446	423	78.6	74.5-82.7	34	7.4	4.5-10.3	2	0.2	0.0- 0.6	1	0.4	0.0- 1.2	79	13.4	10.3-16.5
35-44	564	364,828	452	81.2	77.7-84.7	26	4.0	2.4- 5.6							86	14.9	11.6-18.2
45-54	874	381,882	718	82.9	80.0-85.8	40	4.4	2.8- 6.0	1	0.2	0.0- 0.6				115	12.6	10.1-15.1
55-64	1290	392,841	1085	83.2	80.7-85.7	52	4.6	3.2- 6.0	2	0.1	0.1- 0.1				151	12.1	9.9-14.3
65+	1837	415,145	1539	83.6	81.4-85.8	108	5.4	4.2- 6.6	1	0.1	0.0- 0.3				189	10.9	8.9-12.9
Less Than H.S.	387	282,538	269	73.8	68.3-79.3	32	7.2	3.9-10.5							86	19.0	14.3-23.7
H.S. or G.E.D.	1727	777,339	1391	80.2	77.8-82.6	116	6.5	5.1- 7.9	3	0.2	0.0- 0.4				217	13.1	11.1-15.1
Some Post-H.S.	1338	663,296	1120	82.8	80.3-85.3	54	3.0	2.0- 4.0	2	0.1	0.0- 0.3	1	0.3	0.0- 0.9	161	13.8	11.4-16.2
College Graduate	1991	522,524	1696	84.9	82.9-86.9	68	3.1	2.1- 4.1	2	0.0	0.0- 0.0				225	12.0	10.2-13.8
Less than \$15,000	379	162,099	283	72.9	67.2-78.6	33	8.6	4.9-12.3	2	0.5	0.0- 1.3				61	18.0	13.1-22.9
\$15,000- 24,999	772	329,374	599	77.0	73.1-80.9	50	6.2	4.0- 8.4	1	0.2	0.0- 0.6				122	16.6	13.3-19.9
\$25,000- 34,999	518	209,693	421	80.9	76.4-85.4	33	5.5	3.1- 7.9							64	13.6	9.5-17.7
\$35,000- 49,999	820	346,001	677	81.0	77.3-84.7	38	4.9	3.1- 6.7	1	0.0	0.0- 0.0				104	14.1	10.6-17.6
\$50,000- 74,999	861	355,245	730	84.3	81.0-87.6	37	3.9	2.3- 5.5							94	11.8	8.9-14.7
\$75,000+	1689	671,950	1456	84.8	82.4-87.2	58	3.6	2.2- 5.0	3	0.1	0.0- 0.3	1	0.3	0.0- 0.7	171	11.2	9.2-13.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES
TABLE 15: POTATO SERVINGS PER DAY (POTADA1_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7262	2,386,358	6050	82.4	81.2-83.6	292	4.2	3.6- 4.8	3	0.1	0.0- 0.3	3	0.0	0.0- 0.0	1	0.0	0.0- 0.0	913	13.2	12.0-14.4
White/Non-Hisp	6166	1,942,962	5194	83.8	82.4-85.2	255	4.4	3.6- 5.2	1	0.1	0.0- 0.3	3	0.0	0.0- 0.0	1	0.0	0.0- 0.0	712	11.7	10.5-12.9
Black or Afr. Am./Non-Hisp	518	202,749	416	77.5	72.2-82.8	17	5.3	2.6- 8.0										85	17.2	12.3-22.1
Oth. Race/Non-Hisp.	109	47,986	85	77.0	64.1-89.9	6	1.0	0.0- 2.0										18	22.0	9.1-34.9
MultiRacial/Non-Hisp.	89	26,020	65	76.3	65.7-86.9	6	4.9	0.6- 9.2										18	18.8	9.0-28.6
Hispanic	286	135,777	215	75.2	69.3-81.1	6	1.5	0.1- 2.9	2	0.4	0.0- 1.0							63	23.0	17.3-28.7
18-24	271	294,824	219	81.2	75.7-86.7	10	4.8	1.5- 8.1	1	0.5	0.0- 1.5							41	13.5	9.0-18.0
25-34	551	375,844	454	81.4	77.7-85.1	25	3.9	2.3- 5.5				1	0.1	0.0- 0.3				71	14.6	11.1-18.1
35-44	724	377,387	586	80.7	77.4-84.0	29	4.6	2.6- 6.6	2	0.1	0.0- 0.3							107	14.6	11.7-17.5
45-54	1083	387,305	898	82.4	79.7-85.1	36	3.5	2.1- 4.9										149	14.1	11.6-16.6
55-64	1514	415,052	1273	84.2	82.0-86.4	45	3.4	2.2- 4.6						1	0.1	0.0- 0.3		195	12.4	10.4-14.4
65+	3119	535,946	2620	83.6	82.0-85.2	147	5.2	4.2- 6.2				2	0.1	0.0- 0.3				350	11.1	9.7-12.5
Less Than H.S.	545	283,920	405	71.9	66.6-77.2	43	8.6	4.9-12.3	2	0.2	0.0- 0.6				1	0.1	0.0- 0.3	94	19.1	14.6-23.6
H.S. or G.E.D.	2461	777,647	2043	83.2	81.2-85.2	120	4.9	3.7- 6.1				2	0.1	0.0- 0.3				296	11.8	10.0-13.6
Some Post-H.S.	1892	778,784	1593	84.0	81.8-86.2	70	3.6	2.6- 4.6	1	0.2	0.0- 0.6							228	12.3	10.3-14.3
College Graduate	2352	543,185	2000	84.6	82.6-86.6	59	2.0	1.4- 2.6				1	0.0	0.0- 0.0				292	13.4	11.4-15.4
Less than \$15,000	731	246,974	564	74.9	70.2-79.6	39	6.4	3.7- 9.1	1	0.0	0.0- 0.0	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	125	18.4	14.1-22.7
\$15,000- 24,999	1279	406,495	1054	81.9	78.8-85.0	63	5.8	3.6- 8.0	1	0.1	0.0- 0.3							161	12.2	9.7-14.7
\$25,000- 34,999	811	254,491	665	80.8	76.9-84.7	43	4.4	2.8- 6.0										103	14.9	11.2-18.6
\$35,000- 49,999	927	311,443	782	84.1	80.8-87.4	33	3.0	1.8- 4.2				2	0.1	0.0- 0.3				110	12.8	9.7-15.9
\$50,000- 74,999	1004	341,700	854	84.7	81.6-87.8	34	3.9	2.3- 5.5	1	0.4	0.0- 1.2							115	11.0	8.3-13.7
\$75,000+	1576	548,607	1358	86.0	83.8-88.2	33	2.0	1.2- 2.8										185	12.1	10.1-14.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 16: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	12674	4,621,477	5845	47.5	46.3-48.7	6070	45.7	44.5-46.9	338	3.0	2.6- 3.4	88	0.5	0.3- 0.7	2	0.0	0.0- 0.0	331	3.2	2.8- 3.6
Male	5429	2,243,314	2878	53.0	51.2-54.8	2238	40.5	38.7-42.3	106	2.3	1.7- 2.9	27	0.4	0.2- 0.6	1	0.0	0.0- 0.0	179	3.8	3.2- 4.4
Female	7245	2,378,164	2967	42.3	40.7-43.9	3832	50.7	49.1-52.3	232	3.7	3.1- 4.3	61	0.7	0.5- 0.9	1	0.0	0.0- 0.0	152	2.6	2.0- 3.2
White/Non-Hisp	10698	3,750,034	4858	46.5	45.1-47.9	5241	47.3	45.9-48.7	282	3.1	2.7- 3.5	75	0.5	0.3- 0.7	2	0.0	0.0- 0.0	240	2.7	2.3- 3.1
Black or Afr. Am./Non-Hisp	814	374,764	406	49.3	44.6-54.0	354	41.5	37.0-46.0	20	3.4	1.6- 5.2	5	1.0	0.2- 1.8				29	4.9	2.5- 7.3
Oth. Race/Non-Hisp.	256	111,298	101	40.5	32.3-48.7	129	48.9	40.7-57.1	15	6.6	2.5-10.7	2	0.9	0.0- 2.3				9	3.1	0.4- 5.8
MultiRacial/Non-Hisp.	194	56,680	76	40.5	31.7-49.3	95	48.5	39.5-57.5	7	2.6	0.4- 4.8	2	0.8	0.0- 2.0				14	7.7	3.4-12.0
Hispanic	513	254,450	323	65.1	60.2-70.0	144	26.5	21.8-31.2	10	1.5	0.5- 2.5	2	0.2	0.0- 0.4				34	6.8	4.3- 9.3
18-24	624	612,180	347	54.2	49.7-58.7	226	37.2	32.9-41.5	20	3.6	1.8- 5.4	1	0.2	0.0- 0.6				30	4.9	2.9- 6.9
25-34	1085	753,926	507	45.6	42.3-48.9	485	45.2	41.9-48.5	48	4.7	3.3- 6.1	8	0.6	0.2- 1.0	1	0.1	0.0- 0.3	36	3.8	2.4- 5.2
35-44	1274	735,788	580	47.6	44.5-50.7	582	44.2	41.1-47.3	57	4.2	3.0- 5.4	10	0.5	0.1- 0.9				45	3.5	2.3- 4.7
45-54	1955	767,362	872	45.5	43.0-48.0	953	48.7	46.2-51.2	58	2.5	1.7- 3.3	15	0.6	0.2- 1.0				57	2.7	1.9- 3.5
55-64	2788	803,235	1299	46.9	44.7-49.1	1326	46.9	44.7-49.1	67	2.4	1.8- 3.0	22	0.7	0.3- 1.1	1	0.0	0.0- 0.0	73	3.0	2.2- 3.8
65+	4948	948,986	2240	46.7	44.9-48.5	2498	49.5	47.7-51.3	88	1.5	1.1- 1.9	32	0.6	0.4- 0.8				90	1.7	1.3- 2.1
Less Than H.S.	929	565,665	486	52.9	48.6-57.2	356	37.6	33.5-41.7	13	1.6	0.6- 2.6	3	0.2	0.0- 0.4				71	7.8	5.6-10.0
H.S. or G.E.D.	4158	1,546,984	2084	50.7	48.7-52.7	1822	42.2	40.2-44.2	78	2.5	1.7- 3.3	19	0.5	0.3- 0.7				155	4.1	3.3- 4.9
Some Post-H.S.	3220	1,435,896	1469	46.0	43.8-48.2	1572	48.2	46.0-50.4	99	3.6	2.8- 4.4	16	0.3	0.1- 0.5	1	0.1	0.0- 0.3	63	1.8	1.2- 2.4
College Graduate	4337	1,063,446	1795	42.1	40.1-44.1	2302	51.8	49.8-53.8	148	3.9	3.1- 4.7	50	1.2	0.8- 1.6	1	0.0	0.0- 0.0	41	1.0	0.6- 1.4
Less than \$15,000	1108	407,605	558	54.1	50.2-58.0	435	35.6	31.9-39.3	35	2.8	1.6- 4.0	8	0.7	0.1- 1.3	1	0.1	0.0- 0.3	71	6.7	4.7- 8.7
\$15,000- 24,999	2042	734,022	1030	50.6	47.7-53.5	889	42.2	39.3-45.1	40	2.4	1.4- 3.4	8	0.3	0.1- 0.5				75	4.5	3.1- 5.9
\$25,000- 34,999	1330	463,970	637	48.9	45.2-52.6	620	43.9	40.4-47.4	27	2.8	1.6- 4.0	6	0.5	0.1- 0.9				40	4.0	2.4- 5.6
\$35,000- 49,999	1728	651,812	833	48.5	45.2-51.8	794	43.7	40.6-46.8	47	3.7	2.3- 5.1	10	0.3	0.1- 0.5				44	3.7	2.3- 5.1
\$50,000- 74,999	1857	693,209	816	45.7	42.6-48.8	954	49.0	45.9-52.1	46	2.8	1.6- 4.0	20	0.8	0.4- 1.2	1	0.1	0.0- 0.3	20	1.5	0.5- 2.5
\$75,000+	3259	1,216,523	1370	43.9	41.7-46.1	1717	50.8	48.6-53.0	104	3.3	2.5- 4.1	27	0.7	0.5- 0.9				41	1.4	0.8- 2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 17: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5429	2,243,314	2878	53.0	51.2-54.8	2238	40.5	38.7-42.3	106	2.3	1.7- 2.9	27	0.4	0.2- 0.6	1	0.0	0.0- 0.0	179	3.8	3.2- 4.4
White/Non-Hisp	4537	1,813,910	2402	52.5	50.5-54.5	1903	41.5	39.5-43.5	81	2.3	1.7- 2.9	22	0.4	0.2- 0.6	1	0.0	0.0- 0.0	128	3.3	2.5- 4.1
Black or Afr. Am./Non-Hisp	296	171,145	167	54.9	47.6-62.2	108	35.6	28.7-42.5	7	2.8	0.4- 5.2	2	1.0	0.0- 2.4				12	5.7	2.0- 9.4
Oth. Race/Non-Hisp.	148	63,660	67	45.5	35.3-55.7	62	42.4	32.4-52.4	11	7.8	2.7-12.9	2	1.6	0.0- 3.8				6	2.7	0.0- 5.4
MultiRacial/Non-Hisp.	105	30,778	44	40.5	28.9-52.1	45	45.9	34.3-57.5	4	2.7	0.0- 5.8	1	1.1	0.0- 3.3				11	9.9	3.4-16.4
Hispanic	232	119,655	147	65.8	58.4-73.2	63	25.4	18.3-32.5	2	0.7	0.0- 1.7							20	8.2	4.1-12.3
18-24	354	316,930	202	56.6	50.7-62.5	118	33.2	27.5-38.9	12	4.2	1.7- 6.7	1	0.3	0.0- 0.9				21	5.7	3.2- 8.2
25-34	538	379,970	286	50.7	45.8-55.6	205	40.1	35.4-44.8	24	4.4	2.4- 6.4	2	0.2	0.0- 0.6				21	4.6	2.4- 6.8
35-44	556	360,336	298	54.1	49.2-59.0	214	39.5	34.8-44.2	16	2.0	1.0- 3.0	3	0.4	0.0- 0.8				25	4.0	2.2- 5.8
45-54	870	379,920	439	50.2	46.3-54.1	377	44.6	40.7-48.5	13	1.3	0.5- 2.1	7	0.6	0.0- 1.2				34	3.3	1.9- 4.7
55-64	1281	390,895	688	53.2	49.9-56.5	532	41.4	38.3-44.5	17	1.3	0.5- 2.1	6	0.6	0.2- 1.0	1	0.1	0.0- 0.3	37	3.4	2.2- 4.6
65+	1830	415,262	965	53.6	50.9-56.3	792	42.6	39.9-45.3	24	1.2	0.6- 1.8	8	0.5	0.1- 0.9				41	2.2	1.4- 3.0
Less Than H.S.	387	281,933	218	55.8	49.5-62.1	126	34.5	28.6-40.4	6	1.5	0.1- 2.9							37	8.2	5.1-11.3
H.S. or G.E.D.	1710	772,924	952	54.7	51.8-57.6	643	38.3	35.4-41.2	28	2.0	1.0- 3.0	9	0.5	0.1- 0.9				78	4.5	3.3- 5.7
Some Post-H.S.	1334	662,186	712	52.2	48.9-55.5	551	42.2	38.9-45.5	26	2.4	1.2- 3.6	4	0.3	0.1- 0.5				41	3.0	1.8- 4.2
College Graduate	1982	519,816	990	50.1	47.4-52.8	909	44.3	41.6-47.0	46	3.3	2.1- 4.5	14	0.8	0.2- 1.4	1	0.1	0.0- 0.3	22	1.4	0.8- 2.0
Less than \$15,000	377	160,425	203	56.2	49.7-62.7	128	33.0	26.9-39.1	13	2.7	0.9- 4.5	2	0.7	0.0- 2.1	1	0.2	0.0- 0.6	30	7.1	4.2-10.0
\$15,000- 24,999	764	327,607	444	58.3	53.8-62.8	268	34.1	29.8-38.4	15	2.4	1.0- 3.8	3	0.4	0.0- 0.8				34	4.9	2.9- 6.9
\$25,000- 34,999	522	211,366	286	54.9	49.4-60.4	200	35.7	30.4-41.0	6	1.8	0.2- 3.4	3	0.6	0.0- 1.4				27	7.0	3.9-10.1
\$35,000- 49,999	807	342,913	448	52.9	48.2-57.6	314	39.5	35.0-44.0	15	2.6	0.8- 4.4	4	0.3	0.0- 0.7				26	4.6	2.4- 6.8
\$50,000- 74,999	857	352,485	446	52.8	48.5-57.1	380	43.6	39.3-47.9	14	2.0	0.4- 3.6	5	0.4	0.0- 0.8				12	1.2	0.2- 2.2
\$75,000+	1686	671,076	846	51.0	47.9-54.1	772	44.4	41.5-47.3	32	2.2	1.2- 3.2	9	0.4	0.0- 0.8				27	1.9	0.9- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 18: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7245	2,378,164	2967	42.3	40.7-43.9	3832	50.7	49.1-52.3	232	3.7	3.1- 4.3	61	0.7	0.5- 0.9	1	0.0	0.0- 0.0	152	2.6	2.0- 3.2
White/Non-Hisp	6161	1,936,124	2456	40.8	39.0-42.6	3338	52.6	50.8-54.4	201	3.8	3.2- 4.4	53	0.7	0.5- 0.9	1	0.0	0.0- 0.0	112	2.1	1.5- 2.7
Black or Afr. Am./Non-Hisp	518	203,619	239	44.5	38.6-50.4	246	46.6	40.7-52.5	13	3.9	1.4- 6.4	3	0.9	0.0- 1.9				17	4.1	1.2- 7.0
Oth. Race/Non-Hisp.	108	47,639	34	33.7	20.0-47.4	67	57.7	43.6-71.8	4	5.0	0.0-11.5							3	3.7	0.0- 9.2
MultiRacial/Non-Hisp.	89	25,903	32	40.5	27.0-54.0	50	51.6	37.9-65.3	3	2.4	0.0- 5.5	1	0.4	0.0- 1.2				3	5.1	0.0-10.8
Hispanic	281	134,795	176	64.5	57.8-71.2	81	27.5	21.2-33.8	8	2.2	0.4- 4.0	2	0.3	0.0- 0.9				14	5.5	2.4- 8.6
18-24	270	295,250	145	51.5	44.6-58.4	108	41.6	34.9-48.3	8	2.9	0.5- 5.3							9	3.9	1.2- 6.6
25-34	547	373,955	221	40.4	35.7-45.1	280	50.4	45.7-55.1	24	5.0	2.8- 7.2	6	0.9	0.1- 1.7	1	0.2	0.0- 0.6	15	3.1	1.3- 4.9
35-44	718	375,452	282	41.4	37.3-45.5	368	48.7	44.6-52.8	41	6.3	4.3- 8.3	7	0.7	0.1- 1.3				20	2.9	1.3- 4.5
45-54	1085	387,442	433	40.9	37.6-44.2	576	52.7	49.2-56.2	45	3.7	2.5- 4.9	8	0.6	0.2- 1.0				23	2.2	1.2- 3.2
55-64	1507	412,341	611	40.9	38.0-43.8	794	52.1	49.2-55.0	50	3.4	2.2- 4.6	16	0.8	0.4- 1.2				36	2.7	1.7- 3.7
65+	3118	533,724	1275	41.3	39.1-43.5	1706	54.9	52.7-57.1	64	1.6	1.2- 2.0	24	0.7	0.3- 1.1				49	1.4	1.0- 1.8
Less Than H.S.	542	283,732	268	49.9	44.2-55.6	230	40.6	34.9-46.3	7	1.7	0.3- 3.1	3	0.3	0.0- 0.7				34	7.5	4.2-10.8
H.S. or G.E.D.	2448	774,060	1132	46.7	44.0-49.4	1179	46.1	43.4-48.8	50	3.0	2.0- 4.0	10	0.4	0.0- 0.8				77	3.8	2.6- 5.0
Some Post-H.S.	1886	773,709	757	40.7	37.8-43.6	1021	53.3	50.4-56.2	73	4.6	3.4- 5.8	12	0.4	0.2- 0.6	1	0.1	0.0- 0.3	22	0.9	0.5- 1.3
College Graduate	2355	543,631	805	34.4	31.9-36.9	1393	58.9	56.4-61.4	102	4.6	3.4- 5.8	36	1.6	1.0- 2.2				19	0.6	0.2- 1.0
Less than \$15,000	731	247,179	355	52.8	47.7-57.9	307	37.3	32.4-42.2	22	2.8	1.2- 4.4	6	0.8	0.0- 1.6				41	6.3	3.6- 9.0
\$15,000- 24,999	1278	406,415	586	44.4	40.5-48.3	621	48.8	44.9-52.7	25	2.4	1.0- 3.8	5	0.2	0.0- 0.4				41	4.2	2.6- 5.8
\$25,000- 34,999	808	252,604	351	43.8	39.1-48.5	420	50.7	46.0-55.4	21	3.7	1.9- 5.5	3	0.3	0.0- 0.7				13	1.5	0.5- 2.5
\$35,000- 49,999	921	308,899	385	43.6	39.1-48.1	480	48.4	43.9-52.9	32	5.0	2.6- 7.4	6	0.3	0.1- 0.5				18	2.7	0.7- 4.7
\$50,000- 74,999	1000	340,723	370	38.4	34.1-42.7	574	54.6	50.3-58.9	32	3.6	2.0- 5.2	15	1.3	0.5- 2.1	1	0.2	0.0- 0.6	8	1.8	0.0- 3.6
\$75,000+	1573	545,446	524	35.1	32.0-38.2	945	58.6	55.5-61.7	72	4.6	3.2- 6.0	18	0.9	0.5- 1.3				14	0.7	0.3- 1.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 13: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	155
2	MALES ONLY	156
3	FEMALES ONLY	157

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	12708	4,621,009	8797	70.2	69.2-71.2	3911	29.8	28.8-30.8
Male	5450	2,242,092	3925	72.1	70.5-73.7	1525	27.9	26.3-29.5
Female	7258	2,378,917	4872	68.4	67.0-69.8	2386	31.6	30.2-33.0
White/Non-Hisp	10719	3,744,328	7476	71.1	69.9-72.3	3243	28.9	27.7-30.1
Black or Afr. Am./Non-Hisp	815	376,857	525	65.7	61.4-70.0	290	34.3	30.0-38.6
Oth. Race/Non-Hisp.	253	110,322	180	75.7	68.1-83.3	73	24.3	16.7-31.9
MultiRacial/Non-Hisp.	195	56,778	138	69.4	61.2-77.6	57	30.6	22.4-38.8
Hispanic	519	256,591	341	64.1	59.0-69.2	178	35.9	30.8-41.0
18-24	620	605,224	490	77.5	73.6-81.4	130	22.5	18.6-26.4
25-34	1084	753,811	821	74.9	72.0-77.8	263	25.1	22.2-28.0
35-44	1274	737,388	931	71.0	68.1-73.9	343	29.0	26.1-31.9
45-54	1955	766,201	1385	68.7	66.2-71.2	570	31.3	28.8-33.8
55-64	2790	803,382	1895	67.2	65.0-69.4	895	32.8	30.6-35.0
65+	4985	955,004	3275	65.1	63.5-66.7	1710	34.9	33.3-36.5
Less Than H.S.	928	563,967	482	54.7	50.6-58.8	446	45.3	41.2-49.4
H.S. or G.E.D.	4197	1,552,789	2535	65.2	63.4-67.0	1662	34.8	33.0-36.6
Some Post-H.S.	3223	1,433,372	2243	72.1	70.1-74.1	980	27.9	25.9-29.9
College Graduate	4330	1,061,395	3520	83.3	81.9-84.7	810	16.7	15.3-18.1
Less than \$15,000	1113	407,009	599	56.6	52.7-60.5	514	43.4	39.5-47.3
\$15,000- 24,999	2050	732,802	1161	59.8	56.9-62.7	889	40.2	37.3-43.1
\$25,000- 34,999	1331	466,131	849	65.5	62.0-69.0	482	34.5	31.0-38.0
\$35,000- 49,999	1737	655,539	1213	70.1	67.2-73.0	524	29.9	27.0-32.8
\$50,000- 74,999	1852	690,210	1399	75.3	72.6-78.0	453	24.7	22.0-27.4
\$75,000+	3244	1,211,589	2671	81.5	79.7-83.3	573	18.5	16.7-20.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5450	2,242,092	3925	72.1	70.5-73.7	1525	27.9	26.3-29.5
White/Non-Hisp	4548	1,808,455	3303	72.6	70.8-74.4	1245	27.4	25.6-29.2
Black or Afr. Am./Non-Hisp	302	174,706	213	73.9	67.8-80.0	89	26.1	20.0-32.2
Oth. Race/Non-Hisp.	145	62,644	104	81.4	74.7-88.1	41	18.6	11.9-25.3
MultiRacial/Non-Hisp.	105	30,680	73	65.1	53.5-76.7	32	34.9	23.3-46.5
Hispanic	237	121,134	156	63.3	55.7-70.9	81	36.7	29.1-44.3
18-24	350	311,012	280	78.3	73.2-83.4	70	21.7	16.6-26.8
25-34	540	381,469	425	77.3	73.2-81.4	115	22.7	18.6-26.8
35-44	558	362,528	407	71.0	66.5-75.5	151	29.0	24.5-33.5
45-54	872	379,010	635	70.6	67.1-74.1	237	29.4	25.9-32.9
55-64	1284	391,299	891	68.5	65.4-71.6	393	31.5	28.4-34.6
65+	1846	416,774	1287	68.6	66.1-71.1	559	31.4	28.9-33.9
Less Than H.S.	384	279,325	209	55.1	48.8-61.4	175	44.9	38.6-51.2
H.S. or G.E.D.	1730	776,724	1114	68.0	65.3-70.7	616	32.0	29.3-34.7
Some Post-H.S.	1332	658,333	962	75.1	72.4-77.8	370	24.9	22.2-27.6
College Graduate	1988	521,256	1631	83.5	81.5-85.5	357	16.5	14.5-18.5
Less than \$15,000	382	161,097	222	59.1	52.8-65.4	160	40.9	34.6-47.2
\$15,000- 24,999	772	328,508	476	63.7	59.4-68.0	296	36.3	32.0-40.6
\$25,000- 34,999	524	213,473	336	65.2	59.9-70.5	188	34.8	29.5-40.1
\$35,000- 49,999	814	344,625	564	69.7	65.4-74.0	250	30.3	26.0-34.6
\$50,000- 74,999	857	350,968	637	73.8	69.9-77.7	220	26.2	22.3-30.1
\$75,000+	1680	667,903	1396	82.5	80.1-84.9	284	17.5	15.1-19.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7258	2,378,917	4872	68.4	67.0-69.8	2386	31.6	30.2-33.0
White/Non-Hisp	6171	1,935,873	4173	69.8	68.2-71.4	1998	30.2	28.6-31.8
Black or Afr. Am./Non-Hisp	513	202,151	312	58.5	52.6-64.4	201	41.5	35.6-47.4
Oth. Race/Non-Hisp.	108	47,678	76	68.1	53.8-82.4	32	31.9	17.6-46.2
MultiRacial/Non-Hisp.	90	26,098	65	74.4	63.0-85.8	25	25.6	14.2-37.0
Hispanic	282	135,457	185	64.9	58.0-71.8	97	35.1	28.2-42.0
18-24	270	294,211	210	76.7	71.0-82.4	60	23.3	17.6-29.0
25-34	544	372,342	396	72.4	68.1-76.7	148	27.6	23.3-31.9
35-44	716	374,859	524	70.9	67.0-74.8	192	29.1	25.2-33.0
45-54	1083	387,191	750	66.8	63.5-70.1	333	33.2	29.9-36.5
55-64	1506	412,084	1004	66.0	63.1-68.9	502	34.0	31.1-36.9
65+	3139	538,230	1988	62.4	60.2-64.6	1151	37.6	35.4-39.8
Less Than H.S.	544	284,642	273	54.4	48.7-60.1	271	45.6	39.9-51.3
H.S. or G.E.D.	2467	776,064	1421	62.3	59.8-64.8	1046	37.7	35.2-40.2
Some Post-H.S.	1891	775,039	1281	69.5	66.8-72.2	610	30.5	27.8-33.2
College Graduate	2342	540,140	1889	83.0	81.0-85.0	453	17.0	15.0-19.0
Less than \$15,000	731	245,912	377	54.9	49.8-60.0	354	45.1	40.0-50.2
\$15,000- 24,999	1278	404,293	685	56.6	52.9-60.3	593	43.4	39.7-47.1
\$25,000- 34,999	807	252,658	513	65.8	61.3-70.3	294	34.2	29.7-38.7
\$35,000- 49,999	923	310,914	649	70.6	66.5-74.7	274	29.4	25.3-33.5
\$50,000- 74,999	995	339,242	762	76.9	73.4-80.4	233	23.1	19.6-26.6
\$75,000+	1564	543,686	1275	80.3	77.8-82.8	289	19.7	17.2-22.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 14: SEATBELT USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	159
2	MALES ONLY	160
3	FEMALES ONLY	161
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	162
5	MALES ONLY	163
6	FEMALES ONLY	164

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 14: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	12558	4,557,965	11931	93.3	92.7-93.9	627	6.7	6.1- 7.3
Male	5388	2,217,347	4995	90.8	89.6-92.0	393	9.2	8.0-10.4
Female	7170	2,340,618	6936	95.7	94.9-96.5	234	4.3	3.5- 5.1
White/Non-Hisp	10604	3,702,010	10083	93.4	92.6-94.2	521	6.6	5.8- 7.4
Black or Afr. Am./Non-Hisp	798	365,994	753	92.7	90.0-95.4	45	7.3	4.6-10.0
Oth. Race/Non-Hisp.	249	106,975	227	88.5	82.2-94.8	22	11.5	5.2-17.8
MultiRacial/Non-Hisp.	191	54,694	177	89.9	84.0-95.8	14	10.1	4.2-16.0
Hispanic	510	252,296	491	95.6	93.2-98.0	19	4.4	2.0- 6.8
18-24	608	592,425	559	90.7	88.0-93.4	49	9.3	6.6-12.0
25-34	1060	738,246	976	90.9	88.9-92.9	84	9.1	7.1-11.1
35-44	1267	733,349	1189	92.1	90.3-93.9	78	7.9	6.1- 9.7
45-54	1931	756,028	1837	94.3	92.9-95.7	94	5.7	4.3- 7.1
55-64	2762	793,555	2630	94.9	93.9-95.9	132	5.1	4.1- 6.1
65+	4930	944,361	4740	95.7	94.9-96.5	190	4.3	3.5- 5.1
Less Than H.S.	906	549,370	840	91.7	89.2-94.2	66	8.3	5.8-10.8
H.S. or G.E.D.	4133	1,525,449	3880	92.3	91.1-93.5	253	7.7	6.5- 8.9
Some Post-H.S.	3196	1,423,499	3009	92.4	91.2-93.6	187	7.6	6.4- 8.8
College Graduate	4294	1,050,225	4175	96.9	96.3-97.5	119	3.1	2.5- 3.7
Less than \$15,000	1098	398,125	1033	93.0	90.8-95.2	65	7.0	4.8- 9.2
\$15,000- 24,999	2027	722,309	1894	91.9	90.1-93.7	133	8.1	6.3- 9.9
\$25,000- 34,999	1312	457,793	1236	93.0	91.0-95.0	76	7.0	5.0- 9.0
\$35,000- 49,999	1717	647,160	1632	92.9	90.9-94.9	85	7.1	5.1- 9.1
\$50,000- 74,999	1833	683,451	1754	93.3	91.5-95.1	79	6.7	4.9- 8.5
\$75,000+	3219	1,202,481	3084	94.1	92.9-95.3	135	5.9	4.7- 7.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 14: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5388	2,217,347	4995	90.8	89.6-92.0	393	9.2	8.0-10.4
White/Non-Hisp	4502	1,792,545	4167	90.3	89.1-91.5	335	9.7	8.5-10.9
Black or Afr. Am./Non-Hisp	294	170,037	274	91.8	87.7-95.9	20	8.2	4.1-12.3
Oth. Race/Non-Hisp.	145	62,095	132	92.3	87.4-97.2	13	7.7	2.8-12.6
MultiRacial/Non-Hisp.	101	28,596	91	84.4	74.6-94.2	10	15.6	5.8-25.4
Hispanic	233	119,587	222	95.1	91.4-98.8	11	4.9	1.2- 8.6
18-24	345	307,201	309	87.6	83.3-91.9	36	12.4	8.1-16.7
25-34	530	376,770	479	89.0	85.9-92.1	51	11.0	7.9-14.1
35-44	555	359,865	506	89.0	85.9-92.1	49	11.0	7.9-14.1
45-54	860	373,698	801	92.1	89.9-94.3	59	7.9	5.7-10.1
55-64	1272	386,131	1181	92.3	90.5-94.1	91	7.7	5.9- 9.5
65+	1826	413,683	1719	93.7	92.3-95.1	107	6.3	4.9- 7.7
Less Than H.S.	378	275,460	341	90.4	86.5-94.3	37	9.6	5.7-13.5
H.S. or G.E.D.	1706	766,552	1547	89.1	87.1-91.1	159	10.9	8.9-12.9
Some Post-H.S.	1321	653,745	1207	89.3	87.1-91.5	114	10.7	8.5-12.9
College Graduate	1967	515,137	1886	95.4	94.2-96.6	81	4.6	3.4- 5.8
Less than \$15,000	380	159,647	345	90.6	86.9-94.3	35	9.4	5.7-13.1
\$15,000- 24,999	765	325,469	699	91.0	88.3-93.7	66	9.0	6.3-11.7
\$25,000- 34,999	516	210,253	465	89.1	85.6-92.6	51	10.9	7.4-14.4
\$35,000- 49,999	801	338,753	744	89.4	85.9-92.9	57	10.6	7.1-14.1
\$50,000- 74,999	847	348,160	787	90.4	87.5-93.3	60	9.6	6.7-12.5
\$75,000+	1667	663,632	1565	91.4	89.4-93.4	102	8.6	6.6-10.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 14: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7170	2,340,618	6936	95.7	94.9-96.5	234	4.3	3.5- 5.1
White/Non-Hisp	6102	1,909,464	5916	96.2	95.4-97.0	186	3.8	3.0- 4.6
Black or Afr. Am./Non-Hisp	504	195,957	479	93.5	89.8-97.2	25	6.5	2.8-10.2
Oth. Race/Non-Hisp.	104	44,880	95	83.2	70.1-96.3	9	16.8	3.7-29.9
MultiRacial/Non-Hisp.	90	26,098	86	95.9	90.4- 100	4	4.1	0.0- 9.6
Hispanic	277	132,709	269	96.0	92.9-99.1	8	4.0	0.9- 7.1
18-24	263	285,224	250	94.1	90.8-97.4	13	5.9	2.6- 9.2
25-34	530	361,476	497	93.0	90.5-95.5	33	7.0	4.5- 9.5
35-44	712	373,484	683	95.1	93.1-97.1	29	4.9	2.9- 6.9
45-54	1071	382,331	1036	96.5	95.1-97.9	35	3.5	2.1- 4.9
55-64	1490	407,424	1449	97.4	96.4-98.4	41	2.6	1.6- 3.6
65+	3104	530,678	3021	97.2	96.4-98.0	83	2.8	2.0- 3.6
Less Than H.S.	528	273,909	499	93.1	89.8-96.4	29	6.9	3.6-10.2
H.S. or G.E.D.	2427	758,897	2333	95.5	94.3-96.7	94	4.5	3.3- 5.7
Some Post-H.S.	1875	769,754	1802	95.0	93.6-96.4	73	5.0	3.6- 6.4
College Graduate	2327	535,089	2289	98.4	97.8-99.0	38	1.6	1.0- 2.2
Less than \$15,000	718	238,478	688	94.6	91.9-97.3	30	5.4	2.7- 8.1
\$15,000- 24,999	1262	396,840	1195	92.6	90.4-94.8	67	7.4	5.2- 9.6
\$25,000- 34,999	796	247,539	771	96.3	94.3-98.3	25	3.7	1.7- 5.7
\$35,000- 49,999	916	308,407	888	96.8	95.2-98.4	28	3.2	1.6- 4.8
\$50,000- 74,999	986	335,292	967	96.4	94.2-98.6	19	3.6	1.4- 5.8
\$75,000+	1552	538,849	1519	97.4	96.2-98.6	33	2.6	1.4- 3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 14: SEATBELT USE**

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	12558	4,557,965	11146	85.4	84.4-86.4	1412	14.6	13.6-15.6
Male	5388	2,217,347	4541	80.8	79.4-82.2	847	19.2	17.8-20.6
Female	7170	2,340,618	6605	89.8	88.6-91.0	565	10.2	9.0-11.4
White/Non-Hisp	10604	3,702,010	9420	85.3	84.3-86.3	1184	14.7	13.7-15.7
Black or Afr. Am./Non-Hisp	798	365,994	697	83.5	79.6-87.4	101	16.5	12.6-20.4
Oth. Race/Non-Hisp.	249	106,975	213	82.9	76.0-89.8	36	17.1	10.2-24.0
MultiRacial/Non-Hisp.	191	54,694	159	77.8	70.0-85.6	32	22.2	14.4-30.0
Hispanic	510	252,296	466	90.7	87.6-93.8	44	9.3	6.2-12.4
18-24	608	592,425	481	76.6	72.7-80.5	127	23.4	19.5-27.3
25-34	1060	738,246	873	80.6	77.9-83.3	187	19.4	16.7-22.1
35-44	1267	733,349	1106	84.7	82.3-87.1	161	15.3	12.9-17.7
45-54	1931	756,028	1729	88.2	86.4-90.0	202	11.8	10.0-13.6
55-64	2762	793,555	2458	88.5	87.1-89.9	304	11.5	10.1-12.9
65+	4930	944,361	4499	90.5	89.5-91.5	431	9.5	8.5-10.5
Less Than H.S.	906	549,370	789	83.6	80.1-87.1	117	16.4	12.9-19.9
H.S. or G.E.D.	4133	1,525,449	3617	83.9	82.3-85.5	516	16.1	14.5-17.7
Some Post-H.S.	3196	1,423,499	2791	84.3	82.5-86.1	405	15.7	13.9-17.5
College Graduate	4294	1,050,225	3922	90.2	89.0-91.4	372	9.8	8.6-11.0
Less than \$15,000	1098	398,125	981	87.7	84.8-90.6	117	12.3	9.4-15.2
\$15,000- 24,999	2027	722,309	1778	85.1	82.7-87.5	249	14.9	12.5-17.3
\$25,000- 34,999	1312	457,793	1157	84.2	81.3-87.1	155	15.8	12.9-18.7
\$35,000- 49,999	1717	647,160	1513	83.5	80.8-86.2	204	16.5	13.8-19.2
\$50,000- 74,999	1833	683,451	1628	85.5	83.1-87.9	205	14.5	12.1-16.9
\$75,000+	3219	1,202,481	2863	85.5	83.7-87.3	356	14.5	12.7-16.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 14: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5388	2,217,347	4541	80.8	79.4-82.2	847	19.2	17.8-20.6
White/Non-Hisp	4502	1,792,545	3785	80.0	78.4-81.6	717	20.0	18.4-21.6
Black or Afr. Am./Non-Hisp	294	170,037	246	82.3	76.8-87.8	48	17.7	12.2-23.2
Oth. Race/Non-Hisp.	145	62,095	120	83.9	76.8-91.0	25	16.1	9.0-23.2
MultiRacial/Non-Hisp.	101	28,596	79	70.8	59.2-82.4	22	29.2	17.6-40.8
Hispanic	233	119,587	209	90.1	85.4-94.8	24	9.9	5.2-14.6
18-24	345	307,201	264	73.3	67.8-78.8	81	26.7	21.2-32.2
25-34	530	376,770	418	76.8	72.7-80.9	112	23.2	19.1-27.3
35-44	555	359,865	452	78.5	74.4-82.6	103	21.5	17.4-25.6
45-54	860	373,698	733	83.5	80.6-86.4	127	16.5	13.6-19.4
55-64	1272	386,131	1074	83.7	81.2-86.2	198	16.3	13.8-18.8
65+	1826	413,683	1600	86.9	84.9-88.9	226	13.1	11.1-15.1
Less Than H.S.	378	275,460	304	78.1	72.6-83.6	74	21.9	16.4-27.4
H.S. or G.E.D.	1706	766,552	1383	77.9	75.4-80.4	323	22.1	19.6-24.6
Some Post-H.S.	1321	653,745	1095	80.0	77.3-82.7	226	20.0	17.3-22.7
College Graduate	1967	515,137	1745	87.5	85.5-89.5	222	12.5	10.5-14.5
Less than \$15,000	380	159,647	322	84.6	79.7-89.5	58	15.4	10.5-20.3
\$15,000- 24,999	765	325,469	642	82.4	78.7-86.1	123	17.6	13.9-21.3
\$25,000- 34,999	516	210,253	422	76.9	71.8-82.0	94	23.1	18.0-28.2
\$35,000- 49,999	801	338,753	675	79.2	75.1-83.3	126	20.8	16.7-24.9
\$50,000- 74,999	847	348,160	710	80.8	77.1-84.5	137	19.2	15.5-22.9
\$75,000+	1667	663,632	1415	80.9	78.4-83.4	252	19.1	16.6-21.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 14: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	7170	2,340,618	6605	89.8	88.6-91.0	565	10.2	9.0-11.4
White/Non-Hisp	6102	1,909,464	5635	90.4	89.2-91.6	467	9.6	8.4-10.8
Black or Afr. Am./Non-Hisp	504	195,957	451	84.5	79.2-89.8	53	15.5	10.2-20.8
Oth. Race/Non-Hisp.	104	44,880	93	81.5	68.4-94.6	11	18.5	5.4-31.6
MultiRacial/Non-Hisp.	90	26,098	80	85.5	75.5-95.5	10	14.5	4.5-24.5
Hispanic	277	132,709	257	91.3	87.2-95.4	20	8.7	4.6-12.8
18-24	263	285,224	217	80.2	74.5-85.9	46	19.8	14.1-25.5
25-34	530	361,476	455	84.5	81.0-88.0	75	15.5	12.0-19.0
35-44	712	373,484	654	90.7	88.2-93.2	58	9.3	6.8-11.8
45-54	1071	382,331	996	92.8	91.0-94.6	75	7.2	5.4- 9.0
55-64	1490	407,424	1384	93.1	91.5-94.7	106	6.9	5.3- 8.5
65+	3104	530,678	2899	93.3	92.1-94.5	205	6.7	5.5- 7.9
Less Than H.S.	528	273,909	485	89.1	85.0-93.2	43	10.9	6.8-15.0
H.S. or G.E.D.	2427	758,897	2234	89.9	87.9-91.9	193	10.1	8.1-12.1
Some Post-H.S.	1875	769,754	1696	87.9	85.7-90.1	179	12.1	9.9-14.3
College Graduate	2327	535,089	2177	92.9	91.3-94.5	150	7.1	5.5- 8.7
Less than \$15,000	718	238,478	659	89.7	85.8-93.6	59	10.3	6.4-14.2
\$15,000- 24,999	1262	396,840	1136	87.3	84.6-90.0	126	12.7	10.0-15.4
\$25,000- 34,999	796	247,539	735	90.4	87.3-93.5	61	9.6	6.5-12.7
\$35,000- 49,999	916	308,407	838	88.3	84.8-91.8	78	11.7	8.2-15.2
\$50,000- 74,999	986	335,292	918	90.5	87.6-93.4	68	9.5	6.6-12.4
\$75,000+	1552	538,849	1448	91.1	89.1-93.1	104	8.9	6.9-10.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 15: IMMUNIZATION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)	
1	MALES AND FEMALES	166
2	MALES ONLY	167
3	FEMALES ONLY	168
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	169
5	MALES ONLY	170
6	FEMALES ONLY	171

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4861	934,774	2757	54.5	52.7-56.3	2104	45.5	43.7-47.3
Male	1818	411,755	1023	54.1	51.4-56.8	795	45.9	43.2-48.6
Female	3043	523,019	1734	54.9	52.7-57.1	1309	45.1	42.9-47.3
White/Non-Hisp	4418	840,551	2546	55.3	53.5-57.1	1872	44.7	42.9-46.5
Black or Afr. Am./Non-Hisp	238	49,494	106	43.8	35.4-52.2	132	56.2	47.8-64.6
65+	4861	934,774	2757	54.5	52.7-56.3	2104	45.5	43.7-47.3
Less Than H.S.	342	112,091	157	47.1	40.6-53.6	185	52.9	46.4-59.4
H.S. or G.E.D.	1757	356,218	957	53.1	50.4-55.8	800	46.9	44.2-49.6
Some Post-H.S.	1149	266,846	628	53.3	50.0-56.6	521	46.7	43.4-50.0
College Graduate	1602	198,492	1010	63.1	60.4-65.8	592	36.9	34.2-39.6
Less than \$15,000	378	70,948	194	50.8	43.9-57.7	184	49.2	42.3-56.1
\$15,000- 24,999	922	176,554	487	52.2	48.1-56.3	435	47.8	43.7-51.9
\$25,000- 34,999	639	130,406	361	54.0	49.1-58.9	278	46.0	41.1-50.9
\$35,000- 49,999	813	169,300	463	55.1	51.0-59.2	350	44.9	40.8-49.0
\$50,000- 74,999	659	125,110	379	55.2	50.7-59.7	280	44.8	40.3-49.3
\$75,000+	767	137,471	477	59.6	55.3-63.9	290	40.4	36.1-44.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1818	411,755	1023	54.1	51.4-56.8	795	45.9	43.2-48.6
White/Non-Hisp	1654	368,487	939	54.4	51.5-57.3	715	45.6	42.7-48.5
Black or Afr. Am./Non-Hisp	74	20,916	35	48.7	34.2-63.2	39	51.3	36.8-65.8
65+	1818	411,755	1023	54.1	51.4-56.8	795	45.9	43.2-48.6
Less Than H.S.	109	46,880	51	47.6	36.4-58.8	58	52.4	41.2-63.6
H.S. or G.E.D.	549	143,036	296	52.4	47.5-57.3	253	47.6	42.7-52.5
Some Post-H.S.	415	113,103	221	51.0	45.5-56.5	194	49.0	43.5-54.5
College Graduate	740	108,156	452	62.5	58.6-66.4	288	37.5	33.6-41.4
Less than \$15,000	90	22,462	47	46.6	32.5-60.7	43	53.4	39.3-67.5
\$15,000- 24,999	278	69,974	142	50.3	42.9-57.7	136	49.7	42.3-57.1
\$25,000- 34,999	235	58,688	133	51.6	44.0-59.2	102	48.4	40.8-56.0
\$35,000- 49,999	354	85,410	192	53.7	47.4-60.0	162	46.3	40.0-52.6
\$50,000- 74,999	302	64,371	175	57.0	50.3-63.7	127	43.0	36.3-49.7
\$75,000+	409	79,806	250	59.5	53.8-65.2	159	40.5	34.8-46.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3043	523,019	1734	54.9	52.7-57.1	1309	45.1	42.9-47.3
White/Non-Hisp	2764	472,064	1607	56.0	53.6-58.4	1157	44.0	41.6-46.4
Black or Afr. Am./Non-Hisp	164	28,578	71	40.2	30.6-49.8	93	59.8	50.2-69.4
65+	3043	523,019	1734	54.9	52.7-57.1	1309	45.1	42.9-47.3
Less Than H.S.	233	65,211	106	46.7	38.9-54.5	127	53.3	45.5-61.1
H.S. or G.E.D.	1208	213,182	661	53.5	50.2-56.8	547	46.5	43.2-49.8
Some Post-H.S.	734	153,742	407	55.0	50.7-59.3	327	45.0	40.7-49.3
College Graduate	862	90,336	558	63.9	60.2-67.6	304	36.1	32.4-39.8
Less than \$15,000	288	48,486	147	52.7	45.3-60.1	141	47.3	39.9-54.7
\$15,000- 24,999	644	106,581	345	53.5	48.8-58.2	299	46.5	41.8-51.2
\$25,000- 34,999	404	71,718	228	55.9	49.8-62.0	176	44.1	38.0-50.2
\$35,000- 49,999	459	83,890	271	56.6	51.1-62.1	188	43.4	37.9-48.9
\$50,000- 74,999	357	60,739	204	53.2	46.9-59.5	153	46.8	40.5-53.1
\$75,000+	358	57,665	227	59.7	53.4-66.0	131	40.3	34.0-46.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4792	918,565	3617	73.8	72.2-75.4	1175	26.2	24.6-27.8
Male	1773	399,693	1311	71.8	69.3-74.3	462	28.2	25.7-30.7
Female	3019	518,872	2306	75.3	73.3-77.3	713	24.7	22.7-26.7
White/Non-Hisp	4354	826,636	3312	74.4	72.8-76.0	1042	25.6	24.0-27.2
Black or Afr. Am./Non-Hisp	235	47,762	165	69.2	61.6-76.8	70	30.8	23.2-38.4
65+	4792	918,565	3617	73.8	72.2-75.4	1175	26.2	24.6-27.8
Less Than H.S.	336	108,623	246	70.7	64.6-76.8	90	29.3	23.2-35.4
H.S. or G.E.D.	1734	350,117	1289	73.3	70.8-75.8	445	26.7	24.2-29.2
Some Post-H.S.	1135	263,081	852	73.3	70.2-76.4	283	26.7	23.6-29.8
College Graduate	1576	195,618	1224	77.0	74.6-79.4	352	23.0	20.6-25.4
Less than \$15,000	373	68,879	260	69.7	63.4-76.0	113	30.3	24.0-36.6
\$15,000- 24,999	912	175,029	683	71.9	68.0-75.8	229	28.1	24.2-32.0
\$25,000- 34,999	631	128,296	486	75.7	71.4-80.0	145	24.3	20.0-28.6
\$35,000- 49,999	800	165,833	620	75.2	71.5-78.9	180	24.8	21.1-28.5
\$50,000- 74,999	647	122,664	484	73.7	69.6-77.8	163	26.3	22.2-30.4
\$75,000+	759	136,275	589	75.5	71.6-79.4	170	24.5	20.6-28.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1773	399,693	1311	71.8	69.3-74.3	462	28.2	25.7-30.7
White/Non-Hisp	1613	358,419	1199	72.5	69.8-75.2	414	27.5	24.8-30.2
Black or Afr. Am./Non-Hisp	72	19,365	51	66.3	52.6-80.0	21	33.7	20.0-47.4
65+	1773	399,693	1311	71.8	69.3-74.3	462	28.2	25.7-30.7
Less Than H.S.	105	44,189	77	68.8	58.0-79.6	28	31.2	20.4-42.0
H.S. or G.E.D.	537	138,930	389	71.2	66.7-75.7	148	28.8	24.3-33.3
Some Post-H.S.	405	110,075	299	70.8	65.5-76.1	106	29.2	23.9-34.5
College Graduate	721	105,921	543	74.9	71.2-78.6	178	25.1	21.4-28.8
Less than \$15,000	87	20,904	59	59.3	45.4-73.2	28	40.7	26.8-54.6
\$15,000- 24,999	273	68,964	189	65.5	58.2-72.8	84	34.5	27.2-41.8
\$25,000- 34,999	228	56,709	169	72.5	65.4-79.6	59	27.5	20.4-34.6
\$35,000- 49,999	347	83,349	260	74.6	69.3-79.9	87	25.4	20.1-30.7
\$50,000- 74,999	293	62,253	225	76.3	70.4-82.2	68	23.7	17.8-29.6
\$75,000+	402	78,726	304	73.0	67.5-78.5	98	27.0	21.5-32.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3019	518,872	2306	75.3	73.3-77.3	713	24.7	22.7-26.7
White/Non-Hisp	2741	468,217	2113	75.8	73.8-77.8	628	24.2	22.2-26.2
Black or Afr. Am./Non-Hisp	163	28,398	114	71.2	62.8-79.6	49	28.8	20.4-37.2
65+	3019	518,872	2306	75.3	73.3-77.3	713	24.7	22.7-26.7
Less Than H.S.	231	64,434	169	72.0	64.7-79.3	62	28.0	20.7-35.3
H.S. or G.E.D.	1197	211,188	900	74.8	71.9-77.7	297	25.2	22.3-28.1
Some Post-H.S.	730	153,006	553	75.2	71.5-78.9	177	24.8	21.1-28.5
College Graduate	855	89,696	681	79.4	76.3-82.5	174	20.6	17.5-23.7
Less than \$15,000	286	47,975	201	74.2	67.9-80.5	85	25.8	19.5-32.1
\$15,000- 24,999	639	106,064	494	76.1	72.0-80.2	145	23.9	19.8-28.0
\$25,000- 34,999	403	71,587	317	78.2	73.1-83.3	86	21.8	16.7-26.9
\$35,000- 49,999	453	82,484	360	75.8	70.9-80.7	93	24.2	19.3-29.1
\$50,000- 74,999	354	60,410	259	71.1	65.4-76.8	95	28.9	23.2-34.6
\$75,000+	357	57,548	285	78.9	74.0-83.8	72	21.1	16.2-26.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017

SECTION 16: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	173
2	MALES ONLY	174
3	FEMALES ONLY	175

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 16: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	12239	4,433,259	3284	34.0	32.8-35.2	8955	66.0	64.8-67.2
Male	5251	2,161,597	1462	32.6	30.8-34.4	3789	67.4	65.6-69.2
Female	6988	2,271,662	1822	35.4	33.8-37.0	5166	64.6	63.0-66.2
White/Non-Hisp	10340	3,602,854	2457	30.7	29.5-31.9	7883	69.3	68.1-70.5
Black or Afr. Am./Non-Hisp	781	358,976	401	60.7	56.2-65.2	380	39.3	34.8-43.8
Oth. Race/Non-Hisp.	244	105,181	77	25.4	18.5-32.3	167	74.6	67.7-81.5
MultiRacial/Non-Hisp.	188	53,513	72	41.5	32.3-50.7	116	58.5	49.3-67.7
Hispanic	490	240,131	217	44.1	38.6-49.6	273	55.9	50.4-61.4
18-24	597	581,710	179	29.2	25.1-33.3	418	70.8	66.7-74.9
25-34	1038	719,584	530	52.5	49.0-56.0	508	47.5	44.0-51.0
35-44	1235	711,620	628	50.5	47.2-53.8	607	49.5	46.2-52.8
45-54	1863	727,091	767	42.0	39.3-44.7	1096	58.0	55.3-60.7
55-64	2688	774,745	691	25.5	23.5-27.5	1997	74.5	72.5-76.5
65+	4818	918,510	489	10.8	9.6-12.0	4329	89.2	88.0-90.4
Less Than H.S.	879	531,705	222	28.8	24.9-32.7	657	71.2	67.3-75.1
H.S. or G.E.D.	4020	1,481,520	948	32.9	30.9-34.9	3072	67.1	65.1-69.1
Some Post-H.S.	3127	1,390,339	953	37.2	35.0-39.4	2174	62.8	60.6-65.0
College Graduate	4187	1,021,343	1157	34.3	32.3-36.3	3030	65.7	63.7-67.7
Less than \$15,000	1061	384,455	399	44.1	40.0-48.2	662	55.9	51.8-60.0
\$15,000- 24,999	1990	706,324	581	39.5	36.6-42.4	1409	60.5	57.6-63.4
\$25,000- 34,999	1291	447,752	324	31.3	27.8-34.8	967	68.7	65.2-72.2
\$35,000- 49,999	1674	630,391	405	33.2	29.9-36.5	1269	66.8	63.5-70.1
\$50,000- 74,999	1795	669,117	483	34.5	31.4-37.6	1312	65.5	62.4-68.6
\$75,000+	3135	1,168,338	865	32.4	30.2-34.6	2270	67.6	65.4-69.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5251	2,161,597	1462	32.6	30.8-34.4	3789	67.4	65.6-69.2
White/Non-Hisp	4391	1,749,993	1110	29.9	28.1-31.7	3281	70.1	68.3-71.9
Black or Afr. Am./Non-Hisp	290	167,886	161	60.4	53.1-67.7	129	39.6	32.3-46.9
Oth. Race/Non-Hisp.	141	59,714	48	27.2	18.4-36.0	93	72.8	64.0-81.6
MultiRacial/Non-Hisp.	101	28,780	38	39.2	27.4-51.0	63	60.8	49.0-72.6
Hispanic	221	112,804	80	34.0	26.6-41.4	141	66.0	58.6-73.4
18-24	341	303,884	83	22.4	17.5-27.3	258	77.6	72.7-82.5
25-34	519	367,373	232	46.0	41.1-50.9	287	54.0	49.1-58.9
35-44	546	353,861	239	43.8	38.9-48.7	307	56.2	51.3-61.1
45-54	828	358,839	356	45.3	41.2-49.4	472	54.7	50.6-58.8
55-64	1239	377,852	313	25.5	22.6-28.4	926	74.5	71.6-77.4
65+	1778	399,787	239	13.4	11.4-15.4	1539	86.6	84.6-88.6
Less Than H.S.	370	270,789	102	27.7	22.0-33.4	268	72.3	66.6-78.0
H.S. or G.E.D.	1654	743,099	448	32.1	29.2-35.0	1206	67.9	65.0-70.8
Some Post-H.S.	1299	641,643	390	35.4	32.1-38.7	909	64.6	61.3-67.9
College Graduate	1915	500,682	521	32.7	30.0-35.4	1394	67.3	64.6-70.0
Less than \$15,000	369	155,415	146	39.3	32.8-45.8	223	60.7	54.2-67.2
\$15,000- 24,999	749	319,465	237	37.7	33.2-42.2	512	62.3	57.8-66.8
\$25,000- 34,999	504	203,096	136	29.3	24.0-34.6	368	70.7	65.4-76.0
\$35,000- 49,999	783	331,199	199	33.1	28.6-37.6	584	66.9	62.4-71.4
\$50,000- 74,999	825	339,844	218	33.2	28.9-37.5	607	66.8	62.5-71.1
\$75,000+	1629	647,657	441	31.6	28.7-34.5	1188	68.4	65.5-71.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6988	2,271,662	1822	35.4	33.8-37.0	5166	64.6	63.0-66.2
White/Non-Hisp	5949	1,852,861	1347	31.5	29.7-33.3	4602	68.5	66.7-70.3
Black or Afr. Am./Non-Hisp	491	191,090	240	60.9	55.2-66.6	251	39.1	33.4-44.8
Oth. Race/Non-Hisp.	103	45,467	29	23.2	12.4-34.0	74	76.8	66.0-87.6
MultiRacial/Non-Hisp.	87	24,733	34	44.3	30.0-58.6	53	55.7	41.4-70.0
Hispanic	269	127,327	137	53.1	45.8-60.4	132	46.9	39.6-54.2
18-24	256	277,826	96	36.7	30.0-43.4	160	63.3	56.6-70.0
25-34	519	352,211	298	59.3	54.4-64.2	221	40.7	35.8-45.6
35-44	689	357,759	389	57.1	52.8-61.4	300	42.9	38.6-47.2
45-54	1035	368,251	411	38.7	35.2-42.2	624	61.3	57.8-64.8
55-64	1449	396,892	378	25.5	22.8-28.2	1071	74.5	71.8-77.2
65+	3040	518,723	250	8.7	7.3-10.1	2790	91.3	89.9-92.7
Less Than H.S.	509	260,916	120	29.9	24.4-35.4	389	70.1	64.6-75.6
H.S. or G.E.D.	2366	738,421	500	33.6	30.9-36.3	1866	66.4	63.7-69.1
Some Post-H.S.	1828	748,696	563	38.7	35.8-41.6	1265	61.3	58.4-64.2
College Graduate	2272	520,662	636	35.9	33.4-38.4	1636	64.1	61.6-66.6
Less than \$15,000	692	229,040	253	47.3	42.0-52.6	439	52.7	47.4-58.0
\$15,000- 24,999	1241	386,858	344	41.0	37.1-44.9	897	59.0	55.1-62.9
\$25,000- 34,999	787	244,656	188	32.9	28.2-37.6	599	67.1	62.4-71.8
\$35,000- 49,999	891	299,193	206	33.2	28.5-37.9	685	66.8	62.1-71.5
\$50,000- 74,999	970	329,273	265	35.8	31.5-40.1	705	64.2	59.9-68.5
\$75,000+	1506	520,680	424	33.3	30.2-36.4	1082	66.7	63.6-69.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2017**

End of Calculated Variable Data Report