


INDIANA

2017 Core Variables Report

Behavioral Risk Factor Surveillance System

August 29, 2018



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|---|------|
| | WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH) | |
| 1 | MALES AND FEMALES | 3 |
| 2 | MALES ONLY | 4 |
| 3 | FEMALES ONLY | 5 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Excellent | | | Very good | | | Good | | | Fair | | | Poor | | |
|----------------------------|-------------------|-----------|-----------|------|------------|-----------|------|------------|------|------|------------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13788 | 5,090,799 | 1848 | 14.7 | 13.9-15.5 | 4292 | 31.2 | 30.2-32.2 | 4571 | 33.4 | 32.4-34.4 | 2177 | 15.0 | 14.2-15.8 | 900 | 5.6 | 5.2- 6.0 |
| Male | 5920 | 2,475,780 | 848 | 15.5 | 14.3-16.7 | 1836 | 31.1 | 29.5-32.7 | 1975 | 33.9 | 32.3-35.5 | 900 | 14.5 | 13.3-15.7 | 361 | 5.0 | 4.4- 5.6 |
| Female | 7868 | 2,615,018 | 1000 | 14.0 | 12.8-15.2 | 2456 | 31.4 | 30.0-32.8 | 2596 | 32.9 | 31.5-34.3 | 1277 | 15.5 | 14.3-16.7 | 539 | 6.1 | 5.5- 6.7 |
| White/Non-Hisp | 11542 | 4,086,126 | 1560 | 14.8 | 13.8-15.8 | 3785 | 33.2 | 32.0-34.4 | 3735 | 32.3 | 31.1-33.5 | 1754 | 14.5 | 13.7-15.3 | 708 | 5.2 | 4.6- 5.8 |
| Black or Afr. Am./Non-Hisp | 932 | 439,258 | 103 | 14.7 | 11.6-17.8 | 190 | 21.6 | 18.1-25.1 | 367 | 38.0 | 33.9-42.1 | 205 | 19.6 | 16.3-22.9 | 67 | 6.0 | 4.2- 7.8 |
| Oth. Race/Non-Hisp. | 286 | 127,532 | 49 | 17.8 | 11.9-23.7 | 83 | 32.5 | 25.2-39.8 | 84 | 30.6 | 23.5-37.7 | 38 | 10.7 | 6.0-15.4 | 32 | 8.3 | 3.6-13.0 |
| MultiRacial/Non-Hisp. | 208 | 60,858 | 27 | 10.0 | 5.7-14.3 | 53 | 25.7 | 18.3-33.1 | 64 | 35.0 | 26.4-43.6 | 35 | 15.2 | 9.3-21.1 | 29 | 14.0 | 8.1-19.9 |
| Hispanic | 581 | 287,559 | 82 | 12.7 | 9.4-16.0 | 118 | 21.4 | 17.3-25.5 | 242 | 43.5 | 38.6-48.4 | 101 | 16.8 | 13.3-20.3 | 38 | 5.6 | 3.4- 7.8 |
| 18-24 | 687 | 686,533 | 124 | 18.0 | 14.7-21.3 | 275 | 39.1 | 35.0-43.2 | 212 | 30.1 | 26.2-34.0 | 65 | 11.1 | 8.2-14.0 | 11 | 1.7 | 0.5- 2.9 |
| 25-34 | 1203 | 840,529 | 206 | 17.8 | 15.3-20.3 | 428 | 34.6 | 31.5-37.7 | 406 | 33.5 | 30.6-36.4 | 129 | 11.2 | 9.2-13.2 | 34 | 2.9 | 1.9- 3.9 |
| 35-44 | 1411 | 818,151 | 235 | 17.1 | 14.7-19.5 | 464 | 31.4 | 28.7-34.1 | 478 | 34.8 | 31.9-37.7 | 176 | 12.5 | 10.5-14.5 | 58 | 4.1 | 2.9- 5.3 |
| 45-54 | 2116 | 842,474 | 331 | 15.2 | 13.4-17.0 | 637 | 28.3 | 26.1-30.5 | 678 | 33.4 | 31.0-35.8 | 322 | 16.3 | 14.3-18.3 | 148 | 6.7 | 5.5- 7.9 |
| 55-64 | 2998 | 866,609 | 371 | 12.0 | 10.6-13.4 | 853 | 26.7 | 24.9-28.5 | 993 | 33.1 | 31.1-35.1 | 502 | 18.2 | 16.4-20.0 | 279 | 10.0 | 8.6-11.4 |
| 65+ | 5373 | 1,036,503 | 581 | 10.1 | 9.1-11.1 | 1635 | 29.3 | 27.7-30.9 | 1804 | 34.7 | 33.1-36.3 | 983 | 19.1 | 17.7-20.5 | 370 | 6.8 | 6.0- 7.6 |
| Less Than H.S. | 1062 | 645,004 | 72 | 9.3 | 6.8-11.8 | 142 | 16.8 | 13.5-20.1 | 361 | 34.9 | 31.2-38.6 | 307 | 26.2 | 22.9-29.5 | 180 | 12.8 | 10.4-15.2 |
| H.S. or G.E.D. | 4615 | 1,728,631 | 462 | 12.8 | 11.4-14.2 | 1201 | 28.4 | 26.6-30.2 | 1674 | 35.7 | 33.9-37.5 | 910 | 17.3 | 15.9-18.7 | 368 | 5.9 | 5.1- 6.7 |
| Some Post-H.S. | 3496 | 1,569,826 | 445 | 14.9 | 13.3-16.5 | 1080 | 31.9 | 29.9-33.9 | 1186 | 34.2 | 32.2-36.2 | 553 | 13.9 | 12.5-15.3 | 232 | 5.1 | 4.3- 5.9 |
| College Graduate | 4583 | 1,137,240 | 865 | 20.5 | 18.9-22.1 | 1862 | 42.8 | 41.0-44.6 | 1338 | 28.0 | 26.4-29.6 | 401 | 6.9 | 6.1- 7.7 | 117 | 1.8 | 1.4- 2.2 |
| Less than \$15,000 | 1219 | 452,818 | 81 | 7.8 | 5.6-10.0 | 165 | 16.0 | 12.9-19.1 | 383 | 32.5 | 29.0-36.0 | 348 | 27.9 | 24.6-31.2 | 242 | 15.8 | 13.3-18.3 |
| \$15,000- 24,999 | 2225 | 806,708 | 171 | 10.2 | 8.2-12.2 | 458 | 20.7 | 18.3-23.1 | 790 | 35.8 | 33.1-38.5 | 557 | 22.7 | 20.3-25.1 | 249 | 10.6 | 9.0-12.2 |
| \$25,000- 34,999 | 1426 | 508,978 | 153 | 12.6 | 10.1-15.1 | 392 | 29.5 | 26.2-32.8 | 524 | 35.5 | 32.2-38.8 | 257 | 17.2 | 14.7-19.7 | 100 | 5.2 | 3.8- 6.6 |
| \$35,000- 49,999 | 1835 | 699,497 | 200 | 13.0 | 10.6-15.4 | 625 | 32.4 | 29.5-35.3 | 642 | 33.6 | 30.7-36.5 | 271 | 16.3 | 13.8-18.8 | 97 | 4.8 | 3.6- 6.0 |
| \$50,000- 74,999 | 1954 | 739,072 | 290 | 15.9 | 13.7-18.1 | 741 | 36.5 | 33.6-39.4 | 662 | 34.6 | 31.7-37.5 | 215 | 10.8 | 9.0-12.6 | 46 | 2.2 | 1.2- 3.2 |
| \$75,000+ | 3425 | 1,296,642 | 741 | 21.6 | 19.8-23.4 | 1435 | 41.7 | 39.5-43.9 | 957 | 28.9 | 26.9-30.9 | 246 | 6.9 | 5.9- 7.9 | 46 | 0.9 | 0.5- 1.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Excellent | | | Very good | | | Good | | | Fair | | | Poor | | |
|----------------------------|-------------------|-----------|-----------|------|------------|-----------|------|------------|------|------|------------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5920 | 2,475,780 | 848 | 15.5 | 14.3-16.7 | 1836 | 31.1 | 29.5-32.7 | 1975 | 33.9 | 32.3-35.5 | 900 | 14.5 | 13.3-15.7 | 361 | 5.0 | 4.4- 5.6 |
| White/Non-Hisp | 4902 | 1,972,080 | 691 | 15.5 | 14.1-16.9 | 1594 | 32.4 | 30.6-34.2 | 1613 | 33.2 | 31.4-35.0 | 731 | 14.3 | 12.9-15.7 | 273 | 4.6 | 3.8- 5.4 |
| Black or Afr. Am./Non-Hisp | 343 | 208,192 | 47 | 16.7 | 11.6-21.8 | 79 | 23.6 | 17.9-29.3 | 126 | 35.8 | 29.5-42.1 | 66 | 18.6 | 13.1-24.1 | 25 | 5.3 | 2.6- 8.0 |
| Oth. Race/Non-Hisp. | 168 | 74,195 | 35 | 20.1 | 13.0-27.2 | 46 | 34.2 | 24.8-43.6 | 47 | 31.6 | 22.6-40.6 | 20 | 7.2 | 3.3-11.1 | 20 | 6.9 | 3.2-10.6 |
| MultiRacial/Non-Hisp. | 111 | 32,913 | 17 | 13.9 | 6.8-21.0 | 29 | 27.7 | 17.5-37.9 | 35 | 31.1 | 20.3-41.9 | 14 | 11.9 | 5.0-18.8 | 16 | 15.4 | 6.6-24.2 |
| Hispanic | 266 | 135,762 | 41 | 13.6 | 8.5-18.7 | 54 | 22.7 | 16.6-28.8 | 109 | 41.5 | 34.2-48.8 | 48 | 16.7 | 11.6-21.8 | 14 | 5.4 | 2.1- 8.7 |
| 18-24 | 387 | 352,062 | 82 | 20.3 | 15.8-24.8 | 154 | 38.2 | 32.7-43.7 | 109 | 27.4 | 22.5-32.3 | 38 | 12.6 | 8.3-16.9 | 4 | 1.4 | 0.0- 3.0 |
| 25-34 | 594 | 421,639 | 114 | 19.4 | 15.7-23.1 | 206 | 34.6 | 30.3-38.9 | 202 | 33.3 | 29.0-37.6 | 60 | 10.3 | 7.6-13.0 | 12 | 2.3 | 0.9- 3.7 |
| 35-44 | 629 | 407,373 | 110 | 18.1 | 14.6-21.6 | 207 | 30.8 | 26.7-34.9 | 216 | 37.3 | 32.8-41.8 | 77 | 11.8 | 8.9-14.7 | 19 | 2.1 | 1.1- 3.1 |
| 45-54 | 942 | 417,642 | 144 | 15.2 | 12.5-17.9 | 280 | 28.1 | 24.8-31.4 | 314 | 35.0 | 31.3-38.7 | 139 | 15.5 | 12.8-18.2 | 65 | 6.2 | 4.4- 8.0 |
| 55-64 | 1371 | 421,798 | 171 | 11.3 | 9.3-13.3 | 408 | 27.5 | 24.8-30.2 | 451 | 33.8 | 30.9-36.7 | 214 | 16.5 | 14.1-18.9 | 127 | 10.9 | 8.7-13.1 |
| 65+ | 1997 | 455,265 | 227 | 10.2 | 8.6-11.8 | 581 | 28.5 | 26.1-30.9 | 683 | 35.4 | 32.9-37.9 | 372 | 19.4 | 17.2-21.6 | 134 | 6.5 | 5.1- 7.9 |
| Less Than H.S. | 437 | 318,952 | 33 | 9.2 | 5.5-12.9 | 61 | 17.2 | 12.7-21.7 | 146 | 33.8 | 28.3-39.3 | 130 | 27.1 | 21.8-32.4 | 67 | 12.7 | 9.2-16.2 |
| H.S. or G.E.D. | 1917 | 869,199 | 210 | 13.6 | 11.4-15.8 | 483 | 28.1 | 25.6-30.6 | 733 | 37.9 | 35.2-40.6 | 354 | 15.5 | 13.5-17.5 | 137 | 4.8 | 3.8- 5.8 |
| Some Post-H.S. | 1446 | 719,710 | 206 | 16.4 | 14.0-18.8 | 464 | 33.2 | 30.3-36.1 | 469 | 32.8 | 29.9-35.7 | 222 | 13.4 | 11.2-15.6 | 85 | 4.2 | 3.2- 5.2 |
| College Graduate | 2102 | 560,853 | 396 | 20.8 | 18.6-23.0 | 824 | 40.7 | 38.2-43.2 | 622 | 29.2 | 26.8-31.6 | 190 | 7.2 | 6.0- 8.4 | 70 | 2.1 | 1.5- 2.7 |
| Less than \$15,000 | 414 | 178,723 | 31 | 8.0 | 4.9-11.1 | 62 | 18.8 | 13.5-24.1 | 122 | 30.7 | 25.0-36.4 | 116 | 27.5 | 22.0-33.0 | 83 | 15.0 | 11.1-18.9 |
| \$15,000- 24,999 | 836 | 359,149 | 89 | 13.5 | 10.2-16.8 | 143 | 17.0 | 13.7-20.3 | 292 | 35.7 | 31.6-39.8 | 208 | 22.5 | 19.0-26.0 | 104 | 11.4 | 8.9-13.9 |
| \$25,000- 34,999 | 561 | 231,794 | 56 | 11.8 | 8.1-15.5 | 151 | 30.3 | 25.2-35.4 | 205 | 34.9 | 29.8-40.0 | 105 | 18.0 | 13.9-22.1 | 44 | 5.0 | 3.0- 7.0 |
| \$35,000- 49,999 | 861 | 369,775 | 98 | 14.2 | 10.9-17.5 | 278 | 30.2 | 26.3-34.1 | 300 | 32.7 | 28.6-36.8 | 137 | 18.5 | 14.6-22.4 | 48 | 4.4 | 2.8- 6.0 |
| \$50,000- 74,999 | 911 | 379,469 | 150 | 17.8 | 14.5-21.1 | 312 | 32.8 | 28.9-36.7 | 316 | 37.2 | 33.1-41.3 | 109 | 10.2 | 7.8-12.6 | 24 | 2.0 | 1.0- 3.0 |
| \$75,000+ | 1773 | 711,338 | 344 | 19.4 | 17.0-21.8 | 739 | 41.9 | 39.0-44.8 | 531 | 31.1 | 28.4-33.8 | 139 | 7.0 | 5.6- 8.4 | 20 | 0.6 | 0.4- 0.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Excellent | | | Very good | | | Good | | | Fair | | | Poor | | |
|----------------------------|-------------------|-----------|-----------|------|------------|-----------|------|------------|------|------|------------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7868 | 2,615,018 | 1000 | 14.0 | 12.8-15.2 | 2456 | 31.4 | 30.0-32.8 | 2596 | 32.9 | 31.5-34.3 | 1277 | 15.5 | 14.5-16.5 | 539 | 6.1 | 5.5- 6.7 |
| White/Non-Hisp | 6640 | 2,114,046 | 869 | 14.2 | 13.0-15.4 | 2191 | 33.8 | 32.2-35.4 | 2122 | 31.4 | 29.8-33.0 | 1023 | 14.7 | 13.5-15.9 | 435 | 5.8 | 5.0- 6.6 |
| Black or Afr. Am./Non-Hisp | 589 | 231,066 | 56 | 13.0 | 9.1-16.9 | 111 | 19.8 | 15.1-24.5 | 241 | 40.1 | 34.6-45.6 | 139 | 20.5 | 16.4-24.6 | 42 | 6.5 | 4.0- 9.0 |
| Oth. Race/Non-Hisp. | 118 | 53,337 | 14 | 14.7 | 4.9-24.5 | 37 | 30.1 | 18.9-41.3 | 37 | 29.3 | 17.9-40.7 | 18 | 15.6 | 5.8-25.4 | 12 | 10.4 | 0.8-20.0 |
| MultiRacial/Non-Hisp. | 97 | 27,945 | 10 | 5.5 | 1.2- 9.8 | 24 | 23.4 | 12.2-34.6 | 29 | 39.6 | 26.1-53.1 | 21 | 19.1 | 9.3-28.9 | 13 | 12.4 | 4.8-20.0 |
| Hispanic | 315 | 151,796 | 41 | 12.0 | 7.7-16.3 | 64 | 20.2 | 14.7-25.7 | 133 | 45.2 | 38.5-51.9 | 53 | 17.0 | 12.1-21.9 | 24 | 5.7 | 3.0- 8.4 |
| 18-24 | 300 | 334,471 | 42 | 15.5 | 10.6-20.4 | 121 | 40.0 | 33.5-46.5 | 103 | 32.8 | 26.9-38.7 | 27 | 9.6 | 5.7-13.5 | 7 | 2.1 | 0.3- 3.9 |
| 25-34 | 609 | 418,889 | 92 | 16.2 | 12.7-19.7 | 222 | 34.6 | 30.3-38.9 | 204 | 33.7 | 29.4-38.0 | 69 | 12.0 | 9.1-14.9 | 22 | 3.5 | 1.9- 5.1 |
| 35-44 | 782 | 410,778 | 125 | 16.2 | 13.3-19.1 | 257 | 32.1 | 28.4-35.8 | 262 | 32.3 | 28.6-36.0 | 99 | 13.2 | 10.5-15.9 | 39 | 6.2 | 4.0- 8.4 |
| 45-54 | 1174 | 424,832 | 187 | 15.3 | 12.9-17.7 | 357 | 28.5 | 25.6-31.4 | 364 | 31.8 | 28.7-34.9 | 183 | 17.1 | 14.6-19.6 | 83 | 7.3 | 5.5- 9.1 |
| 55-64 | 1627 | 444,810 | 200 | 12.7 | 10.7-14.7 | 445 | 26.0 | 23.5-28.5 | 542 | 32.5 | 29.8-35.2 | 288 | 19.7 | 17.3-22.1 | 152 | 9.2 | 7.4-11.0 |
| 65+ | 3376 | 581,238 | 354 | 10.0 | 8.8-11.2 | 1054 | 29.9 | 27.9-31.9 | 1121 | 34.1 | 32.1-36.1 | 611 | 18.8 | 17.2-20.4 | 236 | 7.1 | 6.1- 8.1 |
| Less Than H.S. | 625 | 326,052 | 39 | 9.3 | 5.6-13.0 | 81 | 16.5 | 11.8-21.2 | 215 | 35.9 | 30.8-41.0 | 177 | 25.2 | 20.7-29.7 | 113 | 13.0 | 9.9-16.1 |
| H.S. or G.E.D. | 2698 | 859,431 | 252 | 12.0 | 10.0-14.0 | 718 | 28.6 | 26.2-31.0 | 941 | 33.5 | 31.1-35.9 | 556 | 19.0 | 17.0-21.0 | 231 | 6.9 | 5.7- 8.1 |
| Some Post-H.S. | 2050 | 850,116 | 239 | 13.6 | 11.4-15.8 | 616 | 30.8 | 28.1-33.5 | 717 | 35.3 | 32.6-38.0 | 331 | 14.4 | 12.4-16.4 | 147 | 5.9 | 4.7- 7.1 |
| College Graduate | 2481 | 576,387 | 469 | 20.2 | 18.2-22.2 | 1038 | 44.9 | 42.4-47.4 | 716 | 26.8 | 24.6-29.0 | 211 | 6.7 | 5.5- 7.9 | 47 | 1.4 | 0.8- 2.0 |
| Less than \$15,000 | 805 | 274,094 | 50 | 7.8 | 4.9-10.7 | 103 | 14.3 | 10.6-18.0 | 261 | 33.6 | 28.9-38.3 | 232 | 28.1 | 23.8-32.4 | 159 | 16.3 | 13.2-19.4 |
| \$15,000- 24,999 | 1389 | 447,558 | 82 | 7.6 | 5.2-10.0 | 315 | 23.7 | 20.4-27.0 | 498 | 35.9 | 32.4-39.4 | 349 | 22.9 | 20.0-25.8 | 145 | 9.9 | 7.7-12.1 |
| \$25,000- 34,999 | 865 | 277,183 | 97 | 13.3 | 9.8-16.8 | 241 | 28.9 | 24.6-33.2 | 319 | 36.0 | 31.7-40.3 | 152 | 16.5 | 13.2-19.8 | 56 | 5.4 | 3.6- 7.2 |
| \$35,000- 49,999 | 974 | 329,722 | 102 | 11.6 | 8.5-14.7 | 347 | 34.8 | 30.5-39.1 | 342 | 34.5 | 30.4-38.6 | 134 | 13.8 | 10.7-16.9 | 49 | 5.2 | 3.4- 7.0 |
| \$50,000- 74,999 | 1043 | 359,602 | 140 | 13.8 | 10.9-16.7 | 429 | 40.5 | 36.4-44.6 | 346 | 31.7 | 28.0-35.4 | 106 | 11.4 | 8.7-14.1 | 22 | 2.5 | 0.9- 4.1 |
| \$75,000+ | 1652 | 585,303 | 397 | 24.2 | 21.5-26.9 | 696 | 41.4 | 38.3-44.5 | 426 | 26.2 | 23.5-28.9 | 107 | 6.8 | 5.2- 8.4 | 26 | 1.4 | 0.8- 2.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|---|------|
| NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH) | |
| 1 MALES AND FEMALES | 7 |
| 2 MALES ONLY | 8 |
| 3 FEMALES ONLY | 9 |
| NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH) | |
| 4 MALES AND FEMALES | 10 |
| 5 MALES ONLY | 11 |
| 6 FEMALES ONLY | 12 |
| DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH) | |
| 7 MALES AND FEMALES | 13 |
| 8 MALES ONLY | 14 |
| 9 FEMALES ONLY | 15 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | None | | | 1-2 days | | | 3-7 days | | | 8-29 days | | | 30 days | | |
|----------------------------|-------------------|-----------|------|------|------------|------|----------|------------|------|----------|------------|------|-----------|------------|------|---------|------------|--|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| TOTAL | 13485 | 4,995,913 | 8054 | 61.9 | 60.7-63.1 | 1366 | 10.5 | 9.7-11.3 | 1482 | 11.0 | 10.2-11.8 | 1412 | 9.2 | 8.6- 9.8 | 1171 | 7.4 | 6.8- 8.0 | |
| Male | 5806 | 2,432,536 | 3701 | 66.4 | 64.8-68.0 | 548 | 9.7 | 8.7-10.7 | 588 | 9.9 | 8.9-10.9 | 481 | 7.3 | 6.5- 8.1 | 488 | 6.7 | 5.9- 7.5 | |
| Female | 7679 | 2,563,377 | 4353 | 57.7 | 56.1-59.3 | 818 | 11.2 | 10.2-12.2 | 894 | 12.0 | 11.0-13.0 | 931 | 11.1 | 10.1-12.1 | 683 | 8.0 | 7.2- 8.8 | |
| White/Non-Hisp | 11309 | 4,024,619 | 6794 | 62.0 | 60.8-63.2 | 1178 | 10.8 | 10.0-11.6 | 1227 | 11.0 | 10.2-11.8 | 1144 | 8.9 | 8.3- 9.5 | 966 | 7.3 | 6.7- 7.9 | |
| Black or Afr. Am./Non-Hisp | 904 | 425,891 | 511 | 62.1 | 58.0-66.2 | 89 | 9.3 | 6.9-11.7 | 114 | 11.3 | 8.6-14.0 | 113 | 10.4 | 7.9-12.9 | 77 | 6.9 | 4.9- 8.9 | |
| Oth. Race/Non-Hisp. | 279 | 124,849 | 172 | 64.3 | 56.7-71.9 | 21 | 9.7 | 5.2-14.2 | 21 | 6.7 | 3.0-10.4 | 35 | 13.4 | 7.7-19.1 | 30 | 5.9 | 1.8-10.0 | |
| MultiRacial/Non-Hisp. | 205 | 60,301 | 102 | 49.0 | 40.4-57.6 | 11 | 8.3 | 2.0-14.6 | 26 | 12.5 | 6.8-18.2 | 35 | 16.2 | 10.1-22.3 | 31 | 14.0 | 8.1-19.9 | |
| Hispanic | 560 | 275,985 | 350 | 64.4 | 59.7-69.1 | 48 | 9.1 | 6.2-12.0 | 67 | 11.3 | 8.4-14.2 | 64 | 9.0 | 6.5-11.5 | 31 | 6.3 | 3.8- 8.8 | |
| 18-24 | 681 | 680,913 | 449 | 67.0 | 62.9-71.1 | 103 | 12.3 | 9.8-14.8 | 80 | 11.8 | 9.1-14.5 | 30 | 5.0 | 3.0- 7.0 | 19 | 3.8 | 1.8- 5.8 | |
| 25-34 | 1182 | 826,967 | 771 | 66.3 | 63.4-69.2 | 149 | 11.9 | 9.9-13.9 | 124 | 10.1 | 8.1-12.1 | 95 | 7.7 | 5.9- 9.5 | 43 | 4.0 | 2.6- 5.4 | |
| 35-44 | 1400 | 810,360 | 893 | 65.9 | 63.0-68.8 | 170 | 11.4 | 9.4-13.4 | 145 | 9.9 | 8.1-11.7 | 114 | 7.6 | 6.0- 9.2 | 78 | 5.2 | 3.8- 6.6 | |
| 45-54 | 2092 | 831,376 | 1209 | 58.5 | 56.0-61.0 | 228 | 10.6 | 9.0-12.2 | 244 | 11.9 | 10.3-13.5 | 231 | 10.5 | 8.9-12.1 | 180 | 8.6 | 7.2-10.0 | |
| 55-64 | 2941 | 844,898 | 1679 | 56.4 | 54.2-58.6 | 273 | 8.8 | 7.6-10.0 | 297 | 10.4 | 9.0-11.8 | 364 | 13.2 | 11.6-14.8 | 328 | 11.3 | 9.9-12.7 | |
| 65+ | 5189 | 1,001,400 | 3053 | 59.3 | 57.7-60.9 | 443 | 8.7 | 7.7- 9.7 | 592 | 11.7 | 10.5-12.9 | 578 | 10.4 | 9.4-11.4 | 523 | 10.0 | 9.0-11.0 | |
| Less Than H.S. | 1005 | 618,852 | 475 | 53.8 | 49.7-57.9 | 88 | 9.2 | 6.8-11.6 | 116 | 10.8 | 8.4-13.2 | 165 | 13.0 | 10.6-15.4 | 161 | 13.2 | 10.5-15.9 | |
| H.S. or G.E.D. | 4481 | 1,688,173 | 2575 | 61.7 | 59.9-63.5 | 401 | 9.7 | 8.5-10.9 | 485 | 10.6 | 9.4-11.8 | 539 | 9.8 | 8.8-10.8 | 481 | 8.3 | 7.3- 9.3 | |
| Some Post-H.S. | 3441 | 1,550,727 | 1969 | 60.2 | 58.0-62.4 | 337 | 10.0 | 8.8-11.2 | 417 | 12.7 | 11.3-14.1 | 390 | 10.0 | 8.8-11.2 | 328 | 7.1 | 6.1- 8.1 | |
| College Graduate | 4529 | 1,128,813 | 3017 | 69.1 | 67.3-70.9 | 539 | 12.9 | 11.7-14.1 | 461 | 9.3 | 8.3-10.3 | 315 | 5.4 | 4.6- 6.2 | 197 | 3.2 | 2.6- 3.8 | |
| Less than \$15,000 | 1162 | 431,827 | 439 | 42.3 | 38.4-46.2 | 82 | 8.4 | 6.0-10.8 | 145 | 12.2 | 9.7-14.7 | 237 | 19.4 | 16.3-22.5 | 259 | 17.7 | 15.0-20.4 | |
| \$15,000- 24,999 | 2157 | 786,211 | 1041 | 52.1 | 49.2-55.0 | 208 | 10.3 | 8.5-12.1 | 266 | 12.1 | 10.3-13.9 | 337 | 13.0 | 11.2-14.8 | 305 | 12.5 | 10.5-14.5 | |
| \$25,000- 34,999 | 1395 | 498,171 | 807 | 61.5 | 58.2-64.8 | 136 | 10.4 | 8.2-12.6 | 169 | 12.1 | 9.9-14.3 | 170 | 10.2 | 8.2-12.2 | 113 | 5.8 | 4.4- 7.2 | |
| \$35,000- 49,999 | 1803 | 690,149 | 1098 | 62.0 | 58.9-65.1 | 183 | 10.9 | 8.9-12.9 | 188 | 10.3 | 8.5-12.1 | 188 | 9.4 | 7.6-11.2 | 146 | 7.4 | 5.6- 9.2 | |
| \$50,000- 74,999 | 1940 | 735,848 | 1275 | 66.6 | 63.7-69.5 | 229 | 11.5 | 9.5-13.5 | 199 | 11.3 | 9.3-13.3 | 147 | 6.5 | 5.1- 7.9 | 90 | 4.0 | 2.8- 5.2 | |
| \$75,000+ | 3401 | 1,286,942 | 2409 | 71.8 | 69.8-73.8 | 393 | 11.3 | 9.9-12.7 | 312 | 9.2 | 7.8-10.6 | 184 | 4.9 | 3.9- 5.9 | 103 | 2.8 | 2.2- 3.4 | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2017

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | None | | 1-2 days | | 3-7 days | | 8-29 days | | 30 days | | | | | |
|----------------------------|-------------------|-----------|------|------|------------|----------|------|------------|-----|-----------|------------|---------|------|------------|-----|------|-----------|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | | | |
| Male | 5806 | 2,432,536 | 3701 | 66.4 | 64.8-68.0 | 548 | 9.7 | 8.7-10.7 | 588 | 9.9 | 8.9-10.9 | 481 | 7.3 | 6.5- 8.1 | 488 | 6.7 | 5.9- 7.5 |
| White/Non-Hisp | 4817 | 1,943,586 | 3096 | 66.4 | 64.6-68.2 | 475 | 10.4 | 9.2-11.6 | 476 | 9.8 | 8.8-10.8 | 383 | 7.0 | 6.2- 7.8 | 387 | 6.5 | 5.7- 7.3 |
| Black or Afr. Am./Non-Hisp | 333 | 202,366 | 202 | 68.5 | 62.6-74.4 | 26 | 7.0 | 3.9-10.1 | 42 | 10.3 | 6.6-14.0 | 35 | 8.1 | 4.8-11.4 | 28 | 6.1 | 3.4- 8.8 |
| Oth. Race/Non-Hisp. | 166 | 73,415 | 106 | 69.9 | 61.5-78.3 | 12 | 9.3 | 3.8-14.8 | 9 | 4.3 | 0.8- 7.8 | 18 | 11.2 | 5.1-17.3 | 21 | 5.3 | 2.4- 8.2 |
| MultiRacial/Non-Hisp. | 108 | 32,357 | 61 | 59.9 | 48.7-71.1 | 4 | 1.6 | 0.0- 3.4 | 14 | 12.2 | 4.8-19.6 | 11 | 11.0 | 3.9-18.1 | 18 | 15.3 | 6.9-23.7 |
| Hispanic | 259 | 132,752 | 165 | 64.9 | 58.0-71.8 | 23 | 8.8 | 4.7-12.9 | 28 | 10.4 | 6.3-14.5 | 29 | 8.8 | 5.1-12.5 | 14 | 7.0 | 2.9-11.1 |
| 18-24 | 386 | 351,103 | 272 | 73.0 | 68.1-77.9 | 56 | 11.9 | 8.6-15.2 | 36 | 8.0 | 5.3-10.7 | 14 | 3.6 | 1.6- 5.6 | 8 | 3.5 | 0.8- 6.2 |
| 25-34 | 583 | 413,750 | 410 | 71.5 | 67.4-75.6 | 64 | 10.7 | 8.0-13.4 | 61 | 9.7 | 7.2-12.2 | 32 | 5.4 | 3.4- 7.4 | 16 | 2.9 | 1.3- 4.5 |
| 35-44 | 623 | 403,026 | 419 | 70.0 | 65.9-74.1 | 67 | 10.8 | 8.1-13.5 | 62 | 9.4 | 6.9-11.9 | 50 | 7.0 | 4.8- 9.2 | 25 | 2.8 | 1.6- 4.0 |
| 45-54 | 929 | 411,448 | 562 | 62.0 | 58.3-65.7 | 94 | 9.7 | 7.5-11.9 | 109 | 11.9 | 9.4-14.4 | 82 | 8.4 | 6.2-10.6 | 82 | 8.0 | 6.0-10.0 |
| 55-64 | 1345 | 411,487 | 837 | 60.2 | 57.1-63.3 | 107 | 7.9 | 6.1- 9.7 | 126 | 9.7 | 7.7-11.7 | 127 | 10.4 | 8.2-12.6 | 148 | 11.7 | 9.5-13.9 |
| 65+ | 1940 | 441,722 | 1201 | 63.1 | 60.6-65.6 | 160 | 7.9 | 6.5- 9.3 | 194 | 10.2 | 8.6-11.8 | 176 | 8.3 | 6.9- 9.7 | 209 | 10.5 | 8.9-12.1 |
| Less Than H.S. | 418 | 307,086 | 215 | 58.1 | 52.4-63.8 | 38 | 9.3 | 6.0-12.6 | 44 | 8.9 | 6.0-11.8 | 58 | 10.8 | 7.7-13.9 | 63 | 12.9 | 9.0-16.8 |
| H.S. or G.E.D. | 1867 | 851,217 | 1158 | 66.5 | 64.0-69.0 | 150 | 8.6 | 7.0-10.2 | 197 | 10.3 | 8.7-11.9 | 161 | 7.1 | 5.7- 8.5 | 201 | 7.5 | 6.1- 8.9 |
| Some Post-H.S. | 1425 | 711,841 | 881 | 65.6 | 62.7-68.5 | 139 | 9.6 | 7.8-11.4 | 149 | 10.9 | 8.9-12.9 | 129 | 8.0 | 6.4- 9.6 | 127 | 5.8 | 4.6- 7.0 |
| College Graduate | 2080 | 555,818 | 1438 | 71.9 | 69.5-74.3 | 220 | 11.8 | 10.0-13.6 | 197 | 8.4 | 7.0- 9.8 | 130 | 4.7 | 3.7- 5.7 | 95 | 3.2 | 2.4- 4.0 |
| Less than \$15,000 | 399 | 172,512 | 156 | 44.1 | 37.8-50.4 | 31 | 9.7 | 5.8-13.6 | 56 | 14.6 | 10.1-19.1 | 63 | 13.5 | 9.6-17.4 | 93 | 18.1 | 13.6-22.6 |
| \$15,000- 24,999 | 809 | 348,626 | 426 | 57.0 | 52.7-61.3 | 63 | 7.8 | 5.4-10.2 | 92 | 11.2 | 8.5-13.9 | 110 | 11.9 | 9.4-14.4 | 118 | 12.1 | 9.4-14.8 |
| \$25,000- 34,999 | 547 | 226,135 | 317 | 64.0 | 58.9-69.1 | 53 | 9.6 | 6.5-12.7 | 64 | 11.6 | 8.3-14.9 | 61 | 9.0 | 6.3-11.7 | 52 | 5.7 | 3.7- 7.7 |
| \$35,000- 49,999 | 847 | 365,972 | 541 | 65.8 | 61.5-70.1 | 79 | 10.1 | 7.4-12.8 | 81 | 9.0 | 6.6-11.4 | 71 | 7.1 | 4.9- 9.3 | 75 | 8.1 | 5.4-10.8 |
| \$50,000- 74,999 | 904 | 377,493 | 615 | 71.0 | 67.3-74.7 | 103 | 11.3 | 8.8-13.8 | 79 | 9.1 | 6.7-11.5 | 55 | 5.0 | 3.2- 6.8 | 52 | 3.6 | 2.4- 4.8 |
| \$75,000+ | 1754 | 702,790 | 1292 | 74.5 | 72.0-77.0 | 184 | 11.0 | 9.0-13.0 | 152 | 8.3 | 6.7- 9.9 | 82 | 4.3 | 3.1- 5.5 | 44 | 1.9 | 1.3- 2.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2017

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | None | | | 1-2 days | | | 3-7 days | | | 8-29 days | | | 30 days | | |
|----------------------------|-------------------|-----------|------|------|------------|----------|------|------------|----------|------|------------|-----------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7679 | 2,563,377 | 4353 | 57.7 | 56.1-59.3 | 818 | 11.2 | 10.2-12.2 | 894 | 12.0 | 11.0-13.0 | 931 | 11.1 | 10.1-12.1 | 683 | 8.0 | 7.2- 8.8 |
| White/Non-Hisp | 6492 | 2,081,033 | 3698 | 57.8 | 56.0-59.6 | 703 | 11.2 | 10.2-12.2 | 751 | 12.1 | 10.9-13.3 | 761 | 10.8 | 9.8-11.8 | 579 | 8.0 | 7.0- 9.0 |
| Black or Afr. Am./Non-Hisp | 571 | 223,524 | 309 | 56.3 | 50.6-62.0 | 63 | 11.4 | 7.9-14.9 | 72 | 12.3 | 8.4-16.2 | 78 | 12.4 | 8.7-16.1 | 49 | 7.6 | 4.9-10.3 |
| Oth. Race/Non-Hisp. | 113 | 51,434 | 66 | 56.3 | 43.0-69.6 | 9 | 10.2 | 2.6-17.8 | 12 | 10.1 | 2.5-17.7 | 17 | 16.5 | 6.1-26.9 | 9 | 6.8 | 0.0-16.0 |
| MultiRacial/Non-Hisp. | 97 | 27,945 | 41 | 36.4 | 24.1-48.7 | 7 | 16.0 | 3.5-28.5 | 12 | 12.8 | 4.2-21.4 | 24 | 22.4 | 12.4-32.4 | 13 | 12.5 | 4.3-20.7 |
| Hispanic | 301 | 143,233 | 185 | 63.9 | 57.4-70.4 | 25 | 9.3 | 5.0-13.6 | 39 | 12.1 | 7.8-16.4 | 35 | 9.1 | 5.8-12.4 | 17 | 5.6 | 2.5- 8.7 |
| 18-24 | 295 | 329,809 | 177 | 60.7 | 54.2-67.2 | 47 | 12.9 | 9.0-16.8 | 44 | 15.9 | 11.0-20.8 | 16 | 6.4 | 2.9- 9.9 | 11 | 4.2 | 1.3- 7.1 |
| 25-34 | 599 | 413,217 | 361 | 61.1 | 56.8-65.4 | 85 | 13.0 | 10.1-15.9 | 63 | 10.6 | 7.7-13.5 | 63 | 10.1 | 7.6-12.6 | 27 | 5.2 | 3.2- 7.2 |
| 35-44 | 777 | 407,334 | 474 | 61.8 | 57.9-65.7 | 103 | 12.0 | 9.5-14.5 | 83 | 10.4 | 8.0-12.8 | 64 | 8.3 | 5.9-10.7 | 53 | 7.6 | 5.2-10.0 |
| 45-54 | 1163 | 419,929 | 647 | 55.0 | 51.7-58.3 | 134 | 11.4 | 9.2-13.6 | 135 | 11.9 | 9.7-14.1 | 149 | 12.5 | 10.3-14.7 | 98 | 9.2 | 7.2-11.2 |
| 55-64 | 1596 | 433,410 | 842 | 52.8 | 49.9-55.7 | 166 | 9.6 | 7.8-11.4 | 171 | 11.0 | 9.0-13.0 | 237 | 15.8 | 13.6-18.0 | 180 | 10.8 | 9.0-12.6 |
| 65+ | 3249 | 559,678 | 1852 | 56.2 | 54.0-58.4 | 283 | 9.3 | 7.9-10.7 | 398 | 12.9 | 11.3-14.5 | 402 | 12.0 | 10.6-13.4 | 314 | 9.5 | 8.3-10.7 |
| Less Than H.S. | 587 | 311,767 | 260 | 49.6 | 43.9-55.3 | 50 | 9.1 | 6.0-12.2 | 72 | 12.6 | 8.9-16.3 | 107 | 15.2 | 11.5-18.9 | 98 | 13.5 | 9.8-17.2 |
| H.S. or G.E.D. | 2614 | 836,957 | 1417 | 56.8 | 54.3-59.3 | 251 | 10.9 | 9.1-12.7 | 288 | 10.8 | 9.2-12.4 | 378 | 12.4 | 10.8-14.0 | 280 | 9.1 | 7.7-10.5 |
| Some Post-H.S. | 2016 | 838,885 | 1088 | 55.6 | 52.9-58.3 | 198 | 10.3 | 8.5-12.1 | 268 | 14.2 | 12.0-16.4 | 261 | 11.7 | 9.9-13.5 | 201 | 8.2 | 6.8- 9.6 |
| College Graduate | 2449 | 572,995 | 1579 | 66.4 | 64.0-68.8 | 319 | 14.1 | 12.3-15.9 | 264 | 10.2 | 8.6-11.8 | 185 | 6.1 | 4.9- 7.3 | 102 | 3.2 | 2.4- 4.0 |
| Less than \$15,000 | 763 | 259,315 | 283 | 41.0 | 35.9-46.1 | 51 | 7.6 | 4.9-10.3 | 89 | 10.6 | 7.7-13.5 | 174 | 23.2 | 18.9-27.5 | 166 | 17.5 | 14.2-20.8 |
| \$15,000- 24,999 | 1348 | 437,585 | 615 | 48.2 | 44.3-52.1 | 145 | 12.4 | 9.9-14.9 | 174 | 12.8 | 10.4-15.2 | 227 | 13.8 | 11.6-16.0 | 187 | 12.9 | 10.4-15.4 |
| \$25,000- 34,999 | 848 | 272,036 | 490 | 59.4 | 54.9-63.9 | 83 | 11.0 | 7.9-14.1 | 105 | 12.4 | 9.5-15.3 | 109 | 11.2 | 8.7-13.7 | 61 | 5.9 | 4.1- 7.7 |
| \$35,000- 49,999 | 956 | 324,177 | 557 | 57.7 | 53.2-62.2 | 104 | 11.8 | 9.1-14.5 | 107 | 11.8 | 8.9-14.7 | 117 | 12.0 | 9.1-14.9 | 71 | 6.7 | 4.7- 8.7 |
| \$50,000- 74,999 | 1036 | 358,355 | 660 | 62.0 | 57.9-66.1 | 126 | 11.8 | 9.1-14.5 | 120 | 13.7 | 10.4-17.0 | 92 | 8.2 | 6.0-10.4 | 38 | 4.3 | 2.3- 6.3 |
| \$75,000+ | 1647 | 584,152 | 1117 | 68.5 | 65.6-71.4 | 209 | 11.7 | 9.9-13.5 | 160 | 10.4 | 8.2-12.6 | 102 | 5.7 | 4.3- 7.1 | 59 | 3.8 | 2.6- 5.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2017

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | None | | 1-2 days | | 3-7 days | | 8-29 days | | 30 days | | | | | |
|----------------------------|-------------------|-----------|------|------|------------|----------|------|------------|------|-----------|------------|---------|------|------------|-----|------|-----------|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | | | |
| TOTAL | 13569 | 5,014,084 | 8853 | 60.8 | 59.6-62.0 | 1168 | 9.1 | 8.5- 9.7 | 1403 | 11.7 | 10.9-12.5 | 1322 | 11.0 | 10.2-11.8 | 823 | 7.4 | 6.8- 8.0 |
| Male | 5836 | 2,437,916 | 4182 | 67.6 | 66.0-69.2 | 428 | 8.2 | 7.2- 9.2 | 504 | 10.3 | 9.1-11.5 | 432 | 8.1 | 7.1- 9.1 | 290 | 5.8 | 5.0- 6.6 |
| Female | 7733 | 2,576,168 | 4671 | 54.3 | 52.7-55.9 | 740 | 9.9 | 8.9-10.9 | 899 | 13.0 | 12.0-14.0 | 890 | 13.8 | 12.6-15.0 | 533 | 8.9 | 7.9- 9.9 |
| White/Non-Hisp | 11388 | 4,036,215 | 7475 | 60.4 | 59.2-61.6 | 998 | 9.2 | 8.4-10.0 | 1175 | 11.9 | 11.1-12.7 | 1075 | 11.1 | 10.3-11.9 | 665 | 7.4 | 6.6- 8.2 |
| Black or Afr. Am./Non-Hisp | 909 | 428,870 | 579 | 62.6 | 58.3-66.9 | 81 | 9.7 | 7.2-12.2 | 83 | 9.6 | 7.1-12.1 | 101 | 10.5 | 7.8-13.2 | 65 | 7.7 | 5.3-10.1 |
| Oth. Race/Non-Hisp. | 279 | 125,306 | 177 | 61.8 | 54.0-69.6 | 12 | 6.1 | 1.8-10.4 | 26 | 12.1 | 6.8-17.4 | 39 | 11.8 | 6.7-16.9 | 25 | 8.2 | 3.1-13.3 |
| MultiRacial/Non-Hisp. | 205 | 60,222 | 107 | 45.7 | 37.1-54.3 | 12 | 7.0 | 2.7-11.3 | 33 | 16.4 | 9.9-22.9 | 30 | 18.6 | 11.5-25.7 | 23 | 12.3 | 5.6-19.0 |
| Hispanic | 561 | 278,309 | 350 | 63.5 | 58.6-68.4 | 52 | 8.7 | 5.8-11.6 | 68 | 12.0 | 8.7-15.3 | 59 | 9.7 | 7.2-12.2 | 32 | 6.1 | 3.6- 8.6 |
| 18-24 | 676 | 677,283 | 288 | 42.9 | 38.6-47.2 | 81 | 11.7 | 9.0-14.4 | 137 | 19.2 | 15.9-22.5 | 118 | 17.7 | 14.4-21.0 | 52 | 8.5 | 6.0-11.0 |
| 25-34 | 1185 | 828,903 | 603 | 53.1 | 50.0-56.2 | 136 | 10.5 | 8.5-12.5 | 185 | 14.8 | 12.6-17.0 | 174 | 13.4 | 11.2-15.6 | 87 | 8.1 | 6.3- 9.9 |
| 35-44 | 1394 | 806,788 | 778 | 57.5 | 54.6-60.4 | 158 | 10.8 | 8.8-12.8 | 184 | 12.1 | 10.1-14.1 | 159 | 10.3 | 8.5-12.1 | 115 | 9.3 | 7.5-11.1 |
| 45-54 | 2096 | 832,890 | 1269 | 61.5 | 59.1-63.9 | 186 | 8.7 | 7.3-10.1 | 247 | 10.9 | 9.3-12.5 | 229 | 10.5 | 8.9-12.1 | 165 | 8.4 | 7.0- 9.8 |
| 55-64 | 2952 | 852,164 | 1945 | 65.4 | 63.2-67.6 | 222 | 7.2 | 6.2- 8.2 | 260 | 8.9 | 7.7-10.1 | 309 | 11.0 | 9.6-12.4 | 216 | 7.5 | 6.3- 8.7 |
| 65+ | 5266 | 1,016,056 | 3970 | 77.1 | 75.7-78.5 | 385 | 6.6 | 5.8- 7.4 | 390 | 6.8 | 6.0- 7.6 | 333 | 5.8 | 5.0- 6.6 | 188 | 3.6 | 3.0- 4.2 |
| Less Than H.S. | 1014 | 622,466 | 576 | 55.6 | 51.5-59.7 | 69 | 7.5 | 5.3- 9.7 | 95 | 10.6 | 8.1-13.1 | 151 | 12.2 | 9.8-14.6 | 123 | 14.1 | 11.2-17.0 |
| H.S. or G.E.D. | 4517 | 1,695,025 | 2900 | 60.9 | 58.9-62.9 | 366 | 8.8 | 7.6-10.0 | 467 | 11.1 | 9.7-12.5 | 468 | 11.9 | 10.5-13.3 | 316 | 7.3 | 6.3- 8.3 |
| Some Post-H.S. | 3461 | 1,558,280 | 2222 | 60.2 | 58.0-62.4 | 270 | 8.1 | 6.9- 9.3 | 368 | 12.2 | 10.8-13.6 | 355 | 11.4 | 10.0-12.8 | 246 | 8.1 | 6.9- 9.3 |
| College Graduate | 4549 | 1,128,900 | 3134 | 64.2 | 62.4-66.0 | 461 | 11.6 | 10.4-12.8 | 471 | 12.6 | 11.2-14.0 | 347 | 8.7 | 7.5- 9.9 | 136 | 2.9 | 2.3- 3.5 |
| Less than \$15,000 | 1174 | 436,251 | 556 | 42.3 | 38.4-46.2 | 83 | 7.9 | 5.5-10.3 | 144 | 13.2 | 10.5-15.9 | 207 | 19.2 | 16.1-22.3 | 184 | 17.4 | 14.5-20.3 |
| \$15,000- 24,999 | 2192 | 801,527 | 1244 | 53.1 | 50.2-56.0 | 186 | 8.2 | 6.6- 9.8 | 243 | 12.3 | 10.3-14.3 | 295 | 14.3 | 12.3-16.3 | 224 | 12.1 | 10.1-14.1 |
| \$25,000- 34,999 | 1406 | 501,137 | 907 | 62.7 | 59.2-66.2 | 119 | 8.3 | 6.3-10.3 | 142 | 10.5 | 8.1-12.9 | 153 | 12.3 | 9.9-14.7 | 85 | 6.2 | 4.6- 7.8 |
| \$35,000- 49,999 | 1813 | 687,761 | 1232 | 63.4 | 60.3-66.5 | 160 | 8.6 | 6.8-10.4 | 174 | 11.6 | 9.4-13.8 | 162 | 10.1 | 8.1-12.1 | 85 | 6.2 | 4.4- 8.0 |
| \$50,000- 74,999 | 1938 | 731,439 | 1337 | 64.7 | 61.8-67.6 | 172 | 9.1 | 7.3-10.9 | 200 | 11.2 | 9.2-13.2 | 152 | 9.0 | 7.0-11.0 | 77 | 6.0 | 4.2- 7.8 |
| \$75,000+ | 3412 | 1,291,539 | 2427 | 66.4 | 64.2-68.6 | 346 | 11.4 | 10.0-12.8 | 345 | 11.8 | 10.4-13.2 | 215 | 7.6 | 6.4- 8.8 | 79 | 2.8 | 2.0- 3.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2017

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | None | | | 1-2 days | | | 3-7 days | | | 8-29 days | | | 30 days | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|----------|------------|-----|----------|------------|-----|-----------|------------|-----|---------|------------|--|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| Male | 5836 | 2,437,916 | 4182 | 67.6 | 66.0-69.2 | 428 | 8.2 | 7.2- 9.2 | 504 | 10.3 | 9.1-11.5 | 432 | 8.1 | 7.1- 9.1 | 290 | 5.8 | 5.0- 6.6 | |
| White/Non-Hisp | 4842 | 1,945,457 | 3493 | 67.0 | 65.2-68.8 | 362 | 8.3 | 7.3- 9.3 | 409 | 10.4 | 9.2-11.6 | 355 | 8.6 | 7.6- 9.6 | 223 | 5.7 | 4.7- 6.7 | |
| Black or Afr. Am./Non-Hisp | 332 | 202,570 | 236 | 71.1 | 65.2-77.0 | 27 | 9.0 | 5.5-12.5 | 31 | 10.1 | 6.4-13.8 | 19 | 4.7 | 2.2- 7.2 | 19 | 5.2 | 2.5- 7.9 | |
| Oth. Race/Non-Hisp. | 164 | 72,467 | 107 | 64.5 | 55.1-73.9 | 6 | 7.6 | 0.9-14.3 | 17 | 14.0 | 7.1-20.9 | 19 | 8.6 | 3.7-13.5 | 15 | 5.3 | 1.8- 8.8 | |
| MultiRacial/Non-Hisp. | 110 | 32,839 | 71 | 63.7 | 52.7-74.7 | 8 | 8.5 | 2.2-14.8 | 14 | 10.0 | 3.9-16.1 | 10 | 10.2 | 3.3-17.1 | 7 | 7.6 | 1.1-14.1 | |
| Hispanic | 259 | 132,971 | 174 | 70.1 | 63.4-76.8 | 22 | 7.8 | 3.7-11.9 | 25 | 9.1 | 4.8-13.4 | 21 | 6.0 | 3.3- 8.7 | 17 | 7.0 | 3.1-10.9 | |
| 18-24 | 381 | 346,504 | 185 | 49.5 | 43.8-55.2 | 49 | 12.5 | 8.8-16.2 | 70 | 17.2 | 12.9-21.5 | 50 | 13.4 | 9.5-17.3 | 27 | 7.4 | 4.3-10.5 | |
| 25-34 | 584 | 415,110 | 330 | 58.2 | 53.7-62.7 | 70 | 11.6 | 8.7-14.5 | 89 | 14.8 | 11.5-18.1 | 64 | 9.3 | 6.9-11.7 | 31 | 6.1 | 3.7- 8.5 | |
| 35-44 | 619 | 400,090 | 401 | 67.0 | 62.7-71.3 | 61 | 9.3 | 6.8-11.8 | 72 | 10.5 | 7.8-13.2 | 49 | 7.1 | 4.9- 9.3 | 36 | 6.1 | 3.9- 8.3 | |
| 45-54 | 929 | 410,123 | 622 | 68.7 | 65.2-72.2 | 76 | 7.7 | 5.7- 9.7 | 86 | 8.2 | 6.2-10.2 | 80 | 8.1 | 6.1-10.1 | 65 | 7.3 | 5.1- 9.5 | |
| 55-64 | 1354 | 416,582 | 1035 | 74.8 | 72.1-77.5 | 61 | 4.1 | 2.9- 5.3 | 87 | 7.7 | 5.9- 9.5 | 99 | 8.2 | 6.2-10.2 | 72 | 5.3 | 3.9- 6.7 | |
| 65+ | 1969 | 449,508 | 1609 | 83.0 | 81.0-85.0 | 111 | 5.0 | 3.8- 6.2 | 100 | 5.1 | 3.9- 6.3 | 90 | 3.9 | 2.9- 4.9 | 59 | 3.0 | 2.0- 4.0 | |
| Less Than H.S. | 421 | 309,364 | 266 | 62.1 | 56.4-67.8 | 24 | 6.9 | 3.8-10.0 | 35 | 10.7 | 6.6-14.8 | 51 | 8.8 | 6.1-11.5 | 45 | 11.5 | 7.8-15.2 | |
| H.S. or G.E.D. | 1882 | 852,772 | 1312 | 66.4 | 63.7-69.1 | 134 | 9.0 | 7.2-10.8 | 164 | 9.8 | 8.0-11.6 | 162 | 9.6 | 7.8-11.4 | 110 | 5.3 | 4.1- 6.5 | |
| Some Post-H.S. | 1432 | 714,116 | 1024 | 68.3 | 65.4-71.2 | 86 | 6.3 | 4.7- 7.9 | 136 | 11.1 | 8.9-13.3 | 103 | 7.5 | 5.7- 9.3 | 83 | 6.8 | 5.0- 8.6 | |
| College Graduate | 2085 | 554,878 | 1567 | 71.3 | 68.8-73.8 | 183 | 10.2 | 8.4-12.0 | 168 | 10.1 | 8.3-11.9 | 116 | 6.4 | 5.0- 7.8 | 51 | 2.1 | 1.3- 2.9 | |
| Less than \$15,000 | 401 | 173,209 | 209 | 48.0 | 41.7-54.3 | 35 | 12.1 | 7.4-16.8 | 45 | 12.2 | 7.9-16.5 | 59 | 14.2 | 9.9-18.5 | 53 | 13.6 | 9.3-17.9 | |
| \$15,000- 24,999 | 826 | 358,707 | 508 | 58.1 | 53.8-62.4 | 59 | 7.7 | 5.2-10.2 | 82 | 11.2 | 8.5-13.9 | 97 | 12.4 | 9.5-15.3 | 80 | 10.6 | 7.9-13.3 | |
| \$25,000- 34,999 | 551 | 226,262 | 380 | 69.6 | 64.7-74.5 | 39 | 7.1 | 4.4- 9.8 | 47 | 9.4 | 5.9-12.9 | 54 | 8.9 | 6.0-11.8 | 31 | 4.9 | 2.7- 7.1 | |
| \$35,000- 49,999 | 850 | 361,833 | 634 | 70.6 | 66.3-74.9 | 59 | 6.9 | 4.5- 9.3 | 68 | 10.9 | 7.6-14.2 | 56 | 7.2 | 4.8- 9.6 | 33 | 4.3 | 2.5- 6.1 | |
| \$50,000- 74,999 | 905 | 374,996 | 682 | 71.7 | 67.8-75.6 | 61 | 7.4 | 5.0- 9.8 | 77 | 9.3 | 6.8-11.8 | 53 | 6.3 | 4.3- 8.3 | 32 | 5.3 | 2.9- 7.7 | |
| \$75,000+ | 1764 | 708,140 | 1367 | 72.9 | 70.2-75.6 | 145 | 9.2 | 7.4-11.0 | 139 | 10.0 | 8.0-12.0 | 82 | 5.8 | 4.4- 7.2 | 31 | 2.1 | 1.1- 3.1 | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2017

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | None | | 1-2 days | | 3-7 days | | 8-29 days | | 30 days | | | | | |
|----------------------------|-------------------|-----------|------|------|------------|----------|------|------------|-----|-----------|------------|---------|------|------------|-----|------|-----------|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | | | |
| Female | 7733 | 2,576,168 | 4671 | 54.3 | 52.7-55.9 | 740 | 9.9 | 8.9-10.9 | 899 | 13.0 | 12.0-14.0 | 890 | 13.8 | 12.6-15.0 | 533 | 8.9 | 7.9- 9.9 |
| White/Non-Hisp | 6546 | 2,090,758 | 3982 | 54.2 | 52.4-56.0 | 636 | 10.1 | 9.1-11.1 | 766 | 13.3 | 12.1-14.5 | 720 | 13.4 | 12.2-14.6 | 442 | 9.0 | 8.0-10.0 |
| Black or Afr. Am./Non-Hisp | 577 | 226,300 | 343 | 55.0 | 49.3-60.7 | 54 | 10.3 | 6.8-13.8 | 52 | 9.1 | 6.0-12.2 | 82 | 15.7 | 11.2-20.2 | 46 | 9.9 | 6.2-13.6 |
| Oth. Race/Non-Hisp. | 115 | 52,839 | 70 | 58.1 | 44.8-71.4 | 6 | 4.1 | 0.0- 8.2 | 9 | 9.4 | 1.2-17.6 | 20 | 16.2 | 6.4-26.0 | 10 | 12.2 | 1.6-22.8 |
| MultiRacial/Non-Hisp. | 95 | 27,383 | 36 | 24.2 | 14.6-33.8 | 4 | 5.3 | 0.0-11.2 | 19 | 23.9 | 12.1-35.7 | 20 | 28.6 | 16.1-41.1 | 16 | 18.0 | 6.2-29.8 |
| Hispanic | 302 | 145,337 | 176 | 57.4 | 50.5-64.3 | 30 | 9.5 | 5.4-13.6 | 43 | 14.7 | 9.6-19.8 | 38 | 13.0 | 8.7-17.3 | 15 | 5.3 | 2.2- 8.4 |
| 18-24 | 295 | 330,779 | 103 | 36.0 | 29.7-42.3 | 32 | 10.8 | 6.7-14.9 | 67 | 21.3 | 16.2-26.4 | 68 | 22.1 | 16.8-27.4 | 25 | 9.6 | 5.7-13.5 |
| 25-34 | 601 | 413,793 | 273 | 48.1 | 43.6-52.6 | 66 | 9.4 | 7.0-11.8 | 96 | 14.9 | 11.8-18.0 | 110 | 17.4 | 14.1-20.7 | 56 | 10.2 | 7.5-12.9 |
| 35-44 | 775 | 406,698 | 377 | 48.1 | 44.0-52.2 | 97 | 12.4 | 9.9-14.9 | 112 | 13.7 | 11.0-16.4 | 110 | 13.5 | 10.8-16.2 | 79 | 12.4 | 9.5-15.3 |
| 45-54 | 1167 | 422,767 | 647 | 54.5 | 51.2-57.8 | 110 | 9.8 | 7.8-11.8 | 161 | 13.5 | 11.1-15.9 | 149 | 12.8 | 10.6-15.0 | 100 | 9.5 | 7.3-11.7 |
| 55-64 | 1598 | 435,582 | 910 | 56.4 | 53.5-59.3 | 161 | 10.1 | 8.3-11.9 | 173 | 10.0 | 8.2-11.8 | 210 | 13.7 | 11.7-15.7 | 144 | 9.7 | 7.7-11.7 |
| 65+ | 3297 | 566,548 | 2361 | 72.4 | 70.6-74.2 | 274 | 7.9 | 6.7- 9.1 | 290 | 8.2 | 7.0- 9.4 | 243 | 7.4 | 6.2- 8.6 | 129 | 4.1 | 3.3- 4.9 |
| Less Than H.S. | 593 | 313,102 | 310 | 49.2 | 43.7-54.7 | 45 | 8.1 | 5.2-11.0 | 60 | 10.5 | 7.2-13.8 | 100 | 15.6 | 11.9-19.3 | 78 | 16.7 | 12.2-21.2 |
| H.S. or G.E.D. | 2635 | 842,252 | 1588 | 55.3 | 52.8-57.8 | 232 | 8.7 | 7.3-10.1 | 303 | 12.5 | 10.7-14.3 | 306 | 14.1 | 12.1-16.1 | 206 | 9.4 | 7.8-11.0 |
| Some Post-H.S. | 2029 | 844,164 | 1198 | 53.4 | 50.5-56.3 | 184 | 9.7 | 7.9-11.5 | 232 | 13.1 | 11.1-15.1 | 252 | 14.7 | 12.5-16.9 | 163 | 9.1 | 7.3-10.9 |
| College Graduate | 2464 | 574,022 | 1567 | 57.3 | 54.8-59.8 | 278 | 12.9 | 11.1-14.7 | 303 | 14.9 | 12.9-16.9 | 231 | 11.0 | 9.2-12.8 | 85 | 3.8 | 2.8- 4.8 |
| Less than \$15,000 | 773 | 263,042 | 347 | 38.7 | 33.8-43.6 | 48 | 5.1 | 2.9- 7.3 | 99 | 13.9 | 10.6-17.2 | 148 | 22.5 | 18.2-26.8 | 131 | 19.8 | 15.7-23.9 |
| \$15,000- 24,999 | 1366 | 442,820 | 736 | 49.0 | 45.3-52.7 | 127 | 8.7 | 6.5-10.9 | 161 | 13.1 | 10.6-15.6 | 198 | 15.9 | 13.2-18.6 | 144 | 13.3 | 10.6-16.0 |
| \$25,000- 34,999 | 855 | 274,875 | 527 | 57.0 | 52.3-61.7 | 80 | 9.3 | 6.6-12.0 | 95 | 11.4 | 8.5-14.3 | 99 | 15.1 | 11.6-18.6 | 54 | 7.2 | 4.8- 9.6 |
| \$35,000- 49,999 | 963 | 325,929 | 598 | 55.5 | 51.0-60.0 | 101 | 10.6 | 8.1-13.1 | 106 | 12.3 | 9.4-15.2 | 106 | 13.3 | 10.2-16.4 | 52 | 8.3 | 5.4-11.2 |
| \$50,000- 74,999 | 1033 | 356,443 | 655 | 57.3 | 53.0-61.6 | 111 | 10.9 | 8.4-13.4 | 123 | 13.2 | 10.5-15.9 | 99 | 11.9 | 8.6-15.2 | 45 | 6.8 | 4.1- 9.5 |
| \$75,000+ | 1648 | 583,400 | 1060 | 58.4 | 55.3-61.5 | 201 | 14.1 | 11.7-16.5 | 206 | 14.0 | 11.8-16.2 | 133 | 9.9 | 7.9-11.9 | 48 | 3.6 | 2.4- 4.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2017

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | None | | | 1-2 days | | | 3-7 days | | | 8-29 days | | | 30 days | | |
|----------------------------|-------------------|-----------|------|------|------------|----------|------|------------|----------|------|------------|-----------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 7626 | 2,882,374 | 4274 | 56.2 | 54.6-57.8 | 786 | 11.3 | 10.3-12.3 | 855 | 11.7 | 10.7-12.7 | 1033 | 12.6 | 11.6-13.6 | 678 | 8.2 | 7.4- 9.0 |
| Male | 2957 | 1,264,540 | 1671 | 57.8 | 55.4-60.2 | 325 | 11.3 | 9.9-12.7 | 314 | 11.1 | 9.5-12.7 | 358 | 10.9 | 9.5-12.3 | 289 | 8.9 | 7.5-10.3 |
| Female | 4669 | 1,617,833 | 2603 | 55.0 | 53.0-57.0 | 461 | 11.3 | 9.9-12.7 | 541 | 12.1 | 10.7-13.5 | 675 | 14.0 | 12.6-15.4 | 389 | 7.6 | 6.6- 8.6 |
| White/Non-Hisp | 6371 | 2,341,040 | 3593 | 56.6 | 55.0-58.2 | 668 | 11.4 | 10.4-12.4 | 700 | 11.5 | 10.3-12.7 | 840 | 12.2 | 11.2-13.2 | 570 | 8.3 | 7.5- 9.1 |
| Black or Afr. Am./Non-Hisp | 523 | 232,025 | 289 | 54.4 | 48.7-60.1 | 43 | 10.1 | 6.6-13.6 | 63 | 11.7 | 8.0-15.4 | 84 | 16.4 | 12.1-20.7 | 44 | 7.3 | 4.8- 9.8 |
| Oth. Race/Non-Hisp. | 153 | 67,517 | 72 | 48.3 | 37.3-59.3 | 14 | 12.3 | 5.2-19.4 | 24 | 15.9 | 8.3-23.5 | 26 | 13.1 | 5.8-20.4 | 17 | 10.5 | 2.1-18.9 |
| MultiRacial/Non-Hisp. | 140 | 42,132 | 62 | 42.7 | 32.5-52.9 | 11 | 8.4 | 2.7-14.1 | 23 | 18.3 | 9.7-26.9 | 26 | 18.2 | 9.4-27.0 | 18 | 12.5 | 5.6-19.4 |
| Hispanic | 312 | 153,763 | 183 | 59.1 | 52.6-65.6 | 44 | 14.3 | 9.8-18.8 | 34 | 12.4 | 7.9-16.9 | 40 | 10.5 | 7.0-14.0 | 11 | 3.7 | 1.0- 6.4 |
| 18-24 | 460 | 452,237 | 268 | 59.1 | 54.0-64.2 | 78 | 15.6 | 12.1-19.1 | 59 | 13.4 | 9.7-17.1 | 38 | 7.6 | 4.9-10.3 | 17 | 4.3 | 1.9- 6.7 |
| 25-34 | 749 | 510,306 | 468 | 61.7 | 57.8-65.6 | 90 | 12.0 | 9.5-14.5 | 91 | 12.2 | 9.5-14.9 | 79 | 11.2 | 8.7-13.7 | 21 | 3.0 | 1.6- 4.4 |
| 35-44 | 812 | 453,868 | 463 | 57.5 | 53.6-61.4 | 98 | 11.8 | 9.3-14.3 | 91 | 11.4 | 8.9-13.9 | 105 | 11.9 | 9.4-14.4 | 55 | 7.4 | 5.2- 9.6 |
| 45-54 | 1201 | 467,256 | 598 | 48.4 | 45.1-51.7 | 143 | 11.8 | 9.6-14.0 | 147 | 12.5 | 10.1-14.9 | 180 | 15.3 | 12.9-17.7 | 133 | 12.0 | 9.6-14.4 |
| 55-64 | 1638 | 475,259 | 810 | 49.0 | 46.1-51.9 | 168 | 10.1 | 8.3-11.9 | 173 | 10.3 | 8.5-12.1 | 286 | 18.1 | 15.7-20.5 | 201 | 12.4 | 10.4-14.4 |
| 65+ | 2766 | 523,448 | 1667 | 60.7 | 58.5-62.9 | 209 | 7.3 | 6.1- 8.5 | 294 | 10.4 | 9.0-11.8 | 345 | 11.6 | 10.2-13.0 | 251 | 10.0 | 8.6-11.4 |
| Less Than H.S. | 698 | 403,728 | 352 | 52.9 | 48.0-57.8 | 45 | 6.6 | 4.2- 9.0 | 76 | 11.3 | 8.2-14.4 | 121 | 15.3 | 12.0-18.6 | 104 | 13.9 | 10.6-17.2 |
| H.S. or G.E.D. | 2634 | 984,465 | 1487 | 56.4 | 53.9-58.9 | 216 | 10.4 | 8.6-12.2 | 248 | 10.3 | 8.7-11.9 | 414 | 14.1 | 12.5-15.7 | 269 | 8.8 | 7.4-10.2 |
| Some Post-H.S. | 1990 | 905,725 | 1066 | 54.0 | 51.3-56.7 | 200 | 11.5 | 9.7-13.3 | 241 | 13.2 | 11.2-15.2 | 286 | 13.0 | 11.2-14.8 | 197 | 8.2 | 6.8- 9.6 |
| College Graduate | 2293 | 584,327 | 1362 | 61.4 | 58.9-63.9 | 324 | 15.8 | 13.8-17.8 | 290 | 12.1 | 10.3-13.9 | 211 | 7.7 | 6.3- 9.1 | 106 | 3.1 | 2.3- 3.9 |
| Less than \$15,000 | 887 | 333,809 | 360 | 41.5 | 37.2-45.8 | 47 | 6.5 | 4.1- 8.9 | 98 | 11.5 | 8.8-14.2 | 209 | 23.8 | 19.9-27.7 | 173 | 16.7 | 13.8-19.6 |
| \$15,000- 24,999 | 1470 | 531,498 | 741 | 49.7 | 46.2-53.2 | 112 | 9.1 | 6.9-11.3 | 168 | 12.7 | 10.3-15.1 | 276 | 17.1 | 14.7-19.5 | 173 | 11.4 | 9.2-13.6 |
| \$25,000- 34,999 | 830 | 289,802 | 463 | 55.0 | 50.5-59.5 | 81 | 11.2 | 8.3-14.1 | 88 | 11.8 | 8.7-14.9 | 124 | 13.9 | 10.8-17.0 | 74 | 8.1 | 5.6-10.6 |
| \$35,000- 49,999 | 987 | 384,921 | 571 | 56.7 | 52.6-60.8 | 111 | 13.1 | 10.2-16.0 | 103 | 10.4 | 7.7-13.1 | 132 | 13.0 | 10.3-15.7 | 70 | 6.9 | 4.9- 8.9 |
| \$50,000- 74,999 | 973 | 382,123 | 610 | 62.4 | 58.3-66.5 | 122 | 12.8 | 9.9-15.7 | 120 | 12.7 | 10.0-15.4 | 79 | 8.0 | 5.8-10.2 | 42 | 4.0 | 2.2- 5.8 |
| \$75,000+ | 1588 | 640,836 | 1012 | 64.5 | 61.4-67.6 | 226 | 13.8 | 11.6-16.0 | 181 | 12.2 | 9.8-14.6 | 119 | 6.7 | 5.3- 8.1 | 50 | 2.8 | 1.8- 3.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2017

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | None | | | 1-2 days | | | 3-7 days | | | 8-29 days | | | 30 days | | |
|----------------------------|-------------------|-----------|------|------|------------|----------|------|------------|----------|------|------------|-----------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2957 | 1,264,540 | 1671 | 57.8 | 55.4-60.2 | 325 | 11.3 | 9.7-12.9 | 314 | 11.1 | 9.5-12.7 | 358 | 10.9 | 9.5-12.3 | 289 | 8.9 | 7.5-10.3 |
| White/Non-Hisp | 2422 | 1,019,573 | 1370 | 57.7 | 55.2-60.2 | 272 | 11.4 | 9.8-13.0 | 243 | 10.6 | 9.0-12.2 | 300 | 11.1 | 9.5-12.7 | 237 | 9.2 | 7.8-10.6 |
| Black or Afr. Am./Non-Hisp | 176 | 96,250 | 102 | 59.9 | 51.3-68.5 | 15 | 9.6 | 4.3-14.9 | 24 | 12.5 | 6.6-18.4 | 18 | 10.9 | 5.4-16.4 | 17 | 7.1 | 3.2-11.0 |
| Oth. Race/Non-Hisp. | 89 | 38,072 | 43 | 54.8 | 41.7-67.9 | 9 | 16.0 | 5.8-26.2 | 12 | 12.9 | 4.7-21.1 | 14 | 11.0 | 3.7-18.3 | 11 | 5.3 | 0.2-10.4 |
| MultiRacial/Non-Hisp. | 66 | 18,203 | 36 | 53.4 | 38.7-68.1 | 5 | 4.9 | 0.0- 9.8 | 8 | 13.7 | 2.7-24.7 | 6 | 6.8 | 0.5-13.1 | 11 | 21.2 | 7.7-34.7 |
| Hispanic | 140 | 68,376 | 81 | 56.7 | 46.7-66.7 | 21 | 14.5 | 7.4-21.6 | 19 | 15.3 | 7.7-22.9 | 16 | 9.7 | 4.6-14.8 | 3 | 3.8 | 0.0- 8.7 |
| 18-24 | 244 | 215,282 | 148 | 61.1 | 54.2-68.0 | 37 | 15.4 | 10.3-20.5 | 25 | 10.2 | 5.9-14.5 | 23 | 7.9 | 4.4-11.4 | 11 | 5.3 | 1.8- 8.8 |
| 25-34 | 342 | 237,468 | 234 | 68.8 | 63.3-74.3 | 43 | 11.2 | 7.7-14.7 | 34 | 10.2 | 6.5-13.9 | 23 | 7.0 | 3.9-10.1 | 8 | 2.7 | 0.5- 4.9 |
| 35-44 | 320 | 195,548 | 186 | 60.7 | 54.6-66.8 | 43 | 12.5 | 8.4-16.6 | 39 | 12.3 | 8.0-16.6 | 36 | 9.5 | 6.0-13.0 | 16 | 5.0 | 2.5- 7.5 |
| 45-54 | 492 | 208,741 | 247 | 47.7 | 42.4-53.0 | 56 | 11.4 | 8.1-14.7 | 58 | 12.9 | 9.2-16.6 | 69 | 14.6 | 10.9-18.3 | 62 | 13.4 | 9.7-17.1 |
| 55-64 | 640 | 203,838 | 308 | 45.5 | 40.8-50.2 | 69 | 10.2 | 7.5-12.9 | 74 | 12.2 | 9.1-15.3 | 94 | 15.4 | 12.1-18.7 | 95 | 16.7 | 13.0-20.4 |
| 65+ | 919 | 203,664 | 548 | 61.0 | 57.3-64.7 | 77 | 7.1 | 5.3- 8.9 | 84 | 9.1 | 6.9-11.3 | 113 | 11.5 | 9.1-13.9 | 97 | 11.3 | 8.6-14.0 |
| Less Than H.S. | 273 | 182,789 | 132 | 52.1 | 44.8-59.4 | 19 | 5.5 | 2.8- 8.2 | 35 | 13.2 | 8.3-18.1 | 41 | 12.3 | 8.0-16.6 | 46 | 17.0 | 11.5-22.5 |
| H.S. or G.E.D. | 1011 | 459,833 | 585 | 59.8 | 56.1-63.5 | 92 | 11.1 | 8.6-13.6 | 83 | 8.8 | 6.6-11.0 | 143 | 11.6 | 9.4-13.8 | 108 | 8.8 | 6.8-10.8 |
| Some Post-H.S. | 735 | 363,623 | 392 | 54.3 | 49.8-58.8 | 72 | 11.0 | 8.1-13.9 | 93 | 14.0 | 10.9-17.1 | 97 | 11.7 | 9.0-14.4 | 81 | 8.9 | 6.5-11.3 |
| College Graduate | 932 | 255,969 | 558 | 62.8 | 58.9-66.7 | 142 | 16.6 | 13.5-19.7 | 103 | 9.9 | 7.5-12.3 | 76 | 7.4 | 5.2- 9.6 | 53 | 3.4 | 2.2- 4.6 |
| Less than \$15,000 | 300 | 131,197 | 121 | 42.8 | 35.5-50.1 | 23 | 8.0 | 3.9-12.1 | 34 | 13.9 | 8.6-19.2 | 59 | 17.8 | 12.3-23.3 | 63 | 17.5 | 12.4-22.6 |
| \$15,000- 24,999 | 520 | 222,500 | 250 | 47.9 | 42.4-53.4 | 44 | 10.0 | 6.7-13.3 | 66 | 13.5 | 9.6-17.4 | 88 | 14.5 | 11.0-18.0 | 72 | 14.2 | 10.3-18.1 |
| \$25,000- 34,999 | 322 | 123,411 | 167 | 51.8 | 44.7-58.9 | 34 | 10.9 | 6.4-15.4 | 32 | 12.4 | 7.1-17.7 | 47 | 15.3 | 10.2-20.4 | 42 | 9.6 | 5.9-13.3 |
| \$35,000- 49,999 | 417 | 183,122 | 244 | 59.7 | 53.4-66.0 | 50 | 12.4 | 8.1-16.7 | 39 | 9.4 | 5.7-13.1 | 52 | 11.2 | 7.5-14.9 | 32 | 7.3 | 4.0-10.6 |
| \$50,000- 74,999 | 411 | 174,087 | 266 | 65.0 | 59.1-70.9 | 53 | 13.6 | 9.3-17.9 | 36 | 9.8 | 6.1-13.5 | 38 | 7.9 | 5.0-10.8 | 18 | 3.6 | 1.4- 5.8 |
| \$75,000+ | 715 | 308,583 | 474 | 68.1 | 63.8-72.4 | 96 | 13.4 | 10.3-16.5 | 73 | 9.8 | 7.1-12.5 | 48 | 6.0 | 3.8- 8.2 | 24 | 2.7 | 1.3- 4.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2017

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | None | | | 1-2 days | | | 3-7 days | | | 8-29 days | | | 30 days | | |
|----------------------------|-------------------|-----------|------|------|------------|----------|------|------------|----------|------|------------|-----------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 4669 | 1,617,833 | 2603 | 55.0 | 53.0-57.0 | 461 | 11.3 | 9.9-12.7 | 541 | 12.1 | 10.7-13.5 | 675 | 14.0 | 12.6-15.4 | 389 | 7.6 | 6.6- 8.6 |
| White/Non-Hisp | 3949 | 1,321,468 | 2223 | 55.7 | 53.5-57.9 | 396 | 11.4 | 10.0-12.8 | 457 | 12.2 | 10.6-13.8 | 540 | 13.1 | 11.7-14.5 | 333 | 7.6 | 6.6- 8.6 |
| Black or Afr. Am./Non-Hisp | 347 | 135,775 | 187 | 50.5 | 43.2-57.8 | 28 | 10.5 | 5.6-15.4 | 39 | 11.1 | 6.2-16.0 | 66 | 20.4 | 14.3-26.5 | 27 | 7.5 | 4.2-10.8 |
| Oth. Race/Non-Hisp. | 64 | 29,445 | 29 | 39.9 | 22.8-57.0 | 5 | 7.4 | 0.0-16.0 | 12 | 19.7 | 6.2-33.2 | 12 | 16.0 | 2.3-29.7 | 6 | 17.1 | 0.0-34.3 |
| MultiRacial/Non-Hisp. | 74 | 23,928 | 26 | 34.5 | 20.8-48.2 | 6 | 11.0 | 1.6-20.4 | 15 | 21.7 | 9.0-34.4 | 20 | 26.9 | 12.8-41.0 | 7 | 5.9 | 0.6-11.2 |
| Hispanic | 172 | 85,387 | 102 | 61.0 | 52.4-69.6 | 23 | 14.2 | 8.1-20.3 | 15 | 10.1 | 4.6-15.6 | 24 | 11.2 | 6.3-16.1 | 8 | 3.7 | 1.0- 6.4 |
| 18-24 | 216 | 236,955 | 120 | 57.4 | 50.0-64.8 | 41 | 15.7 | 10.6-20.8 | 34 | 16.3 | 10.6-22.0 | 15 | 7.2 | 3.1-11.3 | 6 | 3.4 | 0.3- 6.5 |
| 25-34 | 407 | 272,839 | 234 | 55.5 | 50.0-61.0 | 47 | 12.6 | 8.9-16.3 | 57 | 14.0 | 10.3-17.7 | 56 | 14.9 | 10.8-19.0 | 13 | 3.1 | 1.3- 4.9 |
| 35-44 | 492 | 258,320 | 277 | 55.1 | 50.0-60.2 | 55 | 11.3 | 8.2-14.4 | 52 | 10.6 | 7.5-13.7 | 69 | 13.8 | 10.1-17.5 | 39 | 9.2 | 6.1-12.3 |
| 45-54 | 709 | 258,515 | 351 | 48.9 | 44.6-53.2 | 87 | 12.0 | 9.3-14.7 | 89 | 12.3 | 9.6-15.0 | 111 | 15.8 | 12.7-18.9 | 71 | 10.9 | 8.2-13.6 |
| 55-64 | 998 | 271,420 | 502 | 51.7 | 48.0-55.4 | 99 | 10.1 | 7.7-12.5 | 99 | 8.9 | 6.9-10.9 | 192 | 20.1 | 17.0-23.2 | 106 | 9.1 | 7.1-11.1 |
| 65+ | 1847 | 319,784 | 1119 | 60.5 | 57.8-63.2 | 132 | 7.3 | 5.7- 8.9 | 210 | 11.3 | 9.5-13.1 | 232 | 11.6 | 9.8-13.4 | 154 | 9.2 | 7.4-11.0 |
| Less Than H.S. | 425 | 220,939 | 220 | 53.5 | 47.0-60.0 | 26 | 7.6 | 4.1-11.1 | 41 | 9.7 | 5.6-13.8 | 80 | 17.8 | 12.9-22.7 | 58 | 11.3 | 7.4-15.2 |
| H.S. or G.E.D. | 1623 | 524,632 | 902 | 53.4 | 50.1-56.7 | 124 | 9.8 | 7.4-12.2 | 165 | 11.6 | 9.2-14.0 | 271 | 16.3 | 13.9-18.7 | 161 | 8.8 | 7.0-10.6 |
| Some Post-H.S. | 1255 | 542,102 | 674 | 53.8 | 50.3-57.3 | 128 | 11.8 | 9.4-14.2 | 148 | 12.7 | 10.2-15.2 | 189 | 13.9 | 11.5-16.3 | 116 | 7.7 | 5.9- 9.5 |
| College Graduate | 1361 | 328,358 | 804 | 60.3 | 57.0-63.6 | 182 | 15.2 | 12.7-17.7 | 187 | 13.8 | 11.4-16.2 | 135 | 7.9 | 6.1- 9.7 | 53 | 2.9 | 1.9- 3.9 |
| Less than \$15,000 | 587 | 202,612 | 239 | 40.6 | 35.1-46.1 | 24 | 5.4 | 2.7- 8.1 | 64 | 9.9 | 6.8-13.0 | 150 | 27.7 | 22.4-33.0 | 110 | 16.2 | 12.5-19.9 |
| \$15,000- 24,999 | 950 | 308,997 | 491 | 51.0 | 46.5-55.5 | 68 | 8.4 | 5.7-11.1 | 102 | 12.1 | 9.2-15.0 | 188 | 19.1 | 15.8-22.4 | 101 | 9.5 | 7.1-11.9 |
| \$25,000- 34,999 | 508 | 166,391 | 296 | 57.4 | 51.5-63.3 | 47 | 11.4 | 7.3-15.5 | 56 | 11.4 | 7.5-15.3 | 77 | 12.8 | 9.1-16.5 | 32 | 7.0 | 3.5-10.5 |
| \$35,000- 49,999 | 570 | 201,799 | 327 | 54.0 | 48.3-59.7 | 61 | 13.7 | 9.8-17.6 | 64 | 11.3 | 7.6-15.0 | 80 | 14.6 | 10.7-18.5 | 38 | 6.5 | 4.0- 9.0 |
| \$50,000- 74,999 | 562 | 208,036 | 344 | 60.3 | 54.6-66.0 | 69 | 12.2 | 8.3-16.1 | 84 | 15.1 | 11.0-19.2 | 41 | 8.1 | 5.0-11.2 | 24 | 4.3 | 1.6- 7.0 |
| \$75,000+ | 873 | 332,253 | 538 | 61.3 | 57.0-65.6 | 130 | 14.2 | 11.3-17.1 | 108 | 14.4 | 10.9-17.9 | 71 | 7.3 | 5.1- 9.5 | 26 | 2.8 | 1.4- 4.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|--|------|
| DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1) | |
| 1 MALES AND FEMALES | 17 |
| 2 MALES ONLY | 18 |
| 3 FEMALES ONLY | 19 |
| DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2) | |
| 4 MALES AND FEMALES | 20 |
| 5 MALES ONLY | 21 |
| 6 FEMALES ONLY | 22 |
| WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST) | |
| 7 MALES AND FEMALES | 23 |
| 8 MALES ONLY | 24 |
| 9 FEMALES ONLY | 25 |
| ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1) | |
| 10 MALES AND FEMALES | 26 |
| 11 MALES ONLY | 27 |
| 12 FEMALES ONLY | 28 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13790 | 5,082,805 | 12813 | 89.5 | 88.7-90.3 | 977 | 10.5 | 9.7-11.3 |
| Male | 5921 | 2,469,537 | 5383 | 87.3 | 86.1-88.5 | 538 | 12.7 | 11.5-13.9 |
| Female | 7869 | 2,613,268 | 7430 | 91.6 | 90.6-92.6 | 439 | 8.4 | 7.4- 9.4 |
| White/Non-Hisp | 11545 | 4,079,705 | 10939 | 92.2 | 91.4-93.0 | 606 | 7.8 | 7.0- 8.6 |
| Black or Afr. Am./Non-Hisp | 927 | 435,822 | 843 | 85.9 | 82.4-89.4 | 84 | 14.1 | 10.6-17.6 |
| Oth. Race/Non-Hisp. | 287 | 127,809 | 249 | 85.1 | 79.2-91.0 | 38 | 14.9 | 9.0-20.8 |
| MultiRacial/Non-Hisp. | 208 | 60,858 | 184 | 88.3 | 82.8-93.8 | 24 | 11.7 | 6.2-17.2 |
| Hispanic | 585 | 289,486 | 382 | 60.4 | 55.5-65.3 | 203 | 39.6 | 34.7-44.5 |
| 18-24 | 674 | 673,197 | 549 | 81.7 | 78.4-85.0 | 125 | 18.3 | 15.0-21.6 |
| 25-34 | 1202 | 839,652 | 1006 | 84.4 | 82.0-86.8 | 196 | 15.6 | 13.2-18.0 |
| 35-44 | 1413 | 820,088 | 1223 | 85.9 | 83.7-88.1 | 190 | 14.1 | 11.9-16.3 |
| 45-54 | 2121 | 844,387 | 1939 | 90.4 | 88.8-92.0 | 182 | 9.6 | 8.0-11.2 |
| 55-64 | 2996 | 865,800 | 2794 | 92.7 | 91.5-93.9 | 202 | 7.3 | 6.1- 8.5 |
| 65+ | 5384 | 1,039,680 | 5302 | 98.3 | 97.9-98.7 | 82 | 1.7 | 1.3- 2.1 |
| Less Than H.S. | 1071 | 648,124 | 886 | 78.4 | 75.1-81.7 | 185 | 21.6 | 18.3-24.9 |
| H.S. or G.E.D. | 4614 | 1,722,762 | 4219 | 88.0 | 86.6-89.4 | 395 | 12.0 | 10.6-13.4 |
| Some Post-H.S. | 3493 | 1,566,107 | 3253 | 91.2 | 90.0-92.4 | 240 | 8.8 | 7.6-10.0 |
| College Graduate | 4582 | 1,137,378 | 4427 | 95.9 | 95.1-96.7 | 155 | 4.1 | 3.3- 4.9 |
| Less than \$15,000 | 1221 | 454,437 | 1081 | 84.6 | 81.7-87.5 | 140 | 15.4 | 12.5-18.3 |
| \$15,000- 24,999 | 2230 | 805,010 | 1968 | 82.4 | 80.0-84.8 | 262 | 17.6 | 15.2-20.0 |
| \$25,000- 34,999 | 1429 | 509,162 | 1301 | 86.5 | 83.8-89.2 | 128 | 13.5 | 10.8-16.2 |
| \$35,000- 49,999 | 1835 | 699,593 | 1704 | 88.5 | 86.1-90.9 | 131 | 11.5 | 9.1-13.9 |
| \$50,000- 74,999 | 1949 | 737,153 | 1850 | 92.7 | 90.9-94.5 | 99 | 7.3 | 5.5- 9.1 |
| \$75,000+ | 3422 | 1,295,018 | 3336 | 96.8 | 96.0-97.6 | 86 | 3.2 | 2.4- 4.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|--|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | N | % | C.I. (95%) | |
| Male | 5921 | 2,469,537 | 5383 | 87.3 | 86.1-88.5 | 538 | 12.7 | 11.5-13.9 | |
| White/Non-Hisp | 4900 | 1,965,586 | 4575 | 90.6 | 89.4-91.8 | 325 | 9.4 | 8.2-10.6 | |
| Black or Afr. Am./Non-Hisp | 340 | 205,895 | 293 | 79.6 | 73.5-85.7 | 47 | 20.4 | 14.3-26.5 | |
| Oth. Race/Non-Hisp. | 169 | 74,472 | 145 | 85.9 | 79.4-92.4 | 24 | 14.1 | 7.6-20.6 | |
| MultiRacial/Non-Hisp. | 111 | 32,913 | 96 | 87.1 | 79.3-94.9 | 15 | 12.9 | 5.1-20.7 | |
| Hispanic | 271 | 137,981 | 158 | 54.7 | 47.6-61.8 | 113 | 45.3 | 38.2-52.4 | |
| 18-24 | 376 | 340,186 | 300 | 78.5 | 73.6-83.4 | 76 | 21.5 | 16.6-26.4 | |
| 25-34 | 594 | 421,571 | 474 | 80.6 | 77.1-84.1 | 120 | 19.4 | 15.9-22.9 | |
| 35-44 | 631 | 409,310 | 531 | 83.9 | 80.6-87.2 | 100 | 16.1 | 12.8-19.4 | |
| 45-54 | 946 | 419,172 | 850 | 88.4 | 85.9-90.9 | 96 | 11.6 | 9.1-14.1 | |
| 55-64 | 1370 | 421,727 | 1269 | 92.4 | 90.6-94.2 | 101 | 7.6 | 5.8- 9.4 | |
| 65+ | 2004 | 457,571 | 1959 | 97.6 | 96.6-98.6 | 45 | 2.4 | 1.4- 3.4 | |
| Less Than H.S. | 446 | 322,283 | 342 | 73.4 | 68.3-78.5 | 104 | 26.6 | 21.5-31.7 | |
| H.S. or G.E.D. | 1912 | 863,107 | 1678 | 84.8 | 82.6-87.0 | 234 | 15.2 | 13.0-17.4 | |
| Some Post-H.S. | 1445 | 717,559 | 1324 | 90.1 | 88.1-92.1 | 121 | 9.9 | 7.9-11.9 | |
| College Graduate | 2102 | 561,187 | 2025 | 95.8 | 94.6-97.0 | 77 | 4.2 | 3.0- 5.4 | |
| Less than \$15,000 | 416 | 180,894 | 350 | 79.7 | 74.4-85.0 | 66 | 20.3 | 15.0-25.6 | |
| \$15,000- 24,999 | 842 | 358,846 | 699 | 77.9 | 74.2-81.6 | 143 | 22.1 | 18.4-25.8 | |
| \$25,000- 34,999 | 563 | 231,921 | 493 | 83.0 | 78.5-87.5 | 70 | 17.0 | 12.5-21.5 | |
| \$35,000- 49,999 | 861 | 369,871 | 775 | 84.5 | 80.8-88.2 | 86 | 15.5 | 11.8-19.2 | |
| \$50,000- 74,999 | 907 | 377,747 | 851 | 91.5 | 88.8-94.2 | 56 | 8.5 | 5.8-11.2 | |
| \$75,000+ | 1769 | 709,192 | 1716 | 96.5 | 95.3-97.7 | 53 | 3.5 | 2.3- 4.7 | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7869 | 2,613,268 | 7430 | 91.6 | 90.6-92.6 | 439 | 8.4 | 7.4- 9.4 |
| White/Non-Hisp | 6645 | 2,114,119 | 6364 | 93.6 | 92.6-94.6 | 281 | 6.4 | 5.4- 7.4 |
| Black or Afr. Am./Non-Hisp | 587 | 229,927 | 550 | 91.6 | 88.5-94.7 | 37 | 8.4 | 5.3-11.5 |
| Oth. Race/Non-Hisp. | 118 | 53,337 | 104 | 84.0 | 73.2-94.8 | 14 | 16.0 | 5.2-26.8 |
| MultiRacial/Non-Hisp. | 97 | 27,945 | 88 | 89.8 | 82.2-97.4 | 9 | 10.2 | 2.6-17.8 |
| Hispanic | 314 | 151,505 | 224 | 65.6 | 58.9-72.3 | 90 | 34.4 | 27.7-41.1 |
| 18-24 | 298 | 333,012 | 249 | 84.9 | 80.4-89.4 | 49 | 15.1 | 10.6-19.6 |
| 25-34 | 608 | 418,081 | 532 | 88.2 | 85.5-90.9 | 76 | 11.8 | 9.1-14.5 |
| 35-44 | 782 | 410,778 | 692 | 87.9 | 85.2-90.6 | 90 | 12.1 | 9.4-14.8 |
| 45-54 | 1175 | 425,215 | 1089 | 92.3 | 90.5-94.1 | 86 | 7.7 | 5.9- 9.5 |
| 55-64 | 1626 | 444,073 | 1525 | 92.9 | 91.3-94.5 | 101 | 7.1 | 5.5- 8.7 |
| 65+ | 3380 | 582,109 | 3343 | 98.8 | 98.4-99.2 | 37 | 1.2 | 0.8- 1.6 |
| Less Than H.S. | 625 | 325,841 | 544 | 83.4 | 79.3-87.5 | 81 | 16.6 | 12.5-20.7 |
| H.S. or G.E.D. | 2702 | 859,655 | 2541 | 91.2 | 89.6-92.8 | 161 | 8.8 | 7.2-10.4 |
| Some Post-H.S. | 2048 | 848,548 | 1929 | 92.1 | 90.5-93.7 | 119 | 7.9 | 6.3- 9.5 |
| College Graduate | 2480 | 576,191 | 2402 | 96.0 | 94.8-97.2 | 78 | 4.0 | 2.8- 5.2 |
| Less than \$15,000 | 805 | 273,544 | 731 | 87.8 | 84.5-91.1 | 74 | 12.2 | 8.9-15.5 |
| \$15,000- 24,999 | 1388 | 446,164 | 1269 | 86.0 | 83.1-88.9 | 119 | 14.0 | 11.1-16.9 |
| \$25,000- 34,999 | 866 | 277,240 | 808 | 89.5 | 86.4-92.6 | 58 | 10.5 | 7.4-13.6 |
| \$35,000- 49,999 | 974 | 329,722 | 929 | 93.0 | 90.5-95.5 | 45 | 7.0 | 4.5- 9.5 |
| \$50,000- 74,999 | 1042 | 359,406 | 999 | 93.9 | 91.7-96.1 | 43 | 6.1 | 3.9- 8.3 |
| \$75,000+ | 1653 | 585,826 | 1620 | 97.1 | 95.9-98.3 | 33 | 2.9 | 1.7- 4.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes, only one | | | More than one | | | No | | |
|----------------------------|-------------------|-----------|---------------|------|------------|---------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13759 | 5,076,243 | 11093 | 74.9 | 73.9-75.9 | 884 | 5.9 | 5.3- 6.5 | 1782 | 19.2 | 18.2-20.2 |
| Male | 5904 | 2,467,243 | 4379 | 67.9 | 66.3-69.5 | 450 | 6.6 | 5.8- 7.4 | 1075 | 25.5 | 23.9-27.1 |
| Female | 7855 | 2,609,001 | 6714 | 81.6 | 80.2-83.0 | 434 | 5.2 | 4.6- 5.8 | 707 | 13.3 | 12.1-14.5 |
| White/Non-Hisp | 11523 | 4,076,132 | 9547 | 77.6 | 76.4-78.8 | 729 | 5.8 | 5.2- 6.4 | 1247 | 16.5 | 15.5-17.5 |
| Black or Afr. Am./Non-Hisp | 925 | 436,022 | 719 | 70.4 | 66.3-74.5 | 65 | 6.0 | 4.2- 7.8 | 141 | 23.6 | 19.5-27.7 |
| Oth. Race/Non-Hisp. | 284 | 126,963 | 191 | 59.8 | 52.2-67.4 | 16 | 5.4 | 2.1- 8.7 | 77 | 34.8 | 27.4-42.2 |
| MultiRacial/Non-Hisp. | 207 | 60,325 | 146 | 68.2 | 60.2-76.2 | 16 | 7.2 | 3.1-11.3 | 45 | 24.6 | 17.2-32.0 |
| Hispanic | 580 | 287,378 | 326 | 54.1 | 49.2-59.0 | 29 | 4.1 | 2.3- 5.9 | 225 | 41.8 | 36.9-46.7 |
| 18-24 | 681 | 680,854 | 392 | 59.7 | 55.6-63.8 | 38 | 5.1 | 3.3- 6.9 | 251 | 35.2 | 31.1-39.3 |
| 25-34 | 1199 | 837,389 | 726 | 62.5 | 59.4-65.6 | 59 | 4.7 | 3.3- 6.1 | 414 | 32.9 | 30.0-35.8 |
| 35-44 | 1408 | 817,081 | 1021 | 71.6 | 68.9-74.3 | 64 | 4.2 | 3.0- 5.4 | 323 | 24.2 | 21.7-26.7 |
| 45-54 | 2112 | 841,808 | 1711 | 79.6 | 77.4-81.8 | 120 | 5.6 | 4.4- 6.8 | 281 | 14.8 | 13.0-16.6 |
| 55-64 | 2991 | 862,802 | 2512 | 83.1 | 81.5-84.7 | 193 | 6.5 | 5.3- 7.7 | 286 | 10.4 | 9.0-11.8 |
| 65+ | 5368 | 1,036,309 | 4731 | 86.9 | 85.7-88.1 | 410 | 8.2 | 7.2- 9.2 | 227 | 4.9 | 4.1- 5.7 |
| Less Than H.S. | 1061 | 644,485 | 743 | 63.7 | 59.8-67.6 | 74 | 6.2 | 4.4- 8.0 | 244 | 30.1 | 26.4-33.8 |
| H.S. or G.E.D. | 4606 | 1,722,886 | 3676 | 73.9 | 72.1-75.7 | 304 | 6.0 | 5.2- 6.8 | 626 | 20.1 | 18.3-21.9 |
| Some Post-H.S. | 3490 | 1,565,272 | 2808 | 76.7 | 74.9-78.5 | 237 | 6.1 | 5.1- 7.1 | 445 | 17.2 | 15.4-19.0 |
| College Graduate | 4572 | 1,134,419 | 3845 | 80.3 | 78.7-81.9 | 263 | 5.0 | 4.2- 5.8 | 464 | 14.7 | 13.3-16.1 |
| Less than \$15,000 | 1217 | 452,223 | 900 | 66.0 | 62.3-69.7 | 112 | 8.3 | 6.3-10.3 | 205 | 25.7 | 22.2-29.2 |
| \$15,000- 24,999 | 2225 | 806,982 | 1734 | 70.4 | 67.7-73.1 | 150 | 6.4 | 5.0- 7.8 | 341 | 23.3 | 20.6-26.0 |
| \$25,000- 34,999 | 1421 | 507,394 | 1103 | 71.9 | 68.6-75.2 | 106 | 7.0 | 5.2- 8.8 | 212 | 21.1 | 18.0-24.2 |
| \$35,000- 49,999 | 1830 | 696,505 | 1502 | 75.2 | 72.3-78.1 | 98 | 4.8 | 3.6- 6.0 | 230 | 20.0 | 17.3-22.7 |
| \$50,000- 74,999 | 1946 | 735,578 | 1598 | 78.0 | 75.5-80.5 | 115 | 4.8 | 3.6- 6.0 | 233 | 17.2 | 14.8-19.6 |
| \$75,000+ | 3418 | 1,294,236 | 2891 | 81.1 | 79.3-82.9 | 188 | 5.0 | 4.0- 6.0 | 339 | 13.9 | 12.3-15.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes, only one | | | More than one | | | No | | |
|----------------------------|-------------------|-----------|---------------|------|------------|---------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5904 | 2,467,243 | 4379 | 67.9 | 66.3-69.5 | 450 | 6.6 | 5.8- 7.4 | 1075 | 25.5 | 23.9-27.1 |
| White/Non-Hisp | 4886 | 1,964,796 | 3759 | 71.0 | 69.2-72.8 | 375 | 6.7 | 5.9- 7.5 | 752 | 22.3 | 20.7-23.9 |
| Black or Afr. Am./Non-Hisp | 338 | 205,273 | 227 | 58.9 | 52.0-65.8 | 30 | 7.5 | 4.4-10.6 | 81 | 33.6 | 26.7-40.5 |
| Oth. Race/Non-Hisp. | 168 | 74,077 | 104 | 55.1 | 45.7-64.5 | 10 | 4.6 | 0.9- 8.3 | 54 | 40.3 | 30.9-49.7 |
| MultiRacial/Non-Hisp. | 111 | 32,913 | 72 | 63.4 | 52.4-74.4 | 9 | 9.0 | 2.5-15.5 | 30 | 27.6 | 17.6-37.6 |
| Hispanic | 269 | 137,196 | 131 | 46.9 | 39.6-54.2 | 13 | 4.0 | 1.6- 6.4 | 125 | 49.2 | 41.9-56.5 |
| 18-24 | 383 | 347,834 | 203 | 53.7 | 48.0-59.4 | 23 | 5.7 | 3.2- 8.2 | 157 | 40.6 | 35.1-46.1 |
| 25-34 | 592 | 420,781 | 291 | 50.4 | 45.9-54.9 | 29 | 4.7 | 2.9- 6.5 | 272 | 44.9 | 40.4-49.4 |
| 35-44 | 629 | 407,090 | 406 | 64.8 | 60.5-69.1 | 22 | 2.7 | 1.3- 4.1 | 201 | 32.5 | 28.2-36.8 |
| 45-54 | 939 | 417,043 | 702 | 73.7 | 70.4-77.0 | 66 | 6.6 | 4.8- 8.4 | 171 | 19.7 | 16.6-22.8 |
| 55-64 | 1367 | 419,467 | 1095 | 78.0 | 75.3-80.7 | 112 | 8.9 | 6.9-10.9 | 160 | 13.1 | 10.9-15.3 |
| 65+ | 1994 | 455,028 | 1682 | 82.9 | 80.7-85.1 | 198 | 10.4 | 8.6-12.2 | 114 | 6.7 | 5.1- 8.3 |
| Less Than H.S. | 443 | 321,852 | 253 | 54.9 | 49.2-60.6 | 41 | 7.8 | 5.1-10.5 | 149 | 37.3 | 31.6-43.0 |
| H.S. or G.E.D. | 1909 | 864,283 | 1373 | 66.0 | 63.3-68.7 | 142 | 6.1 | 4.9- 7.3 | 394 | 27.8 | 25.1-30.5 |
| Some Post-H.S. | 1437 | 714,926 | 1047 | 69.4 | 66.5-72.3 | 133 | 7.8 | 6.2- 9.4 | 257 | 22.8 | 20.1-25.5 |
| College Graduate | 2098 | 559,969 | 1695 | 76.0 | 73.6-78.4 | 130 | 5.0 | 4.0- 6.0 | 273 | 19.0 | 16.6-21.4 |
| Less than \$15,000 | 412 | 179,025 | 268 | 57.4 | 51.1-63.7 | 44 | 10.0 | 6.5-13.5 | 100 | 32.6 | 26.5-38.7 |
| \$15,000- 24,999 | 838 | 360,323 | 559 | 59.6 | 55.3-63.9 | 77 | 8.3 | 5.9-10.7 | 202 | 32.1 | 27.8-36.4 |
| \$25,000- 34,999 | 557 | 230,665 | 386 | 63.7 | 58.4-69.0 | 54 | 9.0 | 6.1-11.9 | 117 | 27.3 | 22.2-32.4 |
| \$35,000- 49,999 | 858 | 367,250 | 641 | 66.0 | 61.5-70.5 | 54 | 5.7 | 3.7- 7.7 | 163 | 28.3 | 24.0-32.6 |
| \$50,000- 74,999 | 906 | 376,810 | 684 | 69.4 | 65.3-73.5 | 66 | 5.1 | 3.5- 6.7 | 156 | 25.5 | 21.6-29.4 |
| \$75,000+ | 1769 | 709,342 | 1432 | 76.7 | 74.0-79.4 | 101 | 4.5 | 3.3- 5.7 | 236 | 18.9 | 16.4-21.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes, only one | | | More than one | | | No | | |
|----------------------------|-------------------|-----------|---------------|------|------------|---------------|-----|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7855 | 2,609,001 | 6714 | 81.6 | 80.4-82.8 | 434 | 5.2 | 4.6- 5.8 | 707 | 13.3 | 12.1-14.5 |
| White/Non-Hisp | 6637 | 2,111,336 | 5788 | 83.8 | 82.4-85.2 | 354 | 5.1 | 4.3- 5.9 | 495 | 11.2 | 10.0-12.4 |
| Black or Afr. Am./Non-Hisp | 587 | 230,749 | 492 | 80.7 | 76.2-85.2 | 35 | 4.6 | 2.6- 6.6 | 60 | 14.7 | 10.6-18.8 |
| Oth. Race/Non-Hisp. | 116 | 52,886 | 87 | 66.4 | 54.1-78.7 | 6 | 6.4 | 0.1-12.7 | 23 | 27.2 | 15.4-39.0 |
| MultiRacial/Non-Hisp. | 96 | 27,412 | 74 | 73.9 | 62.3-85.5 | 7 | 5.1 | 0.6- 9.6 | 15 | 21.0 | 9.8-32.2 |
| Hispanic | 311 | 150,181 | 195 | 60.7 | 54.0-67.4 | 16 | 4.3 | 1.9- 6.7 | 100 | 35.0 | 28.5-41.5 |
| 18-24 | 298 | 333,020 | 189 | 66.0 | 59.9-72.1 | 15 | 4.5 | 2.1- 6.9 | 94 | 29.5 | 23.6-35.4 |
| 25-34 | 607 | 416,608 | 435 | 74.7 | 71.0-78.4 | 30 | 4.6 | 2.8- 6.4 | 142 | 20.7 | 17.2-24.2 |
| 35-44 | 779 | 409,992 | 615 | 78.5 | 75.2-81.8 | 42 | 5.7 | 3.7- 7.7 | 122 | 15.8 | 12.9-18.7 |
| 45-54 | 1173 | 424,765 | 1009 | 85.3 | 82.9-87.7 | 54 | 4.7 | 3.3- 6.1 | 110 | 10.0 | 8.0-12.0 |
| 55-64 | 1624 | 443,335 | 1417 | 87.9 | 86.1-89.7 | 81 | 4.2 | 3.2- 5.2 | 126 | 7.9 | 6.3- 9.5 |
| 65+ | 3374 | 581,281 | 3049 | 90.0 | 88.6-91.4 | 212 | 6.6 | 5.4- 7.8 | 113 | 3.4 | 2.6- 4.2 |
| Less Than H.S. | 618 | 322,633 | 490 | 72.5 | 67.4-77.6 | 33 | 4.7 | 2.5- 6.9 | 95 | 22.8 | 17.9-27.7 |
| H.S. or G.E.D. | 2697 | 858,604 | 2303 | 81.8 | 79.6-84.0 | 162 | 5.9 | 4.7- 7.1 | 232 | 12.4 | 10.4-14.4 |
| Some Post-H.S. | 2053 | 850,345 | 1761 | 82.9 | 80.7-85.1 | 104 | 4.7 | 3.5- 5.9 | 188 | 12.4 | 10.4-14.4 |
| College Graduate | 2474 | 574,450 | 2150 | 84.4 | 82.4-86.4 | 133 | 5.0 | 3.8- 6.2 | 191 | 10.6 | 8.8-12.4 |
| Less than \$15,000 | 805 | 273,198 | 632 | 71.6 | 66.9-76.3 | 68 | 7.2 | 4.8- 9.6 | 105 | 21.2 | 16.9-25.5 |
| \$15,000- 24,999 | 1387 | 446,659 | 1175 | 79.1 | 75.8-82.4 | 73 | 4.8 | 3.2- 6.4 | 139 | 16.1 | 12.8-19.4 |
| \$25,000- 34,999 | 864 | 276,730 | 717 | 78.8 | 74.9-82.7 | 52 | 5.3 | 3.3- 7.3 | 95 | 15.9 | 12.2-19.6 |
| \$35,000- 49,999 | 972 | 329,255 | 861 | 85.4 | 82.1-88.7 | 44 | 3.8 | 2.4- 5.2 | 67 | 10.7 | 7.6-13.8 |
| \$50,000- 74,999 | 1040 | 358,768 | 914 | 87.0 | 84.3-89.7 | 49 | 4.4 | 2.6- 6.2 | 77 | 8.6 | 6.4-10.8 |
| \$75,000+ | 1649 | 584,894 | 1459 | 86.5 | 84.3-88.7 | 87 | 5.6 | 4.2- 7.0 | 103 | 7.8 | 6.0- 9.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13790 | 5,092,258 | 1339 | 12.6 | 11.8-13.4 | 12451 | 87.4 | 86.6-88.2 |
| Male | 5924 | 2,478,096 | 543 | 11.2 | 10.0-12.4 | 5381 | 88.8 | 87.6-90.0 |
| Female | 7866 | 2,614,162 | 796 | 14.0 | 12.8-15.2 | 7070 | 86.0 | 84.8-87.2 |
| White/Non-Hisp | 11544 | 4,086,142 | 937 | 11.0 | 10.2-11.8 | 10607 | 89.0 | 88.2-89.8 |
| Black or Afr. Am./Non-Hisp | 930 | 438,308 | 147 | 17.6 | 14.3-20.9 | 783 | 82.4 | 79.1-85.7 |
| Oth. Race/Non-Hisp. | 286 | 127,479 | 48 | 18.0 | 11.5-24.5 | 238 | 82.0 | 75.5-88.5 |
| MultiRacial/Non-Hisp. | 208 | 60,858 | 43 | 20.5 | 13.8-27.2 | 165 | 79.5 | 72.8-86.2 |
| Hispanic | 583 | 289,802 | 132 | 23.2 | 19.1-27.3 | 451 | 76.8 | 72.7-80.9 |
| 18-24 | 686 | 685,972 | 102 | 15.5 | 12.4-18.6 | 584 | 84.5 | 81.4-87.6 |
| 25-34 | 1205 | 841,527 | 218 | 17.5 | 15.1-19.9 | 987 | 82.5 | 80.1-84.9 |
| 35-44 | 1411 | 818,960 | 214 | 15.6 | 13.4-17.8 | 1197 | 84.4 | 82.2-86.6 |
| 45-54 | 2118 | 842,957 | 270 | 14.1 | 12.3-15.9 | 1848 | 85.9 | 84.1-87.7 |
| 55-64 | 2993 | 865,057 | 330 | 11.6 | 10.2-13.0 | 2663 | 88.4 | 87.0-89.8 |
| 65+ | 5377 | 1,037,785 | 205 | 4.1 | 3.3- 4.9 | 5172 | 95.9 | 95.1-96.7 |
| Less Than H.S. | 1063 | 646,727 | 197 | 20.7 | 17.4-24.0 | 866 | 79.3 | 76.0-82.6 |
| H.S. or G.E.D. | 4616 | 1,728,063 | 503 | 13.1 | 11.7-14.5 | 4113 | 86.9 | 85.5-88.3 |
| Some Post-H.S. | 3496 | 1,570,275 | 379 | 13.1 | 11.5-14.7 | 3117 | 86.9 | 85.3-88.5 |
| College Graduate | 4583 | 1,137,096 | 257 | 6.7 | 5.7- 7.7 | 4326 | 93.3 | 92.3-94.3 |
| Less than \$15,000 | 1218 | 454,447 | 225 | 22.3 | 19.0-25.6 | 993 | 77.7 | 74.4-81.0 |
| \$15,000- 24,999 | 2227 | 808,370 | 375 | 21.1 | 18.7-23.5 | 1852 | 78.9 | 76.5-81.3 |
| \$25,000- 34,999 | 1424 | 507,244 | 176 | 15.7 | 13.0-18.4 | 1248 | 84.3 | 81.6-87.0 |
| \$35,000- 49,999 | 1833 | 698,024 | 175 | 13.6 | 11.2-16.0 | 1658 | 86.4 | 84.0-88.8 |
| \$50,000- 74,999 | 1952 | 738,126 | 128 | 9.7 | 7.7-11.7 | 1824 | 90.3 | 88.3-92.3 |
| \$75,000+ | 3425 | 1,297,412 | 124 | 4.6 | 3.6- 5.6 | 3301 | 95.4 | 94.4-96.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5924 | 2,478,096 | 543 | 11.2 | 10.0-12.4 | 5381 | 88.8 | 87.6-90.0 |
| White/Non-Hisp | 4903 | 1,972,235 | 363 | 9.4 | 8.2-10.6 | 4540 | 90.6 | 89.4-91.8 |
| Black or Afr. Am./Non-Hisp | 342 | 207,477 | 55 | 18.2 | 12.9-23.5 | 287 | 81.8 | 76.5-87.1 |
| Oth. Race/Non-Hisp. | 168 | 74,142 | 26 | 12.7 | 6.8-18.6 | 142 | 87.3 | 81.4-93.2 |
| MultiRacial/Non-Hisp. | 111 | 32,913 | 20 | 17.7 | 9.3-26.1 | 91 | 82.3 | 73.9-90.7 |
| Hispanic | 270 | 138,486 | 62 | 23.4 | 17.5-29.3 | 208 | 76.6 | 70.7-82.5 |
| 18-24 | 387 | 351,793 | 40 | 10.4 | 6.9-13.9 | 347 | 89.6 | 86.1-93.1 |
| 25-34 | 595 | 422,307 | 102 | 16.1 | 12.8-19.4 | 493 | 83.9 | 80.6-87.2 |
| 35-44 | 629 | 408,182 | 86 | 13.5 | 10.6-16.4 | 543 | 86.5 | 83.6-89.4 |
| 45-54 | 943 | 417,547 | 110 | 13.2 | 10.5-15.9 | 833 | 86.8 | 84.1-89.5 |
| 55-64 | 1371 | 422,011 | 135 | 10.7 | 8.7-12.7 | 1236 | 89.3 | 87.3-91.3 |
| 65+ | 1999 | 456,256 | 70 | 4.2 | 3.0- 5.4 | 1929 | 95.8 | 94.6-97.0 |
| Less Than H.S. | 441 | 321,564 | 92 | 20.5 | 15.8-25.2 | 349 | 79.5 | 74.8-84.2 |
| H.S. or G.E.D. | 1918 | 868,319 | 221 | 12.6 | 10.8-14.4 | 1697 | 87.4 | 85.6-89.2 |
| Some Post-H.S. | 1445 | 720,314 | 135 | 10.0 | 8.0-12.0 | 1310 | 90.0 | 88.0-92.0 |
| College Graduate | 2102 | 560,833 | 93 | 5.4 | 4.0- 6.8 | 2009 | 94.6 | 93.2-96.0 |
| Less than \$15,000 | 413 | 180,380 | 80 | 21.2 | 16.1-26.3 | 333 | 78.8 | 73.7-83.9 |
| \$15,000- 24,999 | 839 | 361,267 | 151 | 20.8 | 17.1-24.5 | 688 | 79.2 | 75.5-82.9 |
| \$25,000- 34,999 | 561 | 230,824 | 66 | 14.0 | 10.1-17.9 | 495 | 86.0 | 82.1-89.9 |
| \$35,000- 49,999 | 860 | 368,554 | 79 | 11.9 | 8.8-15.0 | 781 | 88.1 | 85.0-91.2 |
| \$50,000- 74,999 | 910 | 378,722 | 50 | 6.8 | 4.6- 9.0 | 860 | 93.2 | 91.0-95.4 |
| \$75,000+ | 1772 | 711,586 | 66 | 4.9 | 3.5- 6.3 | 1706 | 95.1 | 93.7-96.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7866 | 2,614,162 | 796 | 14.0 | 12.8-15.2 | 7070 | 86.0 | 84.8-87.2 |
| White/Non-Hisp | 6641 | 2,113,907 | 574 | 12.5 | 11.3-13.7 | 6067 | 87.5 | 86.3-88.7 |
| Black or Afr. Am./Non-Hisp | 588 | 230,830 | 92 | 17.1 | 13.0-21.2 | 496 | 82.9 | 78.8-87.0 |
| Oth. Race/Non-Hisp. | 118 | 53,337 | 22 | 25.4 | 13.1-37.7 | 96 | 74.6 | 62.3-86.9 |
| MultiRacial/Non-Hisp. | 97 | 27,945 | 23 | 23.7 | 12.9-34.5 | 74 | 76.3 | 65.5-87.1 |
| Hispanic | 313 | 151,315 | 70 | 22.9 | 17.4-28.4 | 243 | 77.1 | 71.6-82.6 |
| 18-24 | 299 | 334,180 | 62 | 20.9 | 15.6-26.2 | 237 | 79.1 | 73.8-84.4 |
| 25-34 | 610 | 419,220 | 116 | 18.9 | 15.4-22.4 | 494 | 81.1 | 77.6-84.6 |
| 35-44 | 782 | 410,778 | 128 | 17.7 | 14.6-20.8 | 654 | 82.3 | 79.2-85.4 |
| 45-54 | 1175 | 425,410 | 160 | 15.0 | 12.6-17.4 | 1015 | 85.0 | 82.6-87.4 |
| 55-64 | 1622 | 443,046 | 195 | 12.5 | 10.5-14.5 | 1427 | 87.5 | 85.5-89.5 |
| 65+ | 3378 | 581,529 | 135 | 4.1 | 3.3- 4.9 | 3243 | 95.9 | 95.1-96.7 |
| Less Than H.S. | 622 | 325,163 | 105 | 20.8 | 16.3-25.3 | 517 | 79.2 | 74.7-83.7 |
| H.S. or G.E.D. | 2698 | 859,744 | 282 | 13.6 | 11.6-15.6 | 2416 | 86.4 | 84.4-88.4 |
| Some Post-H.S. | 2051 | 849,961 | 244 | 15.8 | 13.6-18.0 | 1807 | 84.2 | 82.0-86.4 |
| College Graduate | 2481 | 576,262 | 164 | 8.0 | 6.4- 9.6 | 2317 | 92.0 | 90.4-93.6 |
| Less than \$15,000 | 805 | 274,068 | 145 | 23.0 | 18.7-27.3 | 660 | 77.0 | 72.7-81.3 |
| \$15,000- 24,999 | 1388 | 447,103 | 224 | 21.3 | 18.2-24.4 | 1164 | 78.7 | 75.6-81.8 |
| \$25,000- 34,999 | 863 | 276,420 | 110 | 17.2 | 13.5-20.9 | 753 | 82.8 | 79.1-86.5 |
| \$35,000- 49,999 | 973 | 329,469 | 96 | 15.4 | 11.9-18.9 | 877 | 84.6 | 81.1-88.1 |
| \$50,000- 74,999 | 1042 | 359,404 | 78 | 12.7 | 9.2-16.2 | 964 | 87.3 | 83.8-90.8 |
| \$75,000+ | 1653 | 585,826 | 58 | 4.1 | 2.9- 5.3 | 1595 | 95.9 | 94.7-97.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Past year < 12 months | | | Past 2 years 1 year < 2 years | | | Past 2-5 years 2 years < 5 years | | | 5 or more years | | | Never | | |
|----------------------------|-------------------|-----------|-----------------------|------|------------|----------------------------------|------|------------|-------------------------------------|------|------------|-----------------|------|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13686 | 5,050,644 | 10163 | 68.3 | 67.1-69.5 | 1552 | 12.8 | 12.0-13.6 | 914 | 8.7 | 8.1- 9.3 | 922 | 8.9 | 8.1- 9.7 | 135 | 1.3 | 1.1- 1.5 |
| Male | 5887 | 2,459,922 | 4113 | 63.6 | 62.0-65.2 | 669 | 12.3 | 11.1-13.5 | 493 | 10.6 | 9.4-11.8 | 532 | 11.6 | 10.4-12.8 | 80 | 1.8 | 1.4- 2.2 |
| Female | 7799 | 2,590,723 | 6050 | 72.7 | 71.3-74.1 | 883 | 13.3 | 12.1-14.5 | 421 | 6.8 | 6.0- 7.6 | 390 | 6.3 | 5.5- 7.1 | 55 | 0.9 | 0.5- 1.3 |
| White/Non-Hisp | 11463 | 4,058,272 | 8588 | 68.7 | 67.5-69.9 | 1262 | 12.5 | 11.7-13.3 | 739 | 8.4 | 7.6- 9.2 | 777 | 9.3 | 8.5-10.1 | 97 | 1.1 | 0.7- 1.5 |
| Black or Afr. Am./Non-Hisp | 921 | 430,636 | 746 | 74.8 | 70.7-78.9 | 93 | 12.8 | 9.9-15.7 | 47 | 7.2 | 4.8- 9.6 | 33 | 5.1 | 2.7- 7.5 | 2 | 0.1 | 0.0- 0.3 |
| Oth. Race/Non-Hisp. | 283 | 126,630 | 191 | 65.2 | 57.8-72.6 | 45 | 18.4 | 12.5-24.3 | 17 | 6.4 | 2.5-10.3 | 23 | 6.8 | 2.3-11.3 | 7 | 3.2 | 0.5- 5.9 |
| MultiRacial/Non-Hisp. | 206 | 60,522 | 138 | 66.3 | 58.3-74.3 | 27 | 9.5 | 5.2-13.8 | 16 | 10.6 | 4.9-16.3 | 23 | 13.1 | 7.6-18.6 | 2 | 0.5 | 0.0- 1.1 |
| Hispanic | 578 | 285,859 | 325 | 54.0 | 49.1-58.9 | 104 | 16.7 | 13.0-20.4 | 81 | 16.3 | 12.4-20.2 | 46 | 8.4 | 5.7-11.1 | 22 | 4.6 | 2.6- 6.6 |
| 18-24 | 681 | 680,385 | 372 | 55.5 | 51.2-59.8 | 129 | 18.3 | 15.0-21.6 | 106 | 14.6 | 11.7-17.5 | 60 | 9.5 | 6.8-12.2 | 14 | 2.1 | 0.9- 3.3 |
| 25-34 | 1191 | 830,837 | 636 | 56.7 | 53.6-59.8 | 199 | 15.6 | 13.2-18.0 | 156 | 11.8 | 9.8-13.8 | 174 | 14.0 | 11.6-16.4 | 26 | 2.0 | 1.2- 2.8 |
| 35-44 | 1401 | 812,233 | 839 | 58.6 | 55.7-61.5 | 219 | 14.8 | 12.6-17.0 | 141 | 10.5 | 8.5-12.5 | 180 | 14.3 | 12.1-16.5 | 22 | 1.8 | 1.0- 2.6 |
| 45-54 | 2104 | 837,350 | 1469 | 70.0 | 67.6-72.4 | 268 | 12.2 | 10.6-13.8 | 177 | 8.4 | 7.0- 9.8 | 170 | 8.3 | 6.9- 9.7 | 20 | 1.1 | 0.5- 1.7 |
| 55-64 | 2989 | 864,078 | 2242 | 75.7 | 73.9-77.5 | 346 | 11.3 | 9.9-12.7 | 190 | 6.3 | 5.3- 7.3 | 187 | 6.0 | 5.0- 7.0 | 24 | 0.8 | 0.4- 1.2 |
| 65+ | 5320 | 1,025,762 | 4605 | 86.1 | 84.9-87.3 | 391 | 7.3 | 6.5- 8.1 | 144 | 3.0 | 2.4- 3.6 | 151 | 2.9 | 2.3- 3.5 | 29 | 0.5 | 0.3- 0.7 |
| Less Than H.S. | 1053 | 638,403 | 756 | 65.2 | 61.3-69.1 | 110 | 11.1 | 8.6-13.6 | 78 | 8.6 | 6.4-10.8 | 85 | 11.9 | 9.0-14.8 | 24 | 3.2 | 1.6- 4.8 |
| H.S. or G.E.D. | 4580 | 1,713,123 | 3448 | 68.2 | 66.2-70.2 | 479 | 12.5 | 11.1-13.9 | 294 | 8.8 | 7.6-10.0 | 313 | 9.3 | 8.1-10.5 | 46 | 1.2 | 0.8- 1.6 |
| Some Post-H.S. | 3471 | 1,560,320 | 2559 | 68.7 | 66.7-70.7 | 402 | 13.4 | 11.8-15.0 | 227 | 8.6 | 7.4- 9.8 | 247 | 8.3 | 7.1- 9.5 | 36 | 1.0 | 0.6- 1.4 |
| College Graduate | 4552 | 1,129,036 | 3375 | 69.5 | 67.7-71.3 | 561 | 13.7 | 12.3-15.1 | 313 | 8.6 | 7.4- 9.8 | 274 | 7.3 | 6.3- 8.3 | 29 | 1.0 | 0.6- 1.4 |
| Less than \$15,000 | 1205 | 450,379 | 910 | 70.0 | 66.3-73.7 | 137 | 13.0 | 10.3-15.7 | 70 | 7.8 | 5.6-10.0 | 73 | 7.8 | 5.4-10.2 | 15 | 1.4 | 0.6- 2.2 |
| \$15,000- 24,999 | 2213 | 801,277 | 1651 | 68.3 | 65.6-71.0 | 243 | 12.4 | 10.4-14.4 | 131 | 8.0 | 6.4- 9.6 | 161 | 9.7 | 7.9-11.5 | 27 | 1.6 | 0.8- 2.4 |
| \$25,000- 34,999 | 1410 | 500,973 | 1025 | 64.7 | 61.2-68.2 | 167 | 14.2 | 11.5-16.9 | 96 | 9.4 | 7.2-11.6 | 103 | 10.1 | 7.7-12.5 | 19 | 1.6 | 0.6- 2.6 |
| \$35,000- 49,999 | 1825 | 696,722 | 1351 | 65.5 | 62.4-68.6 | 194 | 13.3 | 10.9-15.7 | 122 | 9.5 | 7.5-11.5 | 140 | 10.1 | 7.9-12.3 | 18 | 1.7 | 0.7- 2.7 |
| \$50,000- 74,999 | 1945 | 733,727 | 1407 | 67.1 | 64.2-70.0 | 239 | 12.2 | 10.4-14.0 | 138 | 9.3 | 7.5-11.1 | 144 | 10.5 | 8.5-12.5 | 17 | 0.9 | 0.5- 1.3 |
| \$75,000+ | 3413 | 1,293,205 | 2518 | 70.1 | 68.1-72.1 | 399 | 12.7 | 11.3-14.1 | 261 | 8.4 | 7.2- 9.6 | 210 | 7.8 | 6.6- 9.0 | 25 | 1.0 | 0.6- 1.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Past year < 12 months | | | Past 2 years 1 year < 2 years | | | Past 2-5 years 2 years < 5 years | | | 5 or more years | | | Never | | |
|----------------------------|-------------------|-----------|-----------------------|------|------------|----------------------------------|------|------------|-------------------------------------|------|------------|-----------------|------|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5887 | 2,459,922 | 4113 | 63.6 | 62.0-65.2 | 669 | 12.3 | 11.1-13.5 | 493 | 10.6 | 9.4-11.8 | 532 | 11.6 | 10.4-12.8 | 80 | 1.8 | 1.4- 2.2 |
| White/Non-Hisp | 4877 | 1,961,252 | 3461 | 64.1 | 62.3-65.9 | 529 | 12.0 | 10.8-13.2 | 396 | 10.3 | 9.1-11.5 | 437 | 12.1 | 10.7-13.5 | 54 | 1.4 | 1.0- 1.8 |
| Black or Afr. Am./Non-Hisp | 336 | 202,383 | 248 | 67.4 | 60.7-74.1 | 43 | 14.0 | 9.3-18.7 | 28 | 10.9 | 6.6-15.2 | 17 | 7.8 | 3.1-12.5 | | | |
| Oth. Race/Non-Hisp. | 166 | 73,695 | 107 | 64.2 | 55.2-73.2 | 26 | 18.2 | 10.9-25.5 | 10 | 7.2 | 1.5-12.9 | 17 | 5.0 | 1.9- 8.1 | 6 | 5.2 | 0.7- 9.7 |
| MultiRacial/Non-Hisp. | 110 | 32,656 | 66 | 60.5 | 49.5-71.5 | 18 | 12.5 | 5.6-19.4 | 9 | 9.8 | 2.4-17.2 | 16 | 16.7 | 8.7-24.7 | 1 | 0.6 | 0.0- 1.8 |
| Hispanic | 270 | 137,871 | 139 | 50.0 | 42.7-57.3 | 42 | 12.7 | 7.8-17.6 | 43 | 18.8 | 12.7-24.9 | 30 | 11.4 | 7.1-15.7 | 16 | 7.1 | 3.6-10.6 |
| 18-24 | 385 | 350,320 | 195 | 49.9 | 44.2-55.6 | 71 | 17.5 | 13.4-21.6 | 66 | 17.4 | 13.1-21.7 | 42 | 12.7 | 8.6-16.8 | 11 | 2.5 | 0.9- 4.1 |
| 25-34 | 588 | 415,842 | 274 | 49.5 | 44.8-54.2 | 97 | 15.1 | 12.0-18.2 | 91 | 14.1 | 11.2-17.0 | 107 | 18.2 | 14.5-21.9 | 19 | 3.1 | 1.5- 4.7 |
| 35-44 | 627 | 405,348 | 335 | 52.3 | 47.8-56.8 | 80 | 12.6 | 9.7-15.5 | 77 | 12.9 | 9.8-16.0 | 118 | 19.2 | 15.7-22.7 | 17 | 2.9 | 1.3- 4.5 |
| 45-54 | 938 | 415,533 | 620 | 66.5 | 63.0-70.0 | 119 | 11.5 | 9.1-13.9 | 94 | 10.2 | 7.8-12.6 | 95 | 10.5 | 8.1-12.9 | 10 | 1.2 | 0.2- 2.2 |
| 55-64 | 1369 | 421,399 | 986 | 73.5 | 70.8-76.2 | 167 | 11.5 | 9.5-13.5 | 105 | 7.5 | 5.9- 9.1 | 98 | 6.7 | 5.1- 8.3 | 13 | 0.8 | 0.2- 1.4 |
| 65+ | 1980 | 451,480 | 1703 | 85.4 | 83.4-87.4 | 135 | 7.0 | 5.6- 8.4 | 60 | 3.5 | 2.3- 4.7 | 72 | 3.5 | 2.5- 4.5 | 10 | 0.5 | 0.1- 0.9 |
| Less Than H.S. | 437 | 317,660 | 278 | 56.9 | 51.0-62.8 | 37 | 9.8 | 6.3-13.3 | 50 | 12.0 | 8.3-15.7 | 55 | 17.4 | 12.5-22.3 | 17 | 3.9 | 1.7- 6.1 |
| H.S. or G.E.D. | 1908 | 862,041 | 1308 | 62.5 | 59.8-65.2 | 225 | 12.4 | 10.6-14.2 | 161 | 11.1 | 9.1-13.1 | 187 | 12.4 | 10.4-14.4 | 27 | 1.6 | 1.0- 2.2 |
| Some Post-H.S. | 1435 | 716,130 | 1008 | 65.7 | 62.6-68.8 | 160 | 12.5 | 10.3-14.7 | 116 | 10.3 | 8.1-12.5 | 130 | 10.0 | 8.0-12.0 | 21 | 1.5 | 0.7- 2.3 |
| College Graduate | 2090 | 557,214 | 1506 | 66.5 | 64.0-69.0 | 247 | 13.5 | 11.5-15.5 | 164 | 9.4 | 7.8-11.0 | 158 | 9.3 | 7.7-10.9 | 15 | 1.4 | 0.6- 2.2 |
| Less than \$15,000 | 413 | 178,828 | 287 | 62.4 | 56.1-68.7 | 49 | 12.3 | 8.2-16.4 | 33 | 10.2 | 6.3-14.1 | 37 | 13.4 | 8.3-18.5 | 7 | 1.8 | 0.2- 3.4 |
| \$15,000- 24,999 | 835 | 358,708 | 571 | 62.0 | 57.7-66.3 | 90 | 11.5 | 8.6-14.4 | 69 | 10.6 | 7.7-13.5 | 88 | 13.0 | 9.9-16.1 | 17 | 3.0 | 1.4- 4.6 |
| \$25,000- 34,999 | 552 | 227,404 | 378 | 60.3 | 54.8-65.8 | 66 | 13.3 | 9.6-17.0 | 44 | 11.3 | 7.6-15.0 | 53 | 12.7 | 8.4-17.0 | 11 | 2.4 | 0.4- 4.4 |
| \$35,000- 49,999 | 858 | 369,012 | 599 | 61.6 | 57.1-66.1 | 87 | 11.7 | 8.8-14.6 | 69 | 12.2 | 9.1-15.3 | 91 | 12.4 | 9.1-15.7 | 12 | 2.1 | 0.7- 3.5 |
| \$50,000- 74,999 | 906 | 375,779 | 621 | 62.6 | 58.5-66.7 | 110 | 11.8 | 9.3-14.3 | 74 | 10.1 | 7.4-12.8 | 90 | 14.2 | 10.9-17.5 | 11 | 1.2 | 0.4- 2.0 |
| \$75,000+ | 1768 | 709,767 | 1260 | 66.4 | 63.5-69.3 | 201 | 12.8 | 10.8-14.8 | 159 | 9.9 | 8.1-11.7 | 133 | 9.8 | 7.8-11.8 | 15 | 1.1 | 0.5- 1.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Past year < 12 months | | | Past 2 years 1 year < 2 years | | | Past 2-5 years 2 years < 5 years | | | 5 or more years | | | Never | | |
|----------------------------|-------------------|-----------|-----------------------|------|------------|----------------------------------|------|------------|-------------------------------------|------|------------|-----------------|-----|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7799 | 2,590,723 | 6050 | 72.7 | 71.3-74.1 | 883 | 13.3 | 12.1-14.5 | 421 | 6.8 | 6.0- 7.6 | 390 | 6.3 | 5.5- 7.1 | 55 | 0.9 | 0.5- 1.3 |
| White/Non-Hisp | 6586 | 2,097,020 | 5127 | 73.0 | 71.4-74.6 | 733 | 12.9 | 11.7-14.1 | 343 | 6.6 | 5.8- 7.4 | 340 | 6.6 | 5.8- 7.4 | 43 | 0.9 | 0.5- 1.3 |
| Black or Afr. Am./Non-Hisp | 585 | 228,253 | 498 | 81.5 | 76.8-86.2 | 50 | 11.7 | 7.8-15.6 | 19 | 3.9 | 1.5- 6.3 | 16 | 2.8 | 1.0- 4.6 | 2 | 0.2 | 0.0- 0.4 |
| Oth. Race/Non-Hisp. | 117 | 52,935 | 84 | 66.5 | 54.0-79.0 | 19 | 18.6 | 8.8-28.4 | 7 | 5.2 | 0.3-10.1 | 6 | 9.2 | 0.0-19.0 | 1 | 0.4 | 0.0- 1.2 |
| MultiRacial/Non-Hisp. | 96 | 27,866 | 72 | 73.0 | 61.6-84.4 | 9 | 6.1 | 1.2-11.0 | 7 | 11.6 | 2.8-20.4 | 7 | 9.0 | 1.9-16.1 | 1 | 0.3 | 0.0- 0.9 |
| Hispanic | 308 | 147,989 | 186 | 57.7 | 51.0-64.4 | 62 | 20.4 | 14.9-25.9 | 38 | 14.0 | 9.3-18.7 | 16 | 5.6 | 2.1- 9.1 | 6 | 2.3 | 0.1- 4.5 |
| 18-24 | 296 | 330,065 | 177 | 61.5 | 55.2-67.8 | 58 | 19.0 | 13.9-24.1 | 40 | 11.7 | 8.0-15.4 | 18 | 6.1 | 3.0- 9.2 | 3 | 1.7 | 0.0- 3.9 |
| 25-34 | 603 | 414,995 | 362 | 63.9 | 59.6-68.2 | 102 | 16.1 | 12.8-19.4 | 65 | 9.4 | 6.9-11.9 | 67 | 9.7 | 7.2-12.2 | 7 | 0.9 | 0.1- 1.7 |
| 35-44 | 774 | 406,885 | 504 | 64.8 | 60.9-68.7 | 139 | 16.9 | 14.0-19.8 | 64 | 8.2 | 6.0-10.4 | 62 | 9.4 | 6.9-11.9 | 5 | 0.8 | 0.0- 1.6 |
| 45-54 | 1166 | 421,816 | 849 | 73.4 | 70.5-76.3 | 149 | 12.9 | 10.7-15.1 | 83 | 6.6 | 5.0- 8.2 | 75 | 6.1 | 4.5- 7.7 | 10 | 1.0 | 0.4- 1.6 |
| 55-64 | 1620 | 442,679 | 1256 | 77.8 | 75.4-80.2 | 179 | 11.0 | 9.0-13.0 | 85 | 5.1 | 3.9- 6.3 | 89 | 5.4 | 4.0- 6.8 | 11 | 0.7 | 0.1- 1.3 |
| 65+ | 3340 | 574,283 | 2902 | 86.7 | 85.3-88.1 | 256 | 7.6 | 6.4- 8.8 | 84 | 2.7 | 1.9- 3.5 | 79 | 2.5 | 1.7- 3.3 | 19 | 0.5 | 0.1- 0.9 |
| Less Than H.S. | 616 | 320,742 | 478 | 73.4 | 68.5-78.3 | 73 | 12.4 | 8.9-15.9 | 28 | 5.2 | 3.0- 7.4 | 30 | 6.5 | 3.6- 9.4 | 7 | 2.6 | 0.2- 5.0 |
| H.S. or G.E.D. | 2672 | 851,082 | 2140 | 74.0 | 71.6-76.4 | 254 | 12.6 | 10.6-14.6 | 133 | 6.5 | 5.1- 7.9 | 126 | 6.2 | 4.8- 7.6 | 19 | 0.8 | 0.4- 1.2 |
| Some Post-H.S. | 2036 | 844,189 | 1551 | 71.3 | 68.8-73.8 | 242 | 14.1 | 11.9-16.3 | 111 | 7.1 | 5.5- 8.7 | 117 | 6.9 | 5.5- 8.3 | 15 | 0.7 | 0.3- 1.1 |
| College Graduate | 2462 | 571,823 | 1869 | 72.4 | 70.0-74.8 | 314 | 13.8 | 12.0-15.6 | 149 | 7.7 | 6.1- 9.3 | 116 | 5.5 | 4.1- 6.9 | 14 | 0.5 | 0.1- 0.9 |
| Less than \$15,000 | 792 | 271,550 | 623 | 75.0 | 70.7-79.3 | 88 | 13.5 | 10.0-17.0 | 37 | 6.2 | 3.7- 8.7 | 36 | 4.1 | 2.3- 5.9 | 8 | 1.2 | 0.2- 2.2 |
| \$15,000- 24,999 | 1378 | 442,569 | 1080 | 73.4 | 69.9-76.9 | 153 | 13.2 | 10.5-15.9 | 62 | 5.9 | 4.1- 7.7 | 73 | 7.1 | 4.9- 9.3 | 10 | 0.5 | 0.1- 0.9 |
| \$25,000- 34,999 | 858 | 273,569 | 647 | 68.4 | 63.9-72.9 | 101 | 14.9 | 11.2-18.6 | 52 | 7.9 | 5.4-10.4 | 50 | 8.0 | 5.5-10.5 | 8 | 0.9 | 0.1- 1.7 |
| \$35,000- 49,999 | 967 | 327,710 | 752 | 69.8 | 65.3-74.3 | 107 | 15.0 | 11.5-18.5 | 53 | 6.4 | 4.0- 8.8 | 49 | 7.5 | 4.8-10.2 | 6 | 1.4 | 0.0- 2.8 |
| \$50,000- 74,999 | 1039 | 357,948 | 786 | 71.7 | 68.0-75.4 | 129 | 12.7 | 10.2-15.2 | 64 | 8.4 | 5.9-10.9 | 54 | 6.7 | 4.3- 9.1 | 6 | 0.5 | 0.0- 1.1 |
| \$75,000+ | 1645 | 583,438 | 1258 | 74.7 | 72.0-77.4 | 198 | 12.6 | 10.4-14.8 | 102 | 6.6 | 5.0- 8.2 | 77 | 5.3 | 3.9- 6.7 | 10 | 0.8 | 0.2- 1.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017

SECTION 4: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| | HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4) | |
| 1 | MALES AND FEMALES | 30 |
| 2 | MALES ONLY | 31 |
| 3 | FEMALES ONLY | 32 |
| | ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS) | |
| 4 | MALES AND FEMALES | 33 |
| 5 | MALES ONLY | 34 |
| 6 | FEMALES ONLY | 35 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | Yes, during pregnancy | | | No | | | Borderline high or pre-hypertensive | | |
|----------------------------|-------------------|-----------|------|------|------------|-----------------------|-----|------------|------|------|------------|-------------------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13796 | 5,096,214 | 6226 | 35.2 | 34.2-36.2 | 117 | 1.4 | 1.0- 1.8 | 7350 | 62.7 | 61.7-63.7 | 103 | 0.7 | 0.5- 0.9 |
| Male | 5932 | 2,481,219 | 2671 | 37.5 | 35.9-39.1 | | | | 3199 | 61.6 | 60.0-63.2 | 62 | 0.9 | 0.7- 1.1 |
| Female | 7864 | 2,614,995 | 3555 | 33.1 | 31.7-34.5 | 117 | 2.7 | 2.1- 3.3 | 4151 | 63.8 | 62.4-65.2 | 41 | 0.5 | 0.3- 0.7 |
| White/Non-Hisp | 11542 | 4,087,599 | 5250 | 35.5 | 34.3-36.7 | 87 | 1.2 | 0.8- 1.6 | 6112 | 62.6 | 61.4-63.8 | 93 | 0.7 | 0.5- 0.9 |
| Black or Afr. Am./Non-Hisp | 931 | 439,065 | 528 | 45.6 | 41.3-49.9 | 12 | 1.8 | 0.4- 3.2 | 386 | 52.0 | 47.7-56.3 | 5 | 0.6 | 0.0- 1.2 |
| Oth. Race/Non-Hisp. | 287 | 127,809 | 101 | 23.8 | 17.5-30.1 | 1 | 0.1 | 0.0- 0.3 | 185 | 76.1 | 69.8-82.4 | | | |
| MultiRacial/Non-Hisp. | 208 | 60,858 | 94 | 41.5 | 33.1-49.9 | 3 | 0.9 | 0.0- 2.1 | 109 | 56.4 | 47.8-65.0 | 2 | 1.3 | 0.0- 3.5 |
| Hispanic | 587 | 291,068 | 147 | 20.9 | 17.0-24.8 | 10 | 2.3 | 0.5- 4.1 | 428 | 76.2 | 72.1-80.3 | 2 | 0.6 | 0.0- 1.4 |
| 18-24 | 685 | 684,087 | 63 | 10.0 | 7.3-12.7 | 9 | 2.1 | 0.5- 3.7 | 609 | 87.1 | 84.0-90.2 | 4 | 0.8 | 0.0- 1.6 |
| 25-34 | 1204 | 841,163 | 173 | 15.7 | 13.3-18.1 | 33 | 3.3 | 2.1- 4.5 | 996 | 80.8 | 78.3-83.3 | 2 | 0.2 | 0.0- 0.4 |
| 35-44 | 1414 | 820,374 | 307 | 21.8 | 19.3-24.3 | 40 | 2.3 | 1.5- 3.1 | 1056 | 75.2 | 72.7-77.7 | 11 | 0.6 | 0.2- 1.0 |
| 45-54 | 2120 | 844,758 | 776 | 36.8 | 34.4-39.2 | 13 | 0.5 | 0.1- 0.9 | 1315 | 61.8 | 59.4-64.2 | 16 | 0.9 | 0.3- 1.5 |
| 55-64 | 3004 | 868,542 | 1537 | 52.2 | 50.0-54.4 | 6 | 0.2 | 0.0- 0.4 | 1428 | 46.6 | 44.4-48.8 | 33 | 1.0 | 0.6- 1.4 |
| 65+ | 5369 | 1,037,290 | 3370 | 62.8 | 61.2-64.4 | 16 | 0.2 | 0.0- 0.4 | 1946 | 36.3 | 34.7-37.9 | 37 | 0.7 | 0.5- 0.9 |
| Less Than H.S. | 1070 | 649,412 | 515 | 37.2 | 33.5-40.9 | 14 | 1.8 | 0.4- 3.2 | 539 | 60.6 | 56.9-64.3 | 2 | 0.4 | 0.0- 1.2 |
| H.S. or G.E.D. | 4616 | 1,727,187 | 2300 | 38.7 | 36.9-40.5 | 31 | 1.0 | 0.6- 1.4 | 2255 | 59.5 | 57.7-61.3 | 30 | 0.7 | 0.3- 1.1 |
| Some Post-H.S. | 3501 | 1,572,673 | 1606 | 35.3 | 33.3-37.3 | 32 | 1.7 | 0.9- 2.5 | 1837 | 62.3 | 60.3-64.3 | 26 | 0.7 | 0.3- 1.1 |
| College Graduate | 4577 | 1,136,844 | 1789 | 28.7 | 27.1-30.3 | 40 | 1.2 | 0.8- 1.6 | 2703 | 69.3 | 67.7-70.9 | 45 | 0.8 | 0.4- 1.2 |
| Less than \$15,000 | 1220 | 454,941 | 657 | 42.5 | 38.8-46.2 | 14 | 1.2 | 0.4- 2.0 | 542 | 55.2 | 51.5-58.9 | 7 | 1.1 | 0.0- 2.3 |
| \$15,000- 24,999 | 2232 | 810,783 | 1179 | 42.3 | 39.6-45.0 | 16 | 1.4 | 0.2- 2.6 | 1023 | 55.9 | 53.2-58.6 | 14 | 0.3 | 0.1- 0.5 |
| \$25,000- 34,999 | 1428 | 509,086 | 695 | 38.3 | 35.0-41.6 | 15 | 2.1 | 0.7- 3.5 | 710 | 59.3 | 56.0-62.6 | 8 | 0.4 | 0.0- 0.8 |
| \$35,000- 49,999 | 1836 | 700,254 | 864 | 35.8 | 32.9-38.7 | 12 | 1.3 | 0.5- 2.1 | 941 | 61.8 | 58.9-64.7 | 19 | 1.1 | 0.5- 1.7 |
| \$50,000- 74,999 | 1952 | 738,656 | 836 | 34.2 | 31.5-36.9 | 16 | 1.7 | 0.7- 2.7 | 1087 | 63.4 | 60.7-66.1 | 13 | 0.7 | 0.3- 1.1 |
| \$75,000+ | 3424 | 1,296,976 | 1181 | 27.4 | 25.6-29.2 | 35 | 1.3 | 0.7- 1.9 | 2172 | 70.6 | 68.8-72.4 | 36 | 0.8 | 0.4- 1.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2017

SECTION 4: HYPERTENSION AWARENESS

TABLE 2. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | Borderline high or pre-hypertensive | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|-------------------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5932 | 2,481,219 | 2671 | 37.5 | 35.9-39.1 | 3199 | 61.6 | 60.0-63.2 | 62 | 0.9 | 0.7- 1.1 |
| White/Non-Hisp | 4904 | 1,973,128 | 2247 | 38.1 | 36.3-39.9 | 2601 | 61.0 | 59.2-62.8 | 56 | 0.9 | 0.5- 1.3 |
| Black or Afr. Am./Non-Hisp | 344 | 208,446 | 175 | 42.6 | 35.9-49.3 | 167 | 56.7 | 50.0-63.4 | 2 | 0.7 | 0.0- 1.7 |
| Oth. Race/Non-Hisp. | 169 | 74,472 | 63 | 27.2 | 19.4-35.0 | 106 | 72.8 | 65.0-80.6 | | | |
| MultiRacial/Non-Hisp. | 111 | 32,913 | 51 | 49.9 | 38.5-61.3 | 59 | 48.2 | 36.8-59.6 | 1 | 2.0 | 0.0- 5.9 |
| Hispanic | 272 | 139,272 | 76 | 25.6 | 19.3-31.9 | 194 | 73.2 | 66.7-79.7 | 2 | 1.2 | 0.0- 2.8 |
| 18-24 | 385 | 349,616 | 43 | 12.5 | 8.2-16.8 | 339 | 86.7 | 82.4-91.0 | 3 | 0.8 | 0.0- 1.8 |
| 25-34 | 594 | 421,943 | 119 | 22.8 | 18.7-26.9 | 474 | 77.0 | 72.9-81.1 | 1 | 0.2 | 0.0- 0.6 |
| 35-44 | 632 | 409,596 | 173 | 26.2 | 22.3-30.1 | 450 | 72.6 | 68.5-76.7 | 9 | 1.1 | 0.3- 1.9 |
| 45-54 | 946 | 419,567 | 376 | 39.6 | 35.9-43.3 | 559 | 59.2 | 55.5-62.9 | 11 | 1.2 | 0.4- 2.0 |
| 55-64 | 1375 | 423,572 | 716 | 54.7 | 51.6-57.8 | 638 | 44.1 | 41.0-47.2 | 21 | 1.2 | 0.6- 1.8 |
| 65+ | 2000 | 456,925 | 1244 | 62.6 | 60.1-65.1 | 739 | 36.6 | 34.1-39.1 | 17 | 0.8 | 0.4- 1.2 |
| Less Than H.S. | 444 | 323,287 | 196 | 39.0 | 33.5-44.5 | 248 | 61.0 | 55.5-66.5 | | | |
| H.S. or G.E.D. | 1920 | 867,798 | 916 | 39.3 | 36.8-41.8 | 987 | 59.8 | 57.1-62.5 | 17 | 0.9 | 0.3- 1.5 |
| Some Post-H.S. | 1450 | 722,245 | 652 | 37.8 | 34.9-40.7 | 783 | 61.2 | 58.3-64.1 | 15 | 1.0 | 0.4- 1.6 |
| College Graduate | 2100 | 560,823 | 899 | 33.8 | 31.4-36.2 | 1171 | 65.0 | 62.6-67.4 | 30 | 1.2 | 0.6- 1.8 |
| Less than \$15,000 | 416 | 180,894 | 218 | 45.5 | 39.4-51.6 | 194 | 53.4 | 47.3-59.5 | 4 | 1.0 | 0.0- 2.2 |
| \$15,000- 24,999 | 843 | 363,249 | 417 | 42.0 | 37.9-46.1 | 422 | 57.7 | 53.6-61.8 | 4 | 0.4 | 0.0- 0.8 |
| \$25,000- 34,999 | 562 | 231,846 | 281 | 41.2 | 35.9-46.5 | 278 | 58.4 | 53.1-63.7 | 3 | 0.4 | 0.0- 1.0 |
| \$35,000- 49,999 | 863 | 370,609 | 405 | 38.8 | 34.5-43.1 | 445 | 59.9 | 55.6-64.2 | 13 | 1.3 | 0.3- 2.3 |
| \$50,000- 74,999 | 910 | 379,105 | 406 | 37.8 | 33.7-41.9 | 495 | 61.2 | 57.1-65.3 | 9 | 1.0 | 0.2- 1.8 |
| \$75,000+ | 1773 | 711,567 | 691 | 32.3 | 29.6-35.0 | 1055 | 66.6 | 63.9-69.3 | 27 | 1.1 | 0.5- 1.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 4: HYPERTENSION AWARENESS**

TABLE 3. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | Yes, during pregnancy | | | No | | | Borderline high or pre-hypertensive | | |
|----------------------------|-------------------|-----------|------|------|------------|-----------------------|-----|------------|------|------|------------|-------------------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7864 | 2,614,995 | 3555 | 33.1 | 31.7-34.5 | 117 | 2.7 | 2.1- 3.3 | 4151 | 63.8 | 62.4-65.2 | 41 | 0.5 | 0.3- 0.7 |
| White/Non-Hisp | 6638 | 2,114,470 | 3003 | 33.0 | 31.6-34.4 | 87 | 2.4 | 1.8- 3.0 | 3511 | 64.1 | 62.5-65.7 | 37 | 0.6 | 0.2- 1.0 |
| Black or Afr. Am./Non-Hisp | 587 | 230,619 | 353 | 48.2 | 42.7-53.7 | 12 | 3.4 | 1.0- 5.8 | 219 | 47.8 | 42.1-53.5 | 3 | 0.5 | 0.0- 1.3 |
| Oth. Race/Non-Hisp. | 118 | 53,337 | 38 | 19.1 | 8.9-29.3 | 1 | 0.1 | 0.0- 0.3 | 79 | 80.8 | 70.6-91.0 | | | |
| MultiRacial/Non-Hisp. | 97 | 27,945 | 43 | 31.6 | 20.4-42.8 | 3 | 2.0 | 0.0- 4.4 | 50 | 66.0 | 54.6-77.4 | 1 | 0.4 | 0.0- 1.2 |
| Hispanic | 315 | 151,796 | 71 | 16.6 | 12.3-20.9 | 10 | 4.4 | 1.1- 7.7 | 234 | 78.9 | 73.8-84.0 | | | |
| 18-24 | 300 | 334,471 | 20 | 7.5 | 4.0-11.0 | 9 | 4.3 | 1.2- 7.4 | 270 | 87.4 | 82.7-92.1 | 1 | 0.8 | 0.0- 2.4 |
| 25-34 | 610 | 419,220 | 54 | 8.6 | 6.1-11.1 | 33 | 6.6 | 4.2- 9.0 | 522 | 84.6 | 81.3-87.9 | 1 | 0.2 | 0.0- 0.6 |
| 35-44 | 782 | 410,778 | 134 | 17.4 | 14.3-20.5 | 40 | 4.6 | 2.8- 6.4 | 606 | 77.8 | 74.5-81.1 | 2 | 0.2 | 0.0- 0.4 |
| 45-54 | 1174 | 425,191 | 400 | 34.1 | 31.0-37.2 | 13 | 1.0 | 0.4- 1.6 | 756 | 64.4 | 61.3-67.5 | 5 | 0.6 | 0.0- 1.2 |
| 55-64 | 1629 | 444,970 | 821 | 49.9 | 47.0-52.8 | 6 | 0.5 | 0.1- 0.9 | 790 | 48.9 | 46.0-51.8 | 12 | 0.8 | 0.2- 1.4 |
| 65+ | 3369 | 580,365 | 2126 | 63.0 | 61.0-65.0 | 16 | 0.4 | 0.2- 0.6 | 1207 | 36.0 | 34.0-38.0 | 20 | 0.6 | 0.2- 1.0 |
| Less Than H.S. | 626 | 326,125 | 319 | 35.5 | 30.8-40.2 | 14 | 3.5 | 0.8- 6.2 | 291 | 60.1 | 55.0-65.2 | 2 | 0.9 | 0.0- 2.5 |
| H.S. or G.E.D. | 2696 | 859,389 | 1384 | 38.1 | 35.7-40.5 | 31 | 2.1 | 1.1- 3.1 | 1268 | 59.2 | 56.8-61.6 | 13 | 0.6 | 0.2- 1.0 |
| Some Post-H.S. | 2051 | 850,428 | 954 | 33.3 | 30.9-35.7 | 32 | 3.1 | 1.9- 4.3 | 1054 | 63.2 | 60.7-65.7 | 11 | 0.4 | 0.2- 0.6 |
| College Graduate | 2477 | 576,021 | 890 | 23.8 | 21.8-25.8 | 40 | 2.3 | 1.5- 3.1 | 1532 | 73.5 | 71.5-75.5 | 15 | 0.4 | 0.2- 0.6 |
| Less than \$15,000 | 804 | 274,048 | 439 | 40.4 | 35.9-44.9 | 14 | 2.0 | 0.8- 3.2 | 348 | 56.4 | 51.7-61.1 | 3 | 1.2 | 0.0- 3.2 |
| \$15,000- 24,999 | 1389 | 447,535 | 762 | 42.6 | 39.1-46.1 | 16 | 2.5 | 0.5- 4.5 | 601 | 54.5 | 50.8-58.2 | 10 | 0.3 | 0.1- 0.5 |
| \$25,000- 34,999 | 866 | 277,240 | 414 | 35.8 | 31.7-39.9 | 15 | 3.8 | 1.4- 6.2 | 432 | 60.0 | 55.7-64.3 | 5 | 0.4 | 0.0- 0.8 |
| \$35,000- 49,999 | 973 | 329,645 | 459 | 32.5 | 28.8-36.2 | 12 | 2.7 | 0.9- 4.5 | 496 | 64.0 | 60.1-67.9 | 6 | 0.8 | 0.0- 1.6 |
| \$50,000- 74,999 | 1042 | 359,551 | 430 | 30.5 | 27.0-34.0 | 16 | 3.4 | 1.4- 5.4 | 592 | 65.7 | 62.0-69.4 | 4 | 0.5 | 0.1- 0.9 |
| \$75,000+ | 1651 | 585,409 | 490 | 21.3 | 19.1-23.5 | 35 | 2.8 | 1.6- 4.0 | 1117 | 75.4 | 73.0-77.8 | 9 | 0.5 | 0.1- 0.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 4: HYPERTENSION AWARENESS**

TABLE 4. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 6217 | 1,794,127 | 5262 | 76.5 | 74.7-78.3 | 955 | 23.5 | 21.7-25.3 |
| Male | 2668 | 930,587 | 2155 | 71.7 | 69.2-74.2 | 513 | 28.3 | 25.8-30.8 |
| Female | 3549 | 863,540 | 3107 | 81.7 | 79.7-83.7 | 442 | 18.3 | 16.3-20.3 |
| White/Non-Hisp | 5244 | 1,448,035 | 4491 | 78.3 | 76.5-80.1 | 753 | 21.7 | 19.9-23.5 |
| Black or Afr. Am./Non-Hisp | 525 | 199,383 | 450 | 72.4 | 65.7-79.1 | 75 | 27.6 | 20.9-34.3 |
| Oth. Race/Non-Hisp. | 101 | 30,433 | 73 | 57.3 | 42.0-72.6 | 28 | 42.7 | 27.4-58.0 |
| MultiRacial/Non-Hisp. | 94 | 25,226 | 74 | 73.1 | 60.9-85.3 | 20 | 26.9 | 14.7-39.1 |
| Hispanic | 147 | 60,909 | 84 | 55.0 | 44.8-65.2 | 63 | 45.0 | 34.8-55.2 |
| 18-24 | 63 | 68,740 | 8 | 11.1 | 3.1-19.1 | 55 | 88.9 | 80.9-96.9 |
| 25-34 | 173 | 132,242 | 50 | 30.0 | 22.2-37.8 | 123 | 70.0 | 62.2-77.8 |
| 35-44 | 307 | 179,006 | 173 | 53.8 | 47.1-60.5 | 134 | 46.2 | 39.5-52.9 |
| 45-54 | 775 | 310,485 | 599 | 77.3 | 73.8-80.8 | 176 | 22.7 | 19.2-26.2 |
| 55-64 | 1535 | 453,310 | 1312 | 85.3 | 83.1-87.5 | 223 | 14.7 | 12.5-16.9 |
| 65+ | 3364 | 650,344 | 3120 | 92.6 | 91.4-93.8 | 244 | 7.4 | 6.2- 8.6 |
| Less Than H.S. | 515 | 241,788 | 429 | 71.0 | 64.9-77.1 | 86 | 29.0 | 22.9-35.1 |
| H.S. or G.E.D. | 2296 | 668,019 | 1970 | 77.9 | 75.4-80.4 | 326 | 22.1 | 19.6-24.6 |
| Some Post-H.S. | 1604 | 555,075 | 1330 | 75.6 | 72.7-78.5 | 274 | 24.4 | 21.5-27.3 |
| College Graduate | 1786 | 326,302 | 1520 | 79.4 | 76.7-82.1 | 266 | 20.6 | 17.9-23.3 |
| Less than \$15,000 | 657 | 193,138 | 557 | 76.7 | 71.6-81.8 | 100 | 23.3 | 18.2-28.4 |
| \$15,000- 24,999 | 1179 | 343,122 | 990 | 75.2 | 71.5-78.9 | 189 | 24.8 | 21.1-28.5 |
| \$25,000- 34,999 | 694 | 194,665 | 592 | 78.4 | 73.7-83.1 | 102 | 21.6 | 16.9-26.3 |
| \$35,000- 49,999 | 862 | 250,639 | 744 | 77.0 | 71.9-82.1 | 118 | 23.0 | 17.9-28.1 |
| \$50,000- 74,999 | 835 | 252,630 | 711 | 75.7 | 70.8-80.6 | 124 | 24.3 | 19.4-29.2 |
| \$75,000+ | 1178 | 354,287 | 978 | 76.7 | 73.4-80.0 | 200 | 23.3 | 20.0-26.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 4: HYPERTENSION AWARENESS**

TABLE 5. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2668 | 930,587 | 2155 | 71.7 | 69.2-74.2 | 513 | 28.3 | 25.8-30.8 |
| White/Non-Hisp | 2244 | 751,467 | 1849 | 73.6 | 70.9-76.3 | 395 | 26.4 | 23.7-29.1 |
| Black or Afr. Am./Non-Hisp | 175 | 88,842 | 143 | 67.2 | 56.0-78.4 | 32 | 32.8 | 21.6-44.0 |
| Oth. Race/Non-Hisp. | 63 | 20,242 | 39 | 53.6 | 37.1-70.1 | 24 | 46.4 | 29.9-62.9 |
| MultiRacial/Non-Hisp. | 51 | 16,408 | 39 | 72.3 | 56.6-88.0 | 12 | 27.7 | 12.0-43.4 |
| Hispanic | 76 | 35,687 | 36 | 47.1 | 32.8-61.4 | 40 | 52.9 | 38.6-67.2 |
| 25-34 | 119 | 96,204 | 30 | 28.1 | 18.7-37.5 | 89 | 71.9 | 62.5-81.3 |
| 35-44 | 173 | 107,491 | 87 | 47.7 | 38.9-56.5 | 86 | 52.3 | 43.5-61.1 |
| 45-54 | 376 | 166,134 | 279 | 74.4 | 69.1-79.7 | 97 | 25.6 | 20.3-30.9 |
| 55-64 | 715 | 231,495 | 615 | 85.8 | 82.7-88.9 | 100 | 14.2 | 11.1-17.3 |
| 65+ | 1242 | 285,456 | 1138 | 91.6 | 89.8-93.4 | 104 | 8.4 | 6.6-10.2 |
| Less Than H.S. | 196 | 126,151 | 142 | 61.1 | 51.7-70.5 | 54 | 38.9 | 29.5-48.3 |
| H.S. or G.E.D. | 916 | 341,371 | 735 | 72.0 | 68.1-75.9 | 181 | 28.0 | 24.1-31.9 |
| Some Post-H.S. | 650 | 272,212 | 520 | 72.1 | 67.4-76.8 | 130 | 27.9 | 23.2-32.6 |
| College Graduate | 898 | 189,264 | 751 | 77.5 | 73.6-81.4 | 147 | 22.5 | 18.6-26.4 |
| Less than \$15,000 | 218 | 82,375 | 171 | 72.1 | 64.1-80.1 | 47 | 27.9 | 19.9-35.9 |
| \$15,000- 24,999 | 417 | 152,389 | 336 | 73.2 | 67.1-79.3 | 81 | 26.8 | 20.7-32.9 |
| \$25,000- 34,999 | 281 | 95,534 | 230 | 74.5 | 66.9-82.1 | 51 | 25.5 | 17.9-33.1 |
| \$35,000- 49,999 | 405 | 143,833 | 337 | 70.3 | 62.9-77.7 | 68 | 29.7 | 22.3-37.1 |
| \$50,000- 74,999 | 405 | 143,140 | 331 | 71.5 | 64.4-78.6 | 74 | 28.5 | 21.4-35.6 |
| \$75,000+ | 690 | 229,876 | 548 | 71.3 | 66.6-76.0 | 142 | 28.7 | 24.0-33.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2017

SECTION 4: HYPERTENSION AWARENESS

TABLE 6. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3549 | 863,540 | 3107 | 81.7 | 79.7-83.7 | 442 | 18.3 | 16.3-20.3 |
| White/Non-Hisp | 3000 | 696,568 | 2642 | 83.4 | 81.4-85.4 | 358 | 16.6 | 14.6-18.6 |
| Black or Afr. Am./Non-Hisp | 350 | 110,541 | 307 | 76.6 | 69.0-84.2 | 43 | 23.4 | 15.8-31.0 |
| Hispanic | 71 | 25,222 | 48 | 66.2 | 53.5-78.9 | 23 | 33.8 | 21.1-46.5 |
| 25-34 | 54 | 36,038 | 20 | 35.1 | 21.0-49.2 | 34 | 64.9 | 50.8-79.0 |
| 35-44 | 134 | 71,515 | 86 | 63.0 | 53.6-72.4 | 48 | 37.0 | 27.6-46.4 |
| 45-54 | 399 | 144,351 | 320 | 80.7 | 76.2-85.2 | 79 | 19.3 | 14.8-23.8 |
| 55-64 | 820 | 221,815 | 697 | 84.8 | 81.9-87.7 | 123 | 15.2 | 12.3-18.1 |
| 65+ | 2122 | 364,888 | 1982 | 93.3 | 91.9-94.7 | 140 | 6.7 | 5.3- 8.1 |
| Less Than H.S. | 319 | 115,637 | 287 | 81.8 | 75.1-88.5 | 32 | 18.2 | 11.5-24.9 |
| H.S. or G.E.D. | 1380 | 326,648 | 1235 | 84.1 | 81.0-87.2 | 145 | 15.9 | 12.8-19.0 |
| Some Post-H.S. | 954 | 282,863 | 810 | 78.9 | 75.2-82.6 | 144 | 21.1 | 17.4-24.8 |
| College Graduate | 888 | 137,038 | 769 | 81.9 | 78.2-85.6 | 119 | 18.1 | 14.4-21.8 |
| Less than \$15,000 | 439 | 110,763 | 386 | 80.2 | 73.5-86.9 | 53 | 19.8 | 13.1-26.5 |
| \$15,000- 24,999 | 762 | 190,733 | 654 | 76.9 | 72.0-81.8 | 108 | 23.1 | 18.2-28.0 |
| \$25,000- 34,999 | 413 | 99,131 | 362 | 82.2 | 76.5-87.9 | 51 | 17.8 | 12.1-23.5 |
| \$35,000- 49,999 | 457 | 106,806 | 407 | 85.9 | 80.4-91.4 | 50 | 14.1 | 8.6-19.6 |
| \$50,000- 74,999 | 430 | 109,490 | 380 | 81.2 | 74.9-87.5 | 50 | 18.8 | 12.5-25.1 |
| \$75,000+ | 488 | 124,411 | 430 | 86.6 | 82.7-90.5 | 58 | 13.4 | 9.5-17.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017**

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|---|------|
| BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK1) | |
| 1 MALES AND FEMALES | 37 |
| 2 MALES ONLY | 38 |
| 3 FEMALES ONLY | 39 |
| HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2) | |
| 4 MALES AND FEMALES | 40 |
| 5 MALES ONLY | 41 |
| 6 FEMALES ONLY | 42 |
| ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR BLOOD CHOLESTEROL? (CHOLMED1) | |
| 7 MALES AND FEMALES | 43 |
| 8 MALES ONLY | 44 |
| 9 FEMALES ONLY | 45 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 1: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED?
(CHOLCHK1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Data was weighted using _LLCPWT. | | | | | | | | | | | | | | | | | |
|----------------------------|-------------------|-----------|----------------------------------|------|------------|----------|------|------------|---------------|------|------------|---------------|------|------------|-----------|-----|------------|--|--|--|
| | TOTAL | WEIGHTED | Never | | | < 1 Year | | | 1 - < 2 Years | | | 2 - < 5 Years | | | ≥ 5 Years | | | | | |
| | | | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | | | |
| TOTAL | 13396 | 4,873,347 | 850 | 11.5 | 10.7-12.3 | 9737 | 64.0 | 62.8-65.2 | 1415 | 11.2 | 10.4-12.0 | 871 | 8.2 | 7.6- 8.8 | 523 | 5.1 | 4.5- 5.7 | | | |
| Male | 5758 | 2,376,762 | 466 | 12.8 | 11.6-14.0 | 4003 | 60.6 | 58.8-62.4 | 586 | 11.0 | 10.0-12.0 | 404 | 9.2 | 8.0-10.4 | 299 | 6.5 | 5.5- 7.5 | | | |
| Female | 7638 | 2,496,585 | 384 | 10.3 | 9.1-11.5 | 5734 | 67.3 | 65.7-68.9 | 829 | 11.4 | 10.4-12.4 | 467 | 7.2 | 6.4- 8.0 | 224 | 3.9 | 3.3- 4.5 | | | |
| White/Non-Hisp | 11236 | 3,917,657 | 649 | 11.3 | 10.3-12.3 | 8261 | 64.6 | 63.4-65.8 | 1172 | 11.0 | 10.2-11.8 | 722 | 7.9 | 7.1- 8.7 | 432 | 5.1 | 4.5- 5.7 | | | |
| Black or Afr. Am./Non-Hisp | 899 | 418,166 | 43 | 6.2 | 4.0- 8.4 | 680 | 69.5 | 65.2-73.8 | 93 | 10.2 | 7.7-12.7 | 53 | 8.7 | 5.8-11.6 | 30 | 5.4 | 3.0- 7.8 | | | |
| Oth. Race/Non-Hisp. | 271 | 118,185 | 28 | 13.8 | 8.1-19.5 | 181 | 58.6 | 50.6-66.6 | 33 | 15.1 | 9.2-21.0 | 18 | 7.5 | 3.2-11.8 | 11 | 5.1 | 0.0-10.2 | | | |
| MultiRacial/Non-Hisp. | 199 | 57,945 | 23 | 18.1 | 10.3-25.9 | 136 | 57.3 | 48.3-66.3 | 21 | 11.8 | 6.1-17.5 | 8 | 5.3 | 0.8- 9.8 | 11 | 7.4 | 2.5-12.3 | | | |
| Hispanic | 563 | 277,248 | 88 | 18.5 | 14.6-22.4 | 308 | 50.3 | 45.2-55.4 | 82 | 14.9 | 11.2-18.6 | 58 | 11.7 | 8.4-15.0 | 27 | 4.6 | 2.6- 6.6 | | | |
| 18-24 | 599 | 598,428 | 214 | 36.7 | 32.2-41.2 | 210 | 35.3 | 30.8-39.8 | 70 | 10.9 | 8.2-13.6 | 69 | 11.1 | 8.2-14.0 | 36 | 6.1 | 3.9- 8.3 | | | |
| 25-34 | 1119 | 779,785 | 228 | 19.9 | 17.4-22.4 | 532 | 48.6 | 45.3-51.9 | 144 | 12.2 | 10.0-14.4 | 132 | 11.4 | 9.2-13.6 | 83 | 7.8 | 5.8- 9.8 | | | |
| 35-44 | 1368 | 792,355 | 153 | 11.9 | 9.9-13.9 | 772 | 56.0 | 52.9-59.1 | 201 | 13.9 | 11.7-16.1 | 147 | 11.3 | 9.3-13.3 | 95 | 7.0 | 5.4- 8.6 | | | |
| 45-54 | 2063 | 824,100 | 121 | 6.5 | 5.1- 7.9 | 1399 | 66.9 | 64.5-69.3 | 262 | 11.9 | 10.3-13.5 | 171 | 8.8 | 7.2-10.4 | 110 | 5.9 | 4.7- 7.1 | | | |
| 55-64 | 2963 | 857,651 | 73 | 2.8 | 2.0- 3.6 | 2252 | 75.5 | 73.5-77.5 | 345 | 12.3 | 10.9-13.7 | 186 | 5.8 | 4.8- 6.8 | 107 | 3.5 | 2.7- 4.3 | | | |
| 65+ | 5284 | 1,021,028 | 61 | 1.4 | 1.0- 1.8 | 4572 | 86.9 | 85.7-88.1 | 393 | 6.9 | 6.1- 7.7 | 166 | 3.0 | 2.4- 3.6 | 92 | 1.9 | 1.3- 2.5 | | | |
| Less Than H.S. | 1022 | 612,764 | 117 | 17.0 | 13.7-20.3 | 701 | 57.1 | 53.0-61.2 | 98 | 9.9 | 7.5-12.3 | 57 | 9.0 | 6.3-11.7 | 49 | 7.0 | 4.6- 9.4 | | | |
| H.S. or G.E.D. | 4460 | 1,645,028 | 315 | 12.4 | 10.8-14.0 | 3276 | 64.3 | 62.3-66.3 | 431 | 10.8 | 9.6-12.0 | 260 | 7.3 | 6.1- 8.5 | 178 | 5.3 | 4.3- 6.3 | | | |
| Some Post-H.S. | 3384 | 1,496,163 | 229 | 11.6 | 10.0-13.2 | 2449 | 64.3 | 62.1-66.5 | 329 | 10.6 | 9.2-12.0 | 232 | 8.4 | 7.2- 9.6 | 145 | 5.1 | 4.1- 6.1 | | | |
| College Graduate | 4499 | 1,109,361 | 186 | 6.9 | 5.7- 8.1 | 3288 | 67.2 | 65.4-69.0 | 556 | 13.4 | 12.0-14.8 | 320 | 8.6 | 7.4- 9.8 | 149 | 4.0 | 3.2- 4.8 | | | |
| Less than \$15,000 | 1171 | 431,223 | 86 | 12.3 | 9.4-15.2 | 857 | 63.9 | 60.0-67.8 | 114 | 10.1 | 7.7-12.5 | 68 | 8.1 | 5.7-10.5 | 46 | 5.6 | 3.2- 8.0 | | | |
| \$15,000- 24,999 | 2160 | 766,067 | 171 | 13.3 | 11.1-15.5 | 1566 | 63.2 | 60.3-66.1 | 208 | 10.1 | 8.3-11.9 | 136 | 8.3 | 6.5-10.1 | 79 | 5.0 | 3.6- 6.4 | | | |
| \$25,000- 34,999 | 1385 | 486,473 | 85 | 11.7 | 9.0-14.4 | 992 | 62.3 | 58.8-65.8 | 157 | 12.3 | 9.9-14.7 | 87 | 7.5 | 5.3- 9.7 | 64 | 6.1 | 4.1- 8.1 | | | |
| \$35,000- 49,999 | 1775 | 658,311 | 117 | 13.0 | 10.3-15.7 | 1282 | 61.9 | 58.6-65.2 | 188 | 11.5 | 9.3-13.7 | 111 | 8.2 | 6.2-10.2 | 77 | 5.5 | 4.1- 6.9 | | | |
| \$50,000- 74,999 | 1925 | 724,073 | 116 | 11.4 | 9.2-13.6 | 1389 | 63.1 | 60.2-66.0 | 198 | 10.1 | 8.3-11.9 | 136 | 9.2 | 7.2-11.2 | 86 | 6.1 | 4.5- 7.7 | | | |
| \$75,000+ | 3360 | 1,263,586 | 181 | 9.1 | 7.5-10.7 | 2437 | 67.4 | 65.2-69.6 | 391 | 11.3 | 9.9-12.7 | 241 | 8.2 | 7.0- 9.4 | 110 | 3.9 | 3.1- 4.7 | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 2: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED?
(CHOLCHK1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Data was weighted using _LLCPWT. | | | | | | | | | | | | | | |
|----------------------------|-------------------|-----------|----------------------------------|------|------------|----------|------|------------|---------------|------|------------|---------------|------|------------|-----------|-----|------------|
| | TOTAL | WEIGHTED | Never | | | < 1 Year | | | 1 - < 2 Years | | | 2 - < 5 Years | | | ≥ 5 Years | | |
| | | | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5758 | 2,376,762 | 466 | 12.8 | 11.6-14.0 | 4003 | 60.6 | 58.8-62.4 | 586 | 11.0 | 10.0-12.0 | 404 | 9.2 | 8.0-10.4 | 299 | 6.5 | 5.5- 7.5 |
| White/Non-Hisp | 4768 | 1,887,369 | 343 | 12.4 | 11.0-13.8 | 3374 | 61.3 | 59.3-63.3 | 481 | 11.0 | 9.8-12.2 | 326 | 8.7 | 7.5- 9.9 | 244 | 6.7 | 5.7- 7.7 |
| Black or Afr. Am./Non-Hisp | 336 | 202,885 | 25 | 7.6 | 4.3-10.9 | 238 | 63.4 | 56.5-70.3 | 30 | 9.4 | 5.3-13.5 | 29 | 13.2 | 7.7-18.7 | 14 | 6.3 | 2.8- 9.8 |
| Oth. Race/Non-Hisp. | 160 | 70,402 | 20 | 14.1 | 7.2-21.0 | 102 | 59.2 | 49.6-68.8 | 21 | 17.2 | 9.6-24.8 | 9 | 7.5 | 1.6-13.4 | 8 | 2.0 | 0.0- 4.2 |
| MultiRacial/Non-Hisp. | 105 | 31,396 | 16 | 18.7 | 9.3-28.1 | 63 | 49.6 | 37.8-61.4 | 12 | 14.1 | 5.5-22.7 | 6 | 7.9 | 0.5-15.3 | 8 | 9.7 | 2.1-17.3 |
| Hispanic | 264 | 135,468 | 49 | 21.1 | 15.2-27.0 | 135 | 48.2 | 40.9-55.5 | 32 | 11.9 | 7.2-16.6 | 28 | 12.0 | 6.9-17.1 | 20 | 6.8 | 3.7- 9.9 |
| 18-24 | 343 | 308,663 | 123 | 36.5 | 30.6-42.4 | 101 | 28.2 | 22.9-33.5 | 47 | 12.6 | 8.7-16.5 | 47 | 15.3 | 10.6-20.0 | 25 | 7.4 | 4.3-10.5 |
| 25-34 | 556 | 393,927 | 120 | 20.7 | 17.0-24.4 | 243 | 44.6 | 39.9-49.3 | 71 | 12.4 | 9.3-15.5 | 69 | 12.7 | 9.4-16.0 | 53 | 9.6 | 6.7-12.5 |
| 35-44 | 617 | 397,396 | 89 | 14.4 | 11.3-17.5 | 323 | 51.9 | 47.4-56.4 | 90 | 13.8 | 10.7-16.9 | 61 | 11.2 | 8.1-14.3 | 54 | 8.7 | 6.2-11.2 |
| 45-54 | 917 | 408,267 | 60 | 7.1 | 5.1- 9.1 | 619 | 65.7 | 62.0-69.4 | 97 | 10.6 | 8.2-13.0 | 76 | 9.1 | 6.7-11.5 | 65 | 7.5 | 5.5- 9.5 |
| 55-64 | 1354 | 417,005 | 50 | 4.2 | 2.8- 5.6 | 1010 | 74.8 | 72.1-77.5 | 156 | 11.7 | 9.5-13.9 | 86 | 5.6 | 4.2- 7.0 | 52 | 3.7 | 2.5- 4.9 |
| 65+ | 1971 | 451,504 | 24 | 1.3 | 0.7- 1.9 | 1707 | 86.7 | 84.9-88.5 | 125 | 5.9 | 4.7- 7.1 | 65 | 3.3 | 2.3- 4.3 | 50 | 2.8 | 1.8- 3.8 |
| Less Than H.S. | 428 | 308,210 | 69 | 18.9 | 14.2-23.6 | 261 | 50.9 | 45.0-56.8 | 35 | 9.6 | 6.1-13.1 | 30 | 11.4 | 6.9-15.9 | 33 | 9.2 | 5.7-12.7 |
| H.S. or G.E.D. | 1847 | 824,157 | 192 | 15.3 | 13.1-17.5 | 1249 | 58.8 | 55.9-61.7 | 171 | 10.0 | 8.2-11.8 | 123 | 8.4 | 6.6-10.2 | 112 | 7.4 | 5.8- 9.0 |
| Some Post-H.S. | 1399 | 687,898 | 107 | 11.4 | 9.0-13.8 | 977 | 62.2 | 59.1-65.3 | 131 | 10.7 | 8.5-12.9 | 109 | 10.0 | 7.8-12.2 | 75 | 5.8 | 4.2- 7.4 |
| College Graduate | 2066 | 549,431 | 96 | 7.1 | 5.5- 8.7 | 1503 | 67.0 | 64.5-69.5 | 249 | 13.7 | 11.7-15.7 | 141 | 7.7 | 6.3- 9.1 | 77 | 4.5 | 3.3- 5.7 |
| Less than \$15,000 | 400 | 172,234 | 43 | 15.2 | 10.1-20.3 | 277 | 60.8 | 54.5-67.1 | 34 | 8.7 | 5.4-12.0 | 23 | 7.5 | 4.2-10.8 | 23 | 7.8 | 3.7-11.9 |
| \$15,000- 24,999 | 813 | 342,582 | 98 | 19.2 | 15.3-23.1 | 536 | 56.0 | 51.5-60.5 | 74 | 8.4 | 6.0-10.8 | 59 | 9.8 | 6.9-12.7 | 46 | 6.7 | 4.3- 9.1 |
| \$25,000- 34,999 | 541 | 220,294 | 42 | 12.3 | 8.4-16.2 | 379 | 59.6 | 53.9-65.3 | 55 | 11.6 | 8.1-15.1 | 32 | 8.3 | 4.8-11.8 | 33 | 8.2 | 4.5-11.9 |
| \$35,000- 49,999 | 830 | 348,285 | 71 | 14.4 | 10.7-18.1 | 571 | 57.8 | 53.1-62.5 | 79 | 11.6 | 8.5-14.7 | 53 | 9.2 | 5.9-12.5 | 56 | 7.1 | 4.9- 9.3 |
| \$50,000- 74,999 | 898 | 372,254 | 66 | 12.3 | 9.2-15.4 | 631 | 60.6 | 56.3-64.9 | 77 | 8.4 | 6.2-10.6 | 70 | 10.7 | 7.6-13.8 | 54 | 7.9 | 5.4-10.4 |
| \$75,000+ | 1738 | 690,970 | 102 | 8.5 | 6.7-10.3 | 1244 | 66.0 | 63.1-68.9 | 211 | 12.5 | 10.5-14.5 | 121 | 8.4 | 6.6-10.2 | 60 | 4.6 | 3.2- 6.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 3: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED?
(CHOLCHK1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Data was weighted using _LLCPWT. | | | | | | | | | | | | | | |
|----------------------------|-------------------|-----------|----------------------------------|------|------------|----------|------|------------|---------------|------|------------|---------------|------|------------|-----------|-----|------------|
| | TOTAL | WEIGHTED | Never | | | < 1 Year | | | 1 - < 2 Years | | | 2 - < 5 Years | | | ≥ 5 Years | | |
| | | | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7638 | 2,496,585 | 384 | 10.3 | 9.1-11.5 | 5734 | 67.3 | 65.7-68.9 | 829 | 11.4 | 10.4-12.4 | 467 | 7.2 | 6.4- 8.0 | 224 | 3.9 | 3.3- 4.5 |
| White/Non-Hisp | 6468 | 2,030,288 | 306 | 10.3 | 8.9-11.7 | 4887 | 67.7 | 65.9-69.5 | 691 | 11.1 | 10.1-12.1 | 396 | 7.2 | 6.2- 8.2 | 188 | 3.7 | 3.1- 4.3 |
| Black or Afr. Am./Non-Hisp | 563 | 215,281 | 18 | 4.8 | 2.3- 7.3 | 442 | 75.2 | 70.1-80.3 | 63 | 11.0 | 7.7-14.3 | 24 | 4.5 | 2.3- 6.7 | 16 | 4.5 | 1.4- 7.6 |
| Oth. Race/Non-Hisp. | 111 | 47,783 | 8 | 13.4 | 3.6-23.2 | 79 | 57.6 | 43.7-71.5 | 12 | 12.1 | 3.1-21.1 | 9 | 7.5 | 1.6-13.4 | 3 | 9.5 | 0.0-21.1 |
| MultiRacial/Non-Hisp. | 94 | 26,549 | 7 | 17.4 | 4.3-30.5 | 73 | 66.4 | 52.5-80.3 | 9 | 9.2 | 2.1-16.3 | 2 | 2.3 | 0.0- 6.2 | 3 | 4.8 | 0.0-10.5 |
| Hispanic | 299 | 141,780 | 39 | 16.0 | 10.7-21.3 | 173 | 52.3 | 45.4-59.2 | 50 | 17.7 | 12.2-23.2 | 30 | 11.4 | 7.1-15.7 | 7 | 2.6 | 0.4- 4.8 |
| 18-24 | 256 | 289,765 | 91 | 37.0 | 30.1-43.9 | 109 | 42.8 | 35.7-49.9 | 23 | 9.0 | 5.1-12.9 | 22 | 6.6 | 3.7- 9.5 | 11 | 4.6 | 1.7- 7.5 |
| 25-34 | 563 | 385,858 | 108 | 19.1 | 15.4-22.8 | 289 | 52.8 | 48.1-57.5 | 73 | 12.1 | 9.2-15.0 | 63 | 10.0 | 7.3-12.7 | 30 | 6.0 | 3.6- 8.4 |
| 35-44 | 751 | 394,959 | 64 | 9.3 | 6.9-11.7 | 449 | 60.1 | 56.0-64.2 | 111 | 13.9 | 11.2-16.6 | 86 | 11.4 | 8.7-14.1 | 41 | 5.3 | 3.5- 7.1 |
| 45-54 | 1146 | 415,834 | 61 | 5.9 | 4.1- 7.7 | 780 | 68.1 | 65.0-71.2 | 165 | 13.3 | 11.1-15.5 | 95 | 8.4 | 6.4-10.4 | 45 | 4.3 | 2.9- 5.7 |
| 55-64 | 1609 | 440,646 | 23 | 1.5 | 0.7- 2.3 | 1242 | 76.2 | 73.7-78.7 | 189 | 12.9 | 10.7-15.1 | 100 | 6.0 | 4.6- 7.4 | 55 | 3.4 | 2.4- 4.4 |
| 65+ | 3313 | 569,524 | 37 | 1.4 | 0.8- 2.0 | 2865 | 87.0 | 85.6-88.4 | 268 | 7.8 | 6.6- 9.0 | 101 | 2.7 | 2.1- 3.3 | 42 | 1.1 | 0.7- 1.5 |
| Less Than H.S. | 594 | 304,554 | 48 | 15.0 | 10.3-19.7 | 440 | 63.5 | 57.8-69.2 | 63 | 10.2 | 7.3-13.1 | 27 | 6.6 | 3.7- 9.5 | 16 | 4.7 | 1.8- 7.6 |
| H.S. or G.E.D. | 2613 | 820,871 | 123 | 9.5 | 7.5-11.5 | 2027 | 69.7 | 67.2-72.2 | 260 | 11.5 | 9.7-13.3 | 137 | 6.1 | 4.7- 7.5 | 66 | 3.1 | 2.1- 4.1 |
| Some Post-H.S. | 1985 | 808,265 | 122 | 11.8 | 9.4-14.2 | 1472 | 66.1 | 63.2-69.0 | 198 | 10.5 | 8.7-12.3 | 123 | 7.0 | 5.6- 8.4 | 70 | 4.6 | 3.4- 5.8 |
| College Graduate | 2433 | 559,930 | 90 | 6.7 | 5.1- 8.3 | 1785 | 67.4 | 64.9-69.9 | 307 | 13.0 | 11.2-14.8 | 179 | 9.4 | 7.8-11.0 | 72 | 3.5 | 2.5- 4.5 |
| Less than \$15,000 | 771 | 258,989 | 43 | 10.3 | 6.8-13.8 | 580 | 66.0 | 60.9-71.1 | 80 | 11.0 | 7.9-14.1 | 45 | 8.5 | 5.4-11.6 | 23 | 4.2 | 1.5- 6.9 |
| \$15,000- 24,999 | 1347 | 423,485 | 73 | 8.6 | 6.2-11.0 | 1030 | 69.1 | 65.4-72.8 | 134 | 11.5 | 9.0-14.0 | 77 | 7.1 | 5.1- 9.1 | 33 | 3.7 | 2.1- 5.3 |
| \$25,000- 34,999 | 844 | 266,179 | 43 | 11.2 | 7.5-14.9 | 613 | 64.5 | 59.8-69.2 | 102 | 13.0 | 10.1-15.9 | 55 | 6.8 | 4.3- 9.3 | 31 | 4.5 | 2.7- 6.3 |
| \$35,000- 49,999 | 945 | 310,027 | 46 | 11.4 | 7.5-15.3 | 711 | 66.5 | 62.0-71.0 | 109 | 11.3 | 8.8-13.8 | 58 | 7.1 | 4.7- 9.5 | 21 | 3.7 | 1.7- 5.7 |
| \$50,000- 74,999 | 1027 | 351,819 | 50 | 10.5 | 7.4-13.6 | 758 | 65.7 | 61.6-69.8 | 121 | 12.0 | 9.3-14.7 | 66 | 7.6 | 5.4- 9.8 | 32 | 4.3 | 2.3- 6.3 |
| \$75,000+ | 1622 | 572,617 | 79 | 9.9 | 7.4-12.4 | 1193 | 69.1 | 66.0-72.2 | 180 | 9.9 | 8.1-11.7 | 120 | 8.0 | 6.2- 9.8 | 50 | 3.1 | 2.1- 4.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 12835 | 4,490,585 | 5262 | 32.8 | 31.8-33.8 | 7573 | 67.2 | 66.2-68.2 |
| Male | 5404 | 2,152,820 | 2221 | 33.3 | 31.7-34.9 | 3183 | 66.7 | 65.1-68.3 |
| Female | 7431 | 2,337,765 | 3041 | 32.5 | 31.1-33.9 | 4390 | 67.5 | 66.1-68.9 |
| White/Non-Hisp | 10813 | 3,612,620 | 4595 | 34.5 | 33.3-35.7 | 6218 | 65.5 | 64.3-66.7 |
| Black or Afr. Am./Non-Hisp | 880 | 410,424 | 322 | 27.6 | 23.9-31.3 | 558 | 72.4 | 68.7-76.1 |
| Oth. Race/Non-Hisp. | 255 | 108,678 | 74 | 21.9 | 15.2-28.6 | 181 | 78.1 | 71.4-84.8 |
| MultiRacial/Non-Hisp. | 183 | 49,796 | 58 | 23.7 | 16.6-30.8 | 125 | 76.3 | 69.2-83.4 |
| Hispanic | 491 | 235,151 | 137 | 24.3 | 20.0-28.6 | 354 | 75.7 | 71.4-80.0 |
| 18-24 | 462 | 455,193 | 27 | 7.4 | 4.3-10.5 | 435 | 92.6 | 89.5-95.7 |
| 25-34 | 965 | 677,555 | 113 | 11.7 | 9.3-14.1 | 852 | 88.3 | 85.9-90.7 |
| 35-44 | 1250 | 718,271 | 263 | 20.1 | 17.6-22.6 | 987 | 79.9 | 77.4-82.4 |
| 45-54 | 1982 | 785,211 | 680 | 34.3 | 31.8-36.8 | 1302 | 65.7 | 63.2-68.2 |
| 55-64 | 2913 | 839,323 | 1370 | 48.0 | 45.8-50.2 | 1543 | 52.0 | 49.8-54.2 |
| 65+ | 5263 | 1,015,032 | 2809 | 53.6 | 51.8-55.4 | 2454 | 46.4 | 44.6-48.2 |
| Less Than H.S. | 935 | 535,155 | 437 | 37.0 | 33.1-40.9 | 498 | 63.0 | 59.1-66.9 |
| H.S. or G.E.D. | 4263 | 1,509,107 | 1855 | 35.1 | 33.3-36.9 | 2408 | 64.9 | 63.1-66.7 |
| Some Post-H.S. | 3236 | 1,382,552 | 1278 | 31.1 | 29.1-33.1 | 1958 | 68.9 | 66.9-70.9 |
| College Graduate | 4373 | 1,056,031 | 1679 | 29.9 | 28.3-31.5 | 2694 | 70.1 | 68.5-71.7 |
| Less than \$15,000 | 1116 | 395,178 | 509 | 38.0 | 34.3-41.7 | 607 | 62.0 | 58.3-65.7 |
| \$15,000- 24,999 | 2044 | 696,593 | 939 | 37.0 | 34.3-39.7 | 1105 | 63.0 | 60.3-65.7 |
| \$25,000- 34,999 | 1331 | 447,572 | 555 | 33.3 | 30.2-36.4 | 776 | 66.7 | 63.6-69.8 |
| \$35,000- 49,999 | 1703 | 607,106 | 712 | 33.8 | 30.9-36.7 | 991 | 66.2 | 63.3-69.1 |
| \$50,000- 74,999 | 1833 | 655,064 | 717 | 31.1 | 28.4-33.8 | 1116 | 68.9 | 66.2-71.6 |
| \$75,000+ | 3219 | 1,174,273 | 1157 | 28.5 | 26.7-30.3 | 2062 | 71.5 | 69.7-73.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5404 | 2,152,820 | 2221 | 33.3 | 31.7-34.9 | 3183 | 66.7 | 65.1-68.3 |
| White/Non-Hisp | 4517 | 1,722,727 | 1937 | 34.9 | 33.1-36.7 | 2580 | 65.1 | 63.3-66.9 |
| Black or Afr. Am./Non-Hisp | 315 | 191,734 | 111 | 28.2 | 22.3-34.1 | 204 | 71.8 | 65.9-77.7 |
| Oth. Race/Non-Hisp. | 147 | 64,131 | 36 | 21.3 | 13.5-29.1 | 111 | 78.7 | 70.9-86.5 |
| MultiRacial/Non-Hisp. | 94 | 26,612 | 27 | 24.4 | 14.0-34.8 | 67 | 75.6 | 65.2-86.0 |
| Hispanic | 219 | 107,216 | 64 | 25.4 | 18.7-32.1 | 155 | 74.6 | 67.9-81.3 |
| 18-24 | 259 | 234,176 | 11 | 4.9 | 2.0- 7.8 | 248 | 95.1 | 92.2-98.0 |
| 25-34 | 469 | 336,390 | 60 | 13.2 | 9.7-16.7 | 409 | 86.8 | 83.3-90.3 |
| 35-44 | 537 | 346,282 | 134 | 22.0 | 18.1-25.9 | 403 | 78.0 | 74.1-81.9 |
| 45-54 | 876 | 386,997 | 305 | 34.9 | 31.2-38.6 | 571 | 65.1 | 61.4-68.8 |
| 55-64 | 1312 | 402,244 | 626 | 49.7 | 46.6-52.8 | 686 | 50.3 | 47.2-53.4 |
| 65+ | 1951 | 446,731 | 1085 | 55.7 | 53.0-58.4 | 866 | 44.3 | 41.6-47.0 |
| Less Than H.S. | 371 | 261,290 | 153 | 33.7 | 28.2-39.2 | 218 | 66.3 | 60.8-71.8 |
| H.S. or G.E.D. | 1699 | 730,656 | 732 | 35.7 | 33.0-38.4 | 967 | 64.3 | 61.6-67.0 |
| Some Post-H.S. | 1324 | 636,166 | 515 | 31.0 | 28.1-33.9 | 809 | 69.0 | 66.1-71.9 |
| College Graduate | 1994 | 519,463 | 814 | 32.6 | 30.2-35.0 | 1180 | 67.4 | 65.0-69.8 |
| Less than \$15,000 | 362 | 149,465 | 162 | 39.3 | 33.0-45.6 | 200 | 60.7 | 54.4-67.0 |
| \$15,000- 24,999 | 737 | 288,656 | 335 | 38.4 | 34.1-42.7 | 402 | 61.6 | 57.3-65.9 |
| \$25,000- 34,999 | 514 | 203,094 | 214 | 32.7 | 27.8-37.6 | 300 | 67.3 | 62.4-72.2 |
| \$35,000- 49,999 | 781 | 316,260 | 316 | 34.3 | 30.0-38.6 | 465 | 65.7 | 61.4-70.0 |
| \$50,000- 74,999 | 842 | 332,742 | 336 | 31.6 | 27.7-35.5 | 506 | 68.4 | 64.5-72.3 |
| \$75,000+ | 1656 | 648,295 | 645 | 30.2 | 27.7-32.7 | 1011 | 69.8 | 67.3-72.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7431 | 2,337,765 | 3041 | 32.5 | 31.1-33.9 | 4390 | 67.5 | 66.1-68.9 |
| White/Non-Hisp | 6296 | 1,889,893 | 2658 | 34.1 | 32.5-35.7 | 3638 | 65.9 | 64.3-67.5 |
| Black or Afr. Am./Non-Hisp | 565 | 218,691 | 211 | 27.0 | 22.5-31.5 | 354 | 73.0 | 68.5-77.5 |
| Oth. Race/Non-Hisp. | 108 | 44,547 | 38 | 22.8 | 11.0-34.6 | 70 | 77.2 | 65.4-89.0 |
| MultiRacial/Non-Hisp. | 89 | 23,184 | 31 | 23.0 | 13.4-32.6 | 58 | 77.0 | 67.4-86.6 |
| Hispanic | 272 | 127,935 | 73 | 23.3 | 17.6-29.0 | 199 | 76.7 | 71.0-82.4 |
| 18-24 | 203 | 221,016 | 16 | 10.0 | 4.5-15.5 | 187 | 90.0 | 84.5-95.5 |
| 25-34 | 496 | 341,165 | 53 | 10.2 | 7.3-13.1 | 443 | 89.8 | 86.9-92.7 |
| 35-44 | 713 | 371,989 | 129 | 18.4 | 15.1-21.7 | 584 | 81.6 | 78.3-84.9 |
| 45-54 | 1106 | 398,214 | 375 | 33.8 | 30.5-37.1 | 731 | 66.2 | 62.9-69.5 |
| 55-64 | 1601 | 437,079 | 744 | 46.5 | 43.6-49.4 | 857 | 53.5 | 50.6-56.4 |
| 65+ | 3312 | 568,301 | 1724 | 52.0 | 49.8-54.2 | 1588 | 48.0 | 45.8-50.2 |
| Less Than H.S. | 564 | 273,865 | 284 | 40.2 | 34.7-45.7 | 280 | 59.8 | 54.3-65.3 |
| H.S. or G.E.D. | 2564 | 778,451 | 1123 | 34.5 | 32.1-36.9 | 1441 | 65.5 | 63.1-67.9 |
| Some Post-H.S. | 1912 | 746,386 | 763 | 31.1 | 28.6-33.6 | 1149 | 68.9 | 66.4-71.4 |
| College Graduate | 2379 | 536,568 | 865 | 27.3 | 25.1-29.5 | 1514 | 72.7 | 70.5-74.9 |
| Less than \$15,000 | 754 | 245,713 | 347 | 37.2 | 32.7-41.7 | 407 | 62.8 | 58.3-67.3 |
| \$15,000- 24,999 | 1307 | 407,936 | 604 | 36.0 | 32.5-39.5 | 703 | 64.0 | 60.5-67.5 |
| \$25,000- 34,999 | 817 | 244,478 | 341 | 33.8 | 29.5-38.1 | 476 | 66.2 | 61.9-70.5 |
| \$35,000- 49,999 | 922 | 290,846 | 396 | 33.3 | 29.4-37.2 | 526 | 66.7 | 62.8-70.6 |
| \$50,000- 74,999 | 991 | 322,322 | 381 | 30.6 | 26.9-34.3 | 610 | 69.4 | 65.7-73.1 |
| \$75,000+ | 1563 | 525,979 | 512 | 26.3 | 23.8-28.8 | 1051 | 73.7 | 71.2-76.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 7: ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR BLOOD CHOLESTEROL? (CHOLMED1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5246 | 1,470,955 | 3523 | 60.7 | 58.9-62.5 | 1723 | 39.3 | 37.5-41.1 |
| Male | 2212 | 713,191 | 1532 | 62.8 | 60.1-65.5 | 680 | 37.2 | 34.5-39.9 |
| Female | 3034 | 757,764 | 1991 | 58.7 | 56.3-61.1 | 1043 | 41.3 | 38.9-43.7 |
| White/Non-Hisp | 4581 | 1,243,632 | 3102 | 61.9 | 59.9-63.9 | 1479 | 38.1 | 36.1-40.1 |
| Black or Afr. Am./Non-Hisp | 321 | 113,024 | 228 | 60.5 | 52.9-68.1 | 93 | 39.5 | 31.9-47.1 |
| Oth. Race/Non-Hisp. | 74 | 23,827 | 39 | 37.3 | 22.2-52.4 | 35 | 62.7 | 47.6-77.8 |
| MultiRacial/Non-Hisp. | 58 | 11,823 | 37 | 62.6 | 45.7-79.5 | 21 | 37.4 | 20.5-54.3 |
| Hispanic | 137 | 57,061 | 67 | 43.1 | 33.3-52.9 | 70 | 56.9 | 47.1-66.7 |
| 25-34 | 113 | 79,436 | 22 | 24.0 | 14.4-33.6 | 91 | 76.0 | 66.4-85.6 |
| 35-44 | 263 | 144,595 | 89 | 34.8 | 27.9-41.7 | 174 | 65.2 | 58.3-72.1 |
| 45-54 | 677 | 268,578 | 336 | 50.2 | 45.7-54.7 | 341 | 49.8 | 45.3-54.3 |
| 55-64 | 1368 | 402,407 | 913 | 66.8 | 63.9-69.7 | 455 | 33.2 | 30.3-36.1 |
| 65+ | 2798 | 542,368 | 2162 | 77.2 | 75.2-79.2 | 636 | 22.8 | 20.8-24.8 |
| Less Than H.S. | 434 | 197,381 | 301 | 62.6 | 56.3-68.9 | 133 | 37.4 | 31.1-43.7 |
| H.S. or G.E.D. | 1849 | 527,687 | 1290 | 63.1 | 60.2-66.0 | 559 | 36.9 | 34.0-39.8 |
| Some Post-H.S. | 1275 | 428,660 | 841 | 60.1 | 56.6-63.6 | 434 | 39.9 | 36.4-43.4 |
| College Graduate | 1675 | 314,759 | 1081 | 56.2 | 53.1-59.3 | 594 | 43.8 | 40.7-46.9 |
| Less than \$15,000 | 508 | 149,814 | 367 | 65.9 | 60.2-71.6 | 141 | 34.1 | 28.4-39.8 |
| \$15,000- 24,999 | 939 | 257,521 | 671 | 66.4 | 62.1-70.7 | 268 | 33.6 | 29.3-37.9 |
| \$25,000- 34,999 | 554 | 148,863 | 378 | 61.2 | 55.5-66.9 | 176 | 38.8 | 33.1-44.5 |
| \$35,000- 49,999 | 711 | 204,995 | 498 | 64.6 | 59.7-69.5 | 213 | 35.4 | 30.5-40.3 |
| \$50,000- 74,999 | 716 | 203,347 | 458 | 57.3 | 52.4-62.2 | 258 | 42.7 | 37.8-47.6 |
| \$75,000+ | 1154 | 333,687 | 711 | 54.6 | 50.9-58.3 | 443 | 45.4 | 41.7-49.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 8: ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR BLOOD CHOLESTEROL? (CHOLMED1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2212 | 713,191 | 1532 | 62.8 | 60.3-65.3 | 680 | 37.2 | 34.7-39.7 |
| White/Non-Hisp | 1929 | 599,552 | 1348 | 64.3 | 61.6-67.0 | 581 | 35.7 | 33.0-38.4 |
| Black or Afr. Am./Non-Hisp | 111 | 54,033 | 79 | 57.3 | 45.3-69.3 | 32 | 42.7 | 30.7-54.7 |
| Hispanic | 64 | 27,204 | 34 | 45.9 | 31.2-60.6 | 30 | 54.1 | 39.4-68.8 |
| 25-34 | 60 | 44,545 | 12 | 22.4 | 10.1-34.7 | 48 | 77.6 | 65.3-89.9 |
| 35-44 | 134 | 76,182 | 49 | 37.0 | 27.2-46.8 | 85 | 63.0 | 53.2-72.8 |
| 45-54 | 304 | 134,752 | 173 | 57.0 | 50.3-63.7 | 131 | 43.0 | 36.3-49.7 |
| 55-64 | 624 | 199,118 | 438 | 68.9 | 64.6-73.2 | 186 | 31.1 | 26.8-35.4 |
| 65+ | 1079 | 247,132 | 859 | 78.8 | 75.9-81.7 | 220 | 21.2 | 18.3-24.1 |
| Less Than H.S. | 151 | 87,262 | 99 | 61.0 | 51.6-70.4 | 52 | 39.0 | 29.6-48.4 |
| H.S. or G.E.D. | 730 | 259,699 | 510 | 62.6 | 58.1-67.1 | 220 | 37.4 | 32.9-41.9 |
| Some Post-H.S. | 513 | 196,866 | 354 | 64.1 | 58.8-69.4 | 159 | 35.9 | 30.6-41.2 |
| College Graduate | 811 | 168,504 | 563 | 62.3 | 58.0-66.6 | 248 | 37.7 | 33.4-42.0 |
| Less than \$15,000 | 161 | 58,480 | 116 | 65.4 | 55.6-75.2 | 45 | 34.6 | 24.8-44.4 |
| \$15,000- 24,999 | 335 | 110,709 | 245 | 70.3 | 64.2-76.4 | 90 | 29.7 | 23.6-35.8 |
| \$25,000- 34,999 | 213 | 66,337 | 152 | 65.0 | 56.6-73.4 | 61 | 35.0 | 26.6-43.4 |
| \$35,000- 49,999 | 315 | 108,258 | 237 | 68.8 | 61.7-75.9 | 78 | 31.2 | 24.1-38.3 |
| \$50,000- 74,999 | 335 | 104,606 | 231 | 61.7 | 54.6-68.8 | 104 | 38.3 | 31.2-45.4 |
| \$75,000+ | 644 | 195,552 | 418 | 58.1 | 53.2-63.0 | 226 | 41.9 | 37.0-46.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 9: ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR BLOOD CHOLESTEROL? (CHOLMED1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3034 | 757,764 | 1991 | 58.7 | 56.3-61.1 | 1043 | 41.3 | 38.9-43.7 |
| White/Non-Hisp | 2652 | 644,080 | 1754 | 59.7 | 57.2-62.2 | 898 | 40.3 | 37.8-42.8 |
| Black or Afr. Am./Non-Hisp | 210 | 58,991 | 149 | 63.4 | 54.0-72.8 | 61 | 36.6 | 27.2-46.0 |
| Hispanic | 73 | 29,857 | 33 | 40.5 | 27.2-53.8 | 40 | 59.5 | 46.2-72.8 |
| 25-34 | 53 | 34,891 | 10 | 26.0 | 11.1-40.9 | 43 | 74.0 | 59.1-88.9 |
| 35-44 | 129 | 68,413 | 40 | 32.3 | 23.1-41.5 | 89 | 67.7 | 58.5-76.9 |
| 45-54 | 373 | 133,826 | 163 | 43.4 | 37.5-49.3 | 210 | 56.6 | 50.7-62.5 |
| 55-64 | 744 | 203,289 | 475 | 64.7 | 60.6-68.8 | 269 | 35.3 | 31.2-39.4 |
| 65+ | 1719 | 295,236 | 1303 | 75.8 | 73.3-78.3 | 416 | 24.2 | 21.7-26.7 |
| Less Than H.S. | 283 | 110,120 | 202 | 63.9 | 55.5-72.3 | 81 | 36.1 | 27.7-44.5 |
| H.S. or G.E.D. | 1119 | 267,988 | 780 | 63.5 | 59.8-67.2 | 339 | 36.5 | 32.8-40.2 |
| Some Post-H.S. | 762 | 231,794 | 487 | 56.7 | 52.2-61.2 | 275 | 43.3 | 38.8-47.8 |
| College Graduate | 864 | 146,255 | 518 | 49.3 | 45.0-53.6 | 346 | 50.7 | 46.4-55.0 |
| Less than \$15,000 | 347 | 91,333 | 251 | 66.2 | 59.5-72.9 | 96 | 33.8 | 27.1-40.5 |
| \$15,000- 24,999 | 604 | 146,812 | 426 | 63.4 | 57.3-69.5 | 178 | 36.6 | 30.5-42.7 |
| \$25,000- 34,999 | 341 | 82,525 | 226 | 58.0 | 50.4-65.6 | 115 | 42.0 | 34.4-49.6 |
| \$35,000- 49,999 | 396 | 96,738 | 261 | 59.8 | 53.1-66.5 | 135 | 40.2 | 33.5-46.9 |
| \$50,000- 74,999 | 381 | 98,741 | 227 | 52.7 | 45.8-59.6 | 154 | 47.3 | 40.4-54.2 |
| \$75,000+ | 510 | 138,135 | 293 | 49.7 | 44.2-55.2 | 217 | 50.3 | 44.8-55.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|---|------|
| HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4) | |
| 1 MALES AND FEMALES | 48 |
| 2 MALES ONLY | 49 |
| 3 FEMALES ONLY | 50 |
| (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4) | |
| 4 MALES AND FEMALES | 51 |
| 5 MALES ONLY | 52 |
| 6 FEMALES ONLY | 53 |
| (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3) | |
| 7 MALES AND FEMALES | 54 |
| 8 MALES ONLY | 55 |
| 9 FEMALES ONLY | 56 |
| (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3) | |
| 10 MALES AND FEMALES | 57 |
| 11 MALES ONLY | 58 |
| 12 FEMALES ONLY | 59 |
| DO YOU STILL HAVE ASTHMA? (ASTHNOW) | |
| 13 MALES AND FEMALES | 60 |
| 14 MALES ONLY | 61 |
| 15 FEMALES ONLY | 62 |
| (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR) | |
| 16 MALES AND FEMALES | 63 |
| 17 MALES ONLY | 64 |
| 18 FEMALES ONLY | 65 |
| (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR) | |
| 19 MALES AND FEMALES | 66 |
| 20 MALES ONLY | 67 |
| 21 FEMALES ONLY | 68 |
| (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1) | |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|---|------|
| 22 MALES AND FEMALES | 69 |
| 23 MALES ONLY | 70 |
| 24 FEMALES ONLY | 71 |
| (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3) | |
| 25 MALES AND FEMALES | 72 |
| 26 MALES ONLY | 73 |
| 27 FEMALES ONLY | 74 |
| (EVER TOLD) YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV2) | |
| 28 MALES AND FEMALES | 75 |
| 29 MALES ONLY | 76 |
| 30 FEMALES ONLY | 77 |
| (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY) | |
| 31 MALES AND FEMALES | 78 |
| 32 MALES ONLY | 79 |
| 33 FEMALES ONLY | 80 |
| (EVER TOLD) YOU HAVE DIABETES (DIABETE3) | |
| 34 MALES AND FEMALES | 81 |
| 35 MALES ONLY | 82 |
| 36 FEMALES ONLY | 83 |
| HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2) | |
| 37 MALES AND FEMALES | 84 |
| 38 MALES ONLY | 85 |
| 39 FEMALES ONLY | 86 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13746 | 5,079,846 | 949 | 5.1 | 4.7- 5.5 | 12797 | 94.9 | 94.5-95.3 |
| Male | 5899 | 2,471,385 | 572 | 6.7 | 5.9- 7.5 | 5327 | 93.3 | 92.5-94.1 |
| Female | 7847 | 2,608,461 | 377 | 3.5 | 3.1- 3.9 | 7470 | 96.5 | 96.1-96.9 |
| White/Non-Hisp | 11507 | 4,075,955 | 810 | 5.3 | 4.9- 5.7 | 10697 | 94.7 | 94.3-95.1 |
| Black or Afr. Am./Non-Hisp | 930 | 438,219 | 58 | 3.7 | 2.5- 4.9 | 872 | 96.3 | 95.1-97.5 |
| Oth. Race/Non-Hisp. | 283 | 127,127 | 24 | 6.0 | 1.7-10.3 | 259 | 94.0 | 89.7-98.3 |
| MultiRacial/Non-Hisp. | 205 | 60,119 | 23 | 12.5 | 6.4-18.6 | 182 | 87.5 | 81.4-93.6 |
| Hispanic | 583 | 289,764 | 12 | 1.1 | 0.3- 1.9 | 571 | 98.9 | 98.1-99.7 |
| 18-24 | 688 | 686,810 | 3 | 0.6 | 0.0- 1.4 | 685 | 99.4 | 98.6- 100 |
| 25-34 | 1201 | 839,508 | 6 | 0.7 | 0.1- 1.3 | 1195 | 99.3 | 98.7-99.9 |
| 35-44 | 1404 | 815,476 | 18 | 1.3 | 0.5- 2.1 | 1386 | 98.7 | 97.9-99.5 |
| 45-54 | 2113 | 840,905 | 76 | 3.9 | 2.9- 4.9 | 2037 | 96.1 | 95.1-97.1 |
| 55-64 | 2989 | 864,122 | 236 | 8.8 | 7.4-10.2 | 2753 | 91.2 | 89.8-92.6 |
| 65+ | 5351 | 1,033,025 | 610 | 12.4 | 11.2-13.6 | 4741 | 87.6 | 86.4-88.8 |
| Less Than H.S. | 1061 | 645,180 | 142 | 9.5 | 7.5-11.5 | 919 | 90.5 | 88.5-92.5 |
| H.S. or G.E.D. | 4598 | 1,722,634 | 350 | 5.2 | 4.6- 5.8 | 4248 | 94.8 | 94.2-95.4 |
| Some Post-H.S. | 3484 | 1,566,906 | 239 | 4.6 | 3.8- 5.4 | 3245 | 95.4 | 94.6-96.2 |
| College Graduate | 4573 | 1,135,302 | 216 | 2.9 | 2.5- 3.3 | 4357 | 97.1 | 96.7-97.5 |
| Less than \$15,000 | 1215 | 451,244 | 151 | 10.4 | 8.2-12.6 | 1064 | 89.6 | 87.4-91.8 |
| \$15,000- 24,999 | 2215 | 805,269 | 237 | 8.1 | 6.9- 9.3 | 1978 | 91.9 | 90.7-93.1 |
| \$25,000- 34,999 | 1422 | 506,819 | 117 | 6.0 | 4.6- 7.4 | 1305 | 94.0 | 92.6-95.4 |
| \$35,000- 49,999 | 1829 | 697,921 | 124 | 4.6 | 3.6- 5.6 | 1705 | 95.4 | 94.4-96.4 |
| \$50,000- 74,999 | 1946 | 736,244 | 86 | 3.3 | 2.3- 4.3 | 1860 | 96.7 | 95.7-97.7 |
| \$75,000+ | 3419 | 1,295,637 | 117 | 2.3 | 1.7- 2.9 | 3302 | 97.7 | 97.1-98.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5899 | 2,471,385 | 572 | 6.7 | 5.9- 7.5 | 5327 | 93.3 | 92.5-94.1 |
| White/Non-Hisp | 4882 | 1,966,925 | 497 | 7.3 | 6.5- 8.1 | 4385 | 92.7 | 91.9-93.5 |
| Black or Afr. Am./Non-Hisp | 342 | 207,207 | 23 | 3.4 | 1.6- 5.2 | 319 | 96.6 | 94.8-98.4 |
| Oth. Race/Non-Hisp. | 167 | 74,178 | 15 | 5.3 | 1.8- 8.8 | 152 | 94.7 | 91.2-98.2 |
| MultiRacial/Non-Hisp. | 108 | 32,175 | 15 | 17.8 | 7.8-27.8 | 93 | 82.2 | 72.2-92.2 |
| Hispanic | 270 | 138,545 | 5 | 1.4 | 0.0- 3.0 | 265 | 98.6 | 97.0- 100 |
| 18-24 | 388 | 352,339 | 2 | 0.4 | 0.0- 1.0 | 386 | 99.6 | 99.0- 100 |
| 25-34 | 592 | 420,651 | 4 | 1.0 | 0.0- 2.2 | 588 | 99.0 | 97.8- 100 |
| 35-44 | 629 | 407,646 | 14 | 2.2 | 0.8- 3.6 | 615 | 97.8 | 96.4-99.2 |
| 45-54 | 940 | 416,420 | 44 | 4.8 | 3.2- 6.4 | 896 | 95.2 | 93.6-96.8 |
| 55-64 | 1366 | 421,013 | 144 | 11.9 | 9.7-14.1 | 1222 | 88.1 | 85.9-90.3 |
| 65+ | 1984 | 453,315 | 364 | 18.0 | 16.0-20.0 | 1620 | 82.0 | 80.0-84.0 |
| Less Than H.S. | 441 | 321,241 | 60 | 9.8 | 6.9-12.7 | 381 | 90.2 | 87.3-93.1 |
| H.S. or G.E.D. | 1907 | 865,272 | 199 | 6.9 | 5.7- 8.1 | 1708 | 93.1 | 91.9-94.3 |
| Some Post-H.S. | 1439 | 718,234 | 152 | 6.9 | 5.5- 8.3 | 1287 | 93.1 | 91.7-94.5 |
| College Graduate | 2095 | 559,643 | 159 | 4.6 | 3.8- 5.4 | 1936 | 95.4 | 94.6-96.2 |
| Less than \$15,000 | 412 | 178,695 | 72 | 14.3 | 10.2-18.4 | 340 | 85.7 | 81.6-89.8 |
| \$15,000- 24,999 | 834 | 359,613 | 121 | 11.1 | 8.7-13.5 | 713 | 88.9 | 86.5-91.3 |
| \$25,000- 34,999 | 559 | 230,452 | 75 | 8.3 | 6.1-10.5 | 484 | 91.7 | 89.5-93.9 |
| \$35,000- 49,999 | 857 | 368,776 | 84 | 6.0 | 4.4- 7.6 | 773 | 94.0 | 92.4-95.6 |
| \$50,000- 74,999 | 905 | 377,187 | 65 | 4.7 | 3.3- 6.1 | 840 | 95.3 | 93.9-96.7 |
| \$75,000+ | 1769 | 710,396 | 100 | 3.6 | 2.6- 4.6 | 1669 | 96.4 | 95.4-97.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7847 | 2,608,461 | 377 | 3.5 | 3.1- 3.9 | 7470 | 96.5 | 96.1-96.9 |
| White/Non-Hisp | 6625 | 2,109,030 | 313 | 3.5 | 2.9- 4.1 | 6312 | 96.5 | 95.9-97.1 |
| Black or Afr. Am./Non-Hisp | 588 | 231,012 | 35 | 3.9 | 2.1- 5.7 | 553 | 96.1 | 94.3-97.9 |
| Oth. Race/Non-Hisp. | 116 | 52,949 | 9 | 7.0 | 0.0-16.0 | 107 | 93.0 | 84.0- 100 |
| MultiRacial/Non-Hisp. | 97 | 27,945 | 8 | 6.5 | 1.2-11.8 | 89 | 93.5 | 88.2-98.8 |
| Hispanic | 313 | 151,219 | 7 | 0.8 | 0.2- 1.4 | 306 | 99.2 | 98.6-99.8 |
| 18-24 | 300 | 334,471 | 1 | 0.7 | 0.0- 2.1 | 299 | 99.3 | 97.9- 100 |
| 25-34 | 609 | 418,856 | 2 | 0.3 | 0.0- 0.7 | 607 | 99.7 | 99.3- 100 |
| 35-44 | 775 | 407,829 | 4 | 0.5 | 0.1- 0.9 | 771 | 99.5 | 99.1-99.9 |
| 45-54 | 1173 | 424,485 | 32 | 3.1 | 1.9- 4.3 | 1141 | 96.9 | 95.7-98.1 |
| 55-64 | 1623 | 443,109 | 92 | 5.9 | 4.3- 7.5 | 1531 | 94.1 | 92.5-95.7 |
| 65+ | 3367 | 579,710 | 246 | 8.0 | 6.8- 9.2 | 3121 | 92.0 | 90.8-93.2 |
| Less Than H.S. | 620 | 323,939 | 82 | 9.2 | 6.5-11.9 | 538 | 90.8 | 88.1-93.5 |
| H.S. or G.E.D. | 2691 | 857,363 | 151 | 3.6 | 3.0- 4.2 | 2540 | 96.4 | 95.8-97.0 |
| Some Post-H.S. | 2045 | 848,672 | 87 | 2.7 | 1.9- 3.5 | 1958 | 97.3 | 96.5-98.1 |
| College Graduate | 2478 | 575,659 | 57 | 1.4 | 1.0- 1.8 | 2421 | 98.6 | 98.2-99.0 |
| Less than \$15,000 | 803 | 272,550 | 79 | 7.9 | 5.5-10.3 | 724 | 92.1 | 89.7-94.5 |
| \$15,000- 24,999 | 1381 | 445,656 | 116 | 5.7 | 4.3- 7.1 | 1265 | 94.3 | 92.9-95.7 |
| \$25,000- 34,999 | 863 | 276,367 | 42 | 4.0 | 2.4- 5.6 | 821 | 96.0 | 94.4-97.6 |
| \$35,000- 49,999 | 972 | 329,144 | 40 | 3.1 | 1.9- 4.3 | 932 | 96.9 | 95.7-98.1 |
| \$50,000- 74,999 | 1041 | 359,058 | 21 | 1.8 | 0.4- 3.2 | 1020 | 98.2 | 96.8-99.6 |
| \$75,000+ | 1650 | 585,240 | 17 | 0.8 | 0.4- 1.2 | 1633 | 99.2 | 98.8-99.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13717 | 5,074,966 | 957 | 4.8 | 4.4- 5.2 | 12760 | 95.2 | 94.8-95.6 |
| Male | 5891 | 2,468,954 | 528 | 5.9 | 5.3- 6.5 | 5363 | 94.1 | 93.5-94.7 |
| Female | 7826 | 2,606,012 | 429 | 3.8 | 3.4- 4.2 | 7397 | 96.2 | 95.8-96.6 |
| White/Non-Hisp | 11481 | 4,071,274 | 836 | 5.1 | 4.7- 5.5 | 10645 | 94.9 | 94.5-95.3 |
| Black or Afr. Am./Non-Hisp | 928 | 437,877 | 51 | 2.9 | 1.9- 3.9 | 877 | 97.1 | 96.1-98.1 |
| Oth. Race/Non-Hisp. | 284 | 126,900 | 20 | 5.5 | 1.2- 9.8 | 264 | 94.5 | 90.2-98.8 |
| MultiRacial/Non-Hisp. | 204 | 59,481 | 18 | 7.1 | 3.2-11.0 | 186 | 92.9 | 89.0-96.8 |
| Hispanic | 586 | 291,204 | 12 | 1.9 | 0.5- 3.3 | 574 | 98.1 | 96.7-99.5 |
| 18-24 | 688 | 686,810 | 2 | 0.5 | 0.0- 1.3 | 686 | 99.5 | 98.7- 100 |
| 25-34 | 1201 | 839,800 | 9 | 0.6 | 0.2- 1.0 | 1192 | 99.4 | 99.0-99.8 |
| 35-44 | 1405 | 814,644 | 11 | 0.8 | 0.2- 1.4 | 1394 | 99.2 | 98.6-99.8 |
| 45-54 | 2115 | 842,254 | 68 | 3.3 | 2.5- 4.1 | 2047 | 96.7 | 95.9-97.5 |
| 55-64 | 2990 | 865,634 | 236 | 8.6 | 7.4- 9.8 | 2754 | 91.4 | 90.2-92.6 |
| 65+ | 5318 | 1,025,823 | 631 | 12.4 | 11.2-13.6 | 4687 | 87.6 | 86.4-88.8 |
| Less Than H.S. | 1058 | 645,235 | 106 | 6.7 | 5.1- 8.3 | 952 | 93.3 | 91.7-94.9 |
| H.S. or G.E.D. | 4595 | 1,721,768 | 360 | 5.3 | 4.7- 5.9 | 4235 | 94.7 | 94.1-95.3 |
| Some Post-H.S. | 3463 | 1,563,095 | 253 | 4.7 | 4.1- 5.3 | 3210 | 95.3 | 94.7-95.9 |
| College Graduate | 4569 | 1,134,770 | 235 | 3.0 | 2.6- 3.4 | 4334 | 97.0 | 96.6-97.4 |
| Less than \$15,000 | 1208 | 451,963 | 129 | 7.7 | 5.9- 9.5 | 1079 | 92.3 | 90.5-94.1 |
| \$15,000- 24,999 | 2212 | 804,543 | 222 | 7.4 | 6.2- 8.6 | 1990 | 92.6 | 91.4-93.8 |
| \$25,000- 34,999 | 1408 | 503,967 | 104 | 5.1 | 3.9- 6.3 | 1304 | 94.9 | 93.7-96.1 |
| \$35,000- 49,999 | 1825 | 696,366 | 142 | 5.3 | 4.3- 6.3 | 1683 | 94.7 | 93.7-95.7 |
| \$50,000- 74,999 | 1944 | 734,731 | 106 | 3.9 | 2.9- 4.9 | 1838 | 96.1 | 95.1-97.1 |
| \$75,000+ | 3422 | 1,296,590 | 138 | 2.4 | 1.8- 3.0 | 3284 | 97.6 | 97.0-98.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5891 | 2,468,954 | 528 | 5.9 | 5.3- 6.5 | 5363 | 94.1 | 93.5-94.7 |
| White/Non-Hisp | 4874 | 1,963,795 | 474 | 6.5 | 5.7- 7.3 | 4400 | 93.5 | 92.7-94.3 |
| Black or Afr. Am./Non-Hisp | 343 | 208,322 | 16 | 2.7 | 1.1- 4.3 | 327 | 97.3 | 95.7-98.9 |
| Oth. Race/Non-Hisp. | 167 | 73,708 | 11 | 4.1 | 1.0- 7.2 | 156 | 95.9 | 92.8-99.0 |
| MultiRacial/Non-Hisp. | 108 | 31,678 | 9 | 8.7 | 2.0-15.4 | 99 | 91.3 | 84.6-98.0 |
| Hispanic | 273 | 139,910 | 5 | 2.0 | 0.0- 4.4 | 268 | 98.0 | 95.6- 100 |
| 18-24 | 388 | 352,339 | | | | 388 | 100.0 | 100.0- 100 |
| 25-34 | 593 | 421,672 | 4 | 0.7 | 0.0- 1.5 | 589 | 99.3 | 98.5- 100 |
| 35-44 | 625 | 404,486 | 7 | 1.0 | 0.2- 1.8 | 618 | 99.0 | 98.2-99.8 |
| 45-54 | 943 | 417,800 | 36 | 3.6 | 2.2- 5.0 | 907 | 96.4 | 95.0-97.8 |
| 55-64 | 1371 | 422,666 | 132 | 10.7 | 8.7-12.7 | 1239 | 89.3 | 87.3-91.3 |
| 65+ | 1971 | 449,991 | 349 | 17.5 | 15.5-19.5 | 1622 | 82.5 | 80.5-84.5 |
| Less Than H.S. | 438 | 320,656 | 42 | 6.8 | 4.4- 9.2 | 396 | 93.2 | 90.8-95.6 |
| H.S. or G.E.D. | 1904 | 863,353 | 168 | 6.0 | 5.0- 7.0 | 1736 | 94.0 | 93.0-95.0 |
| Some Post-H.S. | 1436 | 718,589 | 138 | 6.2 | 5.0- 7.4 | 1298 | 93.8 | 92.6-95.0 |
| College Graduate | 2095 | 559,289 | 177 | 5.0 | 4.2- 5.8 | 1918 | 95.0 | 94.2-95.8 |
| Less than \$15,000 | 410 | 179,385 | 50 | 8.3 | 5.6-11.0 | 360 | 91.7 | 89.0-94.4 |
| \$15,000- 24,999 | 834 | 359,662 | 102 | 9.4 | 7.2-11.6 | 732 | 90.6 | 88.4-92.8 |
| \$25,000- 34,999 | 552 | 228,366 | 65 | 8.0 | 5.6-10.4 | 487 | 92.0 | 89.6-94.4 |
| \$35,000- 49,999 | 855 | 367,704 | 93 | 6.6 | 5.0- 8.2 | 762 | 93.4 | 91.8-95.0 |
| \$50,000- 74,999 | 904 | 376,003 | 67 | 4.5 | 3.3- 5.7 | 837 | 95.5 | 94.3-96.7 |
| \$75,000+ | 1769 | 710,764 | 108 | 3.4 | 2.6- 4.2 | 1661 | 96.6 | 95.8-97.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7826 | 2,606,012 | 429 | 3.8 | 3.4- 4.2 | 7397 | 96.2 | 95.8-96.6 |
| White/Non-Hisp | 6607 | 2,107,480 | 362 | 3.9 | 3.3- 4.5 | 6245 | 96.1 | 95.5-96.7 |
| Black or Afr. Am./Non-Hisp | 585 | 229,555 | 35 | 3.2 | 1.8- 4.6 | 550 | 96.8 | 95.4-98.2 |
| Oth. Race/Non-Hisp. | 117 | 53,192 | 9 | 7.3 | 0.0-16.3 | 108 | 92.7 | 83.7- 100 |
| MultiRacial/Non-Hisp. | 96 | 27,803 | 9 | 5.1 | 1.2- 9.0 | 87 | 94.9 | 91.0-98.8 |
| Hispanic | 313 | 151,295 | 7 | 1.8 | 0.4- 3.2 | 306 | 98.2 | 96.8-99.6 |
| 18-24 | 300 | 334,471 | 2 | 1.0 | 0.0- 2.6 | 298 | 99.0 | 97.4- 100 |
| 25-34 | 608 | 418,129 | 5 | 0.5 | 0.1- 0.9 | 603 | 99.5 | 99.1-99.9 |
| 35-44 | 780 | 410,159 | 4 | 0.6 | 0.0- 1.2 | 776 | 99.4 | 98.8- 100 |
| 45-54 | 1172 | 424,454 | 32 | 2.9 | 1.7- 4.1 | 1140 | 97.1 | 95.9-98.3 |
| 55-64 | 1619 | 442,967 | 104 | 6.6 | 5.0- 8.2 | 1515 | 93.4 | 91.8-95.0 |
| 65+ | 3347 | 575,832 | 282 | 8.4 | 7.2- 9.6 | 3065 | 91.6 | 90.4-92.8 |
| Less Than H.S. | 620 | 324,579 | 64 | 6.6 | 4.2- 9.0 | 556 | 93.4 | 91.0-95.8 |
| H.S. or G.E.D. | 2691 | 858,415 | 192 | 4.7 | 3.9- 5.5 | 2499 | 95.3 | 94.5-96.1 |
| Some Post-H.S. | 2027 | 844,505 | 115 | 3.5 | 2.7- 4.3 | 1912 | 96.5 | 95.7-97.3 |
| College Graduate | 2474 | 575,481 | 58 | 1.2 | 0.8- 1.6 | 2416 | 98.8 | 98.4-99.2 |
| Less than \$15,000 | 798 | 272,578 | 79 | 7.4 | 5.2- 9.6 | 719 | 92.6 | 90.4-94.8 |
| \$15,000- 24,999 | 1378 | 444,881 | 120 | 5.7 | 4.3- 7.1 | 1258 | 94.3 | 92.9-95.7 |
| \$25,000- 34,999 | 856 | 275,601 | 39 | 2.7 | 1.5- 3.9 | 817 | 97.3 | 96.1-98.5 |
| \$35,000- 49,999 | 970 | 328,662 | 49 | 3.8 | 2.6- 5.0 | 921 | 96.2 | 95.0-97.4 |
| \$50,000- 74,999 | 1040 | 358,728 | 39 | 3.3 | 1.5- 5.1 | 1001 | 96.7 | 94.9-98.5 |
| \$75,000+ | 1653 | 585,826 | 30 | 1.1 | 0.7- 1.5 | 1623 | 98.9 | 98.5-99.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|-----|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13781 | 5,087,749 | 690 | 3.6 | 3.2- 4.0 | 13091 | 96.4 | 96.0-96.8 |
| Male | 5920 | 2,476,348 | 295 | 3.7 | 3.1- 4.3 | 5625 | 96.3 | 95.7-96.9 |
| Female | 7861 | 2,611,401 | 395 | 3.4 | 3.0- 3.8 | 7466 | 96.6 | 96.2-97.0 |
| White/Non-Hisp | 11537 | 4,084,532 | 581 | 3.6 | 3.2- 4.0 | 10956 | 96.4 | 96.0-96.8 |
| Black or Afr. Am./Non-Hisp | 928 | 437,278 | 58 | 3.8 | 2.6- 5.0 | 870 | 96.2 | 95.0-97.4 |
| Oth. Race/Non-Hisp. | 286 | 126,085 | 14 | 3.8 | 0.0- 7.7 | 272 | 96.2 | 92.3- 100 |
| MultiRacial/Non-Hisp. | 206 | 60,442 | 16 | 6.9 | 2.6-11.2 | 190 | 93.1 | 88.8-97.4 |
| Hispanic | 585 | 290,431 | 12 | 2.2 | 0.6- 3.8 | 573 | 97.8 | 96.2-99.4 |
| 18-24 | 686 | 684,582 | 2 | 0.4 | 0.0- 1.2 | 684 | 99.6 | 98.8- 100 |
| 25-34 | 1199 | 838,558 | 6 | 0.7 | 0.1- 1.3 | 1193 | 99.3 | 98.7-99.9 |
| 35-44 | 1414 | 820,576 | 12 | 0.8 | 0.4- 1.2 | 1402 | 99.2 | 98.8-99.6 |
| 45-54 | 2117 | 842,065 | 80 | 3.9 | 2.9- 4.9 | 2037 | 96.1 | 95.1-97.1 |
| 55-64 | 2998 | 867,042 | 164 | 6.0 | 4.8- 7.2 | 2834 | 94.0 | 92.8-95.2 |
| 65+ | 5367 | 1,034,926 | 426 | 8.0 | 7.0- 9.0 | 4941 | 92.0 | 91.0-93.0 |
| Less Than H.S. | 1068 | 647,546 | 98 | 6.5 | 4.7- 8.3 | 970 | 93.5 | 91.7-95.3 |
| H.S. or G.E.D. | 4613 | 1,727,495 | 280 | 4.1 | 3.5- 4.7 | 4333 | 95.9 | 95.3-96.5 |
| Some Post-H.S. | 3489 | 1,566,579 | 183 | 3.3 | 2.7- 3.9 | 3306 | 96.7 | 96.1-97.3 |
| College Graduate | 4579 | 1,136,031 | 127 | 1.5 | 1.1- 1.9 | 4452 | 98.5 | 98.1-98.9 |
| Less than \$15,000 | 1214 | 451,187 | 141 | 9.2 | 7.2-11.2 | 1073 | 90.8 | 88.8-92.8 |
| \$15,000- 24,999 | 2226 | 808,044 | 170 | 5.5 | 4.5- 6.5 | 2056 | 94.5 | 93.5-95.5 |
| \$25,000- 34,999 | 1424 | 507,889 | 88 | 5.0 | 3.6- 6.4 | 1336 | 95.0 | 93.6-96.4 |
| \$35,000- 49,999 | 1836 | 699,799 | 82 | 2.8 | 2.0- 3.6 | 1754 | 97.2 | 96.4-98.0 |
| \$50,000- 74,999 | 1948 | 737,453 | 54 | 1.9 | 1.1- 2.7 | 1894 | 98.1 | 97.3-98.9 |
| \$75,000+ | 3422 | 1,295,780 | 62 | 1.2 | 0.8- 1.6 | 3360 | 98.8 | 98.4-99.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5920 | 2,476,348 | 295 | 3.7 | 3.1- 4.3 | 5625 | 96.3 | 95.7-96.9 |
| White/Non-Hisp | 4901 | 1,972,024 | 243 | 3.8 | 3.2- 4.4 | 4658 | 96.2 | 95.6-96.8 |
| Black or Afr. Am./Non-Hisp | 341 | 206,567 | 25 | 4.1 | 1.9- 6.3 | 316 | 95.9 | 93.7-98.1 |
| Oth. Race/Non-Hisp. | 169 | 74,472 | 6 | 2.0 | 0.2- 3.8 | 163 | 98.0 | 96.2-99.8 |
| MultiRacial/Non-Hisp. | 109 | 32,497 | 9 | 9.2 | 2.1-16.3 | 100 | 90.8 | 83.7-97.9 |
| Hispanic | 270 | 138,635 | 7 | 2.7 | 0.2- 5.2 | 263 | 97.3 | 94.8-99.8 |
| 18-24 | 387 | 351,835 | 1 | 0.1 | 0.0- 0.3 | 386 | 99.9 | 99.7- 100 |
| 25-34 | 591 | 420,066 | 4 | 1.1 | 0.0- 2.3 | 587 | 98.9 | 97.7- 100 |
| 35-44 | 632 | 409,798 | 6 | 0.9 | 0.1- 1.7 | 626 | 99.1 | 98.3-99.9 |
| 45-54 | 943 | 416,970 | 37 | 3.9 | 2.3- 5.5 | 906 | 96.1 | 94.5-97.7 |
| 55-64 | 1371 | 422,714 | 77 | 6.9 | 5.1- 8.7 | 1294 | 93.1 | 91.3-94.9 |
| 65+ | 1996 | 454,966 | 170 | 8.4 | 7.0- 9.8 | 1826 | 91.6 | 90.2-93.0 |
| Less Than H.S. | 445 | 323,696 | 36 | 6.2 | 3.7- 8.7 | 409 | 93.8 | 91.3-96.3 |
| H.S. or G.E.D. | 1916 | 868,300 | 113 | 4.1 | 3.3- 4.9 | 1803 | 95.9 | 95.1-96.7 |
| Some Post-H.S. | 1442 | 717,333 | 78 | 3.7 | 2.7- 4.7 | 1364 | 96.3 | 95.3-97.3 |
| College Graduate | 2099 | 559,954 | 67 | 1.9 | 1.3- 2.5 | 2032 | 98.1 | 97.5-98.7 |
| Less than \$15,000 | 410 | 178,708 | 56 | 12.0 | 8.3-15.7 | 354 | 88.0 | 84.3-91.7 |
| \$15,000- 24,999 | 840 | 361,224 | 62 | 6.1 | 4.1- 8.1 | 778 | 93.9 | 91.9-95.9 |
| \$25,000- 34,999 | 562 | 231,656 | 39 | 4.6 | 2.8- 6.4 | 523 | 95.4 | 93.6-97.2 |
| \$35,000- 49,999 | 862 | 370,077 | 47 | 3.3 | 2.1- 4.5 | 815 | 96.7 | 95.5-97.9 |
| \$50,000- 74,999 | 908 | 378,692 | 28 | 1.7 | 0.9- 2.5 | 880 | 98.3 | 97.5-99.1 |
| \$75,000+ | 1770 | 710,206 | 33 | 1.4 | 0.8- 2.0 | 1737 | 98.6 | 98.0-99.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7861 | 2,611,401 | 395 | 3.4 | 3.0- 3.8 | 7466 | 96.6 | 96.2-97.0 |
| White/Non-Hisp | 6636 | 2,112,507 | 338 | 3.5 | 3.1- 3.9 | 6298 | 96.5 | 96.1-96.9 |
| Black or Afr. Am./Non-Hisp | 587 | 230,711 | 33 | 3.5 | 2.1- 4.9 | 554 | 96.5 | 95.1-97.9 |
| Oth. Race/Non-Hisp. | 117 | 51,613 | 8 | 6.3 | 0.0-15.5 | 109 | 93.7 | 84.5- 100 |
| MultiRacial/Non-Hisp. | 97 | 27,945 | 7 | 4.2 | 0.5- 7.9 | 90 | 95.8 | 92.1-99.5 |
| Hispanic | 315 | 151,796 | 5 | 1.8 | 0.2- 3.4 | 310 | 98.2 | 96.6-99.8 |
| 18-24 | 299 | 332,747 | 1 | 0.8 | 0.0- 2.2 | 298 | 99.2 | 97.8- 100 |
| 25-34 | 608 | 418,492 | 2 | 0.3 | 0.0- 0.7 | 606 | 99.7 | 99.3- 100 |
| 35-44 | 782 | 410,778 | 6 | 0.7 | 0.1- 1.3 | 776 | 99.3 | 98.7-99.9 |
| 45-54 | 1174 | 425,096 | 43 | 3.8 | 2.6- 5.0 | 1131 | 96.2 | 95.0-97.4 |
| 55-64 | 1627 | 444,328 | 87 | 5.2 | 3.8- 6.6 | 1540 | 94.8 | 93.4-96.2 |
| 65+ | 3371 | 579,961 | 256 | 7.7 | 6.5- 8.9 | 3115 | 92.3 | 91.1-93.5 |
| Less Than H.S. | 623 | 323,850 | 62 | 6.8 | 4.4- 9.2 | 561 | 93.2 | 90.8-95.6 |
| H.S. or G.E.D. | 2697 | 859,195 | 167 | 4.2 | 3.4- 5.0 | 2530 | 95.8 | 95.0-96.6 |
| Some Post-H.S. | 2047 | 849,246 | 105 | 3.0 | 2.2- 3.8 | 1942 | 97.0 | 96.2-97.8 |
| College Graduate | 2480 | 576,077 | 60 | 1.1 | 0.7- 1.5 | 2420 | 98.9 | 98.5-99.3 |
| Less than \$15,000 | 804 | 272,479 | 85 | 7.3 | 5.3- 9.3 | 719 | 92.7 | 90.7-94.7 |
| \$15,000- 24,999 | 1386 | 446,820 | 108 | 5.1 | 3.9- 6.3 | 1278 | 94.9 | 93.7-96.1 |
| \$25,000- 34,999 | 862 | 276,233 | 49 | 5.3 | 3.3- 7.3 | 813 | 94.7 | 92.7-96.7 |
| \$35,000- 49,999 | 974 | 329,722 | 35 | 2.2 | 1.2- 3.2 | 939 | 97.8 | 96.8-98.8 |
| \$50,000- 74,999 | 1040 | 358,760 | 26 | 2.1 | 0.5- 3.7 | 1014 | 97.9 | 96.3-99.5 |
| \$75,000+ | 1652 | 585,573 | 29 | 1.0 | 0.6- 1.4 | 1623 | 99.0 | 98.6-99.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13795 | 5,093,568 | 1919 | 14.7 | 13.9-15.5 | 11876 | 85.3 | 84.5-86.1 |
| Male | 5926 | 2,480,105 | 655 | 11.9 | 10.7-13.1 | 5271 | 88.1 | 86.9-89.3 |
| Female | 7869 | 2,613,463 | 1264 | 17.3 | 16.1-18.5 | 6605 | 82.7 | 81.5-83.9 |
| White/Non-Hisp | 11541 | 4,085,417 | 1570 | 14.4 | 13.4-15.4 | 9971 | 85.6 | 84.6-86.6 |
| Black or Afr. Am./Non-Hisp | 933 | 439,512 | 158 | 19.0 | 15.5-22.5 | 775 | 81.0 | 77.5-84.5 |
| Oth. Race/Non-Hisp. | 286 | 127,677 | 36 | 11.4 | 5.9-16.9 | 250 | 88.6 | 83.1-94.1 |
| MultiRacial/Non-Hisp. | 207 | 59,963 | 54 | 27.7 | 19.9-35.5 | 153 | 72.3 | 64.5-80.1 |
| Hispanic | 588 | 291,706 | 67 | 12.0 | 8.9-15.1 | 521 | 88.0 | 84.9-91.1 |
| 18-24 | 686 | 685,089 | 151 | 22.4 | 18.9-25.9 | 535 | 77.6 | 74.1-81.1 |
| 25-34 | 1203 | 839,919 | 177 | 14.5 | 12.3-16.7 | 1026 | 85.5 | 83.3-87.7 |
| 35-44 | 1412 | 819,616 | 207 | 14.2 | 12.0-16.4 | 1205 | 85.8 | 83.6-88.0 |
| 45-54 | 2119 | 844,262 | 302 | 13.9 | 12.1-15.7 | 1817 | 86.1 | 84.3-87.9 |
| 55-64 | 2997 | 866,082 | 418 | 13.2 | 11.8-14.6 | 2579 | 86.8 | 85.4-88.2 |
| 65+ | 5378 | 1,038,601 | 664 | 12.0 | 11.0-13.0 | 4714 | 88.0 | 87.0-89.0 |
| Less Than H.S. | 1067 | 648,403 | 188 | 15.2 | 12.5-17.9 | 879 | 84.8 | 82.1-87.5 |
| H.S. or G.E.D. | 4619 | 1,728,315 | 625 | 15.1 | 13.7-16.5 | 3994 | 84.9 | 83.5-86.3 |
| Some Post-H.S. | 3499 | 1,571,008 | 511 | 15.5 | 13.9-17.1 | 2988 | 84.5 | 82.9-86.1 |
| College Graduate | 4578 | 1,135,744 | 590 | 12.6 | 11.4-13.8 | 3988 | 87.4 | 86.2-88.6 |
| Less than \$15,000 | 1219 | 453,906 | 289 | 23.2 | 19.9-26.5 | 930 | 76.8 | 73.5-80.1 |
| \$15,000- 24,999 | 2229 | 809,282 | 384 | 19.4 | 17.0-21.8 | 1845 | 80.6 | 78.2-83.0 |
| \$25,000- 34,999 | 1429 | 509,162 | 201 | 15.5 | 13.0-18.0 | 1228 | 84.5 | 82.0-87.0 |
| \$35,000- 49,999 | 1835 | 699,888 | 244 | 13.7 | 11.5-15.9 | 1591 | 86.3 | 84.1-88.5 |
| \$50,000- 74,999 | 1951 | 738,415 | 220 | 12.2 | 10.0-14.4 | 1731 | 87.8 | 85.6-90.0 |
| \$75,000+ | 3423 | 1,295,802 | 370 | 11.0 | 9.6-12.4 | 3053 | 89.0 | 87.6-90.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5926 | 2,480,105 | 655 | 11.9 | 10.7-13.1 | 5271 | 88.1 | 86.9-89.3 |
| White/Non-Hisp | 4898 | 1,972,272 | 533 | 12.0 | 10.8-13.2 | 4365 | 88.0 | 86.8-89.2 |
| Black or Afr. Am./Non-Hisp | 344 | 208,446 | 54 | 16.9 | 12.0-21.8 | 290 | 83.1 | 78.2-88.0 |
| Oth. Race/Non-Hisp. | 169 | 74,472 | 15 | 6.0 | 2.3- 9.7 | 154 | 94.0 | 90.3-97.7 |
| MultiRacial/Non-Hisp. | 110 | 32,018 | 17 | 15.9 | 7.7-24.1 | 93 | 84.1 | 75.9-92.3 |
| Hispanic | 273 | 139,910 | 20 | 7.1 | 3.4-10.8 | 253 | 92.9 | 89.2-96.6 |
| 18-24 | 386 | 350,618 | 75 | 19.4 | 14.9-23.9 | 311 | 80.6 | 76.1-85.1 |
| 25-34 | 594 | 421,943 | 73 | 12.6 | 9.5-15.7 | 521 | 87.4 | 84.3-90.5 |
| 35-44 | 631 | 409,522 | 75 | 10.5 | 7.8-13.2 | 556 | 89.5 | 86.8-92.2 |
| 45-54 | 944 | 418,758 | 105 | 11.0 | 8.6-13.4 | 839 | 89.0 | 86.6-91.4 |
| 55-64 | 1371 | 422,230 | 133 | 9.4 | 7.6-11.2 | 1238 | 90.6 | 88.8-92.4 |
| 65+ | 2000 | 457,034 | 194 | 10.0 | 8.4-11.6 | 1806 | 90.0 | 88.4-91.6 |
| Less Than H.S. | 443 | 322,789 | 60 | 10.7 | 7.4-14.0 | 383 | 89.3 | 86.0-92.6 |
| H.S. or G.E.D. | 1919 | 869,564 | 196 | 11.6 | 9.6-13.6 | 1723 | 88.4 | 86.4-90.4 |
| Some Post-H.S. | 1448 | 721,139 | 173 | 13.7 | 11.5-15.9 | 1275 | 86.3 | 84.1-88.5 |
| College Graduate | 2098 | 559,548 | 222 | 10.6 | 9.0-12.2 | 1876 | 89.4 | 87.8-91.0 |
| Less than \$15,000 | 413 | 179,951 | 81 | 19.1 | 14.2-24.0 | 332 | 80.9 | 76.0-85.8 |
| \$15,000- 24,999 | 839 | 361,502 | 109 | 14.5 | 11.4-17.6 | 730 | 85.5 | 82.4-88.6 |
| \$25,000- 34,999 | 563 | 231,921 | 68 | 13.4 | 9.7-17.1 | 495 | 86.6 | 82.9-90.3 |
| \$35,000- 49,999 | 865 | 371,414 | 91 | 11.6 | 8.7-14.5 | 774 | 88.4 | 85.5-91.3 |
| \$50,000- 74,999 | 909 | 379,033 | 80 | 9.2 | 6.7-11.7 | 829 | 90.8 | 88.3-93.3 |
| \$75,000+ | 1771 | 711,220 | 161 | 9.3 | 7.5-11.1 | 1610 | 90.7 | 88.9-92.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7869 | 2,613,463 | 1264 | 17.3 | 16.1-18.5 | 6605 | 82.7 | 81.5-83.9 |
| White/Non-Hisp | 6643 | 2,113,145 | 1037 | 16.7 | 15.3-18.1 | 5606 | 83.3 | 81.9-84.7 |
| Black or Afr. Am./Non-Hisp | 589 | 231,066 | 104 | 20.8 | 15.9-25.7 | 485 | 79.2 | 74.3-84.1 |
| Oth. Race/Non-Hisp. | 117 | 53,205 | 21 | 19.1 | 7.3-30.9 | 96 | 80.9 | 69.1-92.7 |
| MultiRacial/Non-Hisp. | 97 | 27,945 | 37 | 41.1 | 28.2-54.0 | 60 | 58.9 | 46.0-71.8 |
| Hispanic | 315 | 151,796 | 47 | 16.5 | 11.6-21.4 | 268 | 83.5 | 78.6-88.4 |
| 18-24 | 300 | 334,471 | 76 | 25.6 | 20.1-31.1 | 224 | 74.4 | 68.9-79.9 |
| 25-34 | 609 | 417,976 | 104 | 16.5 | 13.2-19.8 | 505 | 83.5 | 80.2-86.8 |
| 35-44 | 781 | 410,093 | 132 | 17.9 | 14.8-21.0 | 649 | 82.1 | 79.0-85.2 |
| 45-54 | 1175 | 425,503 | 197 | 16.6 | 14.1-19.1 | 978 | 83.4 | 80.9-85.9 |
| 55-64 | 1626 | 443,852 | 285 | 16.9 | 14.7-19.1 | 1341 | 83.1 | 80.9-85.3 |
| 65+ | 3378 | 581,567 | 470 | 13.6 | 12.2-15.0 | 2908 | 86.4 | 85.0-87.8 |
| Less Than H.S. | 624 | 325,614 | 128 | 19.6 | 15.5-23.7 | 496 | 80.4 | 76.3-84.5 |
| H.S. or G.E.D. | 2700 | 858,751 | 429 | 18.7 | 16.5-20.9 | 2271 | 81.3 | 79.1-83.5 |
| Some Post-H.S. | 2051 | 849,869 | 338 | 17.1 | 14.9-19.3 | 1713 | 82.9 | 80.7-85.1 |
| College Graduate | 2480 | 576,196 | 368 | 14.5 | 12.7-16.3 | 2112 | 85.5 | 83.7-87.3 |
| Less than \$15,000 | 806 | 273,955 | 208 | 25.8 | 21.5-30.1 | 598 | 74.2 | 69.9-78.5 |
| \$15,000- 24,999 | 1390 | 447,781 | 275 | 23.3 | 20.0-26.6 | 1115 | 76.7 | 73.4-80.0 |
| \$25,000- 34,999 | 866 | 277,240 | 133 | 17.4 | 13.7-21.1 | 733 | 82.6 | 78.9-86.3 |
| \$35,000- 49,999 | 970 | 328,474 | 153 | 16.1 | 12.8-19.4 | 817 | 83.9 | 80.6-87.2 |
| \$50,000- 74,999 | 1042 | 359,381 | 140 | 15.4 | 12.1-18.7 | 902 | 84.6 | 81.3-87.9 |
| \$75,000+ | 1652 | 584,582 | 209 | 13.1 | 10.9-15.3 | 1443 | 86.9 | 84.7-89.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1869 | 730,190 | 1357 | 69.7 | 67.0-72.4 | 512 | 30.3 | 27.6-33.0 |
| Male | 634 | 285,566 | 400 | 58.3 | 53.4-63.2 | 234 | 41.7 | 36.8-46.6 |
| Female | 1235 | 444,623 | 957 | 77.1 | 73.8-80.4 | 278 | 22.9 | 19.6-26.2 |
| White/Non-Hisp | 1530 | 575,528 | 1102 | 68.8 | 65.7-71.9 | 428 | 31.2 | 28.1-34.3 |
| Black or Afr. Am./Non-Hisp | 155 | 80,970 | 119 | 71.9 | 62.5-81.3 | 36 | 28.1 | 18.7-37.5 |
| MultiRacial/Non-Hisp. | 53 | 16,524 | 38 | 74.8 | 61.7-87.9 | 15 | 25.2 | 12.1-38.3 |
| Hispanic | 63 | 32,582 | 47 | 73.4 | 60.1-86.7 | 16 | 26.6 | 13.3-39.9 |
| 18-24 | 148 | 150,457 | 78 | 60.4 | 51.8-69.0 | 70 | 39.6 | 31.0-48.2 |
| 25-34 | 174 | 119,321 | 109 | 65.6 | 57.8-73.4 | 65 | 34.4 | 26.6-42.2 |
| 35-44 | 204 | 115,469 | 140 | 65.3 | 57.5-73.1 | 64 | 34.7 | 26.9-42.5 |
| 45-54 | 290 | 111,591 | 230 | 78.0 | 72.3-83.7 | 60 | 22.0 | 16.3-27.7 |
| 55-64 | 406 | 111,588 | 329 | 80.3 | 75.6-85.0 | 77 | 19.7 | 15.0-24.4 |
| 65+ | 647 | 121,763 | 471 | 72.3 | 68.0-76.6 | 176 | 27.7 | 23.4-32.0 |
| Less Than H.S. | 180 | 93,141 | 144 | 77.5 | 69.7-85.3 | 36 | 22.5 | 14.7-30.3 |
| H.S. or G.E.D. | 613 | 257,135 | 458 | 70.2 | 65.3-75.1 | 155 | 29.8 | 24.9-34.7 |
| Some Post-H.S. | 495 | 237,647 | 354 | 67.5 | 62.2-72.8 | 141 | 32.5 | 27.2-37.8 |
| College Graduate | 576 | 139,987 | 398 | 68.1 | 63.2-73.0 | 178 | 31.9 | 27.0-36.8 |
| Less than \$15,000 | 280 | 101,804 | 231 | 82.6 | 76.7-88.5 | 49 | 17.4 | 11.5-23.3 |
| \$15,000- 24,999 | 370 | 151,375 | 272 | 71.8 | 65.7-77.9 | 98 | 28.2 | 22.1-34.3 |
| \$25,000- 34,999 | 199 | 78,908 | 153 | 70.0 | 61.2-78.8 | 46 | 30.0 | 21.2-38.8 |
| \$35,000- 49,999 | 242 | 94,988 | 171 | 67.9 | 59.7-76.1 | 71 | 32.1 | 23.9-40.3 |
| \$50,000- 74,999 | 216 | 89,041 | 141 | 62.8 | 54.0-71.6 | 75 | 37.2 | 28.4-46.0 |
| \$75,000+ | 361 | 140,140 | 254 | 67.2 | 60.7-73.7 | 107 | 32.8 | 26.3-39.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 634 | 285,566 | 400 | 58.3 | 53.4-63.2 | 234 | 41.7 | 36.8-46.6 |
| White/Non-Hisp | 517 | 229,197 | 316 | 55.6 | 50.1-61.1 | 201 | 44.4 | 38.9-49.9 |
| Black or Afr. Am./Non-Hisp | 52 | 33,207 | 36 | 65.2 | 49.5-80.9 | 16 | 34.8 | 19.1-50.5 |
| 18-24 | 74 | 66,161 | 31 | 46.7 | 33.6-59.8 | 43 | 53.3 | 40.2-66.4 |
| 25-34 | 70 | 50,562 | 36 | 54.2 | 40.9-67.5 | 34 | 45.8 | 32.5-59.1 |
| 35-44 | 73 | 42,636 | 41 | 51.0 | 37.7-64.3 | 32 | 49.0 | 35.7-62.3 |
| 45-54 | 99 | 43,472 | 66 | 68.4 | 57.8-79.0 | 33 | 31.6 | 21.0-42.2 |
| 55-64 | 129 | 38,230 | 99 | 75.1 | 66.3-83.9 | 30 | 24.9 | 16.1-33.7 |
| 65+ | 189 | 44,506 | 127 | 63.1 | 55.1-71.1 | 62 | 36.9 | 28.9-44.9 |
| Less Than H.S. | 57 | 30,500 | 42 | 71.3 | 57.4-85.2 | 15 | 28.7 | 14.8-42.6 |
| H.S. or G.E.D. | 192 | 99,721 | 129 | 60.6 | 51.8-69.4 | 63 | 39.4 | 30.6-48.2 |
| Some Post-H.S. | 165 | 95,705 | 100 | 54.7 | 45.7-63.7 | 65 | 45.3 | 36.3-54.3 |
| College Graduate | 216 | 57,832 | 127 | 55.1 | 46.9-63.3 | 89 | 44.9 | 36.7-53.1 |
| Less than \$15,000 | 79 | 34,163 | 64 | 79.5 | 68.3-90.7 | 15 | 20.5 | 9.3-31.7 |
| \$15,000- 24,999 | 102 | 48,716 | 67 | 61.1 | 49.5-72.7 | 35 | 38.9 | 27.3-50.5 |
| \$25,000- 34,999 | 68 | 31,031 | 47 | 65.9 | 52.2-79.6 | 21 | 34.1 | 20.4-47.8 |
| \$35,000- 49,999 | 90 | 42,266 | 50 | 50.4 | 37.1-63.7 | 40 | 49.6 | 36.3-62.9 |
| \$50,000- 74,999 | 79 | 34,773 | 44 | 49.0 | 34.5-63.5 | 35 | 51.0 | 36.5-65.5 |
| \$75,000+ | 155 | 64,113 | 95 | 54.6 | 44.4-64.8 | 60 | 45.4 | 35.2-55.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1235 | 444,623 | 957 | 77.1 | 73.8-80.4 | 278 | 22.9 | 19.6-26.2 |
| White/Non-Hisp | 1013 | 346,331 | 786 | 77.5 | 74.0-81.0 | 227 | 22.5 | 19.0-26.0 |
| Black or Afr. Am./Non-Hisp | 103 | 47,762 | 83 | 76.6 | 65.0-88.2 | 20 | 23.4 | 11.8-35.0 |
| 18-24 | 74 | 84,296 | 47 | 71.2 | 60.6-81.8 | 27 | 28.8 | 18.2-39.4 |
| 25-34 | 104 | 68,759 | 73 | 73.9 | 64.9-82.9 | 31 | 26.1 | 17.1-35.1 |
| 35-44 | 131 | 72,833 | 99 | 73.7 | 64.5-82.9 | 32 | 26.3 | 17.1-35.5 |
| 45-54 | 191 | 68,120 | 164 | 84.2 | 77.9-90.5 | 27 | 15.8 | 9.5-22.1 |
| 55-64 | 277 | 73,357 | 230 | 83.1 | 77.8-88.4 | 47 | 16.9 | 11.6-22.2 |
| 65+ | 458 | 77,257 | 344 | 77.5 | 73.0-82.0 | 114 | 22.5 | 18.0-27.0 |
| Less Than H.S. | 123 | 62,641 | 102 | 80.6 | 71.2-90.0 | 21 | 19.4 | 10.0-28.8 |
| H.S. or G.E.D. | 421 | 157,413 | 329 | 76.4 | 70.7-82.1 | 92 | 23.6 | 17.9-29.3 |
| Some Post-H.S. | 330 | 141,942 | 254 | 76.1 | 70.0-82.2 | 76 | 23.9 | 17.8-30.0 |
| College Graduate | 360 | 82,155 | 271 | 77.2 | 71.7-82.7 | 89 | 22.8 | 17.3-28.3 |
| Less than \$15,000 | 201 | 67,640 | 167 | 84.2 | 77.1-91.3 | 34 | 15.8 | 8.7-22.9 |
| \$15,000- 24,999 | 268 | 102,659 | 205 | 76.9 | 70.0-83.8 | 63 | 23.1 | 16.2-30.0 |
| \$25,000- 34,999 | 131 | 47,877 | 106 | 72.6 | 61.0-84.2 | 25 | 27.4 | 15.8-39.0 |
| \$35,000- 49,999 | 152 | 52,722 | 121 | 81.8 | 73.2-90.4 | 31 | 18.2 | 9.6-26.8 |
| \$50,000- 74,999 | 137 | 54,268 | 97 | 71.6 | 61.4-81.8 | 40 | 28.4 | 18.2-38.6 |
| \$75,000+ | 206 | 76,026 | 159 | 77.9 | 70.6-85.2 | 47 | 22.1 | 14.8-29.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13807 | 5,097,127 | 1222 | 5.7 | 5.3- 6.1 | 12585 | 94.3 | 93.9-94.7 |
| Male | 5934 | 2,482,588 | 532 | 5.5 | 4.9- 6.1 | 5402 | 94.5 | 93.9-95.1 |
| Female | 7873 | 2,614,539 | 690 | 5.8 | 5.2- 6.4 | 7183 | 94.2 | 93.6-94.8 |
| White/Non-Hisp | 11556 | 4,089,411 | 1169 | 6.7 | 6.3- 7.1 | 10387 | 93.3 | 92.9-93.7 |
| Black or Afr. Am./Non-Hisp | 933 | 439,512 | 6 | 0.3 | 0.1- 0.5 | 927 | 99.7 | 99.5-99.9 |
| Oth. Race/Non-Hisp. | 286 | 127,677 | 9 | 2.7 | 0.0- 6.4 | 277 | 97.3 | 93.6- 100 |
| MultiRacial/Non-Hisp. | 208 | 60,858 | 9 | 2.5 | 0.5- 4.5 | 199 | 97.5 | 95.5-99.5 |
| Hispanic | 584 | 290,136 | 4 | 0.6 | 0.0- 1.2 | 580 | 99.4 | 98.8- 100 |
| 18-24 | 687 | 685,603 | 1 | 0.4 | 0.0- 1.2 | 686 | 99.6 | 98.8- 100 |
| 25-34 | 1202 | 840,532 | 11 | 0.8 | 0.4- 1.2 | 1191 | 99.2 | 98.8-99.6 |
| 35-44 | 1414 | 820,210 | 20 | 1.3 | 0.7- 1.9 | 1394 | 98.7 | 98.1-99.3 |
| 45-54 | 2122 | 844,799 | 91 | 4.6 | 3.6- 5.6 | 2031 | 95.4 | 94.4-96.4 |
| 55-64 | 2998 | 866,267 | 239 | 7.7 | 6.5- 8.9 | 2759 | 92.3 | 91.1-93.5 |
| 65+ | 5384 | 1,039,716 | 860 | 15.8 | 14.6-17.0 | 4524 | 84.2 | 83.0-85.4 |
| Less Than H.S. | 1070 | 649,442 | 69 | 4.7 | 3.3- 6.1 | 1001 | 95.3 | 93.9-96.7 |
| H.S. or G.E.D. | 4624 | 1,728,929 | 374 | 5.3 | 4.7- 5.9 | 4250 | 94.7 | 94.1-95.3 |
| Some Post-H.S. | 3497 | 1,571,446 | 298 | 5.7 | 4.9- 6.5 | 3199 | 94.3 | 93.5-95.1 |
| College Graduate | 4584 | 1,137,212 | 478 | 6.9 | 6.1- 7.7 | 4106 | 93.1 | 92.3-93.9 |
| Less than \$15,000 | 1221 | 453,472 | 72 | 4.5 | 3.1- 5.9 | 1149 | 95.5 | 94.1-96.9 |
| \$15,000- 24,999 | 2231 | 809,825 | 189 | 5.4 | 4.4- 6.4 | 2042 | 94.6 | 93.6-95.6 |
| \$25,000- 34,999 | 1425 | 508,095 | 122 | 5.4 | 4.2- 6.6 | 1303 | 94.6 | 93.4-95.8 |
| \$35,000- 49,999 | 1836 | 699,819 | 179 | 5.6 | 4.6- 6.6 | 1657 | 94.4 | 93.4-95.4 |
| \$50,000- 74,999 | 1952 | 738,599 | 186 | 6.1 | 4.9- 7.3 | 1766 | 93.9 | 92.7-95.1 |
| \$75,000+ | 3426 | 1,297,066 | 308 | 5.8 | 5.0- 6.6 | 3118 | 94.2 | 93.4-95.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5934 | 2,482,588 | 532 | 5.5 | 4.9- 6.1 | 5402 | 94.5 | 93.9-95.1 |
| White/Non-Hisp | 4910 | 1,975,504 | 506 | 6.6 | 5.8- 7.4 | 4404 | 93.4 | 92.6-94.2 |
| Black or Afr. Am./Non-Hisp | 344 | 208,446 | 1 | 0.1 | 0.0- 0.3 | 343 | 99.9 | 99.7- 100 |
| Oth. Race/Non-Hisp. | 168 | 74,340 | 4 | 0.6 | 0.0- 1.4 | 164 | 99.4 | 98.6- 100 |
| MultiRacial/Non-Hisp. | 111 | 32,913 | 5 | 3.0 | 0.0- 6.1 | 106 | 97.0 | 93.9- 100 |
| Hispanic | 270 | 138,680 | 3 | 1.1 | 0.0- 2.5 | 267 | 98.9 | 97.5- 100 |
| 18-24 | 388 | 352,339 | | | | 388 | 100.0 | 100.0- 100 |
| 25-34 | 593 | 421,652 | 1 | 0.1 | 0.0- 0.3 | 592 | 99.9 | 99.7- 100 |
| 35-44 | 632 | 409,432 | 4 | 0.6 | 0.0- 1.2 | 628 | 99.4 | 98.8- 100 |
| 45-54 | 947 | 419,870 | 40 | 4.4 | 2.8- 6.0 | 907 | 95.6 | 94.0-97.2 |
| 55-64 | 1371 | 421,735 | 106 | 7.6 | 6.0- 9.2 | 1265 | 92.4 | 90.8-94.0 |
| 65+ | 2003 | 457,560 | 381 | 18.4 | 16.2-20.6 | 1622 | 81.6 | 79.4-83.8 |
| Less Than H.S. | 444 | 323,316 | 31 | 4.6 | 2.6- 6.6 | 413 | 95.4 | 93.4-97.4 |
| H.S. or G.E.D. | 1921 | 869,520 | 162 | 5.5 | 4.5- 6.5 | 1759 | 94.5 | 93.5-95.5 |
| Some Post-H.S. | 1448 | 721,887 | 113 | 5.0 | 3.8- 6.2 | 1335 | 95.0 | 93.8-96.2 |
| College Graduate | 2103 | 560,799 | 224 | 6.8 | 5.8- 7.8 | 1879 | 93.2 | 92.2-94.2 |
| Less than \$15,000 | 414 | 179,955 | 27 | 5.7 | 3.2- 8.2 | 387 | 94.3 | 91.8-96.8 |
| \$15,000- 24,999 | 841 | 362,179 | 68 | 5.2 | 3.8- 6.6 | 773 | 94.8 | 93.4-96.2 |
| \$25,000- 34,999 | 561 | 231,129 | 50 | 4.6 | 3.0- 6.2 | 511 | 95.4 | 93.8-97.0 |
| \$35,000- 49,999 | 864 | 371,107 | 90 | 5.8 | 4.4- 7.2 | 774 | 94.2 | 92.8-95.6 |
| \$50,000- 74,999 | 910 | 379,105 | 88 | 5.6 | 4.2- 7.0 | 822 | 94.4 | 93.0-95.8 |
| \$75,000+ | 1773 | 711,241 | 156 | 5.8 | 4.6- 7.0 | 1617 | 94.2 | 93.0-95.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7873 | 2,614,539 | 690 | 5.8 | 5.2- 6.4 | 7183 | 94.2 | 93.6-94.8 |
| White/Non-Hisp | 6646 | 2,113,907 | 663 | 6.9 | 6.3- 7.5 | 5983 | 93.1 | 92.5-93.7 |
| Black or Afr. Am./Non-Hisp | 589 | 231,066 | 5 | 0.5 | 0.1- 0.9 | 584 | 99.5 | 99.1-99.9 |
| Oth. Race/Non-Hisp. | 118 | 53,337 | 5 | 5.5 | 0.0-14.3 | 113 | 94.5 | 85.7- 100 |
| MultiRacial/Non-Hisp. | 97 | 27,945 | 4 | 2.0 | 0.0- 4.4 | 93 | 98.0 | 95.6- 100 |
| Hispanic | 314 | 151,456 | 1 | 0.1 | 0.0- 0.3 | 313 | 99.9 | 99.7- 100 |
| 18-24 | 299 | 333,264 | 1 | 0.8 | 0.0- 2.2 | 298 | 99.2 | 97.8- 100 |
| 25-34 | 609 | 418,880 | 10 | 1.4 | 0.4- 2.4 | 599 | 98.6 | 97.6-99.6 |
| 35-44 | 782 | 410,778 | 16 | 2.0 | 0.8- 3.2 | 766 | 98.0 | 96.8-99.2 |
| 45-54 | 1175 | 424,929 | 51 | 4.9 | 3.3- 6.5 | 1124 | 95.1 | 93.5-96.7 |
| 55-64 | 1627 | 444,532 | 133 | 7.7 | 6.1- 9.3 | 1494 | 92.3 | 90.7-93.9 |
| 65+ | 3381 | 582,156 | 479 | 13.8 | 12.4-15.2 | 2902 | 86.2 | 84.8-87.6 |
| Less Than H.S. | 626 | 326,125 | 38 | 4.8 | 2.6- 7.0 | 588 | 95.2 | 93.0-97.4 |
| H.S. or G.E.D. | 2703 | 859,409 | 212 | 5.1 | 4.3- 5.9 | 2491 | 94.9 | 94.1-95.7 |
| Some Post-H.S. | 2049 | 849,559 | 185 | 6.2 | 5.0- 7.4 | 1864 | 93.8 | 92.6-95.0 |
| College Graduate | 2481 | 576,413 | 254 | 7.0 | 5.8- 8.2 | 2227 | 93.0 | 91.8-94.2 |
| Less than \$15,000 | 807 | 273,517 | 45 | 3.8 | 2.2- 5.4 | 762 | 96.2 | 94.6-97.8 |
| \$15,000- 24,999 | 1390 | 447,646 | 121 | 5.5 | 4.1- 6.9 | 1269 | 94.5 | 93.1-95.9 |
| \$25,000- 34,999 | 864 | 276,966 | 72 | 6.0 | 4.2- 7.8 | 792 | 94.0 | 92.2-95.8 |
| \$35,000- 49,999 | 972 | 328,712 | 89 | 5.3 | 3.9- 6.7 | 883 | 94.7 | 93.3-96.1 |
| \$50,000- 74,999 | 1042 | 359,494 | 98 | 6.7 | 4.7- 8.7 | 944 | 93.3 | 91.3-95.3 |
| \$75,000+ | 1653 | 585,826 | 152 | 5.9 | 4.7- 7.1 | 1501 | 94.1 | 92.9-95.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13802 | 5,097,001 | 1439 | 7.2 | 6.8- 7.6 | 12363 | 92.8 | 92.4-93.2 |
| Male | 5933 | 2,483,408 | 519 | 5.5 | 4.9- 6.1 | 5414 | 94.5 | 93.9-95.1 |
| Female | 7869 | 2,613,593 | 920 | 8.9 | 8.1- 9.7 | 6949 | 91.1 | 90.3-91.9 |
| White/Non-Hisp | 11551 | 4,089,399 | 1276 | 7.8 | 7.2- 8.4 | 10275 | 92.2 | 91.6-92.8 |
| Black or Afr. Am./Non-Hisp | 931 | 438,883 | 75 | 4.8 | 3.4- 6.2 | 856 | 95.2 | 93.8-96.6 |
| Oth. Race/Non-Hisp. | 285 | 126,936 | 20 | 6.6 | 1.9-11.3 | 265 | 93.4 | 88.7-98.1 |
| MultiRacial/Non-Hisp. | 207 | 60,674 | 25 | 10.3 | 4.6-16.0 | 182 | 89.7 | 84.0-95.4 |
| Hispanic | 588 | 291,706 | 14 | 2.3 | 0.9- 3.7 | 574 | 97.7 | 96.3-99.1 |
| 18-24 | 687 | 686,384 | 8 | 1.2 | 0.2- 2.2 | 679 | 98.8 | 97.8-99.8 |
| 25-34 | 1203 | 840,740 | 23 | 2.1 | 1.1- 3.1 | 1180 | 97.9 | 96.9-98.9 |
| 35-44 | 1413 | 819,186 | 44 | 3.3 | 2.1- 4.5 | 1369 | 96.7 | 95.5-97.9 |
| 45-54 | 2118 | 843,627 | 114 | 5.6 | 4.4- 6.8 | 2004 | 94.4 | 93.2-95.6 |
| 55-64 | 2999 | 867,102 | 307 | 10.4 | 9.0-11.8 | 2692 | 89.6 | 88.2-91.0 |
| 65+ | 5382 | 1,039,963 | 943 | 17.0 | 15.8-18.2 | 4439 | 83.0 | 81.8-84.2 |
| Less Than H.S. | 1067 | 647,929 | 108 | 7.6 | 5.6- 9.6 | 959 | 92.4 | 90.4-94.4 |
| H.S. or G.E.D. | 4621 | 1,728,981 | 503 | 7.7 | 6.9- 8.5 | 4118 | 92.3 | 91.5-93.1 |
| Some Post-H.S. | 3502 | 1,572,992 | 371 | 7.2 | 6.2- 8.2 | 3131 | 92.8 | 91.8-93.8 |
| College Graduate | 4581 | 1,137,085 | 456 | 6.4 | 5.6- 7.2 | 4125 | 93.6 | 92.8-94.4 |
| Less than \$15,000 | 1216 | 453,317 | 134 | 8.8 | 6.8-10.8 | 1082 | 91.2 | 89.2-93.2 |
| \$15,000- 24,999 | 2230 | 808,937 | 268 | 8.2 | 6.8- 9.6 | 1962 | 91.8 | 90.4-93.2 |
| \$25,000- 34,999 | 1425 | 508,337 | 188 | 9.5 | 7.7-11.3 | 1237 | 90.5 | 88.7-92.3 |
| \$35,000- 49,999 | 1839 | 701,136 | 218 | 8.0 | 6.6- 9.4 | 1621 | 92.0 | 90.6-93.4 |
| \$50,000- 74,999 | 1952 | 738,658 | 181 | 6.3 | 5.1- 7.5 | 1771 | 93.7 | 92.5-94.9 |
| \$75,000+ | 3425 | 1,296,853 | 273 | 5.4 | 4.6- 6.2 | 3152 | 94.6 | 93.8-95.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5933 | 2,483,408 | 519 | 5.5 | 4.9- 6.1 | 5414 | 94.5 | 93.9-95.1 |
| White/Non-Hisp | 4907 | 1,975,451 | 451 | 5.9 | 5.3- 6.5 | 4456 | 94.1 | 93.5-94.7 |
| Black or Afr. Am./Non-Hisp | 343 | 208,271 | 29 | 4.9 | 2.7- 7.1 | 314 | 95.1 | 92.9-97.3 |
| Oth. Race/Non-Hisp. | 169 | 74,472 | 9 | 2.3 | 0.5- 4.1 | 160 | 97.7 | 95.9-99.5 |
| MultiRacial/Non-Hisp. | 110 | 32,729 | 10 | 6.9 | 2.2-11.6 | 100 | 93.1 | 88.4-97.8 |
| Hispanic | 273 | 139,910 | 4 | 1.3 | 0.0- 2.9 | 269 | 98.7 | 97.1- 100 |
| 18-24 | 387 | 351,913 | 3 | 0.6 | 0.0- 1.6 | 384 | 99.4 | 98.4- 100 |
| 25-34 | 594 | 421,943 | 3 | 0.5 | 0.0- 1.1 | 591 | 99.5 | 98.9- 100 |
| 35-44 | 633 | 410,150 | 12 | 1.4 | 0.4- 2.4 | 621 | 98.6 | 97.6-99.6 |
| 45-54 | 944 | 419,017 | 33 | 3.3 | 2.1- 4.5 | 911 | 96.7 | 95.5-97.9 |
| 55-64 | 1372 | 422,572 | 116 | 8.6 | 6.8-10.4 | 1256 | 91.4 | 89.6-93.2 |
| 65+ | 2003 | 457,813 | 352 | 16.5 | 14.5-18.5 | 1651 | 83.5 | 81.5-85.5 |
| Less Than H.S. | 446 | 324,145 | 36 | 5.2 | 3.2- 7.2 | 410 | 94.8 | 92.8-96.8 |
| H.S. or G.E.D. | 1917 | 868,457 | 154 | 5.3 | 4.3- 6.3 | 1763 | 94.7 | 93.7-95.7 |
| Some Post-H.S. | 1449 | 722,516 | 126 | 5.3 | 4.1- 6.5 | 1323 | 94.7 | 93.5-95.9 |
| College Graduate | 2103 | 561,224 | 202 | 6.2 | 5.2- 7.2 | 1901 | 93.8 | 92.8-94.8 |
| Less than \$15,000 | 411 | 179,767 | 26 | 5.0 | 2.6- 7.4 | 385 | 95.0 | 92.6-97.4 |
| \$15,000- 24,999 | 843 | 363,028 | 82 | 6.5 | 4.7- 8.3 | 761 | 93.5 | 91.7-95.3 |
| \$25,000- 34,999 | 562 | 231,656 | 64 | 7.8 | 5.4-10.2 | 498 | 92.2 | 89.8-94.6 |
| \$35,000- 49,999 | 865 | 371,414 | 90 | 6.5 | 4.7- 8.3 | 775 | 93.5 | 91.7-95.3 |
| \$50,000- 74,999 | 909 | 379,055 | 75 | 4.7 | 3.5- 5.9 | 834 | 95.3 | 94.1-96.5 |
| \$75,000+ | 1773 | 711,289 | 128 | 4.3 | 3.3- 5.3 | 1645 | 95.7 | 94.7-96.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7869 | 2,613,593 | 920 | 8.9 | 8.1- 9.7 | 6949 | 91.1 | 90.3-91.9 |
| White/Non-Hisp | 6644 | 2,113,948 | 825 | 9.6 | 8.8-10.4 | 5819 | 90.4 | 89.6-91.2 |
| Black or Afr. Am./Non-Hisp | 588 | 230,611 | 46 | 4.8 | 3.0- 6.6 | 542 | 95.2 | 93.4-97.0 |
| Oth. Race/Non-Hisp. | 116 | 52,465 | 11 | 12.7 | 1.9-23.5 | 105 | 87.3 | 76.5-98.1 |
| MultiRacial/Non-Hisp. | 97 | 27,945 | 15 | 14.2 | 3.4-25.0 | 82 | 85.8 | 75.0-96.6 |
| Hispanic | 315 | 151,796 | 10 | 3.2 | 1.0- 5.4 | 305 | 96.8 | 94.6-99.0 |
| 18-24 | 300 | 334,471 | 5 | 1.8 | 0.0- 3.6 | 295 | 98.2 | 96.4- 100 |
| 25-34 | 609 | 418,797 | 20 | 3.6 | 1.8- 5.4 | 589 | 96.4 | 94.6-98.2 |
| 35-44 | 780 | 409,036 | 32 | 5.2 | 3.2- 7.2 | 748 | 94.8 | 92.8-96.8 |
| 45-54 | 1174 | 424,610 | 81 | 7.8 | 6.0- 9.6 | 1093 | 92.2 | 90.4-94.0 |
| 55-64 | 1627 | 444,530 | 191 | 12.1 | 10.1-14.1 | 1436 | 87.9 | 85.9-89.9 |
| 65+ | 3379 | 582,149 | 591 | 17.4 | 15.8-19.0 | 2788 | 82.6 | 81.0-84.2 |
| Less Than H.S. | 621 | 323,783 | 72 | 10.1 | 7.0-13.2 | 549 | 89.9 | 86.8-93.0 |
| H.S. or G.E.D. | 2704 | 860,524 | 349 | 10.0 | 8.6-11.4 | 2355 | 90.0 | 88.6-91.4 |
| Some Post-H.S. | 2053 | 850,477 | 245 | 8.8 | 7.4-10.2 | 1808 | 91.2 | 89.8-92.6 |
| College Graduate | 2478 | 575,861 | 254 | 6.6 | 5.6- 7.6 | 2224 | 93.4 | 92.4-94.4 |
| Less than \$15,000 | 805 | 273,550 | 108 | 11.3 | 8.6-14.0 | 697 | 88.7 | 86.0-91.4 |
| \$15,000- 24,999 | 1387 | 445,908 | 186 | 9.6 | 7.6-11.6 | 1201 | 90.4 | 88.4-92.4 |
| \$25,000- 34,999 | 863 | 276,681 | 124 | 10.9 | 8.4-13.4 | 739 | 89.1 | 86.6-91.6 |
| \$35,000- 49,999 | 974 | 329,722 | 128 | 9.8 | 7.4-12.2 | 846 | 90.2 | 87.8-92.6 |
| \$50,000- 74,999 | 1043 | 359,602 | 106 | 8.0 | 5.8-10.2 | 937 | 92.0 | 89.8-94.2 |
| \$75,000+ | 1652 | 585,564 | 145 | 6.7 | 5.3- 8.1 | 1507 | 93.3 | 91.9-94.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13753 | 5,081,324 | 1495 | 8.6 | 8.0- 9.2 | 12258 | 91.4 | 90.8-92.0 |
| Male | 5914 | 2,475,782 | 532 | 7.3 | 6.5- 8.1 | 5382 | 92.7 | 91.9-93.5 |
| Female | 7839 | 2,605,543 | 963 | 9.9 | 9.1-10.7 | 6876 | 90.1 | 89.3-90.9 |
| White/Non-Hisp | 11511 | 4,076,622 | 1289 | 9.1 | 8.5- 9.7 | 10222 | 90.9 | 90.3-91.5 |
| Black or Afr. Am./Non-Hisp | 929 | 438,567 | 84 | 6.9 | 4.9- 8.9 | 845 | 93.1 | 91.1-95.1 |
| Oth. Race/Non-Hisp. | 285 | 127,302 | 32 | 5.8 | 1.7- 9.9 | 253 | 94.2 | 90.1-98.3 |
| MultiRacial/Non-Hisp. | 207 | 60,728 | 33 | 15.0 | 8.9-21.1 | 174 | 85.0 | 78.9-91.1 |
| Hispanic | 583 | 289,258 | 21 | 2.5 | 0.9- 4.1 | 562 | 97.5 | 95.9-99.1 |
| 18-24 | 685 | 685,144 | 16 | 2.3 | 1.1- 3.5 | 669 | 97.7 | 96.5-98.9 |
| 25-34 | 1200 | 838,666 | 28 | 3.0 | 1.8- 4.2 | 1172 | 97.0 | 95.8-98.2 |
| 35-44 | 1407 | 816,431 | 61 | 4.5 | 3.1- 5.9 | 1346 | 95.5 | 94.1-96.9 |
| 45-54 | 2118 | 842,200 | 182 | 8.7 | 7.3-10.1 | 1936 | 91.3 | 89.9-92.7 |
| 55-64 | 2990 | 864,827 | 415 | 14.7 | 13.1-16.3 | 2575 | 85.3 | 83.7-86.9 |
| 65+ | 5353 | 1,034,057 | 793 | 15.4 | 14.2-16.6 | 4560 | 84.6 | 83.4-85.8 |
| Less Than H.S. | 1061 | 645,194 | 240 | 16.1 | 13.6-18.6 | 821 | 83.9 | 81.4-86.4 |
| H.S. or G.E.D. | 4594 | 1,721,889 | 626 | 9.6 | 8.6-10.6 | 3968 | 90.4 | 89.4-91.4 |
| Some Post-H.S. | 3492 | 1,568,373 | 393 | 8.2 | 7.2- 9.2 | 3099 | 91.8 | 90.8-92.8 |
| College Graduate | 4576 | 1,135,920 | 232 | 3.3 | 2.7- 3.9 | 4344 | 96.7 | 96.1-97.3 |
| Less than \$15,000 | 1209 | 450,197 | 320 | 21.8 | 18.9-24.7 | 889 | 78.2 | 75.3-81.1 |
| \$15,000- 24,999 | 2222 | 805,913 | 371 | 13.3 | 11.5-15.1 | 1851 | 86.7 | 84.9-88.5 |
| \$25,000- 34,999 | 1421 | 507,929 | 164 | 9.4 | 7.6-11.2 | 1257 | 90.6 | 88.8-92.4 |
| \$35,000- 49,999 | 1833 | 698,005 | 200 | 8.4 | 7.0- 9.8 | 1633 | 91.6 | 90.2-93.0 |
| \$50,000- 74,999 | 1949 | 737,577 | 124 | 5.1 | 3.9- 6.3 | 1825 | 94.9 | 93.7-96.1 |
| \$75,000+ | 3421 | 1,296,019 | 128 | 2.8 | 2.2- 3.4 | 3293 | 97.2 | 96.6-97.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5914 | 2,475,782 | 532 | 7.3 | 6.5- 8.1 | 5382 | 92.7 | 91.9-93.5 |
| White/Non-Hisp | 4891 | 1,969,140 | 443 | 7.6 | 6.8- 8.4 | 4448 | 92.4 | 91.6-93.2 |
| Black or Afr. Am./Non-Hisp | 343 | 208,142 | 30 | 5.4 | 2.9- 7.9 | 313 | 94.6 | 92.1-97.1 |
| Oth. Race/Non-Hisp. | 168 | 74,030 | 16 | 3.2 | 1.4- 5.0 | 152 | 96.8 | 95.0-98.6 |
| MultiRacial/Non-Hisp. | 110 | 32,783 | 16 | 15.1 | 6.5-23.7 | 94 | 84.9 | 76.3-93.5 |
| Hispanic | 271 | 138,971 | 6 | 2.6 | 0.1- 5.1 | 265 | 97.4 | 94.9-99.9 |
| 18-24 | 386 | 351,193 | 8 | 1.7 | 0.5- 2.9 | 378 | 98.3 | 97.1-99.5 |
| 25-34 | 593 | 421,302 | 9 | 2.0 | 0.6- 3.4 | 584 | 98.0 | 96.6-99.4 |
| 35-44 | 629 | 407,639 | 20 | 3.2 | 1.6- 4.8 | 609 | 96.8 | 95.2-98.4 |
| 45-54 | 945 | 418,355 | 70 | 7.6 | 5.6- 9.6 | 875 | 92.4 | 90.4-94.4 |
| 55-64 | 1370 | 421,783 | 160 | 13.3 | 10.9-15.7 | 1210 | 86.7 | 84.3-89.1 |
| 65+ | 1991 | 455,510 | 265 | 14.0 | 12.0-16.0 | 1726 | 86.0 | 84.0-88.0 |
| Less Than H.S. | 441 | 321,347 | 76 | 12.9 | 9.6-16.2 | 365 | 87.1 | 83.8-90.4 |
| H.S. or G.E.D. | 1910 | 866,366 | 208 | 7.9 | 6.7- 9.1 | 1702 | 92.1 | 90.9-93.3 |
| Some Post-H.S. | 1447 | 721,176 | 142 | 7.1 | 5.7- 8.5 | 1305 | 92.9 | 91.5-94.3 |
| College Graduate | 2098 | 559,828 | 104 | 3.3 | 2.5- 4.1 | 1994 | 96.7 | 95.9-97.5 |
| Less than \$15,000 | 409 | 178,971 | 90 | 18.7 | 14.0-23.4 | 319 | 81.3 | 76.6-86.0 |
| \$15,000- 24,999 | 839 | 361,022 | 121 | 12.1 | 9.6-14.6 | 718 | 87.9 | 85.4-90.4 |
| \$25,000- 34,999 | 561 | 231,707 | 65 | 9.0 | 6.3-11.7 | 496 | 91.0 | 88.3-93.7 |
| \$35,000- 49,999 | 861 | 369,134 | 79 | 7.3 | 5.5- 9.1 | 782 | 92.7 | 90.9-94.5 |
| \$50,000- 74,999 | 908 | 378,610 | 59 | 4.6 | 3.2- 6.0 | 849 | 95.4 | 94.0-96.8 |
| \$75,000+ | 1773 | 711,175 | 69 | 2.9 | 1.9- 3.9 | 1704 | 97.1 | 96.1-98.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7839 | 2,605,543 | 963 | 9.9 | 9.1-10.7 | 6876 | 90.1 | 89.3-90.9 |
| White/Non-Hisp | 6620 | 2,107,482 | 846 | 10.4 | 9.4-11.4 | 5774 | 89.6 | 88.6-90.6 |
| Black or Afr. Am./Non-Hisp | 586 | 230,425 | 54 | 8.2 | 5.1-11.3 | 532 | 91.8 | 88.7-94.9 |
| Oth. Race/Non-Hisp. | 117 | 53,272 | 16 | 9.5 | 0.3-18.7 | 101 | 90.5 | 81.3-99.7 |
| MultiRacial/Non-Hisp. | 97 | 27,945 | 17 | 15.0 | 6.8-23.2 | 80 | 85.0 | 76.8-93.2 |
| Hispanic | 312 | 150,287 | 15 | 2.5 | 0.9- 4.1 | 297 | 97.5 | 95.9-99.1 |
| 18-24 | 299 | 333,951 | 8 | 2.9 | 0.7- 5.1 | 291 | 97.1 | 94.9-99.3 |
| 25-34 | 607 | 417,364 | 19 | 3.9 | 1.7- 6.1 | 588 | 96.1 | 93.9-98.3 |
| 35-44 | 778 | 408,792 | 41 | 5.8 | 3.8- 7.8 | 737 | 94.2 | 92.2-96.2 |
| 45-54 | 1173 | 423,845 | 112 | 9.7 | 7.7-11.7 | 1061 | 90.3 | 88.3-92.3 |
| 55-64 | 1620 | 443,044 | 255 | 16.0 | 13.8-18.2 | 1365 | 84.0 | 81.8-86.2 |
| 65+ | 3362 | 578,547 | 528 | 16.5 | 14.9-18.1 | 2834 | 83.5 | 81.9-85.1 |
| Less Than H.S. | 620 | 323,847 | 164 | 19.3 | 15.4-23.2 | 456 | 80.7 | 76.8-84.6 |
| H.S. or G.E.D. | 2684 | 855,523 | 418 | 11.4 | 10.0-12.8 | 2266 | 88.6 | 87.2-90.0 |
| Some Post-H.S. | 2045 | 847,197 | 251 | 9.2 | 7.8-10.6 | 1794 | 90.8 | 89.4-92.2 |
| College Graduate | 2478 | 576,093 | 128 | 3.3 | 2.5- 4.1 | 2350 | 96.7 | 95.9-97.5 |
| Less than \$15,000 | 800 | 271,226 | 230 | 23.9 | 20.0-27.8 | 570 | 76.1 | 72.2-80.0 |
| \$15,000- 24,999 | 1383 | 444,891 | 250 | 14.3 | 11.9-16.7 | 1133 | 85.7 | 83.3-88.1 |
| \$25,000- 34,999 | 860 | 276,222 | 99 | 9.7 | 7.3-12.1 | 761 | 90.3 | 87.9-92.7 |
| \$35,000- 49,999 | 972 | 328,871 | 121 | 9.8 | 7.6-12.0 | 851 | 90.2 | 88.0-92.4 |
| \$50,000- 74,999 | 1041 | 358,967 | 65 | 5.6 | 3.4- 7.8 | 976 | 94.4 | 92.2-96.6 |
| \$75,000+ | 1648 | 584,844 | 59 | 2.7 | 1.9- 3.5 | 1589 | 97.3 | 96.5-98.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13760 | 5,083,573 | 5183 | 28.4 | 27.4-29.4 | 8577 | 71.6 | 70.6-72.6 |
| Male | 5916 | 2,475,833 | 1792 | 23.8 | 22.4-25.2 | 4124 | 76.2 | 74.8-77.6 |
| Female | 7844 | 2,607,740 | 3391 | 32.9 | 31.5-34.3 | 4453 | 67.1 | 65.7-68.5 |
| White/Non-Hisp | 11513 | 4,077,779 | 4519 | 30.3 | 29.3-31.3 | 6994 | 69.7 | 68.7-70.7 |
| Black or Afr. Am./Non-Hisp | 931 | 438,367 | 340 | 24.9 | 21.6-28.2 | 591 | 75.1 | 71.8-78.4 |
| Oth. Race/Non-Hisp. | 284 | 126,516 | 83 | 18.3 | 13.0-23.6 | 201 | 81.7 | 76.4-87.0 |
| MultiRacial/Non-Hisp. | 207 | 60,343 | 76 | 31.7 | 23.9-39.5 | 131 | 68.3 | 60.5-76.1 |
| Hispanic | 586 | 291,089 | 75 | 10.4 | 7.7-13.1 | 511 | 89.6 | 86.9-92.3 |
| 18-24 | 686 | 685,713 | 39 | 5.3 | 3.5-7.1 | 647 | 94.7 | 92.9-96.5 |
| 25-34 | 1201 | 840,107 | 115 | 9.8 | 7.8-11.8 | 1086 | 90.2 | 88.2-92.2 |
| 35-44 | 1409 | 814,494 | 236 | 17.0 | 14.6-19.4 | 1173 | 83.0 | 80.6-85.4 |
| 45-54 | 2116 | 843,161 | 617 | 30.3 | 27.9-32.7 | 1499 | 69.7 | 67.3-72.1 |
| 55-64 | 2993 | 866,513 | 1339 | 45.4 | 43.2-47.6 | 1654 | 54.6 | 52.4-56.8 |
| 65+ | 5355 | 1,033,585 | 2837 | 52.2 | 50.6-53.8 | 2518 | 47.8 | 46.2-49.4 |
| Less Than H.S. | 1065 | 646,546 | 471 | 32.0 | 28.7-35.3 | 594 | 68.0 | 64.7-71.3 |
| H.S. or G.E.D. | 4607 | 1,724,618 | 1936 | 31.4 | 29.8-33.0 | 2671 | 68.6 | 67.0-70.2 |
| Some Post-H.S. | 3491 | 1,567,398 | 1372 | 28.9 | 27.1-30.7 | 2119 | 71.1 | 69.3-72.9 |
| College Graduate | 4566 | 1,134,996 | 1392 | 21.3 | 19.9-22.7 | 3174 | 78.7 | 77.3-80.1 |
| Less than \$15,000 | 1215 | 452,260 | 611 | 39.0 | 35.5-42.5 | 604 | 61.0 | 57.5-64.5 |
| \$15,000- 24,999 | 2221 | 807,590 | 1070 | 36.1 | 33.6-38.6 | 1151 | 63.9 | 61.4-66.4 |
| \$25,000- 34,999 | 1424 | 508,168 | 593 | 33.2 | 30.1-36.3 | 831 | 66.8 | 63.7-69.9 |
| \$35,000- 49,999 | 1829 | 695,860 | 731 | 30.6 | 28.1-33.1 | 1098 | 69.4 | 66.9-71.9 |
| \$50,000- 74,999 | 1948 | 737,382 | 649 | 24.5 | 22.1-26.9 | 1299 | 75.5 | 73.1-77.9 |
| \$75,000+ | 3418 | 1,294,156 | 871 | 19.2 | 17.6-20.8 | 2547 | 80.8 | 79.2-82.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5916 | 2,475,833 | 1792 | 23.8 | 22.4-25.2 | 4124 | 76.2 | 74.8-77.6 |
| White/Non-Hisp | 4890 | 1,967,974 | 1550 | 25.2 | 23.8-26.6 | 3340 | 74.8 | 73.4-76.2 |
| Black or Afr. Am./Non-Hisp | 343 | 208,301 | 98 | 20.5 | 15.4-25.6 | 245 | 79.5 | 74.4-84.6 |
| Oth. Race/Non-Hisp. | 168 | 74,030 | 44 | 18.0 | 11.3-24.7 | 124 | 82.0 | 75.3-88.7 |
| MultiRacial/Non-Hisp. | 111 | 32,913 | 38 | 35.0 | 23.8-46.2 | 73 | 65.0 | 53.8-76.2 |
| Hispanic | 273 | 139,910 | 19 | 6.2 | 2.9- 9.5 | 254 | 93.8 | 90.5-97.1 |
| 18-24 | 387 | 351,753 | 21 | 6.1 | 3.4- 8.8 | 366 | 93.9 | 91.2-96.6 |
| 25-34 | 594 | 421,943 | 44 | 7.6 | 5.2-10.0 | 550 | 92.4 | 90.0-94.8 |
| 35-44 | 630 | 406,379 | 80 | 12.2 | 9.1-15.3 | 550 | 87.8 | 84.7-90.9 |
| 45-54 | 944 | 418,714 | 250 | 27.9 | 24.6-31.2 | 694 | 72.1 | 68.8-75.4 |
| 55-64 | 1369 | 422,467 | 532 | 40.1 | 37.0-43.2 | 837 | 59.9 | 56.8-63.0 |
| 65+ | 1992 | 454,577 | 865 | 43.7 | 41.2-46.2 | 1127 | 56.3 | 53.8-58.8 |
| Less Than H.S. | 444 | 321,687 | 154 | 26.7 | 22.2-31.2 | 290 | 73.3 | 68.8-77.8 |
| H.S. or G.E.D. | 1912 | 866,686 | 631 | 25.7 | 23.5-27.9 | 1281 | 74.3 | 72.1-76.5 |
| Some Post-H.S. | 1446 | 720,630 | 449 | 23.7 | 21.2-26.2 | 997 | 76.3 | 73.8-78.8 |
| College Graduate | 2096 | 559,764 | 552 | 19.3 | 17.3-21.3 | 1544 | 80.7 | 78.7-82.7 |
| Less than \$15,000 | 411 | 178,935 | 168 | 34.0 | 28.3-39.7 | 243 | 66.0 | 60.3-71.7 |
| \$15,000- 24,999 | 838 | 362,030 | 312 | 30.2 | 26.5-33.9 | 526 | 69.8 | 66.1-73.5 |
| \$25,000- 34,999 | 562 | 231,847 | 191 | 27.8 | 23.3-32.3 | 371 | 72.2 | 67.7-76.7 |
| \$35,000- 49,999 | 860 | 367,228 | 274 | 25.1 | 21.6-28.6 | 586 | 74.9 | 71.4-78.4 |
| \$50,000- 74,999 | 906 | 377,970 | 271 | 22.8 | 19.5-26.1 | 635 | 77.2 | 73.9-80.5 |
| \$75,000+ | 1770 | 710,256 | 417 | 17.3 | 15.3-19.3 | 1353 | 82.7 | 80.7-84.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7844 | 2,607,740 | 3391 | 32.9 | 31.5-34.3 | 4453 | 67.1 | 65.7-68.5 |
| White/Non-Hisp | 6623 | 2,109,805 | 2969 | 35.0 | 33.4-36.6 | 3654 | 65.0 | 63.4-66.6 |
| Black or Afr. Am./Non-Hisp | 588 | 230,066 | 242 | 28.9 | 24.4-33.4 | 346 | 71.1 | 66.6-75.6 |
| Oth. Race/Non-Hisp. | 116 | 52,486 | 39 | 18.6 | 9.6-27.6 | 77 | 81.4 | 72.4-90.4 |
| MultiRacial/Non-Hisp. | 96 | 27,430 | 38 | 27.8 | 17.4-38.2 | 58 | 72.2 | 61.8-82.6 |
| Hispanic | 313 | 151,179 | 56 | 14.2 | 9.9-18.5 | 257 | 85.8 | 81.5-90.1 |
| 18-24 | 299 | 333,960 | 18 | 4.5 | 2.1- 6.9 | 281 | 95.5 | 93.1-97.9 |
| 25-34 | 607 | 418,164 | 71 | 11.9 | 9.0-14.8 | 536 | 88.1 | 85.2-91.0 |
| 35-44 | 779 | 408,114 | 156 | 21.7 | 18.2-25.2 | 623 | 78.3 | 74.8-81.8 |
| 45-54 | 1172 | 424,447 | 367 | 32.5 | 29.4-35.6 | 805 | 67.5 | 64.4-70.6 |
| 55-64 | 1624 | 444,047 | 807 | 50.5 | 47.6-53.4 | 817 | 49.5 | 46.6-52.4 |
| 65+ | 3363 | 579,008 | 1972 | 58.9 | 56.9-60.9 | 1391 | 41.1 | 39.1-43.1 |
| Less Than H.S. | 621 | 324,859 | 317 | 37.2 | 32.3-42.1 | 304 | 62.8 | 57.9-67.7 |
| H.S. or G.E.D. | 2695 | 857,932 | 1305 | 37.2 | 34.8-39.6 | 1390 | 62.8 | 60.4-65.2 |
| Some Post-H.S. | 2045 | 846,768 | 923 | 33.4 | 30.9-35.9 | 1122 | 66.6 | 64.1-69.1 |
| College Graduate | 2470 | 575,232 | 840 | 23.2 | 21.2-25.2 | 1630 | 76.8 | 74.8-78.8 |
| Less than \$15,000 | 804 | 273,325 | 443 | 42.3 | 37.6-47.0 | 361 | 57.7 | 53.0-62.4 |
| \$15,000- 24,999 | 1383 | 445,560 | 758 | 40.9 | 37.4-44.4 | 625 | 59.1 | 55.6-62.6 |
| \$25,000- 34,999 | 862 | 276,321 | 402 | 37.7 | 33.4-42.0 | 460 | 62.3 | 58.0-66.6 |
| \$35,000- 49,999 | 969 | 328,632 | 457 | 36.9 | 32.8-41.0 | 512 | 63.1 | 59.0-67.2 |
| \$50,000- 74,999 | 1042 | 359,412 | 378 | 26.3 | 23.2-29.4 | 664 | 73.7 | 70.6-76.8 |
| \$75,000+ | 1648 | 583,900 | 454 | 21.5 | 19.1-23.9 | 1194 | 78.5 | 76.1-80.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 28: (EVER TOLD) YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13777 | 5,087,787 | 3012 | 23.5 | 22.5-24.5 | 10765 | 76.5 | 75.5-77.5 |
| Male | 5927 | 2,480,002 | 940 | 17.0 | 15.8-18.2 | 4987 | 83.0 | 81.8-84.2 |
| Female | 7850 | 2,607,785 | 2072 | 29.6 | 28.2-31.0 | 5778 | 70.4 | 69.0-71.8 |
| White/Non-Hisp | 11527 | 4,081,790 | 2580 | 25.0 | 23.8-26.2 | 8947 | 75.0 | 73.8-76.2 |
| Black or Afr. Am./Non-Hisp | 932 | 438,150 | 185 | 18.9 | 15.6-22.2 | 747 | 81.1 | 77.8-84.4 |
| Oth. Race/Non-Hisp. | 286 | 126,895 | 56 | 18.0 | 11.5-24.5 | 230 | 82.0 | 75.5-88.5 |
| MultiRacial/Non-Hisp. | 207 | 60,798 | 72 | 30.3 | 22.7-37.9 | 135 | 69.7 | 62.1-77.3 |
| Hispanic | 585 | 290,420 | 74 | 11.1 | 8.2-14.0 | 511 | 88.9 | 86.0-91.8 |
| 18-24 | 684 | 683,177 | 177 | 26.2 | 22.5-29.9 | 507 | 73.8 | 70.1-77.5 |
| 25-34 | 1199 | 838,130 | 309 | 25.9 | 23.2-28.6 | 890 | 74.1 | 71.4-76.8 |
| 35-44 | 1412 | 818,597 | 346 | 23.8 | 21.3-26.3 | 1066 | 76.2 | 73.7-78.7 |
| 45-54 | 2119 | 843,637 | 529 | 24.8 | 22.6-27.0 | 1590 | 75.2 | 73.0-77.4 |
| 55-64 | 2995 | 867,173 | 778 | 26.5 | 24.5-28.5 | 2217 | 73.5 | 71.5-75.5 |
| 65+ | 5368 | 1,037,075 | 873 | 15.8 | 14.6-17.0 | 4495 | 84.2 | 83.0-85.4 |
| Less Than H.S. | 1067 | 647,504 | 291 | 26.7 | 23.2-30.2 | 776 | 73.3 | 69.8-76.8 |
| H.S. or G.E.D. | 4611 | 1,724,884 | 1052 | 24.8 | 23.0-26.6 | 3559 | 75.2 | 73.4-77.0 |
| Some Post-H.S. | 3495 | 1,570,295 | 842 | 24.4 | 22.6-26.2 | 2653 | 75.6 | 73.8-77.4 |
| College Graduate | 4572 | 1,135,007 | 820 | 18.5 | 17.1-19.9 | 3752 | 81.5 | 80.1-82.9 |
| Less than \$15,000 | 1218 | 453,751 | 485 | 39.5 | 35.8-43.2 | 733 | 60.5 | 56.8-64.2 |
| \$15,000- 24,999 | 2228 | 809,064 | 666 | 31.6 | 28.9-34.3 | 1562 | 68.4 | 65.7-71.1 |
| \$25,000- 34,999 | 1424 | 508,015 | 342 | 25.3 | 22.2-28.4 | 1082 | 74.7 | 71.6-77.8 |
| \$35,000- 49,999 | 1836 | 699,623 | 335 | 20.3 | 17.8-22.8 | 1501 | 79.7 | 77.2-82.2 |
| \$50,000- 74,999 | 1950 | 738,135 | 353 | 19.3 | 16.9-21.7 | 1597 | 80.7 | 78.3-83.1 |
| \$75,000+ | 3421 | 1,293,923 | 522 | 16.5 | 14.9-18.1 | 2899 | 83.5 | 81.9-85.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5927 | 2,480,002 | 940 | 17.0 | 15.8-18.2 | 4987 | 83.0 | 81.8-84.2 |
| White/Non-Hisp | 4902 | 1,973,022 | 796 | 18.3 | 16.9-19.7 | 4106 | 81.7 | 80.3-83.1 |
| Black or Afr. Am./Non-Hisp | 344 | 208,446 | 44 | 11.9 | 7.8-16.0 | 300 | 88.1 | 84.0-92.2 |
| Oth. Race/Non-Hisp. | 168 | 73,558 | 29 | 14.2 | 7.1-21.3 | 139 | 85.8 | 78.7-92.9 |
| MultiRacial/Non-Hisp. | 110 | 32,853 | 29 | 23.6 | 14.2-33.0 | 81 | 76.4 | 67.0-85.8 |
| Hispanic | 271 | 139,134 | 23 | 7.3 | 3.8-10.8 | 248 | 92.7 | 89.2-96.2 |
| 18-24 | 386 | 350,578 | 90 | 22.8 | 18.1-27.5 | 296 | 77.2 | 72.5-81.9 |
| 25-34 | 593 | 421,509 | 94 | 15.7 | 12.4-19.0 | 499 | 84.3 | 81.0-87.6 |
| 35-44 | 631 | 408,844 | 98 | 14.4 | 11.3-17.5 | 533 | 85.6 | 82.5-88.7 |
| 45-54 | 946 | 419,092 | 196 | 20.3 | 17.4-23.2 | 750 | 79.7 | 76.8-82.6 |
| 55-64 | 1374 | 423,691 | 229 | 18.4 | 15.9-20.9 | 1145 | 81.6 | 79.1-84.1 |
| 65+ | 1997 | 456,288 | 233 | 11.7 | 9.9-13.5 | 1764 | 88.3 | 86.5-90.1 |
| Less Than H.S. | 444 | 323,027 | 93 | 21.2 | 16.5-25.9 | 351 | 78.8 | 74.1-83.5 |
| H.S. or G.E.D. | 1920 | 868,667 | 326 | 18.3 | 16.1-20.5 | 1594 | 81.7 | 79.5-83.9 |
| Some Post-H.S. | 1448 | 721,517 | 240 | 16.3 | 13.9-18.7 | 1208 | 83.7 | 81.3-86.1 |
| College Graduate | 2097 | 559,725 | 278 | 13.5 | 11.7-15.3 | 1819 | 86.5 | 84.7-88.3 |
| Less than \$15,000 | 414 | 180,425 | 129 | 30.4 | 24.7-36.1 | 285 | 69.6 | 63.9-75.3 |
| \$15,000- 24,999 | 843 | 363,691 | 200 | 24.4 | 20.7-28.1 | 643 | 75.6 | 71.9-79.3 |
| \$25,000- 34,999 | 561 | 231,343 | 105 | 18.4 | 14.3-22.5 | 456 | 81.6 | 77.5-85.7 |
| \$35,000- 49,999 | 864 | 371,148 | 123 | 16.5 | 13.0-20.0 | 741 | 83.5 | 80.0-87.0 |
| \$50,000- 74,999 | 909 | 378,712 | 110 | 13.0 | 10.1-15.9 | 799 | 87.0 | 84.1-89.9 |
| \$75,000+ | 1769 | 708,418 | 193 | 11.6 | 9.6-13.6 | 1576 | 88.4 | 86.4-90.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7850 | 2,607,785 | 2072 | 29.6 | 28.2-31.0 | 5778 | 70.4 | 69.0-71.8 |
| White/Non-Hisp | 6625 | 2,108,768 | 1784 | 31.3 | 29.7-32.9 | 4841 | 68.7 | 67.1-70.3 |
| Black or Afr. Am./Non-Hisp | 588 | 229,704 | 141 | 25.2 | 20.3-30.1 | 447 | 74.8 | 69.9-79.7 |
| Oth. Race/Non-Hisp. | 118 | 53,337 | 27 | 23.2 | 11.2-35.2 | 91 | 76.8 | 64.8-88.8 |
| MultiRacial/Non-Hisp. | 97 | 27,945 | 43 | 38.1 | 25.8-50.4 | 54 | 61.9 | 49.6-74.2 |
| Hispanic | 314 | 151,286 | 51 | 14.5 | 10.2-18.8 | 263 | 85.5 | 81.2-89.8 |
| 18-24 | 298 | 332,598 | 87 | 29.8 | 23.9-35.7 | 211 | 70.2 | 64.3-76.1 |
| 25-34 | 606 | 416,621 | 215 | 36.2 | 31.9-40.5 | 391 | 63.8 | 59.5-68.1 |
| 35-44 | 781 | 409,753 | 248 | 33.2 | 29.3-37.1 | 533 | 66.8 | 62.9-70.7 |
| 45-54 | 1173 | 424,545 | 333 | 29.3 | 26.2-32.4 | 840 | 70.7 | 67.6-73.8 |
| 55-64 | 1621 | 443,482 | 549 | 34.3 | 31.6-37.0 | 1072 | 65.7 | 63.0-68.4 |
| 65+ | 3371 | 580,787 | 640 | 19.0 | 17.4-20.6 | 2731 | 81.0 | 79.4-82.6 |
| Less Than H.S. | 623 | 324,477 | 198 | 32.3 | 27.2-37.4 | 425 | 67.7 | 62.6-72.8 |
| H.S. or G.E.D. | 2691 | 856,217 | 726 | 31.3 | 28.8-33.8 | 1965 | 68.7 | 66.2-71.2 |
| Some Post-H.S. | 2047 | 848,778 | 602 | 31.2 | 28.7-33.7 | 1445 | 68.8 | 66.3-71.3 |
| College Graduate | 2475 | 575,282 | 542 | 23.4 | 21.2-25.6 | 1933 | 76.6 | 74.4-78.8 |
| Less than \$15,000 | 804 | 273,326 | 356 | 45.6 | 40.7-50.5 | 448 | 54.4 | 49.5-59.3 |
| \$15,000- 24,999 | 1385 | 445,372 | 466 | 37.4 | 33.7-41.1 | 919 | 62.6 | 58.9-66.3 |
| \$25,000- 34,999 | 863 | 276,672 | 237 | 31.1 | 26.8-35.4 | 626 | 68.9 | 64.6-73.2 |
| \$35,000- 49,999 | 972 | 328,475 | 212 | 24.6 | 20.7-28.5 | 760 | 75.4 | 71.5-79.3 |
| \$50,000- 74,999 | 1041 | 359,423 | 243 | 26.0 | 22.3-29.7 | 798 | 74.0 | 70.3-77.7 |
| \$75,000+ | 1652 | 585,505 | 329 | 22.4 | 19.7-25.1 | 1323 | 77.6 | 74.9-80.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|-----|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13791 | 5,096,434 | 624 | 3.2 | 2.8- 3.6 | 13167 | 96.8 | 96.4-97.2 |
| Male | 5931 | 2,483,000 | 241 | 2.8 | 2.4- 3.2 | 5690 | 97.2 | 96.8-97.6 |
| Female | 7860 | 2,613,434 | 383 | 3.6 | 3.0- 4.2 | 7477 | 96.4 | 95.8-97.0 |
| White/Non-Hisp | 11540 | 4,089,031 | 523 | 3.2 | 2.8- 3.6 | 11017 | 96.8 | 96.4-97.2 |
| Black or Afr. Am./Non-Hisp | 931 | 439,371 | 50 | 3.9 | 2.5- 5.3 | 881 | 96.1 | 94.7-97.5 |
| Oth. Race/Non-Hisp. | 287 | 127,809 | 13 | 3.7 | 0.0- 7.6 | 274 | 96.3 | 92.4- 100 |
| MultiRacial/Non-Hisp. | 208 | 60,858 | 14 | 6.0 | 2.5- 9.5 | 194 | 94.0 | 90.5-97.5 |
| Hispanic | 585 | 289,608 | 12 | 1.7 | 0.5- 2.9 | 573 | 98.3 | 97.1-99.5 |
| 18-24 | 688 | 686,810 | 4 | 0.9 | 0.0- 1.9 | 684 | 99.1 | 98.1- 100 |
| 25-34 | 1203 | 840,403 | 9 | 0.7 | 0.1- 1.3 | 1194 | 99.3 | 98.7-99.9 |
| 35-44 | 1412 | 819,299 | 22 | 1.5 | 0.7- 2.3 | 1390 | 98.5 | 97.7-99.3 |
| 45-54 | 2120 | 844,876 | 67 | 3.5 | 2.5- 4.5 | 2053 | 96.5 | 95.5-97.5 |
| 55-64 | 2997 | 866,014 | 132 | 4.6 | 3.6- 5.6 | 2865 | 95.4 | 94.4-96.4 |
| 65+ | 5371 | 1,039,033 | 390 | 6.8 | 6.0- 7.6 | 4981 | 93.2 | 92.4-94.0 |
| Less Than H.S. | 1067 | 647,852 | 68 | 4.8 | 3.2- 6.4 | 999 | 95.2 | 93.6-96.8 |
| H.S. or G.E.D. | 4617 | 1,729,118 | 233 | 3.6 | 3.0- 4.2 | 4384 | 96.4 | 95.8-97.0 |
| Some Post-H.S. | 3494 | 1,571,943 | 161 | 2.9 | 2.3- 3.5 | 3333 | 97.1 | 96.5-97.7 |
| College Graduate | 4581 | 1,137,422 | 160 | 2.3 | 1.9- 2.7 | 4421 | 97.7 | 97.3-98.1 |
| Less than \$15,000 | 1218 | 454,131 | 114 | 7.1 | 5.1- 9.1 | 1104 | 92.9 | 90.9-94.9 |
| \$15,000- 24,999 | 2229 | 809,483 | 132 | 4.2 | 3.2- 5.2 | 2097 | 95.8 | 94.8-96.8 |
| \$25,000- 34,999 | 1422 | 507,615 | 65 | 2.9 | 1.9- 3.9 | 1357 | 97.1 | 96.1-98.1 |
| \$35,000- 49,999 | 1837 | 700,791 | 86 | 3.3 | 2.5- 4.1 | 1751 | 96.7 | 95.9-97.5 |
| \$50,000- 74,999 | 1951 | 738,368 | 81 | 2.9 | 1.9- 3.9 | 1870 | 97.1 | 96.1-98.1 |
| \$75,000+ | 3425 | 1,297,367 | 75 | 1.7 | 1.1- 2.3 | 3350 | 98.3 | 97.7-98.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5931 | 2,483,000 | 241 | 2.8 | 2.4- 3.2 | 5690 | 97.2 | 96.8-97.6 |
| White/Non-Hisp | 4904 | 1,975,468 | 191 | 2.6 | 2.2- 3.0 | 4713 | 97.4 | 97.0-97.8 |
| Black or Afr. Am./Non-Hisp | 344 | 208,446 | 24 | 5.3 | 2.6- 8.0 | 320 | 94.7 | 92.0-97.4 |
| Oth. Race/Non-Hisp. | 169 | 74,472 | 9 | 2.1 | 0.3- 3.9 | 160 | 97.9 | 96.1-99.7 |
| MultiRacial/Non-Hisp. | 111 | 32,913 | 6 | 5.9 | 0.6-11.2 | 105 | 94.1 | 88.8-99.4 |
| Hispanic | 271 | 138,713 | 4 | 1.4 | 0.0- 2.8 | 267 | 98.6 | 97.2- 100 |
| 18-24 | 388 | 352,339 | 1 | 0.2 | 0.0- 0.6 | 387 | 99.8 | 99.4- 100 |
| 25-34 | 593 | 421,183 | 2 | 0.4 | 0.0- 1.0 | 591 | 99.6 | 99.0- 100 |
| 35-44 | 631 | 409,080 | 9 | 1.4 | 0.4- 2.4 | 622 | 98.6 | 97.6-99.6 |
| 45-54 | 947 | 419,921 | 30 | 3.4 | 2.0- 4.8 | 917 | 96.6 | 95.2-98.0 |
| 55-64 | 1372 | 422,644 | 48 | 4.6 | 3.0- 6.2 | 1324 | 95.4 | 93.8-97.0 |
| 65+ | 2000 | 457,834 | 151 | 6.3 | 5.1- 7.5 | 1849 | 93.7 | 92.5-94.9 |
| Less Than H.S. | 444 | 322,990 | 24 | 3.7 | 1.9- 5.5 | 420 | 96.3 | 94.5-98.1 |
| H.S. or G.E.D. | 1921 | 869,646 | 78 | 2.9 | 2.1- 3.7 | 1843 | 97.1 | 96.3-97.9 |
| Some Post-H.S. | 1448 | 722,260 | 55 | 2.6 | 1.8- 3.4 | 1393 | 97.4 | 96.6-98.2 |
| College Graduate | 2100 | 561,039 | 83 | 2.6 | 1.8- 3.4 | 2017 | 97.4 | 96.6-98.2 |
| Less than \$15,000 | 413 | 179,889 | 41 | 8.0 | 4.9-11.1 | 372 | 92.0 | 88.9-95.1 |
| \$15,000- 24,999 | 843 | 363,075 | 40 | 3.7 | 2.3- 5.1 | 803 | 96.3 | 94.9-97.7 |
| \$25,000- 34,999 | 560 | 230,857 | 23 | 2.1 | 1.1- 3.1 | 537 | 97.9 | 96.9-98.9 |
| \$35,000- 49,999 | 864 | 371,364 | 36 | 2.9 | 1.7- 4.1 | 828 | 97.1 | 95.9-98.3 |
| \$50,000- 74,999 | 909 | 378,973 | 35 | 2.1 | 1.1- 3.1 | 874 | 97.9 | 96.9-98.9 |
| \$75,000+ | 1773 | 711,680 | 44 | 1.8 | 1.0- 2.6 | 1729 | 98.2 | 97.4-99.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7860 | 2,613,434 | 383 | 3.6 | 3.0- 4.2 | 7477 | 96.4 | 95.8-97.0 |
| White/Non-Hisp | 6636 | 2,113,563 | 332 | 3.8 | 3.2- 4.4 | 6304 | 96.2 | 95.6-96.8 |
| Black or Afr. Am./Non-Hisp | 587 | 230,925 | 26 | 2.7 | 1.3- 4.1 | 561 | 97.3 | 95.9-98.7 |
| Oth. Race/Non-Hisp. | 118 | 53,337 | 4 | 5.9 | 0.0-14.9 | 114 | 94.1 | 85.1- 100 |
| MultiRacial/Non-Hisp. | 97 | 27,945 | 8 | 6.2 | 1.5-10.9 | 89 | 93.8 | 89.1-98.5 |
| Hispanic | 314 | 150,894 | 8 | 2.0 | 0.0- 4.0 | 306 | 98.0 | 96.0- 100 |
| 18-24 | 300 | 334,471 | 3 | 1.8 | 0.0- 4.0 | 297 | 98.2 | 96.0- 100 |
| 25-34 | 610 | 419,220 | 7 | 1.1 | 0.3- 1.9 | 603 | 98.9 | 98.1-99.7 |
| 35-44 | 781 | 410,219 | 13 | 1.6 | 0.4- 2.8 | 768 | 98.4 | 97.2-99.6 |
| 45-54 | 1173 | 424,955 | 37 | 3.6 | 2.2- 5.0 | 1136 | 96.4 | 95.0-97.8 |
| 55-64 | 1625 | 443,370 | 84 | 4.6 | 3.4- 5.8 | 1541 | 95.4 | 94.2-96.6 |
| 65+ | 3371 | 581,199 | 239 | 7.2 | 6.2- 8.2 | 3132 | 92.8 | 91.8-93.8 |
| Less Than H.S. | 623 | 324,862 | 44 | 5.9 | 3.2- 8.6 | 579 | 94.1 | 91.4-96.8 |
| H.S. or G.E.D. | 2696 | 859,472 | 155 | 4.2 | 3.4- 5.0 | 2541 | 95.8 | 95.0-96.6 |
| Some Post-H.S. | 2046 | 849,683 | 106 | 3.2 | 2.4- 4.0 | 1940 | 96.8 | 96.0-97.6 |
| College Graduate | 2481 | 576,383 | 77 | 2.0 | 1.4- 2.6 | 2404 | 98.0 | 97.4-98.6 |
| Less than \$15,000 | 805 | 274,242 | 73 | 6.4 | 4.0- 8.8 | 732 | 93.6 | 91.2-96.0 |
| \$15,000- 24,999 | 1386 | 446,408 | 92 | 4.6 | 3.2- 6.0 | 1294 | 95.4 | 94.0-96.8 |
| \$25,000- 34,999 | 862 | 276,758 | 42 | 3.6 | 2.2- 5.0 | 820 | 96.4 | 95.0-97.8 |
| \$35,000- 49,999 | 973 | 329,427 | 50 | 3.7 | 2.5- 4.9 | 923 | 96.3 | 95.1-97.5 |
| \$50,000- 74,999 | 1042 | 359,396 | 46 | 3.8 | 2.0- 5.6 | 996 | 96.2 | 94.4-98.0 |
| \$75,000+ | 1652 | 585,687 | 31 | 1.6 | 0.8- 2.4 | 1621 | 98.4 | 97.6-99.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 34: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | Yes, during pregnancy | | | No | | | No, pre or borderline diabetes | | |
|----------------------------|-------------------|-----------|------|------|------------|-----------------------|-----|------------|-------|------|------------|--------------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13812 | 5,096,808 | 2185 | 11.8 | 11.2-12.4 | 79 | 0.7 | 0.5- 0.9 | 11335 | 86.1 | 85.3-86.9 | 213 | 1.4 | 1.2- 1.6 |
| Male | 5939 | 2,482,543 | 980 | 12.4 | 11.4-13.4 | | | | 4866 | 86.3 | 85.3-87.3 | 93 | 1.3 | 0.9- 1.7 |
| Female | 7873 | 2,614,266 | 1205 | 11.3 | 10.5-12.1 | 79 | 1.3 | 0.9- 1.7 | 6469 | 85.9 | 84.9-86.9 | 120 | 1.5 | 1.1- 1.9 |
| White/Non-Hisp | 11561 | 4,092,382 | 1808 | 11.7 | 11.1-12.3 | 59 | 0.6 | 0.4- 0.8 | 9514 | 86.3 | 85.5-87.1 | 180 | 1.3 | 1.1- 1.5 |
| Black or Afr. Am./Non-Hisp | 932 | 438,185 | 196 | 14.8 | 12.3-17.3 | 7 | 0.8 | 0.2- 1.4 | 715 | 83.0 | 80.3-85.7 | 14 | 1.4 | 0.4- 2.4 |
| Oth. Race/Non-Hisp. | 286 | 127,347 | 36 | 11.1 | 5.8-16.4 | 1 | 0.5 | 0.0- 1.5 | 245 | 87.0 | 81.3-92.7 | 4 | 1.4 | 0.0- 3.0 |
| MultiRacial/Non-Hisp. | 208 | 60,858 | 36 | 10.5 | 6.4-14.6 | 1 | 0.2 | 0.0- 0.6 | 162 | 81.6 | 74.7-88.5 | 9 | 7.7 | 1.6-13.8 |
| Hispanic | 584 | 288,220 | 64 | 8.7 | 6.2-11.2 | 10 | 1.7 | 0.5- 2.9 | 505 | 88.1 | 85.2-91.0 | 5 | 1.5 | 0.1- 2.9 |
| 18-24 | 687 | 686,421 | 12 | 1.8 | 0.6- 3.0 | 3 | 0.8 | 0.0- 1.8 | 669 | 96.7 | 94.9-98.5 | 3 | 0.7 | 0.0- 1.7 |
| 25-34 | 1203 | 840,701 | 28 | 2.4 | 1.4- 3.4 | 18 | 1.4 | 0.6- 2.2 | 1151 | 95.6 | 94.2-97.0 | 6 | 0.6 | 0.0- 1.2 |
| 35-44 | 1411 | 816,894 | 75 | 5.2 | 3.8- 6.6 | 20 | 1.1 | 0.5- 1.7 | 1301 | 92.6 | 91.0-94.2 | 15 | 1.1 | 0.5- 1.7 |
| 45-54 | 2120 | 843,729 | 261 | 12.1 | 10.5-13.7 | 14 | 0.4 | 0.2- 0.6 | 1817 | 85.8 | 84.0-87.6 | 28 | 1.7 | 1.1- 2.3 |
| 55-64 | 3002 | 868,453 | 570 | 19.7 | 17.9-21.5 | 9 | 0.3 | 0.1- 0.5 | 2363 | 77.8 | 76.0-79.6 | 60 | 2.3 | 1.5- 3.1 |
| 65+ | 5389 | 1,040,610 | 1239 | 24.4 | 23.0-25.8 | 15 | 0.3 | 0.1- 0.5 | 4034 | 73.5 | 71.9-75.1 | 101 | 1.9 | 1.5- 2.3 |
| Less Than H.S. | 1069 | 647,139 | 225 | 15.9 | 13.4-18.4 | 12 | 1.3 | 0.3- 2.3 | 804 | 80.1 | 77.2-83.0 | 28 | 2.6 | 1.2- 4.0 |
| H.S. or G.E.D. | 4626 | 1,730,536 | 840 | 13.1 | 12.1-14.1 | 16 | 0.4 | 0.2- 0.6 | 3682 | 84.9 | 83.7-86.1 | 88 | 1.6 | 1.2- 2.0 |
| Some Post-H.S. | 3502 | 1,571,841 | 574 | 11.5 | 10.3-12.7 | 24 | 0.8 | 0.4- 1.2 | 2856 | 86.6 | 85.4-87.8 | 48 | 1.1 | 0.7- 1.5 |
| College Graduate | 4583 | 1,137,195 | 542 | 8.1 | 7.3- 8.9 | 27 | 0.6 | 0.4- 0.8 | 3966 | 90.5 | 89.5-91.5 | 48 | 0.8 | 0.6- 1.0 |
| Less than \$15,000 | 1218 | 453,539 | 282 | 18.3 | 15.8-20.8 | 10 | 1.0 | 0.2- 1.8 | 897 | 78.0 | 75.1-80.9 | 29 | 2.7 | 1.1- 4.3 |
| \$15,000- 24,999 | 2234 | 809,047 | 487 | 16.3 | 14.5-18.1 | 12 | 0.7 | 0.1- 1.3 | 1697 | 81.6 | 79.6-83.6 | 38 | 1.4 | 0.8- 2.0 |
| \$25,000- 34,999 | 1428 | 508,419 | 275 | 14.8 | 12.6-17.0 | 14 | 1.3 | 0.5- 2.1 | 1111 | 82.4 | 80.0-84.8 | 28 | 1.5 | 0.9- 2.1 |
| \$35,000- 49,999 | 1837 | 700,848 | 306 | 11.8 | 10.2-13.4 | 6 | 0.3 | 0.1- 0.5 | 1493 | 85.8 | 83.8-87.8 | 32 | 2.1 | 1.1- 3.1 |
| \$50,000- 74,999 | 1953 | 738,707 | 257 | 10.1 | 8.5-11.7 | 8 | 0.3 | 0.1- 0.5 | 1663 | 88.5 | 86.7-90.3 | 25 | 1.0 | 0.4- 1.6 |
| \$75,000+ | 3427 | 1,297,541 | 315 | 6.6 | 5.6- 7.6 | 20 | 0.6 | 0.2- 1.0 | 3061 | 92.0 | 91.0-93.0 | 31 | 0.7 | 0.3- 1.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 35: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | No, pre or borderline diabetes | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|--------------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5939 | 2,482,543 | 980 | 12.4 | 11.4-13.4 | 4866 | 86.3 | 85.3-87.3 | 93 | 1.3 | 0.9- 1.7 |
| White/Non-Hisp | 4913 | 1,977,204 | 825 | 12.6 | 11.6-13.6 | 4011 | 86.1 | 84.9-87.3 | 77 | 1.2 | 0.8- 1.6 |
| Black or Afr. Am./Non-Hisp | 344 | 208,446 | 71 | 14.4 | 10.5-18.3 | 267 | 84.5 | 80.4-88.6 | 6 | 1.2 | 0.0- 2.4 |
| Oth. Race/Non-Hisp. | 169 | 74,472 | 18 | 9.5 | 4.4-14.6 | 149 | 89.3 | 83.8-94.8 | 2 | 1.2 | 0.0- 3.2 |
| MultiRacial/Non-Hisp. | 111 | 32,913 | 10 | 5.4 | 1.5- 9.3 | 95 | 87.1 | 79.5-94.7 | 6 | 7.6 | 0.7-14.5 |
| Hispanic | 270 | 136,520 | 28 | 8.3 | 4.6-12.0 | 241 | 90.6 | 86.3-94.9 | 1 | 1.1 | 0.0- 3.3 |
| 18-24 | 387 | 351,950 | 6 | 1.5 | 0.1- 2.9 | 380 | 98.1 | 96.5-99.7 | 1 | 0.4 | 0.0- 1.2 |
| 25-34 | 594 | 421,943 | 9 | 2.1 | 0.7- 3.5 | 583 | 97.5 | 95.9-99.1 | 2 | 0.3 | 0.0- 0.9 |
| 35-44 | 631 | 407,539 | 36 | 5.7 | 3.7- 7.7 | 592 | 93.8 | 91.6-96.0 | 3 | 0.5 | 0.0- 1.1 |
| 45-54 | 947 | 419,411 | 120 | 12.9 | 10.4-15.4 | 811 | 85.1 | 82.4-87.8 | 16 | 2.0 | 1.0- 3.0 |
| 55-64 | 1375 | 423,622 | 272 | 20.9 | 18.4-23.4 | 1073 | 77.1 | 74.4-79.8 | 30 | 2.1 | 1.3- 2.9 |
| 65+ | 2005 | 458,078 | 537 | 28.0 | 25.6-30.4 | 1427 | 69.8 | 67.3-72.3 | 41 | 2.1 | 1.3- 2.9 |
| Less Than H.S. | 443 | 321,014 | 99 | 17.2 | 13.5-20.9 | 334 | 81.2 | 77.3-85.1 | 10 | 1.6 | 0.4- 2.8 |
| H.S. or G.E.D. | 1923 | 870,336 | 339 | 12.5 | 10.9-14.1 | 1548 | 86.1 | 84.3-87.9 | 36 | 1.4 | 0.8- 2.0 |
| Some Post-H.S. | 1451 | 722,853 | 244 | 12.3 | 10.5-14.1 | 1181 | 86.4 | 84.6-88.2 | 26 | 1.3 | 0.7- 1.9 |
| College Graduate | 2104 | 561,274 | 295 | 9.8 | 8.4-11.2 | 1788 | 89.3 | 87.9-90.7 | 21 | 0.8 | 0.4- 1.2 |
| Less than \$15,000 | 414 | 180,334 | 104 | 20.1 | 15.8-24.4 | 298 | 77.8 | 73.3-82.3 | 12 | 2.1 | 0.5- 3.7 |
| \$15,000- 24,999 | 843 | 361,046 | 183 | 17.2 | 14.3-20.1 | 648 | 81.7 | 78.8-84.6 | 12 | 1.1 | 0.3- 1.9 |
| \$25,000- 34,999 | 562 | 231,179 | 116 | 16.5 | 12.8-20.2 | 433 | 81.9 | 78.0-85.8 | 13 | 1.5 | 0.5- 2.5 |
| \$35,000- 49,999 | 865 | 371,414 | 155 | 12.6 | 10.2-15.0 | 693 | 85.3 | 82.6-88.0 | 17 | 2.1 | 0.9- 3.3 |
| \$50,000- 74,999 | 910 | 379,105 | 125 | 10.0 | 7.8-12.2 | 773 | 89.0 | 86.8-91.2 | 12 | 1.0 | 0.4- 1.6 |
| \$75,000+ | 1774 | 711,716 | 197 | 7.9 | 6.5- 9.3 | 1563 | 91.5 | 90.1-92.9 | 14 | 0.6 | 0.2- 1.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 36: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | Yes, during pregnancy | | | No | | | No, pre or borderline diabetes | | |
|----------------------------|-------------------|-----------|------|------|------------|-----------------------|-----|------------|------|------|------------|--------------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7873 | 2,614,266 | 1205 | 11.3 | 10.5-12.1 | 79 | 1.3 | 0.9- 1.7 | 6469 | 85.9 | 84.9-86.9 | 120 | 1.5 | 1.1- 1.9 |
| White/Non-Hisp | 6648 | 2,115,178 | 983 | 10.9 | 10.1-11.7 | 59 | 1.2 | 0.8- 1.6 | 5503 | 86.5 | 85.5-87.5 | 103 | 1.4 | 1.0- 1.8 |
| Black or Afr. Am./Non-Hisp | 588 | 229,739 | 125 | 15.3 | 12.0-18.6 | 7 | 1.4 | 0.2- 2.6 | 448 | 81.7 | 78.0-85.4 | 8 | 1.6 | 0.2- 3.0 |
| Oth. Race/Non-Hisp. | 117 | 52,875 | 18 | 13.4 | 2.8-24.0 | 1 | 1.3 | 0.0- 3.7 | 96 | 83.7 | 72.7-94.7 | 2 | 1.7 | 0.0- 4.6 |
| MultiRacial/Non-Hisp. | 97 | 27,945 | 26 | 16.6 | 9.0-24.2 | 1 | 0.4 | 0.0- 1.2 | 67 | 75.3 | 63.5-87.1 | 3 | 7.8 | 0.0-18.4 |
| Hispanic | 314 | 151,700 | 36 | 9.1 | 5.8-12.4 | 10 | 3.3 | 0.9- 5.7 | 264 | 85.8 | 81.5-90.1 | 4 | 1.8 | 0.0- 3.6 |
| 18-24 | 300 | 334,471 | 6 | 2.2 | 0.2- 4.2 | 3 | 1.6 | 0.0- 3.6 | 289 | 95.2 | 92.1-98.3 | 2 | 1.0 | 0.0- 2.6 |
| 25-34 | 609 | 418,759 | 19 | 2.7 | 1.3- 4.1 | 18 | 2.9 | 1.5- 4.3 | 568 | 93.6 | 91.4-95.8 | 4 | 0.8 | 0.0- 1.6 |
| 35-44 | 780 | 409,355 | 39 | 4.8 | 3.2- 6.4 | 20 | 2.1 | 0.9- 3.3 | 709 | 91.5 | 89.3-93.7 | 12 | 1.7 | 0.5- 2.9 |
| 45-54 | 1173 | 424,319 | 141 | 11.4 | 9.2-13.6 | 14 | 0.8 | 0.2- 1.4 | 1006 | 86.4 | 84.0-88.8 | 12 | 1.4 | 0.6- 2.2 |
| 55-64 | 1627 | 444,831 | 298 | 18.6 | 16.2-21.0 | 9 | 0.5 | 0.1- 0.9 | 1290 | 78.5 | 76.0-81.0 | 30 | 2.4 | 1.2- 3.6 |
| 65+ | 3384 | 582,532 | 702 | 21.5 | 19.7-23.3 | 15 | 0.5 | 0.1- 0.9 | 2607 | 76.4 | 74.6-78.2 | 60 | 1.6 | 1.2- 2.0 |
| Less Than H.S. | 626 | 326,125 | 126 | 14.7 | 11.4-18.0 | 12 | 2.6 | 0.6- 4.6 | 470 | 79.1 | 75.0-83.2 | 18 | 3.6 | 1.2- 6.0 |
| H.S. or G.E.D. | 2703 | 860,199 | 501 | 13.8 | 12.4-15.2 | 16 | 0.8 | 0.4- 1.2 | 2134 | 83.7 | 82.1-85.3 | 52 | 1.8 | 1.2- 2.4 |
| Some Post-H.S. | 2051 | 848,987 | 330 | 10.7 | 9.3-12.1 | 24 | 1.5 | 0.7- 2.3 | 1675 | 86.8 | 85.2-88.4 | 22 | 0.9 | 0.3- 1.5 |
| College Graduate | 2479 | 575,921 | 247 | 6.4 | 5.4- 7.4 | 27 | 1.2 | 0.6- 1.8 | 2178 | 91.6 | 90.4-92.8 | 27 | 0.8 | 0.4- 1.2 |
| Less than \$15,000 | 804 | 273,205 | 178 | 17.1 | 14.0-20.2 | 10 | 1.6 | 0.2- 3.0 | 599 | 78.2 | 74.3-82.1 | 17 | 3.1 | 0.7- 5.5 |
| \$15,000- 24,999 | 1391 | 448,001 | 304 | 15.6 | 13.4-17.8 | 12 | 1.3 | 0.3- 2.3 | 1049 | 81.4 | 78.9-83.9 | 26 | 1.7 | 0.9- 2.5 |
| \$25,000- 34,999 | 866 | 277,240 | 159 | 13.4 | 10.9-15.9 | 14 | 2.4 | 1.0- 3.8 | 678 | 82.8 | 79.9-85.7 | 15 | 1.4 | 0.6- 2.2 |
| \$35,000- 49,999 | 972 | 329,434 | 151 | 10.9 | 8.7-13.1 | 6 | 0.6 | 0.0- 1.2 | 800 | 86.3 | 83.8-88.8 | 15 | 2.2 | 0.8- 3.6 |
| \$50,000- 74,999 | 1043 | 359,602 | 132 | 10.2 | 7.8-12.6 | 8 | 0.6 | 0.0- 1.2 | 890 | 88.1 | 85.6-90.6 | 13 | 1.1 | 0.3- 1.9 |
| \$75,000+ | 1653 | 585,826 | 118 | 5.0 | 4.0- 6.0 | 20 | 1.4 | 0.6- 2.2 | 1498 | 92.7 | 91.3-94.1 | 17 | 0.9 | 0.3- 1.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 37: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-15 | | | 16-30 | | | 31-45 | | | 46-60 | | | 60+ | | |
|----------------------------|-------------------|----------|------|-----|------------|-------|------|------------|-------|------|------------|-------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 2085 | 573,772 | 34 | 2.9 | 1.7- 4.1 | 157 | 12.3 | 10.1-14.5 | 452 | 24.7 | 22.3-27.1 | 907 | 40.7 | 38.0-43.4 | 535 | 19.4 | 17.4-21.4 |
| Male | 947 | 295,797 | 21 | 4.0 | 1.8- 6.2 | 64 | 10.5 | 7.6-13.4 | 200 | 24.4 | 20.9-27.9 | 426 | 42.6 | 38.7-46.5 | 236 | 18.6 | 15.9-21.3 |
| Female | 1138 | 277,975 | 13 | 1.7 | 0.5- 2.9 | 93 | 14.3 | 11.0-17.6 | 252 | 25.1 | 21.8-28.4 | 481 | 38.6 | 35.1-42.1 | 299 | 20.3 | 17.8-22.8 |
| White/Non-Hisp | 1730 | 459,940 | 32 | 3.4 | 1.8- 5.0 | 107 | 10.3 | 8.1-12.5 | 360 | 24.1 | 21.4-26.8 | 750 | 40.7 | 37.8-43.6 | 481 | 21.5 | 19.3-23.7 |
| Black or Afr. Am./Non-Hisp | 183 | 60,832 | | | | 23 | 20.5 | 11.9-29.1 | 52 | 29.4 | 21.2-37.6 | 78 | 38.7 | 29.9-47.5 | 30 | 11.4 | 6.5-16.3 |
| Hispanic | 62 | 24,245 | 1 | 3.1 | 0.0- 9.0 | 10 | 14.5 | 4.5-24.5 | 19 | 31.3 | 17.8-44.8 | 29 | 48.6 | 33.3-63.9 | 3 | 2.6 | 0.0- 5.9 |
| 35-44 | 73 | 41,360 | 2 | 1.3 | 0.0- 3.3 | 25 | 37.4 | 24.5-50.3 | 46 | 61.3 | 48.4-74.2 | | | | | | |
| 45-54 | 254 | 99,763 | 7 | 2.2 | 0.2- 4.2 | 43 | 17.9 | 12.0-23.8 | 116 | 43.7 | 36.4-51.0 | 87 | 35.4 | 28.1-42.7 | 1 | 0.7 | 0.0- 2.1 |
| 55-64 | 554 | 165,221 | 7 | 1.1 | 0.1- 2.1 | 42 | 9.1 | 6.0-12.2 | 148 | 26.0 | 21.7-30.3 | 332 | 59.3 | 54.4-64.2 | 25 | 4.5 | 2.3- 6.7 |
| 65+ | 1166 | 236,914 | 5 | 0.4 | 0.0- 0.8 | 25 | 2.2 | 1.2- 3.2 | 139 | 11.5 | 9.3-13.7 | 488 | 42.3 | 38.8-45.8 | 509 | 43.6 | 40.1-47.1 |
| Less Than H.S. | 207 | 94,984 | 2 | 2.9 | 0.0- 7.0 | 20 | 12.7 | 6.0-19.4 | 55 | 26.0 | 18.7-33.3 | 88 | 42.1 | 33.9-50.3 | 42 | 16.3 | 10.8-21.8 |
| H.S. or G.E.D. | 796 | 216,166 | 11 | 2.2 | 0.4- 4.0 | 57 | 12.8 | 9.1-16.5 | 169 | 23.1 | 19.4-26.8 | 338 | 41.0 | 36.9-45.1 | 221 | 20.9 | 18.0-23.8 |
| Some Post-H.S. | 547 | 173,048 | 13 | 4.1 | 1.6- 6.6 | 51 | 13.9 | 9.8-18.0 | 123 | 25.5 | 21.0-30.0 | 226 | 37.7 | 32.8-42.6 | 134 | 18.8 | 15.3-22.3 |
| College Graduate | 531 | 89,109 | 8 | 2.2 | 0.4- 4.0 | 29 | 7.7 | 4.4-11.0 | 105 | 25.7 | 20.6-30.8 | 253 | 44.1 | 39.0-49.2 | 136 | 20.3 | 16.6-24.0 |
| Less than \$15,000 | 260 | 76,966 | 6 | 2.7 | 0.0- 5.4 | 27 | 13.1 | 7.6-18.6 | 69 | 31.3 | 23.9-38.7 | 112 | 39.8 | 32.4-47.2 | 46 | 13.1 | 8.4-17.8 |
| \$15,000- 24,999 | 464 | 126,082 | 4 | 1.3 | 0.0- 2.7 | 40 | 14.0 | 9.3-18.7 | 98 | 22.3 | 17.4-27.2 | 197 | 41.0 | 35.3-46.7 | 125 | 21.4 | 17.1-25.7 |
| \$25,000- 34,999 | 267 | 72,971 | 10 | 5.7 | 1.2-10.2 | 25 | 18.0 | 10.4-25.6 | 58 | 25.5 | 18.4-32.6 | 95 | 29.0 | 22.5-35.5 | 79 | 21.8 | 16.1-27.5 |
| \$35,000- 49,999 | 297 | 79,579 | 2 | 1.8 | 0.0- 4.5 | 11 | 7.1 | 2.0-12.2 | 66 | 26.7 | 20.0-33.4 | 131 | 44.3 | 37.0-51.6 | 87 | 20.2 | 15.3-25.1 |
| \$50,000- 74,999 | 255 | 74,458 | 3 | 2.4 | 0.0- 5.7 | 20 | 14.4 | 6.6-22.2 | 45 | 17.2 | 11.5-22.9 | 130 | 49.6 | 41.4-57.8 | 57 | 16.5 | 11.4-21.6 |
| \$75,000+ | 313 | 84,832 | 6 | 4.0 | 0.0- 8.1 | 15 | 6.4 | 2.5-10.3 | 75 | 29.2 | 22.7-35.7 | 145 | 41.4 | 34.7-48.1 | 72 | 19.0 | 14.1-23.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 38: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-15 | | | 16-30 | | | 31-45 | | | 46-60 | | | 60+ | | |
|----------------------------|-------------------|----------|------|-----|------------|-------|------|------------|-------|------|------------|-------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 947 | 295,797 | 21 | 4.0 | 1.8- 6.2 | 64 | 10.5 | 7.6-13.4 | 200 | 24.4 | 20.9-27.9 | 426 | 42.6 | 38.7-46.5 | 236 | 18.6 | 15.9-21.3 |
| White/Non-Hisp | 804 | 241,745 | 20 | 4.6 | 2.1- 7.1 | 44 | 8.8 | 5.7-11.9 | 162 | 23.9 | 20.0-27.8 | 362 | 42.3 | 38.0-46.6 | 216 | 20.5 | 17.4-23.6 |
| Black or Afr. Am./Non-Hisp | 64 | 27,713 | | | | 8 | 22.0 | 7.7-36.3 | 21 | 30.3 | 17.4-43.2 | 25 | 37.6 | 23.5-51.7 | 10 | 10.2 | 2.9-17.5 |
| 45-54 | 119 | 53,643 | 4 | 2.0 | 0.0- 4.4 | 16 | 12.5 | 4.7-20.3 | 60 | 49.8 | 39.0-60.6 | 38 | 34.2 | 23.8-44.6 | 1 | 1.4 | 0.0- 4.1 |
| 55-64 | 264 | 84,320 | 3 | 1.1 | 0.0- 2.5 | 17 | 7.7 | 3.4-12.0 | 59 | 21.4 | 15.7-27.1 | 170 | 63.9 | 56.8-71.0 | 15 | 5.9 | 2.4- 9.4 |
| 65+ | 514 | 120,796 | 4 | 0.7 | 0.0- 1.5 | 14 | 3.1 | 1.3- 4.9 | 58 | 10.9 | 7.8-14.0 | 218 | 44.6 | 39.5-49.7 | 220 | 40.7 | 35.6-45.8 |
| Less Than H.S. | 93 | 52,157 | 2 | 5.3 | 0.0-12.6 | 9 | 10.4 | 3.1-17.7 | 23 | 25.4 | 15.2-35.6 | 43 | 44.5 | 32.7-56.3 | 16 | 14.4 | 7.1-21.7 |
| H.S. or G.E.D. | 326 | 103,953 | 8 | 4.1 | 0.6- 7.6 | 20 | 12.5 | 6.4-18.6 | 76 | 23.3 | 17.8-28.8 | 137 | 40.5 | 34.0-47.0 | 85 | 19.7 | 15.2-24.2 |
| Some Post-H.S. | 236 | 86,025 | 9 | 5.3 | 1.2- 9.4 | 18 | 10.4 | 5.1-15.7 | 45 | 23.1 | 16.4-29.8 | 108 | 42.7 | 35.4-50.0 | 56 | 18.5 | 13.0-24.0 |
| College Graduate | 289 | 53,316 | 2 | 0.5 | 0.0- 1.3 | 17 | 6.6 | 2.7-10.5 | 56 | 27.6 | 20.5-34.7 | 136 | 44.7 | 37.6-51.8 | 78 | 20.6 | 15.7-25.5 |
| Less than \$15,000 | 98 | 33,429 | 4 | 4.1 | 0.0- 8.8 | 7 | 7.4 | 0.7-14.1 | 30 | 36.9 | 25.3-48.5 | 46 | 42.5 | 30.9-54.1 | 11 | 9.0 | 2.3-15.7 |
| \$15,000- 24,999 | 174 | 59,492 | 3 | 2.2 | 0.0- 4.6 | 11 | 8.7 | 2.6-14.8 | 36 | 22.2 | 14.6-29.8 | 79 | 46.6 | 37.6-55.6 | 45 | 20.3 | 13.6-27.0 |
| \$25,000- 34,999 | 113 | 37,155 | 7 | 9.1 | 0.9-17.3 | 14 | 22.3 | 10.0-34.6 | 25 | 24.6 | 13.6-35.6 | 36 | 25.2 | 15.8-34.6 | 31 | 18.8 | 10.6-27.0 |
| \$35,000- 49,999 | 150 | 44,639 | 1 | 2.4 | 0.0- 6.9 | 7 | 8.5 | 0.9-16.1 | 27 | 20.0 | 12.0-28.0 | 68 | 48.3 | 38.1-58.5 | 47 | 20.8 | 14.1-27.5 |
| \$50,000- 74,999 | 123 | 37,644 | 1 | 0.7 | 0.0- 2.1 | 7 | 7.9 | 1.0-14.8 | 23 | 18.3 | 9.9-26.7 | 63 | 54.4 | 43.4-65.4 | 29 | 18.6 | 10.8-26.4 |
| \$75,000+ | 196 | 55,809 | 3 | 4.4 | 0.0-10.5 | 5 | 4.0 | 0.0- 8.5 | 43 | 29.8 | 21.2-38.4 | 94 | 42.1 | 33.7-50.5 | 51 | 19.7 | 13.6-25.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 39: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-15 | | | 16-30 | | | 31-45 | | | 46-60 | | | 60+ | | |
|----------------------------|-------------------|----------|------|-----|------------|-------|------|------------|-------|------|------------|-------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1138 | 277,975 | 13 | 1.7 | 0.5- 2.9 | 93 | 14.3 | 11.0-17.6 | 252 | 25.1 | 21.8-28.4 | 481 | 38.6 | 35.1-42.1 | 299 | 20.3 | 17.8-22.8 |
| White/Non-Hisp | 926 | 218,195 | 12 | 2.0 | 0.4- 3.6 | 63 | 12.0 | 8.9-15.1 | 198 | 24.3 | 20.6-28.0 | 388 | 38.9 | 35.0-42.8 | 265 | 22.7 | 19.6-25.8 |
| Black or Afr. Am./Non-Hisp | 119 | 33,119 | | | | 15 | 19.4 | 9.4-29.4 | 31 | 28.6 | 18.2-39.0 | 53 | 39.7 | 28.7-50.7 | 20 | 12.3 | 5.6-19.0 |
| 45-54 | 135 | 46,120 | 3 | 2.4 | 0.0- 5.3 | 27 | 24.2 | 15.2-33.2 | 56 | 36.5 | 27.1-45.9 | 49 | 36.8 | 27.2-46.4 | | | |
| 55-64 | 290 | 80,901 | 4 | 1.1 | 0.0- 2.3 | 25 | 10.7 | 6.2-15.2 | 89 | 30.7 | 24.4-37.0 | 162 | 54.4 | 47.5-61.3 | 10 | 3.0 | 0.6- 5.4 |
| 65+ | 652 | 116,118 | 1 | 0.1 | 0.0- 0.3 | 11 | 1.3 | 0.5- 2.1 | 81 | 12.2 | 9.1-15.3 | 270 | 40.0 | 35.3-44.7 | 289 | 46.5 | 41.8-51.2 |
| Less Than H.S. | 114 | 42,827 | | | | 11 | 15.4 | 3.6-27.2 | 32 | 26.7 | 16.5-36.9 | 45 | 39.3 | 27.7-50.9 | 26 | 18.6 | 10.6-26.6 |
| H.S. or G.E.D. | 470 | 112,214 | 3 | 0.4 | 0.0- 0.8 | 37 | 13.1 | 8.6-17.6 | 93 | 22.9 | 18.0-27.8 | 201 | 41.5 | 36.0-47.0 | 136 | 22.1 | 18.2-26.0 |
| Some Post-H.S. | 311 | 87,023 | 4 | 3.0 | 0.0- 6.3 | 33 | 17.3 | 11.2-23.4 | 78 | 27.9 | 21.6-34.2 | 118 | 32.8 | 26.5-39.1 | 78 | 19.0 | 14.3-23.7 |
| College Graduate | 242 | 35,793 | 6 | 4.8 | 0.7- 8.9 | 12 | 9.2 | 3.5-14.9 | 49 | 23.0 | 16.3-29.7 | 117 | 43.2 | 35.6-50.8 | 58 | 19.9 | 14.0-25.8 |
| Less than \$15,000 | 162 | 43,537 | 2 | 1.6 | 0.0- 4.5 | 20 | 17.4 | 9.4-25.4 | 39 | 27.0 | 17.4-36.6 | 66 | 37.6 | 27.8-47.4 | 35 | 16.3 | 10.0-22.6 |
| \$15,000- 24,999 | 290 | 66,590 | 1 | 0.6 | 0.0- 1.8 | 29 | 18.7 | 11.6-25.8 | 62 | 22.3 | 16.2-28.4 | 118 | 36.0 | 28.9-43.1 | 80 | 22.4 | 16.7-28.1 |
| \$25,000- 34,999 | 154 | 35,816 | 3 | 2.1 | 0.0- 4.6 | 11 | 13.6 | 5.0-22.2 | 33 | 26.3 | 17.3-35.3 | 59 | 33.0 | 24.2-41.8 | 48 | 25.0 | 17.2-32.8 |
| \$35,000- 49,999 | 147 | 34,940 | 1 | 1.0 | 0.0- 3.0 | 4 | 5.3 | 0.0-11.8 | 39 | 35.2 | 24.8-45.6 | 63 | 39.1 | 29.3-48.9 | 40 | 19.4 | 12.5-26.3 |
| \$50,000- 74,999 | 132 | 36,813 | 2 | 4.0 | 0.0-10.5 | 13 | 20.9 | 7.6-34.2 | 22 | 16.0 | 8.4-23.6 | 67 | 44.6 | 32.8-56.4 | 28 | 14.5 | 8.4-20.6 |
| \$75,000+ | 117 | 29,023 | 3 | 3.1 | 0.0- 7.4 | 10 | 11.1 | 3.5-18.7 | 32 | 28.1 | 18.5-37.7 | 51 | 40.0 | 29.4-50.6 | 21 | 17.6 | 9.6-25.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017**

SECTION 7: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|--|------|
| ARTHRTIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3) | |
| 1 MALES AND FEMALES | 88 |
| 2 MALES ONLY | 89 |
| 3 FEMALES ONLY | 90 |
| IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2) | |
| 4 MALES AND FEMALES | 91 |
| 5 MALES ONLY | 92 |
| 6 FEMALES ONLY | 93 |
| DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL) | |
| 7 MALES AND FEMALES | 94 |
| 8 MALES ONLY | 95 |
| 9 FEMALES ONLY | 96 |
| PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE, DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? (JOINPAI1) | |
| 10 MALES AND FEMALES | 97 |
| 11 MALES ONLY | 98 |
| 12 FEMALES ONLY | 99 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 1: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5147 | 1,437,606 | 2597 | 51.9 | 50.1-53.7 | 2550 | 48.1 | 46.3-49.9 |
| Male | 1778 | 584,206 | 870 | 50.7 | 47.8-53.6 | 908 | 49.3 | 46.4-52.2 |
| Female | 3369 | 853,400 | 1727 | 52.7 | 50.5-54.9 | 1642 | 47.3 | 45.1-49.5 |
| White/Non-Hisp | 4489 | 1,227,126 | 2216 | 51.2 | 49.2-53.2 | 2273 | 48.8 | 46.8-50.8 |
| Black or Afr. Am./Non-Hisp | 336 | 108,560 | 189 | 57.0 | 49.6-64.4 | 147 | 43.0 | 35.6-50.4 |
| Oth. Race/Non-Hisp. | 82 | 23,028 | 47 | 37.2 | 22.9-51.5 | 35 | 62.8 | 48.5-77.1 |
| MultiRacial/Non-Hisp. | 76 | 19,131 | 54 | 78.5 | 68.3-88.7 | 22 | 21.5 | 11.3-31.7 |
| Hispanic | 74 | 29,911 | 42 | 54.3 | 40.4-68.2 | 32 | 45.7 | 31.8-59.6 |
| 25-34 | 115 | 82,012 | 60 | 48.4 | 38.2-58.6 | 55 | 51.6 | 41.4-61.8 |
| 35-44 | 235 | 137,745 | 135 | 57.4 | 49.8-65.0 | 100 | 42.6 | 35.0-50.2 |
| 45-54 | 613 | 253,847 | 365 | 57.9 | 53.2-62.6 | 248 | 42.1 | 37.4-46.8 |
| 55-64 | 1333 | 392,118 | 763 | 56.8 | 53.7-59.9 | 570 | 43.2 | 40.1-46.3 |
| 65+ | 2812 | 535,551 | 1249 | 43.9 | 41.7-46.1 | 1563 | 56.1 | 53.9-58.3 |
| Less Than H.S. | 465 | 205,422 | 274 | 58.9 | 53.2-64.6 | 191 | 41.1 | 35.4-46.8 |
| H.S. or G.E.D. | 1927 | 539,693 | 1008 | 54.1 | 51.4-56.8 | 919 | 45.9 | 43.2-48.6 |
| Some Post-H.S. | 1364 | 450,924 | 696 | 51.1 | 47.8-54.4 | 668 | 48.9 | 45.6-52.2 |
| College Graduate | 1379 | 239,727 | 612 | 42.3 | 39.0-45.6 | 767 | 57.7 | 54.4-61.0 |
| Less than \$15,000 | 608 | 176,090 | 430 | 72.9 | 68.4-77.4 | 178 | 27.1 | 22.6-31.6 |
| \$15,000- 24,999 | 1068 | 290,672 | 625 | 61.2 | 57.3-65.1 | 443 | 38.8 | 34.9-42.7 |
| \$25,000- 34,999 | 591 | 168,192 | 285 | 50.2 | 44.7-55.7 | 306 | 49.8 | 44.3-55.3 |
| \$35,000- 49,999 | 724 | 211,677 | 352 | 50.2 | 45.5-54.9 | 372 | 49.8 | 45.1-54.5 |
| \$50,000- 74,999 | 646 | 179,764 | 262 | 40.5 | 35.6-45.4 | 384 | 59.5 | 54.6-64.4 |
| \$75,000+ | 864 | 247,301 | 316 | 36.1 | 32.2-40.0 | 548 | 63.9 | 60.0-67.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 2: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1778 | 584,206 | 870 | 50.7 | 47.8-53.6 | 908 | 49.3 | 46.4-52.2 |
| White/Non-Hisp | 1536 | 491,624 | 729 | 50.0 | 46.9-53.1 | 807 | 50.0 | 46.9-53.1 |
| Black or Afr. Am./Non-Hisp | 98 | 42,633 | 50 | 46.1 | 32.8-59.4 | 48 | 53.9 | 40.6-67.2 |
| 35-44 | 79 | 49,094 | 47 | 56.1 | 42.2-70.0 | 32 | 43.9 | 30.0-57.8 |
| 45-54 | 247 | 116,098 | 147 | 55.8 | 48.5-63.1 | 100 | 44.2 | 36.9-51.5 |
| 55-64 | 529 | 168,547 | 286 | 56.2 | 51.1-61.3 | 243 | 43.8 | 38.7-48.9 |
| 65+ | 858 | 197,004 | 358 | 42.9 | 39.0-46.8 | 500 | 57.1 | 53.2-61.0 |
| Less Than H.S. | 154 | 85,902 | 99 | 64.1 | 54.9-73.3 | 55 | 35.9 | 26.7-45.1 |
| H.S. or G.E.D. | 627 | 220,947 | 329 | 53.5 | 48.6-58.4 | 298 | 46.5 | 41.6-51.4 |
| Some Post-H.S. | 444 | 168,963 | 215 | 46.7 | 41.0-52.4 | 229 | 53.3 | 47.6-59.0 |
| College Graduate | 547 | 107,362 | 222 | 40.1 | 35.0-45.2 | 325 | 59.9 | 54.8-65.0 |
| Less than \$15,000 | 168 | 60,869 | 129 | 78.2 | 70.6-85.8 | 39 | 21.8 | 14.2-29.4 |
| \$15,000- 24,999 | 311 | 108,641 | 186 | 62.0 | 55.3-68.7 | 125 | 38.0 | 31.3-44.7 |
| \$25,000- 34,999 | 190 | 64,188 | 98 | 50.2 | 40.8-59.6 | 92 | 49.8 | 40.4-59.2 |
| \$35,000- 49,999 | 270 | 90,902 | 132 | 51.7 | 44.3-59.1 | 138 | 48.3 | 40.9-55.7 |
| \$50,000- 74,999 | 269 | 85,840 | 107 | 39.6 | 32.0-47.2 | 162 | 60.4 | 52.8-68.0 |
| \$75,000+ | 413 | 121,811 | 135 | 31.4 | 25.9-36.9 | 278 | 68.6 | 63.1-74.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 3: ARTHRITIS CAN CAUSE SYMPTOMS LIKE PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT. ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3369 | 853,400 | 1727 | 52.7 | 50.5-54.9 | 1642 | 47.3 | 45.1-49.5 |
| White/Non-Hisp | 2953 | 735,502 | 1487 | 51.9 | 49.5-54.3 | 1466 | 48.1 | 45.7-50.5 |
| Black or Afr. Am./Non-Hisp | 238 | 65,928 | 139 | 64.1 | 56.3-71.9 | 99 | 35.9 | 28.1-43.7 |
| Hispanic | 55 | 21,276 | 31 | 50.9 | 34.8-67.0 | 24 | 49.1 | 33.0-65.2 |
| 25-34 | 71 | 49,865 | 40 | 55.4 | 42.5-68.3 | 31 | 44.6 | 31.7-57.5 |
| 35-44 | 156 | 88,650 | 88 | 58.2 | 49.4-67.0 | 68 | 41.8 | 33.0-50.6 |
| 45-54 | 366 | 137,750 | 218 | 59.6 | 53.7-65.5 | 148 | 40.4 | 34.5-46.3 |
| 55-64 | 804 | 223,571 | 477 | 57.2 | 53.1-61.3 | 327 | 42.8 | 38.7-46.9 |
| 65+ | 1954 | 338,547 | 891 | 44.4 | 41.7-47.1 | 1063 | 55.6 | 52.9-58.3 |
| Less Than H.S. | 311 | 119,520 | 175 | 55.1 | 48.0-62.2 | 136 | 44.9 | 37.8-52.0 |
| H.S. or G.E.D. | 1300 | 318,747 | 679 | 54.6 | 51.3-57.9 | 621 | 45.4 | 42.1-48.7 |
| Some Post-H.S. | 920 | 281,961 | 481 | 53.7 | 49.6-57.8 | 439 | 46.3 | 42.2-50.4 |
| College Graduate | 832 | 132,365 | 390 | 44.0 | 39.7-48.3 | 442 | 56.0 | 51.7-60.3 |
| Less than \$15,000 | 440 | 115,220 | 301 | 70.1 | 64.4-75.8 | 139 | 29.9 | 24.2-35.6 |
| \$15,000- 24,999 | 757 | 182,031 | 439 | 60.7 | 56.0-65.4 | 318 | 39.3 | 34.6-44.0 |
| \$25,000- 34,999 | 401 | 104,004 | 187 | 50.1 | 43.4-56.8 | 214 | 49.9 | 43.2-56.6 |
| \$35,000- 49,999 | 454 | 120,775 | 220 | 49.1 | 43.0-55.2 | 234 | 50.9 | 44.8-57.0 |
| \$50,000- 74,999 | 377 | 93,924 | 155 | 41.2 | 34.9-47.5 | 222 | 58.8 | 52.5-65.1 |
| \$75,000+ | 451 | 125,490 | 181 | 40.7 | 35.0-46.4 | 270 | 59.3 | 53.6-65.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 4: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5057 | 1,417,743 | 1738 | 40.2 | 38.4-42.0 | 3319 | 59.8 | 58.0-61.6 |
| Male | 1741 | 573,945 | 607 | 40.7 | 37.8-43.6 | 1134 | 59.3 | 56.4-62.2 |
| Female | 3316 | 843,797 | 1131 | 39.9 | 37.7-42.1 | 2185 | 60.1 | 57.9-62.3 |
| White/Non-Hisp | 4406 | 1,209,118 | 1444 | 38.3 | 36.3-40.3 | 2962 | 61.7 | 59.7-63.7 |
| Black or Afr. Am./Non-Hisp | 335 | 107,455 | 151 | 54.0 | 46.6-61.4 | 184 | 46.0 | 38.6-53.4 |
| Oth. Race/Non-Hisp. | 80 | 22,768 | 42 | 40.8 | 25.5-56.1 | 38 | 59.2 | 43.9-74.5 |
| MultiRacial/Non-Hisp. | 74 | 18,676 | 38 | 56.6 | 42.1-71.1 | 36 | 43.4 | 28.9-57.9 |
| Hispanic | 74 | 30,016 | 33 | 57.6 | 44.3-70.9 | 41 | 42.4 | 29.1-55.7 |
| 25-34 | 115 | 82,012 | 54 | 49.5 | 39.3-59.7 | 61 | 50.5 | 40.3-60.7 |
| 35-44 | 232 | 136,050 | 124 | 53.8 | 46.2-61.4 | 108 | 46.2 | 38.6-53.8 |
| 45-54 | 610 | 252,933 | 294 | 48.6 | 43.9-53.3 | 316 | 51.4 | 46.7-56.1 |
| 55-64 | 1316 | 387,521 | 597 | 47.7 | 44.4-51.0 | 719 | 52.3 | 49.0-55.6 |
| 65+ | 2745 | 522,892 | 649 | 24.9 | 22.9-26.9 | 2096 | 75.1 | 73.1-77.1 |
| Less Than H.S. | 455 | 201,285 | 219 | 51.3 | 45.6-57.0 | 236 | 48.7 | 43.0-54.4 |
| H.S. or G.E.D. | 1887 | 531,655 | 715 | 42.9 | 40.0-45.8 | 1172 | 57.1 | 54.2-60.0 |
| Some Post-H.S. | 1339 | 444,916 | 476 | 40.7 | 37.4-44.0 | 863 | 59.3 | 56.0-62.6 |
| College Graduate | 1365 | 238,118 | 324 | 23.9 | 21.0-26.8 | 1041 | 76.1 | 73.2-79.0 |
| Less than \$15,000 | 586 | 170,566 | 342 | 65.2 | 60.3-70.1 | 244 | 34.8 | 29.9-39.7 |
| \$15,000- 24,999 | 1043 | 285,059 | 469 | 53.4 | 49.5-57.3 | 574 | 46.6 | 42.7-50.5 |
| \$25,000- 34,999 | 579 | 165,899 | 189 | 34.6 | 29.5-39.7 | 390 | 65.4 | 60.3-70.5 |
| \$35,000- 49,999 | 714 | 209,560 | 210 | 37.7 | 32.8-42.6 | 504 | 62.3 | 57.4-67.2 |
| \$50,000- 74,999 | 641 | 179,170 | 159 | 26.6 | 22.1-31.1 | 482 | 73.4 | 68.9-77.9 |
| \$75,000+ | 865 | 248,070 | 186 | 25.7 | 21.8-29.6 | 679 | 74.3 | 70.4-78.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 5: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis
Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1741 | 573,945 | 607 | 40.7 | 37.8-43.6 | 1134 | 59.3 | 56.4-62.2 |
| White/Non-Hisp | 1505 | 483,097 | 492 | 38.8 | 35.7-41.9 | 1013 | 61.2 | 58.1-64.3 |
| Black or Afr. Am./Non-Hisp | 94 | 41,202 | 48 | 56.6 | 42.7-70.5 | 46 | 43.4 | 29.5-57.3 |
| 35-44 | 80 | 49,616 | 42 | 48.4 | 34.9-61.9 | 38 | 51.6 | 38.1-65.1 |
| 45-54 | 246 | 115,356 | 120 | 48.6 | 41.3-55.9 | 126 | 51.4 | 44.1-58.7 |
| 55-64 | 522 | 165,742 | 231 | 48.2 | 43.1-53.3 | 291 | 51.8 | 46.7-56.9 |
| 65+ | 828 | 189,767 | 183 | 24.3 | 20.8-27.8 | 645 | 75.7 | 72.2-79.2 |
| Less Than H.S. | 148 | 83,028 | 80 | 53.9 | 44.3-63.5 | 68 | 46.1 | 36.5-55.7 |
| H.S. or G.E.D. | 618 | 218,670 | 263 | 47.6 | 42.7-52.5 | 355 | 52.4 | 47.5-57.3 |
| Some Post-H.S. | 433 | 165,272 | 147 | 36.0 | 30.3-41.7 | 286 | 64.0 | 58.3-69.7 |
| College Graduate | 537 | 106,015 | 115 | 23.3 | 18.6-28.0 | 422 | 76.7 | 72.0-81.4 |
| Less than \$15,000 | 166 | 60,198 | 108 | 67.6 | 58.4-76.8 | 58 | 32.4 | 23.2-41.6 |
| \$15,000- 24,999 | 298 | 104,741 | 144 | 55.0 | 48.1-61.9 | 154 | 45.0 | 38.1-51.9 |
| \$25,000- 34,999 | 185 | 62,898 | 64 | 32.2 | 23.8-40.6 | 121 | 67.8 | 59.4-76.2 |
| \$35,000- 49,999 | 262 | 88,946 | 98 | 45.4 | 37.8-53.0 | 164 | 54.6 | 47.0-62.2 |
| \$50,000- 74,999 | 267 | 85,515 | 69 | 30.7 | 23.4-38.0 | 198 | 69.3 | 62.0-76.6 |
| \$75,000+ | 412 | 122,416 | 78 | 22.7 | 17.4-28.0 | 334 | 77.3 | 72.0-82.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 6: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3316 | 843,797 | 1131 | 39.9 | 37.7-42.1 | 2185 | 60.1 | 57.9-62.3 |
| White/Non-Hisp | 2901 | 726,021 | 952 | 38.0 | 35.6-40.4 | 1949 | 62.0 | 59.6-64.4 |
| Black or Afr. Am./Non-Hisp | 241 | 66,253 | 103 | 52.5 | 44.3-60.7 | 138 | 47.5 | 39.3-55.7 |
| Hispanic | 55 | 21,381 | 27 | 62.2 | 47.5-76.9 | 28 | 37.8 | 23.1-52.5 |
| 25-34 | 71 | 49,865 | 34 | 49.8 | 36.9-62.7 | 37 | 50.2 | 37.3-63.1 |
| 35-44 | 152 | 86,434 | 82 | 57.0 | 48.0-66.0 | 70 | 43.0 | 34.0-52.0 |
| 45-54 | 364 | 137,577 | 174 | 48.6 | 42.7-54.5 | 190 | 51.4 | 45.5-57.3 |
| 55-64 | 794 | 221,779 | 366 | 47.3 | 43.0-51.6 | 428 | 52.7 | 48.4-57.0 |
| 65+ | 1917 | 333,125 | 466 | 25.2 | 22.8-27.6 | 1451 | 74.8 | 72.4-77.2 |
| Less Than H.S. | 307 | 118,257 | 139 | 49.4 | 42.3-56.5 | 168 | 50.6 | 43.5-57.7 |
| H.S. or G.E.D. | 1269 | 312,986 | 452 | 39.7 | 36.2-43.2 | 817 | 60.3 | 56.8-63.8 |
| Some Post-H.S. | 906 | 279,644 | 329 | 43.5 | 39.4-47.6 | 577 | 56.5 | 52.4-60.6 |
| College Graduate | 828 | 132,103 | 209 | 24.3 | 20.6-28.0 | 619 | 75.7 | 72.0-79.4 |
| Less than \$15,000 | 420 | 110,368 | 234 | 63.9 | 58.0-69.8 | 186 | 36.1 | 30.2-42.0 |
| \$15,000- 24,999 | 745 | 180,318 | 325 | 52.4 | 47.5-57.3 | 420 | 47.6 | 42.7-52.5 |
| \$25,000- 34,999 | 394 | 103,001 | 125 | 36.0 | 29.5-42.5 | 269 | 64.0 | 57.5-70.5 |
| \$35,000- 49,999 | 452 | 120,615 | 112 | 32.1 | 26.0-38.2 | 340 | 67.9 | 61.8-74.0 |
| \$50,000- 74,999 | 374 | 93,655 | 90 | 22.8 | 17.7-27.9 | 284 | 77.2 | 72.1-82.3 |
| \$75,000+ | 453 | 125,654 | 108 | 28.7 | 23.2-34.2 | 345 | 71.3 | 65.8-76.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 7. DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | A Lot | | | A Little | | | Not at all | | |
|----------------------------|-------------------|-----------|-------|------|------------|----------|------|------------|------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5152 | 1,436,513 | 1070 | 22.6 | 21.0-24.2 | 1417 | 28.2 | 26.6-29.8 | 2665 | 49.3 | 47.5-51.1 |
| Male | 1780 | 584,210 | 335 | 20.2 | 17.7-22.7 | 439 | 25.9 | 23.2-28.6 | 1006 | 53.9 | 51.0-56.8 |
| Female | 3372 | 852,303 | 735 | 24.1 | 22.1-26.1 | 978 | 29.8 | 27.6-32.0 | 1659 | 46.1 | 43.9-48.3 |
| White/Non-Hisp | 4498 | 1,228,548 | 861 | 21.3 | 19.7-22.9 | 1238 | 28.1 | 26.3-29.9 | 2399 | 50.6 | 48.6-52.6 |
| Black or Afr. Am./Non-Hisp | 335 | 106,681 | 99 | 29.1 | 22.4-35.8 | 99 | 30.9 | 23.6-38.2 | 137 | 40.0 | 32.9-47.1 |
| Oth. Race/Non-Hisp. | 81 | 22,640 | 33 | 23.2 | 11.6-34.8 | 16 | 28.9 | 13.2-44.6 | 32 | 47.9 | 32.0-63.8 |
| MultiRacial/Non-Hisp. | 74 | 18,740 | 26 | 38.4 | 23.9-52.9 | 22 | 30.7 | 15.8-45.6 | 26 | 30.9 | 18.2-43.6 |
| Hispanic | 75 | 30,141 | 19 | 28.5 | 15.6-41.4 | 26 | 34.4 | 21.9-46.9 | 30 | 37.1 | 23.6-50.6 |
| 25-34 | 115 | 82,012 | 19 | 12.8 | 6.7-18.9 | 44 | 39.5 | 29.5-49.5 | 52 | 47.7 | 37.5-57.9 |
| 35-44 | 234 | 136,399 | 69 | 31.3 | 24.2-38.4 | 69 | 30.5 | 23.2-37.8 | 96 | 38.2 | 30.9-45.5 |
| 45-54 | 613 | 254,154 | 195 | 32.9 | 28.4-37.4 | 164 | 24.6 | 20.7-28.5 | 254 | 42.5 | 37.8-47.2 |
| 55-64 | 1333 | 391,495 | 354 | 26.4 | 23.5-29.3 | 360 | 27.3 | 24.4-30.2 | 619 | 46.4 | 43.3-49.5 |
| 65+ | 2818 | 536,119 | 427 | 14.6 | 13.0-16.2 | 754 | 25.9 | 23.9-27.9 | 1637 | 59.5 | 57.3-61.7 |
| Less Than H.S. | 468 | 205,962 | 169 | 36.8 | 31.3-42.3 | 126 | 25.6 | 20.7-30.5 | 173 | 37.6 | 32.1-43.1 |
| H.S. or G.E.D. | 1921 | 537,935 | 448 | 23.2 | 20.8-25.6 | 556 | 28.8 | 26.3-31.3 | 917 | 48.0 | 45.1-50.9 |
| Some Post-H.S. | 1363 | 449,885 | 289 | 21.7 | 19.0-24.4 | 394 | 30.2 | 27.1-33.3 | 680 | 48.1 | 44.8-51.4 |
| College Graduate | 1388 | 240,892 | 159 | 10.6 | 8.6-12.6 | 338 | 25.1 | 22.2-28.0 | 891 | 64.3 | 61.2-67.4 |
| Less than \$15,000 | 605 | 175,209 | 291 | 51.1 | 45.8-56.4 | 159 | 24.9 | 20.4-29.4 | 155 | 24.0 | 19.5-28.5 |
| \$15,000- 24,999 | 1060 | 288,904 | 286 | 29.4 | 25.7-33.1 | 344 | 34.1 | 30.2-38.0 | 430 | 36.4 | 32.7-40.1 |
| \$25,000- 34,999 | 586 | 167,058 | 111 | 20.1 | 15.8-24.4 | 177 | 29.5 | 24.6-34.4 | 298 | 50.5 | 45.0-56.0 |
| \$35,000- 49,999 | 731 | 213,254 | 102 | 15.6 | 11.9-19.3 | 216 | 31.7 | 27.2-36.2 | 413 | 52.7 | 48.0-57.4 |
| \$50,000- 74,999 | 649 | 180,936 | 64 | 11.3 | 8.2-14.4 | 179 | 27.3 | 22.6-32.0 | 406 | 61.4 | 56.3-66.5 |
| \$75,000+ | 869 | 248,354 | 83 | 10.3 | 7.8-12.8 | 182 | 22.8 | 19.1-26.5 | 604 | 67.0 | 62.9-71.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 8: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | A Lot | | | A Little | | | Not at all | | |
|----------------------------|-------------------|----------|-------|------|------------|----------|------|------------|------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1780 | 584,210 | 335 | 20.2 | 17.7-22.7 | 439 | 25.9 | 23.2-28.6 | 1006 | 53.9 | 51.0-56.8 |
| White/Non-Hisp | 1544 | 492,995 | 262 | 18.9 | 16.4-21.4 | 378 | 25.9 | 23.2-28.6 | 904 | 55.2 | 52.1-58.3 |
| Black or Afr. Am./Non-Hisp | 96 | 42,073 | 28 | 25.0 | 14.2-35.8 | 27 | 29.8 | 15.9-43.7 | 41 | 45.2 | 31.7-58.7 |
| 35-44 | 79 | 49,076 | 22 | 23.5 | 12.5-34.5 | 19 | 30.9 | 17.2-44.6 | 38 | 45.6 | 32.1-59.1 |
| 45-54 | 247 | 116,268 | 79 | 32.1 | 25.2-39.0 | 62 | 22.1 | 16.2-28.0 | 106 | 45.8 | 38.5-53.1 |
| 55-64 | 529 | 168,290 | 123 | 23.9 | 19.4-28.4 | 136 | 26.7 | 22.2-31.2 | 270 | 49.4 | 44.3-54.5 |
| 65+ | 860 | 197,112 | 104 | 11.9 | 9.4-14.4 | 195 | 22.6 | 19.3-25.9 | 561 | 65.5 | 61.8-69.2 |
| Less Than H.S. | 154 | 85,902 | 59 | 39.2 | 30.0-48.4 | 34 | 21.6 | 14.0-29.2 | 61 | 39.2 | 30.0-48.4 |
| H.S. or G.E.D. | 624 | 219,992 | 138 | 21.4 | 17.5-25.3 | 159 | 25.1 | 21.0-29.2 | 327 | 53.4 | 48.5-58.3 |
| Some Post-H.S. | 445 | 169,202 | 78 | 15.5 | 11.6-19.4 | 130 | 31.1 | 25.4-36.8 | 237 | 53.4 | 47.5-59.3 |
| College Graduate | 551 | 108,082 | 57 | 10.1 | 7.0-13.2 | 115 | 22.7 | 18.2-27.2 | 379 | 67.2 | 62.3-72.1 |
| Less than \$15,000 | 166 | 60,183 | 87 | 54.9 | 45.1-64.7 | 43 | 22.5 | 14.7-30.3 | 36 | 22.7 | 14.7-30.7 |
| \$15,000- 24,999 | 308 | 107,684 | 95 | 32.0 | 25.5-38.5 | 85 | 29.6 | 23.3-35.9 | 128 | 38.3 | 31.6-45.0 |
| \$25,000- 34,999 | 187 | 63,413 | 32 | 15.3 | 9.0-21.6 | 57 | 29.7 | 21.3-38.1 | 98 | 55.0 | 45.6-64.4 |
| \$35,000- 49,999 | 274 | 92,092 | 36 | 16.2 | 9.9-22.5 | 74 | 29.0 | 22.1-35.9 | 164 | 54.7 | 47.3-62.1 |
| \$50,000- 74,999 | 271 | 86,341 | 24 | 9.8 | 5.5-14.1 | 74 | 28.8 | 20.8-36.8 | 173 | 61.4 | 53.4-69.4 |
| \$75,000+ | 417 | 122,881 | 31 | 7.0 | 4.3- 9.7 | 73 | 18.4 | 13.5-23.3 | 313 | 74.6 | 69.3-79.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 9: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | A Lot | | | A Little | | | Not at all | | |
|----------------------------|-------------------|----------|-------|------|------------|----------|------|------------|------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3372 | 852,303 | 735 | 24.1 | 22.1-26.1 | 978 | 29.8 | 27.6-32.0 | 1659 | 46.1 | 43.9-48.3 |
| White/Non-Hisp | 2954 | 735,552 | 599 | 22.9 | 20.7-25.1 | 860 | 29.5 | 27.3-31.7 | 1495 | 47.6 | 45.2-50.0 |
| Black or Afr. Am./Non-Hisp | 239 | 64,608 | 71 | 31.8 | 23.6-40.0 | 72 | 31.6 | 23.6-39.6 | 96 | 36.6 | 29.0-44.2 |
| Hispanic | 56 | 21,506 | 14 | 23.8 | 11.6-36.0 | 21 | 41.0 | 25.7-56.3 | 21 | 35.2 | 19.1-51.3 |
| 25-34 | 71 | 49,865 | 16 | 18.5 | 9.1-27.9 | 28 | 42.8 | 29.9-55.7 | 27 | 38.7 | 26.0-51.4 |
| 35-44 | 155 | 87,323 | 47 | 35.7 | 26.7-44.7 | 50 | 30.2 | 22.0-38.4 | 58 | 34.1 | 25.9-42.3 |
| 45-54 | 366 | 137,887 | 116 | 33.6 | 27.9-39.3 | 102 | 26.6 | 21.5-31.7 | 148 | 39.7 | 33.8-45.6 |
| 55-64 | 804 | 223,204 | 231 | 28.3 | 24.6-32.0 | 224 | 27.6 | 23.9-31.3 | 349 | 44.1 | 40.0-48.2 |
| 65+ | 1958 | 339,007 | 323 | 16.1 | 14.1-18.1 | 559 | 27.8 | 25.4-30.2 | 1076 | 56.0 | 53.3-58.7 |
| Less Than H.S. | 314 | 120,059 | 110 | 35.1 | 28.4-41.8 | 92 | 28.4 | 21.9-34.9 | 112 | 36.4 | 29.5-43.3 |
| H.S. or G.E.D. | 1297 | 317,943 | 310 | 24.4 | 21.5-27.3 | 397 | 31.3 | 28.0-34.6 | 590 | 44.2 | 40.9-47.5 |
| Some Post-H.S. | 918 | 280,684 | 211 | 25.4 | 21.7-29.1 | 264 | 29.7 | 25.8-33.6 | 443 | 44.9 | 40.8-49.0 |
| College Graduate | 837 | 132,809 | 102 | 11.0 | 8.5-13.5 | 223 | 27.1 | 23.2-31.0 | 512 | 61.9 | 57.6-66.2 |
| Less than \$15,000 | 439 | 115,026 | 204 | 49.1 | 42.8-55.4 | 116 | 26.1 | 20.6-31.6 | 119 | 24.7 | 19.4-30.0 |
| \$15,000- 24,999 | 752 | 181,220 | 191 | 27.9 | 23.4-32.4 | 259 | 36.8 | 31.9-41.7 | 302 | 35.3 | 30.8-39.8 |
| \$25,000- 34,999 | 399 | 103,646 | 79 | 23.0 | 17.1-28.9 | 120 | 29.4 | 23.3-35.5 | 200 | 47.7 | 41.0-54.4 |
| \$35,000- 49,999 | 457 | 121,162 | 66 | 15.0 | 10.7-19.3 | 142 | 33.8 | 27.9-39.7 | 249 | 51.2 | 45.1-57.3 |
| \$50,000- 74,999 | 378 | 94,595 | 40 | 12.7 | 8.4-17.0 | 105 | 25.9 | 20.4-31.4 | 233 | 61.4 | 55.1-67.7 |
| \$75,000+ | 452 | 125,474 | 52 | 13.5 | 9.4-17.6 | 109 | 27.0 | 21.5-32.5 | 291 | 59.5 | 53.6-65.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 10: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE, DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? (JOINPA1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No Pain | | | 1-3 Pain Scale | | | 4-6 Pain Scale | | | 7-8 Pain Scale | | | 9-10 Pain Scale | | |
|----------------------------|-------------------|-----------|---------|------|------------|----------------|------|------------|----------------|------|------------|----------------|------|------------|-----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5098 | 1,423,965 | 378 | 7.3 | 6.3- 8.3 | 1530 | 27.9 | 26.3-29.5 | 1792 | 35.2 | 33.4-37.0 | 978 | 20.3 | 18.9-21.7 | 420 | 9.3 | 8.1-10.5 |
| Male | 1763 | 578,853 | 148 | 8.7 | 6.7-10.7 | 619 | 31.9 | 29.2-34.6 | 588 | 34.6 | 31.7-37.5 | 294 | 17.2 | 14.8-19.6 | 114 | 7.7 | 5.9- 9.5 |
| Female | 3335 | 845,112 | 230 | 6.3 | 5.1- 7.5 | 911 | 25.1 | 23.1-27.1 | 1204 | 35.7 | 33.5-37.9 | 684 | 22.5 | 20.5-24.5 | 306 | 10.4 | 8.8-12.0 |
| White/Non-Hisp | 4442 | 1,213,860 | 321 | 6.9 | 5.9- 7.9 | 1416 | 29.7 | 27.9-31.5 | 1608 | 36.4 | 34.6-38.2 | 796 | 19.2 | 17.6-20.8 | 301 | 7.8 | 6.6- 9.0 |
| Black or Afr. Am./Non-Hisp | 337 | 108,700 | 34 | 10.5 | 4.6-16.4 | 50 | 14.0 | 9.5-18.5 | 95 | 27.8 | 21.3-34.3 | 96 | 28.7 | 22.2-35.2 | 62 | 19.1 | 13.4-24.8 |
| Oth. Race/Non-Hisp. | 82 | 23,028 | 8 | 12.7 | 2.5-22.9 | 11 | 25.7 | 10.2-41.2 | 22 | 23.3 | 10.8-35.8 | 27 | 25.4 | 12.5-38.3 | 14 | 12.8 | 2.4-23.2 |
| MultiRacial/Non-Hisp. | 75 | 18,647 | 1 | 1.3 | 0.0- 3.8 | 21 | 17.0 | 8.6-25.4 | 24 | 36.4 | 21.5-51.3 | 14 | 25.9 | 12.0-39.8 | 15 | 19.4 | 7.6-31.2 |
| Hispanic | 75 | 30,141 | 5 | 5.3 | 0.0-10.8 | 16 | 19.5 | 8.3-30.7 | 22 | 36.4 | 22.9-49.9 | 22 | 21.0 | 11.4-30.6 | 10 | 17.8 | 5.6-30.0 |
| 25-34 | 114 | 80,901 | 10 | 8.8 | 3.1-14.5 | 30 | 32.2 | 22.2-42.2 | 44 | 35.4 | 25.6-45.2 | 21 | 16.0 | 9.1-22.9 | 9 | 7.6 | 2.3-12.9 |
| 35-44 | 234 | 137,439 | 18 | 11.5 | 5.4-17.6 | 49 | 18.4 | 12.9-23.9 | 88 | 35.1 | 28.0-42.2 | 52 | 22.0 | 15.7-28.3 | 27 | 13.0 | 7.7-18.3 |
| 45-54 | 616 | 254,582 | 42 | 7.1 | 4.6- 9.6 | 149 | 22.1 | 18.4-25.8 | 202 | 34.4 | 29.9-38.9 | 147 | 23.8 | 19.9-27.7 | 76 | 12.6 | 9.5-15.7 |
| 55-64 | 1324 | 389,124 | 79 | 5.3 | 3.9- 6.7 | 361 | 26.2 | 23.5-28.9 | 465 | 35.3 | 32.2-38.4 | 290 | 23.0 | 20.3-25.7 | 129 | 10.2 | 8.2-12.2 |
| 65+ | 2771 | 525,587 | 228 | 7.9 | 6.7- 9.1 | 931 | 33.5 | 31.3-35.7 | 975 | 35.1 | 32.9-37.3 | 461 | 17.2 | 15.4-19.0 | 176 | 6.2 | 5.0- 7.4 |
| Less Than H.S. | 457 | 201,941 | 31 | 7.4 | 4.1-10.7 | 60 | 14.9 | 10.6-19.2 | 140 | 29.1 | 24.0-34.2 | 129 | 28.6 | 23.5-33.7 | 97 | 19.9 | 15.4-24.4 |
| H.S. or G.E.D. | 1899 | 532,063 | 131 | 6.5 | 5.1- 7.9 | 482 | 25.1 | 22.6-27.6 | 680 | 37.2 | 34.5-39.9 | 425 | 21.6 | 19.2-24.0 | 181 | 9.6 | 7.8-11.4 |
| Some Post-H.S. | 1353 | 448,829 | 72 | 5.9 | 3.9- 7.9 | 395 | 29.1 | 26.2-32.0 | 519 | 37.8 | 34.5-41.1 | 267 | 19.6 | 16.9-22.3 | 100 | 7.5 | 5.7- 9.3 |
| College Graduate | 1377 | 239,294 | 143 | 11.3 | 8.9-13.7 | 589 | 42.6 | 39.3-45.9 | 450 | 31.1 | 28.2-34.0 | 154 | 11.8 | 9.6-14.0 | 41 | 3.2 | 1.8- 4.6 |
| Less than \$15,000 | 603 | 175,093 | 26 | 3.1 | 1.3- 4.9 | 71 | 9.4 | 6.9-11.9 | 175 | 27.3 | 22.6-32.0 | 202 | 37.3 | 32.0-42.6 | 129 | 22.9 | 18.4-27.4 |
| \$15,000- 24,999 | 1052 | 287,008 | 66 | 5.2 | 3.6- 6.8 | 186 | 15.0 | 12.3-17.7 | 397 | 38.5 | 34.6-42.4 | 287 | 28.0 | 24.5-31.5 | 116 | 13.3 | 10.4-16.2 |
| \$25,000- 34,999 | 579 | 164,649 | 46 | 9.6 | 5.7-13.5 | 160 | 27.1 | 22.0-32.2 | 227 | 39.0 | 33.7-44.3 | 100 | 16.4 | 12.7-20.1 | 46 | 7.8 | 4.7-10.9 |
| \$35,000- 49,999 | 719 | 209,816 | 54 | 6.9 | 4.7- 9.1 | 239 | 29.8 | 25.7-33.9 | 275 | 40.4 | 35.7-45.1 | 115 | 17.7 | 14.0-21.4 | 36 | 5.2 | 2.8- 7.6 |
| \$50,000- 74,999 | 644 | 180,107 | 54 | 9.6 | 5.7-13.5 | 265 | 41.2 | 36.1-46.3 | 220 | 31.0 | 26.5-35.5 | 82 | 14.1 | 10.8-17.4 | 23 | 4.2 | 2.2- 6.2 |
| \$75,000+ | 864 | 246,729 | 89 | 11.3 | 8.4-14.2 | 401 | 43.9 | 39.8-48.0 | 270 | 32.7 | 28.8-36.6 | 85 | 9.6 | 7.2-12.0 | 19 | 2.4 | 1.0- 3.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 11: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE, DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? (JOINPA1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No Pain | | | 1-3 Pain Scale | | | 4-6 Pain Scale | | | 7-8 Pain Scale | | | 9-10 Pain Scale | | |
|----------------------------|-------------------|----------|---------|------|------------|----------------|------|------------|----------------|------|------------|----------------|------|------------|-----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1763 | 578,853 | 148 | 8.7 | 6.7-10.7 | 619 | 31.9 | 29.2-34.6 | 588 | 34.6 | 31.7-37.5 | 294 | 17.2 | 15.0-19.4 | 114 | 7.7 | 5.9- 9.5 |
| White/Non-Hisp | 1525 | 487,114 | 128 | 8.1 | 6.3- 9.9 | 570 | 34.3 | 31.4-37.2 | 517 | 35.2 | 32.1-38.3 | 239 | 16.9 | 14.5-19.3 | 71 | 5.5 | 3.9- 7.1 |
| Black or Afr. Am./Non-Hisp | 96 | 42,386 | 10 | 13.7 | 0.4-27.0 | 17 | 16.1 | 7.7-24.5 | 26 | 30.6 | 18.6-42.6 | 25 | 21.7 | 11.5-31.9 | 18 | 17.9 | 7.9-27.9 |
| 35-44 | 80 | 49,616 | 7 | 17.0 | 3.5-30.5 | 23 | 24.0 | 13.4-34.6 | 33 | 38.4 | 25.7-51.1 | 14 | 17.1 | 6.7-27.5 | 3 | 3.4 | 0.0- 7.3 |
| 45-54 | 249 | 116,505 | 20 | 9.2 | 4.7-13.7 | 63 | 22.8 | 16.9-28.7 | 85 | 36.4 | 29.3-43.5 | 51 | 19.3 | 13.6-25.0 | 30 | 12.4 | 7.7-17.1 |
| 55-64 | 525 | 166,835 | 40 | 6.6 | 4.2- 9.0 | 155 | 26.1 | 21.8-30.4 | 192 | 37.8 | 32.9-42.7 | 97 | 21.0 | 16.7-25.3 | 41 | 8.6 | 5.5-11.7 |
| 65+ | 844 | 192,433 | 76 | 8.7 | 6.3-11.1 | 353 | 40.7 | 36.8-44.6 | 255 | 30.8 | 27.1-34.5 | 124 | 14.8 | 11.9-17.7 | 36 | 4.9 | 3.1- 6.7 |
| Less Than H.S. | 151 | 83,932 | 14 | 11.8 | 4.7-18.9 | 20 | 14.7 | 7.6-21.8 | 43 | 27.6 | 19.6-35.6 | 49 | 32.1 | 23.1-41.1 | 25 | 13.8 | 7.7-19.9 |
| H.S. or G.E.D. | 617 | 217,931 | 46 | 7.4 | 4.9- 9.9 | 175 | 27.8 | 23.5-32.1 | 217 | 37.2 | 32.5-41.9 | 128 | 17.8 | 14.5-21.1 | 51 | 9.8 | 6.5-13.1 |
| Some Post-H.S. | 443 | 168,514 | 21 | 5.8 | 1.9- 9.7 | 165 | 36.9 | 31.4-42.4 | 162 | 38.0 | 32.3-43.7 | 68 | 14.5 | 10.8-18.2 | 27 | 4.7 | 2.5- 6.9 |
| College Graduate | 546 | 107,444 | 66 | 13.3 | 9.6-17.0 | 256 | 45.5 | 40.4-50.6 | 166 | 29.8 | 25.1-34.5 | 47 | 8.2 | 5.3-11.1 | 11 | 3.1 | 0.7- 5.5 |
| Less than \$15,000 | 165 | 60,279 | 4 | 1.9 | 0.0- 4.1 | 21 | 9.9 | 4.8-15.0 | 51 | 30.0 | 21.2-38.8 | 60 | 39.7 | 29.7-49.7 | 29 | 18.5 | 11.1-25.9 |
| \$15,000- 24,999 | 306 | 106,839 | 20 | 4.5 | 2.1- 6.9 | 52 | 16.4 | 11.1-21.7 | 115 | 39.6 | 32.7-46.5 | 87 | 27.3 | 21.2-33.4 | 32 | 12.3 | 7.6-17.0 |
| \$25,000- 34,999 | 185 | 62,099 | 17 | 16.4 | 7.6-25.2 | 57 | 28.7 | 19.9-37.5 | 71 | 38.4 | 29.2-47.6 | 27 | 11.4 | 6.5-16.3 | 13 | 5.0 | 1.7- 8.3 |
| \$35,000- 49,999 | 269 | 90,843 | 20 | 6.8 | 3.3-10.3 | 103 | 34.1 | 27.2-41.0 | 101 | 41.2 | 33.8-48.6 | 35 | 11.8 | 7.1-16.5 | 10 | 6.1 | 1.4-10.8 |
| \$50,000- 74,999 | 268 | 85,870 | 25 | 11.2 | 4.1-18.3 | 115 | 42.5 | 34.7-50.3 | 88 | 29.1 | 22.2-36.0 | 30 | 12.6 | 7.7-17.5 | 10 | 4.6 | 1.5- 7.7 |
| \$75,000+ | 415 | 122,234 | 52 | 13.5 | 9.2-17.8 | 210 | 48.0 | 41.9-54.1 | 114 | 30.4 | 24.7-36.1 | 32 | 6.5 | 4.0- 9.0 | 7 | 1.6 | 0.2- 3.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 7: ARTHRITIS BURDEN**

TABLE 12: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE, DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? (JOINPAI1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No Pain | | | 1-3 Pain Scale | | | 4-6 Pain Scale | | | 7-8 Pain Scale | | | 9-10 Pain Scale | | |
|----------------------------|-------------------|----------|---------|-----|------------|----------------|------|------------|----------------|------|------------|----------------|------|------------|-----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3335 | 845,112 | 230 | 6.3 | 5.1- 7.5 | 911 | 25.1 | 23.1-27.1 | 1204 | 35.7 | 33.5-37.9 | 684 | 22.5 | 20.5-24.5 | 306 | 10.4 | 8.8-12.0 |
| White/Non-Hisp | 2917 | 726,746 | 193 | 6.1 | 4.9- 7.3 | 846 | 26.6 | 24.6-28.6 | 1091 | 37.2 | 34.8-39.6 | 557 | 20.8 | 18.8-22.8 | 230 | 9.3 | 7.7-10.9 |
| Black or Afr. Am./Non-Hisp | 241 | 66,314 | 24 | 8.5 | 4.2-12.8 | 33 | 12.7 | 7.4-18.0 | 69 | 25.9 | 18.5-33.3 | 71 | 33.1 | 24.9-41.3 | 44 | 19.8 | 13.1-26.5 |
| Hispanic | 56 | 21,506 | 3 | 2.9 | 0.0- 6.4 | 10 | 17.7 | 4.6-30.8 | 15 | 37.2 | 21.3-53.1 | 21 | 28.8 | 16.1-41.5 | 7 | 13.3 | 2.9-23.7 |
| 25-34 | 70 | 48,754 | 6 | 9.1 | 1.3-16.9 | 11 | 18.0 | 7.4-28.6 | 29 | 39.1 | 26.4-51.8 | 16 | 21.6 | 11.2-32.0 | 8 | 12.2 | 3.6-20.8 |
| 35-44 | 154 | 87,822 | 11 | 8.3 | 3.2-13.4 | 26 | 15.2 | 8.9-21.5 | 55 | 33.3 | 24.7-41.9 | 38 | 24.8 | 17.0-32.6 | 24 | 18.4 | 11.0-25.8 |
| 45-54 | 367 | 138,077 | 22 | 5.4 | 2.9- 7.9 | 86 | 21.5 | 16.6-26.4 | 117 | 32.6 | 27.1-38.1 | 96 | 27.6 | 22.1-33.1 | 46 | 12.8 | 8.7-16.9 |
| 55-64 | 799 | 222,289 | 39 | 4.3 | 2.7- 5.9 | 206 | 26.3 | 22.6-30.0 | 273 | 33.4 | 29.5-37.3 | 193 | 24.6 | 20.9-28.3 | 88 | 11.4 | 8.7-14.1 |
| 65+ | 1927 | 333,153 | 152 | 7.5 | 6.1- 8.9 | 578 | 29.4 | 26.9-31.9 | 720 | 37.6 | 34.9-40.3 | 337 | 18.6 | 16.4-20.8 | 140 | 6.9 | 5.5- 8.3 |
| Less Than H.S. | 306 | 118,009 | 17 | 4.4 | 1.9- 6.9 | 40 | 15.1 | 9.6-20.6 | 97 | 30.2 | 23.7-36.7 | 80 | 26.1 | 20.0-32.2 | 72 | 24.2 | 17.9-30.5 |
| H.S. or G.E.D. | 1282 | 314,132 | 85 | 6.0 | 4.4- 7.6 | 307 | 23.2 | 20.3-26.1 | 463 | 37.2 | 33.9-40.5 | 297 | 24.2 | 21.3-27.1 | 130 | 9.4 | 7.4-11.4 |
| Some Post-H.S. | 910 | 280,314 | 51 | 6.0 | 3.8- 8.2 | 230 | 24.4 | 20.9-27.9 | 357 | 37.7 | 33.8-41.6 | 199 | 22.6 | 19.1-26.1 | 73 | 9.2 | 6.7-11.7 |
| College Graduate | 831 | 131,850 | 77 | 9.7 | 7.0-12.4 | 333 | 40.3 | 36.0-44.6 | 284 | 32.1 | 28.2-36.0 | 107 | 14.7 | 11.6-17.8 | 30 | 3.2 | 1.8- 4.6 |
| Less than \$15,000 | 438 | 114,814 | 22 | 3.8 | 1.4- 6.2 | 50 | 9.1 | 6.2-12.0 | 124 | 25.8 | 20.5-31.1 | 142 | 36.1 | 30.0-42.2 | 100 | 25.2 | 19.5-30.9 |
| \$15,000- 24,999 | 746 | 180,169 | 46 | 5.6 | 3.6- 7.6 | 134 | 14.2 | 11.1-17.3 | 282 | 37.9 | 33.2-42.6 | 200 | 28.4 | 23.9-32.9 | 84 | 13.8 | 10.3-17.3 |
| \$25,000- 34,999 | 394 | 102,551 | 29 | 5.5 | 3.0- 8.0 | 103 | 26.2 | 20.1-32.3 | 156 | 39.4 | 32.9-45.9 | 73 | 19.5 | 14.4-24.6 | 33 | 9.4 | 4.9-13.9 |
| \$35,000- 49,999 | 450 | 118,973 | 34 | 6.9 | 4.2- 9.6 | 136 | 26.5 | 21.4-31.6 | 174 | 39.8 | 33.7-45.9 | 80 | 22.3 | 16.8-27.8 | 26 | 4.5 | 2.5- 6.5 |
| \$50,000- 74,999 | 376 | 94,237 | 29 | 8.2 | 4.5-11.9 | 150 | 40.0 | 33.7-46.3 | 132 | 32.6 | 26.7-38.5 | 52 | 15.4 | 10.9-19.9 | 13 | 3.8 | 1.3- 6.3 |
| \$75,000+ | 449 | 124,494 | 37 | 9.2 | 5.3-13.1 | 191 | 39.9 | 34.2-45.6 | 156 | 35.1 | 29.6-40.6 | 53 | 12.6 | 8.9-16.3 | 12 | 3.2 | 0.8- 5.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|--|------|
| INDICATE SEX OF RESPONDENT. (SEX) | |
| 1 MALES AND FEMALES | 104 |
| WHAT IS YOUR AGE? (AGE) | |
| 4 MALES AND FEMALES | 107 |
| 5 MALES ONLY | 108 |
| 6 FEMALES ONLY | 109 |
| ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3) | |
| 7 MALES AND FEMALES | 110 |
| 8 MALES ONLY | 111 |
| 9 FEMALES ONLY | 112 |
| THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE? (MRACE1) | |
| 10 MALES AND FEMALES | 113 |
| 11 MALES ONLY | 114 |
| 12 FEMALES ONLY | 115 |
| WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3) | |
| 13 MALES AND FEMALES | 116 |
| 14 MALES ONLY | 117 |
| 15 FEMALES ONLY | 118 |
| ARE YOU: (MARITAL STATUS) (MARITAL) | |
| 16 MALES AND FEMALES | 119 |
| 17 MALES ONLY | 120 |
| 18 FEMALES ONLY | 121 |
| WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA) | |
| 19 MALES AND FEMALES | 122 |
| 20 MALES ONLY | 123 |
| 21 FEMALES ONLY | 124 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|---|------|
| DO YOU OWN OR RENT YOUR HOME? (RENTHOM1) | |
| 22 MALES AND FEMALES | 125 |
| 23 MALES ONLY | 126 |
| 24 FEMALES ONLY | 127 |
| IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2) | |
| 25 MALES AND FEMALES | 128 |
| 26 MALES ONLY | 129 |
| 27 FEMALES ONLY | 130 |
| WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1) | |
| 28 MALES AND FEMALES | 131 |
| 29 MALES ONLY | 132 |
| 30 FEMALES ONLY | 133 |
| DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2) | |
| 31 MALES AND FEMALES | 134 |
| 32 MALES ONLY | 135 |
| 33 FEMALES ONLY | 136 |
| HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2) | |
| 34 MALES AND FEMALES | 137 |
| 35 MALES ONLY | 138 |
| 36 FEMALES ONLY | 139 |
| INCLUDING PHONES FOR BUSINESS AND PERSONAL USE, DO YOU HAVE A CELL PHONE FOR PERSONAL USE? (CPDEMO1A) | |
| 37 MALES AND FEMALES | 140 |
| 38 MALES ONLY | 141 |
| 39 FEMALES ONLY | 142 |
| HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3) | |
| 40 MALES AND FEMALES | 143 |
| 41 MALES ONLY | 144 |
| 42 FEMALES ONLY | 145 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|--|------|
| ARE YOU CURRENTLY...? (EMPLOY1) | |
| 43 MALES AND FEMALES | 146 |
| 44 MALES ONLY | 147 |
| 45 FEMALES ONLY | 148 |
| HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN) | |
| 46 MALES AND FEMALES | 149 |
| 47 MALES ONLY | 150 |
| 48 FEMALES ONLY | 151 |
| IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2) | |
| 49 MALES AND FEMALES | 152 |
| 50 MALES ONLY | 153 |
| 51 FEMALES ONLY | 154 |
| HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET) | |
| 52 MALES AND FEMALES | 155 |
| 53 MALES ONLY | 156 |
| 54 FEMALES ONLY | 157 |
| ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2) | |
| 55 MALES AND FEMALES | 158 |
| 56 MALES ONLY | 159 |
| 57 FEMALES ONLY | 160 |
| ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3) | |
| 58 MALES AND FEMALES | 161 |
| 59 MALES ONLY | 162 |
| 60 FEMALES ONLY | 163 |
| TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT) | |
| ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF) | |
| 64 MALES AND FEMALES | 167 |
| 65 MALES ONLY | 168 |
| 66 FEMALES ONLY | 169 |
| ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND) | |
| 67 MALES AND FEMALES | 170 |
| 68 MALES ONLY | 171 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|--|------|
| 69 FEMALES ONLY BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE) | 172 |
| 70 MALES AND FEMALES | 173 |
| 71 MALES ONLY | 174 |
| 72 FEMALES ONLY DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK) | 175 |
| 73 MALES AND FEMALES | 176 |
| 74 MALES ONLY | 177 |
| 75 FEMALES ONLY DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES) | 178 |
| 76 MALES AND FEMALES | 179 |
| 77 MALES ONLY | 180 |
| 78 FEMALES ONLY BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON) | 181 |
| 79 MALES AND FEMALES | 182 |
| 80 MALES ONLY | 183 |
| 81 FEMALES ONLY | 184 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 1: Indicate sex of respondent. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Males | | | Females | | |
|----------------------------|-------------------|-----------|-------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13829 | 5,105,277 | 5947 | 48.7 | 47.5-49.9 | 7882 | 51.3 | 50.1-52.5 |
| White/Non-Hisp | 11572 | 4,095,576 | 4918 | 48.3 | 47.1-49.5 | 6654 | 51.7 | 50.5-52.9 |
| Black or Afr. Am./Non-Hisp | 933 | 439,512 | 344 | 47.4 | 43.1-51.7 | 589 | 52.6 | 48.3-56.9 |
| Oth. Race/Non-Hisp. | 287 | 127,809 | 169 | 58.3 | 50.5-66.1 | 118 | 41.7 | 33.9-49.5 |
| MultiRacial/Non-Hisp. | 208 | 60,858 | 111 | 54.1 | 45.5-62.7 | 97 | 45.9 | 37.3-54.5 |
| Hispanic | 588 | 291,706 | 273 | 48.0 | 43.1-52.9 | 315 | 52.0 | 47.1-56.9 |
| 18-24 | 688 | 686,810 | 388 | 51.3 | 47.0-55.6 | 300 | 48.7 | 44.4-53.0 |
| 25-34 | 1205 | 841,527 | 595 | 50.2 | 47.1-53.3 | 610 | 49.8 | 46.7-52.9 |
| 35-44 | 1415 | 820,928 | 633 | 50.0 | 47.1-52.9 | 782 | 50.0 | 47.1-52.9 |
| 45-54 | 2124 | 845,761 | 948 | 49.7 | 47.2-52.2 | 1176 | 50.3 | 47.8-52.8 |
| 55-64 | 3005 | 868,963 | 1376 | 48.8 | 46.6-51.0 | 1629 | 51.2 | 49.0-53.4 |
| 65+ | 5392 | 1,041,288 | 2007 | 44.0 | 42.4-45.6 | 3385 | 56.0 | 54.4-57.6 |
| Less Than H.S. | 1073 | 650,664 | 447 | 49.9 | 46.0-53.8 | 626 | 50.1 | 46.2-54.0 |
| H.S. or G.E.D. | 4632 | 1,732,764 | 1926 | 50.3 | 48.3-52.3 | 2706 | 49.7 | 47.7-51.7 |
| Some Post-H.S. | 3505 | 1,573,591 | 1451 | 45.9 | 43.7-48.1 | 2054 | 54.1 | 51.9-56.3 |
| College Graduate | 4587 | 1,138,160 | 2105 | 49.3 | 47.5-51.1 | 2482 | 50.7 | 48.9-52.5 |
| Less than \$15,000 | 1224 | 455,618 | 416 | 39.7 | 36.0-43.4 | 808 | 60.3 | 56.6-64.0 |
| \$15,000- 24,999 | 2238 | 812,133 | 846 | 44.8 | 41.9-47.7 | 1392 | 55.2 | 52.3-58.1 |
| \$25,000- 34,999 | 1429 | 509,162 | 563 | 45.5 | 42.0-49.0 | 866 | 54.5 | 51.0-58.0 |
| \$35,000- 49,999 | 1839 | 701,136 | 865 | 53.0 | 49.9-56.1 | 974 | 47.0 | 43.9-50.1 |
| \$50,000- 74,999 | 1954 | 739,072 | 911 | 51.3 | 48.4-54.2 | 1043 | 48.7 | 45.8-51.6 |
| \$75,000+ | 3427 | 1,297,541 | 1774 | 54.9 | 52.7-57.1 | 1653 | 45.1 | 42.9-47.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 18-24 | | | 25-34 | | | 35-44 | | | 45-54 | | | 55-64 | | | 65+ | | |
|----------------------------|-------------------|-----------|-------|------|------------|-------|------|------------|-------|------|------------|-------|------|------------|-------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13829 | 5,105,277 | 688 | 13.5 | 12.5-14.5 | 1205 | 16.5 | 15.5-17.5 | 1415 | 16.1 | 15.3-16.9 | 2124 | 16.6 | 15.8-17.4 | 3005 | 17.0 | 16.2-17.8 | 5392 | 20.4 | 19.8-21.0 |
| Male | 5947 | 2,487,445 | 388 | 14.2 | 12.8-15.6 | 595 | 17.0 | 15.6-18.4 | 633 | 16.5 | 15.1-17.9 | 948 | 16.9 | 15.7-18.1 | 1376 | 17.0 | 16.0-18.0 | 2007 | 18.4 | 17.4-19.4 |
| Female | 7882 | 2,617,832 | 300 | 12.8 | 11.2-14.4 | 610 | 16.0 | 14.6-17.4 | 782 | 15.7 | 14.5-16.9 | 1176 | 16.3 | 15.3-17.3 | 1629 | 17.0 | 16.0-18.0 | 3385 | 22.3 | 21.3-23.3 |
| White/Non-Hisp | 11572 | 4,095,576 | 475 | 12.2 | 11.0-13.4 | 856 | 15.3 | 14.3-16.3 | 1067 | 15.1 | 14.1-16.1 | 1717 | 16.7 | 15.9-17.5 | 2580 | 17.9 | 17.1-18.7 | 4877 | 22.7 | 21.9-23.5 |
| Black or Afr. Am./Non-Hisp | 933 | 439,512 | 58 | 15.5 | 11.6-19.4 | 101 | 19.3 | 15.6-23.0 | 124 | 20.2 | 16.5-23.9 | 163 | 16.8 | 13.9-19.7 | 218 | 15.1 | 12.6-17.6 | 269 | 13.0 | 10.8-15.2 |
| Oth. Race/Non-Hisp. | 287 | 127,809 | 46 | 34.2 | 26.0-42.4 | 53 | 20.5 | 14.8-26.2 | 37 | 13.4 | 8.7-18.1 | 47 | 10.7 | 6.6-14.8 | 54 | 13.5 | 8.8-18.2 | 50 | 7.7 | 4.6-10.8 |
| MultiRacial/Non-Hisp. | 208 | 60,858 | 25 | 20.5 | 12.9-28.1 | 35 | 21.4 | 13.8-29.0 | 28 | 14.3 | 8.6-20.0 | 40 | 17.3 | 10.8-23.8 | 32 | 13.1 | 7.4-18.8 | 48 | 13.4 | 8.7-18.1 |
| Hispanic | 588 | 291,706 | 79 | 19.5 | 15.2-23.8 | 140 | 26.2 | 21.9-30.5 | 140 | 25.4 | 21.1-29.7 | 114 | 14.5 | 11.4-17.6 | 72 | 10.0 | 7.5-12.5 | 43 | 4.5 | 2.7- 6.3 |
| Less Than H.S. | 1073 | 650,664 | 68 | 17.0 | 13.1-20.9 | 111 | 16.9 | 13.8-20.0 | 128 | 16.3 | 13.4-19.2 | 139 | 13.3 | 10.9-15.7 | 223 | 16.6 | 14.1-19.1 | 404 | 19.9 | 17.5-22.3 |
| H.S. or G.E.D. | 4632 | 1,732,764 | 284 | 16.2 | 14.4-18.0 | 340 | 14.1 | 12.5-15.7 | 346 | 12.8 | 11.4-14.2 | 631 | 15.4 | 14.0-16.8 | 1053 | 18.4 | 17.2-19.6 | 1978 | 23.1 | 21.9-24.3 |
| Some Post-H.S. | 3505 | 1,573,591 | 217 | 14.3 | 12.3-16.3 | 316 | 16.7 | 14.9-18.5 | 366 | 16.3 | 14.5-18.1 | 546 | 17.3 | 15.7-18.9 | 785 | 16.5 | 15.1-17.9 | 1275 | 18.8 | 17.6-20.0 |
| College Graduate | 4587 | 1,138,160 | 117 | 5.9 | 4.7- 7.1 | 438 | 19.8 | 18.0-21.6 | 572 | 20.6 | 19.0-22.2 | 805 | 19.2 | 17.8-20.6 | 935 | 15.8 | 14.6-17.0 | 1720 | 18.7 | 17.7-19.7 |
| Less than \$15,000 | 1224 | 455,618 | 76 | 16.2 | 12.7-19.7 | 104 | 15.1 | 12.2-18.0 | 133 | 16.6 | 13.7-19.5 | 177 | 14.4 | 12.0-16.8 | 323 | 20.7 | 18.0-23.4 | 411 | 17.0 | 14.8-19.2 |
| \$15,000- 24,999 | 2238 | 812,133 | 116 | 14.5 | 11.8-17.2 | 208 | 17.1 | 14.7-19.5 | 190 | 14.0 | 11.8-16.2 | 252 | 12.8 | 11.0-14.6 | 454 | 17.4 | 15.6-19.2 | 1018 | 24.2 | 22.2-26.2 |
| \$25,000- 34,999 | 1429 | 509,162 | 72 | 13.7 | 10.6-16.8 | 132 | 17.8 | 14.7-20.9 | 118 | 13.2 | 10.7-15.7 | 179 | 14.2 | 11.8-16.6 | 236 | 13.6 | 11.4-15.8 | 692 | 27.5 | 25.0-30.0 |
| \$35,000- 49,999 | 1839 | 701,136 | 94 | 15.2 | 12.1-18.3 | 166 | 16.8 | 14.3-19.3 | 140 | 12.1 | 9.9-14.3 | 216 | 14.1 | 11.9-16.3 | 359 | 16.4 | 14.4-18.4 | 864 | 25.5 | 23.3-27.7 |
| \$50,000- 74,999 | 1954 | 739,072 | 78 | 11.2 | 8.7-13.7 | 194 | 17.8 | 15.3-20.3 | 213 | 18.0 | 15.5-20.5 | 307 | 16.9 | 14.7-19.1 | 463 | 18.3 | 16.3-20.3 | 699 | 17.8 | 16.2-19.4 |
| \$75,000+ | 3427 | 1,297,541 | 113 | 7.7 | 6.1- 9.3 | 306 | 17.5 | 15.5-19.5 | 536 | 22.9 | 20.9-24.9 | 802 | 23.1 | 21.3-24.9 | 856 | 17.5 | 16.1-18.9 | 814 | 11.3 | 10.3-12.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS
TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 18-24 | | | 25-34 | | | 35-44 | | | 45-54 | | | 55-64 | | | 65+ | | |
|----------------------------|-------------------|-----------|-------|------|------------|-------|------|------------|-------|------|------------|-------|------|------------|-------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5947 | 2,487,445 | 388 | 14.2 | 12.8-15.6 | 595 | 17.0 | 15.6-18.4 | 633 | 16.5 | 15.1-17.9 | 948 | 16.9 | 15.7-18.1 | 1376 | 17.0 | 16.0-18.0 | 2007 | 18.4 | 17.4-19.4 |
| White/Non-Hisp | 4918 | 1,978,717 | 284 | 13.6 | 12.0-15.2 | 417 | 16.0 | 14.4-17.6 | 472 | 15.2 | 13.8-16.6 | 755 | 16.9 | 15.5-18.3 | 1176 | 17.8 | 16.6-19.0 | 1814 | 20.5 | 19.3-21.7 |
| Black or Afr. Am./Non-Hisp | 344 | 208,446 | 29 | 15.9 | 10.0-21.8 | 43 | 18.3 | 12.8-23.8 | 50 | 22.0 | 16.1-27.9 | 54 | 15.8 | 11.3-20.3 | 86 | 16.5 | 12.4-20.6 | 82 | 11.5 | 8.4-14.6 |
| Oth. Race/Non-Hisp. | 169 | 74,472 | 29 | 30.6 | 21.0-40.2 | 35 | 22.1 | 14.7-29.5 | 20 | 15.0 | 8.3-21.7 | 29 | 11.7 | 6.2-17.2 | 36 | 14.9 | 8.8-21.0 | 20 | 5.7 | 2.2- 9.2 |
| MultiRacial/Non-Hisp. | 111 | 32,913 | 10 | 10.4 | 3.3-17.5 | 20 | 20.6 | 11.6-29.6 | 15 | 14.1 | 6.5-21.7 | 28 | 25.8 | 15.4-36.2 | 16 | 15.6 | 6.4-24.8 | 22 | 13.4 | 6.9-19.9 |
| Hispanic | 273 | 139,910 | 34 | 16.1 | 10.6-21.6 | 68 | 26.3 | 19.8-32.8 | 67 | 27.5 | 20.8-34.2 | 58 | 16.4 | 11.5-21.3 | 33 | 9.9 | 6.2-13.6 | 13 | 3.8 | 1.1- 6.5 |
| Less Than H.S. | 447 | 324,538 | 33 | 15.1 | 9.8-20.4 | 55 | 18.2 | 13.5-22.9 | 66 | 18.8 | 14.1-23.5 | 74 | 15.9 | 12.0-19.8 | 92 | 15.5 | 12.0-19.0 | 127 | 16.5 | 13.2-19.8 |
| H.S. or G.E.D. | 1926 | 871,350 | 177 | 18.6 | 16.1-21.1 | 181 | 15.3 | 13.1-17.5 | 173 | 14.0 | 11.8-16.2 | 284 | 15.2 | 13.2-17.2 | 485 | 18.4 | 16.6-20.2 | 626 | 18.5 | 16.7-20.3 |
| Some Post-H.S. | 1451 | 722,853 | 118 | 15.0 | 12.5-17.5 | 135 | 15.9 | 13.4-18.4 | 148 | 16.4 | 13.9-18.9 | 238 | 18.4 | 16.0-20.8 | 349 | 16.8 | 14.8-18.8 | 463 | 17.6 | 15.8-19.4 |
| College Graduate | 2105 | 561,638 | 58 | 5.2 | 3.8- 6.6 | 224 | 20.5 | 18.0-23.0 | 245 | 19.4 | 17.0-21.8 | 350 | 18.3 | 16.3-20.3 | 443 | 16.1 | 14.5-17.7 | 785 | 20.4 | 18.8-22.0 |
| Less than \$15,000 | 416 | 180,894 | 41 | 18.8 | 13.1-24.5 | 32 | 11.7 | 7.4-16.0 | 42 | 14.6 | 9.9-19.3 | 69 | 15.7 | 11.4-20.0 | 136 | 26.2 | 21.3-31.1 | 96 | 13.1 | 9.6-16.6 |
| \$15,000- 24,999 | 846 | 364,028 | 63 | 15.5 | 11.8-19.2 | 90 | 16.0 | 12.5-19.5 | 81 | 14.1 | 10.8-17.4 | 106 | 13.8 | 10.9-16.7 | 199 | 19.2 | 16.1-22.3 | 307 | 21.5 | 18.6-24.4 |
| \$25,000- 34,999 | 563 | 231,921 | 43 | 16.5 | 11.8-21.2 | 62 | 18.6 | 13.9-23.3 | 47 | 13.3 | 9.4-17.2 | 71 | 13.9 | 10.4-17.4 | 86 | 10.4 | 7.9-12.9 | 254 | 27.3 | 23.4-31.2 |
| \$35,000- 49,999 | 865 | 371,414 | 57 | 15.9 | 11.6-20.2 | 87 | 16.7 | 13.2-20.2 | 66 | 12.4 | 9.1-15.7 | 99 | 14.2 | 11.3-17.1 | 182 | 16.6 | 13.9-19.3 | 374 | 24.2 | 21.3-27.1 |
| \$50,000- 74,999 | 911 | 379,469 | 49 | 11.9 | 8.6-15.2 | 103 | 18.4 | 14.9-21.9 | 103 | 19.1 | 15.4-22.8 | 145 | 17.0 | 13.9-20.1 | 189 | 15.7 | 13.2-18.2 | 322 | 18.0 | 15.6-20.4 |
| \$75,000+ | 1774 | 711,716 | 70 | 7.7 | 5.7- 9.7 | 166 | 18.4 | 15.7-21.1 | 256 | 22.0 | 19.5-24.5 | 385 | 22.3 | 19.9-24.7 | 464 | 17.7 | 15.9-19.5 | 433 | 12.0 | 10.6-13.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS
TABLE 4: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 18-24 | | | 25-34 | | | 35-44 | | | 45-54 | | | 55-64 | | | 65+ | | |
|----------------------------|-------------------|-----------|-------|------|------------|-------|------|------------|-------|------|------------|-------|------|------------|-------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7882 | 2,617,832 | 300 | 12.8 | 11.2-14.4 | 610 | 16.0 | 14.6-17.4 | 782 | 15.7 | 14.5-16.9 | 1176 | 16.3 | 15.3-17.3 | 1629 | 17.0 | 16.0-18.0 | 3385 | 22.3 | 21.3-23.3 |
| White/Non-Hisp | 6654 | 2,116,860 | 191 | 11.0 | 9.4-12.6 | 439 | 14.6 | 13.2-16.0 | 595 | 15.0 | 13.8-16.2 | 962 | 16.6 | 15.4-17.8 | 1404 | 18.0 | 16.8-19.2 | 3063 | 24.8 | 23.6-26.0 |
| Black or Afr. Am./Non-Hisp | 589 | 231,066 | 29 | 15.2 | 9.9-20.5 | 58 | 20.3 | 15.4-25.2 | 74 | 18.5 | 14.0-23.0 | 109 | 17.8 | 14.1-21.5 | 132 | 13.9 | 11.0-16.8 | 187 | 14.4 | 11.7-17.1 |
| Oth. Race/Non-Hisp. | 118 | 53,337 | 17 | 39.3 | 25.4-53.2 | 18 | 18.3 | 9.1-27.5 | 17 | 11.2 | 4.9-17.5 | 18 | 9.4 | 3.5-15.3 | 18 | 11.5 | 4.2-18.8 | 30 | 10.4 | 4.9-15.9 |
| MultiRacial/Non-Hisp. | 97 | 27,945 | 15 | 32.3 | 19.0-45.6 | 15 | 22.3 | 9.8-34.8 | 13 | 14.6 | 6.2-23.0 | 12 | 7.2 | 2.1-12.3 | 16 | 10.1 | 4.0-16.2 | 26 | 13.4 | 6.7-20.1 |
| Hispanic | 315 | 151,796 | 45 | 22.5 | 16.2-28.8 | 72 | 26.1 | 20.2-32.0 | 73 | 23.4 | 17.7-29.1 | 56 | 12.7 | 8.8-16.6 | 39 | 10.1 | 6.6-13.6 | 30 | 5.2 | 2.8-7.6 |
| Less Than H.S. | 626 | 326,125 | 35 | 18.8 | 12.9-24.7 | 56 | 15.7 | 11.4-20.0 | 62 | 13.7 | 10.2-17.2 | 65 | 10.7 | 7.8-13.6 | 131 | 17.7 | 14.2-21.2 | 277 | 23.4 | 19.9-26.9 |
| H.S. or G.E.D. | 2706 | 861,414 | 107 | 13.8 | 11.3-16.3 | 159 | 12.9 | 10.9-14.9 | 173 | 11.6 | 9.8-13.4 | 347 | 15.7 | 13.9-17.5 | 568 | 18.4 | 16.6-20.2 | 1352 | 27.7 | 25.9-29.5 |
| Some Post-H.S. | 2054 | 850,738 | 99 | 13.7 | 11.2-16.2 | 181 | 17.3 | 14.9-19.7 | 218 | 16.3 | 14.1-18.5 | 308 | 16.4 | 14.4-18.4 | 436 | 16.4 | 14.6-18.2 | 812 | 19.9 | 18.1-21.7 |
| College Graduate | 2482 | 576,522 | 59 | 6.5 | 4.7- 8.3 | 214 | 19.0 | 16.6-21.4 | 327 | 21.8 | 19.4-24.2 | 455 | 20.1 | 18.1-22.1 | 492 | 15.4 | 13.8-17.0 | 935 | 17.1 | 15.7-18.5 |
| Less than \$15,000 | 808 | 274,724 | 35 | 14.5 | 9.8-19.2 | 72 | 17.4 | 13.3-21.5 | 91 | 17.9 | 14.0-21.8 | 108 | 13.6 | 10.7-16.5 | 187 | 17.0 | 13.9-20.1 | 315 | 19.6 | 16.7-22.5 |
| \$15,000- 24,999 | 1392 | 448,105 | 53 | 13.7 | 10.0-17.4 | 118 | 17.9 | 14.6-21.2 | 109 | 13.9 | 11.2-16.6 | 146 | 12.1 | 9.9-14.3 | 255 | 16.0 | 13.6-18.4 | 711 | 26.5 | 24.0-29.0 |
| \$25,000- 34,999 | 866 | 277,240 | 29 | 11.3 | 7.2-15.4 | 70 | 17.1 | 13.0-21.2 | 71 | 13.2 | 9.9-16.5 | 108 | 14.4 | 11.5-17.3 | 150 | 16.2 | 13.1-19.3 | 438 | 27.8 | 24.5-31.1 |
| \$35,000- 49,999 | 974 | 329,722 | 37 | 14.4 | 9.7-19.1 | 79 | 16.9 | 13.2-20.6 | 74 | 11.7 | 8.8-14.6 | 117 | 13.9 | 11.2-16.6 | 177 | 16.1 | 13.4-18.8 | 490 | 27.0 | 23.9-30.1 |
| \$50,000- 74,999 | 1043 | 359,602 | 29 | 10.4 | 6.5-14.3 | 91 | 17.2 | 13.7-20.7 | 110 | 16.8 | 13.5-20.1 | 162 | 16.9 | 14.2-19.6 | 274 | 21.0 | 18.3-23.7 | 377 | 17.7 | 15.3-20.1 |
| \$75,000+ | 1653 | 585,826 | 43 | 7.6 | 5.1-10.1 | 140 | 16.5 | 13.8-19.2 | 280 | 23.9 | 21.2-26.6 | 417 | 24.1 | 21.7-26.5 | 392 | 17.3 | 15.3-19.3 | 381 | 10.5 | 9.1-11.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Mexican, Mexican American Chicano-a | | | Puerto Rican | | | Cuban | | | Another Hispanic, Latino-a or Spanish origin | | | Multiple Responses | | | No | | |
|--------------------|-------------------|-----------|-------------------------------------|------|------------|--------------|-----|------------|-------|-----|------------|--|-----|------------|--------------------|-----|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13731 | 5,068,782 | 413 | 4.2 | 3.8- 4.6 | 32 | 0.4 | 0.2- 0.6 | 8 | 0.1 | 0.1- 0.1 | 121 | 1.0 | 0.8- 1.2 | 14 | 0.1 | 0.1- 0.1 | 13143 | 94.2 | 93.6-94.8 |
| Male | 5896 | 2,467,833 | 189 | 4.0 | 3.4- 4.6 | 15 | 0.4 | 0.2- 0.6 | 6 | 0.1 | 0.1- 0.1 | 54 | 0.9 | 0.7- 1.1 | 9 | 0.2 | 0.0- 0.4 | 5623 | 94.3 | 93.5-95.1 |
| Female | 7835 | 2,600,948 | 224 | 4.3 | 3.7- 4.9 | 17 | 0.3 | 0.1- 0.5 | 2 | 0.0 | 0.0- 0.0 | 67 | 1.1 | 0.7- 1.5 | 5 | 0.1 | 0.1- 0.1 | 7520 | 94.2 | 93.4-95.0 |
| 18-24 | 687 | 686,301 | 55 | 5.8 | 4.0- 7.6 | 9 | 1.0 | 0.2- 1.8 | 1 | 0.1 | 0.0- 0.3 | 13 | 1.4 | 0.6- 2.2 | 1 | 0.1 | 0.0- 0.3 | 608 | 91.7 | 89.7-93.7 |
| 25-34 | 1192 | 830,730 | 99 | 6.2 | 4.8- 7.6 | 11 | 1.0 | 0.2- 1.8 | | | | 26 | 1.7 | 0.9- 2.5 | 4 | 0.3 | 0.0- 0.7 | 1052 | 90.8 | 89.0-92.6 |
| 35-44 | 1406 | 815,466 | 103 | 7.2 | 5.6- 8.8 | 4 | 0.3 | 0.0- 0.7 | 3 | 0.1 | 0.0- 0.3 | 27 | 1.3 | 0.7- 1.9 | 3 | 0.2 | 0.0- 0.4 | 1266 | 90.9 | 89.1-92.7 |
| 45-54 | 2112 | 840,511 | 80 | 3.8 | 2.8- 4.8 | 5 | 0.2 | 0.0- 0.4 | | | | 25 | 0.9 | 0.5- 1.3 | 4 | 0.1 | 0.0- 0.3 | 1998 | 95.0 | 93.8-96.2 |
| 55-64 | 2987 | 863,791 | 48 | 2.4 | 1.6- 3.2 | 2 | 0.1 | 0.1- 0.1 | 2 | 0.1 | 0.0- 0.3 | 18 | 0.7 | 0.3- 1.1 | 2 | 0.1 | 0.0- 0.3 | 2915 | 96.6 | 95.6-97.6 |
| 65+ | 5347 | 1,031,983 | 28 | 0.9 | 0.5- 1.3 | 1 | 0.0 | 0.0- 0.0 | 2 | 0.0 | 0.0- 0.0 | 12 | 0.3 | 0.1- 0.5 | | | | 5304 | 98.7 | 98.1-99.3 |
| Less Than H.S. | 1053 | 639,224 | 163 | 16.0 | 13.3-18.7 | 2 | 0.5 | 0.0- 1.3 | 1 | 0.1 | 0.0- 0.3 | 33 | 3.3 | 2.1- 4.5 | 1 | 0.1 | 0.0- 0.3 | 853 | 80.0 | 77.1-82.9 |
| H.S. or G.E.D. | 4604 | 1,725,223 | 133 | 3.5 | 2.7- 4.3 | 6 | 0.3 | 0.1- 0.5 | 3 | 0.0 | 0.0- 0.0 | 35 | 0.7 | 0.5- 0.9 | 6 | 0.1 | 0.0- 0.3 | 4421 | 95.3 | 94.5-96.1 |
| Some Post-H.S. | 3477 | 1,560,901 | 61 | 2.0 | 1.4- 2.6 | 18 | 0.6 | 0.2- 1.0 | 1 | 0.0 | 0.0- 0.0 | 22 | 0.6 | 0.2- 1.0 | 5 | 0.2 | 0.0- 0.4 | 3370 | 96.5 | 95.7-97.3 |
| College Graduate | 4569 | 1,133,950 | 54 | 1.4 | 1.0- 1.8 | 6 | 0.1 | 0.0- 0.3 | 3 | 0.1 | 0.1- 0.1 | 30 | 0.7 | 0.3- 1.1 | 2 | 0.0 | 0.0- 0.0 | 4474 | 97.6 | 97.0-98.2 |
| Less than \$15,000 | 1211 | 452,012 | 76 | 8.3 | 6.3-10.3 | 4 | 0.6 | 0.0- 1.4 | 1 | 0.1 | 0.0- 0.3 | 19 | 2.1 | 1.1- 3.1 | 1 | 0.1 | 0.0- 0.3 | 1110 | 88.8 | 86.4-91.2 |
| \$15,000- 24,999 | 2220 | 805,884 | 128 | 8.6 | 6.8-10.4 | 8 | 0.5 | 0.1- 0.9 | 1 | 0.0 | 0.0- 0.0 | 31 | 1.6 | 1.0- 2.2 | 5 | 0.2 | 0.0- 0.4 | 2047 | 89.0 | 87.0-91.0 |
| \$25,000- 34,999 | 1422 | 504,663 | 41 | 4.4 | 2.8- 6.0 | 4 | 0.2 | 0.0- 0.4 | 2 | 0.1 | 0.0- 0.3 | 16 | 1.4 | 0.6- 2.2 | | | | 1359 | 94.0 | 92.2-95.8 |
| \$35,000- 49,999 | 1831 | 698,605 | 45 | 3.4 | 2.2- 4.6 | 3 | 0.4 | 0.0- 0.8 | | | | 9 | 0.4 | 0.2- 0.6 | | | | 1774 | 95.9 | 94.5-97.3 |
| \$50,000- 74,999 | 1946 | 734,646 | 22 | 1.8 | 1.0- 2.6 | 3 | 0.2 | 0.0- 0.4 | 1 | 0.1 | 0.0- 0.3 | 10 | 0.5 | 0.1- 0.9 | 2 | 0.1 | 0.0- 0.3 | 1908 | 97.3 | 96.3-98.3 |
| \$75,000+ | 3410 | 1,290,424 | 42 | 1.2 | 0.8- 1.6 | 6 | 0.4 | 0.0- 0.8 | 1 | 0.0 | 0.0- 0.0 | 21 | 0.6 | 0.2- 1.0 | 3 | 0.1 | 0.0- 0.3 | 3337 | 97.7 | 97.1-98.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Mexican, Mexican American Chicano-a | | | Puerto Rican | | | Cuban | | | Another Hispanic, Latino-a or Spanish origin | | | Multiple Responses | | | No | | |
|--------------------|-------------------|-----------|-------------------------------------|------|------------|--------------|-----|------------|-------|-----|------------|--|-----|------------|--------------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5896 | 2,467,833 | 189 | 4.0 | 3.4- 4.6 | 15 | 0.4 | 0.2- 0.6 | 6 | 0.1 | 0.1- 0.1 | 54 | 0.9 | 0.7- 1.1 | 9 | 0.2 | 0.0- 0.4 | 5623 | 94.3 | 93.5-95.1 |
| 18-24 | 388 | 352,339 | 23 | 4.5 | 2.5- 6.5 | 3 | 0.7 | 0.0- 1.7 | 1 | 0.1 | 0.0- 0.3 | 6 | 1.0 | 0.2- 1.8 | 1 | 0.2 | 0.0- 0.6 | 354 | 93.6 | 91.2-96.0 |
| 25-34 | 587 | 416,747 | 49 | 5.8 | 3.8- 7.8 | 7 | 1.3 | 0.1- 2.5 | | | | 10 | 1.3 | 0.5- 2.1 | 2 | 0.4 | 0.0- 1.0 | 519 | 91.2 | 88.8-93.6 |
| 35-44 | 630 | 406,882 | 47 | 7.4 | 5.0- 9.8 | 2 | 0.4 | 0.0- 1.0 | 2 | 0.2 | 0.0- 0.6 | 14 | 1.4 | 0.6- 2.2 | 2 | 0.2 | 0.0- 0.4 | 563 | 90.5 | 88.0-93.0 |
| 45-54 | 942 | 417,627 | 42 | 4.3 | 2.7- 5.9 | 2 | 0.2 | 0.0- 0.6 | | | | 12 | 1.0 | 0.4- 1.6 | 2 | 0.0 | 0.0- 0.0 | 884 | 94.5 | 92.9-96.1 |
| 55-64 | 1364 | 421,444 | 19 | 1.9 | 0.9- 2.9 | | | | 2 | 0.2 | 0.0- 0.6 | 10 | 1.0 | 0.2- 1.8 | 2 | 0.2 | 0.0- 0.4 | 1331 | 96.7 | 95.3-98.1 |
| 65+ | 1985 | 452,795 | 9 | 0.8 | 0.0- 1.6 | 1 | 0.1 | 0.0- 0.3 | 1 | 0.0 | 0.0- 0.0 | 2 | 0.2 | 0.0- 0.6 | | | | 1972 | 98.8 | 98.0-99.6 |
| Less Than H.S. | 436 | 318,186 | 78 | 15.7 | 11.8-19.6 | 2 | 1.1 | 0.0- 2.7 | 1 | 0.2 | 0.0- 0.6 | 13 | 2.7 | 1.1- 4.3 | 1 | 0.1 | 0.0- 0.3 | 341 | 80.2 | 75.9-84.5 |
| H.S. or G.E.D. | 1917 | 868,056 | 63 | 3.4 | 2.4- 4.4 | 3 | 0.3 | 0.0- 0.7 | 1 | 0.0 | 0.0- 0.0 | 17 | 0.7 | 0.3- 1.1 | 4 | 0.1 | 0.0- 0.3 | 1829 | 95.4 | 94.2-96.6 |
| Some Post-H.S. | 1437 | 716,056 | 23 | 1.6 | 0.8- 2.4 | 10 | 0.7 | 0.3- 1.1 | 1 | 0.1 | 0.0- 0.3 | 9 | 0.6 | 0.2- 1.0 | 2 | 0.3 | 0.0- 0.7 | 1392 | 96.8 | 95.8-97.8 |
| College Graduate | 2091 | 559,021 | 23 | 1.3 | 0.7- 1.9 | | | | 3 | 0.1 | 0.0- 0.3 | 14 | 0.6 | 0.2- 1.0 | 2 | 0.0 | 0.0- 0.0 | 2049 | 97.9 | 97.1-98.7 |
| Less than \$15,000 | 408 | 177,666 | 22 | 5.9 | 3.2- 8.6 | | | | 1 | 0.2 | 0.0- 0.6 | 6 | 2.1 | 0.3- 3.9 | | | | 379 | 91.8 | 88.7-94.9 |
| \$15,000- 24,999 | 841 | 362,479 | 62 | 9.3 | 6.6-12.0 | 5 | 0.9 | 0.0- 1.9 | | | | 16 | 1.9 | 0.9- 2.9 | 4 | 0.4 | 0.0- 0.8 | 754 | 87.6 | 84.7-90.5 |
| \$25,000- 34,999 | 559 | 229,642 | 21 | 5.1 | 2.6- 7.6 | 2 | 0.2 | 0.0- 0.4 | 1 | 0.0 | 0.0- 0.0 | 7 | 1.4 | 0.2- 2.6 | | | | 528 | 93.2 | 90.5-95.9 |
| \$35,000- 49,999 | 861 | 370,088 | 27 | 4.1 | 2.3- 5.9 | 2 | 0.6 | 0.0- 1.4 | | | | 6 | 0.5 | 0.1- 0.9 | | | | 826 | 94.8 | 92.8-96.8 |
| \$50,000- 74,999 | 904 | 375,548 | 13 | 2.3 | 0.9- 3.7 | 2 | 0.3 | 0.0- 0.7 | 1 | 0.2 | 0.0- 0.6 | 3 | 0.2 | 0.0- 0.4 | 1 | 0.0 | 0.0- 0.0 | 884 | 97.1 | 95.5-98.7 |
| \$75,000+ | 1763 | 707,758 | 21 | 1.0 | 0.6- 1.4 | 3 | 0.5 | 0.0- 1.1 | 1 | 0.0 | 0.0- 0.0 | 10 | 0.6 | 0.2- 1.0 | 2 | 0.2 | 0.0- 0.6 | 1726 | 97.7 | 96.7-98.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 7: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Mexican, Mexican American Chicano-a | | | Puerto Rican | | | Cuban | | | Another Hispanic, Latino-a or Spanish origin | | | Multiple Responses | | | No | | |
|--------------------|-------------------|-----------|-------------------------------------|------|------------|--------------|-----|------------|-------|-----|------------|--|-----|------------|--------------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7835 | 2,600,948 | 224 | 4.3 | 3.7- 4.9 | 17 | 0.3 | 0.1- 0.5 | 2 | 0.0 | 0.0- 0.0 | 67 | 1.1 | 0.7- 1.5 | 5 | 0.1 | 0.1- 0.1 | 7520 | 94.2 | 93.4-95.0 |
| 18-24 | 299 | 333,962 | 32 | 7.2 | 4.5- 9.9 | 6 | 1.3 | 0.1- 2.5 | | | | 7 | 1.8 | 0.2- 3.4 | | | | 254 | 89.8 | 86.5-93.1 |
| 25-34 | 605 | 413,983 | 50 | 6.6 | 4.4- 8.8 | 4 | 0.6 | 0.0- 1.2 | | | | 16 | 2.2 | 1.0- 3.4 | 2 | 0.2 | 0.0- 0.4 | 533 | 90.4 | 88.0-92.8 |
| 35-44 | 776 | 408,584 | 56 | 7.0 | 4.8- 9.2 | 2 | 0.2 | 0.0- 0.4 | 1 | 0.1 | 0.0- 0.3 | 13 | 1.2 | 0.4- 2.0 | 1 | 0.1 | 0.0- 0.3 | 703 | 91.3 | 88.9-93.7 |
| 45-54 | 1170 | 422,884 | 38 | 3.4 | 2.0- 4.8 | 3 | 0.1 | 0.0- 0.3 | | | | 13 | 0.9 | 0.3- 1.5 | 2 | 0.2 | 0.0- 0.4 | 1114 | 95.4 | 94.0-96.8 |
| 55-64 | 1623 | 442,347 | 29 | 2.8 | 1.6- 4.0 | 2 | 0.1 | 0.0- 0.3 | | | | 8 | 0.5 | 0.1- 0.9 | | | | 1584 | 96.5 | 95.3-97.7 |
| 65+ | 3362 | 579,188 | 19 | 0.9 | 0.3- 1.5 | | | | 1 | 0.0 | 0.0- 0.0 | 10 | 0.4 | 0.0- 0.8 | | | | 3332 | 98.6 | 98.0-99.2 |
| Less Than H.S. | 617 | 321,038 | 85 | 16.4 | 12.7-20.1 | | | | | | | 20 | 3.9 | 1.9- 5.9 | | | | 512 | 79.7 | 75.6-83.8 |
| H.S. or G.E.D. | 2687 | 857,167 | 70 | 3.6 | 2.6- 4.6 | 3 | 0.3 | 0.0- 0.7 | 2 | 0.0 | 0.0- 0.0 | 18 | 0.7 | 0.3- 1.1 | 2 | 0.1 | 0.0- 0.3 | 2592 | 95.3 | 94.1-96.5 |
| Some Post-H.S. | 2040 | 844,844 | 38 | 2.4 | 1.4- 3.4 | 8 | 0.5 | 0.1- 0.9 | | | | 13 | 0.7 | 0.3- 1.1 | 3 | 0.1 | 0.0- 0.3 | 1978 | 96.3 | 95.1-97.5 |
| College Graduate | 2478 | 574,929 | 31 | 1.5 | 0.9- 2.1 | 6 | 0.3 | 0.1- 0.5 | | | | 16 | 0.8 | 0.4- 1.2 | | | | 2425 | 97.4 | 96.6-98.2 |
| Less than \$15,000 | 803 | 274,346 | 54 | 9.8 | 6.9-12.7 | 4 | 1.0 | 0.0- 2.2 | | | | 13 | 2.1 | 0.9- 3.3 | 1 | 0.2 | 0.0- 0.6 | 731 | 86.9 | 83.6-90.2 |
| \$15,000- 24,999 | 1379 | 443,405 | 66 | 8.1 | 5.7-10.5 | 3 | 0.2 | 0.0- 0.6 | 1 | 0.0 | 0.0- 0.0 | 15 | 1.4 | 0.6- 2.2 | 1 | 0.1 | 0.0- 0.3 | 1293 | 90.2 | 87.7-92.7 |
| \$25,000- 34,999 | 863 | 275,021 | 20 | 3.7 | 1.9- 5.5 | 2 | 0.3 | 0.0- 0.7 | 1 | 0.1 | 0.0- 0.3 | 9 | 1.3 | 0.1- 2.5 | | | | 831 | 94.6 | 92.4-96.8 |
| \$35,000- 49,999 | 970 | 328,517 | 18 | 2.5 | 1.1- 3.9 | 1 | 0.2 | 0.0- 0.6 | | | | 3 | 0.2 | 0.0- 0.4 | | | | 948 | 97.1 | 95.5-98.7 |
| \$50,000- 74,999 | 1042 | 359,097 | 9 | 1.3 | 0.5- 2.1 | 1 | 0.1 | 0.0- 0.3 | | | | 7 | 0.9 | 0.1- 1.7 | 1 | 0.1 | 0.0- 0.3 | 1024 | 97.6 | 96.4-98.8 |
| \$75,000+ | 1647 | 582,666 | 21 | 1.3 | 0.5- 2.1 | 3 | 0.3 | 0.0- 0.7 | | | | 11 | 0.5 | 0.1- 0.9 | 1 | 0.1 | 0.0- 0.3 | 1611 | 97.8 | 96.8-98.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 8: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Reported Race | | | Two Reported Races | | | Three Reported Races | | | Four Reported Races | | | Five or More Reported Races | | | Other | | |
|--------------------|-------------------|-----------|-------------------|------|------------|--------------------|-----|------------|----------------------|-----|------------|---------------------|-----|------------|-----------------------------|-----|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13509 | 4,973,872 | 13284 | 98.6 | 98.4-98.8 | 206 | 1.4 | 1.2- 1.6 | 11 | 0.0 | 0.0- 0.0 | 2 | 0.0 | 0.0- 0.0 | 2 | 0.0 | 0.0- 0.0 | 4 | 0.0 | 0.0- 0.0 |
| Male | 5773 | 2,413,073 | 5653 | 98.5 | 98.1-98.9 | 110 | 1.4 | 1.0- 1.8 | 4 | 0.0 | 0.0- 0.0 | | | | 2 | 0.0 | 0.0- 0.0 | 4 | 0.1 | 0.1- 0.1 |
| Female | 7736 | 2,560,799 | 7631 | 98.6 | 98.2-99.0 | 96 | 1.3 | 0.9- 1.7 | 7 | 0.0 | 0.0- 0.0 | 2 | 0.0 | 0.0- 0.0 | | | | | | |
| 18-24 | 668 | 670,224 | 640 | 97.5 | 96.5-98.5 | 28 | 2.5 | 1.5- 3.5 | | | | | | | | | | | | |
| 25-34 | 1162 | 816,967 | 1121 | 98.1 | 97.3-98.9 | 36 | 1.7 | 1.1- 2.3 | 1 | 0.0 | 0.0- 0.0 | | | | 1 | 0.0 | 0.0- 0.0 | 3 | 0.1 | 0.0- 0.3 |
| 35-44 | 1372 | 797,813 | 1342 | 98.7 | 98.1-99.3 | 26 | 1.2 | 0.6- 1.8 | 4 | 0.1 | 0.0- 0.3 | | | | | | | | | |
| 45-54 | 2056 | 818,099 | 2014 | 98.6 | 98.0-99.2 | 40 | 1.3 | 0.7- 1.9 | | | | 1 | 0.0 | 0.0- 0.0 | 1 | 0.0 | 0.0- 0.0 | | | |
| 55-64 | 2939 | 847,730 | 2903 | 98.9 | 98.5-99.3 | 33 | 1.0 | 0.6- 1.4 | 2 | 0.0 | 0.0- 0.0 | | | | | | | 1 | 0.0 | 0.0- 0.0 |
| 65+ | 5312 | 1,023,040 | 5264 | 99.2 | 99.0-99.4 | 43 | 0.7 | 0.5- 0.9 | 4 | 0.0 | 0.0- 0.0 | 1 | 0.0 | 0.0- 0.0 | | | | | | |
| Less Than H.S. | 995 | 606,715 | 971 | 97.7 | 96.5-98.9 | 23 | 2.2 | 1.0- 3.4 | 1 | 0.0 | 0.0- 0.0 | | | | | | | | | |
| H.S. or G.E.D. | 4536 | 1,692,723 | 4462 | 98.5 | 98.1-98.9 | 72 | 1.5 | 1.1- 1.9 | | | | | | | 1 | 0.0 | 0.0- 0.0 | 1 | 0.0 | 0.0- 0.0 |
| Some Post-H.S. | 3435 | 1,542,292 | 3373 | 98.8 | 98.4-99.2 | 56 | 1.1 | 0.7- 1.5 | 1 | 0.0 | 0.0- 0.0 | 2 | 0.0 | 0.0- 0.0 | | | | 3 | 0.1 | 0.1- 0.1 |
| College Graduate | 4515 | 1,122,990 | 4450 | 98.9 | 98.5-99.3 | 55 | 1.0 | 0.6- 1.4 | 9 | 0.1 | 0.1- 0.1 | | | | 1 | 0.0 | 0.0- 0.0 | | | |
| Less than \$15,000 | 1184 | 437,941 | 1163 | 98.2 | 97.2-99.2 | 19 | 1.8 | 0.8- 2.8 | 2 | 0.1 | 0.0- 0.3 | | | | | | | | | |
| \$15,000- 24,999 | 2159 | 775,067 | 2107 | 97.7 | 96.9-98.5 | 48 | 2.2 | 1.4- 3.0 | 1 | 0.0 | 0.0- 0.0 | | | | 1 | 0.0 | 0.0- 0.0 | 2 | 0.1 | 0.0- 0.3 |
| \$25,000- 34,999 | 1401 | 499,026 | 1374 | 98.8 | 98.2-99.4 | 23 | 1.0 | 0.6- 1.4 | 2 | 0.1 | 0.0- 0.3 | | | | 1 | 0.0 | 0.0- 0.0 | 1 | 0.1 | 0.0- 0.3 |
| \$35,000- 49,999 | 1806 | 687,492 | 1776 | 98.6 | 97.8-99.4 | 28 | 1.4 | 0.6- 2.2 | 2 | 0.0 | 0.0- 0.0 | | | | | | | | | |
| \$50,000- 74,999 | 1929 | 730,193 | 1900 | 98.9 | 98.3-99.5 | 27 | 1.0 | 0.4- 1.6 | 2 | 0.0 | 0.0- 0.0 | | | | | | | | | |
| \$75,000+ | 3383 | 1,277,089 | 3348 | 99.2 | 98.8-99.6 | 32 | 0.8 | 0.4- 1.2 | 2 | 0.0 | 0.0- 0.0 | 1 | 0.0 | 0.0- 0.0 | | | | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 9: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Reported Race | | | Two Reported Races | | | Three Reported Races | | | Five or More Reported Races | | | Other | | |
|--------------------|-------------------|-----------|-------------------|------|------------|--------------------|-----|------------|----------------------|-----|------------|-----------------------------|-----|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5773 | 2,413,073 | 5653 | 98.5 | 98.1-98.9 | 110 | 1.4 | 1.0- 1.8 | 4 | 0.0 | 0.0- 0.0 | 2 | 0.0 | 0.0- 0.0 | 4 | 0.1 | 0.1- 0.1 |
| 18-24 | 377 | 343,093 | 367 | 99.0 | 98.2-99.8 | 10 | 1.0 | 0.2- 1.8 | | | | | | | | | |
| 25-34 | 572 | 410,007 | 548 | 98.0 | 97.2-98.8 | 20 | 1.7 | 0.9- 2.5 | | | | 1 | 0.0 | 0.0- 0.0 | 3 | 0.2 | 0.0- 0.4 |
| 35-44 | 614 | 398,754 | 598 | 98.7 | 97.9-99.5 | 14 | 1.2 | 0.4- 2.0 | 2 | 0.1 | 0.0- 0.3 | | | | | | |
| 45-54 | 906 | 400,630 | 877 | 97.7 | 96.7-98.7 | 28 | 2.3 | 1.3- 3.3 | | | | 1 | 0.0 | 0.0- 0.0 | | | |
| 55-64 | 1338 | 413,359 | 1319 | 98.6 | 97.8-99.4 | 17 | 1.4 | 0.6- 2.2 | 1 | 0.0 | 0.0- 0.0 | | | | 1 | 0.1 | 0.0- 0.3 |
| 65+ | 1966 | 447,230 | 1944 | 99.0 | 98.6-99.4 | 21 | 1.0 | 0.6- 1.4 | 1 | 0.0 | 0.0- 0.0 | | | | | | |
| Less Than H.S. | 406 | 300,609 | 396 | 97.9 | 96.5-99.3 | 10 | 2.1 | 0.7- 3.5 | | | | | | | | | |
| H.S. or G.E.D. | 1874 | 846,635 | 1832 | 98.5 | 97.9-99.1 | 40 | 1.4 | 0.8- 2.0 | | | | 1 | 0.0 | 0.0- 0.0 | 1 | 0.0 | 0.0- 0.0 |
| Some Post-H.S. | 1415 | 705,989 | 1383 | 98.7 | 98.1-99.3 | 29 | 1.2 | 0.6- 1.8 | | | | | | | 3 | 0.1 | 0.0- 0.3 |
| College Graduate | 2062 | 553,354 | 2026 | 98.5 | 97.9-99.1 | 31 | 1.3 | 0.7- 1.9 | 4 | 0.1 | 0.0- 0.3 | 1 | 0.0 | 0.0- 0.0 | | | |
| Less than \$15,000 | 401 | 173,567 | 390 | 97.8 | 96.2-99.4 | 10 | 2.1 | 0.5- 3.7 | 1 | 0.1 | 0.0- 0.3 | | | | | | |
| \$15,000- 24,999 | 794 | 338,639 | 772 | 98.1 | 97.1-99.1 | 19 | 1.7 | 0.7- 2.7 | | | | 1 | 0.1 | 0.0- 0.3 | 2 | 0.2 | 0.0- 0.4 |
| \$25,000- 34,999 | 549 | 225,517 | 534 | 98.5 | 97.5-99.5 | 12 | 1.2 | 0.4- 2.0 | 1 | 0.1 | 0.0- 0.3 | 1 | 0.1 | 0.0- 0.3 | 1 | 0.1 | 0.0- 0.3 |
| \$35,000- 49,999 | 846 | 363,105 | 831 | 98.5 | 97.7-99.3 | 14 | 1.4 | 0.6- 2.2 | 1 | 0.1 | 0.0- 0.3 | | | | | | |
| \$50,000- 74,999 | 894 | 374,019 | 876 | 98.7 | 97.9-99.5 | 18 | 1.3 | 0.5- 2.1 | | | | | | | | | |
| \$75,000+ | 1749 | 701,717 | 1725 | 98.9 | 98.3-99.5 | 23 | 1.1 | 0.5- 1.7 | 1 | 0.0 | 0.0- 0.0 | | | | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 10: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Reported Race | | | Two Reported Races | | | Three Reported Races | | | Four Reported Races | | |
|--------------------|-------------------|-----------|-------------------|------|------------|--------------------|-----|------------|----------------------|-----|------------|---------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7736 | 2,560,799 | 7631 | 98.6 | 98.2-99.0 | 96 | 1.3 | 0.9- 1.7 | 7 | 0.0 | 0.0- 0.0 | 2 | 0.0 | 0.0- 0.0 |
| 18-24 | 291 | 327,131 | 273 | 96.0 | 93.8-98.2 | 18 | 4.0 | 1.8- 6.2 | | | | | | |
| 25-34 | 590 | 406,959 | 573 | 98.2 | 97.2-99.2 | 16 | 1.7 | 0.7- 2.7 | 1 | 0.1 | 0.0- 0.3 | | | |
| 35-44 | 758 | 399,059 | 744 | 98.7 | 97.9-99.5 | 12 | 1.2 | 0.4- 2.0 | 2 | 0.1 | 0.0- 0.3 | | | |
| 45-54 | 1150 | 417,469 | 1137 | 99.4 | 99.0-99.8 | 12 | 0.5 | 0.1- 0.9 | | | | 1 | 0.1 | 0.0- 0.3 |
| 55-64 | 1601 | 434,371 | 1584 | 99.2 | 98.8-99.6 | 16 | 0.7 | 0.3- 1.1 | 1 | 0.0 | 0.0- 0.0 | | | |
| 65+ | 3346 | 575,810 | 3320 | 99.4 | 99.0-99.8 | 22 | 0.6 | 0.2- 1.0 | 3 | 0.1 | 0.1- 0.1 | 1 | 0.0 | 0.0- 0.0 |
| Less Than H.S. | 589 | 306,106 | 575 | 97.6 | 96.0-99.2 | 13 | 2.4 | 0.8- 4.0 | 1 | 0.1 | 0.0- 0.3 | | | |
| H.S. or G.E.D. | 2662 | 846,088 | 2630 | 98.5 | 97.7-99.3 | 32 | 1.5 | 0.7- 2.3 | | | | | | |
| Some Post-H.S. | 2020 | 836,303 | 1990 | 98.8 | 98.4-99.2 | 27 | 1.1 | 0.7- 1.5 | 1 | 0.0 | 0.0- 0.0 | 2 | 0.1 | 0.0- 0.3 |
| College Graduate | 2453 | 569,636 | 2424 | 99.2 | 98.8-99.6 | 24 | 0.7 | 0.3- 1.1 | 5 | 0.1 | 0.0- 0.3 | | | |
| Less than \$15,000 | 783 | 264,374 | 773 | 98.4 | 97.2-99.6 | 9 | 1.5 | 0.3- 2.7 | 1 | 0.1 | 0.0- 0.3 | | | |
| \$15,000- 24,999 | 1365 | 436,428 | 1335 | 97.4 | 96.2-98.6 | 29 | 2.5 | 1.3- 3.7 | 1 | 0.0 | 0.0- 0.0 | | | |
| \$25,000- 34,999 | 852 | 273,509 | 840 | 99.1 | 98.5-99.7 | 11 | 0.8 | 0.2- 1.4 | 1 | 0.1 | 0.0- 0.3 | | | |
| \$35,000- 49,999 | 960 | 324,387 | 945 | 98.7 | 97.5-99.9 | 14 | 1.3 | 0.1- 2.5 | 1 | 0.0 | 0.0- 0.0 | | | |
| \$50,000- 74,999 | 1035 | 356,174 | 1024 | 99.1 | 98.5-99.7 | 9 | 0.8 | 0.2- 1.4 | 2 | 0.1 | 0.0- 0.3 | | | |
| \$75,000+ | 1634 | 575,372 | 1623 | 99.5 | 99.1-99.9 | 9 | 0.4 | 0.2- 0.6 | 1 | 0.0 | 0.0- 0.0 | 1 | 0.1 | 0.0- 0.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White | | | Black or African American | | | Am. Indian or Alaskan Native | | | Asian | | | Pacific Islanders | | | Other | | |
|--------------------|-------------------|----------|-------|------|------------|---------------------------|------|------------|------------------------------|------|------------|-------|------|------------|-------------------|-----|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 199 | 61,892 | 140 | 68.2 | 59.2-77.2 | 28 | 12.9 | 7.4-18.4 | 21 | 11.8 | 5.1-18.5 | 5 | 5.2 | 0.0-10.7 | 4 | 1.8 | 0.0- 3.6 | 1 | 0.2 | 0.0- 0.6 |
| Male | 105 | 31,890 | 77 | 76.4 | 66.8-86.0 | 11 | 10.0 | 3.5-16.5 | 12 | 10.8 | 3.7-17.9 | 2 | 1.1 | 0.0- 2.9 | 2 | 1.5 | 0.0- 3.7 | 1 | 0.3 | 0.0- 0.9 |
| Female | 94 | 30,001 | 63 | 59.4 | 44.7-74.1 | 17 | 16.1 | 6.7-25.5 | 9 | 12.9 | 1.5-24.3 | 3 | 9.5 | 0.0-20.7 | 2 | 2.1 | 0.0- 5.2 | | | |
| H.S. or G.E.D. | 65 | 22,384 | 44 | 57.1 | 41.0-73.2 | 7 | 11.2 | 2.2-20.2 | 10 | 17.6 | 4.1-31.1 | 3 | 12.1 | 0.0-26.2 | 1 | 2.0 | 0.0- 5.7 | | | |
| Some Post-H.S. | 55 | 16,251 | 42 | 77.6 | 64.5-90.7 | 7 | 11.5 | 1.5-21.5 | 5 | 8.4 | 0.2-16.6 | 1 | 2.4 | 0.0- 7.1 | | | | | | |
| College Graduate | 55 | 9,426 | 37 | 66.8 | 51.7-81.9 | 10 | 18.6 | 6.3-30.9 | 3 | 5.4 | 0.0-13.2 | 1 | 1.1 | 0.0- 3.5 | 3 | 7.0 | 0.0-15.0 | 1 | 1.1 | 0.0- 3.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White | | | Black or African American | | | Am. Indian or Alaskan Native | | | Asian | | | Pacific Islanders | | | Other | | |
|--------------------|-------------------|----------|-------|------|------------|---------------------------|------|------------|------------------------------|------|------------|-------|-----|------------|-------------------|-----|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 105 | 31,890 | 77 | 76.4 | 66.8-86.0 | 11 | 10.0 | 3.5-16.5 | 12 | 10.8 | 3.7-17.9 | 2 | 1.1 | 0.0- 2.9 | 2 | 1.5 | 0.0- 3.7 | 1 | 0.3 | 0.0- 0.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | White | | Black or African American | | | Am. Indian or Alaskan Native | | | Asian | | | Pacific Islanders | | |
|--------------------|-------------------|----------|----|-------|------------|---------------------------|------|------------|------------------------------|------|------------|-------|-----|------------|-------------------|-----|------------|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 94 | 30,001 | 63 | 59.4 | 44.1-74.7 | 17 | 16.1 | 6.5-25.7 | 9 | 12.9 | 1.3-24.5 | 3 | 9.5 | 0.0-20.7 | 2 | 2.1 | 0.0- 5.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS
TABLE 14: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Married | | | Divorced | | | Widowed | | | Separated | | | Never married | | | Unmarried couple | | |
|----------------------------|-------------------|-----------|---------|------|------------|----------|------|------------|---------|------|------------|-----------|-----|------------|---------------|------|------------|------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13741 | 5,073,938 | 7140 | 51.8 | 50.6-53.0 | 1988 | 12.3 | 11.5-13.1 | 2025 | 7.4 | 7.0- 7.8 | 217 | 1.7 | 1.3- 2.1 | 1971 | 22.0 | 21.0-23.0 | 400 | 4.8 | 4.2- 5.4 |
| Male | 5909 | 2,472,079 | 3362 | 52.9 | 51.1-54.7 | 776 | 11.5 | 10.5-12.5 | 443 | 4.3 | 3.7- 4.9 | 74 | 1.3 | 0.9- 1.7 | 1047 | 24.7 | 23.1-26.3 | 207 | 5.3 | 4.5- 6.1 |
| Female | 7832 | 2,601,859 | 3778 | 50.7 | 49.1-52.3 | 1212 | 13.0 | 12.0-14.0 | 1582 | 10.3 | 9.7-10.9 | 143 | 2.2 | 1.8- 2.6 | 924 | 19.4 | 18.0-20.8 | 193 | 4.4 | 3.6- 5.2 |
| White/Non-Hisp | 11514 | 4,073,250 | 6277 | 55.0 | 53.8-56.2 | 1623 | 12.5 | 11.7-13.3 | 1812 | 7.9 | 7.5- 8.3 | 135 | 1.4 | 1.0- 1.8 | 1384 | 18.9 | 17.7-20.1 | 283 | 4.3 | 3.7- 4.9 |
| Black or Afr. Am./Non-Hisp | 924 | 436,383 | 276 | 29.8 | 25.9-33.7 | 186 | 14.2 | 11.5-16.9 | 112 | 6.3 | 4.7- 7.9 | 33 | 3.2 | 1.8- 4.6 | 292 | 42.0 | 37.5-46.5 | 25 | 4.4 | 2.4- 6.4 |
| Oth. Race/Non-Hisp. | 286 | 127,532 | 133 | 43.7 | 36.1-51.3 | 42 | 7.1 | 4.0-10.2 | 18 | 3.1 | 0.6- 5.6 | 7 | 2.5 | 0.0- 5.0 | 76 | 38.5 | 30.9-46.1 | 10 | 5.1 | 1.6- 8.6 |
| MultiRacial/Non-Hisp. | 207 | 60,503 | 76 | 39.2 | 30.6-47.8 | 41 | 14.6 | 9.3-19.9 | 22 | 7.0 | 3.3-10.7 | 4 | 1.8 | 0.0- 4.0 | 47 | 29.1 | 20.9-37.3 | 17 | 8.4 | 3.7-13.1 |
| Hispanic | 587 | 291,644 | 269 | 45.1 | 40.2-50.0 | 70 | 9.1 | 6.6-11.6 | 20 | 2.6 | 1.0- 4.2 | 33 | 4.6 | 2.8- 6.4 | 134 | 25.7 | 21.2-30.2 | 61 | 12.9 | 9.6-16.2 |
| 18-24 | 682 | 680,133 | 61 | 10.4 | 7.7-13.1 | 4 | 0.7 | 0.0- 1.5 | 1 | 0.2 | 0.0- 0.6 | 7 | 1.4 | 0.2- 2.6 | 530 | 75.9 | 72.2-79.6 | 79 | 11.3 | 8.6-14.0 |
| 25-34 | 1199 | 837,143 | 535 | 46.7 | 43.6-49.8 | 91 | 7.7 | 5.9- 9.5 | 5 | 0.5 | 0.0- 1.1 | 28 | 2.0 | 1.2- 2.8 | 415 | 32.7 | 29.8-35.6 | 125 | 10.4 | 8.4-12.4 |
| 35-44 | 1406 | 814,795 | 858 | 62.5 | 59.6-65.4 | 190 | 13.4 | 11.2-15.6 | 19 | 1.1 | 0.5- 1.7 | 39 | 2.3 | 1.5- 3.1 | 233 | 16.0 | 13.8-18.2 | 67 | 4.8 | 3.4- 6.2 |
| 45-54 | 2105 | 839,662 | 1294 | 63.5 | 61.1-65.9 | 379 | 17.7 | 15.7-19.7 | 65 | 3.0 | 2.2- 3.8 | 55 | 2.5 | 1.7- 3.3 | 266 | 10.9 | 9.3-12.5 | 46 | 2.4 | 1.6- 3.2 |
| 55-64 | 2986 | 864,594 | 1769 | 61.7 | 59.5-63.9 | 576 | 18.9 | 17.1-20.7 | 255 | 7.6 | 6.4- 8.8 | 57 | 1.9 | 1.3- 2.5 | 276 | 8.1 | 6.9- 9.3 | 53 | 1.8 | 1.2- 2.4 |
| 65+ | 5363 | 1,037,612 | 2623 | 56.8 | 55.2-58.4 | 748 | 12.9 | 11.7-14.1 | 1680 | 25.9 | 24.5-27.3 | 31 | 0.6 | 0.4- 0.8 | 251 | 3.2 | 2.6- 3.8 | 30 | 0.7 | 0.5- 0.9 |
| Less Than H.S. | 1064 | 644,458 | 386 | 38.9 | 35.2-42.6 | 195 | 14.2 | 11.7-16.7 | 217 | 10.8 | 9.0-12.6 | 40 | 3.3 | 2.1- 4.5 | 170 | 26.1 | 22.2-30.0 | 56 | 6.6 | 4.6- 8.6 |
| H.S. or G.E.D. | 4606 | 1,724,517 | 2094 | 47.1 | 45.1-49.1 | 711 | 13.2 | 12.0-14.4 | 910 | 9.2 | 8.4-10.0 | 88 | 2.0 | 1.4- 2.6 | 675 | 24.0 | 22.0-26.0 | 128 | 4.6 | 3.6- 5.6 |
| Some Post-H.S. | 3483 | 1,561,770 | 1753 | 51.0 | 48.8-53.2 | 567 | 13.4 | 12.0-14.8 | 478 | 6.4 | 5.6- 7.2 | 51 | 1.5 | 0.9- 2.1 | 525 | 22.5 | 20.5-24.5 | 109 | 5.2 | 4.0- 6.4 |
| College Graduate | 4562 | 1,134,283 | 2897 | 67.3 | 65.5-69.1 | 510 | 8.3 | 7.3- 9.3 | 413 | 4.0 | 3.4- 4.6 | 36 | 0.8 | 0.4- 1.2 | 600 | 16.0 | 14.4-17.6 | 106 | 3.6 | 2.8- 4.4 |
| Less than \$15,000 | 1209 | 451,003 | 168 | 16.6 | 13.9-19.3 | 373 | 23.5 | 20.6-26.4 | 248 | 10.9 | 9.1-12.7 | 62 | 5.9 | 3.9- 7.9 | 312 | 36.6 | 32.7-40.5 | 46 | 6.5 | 4.5- 8.5 |
| \$15,000- 24,999 | 2225 | 808,440 | 637 | 31.8 | 29.3-34.3 | 488 | 18.3 | 16.3-20.3 | 547 | 13.4 | 11.8-15.0 | 63 | 3.1 | 2.1- 4.1 | 406 | 27.3 | 24.6-30.0 | 84 | 6.1 | 4.5- 7.7 |
| \$25,000- 34,999 | 1423 | 504,611 | 562 | 42.9 | 39.4-46.4 | 262 | 17.2 | 14.7-19.7 | 305 | 11.0 | 9.4-12.6 | 21 | 2.6 | 1.2- 4.0 | 237 | 22.4 | 19.3-25.5 | 36 | 3.9 | 2.3- 5.5 |
| \$35,000- 49,999 | 1833 | 699,131 | 958 | 50.8 | 47.7-53.9 | 257 | 12.4 | 10.4-14.4 | 281 | 7.4 | 6.2- 8.6 | 24 | 1.0 | 0.6- 1.4 | 256 | 23.2 | 20.1-26.3 | 57 | 5.1 | 3.5- 6.7 |
| \$50,000- 74,999 | 1948 | 736,667 | 1277 | 64.2 | 61.3-67.1 | 220 | 10.0 | 8.2-11.8 | 155 | 3.7 | 2.9- 4.5 | 15 | 0.8 | 0.4- 1.2 | 229 | 16.6 | 14.1-19.1 | 52 | 4.7 | 3.1- 6.3 |
| \$75,000+ | 3417 | 1,293,640 | 2756 | 77.0 | 75.0-79.0 | 177 | 4.8 | 3.8- 5.8 | 131 | 1.7 | 1.3- 2.1 | 13 | 0.3 | 0.1- 0.5 | 248 | 11.9 | 10.1-13.7 | 92 | 4.3 | 3.3- 5.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS
TABLE 15: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Married | | | Divorced | | | Widowed | | | Separated | | | Never married | | | Unmarried couple | | |
|----------------------------|-------------------|-----------|---------|------|------------|----------|------|------------|---------|------|------------|-----------|-----|------------|---------------|------|------------|------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5909 | 2,472,079 | 3362 | 52.9 | 51.3-54.5 | 776 | 11.5 | 10.5-12.5 | 443 | 4.3 | 3.7- 4.9 | 74 | 1.3 | 0.9- 1.7 | 1047 | 24.7 | 23.1-26.3 | 207 | 5.3 | 4.5- 6.1 |
| White/Non-Hisp | 4892 | 1,967,326 | 2898 | 55.5 | 53.7-57.3 | 629 | 11.7 | 10.5-12.9 | 393 | 4.4 | 3.8- 5.0 | 52 | 1.2 | 0.8- 1.6 | 774 | 22.5 | 20.7-24.3 | 146 | 4.7 | 3.7- 5.7 |
| Black or Afr. Am./Non-Hisp | 342 | 206,974 | 136 | 35.6 | 29.3-41.9 | 58 | 12.9 | 8.8-17.0 | 17 | 3.6 | 1.4- 5.8 | 9 | 2.6 | 0.6- 4.6 | 107 | 39.3 | 32.4-46.2 | 15 | 6.0 | 2.9- 9.1 |
| Oth. Race/Non-Hisp. | 168 | 74,195 | 73 | 40.8 | 31.6-50.0 | 31 | 10.7 | 5.6-15.8 | 4 | 0.7 | 0.0- 1.7 | 2 | 0.5 | 0.0- 1.3 | 53 | 42.8 | 33.2-52.4 | 5 | 4.5 | 0.4- 8.6 |
| MultiRacial/Non-Hisp. | 110 | 32,558 | 51 | 48.9 | 37.3-60.5 | 18 | 15.4 | 7.4-23.4 | 7 | 4.0 | 0.3- 7.7 | 1 | 0.5 | 0.0- 1.5 | 24 | 20.4 | 11.6-29.2 | 9 | 10.9 | 2.9-18.9 |
| Hispanic | 272 | 139,847 | 136 | 47.9 | 40.6-55.2 | 29 | 8.8 | 5.1-12.5 | 5 | 2.5 | 0.0- 5.2 | 8 | 2.1 | 0.3- 3.9 | 63 | 24.8 | 18.3-31.3 | 31 | 13.9 | 8.6-19.2 |
| 18-24 | 384 | 349,448 | 31 | 9.4 | 6.1-12.7 | 2 | 0.4 | 0.0- 1.0 | | | | 4 | 1.3 | 0.1- 2.5 | 303 | 78.8 | 74.3-83.3 | 44 | 10.2 | 7.1-13.3 |
| 25-34 | 591 | 419,326 | 246 | 43.8 | 39.3-48.3 | 36 | 6.3 | 4.1- 8.5 | 3 | 0.5 | 0.0- 1.3 | 7 | 1.0 | 0.2- 1.8 | 224 | 35.8 | 31.5-40.1 | 75 | 12.6 | 9.5-15.7 |
| 35-44 | 628 | 406,143 | 379 | 61.7 | 57.2-66.2 | 74 | 11.4 | 8.5-14.3 | 10 | 1.5 | 0.5- 2.5 | 12 | 1.6 | 0.6- 2.6 | 123 | 18.7 | 15.2-22.2 | 30 | 5.1 | 3.1- 7.1 |
| 45-54 | 939 | 417,516 | 577 | 63.3 | 59.6-67.0 | 171 | 18.3 | 15.4-21.2 | 21 | 2.0 | 1.0- 3.0 | 20 | 2.0 | 1.0- 3.0 | 127 | 11.8 | 9.4-14.2 | 23 | 2.7 | 1.3- 4.1 |
| 55-64 | 1370 | 422,688 | 851 | 61.9 | 58.8-65.0 | 254 | 19.3 | 16.8-21.8 | 69 | 5.2 | 3.6- 6.8 | 21 | 1.7 | 0.9- 2.5 | 151 | 10.0 | 8.0-12.0 | 24 | 2.0 | 1.0- 3.0 |
| 65+ | 1997 | 456,957 | 1278 | 68.6 | 66.1-71.1 | 239 | 11.7 | 9.9-13.5 | 340 | 14.7 | 12.7-16.7 | 10 | 0.5 | 0.1- 0.9 | 119 | 3.8 | 2.8- 4.8 | 11 | 0.7 | 0.3- 1.1 |
| Less Than H.S. | 442 | 322,319 | 185 | 40.2 | 34.7-45.7 | 87 | 16.0 | 12.3-19.7 | 43 | 6.0 | 3.6- 8.4 | 8 | 1.3 | 0.3- 2.3 | 90 | 29.3 | 23.4-35.2 | 29 | 7.1 | 4.2-10.0 |
| H.S. or G.E.D. | 1915 | 867,235 | 962 | 47.9 | 45.2-50.6 | 297 | 12.7 | 10.9-14.5 | 175 | 5.1 | 4.1- 6.1 | 32 | 1.7 | 0.9- 2.5 | 371 | 27.1 | 24.4-29.8 | 78 | 5.6 | 4.2- 7.0 |
| Some Post-H.S. | 1441 | 716,379 | 786 | 52.6 | 49.5-55.7 | 208 | 11.7 | 9.7-13.7 | 108 | 3.5 | 2.7- 4.3 | 21 | 1.4 | 0.6- 2.2 | 274 | 25.5 | 22.6-28.4 | 44 | 5.3 | 3.7- 6.9 |
| College Graduate | 2095 | 559,660 | 1421 | 68.3 | 65.8-70.8 | 181 | 7.1 | 5.7- 8.5 | 115 | 3.0 | 2.2- 3.8 | 12 | 0.6 | 0.2- 1.0 | 311 | 17.3 | 15.1-19.5 | 55 | 3.8 | 2.6- 5.0 |
| Less than \$15,000 | 410 | 178,659 | 70 | 17.5 | 13.0-22.0 | 121 | 23.0 | 18.3-27.7 | 35 | 5.9 | 3.4- 8.4 | 10 | 3.0 | 1.0- 5.0 | 153 | 42.1 | 35.8-48.4 | 21 | 8.5 | 5.0-12.0 |
| \$15,000- 24,999 | 842 | 363,173 | 307 | 36.0 | 31.9-40.1 | 169 | 16.4 | 13.5-19.3 | 107 | 8.5 | 6.3-10.7 | 20 | 2.6 | 1.2- 4.0 | 199 | 29.8 | 25.5-34.1 | 40 | 6.7 | 4.2- 9.2 |
| \$25,000- 34,999 | 560 | 228,810 | 241 | 43.1 | 37.8-48.4 | 94 | 14.5 | 11.0-18.0 | 76 | 6.7 | 4.7- 8.7 | 8 | 2.2 | 0.4- 4.0 | 126 | 29.4 | 24.1-34.7 | 15 | 4.0 | 1.3- 6.7 |
| \$35,000- 49,999 | 861 | 369,519 | 461 | 49.1 | 44.6-53.6 | 126 | 13.2 | 10.3-16.1 | 81 | 4.9 | 3.5- 6.3 | 14 | 1.5 | 0.7- 2.3 | 147 | 25.8 | 21.3-30.3 | 32 | 5.6 | 3.4- 7.8 |
| \$50,000- 74,999 | 909 | 378,034 | 592 | 61.6 | 57.3-65.9 | 89 | 9.4 | 7.0-11.8 | 58 | 3.3 | 2.1- 4.5 | 7 | 0.6 | 0.0- 1.2 | 132 | 19.6 | 15.9-23.3 | 31 | 5.4 | 3.0- 7.8 |
| \$75,000+ | 1769 | 709,234 | 1409 | 74.8 | 72.1-77.5 | 96 | 5.6 | 4.2- 7.0 | 48 | 1.3 | 0.9- 1.7 | 7 | 0.3 | 0.0- 0.7 | 152 | 13.0 | 10.6-15.4 | 57 | 5.1 | 3.5- 6.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS
TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Married | | | Divorced | | | Widowed | | | Separated | | | Never married | | | Unmarried couple | | |
|----------------------------|-------------------|-----------|---------|------|------------|----------|------|------------|---------|------|------------|-----------|-----|------------|---------------|------|------------|------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7832 | 2,601,859 | 3778 | 50.7 | 49.1-52.3 | 1212 | 13.0 | 12.0-14.0 | 1582 | 10.3 | 9.7-10.9 | 143 | 2.2 | 1.8- 2.6 | 924 | 19.4 | 18.0-20.8 | 193 | 4.4 | 3.6- 5.2 |
| White/Non-Hisp | 6622 | 2,105,924 | 3379 | 54.5 | 52.7-56.3 | 994 | 13.3 | 12.3-14.3 | 1419 | 11.1 | 10.3-11.9 | 83 | 1.5 | 1.1- 1.9 | 610 | 15.6 | 14.0-17.2 | 137 | 3.9 | 3.1- 4.7 |
| Black or Afr. Am./Non-Hisp | 582 | 229,409 | 140 | 24.7 | 20.0-29.4 | 128 | 15.4 | 11.9-18.9 | 95 | 8.7 | 6.3-11.1 | 24 | 3.7 | 1.9- 5.5 | 185 | 44.5 | 38.8-50.2 | 10 | 3.0 | 1.0- 5.0 |
| Oth. Race/Non-Hisp. | 118 | 53,337 | 60 | 47.7 | 34.8-60.6 | 11 | 2.0 | 0.6- 3.4 | 14 | 6.5 | 0.6-12.4 | 5 | 5.2 | 0.0-11.1 | 23 | 32.6 | 19.9-45.3 | 5 | 6.0 | 0.0-12.1 |
| MultiRacial/Non-Hisp. | 97 | 27,945 | 25 | 27.8 | 15.1-40.5 | 23 | 13.8 | 6.9-20.7 | 15 | 10.4 | 3.7-17.1 | 3 | 3.3 | 0.0- 7.6 | 23 | 39.2 | 25.9-52.5 | 8 | 5.5 | 1.2- 9.8 |
| Hispanic | 315 | 151,796 | 133 | 42.6 | 35.9-49.3 | 41 | 9.3 | 6.0-12.6 | 15 | 2.7 | 1.1- 4.3 | 25 | 7.0 | 3.9-10.1 | 71 | 26.5 | 20.2-32.8 | 30 | 12.0 | 7.7-16.3 |
| 18-24 | 298 | 330,684 | 30 | 11.5 | 7.2-15.8 | 2 | 1.0 | 0.0- 2.6 | 1 | 0.4 | 0.0- 1.2 | 3 | 1.6 | 0.0- 3.4 | 227 | 72.9 | 67.0-78.8 | 35 | 12.6 | 8.3-16.9 |
| 25-34 | 608 | 417,817 | 289 | 49.5 | 45.0-54.0 | 55 | 9.1 | 6.4-11.8 | 2 | 0.4 | 0.0- 1.2 | 21 | 3.0 | 1.6- 4.4 | 191 | 29.7 | 25.6-33.8 | 50 | 8.2 | 5.8-10.6 |
| 35-44 | 778 | 408,651 | 479 | 63.3 | 59.4-67.2 | 116 | 15.3 | 12.4-18.2 | 9 | 0.8 | 0.2- 1.4 | 27 | 2.9 | 1.7- 4.1 | 110 | 13.3 | 10.6-16.0 | 37 | 4.4 | 2.8- 6.0 |
| 45-54 | 1166 | 422,145 | 717 | 63.6 | 60.5-66.7 | 208 | 17.0 | 14.5-19.5 | 44 | 4.1 | 2.7- 5.5 | 35 | 3.0 | 1.8- 4.2 | 139 | 10.1 | 8.1-12.1 | 23 | 2.1 | 1.1- 3.1 |
| 55-64 | 1616 | 441,907 | 918 | 61.4 | 58.5-64.3 | 322 | 18.6 | 16.2-21.0 | 186 | 9.9 | 8.1-11.7 | 36 | 2.2 | 1.2- 3.2 | 125 | 6.2 | 4.8- 7.6 | 29 | 1.6 | 0.8- 2.4 |
| 65+ | 3366 | 580,655 | 1345 | 47.5 | 45.3-49.7 | 509 | 13.8 | 12.4-15.2 | 1340 | 34.7 | 32.7-36.7 | 21 | 0.7 | 0.3- 1.1 | 132 | 2.7 | 2.1- 3.3 | 19 | 0.7 | 0.3- 1.1 |
| Less Than H.S. | 622 | 322,139 | 201 | 37.6 | 32.3-42.9 | 108 | 12.4 | 9.3-15.5 | 174 | 15.6 | 12.7-18.5 | 32 | 5.3 | 3.1- 7.5 | 80 | 22.9 | 17.6-28.2 | 27 | 6.2 | 3.5- 8.9 |
| H.S. or G.E.D. | 2691 | 857,281 | 1132 | 46.2 | 43.7-48.7 | 414 | 13.7 | 12.1-15.3 | 735 | 13.3 | 12.1-14.5 | 56 | 2.3 | 1.5- 3.1 | 304 | 20.9 | 18.4-23.4 | 50 | 3.5 | 2.3- 4.7 |
| Some Post-H.S. | 2042 | 845,391 | 967 | 49.6 | 46.7-52.5 | 359 | 14.9 | 12.9-16.9 | 370 | 8.9 | 7.7-10.1 | 30 | 1.6 | 0.8- 2.4 | 251 | 19.9 | 17.2-22.6 | 65 | 5.2 | 3.6- 6.8 |
| College Graduate | 2467 | 574,623 | 1476 | 66.4 | 64.0-68.8 | 329 | 9.5 | 8.1-10.9 | 298 | 5.0 | 4.2- 5.8 | 24 | 0.9 | 0.5- 1.3 | 289 | 14.7 | 12.7-16.7 | 51 | 3.4 | 2.2- 4.6 |
| Less than \$15,000 | 799 | 272,343 | 98 | 15.9 | 12.4-19.4 | 252 | 23.8 | 20.1-27.5 | 213 | 14.2 | 11.7-16.7 | 52 | 7.8 | 5.1-10.5 | 159 | 33.0 | 27.9-38.1 | 25 | 5.2 | 2.8- 7.6 |
| \$15,000- 24,999 | 1383 | 445,267 | 330 | 28.3 | 24.8-31.8 | 319 | 19.9 | 17.2-22.6 | 440 | 17.5 | 15.3-19.7 | 43 | 3.5 | 2.3- 4.7 | 207 | 25.3 | 21.6-29.0 | 44 | 5.5 | 3.5- 7.5 |
| \$25,000- 34,999 | 863 | 275,801 | 321 | 42.8 | 38.3-47.3 | 168 | 19.4 | 15.7-23.1 | 229 | 14.4 | 11.9-16.9 | 13 | 2.9 | 0.9- 4.9 | 111 | 16.7 | 13.0-20.4 | 21 | 3.7 | 1.9- 5.5 |
| \$35,000- 49,999 | 972 | 329,611 | 497 | 52.8 | 48.3-57.3 | 131 | 11.5 | 9.0-14.0 | 200 | 10.3 | 8.3-12.3 | 10 | 0.6 | 0.2- 1.0 | 109 | 20.3 | 15.8-24.8 | 25 | 4.5 | 2.5- 6.5 |
| \$50,000- 74,999 | 1039 | 358,633 | 685 | 67.0 | 62.9-71.1 | 131 | 10.6 | 8.2-13.0 | 97 | 4.0 | 2.8- 5.2 | 8 | 1.0 | 0.2- 1.8 | 97 | 13.5 | 9.8-17.2 | 21 | 3.9 | 1.9- 5.9 |
| \$75,000+ | 1648 | 584,406 | 1347 | 79.8 | 76.9-82.7 | 81 | 3.8 | 2.6- 5.0 | 83 | 2.3 | 1.7- 2.9 | 6 | 0.3 | 0.1- 0.5 | 96 | 10.6 | 7.9-13.3 | 35 | 3.3 | 1.9- 4.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 17: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never or only Kindergarten | | | Elementary | | | Some High School | | | High School Grad or GED | | | Some College or Technical School | | | College Graduate | | |
|----------------------------|-------------------|-----------|----------------------------|-----|------------|------------|------|------------|------------------|------|------------|-------------------------|------|------------|----------------------------------|------|------------|------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13797 | 5,095,179 | 13 | 0.1 | 0.1-0.1 | 281 | 3.2 | 2.8-3.6 | 779 | 9.4 | 8.6-10.2 | 4632 | 34.0 | 33.0-35.0 | 3505 | 30.9 | 29.9-31.9 | 4587 | 22.3 | 21.5-23.1 |
| Male | 5929 | 2,480,379 | 4 | 0.1 | 0.0-0.3 | 124 | 3.3 | 2.7-3.9 | 319 | 9.7 | 8.5-10.9 | 1926 | 35.1 | 33.5-36.7 | 1451 | 29.1 | 27.5-30.7 | 2105 | 22.6 | 21.4-23.8 |
| Female | 7868 | 2,614,800 | 9 | 0.2 | 0.0-0.4 | 157 | 3.2 | 2.6-3.8 | 460 | 9.1 | 7.9-10.3 | 2706 | 32.9 | 31.5-34.3 | 2054 | 32.5 | 30.9-34.1 | 2482 | 22.0 | 20.8-23.2 |
| White/Non-Hisp | 11551 | 4,090,028 | 5 | 0.1 | 0.1-0.1 | 147 | 2.2 | 1.8-2.6 | 548 | 8.1 | 7.3-8.9 | 3905 | 34.6 | 33.4-35.8 | 2930 | 31.4 | 30.2-32.6 | 4016 | 23.7 | 22.7-24.7 |
| Black or Afr. Am./Non-Hisp | 932 | 439,356 | 2 | 0.5 | 0.0-1.1 | 9 | 0.4 | 0.0-0.8 | 83 | 12.5 | 9.2-15.8 | 333 | 37.3 | 33.2-41.4 | 283 | 34.1 | 30.0-38.2 | 222 | 15.2 | 12.7-17.7 |
| Oth. Race/Non-Hisp. | 286 | 127,462 | | | | 6 | 3.8 | 0.0-7.9 | 23 | 6.1 | 2.0-10.2 | 73 | 21.9 | 15.6-28.2 | 57 | 28.5 | 21.1-35.9 | 127 | 39.7 | 32.4-47.0 |
| MultiRacial/Non-Hisp. | 208 | 60,858 | | | | 5 | 3.5 | 0.0-7.4 | 15 | 13.2 | 6.3-20.1 | 70 | 36.8 | 28.4-45.2 | 56 | 27.7 | 20.3-35.1 | 62 | 18.8 | 12.9-24.7 |
| Hispanic | 585 | 289,033 | 5 | 0.8 | 0.0-1.6 | 97 | 20.2 | 16.1-24.3 | 98 | 23.3 | 18.8-27.8 | 183 | 27.8 | 23.7-31.9 | 107 | 18.7 | 15.0-22.4 | 95 | 9.2 | 7.0-11.4 |
| 18-24 | 686 | 683,586 | | | | 8 | 1.9 | 0.5-3.3 | 60 | 14.2 | 10.5-17.9 | 284 | 41.2 | 37.1-45.3 | 217 | 32.9 | 29.0-36.8 | 117 | 9.8 | 7.8-11.8 |
| 25-34 | 1205 | 841,527 | 2 | 0.2 | 0.0-0.6 | 34 | 4.0 | 2.6-5.4 | 75 | 8.8 | 6.6-11.0 | 340 | 29.0 | 26.1-31.9 | 316 | 31.2 | 28.1-34.3 | 438 | 26.7 | 24.2-29.2 |
| 35-44 | 1412 | 819,092 | | | | 51 | 4.8 | 3.2-6.4 | 77 | 8.1 | 6.1-10.1 | 346 | 27.0 | 24.3-29.7 | 366 | 31.4 | 28.5-34.3 | 572 | 28.6 | 26.2-31.0 |
| 45-54 | 2121 | 844,792 | 5 | 0.3 | 0.1-0.5 | 41 | 2.9 | 1.9-3.9 | 93 | 7.1 | 5.5-8.7 | 631 | 31.6 | 29.2-34.0 | 546 | 32.2 | 29.8-34.6 | 805 | 25.9 | 23.9-27.9 |
| 55-64 | 2996 | 867,035 | 3 | 0.2 | 0.0-0.4 | 53 | 2.9 | 2.1-3.7 | 167 | 9.4 | 7.8-11.0 | 1053 | 36.8 | 34.8-38.8 | 785 | 30.0 | 28.0-32.0 | 935 | 20.7 | 19.3-22.1 |
| 65+ | 5377 | 1,039,147 | 3 | 0.1 | 0.1-0.1 | 94 | 2.9 | 2.1-3.7 | 307 | 9.5 | 8.3-10.7 | 1978 | 38.5 | 36.9-40.1 | 1275 | 28.5 | 26.9-30.1 | 1720 | 20.5 | 19.3-21.7 |
| Less than \$15,000 | 1222 | 455,418 | 5 | 0.4 | 0.0-0.8 | 77 | 7.9 | 5.9-9.9 | 200 | 25.0 | 21.3-28.7 | 535 | 35.8 | 32.3-39.3 | 267 | 24.7 | 21.4-28.0 | 138 | 6.2 | 4.8-7.6 |
| \$15,000- 24,999 | 2231 | 809,907 | 4 | 0.2 | 0.0-0.4 | 83 | 5.4 | 4.0-6.8 | 250 | 17.3 | 14.8-19.8 | 1048 | 44.1 | 41.4-46.8 | 529 | 25.4 | 23.0-27.8 | 317 | 7.6 | 6.4-8.8 |
| \$25,000- 34,999 | 1427 | 508,819 | 2 | 0.4 | 0.0-1.0 | 25 | 3.2 | 1.6-4.8 | 86 | 9.9 | 7.5-12.3 | 609 | 40.5 | 37.2-43.8 | 412 | 33.7 | 30.4-37.0 | 293 | 12.3 | 10.3-14.3 |
| \$35,000- 49,999 | 1838 | 701,022 | | | | 24 | 3.0 | 1.6-4.4 | 63 | 6.8 | 4.6-9.0 | 686 | 39.7 | 36.6-42.8 | 531 | 34.0 | 30.9-37.1 | 534 | 16.4 | 14.6-18.2 |
| \$50,000- 74,999 | 1950 | 738,318 | 1 | 0.1 | 0.0-0.3 | 14 | 2.0 | 0.8-3.2 | 26 | 3.3 | 1.7-4.9 | 517 | 30.3 | 27.6-33.0 | 605 | 39.2 | 36.3-42.1 | 787 | 25.1 | 22.9-27.3 |
| \$75,000+ | 3424 | 1,294,403 | | | | 9 | 0.5 | 0.1-0.9 | 30 | 2.1 | 1.1-3.1 | 565 | 21.2 | 19.2-23.2 | 725 | 29.9 | 27.7-32.1 | 2095 | 46.2 | 44.0-48.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 18: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never or only Kindergarten | | | Elementary | | | Some High School | | | High School Grad or GED | | | Some College or Technical School | | | College Graduate | | |
|----------------------------|-------------------|-----------|----------------------------|-----|------------|------------|------|------------|------------------|------|------------|-------------------------|------|------------|----------------------------------|------|------------|------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5929 | 2,480,379 | 4 | 0.1 | 0.0- 0.3 | 124 | 3.3 | 2.7- 3.9 | 319 | 9.7 | 8.5-10.9 | 1926 | 35.1 | 33.5-36.7 | 1451 | 29.1 | 27.5-30.7 | 2105 | 22.6 | 21.4-23.8 |
| White/Non-Hisp | 4909 | 1,975,835 | 1 | 0.0 | 0.0- 0.0 | 58 | 2.2 | 1.6- 2.8 | 219 | 8.4 | 7.0- 9.8 | 1584 | 35.7 | 33.9-37.5 | 1211 | 30.0 | 28.2-31.8 | 1836 | 23.7 | 22.3-25.1 |
| Black or Afr. Am./Non-Hisp | 343 | 208,290 | 1 | 0.6 | 0.0- 1.8 | | | | 31 | 14.3 | 8.6-20.0 | 136 | 39.3 | 32.8-45.8 | 95 | 30.2 | 23.9-36.5 | 80 | 15.6 | 11.5-19.7 |
| Oth. Race/Non-Hisp. | 168 | 74,125 | | | | 4 | 2.9 | 0.0- 6.2 | 11 | 3.0 | 0.8- 5.2 | 46 | 25.6 | 17.0-34.2 | 36 | 24.7 | 16.3-33.1 | 71 | 43.8 | 34.6-53.0 |
| MultiRacial/Non-Hisp. | 111 | 32,913 | | | | 3 | 5.8 | 0.0-12.9 | 7 | 13.5 | 3.7-23.3 | 40 | 35.5 | 24.9-46.1 | 26 | 21.7 | 12.7-30.7 | 35 | 23.6 | 15.0-32.2 |
| Hispanic | 270 | 137,236 | 1 | 0.5 | 0.0- 1.5 | 49 | 21.7 | 15.6-27.8 | 45 | 23.6 | 16.7-30.5 | 88 | 29.1 | 22.8-35.4 | 45 | 16.5 | 11.4-21.6 | 42 | 8.6 | 5.5-11.7 |
| 18-24 | 386 | 349,115 | | | | 3 | 1.2 | 0.0- 2.6 | 30 | 12.9 | 8.2-17.6 | 177 | 46.5 | 40.8-52.2 | 118 | 31.0 | 25.9-36.1 | 58 | 8.4 | 6.0-10.8 |
| 25-34 | 595 | 422,307 | 2 | 0.5 | 0.0- 1.1 | 17 | 4.0 | 2.0- 6.0 | 36 | 9.5 | 6.2-12.8 | 181 | 31.5 | 27.2-35.8 | 135 | 27.2 | 22.9-31.5 | 224 | 27.3 | 23.8-30.8 |
| 35-44 | 632 | 409,868 | | | | 25 | 5.2 | 2.8- 7.6 | 41 | 9.6 | 6.5-12.7 | 173 | 29.7 | 25.6-33.8 | 148 | 28.9 | 24.6-33.2 | 245 | 26.5 | 23.0-30.0 |
| 45-54 | 946 | 419,487 | | | | 24 | 3.4 | 2.0- 4.8 | 50 | 8.9 | 6.4-11.4 | 284 | 31.5 | 28.0-35.0 | 238 | 31.7 | 28.0-35.4 | 350 | 24.5 | 21.8-27.2 |
| 55-64 | 1369 | 422,529 | | | | 18 | 2.4 | 1.2- 3.6 | 74 | 9.5 | 7.1-11.9 | 485 | 37.9 | 34.8-41.0 | 349 | 28.7 | 25.8-31.6 | 443 | 21.5 | 19.3-23.7 |
| 65+ | 2001 | 457,073 | 2 | 0.1 | 0.0- 0.3 | 37 | 3.3 | 2.1- 4.5 | 88 | 8.4 | 6.4-10.4 | 626 | 35.3 | 32.8-37.8 | 463 | 27.8 | 25.4-30.2 | 785 | 25.1 | 23.1-27.1 |
| Less than \$15,000 | 416 | 180,894 | 2 | 0.2 | 0.0- 0.6 | 21 | 6.8 | 3.5-10.1 | 73 | 25.2 | 19.5-30.9 | 172 | 35.7 | 30.0-41.4 | 90 | 25.1 | 19.6-30.6 | 58 | 7.0 | 4.6- 9.4 |
| \$15,000- 24,999 | 841 | 362,339 | 1 | 0.2 | 0.0- 0.6 | 48 | 7.9 | 5.4-10.4 | 101 | 18.8 | 14.9-22.7 | 366 | 41.4 | 37.1-45.7 | 185 | 23.1 | 19.4-26.8 | 140 | 8.6 | 6.8-10.4 |
| \$25,000- 34,999 | 563 | 231,921 | 1 | 0.6 | 0.0- 1.8 | 8 | 2.6 | 0.4- 4.8 | 38 | 11.8 | 7.5-16.1 | 249 | 44.3 | 39.0-49.6 | 159 | 30.0 | 25.1-34.9 | 108 | 10.7 | 8.2-13.2 |
| \$35,000- 49,999 | 864 | 371,300 | | | | 14 | 3.5 | 1.5- 5.5 | 38 | 9.1 | 5.6-12.6 | 333 | 42.3 | 37.8-46.8 | 244 | 30.5 | 26.4-34.6 | 235 | 14.6 | 12.2-17.0 |
| \$50,000- 74,999 | 909 | 379,224 | | | | 9 | 2.1 | 0.5- 3.7 | 14 | 4.1 | 1.7- 6.5 | 273 | 34.8 | 30.7-38.9 | 265 | 36.1 | 32.0-40.2 | 348 | 23.0 | 20.1-25.9 |
| \$75,000+ | 1772 | 709,661 | | | | 4 | 0.5 | 0.0- 1.1 | 19 | 2.4 | 1.2- 3.6 | 323 | 23.9 | 21.2-26.6 | 363 | 29.2 | 26.3-32.1 | 1063 | 44.0 | 41.3-46.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 19: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never or only Kindergarten | | | Elementary | | | Some High School | | | High School Grad or GED | | | Some College or Technical School | | | College Graduate | | |
|----------------------------|-------------------|-----------|----------------------------|-----|------------|------------|------|------------|------------------|------|------------|-------------------------|------|------------|----------------------------------|------|------------|------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7868 | 2,614,800 | 9 | 0.2 | 0.0- 0.4 | 157 | 3.2 | 2.6- 3.8 | 460 | 9.1 | 7.9-10.3 | 2706 | 32.9 | 31.5-34.3 | 2054 | 32.5 | 30.9-34.1 | 2482 | 22.0 | 20.8-23.2 |
| White/Non-Hisp | 6642 | 2,114,193 | 4 | 0.1 | 0.0- 0.3 | 89 | 2.2 | 1.6- 2.8 | 329 | 7.9 | 6.7- 9.1 | 2321 | 33.5 | 31.9-35.1 | 1719 | 32.7 | 31.1-34.3 | 2180 | 23.6 | 22.4-24.8 |
| Black or Afr. Am./Non-Hisp | 589 | 231,066 | 1 | 0.3 | 0.0- 0.9 | 9 | 0.8 | 0.2- 1.4 | 52 | 11.0 | 7.3-14.7 | 197 | 35.5 | 30.0-41.0 | 188 | 37.6 | 32.1-43.1 | 142 | 14.9 | 11.8-18.0 |
| Oth. Race/Non-Hisp. | 118 | 53,337 | | | | 2 | 5.0 | 0.0-13.8 | 12 | 10.3 | 1.3-19.3 | 27 | 16.8 | 8.2-25.4 | 21 | 33.8 | 20.7-46.9 | 56 | 34.1 | 23.3-44.9 |
| MultiRacial/Non-Hisp. | 97 | 27,945 | | | | 2 | 0.8 | 0.0- 2.0 | 8 | 12.8 | 3.2-22.4 | 30 | 38.4 | 25.1-51.7 | 30 | 34.8 | 22.5-47.1 | 27 | 13.2 | 5.9-20.5 |
| Hispanic | 315 | 151,796 | 4 | 1.0 | 0.0- 2.0 | 48 | 18.9 | 13.4-24.4 | 53 | 23.1 | 16.8-29.4 | 95 | 26.6 | 20.9-32.3 | 62 | 20.7 | 15.2-26.2 | 53 | 9.8 | 6.9-12.7 |
| 18-24 | 300 | 334,471 | | | | 5 | 2.7 | 0.2- 5.2 | 30 | 15.6 | 10.1-21.1 | 107 | 35.6 | 29.5-41.7 | 99 | 34.9 | 28.8-41.0 | 59 | 11.2 | 8.1-14.3 |
| 25-34 | 610 | 419,220 | | | | 17 | 4.1 | 1.9- 6.3 | 39 | 8.1 | 5.4-10.8 | 159 | 26.5 | 22.6-30.4 | 181 | 35.2 | 30.9-39.5 | 214 | 26.2 | 22.7-29.7 |
| 35-44 | 780 | 409,224 | | | | 26 | 4.4 | 2.4- 6.4 | 36 | 6.6 | 4.2- 9.0 | 173 | 24.3 | 20.8-27.8 | 218 | 34.0 | 30.1-37.9 | 327 | 30.8 | 27.5-34.1 |
| 45-54 | 1175 | 425,304 | 5 | 0.6 | 0.0- 1.2 | 17 | 2.3 | 1.1- 3.5 | 43 | 5.3 | 3.5- 7.1 | 347 | 31.7 | 28.6-34.8 | 308 | 32.7 | 29.4-36.0 | 455 | 27.3 | 24.8-29.8 |
| 55-64 | 1627 | 444,506 | 3 | 0.4 | 0.0- 1.0 | 35 | 3.3 | 2.1- 4.5 | 93 | 9.3 | 7.1-11.5 | 568 | 35.7 | 33.0-38.4 | 436 | 31.3 | 28.6-34.0 | 492 | 20.0 | 18.0-22.0 |
| 65+ | 3376 | 582,075 | 1 | 0.1 | 0.0- 0.3 | 57 | 2.5 | 1.7- 3.3 | 219 | 10.5 | 8.9-12.1 | 1352 | 40.9 | 38.9-42.9 | 812 | 29.1 | 27.1-31.1 | 935 | 16.9 | 15.7-18.1 |
| Less than \$15,000 | 806 | 274,524 | 3 | 0.5 | 0.0- 1.1 | 56 | 8.7 | 6.2-11.2 | 127 | 24.8 | 19.9-29.7 | 363 | 35.9 | 31.4-40.4 | 177 | 24.3 | 20.0-28.6 | 80 | 5.7 | 3.9- 7.5 |
| \$15,000- 24,999 | 1390 | 447,568 | 3 | 0.2 | 0.0- 0.6 | 35 | 3.4 | 2.0- 4.8 | 149 | 16.0 | 12.7-19.3 | 682 | 46.3 | 42.6-50.0 | 344 | 27.2 | 23.9-30.5 | 177 | 6.8 | 5.4- 8.2 |
| \$25,000- 34,999 | 864 | 276,898 | 1 | 0.2 | 0.0- 0.6 | 17 | 3.7 | 1.3- 6.1 | 48 | 8.2 | 5.5-10.9 | 360 | 37.4 | 33.1-41.7 | 253 | 36.8 | 32.3-41.3 | 185 | 13.7 | 11.0-16.4 |
| \$35,000- 49,999 | 974 | 329,722 | | | | 10 | 2.5 | 0.5- 4.5 | 25 | 4.1 | 2.3- 5.9 | 353 | 36.9 | 32.6-41.2 | 287 | 38.1 | 33.6-42.6 | 299 | 18.5 | 15.6-21.4 |
| \$50,000- 74,999 | 1041 | 359,094 | 1 | 0.3 | 0.0- 0.9 | 5 | 1.9 | 0.1- 3.7 | 12 | 2.4 | 0.6- 4.2 | 244 | 25.6 | 22.1-29.1 | 340 | 42.6 | 38.3-46.9 | 439 | 27.3 | 24.2-30.4 |
| \$75,000+ | 1652 | 584,743 | | | | 5 | 0.6 | 0.0- 1.2 | 11 | 1.8 | 0.2- 3.4 | 242 | 17.9 | 15.4-20.4 | 362 | 30.8 | 27.7-33.9 | 1032 | 48.9 | 45.8-52.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 20: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Own | | | Rent | | | Other Arrangement | | |
|----------------------------|-------------------|-----------|-------|------|------------|------|------|------------|-------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13742 | 5,073,788 | 10235 | 71.8 | 70.8-72.8 | 2944 | 22.9 | 21.9-23.9 | 563 | 5.3 | 4.7- 5.9 |
| Male | 5909 | 2,471,480 | 4424 | 72.6 | 71.0-74.2 | 1236 | 22.2 | 20.8-23.6 | 249 | 5.2 | 4.4- 6.0 |
| Female | 7833 | 2,602,308 | 5811 | 71.0 | 69.6-72.4 | 1708 | 23.6 | 22.2-25.0 | 314 | 5.4 | 4.6- 6.2 |
| White/Non-Hisp | 11508 | 4,073,741 | 9105 | 77.1 | 76.1-78.1 | 1970 | 17.9 | 16.9-18.9 | 433 | 5.0 | 4.4- 5.6 |
| Black or Afr. Am./Non-Hisp | 930 | 438,795 | 448 | 46.0 | 41.7-50.3 | 439 | 48.3 | 44.0-52.6 | 43 | 5.7 | 3.5- 7.9 |
| Oth. Race/Non-Hisp. | 285 | 127,094 | 161 | 50.3 | 42.7-57.9 | 110 | 41.5 | 33.9-49.1 | 14 | 8.2 | 3.1-13.3 |
| MultiRacial/Non-Hisp. | 207 | 60,773 | 115 | 59.9 | 51.7-68.1 | 69 | 28.5 | 21.1-35.9 | 23 | 11.6 | 6.3-16.9 |
| Hispanic | 582 | 286,403 | 248 | 49.2 | 44.3-54.1 | 292 | 43.9 | 39.2-48.6 | 42 | 6.9 | 4.5- 9.3 |
| 18-24 | 681 | 679,798 | 139 | 30.8 | 26.3-35.3 | 345 | 45.4 | 41.1-49.7 | 197 | 23.8 | 20.5-27.1 |
| 25-34 | 1203 | 840,321 | 550 | 57.2 | 54.1-60.3 | 580 | 38.3 | 35.4-41.2 | 73 | 4.5 | 3.3- 5.7 |
| 35-44 | 1411 | 817,826 | 952 | 74.5 | 72.1-76.9 | 408 | 23.0 | 20.6-25.4 | 51 | 2.5 | 1.7- 3.3 |
| 45-54 | 2113 | 840,923 | 1623 | 81.7 | 79.9-83.5 | 424 | 16.0 | 14.4-17.6 | 66 | 2.3 | 1.7- 2.9 |
| 55-64 | 2987 | 863,253 | 2435 | 85.0 | 83.6-86.4 | 488 | 13.5 | 12.1-14.9 | 64 | 1.4 | 1.0- 1.8 |
| 65+ | 5347 | 1,031,668 | 4536 | 89.3 | 88.3-90.3 | 699 | 9.0 | 8.2- 9.8 | 112 | 1.7 | 1.3- 2.1 |
| Less Than H.S. | 1066 | 646,100 | 533 | 55.9 | 52.0-59.8 | 454 | 34.9 | 31.4-38.4 | 79 | 9.2 | 6.8-11.6 |
| H.S. or G.E.D. | 4597 | 1,720,703 | 3265 | 69.9 | 68.1-71.7 | 1118 | 24.3 | 22.7-25.9 | 214 | 5.7 | 4.7- 6.7 |
| Some Post-H.S. | 3484 | 1,565,727 | 2560 | 71.2 | 69.2-73.2 | 771 | 23.5 | 21.7-25.3 | 153 | 5.3 | 4.3- 6.3 |
| College Graduate | 4571 | 1,133,828 | 3860 | 84.4 | 83.0-85.8 | 597 | 13.2 | 12.0-14.4 | 114 | 2.4 | 1.8- 3.0 |
| Less than \$15,000 | 1211 | 450,890 | 480 | 40.8 | 36.9-44.7 | 640 | 51.1 | 47.2-55.0 | 91 | 8.2 | 6.2-10.2 |
| \$15,000- 24,999 | 2230 | 808,377 | 1325 | 57.3 | 54.6-60.0 | 804 | 37.8 | 35.1-40.5 | 101 | 4.9 | 3.7- 6.1 |
| \$25,000- 34,999 | 1424 | 507,159 | 1029 | 68.0 | 64.7-71.3 | 350 | 28.4 | 25.3-31.5 | 45 | 3.6 | 2.2- 5.0 |
| \$35,000- 49,999 | 1834 | 700,012 | 1453 | 76.4 | 73.7-79.1 | 325 | 20.2 | 17.7-22.7 | 56 | 3.4 | 2.2- 4.6 |
| \$50,000- 74,999 | 1950 | 737,051 | 1652 | 81.7 | 79.3-84.1 | 236 | 13.2 | 11.2-15.2 | 62 | 5.2 | 3.6- 6.8 |
| \$75,000+ | 3423 | 1,293,104 | 3119 | 89.1 | 87.7-90.5 | 227 | 7.4 | 6.2- 8.6 | 77 | 3.5 | 2.5- 4.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 21: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Own | | | Rent | | | Other Arrangement | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|-------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5909 | 2,471,480 | 4424 | 72.6 | 71.2-74.0 | 1236 | 22.2 | 20.8-23.6 | 249 | 5.2 | 4.4- 6.0 |
| White/Non-Hisp | 4891 | 1,968,603 | 3908 | 77.6 | 76.0-79.2 | 794 | 17.4 | 16.0-18.8 | 189 | 5.0 | 4.2- 5.8 |
| Black or Afr. Am./Non-Hisp | 343 | 208,206 | 152 | 46.8 | 40.1-53.5 | 169 | 45.8 | 39.1-52.5 | 22 | 7.4 | 3.9-10.9 |
| Oth. Race/Non-Hisp. | 168 | 74,219 | 87 | 50.4 | 41.0-59.8 | 73 | 44.6 | 35.2-54.0 | 8 | 5.0 | 0.7- 9.3 |
| MultiRacial/Non-Hisp. | 111 | 32,913 | 67 | 69.5 | 60.1-78.9 | 35 | 24.2 | 15.6-32.8 | 9 | 6.3 | 1.8-10.8 |
| Hispanic | 271 | 136,864 | 117 | 52.9 | 45.8-60.0 | 136 | 41.3 | 34.4-48.2 | 18 | 5.9 | 3.0- 8.8 |
| 18-24 | 385 | 348,503 | 84 | 31.6 | 25.7-37.5 | 193 | 45.0 | 39.5-50.5 | 108 | 23.4 | 18.9-27.9 |
| 25-34 | 595 | 422,307 | 271 | 58.5 | 54.2-62.8 | 287 | 36.8 | 32.7-40.9 | 37 | 4.7 | 2.9- 6.5 |
| 35-44 | 632 | 409,572 | 437 | 76.9 | 73.6-80.2 | 174 | 20.9 | 17.6-24.2 | 21 | 2.2 | 1.2- 3.2 |
| 45-54 | 941 | 416,939 | 717 | 81.7 | 79.2-84.2 | 198 | 16.2 | 13.7-18.7 | 26 | 2.1 | 1.1- 3.1 |
| 55-64 | 1365 | 420,166 | 1144 | 86.3 | 84.3-88.3 | 196 | 12.6 | 10.6-14.6 | 25 | 1.1 | 0.5- 1.7 |
| 65+ | 1991 | 453,993 | 1771 | 92.1 | 90.7-93.5 | 188 | 6.8 | 5.6- 8.0 | 32 | 1.1 | 0.7- 1.5 |
| Less Than H.S. | 445 | 322,370 | 241 | 59.3 | 53.8-64.8 | 171 | 31.8 | 26.7-36.9 | 33 | 8.9 | 5.6-12.2 |
| H.S. or G.E.D. | 1910 | 865,660 | 1348 | 69.9 | 67.4-72.4 | 466 | 24.2 | 21.8-26.6 | 96 | 5.8 | 4.4- 7.2 |
| Some Post-H.S. | 1440 | 717,862 | 1064 | 72.5 | 69.8-75.2 | 313 | 22.3 | 19.8-24.8 | 63 | 5.2 | 3.8- 6.6 |
| College Graduate | 2101 | 560,814 | 1762 | 84.2 | 82.4-86.0 | 284 | 13.6 | 11.8-15.4 | 55 | 2.2 | 1.4- 3.0 |
| Less than \$15,000 | 413 | 179,325 | 170 | 42.8 | 36.5-49.1 | 206 | 47.2 | 41.1-53.3 | 37 | 10.0 | 6.3-13.7 |
| \$15,000- 24,999 | 841 | 361,555 | 471 | 56.6 | 52.3-60.9 | 329 | 38.7 | 34.6-42.8 | 41 | 4.7 | 2.7- 6.7 |
| \$25,000- 34,999 | 561 | 231,155 | 388 | 65.9 | 60.8-71.0 | 151 | 29.4 | 24.5-34.3 | 22 | 4.7 | 2.3- 7.1 |
| \$35,000- 49,999 | 862 | 370,909 | 667 | 75.4 | 71.7-79.1 | 167 | 21.6 | 18.1-25.1 | 28 | 3.0 | 1.6- 4.4 |
| \$50,000- 74,999 | 907 | 377,449 | 749 | 80.7 | 77.4-84.0 | 126 | 14.3 | 11.6-17.0 | 32 | 5.0 | 3.0- 7.0 |
| \$75,000+ | 1772 | 709,617 | 1599 | 88.5 | 86.5-90.5 | 134 | 8.5 | 6.7-10.3 | 39 | 3.1 | 1.9- 4.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 22: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Own | | | Rent | | | Other Arrangement | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|-------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7833 | 2,602,308 | 5811 | 71.0 | 69.6-72.4 | 1708 | 23.6 | 22.2-25.0 | 314 | 5.4 | 4.6- 6.2 |
| White/Non-Hisp | 6617 | 2,105,138 | 5197 | 76.6 | 75.0-78.2 | 1176 | 18.4 | 17.0-19.8 | 244 | 5.0 | 4.2- 5.8 |
| Black or Afr. Am./Non-Hisp | 587 | 230,589 | 296 | 45.2 | 39.7-50.7 | 270 | 50.6 | 44.9-56.3 | 21 | 4.2 | 1.8- 6.6 |
| Oth. Race/Non-Hisp. | 117 | 52,875 | 74 | 50.3 | 37.2-63.4 | 37 | 37.1 | 24.6-49.6 | 6 | 12.6 | 2.0-23.2 |
| MultiRacial/Non-Hisp. | 96 | 27,860 | 48 | 48.6 | 35.3-61.9 | 34 | 33.6 | 21.3-45.9 | 14 | 17.8 | 7.8-27.8 |
| Hispanic | 311 | 149,540 | 131 | 45.8 | 38.9-52.7 | 156 | 46.3 | 39.6-53.0 | 24 | 7.9 | 4.4-11.4 |
| 18-24 | 296 | 331,295 | 55 | 29.9 | 23.2-36.6 | 152 | 45.8 | 39.3-52.3 | 89 | 24.2 | 18.9-29.5 |
| 25-34 | 608 | 418,014 | 279 | 56.0 | 51.7-60.3 | 293 | 39.7 | 35.4-44.0 | 36 | 4.3 | 2.7- 5.9 |
| 35-44 | 779 | 408,254 | 515 | 72.2 | 68.9-75.5 | 234 | 25.0 | 21.7-28.3 | 30 | 2.8 | 1.6- 4.0 |
| 45-54 | 1172 | 423,984 | 906 | 81.8 | 79.4-84.2 | 226 | 15.8 | 13.6-18.0 | 40 | 2.5 | 1.7- 3.3 |
| 55-64 | 1622 | 443,087 | 1291 | 83.8 | 81.8-85.8 | 292 | 14.5 | 12.7-16.3 | 39 | 1.7 | 1.1- 2.3 |
| 65+ | 3356 | 577,675 | 2765 | 87.0 | 85.8-88.2 | 511 | 10.8 | 9.6-12.0 | 80 | 2.2 | 1.6- 2.8 |
| Less Than H.S. | 621 | 323,730 | 292 | 52.5 | 47.0-58.0 | 283 | 38.0 | 32.9-43.1 | 46 | 9.5 | 6.0-13.0 |
| H.S. or G.E.D. | 2687 | 855,043 | 1917 | 69.9 | 67.5-72.3 | 652 | 24.4 | 22.2-26.6 | 118 | 5.7 | 4.3- 7.1 |
| Some Post-H.S. | 2044 | 847,865 | 1496 | 70.1 | 67.4-72.8 | 458 | 24.5 | 22.0-27.0 | 90 | 5.4 | 4.0- 6.8 |
| College Graduate | 2470 | 573,014 | 2098 | 84.6 | 82.6-86.6 | 313 | 12.8 | 11.0-14.6 | 59 | 2.6 | 1.8- 3.4 |
| Less than \$15,000 | 798 | 271,565 | 310 | 39.4 | 34.5-44.3 | 434 | 53.6 | 48.7-58.5 | 54 | 7.0 | 4.6- 9.4 |
| \$15,000- 24,999 | 1389 | 446,822 | 854 | 57.8 | 54.1-61.5 | 475 | 37.0 | 33.5-40.5 | 60 | 5.2 | 3.4- 7.0 |
| \$25,000- 34,999 | 863 | 276,004 | 641 | 69.8 | 65.5-74.1 | 199 | 27.5 | 23.4-31.6 | 23 | 2.6 | 1.0- 4.2 |
| \$35,000- 49,999 | 972 | 329,102 | 786 | 77.6 | 73.7-81.5 | 158 | 18.7 | 15.2-22.2 | 28 | 3.8 | 1.8- 5.8 |
| \$50,000- 74,999 | 1043 | 359,602 | 903 | 82.7 | 79.2-86.2 | 110 | 11.9 | 9.2-14.6 | 30 | 5.4 | 2.9- 7.9 |
| \$75,000+ | 1651 | 583,487 | 1520 | 89.9 | 87.7-92.1 | 93 | 6.1 | 4.5- 7.7 | 38 | 3.9 | 2.3- 5.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 23: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Valid County Code | | | Didnt Know County Code | | | Refused to give County Code | | |
|----------------------------|-------------------|-----------|-------------------|------|------------|------------------------|-----|------------|-----------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13619 | 4,994,744 | 13296 | 97.1 | 96.7-97.5 | 155 | 1.4 | 1.2- 1.6 | 168 | 1.5 | 1.1- 1.9 |
| Male | 5842 | 2,432,423 | 5690 | 96.8 | 96.2-97.4 | 75 | 1.5 | 1.1- 1.9 | 77 | 1.8 | 1.4- 2.2 |
| Female | 7777 | 2,562,322 | 7606 | 97.3 | 96.7-97.9 | 80 | 1.4 | 1.0- 1.8 | 91 | 1.3 | 0.9- 1.7 |
| White/Non-Hisp | 11405 | 4,010,313 | 11206 | 98.0 | 97.6-98.4 | 77 | 0.8 | 0.6- 1.0 | 122 | 1.2 | 0.8- 1.6 |
| Black or Afr. Am./Non-Hisp | 918 | 428,559 | 896 | 97.8 | 96.4-99.2 | 12 | 0.9 | 0.1- 1.7 | 10 | 1.3 | 0.3- 2.3 |
| Oth. Race/Non-Hisp. | 273 | 120,395 | 254 | 91.1 | 86.6-95.6 | 9 | 3.6 | 0.7- 6.5 | 10 | 5.3 | 1.6- 9.0 |
| MultiRacial/Non-Hisp. | 205 | 59,516 | 201 | 97.8 | 95.1- 100 | 2 | 1.4 | 0.0- 3.6 | 2 | 0.9 | 0.0- 2.5 |
| Hispanic | 579 | 286,981 | 517 | 87.0 | 83.5-90.5 | 49 | 9.6 | 6.7-12.5 | 13 | 3.4 | 1.0- 5.8 |
| 18-24 | 659 | 663,299 | 623 | 94.5 | 92.5-96.5 | 25 | 3.5 | 1.9- 5.1 | 11 | 2.0 | 0.6- 3.4 |
| 25-34 | 1152 | 808,412 | 1114 | 96.9 | 95.7-98.1 | 24 | 1.7 | 0.9- 2.5 | 14 | 1.4 | 0.6- 2.2 |
| 35-44 | 1381 | 797,581 | 1341 | 97.0 | 95.8-98.2 | 19 | 1.1 | 0.5- 1.7 | 21 | 1.9 | 0.9- 2.9 |
| 45-54 | 2091 | 832,244 | 2046 | 97.8 | 97.0-98.6 | 13 | 0.6 | 0.2- 1.0 | 32 | 1.6 | 1.0- 2.2 |
| 55-64 | 2984 | 862,593 | 2926 | 97.8 | 97.2-98.4 | 24 | 0.9 | 0.5- 1.3 | 34 | 1.2 | 0.8- 1.6 |
| 65+ | 5352 | 1,030,615 | 5246 | 97.6 | 97.0-98.2 | 50 | 1.1 | 0.7- 1.5 | 56 | 1.3 | 0.9- 1.7 |
| Less Than H.S. | 1068 | 646,433 | 1006 | 94.0 | 92.0-96.0 | 45 | 3.7 | 2.5- 4.9 | 17 | 2.3 | 0.7- 3.9 |
| H.S. or G.E.D. | 4587 | 1,708,869 | 4470 | 96.9 | 96.1-97.7 | 56 | 1.6 | 1.0- 2.2 | 61 | 1.5 | 1.1- 1.9 |
| Some Post-H.S. | 3448 | 1,537,328 | 3388 | 97.8 | 97.2-98.4 | 22 | 0.8 | 0.4- 1.2 | 38 | 1.3 | 0.7- 1.9 |
| College Graduate | 4484 | 1,092,017 | 4406 | 98.2 | 97.6-98.8 | 31 | 0.6 | 0.4- 0.8 | 47 | 1.2 | 0.8- 1.6 |
| Less than \$15,000 | 1212 | 448,714 | 1167 | 95.1 | 93.5-96.7 | 35 | 3.9 | 2.3- 5.5 | 10 | 1.0 | 0.2- 1.8 |
| \$15,000- 24,999 | 2206 | 797,136 | 2154 | 97.3 | 96.3-98.3 | 30 | 1.4 | 0.6- 2.2 | 22 | 1.3 | 0.5- 2.1 |
| \$25,000- 34,999 | 1404 | 496,247 | 1383 | 98.0 | 96.8-99.2 | 13 | 1.3 | 0.3- 2.3 | 8 | 0.7 | 0.1- 1.3 |
| \$35,000- 49,999 | 1816 | 687,072 | 1793 | 98.7 | 97.9-99.5 | 10 | 0.6 | 0.0- 1.2 | 13 | 0.6 | 0.2- 1.0 |
| \$50,000- 74,999 | 1933 | 727,462 | 1907 | 98.4 | 97.6-99.2 | 15 | 0.7 | 0.3- 1.1 | 11 | 0.9 | 0.3- 1.5 |
| \$75,000+ | 3352 | 1,258,907 | 3302 | 98.1 | 97.3-98.9 | 14 | 0.4 | 0.2- 0.6 | 36 | 1.6 | 0.8- 2.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 24: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Valid County Code | | | Didnt Know County Code | | | Refused to give County Code | | |
|----------------------------|-------------------|-----------|-------------------|------|------------|------------------------|-----|------------|-----------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5842 | 2,432,423 | 5690 | 96.8 | 96.2-97.4 | 75 | 1.5 | 1.1- 1.9 | 77 | 1.8 | 1.4- 2.2 |
| White/Non-Hisp | 4832 | 1,935,525 | 4742 | 97.8 | 97.2-98.4 | 37 | 0.9 | 0.5- 1.3 | 53 | 1.3 | 0.9- 1.7 |
| Black or Afr. Am./Non-Hisp | 339 | 204,976 | 329 | 97.4 | 95.2-99.6 | 4 | 0.5 | 0.0- 1.1 | 6 | 2.1 | 0.0- 4.3 |
| Oth. Race/Non-Hisp. | 162 | 70,378 | 151 | 92.8 | 88.3-97.3 | 6 | 3.1 | 0.4- 5.8 | 5 | 4.1 | 0.6- 7.6 |
| MultiRacial/Non-Hisp. | 111 | 32,913 | 108 | 96.1 | 91.2- 100 | 2 | 2.4 | 0.0- 6.3 | 1 | 1.5 | 0.0- 4.4 |
| Hispanic | 267 | 136,313 | 237 | 85.7 | 80.0-91.4 | 23 | 8.9 | 5.0-12.8 | 7 | 5.4 | 1.1- 9.7 |
| 18-24 | 373 | 342,463 | 351 | 94.2 | 91.7-96.7 | 15 | 4.0 | 1.8- 6.2 | 7 | 1.9 | 0.3- 3.5 |
| 25-34 | 563 | 401,805 | 541 | 96.4 | 94.8-98.0 | 14 | 1.7 | 0.7- 2.7 | 8 | 1.9 | 0.5- 3.3 |
| 35-44 | 621 | 401,282 | 603 | 96.9 | 95.1-98.7 | 7 | 0.7 | 0.1- 1.3 | 11 | 2.5 | 0.7- 4.3 |
| 45-54 | 930 | 412,217 | 906 | 97.2 | 96.0-98.4 | 7 | 0.8 | 0.0- 1.6 | 17 | 2.0 | 1.0- 3.0 |
| 55-64 | 1362 | 419,414 | 1334 | 98.1 | 97.3-98.9 | 10 | 0.7 | 0.1- 1.3 | 18 | 1.2 | 0.6- 1.8 |
| 65+ | 1993 | 455,242 | 1955 | 97.5 | 96.3-98.7 | 22 | 1.3 | 0.5- 2.1 | 16 | 1.2 | 0.4- 2.0 |
| Less Than H.S. | 446 | 323,516 | 422 | 95.1 | 92.7-97.5 | 18 | 2.7 | 1.3- 4.1 | 6 | 2.2 | 0.2- 4.2 |
| H.S. or G.E.D. | 1899 | 854,528 | 1846 | 96.5 | 95.3-97.7 | 27 | 1.8 | 1.0- 2.6 | 26 | 1.7 | 0.9- 2.5 |
| Some Post-H.S. | 1429 | 710,565 | 1398 | 97.2 | 96.0-98.4 | 10 | 1.0 | 0.4- 1.6 | 21 | 1.8 | 0.8- 2.8 |
| College Graduate | 2050 | 536,748 | 2010 | 98.0 | 97.2-98.8 | 19 | 0.7 | 0.3- 1.1 | 21 | 1.3 | 0.7- 1.9 |
| Less than \$15,000 | 410 | 176,233 | 390 | 94.6 | 91.9-97.3 | 13 | 3.4 | 1.2- 5.6 | 7 | 2.0 | 0.2- 3.8 |
| \$15,000- 24,999 | 830 | 355,612 | 807 | 96.5 | 94.5-98.5 | 16 | 1.7 | 0.7- 2.7 | 7 | 1.9 | 0.1- 3.7 |
| \$25,000- 34,999 | 547 | 224,421 | 539 | 98.0 | 96.4-99.6 | 3 | 0.8 | 0.0- 2.0 | 5 | 1.2 | 0.0- 2.4 |
| \$35,000- 49,999 | 858 | 367,877 | 846 | 98.7 | 97.7-99.7 | 7 | 0.8 | 0.0- 1.8 | 5 | 0.5 | 0.1- 0.9 |
| \$50,000- 74,999 | 899 | 372,240 | 883 | 97.8 | 96.6-99.0 | 9 | 1.0 | 0.2- 1.8 | 7 | 1.1 | 0.1- 2.1 |
| \$75,000+ | 1736 | 692,424 | 1710 | 98.2 | 97.4-99.0 | 9 | 0.5 | 0.1- 0.9 | 17 | 1.3 | 0.5- 2.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 25: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Valid County Code | | | Didnt Know County Code | | | Refused to give County Code | | |
|----------------------------|-------------------|-----------|-------------------|------|------------|------------------------|------|------------|-----------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7777 | 2,562,322 | 7606 | 97.3 | 96.7-97.9 | 80 | 1.4 | 1.0- 1.8 | 91 | 1.3 | 0.9- 1.7 |
| White/Non-Hisp | 6573 | 2,074,788 | 6464 | 98.2 | 97.6-98.8 | 40 | 0.7 | 0.3- 1.1 | 69 | 1.1 | 0.7- 1.5 |
| Black or Afr. Am./Non-Hisp | 579 | 223,583 | 567 | 98.1 | 96.7-99.5 | 8 | 1.3 | 0.0- 2.7 | 4 | 0.6 | 0.0- 1.2 |
| Oth. Race/Non-Hisp. | 111 | 50,017 | 103 | 88.7 | 79.9-97.5 | 3 | 4.3 | 0.0-10.2 | 5 | 7.0 | 0.0-14.1 |
| MultiRacial/Non-Hisp. | 94 | 26,603 | 93 | 99.9 | 99.7- 100 | | | | 1 | 0.1 | 0.0- 0.3 |
| Hispanic | 312 | 150,668 | 280 | 88.2 | 83.9-92.5 | 26 | 10.1 | 6.0-14.2 | 6 | 1.7 | 0.1- 3.3 |
| 18-24 | 286 | 320,836 | 272 | 94.9 | 91.8-98.0 | 10 | 3.0 | 1.0- 5.0 | 4 | 2.1 | 0.0- 4.6 |
| 25-34 | 589 | 406,608 | 573 | 97.5 | 96.1-98.9 | 10 | 1.8 | 0.6- 3.0 | 6 | 0.8 | 0.2- 1.4 |
| 35-44 | 760 | 396,299 | 738 | 97.2 | 95.8-98.6 | 12 | 1.6 | 0.6- 2.6 | 10 | 1.2 | 0.4- 2.0 |
| 45-54 | 1161 | 420,027 | 1140 | 98.3 | 97.5-99.1 | 6 | 0.4 | 0.0- 0.8 | 15 | 1.2 | 0.4- 2.0 |
| 55-64 | 1622 | 443,179 | 1592 | 97.6 | 96.6-98.6 | 14 | 1.1 | 0.3- 1.9 | 16 | 1.3 | 0.5- 2.1 |
| 65+ | 3359 | 575,372 | 3291 | 97.7 | 96.9-98.5 | 28 | 1.0 | 0.4- 1.6 | 40 | 1.3 | 0.7- 1.9 |
| Less Than H.S. | 622 | 322,917 | 584 | 92.9 | 90.0-95.8 | 27 | 4.6 | 2.6- 6.6 | 11 | 2.5 | 0.1- 4.9 |
| H.S. or G.E.D. | 2688 | 854,340 | 2624 | 97.3 | 96.3-98.3 | 29 | 1.5 | 0.7- 2.3 | 35 | 1.2 | 0.6- 1.8 |
| Some Post-H.S. | 2019 | 826,763 | 1990 | 98.4 | 97.6-99.2 | 12 | 0.7 | 0.1- 1.3 | 17 | 0.9 | 0.3- 1.5 |
| College Graduate | 2434 | 555,269 | 2396 | 98.4 | 97.8-99.0 | 12 | 0.4 | 0.0- 0.8 | 26 | 1.2 | 0.6- 1.8 |
| Less than \$15,000 | 802 | 272,481 | 777 | 95.5 | 93.3-97.7 | 22 | 4.2 | 2.0- 6.4 | 3 | 0.3 | 0.0- 0.7 |
| \$15,000- 24,999 | 1376 | 441,523 | 1347 | 97.9 | 96.7-99.1 | 14 | 1.1 | 0.1- 2.1 | 15 | 0.9 | 0.3- 1.5 |
| \$25,000- 34,999 | 857 | 271,826 | 844 | 98.0 | 96.4-99.6 | 10 | 1.8 | 0.2- 3.4 | 3 | 0.3 | 0.0- 0.7 |
| \$35,000- 49,999 | 958 | 319,195 | 947 | 98.7 | 97.9-99.5 | 3 | 0.4 | 0.0- 1.0 | 8 | 0.8 | 0.2- 1.4 |
| \$50,000- 74,999 | 1034 | 355,222 | 1024 | 99.1 | 98.5-99.7 | 6 | 0.4 | 0.0- 0.8 | 4 | 0.6 | 0.0- 1.2 |
| \$75,000+ | 1616 | 566,483 | 1592 | 97.9 | 96.3-99.5 | 5 | 0.2 | 0.0- 0.4 | 19 | 1.9 | 0.5- 3.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 26: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 0001-77776 | | | Didnt Know Zipcode | | | Refused to give Zipcode | | |
|----------------------------|-------------------|-----------|------------|------|------------|--------------------|-----|------------|-------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13829 | 5,105,277 | 13165 | 94.6 | 94.0-95.2 | 187 | 1.5 | 1.3- 1.7 | 477 | 4.0 | 3.6- 4.4 |
| Male | 5947 | 2,487,445 | 5635 | 93.9 | 93.1-94.7 | 86 | 1.6 | 1.2- 2.0 | 226 | 4.5 | 3.7- 5.3 |
| Female | 7882 | 2,617,832 | 7530 | 95.2 | 94.6-95.8 | 101 | 1.3 | 0.9- 1.7 | 251 | 3.5 | 2.9- 4.1 |
| White/Non-Hisp | 11572 | 4,095,576 | 11088 | 95.4 | 94.8-96.0 | 121 | 1.0 | 0.8- 1.2 | 363 | 3.6 | 3.2- 4.0 |
| Black or Afr. Am./Non-Hisp | 933 | 439,512 | 896 | 94.5 | 92.3-96.7 | 9 | 1.2 | 0.2- 2.2 | 28 | 4.3 | 2.3- 6.3 |
| Oth. Race/Non-Hisp. | 287 | 127,809 | 260 | 89.6 | 84.9-94.3 | 5 | 2.2 | 0.0- 4.7 | 22 | 8.2 | 4.3-12.1 |
| MultiRacial/Non-Hisp. | 208 | 60,858 | 196 | 93.8 | 89.9-97.7 | 4 | 2.1 | 0.0- 4.6 | 8 | 4.0 | 0.9- 7.1 |
| Hispanic | 588 | 291,706 | 525 | 88.7 | 85.8-91.6 | 38 | 6.8 | 4.4- 9.2 | 25 | 4.5 | 2.5- 6.5 |
| 18-24 | 688 | 686,810 | 617 | 91.1 | 88.9-93.3 | 28 | 3.4 | 2.0- 4.8 | 43 | 5.5 | 3.7- 7.3 |
| 25-34 | 1205 | 841,527 | 1139 | 94.8 | 93.4-96.2 | 17 | 1.1 | 0.5- 1.7 | 49 | 4.2 | 3.0- 5.4 |
| 35-44 | 1415 | 820,928 | 1347 | 94.8 | 93.4-96.2 | 18 | 1.2 | 0.6- 1.8 | 50 | 4.1 | 2.9- 5.3 |
| 45-54 | 2124 | 845,761 | 2020 | 94.8 | 93.6-96.0 | 17 | 0.9 | 0.5- 1.3 | 87 | 4.3 | 3.3- 5.3 |
| 55-64 | 3005 | 868,963 | 2890 | 95.6 | 94.6-96.6 | 24 | 1.1 | 0.5- 1.7 | 91 | 3.3 | 2.5- 4.1 |
| 65+ | 5392 | 1,041,288 | 5152 | 95.5 | 94.7-96.3 | 83 | 1.6 | 1.2- 2.0 | 157 | 2.9 | 2.3- 3.5 |
| Less Than H.S. | 1073 | 650,664 | 998 | 94.0 | 92.4-95.6 | 51 | 3.9 | 2.7- 5.1 | 24 | 2.2 | 1.0- 3.4 |
| H.S. or G.E.D. | 4632 | 1,732,764 | 4385 | 94.0 | 93.0-95.0 | 81 | 1.9 | 1.3- 2.5 | 166 | 4.0 | 3.2- 4.8 |
| Some Post-H.S. | 3505 | 1,573,591 | 3338 | 94.7 | 93.7-95.7 | 29 | 0.8 | 0.4- 1.2 | 138 | 4.6 | 3.6- 5.6 |
| College Graduate | 4587 | 1,138,160 | 4421 | 95.8 | 95.0-96.6 | 25 | 0.4 | 0.2- 0.6 | 141 | 3.8 | 3.0- 4.6 |
| Less than \$15,000 | 1224 | 455,618 | 1157 | 94.4 | 92.6-96.2 | 34 | 2.5 | 1.5- 3.5 | 33 | 3.1 | 1.7- 4.5 |
| \$15,000- 24,999 | 2238 | 812,133 | 2137 | 95.1 | 93.9-96.3 | 43 | 2.2 | 1.4- 3.0 | 58 | 2.8 | 1.8- 3.8 |
| \$25,000- 34,999 | 1429 | 509,162 | 1373 | 94.9 | 93.1-96.7 | 20 | 1.9 | 0.7- 3.1 | 36 | 3.2 | 1.8- 4.6 |
| \$35,000- 49,999 | 1839 | 701,136 | 1779 | 95.9 | 94.5-97.3 | 13 | 0.9 | 0.3- 1.5 | 47 | 3.1 | 1.9- 4.3 |
| \$50,000- 74,999 | 1954 | 739,072 | 1900 | 96.7 | 95.7-97.7 | 4 | 0.3 | 0.0- 0.7 | 50 | 3.0 | 2.0- 4.0 |
| \$75,000+ | 3427 | 1,297,541 | 3312 | 95.8 | 94.8-96.8 | 15 | 0.4 | 0.2- 0.6 | 100 | 3.8 | 2.8- 4.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 27: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 0001-77776 | | | Didnt Know Zipcode | | | Refused to give Zipcode | | |
|----------------------------|-------------------|-----------|------------|------|------------|--------------------|-----|------------|-------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5947 | 2,487,445 | 5635 | 93.9 | 93.1-94.7 | 86 | 1.6 | 1.2- 2.0 | 226 | 4.5 | 3.7- 5.3 |
| White/Non-Hisp | 4918 | 1,978,717 | 4704 | 94.9 | 94.1-95.7 | 49 | 1.0 | 0.6- 1.4 | 165 | 4.1 | 3.3- 4.9 |
| Black or Afr. Am./Non-Hisp | 344 | 208,446 | 328 | 94.2 | 91.1-97.3 | 4 | 1.5 | 0.0- 3.1 | 12 | 4.3 | 1.6- 7.0 |
| Oth. Race/Non-Hisp. | 169 | 74,472 | 152 | 91.2 | 86.5-95.9 | 4 | 1.9 | 0.0- 4.3 | 13 | 6.9 | 2.8-11.0 |
| MultiRacial/Non-Hisp. | 111 | 32,913 | 103 | 91.4 | 85.1-97.7 | 3 | 3.7 | 0.0- 8.4 | 5 | 4.9 | 0.4- 9.4 |
| Hispanic | 273 | 139,910 | 237 | 86.5 | 81.8-91.2 | 22 | 7.6 | 4.3-10.9 | 14 | 5.9 | 2.4- 9.4 |
| 18-24 | 388 | 352,339 | 340 | 89.1 | 85.8-92.4 | 20 | 4.6 | 2.4- 6.8 | 28 | 6.4 | 3.9- 8.9 |
| 25-34 | 595 | 422,307 | 556 | 94.1 | 92.1-96.1 | 12 | 1.3 | 0.5- 2.1 | 27 | 4.6 | 2.8- 6.4 |
| 35-44 | 633 | 410,150 | 599 | 94.2 | 92.0-96.4 | 9 | 1.1 | 0.3- 1.9 | 25 | 4.6 | 2.6- 6.6 |
| 45-54 | 948 | 420,153 | 892 | 93.6 | 91.8-95.4 | 14 | 1.5 | 0.7- 2.3 | 42 | 4.9 | 3.3- 6.5 |
| 55-64 | 1376 | 423,993 | 1313 | 95.0 | 93.6-96.4 | 9 | 0.7 | 0.1- 1.3 | 54 | 4.3 | 2.9- 5.7 |
| 65+ | 2007 | 458,503 | 1935 | 96.3 | 95.1-97.5 | 22 | 1.1 | 0.5- 1.7 | 50 | 2.6 | 1.6- 3.6 |
| Less Than H.S. | 447 | 324,538 | 415 | 93.9 | 91.5-96.3 | 21 | 3.6 | 2.0- 5.2 | 11 | 2.4 | 0.8- 4.0 |
| H.S. or G.E.D. | 1926 | 871,350 | 1808 | 92.7 | 91.1-94.3 | 37 | 2.2 | 1.4- 3.0 | 81 | 5.1 | 3.7- 6.5 |
| Some Post-H.S. | 1451 | 722,853 | 1369 | 93.8 | 92.2-95.4 | 16 | 1.0 | 0.4- 1.6 | 66 | 5.2 | 3.8- 6.6 |
| College Graduate | 2105 | 561,638 | 2029 | 96.0 | 94.8-97.2 | 12 | 0.3 | 0.1- 0.5 | 64 | 3.7 | 2.7- 4.7 |
| Less than \$15,000 | 416 | 180,894 | 383 | 92.8 | 89.9-95.7 | 18 | 4.2 | 2.0- 6.4 | 15 | 3.0 | 1.2- 4.8 |
| \$15,000- 24,999 | 846 | 364,028 | 797 | 93.8 | 91.6-96.0 | 22 | 2.5 | 1.1- 3.9 | 27 | 3.8 | 2.0- 5.6 |
| \$25,000- 34,999 | 563 | 231,921 | 533 | 93.9 | 91.2-96.6 | 10 | 1.8 | 0.4- 3.2 | 20 | 4.3 | 1.9- 6.7 |
| \$35,000- 49,999 | 865 | 371,414 | 837 | 95.8 | 93.8-97.8 | 9 | 1.5 | 0.3- 2.7 | 19 | 2.7 | 1.3- 4.1 |
| \$50,000- 74,999 | 911 | 379,469 | 875 | 95.2 | 93.4-97.0 | 3 | 0.5 | 0.0- 1.1 | 33 | 4.3 | 2.7- 5.9 |
| \$75,000+ | 1774 | 711,716 | 1720 | 95.9 | 94.5-97.3 | 5 | 0.3 | 0.0- 0.7 | 49 | 3.8 | 2.6- 5.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 28: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 0001-77776 | | | Didnt Know Zipcode | | | Refused to give Zipcode | | |
|----------------------------|-------------------|-----------|------------|------|------------|--------------------|-----|------------|-------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7882 | 2,617,832 | 7530 | 95.2 | 94.6-95.8 | 101 | 1.3 | 0.9- 1.7 | 251 | 3.5 | 2.9- 4.1 |
| White/Non-Hisp | 6654 | 2,116,860 | 6384 | 96.0 | 95.4-96.6 | 72 | 0.9 | 0.5- 1.3 | 198 | 3.1 | 2.5- 3.7 |
| Black or Afr. Am./Non-Hisp | 589 | 231,066 | 568 | 94.7 | 91.8-97.6 | 5 | 0.9 | 0.0- 2.1 | 16 | 4.4 | 1.9- 6.9 |
| Oth. Race/Non-Hisp. | 118 | 53,337 | 108 | 87.2 | 78.4-96.0 | 1 | 2.7 | 0.0- 7.8 | 9 | 10.1 | 2.5-17.7 |
| MultiRacial/Non-Hisp. | 97 | 27,945 | 93 | 96.7 | 92.4- 100 | 1 | 0.3 | 0.0- 0.9 | 3 | 3.0 | 0.0- 7.3 |
| Hispanic | 315 | 151,796 | 288 | 90.7 | 87.0-94.4 | 16 | 6.1 | 3.0- 9.2 | 11 | 3.2 | 1.0- 5.4 |
| 18-24 | 300 | 334,471 | 277 | 93.1 | 90.2-96.0 | 8 | 2.2 | 0.6- 3.8 | 15 | 4.7 | 2.2- 7.2 |
| 25-34 | 610 | 419,220 | 583 | 95.4 | 93.4-97.4 | 5 | 0.9 | 0.0- 1.9 | 22 | 3.7 | 1.9- 5.5 |
| 35-44 | 782 | 410,778 | 748 | 95.3 | 93.5-97.1 | 9 | 1.2 | 0.4- 2.0 | 25 | 3.5 | 2.1- 4.9 |
| 45-54 | 1176 | 425,608 | 1128 | 96.0 | 94.8-97.2 | 3 | 0.2 | 0.0- 0.4 | 45 | 3.7 | 2.5- 4.9 |
| 55-64 | 1629 | 444,970 | 1577 | 96.2 | 95.0-97.4 | 15 | 1.4 | 0.4- 2.4 | 37 | 2.4 | 1.6- 3.2 |
| 65+ | 3385 | 582,785 | 3217 | 94.9 | 93.9-95.9 | 61 | 2.0 | 1.4- 2.6 | 107 | 3.2 | 2.4- 4.0 |
| Less Than H.S. | 626 | 326,125 | 583 | 94.0 | 91.6-96.4 | 30 | 4.1 | 2.1- 6.1 | 13 | 1.9 | 0.5- 3.3 |
| H.S. or G.E.D. | 2706 | 861,414 | 2577 | 95.4 | 94.2-96.6 | 44 | 1.6 | 1.0- 2.2 | 85 | 3.0 | 2.2- 3.8 |
| Some Post-H.S. | 2054 | 850,738 | 1969 | 95.4 | 94.2-96.6 | 13 | 0.5 | 0.1- 0.9 | 72 | 4.1 | 2.9- 5.3 |
| College Graduate | 2482 | 576,522 | 2392 | 95.7 | 94.5-96.9 | 13 | 0.5 | 0.1- 0.9 | 77 | 3.9 | 2.9- 4.9 |
| Less than \$15,000 | 808 | 274,724 | 774 | 95.5 | 93.1-97.9 | 16 | 1.3 | 0.3- 2.3 | 18 | 3.2 | 1.0- 5.4 |
| \$15,000- 24,999 | 1392 | 448,105 | 1340 | 96.2 | 94.8-97.6 | 21 | 1.9 | 0.7- 3.1 | 31 | 1.9 | 1.1- 2.7 |
| \$25,000- 34,999 | 866 | 277,240 | 840 | 95.8 | 93.4-98.2 | 10 | 1.9 | 0.3- 3.5 | 16 | 2.3 | 0.5- 4.1 |
| \$35,000- 49,999 | 974 | 329,722 | 942 | 96.1 | 94.3-97.9 | 4 | 0.3 | 0.0- 0.7 | 28 | 3.6 | 1.8- 5.4 |
| \$50,000- 74,999 | 1043 | 359,602 | 1025 | 98.4 | 97.4-99.4 | 1 | 0.0 | 0.0- 0.0 | 17 | 1.6 | 0.6- 2.6 |
| \$75,000+ | 1653 | 585,826 | 1592 | 95.6 | 94.2-97.0 | 10 | 0.6 | 0.2- 1.0 | 51 | 3.8 | 2.6- 5.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 29: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 6769 | 1,356,075 | 316 | 3.7 | 3.1- 4.3 | 6453 | 96.3 | 95.7-96.9 |
| Male | 2506 | 568,785 | 145 | 4.5 | 3.5- 5.5 | 2361 | 95.5 | 94.5-96.5 |
| Female | 4263 | 787,290 | 171 | 3.0 | 2.4- 3.6 | 4092 | 97.0 | 96.4-97.6 |
| White/Non-Hisp | 5928 | 1,169,988 | 273 | 3.6 | 3.0- 4.2 | 5655 | 96.4 | 95.8-97.0 |
| Black or Afr. Am./Non-Hisp | 447 | 97,293 | 23 | 4.4 | 2.2- 6.6 | 424 | 95.6 | 93.4-97.8 |
| Oth. Race/Non-Hisp. | 81 | 24,568 | 5 | 4.5 | 0.0- 9.2 | 76 | 95.5 | 90.8- 100 |
| MultiRacial/Non-Hisp. | 80 | 11,169 | 2 | 1.1 | 0.0- 2.7 | 78 | 98.9 | 97.3- 100 |
| Hispanic | 117 | 28,475 | 5 | 6.2 | 0.0-12.5 | 112 | 93.8 | 87.5- 100 |
| 18-24 | 74 | 64,735 | 4 | 3.3 | 0.0- 6.8 | 70 | 96.7 | 93.2- 100 |
| 25-34 | 145 | 64,642 | 3 | 1.3 | 0.0- 2.9 | 142 | 98.7 | 97.1- 100 |
| 35-44 | 383 | 137,703 | 11 | 2.6 | 0.8- 4.4 | 372 | 97.4 | 95.6-99.2 |
| 45-54 | 815 | 216,941 | 33 | 3.6 | 2.2- 5.0 | 782 | 96.4 | 95.0-97.8 |
| 55-64 | 1598 | 321,160 | 80 | 4.9 | 3.5- 6.3 | 1518 | 95.1 | 93.7-96.5 |
| 65+ | 3754 | 550,893 | 185 | 3.5 | 2.9- 4.1 | 3569 | 96.5 | 95.9-97.1 |
| Less Than H.S. | 467 | 159,670 | 10 | 2.2 | 0.4- 4.0 | 457 | 97.8 | 96.0-99.6 |
| H.S. or G.E.D. | 2343 | 480,846 | 102 | 3.8 | 2.8- 4.8 | 2241 | 96.2 | 95.2-97.2 |
| Some Post-H.S. | 1665 | 403,333 | 72 | 3.4 | 2.4- 4.4 | 1593 | 96.6 | 95.6-97.6 |
| College Graduate | 2277 | 309,932 | 132 | 4.6 | 3.6- 5.6 | 2145 | 95.4 | 94.4-96.4 |
| Less than \$15,000 | 567 | 91,925 | 11 | 1.1 | 0.3- 1.9 | 556 | 98.9 | 98.1-99.7 |
| \$15,000- 24,999 | 1129 | 207,371 | 45 | 3.6 | 2.0- 5.2 | 1084 | 96.4 | 94.8-98.0 |
| \$25,000- 34,999 | 743 | 137,645 | 27 | 2.2 | 1.2- 3.2 | 716 | 97.8 | 96.8-98.8 |
| \$35,000- 49,999 | 929 | 191,737 | 37 | 3.0 | 1.6- 4.4 | 892 | 97.0 | 95.6-98.4 |
| \$50,000- 74,999 | 947 | 209,212 | 53 | 4.4 | 3.0- 5.8 | 894 | 95.6 | 94.2-97.0 |
| \$75,000+ | 1493 | 334,204 | 91 | 4.6 | 3.4- 5.8 | 1402 | 95.4 | 94.2-96.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 30: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2506 | 568,785 | 145 | 4.5 | 3.5- 5.5 | 2361 | 95.5 | 94.5-96.5 |
| White/Non-Hisp | 2203 | 491,087 | 123 | 4.4 | 3.4- 5.4 | 2080 | 95.6 | 94.6-96.6 |
| Black or Afr. Am./Non-Hisp | 126 | 37,582 | 10 | 5.7 | 1.8- 9.6 | 116 | 94.3 | 90.4-98.2 |
| 25-34 | 59 | 31,211 | 2 | 1.5 | 0.0- 3.5 | 57 | 98.5 | 96.5- 100 |
| 35-44 | 147 | 57,318 | 5 | 3.7 | 0.0- 7.4 | 142 | 96.3 | 92.6- 100 |
| 45-54 | 332 | 92,543 | 12 | 3.3 | 1.1- 5.5 | 320 | 96.7 | 94.5-98.9 |
| 55-64 | 672 | 140,535 | 41 | 5.7 | 3.3- 8.1 | 631 | 94.3 | 91.9-96.7 |
| 65+ | 1248 | 214,769 | 81 | 4.7 | 3.5- 5.9 | 1167 | 95.3 | 94.1-96.5 |
| Less Than H.S. | 141 | 57,451 | 5 | 3.3 | 0.0- 7.0 | 136 | 96.7 | 93.0- 100 |
| H.S. or G.E.D. | 770 | 189,468 | 39 | 4.8 | 2.8- 6.8 | 731 | 95.2 | 93.2-97.2 |
| Some Post-H.S. | 617 | 174,417 | 35 | 4.0 | 2.4- 5.6 | 582 | 96.0 | 94.4-97.6 |
| College Graduate | 972 | 146,569 | 66 | 5.4 | 3.8- 7.0 | 906 | 94.6 | 93.0-96.2 |
| Less than \$15,000 | 147 | 28,615 | 4 | 1.0 | 0.0- 2.0 | 143 | 99.0 | 98.0- 100 |
| \$15,000- 24,999 | 351 | 81,074 | 20 | 5.5 | 2.2- 8.8 | 331 | 94.5 | 91.2-97.8 |
| \$25,000- 34,999 | 244 | 53,589 | 6 | 1.4 | 0.0- 2.8 | 238 | 98.6 | 97.2- 100 |
| \$35,000- 49,999 | 393 | 87,721 | 23 | 3.9 | 1.5- 6.3 | 370 | 96.1 | 93.7-98.5 |
| \$50,000- 74,999 | 387 | 90,790 | 24 | 4.9 | 2.5- 7.3 | 363 | 95.1 | 92.7-97.5 |
| \$75,000+ | 725 | 170,627 | 54 | 6.0 | 3.8- 8.2 | 671 | 94.0 | 91.8-96.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 31: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 4263 | 787,290 | 171 | 3.0 | 2.4- 3.6 | 4092 | 97.0 | 96.4-97.6 |
| White/Non-Hisp | 3725 | 678,901 | 150 | 2.9 | 2.3- 3.5 | 3575 | 97.1 | 96.5-97.7 |
| Black or Afr. Am./Non-Hisp | 321 | 59,711 | 13 | 3.6 | 1.1- 6.1 | 308 | 96.4 | 93.9-98.9 |
| Hispanic | 77 | 19,197 | 3 | 4.6 | 0.0- 9.9 | 74 | 95.4 | 90.1- 100 |
| 25-34 | 86 | 33,431 | 1 | 1.2 | 0.0- 3.6 | 85 | 98.8 | 96.4- 100 |
| 35-44 | 236 | 80,385 | 6 | 1.8 | 0.2- 3.4 | 230 | 98.2 | 96.6-99.8 |
| 45-54 | 483 | 124,398 | 21 | 3.9 | 1.9- 5.9 | 462 | 96.1 | 94.1-98.1 |
| 55-64 | 926 | 180,625 | 39 | 4.2 | 2.6- 5.8 | 887 | 95.8 | 94.2-97.4 |
| 65+ | 2506 | 336,124 | 104 | 2.8 | 2.2- 3.4 | 2402 | 97.2 | 96.6-97.8 |
| Less Than H.S. | 326 | 102,219 | 5 | 1.6 | 0.0- 3.4 | 321 | 98.4 | 96.6- 100 |
| H.S. or G.E.D. | 1573 | 291,378 | 63 | 3.1 | 2.1- 4.1 | 1510 | 96.9 | 95.9-97.9 |
| Some Post-H.S. | 1048 | 228,916 | 37 | 3.0 | 1.8- 4.2 | 1011 | 97.0 | 95.8-98.2 |
| College Graduate | 1305 | 163,364 | 66 | 3.8 | 2.6- 5.0 | 1239 | 96.2 | 95.0-97.4 |
| Less than \$15,000 | 420 | 63,309 | 7 | 1.1 | 0.1- 2.1 | 413 | 98.9 | 97.9-99.9 |
| \$15,000- 24,999 | 778 | 126,297 | 25 | 2.4 | 1.2- 3.6 | 753 | 97.6 | 96.4-98.8 |
| \$25,000- 34,999 | 499 | 84,056 | 21 | 2.7 | 1.1- 4.3 | 478 | 97.3 | 95.7-98.9 |
| \$35,000- 49,999 | 536 | 104,015 | 14 | 2.1 | 0.7- 3.5 | 522 | 97.9 | 96.5-99.3 |
| \$50,000- 74,999 | 560 | 118,421 | 29 | 4.0 | 2.2- 5.8 | 531 | 96.0 | 94.2-97.8 |
| \$75,000+ | 768 | 163,576 | 37 | 3.1 | 1.9- 4.3 | 731 | 96.9 | 95.7-98.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 32: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Number | | | Two Numbers | | | Three Numbers | | | Four Numbers | | | Five Numbers | | |
|--------------------|-------------------|----------|------------|------|------------|-------------|------|------------|---------------|-----|------------|--------------|-----|------------|--------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 310 | 48,773 | 169 | 72.9 | 67.2-78.6 | 105 | 19.5 | 15.0-24.0 | 23 | 5.0 | 2.3- 7.7 | 11 | 2.2 | 0.8- 3.6 | 2 | 0.4 | 0.0- 1.0 |
| Male | 142 | 25,282 | 71 | 71.3 | 63.3-79.3 | 49 | 19.5 | 13.0-26.0 | 15 | 6.7 | 2.4-11.0 | 6 | 2.0 | 1.0- 3.0 | 1 | 0.5 | 0.0- 1.5 |
| Female | 168 | 23,491 | 98 | 74.6 | 67.0-82.2 | 56 | 19.4 | 13.1-25.7 | 8 | 3.3 | 0.0- 7.0 | 5 | 2.3 | 0.0- 5.0 | 1 | 0.4 | 0.0- 1.2 |
| White/Non-Hisp | 267 | 40,814 | 148 | 75.4 | 69.9-80.9 | 91 | 18.3 | 13.6-23.0 | 18 | 3.9 | 1.5- 6.3 | 9 | 2.2 | 0.6- 3.8 | 1 | 0.2 | 0.0- 0.6 |
| 55-64 | 79 | 15,460 | 50 | 79.7 | 70.9-88.5 | 24 | 17.7 | 9.3-26.1 | 4 | 2.3 | 0.0- 5.0 | 1 | 0.3 | 0.0- 0.9 | | | |
| 65+ | 181 | 19,130 | 84 | 62.4 | 54.6-70.2 | 73 | 28.8 | 21.9-35.7 | 14 | 4.7 | 1.8- 7.6 | 9 | 3.6 | 1.8- 5.4 | 1 | 0.4 | 0.0- 1.2 |
| H.S. or G.E.D. | 99 | 17,707 | 50 | 73.8 | 64.4-83.2 | 32 | 15.9 | 9.0-22.8 | 8 | 4.4 | 0.0- 8.9 | 7 | 4.8 | 1.1- 8.5 | 2 | 1.2 | 0.0- 3.0 |
| Some Post-H.S. | 72 | 13,803 | 41 | 73.5 | 63.3-83.7 | 21 | 17.7 | 9.9-25.5 | 8 | 8.1 | 1.2-15.0 | 2 | 0.8 | 0.0- 1.8 | | | |
| College Graduate | 130 | 13,888 | 73 | 71.1 | 62.5-79.7 | 49 | 25.3 | 17.3-33.3 | 6 | 3.0 | 0.0- 6.7 | 2 | 0.6 | 0.0- 1.6 | | | |
| \$50,000- 74,999 | 53 | 9,129 | 34 | 76.7 | 66.7-86.7 | 15 | 18.1 | 9.3-26.9 | 2 | 1.8 | 0.0- 4.5 | 2 | 3.5 | 1.7- 5.3 | | | |
| \$75,000+ | 89 | 15,127 | 47 | 72.9 | 62.7-83.1 | 33 | 20.3 | 11.9-28.7 | 6 | 5.4 | 0.0-11.1 | 2 | 0.6 | 0.0- 1.4 | 1 | 0.8 | 0.0- 2.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 33: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Number | | | Two Numbers | | | Three Numbers | | | Four Numbers | | | Five Numbers | | |
|--------------------|-------------------|----------|------------|------|------------|-------------|------|------------|---------------|-----|------------|--------------|-----|------------|--------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 142 | 25,282 | 71 | 71.3 | 63.7-78.9 | 49 | 19.5 | 13.4-25.6 | 15 | 6.7 | 2.4-11.0 | 6 | 2.0 | 1.0- 3.0 | 1 | 0.5 | 0.0- 1.5 |
| White/Non-Hisp | 120 | 21,208 | 63 | 75.2 | 67.9-82.5 | 41 | 17.2 | 11.3-23.1 | 12 | 5.8 | 1.5-10.1 | 4 | 1.8 | 1.0- 2.6 | | | |
| 65+ | 79 | 9,842 | 35 | 61.4 | 50.0-72.8 | 31 | 27.0 | 17.8-36.2 | 8 | 6.7 | 1.4-12.0 | 5 | 4.8 | 2.3- 7.3 | | | |
| College Graduate | 64 | 7,683 | 31 | 65.9 | 53.4-78.4 | 27 | 28.3 | 17.1-39.5 | 4 | 4.7 | 0.0-11.2 | 2 | 1.2 | 0.0- 2.8 | | | |
| \$75,000+ | 52 | 10,041 | 26 | 71.7 | 59.4-84.0 | 18 | 18.3 | 8.3-28.3 | 5 | 7.8 | 2.1-13.5 | 2 | 0.9 | 0.0- 2.1 | 1 | 1.2 | 0.0- 3.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 34: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Number | | | Two Numbers | | | Three Numbers | | | Four Numbers | | | Five Numbers | | |
|--------------------|-------------------|----------|------------|------|------------|-------------|------|------------|---------------|-----|------------|--------------|-----|------------|--------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 168 | 23,491 | 98 | 74.6 | 67.0-82.2 | 56 | 19.4 | 13.1-25.7 | 8 | 3.3 | 0.0- 7.0 | 5 | 2.3 | 0.0- 5.0 | 1 | 0.4 | 0.0- 1.2 |
| White/Non-Hisp | 147 | 19,606 | 85 | 75.5 | 67.9-83.1 | 50 | 19.6 | 12.9-26.3 | 6 | 1.8 | 0.0- 3.6 | 5 | 2.7 | 0.0- 6.0 | 1 | 0.4 | 0.0- 1.2 |
| 65+ | 102 | 9,288 | 49 | 63.5 | 52.5-74.5 | 42 | 30.7 | 20.3-41.1 | 6 | 2.6 | 0.1- 5.1 | 4 | 2.3 | 0.0- 4.7 | 1 | 0.9 | 0.0- 2.7 |
| H.S. or G.E.D. | 61 | 8,906 | 31 | 73.3 | 62.1-84.5 | 21 | 18.7 | 9.9-27.5 | 3 | 1.1 | 0.0- 2.5 | 5 | 6.0 | 0.0-13.3 | 1 | 0.9 | 0.0- 2.9 |
| College Graduate | 66 | 6,205 | 42 | 77.5 | 67.1-87.9 | 22 | 21.6 | 11.4-31.8 | 2 | 0.8 | 0.0- 2.0 | | | | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 35: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1A)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|--|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| TOTAL | 6762 | 1,355,562 | 5430 | 81.3 | 80.1-82.5 | 1332 | 18.7 | 17.5-19.9 | |
| Male | 2503 | 568,331 | 1999 | 81.0 | 79.0-83.0 | 504 | 19.0 | 17.0-21.0 | |
| Female | 4259 | 787,231 | 3431 | 81.6 | 80.0-83.2 | 828 | 18.4 | 16.8-20.0 | |
| White/Non-Hisp | 5925 | 1,169,805 | 4837 | 82.9 | 81.7-84.1 | 1088 | 17.1 | 15.9-18.3 | |
| Black or Afr. Am./Non-Hisp | 449 | 97,584 | 327 | 74.9 | 69.8-80.0 | 122 | 25.1 | 20.0-30.2 | |
| Oth. Race/Non-Hisp. | 80 | 24,246 | 61 | 68.9 | 49.3-88.5 | 19 | 31.1 | 11.5-50.7 | |
| MultiRacial/Non-Hisp. | 80 | 11,169 | 51 | 58.6 | 44.9-72.3 | 29 | 41.4 | 27.7-55.1 | |
| Hispanic | 117 | 28,475 | 80 | 65.4 | 54.6-76.2 | 37 | 34.6 | 23.8-45.4 | |
| 18-24 | 74 | 64,735 | 65 | 87.4 | 77.6-97.2 | 9 | 12.6 | 2.8-22.4 | |
| 25-34 | 145 | 64,642 | 124 | 82.6 | 74.8-90.4 | 21 | 17.4 | 9.6-25.2 | |
| 35-44 | 382 | 137,311 | 324 | 82.5 | 77.8-87.2 | 58 | 17.5 | 12.8-22.2 | |
| 45-54 | 813 | 216,463 | 702 | 87.3 | 84.8-89.8 | 111 | 12.7 | 10.2-15.2 | |
| 55-64 | 1600 | 322,051 | 1322 | 83.6 | 81.4-85.8 | 278 | 16.4 | 14.2-18.6 | |
| 65+ | 3748 | 550,360 | 2893 | 76.5 | 74.9-78.1 | 855 | 23.5 | 21.9-25.1 | |
| Less Than H.S. | 468 | 160,001 | 248 | 58.6 | 52.5-64.7 | 220 | 41.4 | 35.3-47.5 | |
| H.S. or G.E.D. | 2344 | 481,450 | 1774 | 78.9 | 76.9-80.9 | 570 | 21.1 | 19.1-23.1 | |
| Some Post-H.S. | 1661 | 402,522 | 1372 | 85.9 | 84.1-87.7 | 289 | 14.1 | 12.3-15.9 | |
| College Graduate | 2271 | 309,011 | 2025 | 91.1 | 89.9-92.3 | 246 | 8.9 | 7.7-10.1 | |
| Less than \$15,000 | 565 | 91,809 | 322 | 55.8 | 50.1-61.5 | 243 | 44.2 | 38.5-49.9 | |
| \$15,000- 24,999 | 1133 | 207,953 | 787 | 70.1 | 66.8-73.4 | 346 | 29.9 | 26.6-33.2 | |
| \$25,000- 34,999 | 742 | 137,450 | 576 | 76.9 | 73.0-80.8 | 166 | 23.1 | 19.2-27.0 | |
| \$35,000- 49,999 | 931 | 192,127 | 778 | 84.6 | 81.7-87.5 | 153 | 15.4 | 12.5-18.3 | |
| \$50,000- 74,999 | 947 | 209,134 | 876 | 91.0 | 87.9-94.1 | 71 | 9.0 | 5.9-12.1 | |
| \$75,000+ | 1495 | 334,404 | 1388 | 92.8 | 91.2-94.4 | 107 | 7.2 | 5.6- 8.8 | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 36: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1A)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2503 | 568,331 | 1999 | 81.0 | 79.0-83.0 | 504 | 19.0 | 17.0-21.0 |
| White/Non-Hisp | 2202 | 490,675 | 1777 | 81.8 | 79.8-83.8 | 425 | 18.2 | 16.2-20.2 |
| Black or Afr. Am./Non-Hisp | 128 | 38,082 | 102 | 79.8 | 71.2-88.4 | 26 | 20.2 | 11.6-28.8 |
| 25-34 | 59 | 31,211 | 49 | 84.2 | 73.4-95.0 | 10 | 15.8 | 5.0-26.6 |
| 35-44 | 147 | 57,318 | 121 | 81.1 | 73.8-88.4 | 26 | 18.9 | 11.6-26.2 |
| 45-54 | 330 | 92,032 | 267 | 82.7 | 78.0-87.4 | 63 | 17.3 | 12.6-22.0 |
| 55-64 | 673 | 140,796 | 535 | 81.0 | 77.7-84.3 | 138 | 19.0 | 15.7-22.3 |
| 65+ | 1246 | 214,565 | 983 | 77.9 | 75.2-80.6 | 263 | 22.1 | 19.4-24.8 |
| Less Than H.S. | 141 | 57,451 | 87 | 65.9 | 56.9-74.9 | 54 | 34.1 | 25.1-43.1 |
| H.S. or G.E.D. | 772 | 189,907 | 590 | 78.4 | 75.1-81.7 | 182 | 21.6 | 18.3-24.9 |
| Some Post-H.S. | 615 | 173,969 | 486 | 82.8 | 79.7-85.9 | 129 | 17.2 | 14.1-20.3 |
| College Graduate | 968 | 145,840 | 832 | 88.3 | 86.1-90.5 | 136 | 11.7 | 9.5-13.9 |
| Less than \$15,000 | 146 | 28,542 | 87 | 61.4 | 50.8-72.0 | 59 | 38.6 | 28.0-49.2 |
| \$15,000- 24,999 | 353 | 81,456 | 232 | 68.8 | 62.9-74.7 | 121 | 31.2 | 25.3-37.1 |
| \$25,000- 34,999 | 245 | 53,662 | 186 | 76.5 | 70.2-82.8 | 59 | 23.5 | 17.2-29.8 |
| \$35,000- 49,999 | 393 | 87,846 | 304 | 78.8 | 73.7-83.9 | 89 | 21.2 | 16.1-26.3 |
| \$50,000- 74,999 | 387 | 90,844 | 348 | 90.9 | 87.4-94.4 | 39 | 9.1 | 5.6-12.6 |
| \$75,000+ | 726 | 170,818 | 651 | 89.8 | 87.3-92.3 | 75 | 10.2 | 7.7-12.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 37: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1A)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 4259 | 787,231 | 3431 | 81.6 | 80.0-83.2 | 828 | 18.4 | 16.8-20.0 |
| White/Non-Hisp | 3723 | 679,130 | 3060 | 83.6 | 82.0-85.2 | 663 | 16.4 | 14.8-18.0 |
| Black or Afr. Am./Non-Hisp | 321 | 59,502 | 225 | 71.7 | 65.4-78.0 | 96 | 28.3 | 22.0-34.6 |
| Hispanic | 77 | 19,197 | 51 | 62.6 | 49.3-75.9 | 26 | 37.4 | 24.1-50.7 |
| 25-34 | 86 | 33,431 | 75 | 81.1 | 69.9-92.3 | 11 | 18.9 | 7.7-30.1 |
| 35-44 | 235 | 79,993 | 203 | 83.5 | 77.4-89.6 | 32 | 16.5 | 10.4-22.6 |
| 45-54 | 483 | 124,430 | 435 | 90.8 | 88.1-93.5 | 48 | 9.2 | 6.5-11.9 |
| 55-64 | 927 | 181,255 | 787 | 85.7 | 83.2-88.2 | 140 | 14.3 | 11.8-16.8 |
| 65+ | 2502 | 335,795 | 1910 | 75.6 | 73.6-77.6 | 592 | 24.4 | 22.4-26.4 |
| Less Than H.S. | 327 | 102,550 | 161 | 54.4 | 46.6-62.2 | 166 | 45.6 | 37.8-53.4 |
| H.S. or G.E.D. | 1572 | 291,543 | 1184 | 79.2 | 76.8-81.6 | 388 | 20.8 | 18.4-23.2 |
| Some Post-H.S. | 1046 | 228,553 | 886 | 88.2 | 86.0-90.4 | 160 | 11.8 | 9.6-14.0 |
| College Graduate | 1303 | 163,171 | 1193 | 93.6 | 92.2-95.0 | 110 | 6.4 | 5.0- 7.8 |
| Less than \$15,000 | 419 | 63,267 | 235 | 53.2 | 46.7-59.7 | 184 | 46.8 | 40.3-53.3 |
| \$15,000- 24,999 | 780 | 126,497 | 555 | 71.0 | 67.1-74.9 | 225 | 29.0 | 25.1-32.9 |
| \$25,000- 34,999 | 497 | 83,788 | 390 | 77.2 | 72.3-82.1 | 107 | 22.8 | 17.9-27.7 |
| \$35,000- 49,999 | 538 | 104,280 | 474 | 89.5 | 86.6-92.4 | 64 | 10.5 | 7.6-13.4 |
| \$50,000- 74,999 | 560 | 118,289 | 528 | 91.2 | 86.3-96.1 | 32 | 8.8 | 3.9-13.7 |
| \$75,000+ | 769 | 163,586 | 737 | 96.0 | 94.2-97.8 | 32 | 4.0 | 2.2- 5.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 38: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13813 | 5,098,304 | 1707 | 10.7 | 10.1-11.3 | 12106 | 89.3 | 88.7-89.9 |
| Male | 5934 | 2,482,216 | 1583 | 20.5 | 19.3-21.7 | 4351 | 79.5 | 78.3-80.7 |
| Female | 7879 | 2,616,088 | 124 | 1.4 | 1.0- 1.8 | 7755 | 98.6 | 98.2-99.0 |
| White/Non-Hisp | 11561 | 4,091,666 | 1472 | 11.3 | 10.5-12.1 | 10089 | 88.7 | 87.9-89.5 |
| Black or Afr. Am./Non-Hisp | 931 | 437,639 | 101 | 9.5 | 7.1-11.9 | 830 | 90.5 | 88.1-92.9 |
| Oth. Race/Non-Hisp. | 285 | 126,742 | 24 | 5.2 | 2.3- 8.1 | 261 | 94.8 | 91.9-97.7 |
| MultiRacial/Non-Hisp. | 208 | 60,858 | 29 | 11.6 | 6.3-16.9 | 179 | 88.4 | 83.1-93.7 |
| Hispanic | 588 | 291,706 | 29 | 4.6 | 2.6- 6.6 | 559 | 95.4 | 93.4-97.4 |
| 18-24 | 688 | 686,810 | 34 | 5.1 | 3.3- 6.9 | 654 | 94.9 | 93.1-96.7 |
| 25-34 | 1201 | 838,999 | 60 | 5.4 | 4.0- 6.8 | 1141 | 94.6 | 93.2-96.0 |
| 35-44 | 1411 | 817,590 | 78 | 6.1 | 4.5- 7.7 | 1333 | 93.9 | 92.3-95.5 |
| 45-54 | 2123 | 845,568 | 193 | 10.2 | 8.6-11.8 | 1930 | 89.8 | 88.2-91.4 |
| 55-64 | 3000 | 868,233 | 296 | 11.1 | 9.7-12.5 | 2704 | 88.9 | 87.5-90.3 |
| 65+ | 5390 | 1,041,104 | 1046 | 22.2 | 20.8-23.6 | 4344 | 77.8 | 76.4-79.2 |
| Less Than H.S. | 1072 | 650,471 | 77 | 6.2 | 4.6- 7.8 | 995 | 93.8 | 92.2-95.4 |
| H.S. or G.E.D. | 4631 | 1,731,161 | 562 | 11.5 | 10.3-12.7 | 4069 | 88.5 | 87.3-89.7 |
| Some Post-H.S. | 3499 | 1,570,522 | 523 | 12.8 | 11.4-14.2 | 2976 | 87.2 | 85.8-88.6 |
| College Graduate | 4580 | 1,136,177 | 539 | 9.0 | 8.0-10.0 | 4041 | 91.0 | 90.0-92.0 |
| Less than \$15,000 | 1222 | 454,959 | 82 | 5.3 | 3.9- 6.7 | 1140 | 94.7 | 93.3-96.1 |
| \$15,000- 24,999 | 2238 | 812,133 | 271 | 10.7 | 9.1-12.3 | 1967 | 89.3 | 87.7-90.9 |
| \$25,000- 34,999 | 1429 | 509,162 | 192 | 11.9 | 9.7-14.1 | 1237 | 88.1 | 85.9-90.3 |
| \$35,000- 49,999 | 1838 | 700,922 | 308 | 14.6 | 12.6-16.6 | 1530 | 85.4 | 83.4-87.4 |
| \$50,000- 74,999 | 1953 | 738,333 | 268 | 11.9 | 10.1-13.7 | 1685 | 88.1 | 86.3-89.9 |
| \$75,000+ | 3424 | 1,296,605 | 413 | 10.5 | 9.3-11.7 | 3011 | 89.5 | 88.3-90.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 39: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5934 | 2,482,216 | 1583 | 20.5 | 19.3-21.7 | 4351 | 79.5 | 78.3-80.7 |
| White/Non-Hisp | 4909 | 1,976,282 | 1374 | 22.0 | 20.6-23.4 | 3535 | 78.0 | 76.6-79.4 |
| Black or Afr. Am./Non-Hisp | 343 | 206,842 | 88 | 17.4 | 13.1-21.7 | 255 | 82.6 | 78.3-86.9 |
| Oth. Race/Non-Hisp. | 167 | 73,406 | 21 | 8.1 | 3.4-12.8 | 146 | 91.9 | 87.2-96.6 |
| MultiRacial/Non-Hisp. | 111 | 32,913 | 25 | 17.5 | 9.3-25.7 | 86 | 82.5 | 74.3-90.7 |
| Hispanic | 273 | 139,910 | 26 | 8.7 | 4.8-12.6 | 247 | 91.3 | 87.4-95.2 |
| 18-24 | 388 | 352,339 | 30 | 8.5 | 5.4-11.6 | 358 | 91.5 | 88.4-94.6 |
| 25-34 | 592 | 420,515 | 52 | 9.2 | 6.5-11.9 | 540 | 90.8 | 88.1-93.5 |
| 35-44 | 630 | 407,551 | 70 | 11.4 | 8.7-14.1 | 560 | 88.6 | 85.9-91.3 |
| 45-54 | 947 | 419,960 | 163 | 18.6 | 15.7-21.5 | 784 | 81.4 | 78.5-84.3 |
| 55-64 | 1372 | 423,533 | 265 | 21.0 | 18.3-23.7 | 1107 | 79.0 | 76.3-81.7 |
| 65+ | 2005 | 458,319 | 1003 | 49.3 | 46.6-52.0 | 1002 | 50.7 | 48.0-53.4 |
| Less Than H.S. | 446 | 324,346 | 76 | 12.4 | 9.3-15.5 | 370 | 87.6 | 84.5-90.7 |
| H.S. or G.E.D. | 1925 | 869,746 | 535 | 22.0 | 19.8-24.2 | 1390 | 78.0 | 75.8-80.2 |
| Some Post-H.S. | 1447 | 720,791 | 477 | 25.6 | 23.1-28.1 | 970 | 74.4 | 71.9-76.9 |
| College Graduate | 2099 | 560,392 | 489 | 16.3 | 14.5-18.1 | 1610 | 83.7 | 81.9-85.5 |
| Less than \$15,000 | 414 | 180,235 | 71 | 12.4 | 9.1-15.7 | 343 | 87.6 | 84.3-90.9 |
| \$15,000- 24,999 | 846 | 364,028 | 252 | 22.5 | 19.2-25.8 | 594 | 77.5 | 74.2-80.8 |
| \$25,000- 34,999 | 563 | 231,921 | 178 | 24.5 | 20.2-28.8 | 385 | 75.5 | 71.2-79.8 |
| \$35,000- 49,999 | 864 | 371,200 | 291 | 25.9 | 22.4-29.4 | 573 | 74.1 | 70.6-77.6 |
| \$50,000- 74,999 | 911 | 379,469 | 247 | 21.5 | 18.2-24.8 | 664 | 78.5 | 75.2-81.8 |
| \$75,000+ | 1772 | 711,516 | 389 | 18.0 | 15.8-20.2 | 1383 | 82.0 | 79.8-84.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 40: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|-----|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7879 | 2,616,088 | 124 | 1.4 | 1.0- 1.8 | 7755 | 98.6 | 98.2-99.0 |
| White/Non-Hisp | 6652 | 2,115,384 | 98 | 1.3 | 0.9- 1.7 | 6554 | 98.7 | 98.3-99.1 |
| Black or Afr. Am./Non-Hisp | 588 | 230,797 | 13 | 2.4 | 0.6- 4.2 | 575 | 97.6 | 95.8-99.4 |
| Oth. Race/Non-Hisp. | 118 | 53,337 | 3 | 1.2 | 0.0- 3.2 | 115 | 98.8 | 96.8- 100 |
| MultiRacial/Non-Hisp. | 97 | 27,945 | 4 | 4.7 | 0.0-10.2 | 93 | 95.3 | 89.8- 100 |
| Hispanic | 315 | 151,796 | 3 | 0.8 | 0.0- 1.8 | 312 | 99.2 | 98.2- 100 |
| 18-24 | 300 | 334,471 | 4 | 1.4 | 0.0- 2.8 | 296 | 98.6 | 97.2- 100 |
| 25-34 | 609 | 418,483 | 8 | 1.5 | 0.3- 2.7 | 601 | 98.5 | 97.3-99.7 |
| 35-44 | 781 | 410,039 | 8 | 0.9 | 0.1- 1.7 | 773 | 99.1 | 98.3-99.9 |
| 45-54 | 1176 | 425,608 | 30 | 2.0 | 1.2- 2.8 | 1146 | 98.0 | 97.2-98.8 |
| 55-64 | 1628 | 444,701 | 31 | 1.7 | 0.9- 2.5 | 1597 | 98.3 | 97.5-99.1 |
| 65+ | 3385 | 582,785 | 43 | 0.9 | 0.5- 1.3 | 3342 | 99.1 | 98.7-99.5 |
| Less Than H.S. | 626 | 326,125 | 1 | 0.0 | 0.0- 0.0 | 625 | 100.0 | 100.0- 100 |
| H.S. or G.E.D. | 2706 | 861,414 | 27 | 1.0 | 0.4- 1.6 | 2679 | 99.0 | 98.4-99.6 |
| Some Post-H.S. | 2052 | 849,730 | 46 | 2.0 | 1.2- 2.8 | 2006 | 98.0 | 97.2-98.8 |
| College Graduate | 2481 | 575,785 | 50 | 1.9 | 1.3- 2.5 | 2431 | 98.1 | 97.5-98.7 |
| Less than \$15,000 | 808 | 274,724 | 11 | 0.6 | 0.2- 1.0 | 797 | 99.4 | 99.0-99.8 |
| \$15,000- 24,999 | 1392 | 448,105 | 19 | 1.2 | 0.4- 2.0 | 1373 | 98.8 | 98.0-99.6 |
| \$25,000- 34,999 | 866 | 277,240 | 14 | 1.3 | 0.1- 2.5 | 852 | 98.7 | 97.5-99.9 |
| \$35,000- 49,999 | 974 | 329,722 | 17 | 1.9 | 0.5- 3.3 | 957 | 98.1 | 96.7-99.5 |
| \$50,000- 74,999 | 1042 | 358,864 | 21 | 1.8 | 0.8- 2.8 | 1021 | 98.2 | 97.2-99.2 |
| \$75,000+ | 1652 | 585,089 | 24 | 1.4 | 0.6- 2.2 | 1628 | 98.6 | 97.8-99.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 41: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Employed or Self-Employed | | | Out of Work | | | Homemaker | | | Student | | | Retired | | | Unable to Work | | |
|----------------------------|-------------------|-----------|---------------------------|------|------------|-------------|------|------------|-----------|------|------------|---------|------|------------|---------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13727 | 5,059,866 | 6376 | 57.2 | 56.0-58.4 | 506 | 4.8 | 4.2- 5.4 | 844 | 6.5 | 5.9- 7.1 | 311 | 5.4 | 4.8- 6.0 | 4501 | 18.1 | 17.5-18.7 | 1189 | 8.1 | 7.5- 8.7 |
| Male | 5895 | 2,460,588 | 3253 | 65.0 | 63.4-66.6 | 232 | 4.8 | 4.0- 5.6 | 20 | 0.4 | 0.2- 0.6 | 158 | 5.3 | 4.3- 6.3 | 1786 | 17.4 | 16.4-18.4 | 446 | 7.2 | 6.4- 8.0 |
| Female | 7832 | 2,599,278 | 3123 | 49.8 | 48.2-51.4 | 274 | 4.9 | 4.1- 5.7 | 824 | 12.2 | 11.2-13.2 | 153 | 5.5 | 4.5- 6.5 | 2715 | 18.7 | 17.7-19.7 | 743 | 8.9 | 8.1- 9.7 |
| White/Non-Hisp | 11500 | 4,062,863 | 5264 | 57.4 | 56.2-58.6 | 353 | 4.1 | 3.5- 4.7 | 697 | 6.2 | 5.6- 6.8 | 194 | 4.5 | 3.7- 5.3 | 4068 | 20.1 | 19.3-20.9 | 924 | 7.7 | 7.1- 8.3 |
| Black or Afr. Am./Non-Hisp | 924 | 435,492 | 444 | 58.4 | 54.1-62.7 | 61 | 7.7 | 5.3-10.1 | 34 | 4.0 | 2.2- 5.8 | 27 | 6.8 | 3.9- 9.7 | 227 | 11.4 | 9.4-13.4 | 131 | 11.6 | 9.1-14.1 |
| Oth. Race/Non-Hisp. | 284 | 126,635 | 127 | 44.6 | 37.0-52.2 | 21 | 6.6 | 3.1-10.1 | 16 | 5.3 | 1.8- 8.8 | 44 | 28.2 | 20.6-35.8 | 40 | 7.8 | 4.5-11.1 | 36 | 7.5 | 3.0-12.0 |
| MultiRacial/Non-Hisp. | 208 | 60,858 | 99 | 47.1 | 38.5-55.7 | 15 | 8.1 | 3.2-13.0 | 5 | 4.3 | 0.0- 9.4 | 11 | 10.2 | 3.9-16.5 | 41 | 12.5 | 7.8-17.2 | 37 | 17.8 | 11.1-24.5 |
| Hispanic | 576 | 286,026 | 351 | 62.3 | 57.6-67.0 | 46 | 9.3 | 6.2-12.4 | 78 | 14.1 | 10.8-17.4 | 31 | 5.8 | 3.4- 8.2 | 36 | 3.3 | 1.9- 4.7 | 34 | 5.3 | 3.1- 7.5 |
| 18-24 | 681 | 676,549 | 372 | 53.8 | 49.5-58.1 | 56 | 7.9 | 5.5-10.3 | 16 | 2.8 | 1.2- 4.4 | 222 | 33.0 | 28.9-37.1 | | | | 15 | 2.5 | 1.1- 3.9 |
| 25-34 | 1199 | 836,992 | 919 | 76.7 | 74.0-79.4 | 83 | 7.1 | 5.5- 8.7 | 100 | 9.1 | 7.1-11.1 | 61 | 4.4 | 3.2- 5.6 | 1 | 0.0 | 0.0- 0.0 | 35 | 2.7 | 1.7- 3.7 |
| 35-44 | 1403 | 813,551 | 1080 | 77.3 | 74.8-79.8 | 75 | 5.2 | 3.8- 6.6 | 129 | 8.9 | 7.1-10.7 | 18 | 1.3 | 0.7- 1.9 | 8 | 0.5 | 0.1- 0.9 | 93 | 6.9 | 5.3- 8.5 |
| 45-54 | 2102 | 836,052 | 1530 | 73.5 | 71.3-75.7 | 90 | 4.0 | 3.0- 5.0 | 132 | 6.4 | 5.2- 7.6 | 5 | 0.1 | 0.0- 0.3 | 52 | 2.5 | 1.7- 3.3 | 293 | 13.6 | 11.8-15.4 |
| 55-64 | 2983 | 863,089 | 1693 | 55.9 | 53.7-58.1 | 142 | 5.0 | 4.0- 6.0 | 125 | 4.5 | 3.5- 5.5 | 4 | 0.3 | 0.0- 0.7 | 499 | 16.3 | 14.7-17.9 | 520 | 17.9 | 16.1-19.7 |
| 65+ | 5359 | 1,033,633 | 782 | 15.5 | 14.3-16.7 | 60 | 1.2 | 0.8- 1.6 | 342 | 6.6 | 5.8- 7.4 | 1 | 0.0 | 0.0- 0.0 | 3941 | 72.4 | 70.8-74.0 | 233 | 4.4 | 3.6- 5.2 |
| Less Than H.S. | 1056 | 636,782 | 313 | 39.1 | 35.2-43.0 | 75 | 8.5 | 6.1-10.9 | 131 | 11.9 | 9.4-14.4 | 24 | 6.1 | 3.4- 8.8 | 271 | 14.2 | 12.2-16.2 | 242 | 20.2 | 17.3-23.1 |
| H.S. or G.E.D. | 4596 | 1,718,094 | 1832 | 54.4 | 52.6-56.2 | 187 | 5.7 | 4.7- 6.7 | 341 | 6.3 | 5.5- 7.1 | 76 | 3.9 | 2.9- 4.9 | 1654 | 20.8 | 19.6-22.0 | 506 | 8.9 | 7.9- 9.9 |
| Some Post-H.S. | 3478 | 1,561,550 | 1608 | 57.5 | 55.3-59.7 | 136 | 4.2 | 3.4- 5.0 | 196 | 6.0 | 5.0- 7.0 | 130 | 8.2 | 6.6- 9.8 | 1107 | 17.6 | 16.4-18.8 | 301 | 6.5 | 5.5- 7.5 |
| College Graduate | 4566 | 1,133,466 | 2612 | 71.1 | 69.5-72.7 | 108 | 2.3 | 1.7- 2.9 | 175 | 4.3 | 3.5- 5.1 | 80 | 3.4 | 2.6- 4.2 | 1456 | 16.7 | 15.7-17.7 | 135 | 2.2 | 1.8- 2.6 |
| Less than \$15,000 | 1208 | 448,715 | 204 | 23.9 | 20.4-27.4 | 135 | 14.5 | 11.6-17.4 | 86 | 7.6 | 5.6- 9.6 | 47 | 8.8 | 6.1-11.5 | 322 | 14.6 | 12.4-16.8 | 414 | 30.6 | 27.3-33.9 |
| \$15,000- 24,999 | 2225 | 802,293 | 683 | 43.1 | 40.2-46.0 | 136 | 8.7 | 6.9-10.5 | 149 | 6.6 | 5.2- 8.0 | 52 | 5.1 | 3.5- 6.7 | 856 | 21.5 | 19.7-23.3 | 349 | 15.0 | 13.0-17.0 |
| \$25,000- 34,999 | 1422 | 506,544 | 582 | 54.1 | 50.6-57.6 | 42 | 3.7 | 2.3- 5.1 | 82 | 6.9 | 4.9- 8.9 | 28 | 3.6 | 2.0- 5.2 | 590 | 24.5 | 22.0-27.0 | 98 | 7.2 | 5.4- 9.0 |
| \$35,000- 49,999 | 1828 | 694,519 | 830 | 59.7 | 56.8-62.6 | 33 | 2.3 | 1.3- 3.3 | 112 | 6.3 | 4.7- 7.9 | 28 | 4.2 | 2.2- 6.2 | 742 | 23.3 | 21.1-25.5 | 83 | 4.2 | 3.2- 5.2 |
| \$50,000- 74,999 | 1945 | 735,125 | 1114 | 67.8 | 65.1-70.5 | 41 | 2.6 | 1.6- 3.6 | 73 | 4.7 | 3.3- 6.1 | 34 | 4.9 | 2.9- 6.9 | 633 | 17.3 | 15.7-18.9 | 50 | 2.7 | 1.7- 3.7 |
| \$75,000+ | 3419 | 1,295,417 | 2453 | 78.6 | 76.8-80.4 | 52 | 1.5 | 1.1- 1.9 | 185 | 5.8 | 4.8- 6.8 | 53 | 3.8 | 2.6- 5.0 | 629 | 9.2 | 8.4-10.0 | 47 | 1.1 | 0.7- 1.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 42: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Employed or Self-Employed | | | Out of Work | | | Homemaker | | | Student | | | Retired | | | Unable to Work | | |
|----------------------------|-------------------|-----------|---------------------------|------|------------|-------------|------|------------|-----------|-----|------------|---------|------|------------|---------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5895 | 2,460,588 | 3253 | 65.0 | 63.4-66.6 | 232 | 4.8 | 4.0- 5.6 | 20 | 0.4 | 0.2- 0.6 | 158 | 5.3 | 4.3- 6.3 | 1786 | 17.4 | 16.4-18.4 | 446 | 7.2 | 6.4- 8.0 |
| White/Non-Hisp | 4884 | 1,960,970 | 2669 | 65.4 | 63.8-67.0 | 160 | 3.9 | 3.1- 4.7 | 16 | 0.4 | 0.2- 0.6 | 102 | 4.3 | 3.3- 5.3 | 1607 | 19.2 | 18.0-20.4 | 330 | 6.8 | 5.8- 7.8 |
| Black or Afr. Am./Non-Hisp | 340 | 205,940 | 178 | 61.5 | 55.0-68.0 | 26 | 8.5 | 4.8-12.2 | 1 | 0.6 | 0.0- 1.8 | 14 | 8.3 | 3.4-13.2 | 78 | 11.3 | 8.2-14.4 | 43 | 9.8 | 6.3-13.3 |
| Oth. Race/Non-Hisp. | 168 | 73,955 | 79 | 48.0 | 38.6-57.4 | 11 | 5.1 | 1.8- 8.4 | 2 | 0.8 | 0.0- 2.2 | 31 | 31.1 | 21.7-40.5 | 19 | 7.0 | 2.7-11.3 | 26 | 7.9 | 3.6-12.2 |
| MultiRacial/Non-Hisp. | 111 | 32,913 | 63 | 57.0 | 45.6-68.4 | 8 | 8.2 | 1.1-15.3 | | | | 2 | 1.1 | 0.0- 2.7 | 17 | 10.7 | 4.6-16.8 | 21 | 23.0 | 12.6-33.4 |
| Hispanic | 263 | 135,054 | 207 | 79.2 | 73.3-85.1 | 21 | 9.3 | 5.0-13.6 | | | | 7 | 3.2 | 0.5- 5.9 | 14 | 3.5 | 1.1- 5.9 | 14 | 4.8 | 1.7- 7.9 |
| 18-24 | 384 | 348,608 | 226 | 59.2 | 53.5-64.9 | 36 | 8.8 | 5.7-11.9 | 2 | 0.4 | 0.0- 1.0 | 112 | 29.2 | 23.9-34.5 | | | | 8 | 2.4 | 0.4- 4.4 |
| 25-34 | 592 | 419,895 | 503 | 85.6 | 82.5-88.7 | 41 | 6.8 | 4.4- 9.2 | 2 | 0.1 | 0.0- 0.3 | 34 | 5.3 | 3.3- 7.3 | | | | 12 | 2.1 | 0.7- 3.5 |
| 35-44 | 627 | 404,856 | 548 | 88.5 | 85.8-91.2 | 27 | 4.1 | 2.3- 5.9 | 5 | 0.6 | 0.0- 1.2 | 8 | 1.0 | 0.2- 1.8 | 3 | 0.5 | 0.0- 1.1 | 36 | 5.3 | 3.3- 7.3 |
| 45-54 | 931 | 411,989 | 737 | 80.5 | 77.6-83.4 | 36 | 3.4 | 2.0- 4.8 | 9 | 1.1 | 0.1- 2.1 | 2 | 0.1 | 0.0- 0.3 | 25 | 2.6 | 1.4- 3.8 | 122 | 12.2 | 9.7-14.7 |
| 55-64 | 1365 | 420,507 | 851 | 60.0 | 56.9-63.1 | 66 | 5.1 | 3.7- 6.5 | 2 | 0.2 | 0.0- 0.6 | 2 | 0.3 | 0.0- 0.7 | 242 | 17.3 | 14.9-19.7 | 202 | 17.0 | 14.5-19.5 |
| 65+ | 1996 | 454,732 | 388 | 19.9 | 17.7-22.1 | 26 | 1.2 | 0.6- 1.8 | | | | | | | 1516 | 75.2 | 72.8-77.6 | 66 | 3.7 | 2.5- 4.9 |
| Less Than H.S. | 438 | 318,116 | 199 | 52.9 | 47.2-58.6 | 36 | 8.0 | 5.1-10.9 | | | | 11 | 5.6 | 1.9- 9.3 | 101 | 13.5 | 10.4-16.6 | 91 | 20.0 | 15.5-24.5 |
| H.S. or G.E.D. | 1908 | 862,195 | 987 | 63.4 | 60.9-65.9 | 87 | 5.7 | 4.3- 7.1 | 9 | 0.6 | 0.0- 1.2 | 39 | 3.7 | 2.5- 4.9 | 596 | 18.6 | 16.8-20.4 | 190 | 8.0 | 6.6- 9.4 |
| Some Post-H.S. | 1436 | 714,449 | 777 | 65.7 | 62.8-68.6 | 56 | 4.0 | 2.8- 5.2 | 4 | 0.3 | 0.0- 0.7 | 62 | 8.0 | 6.0-10.0 | 441 | 17.6 | 15.6-19.6 | 96 | 4.4 | 3.4- 5.4 |
| College Graduate | 2096 | 558,887 | 1283 | 73.5 | 71.3-75.7 | 53 | 2.5 | 1.7- 3.3 | 7 | 0.4 | 0.0- 0.8 | 45 | 3.9 | 2.7- 5.1 | 642 | 17.3 | 15.7-18.9 | 66 | 2.4 | 1.6- 3.2 |
| Less than \$15,000 | 411 | 177,546 | 85 | 26.8 | 21.1-32.5 | 64 | 16.3 | 11.8-20.8 | 2 | 0.5 | 0.0- 1.1 | 23 | 10.6 | 6.1-15.1 | 97 | 15.1 | 11.4-18.8 | 140 | 30.8 | 25.1-36.5 |
| \$15,000- 24,999 | 839 | 360,231 | 316 | 47.5 | 43.2-51.8 | 60 | 8.8 | 6.3-11.3 | 4 | 0.7 | 0.0- 1.5 | 33 | 6.7 | 4.2- 9.2 | 293 | 21.0 | 18.1-23.9 | 133 | 15.3 | 12.4-18.2 |
| \$25,000- 34,999 | 557 | 229,614 | 245 | 56.9 | 51.6-62.2 | 24 | 5.2 | 2.7- 7.7 | | | | 13 | 3.6 | 1.4- 5.8 | 231 | 25.8 | 21.9-29.7 | 44 | 8.5 | 5.4-11.6 |
| \$35,000- 49,999 | 860 | 366,025 | 425 | 64.0 | 59.9-68.1 | 15 | 1.9 | 0.5- 3.3 | 4 | 0.9 | 0.0- 1.9 | 16 | 4.3 | 1.6- 7.0 | 354 | 24.4 | 21.3-27.5 | 46 | 4.4 | 2.8- 6.0 |
| \$50,000- 74,999 | 904 | 376,223 | 552 | 75.0 | 71.9-78.1 | 20 | 2.6 | 1.2- 4.0 | | | | 16 | 3.4 | 1.6- 5.2 | 300 | 17.6 | 15.2-20.0 | 16 | 1.4 | 0.6- 2.2 |
| \$75,000+ | 1770 | 710,163 | 1391 | 86.0 | 84.2-87.8 | 19 | 0.9 | 0.5- 1.3 | 8 | 0.4 | 0.0- 0.8 | 28 | 3.2 | 2.0- 4.4 | 306 | 8.8 | 7.6-10.0 | 18 | 0.7 | 0.3- 1.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS
TABLE 43: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Employed or Self-Employed | | | Out of Work | | | Homemaker | | | Student | | | Retired | | | Unable to Work | | |
|----------------------------|-------------------|-----------|---------------------------|------|------------|-------------|------|------------|-----------|------|------------|---------|------|------------|---------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7832 | 2,599,278 | 3123 | 49.8 | 48.2-51.4 | 274 | 4.9 | 4.1- 5.7 | 824 | 12.2 | 11.2-13.2 | 153 | 5.5 | 4.5- 6.5 | 2715 | 18.7 | 17.9-19.5 | 743 | 8.9 | 8.1- 9.7 |
| White/Non-Hisp | 6616 | 2,101,893 | 2595 | 49.9 | 48.3-51.5 | 193 | 4.2 | 3.4- 5.0 | 681 | 11.7 | 10.5-12.9 | 92 | 4.7 | 3.5- 5.9 | 2461 | 20.9 | 19.9-21.9 | 594 | 8.6 | 7.8- 9.4 |
| Black or Afr. Am./Non-Hisp | 584 | 229,552 | 266 | 55.7 | 50.2-61.2 | 35 | 7.0 | 3.9-10.1 | 33 | 7.0 | 3.9-10.1 | 13 | 5.5 | 2.2- 8.8 | 149 | 11.5 | 9.1-13.9 | 88 | 13.3 | 9.8-16.8 |
| Oth. Race/Non-Hisp. | 116 | 52,680 | 48 | 39.7 | 27.4-52.0 | 10 | 8.7 | 1.6-15.8 | 14 | 11.7 | 3.5-19.9 | 13 | 24.2 | 11.7-36.7 | 21 | 8.8 | 3.3-14.3 | 10 | 7.0 | 0.0-16.0 |
| MultiRacial/Non-Hisp. | 97 | 27,945 | 36 | 35.5 | 23.3-47.7 | 7 | 8.0 | 1.5-14.5 | 5 | 9.4 | 0.0-20.2 | 9 | 20.8 | 8.5-33.1 | 24 | 14.5 | 7.1-21.9 | 16 | 11.8 | 4.5-19.1 |
| Hispanic | 313 | 150,973 | 144 | 47.2 | 40.5-53.9 | 25 | 9.2 | 4.9-13.5 | 78 | 26.7 | 20.8-32.6 | 24 | 8.1 | 4.4-11.8 | 22 | 3.0 | 1.4- 4.6 | 20 | 5.8 | 3.1- 8.5 |
| 18-24 | 297 | 327,940 | 146 | 48.2 | 41.7-54.7 | 20 | 7.0 | 3.5-10.5 | 14 | 5.3 | 2.4- 8.2 | 110 | 37.0 | 30.7-43.3 | | | | 7 | 2.5 | 0.3- 4.7 |
| 25-34 | 607 | 417,097 | 416 | 67.8 | 63.5-72.1 | 42 | 7.3 | 4.9- 9.7 | 98 | 18.0 | 14.5-21.5 | 27 | 3.5 | 1.9- 5.1 | 1 | 0.1 | 0.0- 0.3 | 23 | 3.3 | 1.7- 4.9 |
| 35-44 | 776 | 408,695 | 532 | 66.1 | 62.2-70.0 | 48 | 6.3 | 4.3- 8.3 | 124 | 17.0 | 13.9-20.1 | 10 | 1.5 | 0.5- 2.5 | 5 | 0.6 | 0.0- 1.2 | 57 | 8.4 | 6.0-10.8 |
| 45-54 | 1171 | 424,063 | 793 | 66.6 | 63.5-69.7 | 54 | 4.5 | 3.1- 5.9 | 123 | 11.5 | 9.3-13.7 | 3 | 0.1 | 0.0- 0.3 | 27 | 2.3 | 1.3- 3.3 | 171 | 15.0 | 12.6-17.4 |
| 55-64 | 1618 | 442,582 | 842 | 52.1 | 49.2-55.0 | 76 | 4.9 | 3.5- 6.3 | 123 | 8.6 | 6.8-10.4 | 2 | 0.3 | 0.0- 0.7 | 257 | 15.3 | 13.1-17.5 | 318 | 18.8 | 16.4-21.2 |
| 65+ | 3363 | 578,901 | 394 | 12.1 | 10.7-13.5 | 34 | 1.1 | 0.7- 1.5 | 342 | 11.7 | 10.3-13.1 | 1 | 0.0 | 0.0- 0.0 | 2425 | 70.2 | 68.2-72.2 | 167 | 4.9 | 3.9- 5.9 |
| Less Than H.S. | 618 | 318,666 | 114 | 25.3 | 20.4-30.2 | 39 | 9.0 | 5.5-12.5 | 131 | 23.9 | 19.4-28.4 | 13 | 6.6 | 2.7-10.5 | 170 | 14.9 | 12.2-17.6 | 151 | 20.4 | 16.5-24.3 |
| H.S. or G.E.D. | 2688 | 855,899 | 845 | 45.3 | 42.8-47.8 | 100 | 5.6 | 4.2- 7.0 | 332 | 12.1 | 10.5-13.7 | 37 | 4.1 | 2.5- 5.7 | 1058 | 23.0 | 21.2-24.8 | 316 | 9.9 | 8.5-11.3 |
| Some Post-H.S. | 2042 | 847,101 | 831 | 50.6 | 47.7-53.5 | 80 | 4.4 | 3.2- 5.6 | 192 | 10.7 | 8.9-12.5 | 68 | 8.5 | 6.3-10.7 | 666 | 17.6 | 16.0-19.2 | 205 | 8.3 | 6.9- 9.7 |
| College Graduate | 2470 | 574,579 | 1329 | 68.8 | 66.6-71.0 | 55 | 2.2 | 1.6- 2.8 | 168 | 8.0 | 6.4- 9.6 | 35 | 2.8 | 1.8- 3.8 | 814 | 16.2 | 14.8-17.6 | 69 | 2.0 | 1.4- 2.6 |
| Less than \$15,000 | 797 | 271,168 | 119 | 22.0 | 17.7-26.3 | 71 | 13.3 | 9.6-17.0 | 84 | 12.2 | 9.1-15.3 | 24 | 7.6 | 4.3-10.9 | 225 | 14.3 | 11.8-16.8 | 274 | 30.5 | 26.2-34.8 |
| \$15,000- 24,999 | 1386 | 442,062 | 367 | 39.5 | 35.8-43.2 | 76 | 8.7 | 6.2-11.2 | 145 | 11.3 | 8.9-13.7 | 19 | 3.8 | 2.0- 5.6 | 563 | 21.9 | 19.5-24.3 | 216 | 14.8 | 12.4-17.2 |
| \$25,000- 34,999 | 865 | 276,930 | 337 | 51.8 | 47.3-56.3 | 18 | 2.5 | 1.1- 3.9 | 82 | 12.6 | 9.3-15.9 | 15 | 3.6 | 1.6- 5.6 | 359 | 23.4 | 20.3-26.5 | 54 | 6.1 | 3.9- 8.3 |
| \$35,000- 49,999 | 968 | 328,494 | 405 | 54.8 | 50.5-59.1 | 18 | 2.8 | 1.2- 4.4 | 108 | 12.4 | 9.5-15.3 | 12 | 4.1 | 1.6- 6.6 | 388 | 22.0 | 19.3-24.7 | 37 | 3.9 | 2.3- 5.5 |
| \$50,000- 74,999 | 1041 | 358,902 | 562 | 60.2 | 56.1-64.3 | 21 | 2.5 | 1.1- 3.9 | 73 | 9.7 | 7.0-12.4 | 18 | 6.6 | 3.3- 9.9 | 333 | 17.1 | 14.7-19.5 | 34 | 4.0 | 2.0- 6.0 |
| \$75,000+ | 1649 | 585,255 | 1062 | 69.7 | 66.8-72.6 | 33 | 2.1 | 1.3- 2.9 | 177 | 12.3 | 10.1-14.5 | 25 | 4.6 | 2.4- 6.8 | 323 | 9.7 | 8.3-11.1 | 29 | 1.6 | 0.8- 2.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 44: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Child | | | Two Children | | | Three Children | | | Four Children | | | Five or More Children | | | No Children | | |
|----------------------------|-------------------|-----------|-----------|------|------------|--------------|------|------------|----------------|------|------------|---------------|-----|------------|-----------------------|-----|------------|-------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13756 | 5,073,631 | 1402 | 14.7 | 13.9-15.5 | 1154 | 12.7 | 11.9-13.5 | 531 | 6.2 | 5.6- 6.8 | 183 | 2.3 | 1.9- 2.7 | 127 | 1.7 | 1.3- 2.1 | 10359 | 62.5 | 61.3-63.7 |
| Male | 5911 | 2,469,825 | 566 | 14.1 | 12.7-15.5 | 503 | 11.7 | 10.5-12.9 | 227 | 5.6 | 4.8- 6.4 | 73 | 1.8 | 1.2- 2.4 | 61 | 1.7 | 1.3- 2.1 | 4481 | 65.2 | 63.6-66.8 |
| Female | 7845 | 2,603,806 | 836 | 15.3 | 14.1-16.5 | 651 | 13.6 | 12.4-14.8 | 304 | 6.8 | 5.8- 7.8 | 110 | 2.7 | 2.1- 3.3 | 66 | 1.8 | 1.2- 2.4 | 5878 | 59.9 | 58.3-61.5 |
| White/Non-Hisp | 11525 | 4,074,338 | 1074 | 14.1 | 13.1-15.1 | 854 | 11.8 | 10.8-12.8 | 383 | 5.5 | 4.9- 6.1 | 130 | 1.9 | 1.5- 2.3 | 96 | 1.6 | 1.2- 2.0 | 8988 | 65.0 | 63.8-66.2 |
| Black or Afr. Am./Non-Hisp | 924 | 434,395 | 123 | 15.6 | 12.3-18.9 | 95 | 14.5 | 11.2-17.8 | 55 | 8.9 | 6.4-11.4 | 18 | 3.6 | 1.6- 5.6 | 6 | 1.3 | 0.1- 2.5 | 627 | 56.0 | 51.7-60.3 |
| Oth. Race/Non-Hisp. | 286 | 127,283 | 36 | 12.9 | 7.8-18.0 | 38 | 16.3 | 10.2-22.4 | 8 | 2.4 | 0.4- 4.4 | 4 | 1.2 | 0.0- 2.6 | 4 | 4.0 | 0.0- 8.5 | 196 | 63.2 | 55.6-70.8 |
| MultiRacial/Non-Hisp. | 206 | 60,354 | 34 | 21.9 | 14.5-29.3 | 22 | 11.0 | 6.1-15.9 | 8 | 5.3 | 1.4- 9.2 | 5 | 2.0 | 0.0- 4.0 | 5 | 3.9 | 0.0- 8.8 | 132 | 55.9 | 47.1-64.7 |
| Hispanic | 582 | 289,509 | 116 | 20.2 | 16.3-24.1 | 120 | 20.1 | 16.2-24.0 | 70 | 13.8 | 10.5-17.1 | 25 | 5.8 | 3.3- 8.3 | 15 | 3.6 | 1.6- 5.6 | 236 | 36.6 | 31.9-41.3 |
| 18-24 | 686 | 684,593 | 135 | 21.2 | 17.5-24.9 | 61 | 10.6 | 7.7-13.5 | 41 | 6.9 | 4.5- 9.3 | 8 | 1.6 | 0.2- 3.0 | 11 | 2.2 | 0.8- 3.6 | 430 | 57.5 | 53.2-61.8 |
| 25-34 | 1197 | 835,963 | 220 | 19.4 | 16.9-21.9 | 280 | 24.1 | 21.4-26.8 | 136 | 11.6 | 9.6-13.6 | 50 | 4.4 | 3.0- 5.8 | 27 | 2.8 | 1.6- 4.0 | 484 | 37.7 | 34.6-40.8 |
| 35-44 | 1397 | 809,799 | 307 | 21.3 | 18.8-23.8 | 408 | 28.0 | 25.3-30.7 | 204 | 14.7 | 12.5-16.9 | 76 | 6.2 | 4.6- 7.8 | 55 | 4.1 | 2.9- 5.3 | 347 | 25.6 | 22.9-28.3 |
| 45-54 | 2108 | 839,494 | 456 | 21.8 | 19.6-24.0 | 268 | 11.9 | 10.3-13.5 | 95 | 4.1 | 3.1- 5.1 | 36 | 1.6 | 1.0- 2.2 | 25 | 1.5 | 0.7- 2.3 | 1228 | 59.1 | 56.6-61.6 |
| 55-64 | 2990 | 864,845 | 184 | 6.7 | 5.5- 7.9 | 81 | 3.1 | 2.3- 3.9 | 32 | 1.3 | 0.7- 1.9 | 6 | 0.2 | 0.0- 0.4 | 2 | 0.1 | 0.0- 0.3 | 2685 | 88.6 | 87.2-90.0 |
| 65+ | 5378 | 1,038,937 | 100 | 2.3 | 1.7- 2.9 | 56 | 1.4 | 1.0- 1.8 | 23 | 0.6 | 0.4- 0.8 | 7 | 0.2 | 0.0- 0.4 | 7 | 0.2 | 0.0- 0.4 | 5185 | 95.3 | 94.5-96.1 |
| Less Than H.S. | 1067 | 647,611 | 121 | 14.2 | 11.1-17.3 | 101 | 12.6 | 9.9-15.3 | 64 | 7.5 | 5.5- 9.5 | 28 | 4.3 | 2.3- 6.3 | 34 | 5.5 | 3.5- 7.5 | 719 | 55.8 | 51.9-59.7 |
| H.S. or G.E.D. | 4610 | 1,721,830 | 436 | 15.0 | 13.4-16.6 | 313 | 11.1 | 9.7-12.5 | 151 | 6.0 | 4.8- 7.2 | 44 | 1.5 | 0.9- 2.1 | 34 | 1.2 | 0.8- 1.6 | 3632 | 65.2 | 63.2-67.2 |
| Some Post-H.S. | 3488 | 1,564,008 | 374 | 14.8 | 13.2-16.4 | 297 | 12.9 | 11.3-14.5 | 131 | 5.8 | 4.6- 7.0 | 49 | 2.2 | 1.4- 3.0 | 24 | 1.1 | 0.7- 1.5 | 2613 | 63.1 | 60.9-65.3 |
| College Graduate | 4563 | 1,131,251 | 468 | 14.2 | 12.8-15.6 | 443 | 14.9 | 13.5-16.3 | 185 | 6.3 | 5.3- 7.3 | 62 | 2.3 | 1.7- 2.9 | 35 | 1.2 | 0.8- 1.6 | 3370 | 61.1 | 59.1-63.1 |
| Less than \$15,000 | 1223 | 455,302 | 115 | 12.3 | 9.6-15.0 | 72 | 9.2 | 6.7-11.7 | 58 | 7.7 | 5.5- 9.9 | 13 | 1.8 | 0.6- 3.0 | 9 | 1.5 | 0.3- 2.7 | 956 | 67.5 | 63.8-71.2 |
| \$15,000- 24,999 | 2236 | 810,958 | 212 | 13.9 | 11.7-16.1 | 167 | 11.5 | 9.5-13.5 | 81 | 6.7 | 5.1- 8.3 | 28 | 2.6 | 1.4- 3.8 | 13 | 1.5 | 0.7- 2.3 | 1735 | 63.8 | 60.9-66.7 |
| \$25,000- 34,999 | 1425 | 507,486 | 114 | 11.8 | 9.3-14.3 | 79 | 9.0 | 6.8-11.2 | 54 | 6.3 | 4.3- 8.3 | 17 | 2.5 | 1.1- 3.9 | 14 | 1.7 | 0.7- 2.7 | 1147 | 68.7 | 65.2-72.2 |
| \$35,000- 49,999 | 1838 | 700,221 | 163 | 14.2 | 11.7-16.7 | 108 | 9.6 | 7.4-11.8 | 65 | 5.5 | 3.9- 7.1 | 21 | 2.0 | 0.8- 3.2 | 21 | 2.3 | 1.1- 3.5 | 1460 | 66.4 | 63.3-69.5 |
| \$50,000- 74,999 | 1950 | 736,534 | 224 | 16.3 | 13.9-18.7 | 149 | 12.0 | 9.8-14.2 | 80 | 6.7 | 4.9- 8.5 | 25 | 2.5 | 1.3- 3.7 | 18 | 2.2 | 1.0- 3.4 | 1454 | 60.2 | 57.1-63.3 |
| \$75,000+ | 3422 | 1,295,434 | 465 | 18.0 | 16.2-19.8 | 482 | 19.0 | 17.2-20.8 | 158 | 6.4 | 5.2- 7.6 | 59 | 2.3 | 1.7- 2.9 | 41 | 1.5 | 0.9- 2.1 | 2217 | 52.7 | 50.5-54.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 45: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Child | | | Two Children | | | Three Children | | | Four Children | | | Five or More Children | | | No Children | | |
|----------------------------|-------------------|-----------|-----------|------|------------|--------------|------|------------|----------------|------|------------|---------------|-----|------------|-----------------------|-----|------------|-------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5911 | 2,469,825 | 566 | 14.1 | 12.7-15.5 | 503 | 11.7 | 10.5-12.9 | 227 | 5.6 | 4.8- 6.4 | 73 | 1.8 | 1.2- 2.4 | 61 | 1.7 | 1.3- 2.1 | 4481 | 65.2 | 63.6-68.8 |
| White/Non-Hisp | 4894 | 1,967,319 | 437 | 13.8 | 12.4-15.2 | 366 | 10.9 | 9.7-12.1 | 164 | 5.1 | 4.1- 6.1 | 54 | 1.6 | 1.0- 2.2 | 46 | 1.5 | 1.1- 1.9 | 3827 | 67.0 | 65.2-68.8 |
| Black or Afr. Am./Non-Hisp | 338 | 203,762 | 33 | 12.9 | 7.8-18.0 | 37 | 13.9 | 9.2-18.6 | 19 | 6.9 | 3.6-10.2 | 6 | 2.7 | 0.0- 5.6 | 4 | 1.8 | 0.0- 3.8 | 239 | 61.8 | 54.9-68.7 |
| Oth. Race/Non-Hisp. | 169 | 74,472 | 20 | 12.9 | 6.4-19.4 | 23 | 16.3 | 9.4-23.2 | 2 | 1.1 | 0.0- 2.7 | 2 | 1.0 | 0.0- 2.4 | 2 | 1.5 | 0.0- 3.9 | 120 | 67.1 | 58.3-75.9 |
| MultiRacial/Non-Hisp. | 110 | 32,550 | 18 | 22.3 | 11.9-32.7 | 12 | 11.5 | 4.8-18.2 | 3 | 3.5 | 0.0- 7.6 | 2 | 1.6 | 0.0- 3.8 | 1 | 0.6 | 0.0- 1.8 | 74 | 60.5 | 49.1-71.9 |
| Hispanic | 271 | 139,394 | 51 | 20.0 | 14.1-25.9 | 51 | 16.0 | 11.3-20.7 | 34 | 14.1 | 9.2-19.0 | 9 | 4.2 | 0.9- 7.5 | 7 | 3.7 | 0.6- 6.8 | 119 | 42.1 | 35.0-49.2 |
| 18-24 | 387 | 351,290 | 70 | 20.7 | 15.8-25.6 | 31 | 9.0 | 5.7-12.3 | 19 | 5.3 | 2.6- 8.0 | 2 | 0.5 | 0.0- 1.3 | 3 | 0.8 | 0.0- 1.8 | 262 | 63.7 | 58.0-69.4 |
| 25-34 | 590 | 418,991 | 105 | 19.0 | 15.3-22.7 | 110 | 18.7 | 15.2-22.2 | 48 | 8.8 | 6.3-11.3 | 16 | 2.5 | 1.1- 3.9 | 14 | 2.9 | 1.3- 4.5 | 297 | 48.2 | 43.7-52.7 |
| 35-44 | 623 | 403,466 | 107 | 18.7 | 15.2-22.2 | 173 | 26.1 | 22.2-30.0 | 79 | 13.0 | 9.9-16.1 | 35 | 6.3 | 3.8- 8.8 | 24 | 3.9 | 2.1- 5.7 | 205 | 31.9 | 27.6-36.2 |
| 45-54 | 941 | 416,389 | 165 | 19.3 | 16.2-22.4 | 131 | 12.7 | 10.3-15.1 | 56 | 5.2 | 3.6- 6.8 | 17 | 1.6 | 0.8- 2.4 | 17 | 2.2 | 1.0- 3.4 | 555 | 59.0 | 55.3-62.7 |
| 55-64 | 1369 | 422,326 | 89 | 7.0 | 5.4- 8.6 | 39 | 3.3 | 2.1- 4.5 | 18 | 1.6 | 0.8- 2.4 | 1 | 0.1 | 0.0- 0.3 | | | | 1222 | 87.9 | 85.7-90.1 |
| 65+ | 2001 | 457,363 | 30 | 2.1 | 1.3- 2.9 | 19 | 1.5 | 0.7- 2.3 | 7 | 0.5 | 0.1- 0.9 | 2 | 0.1 | 0.1- 0.1 | 3 | 0.2 | 0.0- 0.4 | 1940 | 95.7 | 94.5-96.9 |
| Less Than H.S. | 446 | 324,074 | 53 | 13.8 | 9.3-18.3 | 45 | 12.2 | 8.5-15.9 | 24 | 6.4 | 3.5- 9.3 | 11 | 3.1 | 1.1- 5.1 | 13 | 4.0 | 1.6- 6.4 | 300 | 60.4 | 54.7-66.1 |
| H.S. or G.E.D. | 1912 | 862,506 | 198 | 15.9 | 13.5-18.3 | 150 | 11.0 | 9.2-12.8 | 71 | 5.8 | 4.2- 7.4 | 13 | 0.9 | 0.3- 1.5 | 16 | 1.1 | 0.5- 1.7 | 1464 | 65.3 | 62.6-68.0 |
| Some Post-H.S. | 1445 | 719,090 | 143 | 13.5 | 11.1-15.9 | 105 | 10.4 | 8.2-12.6 | 51 | 5.1 | 3.5- 6.7 | 20 | 2.1 | 0.9- 3.3 | 13 | 1.5 | 0.7- 2.3 | 1113 | 67.4 | 64.3-70.5 |
| College Graduate | 2093 | 557,954 | 172 | 12.2 | 10.2-14.2 | 203 | 14.2 | 12.2-16.2 | 81 | 5.6 | 4.2- 7.0 | 29 | 2.1 | 1.3- 2.9 | 19 | 1.4 | 0.8- 2.0 | 1589 | 64.5 | 61.8-67.2 |
| Less than \$15,000 | 416 | 180,894 | 27 | 8.4 | 4.7-12.1 | 21 | 7.1 | 3.8-10.4 | 11 | 3.1 | 1.1- 5.1 | 2 | 0.4 | 0.0- 1.0 | 1 | 0.3 | 0.0- 0.9 | 354 | 80.8 | 75.7-85.9 |
| \$15,000- 24,999 | 846 | 364,028 | 73 | 11.5 | 8.6-14.4 | 57 | 8.9 | 6.4-11.4 | 32 | 5.9 | 3.7- 8.1 | 5 | 0.6 | 0.0- 1.2 | 8 | 2.2 | 0.6- 3.8 | 671 | 70.9 | 66.8-75.0 |
| \$25,000- 34,999 | 562 | 231,330 | 37 | 11.4 | 7.3-15.5 | 26 | 6.1 | 3.4- 8.8 | 21 | 5.7 | 3.2- 8.2 | 4 | 1.7 | 0.0- 3.7 | 7 | 2.0 | 0.4- 3.6 | 467 | 73.1 | 67.8-78.4 |
| \$35,000- 49,999 | 865 | 371,414 | 82 | 16.0 | 12.3-19.7 | 44 | 8.2 | 5.5-10.9 | 34 | 4.9 | 3.1- 6.7 | 8 | 1.5 | 0.3- 2.7 | 9 | 2.3 | 0.7- 3.9 | 688 | 67.2 | 62.7-71.7 |
| \$50,000- 74,999 | 908 | 377,235 | 98 | 15.6 | 12.3-18.9 | 63 | 10.3 | 7.6-13.0 | 38 | 6.9 | 4.4- 9.4 | 12 | 2.7 | 0.7- 4.7 | 8 | 1.4 | 0.4- 2.4 | 689 | 63.1 | 58.8-67.4 |
| \$75,000+ | 1773 | 711,495 | 203 | 16.7 | 14.2-19.2 | 256 | 18.6 | 16.2-21.0 | 79 | 6.3 | 4.7- 7.9 | 32 | 2.5 | 1.5- 3.5 | 24 | 1.6 | 0.8- 2.4 | 1179 | 54.4 | 51.5-57.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 46: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Child | | | Two Children | | | Three Children | | | Four Children | | | Five or More Children | | | No Children | | |
|----------------------------|-------------------|-----------|-----------|------|------------|--------------|------|------------|----------------|------|------------|---------------|-----|------------|-----------------------|-----|------------|-------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7845 | 2,603,806 | 836 | 15.3 | 14.1-16.5 | 651 | 13.6 | 12.4-14.8 | 304 | 6.8 | 5.8- 7.8 | 110 | 2.7 | 2.1- 3.3 | 66 | 1.8 | 1.2- 2.4 | 5878 | 59.9 | 58.3-61.5 |
| White/Non-Hisp | 6631 | 2,107,019 | 637 | 14.4 | 13.0-15.8 | 488 | 12.7 | 11.3-14.1 | 219 | 6.0 | 5.0- 7.0 | 76 | 2.2 | 1.6- 2.8 | 50 | 1.6 | 1.0- 2.2 | 5161 | 63.1 | 61.3-64.9 |
| Black or Afr. Am./Non-Hisp | 586 | 230,633 | 90 | 18.1 | 13.8-22.4 | 58 | 15.0 | 10.5-19.5 | 36 | 10.8 | 7.1-14.5 | 12 | 4.5 | 1.8- 7.2 | 2 | 0.7 | 0.0- 1.7 | 388 | 51.0 | 45.3-56.7 |
| Oth. Race/Non-Hisp. | 117 | 52,811 | 16 | 13.0 | 5.0-21.0 | 15 | 16.3 | 5.5-27.1 | 6 | 4.2 | 0.1- 8.3 | 2 | 1.4 | 0.0- 3.9 | 2 | 7.6 | 0.0-17.8 | 76 | 57.7 | 44.4-71.0 |
| MultiRacial/Non-Hisp. | 96 | 27,803 | 16 | 21.3 | 10.5-32.1 | 10 | 10.3 | 3.2-17.4 | 5 | 7.3 | 0.2-14.4 | 3 | 2.6 | 0.0- 5.7 | 4 | 7.9 | 0.0-18.3 | 58 | 50.5 | 37.2-63.8 |
| Hispanic | 311 | 150,116 | 65 | 20.4 | 15.1-25.7 | 69 | 23.9 | 18.0-29.8 | 36 | 13.5 | 8.6-18.4 | 16 | 7.4 | 3.5-11.3 | 8 | 3.4 | 0.9- 5.9 | 117 | 31.5 | 25.4-37.6 |
| 18-24 | 299 | 333,303 | 65 | 21.7 | 16.2-27.2 | 30 | 12.4 | 7.7-17.1 | 22 | 8.6 | 4.9-12.3 | 6 | 2.7 | 0.2- 5.2 | 8 | 3.7 | 1.0- 6.4 | 168 | 50.9 | 44.4-57.4 |
| 25-34 | 607 | 416,972 | 115 | 19.9 | 16.2-23.6 | 170 | 29.6 | 25.5-33.7 | 88 | 14.3 | 11.2-17.4 | 34 | 6.4 | 4.0- 8.8 | 13 | 2.6 | 1.0- 4.2 | 187 | 27.1 | 23.2-31.0 |
| 35-44 | 774 | 406,333 | 200 | 23.9 | 20.6-27.2 | 235 | 29.8 | 26.1-33.5 | 125 | 16.4 | 13.5-19.3 | 41 | 6.1 | 3.9- 8.3 | 31 | 4.4 | 2.8- 6.0 | 142 | 19.4 | 16.1-22.7 |
| 45-54 | 1167 | 423,104 | 291 | 24.3 | 21.6-27.0 | 137 | 11.1 | 8.9-13.3 | 39 | 3.0 | 1.8- 4.2 | 19 | 1.6 | 0.8- 2.4 | 8 | 0.8 | 0.0- 1.6 | 673 | 59.1 | 55.8-62.4 |
| 55-64 | 1621 | 442,519 | 95 | 6.3 | 4.9- 7.7 | 42 | 3.0 | 2.0- 4.0 | 14 | 0.9 | 0.3- 1.5 | 5 | 0.3 | 0.0- 0.7 | 2 | 0.2 | 0.0- 0.4 | 1463 | 89.3 | 87.5-91.1 |
| 65+ | 3377 | 581,574 | 70 | 2.4 | 1.8- 3.0 | 37 | 1.4 | 0.8- 2.0 | 16 | 0.7 | 0.3- 1.1 | 5 | 0.2 | 0.0- 0.4 | 4 | 0.2 | 0.0- 0.4 | 3245 | 95.0 | 94.0-96.0 |
| Less Than H.S. | 621 | 323,537 | 68 | 14.7 | 10.4-19.0 | 56 | 13.0 | 8.9-17.1 | 40 | 8.6 | 5.7-11.5 | 17 | 5.6 | 2.5- 8.7 | 21 | 7.0 | 3.7-10.3 | 419 | 51.1 | 45.6-56.6 |
| H.S. or G.E.D. | 2698 | 859,325 | 238 | 14.1 | 11.9-16.3 | 163 | 11.2 | 9.2-13.2 | 80 | 6.3 | 4.7- 7.9 | 31 | 2.1 | 1.3- 2.9 | 18 | 1.3 | 0.7- 1.9 | 2168 | 65.0 | 62.3-67.7 |
| Some Post-H.S. | 2043 | 844,918 | 231 | 15.9 | 13.7-18.1 | 192 | 15.0 | 12.8-17.2 | 80 | 6.5 | 4.9- 8.1 | 29 | 2.4 | 1.4- 3.4 | 11 | 0.8 | 0.2- 1.4 | 1500 | 59.5 | 56.6-62.4 |
| College Graduate | 2470 | 573,297 | 296 | 16.2 | 14.2-18.2 | 240 | 15.6 | 13.6-17.6 | 104 | 6.9 | 5.5- 8.3 | 33 | 2.5 | 1.5- 3.5 | 16 | 1.0 | 0.4- 1.6 | 1781 | 57.8 | 55.3-60.3 |
| Less than \$15,000 | 807 | 274,408 | 88 | 14.9 | 11.2-18.6 | 51 | 10.6 | 7.1-14.1 | 47 | 10.7 | 7.4-14.0 | 11 | 2.7 | 0.9- 4.5 | 8 | 2.2 | 0.4- 4.0 | 602 | 58.8 | 53.7-63.9 |
| \$15,000- 24,999 | 1390 | 446,930 | 139 | 15.8 | 12.7-18.9 | 110 | 13.7 | 10.8-16.6 | 49 | 7.4 | 5.0- 9.8 | 23 | 4.2 | 2.0- 6.4 | 5 | 0.9 | 0.1- 1.7 | 1064 | 58.0 | 54.1-61.9 |
| \$25,000- 34,999 | 863 | 276,156 | 77 | 12.1 | 8.8-15.4 | 53 | 11.4 | 8.1-14.7 | 33 | 6.8 | 4.1- 9.5 | 13 | 3.2 | 1.2- 5.2 | 7 | 1.5 | 0.3- 2.7 | 680 | 65.0 | 60.3-69.7 |
| \$35,000- 49,999 | 973 | 328,807 | 81 | 12.2 | 9.1-15.3 | 64 | 11.1 | 8.0-14.2 | 31 | 6.2 | 3.7- 8.7 | 13 | 2.6 | 0.6- 4.6 | 12 | 2.4 | 0.8- 4.0 | 772 | 65.5 | 61.0-70.0 |
| \$50,000- 74,999 | 1042 | 359,299 | 126 | 17.1 | 13.8-20.4 | 86 | 13.8 | 10.5-17.1 | 42 | 6.4 | 3.9- 8.9 | 13 | 2.2 | 0.6- 3.8 | 10 | 3.1 | 0.7- 5.5 | 765 | 57.3 | 53.0-61.6 |
| \$75,000+ | 1649 | 583,940 | 262 | 19.7 | 17.2-22.2 | 226 | 19.5 | 16.8-22.2 | 79 | 6.6 | 4.8- 8.4 | 27 | 2.1 | 1.1- 3.1 | 17 | 1.3 | 0.5- 2.1 | 1038 | 50.7 | 47.6-53.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 47: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Less than \$10,000 | | | \$10,000 - \$14,999 | | | \$15,000 - \$19,999 | | | \$20,000 - \$24,999 | | | \$25,000 - \$34,999 | | | \$35,000+ | | |
|----------------------------|-------------------|-----------|--------------------|------|------------|---------------------|------|------------|---------------------|------|------------|---------------------|------|------------|---------------------|------|------------|-----------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 12111 | 4,514,661 | 598 | 5.3 | 4.7- 5.9 | 626 | 4.8 | 4.2- 5.4 | 1017 | 8.2 | 7.6- 8.8 | 1221 | 9.8 | 9.0-10.6 | 1429 | 11.3 | 10.5-12.1 | 7220 | 60.6 | 59.4-61.8 |
| Male | 5375 | 2,239,441 | 215 | 4.3 | 3.5- 5.1 | 201 | 3.8 | 3.2- 4.4 | 384 | 7.2 | 6.4- 8.0 | 462 | 9.1 | 8.1-10.1 | 563 | 10.4 | 9.4-11.4 | 3550 | 65.3 | 63.7-66.9 |
| Female | 6736 | 2,275,220 | 383 | 6.4 | 5.6- 7.2 | 425 | 5.7 | 4.9- 6.5 | 633 | 9.1 | 8.1-10.1 | 759 | 10.6 | 9.6-11.6 | 866 | 12.2 | 11.2-13.2 | 3670 | 56.0 | 54.4-57.6 |
| White/Non-Hisp | 10163 | 3,643,200 | 409 | 4.2 | 3.6- 4.8 | 464 | 4.0 | 3.4- 4.6 | 742 | 7.0 | 6.4- 7.6 | 954 | 8.7 | 7.9- 9.5 | 1181 | 11.1 | 10.3-11.9 | 6413 | 65.0 | 63.8-66.2 |
| Black or Afr. Am./Non-Hisp | 834 | 391,135 | 96 | 12.5 | 9.4-15.6 | 76 | 7.7 | 5.3-10.1 | 118 | 13.0 | 10.1-15.9 | 102 | 12.6 | 9.5-15.7 | 113 | 12.8 | 9.9-15.7 | 329 | 41.5 | 37.0-46.0 |
| Oth. Race/Non-Hisp. | 256 | 112,729 | 22 | 8.4 | 4.1-12.7 | 14 | 6.0 | 1.5-10.5 | 31 | 7.5 | 3.8-11.2 | 32 | 10.4 | 5.7-15.1 | 26 | 8.6 | 4.5-12.7 | 131 | 59.0 | 51.2-66.8 |
| MultiRacial/Non-Hisp. | 179 | 51,694 | 11 | 9.1 | 3.0-15.2 | 7 | 2.9 | 0.5- 5.3 | 21 | 11.9 | 5.8-18.0 | 25 | 15.4 | 8.0-22.8 | 26 | 11.1 | 6.2-16.0 | 89 | 49.6 | 40.2-59.0 |
| Hispanic | 505 | 247,302 | 49 | 9.3 | 6.6-12.0 | 52 | 11.1 | 7.8-14.4 | 87 | 16.9 | 12.8-21.0 | 86 | 18.9 | 14.4-23.4 | 63 | 12.3 | 9.0-15.6 | 168 | 31.4 | 26.5-36.3 |
| 18-24 | 549 | 549,674 | 47 | 7.8 | 5.4-10.2 | 29 | 5.6 | 3.4- 7.8 | 56 | 10.6 | 7.7-13.5 | 60 | 10.8 | 7.9-13.7 | 72 | 12.6 | 9.7-15.5 | 285 | 52.5 | 47.8-57.2 |
| 25-34 | 1110 | 774,898 | 58 | 4.9 | 3.5- 6.3 | 46 | 4.0 | 2.8- 5.2 | 98 | 8.2 | 6.4-10.0 | 110 | 9.7 | 7.7-11.7 | 132 | 11.7 | 9.5-13.9 | 666 | 61.5 | 58.2-64.8 |
| 35-44 | 1330 | 770,868 | 72 | 5.6 | 4.2- 7.0 | 61 | 4.3 | 3.1- 5.5 | 77 | 5.8 | 4.4- 7.2 | 113 | 8.9 | 6.9-10.9 | 118 | 8.8 | 7.0-10.6 | 889 | 66.7 | 63.8-69.6 |
| 45-54 | 1933 | 765,816 | 99 | 5.1 | 3.9- 6.3 | 78 | 3.5 | 2.5- 4.5 | 123 | 6.5 | 5.1- 7.9 | 129 | 7.1 | 5.7- 8.5 | 179 | 9.4 | 7.8-11.0 | 1325 | 68.4 | 65.9-70.9 |
| 55-64 | 2691 | 781,844 | 165 | 6.0 | 4.8- 7.2 | 158 | 6.1 | 4.9- 7.3 | 211 | 8.7 | 7.3-10.1 | 243 | 9.4 | 8.0-10.8 | 236 | 8.8 | 7.4-10.2 | 1678 | 61.0 | 58.8-63.2 |
| 65+ | 4498 | 871,560 | 157 | 3.6 | 2.8- 4.4 | 254 | 5.3 | 4.5- 6.1 | 452 | 9.7 | 8.5-10.9 | 566 | 12.9 | 11.7-14.1 | 692 | 16.1 | 14.7-17.5 | 2377 | 52.4 | 50.6-54.2 |
| Less Than H.S. | 899 | 548,648 | 155 | 15.0 | 12.3-17.7 | 127 | 12.7 | 10.0-15.4 | 180 | 16.7 | 13.6-19.8 | 157 | 17.1 | 14.0-20.2 | 113 | 12.5 | 9.8-15.2 | 167 | 26.1 | 22.0-30.2 |
| H.S. or G.E.D. | 3960 | 1,503,337 | 243 | 5.7 | 4.7- 6.7 | 292 | 5.2 | 4.4- 6.0 | 484 | 10.5 | 9.3-11.7 | 564 | 13.2 | 11.8-14.6 | 609 | 13.7 | 12.3-15.1 | 1768 | 51.7 | 49.7-53.7 |
| Some Post-H.S. | 3069 | 1,404,775 | 132 | 4.1 | 3.1- 5.1 | 135 | 3.9 | 3.1- 4.7 | 229 | 6.6 | 5.6- 7.6 | 300 | 8.0 | 6.8- 9.2 | 412 | 12.2 | 10.8-13.6 | 1861 | 65.2 | 63.0-67.4 |
| College Graduate | 4164 | 1,051,127 | 68 | 1.5 | 1.1- 1.9 | 70 | 1.2 | 0.8- 1.6 | 121 | 2.3 | 1.7- 2.9 | 196 | 3.5 | 2.9- 4.1 | 293 | 6.0 | 5.0- 7.0 | 3416 | 85.5 | 84.1-86.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 48: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Less than \$10,000 | | | \$10,000 - \$14,999 | | | \$15,000 - \$19,999 | | | \$20,000 - \$24,999 | | | \$25,000 - \$34,999 | | | \$35,000+ | | |
|----------------------------|-------------------|-----------|--------------------|------|------------|---------------------|------|------------|---------------------|------|------------|---------------------|------|------------|---------------------|------|------------|-----------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5375 | 2,239,441 | 215 | 4.3 | 3.5- 5.1 | 201 | 3.8 | 3.2- 4.4 | 384 | 7.2 | 6.4- 8.0 | 462 | 9.1 | 8.1-10.1 | 563 | 10.4 | 9.4-11.4 | 3550 | 65.3 | 63.7-66.9 |
| White/Non-Hisp | 4476 | 1,799,677 | 144 | 3.3 | 2.5- 4.1 | 144 | 3.3 | 2.5- 4.1 | 261 | 5.9 | 5.1- 6.7 | 351 | 8.0 | 7.0- 9.0 | 459 | 10.2 | 9.0-11.4 | 3117 | 69.4 | 67.6-71.2 |
| Black or Afr. Am./Non-Hisp | 309 | 180,851 | 31 | 9.7 | 5.8-13.6 | 26 | 7.5 | 4.0-11.0 | 46 | 12.7 | 8.4-17.0 | 27 | 10.8 | 6.1-15.5 | 35 | 11.3 | 7.0-15.6 | 144 | 48.0 | 40.9-55.1 |
| Oth. Race/Non-Hisp. | 152 | 65,754 | 15 | 10.3 | 4.0-16.6 | 4 | 1.4 | 0.0- 3.2 | 19 | 8.6 | 3.7-13.5 | 16 | 8.5 | 3.2-13.8 | 15 | 8.7 | 3.6-13.8 | 83 | 62.5 | 53.1-71.9 |
| MultiRacial/Non-Hisp. | 97 | 28,330 | 7 | 11.0 | 2.2-19.8 | 3 | 1.5 | 0.0- 3.3 | 6 | 4.6 | 0.5- 8.7 | 14 | 16.4 | 6.2-26.6 | 14 | 11.4 | 4.7-18.1 | 53 | 55.1 | 42.8-67.4 |
| Hispanic | 239 | 121,686 | 14 | 5.9 | 2.8- 9.0 | 15 | 6.1 | 2.8- 9.4 | 44 | 17.0 | 11.5-22.5 | 43 | 19.9 | 13.2-26.6 | 31 | 12.8 | 7.9-17.7 | 92 | 38.3 | 30.7-45.9 |
| 18-24 | 323 | 287,590 | 30 | 8.2 | 5.1-11.3 | 11 | 3.6 | 1.2- 6.0 | 27 | 8.1 | 5.0-11.2 | 36 | 11.5 | 7.6-15.4 | 43 | 13.3 | 9.2-17.4 | 176 | 55.3 | 49.2-61.4 |
| 25-34 | 540 | 385,272 | 17 | 2.8 | 1.2- 4.4 | 15 | 2.7 | 1.3- 4.1 | 43 | 7.3 | 4.9- 9.7 | 47 | 7.8 | 5.1-10.5 | 62 | 11.2 | 8.1-14.3 | 356 | 68.2 | 63.7-72.7 |
| 35-44 | 595 | 383,532 | 22 | 3.6 | 2.0- 5.2 | 20 | 3.3 | 1.5- 5.1 | 33 | 5.3 | 3.3- 7.3 | 48 | 8.0 | 5.3-10.7 | 47 | 8.1 | 5.6-10.6 | 425 | 71.7 | 67.4-76.0 |
| 45-54 | 875 | 386,546 | 40 | 4.5 | 2.7- 6.3 | 29 | 2.8 | 1.6- 4.0 | 51 | 5.7 | 3.9- 7.5 | 55 | 7.2 | 5.0- 9.4 | 71 | 8.3 | 6.1-10.5 | 629 | 71.3 | 67.8-74.8 |
| 55-64 | 1256 | 388,314 | 62 | 5.4 | 3.8- 7.0 | 74 | 6.8 | 5.0- 8.6 | 101 | 9.2 | 7.0-11.4 | 98 | 8.7 | 6.7-10.7 | 86 | 6.2 | 4.6- 7.8 | 835 | 63.6 | 60.3-66.9 |
| 65+ | 1786 | 408,187 | 44 | 2.4 | 1.4- 3.4 | 52 | 3.4 | 2.2- 4.6 | 129 | 7.6 | 6.0- 9.2 | 178 | 11.5 | 9.5-13.5 | 254 | 15.5 | 13.3-17.7 | 1129 | 59.6 | 56.7-62.5 |
| Less Than H.S. | 391 | 281,654 | 49 | 10.6 | 7.3-13.9 | 47 | 10.1 | 6.8-13.4 | 74 | 15.1 | 11.2-19.0 | 76 | 19.5 | 14.6-24.4 | 47 | 12.4 | 8.3-16.5 | 98 | 32.3 | 26.2-38.4 |
| H.S. or G.E.D. | 1716 | 775,464 | 82 | 4.1 | 2.9- 5.3 | 90 | 4.2 | 3.2- 5.2 | 165 | 8.3 | 6.7- 9.9 | 201 | 11.0 | 9.2-12.8 | 249 | 13.2 | 11.2-15.2 | 929 | 59.1 | 56.2-62.0 |
| Some Post-H.S. | 1306 | 656,027 | 49 | 4.0 | 2.6- 5.4 | 41 | 2.9 | 1.7- 4.1 | 90 | 6.4 | 4.8- 8.0 | 95 | 6.4 | 4.8- 8.0 | 159 | 10.6 | 8.6-12.6 | 872 | 69.7 | 66.6-72.8 |
| College Graduate | 1952 | 522,194 | 35 | 1.6 | 1.0- 2.2 | 23 | 0.8 | 0.4- 1.2 | 54 | 2.4 | 1.6- 3.2 | 86 | 3.6 | 2.6- 4.6 | 108 | 4.7 | 3.5- 5.9 | 1646 | 86.9 | 85.1-88.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 49: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Less than \$10,000 | | | \$10,000 - \$14,999 | | | \$15,000 - \$19,999 | | | \$20,000 - \$24,999 | | | \$25,000 - \$34,999 | | | \$35,000+ | | |
|----------------------------|-------------------|-----------|--------------------|------|------------|---------------------|------|------------|---------------------|------|------------|---------------------|------|------------|---------------------|------|------------|-----------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 6736 | 2,275,220 | 383 | 6.4 | 5.6- 7.2 | 425 | 5.7 | 4.9- 6.5 | 633 | 9.1 | 8.1-10.1 | 759 | 10.6 | 9.6-11.6 | 866 | 12.2 | 11.2-13.2 | 3670 | 56.0 | 54.4-57.6 |
| White/Non-Hisp | 5687 | 1,843,524 | 265 | 5.0 | 4.2- 5.8 | 320 | 4.7 | 3.9- 5.5 | 481 | 8.0 | 7.0- 9.0 | 603 | 9.5 | 8.5-10.5 | 722 | 12.0 | 10.8-13.2 | 3296 | 60.8 | 59.0-62.6 |
| Black or Afr. Am./Non-Hisp | 525 | 210,284 | 65 | 14.8 | 10.1-19.5 | 50 | 7.8 | 4.9-10.7 | 72 | 13.2 | 9.1-17.3 | 75 | 14.2 | 10.3-18.1 | 78 | 14.1 | 10.4-17.8 | 185 | 35.8 | 30.1-41.5 |
| Oth. Race/Non-Hisp. | 104 | 46,975 | 7 | 5.9 | 1.0-10.8 | 10 | 12.5 | 2.3-22.7 | 12 | 6.0 | 0.9-11.1 | 16 | 13.1 | 4.7-21.5 | 11 | 8.6 | 1.5-15.7 | 48 | 54.0 | 40.5-67.5 |
| MultiRacial/Non-Hisp. | 82 | 23,363 | 4 | 6.9 | 0.0-14.5 | 4 | 4.5 | 0.0- 9.2 | 15 | 20.8 | 9.0-32.6 | 11 | 14.1 | 3.1-25.1 | 12 | 10.7 | 3.6-17.8 | 36 | 43.0 | 28.5-57.5 |
| Hispanic | 266 | 125,616 | 35 | 12.6 | 8.1-17.1 | 37 | 16.0 | 10.5-21.5 | 43 | 16.7 | 10.8-22.6 | 43 | 18.0 | 11.9-24.1 | 32 | 11.9 | 7.4-16.4 | 76 | 24.7 | 18.6-30.8 |
| 18-24 | 226 | 262,084 | 17 | 7.3 | 3.6-11.0 | 18 | 7.9 | 4.0-11.8 | 29 | 13.2 | 7.9-18.5 | 24 | 10.1 | 6.0-14.2 | 29 | 12.0 | 7.5-16.5 | 109 | 49.5 | 42.1-56.9 |
| 25-34 | 570 | 389,626 | 41 | 7.0 | 4.6- 9.4 | 31 | 5.3 | 3.3- 7.3 | 55 | 9.0 | 6.5-11.5 | 63 | 11.6 | 8.5-14.7 | 70 | 12.2 | 9.1-15.3 | 310 | 55.0 | 50.3-59.7 |
| 35-44 | 735 | 387,336 | 50 | 7.5 | 5.3- 9.7 | 41 | 5.2 | 3.4- 7.0 | 44 | 6.3 | 4.1- 8.5 | 65 | 9.8 | 7.3-12.3 | 71 | 9.4 | 7.0-11.8 | 464 | 61.8 | 57.7-65.9 |
| 45-54 | 1058 | 379,270 | 59 | 5.7 | 4.1- 7.3 | 49 | 4.1 | 2.7- 5.5 | 72 | 7.3 | 5.3- 9.3 | 74 | 7.0 | 5.2- 8.8 | 108 | 10.5 | 8.3-12.7 | 696 | 65.3 | 62.0-68.6 |
| 55-64 | 1435 | 393,531 | 103 | 6.5 | 4.9- 8.1 | 84 | 5.4 | 3.8- 7.0 | 110 | 8.1 | 6.3- 9.9 | 145 | 10.1 | 8.1-12.1 | 150 | 11.4 | 9.2-13.6 | 843 | 58.5 | 55.4-61.6 |
| 65+ | 2712 | 463,373 | 113 | 4.7 | 3.7- 5.7 | 202 | 6.9 | 5.7- 8.1 | 323 | 11.5 | 9.9-13.1 | 388 | 14.1 | 12.5-15.7 | 438 | 16.6 | 14.8-18.4 | 1248 | 46.2 | 43.8-48.6 |
| Less Than H.S. | 508 | 266,994 | 106 | 19.6 | 15.1-24.1 | 80 | 15.5 | 11.4-19.6 | 106 | 18.4 | 13.7-23.1 | 81 | 14.5 | 10.6-18.4 | 66 | 12.6 | 8.9-16.3 | 69 | 19.5 | 14.0-25.0 |
| H.S. or G.E.D. | 2244 | 727,873 | 161 | 7.3 | 5.9- 8.7 | 202 | 6.2 | 5.0- 7.4 | 319 | 12.9 | 10.9-14.9 | 363 | 15.6 | 13.4-17.8 | 360 | 14.2 | 12.4-16.0 | 839 | 43.8 | 41.1-46.5 |
| Some Post-H.S. | 1763 | 748,748 | 83 | 4.2 | 3.0- 5.4 | 94 | 4.7 | 3.3- 6.1 | 139 | 6.8 | 5.4- 8.2 | 205 | 9.4 | 7.8-11.0 | 253 | 13.6 | 11.4-15.8 | 989 | 61.2 | 58.3-64.1 |
| College Graduate | 2212 | 528,933 | 33 | 1.4 | 0.6- 2.2 | 47 | 1.6 | 1.0- 2.2 | 67 | 2.3 | 1.5- 3.1 | 110 | 3.5 | 2.7- 4.3 | 185 | 7.2 | 5.8- 8.6 | 1770 | 84.1 | 82.1-86.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 50: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-------|------|------------|------|------|------------|--|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| TOTAL | 13640 | 5,029,454 | 10802 | 84.8 | 84.0-85.6 | 2838 | 15.2 | 14.4-16.0 | |
| Male | 5852 | 2,440,318 | 4749 | 85.0 | 83.8-86.2 | 1103 | 15.0 | 13.8-16.2 | |
| Female | 7788 | 2,589,136 | 6053 | 84.7 | 83.7-85.7 | 1735 | 15.3 | 14.3-16.3 | |
| White/Non-Hisp | 11429 | 4,042,625 | 9159 | 85.9 | 85.1-86.7 | 2270 | 14.1 | 13.3-14.9 | |
| Black or Afr. Am./Non-Hisp | 910 | 427,708 | 642 | 79.9 | 76.8-83.0 | 268 | 20.1 | 17.0-23.2 | |
| Oth. Race/Non-Hisp. | 283 | 124,436 | 230 | 91.3 | 87.6-95.0 | 53 | 8.7 | 5.0-12.4 | |
| MultiRacial/Non-Hisp. | 206 | 60,588 | 161 | 83.3 | 76.8-89.8 | 45 | 16.7 | 10.2-23.2 | |
| Hispanic | 574 | 285,728 | 442 | 77.0 | 72.9-81.1 | 132 | 23.0 | 18.9-27.1 | |
| 18-24 | 680 | 678,402 | 665 | 98.1 | 96.9-99.3 | 15 | 1.9 | 0.7- 3.1 | |
| 25-34 | 1185 | 826,295 | 1130 | 95.1 | 93.5-96.7 | 55 | 4.9 | 3.3- 6.5 | |
| 35-44 | 1399 | 809,530 | 1301 | 92.4 | 90.6-94.2 | 98 | 7.6 | 5.8- 9.4 | |
| 45-54 | 2095 | 833,410 | 1850 | 87.3 | 85.5-89.1 | 245 | 12.7 | 10.9-14.5 | |
| 55-64 | 2971 | 858,145 | 2464 | 81.6 | 79.8-83.4 | 507 | 18.4 | 16.6-20.2 | |
| 65+ | 5310 | 1,023,672 | 3392 | 62.5 | 60.9-64.1 | 1918 | 37.5 | 35.9-39.1 | |
| Less Than H.S. | 1043 | 633,035 | 492 | 62.4 | 58.7-66.1 | 551 | 37.6 | 33.9-41.3 | |
| H.S. or G.E.D. | 4558 | 1,703,253 | 3078 | 79.4 | 78.0-80.8 | 1480 | 20.6 | 19.2-22.0 | |
| Some Post-H.S. | 3463 | 1,556,844 | 2962 | 91.5 | 90.5-92.5 | 501 | 8.5 | 7.5- 9.5 | |
| College Graduate | 4544 | 1,126,224 | 4250 | 96.5 | 95.9-97.1 | 294 | 3.5 | 2.9- 4.1 | |
| Less than \$15,000 | 1218 | 453,714 | 677 | 64.1 | 60.6-67.6 | 541 | 35.9 | 32.4-39.4 | |
| \$15,000- 24,999 | 2227 | 809,963 | 1431 | 74.4 | 72.2-76.6 | 796 | 25.6 | 23.4-27.8 | |
| \$25,000- 34,999 | 1425 | 506,343 | 1044 | 79.0 | 76.3-81.7 | 381 | 21.0 | 18.3-23.7 | |
| \$35,000- 49,999 | 1833 | 698,375 | 1488 | 86.5 | 84.7-88.3 | 345 | 13.5 | 11.7-15.3 | |
| \$50,000- 74,999 | 1949 | 738,164 | 1789 | 93.9 | 92.7-95.1 | 160 | 6.1 | 4.9- 7.3 | |
| \$75,000+ | 3423 | 1,296,204 | 3286 | 97.0 | 96.4-97.6 | 137 | 3.0 | 2.4- 3.6 | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 51: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5852 | 2,440,318 | 4749 | 85.0 | 83.8-86.2 | 1103 | 15.0 | 13.8-16.2 |
| White/Non-Hisp | 4848 | 1,947,780 | 3985 | 86.0 | 84.8-87.2 | 863 | 14.0 | 12.8-15.2 |
| Black or Afr. Am./Non-Hisp | 332 | 198,811 | 235 | 80.0 | 75.3-84.7 | 97 | 20.0 | 15.3-24.7 |
| Oth. Race/Non-Hisp. | 167 | 72,927 | 139 | 91.9 | 87.6-96.2 | 28 | 8.1 | 3.8-12.4 |
| MultiRacial/Non-Hisp. | 111 | 32,913 | 84 | 77.4 | 67.0-87.8 | 27 | 22.6 | 12.2-33.0 |
| Hispanic | 265 | 136,346 | 209 | 77.4 | 71.1-83.7 | 56 | 22.6 | 16.3-28.9 |
| 18-24 | 384 | 347,437 | 376 | 98.3 | 96.9-99.7 | 8 | 1.7 | 0.3- 3.1 |
| 25-34 | 579 | 409,966 | 556 | 95.5 | 93.3-97.7 | 23 | 4.5 | 2.3- 6.7 |
| 35-44 | 623 | 401,902 | 570 | 90.8 | 87.9-93.7 | 53 | 9.2 | 6.3-12.1 |
| 45-54 | 933 | 411,968 | 803 | 85.3 | 82.6-88.0 | 130 | 14.7 | 12.0-17.4 |
| 55-64 | 1362 | 419,355 | 1094 | 78.5 | 75.8-81.2 | 268 | 21.5 | 18.8-24.2 |
| 65+ | 1971 | 449,691 | 1350 | 65.5 | 63.0-68.0 | 621 | 34.5 | 32.0-37.0 |
| Less Than H.S. | 432 | 313,368 | 228 | 63.2 | 57.9-68.5 | 204 | 36.8 | 31.5-42.1 |
| H.S. or G.E.D. | 1885 | 851,048 | 1321 | 80.2 | 78.2-82.2 | 564 | 19.8 | 17.8-21.8 |
| Some Post-H.S. | 1438 | 716,259 | 1239 | 91.4 | 89.8-93.0 | 199 | 8.6 | 7.0-10.2 |
| College Graduate | 2079 | 552,577 | 1947 | 96.2 | 95.4-97.0 | 132 | 3.8 | 3.0- 4.6 |
| Less than \$15,000 | 414 | 180,242 | 227 | 61.5 | 55.6-67.4 | 187 | 38.5 | 32.6-44.4 |
| \$15,000- 24,999 | 841 | 362,991 | 549 | 72.4 | 68.7-76.1 | 292 | 27.6 | 23.9-31.3 |
| \$25,000- 34,999 | 561 | 230,416 | 409 | 78.1 | 73.8-82.4 | 152 | 21.9 | 17.6-26.2 |
| \$35,000- 49,999 | 862 | 369,834 | 674 | 83.7 | 80.8-86.6 | 188 | 16.3 | 13.4-19.2 |
| \$50,000- 74,999 | 908 | 378,957 | 818 | 92.6 | 90.6-94.6 | 90 | 7.4 | 5.4- 9.4 |
| \$75,000+ | 1772 | 710,600 | 1688 | 96.4 | 95.4-97.4 | 84 | 3.6 | 2.6- 4.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 52: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7788 | 2,589,136 | 6053 | 84.7 | 83.7-85.7 | 1735 | 15.3 | 14.3-16.3 |
| White/Non-Hisp | 6581 | 2,094,845 | 5174 | 85.8 | 84.8-86.8 | 1407 | 14.2 | 13.2-15.2 |
| Black or Afr. Am./Non-Hisp | 578 | 228,896 | 407 | 79.7 | 75.6-83.8 | 171 | 20.3 | 16.2-24.4 |
| Oth. Race/Non-Hisp. | 116 | 51,509 | 91 | 90.4 | 84.1-96.7 | 25 | 9.6 | 3.3-15.9 |
| MultiRacial/Non-Hisp. | 95 | 27,676 | 77 | 90.4 | 84.9-95.9 | 18 | 9.6 | 4.1-15.1 |
| Hispanic | 309 | 149,382 | 233 | 76.7 | 71.2-82.2 | 76 | 23.3 | 17.8-28.8 |
| 18-24 | 296 | 330,965 | 289 | 97.9 | 96.1-99.7 | 7 | 2.1 | 0.3- 3.9 |
| 25-34 | 606 | 416,329 | 574 | 94.8 | 92.8-96.8 | 32 | 5.2 | 3.2- 7.2 |
| 35-44 | 776 | 407,629 | 731 | 94.0 | 92.0-96.0 | 45 | 6.0 | 4.0- 8.0 |
| 45-54 | 1162 | 421,442 | 1047 | 89.2 | 87.0-91.4 | 115 | 10.8 | 8.6-13.0 |
| 55-64 | 1609 | 438,790 | 1370 | 84.5 | 82.1-86.9 | 239 | 15.5 | 13.1-17.9 |
| 65+ | 3339 | 573,981 | 2042 | 60.2 | 58.2-62.2 | 1297 | 39.8 | 37.8-41.8 |
| Less Than H.S. | 611 | 319,667 | 264 | 61.6 | 56.7-66.5 | 347 | 38.4 | 33.5-43.3 |
| H.S. or G.E.D. | 2673 | 852,205 | 1757 | 78.6 | 76.8-80.4 | 916 | 21.4 | 19.6-23.2 |
| Some Post-H.S. | 2025 | 840,586 | 1723 | 91.6 | 90.4-92.8 | 302 | 8.4 | 7.2- 9.6 |
| College Graduate | 2465 | 573,646 | 2303 | 96.8 | 96.2-97.4 | 162 | 3.2 | 2.6- 3.8 |
| Less than \$15,000 | 804 | 273,472 | 450 | 65.9 | 61.4-70.4 | 354 | 34.1 | 29.6-38.6 |
| \$15,000- 24,999 | 1386 | 446,972 | 882 | 76.1 | 73.6-78.6 | 504 | 23.9 | 21.4-26.4 |
| \$25,000- 34,999 | 864 | 275,927 | 635 | 79.8 | 76.5-83.1 | 229 | 20.2 | 16.9-23.5 |
| \$35,000- 49,999 | 971 | 328,541 | 814 | 89.6 | 87.4-91.8 | 157 | 10.4 | 8.2-12.6 |
| \$50,000- 74,999 | 1041 | 359,207 | 971 | 95.3 | 93.9-96.7 | 70 | 4.7 | 3.3- 6.1 |
| \$75,000+ | 1651 | 585,604 | 1598 | 97.8 | 97.0-98.6 | 53 | 2.2 | 1.4- 3.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 53: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 100 lbs and less | | | 101 lbs - 150 lbs | | | 151 lbs - 200 lbs | | | 201 lbs - 250 lbs | | | 251 lbs or greater | | | WGHT Reported in Metrics | | |
|----------------------------|-------------------|-----------|------------------|-----|------------|-------------------|------|------------|-------------------|------|------------|-------------------|------|------------|--------------------|------|------------|--------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13107 | 4,854,858 | 121 | 1.0 | 0.8- 1.2 | 3664 | 27.5 | 26.5-28.5 | 5728 | 42.4 | 41.2-43.6 | 2626 | 20.7 | 19.7-21.7 | 916 | 7.8 | 7.2- 8.4 | 52 | 0.5 | 0.3- 0.7 |
| Male | 5765 | 2,398,870 | 3 | 0.0 | 0.0- 0.0 | 575 | 12.0 | 10.8-13.2 | 2759 | 46.8 | 45.0-48.6 | 1783 | 29.6 | 28.0-31.2 | 610 | 10.9 | 9.9-11.9 | 35 | 0.6 | 0.4- 0.8 |
| Female | 7342 | 2,455,988 | 118 | 1.9 | 1.3- 2.5 | 3089 | 42.7 | 41.1-44.3 | 2969 | 38.2 | 36.6-39.8 | 843 | 12.0 | 11.0-13.0 | 306 | 4.8 | 4.2- 5.4 | 17 | 0.4 | 0.2- 0.6 |
| White/Non-Hisp | 11005 | 3,912,903 | 98 | 0.9 | 0.7- 1.1 | 3103 | 27.3 | 26.1-28.5 | 4799 | 42.6 | 41.4-43.8 | 2222 | 21.0 | 20.0-22.0 | 774 | 8.1 | 7.3- 8.9 | 9 | 0.1 | 0.1- 0.1 |
| Black or Afr. Am./Non-Hisp | 876 | 418,095 | 9 | 1.1 | 0.0- 2.3 | 197 | 24.5 | 20.6-28.4 | 380 | 39.1 | 34.8-43.4 | 210 | 26.2 | 22.3-30.1 | 78 | 8.9 | 6.5-11.3 | 2 | 0.3 | 0.0- 0.7 |
| Oth. Race/Non-Hisp. | 269 | 119,079 | 8 | 5.4 | 1.3- 9.5 | 86 | 32.3 | 25.0-39.6 | 105 | 34.1 | 26.7-41.5 | 40 | 13.2 | 7.9-18.5 | 13 | 5.6 | 1.1-10.1 | 17 | 9.4 | 4.5-14.3 |
| MultiRacial/Non-Hisp. | 197 | 57,454 | | | | 37 | 15.6 | 9.7-21.5 | 95 | 49.4 | 40.4-58.4 | 47 | 28.0 | 19.4-36.6 | 18 | 6.9 | 3.0-10.8 | | | |
| Hispanic | 550 | 270,964 | 4 | 0.6 | 0.0- 1.2 | 190 | 36.5 | 31.6-41.4 | 242 | 45.3 | 40.2-50.4 | 72 | 10.9 | 8.2-13.6 | 19 | 3.1 | 1.5- 4.7 | 23 | 3.6 | 1.6- 5.6 |
| 18-24 | 656 | 656,872 | 11 | 2.4 | 0.8- 4.0 | 253 | 39.5 | 35.2-43.8 | 259 | 38.2 | 33.9-42.5 | 84 | 12.8 | 9.9-15.7 | 35 | 5.4 | 3.4- 7.4 | 14 | 1.7 | 0.7- 2.7 |
| 25-34 | 1147 | 801,999 | 13 | 1.0 | 0.4- 1.6 | 326 | 28.4 | 25.5-31.3 | 472 | 41.0 | 37.9-44.1 | 224 | 19.6 | 17.1-22.1 | 98 | 9.2 | 7.2-11.2 | 14 | 0.8 | 0.2- 1.4 |
| 35-44 | 1346 | 779,359 | 9 | 0.5 | 0.1- 0.9 | 370 | 26.3 | 23.6-29.0 | 542 | 40.3 | 37.2-43.4 | 298 | 23.5 | 20.8-26.2 | 116 | 8.8 | 7.0-10.6 | 11 | 0.6 | 0.2- 1.0 |
| 45-54 | 2015 | 804,068 | 12 | 0.5 | 0.1- 0.9 | 478 | 22.4 | 20.2-24.6 | 856 | 42.8 | 40.3-45.3 | 479 | 24.7 | 22.3-27.1 | 182 | 9.2 | 7.6-10.8 | 8 | 0.3 | 0.1- 0.5 |
| 55-64 | 2834 | 821,879 | 17 | 0.5 | 0.3- 0.7 | 619 | 22.3 | 20.3-24.3 | 1246 | 43.6 | 41.4-45.8 | 690 | 24.5 | 22.5-26.5 | 260 | 9.0 | 7.8-10.2 | 2 | 0.1 | 0.1- 0.1 |
| 65+ | 5109 | 990,681 | 59 | 1.3 | 0.9- 1.7 | 1618 | 28.1 | 26.5-29.7 | 2353 | 46.8 | 45.0-48.6 | 851 | 18.3 | 16.9-19.7 | 225 | 5.5 | 4.7- 6.3 | 3 | 0.0 | 0.0- 0.0 |
| Less Than H.S. | 1003 | 606,492 | 22 | 1.8 | 0.8- 2.8 | 310 | 30.5 | 26.8-34.2 | 447 | 43.9 | 39.8-48.0 | 146 | 15.3 | 12.4-18.2 | 69 | 7.7 | 5.5- 9.9 | 9 | 0.9 | 0.1- 1.7 |
| H.S. or G.E.D. | 4381 | 1,642,370 | 53 | 1.4 | 0.8- 2.0 | 1253 | 27.3 | 25.5-29.1 | 1918 | 42.6 | 40.6-44.6 | 833 | 20.7 | 19.1-22.3 | 312 | 7.7 | 6.7- 8.7 | 12 | 0.4 | 0.2- 0.6 |
| Some Post-H.S. | 3320 | 1,505,066 | 20 | 0.5 | 0.1- 0.9 | 896 | 27.0 | 25.0-29.0 | 1410 | 40.6 | 38.4-42.8 | 725 | 22.8 | 21.0-24.6 | 259 | 8.7 | 7.5- 9.9 | 10 | 0.5 | 0.1- 0.9 |
| College Graduate | 4376 | 1,091,548 | 26 | 0.7 | 0.3- 1.1 | 1197 | 26.9 | 25.1-28.7 | 1941 | 43.8 | 41.8-45.8 | 916 | 21.0 | 19.4-22.6 | 275 | 7.0 | 6.0- 8.0 | 21 | 0.7 | 0.3- 1.1 |
| Less than \$15,000 | 1180 | 439,550 | 19 | 1.7 | 0.5- 2.9 | 342 | 29.8 | 26.1-33.5 | 475 | 39.9 | 36.0-43.8 | 228 | 19.1 | 16.2-22.0 | 106 | 8.4 | 6.4-10.4 | 10 | 1.2 | 0.4- 2.0 |
| \$15,000- 24,999 | 2154 | 776,699 | 37 | 1.7 | 0.9- 2.5 | 628 | 29.1 | 26.4-31.8 | 946 | 42.0 | 39.3-44.7 | 375 | 18.2 | 15.8-20.6 | 154 | 8.0 | 6.4- 9.6 | 14 | 0.9 | 0.3- 1.5 |
| \$25,000- 34,999 | 1385 | 493,913 | 15 | 1.1 | 0.3- 1.9 | 398 | 27.3 | 24.2-30.4 | 630 | 44.3 | 40.8-47.8 | 229 | 16.8 | 14.1-19.5 | 109 | 10.1 | 7.7-12.5 | 4 | 0.4 | 0.0- 0.8 |
| \$35,000- 49,999 | 1781 | 680,624 | 11 | 1.0 | 0.2- 1.8 | 466 | 25.7 | 22.8-28.6 | 795 | 42.6 | 39.5-45.7 | 385 | 23.2 | 20.5-25.9 | 119 | 7.0 | 5.4- 8.6 | 5 | 0.5 | 0.1- 0.9 |
| \$50,000- 74,999 | 1893 | 718,669 | 4 | 0.5 | 0.0- 1.1 | 458 | 23.8 | 21.3-26.3 | 869 | 44.3 | 41.4-47.2 | 406 | 21.9 | 19.4-24.4 | 154 | 9.3 | 7.3-11.3 | 2 | 0.1 | 0.0- 0.3 |
| \$75,000+ | 3335 | 1,272,806 | 12 | 0.3 | 0.1- 0.5 | 852 | 26.6 | 24.6-28.6 | 1465 | 42.5 | 40.3-44.7 | 789 | 23.3 | 21.5-25.1 | 210 | 7.1 | 5.9- 8.3 | 7 | 0.2 | 0.0- 0.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 54: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 100 lbs and less | | | 101 lbs - 150 lbs | | | 151 lbs - 200 lbs | | | 201 lbs - 250 lbs | | | 251 lbs or greater | | | WGHT Reported in Metrics | | |
|----------------------------|-------------------|-----------|------------------|-----|------------|-------------------|------|------------|-------------------|------|------------|-------------------|------|------------|--------------------|------|------------|--------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5765 | 2,398,870 | 3 | 0.0 | 0.0- 0.0 | 575 | 12.0 | 10.8-13.2 | 2759 | 46.8 | 45.0-48.6 | 1783 | 29.6 | 28.0-31.2 | 610 | 10.9 | 9.9-11.9 | 35 | 0.6 | 0.4- 0.8 |
| White/Non-Hisp | 4801 | 1,926,051 | 2 | 0.0 | 0.0- 0.0 | 424 | 10.5 | 9.3-11.7 | 2301 | 46.9 | 45.1-48.7 | 1538 | 30.6 | 29.0-32.2 | 530 | 11.9 | 10.7-13.1 | 6 | 0.1 | 0.0- 0.3 |
| Black or Afr. Am./Non-Hisp | 325 | 196,333 | | | | 48 | 18.2 | 12.9-23.5 | 141 | 39.6 | 32.9-46.3 | 98 | 32.3 | 25.6-39.0 | 37 | 9.5 | 5.8-13.2 | 1 | 0.3 | 0.0- 0.9 |
| Oth. Race/Non-Hisp. | 161 | 70,222 | | | | 33 | 27.1 | 18.1-36.1 | 76 | 43.7 | 34.1-53.3 | 29 | 14.7 | 8.0-21.4 | 11 | 5.2 | 1.5- 8.9 | 12 | 9.4 | 3.7-15.1 |
| MultiRacial/Non-Hisp. | 108 | 31,969 | | | | 16 | 10.1 | 4.6-15.6 | 43 | 39.8 | 28.4-51.2 | 38 | 41.2 | 29.6-52.8 | 11 | 8.9 | 2.8-15.0 | | | |
| Hispanic | 251 | 128,565 | 1 | 0.3 | 0.0- 0.9 | 43 | 18.0 | 12.1-23.9 | 128 | 57.2 | 49.9-64.5 | 54 | 17.2 | 12.1-22.3 | 10 | 3.1 | 0.9- 5.3 | 15 | 4.2 | 1.8- 6.6 |
| 18-24 | 369 | 336,363 | | | | 99 | 26.5 | 21.4-31.6 | 171 | 48.0 | 42.1-53.9 | 65 | 16.5 | 12.4-20.6 | 25 | 7.2 | 4.1-10.3 | 9 | 1.8 | 0.6- 3.0 |
| 25-34 | 568 | 402,969 | | | | 82 | 14.2 | 10.9-17.5 | 271 | 47.6 | 42.9-52.3 | 148 | 26.3 | 22.2-30.4 | 58 | 11.2 | 8.1-14.3 | 9 | 0.7 | 0.3- 1.1 |
| 35-44 | 610 | 392,684 | | | | 55 | 8.4 | 5.9-10.9 | 278 | 46.9 | 42.2-51.6 | 188 | 31.0 | 26.7-35.3 | 82 | 12.8 | 9.9-15.7 | 7 | 0.9 | 0.1- 1.7 |
| 45-54 | 923 | 407,535 | 2 | 0.2 | 0.0- 0.4 | 77 | 8.7 | 6.5-10.9 | 394 | 41.8 | 38.1-45.5 | 330 | 36.7 | 33.0-40.4 | 114 | 12.0 | 9.6-14.4 | 6 | 0.5 | 0.1- 0.9 |
| 55-64 | 1338 | 412,580 | | | | 80 | 7.3 | 5.5- 9.1 | 606 | 45.0 | 41.9-48.1 | 483 | 35.5 | 32.4-38.6 | 167 | 12.1 | 10.1-14.1 | 2 | 0.1 | 0.0- 0.3 |
| 65+ | 1957 | 446,740 | 1 | 0.1 | 0.0- 0.3 | 182 | 9.4 | 7.6-11.2 | 1039 | 51.4 | 48.7-54.1 | 569 | 29.3 | 26.9-31.7 | 164 | 9.8 | 8.2-11.4 | 2 | 0.1 | 0.0- 0.3 |
| Less Than H.S. | 419 | 304,063 | 1 | 0.1 | 0.0- 0.3 | 75 | 18.9 | 14.2-23.6 | 214 | 51.7 | 45.8-57.6 | 84 | 18.9 | 14.4-23.4 | 40 | 9.6 | 6.1-13.1 | 5 | 0.8 | 0.0- 1.6 |
| H.S. or G.E.D. | 1853 | 833,337 | 2 | 0.1 | 0.0- 0.3 | 196 | 12.7 | 10.7-14.7 | 901 | 47.6 | 44.9-50.3 | 532 | 28.0 | 25.5-30.5 | 213 | 11.0 | 9.2-12.8 | 9 | 0.6 | 0.2- 1.0 |
| Some Post-H.S. | 1422 | 707,717 | | | | 147 | 10.8 | 8.8-12.8 | 624 | 42.2 | 39.1-45.3 | 483 | 34.2 | 31.1-37.3 | 162 | 12.3 | 10.1-14.5 | 6 | 0.4 | 0.0- 0.8 |
| College Graduate | 2056 | 547,038 | | | | 157 | 8.6 | 7.0-10.2 | 1011 | 48.4 | 45.7-51.1 | 679 | 32.2 | 29.7-34.7 | 194 | 9.9 | 8.3-11.5 | 15 | 1.0 | 0.4- 1.6 |
| Less than \$15,000 | 403 | 174,931 | 2 | 0.4 | 0.0- 1.0 | 66 | 18.9 | 13.6-24.2 | 181 | 45.9 | 39.6-52.2 | 102 | 24.0 | 18.9-29.1 | 47 | 9.0 | 5.9-12.1 | 5 | 1.8 | 0.2- 3.4 |
| \$15,000- 24,999 | 831 | 353,513 | | | | 115 | 18.8 | 15.1-22.5 | 404 | 46.8 | 42.5-51.1 | 208 | 22.2 | 18.7-25.7 | 93 | 10.8 | 8.3-13.3 | 11 | 1.5 | 0.5- 2.5 |
| \$25,000- 34,999 | 555 | 227,488 | | | | 69 | 13.7 | 9.8-17.6 | 277 | 48.0 | 42.5-53.5 | 143 | 23.2 | 18.7-27.7 | 64 | 14.8 | 10.5-19.1 | 2 | 0.3 | 0.0- 0.7 |
| \$35,000- 49,999 | 858 | 367,485 | 1 | 0.1 | 0.0- 0.3 | 98 | 12.3 | 9.4-15.2 | 407 | 45.9 | 41.4-50.4 | 262 | 31.2 | 27.1-35.3 | 87 | 10.0 | 7.5-12.5 | 3 | 0.4 | 0.0- 1.0 |
| \$50,000- 74,999 | 906 | 377,090 | | | | 74 | 8.8 | 6.4-11.2 | 438 | 46.7 | 42.4-51.0 | 287 | 31.2 | 27.3-35.1 | 105 | 13.1 | 10.0-16.2 | 2 | 0.2 | 0.0- 0.4 |
| \$75,000+ | 1762 | 707,388 | | | | 102 | 7.8 | 6.0- 9.6 | 847 | 47.1 | 44.2-50.0 | 638 | 34.9 | 32.2-37.6 | 169 | 10.0 | 8.2-11.8 | 6 | 0.3 | 0.1- 0.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 55: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 100 lbs and less | | | 101 lbs - 150 lbs | | | 151 lbs - 200 lbs | | | 201 lbs - 250 lbs | | | 251 lbs or greater | | | WGHT Reported in Metrics | | |
|----------------------------|-------------------|-----------|------------------|------|------------|-------------------|------|------------|-------------------|------|------------|-------------------|------|------------|--------------------|-----|------------|--------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7342 | 2,455,988 | 118 | 1.9 | 1.3- 2.5 | 3089 | 42.7 | 41.1-44.3 | 2969 | 38.2 | 36.6-39.8 | 843 | 12.0 | 11.0-13.0 | 306 | 4.8 | 4.2- 5.4 | 17 | 0.4 | 0.2- 0.6 |
| White/Non-Hisp | 6204 | 1,986,851 | 96 | 1.7 | 1.1- 2.3 | 2679 | 43.6 | 41.8-45.4 | 2498 | 38.5 | 36.9-40.1 | 684 | 11.7 | 10.5-12.9 | 244 | 4.5 | 3.7- 5.3 | 3 | 0.0 | 0.0- 0.0 |
| Black or Afr. Am./Non-Hisp | 551 | 221,761 | 9 | 2.1 | 0.0- 4.3 | 149 | 30.0 | 24.7-35.3 | 239 | 38.6 | 33.1-44.1 | 112 | 20.7 | 16.2-25.2 | 41 | 8.3 | 5.4-11.2 | 1 | 0.3 | 0.0- 0.9 |
| Oth. Race/Non-Hisp. | 108 | 48,857 | 8 | 13.3 | 3.7-22.9 | 53 | 39.8 | 27.1-52.5 | 29 | 20.2 | 9.0-31.4 | 11 | 11.1 | 2.5-19.7 | 2 | 6.2 | 0.0-16.0 | 5 | 9.4 | 0.8-18.0 |
| MultiRacial/Non-Hisp. | 89 | 25,486 | | | | 21 | 22.6 | 11.4-33.8 | 52 | 61.5 | 47.8-75.2 | 9 | 11.5 | 0.1-22.9 | 7 | 4.5 | 0.2- 8.8 | | | |
| Hispanic | 299 | 142,400 | 3 | 0.9 | 0.0- 1.9 | 147 | 53.2 | 46.3-60.1 | 114 | 34.6 | 28.3-40.9 | 18 | 5.2 | 2.7- 7.7 | 9 | 3.1 | 0.9- 5.3 | 8 | 3.1 | 0.2- 6.0 |
| 18-24 | 287 | 320,509 | 11 | 4.9 | 2.0- 7.8 | 154 | 53.2 | 46.5-59.9 | 88 | 27.9 | 22.2-33.6 | 19 | 8.9 | 4.8-13.0 | 10 | 3.5 | 1.1- 5.9 | 5 | 1.6 | 0.0- 3.2 |
| 25-34 | 579 | 399,030 | 13 | 2.1 | 0.9- 3.3 | 244 | 42.7 | 38.2-47.2 | 201 | 34.3 | 30.0-38.6 | 76 | 12.9 | 9.8-16.0 | 40 | 7.1 | 4.7- 9.5 | 5 | 0.8 | 0.0- 1.8 |
| 35-44 | 736 | 386,675 | 9 | 1.0 | 0.2- 1.8 | 315 | 44.6 | 40.5-48.7 | 264 | 33.6 | 29.7-37.5 | 110 | 15.9 | 12.8-19.0 | 34 | 4.7 | 2.9- 6.5 | 4 | 0.2 | 0.0- 0.4 |
| 45-54 | 1092 | 396,533 | 10 | 0.9 | 0.3- 1.5 | 401 | 36.5 | 33.2-39.8 | 462 | 43.9 | 40.6-47.2 | 149 | 12.4 | 10.2-14.6 | 68 | 6.2 | 4.6- 7.8 | 2 | 0.1 | 0.0- 0.3 |
| 55-64 | 1496 | 409,300 | 17 | 0.9 | 0.3- 1.5 | 539 | 37.4 | 34.5-40.3 | 640 | 42.3 | 39.4-45.2 | 207 | 13.5 | 11.3-15.7 | 93 | 5.8 | 4.4- 7.2 | | | |
| 65+ | 3152 | 543,941 | 58 | 2.2 | 1.4- 3.0 | 1436 | 43.5 | 41.3-45.7 | 1314 | 43.1 | 40.9-45.3 | 282 | 9.2 | 8.0-10.4 | 61 | 1.9 | 1.3- 2.5 | 1 | 0.0 | 0.0- 0.0 |
| Less Than H.S. | 584 | 302,430 | 21 | 3.4 | 1.6- 5.2 | 235 | 42.1 | 36.6-47.6 | 233 | 36.1 | 31.0-41.2 | 62 | 11.6 | 7.7-15.5 | 29 | 5.8 | 3.1- 8.5 | 4 | 1.0 | 0.0- 2.4 |
| H.S. or G.E.D. | 2528 | 809,034 | 51 | 2.7 | 1.5- 3.9 | 1057 | 42.3 | 39.6-45.0 | 1017 | 37.4 | 34.9-39.9 | 301 | 13.2 | 11.4-15.0 | 99 | 4.2 | 3.2- 5.2 | 3 | 0.1 | 0.0- 0.3 |
| Some Post-H.S. | 1898 | 797,349 | 20 | 1.0 | 0.4- 1.6 | 749 | 41.3 | 38.4-44.2 | 786 | 39.1 | 36.4-41.8 | 242 | 12.7 | 10.7-14.7 | 97 | 5.4 | 4.0- 6.8 | 4 | 0.5 | 0.0- 1.1 |
| College Graduate | 2320 | 544,510 | 26 | 1.3 | 0.5- 2.1 | 1040 | 45.3 | 42.6-48.0 | 930 | 39.2 | 36.7-41.7 | 237 | 9.7 | 8.1-11.3 | 81 | 4.0 | 3.0- 5.0 | 6 | 0.4 | 0.0- 0.8 |
| Less than \$15,000 | 777 | 264,620 | 17 | 2.5 | 0.7- 4.3 | 276 | 37.0 | 32.1-41.9 | 294 | 35.9 | 31.0-40.8 | 126 | 15.8 | 12.3-19.3 | 59 | 7.9 | 5.4-10.4 | 5 | 0.7 | 0.0- 1.5 |
| \$15,000- 24,999 | 1323 | 423,186 | 37 | 3.2 | 1.6- 4.8 | 513 | 37.8 | 34.1-41.5 | 542 | 37.9 | 34.4-41.4 | 167 | 14.9 | 12.0-17.8 | 61 | 5.7 | 3.7- 7.7 | 3 | 0.5 | 0.0- 1.5 |
| \$25,000- 34,999 | 830 | 266,424 | 15 | 2.1 | 0.7- 3.5 | 329 | 38.9 | 34.2-43.6 | 353 | 41.1 | 36.6-45.6 | 86 | 11.4 | 8.5-14.3 | 45 | 6.0 | 3.8- 8.2 | 2 | 0.5 | 0.0- 1.3 |
| \$35,000- 49,999 | 923 | 313,139 | 10 | 2.0 | 0.2- 3.8 | 368 | 41.4 | 36.7-46.1 | 388 | 38.8 | 34.5-43.1 | 123 | 13.8 | 10.7-16.9 | 32 | 3.4 | 2.0- 4.8 | 2 | 0.5 | 0.0- 1.3 |
| \$50,000- 74,999 | 987 | 341,579 | 4 | 1.0 | 0.0- 2.2 | 384 | 40.4 | 36.1-44.7 | 431 | 41.7 | 37.6-45.8 | 119 | 11.7 | 9.2-14.2 | 49 | 5.2 | 3.0- 7.4 | | | |
| \$75,000+ | 1573 | 565,417 | 12 | 0.7 | 0.3- 1.1 | 750 | 50.3 | 47.2-53.4 | 618 | 36.7 | 33.8-39.6 | 151 | 8.9 | 7.1-10.7 | 41 | 3.4 | 2.2- 4.6 | 1 | 0.1 | 0.0- 0.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 56: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 5-ft 0-in or less | | | 5-ft 1-in to 5-ft 6-in | | | 5-ft 7-in to 6-ft 0-in | | | 6-ft 1-in to 6-ft 6-in | | | 6-ft 7-in or taller | | | HGHT Reported in Metrics | | |
|----------------------------|-------------------|-----------|-------------------|------|------------|------------------------|------|------------|------------------------|------|------------|------------------------|------|------------|---------------------|-----|------------|--------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13469 | 4,951,141 | 755 | 4.8 | 4.4- 5.2 | 5990 | 40.0 | 38.8-41.2 | 5443 | 43.7 | 42.5-44.9 | 1149 | 10.2 | 9.4-11.0 | 20 | 0.2 | 0.0- 0.4 | 112 | 1.2 | 1.0- 1.4 |
| Male | 5784 | 2,401,757 | 16 | 0.3 | 0.1- 0.5 | 562 | 10.0 | 9.0-11.0 | 3996 | 67.4 | 65.8-69.0 | 1123 | 20.5 | 19.1-21.9 | 20 | 0.5 | 0.3- 0.7 | 67 | 1.4 | 1.0- 1.8 |
| Female | 7685 | 2,549,384 | 739 | 9.0 | 8.0-10.0 | 5428 | 68.2 | 66.6-69.8 | 1447 | 21.3 | 19.9-22.7 | 26 | 0.5 | 0.3- 0.7 | | | | 45 | 1.0 | 0.6- 1.4 |
| White/Non-Hisp | 11337 | 4,006,507 | 610 | 4.3 | 3.7- 4.9 | 5040 | 39.9 | 38.7-41.1 | 4687 | 45.1 | 43.9-46.3 | 978 | 10.5 | 9.7-11.3 | 14 | 0.2 | 0.0- 0.4 | 8 | 0.1 | 0.1- 0.1 |
| Black or Afr. Am./Non-Hisp | 899 | 421,934 | 43 | 5.0 | 3.0- 7.0 | 455 | 41.8 | 37.5-46.1 | 316 | 41.2 | 36.9-45.5 | 81 | 11.3 | 8.2-14.4 | 2 | 0.3 | 0.0- 0.7 | 2 | 0.4 | 0.0- 1.0 |
| Oth. Race/Non-Hisp. | 277 | 121,062 | 25 | 9.4 | 3.7-15.1 | 101 | 31.2 | 24.1-38.3 | 115 | 44.0 | 36.2-51.8 | 23 | 7.5 | 3.8-11.2 | | | | 13 | 7.9 | 3.2-12.6 |
| MultiRacial/Non-Hisp. | 205 | 59,772 | 11 | 5.9 | 1.6-10.2 | 68 | 32.6 | 24.4-40.8 | 99 | 45.2 | 36.6-53.8 | 26 | 15.3 | 9.2-21.4 | | | | 1 | 1.1 | 0.0- 3.3 |
| Hispanic | 532 | 260,918 | 57 | 10.3 | 7.4-13.2 | 242 | 45.5 | 40.4-50.6 | 127 | 24.0 | 19.5-28.5 | 16 | 2.9 | 1.1- 4.7 | 3 | 1.2 | 0.0- 2.8 | 87 | 16.1 | 12.6-19.6 |
| 18-24 | 661 | 661,842 | 26 | 5.0 | 2.8- 7.2 | 232 | 37.1 | 32.8-41.4 | 293 | 41.7 | 37.4-46.0 | 91 | 13.9 | 11.0-16.8 | 2 | 0.3 | 0.0- 0.9 | 17 | 2.0 | 1.0- 3.0 |
| 25-34 | 1161 | 808,424 | 59 | 5.0 | 3.6- 6.4 | 422 | 35.4 | 32.3-38.5 | 514 | 45.5 | 42.2-48.8 | 133 | 11.9 | 9.7-14.1 | 4 | 0.6 | 0.0- 1.2 | 29 | 1.6 | 1.0- 2.2 |
| 35-44 | 1373 | 793,265 | 47 | 2.8 | 1.8- 3.8 | 572 | 38.2 | 35.3-41.1 | 578 | 46.2 | 43.1-49.3 | 139 | 10.5 | 8.5-12.5 | 5 | 0.3 | 0.1- 0.5 | 32 | 1.9 | 1.1- 2.7 |
| 45-54 | 2070 | 822,035 | 84 | 3.8 | 2.8- 4.8 | 851 | 38.8 | 36.4-41.2 | 886 | 44.3 | 41.8-46.8 | 225 | 11.8 | 10.0-13.6 | 3 | 0.1 | 0.0- 0.3 | 21 | 1.2 | 0.6- 1.8 |
| 55-64 | 2937 | 848,596 | 111 | 3.9 | 3.1- 4.7 | 1260 | 41.3 | 39.1-43.5 | 1288 | 45.7 | 43.5-47.9 | 266 | 8.5 | 7.3- 9.7 | 1 | 0.1 | 0.0- 0.3 | 11 | 0.5 | 0.1- 0.9 |
| 65+ | 5267 | 1,016,980 | 428 | 7.4 | 6.6- 8.2 | 2653 | 46.7 | 45.1-48.3 | 1884 | 39.3 | 37.7-40.9 | 295 | 6.3 | 5.5- 7.1 | 5 | 0.1 | 0.1- 0.1 | 2 | 0.2 | 0.0- 0.6 |
| Less Than H.S. | 1009 | 612,176 | 120 | 9.4 | 7.0-11.8 | 470 | 40.1 | 36.2-44.0 | 316 | 38.5 | 34.4-42.6 | 51 | 6.9 | 4.5- 9.3 | 2 | 0.3 | 0.0- 0.9 | 50 | 4.8 | 3.4- 6.2 |
| H.S. or G.E.D. | 4506 | 1,678,589 | 302 | 4.9 | 4.1- 5.7 | 2127 | 41.0 | 39.0-43.0 | 1711 | 43.4 | 41.4-45.4 | 333 | 9.7 | 8.5-10.9 | 4 | 0.2 | 0.0- 0.4 | 29 | 0.8 | 0.4- 1.2 |
| Some Post-H.S. | 3427 | 1,536,681 | 150 | 3.8 | 3.0- 4.6 | 1581 | 41.8 | 39.6-44.0 | 1376 | 42.6 | 40.4-44.8 | 301 | 11.0 | 9.6-12.4 | 5 | 0.3 | 0.1- 0.5 | 14 | 0.6 | 0.2- 1.0 |
| College Graduate | 4502 | 1,116,014 | 182 | 3.3 | 2.7- 3.9 | 1802 | 36.1 | 34.3-37.9 | 2029 | 48.4 | 46.4-50.4 | 462 | 11.6 | 10.4-12.8 | 9 | 0.3 | 0.1- 0.5 | 18 | 0.4 | 0.2- 0.6 |
| Less than \$15,000 | 1200 | 443,466 | 98 | 7.9 | 5.7-10.1 | 585 | 43.7 | 39.8-47.6 | 411 | 38.3 | 34.6-42.0 | 76 | 6.5 | 4.7- 8.3 | 2 | 0.2 | 0.0- 0.4 | 28 | 3.5 | 2.1- 4.9 |
| \$15,000- 24,999 | 2194 | 788,815 | 169 | 6.2 | 4.6- 7.8 | 1076 | 44.3 | 41.4-47.2 | 795 | 40.2 | 37.3-43.1 | 113 | 6.7 | 5.1- 8.3 | 4 | 0.4 | 0.0- 0.8 | 37 | 2.2 | 1.4- 3.0 |
| \$25,000- 34,999 | 1411 | 498,227 | 103 | 6.1 | 4.5- 7.7 | 693 | 43.5 | 40.0-47.0 | 513 | 41.1 | 37.6-44.6 | 88 | 7.8 | 5.6-10.0 | 1 | 0.1 | 0.0- 0.3 | 13 | 1.4 | 0.6- 2.2 |
| \$35,000- 49,999 | 1825 | 696,192 | 97 | 5.1 | 3.7- 6.5 | 776 | 37.1 | 34.2-40.0 | 799 | 47.2 | 44.1-50.3 | 142 | 9.7 | 7.5-11.9 | 3 | 0.3 | 0.0- 0.7 | 8 | 0.7 | 0.1- 1.3 |
| \$50,000- 74,999 | 1941 | 732,878 | 68 | 3.1 | 1.9- 4.3 | 835 | 39.8 | 36.9-42.7 | 852 | 44.9 | 42.0-47.8 | 184 | 12.0 | 9.8-14.2 | | | | 2 | 0.1 | 0.0- 0.3 |
| \$75,000+ | 3407 | 1,290,444 | 86 | 2.2 | 1.6- 2.8 | 1244 | 33.9 | 31.9-35.9 | 1617 | 49.2 | 47.0-51.4 | 444 | 14.1 | 12.5-15.7 | 9 | 0.4 | 0.0- 0.8 | 7 | 0.1 | 0.1- 0.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 57: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 5-ft 0-in or less | | | 5-ft 1-in to 5-ft 6-in | | | 5-ft 7-in to 6-ft 0-in | | | 6-ft 1-in to 6-ft 6-in | | | 6-ft 7-in or taller | | | HGHT Reported in Metrics | | |
|----------------------------|-------------------|-----------|-------------------|-----|------------|------------------------|------|------------|------------------------|------|------------|------------------------|------|------------|---------------------|-----|------------|--------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5784 | 2,401,757 | 16 | 0.3 | 0.1- 0.5 | 562 | 10.0 | 9.0-11.0 | 3996 | 67.4 | 65.8-69.0 | 1123 | 20.5 | 19.1-21.9 | 20 | 0.5 | 0.3- 0.7 | 67 | 1.4 | 1.0- 1.8 |
| White/Non-Hisp | 4820 | 1,932,312 | 9 | 0.1 | 0.0- 0.3 | 405 | 8.5 | 7.5- 9.5 | 3427 | 69.6 | 67.8-71.4 | 960 | 21.3 | 19.7-22.9 | 14 | 0.3 | 0.1- 0.5 | 5 | 0.1 | 0.0- 0.3 |
| Black or Afr. Am./Non-Hisp | 326 | 195,508 | 2 | 1.2 | 0.0- 3.2 | 42 | 13.6 | 9.1-18.1 | 203 | 61.1 | 54.2-68.0 | 76 | 23.1 | 17.0-29.2 | 2 | 0.6 | 0.0- 1.6 | 1 | 0.5 | 0.0- 1.5 |
| Oth. Race/Non-Hisp. | 162 | 70,302 | 2 | 1.0 | 0.0- 2.6 | 30 | 15.4 | 8.5-22.3 | 101 | 64.2 | 55.0-73.4 | 22 | 12.9 | 6.6-19.2 | | | | 7 | 6.6 | 1.5-11.7 |
| MultiRacial/Non-Hisp. | 111 | 32,913 | | | | 8 | 5.0 | 1.3- 8.7 | 77 | 67.8 | 57.4-78.2 | 25 | 25.2 | 15.6-34.8 | | | | 1 | 2.0 | 0.0- 5.9 |
| Hispanic | 246 | 124,013 | 3 | 0.9 | 0.0- 1.9 | 64 | 26.3 | 19.6-33.0 | 108 | 45.1 | 37.5-52.7 | 15 | 5.6 | 2.1- 9.1 | 3 | 2.6 | 0.0- 5.9 | 53 | 19.5 | 14.0-25.0 |
| 18-24 | 372 | 336,796 | 3 | 0.9 | 0.0- 2.1 | 45 | 11.1 | 7.6-14.6 | 220 | 57.9 | 52.2-63.6 | 90 | 27.0 | 21.7-32.3 | 2 | 0.6 | 0.0- 1.6 | 12 | 2.5 | 1.1- 3.9 |
| 25-34 | 567 | 401,298 | | | | 56 | 9.2 | 6.7-11.7 | 368 | 66.0 | 61.5-70.5 | 123 | 22.0 | 18.1-25.9 | 4 | 1.2 | 0.0- 2.4 | 16 | 1.6 | 0.8- 2.4 |
| 35-44 | 611 | 392,446 | | | | 63 | 9.8 | 7.1-12.5 | 390 | 66.5 | 62.2-70.8 | 136 | 20.8 | 17.1-24.5 | 5 | 0.6 | 0.0- 1.2 | 17 | 2.2 | 1.0- 3.4 |
| 45-54 | 927 | 409,047 | 5 | 0.4 | 0.0- 0.8 | 88 | 9.8 | 7.4-12.2 | 598 | 65.0 | 61.5-68.5 | 220 | 23.3 | 20.2-26.4 | 3 | 0.3 | 0.0- 0.7 | 13 | 1.2 | 0.4- 2.0 |
| 55-64 | 1343 | 414,196 | 1 | 0.1 | 0.0- 0.3 | 111 | 9.0 | 7.0-11.0 | 961 | 73.0 | 70.3-75.7 | 261 | 17.2 | 14.8-19.6 | 1 | 0.1 | 0.0- 0.3 | 8 | 0.6 | 0.2- 1.0 |
| 65+ | 1964 | 447,974 | 7 | 0.3 | 0.1- 0.5 | 199 | 11.3 | 9.5-13.1 | 1459 | 73.6 | 71.2-76.0 | 293 | 14.3 | 12.5-16.1 | 5 | 0.2 | 0.0- 0.4 | 1 | 0.3 | 0.0- 0.9 |
| Less Than H.S. | 421 | 305,397 | 4 | 0.3 | 0.0- 0.7 | 82 | 18.1 | 13.8-22.4 | 253 | 61.6 | 55.9-67.3 | 48 | 13.4 | 8.9-17.9 | 2 | 0.7 | 0.0- 1.7 | 32 | 6.0 | 3.8- 8.2 |
| H.S. or G.E.D. | 1860 | 835,959 | 5 | 0.4 | 0.0- 0.8 | 197 | 9.5 | 7.9-11.1 | 1316 | 70.0 | 67.5-72.5 | 322 | 18.9 | 16.5-21.3 | 4 | 0.3 | 0.0- 0.7 | 16 | 0.9 | 0.3- 1.5 |
| Some Post-H.S. | 1423 | 706,273 | 2 | 0.2 | 0.0- 0.4 | 134 | 9.3 | 7.5-11.1 | 978 | 66.2 | 63.1-69.3 | 296 | 23.2 | 20.5-25.9 | 5 | 0.6 | 0.0- 1.2 | 8 | 0.5 | 0.1- 0.9 |
| College Graduate | 2066 | 548,968 | 5 | 0.2 | 0.0- 0.4 | 148 | 7.3 | 5.7- 8.9 | 1439 | 68.3 | 65.8-70.8 | 455 | 23.1 | 20.7-25.5 | 9 | 0.5 | 0.1- 0.9 | 10 | 0.5 | 0.1- 0.9 |
| Less than \$15,000 | 407 | 176,487 | 2 | 1.3 | 0.0- 3.5 | 51 | 13.0 | 8.5-17.5 | 265 | 64.5 | 58.4-70.6 | 72 | 15.5 | 11.4-19.6 | 2 | 0.5 | 0.0- 1.3 | 15 | 5.3 | 2.6- 8.0 |
| \$15,000- 24,999 | 828 | 351,976 | 9 | 0.7 | 0.1- 1.3 | 113 | 14.7 | 11.6-17.8 | 572 | 66.2 | 61.9-70.5 | 107 | 14.6 | 11.3-17.9 | 4 | 0.8 | 0.0- 1.8 | 23 | 3.0 | 1.6- 4.4 |
| \$25,000- 34,999 | 554 | 224,679 | 1 | 0.0 | 0.0- 0.0 | 87 | 15.6 | 11.9-19.3 | 371 | 65.9 | 60.8-71.0 | 86 | 16.5 | 12.2-20.8 | 1 | 0.2 | 0.0- 0.6 | 8 | 1.7 | 0.5- 2.9 |
| \$35,000- 49,999 | 862 | 369,551 | | | | 80 | 8.7 | 6.3-11.1 | 631 | 71.9 | 67.8-76.0 | 141 | 18.0 | 14.3-21.7 | 3 | 0.5 | 0.0- 1.3 | 7 | 0.9 | 0.1- 1.7 |
| \$50,000- 74,999 | 905 | 377,093 | | | | 75 | 9.1 | 6.7-11.5 | 648 | 67.8 | 63.7-71.9 | 182 | 23.1 | 19.2-27.0 | | | | | | |
| \$75,000+ | 1766 | 708,187 | 2 | 0.2 | 0.0- 0.4 | 110 | 6.2 | 4.8- 7.6 | 1203 | 67.6 | 64.9-70.3 | 437 | 25.2 | 22.7-27.7 | 9 | 0.8 | 0.2- 1.4 | 5 | 0.1 | 0.0- 0.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 58: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 5-ft 0-in or less | | | 5-ft 1-in to 5-ft 6-in | | | 5-ft 7-in to 6-ft 0-in | | | 6-ft 1-in to 6-ft 6-in | | | HGHT Reported in Metrics | | |
|----------------------------|-------------------|-----------|-------------------|------|------------|------------------------|------|------------|------------------------|------|------------|------------------------|-----|------------|--------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7685 | 2,549,384 | 739 | 9.0 | 8.0-10.0 | 5428 | 68.2 | 66.6-69.8 | 1447 | 21.3 | 19.9-22.7 | 26 | 0.5 | 0.3- 0.7 | 45 | 1.0 | 0.6- 1.4 |
| White/Non-Hisp | 6517 | 2,074,195 | 601 | 8.1 | 7.1- 9.1 | 4635 | 69.2 | 67.6-70.8 | 1260 | 22.2 | 20.8-23.6 | 18 | 0.4 | 0.2- 0.6 | 3 | 0.0 | 0.0- 0.0 |
| Black or Afr. Am./Non-Hisp | 573 | 226,426 | 41 | 8.3 | 5.0-11.6 | 413 | 66.1 | 60.6-71.6 | 113 | 24.1 | 19.0-29.2 | 5 | 1.1 | 0.0- 2.5 | 1 | 0.3 | 0.0- 0.9 |
| Oth. Race/Non-Hisp. | 115 | 50,761 | 23 | 21.0 | 8.8-33.2 | 71 | 53.0 | 39.5-66.5 | 14 | 16.1 | 5.7-26.5 | 1 | 0.1 | 0.0- 0.3 | 6 | 9.8 | 1.4-18.2 |
| MultiRacial/Non-Hisp. | 94 | 26,859 | 11 | 13.2 | 4.0-22.4 | 60 | 66.3 | 53.8-78.8 | 22 | 17.5 | 8.1-26.9 | 1 | 3.1 | 0.0- 9.0 | | | |
| Hispanic | 286 | 136,906 | 54 | 18.8 | 13.3-24.3 | 178 | 63.0 | 56.3-69.7 | 19 | 4.9 | 2.2- 7.6 | 1 | 0.4 | 0.0- 1.2 | 34 | 12.9 | 8.2-17.6 |
| 18-24 | 289 | 325,046 | 23 | 9.1 | 5.0-13.2 | 187 | 64.0 | 57.5-70.5 | 73 | 25.0 | 19.3-30.7 | 1 | 0.3 | 0.0- 0.9 | 5 | 1.6 | 0.2- 3.0 |
| 25-34 | 594 | 407,126 | 59 | 10.0 | 7.3-12.7 | 366 | 61.2 | 56.7-65.7 | 146 | 25.3 | 21.2-29.4 | 10 | 2.0 | 0.6- 3.4 | 13 | 1.6 | 0.6- 2.6 |
| 35-44 | 762 | 400,819 | 47 | 5.6 | 3.8- 7.4 | 509 | 66.1 | 62.2-70.0 | 188 | 26.3 | 22.6-30.0 | 3 | 0.4 | 0.0- 1.0 | 15 | 1.6 | 0.6- 2.6 |
| 45-54 | 1143 | 412,988 | 79 | 7.1 | 5.3- 8.9 | 763 | 67.6 | 64.5-70.7 | 288 | 23.8 | 21.1-26.5 | 5 | 0.3 | 0.0- 0.7 | 8 | 1.1 | 0.1- 2.1 |
| 55-64 | 1594 | 434,400 | 110 | 7.6 | 6.0- 9.2 | 1149 | 72.2 | 69.5-74.9 | 327 | 19.7 | 17.3-22.1 | 5 | 0.1 | 0.0- 0.3 | 3 | 0.4 | 0.0- 0.8 |
| 65+ | 3303 | 569,006 | 421 | 13.0 | 11.4-14.6 | 2454 | 74.6 | 72.8-76.4 | 425 | 12.3 | 10.9-13.7 | 2 | 0.1 | 0.0- 0.3 | 1 | 0.1 | 0.0- 0.3 |
| Less Than H.S. | 588 | 306,780 | 116 | 18.4 | 14.1-22.7 | 388 | 61.9 | 56.2-67.6 | 63 | 15.5 | 10.8-20.2 | 3 | 0.4 | 0.0- 1.0 | 18 | 3.7 | 1.7- 5.7 |
| H.S. or G.E.D. | 2646 | 842,630 | 297 | 9.5 | 8.1-10.9 | 1930 | 72.2 | 69.8-74.6 | 395 | 17.1 | 14.9-19.3 | 11 | 0.6 | 0.2- 1.0 | 13 | 0.7 | 0.3- 1.1 |
| Some Post-H.S. | 2004 | 830,407 | 148 | 6.9 | 5.5- 8.3 | 1447 | 69.3 | 66.6-72.0 | 398 | 22.6 | 20.1-25.1 | 5 | 0.6 | 0.0- 1.2 | 6 | 0.6 | 0.0- 1.2 |
| College Graduate | 2436 | 567,046 | 177 | 6.2 | 5.0- 7.4 | 1654 | 64.0 | 61.5-66.5 | 590 | 29.0 | 26.6-31.4 | 7 | 0.3 | 0.1- 0.5 | 8 | 0.4 | 0.2- 0.6 |
| Less than \$15,000 | 793 | 266,980 | 96 | 12.2 | 8.9-15.5 | 534 | 64.0 | 59.3-68.7 | 146 | 20.9 | 16.8-25.0 | 4 | 0.6 | 0.0- 1.4 | 13 | 2.3 | 0.9- 3.7 |
| \$15,000- 24,999 | 1366 | 436,840 | 160 | 10.7 | 8.2-13.2 | 963 | 68.1 | 64.4-71.8 | 223 | 19.2 | 15.9-22.5 | 6 | 0.4 | 0.0- 0.8 | 14 | 1.6 | 0.6- 2.6 |
| \$25,000- 34,999 | 857 | 273,549 | 102 | 11.0 | 8.1-13.9 | 606 | 66.5 | 62.0-71.0 | 142 | 20.7 | 16.8-24.6 | 2 | 0.7 | 0.0- 1.7 | 5 | 1.1 | 0.1- 2.1 |
| \$35,000- 49,999 | 963 | 326,641 | 97 | 11.0 | 8.1-13.9 | 696 | 69.1 | 65.0-73.2 | 168 | 19.2 | 15.7-22.7 | 1 | 0.3 | 0.0- 0.9 | 1 | 0.4 | 0.0- 1.2 |
| \$50,000- 74,999 | 1036 | 355,786 | 68 | 6.4 | 4.2- 8.6 | 760 | 72.4 | 68.5-76.3 | 204 | 20.6 | 17.1-24.1 | 2 | 0.3 | 0.0- 0.7 | 2 | 0.3 | 0.0- 0.7 |
| \$75,000+ | 1641 | 582,257 | 84 | 4.6 | 3.4- 5.8 | 1134 | 67.7 | 64.8-70.6 | 414 | 26.9 | 24.2-29.6 | 7 | 0.6 | 0.0- 1.2 | 2 | 0.1 | 0.0- 0.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 59: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 49 years and older

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2136 | 1,316,533 | 59 | 3.7 | 2.7- 4.7 | 2077 | 96.3 | 95.3-97.3 |
| White/Non-Hisp | 1593 | 986,788 | 45 | 3.7 | 2.5- 4.9 | 1548 | 96.3 | 95.1-97.5 |
| Black or Afr. Am./Non-Hisp | 204 | 141,458 | 6 | 3.6 | 0.7- 6.5 | 198 | 96.4 | 93.5-99.3 |
| Oth. Race/Non-Hisp. | 52 | 35,775 | 1 | 7.0 | 0.0-19.9 | 51 | 93.0 | 80.1- 100 |
| Hispanic | 214 | 116,542 | 7 | 4.1 | 0.8- 7.4 | 207 | 95.9 | 92.6-99.2 |
| 18-24 | 292 | 326,774 | 20 | 7.1 | 3.8-10.4 | 272 | 92.9 | 89.6-96.2 |
| 25-34 | 599 | 411,572 | 25 | 4.6 | 2.8- 6.4 | 574 | 95.4 | 93.6-97.2 |
| 35-44 | 770 | 404,276 | 12 | 1.4 | 0.4- 2.4 | 758 | 98.6 | 97.6-99.6 |
| 45-54 | 475 | 173,910 | 2 | 0.3 | 0.0- 0.9 | 473 | 99.7 | 99.1- 100 |
| Less Than H.S. | 174 | 167,045 | 9 | 5.7 | 1.6- 9.8 | 165 | 94.3 | 90.2-98.4 |
| H.S. or G.E.D. | 549 | 374,222 | 15 | 3.4 | 1.4- 5.4 | 534 | 96.6 | 94.6-98.6 |
| Some Post-H.S. | 615 | 450,892 | 13 | 2.9 | 1.1- 4.7 | 602 | 97.1 | 95.3-98.9 |
| College Graduate | 796 | 322,819 | 22 | 4.0 | 2.2- 5.8 | 774 | 96.0 | 94.2-97.8 |
| Less than \$15,000 | 232 | 147,598 | 8 | 3.8 | 1.1- 6.5 | 224 | 96.2 | 93.5-98.9 |
| \$15,000- 24,999 | 339 | 224,015 | 10 | 4.3 | 1.6- 7.0 | 329 | 95.7 | 93.0-98.4 |
| \$25,000- 34,999 | 207 | 129,231 | 8 | 4.9 | 1.0- 8.8 | 199 | 95.1 | 91.2-99.0 |
| \$35,000- 49,999 | 235 | 160,000 | 4 | 3.4 | 0.0- 7.3 | 231 | 96.6 | 92.7- 100 |
| \$50,000- 74,999 | 298 | 185,584 | 6 | 3.1 | 0.0- 6.2 | 292 | 96.9 | 93.8- 100 |
| \$75,000+ | 646 | 341,744 | 13 | 2.3 | 0.9- 3.7 | 633 | 97.7 | 96.3-99.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 60: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13407 | 4,933,349 | 979 | 5.7 | 5.3- 6.1 | 12428 | 94.3 | 93.9-94.7 |
| Male | 5741 | 2,391,361 | 522 | 6.9 | 6.1- 7.7 | 5219 | 93.1 | 92.3-93.9 |
| Female | 7666 | 2,541,988 | 457 | 4.6 | 4.0- 5.2 | 7209 | 95.4 | 94.8-96.0 |
| White/Non-Hisp | 11262 | 3,982,214 | 851 | 5.8 | 5.2- 6.4 | 10411 | 94.2 | 93.6-94.8 |
| Black or Afr. Am./Non-Hisp | 885 | 414,693 | 42 | 3.8 | 2.2- 5.4 | 843 | 96.2 | 94.6-97.8 |
| Oth. Race/Non-Hisp. | 271 | 118,437 | 22 | 7.9 | 2.8-13.0 | 249 | 92.1 | 87.0-97.2 |
| MultiRacial/Non-Hisp. | 203 | 58,660 | 15 | 6.1 | 2.6- 9.6 | 188 | 93.9 | 90.4-97.4 |
| Hispanic | 555 | 274,734 | 20 | 4.4 | 2.0- 6.8 | 535 | 95.6 | 93.2-98.0 |
| 18-24 | 669 | 664,537 | 15 | 2.6 | 1.2- 4.0 | 654 | 97.4 | 96.0-98.8 |
| 25-34 | 1160 | 808,447 | 25 | 2.1 | 1.1- 3.1 | 1135 | 97.9 | 96.9-98.9 |
| 35-44 | 1369 | 793,195 | 29 | 2.2 | 1.2- 3.2 | 1340 | 97.8 | 96.8-98.8 |
| 45-54 | 2057 | 815,803 | 89 | 4.7 | 3.5- 5.9 | 1968 | 95.3 | 94.1-96.5 |
| 55-64 | 2923 | 843,803 | 195 | 7.4 | 6.2- 8.6 | 2728 | 92.6 | 91.4-93.8 |
| 65+ | 5229 | 1,007,563 | 626 | 12.7 | 11.5-13.9 | 4603 | 87.3 | 86.1-88.5 |
| Less Than H.S. | 1018 | 615,534 | 125 | 9.2 | 7.2-11.2 | 893 | 90.8 | 88.8-92.8 |
| H.S. or G.E.D. | 4473 | 1,671,591 | 377 | 6.5 | 5.7- 7.3 | 4096 | 93.5 | 92.7-94.3 |
| Some Post-H.S. | 3396 | 1,524,774 | 243 | 5.3 | 4.5- 6.1 | 3153 | 94.7 | 93.9-95.5 |
| College Graduate | 4490 | 1,111,632 | 227 | 3.1 | 2.5- 3.7 | 4263 | 96.9 | 96.3-97.5 |
| Less than \$15,000 | 1188 | 439,054 | 129 | 9.0 | 7.0-11.0 | 1059 | 91.0 | 89.0-93.0 |
| \$15,000- 24,999 | 2182 | 789,290 | 225 | 8.3 | 6.9- 9.7 | 1957 | 91.7 | 90.3-93.1 |
| \$25,000- 34,999 | 1400 | 497,844 | 108 | 6.4 | 4.8- 8.0 | 1292 | 93.6 | 92.0-95.2 |
| \$35,000- 49,999 | 1808 | 689,226 | 151 | 6.5 | 5.1- 7.9 | 1657 | 93.5 | 92.1-94.9 |
| \$50,000- 74,999 | 1924 | 727,162 | 114 | 4.8 | 3.4- 6.2 | 1810 | 95.2 | 93.8-96.6 |
| \$75,000+ | 3388 | 1,277,803 | 131 | 2.5 | 1.9- 3.1 | 3257 | 97.5 | 96.9-98.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 61: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5741 | 2,391,361 | 522 | 6.9 | 6.1- 7.7 | 5219 | 93.1 | 92.3-93.9 |
| White/Non-Hisp | 4769 | 1,917,090 | 450 | 7.2 | 6.4- 8.0 | 4319 | 92.8 | 92.0-93.6 |
| Black or Afr. Am./Non-Hisp | 325 | 192,106 | 19 | 3.6 | 1.6- 5.6 | 306 | 96.4 | 94.4-98.4 |
| Oth. Race/Non-Hisp. | 158 | 68,862 | 13 | 4.5 | 1.6- 7.4 | 145 | 95.5 | 92.6-98.4 |
| MultiRacial/Non-Hisp. | 109 | 31,800 | 9 | 7.3 | 2.2-12.4 | 100 | 92.7 | 87.6-97.8 |
| Hispanic | 256 | 131,600 | 8 | 4.5 | 0.8- 8.2 | 248 | 95.5 | 91.8-99.2 |
| 18-24 | 380 | 341,824 | 9 | 2.2 | 0.6- 3.8 | 371 | 97.8 | 96.2-99.4 |
| 25-34 | 569 | 402,866 | 15 | 2.7 | 1.3- 4.1 | 554 | 97.3 | 95.9-98.7 |
| 35-44 | 602 | 389,411 | 16 | 2.4 | 1.0- 3.8 | 586 | 97.6 | 96.2-99.0 |
| 45-54 | 920 | 406,538 | 50 | 5.5 | 3.7- 7.3 | 870 | 94.5 | 92.7-96.3 |
| 55-64 | 1333 | 410,471 | 120 | 10.1 | 8.1-12.1 | 1213 | 89.9 | 87.9-91.9 |
| 65+ | 1937 | 440,251 | 312 | 16.5 | 14.5-18.5 | 1625 | 83.5 | 81.5-85.5 |
| Less Than H.S. | 419 | 303,246 | 56 | 9.7 | 6.8-12.6 | 363 | 90.3 | 87.4-93.2 |
| H.S. or G.E.D. | 1838 | 832,072 | 195 | 7.9 | 6.5- 9.3 | 1643 | 92.1 | 90.7-93.5 |
| Some Post-H.S. | 1412 | 703,673 | 125 | 6.3 | 4.9- 7.7 | 1287 | 93.7 | 92.3-95.1 |
| College Graduate | 2056 | 545,584 | 143 | 4.3 | 3.5- 5.1 | 1913 | 95.7 | 94.9-96.5 |
| Less than \$15,000 | 403 | 172,755 | 59 | 12.6 | 8.7-16.5 | 344 | 87.4 | 83.5-91.3 |
| \$15,000- 24,999 | 821 | 352,408 | 91 | 9.4 | 7.0-11.8 | 730 | 90.6 | 88.2-93.0 |
| \$25,000- 34,999 | 553 | 227,510 | 58 | 8.6 | 5.9-11.3 | 495 | 91.4 | 88.7-94.1 |
| \$35,000- 49,999 | 847 | 364,189 | 98 | 9.2 | 6.8-11.6 | 749 | 90.8 | 88.4-93.2 |
| \$50,000- 74,999 | 893 | 372,645 | 78 | 5.5 | 4.1- 6.9 | 815 | 94.5 | 93.1-95.9 |
| \$75,000+ | 1750 | 700,839 | 94 | 3.4 | 2.6- 4.2 | 1656 | 96.6 | 95.8-97.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 62: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7666 | 2,541,988 | 457 | 4.6 | 4.0- 5.2 | 7209 | 95.4 | 94.8-96.0 |
| White/Non-Hisp | 6493 | 2,065,124 | 401 | 4.5 | 3.9- 5.1 | 6092 | 95.5 | 94.9-96.1 |
| Black or Afr. Am./Non-Hisp | 560 | 222,587 | 23 | 3.9 | 1.5- 6.3 | 537 | 96.1 | 93.7-98.5 |
| Oth. Race/Non-Hisp. | 113 | 49,575 | 9 | 12.6 | 1.4-23.8 | 104 | 87.4 | 76.2-98.6 |
| MultiRacial/Non-Hisp. | 94 | 26,859 | 6 | 4.8 | 0.3- 9.3 | 88 | 95.2 | 90.7-99.7 |
| Hispanic | 299 | 143,134 | 12 | 4.3 | 1.2- 7.4 | 287 | 95.7 | 92.6-98.8 |
| 18-24 | 289 | 322,713 | 6 | 2.9 | 0.4- 5.4 | 283 | 97.1 | 94.6-99.6 |
| 25-34 | 591 | 405,581 | 10 | 1.6 | 0.4- 2.8 | 581 | 98.4 | 97.2-99.6 |
| 35-44 | 767 | 403,784 | 13 | 2.0 | 0.6- 3.4 | 754 | 98.0 | 96.6-99.4 |
| 45-54 | 1137 | 409,265 | 39 | 3.8 | 2.4- 5.2 | 1098 | 96.2 | 94.8-97.6 |
| 55-64 | 1590 | 433,332 | 75 | 4.9 | 3.5- 6.3 | 1515 | 95.1 | 93.7-96.5 |
| 65+ | 3292 | 567,312 | 314 | 9.8 | 8.6-11.0 | 2978 | 90.2 | 89.0-91.4 |
| Less Than H.S. | 599 | 312,288 | 69 | 8.7 | 6.0-11.4 | 530 | 91.3 | 88.6-94.0 |
| H.S. or G.E.D. | 2635 | 839,519 | 182 | 5.0 | 4.0- 6.0 | 2453 | 95.0 | 94.0-96.0 |
| Some Post-H.S. | 1984 | 821,100 | 118 | 4.4 | 3.2- 5.6 | 1866 | 95.6 | 94.4-96.8 |
| College Graduate | 2434 | 566,048 | 84 | 1.9 | 1.3- 2.5 | 2350 | 98.1 | 97.5-98.7 |
| Less than \$15,000 | 785 | 266,299 | 70 | 6.6 | 4.6- 8.6 | 715 | 93.4 | 91.4-95.4 |
| \$15,000- 24,999 | 1361 | 436,882 | 134 | 7.4 | 5.8- 9.0 | 1227 | 92.6 | 91.0-94.2 |
| \$25,000- 34,999 | 847 | 270,334 | 50 | 4.5 | 2.5- 6.5 | 797 | 95.5 | 93.5-97.5 |
| \$35,000- 49,999 | 961 | 325,037 | 53 | 3.5 | 2.3- 4.7 | 908 | 96.5 | 95.3-97.7 |
| \$50,000- 74,999 | 1031 | 354,517 | 36 | 4.2 | 2.0- 6.4 | 995 | 95.8 | 93.6-98.0 |
| \$75,000+ | 1638 | 576,964 | 37 | 1.4 | 0.8- 2.0 | 1601 | 98.6 | 98.0-99.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 63: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13391 | 4,915,863 | 684 | 4.7 | 4.3- 5.1 | 12707 | 95.3 | 94.9-95.7 |
| Male | 5752 | 2,385,997 | 297 | 5.0 | 4.2- 5.8 | 5455 | 95.0 | 94.2-95.8 |
| Female | 7639 | 2,529,866 | 387 | 4.5 | 3.9- 5.1 | 7252 | 95.5 | 94.9-96.1 |
| White/Non-Hisp | 11256 | 3,969,897 | 518 | 4.2 | 3.8- 4.6 | 10738 | 95.8 | 95.4-96.2 |
| Black or Afr. Am./Non-Hisp | 884 | 413,789 | 61 | 6.2 | 4.2- 8.2 | 823 | 93.8 | 91.8-95.8 |
| Oth. Race/Non-Hisp. | 273 | 118,907 | 17 | 5.2 | 0.7- 9.7 | 256 | 94.8 | 90.3-99.3 |
| MultiRacial/Non-Hisp. | 202 | 58,358 | 24 | 13.0 | 6.5-19.5 | 178 | 87.0 | 80.5-93.5 |
| Hispanic | 550 | 272,389 | 35 | 6.6 | 4.1- 9.1 | 515 | 93.4 | 90.9-95.9 |
| 18-24 | 663 | 656,784 | 10 | 1.6 | 0.4- 2.8 | 653 | 98.4 | 97.2-99.6 |
| 25-34 | 1154 | 804,114 | 28 | 2.7 | 1.7- 3.7 | 1126 | 97.3 | 96.3-98.3 |
| 35-44 | 1362 | 789,048 | 44 | 3.7 | 2.5- 4.9 | 1318 | 96.3 | 95.1-97.5 |
| 45-54 | 2052 | 813,041 | 128 | 7.2 | 5.8- 8.6 | 1924 | 92.8 | 91.4-94.2 |
| 55-64 | 2927 | 844,510 | 176 | 6.2 | 5.0- 7.4 | 2751 | 93.8 | 92.6-95.0 |
| 65+ | 5233 | 1,008,365 | 298 | 6.0 | 5.2- 6.8 | 4935 | 94.0 | 93.2-94.8 |
| Less Than H.S. | 1011 | 611,169 | 120 | 9.3 | 7.1-11.5 | 891 | 90.7 | 88.5-92.9 |
| H.S. or G.E.D. | 4470 | 1,665,860 | 283 | 5.4 | 4.6- 6.2 | 4187 | 94.6 | 93.8-95.4 |
| Some Post-H.S. | 3391 | 1,521,729 | 178 | 4.5 | 3.7- 5.3 | 3213 | 95.5 | 94.7-96.3 |
| College Graduate | 4489 | 1,107,287 | 101 | 1.6 | 1.2- 2.0 | 4388 | 98.4 | 98.0-98.8 |
| Less than \$15,000 | 1185 | 437,458 | 154 | 12.0 | 9.6-14.4 | 1031 | 88.0 | 85.6-90.4 |
| \$15,000- 24,999 | 2173 | 785,259 | 200 | 8.4 | 7.0- 9.8 | 1973 | 91.6 | 90.2-93.0 |
| \$25,000- 34,999 | 1398 | 496,327 | 75 | 4.5 | 3.1- 5.9 | 1323 | 95.5 | 94.1-96.9 |
| \$35,000- 49,999 | 1811 | 689,019 | 74 | 4.3 | 2.9- 5.7 | 1737 | 95.7 | 94.3-97.1 |
| \$50,000- 74,999 | 1919 | 724,027 | 41 | 2.5 | 1.3- 3.7 | 1878 | 97.5 | 96.3-98.7 |
| \$75,000+ | 3385 | 1,271,445 | 60 | 1.8 | 1.2- 2.4 | 3325 | 98.2 | 97.6-98.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 64: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5752 | 2,385,997 | 297 | 5.0 | 4.2- 5.8 | 5455 | 95.0 | 94.2-95.8 |
| White/Non-Hisp | 4785 | 1,915,523 | 211 | 4.3 | 3.5- 5.1 | 4574 | 95.7 | 94.9-96.5 |
| Black or Afr. Am./Non-Hisp | 325 | 191,745 | 25 | 7.0 | 3.9-10.1 | 300 | 93.0 | 89.9-96.1 |
| Oth. Race/Non-Hisp. | 159 | 69,226 | 9 | 3.9 | 0.4- 7.4 | 150 | 96.1 | 92.6-99.6 |
| MultiRacial/Non-Hisp. | 109 | 31,800 | 14 | 10.0 | 4.3-15.7 | 95 | 90.0 | 84.3-95.7 |
| Hispanic | 251 | 129,255 | 19 | 8.2 | 4.3-12.1 | 232 | 91.8 | 87.9-95.7 |
| 18-24 | 376 | 336,862 | 7 | 2.0 | 0.2- 3.8 | 369 | 98.0 | 96.2-99.8 |
| 25-34 | 566 | 400,927 | 11 | 2.2 | 0.8- 3.6 | 555 | 97.8 | 96.4-99.2 |
| 35-44 | 600 | 387,758 | 19 | 3.8 | 1.8- 5.8 | 581 | 96.2 | 94.2-98.2 |
| 45-54 | 915 | 403,959 | 62 | 7.9 | 5.5-10.3 | 853 | 92.1 | 89.7-94.5 |
| 55-64 | 1345 | 413,319 | 82 | 6.4 | 4.8- 8.0 | 1263 | 93.6 | 92.0-95.2 |
| 65+ | 1950 | 443,172 | 116 | 6.8 | 5.4- 8.2 | 1834 | 93.2 | 91.8-94.6 |
| Less Than H.S. | 416 | 300,623 | 53 | 9.6 | 6.5-12.7 | 363 | 90.4 | 87.3-93.5 |
| H.S. or G.E.D. | 1846 | 830,233 | 111 | 5.4 | 4.2- 6.6 | 1735 | 94.6 | 93.4-95.8 |
| Some Post-H.S. | 1416 | 704,301 | 80 | 5.0 | 3.6- 6.4 | 1336 | 95.0 | 93.6-96.4 |
| College Graduate | 2058 | 544,054 | 52 | 1.9 | 1.3- 2.5 | 2006 | 98.1 | 97.5-98.7 |
| Less than \$15,000 | 408 | 173,541 | 65 | 15.6 | 11.1-20.1 | 343 | 84.4 | 79.9-88.9 |
| \$15,000- 24,999 | 821 | 350,849 | 79 | 9.2 | 6.8-11.6 | 742 | 90.8 | 88.4-93.2 |
| \$25,000- 34,999 | 554 | 227,380 | 31 | 5.1 | 2.9- 7.3 | 523 | 94.9 | 92.7-97.1 |
| \$35,000- 49,999 | 852 | 364,506 | 46 | 5.2 | 3.0- 7.4 | 806 | 94.8 | 92.6-97.0 |
| \$50,000- 74,999 | 889 | 369,947 | 20 | 1.8 | 0.4- 3.2 | 869 | 98.2 | 96.8-99.6 |
| \$75,000+ | 1754 | 700,274 | 32 | 1.9 | 1.1- 2.7 | 1722 | 98.1 | 97.3-98.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 65: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7639 | 2,529,866 | 387 | 4.5 | 3.9- 5.1 | 7252 | 95.5 | 94.9-96.1 |
| White/Non-Hisp | 6471 | 2,054,374 | 307 | 4.1 | 3.5- 4.7 | 6164 | 95.9 | 95.3-96.5 |
| Black or Afr. Am./Non-Hisp | 559 | 222,044 | 36 | 5.5 | 3.3- 7.7 | 523 | 94.5 | 92.3-96.7 |
| Oth. Race/Non-Hisp. | 114 | 49,682 | 8 | 7.0 | 0.0-16.6 | 106 | 93.0 | 83.4- 100 |
| MultiRacial/Non-Hisp. | 93 | 26,557 | 10 | 16.6 | 4.3-28.9 | 83 | 83.4 | 71.1-95.7 |
| Hispanic | 299 | 143,134 | 16 | 5.2 | 2.1- 8.3 | 283 | 94.8 | 91.7-97.9 |
| 18-24 | 287 | 319,922 | 3 | 1.2 | 0.0- 2.8 | 284 | 98.8 | 97.2- 100 |
| 25-34 | 588 | 403,187 | 17 | 3.2 | 1.6- 4.8 | 571 | 96.8 | 95.2-98.4 |
| 35-44 | 762 | 401,290 | 25 | 3.5 | 1.9- 5.1 | 737 | 96.5 | 94.9-98.1 |
| 45-54 | 1137 | 409,082 | 66 | 6.5 | 4.7- 8.3 | 1071 | 93.5 | 91.7-95.3 |
| 55-64 | 1582 | 431,192 | 94 | 6.0 | 4.6- 7.4 | 1488 | 94.0 | 92.6-95.4 |
| 65+ | 3283 | 565,193 | 182 | 5.4 | 4.4- 6.4 | 3101 | 94.6 | 93.6-95.6 |
| Less Than H.S. | 595 | 310,546 | 67 | 9.0 | 6.1-11.9 | 528 | 91.0 | 88.1-93.9 |
| H.S. or G.E.D. | 2624 | 835,627 | 172 | 5.4 | 4.4- 6.4 | 2452 | 94.6 | 93.6-95.6 |
| Some Post-H.S. | 1975 | 817,428 | 98 | 4.0 | 3.0- 5.0 | 1877 | 96.0 | 95.0-97.0 |
| College Graduate | 2431 | 563,233 | 49 | 1.3 | 0.9- 1.7 | 2382 | 98.7 | 98.3-99.1 |
| Less than \$15,000 | 777 | 263,917 | 89 | 9.7 | 7.3-12.1 | 688 | 90.3 | 87.9-92.7 |
| \$15,000- 24,999 | 1352 | 434,411 | 121 | 7.7 | 5.9- 9.5 | 1231 | 92.3 | 90.5-94.1 |
| \$25,000- 34,999 | 844 | 268,948 | 44 | 4.0 | 2.4- 5.6 | 800 | 96.0 | 94.4-97.6 |
| \$35,000- 49,999 | 959 | 324,513 | 28 | 3.3 | 1.5- 5.1 | 931 | 96.7 | 94.9-98.5 |
| \$50,000- 74,999 | 1030 | 354,080 | 21 | 3.1 | 1.1- 5.1 | 1009 | 96.9 | 94.9-98.9 |
| \$75,000+ | 1631 | 571,171 | 28 | 1.6 | 0.8- 2.4 | 1603 | 98.4 | 97.6-99.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 66: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13351 | 4,902,661 | 1378 | 11.9 | 11.1-12.7 | 11973 | 88.1 | 87.3-88.9 |
| Male | 5737 | 2,380,459 | 550 | 11.2 | 10.0-12.4 | 5187 | 88.8 | 87.6-90.0 |
| Female | 7614 | 2,522,202 | 828 | 12.5 | 11.5-13.5 | 6786 | 87.5 | 86.5-88.5 |
| White/Non-Hisp | 11219 | 3,958,968 | 1080 | 11.4 | 10.6-12.2 | 10139 | 88.6 | 87.8-89.4 |
| Black or Afr. Am./Non-Hisp | 882 | 412,528 | 108 | 12.3 | 9.4-15.2 | 774 | 87.7 | 84.8-90.6 |
| Oth. Race/Non-Hisp. | 274 | 119,521 | 51 | 15.8 | 9.7-21.9 | 223 | 84.2 | 78.1-90.3 |
| MultiRacial/Non-Hisp. | 200 | 57,752 | 33 | 19.7 | 11.9-27.5 | 167 | 80.3 | 72.5-88.1 |
| Hispanic | 548 | 271,089 | 72 | 12.4 | 9.3-15.5 | 476 | 87.6 | 84.5-90.7 |
| 18-24 | 661 | 654,564 | 91 | 13.9 | 11.0-16.8 | 570 | 86.1 | 83.2-89.0 |
| 25-34 | 1147 | 799,967 | 143 | 12.4 | 10.2-14.6 | 1004 | 87.6 | 85.4-89.8 |
| 35-44 | 1362 | 788,652 | 151 | 11.2 | 9.2-13.2 | 1211 | 88.8 | 86.8-90.8 |
| 45-54 | 2049 | 811,379 | 261 | 14.1 | 12.3-15.9 | 1788 | 85.9 | 84.1-87.7 |
| 55-64 | 2917 | 842,084 | 340 | 12.8 | 11.2-14.4 | 2577 | 87.2 | 85.6-88.8 |
| 65+ | 5215 | 1,006,015 | 392 | 8.1 | 7.1- 9.1 | 4823 | 91.9 | 90.9-92.9 |
| Less Than H.S. | 1008 | 610,026 | 224 | 21.1 | 17.8-24.4 | 784 | 78.9 | 75.6-82.2 |
| H.S. or G.E.D. | 4454 | 1,659,696 | 577 | 13.9 | 12.5-15.3 | 3877 | 86.1 | 84.7-87.5 |
| Some Post-H.S. | 3384 | 1,518,674 | 359 | 11.0 | 9.6-12.4 | 3025 | 89.0 | 87.6-90.4 |
| College Graduate | 4474 | 1,104,324 | 214 | 4.9 | 4.1- 5.7 | 4260 | 95.1 | 94.3-95.9 |
| Less than \$15,000 | 1176 | 433,041 | 330 | 28.8 | 25.3-32.3 | 846 | 71.2 | 67.7-74.7 |
| \$15,000- 24,999 | 2174 | 786,187 | 382 | 19.5 | 17.1-21.9 | 1792 | 80.5 | 78.1-82.9 |
| \$25,000- 34,999 | 1394 | 495,996 | 143 | 11.8 | 9.4-14.2 | 1251 | 88.2 | 85.8-90.6 |
| \$35,000- 49,999 | 1810 | 688,404 | 133 | 9.8 | 7.6-12.0 | 1677 | 90.2 | 88.0-92.4 |
| \$50,000- 74,999 | 1917 | 723,016 | 102 | 6.9 | 5.1- 8.7 | 1815 | 93.1 | 91.3-94.9 |
| \$75,000+ | 3377 | 1,267,608 | 119 | 4.2 | 3.2- 5.2 | 3258 | 95.8 | 94.8-96.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 67: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5737 | 2,380,459 | 550 | 11.2 | 10.0-12.4 | 5187 | 88.8 | 87.6-90.0 |
| White/Non-Hisp | 4773 | 1,912,333 | 423 | 10.8 | 9.6-12.0 | 4350 | 89.2 | 88.0-90.4 |
| Black or Afr. Am./Non-Hisp | 324 | 190,333 | 36 | 10.4 | 6.3-14.5 | 288 | 89.6 | 85.5-93.7 |
| Oth. Race/Non-Hisp. | 160 | 69,839 | 29 | 13.5 | 7.4-19.6 | 131 | 86.5 | 80.4-92.6 |
| MultiRacial/Non-Hisp. | 106 | 30,893 | 9 | 13.2 | 4.2-22.2 | 97 | 86.8 | 77.8-95.8 |
| Hispanic | 250 | 128,205 | 31 | 12.1 | 7.4-16.8 | 219 | 87.9 | 83.2-92.6 |
| 18-24 | 374 | 334,642 | 48 | 13.3 | 9.2-17.4 | 326 | 86.7 | 82.6-90.8 |
| 25-34 | 562 | 398,606 | 69 | 11.6 | 8.7-14.5 | 493 | 88.4 | 85.5-91.3 |
| 35-44 | 602 | 388,603 | 59 | 9.6 | 6.9-12.3 | 543 | 90.4 | 87.7-93.1 |
| 45-54 | 913 | 402,715 | 109 | 13.5 | 10.8-16.2 | 804 | 86.5 | 83.8-89.2 |
| 55-64 | 1342 | 412,405 | 136 | 12.6 | 10.2-15.0 | 1206 | 87.4 | 85.0-89.8 |
| 65+ | 1944 | 443,487 | 129 | 7.2 | 5.8- 8.6 | 1815 | 92.8 | 91.4-94.2 |
| Less Than H.S. | 416 | 299,877 | 96 | 22.4 | 17.5-27.3 | 320 | 77.6 | 72.7-82.5 |
| H.S. or G.E.D. | 1836 | 826,170 | 217 | 12.6 | 10.6-14.6 | 1619 | 87.4 | 85.4-89.4 |
| Some Post-H.S. | 1415 | 704,507 | 136 | 9.5 | 7.7-11.3 | 1279 | 90.5 | 88.7-92.3 |
| College Graduate | 2053 | 542,995 | 101 | 5.3 | 4.1- 6.5 | 1952 | 94.7 | 93.5-95.9 |
| Less than \$15,000 | 400 | 169,594 | 113 | 30.0 | 24.3-35.7 | 287 | 70.0 | 64.3-75.7 |
| \$15,000- 24,999 | 824 | 352,597 | 150 | 20.1 | 16.6-23.6 | 674 | 79.9 | 76.4-83.4 |
| \$25,000- 34,999 | 550 | 227,127 | 49 | 9.6 | 6.3-12.9 | 501 | 90.4 | 87.1-93.7 |
| \$35,000- 49,999 | 851 | 364,020 | 66 | 11.5 | 8.2-14.8 | 785 | 88.5 | 85.2-91.8 |
| \$50,000- 74,999 | 889 | 370,218 | 55 | 7.1 | 4.7- 9.5 | 834 | 92.9 | 90.5-95.3 |
| \$75,000+ | 1748 | 697,395 | 61 | 3.8 | 2.6- 5.0 | 1687 | 96.2 | 95.0-97.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 68: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7614 | 2,522,202 | 828 | 12.5 | 11.5-13.5 | 6786 | 87.5 | 86.5-88.5 |
| White/Non-Hisp | 6446 | 2,046,635 | 657 | 11.9 | 10.7-13.1 | 5789 | 88.1 | 86.9-89.3 |
| Black or Afr. Am./Non-Hisp | 558 | 222,195 | 72 | 14.0 | 10.1-17.9 | 486 | 86.0 | 82.1-89.9 |
| Oth. Race/Non-Hisp. | 114 | 49,682 | 22 | 18.9 | 6.9-30.9 | 92 | 81.1 | 69.1-93.1 |
| MultiRacial/Non-Hisp. | 94 | 26,859 | 24 | 27.1 | 14.2-40.0 | 70 | 72.9 | 60.0-85.8 |
| Hispanic | 298 | 142,884 | 41 | 12.6 | 8.5-16.7 | 257 | 87.4 | 83.3-91.5 |
| 18-24 | 287 | 319,922 | 43 | 14.4 | 9.9-18.9 | 244 | 85.6 | 81.1-90.1 |
| 25-34 | 585 | 401,361 | 74 | 13.1 | 10.0-16.2 | 511 | 86.9 | 83.8-90.0 |
| 35-44 | 760 | 400,049 | 92 | 12.7 | 10.0-15.4 | 668 | 87.3 | 84.6-90.0 |
| 45-54 | 1136 | 408,664 | 152 | 14.6 | 12.1-17.1 | 984 | 85.4 | 82.9-87.9 |
| 55-64 | 1575 | 429,679 | 204 | 13.1 | 11.1-15.1 | 1371 | 86.9 | 84.9-88.9 |
| 65+ | 3271 | 562,528 | 263 | 8.8 | 7.6-10.0 | 3008 | 91.2 | 90.0-92.4 |
| Less Than H.S. | 592 | 310,148 | 128 | 19.9 | 15.8-24.0 | 464 | 80.1 | 76.0-84.2 |
| H.S. or G.E.D. | 2618 | 833,526 | 360 | 15.1 | 13.1-17.1 | 2258 | 84.9 | 82.9-86.9 |
| Some Post-H.S. | 1969 | 814,167 | 223 | 12.4 | 10.4-14.4 | 1746 | 87.6 | 85.6-89.6 |
| College Graduate | 2421 | 561,329 | 113 | 4.6 | 3.6- 5.6 | 2308 | 95.4 | 94.4-96.4 |
| Less than \$15,000 | 776 | 263,447 | 217 | 28.0 | 23.7-32.3 | 559 | 72.0 | 67.7-76.3 |
| \$15,000- 24,999 | 1350 | 433,590 | 232 | 19.1 | 16.2-22.0 | 1118 | 80.9 | 78.0-83.8 |
| \$25,000- 34,999 | 844 | 268,868 | 94 | 13.7 | 10.2-17.2 | 750 | 86.3 | 82.8-89.8 |
| \$35,000- 49,999 | 959 | 324,384 | 67 | 7.9 | 5.5-10.3 | 892 | 92.1 | 89.7-94.5 |
| \$50,000- 74,999 | 1028 | 352,798 | 47 | 6.8 | 4.3- 9.3 | 981 | 93.2 | 90.7-95.7 |
| \$75,000+ | 1629 | 570,214 | 58 | 4.8 | 3.4- 6.2 | 1571 | 95.2 | 93.8-96.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 69: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13351 | 4,899,277 | 2501 | 14.1 | 13.3-14.9 | 10850 | 85.9 | 85.1-86.7 |
| Male | 5732 | 2,378,849 | 813 | 11.2 | 10.2-12.2 | 4919 | 88.8 | 87.8-89.8 |
| Female | 7619 | 2,520,428 | 1688 | 16.9 | 15.9-17.9 | 5931 | 83.1 | 82.1-84.1 |
| White/Non-Hisp | 11217 | 3,955,244 | 2074 | 14.1 | 13.3-14.9 | 9143 | 85.9 | 85.1-86.7 |
| Black or Afr. Am./Non-Hisp | 879 | 410,554 | 212 | 16.3 | 13.6-19.0 | 667 | 83.7 | 81.0-86.4 |
| Oth. Race/Non-Hisp. | 273 | 119,583 | 50 | 11.6 | 6.1-17.1 | 223 | 88.4 | 82.9-93.9 |
| MultiRacial/Non-Hisp. | 203 | 58,660 | 56 | 25.8 | 18.0-33.6 | 147 | 74.2 | 66.4-82.0 |
| Hispanic | 550 | 272,134 | 52 | 7.7 | 5.2-10.2 | 498 | 92.3 | 89.8-94.8 |
| 18-24 | 661 | 654,719 | 13 | 2.7 | 1.1- 4.3 | 648 | 97.3 | 95.7-98.9 |
| 25-34 | 1150 | 800,875 | 43 | 3.7 | 2.5- 4.9 | 1107 | 96.3 | 95.1-97.5 |
| 35-44 | 1358 | 785,965 | 111 | 8.1 | 6.3- 9.9 | 1247 | 91.9 | 90.1-93.7 |
| 45-54 | 2051 | 812,231 | 336 | 16.4 | 14.4-18.4 | 1715 | 83.6 | 81.6-85.6 |
| 55-64 | 2917 | 840,818 | 662 | 23.2 | 21.2-25.2 | 2255 | 76.8 | 74.8-78.8 |
| 65+ | 5214 | 1,004,668 | 1336 | 25.1 | 23.7-26.5 | 3878 | 74.9 | 73.5-76.3 |
| Less Than H.S. | 1004 | 609,239 | 336 | 24.1 | 21.0-27.2 | 668 | 75.9 | 72.8-79.0 |
| H.S. or G.E.D. | 4459 | 1,662,554 | 1056 | 16.7 | 15.5-17.9 | 3403 | 83.3 | 82.1-84.5 |
| Some Post-H.S. | 3378 | 1,513,846 | 653 | 13.2 | 12.0-14.4 | 2725 | 86.8 | 85.6-88.0 |
| College Graduate | 4479 | 1,103,697 | 448 | 6.0 | 5.2- 6.8 | 4031 | 94.0 | 93.2-94.8 |
| Less than \$15,000 | 1178 | 433,324 | 508 | 32.4 | 29.1-35.7 | 670 | 67.6 | 64.3-70.9 |
| \$15,000- 24,999 | 2172 | 785,275 | 684 | 24.7 | 22.5-26.9 | 1488 | 75.3 | 73.1-77.5 |
| \$25,000- 34,999 | 1395 | 495,165 | 283 | 15.9 | 13.5-18.3 | 1112 | 84.1 | 81.7-86.5 |
| \$35,000- 49,999 | 1808 | 687,939 | 291 | 11.6 | 9.8-13.4 | 1517 | 88.4 | 86.6-90.2 |
| \$50,000- 74,999 | 1917 | 722,844 | 225 | 9.1 | 7.5-10.7 | 1692 | 90.9 | 89.3-92.5 |
| \$75,000+ | 3377 | 1,267,357 | 201 | 4.3 | 3.5- 5.1 | 3176 | 95.7 | 94.9-96.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 70: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5732 | 2,378,849 | 813 | 11.2 | 10.2-12.2 | 4919 | 88.8 | 87.8-89.8 |
| White/Non-Hisp | 4765 | 1,909,523 | 657 | 11.1 | 10.1-12.1 | 4108 | 88.9 | 87.9-89.9 |
| Black or Afr. Am./Non-Hisp | 321 | 189,264 | 61 | 11.8 | 8.1-15.5 | 260 | 88.2 | 84.5-91.9 |
| Oth. Race/Non-Hisp. | 161 | 70,137 | 27 | 8.4 | 4.1-12.7 | 134 | 91.6 | 87.3-95.9 |
| MultiRacial/Non-Hisp. | 109 | 31,800 | 24 | 23.2 | 13.4-33.0 | 85 | 76.8 | 67.0-86.6 |
| Hispanic | 252 | 129,250 | 18 | 7.4 | 3.5-11.3 | 234 | 92.6 | 88.7-96.5 |
| 18-24 | 375 | 336,138 | 7 | 2.4 | 0.4- 4.4 | 368 | 97.6 | 95.6-99.6 |
| 25-34 | 566 | 400,387 | 11 | 1.7 | 0.7- 2.7 | 555 | 98.3 | 97.3-99.3 |
| 35-44 | 599 | 386,467 | 32 | 4.7 | 2.9- 6.5 | 567 | 95.3 | 93.5-97.1 |
| 45-54 | 916 | 403,863 | 125 | 13.8 | 11.1-16.5 | 791 | 86.2 | 83.5-88.9 |
| 55-64 | 1340 | 411,259 | 249 | 20.9 | 18.2-23.6 | 1091 | 79.1 | 76.4-81.8 |
| 65+ | 1936 | 440,736 | 389 | 20.6 | 18.4-22.8 | 1547 | 79.4 | 77.2-81.6 |
| Less Than H.S. | 414 | 299,715 | 109 | 20.3 | 16.0-24.6 | 305 | 79.7 | 75.4-84.0 |
| H.S. or G.E.D. | 1839 | 829,279 | 335 | 13.0 | 11.4-14.6 | 1504 | 87.0 | 85.4-88.6 |
| Some Post-H.S. | 1407 | 700,484 | 197 | 9.5 | 7.9-11.1 | 1210 | 90.5 | 88.9-92.1 |
| College Graduate | 2055 | 542,461 | 167 | 5.4 | 4.4- 6.4 | 1888 | 94.6 | 93.6-95.6 |
| Less than \$15,000 | 404 | 171,597 | 145 | 29.1 | 23.8-34.4 | 259 | 70.9 | 65.6-76.2 |
| \$15,000- 24,999 | 822 | 351,729 | 209 | 21.5 | 18.2-24.8 | 613 | 78.5 | 75.2-81.8 |
| \$25,000- 34,999 | 550 | 226,366 | 96 | 13.1 | 9.8-16.4 | 454 | 86.9 | 83.6-90.2 |
| \$35,000- 49,999 | 850 | 363,550 | 114 | 10.3 | 7.9-12.7 | 736 | 89.7 | 87.3-92.1 |
| \$50,000- 74,999 | 888 | 369,733 | 95 | 7.4 | 5.6- 9.2 | 793 | 92.6 | 90.8-94.4 |
| \$75,000+ | 1750 | 698,002 | 80 | 2.7 | 1.9- 3.5 | 1670 | 97.3 | 96.5-98.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 71: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7619 | 2,520,428 | 1688 | 16.9 | 15.9-17.9 | 5931 | 83.1 | 82.1-84.1 |
| White/Non-Hisp | 6452 | 2,045,721 | 1417 | 17.0 | 15.8-18.2 | 5035 | 83.0 | 81.8-84.2 |
| Black or Afr. Am./Non-Hisp | 558 | 221,290 | 151 | 20.1 | 16.2-24.0 | 407 | 79.9 | 76.0-83.8 |
| Oth. Race/Non-Hisp. | 112 | 49,445 | 23 | 16.3 | 4.7-27.9 | 89 | 83.7 | 72.1-95.3 |
| MultiRacial/Non-Hisp. | 94 | 26,859 | 32 | 28.8 | 16.5-41.1 | 62 | 71.2 | 58.9-83.5 |
| Hispanic | 298 | 142,884 | 34 | 7.9 | 4.8-11.0 | 264 | 92.1 | 89.0-95.2 |
| 18-24 | 286 | 318,581 | 6 | 3.0 | 0.5- 5.5 | 280 | 97.0 | 94.5-99.5 |
| 25-34 | 584 | 400,488 | 32 | 5.7 | 3.5- 7.9 | 552 | 94.3 | 92.1-96.5 |
| 35-44 | 759 | 399,498 | 79 | 11.5 | 8.8-14.2 | 680 | 88.5 | 85.8-91.2 |
| 45-54 | 1135 | 408,368 | 211 | 19.1 | 16.4-21.8 | 924 | 80.9 | 78.2-83.6 |
| 55-64 | 1577 | 429,559 | 413 | 25.3 | 22.8-27.8 | 1164 | 74.7 | 72.2-77.2 |
| 65+ | 3278 | 563,932 | 947 | 28.7 | 26.7-30.7 | 2331 | 71.3 | 69.3-73.3 |
| Less Than H.S. | 590 | 309,523 | 227 | 27.7 | 23.2-32.2 | 363 | 72.3 | 67.8-76.8 |
| H.S. or G.E.D. | 2620 | 833,275 | 721 | 20.4 | 18.6-22.2 | 1899 | 79.6 | 77.8-81.4 |
| Some Post-H.S. | 1971 | 813,362 | 456 | 16.4 | 14.4-18.4 | 1515 | 83.6 | 81.6-85.6 |
| College Graduate | 2424 | 561,236 | 281 | 6.7 | 5.7- 7.7 | 2143 | 93.3 | 92.3-94.3 |
| Less than \$15,000 | 774 | 261,727 | 363 | 34.6 | 30.3-38.9 | 411 | 65.4 | 61.1-69.7 |
| \$15,000- 24,999 | 1350 | 433,546 | 475 | 27.3 | 24.2-30.4 | 875 | 72.7 | 69.6-75.8 |
| \$25,000- 34,999 | 845 | 268,799 | 187 | 18.3 | 15.0-21.6 | 658 | 81.7 | 78.4-85.0 |
| \$35,000- 49,999 | 958 | 324,389 | 177 | 13.0 | 10.5-15.5 | 781 | 87.0 | 84.5-89.5 |
| \$50,000- 74,999 | 1029 | 353,110 | 130 | 10.9 | 8.2-13.6 | 899 | 89.1 | 86.4-91.8 |
| \$75,000+ | 1627 | 569,354 | 121 | 6.1 | 4.7- 7.5 | 1506 | 93.9 | 92.5-95.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 72: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13352 | 4,896,963 | 655 | 4.1 | 3.7- 4.5 | 12697 | 95.9 | 95.5-96.3 |
| Male | 5734 | 2,376,992 | 268 | 4.0 | 3.4- 4.6 | 5466 | 96.0 | 95.4-96.6 |
| Female | 7618 | 2,519,971 | 387 | 4.3 | 3.7- 4.9 | 7231 | 95.7 | 95.1-96.3 |
| White/Non-Hisp | 11219 | 3,952,556 | 536 | 4.0 | 3.6- 4.4 | 10683 | 96.0 | 95.6-96.4 |
| Black or Afr. Am./Non-Hisp | 879 | 411,102 | 45 | 3.8 | 2.4- 5.2 | 834 | 96.2 | 94.8-97.6 |
| Oth. Race/Non-Hisp. | 274 | 119,689 | 17 | 6.6 | 1.5-11.7 | 257 | 93.4 | 88.3-98.5 |
| MultiRacial/Non-Hisp. | 202 | 58,568 | 19 | 9.2 | 4.5-13.9 | 183 | 90.8 | 86.1-95.5 |
| Hispanic | 549 | 271,944 | 16 | 2.3 | 1.1- 3.5 | 533 | 97.7 | 96.5-98.9 |
| 18-24 | 660 | 653,801 | 9 | 1.7 | 0.5- 2.9 | 651 | 98.3 | 97.1-99.5 |
| 25-34 | 1147 | 799,332 | 13 | 1.2 | 0.4- 2.0 | 1134 | 98.8 | 98.0-99.6 |
| 35-44 | 1355 | 783,489 | 47 | 3.4 | 2.2- 4.6 | 1308 | 96.6 | 95.4-97.8 |
| 45-54 | 2049 | 811,850 | 126 | 5.8 | 4.6- 7.0 | 1923 | 94.2 | 93.0-95.4 |
| 55-64 | 2920 | 842,297 | 198 | 6.9 | 5.7- 8.1 | 2722 | 93.1 | 91.9-94.3 |
| 65+ | 5221 | 1,006,194 | 262 | 4.9 | 4.1- 5.7 | 4959 | 95.1 | 94.3-95.9 |
| Less Than H.S. | 1005 | 608,121 | 96 | 7.0 | 5.0- 9.0 | 909 | 93.0 | 91.0-95.0 |
| H.S. or G.E.D. | 4458 | 1,661,432 | 277 | 4.7 | 3.9- 5.5 | 4181 | 95.3 | 94.5-96.1 |
| Some Post-H.S. | 3377 | 1,514,356 | 174 | 4.2 | 3.4- 5.0 | 3203 | 95.8 | 95.0-96.6 |
| College Graduate | 4481 | 1,103,112 | 106 | 1.6 | 1.2- 2.0 | 4375 | 98.4 | 98.0-98.8 |
| Less than \$15,000 | 1181 | 433,970 | 169 | 11.2 | 9.0-13.4 | 1012 | 88.8 | 86.6-91.0 |
| \$15,000- 24,999 | 2169 | 784,501 | 184 | 7.3 | 5.9- 8.7 | 1985 | 92.7 | 91.3-94.1 |
| \$25,000- 34,999 | 1394 | 495,682 | 72 | 4.5 | 3.1- 5.9 | 1322 | 95.5 | 94.1-96.9 |
| \$35,000- 49,999 | 1805 | 686,509 | 59 | 2.4 | 1.6- 3.2 | 1746 | 97.6 | 96.8-98.4 |
| \$50,000- 74,999 | 1917 | 721,830 | 45 | 2.5 | 1.5- 3.5 | 1872 | 97.5 | 96.5-98.5 |
| \$75,000+ | 3377 | 1,267,053 | 46 | 1.1 | 0.7- 1.5 | 3331 | 98.9 | 98.5-99.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 73: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5734 | 2,376,992 | 268 | 4.0 | 3.4- 4.6 | 5466 | 96.0 | 95.4-96.6 |
| White/Non-Hisp | 4767 | 1,907,853 | 205 | 3.8 | 3.2- 4.4 | 4562 | 96.2 | 95.6-96.8 |
| Black or Afr. Am./Non-Hisp | 321 | 189,078 | 22 | 4.2 | 2.0- 6.4 | 299 | 95.8 | 93.6-98.0 |
| Oth. Race/Non-Hisp. | 161 | 70,137 | 13 | 3.7 | 1.2- 6.2 | 148 | 96.3 | 93.8-98.8 |
| MultiRacial/Non-Hisp. | 109 | 31,800 | 10 | 9.6 | 2.9-16.3 | 99 | 90.4 | 83.7-97.1 |
| Hispanic | 252 | 129,250 | 8 | 2.7 | 0.5- 4.9 | 244 | 97.3 | 95.1-99.5 |
| 18-24 | 375 | 336,138 | 6 | 1.9 | 0.1- 3.7 | 369 | 98.1 | 96.3-99.9 |
| 25-34 | 564 | 398,740 | 2 | 0.3 | 0.0- 0.7 | 562 | 99.7 | 99.3- 100 |
| 35-44 | 596 | 384,333 | 17 | 2.3 | 1.1- 3.5 | 579 | 97.7 | 96.5-98.9 |
| 45-54 | 915 | 403,671 | 59 | 6.1 | 4.3- 7.9 | 856 | 93.9 | 92.1-95.7 |
| 55-64 | 1344 | 412,725 | 88 | 7.7 | 5.9- 9.5 | 1256 | 92.3 | 90.5-94.1 |
| 65+ | 1940 | 441,386 | 96 | 4.9 | 3.7- 6.1 | 1844 | 95.1 | 93.9-96.3 |
| Less Than H.S. | 415 | 299,489 | 37 | 7.8 | 4.9-10.7 | 378 | 92.2 | 89.3-95.1 |
| H.S. or G.E.D. | 1838 | 827,510 | 109 | 4.5 | 3.5- 5.5 | 1729 | 95.5 | 94.5-96.5 |
| Some Post-H.S. | 1409 | 700,956 | 70 | 3.5 | 2.5- 4.5 | 1339 | 96.5 | 95.5-97.5 |
| College Graduate | 2055 | 542,127 | 51 | 1.8 | 1.2- 2.4 | 2004 | 98.2 | 97.6-98.8 |
| Less than \$15,000 | 405 | 171,009 | 66 | 13.5 | 9.6-17.4 | 339 | 86.5 | 82.6-90.4 |
| \$15,000- 24,999 | 821 | 351,400 | 73 | 8.0 | 5.6-10.4 | 748 | 92.0 | 89.6-94.4 |
| \$25,000- 34,999 | 551 | 227,074 | 29 | 4.2 | 2.2- 6.2 | 522 | 95.8 | 93.8-97.8 |
| \$35,000- 49,999 | 847 | 362,548 | 27 | 2.1 | 1.1- 3.1 | 820 | 97.9 | 96.9-98.9 |
| \$50,000- 74,999 | 889 | 368,956 | 22 | 1.9 | 0.9- 2.9 | 867 | 98.1 | 97.1-99.1 |
| \$75,000+ | 1750 | 697,698 | 23 | 0.9 | 0.5- 1.3 | 1727 | 99.1 | 98.7-99.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

TABLE 74: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7618 | 2,519,971 | 387 | 4.3 | 3.7- 4.9 | 7231 | 95.7 | 95.1-96.3 |
| White/Non-Hisp | 6452 | 2,044,703 | 331 | 4.2 | 3.6- 4.8 | 6121 | 95.8 | 95.2-96.4 |
| Black or Afr. Am./Non-Hisp | 558 | 222,025 | 23 | 3.5 | 1.7- 5.3 | 535 | 96.5 | 94.7-98.3 |
| Oth. Race/Non-Hisp. | 113 | 49,552 | 4 | 10.7 | 0.0-22.1 | 109 | 89.3 | 77.9- 100 |
| MultiRacial/Non-Hisp. | 93 | 26,768 | 9 | 8.8 | 2.3-15.3 | 84 | 91.2 | 84.7-97.7 |
| Hispanic | 297 | 142,694 | 8 | 1.9 | 0.5- 3.3 | 289 | 98.1 | 96.7-99.5 |
| 18-24 | 285 | 317,663 | 3 | 1.5 | 0.0- 3.3 | 282 | 98.5 | 96.7- 100 |
| 25-34 | 583 | 400,592 | 11 | 2.2 | 0.8- 3.6 | 572 | 97.8 | 96.4-99.2 |
| 35-44 | 759 | 399,156 | 30 | 4.5 | 2.7- 6.3 | 729 | 95.5 | 93.7-97.3 |
| 45-54 | 1134 | 408,179 | 67 | 5.5 | 3.9- 7.1 | 1067 | 94.5 | 92.9-96.1 |
| 55-64 | 1576 | 429,573 | 110 | 6.1 | 4.7- 7.5 | 1466 | 93.9 | 92.5-95.3 |
| 65+ | 3281 | 564,808 | 166 | 4.9 | 3.9- 5.9 | 3115 | 95.1 | 94.1-96.1 |
| Less Than H.S. | 590 | 308,632 | 59 | 6.3 | 3.9- 8.7 | 531 | 93.7 | 91.3-96.1 |
| H.S. or G.E.D. | 2620 | 833,922 | 168 | 5.0 | 4.0- 6.0 | 2452 | 95.0 | 94.0-96.0 |
| Some Post-H.S. | 1968 | 813,400 | 104 | 4.8 | 3.6- 6.0 | 1864 | 95.2 | 94.0-96.4 |
| College Graduate | 2426 | 560,985 | 55 | 1.4 | 1.0- 1.8 | 2371 | 98.6 | 98.2-99.0 |
| Less than \$15,000 | 776 | 262,962 | 103 | 9.7 | 7.3-12.1 | 673 | 90.3 | 87.9-92.7 |
| \$15,000- 24,999 | 1348 | 433,101 | 111 | 6.7 | 5.1- 8.3 | 1237 | 93.3 | 91.7-94.9 |
| \$25,000- 34,999 | 843 | 268,608 | 43 | 4.7 | 2.9- 6.5 | 800 | 95.3 | 93.5-97.1 |
| \$35,000- 49,999 | 958 | 323,962 | 32 | 2.7 | 1.7- 3.7 | 926 | 97.3 | 96.3-98.3 |
| \$50,000- 74,999 | 1028 | 352,874 | 23 | 3.2 | 1.2- 5.2 | 1005 | 96.8 | 94.8-98.8 |
| \$75,000+ | 1627 | 569,354 | 23 | 1.4 | 0.6- 2.2 | 1604 | 98.6 | 97.8-99.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 75: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13322 | 4,888,760 | 1152 | 8.1 | 7.5- 8.7 | 12170 | 91.9 | 91.3-92.5 |
| Male | 5728 | 2,375,226 | 380 | 6.6 | 5.8- 7.4 | 5348 | 93.4 | 92.6-94.2 |
| Female | 7594 | 2,513,534 | 772 | 9.5 | 8.5-10.5 | 6822 | 90.5 | 89.5-91.5 |
| White/Non-Hisp | 11197 | 3,947,313 | 928 | 7.9 | 7.3- 8.5 | 10269 | 92.1 | 91.5-92.7 |
| Black or Afr. Am./Non-Hisp | 877 | 409,863 | 89 | 8.3 | 6.1-10.5 | 788 | 91.7 | 89.5-93.9 |
| Oth. Race/Non-Hisp. | 273 | 119,583 | 39 | 12.7 | 6.8-18.6 | 234 | 87.3 | 81.4-93.2 |
| MultiRacial/Non-Hisp. | 201 | 57,914 | 26 | 13.0 | 7.1-18.9 | 175 | 87.0 | 81.1-92.9 |
| Hispanic | 547 | 271,541 | 38 | 6.5 | 4.1- 8.9 | 509 | 93.5 | 91.1-95.9 |
| 18-24 | 660 | 653,801 | 42 | 7.1 | 4.7- 9.5 | 618 | 92.9 | 90.5-95.3 |
| 25-34 | 1147 | 798,720 | 63 | 5.6 | 4.0- 7.2 | 1084 | 94.4 | 92.8-96.0 |
| 35-44 | 1355 | 783,563 | 99 | 7.5 | 5.9- 9.1 | 1256 | 92.5 | 90.9-94.1 |
| 45-54 | 2044 | 809,341 | 200 | 9.9 | 8.3-11.5 | 1844 | 90.1 | 88.5-91.7 |
| 55-64 | 2914 | 840,539 | 276 | 9.6 | 8.2-11.0 | 2638 | 90.4 | 89.0-91.8 |
| 65+ | 5202 | 1,002,796 | 472 | 8.5 | 7.5- 9.5 | 4730 | 91.5 | 90.5-92.5 |
| Less Than H.S. | 999 | 605,536 | 171 | 14.5 | 11.8-17.2 | 828 | 85.5 | 82.8-88.2 |
| H.S. or G.E.D. | 4449 | 1,660,230 | 507 | 9.6 | 8.6-10.6 | 3942 | 90.4 | 89.4-91.4 |
| Some Post-H.S. | 3366 | 1,510,574 | 308 | 7.9 | 6.7- 9.1 | 3058 | 92.1 | 90.9-93.3 |
| College Graduate | 4477 | 1,102,478 | 163 | 2.7 | 2.1- 3.3 | 4314 | 97.3 | 96.7-97.9 |
| Less than \$15,000 | 1175 | 433,299 | 306 | 23.0 | 19.9-26.1 | 869 | 77.0 | 73.9-80.1 |
| \$15,000- 24,999 | 2168 | 783,377 | 328 | 14.4 | 12.4-16.4 | 1840 | 85.6 | 83.6-87.6 |
| \$25,000- 34,999 | 1391 | 494,843 | 115 | 7.9 | 5.9- 9.9 | 1276 | 92.1 | 90.1-94.1 |
| \$35,000- 49,999 | 1807 | 687,030 | 120 | 5.9 | 4.3- 7.5 | 1687 | 94.1 | 92.5-95.7 |
| \$50,000- 74,999 | 1913 | 720,325 | 65 | 4.8 | 3.2- 6.4 | 1848 | 95.2 | 93.6-96.8 |
| \$75,000+ | 3373 | 1,265,846 | 61 | 1.7 | 1.1- 2.3 | 3312 | 98.3 | 97.7-98.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 76: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|--|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | N | % | C.I. (95%) | |
| Male | 5728 | 2,375,226 | 380 | 6.6 | 5.8- 7.4 | 5348 | 93.4 | 92.6-94.2 | |
| White/Non-Hisp | 4764 | 1,907,435 | 287 | 6.3 | 5.3- 7.3 | 4477 | 93.7 | 92.7-94.7 | |
| Black or Afr. Am./Non-Hisp | 321 | 188,628 | 29 | 6.3 | 3.6- 9.0 | 292 | 93.7 | 91.0-96.4 | |
| Oth. Race/Non-Hisp. | 161 | 70,137 | 24 | 9.9 | 4.8-15.0 | 137 | 90.1 | 85.0-95.2 | |
| MultiRacial/Non-Hisp. | 108 | 31,356 | 11 | 11.3 | 3.3-19.3 | 97 | 88.7 | 80.7-96.7 | |
| Hispanic | 251 | 129,188 | 14 | 5.4 | 2.3- 8.5 | 237 | 94.6 | 91.5-97.7 | |
| 18-24 | 375 | 336,138 | 21 | 6.8 | 3.7- 9.9 | 354 | 93.2 | 90.1-96.3 | |
| 25-34 | 564 | 398,740 | 21 | 3.5 | 1.9- 5.1 | 543 | 96.5 | 94.9-98.1 | |
| 35-44 | 597 | 385,170 | 37 | 5.6 | 3.4- 7.8 | 560 | 94.4 | 92.2-96.6 | |
| 45-54 | 914 | 403,291 | 82 | 8.8 | 6.6-11.0 | 832 | 91.2 | 89.0-93.4 | |
| 55-64 | 1340 | 411,223 | 104 | 9.2 | 7.2-11.2 | 1236 | 90.8 | 88.8-92.8 | |
| 65+ | 1938 | 440,665 | 115 | 5.8 | 4.6- 7.0 | 1823 | 94.2 | 93.0-95.4 | |
| Less Than H.S. | 414 | 299,296 | 62 | 14.2 | 10.1-18.3 | 352 | 85.8 | 81.7-89.9 | |
| H.S. or G.E.D. | 1837 | 827,189 | 159 | 7.4 | 6.0- 8.8 | 1678 | 92.6 | 91.2-94.0 | |
| Some Post-H.S. | 1404 | 699,652 | 97 | 5.7 | 4.3- 7.1 | 1307 | 94.3 | 92.9-95.7 | |
| College Graduate | 2056 | 542,179 | 61 | 2.4 | 1.6- 3.2 | 1995 | 97.6 | 96.8-98.4 | |
| Less than \$15,000 | 402 | 170,552 | 103 | 23.9 | 18.6-29.2 | 299 | 76.1 | 70.8-81.4 | |
| \$15,000- 24,999 | 819 | 350,530 | 107 | 13.0 | 10.3-15.7 | 712 | 87.0 | 84.3-89.7 | |
| \$25,000- 34,999 | 552 | 227,294 | 37 | 6.5 | 4.0- 9.0 | 515 | 93.5 | 91.0-96.0 | |
| \$35,000- 49,999 | 850 | 363,640 | 54 | 5.8 | 3.4- 8.2 | 796 | 94.2 | 91.8-96.6 | |
| \$50,000- 74,999 | 888 | 368,842 | 24 | 3.2 | 1.6- 4.8 | 864 | 96.8 | 95.2-98.4 | |
| \$75,000+ | 1749 | 696,948 | 22 | 1.1 | 0.5- 1.7 | 1727 | 98.9 | 98.3-99.5 | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 8: DEMOGRAPHICS**

**TABLE 77: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7594 | 2,513,534 | 772 | 9.5 | 8.5-10.5 | 6822 | 90.5 | 89.5-91.5 |
| White/Non-Hisp | 6433 | 2,039,878 | 641 | 9.3 | 8.3-10.3 | 5792 | 90.7 | 89.7-91.7 |
| Black or Afr. Am./Non-Hisp | 556 | 221,235 | 60 | 10.0 | 6.9-13.1 | 496 | 90.0 | 86.9-93.1 |
| Oth. Race/Non-Hisp. | 112 | 49,445 | 15 | 16.7 | 4.9-28.5 | 97 | 83.3 | 71.5-95.1 |
| MultiRacial/Non-Hisp. | 93 | 26,557 | 15 | 14.9 | 6.3-23.5 | 78 | 85.1 | 76.5-93.7 |
| Hispanic | 296 | 142,354 | 24 | 7.5 | 4.2-10.8 | 272 | 92.5 | 89.2-95.8 |
| 18-24 | 285 | 317,663 | 21 | 7.5 | 4.0-11.0 | 264 | 92.5 | 89.0-96.0 |
| 25-34 | 583 | 399,981 | 42 | 7.8 | 5.3-10.3 | 541 | 92.2 | 89.7-94.7 |
| 35-44 | 758 | 398,394 | 62 | 9.3 | 6.8-11.8 | 696 | 90.7 | 88.2-93.2 |
| 45-54 | 1130 | 406,050 | 118 | 10.9 | 8.7-13.1 | 1012 | 89.1 | 86.9-91.3 |
| 55-64 | 1574 | 429,316 | 172 | 9.9 | 8.1-11.7 | 1402 | 90.1 | 88.3-91.9 |
| 65+ | 3264 | 562,131 | 357 | 10.6 | 9.2-12.0 | 2907 | 89.4 | 88.0-90.8 |
| Less Than H.S. | 585 | 306,240 | 109 | 14.9 | 11.2-18.6 | 476 | 85.1 | 81.4-88.8 |
| H.S. or G.E.D. | 2612 | 833,041 | 348 | 11.7 | 10.1-13.3 | 2264 | 88.3 | 86.7-89.9 |
| Some Post-H.S. | 1962 | 810,922 | 211 | 9.7 | 7.9-11.5 | 1751 | 90.3 | 88.5-92.1 |
| College Graduate | 2421 | 560,299 | 102 | 3.0 | 2.2- 3.8 | 2319 | 97.0 | 96.2-97.8 |
| Less than \$15,000 | 773 | 262,747 | 203 | 22.4 | 18.5-26.3 | 570 | 77.6 | 73.7-81.5 |
| \$15,000- 24,999 | 1349 | 432,847 | 221 | 15.6 | 12.9-18.3 | 1128 | 84.4 | 81.7-87.1 |
| \$25,000- 34,999 | 839 | 267,549 | 78 | 9.1 | 6.4-11.8 | 761 | 90.9 | 88.2-93.6 |
| \$35,000- 49,999 | 957 | 323,391 | 66 | 6.1 | 4.3- 7.9 | 891 | 93.9 | 92.1-95.7 |
| \$50,000- 74,999 | 1025 | 351,483 | 41 | 6.3 | 3.6- 9.0 | 984 | 93.7 | 91.0-96.4 |
| \$75,000+ | 1624 | 568,898 | 39 | 2.5 | 1.5- 3.5 | 1585 | 97.5 | 96.5-98.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017**

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|--|------|
| HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100) | |
| 1 MALES AND FEMALES | 182 |
| 2 MALES ONLY | 183 |
| 3 FEMALES ONLY | 184 |
| DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2) | |
| 4 MALES AND FEMALES | 185 |
| 5 MALES ONLY | 186 |
| 6 FEMALES ONLY | 187 |
| DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2) | |
| 7 MALES AND FEMALES | 188 |
| 8 MALES ONLY | 189 |
| 9 FEMALES ONLY | 190 |
| HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2) | |
| 10 MALES AND FEMALES | 191 |
| 11 MALES ONLY | 192 |
| 12 FEMALES ONLY | 193 |
| DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3) | |
| 13 MALES AND FEMALES | 194 |
| 14 MALES ONLY | 195 |
| 15 FEMALES ONLY | 196 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13285 | 4,870,143 | 6112 | 46.3 | 45.1-47.5 | 7173 | 53.7 | 52.5-54.9 |
| Male | 5693 | 2,360,304 | 2945 | 51.3 | 49.5-53.1 | 2748 | 48.7 | 46.9-50.5 |
| Female | 7592 | 2,509,839 | 3167 | 41.6 | 40.0-43.2 | 4425 | 58.4 | 56.8-60.0 |
| White/Non-Hisp | 11170 | 3,932,892 | 5276 | 48.8 | 47.6-50.0 | 5894 | 51.2 | 50.0-52.4 |
| Black or Afr. Am./Non-Hisp | 872 | 407,177 | 350 | 37.3 | 33.0-41.6 | 522 | 62.7 | 58.4-67.0 |
| Oth. Race/Non-Hisp. | 272 | 118,977 | 91 | 25.4 | 18.5-32.3 | 181 | 74.6 | 67.7-81.5 |
| MultiRacial/Non-Hisp. | 203 | 58,660 | 111 | 50.8 | 42.2-59.4 | 92 | 49.2 | 40.6-57.8 |
| Hispanic | 546 | 271,042 | 164 | 29.8 | 25.1-34.5 | 382 | 70.2 | 65.5-74.9 |
| 18-24 | 658 | 651,230 | 157 | 26.4 | 22.5-30.3 | 501 | 73.6 | 69.7-77.5 |
| 25-34 | 1142 | 794,267 | 499 | 48.2 | 44.9-51.5 | 643 | 51.8 | 48.5-55.1 |
| 35-44 | 1348 | 779,153 | 608 | 47.8 | 44.7-50.9 | 740 | 52.2 | 49.1-55.3 |
| 45-54 | 2043 | 809,543 | 930 | 49.2 | 46.7-51.7 | 1113 | 50.8 | 48.3-53.3 |
| 55-64 | 2904 | 838,066 | 1426 | 51.2 | 49.0-53.4 | 1478 | 48.8 | 46.6-51.0 |
| 65+ | 5190 | 997,885 | 2492 | 50.3 | 48.5-52.1 | 2698 | 49.7 | 47.9-51.5 |
| Less Than H.S. | 999 | 604,217 | 592 | 59.6 | 55.5-63.7 | 407 | 40.4 | 36.3-44.5 |
| H.S. or G.E.D. | 4438 | 1,653,062 | 2354 | 52.2 | 50.2-54.2 | 2084 | 47.8 | 45.8-49.8 |
| Some Post-H.S. | 3358 | 1,505,326 | 1681 | 47.5 | 45.3-49.7 | 1677 | 52.5 | 50.3-54.7 |
| College Graduate | 4460 | 1,097,720 | 1467 | 28.8 | 27.2-30.4 | 2993 | 71.2 | 69.6-72.8 |
| Less than \$15,000 | 1176 | 431,405 | 671 | 54.3 | 50.4-58.2 | 505 | 45.7 | 41.8-49.6 |
| \$15,000- 24,999 | 2161 | 778,490 | 1163 | 53.9 | 51.0-56.8 | 998 | 46.1 | 43.2-49.0 |
| \$25,000- 34,999 | 1387 | 493,072 | 709 | 51.0 | 47.5-54.5 | 678 | 49.0 | 45.5-52.5 |
| \$35,000- 49,999 | 1802 | 685,659 | 901 | 51.7 | 48.6-54.8 | 901 | 48.3 | 45.2-51.4 |
| \$50,000- 74,999 | 1908 | 717,594 | 845 | 45.0 | 42.1-47.9 | 1063 | 55.0 | 52.1-57.9 |
| \$75,000+ | 3362 | 1,262,546 | 1236 | 37.6 | 35.4-39.8 | 2126 | 62.4 | 60.2-64.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5693 | 2,360,304 | 2945 | 51.3 | 49.5-53.1 | 2748 | 48.7 | 46.9-50.5 |
| White/Non-Hisp | 4739 | 1,896,243 | 2503 | 53.2 | 51.4-55.0 | 2236 | 46.8 | 45.0-48.6 |
| Black or Afr. Am./Non-Hisp | 317 | 186,354 | 152 | 47.4 | 40.3-54.5 | 165 | 52.6 | 45.5-59.7 |
| Oth. Race/Non-Hisp. | 159 | 69,425 | 61 | 28.0 | 19.8-36.2 | 98 | 72.0 | 63.8-80.2 |
| MultiRacial/Non-Hisp. | 109 | 31,800 | 64 | 58.0 | 46.8-69.2 | 45 | 42.0 | 30.8-53.2 |
| Hispanic | 250 | 128,863 | 97 | 39.7 | 32.3-47.1 | 153 | 60.3 | 52.9-67.7 |
| 18-24 | 374 | 335,533 | 99 | 27.8 | 22.5-33.1 | 275 | 72.2 | 66.9-77.5 |
| 25-34 | 561 | 395,429 | 270 | 54.1 | 49.4-58.8 | 291 | 45.9 | 41.2-50.6 |
| 35-44 | 591 | 381,766 | 292 | 52.0 | 47.3-56.7 | 299 | 48.0 | 43.3-52.7 |
| 45-54 | 911 | 402,146 | 450 | 53.8 | 49.9-57.7 | 461 | 46.2 | 42.3-50.1 |
| 55-64 | 1332 | 408,496 | 684 | 54.5 | 51.4-57.6 | 648 | 45.5 | 42.4-48.6 |
| 65+ | 1924 | 436,934 | 1150 | 61.1 | 58.4-63.8 | 774 | 38.9 | 36.2-41.6 |
| Less Than H.S. | 413 | 297,767 | 292 | 69.4 | 63.7-75.1 | 121 | 30.6 | 24.9-36.3 |
| H.S. or G.E.D. | 1829 | 824,102 | 1136 | 58.0 | 55.1-60.9 | 693 | 42.0 | 39.1-44.9 |
| Some Post-H.S. | 1392 | 693,216 | 759 | 50.7 | 47.4-54.0 | 633 | 49.3 | 46.0-52.6 |
| College Graduate | 2043 | 538,434 | 751 | 32.2 | 29.8-34.6 | 1292 | 67.8 | 65.4-70.2 |
| Less than \$15,000 | 401 | 168,942 | 255 | 60.3 | 54.0-66.6 | 146 | 39.7 | 33.4-46.0 |
| \$15,000- 24,999 | 813 | 347,285 | 493 | 59.5 | 55.2-63.8 | 320 | 40.5 | 36.2-44.8 |
| \$25,000- 34,999 | 551 | 226,790 | 322 | 54.9 | 49.4-60.4 | 229 | 45.1 | 39.6-50.6 |
| \$35,000- 49,999 | 845 | 361,973 | 492 | 59.0 | 54.5-63.5 | 353 | 41.0 | 36.5-45.5 |
| \$50,000- 74,999 | 882 | 365,618 | 452 | 52.9 | 48.6-57.2 | 430 | 47.1 | 42.8-51.4 |
| \$75,000+ | 1739 | 694,035 | 703 | 40.8 | 37.9-43.7 | 1036 | 59.2 | 56.3-62.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7592 | 2,509,839 | 3167 | 41.6 | 40.0-43.2 | 4425 | 58.4 | 56.8-60.0 |
| White/Non-Hisp | 6431 | 2,036,649 | 2773 | 44.8 | 43.0-46.6 | 3658 | 55.2 | 53.4-57.0 |
| Black or Afr. Am./Non-Hisp | 555 | 220,823 | 198 | 28.7 | 24.0-33.4 | 357 | 71.3 | 66.6-76.0 |
| Oth. Race/Non-Hisp. | 113 | 49,552 | 30 | 21.7 | 10.1-33.3 | 83 | 78.3 | 66.7-89.9 |
| MultiRacial/Non-Hisp. | 94 | 26,859 | 47 | 42.3 | 29.2-55.4 | 47 | 57.7 | 44.6-70.8 |
| Hispanic | 296 | 142,179 | 67 | 20.7 | 15.2-26.2 | 229 | 79.3 | 73.8-84.8 |
| 18-24 | 284 | 315,697 | 58 | 25.0 | 18.9-31.1 | 226 | 75.0 | 68.9-81.1 |
| 25-34 | 581 | 398,839 | 229 | 42.4 | 37.9-46.9 | 352 | 57.6 | 53.1-62.1 |
| 35-44 | 757 | 397,386 | 316 | 43.8 | 39.7-47.9 | 441 | 56.2 | 52.1-60.3 |
| 45-54 | 1132 | 407,397 | 480 | 44.7 | 41.4-48.0 | 652 | 55.3 | 52.0-58.6 |
| 55-64 | 1572 | 429,569 | 742 | 48.0 | 45.1-50.9 | 830 | 52.0 | 49.1-54.9 |
| 65+ | 3266 | 560,951 | 1342 | 41.8 | 39.6-44.0 | 1924 | 58.2 | 56.0-60.4 |
| Less Than H.S. | 586 | 306,450 | 300 | 50.0 | 44.3-55.7 | 286 | 50.0 | 44.3-55.7 |
| H.S. or G.E.D. | 2609 | 828,961 | 1218 | 46.4 | 43.9-48.9 | 1391 | 53.6 | 51.1-56.1 |
| Some Post-H.S. | 1966 | 812,109 | 922 | 44.8 | 41.9-47.7 | 1044 | 55.2 | 52.3-58.1 |
| College Graduate | 2417 | 559,286 | 716 | 25.5 | 23.3-27.7 | 1701 | 74.5 | 72.3-76.7 |
| Less than \$15,000 | 775 | 262,463 | 416 | 50.4 | 45.3-55.5 | 359 | 49.6 | 44.5-54.7 |
| \$15,000- 24,999 | 1348 | 431,204 | 670 | 49.4 | 45.5-53.3 | 678 | 50.6 | 46.7-54.5 |
| \$25,000- 34,999 | 836 | 266,282 | 387 | 47.7 | 43.0-52.4 | 449 | 52.3 | 47.6-57.0 |
| \$35,000- 49,999 | 957 | 323,686 | 409 | 43.4 | 38.9-47.9 | 548 | 56.6 | 52.1-61.1 |
| \$50,000- 74,999 | 1026 | 351,976 | 393 | 36.9 | 32.8-41.0 | 633 | 63.1 | 59.0-67.2 |
| \$75,000+ | 1623 | 568,512 | 533 | 33.7 | 30.8-36.6 | 1090 | 66.3 | 63.4-69.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Every day | | | Some days | | | Not at all | | |
|----------------------------|-------------------|-----------|-----------|------|------------|-----------|------|------------|------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 6088 | 2,249,675 | 1704 | 34.1 | 32.5-35.7 | 607 | 13.0 | 11.8-14.2 | 3777 | 52.9 | 51.1-54.7 |
| Male | 2935 | 1,207,880 | 789 | 32.0 | 29.6-34.4 | 290 | 13.8 | 12.0-15.6 | 1856 | 54.2 | 51.8-56.6 |
| Female | 3153 | 1,041,795 | 915 | 36.5 | 34.1-38.9 | 317 | 12.0 | 10.2-13.8 | 1921 | 51.5 | 49.1-53.9 |
| White/Non-Hisp | 5259 | 1,916,152 | 1460 | 34.3 | 32.5-36.1 | 465 | 11.5 | 10.1-12.9 | 3334 | 54.2 | 52.4-56.0 |
| Black or Afr. Am./Non-Hisp | 348 | 151,655 | 99 | 33.4 | 26.5-40.3 | 64 | 23.5 | 17.4-29.6 | 185 | 43.1 | 36.0-50.2 |
| Oth. Race/Non-Hisp. | 90 | 30,142 | 33 | 37.1 | 22.6-51.6 | 15 | 26.2 | 9.9-42.5 | 42 | 36.7 | 23.2-50.2 |
| MultiRacial/Non-Hisp. | 111 | 29,809 | 46 | 46.8 | 34.6-59.0 | 18 | 17.9 | 8.5-27.3 | 47 | 35.3 | 24.3-46.3 |
| Hispanic | 163 | 79,821 | 32 | 20.4 | 12.6-28.2 | 35 | 26.8 | 18.2-35.4 | 96 | 52.8 | 43.4-62.2 |
| 18-24 | 157 | 172,146 | 65 | 43.1 | 34.3-51.9 | 42 | 27.6 | 19.4-35.8 | 50 | 29.3 | 21.5-37.1 |
| 25-34 | 498 | 382,575 | 220 | 43.1 | 38.2-48.0 | 78 | 15.8 | 12.1-19.5 | 200 | 41.1 | 36.2-46.0 |
| 35-44 | 607 | 372,029 | 241 | 40.1 | 35.6-44.6 | 84 | 14.6 | 11.5-17.7 | 282 | 45.3 | 40.8-49.8 |
| 45-54 | 925 | 396,181 | 357 | 40.6 | 36.9-44.3 | 116 | 12.5 | 10.0-15.0 | 452 | 47.0 | 43.3-50.7 |
| 55-64 | 1422 | 427,657 | 468 | 34.0 | 31.1-36.9 | 151 | 11.6 | 9.4-13.8 | 803 | 54.4 | 51.3-57.5 |
| 65+ | 2479 | 499,087 | 353 | 14.5 | 12.7-16.3 | 136 | 6.3 | 4.9- 7.7 | 1990 | 79.3 | 77.3-81.3 |
| Less Than H.S. | 588 | 357,937 | 244 | 45.3 | 40.0-50.6 | 81 | 16.7 | 12.4-21.0 | 263 | 38.0 | 33.1-42.9 |
| H.S. or G.E.D. | 2345 | 859,840 | 782 | 37.8 | 35.3-40.3 | 237 | 13.1 | 11.1-15.1 | 1326 | 49.1 | 46.6-51.6 |
| Some Post-H.S. | 1675 | 713,554 | 466 | 31.9 | 29.0-34.8 | 176 | 12.5 | 10.3-14.7 | 1033 | 55.6 | 52.5-58.7 |
| College Graduate | 1462 | 314,713 | 209 | 16.4 | 13.9-18.9 | 111 | 9.7 | 7.5-11.9 | 1142 | 73.9 | 71.0-76.8 |
| Less than \$15,000 | 668 | 233,573 | 265 | 44.9 | 39.8-50.0 | 119 | 21.0 | 16.5-25.5 | 284 | 34.2 | 29.5-38.9 |
| \$15,000- 24,999 | 1160 | 419,220 | 431 | 46.8 | 42.9-50.7 | 127 | 13.6 | 10.9-16.3 | 602 | 39.6 | 35.9-43.3 |
| \$25,000- 34,999 | 707 | 250,608 | 212 | 35.2 | 30.3-40.1 | 69 | 15.0 | 10.9-19.1 | 426 | 49.7 | 44.6-54.8 |
| \$35,000- 49,999 | 896 | 352,338 | 221 | 31.3 | 27.0-35.6 | 82 | 12.7 | 9.4-16.0 | 593 | 56.0 | 51.5-60.5 |
| \$50,000- 74,999 | 841 | 321,920 | 186 | 26.8 | 22.7-30.9 | 73 | 9.6 | 6.9-12.3 | 582 | 63.7 | 59.2-68.2 |
| \$75,000+ | 1233 | 474,448 | 238 | 24.4 | 21.3-27.5 | 83 | 10.3 | 7.8-12.8 | 912 | 65.3 | 61.8-68.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Every day | | | Some days | | | Not at all | | |
|----------------------------|-------------------|-----------|-----------|------|------------|-----------|------|------------|------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2935 | 1,207,880 | 789 | 32.0 | 29.6-34.4 | 290 | 13.8 | 12.0-15.6 | 1856 | 54.2 | 51.8-56.6 |
| White/Non-Hisp | 2495 | 1,005,596 | 656 | 31.9 | 29.4-34.4 | 207 | 11.8 | 9.8-13.8 | 1632 | 56.3 | 53.8-58.8 |
| Black or Afr. Am./Non-Hisp | 152 | 88,413 | 44 | 33.7 | 23.7-43.7 | 35 | 26.4 | 17.6-35.2 | 73 | 40.0 | 30.0-50.0 |
| Oth. Race/Non-Hisp. | 60 | 19,392 | 22 | 41.9 | 25.2-58.6 | 10 | 23.8 | 7.9-39.7 | 28 | 34.3 | 19.6-49.0 |
| MultiRacial/Non-Hisp. | 64 | 18,456 | 28 | 45.8 | 30.7-60.9 | 11 | 19.8 | 6.7-32.9 | 25 | 34.4 | 20.1-48.7 |
| Hispanic | 96 | 50,322 | 21 | 20.2 | 10.8-29.6 | 20 | 28.9 | 17.5-40.3 | 55 | 50.9 | 38.7-63.1 |
| 18-24 | 99 | 93,116 | 39 | 37.8 | 27.2-48.4 | 28 | 30.1 | 19.5-40.7 | 32 | 32.1 | 21.7-42.5 |
| 25-34 | 270 | 214,020 | 107 | 37.5 | 31.0-44.0 | 49 | 19.3 | 13.8-24.8 | 114 | 43.2 | 36.5-49.9 |
| 35-44 | 292 | 198,398 | 114 | 40.6 | 33.9-47.3 | 40 | 14.2 | 9.7-18.7 | 138 | 45.2 | 38.5-51.9 |
| 45-54 | 447 | 214,821 | 171 | 39.8 | 34.5-45.1 | 54 | 12.2 | 8.5-15.9 | 222 | 48.0 | 42.5-53.5 |
| 55-64 | 683 | 221,622 | 215 | 32.3 | 28.2-36.4 | 70 | 12.5 | 9.2-15.8 | 398 | 55.3 | 50.8-59.8 |
| 65+ | 1144 | 265,902 | 143 | 12.6 | 10.2-15.0 | 49 | 5.9 | 3.9- 7.9 | 952 | 81.5 | 78.8-84.2 |
| Less Than H.S. | 290 | 204,973 | 115 | 42.3 | 35.2-49.4 | 41 | 17.3 | 11.4-23.2 | 134 | 40.3 | 33.4-47.2 |
| H.S. or G.E.D. | 1133 | 477,097 | 361 | 35.1 | 31.6-38.6 | 118 | 14.4 | 11.7-17.1 | 654 | 50.6 | 47.1-54.1 |
| Some Post-H.S. | 757 | 350,884 | 204 | 28.8 | 24.7-32.9 | 78 | 12.9 | 9.8-16.0 | 475 | 58.3 | 53.8-62.8 |
| College Graduate | 748 | 173,034 | 109 | 17.8 | 14.1-21.5 | 52 | 10.3 | 7.2-13.4 | 587 | 71.9 | 67.6-76.2 |
| Less than \$15,000 | 255 | 101,902 | 106 | 43.6 | 35.8-51.4 | 50 | 21.9 | 15.4-28.4 | 99 | 34.4 | 27.0-41.8 |
| \$15,000- 24,999 | 493 | 206,625 | 180 | 45.0 | 39.1-50.9 | 53 | 15.8 | 11.3-20.3 | 260 | 39.3 | 34.0-44.6 |
| \$25,000- 34,999 | 321 | 123,667 | 97 | 36.3 | 28.9-43.7 | 34 | 16.2 | 10.1-22.3 | 190 | 47.5 | 40.2-54.8 |
| \$35,000- 49,999 | 487 | 211,816 | 116 | 28.9 | 23.4-34.4 | 45 | 14.4 | 9.5-19.3 | 326 | 56.7 | 50.8-62.6 |
| \$50,000- 74,999 | 451 | 192,909 | 105 | 27.2 | 21.7-32.7 | 36 | 9.2 | 5.7-12.7 | 310 | 63.6 | 57.7-69.5 |
| \$75,000+ | 701 | 283,217 | 130 | 22.9 | 18.8-27.0 | 55 | 11.9 | 8.4-15.4 | 516 | 65.2 | 60.5-69.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Every day | | | Some days | | | Not at all | | |
|----------------------------|-------------------|-----------|-----------|------|------------|-----------|------|------------|------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3153 | 1,041,795 | 915 | 36.5 | 34.1-38.9 | 317 | 12.0 | 10.2-13.8 | 1921 | 51.5 | 49.1-53.9 |
| White/Non-Hisp | 2764 | 910,557 | 804 | 37.0 | 34.5-39.5 | 258 | 11.0 | 9.2-12.8 | 1702 | 52.0 | 49.5-54.5 |
| Black or Afr. Am./Non-Hisp | 196 | 63,242 | 55 | 33.1 | 24.3-41.9 | 29 | 19.4 | 11.6-27.2 | 112 | 47.5 | 38.3-56.7 |
| Hispanic | 67 | 29,499 | 11 | 20.9 | 7.4-34.4 | 15 | 23.2 | 10.9-35.5 | 41 | 55.9 | 40.8-71.0 |
| 18-24 | 58 | 79,030 | 26 | 49.5 | 35.0-64.0 | 14 | 24.5 | 11.8-37.2 | 18 | 26.0 | 14.2-37.8 |
| 25-34 | 228 | 168,555 | 113 | 50.3 | 43.0-57.6 | 29 | 11.3 | 7.0-15.6 | 86 | 38.3 | 31.2-45.4 |
| 35-44 | 315 | 173,631 | 127 | 39.5 | 33.4-45.6 | 44 | 15.0 | 10.5-19.5 | 144 | 45.5 | 39.2-51.8 |
| 45-54 | 478 | 181,360 | 186 | 41.5 | 36.2-46.8 | 62 | 12.7 | 9.4-16.0 | 230 | 45.7 | 40.6-50.8 |
| 55-64 | 739 | 206,035 | 253 | 35.8 | 31.5-40.1 | 81 | 10.7 | 8.0-13.4 | 405 | 53.5 | 49.2-57.8 |
| 65+ | 1335 | 233,184 | 210 | 16.6 | 14.1-19.1 | 87 | 6.7 | 4.9- 8.5 | 1038 | 76.7 | 73.8-79.6 |
| Less Than H.S. | 298 | 152,964 | 129 | 49.2 | 41.4-57.0 | 40 | 15.9 | 9.8-22.0 | 129 | 35.0 | 27.9-42.1 |
| H.S. or G.E.D. | 1212 | 382,743 | 421 | 41.2 | 37.3-45.1 | 119 | 11.4 | 8.9-13.9 | 672 | 47.4 | 43.5-51.3 |
| Some Post-H.S. | 918 | 362,669 | 262 | 34.8 | 30.7-38.9 | 98 | 12.2 | 9.5-14.9 | 558 | 53.0 | 48.9-57.1 |
| College Graduate | 714 | 141,679 | 100 | 14.6 | 11.3-17.9 | 59 | 9.0 | 6.1-11.9 | 555 | 76.4 | 72.3-80.5 |
| Less than \$15,000 | 413 | 131,671 | 159 | 45.8 | 38.9-52.7 | 69 | 20.2 | 14.1-26.3 | 185 | 34.0 | 27.9-40.1 |
| \$15,000- 24,999 | 667 | 212,596 | 251 | 48.6 | 43.3-53.9 | 74 | 11.4 | 8.1-14.7 | 342 | 40.0 | 35.1-44.9 |
| \$25,000- 34,999 | 386 | 126,942 | 115 | 34.2 | 27.7-40.7 | 35 | 14.0 | 8.3-19.7 | 236 | 51.9 | 45.0-58.8 |
| \$35,000- 49,999 | 409 | 140,522 | 105 | 34.8 | 27.7-41.9 | 37 | 10.2 | 6.3-14.1 | 267 | 55.0 | 47.9-62.1 |
| \$50,000- 74,999 | 390 | 129,011 | 81 | 26.1 | 19.8-32.4 | 37 | 10.3 | 5.6-15.0 | 272 | 63.7 | 56.8-70.6 |
| \$75,000+ | 532 | 191,231 | 108 | 26.7 | 21.4-32.0 | 28 | 7.8 | 4.5-11.1 | 396 | 65.6 | 60.1-71.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 2307 | 1,057,859 | 1242 | 55.9 | 53.4-58.4 | 1065 | 44.1 | 41.6-46.6 |
| Male | 1077 | 553,090 | 577 | 55.6 | 51.9-59.3 | 500 | 44.4 | 40.7-48.1 |
| Female | 1230 | 504,769 | 665 | 56.2 | 52.5-59.9 | 565 | 43.8 | 40.1-47.5 |
| White/Non-Hisp | 1921 | 875,907 | 998 | 54.2 | 51.3-57.1 | 923 | 45.8 | 42.9-48.7 |
| Black or Afr. Am./Non-Hisp | 163 | 86,289 | 118 | 74.8 | 66.8-82.8 | 45 | 25.2 | 17.2-33.2 |
| MultiRacial/Non-Hisp. | 64 | 19,289 | 37 | 55.4 | 39.5-71.3 | 27 | 44.6 | 28.7-60.5 |
| Hispanic | 67 | 37,693 | 37 | 51.3 | 37.0-65.6 | 30 | 48.7 | 34.4-63.0 |
| 18-24 | 107 | 121,682 | 67 | 64.3 | 54.1-74.5 | 40 | 35.7 | 25.5-45.9 |
| 25-34 | 298 | 225,458 | 179 | 59.8 | 53.3-66.3 | 119 | 40.2 | 33.7-46.7 |
| 35-44 | 325 | 203,332 | 175 | 51.7 | 45.4-58.0 | 150 | 48.3 | 42.0-54.6 |
| 45-54 | 472 | 209,430 | 265 | 57.3 | 52.0-62.6 | 207 | 42.7 | 37.4-48.0 |
| 55-64 | 617 | 194,565 | 324 | 53.4 | 48.7-58.1 | 293 | 46.6 | 41.9-51.3 |
| 65+ | 488 | 103,391 | 232 | 47.4 | 41.9-52.9 | 256 | 52.6 | 47.1-58.1 |
| Less Than H.S. | 324 | 221,086 | 182 | 56.3 | 49.4-63.2 | 142 | 43.7 | 36.8-50.6 |
| H.S. or G.E.D. | 1018 | 437,033 | 522 | 52.9 | 49.0-56.8 | 496 | 47.1 | 43.2-51.0 |
| Some Post-H.S. | 641 | 316,659 | 364 | 60.3 | 55.8-64.8 | 277 | 39.7 | 35.2-44.2 |
| College Graduate | 319 | 82,044 | 171 | 53.3 | 46.4-60.2 | 148 | 46.7 | 39.8-53.6 |
| Less than \$15,000 | 384 | 153,701 | 235 | 61.1 | 54.8-67.4 | 149 | 38.9 | 32.6-45.2 |
| \$15,000- 24,999 | 557 | 252,926 | 311 | 57.6 | 52.1-63.1 | 246 | 42.4 | 36.9-47.9 |
| \$25,000- 34,999 | 281 | 125,965 | 142 | 55.8 | 48.2-63.4 | 139 | 44.2 | 36.6-51.8 |
| \$35,000- 49,999 | 303 | 155,023 | 152 | 51.4 | 44.0-58.8 | 151 | 48.6 | 41.2-56.0 |
| \$50,000- 74,999 | 259 | 117,014 | 135 | 56.0 | 48.4-63.6 | 124 | 44.0 | 36.4-51.6 |
| \$75,000+ | 320 | 164,267 | 164 | 52.6 | 45.9-59.3 | 156 | 47.4 | 40.7-54.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1077 | 553,090 | 577 | 55.6 | 51.9-59.3 | 500 | 44.4 | 40.7-48.1 |
| White/Non-Hisp | 861 | 439,325 | 440 | 53.8 | 49.7-57.9 | 421 | 46.2 | 42.1-50.3 |
| Black or Afr. Am./Non-Hisp | 79 | 53,091 | 54 | 71.4 | 59.8-83.0 | 25 | 28.6 | 17.0-40.2 |
| 18-24 | 67 | 63,226 | 43 | 66.3 | 53.8-78.8 | 24 | 33.7 | 21.2-46.2 |
| 25-34 | 156 | 121,502 | 99 | 61.7 | 52.7-70.7 | 57 | 38.3 | 29.3-47.3 |
| 35-44 | 154 | 108,706 | 85 | 50.7 | 41.7-59.7 | 69 | 49.3 | 40.3-58.3 |
| 45-54 | 225 | 111,710 | 124 | 54.9 | 47.3-62.5 | 101 | 45.1 | 37.5-52.7 |
| 55-64 | 284 | 98,890 | 149 | 54.8 | 47.9-61.7 | 135 | 45.2 | 38.3-52.1 |
| 65+ | 191 | 49,055 | 77 | 40.7 | 32.3-49.1 | 114 | 59.3 | 50.9-67.7 |
| Less Than H.S. | 156 | 122,341 | 87 | 53.7 | 44.1-63.3 | 69 | 46.3 | 36.7-55.9 |
| H.S. or G.E.D. | 478 | 235,620 | 252 | 56.1 | 50.8-61.4 | 226 | 43.9 | 38.6-49.2 |
| Some Post-H.S. | 282 | 146,348 | 150 | 56.4 | 49.3-63.5 | 132 | 43.6 | 36.5-50.7 |
| College Graduate | 160 | 48,571 | 87 | 55.1 | 45.7-64.5 | 73 | 44.9 | 35.5-54.3 |
| Less than \$15,000 | 156 | 66,822 | 98 | 63.1 | 53.7-72.5 | 58 | 36.9 | 27.5-46.3 |
| \$15,000- 24,999 | 233 | 125,505 | 129 | 58.2 | 50.4-66.0 | 104 | 41.8 | 34.0-49.6 |
| \$25,000- 34,999 | 131 | 64,867 | 64 | 49.2 | 38.0-60.4 | 67 | 50.8 | 39.6-62.0 |
| \$35,000- 49,999 | 161 | 91,801 | 86 | 56.0 | 46.2-65.8 | 75 | 44.0 | 34.2-53.8 |
| \$50,000- 74,999 | 141 | 70,171 | 70 | 53.7 | 43.9-63.5 | 71 | 46.3 | 36.5-56.1 |
| \$75,000+ | 184 | 98,418 | 95 | 53.3 | 44.7-61.9 | 89 | 46.7 | 38.1-55.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1230 | 504,769 | 665 | 56.2 | 52.5-59.9 | 565 | 43.8 | 40.1-47.5 |
| White/Non-Hisp | 1060 | 436,583 | 558 | 54.6 | 50.5-58.7 | 502 | 45.4 | 41.3-49.5 |
| Black or Afr. Am./Non-Hisp | 84 | 33,198 | 64 | 80.1 | 70.5-89.7 | 20 | 19.9 | 10.3-29.5 |
| 25-34 | 142 | 103,956 | 80 | 57.6 | 48.4-66.8 | 62 | 42.4 | 33.2-51.6 |
| 35-44 | 171 | 94,626 | 90 | 52.8 | 44.4-61.2 | 81 | 47.2 | 38.8-55.6 |
| 45-54 | 247 | 97,720 | 141 | 60.1 | 53.0-67.2 | 106 | 39.9 | 32.8-47.0 |
| 55-64 | 333 | 95,674 | 175 | 51.9 | 45.2-58.6 | 158 | 48.1 | 41.4-54.8 |
| 65+ | 297 | 54,336 | 155 | 53.5 | 46.4-60.6 | 142 | 46.5 | 39.4-53.6 |
| Less Than H.S. | 168 | 98,746 | 95 | 59.6 | 49.6-69.6 | 73 | 40.4 | 30.4-50.4 |
| H.S. or G.E.D. | 540 | 201,413 | 270 | 49.0 | 43.3-54.7 | 270 | 51.0 | 45.3-56.7 |
| Some Post-H.S. | 359 | 170,311 | 214 | 63.7 | 57.6-69.8 | 145 | 36.3 | 30.2-42.4 |
| College Graduate | 159 | 33,473 | 84 | 50.7 | 40.7-60.7 | 75 | 49.3 | 39.3-59.3 |
| Less than \$15,000 | 228 | 86,879 | 137 | 59.6 | 51.0-68.2 | 91 | 40.4 | 31.8-49.0 |
| \$15,000- 24,999 | 324 | 127,421 | 182 | 56.9 | 49.5-64.3 | 142 | 43.1 | 35.7-50.5 |
| \$25,000- 34,999 | 150 | 61,099 | 78 | 62.8 | 53.2-72.4 | 72 | 37.2 | 27.6-46.8 |
| \$35,000- 49,999 | 142 | 63,222 | 66 | 44.6 | 33.6-55.6 | 76 | 55.4 | 44.4-66.4 |
| \$50,000- 74,999 | 118 | 46,844 | 65 | 59.6 | 47.8-71.4 | 53 | 40.4 | 28.6-52.2 |
| \$75,000+ | 136 | 65,849 | 69 | 51.7 | 41.1-62.3 | 67 | 48.3 | 37.7-58.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 0-12 months ago | | | 1-5 years ago | | | 5-10 years ago | | | 10+ years ago | | | Never smoked regularly | | |
|----------------------------|-------------------|-----------|-----------------|------|------------|---------------|------|------------|----------------|------|------------|---------------|------|------------|------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 3762 | 1,181,155 | 327 | 14.3 | 12.5-16.1 | 529 | 19.2 | 17.2-21.2 | 407 | 12.3 | 10.9-13.7 | 2492 | 54.1 | 51.9-56.3 | 7 | 0.2 | 0.0- 0.4 |
| Male | 1845 | 646,503 | 160 | 14.5 | 12.0-17.0 | 246 | 18.2 | 15.7-20.7 | 210 | 12.6 | 10.6-14.6 | 1227 | 54.6 | 51.5-57.7 | 2 | 0.2 | 0.0- 0.4 |
| Female | 1917 | 534,652 | 167 | 14.1 | 11.6-16.6 | 283 | 20.4 | 17.7-23.1 | 197 | 11.9 | 9.9-13.9 | 1265 | 53.5 | 50.4-56.6 | 5 | 0.2 | 0.0- 0.4 |
| White/Non-Hisp | 3323 | 1,031,589 | 272 | 13.9 | 11.9-15.9 | 450 | 18.4 | 16.4-20.4 | 348 | 12.2 | 10.6-13.8 | 2248 | 55.3 | 52.9-57.7 | 5 | 0.1 | 0.1- 0.1 |
| Black or Afr. Am./Non-Hisp | 181 | 63,360 | 20 | 14.5 | 6.9-22.1 | 29 | 27.1 | 15.7-38.5 | 24 | 14.2 | 7.5-20.9 | 107 | 43.9 | 33.7-54.1 | 1 | 0.4 | 0.0- 1.2 |
| Hispanic | 96 | 42,128 | 21 | 24.4 | 12.8-36.0 | 19 | 23.3 | 12.3-34.3 | 14 | 12.5 | 5.2-19.8 | 42 | 39.8 | 27.8-51.8 | | | |
| 25-34 | 196 | 152,860 | 66 | 33.5 | 26.1-40.9 | 80 | 42.0 | 34.2-49.8 | 34 | 17.4 | 11.5-23.3 | 16 | 7.1 | 3.4-10.8 | | | |
| 35-44 | 282 | 168,697 | 40 | 14.5 | 9.6-19.4 | 76 | 27.4 | 21.1-33.7 | 60 | 21.4 | 15.9-26.9 | 105 | 36.4 | 29.7-43.1 | 1 | 0.4 | 0.0- 1.2 |
| 45-54 | 448 | 183,976 | 62 | 15.2 | 11.1-19.3 | 102 | 21.1 | 16.8-25.4 | 56 | 13.1 | 9.6-16.6 | 227 | 50.5 | 45.0-56.0 | 1 | 0.2 | 0.0- 0.6 |
| 55-64 | 800 | 231,960 | 68 | 10.1 | 7.4-12.8 | 120 | 15.5 | 12.4-18.6 | 102 | 11.6 | 9.1-14.1 | 509 | 62.6 | 58.5-66.7 | 1 | 0.1 | 0.0- 0.3 |
| 65+ | 1987 | 394,663 | 62 | 3.1 | 2.1- 4.1 | 131 | 5.6 | 4.4- 6.8 | 155 | 7.9 | 6.5- 9.3 | 1635 | 83.2 | 81.2-85.2 | 4 | 0.2 | 0.0- 0.4 |
| Less Than H.S. | 262 | 135,714 | 42 | 23.1 | 15.8-30.4 | 37 | 20.2 | 13.1-27.3 | 30 | 7.4 | 4.3-10.5 | 153 | 49.3 | 41.5-57.1 | | | |
| H.S. or G.E.D. | 1319 | 416,636 | 107 | 13.0 | 10.1-15.9 | 196 | 18.7 | 15.8-21.6 | 152 | 13.6 | 11.1-16.1 | 861 | 54.4 | 50.9-57.9 | 3 | 0.2 | 0.0- 0.6 |
| Some Post-H.S. | 1029 | 394,269 | 106 | 15.2 | 12.1-18.3 | 156 | 21.2 | 17.5-24.9 | 116 | 12.1 | 9.6-14.6 | 650 | 51.4 | 47.5-55.3 | 1 | 0.1 | 0.0- 0.3 |
| College Graduate | 1139 | 231,941 | 71 | 10.1 | 7.6-12.6 | 139 | 16.1 | 13.2-19.0 | 107 | 12.9 | 10.2-15.6 | 819 | 60.7 | 57.0-64.4 | 3 | 0.2 | 0.0- 0.4 |
| Less than \$15,000 | 282 | 79,249 | 37 | 20.4 | 13.1-27.7 | 62 | 25.6 | 18.0-33.2 | 29 | 8.9 | 4.6-13.2 | 154 | 45.1 | 37.1-53.1 | | | |
| \$15,000- 24,999 | 600 | 165,274 | 51 | 12.5 | 8.4-16.6 | 83 | 20.1 | 15.2-25.0 | 70 | 11.6 | 8.5-14.7 | 396 | 55.8 | 50.3-61.3 | | | |
| \$25,000- 34,999 | 425 | 124,128 | 42 | 16.5 | 10.8-22.2 | 66 | 19.8 | 14.1-25.5 | 37 | 9.1 | 5.4-12.8 | 279 | 54.6 | 47.9-61.3 | 1 | 0.0 | 0.0- 0.0 |
| \$35,000- 49,999 | 592 | 196,146 | 47 | 15.9 | 10.8-21.0 | 71 | 17.9 | 13.2-22.6 | 73 | 13.5 | 9.8-17.2 | 398 | 52.1 | 46.6-57.6 | 3 | 0.6 | 0.0- 1.4 |
| \$50,000- 74,999 | 578 | 201,002 | 46 | 13.1 | 8.6-17.6 | 79 | 18.3 | 13.2-23.4 | 60 | 13.4 | 9.3-17.5 | 393 | 55.2 | 49.3-61.1 | | | |
| \$75,000+ | 912 | 309,901 | 71 | 11.8 | 8.7-14.9 | 128 | 19.8 | 16.3-23.3 | 105 | 13.9 | 11.0-16.8 | 606 | 54.4 | 50.3-58.5 | 2 | 0.1 | 0.0- 0.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 0-12 months ago | | | 1-5 years ago | | | 5-10 years ago | | | 10+ years ago | | | Never smoked regularly | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|----------------|------|------------|---------------|------|------------|------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1845 | 646,503 | 160 | 14.5 | 12.0-17.0 | 246 | 18.2 | 15.7-20.7 | 210 | 12.6 | 10.6-14.6 | 1227 | 54.6 | 51.5-57.7 | 2 | 0.2 | 0.0- 0.4 |
| White/Non-Hisp | 1623 | 559,000 | 132 | 14.3 | 11.6-17.0 | 205 | 17.0 | 14.5-19.5 | 175 | 12.4 | 10.2-14.6 | 1110 | 56.2 | 52.9-59.5 | 1 | 0.1 | 0.0- 0.3 |
| Black or Afr. Am./Non-Hisp | 71 | 34,306 | 6 | 9.7 | 0.9-18.5 | 11 | 31.5 | 13.5-49.5 | 13 | 17.7 | 7.1-28.3 | 41 | 41.0 | 25.9-56.1 | | | |
| Hispanic | 55 | 25,633 | 15 | 30.1 | 13.8-46.4 | 11 | 21.2 | 8.1-34.3 | 6 | 7.4 | 0.5-14.3 | 23 | 41.4 | 25.3-57.5 | | | |
| 25-34 | 110 | 88,261 | 38 | 33.9 | 24.1-43.7 | 45 | 41.9 | 31.5-52.3 | 20 | 18.1 | 10.5-25.7 | 7 | 6.1 | 1.0-11.2 | | | |
| 35-44 | 138 | 89,692 | 19 | 15.2 | 8.1-22.3 | 41 | 28.7 | 19.5-37.9 | 30 | 22.3 | 14.5-30.1 | 47 | 33.1 | 23.7-42.5 | 1 | 0.7 | 0.0- 2.1 |
| 45-54 | 221 | 102,531 | 36 | 17.1 | 11.0-23.2 | 44 | 17.1 | 11.4-22.8 | 33 | 14.7 | 9.6-19.8 | 107 | 50.8 | 43.0-58.6 | 1 | 0.3 | 0.0- 0.9 |
| 55-64 | 396 | 121,778 | 28 | 8.6 | 4.9-12.3 | 58 | 14.7 | 10.4-19.0 | 49 | 10.6 | 7.3-13.9 | 261 | 66.1 | 60.4-71.8 | | | |
| 65+ | 949 | 215,815 | 21 | 2.1 | 1.1- 3.1 | 45 | 4.1 | 2.7- 5.5 | 78 | 8.1 | 6.1-10.1 | 805 | 85.8 | 83.3-88.3 | | | |
| Less Than H.S. | 133 | 82,214 | 22 | 25.0 | 14.8-35.2 | 15 | 18.2 | 9.0-27.4 | 10 | 4.1 | 1.2- 7.0 | 86 | 52.8 | 42.0-63.6 | | | |
| H.S. or G.E.D. | 648 | 235,792 | 51 | 12.6 | 8.7-16.5 | 91 | 18.5 | 14.4-22.6 | 84 | 14.4 | 11.1-17.7 | 420 | 54.0 | 49.1-58.9 | 2 | 0.4 | 0.0- 1.0 |
| Some Post-H.S. | 473 | 203,027 | 42 | 14.2 | 9.7-18.7 | 65 | 18.6 | 13.5-23.7 | 58 | 13.6 | 9.5-17.7 | 308 | 53.5 | 47.6-59.4 | | | |
| College Graduate | 585 | 123,788 | 44 | 11.8 | 8.1-15.5 | 74 | 17.0 | 12.9-21.1 | 57 | 12.9 | 9.2-16.6 | 410 | 58.4 | 53.1-63.7 | | | |
| Less than \$15,000 | 97 | 34,456 | 14 | 23.8 | 11.6-36.0 | 19 | 26.5 | 14.0-39.0 | 12 | 5.5 | 1.8- 9.2 | 52 | 44.2 | 31.1-57.3 | | | |
| \$15,000- 24,999 | 259 | 80,702 | 20 | 11.2 | 5.1-17.3 | 30 | 14.6 | 8.3-20.9 | 30 | 10.9 | 6.4-15.4 | 179 | 63.3 | 55.3-71.3 | | | |
| \$25,000- 34,999 | 190 | 58,800 | 15 | 11.6 | 4.9-18.3 | 26 | 22.1 | 13.1-31.1 | 21 | 13.3 | 6.4-20.2 | 128 | 53.1 | 43.7-62.5 | | | |
| \$35,000- 49,999 | 325 | 118,847 | 31 | 16.1 | 10.0-22.2 | 41 | 15.8 | 10.3-21.3 | 40 | 13.6 | 8.7-18.5 | 212 | 53.9 | 46.8-61.0 | 1 | 0.6 | 0.0- 1.6 |
| \$50,000- 74,999 | 307 | 119,321 | 24 | 14.3 | 7.8-20.8 | 37 | 17.6 | 10.3-24.9 | 33 | 13.0 | 7.9-18.1 | 213 | 55.1 | 47.1-63.1 | | | |
| \$75,000+ | 516 | 184,519 | 41 | 12.9 | 8.6-17.2 | 77 | 21.2 | 16.1-26.3 | 57 | 12.9 | 9.4-16.4 | 340 | 52.8 | 47.1-58.5 | 1 | 0.2 | 0.0- 0.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 0-12 months ago | | | 1-5 years ago | | | 5-10 years ago | | | 10+ years ago | | | Never smoked regularly | | |
|----------------------------|-------------------|----------|-----------------|------|------------|---------------|------|------------|----------------|------|------------|---------------|------|------------|------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1917 | 534,652 | 167 | 14.1 | 11.6-16.6 | 283 | 20.4 | 17.7-23.1 | 197 | 11.9 | 9.9-13.9 | 1265 | 53.5 | 50.4-56.6 | 5 | 0.2 | 0.0- 0.4 |
| White/Non-Hisp | 1700 | 472,590 | 140 | 13.5 | 10.8-16.2 | 245 | 20.1 | 17.2-23.0 | 173 | 12.0 | 9.8-14.2 | 1138 | 54.3 | 51.0-57.6 | 4 | 0.1 | 0.0- 0.3 |
| Black or Afr. Am./Non-Hisp | 110 | 29,054 | 14 | 20.1 | 7.6-32.6 | 18 | 21.8 | 10.2-33.4 | 11 | 9.9 | 2.1-17.7 | 66 | 47.3 | 34.2-60.4 | 1 | 0.8 | 0.0- 2.4 |
| 25-34 | 86 | 64,599 | 28 | 32.9 | 21.7-44.1 | 35 | 42.1 | 30.3-53.9 | 14 | 16.5 | 7.5-25.5 | 9 | 8.5 | 2.6-14.4 | | | |
| 35-44 | 144 | 79,005 | 21 | 13.7 | 7.2-20.2 | 35 | 25.9 | 17.5-34.3 | 30 | 20.3 | 13.0-27.6 | 58 | 40.1 | 30.9-49.3 | | | |
| 45-54 | 227 | 81,445 | 26 | 12.8 | 7.5-18.1 | 58 | 26.1 | 19.4-32.8 | 23 | 11.0 | 6.1-15.9 | 120 | 50.1 | 42.7-57.5 | | | |
| 55-64 | 404 | 110,182 | 40 | 11.7 | 7.4-16.0 | 62 | 16.4 | 11.9-20.9 | 53 | 12.8 | 9.1-16.5 | 248 | 58.9 | 53.0-64.8 | 1 | 0.2 | 0.0- 0.6 |
| 65+ | 1038 | 178,848 | 41 | 4.3 | 2.7- 5.9 | 86 | 7.5 | 5.5- 9.5 | 77 | 7.8 | 5.6-10.0 | 830 | 80.1 | 77.2-83.0 | 4 | 0.3 | 0.0- 0.7 |
| Less Than H.S. | 129 | 53,500 | 20 | 20.2 | 10.2-30.2 | 22 | 23.4 | 12.4-34.4 | 20 | 12.5 | 6.0-19.0 | 67 | 43.9 | 32.9-54.9 | | | |
| H.S. or G.E.D. | 671 | 180,844 | 56 | 13.5 | 9.2-17.8 | 105 | 18.9 | 14.6-23.2 | 68 | 12.5 | 8.6-16.4 | 441 | 54.9 | 49.6-60.2 | 1 | 0.0 | 0.0- 0.0 |
| Some Post-H.S. | 556 | 191,242 | 64 | 16.2 | 11.7-20.7 | 91 | 23.9 | 18.6-29.2 | 58 | 10.5 | 7.4-13.6 | 342 | 49.2 | 43.9-54.5 | 1 | 0.2 | 0.0- 0.6 |
| College Graduate | 554 | 108,153 | 27 | 8.2 | 4.9-11.5 | 65 | 15.2 | 10.9-19.5 | 50 | 12.9 | 8.8-17.0 | 409 | 63.3 | 57.8-68.8 | 3 | 0.4 | 0.0- 1.0 |
| Less than \$15,000 | 185 | 44,793 | 23 | 17.8 | 8.8-26.8 | 43 | 24.9 | 15.5-34.3 | 17 | 11.5 | 4.6-18.4 | 102 | 45.8 | 35.8-55.8 | | | |
| \$15,000- 24,999 | 341 | 84,573 | 31 | 13.8 | 8.3-19.3 | 53 | 25.3 | 18.0-32.6 | 40 | 12.3 | 7.8-16.8 | 217 | 48.6 | 41.5-55.7 | | | |
| \$25,000- 34,999 | 235 | 65,328 | 27 | 20.9 | 12.1-29.7 | 40 | 17.6 | 10.7-24.5 | 16 | 5.3 | 2.0- 8.6 | 151 | 56.1 | 46.9-65.3 | 1 | 0.1 | 0.0- 0.3 |
| \$35,000- 49,999 | 267 | 77,300 | 16 | 15.7 | 7.3-24.1 | 30 | 21.0 | 12.4-29.6 | 33 | 13.3 | 7.8-18.8 | 186 | 49.1 | 40.3-57.9 | 2 | 0.8 | 0.0- 2.0 |
| \$50,000- 74,999 | 271 | 81,681 | 22 | 11.4 | 5.9-16.9 | 42 | 19.3 | 12.8-25.8 | 27 | 14.0 | 7.3-20.7 | 180 | 55.3 | 47.3-63.3 | | | |
| \$75,000+ | 396 | 125,382 | 30 | 10.2 | 6.3-14.1 | 51 | 17.7 | 12.6-22.8 | 48 | 15.3 | 10.6-20.0 | 266 | 56.7 | 50.6-62.8 | 1 | 0.1 | 0.0- 0.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Every day | | | Some days | | | Not at all | | |
|----------------------------|-------------------|-----------|-----------|-----|------------|-----------|-----|------------|------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13233 | 4,850,443 | 240 | 2.6 | 2.2- 3.0 | 211 | 2.4 | 2.0- 2.8 | 12782 | 95.1 | 94.5-95.7 |
| Male | 5683 | 2,352,290 | 209 | 4.6 | 3.8- 5.4 | 171 | 4.1 | 3.3- 4.9 | 5303 | 91.3 | 90.3-92.3 |
| Female | 7550 | 2,498,153 | 31 | 0.7 | 0.3- 1.1 | 40 | 0.7 | 0.3- 1.1 | 7479 | 98.7 | 98.3-99.1 |
| White/Non-Hisp | 11127 | 3,919,793 | 208 | 2.8 | 2.4- 3.2 | 172 | 2.4 | 2.0- 2.8 | 10747 | 94.8 | 94.2-95.4 |
| Black or Afr. Am./Non-Hisp | 867 | 403,622 | 10 | 1.2 | 0.2- 2.2 | 13 | 1.6 | 0.6- 2.6 | 844 | 97.2 | 95.8-98.6 |
| Oth. Race/Non-Hisp. | 272 | 119,061 | 5 | 2.8 | 0.0- 6.9 | 7 | 3.2 | 0.3- 6.1 | 260 | 94.0 | 88.9-99.1 |
| MultiRacial/Non-Hisp. | 202 | 58,571 | 5 | 2.1 | 0.0- 4.3 | 5 | 3.0 | 0.3- 5.7 | 192 | 94.9 | 91.4-98.4 |
| Hispanic | 546 | 270,272 | 4 | 1.4 | 0.0- 3.0 | 10 | 2.2 | 0.6- 3.8 | 532 | 96.4 | 94.2-98.6 |
| 18-24 | 655 | 647,407 | 17 | 2.8 | 1.2- 4.4 | 19 | 3.0 | 1.4- 4.6 | 619 | 94.2 | 92.0-96.4 |
| 25-34 | 1138 | 791,256 | 38 | 4.3 | 2.9- 5.7 | 42 | 4.0 | 2.6- 5.4 | 1058 | 91.7 | 89.7-93.7 |
| 35-44 | 1347 | 776,491 | 42 | 3.1 | 2.1- 4.1 | 39 | 3.4 | 2.2- 4.6 | 1266 | 93.5 | 91.9-95.1 |
| 45-54 | 2035 | 805,327 | 50 | 2.7 | 1.9- 3.5 | 36 | 2.1 | 1.3- 2.9 | 1949 | 95.3 | 94.1-96.5 |
| 55-64 | 2888 | 832,970 | 45 | 1.6 | 1.0- 2.2 | 31 | 1.1 | 0.7- 1.5 | 2812 | 97.2 | 96.4-98.0 |
| 65+ | 5170 | 996,991 | 48 | 1.2 | 0.8- 1.6 | 44 | 1.1 | 0.7- 1.5 | 5078 | 97.7 | 97.1-98.3 |
| Less Than H.S. | 993 | 600,358 | 23 | 2.2 | 1.0- 3.4 | 20 | 2.6 | 1.0- 4.2 | 950 | 95.1 | 93.1-97.1 |
| H.S. or G.E.D. | 4414 | 1,646,126 | 116 | 3.7 | 2.9- 4.5 | 90 | 2.9 | 2.1- 3.7 | 4208 | 93.4 | 92.4-94.4 |
| Some Post-H.S. | 3351 | 1,499,108 | 61 | 2.3 | 1.5- 3.1 | 56 | 2.4 | 1.6- 3.2 | 3234 | 95.3 | 94.3-96.3 |
| College Graduate | 4446 | 1,095,179 | 38 | 1.3 | 0.9- 1.7 | 44 | 1.4 | 0.8- 2.0 | 4364 | 97.4 | 96.8-98.0 |
| Less than \$15,000 | 1169 | 430,958 | 22 | 2.1 | 0.9- 3.3 | 27 | 3.0 | 1.6- 4.4 | 1120 | 94.9 | 93.3-96.5 |
| \$15,000- 24,999 | 2148 | 774,379 | 31 | 1.9 | 1.1- 2.7 | 42 | 2.4 | 1.6- 3.2 | 2075 | 95.6 | 94.4-96.8 |
| \$25,000- 34,999 | 1381 | 489,436 | 27 | 2.4 | 1.2- 3.6 | 21 | 2.8 | 1.0- 4.6 | 1333 | 94.8 | 92.8-96.8 |
| \$35,000- 49,999 | 1799 | 685,024 | 33 | 2.7 | 1.5- 3.9 | 27 | 2.0 | 1.2- 2.8 | 1739 | 95.3 | 93.9-96.7 |
| \$50,000- 74,999 | 1901 | 713,690 | 40 | 3.5 | 2.1- 4.9 | 28 | 1.8 | 1.0- 2.6 | 1833 | 94.7 | 93.1-96.3 |
| \$75,000+ | 3353 | 1,258,706 | 67 | 3.0 | 2.2- 3.8 | 48 | 2.4 | 1.6- 3.2 | 3238 | 94.7 | 93.5-95.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Every day | | | Some days | | | Not at all | | |
|----------------------------|-------------------|-----------|-----------|-----|------------|-----------|-----|------------|------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5683 | 2,352,290 | 209 | 4.6 | 3.8- 5.4 | 171 | 4.1 | 3.3- 4.9 | 5303 | 91.3 | 90.3-92.3 |
| White/Non-Hisp | 4730 | 1,892,397 | 183 | 5.1 | 4.3- 5.9 | 144 | 4.4 | 3.6- 5.2 | 4403 | 90.5 | 89.3-91.7 |
| Black or Afr. Am./Non-Hisp | 315 | 183,877 | 6 | 1.9 | 0.3- 3.5 | 7 | 2.0 | 0.2- 3.8 | 302 | 96.1 | 93.7-98.5 |
| Oth. Race/Non-Hisp. | 160 | 69,533 | 4 | 1.2 | 0.0- 3.2 | 5 | 3.2 | 0.3- 6.1 | 151 | 95.5 | 92.0-99.0 |
| MultiRacial/Non-Hisp. | 109 | 31,800 | 5 | 3.9 | 0.0- 7.8 | 4 | 5.1 | 0.2-10.0 | 100 | 91.0 | 84.7-97.3 |
| Hispanic | 250 | 128,093 | 4 | 3.0 | 0.0- 6.1 | 9 | 4.0 | 0.9- 7.1 | 237 | 93.0 | 88.7-97.3 |
| 18-24 | 371 | 331,710 | 15 | 4.6 | 2.1- 7.1 | 16 | 4.5 | 2.0- 7.0 | 340 | 90.9 | 87.4-94.4 |
| 25-34 | 559 | 394,170 | 35 | 7.9 | 5.2-10.6 | 38 | 7.3 | 4.8- 9.8 | 486 | 84.8 | 81.3-88.3 |
| 35-44 | 591 | 380,208 | 35 | 5.2 | 3.4- 7.0 | 33 | 6.0 | 3.8- 8.2 | 523 | 88.8 | 86.1-91.5 |
| 45-54 | 912 | 402,268 | 45 | 4.9 | 3.3- 6.5 | 33 | 4.0 | 2.4- 5.6 | 834 | 91.0 | 88.8-93.2 |
| 55-64 | 1325 | 405,953 | 38 | 2.7 | 1.7- 3.7 | 21 | 1.7 | 0.9- 2.5 | 1266 | 95.6 | 94.4-96.8 |
| 65+ | 1925 | 437,981 | 41 | 2.4 | 1.6- 3.2 | 30 | 1.8 | 1.0- 2.6 | 1854 | 95.9 | 94.9-96.9 |
| Less Than H.S. | 411 | 295,878 | 14 | 2.6 | 0.8- 4.4 | 14 | 4.3 | 1.6- 7.0 | 383 | 93.1 | 90.0-96.2 |
| H.S. or G.E.D. | 1820 | 820,540 | 103 | 6.8 | 5.2- 8.4 | 73 | 4.9 | 3.5- 6.3 | 1644 | 88.4 | 86.4-90.4 |
| Some Post-H.S. | 1394 | 690,871 | 55 | 4.5 | 3.1- 5.9 | 48 | 4.4 | 3.0- 5.8 | 1291 | 91.1 | 89.1-93.1 |
| College Graduate | 2042 | 538,216 | 36 | 2.4 | 1.4- 3.4 | 35 | 2.5 | 1.5- 3.5 | 1971 | 95.1 | 93.7-96.5 |
| Less than \$15,000 | 401 | 169,026 | 14 | 2.9 | 1.1- 4.7 | 19 | 5.6 | 2.9- 8.3 | 368 | 91.5 | 88.2-94.8 |
| \$15,000- 24,999 | 809 | 345,307 | 22 | 3.2 | 1.4- 5.0 | 32 | 4.3 | 2.5- 6.1 | 755 | 92.4 | 90.0-94.8 |
| \$25,000- 34,999 | 548 | 224,266 | 22 | 4.5 | 2.1- 6.9 | 15 | 4.6 | 1.7- 7.5 | 511 | 91.0 | 87.3-94.7 |
| \$35,000- 49,999 | 846 | 362,463 | 29 | 4.6 | 2.6- 6.6 | 24 | 3.5 | 1.9- 5.1 | 793 | 91.9 | 89.4-94.4 |
| \$50,000- 74,999 | 880 | 363,465 | 39 | 6.1 | 3.7- 8.5 | 23 | 3.3 | 1.7- 4.9 | 818 | 90.6 | 87.9-93.3 |
| \$75,000+ | 1737 | 692,542 | 65 | 5.2 | 3.8- 6.6 | 46 | 4.2 | 2.8- 5.6 | 1626 | 90.7 | 88.7-92.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 9: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Every day | | | Some days | | | Not at all | | |
|----------------------------|-------------------|-----------|-----------|-----|------------|-----------|-----|------------|------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7550 | 2,498,153 | 31 | 0.7 | 0.3- 1.1 | 40 | 0.7 | 0.3- 1.1 | 7479 | 98.7 | 98.3-99.1 |
| White/Non-Hisp | 6397 | 2,027,396 | 25 | 0.6 | 0.4- 0.8 | 28 | 0.6 | 0.2- 1.0 | 6344 | 98.9 | 98.5-99.3 |
| Black or Afr. Am./Non-Hisp | 552 | 219,745 | 4 | 0.7 | 0.0- 1.5 | 6 | 1.3 | 0.1- 2.5 | 542 | 98.1 | 96.7-99.5 |
| Oth. Race/Non-Hisp. | 112 | 49,528 | 1 | 5.1 | 0.0-14.5 | 2 | 3.1 | 0.0- 8.8 | 109 | 91.9 | 81.1- 100 |
| MultiRacial/Non-Hisp. | 93 | 26,771 | | | | 1 | 0.6 | 0.0- 1.8 | 92 | 99.4 | 98.2- 100 |
| Hispanic | 296 | 142,179 | | | | 1 | 0.5 | 0.0- 1.5 | 295 | 99.5 | 98.5- 100 |
| 18-24 | 284 | 315,697 | 2 | 1.0 | 0.0- 2.6 | 3 | 1.4 | 0.0- 3.2 | 279 | 97.6 | 95.2- 100 |
| 25-34 | 579 | 397,086 | 3 | 0.8 | 0.0- 1.8 | 4 | 0.7 | 0.1- 1.3 | 572 | 98.6 | 97.4-99.8 |
| 35-44 | 756 | 396,282 | 7 | 1.1 | 0.1- 2.1 | 6 | 0.9 | 0.1- 1.7 | 743 | 98.0 | 96.8-99.2 |
| 45-54 | 1123 | 403,059 | 5 | 0.4 | 0.0- 0.8 | 3 | 0.1 | 0.0- 0.3 | 1115 | 99.5 | 99.1-99.9 |
| 55-64 | 1563 | 427,017 | 7 | 0.6 | 0.0- 1.2 | 10 | 0.6 | 0.2- 1.0 | 1546 | 98.7 | 98.1-99.3 |
| 65+ | 3245 | 559,010 | 7 | 0.3 | 0.1- 0.5 | 14 | 0.6 | 0.2- 1.0 | 3224 | 99.2 | 98.8-99.6 |
| Less Than H.S. | 582 | 304,480 | 9 | 1.9 | 0.1- 3.7 | 6 | 1.0 | 0.0- 2.2 | 567 | 97.1 | 94.9-99.3 |
| H.S. or G.E.D. | 2594 | 825,586 | 13 | 0.7 | 0.3- 1.1 | 17 | 0.9 | 0.5- 1.3 | 2564 | 98.4 | 97.8-99.0 |
| Some Post-H.S. | 1957 | 808,237 | 6 | 0.5 | 0.0- 1.1 | 8 | 0.7 | 0.1- 1.3 | 1943 | 98.8 | 98.0-99.6 |
| College Graduate | 2404 | 556,963 | 2 | 0.1 | 0.0- 0.3 | 9 | 0.3 | 0.1- 0.5 | 2393 | 99.6 | 99.4-99.8 |
| Less than \$15,000 | 768 | 261,932 | 8 | 1.6 | 0.2- 3.0 | 8 | 1.3 | 0.1- 2.5 | 752 | 97.0 | 95.2-98.8 |
| \$15,000- 24,999 | 1339 | 429,073 | 9 | 0.9 | 0.1- 1.7 | 10 | 0.9 | 0.3- 1.5 | 1320 | 98.2 | 97.2-99.2 |
| \$25,000- 34,999 | 833 | 265,169 | 5 | 0.7 | 0.0- 1.5 | 6 | 1.4 | 0.0- 3.2 | 822 | 98.0 | 96.0- 100 |
| \$35,000- 49,999 | 953 | 322,561 | 4 | 0.6 | 0.0- 1.2 | 3 | 0.3 | 0.0- 0.7 | 946 | 99.1 | 98.3-99.9 |
| \$50,000- 74,999 | 1021 | 350,225 | 1 | 0.7 | 0.0- 2.1 | 5 | 0.3 | 0.0- 0.7 | 1015 | 99.0 | 97.6- 100 |
| \$75,000+ | 1616 | 566,164 | 2 | 0.3 | 0.0- 0.7 | 2 | 0.2 | 0.0- 0.4 | 1612 | 99.5 | 98.9- 100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017

SECTION 10: E-CIGARETTES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| | HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET) | |
| 1 | MALES AND FEMALES | 198 |
| 2 | MALES ONLY | 199 |
| 3 | FEMALES ONLY | 200 |
| | DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW) | |
| 4 | MALES AND FEMALES | 201 |
| 5 | MALES ONLY | 202 |
| 6 | FEMALES ONLY | 203 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 1: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13155 | 4,815,299 | 2278 | 24.8 | 23.6-26.0 | 10877 | 75.2 | 74.0-76.4 |
| Male | 5646 | 2,338,861 | 1113 | 28.2 | 26.6-29.8 | 4533 | 71.8 | 70.2-73.4 |
| Female | 7509 | 2,476,438 | 1165 | 21.5 | 20.1-22.9 | 6344 | 78.5 | 77.1-79.9 |
| White/Non-Hisp | 11066 | 3,893,865 | 1890 | 25.6 | 24.4-26.8 | 9176 | 74.4 | 73.2-75.6 |
| Black or Afr. Am./Non-Hisp | 856 | 395,933 | 137 | 21.1 | 17.2-25.0 | 719 | 78.9 | 75.0-82.8 |
| Oth. Race/Non-Hisp. | 270 | 117,626 | 57 | 20.4 | 14.1-26.7 | 213 | 79.6 | 73.3-85.9 |
| MultiRacial/Non-Hisp. | 201 | 58,409 | 74 | 37.9 | 29.3-46.5 | 127 | 62.1 | 53.5-70.7 |
| Hispanic | 544 | 269,561 | 80 | 16.8 | 12.7-20.9 | 464 | 83.2 | 79.1-87.3 |
| 18-24 | 655 | 644,843 | 285 | 42.8 | 38.5-47.1 | 370 | 57.2 | 52.9-61.5 |
| 25-34 | 1129 | 784,831 | 403 | 37.8 | 34.5-41.1 | 726 | 62.2 | 58.9-65.5 |
| 35-44 | 1338 | 772,634 | 327 | 27.1 | 24.4-29.8 | 1011 | 72.9 | 70.2-75.6 |
| 45-54 | 2014 | 794,081 | 438 | 23.7 | 21.5-25.9 | 1576 | 76.3 | 74.1-78.5 |
| 55-64 | 2876 | 828,488 | 493 | 18.8 | 17.0-20.6 | 2383 | 81.2 | 79.4-83.0 |
| 65+ | 5143 | 990,422 | 332 | 6.7 | 5.9- 7.5 | 4811 | 93.3 | 92.5-94.1 |
| Less Than H.S. | 986 | 595,145 | 240 | 29.7 | 25.8-33.6 | 746 | 70.3 | 66.4-74.2 |
| H.S. or G.E.D. | 4388 | 1,637,223 | 905 | 28.7 | 26.7-30.7 | 3483 | 71.3 | 69.3-73.3 |
| Some Post-H.S. | 3326 | 1,486,496 | 688 | 27.2 | 25.2-29.2 | 2638 | 72.8 | 70.8-74.8 |
| College Graduate | 4425 | 1,086,949 | 440 | 12.9 | 11.5-14.3 | 3985 | 87.1 | 85.7-88.5 |
| Less than \$15,000 | 1163 | 427,199 | 296 | 31.9 | 28.2-35.6 | 867 | 68.1 | 64.4-71.8 |
| \$15,000- 24,999 | 2132 | 766,313 | 474 | 30.2 | 27.5-32.9 | 1658 | 69.8 | 67.1-72.5 |
| \$25,000- 34,999 | 1373 | 487,180 | 266 | 26.8 | 23.3-30.3 | 1107 | 73.2 | 69.7-76.7 |
| \$35,000- 49,999 | 1791 | 682,005 | 310 | 26.4 | 23.3-29.5 | 1481 | 73.6 | 70.5-76.7 |
| \$50,000- 74,999 | 1891 | 710,068 | 305 | 22.7 | 20.0-25.4 | 1586 | 77.3 | 74.6-80.0 |
| \$75,000+ | 3336 | 1,251,635 | 407 | 18.6 | 16.6-20.6 | 2929 | 81.4 | 79.4-83.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 2: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5646 | 2,338,861 | 1113 | 28.2 | 26.6-29.8 | 4533 | 71.8 | 70.2-73.4 |
| White/Non-Hisp | 4698 | 1,880,826 | 899 | 28.6 | 26.8-30.4 | 3799 | 71.4 | 69.6-73.2 |
| Black or Afr. Am./Non-Hisp | 313 | 181,781 | 64 | 29.1 | 22.0-36.2 | 249 | 70.9 | 63.8-78.0 |
| Oth. Race/Non-Hisp. | 157 | 68,074 | 40 | 25.6 | 17.0-34.2 | 117 | 74.4 | 65.8-83.0 |
| MultiRacial/Non-Hisp. | 109 | 31,800 | 40 | 35.4 | 24.6-46.2 | 69 | 64.6 | 53.8-75.4 |
| Hispanic | 250 | 128,811 | 45 | 21.3 | 14.6-28.0 | 205 | 78.7 | 72.0-85.4 |
| 18-24 | 372 | 332,759 | 192 | 52.0 | 46.1-57.9 | 180 | 48.0 | 42.1-53.9 |
| 25-34 | 553 | 390,227 | 233 | 44.7 | 40.0-49.4 | 320 | 55.3 | 50.6-60.0 |
| 35-44 | 587 | 380,990 | 160 | 30.3 | 25.8-34.8 | 427 | 69.7 | 65.2-74.2 |
| 45-54 | 903 | 396,623 | 200 | 24.3 | 21.0-27.6 | 703 | 75.7 | 72.4-79.0 |
| 55-64 | 1324 | 404,215 | 195 | 17.1 | 14.6-19.6 | 1129 | 82.9 | 80.4-85.4 |
| 65+ | 1907 | 434,047 | 133 | 7.1 | 5.7- 8.5 | 1774 | 92.9 | 91.5-94.3 |
| Less Than H.S. | 412 | 296,804 | 117 | 33.3 | 27.4-39.2 | 295 | 66.7 | 60.8-72.6 |
| H.S. or G.E.D. | 1809 | 817,688 | 455 | 33.3 | 30.6-36.0 | 1354 | 66.7 | 64.0-69.4 |
| Some Post-H.S. | 1382 | 684,658 | 304 | 29.5 | 26.4-32.6 | 1078 | 70.5 | 67.4-73.6 |
| College Graduate | 2027 | 533,258 | 236 | 16.2 | 14.0-18.4 | 1791 | 83.8 | 81.6-86.0 |
| Less than \$15,000 | 399 | 168,303 | 122 | 37.9 | 31.6-44.2 | 277 | 62.1 | 55.8-68.4 |
| \$15,000- 24,999 | 803 | 343,767 | 200 | 32.1 | 27.8-36.4 | 603 | 67.9 | 63.6-72.2 |
| \$25,000- 34,999 | 545 | 223,558 | 116 | 29.3 | 23.8-34.8 | 429 | 70.7 | 65.2-76.2 |
| \$35,000- 49,999 | 843 | 361,212 | 172 | 30.4 | 25.9-34.9 | 671 | 69.6 | 65.1-74.1 |
| \$50,000- 74,999 | 876 | 362,805 | 169 | 28.5 | 24.2-32.8 | 707 | 71.5 | 67.2-75.8 |
| \$75,000+ | 1726 | 687,991 | 240 | 21.8 | 19.1-24.5 | 1486 | 78.2 | 75.5-80.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 3: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7509 | 2,476,438 | 1165 | 21.5 | 20.1-22.9 | 6344 | 78.5 | 77.1-79.9 |
| White/Non-Hisp | 6368 | 2,013,039 | 991 | 22.8 | 21.2-24.4 | 5377 | 77.2 | 75.6-78.8 |
| Black or Afr. Am./Non-Hisp | 543 | 214,153 | 73 | 14.3 | 10.4-18.2 | 470 | 85.7 | 81.8-89.6 |
| Oth. Race/Non-Hisp. | 113 | 49,552 | 17 | 13.3 | 4.7-21.9 | 96 | 86.7 | 78.1-95.3 |
| MultiRacial/Non-Hisp. | 92 | 26,609 | 34 | 40.8 | 27.1-54.5 | 58 | 59.2 | 45.5-72.9 |
| Hispanic | 294 | 140,751 | 35 | 12.7 | 7.6-17.8 | 259 | 87.3 | 82.2-92.4 |
| 18-24 | 283 | 312,084 | 93 | 33.0 | 26.7-39.3 | 190 | 67.0 | 60.7-73.3 |
| 25-34 | 576 | 394,604 | 170 | 30.9 | 26.6-35.2 | 406 | 69.1 | 64.8-73.4 |
| 35-44 | 751 | 391,645 | 167 | 24.0 | 20.5-27.5 | 584 | 76.0 | 72.5-79.5 |
| 45-54 | 1111 | 397,458 | 238 | 23.1 | 20.2-26.0 | 873 | 76.9 | 74.0-79.8 |
| 55-64 | 1552 | 424,273 | 298 | 20.5 | 18.0-23.0 | 1254 | 79.5 | 77.0-82.0 |
| 65+ | 3236 | 556,375 | 199 | 6.4 | 5.4-7.4 | 3037 | 93.6 | 92.6-94.6 |
| Less Than H.S. | 574 | 298,341 | 123 | 26.1 | 21.0-31.2 | 451 | 73.9 | 68.8-79.0 |
| H.S. or G.E.D. | 2579 | 819,535 | 450 | 24.1 | 21.6-26.6 | 2129 | 75.9 | 73.4-78.4 |
| Some Post-H.S. | 1944 | 801,839 | 384 | 25.3 | 22.8-27.8 | 1560 | 74.7 | 72.2-77.2 |
| College Graduate | 2398 | 553,691 | 204 | 9.8 | 8.2-11.4 | 2194 | 90.2 | 88.6-91.8 |
| Less than \$15,000 | 764 | 258,897 | 174 | 27.9 | 23.2-32.6 | 590 | 72.1 | 67.4-76.8 |
| \$15,000- 24,999 | 1329 | 422,546 | 274 | 28.6 | 24.9-32.3 | 1055 | 71.4 | 67.7-75.1 |
| \$25,000- 34,999 | 828 | 263,622 | 150 | 24.7 | 20.4-29.0 | 678 | 75.3 | 71.0-79.6 |
| \$35,000- 49,999 | 948 | 320,792 | 138 | 22.0 | 17.9-26.1 | 810 | 78.0 | 73.9-82.1 |
| \$50,000- 74,999 | 1015 | 347,262 | 136 | 16.7 | 13.4-20.0 | 879 | 83.3 | 80.0-86.6 |
| \$75,000+ | 1610 | 563,644 | 167 | 14.6 | 12.1-17.1 | 1443 | 85.4 | 82.9-87.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 4: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Every day | | | Some days | | | Not at all | | |
|----------------------------|-------------------|-----------|-----------|------|------------|-----------|------|------------|------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 2270 | 1,189,103 | 172 | 8.5 | 6.9-10.1 | 326 | 15.8 | 13.8-17.8 | 1772 | 75.7 | 73.3-78.1 |
| Male | 1109 | 657,092 | 89 | 8.7 | 6.5-10.9 | 152 | 14.8 | 12.3-17.3 | 868 | 76.5 | 73.4-79.6 |
| Female | 1161 | 532,011 | 83 | 8.2 | 6.0-10.4 | 174 | 17.0 | 14.1-19.9 | 904 | 74.8 | 71.5-78.1 |
| White/Non-Hisp | 1884 | 995,272 | 149 | 9.3 | 7.5-11.1 | 258 | 15.3 | 13.1-17.5 | 1477 | 75.4 | 72.9-77.9 |
| Black or Afr. Am./Non-Hisp | 137 | 83,469 | 6 | 3.6 | 0.0- 7.3 | 21 | 16.8 | 9.2-24.4 | 110 | 79.6 | 71.4-87.8 |
| Oth. Race/Non-Hisp. | 57 | 24,031 | 4 | 4.3 | 0.0-10.0 | 16 | 33.1 | 16.6-49.6 | 37 | 62.6 | 45.9-79.3 |
| MultiRacial/Non-Hisp. | 74 | 22,137 | 6 | 4.5 | 0.4- 8.6 | 16 | 21.7 | 11.1-32.3 | 52 | 73.9 | 62.5-85.3 |
| Hispanic | 79 | 44,958 | 3 | 1.9 | 0.0- 4.3 | 11 | 16.7 | 6.1-27.3 | 65 | 81.4 | 70.6-92.2 |
| 18-24 | 284 | 275,561 | 21 | 8.5 | 4.4-12.6 | 48 | 18.1 | 13.0-23.2 | 215 | 73.5 | 67.4-79.6 |
| 25-34 | 402 | 296,219 | 40 | 11.6 | 7.9-15.3 | 69 | 17.9 | 13.6-22.2 | 293 | 70.5 | 65.4-75.6 |
| 35-44 | 325 | 208,400 | 24 | 7.8 | 4.5-11.1 | 51 | 14.4 | 10.3-18.5 | 250 | 77.7 | 72.8-82.6 |
| 45-54 | 436 | 187,455 | 31 | 6.4 | 3.9- 8.9 | 68 | 16.0 | 11.9-20.1 | 337 | 77.6 | 73.1-82.1 |
| 55-64 | 493 | 156,015 | 37 | 6.8 | 4.1- 9.5 | 57 | 11.0 | 7.7-14.3 | 399 | 82.2 | 78.1-86.3 |
| 65+ | 330 | 65,452 | 19 | 6.8 | 3.1-10.5 | 33 | 11.9 | 7.0-16.8 | 278 | 81.2 | 75.5-86.9 |
| Less Than H.S. | 240 | 176,809 | 7 | 4.3 | 0.0- 8.6 | 43 | 17.8 | 11.9-23.7 | 190 | 77.9 | 71.0-84.8 |
| H.S. or G.E.D. | 899 | 466,886 | 72 | 9.6 | 7.1-12.1 | 139 | 16.0 | 12.9-19.1 | 688 | 74.4 | 70.7-78.1 |
| Some Post-H.S. | 686 | 403,945 | 50 | 8.8 | 6.1-11.5 | 105 | 16.8 | 13.5-20.1 | 531 | 74.4 | 70.3-78.5 |
| College Graduate | 440 | 140,691 | 42 | 9.3 | 6.0-12.6 | 38 | 9.9 | 6.6-13.2 | 360 | 80.8 | 76.3-85.3 |
| Less than \$15,000 | 294 | 135,451 | 22 | 6.9 | 3.0-10.8 | 54 | 20.9 | 15.0-26.8 | 218 | 72.2 | 65.7-78.7 |
| \$15,000- 24,999 | 472 | 230,556 | 27 | 5.2 | 2.7- 7.7 | 80 | 19.9 | 15.0-24.8 | 365 | 75.0 | 69.7-80.3 |
| \$25,000- 34,999 | 263 | 129,013 | 14 | 6.1 | 2.2-10.0 | 40 | 16.4 | 10.7-22.1 | 209 | 77.6 | 71.1-84.1 |
| \$35,000- 49,999 | 310 | 180,275 | 24 | 11.2 | 6.1-16.3 | 29 | 10.8 | 6.3-15.3 | 257 | 78.0 | 71.5-84.5 |
| \$50,000- 74,999 | 305 | 161,348 | 29 | 10.8 | 6.1-15.5 | 32 | 10.3 | 6.2-14.4 | 244 | 78.9 | 73.0-84.8 |
| \$75,000+ | 406 | 231,879 | 44 | 12.3 | 8.4-16.2 | 57 | 15.3 | 11.0-19.6 | 305 | 72.4 | 67.1-77.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 5: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Every day | | | Some days | | | Not at all | | |
|----------------------------|-------------------|----------|-----------|------|------------|-----------|------|------------|------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1109 | 657,092 | 89 | 8.7 | 6.5-10.9 | 152 | 14.8 | 12.3-17.3 | 868 | 76.5 | 73.4-79.6 |
| White/Non-Hisp | 897 | 536,758 | 78 | 10.0 | 7.3-12.7 | 114 | 14.2 | 11.5-16.9 | 705 | 75.8 | 72.3-79.3 |
| Black or Afr. Am./Non-Hisp | 64 | 52,934 | 2 | 2.1 | 0.0- 5.0 | 10 | 15.7 | 5.5-25.9 | 52 | 82.2 | 71.6-92.8 |
| 18-24 | 191 | 172,528 | 17 | 10.0 | 4.5-15.5 | 33 | 17.9 | 11.8-24.0 | 141 | 72.1 | 64.7-79.5 |
| 25-34 | 233 | 174,504 | 23 | 11.1 | 6.4-15.8 | 37 | 16.3 | 11.0-21.6 | 173 | 72.6 | 65.9-79.3 |
| 35-44 | 159 | 114,836 | 13 | 7.9 | 3.2-12.6 | 21 | 11.5 | 6.4-16.6 | 125 | 80.6 | 73.9-87.3 |
| 45-54 | 199 | 95,872 | 14 | 5.3 | 2.0- 8.6 | 30 | 15.2 | 9.3-21.1 | 155 | 79.5 | 73.0-86.0 |
| 55-64 | 195 | 69,195 | 15 | 6.9 | 2.2-11.6 | 20 | 9.9 | 4.6-15.2 | 160 | 83.2 | 76.5-89.9 |
| 65+ | 132 | 30,158 | 7 | 6.1 | 1.0-11.2 | 11 | 11.2 | 3.9-18.5 | 114 | 82.7 | 74.3-91.1 |
| Less Than H.S. | 117 | 98,806 | 3 | 5.4 | 0.0-12.1 | 20 | 15.8 | 8.4-23.2 | 94 | 78.8 | 69.4-88.2 |
| H.S. or G.E.D. | 451 | 270,249 | 37 | 8.7 | 5.6-11.8 | 66 | 15.0 | 11.1-18.9 | 348 | 76.3 | 71.6-81.0 |
| Some Post-H.S. | 304 | 201,766 | 22 | 10.0 | 5.5-14.5 | 47 | 16.6 | 11.5-21.7 | 235 | 73.4 | 67.3-79.5 |
| College Graduate | 236 | 86,200 | 26 | 9.6 | 5.3-13.9 | 19 | 8.9 | 4.6-13.2 | 191 | 81.5 | 75.8-87.2 |
| Less than \$15,000 | 122 | 63,795 | 6 | 5.8 | 0.5-11.1 | 24 | 21.9 | 13.1-30.7 | 92 | 72.4 | 62.8-82.0 |
| \$15,000- 24,999 | 199 | 109,942 | 11 | 2.8 | 0.6- 5.0 | 33 | 19.5 | 12.2-26.8 | 155 | 77.7 | 70.3-85.1 |
| \$25,000- 34,999 | 114 | 64,581 | 7 | 6.9 | 0.6-13.2 | 16 | 16.3 | 7.7-24.9 | 91 | 76.8 | 66.8-86.8 |
| \$35,000- 49,999 | 172 | 109,631 | 13 | 11.3 | 4.0-18.6 | 15 | 11.7 | 5.4-18.0 | 144 | 77.0 | 68.2-85.8 |
| \$50,000- 74,999 | 169 | 103,379 | 19 | 12.3 | 5.6-19.0 | 13 | 5.9 | 2.4- 9.4 | 137 | 81.8 | 74.5-89.1 |
| \$75,000+ | 239 | 149,330 | 28 | 12.9 | 7.8-18.0 | 34 | 14.2 | 9.1-19.3 | 177 | 72.9 | 66.2-79.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 10: E-CIGARETTES**

TABLE 6: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Every day | | | Some days | | | Not at all | | |
|----------------------------|-------------------|----------|-----------|------|------------|-----------|------|------------|------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1161 | 532,011 | 83 | 8.2 | 6.0-10.4 | 174 | 17.0 | 14.1-19.9 | 904 | 74.8 | 71.5-78.1 |
| White/Non-Hisp | 987 | 458,515 | 71 | 8.5 | 6.1-10.9 | 144 | 16.6 | 13.5-19.7 | 772 | 74.9 | 71.4-78.4 |
| Black or Afr. Am./Non-Hisp | 73 | 30,535 | 4 | 6.2 | 0.0-14.8 | 11 | 18.6 | 7.2-30.0 | 58 | 75.2 | 62.1-88.3 |
| 18-24 | 93 | 103,033 | 4 | 5.9 | 0.2-11.6 | 15 | 18.4 | 9.4-27.4 | 74 | 75.7 | 65.7-85.7 |
| 25-34 | 169 | 121,715 | 17 | 12.3 | 6.4-18.2 | 32 | 20.3 | 13.2-27.4 | 120 | 67.5 | 59.3-75.7 |
| 35-44 | 166 | 93,564 | 11 | 7.8 | 2.9-12.7 | 30 | 18.0 | 11.5-24.5 | 125 | 74.2 | 66.8-81.6 |
| 45-54 | 237 | 91,584 | 17 | 7.5 | 3.8-11.2 | 38 | 17.0 | 11.3-22.7 | 182 | 75.6 | 69.1-82.1 |
| 55-64 | 298 | 86,820 | 22 | 6.8 | 3.5-10.1 | 37 | 11.8 | 7.7-15.9 | 239 | 81.4 | 76.5-86.3 |
| 65+ | 198 | 35,294 | 12 | 7.5 | 2.4-12.6 | 22 | 12.5 | 6.0-19.0 | 164 | 80.0 | 72.4-87.6 |
| Less Than H.S. | 123 | 78,003 | 4 | 2.9 | 0.0- 7.4 | 23 | 20.3 | 10.9-29.7 | 96 | 76.8 | 66.8-86.8 |
| H.S. or G.E.D. | 448 | 196,637 | 35 | 10.8 | 6.7-14.9 | 73 | 17.4 | 12.7-22.1 | 340 | 71.8 | 66.1-77.5 |
| Some Post-H.S. | 382 | 202,178 | 28 | 7.6 | 4.5-10.7 | 58 | 16.9 | 12.2-21.6 | 296 | 75.4 | 70.1-80.7 |
| College Graduate | 204 | 54,491 | 16 | 8.7 | 3.6-13.8 | 19 | 11.5 | 5.8-17.2 | 169 | 79.8 | 72.5-87.1 |
| Less than \$15,000 | 172 | 71,656 | 16 | 7.9 | 2.2-13.6 | 30 | 20.1 | 12.5-27.7 | 126 | 72.0 | 63.2-80.8 |
| \$15,000- 24,999 | 273 | 120,614 | 16 | 7.4 | 2.9-11.9 | 47 | 20.2 | 13.3-27.1 | 210 | 72.4 | 64.8-80.0 |
| \$25,000- 34,999 | 149 | 64,432 | 7 | 5.2 | 0.5- 9.9 | 24 | 16.5 | 9.2-23.8 | 118 | 78.3 | 70.1-86.5 |
| \$35,000- 49,999 | 138 | 70,644 | 11 | 11.0 | 4.1-17.9 | 14 | 9.4 | 3.1-15.7 | 113 | 79.6 | 70.8-88.4 |
| \$50,000- 74,999 | 136 | 57,969 | 10 | 8.1 | 2.2-14.0 | 19 | 18.2 | 9.4-27.0 | 107 | 73.7 | 63.9-83.5 |
| \$75,000+ | 167 | 82,549 | 16 | 11.3 | 5.0-17.6 | 23 | 17.3 | 9.7-24.9 | 128 | 71.5 | 62.7-80.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017**

SECTION 11: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|--|------|
| DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5) | |
| 1 MALES AND FEMALES | 205 |
| 2 MALES ONLY | 206 |
| 3 FEMALES ONLY | 207 |
| ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2) | |
| 4 MALES AND FEMALES | 208 |
| 5 MALES ONLY | 209 |
| 6 FEMALES ONLY | 210 |
| CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5) | |
| 7 MALES AND FEMALES | 211 |
| 8 MALES ONLY | 212 |
| 9 FEMALES ONLY | 213 |
| DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK5) | |
| 10 MALES AND FEMALES | 214 |
| 11 MALES ONLY | 215 |
| 12 FEMALES ONLY | 216 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-5 days per week | | | 6 or more days per week | | | 1-10 days per month | | | 11 or more days per month | | | No drinks in past 30 days | | |
|----------------------------|-------------------|-----------|-------------------|------|------------|-------------------------|-----|------------|---------------------|------|------------|---------------------------|------|------------|---------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 13038 | 4,764,139 | 1407 | 11.8 | 11.0-12.6 | 216 | 1.4 | 1.2- 1.6 | 3622 | 30.8 | 29.6-32.0 | 984 | 7.5 | 6.9- 8.1 | 6809 | 48.4 | 47.2-49.6 |
| Male | 5579 | 2,307,632 | 762 | 14.7 | 13.5-15.9 | 131 | 2.0 | 1.6- 2.4 | 1634 | 31.7 | 30.1-33.3 | 608 | 10.3 | 9.3-11.3 | 2444 | 41.3 | 39.5-43.1 |
| Female | 7459 | 2,456,506 | 645 | 9.2 | 8.2-10.2 | 85 | 0.9 | 0.7- 1.1 | 1988 | 30.0 | 28.6-31.4 | 376 | 5.0 | 4.4- 5.6 | 4365 | 55.0 | 53.4-56.6 |
| White/Non-Hisp | 10992 | 3,868,185 | 1212 | 12.0 | 11.2-12.8 | 191 | 1.5 | 1.3- 1.7 | 3041 | 30.6 | 29.4-31.8 | 875 | 8.0 | 7.2- 8.8 | 5673 | 47.9 | 46.7-49.1 |
| Black or Afr. Am./Non-Hisp | 846 | 388,334 | 88 | 13.8 | 10.3-17.3 | 7 | 1.0 | 0.2- 1.8 | 235 | 31.3 | 27.0-35.6 | 34 | 4.2 | 2.6- 5.8 | 482 | 49.7 | 45.2-54.2 |
| Oth. Race/Non-Hisp. | 268 | 116,036 | 25 | 13.0 | 6.7-19.3 | 7 | 2.6 | 0.0- 5.3 | 76 | 30.7 | 23.4-38.0 | 20 | 6.2 | 2.5- 9.9 | 140 | 47.4 | 39.4-55.4 |
| MultiRacial/Non-Hisp. | 200 | 58,215 | 17 | 8.3 | 3.8-12.8 | 4 | 1.8 | 0.0- 3.6 | 51 | 27.2 | 19.4-35.0 | 12 | 6.0 | 1.9-10.1 | 116 | 56.8 | 48.2-65.4 |
| Hispanic | 523 | 256,184 | 54 | 9.6 | 6.5-12.7 | 3 | 0.4 | 0.0- 0.8 | 165 | 34.3 | 29.2-39.4 | 24 | 6.1 | 3.2- 9.0 | 277 | 49.6 | 44.3-54.9 |
| 18-24 | 647 | 638,611 | 74 | 11.0 | 8.3-13.7 | 5 | 0.9 | 0.1- 1.7 | 233 | 34.7 | 30.6-38.8 | 47 | 6.3 | 4.3- 8.3 | 288 | 47.1 | 42.6-51.6 |
| 25-34 | 1115 | 774,020 | 174 | 15.8 | 13.4-18.2 | 6 | 0.4 | 0.0- 0.8 | 445 | 38.3 | 35.2-41.4 | 96 | 9.3 | 7.3-11.3 | 394 | 36.2 | 32.9-39.5 |
| 35-44 | 1322 | 761,802 | 168 | 12.6 | 10.4-14.8 | 18 | 1.4 | 0.6- 2.2 | 481 | 36.9 | 34.0-39.8 | 92 | 7.5 | 5.7- 9.3 | 563 | 41.6 | 38.5-44.7 |
| 45-54 | 1997 | 786,137 | 260 | 13.7 | 11.9-15.5 | 30 | 1.6 | 1.0- 2.2 | 641 | 30.6 | 28.2-33.0 | 153 | 7.8 | 6.4- 9.2 | 913 | 46.2 | 43.7-48.7 |
| 55-64 | 2852 | 822,137 | 315 | 11.0 | 9.6-12.4 | 53 | 2.0 | 1.4- 2.6 | 790 | 28.1 | 26.1-30.1 | 236 | 7.8 | 6.6- 9.0 | 1458 | 51.1 | 48.9-53.3 |
| 65+ | 5105 | 981,432 | 416 | 7.9 | 6.9- 8.9 | 104 | 1.9 | 1.5- 2.3 | 1032 | 20.2 | 18.8-21.6 | 360 | 6.5 | 5.7- 7.3 | 3193 | 63.5 | 61.9-65.1 |
| Less Than H.S. | 963 | 582,787 | 48 | 6.9 | 4.5- 9.3 | 7 | 0.7 | 0.1- 1.3 | 145 | 17.4 | 14.3-20.5 | 42 | 5.7 | 3.5- 7.9 | 721 | 69.4 | 65.5-73.3 |
| H.S. or G.E.D. | 4349 | 1,616,812 | 330 | 9.2 | 8.0-10.4 | 69 | 1.6 | 1.2- 2.0 | 1024 | 28.7 | 26.9-30.5 | 233 | 6.2 | 5.2- 7.2 | 2693 | 54.2 | 52.2-56.2 |
| Some Post-H.S. | 3304 | 1,477,449 | 342 | 12.2 | 10.6-13.8 | 49 | 1.3 | 0.9- 1.7 | 982 | 33.7 | 31.5-35.9 | 240 | 7.3 | 6.1- 8.5 | 1691 | 45.4 | 43.2-47.6 |
| College Graduate | 4393 | 1,077,729 | 685 | 17.9 | 16.3-19.5 | 91 | 1.7 | 1.3- 2.1 | 1464 | 37.3 | 35.5-39.1 | 467 | 10.8 | 9.6-12.0 | 1686 | 32.2 | 30.4-34.0 |
| Less than \$15,000 | 1146 | 419,299 | 54 | 5.7 | 3.7- 7.7 | 9 | 1.3 | 0.3- 2.3 | 201 | 21.3 | 18.0-24.6 | 47 | 4.8 | 3.0- 6.6 | 835 | 66.9 | 63.2-70.6 |
| \$15,000- 24,999 | 2108 | 756,837 | 144 | 8.4 | 6.6-10.2 | 24 | 0.9 | 0.5- 1.3 | 442 | 25.2 | 22.5-27.9 | 97 | 4.8 | 3.6- 6.0 | 1401 | 60.7 | 57.8-63.6 |
| \$25,000- 34,999 | 1364 | 482,891 | 106 | 8.9 | 6.7-11.1 | 24 | 1.7 | 0.7- 2.7 | 316 | 27.3 | 24.0-30.6 | 76 | 4.3 | 3.1- 5.5 | 842 | 57.9 | 54.4-61.4 |
| \$35,000- 49,999 | 1780 | 674,894 | 180 | 11.4 | 9.2-13.6 | 28 | 1.6 | 0.8- 2.4 | 541 | 34.2 | 31.1-37.3 | 118 | 6.6 | 5.0- 8.2 | 913 | 46.2 | 43.1-49.3 |
| \$50,000- 74,999 | 1882 | 706,226 | 234 | 13.7 | 11.5-15.9 | 42 | 1.7 | 1.1- 2.3 | 626 | 35.1 | 32.2-38.0 | 170 | 9.6 | 7.6-11.6 | 810 | 39.9 | 37.0-42.8 |
| \$75,000+ | 3317 | 1,244,588 | 575 | 17.7 | 16.1-19.3 | 72 | 1.6 | 1.2- 2.0 | 1189 | 38.1 | 35.9-40.3 | 408 | 11.7 | 10.3-13.1 | 1073 | 31.0 | 29.0-33.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-5 days per week | | | 6 or more days per week | | | 1-10 days per month | | | 11 or more days per month | | | No drinks in past 30 days | | |
|----------------------------|-------------------|-----------|-------------------|------|------------|-------------------------|-----|------------|---------------------|------|------------|---------------------------|------|------------|---------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5579 | 2,307,632 | 762 | 14.7 | 13.5-15.9 | 131 | 2.0 | 1.6- 2.4 | 1634 | 31.7 | 30.1-33.3 | 608 | 10.3 | 9.3-11.3 | 2444 | 41.3 | 39.5-43.1 |
| White/Non-Hisp | 4658 | 1,865,233 | 650 | 14.9 | 13.5-16.3 | 110 | 2.0 | 1.6- 2.4 | 1363 | 31.4 | 29.6-33.2 | 535 | 10.8 | 9.6-12.0 | 2000 | 40.9 | 39.1-42.7 |
| Black or Afr. Am./Non-Hisp | 310 | 178,552 | 47 | 18.1 | 12.0-24.2 | 4 | 1.5 | 0.0- 3.1 | 87 | 32.7 | 25.8-39.6 | 19 | 6.0 | 3.1- 8.9 | 153 | 41.7 | 34.8-48.6 |
| Oth. Race/Non-Hisp. | 155 | 66,484 | 15 | 11.3 | 4.8-17.8 | 6 | 4.3 | 0.0- 8.8 | 46 | 33.4 | 24.2-42.6 | 16 | 7.2 | 2.7-11.7 | 72 | 43.6 | 33.6-53.6 |
| MultiRacial/Non-Hisp. | 108 | 31,606 | 13 | 13.5 | 5.9-21.1 | 4 | 3.2 | 0.0- 6.5 | 25 | 21.8 | 12.2-31.4 | 9 | 9.8 | 2.5-17.1 | 57 | 51.7 | 40.3-63.1 |
| Hispanic | 235 | 119,713 | 30 | 12.8 | 7.3-18.3 | 3 | 0.8 | 0.0- 1.8 | 79 | 36.4 | 28.6-44.2 | 15 | 9.5 | 4.2-14.8 | 108 | 40.5 | 33.1-47.9 |
| 18-24 | 366 | 329,544 | 45 | 12.9 | 9.0-16.8 | 4 | 1.4 | 0.0- 3.0 | 135 | 34.9 | 29.4-40.4 | 33 | 8.7 | 5.4-12.0 | 149 | 42.2 | 36.3-48.1 |
| 25-34 | 546 | 384,182 | 105 | 19.9 | 16.0-23.8 | 4 | 0.5 | 0.1- 0.9 | 225 | 41.2 | 36.5-45.9 | 62 | 12.0 | 8.7-15.3 | 150 | 26.4 | 22.3-30.5 |
| 35-44 | 578 | 374,529 | 85 | 15.5 | 12.0-19.0 | 12 | 1.9 | 0.7- 3.1 | 209 | 36.5 | 32.0-41.0 | 60 | 10.1 | 7.2-13.0 | 212 | 36.0 | 31.5-40.5 |
| 45-54 | 893 | 392,093 | 147 | 16.4 | 13.5-19.3 | 24 | 2.7 | 1.5- 3.9 | 263 | 28.3 | 24.8-31.8 | 90 | 10.2 | 7.8-12.6 | 369 | 42.4 | 38.5-46.3 |
| 55-64 | 1309 | 399,664 | 178 | 13.7 | 11.5-15.9 | 36 | 2.9 | 1.7- 4.1 | 366 | 27.5 | 24.6-30.4 | 151 | 10.7 | 8.7-12.7 | 578 | 45.3 | 42.2-48.4 |
| 65+ | 1887 | 427,620 | 202 | 9.9 | 8.3-11.5 | 51 | 2.7 | 1.7- 3.7 | 436 | 23.5 | 21.1-25.9 | 212 | 9.7 | 8.1-11.3 | 986 | 54.1 | 51.4-56.8 |
| Less Than H.S. | 398 | 288,107 | 33 | 10.5 | 6.6-14.4 | 7 | 1.3 | 0.3- 2.3 | 75 | 20.6 | 15.5-25.7 | 30 | 8.1 | 4.6-11.6 | 253 | 59.4 | 53.3-65.5 |
| H.S. or G.E.D. | 1787 | 806,567 | 212 | 13.1 | 11.1-15.1 | 45 | 2.3 | 1.5- 3.1 | 490 | 31.8 | 29.1-34.5 | 154 | 8.7 | 7.1-10.3 | 886 | 44.0 | 41.3-46.7 |
| Some Post-H.S. | 1373 | 680,759 | 169 | 14.6 | 12.2-17.0 | 31 | 1.9 | 1.1- 2.7 | 416 | 33.5 | 30.4-36.6 | 152 | 10.5 | 8.5-12.5 | 605 | 39.5 | 36.4-42.6 |
| College Graduate | 2006 | 525,869 | 346 | 19.5 | 17.3-21.7 | 48 | 2.0 | 1.2- 2.8 | 650 | 35.6 | 33.1-38.1 | 271 | 13.7 | 11.7-15.7 | 691 | 29.2 | 26.8-31.6 |
| Less than \$15,000 | 390 | 164,666 | 35 | 9.6 | 6.1-13.1 | 7 | 3.1 | 0.7- 5.5 | 79 | 22.7 | 17.2-28.2 | 22 | 5.7 | 2.8- 8.6 | 247 | 58.9 | 52.6-65.2 |
| \$15,000- 24,999 | 790 | 337,304 | 76 | 11.3 | 8.2-14.4 | 14 | 1.2 | 0.4- 2.0 | 186 | 26.9 | 22.8-31.0 | 64 | 7.7 | 5.2-10.2 | 450 | 52.9 | 48.4-57.4 |
| \$25,000- 34,999 | 539 | 220,387 | 54 | 11.3 | 7.8-14.8 | 13 | 2.3 | 0.5- 4.1 | 120 | 27.5 | 22.4-32.6 | 51 | 6.9 | 4.5- 9.3 | 301 | 52.1 | 46.6-57.6 |
| \$35,000- 49,999 | 833 | 354,981 | 100 | 13.8 | 10.5-17.1 | 20 | 2.6 | 1.0- 4.2 | 264 | 34.4 | 29.9-38.9 | 78 | 9.0 | 6.5-11.5 | 371 | 40.1 | 35.8-44.4 |
| \$50,000- 74,999 | 872 | 361,234 | 121 | 15.7 | 12.4-19.0 | 23 | 1.9 | 0.9- 2.9 | 294 | 36.3 | 32.2-40.4 | 106 | 12.5 | 9.4-15.6 | 328 | 33.6 | 29.5-37.7 |
| \$75,000+ | 1718 | 683,660 | 328 | 20.0 | 17.6-22.4 | 47 | 2.1 | 1.3- 2.9 | 575 | 35.3 | 32.4-38.2 | 253 | 14.2 | 12.0-16.4 | 515 | 28.4 | 25.7-31.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-5 days per week | | | 6 or more days per week | | | 1-10 days per month | | | 11 or more days per month | | | No drinks in past 30 days | | |
|----------------------------|-------------------|-----------|-------------------|------|------------|-------------------------|-----|------------|---------------------|------|------------|---------------------------|-----|------------|---------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7459 | 2,456,506 | 645 | 9.2 | 8.2-10.2 | 85 | 0.9 | 0.7- 1.1 | 1988 | 30.0 | 28.6-31.4 | 376 | 5.0 | 4.4- 5.6 | 4365 | 55.0 | 53.4-56.6 |
| White/Non-Hisp | 6334 | 2,002,952 | 562 | 9.3 | 8.3-10.3 | 81 | 1.0 | 0.8- 1.2 | 1678 | 29.9 | 28.3-31.5 | 340 | 5.3 | 4.5- 6.1 | 3673 | 54.5 | 52.7-56.3 |
| Black or Afr. Am./Non-Hisp | 536 | 209,782 | 41 | 10.2 | 6.7-13.7 | 3 | 0.6 | 0.0- 1.4 | 148 | 30.0 | 24.7-35.3 | 15 | 2.7 | 1.1- 4.3 | 329 | 56.5 | 50.6-62.4 |
| Oth. Race/Non-Hisp. | 113 | 49,552 | 10 | 15.3 | 3.7-26.9 | 1 | 0.2 | 0.0- 0.6 | 30 | 27.1 | 15.7-38.5 | 4 | 4.9 | 0.0-11.4 | 68 | 52.6 | 39.1-66.1 |
| MultiRacial/Non-Hisp. | 92 | 26,609 | 4 | 2.1 | 0.0- 4.3 | | | | 26 | 33.5 | 20.6-46.4 | 3 | 1.6 | 0.0- 3.8 | 59 | 62.8 | 49.9-75.7 |
| Hispanic | 288 | 136,471 | 24 | 6.8 | 3.5-10.1 | | | | 86 | 32.5 | 25.8-39.2 | 9 | 3.1 | 0.7- 5.5 | 169 | 57.5 | 50.4-64.6 |
| 18-24 | 281 | 309,067 | 29 | 9.0 | 5.5-12.5 | 1 | 0.4 | 0.0- 1.2 | 98 | 34.4 | 28.1-40.7 | 14 | 3.7 | 1.5- 5.9 | 139 | 52.4 | 45.7-59.1 |
| 25-34 | 569 | 389,837 | 69 | 11.9 | 9.0-14.8 | 2 | 0.3 | 0.0- 0.7 | 220 | 35.3 | 31.0-39.6 | 34 | 6.6 | 4.1- 9.1 | 244 | 45.9 | 41.2-50.6 |
| 35-44 | 744 | 387,273 | 83 | 9.8 | 7.4-12.2 | 6 | 0.9 | 0.1- 1.7 | 272 | 37.3 | 33.4-41.2 | 32 | 5.0 | 3.0- 7.0 | 351 | 47.0 | 42.9-51.1 |
| 45-54 | 1104 | 394,044 | 113 | 11.0 | 8.8-13.2 | 6 | 0.6 | 0.0- 1.2 | 378 | 32.9 | 29.8-36.0 | 63 | 5.5 | 3.9- 7.1 | 544 | 50.0 | 46.7-53.3 |
| 55-64 | 1543 | 422,473 | 137 | 8.6 | 7.0-10.2 | 17 | 1.2 | 0.6- 1.8 | 424 | 28.6 | 25.9-31.3 | 85 | 5.1 | 3.9- 6.3 | 880 | 56.6 | 53.7-59.5 |
| 65+ | 3218 | 553,812 | 214 | 6.2 | 5.2- 7.2 | 53 | 1.4 | 1.0- 1.8 | 596 | 17.6 | 16.0-19.2 | 148 | 4.1 | 3.3- 4.9 | 2207 | 70.8 | 68.8-72.8 |
| Less Than H.S. | 565 | 294,680 | 15 | 3.4 | 1.2- 5.6 | | | | 70 | 14.2 | 10.3-18.1 | 12 | 3.2 | 1.0- 5.4 | 468 | 79.2 | 74.5-83.9 |
| H.S. or G.E.D. | 2562 | 810,245 | 118 | 5.4 | 4.0- 6.8 | 24 | 0.8 | 0.4- 1.2 | 534 | 25.6 | 23.2-28.0 | 79 | 3.8 | 2.6- 5.0 | 1807 | 64.3 | 61.8-66.8 |
| Some Post-H.S. | 1931 | 796,689 | 173 | 10.2 | 8.4-12.0 | 18 | 0.8 | 0.4- 1.2 | 566 | 33.9 | 31.0-36.8 | 88 | 4.6 | 3.4- 5.8 | 1086 | 50.4 | 47.5-53.3 |
| College Graduate | 2387 | 551,859 | 339 | 16.4 | 14.4-18.4 | 43 | 1.4 | 0.8- 2.0 | 814 | 39.0 | 36.5-41.5 | 196 | 8.1 | 6.7- 9.5 | 995 | 35.0 | 32.6-37.4 |
| Less than \$15,000 | 756 | 254,633 | 19 | 3.2 | 1.2- 5.2 | 2 | 0.2 | 0.0- 0.4 | 122 | 20.4 | 16.3-24.5 | 25 | 4.1 | 1.9- 6.3 | 588 | 72.1 | 67.4-76.8 |
| \$15,000- 24,999 | 1318 | 419,533 | 68 | 6.2 | 4.2- 8.2 | 10 | 0.7 | 0.1- 1.3 | 256 | 23.8 | 20.3-27.3 | 33 | 2.5 | 1.5- 3.5 | 951 | 66.9 | 63.2-70.6 |
| \$25,000- 34,999 | 825 | 262,504 | 52 | 6.9 | 4.4- 9.4 | 11 | 1.2 | 0.0- 2.4 | 196 | 27.1 | 22.8-31.4 | 25 | 2.1 | 0.9- 3.3 | 541 | 62.7 | 58.0-67.4 |
| \$35,000- 49,999 | 947 | 319,912 | 80 | 8.7 | 6.3-11.1 | 8 | 0.5 | 0.1- 0.9 | 277 | 34.0 | 29.5-38.5 | 40 | 4.0 | 2.4- 5.6 | 542 | 52.9 | 48.4-57.4 |
| \$50,000- 74,999 | 1010 | 344,992 | 113 | 11.7 | 8.8-14.6 | 19 | 1.5 | 0.5- 2.5 | 332 | 33.8 | 29.9-37.7 | 64 | 6.5 | 4.1- 8.9 | 482 | 46.5 | 42.2-50.8 |
| \$75,000+ | 1599 | 560,929 | 247 | 14.9 | 12.7-17.1 | 25 | 0.9 | 0.5- 1.3 | 614 | 41.5 | 38.4-44.6 | 155 | 8.6 | 6.8-10.4 | 558 | 34.1 | 31.0-37.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Drink | | | Two Drinks | | | Three Drinks | | | Four Drinks | | | Five or More Drinks | | |
|----------------------------|-------------------|-----------|-----------|------|------------|------------|------|------------|--------------|------|------------|-------------|------|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 6136 | 2,412,385 | 2951 | 40.7 | 39.1-42.3 | 1718 | 28.6 | 27.0-30.2 | 702 | 13.6 | 12.4-14.8 | 290 | 6.3 | 5.3- 7.3 | 475 | 10.8 | 9.6-12.0 |
| Male | 3081 | 1,325,195 | 1151 | 31.7 | 29.7-33.7 | 910 | 29.0 | 26.8-31.2 | 455 | 16.3 | 14.5-18.1 | 196 | 7.8 | 6.4- 9.2 | 369 | 15.3 | 13.5-17.1 |
| Female | 3055 | 1,087,190 | 1800 | 51.8 | 49.4-54.2 | 808 | 28.1 | 25.9-30.3 | 247 | 10.3 | 8.7-11.9 | 94 | 4.4 | 3.2- 5.6 | 106 | 5.4 | 4.2- 6.6 |
| White/Non-Hisp | 5249 | 1,979,106 | 2575 | 41.1 | 39.3-42.9 | 1471 | 28.8 | 27.2-30.4 | 582 | 13.5 | 12.1-14.9 | 241 | 6.2 | 5.2- 7.2 | 380 | 10.4 | 9.2-11.6 |
| Black or Afr. Am./Non-Hisp | 359 | 193,087 | 166 | 41.8 | 35.3-48.3 | 100 | 26.3 | 20.2-32.4 | 55 | 17.7 | 12.6-22.8 | 18 | 7.3 | 2.8-11.8 | 20 | 6.9 | 3.6-10.2 |
| Oth. Race/Non-Hisp. | 125 | 59,531 | 55 | 40.7 | 29.7-51.7 | 34 | 30.6 | 20.2-41.0 | 16 | 10.5 | 4.2-16.8 | 4 | 4.7 | 0.0-10.4 | 16 | 13.4 | 4.0-22.8 |
| MultiRacial/Non-Hisp. | 82 | 24,536 | 31 | 37.0 | 23.9-50.1 | 23 | 25.6 | 14.2-37.0 | 14 | 17.3 | 7.1-27.5 | 5 | 4.7 | 0.0- 9.4 | 9 | 15.4 | 5.4-25.4 |
| Hispanic | 236 | 122,453 | 86 | 32.4 | 25.1-39.7 | 66 | 29.2 | 22.1-36.3 | 27 | 9.9 | 5.8-14.0 | 16 | 7.0 | 2.9-11.1 | 41 | 21.6 | 14.7-28.5 |
| 18-24 | 348 | 326,082 | 102 | 29.0 | 23.7-34.3 | 87 | 25.2 | 19.7-30.7 | 68 | 18.0 | 13.7-22.3 | 34 | 11.8 | 7.7-15.9 | 57 | 16.0 | 11.7-20.3 |
| 25-34 | 710 | 484,521 | 236 | 32.3 | 28.4-36.2 | 211 | 29.7 | 25.8-33.6 | 120 | 17.1 | 14.0-20.2 | 40 | 5.7 | 3.7- 7.7 | 103 | 15.2 | 12.1-18.3 |
| 35-44 | 748 | 436,378 | 294 | 38.2 | 34.3-42.1 | 228 | 29.9 | 26.2-33.6 | 97 | 13.7 | 10.8-16.6 | 48 | 6.9 | 4.5- 9.3 | 81 | 11.3 | 8.6-14.0 |
| 45-54 | 1068 | 416,462 | 435 | 38.7 | 35.2-42.2 | 344 | 30.8 | 27.7-33.9 | 130 | 12.7 | 10.2-15.2 | 60 | 6.6 | 4.6- 8.6 | 99 | 11.1 | 8.7-13.5 |
| 55-64 | 1383 | 397,902 | 686 | 48.2 | 45.1-51.3 | 399 | 29.2 | 26.5-31.9 | 164 | 12.2 | 10.2-14.2 | 53 | 4.0 | 2.8- 5.2 | 81 | 6.4 | 4.8- 8.0 |
| 65+ | 1879 | 351,041 | 1198 | 60.3 | 57.6-63.0 | 449 | 25.3 | 22.9-27.7 | 123 | 6.8 | 5.4- 8.2 | 55 | 3.5 | 2.3- 4.7 | 54 | 4.1 | 2.9- 5.3 |
| Less Than H.S. | 228 | 166,545 | 77 | 28.0 | 21.3-34.7 | 53 | 24.7 | 17.4-32.0 | 23 | 9.4 | 4.9-13.9 | 18 | 10.9 | 5.4-16.4 | 57 | 27.0 | 19.7-34.3 |
| H.S. or G.E.D. | 1625 | 722,915 | 676 | 37.1 | 34.2-40.0 | 435 | 26.5 | 23.8-29.2 | 220 | 16.0 | 13.6-18.4 | 103 | 6.9 | 5.3- 8.5 | 191 | 13.6 | 11.4-15.8 |
| Some Post-H.S. | 1586 | 794,207 | 732 | 39.4 | 36.5-42.3 | 455 | 29.4 | 26.7-32.1 | 203 | 14.7 | 12.5-16.9 | 74 | 6.6 | 4.8- 8.4 | 122 | 9.9 | 7.9-11.9 |
| College Graduate | 2686 | 725,784 | 1461 | 48.8 | 46.4-51.2 | 771 | 30.6 | 28.4-32.8 | 255 | 10.9 | 9.3-12.5 | 94 | 4.3 | 3.3- 5.3 | 105 | 5.4 | 4.2- 6.6 |
| Less than \$15,000 | 303 | 135,513 | 121 | 37.1 | 30.2-44.0 | 81 | 27.4 | 20.9-33.9 | 41 | 12.1 | 7.6-16.6 | 16 | 6.0 | 2.5- 9.5 | 44 | 17.4 | 11.9-22.9 |
| \$15,000- 24,999 | 682 | 283,453 | 308 | 36.9 | 32.2-41.6 | 173 | 24.5 | 20.4-28.6 | 94 | 18.0 | 13.9-22.1 | 41 | 10.2 | 6.5-13.9 | 66 | 10.4 | 7.5-13.3 |
| \$25,000- 34,999 | 518 | 201,500 | 253 | 44.9 | 39.2-50.6 | 140 | 24.8 | 19.9-29.7 | 55 | 11.6 | 8.1-15.1 | 26 | 5.9 | 3.4- 8.4 | 44 | 12.8 | 8.5-17.1 |
| \$35,000- 49,999 | 857 | 359,426 | 417 | 40.2 | 35.9-44.5 | 224 | 28.0 | 23.7-32.3 | 99 | 14.2 | 10.9-17.5 | 39 | 6.4 | 3.9- 8.9 | 78 | 11.1 | 8.2-14.0 |
| \$50,000- 74,999 | 1060 | 416,899 | 528 | 41.0 | 37.1-44.9 | 294 | 28.9 | 25.2-32.6 | 104 | 11.2 | 8.7-13.7 | 47 | 6.7 | 4.2- 9.2 | 87 | 12.3 | 9.4-15.2 |
| \$75,000+ | 2231 | 853,018 | 1062 | 41.2 | 38.7-43.7 | 679 | 31.0 | 28.6-33.4 | 264 | 14.2 | 12.2-16.2 | 101 | 4.9 | 3.7- 6.1 | 125 | 8.7 | 6.9-10.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Drink | | | Two Drinks | | | Three Drinks | | | Four Drinks | | | Five or More Drinks | | |
|----------------------------|-------------------|-----------|-----------|------|------------|------------|------|------------|--------------|------|------------|-------------|------|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 3081 | 1,325,195 | 1151 | 31.7 | 29.7-33.7 | 910 | 29.0 | 26.8-31.2 | 455 | 16.3 | 14.5-18.1 | 196 | 7.8 | 6.4- 9.2 | 369 | 15.3 | 13.5-17.1 |
| White/Non-Hisp | 2619 | 1,082,700 | 995 | 31.7 | 29.5-33.9 | 791 | 29.7 | 27.5-31.9 | 371 | 15.9 | 14.1-17.7 | 163 | 7.7 | 6.3- 9.1 | 299 | 15.0 | 13.0-17.0 |
| Black or Afr. Am./Non-Hisp | 154 | 102,342 | 51 | 30.2 | 21.6-38.8 | 42 | 24.6 | 15.4-33.8 | 38 | 25.2 | 16.8-33.6 | 12 | 11.2 | 3.4-19.0 | 11 | 8.7 | 3.4-14.0 |
| Oth. Race/Non-Hisp. | 80 | 36,019 | 28 | 36.3 | 23.6-49.0 | 22 | 34.3 | 21.2-47.4 | 14 | 13.7 | 5.5-21.9 | 3 | 3.7 | 0.0- 8.6 | 13 | 12.1 | 4.3-19.9 |
| Hispanic | 121 | 66,422 | 37 | 26.6 | 16.8-36.4 | 26 | 23.4 | 14.2-32.6 | 16 | 10.8 | 4.9-16.7 | 11 | 7.9 | 2.0-13.8 | 31 | 31.3 | 20.7-41.9 |
| 18-24 | 211 | 186,705 | 56 | 24.7 | 18.4-31.0 | 49 | 24.2 | 17.3-31.1 | 46 | 19.3 | 13.6-25.0 | 20 | 13.0 | 7.1-18.9 | 40 | 18.8 | 12.9-24.7 |
| 25-34 | 389 | 277,196 | 96 | 23.4 | 18.7-28.1 | 111 | 29.9 | 24.6-35.2 | 74 | 18.7 | 14.4-23.0 | 28 | 6.9 | 4.0- 9.8 | 80 | 21.0 | 16.3-25.7 |
| 35-44 | 359 | 233,003 | 103 | 29.1 | 23.6-34.6 | 104 | 27.5 | 22.4-32.6 | 57 | 16.9 | 12.4-21.4 | 31 | 8.7 | 5.0-12.4 | 64 | 17.7 | 13.2-22.2 |
| 45-54 | 513 | 221,021 | 150 | 28.6 | 23.9-33.3 | 164 | 30.5 | 25.8-35.2 | 86 | 17.0 | 13.1-20.9 | 41 | 8.3 | 5.4-11.2 | 72 | 15.5 | 11.8-19.2 |
| 55-64 | 723 | 214,891 | 284 | 37.9 | 33.8-42.0 | 225 | 31.2 | 27.3-35.1 | 110 | 15.4 | 12.3-18.5 | 38 | 5.9 | 3.7- 8.1 | 66 | 9.5 | 7.0-12.0 |
| 65+ | 886 | 192,379 | 462 | 50.0 | 46.1-53.9 | 257 | 30.0 | 26.3-33.7 | 82 | 8.9 | 6.7-11.1 | 38 | 4.5 | 2.9- 6.1 | 47 | 6.6 | 4.4- 8.8 |
| Less Than H.S. | 139 | 110,630 | 36 | 24.7 | 16.3-33.1 | 27 | 20.7 | 11.7-29.7 | 15 | 8.7 | 3.8-13.6 | 14 | 12.2 | 5.1-19.3 | 47 | 33.7 | 24.1-43.3 |
| H.S. or G.E.D. | 880 | 439,224 | 269 | 29.3 | 25.6-33.0 | 241 | 26.5 | 23.0-30.0 | 144 | 18.0 | 14.9-21.1 | 68 | 7.5 | 5.3- 9.7 | 158 | 18.7 | 15.6-21.8 |
| Some Post-H.S. | 753 | 404,259 | 263 | 29.0 | 25.3-32.7 | 239 | 32.1 | 28.0-36.2 | 119 | 17.3 | 14.0-20.6 | 47 | 8.4 | 5.5-11.3 | 85 | 13.1 | 10.2-16.0 |
| College Graduate | 1303 | 369,885 | 580 | 39.4 | 36.3-42.5 | 401 | 31.0 | 27.9-34.1 | 176 | 15.4 | 12.9-17.9 | 67 | 6.2 | 4.4- 8.0 | 79 | 8.0 | 6.0-10.0 |
| Less than \$15,000 | 138 | 65,470 | 39 | 26.3 | 17.5-35.1 | 38 | 28.6 | 19.0-38.2 | 24 | 15.0 | 8.3-21.7 | 10 | 8.1 | 2.4-13.8 | 27 | 22.0 | 13.8-30.2 |
| \$15,000- 24,999 | 330 | 152,985 | 120 | 30.1 | 23.8-36.4 | 79 | 22.9 | 17.2-28.6 | 56 | 20.2 | 14.5-25.9 | 23 | 11.9 | 6.2-17.6 | 52 | 14.9 | 10.2-19.6 |
| \$25,000- 34,999 | 235 | 103,567 | 88 | 38.0 | 30.0-46.0 | 61 | 19.9 | 14.0-25.8 | 37 | 15.1 | 9.4-20.8 | 17 | 6.8 | 2.9-10.7 | 32 | 20.2 | 12.9-27.5 |
| \$35,000- 49,999 | 456 | 209,413 | 165 | 28.7 | 23.4-34.0 | 129 | 28.5 | 22.6-34.4 | 68 | 18.1 | 13.4-22.8 | 28 | 8.0 | 4.3-11.7 | 66 | 16.6 | 11.9-21.3 |
| \$50,000- 74,999 | 534 | 232,911 | 208 | 31.5 | 26.6-36.4 | 165 | 31.9 | 26.8-37.0 | 62 | 11.5 | 8.2-14.8 | 32 | 8.5 | 4.6-12.4 | 67 | 16.7 | 12.4-21.0 |
| \$75,000+ | 1194 | 486,790 | 455 | 32.5 | 29.2-35.8 | 382 | 31.7 | 28.4-35.0 | 184 | 17.7 | 14.8-20.6 | 74 | 6.4 | 4.8- 8.0 | 99 | 11.8 | 9.3-14.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Drink | | | Two Drinks | | | Three Drinks | | | Four Drinks | | | Five or More Drinks | | |
|----------------------------|-------------------|-----------|-----------|------|------------|------------|------|------------|--------------|------|------------|-------------|------|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3055 | 1,087,190 | 1800 | 51.8 | 49.4-54.2 | 808 | 28.1 | 25.9-30.3 | 247 | 10.3 | 8.7-11.9 | 94 | 4.4 | 3.2- 5.6 | 106 | 5.4 | 4.2- 6.6 |
| White/Non-Hisp | 2630 | 896,406 | 1580 | 52.4 | 49.9-54.9 | 680 | 27.8 | 25.4-30.2 | 211 | 10.7 | 8.9-12.5 | 78 | 4.4 | 3.2- 5.6 | 81 | 4.8 | 3.6- 6.0 |
| Black or Afr. Am./Non-Hisp | 205 | 90,745 | 115 | 55.0 | 46.2-63.8 | 58 | 28.1 | 20.1-36.1 | 17 | 9.2 | 3.9-14.5 | 6 | 2.9 | 0.2- 5.6 | 9 | 4.9 | 1.4- 8.4 |
| Hispanic | 115 | 56,030 | 49 | 39.2 | 28.4-50.0 | 40 | 36.0 | 25.2-46.8 | 11 | 8.9 | 3.0-14.8 | 5 | 5.8 | 0.3-11.3 | 10 | 10.1 | 3.2-17.0 |
| 18-24 | 137 | 139,376 | 46 | 34.9 | 25.9-43.9 | 38 | 26.6 | 18.0-35.2 | 22 | 16.2 | 9.3-23.1 | 14 | 10.0 | 4.5-15.5 | 17 | 12.2 | 6.1-18.3 |
| 25-34 | 321 | 207,325 | 140 | 44.1 | 38.0-50.2 | 100 | 29.6 | 24.1-35.1 | 46 | 14.9 | 10.4-19.4 | 12 | 4.0 | 1.5- 6.5 | 23 | 7.3 | 4.0-10.6 |
| 35-44 | 389 | 203,375 | 191 | 48.5 | 42.8-54.2 | 124 | 32.6 | 27.3-37.9 | 40 | 10.0 | 6.5-13.5 | 17 | 4.8 | 2.3- 7.3 | 17 | 4.0 | 2.0- 6.0 |
| 45-54 | 555 | 195,441 | 285 | 50.2 | 45.3-55.1 | 180 | 31.1 | 26.6-35.6 | 44 | 7.9 | 5.2-10.6 | 19 | 4.8 | 2.3- 7.3 | 27 | 6.1 | 3.6- 8.6 |
| 55-64 | 660 | 183,011 | 402 | 60.4 | 55.9-64.9 | 174 | 26.8 | 22.7-30.9 | 54 | 8.4 | 5.9-10.9 | 15 | 1.7 | 0.7- 2.7 | 15 | 2.7 | 1.1- 4.3 |
| 65+ | 993 | 158,663 | 736 | 72.9 | 69.4-76.4 | 192 | 19.6 | 16.5-22.7 | 41 | 4.2 | 2.6- 5.8 | 17 | 2.3 | 0.9- 3.7 | 7 | 1.0 | 0.0- 2.0 |
| Less Than H.S. | 89 | 55,915 | 41 | 34.5 | 23.1-45.9 | 26 | 32.5 | 20.2-44.8 | 8 | 10.9 | 1.5-20.3 | 4 | 8.3 | 0.1-16.5 | 10 | 13.8 | 3.4-24.2 |
| H.S. or G.E.D. | 745 | 283,691 | 407 | 49.1 | 44.4-53.8 | 194 | 26.4 | 22.3-30.5 | 76 | 12.9 | 9.4-16.4 | 35 | 6.0 | 3.6- 8.4 | 33 | 5.6 | 3.2- 8.0 |
| Some Post-H.S. | 833 | 389,948 | 469 | 50.0 | 45.7-54.3 | 216 | 26.7 | 22.8-30.6 | 84 | 12.0 | 9.1-14.9 | 27 | 4.7 | 2.7- 6.7 | 37 | 6.6 | 4.4- 8.8 |
| College Graduate | 1383 | 355,899 | 881 | 58.6 | 55.3-61.9 | 370 | 30.2 | 27.1-33.3 | 79 | 6.2 | 4.6- 7.8 | 27 | 2.4 | 1.4- 3.4 | 26 | 2.6 | 1.4- 3.8 |
| Less than \$15,000 | 165 | 70,043 | 82 | 47.1 | 36.9-57.3 | 43 | 26.3 | 17.5-35.1 | 17 | 9.4 | 3.7-15.1 | 6 | 4.0 | 0.0- 8.5 | 17 | 13.2 | 6.1-20.3 |
| \$15,000- 24,999 | 352 | 130,468 | 188 | 44.8 | 37.7-51.9 | 94 | 26.4 | 20.3-32.5 | 38 | 15.4 | 9.3-21.5 | 18 | 8.2 | 3.7-12.7 | 14 | 5.1 | 2.2- 8.0 |
| \$25,000- 34,999 | 283 | 97,934 | 165 | 52.3 | 44.3-60.3 | 79 | 29.9 | 22.5-37.3 | 18 | 7.9 | 3.8-12.0 | 9 | 4.9 | 1.4- 8.4 | 12 | 5.0 | 1.5- 8.5 |
| \$35,000- 49,999 | 401 | 150,014 | 252 | 56.3 | 49.4-63.2 | 95 | 27.2 | 21.1-33.3 | 31 | 8.8 | 4.5-13.1 | 11 | 4.2 | 1.1- 7.3 | 12 | 3.4 | 1.0- 5.8 |
| \$50,000- 74,999 | 526 | 183,988 | 320 | 52.9 | 46.8-59.0 | 129 | 25.0 | 19.7-30.3 | 42 | 10.8 | 6.9-14.7 | 15 | 4.5 | 1.6- 7.4 | 20 | 6.7 | 3.0-10.4 |
| \$75,000+ | 1037 | 366,228 | 607 | 52.7 | 48.8-56.6 | 297 | 30.1 | 26.6-33.6 | 80 | 9.6 | 7.2-12.0 | 27 | 3.0 | 1.6- 4.4 | 26 | 4.6 | 2.6- 6.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days
Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Time | | | Two Times | | | Three Times | | | Four Times | | | Five or More Times | | | None | | |
|----------------------------|-------------------|-----------|----------|------|------------|-----------|-----|------------|-------------|-----|------------|------------|-----|------------|--------------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 6138 | 2,415,207 | 515 | 10.4 | 9.4-11.4 | 318 | 6.5 | 5.7- 7.3 | 142 | 2.9 | 2.3- 3.5 | 144 | 3.0 | 2.4- 3.6 | 431 | 9.6 | 8.4-10.8 | 4588 | 67.6 | 66.0-69.2 |
| Male | 3084 | 1,328,718 | 286 | 11.0 | 9.4-12.6 | 186 | 7.4 | 6.2- 8.6 | 98 | 3.7 | 2.9- 4.5 | 92 | 3.5 | 2.7- 4.3 | 309 | 12.6 | 11.0-14.2 | 2113 | 61.7 | 59.3-64.1 |
| Female | 3054 | 1,086,489 | 229 | 9.7 | 8.3-11.1 | 132 | 5.3 | 4.3- 6.3 | 44 | 1.9 | 1.3- 2.5 | 52 | 2.3 | 1.5- 3.1 | 122 | 6.0 | 4.6- 7.4 | 2475 | 74.9 | 72.7-77.1 |
| White/Non-Hisp | 5255 | 1,984,757 | 427 | 10.4 | 9.2-11.6 | 267 | 6.4 | 5.4- 7.4 | 113 | 2.7 | 2.1- 3.3 | 122 | 3.1 | 2.5- 3.7 | 342 | 9.2 | 8.0-10.4 | 3984 | 68.3 | 66.5-70.1 |
| Black or Afr. Am./Non-Hisp | 353 | 189,635 | 29 | 9.6 | 5.7-13.5 | 19 | 5.3 | 2.6- 8.0 | 15 | 4.5 | 2.0- 7.0 | 8 | 2.0 | 0.4- 3.6 | 27 | 8.4 | 4.5-12.3 | 255 | 70.2 | 64.1-76.3 |
| Oth. Race/Non-Hisp. | 125 | 60,446 | 9 | 8.8 | 1.9-15.7 | 7 | 7.2 | 1.3-13.1 | 2 | 3.2 | 0.0- 7.7 | 1 | 0.5 | 0.0- 1.5 | 17 | 16.0 | 6.2-25.8 | 89 | 64.2 | 52.6-75.8 |
| MultiRacial/Non-Hisp. | 82 | 24,237 | 9 | 8.9 | 2.4-15.4 | 5 | 6.1 | 0.2-12.0 | 3 | 2.9 | 0.0- 7.0 | 1 | 1.0 | 0.0- 3.0 | 11 | 19.4 | 8.0-30.8 | 53 | 61.7 | 48.8-74.6 |
| Hispanic | 238 | 121,907 | 32 | 14.4 | 8.7-20.1 | 18 | 9.7 | 4.6-14.8 | 6 | 3.0 | 0.6- 5.4 | 11 | 5.5 | 2.0- 9.0 | 23 | 11.4 | 6.1-16.7 | 148 | 55.9 | 48.1-63.7 |
| 18-24 | 349 | 328,724 | 55 | 15.0 | 10.9-19.1 | 36 | 8.4 | 5.5-11.3 | 15 | 4.0 | 1.8- 6.2 | 10 | 3.4 | 1.0- 5.8 | 54 | 15.9 | 11.6-20.2 | 179 | 53.2 | 47.3-59.1 |
| 25-34 | 713 | 487,475 | 117 | 15.5 | 12.6-18.4 | 57 | 8.6 | 6.2-11.0 | 35 | 4.3 | 2.7- 5.9 | 27 | 4.0 | 2.4- 5.6 | 61 | 10.4 | 7.5-13.3 | 416 | 57.3 | 53.2-61.4 |
| 35-44 | 744 | 435,273 | 84 | 10.1 | 7.7-12.5 | 58 | 7.3 | 5.1- 9.5 | 14 | 1.9 | 0.7- 3.1 | 25 | 3.6 | 2.0- 5.2 | 70 | 11.2 | 8.5-13.9 | 493 | 65.9 | 62.0-69.8 |
| 45-54 | 1066 | 415,807 | 109 | 10.7 | 8.5-12.9 | 65 | 6.9 | 4.9- 8.9 | 27 | 3.0 | 1.6- 4.4 | 31 | 3.1 | 1.7- 4.5 | 91 | 9.4 | 7.2-11.6 | 743 | 67.0 | 63.7-70.3 |
| 55-64 | 1378 | 395,915 | 80 | 5.9 | 4.5- 7.3 | 52 | 4.0 | 2.8- 5.2 | 32 | 2.7 | 1.7- 3.7 | 29 | 1.9 | 1.1- 2.7 | 93 | 7.1 | 5.5- 8.7 | 1092 | 78.4 | 75.9-80.9 |
| 65+ | 1888 | 352,012 | 70 | 4.3 | 3.1- 5.5 | 50 | 3.0 | 2.0- 4.0 | 19 | 1.3 | 0.7- 1.9 | 22 | 1.4 | 0.6- 2.2 | 62 | 4.0 | 2.8- 5.2 | 1665 | 86.1 | 84.1-88.1 |
| Less Than H.S. | 229 | 168,563 | 24 | 12.0 | 6.9-17.1 | 16 | 8.0 | 3.7-12.3 | 7 | 2.5 | 0.5- 4.5 | 7 | 2.3 | 0.3- 4.3 | 50 | 25.0 | 17.6-32.4 | 125 | 50.4 | 42.4-58.4 |
| H.S. or G.E.D. | 1625 | 727,118 | 138 | 10.3 | 8.3-12.3 | 94 | 6.8 | 5.2- 8.4 | 39 | 2.9 | 1.9- 3.9 | 59 | 4.2 | 2.8- 5.6 | 154 | 11.7 | 9.5-13.9 | 1141 | 64.1 | 61.0-67.2 |
| Some Post-H.S. | 1582 | 790,715 | 130 | 9.7 | 7.7-11.7 | 93 | 7.1 | 5.5- 8.7 | 36 | 2.5 | 1.5- 3.5 | 32 | 2.8 | 1.6- 4.0 | 112 | 8.5 | 6.7-10.3 | 1179 | 69.3 | 66.4-72.2 |
| College Graduate | 2691 | 725,878 | 222 | 11.0 | 9.4-12.6 | 115 | 5.1 | 4.1- 6.1 | 60 | 3.5 | 2.5- 4.5 | 46 | 2.1 | 1.3- 2.9 | 115 | 5.2 | 4.0- 6.4 | 2133 | 73.2 | 71.0-75.4 |
| Less than \$15,000 | 299 | 131,475 | 32 | 10.6 | 6.3-14.9 | 16 | 5.2 | 2.3- 8.1 | 7 | 2.5 | 0.3- 4.7 | 5 | 1.9 | 0.0- 3.9 | 41 | 17.1 | 11.4-22.8 | 198 | 62.8 | 55.7-69.9 |
| \$15,000- 24,999 | 686 | 287,058 | 45 | 9.3 | 6.2-12.4 | 42 | 7.2 | 4.7- 9.7 | 16 | 3.2 | 1.4- 5.0 | 20 | 3.0 | 1.2- 4.8 | 60 | 10.3 | 7.0-13.6 | 503 | 66.9 | 62.0-71.8 |
| \$25,000- 34,999 | 516 | 199,981 | 44 | 11.8 | 7.9-15.7 | 28 | 7.4 | 4.3-10.5 | 5 | 1.3 | 0.1- 2.5 | 10 | 1.9 | 0.5- 3.3 | 32 | 8.2 | 4.9-11.5 | 397 | 69.4 | 63.9-74.9 |
| \$35,000- 49,999 | 856 | 359,722 | 77 | 11.9 | 8.8-15.0 | 46 | 6.6 | 4.2- 9.0 | 22 | 3.7 | 1.9- 5.5 | 20 | 2.3 | 1.1- 3.5 | 56 | 8.8 | 5.9-11.7 | 635 | 66.7 | 62.2-71.2 |
| \$50,000- 74,999 | 1065 | 421,930 | 84 | 10.1 | 7.6-12.6 | 55 | 6.6 | 4.6- 8.6 | 25 | 2.3 | 1.3- 3.3 | 26 | 3.3 | 1.7- 4.9 | 77 | 11.3 | 8.2-14.4 | 798 | 66.3 | 62.4-70.2 |
| \$75,000+ | 2228 | 851,425 | 199 | 10.1 | 8.5-11.7 | 112 | 6.2 | 4.8- 7.6 | 56 | 3.2 | 2.2- 4.2 | 53 | 3.4 | 2.2- 4.6 | 137 | 8.3 | 6.7- 9.9 | 1671 | 68.8 | 66.3-71.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Time | | | Two Times | | | Three Times | | | Four Times | | | Five or More Times | | | None | | |
|----------------------------|-------------------|-----------|----------|------|------------|-----------|------|------------|-------------|-----|------------|------------|-----|------------|--------------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 3084 | 1,328,718 | 286 | 11.0 | 9.4-12.6 | 186 | 7.4 | 6.2- 8.6 | 98 | 3.7 | 2.9- 4.5 | 92 | 3.5 | 2.7- 4.3 | 309 | 12.6 | 11.0-14.2 | 2113 | 61.7 | 59.3-64.1 |
| White/Non-Hisp | 2624 | 1,087,995 | 235 | 11.1 | 9.5-12.7 | 157 | 7.6 | 6.2- 9.0 | 77 | 3.4 | 2.6- 4.2 | 78 | 3.6 | 2.6- 4.6 | 245 | 12.2 | 10.4-14.0 | 1832 | 62.1 | 59.6-64.6 |
| Black or Afr. Am./Non-Hisp | 152 | 101,071 | 15 | 9.4 | 3.9-14.9 | 8 | 4.5 | 0.8- 8.2 | 11 | 6.0 | 2.1- 9.9 | 2 | 1.2 | 0.0- 3.4 | 20 | 13.4 | 6.5-20.3 | 96 | 65.4 | 56.2-74.6 |
| Oth. Race/Non-Hisp. | 81 | 36,980 | 6 | 6.2 | 0.0-12.5 | 6 | 10.2 | 1.4-19.0 | 2 | 5.2 | 0.0-12.3 | 1 | 0.8 | 0.0- 2.4 | 14 | 13.4 | 5.2-21.6 | 52 | 64.1 | 51.4-76.8 |
| Hispanic | 121 | 65,667 | 17 | 16.2 | 7.6-24.8 | 11 | 10.5 | 3.1-17.9 | 4 | 3.6 | 0.1- 7.1 | 10 | 9.0 | 2.7-15.3 | 13 | 13.6 | 5.6-21.6 | 66 | 47.2 | 36.2-58.2 |
| 18-24 | 213 | 187,815 | 32 | 13.8 | 8.7-18.9 | 27 | 10.9 | 6.6-15.2 | 9 | 4.0 | 1.3- 6.7 | 5 | 3.0 | 0.3- 5.7 | 36 | 18.8 | 12.5-25.1 | 104 | 49.5 | 41.9-57.1 |
| 25-34 | 393 | 281,054 | 69 | 16.7 | 12.6-20.8 | 38 | 10.3 | 6.8-13.8 | 24 | 5.4 | 3.2- 7.6 | 21 | 5.2 | 2.8- 7.6 | 39 | 11.9 | 7.8-16.0 | 202 | 50.5 | 44.8-56.2 |
| 35-44 | 357 | 232,429 | 41 | 10.9 | 7.4-14.4 | 30 | 7.9 | 4.8-11.0 | 8 | 2.2 | 0.6- 3.8 | 18 | 5.1 | 2.6- 7.6 | 51 | 15.4 | 10.9-19.9 | 209 | 58.4 | 52.5-64.3 |
| 45-54 | 514 | 221,745 | 61 | 11.9 | 8.6-15.2 | 35 | 7.3 | 4.6-10.0 | 19 | 4.1 | 2.1- 6.1 | 16 | 3.1 | 1.3- 4.9 | 65 | 13.2 | 9.7-16.7 | 318 | 60.4 | 55.3-65.5 |
| 55-64 | 720 | 213,970 | 47 | 6.5 | 4.3- 8.7 | 27 | 4.0 | 2.2- 5.8 | 27 | 4.4 | 2.6- 6.2 | 19 | 2.2 | 1.0- 3.4 | 71 | 10.6 | 7.9-13.3 | 529 | 72.3 | 68.4-76.2 |
| 65+ | 887 | 191,706 | 36 | 4.3 | 2.7- 5.9 | 29 | 3.3 | 1.9- 4.7 | 11 | 1.5 | 0.5- 2.5 | 13 | 1.7 | 0.7- 2.7 | 47 | 5.6 | 3.6- 7.6 | 751 | 83.6 | 80.7-86.5 |
| Less Than H.S. | 136 | 110,412 | 14 | 12.7 | 6.0-19.4 | 9 | 8.1 | 2.4-13.8 | 6 | 3.0 | 0.5- 5.5 | 5 | 3.1 | 0.2- 6.0 | 39 | 27.4 | 18.0-36.8 | 63 | 45.7 | 35.5-55.9 |
| H.S. or G.E.D. | 882 | 442,335 | 83 | 10.5 | 8.0-13.0 | 59 | 7.6 | 5.4- 9.8 | 31 | 3.8 | 2.4- 5.2 | 36 | 4.3 | 2.5- 6.1 | 118 | 15.2 | 12.1-18.3 | 555 | 58.6 | 54.5-62.7 |
| Some Post-H.S. | 751 | 403,862 | 72 | 11.1 | 8.4-13.8 | 55 | 8.8 | 6.3-11.3 | 24 | 2.9 | 1.5- 4.3 | 18 | 3.2 | 1.4- 5.0 | 73 | 11.0 | 8.1-13.9 | 509 | 62.9 | 58.6-67.2 |
| College Graduate | 1309 | 370,912 | 117 | 11.2 | 9.0-13.4 | 63 | 5.6 | 4.0- 7.2 | 37 | 4.7 | 2.9- 6.5 | 33 | 3.0 | 1.8- 4.2 | 79 | 6.8 | 5.0- 8.6 | 980 | 68.7 | 65.6-71.8 |
| Less than \$15,000 | 138 | 64,556 | 18 | 9.8 | 4.7-14.9 | 7 | 5.3 | 0.8- 9.8 | 4 | 3.4 | 0.0- 6.9 | 1 | 1.6 | 0.0- 4.7 | 29 | 22.4 | 14.2-30.6 | 79 | 57.5 | 47.5-67.5 |
| \$15,000- 24,999 | 330 | 153,427 | 21 | 7.5 | 4.0-11.0 | 20 | 6.2 | 3.1- 9.3 | 13 | 5.1 | 2.2- 8.0 | 13 | 4.6 | 1.3- 7.9 | 43 | 13.5 | 8.4-18.6 | 220 | 63.2 | 56.3-70.1 |
| \$25,000- 34,999 | 233 | 101,993 | 20 | 11.3 | 5.6-17.0 | 17 | 10.6 | 5.3-15.9 | 2 | 1.1 | 0.0- 2.7 | 5 | 2.2 | 0.0- 4.4 | 23 | 11.0 | 5.5-16.5 | 166 | 63.8 | 55.6-72.0 |
| \$35,000- 49,999 | 454 | 209,863 | 49 | 14.9 | 10.2-19.6 | 28 | 7.8 | 4.5-11.1 | 11 | 2.9 | 1.1- 4.7 | 14 | 2.5 | 0.9- 4.1 | 45 | 12.9 | 8.4-17.4 | 307 | 59.0 | 52.7-65.3 |
| \$50,000- 74,999 | 540 | 238,014 | 52 | 12.4 | 8.7-16.1 | 35 | 7.9 | 5.0-10.8 | 16 | 2.8 | 1.2- 4.4 | 16 | 3.8 | 1.6- 6.0 | 54 | 14.5 | 10.0-19.0 | 367 | 58.7 | 53.2-64.2 |
| \$75,000+ | 1194 | 486,311 | 110 | 10.4 | 8.2-12.6 | 73 | 7.6 | 5.4- 9.8 | 45 | 4.7 | 3.1- 6.3 | 36 | 3.8 | 2.2- 5.4 | 97 | 10.7 | 8.2-13.2 | 833 | 62.8 | 59.3-66.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Time | | | Two Times | | | Three Times | | | Four Times | | | Five or More Times | | | None | | |
|----------------------------|-------------------|-----------|----------|------|------------|-----------|-----|------------|-------------|-----|------------|------------|-----|------------|--------------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3054 | 1,086,489 | 229 | 9.7 | 8.3-11.1 | 132 | 5.3 | 4.3- 6.3 | 44 | 1.9 | 1.3- 2.5 | 52 | 2.3 | 1.5- 3.1 | 122 | 6.0 | 4.6- 7.4 | 2475 | 74.9 | 72.7-77.1 |
| White/Non-Hisp | 2631 | 896,762 | 192 | 9.4 | 7.8-11.0 | 110 | 5.0 | 3.8- 6.2 | 36 | 1.8 | 1.0- 2.6 | 44 | 2.4 | 1.4- 3.4 | 97 | 5.6 | 4.2- 7.0 | 2152 | 75.8 | 73.4-78.2 |
| Black or Afr. Am./Non-Hisp | 201 | 88,564 | 14 | 9.8 | 4.3-15.3 | 11 | 6.1 | 1.8-10.4 | 4 | 2.8 | 0.0- 5.7 | 6 | 2.8 | 0.1- 5.5 | 7 | 2.7 | 0.3- 5.1 | 159 | 75.8 | 68.2-83.4 |
| Hispanic | 117 | 56,240 | 15 | 12.4 | 5.3-19.5 | 7 | 8.8 | 1.9-15.7 | 2 | 2.3 | 0.0- 5.4 | 1 | 1.4 | 0.0- 4.1 | 10 | 8.9 | 2.4-15.4 | 82 | 66.2 | 55.6-76.8 |
| 18-24 | 136 | 140,909 | 23 | 16.5 | 9.6-23.4 | 9 | 5.1 | 1.4- 8.8 | 6 | 4.1 | 0.8- 7.4 | 5 | 4.0 | 0.3- 7.7 | 18 | 12.0 | 5.9-18.1 | 75 | 58.2 | 49.0-67.4 |
| 25-34 | 320 | 206,422 | 48 | 13.8 | 9.7-17.9 | 19 | 6.4 | 3.5- 9.3 | 11 | 2.8 | 1.0- 4.6 | 6 | 2.4 | 0.4- 4.4 | 22 | 8.2 | 4.5-11.9 | 214 | 66.4 | 60.5-72.3 |
| 35-44 | 387 | 202,844 | 43 | 9.3 | 6.4-12.2 | 28 | 6.6 | 3.9- 9.3 | 6 | 1.6 | 0.2- 3.0 | 7 | 1.8 | 0.4- 3.2 | 19 | 6.3 | 3.2- 9.4 | 284 | 74.5 | 69.6-79.4 |
| 45-54 | 552 | 194,062 | 48 | 9.3 | 6.4-12.2 | 30 | 6.4 | 3.9- 8.9 | 8 | 1.7 | 0.3- 3.1 | 15 | 3.1 | 1.1- 5.1 | 26 | 5.0 | 2.8- 7.2 | 425 | 74.5 | 70.2-78.8 |
| 55-64 | 658 | 181,946 | 33 | 5.3 | 3.3- 7.3 | 25 | 4.0 | 2.2- 5.8 | 5 | 0.6 | 0.0- 1.2 | 10 | 1.6 | 0.4- 2.8 | 22 | 3.0 | 1.6- 4.4 | 563 | 85.6 | 82.5-88.7 |
| 65+ | 1001 | 160,306 | 34 | 4.2 | 2.6- 5.8 | 21 | 2.6 | 1.2- 4.0 | 8 | 0.9 | 0.1- 1.7 | 9 | 1.2 | 0.2- 2.2 | 15 | 2.1 | 0.9- 3.3 | 914 | 89.0 | 86.5-91.5 |
| Less Than H.S. | 93 | 58,151 | 10 | 10.5 | 3.6-17.4 | 7 | 7.7 | 1.0-14.4 | 1 | 1.4 | 0.0- 4.1 | 2 | 0.7 | 0.0- 1.7 | 11 | 20.4 | 8.2-32.6 | 62 | 59.2 | 46.3-72.1 |
| H.S. or G.E.D. | 743 | 284,783 | 55 | 9.9 | 6.8-13.0 | 35 | 5.5 | 3.3- 7.7 | 8 | 1.4 | 0.2- 2.6 | 23 | 4.1 | 1.9- 6.3 | 36 | 6.3 | 3.8- 8.8 | 586 | 72.7 | 68.2-77.2 |
| Some Post-H.S. | 831 | 386,852 | 58 | 8.3 | 5.9-10.7 | 38 | 5.4 | 3.4- 7.4 | 12 | 2.1 | 0.7- 3.5 | 14 | 2.4 | 1.0- 3.8 | 39 | 5.9 | 3.7- 8.1 | 670 | 75.9 | 72.2-79.6 |
| College Graduate | 1382 | 354,966 | 105 | 10.8 | 8.4-13.2 | 52 | 4.6 | 3.0- 6.2 | 23 | 2.1 | 1.1- 3.1 | 13 | 1.1 | 0.3- 1.9 | 36 | 3.5 | 2.1- 4.9 | 1153 | 77.9 | 75.0-80.8 |
| Less than \$15,000 | 161 | 66,919 | 14 | 11.4 | 4.5-18.3 | 9 | 5.0 | 1.3- 8.7 | 3 | 1.6 | 0.0- 4.0 | 4 | 2.1 | 0.0- 4.6 | 12 | 12.0 | 4.4-19.6 | 119 | 67.8 | 58.0-77.6 |
| \$15,000- 24,999 | 356 | 133,631 | 24 | 11.4 | 5.9-16.9 | 22 | 8.4 | 4.5-12.3 | 3 | 1.0 | 0.0- 2.4 | 7 | 1.3 | 0.3- 2.3 | 17 | 6.7 | 3.2-10.2 | 283 | 71.2 | 64.3-78.1 |
| \$25,000- 34,999 | 283 | 97,989 | 24 | 12.3 | 6.8-17.8 | 11 | 4.1 | 1.0- 7.2 | 3 | 1.6 | 0.0- 3.4 | 5 | 1.5 | 0.0- 3.1 | 9 | 5.2 | 1.3- 9.1 | 231 | 75.3 | 68.2-82.4 |
| \$35,000- 49,999 | 402 | 149,859 | 28 | 7.6 | 4.3-10.9 | 18 | 5.0 | 2.1- 7.9 | 11 | 4.9 | 1.6- 8.2 | 6 | 2.1 | 0.3- 3.9 | 11 | 3.1 | 0.9- 5.3 | 328 | 77.4 | 71.7-83.1 |
| \$50,000- 74,999 | 525 | 183,916 | 32 | 7.2 | 4.3-10.1 | 20 | 5.1 | 2.4- 7.8 | 9 | 1.6 | 0.2- 3.0 | 10 | 2.7 | 0.5- 4.9 | 23 | 7.2 | 3.3-11.1 | 431 | 76.2 | 70.7-81.7 |
| \$75,000+ | 1034 | 365,114 | 89 | 9.7 | 7.3-12.1 | 39 | 4.3 | 2.7- 5.9 | 11 | 1.2 | 0.4- 2.0 | 17 | 2.7 | 1.1- 4.3 | 40 | 5.2 | 3.2- 7.2 | 838 | 76.9 | 73.6-80.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Drink | | | Two Drinks | | | Three Drinks | | | Four Drinks | | | Five or More Drinks | | |
|----------------------------|-------------------|-----------|-----------|------|------------|------------|------|------------|--------------|------|------------|-------------|------|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 6047 | 2,367,678 | 1814 | 24.9 | 23.5-26.3 | 1589 | 23.7 | 22.3-25.1 | 946 | 16.0 | 14.8-17.2 | 472 | 8.5 | 7.5- 9.5 | 1226 | 26.8 | 25.2-28.4 |
| Male | 3033 | 1,300,217 | 662 | 18.6 | 16.8-20.4 | 700 | 19.7 | 17.9-21.5 | 521 | 17.2 | 15.4-19.0 | 233 | 7.8 | 6.6- 9.0 | 917 | 36.7 | 34.3-39.1 |
| Female | 3014 | 1,067,462 | 1152 | 32.7 | 30.5-34.9 | 889 | 28.6 | 26.4-30.8 | 425 | 14.6 | 12.8-16.4 | 239 | 9.3 | 7.9-10.7 | 309 | 14.8 | 13.0-16.6 |
| White/Non-Hisp | 5188 | 1,951,939 | 1566 | 24.6 | 23.2-26.0 | 1379 | 23.9 | 22.3-25.5 | 823 | 16.2 | 14.8-17.6 | 406 | 8.4 | 7.4- 9.4 | 1014 | 26.9 | 25.1-28.7 |
| Black or Afr. Am./Non-Hisp | 341 | 182,285 | 104 | 26.1 | 20.4-31.8 | 93 | 24.7 | 18.4-31.0 | 51 | 18.4 | 12.9-23.9 | 29 | 11.3 | 6.4-16.2 | 64 | 19.5 | 14.2-24.8 |
| Oth. Race/Non-Hisp. | 122 | 58,135 | 37 | 29.1 | 18.9-39.3 | 29 | 21.1 | 12.5-29.7 | 19 | 15.5 | 7.7-23.3 | 6 | 5.2 | 0.0-10.7 | 31 | 29.1 | 17.5-40.7 |
| MultiRacial/Non-Hisp. | 81 | 23,882 | 20 | 23.0 | 11.8-34.2 | 19 | 20.8 | 9.6-32.0 | 11 | 15.1 | 4.9-25.3 | 4 | 4.4 | 0.0- 8.9 | 27 | 36.8 | 23.9-49.7 |
| Hispanic | 232 | 118,234 | 57 | 23.3 | 16.4-30.2 | 53 | 23.2 | 16.3-30.1 | 30 | 11.0 | 6.5-15.5 | 24 | 9.5 | 5.0-14.0 | 68 | 33.1 | 25.5-40.7 |
| 18-24 | 343 | 320,966 | 52 | 15.7 | 11.4-20.0 | 54 | 16.3 | 11.6-21.0 | 55 | 16.2 | 11.9-20.5 | 32 | 10.3 | 6.6-14.0 | 150 | 41.6 | 35.7-47.5 |
| 25-34 | 697 | 473,696 | 135 | 19.3 | 16.0-22.6 | 136 | 19.0 | 15.7-22.3 | 122 | 17.4 | 14.3-20.5 | 59 | 7.8 | 5.6-10.0 | 245 | 36.5 | 32.4-40.6 |
| 35-44 | 735 | 430,103 | 163 | 21.2 | 17.9-24.5 | 177 | 24.6 | 21.1-28.1 | 125 | 17.1 | 14.0-20.2 | 73 | 9.2 | 6.7-11.7 | 197 | 27.9 | 24.2-31.6 |
| 45-54 | 1054 | 407,878 | 242 | 21.9 | 19.0-24.8 | 283 | 25.8 | 22.7-28.9 | 168 | 15.7 | 13.2-18.2 | 103 | 10.1 | 7.9-12.3 | 258 | 26.6 | 23.5-29.7 |
| 55-64 | 1357 | 388,533 | 431 | 32.7 | 29.8-35.6 | 376 | 26.5 | 23.8-29.2 | 225 | 16.0 | 13.6-18.4 | 97 | 7.3 | 5.7- 8.9 | 228 | 17.4 | 15.0-19.8 |
| 65+ | 1861 | 346,503 | 791 | 40.7 | 38.0-43.4 | 563 | 30.3 | 27.8-32.8 | 251 | 13.0 | 11.2-14.8 | 108 | 6.6 | 5.2- 8.0 | 148 | 9.4 | 7.6-11.2 |
| Less Than H.S. | 212 | 155,878 | 56 | 21.9 | 15.4-28.4 | 45 | 20.8 | 13.7-27.9 | 17 | 8.8 | 3.9-13.7 | 14 | 7.2 | 3.1-11.3 | 80 | 41.4 | 33.0-49.8 |
| H.S. or G.E.D. | 1582 | 703,574 | 463 | 25.0 | 22.3-27.7 | 375 | 21.2 | 18.7-23.7 | 222 | 14.4 | 12.2-16.6 | 122 | 8.5 | 6.7-10.3 | 400 | 30.8 | 27.9-33.7 |
| Some Post-H.S. | 1568 | 784,122 | 467 | 24.3 | 21.8-26.8 | 417 | 24.5 | 22.0-27.0 | 251 | 17.5 | 15.1-19.9 | 116 | 8.3 | 6.5-10.1 | 317 | 25.3 | 22.6-28.0 |
| College Graduate | 2674 | 721,171 | 823 | 26.2 | 24.2-28.2 | 750 | 26.0 | 23.8-28.2 | 453 | 17.4 | 15.6-19.2 | 220 | 9.0 | 7.6-10.4 | 428 | 21.4 | 19.4-23.4 |
| Less than \$15,000 | 294 | 131,455 | 82 | 23.9 | 17.8-30.0 | 66 | 24.1 | 17.8-30.4 | 39 | 11.6 | 7.1-16.1 | 22 | 8.5 | 4.2-12.8 | 85 | 31.9 | 25.0-38.8 |
| \$15,000- 24,999 | 666 | 278,618 | 208 | 25.2 | 20.9-29.5 | 172 | 23.1 | 19.0-27.2 | 92 | 14.1 | 10.4-17.8 | 60 | 12.9 | 9.2-16.6 | 134 | 24.7 | 20.2-29.2 |
| \$25,000- 34,999 | 505 | 195,977 | 164 | 30.0 | 24.7-35.3 | 136 | 22.7 | 18.0-27.4 | 69 | 13.9 | 9.8-18.0 | 42 | 8.9 | 5.8-12.0 | 94 | 24.6 | 19.3-29.9 |
| \$35,000- 49,999 | 850 | 350,393 | 309 | 29.2 | 25.3-33.1 | 190 | 20.6 | 16.9-24.3 | 113 | 14.7 | 11.4-18.0 | 67 | 8.0 | 5.6-10.4 | 171 | 27.4 | 23.1-31.7 |
| \$50,000- 74,999 | 1049 | 413,261 | 326 | 24.6 | 21.5-27.7 | 276 | 23.1 | 19.8-26.4 | 161 | 16.3 | 13.4-19.2 | 62 | 6.0 | 3.8- 8.2 | 224 | 30.1 | 26.2-34.0 |
| \$75,000+ | 2217 | 843,742 | 557 | 21.9 | 19.7-24.1 | 614 | 24.8 | 22.6-27.0 | 406 | 18.4 | 16.2-20.6 | 190 | 8.5 | 7.1- 9.9 | 450 | 26.3 | 23.8-28.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Drink | | | Two Drinks | | | Three Drinks | | | Four Drinks | | | Five or More Drinks | | |
|----------------------------|-------------------|-----------|-----------|------|------------|------------|------|------------|--------------|------|------------|-------------|------|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 3033 | 1,300,217 | 662 | 18.6 | 16.8-20.4 | 700 | 19.7 | 17.9-21.5 | 521 | 17.2 | 15.4-19.0 | 233 | 7.8 | 6.6- 9.0 | 917 | 36.7 | 34.3-39.1 |
| White/Non-Hisp | 2588 | 1,068,276 | 563 | 18.1 | 16.3-19.9 | 615 | 19.9 | 18.1-21.7 | 452 | 17.3 | 15.5-19.1 | 201 | 7.9 | 6.5- 9.3 | 757 | 36.9 | 34.4-39.4 |
| Black or Afr. Am./Non-Hisp | 145 | 96,000 | 30 | 19.1 | 11.5-26.7 | 31 | 21.2 | 11.8-30.6 | 26 | 19.9 | 11.7-28.1 | 12 | 10.6 | 3.3-17.9 | 46 | 29.2 | 20.2-38.2 |
| Oth. Race/Non-Hisp. | 77 | 34,623 | 18 | 23.2 | 11.8-34.6 | 15 | 20.3 | 9.1-31.5 | 13 | 19.7 | 8.9-30.5 | 4 | 2.7 | 0.0- 5.8 | 27 | 34.0 | 20.9-47.1 |
| Hispanic | 117 | 64,260 | 20 | 16.0 | 7.4-24.6 | 21 | 18.5 | 9.3-27.7 | 14 | 10.6 | 4.1-17.1 | 12 | 7.8 | 2.7-12.9 | 50 | 47.0 | 35.4-58.6 |
| 18-24 | 209 | 183,810 | 26 | 12.0 | 7.3-16.7 | 26 | 12.1 | 6.6-17.6 | 34 | 16.3 | 10.8-21.8 | 16 | 8.6 | 4.1-13.1 | 107 | 51.1 | 43.5-58.7 |
| 25-34 | 378 | 268,074 | 56 | 15.6 | 11.3-19.9 | 52 | 13.1 | 9.2-17.0 | 68 | 18.1 | 13.8-22.4 | 24 | 6.0 | 3.5- 8.5 | 178 | 47.2 | 41.5-52.9 |
| 35-44 | 353 | 231,621 | 49 | 14.5 | 10.0-19.0 | 66 | 18.6 | 13.9-23.3 | 64 | 18.4 | 13.7-23.1 | 31 | 8.5 | 4.8-12.2 | 143 | 40.0 | 34.1-45.9 |
| 45-54 | 508 | 218,051 | 70 | 14.2 | 10.5-17.9 | 115 | 21.9 | 17.6-26.2 | 84 | 16.5 | 12.6-20.4 | 52 | 9.7 | 6.6-12.8 | 187 | 37.7 | 32.8-42.6 |
| 55-64 | 709 | 208,532 | 167 | 24.1 | 20.2-28.0 | 184 | 24.6 | 21.1-28.1 | 125 | 17.6 | 14.3-20.9 | 50 | 7.5 | 5.1- 9.9 | 183 | 26.3 | 22.6-30.0 |
| 65+ | 876 | 190,128 | 294 | 33.2 | 29.5-36.9 | 257 | 29.9 | 26.2-33.6 | 146 | 15.4 | 12.7-18.1 | 60 | 7.1 | 4.9- 9.3 | 119 | 14.3 | 11.6-17.0 |
| Less Than H.S. | 130 | 104,316 | 27 | 19.8 | 11.8-27.8 | 19 | 16.6 | 7.4-25.8 | 11 | 8.1 | 2.8-13.4 | 7 | 6.1 | 1.2-11.0 | 66 | 49.5 | 38.9-60.1 |
| H.S. or G.E.D. | 853 | 427,233 | 171 | 19.0 | 15.7-22.3 | 170 | 17.3 | 14.4-20.2 | 137 | 15.7 | 12.8-18.6 | 64 | 7.3 | 5.1- 9.5 | 311 | 40.7 | 36.6-44.8 |
| Some Post-H.S. | 743 | 399,056 | 154 | 16.5 | 13.4-19.6 | 168 | 19.8 | 16.5-23.1 | 142 | 20.3 | 16.8-23.8 | 57 | 8.8 | 6.1-11.5 | 222 | 34.6 | 30.3-38.9 |
| College Graduate | 1301 | 368,416 | 306 | 19.9 | 17.4-22.4 | 343 | 23.4 | 20.7-26.1 | 229 | 17.9 | 15.4-20.4 | 105 | 7.9 | 6.1- 9.7 | 318 | 30.9 | 27.8-34.0 |
| Less than \$15,000 | 134 | 62,822 | 28 | 20.4 | 12.2-28.6 | 23 | 17.7 | 9.9-25.5 | 16 | 11.5 | 4.6-18.4 | 14 | 11.9 | 4.5-19.3 | 53 | 38.6 | 28.8-48.4 |
| \$15,000- 24,999 | 321 | 150,500 | 74 | 19.1 | 13.4-24.8 | 70 | 19.4 | 13.7-25.1 | 44 | 13.9 | 9.0-18.8 | 31 | 12.9 | 7.8-18.0 | 102 | 34.7 | 27.6-41.8 |
| \$25,000- 34,999 | 228 | 100,821 | 55 | 24.5 | 17.2-31.8 | 46 | 15.4 | 10.1-20.7 | 41 | 17.8 | 11.3-24.3 | 19 | 6.4 | 2.9- 9.9 | 67 | 35.9 | 27.7-44.1 |
| \$35,000- 49,999 | 450 | 204,065 | 123 | 21.0 | 16.3-25.7 | 92 | 17.8 | 12.7-22.9 | 70 | 16.6 | 12.1-21.1 | 23 | 4.9 | 2.4- 7.4 | 142 | 39.8 | 33.5-46.1 |
| \$50,000- 74,999 | 528 | 230,396 | 108 | 16.3 | 12.6-20.0 | 132 | 19.7 | 15.6-23.8 | 93 | 17.9 | 13.8-22.0 | 34 | 6.7 | 3.4-10.0 | 161 | 39.5 | 33.8-45.2 |
| \$75,000+ | 1186 | 480,446 | 232 | 17.2 | 14.5-19.9 | 288 | 20.6 | 17.9-23.3 | 218 | 18.2 | 15.5-20.9 | 101 | 8.0 | 6.0-10.0 | 347 | 36.0 | 32.5-39.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | One Drink | | | Two Drinks | | | Three Drinks | | | Four Drinks | | | Five or More Drinks | | |
|----------------------------|-------------------|-----------|-----------|------|------------|------------|------|------------|--------------|------|------------|-------------|------|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3014 | 1,067,462 | 1152 | 32.7 | 30.5-34.9 | 889 | 28.6 | 26.4-30.8 | 425 | 14.6 | 12.8-16.4 | 239 | 9.3 | 7.9-10.7 | 309 | 14.8 | 13.0-16.6 |
| White/Non-Hisp | 2600 | 883,663 | 1003 | 32.4 | 30.0-34.8 | 764 | 28.9 | 26.5-31.3 | 371 | 14.8 | 12.8-16.8 | 205 | 9.0 | 7.4-10.6 | 257 | 14.9 | 12.9-16.9 |
| Black or Afr. Am./Non-Hisp | 196 | 86,286 | 74 | 33.8 | 25.6-42.0 | 62 | 28.6 | 20.6-36.6 | 25 | 16.7 | 9.1-24.3 | 17 | 12.2 | 6.1-18.3 | 18 | 8.7 | 4.4-13.0 |
| Hispanic | 115 | 53,973 | 37 | 32.0 | 21.4-42.6 | 32 | 28.7 | 18.7-38.7 | 16 | 11.4 | 5.3-17.5 | 12 | 11.4 | 4.0-18.8 | 18 | 16.5 | 8.5-24.5 |
| 18-24 | 134 | 137,156 | 26 | 20.6 | 12.8-28.4 | 28 | 21.9 | 13.7-30.1 | 21 | 16.2 | 9.1-23.3 | 16 | 12.5 | 6.2-18.8 | 43 | 28.8 | 20.4-37.2 |
| 25-34 | 319 | 205,622 | 79 | 24.1 | 19.0-29.2 | 84 | 26.8 | 21.3-32.3 | 54 | 16.3 | 11.6-21.0 | 35 | 10.2 | 6.7-13.7 | 67 | 22.5 | 17.2-27.8 |
| 35-44 | 382 | 198,481 | 114 | 29.0 | 23.9-34.1 | 111 | 31.6 | 26.3-36.9 | 61 | 15.7 | 11.6-19.8 | 42 | 9.9 | 6.8-13.0 | 54 | 13.9 | 10.0-17.8 |
| 45-54 | 546 | 189,826 | 172 | 30.7 | 26.2-35.2 | 168 | 30.3 | 25.8-34.8 | 84 | 14.7 | 11.2-18.2 | 51 | 10.5 | 7.4-13.6 | 71 | 13.8 | 10.5-17.1 |
| 55-64 | 648 | 180,002 | 264 | 42.8 | 38.3-47.3 | 192 | 28.8 | 24.7-32.9 | 100 | 14.1 | 11.0-17.2 | 47 | 7.2 | 5.0- 9.4 | 45 | 7.1 | 4.7- 9.5 |
| 65+ | 985 | 156,375 | 497 | 49.8 | 45.9-53.7 | 306 | 30.7 | 27.2-34.2 | 105 | 10.2 | 8.0-12.4 | 48 | 5.9 | 3.9- 7.9 | 29 | 3.4 | 2.0- 4.8 |
| Less Than H.S. | 82 | 51,562 | 29 | 26.2 | 15.2-37.2 | 26 | 29.3 | 17.5-41.1 | 6 | 10.1 | 0.1-20.1 | 7 | 9.3 | 1.7-16.9 | 14 | 25.0 | 11.5-38.5 |
| H.S. or G.E.D. | 729 | 276,341 | 292 | 34.4 | 29.9-38.9 | 205 | 27.2 | 23.1-31.3 | 85 | 12.4 | 9.3-15.5 | 58 | 10.5 | 7.2-13.8 | 89 | 15.5 | 11.8-19.2 |
| Some Post-H.S. | 825 | 385,067 | 313 | 32.4 | 28.5-36.3 | 249 | 29.4 | 25.3-33.5 | 109 | 14.6 | 11.5-17.7 | 59 | 7.9 | 5.5-10.3 | 95 | 15.8 | 12.5-19.1 |
| College Graduate | 1373 | 352,755 | 517 | 32.7 | 29.6-35.8 | 407 | 28.7 | 25.6-31.8 | 224 | 16.9 | 14.4-19.4 | 115 | 10.1 | 7.9-12.3 | 110 | 11.6 | 9.2-14.0 |
| Less than \$15,000 | 160 | 68,634 | 54 | 27.2 | 18.4-36.0 | 43 | 29.9 | 20.3-39.5 | 23 | 11.7 | 5.6-17.8 | 8 | 5.5 | 1.0-10.0 | 32 | 25.7 | 16.3-35.1 |
| \$15,000- 24,999 | 345 | 128,118 | 134 | 32.4 | 25.7-39.1 | 102 | 27.4 | 21.1-33.7 | 48 | 14.3 | 8.8-19.8 | 29 | 12.9 | 7.2-18.6 | 32 | 13.0 | 8.1-17.9 |
| \$25,000- 34,999 | 277 | 95,156 | 109 | 35.7 | 28.1-43.3 | 90 | 30.4 | 22.8-38.0 | 28 | 9.8 | 5.3-14.3 | 23 | 11.4 | 6.1-16.7 | 27 | 12.6 | 7.1-18.1 |
| \$35,000- 49,999 | 400 | 146,328 | 186 | 40.8 | 34.3-47.3 | 98 | 24.5 | 18.6-30.4 | 43 | 12.0 | 6.7-17.3 | 44 | 12.5 | 8.2-16.8 | 29 | 10.2 | 5.9-14.5 |
| \$50,000- 74,999 | 521 | 182,865 | 218 | 35.0 | 29.7-40.3 | 144 | 27.4 | 21.9-32.9 | 68 | 14.2 | 10.1-18.3 | 28 | 5.1 | 2.6- 7.6 | 63 | 18.2 | 13.1-23.3 |
| \$75,000+ | 1031 | 363,296 | 325 | 28.1 | 24.8-31.4 | 326 | 30.5 | 27.0-34.0 | 188 | 18.7 | 15.8-21.6 | 89 | 9.1 | 6.9-11.3 | 103 | 13.5 | 10.6-16.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017**

SECTION 12: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|--|------|
| YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2) | |
| 1 MALES AND FEMALES | 218 |
| 2 MALES ONLY | 219 |
| 3 FEMALES ONLY | 220 |
| YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2) | |
| 4 MALES AND FEMALES | 221 |
| 5 MALES ONLY | 222 |
| 6 FEMALES ONLY | 223 |
| YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1) | |
| 7 MALES AND FEMALES | 224 |
| 8 MALES ONLY | 225 |
| 9 FEMALES ONLY | 226 |
| YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1) | |
| 10 MALES AND FEMALES | 227 |
| 11 MALES ONLY | 228 |
| 12 FEMALES ONLY | 229 |
| YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1) | |
| 13 MALES AND FEMALES | 230 |
| 14 MALES ONLY | 231 |
| 15 FEMALES ONLY | 232 |
| YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES? (VEGETAB2) | |
| 16 MALES AND FEMALES | 233 |
| 17 MALES ONLY | 234 |
| 18 FEMALES ONLY | 235 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 1: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Times per Day | | | Times per Week | | | Times per Month | | | LT 1 per Month | | | Never | | |
|----------------------------|-------------------|-----------|---------------|------|------------|----------------|------|------------|-----------------|------|------------|----------------|-----|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 12829 | 4,683,184 | 6609 | 48.7 | 47.5-49.9 | 3848 | 31.6 | 30.4-32.8 | 1917 | 15.9 | 15.1-16.7 | 24 | 0.2 | 0.2- 0.2 | 431 | 3.7 | 3.3- 4.1 |
| Male | 5504 | 2,271,028 | 2537 | 44.5 | 42.7-46.3 | 1834 | 34.0 | 32.4-35.6 | 932 | 17.3 | 15.9-18.7 | 11 | 0.2 | 0.0- 0.4 | 190 | 4.0 | 3.2- 4.8 |
| Female | 7325 | 2,412,156 | 4072 | 52.6 | 51.0-54.2 | 2014 | 29.3 | 27.9-30.7 | 985 | 14.6 | 13.4-15.8 | 13 | 0.2 | 0.0- 0.4 | 241 | 3.3 | 2.7- 3.9 |
| White/Non-Hisp | 10825 | 3,799,672 | 5615 | 48.8 | 47.4-50.2 | 3244 | 31.7 | 30.5-32.9 | 1589 | 15.6 | 14.6-16.6 | 19 | 0.2 | 0.0- 0.4 | 358 | 3.7 | 3.1- 4.3 |
| Black or Afr. Am./Non-Hisp | 817 | 376,711 | 360 | 42.8 | 38.3-47.3 | 266 | 32.5 | 28.2-36.8 | 160 | 21.0 | 17.1-24.9 | 2 | 0.2 | 0.0- 0.6 | 29 | 3.5 | 1.9- 5.1 |
| Oth. Race/Non-Hisp. | 257 | 112,495 | 139 | 57.1 | 48.9-65.3 | 77 | 28.9 | 21.6-36.2 | 33 | 10.0 | 5.9-14.1 | | | | 8 | 4.0 | 0.0- 8.7 |
| MultiRacial/Non-Hisp. | 199 | 57,649 | 107 | 52.5 | 43.7-61.3 | 51 | 25.0 | 17.4-32.6 | 28 | 14.9 | 8.4-21.4 | 1 | 0.8 | 0.0- 2.4 | 12 | 6.7 | 2.6-10.8 |
| Hispanic | 522 | 258,303 | 292 | 54.2 | 49.1-59.3 | 148 | 29.2 | 24.5-33.9 | 66 | 13.7 | 10.2-17.2 | | | | 16 | 2.8 | 1.2- 4.4 |
| 18-24 | 636 | 624,426 | 307 | 49.4 | 44.9-53.9 | 226 | 34.9 | 30.6-39.2 | 77 | 11.6 | 8.9-14.3 | | | | 26 | 4.0 | 2.2- 5.8 |
| 25-34 | 1101 | 764,015 | 529 | 46.2 | 42.9-49.5 | 371 | 33.2 | 30.1-36.3 | 163 | 16.4 | 13.9-18.9 | 4 | 0.4 | 0.0- 0.8 | 34 | 3.8 | 2.4- 5.2 |
| 35-44 | 1301 | 748,483 | 672 | 48.8 | 45.7-51.9 | 369 | 29.9 | 27.0-32.8 | 212 | 17.6 | 15.2-20.0 | 2 | 0.1 | 0.0- 0.3 | 46 | 3.5 | 2.3- 4.7 |
| 45-54 | 1960 | 771,704 | 930 | 45.7 | 43.2-48.2 | 619 | 32.2 | 29.7-34.7 | 331 | 17.7 | 15.7-19.7 | 3 | 0.1 | 0.0- 0.3 | 77 | 4.3 | 3.3- 5.3 |
| 55-64 | 2826 | 814,487 | 1391 | 47.6 | 45.4-49.8 | 854 | 31.0 | 28.8-33.2 | 480 | 17.8 | 16.0-19.6 | 3 | 0.1 | 0.1- 0.1 | 98 | 3.5 | 2.7- 4.3 |
| 65+ | 5005 | 960,069 | 2780 | 53.5 | 51.7-55.3 | 1409 | 29.3 | 27.7-30.9 | 654 | 13.8 | 12.6-15.0 | 12 | 0.3 | 0.1- 0.5 | 150 | 3.1 | 2.5- 3.7 |
| Less Than H.S. | 940 | 569,454 | 381 | 42.3 | 38.2-46.4 | 301 | 32.0 | 28.1-35.9 | 194 | 19.5 | 16.2-22.8 | 5 | 0.5 | 0.0- 1.1 | 59 | 5.7 | 3.9- 7.5 |
| H.S. or G.E.D. | 4256 | 1,587,024 | 1928 | 43.3 | 41.3-45.3 | 1317 | 32.0 | 30.2-33.8 | 794 | 19.5 | 17.9-21.1 | 11 | 0.2 | 0.0- 0.4 | 206 | 5.0 | 4.2- 5.8 |
| Some Post-H.S. | 3257 | 1,451,856 | 1657 | 49.5 | 47.3-51.7 | 1026 | 33.0 | 30.8-35.2 | 470 | 14.3 | 12.7-15.9 | 3 | 0.1 | 0.1- 0.1 | 101 | 3.2 | 2.4- 4.0 |
| College Graduate | 4348 | 1,065,629 | 2627 | 58.8 | 56.8-60.8 | 1195 | 28.9 | 27.1-30.7 | 458 | 10.9 | 9.7-12.1 | 5 | 0.1 | 0.1- 0.1 | 63 | 1.3 | 0.9- 1.7 |
| Less than \$15,000 | 1127 | 411,957 | 464 | 40.0 | 36.1-43.9 | 336 | 31.2 | 27.5-34.9 | 242 | 21.8 | 18.5-25.1 | 7 | 0.9 | 0.1- 1.7 | 78 | 6.2 | 4.4- 8.0 |
| \$15,000- 24,999 | 2066 | 741,063 | 930 | 43.3 | 40.4-46.2 | 663 | 32.3 | 29.6-35.0 | 362 | 18.9 | 16.5-21.3 | 6 | 0.2 | 0.0- 0.4 | 105 | 5.3 | 3.9- 6.7 |
| \$25,000- 34,999 | 1352 | 473,882 | 674 | 47.6 | 44.1-51.1 | 409 | 32.9 | 29.4-36.4 | 223 | 15.8 | 13.3-18.3 | 2 | 0.1 | 0.1- 0.1 | 44 | 3.6 | 2.2- 5.0 |
| \$35,000- 49,999 | 1758 | 666,456 | 876 | 48.2 | 44.9-51.5 | 547 | 30.3 | 27.4-33.2 | 275 | 17.8 | 15.3-20.3 | 1 | 0.0 | 0.0- 0.0 | 59 | 3.7 | 2.5- 4.9 |
| \$50,000- 74,999 | 1868 | 699,483 | 1041 | 50.4 | 47.3-53.5 | 544 | 32.6 | 29.7-35.5 | 245 | 14.1 | 11.9-16.3 | 3 | 0.2 | 0.0- 0.4 | 35 | 2.8 | 1.6- 4.0 |
| \$75,000+ | 3283 | 1,229,377 | 1879 | 54.3 | 52.1-56.5 | 971 | 31.3 | 29.1-33.5 | 373 | 12.3 | 10.9-13.7 | | | | 60 | 2.0 | 1.4- 2.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 2: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Times per Day | | | Times per Week | | | Times per Month | | | LT 1 per Month | | | Never | | |
|----------------------------|-------------------|-----------|---------------|------|------------|----------------|------|------------|-----------------|------|------------|----------------|-----|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5504 | 2,271,028 | 2537 | 44.5 | 42.7-46.3 | 1834 | 34.0 | 32.4-35.6 | 932 | 17.3 | 15.9-18.7 | 11 | 0.2 | 0.0- 0.4 | 190 | 4.0 | 3.2- 4.8 |
| White/Non-Hisp | 4597 | 1,836,595 | 2122 | 44.5 | 42.5-46.5 | 1536 | 34.2 | 32.4-36.0 | 774 | 17.1 | 15.7-18.5 | 9 | 0.2 | 0.0- 0.4 | 156 | 4.1 | 3.3- 4.9 |
| Black or Afr. Am./Non-Hisp | 298 | 172,143 | 115 | 38.9 | 31.6-46.2 | 110 | 35.1 | 28.2-42.0 | 62 | 22.2 | 16.1-28.3 | | | | 11 | 3.8 | 1.1- 6.5 |
| Oth. Race/Non-Hisp. | 151 | 64,663 | 70 | 52.2 | 42.0-62.4 | 55 | 34.0 | 24.6-43.4 | 23 | 11.7 | 6.0-17.4 | | | | 3 | 2.1 | 0.0- 5.2 |
| MultiRacial/Non-Hisp. | 107 | 31,040 | 54 | 49.0 | 37.4-60.6 | 27 | 24.4 | 14.4-34.4 | 17 | 16.6 | 7.4-25.8 | 1 | 1.4 | 0.0- 4.1 | 8 | 8.6 | 2.3-14.9 |
| Hispanic | 237 | 119,968 | 129 | 52.5 | 44.9-60.1 | 68 | 29.4 | 22.3-36.5 | 32 | 14.6 | 9.1-20.1 | | | | 8 | 3.5 | 0.6- 6.4 |
| 18-24 | 363 | 323,966 | 172 | 49.3 | 43.4-55.2 | 126 | 34.5 | 29.0-40.0 | 46 | 11.1 | 7.8-14.4 | | | | 19 | 5.1 | 2.6- 7.6 |
| 25-34 | 541 | 381,446 | 233 | 41.8 | 37.1-46.5 | 201 | 35.7 | 31.2-40.2 | 87 | 17.4 | 13.7-21.1 | | | | 20 | 5.1 | 2.7- 7.5 |
| 35-44 | 566 | 363,584 | 247 | 41.2 | 36.5-45.9 | 182 | 34.6 | 29.9-39.3 | 112 | 20.1 | 16.4-23.8 | 2 | 0.3 | 0.0- 0.7 | 23 | 3.8 | 2.0- 5.6 |
| 45-54 | 875 | 384,736 | 374 | 42.6 | 38.7-46.5 | 308 | 35.0 | 31.3-38.7 | 158 | 18.7 | 15.6-21.8 | 2 | 0.2 | 0.0- 0.6 | 33 | 3.5 | 2.1- 4.9 |
| 55-64 | 1301 | 396,569 | 585 | 43.4 | 40.3-46.5 | 433 | 32.6 | 29.7-35.5 | 234 | 19.8 | 17.1-22.5 | 3 | 0.1 | 0.0- 0.3 | 46 | 4.1 | 2.7- 5.5 |
| 65+ | 1858 | 420,728 | 926 | 49.2 | 46.5-51.9 | 584 | 31.7 | 29.2-34.2 | 295 | 15.9 | 13.9-17.9 | 4 | 0.3 | 0.0- 0.7 | 49 | 3.0 | 2.0- 4.0 |
| Less Than H.S. | 395 | 281,785 | 150 | 42.2 | 36.1-48.3 | 127 | 31.4 | 25.7-37.1 | 90 | 19.8 | 15.3-24.3 | 1 | 0.3 | 0.0- 0.9 | 27 | 6.3 | 3.6- 9.0 |
| H.S. or G.E.D. | 1753 | 792,644 | 709 | 40.2 | 37.3-43.1 | 590 | 34.3 | 31.6-37.0 | 356 | 19.6 | 17.2-22.0 | 4 | 0.2 | 0.0- 0.4 | 94 | 5.6 | 4.2- 7.0 |
| Some Post-H.S. | 1349 | 667,627 | 603 | 44.3 | 41.0-47.6 | 486 | 36.4 | 33.3-39.5 | 214 | 15.8 | 13.4-18.2 | 3 | 0.1 | 0.0- 0.3 | 43 | 3.4 | 2.0- 4.8 |
| College Graduate | 1991 | 522,519 | 1065 | 52.2 | 49.5-54.9 | 626 | 32.0 | 29.5-34.5 | 272 | 14.4 | 12.4-16.4 | 3 | 0.1 | 0.0- 0.3 | 25 | 1.3 | 0.7- 1.9 |
| Less than \$15,000 | 386 | 160,575 | 136 | 36.4 | 30.1-42.7 | 130 | 34.8 | 28.7-40.9 | 88 | 20.5 | 15.6-25.4 | 3 | 0.9 | 0.0- 2.1 | 29 | 7.4 | 4.3-10.5 |
| \$15,000- 24,999 | 778 | 331,471 | 310 | 39.1 | 34.6-43.6 | 267 | 32.7 | 28.6-36.8 | 155 | 22.0 | 18.3-25.7 | 4 | 0.3 | 0.0- 0.7 | 42 | 5.9 | 3.5- 8.3 |
| \$25,000- 34,999 | 533 | 217,306 | 232 | 41.8 | 36.3-47.3 | 172 | 34.8 | 29.3-40.3 | 106 | 17.8 | 13.7-21.9 | 1 | 0.1 | 0.0- 0.3 | 22 | 5.5 | 3.0- 8.0 |
| \$35,000- 49,999 | 825 | 349,690 | 363 | 45.6 | 40.9-50.3 | 279 | 30.2 | 26.3-34.1 | 153 | 19.9 | 16.2-23.6 | 1 | 0.0 | 0.0- 0.0 | 29 | 4.3 | 2.3- 6.3 |
| \$50,000- 74,999 | 864 | 357,224 | 422 | 43.8 | 39.5-48.1 | 296 | 37.7 | 33.4-42.0 | 128 | 15.5 | 12.4-18.6 | 2 | 0.3 | 0.0- 0.7 | 16 | 2.7 | 1.1- 4.3 |
| \$75,000+ | 1695 | 675,675 | 874 | 49.4 | 46.5-52.3 | 551 | 34.1 | 31.2-37.0 | 236 | 14.2 | 12.0-16.4 | | | | 34 | 2.3 | 1.3- 3.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 3: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Times per Day | | | Times per Week | | | Times per Month | | | LT 1 per Month | | | Never | | |
|----------------------------|-------------------|-----------|---------------|------|------------|----------------|------|------------|-----------------|------|------------|----------------|-----|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7325 | 2,412,156 | 4072 | 52.6 | 51.0-54.2 | 2014 | 29.3 | 27.9-30.7 | 985 | 14.6 | 13.4-15.8 | 13 | 0.2 | 0.0- 0.4 | 241 | 3.3 | 2.7- 3.9 |
| White/Non-Hisp | 6228 | 1,963,078 | 3493 | 52.8 | 51.0-54.6 | 1708 | 29.5 | 27.9-31.1 | 815 | 14.3 | 13.1-15.5 | 10 | 0.2 | 0.0- 0.4 | 202 | 3.2 | 2.6- 3.8 |
| Black or Afr. Am./Non-Hisp | 519 | 204,568 | 245 | 46.0 | 40.1-51.9 | 156 | 30.3 | 24.8-35.8 | 98 | 20.0 | 15.1-24.9 | 2 | 0.4 | 0.0- 1.0 | 18 | 3.3 | 1.3- 5.3 |
| Oth. Race/Non-Hisp. | 106 | 47,832 | 69 | 63.8 | 50.3-77.3 | 22 | 21.9 | 10.9-32.9 | 10 | 7.7 | 1.8-13.6 | | | | 5 | 6.6 | 0.0-16.6 |
| MultiRacial/Non-Hisp. | 92 | 26,609 | 53 | 56.6 | 43.3-69.9 | 24 | 25.8 | 14.2-37.4 | 11 | 13.0 | 4.4-21.6 | | | | 4 | 4.5 | 0.0- 9.6 |
| Hispanic | 285 | 138,335 | 163 | 55.7 | 48.6-62.8 | 80 | 29.1 | 22.6-35.6 | 34 | 12.9 | 8.2-17.6 | | | | 8 | 2.3 | 0.5- 4.1 |
| 18-24 | 273 | 300,460 | 135 | 49.6 | 42.7-56.5 | 100 | 35.3 | 28.8-41.8 | 31 | 12.3 | 7.8-16.8 | | | | 7 | 2.8 | 0.4- 5.2 |
| 25-34 | 560 | 382,569 | 296 | 50.6 | 45.9-55.3 | 170 | 30.8 | 26.3-35.3 | 76 | 15.4 | 11.9-18.9 | 4 | 0.8 | 0.0- 1.6 | 14 | 2.5 | 1.1- 3.9 |
| 35-44 | 735 | 384,900 | 425 | 55.9 | 51.8-60.0 | 187 | 25.5 | 22.0-29.0 | 100 | 15.3 | 12.2-18.4 | | | | 23 | 3.3 | 1.9- 4.7 |
| 45-54 | 1085 | 386,969 | 556 | 48.7 | 45.2-52.2 | 311 | 29.5 | 26.4-32.6 | 173 | 16.7 | 14.0-19.4 | 1 | 0.0 | 0.0- 0.0 | 44 | 5.0 | 3.2- 6.8 |
| 55-64 | 1525 | 417,917 | 806 | 51.6 | 48.7-54.5 | 421 | 29.5 | 26.8-32.2 | 246 | 15.9 | 13.7-18.1 | | | | 52 | 3.0 | 2.0- 4.0 |
| 65+ | 3147 | 539,341 | 1854 | 56.8 | 54.6-59.0 | 825 | 27.5 | 25.5-29.5 | 359 | 12.3 | 10.9-13.7 | 8 | 0.2 | 0.0- 0.4 | 101 | 3.2 | 2.4- 4.0 |
| Less Than H.S. | 545 | 287,669 | 231 | 42.4 | 36.7-48.1 | 174 | 32.6 | 27.3-37.9 | 104 | 19.3 | 14.6-24.0 | 4 | 0.7 | 0.0- 1.7 | 32 | 5.0 | 2.5- 7.5 |
| H.S. or G.E.D. | 2503 | 794,380 | 1219 | 46.4 | 43.7-49.1 | 727 | 29.6 | 27.1-32.1 | 438 | 19.3 | 17.1-21.5 | 7 | 0.3 | 0.1- 0.5 | 112 | 4.4 | 3.4- 5.4 |
| Some Post-H.S. | 1908 | 784,229 | 1054 | 53.9 | 51.0-56.8 | 540 | 30.0 | 27.3-32.7 | 256 | 13.0 | 11.0-15.0 | | | | 58 | 3.0 | 2.0- 4.0 |
| College Graduate | 2357 | 543,110 | 1562 | 65.2 | 62.7-67.7 | 569 | 26.0 | 23.6-28.4 | 186 | 7.5 | 6.1- 8.9 | 2 | 0.0 | 0.0- 0.0 | 38 | 1.2 | 0.6- 1.8 |
| Less than \$15,000 | 741 | 251,383 | 328 | 42.3 | 37.2-47.4 | 206 | 28.9 | 24.2-33.6 | 154 | 22.6 | 18.1-27.1 | 4 | 0.8 | 0.0- 1.8 | 49 | 5.4 | 3.4- 7.4 |
| \$15,000- 24,999 | 1288 | 409,592 | 620 | 46.6 | 42.7-50.5 | 396 | 32.0 | 28.3-35.7 | 207 | 16.4 | 13.7-19.1 | 2 | 0.1 | 0.0- 0.3 | 63 | 4.8 | 3.2- 6.4 |
| \$25,000- 34,999 | 819 | 256,576 | 442 | 52.6 | 47.9-57.3 | 237 | 31.3 | 26.8-35.8 | 117 | 14.0 | 10.9-17.1 | 1 | 0.0 | 0.0- 0.0 | 22 | 2.1 | 0.9- 3.3 |
| \$35,000- 49,999 | 933 | 316,766 | 513 | 51.1 | 46.6-55.6 | 268 | 30.3 | 26.0-34.6 | 122 | 15.5 | 12.0-19.0 | | | | 30 | 3.2 | 1.6- 4.8 |
| \$50,000- 74,999 | 1004 | 342,259 | 619 | 57.3 | 53.0-61.6 | 248 | 27.3 | 23.4-31.2 | 117 | 12.6 | 9.9-15.3 | 1 | 0.0 | 0.0- 0.0 | 19 | 2.8 | 0.8- 4.8 |
| \$75,000+ | 1588 | 553,702 | 1005 | 60.4 | 57.3-63.5 | 420 | 27.9 | 25.0-30.8 | 137 | 10.0 | 8.0-12.0 | | | | 26 | 1.7 | 0.9- 2.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 4: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Times per Day | | | Times per Week | | | Times per Month | | | LT 1 per Month | | | Never | | |
|----------------------------|-------------------|-----------|---------------|------|------------|----------------|------|------------|-----------------|------|------------|----------------|-----|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 12841 | 4,688,821 | 2134 | 15.7 | 14.9-16.5 | 2552 | 22.2 | 21.2-23.2 | 2387 | 20.5 | 19.5-21.5 | 134 | 0.9 | 0.7- 1.1 | 5634 | 40.7 | 39.5-41.9 |
| Male | 5508 | 2,276,874 | 997 | 16.8 | 15.4-18.2 | 1259 | 24.8 | 23.2-26.4 | 1147 | 22.1 | 20.7-23.5 | 51 | 0.9 | 0.5- 1.3 | 2054 | 35.3 | 33.7-36.9 |
| Female | 7333 | 2,411,946 | 1137 | 14.6 | 13.4-15.8 | 1293 | 19.8 | 18.4-21.2 | 1240 | 18.9 | 17.5-20.3 | 83 | 0.9 | 0.7- 1.1 | 3580 | 45.8 | 44.2-47.4 |
| White/Non-Hisp | 10841 | 3,806,665 | 1736 | 14.5 | 13.5-15.5 | 2046 | 21.1 | 19.9-22.3 | 1973 | 20.4 | 19.4-21.4 | 108 | 0.8 | 0.6- 1.0 | 4978 | 43.2 | 42.0-44.4 |
| Black or Afr. Am./Non-Hisp | 819 | 379,831 | 186 | 23.5 | 19.6-27.4 | 204 | 27.3 | 23.0-31.6 | 185 | 22.8 | 18.9-26.7 | 10 | 1.2 | 0.2- 2.2 | 234 | 25.3 | 21.4-29.2 |
| Oth. Race/Non-Hisp. | 260 | 111,431 | 45 | 21.3 | 14.2-28.4 | 67 | 26.4 | 19.3-33.5 | 38 | 9.8 | 5.7-13.9 | 2 | 0.4 | 0.0- 1.0 | 108 | 42.2 | 34.0-50.4 |
| MultiRacial/Non-Hisp. | 197 | 57,015 | 37 | 16.8 | 10.5-23.1 | 43 | 25.4 | 17.2-33.6 | 38 | 18.4 | 11.7-25.1 | 1 | 0.8 | 0.0- 2.4 | 78 | 38.5 | 30.1-46.9 |
| Hispanic | 517 | 256,570 | 82 | 17.2 | 13.1-21.3 | 156 | 29.8 | 24.9-34.7 | 117 | 23.0 | 18.5-27.5 | 9 | 1.6 | 0.4- 2.8 | 153 | 28.3 | 23.6-33.0 |
| 18-24 | 634 | 622,963 | 98 | 17.1 | 13.6-20.6 | 201 | 31.8 | 27.7-35.9 | 149 | 22.3 | 18.6-26.0 | 4 | 0.6 | 0.0- 1.2 | 182 | 28.3 | 24.4-32.2 |
| 25-34 | 1101 | 766,096 | 179 | 17.7 | 15.2-20.2 | 281 | 25.3 | 22.4-28.2 | 251 | 21.6 | 18.9-24.3 | 9 | 0.8 | 0.2- 1.4 | 381 | 34.6 | 31.5-37.7 |
| 35-44 | 1292 | 748,082 | 167 | 12.7 | 10.5-14.9 | 286 | 21.7 | 19.2-24.2 | 321 | 25.7 | 23.0-28.4 | 12 | 0.8 | 0.4- 1.2 | 506 | 39.2 | 36.1-42.3 |
| 45-54 | 1967 | 773,949 | 258 | 13.4 | 11.6-15.2 | 427 | 21.7 | 19.5-23.9 | 410 | 21.1 | 18.9-23.3 | 16 | 0.9 | 0.3- 1.5 | 856 | 42.9 | 40.4-45.4 |
| 55-64 | 2825 | 814,072 | 394 | 13.6 | 12.0-15.2 | 508 | 18.5 | 16.7-20.3 | 539 | 19.9 | 18.1-21.7 | 30 | 1.0 | 0.6- 1.4 | 1354 | 47.1 | 44.9-49.3 |
| 65+ | 5022 | 963,659 | 1038 | 19.1 | 17.7-20.5 | 849 | 17.7 | 16.3-19.1 | 717 | 14.4 | 13.2-15.6 | 63 | 1.2 | 0.8- 1.6 | 2355 | 47.6 | 45.8-49.4 |
| Less Than H.S. | 941 | 572,842 | 170 | 18.0 | 14.7-21.3 | 194 | 22.5 | 18.8-26.2 | 132 | 15.4 | 12.3-18.5 | 11 | 1.2 | 0.4- 2.0 | 434 | 42.9 | 38.8-47.0 |
| H.S. or G.E.D. | 4266 | 1,587,043 | 733 | 16.7 | 15.1-18.3 | 823 | 22.1 | 20.3-23.9 | 777 | 20.6 | 19.0-22.2 | 55 | 1.1 | 0.7- 1.5 | 1878 | 39.5 | 37.5-41.5 |
| Some Post-H.S. | 3256 | 1,452,896 | 503 | 14.9 | 13.3-16.5 | 693 | 23.2 | 21.2-25.2 | 629 | 21.8 | 19.8-23.8 | 29 | 0.5 | 0.3- 0.7 | 1402 | 39.6 | 37.4-41.8 |
| College Graduate | 4348 | 1,066,554 | 721 | 13.8 | 12.6-15.0 | 831 | 20.9 | 19.3-22.5 | 848 | 21.4 | 19.8-23.0 | 39 | 0.9 | 0.5- 1.3 | 1909 | 43.0 | 41.0-45.0 |
| Less than \$15,000 | 1127 | 414,404 | 205 | 18.7 | 15.4-22.0 | 237 | 23.3 | 19.8-26.8 | 172 | 17.1 | 14.0-20.2 | 17 | 1.1 | 0.3- 1.9 | 496 | 39.8 | 35.9-43.7 |
| \$15,000- 24,999 | 2066 | 743,016 | 387 | 18.4 | 16.0-20.8 | 409 | 21.3 | 18.8-23.8 | 346 | 19.5 | 17.1-21.9 | 23 | 1.2 | 0.6- 1.8 | 901 | 39.7 | 36.8-42.6 |
| \$25,000- 34,999 | 1349 | 473,482 | 232 | 15.5 | 13.0-18.0 | 272 | 24.8 | 21.5-28.1 | 256 | 20.6 | 17.7-23.5 | 16 | 0.9 | 0.3- 1.5 | 573 | 38.2 | 34.7-41.7 |
| \$35,000- 49,999 | 1755 | 663,695 | 293 | 14.0 | 11.8-16.2 | 362 | 24.1 | 21.2-27.0 | 324 | 20.8 | 18.1-23.5 | 17 | 0.9 | 0.3- 1.5 | 759 | 40.2 | 37.1-43.3 |
| \$50,000- 74,999 | 1866 | 700,075 | 305 | 16.1 | 13.7-18.5 | 370 | 20.4 | 17.9-22.9 | 396 | 22.0 | 19.5-24.5 | 17 | 0.7 | 0.3- 1.1 | 778 | 40.7 | 37.8-43.6 |
| \$75,000+ | 3281 | 1,227,363 | 467 | 12.8 | 11.4-14.2 | 628 | 21.5 | 19.5-23.5 | 663 | 22.4 | 20.4-24.4 | 26 | 0.7 | 0.3- 1.1 | 1497 | 42.7 | 40.5-44.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 5: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Times per Day | | | Times per Week | | | Times per Month | | | LT 1 per Month | | | Never | | |
|----------------------------|-------------------|-----------|---------------|------|------------|----------------|------|------------|-----------------|------|------------|----------------|-----|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5508 | 2,276,874 | 997 | 16.8 | 15.4-18.2 | 1259 | 24.8 | 23.2-26.4 | 1147 | 22.1 | 20.7-23.5 | 51 | 0.9 | 0.5- 1.3 | 2054 | 35.3 | 33.7-36.9 |
| White/Non-Hisp | 4604 | 1,841,230 | 804 | 15.6 | 14.2-17.0 | 1018 | 24.0 | 22.4-25.6 | 956 | 22.4 | 20.8-24.0 | 41 | 0.9 | 0.5- 1.3 | 1785 | 37.1 | 35.3-38.9 |
| Black or Afr. Am./Non-Hisp | 301 | 175,112 | 71 | 24.1 | 18.0-30.2 | 85 | 29.6 | 22.5-36.7 | 71 | 23.9 | 17.8-30.0 | 3 | 1.5 | 0.0- 3.3 | 71 | 21.0 | 15.5-26.5 |
| Oth. Race/Non-Hisp. | 150 | 63,106 | 29 | 21.2 | 12.8-29.6 | 41 | 27.2 | 18.2-36.2 | 28 | 13.7 | 7.4-20.0 | | | | 52 | 37.9 | 28.1-47.7 |
| MultiRacial/Non-Hisp. | 107 | 31,387 | 21 | 18.2 | 9.6-26.8 | 23 | 21.6 | 12.0-31.2 | 17 | 14.8 | 7.0-22.6 | 1 | 1.5 | 0.0- 4.4 | 45 | 43.8 | 32.2-55.4 |
| Hispanic | 232 | 119,690 | 41 | 18.2 | 12.1-24.3 | 70 | 29.7 | 22.6-36.8 | 56 | 23.9 | 17.2-30.6 | 4 | 1.0 | 0.0- 2.2 | 61 | 27.2 | 19.9-34.5 |
| 18-24 | 361 | 321,670 | 56 | 17.6 | 12.9-22.3 | 112 | 32.4 | 26.7-38.1 | 89 | 22.5 | 17.8-27.2 | 2 | 0.8 | 0.0- 2.0 | 102 | 26.7 | 21.6-31.8 |
| 25-34 | 544 | 385,860 | 94 | 18.2 | 14.5-21.9 | 151 | 28.3 | 24.0-32.6 | 131 | 22.5 | 18.6-26.4 | 3 | 0.4 | 0.0- 1.0 | 165 | 30.6 | 26.1-35.1 |
| 35-44 | 563 | 366,421 | 82 | 14.1 | 10.8-17.4 | 145 | 25.2 | 21.1-29.3 | 145 | 26.5 | 22.2-30.8 | 5 | 0.7 | 0.1- 1.3 | 186 | 33.5 | 29.0-38.0 |
| 45-54 | 878 | 385,766 | 132 | 15.5 | 12.6-18.4 | 216 | 23.9 | 20.6-27.2 | 212 | 23.9 | 20.6-27.2 | 9 | 1.4 | 0.4- 2.4 | 309 | 35.5 | 31.8-39.2 |
| 55-64 | 1297 | 395,255 | 218 | 15.8 | 13.4-18.2 | 265 | 20.9 | 18.2-23.6 | 268 | 21.9 | 19.2-24.6 | 15 | 1.3 | 0.5- 2.1 | 531 | 40.1 | 37.0-43.2 |
| 65+ | 1865 | 421,903 | 415 | 19.5 | 17.3-21.7 | 370 | 20.1 | 17.9-22.3 | 302 | 16.3 | 14.3-18.3 | 17 | 0.9 | 0.5- 1.3 | 761 | 43.2 | 40.5-45.9 |
| Less Than H.S. | 390 | 285,873 | 73 | 19.2 | 14.3-24.1 | 87 | 25.2 | 19.5-30.9 | 63 | 16.0 | 11.7-20.3 | 4 | 1.1 | 0.0- 2.5 | 163 | 38.5 | 32.6-44.4 |
| H.S. or G.E.D. | 1757 | 791,490 | 309 | 17.3 | 14.9-19.7 | 381 | 23.7 | 21.2-26.2 | 365 | 22.1 | 19.7-24.5 | 20 | 1.1 | 0.5- 1.7 | 682 | 35.8 | 33.1-38.5 |
| Some Post-H.S. | 1352 | 669,703 | 226 | 15.6 | 13.2-18.0 | 329 | 26.3 | 23.4-29.2 | 304 | 24.1 | 21.2-27.0 | 9 | 0.5 | 0.1- 0.9 | 484 | 33.5 | 30.4-36.6 |
| College Graduate | 1993 | 523,353 | 384 | 16.1 | 14.1-18.1 | 456 | 24.4 | 22.0-26.8 | 415 | 23.2 | 20.8-25.6 | 18 | 1.0 | 0.4- 1.6 | 720 | 35.4 | 32.9-37.9 |
| Less than \$15,000 | 387 | 163,797 | 74 | 20.8 | 15.3-26.3 | 85 | 22.2 | 17.1-27.3 | 67 | 17.7 | 12.6-22.8 | 3 | 0.8 | 0.0- 1.8 | 158 | 38.5 | 32.2-44.8 |
| \$15,000- 24,999 | 781 | 334,172 | 149 | 17.1 | 13.8-20.4 | 167 | 21.4 | 17.7-25.1 | 140 | 20.2 | 16.5-23.9 | 10 | 1.5 | 0.3- 2.7 | 315 | 39.8 | 35.3-44.3 |
| \$25,000- 34,999 | 534 | 218,382 | 101 | 16.8 | 12.9-20.7 | 119 | 27.2 | 21.9-32.5 | 120 | 22.8 | 18.1-27.5 | 7 | 1.1 | 0.1- 2.1 | 187 | 32.1 | 27.0-37.2 |
| \$35,000- 49,999 | 824 | 347,578 | 150 | 15.3 | 12.2-18.4 | 190 | 26.7 | 22.4-31.0 | 175 | 22.2 | 18.5-25.9 | 8 | 0.9 | 0.1- 1.7 | 301 | 35.0 | 30.7-39.3 |
| \$50,000- 74,999 | 864 | 357,128 | 157 | 17.6 | 14.1-21.1 | 209 | 26.2 | 22.3-30.1 | 191 | 22.7 | 19.2-26.2 | 9 | 0.9 | 0.3- 1.5 | 298 | 32.6 | 28.5-36.7 |
| \$75,000+ | 1695 | 674,552 | 284 | 14.9 | 12.7-17.1 | 388 | 24.4 | 21.9-26.9 | 377 | 24.4 | 21.7-27.1 | 12 | 0.7 | 0.1- 1.3 | 634 | 35.6 | 32.7-38.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 6: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Times per Day | | | Times per Week | | | Times per Month | | | LT 1 per Month | | | Never | | |
|----------------------------|-------------------|-----------|---------------|------|------------|----------------|------|------------|-----------------|------|------------|----------------|-----|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7333 | 2,411,946 | 1137 | 14.6 | 13.4-15.8 | 1293 | 19.8 | 18.4-21.2 | 1240 | 18.9 | 17.5-20.3 | 83 | 0.9 | 0.7- 1.1 | 3580 | 45.8 | 44.2-47.4 |
| White/Non-Hisp | 6237 | 1,965,435 | 932 | 13.4 | 12.2-14.6 | 1028 | 18.4 | 17.0-19.8 | 1017 | 18.6 | 17.2-20.0 | 67 | 0.8 | 0.6- 1.0 | 3193 | 48.8 | 47.0-50.6 |
| Black or Afr. Am./Non-Hisp | 518 | 204,719 | 115 | 23.0 | 17.9-28.1 | 119 | 25.2 | 19.9-30.5 | 114 | 21.9 | 17.0-26.8 | 7 | 1.0 | 0.2- 1.8 | 163 | 28.9 | 23.6-34.2 |
| Oth. Race/Non-Hisp. | 110 | 48,325 | 16 | 21.4 | 9.1-33.7 | 26 | 25.2 | 13.6-36.8 | 10 | 4.8 | 0.7- 8.9 | 2 | 0.9 | 0.0- 2.3 | 56 | 47.7 | 34.0-61.4 |
| MultiRacial/Non-Hisp. | 90 | 25,627 | 16 | 15.0 | 5.6-24.4 | 20 | 30.0 | 16.3-43.7 | 21 | 22.9 | 11.7-34.1 | | | | 33 | 32.0 | 20.0-44.0 |
| Hispanic | 285 | 136,880 | 41 | 16.4 | 10.9-21.9 | 86 | 30.0 | 23.3-36.7 | 61 | 22.3 | 16.4-28.2 | 5 | 2.1 | 0.0- 4.3 | 92 | 29.3 | 23.2-35.4 |
| 18-24 | 273 | 301,293 | 42 | 16.5 | 11.6-21.4 | 89 | 31.1 | 24.8-37.4 | 60 | 22.0 | 16.3-27.7 | 2 | 0.4 | 0.0- 1.0 | 80 | 30.0 | 23.7-36.3 |
| 25-34 | 557 | 380,236 | 85 | 17.3 | 13.6-21.0 | 130 | 22.1 | 18.2-26.0 | 120 | 20.7 | 17.0-24.4 | 6 | 1.1 | 0.1- 2.1 | 216 | 38.8 | 34.3-43.3 |
| 35-44 | 729 | 381,661 | 85 | 11.4 | 8.7-14.1 | 141 | 18.2 | 15.1-21.3 | 176 | 24.9 | 21.4-28.4 | 7 | 0.8 | 0.2- 1.4 | 320 | 44.6 | 40.5-48.7 |
| 45-54 | 1089 | 388,183 | 126 | 11.4 | 9.2-13.6 | 211 | 19.5 | 16.8-22.2 | 198 | 18.3 | 15.6-21.0 | 7 | 0.5 | 0.1- 0.9 | 547 | 50.3 | 46.8-53.8 |
| 55-64 | 1528 | 418,817 | 176 | 11.4 | 9.4-13.4 | 243 | 16.3 | 13.9-18.7 | 271 | 18.0 | 15.6-20.4 | 15 | 0.7 | 0.3- 1.1 | 823 | 53.6 | 50.7-56.5 |
| 65+ | 3157 | 541,756 | 623 | 18.7 | 17.1-20.3 | 479 | 15.9 | 14.3-17.5 | 415 | 13.0 | 11.6-14.4 | 46 | 1.4 | 1.0- 1.8 | 1594 | 51.0 | 48.8-53.2 |
| Less Than H.S. | 551 | 286,969 | 97 | 16.9 | 12.8-21.0 | 107 | 19.7 | 15.0-24.4 | 69 | 14.9 | 10.6-19.2 | 7 | 1.3 | 0.1- 2.5 | 271 | 47.3 | 41.6-53.0 |
| H.S. or G.E.D. | 2509 | 795,552 | 424 | 16.2 | 14.2-18.2 | 442 | 20.5 | 18.1-22.9 | 412 | 19.1 | 16.9-21.3 | 35 | 1.1 | 0.7- 1.5 | 1196 | 43.2 | 40.7-45.7 |
| Some Post-H.S. | 1904 | 783,192 | 277 | 14.4 | 12.2-16.6 | 364 | 20.5 | 18.0-23.0 | 325 | 19.8 | 17.4-22.2 | 20 | 0.5 | 0.3- 0.7 | 918 | 44.9 | 42.0-47.8 |
| College Graduate | 2355 | 543,201 | 337 | 11.5 | 9.9-13.1 | 375 | 17.6 | 15.4-19.8 | 433 | 19.8 | 17.6-22.0 | 21 | 0.9 | 0.5- 1.3 | 1189 | 50.3 | 47.8-52.8 |
| Less than \$15,000 | 740 | 250,607 | 131 | 17.4 | 13.5-21.3 | 152 | 23.9 | 19.2-28.6 | 105 | 16.7 | 12.6-20.8 | 14 | 1.2 | 0.2- 2.2 | 338 | 40.7 | 35.8-45.6 |
| \$15,000- 24,999 | 1285 | 408,844 | 238 | 19.4 | 16.1-22.7 | 242 | 21.2 | 17.9-24.5 | 206 | 18.9 | 15.8-22.0 | 13 | 0.9 | 0.1- 1.7 | 586 | 39.5 | 35.8-43.2 |
| \$25,000- 34,999 | 815 | 255,099 | 131 | 14.4 | 10.9-17.9 | 153 | 22.7 | 18.6-26.8 | 136 | 18.7 | 15.0-22.4 | 9 | 0.8 | 0.2- 1.4 | 386 | 43.4 | 38.7-48.1 |
| \$35,000- 49,999 | 931 | 316,118 | 143 | 12.6 | 9.9-15.3 | 172 | 21.2 | 17.1-25.3 | 149 | 19.3 | 15.4-23.2 | 9 | 0.9 | 0.1- 1.7 | 458 | 46.0 | 41.5-50.5 |
| \$50,000- 74,999 | 1002 | 342,947 | 148 | 14.6 | 11.5-17.7 | 161 | 14.4 | 11.7-17.1 | 205 | 21.3 | 18.0-24.6 | 8 | 0.6 | 0.2- 1.0 | 480 | 49.1 | 44.8-53.4 |
| \$75,000+ | 1586 | 552,810 | 183 | 10.2 | 8.2-12.2 | 240 | 17.9 | 15.2-20.6 | 286 | 20.0 | 17.5-22.5 | 14 | 0.6 | 0.2- 1.0 | 863 | 51.3 | 48.2-54.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 7: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Times per Day | | | Times per Week | | | Times per Month | | | LT 1 per Month | | | Never | | |
|----------------------------|-------------------|-----------|---------------|------|------------|----------------|------|------------|-----------------|------|------------|----------------|-----|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 12810 | 4,676,192 | 2693 | 19.5 | 18.5-20.5 | 6116 | 46.0 | 44.8-47.2 | 2880 | 23.9 | 22.9-24.9 | 34 | 0.3 | 0.1- 0.5 | 1087 | 10.2 | 9.4-11.0 |
| Male | 5504 | 2,273,432 | 1035 | 17.4 | 16.0-18.8 | 2554 | 44.0 | 42.2-45.8 | 1326 | 25.0 | 23.4-26.6 | 13 | 0.3 | 0.1- 0.5 | 576 | 13.3 | 11.9-14.7 |
| Female | 7306 | 2,402,761 | 1658 | 21.6 | 20.4-22.8 | 3562 | 48.0 | 46.4-49.6 | 1554 | 22.8 | 21.4-24.2 | 21 | 0.3 | 0.1- 0.5 | 511 | 7.4 | 6.4- 8.4 |
| White/Non-Hisp | 10804 | 3,790,951 | 2233 | 18.7 | 17.7-19.7 | 5260 | 47.3 | 45.9-48.7 | 2426 | 23.9 | 22.7-25.1 | 29 | 0.3 | 0.1- 0.5 | 856 | 9.7 | 8.9-10.5 |
| Black or Afr. Am./Non-Hisp | 821 | 380,584 | 172 | 20.2 | 16.7-23.7 | 359 | 41.0 | 36.5-45.5 | 194 | 24.9 | 20.8-29.0 | 3 | 0.1 | 0.0- 0.3 | 93 | 13.7 | 10.0-17.4 |
| Oth. Race/Non-Hisp. | 260 | 112,638 | 76 | 36.0 | 27.8-44.2 | 99 | 36.8 | 28.8-44.8 | 48 | 16.0 | 10.5-21.5 | | | | 37 | 11.2 | 6.5-15.9 |
| MultiRacial/Non-Hisp. | 198 | 57,663 | 49 | 24.4 | 16.6-32.2 | 73 | 34.9 | 26.7-43.1 | 45 | 25.5 | 17.5-33.5 | 1 | 0.1 | 0.0- 0.3 | 30 | 15.0 | 9.1-20.9 |
| Hispanic | 521 | 257,553 | 118 | 21.9 | 17.8-26.0 | 236 | 42.9 | 37.8-48.0 | 112 | 22.7 | 18.2-27.2 | 1 | 0.1 | 0.0- 0.3 | 54 | 12.5 | 8.8-16.2 |
| 18-24 | 633 | 623,182 | 96 | 14.5 | 11.4-17.6 | 256 | 40.2 | 35.9-44.5 | 159 | 24.6 | 20.9-28.3 | 4 | 0.9 | 0.0- 1.9 | 118 | 19.8 | 16.1-23.5 |
| 25-34 | 1099 | 763,211 | 197 | 18.0 | 15.5-20.5 | 503 | 44.8 | 41.5-48.1 | 266 | 24.4 | 21.5-27.3 | 3 | 0.2 | 0.0- 0.4 | 130 | 12.6 | 10.2-15.0 |
| 35-44 | 1296 | 749,201 | 261 | 19.5 | 17.0-22.0 | 622 | 47.0 | 43.9-50.1 | 308 | 24.8 | 22.1-27.5 | 3 | 0.2 | 0.0- 0.4 | 102 | 8.6 | 6.6-10.6 |
| 45-54 | 1961 | 769,962 | 409 | 21.4 | 19.2-23.6 | 934 | 46.2 | 43.7-48.7 | 466 | 24.7 | 22.3-27.1 | 6 | 0.3 | 0.1- 0.5 | 146 | 7.4 | 6.0- 8.8 |
| 55-64 | 2820 | 813,559 | 634 | 21.7 | 19.9-23.5 | 1308 | 45.3 | 43.1-47.5 | 666 | 25.0 | 23.0-27.0 | 10 | 0.2 | 0.0- 0.4 | 202 | 7.8 | 6.6- 9.0 |
| 65+ | 5001 | 957,078 | 1096 | 20.7 | 19.3-22.1 | 2493 | 50.6 | 48.8-52.4 | 1015 | 20.7 | 19.3-22.1 | 8 | 0.1 | 0.0- 0.3 | 389 | 7.8 | 6.8- 8.8 |
| Less Than H.S. | 940 | 567,176 | 141 | 14.9 | 12.0-17.8 | 381 | 41.9 | 37.8-46.0 | 234 | 22.4 | 19.1-25.7 | 4 | 0.2 | 0.0- 0.4 | 180 | 20.6 | 17.1-24.1 |
| H.S. or G.E.D. | 4236 | 1,580,458 | 712 | 16.0 | 14.6-17.4 | 2017 | 44.1 | 42.1-46.1 | 1007 | 26.2 | 24.4-28.0 | 20 | 0.6 | 0.2- 1.0 | 480 | 13.1 | 11.7-14.5 |
| Some Post-H.S. | 3252 | 1,450,879 | 679 | 21.2 | 19.4-23.0 | 1563 | 47.1 | 44.9-49.3 | 756 | 23.8 | 21.8-25.8 | 5 | 0.1 | 0.1- 0.1 | 249 | 7.8 | 6.6- 9.0 |
| College Graduate | 4353 | 1,068,279 | 1150 | 24.7 | 23.1-26.3 | 2145 | 49.9 | 47.9-51.9 | 880 | 21.5 | 19.9-23.1 | 5 | 0.1 | 0.1- 0.1 | 173 | 3.9 | 3.1- 4.7 |
| Less than \$15,000 | 1117 | 411,838 | 185 | 14.7 | 12.0-17.4 | 445 | 40.2 | 36.3-44.1 | 281 | 26.1 | 22.6-29.6 | 7 | 0.3 | 0.1- 0.5 | 199 | 18.7 | 15.6-21.8 |
| \$15,000- 24,999 | 2069 | 742,362 | 341 | 16.0 | 13.8-18.2 | 951 | 44.3 | 41.4-47.2 | 515 | 26.2 | 23.7-28.7 | 8 | 0.4 | 0.0- 0.8 | 254 | 13.2 | 11.0-15.4 |
| \$25,000- 34,999 | 1344 | 469,971 | 257 | 19.4 | 16.5-22.3 | 642 | 44.7 | 41.2-48.2 | 310 | 23.3 | 20.2-26.4 | 3 | 0.7 | 0.0- 1.7 | 132 | 11.9 | 9.4-14.4 |
| \$35,000- 49,999 | 1756 | 665,462 | 348 | 18.9 | 16.4-21.4 | 858 | 47.0 | 43.7-50.3 | 410 | 23.9 | 21.2-26.6 | 4 | 0.2 | 0.0- 0.4 | 136 | 9.9 | 7.5-12.3 |
| \$50,000- 74,999 | 1862 | 695,632 | 405 | 20.3 | 17.9-22.7 | 947 | 48.6 | 45.5-51.7 | 412 | 23.6 | 21.1-26.1 | 3 | 0.2 | 0.0- 0.4 | 95 | 7.3 | 5.3- 9.3 |
| \$75,000+ | 3283 | 1,228,425 | 871 | 23.5 | 21.7-25.3 | 1628 | 49.4 | 47.2-51.6 | 667 | 22.2 | 20.4-24.0 | 4 | 0.1 | 0.1- 0.1 | 113 | 4.9 | 3.7- 6.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 8: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Times per Day | | | Times per Week | | | Times per Month | | | LT 1 per Month | | | Never | | |
|----------------------------|-------------------|-----------|---------------|------|------------|----------------|------|------------|-----------------|------|------------|----------------|-----|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5504 | 2,273,432 | 1035 | 17.4 | 16.0-18.8 | 2554 | 44.0 | 42.2-45.8 | 1326 | 25.0 | 23.4-26.6 | 13 | 0.3 | 0.1- 0.5 | 576 | 13.3 | 11.9-14.7 |
| White/Non-Hisp | 4592 | 1,833,302 | 838 | 16.7 | 15.3-18.1 | 2187 | 45.0 | 43.0-47.0 | 1110 | 25.3 | 23.7-26.9 | 12 | 0.4 | 0.2- 0.6 | 445 | 12.7 | 11.3-14.1 |
| Black or Afr. Am./Non-Hisp | 301 | 175,254 | 58 | 16.9 | 11.8-22.0 | 131 | 40.2 | 33.3-47.1 | 71 | 24.8 | 18.3-31.3 | | | | 41 | 18.1 | 11.6-24.6 |
| Oth. Race/Non-Hisp. | 153 | 65,401 | 40 | 31.6 | 22.0-41.2 | 56 | 40.1 | 30.1-50.1 | 32 | 16.2 | 9.5-22.9 | | | | 25 | 12.1 | 6.4-17.8 |
| MultiRacial/Non-Hisp. | 108 | 31,521 | 27 | 21.7 | 13.3-30.1 | 38 | 37.1 | 25.9-48.3 | 23 | 26.3 | 15.1-37.5 | 1 | 0.2 | 0.0- 0.6 | 19 | 14.7 | 7.4-22.0 |
| Hispanic | 237 | 122,015 | 47 | 18.8 | 12.9-24.7 | 97 | 39.3 | 31.9-46.7 | 60 | 25.4 | 18.5-32.3 | | | | 33 | 16.5 | 10.2-22.8 |
| 18-24 | 359 | 322,303 | 45 | 12.4 | 8.5-16.3 | 127 | 34.2 | 28.7-39.7 | 97 | 25.5 | 20.4-30.6 | 3 | 1.2 | 0.0- 2.6 | 87 | 26.7 | 21.2-32.2 |
| 25-34 | 545 | 384,775 | 78 | 13.8 | 10.5-17.1 | 239 | 43.8 | 39.1-48.5 | 138 | 25.1 | 21.0-29.2 | 1 | 0.2 | 0.0- 0.6 | 89 | 17.2 | 13.5-20.9 |
| 35-44 | 567 | 367,624 | 97 | 17.1 | 13.6-20.6 | 253 | 43.6 | 38.9-48.3 | 156 | 27.6 | 23.3-31.9 | 1 | 0.1 | 0.0- 0.3 | 60 | 11.6 | 8.3-14.9 |
| 45-54 | 878 | 382,489 | 160 | 20.8 | 17.5-24.1 | 423 | 45.9 | 42.0-49.8 | 214 | 24.4 | 21.1-27.7 | 1 | 0.2 | 0.0- 0.6 | 80 | 8.7 | 6.5-10.9 |
| 55-64 | 1300 | 397,283 | 261 | 18.8 | 16.3-21.3 | 602 | 44.4 | 41.3-47.5 | 314 | 26.3 | 23.4-29.2 | 4 | 0.2 | 0.0- 0.4 | 119 | 10.3 | 8.1-12.5 |
| 65+ | 1855 | 418,958 | 394 | 20.1 | 17.9-22.3 | 910 | 50.1 | 47.4-52.8 | 407 | 21.8 | 19.4-24.2 | 3 | 0.1 | 0.0- 0.3 | 141 | 7.9 | 6.3- 9.5 |
| Less Than H.S. | 393 | 283,334 | 50 | 13.5 | 9.4-17.6 | 143 | 37.4 | 31.3-43.5 | 103 | 23.6 | 18.5-28.7 | 1 | 0.2 | 0.0- 0.6 | 96 | 25.4 | 19.7-31.1 |
| H.S. or G.E.D. | 1750 | 789,784 | 267 | 13.9 | 11.9-15.9 | 785 | 41.9 | 39.0-44.8 | 451 | 27.3 | 24.8-29.8 | 8 | 0.7 | 0.1- 1.3 | 239 | 16.1 | 13.7-18.5 |
| Some Post-H.S. | 1349 | 669,058 | 242 | 18.5 | 16.0-21.0 | 644 | 45.9 | 42.6-49.2 | 326 | 24.3 | 21.4-27.2 | 2 | 0.1 | 0.0- 0.3 | 135 | 11.2 | 9.0-13.4 |
| College Graduate | 1997 | 524,887 | 469 | 22.4 | 20.2-24.6 | 977 | 48.7 | 46.0-51.4 | 445 | 23.5 | 21.1-25.9 | 2 | 0.0 | 0.0- 0.0 | 104 | 5.3 | 3.9- 6.7 |
| Less than \$15,000 | 386 | 164,102 | 54 | 12.2 | 8.1-16.3 | 145 | 40.1 | 33.8-46.4 | 97 | 26.3 | 20.4-32.2 | 1 | 0.3 | 0.0- 0.9 | 89 | 21.1 | 16.2-26.0 |
| \$15,000- 24,999 | 778 | 333,186 | 112 | 13.6 | 10.7-16.5 | 340 | 42.2 | 37.7-46.7 | 206 | 27.3 | 23.2-31.4 | 5 | 0.7 | 0.0- 1.5 | 115 | 16.3 | 12.8-19.8 |
| \$25,000- 34,999 | 531 | 215,218 | 85 | 16.2 | 11.9-20.5 | 246 | 41.6 | 36.3-46.9 | 123 | 22.0 | 17.5-26.5 | 3 | 1.5 | 0.0- 3.5 | 74 | 18.6 | 13.9-23.3 |
| \$35,000- 49,999 | 823 | 348,850 | 150 | 18.1 | 14.6-21.6 | 384 | 43.3 | 38.8-47.8 | 204 | 24.1 | 20.4-27.8 | 2 | 0.1 | 0.0- 0.3 | 83 | 14.3 | 10.6-18.0 |
| \$50,000- 74,999 | 862 | 355,363 | 161 | 17.2 | 13.9-20.5 | 419 | 45.0 | 40.7-49.3 | 216 | 27.0 | 23.1-30.9 | | | | 66 | 10.8 | 7.7-13.9 |
| \$75,000+ | 1699 | 676,399 | 399 | 21.2 | 18.8-23.6 | 827 | 47.6 | 44.7-50.5 | 390 | 24.4 | 21.9-26.9 | 2 | 0.0 | 0.0- 0.0 | 81 | 6.7 | 4.9- 8.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 9: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Times per Day | | | Times per Week | | | Times per Month | | | LT 1 per Month | | | Never | | |
|----------------------------|-------------------|-----------|---------------|------|------------|----------------|------|------------|-----------------|------|------------|----------------|-----|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7306 | 2,402,761 | 1658 | 21.6 | 20.4-22.8 | 3562 | 48.0 | 46.4-49.6 | 1554 | 22.8 | 21.4-24.2 | 21 | 0.3 | 0.1- 0.5 | 511 | 7.4 | 6.4- 8.4 |
| White/Non-Hisp | 6212 | 1,957,648 | 1395 | 20.7 | 19.3-22.1 | 3073 | 49.5 | 47.7-51.3 | 1316 | 22.7 | 21.1-24.3 | 17 | 0.3 | 0.1- 0.5 | 411 | 6.8 | 5.8- 7.8 |
| Black or Afr. Am./Non-Hisp | 520 | 205,330 | 114 | 23.1 | 18.2-28.0 | 228 | 41.8 | 35.9-47.7 | 123 | 25.0 | 19.9-30.1 | 3 | 0.3 | 0.0- 0.7 | 52 | 9.9 | 5.8-14.0 |
| Oth. Race/Non-Hisp. | 107 | 47,237 | 36 | 42.1 | 27.8-56.4 | 43 | 32.2 | 19.7-44.7 | 16 | 15.8 | 6.8-24.8 | | | | 12 | 9.9 | 2.1-17.7 |
| MultiRacial/Non-Hisp. | 90 | 26,142 | 22 | 27.6 | 13.9-41.3 | 35 | 32.3 | 20.1-44.5 | 22 | 24.6 | 13.2-36.0 | | | | 11 | 15.5 | 5.9-25.1 |
| Hispanic | 284 | 135,538 | 71 | 24.6 | 18.7-30.5 | 139 | 46.2 | 39.1-53.3 | 52 | 20.2 | 14.3-26.1 | 1 | 0.1 | 0.0- 0.3 | 21 | 8.9 | 4.4-13.4 |
| 18-24 | 274 | 300,879 | 51 | 16.8 | 11.9-21.7 | 129 | 46.6 | 39.7-53.5 | 62 | 23.6 | 17.7-29.5 | 1 | 0.6 | 0.0- 1.8 | 31 | 12.4 | 7.9-16.9 |
| 25-34 | 554 | 378,436 | 119 | 22.3 | 18.4-26.2 | 264 | 45.8 | 41.1-50.5 | 128 | 23.8 | 19.9-27.7 | 2 | 0.2 | 0.0- 0.6 | 41 | 7.9 | 5.2-10.6 |
| 35-44 | 729 | 381,577 | 164 | 21.8 | 18.5-25.1 | 369 | 50.3 | 46.2-54.4 | 152 | 22.0 | 18.5-25.5 | 2 | 0.2 | 0.0- 0.4 | 42 | 5.7 | 3.7- 7.7 |
| 45-54 | 1083 | 387,473 | 249 | 21.9 | 19.2-24.6 | 511 | 46.6 | 43.1-50.1 | 252 | 25.0 | 21.9-28.1 | 5 | 0.4 | 0.0- 0.8 | 66 | 6.1 | 4.3- 7.9 |
| 55-64 | 1520 | 416,275 | 373 | 24.4 | 21.9-26.9 | 706 | 46.1 | 43.2-49.0 | 352 | 23.8 | 21.3-26.3 | 6 | 0.2 | 0.0- 0.4 | 83 | 5.4 | 4.0- 6.8 |
| 65+ | 3146 | 538,121 | 702 | 21.2 | 19.4-23.0 | 1583 | 51.1 | 48.9-53.3 | 608 | 19.9 | 18.1-21.7 | 5 | 0.1 | 0.1- 0.1 | 248 | 7.8 | 6.6- 9.0 |
| Less Than H.S. | 547 | 283,842 | 91 | 16.3 | 12.4-20.2 | 238 | 46.5 | 40.6-52.4 | 131 | 21.3 | 16.8-25.8 | 3 | 0.2 | 0.0- 0.4 | 84 | 15.7 | 11.4-20.0 |
| H.S. or G.E.D. | 2486 | 790,674 | 445 | 18.1 | 16.1-20.1 | 1232 | 46.2 | 43.5-48.9 | 556 | 25.1 | 22.7-27.5 | 12 | 0.6 | 0.0- 1.2 | 241 | 10.1 | 8.3-11.9 |
| Some Post-H.S. | 1903 | 781,821 | 437 | 23.5 | 21.0-26.0 | 919 | 48.1 | 45.2-51.0 | 430 | 23.4 | 20.9-25.9 | 3 | 0.1 | 0.0- 0.3 | 114 | 5.0 | 3.8- 6.2 |
| College Graduate | 2356 | 543,392 | 681 | 26.8 | 24.4-29.2 | 1168 | 51.1 | 48.6-53.6 | 435 | 19.5 | 17.3-21.7 | 3 | 0.1 | 0.0- 0.3 | 69 | 2.5 | 1.7- 3.3 |
| Less than \$15,000 | 731 | 247,736 | 131 | 16.3 | 12.6-20.0 | 300 | 40.3 | 35.2-45.4 | 184 | 25.9 | 21.4-30.4 | 6 | 0.3 | 0.0- 0.7 | 110 | 17.1 | 13.0-21.2 |
| \$15,000- 24,999 | 1291 | 409,176 | 229 | 17.9 | 15.0-20.8 | 611 | 46.1 | 42.2-50.0 | 309 | 25.3 | 22.0-28.6 | 3 | 0.1 | 0.0- 0.3 | 139 | 10.6 | 8.1-13.1 |
| \$25,000- 34,999 | 813 | 254,754 | 172 | 22.1 | 18.0-26.2 | 396 | 47.3 | 42.6-52.0 | 187 | 24.4 | 20.1-28.7 | | | | 58 | 6.2 | 4.0- 8.4 |
| \$35,000- 49,999 | 933 | 316,612 | 198 | 19.7 | 16.2-23.2 | 474 | 51.2 | 46.7-55.7 | 206 | 23.7 | 19.8-27.6 | 2 | 0.3 | 0.0- 0.7 | 53 | 5.2 | 3.0- 7.4 |
| \$50,000- 74,999 | 1000 | 340,269 | 244 | 23.5 | 20.0-27.0 | 528 | 52.4 | 48.1-56.7 | 196 | 20.1 | 16.6-23.6 | 3 | 0.3 | 0.0- 0.7 | 29 | 3.7 | 1.7- 5.7 |
| \$75,000+ | 1584 | 552,026 | 472 | 26.3 | 23.6-29.0 | 801 | 51.6 | 48.5-54.7 | 277 | 19.5 | 17.0-22.0 | 2 | 0.1 | 0.0- 0.3 | 32 | 2.6 | 1.4- 3.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 10: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Times per Day | | | Times per Week | | | Times per Month | | | LT 1 per Month | | | Never | | |
|----------------------------|-------------------|-----------|---------------|------|------------|----------------|------|------------|-----------------|------|------------|----------------|-----|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 12802 | 4,670,523 | 451 | 4.6 | 4.0- 5.2 | 5337 | 44.7 | 43.5-45.9 | 4861 | 37.4 | 36.2-38.6 | 103 | 0.6 | 0.4- 0.8 | 2050 | 12.8 | 12.0-13.6 |
| Male | 5492 | 2,267,773 | 268 | 5.8 | 4.8- 6.8 | 2692 | 50.2 | 48.4-52.0 | 1914 | 34.6 | 33.0-36.2 | 31 | 0.4 | 0.2- 0.6 | 587 | 9.1 | 8.1-10.1 |
| Female | 7310 | 2,402,750 | 183 | 3.4 | 2.6- 4.2 | 2645 | 39.5 | 37.9-41.1 | 2947 | 40.1 | 38.5-41.7 | 72 | 0.7 | 0.5- 0.9 | 1463 | 16.3 | 15.1-17.5 |
| White/Non-Hisp | 10796 | 3,787,896 | 349 | 4.0 | 3.4- 4.6 | 4562 | 45.6 | 44.2-47.0 | 4100 | 37.6 | 36.4-38.8 | 85 | 0.6 | 0.4- 0.8 | 1700 | 12.2 | 11.4-13.0 |
| Black or Afr. Am./Non-Hisp | 817 | 375,704 | 43 | 7.9 | 5.0-10.8 | 313 | 39.2 | 34.7-43.7 | 309 | 37.0 | 32.5-41.5 | 7 | 0.5 | 0.1- 0.9 | 145 | 15.4 | 11.9-18.9 |
| Oth. Race/Non-Hisp. | 258 | 111,962 | 12 | 7.0 | 1.3-12.7 | 105 | 48.3 | 40.1-56.5 | 99 | 32.3 | 24.9-39.7 | 1 | 0.2 | 0.0- 0.6 | 41 | 12.2 | 7.5-16.9 |
| MultiRacial/Non-Hisp. | 198 | 57,206 | 14 | 8.8 | 3.7-13.9 | 72 | 37.2 | 28.6-45.8 | 81 | 38.4 | 30.0-46.8 | 1 | 1.1 | 0.0- 3.3 | 30 | 14.6 | 7.7-21.5 |
| Hispanic | 521 | 258,740 | 21 | 4.9 | 2.5- 7.3 | 202 | 39.4 | 34.3-44.5 | 200 | 37.4 | 32.3-42.5 | 6 | 0.7 | 0.1- 1.3 | 92 | 17.6 | 13.7-21.5 |
| 18-24 | 631 | 619,642 | 34 | 6.2 | 3.8- 8.6 | 326 | 52.5 | 48.0-57.0 | 220 | 33.5 | 29.2-37.8 | 2 | 0.3 | 0.0- 0.7 | 49 | 7.7 | 5.3-10.1 |
| 25-34 | 1096 | 762,495 | 65 | 7.3 | 5.3- 9.3 | 517 | 45.8 | 42.5-49.1 | 422 | 38.0 | 34.7-41.3 | 1 | 0.1 | 0.0- 0.3 | 91 | 8.8 | 6.8-10.8 |
| 35-44 | 1293 | 745,463 | 43 | 3.6 | 2.2- 5.0 | 576 | 45.1 | 42.0-48.2 | 525 | 40.1 | 37.0-43.2 | 9 | 0.6 | 0.2- 1.0 | 140 | 10.7 | 8.7-12.7 |
| 45-54 | 1967 | 772,069 | 63 | 3.6 | 2.6- 4.6 | 883 | 46.2 | 43.7-48.7 | 754 | 37.1 | 34.6-39.6 | 10 | 0.5 | 0.1- 0.9 | 257 | 12.5 | 10.7-14.3 |
| 55-64 | 2814 | 810,901 | 87 | 3.2 | 2.4- 4.0 | 1094 | 39.0 | 36.8-41.2 | 1151 | 40.8 | 38.6-43.0 | 17 | 0.7 | 0.3- 1.1 | 465 | 16.3 | 14.7-17.9 |
| 65+ | 5001 | 959,952 | 159 | 4.0 | 3.2- 4.8 | 1941 | 42.0 | 40.2-43.8 | 1789 | 34.7 | 33.1-36.3 | 64 | 1.1 | 0.7- 1.5 | 1048 | 18.2 | 16.8-19.6 |
| Less Than H.S. | 938 | 570,654 | 63 | 10.0 | 7.1-12.9 | 394 | 45.7 | 41.4-50.0 | 297 | 29.2 | 25.5-32.9 | 13 | 0.8 | 0.4- 1.2 | 171 | 14.3 | 11.6-17.0 |
| H.S. or G.E.D. | 4235 | 1,575,108 | 198 | 5.7 | 4.7- 6.7 | 1783 | 44.1 | 42.1-46.1 | 1584 | 38.4 | 36.4-40.4 | 30 | 0.6 | 0.4- 0.8 | 640 | 11.2 | 10.0-12.4 |
| Some Post-H.S. | 3248 | 1,448,170 | 108 | 3.3 | 2.5- 4.1 | 1387 | 45.7 | 43.5-47.9 | 1226 | 37.4 | 35.2-39.6 | 30 | 0.5 | 0.3- 0.7 | 497 | 13.1 | 11.7-14.5 |
| College Graduate | 4353 | 1,067,365 | 82 | 1.8 | 1.2- 2.4 | 1757 | 43.2 | 41.2-45.2 | 1750 | 40.5 | 38.5-42.5 | 30 | 0.4 | 0.2- 0.6 | 734 | 14.1 | 12.9-15.3 |
| Less than \$15,000 | 1123 | 410,860 | 68 | 8.6 | 6.1-11.1 | 411 | 39.6 | 35.7-43.5 | 379 | 35.3 | 31.4-39.2 | 9 | 0.4 | 0.0- 0.8 | 256 | 16.1 | 13.6-18.6 |
| \$15,000- 24,999 | 2065 | 740,188 | 91 | 5.5 | 3.9- 7.1 | 789 | 41.3 | 38.4-44.2 | 799 | 37.8 | 34.9-40.7 | 17 | 0.7 | 0.3- 1.1 | 369 | 14.8 | 12.8-16.8 |
| \$25,000- 34,999 | 1338 | 467,033 | 52 | 5.3 | 3.5- 7.1 | 564 | 46.8 | 43.1-50.5 | 509 | 35.8 | 32.5-39.1 | 15 | 0.7 | 0.3- 1.1 | 198 | 11.4 | 9.2-13.6 |
| \$35,000- 49,999 | 1754 | 666,128 | 60 | 3.7 | 2.3- 5.1 | 781 | 46.5 | 43.2-49.8 | 647 | 37.0 | 33.9-40.1 | 16 | 0.6 | 0.2- 1.0 | 250 | 12.1 | 9.9-14.3 |
| \$50,000- 74,999 | 1867 | 700,247 | 57 | 4.1 | 2.7- 5.5 | 841 | 47.5 | 44.4-50.6 | 713 | 37.1 | 34.2-40.0 | 8 | 0.3 | 0.1- 0.5 | 248 | 11.0 | 9.2-12.8 |
| \$75,000+ | 3273 | 1,224,378 | 74 | 3.0 | 2.0- 4.0 | 1384 | 45.0 | 42.8-47.2 | 1323 | 39.5 | 37.3-41.7 | 21 | 0.5 | 0.3- 0.7 | 471 | 12.0 | 10.6-13.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 11: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Times per Day | | | Times per Week | | | Times per Month | | | LT 1 per Month | | | Never | | |
|----------------------------|-------------------|-----------|---------------|------|------------|----------------|------|------------|-----------------|------|------------|----------------|-----|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5492 | 2,267,773 | 268 | 5.8 | 4.8- 6.8 | 2692 | 50.2 | 48.4-52.0 | 1914 | 34.6 | 33.0-36.2 | 31 | 0.4 | 0.2- 0.6 | 587 | 9.1 | 8.1-10.1 |
| White/Non-Hisp | 4582 | 1,829,942 | 206 | 5.2 | 4.2- 6.2 | 2298 | 51.9 | 49.9-53.9 | 1581 | 34.2 | 32.4-36.0 | 25 | 0.4 | 0.2- 0.6 | 472 | 8.3 | 7.3- 9.3 |
| Black or Afr. Am./Non-Hisp | 300 | 173,800 | 24 | 11.1 | 6.0-16.2 | 127 | 39.4 | 32.5-46.3 | 102 | 35.1 | 28.2-42.0 | 1 | 0.1 | 0.0- 0.3 | 46 | 14.4 | 8.7-20.1 |
| Oth. Race/Non-Hisp. | 150 | 64,324 | 7 | 3.2 | 0.5- 5.9 | 67 | 50.3 | 40.1-60.5 | 60 | 36.2 | 26.4-46.0 | | | | 16 | 10.3 | 4.6-16.0 |
| MultiRacial/Non-Hisp. | 107 | 30,868 | 10 | 13.4 | 5.0-21.8 | 46 | 43.0 | 31.6-54.4 | 41 | 34.4 | 23.6-45.2 | | | | 10 | 9.1 | 2.8-15.4 |
| Hispanic | 235 | 121,400 | 12 | 6.9 | 2.8-11.0 | 102 | 41.7 | 33.9-49.5 | 90 | 38.0 | 30.4-45.6 | 3 | 0.8 | 0.0- 1.8 | 28 | 12.6 | 7.5-17.7 |
| 18-24 | 357 | 319,852 | 16 | 4.3 | 2.1- 6.5 | 182 | 51.8 | 45.9-57.7 | 133 | 35.6 | 29.9-41.3 | 1 | 0.3 | 0.0- 0.9 | 25 | 8.0 | 4.3-11.7 |
| 25-34 | 543 | 384,907 | 42 | 10.0 | 6.7-13.3 | 275 | 49.7 | 45.0-54.4 | 194 | 34.2 | 29.7-38.7 | | | | 32 | 6.1 | 3.7- 8.5 |
| 35-44 | 566 | 365,584 | 23 | 5.0 | 2.6- 7.4 | 279 | 51.4 | 46.5-56.3 | 215 | 35.6 | 31.1-40.1 | 4 | 0.6 | 0.0- 1.2 | 45 | 7.5 | 5.0-10.0 |
| 45-54 | 879 | 383,423 | 45 | 5.8 | 4.0- 7.6 | 444 | 51.5 | 47.6-55.4 | 309 | 34.0 | 30.3-37.7 | 5 | 0.3 | 0.0- 0.7 | 76 | 8.4 | 6.2-10.6 |
| 55-64 | 1293 | 394,310 | 51 | 3.9 | 2.7- 5.1 | 601 | 45.9 | 42.8-49.0 | 475 | 37.5 | 34.4-40.6 | 6 | 0.5 | 0.1- 0.9 | 160 | 12.2 | 10.0-14.4 |
| 65+ | 1854 | 419,697 | 91 | 5.7 | 4.1- 7.3 | 911 | 51.1 | 48.4-53.8 | 588 | 31.1 | 28.6-33.6 | 15 | 0.6 | 0.2- 1.0 | 249 | 11.6 | 9.8-13.4 |
| Less Than H.S. | 391 | 283,546 | 38 | 12.9 | 8.4-17.4 | 185 | 48.8 | 42.5-55.1 | 117 | 27.9 | 22.6-33.2 | 6 | 0.8 | 0.0- 1.6 | 45 | 9.6 | 5.7-13.5 |
| H.S. or G.E.D. | 1742 | 787,221 | 119 | 7.4 | 5.8- 9.0 | 877 | 49.5 | 46.6-52.4 | 584 | 35.4 | 32.7-38.1 | 4 | 0.3 | 0.0- 0.7 | 158 | 7.3 | 5.7- 8.9 |
| Some Post-H.S. | 1345 | 666,657 | 55 | 3.7 | 2.5- 4.9 | 684 | 52.1 | 48.8-55.4 | 460 | 34.2 | 31.1-37.3 | 5 | 0.2 | 0.0- 0.4 | 141 | 9.9 | 7.9-11.9 |
| College Graduate | 1999 | 524,008 | 56 | 2.4 | 1.6- 3.2 | 936 | 48.9 | 46.2-51.6 | 751 | 37.8 | 35.1-40.5 | 16 | 0.5 | 0.3- 0.7 | 240 | 10.5 | 8.9-12.1 |
| Less than \$15,000 | 384 | 162,253 | 32 | 11.4 | 6.7-16.1 | 171 | 46.2 | 39.7-52.7 | 112 | 29.5 | 23.6-35.4 | 2 | 0.4 | 0.0- 1.0 | 67 | 12.6 | 8.9-16.3 |
| \$15,000- 24,999 | 779 | 333,393 | 59 | 8.7 | 5.8-11.6 | 352 | 44.8 | 40.3-49.3 | 274 | 35.9 | 31.6-40.2 | 5 | 0.6 | 0.0- 1.4 | 89 | 10.0 | 7.5-12.5 |
| \$25,000- 34,999 | 523 | 211,575 | 27 | 6.3 | 3.6- 9.0 | 267 | 55.0 | 49.5-60.5 | 182 | 31.9 | 26.8-37.0 | 6 | 0.4 | 0.0- 0.8 | 41 | 6.4 | 3.9- 8.9 |
| \$35,000- 49,999 | 823 | 350,554 | 34 | 3.9 | 2.1- 5.7 | 424 | 51.0 | 46.5-55.5 | 283 | 35.6 | 31.3-39.9 | 3 | 0.3 | 0.0- 0.7 | 79 | 9.1 | 6.2-12.0 |
| \$50,000- 74,999 | 863 | 357,195 | 40 | 5.2 | 3.2- 7.2 | 437 | 51.9 | 47.6-56.2 | 295 | 34.2 | 30.1-38.3 | 2 | 0.1 | 0.0- 0.3 | 89 | 8.6 | 6.1-11.1 |
| \$75,000+ | 1693 | 673,250 | 56 | 4.5 | 2.9- 6.1 | 831 | 50.6 | 47.7-53.5 | 631 | 36.1 | 33.2-39.0 | 10 | 0.4 | 0.0- 0.8 | 165 | 8.5 | 6.9-10.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 12: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Times per Day | | | Times per Week | | | Times per Month | | | LT 1 per Month | | | Never | | |
|----------------------------|-------------------|-----------|---------------|------|------------|----------------|------|------------|-----------------|------|------------|----------------|-----|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7310 | 2,402,750 | 183 | 3.4 | 2.6- 4.2 | 2645 | 39.5 | 37.9-41.1 | 2947 | 40.1 | 38.5-41.7 | 72 | 0.7 | 0.5- 0.9 | 1463 | 16.3 | 15.1-17.5 |
| White/Non-Hisp | 6214 | 1,957,954 | 143 | 3.0 | 2.2- 3.8 | 2264 | 39.7 | 37.9-41.5 | 2519 | 40.8 | 39.0-42.6 | 60 | 0.7 | 0.5- 0.9 | 1228 | 15.8 | 14.6-17.0 |
| Black or Afr. Am./Non-Hisp | 517 | 201,905 | 19 | 5.3 | 2.4- 8.2 | 186 | 39.1 | 33.4-44.8 | 207 | 38.6 | 32.7-44.5 | 6 | 0.8 | 0.0- 1.6 | 99 | 16.2 | 11.9-20.5 |
| Oth. Race/Non-Hisp. | 108 | 47,639 | 5 | 12.1 | 0.0-24.4 | 38 | 45.4 | 31.5-59.3 | 39 | 27.2 | 16.6-37.8 | 1 | 0.4 | 0.0- 1.2 | 25 | 14.9 | 6.7-23.1 |
| MultiRacial/Non-Hisp. | 91 | 26,338 | 4 | 3.3 | 0.0- 7.0 | 26 | 30.3 | 17.6-43.0 | 40 | 43.0 | 29.7-56.3 | 1 | 2.3 | 0.0- 6.8 | 20 | 21.0 | 8.7-33.3 |
| Hispanic | 286 | 137,340 | 9 | 3.1 | 0.7- 5.5 | 100 | 37.4 | 30.5-44.3 | 110 | 36.9 | 30.2-43.6 | 3 | 0.6 | 0.0- 1.4 | 64 | 22.0 | 16.1-27.9 |
| 18-24 | 274 | 299,791 | 18 | 8.1 | 4.2-12.0 | 144 | 53.2 | 46.3-60.1 | 87 | 31.2 | 24.9-37.5 | 1 | 0.2 | 0.0- 0.6 | 24 | 7.3 | 4.2-10.4 |
| 25-34 | 553 | 377,588 | 23 | 4.6 | 2.4- 6.8 | 242 | 41.8 | 37.1-46.5 | 228 | 41.9 | 37.2-46.6 | 1 | 0.2 | 0.0- 0.6 | 59 | 11.5 | 8.4-14.6 |
| 35-44 | 727 | 379,879 | 20 | 2.2 | 1.0- 3.4 | 297 | 39.0 | 34.9-43.1 | 310 | 44.5 | 40.4-48.6 | 5 | 0.6 | 0.0- 1.2 | 95 | 13.7 | 10.8-16.6 |
| 45-54 | 1088 | 388,646 | 18 | 1.5 | 0.7- 2.3 | 439 | 41.0 | 37.7-44.3 | 445 | 40.3 | 37.0-43.6 | 5 | 0.6 | 0.0- 1.2 | 181 | 16.6 | 14.1-19.1 |
| 55-64 | 1521 | 416,591 | 36 | 2.6 | 1.6- 3.6 | 493 | 32.5 | 29.6-35.4 | 676 | 44.0 | 41.1-46.9 | 11 | 0.8 | 0.2- 1.4 | 305 | 20.2 | 17.8-22.6 |
| 65+ | 3147 | 540,255 | 68 | 2.7 | 1.9- 3.5 | 1030 | 34.9 | 32.7-37.1 | 1201 | 37.5 | 35.3-39.7 | 49 | 1.5 | 0.9- 2.1 | 799 | 23.4 | 21.6-25.2 |
| Less Than H.S. | 547 | 287,109 | 25 | 7.2 | 3.5-10.9 | 209 | 42.7 | 37.0-48.4 | 180 | 30.4 | 25.3-35.5 | 7 | 0.7 | 0.1- 1.3 | 126 | 19.0 | 14.9-23.1 |
| H.S. or G.E.D. | 2493 | 787,887 | 79 | 4.0 | 2.8- 5.2 | 906 | 38.7 | 36.2-41.2 | 1000 | 41.4 | 38.7-44.1 | 26 | 0.9 | 0.5- 1.3 | 482 | 15.0 | 13.2-16.8 |
| Some Post-H.S. | 1903 | 781,512 | 53 | 2.9 | 1.9- 3.9 | 703 | 40.2 | 37.3-43.1 | 766 | 40.2 | 37.3-43.1 | 25 | 0.8 | 0.4- 1.2 | 356 | 15.8 | 13.8-17.8 |
| College Graduate | 2354 | 543,356 | 26 | 1.2 | 0.6- 1.8 | 821 | 37.7 | 35.2-40.2 | 999 | 43.2 | 40.7-45.7 | 14 | 0.4 | 0.2- 0.6 | 494 | 17.5 | 15.5-19.5 |
| Less than \$15,000 | 739 | 248,607 | 36 | 6.7 | 3.8- 9.6 | 240 | 35.4 | 30.3-40.5 | 267 | 39.1 | 34.0-44.2 | 7 | 0.5 | 0.1- 0.9 | 189 | 18.4 | 15.1-21.7 |
| \$15,000- 24,999 | 1286 | 406,795 | 32 | 2.8 | 1.4- 4.2 | 437 | 38.4 | 34.5-42.3 | 525 | 39.3 | 35.6-43.0 | 12 | 0.7 | 0.3- 1.1 | 280 | 18.8 | 15.9-21.7 |
| \$25,000- 34,999 | 815 | 255,458 | 25 | 4.5 | 2.0- 7.0 | 297 | 40.0 | 35.3-44.7 | 327 | 39.0 | 34.5-43.5 | 9 | 0.9 | 0.1- 1.7 | 157 | 15.6 | 12.3-18.9 |
| \$35,000- 49,999 | 931 | 315,574 | 26 | 3.4 | 1.4- 5.4 | 357 | 41.6 | 37.1-46.1 | 364 | 38.6 | 34.1-43.1 | 13 | 0.9 | 0.3- 1.5 | 171 | 15.4 | 12.3-18.5 |
| \$50,000- 74,999 | 1004 | 343,052 | 17 | 2.9 | 0.9- 4.9 | 404 | 42.9 | 38.6-47.2 | 418 | 40.0 | 35.9-44.1 | 6 | 0.5 | 0.0- 1.1 | 159 | 13.6 | 10.9-16.3 |
| \$75,000+ | 1580 | 551,128 | 18 | 1.2 | 0.6- 1.8 | 553 | 38.1 | 35.0-41.2 | 692 | 43.7 | 40.6-46.8 | 11 | 0.7 | 0.3- 1.1 | 306 | 16.2 | 14.0-18.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 13: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Times per Day | | | Times per Week | | | Times per Month | | | LT 1 per Month | | | Never | | |
|----------------------------|-------------------|-----------|---------------|-----|------------|----------------|------|------------|-----------------|------|------------|----------------|-----|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 12720 | 4,636,970 | 517 | 4.1 | 3.7- 4.5 | 5777 | 44.4 | 43.2-45.6 | 4752 | 37.5 | 36.3-38.7 | 70 | 0.5 | 0.3- 0.7 | 1604 | 13.5 | 12.7-14.3 |
| Male | 5458 | 2,250,612 | 245 | 4.4 | 3.6- 5.2 | 2568 | 45.6 | 43.8-47.4 | 1935 | 35.9 | 34.1-37.7 | 19 | 0.3 | 0.1- 0.5 | 691 | 13.8 | 12.6-15.0 |
| Female | 7262 | 2,386,358 | 272 | 3.9 | 3.3- 4.5 | 3209 | 43.3 | 41.7-44.9 | 2817 | 39.0 | 37.4-40.6 | 51 | 0.7 | 0.5- 0.9 | 913 | 13.2 | 12.0-14.4 |
| White/Non-Hisp | 10718 | 3,759,475 | 434 | 4.2 | 3.6- 4.8 | 5053 | 46.6 | 45.2-48.0 | 3953 | 37.1 | 35.9-38.3 | 48 | 0.4 | 0.2- 0.6 | 1230 | 11.7 | 10.9-12.5 |
| Black or Afr. Am./Non-Hisp | 820 | 377,907 | 24 | 4.3 | 2.1- 6.5 | 294 | 34.4 | 30.1-38.7 | 357 | 40.8 | 36.3-45.3 | 11 | 1.1 | 0.3- 1.9 | 134 | 19.4 | 15.3-23.5 |
| Oth. Race/Non-Hisp. | 261 | 113,280 | 20 | 5.3 | 2.2- 8.4 | 99 | 40.3 | 32.1-48.5 | 98 | 33.6 | 26.2-41.0 | 4 | 1.0 | 0.0- 2.4 | 40 | 19.8 | 12.5-27.1 |
| MultiRacial/Non-Hisp. | 195 | 56,903 | 12 | 5.1 | 2.0- 8.2 | 74 | 38.5 | 29.7-47.3 | 78 | 41.3 | 32.5-50.1 | 1 | 0.7 | 0.0- 2.1 | 30 | 14.4 | 8.5-20.3 |
| Hispanic | 519 | 253,625 | 18 | 2.8 | 1.4- 4.2 | 173 | 30.5 | 25.8-35.2 | 190 | 39.3 | 34.0-44.6 | 5 | 0.7 | 0.0- 1.5 | 133 | 26.7 | 22.2-31.2 |
| 18-24 | 625 | 610,293 | 19 | 3.0 | 1.4- 4.6 | 247 | 41.1 | 36.6-45.6 | 244 | 38.4 | 34.1-42.7 | 3 | 0.3 | 0.0- 0.7 | 112 | 17.1 | 13.8-20.4 |
| 25-34 | 1090 | 756,291 | 57 | 5.5 | 3.9- 7.1 | 476 | 44.0 | 40.7-47.3 | 400 | 35.9 | 32.6-39.2 | 7 | 0.6 | 0.0- 1.2 | 150 | 14.0 | 11.6-16.4 |
| 35-44 | 1288 | 742,215 | 53 | 4.0 | 2.8- 5.2 | 546 | 42.2 | 39.1-45.3 | 490 | 38.6 | 35.5-41.7 | 6 | 0.5 | 0.1- 0.9 | 193 | 14.7 | 12.5-16.9 |
| 45-54 | 1957 | 769,187 | 63 | 3.4 | 2.4- 4.4 | 876 | 45.1 | 42.6-47.6 | 744 | 37.7 | 35.2-40.2 | 10 | 0.4 | 0.0- 0.8 | 264 | 13.3 | 11.5-15.1 |
| 55-64 | 2804 | 807,893 | 90 | 3.6 | 2.8- 4.4 | 1242 | 43.7 | 41.5-45.9 | 1112 | 40.0 | 37.8-42.2 | 14 | 0.5 | 0.3- 0.7 | 346 | 12.2 | 10.8-13.6 |
| 65+ | 4956 | 951,091 | 235 | 4.8 | 4.0- 5.6 | 2390 | 48.6 | 46.8-50.4 | 1762 | 35.0 | 33.4-36.6 | 30 | 0.5 | 0.3- 0.7 | 539 | 11.0 | 9.8-12.2 |
| Less Than H.S. | 932 | 566,458 | 71 | 7.2 | 4.8- 9.6 | 367 | 39.1 | 35.0-43.2 | 302 | 33.8 | 29.7-37.9 | 12 | 0.8 | 0.2- 1.4 | 180 | 19.1 | 15.8-22.4 |
| H.S. or G.E.D. | 4188 | 1,554,986 | 217 | 5.2 | 4.4- 6.0 | 1924 | 44.8 | 42.8-46.8 | 1508 | 36.9 | 34.9-38.9 | 26 | 0.7 | 0.3- 1.1 | 513 | 12.5 | 11.1-13.9 |
| Some Post-H.S. | 3230 | 1,442,081 | 115 | 3.1 | 2.3- 3.9 | 1487 | 45.8 | 43.6-48.0 | 1222 | 37.9 | 35.7-40.1 | 17 | 0.3 | 0.1- 0.5 | 389 | 13.0 | 11.4-14.6 |
| College Graduate | 4343 | 1,065,709 | 114 | 2.2 | 1.6- 2.8 | 1986 | 44.9 | 42.9-46.9 | 1711 | 39.8 | 38.0-41.6 | 15 | 0.3 | 0.1- 0.5 | 517 | 12.7 | 11.3-14.1 |
| Less than \$15,000 | 1110 | 409,073 | 71 | 7.2 | 5.0- 9.4 | 423 | 34.6 | 30.9-38.3 | 421 | 39.5 | 35.6-43.4 | 9 | 0.5 | 0.1- 0.9 | 186 | 18.2 | 15.1-21.3 |
| \$15,000- 24,999 | 2051 | 735,869 | 100 | 5.2 | 3.6- 6.8 | 889 | 41.9 | 39.0-44.8 | 764 | 37.9 | 35.0-40.8 | 15 | 0.8 | 0.2- 1.4 | 283 | 14.2 | 12.0-16.4 |
| \$25,000- 34,999 | 1329 | 464,183 | 70 | 4.3 | 3.1- 5.5 | 591 | 46.6 | 42.9-50.3 | 491 | 34.4 | 31.1-37.7 | 10 | 0.4 | 0.0- 0.8 | 167 | 14.3 | 11.6-17.0 |
| \$35,000- 49,999 | 1747 | 657,444 | 68 | 3.6 | 2.6- 4.6 | 830 | 45.6 | 42.5-48.7 | 626 | 36.9 | 33.8-40.0 | 9 | 0.5 | 0.1- 0.9 | 214 | 13.5 | 11.1-15.9 |
| \$50,000- 74,999 | 1865 | 696,946 | 58 | 3.6 | 2.4- 4.8 | 922 | 48.2 | 45.1-51.3 | 673 | 36.7 | 33.8-39.6 | 3 | 0.2 | 0.0- 0.4 | 209 | 11.4 | 9.4-13.4 |
| \$75,000+ | 3265 | 1,220,557 | 88 | 2.9 | 2.1- 3.7 | 1512 | 46.0 | 43.8-48.2 | 1294 | 39.2 | 37.0-41.4 | 15 | 0.4 | 0.0- 0.8 | 356 | 11.6 | 10.2-13.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 14: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Times per Day | | | Times per Week | | | Times per Month | | | LT 1 per Month | | | Never | | |
|----------------------------|-------------------|-----------|---------------|-----|------------|----------------|------|------------|-----------------|------|------------|----------------|-----|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5458 | 2,250,612 | 245 | 4.4 | 3.6- 5.2 | 2568 | 45.6 | 43.8-47.4 | 1935 | 35.9 | 34.1-37.7 | 19 | 0.3 | 0.1- 0.5 | 691 | 13.8 | 12.6-15.0 |
| White/Non-Hisp | 4552 | 1,816,513 | 200 | 4.3 | 3.5- 5.1 | 2241 | 48.6 | 46.6-50.6 | 1581 | 35.2 | 33.4-37.0 | 12 | 0.3 | 0.1- 0.5 | 518 | 11.7 | 10.5-12.9 |
| Black or Afr. Am./Non-Hisp | 302 | 175,157 | 8 | 3.5 | 0.2- 6.8 | 108 | 31.6 | 25.1-38.1 | 136 | 43.0 | 35.9-50.1 | 1 | 0.1 | 0.0- 0.3 | 49 | 21.8 | 15.1-28.5 |
| Oth. Race/Non-Hisp. | 152 | 65,294 | 14 | 8.5 | 3.2-13.8 | 56 | 36.1 | 26.5-45.7 | 57 | 35.7 | 25.9-45.5 | 3 | 1.5 | 0.0- 3.7 | 22 | 18.3 | 10.3-26.3 |
| MultiRacial/Non-Hisp. | 106 | 30,883 | 6 | 5.3 | 0.6-10.0 | 40 | 37.4 | 26.2-48.6 | 48 | 46.6 | 35.0-58.2 | | | | 12 | 10.7 | 3.6-17.8 |
| Hispanic | 233 | 117,848 | 10 | 3.8 | 1.3- 6.3 | 78 | 30.9 | 23.6-38.2 | 72 | 33.8 | 26.2-41.4 | 3 | 0.5 | 0.0- 1.1 | 70 | 31.1 | 24.0-38.2 |
| 18-24 | 354 | 315,470 | 9 | 1.8 | 0.4- 3.2 | 134 | 38.7 | 33.0-44.4 | 139 | 38.9 | 33.0-44.8 | 1 | 0.1 | 0.0- 0.3 | 71 | 20.5 | 15.6-25.4 |
| 25-34 | 539 | 380,446 | 32 | 7.1 | 4.4- 9.8 | 239 | 45.4 | 40.5-50.3 | 185 | 33.3 | 28.8-37.8 | 4 | 0.8 | 0.0- 1.8 | 79 | 13.4 | 10.3-16.5 |
| 35-44 | 564 | 364,828 | 25 | 3.9 | 2.3- 5.5 | 237 | 44.0 | 39.3-48.7 | 215 | 37.0 | 32.3-41.7 | 1 | 0.3 | 0.0- 0.9 | 86 | 14.9 | 11.6-18.2 |
| 45-54 | 874 | 381,882 | 34 | 3.9 | 2.3- 5.5 | 403 | 46.8 | 42.9-50.7 | 319 | 36.6 | 32.9-40.3 | 3 | 0.1 | 0.0- 0.3 | 115 | 12.6 | 10.1-15.1 |
| 55-64 | 1290 | 392,841 | 50 | 4.2 | 2.8- 5.6 | 593 | 44.6 | 41.5-47.7 | 492 | 38.8 | 35.7-41.9 | 4 | 0.3 | 0.1- 0.5 | 151 | 12.1 | 9.9-14.3 |
| 65+ | 1837 | 415,145 | 95 | 4.7 | 3.5- 5.9 | 962 | 52.4 | 49.7-55.1 | 585 | 31.7 | 29.2-34.2 | 6 | 0.2 | 0.0- 0.4 | 189 | 10.9 | 8.9-12.9 |
| Less Than H.S. | 387 | 282,538 | 28 | 6.8 | 3.5-10.1 | 149 | 40.5 | 34.4-46.6 | 121 | 33.1 | 27.2-39.0 | 3 | 0.6 | 0.0- 1.4 | 86 | 19.0 | 14.3-23.7 |
| H.S. or G.E.D. | 1727 | 777,339 | 102 | 5.7 | 4.3- 7.1 | 831 | 45.6 | 42.7-48.5 | 570 | 35.2 | 32.5-37.9 | 7 | 0.4 | 0.0- 0.8 | 217 | 13.1 | 11.1-15.1 |
| Some Post-H.S. | 1338 | 663,296 | 51 | 2.9 | 1.9- 3.9 | 650 | 47.5 | 44.2-50.8 | 475 | 35.8 | 32.7-38.9 | 1 | 0.0 | 0.0- 0.0 | 161 | 13.8 | 11.4-16.2 |
| College Graduate | 1991 | 522,524 | 64 | 2.9 | 2.1- 3.7 | 930 | 46.3 | 43.6-49.0 | 764 | 38.5 | 35.8-41.2 | 8 | 0.3 | 0.1- 0.5 | 225 | 12.0 | 10.2-13.8 |
| Less than \$15,000 | 379 | 162,099 | 30 | 8.0 | 4.5-11.5 | 144 | 34.5 | 28.4-40.6 | 144 | 39.6 | 33.1-46.1 | | | | 61 | 18.0 | 13.1-22.9 |
| \$15,000- 24,999 | 772 | 329,374 | 44 | 5.5 | 3.3- 7.7 | 335 | 41.1 | 36.6-45.6 | 266 | 36.1 | 31.6-40.6 | 5 | 0.7 | 0.0- 1.5 | 122 | 16.6 | 13.3-19.9 |
| \$25,000- 34,999 | 518 | 209,693 | 30 | 4.6 | 2.6- 6.6 | 249 | 50.4 | 44.7-56.1 | 172 | 31.2 | 26.1-36.3 | 3 | 0.2 | 0.0- 0.4 | 64 | 13.6 | 9.5-17.7 |
| \$35,000- 49,999 | 820 | 346,001 | 35 | 4.1 | 2.5- 5.7 | 398 | 44.8 | 40.3-49.3 | 281 | 36.8 | 32.3-41.3 | 2 | 0.1 | 0.0- 0.3 | 104 | 14.1 | 10.6-17.6 |
| \$50,000- 74,999 | 861 | 355,245 | 28 | 3.4 | 1.8- 5.0 | 440 | 49.4 | 45.1-53.7 | 297 | 35.2 | 31.1-39.3 | 2 | 0.2 | 0.0- 0.6 | 94 | 11.8 | 8.9-14.7 |
| \$75,000+ | 1689 | 671,950 | 58 | 3.7 | 2.3- 5.1 | 815 | 47.8 | 44.9-50.7 | 640 | 37.0 | 34.1-39.9 | 5 | 0.3 | 0.0- 0.7 | 171 | 11.2 | 9.2-13.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

TABLE 15: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Times per Day | | | Times per Week | | | Times per Month | | | LT 1 per Month | | | Never | | |
|----------------------------|-------------------|-----------|---------------|-----|------------|----------------|------|------------|-----------------|------|------------|----------------|-----|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7262 | 2,386,358 | 272 | 3.9 | 3.3- 4.5 | 3209 | 43.3 | 41.7-44.9 | 2817 | 39.0 | 37.4-40.6 | 51 | 0.7 | 0.5- 0.9 | 913 | 13.2 | 12.0-14.4 |
| White/Non-Hisp | 6166 | 1,942,962 | 234 | 4.0 | 3.2- 4.8 | 2812 | 44.8 | 43.0-46.6 | 2372 | 39.0 | 37.2-40.8 | 36 | 0.5 | 0.3- 0.7 | 712 | 11.7 | 10.5-12.9 |
| Black or Afr. Am./Non-Hisp | 518 | 202,749 | 16 | 4.9 | 2.2- 7.6 | 186 | 36.8 | 31.1-42.5 | 221 | 39.0 | 33.3-44.7 | 10 | 2.1 | 0.5- 3.7 | 85 | 17.2 | 12.3-22.1 |
| Oth. Race/Non-Hisp. | 109 | 47,986 | 6 | 1.0 | 0.0- 2.0 | 43 | 46.0 | 32.1-59.9 | 41 | 30.6 | 19.4-41.8 | 1 | 0.4 | 0.0- 1.2 | 18 | 22.0 | 9.1-34.9 |
| MultiRacial/Non-Hisp. | 89 | 26,020 | 6 | 4.9 | 0.6- 9.2 | 34 | 39.8 | 25.9-53.7 | 30 | 35.0 | 22.1-47.9 | 1 | 1.5 | 0.0- 4.4 | 18 | 18.8 | 9.0-28.6 |
| Hispanic | 286 | 135,777 | 8 | 1.9 | 0.3- 3.5 | 95 | 30.2 | 23.9-36.5 | 118 | 44.1 | 37.0-51.2 | 2 | 0.9 | 0.0- 2.1 | 63 | 23.0 | 17.3-28.7 |
| 18-24 | 271 | 294,824 | 10 | 4.3 | 1.4- 7.2 | 113 | 43.7 | 37.0-50.4 | 105 | 38.0 | 31.3-44.7 | 2 | 0.6 | 0.0- 1.4 | 41 | 13.5 | 9.0-18.0 |
| 25-34 | 551 | 375,844 | 25 | 3.8 | 2.2- 5.4 | 237 | 42.6 | 37.9-47.3 | 215 | 38.5 | 33.8-43.2 | 3 | 0.5 | 0.0- 1.1 | 71 | 14.6 | 11.1-18.1 |
| 35-44 | 724 | 377,387 | 28 | 4.1 | 2.3- 5.9 | 309 | 40.5 | 36.4-44.6 | 275 | 40.2 | 36.1-44.3 | 5 | 0.7 | 0.1- 1.3 | 107 | 14.6 | 11.7-17.5 |
| 45-54 | 1083 | 387,305 | 29 | 2.8 | 1.6- 4.0 | 473 | 43.5 | 40.0-47.0 | 425 | 38.8 | 35.5-42.1 | 7 | 0.7 | 0.1- 1.3 | 149 | 14.1 | 11.6-16.6 |
| 55-64 | 1514 | 415,052 | 40 | 3.0 | 1.8- 4.2 | 649 | 42.9 | 40.0-45.8 | 620 | 41.1 | 38.2-44.0 | 10 | 0.6 | 0.2- 1.0 | 195 | 12.4 | 10.4-14.4 |
| 65+ | 3119 | 535,946 | 140 | 4.9 | 3.9- 5.9 | 1428 | 45.7 | 43.5-47.9 | 1177 | 37.6 | 35.4-39.8 | 24 | 0.8 | 0.4- 1.2 | 350 | 11.1 | 9.7-12.5 |
| Less Than H.S. | 545 | 283,920 | 43 | 7.5 | 4.4-10.6 | 218 | 37.7 | 32.2-43.2 | 181 | 34.5 | 29.0-40.0 | 9 | 1.1 | 0.3- 1.9 | 94 | 19.1 | 14.6-23.6 |
| H.S. or G.E.D. | 2461 | 777,647 | 115 | 4.7 | 3.5- 5.9 | 1093 | 44.0 | 41.3-46.7 | 938 | 38.5 | 36.0-41.0 | 19 | 0.9 | 0.3- 1.5 | 296 | 11.8 | 10.0-13.6 |
| Some Post-H.S. | 1892 | 778,784 | 64 | 3.3 | 2.3- 4.3 | 837 | 44.3 | 41.4-47.2 | 747 | 39.7 | 36.8-42.6 | 16 | 0.5 | 0.3- 0.7 | 228 | 12.3 | 10.3-14.3 |
| College Graduate | 2352 | 543,185 | 50 | 1.6 | 1.0- 2.2 | 1056 | 43.6 | 41.1-46.1 | 947 | 41.0 | 38.5-43.5 | 7 | 0.3 | 0.0- 0.7 | 292 | 13.4 | 11.4-15.4 |
| Less than \$15,000 | 731 | 246,974 | 41 | 6.7 | 4.0- 9.4 | 279 | 34.7 | 30.0-39.4 | 277 | 39.5 | 34.4-44.6 | 9 | 0.8 | 0.2- 1.4 | 125 | 18.4 | 14.1-22.7 |
| \$15,000- 24,999 | 1279 | 406,495 | 56 | 4.9 | 2.7- 7.1 | 554 | 42.5 | 38.6-46.4 | 498 | 39.4 | 35.7-43.1 | 10 | 0.9 | 0.1- 1.7 | 161 | 12.2 | 9.7-14.7 |
| \$25,000- 34,999 | 811 | 254,491 | 40 | 4.1 | 2.5- 5.7 | 342 | 43.5 | 38.8-48.2 | 319 | 37.0 | 32.5-41.5 | 7 | 0.5 | 0.1- 0.9 | 103 | 14.9 | 11.2-18.6 |
| \$35,000- 49,999 | 927 | 311,443 | 33 | 2.9 | 1.7- 4.1 | 432 | 46.4 | 41.9-50.9 | 345 | 37.0 | 32.7-41.3 | 7 | 0.9 | 0.1- 1.7 | 110 | 12.8 | 9.7-15.9 |
| \$50,000- 74,999 | 1004 | 341,700 | 30 | 3.7 | 2.1- 5.3 | 482 | 46.9 | 42.6-51.2 | 376 | 38.4 | 34.3-42.5 | 1 | 0.1 | 0.0- 0.3 | 115 | 11.0 | 8.3-13.7 |
| \$75,000+ | 1576 | 548,607 | 30 | 1.8 | 1.0- 2.6 | 697 | 43.7 | 40.6-46.8 | 654 | 41.8 | 38.7-44.9 | 10 | 0.5 | 0.1- 0.9 | 185 | 12.1 | 10.1-14.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 16: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES?
(VEGETAB2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Times per Day | | | Times per Week | | | Times per Month | | | LT 1 per Month | | | Never | | |
|----------------------------|-------------------|-----------|---------------|------|------------|----------------|------|------------|-----------------|------|------------|----------------|-----|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 12674 | 4,621,477 | 5889 | 44.9 | 43.7-46.1 | 4368 | 34.9 | 33.7-36.1 | 2062 | 16.8 | 15.8-17.8 | 24 | 0.2 | 0.0- 0.4 | 331 | 3.2 | 2.8- 3.6 |
| Male | 5429 | 2,243,314 | 2139 | 39.2 | 37.4-41.0 | 2121 | 38.3 | 36.5-40.1 | 977 | 18.4 | 17.0-19.8 | 13 | 0.3 | 0.1- 0.5 | 179 | 3.8 | 3.2- 4.4 |
| Female | 7245 | 2,378,164 | 3750 | 50.3 | 48.7-51.9 | 2247 | 31.7 | 30.1-33.3 | 1085 | 15.3 | 14.1-16.5 | 11 | 0.1 | 0.0- 0.3 | 152 | 2.6 | 2.0- 3.2 |
| White/Non-Hisp | 10698 | 3,750,034 | 5063 | 46.1 | 44.7-47.5 | 3665 | 34.7 | 33.5-35.9 | 1712 | 16.3 | 15.3-17.3 | 18 | 0.2 | 0.0- 0.4 | 240 | 2.7 | 2.3- 3.1 |
| Black or Afr. Am./Non-Hisp | 814 | 374,764 | 356 | 43.0 | 38.5-47.5 | 267 | 30.4 | 26.1-34.7 | 161 | 21.6 | 17.7-25.5 | 1 | 0.2 | 0.0- 0.6 | 29 | 4.9 | 2.5- 7.3 |
| Oth. Race/Non-Hisp. | 256 | 111,298 | 133 | 54.3 | 46.1-62.5 | 86 | 35.0 | 27.0-43.0 | 26 | 7.1 | 2.2-12.0 | 2 | 0.4 | 0.0- 1.0 | 9 | 3.1 | 0.4- 5.8 |
| MultiRacial/Non-Hisp. | 194 | 56,680 | 90 | 44.3 | 35.5-53.1 | 59 | 30.4 | 22.2-38.6 | 31 | 17.6 | 10.7-24.5 | | | | 14 | 7.7 | 3.4-12.0 |
| Hispanic | 513 | 254,450 | 148 | 26.7 | 22.0-31.4 | 232 | 45.3 | 40.0-50.6 | 97 | 21.0 | 16.5-25.5 | 2 | 0.3 | 0.0- 0.7 | 34 | 6.8 | 4.3- 9.3 |
| 18-24 | 624 | 612,180 | 220 | 37.0 | 32.7-41.3 | 265 | 40.8 | 36.5-45.1 | 107 | 17.1 | 13.8-20.4 | 2 | 0.2 | 0.0- 0.6 | 30 | 4.9 | 2.9- 6.9 |
| 25-34 | 1085 | 753,926 | 490 | 45.8 | 42.5-49.1 | 377 | 32.8 | 29.7-35.9 | 177 | 17.2 | 14.5-19.9 | 5 | 0.4 | 0.0- 0.8 | 36 | 3.8 | 2.4- 5.2 |
| 35-44 | 1274 | 735,788 | 593 | 45.0 | 41.9-48.1 | 431 | 34.7 | 31.6-37.8 | 203 | 16.7 | 14.3-19.1 | 2 | 0.2 | 0.0- 0.6 | 45 | 3.5 | 2.3- 4.7 |
| 45-54 | 1955 | 767,362 | 905 | 46.1 | 43.6-48.6 | 657 | 33.4 | 30.9-35.9 | 335 | 17.7 | 15.7-19.7 | 1 | 0.1 | 0.0- 0.3 | 57 | 2.7 | 1.9- 3.5 |
| 55-64 | 2788 | 803,235 | 1281 | 45.6 | 43.4-47.8 | 953 | 34.1 | 31.9-36.3 | 477 | 17.1 | 15.3-18.9 | 4 | 0.1 | 0.0- 0.3 | 73 | 3.0 | 2.2- 3.8 |
| 65+ | 4948 | 948,986 | 2400 | 47.7 | 45.9-49.5 | 1685 | 34.9 | 33.3-36.5 | 763 | 15.4 | 14.2-16.6 | 10 | 0.2 | 0.0- 0.4 | 90 | 1.7 | 1.3- 2.1 |
| Less Than H.S. | 929 | 565,665 | 348 | 36.7 | 32.6-40.8 | 344 | 36.7 | 32.6-40.8 | 160 | 18.0 | 14.7-21.3 | 6 | 0.7 | 0.1- 1.3 | 71 | 7.8 | 5.6-10.0 |
| H.S. or G.E.D. | 4158 | 1,546,984 | 1752 | 41.3 | 39.3-43.3 | 1520 | 36.3 | 34.3-38.3 | 717 | 18.0 | 16.4-19.6 | 14 | 0.3 | 0.1- 0.5 | 155 | 4.1 | 3.3- 4.9 |
| Some Post-H.S. | 3220 | 1,435,896 | 1510 | 47.2 | 45.0-49.4 | 1131 | 35.0 | 32.8-37.2 | 514 | 15.8 | 14.2-17.4 | 2 | 0.0 | 0.0- 0.0 | 63 | 1.8 | 1.2- 2.4 |
| College Graduate | 4337 | 1,063,446 | 2262 | 51.2 | 49.2-53.2 | 1363 | 31.8 | 30.0-33.6 | 669 | 15.9 | 14.5-17.3 | 2 | 0.0 | 0.0- 0.0 | 41 | 1.0 | 0.6- 1.4 |
| Less than \$15,000 | 1108 | 407,605 | 442 | 36.5 | 32.8-40.2 | 378 | 35.6 | 31.7-39.5 | 213 | 20.9 | 17.4-24.4 | 4 | 0.4 | 0.0- 0.8 | 71 | 6.7 | 4.7- 8.7 |
| \$15,000- 24,999 | 2042 | 734,022 | 856 | 40.8 | 37.9-43.7 | 737 | 36.4 | 33.5-39.3 | 367 | 18.0 | 15.6-20.4 | 7 | 0.3 | 0.0- 0.7 | 75 | 4.5 | 3.1- 5.9 |
| \$25,000- 34,999 | 1330 | 463,970 | 593 | 43.1 | 39.6-46.6 | 467 | 36.3 | 32.8-39.8 | 229 | 16.6 | 13.9-19.3 | 1 | 0.0 | 0.0- 0.0 | 40 | 4.0 | 2.4- 5.6 |
| \$35,000- 49,999 | 1728 | 651,812 | 774 | 43.7 | 40.4-47.0 | 621 | 34.8 | 31.7-37.9 | 287 | 17.8 | 15.3-20.3 | 2 | 0.0 | 0.0- 0.0 | 44 | 3.7 | 2.3- 5.1 |
| \$50,000- 74,999 | 1857 | 693,209 | 903 | 47.0 | 43.9-50.1 | 646 | 35.4 | 32.5-38.3 | 287 | 16.0 | 13.6-18.4 | 1 | 0.0 | 0.0- 0.0 | 20 | 1.5 | 0.5- 2.5 |
| \$75,000+ | 3259 | 1,216,523 | 1675 | 49.7 | 47.5-51.9 | 1065 | 33.6 | 31.4-35.8 | 475 | 15.2 | 13.6-16.8 | 3 | 0.1 | 0.0- 0.3 | 41 | 1.4 | 0.8- 2.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 17: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES?
(VEGETAB2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Times per Day | | | Times per Week | | | Times per Month | | | LT 1 per Month | | | Never | | |
|----------------------------|-------------------|-----------|---------------|------|------------|----------------|------|------------|-----------------|------|------------|----------------|-----|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5429 | 2,243,314 | 2139 | 39.2 | 37.4-41.0 | 2121 | 38.3 | 36.5-40.1 | 977 | 18.4 | 17.0-19.8 | 13 | 0.3 | 0.1- 0.5 | 179 | 3.8 | 3.2- 4.4 |
| White/Non-Hisp | 4537 | 1,813,910 | 1803 | 39.9 | 37.9-41.9 | 1790 | 38.6 | 36.8-40.4 | 805 | 17.9 | 16.5-19.3 | 11 | 0.3 | 0.1- 0.5 | 128 | 3.3 | 2.5- 4.1 |
| Black or Afr. Am./Non-Hisp | 296 | 171,145 | 112 | 36.6 | 29.7-43.5 | 109 | 33.3 | 26.2-40.4 | 63 | 24.4 | 17.9-30.9 | | | | 12 | 5.7 | 2.0- 9.4 |
| Oth. Race/Non-Hisp. | 148 | 63,660 | 66 | 48.6 | 38.4-58.8 | 57 | 41.7 | 31.5-51.9 | 18 | 6.5 | 2.6-10.4 | 1 | 0.5 | 0.0- 1.5 | 6 | 2.7 | 0.0- 5.4 |
| MultiRacial/Non-Hisp. | 105 | 30,778 | 45 | 44.7 | 33.1-56.3 | 30 | 25.1 | 15.1-35.1 | 19 | 20.3 | 10.3-30.3 | | | | 11 | 9.9 | 3.4-16.4 |
| Hispanic | 232 | 119,655 | 61 | 24.5 | 17.6-31.4 | 101 | 44.3 | 36.5-52.1 | 49 | 22.7 | 15.8-29.6 | 1 | 0.3 | 0.0- 0.9 | 20 | 8.2 | 4.1-12.3 |
| 18-24 | 354 | 316,930 | 116 | 33.5 | 27.8-39.2 | 148 | 42.2 | 36.3-48.1 | 67 | 18.1 | 13.6-22.6 | 2 | 0.5 | 0.0- 1.3 | 21 | 5.7 | 3.2- 8.2 |
| 25-34 | 538 | 379,970 | 208 | 40.5 | 35.8-45.2 | 210 | 36.3 | 31.8-40.8 | 97 | 18.4 | 14.5-22.3 | 2 | 0.2 | 0.0- 0.6 | 21 | 4.6 | 2.4- 6.8 |
| 35-44 | 556 | 360,336 | 209 | 37.7 | 33.0-42.4 | 209 | 37.7 | 33.0-42.4 | 111 | 20.2 | 16.3-24.1 | 2 | 0.4 | 0.0- 1.0 | 25 | 4.0 | 2.2- 5.8 |
| 45-54 | 870 | 379,920 | 353 | 42.1 | 38.2-46.0 | 324 | 36.3 | 32.6-40.0 | 158 | 18.0 | 14.9-21.1 | 1 | 0.3 | 0.0- 0.9 | 34 | 3.3 | 1.9- 4.7 |
| 55-64 | 1281 | 390,895 | 496 | 38.8 | 35.7-41.9 | 501 | 37.6 | 34.5-40.7 | 244 | 19.9 | 17.2-22.6 | 3 | 0.3 | 0.0- 0.7 | 37 | 3.4 | 2.2- 4.6 |
| 65+ | 1830 | 415,262 | 757 | 41.5 | 38.8-44.2 | 729 | 40.3 | 37.6-43.0 | 300 | 16.0 | 14.0-18.0 | 3 | 0.1 | 0.0- 0.3 | 41 | 2.2 | 1.4- 3.0 |
| Less Than H.S. | 387 | 281,933 | 120 | 33.6 | 27.7-39.5 | 149 | 37.9 | 31.8-44.0 | 78 | 19.3 | 14.4-24.2 | 3 | 1.0 | 0.0- 2.2 | 37 | 8.2 | 5.1-11.3 |
| H.S. or G.E.D. | 1710 | 772,924 | 623 | 37.3 | 34.4-40.2 | 689 | 38.9 | 36.0-41.8 | 313 | 19.0 | 16.6-21.4 | 7 | 0.4 | 0.0- 0.8 | 78 | 4.5 | 3.3- 5.7 |
| Some Post-H.S. | 1334 | 662,186 | 527 | 40.8 | 37.5-44.1 | 535 | 38.7 | 35.6-41.8 | 230 | 17.5 | 15.0-20.0 | 1 | 0.1 | 0.0- 0.3 | 41 | 3.0 | 1.8- 4.2 |
| College Graduate | 1982 | 519,816 | 861 | 42.9 | 40.2-45.6 | 741 | 37.3 | 34.6-40.0 | 356 | 18.4 | 16.2-20.6 | 2 | 0.1 | 0.1- 0.1 | 22 | 1.4 | 0.8- 2.0 |
| Less than \$15,000 | 377 | 160,425 | 134 | 34.9 | 28.8-41.0 | 133 | 35.0 | 28.9-41.1 | 80 | 22.9 | 17.0-28.8 | | | | 30 | 7.1 | 4.2-10.0 |
| \$15,000- 24,999 | 764 | 327,607 | 270 | 34.5 | 30.2-38.8 | 312 | 40.4 | 35.9-44.9 | 143 | 19.6 | 15.7-23.5 | 5 | 0.6 | 0.0- 1.4 | 34 | 4.9 | 2.9- 6.9 |
| \$25,000- 34,999 | 522 | 211,366 | 187 | 34.7 | 29.4-40.0 | 205 | 38.4 | 32.9-43.9 | 103 | 20.0 | 15.3-24.7 | | | | 27 | 7.0 | 3.9-10.1 |
| \$35,000- 49,999 | 807 | 342,913 | 299 | 38.4 | 33.9-42.9 | 336 | 38.6 | 34.1-43.1 | 145 | 18.3 | 14.8-21.8 | 1 | 0.0 | 0.0- 0.0 | 26 | 4.6 | 2.4- 6.8 |
| \$50,000- 74,999 | 857 | 352,485 | 353 | 41.1 | 36.8-45.4 | 340 | 40.0 | 35.7-44.3 | 152 | 17.6 | 14.5-20.7 | | | | 12 | 1.2 | 0.2- 2.2 |
| \$75,000+ | 1686 | 671,076 | 725 | 42.0 | 39.1-44.9 | 644 | 38.3 | 35.4-41.2 | 287 | 17.6 | 15.2-20.0 | 3 | 0.2 | 0.0- 0.6 | 27 | 1.9 | 0.9- 2.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 18: YOU CAN TELL ME TIMES PER DAY, TIMES PER WEEK OR TIMES PER MONTH. NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES?
(VEGETAB2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Times per Day | | | Times per Week | | | Times per Month | | | LT 1 per Month | | | Never | | |
|----------------------------|-------------------|-----------|---------------|------|------------|----------------|------|------------|-----------------|------|------------|----------------|-----|------------|-------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7245 | 2,378,164 | 3750 | 50.3 | 48.7-51.9 | 2247 | 31.7 | 30.1-33.3 | 1085 | 15.3 | 14.1-16.5 | 11 | 0.1 | 0.0- 0.3 | 152 | 2.6 | 2.0- 3.2 |
| White/Non-Hisp | 6161 | 1,936,124 | 3260 | 51.8 | 50.0-53.6 | 1875 | 31.1 | 29.5-32.7 | 907 | 14.8 | 13.6-16.0 | 7 | 0.1 | 0.1- 0.1 | 112 | 2.1 | 1.5- 2.7 |
| Black or Afr. Am./Non-Hisp | 518 | 203,619 | 244 | 48.4 | 42.5-54.3 | 158 | 28.0 | 22.9-33.1 | 98 | 19.2 | 14.5-23.9 | 1 | 0.3 | 0.0- 0.9 | 17 | 4.1 | 1.2- 7.0 |
| Oth. Race/Non-Hisp. | 108 | 47,639 | 67 | 61.9 | 48.0-75.8 | 29 | 26.1 | 13.9-38.3 | 8 | 7.9 | 0.0-17.9 | 1 | 0.4 | 0.0- 1.2 | 3 | 3.7 | 0.0- 9.2 |
| MultiRacial/Non-Hisp. | 89 | 25,903 | 45 | 43.9 | 30.0-57.8 | 29 | 36.7 | 23.4-50.0 | 12 | 14.3 | 5.3-23.3 | | | | 3 | 5.1 | 0.0-10.8 |
| Hispanic | 281 | 134,795 | 87 | 28.7 | 22.4-35.0 | 131 | 46.1 | 39.0-53.2 | 48 | 19.4 | 13.3-25.5 | 1 | 0.2 | 0.0- 0.6 | 14 | 5.5 | 2.4- 8.6 |
| 18-24 | 270 | 295,250 | 104 | 40.7 | 34.0-47.4 | 117 | 39.4 | 32.9-45.9 | 40 | 16.0 | 10.7-21.3 | | | | 9 | 3.9 | 1.2- 6.6 |
| 25-34 | 547 | 373,955 | 282 | 51.2 | 46.5-55.9 | 167 | 29.3 | 25.0-33.6 | 80 | 16.0 | 12.5-19.5 | 3 | 0.5 | 0.0- 1.1 | 15 | 3.1 | 1.3- 4.9 |
| 35-44 | 718 | 375,452 | 384 | 52.0 | 47.9-56.1 | 222 | 31.8 | 27.9-35.7 | 92 | 13.3 | 10.4-16.2 | | | | 20 | 2.9 | 1.3- 4.5 |
| 45-54 | 1085 | 387,442 | 552 | 49.9 | 46.4-53.4 | 333 | 30.6 | 27.5-33.7 | 177 | 17.3 | 14.6-20.0 | | | | 23 | 2.2 | 1.2- 3.2 |
| 55-64 | 1507 | 412,341 | 785 | 52.0 | 49.1-54.9 | 452 | 30.8 | 28.1-33.5 | 233 | 14.4 | 12.4-16.4 | 1 | 0.0 | 0.0- 0.0 | 36 | 2.7 | 1.7- 3.7 |
| 65+ | 3118 | 533,724 | 1643 | 52.6 | 50.4-54.8 | 956 | 30.8 | 28.8-32.8 | 463 | 15.0 | 13.4-16.6 | 7 | 0.2 | 0.0- 0.4 | 49 | 1.4 | 1.0- 1.8 |
| Less Than H.S. | 542 | 283,732 | 228 | 39.9 | 34.2-45.6 | 195 | 35.4 | 29.9-40.9 | 82 | 16.7 | 12.2-21.2 | 3 | 0.4 | 0.0- 1.0 | 34 | 7.5 | 4.2-10.8 |
| H.S. or G.E.D. | 2448 | 774,060 | 1129 | 45.3 | 42.6-48.0 | 831 | 33.8 | 31.3-36.3 | 404 | 16.9 | 14.7-19.1 | 7 | 0.2 | 0.0- 0.4 | 77 | 3.8 | 2.6- 5.0 |
| Some Post-H.S. | 1886 | 773,709 | 983 | 52.8 | 49.9-55.7 | 596 | 31.9 | 29.2-34.6 | 284 | 14.4 | 12.2-16.6 | 1 | 0.0 | 0.0- 0.0 | 22 | 0.9 | 0.5- 1.3 |
| College Graduate | 2355 | 543,631 | 1401 | 59.3 | 56.8-61.8 | 622 | 26.6 | 24.2-29.0 | 313 | 13.5 | 11.7-15.3 | | | | 19 | 0.6 | 0.2- 1.0 |
| Less than \$15,000 | 731 | 247,179 | 308 | 37.5 | 32.6-42.4 | 245 | 35.9 | 30.8-41.0 | 133 | 19.6 | 15.5-23.7 | 4 | 0.6 | 0.0- 1.2 | 41 | 6.3 | 3.6- 9.0 |
| \$15,000- 24,999 | 1278 | 406,415 | 586 | 45.8 | 41.9-49.7 | 425 | 33.3 | 29.6-37.0 | 224 | 16.7 | 13.8-19.6 | 2 | 0.1 | 0.1- 0.1 | 41 | 4.2 | 2.6- 5.8 |
| \$25,000- 34,999 | 808 | 252,604 | 406 | 50.2 | 45.5-54.9 | 262 | 34.5 | 29.8-39.2 | 126 | 13.8 | 10.7-16.9 | 1 | 0.0 | 0.0- 0.0 | 13 | 1.5 | 0.5- 2.5 |
| \$35,000- 49,999 | 921 | 308,899 | 475 | 49.5 | 45.0-54.0 | 285 | 30.5 | 26.4-34.6 | 142 | 17.3 | 13.8-20.8 | 1 | 0.0 | 0.0- 0.0 | 18 | 2.7 | 0.7- 4.7 |
| \$50,000- 74,999 | 1000 | 340,723 | 550 | 53.0 | 48.7-57.3 | 306 | 30.7 | 26.8-34.6 | 135 | 14.4 | 11.1-17.7 | 1 | 0.1 | 0.0- 0.3 | 8 | 1.8 | 0.0- 3.6 |
| \$75,000+ | 1573 | 545,446 | 950 | 59.2 | 56.1-62.3 | 421 | 27.9 | 25.0-30.8 | 188 | 12.2 | 10.0-14.4 | | | | 14 | 0.7 | 0.3- 1.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017**

SECTION 13: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|---|------|
| DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2) | |
| 1 MALES AND FEMALES | 238 |
| 2 MALES ONLY | 239 |
| 3 FEMALES ONLY | 240 |
| WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11) | |
| 4 MALES AND FEMALES | 241 |
| 5 MALES ONLY | 242 |
| 6 FEMALES ONLY | 243 |
| HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1) | |
| 7 MALES AND FEMALES | 244 |
| 8 MALES ONLY | 245 |
| 9 FEMALES ONLY | 246 |
| AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1) | |
| 10 MALES AND FEMALES | 247 |
| 11 MALES ONLY | 248 |
| 12 FEMALES ONLY | 249 |
| WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21) | |
| 13 MALES AND FEMALES | 250 |
| 14 MALES ONLY | 251 |
| 15 FEMALES ONLY | 252 |
| HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2) | |
| 16 MALES AND FEMALES | 253 |
| 17 MALES ONLY | 254 |
| 18 FEMALES ONLY | 255 |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017

SECTION 13: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| | AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2) | |
| 19 | MALES AND FEMALES | 256 |
| 20 | MALES ONLY | 257 |
| 21 | FEMALES ONLY | 258 |
| | DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH) | |
| 22 | MALES AND FEMALES | 259 |
| 23 | MALES ONLY | 260 |
| 24 | FEMALES ONLY | 261 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF,
GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 12708 | 4,621,009 | 8797 | 70.2 | 69.2-71.2 | 3911 | 29.8 | 28.8-30.8 |
| Male | 5450 | 2,242,092 | 3925 | 72.1 | 70.5-73.7 | 1525 | 27.9 | 26.3-29.5 |
| Female | 7258 | 2,378,917 | 4872 | 68.4 | 67.0-69.8 | 2386 | 31.6 | 30.2-33.0 |
| White/Non-Hisp | 10719 | 3,744,328 | 7476 | 71.1 | 69.9-72.3 | 3243 | 28.9 | 27.7-30.1 |
| Black or Afr. Am./Non-Hisp | 815 | 376,857 | 525 | 65.7 | 61.4-70.0 | 290 | 34.3 | 30.0-38.6 |
| Oth. Race/Non-Hisp. | 253 | 110,322 | 180 | 75.7 | 68.1-83.3 | 73 | 24.3 | 16.7-31.9 |
| MultiRacial/Non-Hisp. | 195 | 56,778 | 138 | 69.4 | 61.2-77.6 | 57 | 30.6 | 22.4-38.8 |
| Hispanic | 519 | 256,591 | 341 | 64.1 | 59.0-69.2 | 178 | 35.9 | 30.8-41.0 |
| 18-24 | 620 | 605,224 | 490 | 77.5 | 73.6-81.4 | 130 | 22.5 | 18.6-26.4 |
| 25-34 | 1084 | 753,811 | 821 | 74.9 | 72.0-77.8 | 263 | 25.1 | 22.2-28.0 |
| 35-44 | 1274 | 737,388 | 931 | 71.0 | 68.1-73.9 | 343 | 29.0 | 26.1-31.9 |
| 45-54 | 1955 | 766,201 | 1385 | 68.7 | 66.2-71.2 | 570 | 31.3 | 28.8-33.8 |
| 55-64 | 2790 | 803,382 | 1895 | 67.2 | 65.0-69.4 | 895 | 32.8 | 30.6-35.0 |
| 65+ | 4985 | 955,004 | 3275 | 65.1 | 63.5-66.7 | 1710 | 34.9 | 33.3-36.5 |
| Less Than H.S. | 928 | 563,967 | 482 | 54.7 | 50.6-58.8 | 446 | 45.3 | 41.2-49.4 |
| H.S. or G.E.D. | 4197 | 1,552,789 | 2535 | 65.2 | 63.4-67.0 | 1662 | 34.8 | 33.0-36.6 |
| Some Post-H.S. | 3223 | 1,433,372 | 2243 | 72.1 | 70.1-74.1 | 980 | 27.9 | 25.9-29.9 |
| College Graduate | 4330 | 1,061,395 | 3520 | 83.3 | 81.9-84.7 | 810 | 16.7 | 15.3-18.1 |
| Less than \$15,000 | 1113 | 407,009 | 599 | 56.6 | 52.7-60.5 | 514 | 43.4 | 39.5-47.3 |
| \$15,000- 24,999 | 2050 | 732,802 | 1161 | 59.8 | 56.9-62.7 | 889 | 40.2 | 37.3-43.1 |
| \$25,000- 34,999 | 1331 | 466,131 | 849 | 65.5 | 62.0-69.0 | 482 | 34.5 | 31.0-38.0 |
| \$35,000- 49,999 | 1737 | 655,539 | 1213 | 70.1 | 67.2-73.0 | 524 | 29.9 | 27.0-32.8 |
| \$50,000- 74,999 | 1852 | 690,210 | 1399 | 75.3 | 72.6-78.0 | 453 | 24.7 | 22.0-27.4 |
| \$75,000+ | 3244 | 1,211,589 | 2671 | 81.5 | 79.7-83.3 | 573 | 18.5 | 16.7-20.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF,
GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5450 | 2,242,092 | 3925 | 72.1 | 70.5-73.7 | 1525 | 27.9 | 26.3-29.5 |
| White/Non-Hisp | 4548 | 1,808,455 | 3303 | 72.6 | 70.8-74.4 | 1245 | 27.4 | 25.6-29.2 |
| Black or Afr. Am./Non-Hisp | 302 | 174,706 | 213 | 73.9 | 67.8-80.0 | 89 | 26.1 | 20.0-32.2 |
| Oth. Race/Non-Hisp. | 145 | 62,644 | 104 | 81.4 | 74.7-88.1 | 41 | 18.6 | 11.9-25.3 |
| MultiRacial/Non-Hisp. | 105 | 30,680 | 73 | 65.1 | 53.5-76.7 | 32 | 34.9 | 23.3-46.5 |
| Hispanic | 237 | 121,134 | 156 | 63.3 | 55.7-70.9 | 81 | 36.7 | 29.1-44.3 |
| 18-24 | 350 | 311,012 | 280 | 78.3 | 73.2-83.4 | 70 | 21.7 | 16.6-26.8 |
| 25-34 | 540 | 381,469 | 425 | 77.3 | 73.2-81.4 | 115 | 22.7 | 18.6-26.8 |
| 35-44 | 558 | 362,528 | 407 | 71.0 | 66.5-75.5 | 151 | 29.0 | 24.5-33.5 |
| 45-54 | 872 | 379,010 | 635 | 70.6 | 67.1-74.1 | 237 | 29.4 | 25.9-32.9 |
| 55-64 | 1284 | 391,299 | 891 | 68.5 | 65.4-71.6 | 393 | 31.5 | 28.4-34.6 |
| 65+ | 1846 | 416,774 | 1287 | 68.6 | 66.1-71.1 | 559 | 31.4 | 28.9-33.9 |
| Less Than H.S. | 384 | 279,325 | 209 | 55.1 | 48.8-61.4 | 175 | 44.9 | 38.6-51.2 |
| H.S. or G.E.D. | 1730 | 776,724 | 1114 | 68.0 | 65.3-70.7 | 616 | 32.0 | 29.3-34.7 |
| Some Post-H.S. | 1332 | 658,333 | 962 | 75.1 | 72.4-77.8 | 370 | 24.9 | 22.2-27.6 |
| College Graduate | 1988 | 521,256 | 1631 | 83.5 | 81.5-85.5 | 357 | 16.5 | 14.5-18.5 |
| Less than \$15,000 | 382 | 161,097 | 222 | 59.1 | 52.8-65.4 | 160 | 40.9 | 34.6-47.2 |
| \$15,000- 24,999 | 772 | 328,508 | 476 | 63.7 | 59.4-68.0 | 296 | 36.3 | 32.0-40.6 |
| \$25,000- 34,999 | 524 | 213,473 | 336 | 65.2 | 59.9-70.5 | 188 | 34.8 | 29.5-40.1 |
| \$35,000- 49,999 | 814 | 344,625 | 564 | 69.7 | 65.4-74.0 | 250 | 30.3 | 26.0-34.6 |
| \$50,000- 74,999 | 857 | 350,968 | 637 | 73.8 | 69.9-77.7 | 220 | 26.2 | 22.3-30.1 |
| \$75,000+ | 1680 | 667,903 | 1396 | 82.5 | 80.1-84.9 | 284 | 17.5 | 15.1-19.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF,
GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7258 | 2,378,917 | 4872 | 68.4 | 67.0-69.8 | 2386 | 31.6 | 30.2-33.0 |
| White/Non-Hisp | 6171 | 1,935,873 | 4173 | 69.8 | 68.2-71.4 | 1998 | 30.2 | 28.6-31.8 |
| Black or Afr. Am./Non-Hisp | 513 | 202,151 | 312 | 58.5 | 52.6-64.4 | 201 | 41.5 | 35.6-47.4 |
| Oth. Race/Non-Hisp. | 108 | 47,678 | 76 | 68.1 | 53.8-82.4 | 32 | 31.9 | 17.6-46.2 |
| MultiRacial/Non-Hisp. | 90 | 26,098 | 65 | 74.4 | 63.0-85.8 | 25 | 25.6 | 14.2-37.0 |
| Hispanic | 282 | 135,457 | 185 | 64.9 | 58.0-71.8 | 97 | 35.1 | 28.2-42.0 |
| 18-24 | 270 | 294,211 | 210 | 76.7 | 71.0-82.4 | 60 | 23.3 | 17.6-29.0 |
| 25-34 | 544 | 372,342 | 396 | 72.4 | 68.1-76.7 | 148 | 27.6 | 23.3-31.9 |
| 35-44 | 716 | 374,859 | 524 | 70.9 | 67.0-74.8 | 192 | 29.1 | 25.2-33.0 |
| 45-54 | 1083 | 387,191 | 750 | 66.8 | 63.5-70.1 | 333 | 33.2 | 29.9-36.5 |
| 55-64 | 1506 | 412,084 | 1004 | 66.0 | 63.1-68.9 | 502 | 34.0 | 31.1-36.9 |
| 65+ | 3139 | 538,230 | 1988 | 62.4 | 60.2-64.6 | 1151 | 37.6 | 35.4-39.8 |
| Less Than H.S. | 544 | 284,642 | 273 | 54.4 | 48.7-60.1 | 271 | 45.6 | 39.9-51.3 |
| H.S. or G.E.D. | 2467 | 776,064 | 1421 | 62.3 | 59.8-64.8 | 1046 | 37.7 | 35.2-40.2 |
| Some Post-H.S. | 1891 | 775,039 | 1281 | 69.5 | 66.8-72.2 | 610 | 30.5 | 27.8-33.2 |
| College Graduate | 2342 | 540,140 | 1889 | 83.0 | 81.0-85.0 | 453 | 17.0 | 15.0-19.0 |
| Less than \$15,000 | 731 | 245,912 | 377 | 54.9 | 49.8-60.0 | 354 | 45.1 | 40.0-50.2 |
| \$15,000- 24,999 | 1278 | 404,293 | 685 | 56.6 | 52.9-60.3 | 593 | 43.4 | 39.7-47.1 |
| \$25,000- 34,999 | 807 | 252,658 | 513 | 65.8 | 61.3-70.3 | 294 | 34.2 | 29.7-38.7 |
| \$35,000- 49,999 | 923 | 310,914 | 649 | 70.6 | 66.5-74.7 | 274 | 29.4 | 25.3-33.5 |
| \$50,000- 74,999 | 995 | 339,242 | 762 | 76.9 | 73.4-80.4 | 233 | 23.1 | 19.6-26.6 |
| \$75,000+ | 1564 | 543,686 | 1275 | 80.3 | 77.8-82.8 | 289 | 19.7 | 17.2-22.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Aerobics or Running | | | Walking | | | Requires a ball and-or Racquet | | | Water Activities | | | Activities on Snow or Ice | | | Other Activities | | |
|----------------------------|-------------------|-----------|---------------------|------|------------|---------|------|------------|--------------------------------|------|------------|------------------|-----|------------|---------------------------|-----|------------|------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 8178 | 3,033,116 | 1711 | 24.8 | 23.4-26.2 | 4898 | 55.0 | 53.6-56.4 | 353 | 4.8 | 4.2- 5.4 | 111 | 1.3 | 0.9- 1.7 | 9 | 0.1 | 0.0- 0.3 | 1096 | 13.8 | 12.8-14.8 |
| Male | 3640 | 1,506,354 | 939 | 29.2 | 27.2-31.2 | 1905 | 46.5 | 44.3-48.7 | 273 | 7.7 | 6.5- 8.9 | 51 | 1.4 | 1.0- 1.8 | 8 | 0.2 | 0.0- 0.4 | 464 | 15.0 | 13.4-16.6 |
| Female | 4538 | 1,526,762 | 772 | 20.5 | 18.7-22.3 | 2993 | 63.4 | 61.4-65.4 | 80 | 2.0 | 1.4- 2.6 | 60 | 1.3 | 0.9- 1.7 | 1 | 0.0 | 0.0- 0.0 | 632 | 12.7 | 11.3-14.1 |
| White/Non-Hisp | 6936 | 2,478,823 | 1407 | 24.0 | 22.6-25.4 | 4172 | 55.5 | 53.9-57.1 | 287 | 4.5 | 3.7- 5.3 | 97 | 1.5 | 1.1- 1.9 | 7 | 0.1 | 0.0- 0.3 | 966 | 14.4 | 13.2-15.6 |
| Black or Afr. Am./Non-Hisp | 499 | 238,548 | 103 | 25.6 | 20.1-31.1 | 332 | 58.8 | 52.9-64.7 | 19 | 6.0 | 2.9- 9.1 | 4 | 0.6 | 0.0- 1.4 | | | | 41 | 9.0 | 5.7-12.3 |
| Oth. Race/Non-Hisp. | 170 | 79,611 | 56 | 37.8 | 28.4-47.2 | 79 | 38.8 | 29.4-48.2 | 8 | 5.5 | 1.4- 9.6 | 4 | 2.1 | 0.0- 4.3 | 1 | 0.3 | 0.0- 0.9 | 22 | 15.6 | 8.5-22.7 |
| MultiRacial/Non-Hisp. | 121 | 33,583 | 26 | 20.6 | 12.2-29.0 | 63 | 53.8 | 42.6-65.0 | 11 | 10.9 | 4.0-17.8 | 2 | 0.7 | 0.0- 1.7 | | | | 19 | 14.0 | 7.1-20.9 |
| Hispanic | 326 | 158,882 | 98 | 32.1 | 25.8-38.4 | 173 | 49.5 | 42.8-56.2 | 22 | 7.3 | 4.2-10.4 | 2 | 0.5 | 0.0- 1.3 | | | | 31 | 10.6 | 6.3-14.9 |
| 18-24 | 467 | 444,413 | 211 | 42.0 | 36.9-47.1 | 159 | 37.2 | 32.1-42.3 | 30 | 6.3 | 3.8- 8.8 | 6 | 1.0 | 0.0- 2.0 | 1 | 0.0 | 0.0- 0.0 | 60 | 13.5 | 9.8-17.2 |
| 25-34 | 776 | 535,551 | 235 | 29.4 | 25.7-33.1 | 368 | 47.6 | 43.5-51.7 | 50 | 6.4 | 4.4- 8.4 | 16 | 2.2 | 1.0- 3.4 | 2 | 0.5 | 0.0- 1.1 | 105 | 14.0 | 11.3-16.7 |
| 35-44 | 882 | 492,721 | 250 | 29.0 | 25.5-32.5 | 473 | 53.1 | 49.4-56.8 | 36 | 4.0 | 2.4- 5.6 | 9 | 0.9 | 0.3- 1.5 | 2 | 0.1 | 0.0- 0.3 | 112 | 12.8 | 10.3-15.3 |
| 45-54 | 1310 | 494,690 | 284 | 20.3 | 17.8-22.8 | 784 | 58.4 | 55.3-61.5 | 53 | 4.3 | 2.9- 5.7 | 19 | 1.2 | 0.6- 1.8 | 1 | 0.0 | 0.0- 0.0 | 169 | 15.9 | 13.4-18.4 |
| 55-64 | 1770 | 501,473 | 301 | 16.9 | 14.7-19.1 | 1142 | 64.1 | 61.4-66.8 | 63 | 4.0 | 2.8- 5.2 | 26 | 1.5 | 0.9- 2.1 | 1 | 0.0 | 0.0- 0.0 | 237 | 13.5 | 11.5-15.5 |
| 65+ | 2973 | 564,268 | 430 | 14.5 | 12.9-16.1 | 1972 | 66.8 | 64.6-69.0 | 121 | 4.2 | 3.4- 5.0 | 35 | 1.2 | 0.8- 1.6 | 2 | 0.1 | 0.0- 0.3 | 413 | 13.2 | 11.8-14.6 |
| Less Than H.S. | 437 | 276,821 | 61 | 16.1 | 11.2-21.0 | 311 | 66.2 | 60.1-72.3 | 12 | 4.5 | 1.8- 7.2 | 2 | 0.8 | 0.0- 1.8 | 1 | 0.1 | 0.0- 0.3 | 50 | 12.4 | 8.3-16.5 |
| H.S. or G.E.D. | 2362 | 954,251 | 384 | 21.6 | 19.2-24.0 | 1562 | 59.9 | 57.2-62.6 | 92 | 4.7 | 3.5- 5.9 | 31 | 1.6 | 0.8- 2.4 | | | | 293 | 12.2 | 10.4-14.0 |
| Some Post-H.S. | 2072 | 964,529 | 431 | 25.7 | 23.2-28.2 | 1218 | 52.7 | 50.0-55.4 | 98 | 5.4 | 4.0- 6.8 | 25 | 0.9 | 0.5- 1.3 | 1 | 0.2 | 0.0- 0.6 | 299 | 15.1 | 13.1-17.1 |
| College Graduate | 3291 | 830,303 | 831 | 30.5 | 28.5-32.5 | 1797 | 48.3 | 46.1-50.5 | 150 | 4.5 | 3.7- 5.3 | 52 | 1.7 | 1.1- 2.3 | 7 | 0.3 | 0.1- 0.5 | 454 | 14.8 | 13.2-16.4 |
| Less than \$15,000 | 550 | 210,305 | 93 | 21.5 | 16.6-26.4 | 384 | 64.4 | 58.9-69.9 | 11 | 4.2 | 1.7- 6.7 | 10 | 1.7 | 0.5- 2.9 | 1 | 0.0 | 0.0- 0.0 | 51 | 8.2 | 5.3-11.1 |
| \$15,000- 24,999 | 1072 | 410,460 | 170 | 18.0 | 14.9-21.1 | 734 | 66.6 | 62.7-70.5 | 34 | 4.7 | 2.7- 6.7 | 15 | 1.3 | 0.3- 2.3 | | | | 119 | 9.4 | 7.0-11.8 |
| \$25,000- 34,999 | 778 | 284,028 | 113 | 19.4 | 15.5-23.3 | 518 | 61.4 | 56.7-66.1 | 21 | 3.1 | 1.5- 4.7 | 9 | 0.8 | 0.2- 1.4 | 1 | 0.1 | 0.0- 0.3 | 116 | 15.2 | 11.7-18.7 |
| \$35,000- 49,999 | 1108 | 424,986 | 233 | 27.2 | 23.3-31.1 | 661 | 52.6 | 48.5-56.7 | 44 | 4.4 | 2.8- 6.0 | 15 | 1.6 | 0.6- 2.6 | 1 | 0.1 | 0.0- 0.3 | 154 | 14.2 | 11.3-17.1 |
| \$50,000- 74,999 | 1319 | 488,580 | 284 | 24.5 | 21.4-27.6 | 779 | 54.5 | 50.8-58.2 | 67 | 6.0 | 4.0- 8.0 | 17 | 1.2 | 0.6- 1.8 | 1 | 0.1 | 0.0- 0.3 | 171 | 13.7 | 11.0-16.4 |
| \$75,000+ | 2516 | 929,794 | 674 | 30.7 | 28.3-33.1 | 1280 | 45.4 | 42.9-47.9 | 134 | 4.7 | 3.7- 5.7 | 35 | 1.5 | 0.9- 2.1 | 5 | 0.3 | 0.0- 0.7 | 388 | 17.4 | 15.4-19.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 5: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Aerobics or Running | | | Walking | | | Requires a ball and-or Racquet | | | Water Activities | | | Activities on Snow or Ice | | | Other Activities | | |
|----------------------------|-------------------|-----------|---------------------|------|------------|---------|------|------------|--------------------------------|------|------------|------------------|-----|------------|---------------------------|-----|------------|------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 3640 | 1,506,354 | 939 | 29.2 | 27.2-31.2 | 1905 | 46.5 | 44.3-48.7 | 273 | 7.7 | 6.5- 8.9 | 51 | 1.4 | 1.0- 1.8 | 8 | 0.2 | 0.0- 0.4 | 464 | 15.0 | 13.4-16.6 |
| White/Non-Hisp | 3054 | 1,216,200 | 763 | 28.3 | 26.1-30.5 | 1626 | 47.7 | 45.3-50.1 | 219 | 7.0 | 5.8- 8.2 | 45 | 1.6 | 1.0- 2.2 | 6 | 0.3 | 0.0- 0.7 | 395 | 15.1 | 13.3-16.9 |
| Black or Afr. Am./Non-Hisp | 206 | 125,776 | 56 | 31.1 | 22.7-39.5 | 116 | 47.9 | 39.3-56.5 | 14 | 9.8 | 4.1-15.5 | 1 | 0.1 | 0.0- 0.3 | | | | 19 | 11.2 | 5.7-16.7 |
| Oth. Race/Non-Hisp. | 97 | 47,931 | 36 | 39.9 | 27.7-52.1 | 37 | 31.6 | 20.2-43.0 | 8 | 9.1 | 2.4-15.8 | 2 | 1.2 | 0.0- 3.0 | 1 | 0.4 | 0.0- 1.2 | 13 | 17.8 | 7.8-27.8 |
| MultiRacial/Non-Hisp. | 64 | 17,713 | 14 | 17.3 | 7.9-26.7 | 28 | 46.3 | 31.2-61.4 | 9 | 17.2 | 6.2-28.2 | 1 | 0.6 | 0.0- 1.8 | | | | 12 | 18.6 | 7.6-29.6 |
| Hispanic | 149 | 72,716 | 54 | 36.2 | 27.0-45.4 | 59 | 34.2 | 25.0-43.4 | 18 | 12.7 | 6.6-18.8 | | | | | | | 18 | 16.9 | 8.7-25.1 |
| 18-24 | 267 | 233,372 | 130 | 46.9 | 40.0-53.8 | 67 | 26.5 | 20.4-32.6 | 21 | 7.3 | 4.0-10.6 | 4 | 1.1 | 0.0- 2.3 | 1 | 0.1 | 0.0- 0.3 | 44 | 18.1 | 12.6-23.6 |
| 25-34 | 403 | 282,109 | 140 | 33.8 | 28.5-39.1 | 138 | 34.6 | 29.3-39.9 | 42 | 10.6 | 7.1-14.1 | 11 | 2.7 | 0.9- 4.5 | 2 | 0.9 | 0.0- 2.1 | 70 | 17.5 | 13.2-21.8 |
| 35-44 | 382 | 239,679 | 126 | 32.7 | 27.2-38.2 | 165 | 43.4 | 37.5-49.3 | 31 | 7.4 | 4.5-10.3 | 1 | 0.2 | 0.0- 0.6 | 1 | 0.1 | 0.0- 0.3 | 58 | 16.2 | 11.9-20.5 |
| 45-54 | 590 | 247,297 | 157 | 24.5 | 20.4-28.6 | 303 | 50.4 | 45.5-55.3 | 45 | 7.2 | 4.8- 9.6 | 10 | 1.4 | 0.4- 2.4 | 1 | 0.1 | 0.0- 0.3 | 74 | 16.5 | 12.6-20.4 |
| 55-64 | 828 | 246,932 | 186 | 22.0 | 18.7-25.3 | 491 | 59.3 | 55.4-63.2 | 53 | 6.7 | 4.7- 8.7 | 9 | 1.5 | 0.3- 2.7 | 1 | 0.0 | 0.0- 0.0 | 88 | 10.6 | 8.1-13.1 |
| 65+ | 1170 | 256,964 | 200 | 16.5 | 14.0-19.0 | 741 | 64.7 | 61.4-68.0 | 81 | 6.4 | 4.8- 8.0 | 16 | 1.1 | 0.3- 1.9 | 2 | 0.2 | 0.0- 0.4 | 130 | 11.0 | 8.8-13.2 |
| Less Than H.S. | 188 | 140,614 | 37 | 21.4 | 13.4-29.4 | 110 | 51.8 | 42.8-60.8 | 12 | 8.8 | 3.5-14.1 | 2 | 1.5 | 0.0- 3.7 | 1 | 0.1 | 0.0- 0.3 | 26 | 16.4 | 9.3-23.5 |
| H.S. or G.E.D. | 1047 | 499,692 | 227 | 27.3 | 23.8-30.8 | 624 | 52.3 | 48.6-56.0 | 65 | 6.4 | 4.6- 8.2 | 17 | 1.7 | 0.7- 2.7 | | | | 114 | 12.3 | 9.6-15.0 |
| Some Post-H.S. | 880 | 455,677 | 219 | 28.9 | 25.2-32.6 | 440 | 43.5 | 39.6-47.4 | 75 | 8.6 | 6.4-10.8 | 9 | 0.9 | 0.1- 1.7 | 1 | 0.3 | 0.0- 0.9 | 136 | 17.7 | 14.6-20.8 |
| College Graduate | 1516 | 404,997 | 453 | 34.4 | 31.5-37.3 | 726 | 40.8 | 37.9-43.7 | 121 | 8.0 | 6.2- 9.8 | 22 | 1.5 | 0.7- 2.3 | 6 | 0.4 | 0.0- 0.8 | 188 | 15.0 | 12.6-17.4 |
| Less than \$15,000 | 206 | 87,251 | 47 | 27.2 | 19.4-35.0 | 127 | 54.5 | 45.9-63.1 | 9 | 7.5 | 2.4-12.6 | 3 | 1.2 | 0.0- 2.6 | 1 | 0.1 | 0.0- 0.3 | 19 | 9.5 | 4.6-14.4 |
| \$15,000- 24,999 | 444 | 193,852 | 98 | 24.3 | 19.2-29.4 | 275 | 56.6 | 50.5-62.7 | 24 | 8.3 | 4.2-12.4 | 5 | 1.3 | 0.0- 2.7 | | | | 42 | 9.5 | 5.6-13.4 |
| \$25,000- 34,999 | 305 | 127,664 | 66 | 27.0 | 20.1-33.9 | 181 | 53.7 | 46.3-61.1 | 13 | 4.7 | 1.8- 7.6 | 4 | 1.0 | 0.0- 2.2 | 1 | 0.2 | 0.0- 0.6 | 40 | 13.4 | 8.5-18.3 |
| \$35,000- 49,999 | 518 | 223,186 | 133 | 32.8 | 26.9-38.7 | 282 | 44.2 | 38.5-49.9 | 34 | 6.9 | 4.0- 9.8 | 8 | 1.5 | 0.1- 2.9 | 1 | 0.2 | 0.0- 0.6 | 60 | 14.5 | 10.2-18.8 |
| \$50,000- 74,999 | 597 | 241,517 | 151 | 26.7 | 22.0-31.4 | 308 | 46.1 | 40.8-51.4 | 54 | 9.2 | 6.3-12.1 | 13 | 2.1 | 0.7- 3.5 | | | | 71 | 15.9 | 11.4-20.4 |
| \$75,000+ | 1299 | 516,369 | 386 | 32.6 | 29.3-35.9 | 581 | 39.2 | 35.9-42.5 | 114 | 7.6 | 5.8- 9.4 | 16 | 1.4 | 0.4- 2.4 | 5 | 0.6 | 0.0- 1.2 | 197 | 18.6 | 15.7-21.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 6: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Aerobics or Running | | | Walking | | | Requires a ball and-or Racquet | | | Water Activities | | | Activities on Snow or Ice | | | Other Activities | | |
|----------------------------|-------------------|-----------|---------------------|------|------------|---------|------|------------|--------------------------------|-----|------------|------------------|-----|------------|---------------------------|-----|------------|------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 4538 | 1,526,762 | 772 | 20.5 | 18.7-22.3 | 2993 | 63.4 | 61.4-65.4 | 80 | 2.0 | 1.4- 2.6 | 60 | 1.3 | 0.9- 1.7 | 1 | 0.0 | 0.0- 0.0 | 632 | 12.7 | 11.3-14.1 |
| White/Non-Hisp | 3882 | 1,262,623 | 644 | 19.8 | 18.0-21.6 | 2546 | 63.1 | 60.9-65.3 | 68 | 2.0 | 1.2- 2.8 | 52 | 1.3 | 0.9- 1.7 | 1 | 0.0 | 0.0- 0.0 | 571 | 13.7 | 12.3-15.1 |
| Black or Afr. Am./Non-Hisp | 293 | 112,773 | 47 | 19.5 | 13.2-25.8 | 216 | 71.1 | 64.0-78.2 | 5 | 1.7 | 0.0- 3.5 | 3 | 1.1 | 0.0- 2.5 | | | | 22 | 6.6 | 3.1-10.1 |
| Oth. Race/Non-Hisp. | 73 | 31,680 | 20 | 34.7 | 20.0-49.4 | 42 | 49.6 | 34.3-64.9 | | | | 2 | 3.3 | 0.0- 8.0 | | | | 9 | 12.3 | 3.1-21.5 |
| MultiRacial/Non-Hisp. | 57 | 15,871 | 12 | 24.3 | 10.2-38.4 | 35 | 62.3 | 46.0-78.6 | 2 | 3.9 | 0.0-10.4 | 1 | 0.7 | 0.0- 2.1 | | | | 7 | 8.9 | 1.3-16.5 |
| Hispanic | 177 | 86,166 | 44 | 28.7 | 20.5-36.9 | 114 | 62.4 | 53.8-71.0 | 4 | 2.8 | 0.1- 5.5 | 2 | 0.9 | 0.0- 2.3 | | | | 13 | 5.3 | 2.2- 8.4 |
| 18-24 | 200 | 211,041 | 81 | 36.5 | 29.1-43.9 | 92 | 49.1 | 41.1-57.1 | 9 | 5.1 | 1.2- 9.0 | 2 | 0.9 | 0.0- 2.3 | | | | 16 | 8.3 | 3.8-12.8 |
| 25-34 | 373 | 253,442 | 95 | 24.5 | 19.6-29.4 | 230 | 62.0 | 56.3-67.7 | 8 | 1.7 | 0.3- 3.1 | 5 | 1.6 | 0.0- 3.2 | | | | 35 | 10.2 | 6.7-13.7 |
| 35-44 | 500 | 253,041 | 124 | 25.5 | 21.2-29.8 | 308 | 62.3 | 57.6-67.0 | 5 | 0.9 | 0.1- 1.7 | 8 | 1.6 | 0.4- 2.8 | 1 | 0.1 | 0.0- 0.3 | 54 | 9.6 | 6.9-12.3 |
| 45-54 | 720 | 247,393 | 127 | 16.0 | 13.1-18.9 | 481 | 66.4 | 62.3-70.5 | 8 | 1.3 | 0.1- 2.5 | 9 | 1.0 | 0.2- 1.8 | | | | 95 | 15.3 | 12.0-18.6 |
| 55-64 | 942 | 254,541 | 115 | 12.0 | 9.5-14.5 | 651 | 68.7 | 65.2-72.2 | 10 | 1.4 | 0.4- 2.4 | 17 | 1.5 | 0.7- 2.3 | | | | 149 | 16.4 | 13.5-19.3 |
| 65+ | 1803 | 307,304 | 230 | 12.8 | 10.8-14.8 | 1231 | 68.6 | 66.1-71.1 | 40 | 2.3 | 1.5- 3.1 | 19 | 1.2 | 0.6- 1.8 | | | | 283 | 15.1 | 13.1-17.1 |
| Less Than H.S. | 249 | 136,207 | 24 | 10.7 | 5.4-16.0 | 201 | 81.0 | 74.5-87.5 | | | | | | | | | | 24 | 8.3 | 4.2-12.4 |
| H.S. or G.E.D. | 1315 | 454,560 | 157 | 15.2 | 12.3-18.1 | 938 | 68.3 | 64.8-71.8 | 27 | 2.9 | 1.5- 4.3 | 14 | 1.5 | 0.5- 2.5 | | | | 179 | 12.0 | 9.6-14.4 |
| Some Post-H.S. | 1192 | 508,852 | 212 | 22.8 | 19.5-26.1 | 778 | 61.0 | 57.3-64.7 | 23 | 2.5 | 0.9- 4.1 | 16 | 0.9 | 0.3- 1.5 | | | | 163 | 12.8 | 10.4-15.2 |
| College Graduate | 1775 | 425,306 | 378 | 26.8 | 24.1-29.5 | 1071 | 55.4 | 52.5-58.3 | 29 | 1.2 | 0.6- 1.8 | 30 | 1.9 | 1.1- 2.7 | 1 | 0.1 | 0.0- 0.3 | 266 | 14.6 | 12.4-16.8 |
| Less than \$15,000 | 344 | 123,054 | 46 | 17.5 | 11.4-23.6 | 257 | 71.3 | 64.4-78.2 | 2 | 1.8 | 0.0- 4.3 | 7 | 2.1 | 0.1- 4.1 | | | | 32 | 7.3 | 3.8-10.8 |
| \$15,000- 24,999 | 628 | 216,608 | 72 | 12.4 | 8.9-15.9 | 459 | 75.5 | 71.0-80.0 | 10 | 1.5 | 0.3- 2.7 | 10 | 1.3 | 0.1- 2.5 | | | | 77 | 9.3 | 6.6-12.0 |
| \$25,000- 34,999 | 473 | 156,364 | 47 | 13.2 | 8.9-17.5 | 337 | 67.6 | 61.5-73.7 | 8 | 1.8 | 0.0- 3.6 | 5 | 0.7 | 0.0- 1.5 | | | | 76 | 16.6 | 11.7-21.5 |
| \$35,000- 49,999 | 590 | 201,799 | 100 | 21.0 | 15.9-26.1 | 379 | 62.0 | 56.3-67.7 | 10 | 1.5 | 0.5- 2.5 | 7 | 1.7 | 0.1- 3.3 | | | | 94 | 13.8 | 9.9-17.7 |
| \$50,000- 74,999 | 722 | 247,063 | 133 | 22.4 | 17.9-26.9 | 471 | 62.7 | 57.6-67.8 | 13 | 2.9 | 0.2- 5.6 | 4 | 0.3 | 0.0- 0.7 | 1 | 0.1 | 0.0- 0.3 | 100 | 11.6 | 8.9-14.3 |
| \$75,000+ | 1217 | 413,425 | 288 | 28.3 | 25.0-31.6 | 699 | 53.1 | 49.6-56.6 | 20 | 1.1 | 0.5- 1.7 | 19 | 1.5 | 0.7- 2.3 | | | | 191 | 15.9 | 13.2-18.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 7: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-5 days per week | | | 5 or more days per week | | | 1-10 days per month | | | 11 to 15 days per month | | | 16 or more days per month | | |
|----------------------------|-------------------|-----------|-------------------|------|------------|-------------------------|------|------------|---------------------|------|------------|-------------------------|-----|------------|---------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 8583 | 3,162,886 | 3844 | 45.7 | 44.3-47.1 | 2171 | 25.0 | 23.8-26.2 | 1175 | 14.1 | 13.1-15.1 | 351 | 3.9 | 3.3- 4.5 | 1042 | 11.3 | 10.5-12.1 |
| Male | 3821 | 1,571,318 | 1615 | 42.7 | 40.7-44.7 | 931 | 24.3 | 22.5-26.1 | 598 | 16.7 | 15.1-18.3 | 164 | 3.9 | 3.1- 4.7 | 513 | 12.5 | 11.1-13.9 |
| Female | 4762 | 1,591,568 | 2229 | 48.6 | 46.6-50.6 | 1240 | 25.8 | 24.0-27.6 | 577 | 11.7 | 10.5-12.9 | 187 | 3.8 | 3.0- 4.6 | 529 | 10.1 | 8.9-11.3 |
| White/Non-Hisp | 7305 | 2,600,425 | 3251 | 45.5 | 43.9-47.1 | 1852 | 25.1 | 23.7-26.5 | 989 | 13.8 | 12.8-14.8 | 309 | 4.0 | 3.4- 4.6 | 904 | 11.5 | 10.5-12.5 |
| Black or Afr. Am./Non-Hisp | 506 | 238,615 | 239 | 45.5 | 39.6-51.4 | 117 | 24.8 | 19.3-30.3 | 76 | 15.9 | 11.4-20.4 | 19 | 3.7 | 1.7- 5.7 | 55 | 10.2 | 6.9-13.5 |
| Oth. Race/Non-Hisp. | 174 | 81,304 | 79 | 46.0 | 36.6-55.4 | 52 | 32.3 | 23.1-41.5 | 21 | 11.4 | 5.7-17.1 | 4 | 0.8 | 0.0- 1.8 | 18 | 9.4 | 4.1-14.7 |
| MultiRacial/Non-Hisp. | 136 | 38,848 | 58 | 38.9 | 28.7-49.1 | 42 | 35.5 | 24.7-46.3 | 14 | 11.4 | 4.5-18.3 | 6 | 3.7 | 0.6- 6.8 | 16 | 10.5 | 4.2-16.8 |
| Hispanic | 329 | 157,835 | 174 | 52.3 | 45.6-59.0 | 70 | 18.5 | 13.8-23.2 | 52 | 17.6 | 12.3-22.9 | 6 | 2.3 | 0.1- 4.5 | 27 | 9.3 | 5.0-13.6 |
| 18-24 | 484 | 462,326 | 236 | 47.9 | 42.8-53.0 | 138 | 30.7 | 25.8-35.6 | 56 | 10.7 | 7.6-13.8 | 13 | 3.2 | 1.2- 5.2 | 41 | 7.5 | 5.0-10.0 |
| 25-34 | 803 | 549,890 | 382 | 46.0 | 42.1-49.9 | 198 | 25.3 | 21.8-28.8 | 119 | 14.3 | 11.6-17.0 | 30 | 3.8 | 2.2- 5.4 | 74 | 10.6 | 8.1-13.1 |
| 35-44 | 917 | 513,736 | 488 | 51.3 | 47.6-55.0 | 173 | 19.2 | 16.3-22.1 | 129 | 16.0 | 13.1-18.9 | 38 | 4.2 | 2.8- 5.6 | 89 | 9.3 | 7.1-11.5 |
| 45-54 | 1354 | 510,467 | 640 | 47.2 | 44.1-50.3 | 307 | 23.2 | 20.5-25.9 | 208 | 15.3 | 12.9-17.7 | 60 | 3.7 | 2.7- 4.7 | 139 | 10.6 | 8.6-12.6 |
| 55-64 | 1852 | 525,768 | 785 | 41.6 | 38.9-44.3 | 459 | 23.8 | 21.4-26.2 | 271 | 15.7 | 13.7-17.7 | 74 | 4.0 | 3.0- 5.0 | 263 | 14.9 | 12.9-16.9 |
| 65+ | 3173 | 600,699 | 1313 | 41.1 | 38.9-43.3 | 896 | 27.9 | 25.9-29.9 | 392 | 12.7 | 11.3-14.1 | 136 | 4.2 | 3.4- 5.0 | 436 | 14.1 | 12.5-15.7 |
| Less Than H.S. | 453 | 290,001 | 186 | 41.2 | 35.1-47.3 | 112 | 27.9 | 22.2-33.6 | 89 | 17.1 | 12.6-21.6 | 16 | 2.8 | 1.2- 4.4 | 50 | 11.1 | 7.4-14.8 |
| H.S. or G.E.D. | 2453 | 981,081 | 956 | 39.3 | 36.8-41.8 | 692 | 28.4 | 26.0-30.8 | 386 | 17.0 | 15.0-19.0 | 107 | 3.6 | 2.6- 4.6 | 312 | 11.6 | 10.0-13.2 |
| Some Post-H.S. | 2194 | 1,012,996 | 987 | 47.4 | 44.7-50.1 | 513 | 23.0 | 20.8-25.2 | 291 | 12.3 | 10.5-14.1 | 101 | 4.6 | 3.4- 5.8 | 302 | 12.6 | 10.8-14.4 |
| College Graduate | 3467 | 871,503 | 1708 | 52.2 | 50.0-54.4 | 852 | 22.6 | 20.8-24.4 | 408 | 12.2 | 10.8-13.6 | 125 | 3.6 | 2.8- 4.4 | 374 | 9.4 | 8.2-10.6 |
| Less than \$15,000 | 576 | 220,379 | 228 | 44.9 | 39.4-50.4 | 148 | 26.5 | 21.4-31.6 | 86 | 13.0 | 9.7-16.3 | 22 | 2.4 | 1.2- 3.6 | 92 | 13.2 | 9.9-16.5 |
| \$15,000- 24,999 | 1116 | 419,578 | 446 | 41.0 | 37.1-44.9 | 314 | 28.4 | 24.7-32.1 | 176 | 15.6 | 12.9-18.3 | 47 | 3.8 | 2.2- 5.4 | 133 | 11.3 | 8.9-13.7 |
| \$25,000- 34,999 | 832 | 297,242 | 384 | 46.5 | 42.0-51.0 | 198 | 23.7 | 19.8-27.6 | 113 | 14.7 | 11.4-18.0 | 25 | 2.6 | 1.4- 3.8 | 112 | 12.5 | 9.8-15.2 |
| \$35,000- 49,999 | 1192 | 450,732 | 511 | 42.8 | 38.9-46.7 | 294 | 25.9 | 22.4-29.4 | 166 | 14.0 | 11.3-16.7 | 62 | 4.8 | 3.0- 6.6 | 159 | 12.6 | 10.1-15.1 |
| \$50,000- 74,999 | 1372 | 509,598 | 611 | 44.6 | 41.1-48.1 | 328 | 24.0 | 20.9-27.1 | 197 | 16.3 | 13.6-19.0 | 65 | 4.4 | 3.0- 5.8 | 171 | 10.8 | 8.8-12.8 |
| \$75,000+ | 2634 | 973,194 | 1289 | 49.8 | 47.3-52.3 | 635 | 22.9 | 20.7-25.1 | 325 | 12.8 | 11.2-14.4 | 103 | 4.1 | 3.1- 5.1 | 282 | 10.4 | 8.8-12.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 8: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-5 days per week | | | 5 or more days per week | | | 1-10 days per month | | | 11 to 15 days per month | | | 16 or more days per month | | |
|----------------------------|-------------------|-----------|-------------------|------|------------|-------------------------|------|------------|---------------------|------|------------|-------------------------|-----|------------|---------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 3821 | 1,571,318 | 1615 | 42.7 | 40.7-44.7 | 931 | 24.3 | 22.5-26.1 | 598 | 16.7 | 15.1-18.3 | 164 | 3.9 | 3.1- 4.7 | 513 | 12.5 | 11.1-13.9 |
| White/Non-Hisp | 3221 | 1,277,899 | 1362 | 42.7 | 40.5-44.9 | 781 | 24.1 | 22.1-26.1 | 493 | 16.3 | 14.5-18.1 | 146 | 4.2 | 3.4- 5.0 | 439 | 12.6 | 11.2-14.0 |
| Black or Afr. Am./Non-Hisp | 204 | 124,443 | 96 | 45.6 | 36.8-54.4 | 51 | 25.4 | 17.4-33.4 | 29 | 15.7 | 8.8-22.6 | 5 | 2.5 | 0.0- 5.0 | 23 | 10.9 | 5.8-16.0 |
| Oth. Race/Non-Hisp. | 101 | 49,756 | 40 | 43.9 | 31.9-55.9 | 30 | 31.7 | 20.1-43.3 | 14 | 11.9 | 4.6-19.2 | 4 | 1.3 | 0.0- 2.9 | 13 | 11.2 | 3.9-18.5 |
| MultiRacial/Non-Hisp. | 72 | 19,576 | 28 | 37.4 | 23.7-51.1 | 22 | 31.0 | 18.5-43.5 | 9 | 16.4 | 5.0-27.8 | 3 | 4.1 | 0.0- 8.6 | 10 | 11.1 | 3.7-18.5 |
| Hispanic | 149 | 72,498 | 66 | 41.2 | 31.8-50.6 | 29 | 17.4 | 10.7-24.1 | 35 | 26.1 | 17.1-35.1 | 3 | 2.3 | 0.0- 6.0 | 16 | 13.0 | 5.2-20.8 |
| 18-24 | 277 | 240,562 | 118 | 41.3 | 34.8-47.8 | 83 | 33.0 | 26.3-39.7 | 38 | 13.3 | 9.0-17.6 | 7 | 2.7 | 0.5- 4.9 | 31 | 9.7 | 6.2-13.2 |
| 25-34 | 416 | 287,414 | 190 | 43.9 | 38.4-49.4 | 93 | 22.1 | 17.4-26.8 | 73 | 16.9 | 13.0-20.8 | 20 | 5.0 | 2.6- 7.4 | 40 | 12.2 | 8.3-16.1 |
| 35-44 | 395 | 248,636 | 185 | 45.9 | 40.2-51.6 | 66 | 17.2 | 12.9-21.5 | 79 | 22.3 | 17.2-27.4 | 14 | 3.6 | 1.4- 5.8 | 51 | 11.0 | 7.7-14.3 |
| 45-54 | 617 | 257,336 | 281 | 45.0 | 40.3-49.7 | 137 | 24.0 | 19.9-28.1 | 109 | 17.7 | 14.2-21.2 | 26 | 2.8 | 1.6- 4.0 | 64 | 10.6 | 7.7-13.5 |
| 55-64 | 870 | 260,429 | 353 | 40.8 | 36.9-44.7 | 198 | 21.9 | 18.8-25.0 | 141 | 17.6 | 14.5-20.7 | 41 | 4.6 | 3.0- 6.2 | 137 | 15.1 | 12.4-17.8 |
| 65+ | 1246 | 276,942 | 488 | 39.8 | 36.5-43.1 | 354 | 27.7 | 24.8-30.6 | 158 | 12.4 | 10.0-14.8 | 56 | 4.4 | 3.0- 5.8 | 190 | 15.7 | 13.2-18.2 |
| Less Than H.S. | 198 | 145,884 | 80 | 40.7 | 32.1-49.3 | 48 | 25.8 | 17.6-34.0 | 43 | 20.1 | 13.2-27.0 | 6 | 2.2 | 0.0- 4.4 | 21 | 11.2 | 5.9-16.5 |
| H.S. or G.E.D. | 1075 | 509,439 | 393 | 36.8 | 33.3-40.3 | 302 | 28.7 | 25.2-32.2 | 191 | 19.1 | 16.2-22.0 | 43 | 3.3 | 2.1- 4.5 | 146 | 12.1 | 9.7-14.5 |
| Some Post-H.S. | 942 | 483,631 | 397 | 44.2 | 40.3-48.1 | 206 | 21.4 | 18.3-24.5 | 142 | 14.8 | 12.1-17.5 | 45 | 4.8 | 3.0- 6.6 | 152 | 14.8 | 12.1-17.5 |
| College Graduate | 1598 | 427,200 | 741 | 48.5 | 45.4-51.6 | 375 | 21.9 | 19.4-24.4 | 222 | 14.9 | 12.7-17.1 | 69 | 4.2 | 3.0- 5.4 | 191 | 10.5 | 8.7-12.3 |
| Less than \$15,000 | 215 | 91,982 | 84 | 43.3 | 34.9-51.7 | 57 | 25.4 | 18.1-32.7 | 31 | 14.0 | 8.5-19.5 | 7 | 1.7 | 0.3- 3.1 | 36 | 15.5 | 9.4-21.6 |
| \$15,000- 24,999 | 451 | 196,319 | 162 | 39.2 | 33.1-45.3 | 128 | 25.4 | 20.5-30.3 | 73 | 16.7 | 12.2-21.2 | 21 | 4.4 | 1.9- 6.9 | 67 | 14.2 | 10.3-18.1 |
| \$25,000- 34,999 | 330 | 134,482 | 154 | 47.0 | 40.1-53.9 | 72 | 22.7 | 16.6-28.8 | 45 | 14.5 | 9.4-19.6 | 10 | 1.9 | 0.5- 3.3 | 49 | 14.0 | 9.5-18.5 |
| \$35,000- 49,999 | 550 | 234,399 | 216 | 39.2 | 33.9-44.5 | 150 | 29.0 | 23.7-34.3 | 81 | 14.8 | 10.9-18.7 | 23 | 3.5 | 1.5- 5.5 | 80 | 13.5 | 9.8-17.2 |
| \$50,000- 74,999 | 623 | 253,203 | 248 | 37.8 | 32.9-42.7 | 138 | 23.4 | 18.9-27.9 | 114 | 22.7 | 17.8-27.6 | 33 | 4.6 | 2.6- 6.6 | 90 | 11.4 | 8.7-14.1 |
| \$75,000+ | 1371 | 540,669 | 631 | 46.0 | 42.7-49.3 | 312 | 22.5 | 19.6-25.4 | 207 | 15.8 | 13.4-18.2 | 60 | 4.4 | 3.0- 5.8 | 161 | 11.3 | 9.1-13.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 9: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-5 days per week | | | 5 or more days per week | | | 1-10 days per month | | | 11 to 15 days per month | | | 16 or more days per month | | |
|----------------------------|-------------------|-----------|-------------------|------|------------|-------------------------|------|------------|---------------------|------|------------|-------------------------|-----|------------|---------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 4762 | 1,591,568 | 2229 | 48.6 | 46.6-50.6 | 1240 | 25.8 | 24.0-27.6 | 577 | 11.7 | 10.5-12.9 | 187 | 3.8 | 3.0- 4.6 | 529 | 10.1 | 8.9-11.3 |
| White/Non-Hisp | 4084 | 1,322,526 | 1889 | 48.2 | 46.0-50.4 | 1071 | 25.9 | 23.9-27.9 | 496 | 11.5 | 10.1-12.9 | 163 | 3.8 | 3.0- 4.6 | 465 | 10.5 | 9.3-11.7 |
| Black or Afr. Am./Non-Hisp | 302 | 114,172 | 143 | 45.4 | 37.8-53.0 | 66 | 24.1 | 16.8-31.4 | 47 | 16.0 | 10.5-21.5 | 14 | 5.0 | 1.9- 8.1 | 32 | 9.4 | 5.5-13.3 |
| Oth. Race/Non-Hisp. | 73 | 31,549 | 39 | 49.4 | 33.9-64.9 | 22 | 33.3 | 18.2-48.4 | 7 | 10.6 | 2.0-19.2 | | | | 5 | 6.7 | 0.0-13.6 |
| MultiRacial/Non-Hisp. | 64 | 19,272 | 30 | 40.5 | 25.0-56.0 | 20 | 40.0 | 22.9-57.1 | 5 | 6.3 | 0.0-13.0 | 3 | 3.4 | 0.0- 7.9 | 6 | 9.9 | 0.0-20.1 |
| Hispanic | 180 | 85,337 | 108 | 61.8 | 53.4-70.2 | 41 | 19.5 | 13.2-25.8 | 17 | 10.3 | 4.8-15.8 | 3 | 2.2 | 0.0- 4.9 | 11 | 6.2 | 1.9-10.5 |
| 18-24 | 207 | 221,764 | 118 | 55.1 | 47.3-62.9 | 55 | 28.2 | 21.1-35.3 | 18 | 8.0 | 3.7-12.3 | 6 | 3.7 | 0.6- 6.8 | 10 | 5.0 | 1.5- 8.5 |
| 25-34 | 387 | 262,476 | 192 | 48.3 | 42.6-54.0 | 105 | 28.9 | 23.8-34.0 | 46 | 11.6 | 8.1-15.1 | 10 | 2.4 | 0.6- 4.2 | 34 | 8.8 | 5.7-11.9 |
| 35-44 | 522 | 265,100 | 303 | 56.3 | 51.4-61.2 | 107 | 21.2 | 17.1-25.3 | 50 | 10.1 | 7.2-13.0 | 24 | 4.7 | 2.7- 6.7 | 38 | 7.8 | 5.1-10.5 |
| 45-54 | 737 | 253,131 | 359 | 49.5 | 45.2-53.8 | 170 | 22.4 | 18.9-25.9 | 99 | 12.9 | 10.2-15.6 | 34 | 4.6 | 2.8- 6.4 | 75 | 10.6 | 8.1-13.1 |
| 55-64 | 982 | 265,339 | 432 | 42.4 | 38.7-46.1 | 261 | 25.7 | 22.4-29.0 | 130 | 13.9 | 11.2-16.6 | 33 | 3.4 | 2.0- 4.8 | 126 | 14.6 | 11.9-17.3 |
| 65+ | 1927 | 323,757 | 825 | 42.3 | 39.6-45.0 | 542 | 28.0 | 25.6-30.4 | 234 | 12.9 | 11.1-14.7 | 80 | 4.1 | 2.9- 5.3 | 246 | 12.7 | 10.9-14.5 |
| Less Than H.S. | 255 | 144,117 | 106 | 41.7 | 33.1-50.3 | 64 | 29.9 | 21.9-37.9 | 46 | 14.0 | 8.5-19.5 | 10 | 3.4 | 0.9- 5.9 | 29 | 10.9 | 5.4-16.4 |
| H.S. or G.E.D. | 1378 | 471,641 | 563 | 41.9 | 38.4-45.4 | 390 | 28.2 | 24.9-31.5 | 195 | 14.8 | 12.3-17.3 | 64 | 3.9 | 2.5- 5.3 | 166 | 11.1 | 8.9-13.3 |
| Some Post-H.S. | 1252 | 529,365 | 590 | 50.4 | 46.9-53.9 | 307 | 24.5 | 21.4-27.6 | 149 | 10.1 | 8.1-12.1 | 56 | 4.5 | 2.9- 6.1 | 150 | 10.6 | 8.6-12.6 |
| College Graduate | 1869 | 444,303 | 967 | 55.8 | 52.9-58.7 | 477 | 23.3 | 20.9-25.7 | 186 | 9.6 | 8.0-11.2 | 56 | 3.1 | 2.1- 4.1 | 183 | 8.3 | 6.7- 9.9 |
| Less than \$15,000 | 361 | 128,397 | 144 | 46.1 | 38.8-53.4 | 91 | 27.3 | 20.2-34.4 | 55 | 12.3 | 8.0-16.6 | 15 | 2.9 | 1.1- 4.7 | 56 | 11.4 | 7.5-15.3 |
| \$15,000- 24,999 | 665 | 223,259 | 284 | 42.6 | 37.1-48.1 | 186 | 31.0 | 25.7-36.3 | 103 | 14.5 | 11.0-18.0 | 26 | 3.2 | 1.2- 5.2 | 66 | 8.8 | 5.9-11.7 |
| \$25,000- 34,999 | 502 | 162,760 | 230 | 46.1 | 40.0-52.2 | 126 | 24.5 | 19.2-29.8 | 68 | 15.0 | 10.7-19.3 | 15 | 3.1 | 1.1- 5.1 | 63 | 11.3 | 7.8-14.8 |
| \$35,000- 49,999 | 642 | 216,332 | 295 | 46.6 | 41.1-52.1 | 144 | 22.4 | 17.7-27.1 | 85 | 13.1 | 9.4-16.8 | 39 | 6.1 | 3.4- 8.8 | 79 | 11.8 | 8.7-14.9 |
| \$50,000- 74,999 | 749 | 256,395 | 363 | 51.2 | 46.3-56.1 | 190 | 24.6 | 20.3-28.9 | 83 | 9.9 | 7.4-12.4 | 32 | 4.1 | 2.3- 5.9 | 81 | 10.3 | 7.6-13.0 |
| \$75,000+ | 1263 | 432,525 | 658 | 54.6 | 51.1-58.1 | 323 | 23.3 | 20.4-26.2 | 118 | 9.1 | 7.1-11.1 | 43 | 3.7 | 2.3- 5.1 | 121 | 9.3 | 7.3-11.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 10: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 30 mins or less | | | 31 to 45 mins | | | 46 to 59 mins | | | 1hr to 1hr 59 mins | | | 2hrs to 3hrs | | | More than 3hrs | | |
|----------------------------|-------------------|-----------|-----------------|------|------------|---------------|------|------------|---------------|-----|------------|--------------------|------|------------|--------------|------|------------|----------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 8673 | 3,198,559 | 3892 | 42.6 | 41.2-44.0 | 1166 | 12.9 | 11.9-13.9 | 72 | 0.7 | 0.5- 0.9 | 2131 | 26.5 | 25.1-27.9 | 918 | 12.3 | 11.3-13.3 | 494 | 4.9 | 4.3- 5.5 |
| Male | 3866 | 1,592,678 | 1619 | 40.0 | 38.0-42.0 | 464 | 11.6 | 10.2-13.0 | 30 | 0.6 | 0.4- 0.8 | 955 | 26.2 | 24.4-28.0 | 504 | 15.2 | 13.6-16.8 | 294 | 6.4 | 5.4- 7.4 |
| Female | 4807 | 1,605,881 | 2273 | 45.2 | 43.2-47.2 | 702 | 14.3 | 12.9-15.7 | 42 | 0.8 | 0.4- 1.2 | 1176 | 26.9 | 25.1-28.7 | 414 | 9.5 | 8.3-10.7 | 200 | 3.4 | 2.6- 4.2 |
| White/Non-Hisp | 7379 | 2,627,217 | 3352 | 43.3 | 41.7-44.9 | 1010 | 12.9 | 11.9-13.9 | 63 | 0.8 | 0.6- 1.0 | 1771 | 26.0 | 24.6-27.4 | 752 | 11.9 | 10.9-12.9 | 431 | 5.1 | 4.5- 5.7 |
| Black or Afr. Am./Non-Hisp | 514 | 242,497 | 226 | 39.6 | 33.9-45.3 | 54 | 13.9 | 8.8-19.0 | 3 | 0.3 | 0.0- 0.7 | 137 | 26.7 | 21.6-31.8 | 69 | 15.7 | 11.6-19.8 | 25 | 3.8 | 1.8- 5.8 |
| Oth. Race/Non-Hisp. | 177 | 82,563 | 70 | 39.8 | 30.6-49.0 | 27 | 13.7 | 7.4-20.0 | 3 | 0.9 | 0.0- 2.3 | 54 | 31.9 | 22.9-40.9 | 15 | 10.3 | 4.4-16.2 | 8 | 3.4 | 0.7- 6.1 |
| MultiRacial/Non-Hisp. | 134 | 38,433 | 53 | 37.0 | 26.8-47.2 | 17 | 16.0 | 6.6-25.4 | 1 | 0.3 | 0.0- 0.9 | 33 | 26.9 | 17.1-36.7 | 18 | 14.5 | 7.1-21.9 | 12 | 5.3 | 2.0- 8.6 |
| Hispanic | 334 | 160,967 | 131 | 37.5 | 31.2-43.8 | 46 | 11.4 | 7.7-15.1 | 1 | 0.3 | 0.0- 0.9 | 102 | 33.2 | 26.7-39.7 | 47 | 15.0 | 10.5-19.5 | 7 | 2.6 | 0.4- 4.8 |
| 18-24 | 488 | 464,528 | 190 | 38.8 | 33.9-43.7 | 47 | 9.4 | 6.3-12.5 | 3 | 0.6 | 0.0- 1.4 | 154 | 33.0 | 28.1-37.9 | 81 | 15.6 | 11.9-19.3 | 13 | 2.5 | 0.7- 4.3 |
| 25-34 | 808 | 556,295 | 291 | 35.8 | 32.1-39.5 | 95 | 11.4 | 8.9-13.9 | 4 | 0.6 | 0.0- 1.2 | 259 | 31.8 | 28.1-35.5 | 130 | 16.3 | 13.4-19.2 | 29 | 4.1 | 2.5- 5.7 |
| 35-44 | 921 | 517,205 | 415 | 43.8 | 40.1-47.5 | 140 | 15.0 | 12.3-17.7 | 5 | 0.5 | 0.1- 0.9 | 243 | 27.1 | 23.8-30.4 | 92 | 10.7 | 8.3-13.1 | 26 | 3.0 | 1.6- 4.4 |
| 45-54 | 1372 | 520,399 | 606 | 42.7 | 39.6-45.8 | 233 | 16.9 | 14.5-19.3 | 14 | 0.8 | 0.4- 1.2 | 324 | 23.6 | 20.9-26.3 | 134 | 11.5 | 9.3-13.7 | 61 | 4.6 | 3.4- 5.8 |
| 55-64 | 1868 | 529,939 | 833 | 44.4 | 41.7-47.1 | 277 | 14.2 | 12.2-16.2 | 19 | 1.0 | 0.4- 1.6 | 446 | 23.8 | 21.4-26.2 | 179 | 10.1 | 8.5-11.7 | 114 | 6.5 | 5.1- 7.9 |
| 65+ | 3216 | 610,194 | 1557 | 49.1 | 46.9-51.3 | 374 | 10.8 | 9.4-12.2 | 27 | 0.7 | 0.5- 0.9 | 705 | 21.2 | 19.4-23.0 | 302 | 10.3 | 8.9-11.7 | 251 | 7.9 | 6.7- 9.1 |
| Less Than H.S. | 464 | 297,197 | 204 | 39.6 | 33.7-45.5 | 36 | 7.9 | 4.4-11.4 | 1 | 0.4 | 0.0- 1.2 | 119 | 28.4 | 22.7-34.1 | 69 | 17.5 | 12.6-22.4 | 35 | 6.2 | 3.7- 8.7 |
| H.S. or G.E.D. | 2491 | 996,680 | 1176 | 43.6 | 41.1-46.1 | 249 | 10.6 | 9.0-12.2 | 13 | 0.5 | 0.3- 0.7 | 581 | 25.7 | 23.3-28.1 | 309 | 14.1 | 12.3-15.9 | 163 | 5.6 | 4.4- 6.8 |
| Some Post-H.S. | 2214 | 1,020,755 | 1020 | 43.0 | 40.5-45.5 | 283 | 12.8 | 11.0-14.6 | 11 | 0.6 | 0.2- 1.0 | 539 | 26.9 | 24.5-29.3 | 238 | 12.0 | 10.2-13.8 | 123 | 4.7 | 3.5- 5.9 |
| College Graduate | 3488 | 876,602 | 1487 | 42.0 | 39.8-44.2 | 597 | 17.5 | 15.9-19.1 | 47 | 1.2 | 0.8- 1.6 | 887 | 26.6 | 24.6-28.6 | 298 | 8.8 | 7.6-10.0 | 172 | 3.9 | 3.1- 4.7 |
| Less than \$15,000 | 588 | 222,377 | 290 | 43.4 | 38.1-48.7 | 36 | 5.5 | 2.8- 8.2 | | | | 147 | 27.4 | 22.3-32.5 | 87 | 20.1 | 15.4-24.8 | 28 | 3.7 | 1.9- 5.5 |
| \$15,000- 24,999 | 1131 | 425,692 | 556 | 46.2 | 42.3-50.1 | 97 | 7.2 | 5.4- 9.0 | 1 | 0.1 | 0.0- 0.3 | 287 | 29.2 | 25.3-33.1 | 131 | 13.2 | 10.5-15.9 | 59 | 4.1 | 2.7- 5.5 |
| \$25,000- 34,999 | 837 | 302,876 | 409 | 45.6 | 41.1-50.1 | 96 | 11.5 | 8.6-14.4 | 5 | 0.6 | 0.0- 1.2 | 190 | 25.7 | 21.6-29.8 | 98 | 13.7 | 10.6-16.8 | 39 | 2.9 | 1.7- 4.1 |
| \$35,000- 49,999 | 1202 | 456,215 | 530 | 42.4 | 38.5-46.3 | 151 | 12.9 | 10.2-15.6 | 7 | 0.5 | 0.0- 1.1 | 305 | 26.2 | 22.7-29.7 | 143 | 13.0 | 10.5-15.5 | 66 | 5.0 | 3.4- 6.6 |
| \$50,000- 74,999 | 1383 | 513,764 | 625 | 42.5 | 39.0-46.0 | 196 | 13.4 | 11.0-15.8 | 15 | 0.9 | 0.1- 1.7 | 340 | 25.8 | 22.7-28.9 | 136 | 12.2 | 9.7-14.7 | 71 | 5.1 | 3.3- 6.9 |
| \$75,000+ | 2650 | 979,524 | 1077 | 39.2 | 36.8-41.6 | 472 | 18.1 | 16.1-20.1 | 38 | 1.1 | 0.7- 1.5 | 673 | 26.3 | 24.1-28.5 | 239 | 10.2 | 8.6-11.8 | 151 | 5.0 | 4.0- 6.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 11: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 30 mins or less | | | 31 to 45 mins | | | 46 to 59 mins | | | 1hr to 1hr 59 mins | | | 2hrs to 3hrs | | | More than 3hrs | | |
|----------------------------|-------------------|-----------|-----------------|------|------------|---------------|------|------------|---------------|-----|------------|--------------------|------|------------|--------------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 3866 | 1,592,678 | 1619 | 40.0 | 38.0-42.0 | 464 | 11.6 | 10.2-13.0 | 30 | 0.6 | 0.4- 0.8 | 955 | 26.2 | 24.4-28.0 | 504 | 15.2 | 13.6-16.8 | 294 | 6.4 | 5.4- 7.4 |
| White/Non-Hisp | 3258 | 1,294,068 | 1389 | 40.9 | 38.7-43.1 | 394 | 11.2 | 9.8-12.6 | 28 | 0.7 | 0.3- 1.1 | 781 | 25.5 | 23.5-27.5 | 410 | 14.8 | 13.2-16.4 | 256 | 6.9 | 5.9- 7.9 |
| Black or Afr. Am./Non-Hisp | 210 | 126,733 | 81 | 37.1 | 28.7-45.5 | 20 | 14.2 | 6.4-22.0 | 1 | 0.3 | 0.0- 0.9 | 59 | 26.4 | 19.1-33.7 | 34 | 16.8 | 10.7-22.9 | 15 | 5.2 | 2.1- 8.3 |
| Oth. Race/Non-Hisp. | 103 | 50,822 | 42 | 34.1 | 23.3-44.9 | 15 | 14.4 | 6.0-22.8 | | | | 30 | 35.4 | 23.6-47.2 | 10 | 11.8 | 3.8-19.8 | 6 | 4.2 | 0.3- 8.1 |
| MultiRacial/Non-Hisp. | 70 | 19,156 | 29 | 40.5 | 26.8-54.2 | 4 | 4.5 | 0.0- 9.8 | | | | 22 | 38.0 | 23.7-52.3 | 7 | 9.5 | 1.7-17.3 | 8 | 7.4 | 1.9-12.9 |
| Hispanic | 151 | 73,922 | 49 | 32.1 | 22.9-41.3 | 24 | 14.0 | 7.9-20.1 | 1 | 0.6 | 0.0- 1.8 | 42 | 28.9 | 19.9-37.9 | 31 | 22.1 | 14.1-30.1 | 4 | 2.3 | 0.0- 5.0 |
| 18-24 | 279 | 241,603 | 102 | 37.6 | 31.1-44.1 | 18 | 7.9 | 3.6-12.2 | 2 | 0.9 | 0.0- 2.3 | 89 | 31.6 | 25.5-37.7 | 58 | 19.1 | 14.0-24.2 | 10 | 2.8 | 0.8- 4.8 |
| 25-34 | 420 | 292,257 | 139 | 34.1 | 28.8-39.4 | 42 | 9.8 | 6.7-12.9 | 2 | 0.4 | 0.0- 1.0 | 132 | 29.9 | 24.8-35.0 | 82 | 19.8 | 15.5-24.1 | 23 | 6.0 | 3.3- 8.7 |
| 35-44 | 400 | 252,801 | 167 | 39.5 | 34.0-45.0 | 49 | 12.5 | 8.6-16.4 | 1 | 0.2 | 0.0- 0.6 | 103 | 27.6 | 22.5-32.7 | 59 | 15.0 | 10.9-19.1 | 21 | 5.3 | 2.8- 7.8 |
| 45-54 | 625 | 262,986 | 266 | 41.0 | 36.5-45.5 | 100 | 15.7 | 12.4-19.0 | 7 | 1.1 | 0.3- 1.9 | 138 | 23.1 | 19.0-27.2 | 75 | 13.7 | 10.4-17.0 | 39 | 5.5 | 3.5- 7.5 |
| 55-64 | 879 | 262,801 | 372 | 42.8 | 38.9-46.7 | 122 | 13.2 | 10.5-15.9 | 9 | 0.8 | 0.2- 1.4 | 207 | 23.5 | 20.2-26.8 | 101 | 11.9 | 9.4-14.4 | 68 | 7.9 | 5.7-10.1 |
| 65+ | 1263 | 280,230 | 573 | 44.9 | 41.6-48.2 | 133 | 10.6 | 8.4-12.8 | 9 | 0.4 | 0.2- 0.6 | 286 | 21.9 | 19.2-24.6 | 129 | 11.9 | 9.5-14.3 | 133 | 10.3 | 8.3-12.3 |
| Less Than H.S. | 200 | 149,121 | 82 | 37.5 | 29.3-45.7 | 14 | 7.9 | 2.2-13.6 | 1 | 0.8 | 0.0- 2.4 | 52 | 28.8 | 20.6-37.0 | 34 | 17.0 | 10.7-23.3 | 17 | 8.0 | 3.7-12.3 |
| H.S. or G.E.D. | 1092 | 519,820 | 490 | 42.5 | 39.0-46.0 | 87 | 9.0 | 6.8-11.2 | 7 | 0.5 | 0.1- 0.9 | 258 | 24.8 | 21.5-28.1 | 157 | 16.2 | 13.5-18.9 | 93 | 7.0 | 5.2- 8.8 |
| Some Post-H.S. | 951 | 486,900 | 389 | 39.0 | 35.3-42.7 | 112 | 12.6 | 9.9-15.3 | 3 | 0.4 | 0.0- 0.8 | 234 | 25.9 | 22.6-29.2 | 141 | 16.3 | 13.4-19.2 | 72 | 5.9 | 4.3- 7.5 |
| College Graduate | 1615 | 431,653 | 656 | 38.9 | 36.0-41.8 | 250 | 15.0 | 12.8-17.2 | 19 | 0.9 | 0.3- 1.5 | 409 | 27.4 | 24.7-30.1 | 169 | 12.0 | 10.0-14.0 | 112 | 5.7 | 4.5- 6.9 |
| Less than \$15,000 | 218 | 93,035 | 99 | 38.6 | 30.8-46.4 | 10 | 3.1 | 0.7- 5.5 | | | | 56 | 28.1 | 20.3-35.9 | 43 | 25.3 | 17.5-33.1 | 10 | 4.9 | 1.4- 8.4 |
| \$15,000- 24,999 | 459 | 200,348 | 209 | 42.9 | 37.0-48.8 | 37 | 6.7 | 4.2- 9.2 | 1 | 0.3 | 0.0- 0.9 | 118 | 29.6 | 23.9-35.3 | 61 | 14.9 | 10.8-19.0 | 33 | 5.5 | 3.1- 7.9 |
| \$25,000- 34,999 | 334 | 138,385 | 131 | 36.5 | 29.8-43.2 | 34 | 10.0 | 5.7-14.3 | 1 | 0.3 | 0.0- 0.9 | 90 | 30.5 | 23.8-37.2 | 55 | 18.3 | 13.0-23.6 | 23 | 4.4 | 2.0- 6.8 |
| \$35,000- 49,999 | 559 | 238,515 | 255 | 43.7 | 38.2-49.2 | 55 | 10.2 | 6.3-14.1 | 4 | 0.7 | 0.0- 1.7 | 135 | 23.6 | 19.1-28.1 | 71 | 15.2 | 11.3-19.1 | 39 | 6.6 | 3.9- 9.3 |
| \$50,000- 74,999 | 626 | 254,623 | 274 | 40.4 | 35.5-45.3 | 76 | 12.6 | 8.9-16.3 | 6 | 0.4 | 0.0- 0.8 | 141 | 23.6 | 19.1-28.1 | 80 | 15.9 | 12.0-19.8 | 49 | 7.0 | 4.6- 9.4 |
| \$75,000+ | 1385 | 546,649 | 538 | 36.7 | 33.6-39.8 | 214 | 15.9 | 13.4-18.4 | 17 | 1.0 | 0.4- 1.6 | 337 | 25.6 | 22.7-28.5 | 169 | 13.9 | 11.5-16.3 | 110 | 6.8 | 5.2- 8.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 12: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 30 mins or less | | | 31 to 45 mins | | | 46 to 59 mins | | | 1hr to 1hr 59 mins | | | 2hrs to 3hrs | | | More than 3hrs | | |
|----------------------------|-------------------|-----------|-----------------|------|------------|---------------|------|------------|---------------|-----|------------|--------------------|------|------------|--------------|------|------------|----------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 4807 | 1,605,881 | 2273 | 45.2 | 43.2-47.2 | 702 | 14.3 | 12.9-15.7 | 42 | 0.8 | 0.4- 1.2 | 1176 | 26.9 | 25.1-28.7 | 414 | 9.5 | 8.3-10.7 | 200 | 3.4 | 2.6- 4.2 |
| White/Non-Hisp | 4121 | 1,333,150 | 1963 | 45.7 | 43.5-47.9 | 616 | 14.6 | 13.2-16.0 | 35 | 0.8 | 0.4- 1.2 | 990 | 26.4 | 24.4-28.4 | 342 | 9.0 | 7.6-10.4 | 175 | 3.5 | 2.7- 4.3 |
| Black or Afr. Am./Non-Hisp | 304 | 115,764 | 145 | 42.2 | 34.8-49.6 | 34 | 13.7 | 7.8-19.6 | 2 | 0.2 | 0.0- 0.6 | 78 | 27.0 | 20.1-33.9 | 35 | 14.4 | 8.9-19.9 | 10 | 2.3 | 0.3- 4.3 |
| Oth. Race/Non-Hisp. | 74 | 31,741 | 28 | 49.0 | 33.7-64.3 | 12 | 12.5 | 3.7-21.3 | 3 | 2.3 | 0.0- 5.6 | 24 | 26.5 | 12.6-40.4 | 5 | 7.8 | 0.0-16.4 | 2 | 2.0 | 0.0- 5.1 |
| MultiRacial/Non-Hisp. | 64 | 19,277 | 24 | 33.5 | 18.8-48.2 | 13 | 27.4 | 10.9-43.9 | 1 | 0.6 | 0.0- 1.8 | 11 | 15.9 | 4.1-27.7 | 11 | 19.5 | 7.2-31.8 | 4 | 3.1 | 0.0- 6.6 |
| Hispanic | 183 | 87,045 | 82 | 42.1 | 33.5-50.7 | 22 | 9.2 | 4.5-13.9 | | | | 60 | 36.9 | 28.1-45.7 | 16 | 9.0 | 4.3-13.7 | 3 | 2.9 | 0.0- 6.2 |
| 18-24 | 209 | 222,925 | 88 | 40.1 | 32.5-47.7 | 29 | 11.1 | 6.6-15.6 | 1 | 0.3 | 0.0- 0.9 | 65 | 34.6 | 27.0-42.2 | 23 | 11.8 | 6.5-17.1 | 3 | 2.2 | 0.0- 5.1 |
| 25-34 | 388 | 264,037 | 152 | 37.7 | 32.2-43.2 | 53 | 13.2 | 9.5-16.9 | 2 | 0.7 | 0.0- 1.9 | 127 | 34.0 | 28.5-39.5 | 48 | 12.5 | 8.8-16.2 | 6 | 1.9 | 0.3- 3.5 |
| 35-44 | 521 | 264,404 | 248 | 47.9 | 43.0-52.8 | 91 | 17.4 | 13.7-21.1 | 4 | 0.8 | 0.0- 1.6 | 140 | 26.6 | 22.3-30.9 | 33 | 6.5 | 4.0- 9.0 | 5 | 0.8 | 0.0- 1.6 |
| 45-54 | 747 | 257,413 | 340 | 44.3 | 40.2-48.4 | 133 | 18.1 | 14.8-21.4 | 7 | 0.6 | 0.2- 1.0 | 186 | 24.1 | 20.6-27.6 | 59 | 9.2 | 6.5-11.9 | 22 | 3.7 | 1.9- 5.5 |
| 55-64 | 989 | 267,138 | 461 | 46.0 | 42.3-49.7 | 155 | 15.3 | 12.6-18.0 | 10 | 1.3 | 0.3- 2.3 | 239 | 24.0 | 20.9-27.1 | 78 | 8.4 | 6.2-10.6 | 46 | 5.1 | 3.3- 6.9 |
| 65+ | 1953 | 329,964 | 984 | 52.6 | 49.9-55.3 | 241 | 10.9 | 9.3-12.5 | 18 | 0.9 | 0.5- 1.3 | 419 | 20.7 | 18.5-22.9 | 173 | 9.0 | 7.4-10.6 | 118 | 5.9 | 4.5- 7.3 |
| Less Than H.S. | 264 | 148,076 | 122 | 41.7 | 33.5-49.9 | 22 | 8.0 | 4.1-11.9 | | | | 67 | 28.0 | 20.0-36.0 | 35 | 17.9 | 10.5-25.3 | 18 | 4.4 | 2.0- 6.8 |
| H.S. or G.E.D. | 1399 | 476,860 | 686 | 44.9 | 41.4-48.4 | 162 | 12.3 | 9.9-14.7 | 6 | 0.4 | 0.0- 0.8 | 323 | 26.6 | 23.3-29.9 | 152 | 11.8 | 9.4-14.2 | 70 | 4.0 | 2.8- 5.2 |
| Some Post-H.S. | 1263 | 533,854 | 631 | 46.6 | 43.1-50.1 | 171 | 13.0 | 10.6-15.4 | 8 | 0.8 | 0.2- 1.4 | 305 | 27.8 | 24.5-31.1 | 97 | 8.2 | 6.2-10.2 | 51 | 3.6 | 2.0- 5.2 |
| College Graduate | 1873 | 444,950 | 831 | 44.9 | 42.0-47.8 | 347 | 20.0 | 17.6-22.4 | 28 | 1.4 | 0.8- 2.0 | 478 | 25.7 | 23.2-28.2 | 129 | 5.7 | 4.3- 7.1 | 60 | 2.2 | 1.4- 3.0 |
| Less than \$15,000 | 370 | 129,342 | 191 | 46.8 | 39.5-54.1 | 26 | 7.2 | 2.9-11.5 | | | | 91 | 26.8 | 20.3-33.3 | 44 | 16.4 | 10.5-22.3 | 18 | 2.8 | 1.0- 4.6 |
| \$15,000- 24,999 | 672 | 225,344 | 347 | 49.0 | 43.5-54.5 | 60 | 7.5 | 5.0-10.0 | | | | 169 | 28.8 | 23.5-34.1 | 70 | 11.6 | 8.1-15.1 | 26 | 2.9 | 1.1- 4.7 |
| \$25,000- 34,999 | 503 | 164,491 | 278 | 53.3 | 47.2-59.4 | 62 | 12.7 | 8.8-16.6 | 4 | 0.8 | 0.0- 1.6 | 100 | 21.7 | 16.6-26.8 | 43 | 9.8 | 6.3-13.3 | 16 | 1.7 | 0.7- 2.7 |
| \$35,000- 49,999 | 643 | 217,700 | 275 | 41.0 | 35.5-46.5 | 96 | 15.9 | 12.0-19.8 | 3 | 0.2 | 0.0- 0.4 | 170 | 29.0 | 23.9-34.1 | 72 | 10.7 | 7.6-13.8 | 27 | 3.2 | 1.8- 4.6 |
| \$50,000- 74,999 | 757 | 259,141 | 351 | 44.4 | 39.5-49.3 | 120 | 14.2 | 11.1-17.3 | 9 | 1.4 | 0.0- 2.8 | 199 | 28.1 | 23.6-32.6 | 56 | 8.6 | 5.5-11.7 | 22 | 3.2 | 0.7- 5.7 |
| \$75,000+ | 1265 | 432,875 | 539 | 42.4 | 38.9-45.9 | 258 | 20.8 | 17.9-23.7 | 21 | 1.3 | 0.5- 2.1 | 336 | 27.3 | 24.2-30.4 | 70 | 5.5 | 3.3- 7.7 | 41 | 2.8 | 1.8- 3.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Aerobics or Running | | | Walking | | | Requires a ball and-or Racquet | | | Water Activities | | | Activities on Snow or Ice | | | Other Activities | | |
|----------------------------|-------------------|-----------|---------------------|------|------------|---------|------|------------|--------------------------------|------|------------|------------------|-----|------------|---------------------------|-----|------------|------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4715 | 1,807,770 | 1371 | 30.8 | 29.0-32.6 | 1558 | 29.6 | 27.8-31.4 | 320 | 7.6 | 6.4- 8.8 | 176 | 4.4 | 3.6- 5.2 | 9 | 0.2 | 0.0- 0.4 | 1281 | 27.4 | 25.6-29.2 |
| Male | 2184 | 917,941 | 635 | 30.6 | 28.1-33.1 | 676 | 27.6 | 25.2-30.0 | 233 | 11.2 | 9.4-13.0 | 84 | 4.4 | 3.2- 5.6 | 8 | 0.4 | 0.0- 0.8 | 548 | 25.8 | 23.3-28.3 |
| Female | 2531 | 889,829 | 736 | 30.9 | 28.4-33.4 | 882 | 31.6 | 29.1-34.1 | 87 | 4.0 | 2.8- 5.2 | 92 | 4.4 | 3.2- 5.6 | 1 | 0.0 | 0.0- 0.0 | 733 | 29.1 | 26.7-31.5 |
| White/Non-Hisp | 4062 | 1,508,458 | 1136 | 29.7 | 27.7-31.7 | 1373 | 30.3 | 28.5-32.1 | 268 | 7.4 | 6.2- 8.6 | 152 | 4.4 | 3.4- 5.4 | 9 | 0.3 | 0.1- 0.5 | 1124 | 27.8 | 26.0-29.6 |
| Black or Afr. Am./Non-Hisp | 234 | 116,823 | 83 | 31.6 | 23.8-39.4 | 67 | 26.5 | 19.2-33.8 | 17 | 8.8 | 4.1-13.5 | 5 | 2.8 | 0.0- 5.7 | | | | 62 | 30.3 | 21.5-39.1 |
| Oth. Race/Non-Hisp. | 113 | 57,654 | 38 | 39.3 | 28.1-50.5 | 30 | 24.1 | 14.5-33.7 | 11 | 7.4 | 1.5-13.3 | 9 | 8.2 | 1.5-14.9 | | | | 25 | 20.9 | 11.5-30.3 |
| MultiRacial/Non-Hisp. | 77 | 21,969 | 24 | 32.4 | 19.7-45.1 | 24 | 30.7 | 18.0-43.4 | 5 | 4.5 | 0.0- 9.4 | 1 | 0.9 | 0.0- 2.7 | | | | 23 | 31.4 | 17.1-45.7 |
| Hispanic | 167 | 79,963 | 69 | 41.1 | 31.7-50.5 | 45 | 25.1 | 17.5-32.7 | 15 | 11.0 | 4.1-17.9 | 4 | 2.0 | 0.0- 4.4 | | | | 34 | 20.8 | 13.2-28.4 |
| 18-24 | 358 | 332,991 | 141 | 38.7 | 32.8-44.6 | 72 | 20.5 | 15.6-25.4 | 32 | 10.1 | 6.4-13.8 | 14 | 4.4 | 1.9- 6.9 | | | | 99 | 26.2 | 20.9-31.5 |
| 25-34 | 486 | 330,348 | 179 | 35.3 | 30.4-40.2 | 112 | 22.6 | 18.5-26.7 | 46 | 9.8 | 6.7-12.9 | 14 | 3.5 | 1.3- 5.7 | 1 | 0.5 | 0.0- 1.5 | 134 | 28.2 | 23.5-32.9 |
| 35-44 | 535 | 289,096 | 170 | 30.4 | 26.1-34.7 | 158 | 29.3 | 24.8-33.8 | 35 | 7.1 | 4.6- 9.6 | 23 | 4.6 | 2.6- 6.6 | 2 | 0.2 | 0.0- 0.6 | 147 | 28.3 | 23.8-32.8 |
| 45-54 | 777 | 283,782 | 240 | 30.5 | 26.6-34.4 | 228 | 29.4 | 25.7-33.1 | 54 | 6.5 | 4.5- 8.5 | 32 | 5.3 | 3.3- 7.3 | 4 | 0.4 | 0.0- 0.8 | 219 | 27.9 | 24.2-31.6 |
| 55-64 | 998 | 274,261 | 256 | 23.6 | 20.5-26.7 | 372 | 38.6 | 34.9-42.3 | 54 | 5.6 | 3.8- 7.4 | 43 | 5.0 | 3.4- 6.6 | 1 | 0.2 | 0.0- 0.6 | 272 | 27.0 | 23.7-30.3 |
| 65+ | 1561 | 297,293 | 385 | 24.1 | 21.6-26.6 | 616 | 39.5 | 36.6-42.4 | 99 | 5.9 | 4.5- 7.3 | 50 | 3.7 | 2.5- 4.9 | 1 | 0.1 | 0.0- 0.3 | 410 | 26.8 | 24.1-29.5 |
| Less Than H.S. | 162 | 121,303 | 47 | 30.9 | 21.3-40.5 | 53 | 28.2 | 19.0-37.4 | 13 | 11.5 | 4.2-18.8 | 6 | 3.8 | 0.0- 7.9 | | | | 43 | 25.6 | 16.4-34.8 |
| H.S. or G.E.D. | 1140 | 509,693 | 350 | 31.3 | 27.8-34.8 | 387 | 28.2 | 24.9-31.5 | 73 | 7.5 | 5.3- 9.7 | 55 | 6.2 | 4.2- 8.2 | | | | 275 | 26.8 | 23.3-30.3 |
| Some Post-H.S. | 1213 | 586,566 | 329 | 28.4 | 25.3-31.5 | 423 | 31.8 | 28.7-34.9 | 78 | 7.5 | 5.5- 9.5 | 50 | 4.1 | 2.7- 5.5 | 2 | 0.4 | 0.0- 1.0 | 331 | 27.8 | 24.7-30.9 |
| College Graduate | 2193 | 584,417 | 642 | 32.2 | 29.7-34.7 | 694 | 29.1 | 26.7-31.5 | 156 | 7.1 | 5.7- 8.5 | 64 | 3.1 | 2.1- 4.1 | 7 | 0.3 | 0.1- 0.5 | 630 | 28.1 | 25.7-30.5 |
| Less than \$15,000 | 222 | 93,077 | 76 | 32.2 | 24.2-40.2 | 80 | 36.8 | 28.2-45.4 | 13 | 7.2 | 2.5-11.9 | 4 | 1.4 | 0.0- 3.0 | 1 | 0.5 | 0.0- 1.5 | 48 | 21.8 | 13.8-29.8 |
| \$15,000- 24,999 | 525 | 207,683 | 159 | 31.7 | 26.2-37.2 | 187 | 30.6 | 25.5-35.7 | 32 | 9.4 | 5.1-13.7 | 23 | 6.3 | 3.2- 9.4 | | | | 124 | 21.9 | 17.2-26.6 |
| \$25,000- 34,999 | 400 | 153,846 | 117 | 28.0 | 22.3-33.7 | 155 | 35.9 | 29.6-42.2 | 11 | 3.4 | 1.2- 5.6 | 16 | 5.6 | 1.9- 9.3 | | | | 101 | 27.1 | 21.0-33.2 |
| \$35,000- 49,999 | 624 | 243,697 | 173 | 31.2 | 25.9-36.5 | 226 | 27.9 | 23.4-32.4 | 32 | 5.5 | 2.8- 8.2 | 25 | 4.5 | 2.1- 6.9 | 1 | 0.1 | 0.0- 0.3 | 167 | 30.8 | 25.3-36.3 |
| \$50,000- 74,999 | 797 | 302,934 | 210 | 29.9 | 25.4-34.4 | 246 | 25.4 | 21.5-29.3 | 60 | 9.2 | 6.3-12.1 | 31 | 4.6 | 2.6- 6.6 | 1 | 0.5 | 0.0- 1.5 | 249 | 30.4 | 26.1-34.7 |
| \$75,000+ | 1718 | 651,141 | 506 | 30.6 | 27.9-33.3 | 517 | 28.7 | 26.0-31.4 | 145 | 8.5 | 6.7-10.3 | 63 | 4.1 | 2.9- 5.3 | 6 | 0.3 | 0.1- 0.5 | 481 | 27.8 | 25.1-30.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 14: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Aerobics or Running | | | Walking | | | Requires a ball and-or Racquet | | | Water Activities | | | Activities on Snow or Ice | | | Other Activities | | |
|----------------------------|-------------------|----------|---------------------|------|------------|---------|------|------------|--------------------------------|------|------------|------------------|-----|------------|---------------------------|-----|------------|------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2184 | 917,941 | 635 | 30.6 | 28.1-33.1 | 676 | 27.6 | 25.2-30.0 | 233 | 11.2 | 9.4-13.0 | 84 | 4.4 | 3.2- 5.6 | 8 | 0.4 | 0.0- 0.8 | 548 | 25.8 | 23.3-28.3 |
| White/Non-Hisp | 1842 | 751,861 | 513 | 29.5 | 26.8-32.2 | 584 | 28.4 | 25.9-30.9 | 193 | 11.0 | 9.0-13.0 | 74 | 4.8 | 3.4- 6.2 | 8 | 0.5 | 0.1- 0.9 | 470 | 25.9 | 23.4-28.4 |
| Black or Afr. Am./Non-Hisp | 112 | 64,988 | 42 | 30.3 | 20.1-40.5 | 24 | 20.8 | 11.4-30.2 | 12 | 11.8 | 4.5-19.1 | 3 | 1.9 | 0.0- 4.3 | | | | 31 | 35.1 | 22.6-47.6 |
| Oth. Race/Non-Hisp. | 72 | 37,725 | 28 | 47.4 | 33.3-61.5 | 19 | 22.2 | 11.2-33.2 | 7 | 8.5 | 0.5-16.5 | 3 | 2.8 | 0.0- 6.5 | | | | 15 | 19.0 | 7.2-30.8 |
| Hispanic | 80 | 38,651 | 28 | 34.9 | 21.6-48.2 | 21 | 25.7 | 14.3-37.1 | 13 | 17.1 | 5.7-28.5 | 2 | 3.2 | 0.0- 7.9 | | | | 16 | 19.0 | 8.6-29.4 |
| 18-24 | 202 | 171,463 | 78 | 40.4 | 32.6-48.2 | 34 | 16.2 | 10.5-21.9 | 23 | 12.5 | 7.4-17.6 | 8 | 4.3 | 1.0- 7.6 | | | | 59 | 26.6 | 19.5-33.7 |
| 25-34 | 261 | 178,983 | 92 | 32.4 | 25.9-38.9 | 55 | 20.3 | 14.8-25.8 | 37 | 14.6 | 9.5-19.7 | 6 | 2.7 | 0.3- 5.1 | 1 | 0.9 | 0.0- 2.7 | 70 | 29.1 | 22.4-35.8 |
| 35-44 | 239 | 143,062 | 72 | 28.9 | 22.4-35.4 | 71 | 30.6 | 23.7-37.5 | 29 | 11.9 | 7.2-16.6 | 9 | 4.1 | 1.2- 7.0 | 2 | 0.5 | 0.0- 1.1 | 56 | 24.1 | 17.8-30.4 |
| 45-54 | 357 | 147,013 | 110 | 31.8 | 25.9-37.7 | 103 | 27.9 | 22.4-33.4 | 37 | 9.1 | 6.0-12.2 | 16 | 6.0 | 2.7- 9.3 | 3 | 0.5 | 0.0- 1.3 | 88 | 24.6 | 19.3-29.9 |
| 55-64 | 470 | 134,017 | 118 | 23.1 | 18.8-27.4 | 166 | 37.3 | 32.0-42.6 | 41 | 8.9 | 5.8-12.0 | 19 | 5.4 | 2.9- 7.9 | 1 | 0.4 | 0.0- 1.2 | 125 | 25.1 | 20.6-29.6 |
| 65+ | 655 | 143,403 | 165 | 24.3 | 20.4-28.2 | 247 | 38.2 | 33.7-42.7 | 66 | 9.1 | 6.6-11.6 | 26 | 4.1 | 2.1- 6.1 | 1 | 0.1 | 0.0- 0.3 | 150 | 24.2 | 20.1-28.3 |
| Less Than H.S. | 85 | 67,151 | 21 | 30.6 | 17.3-43.9 | 26 | 23.0 | 12.4-33.6 | 11 | 13.5 | 4.5-22.5 | 3 | 3.1 | 0.0- 7.0 | | | | 24 | 29.8 | 15.9-43.7 |
| H.S. or G.E.D. | 512 | 263,543 | 158 | 31.7 | 26.6-36.8 | 154 | 24.7 | 20.4-29.0 | 53 | 11.9 | 8.4-15.4 | 28 | 6.1 | 3.4- 8.8 | | | | 119 | 25.5 | 20.6-30.4 |
| Some Post-H.S. | 535 | 286,904 | 142 | 27.0 | 22.5-31.5 | 175 | 30.9 | 26.2-35.6 | 56 | 10.9 | 7.8-14.0 | 24 | 4.4 | 2.2- 6.6 | 2 | 0.7 | 0.0- 1.9 | 136 | 26.0 | 21.5-30.5 |
| College Graduate | 1047 | 295,839 | 312 | 32.4 | 28.9-35.9 | 320 | 28.5 | 25.2-31.8 | 113 | 10.5 | 8.1-12.9 | 28 | 2.9 | 1.7- 4.1 | 6 | 0.5 | 0.1- 0.9 | 268 | 25.1 | 22.0-28.2 |
| Less than \$15,000 | 90 | 40,982 | 29 | 29.7 | 18.7-40.7 | 28 | 29.2 | 18.0-40.4 | 11 | 15.8 | 5.8-25.8 | | | | 1 | 1.2 | 0.0- 3.6 | 21 | 24.1 | 12.9-35.3 |
| \$15,000- 24,999 | 227 | 101,021 | 63 | 28.6 | 21.0-36.2 | 72 | 27.8 | 20.5-35.1 | 26 | 15.3 | 8.8-21.8 | 11 | 6.3 | 2.2-10.4 | | | | 55 | 22.1 | 15.6-28.6 |
| \$25,000- 34,999 | 168 | 71,217 | 57 | 32.8 | 24.0-41.6 | 62 | 34.1 | 25.1-43.1 | 5 | 4.3 | 0.4- 8.2 | 7 | 4.5 | 0.0- 9.8 | | | | 37 | 24.3 | 14.9-33.7 |
| \$35,000- 49,999 | 292 | 128,039 | 89 | 31.7 | 24.3-39.1 | 89 | 23.7 | 18.0-29.4 | 20 | 5.5 | 2.4- 8.6 | 13 | 5.0 | 1.5- 8.5 | 1 | 0.1 | 0.0- 0.3 | 80 | 34.1 | 26.1-42.1 |
| \$50,000- 74,999 | 354 | 146,802 | 94 | 30.1 | 23.6-36.6 | 102 | 24.4 | 18.5-30.3 | 41 | 14.0 | 8.9-19.1 | 16 | 5.8 | 2.7- 8.9 | 1 | 1.1 | 0.0- 3.3 | 100 | 24.7 | 19.2-30.2 |
| \$75,000+ | 905 | 364,627 | 261 | 30.1 | 26.4-33.8 | 274 | 29.0 | 25.3-32.7 | 109 | 11.6 | 9.1-14.1 | 32 | 4.1 | 2.5- 5.7 | 5 | 0.4 | 0.0- 0.8 | 224 | 24.9 | 21.2-28.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 15: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Aerobics or Running | | | Walking | | | Requires a ball and-or Racquet | | | Water Activities | | | Activities on Snow or Ice | | | Other Activities | | |
|----------------------------|-------------------|----------|---------------------|------|------------|---------|------|------------|--------------------------------|-----|------------|------------------|-----|------------|---------------------------|-----|------------|------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2531 | 889,829 | 736 | 30.9 | 28.4-33.4 | 882 | 31.6 | 29.1-34.1 | 87 | 4.0 | 2.8- 5.2 | 92 | 4.4 | 3.2- 5.6 | 1 | 0.0 | 0.0- 0.0 | 733 | 29.1 | 26.7-31.5 |
| White/Non-Hisp | 2220 | 756,597 | 623 | 29.9 | 27.2-32.6 | 789 | 32.3 | 29.6-35.0 | 75 | 3.9 | 2.5- 5.3 | 78 | 4.1 | 2.9- 5.3 | 1 | 0.0 | 0.0- 0.0 | 654 | 29.8 | 27.3-32.3 |
| Black or Afr. Am./Non-Hisp | 122 | 51,836 | 41 | 33.3 | 21.5-45.1 | 43 | 33.5 | 22.3-44.7 | 5 | 5.0 | 0.0-10.7 | 2 | 3.8 | 0.0- 9.9 | | | | 31 | 24.3 | 12.9-35.7 |
| Hispanic | 87 | 41,312 | 41 | 46.8 | 33.9-59.7 | 24 | 24.5 | 14.1-34.9 | 2 | 5.2 | 0.0-12.8 | 2 | 0.9 | 0.0- 2.1 | | | | 18 | 22.6 | 11.6-33.6 |
| 18-24 | 156 | 161,528 | 63 | 36.9 | 28.3-45.5 | 38 | 25.1 | 17.3-32.9 | 9 | 7.6 | 2.1-13.1 | 6 | 4.6 | 0.9- 8.3 | | | | 40 | 25.8 | 18.0-33.6 |
| 25-34 | 225 | 151,365 | 87 | 38.8 | 31.5-46.1 | 57 | 25.4 | 18.9-31.9 | 9 | 4.2 | 1.1- 7.3 | 8 | 4.5 | 0.8- 8.2 | | | | 64 | 27.2 | 20.5-33.9 |
| 35-44 | 296 | 146,034 | 98 | 31.8 | 25.9-37.7 | 87 | 28.1 | 22.4-33.8 | 6 | 2.4 | 0.2- 4.6 | 14 | 5.2 | 2.3- 8.1 | | | | 91 | 32.5 | 26.4-38.6 |
| 45-54 | 420 | 136,769 | 130 | 29.0 | 24.1-33.9 | 125 | 31.0 | 25.7-36.3 | 17 | 3.7 | 1.7- 5.7 | 16 | 4.5 | 2.1- 6.9 | 1 | 0.3 | 0.0- 0.9 | 131 | 31.4 | 26.3-36.5 |
| 55-64 | 528 | 140,245 | 138 | 24.1 | 19.8-28.4 | 206 | 39.9 | 34.8-45.0 | 13 | 2.5 | 0.9- 4.1 | 24 | 4.6 | 2.4- 6.8 | | | | 147 | 28.9 | 24.2-33.6 |
| 65+ | 906 | 153,889 | 220 | 23.9 | 20.6-27.2 | 369 | 40.8 | 36.9-44.7 | 33 | 3.0 | 1.8- 4.2 | 24 | 3.2 | 1.6- 4.8 | | | | 260 | 29.1 | 25.4-32.8 |
| Less Than H.S. | 77 | 54,151 | 26 | 31.2 | 17.5-44.9 | 27 | 34.7 | 19.6-49.8 | 2 | 9.0 | 0.0-21.0 | 3 | 4.7 | 0.0-12.1 | | | | 19 | 20.4 | 9.8-31.0 |
| H.S. or G.E.D. | 628 | 246,150 | 192 | 30.8 | 25.7-35.9 | 233 | 31.8 | 27.1-36.5 | 20 | 2.9 | 0.9- 4.9 | 27 | 6.4 | 3.5- 9.3 | | | | 156 | 28.1 | 23.0-33.2 |
| Some Post-H.S. | 678 | 299,662 | 187 | 29.8 | 25.3-34.3 | 248 | 32.6 | 28.1-37.1 | 22 | 4.3 | 2.1- 6.5 | 26 | 3.7 | 1.9- 5.5 | | | | 195 | 29.6 | 25.1-34.1 |
| College Graduate | 1146 | 288,578 | 330 | 31.9 | 28.4-35.4 | 374 | 29.8 | 26.5-33.1 | 43 | 3.6 | 2.2- 5.0 | 36 | 3.4 | 2.0- 4.8 | 1 | 0.1 | 0.0- 0.3 | 362 | 31.1 | 27.8-34.4 |
| Less than \$15,000 | 132 | 52,094 | 47 | 34.1 | 22.5-45.7 | 52 | 42.8 | 30.3-55.3 | 2 | 0.5 | 0.0- 1.3 | 4 | 2.5 | 0.0- 5.4 | | | | 27 | 20.1 | 8.7-31.5 |
| \$15,000- 24,999 | 298 | 106,662 | 96 | 34.7 | 26.7-42.7 | 115 | 33.3 | 26.0-40.6 | 6 | 3.9 | 0.0- 9.6 | 12 | 6.4 | 1.9-10.9 | | | | 69 | 21.7 | 15.0-28.4 |
| \$25,000- 34,999 | 232 | 82,629 | 60 | 23.9 | 16.8-31.0 | 93 | 37.4 | 29.0-45.8 | 6 | 2.6 | 0.2- 5.0 | 9 | 6.5 | 1.2-11.8 | | | | 64 | 29.6 | 21.8-37.4 |
| \$35,000- 49,999 | 332 | 115,658 | 84 | 30.7 | 23.1-38.3 | 137 | 32.7 | 25.8-39.6 | 12 | 5.5 | 0.8-10.2 | 12 | 4.0 | 0.9- 7.1 | | | | 87 | 27.2 | 20.1-34.3 |
| \$50,000- 74,999 | 443 | 156,132 | 116 | 29.8 | 23.7-35.9 | 144 | 26.3 | 21.2-31.4 | 19 | 4.6 | 1.9- 7.3 | 15 | 3.5 | 1.3- 5.7 | | | | 149 | 35.7 | 29.6-41.8 |
| \$75,000+ | 813 | 286,514 | 245 | 31.3 | 27.0-35.6 | 243 | 28.4 | 24.3-32.5 | 36 | 4.6 | 2.6- 6.6 | 31 | 4.1 | 2.5- 5.7 | 1 | 0.1 | 0.0- 0.3 | 257 | 31.4 | 27.3-35.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 16: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-5 days per week | | | 5 or more days per week | | | 1-10 days per month | | | 11 to 15 days per month | | | 16 or more days per month | | |
|----------------------------|-------------------|-----------|-------------------|------|------------|-------------------------|------|------------|---------------------|------|------------|-------------------------|-----|------------|---------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5923 | 2,192,404 | 2976 | 50.5 | 48.7-52.3 | 934 | 15.5 | 14.3-16.7 | 1347 | 23.7 | 22.1-25.3 | 183 | 2.8 | 2.2- 3.4 | 483 | 7.5 | 6.7- 8.3 |
| Male | 2656 | 1,093,328 | 1263 | 47.3 | 44.8-49.8 | 386 | 14.9 | 13.1-16.7 | 682 | 26.4 | 24.2-28.6 | 97 | 3.6 | 2.6- 4.6 | 228 | 7.9 | 6.7- 9.1 |
| Female | 3267 | 1,099,076 | 1713 | 53.6 | 51.2-56.0 | 548 | 16.0 | 14.2-17.8 | 665 | 21.1 | 19.1-23.1 | 86 | 2.0 | 1.4- 2.6 | 255 | 7.2 | 6.0- 8.4 |
| White/Non-Hisp | 5125 | 1,839,811 | 2568 | 50.2 | 48.4-52.0 | 804 | 15.4 | 14.0-16.8 | 1168 | 24.1 | 22.5-25.7 | 165 | 3.0 | 2.4- 3.6 | 420 | 7.3 | 6.3- 8.3 |
| Black or Afr. Am./Non-Hisp | 281 | 133,419 | 141 | 51.1 | 43.1-59.1 | 51 | 16.5 | 10.6-22.4 | 64 | 22.7 | 16.4-29.0 | 6 | 0.9 | 0.1- 1.7 | 19 | 8.8 | 4.1-13.5 |
| Oth. Race/Non-Hisp. | 127 | 63,749 | 65 | 54.9 | 43.9-65.9 | 24 | 20.1 | 11.1-29.1 | 26 | 18.6 | 10.2-27.0 | 1 | 0.1 | 0.0- 0.3 | 11 | 6.3 | 1.6-11.0 |
| MultiRacial/Non-Hisp. | 103 | 29,109 | 52 | 50.5 | 38.2-62.8 | 18 | 17.7 | 8.3-27.1 | 16 | 13.6 | 6.2-21.0 | 5 | 4.4 | 0.3- 8.5 | 12 | 13.8 | 3.2-24.4 |
| Hispanic | 202 | 95,859 | 118 | 54.9 | 46.3-63.5 | 24 | 12.7 | 7.2-18.2 | 49 | 23.7 | 16.3-31.1 | 2 | 1.7 | 0.0- 4.4 | 9 | 7.0 | 2.1-11.9 |
| 18-24 | 383 | 363,150 | 202 | 51.1 | 45.2-57.0 | 58 | 16.0 | 11.9-20.1 | 94 | 24.8 | 19.7-29.9 | 4 | 1.6 | 0.0- 3.2 | 25 | 6.6 | 3.9- 9.3 |
| 25-34 | 562 | 380,566 | 298 | 52.0 | 47.3-56.7 | 79 | 14.7 | 11.4-18.0 | 138 | 24.4 | 20.3-28.5 | 13 | 2.5 | 0.9- 4.1 | 34 | 6.4 | 4.0- 8.8 |
| 35-44 | 626 | 341,540 | 342 | 52.3 | 47.8-56.8 | 95 | 15.0 | 11.9-18.1 | 146 | 25.8 | 21.9-29.7 | 14 | 2.0 | 0.8- 3.2 | 29 | 4.9 | 2.9- 6.9 |
| 45-54 | 958 | 359,877 | 506 | 53.4 | 49.7-57.1 | 112 | 11.6 | 9.2-14.0 | 239 | 24.1 | 21.0-27.2 | 30 | 2.9 | 1.7- 4.1 | 71 | 7.9 | 5.9- 9.9 |
| 55-64 | 1266 | 347,340 | 622 | 47.8 | 44.5-51.1 | 202 | 16.8 | 14.3-19.3 | 286 | 22.4 | 19.7-25.1 | 39 | 3.6 | 2.2- 5.0 | 117 | 9.4 | 7.4-11.4 |
| 65+ | 2128 | 399,932 | 1006 | 46.5 | 44.0-49.0 | 388 | 18.6 | 16.6-20.6 | 444 | 21.2 | 19.0-23.4 | 83 | 4.0 | 3.0- 5.0 | 207 | 9.7 | 8.1-11.3 |
| Less Than H.S. | 228 | 153,181 | 97 | 47.2 | 38.4-56.0 | 43 | 14.7 | 8.8-20.6 | 56 | 26.5 | 18.5-34.5 | 4 | 1.4 | 0.0- 3.2 | 28 | 10.2 | 5.9-14.5 |
| H.S. or G.E.D. | 1526 | 638,990 | 681 | 45.2 | 41.9-48.5 | 284 | 18.6 | 16.1-21.1 | 356 | 24.3 | 21.4-27.2 | 61 | 3.7 | 2.5- 4.9 | 144 | 8.3 | 6.5-10.1 |
| Some Post-H.S. | 1536 | 722,449 | 746 | 49.9 | 46.8-53.0 | 251 | 16.1 | 13.7-18.5 | 356 | 23.2 | 20.5-25.9 | 49 | 3.1 | 2.1- 4.1 | 134 | 7.7 | 6.1- 9.3 |
| College Graduate | 2624 | 671,479 | 1446 | 56.7 | 54.3-59.1 | 356 | 12.2 | 10.6-13.8 | 578 | 23.1 | 20.9-25.3 | 69 | 1.9 | 1.3- 2.5 | 175 | 6.0 | 4.8- 7.2 |
| Less than \$15,000 | 325 | 125,106 | 146 | 43.5 | 36.1-50.9 | 60 | 19.3 | 13.0-25.6 | 74 | 25.0 | 18.5-31.5 | 12 | 2.7 | 0.3- 5.1 | 33 | 9.6 | 5.5-13.7 |
| \$15,000- 24,999 | 688 | 258,019 | 311 | 45.5 | 40.4-50.6 | 126 | 18.3 | 14.4-22.2 | 156 | 25.3 | 20.4-30.2 | 21 | 2.0 | 1.0- 3.0 | 74 | 9.0 | 6.3-11.7 |
| \$25,000- 34,999 | 522 | 190,970 | 243 | 45.8 | 40.1-51.5 | 99 | 19.6 | 14.9-24.3 | 116 | 22.1 | 17.4-26.8 | 21 | 4.3 | 1.9- 6.7 | 43 | 8.1 | 5.0-11.2 |
| \$35,000- 49,999 | 794 | 299,188 | 368 | 48.6 | 43.7-53.5 | 131 | 15.5 | 12.2-18.8 | 191 | 24.1 | 20.0-28.2 | 27 | 2.7 | 1.3- 4.1 | 77 | 9.1 | 6.6-11.6 |
| \$50,000- 74,999 | 1014 | 377,756 | 512 | 51.6 | 47.5-55.7 | 150 | 14.0 | 11.1-16.9 | 242 | 24.0 | 20.5-27.5 | 34 | 3.3 | 1.7- 4.9 | 76 | 7.1 | 4.9- 9.3 |
| \$75,000+ | 2018 | 750,183 | 1109 | 54.4 | 51.7-57.1 | 264 | 12.8 | 11.0-14.6 | 461 | 24.0 | 21.6-26.4 | 50 | 2.5 | 1.7- 3.3 | 134 | 6.3 | 4.9- 7.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 17: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-5 days per week | | | 5 or more days per week | | | 1-10 days per month | | | 11 to 15 days per month | | | 16 or more days per month | | |
|----------------------------|-------------------|-----------|-------------------|------|------------|-------------------------|------|------------|---------------------|------|------------|-------------------------|-----|------------|---------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2656 | 1,093,328 | 1263 | 47.3 | 44.8-49.8 | 386 | 14.9 | 13.1-16.7 | 682 | 26.4 | 24.2-28.6 | 97 | 3.6 | 2.6- 4.6 | 228 | 7.9 | 6.7- 9.1 |
| White/Non-Hisp | 2266 | 905,082 | 1072 | 46.4 | 43.7-49.1 | 330 | 15.0 | 13.0-17.0 | 580 | 26.9 | 24.5-29.3 | 87 | 3.9 | 2.9- 4.9 | 197 | 7.8 | 6.4- 9.2 |
| Black or Afr. Am./Non-Hisp | 118 | 70,832 | 60 | 56.7 | 45.3-68.1 | 19 | 14.2 | 6.6-21.8 | 30 | 22.7 | 13.9-31.5 | 3 | 0.5 | 0.0- 1.3 | 6 | 5.9 | 0.2-11.6 |
| Oth. Race/Non-Hisp. | 77 | 39,744 | 36 | 50.4 | 36.7-64.1 | 13 | 20.3 | 8.9-31.7 | 20 | 22.3 | 11.1-33.5 | 1 | 0.1 | 0.0- 0.3 | 7 | 6.9 | 0.6-13.2 |
| MultiRacial/Non-Hisp. | 55 | 15,082 | 31 | 59.5 | 44.6-74.4 | 8 | 13.7 | 3.7-23.7 | 8 | 11.9 | 3.1-20.7 | 2 | 3.3 | 0.0- 8.0 | 6 | 11.6 | 2.2-21.0 |
| Hispanic | 94 | 44,414 | 47 | 45.8 | 33.3-58.3 | 8 | 8.1 | 2.0-14.2 | 31 | 32.3 | 20.0-44.6 | 1 | 3.0 | 0.0- 8.9 | 7 | 10.8 | 2.0-19.6 |
| 18-24 | 215 | 187,166 | 105 | 45.2 | 37.6-52.8 | 31 | 15.9 | 10.2-21.6 | 59 | 28.6 | 21.5-35.7 | 3 | 2.4 | 0.0- 4.9 | 17 | 7.9 | 4.0-11.8 |
| 25-34 | 296 | 204,769 | 143 | 48.0 | 41.3-54.7 | 41 | 14.0 | 9.3-18.7 | 85 | 27.7 | 21.8-33.6 | 8 | 3.4 | 0.7- 6.1 | 19 | 6.9 | 3.6-10.2 |
| 35-44 | 278 | 169,255 | 140 | 48.9 | 42.0-55.8 | 44 | 15.8 | 10.9-20.7 | 70 | 26.9 | 21.0-32.8 | 8 | 2.7 | 0.5- 4.9 | 16 | 5.7 | 2.6- 8.8 |
| 45-54 | 434 | 181,629 | 216 | 51.0 | 45.5-56.5 | 49 | 11.5 | 8.0-15.0 | 122 | 26.7 | 21.8-31.6 | 14 | 3.1 | 1.3- 4.9 | 33 | 7.7 | 4.8-10.6 |
| 55-64 | 593 | 168,209 | 272 | 44.9 | 40.2-49.6 | 91 | 16.7 | 13.0-20.4 | 146 | 23.8 | 19.9-27.7 | 25 | 5.4 | 3.0- 7.8 | 59 | 9.3 | 6.6-12.0 |
| 65+ | 840 | 182,300 | 387 | 45.5 | 41.4-49.6 | 130 | 16.0 | 12.9-19.1 | 200 | 24.2 | 20.7-27.7 | 39 | 4.6 | 2.8- 6.4 | 84 | 9.8 | 7.4-12.2 |
| Less Than H.S. | 107 | 80,339 | 40 | 43.2 | 30.7-55.7 | 19 | 14.1 | 5.7-22.5 | 32 | 29.2 | 17.6-40.8 | 2 | 2.3 | 0.0- 5.8 | 14 | 11.3 | 4.6-18.0 |
| H.S. or G.E.D. | 654 | 329,452 | 261 | 40.2 | 35.5-44.9 | 117 | 18.4 | 14.7-22.1 | 175 | 27.7 | 23.4-32.0 | 34 | 5.0 | 2.8- 7.2 | 67 | 8.7 | 6.2-11.2 |
| Some Post-H.S. | 664 | 344,593 | 307 | 47.3 | 42.6-52.0 | 99 | 15.8 | 12.5-19.1 | 176 | 25.5 | 21.6-29.4 | 27 | 4.1 | 2.1- 6.1 | 55 | 7.3 | 4.9- 9.7 |
| College Graduate | 1225 | 334,230 | 651 | 54.9 | 51.4-58.4 | 151 | 11.0 | 8.8-13.2 | 298 | 25.2 | 22.1-28.3 | 34 | 2.0 | 1.2- 2.8 | 91 | 6.8 | 5.0- 8.6 |
| Less than \$15,000 | 123 | 51,853 | 54 | 47.7 | 36.5-58.9 | 21 | 17.2 | 9.2-25.2 | 33 | 23.5 | 14.5-32.5 | 6 | 5.1 | 0.0-10.6 | 9 | 6.5 | 1.2-11.8 |
| \$15,000- 24,999 | 276 | 119,940 | 123 | 44.9 | 37.5-52.3 | 42 | 15.2 | 9.7-20.7 | 74 | 28.8 | 21.7-35.9 | 9 | 2.3 | 0.3- 4.3 | 28 | 8.8 | 4.7-12.9 |
| \$25,000- 34,999 | 214 | 87,108 | 95 | 40.2 | 31.8-48.6 | 38 | 19.7 | 12.1-27.3 | 51 | 24.9 | 17.1-32.7 | 11 | 3.9 | 1.2- 6.6 | 19 | 11.3 | 5.4-17.2 |
| \$35,000- 49,999 | 356 | 153,096 | 158 | 47.3 | 40.2-54.4 | 54 | 14.9 | 10.0-19.8 | 102 | 27.7 | 21.6-33.8 | 14 | 3.7 | 1.2- 6.2 | 28 | 6.4 | 3.3- 9.5 |
| \$50,000- 74,999 | 444 | 179,196 | 213 | 49.4 | 43.3-55.5 | 63 | 14.1 | 9.6-18.6 | 114 | 24.8 | 19.7-29.9 | 17 | 4.1 | 1.4- 6.8 | 37 | 7.6 | 4.5-10.7 |
| \$75,000+ | 1062 | 422,921 | 530 | 48.2 | 44.3-52.1 | 140 | 13.8 | 11.1-16.5 | 270 | 27.2 | 23.7-30.7 | 35 | 3.5 | 2.1- 4.9 | 87 | 7.3 | 5.3- 9.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 18: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-5 days per week | | | 5 or more days per week | | | 1-10 days per month | | | 11 to 15 days per month | | | 16 or more days per month | | |
|----------------------------|-------------------|-----------|-------------------|------|------------|-------------------------|------|------------|---------------------|------|------------|-------------------------|-----|------------|---------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3267 | 1,099,076 | 1713 | 53.6 | 51.2-56.0 | 548 | 16.0 | 14.2-17.8 | 665 | 21.1 | 19.1-23.1 | 86 | 2.0 | 1.4- 2.6 | 255 | 7.2 | 6.0- 8.4 |
| White/Non-Hisp | 2859 | 934,730 | 1496 | 53.9 | 51.4-56.4 | 474 | 15.7 | 13.9-17.5 | 588 | 21.4 | 19.2-23.6 | 78 | 2.1 | 1.5- 2.7 | 223 | 6.8 | 5.6- 8.0 |
| Black or Afr. Am./Non-Hisp | 163 | 62,588 | 81 | 44.8 | 33.8-55.8 | 32 | 19.2 | 10.2-28.2 | 34 | 22.6 | 13.6-31.6 | 3 | 1.3 | 0.0- 2.9 | 13 | 12.1 | 4.5-19.7 |
| Oth. Race/Non-Hisp. | 50 | 24,005 | 29 | 62.2 | 44.6-79.8 | 11 | 19.9 | 5.4-34.4 | 6 | 12.5 | 0.0-25.2 | | | | 4 | 5.4 | 0.0-12.7 |
| Hispanic | 108 | 51,445 | 71 | 62.8 | 51.6-74.0 | 16 | 16.7 | 8.1-25.3 | 18 | 16.2 | 7.8-24.6 | 1 | 0.6 | 0.0- 1.8 | 2 | 3.7 | 0.0- 8.8 |
| 18-24 | 168 | 175,984 | 97 | 57.4 | 48.8-66.0 | 27 | 16.1 | 9.8-22.4 | 35 | 20.6 | 13.5-27.7 | 1 | 0.7 | 0.0- 2.1 | 8 | 5.2 | 1.5- 8.9 |
| 25-34 | 266 | 175,797 | 155 | 56.7 | 49.8-63.6 | 38 | 15.4 | 10.5-20.3 | 53 | 20.5 | 15.0-26.0 | 5 | 1.5 | 0.1- 2.9 | 15 | 5.9 | 2.8- 9.0 |
| 35-44 | 348 | 172,284 | 202 | 55.6 | 49.7-61.5 | 51 | 14.2 | 10.1-18.3 | 76 | 24.7 | 19.4-30.0 | 6 | 1.2 | 0.0- 2.4 | 13 | 4.2 | 1.8- 6.6 |
| 45-54 | 524 | 178,248 | 290 | 55.9 | 51.0-60.8 | 63 | 11.7 | 8.6-14.8 | 117 | 21.5 | 17.4-25.6 | 16 | 2.7 | 1.1- 4.3 | 38 | 8.1 | 5.4-10.8 |
| 55-64 | 673 | 179,131 | 350 | 50.6 | 46.1-55.1 | 111 | 16.9 | 13.4-20.4 | 140 | 21.2 | 17.5-24.9 | 14 | 1.8 | 0.6- 3.0 | 58 | 9.5 | 6.8-12.2 |
| 65+ | 1288 | 217,632 | 619 | 47.3 | 44.0-50.6 | 258 | 20.8 | 18.1-23.5 | 244 | 18.7 | 16.2-21.2 | 44 | 3.6 | 2.4- 4.8 | 123 | 9.7 | 7.7-11.7 |
| Less Than H.S. | 121 | 72,842 | 57 | 51.7 | 39.2-64.2 | 24 | 15.4 | 7.4-23.4 | 24 | 23.5 | 12.3-34.7 | 2 | 0.3 | 0.0- 0.7 | 14 | 9.1 | 3.6-14.6 |
| H.S. or G.E.D. | 872 | 309,538 | 420 | 50.4 | 45.9-54.9 | 167 | 18.8 | 15.3-22.3 | 181 | 20.7 | 17.0-24.4 | 27 | 2.3 | 1.1- 3.5 | 77 | 7.8 | 5.6-10.0 |
| Some Post-H.S. | 872 | 377,856 | 439 | 52.3 | 48.0-56.6 | 152 | 16.3 | 13.2-19.4 | 180 | 21.1 | 17.6-24.6 | 22 | 2.2 | 1.2- 3.2 | 79 | 8.2 | 5.8-10.6 |
| College Graduate | 1399 | 337,249 | 795 | 58.5 | 55.2-61.8 | 205 | 13.4 | 11.0-15.8 | 280 | 21.1 | 18.4-23.8 | 35 | 1.9 | 1.1- 2.7 | 84 | 5.1 | 3.5- 6.7 |
| Less than \$15,000 | 202 | 73,253 | 92 | 40.5 | 30.9-50.1 | 39 | 20.8 | 11.8-29.8 | 41 | 26.0 | 16.8-35.2 | 6 | 0.9 | 0.0- 1.9 | 24 | 11.9 | 6.2-17.6 |
| \$15,000- 24,999 | 412 | 138,079 | 188 | 46.0 | 38.9-53.1 | 84 | 21.0 | 15.3-26.7 | 82 | 22.2 | 15.5-28.9 | 12 | 1.7 | 0.5- 2.9 | 46 | 9.1 | 5.6-12.6 |
| \$25,000- 34,999 | 308 | 103,862 | 148 | 50.5 | 42.9-58.1 | 61 | 19.6 | 13.7-25.5 | 65 | 19.8 | 13.9-25.7 | 10 | 4.7 | 1.2- 8.2 | 24 | 5.4 | 2.7- 8.1 |
| \$35,000- 49,999 | 438 | 146,092 | 210 | 49.8 | 43.1-56.5 | 77 | 16.2 | 11.5-20.9 | 89 | 20.4 | 15.1-25.7 | 13 | 1.8 | 0.6- 3.0 | 49 | 11.8 | 7.7-15.9 |
| \$50,000- 74,999 | 570 | 198,560 | 299 | 53.5 | 47.8-59.2 | 87 | 14.0 | 10.3-17.7 | 128 | 23.2 | 18.5-27.9 | 17 | 2.5 | 1.1- 3.9 | 39 | 6.7 | 4.0- 9.4 |
| \$75,000+ | 956 | 327,262 | 579 | 62.5 | 58.6-66.4 | 124 | 11.6 | 9.1-14.1 | 191 | 19.9 | 16.8-23.0 | 15 | 1.1 | 0.3- 1.9 | 47 | 4.9 | 3.1- 6.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 19: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 30 mins or less | | | 31 to 45 mins | | | 46 to 59 mins | | | 1hr to 1hr 59 mins | | | 2hrs to 3hrs | | | More than 3hrs | | |
|----------------------------|-------------------|-----------|-----------------|------|------------|---------------|------|------------|---------------|-----|------------|--------------------|------|------------|--------------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5986 | 2,212,785 | 2670 | 43.5 | 41.7-45.3 | 563 | 9.1 | 8.1-10.1 | 26 | 0.4 | 0.2- 0.6 | 1471 | 25.8 | 24.2-27.4 | 829 | 14.1 | 12.9-15.3 | 427 | 7.0 | 6.2- 7.8 |
| Male | 2677 | 1,103,307 | 1123 | 41.5 | 39.1-43.9 | 249 | 8.5 | 7.1- 9.9 | 13 | 0.5 | 0.1- 0.9 | 644 | 26.3 | 24.1-28.5 | 413 | 14.8 | 13.0-16.6 | 235 | 8.5 | 7.1- 9.9 |
| Female | 3309 | 1,109,477 | 1547 | 45.6 | 43.2-48.0 | 314 | 9.7 | 8.3-11.1 | 13 | 0.3 | 0.1- 0.5 | 827 | 25.4 | 23.2-27.6 | 416 | 13.5 | 11.7-15.3 | 192 | 5.6 | 4.4- 6.8 |
| White/Non-Hisp | 5174 | 1,854,148 | 2314 | 44.0 | 42.2-45.8 | 487 | 9.0 | 8.0-10.0 | 21 | 0.3 | 0.1- 0.5 | 1251 | 25.2 | 23.6-26.8 | 718 | 14.2 | 12.8-15.6 | 383 | 7.4 | 6.4- 8.4 |
| Black or Afr. Am./Non-Hisp | 290 | 138,030 | 139 | 43.9 | 36.1-51.7 | 23 | 8.2 | 3.9-12.5 | | | | 72 | 25.7 | 19.0-32.4 | 40 | 16.1 | 10.4-21.8 | 16 | 6.1 | 2.6- 9.6 |
| Oth. Race/Non-Hisp. | 130 | 65,096 | 54 | 39.9 | 29.3-50.5 | 16 | 11.6 | 5.5-17.7 | 1 | 1.6 | 0.0- 4.7 | 42 | 34.1 | 23.7-44.5 | 14 | 11.6 | 4.5-18.7 | 3 | 1.1 | 0.0- 2.7 |
| MultiRacial/Non-Hisp. | 104 | 29,128 | 43 | 37.8 | 26.4-49.2 | 7 | 11.6 | 2.4-20.8 | 1 | 2.0 | 0.0- 5.9 | 28 | 26.1 | 15.5-36.7 | 18 | 13.3 | 6.2-20.4 | 7 | 9.1 | 0.0-19.3 |
| Hispanic | 203 | 96,508 | 87 | 40.7 | 32.5-48.9 | 24 | 10.3 | 5.2-15.4 | 2 | 0.9 | 0.0- 2.3 | 58 | 32.4 | 23.8-41.0 | 24 | 11.5 | 6.4-16.6 | 8 | 4.3 | 0.8- 7.8 |
| 18-24 | 388 | 366,134 | 171 | 45.9 | 40.2-51.6 | 37 | 9.2 | 5.9-12.5 | 2 | 0.4 | 0.0- 1.0 | 118 | 28.9 | 23.8-34.0 | 46 | 11.7 | 8.0-15.4 | 14 | 3.8 | 1.4- 6.2 |
| 25-34 | 570 | 386,363 | 256 | 42.1 | 37.4-46.8 | 53 | 9.2 | 6.5-11.9 | 3 | 0.5 | 0.0- 1.1 | 147 | 25.8 | 21.7-29.9 | 73 | 14.5 | 11.0-18.0 | 38 | 8.0 | 5.3-10.7 |
| 35-44 | 630 | 342,557 | 279 | 42.1 | 37.8-46.4 | 71 | 9.6 | 7.1-12.1 | | | | 166 | 28.0 | 23.9-32.1 | 77 | 13.1 | 10.2-16.0 | 37 | 7.3 | 4.9- 9.7 |
| 45-54 | 968 | 363,624 | 401 | 40.6 | 36.9-44.3 | 112 | 10.2 | 8.0-12.4 | 4 | 0.3 | 0.0- 0.7 | 266 | 27.8 | 24.5-31.1 | 124 | 14.3 | 11.6-17.0 | 61 | 6.9 | 4.9- 8.9 |
| 55-64 | 1273 | 350,772 | 595 | 45.6 | 42.3-48.9 | 118 | 9.2 | 7.2-11.2 | 7 | 0.4 | 0.0- 0.8 | 295 | 23.2 | 20.5-25.9 | 170 | 14.5 | 12.1-16.9 | 88 | 6.9 | 5.3- 8.5 |
| 65+ | 2157 | 403,335 | 968 | 44.9 | 42.4-47.4 | 172 | 7.4 | 6.2- 8.6 | 10 | 0.4 | 0.2- 0.6 | 479 | 21.9 | 19.7-24.1 | 339 | 16.5 | 14.5-18.5 | 189 | 8.9 | 7.5-10.3 |
| Less Than H.S. | 230 | 152,253 | 106 | 46.8 | 38.0-55.6 | 16 | 7.2 | 2.5-11.9 | | | | 57 | 25.1 | 17.8-32.4 | 34 | 9.9 | 6.0-13.8 | 17 | 11.1 | 4.6-17.6 |
| H.S. or G.E.D. | 1552 | 648,942 | 662 | 40.8 | 37.7-43.9 | 109 | 7.5 | 5.7- 9.3 | 6 | 0.2 | 0.0- 0.4 | 374 | 26.9 | 24.0-29.8 | 256 | 15.9 | 13.5-18.3 | 145 | 8.7 | 6.9-10.5 |
| Some Post-H.S. | 1555 | 729,881 | 669 | 41.2 | 38.1-44.3 | 126 | 8.2 | 6.4-10.0 | 4 | 0.3 | 0.0- 0.7 | 375 | 25.9 | 23.2-28.6 | 247 | 17.2 | 14.7-19.7 | 134 | 7.2 | 5.8- 8.6 |
| College Graduate | 2640 | 675,404 | 1229 | 47.9 | 45.5-50.3 | 312 | 12.2 | 10.6-13.8 | 16 | 0.6 | 0.2- 1.0 | 663 | 24.8 | 22.6-27.0 | 289 | 10.1 | 8.7-11.5 | 131 | 4.3 | 3.3- 5.3 |
| Less than \$15,000 | 330 | 126,043 | 152 | 42.4 | 35.0-49.8 | 21 | 5.4 | 2.3- 8.5 | 1 | 0.1 | 0.0- 0.3 | 78 | 27.4 | 20.3-34.5 | 57 | 18.6 | 13.1-24.1 | 21 | 6.0 | 2.7- 9.3 |
| \$15,000- 24,999 | 700 | 262,765 | 315 | 41.9 | 37.0-46.8 | 44 | 6.4 | 4.2- 8.6 | 3 | 0.4 | 0.0- 1.0 | 184 | 28.2 | 23.5-32.9 | 93 | 13.2 | 9.9-16.5 | 61 | 9.9 | 6.4-13.4 |
| \$25,000- 34,999 | 526 | 192,771 | 260 | 47.2 | 41.5-52.9 | 47 | 7.9 | 5.0-10.8 | 3 | 0.3 | 0.0- 0.7 | 102 | 19.1 | 14.8-23.4 | 78 | 16.8 | 12.3-21.3 | 36 | 8.6 | 4.7-12.5 |
| \$35,000- 49,999 | 804 | 304,143 | 366 | 46.6 | 41.7-51.5 | 66 | 8.0 | 5.5-10.5 | 4 | 0.6 | 0.0- 1.4 | 200 | 24.6 | 20.5-28.7 | 124 | 15.3 | 11.8-18.8 | 44 | 4.9 | 2.7- 7.1 |
| \$50,000- 74,999 | 1017 | 377,770 | 450 | 43.2 | 39.1-47.3 | 87 | 7.8 | 5.6-10.0 | 4 | 0.4 | 0.0- 0.8 | 263 | 27.6 | 23.7-31.5 | 156 | 15.9 | 12.8-19.0 | 57 | 5.0 | 3.4- 6.6 |
| \$75,000+ | 2029 | 754,490 | 871 | 43.0 | 40.3-45.7 | 244 | 11.3 | 9.5-13.1 | 10 | 0.3 | 0.1- 0.5 | 513 | 25.8 | 23.3-28.3 | 246 | 12.2 | 10.4-14.0 | 145 | 7.4 | 6.0- 8.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 20: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 30 mins or less | | | 31 to 45 mins | | | 46 to 59 mins | | | 1hr to 1hr 59 mins | | | 2hrs to 3hrs | | | More than 3hrs | | |
|----------------------------|-------------------|-----------|-----------------|------|------------|---------------|------|------------|---------------|-----|------------|--------------------|------|------------|--------------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2677 | 1,103,307 | 1123 | 41.5 | 39.0-44.0 | 249 | 8.5 | 7.1-9.9 | 13 | 0.5 | 0.1-0.9 | 644 | 26.3 | 24.1-28.5 | 413 | 14.8 | 13.0-16.6 | 235 | 8.5 | 7.1-9.9 |
| White/Non-Hisp | 2280 | 911,301 | 962 | 41.6 | 38.9-44.3 | 215 | 8.6 | 7.0-10.2 | 9 | 0.3 | 0.1-0.5 | 534 | 25.6 | 23.2-28.0 | 351 | 15.0 | 13.0-17.0 | 209 | 8.9 | 7.3-10.5 |
| Black or Afr. Am./Non-Hisp | 123 | 73,939 | 53 | 42.0 | 30.6-53.4 | 13 | 10.5 | 3.4-17.6 | | | | 25 | 20.7 | 12.1-29.3 | 22 | 17.8 | 9.8-25.8 | 10 | 9.0 | 2.7-15.3 |
| Oth. Race/Non-Hisp. | 80 | 41,090 | 31 | 41.8 | 28.3-55.3 | 8 | 9.4 | 2.3-16.5 | 1 | 2.6 | 0.0-7.7 | 29 | 37.5 | 24.6-50.4 | 8 | 6.8 | 1.3-12.3 | 3 | 1.8 | 0.0-4.2 |
| MultiRacial/Non-Hisp. | 55 | 15,029 | 20 | 31.8 | 18.1-45.5 | 4 | 9.3 | 0.0-19.1 | 1 | 3.9 | 0.0-11.3 | 14 | 30.7 | 15.0-46.4 | 13 | 18.6 | 7.6-29.6 | 3 | 5.6 | 0.0-12.9 |
| Hispanic | 94 | 44,414 | 43 | 43.1 | 30.6-55.6 | 7 | 5.0 | 0.5-9.5 | 1 | 0.5 | 0.0-1.5 | 26 | 35.1 | 21.8-48.4 | 11 | 10.1 | 3.4-16.8 | 6 | 6.2 | 0.9-11.5 |
| 18-24 | 219 | 189,221 | 93 | 45.8 | 38.2-53.4 | 17 | 7.2 | 3.3-11.1 | 2 | 0.9 | 0.0-2.1 | 66 | 29.1 | 22.2-36.0 | 30 | 12.5 | 7.8-17.2 | 11 | 4.5 | 1.8-7.2 |
| 25-34 | 301 | 208,959 | 132 | 42.6 | 36.1-49.1 | 25 | 8.4 | 4.7-12.1 | 2 | 0.6 | 0.0-1.4 | 74 | 24.3 | 18.6-30.0 | 43 | 14.4 | 9.9-18.9 | 25 | 9.7 | 5.4-14.0 |
| 35-44 | 280 | 169,350 | 114 | 39.5 | 33.0-46.0 | 25 | 7.3 | 4.0-10.6 | | | | 80 | 30.7 | 24.4-37.0 | 39 | 13.4 | 9.1-17.7 | 22 | 9.2 | 5.3-13.1 |
| 45-54 | 438 | 184,105 | 172 | 38.2 | 32.9-43.5 | 47 | 10.1 | 6.8-13.4 | 1 | 0.1 | 0.0-0.3 | 126 | 29.5 | 24.4-34.6 | 57 | 14.1 | 10.2-18.0 | 35 | 8.0 | 5.1-10.9 |
| 55-64 | 596 | 169,664 | 261 | 41.2 | 36.5-45.9 | 65 | 10.5 | 7.8-13.2 | 3 | 0.5 | 0.0-1.1 | 129 | 23.3 | 19.2-27.4 | 89 | 16.1 | 12.6-19.6 | 49 | 8.4 | 5.9-10.9 |
| 65+ | 843 | 182,008 | 351 | 41.2 | 37.1-45.3 | 70 | 7.8 | 5.6-10.0 | 5 | 0.6 | 0.0-1.2 | 169 | 21.3 | 18.0-24.6 | 155 | 18.2 | 15.1-21.3 | 93 | 10.9 | 8.5-13.3 |
| Less Than H.S. | 107 | 78,593 | 47 | 42.1 | 29.8-54.4 | 4 | 5.0 | 0.0-11.9 | | | | 32 | 32.2 | 20.8-43.6 | 16 | 9.8 | 4.1-15.5 | 8 | 10.9 | 2.7-19.1 |
| H.S. or G.E.D. | 661 | 333,358 | 267 | 38.9 | 34.4-43.4 | 48 | 7.3 | 4.8-9.8 | 4 | 0.3 | 0.0-0.7 | 160 | 26.3 | 22.0-30.6 | 118 | 17.6 | 14.1-21.1 | 64 | 9.5 | 6.8-12.2 |
| Some Post-H.S. | 671 | 349,320 | 257 | 39.3 | 34.8-43.8 | 52 | 7.9 | 5.4-10.4 | 4 | 0.6 | 0.0-1.4 | 165 | 27.1 | 23.0-31.2 | 115 | 15.8 | 12.5-19.1 | 78 | 9.4 | 7.0-11.8 |
| College Graduate | 1232 | 337,323 | 550 | 45.8 | 42.3-49.3 | 145 | 11.3 | 9.1-13.5 | 5 | 0.5 | 0.0-1.1 | 286 | 24.3 | 21.4-27.2 | 161 | 12.0 | 9.8-14.2 | 85 | 6.0 | 4.4-7.6 |
| Less than \$15,000 | 123 | 52,013 | 59 | 43.3 | 32.3-54.3 | 5 | 3.1 | 0.2-6.0 | 1 | 0.3 | 0.0-0.9 | 29 | 27.1 | 16.5-37.7 | 21 | 19.1 | 10.3-27.9 | 8 | 7.1 | 1.2-13.0 |
| \$15,000- 24,999 | 281 | 122,020 | 117 | 38.4 | 31.1-45.7 | 20 | 6.1 | 3.0-9.2 | 3 | 0.9 | 0.0-2.1 | 74 | 31.3 | 24.0-38.6 | 43 | 14.4 | 9.3-19.5 | 24 | 9.0 | 4.7-13.3 |
| \$25,000- 34,999 | 216 | 88,607 | 97 | 45.3 | 36.7-53.9 | 22 | 8.4 | 3.9-12.9 | 2 | 0.4 | 0.0-1.0 | 44 | 20.9 | 14.2-27.6 | 36 | 14.8 | 9.3-20.3 | 15 | 10.3 | 3.6-17.0 |
| \$35,000- 49,999 | 363 | 157,756 | 156 | 46.8 | 39.7-53.9 | 31 | 7.6 | 4.5-10.7 | 3 | 1.0 | 0.0-2.4 | 89 | 25.9 | 19.8-32.0 | 59 | 14.1 | 9.6-18.6 | 25 | 4.6 | 2.2-7.0 |
| \$50,000- 74,999 | 444 | 177,333 | 193 | 40.9 | 35.0-46.8 | 35 | 7.9 | 4.8-11.0 | 1 | 0.2 | 0.0-0.6 | 104 | 26.3 | 20.6-32.0 | 78 | 18.1 | 13.2-23.0 | 33 | 6.7 | 4.0-9.4 |
| \$75,000+ | 1065 | 425,591 | 431 | 40.4 | 36.7-44.1 | 115 | 9.4 | 7.2-11.6 | 2 | 0.3 | 0.0-0.7 | 269 | 26.6 | 23.1-30.1 | 149 | 13.5 | 11.0-16.0 | 99 | 9.8 | 7.4-12.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 21: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 30 mins or less | | | 31 to 45 mins | | | 46 to 59 mins | | | 1hr to 1hr 59 mins | | | 2hrs to 3hrs | | | More than 3hrs | | |
|----------------------------|-------------------|-----------|-----------------|------|------------|---------------|------|------------|---------------|-----|------------|--------------------|------|------------|--------------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3309 | 1,109,477 | 1547 | 45.6 | 43.2-48.0 | 314 | 9.7 | 8.3-11.1 | 13 | 0.3 | 0.1- 0.5 | 827 | 25.4 | 23.2-27.6 | 416 | 13.5 | 11.7-15.3 | 192 | 5.6 | 4.4- 6.8 |
| White/Non-Hisp | 2894 | 942,847 | 1352 | 46.3 | 43.8-48.8 | 272 | 9.4 | 7.8-11.0 | 12 | 0.2 | 0.0- 0.4 | 717 | 24.8 | 22.6-27.0 | 367 | 13.4 | 11.6-15.2 | 174 | 5.9 | 4.7- 7.1 |
| Black or Afr. Am./Non-Hisp | 167 | 64,091 | 86 | 46.1 | 35.3-56.9 | 10 | 5.6 | 0.7-10.5 | | | | 47 | 31.5 | 21.3-41.7 | 18 | 14.1 | 6.1-22.1 | 6 | 2.8 | 0.1- 5.5 |
| Oth. Race/Non-Hisp. | 50 | 24,005 | 23 | 36.6 | 19.4-53.8 | 8 | 15.3 | 3.9-26.7 | | | | 13 | 28.2 | 11.3-45.1 | 6 | 19.9 | 4.0-35.8 | | | |
| Hispanic | 109 | 52,094 | 44 | 38.6 | 27.6-49.6 | 17 | 14.7 | 6.5-22.9 | 1 | 1.2 | 0.0- 3.6 | 32 | 30.2 | 19.2-41.2 | 13 | 12.6 | 5.0-20.2 | 2 | 2.7 | 0.0- 7.4 |
| 18-24 | 169 | 176,913 | 78 | 46.0 | 37.4-54.6 | 20 | 11.4 | 6.1-16.7 | | | | 52 | 28.7 | 21.1-36.3 | 16 | 10.9 | 5.2-16.6 | 3 | 3.1 | 0.0- 7.0 |
| 25-34 | 269 | 177,404 | 124 | 41.6 | 34.9-48.3 | 28 | 10.0 | 6.1-13.9 | 1 | 0.4 | 0.0- 1.2 | 73 | 27.4 | 21.1-33.7 | 30 | 14.6 | 9.3-19.9 | 13 | 6.0 | 2.5- 9.5 |
| 35-44 | 350 | 173,206 | 165 | 44.7 | 38.8-50.6 | 46 | 11.8 | 8.1-15.5 | | | | 86 | 25.3 | 20.0-30.6 | 38 | 12.8 | 8.7-16.9 | 15 | 5.4 | 2.7- 8.1 |
| 45-54 | 530 | 179,519 | 229 | 43.0 | 38.1-47.9 | 65 | 10.4 | 7.7-13.1 | 3 | 0.5 | 0.0- 1.3 | 140 | 25.9 | 21.6-30.2 | 67 | 14.4 | 10.7-18.1 | 26 | 5.7 | 3.2- 8.2 |
| 55-64 | 677 | 181,108 | 334 | 49.8 | 45.3-54.3 | 53 | 8.1 | 5.6-10.6 | 4 | 0.4 | 0.0- 0.8 | 166 | 23.1 | 19.4-26.8 | 81 | 13.0 | 9.7-16.3 | 39 | 5.5 | 3.5- 7.5 |
| 65+ | 1314 | 221,327 | 617 | 47.9 | 44.6-51.2 | 102 | 7.0 | 5.4- 8.6 | 5 | 0.3 | 0.1- 0.5 | 310 | 22.4 | 19.7-25.1 | 184 | 15.0 | 12.6-17.4 | 96 | 7.3 | 5.7- 8.9 |
| Less Than H.S. | 123 | 73,660 | 59 | 51.7 | 39.4-64.0 | 12 | 9.4 | 3.1-15.7 | | | | 25 | 17.5 | 8.9-26.1 | 18 | 9.9 | 4.6-15.2 | 9 | 11.4 | 1.6-21.2 |
| H.S. or G.E.D. | 891 | 315,584 | 395 | 42.8 | 38.3-47.3 | 61 | 7.7 | 5.2-10.2 | 2 | 0.1 | 0.0- 0.3 | 214 | 27.6 | 23.5-31.7 | 138 | 14.0 | 10.9-17.1 | 81 | 7.9 | 5.7-10.1 |
| Some Post-H.S. | 884 | 380,561 | 412 | 42.9 | 38.8-47.0 | 74 | 8.4 | 6.0-10.8 | | | | 210 | 24.9 | 21.0-28.8 | 132 | 18.6 | 14.9-22.3 | 56 | 5.2 | 3.6- 6.8 |
| College Graduate | 1408 | 338,081 | 679 | 50.0 | 46.7-53.3 | 167 | 13.0 | 10.6-15.4 | 11 | 0.7 | 0.1- 1.3 | 377 | 25.4 | 22.5-28.3 | 128 | 8.2 | 6.4-10.0 | 46 | 2.6 | 1.6- 3.6 |
| Less than \$15,000 | 207 | 74,030 | 93 | 41.8 | 32.0-51.6 | 16 | 7.0 | 2.3-11.7 | | | | 49 | 27.7 | 18.5-36.9 | 36 | 18.2 | 11.1-25.3 | 13 | 5.3 | 1.6- 9.0 |
| \$15,000- 24,999 | 419 | 140,745 | 198 | 45.0 | 38.1-51.9 | 24 | 6.6 | 3.5- 9.7 | | | | 110 | 25.5 | 19.4-31.6 | 50 | 12.1 | 7.6-16.6 | 37 | 10.7 | 5.4-16.0 |
| \$25,000- 34,999 | 310 | 104,165 | 163 | 48.8 | 41.2-56.4 | 25 | 7.6 | 3.9-11.3 | 1 | 0.2 | 0.0- 0.6 | 58 | 17.7 | 12.0-23.4 | 42 | 18.5 | 11.8-25.2 | 21 | 7.3 | 3.0-11.6 |
| \$35,000- 49,999 | 441 | 146,387 | 210 | 46.4 | 39.7-53.1 | 35 | 8.5 | 4.8-12.2 | 1 | 0.1 | 0.0- 0.3 | 111 | 23.3 | 17.6-29.0 | 65 | 16.6 | 11.3-21.9 | 19 | 5.2 | 1.7- 8.7 |
| \$50,000- 74,999 | 573 | 200,437 | 257 | 45.3 | 39.6-51.0 | 52 | 7.7 | 4.8-10.6 | 3 | 0.7 | 0.0- 1.5 | 159 | 28.8 | 23.7-33.9 | 78 | 14.0 | 9.7-18.3 | 24 | 3.4 | 1.8- 5.0 |
| \$75,000+ | 964 | 328,899 | 440 | 46.3 | 42.2-50.4 | 129 | 13.7 | 10.8-16.6 | 8 | 0.4 | 0.2- 0.6 | 244 | 24.7 | 21.2-28.2 | 97 | 10.6 | 8.1-13.1 | 46 | 4.3 | 2.7- 5.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 22: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-5 days per week | | | 5 or more days per week | | | 1-10 days per month | | | 11 to 15 days per month | | | 16 or more days per month | | | Never | | |
|----------------------------|-------------------|-----------|-------------------|------|------------|-------------------------|------|------------|---------------------|------|------------|-------------------------|-----|------------|---------------------------|-----|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 12477 | 4,541,727 | 2251 | 19.0 | 18.0-20.0 | 722 | 6.7 | 6.1- 7.3 | 1007 | 9.0 | 8.2- 9.8 | 154 | 1.4 | 1.0- 1.8 | 271 | 2.5 | 2.1- 2.9 | 8072 | 61.4 | 60.2-62.6 |
| Male | 5347 | 2,206,873 | 997 | 19.6 | 18.2-21.0 | 379 | 8.3 | 7.3- 9.3 | 433 | 8.5 | 7.5- 9.5 | 90 | 1.8 | 1.4- 2.2 | 161 | 3.6 | 2.8- 4.4 | 3287 | 58.3 | 56.5-60.1 |
| Female | 7130 | 2,334,854 | 1254 | 18.4 | 17.2-19.6 | 343 | 5.1 | 4.3- 5.9 | 574 | 9.4 | 8.4-10.4 | 64 | 1.1 | 0.7- 1.5 | 110 | 1.5 | 1.1- 1.9 | 4785 | 64.4 | 62.8-66.0 |
| White/Non-Hisp | 10542 | 3,690,057 | 1849 | 18.4 | 17.4-19.4 | 617 | 6.6 | 5.8- 7.4 | 844 | 8.9 | 8.1- 9.7 | 130 | 1.4 | 1.0- 1.8 | 223 | 2.3 | 1.9- 2.7 | 6879 | 62.3 | 60.9-63.7 |
| Black or Afr. Am./Non-Hisp | 787 | 363,268 | 167 | 21.5 | 17.4-25.6 | 41 | 7.8 | 4.9-10.7 | 72 | 12.0 | 8.7-15.3 | 12 | 2.3 | 0.7- 3.9 | 14 | 2.3 | 0.7- 3.9 | 481 | 54.2 | 49.5-58.9 |
| Oth. Race/Non-Hisp. | 249 | 107,932 | 62 | 29.2 | 21.6-36.8 | 14 | 6.7 | 2.8-10.6 | 20 | 7.3 | 3.6-11.0 | | | | 10 | 4.2 | 0.0- 8.9 | 143 | 52.5 | 44.1-60.9 |
| MultiRacial/Non-Hisp. | 191 | 55,360 | 34 | 18.5 | 10.9-26.1 | 17 | 10.2 | 4.3-16.1 | 16 | 8.9 | 4.0-13.8 | 4 | 1.7 | 0.0- 3.7 | 5 | 2.7 | 0.0- 5.4 | 115 | 58.0 | 49.0-67.0 |
| Hispanic | 506 | 250,917 | 112 | 20.9 | 16.8-25.0 | 24 | 5.5 | 3.1- 7.9 | 43 | 6.9 | 4.5- 9.3 | 4 | 0.7 | 0.0- 1.5 | 15 | 5.1 | 2.0- 8.2 | 308 | 60.8 | 55.5-66.1 |
| 18-24 | 608 | 593,111 | 165 | 26.6 | 22.7-30.5 | 69 | 12.0 | 9.1-14.9 | 85 | 12.7 | 9.8-15.6 | 9 | 1.6 | 0.4- 2.8 | 26 | 4.2 | 2.2- 6.2 | 254 | 42.8 | 38.3-47.3 |
| 25-34 | 1060 | 741,652 | 250 | 23.0 | 20.1-25.9 | 87 | 9.0 | 7.0-11.0 | 131 | 11.3 | 9.1-13.5 | 25 | 2.5 | 1.3- 3.7 | 30 | 3.2 | 2.0- 4.4 | 537 | 51.1 | 47.6-54.6 |
| 35-44 | 1259 | 727,942 | 250 | 18.1 | 15.7-20.5 | 63 | 5.1 | 3.7- 6.5 | 140 | 11.2 | 9.2-13.2 | 23 | 1.6 | 0.8- 2.4 | 27 | 2.5 | 1.3- 3.7 | 756 | 61.5 | 58.4-64.6 |
| 45-54 | 1925 | 753,743 | 390 | 19.7 | 17.5-21.9 | 91 | 5.2 | 4.0- 6.4 | 190 | 8.9 | 7.5-10.3 | 16 | 1.0 | 0.4- 1.6 | 40 | 2.2 | 1.4- 3.0 | 1198 | 63.1 | 60.6-65.6 |
| 55-64 | 2747 | 790,679 | 453 | 15.9 | 14.3-17.5 | 141 | 4.7 | 3.7- 5.7 | 187 | 6.2 | 5.2- 7.2 | 31 | 1.2 | 0.8- 1.6 | 58 | 1.8 | 1.2- 2.4 | 1877 | 70.1 | 68.1-72.1 |
| 65+ | 4878 | 934,600 | 743 | 13.7 | 12.5-14.9 | 271 | 5.5 | 4.7- 6.3 | 274 | 5.4 | 4.6- 6.2 | 50 | 1.0 | 0.6- 1.4 | 90 | 1.7 | 1.3- 2.1 | 3450 | 72.7 | 71.1-74.3 |
| Less Than H.S. | 902 | 550,485 | 99 | 12.5 | 9.4-15.6 | 38 | 5.5 | 3.3- 7.7 | 39 | 4.8 | 2.8- 6.8 | 3 | 0.2 | 0.0- 0.4 | 22 | 2.9 | 1.3- 4.5 | 701 | 74.0 | 69.9-78.1 |
| H.S. or G.E.D. | 4099 | 1,515,351 | 540 | 15.4 | 13.8-17.0 | 211 | 6.8 | 5.6- 8.0 | 236 | 7.6 | 6.4- 8.8 | 38 | 1.4 | 0.8- 2.0 | 71 | 2.2 | 1.4- 3.0 | 3003 | 66.5 | 64.5-68.5 |
| Some Post-H.S. | 3174 | 1,418,992 | 556 | 19.6 | 17.8-21.4 | 198 | 7.1 | 5.9- 8.3 | 248 | 9.4 | 8.0-10.8 | 38 | 1.6 | 1.0- 2.2 | 68 | 2.5 | 1.7- 3.3 | 2066 | 59.7 | 57.5-61.9 |
| College Graduate | 4274 | 1,047,562 | 1053 | 26.7 | 24.9-28.5 | 275 | 6.6 | 5.6- 7.6 | 481 | 12.4 | 11.0-13.8 | 75 | 1.9 | 1.3- 2.5 | 109 | 2.6 | 2.0- 3.2 | 2281 | 49.8 | 47.8-51.8 |
| Less than \$15,000 | 1084 | 393,377 | 128 | 13.2 | 10.5-15.9 | 56 | 6.4 | 4.0- 8.8 | 73 | 8.0 | 5.6-10.4 | 8 | 0.6 | 0.2- 1.0 | 29 | 2.5 | 1.3- 3.7 | 790 | 69.2 | 65.3-73.1 |
| \$15,000- 24,999 | 2012 | 720,399 | 264 | 14.3 | 12.1-16.5 | 97 | 6.0 | 4.4- 7.6 | 122 | 7.4 | 5.8- 9.0 | 21 | 1.1 | 0.3- 1.9 | 38 | 2.4 | 1.2- 3.6 | 1470 | 68.8 | 65.9-71.7 |
| \$25,000- 34,999 | 1304 | 457,950 | 216 | 18.0 | 15.1-20.9 | 66 | 5.5 | 3.7- 7.3 | 83 | 7.5 | 5.5- 9.5 | 7 | 0.8 | 0.2- 1.4 | 22 | 1.7 | 0.7- 2.7 | 910 | 66.6 | 63.1-70.1 |
| \$35,000- 49,999 | 1714 | 646,936 | 285 | 18.0 | 15.3-20.7 | 101 | 6.6 | 4.8- 8.4 | 131 | 8.7 | 6.7-10.7 | 25 | 1.4 | 0.6- 2.2 | 45 | 3.2 | 2.0- 4.4 | 1127 | 62.1 | 58.8-65.4 |
| \$50,000- 74,999 | 1831 | 683,746 | 349 | 20.5 | 18.0-23.0 | 121 | 6.7 | 5.1- 8.3 | 177 | 10.6 | 8.4-12.8 | 24 | 1.5 | 0.7- 2.3 | 38 | 2.7 | 1.3- 4.1 | 1122 | 58.0 | 54.9-61.1 |
| \$75,000+ | 3207 | 1,198,417 | 800 | 24.8 | 22.8-26.8 | 204 | 7.3 | 6.1- 8.5 | 346 | 11.0 | 9.6-12.4 | 58 | 2.3 | 1.5- 3.1 | 75 | 2.8 | 2.0- 3.6 | 1724 | 51.8 | 49.6-54.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 23: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-5 days per week | | | 5 or more days per week | | | 1-10 days per month | | | 11 to 15 days per month | | | 16 or more days per month | | | Never | | |
|----------------------------|-------------------|-----------|-------------------|------|------------|-------------------------|------|------------|---------------------|------|------------|-------------------------|-----|------------|---------------------------|-----|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5347 | 2,206,873 | 997 | 19.6 | 18.2-21.0 | 379 | 8.3 | 7.3- 9.3 | 433 | 8.5 | 7.5- 9.5 | 90 | 1.8 | 1.4- 2.2 | 161 | 3.6 | 2.8- 4.4 | 3287 | 58.3 | 56.5-60.1 |
| White/Non-Hisp | 4470 | 1,785,545 | 811 | 19.0 | 17.4-20.6 | 310 | 8.0 | 6.8- 9.2 | 357 | 8.2 | 7.2- 9.2 | 79 | 1.8 | 1.2- 2.4 | 134 | 3.4 | 2.6- 4.2 | 2779 | 59.6 | 57.6-61.6 |
| Black or Afr. Am./Non-Hisp | 290 | 167,784 | 77 | 27.3 | 20.2-34.4 | 23 | 10.4 | 5.9-14.9 | 28 | 14.4 | 8.7-20.1 | 5 | 2.1 | 0.1- 4.1 | 8 | 4.2 | 0.9- 7.5 | 149 | 41.8 | 34.7-48.9 |
| Oth. Race/Non-Hisp. | 144 | 61,881 | 33 | 27.0 | 17.4-36.6 | 11 | 9.8 | 3.3-16.3 | 14 | 9.0 | 3.3-14.7 | | | | 6 | 1.5 | 0.0- 3.1 | 80 | 52.7 | 42.3-63.1 |
| MultiRacial/Non-Hisp. | 102 | 29,657 | 19 | 19.8 | 10.4-29.2 | 10 | 9.3 | 3.0-15.6 | 6 | 6.4 | 0.9-11.9 | 2 | 1.6 | 0.0- 4.1 | 1 | 0.6 | 0.0- 1.8 | 64 | 62.4 | 51.0-73.8 |
| Hispanic | 229 | 117,963 | 43 | 15.9 | 10.8-21.0 | 19 | 9.3 | 4.8-13.8 | 20 | 6.2 | 2.9- 9.5 | 2 | 1.0 | 0.0- 2.6 | 11 | 8.3 | 2.8-13.8 | 134 | 59.3 | 51.5-67.1 |
| 18-24 | 346 | 308,584 | 92 | 29.0 | 23.3-34.7 | 45 | 13.4 | 9.3-17.5 | 47 | 11.5 | 8.0-15.0 | 5 | 1.2 | 0.0- 2.4 | 21 | 6.1 | 3.2- 9.0 | 136 | 38.8 | 32.9-44.7 |
| 25-34 | 527 | 376,834 | 112 | 21.2 | 17.1-25.3 | 64 | 12.4 | 9.3-15.5 | 64 | 10.5 | 7.8-13.2 | 17 | 3.6 | 1.6- 5.6 | 19 | 4.4 | 2.2- 6.6 | 251 | 47.9 | 43.0-52.8 |
| 35-44 | 550 | 355,761 | 108 | 17.7 | 14.2-21.2 | 40 | 7.2 | 4.7- 9.7 | 56 | 10.4 | 7.3-13.5 | 13 | 2.1 | 0.9- 3.3 | 21 | 4.3 | 2.1- 6.5 | 312 | 58.3 | 53.6-63.0 |
| 45-54 | 857 | 372,176 | 179 | 21.1 | 18.0-24.2 | 51 | 6.7 | 4.5- 8.9 | 80 | 8.0 | 5.8-10.2 | 7 | 0.8 | 0.0- 1.6 | 21 | 2.9 | 1.3- 4.5 | 519 | 60.4 | 56.5-64.3 |
| 55-64 | 1265 | 384,832 | 207 | 16.1 | 13.7-18.5 | 66 | 4.9 | 3.5- 6.3 | 77 | 5.7 | 4.1- 7.3 | 20 | 1.7 | 0.9- 2.5 | 36 | 2.2 | 1.4- 3.0 | 859 | 69.6 | 66.7-72.5 |
| 65+ | 1802 | 408,685 | 299 | 14.8 | 12.8-16.8 | 113 | 6.2 | 4.8- 7.6 | 109 | 5.7 | 4.5- 6.9 | 28 | 1.3 | 0.7- 1.9 | 43 | 2.1 | 1.3- 2.9 | 1210 | 69.9 | 67.4-72.4 |
| Less Than H.S. | 377 | 276,801 | 53 | 16.6 | 11.3-21.9 | 17 | 6.0 | 2.9- 9.1 | 16 | 3.5 | 1.5- 5.5 | 2 | 0.2 | 0.0- 0.6 | 13 | 3.8 | 1.3- 6.3 | 276 | 69.9 | 63.8-76.0 |
| H.S. or G.E.D. | 1690 | 760,379 | 245 | 16.4 | 14.0-18.8 | 119 | 8.7 | 6.9-10.5 | 115 | 8.0 | 6.2- 9.8 | 23 | 1.9 | 0.9- 2.9 | 45 | 3.2 | 2.0- 4.4 | 1143 | 61.8 | 58.9-64.7 |
| Some Post-H.S. | 1307 | 649,757 | 255 | 21.2 | 18.5-23.9 | 104 | 9.1 | 7.1-11.1 | 96 | 8.7 | 6.5-10.9 | 20 | 1.8 | 0.8- 2.8 | 41 | 4.2 | 2.6- 5.8 | 791 | 55.1 | 51.8-58.4 |
| College Graduate | 1958 | 513,568 | 441 | 23.9 | 21.5-26.3 | 139 | 8.0 | 6.4- 9.6 | 206 | 11.7 | 9.9-13.5 | 45 | 2.5 | 1.5- 3.5 | 61 | 3.2 | 2.2- 4.2 | 1066 | 50.7 | 48.0-53.4 |
| Less than \$15,000 | 372 | 156,501 | 51 | 16.1 | 11.0-21.2 | 20 | 6.6 | 3.3- 9.9 | 29 | 6.5 | 3.6- 9.4 | 5 | 1.1 | 0.0- 2.3 | 12 | 2.7 | 0.9- 4.5 | 255 | 66.9 | 60.6-73.2 |
| \$15,000- 24,999 | 757 | 323,394 | 122 | 17.8 | 14.1-21.5 | 46 | 7.9 | 5.2-10.6 | 46 | 6.3 | 4.1- 8.5 | 7 | 0.8 | 0.0- 1.6 | 20 | 3.1 | 1.1- 5.1 | 516 | 64.1 | 59.6-68.6 |
| \$25,000- 34,999 | 509 | 209,451 | 87 | 18.3 | 13.6-23.0 | 36 | 7.0 | 4.1- 9.9 | 29 | 7.6 | 4.5-10.7 | 5 | 1.4 | 0.0- 2.8 | 9 | 2.2 | 0.4- 4.0 | 343 | 63.5 | 57.8-69.2 |
| \$35,000- 49,999 | 799 | 338,545 | 136 | 20.6 | 16.5-24.7 | 53 | 7.8 | 5.3-10.3 | 60 | 8.7 | 6.2-11.2 | 13 | 1.4 | 0.4- 2.4 | 30 | 4.9 | 2.7- 7.1 | 507 | 56.7 | 52.0-61.4 |
| \$50,000- 74,999 | 845 | 348,145 | 150 | 18.9 | 15.4-22.4 | 68 | 8.7 | 6.2-11.2 | 73 | 9.3 | 6.6-12.0 | 15 | 1.8 | 0.6- 3.0 | 27 | 3.9 | 1.7- 6.1 | 512 | 57.4 | 52.9-61.9 |
| \$75,000+ | 1660 | 660,732 | 384 | 22.2 | 19.7-24.7 | 126 | 9.1 | 7.3-10.9 | 169 | 10.2 | 8.4-12.0 | 38 | 2.8 | 1.6- 4.0 | 53 | 4.0 | 2.6- 5.4 | 890 | 51.8 | 48.7-54.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 24: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1-5 days per week | | | 5 or more days per week | | | 1-10 days per month | | | 11 to 15 days per month | | | 16 or more days per month | | | Never | | |
|----------------------------|-------------------|-----------|-------------------|------|------------|-------------------------|------|------------|---------------------|------|------------|-------------------------|-----|------------|---------------------------|-----|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7130 | 2,334,854 | 1254 | 18.4 | 17.2-19.6 | 343 | 5.1 | 4.3- 5.9 | 574 | 9.4 | 8.4-10.4 | 64 | 1.1 | 0.7- 1.5 | 110 | 1.5 | 1.1- 1.9 | 4785 | 64.4 | 62.8-66.0 |
| White/Non-Hisp | 6072 | 1,904,511 | 1038 | 17.9 | 16.5-19.3 | 307 | 5.3 | 4.5- 6.1 | 487 | 9.6 | 8.4-10.8 | 51 | 1.0 | 0.6- 1.4 | 89 | 1.3 | 0.9- 1.7 | 4100 | 64.9 | 63.1-66.7 |
| Black or Afr. Am./Non-Hisp | 497 | 195,485 | 90 | 16.5 | 12.2-20.8 | 18 | 5.6 | 1.9- 9.3 | 44 | 9.9 | 6.2-13.6 | 7 | 2.5 | 0.3- 4.7 | 6 | 0.7 | 0.0- 1.5 | 332 | 64.9 | 58.8-71.0 |
| Oth. Race/Non-Hisp. | 105 | 46,051 | 29 | 32.2 | 19.9-44.5 | 3 | 2.5 | 0.0- 5.6 | 6 | 4.9 | 0.2- 9.6 | | | | 4 | 8.0 | 0.0-18.6 | 63 | 52.3 | 38.4-66.2 |
| MultiRacial/Non-Hisp. | 89 | 25,704 | 15 | 16.9 | 4.6-29.2 | 7 | 11.3 | 1.1-21.5 | 10 | 11.9 | 3.7-20.1 | 2 | 1.8 | 0.0- 4.7 | 4 | 5.0 | 0.0-10.7 | 51 | 53.0 | 38.9-67.1 |
| Hispanic | 277 | 132,953 | 69 | 25.4 | 19.1-31.7 | 5 | 2.1 | 0.0- 4.3 | 23 | 7.6 | 4.1-11.1 | 2 | 0.4 | 0.0- 1.0 | 4 | 2.3 | 0.0- 5.4 | 174 | 62.1 | 55.0-69.2 |
| 18-24 | 262 | 284,527 | 73 | 24.0 | 18.3-29.7 | 24 | 10.5 | 6.2-14.8 | 38 | 14.0 | 9.1-18.9 | 4 | 2.1 | 0.0- 4.3 | 5 | 2.2 | 0.0- 4.6 | 118 | 47.2 | 40.3-54.1 |
| 25-34 | 533 | 364,818 | 138 | 24.9 | 20.8-29.0 | 23 | 5.5 | 3.0- 8.0 | 67 | 12.2 | 9.1-15.3 | 8 | 1.3 | 0.1- 2.5 | 11 | 1.9 | 0.7- 3.1 | 286 | 54.3 | 49.4-59.2 |
| 35-44 | 709 | 372,181 | 142 | 18.4 | 15.3-21.5 | 23 | 3.1 | 1.7- 4.5 | 84 | 11.8 | 9.1-14.5 | 10 | 1.2 | 0.4- 2.0 | 6 | 0.8 | 0.0- 1.6 | 444 | 64.6 | 60.7-68.5 |
| 45-54 | 1068 | 381,567 | 211 | 18.3 | 15.6-21.0 | 40 | 3.6 | 2.2- 5.0 | 110 | 9.8 | 7.8-11.8 | 9 | 1.1 | 0.3- 1.9 | 19 | 1.4 | 0.6- 2.2 | 679 | 65.8 | 62.5-69.1 |
| 55-64 | 1482 | 405,847 | 246 | 15.8 | 13.6-18.0 | 75 | 4.6 | 3.4- 5.8 | 110 | 6.8 | 5.4- 8.2 | 11 | 0.7 | 0.3- 1.1 | 22 | 1.4 | 0.8- 2.0 | 1018 | 70.7 | 68.0-73.4 |
| 65+ | 3076 | 525,914 | 444 | 12.9 | 11.5-14.3 | 158 | 4.9 | 3.9- 5.9 | 165 | 5.1 | 4.1- 6.1 | 22 | 0.7 | 0.3- 1.1 | 47 | 1.4 | 1.0- 1.8 | 2240 | 75.0 | 73.2-76.8 |
| Less Than H.S. | 525 | 273,684 | 46 | 8.4 | 5.1-11.7 | 21 | 5.0 | 2.1- 7.9 | 23 | 6.1 | 2.6- 9.6 | 1 | 0.2 | 0.0- 0.6 | 9 | 2.1 | 0.1- 4.1 | 425 | 78.2 | 72.9-83.5 |
| H.S. or G.E.D. | 2409 | 754,973 | 295 | 14.4 | 12.4-16.4 | 92 | 4.9 | 3.3- 6.5 | 121 | 7.2 | 5.6- 8.8 | 15 | 0.9 | 0.3- 1.5 | 26 | 1.3 | 0.5- 2.1 | 1860 | 71.3 | 68.6-74.0 |
| Some Post-H.S. | 1867 | 769,235 | 301 | 18.4 | 15.9-20.9 | 94 | 5.4 | 4.0- 6.8 | 152 | 10.1 | 8.1-12.1 | 18 | 1.5 | 0.7- 2.3 | 27 | 1.0 | 0.4- 1.6 | 1275 | 63.6 | 60.7-66.5 |
| College Graduate | 2316 | 533,994 | 612 | 29.4 | 26.9-31.9 | 136 | 5.2 | 4.0- 6.4 | 275 | 13.1 | 11.3-14.9 | 30 | 1.4 | 0.8- 2.0 | 48 | 1.9 | 1.1- 2.7 | 1215 | 48.9 | 46.2-51.6 |
| Less than \$15,000 | 712 | 236,876 | 77 | 11.3 | 8.2-14.4 | 36 | 6.3 | 3.0- 9.6 | 44 | 9.1 | 5.8-12.4 | 3 | 0.2 | 0.0- 0.6 | 17 | 2.4 | 0.8- 4.0 | 535 | 70.8 | 65.7-75.9 |
| \$15,000- 24,999 | 1255 | 397,005 | 142 | 11.5 | 9.0-14.0 | 51 | 4.5 | 2.9- 6.1 | 76 | 8.2 | 5.8-10.6 | 14 | 1.4 | 0.2- 2.6 | 18 | 1.8 | 0.6- 3.0 | 954 | 72.6 | 68.9-76.3 |
| \$25,000- 34,999 | 795 | 248,500 | 129 | 17.7 | 14.0-21.4 | 30 | 4.3 | 1.9- 6.7 | 54 | 7.3 | 4.8- 9.8 | 2 | 0.3 | 0.0- 0.7 | 13 | 1.2 | 0.2- 2.2 | 567 | 69.2 | 64.7-73.7 |
| \$35,000- 49,999 | 915 | 308,391 | 149 | 15.2 | 11.9-18.5 | 48 | 5.2 | 3.0- 7.4 | 71 | 8.7 | 6.0-11.4 | 12 | 1.5 | 0.5- 2.5 | 15 | 1.4 | 0.6- 2.2 | 620 | 68.0 | 63.7-72.3 |
| \$50,000- 74,999 | 986 | 335,601 | 199 | 22.1 | 18.2-26.0 | 53 | 4.7 | 2.9- 6.5 | 104 | 12.0 | 9.1-14.9 | 9 | 1.2 | 0.0- 2.4 | 11 | 1.4 | 0.0- 3.0 | 610 | 58.6 | 54.3-62.9 |
| \$75,000+ | 1547 | 537,686 | 416 | 28.1 | 25.2-31.0 | 78 | 5.1 | 3.5- 6.7 | 177 | 12.0 | 9.6-14.4 | 20 | 1.8 | 0.8- 2.8 | 22 | 1.3 | 0.7- 1.9 | 834 | 51.8 | 48.5-55.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017

SECTION 14: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|--|------|
| | HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT) | |
| 1 | MALES AND FEMALES | 259 |
| 2 | MALES ONLY | 260 |
| 3 | FEMALES ONLY | 261 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 14: SEATBELT USE**

TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Always | | | Nearly Always | | | Sometimes | | | Seldom | | | Never | | | Never drive Ride in Car | | |
|----------------------------|-------------------|-----------|--------|------|------------|---------------|------|------------|-----------|-----|------------|--------|-----|------------|-------|-----|------------|-------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 12558 | 4,557,965 | 11134 | 85.4 | 84.4-86.4 | 785 | 7.9 | 7.1- 8.7 | 264 | 2.8 | 2.4- 3.2 | 145 | 1.5 | 1.1- 1.9 | 218 | 2.3 | 1.9- 2.7 | 12 | 0.1 | 0.1- 0.1 |
| Male | 5388 | 2,217,347 | 4536 | 80.7 | 79.1-82.3 | 454 | 10.0 | 8.8-11.2 | 156 | 3.8 | 3.0- 4.6 | 99 | 2.2 | 1.6- 2.8 | 138 | 3.2 | 2.6- 3.8 | 5 | 0.1 | 0.0- 0.3 |
| Female | 7170 | 2,340,618 | 6598 | 89.8 | 88.6-91.0 | 331 | 5.9 | 5.1- 6.7 | 108 | 1.9 | 1.5- 2.3 | 46 | 0.9 | 0.5- 1.3 | 80 | 1.4 | 1.0- 1.8 | 7 | 0.0 | 0.0- 0.0 |
| White/Non-Hisp | 10604 | 3,702,010 | 9413 | 85.3 | 84.3-86.3 | 663 | 8.0 | 7.2- 8.8 | 217 | 2.8 | 2.4- 3.2 | 124 | 1.6 | 1.2- 2.0 | 180 | 2.2 | 1.8- 2.6 | 7 | 0.1 | 0.1- 0.1 |
| Black or Afr. Am./Non-Hisp | 798 | 365,994 | 696 | 83.3 | 79.4-87.2 | 56 | 9.2 | 6.3-12.1 | 27 | 5.0 | 2.6- 7.4 | 9 | 1.5 | 0.1- 2.9 | 9 | 0.8 | 0.2- 1.4 | 1 | 0.2 | 0.0- 0.6 |
| Oth. Race/Non-Hisp. | 249 | 106,975 | 213 | 82.9 | 76.0-89.8 | 14 | 5.6 | 2.1- 9.1 | 8 | 3.2 | 0.7- 5.7 | 3 | 0.5 | 0.0- 1.1 | 11 | 7.8 | 1.7-13.9 | | | |
| MultiRacial/Non-Hisp. | 191 | 54,694 | 159 | 77.8 | 70.0-85.6 | 18 | 12.1 | 5.8-18.4 | 5 | 3.1 | 0.0- 6.2 | 2 | 1.8 | 0.0- 4.9 | 7 | 5.2 | 1.1- 9.3 | | | |
| Hispanic | 510 | 252,296 | 464 | 90.6 | 87.5-93.7 | 25 | 4.8 | 2.6- 7.0 | 5 | 1.0 | 0.0- 2.0 | 5 | 0.9 | 0.0- 1.9 | 9 | 2.5 | 0.5- 4.5 | 2 | 0.1 | 0.0- 0.3 |
| 18-24 | 608 | 592,425 | 480 | 76.3 | 72.2-80.4 | 78 | 14.1 | 10.8-17.4 | 26 | 4.4 | 2.4- 6.4 | 8 | 1.7 | 0.3- 3.1 | 15 | 3.1 | 1.3- 4.9 | 1 | 0.3 | 0.0- 0.9 |
| 25-34 | 1060 | 738,246 | 873 | 80.6 | 77.9-83.3 | 103 | 10.4 | 8.2-12.6 | 35 | 3.6 | 2.2- 5.0 | 17 | 1.9 | 0.9- 2.9 | 32 | 3.5 | 2.1- 4.9 | | | |
| 35-44 | 1267 | 733,349 | 1106 | 84.7 | 82.3-87.1 | 83 | 7.4 | 5.6- 9.2 | 33 | 3.3 | 2.1- 4.5 | 24 | 2.4 | 1.4- 3.4 | 21 | 2.2 | 1.2- 3.2 | | | |
| 45-54 | 1931 | 756,028 | 1726 | 88.1 | 86.3-89.9 | 108 | 6.1 | 4.7- 7.5 | 42 | 2.7 | 1.7- 3.7 | 24 | 1.4 | 0.8- 2.0 | 28 | 1.6 | 1.0- 2.2 | 3 | 0.1 | 0.0- 0.3 |
| 55-64 | 2762 | 793,555 | 2458 | 88.5 | 87.1-89.9 | 172 | 6.3 | 5.1- 7.5 | 40 | 1.7 | 1.1- 2.3 | 33 | 1.2 | 0.8- 1.6 | 59 | 2.2 | 1.6- 2.8 | | | |
| 65+ | 4930 | 944,361 | 4491 | 90.3 | 89.3-91.3 | 241 | 5.2 | 4.4- 6.0 | 88 | 2.0 | 1.4- 2.6 | 39 | 0.9 | 0.5- 1.3 | 63 | 1.5 | 1.1- 1.9 | 8 | 0.2 | 0.0- 0.4 |
| Less Than H.S. | 906 | 549,370 | 786 | 83.4 | 79.9-86.9 | 51 | 8.2 | 5.7-10.7 | 28 | 3.6 | 1.8- 5.4 | 13 | 1.5 | 0.5- 2.5 | 25 | 3.2 | 1.6- 4.8 | 3 | 0.2 | 0.0- 0.4 |
| H.S. or G.E.D. | 4133 | 1,525,449 | 3611 | 83.7 | 82.1-85.3 | 263 | 8.5 | 7.3- 9.7 | 109 | 3.1 | 2.3- 3.9 | 58 | 1.9 | 1.3- 2.5 | 86 | 2.6 | 1.8- 3.4 | 6 | 0.2 | 0.0- 0.4 |
| Some Post-H.S. | 3196 | 1,423,499 | 2790 | 84.3 | 82.5-86.1 | 218 | 8.1 | 6.7- 9.5 | 74 | 3.3 | 2.5- 4.1 | 43 | 1.7 | 1.1- 2.3 | 70 | 2.6 | 1.8- 3.4 | 1 | 0.0 | 0.0- 0.0 |
| College Graduate | 4294 | 1,050,225 | 3921 | 90.2 | 89.0-91.4 | 253 | 6.7 | 5.7- 7.7 | 53 | 1.5 | 0.9- 2.1 | 30 | 0.7 | 0.3- 1.1 | 36 | 0.9 | 0.5- 1.3 | 1 | 0.0 | 0.0- 0.0 |
| Less than \$15,000 | 1098 | 398,125 | 974 | 87.3 | 84.2-90.4 | 52 | 5.3 | 3.1- 7.5 | 24 | 3.3 | 1.5- 5.1 | 13 | 1.0 | 0.2- 1.8 | 28 | 2.7 | 1.5- 3.9 | 7 | 0.4 | 0.0- 0.8 |
| \$15,000- 24,999 | 2027 | 722,309 | 1776 | 85.0 | 82.6-87.4 | 116 | 6.8 | 5.2- 8.4 | 56 | 3.0 | 2.0- 4.0 | 31 | 2.1 | 1.1- 3.1 | 46 | 3.0 | 1.8- 4.2 | 2 | 0.1 | 0.0- 0.3 |
| \$25,000- 34,999 | 1312 | 457,793 | 1155 | 84.1 | 81.2-87.0 | 79 | 8.8 | 6.4-11.2 | 31 | 2.8 | 1.6- 4.0 | 18 | 1.6 | 0.6- 2.6 | 27 | 2.5 | 1.3- 3.7 | 2 | 0.1 | 0.0- 0.3 |
| \$35,000- 49,999 | 1717 | 647,160 | 1512 | 83.3 | 80.6-86.0 | 119 | 9.4 | 7.2-11.6 | 40 | 4.2 | 2.4- 6.0 | 12 | 0.9 | 0.3- 1.5 | 33 | 1.9 | 1.1- 2.7 | 1 | 0.3 | 0.0- 0.9 |
| \$50,000- 74,999 | 1833 | 683,451 | 1628 | 85.5 | 83.1-87.9 | 126 | 7.8 | 6.0- 9.6 | 36 | 2.6 | 1.6- 3.6 | 22 | 1.9 | 0.9- 2.9 | 21 | 2.1 | 0.9- 3.3 | | | |
| \$75,000+ | 3219 | 1,202,481 | 2863 | 85.5 | 83.7-87.3 | 221 | 8.6 | 7.2-10.0 | 54 | 2.3 | 1.5- 3.1 | 38 | 1.6 | 1.0- 2.2 | 43 | 2.0 | 1.2- 2.8 | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 14: SEATBELT USE**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Always | | | Nearly Always | | | Sometimes | | | Seldom | | | Never | | | Never drive Ride in Car | | |
|----------------------------|-------------------|-----------|--------|------|------------|---------------|------|------------|-----------|-----|------------|--------|-----|------------|-------|-----|------------|-------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5388 | 2,217,347 | 4536 | 80.7 | 79.1-82.3 | 454 | 10.0 | 8.8-11.2 | 156 | 3.8 | 3.0- 4.6 | 99 | 2.2 | 1.6- 2.8 | 138 | 3.2 | 2.6- 3.8 | 5 | 0.1 | 0.0- 0.3 |
| White/Non-Hisp | 4502 | 1,792,545 | 3783 | 79.8 | 78.2-81.4 | 382 | 10.4 | 9.2-11.6 | 134 | 4.0 | 3.2- 4.8 | 85 | 2.3 | 1.7- 2.9 | 116 | 3.4 | 2.6- 4.2 | 2 | 0.1 | 0.0- 0.3 |
| Black or Afr. Am./Non-Hisp | 294 | 170,037 | 245 | 81.9 | 76.4-87.4 | 28 | 9.4 | 5.3-13.5 | 12 | 5.9 | 2.2- 9.6 | 5 | 1.6 | 0.0- 3.4 | 3 | 0.7 | 0.0- 1.5 | 1 | 0.4 | 0.0- 1.2 |
| Oth. Race/Non-Hisp. | 145 | 62,095 | 120 | 83.9 | 76.8-91.0 | 12 | 8.4 | 2.9-13.9 | 3 | 2.3 | 0.0- 5.0 | 3 | 0.9 | 0.0- 2.1 | 7 | 4.6 | 0.7- 8.5 | | | |
| MultiRacial/Non-Hisp. | 101 | 28,596 | 79 | 70.8 | 59.2-82.4 | 12 | 13.6 | 5.0-22.2 | 3 | 3.3 | 0.0- 7.2 | 1 | 3.1 | 0.0- 9.2 | 6 | 9.2 | 1.6-16.8 | | | |
| Hispanic | 233 | 119,587 | 207 | 89.9 | 85.2-94.6 | 13 | 4.9 | 2.0- 7.8 | 3 | 0.8 | 0.0- 2.0 | 4 | 1.0 | 0.0- 2.0 | 4 | 3.1 | 0.0- 6.6 | 2 | 0.2 | 0.0- 0.6 |
| 18-24 | 345 | 307,201 | 263 | 72.8 | 67.1-78.5 | 45 | 14.3 | 10.0-18.6 | 20 | 6.8 | 3.5-10.1 | 5 | 1.9 | 0.1- 3.7 | 11 | 3.7 | 1.2- 6.2 | 1 | 0.5 | 0.0- 1.5 |
| 25-34 | 530 | 376,770 | 418 | 76.8 | 72.7-80.9 | 61 | 12.2 | 8.9-15.5 | 19 | 3.8 | 1.8- 5.8 | 11 | 2.3 | 0.7- 3.9 | 21 | 4.9 | 2.7- 7.1 | | | |
| 35-44 | 555 | 359,865 | 452 | 78.5 | 74.4-82.6 | 54 | 10.5 | 7.6-13.4 | 20 | 4.7 | 2.5- 6.9 | 15 | 3.2 | 1.4- 5.0 | 14 | 3.1 | 1.3- 4.9 | | | |
| 45-54 | 860 | 373,698 | 731 | 83.3 | 80.2-86.4 | 68 | 8.6 | 6.2-11.0 | 24 | 3.5 | 1.9- 5.1 | 17 | 2.1 | 0.9- 3.3 | 18 | 2.3 | 1.1- 3.5 | 2 | 0.2 | 0.0- 0.6 |
| 55-64 | 1272 | 386,131 | 1074 | 83.7 | 81.2-86.2 | 107 | 8.5 | 6.5-10.5 | 26 | 2.4 | 1.2- 3.6 | 26 | 2.1 | 1.1- 3.1 | 39 | 3.2 | 2.0- 4.4 | | | |
| 65+ | 1826 | 413,683 | 1598 | 86.7 | 84.7-88.7 | 119 | 6.8 | 5.4- 8.2 | 47 | 2.5 | 1.7- 3.3 | 25 | 1.5 | 0.7- 2.3 | 35 | 2.2 | 1.4- 3.0 | 2 | 0.2 | 0.0- 0.4 |
| Less Than H.S. | 378 | 275,460 | 302 | 77.8 | 72.3-83.3 | 37 | 12.3 | 7.8-16.8 | 15 | 4.3 | 1.4- 7.2 | 8 | 1.9 | 0.3- 3.5 | 14 | 3.4 | 1.2- 5.6 | 2 | 0.3 | 0.0- 0.7 |
| H.S. or G.E.D. | 1706 | 766,552 | 1381 | 77.6 | 75.1-80.1 | 164 | 11.2 | 9.2-13.2 | 65 | 4.2 | 3.0- 5.4 | 37 | 2.6 | 1.6- 3.6 | 57 | 4.1 | 2.7- 5.5 | 2 | 0.3 | 0.0- 0.7 |
| Some Post-H.S. | 1321 | 653,745 | 1094 | 80.0 | 77.3-82.7 | 112 | 9.3 | 7.3-11.3 | 46 | 4.8 | 3.2- 6.4 | 28 | 2.5 | 1.3- 3.7 | 40 | 3.4 | 2.0- 4.8 | 1 | 0.0 | 0.0- 0.0 |
| College Graduate | 1967 | 515,137 | 1745 | 87.5 | 85.5-89.5 | 141 | 7.9 | 6.3- 9.5 | 30 | 1.8 | 1.0- 2.6 | 25 | 1.3 | 0.7- 1.9 | 26 | 1.5 | 0.7- 2.3 | | | |
| Less than \$15,000 | 380 | 159,647 | 319 | 84.1 | 79.2-89.0 | 23 | 5.9 | 2.4- 9.4 | 13 | 4.3 | 1.6- 7.0 | 10 | 2.2 | 0.4- 4.0 | 12 | 2.9 | 0.9- 4.9 | 3 | 0.5 | 0.0- 1.3 |
| \$15,000- 24,999 | 765 | 325,469 | 641 | 82.2 | 78.5-85.9 | 57 | 8.6 | 5.9-11.3 | 27 | 3.1 | 1.5- 4.7 | 16 | 2.0 | 0.6- 3.4 | 23 | 3.9 | 1.7- 6.1 | 1 | 0.2 | 0.0- 0.6 |
| \$25,000- 34,999 | 516 | 210,253 | 422 | 76.9 | 71.8-82.0 | 43 | 12.3 | 8.2-16.4 | 20 | 4.6 | 2.2- 7.0 | 12 | 2.4 | 0.8- 4.0 | 19 | 3.9 | 1.7- 6.1 | | | |
| \$35,000- 49,999 | 801 | 338,753 | 674 | 78.7 | 74.6-82.8 | 69 | 10.2 | 7.5-12.9 | 25 | 6.1 | 3.2- 9.0 | 10 | 1.6 | 0.2- 3.0 | 22 | 2.9 | 1.5- 4.3 | 1 | 0.5 | 0.0- 1.5 |
| \$50,000- 74,999 | 847 | 348,160 | 710 | 80.8 | 77.1-84.5 | 77 | 9.6 | 7.1-12.1 | 27 | 3.9 | 2.1- 5.7 | 16 | 2.6 | 1.0- 4.2 | 17 | 3.1 | 1.1- 5.1 | | | |
| \$75,000+ | 1667 | 663,632 | 1415 | 80.9 | 78.4-83.4 | 150 | 10.4 | 8.4-12.4 | 34 | 2.8 | 1.6- 4.0 | 31 | 2.5 | 1.5- 3.5 | 37 | 3.3 | 1.9- 4.7 | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 14: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Always | | | Nearly Always | | | Sometimes | | | Seldom | | | Never | | | Never drive Ride in Car | | |
|----------------------------|-------------------|-----------|--------|------|------------|---------------|------|------------|-----------|-----|------------|--------|-----|------------|-------|------|------------|-------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7170 | 2,340,618 | 6598 | 89.8 | 88.6-91.0 | 331 | 5.9 | 5.1- 6.7 | 108 | 1.9 | 1.5- 2.3 | 46 | 0.9 | 0.5- 1.3 | 80 | 1.4 | 1.0- 1.8 | 7 | 0.0 | 0.0- 0.0 |
| White/Non-Hisp | 6102 | 1,909,464 | 5630 | 90.4 | 89.2-91.6 | 281 | 5.8 | 4.8- 6.8 | 83 | 1.7 | 1.3- 2.1 | 39 | 0.9 | 0.5- 1.3 | 64 | 1.2 | 0.8- 1.6 | 5 | 0.0 | 0.0- 0.0 |
| Black or Afr. Am./Non-Hisp | 504 | 195,957 | 451 | 84.5 | 79.2-89.8 | 28 | 9.1 | 4.8-13.4 | 15 | 4.2 | 1.3- 7.1 | 4 | 1.4 | 0.0- 3.6 | 6 | 0.9 | 0.0- 1.9 | | | |
| Oth. Race/Non-Hisp. | 104 | 44,880 | 93 | 81.5 | 68.4-94.6 | 2 | 1.7 | 0.0- 4.8 | 5 | 4.5 | 0.0- 9.2 | | | | 4 | 12.3 | 0.0-25.0 | | | |
| MultiRacial/Non-Hisp. | 90 | 26,098 | 80 | 85.5 | 75.5-95.5 | 6 | 10.4 | 1.6-19.2 | 2 | 3.0 | 0.0- 8.1 | 1 | 0.3 | 0.0- 1.1 | 1 | 0.8 | 0.0- 2.4 | | | |
| Hispanic | 277 | 132,709 | 257 | 91.3 | 87.2-95.4 | 12 | 4.7 | 1.8- 7.6 | 2 | 1.2 | 0.0- 3.0 | 1 | 0.8 | 0.0- 2.4 | 5 | 2.0 | 0.0- 4.0 | | | |
| 18-24 | 263 | 285,224 | 217 | 80.2 | 74.5-85.9 | 33 | 13.9 | 9.0-18.8 | 6 | 1.9 | 0.3- 3.5 | 3 | 1.5 | 0.0- 3.3 | 4 | 2.5 | 0.0- 5.0 | | | |
| 25-34 | 530 | 361,476 | 455 | 84.5 | 81.0-88.0 | 42 | 8.5 | 5.8-11.2 | 16 | 3.4 | 1.4- 5.4 | 6 | 1.4 | 0.2- 2.6 | 11 | 2.1 | 0.7- 3.5 | | | |
| 35-44 | 712 | 373,484 | 654 | 90.7 | 88.2-93.2 | 29 | 4.3 | 2.5- 6.1 | 13 | 2.0 | 0.8- 3.2 | 9 | 1.6 | 0.4- 2.8 | 7 | 1.3 | 0.3- 2.3 | | | |
| 45-54 | 1071 | 382,331 | 995 | 92.8 | 91.0-94.6 | 40 | 3.6 | 2.2- 5.0 | 18 | 1.9 | 0.9- 2.9 | 7 | 0.8 | 0.2- 1.4 | 10 | 0.8 | 0.2- 1.4 | 1 | 0.0 | 0.0- 0.0 |
| 55-64 | 1490 | 407,424 | 1384 | 93.1 | 91.5-94.7 | 65 | 4.3 | 3.1- 5.5 | 14 | 1.0 | 0.4- 1.6 | 7 | 0.3 | 0.1- 0.5 | 20 | 1.3 | 0.7- 1.9 | | | |
| 65+ | 3104 | 530,678 | 2893 | 93.1 | 91.9-94.3 | 122 | 4.0 | 3.2- 4.8 | 41 | 1.5 | 0.9- 2.1 | 14 | 0.4 | 0.2- 0.6 | 28 | 0.9 | 0.5- 1.3 | 6 | 0.2 | 0.0- 0.4 |
| Less Than H.S. | 528 | 273,909 | 484 | 89.0 | 84.9-93.1 | 14 | 4.0 | 1.3- 6.7 | 13 | 2.9 | 0.7- 5.1 | 5 | 1.1 | 0.0- 2.3 | 11 | 2.9 | 0.5- 5.3 | 1 | 0.1 | 0.0- 0.3 |
| H.S. or G.E.D. | 2427 | 758,897 | 2230 | 89.8 | 87.8-91.8 | 99 | 5.7 | 4.1- 7.3 | 44 | 2.0 | 1.2- 2.8 | 21 | 1.3 | 0.5- 2.1 | 29 | 1.1 | 0.5- 1.7 | 4 | 0.1 | 0.1- 0.1 |
| Some Post-H.S. | 1875 | 769,754 | 1696 | 87.9 | 85.7-90.1 | 106 | 7.1 | 5.3- 8.9 | 28 | 2.0 | 1.2- 2.8 | 15 | 1.1 | 0.5- 1.7 | 30 | 1.9 | 1.1- 2.7 | | | |
| College Graduate | 2327 | 535,089 | 2176 | 92.9 | 91.3-94.5 | 112 | 5.6 | 4.2- 7.0 | 23 | 1.2 | 0.6- 1.8 | 5 | 0.1 | 0.1- 0.1 | 10 | 0.3 | 0.1- 0.5 | 1 | 0.0 | 0.0- 0.0 |
| Less than \$15,000 | 718 | 238,478 | 655 | 89.4 | 85.5-93.3 | 29 | 5.0 | 2.1- 7.9 | 11 | 2.7 | 0.3- 5.1 | 3 | 0.2 | 0.0- 0.4 | 16 | 2.6 | 1.0- 4.2 | 4 | 0.3 | 0.1- 0.5 |
| \$15,000- 24,999 | 1262 | 396,840 | 1135 | 87.3 | 84.6-90.0 | 59 | 5.3 | 3.3- 7.3 | 29 | 3.0 | 1.8- 4.2 | 15 | 2.2 | 0.6- 3.8 | 23 | 2.2 | 1.0- 3.4 | 1 | 0.0 | 0.0- 0.0 |
| \$25,000- 34,999 | 796 | 247,539 | 733 | 90.3 | 87.2-93.4 | 36 | 5.8 | 3.3- 8.3 | 11 | 1.3 | 0.3- 2.3 | 6 | 1.0 | 0.0- 2.2 | 8 | 1.4 | 0.2- 2.6 | 2 | 0.1 | 0.0- 0.3 |
| \$35,000- 49,999 | 916 | 308,407 | 838 | 88.3 | 84.8-91.8 | 50 | 8.5 | 5.2-11.8 | 15 | 2.2 | 1.0- 3.4 | 2 | 0.1 | 0.0- 0.3 | 11 | 0.9 | 0.1- 1.7 | | | |
| \$50,000- 74,999 | 986 | 335,292 | 918 | 90.5 | 87.6-93.4 | 49 | 5.9 | 3.7- 8.1 | 9 | 1.4 | 0.2- 2.6 | 6 | 1.1 | 0.1- 2.1 | 4 | 1.1 | 0.0- 2.7 | | | |
| \$75,000+ | 1552 | 538,849 | 1448 | 91.1 | 89.1-93.1 | 71 | 6.3 | 4.5- 8.1 | 20 | 1.6 | 0.8- 2.4 | 7 | 0.5 | 0.0- 1.1 | 6 | 0.4 | 0.0- 1.0 | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017

SECTION 15: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|--|------|
| | DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6) | |
| 1 | MALES AND FEMALES | 263 |
| 2 | MALES ONLY | 264 |
| 3 | FEMALES ONLY | 265 |
| | DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2) | |
| 4 | MALES AND FEMALES | 266 |
| 5 | MALES ONLY | 267 |
| 6 | FEMALES ONLY | 268 |
| | A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3) | |
| 7 | MALES AND FEMALES | 269 |
| 8 | MALES ONLY | 270 |
| 9 | FEMALES ONLY | 271 |
| | HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2) | |
| 10 | MALES AND FEMALES | 272 |
| 11 | MALES ONLY | 273 |
| 12 | FEMALES ONLY | 274 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

**TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 12509 | 4,537,274 | 5536 | 36.8 | 35.6-38.0 | 6973 | 63.2 | 62.0-64.4 |
| Male | 5368 | 2,209,451 | 2149 | 32.8 | 31.2-34.4 | 3219 | 67.2 | 65.6-68.8 |
| Female | 7141 | 2,327,823 | 3387 | 40.7 | 39.1-42.3 | 3754 | 59.3 | 57.7-60.9 |
| White/Non-Hisp | 10571 | 3,689,484 | 4894 | 38.8 | 37.6-40.0 | 5677 | 61.2 | 60.0-62.4 |
| Black or Afr. Am./Non-Hisp | 792 | 363,415 | 266 | 29.4 | 25.3-33.5 | 526 | 70.6 | 66.5-74.7 |
| Oth. Race/Non-Hisp. | 248 | 107,276 | 86 | 28.3 | 21.0-35.6 | 162 | 71.7 | 64.4-79.0 |
| MultiRacial/Non-Hisp. | 192 | 54,790 | 64 | 28.6 | 20.8-36.4 | 128 | 71.4 | 63.6-79.2 |
| Hispanic | 503 | 248,231 | 146 | 25.4 | 20.9-29.9 | 357 | 74.6 | 70.1-79.1 |
| 18-24 | 602 | 588,354 | 153 | 27.6 | 23.5-31.7 | 449 | 72.4 | 68.3-76.5 |
| 25-34 | 1062 | 739,320 | 292 | 26.3 | 23.4-29.2 | 770 | 73.7 | 70.8-76.6 |
| 35-44 | 1260 | 727,272 | 383 | 27.8 | 25.1-30.5 | 877 | 72.2 | 69.5-74.9 |
| 45-54 | 1918 | 749,906 | 725 | 35.4 | 32.9-37.9 | 1193 | 64.6 | 62.1-67.1 |
| 55-64 | 2747 | 790,507 | 1201 | 42.3 | 40.1-44.5 | 1546 | 57.7 | 55.5-59.9 |
| 65+ | 4920 | 941,915 | 2782 | 54.5 | 52.7-56.3 | 2138 | 45.5 | 43.7-47.3 |
| Less Than H.S. | 900 | 546,221 | 301 | 26.6 | 22.9-30.3 | 599 | 73.4 | 69.7-77.1 |
| H.S. or G.E.D. | 4114 | 1,517,727 | 1706 | 34.8 | 32.8-36.8 | 2408 | 65.2 | 63.2-67.2 |
| Some Post-H.S. | 3186 | 1,417,332 | 1327 | 35.9 | 33.7-38.1 | 1859 | 64.1 | 61.9-66.3 |
| College Graduate | 4281 | 1,047,424 | 2190 | 46.3 | 44.3-48.3 | 2091 | 53.7 | 51.7-55.7 |
| Less than \$15,000 | 1087 | 393,164 | 428 | 30.9 | 27.4-34.4 | 659 | 69.1 | 65.6-72.6 |
| \$15,000- 24,999 | 2017 | 715,505 | 838 | 35.7 | 32.8-38.6 | 1179 | 64.3 | 61.4-67.2 |
| \$25,000- 34,999 | 1308 | 456,698 | 570 | 34.7 | 31.4-38.0 | 738 | 65.3 | 62.0-68.6 |
| \$35,000- 49,999 | 1713 | 647,388 | 754 | 35.8 | 32.9-38.7 | 959 | 64.2 | 61.3-67.1 |
| \$50,000- 74,999 | 1828 | 681,280 | 805 | 36.9 | 34.0-39.8 | 1023 | 63.1 | 60.2-66.0 |
| \$75,000+ | 3211 | 1,199,196 | 1523 | 40.9 | 38.7-43.1 | 1688 | 59.1 | 56.9-61.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5368 | 2,209,451 | 2149 | 32.8 | 31.2-34.4 | 3219 | 67.2 | 65.6-68.8 |
| White/Non-Hisp | 4491 | 1,788,365 | 1887 | 34.0 | 32.2-35.8 | 2604 | 66.0 | 64.2-67.8 |
| Black or Afr. Am./Non-Hisp | 293 | 170,419 | 94 | 28.5 | 22.0-35.0 | 199 | 71.5 | 65.0-78.0 |
| Oth. Race/Non-Hisp. | 143 | 61,657 | 41 | 28.0 | 18.6-37.4 | 102 | 72.0 | 62.6-81.4 |
| MultiRacial/Non-Hisp. | 103 | 29,086 | 27 | 22.8 | 13.4-32.2 | 76 | 77.2 | 67.8-86.6 |
| Hispanic | 228 | 117,218 | 54 | 22.5 | 16.0-29.0 | 174 | 77.5 | 71.0-84.0 |
| 18-24 | 340 | 304,810 | 74 | 23.6 | 18.3-28.9 | 266 | 76.4 | 71.1-81.7 |
| 25-34 | 531 | 377,428 | 121 | 21.2 | 17.3-25.1 | 410 | 78.8 | 74.9-82.7 |
| 35-44 | 552 | 357,650 | 143 | 22.8 | 18.9-26.7 | 409 | 77.2 | 73.3-81.1 |
| 45-54 | 856 | 371,877 | 290 | 31.7 | 28.0-35.4 | 566 | 68.3 | 64.6-72.0 |
| 55-64 | 1264 | 385,098 | 496 | 38.7 | 35.6-41.8 | 768 | 61.3 | 58.2-64.4 |
| 65+ | 1825 | 412,589 | 1025 | 54.1 | 51.4-56.8 | 800 | 45.9 | 43.2-48.6 |
| Less Than H.S. | 377 | 276,729 | 104 | 22.2 | 17.3-27.1 | 273 | 77.8 | 72.9-82.7 |
| H.S. or G.E.D. | 1697 | 762,411 | 624 | 31.5 | 28.8-34.2 | 1073 | 68.5 | 65.8-71.2 |
| Some Post-H.S. | 1317 | 650,617 | 486 | 30.8 | 27.9-33.7 | 831 | 69.2 | 66.3-72.1 |
| College Graduate | 1962 | 514,093 | 928 | 42.6 | 39.9-45.3 | 1034 | 57.4 | 54.7-60.1 |
| Less than \$15,000 | 378 | 159,173 | 139 | 29.7 | 24.2-35.2 | 239 | 70.3 | 64.8-75.8 |
| \$15,000- 24,999 | 760 | 322,089 | 271 | 30.8 | 26.5-35.1 | 489 | 69.2 | 64.9-73.5 |
| \$25,000- 34,999 | 514 | 210,034 | 198 | 28.2 | 23.5-32.9 | 316 | 71.8 | 67.1-76.5 |
| \$35,000- 49,999 | 799 | 339,139 | 304 | 30.6 | 26.7-34.5 | 495 | 69.4 | 65.5-73.3 |
| \$50,000- 74,999 | 844 | 346,174 | 350 | 34.5 | 30.4-38.6 | 494 | 65.5 | 61.4-69.6 |
| \$75,000+ | 1663 | 662,318 | 723 | 36.4 | 33.7-39.1 | 940 | 63.6 | 60.9-66.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 7141 | 2,327,823 | 3387 | 40.7 | 39.1-42.3 | 3754 | 59.3 | 57.7-60.9 |
| White/Non-Hisp | 6080 | 1,901,120 | 3007 | 43.2 | 41.4-45.0 | 3073 | 56.8 | 55.0-58.6 |
| Black or Afr. Am./Non-Hisp | 499 | 192,996 | 172 | 30.2 | 24.7-35.7 | 327 | 69.8 | 64.3-75.3 |
| Oth. Race/Non-Hisp. | 105 | 45,619 | 45 | 28.5 | 17.1-39.9 | 60 | 71.5 | 60.1-82.9 |
| MultiRacial/Non-Hisp. | 89 | 25,704 | 37 | 35.2 | 22.3-48.1 | 52 | 64.8 | 51.9-77.7 |
| Hispanic | 275 | 131,014 | 92 | 28.1 | 21.8-34.4 | 183 | 71.9 | 65.6-78.2 |
| 18-24 | 262 | 283,545 | 79 | 31.9 | 25.4-38.4 | 183 | 68.1 | 61.6-74.6 |
| 25-34 | 531 | 361,891 | 171 | 31.5 | 27.0-36.0 | 360 | 68.5 | 64.0-73.0 |
| 35-44 | 708 | 369,622 | 240 | 32.6 | 28.7-36.5 | 468 | 67.4 | 63.5-71.3 |
| 45-54 | 1062 | 378,028 | 435 | 38.9 | 35.6-42.2 | 627 | 61.1 | 57.8-64.4 |
| 55-64 | 1483 | 405,409 | 705 | 45.7 | 42.6-48.8 | 778 | 54.3 | 51.2-57.4 |
| 65+ | 3095 | 529,327 | 1757 | 54.8 | 52.6-57.0 | 1338 | 45.2 | 43.0-47.4 |
| Less Than H.S. | 523 | 269,493 | 197 | 31.1 | 25.8-36.4 | 326 | 68.9 | 63.6-74.2 |
| H.S. or G.E.D. | 2417 | 755,316 | 1082 | 38.2 | 35.7-40.7 | 1335 | 61.8 | 59.3-64.3 |
| Some Post-H.S. | 1869 | 766,715 | 841 | 40.3 | 37.4-43.2 | 1028 | 59.7 | 56.8-62.6 |
| College Graduate | 2319 | 533,331 | 1262 | 49.8 | 47.1-52.5 | 1057 | 50.2 | 47.5-52.9 |
| Less than \$15,000 | 709 | 233,990 | 289 | 31.7 | 27.2-36.2 | 420 | 68.3 | 63.8-72.8 |
| \$15,000- 24,999 | 1257 | 393,416 | 567 | 39.7 | 36.0-43.4 | 690 | 60.3 | 56.6-64.0 |
| \$25,000- 34,999 | 794 | 246,664 | 372 | 40.3 | 35.6-45.0 | 422 | 59.7 | 55.0-64.4 |
| \$35,000- 49,999 | 914 | 308,249 | 450 | 41.5 | 37.0-46.0 | 464 | 58.5 | 54.0-63.0 |
| \$50,000- 74,999 | 984 | 335,106 | 455 | 39.4 | 35.3-43.5 | 529 | 60.6 | 56.5-64.7 |
| \$75,000+ | 1548 | 536,878 | 800 | 46.4 | 43.3-49.5 | 748 | 53.6 | 50.5-56.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Jan-Apr 2016 | | | May-Aug 2016 | | | Sep-Dec 2016 | | | Jan-Apr 2017 | | | May-Aug 2017 | | | Sep-Dec 2017 | | |
|----------------------------|-------------------|-----------|--------------|-----|------------|--------------|-----|------------|--------------|------|------------|--------------|------|------------|--------------|-----|------------|--------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5317 | 1,600,699 | 9 | 0.2 | 0.0- 0.4 | 82 | 1.8 | 1.2- 2.4 | 3516 | 63.3 | 61.5-65.1 | 456 | 10.0 | 8.8-11.2 | 139 | 3.6 | 2.8- 4.4 | 1115 | 21.1 | 19.5-22.7 |
| Male | 2062 | 694,287 | 4 | 0.3 | 0.0- 0.7 | 35 | 1.6 | 0.8- 2.4 | 1350 | 62.4 | 59.7-65.1 | 206 | 12.0 | 10.0-14.0 | 59 | 3.8 | 2.6- 5.0 | 408 | 19.9 | 17.5-22.3 |
| Female | 3255 | 906,412 | 5 | 0.1 | 0.0- 0.3 | 47 | 2.1 | 1.3- 2.9 | 2166 | 64.0 | 61.6-66.4 | 250 | 8.5 | 6.9-10.1 | 80 | 3.4 | 2.2- 4.6 | 707 | 22.0 | 20.0-24.0 |
| White/Non-Hisp | 4724 | 1,378,977 | 8 | 0.2 | 0.0- 0.4 | 69 | 1.8 | 1.2- 2.4 | 3159 | 64.5 | 62.5-66.5 | 380 | 9.4 | 8.2-10.6 | 112 | 3.3 | 2.5- 4.1 | 996 | 20.8 | 19.2-22.4 |
| Black or Afr. Am./Non-Hisp | 243 | 96,806 | | | | 5 | 3.0 | 0.0- 6.7 | 136 | 55.3 | 46.5-64.1 | 35 | 12.1 | 6.0-18.2 | 13 | 5.4 | 1.7- 9.1 | 54 | 24.2 | 16.8-31.6 |
| Oth. Race/Non-Hisp. | 77 | 25,952 | | | | 2 | 2.1 | 0.0- 5.6 | 52 | 58.0 | 42.3-73.7 | 9 | 12.8 | 2.2-23.4 | | | | 14 | 27.2 | 12.1-42.3 |
| MultiRacial/Non-Hisp. | 64 | 15,681 | 1 | 1.6 | 0.0- 4.7 | 2 | 3.8 | 0.0- 9.1 | 40 | 52.0 | 35.9-68.1 | 6 | 18.8 | 3.9-33.7 | 4 | 8.8 | 0.0-18.8 | 11 | 15.0 | 4.4-25.6 |
| Hispanic | 135 | 59,162 | | | | 1 | 0.5 | 0.0- 1.5 | 86 | 60.1 | 49.9-70.3 | 14 | 12.1 | 5.0-19.2 | 5 | 5.3 | 0.2-10.4 | 29 | 22.0 | 13.4-30.6 |
| 18-24 | 143 | 151,953 | 1 | 0.2 | 0.0- 0.6 | 6 | 4.4 | 0.7- 8.1 | 70 | 47.5 | 38.1-56.9 | 29 | 20.7 | 13.1-28.3 | 13 | 8.6 | 3.5-13.7 | 24 | 18.7 | 11.3-26.1 |
| 25-34 | 279 | 186,068 | 1 | 0.9 | 0.0- 2.7 | 4 | 1.3 | 0.0- 2.9 | 182 | 63.2 | 56.5-69.9 | 26 | 8.2 | 4.7-11.7 | 11 | 6.0 | 2.3- 9.7 | 55 | 20.4 | 14.9-25.9 |
| 35-44 | 369 | 194,498 | | | | 7 | 2.4 | 0.2- 4.6 | 250 | 65.8 | 60.1-71.5 | 33 | 9.4 | 5.9-12.9 | 10 | 3.3 | 1.1- 5.5 | 69 | 19.2 | 14.5-23.9 |
| 45-54 | 693 | 253,354 | 1 | 0.1 | 0.0- 0.3 | 11 | 1.2 | 0.2- 2.2 | 467 | 65.6 | 61.3-69.9 | 68 | 10.0 | 7.3-12.7 | 17 | 2.3 | 1.1- 3.5 | 129 | 20.8 | 17.1-24.5 |
| 55-64 | 1152 | 321,510 | | | | 23 | 2.1 | 1.1- 3.1 | 793 | 66.4 | 63.1-69.7 | 96 | 8.4 | 6.4-10.4 | 20 | 2.6 | 1.2- 4.0 | 220 | 20.5 | 17.6-23.4 |
| 65+ | 2681 | 493,317 | 6 | 0.3 | 0.1- 0.5 | 31 | 1.2 | 0.6- 1.8 | 1754 | 64.0 | 61.6-66.4 | 204 | 8.7 | 7.3-10.1 | 68 | 2.4 | 1.6- 3.2 | 618 | 23.4 | 21.4-25.4 |
| Less Than H.S. | 267 | 129,657 | | | | 5 | 1.4 | 0.0- 3.0 | 146 | 54.3 | 46.3-62.3 | 39 | 17.7 | 10.8-24.6 | 4 | 2.5 | 0.0- 5.4 | 73 | 24.1 | 17.8-30.4 |
| H.S. or G.E.D. | 1615 | 499,822 | 1 | 0.1 | 0.0- 0.3 | 30 | 2.3 | 1.1- 3.5 | 1011 | 60.0 | 56.7-63.3 | 173 | 12.2 | 9.8-14.6 | 57 | 4.7 | 3.1- 6.3 | 343 | 20.7 | 18.0-23.4 |
| Some Post-H.S. | 1286 | 493,497 | 5 | 0.5 | 0.0- 1.1 | 20 | 2.1 | 0.9- 3.3 | 857 | 63.3 | 59.8-66.8 | 107 | 9.7 | 7.5-11.9 | 40 | 3.9 | 2.1- 5.7 | 257 | 20.5 | 17.6-23.4 |
| College Graduate | 2139 | 474,678 | 3 | 0.1 | 0.0- 0.3 | 27 | 1.2 | 0.6- 1.8 | 1497 | 69.4 | 66.9-71.9 | 137 | 5.9 | 4.7- 7.1 | 37 | 2.3 | 1.3- 3.3 | 438 | 21.0 | 18.8-23.2 |
| Less than \$15,000 | 388 | 110,711 | | | | 12 | 2.1 | 0.5- 3.7 | 231 | 57.2 | 50.3-64.1 | 62 | 17.6 | 11.7-23.5 | 15 | 5.9 | 2.2- 9.6 | 68 | 17.3 | 12.4-22.2 |
| \$15,000- 24,999 | 793 | 240,768 | 1 | 0.1 | 0.0- 0.3 | 15 | 1.3 | 0.3- 2.3 | 497 | 61.7 | 56.8-66.6 | 83 | 12.7 | 9.0-16.4 | 22 | 3.4 | 1.4- 5.4 | 175 | 20.9 | 17.0-24.8 |
| \$25,000- 34,999 | 547 | 152,515 | 1 | 0.2 | 0.0- 0.6 | 13 | 5.1 | 1.8- 8.4 | 347 | 56.0 | 50.1-61.9 | 53 | 12.2 | 8.1-16.3 | 12 | 2.9 | 0.4- 5.4 | 121 | 23.7 | 18.6-28.8 |
| \$35,000- 49,999 | 742 | 226,830 | 1 | 0.1 | 0.0- 0.3 | 6 | 0.8 | 0.0- 1.6 | 468 | 60.2 | 55.3-65.1 | 60 | 8.9 | 6.0-11.8 | 29 | 6.1 | 3.4- 8.8 | 178 | 23.9 | 19.8-28.0 |
| \$50,000- 74,999 | 782 | 243,434 | 3 | 0.8 | 0.0- 2.2 | 15 | 3.3 | 1.3- 5.3 | 537 | 65.1 | 60.2-70.0 | 64 | 9.3 | 6.4-12.2 | 17 | 3.2 | 1.0- 5.4 | 146 | 18.3 | 14.6-22.0 |
| \$75,000+ | 1497 | 481,989 | 2 | 0.1 | 0.0- 0.3 | 14 | 0.8 | 0.2- 1.4 | 1077 | 69.9 | 67.0-72.8 | 76 | 5.9 | 4.3- 7.5 | 25 | 2.2 | 1.2- 3.2 | 303 | 21.2 | 18.5-23.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Jan-Apr 2016 | | | May-Aug 2016 | | | Sep-Dec 2016 | | | Jan-Apr 2017 | | | May-Aug 2017 | | | Sep-Dec 2017 | | |
|----------------------------|-------------------|----------|--------------|-----|------------|--------------|-----|------------|--------------|------|------------|--------------|------|------------|--------------|-----|------------|--------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2062 | 694,287 | 4 | 0.3 | 0.0- 0.7 | 35 | 1.6 | 0.8- 2.4 | 1350 | 62.4 | 59.7-65.1 | 206 | 12.0 | 10.0-14.0 | 59 | 3.8 | 2.6- 5.0 | 408 | 19.9 | 17.5-22.3 |
| White/Non-Hisp | 1819 | 586,767 | 3 | 0.3 | 0.0- 0.9 | 27 | 1.2 | 0.6- 1.8 | 1204 | 63.6 | 60.7-66.5 | 175 | 11.8 | 9.6-14.0 | 47 | 3.4 | 2.2- 4.6 | 363 | 19.6 | 17.2-22.0 |
| Black or Afr. Am./Non-Hisp | 88 | 45,093 | | | | 3 | 5.0 | 0.0-12.3 | 55 | 60.1 | 46.8-73.4 | 6 | 6.0 | 0.1-11.9 | 8 | 9.7 | 1.9-17.5 | 16 | 19.2 | 8.6-29.8 |
| Hispanic | 50 | 24,497 | | | | 1 | 1.2 | 0.0- 3.6 | 32 | 62.7 | 46.0-79.4 | 6 | 9.0 | 0.6-17.4 | 1 | 4.3 | 0.0-12.3 | 10 | 22.9 | 8.0-37.8 |
| 18-24 | 69 | 68,376 | 1 | 0.4 | 0.0- 1.2 | 2 | 2.5 | 0.0- 6.0 | 30 | 44.1 | 30.8-57.4 | 19 | 27.9 | 15.7-40.1 | 6 | 9.0 | 1.7-16.3 | 11 | 16.3 | 6.5-26.1 |
| 25-34 | 116 | 77,516 | 1 | 2.1 | 0.0- 6.2 | | | | 78 | 64.6 | 54.6-74.6 | 13 | 10.7 | 4.4-17.0 | 3 | 2.6 | 0.0- 5.5 | 21 | 20.0 | 11.4-28.6 |
| 35-44 | 141 | 80,929 | | | | 2 | 2.4 | 0.0- 6.3 | 95 | 64.1 | 54.7-73.5 | 16 | 11.4 | 5.3-17.5 | 5 | 4.5 | 0.4- 8.6 | 23 | 17.5 | 10.1-24.9 |
| 45-54 | 277 | 111,624 | 1 | 0.2 | 0.0- 0.6 | 7 | 1.4 | 0.0- 2.8 | 178 | 64.2 | 57.3-71.1 | 34 | 11.2 | 6.9-15.5 | 7 | 2.5 | 0.3- 4.7 | 50 | 20.4 | 14.5-26.3 |
| 55-64 | 476 | 143,370 | | | | 11 | 2.1 | 0.7- 3.5 | 326 | 65.4 | 60.3-70.5 | 41 | 9.1 | 6.0-12.2 | 14 | 4.0 | 1.6- 6.4 | 84 | 19.4 | 15.1-23.7 |
| 65+ | 983 | 212,472 | 1 | 0.1 | 0.0- 0.3 | 13 | 1.2 | 0.4- 2.0 | 643 | 63.9 | 60.2-67.6 | 83 | 10.0 | 7.5-12.5 | 24 | 2.8 | 1.4- 4.2 | 219 | 22.1 | 19.0-25.2 |
| Less Than H.S. | 95 | 56,683 | | | | 2 | 1.1 | 0.0- 2.7 | 45 | 53.0 | 40.1-65.9 | 13 | 13.7 | 4.5-22.9 | 2 | 3.3 | 0.0- 9.0 | 33 | 28.9 | 18.1-39.7 |
| H.S. or G.E.D. | 592 | 228,214 | | | | 9 | 1.9 | 0.1- 3.7 | 379 | 60.0 | 54.9-65.1 | 80 | 15.2 | 11.3-19.1 | 19 | 4.9 | 2.5- 7.3 | 105 | 18.0 | 13.9-22.1 |
| Some Post-H.S. | 469 | 193,565 | 2 | 1.0 | 0.0- 2.6 | 8 | 1.5 | 0.3- 2.7 | 310 | 62.7 | 57.0-68.4 | 48 | 13.2 | 8.9-17.5 | 18 | 3.5 | 1.5- 5.5 | 83 | 18.1 | 13.6-22.6 |
| College Graduate | 900 | 213,140 | 2 | 0.2 | 0.0- 0.4 | 16 | 1.3 | 0.5- 2.1 | 614 | 67.8 | 63.9-71.7 | 65 | 7.3 | 5.3- 9.3 | 20 | 3.1 | 1.3- 4.9 | 183 | 20.3 | 17.0-23.6 |
| Less than \$15,000 | 130 | 45,302 | | | | 6 | 3.4 | 0.3- 6.5 | 85 | 66.3 | 56.3-76.3 | 11 | 9.4 | 3.3-15.5 | 6 | 6.6 | 0.3-12.9 | 22 | 14.3 | 7.8-20.8 |
| \$15,000- 24,999 | 252 | 92,438 | | | | 10 | 1.5 | 0.3- 2.7 | 147 | 60.2 | 52.0-68.4 | 38 | 17.6 | 10.5-24.7 | 7 | 4.4 | 0.3- 8.5 | 50 | 16.3 | 11.0-21.6 |
| \$25,000- 34,999 | 186 | 55,264 | | | | 3 | 4.2 | 0.0-10.1 | 118 | 58.8 | 49.2-68.4 | 20 | 13.3 | 6.0-20.6 | 6 | 3.1 | 0.2- 6.0 | 39 | 20.6 | 13.0-28.2 |
| \$35,000- 49,999 | 296 | 99,913 | 1 | 0.2 | 0.0- 0.6 | 1 | 0.2 | 0.0- 0.6 | 180 | 55.1 | 47.7-62.5 | 36 | 15.1 | 9.2-21.0 | 13 | 7.2 | 2.9-11.5 | 65 | 22.3 | 16.0-28.6 |
| \$50,000- 74,999 | 336 | 115,607 | 1 | 1.4 | 0.0- 4.1 | 8 | 3.4 | 0.9- 5.9 | 225 | 61.9 | 54.6-69.2 | 35 | 13.5 | 8.0-19.0 | 9 | 3.0 | 0.8- 5.2 | 58 | 16.8 | 11.5-22.1 |
| \$75,000+ | 710 | 237,424 | 2 | 0.2 | 0.0- 0.4 | 5 | 0.3 | 0.1- 0.5 | 496 | 66.7 | 62.2-71.2 | 51 | 8.0 | 5.5-10.5 | 14 | 2.7 | 1.1- 4.3 | 142 | 22.3 | 18.2-26.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Jan-Apr 2016 | | | May-Aug 2016 | | | Sep-Dec 2016 | | | Jan-Apr 2017 | | | May-Aug 2017 | | | Sep-Dec 2017 | | |
|----------------------------|-------------------|----------|--------------|-----|------------|--------------|-----|------------|--------------|------|------------|--------------|------|------------|--------------|-----|------------|--------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 3255 | 906,412 | 5 | 0.1 | 0.0- 0.3 | 47 | 2.1 | 1.3- 2.9 | 2166 | 64.0 | 61.6-66.4 | 250 | 8.5 | 6.9-10.1 | 80 | 3.4 | 2.2- 4.6 | 707 | 22.0 | 20.0-24.0 |
| White/Non-Hisp | 2905 | 792,210 | 5 | 0.1 | 0.0- 0.3 | 42 | 2.2 | 1.2- 3.2 | 1955 | 65.1 | 62.6-67.6 | 205 | 7.6 | 6.0- 9.2 | 65 | 3.2 | 2.0- 4.4 | 633 | 21.8 | 19.6-24.0 |
| Black or Afr. Am./Non-Hisp | 155 | 51,713 | | | | 2 | 1.3 | 0.0- 3.7 | 81 | 51.1 | 39.5-62.7 | 29 | 17.4 | 7.6-27.2 | 5 | 1.7 | 0.1- 3.3 | 38 | 28.6 | 18.0-39.2 |
| Hispanic | 85 | 34,665 | | | | | | | 54 | 58.2 | 45.3-71.1 | 8 | 14.4 | 4.2-24.6 | 4 | 6.0 | 0.0-12.5 | 19 | 21.4 | 11.2-31.6 |
| 18-24 | 74 | 83,578 | | | | 4 | 6.0 | 0.0-12.1 | 40 | 50.3 | 37.4-63.2 | 10 | 14.7 | 4.9-24.5 | 7 | 8.3 | 1.4-15.2 | 13 | 20.7 | 10.1-31.3 |
| 25-34 | 163 | 108,552 | | | | 4 | 2.3 | 0.0- 4.8 | 104 | 62.2 | 53.4-71.0 | 13 | 6.4 | 2.3-10.5 | 8 | 8.4 | 2.5-14.3 | 34 | 20.7 | 13.4-28.0 |
| 35-44 | 228 | 113,569 | | | | 5 | 2.4 | 0.0- 4.9 | 155 | 67.0 | 60.1-73.9 | 17 | 7.9 | 3.8-12.0 | 5 | 2.4 | 0.2- 4.6 | 46 | 20.4 | 14.5-26.3 |
| 45-54 | 416 | 141,729 | | | | 4 | 1.1 | 0.0- 2.3 | 289 | 66.6 | 61.1-72.1 | 34 | 9.1 | 5.6-12.6 | 10 | 2.2 | 0.8- 3.6 | 79 | 21.1 | 16.4-25.8 |
| 55-64 | 676 | 178,139 | | | | 12 | 2.1 | 0.7- 3.5 | 467 | 67.2 | 62.9-71.5 | 55 | 7.9 | 5.2-10.6 | 6 | 1.5 | 0.1- 2.9 | 136 | 21.3 | 17.6-25.0 |
| 65+ | 1698 | 280,845 | 5 | 0.4 | 0.0- 0.8 | 18 | 1.2 | 0.4- 2.0 | 1111 | 64.1 | 61.4-66.8 | 121 | 7.7 | 5.9- 9.5 | 44 | 2.2 | 1.4- 3.0 | 399 | 24.4 | 21.9-26.9 |
| Less Than H.S. | 172 | 72,974 | | | | 3 | 1.7 | 0.0- 4.2 | 101 | 55.3 | 44.9-65.7 | 26 | 20.9 | 11.3-30.5 | 2 | 1.8 | 0.0- 4.7 | 40 | 20.3 | 13.0-27.6 |
| H.S. or G.E.D. | 1023 | 271,608 | 1 | 0.2 | 0.0- 0.6 | 21 | 2.6 | 0.8- 4.4 | 632 | 60.1 | 55.8-64.4 | 93 | 9.6 | 6.9-12.3 | 38 | 4.6 | 2.6- 6.6 | 238 | 23.0 | 19.5-26.5 |
| Some Post-H.S. | 817 | 299,933 | 3 | 0.2 | 0.0- 0.4 | 12 | 2.5 | 0.7- 4.3 | 547 | 63.7 | 59.2-68.2 | 59 | 7.5 | 5.1- 9.9 | 22 | 4.2 | 1.7- 6.7 | 174 | 21.9 | 18.0-25.8 |
| College Graduate | 1239 | 261,538 | 1 | 0.1 | 0.0- 0.3 | 11 | 1.2 | 0.4- 2.0 | 883 | 70.7 | 67.4-74.0 | 72 | 4.9 | 3.3- 6.5 | 17 | 1.6 | 0.6- 2.6 | 255 | 21.5 | 18.4-24.6 |
| Less than \$15,000 | 258 | 65,409 | | | | 6 | 1.2 | 0.0- 2.4 | 146 | 50.9 | 42.1-59.7 | 51 | 23.2 | 14.8-31.6 | 9 | 5.4 | 0.9- 9.9 | 46 | 19.3 | 12.6-26.0 |
| \$15,000- 24,999 | 541 | 148,330 | 1 | 0.1 | 0.0- 0.3 | 5 | 1.1 | 0.0- 2.5 | 350 | 62.6 | 56.5-68.7 | 45 | 9.6 | 5.7-13.5 | 15 | 2.8 | 1.0- 4.6 | 125 | 23.8 | 18.5-29.1 |
| \$25,000- 34,999 | 361 | 97,251 | 1 | 0.3 | 0.0- 0.9 | 10 | 5.5 | 1.6- 9.4 | 229 | 54.4 | 47.0-61.8 | 33 | 11.6 | 6.7-16.5 | 6 | 2.7 | 0.0- 6.2 | 82 | 25.5 | 18.8-32.2 |
| \$35,000- 49,999 | 446 | 126,917 | | | | 5 | 1.3 | 0.1- 2.5 | 288 | 64.2 | 57.7-70.7 | 24 | 4.1 | 2.1- 6.1 | 16 | 5.2 | 1.5- 8.9 | 113 | 25.2 | 19.5-30.9 |
| \$50,000- 74,999 | 446 | 127,827 | 2 | 0.3 | 0.0- 0.7 | 7 | 3.1 | 0.2- 6.0 | 312 | 68.0 | 61.5-74.5 | 29 | 5.5 | 3.0- 8.0 | 8 | 3.4 | 0.0- 7.1 | 88 | 19.6 | 14.1-25.1 |
| \$75,000+ | 787 | 244,565 | | | | 9 | 1.2 | 0.2- 2.2 | 581 | 73.1 | 69.2-77.0 | 25 | 3.9 | 1.9- 5.9 | 11 | 1.7 | 0.5- 2.9 | 161 | 20.1 | 16.6-23.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 7. A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 11988 | 4,252,205 | 5788 | 38.9 | 37.7-40.1 | 6200 | 61.1 | 59.9-62.3 |
| Male | 5050 | 2,037,930 | 2342 | 39.3 | 37.5-41.1 | 2708 | 60.7 | 58.9-62.5 |
| Female | 6938 | 2,214,274 | 3446 | 38.5 | 36.9-40.1 | 3492 | 61.5 | 59.9-63.1 |
| White/Non-Hisp | 10170 | 3,470,068 | 5056 | 40.2 | 39.0-41.4 | 5114 | 59.8 | 58.6-61.0 |
| Black or Afr. Am./Non-Hisp | 771 | 347,809 | 341 | 35.0 | 30.7-39.3 | 430 | 65.0 | 60.7-69.3 |
| Oth. Race/Non-Hisp. | 227 | 94,462 | 88 | 35.7 | 27.3-44.1 | 139 | 64.3 | 55.9-72.7 |
| MultiRacial/Non-Hisp. | 180 | 48,784 | 86 | 42.2 | 33.4-51.0 | 94 | 57.8 | 49.0-66.6 |
| Hispanic | 446 | 220,674 | 125 | 25.6 | 20.5-30.7 | 321 | 74.4 | 69.3-79.5 |
| 18-24 | 536 | 526,906 | 218 | 40.1 | 35.4-44.8 | 318 | 59.9 | 55.2-64.6 |
| 25-34 | 944 | 650,124 | 255 | 27.5 | 24.2-30.8 | 689 | 72.5 | 69.2-75.8 |
| 35-44 | 1144 | 662,481 | 231 | 19.5 | 16.8-22.2 | 913 | 80.5 | 77.8-83.2 |
| 45-54 | 1833 | 715,939 | 441 | 24.1 | 21.7-26.5 | 1392 | 75.9 | 73.5-78.3 |
| 55-64 | 2684 | 771,680 | 996 | 36.4 | 34.2-38.6 | 1688 | 63.6 | 61.4-65.8 |
| 65+ | 4847 | 925,074 | 3647 | 73.6 | 72.0-75.2 | 1200 | 26.4 | 24.8-28.0 |
| Less Than H.S. | 856 | 509,729 | 428 | 41.1 | 36.8-45.4 | 428 | 58.9 | 54.6-63.2 |
| H.S. or G.E.D. | 3983 | 1,437,974 | 1996 | 39.9 | 37.9-41.9 | 1987 | 60.1 | 58.1-62.1 |
| Some Post-H.S. | 3040 | 1,317,341 | 1456 | 39.5 | 37.3-41.7 | 1584 | 60.5 | 58.3-62.7 |
| College Graduate | 4082 | 979,673 | 1894 | 35.4 | 33.6-37.2 | 2188 | 64.6 | 62.8-66.4 |
| Less than \$15,000 | 1041 | 368,615 | 550 | 45.9 | 41.8-50.0 | 491 | 54.1 | 50.0-58.2 |
| \$15,000- 24,999 | 1951 | 679,957 | 1069 | 43.7 | 40.8-46.6 | 882 | 56.3 | 53.4-59.2 |
| \$25,000- 34,999 | 1281 | 442,453 | 692 | 43.8 | 40.1-47.5 | 589 | 56.2 | 52.5-59.9 |
| \$35,000- 49,999 | 1646 | 602,507 | 877 | 42.7 | 39.4-46.0 | 769 | 57.3 | 54.0-60.6 |
| \$50,000- 74,999 | 1762 | 645,442 | 775 | 34.6 | 31.7-37.5 | 987 | 65.4 | 62.5-68.3 |
| \$75,000+ | 3040 | 1,112,965 | 1118 | 29.0 | 27.0-31.0 | 1922 | 71.0 | 69.0-73.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 8: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | Yes | | | N | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|--|--|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | % | | C.I. (95%) | | |
| Male | 5050 | 2,037,930 | 2342 | 39.3 | 37.5-41.1 | 2708 | 60.7 | 58.9-62.5 | | |
| White/Non-Hisp | 4235 | 1,648,896 | 2018 | 40.4 | 38.4-42.4 | 2217 | 59.6 | 57.6-61.6 | | |
| Black or Afr. Am./Non-Hisp | 286 | 164,022 | 129 | 36.6 | 29.7-43.5 | 157 | 63.4 | 56.5-70.3 | | |
| Oth. Race/Non-Hisp. | 130 | 54,755 | 54 | 39.3 | 28.7-49.9 | 76 | 60.7 | 50.1-71.3 | | |
| MultiRacial/Non-Hisp. | 98 | 27,183 | 41 | 37.2 | 26.0-48.4 | 57 | 62.8 | 51.6-74.0 | | |
| Hispanic | 200 | 103,873 | 53 | 26.6 | 19.0-34.2 | 147 | 73.4 | 65.8-81.0 | | |
| 18-24 | 312 | 281,721 | 137 | 42.5 | 36.2-48.8 | 175 | 57.5 | 51.2-63.8 | | |
| 25-34 | 462 | 321,606 | 142 | 32.2 | 27.3-37.1 | 320 | 67.8 | 62.9-72.7 | | |
| 35-44 | 488 | 318,273 | 102 | 20.2 | 16.1-24.3 | 386 | 79.8 | 75.7-83.9 | | |
| 45-54 | 791 | 345,081 | 211 | 26.8 | 23.1-30.5 | 580 | 73.2 | 69.5-76.9 | | |
| 55-64 | 1218 | 370,920 | 436 | 36.2 | 32.9-39.5 | 782 | 63.8 | 60.5-67.1 | | |
| 65+ | 1779 | 400,330 | 1314 | 71.7 | 69.2-74.2 | 465 | 28.3 | 25.8-30.8 | | |
| Less Than H.S. | 351 | 254,770 | 162 | 41.3 | 35.0-47.6 | 189 | 58.7 | 52.4-65.0 | | |
| H.S. or G.E.D. | 1619 | 711,497 | 737 | 38.9 | 36.0-41.8 | 882 | 61.1 | 58.2-64.0 | | |
| Some Post-H.S. | 1234 | 596,259 | 579 | 40.6 | 37.3-43.9 | 655 | 59.4 | 56.1-62.7 | | |
| College Graduate | 1831 | 469,803 | 857 | 37.2 | 34.5-39.9 | 974 | 62.8 | 60.1-65.5 | | |
| Less than \$15,000 | 358 | 147,917 | 171 | 42.3 | 35.8-48.8 | 187 | 57.7 | 51.2-64.2 | | |
| \$15,000- 24,999 | 721 | 301,518 | 361 | 43.1 | 38.4-47.8 | 360 | 56.9 | 52.2-61.6 | | |
| \$25,000- 34,999 | 501 | 204,628 | 260 | 44.8 | 39.1-50.5 | 241 | 55.2 | 49.5-60.9 | | |
| \$35,000- 49,999 | 758 | 310,744 | 395 | 43.6 | 38.9-48.3 | 363 | 56.4 | 51.7-61.1 | | |
| \$50,000- 74,999 | 800 | 322,212 | 370 | 37.7 | 33.4-42.0 | 430 | 62.3 | 58.0-66.6 | | |
| \$75,000+ | 1547 | 601,858 | 597 | 31.5 | 28.6-34.4 | 950 | 68.5 | 65.6-71.4 | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 9: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 6938 | 2,214,274 | 3446 | 38.5 | 36.9-40.1 | 3492 | 61.5 | 59.9-63.1 |
| White/Non-Hisp | 5935 | 1,821,173 | 3038 | 39.9 | 38.1-41.7 | 2897 | 60.1 | 58.3-61.9 |
| Black or Afr. Am./Non-Hisp | 485 | 183,787 | 212 | 33.6 | 28.1-39.1 | 273 | 66.4 | 60.9-71.9 |
| Oth. Race/Non-Hisp. | 97 | 39,707 | 34 | 30.6 | 17.7-43.5 | 63 | 69.4 | 56.5-82.3 |
| MultiRacial/Non-Hisp. | 82 | 21,601 | 45 | 48.6 | 34.5-62.7 | 37 | 51.4 | 37.3-65.5 |
| Hispanic | 246 | 116,801 | 72 | 24.8 | 18.1-31.5 | 174 | 75.2 | 68.5-81.9 |
| 18-24 | 224 | 245,185 | 81 | 37.5 | 30.2-44.8 | 143 | 62.5 | 55.2-69.8 |
| 25-34 | 482 | 328,518 | 113 | 23.0 | 18.7-27.3 | 369 | 77.0 | 72.7-81.3 |
| 35-44 | 656 | 344,208 | 129 | 18.8 | 15.5-22.1 | 527 | 81.2 | 77.9-84.5 |
| 45-54 | 1042 | 370,859 | 230 | 21.6 | 18.7-24.5 | 812 | 78.4 | 75.5-81.3 |
| 55-64 | 1466 | 400,760 | 560 | 36.6 | 33.7-39.5 | 906 | 63.4 | 60.5-66.3 |
| 65+ | 3068 | 524,744 | 2333 | 75.0 | 73.0-77.0 | 735 | 25.0 | 23.0-27.0 |
| Less Than H.S. | 505 | 254,960 | 266 | 41.0 | 35.3-46.7 | 239 | 59.0 | 53.3-64.7 |
| H.S. or G.E.D. | 2364 | 726,477 | 1259 | 40.8 | 38.3-43.3 | 1105 | 59.2 | 56.7-61.7 |
| Some Post-H.S. | 1806 | 721,082 | 877 | 38.6 | 35.7-41.5 | 929 | 61.4 | 58.5-64.3 |
| College Graduate | 2251 | 509,871 | 1037 | 33.8 | 31.3-36.3 | 1214 | 66.2 | 63.7-68.7 |
| Less than \$15,000 | 683 | 220,698 | 379 | 48.2 | 42.9-53.5 | 304 | 51.8 | 46.5-57.1 |
| \$15,000- 24,999 | 1230 | 378,440 | 708 | 44.2 | 40.3-48.1 | 522 | 55.8 | 51.9-59.7 |
| \$25,000- 34,999 | 780 | 237,824 | 432 | 42.8 | 38.1-47.5 | 348 | 57.2 | 52.5-61.9 |
| \$35,000- 49,999 | 888 | 291,763 | 482 | 41.8 | 37.3-46.3 | 406 | 58.2 | 53.7-62.7 |
| \$50,000- 74,999 | 962 | 323,230 | 405 | 31.5 | 27.6-35.4 | 557 | 68.5 | 64.6-72.4 |
| \$75,000+ | 1493 | 511,107 | 521 | 26.1 | 23.4-28.8 | 972 | 73.9 | 71.2-76.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

**TABLE 10: HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 8679 | 2,124,957 | 2679 | 25.4 | 24.4-26.4 | 6000 | 74.6 | 73.6-75.6 |
| Male | 3505 | 976,238 | 996 | 24.0 | 22.4-25.6 | 2509 | 76.0 | 74.4-77.6 |
| Female | 5174 | 1,148,719 | 1683 | 26.7 | 25.3-28.1 | 3491 | 73.3 | 71.9-74.7 |
| White/Non-Hisp | 7686 | 1,854,452 | 2498 | 26.8 | 25.6-28.0 | 5188 | 73.2 | 72.0-74.4 |
| Black or Afr. Am./Non-Hisp | 499 | 138,340 | 70 | 11.8 | 8.5-15.1 | 429 | 88.2 | 84.9-91.5 |
| Oth. Race/Non-Hisp. | 121 | 30,630 | 20 | 14.3 | 6.3-22.3 | 101 | 85.7 | 77.7-93.7 |
| MultiRacial/Non-Hisp. | 89 | 16,895 | 20 | 24.4 | 12.8-36.0 | 69 | 75.6 | 64.0-87.2 |
| Hispanic | 132 | 43,620 | 25 | 14.2 | 7.7-20.7 | 107 | 85.8 | 79.3-92.3 |
| 45-54 | 1066 | 403,605 | 73 | 6.8 | 5.0- 8.6 | 993 | 93.2 | 91.4-95.0 |
| 55-64 | 2727 | 784,075 | 488 | 16.6 | 15.0-18.2 | 2239 | 83.4 | 81.8-85.0 |
| 65+ | 4880 | 932,300 | 2118 | 41.1 | 39.3-42.9 | 2762 | 58.9 | 57.1-60.7 |
| Less Than H.S. | 583 | 232,273 | 112 | 17.4 | 13.9-20.9 | 471 | 82.6 | 79.1-86.1 |
| H.S. or G.E.D. | 3046 | 780,215 | 845 | 24.1 | 22.3-25.9 | 2201 | 75.9 | 74.1-77.7 |
| Some Post-H.S. | 2147 | 639,026 | 608 | 24.8 | 22.6-27.0 | 1539 | 75.2 | 73.0-77.4 |
| College Graduate | 2881 | 470,045 | 1111 | 32.6 | 30.6-34.6 | 1770 | 67.4 | 65.4-69.4 |
| Less than \$15,000 | 751 | 183,501 | 159 | 18.7 | 15.2-22.2 | 592 | 81.3 | 77.8-84.8 |
| \$15,000- 24,999 | 1460 | 352,582 | 388 | 23.3 | 20.8-25.8 | 1072 | 76.7 | 74.2-79.2 |
| \$25,000- 34,999 | 957 | 231,701 | 279 | 23.6 | 20.5-26.7 | 678 | 76.4 | 73.3-79.5 |
| \$35,000- 49,999 | 1244 | 318,782 | 447 | 29.6 | 26.7-32.5 | 797 | 70.4 | 67.5-73.3 |
| \$50,000- 74,999 | 1266 | 314,796 | 411 | 26.7 | 24.0-29.4 | 855 | 73.3 | 70.6-76.0 |
| \$75,000+ | 1958 | 490,872 | 627 | 24.7 | 22.5-26.9 | 1331 | 75.3 | 73.1-77.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 11: HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 3505 | 976,238 | 996 | 24.0 | 22.4-25.6 | 2509 | 76.0 | 74.4-77.6 |
| White/Non-Hisp | 3082 | 840,234 | 923 | 25.1 | 23.3-26.9 | 2159 | 74.9 | 73.1-76.7 |
| Black or Afr. Am./Non-Hisp | 176 | 65,759 | 19 | 12.1 | 6.4-17.8 | 157 | 87.9 | 82.2-93.6 |
| Oth. Race/Non-Hisp. | 66 | 17,406 | 5 | 8.0 | 0.0-17.0 | 61 | 92.0 | 83.0-100 |
| Hispanic | 54 | 19,237 | 6 | 10.5 | 1.9-19.1 | 48 | 89.5 | 80.9-98.1 |
| 45-54 | 451 | 186,545 | 30 | 7.2 | 4.3-10.1 | 421 | 92.8 | 89.9-95.7 |
| 55-64 | 1250 | 380,155 | 216 | 16.0 | 13.6-18.4 | 1034 | 84.0 | 81.6-86.4 |
| 65+ | 1799 | 405,055 | 750 | 39.4 | 36.7-42.1 | 1049 | 60.6 | 57.9-63.3 |
| Less Than H.S. | 209 | 103,728 | 39 | 18.6 | 12.5-24.7 | 170 | 81.4 | 75.3-87.5 |
| H.S. or G.E.D. | 1118 | 347,063 | 265 | 21.6 | 18.9-24.3 | 853 | 78.4 | 75.7-81.1 |
| Some Post-H.S. | 852 | 284,812 | 216 | 22.5 | 19.4-25.6 | 636 | 77.5 | 74.4-80.6 |
| College Graduate | 1315 | 238,650 | 474 | 31.5 | 28.8-34.2 | 841 | 68.5 | 65.8-71.2 |
| Less than \$15,000 | 249 | 77,092 | 34 | 12.7 | 7.6-17.8 | 215 | 87.3 | 82.2-92.4 |
| \$15,000- 24,999 | 503 | 153,034 | 121 | 23.2 | 18.7-27.7 | 382 | 76.8 | 72.3-81.3 |
| \$25,000- 34,999 | 350 | 96,869 | 86 | 21.7 | 16.4-27.0 | 264 | 78.3 | 73.0-83.6 |
| \$35,000- 49,999 | 554 | 159,837 | 174 | 27.3 | 23.0-31.6 | 380 | 72.7 | 68.4-77.0 |
| \$50,000- 74,999 | 559 | 150,673 | 176 | 26.1 | 22.0-30.2 | 383 | 73.9 | 69.8-78.0 |
| \$75,000+ | 1010 | 264,068 | 311 | 24.9 | 22.0-27.8 | 699 | 75.1 | 72.2-78.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 15: IMMUNIZATION**

TABLE 12: HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 5174 | 1,148,719 | 1683 | 26.7 | 25.3-28.1 | 3491 | 73.3 | 71.9-74.7 |
| White/Non-Hisp | 4604 | 1,014,218 | 1575 | 28.2 | 26.6-29.8 | 3029 | 71.8 | 70.2-73.4 |
| Black or Afr. Am./Non-Hisp | 323 | 72,581 | 51 | 11.6 | 7.9-15.3 | 272 | 88.4 | 84.7-92.1 |
| Oth. Race/Non-Hisp. | 55 | 13,224 | 15 | 22.6 | 8.1-37.1 | 40 | 77.4 | 62.9-91.9 |
| Hispanic | 78 | 24,384 | 19 | 17.1 | 8.1-26.1 | 59 | 82.9 | 73.9-91.9 |
| 45-54 | 615 | 217,061 | 43 | 6.5 | 4.3- 8.7 | 572 | 93.5 | 91.3-95.7 |
| 55-64 | 1477 | 403,919 | 272 | 17.1 | 14.9-19.3 | 1205 | 82.9 | 80.7-85.1 |
| 65+ | 3081 | 527,245 | 1368 | 42.3 | 40.1-44.5 | 1713 | 57.7 | 55.5-59.9 |
| Less Than H.S. | 374 | 128,546 | 73 | 16.5 | 12.4-20.6 | 301 | 83.5 | 79.4-87.6 |
| H.S. or G.E.D. | 1928 | 433,151 | 580 | 26.1 | 23.7-28.5 | 1348 | 73.9 | 71.5-76.3 |
| Some Post-H.S. | 1295 | 354,214 | 392 | 26.6 | 23.9-29.3 | 903 | 73.4 | 70.7-76.1 |
| College Graduate | 1566 | 231,394 | 637 | 33.7 | 31.0-36.4 | 929 | 66.3 | 63.6-69.0 |
| Less than \$15,000 | 502 | 106,409 | 125 | 23.1 | 18.4-27.8 | 377 | 76.9 | 72.2-81.6 |
| \$15,000- 24,999 | 957 | 199,548 | 267 | 23.3 | 20.2-26.4 | 690 | 76.7 | 73.6-79.8 |
| \$25,000- 34,999 | 607 | 134,832 | 193 | 25.0 | 20.9-29.1 | 414 | 75.0 | 70.9-79.1 |
| \$35,000- 49,999 | 690 | 158,945 | 273 | 31.8 | 27.7-35.9 | 417 | 68.2 | 64.1-72.3 |
| \$50,000- 74,999 | 707 | 164,123 | 235 | 27.1 | 23.4-30.8 | 472 | 72.9 | 69.2-76.6 |
| \$75,000+ | 948 | 226,804 | 316 | 24.5 | 21.6-27.4 | 632 | 75.5 | 72.6-78.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017**

SECTION 16: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|---|------|
| HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6) | |
| 1 MALES AND FEMALES | 276 |
| 2 MALES ONLY | 277 |
| 3 FEMALES ONLY | 278 |
| NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3) | |
| 4 MALES AND FEMALES | 279 |
| 5 MALES ONLY | 280 |
| 6 FEMALES ONLY | 281 |
| I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5) | |
| 7 MALES AND FEMALES | 282 |
| 8 MALES ONLY | 283 |
| 9 FEMALES ONLY | 284 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

**TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 12239 | 4,433,259 | 3284 | 34.0 | 32.8-35.2 | 8955 | 66.0 | 64.8-67.2 |
| Male | 5251 | 2,161,597 | 1462 | 32.6 | 30.8-34.4 | 3789 | 67.4 | 65.6-69.2 |
| Female | 6988 | 2,271,662 | 1822 | 35.4 | 33.8-37.0 | 5166 | 64.6 | 63.0-66.2 |
| White/Non-Hisp | 10340 | 3,602,854 | 2457 | 30.7 | 29.5-31.9 | 7883 | 69.3 | 68.1-70.5 |
| Black or Afr. Am./Non-Hisp | 781 | 358,976 | 401 | 60.7 | 56.2-65.2 | 380 | 39.3 | 34.8-43.8 |
| Oth. Race/Non-Hisp. | 244 | 105,181 | 77 | 25.4 | 18.5-32.3 | 167 | 74.6 | 67.7-81.5 |
| MultiRacial/Non-Hisp. | 188 | 53,513 | 72 | 41.5 | 32.3-50.7 | 116 | 58.5 | 49.3-67.7 |
| Hispanic | 490 | 240,131 | 217 | 44.1 | 38.6-49.6 | 273 | 55.9 | 50.4-61.4 |
| 18-24 | 597 | 581,710 | 179 | 29.2 | 25.1-33.3 | 418 | 70.8 | 66.7-74.9 |
| 25-34 | 1038 | 719,584 | 530 | 52.5 | 49.0-56.0 | 508 | 47.5 | 44.0-51.0 |
| 35-44 | 1235 | 711,620 | 628 | 50.5 | 47.2-53.8 | 607 | 49.5 | 46.2-52.8 |
| 45-54 | 1863 | 727,091 | 767 | 42.0 | 39.3-44.7 | 1096 | 58.0 | 55.3-60.7 |
| 55-64 | 2688 | 774,745 | 691 | 25.5 | 23.5-27.5 | 1997 | 74.5 | 72.5-76.5 |
| 65+ | 4818 | 918,510 | 489 | 10.8 | 9.6-12.0 | 4329 | 89.2 | 88.0-90.4 |
| Less Than H.S. | 879 | 531,705 | 222 | 28.8 | 24.9-32.7 | 657 | 71.2 | 67.3-75.1 |
| H.S. or G.E.D. | 4020 | 1,481,520 | 948 | 32.9 | 30.9-34.9 | 3072 | 67.1 | 65.1-69.1 |
| Some Post-H.S. | 3127 | 1,390,339 | 953 | 37.2 | 35.0-39.4 | 2174 | 62.8 | 60.6-65.0 |
| College Graduate | 4187 | 1,021,343 | 1157 | 34.3 | 32.3-36.3 | 3030 | 65.7 | 63.7-67.7 |
| Less than \$15,000 | 1061 | 384,455 | 399 | 44.1 | 40.0-48.2 | 662 | 55.9 | 51.8-60.0 |
| \$15,000- 24,999 | 1990 | 706,324 | 581 | 39.5 | 36.6-42.4 | 1409 | 60.5 | 57.6-63.4 |
| \$25,000- 34,999 | 1291 | 447,752 | 324 | 31.3 | 27.8-34.8 | 967 | 68.7 | 65.2-72.2 |
| \$35,000- 49,999 | 1674 | 630,391 | 405 | 33.2 | 29.9-36.5 | 1269 | 66.8 | 63.5-70.1 |
| \$50,000- 74,999 | 1795 | 669,117 | 483 | 34.5 | 31.4-37.6 | 1312 | 65.5 | 62.4-68.6 |
| \$75,000+ | 3135 | 1,168,338 | 865 | 32.4 | 30.2-34.6 | 2270 | 67.6 | 65.4-69.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 5251 | 2,161,597 | 1462 | 32.6 | 30.8-34.4 | 3789 | 67.4 | 65.6-69.2 |
| White/Non-Hisp | 4391 | 1,749,993 | 1110 | 29.9 | 28.1-31.7 | 3281 | 70.1 | 68.3-71.9 |
| Black or Afr. Am./Non-Hisp | 290 | 167,886 | 161 | 60.4 | 53.1-67.7 | 129 | 39.6 | 32.3-46.9 |
| Oth. Race/Non-Hisp. | 141 | 59,714 | 48 | 27.2 | 18.4-36.0 | 93 | 72.8 | 64.0-81.6 |
| MultiRacial/Non-Hisp. | 101 | 28,780 | 38 | 39.2 | 27.4-51.0 | 63 | 60.8 | 49.0-72.6 |
| Hispanic | 221 | 112,804 | 80 | 34.0 | 26.6-41.4 | 141 | 66.0 | 58.6-73.4 |
| 18-24 | 341 | 303,884 | 83 | 22.4 | 17.5-27.3 | 258 | 77.6 | 72.7-82.5 |
| 25-34 | 519 | 367,373 | 232 | 46.0 | 41.1-50.9 | 287 | 54.0 | 49.1-58.9 |
| 35-44 | 546 | 353,861 | 239 | 43.8 | 38.9-48.7 | 307 | 56.2 | 51.3-61.1 |
| 45-54 | 828 | 358,839 | 356 | 45.3 | 41.2-49.4 | 472 | 54.7 | 50.6-58.8 |
| 55-64 | 1239 | 377,852 | 313 | 25.5 | 22.6-28.4 | 926 | 74.5 | 71.6-77.4 |
| 65+ | 1778 | 399,787 | 239 | 13.4 | 11.4-15.4 | 1539 | 86.6 | 84.6-88.6 |
| Less Than H.S. | 370 | 270,789 | 102 | 27.7 | 22.0-33.4 | 268 | 72.3 | 66.6-78.0 |
| H.S. or G.E.D. | 1654 | 743,099 | 448 | 32.1 | 29.2-35.0 | 1206 | 67.9 | 65.0-70.8 |
| Some Post-H.S. | 1299 | 641,643 | 390 | 35.4 | 32.1-38.7 | 909 | 64.6 | 61.3-67.9 |
| College Graduate | 1915 | 500,682 | 521 | 32.7 | 30.0-35.4 | 1394 | 67.3 | 64.6-70.0 |
| Less than \$15,000 | 369 | 155,415 | 146 | 39.3 | 32.8-45.8 | 223 | 60.7 | 54.2-67.2 |
| \$15,000- 24,999 | 749 | 319,465 | 237 | 37.7 | 33.2-42.2 | 512 | 62.3 | 57.8-66.8 |
| \$25,000- 34,999 | 504 | 203,096 | 136 | 29.3 | 24.0-34.6 | 368 | 70.7 | 65.4-76.0 |
| \$35,000- 49,999 | 783 | 331,199 | 199 | 33.1 | 28.6-37.6 | 584 | 66.9 | 62.4-71.4 |
| \$50,000- 74,999 | 825 | 339,844 | 218 | 33.2 | 28.9-37.5 | 607 | 66.8 | 62.5-71.1 |
| \$75,000+ | 1629 | 647,657 | 441 | 31.6 | 28.7-34.5 | 1188 | 68.4 | 65.5-71.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 6988 | 2,271,662 | 1822 | 35.4 | 33.8-37.0 | 5166 | 64.6 | 63.0-66.2 |
| White/Non-Hisp | 5949 | 1,852,861 | 1347 | 31.5 | 29.7-33.3 | 4602 | 68.5 | 66.7-70.3 |
| Black or Afr. Am./Non-Hisp | 491 | 191,090 | 240 | 60.9 | 55.2-66.6 | 251 | 39.1 | 33.4-44.8 |
| Oth. Race/Non-Hisp. | 103 | 45,467 | 29 | 23.2 | 12.4-34.0 | 74 | 76.8 | 66.0-87.6 |
| MultiRacial/Non-Hisp. | 87 | 24,733 | 34 | 44.3 | 30.0-58.6 | 53 | 55.7 | 41.4-70.0 |
| Hispanic | 269 | 127,327 | 137 | 53.1 | 45.8-60.4 | 132 | 46.9 | 39.6-54.2 |
| 18-24 | 256 | 277,826 | 96 | 36.7 | 30.0-43.4 | 160 | 63.3 | 56.6-70.0 |
| 25-34 | 519 | 352,211 | 298 | 59.3 | 54.4-64.2 | 221 | 40.7 | 35.8-45.6 |
| 35-44 | 689 | 357,759 | 389 | 57.1 | 52.8-61.4 | 300 | 42.9 | 38.6-47.2 |
| 45-54 | 1035 | 368,251 | 411 | 38.7 | 35.2-42.2 | 624 | 61.3 | 57.8-64.8 |
| 55-64 | 1449 | 396,892 | 378 | 25.5 | 22.8-28.2 | 1071 | 74.5 | 71.8-77.2 |
| 65+ | 3040 | 518,723 | 250 | 8.7 | 7.3-10.1 | 2790 | 91.3 | 89.9-92.7 |
| Less Than H.S. | 509 | 260,916 | 120 | 29.9 | 24.4-35.4 | 389 | 70.1 | 64.6-75.6 |
| H.S. or G.E.D. | 2366 | 738,421 | 500 | 33.6 | 30.9-36.3 | 1866 | 66.4 | 63.7-69.1 |
| Some Post-H.S. | 1828 | 748,696 | 563 | 38.7 | 35.8-41.6 | 1265 | 61.3 | 58.4-64.2 |
| College Graduate | 2272 | 520,662 | 636 | 35.9 | 33.4-38.4 | 1636 | 64.1 | 61.6-66.6 |
| Less than \$15,000 | 692 | 229,040 | 253 | 47.3 | 42.0-52.6 | 439 | 52.7 | 47.4-58.0 |
| \$15,000- 24,999 | 1241 | 386,858 | 344 | 41.0 | 37.1-44.9 | 897 | 59.0 | 55.1-62.9 |
| \$25,000- 34,999 | 787 | 244,656 | 188 | 32.9 | 28.2-37.6 | 599 | 67.1 | 62.4-71.8 |
| \$35,000- 49,999 | 891 | 299,193 | 206 | 33.2 | 28.5-37.9 | 685 | 66.8 | 62.1-71.5 |
| \$50,000- 74,999 | 970 | 329,273 | 265 | 35.8 | 31.5-40.1 | 705 | 64.2 | 59.9-68.5 |
| \$75,000+ | 1506 | 520,680 | 424 | 33.3 | 30.2-36.4 | 1082 | 66.7 | 63.6-69.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1990 and before | | | 1991-1997 | | | 1998-2004 | | | 2005-2009 | | | 2010-2016 | | | 2017 | | |
|----------------------------|-------------------|-----------|-----------------|------|------------|-----------|------|------------|-----------|------|------------|-----------|------|------------|-----------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 2903 | 1,365,045 | 133 | 2.9 | 2.3- 3.5 | 271 | 6.7 | 5.7- 7.7 | 333 | 9.0 | 7.8-10.2 | 361 | 11.8 | 10.4-13.2 | 1383 | 52.5 | 50.1-54.9 | 422 | 17.2 | 15.4-19.0 |
| Male | 1285 | 625,614 | 54 | 2.8 | 1.8- 3.8 | 104 | 6.4 | 5.0- 7.8 | 127 | 7.8 | 6.0- 9.6 | 157 | 12.2 | 9.8-14.6 | 649 | 54.1 | 50.8-57.4 | 194 | 16.6 | 13.9-19.3 |
| Female | 1618 | 739,430 | 79 | 3.0 | 2.2- 3.8 | 167 | 6.9 | 5.5- 8.3 | 206 | 10.0 | 8.4-11.6 | 204 | 11.3 | 9.5-13.1 | 734 | 51.1 | 48.0-54.2 | 228 | 17.6 | 15.1-20.1 |
| White/Non-Hisp | 2173 | 1,001,326 | 123 | 3.7 | 2.9- 4.5 | 234 | 8.0 | 6.8- 9.2 | 283 | 10.5 | 9.1-11.9 | 300 | 13.3 | 11.5-15.1 | 960 | 49.5 | 47.0-52.0 | 273 | 15.1 | 13.1-17.1 |
| Black or Afr. Am./Non-Hisp | 358 | 200,068 | 4 | 0.8 | 0.0- 1.8 | 17 | 1.9 | 0.9- 2.9 | 17 | 2.5 | 1.1- 3.9 | 28 | 7.3 | 3.6-11.0 | 213 | 63.8 | 57.5-70.1 | 79 | 23.8 | 18.1-29.5 |
| Oth. Race/Non-Hisp. | 63 | 22,320 | 2 | 1.4 | 0.0- 3.4 | 3 | 4.5 | 0.0-10.8 | 4 | 8.9 | 0.0-18.9 | 9 | 14.0 | 1.5-26.5 | 36 | 58.6 | 41.9-75.3 | 9 | 12.6 | 2.4-22.8 |
| MultiRacial/Non-Hisp. | 67 | 21,642 | 7 | 6.4 | 0.5-12.3 | 7 | 6.4 | 0.5-12.3 | 6 | 7.1 | 0.4-13.8 | 3 | 5.1 | 0.0-11.4 | 39 | 62.0 | 47.7-76.3 | 12 | 19.5 | 7.7-31.3 |
| Hispanic | 192 | 94,885 | 1 | 0.3 | 0.0- 0.9 | 7 | 4.1 | 0.6- 7.6 | 15 | 5.8 | 2.5- 9.1 | 18 | 8.8 | 4.3-13.3 | 112 | 57.0 | 48.4-65.6 | 39 | 24.1 | 16.5-31.7 |
| 18-24 | 171 | 162,105 | | | | 1 | 0.7 | 0.0- 2.1 | | | | | | | 96 | 56.3 | 47.9-64.7 | 74 | 43.0 | 34.6-51.4 |
| 25-34 | 504 | 358,248 | | | | 1 | 0.1 | 0.0- 0.3 | 8 | 1.3 | 0.3- 2.3 | 53 | 11.4 | 8.1-14.7 | 335 | 66.7 | 62.0-71.4 | 107 | 20.6 | 16.7-24.5 |
| 35-44 | 586 | 328,860 | 2 | 0.6 | 0.0- 1.6 | 30 | 5.2 | 3.0- 7.4 | 88 | 14.7 | 11.4-18.0 | 110 | 17.6 | 14.1-21.1 | 292 | 51.2 | 46.5-55.9 | 64 | 10.7 | 7.8-13.6 |
| 45-54 | 700 | 277,565 | 41 | 6.0 | 3.8- 8.2 | 97 | 13.0 | 10.1-15.9 | 104 | 13.4 | 10.7-16.1 | 93 | 13.3 | 10.4-16.2 | 291 | 43.5 | 39.2-47.8 | 74 | 10.8 | 8.1-13.5 |
| 55-64 | 572 | 163,522 | 53 | 8.2 | 5.7-10.7 | 90 | 15.9 | 12.4-19.4 | 80 | 13.5 | 10.2-16.8 | 61 | 9.7 | 7.0-12.4 | 226 | 41.5 | 36.6-46.4 | 62 | 11.3 | 8.0-14.6 |
| 65+ | 370 | 74,745 | 37 | 10.7 | 6.8-14.6 | 52 | 13.8 | 9.5-18.1 | 53 | 13.8 | 9.7-17.9 | 44 | 12.3 | 8.0-16.6 | 143 | 39.2 | 32.9-45.5 | 41 | 10.2 | 6.7-13.7 |
| Less Than H.S. | 179 | 126,196 | 4 | 2.6 | 0.0- 5.7 | 10 | 3.7 | 1.2- 6.2 | 13 | 5.9 | 2.0- 9.8 | 14 | 7.2 | 2.3-12.1 | 98 | 58.5 | 49.7-67.3 | 40 | 22.1 | 14.7-29.5 |
| H.S. or G.E.D. | 835 | 438,596 | 28 | 2.2 | 1.2- 3.2 | 64 | 5.7 | 4.1- 7.3 | 89 | 8.7 | 6.7-10.7 | 83 | 9.9 | 7.5-12.3 | 422 | 52.2 | 48.1-56.3 | 149 | 21.2 | 17.5-24.9 |
| Some Post-H.S. | 846 | 475,181 | 39 | 2.8 | 1.8- 3.8 | 79 | 7.4 | 5.6- 9.2 | 80 | 7.5 | 5.5- 9.5 | 109 | 12.2 | 9.5-14.9 | 419 | 54.5 | 50.6-58.4 | 120 | 15.7 | 12.6-18.8 |
| College Graduate | 1039 | 324,402 | 62 | 4.3 | 3.1- 5.5 | 118 | 8.1 | 6.5- 9.7 | 151 | 12.8 | 10.4-15.2 | 154 | 15.3 | 12.8-17.8 | 441 | 47.5 | 43.8-51.2 | 113 | 12.0 | 9.5-14.5 |
| Less than \$15,000 | 348 | 150,605 | 7 | 1.7 | 0.0- 3.5 | 26 | 5.0 | 2.6- 7.4 | 31 | 7.1 | 4.2-10.0 | 33 | 7.0 | 4.1- 9.9 | 183 | 55.4 | 48.7-62.1 | 68 | 23.9 | 17.6-30.2 |
| \$15,000- 24,999 | 510 | 250,980 | 14 | 1.2 | 0.4- 2.0 | 35 | 5.4 | 3.2- 7.6 | 32 | 5.0 | 3.0- 7.0 | 64 | 9.7 | 6.6-12.8 | 268 | 56.0 | 50.5-61.5 | 97 | 22.7 | 18.0-27.4 |
| \$25,000- 34,999 | 282 | 124,673 | 14 | 4.9 | 1.6- 8.2 | 26 | 6.0 | 3.1- 8.9 | 30 | 7.7 | 4.6-10.8 | 38 | 15.1 | 10.0-20.2 | 129 | 48.4 | 41.1-55.7 | 45 | 18.1 | 12.0-24.2 |
| \$35,000- 49,999 | 373 | 195,331 | 18 | 3.2 | 1.4- 5.0 | 27 | 3.5 | 1.9- 5.1 | 37 | 6.2 | 3.8- 8.6 | 49 | 12.2 | 8.3-16.1 | 186 | 56.0 | 49.7-62.3 | 56 | 19.1 | 13.6-24.6 |
| \$50,000- 74,999 | 440 | 214,665 | 20 | 2.9 | 1.3- 4.5 | 50 | 8.7 | 5.8-11.6 | 65 | 11.6 | 8.1-15.1 | 48 | 10.6 | 6.7-14.5 | 215 | 55.0 | 49.1-60.9 | 42 | 11.1 | 7.2-15.0 |
| \$75,000+ | 777 | 347,221 | 52 | 4.1 | 2.7- 5.5 | 90 | 9.1 | 6.9-11.3 | 124 | 13.8 | 11.1-16.5 | 116 | 15.6 | 12.5-18.7 | 318 | 45.9 | 41.6-50.2 | 77 | 11.6 | 8.7-14.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1990 and before | | | 1991-1997 | | | 1998-2004 | | | 2005-2009 | | | 2010-2016 | | | 2017 | | |
|----------------------------|-------------------|----------|-----------------|-----|------------|-----------|------|------------|-----------|------|------------|-----------|------|------------|-----------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1285 | 625,614 | 54 | 2.8 | 1.8- 3.8 | 104 | 6.4 | 5.0- 7.8 | 127 | 7.8 | 6.0- 9.6 | 157 | 12.2 | 9.8-14.6 | 649 | 54.1 | 50.8-57.4 | 194 | 16.6 | 13.9-19.3 |
| White/Non-Hisp | 982 | 467,226 | 50 | 3.4 | 2.2- 4.6 | 92 | 7.4 | 5.6- 9.2 | 113 | 9.3 | 7.1-11.5 | 130 | 13.4 | 10.9-15.9 | 461 | 51.1 | 47.2-55.0 | 136 | 15.4 | 12.5-18.3 |
| Black or Afr. Am./Non-Hisp | 140 | 90,123 | 2 | 1.5 | 0.0- 3.7 | 3 | 0.7 | 0.0- 1.5 | 5 | 1.8 | 0.0- 3.6 | 13 | 9.2 | 2.1-16.3 | 90 | 68.7 | 59.1-78.3 | 27 | 18.2 | 10.8-25.6 |
| Hispanic | 71 | 33,792 | | | | 3 | 7.5 | 0.0-16.7 | 3 | 3.8 | 0.0- 8.7 | 5 | 7.7 | 0.6-14.8 | 44 | 54.3 | 40.2-68.4 | 16 | 26.7 | 13.6-39.8 |
| 18-24 | 78 | 64,434 | | | | 1 | 1.8 | 0.0- 5.3 | | | | | | | 46 | 59.7 | 47.7-71.7 | 31 | 38.5 | 26.5-50.5 |
| 25-34 | 219 | 157,650 | | | | | | | 3 | 1.1 | 0.0- 2.3 | 26 | 13.0 | 7.7-18.3 | 149 | 67.3 | 60.0-74.6 | 41 | 18.6 | 12.5-24.7 |
| 35-44 | 213 | 134,539 | 1 | 0.2 | 0.0- 0.6 | 11 | 5.0 | 1.7- 8.3 | 36 | 16.3 | 10.4-22.2 | 42 | 18.8 | 12.3-25.3 | 102 | 48.5 | 40.5-56.5 | 21 | 11.2 | 6.1-16.3 |
| 45-54 | 321 | 146,344 | 21 | 7.1 | 3.8-10.4 | 37 | 11.3 | 7.4-15.2 | 31 | 7.5 | 4.6-10.4 | 31 | 10.9 | 6.8-15.0 | 161 | 51.1 | 44.6-57.6 | 40 | 12.1 | 7.8-16.4 |
| 55-64 | 265 | 80,401 | 19 | 4.8 | 2.4- 7.2 | 37 | 14.3 | 9.4-19.2 | 30 | 11.0 | 6.7-15.3 | 30 | 9.8 | 5.7-13.9 | 111 | 44.2 | 36.9-51.5 | 38 | 15.9 | 10.2-21.6 |
| 65+ | 189 | 42,246 | 13 | 7.5 | 2.8-12.2 | 18 | 9.1 | 4.6-13.6 | 27 | 13.1 | 7.8-18.4 | 28 | 16.2 | 9.3-23.1 | 80 | 43.8 | 35.0-52.6 | 23 | 10.3 | 5.6-15.0 |
| Less Than H.S. | 83 | 61,451 | 1 | 0.5 | 0.0- 1.5 | 6 | 6.0 | 0.9-11.1 | 6 | 6.8 | 0.1-13.5 | 4 | 4.8 | 0.0- 9.9 | 48 | 58.6 | 45.9-71.3 | 18 | 23.4 | 12.4-34.4 |
| H.S. or G.E.D. | 388 | 209,280 | 11 | 2.3 | 0.7- 3.9 | 25 | 5.1 | 2.7- 7.5 | 37 | 7.9 | 5.0-10.8 | 36 | 10.0 | 6.5-13.5 | 212 | 55.1 | 49.2-61.0 | 67 | 19.7 | 14.6-24.8 |
| Some Post-H.S. | 347 | 206,676 | 16 | 3.2 | 1.2- 5.2 | 29 | 6.9 | 4.0- 9.8 | 20 | 4.9 | 2.4- 7.4 | 48 | 14.5 | 9.6-19.4 | 188 | 56.5 | 50.2-62.8 | 46 | 14.0 | 9.5-18.5 |
| College Graduate | 466 | 148,138 | 26 | 4.1 | 2.1- 6.1 | 44 | 7.5 | 5.0-10.0 | 64 | 12.2 | 8.7-15.7 | 69 | 15.4 | 11.5-19.3 | 200 | 47.6 | 42.1-53.1 | 63 | 13.2 | 9.7-16.7 |
| Less than \$15,000 | 121 | 49,959 | | | | 9 | 5.5 | 1.2- 9.8 | 8 | 5.9 | 1.4-10.4 | 11 | 7.5 | 2.0-13.0 | 69 | 60.8 | 49.8-71.8 | 24 | 20.3 | 10.5-30.1 |
| \$15,000- 24,999 | 203 | 104,523 | 6 | 2.0 | 0.0- 4.0 | 14 | 5.9 | 2.4- 9.4 | 11 | 3.8 | 1.3- 6.3 | 23 | 7.9 | 3.8-12.0 | 106 | 56.8 | 48.6-65.0 | 43 | 23.7 | 16.6-30.8 |
| \$25,000- 34,999 | 118 | 53,049 | 6 | 4.0 | 0.3- 7.7 | 7 | 5.3 | 0.4-10.2 | 10 | 5.7 | 1.4-10.0 | 17 | 18.9 | 9.9-27.9 | 59 | 46.3 | 34.9-57.7 | 19 | 19.8 | 9.4-30.2 |
| \$35,000- 49,999 | 185 | 102,297 | 5 | 2.4 | 0.0- 4.9 | 11 | 3.3 | 1.1- 5.5 | 15 | 4.7 | 2.0- 7.4 | 26 | 14.8 | 8.3-21.3 | 96 | 52.9 | 44.1-61.7 | 32 | 22.0 | 14.0-30.0 |
| \$50,000- 74,999 | 200 | 104,390 | 8 | 2.5 | 0.7- 4.3 | 17 | 6.4 | 2.5-10.3 | 23 | 9.1 | 4.0-14.2 | 19 | 8.6 | 2.5-14.7 | 112 | 64.8 | 56.4-73.2 | 21 | 8.6 | 4.7-12.5 |
| \$75,000+ | 396 | 184,815 | 26 | 4.3 | 2.1- 6.5 | 40 | 8.6 | 5.7-11.5 | 58 | 13.1 | 9.2-17.0 | 56 | 15.1 | 10.8-19.4 | 172 | 47.0 | 40.9-53.1 | 44 | 11.9 | 7.6-16.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1990 and before | | | 1991-1997 | | | 1998-2004 | | | 2005-2009 | | | 2010-2016 | | | 2017 | | |
|----------------------------|-------------------|----------|-----------------|------|------------|-----------|------|------------|-----------|------|------------|-----------|------|------------|-----------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1618 | 739,430 | 79 | 3.0 | 2.2- 3.8 | 167 | 6.9 | 5.5- 8.3 | 206 | 10.0 | 8.4-11.6 | 204 | 11.3 | 9.5-13.1 | 734 | 51.1 | 48.0-54.2 | 228 | 17.6 | 15.1-20.1 |
| White/Non-Hisp | 1191 | 534,100 | 73 | 4.0 | 2.8- 5.2 | 142 | 8.4 | 6.6-10.2 | 170 | 11.5 | 9.5-13.5 | 170 | 13.2 | 10.8-15.6 | 499 | 48.1 | 44.6-51.6 | 137 | 14.9 | 12.2-17.6 |
| Black or Afr. Am./Non-Hisp | 218 | 109,945 | 2 | 0.3 | 0.0- 0.7 | 14 | 2.9 | 1.1- 4.7 | 12 | 3.0 | 0.8- 5.2 | 15 | 5.7 | 2.4- 9.0 | 123 | 59.7 | 51.3-68.1 | 52 | 28.4 | 20.2-36.6 |
| Hispanic | 121 | 61,092 | 1 | 0.5 | 0.0- 1.5 | 4 | 2.2 | 0.0- 4.4 | 12 | 6.9 | 2.6-11.2 | 13 | 9.4 | 3.5-15.3 | 68 | 58.5 | 47.7-69.3 | 23 | 22.6 | 13.2-32.0 |
| 18-24 | 93 | 97,671 | | | | | | | | | | | | | 50 | 54.0 | 42.6-65.4 | 43 | 46.0 | 34.6-57.4 |
| 25-34 | 285 | 200,598 | | | | 1 | 0.1 | 0.0- 0.3 | 5 | 1.5 | 0.1- 2.9 | 27 | 10.1 | 6.0-14.2 | 186 | 66.1 | 60.0-72.2 | 66 | 22.1 | 17.0-27.2 |
| 35-44 | 373 | 194,321 | 1 | 0.9 | 0.0- 2.7 | 19 | 5.3 | 2.6- 8.0 | 52 | 13.7 | 9.8-17.6 | 68 | 16.7 | 12.6-20.8 | 190 | 53.1 | 47.4-58.8 | 43 | 10.3 | 7.0-13.6 |
| 45-54 | 379 | 131,221 | 20 | 4.9 | 2.5- 7.3 | 60 | 14.9 | 10.8-19.0 | 73 | 20.0 | 15.3-24.7 | 62 | 16.0 | 11.7-20.3 | 130 | 34.9 | 29.2-40.6 | 34 | 9.3 | 6.0-12.6 |
| 55-64 | 307 | 83,121 | 34 | 11.4 | 7.1-15.7 | 53 | 17.4 | 12.3-22.5 | 50 | 15.9 | 11.0-20.8 | 31 | 9.5 | 5.8-13.2 | 115 | 38.9 | 32.2-45.6 | 24 | 6.8 | 3.9- 9.7 |
| 65+ | 181 | 32,499 | 24 | 14.8 | 8.5-21.1 | 34 | 20.0 | 12.6-27.4 | 26 | 14.7 | 8.2-21.2 | 16 | 7.3 | 3.4-11.2 | 63 | 33.2 | 25.0-41.4 | 18 | 10.0 | 4.3-15.7 |
| Less Than H.S. | 96 | 64,745 | 3 | 4.6 | 0.0-10.5 | 4 | 1.5 | 0.0- 3.1 | 7 | 5.1 | 0.8- 9.4 | 10 | 9.5 | 1.3-17.7 | 50 | 58.4 | 46.1-70.7 | 22 | 20.9 | 10.9-30.9 |
| H.S. or G.E.D. | 447 | 229,316 | 17 | 2.2 | 1.0- 3.4 | 39 | 6.2 | 3.8- 8.6 | 52 | 9.4 | 6.5-12.3 | 47 | 9.9 | 6.8-13.0 | 210 | 49.6 | 43.7-55.5 | 82 | 22.7 | 17.4-28.0 |
| Some Post-H.S. | 499 | 268,505 | 23 | 2.4 | 1.2- 3.6 | 50 | 7.8 | 5.4-10.2 | 60 | 9.4 | 6.7-12.1 | 61 | 10.5 | 7.6-13.4 | 231 | 52.9 | 47.6-58.2 | 74 | 16.9 | 12.8-21.0 |
| College Graduate | 573 | 176,264 | 36 | 4.5 | 2.7- 6.3 | 74 | 8.6 | 6.4-10.8 | 87 | 13.3 | 10.2-16.4 | 85 | 15.2 | 11.7-18.7 | 241 | 47.3 | 42.4-52.2 | 50 | 11.0 | 7.7-14.3 |
| Less than \$15,000 | 227 | 100,647 | 7 | 2.5 | 0.0- 5.0 | 17 | 4.7 | 2.0- 7.4 | 23 | 7.7 | 3.8-11.6 | 22 | 6.8 | 3.3-10.3 | 114 | 52.7 | 44.3-61.1 | 44 | 25.6 | 17.6-33.6 |
| \$15,000- 24,999 | 307 | 146,457 | 8 | 0.7 | 0.1- 1.3 | 21 | 5.1 | 2.2- 8.0 | 21 | 5.8 | 3.1- 8.5 | 41 | 10.9 | 6.4-15.4 | 162 | 55.5 | 48.4-62.6 | 54 | 22.0 | 15.7-28.3 |
| \$25,000- 34,999 | 164 | 71,624 | 8 | 5.6 | 0.5-10.7 | 19 | 6.5 | 2.8-10.2 | 20 | 9.1 | 4.6-13.6 | 21 | 12.2 | 6.5-17.9 | 70 | 49.9 | 40.3-59.5 | 26 | 16.8 | 9.7-23.9 |
| \$35,000- 49,999 | 188 | 93,034 | 13 | 4.0 | 1.6- 6.4 | 16 | 3.7 | 1.3- 6.1 | 22 | 7.7 | 4.0-11.4 | 23 | 9.3 | 5.0-13.6 | 90 | 59.4 | 50.6-68.2 | 24 | 15.9 | 8.6-23.2 |
| \$50,000- 74,999 | 240 | 110,275 | 12 | 3.3 | 0.9- 5.7 | 33 | 10.9 | 6.8-15.0 | 42 | 14.1 | 9.4-18.8 | 29 | 12.6 | 7.7-17.5 | 103 | 45.8 | 38.0-53.6 | 21 | 13.4 | 6.9-19.9 |
| \$75,000+ | 381 | 162,406 | 26 | 3.8 | 2.2- 5.4 | 50 | 9.7 | 6.6-12.8 | 66 | 14.6 | 10.7-18.5 | 60 | 16.1 | 11.8-20.4 | 146 | 44.6 | 38.5-50.7 | 33 | 11.2 | 7.1-15.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

**TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | | Yes | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 12396 | 4,483,454 | 397 | 5.9 | 5.1- 6.7 | 11999 | 94.1 | 93.3-94.9 |
| Male | 5317 | 2,182,030 | 245 | 8.2 | 7.0- 9.4 | 5072 | 91.8 | 90.6-93.0 |
| Female | 7079 | 2,301,425 | 152 | 3.8 | 3.0- 4.6 | 6927 | 96.2 | 95.4-97.0 |
| White/Non-Hisp | 10490 | 3,652,102 | 286 | 5.3 | 4.5- 6.1 | 10204 | 94.7 | 93.9-95.5 |
| Black or Afr. Am./Non-Hisp | 777 | 356,016 | 50 | 11.7 | 8.2-15.2 | 727 | 88.3 | 84.8-91.8 |
| Oth. Race/Non-Hisp. | 245 | 105,781 | 13 | 7.0 | 1.3-12.7 | 232 | 93.0 | 87.3-98.7 |
| MultiRacial/Non-Hisp. | 190 | 53,789 | 15 | 9.5 | 4.2-14.8 | 175 | 90.5 | 85.2-95.8 |
| Hispanic | 492 | 241,183 | 32 | 7.4 | 4.7-10.1 | 460 | 92.6 | 89.9-95.3 |
| 18-24 | 596 | 583,036 | 106 | 17.7 | 14.2-21.2 | 490 | 82.3 | 78.8-85.8 |
| 25-34 | 1045 | 726,082 | 116 | 12.6 | 10.1-15.1 | 929 | 87.4 | 84.9-89.9 |
| 35-44 | 1242 | 717,299 | 49 | 4.0 | 2.6- 5.4 | 1193 | 96.0 | 94.6-97.4 |
| 45-54 | 1884 | 733,865 | 52 | 3.0 | 2.0- 4.0 | 1832 | 97.0 | 96.0-98.0 |
| 55-64 | 2732 | 786,375 | 41 | 1.7 | 1.1- 2.3 | 2691 | 98.3 | 97.7-98.9 |
| 65+ | 4897 | 936,798 | 33 | 0.8 | 0.4- 1.2 | 4864 | 99.2 | 98.8-99.6 |
| Less Than H.S. | 886 | 535,301 | 37 | 8.1 | 5.2-11.0 | 849 | 91.9 | 89.0-94.8 |
| H.S. or G.E.D. | 4067 | 1,498,722 | 145 | 6.8 | 5.6- 8.0 | 3922 | 93.2 | 92.0-94.4 |
| Some Post-H.S. | 3160 | 1,401,888 | 120 | 6.2 | 5.0- 7.4 | 3040 | 93.8 | 92.6-95.0 |
| College Graduate | 4255 | 1,038,974 | 95 | 3.2 | 2.4- 4.0 | 4160 | 96.8 | 96.0-97.6 |
| Less than \$15,000 | 1077 | 387,801 | 50 | 7.2 | 4.8- 9.6 | 1027 | 92.8 | 90.4-95.2 |
| \$15,000- 24,999 | 1999 | 706,298 | 85 | 8.0 | 6.0-10.0 | 1914 | 92.0 | 90.0-94.0 |
| \$25,000- 34,999 | 1299 | 452,260 | 39 | 6.3 | 3.9- 8.7 | 1260 | 93.7 | 91.3-96.1 |
| \$35,000- 49,999 | 1694 | 638,596 | 62 | 6.2 | 4.4- 8.0 | 1632 | 93.8 | 92.0-95.6 |
| \$50,000- 74,999 | 1815 | 673,745 | 57 | 5.7 | 3.9- 7.5 | 1758 | 94.3 | 92.5-96.1 |
| \$75,000+ | 3193 | 1,189,235 | 71 | 4.0 | 2.8- 5.2 | 3122 | 96.0 | 94.8-97.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|--|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| Male | 5317 | 2,182,030 | 245 | 8.2 | 7.0- 9.4 | 5072 | 91.8 | 90.6-93.0 | |
| White/Non-Hisp | 4455 | 1,770,071 | 182 | 7.8 | 6.6- 9.0 | 4273 | 92.2 | 91.0-93.4 | |
| Black or Afr. Am./Non-Hisp | 287 | 166,106 | 28 | 15.0 | 9.1-20.9 | 259 | 85.0 | 79.1-90.9 | |
| Oth. Race/Non-Hisp. | 142 | 60,509 | 8 | 3.8 | 0.5- 7.1 | 134 | 96.2 | 92.9-99.5 | |
| MultiRacial/Non-Hisp. | 103 | 29,086 | 8 | 10.5 | 3.1-17.9 | 95 | 89.5 | 82.1-96.9 | |
| Hispanic | 221 | 112,722 | 18 | 9.5 | 4.8-14.2 | 203 | 90.5 | 85.8-95.2 | |
| 18-24 | 338 | 302,080 | 67 | 21.6 | 16.5-26.7 | 271 | 78.4 | 73.3-83.5 | |
| 25-34 | 519 | 367,430 | 74 | 17.7 | 13.6-21.8 | 445 | 82.3 | 78.2-86.4 | |
| 35-44 | 545 | 353,845 | 23 | 4.7 | 2.5- 6.9 | 522 | 95.3 | 93.1-97.5 | |
| 45-54 | 839 | 363,546 | 32 | 4.7 | 2.7- 6.7 | 807 | 95.3 | 93.3-97.3 | |
| 55-64 | 1259 | 384,085 | 26 | 2.1 | 1.1- 3.1 | 1233 | 97.9 | 96.9-98.9 | |
| 65+ | 1817 | 411,044 | 23 | 1.5 | 0.7- 2.3 | 1794 | 98.5 | 97.7-99.3 | |
| Less Than H.S. | 370 | 269,677 | 23 | 10.9 | 6.2-15.6 | 347 | 89.1 | 84.4-93.8 | |
| H.S. or G.E.D. | 1675 | 752,512 | 102 | 9.7 | 7.5-11.9 | 1573 | 90.3 | 88.1-92.5 | |
| Some Post-H.S. | 1306 | 643,864 | 70 | 8.7 | 6.5-10.9 | 1236 | 91.3 | 89.1-93.5 | |
| College Graduate | 1951 | 510,374 | 50 | 3.8 | 2.6- 5.0 | 1901 | 96.2 | 95.0-97.4 | |
| Less than \$15,000 | 371 | 155,087 | 24 | 9.1 | 5.0-13.2 | 347 | 90.9 | 86.8-95.0 | |
| \$15,000- 24,999 | 753 | 319,008 | 50 | 11.7 | 8.0-15.4 | 703 | 88.3 | 84.6-92.0 | |
| \$25,000- 34,999 | 510 | 207,376 | 22 | 8.3 | 4.2-12.4 | 488 | 91.7 | 87.6-95.8 | |
| \$35,000- 49,999 | 791 | 335,731 | 46 | 9.6 | 6.7-12.5 | 745 | 90.4 | 87.5-93.3 | |
| \$50,000- 74,999 | 837 | 341,031 | 34 | 7.4 | 4.5-10.3 | 803 | 92.6 | 89.7-95.5 | |
| \$75,000+ | 1653 | 656,013 | 53 | 5.8 | 4.0- 7.6 | 1600 | 94.2 | 92.4-96.0 | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017
SECTION 16: HIV/AIDS**

TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|--|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | |
| Female | 7079 | 2,301,425 | 152 | 3.8 | 3.0- 4.6 | 6927 | 96.2 | 95.4-97.0 | |
| White/Non-Hisp | 6035 | 1,882,031 | 104 | 3.0 | 2.2- 3.8 | 5931 | 97.0 | 96.2-97.8 | |
| Black or Afr. Am./Non-Hisp | 490 | 189,911 | 22 | 8.9 | 4.8-13.0 | 468 | 91.1 | 87.0-95.2 | |
| Oth. Race/Non-Hisp. | 103 | 45,272 | 5 | 11.4 | 0.0-23.4 | 98 | 88.6 | 76.6- 100 | |
| MultiRacial/Non-Hisp. | 87 | 24,704 | 7 | 8.3 | 1.0-15.6 | 80 | 91.7 | 84.4-99.0 | |
| Hispanic | 271 | 128,461 | 14 | 5.5 | 2.4- 8.6 | 257 | 94.5 | 91.4-97.6 | |
| 18-24 | 258 | 280,955 | 39 | 13.6 | 8.9-18.3 | 219 | 86.4 | 81.7-91.1 | |
| 25-34 | 526 | 358,652 | 42 | 7.4 | 5.0- 9.8 | 484 | 92.6 | 90.2-95.0 | |
| 35-44 | 697 | 363,454 | 26 | 3.2 | 1.8- 4.6 | 671 | 96.8 | 95.4-98.2 | |
| 45-54 | 1045 | 370,319 | 20 | 1.3 | 0.5- 2.1 | 1025 | 98.7 | 97.9-99.5 | |
| 55-64 | 1473 | 402,290 | 15 | 1.2 | 0.6- 1.8 | 1458 | 98.8 | 98.2-99.4 | |
| 65+ | 3080 | 525,754 | 10 | 0.3 | 0.1- 0.5 | 3070 | 99.7 | 99.5-99.9 | |
| Less Than H.S. | 516 | 265,623 | 14 | 5.2 | 2.1- 8.3 | 502 | 94.8 | 91.7-97.9 | |
| H.S. or G.E.D. | 2392 | 746,210 | 43 | 3.8 | 2.4- 5.2 | 2349 | 96.2 | 94.8-97.6 | |
| Some Post-H.S. | 1854 | 758,023 | 50 | 4.1 | 2.7- 5.5 | 1804 | 95.9 | 94.5-97.3 | |
| College Graduate | 2304 | 528,600 | 45 | 2.6 | 1.6- 3.6 | 2259 | 97.4 | 96.4-98.4 | |
| Less than \$15,000 | 706 | 232,714 | 26 | 6.0 | 3.1- 8.9 | 680 | 94.0 | 91.1-96.9 | |
| \$15,000- 24,999 | 1246 | 387,290 | 35 | 5.0 | 3.0- 7.0 | 1211 | 95.0 | 93.0-97.0 | |
| \$25,000- 34,999 | 789 | 244,884 | 17 | 4.6 | 1.9- 7.3 | 772 | 95.4 | 92.7-98.1 | |
| \$35,000- 49,999 | 903 | 302,865 | 16 | 2.3 | 0.9- 3.7 | 887 | 97.7 | 96.3-99.1 | |
| \$50,000- 74,999 | 978 | 332,714 | 23 | 4.0 | 1.8- 6.2 | 955 | 96.0 | 93.8-98.2 | |
| \$75,000+ | 1540 | 533,221 | 18 | 1.8 | 0.8- 2.8 | 1522 | 98.2 | 97.2-99.2 | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CORE QUESTIONS DATA REPORT, 2017**

End of Core Data Report