



INDIANA

2019 Calculated Variables Report

Behavioral Risk Factor Surveillance System

July 31, 2020



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019**

SECTION 1: HEALTH STATUS CONTENTS

* **NOTE** * * * * *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.
 * * * * *

TABLE	PAGE
ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1 MALES AND FEMALES	3
2 MALES ONLY	4
3 FEMALES ONLY	5
	5
4 MALES AND FEMALES	6
5 MALES ONLY	7
6 FEMALES ONLY	8
	9
7 MALES AND FEMALES	9
8 MALES ONLY	10
9 FEMALES ONLY	11

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8866	5,153,772	6932	80.1	79.1-81.1	1934	19.9	18.9-20.9
Male	3981	2,509,832	3127	80.4	78.8-82.0	854	19.6	18.0-21.2
Female	4885	2,643,940	3805	79.8	78.4-81.2	1080	20.2	18.8-21.6
White/Non-Hisp	7346	4,084,159	5826	81.2	80.2-82.2	1520	18.8	17.8-19.8
Black or Afr. Am./Non-Hisp	598	449,728	425	75.0	70.9-79.1	173	25.0	20.9-29.1
Oth. Race/Non-Hisp.	233	159,294	177	77.8	69.8-85.8	56	22.2	14.2-30.2
MultiRacial/Non-Hisp.	127	46,832	82	69.6	60.0-79.2	45	30.4	20.8-40.0
Hispanic	381	315,363	291	77.1	72.0-82.2	90	22.9	17.8-28.0
18-24	461	680,222	417	90.9	88.0-93.8	44	9.1	6.2-12.0
25-34	800	858,291	698	87.1	84.6-89.6	102	12.9	10.4-15.4
35-44	974	820,973	811	83.0	80.3-85.7	163	17.0	14.3-19.7
45-54	1335	826,416	1061	78.8	76.3-81.3	274	21.2	18.7-23.7
55-64	1821	866,135	1347	72.0	69.6-74.4	474	28.0	25.6-30.4
65+	3475	1,101,736	2598	73.3	71.5-75.1	877	26.7	24.9-28.5
Less Than H.S.	644	624,794	372	61.9	57.4-66.4	272	38.1	33.6-42.6
H.S. or G.E.D.	2840	1,711,785	2045	77.6	75.8-79.4	795	22.4	20.6-24.2
Some Post-H.S.	2288	1,571,044	1769	81.2	79.4-83.0	519	18.8	17.0-20.6
College Graduate	3033	1,214,230	2697	91.5	90.5-92.5	336	8.5	7.5-9.5
Less than \$15,000	638	409,249	336	57.9	53.0-62.8	302	42.1	37.2-47.0
\$15,000- 24,999	1211	693,727	732	64.6	61.3-67.9	479	35.4	32.1-38.7
\$25,000- 34,999	762	435,757	579	77.9	74.2-81.6	183	22.1	18.4-25.8
\$35,000- 49,999	1014	592,502	822	82.4	79.5-85.3	192	17.6	14.7-20.5
\$50,000- 74,999	1120	692,906	953	85.4	82.9-87.9	167	14.6	12.1-17.1
\$75,000+	2133	1,306,643	1950	91.6	90.2-93.0	183	8.4	7.0-9.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3981	2,509,832	3127	80.4	78.8-82.0	854	19.6	18.0-21.2
White/Non-Hisp	3294	1,979,687	2622	81.2	79.6-82.8	672	18.8	17.2-20.4
Black or Afr. Am./Non-Hisp	236	210,993	172	75.2	68.7-81.7	64	24.8	18.3-31.3
Oth. Race/Non-Hisp.	128	91,496	102	85.0	77.0-93.0	26	15.0	7.0-23.0
MultiRacial/Non-Hisp.	58	21,236	32	62.7	47.6-77.8	26	37.3	22.2-52.4
Hispanic	169	155,171	131	79.0	71.9-86.1	38	21.0	13.9-28.1
18-24	259	348,662	233	90.8	87.1-94.5	26	9.2	5.5-12.9
25-34	384	431,254	340	87.7	83.8-91.6	44	12.3	8.4-16.2
35-44	450	409,021	387	84.9	81.0-88.8	63	15.1	11.2-19.0
45-54	624	410,650	512	82.0	78.7-85.3	112	18.0	14.7-21.3
55-64	876	422,831	627	69.1	65.6-72.6	249	30.9	27.4-34.4
65+	1388	487,414	1028	71.5	68.6-74.4	360	28.5	25.6-31.4
Less Than H.S.	298	330,192	181	64.4	58.1-70.7	117	35.6	29.3-41.9
H.S. or G.E.D.	1293	891,300	943	78.5	76.0-81.0	350	21.5	19.0-24.0
Some Post-H.S.	978	720,067	761	82.0	79.5-84.5	217	18.0	15.5-20.5
College Graduate	1384	551,798	1217	90.7	89.1-92.3	167	9.3	7.7-10.9
Less than \$15,000	239	158,214	123	58.0	50.6-65.4	116	42.0	34.6-49.4
\$15,000- 24,999	487	310,976	289	64.2	59.1-69.3	198	35.8	30.7-40.9
\$25,000- 34,999	306	195,480	231	76.4	70.3-82.5	75	23.6	17.5-29.7
\$35,000- 49,999	501	317,101	399	80.4	76.1-84.7	102	19.6	15.3-23.9
\$50,000- 74,999	549	364,156	453	84.6	80.9-88.3	96	15.4	11.7-19.1
\$75,000+	1174	728,584	1060	90.9	88.7-93.1	114	9.1	6.9-11.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4885	2,643,940	3805	79.8	78.4-81.2	1080	20.2	18.8-21.6
White/Non-Hisp	4052	2,104,472	3204	81.2	79.8-82.6	848	18.8	17.4-20.2
Black or Afr. Am./Non-Hisp	362	238,735	253	74.8	69.5-80.1	109	25.2	19.9-30.5
Oth. Race/Non-Hisp.	105	67,797	75	67.9	53.6-82.2	30	32.1	17.8-46.4
MultiRacial/Non-Hisp.	69	25,597	50	75.3	63.3-87.3	19	24.7	12.7-36.7
Hispanic	212	160,193	160	75.2	68.1-82.3	52	24.8	17.7-31.9
18-24	202	331,560	184	91.1	86.4-95.8	18	8.9	4.2-13.6
25-34	416	427,037	358	86.4	82.9-89.9	58	13.6	10.1-17.1
35-44	524	411,951	424	81.2	77.3-85.1	100	18.8	14.9-22.7
45-54	711	415,766	549	75.6	72.1-79.1	162	24.4	20.9-27.9
55-64	945	443,304	720	74.8	71.5-78.1	225	25.2	21.9-28.5
65+	2087	614,322	1570	74.7	72.3-77.1	517	25.3	22.9-27.7
Less Than H.S.	346	294,602	191	59.1	52.4-65.8	155	40.9	34.2-47.6
H.S. or G.E.D.	1547	820,485	1102	76.7	74.2-79.2	445	23.3	20.8-25.8
Some Post-H.S.	1310	850,977	1008	80.6	78.2-83.0	302	19.4	17.0-21.8
College Graduate	1649	662,432	1480	92.1	90.7-93.5	169	7.9	6.5- 9.3
Less than \$15,000	399	251,034	213	57.8	51.5-64.1	186	42.2	35.9-48.5
\$15,000- 24,999	724	382,751	443	65.0	60.5-69.5	281	35.0	30.5-39.5
\$25,000- 34,999	456	240,277	348	79.2	74.3-84.1	108	20.8	15.9-25.7
\$35,000- 49,999	513	275,401	423	84.7	81.2-88.2	90	15.3	11.8-18.8
\$50,000- 74,999	571	328,750	500	86.3	82.6-90.0	71	13.7	10.0-17.4
\$75,000+	959	578,059	890	92.6	90.6-94.6	69	7.4	5.4- 9.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019

SECTION 2: HEALTHY DAYS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1	MALES AND FEMALES	13
2	MALES ONLY	14
3	FEMALES ONLY	15
	3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4	MALES AND FEMALES	16
5	MALES ONLY	17
6	FEMALES ONLY	18

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 2: HEALTHY DAYS**

**TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8608	5,025,159	5223	61.3	59.9-62.7	2046	24.9	23.7-26.1	1339	13.8	13.0-14.6
Male	3888	2,460,038	2509	65.1	63.3-66.9	866	23.3	21.5-25.1	513	11.6	10.4-12.8
Female	4720	2,565,120	2714	57.7	55.9-59.5	1180	26.5	24.7-28.3	826	15.9	14.7-17.1
White/Non-Hisp	7152	4,002,524	4352	61.2	59.8-62.6	1713	25.1	23.7-26.5	1087	13.7	12.7-14.7
Black or Afr. Am./Non-Hisp	570	430,255	332	61.2	56.3-66.1	147	25.4	20.9-29.9	91	13.4	10.3-16.5
Oth. Race/Non-Hisp.	229	154,576	131	56.8	48.4-65.2	58	30.7	22.7-38.7	40	12.6	7.3-17.9
MultiRacial/Non-Hisp.	125	45,847	62	53.6	42.4-64.8	28	23.8	14.6-33.0	35	22.5	13.7-31.3
Hispanic	361	298,623	232	64.8	59.1-70.5	76	22.4	17.3-27.5	53	12.8	8.9-16.7
18-24	454	666,557	282	63.1	58.2-68.0	146	32.0	27.3-36.7	26	4.9	2.9- 6.9
25-34	784	837,164	490	63.3	59.6-67.0	225	27.6	24.1-31.1	69	9.1	6.9-11.3
35-44	959	811,887	588	62.5	59.2-65.8	252	25.2	22.3-28.1	119	12.3	9.9-14.7
45-54	1319	817,600	830	62.6	59.7-65.5	301	22.7	20.2-25.2	188	14.8	12.6-17.0
55-64	1766	839,425	1032	57.0	54.5-59.5	387	22.1	19.9-24.3	347	20.8	18.6-23.0
65+	3326	1,052,525	2001	60.2	58.2-62.2	735	22.1	20.3-23.9	590	17.8	16.2-19.4
Less Than H.S.	605	595,161	316	54.7	49.8-59.6	134	22.1	18.0-26.2	155	23.2	19.3-27.1
H.S. or G.E.D.	2722	1,656,226	1580	60.5	58.1-62.9	636	25.2	23.0-27.4	506	14.2	12.8-15.6
Some Post-H.S.	2235	1,541,186	1299	60.0	57.6-62.4	528	25.1	22.9-27.3	408	14.9	13.3-16.5
College Graduate	2988	1,202,135	1989	67.2	65.2-69.2	737	25.6	23.6-27.6	262	7.1	6.1- 8.1
Less than \$15,000	596	386,084	249	43.8	38.7-48.9	155	28.9	24.2-33.6	192	27.3	23.0-31.6
\$15,000- 24,999	1160	667,301	553	48.4	44.7-52.1	287	27.0	23.7-30.3	320	24.5	21.4-27.6
\$25,000- 34,999	752	432,682	438	60.2	55.7-64.7	194	26.0	21.9-30.1	120	13.8	10.9-16.7
\$35,000- 49,999	994	583,532	609	62.5	58.8-66.2	255	25.4	21.9-28.9	130	12.1	9.7-14.5
\$50,000- 74,999	1105	684,947	731	67.0	63.5-70.5	245	22.5	19.4-25.6	129	10.4	8.2-12.6
\$75,000+	2117	1,297,125	1473	68.5	66.1-70.9	503	25.3	22.9-27.7	141	6.2	5.0- 7.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 2: HEALTHY DAYS**

**TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3888	2,460,038	2509	65.1	63.3-66.9	866	23.3	21.5-25.1	513	11.6	10.4-12.8
White/Non-Hisp	3225	1,949,446	2092	65.2	63.2-67.2	722	23.3	21.5-25.1	411	11.5	10.1-12.9
Black or Afr. Am./Non-Hisp	227	203,255	138	63.8	56.4-71.2	57	24.1	17.4-30.8	32	12.2	7.3-17.1
Oth. Race/Non-Hisp.	127	91,961	79	60.9	49.9-71.9	28	29.4	18.8-40.0	20	9.7	4.0-15.4
MultiRacial/Non-Hisp.	57	21,222	28	49.0	32.7-65.3	12	24.2	10.1-38.3	17	26.8	12.3-41.3
Hispanic	161	145,905	111	70.4	62.4-78.4	31	19.2	12.3-26.1	19	10.4	5.3-15.5
18-24	255	343,185	170	68.2	61.9-74.5	71	26.5	20.6-32.4	14	5.3	2.4- 8.2
25-34	378	424,229	260	68.9	63.6-74.2	94	24.4	19.5-29.3	24	6.7	4.0- 9.4
35-44	448	408,845	299	66.7	61.8-71.6	114	25.1	20.6-29.6	35	8.2	5.5-10.9
45-54	617	406,306	425	68.8	64.7-72.9	123	20.5	17.0-24.0	69	10.7	8.2-13.2
55-64	853	411,702	520	58.6	54.9-62.3	175	21.1	18.0-24.2	158	20.3	17.2-23.4
65+	1337	465,771	835	60.5	57.4-63.6	289	22.8	20.1-25.5	213	16.8	14.3-19.3
Less Than H.S.	284	320,676	158	58.4	51.7-65.1	59	21.5	15.8-27.2	67	20.1	15.0-25.2
H.S. or G.E.D.	1245	862,222	754	63.1	60.0-66.2	287	24.7	21.8-27.6	204	12.2	10.2-14.2
Some Post-H.S.	960	713,601	601	64.5	61.0-68.0	220	23.9	20.8-27.0	139	11.5	9.3-13.7
College Graduate	1372	548,316	976	72.6	69.9-75.3	294	21.5	19.0-24.0	102	5.9	4.5- 7.3
Less than \$15,000	227	152,425	101	48.0	40.0-56.0	54	26.5	19.1-33.9	72	25.5	19.0-32.0
\$15,000- 24,999	466	298,657	232	52.4	46.7-58.1	108	24.6	19.7-29.5	126	23.0	18.7-27.3
\$25,000- 34,999	304	195,479	186	62.3	55.4-69.2	77	25.2	19.1-31.3	41	12.5	8.0-17.0
\$35,000- 49,999	490	311,763	304	62.7	57.2-68.2	128	27.3	22.2-32.4	58	9.9	6.8-13.0
\$50,000- 74,999	543	361,409	365	68.5	63.6-73.4	110	21.7	17.2-26.2	68	9.8	7.1-12.5
\$75,000+	1169	725,853	860	72.6	69.5-75.7	248	22.4	19.5-25.3	61	5.0	3.4- 6.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 2: HEALTHY DAYS**

**TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4720	2,565,120	2714	57.7	55.9-59.5	1180	26.5	24.7-28.3	826	15.9	14.7-17.1
White/Non-Hisp	3927	2,053,078	2260	57.3	55.3-59.3	991	26.8	25.0-28.6	676	15.9	14.5-17.3
Black or Afr. Am./Non-Hisp	343	227,000	194	58.9	52.2-65.6	90	26.6	20.7-32.5	59	14.4	10.1-18.7
Oth. Race/Non-Hisp.	102	62,615	52	50.8	37.5-64.1	30	32.5	19.8-45.2	20	16.7	6.9-26.5
MultiRacial/Non-Hisp.	68	24,625	34	57.6	42.9-72.3	16	23.5	11.5-35.5	18	18.8	8.6-29.0
Hispanic	200	152,718	121	59.3	51.3-67.3	45	25.5	18.1-32.9	34	15.2	9.5-20.9
18-24	199	323,372	112	57.6	50.0-65.2	75	37.9	30.5-45.3	12	4.5	1.8- 7.2
25-34	406	412,935	230	57.6	52.3-62.9	131	30.8	25.9-35.7	45	11.5	8.2-14.8
35-44	511	403,042	289	58.2	53.5-62.9	138	25.3	21.2-29.4	84	16.5	12.8-20.2
45-54	702	411,294	405	56.4	52.3-60.5	178	24.8	21.3-28.3	119	18.9	15.6-22.2
55-64	913	427,724	512	55.5	51.8-59.2	212	23.1	20.0-26.2	189	21.4	18.3-24.5
65+	1989	586,754	1166	59.9	57.4-62.4	446	21.5	19.3-23.7	377	18.6	16.6-20.6
Less Than H.S.	321	274,486	158	50.4	43.3-57.5	75	22.9	17.2-28.6	88	26.7	20.8-32.6
H.S. or G.E.D.	1477	794,003	826	57.8	54.5-61.1	349	25.8	22.7-28.9	302	16.4	14.2-18.6
Some Post-H.S.	1275	827,585	698	56.1	52.8-59.4	308	26.1	23.0-29.2	269	17.8	15.4-20.2
College Graduate	1616	653,819	1013	62.7	59.8-65.6	443	29.1	26.4-31.8	160	8.1	6.5- 9.7
Less than \$15,000	369	233,659	148	41.0	34.5-47.5	101	30.4	24.3-36.5	120	28.5	22.8-34.2
\$15,000- 24,999	694	368,643	321	45.2	40.1-50.3	179	29.0	24.5-33.5	194	25.8	21.5-30.1
\$25,000- 34,999	448	237,203	252	58.5	52.4-64.6	117	26.7	21.0-32.4	79	14.8	11.1-18.5
\$35,000- 49,999	504	271,769	305	62.2	56.9-67.5	127	23.3	18.8-27.8	72	14.5	10.8-18.2
\$50,000- 74,999	562	323,538	366	65.5	60.6-70.4	135	23.5	19.0-28.0	61	11.1	8.0-14.2
\$75,000+	948	571,272	613	63.3	59.6-67.0	255	29.0	25.5-32.5	80	7.7	5.7- 9.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8650	5,050,919	5580	59.9	58.5-61.3	1982	25.8	24.6-27.0	1088	14.3	13.3-15.3
Male	3894	2,465,767	2749	67.1	65.1-69.1	760	22.0	20.2-23.8	385	10.9	9.7-12.1
Female	4756	2,585,152	2831	53.0	51.0-55.0	1222	29.4	27.6-31.2	703	17.6	16.0-19.2
White/Non-Hisp	7187	4,015,874	4615	58.8	57.2-60.4	1686	26.7	25.3-28.1	886	14.5	13.3-15.7
Black or Afr. Am./Non-Hisp	573	432,851	380	62.2	56.9-67.5	121	24.5	19.8-29.2	72	13.3	9.8-16.8
Oth. Race/Non-Hisp.	226	157,946	141	59.7	50.9-68.5	48	19.5	13.0-26.0	37	20.8	12.6-29.0
MultiRacial/Non-Hisp.	125	46,186	66	46.5	35.3-57.7	25	26.2	15.4-37.0	34	27.3	17.5-37.1
Hispanic	370	303,536	259	70.1	64.6-75.6	77	21.7	16.8-26.6	34	8.2	5.1-11.3
18-24	454	671,358	188	40.9	35.8-46.0	168	37.5	32.6-42.4	98	21.6	17.3-25.9
25-34	790	848,682	400	52.3	48.4-56.2	257	30.5	27.0-34.0	133	17.2	14.3-20.1
35-44	964	814,399	511	55.0	51.5-58.5	294	29.0	25.9-32.1	159	16.0	13.5-18.5
45-54	1318	815,958	784	61.0	58.1-63.9	350	25.3	22.8-27.8	184	13.7	11.5-15.9
55-64	1776	839,969	1183	66.8	64.3-69.3	363	20.7	18.5-22.9	230	12.5	10.7-14.3
65+	3348	1,060,553	2514	75.4	73.6-77.2	550	16.5	14.9-18.1	284	8.1	6.9- 9.3
Less Than H.S.	604	595,404	372	58.9	54.0-63.8	123	22.1	18.0-26.2	109	19.1	15.2-23.0
H.S. or G.E.D.	2746	1,672,278	1798	61.8	59.4-64.2	558	22.3	20.3-24.3	390	15.9	14.1-17.7
Some Post-H.S.	2251	1,552,335	1392	57.1	54.6-59.6	524	27.4	25.0-29.8	335	15.5	13.7-17.3
College Graduate	2994	1,202,290	1979	61.1	58.9-63.3	769	30.6	28.4-32.8	246	8.3	7.1- 9.5
Less than \$15,000	609	393,150	311	49.0	43.9-54.1	132	22.0	17.7-26.3	166	29.0	24.3-33.7
\$15,000- 24,999	1176	678,021	669	52.6	48.9-56.3	268	25.0	21.7-28.3	239	22.4	19.3-25.5
\$25,000- 34,999	749	427,769	468	57.1	52.4-61.8	173	26.0	21.7-30.3	108	16.8	12.9-20.7
\$35,000- 49,999	996	582,301	633	59.4	55.5-63.3	258	26.7	23.2-30.2	105	13.8	10.9-16.7
\$50,000- 74,999	1108	686,364	692	57.5	53.8-61.2	296	30.7	27.2-34.2	120	11.8	9.3-14.3
\$75,000+	2116	1,298,739	1468	64.0	61.5-66.5	514	27.8	25.4-30.2	134	8.1	6.5- 9.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 2: HEALTHY DAYS**

TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3894	2,465,767	2749	67.1	65.1-69.1	760	22.0	20.2-23.8	385	10.9	9.7-12.1
White/Non-Hisp	3231	1,952,028	2284	66.6	64.4-68.8	645	22.7	20.7-24.7	302	10.7	9.3-12.1
Black or Afr. Am./Non-Hisp	223	200,197	159	68.0	60.4-75.6	37	20.0	13.3-26.7	27	12.0	6.7-17.3
Oth. Race/Non-Hisp.	126	90,867	86	65.9	55.3-76.5	22	16.0	8.9-23.1	18	18.1	8.7-27.5
MultiRacial/Non-Hisp.	56	20,540	32	49.4	32.9-65.9	10	19.4	7.1-31.7	14	31.2	14.9-47.5
Hispanic	167	153,095	119	72.5	64.9-80.1	36	22.2	14.9-29.5	12	5.3	2.0- 8.6
18-24	256	348,119	129	53.2	46.5-59.9	84	32.3	26.0-38.6	43	14.5	10.0-19.0
25-34	380	428,114	216	59.7	54.2-65.2	106	25.0	20.3-29.7	58	15.3	11.2-19.4
35-44	444	404,840	268	62.0	57.1-66.9	121	26.1	21.6-30.6	55	11.9	8.8-15.0
45-54	615	404,364	420	69.3	65.4-73.2	140	22.2	18.7-25.7	55	8.5	6.1-10.9
55-64	855	411,010	629	73.6	70.3-76.9	135	16.3	13.4-19.2	91	10.1	7.7-12.5
65+	1344	469,320	1087	81.1	78.6-83.6	174	12.8	10.6-15.0	83	6.1	4.5- 7.7
Less Than H.S.	283	321,009	191	65.7	59.2-72.2	49	20.3	14.6-26.0	43	14.0	9.5-18.5
H.S. or G.E.D.	1259	873,618	883	67.5	64.4-70.6	226	20.1	17.4-22.8	150	12.4	10.2-14.6
Some Post-H.S.	960	711,167	664	65.9	62.2-69.6	188	22.7	19.4-26.0	108	11.3	8.9-13.7
College Graduate	1367	545,799	991	68.7	65.8-71.6	295	25.4	22.5-28.3	81	5.9	4.5- 7.3
Less than \$15,000	229	152,636	128	55.3	47.5-63.1	39	18.4	12.3-24.5	62	26.3	19.4-33.2
\$15,000- 24,999	473	302,162	300	60.8	55.3-66.3	95	21.9	17.2-26.6	78	17.2	12.9-21.5
\$25,000- 34,999	300	193,946	203	64.2	57.1-71.3	56	22.9	16.4-29.4	41	12.9	8.4-17.4
\$35,000- 49,999	493	311,262	330	63.2	57.7-68.7	120	26.4	21.5-31.3	43	10.4	6.9-13.9
\$50,000- 74,999	540	359,045	370	64.9	59.8-70.0	120	25.5	20.8-30.2	50	9.6	6.3-12.9
\$75,000+	1166	723,044	894	73.1	69.8-76.4	221	20.8	17.9-23.7	51	6.1	4.1- 8.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 2: HEALTHY DAYS**

TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4756	2,585,152	2831	53.0	51.2-54.8	1222	29.4	27.6-31.2	703	17.6	16.0-19.2
White/Non-Hisp	3956	2,063,846	2331	51.4	49.4-53.4	1041	30.4	28.4-32.4	584	18.2	16.4-20.0
Black or Afr. Am./Non-Hisp	350	232,654	221	57.2	50.3-64.1	84	28.4	21.7-35.1	45	14.4	9.5-19.3
Oth. Race/Non-Hisp.	100	67,080	55	51.3	37.2-65.4	26	24.2	12.8-35.6	19	24.5	10.4-38.6
MultiRacial/Non-Hisp.	69	25,645	34	44.3	29.4-59.2	15	31.6	15.7-47.5	20	24.1	12.5-35.7
Hispanic	203	150,442	140	67.7	60.1-75.3	41	21.1	14.4-27.8	22	11.2	5.9-16.5
18-24	198	323,239	59	27.6	20.7-34.5	84	43.1	35.5-50.7	55	29.3	22.0-36.6
25-34	410	420,568	184	44.7	39.4-50.0	151	36.2	31.1-41.3	75	19.1	14.8-23.4
35-44	520	409,560	243	48.1	43.2-53.0	173	31.9	27.4-36.4	104	20.0	16.1-23.9
45-54	703	411,594	364	52.9	48.8-57.0	210	28.3	24.6-32.0	129	18.8	15.5-22.1
55-64	921	428,958	554	60.3	56.6-64.0	228	24.8	21.7-27.9	139	14.9	12.2-17.6
65+	2004	591,234	1427	70.9	68.5-73.3	376	19.5	17.3-21.7	201	9.6	8.0-11.2
Less Than H.S.	321	274,395	181	50.9	43.8-58.0	74	24.1	17.8-30.4	66	25.0	18.5-31.5
H.S. or G.E.D.	1487	798,660	915	55.6	52.3-58.9	332	24.6	21.7-27.5	240	19.7	16.8-22.6
Some Post-H.S.	1291	841,168	728	49.6	46.3-52.9	336	31.3	28.0-34.6	227	19.1	16.4-21.8
College Graduate	1627	656,491	988	54.9	52.0-57.8	474	34.9	32.0-37.8	165	10.2	8.4-12.0
Less than \$15,000	380	240,514	183	45.1	38.6-51.6	93	24.3	18.6-30.0	104	30.6	24.1-37.1
\$15,000- 24,999	703	375,859	369	46.1	41.2-51.0	173	27.4	22.7-32.1	161	26.5	22.0-31.0
\$25,000- 34,999	449	233,823	265	51.3	45.0-57.6	117	28.6	22.9-34.3	67	20.1	14.4-25.8
\$35,000- 49,999	503	271,039	303	55.1	49.4-60.8	138	27.1	22.2-32.0	62	17.7	12.8-22.6
\$50,000- 74,999	568	327,319	322	49.4	44.3-54.5	176	36.4	31.3-41.5	70	14.2	10.5-17.9
\$75,000+	950	575,695	574	52.7	48.8-56.6	293	36.6	32.7-40.5	83	10.7	8.0-13.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	20
2	MALES ONLY	21
3	FEMALES ONLY	22

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5252	3,947,233	4662	86.6	85.4-87.8	590	13.4	12.2-14.6
Male	2524	1,967,621	2203	84.5	82.7-86.3	321	15.5	13.7-17.3
Female	2728	1,979,613	2459	88.7	87.1-90.3	269	11.3	9.7-12.9
White/Non-Hisp	4175	3,045,224	3795	88.8	87.6-90.0	380	11.2	10.0-12.4
Black or Afr. Am./Non-Hisp	414	370,697	370	87.9	84.0-91.8	44	12.1	8.2-16.0
Oth. Race/Non-Hisp.	154	135,901	134	84.1	77.0-91.2	20	15.9	8.8-23.0
MultiRacial/Non-Hisp.	94	40,851	74	75.3	64.5-86.1	20	24.7	13.9-35.5
Hispanic	340	295,142	226	65.3	59.4-71.2	114	34.7	28.8-40.6
18-24	446	660,259	373	83.2	79.3-87.1	73	16.8	12.9-20.7
25-34	798	854,309	675	82.7	79.6-85.8	123	17.3	14.2-20.4
35-44	963	812,613	827	84.7	82.2-87.2	136	15.3	12.8-17.8
45-54	1235	759,563	1107	89.5	87.5-91.5	128	10.5	8.5-12.5
55-64	1810	860,489	1680	92.3	90.9-93.7	130	7.7	6.3- 9.1
Less Than H.S.	383	471,516	283	72.0	66.7-77.3	100	28.0	22.7-33.3
H.S. or G.E.D.	1552	1,266,870	1313	83.2	81.0-85.4	239	16.8	14.6-19.0
Some Post-H.S.	1409	1,238,668	1259	89.4	87.6-91.2	150	10.6	8.8-12.4
College Graduate	1886	953,493	1792	95.2	94.2-96.2	94	4.8	3.8- 5.8
Less than \$15,000	422	332,082	342	78.2	73.3-83.1	80	21.8	16.9-26.7
\$15,000- 24,999	663	519,065	520	76.6	72.7-80.5	143	23.4	19.5-27.3
\$25,000- 34,999	378	308,562	316	82.3	77.4-87.2	62	17.7	12.8-22.6
\$35,000- 49,999	547	426,431	473	84.9	81.2-88.6	74	15.1	11.4-18.8
\$50,000- 74,999	727	559,924	669	90.5	87.8-93.2	58	9.5	6.8-12.2
\$75,000+	1644	1,146,778	1582	95.1	93.7-96.5	62	4.9	3.5- 6.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2524	1,967,621	2203	84.5	82.7-86.3	321	15.5	13.7-17.3
White/Non-Hisp	2032	1,527,361	1817	86.7	84.7-88.7	215	13.3	11.3-15.3
Black or Afr. Am./Non-Hisp	166	170,965	141	84.3	77.8-90.8	25	15.7	9.2-22.2
Oth. Race/Non-Hisp.	91	78,173	81	85.8	77.0-94.6	10	14.2	5.4-23.0
Hispanic	149	142,473	98	64.5	55.7-73.3	51	35.5	26.7-44.3
18-24	249	337,039	198	78.4	72.7-84.1	51	21.6	15.9-27.3
25-34	383	429,153	315	80.2	75.5-84.9	68	19.8	15.1-24.5
35-44	447	405,378	379	83.7	79.8-87.6	68	16.3	12.4-20.2
45-54	576	377,746	510	88.6	85.7-91.5	66	11.4	8.5-14.3
55-64	869	418,304	801	90.9	88.5-93.3	68	9.1	6.7-11.5
Less Than H.S.	197	254,809	137	69.5	62.2-76.8	60	30.5	23.2-37.8
H.S. or G.E.D.	827	701,648	683	80.7	77.6-83.8	144	19.3	16.2-22.4
Some Post-H.S.	648	582,096	579	88.5	85.6-91.4	69	11.5	8.6-14.4
College Graduate	838	418,961	795	95.1	93.5-96.7	43	4.9	3.3- 6.5
Less than \$15,000	169	126,148	129	72.4	64.0-80.8	40	27.6	19.2-36.0
\$15,000- 24,999	297	237,454	219	71.9	65.8-78.0	78	28.1	22.0-34.2
\$25,000- 34,999	160	138,837	128	78.7	71.1-86.3	32	21.3	13.7-28.9
\$35,000- 49,999	282	231,877	236	80.6	74.9-86.3	46	19.4	13.7-25.1
\$50,000- 74,999	363	298,505	328	87.8	83.3-92.3	35	12.2	7.7-16.7
\$75,000+	872	628,869	838	94.5	92.5-96.5	34	5.5	3.5- 7.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2728	1,979,613	2459	88.7	87.1-90.3	269	11.3	9.7-12.9
White/Non-Hisp	2143	1,517,863	1978	91.0	89.4-92.6	165	9.0	7.4-10.6
Black or Afr. Am./Non-Hisp	248	199,732	229	91.0	86.3-95.7	19	9.0	4.3-13.7
Oth. Race/Non-Hisp.	63	57,727	53	81.9	70.1-93.7	10	18.1	6.3-29.9
MultiRacial/Non-Hisp.	52	23,182	44	85.6	75.0-96.2	8	14.4	3.8-25.0
Hispanic	191	152,669	128	66.0	58.0-74.0	63	34.0	26.0-42.0
18-24	197	323,220	175	88.3	83.2-93.4	22	11.7	6.6-16.8
25-34	415	425,156	360	85.3	81.4-89.2	55	14.7	10.8-18.6
35-44	516	407,235	448	85.7	82.2-89.2	68	14.3	10.8-17.8
45-54	659	381,817	597	90.4	87.9-92.9	62	9.6	7.1-12.1
55-64	941	442,185	879	93.5	91.7-95.3	62	6.5	4.7- 8.3
Less Than H.S.	186	216,706	146	74.9	67.1-82.7	40	25.1	17.3-32.9
H.S. or G.E.D.	725	565,222	630	86.4	83.5-89.3	95	13.6	10.7-16.5
Some Post-H.S.	761	656,572	680	90.1	87.7-92.5	81	9.9	7.5-12.3
College Graduate	1048	534,531	997	95.3	93.9-96.7	51	4.7	3.3- 6.1
Less than \$15,000	253	205,934	213	81.7	75.8-87.6	40	18.3	12.4-24.2
\$15,000- 24,999	366	281,611	301	80.6	75.3-85.9	65	19.4	14.1-24.7
\$25,000- 34,999	218	169,725	188	85.2	79.1-91.3	30	14.8	8.7-20.9
\$35,000- 49,999	265	194,554	237	90.1	86.2-94.0	28	9.9	6.0-13.8
\$50,000- 74,999	364	261,419	341	93.6	90.7-96.5	23	6.4	3.5- 9.3
\$75,000+	772	517,909	744	95.7	93.9-97.5	28	4.3	2.5- 6.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019

SECTION 4: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)	
1	MALES AND FEMALES	24
2	MALES ONLY	25
3	FEMALES ONLY	26

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8852	5,152,009	4947	65.2	64.0-66.4	3905	34.8	33.6-36.0
Male	3980	2,512,062	2184	62.9	61.1-64.7	1796	37.1	35.3-38.9
Female	4872	2,639,947	2763	67.5	65.9-69.1	2109	32.5	30.9-34.1
White/Non-Hisp	7335	4,082,935	4077	64.9	63.5-66.3	3258	35.1	33.7-36.5
Black or Afr. Am./Non-Hisp	596	448,634	257	55.5	50.4-60.6	339	44.5	39.4-49.6
Oth. Race/Non-Hisp.	233	160,441	144	70.4	62.4-78.4	89	29.6	21.6-37.6
MultiRacial/Non-Hisp.	129	47,146	75	71.5	62.7-80.3	54	28.5	19.7-37.3
Hispanic	383	315,657	296	79.5	74.6-84.4	87	20.5	15.6-25.4
18-24	462	683,503	426	91.0	87.9-94.1	36	9.0	5.9-12.1
25-34	801	859,789	692	86.3	83.6-89.0	109	13.7	11.0-16.4
35-44	974	821,985	746	76.7	73.8-79.6	228	23.3	20.4-26.2
45-54	1330	823,560	860	64.4	61.5-67.3	470	35.6	32.7-38.5
55-64	1819	864,773	924	49.5	47.0-52.0	895	50.5	48.0-53.0
65+	3466	1,098,399	1299	37.1	35.1-39.1	2167	62.9	60.9-64.9
Less Than H.S.	644	625,715	307	57.4	52.7-62.1	337	42.6	37.9-47.3
H.S. or G.E.D.	2836	1,710,513	1484	63.8	61.6-66.0	1352	36.2	34.0-38.4
Some Post-H.S.	2289	1,573,594	1260	65.5	63.3-67.7	1029	34.5	32.3-36.7
College Graduate	3024	1,211,529	1856	70.4	68.6-72.2	1168	29.6	27.8-31.4
Less than \$15,000	642	411,619	312	58.5	53.6-63.4	330	41.5	36.6-46.4
\$15,000- 24,999	1211	693,371	585	60.7	57.4-64.0	626	39.3	36.0-42.6
\$25,000- 34,999	762	435,462	377	61.7	57.4-66.0	385	38.3	34.0-42.6
\$35,000- 49,999	1014	592,750	555	64.1	60.6-67.6	459	35.9	32.4-39.4
\$50,000- 74,999	1118	691,944	669	66.9	63.6-70.2	449	33.1	29.8-36.4
\$75,000+	2128	1,303,850	1413	72.5	70.3-74.7	715	27.5	25.3-29.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 4: HYPERTENSION AWARENESS**

TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3980	2,512,062	2184	62.9	61.1-64.7	1796	37.1	35.3-38.9
White/Non-Hisp	3294	1,982,284	1797	62.7	60.7-64.7	1497	37.3	35.3-39.3
Black or Afr. Am./Non-Hisp	235	210,101	99	52.2	44.4-60.0	136	47.8	40.0-55.6
Oth. Race/Non-Hisp.	129	92,950	82	69.6	59.8-79.4	47	30.4	20.6-40.2
MultiRacial/Non-Hisp.	59	21,344	31	68.5	55.4-81.6	28	31.5	18.4-44.6
Hispanic	170	155,135	126	76.1	68.7-83.5	44	23.9	16.5-31.3
18-24	260	351,943	233	88.5	84.0-93.0	27	11.5	7.0-16.0
25-34	385	432,752	318	82.3	78.0-86.6	67	17.7	13.4-22.0
35-44	449	409,386	323	70.8	66.1-75.5	126	29.2	24.5-33.9
45-54	623	409,624	396	64.2	59.9-68.5	227	35.8	31.5-40.1
55-64	874	420,961	404	44.6	40.9-48.3	470	55.4	51.7-59.1
65+	1389	487,396	510	35.2	32.3-38.1	879	64.8	61.9-67.7
Less Than H.S.	300	332,167	157	58.5	52.0-65.0	143	41.5	35.0-48.0
H.S. or G.E.D.	1294	891,598	676	62.7	59.8-65.6	618	37.3	34.4-40.2
Some Post-H.S.	978	721,654	533	63.0	59.5-66.5	445	37.0	33.5-40.5
College Graduate	1379	550,062	797	65.1	62.2-68.0	582	34.9	32.0-37.8
Less than \$15,000	242	160,118	115	53.8	46.2-61.4	127	46.2	38.6-53.8
\$15,000- 24,999	488	311,058	246	62.0	56.9-67.1	242	38.0	32.9-43.1
\$25,000- 34,999	305	195,299	158	61.6	54.9-68.3	147	38.4	31.7-45.1
\$35,000- 49,999	500	316,444	259	60.9	55.6-66.2	241	39.1	33.8-44.4
\$50,000- 74,999	548	363,264	307	62.8	57.9-67.7	241	37.2	32.3-42.1
\$75,000+	1171	726,923	716	66.9	63.6-70.2	455	33.1	29.8-36.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 4: HYPERTENSION AWARENESS**

TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4872	2,639,947	2763	67.5	65.9-69.1	2109	32.5	30.9-34.1
White/Non-Hisp	4041	2,100,651	2280	67.0	65.2-68.8	1761	33.0	31.2-34.8
Black or Afr. Am./Non-Hisp	361	238,533	158	58.5	52.2-64.8	203	41.5	35.2-47.8
Oth. Race/Non-Hisp.	104	67,491	62	71.6	58.3-84.9	42	28.4	15.1-41.7
MultiRacial/Non-Hisp.	70	25,801	44	73.9	61.9-85.9	26	26.1	14.1-38.1
Hispanic	213	160,522	170	82.8	76.3-89.3	43	17.2	10.7-23.7
18-24	202	331,560	193	93.7	89.2-98.2	9	6.3	1.8-10.8
25-34	416	427,037	374	90.4	87.3-93.5	42	9.6	6.5-12.7
35-44	525	412,599	423	82.5	79.2-85.8	102	17.5	14.2-20.8
45-54	707	413,936	464	64.6	60.7-68.5	243	35.4	31.5-39.3
55-64	945	443,811	520	54.1	50.4-57.8	425	45.9	42.2-49.6
65+	2077	611,003	789	38.6	36.1-41.1	1288	61.4	58.9-63.9
Less Than H.S.	344	293,548	150	56.1	49.4-62.8	194	43.9	37.2-50.6
H.S. or G.E.D.	1542	818,915	808	65.1	62.4-67.8	734	34.9	32.2-37.6
Some Post-H.S.	1311	851,940	727	67.7	64.8-70.6	584	32.3	29.4-35.2
College Graduate	1645	661,467	1059	74.8	72.4-77.2	586	25.2	22.8-27.6
Less than \$15,000	400	251,501	197	61.4	55.3-67.5	203	38.6	32.5-44.7
\$15,000- 24,999	723	382,313	339	59.6	55.1-64.1	384	40.4	35.9-44.9
\$25,000- 34,999	457	240,163	219	61.9	56.2-67.6	238	38.1	32.4-43.8
\$35,000- 49,999	514	276,306	296	67.8	63.1-72.5	218	32.2	27.5-36.9
\$50,000- 74,999	570	328,680	362	71.4	67.1-75.7	208	28.6	24.3-32.9
\$75,000+	957	576,926	697	79.6	76.9-82.3	260	20.4	17.7-23.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH2)	
1	MALES AND FEMALES	28
2	MALES ONLY	29
3	FEMALES ONLY	30
	ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL2)	
4	MALES AND FEMALES	31
5	MALES ONLY	32
6	FEMALES ONLY	33

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 1: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8368	4,737,204	7597	85.4	84.2-86.6	269	3.9	3.3- 4.5	502	10.7	9.7-11.7
Male	3734	2,294,559	3291	81.9	80.1-83.7	160	5.1	4.1- 6.1	283	12.9	11.3-14.5
Female	4634	2,442,645	4306	88.7	87.3-90.1	109	2.7	2.1- 3.3	219	8.5	7.1- 9.9
White/Non-Hisp	6976	3,779,782	6372	86.0	84.8-87.2	215	3.8	3.2- 4.4	389	10.2	9.0-11.4
Black or Afr. Am./Non-Hisp	549	402,021	510	88.3	84.2-92.4	14	2.9	1.1- 4.7	25	8.8	5.1-12.5
Oth. Race/Non-Hisp.	223	149,245	194	80.5	72.9-88.1	8	5.4	0.9- 9.9	21	14.2	7.3-21.1
MultiRacial/Non-Hisp.	119	42,334	101	74.7	63.1-86.3	7	7.2	1.1-13.3	11	18.0	7.0-29.0
Hispanic	350	280,833	289	80.6	75.7-85.5	16	4.4	2.0- 6.8	45	15.0	10.3-19.7
18-24	368	531,817	232	63.4	57.9-68.9	13	2.8	1.2- 4.4	123	33.8	28.3-39.3
25-34	701	744,692	508	69.7	65.8-73.6	59	8.2	6.0-10.4	134	22.0	18.5-25.5
35-44	905	761,983	778	84.5	81.8-87.2	36	4.2	2.8- 5.6	91	11.3	8.9-13.7
45-54	1287	794,089	1178	91.5	89.7-93.3	45	3.6	2.4- 4.8	64	4.9	3.5- 6.3
55-64	1779	850,434	1672	93.7	92.3-95.1	62	3.6	2.6- 4.6	45	2.8	1.8- 3.8
65+	3328	1,054,189	3229	97.2	96.6-97.8	54	1.7	1.1- 2.3	45	1.2	0.8- 1.6
Less Than H.S.	584	549,586	484	75.8	71.1-80.5	23	4.5	2.5- 6.5	77	19.7	15.2-24.2
H.S. or G.E.D.	2642	1,550,652	2358	83.4	81.4-85.4	102	4.6	3.6- 5.6	182	12.0	10.2-13.8
Some Post-H.S.	2165	1,447,543	1955	85.8	83.8-87.8	68	3.6	2.6- 4.6	142	10.6	8.8-12.4
College Graduate	2925	1,163,270	2753	92.6	91.4-93.8	76	3.0	2.2- 3.8	96	4.4	3.4- 5.4
Less than \$15,000	584	363,901	504	80.2	75.7-84.7	30	6.6	3.9- 9.3	50	13.2	9.3-17.1
\$15,000- 24,999	1149	649,873	1033	83.8	80.7-86.9	38	3.9	2.3- 5.5	78	12.2	9.3-15.1
\$25,000- 34,999	720	405,059	626	80.3	76.0-84.6	32	5.6	3.2- 8.0	62	14.1	10.2-18.0
\$35,000- 49,999	960	544,100	857	83.0	79.5-86.5	37	4.8	3.0- 6.6	66	12.2	9.1-15.3
\$50,000- 74,999	1070	645,486	982	86.0	82.9-89.1	30	3.4	2.0- 4.8	58	10.6	7.7-13.5
\$75,000+	2061	1,235,471	1918	90.4	88.6-92.2	56	3.1	2.3- 3.9	87	6.5	4.9- 8.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 2: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3734	2,294,559	3291	81.9	80.1-83.7	160	5.1	4.1- 6.1	283	12.9	11.3-14.5
White/Non-Hisp	3108	1,821,751	2752	81.8	79.8-83.8	134	5.3	4.3- 6.3	222	12.9	11.1-14.7
Black or Afr. Am./Non-Hisp	217	187,921	200	87.4	81.1-93.7	7	4.2	0.9- 7.5	10	8.4	2.9-13.9
Oth. Race/Non-Hisp.	122	85,017	103	80.5	70.7-90.3	5	5.0	0.0-10.7	14	14.5	5.9-23.1
MultiRacial/Non-Hisp.	53	17,562	45	78.5	64.0-93.0	2	2.8	0.0- 6.7	6	18.7	4.4-33.0
Hispanic	154	139,664	123	78.0	70.4-85.6	7	4.5	1.0- 8.0	24	17.5	10.4-24.6
18-24	209	277,596	124	60.5	53.2-67.8	10	3.7	1.2- 6.2	75	35.8	28.7-42.9
25-34	330	367,706	210	60.3	54.2-66.4	40	11.7	8.0-15.4	80	28.1	22.4-33.8
35-44	420	379,272	343	80.4	76.3-84.5	22	5.1	2.7- 7.5	55	14.5	10.8-18.2
45-54	594	387,530	534	89.6	86.9-92.3	29	5.0	3.0- 7.0	31	5.5	3.3- 7.7
55-64	853	414,169	791	92.4	90.4-94.4	38	4.6	3.0- 6.2	24	3.0	1.6- 4.4
65+	1328	468,287	1289	97.3	96.3-98.3	21	1.4	0.6- 2.2	18	1.2	0.4- 2.0
Less Than H.S.	271	293,268	211	70.1	63.2-77.0	11	4.5	1.6- 7.4	49	25.4	18.7-32.1
H.S. or G.E.D.	1202	804,119	1030	80.0	77.1-82.9	64	6.2	4.4- 8.0	108	13.9	11.4-16.4
Some Post-H.S.	920	660,441	807	82.6	79.5-85.7	36	4.9	3.1- 6.7	77	12.5	9.6-15.4
College Graduate	1319	522,714	1224	91.2	89.2-93.2	49	4.3	2.9- 5.7	46	4.5	3.1- 5.9
Less than \$15,000	218	141,431	189	81.1	74.2-88.0	8	4.8	0.9- 8.7	21	14.1	8.0-20.2
\$15,000- 24,999	461	291,777	396	79.7	74.6-84.8	27	6.6	3.7- 9.5	38	13.7	9.2-18.2
\$25,000- 34,999	284	177,591	234	76.4	69.7-83.1	17	8.0	3.5-12.5	33	15.6	9.9-21.3
\$35,000- 49,999	470	287,259	397	76.1	70.6-81.6	31	7.8	4.7-10.9	42	16.0	10.9-21.1
\$50,000- 74,999	520	339,393	458	81.4	76.7-86.1	24	5.3	2.9- 7.7	38	13.3	8.8-17.8
\$75,000+	1126	682,023	1037	88.1	85.6-90.6	31	3.4	2.0- 4.8	58	8.4	6.0-10.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 3: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4634	2,442,645	4306	88.7	87.3-90.1	109	2.7	2.1- 3.3	219	8.5	7.1- 9.9
White/Non-Hisp	3868	1,958,031	3620	89.8	88.2-91.4	81	2.4	1.8- 3.0	167	7.7	6.3- 9.1
Black or Afr. Am./Non-Hisp	332	214,100	310	89.1	83.8-94.4	7	1.7	0.3- 3.1	15	9.2	4.1-14.3
Oth. Race/Non-Hisp.	101	64,228	91	80.3	68.0-92.6	3	5.9	0.0-13.2	7	13.7	2.7-24.7
MultiRacial/Non-Hisp.	66	24,772	56	72.0	55.3-88.7	5	10.4	0.6-20.2	5	17.6	1.5-33.7
Hispanic	196	141,169	166	83.1	76.6-89.6	9	4.3	1.4- 7.2	21	12.6	6.7-18.5
18-24	159	254,221	108	66.6	58.4-74.8	3	1.8	0.0- 3.8	48	31.6	23.4-39.8
25-34	371	376,986	298	79.0	74.3-83.7	19	4.9	2.5- 7.3	54	16.1	11.8-20.4
35-44	485	382,711	435	88.5	85.2-91.8	14	3.2	1.2- 5.2	36	8.3	5.4-11.2
45-54	693	406,559	644	93.3	91.3-95.3	16	2.2	1.0- 3.4	33	4.4	2.6- 6.2
55-64	926	436,266	881	94.9	93.3-96.5	24	2.5	1.3- 3.7	21	2.6	1.4- 3.8
65+	2000	585,903	1940	97.0	96.0-98.0	33	1.9	1.1- 2.7	27	1.1	0.5- 1.7
Less Than H.S.	313	256,318	273	82.2	76.1-88.3	12	4.6	1.7- 7.5	28	13.2	7.5-18.9
H.S. or G.E.D.	1440	746,533	1328	87.0	84.3-89.7	38	3.0	1.8- 4.2	74	10.0	7.3-12.7
Some Post-H.S.	1245	787,102	1148	88.5	86.0-91.0	32	2.5	1.5- 3.5	65	9.0	6.6-11.4
College Graduate	1606	640,556	1529	93.7	92.1-95.3	27	2.0	1.2- 2.8	50	4.3	2.9- 5.7
Less than \$15,000	366	222,469	315	79.6	73.7-85.5	22	7.8	4.1-11.5	29	12.6	7.5-17.7
\$15,000- 24,999	688	358,096	637	87.2	83.1-91.3	11	1.7	0.3- 3.1	40	11.1	7.2-15.0
\$25,000- 34,999	436	227,468	392	83.3	77.8-88.8	15	3.8	1.6- 6.0	29	12.9	7.6-18.2
\$35,000- 49,999	490	256,841	460	90.7	87.0-94.4	6	1.4	0.0- 2.8	24	7.9	4.4-11.4
\$50,000- 74,999	550	306,093	524	91.2	87.5-94.9	6	1.2	0.0- 2.4	20	7.7	4.2-11.2
\$75,000+	935	553,448	881	93.3	91.1-95.5	25	2.7	1.5- 3.9	29	4.0	2.2- 5.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 4: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7764	4,181,953	4630	66.2	65.0-67.4	3134	33.8	32.6-35.0
Male	3405	1,972,873	1965	64.2	62.2-66.2	1440	35.8	33.8-37.8
Female	4359	2,209,081	2665	68.0	66.2-69.8	1694	32.0	30.2-33.8
White/Non-Hisp	6505	3,356,926	3794	65.1	63.7-66.5	2711	34.9	33.5-36.3
Black or Afr. Am./Non-Hisp	516	360,868	330	69.1	64.2-74.0	186	30.9	26.0-35.8
Oth. Race/Non-Hisp.	200	127,040	129	70.1	62.3-77.9	71	29.9	22.1-37.7
MultiRacial/Non-Hisp.	107	34,390	70	76.7	68.1-85.3	37	23.3	14.7-31.9
Hispanic	302	234,521	218	74.1	68.2-80.0	84	25.9	20.0-31.8
18-24	243	350,133	226	93.4	90.1-96.7	17	6.6	3.3- 9.9
25-34	565	578,485	494	86.7	83.6-89.8	71	13.3	10.2-16.4
35-44	811	671,782	642	78.6	75.3-81.9	169	21.4	18.1-24.7
45-54	1205	742,113	795	65.4	62.5-68.3	410	34.6	31.7-37.5
55-64	1717	818,464	952	55.3	52.6-58.0	765	44.7	42.0-47.4
65+	3223	1,020,978	1521	46.5	44.3-48.7	1702	53.5	51.3-55.7
Less Than H.S.	500	436,615	257	57.2	51.9-62.5	243	42.8	37.5-48.1
H.S. or G.E.D.	2425	1,346,240	1405	66.5	64.3-68.7	1020	33.5	31.3-35.7
Some Post-H.S.	1996	1,282,439	1188	66.0	63.6-68.4	808	34.0	31.6-36.4
College Graduate	2799	1,099,042	1752	69.5	67.5-71.5	1047	30.5	28.5-32.5
Less than \$15,000	524	310,458	283	63.4	58.5-68.3	241	36.6	31.7-41.5
\$15,000- 24,999	1062	566,201	594	62.2	58.5-65.9	468	37.8	34.1-41.5
\$25,000- 34,999	648	341,665	357	64.8	60.3-69.3	291	35.2	30.7-39.7
\$35,000- 49,999	887	473,697	538	67.9	64.2-71.6	349	32.1	28.4-35.8
\$50,000- 74,999	1002	571,957	598	66.2	62.7-69.7	404	33.8	30.3-37.3
\$75,000+	1961	1,149,144	1258	69.3	66.9-71.7	703	30.7	28.3-33.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 5: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3405	1,972,873	1965	64.2	62.2-66.2	1440	35.8	33.8-37.8
White/Non-Hisp	2849	1,569,254	1616	63.6	61.4-65.8	1233	36.4	34.2-38.6
Black or Afr. Am./Non-Hisp	206	171,067	125	65.9	58.3-73.5	81	34.1	26.5-41.7
Oth. Race/Non-Hisp.	107	72,399	67	64.2	53.2-75.2	40	35.8	24.8-46.8
Hispanic	127	111,139	87	70.6	61.0-80.2	40	29.4	19.8-39.0
18-24	133	177,272	124	93.8	89.7-97.9	9	6.2	2.1-10.3
25-34	250	264,458	217	86.0	81.1-90.9	33	14.0	9.1-18.9
35-44	363	321,437	274	76.3	71.4-81.2	89	23.7	18.8-28.6
45-54	555	360,234	341	61.5	57.0-66.0	214	38.5	34.0-43.0
55-64	820	397,299	427	52.1	48.2-56.0	393	47.9	44.0-51.8
65+	1284	452,172	582	43.9	40.6-47.2	702	56.1	52.8-59.4
Less Than H.S.	217	215,011	121	57.6	50.0-65.2	96	42.4	34.8-50.0
H.S. or G.E.D.	1080	683,281	629	66.4	63.3-69.5	451	33.6	30.5-36.7
Some Post-H.S.	831	572,403	469	63.4	59.7-67.1	362	36.6	32.9-40.3
College Graduate	1259	493,491	732	64.4	61.3-67.5	527	35.6	32.5-38.7
Less than \$15,000	191	117,591	100	57.9	49.5-66.3	91	42.1	33.7-50.5
\$15,000- 24,999	420	250,281	233	60.9	55.2-66.6	187	39.1	33.4-44.8
\$25,000- 34,999	244	146,141	140	67.2	60.1-74.3	104	32.8	25.7-39.9
\$35,000- 49,999	425	239,674	251	65.6	60.3-70.9	174	34.4	29.1-39.7
\$50,000- 74,999	479	292,694	284	65.8	60.7-70.9	195	34.2	29.1-39.3
\$75,000+	1063	621,615	616	64.3	61.0-67.6	447	35.7	32.4-39.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 6: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4359	2,209,081	2665	68.0	66.2-69.8	1694	32.0	30.2-33.8
White/Non-Hisp	3656	1,787,672	2178	66.4	64.6-68.2	1478	33.6	31.8-35.4
Black or Afr. Am./Non-Hisp	310	189,801	205	72.1	66.0-78.2	105	27.9	21.8-34.0
Oth. Race/Non-Hisp.	93	54,641	62	78.0	67.6-88.4	31	22.0	11.6-32.4
MultiRacial/Non-Hisp.	61	20,424	45	84.5	75.5-93.5	16	15.5	6.5-24.5
Hispanic	175	123,383	131	77.3	70.2-84.4	44	22.7	15.6-29.8
18-24	110	172,861	102	92.9	87.6-98.2	8	7.1	1.8-12.4
25-34	315	314,027	277	87.3	83.2-91.4	38	12.7	8.6-16.8
35-44	448	350,345	368	80.7	76.4-85.0	80	19.3	15.0-23.6
45-54	650	381,879	454	69.0	65.1-72.9	196	31.0	27.1-34.9
55-64	897	421,164	525	58.2	54.5-61.9	372	41.8	38.1-45.5
65+	1939	568,805	939	48.5	46.0-51.0	1000	51.5	49.0-54.0
Less Than H.S.	283	221,604	136	56.8	49.5-64.1	147	43.2	35.9-50.5
H.S. or G.E.D.	1345	662,960	776	66.5	63.6-69.4	569	33.5	30.6-36.4
Some Post-H.S.	1165	710,036	719	68.1	65.0-71.2	446	31.9	28.8-35.0
College Graduate	1540	605,551	1020	73.8	71.3-76.3	520	26.2	23.7-28.7
Less than \$15,000	333	192,867	183	66.8	60.9-72.7	150	33.2	27.3-39.1
\$15,000- 24,999	642	315,920	361	63.2	58.3-68.1	281	36.8	31.9-41.7
\$25,000- 34,999	404	195,524	217	62.9	56.8-69.0	187	37.1	31.0-43.2
\$35,000- 49,999	462	234,023	287	70.2	65.3-75.1	175	29.8	24.9-34.7
\$50,000- 74,999	523	279,264	314	66.6	61.9-71.3	209	33.4	28.7-38.1
\$75,000+	898	527,529	642	75.2	71.9-78.5	256	24.8	21.5-28.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* **NOTE** * * * * *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.
 * * * * *

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	35
2 MALES ONLY	36
3 FEMALES ONLY	37
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	38
5 MALES ONLY	39
6 FEMALES ONLY	40
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	41
8 MALES ONLY	42
9 FEMALES ONLY	43
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	44
11 MALES ONLY	45
12 FEMALES ONLY	46
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)	
13 MALES AND FEMALES	47
14 MALES ONLY	48
15 FEMALES ONLY	49

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8776	5,104,162	901	7.4	6.8- 8.0	7875	92.6	92.0-93.2
Male	3938	2,482,162	475	8.7	7.7- 9.7	3463	91.3	90.3-92.3
Female	4838	2,622,000	426	6.1	5.3- 6.9	4412	93.9	93.1-94.7
White/Non-Hisp	7275	4,052,203	769	7.7	7.1- 8.3	6506	92.3	91.7-92.9
Black or Afr. Am./Non-Hisp	592	441,281	62	7.0	4.6- 9.4	530	93.0	90.6-95.4
Oth. Race/Non-Hisp.	230	158,246	24	9.3	4.6-14.0	206	90.7	86.0-95.4
MultiRacial/Non-Hisp.	126	46,189	9	3.3	0.6- 6.0	117	96.7	94.0-99.4
Hispanic	379	310,753	16	2.9	1.3- 4.5	363	97.1	95.5-98.7
18-24	460	681,249	3	0.7	0.0- 1.5	457	99.3	98.5- 100
25-34	796	852,682	14	1.7	0.7- 2.7	782	98.3	97.3-99.3
35-44	972	819,580	23	2.5	1.3- 3.7	949	97.5	96.3-98.7
45-54	1327	820,569	67	5.0	3.6- 6.4	1260	95.0	93.6-96.4
55-64	1798	850,210	189	10.9	9.1-12.7	1609	89.1	87.3-90.9
65+	3423	1,079,873	605	18.7	17.1-20.3	2818	81.3	79.7-82.9
Less Than H.S.	627	612,474	107	12.8	10.1-15.5	520	87.2	84.5-89.9
H.S. or G.E.D.	2807	1,692,268	342	8.3	7.3- 9.3	2465	91.7	90.7-92.7
Some Post-H.S.	2264	1,560,865	224	6.2	5.2- 7.2	2040	93.8	92.8-94.8
College Graduate	3020	1,209,421	221	4.7	3.9- 5.5	2799	95.3	94.5-96.1
Less than \$15,000	625	398,782	90	10.9	8.2-13.6	535	89.1	86.4-91.8
\$15,000- 24,999	1192	680,064	197	12.6	10.4-14.8	995	87.4	85.2-89.6
\$25,000- 34,999	756	431,556	106	9.3	7.1-11.5	650	90.7	88.5-92.9
\$35,000- 49,999	1006	588,231	88	7.0	5.0- 9.0	918	93.0	91.0-95.0
\$50,000- 74,999	1112	688,945	90	5.7	4.3- 7.1	1022	94.3	92.9-95.7
\$75,000+	2123	1,302,618	118	3.8	3.0- 4.6	2005	96.2	95.4-97.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3938	2,482,162	475	8.7	7.7- 9.7	3463	91.3	90.3-92.3
White/Non-Hisp	3263	1,964,443	403	8.8	7.8- 9.8	2860	91.2	90.2-92.2
Black or Afr. Am./Non-Hisp	233	204,909	29	9.3	5.2-13.4	204	90.7	86.6-94.8
Oth. Race/Non-Hisp.	127	91,522	13	9.8	3.7-15.9	114	90.2	84.1-96.3
MultiRacial/Non-Hisp.	56	20,388	6	5.7	0.0-11.4	50	94.3	88.6- 100
Hispanic	167	151,661	10	3.9	1.4- 6.4	157	96.1	93.6-98.6
18-24	259	351,024	2	0.9	0.0- 2.1	257	99.1	97.9- 100
25-34	381	426,167	8	2.3	0.5- 4.1	373	97.7	95.9-99.5
35-44	448	407,602	10	2.6	0.8- 4.4	438	97.4	95.6-99.2
45-54	621	407,683	32	5.0	3.2- 6.8	589	95.0	93.2-96.8
55-64	863	412,524	116	14.2	11.5-16.9	747	85.8	83.1-88.5
65+	1366	477,162	307	23.5	20.8-26.2	1059	76.5	73.8-79.2
Less Than H.S.	292	324,896	53	13.2	9.3-17.1	239	86.8	82.9-90.7
H.S. or G.E.D.	1280	879,518	168	9.1	7.5-10.7	1112	90.9	89.3-92.5
Some Post-H.S.	966	715,276	113	7.7	6.1- 9.3	853	92.3	90.7-93.9
College Graduate	1372	547,548	136	6.5	5.3- 7.7	1236	93.5	92.3-94.7
Less than \$15,000	233	151,224	41	13.8	8.9-18.7	192	86.2	81.3-91.1
\$15,000- 24,999	475	300,522	92	14.6	11.1-18.1	383	85.4	81.9-88.9
\$25,000- 34,999	302	192,662	52	11.8	8.1-15.5	250	88.2	84.5-91.9
\$35,000- 49,999	494	312,742	57	9.3	6.2-12.4	437	90.7	87.6-93.8
\$50,000- 74,999	545	362,248	57	6.9	4.7- 9.1	488	93.1	90.9-95.3
\$75,000+	1168	726,024	88	5.3	3.9- 6.7	1080	94.7	93.3-96.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4838	2,622,000	426	6.1	5.3- 6.9	4412	93.9	93.1-94.7
White/Non-Hisp	4012	2,087,760	366	6.6	5.8- 7.4	3646	93.4	92.6-94.2
Black or Afr. Am./Non-Hisp	359	236,372	33	5.0	2.8- 7.2	326	95.0	92.8-97.2
Oth. Race/Non-Hisp.	103	66,724	11	8.7	1.3-16.1	92	91.3	83.9-98.7
MultiRacial/Non-Hisp.	70	25,801	3	1.4	0.0- 3.2	67	98.6	96.8- 100
Hispanic	212	159,092	6	1.9	0.3- 3.5	206	98.1	96.5-99.7
18-24	201	330,226	1	0.4	0.0- 1.2	200	99.6	98.8- 100
25-34	415	426,515	6	1.1	0.1- 2.1	409	98.9	97.9-99.9
35-44	524	411,977	13	2.3	0.7- 3.9	511	97.7	96.1-99.3
45-54	706	412,885	35	5.0	3.2- 6.8	671	95.0	93.2-96.8
55-64	935	437,685	73	7.8	5.8- 9.8	862	92.2	90.2-94.2
65+	2057	602,711	298	14.9	12.9-16.9	1759	85.1	83.1-87.1
Less Than H.S.	335	287,579	54	12.4	8.7-16.1	281	87.6	83.9-91.3
H.S. or G.E.D.	1527	812,750	174	7.3	5.9- 8.7	1353	92.7	91.3-94.1
Some Post-H.S.	1298	845,589	111	5.0	3.8- 6.2	1187	95.0	93.8-96.2
College Graduate	1648	661,873	85	3.3	2.5- 4.1	1563	96.7	95.9-97.5
Less than \$15,000	392	247,558	49	9.2	6.1-12.3	343	90.8	87.7-93.9
\$15,000- 24,999	717	379,542	105	11.0	8.3-13.7	612	89.0	86.3-91.7
\$25,000- 34,999	454	238,894	54	7.3	4.9- 9.7	400	92.7	90.3-95.1
\$35,000- 49,999	512	275,489	31	4.4	2.6- 6.2	481	95.6	93.8-97.4
\$50,000- 74,999	567	326,698	33	4.3	2.7- 5.9	534	95.7	94.1-97.3
\$75,000+	955	576,593	30	1.9	1.1- 2.7	925	98.1	97.3-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8858	5,149,393	7649	85.5	84.5-86.5	1209	14.5	13.5-15.5
Male	3977	2,508,904	3551	88.5	87.3-89.7	426	11.5	10.3-12.7
Female	4881	2,640,488	4098	82.6	81.2-84.0	783	17.4	16.0-18.8
White/Non-Hisp	7343	4,085,138	6352	85.4	84.4-86.4	991	14.6	13.6-15.6
Black or Afr. Am./Non-Hisp	597	449,414	498	82.4	78.5-86.3	99	17.6	13.7-21.5
Oth. Race/Non-Hisp.	232	159,072	202	87.1	81.2-93.0	30	12.9	7.0-18.8
MultiRacial/Non-Hisp.	127	46,566	103	82.8	75.2-90.4	24	17.2	9.6-24.8
Hispanic	380	312,295	341	91.1	88.2-94.0	39	8.9	6.0-11.8
18-24	460	681,835	381	81.9	77.8-86.0	79	18.1	14.0-22.2
25-34	800	858,808	668	84.9	82.4-87.4	132	15.1	12.6-17.6
35-44	973	821,230	815	85.2	82.8-87.6	158	14.8	12.4-17.2
45-54	1332	823,869	1148	85.8	83.6-88.0	184	14.2	12.0-16.4
55-64	1820	863,753	1571	86.1	84.3-87.9	249	13.9	12.1-15.7
65+	3473	1,099,897	3066	87.7	86.3-89.1	407	12.3	10.9-13.7
Less Than H.S.	641	624,989	528	83.2	79.7-86.7	113	16.8	13.3-20.3
H.S. or G.E.D.	2838	1,710,477	2451	84.7	82.9-86.5	387	15.3	13.5-17.1
Some Post-H.S.	2288	1,572,486	1959	85.7	83.9-87.5	329	14.3	12.5-16.1
College Graduate	3031	1,211,168	2655	87.3	85.9-88.7	376	12.7	11.3-14.1
Less than \$15,000	640	411,209	493	80.2	76.5-83.9	147	19.8	16.1-23.5
\$15,000- 24,999	1202	686,856	1001	81.7	78.8-84.6	201	18.3	15.4-21.2
\$25,000- 34,999	763	436,731	648	83.1	79.4-86.8	115	16.9	13.2-20.6
\$35,000- 49,999	1015	593,018	878	85.6	82.9-88.3	137	14.4	11.7-17.1
\$50,000- 74,999	1118	691,766	973	85.4	82.7-88.1	145	14.6	11.9-17.3
\$75,000+	2132	1,305,460	1900	88.3	86.5-90.1	232	11.7	9.9-13.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3977	2,508,904	3551	88.5	87.3-89.7	426	11.5	10.3-12.7
White/Non-Hisp	3295	1,983,621	2952	88.7	87.3-90.1	343	11.3	9.9-12.7
Black or Afr. Am./Non-Hisp	236	210,993	205	85.8	80.3-91.3	31	14.2	8.7-19.7
Oth. Race/Non-Hisp.	127	91,274	110	85.6	77.2-94.0	17	14.4	6.0-22.8
MultiRacial/Non-Hisp.	57	20,764	53	96.1	91.8- 100	4	3.9	0.0- 8.2
Hispanic	168	152,715	151	91.8	87.7-95.9	17	8.2	4.1-12.3
18-24	259	351,217	211	82.1	77.0-87.2	48	17.9	12.8-23.0
25-34	384	431,771	321	85.4	81.7-89.1	63	14.6	10.9-18.3
35-44	448	408,631	395	90.0	87.3-92.7	53	10.0	7.3-12.7
45-54	622	408,183	570	91.7	89.2-94.2	52	8.3	5.8-10.8
55-64	877	422,296	789	89.5	87.1-91.9	88	10.5	8.1-12.9
65+	1387	486,806	1265	91.2	89.4-93.0	122	8.8	7.0-10.6
Less Than H.S.	299	333,171	260	87.7	83.4-92.0	39	12.3	8.0-16.6
H.S. or G.E.D.	1290	889,170	1146	87.0	84.6-89.4	144	13.0	10.6-15.4
Some Post-H.S.	978	722,030	877	90.2	88.0-92.4	101	9.8	7.6-12.0
College Graduate	1381	548,750	1241	89.2	87.2-91.2	140	10.8	8.8-12.8
Less than \$15,000	242	160,186	209	88.4	83.7-93.1	33	11.6	6.9-16.3
\$15,000- 24,999	481	305,514	421	87.2	83.5-90.9	60	12.8	9.1-16.5
\$25,000- 34,999	306	196,745	265	85.2	80.1-90.3	41	14.8	9.7-19.9
\$35,000- 49,999	501	316,712	446	87.1	83.4-90.8	55	12.9	9.2-16.6
\$50,000- 74,999	548	363,959	482	86.8	83.3-90.3	66	13.2	9.7-16.7
\$75,000+	1173	727,401	1066	90.6	88.4-92.8	107	9.4	7.2-11.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4881	2,640,488	4098	82.6	81.2-84.0	783	17.4	16.0-18.8
White/Non-Hisp	4048	2,101,517	3400	82.2	80.6-83.8	648	17.8	16.2-19.4
Black or Afr. Am./Non-Hisp	361	238,422	293	79.3	73.8-84.8	68	20.7	15.2-26.2
Oth. Race/Non-Hisp.	105	67,797	92	89.2	81.4-97.0	13	10.8	3.0-18.6
MultiRacial/Non-Hisp.	70	25,801	50	72.1	59.4-84.8	20	27.9	15.2-40.6
Hispanic	212	159,580	190	90.5	86.4-94.6	22	9.5	5.4-13.6
18-24	201	330,618	170	81.6	75.3-87.9	31	18.4	12.1-24.7
25-34	416	427,037	347	84.3	80.6-88.0	69	15.7	12.0-19.4
35-44	525	412,599	420	80.4	76.5-84.3	105	19.6	15.7-23.5
45-54	710	415,686	578	80.0	76.7-83.3	132	20.0	16.7-23.3
55-64	943	441,458	782	82.9	80.2-85.6	161	17.1	14.4-19.8
65+	2086	613,091	1801	85.0	83.0-87.0	285	15.0	13.0-17.0
Less Than H.S.	342	291,818	268	78.1	72.4-83.8	74	21.9	16.2-27.6
H.S. or G.E.D.	1548	821,307	1305	82.2	79.7-84.7	243	17.8	15.3-20.3
Some Post-H.S.	1310	850,457	1082	81.9	79.4-84.4	228	18.1	15.6-20.6
College Graduate	1650	662,418	1414	85.7	83.7-87.7	236	14.3	12.3-16.3
Less than \$15,000	398	251,023	284	75.0	69.9-80.1	114	25.0	19.9-30.1
\$15,000- 24,999	721	381,343	580	77.3	73.0-81.6	141	22.7	18.4-27.0
\$25,000- 34,999	457	239,986	383	81.3	76.2-86.4	74	18.7	13.6-23.8
\$35,000- 49,999	514	276,306	432	83.8	79.7-87.9	82	16.2	12.1-20.3
\$50,000- 74,999	570	327,807	491	83.8	79.7-87.9	79	16.2	12.1-20.3
\$75,000+	959	578,059	834	85.4	82.5-88.3	125	14.6	11.7-17.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8801	5,117,193	7961	90.2	89.4-91.0	840	9.8	9.0-10.6
Male	3954	2,494,070	3692	93.1	92.1-94.1	262	6.9	5.9- 7.9
Female	4847	2,623,123	4269	87.5	86.3-88.7	578	12.5	11.3-13.7
White/Non-Hisp	7293	4,056,575	6605	90.2	89.4-91.0	688	9.8	9.0-10.6
Black or Afr. Am./Non-Hisp	596	448,326	520	87.3	84.0-90.6	76	12.7	9.4-16.0
Oth. Race/Non-Hisp.	229	157,461	213	92.1	87.0-97.2	16	7.9	2.8-13.0
MultiRacial/Non-Hisp.	125	45,941	107	87.3	80.6-94.0	18	12.7	6.0-19.4
Hispanic	380	312,295	358	94.9	92.5-97.3	22	5.1	2.7- 7.5
18-24	455	674,172	420	91.5	88.6-94.4	35	8.5	5.6-11.4
25-34	797	856,588	714	90.6	88.4-92.8	83	9.4	7.2-11.6
35-44	970	818,755	864	89.7	87.5-91.9	106	10.3	8.1-12.5
45-54	1323	819,549	1178	88.6	86.6-90.6	145	11.4	9.4-13.4
55-64	1811	859,661	1617	89.2	87.6-90.8	194	10.8	9.2-12.4
65+	3445	1,088,468	3168	91.7	90.5-92.9	277	8.3	7.1- 9.5
Less Than H.S.	631	617,209	547	87.9	85.0-90.8	84	12.1	9.2-15.0
H.S. or G.E.D.	2825	1,700,400	2553	89.9	88.5-91.3	272	10.1	8.7-11.5
Some Post-H.S.	2266	1,562,631	2043	90.4	89.0-91.8	223	9.6	8.2-11.0
College Graduate	3020	1,206,893	2762	91.5	90.3-92.7	258	8.5	7.3- 9.7
Less than \$15,000	633	408,608	515	83.6	80.1-87.1	118	16.4	12.9-19.9
\$15,000- 24,999	1192	679,721	1044	87.0	84.5-89.5	148	13.0	10.5-15.5
\$25,000- 34,999	759	435,303	683	89.1	86.2-92.0	76	10.9	8.0-13.8
\$35,000- 49,999	1011	588,413	919	90.7	88.5-92.9	92	9.3	7.1-11.5
\$50,000- 74,999	1111	686,745	1014	90.9	88.7-93.1	97	9.1	6.9-11.3
\$75,000+	2125	1,301,372	1971	92.4	91.0-93.8	154	7.6	6.2- 9.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3954	2,494,070	3692	93.1	92.1-94.1	262	6.9	5.9- 7.9
White/Non-Hisp	3275	1,970,614	3066	93.4	92.4-94.4	209	6.6	5.6- 7.6
Black or Afr. Am./Non-Hisp	236	210,993	212	88.8	83.9-93.7	24	11.2	6.3-16.1
Oth. Race/Non-Hisp.	125	89,759	117	92.4	85.3-99.5	8	7.6	0.5-14.7
MultiRacial/Non-Hisp.	57	20,764	53	96.1	91.8- 100	4	3.9	0.0- 8.2
Hispanic	168	152,715	162	97.2	94.8-99.6	6	2.8	0.4- 5.2
18-24	255	345,981	237	92.5	88.8-96.2	18	7.5	3.8-11.2
25-34	383	430,900	344	90.8	87.7-93.9	39	9.2	6.1-12.3
35-44	447	407,189	420	94.8	92.6-97.0	27	5.2	3.0- 7.4
45-54	619	406,678	583	94.0	91.8-96.2	36	6.0	3.8- 8.2
55-64	872	420,749	810	92.2	90.0-94.4	62	7.8	5.6-10.0
65+	1378	482,573	1298	94.2	92.6-95.8	80	5.8	4.2- 7.4
Less Than H.S.	296	329,682	270	91.5	87.8-95.2	26	8.5	4.8-12.2
H.S. or G.E.D.	1284	884,154	1193	92.5	90.7-94.3	91	7.5	5.7- 9.3
Some Post-H.S.	970	717,941	906	93.8	92.0-95.6	64	6.2	4.4- 8.0
College Graduate	1376	546,720	1296	93.9	92.3-95.5	80	6.1	4.5- 7.7
Less than \$15,000	237	158,696	216	91.9	87.6-96.2	21	8.1	3.8-12.4
\$15,000- 24,999	477	300,271	434	91.6	88.7-94.5	43	8.4	5.5-11.3
\$25,000- 34,999	305	196,420	278	90.0	85.5-94.5	27	10.0	5.5-14.5
\$35,000- 49,999	499	315,199	465	91.9	88.8-95.0	34	8.1	5.0-11.2
\$50,000- 74,999	546	362,059	507	93.1	90.6-95.6	39	6.9	4.4- 9.4
\$75,000+	1168	724,393	1107	94.4	92.6-96.2	61	5.6	3.8- 7.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4847	2,623,123	4269	87.5	86.3-88.7	578	12.5	11.3-13.7
White/Non-Hisp	4018	2,085,961	3539	87.2	85.8-88.6	479	12.8	11.4-14.2
Black or Afr. Am./Non-Hisp	360	237,333	308	86.0	81.5-90.5	52	14.0	9.5-18.5
Oth. Race/Non-Hisp.	104	67,702	96	91.7	84.3-99.1	8	8.3	0.9-15.7
MultiRacial/Non-Hisp.	68	25,176	54	80.0	68.6-91.4	14	20.0	8.6-31.4
Hispanic	212	159,580	196	92.8	89.1-96.5	16	7.2	3.5-10.9
18-24	200	328,191	183	90.4	85.7-95.1	17	9.6	4.9-14.3
25-34	414	425,688	370	90.4	87.5-93.3	44	9.6	6.7-12.5
35-44	523	411,565	444	84.7	81.2-88.2	79	15.3	11.8-18.8
45-54	704	412,871	595	83.2	80.1-86.3	109	16.8	13.7-19.9
55-64	939	438,913	807	86.3	83.8-88.8	132	13.7	11.2-16.2
65+	2067	605,895	1870	89.7	88.1-91.3	197	10.3	8.7-11.9
Less Than H.S.	335	287,527	277	83.7	79.0-88.4	58	16.3	11.6-21.0
H.S. or G.E.D.	1541	816,246	1360	87.1	84.7-89.5	181	12.9	10.5-15.3
Some Post-H.S.	1296	844,689	1137	87.5	85.3-89.7	159	12.5	10.3-14.7
College Graduate	1644	660,172	1466	89.6	87.8-91.4	178	10.4	8.6-12.2
Less than \$15,000	396	249,912	299	78.3	73.4-83.2	97	21.7	16.8-26.6
\$15,000- 24,999	715	379,450	610	83.4	79.7-87.1	105	16.6	12.9-20.3
\$25,000- 34,999	454	238,882	405	88.4	84.5-92.3	49	11.6	7.7-15.5
\$35,000- 49,999	512	273,215	454	89.2	86.1-92.3	58	10.8	7.7-13.9
\$50,000- 74,999	565	324,687	507	88.5	84.8-92.2	58	11.5	7.8-15.2
\$75,000+	957	576,979	864	90.0	87.6-92.4	93	10.0	7.6-12.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8801	5,117,193	840	9.8	9.0-10.6	312	4.2	3.6- 4.8	7649	86.0	85.0-87.0
Male	3954	2,494,070	262	6.9	5.9- 7.9	141	4.0	3.2- 4.8	3551	89.1	87.9-90.3
Female	4847	2,623,123	578	12.5	11.3-13.7	171	4.4	3.6- 5.2	4098	83.2	81.8-84.6
White/Non-Hisp	7293	4,056,575	688	9.8	9.0-10.6	253	4.2	3.6- 4.8	6352	86.0	85.0-87.0
Black or Afr. Am./Non-Hisp	596	448,326	76	12.7	9.4-16.0	22	4.8	2.4- 7.2	498	82.6	78.7-86.5
Oth. Race/Non-Hisp.	229	157,461	16	7.9	2.8-13.0	11	4.1	1.2- 7.0	202	88.0	82.1-93.9
MultiRacial/Non-Hisp.	125	45,941	18	12.7	6.0-19.4	4	3.3	0.0- 7.2	103	83.9	76.3-91.5
Hispanic	380	312,295	22	5.1	2.7- 7.5	17	3.8	1.8- 5.8	341	91.1	88.2-94.0
18-24	455	674,172	35	8.5	5.6-11.4	39	8.7	5.8-11.6	381	82.8	78.9-86.7
25-34	797	856,588	83	9.4	7.2-11.6	46	5.5	3.7- 7.3	668	85.1	82.6-87.6
35-44	970	818,755	106	10.3	8.1-12.5	49	4.3	2.9- 5.7	815	85.5	83.1-87.9
45-54	1323	819,549	145	11.4	9.4-13.4	30	2.3	1.3- 3.3	1148	86.2	84.0-88.4
55-64	1811	859,661	194	10.8	9.2-12.4	46	2.6	1.8- 3.4	1571	86.5	84.7-88.3
65+	3445	1,088,468	277	8.3	7.1- 9.5	102	3.0	2.4- 3.6	3066	88.7	87.3-90.1
Less Than H.S.	631	617,209	84	12.1	9.2-15.0	19	3.6	1.4- 5.8	528	84.3	80.8-87.8
H.S. or G.E.D.	2825	1,700,400	272	10.1	8.7-11.5	102	4.7	3.5- 5.9	2451	85.2	83.4-87.0
Some Post-H.S.	2266	1,562,631	223	9.6	8.2-11.0	84	4.1	3.1- 5.1	1959	86.3	84.5-88.1
College Graduate	3020	1,206,893	258	8.5	7.3- 9.7	107	3.9	3.1- 4.7	2655	87.6	86.2-89.0
Less than \$15,000	633	408,608	118	16.4	12.9-19.9	22	2.8	1.4- 4.2	493	80.8	77.1-84.5
\$15,000- 24,999	1192	679,721	148	13.0	10.5-15.5	43	4.4	2.8- 6.0	1001	82.6	79.7-85.5
\$25,000- 34,999	759	435,303	76	10.9	8.0-13.8	35	5.8	3.4- 8.2	648	83.3	79.6-87.0
\$35,000- 49,999	1011	588,413	92	9.3	7.1-11.5	41	4.4	2.8- 6.0	878	86.3	83.6-89.0
\$50,000- 74,999	1111	686,745	97	9.1	6.9-11.3	41	4.9	3.1- 6.7	973	86.0	83.3-88.7
\$75,000+	2125	1,301,372	154	7.6	6.2- 9.0	71	3.9	2.9- 4.9	1900	88.5	86.7-90.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3954	2,494,070	262	6.9	5.9- 7.9	141	4.0	3.2- 4.8	3551	89.1	87.9-90.3
White/Non-Hisp	3275	1,970,614	209	6.6	5.6- 7.6	114	4.0	3.2- 4.8	2952	89.3	87.9-90.7
Black or Afr. Am./Non-Hisp	236	210,993	24	11.2	6.3-16.1	7	3.0	0.3- 5.7	205	85.8	80.3-91.3
Oth. Race/Non-Hisp.	125	89,759	8	7.6	0.5-14.7	7	5.4	0.5-10.3	110	87.0	78.8-95.2
MultiRacial/Non-Hisp.	57	20,764	4	3.9	0.0- 8.2				53	96.1	91.8- 100
Hispanic	168	152,715	6	2.8	0.4- 5.2	11	5.5	2.2- 8.8	151	91.8	87.7-95.9
18-24	255	345,981	18	7.5	3.8-11.2	26	9.2	5.5-12.9	211	83.4	78.3-88.5
25-34	383	430,900	39	9.2	6.1-12.3	23	5.2	2.8- 7.6	321	85.6	81.9-89.3
35-44	447	407,189	27	5.2	3.0- 7.4	25	4.4	2.6- 6.2	395	90.4	87.7-93.1
45-54	619	406,678	36	6.0	3.8- 8.2	13	1.9	0.7- 3.1	570	92.1	89.7-94.5
55-64	872	420,749	62	7.8	5.6-10.0	21	2.4	1.2- 3.6	789	89.8	87.4-92.2
65+	1378	482,573	80	5.8	4.2- 7.4	33	2.2	1.4- 3.0	1265	92.0	90.2-93.8
Less Than H.S.	296	329,682	26	8.5	4.8-12.2	10	2.9	0.9- 4.9	260	88.6	84.5-92.7
H.S. or G.E.D.	1284	884,154	91	7.5	5.7- 9.3	47	5.1	3.5- 6.7	1146	87.5	85.1-89.9
Some Post-H.S.	970	717,941	64	6.2	4.4- 8.0	29	3.1	1.7- 4.5	877	90.7	88.5-92.9
College Graduate	1376	546,720	80	6.1	4.5- 7.7	55	4.4	3.0- 5.8	1241	89.5	87.5-91.5
Less than \$15,000	237	158,696	21	8.1	3.8-12.4	7	2.6	0.4- 4.8	209	89.3	84.6-94.0
\$15,000- 24,999	477	300,271	43	8.4	5.5-11.3	13	2.8	1.0- 4.6	421	88.7	85.4-92.0
\$25,000- 34,999	305	196,420	27	10.0	5.5-14.5	13	4.7	2.0- 7.4	265	85.3	80.2-90.4
\$35,000- 49,999	499	315,199	34	8.1	5.0-11.2	19	4.4	2.0- 6.8	446	87.5	83.8-91.2
\$50,000- 74,999	546	362,059	39	6.9	4.4- 9.4	25	5.9	3.4- 8.4	482	87.2	83.7-90.7
\$75,000+	1168	724,393	61	5.6	3.8- 7.4	41	3.5	2.3- 4.7	1066	90.9	88.9-92.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4847	2,623,123	578	12.5	11.3-13.7	171	4.4	3.6- 5.2	4098	83.2	81.8-84.6
White/Non-Hisp	4018	2,085,961	479	12.8	11.4-14.2	139	4.4	3.4- 5.4	3400	82.8	81.2-84.4
Black or Afr. Am./Non-Hisp	360	237,333	52	14.0	9.5-18.5	15	6.3	2.6-10.0	293	79.7	74.2-85.2
Oth. Race/Non-Hisp.	104	67,702	8	8.3	0.9-15.7	4	2.4	0.0- 5.3	92	89.3	81.5-97.1
MultiRacial/Non-Hisp.	68	25,176	14	20.0	8.6-31.4	4	6.1	0.0-13.2	50	73.9	61.2-86.6
Hispanic	212	159,580	16	7.2	3.5-10.9	6	2.2	0.2- 4.2	190	90.5	86.4-94.6
18-24	200	328,191	17	9.6	4.9-14.3	13	8.1	3.4-12.8	170	82.2	75.9-88.5
25-34	414	425,688	44	9.6	6.7-12.5	23	5.8	3.3- 8.3	347	84.6	80.9-88.3
35-44	523	411,565	79	15.3	11.8-18.8	24	4.1	2.3- 5.9	420	80.6	76.7-84.5
45-54	704	412,871	109	16.8	13.7-19.9	17	2.7	1.3- 4.1	578	80.5	77.2-83.8
55-64	939	438,913	132	13.7	11.2-16.2	25	2.9	1.7- 4.1	782	83.4	80.7-86.1
65+	2067	605,895	197	10.3	8.7-11.9	69	3.6	2.6- 4.6	1801	86.0	84.0-88.0
Less Than H.S.	335	287,527	58	16.3	11.6-21.0	9	4.5	0.6- 8.4	268	79.2	73.5-84.9
H.S. or G.E.D.	1541	816,246	181	12.9	10.5-15.3	55	4.4	2.8- 6.0	1305	82.7	80.2-85.2
Some Post-H.S.	1296	844,689	159	12.5	10.3-14.7	55	5.0	3.4- 6.6	1082	82.5	80.0-85.0
College Graduate	1644	660,172	178	10.4	8.6-12.2	52	3.5	2.3- 4.7	1414	86.0	84.0-88.0
Less than \$15,000	396	249,912	97	21.7	16.8-26.6	15	3.0	1.2- 4.8	284	75.4	70.3-80.5
\$15,000- 24,999	715	379,450	105	16.6	12.9-20.3	30	5.7	3.2- 8.2	580	77.7	73.4-82.0
\$25,000- 34,999	454	238,882	49	11.6	7.7-15.5	22	6.7	3.0-10.4	383	81.7	76.6-86.8
\$35,000- 49,999	512	273,215	58	10.8	7.7-13.9	22	4.4	2.0- 6.8	432	84.8	81.1-88.5
\$50,000- 74,999	565	324,687	58	11.5	7.8-15.2	16	3.8	1.4- 6.2	491	84.6	80.5-88.7
\$75,000+	957	576,979	93	10.0	7.6-12.4	30	4.4	2.4- 6.4	834	85.5	82.6-88.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8832	5,135,440	3079	27.0	25.8-28.2	5753	73.0	71.8-74.2
Male	3965	2,498,227	1160	23.1	21.5-24.7	2805	76.9	75.3-78.5
Female	4867	2,637,213	1919	30.6	29.0-32.2	2948	69.4	67.8-71.0
White/Non-Hisp	7322	4,078,782	2658	28.9	27.7-30.1	4664	71.1	69.9-72.3
Black or Afr. Am./Non-Hisp	592	442,947	181	22.0	18.3-25.7	411	78.0	74.3-81.7
Oth. Race/Non-Hisp.	231	157,450	71	24.5	17.4-31.6	160	75.5	68.4-82.6
MultiRacial/Non-Hisp.	128	46,936	50	27.7	18.7-36.7	78	72.3	63.3-81.3
Hispanic	381	313,170	55	8.8	6.1-11.5	326	91.2	88.5-93.9
18-24	461	681,374	14	3.0	1.4- 4.6	447	97.0	95.4-98.6
25-34	793	850,389	67	10.1	7.6-12.6	726	89.9	87.4-92.4
35-44	974	821,411	181	18.7	16.0-21.4	793	81.3	78.6-84.0
45-54	1331	823,220	341	25.3	22.8-27.8	990	74.7	72.2-77.2
55-64	1819	865,250	748	42.0	39.5-44.5	1071	58.0	55.5-60.5
65+	3454	1,093,796	1728	50.7	48.7-52.7	1726	49.3	47.3-51.3
Less Than H.S.	643	624,023	252	31.1	27.0-35.2	391	68.9	64.8-73.0
H.S. or G.E.D.	2825	1,701,448	1105	29.3	27.3-31.3	1720	70.7	68.7-72.7
Some Post-H.S.	2284	1,571,097	845	28.1	26.1-30.1	1439	71.9	69.9-73.9
College Graduate	3021	1,209,460	857	20.3	18.7-21.9	2164	79.7	78.1-81.3
Less than \$15,000	637	407,626	292	35.4	30.9-39.9	345	64.6	60.1-69.1
\$15,000- 24,999	1207	690,953	512	32.9	29.6-36.2	695	67.1	63.8-70.4
\$25,000- 34,999	760	435,632	307	30.4	26.5-34.3	453	69.6	65.7-73.5
\$35,000- 49,999	1010	588,771	367	28.6	25.3-31.9	643	71.4	68.1-74.7
\$50,000- 74,999	1113	689,486	344	23.1	20.4-25.8	769	76.9	74.2-79.6
\$75,000+	2131	1,305,603	527	20.3	18.3-22.3	1604	79.7	77.7-81.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3965	2,498,227	1160	23.1	21.5-24.7	2805	76.9	75.3-78.5
White/Non-Hisp	3286	1,978,874	1004	24.7	22.9-26.5	2282	75.3	73.5-77.1
Black or Afr. Am./Non-Hisp	232	205,775	57	19.9	14.2-25.6	175	80.1	74.4-85.8
Oth. Race/Non-Hisp.	126	89,653	33	22.7	13.7-31.7	93	77.3	68.3-86.3
MultiRacial/Non-Hisp.	58	21,135	20	25.5	12.0-39.0	38	74.5	61.0-88.0
Hispanic	169	153,253	15	5.6	2.5- 8.7	154	94.4	91.3-97.5
18-24	259	349,814	4	1.5	0.0- 3.1	255	98.5	96.9- 100
25-34	378	423,958	23	7.3	4.0-10.6	355	92.7	89.4-96.0
35-44	450	410,042	63	14.7	11.0-18.4	387	85.3	81.6-89.0
45-54	622	407,841	143	22.9	19.2-26.6	479	77.1	73.4-80.8
55-64	874	421,252	335	40.6	36.9-44.3	539	59.4	55.7-63.1
65+	1382	485,321	592	44.5	41.4-47.6	790	55.5	52.4-58.6
Less Than H.S.	298	329,836	96	26.8	21.3-32.3	202	73.2	67.7-78.7
H.S. or G.E.D.	1288	885,011	421	24.1	21.6-26.6	867	75.9	73.4-78.4
Some Post-H.S.	975	720,355	314	25.1	22.2-28.0	661	74.9	72.0-77.8
College Graduate	1376	548,100	323	17.1	14.9-19.3	1053	82.9	80.7-85.1
Less than \$15,000	241	158,121	100	33.3	26.2-40.4	141	66.7	59.6-73.8
\$15,000- 24,999	484	308,414	176	28.4	23.7-33.1	308	71.6	66.9-76.3
\$25,000- 34,999	307	196,934	105	26.2	20.5-31.9	202	73.8	68.1-79.5
\$35,000- 49,999	498	313,549	161	24.9	20.4-29.4	337	75.1	70.6-79.6
\$50,000- 74,999	545	361,842	145	19.9	16.2-23.6	400	80.1	76.4-83.8
\$75,000+	1172	727,544	271	18.7	16.2-21.2	901	81.3	78.8-83.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4867	2,637,213	1919	30.6	29.0-32.2	2948	69.4	67.8-71.0
White/Non-Hisp	4036	2,099,908	1654	33.0	31.2-34.8	2382	67.0	65.2-68.8
Black or Afr. Am./Non-Hisp	360	237,172	124	23.8	18.9-28.7	236	76.2	71.3-81.1
Oth. Race/Non-Hisp.	105	67,797	38	26.8	15.2-38.4	67	73.2	61.6-84.8
MultiRacial/Non-Hisp.	70	25,801	30	29.5	17.3-41.7	40	70.5	58.3-82.7
Hispanic	212	159,917	40	11.9	7.6-16.2	172	88.1	83.8-92.4
18-24	202	331,560	10	4.5	1.8- 7.2	192	95.5	92.8-98.2
25-34	415	426,432	44	12.8	8.9-16.7	371	87.2	83.3-91.1
35-44	524	411,370	118	22.6	18.5-26.7	406	77.4	73.3-81.5
45-54	709	415,379	198	27.6	23.9-31.3	511	72.4	68.7-76.1
55-64	945	443,999	413	43.3	39.8-46.8	532	56.7	53.2-60.2
65+	2072	608,475	1136	55.5	53.0-58.0	936	44.5	42.0-47.0
Less Than H.S.	345	294,186	156	35.9	29.6-42.2	189	64.1	57.8-70.4
H.S. or G.E.D.	1537	816,437	684	34.9	32.0-37.8	853	65.1	62.2-68.0
Some Post-H.S.	1309	850,742	531	30.7	27.8-33.6	778	69.3	66.4-72.2
College Graduate	1645	661,360	534	22.9	20.7-25.1	1111	77.1	74.9-79.3
Less than \$15,000	396	249,506	192	36.8	30.9-42.7	204	63.2	57.3-69.1
\$15,000- 24,999	723	382,539	336	36.6	32.1-41.1	387	63.4	58.9-67.9
\$25,000- 34,999	453	238,698	202	33.8	28.5-39.1	251	66.2	60.9-71.5
\$35,000- 49,999	512	275,222	206	32.7	27.8-37.6	306	67.3	62.4-72.2
\$50,000- 74,999	568	327,644	199	26.6	22.5-30.7	369	73.4	69.3-77.5
\$75,000+	959	578,059	256	22.2	19.3-25.1	703	77.8	74.9-80.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019

SECTION 7: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	LIMITED USUAL ACTIVITIES (_LMTACT2)	
1	MALES AND FEMALES	51
2	MALES ONLY	52
3	FEMALES ONLY	53
	LIMITED WORK ACTIVITIES (_LMTWRK2)	
4	MALES AND FEMALES	54
5	MALES ONLY	55
6	FEMALES ONLY	56

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 7: ARTHRITIS BURDEN**

TABLE 1: LIMITED USUAL ACTIVITIES (_LMTACT2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8793	5,120,566	1265	11.7	10.9-12.5	1775	15.0	14.2-15.8	5753	73.3	72.1-74.5
Male	3955	2,492,860	430	9.0	8.0-10.0	720	13.9	12.7-15.1	2805	77.1	75.5-78.7
Female	4838	2,627,706	835	14.3	13.1-15.5	1055	16.1	14.9-17.3	2948	69.6	68.0-71.2
White/Non-Hisp	7290	4,066,118	1079	12.5	11.5-13.5	1547	16.2	15.2-17.2	4664	71.3	70.1-72.5
Black or Afr. Am./Non-Hisp	589	441,759	80	10.4	7.7-13.1	98	11.4	8.7-14.1	411	78.2	74.5-81.9
Oth. Race/Non-Hisp.	230	157,082	28	7.7	3.8-11.6	42	16.6	10.3-22.9	160	75.7	68.6-82.8
MultiRacial/Non-Hisp.	128	46,936	22	14.8	7.4-22.2	28	12.9	7.0-18.8	78	72.3	63.3-81.3
Hispanic	380	312,877	24	4.6	2.4- 6.8	30	4.2	2.4- 6.0	326	91.3	88.6-94.0
18-24	461	681,374	5	1.0	0.0- 2.0	9	2.0	0.6- 3.4	447	97.0	95.4-98.6
25-34	793	850,389	32	5.1	3.1- 7.1	35	4.9	3.1- 6.7	726	89.9	87.4-92.4
35-44	971	819,529	86	8.7	6.7-10.7	92	9.8	7.6-12.0	793	81.5	78.8-84.2
45-54	1329	821,865	169	13.4	11.4-15.4	170	11.8	9.8-13.8	990	74.8	72.3-77.3
55-64	1812	862,266	350	19.8	17.6-22.0	391	22.0	19.8-24.2	1071	58.2	55.7-60.7
65+	3427	1,085,142	623	18.2	16.6-19.8	1078	32.1	30.1-34.1	1726	49.7	47.7-51.7
Less Than H.S.	641	622,654	127	17.4	14.1-20.7	123	13.5	10.8-16.2	391	69.0	64.9-73.1
H.S. or G.E.D.	2811	1,696,997	431	11.9	10.5-13.3	660	17.2	15.6-18.8	1720	70.9	68.9-72.9
Some Post-H.S.	2272	1,565,354	355	12.4	11.0-13.8	478	15.4	13.8-17.0	1439	72.2	70.2-74.2
College Graduate	3011	1,206,441	345	7.8	6.8- 8.8	502	12.3	11.1-13.5	2164	79.9	78.3-81.5
Less than \$15,000	635	406,271	167	21.7	18.0-25.4	123	13.5	10.6-16.4	345	64.8	60.3-69.3
\$15,000- 24,999	1198	686,760	256	18.3	15.6-21.0	247	14.2	12.0-16.4	695	67.5	64.2-70.8
\$25,000- 34,999	756	434,509	121	12.4	9.9-14.9	182	17.8	14.7-20.9	453	69.8	65.9-73.7
\$35,000- 49,999	1007	587,941	134	10.9	8.5-13.3	230	17.5	14.8-20.2	643	71.5	68.2-74.8
\$50,000- 74,999	1111	688,845	129	9.0	7.2-10.8	213	14.0	11.8-16.2	769	77.0	74.3-79.7
\$75,000+	2129	1,305,188	187	7.0	5.8- 8.2	338	13.2	11.6-14.8	1604	79.8	77.8-81.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 7: ARTHRITIS BURDEN**

TABLE 2: LIMITED USUAL ACTIVITIES (_LMTACT2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3955	2,492,860	430	9.0	8.0-10.0	720	13.9	12.7-15.1	2805	77.1	75.5-78.7
White/Non-Hisp	3277	1,973,720	361	9.5	8.3-10.7	634	15.0	13.6-16.4	2282	75.5	73.7-77.3
Black or Afr. Am./Non-Hisp	232	205,775	24	8.6	4.9-12.3	33	11.3	6.8-15.8	175	80.1	74.4-85.8
Oth. Race/Non-Hisp.	126	89,653	13	5.2	1.9- 8.5	20	17.6	9.2-26.0	93	77.3	68.3-86.3
MultiRacial/Non-Hisp.	58	21,135	7	14.1	1.8-26.4	13	11.4	4.1-18.7	38	74.5	61.0-88.0
Hispanic	169	153,253	8	3.2	0.7- 5.7	7	2.3	0.5- 4.1	154	94.4	91.3-97.5
18-24	259	349,814	1	0.2	0.0- 0.6	3	1.3	0.0- 2.9	255	98.5	96.9- 100
25-34	378	423,958	11	3.7	1.2- 6.2	12	3.6	1.4- 5.8	355	92.7	89.4-96.0
35-44	449	409,074	24	5.6	3.2- 8.0	38	8.9	6.0-11.8	387	85.5	81.8-89.2
45-54	622	407,841	66	11.1	8.4-13.8	77	11.8	9.1-14.5	479	77.1	73.4-80.8
55-64	872	419,962	136	17.1	14.2-20.0	197	23.4	20.1-26.7	539	59.6	55.9-63.3
65+	1375	482,210	192	14.1	11.9-16.3	393	30.0	27.1-32.9	790	55.8	52.7-58.9
Less Than H.S.	297	328,791	49	15.2	10.7-19.7	46	11.4	7.7-15.1	202	73.4	67.9-78.9
H.S. or G.E.D.	1283	882,936	145	8.4	6.8-10.0	271	15.5	13.3-17.7	867	76.1	73.6-78.6
Some Post-H.S.	971	718,108	118	9.5	7.5-11.5	192	15.3	12.9-17.7	661	75.2	72.3-78.1
College Graduate	1376	548,100	115	5.8	4.6- 7.0	208	11.3	9.5-13.1	1053	82.9	80.7-85.1
Less than \$15,000	240	157,154	54	21.6	15.3-27.9	45	11.3	7.4-15.2	141	67.1	60.2-74.0
\$15,000- 24,999	481	306,704	86	15.1	11.4-18.8	87	12.9	9.6-16.2	308	72.0	67.3-76.7
\$25,000- 34,999	307	196,934	37	9.3	5.8-12.8	68	16.9	12.2-21.6	202	73.8	68.1-79.5
\$35,000- 49,999	496	312,804	51	8.6	5.7-11.5	108	16.2	12.7-19.7	337	75.2	70.7-79.7
\$50,000- 74,999	545	361,842	48	6.2	4.2- 8.2	97	13.7	10.6-16.8	400	80.1	76.4-83.8
\$75,000+	1172	727,544	89	5.6	4.2- 7.0	182	13.2	11.0-15.4	901	81.3	78.8-83.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 7: ARTHRITIS BURDEN**

TABLE 3: LIMITED USUAL ACTIVITIES (_LMTACT2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4838	2,627,706	835	14.3	13.1-15.5	1055	16.1	14.9-17.3	2948	69.6	68.0-71.2
White/Non-Hisp	4013	2,092,397	718	15.3	13.9-16.7	913	17.4	16.0-18.8	2382	67.3	65.5-69.1
Black or Afr. Am./Non-Hisp	357	235,984	56	12.0	8.3-15.7	65	11.5	8.2-14.8	236	76.6	71.7-81.5
Oth. Race/Non-Hisp.	104	67,429	15	11.2	3.4-19.0	22	15.2	5.8-24.6	67	73.6	62.0-85.2
MultiRacial/Non-Hisp.	70	25,801	15	15.4	6.2-24.6	15	14.1	5.5-22.7	40	70.5	58.3-82.7
Hispanic	211	159,623	16	5.9	2.6- 9.2	23	5.9	3.2- 8.6	172	88.3	84.0-92.6
18-24	202	331,560	4	1.8	0.0- 3.6	6	2.8	0.6- 5.0	192	95.5	92.8-98.2
25-34	415	426,432	21	6.6	3.7- 9.5	23	6.3	3.6- 9.0	371	87.2	83.3-91.1
35-44	522	410,455	62	11.8	8.5-15.1	54	10.7	7.8-13.6	406	77.5	73.4-81.6
45-54	707	414,024	103	15.6	12.7-18.5	93	11.8	9.3-14.3	511	72.6	68.9-76.3
55-64	940	442,304	214	22.5	19.4-25.6	194	20.6	17.7-23.5	532	56.9	53.4-60.4
65+	2052	602,932	431	21.5	19.3-23.7	685	33.7	31.3-36.1	936	44.9	42.4-47.4
Less Than H.S.	344	293,863	78	20.0	14.9-25.1	77	15.9	11.6-20.2	189	64.1	57.8-70.4
H.S. or G.E.D.	1528	814,062	286	15.7	13.5-17.9	389	19.0	16.8-21.2	853	65.3	62.4-68.2
Some Post-H.S.	1301	847,245	237	14.8	12.6-17.0	286	15.6	13.4-17.8	778	69.6	66.7-72.5
College Graduate	1635	658,341	230	9.4	8.0-10.8	294	13.1	11.3-14.9	1111	77.5	75.3-79.7
Less than \$15,000	395	249,118	113	21.8	17.1-26.5	78	14.9	10.8-19.0	204	63.3	57.4-69.2
\$15,000- 24,999	717	380,056	170	20.9	17.0-24.8	160	15.2	12.3-18.1	387	63.8	59.3-68.3
\$25,000- 34,999	449	237,575	84	15.0	11.3-18.7	114	18.5	14.4-22.6	251	66.5	61.2-71.8
\$35,000- 49,999	511	275,137	83	13.6	9.9-17.3	122	19.0	15.1-22.9	306	67.4	62.5-72.3
\$50,000- 74,999	566	327,004	81	12.2	9.1-15.3	116	14.3	11.2-17.4	369	73.5	69.4-77.6
\$75,000+	957	577,644	98	8.8	6.6-11.0	156	13.4	11.0-15.8	703	77.9	75.0-80.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 7: ARTHRITIS BURDEN**

TABLE 4: LIMITED WORK ACTIVITIES (_LMTWRK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8725	5,096,401	953	9.7	8.9-10.5	2019	16.7	15.9-17.5	5753	73.6	72.6-74.6
Male	3927	2,482,562	355	8.2	7.2- 9.2	767	14.4	13.2-15.6	2805	77.4	75.8-79.0
Female	4798	2,613,839	598	11.1	9.9-12.3	1252	18.9	17.7-20.1	2948	70.0	68.4-71.6
White/Non-Hisp	7231	4,046,767	781	10.0	9.2-10.8	1786	18.4	17.4-19.4	4664	71.6	70.4-72.8
Black or Afr. Am./Non-Hisp	584	438,833	79	10.5	7.8-13.2	94	10.8	8.1-13.5	411	78.7	75.0-82.4
Oth. Race/Non-Hisp.	229	156,930	30	10.5	5.4-15.6	39	13.8	8.3-19.3	160	75.8	68.7-82.9
MultiRacial/Non-Hisp.	127	46,696	21	16.5	8.7-24.3	28	10.8	5.5-16.1	78	72.6	63.6-81.6
Hispanic	381	313,170	20	3.8	1.8- 5.8	35	5.0	3.0- 7.0	326	91.2	88.5-93.9
18-24	461	681,374	7	1.5	0.3- 2.7	7	1.5	0.3- 2.7	447	97.0	95.4-98.6
25-34	793	850,389	33	5.2	3.2- 7.2	34	4.8	3.0- 6.6	726	89.9	87.4-92.4
35-44	973	820,465	87	8.9	6.9-10.9	93	9.7	7.5-11.9	793	81.4	78.7-84.1
45-54	1327	821,296	152	12.0	10.0-14.0	185	13.1	11.1-15.1	990	74.9	72.4-77.4
55-64	1795	851,498	287	16.6	14.6-18.6	437	24.4	22.0-26.8	1071	58.9	56.4-61.4
65+	3376	1,071,378	387	11.9	10.5-13.3	1263	37.7	35.7-39.7	1726	50.4	48.4-52.4
Less Than H.S.	632	617,899	102	14.9	11.6-18.2	139	15.5	12.6-18.4	391	69.6	65.5-73.7
H.S. or G.E.D.	2783	1,688,115	376	11.0	9.6-12.4	687	17.7	16.1-19.3	1720	71.3	69.3-73.3
Some Post-H.S.	2252	1,556,711	271	10.2	8.8-11.6	542	17.2	15.6-18.8	1439	72.6	70.6-74.6
College Graduate	3000	1,204,665	199	4.7	3.9- 5.5	637	15.3	13.9-16.7	2164	80.0	78.4-81.6
Less than \$15,000	623	402,197	149	20.1	16.4-23.8	129	14.5	11.6-17.4	345	65.4	60.9-69.9
\$15,000- 24,999	1183	681,992	224	17.4	14.7-20.1	264	14.6	12.4-16.8	695	67.9	64.6-71.2
\$25,000- 34,999	750	430,542	95	10.2	7.8-12.6	202	19.3	16.2-22.4	453	70.4	66.5-74.3
\$35,000- 49,999	999	585,035	99	9.9	7.5-12.3	257	18.1	15.6-20.6	643	71.9	68.6-75.2
\$50,000- 74,999	1106	686,948	88	6.8	5.0- 8.6	249	16.0	13.6-18.4	769	77.2	74.5-79.9
\$75,000+	2125	1,303,806	111	4.7	3.7- 5.7	410	15.5	13.7-17.3	1604	79.9	77.9-81.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 7: ARTHRITIS BURDEN**

TABLE 5: LIMITED WORK ACTIVITIES (_LMTWRK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3927	2,482,562	355	8.2	7.2- 9.2	767	14.4	13.2-15.6	2805	77.4	75.8-79.0
White/Non-Hisp	3255	1,966,936	293	8.6	7.4- 9.8	680	15.6	14.2-17.0	2282	75.8	74.0-77.6
Black or Afr. Am./Non-Hisp	229	203,582	24	8.7	5.0-12.4	30	10.3	6.0-14.6	175	80.9	75.2-86.6
Oth. Race/Non-Hisp.	125	89,384	12	6.8	2.1-11.5	20	15.7	7.7-23.7	93	77.5	68.5-86.5
MultiRacial/Non-Hisp.	57	20,895	8	15.6	3.1-28.1	11	9.0	2.5-15.5	38	75.4	61.9-88.9
Hispanic	169	153,253	8	3.0	0.6- 5.4	7	2.6	0.4- 4.8	154	94.4	91.3-97.5
18-24	259	349,814	3	1.0	0.0- 2.2	1	0.5	0.0- 1.5	255	98.5	96.9- 100
25-34	378	423,958	13	4.0	1.5- 6.5	10	3.3	0.9- 5.7	355	92.7	89.4-96.0
35-44	449	409,096	25	5.9	3.5- 8.3	37	8.5	5.6-11.4	387	85.5	81.8-89.2
45-54	620	406,878	61	10.6	7.9-13.3	80	12.2	9.5-14.9	479	77.3	73.8-80.8
55-64	865	415,020	124	16.5	13.6-19.4	202	23.2	20.1-26.3	539	60.3	56.6-64.0
65+	1356	477,797	129	10.2	8.2-12.2	437	33.5	30.4-36.6	790	56.4	53.3-59.5
Less Than H.S.	296	327,845	43	13.5	9.2-17.8	51	12.8	8.9-16.7	202	73.6	68.1-79.1
H.S. or G.E.D.	1275	880,569	142	8.9	7.3-10.5	266	14.8	12.8-16.8	867	76.3	73.8-78.8
Some Post-H.S.	964	713,779	99	8.5	6.5-10.5	204	15.9	13.5-18.3	661	75.6	72.7-78.5
College Graduate	1364	545,443	69	3.8	2.8- 4.8	242	12.9	10.9-14.9	1053	83.3	81.1-85.5
Less than \$15,000	238	156,514	56	22.1	16.0-28.2	41	10.5	6.6-14.4	141	67.4	60.3-74.5
\$15,000- 24,999	477	305,281	77	13.7	10.2-17.2	92	13.9	10.6-17.2	308	72.3	67.6-77.0
\$25,000- 34,999	303	194,258	29	8.2	4.7-11.7	72	17.0	12.3-21.7	202	74.8	69.1-80.5
\$35,000- 49,999	492	312,371	44	9.0	5.7-12.3	111	15.7	12.4-19.0	337	75.3	70.8-79.8
\$50,000- 74,999	542	360,630	41	5.7	3.7- 7.7	101	13.9	10.8-17.0	400	80.4	76.9-83.9
\$75,000+	1167	725,872	55	4.4	3.0- 5.8	211	14.1	11.9-16.3	901	81.5	79.0-84.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 7: ARTHRITIS BURDEN**

TABLE 6: LIMITED WORK ACTIVITIES (_LMTWRK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4798	2,613,839	598	11.1	9.9-12.3	1252	18.9	17.7-20.1	2948	70.0	68.4-71.6
White/Non-Hisp	3976	2,079,831	488	11.3	10.1-12.5	1106	21.1	19.7-22.5	2382	67.7	65.9-69.5
Black or Afr. Am./Non-Hisp	355	235,250	55	12.0	8.3-15.7	64	11.2	7.9-14.5	236	76.8	71.9-81.7
Oth. Race/Non-Hisp.	104	67,547	18	15.3	5.3-25.3	19	11.3	4.2-18.4	67	73.5	61.9-85.1
MultiRacial/Non-Hisp.	70	25,801	13	17.3	7.5-27.1	17	12.3	4.5-20.1	40	70.5	58.3-82.7
Hispanic	212	159,917	12	4.5	1.4- 7.6	28	7.4	4.3-10.5	172	88.1	83.8-92.4
18-24	202	331,560	4	1.9	0.0- 3.9	6	2.6	0.4- 4.8	192	95.5	92.8-98.2
25-34	415	426,432	20	6.5	3.6- 9.4	24	6.4	3.7- 9.1	371	87.2	83.3-91.1
35-44	524	411,370	62	11.8	8.5-15.1	56	10.8	7.9-13.7	406	77.4	73.3-81.5
45-54	707	414,419	91	13.4	10.7-16.1	105	14.1	11.4-16.8	511	72.5	68.8-76.2
55-64	930	436,479	163	16.7	14.0-19.4	235	25.6	22.3-28.9	532	57.7	54.0-61.4
65+	2020	593,581	258	13.3	11.5-15.1	826	41.1	38.6-43.6	936	45.6	43.1-48.1
Less Than H.S.	336	290,054	59	16.5	11.6-21.4	88	18.6	14.1-23.1	189	65.0	58.7-71.3
H.S. or G.E.D.	1508	807,546	234	13.3	11.3-15.3	421	20.9	18.5-23.3	853	65.8	62.9-68.7
Some Post-H.S.	1288	842,931	172	11.7	9.7-13.7	338	18.3	15.9-20.7	778	70.0	67.1-72.9
College Graduate	1636	659,221	130	5.4	4.4- 6.4	395	17.3	15.3-19.3	1111	77.4	75.2-79.6
Less than \$15,000	385	245,683	93	18.8	14.3-23.3	88	17.0	12.7-21.3	204	64.2	58.3-70.1
\$15,000- 24,999	706	376,712	147	20.4	16.5-24.3	172	15.2	12.5-17.9	387	64.4	59.9-68.9
\$25,000- 34,999	447	236,284	66	11.9	8.6-15.2	130	21.2	16.7-25.7	251	66.9	61.6-72.2
\$35,000- 49,999	507	272,664	55	11.0	7.5-14.5	146	21.0	16.9-25.1	306	68.0	63.1-72.9
\$50,000- 74,999	564	326,318	47	8.0	5.3-10.7	148	18.3	15.0-21.6	369	73.7	69.6-77.8
\$75,000+	958	577,934	56	5.0	3.4- 6.6	199	17.1	14.4-19.8	703	77.8	74.9-80.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019**

SECTION 8: DEMOGRAPHICS CONTENTS

* **NOTE** * * * * *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.
* * * * *

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	60
2 MALES ONLY	61
3 FEMALES ONLY	62
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	63
5 MALES ONLY	64
6 FEMALES ONLY	65
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	66
8 MALES ONLY	67
9 FEMALES ONLY	68
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	69
11 MALES ONLY	70
12 FEMALES ONLY	71
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	72
14 MALES ONLY	73
15 FEMALES ONLY	74
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	75
17 MALES ONLY	76
18 FEMALES ONLY	77

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.
 * * * * *

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	78
20 MALES ONLY	79
21 FEMALES ONLY	80
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	81
23 MALES ONLY	82
24 FEMALES ONLY	83
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	84
26 MALES ONLY	85
27 FEMALES ONLY	86
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	87
29 MALES ONLY	88
30 FEMALES ONLY	89
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	90
32 MALES ONLY	91
33 FEMALES ONLY	92
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	93
35 MALES ONLY	94
36 FEMALES ONLY	95
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	96
38 MALES ONLY	97
39 FEMALES ONLY	98

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019**

SECTION 8: DEMOGRAPHICS CONTENTS

*** NOTE *** *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
40 MALES AND FEMALES	99
41 MALES ONLY	100
42 FEMALES ONLY	101
RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
43 MALES AND FEMALES	102
44 MALES ONLY	103
45 FEMALES ONLY	104
RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) .	
46 MALES AND FEMALES	105
47 MALES ONLY	106
48 FEMALES ONLY	107
Sex (_SEX) .	
49 MALES AND FEMALES	108
50 MALES ONLY	109
51 FEMALES ONLY	110

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8689	5,033,775	7656	85.1	84.1-86.1	642	9.5	8.7-10.3	87	1.2	0.8- 1.6	76	1.6	1.2- 2.0	8	0.1	0.1- 0.1	220	2.5	2.1- 2.9
Male	3886	2,453,661	3430	84.6	83.0-86.2	250	9.1	7.7-10.5	57	1.8	1.2- 2.4	40	1.6	1.0- 2.2	3	0.0	0.0- 0.0	106	3.0	2.2- 3.8
Female	4803	2,580,113	4226	85.6	84.2-87.0	392	10.0	8.8-11.2	30	0.7	0.3- 1.1	36	1.5	0.9- 2.1	5	0.1	0.0- 0.3	114	2.0	1.4- 2.6
18-24	447	660,645	357	78.3	74.0-82.6	53	13.6	9.9-17.3	1	0.3	0.0- 0.9	13	3.9	1.5- 6.3	1	0.1	0.0- 0.3	22	3.8	2.0- 5.6
25-34	783	841,633	641	81.7	78.6-84.8	78	11.1	8.6-13.6	11	1.4	0.4- 2.4	19	2.6	1.4- 3.8				34	3.3	1.9- 4.7
35-44	944	795,464	777	82.3	79.6-85.0	93	10.0	7.8-12.2	14	2.0	0.8- 3.2	13	1.5	0.7- 2.3	2	0.1	0.0- 0.3	45	4.1	2.7- 5.5
45-54	1295	798,571	1133	85.5	83.1-87.9	99	9.0	7.0-11.0	15	1.2	0.4- 2.0	17	1.7	0.7- 2.7	2	0.1	0.0- 0.3	29	2.5	1.3- 3.7
55-64	1802	856,263	1601	88.0	86.2-89.8	137	9.0	7.4-10.6	22	1.3	0.7- 1.9	9	0.5	0.1- 0.9	1	0.0	0.0- 0.0	32	1.2	0.6- 1.8
65+	3418	1,081,198	3147	91.4	90.0-92.8	182	6.4	5.2- 7.6	24	1.0	0.4- 1.6	5	0.2	0.0- 0.4	2	0.1	0.0- 0.3	58	0.9	0.5- 1.3
Less Than H.S.	613	593,712	497	77.9	73.6-82.2	56	11.3	7.8-14.8	19	3.2	1.6- 4.8	3	1.3	0.0- 3.1	1	0.2	0.0- 0.6	37	6.3	3.9- 8.7
H.S. or G.E.D.	2794	1,674,254	2475	86.1	84.3-87.9	215	9.4	7.8-11.0	24	0.9	0.5- 1.3	17	1.4	0.6- 2.2	1	0.0	0.0- 0.0	62	2.2	1.6- 2.8
Some Post-H.S.	2257	1,552,684	1974	85.4	83.4-87.4	192	10.5	8.7-12.3	24	1.2	0.6- 1.8	8	0.6	0.2- 1.0	2	0.1	0.1- 0.1	57	2.2	1.4- 3.0
College Graduate	2979	1,191,060	2675	87.3	85.7-88.9	177	7.7	6.5- 8.9	18	0.6	0.2- 1.0	46	3.1	2.1- 4.1	4	0.1	0.1- 0.1	59	1.3	0.9- 1.7
Less than \$15,000	620	392,300	478	72.5	67.6-77.4	94	17.7	13.6-21.8	14	2.4	0.8- 4.0	12	3.7	1.0- 6.4	1	0.0	0.0- 0.0	21	3.8	1.8- 5.8
\$15,000- 24,999	1183	674,310	1000	80.6	77.5-83.7	117	12.0	9.5-14.5	16	1.9	0.7- 3.1	7	1.3	0.3- 2.3	1	0.1	0.0- 0.3	42	4.0	2.4- 5.6
\$25,000- 34,999	752	426,821	637	80.8	76.9-84.7	74	13.2	9.7-16.7	13	2.2	0.8- 3.6	5	1.0	0.0- 2.0	1	0.2	0.0- 0.6	22	2.7	1.1- 4.3
\$35,000- 49,999	997	580,827	875	84.6	81.5-87.7	78	10.6	7.9-13.3	9	0.6	0.2- 1.0	8	1.7	0.3- 3.1	1	0.1	0.0- 0.3	26	2.5	1.3- 3.7
\$50,000- 74,999	1106	685,198	1020	90.5	88.1-92.9	47	4.9	3.3- 6.5	8	1.2	0.2- 2.2	9	1.3	0.5- 2.1				22	2.1	0.7- 3.5
\$75,000+	2115	1,295,813	1959	91.1	89.5-92.7	92	5.9	4.5- 7.3	10	0.4	0.0- 0.8	19	1.2	0.4- 2.0	2	0.1	0.0- 0.3	33	1.3	0.7- 1.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3886	2,453,661	3430	84.6	83.0-86.2	250	9.1	7.7-10.5	57	1.8	1.2- 2.4	40	1.6	1.0- 2.2	3	0.0	0.0- 0.0	106	3.0	2.2- 3.8
18-24	255	346,188	212	81.5	76.0-87.0	24	11.1	6.6-15.6	1	0.6	0.0- 1.8	6	3.2	0.5- 5.9				12	3.5	1.3- 5.7
25-34	379	427,385	318	81.9	77.4-86.4	25	8.8	5.1-12.5	6	1.8	0.2- 3.4	12	2.9	1.1- 4.7				18	4.6	2.2- 7.0
35-44	433	394,560	364	82.1	77.8-86.4	33	9.0	5.9-12.1	9	2.9	0.9- 4.9	6	1.5	0.3- 2.7	1	0.1	0.0- 0.3	20	4.4	2.0- 6.8
45-54	601	394,157	532	85.2	81.7-88.7	39	8.5	5.6-11.4	7	1.2	0.2- 2.2	8	1.8	0.4- 3.2	1	0.1	0.0- 0.3	14	3.2	1.4- 5.0
55-64	863	416,151	758	85.2	82.3-88.1	63	10.6	7.9-13.3	16	2.0	0.8- 3.2	6	0.6	0.0- 1.2				20	1.6	0.6- 2.6
65+	1355	475,221	1246	90.1	87.7-92.5	66	6.9	4.7- 9.1	18	1.9	0.9- 2.9	2	0.2	0.0- 0.4	1	0.0	0.0- 0.0	22	0.9	0.3- 1.5
Less Than H.S.	288	320,983	223	74.8	68.7-80.9	28	12.3	7.4-17.2	14	4.2	1.8- 6.6							23	8.7	4.8-12.6
H.S. or G.E.D.	1271	873,984	1124	85.6	83.1-88.1	94	9.6	7.4-11.8	16	1.3	0.5- 2.1	8	1.4	0.2- 2.6				29	2.1	1.1- 3.1
Some Post-H.S.	957	711,508	847	85.8	82.9-88.7	66	9.1	6.7-11.5	14	1.7	0.7- 2.7	5	0.8	0.0- 1.6				25	2.6	1.4- 3.8
College Graduate	1351	537,849	1224	87.8	85.4-90.2	61	6.3	4.5- 8.1	11	0.8	0.2- 1.4	26	3.8	2.2- 5.4	3	0.2	0.0- 0.4	26	1.2	0.6- 1.8
Less than \$15,000	234	155,402	175	71.6	64.2-79.0	34	17.8	10.9-24.7	6	2.4	0.2- 4.6	5	2.5	0.1- 4.9	1	0.1	0.0- 0.3	13	5.7	2.0- 9.4
\$15,000- 24,999	472	301,192	393	77.3	72.0-82.6	46	11.8	7.9-15.7	10	3.0	0.8- 5.2	2	1.2	0.0- 3.0				21	6.8	3.5-10.1
\$25,000- 34,999	301	192,283	264	84.0	78.5-89.5	22	10.5	5.8-15.2	9	3.6	0.9- 6.3	1	0.7	0.0- 2.1				5	1.2	0.0- 2.6
\$35,000- 49,999	488	306,411	432	84.7	80.0-89.4	32	10.0	5.9-14.1	5	0.6	0.0- 1.2	5	1.4	0.0- 3.0				14	3.3	1.1- 5.5
\$50,000- 74,999	540	358,698	496	88.6	84.9-92.3	16	3.9	1.7- 6.1	7	2.2	0.4- 4.0	6	1.9	0.3- 3.5				15	3.4	0.9- 5.9
\$75,000+	1161	721,645	1077	90.5	88.1-92.9	44	5.7	3.7- 7.7	9	0.7	0.1- 1.3	14	1.8	0.6- 3.0	1	0.1	0.0- 0.3	16	1.2	0.4- 2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4803	2,580,113	4226	85.6	84.2-87.0	392	10.0	8.8-11.2	30	0.7	0.3- 1.1	36	1.5	0.9- 2.1	5	0.1	0.0- 0.3	114	2.0	1.4- 2.6
18-24	192	314,457	145	74.7	67.6-81.8	29	16.3	10.2-22.4				7	4.7	0.8- 8.6	1	0.3	0.0- 0.9	10	4.0	1.3- 6.7
25-34	404	414,248	323	81.6	77.5-85.7	53	13.3	9.8-16.8	5	0.9	0.0- 1.9	7	2.2	0.4- 4.0				16	1.9	0.9- 2.9
35-44	511	400,904	413	82.5	79.0-86.0	60	10.9	8.0-13.8	5	1.2	0.0- 2.4	7	1.5	0.3- 2.7	1	0.2	0.0- 0.6	25	3.8	2.0- 5.6
45-54	694	404,415	601	85.7	82.6-88.8	60	9.5	7.0-12.0	8	1.3	0.3- 2.3	9	1.6	0.4- 2.8	1	0.1	0.0- 0.3	15	1.8	0.6- 3.0
55-64	939	440,113	843	90.6	88.4-92.8	74	7.4	5.4- 9.4	6	0.6	0.0- 1.4	3	0.4	0.0- 1.0	1	0.0	0.0- 0.0	12	0.9	0.3- 1.5
65+	2063	605,977	1901	92.4	91.0-93.8	116	6.0	4.6- 7.4	6	0.4	0.0- 0.8	3	0.2	0.0- 0.4	1	0.1	0.0- 0.3	36	0.9	0.5- 1.3
Less Than H.S.	325	272,729	274	81.6	75.1-88.1	28	10.0	4.9-15.1	5	2.0	0.0- 4.0	3	2.8	0.0- 6.5	1	0.3	0.0- 0.9	14	3.4	1.0- 5.8
H.S. or G.E.D.	1523	800,270	1351	86.5	84.1-88.9	121	9.2	7.2-11.2	8	0.5	0.1- 0.9	9	1.4	0.2- 2.6	1	0.1	0.0- 0.3	33	2.2	1.2- 3.2
Some Post-H.S.	1300	841,176	1127	85.1	82.6-87.6	126	11.8	9.4-14.2	10	0.9	0.3- 1.5	3	0.4	0.0- 0.8	2	0.1	0.0- 0.3	32	1.8	1.0- 2.6
College Graduate	1628	653,211	1451	86.9	84.7-89.1	116	8.8	7.0-10.6	7	0.3	0.0- 0.7	20	2.4	1.2- 3.6	1	0.0	0.0- 0.0	33	1.5	0.9- 2.1
Less than \$15,000	386	236,898	303	73.0	66.5-79.5	60	17.6	12.3-22.9	8	2.4	0.2- 4.6	7	4.4	0.1- 8.7				8	2.5	0.5- 4.5
\$15,000- 24,999	711	373,118	607	83.3	79.6-87.0	71	12.2	8.9-15.5	6	1.0	0.0- 2.2	5	1.5	0.1- 2.9	1	0.2	0.0- 0.6	21	1.8	0.8- 2.8
\$25,000- 34,999	451	234,538	373	78.1	72.4-83.8	52	15.4	10.3-20.5	4	1.0	0.0- 2.2	4	1.2	0.0- 2.6	1	0.3	0.0- 0.9	17	4.0	1.5- 6.5
\$35,000- 49,999	509	274,416	443	84.6	80.3-88.9	46	11.2	7.5-14.9	4	0.6	0.0- 1.2	3	1.9	0.0- 4.3	1	0.1	0.0- 0.3	12	1.6	0.2- 3.0
\$50,000- 74,999	566	326,500	524	92.7	90.0-95.4	31	6.0	3.5- 8.5	1	0.0	0.0- 0.0	3	0.7	0.0- 1.5				7	0.6	0.0- 1.2
\$75,000+	954	574,168	882	91.7	89.5-93.9	48	6.0	4.0- 8.0	1	0.1	0.0- 0.3	5	0.5	0.0- 1.1	1	0.1	0.0- 0.3	17	1.5	0.7- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8689	5,033,775	7594	84.7	83.7-85.7	617	9.2	8.4-10.0	73	1.1	0.7- 1.5	73	1.6	1.2- 2.0	7	0.1	0.1- 0.1	325	3.3	2.9- 3.7
Male	3886	2,453,661	3397	84.2	82.6-85.8	241	8.8	7.4-10.2	49	1.6	1.0- 2.2	39	1.6	1.0- 2.2	3	0.0	0.0- 0.0	157	3.7	2.9- 4.5
Female	4803	2,580,113	4197	85.2	83.8-86.6	376	9.6	8.4-10.8	24	0.7	0.3- 1.1	34	1.5	0.9- 2.1	4	0.1	0.0- 0.3	168	2.9	2.3- 3.5
18-24	447	660,645	356	78.1	73.6-82.6	46	12.6	8.9-16.3	1	0.3	0.0- 0.9	13	3.9	1.5- 6.3	1	0.1	0.0- 0.3	30	5.0	3.0- 7.0
25-34	783	841,633	637	81.6	78.5-84.7	73	10.7	8.2-13.2	9	1.2	0.2- 2.2	19	2.6	1.4- 3.8				45	4.0	2.6- 5.4
35-44	944	795,464	768	81.8	79.1-84.5	87	9.6	7.4-11.8	14	2.0	0.8- 3.2	12	1.5	0.7- 2.3	2	0.1	0.0- 0.3	61	5.0	3.4- 6.6
45-54	1295	798,571	1121	84.9	82.5-87.3	97	8.9	6.9-10.9	13	1.1	0.3- 1.9	16	1.7	0.7- 2.7	2	0.1	0.0- 0.3	46	3.3	2.1- 4.5
55-64	1802	856,263	1585	87.6	85.8-89.4	137	9.0	7.4-10.6	16	1.1	0.5- 1.7	8	0.5	0.1- 0.9				56	1.9	1.3- 2.5
65+	3418	1,081,198	3127	91.0	89.6-92.4	177	6.2	5.0- 7.4	20	1.0	0.4- 1.6	5	0.2	0.0- 0.4	2	0.1	0.0- 0.3	87	1.5	1.1- 1.9
Less Than H.S.	613	593,712	492	77.5	73.2-81.8	54	10.9	7.4-14.4	17	3.0	1.4- 4.6	3	1.3	0.0- 3.1	1	0.2	0.0- 0.6	46	7.2	4.7- 9.7
H.S. or G.E.D.	2794	1,674,254	2452	85.7	83.9-87.5	209	9.2	7.6-10.8	20	0.8	0.4- 1.2	16	1.4	0.6- 2.2	1	0.0	0.0- 0.0	96	2.9	2.1- 3.7
Some Post-H.S.	2257	1,552,684	1955	85.0	83.0-87.0	181	10.1	8.5-11.7	21	1.2	0.6- 1.8	8	0.6	0.2- 1.0	2	0.1	0.1- 0.1	90	3.1	2.3- 3.9
College Graduate	2979	1,191,060	2661	87.0	85.4-88.6	171	7.5	6.3- 8.7	13	0.5	0.1- 0.9	44	3.0	2.0- 4.0	3	0.1	0.1- 0.1	87	1.9	1.3- 2.5
Less than \$15,000	620	392,300	464	71.4	66.5-76.3	92	17.3	13.2-21.4	12	2.1	0.7- 3.5	11	3.6	0.9- 6.3	1	0.0	0.0- 0.0	40	5.5	3.3- 7.7
\$15,000- 24,999	1183	674,310	991	80.2	77.1-83.3	114	11.6	9.1-14.1	13	1.8	0.6- 3.0	7	1.3	0.3- 2.3	1	0.1	0.0- 0.3	57	4.8	3.2- 6.4
\$25,000- 34,999	752	426,821	630	80.1	76.0-84.2	72	13.0	9.5-16.5	12	2.1	0.7- 3.5	5	1.0	0.0- 2.0	1	0.2	0.0- 0.6	32	3.7	1.9- 5.5
\$35,000- 49,999	997	580,827	869	84.4	81.3-87.5	74	10.4	7.7-13.1	6	0.4	0.0- 0.8	8	1.7	0.3- 3.1	1	0.1	0.0- 0.3	39	3.1	1.7- 4.5
\$50,000- 74,999	1106	685,198	1014	90.3	87.9-92.7	46	4.8	3.2- 6.4	6	1.1	0.1- 2.1	9	1.3	0.5- 2.1				31	2.4	1.0- 3.8
\$75,000+	2115	1,295,813	1955	90.9	89.3-92.5	90	5.8	4.4- 7.2	8	0.4	0.0- 0.8	17	1.2	0.4- 2.0	2	0.1	0.0- 0.3	43	1.6	1.0- 2.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3886	2,453,661	3397	84.2	82.6-85.8	241	8.8	7.4-10.2	49	1.6	1.0- 2.2	39	1.6	1.0- 2.2	3	0.0	0.0- 0.0	157	3.7	2.9- 4.5
18-24	255	346,188	211	81.2	75.7-86.7	20	10.3	5.8-14.8	1	0.6	0.0- 1.8	6	3.2	0.5- 5.9				17	4.6	2.2- 7.0
25-34	379	427,385	316	81.8	77.3-86.3	23	8.6	4.9-12.3	5	1.6	0.2- 3.0	12	2.9	1.1- 4.7				23	5.2	2.8- 7.6
35-44	433	394,560	361	81.9	77.6-86.2	32	8.9	5.8-12.0	9	2.9	0.9- 4.9	6	1.5	0.3- 2.7	1	0.1	0.0- 0.3	24	4.7	2.3- 7.1
45-54	601	394,157	525	84.5	80.8-88.2	39	8.5	5.6-11.4	6	1.1	0.1- 2.1	8	1.8	0.4- 3.2	1	0.1	0.0- 0.3	22	4.0	2.0- 6.0
55-64	863	416,151	750	84.8	81.9-87.7	63	10.6	7.9-13.3	12	1.7	0.7- 2.7	5	0.5	0.0- 1.1				33	2.3	1.3- 3.3
65+	1355	475,221	1234	89.6	87.2-92.0	64	6.7	4.5- 8.9	16	1.8	0.8- 2.8	2	0.2	0.0- 0.4	1	0.0	0.0- 0.0	38	1.7	1.1- 2.3
Less Than H.S.	288	320,983	222	74.7	68.6-80.8	27	12.2	7.3-17.1	12	3.8	1.4- 6.2							27	9.3	5.4-13.2
H.S. or G.E.D.	1271	873,984	1111	85.2	82.7-87.7	90	9.3	7.1-11.5	13	1.1	0.3- 1.9	7	1.4	0.2- 2.6				50	3.0	2.0- 4.0
Some Post-H.S.	957	711,508	838	85.4	82.5-88.3	64	9.0	6.6-11.4	13	1.6	0.6- 2.6	5	0.8	0.0- 1.6				37	3.2	2.0- 4.4
College Graduate	1351	537,849	1215	87.3	84.9-89.7	59	6.1	4.3- 7.9	9	0.8	0.2- 1.4	26	3.8	2.2- 5.4	3	0.2	0.0- 0.4	39	1.8	1.0- 2.6
Less than \$15,000	234	155,402	167	70.4	63.0-77.8	33	17.4	10.7-24.1	4	1.7	0.0- 3.5	5	2.5	0.1- 4.9	1	0.1	0.0- 0.3	24	7.9	3.8-12.0
\$15,000- 24,999	472	301,192	389	77.0	71.7-82.3	44	11.2	7.3-15.1	9	2.9	0.7- 5.1	2	1.2	0.0- 3.0				28	7.7	4.4-11.0
\$25,000- 34,999	301	192,283	260	83.2	77.7-88.7	22	10.5	5.8-15.2	9	3.6	0.9- 6.3	1	0.7	0.0- 2.1				9	2.0	0.2- 3.8
\$35,000- 49,999	488	306,411	430	84.5	79.8-89.2	30	9.7	5.6-13.8	4	0.5	0.0- 1.1	5	1.4	0.0- 3.0				19	3.9	1.7- 6.1
\$50,000- 74,999	540	358,698	491	88.3	84.6-92.0	16	3.9	1.7- 6.1	6	2.1	0.3- 3.9	6	1.9	0.3- 3.5				21	3.8	1.3- 6.3
\$75,000+	1161	721,645	1074	90.3	87.9-92.7	43	5.7	3.7- 7.7	7	0.6	0.0- 1.2	13	1.7	0.5- 2.9	1	0.1	0.0- 0.3	23	1.6	0.8- 2.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4803	2,580,113	4197	85.2	83.8-86.6	376	9.6	8.4-10.8	24	0.7	0.3- 1.1	34	1.5	0.9- 2.1	4	0.1	0.0- 0.3	168	2.9	2.3- 3.5
18-24	192	314,457	145	74.7	67.6-81.8	26	15.0	9.1-20.9				7	4.7	0.8- 8.6	1	0.3	0.0- 0.9	13	5.3	2.4- 8.2
25-34	404	414,248	321	81.3	77.2-85.4	50	12.9	9.4-16.4	4	0.8	0.0- 1.8	7	2.2	0.4- 4.0				22	2.8	1.6- 4.0
35-44	511	400,904	407	81.6	77.9-85.3	55	10.2	7.3-13.1	5	1.2	0.0- 2.4	6	1.4	0.2- 2.6	1	0.2	0.0- 0.6	37	5.3	3.3- 7.3
45-54	694	404,415	596	85.2	82.1-88.3	58	9.4	6.9-11.9	7	1.2	0.2- 2.2	8	1.6	0.4- 2.8	1	0.1	0.0- 0.3	24	2.6	1.2- 4.0
55-64	939	440,113	835	90.2	88.0-92.4	74	7.4	5.4- 9.4	4	0.5	0.0- 1.1	3	0.4	0.0- 1.0				23	1.4	0.8- 2.0
65+	2063	605,977	1893	92.2	90.8-93.6	113	5.9	4.5- 7.3	4	0.3	0.0- 0.7	3	0.2	0.0- 0.4	1	0.1	0.0- 0.3	49	1.2	0.8- 1.6
Less Than H.S.	325	272,729	270	80.8	74.3-87.3	27	9.5	4.6-14.4	5	2.0	0.0- 4.0	3	2.8	0.0- 6.5	1	0.3	0.0- 0.9	19	4.7	2.0- 7.4
H.S. or G.E.D.	1523	800,270	1341	86.2	83.8-88.6	119	9.1	7.1-11.1	7	0.5	0.1- 0.9	9	1.4	0.2- 2.6	1	0.1	0.0- 0.3	46	2.7	1.7- 3.7
Some Post-H.S.	1300	841,176	1117	84.6	82.1-87.1	117	11.1	8.7-13.5	8	0.8	0.2- 1.4	3	0.4	0.0- 0.8	2	0.1	0.0- 0.3	53	3.0	2.0- 4.0
College Graduate	1628	653,211	1446	86.7	84.5-88.9	112	8.6	6.8-10.4	4	0.3	0.0- 0.7	18	2.4	1.2- 3.6				48	2.0	1.2- 2.8
Less than \$15,000	386	236,898	297	72.0	65.5-78.5	59	17.3	12.0-22.6	8	2.4	0.2- 4.6	6	4.4	0.1- 8.7				16	3.9	1.5- 6.3
\$15,000- 24,999	711	373,118	602	82.8	78.9-86.7	70	12.0	8.7-15.3	4	0.9	0.0- 2.1	5	1.5	0.1- 2.9	1	0.2	0.0- 0.6	29	2.5	1.3- 3.7
\$25,000- 34,999	451	234,538	370	77.6	71.9-83.3	50	15.1	10.0-20.2	3	0.9	0.0- 2.1	4	1.2	0.0- 2.6	1	0.3	0.0- 0.9	23	5.0	2.3- 7.7
\$35,000- 49,999	509	274,416	439	84.3	80.0-88.6	44	11.1	7.4-14.8	2	0.3	0.0- 0.9	3	1.9	0.0- 4.3	1	0.1	0.0- 0.3	20	2.3	0.7- 3.9
\$50,000- 74,999	566	326,500	523	92.5	89.8-95.2	30	5.8	3.3- 8.3				3	0.7	0.0- 1.5				10	1.0	0.4- 1.6
\$75,000+	954	574,168	881	91.6	89.4-93.8	47	6.0	4.0- 8.0	1	0.1	0.0- 0.3	4	0.5	0.0- 1.1	1	0.1	0.0- 0.3	20	1.7	0.7- 2.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8711	5,069,368	7366	80.8	79.6-82.0	598	8.9	8.1- 9.7	60	1.0	0.8- 1.2	72	1.5	1.1- 1.9	231	1.6	1.4- 1.8	384	6.2	5.4- 7.0
Male	3900	2,469,040	3305	80.5	78.7-82.3	236	8.5	7.3- 9.7	42	1.4	1.0- 1.8	38	1.6	1.0- 2.2	108	1.7	1.3- 2.1	171	6.3	5.3- 7.3
Female	4811	2,600,328	4061	81.0	79.4-82.6	362	9.2	8.0-10.4	18	0.6	0.2- 1.0	34	1.5	0.9- 2.1	123	1.5	1.1- 1.9	213	6.2	5.2- 7.2
18-24	455	669,911	327	71.3	66.6-76.0	42	11.7	8.2-15.2				13	3.9	1.5- 6.3	13	1.8	0.8- 2.8	60	11.4	8.5-14.3
25-34	795	853,062	588	75.3	72.0-78.6	69	10.0	7.6-12.4	6	1.0	0.2- 1.8	19	2.5	1.3- 3.7	24	1.6	0.8- 2.4	89	9.6	7.4-11.8
35-44	958	807,661	724	76.0	72.9-79.1	85	9.2	7.0-11.4	12	1.8	0.6- 3.0	12	1.4	0.6- 2.2	40	2.4	1.6- 3.2	85	9.2	7.0-11.4
45-54	1302	806,044	1083	81.0	78.5-83.5	95	8.7	6.7-10.7	13	1.0	0.4- 1.6	15	1.6	0.6- 2.6	31	1.7	0.9- 2.5	65	6.0	4.4- 7.6
55-64	1799	855,374	1556	86.1	84.1-88.1	133	8.8	7.2-10.4	12	0.9	0.3- 1.5	8	0.5	0.1- 0.9	43	1.2	0.8- 1.6	47	2.4	1.6- 3.2
65+	3402	1,077,315	3088	90.3	88.9-91.7	174	6.2	5.0- 7.4	17	0.8	0.4- 1.2	5	0.2	0.0- 0.4	80	1.2	0.8- 1.6	38	1.3	0.7- 1.9
Less Than H.S.	636	619,668	444	66.0	61.3-70.7	50	9.6	6.5-12.7	14	2.3	0.9- 3.7	3	1.2	0.0- 2.8	22	2.1	0.9- 3.3	103	18.7	15.0-22.4
H.S. or G.E.D.	2798	1,684,733	2378	82.2	80.2-84.2	204	8.8	7.4-10.2	13	0.6	0.2- 1.0	16	1.4	0.6- 2.2	65	1.2	0.8- 1.6	122	5.9	4.7- 7.1
Some Post-H.S.	2252	1,549,058	1911	82.9	80.9-84.9	174	9.9	8.3-11.5	19	1.0	0.4- 1.6	8	0.6	0.2- 1.0	68	2.0	1.4- 2.6	72	3.6	2.6- 4.6
College Graduate	2977	1,192,469	2603	84.4	82.6-86.2	168	7.4	6.2- 8.6	12	0.5	0.1- 0.9	43	3.0	2.0- 4.0	72	1.3	0.9- 1.7	79	3.4	2.6- 4.2
Less than \$15,000	626	402,720	425	62.8	57.7-67.9	91	16.6	12.5-20.7	8	1.4	0.2- 2.6	11	3.5	0.8- 6.2	28	2.8	1.2- 4.4	63	12.9	9.6-16.2
\$15,000- 24,999	1196	684,834	943	73.2	69.7-76.7	111	11.0	8.6-13.4	9	1.5	0.3- 2.7	7	1.3	0.3- 2.3	35	1.9	1.1- 2.7	91	11.0	8.5-13.5
\$25,000- 34,999	756	433,468	613	75.3	70.8-79.8	69	12.3	8.8-15.8	10	1.9	0.5- 3.3	5	0.9	0.0- 1.9	23	1.8	0.8- 2.8	36	7.8	4.9-10.7
\$35,000- 49,999	1003	586,302	852	81.2	77.9-84.5	72	10.1	7.4-12.8	5	0.2	0.0- 0.4	7	1.6	0.2- 3.0	27	1.2	0.6- 1.8	40	5.8	3.8- 7.8
\$50,000- 74,999	1105	684,378	995	88.1	85.6-90.6	45	4.8	3.2- 6.4	6	1.1	0.1- 2.1	9	1.3	0.5- 2.1	24	1.1	0.5- 1.7	26	3.6	2.0- 5.2
\$75,000+	2116	1,296,844	1918	88.8	87.0-90.6	89	5.8	4.4- 7.2	9	0.4	0.0- 0.8	17	1.2	0.4- 2.0	31	0.9	0.5- 1.3	52	3.0	2.2- 3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3900	2,469,040	3305	80.5	78.7-82.3	236	8.5	7.3- 9.7	42	1.4	1.0- 1.8	38	1.6	1.0- 2.2	108	1.7	1.3- 2.1	171	6.3	5.3- 7.3
18-24	256	346,850	192	73.6	67.5-79.7	19	10.1	5.6-14.6				6	3.2	0.5- 5.9	8	1.8	0.4- 3.2	31	11.3	7.2-15.4
25-34	383	430,513	298	77.6	72.9-82.3	22	8.0	4.5-11.5	5	1.6	0.2- 3.0	12	2.9	1.1- 4.7	10	1.5	0.3- 2.7	36	8.3	5.4-11.2
35-44	441	401,657	343	76.2	71.7-80.7	31	8.4	5.3-11.5	8	2.5	0.7- 4.3	6	1.5	0.3- 2.7	13	1.5	0.5- 2.5	40	10.0	6.7-13.3
45-54	606	398,986	513	81.3	77.4-85.2	38	8.1	5.2-11.0	7	1.2	0.2- 2.2	7	1.7	0.3- 3.1	16	2.3	0.9- 3.7	25	5.4	3.0- 7.8
55-64	859	414,211	737	83.6	80.5-86.7	62	10.5	7.8-13.2	9	1.4	0.4- 2.4	5	0.6	0.0- 1.2	26	1.7	0.9- 2.5	20	2.4	1.2- 3.6
65+	1355	476,823	1222	88.5	86.1-90.9	64	6.7	4.5- 8.9	13	1.4	0.4- 2.4	2	0.2	0.0- 0.4	35	1.4	0.8- 2.0	19	1.9	0.9- 2.9
Less Than H.S.	296	329,220	204	66.3	60.0-72.6	26	11.3	6.6-16.0	10	2.9	0.9- 4.9				11	2.5	0.7- 4.3	45	17.1	12.0-22.2
H.S. or G.E.D.	1277	879,537	1080	81.6	78.9-84.3	88	8.9	6.7-11.1	9	0.8	0.2- 1.4	7	1.4	0.2- 2.6	38	1.5	0.9- 2.1	55	5.8	4.0- 7.6
Some Post-H.S.	959	712,559	825	83.6	80.7-86.5	62	8.8	6.4-11.2	11	1.4	0.4- 2.4	5	0.8	0.0- 1.6	25	1.8	1.0- 2.6	31	3.7	2.3- 5.1
College Graduate	1347	537,348	1187	84.6	82.1-87.1	59	6.1	4.3- 7.9	10	0.9	0.1- 1.7	25	3.8	2.2- 5.4	31	1.1	0.5- 1.7	35	3.5	2.3- 4.7
Less than \$15,000	234	154,763	155	63.8	56.0-71.6	32	16.7	10.0-23.4	3	1.1	0.0- 2.3	5	2.5	0.1- 4.9	18	5.3	1.8- 8.8	21	10.6	5.9-15.3
\$15,000- 24,999	478	306,356	366	68.4	62.7-74.1	44	11.0	7.1-14.9	7	2.5	0.5- 4.5	2	1.1	0.0- 2.9	14	2.4	0.8- 4.0	45	14.6	10.1-19.1
\$25,000- 34,999	301	194,229	257	81.4	75.5-87.3	22	10.3	5.6-15.0	7	3.1	0.6- 5.6	1	0.7	0.0- 2.1	7	1.2	0.0- 2.4	7	3.3	0.6- 6.0
\$35,000- 49,999	495	312,708	420	79.6	74.5-84.7	29	9.3	5.4-13.2	3	0.3	0.0- 0.7	4	1.3	0.0- 2.9	11	1.1	0.3- 1.9	28	8.5	5.2-11.8
\$50,000- 74,999	541	359,508	480	85.5	81.4-89.6	16	3.9	1.7- 6.1	6	2.1	0.3- 3.9	6	1.9	0.3- 3.5	16	1.4	0.6- 2.2	17	5.2	2.3- 8.1
\$75,000+	1161	722,046	1059	88.9	86.4-91.4	43	5.7	3.7- 7.7	8	0.7	0.1- 1.3	13	1.7	0.5- 2.9	17	0.9	0.3- 1.5	21	2.2	1.2- 3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4811	2,600,328	4061	81.0	79.4-82.6	362	9.2	8.0-10.4	18	0.6	0.2- 1.0	34	1.5	0.9- 2.1	123	1.5	1.1- 1.9	213	6.2	5.2- 7.2
18-24	199	323,061	135	68.8	61.5-76.1	23	13.4	7.9-18.9				7	4.6	0.9- 8.3	5	1.8	0.2- 3.4	29	11.5	7.0-16.0
25-34	412	422,549	290	72.9	68.4-77.4	47	12.0	8.7-15.3	1	0.5	0.0- 1.5	7	2.2	0.4- 4.0	14	1.6	0.8- 2.4	53	10.8	7.7-13.9
35-44	517	406,004	381	75.9	72.0-79.8	54	9.9	7.2-12.6	4	1.1	0.0- 2.3	6	1.4	0.2- 2.6	27	3.3	1.9- 4.7	45	8.5	6.0-11.0
45-54	696	407,058	570	80.6	77.1-84.1	57	9.3	6.8-11.8	6	0.9	0.0- 1.9	8	1.5	0.3- 2.7	15	1.1	0.5- 1.7	40	6.6	4.4- 8.8
55-64	940	441,163	819	88.5	86.1-90.9	71	7.3	5.3- 9.3	3	0.5	0.0- 1.1	3	0.4	0.0- 1.0	17	0.8	0.4- 1.2	27	2.5	1.5- 3.5
65+	2047	600,492	1866	91.7	90.3-93.1	110	5.8	4.4- 7.2	4	0.3	0.0- 0.7	3	0.2	0.0- 0.4	45	1.0	0.6- 1.4	19	0.9	0.5- 1.3
Less Than H.S.	340	290,448	240	65.8	58.9-72.7	24	7.8	3.3-12.3	4	1.7	0.0- 3.5	3	2.6	0.0- 6.1	11	1.7	0.3- 3.1	58	20.5	15.0-26.0
H.S. or G.E.D.	1521	805,197	1298	82.8	80.3-85.3	116	8.6	6.6-10.6	4	0.3	0.1- 0.5	9	1.4	0.2- 2.6	27	0.8	0.4- 1.2	67	6.0	4.4- 7.6
Some Post-H.S.	1293	836,499	1086	82.2	79.5-84.9	112	10.9	8.5-13.3	8	0.7	0.1- 1.3	3	0.4	0.0- 0.8	43	2.2	1.4- 3.0	41	3.5	2.3- 4.7
College Graduate	1630	655,121	1416	84.2	81.8-86.6	109	8.4	6.6-10.2	2	0.2	0.0- 0.4	18	2.4	1.2- 3.6	41	1.5	0.9- 2.1	44	3.4	2.2- 4.6
Less than \$15,000	392	247,957	270	62.1	55.6-68.6	59	16.5	11.4-21.6	5	1.6	0.0- 3.4	6	4.2	0.1- 8.3	10	1.3	0.3- 2.3	42	14.3	9.8-18.8
\$15,000- 24,999	718	378,478	577	77.1	73.0-81.2	67	10.9	7.8-14.0	2	0.7	0.0- 1.9	5	1.5	0.1- 2.9	21	1.5	0.7- 2.3	46	8.2	5.5-10.9
\$25,000- 34,999	455	239,239	356	70.4	64.1-76.7	47	13.9	8.8-19.0	3	0.9	0.0- 2.1	4	1.2	0.0- 2.6	16	2.3	0.9- 3.7	29	11.5	6.6-16.4
\$35,000- 49,999	508	273,594	432	82.9	78.4-87.4	43	10.9	7.2-14.6	2	0.1	0.0- 0.3	3	1.9	0.0- 4.3	16	1.3	0.5- 2.1	12	2.7	0.9- 4.5
\$50,000- 74,999	564	324,870	515	91.1	88.2-94.0	29	5.8	3.3- 8.3				3	0.7	0.0- 1.5	8	0.7	0.1- 1.3	9	1.7	0.5- 2.9
\$75,000+	955	574,798	859	88.6	86.1-91.1	46	5.9	3.9- 7.9	1	0.1	0.0- 0.3	4	0.5	0.0- 1.1	14	0.9	0.3- 1.5	31	4.0	2.4- 5.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8711	5,069,368	7366	80.8	79.6-82.0	1345	19.2	18.0-20.4
Male	3900	2,469,040	3305	80.5	78.7-82.3	595	19.5	17.7-21.3
Female	4811	2,600,328	4061	81.0	79.4-82.6	750	19.0	17.4-20.6
18-24	455	669,911	327	71.3	66.6-76.0	128	28.7	24.0-33.4
25-34	795	853,062	588	75.3	72.0-78.6	207	24.7	21.4-28.0
35-44	958	807,661	724	76.0	72.9-79.1	234	24.0	20.9-27.1
45-54	1302	806,044	1083	81.0	78.5-83.5	219	19.0	16.5-21.5
55-64	1799	855,374	1556	86.1	84.1-88.1	243	13.9	11.9-15.9
65+	3402	1,077,315	3088	90.3	88.9-91.7	314	9.7	8.3-11.1
Less Than H.S.	636	619,668	444	66.0	61.3-70.7	192	34.0	29.3-38.7
H.S. or G.E.D.	2798	1,684,733	2378	82.2	80.2-84.2	420	17.8	15.8-19.8
Some Post-H.S.	2252	1,549,058	1911	82.9	80.9-84.9	341	17.1	15.1-19.1
College Graduate	2977	1,192,469	2603	84.4	82.6-86.2	374	15.6	13.8-17.4
Less than \$15,000	626	402,720	425	62.8	57.7-67.9	201	37.2	32.1-42.3
\$15,000- 24,999	1196	684,834	943	73.2	69.7-76.7	253	26.8	23.3-30.3
\$25,000- 34,999	756	433,468	613	75.3	70.8-79.8	143	24.7	20.2-29.2
\$35,000- 49,999	1003	586,302	852	81.2	77.9-84.5	151	18.8	15.5-22.1
\$50,000- 74,999	1105	684,378	995	88.1	85.6-90.6	110	11.9	9.4-14.4
\$75,000+	2116	1,296,844	1918	88.8	87.0-90.6	198	11.2	9.4-13.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3900	2,469,040	3305	80.5	78.7-82.3	595	19.5	17.7-21.3
18-24	256	346,850	192	73.6	67.5-79.7	64	26.4	20.3-32.5
25-34	383	430,513	298	77.6	72.9-82.3	85	22.4	17.7-27.1
35-44	441	401,657	343	76.2	71.7-80.7	98	23.8	19.3-28.3
45-54	606	398,986	513	81.3	77.4-85.2	93	18.7	14.8-22.6
55-64	859	414,211	737	83.6	80.5-86.7	122	16.4	13.3-19.5
65+	1355	476,823	1222	88.5	86.1-90.9	133	11.5	9.1-13.9
Less Than H.S.	296	329,220	204	66.3	60.0-72.6	92	33.7	27.4-40.0
H.S. or G.E.D.	1277	879,537	1080	81.6	78.9-84.3	197	18.4	15.7-21.1
Some Post-H.S.	959	712,559	825	83.6	80.7-86.5	134	16.4	13.5-19.3
College Graduate	1347	537,348	1187	84.6	82.1-87.1	160	15.4	12.9-17.9
Less than \$15,000	234	154,763	155	63.8	56.0-71.6	79	36.2	28.4-44.0
\$15,000- 24,999	478	306,356	366	68.4	62.7-74.1	112	31.6	25.9-37.3
\$25,000- 34,999	301	194,229	257	81.4	75.5-87.3	44	18.6	12.7-24.5
\$35,000- 49,999	495	312,708	420	79.6	74.5-84.7	75	20.4	15.3-25.5
\$50,000- 74,999	541	359,508	480	85.5	81.4-89.6	61	14.5	10.4-18.6
\$75,000+	1161	722,046	1059	88.9	86.4-91.4	102	11.1	8.6-13.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4811	2,600,328	4061	81.0	79.4-82.6	750	19.0	17.4-20.6
18-24	199	323,061	135	68.8	61.5-76.1	64	31.2	23.9-38.5
25-34	412	422,549	290	72.9	68.4-77.4	122	27.1	22.6-31.6
35-44	517	406,004	381	75.9	72.0-79.8	136	24.1	20.2-28.0
45-54	696	407,058	570	80.6	77.1-84.1	126	19.4	15.9-22.9
55-64	940	441,163	819	88.5	86.1-90.9	121	11.5	9.1-13.9
65+	2047	600,492	1866	91.7	90.3-93.1	181	8.3	6.9- 9.7
Less Than H.S.	340	290,448	240	65.8	58.9-72.7	100	34.2	27.3-41.1
H.S. or G.E.D.	1521	805,197	1298	82.8	80.3-85.3	223	17.2	14.7-19.7
Some Post-H.S.	1293	836,499	1086	82.2	79.5-84.9	207	17.8	15.1-20.5
College Graduate	1630	655,121	1416	84.2	81.8-86.6	214	15.8	13.4-18.2
Less than \$15,000	392	247,957	270	62.1	55.6-68.6	122	37.9	31.4-44.4
\$15,000- 24,999	718	378,478	577	77.1	73.0-81.2	141	22.9	18.8-27.0
\$25,000- 34,999	455	239,239	356	70.4	64.1-76.7	99	29.6	23.3-35.9
\$35,000- 49,999	508	273,594	432	82.9	78.4-87.4	76	17.1	12.6-21.6
\$50,000- 74,999	564	324,870	515	91.1	88.2-94.0	49	8.9	6.0-11.8
\$75,000+	955	574,798	859	88.6	86.1-91.1	96	11.4	8.9-13.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8711	5,069,368	7366	80.8	79.6-82.0	598	8.9	8.1- 9.7	234	3.2	2.6- 3.8	129	0.9	0.7- 1.1	384	6.2	5.4- 7.0
Male	3900	2,469,040	3305	80.5	78.7-82.3	236	8.5	7.3- 9.7	129	3.8	3.0- 4.6	59	0.9	0.7- 1.1	171	6.3	5.3- 7.3
Female	4811	2,600,328	4061	81.0	79.4-82.6	362	9.2	8.0-10.4	105	2.6	1.8- 3.4	70	1.0	0.6- 1.4	213	6.2	5.2- 7.2
18-24	455	669,911	327	71.3	66.6-76.0	42	11.7	8.2-15.2	18	4.4	2.0- 6.8	8	1.2	0.2- 2.2	60	11.4	8.5-14.3
25-34	795	853,062	588	75.3	72.0-78.6	69	10.0	7.6-12.4	33	4.2	2.6- 5.8	16	1.0	0.4- 1.6	89	9.6	7.4-11.8
35-44	958	807,661	724	76.0	72.9-79.1	85	9.2	7.0-11.4	39	4.1	2.7- 5.5	25	1.5	0.9- 2.1	85	9.2	7.0-11.4
45-54	1302	806,044	1083	81.0	78.5-83.5	95	8.7	6.7-10.7	40	3.4	2.2- 4.6	19	0.9	0.5- 1.3	65	6.0	4.4- 7.6
55-64	1799	855,374	1556	86.1	84.1-88.1	133	8.8	7.2-10.4	34	2.0	1.2- 2.8	29	0.7	0.3- 1.1	47	2.4	1.6- 3.2
65+	3402	1,077,315	3088	90.3	88.9-91.7	174	6.2	5.0- 7.4	70	1.7	1.1- 2.3	32	0.5	0.3- 0.7	38	1.3	0.7- 1.9
Less Than H.S.	636	619,668	444	66.0	61.3-70.7	50	9.6	6.5-12.7	30	4.9	2.7- 7.1	9	0.8	0.2- 1.4	103	18.7	15.0-22.4
H.S. or G.E.D.	2798	1,684,733	2378	82.2	80.2-84.2	204	8.8	7.4-10.2	54	2.3	1.5- 3.1	40	0.9	0.5- 1.3	122	5.9	4.7- 7.1
Some Post-H.S.	2252	1,549,058	1911	82.9	80.9-84.9	174	9.9	8.3-11.5	54	2.4	1.6- 3.2	41	1.2	0.8- 1.6	72	3.6	2.6- 4.6
College Graduate	2977	1,192,469	2603	84.4	82.6-86.2	168	7.4	6.2- 8.6	89	4.1	3.1- 5.1	38	0.7	0.5- 0.9	79	3.4	2.6- 4.2
Less than \$15,000	626	402,720	425	62.8	57.7-67.9	91	16.6	12.5-20.7	28	6.0	2.9- 9.1	19	1.7	0.7- 2.7	63	12.9	9.6-16.2
\$15,000- 24,999	1196	684,834	943	73.2	69.7-76.7	111	11.0	8.6-13.4	33	3.7	2.1- 5.3	18	1.1	0.5- 1.7	91	11.0	8.5-13.5
\$25,000- 34,999	756	433,468	613	75.3	70.8-79.8	69	12.3	8.8-15.8	22	3.2	1.6- 4.8	16	1.4	0.6- 2.2	36	7.8	4.9-10.7
\$35,000- 49,999	1003	586,302	852	81.2	77.9-84.5	72	10.1	7.4-12.8	20	2.1	0.7- 3.5	19	0.9	0.5- 1.3	40	5.8	3.8- 7.8
\$50,000- 74,999	1105	684,378	995	88.1	85.6-90.6	45	4.8	3.2- 6.4	28	3.1	1.7- 4.5	11	0.4	0.2- 0.6	26	3.6	2.0- 5.2
\$75,000+	2116	1,296,844	1918	88.8	87.0-90.6	89	5.8	4.4- 7.2	44	2.1	1.3- 2.9	13	0.4	0.2- 0.6	52	3.0	2.2- 3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3900	2,469,040	3305	80.5	78.7-82.3	236	8.5	7.3- 9.7	129	3.8	3.0- 4.6	59	0.9	0.7- 1.1	171	6.3	5.3- 7.3
18-24	256	346,850	192	73.6	67.5-79.7	19	10.1	5.6-14.6	8	3.6	0.9- 6.3	6	1.4	0.2- 2.6	31	11.3	7.2-15.4
25-34	383	430,513	298	77.6	72.9-82.3	22	8.0	4.5-11.5	20	5.2	2.8- 7.6	7	0.8	0.2- 1.4	36	8.3	5.4-11.2
35-44	441	401,657	343	76.2	71.7-80.7	31	8.4	5.3-11.5	21	4.8	2.4- 7.2	6	0.6	0.0- 1.2	40	10.0	6.7-13.3
45-54	606	398,986	513	81.3	77.4-85.2	38	8.1	5.2-11.0	21	4.1	2.1- 6.1	9	1.0	0.2- 1.8	25	5.4	3.0- 7.8
55-64	859	414,211	737	83.6	80.5-86.7	62	10.5	7.8-13.2	25	2.8	1.4- 4.2	15	0.7	0.3- 1.1	20	2.4	1.2- 3.6
65+	1355	476,823	1222	88.5	86.1-90.9	64	6.7	4.5- 8.9	34	2.2	1.2- 3.2	16	0.7	0.3- 1.1	19	1.9	0.9- 2.9
Less Than H.S.	296	329,220	204	66.3	60.0-72.6	26	11.3	6.6-16.0	17	4.7	2.3- 7.1	4	0.6	0.0- 1.2	45	17.1	12.0-22.2
H.S. or G.E.D.	1277	879,537	1080	81.6	78.9-84.3	88	8.9	6.7-11.1	28	2.5	1.1- 3.9	26	1.2	0.6- 1.8	55	5.8	4.0- 7.6
Some Post-H.S.	959	712,559	825	83.6	80.7-86.5	62	8.8	6.4-11.2	28	3.1	1.7- 4.5	13	0.8	0.2- 1.4	31	3.7	2.3- 5.1
College Graduate	1347	537,348	1187	84.6	82.1-87.1	59	6.1	4.3- 7.9	51	5.2	3.4- 7.0	15	0.5	0.1- 0.9	35	3.5	2.3- 4.7
Less than \$15,000	234	154,763	155	63.8	56.0-71.6	32	16.7	10.0-23.4	14	5.8	2.1- 9.5	12	3.0	0.6- 5.4	21	10.6	5.9-15.3
\$15,000- 24,999	478	306,356	366	68.4	62.7-74.1	44	11.0	7.1-14.9	15	4.7	2.0- 7.4	8	1.3	0.1- 2.5	45	14.6	10.1-19.1
\$25,000- 34,999	301	194,229	257	81.4	75.5-87.3	22	10.3	5.6-15.0	10	4.0	1.1- 6.9	5	1.0	0.0- 2.2	7	3.3	0.6- 6.0
\$35,000- 49,999	495	312,708	420	79.6	74.5-84.7	29	9.3	5.4-13.2	10	1.8	0.2- 3.4	8	0.8	0.2- 1.4	28	8.5	5.2-11.8
\$50,000- 74,999	541	359,508	480	85.5	81.4-89.6	16	3.9	1.7- 6.1	21	5.0	2.6- 7.4	7	0.4	0.0- 0.8	17	5.2	2.3- 8.1
\$75,000+	1161	722,046	1059	88.9	86.4-91.4	43	5.7	3.7- 7.7	32	3.0	1.6- 4.4	6	0.3	0.1- 0.5	21	2.2	1.2- 3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4811	2,600,328	4061	81.0	79.4-82.6	362	9.2	8.0-10.4	105	2.6	1.8- 3.4	70	1.0	0.6- 1.4	213	6.2	5.2- 7.2
18-24	199	323,061	135	68.8	61.5-76.1	23	13.4	7.9-18.9	10	5.4	1.5- 9.3	2	1.0	0.0- 2.4	29	11.5	7.0-16.0
25-34	412	422,549	290	72.9	68.4-77.4	47	12.0	8.7-15.3	13	3.1	1.1- 5.1	9	1.2	0.4- 2.0	53	10.8	7.7-13.9
35-44	517	406,004	381	75.9	72.0-79.8	54	9.9	7.2-12.6	18	3.4	1.6- 5.2	19	2.4	1.2- 3.6	45	8.5	6.0-11.0
45-54	696	407,058	570	80.6	77.1-84.1	57	9.3	6.8-11.8	19	2.8	1.2- 4.4	10	0.8	0.2- 1.4	40	6.6	4.4- 8.8
55-64	940	441,163	819	88.5	86.1-90.9	71	7.3	5.3- 9.3	9	1.1	0.1- 2.1	14	0.7	0.3- 1.1	27	2.5	1.5- 3.5
65+	2047	600,492	1866	91.7	90.3-93.1	110	5.8	4.4- 7.2	36	1.2	0.6- 1.8	16	0.4	0.2- 0.6	19	0.9	0.5- 1.3
Less Than H.S.	340	290,448	240	65.8	58.9-72.7	24	7.8	3.3-12.3	13	5.0	1.1- 8.9	5	1.0	0.0- 2.2	58	20.5	15.0-26.0
H.S. or G.E.D.	1521	805,197	1298	82.8	80.3-85.3	116	8.6	6.6-10.6	26	2.0	0.8- 3.2	14	0.6	0.2- 1.0	67	6.0	4.4- 7.6
Some Post-H.S.	1293	836,499	1086	82.2	79.5-84.9	112	10.9	8.5-13.3	26	1.8	0.8- 2.8	28	1.5	0.7- 2.3	41	3.5	2.3- 4.7
College Graduate	1630	655,121	1416	84.2	81.8-86.6	109	8.4	6.6-10.2	38	3.1	1.9- 4.3	23	0.9	0.5- 1.3	44	3.4	2.2- 4.6
Less than \$15,000	392	247,957	270	62.1	55.6-68.6	59	16.5	11.4-21.6	14	6.1	1.6-10.6	7	0.9	0.1- 1.7	42	14.3	9.8-18.8
\$15,000- 24,999	718	378,478	577	77.1	73.0-81.2	67	10.9	7.8-14.0	18	2.9	1.1- 4.7	10	0.9	0.3- 1.5	46	8.2	5.5-10.9
\$25,000- 34,999	455	239,239	356	70.4	64.1-76.7	47	13.9	8.8-19.0	12	2.5	0.7- 4.3	11	1.7	0.5- 2.9	29	11.5	6.6-16.4
\$35,000- 49,999	508	273,594	432	82.9	78.4-87.4	43	10.9	7.2-14.6	10	2.4	0.0- 4.8	11	1.0	0.2- 1.8	12	2.7	0.9- 4.5
\$50,000- 74,999	564	324,870	515	91.1	88.2-94.0	29	5.8	3.3- 8.3	7	1.1	0.3- 1.9	4	0.3	0.0- 0.7	9	1.7	0.5- 2.9
\$75,000+	955	574,798	859	88.6	86.1-91.1	46	5.9	3.9- 7.9	12	1.0	0.2- 1.8	7	0.5	0.1- 0.9	31	4.0	2.4- 5.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8695	5,072,064	816	20.7	19.3-22.1	933	17.9	16.7-19.1	1056	15.0	14.0-16.0	1534	16.4	15.6-17.2	1948	15.7	14.9-16.5	2408	14.4	13.8-15.0
Male	3906	2,473,276	439	22.0	20.0-24.0	439	18.4	16.6-20.2	479	14.8	13.4-16.2	722	16.3	14.9-17.7	902	15.8	14.6-17.0	925	12.6	11.6-13.6
Female	4789	2,598,788	377	19.4	17.4-21.4	494	17.3	15.7-18.9	577	15.2	13.8-16.6	812	16.4	15.2-17.6	1046	15.6	14.6-16.6	1483	16.1	15.1-17.1
White/Non-Hisp	7225	4,026,592	578	18.4	17.0-19.8	694	17.0	15.8-18.2	820	14.5	13.5-15.5	1305	17.2	16.2-18.2	1671	16.7	15.7-17.7	2157	16.2	15.4-17.0
Black or Afr. Am./Non-Hisp	593	446,581	74	26.2	20.9-31.5	81	19.4	15.3-23.5	87	14.4	11.3-17.5	103	15.6	12.3-18.9	139	15.7	12.6-18.8	109	8.9	6.7-11.1
Oth. Race/Non-Hisp.	224	155,146	35	30.4	21.2-39.6	32	19.0	12.1-25.9	42	21.0	14.1-27.9	29	11.0	6.3-15.7	33	10.3	6.0-14.6	53	8.2	5.1-11.3
MultiRacial/Non-Hisp.	127	46,688	18	26.4	15.0-37.8	20	22.9	13.3-32.5	18	18.6	10.0-27.2	22	11.8	6.3-17.3	24	9.8	4.9-14.7	25	10.5	5.4-15.6
Hispanic	380	312,530	99	36.5	30.4-42.6	91	25.1	20.0-30.2	75	20.1	15.6-24.6	53	10.4	7.3-13.5	46	5.7	3.7- 7.7	16	2.2	0.8- 3.6
Less Than H.S.	642	623,735	67	23.2	18.3-28.1	80	19.1	15.0-23.2	74	13.3	10.2-16.4	97	13.2	10.5-15.9	131	14.4	11.7-17.1	193	16.8	14.1-19.5
H.S. or G.E.D.	2786	1,685,005	293	23.9	21.5-26.3	235	15.0	13.0-17.0	269	12.3	10.7-13.9	472	16.2	14.6-17.8	607	15.9	14.5-17.3	910	16.7	15.3-18.1
Some Post-H.S.	2256	1,551,671	224	20.7	18.2-23.2	245	17.6	15.4-19.8	290	16.2	14.2-18.2	403	16.8	15.0-18.6	500	15.6	14.0-17.2	594	13.0	11.8-14.2
College Graduate	2968	1,188,442	226	14.4	12.6-16.2	370	21.8	19.8-23.8	416	18.1	16.3-19.9	561	17.9	16.3-19.5	698	16.2	14.8-17.6	697	11.6	10.6-12.6
Less than \$15,000	638	409,591	77	26.0	20.7-31.3	70	16.7	12.8-20.6	75	14.4	10.9-17.9	134	16.6	13.5-19.7	139	14.5	11.6-17.4	143	11.7	9.2-14.2
\$15,000- 24,999	1208	691,695	117	22.1	18.4-25.8	114	16.7	13.6-19.8	120	12.6	10.2-15.0	187	15.0	12.6-17.4	269	16.5	14.1-18.9	401	17.1	14.9-19.3
\$25,000- 34,999	755	430,974	77	22.8	17.9-27.7	66	16.3	12.4-20.2	71	13.6	10.3-16.9	85	11.4	8.9-13.9	166	15.3	12.6-18.0	290	20.5	17.6-23.4
\$35,000- 49,999	1005	586,905	98	20.0	16.3-23.7	118	20.6	17.1-24.1	90	11.2	8.8-13.6	146	14.0	11.5-16.5	251	17.3	14.8-19.8	302	17.0	14.6-19.4
\$50,000- 74,999	1108	686,811	108	19.3	15.8-22.8	157	22.9	19.4-26.4	138	15.5	13.0-18.0	189	14.5	12.3-16.7	270	16.6	14.4-18.8	246	11.2	9.6-12.8
\$75,000+	2109	1,290,095	164	15.1	12.7-17.5	295	21.0	18.6-23.4	409	22.4	20.2-24.6	538	22.1	20.1-24.1	441	13.7	12.3-15.1	262	5.7	4.9- 6.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3906	2,473,276	439	22.0	20.0-24.0	439	18.4	16.6-20.2	479	14.8	13.4-16.2	722	16.3	14.9-17.7	902	15.8	14.6-17.0	925	12.6	11.6-13.6
White/Non-Hisp	3244	1,957,272	323	20.1	17.9-22.3	346	18.3	16.3-20.3	374	14.3	12.7-15.9	615	16.9	15.5-18.3	761	16.2	14.8-17.6	825	14.1	12.9-15.3
Black or Afr. Am./Non-Hisp	232	208,560	28	24.4	16.4-32.4	29	18.2	11.7-24.7	31	11.8	7.3-16.3	43	17.1	11.6-22.6	68	21.0	15.3-26.7	33	7.4	4.1-10.7
Oth. Race/Non-Hisp.	125	89,807	18	26.1	15.1-37.1	18	18.0	9.6-26.4	26	25.6	15.8-35.4	15	9.6	4.1-15.1	24	13.2	6.9-19.5	24	7.5	3.4-11.6
MultiRacial/Non-Hisp.	58	21,228	11	32.1	15.6-48.6	6	15.2	3.2-27.2	6	13.5	1.2-25.8	12	15.9	5.9-25.9	10	8.9	2.0-15.8	13	14.4	5.6-23.2
Hispanic	169	153,276	53	40.9	32.1-49.7	32	20.5	13.2-27.8	33	20.1	13.4-26.8	23	10.3	5.8-14.8	19	5.0	2.5- 7.5	9	3.3	0.9- 5.7
Less Than H.S.	298	330,467	39	24.9	18.2-31.6	36	18.2	12.5-23.9	48	16.0	11.3-20.7	42	11.6	7.9-15.3	68	15.8	11.7-19.9	65	13.5	9.8-17.2
H.S. or G.E.D.	1273	879,810	173	25.9	22.6-29.2	132	17.5	14.8-20.2	133	12.3	10.1-14.5	244	16.5	14.3-18.7	290	15.5	13.5-17.5	301	12.5	10.9-14.1
Some Post-H.S.	965	713,582	118	22.0	18.3-25.7	101	16.8	13.7-19.9	120	15.7	13.0-18.4	200	18.7	16.2-21.2	210	15.0	12.8-17.2	216	11.8	10.0-13.6
College Graduate	1347	536,075	104	13.4	10.9-15.9	170	22.7	19.6-25.8	173	17.0	14.5-19.5	235	16.2	14.0-18.4	327	17.4	15.4-19.4	338	13.2	11.6-14.8
Less than \$15,000	242	160,168	31	24.4	16.8-32.0	19	12.0	6.5-17.5	27	14.4	8.7-20.1	58	19.1	13.8-24.4	61	17.8	12.7-22.9	46	12.3	7.6-17.0
\$15,000- 24,999	484	309,477	55	23.2	17.5-28.9	49	17.2	12.5-21.9	37	8.9	5.8-12.0	94	17.1	13.4-20.8	127	19.5	15.8-23.2	122	14.0	10.9-17.1
\$25,000- 34,999	301	192,260	38	22.7	15.8-29.6	27	18.0	11.7-24.3	27	12.2	7.5-16.9	35	11.0	7.1-14.9	67	16.5	12.0-21.0	107	19.6	15.1-24.1
\$35,000- 49,999	495	312,110	64	23.9	18.4-29.4	58	19.1	14.2-24.0	47	12.0	8.3-15.7	66	12.8	9.5-16.1	116	15.6	12.3-18.9	144	16.5	13.4-19.6
\$50,000- 74,999	543	360,517	67	22.2	17.1-27.3	76	23.5	18.6-28.4	63	14.8	11.1-18.5	88	13.2	10.3-16.1	129	15.7	12.8-18.6	120	10.6	8.4-12.8
\$75,000+	1158	718,144	88	14.7	11.6-17.8	160	21.5	18.4-24.6	216	22.0	19.1-24.9	278	21.2	18.7-23.7	245	13.5	11.5-15.5	171	7.0	5.8- 8.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4789	2,598,788	377	19.4	17.4-21.4	494	17.3	15.7-18.9	577	15.2	13.8-16.6	812	16.4	15.2-17.6	1046	15.6	14.6-16.6	1483	16.1	15.1-17.1
White/Non-Hisp	3981	2,069,320	255	16.7	14.7-18.7	348	15.8	14.2-17.4	446	14.7	13.3-16.1	690	17.4	16.0-18.8	910	17.2	16.0-18.4	1332	18.2	17.0-19.4
Black or Afr. Am./Non-Hisp	361	238,021	46	27.7	20.6-34.8	52	20.4	15.1-25.7	56	16.6	12.1-21.1	60	14.2	10.1-18.3	71	11.0	7.9-14.1	76	10.1	7.2-13.0
Oth. Race/Non-Hisp.	99	65,339	17	36.3	20.8-51.8	14	20.4	8.6-32.2	16	14.9	6.9-22.9	14	12.8	4.6-21.0	9	6.4	0.7-12.1	29	9.2	4.1-14.3
MultiRacial/Non-Hisp.	69	25,460	7	21.7	6.0-37.4	14	29.4	15.3-43.5	12	22.9	10.7-35.1	10	8.3	2.4-14.2	14	10.5	3.4-17.6	12	7.2	1.7-12.7
Hispanic	211	159,254	46	32.3	24.1-40.5	59	29.6	22.5-36.7	42	20.0	13.9-26.1	30	10.6	6.3-14.9	27	6.4	3.5- 9.3	7	1.1	0.1- 2.1
Less Than H.S.	344	293,268	28	21.3	14.0-28.6	44	20.1	14.4-25.8	26	10.3	6.0-14.6	55	15.0	10.7-19.3	63	12.7	9.2-16.2	128	20.5	16.2-24.8
H.S. or G.E.D.	1513	805,194	120	21.8	18.3-25.3	103	12.2	9.8-14.6	136	12.4	10.2-14.6	228	15.9	13.7-18.1	317	16.4	14.4-18.4	609	21.3	19.3-23.3
Some Post-H.S.	1291	838,089	106	19.5	16.2-22.8	144	18.2	15.3-21.1	170	16.7	14.2-19.2	203	15.3	13.1-17.5	290	16.2	14.2-18.2	378	14.1	12.3-15.9
College Graduate	1621	652,366	122	15.3	12.8-17.8	200	21.1	18.4-23.8	243	19.0	16.6-21.4	326	19.3	17.1-21.5	371	15.1	13.3-16.9	359	10.3	9.1-11.5
Less than \$15,000	396	249,423	46	27.1	20.0-34.2	51	19.6	14.3-24.9	48	14.5	10.0-19.0	76	15.1	11.4-18.8	78	12.4	9.1-15.7	97	11.4	8.7-14.1
\$15,000- 24,999	724	382,219	62	21.1	16.0-26.2	65	16.3	12.4-20.2	83	15.5	12.0-19.0	93	13.4	10.5-16.3	142	14.2	11.5-16.9	279	19.5	16.6-22.4
\$25,000- 34,999	454	238,714	39	22.9	16.2-29.6	39	15.0	10.3-19.7	44	14.8	10.3-19.3	50	11.7	8.2-15.2	99	14.3	11.0-17.6	183	21.3	17.4-25.2
\$35,000- 49,999	510	274,795	34	15.5	10.4-20.6	60	22.2	16.9-27.5	43	10.2	7.1-13.3	80	15.4	11.7-19.1	135	19.1	15.4-22.8	158	17.6	14.3-20.9
\$50,000- 74,999	565	326,293	41	16.2	11.3-21.1	81	22.3	17.6-27.0	75	16.2	12.5-19.9	101	16.0	12.7-19.3	141	17.5	14.4-20.6	126	11.7	9.2-14.2
\$75,000+	951	571,951	76	15.6	12.1-19.1	135	20.4	17.1-23.7	193	22.8	19.7-25.9	260	23.2	20.3-26.1	196	14.0	11.8-16.2	91	4.0	3.0- 5.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8695	5,072,064	5293	78.7	77.9-79.5	3402	21.3	20.5-22.1
Male	3906	2,473,276	2546	80.6	79.4-81.8	1360	19.4	18.2-20.6
Female	4789	2,598,788	2747	76.9	75.7-78.1	2042	23.1	21.9-24.3
White/Non-Hisp	7225	4,026,592	4202	76.3	75.3-77.3	3023	23.7	22.7-24.7
Black or Afr. Am./Non-Hisp	593	446,581	420	85.1	82.2-88.0	173	14.9	12.0-17.8
Oth. Race/Non-Hisp.	224	155,146	156	88.6	84.7-92.5	68	11.4	7.5-15.3
MultiRacial/Non-Hisp.	127	46,688	95	87.8	82.5-93.1	32	12.2	6.9-17.5
Hispanic	380	312,530	343	95.4	93.6-97.2	37	4.6	2.8- 6.4
Less Than H.S.	642	623,735	392	77.4	74.1-80.7	250	22.6	19.3-25.9
H.S. or G.E.D.	2786	1,685,005	1571	76.2	74.6-77.8	1215	23.8	22.2-25.4
Some Post-H.S.	2256	1,551,671	1417	80.5	78.9-82.1	839	19.5	17.9-21.1
College Graduate	2968	1,188,442	1889	80.4	79.0-81.8	1079	19.6	18.2-21.0
Less than \$15,000	638	409,591	426	81.6	78.5-84.7	212	18.4	15.3-21.5
\$15,000- 24,999	1208	691,695	669	75.7	73.2-78.2	539	24.3	21.8-26.8
\$25,000- 34,999	755	430,974	379	72.3	68.8-75.8	376	27.7	24.2-31.2
\$35,000- 49,999	1005	586,905	550	73.4	70.5-76.3	455	26.6	23.7-29.5
\$50,000- 74,999	1108	686,811	730	81.9	79.7-84.1	378	18.1	15.9-20.3
\$75,000+	2109	1,290,095	1646	89.1	87.9-90.3	463	10.9	9.7-12.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3906	2,473,276	2546	80.6	79.4-81.8	1360	19.4	18.2-20.6
White/Non-Hisp	3244	1,957,272	2046	78.8	77.4-80.2	1198	21.2	19.8-22.6
Black or Afr. Am./Non-Hisp	232	208,560	169	84.9	80.0-89.8	63	15.1	10.2-20.0
Oth. Race/Non-Hisp.	125	89,807	92	88.3	82.8-93.8	33	11.7	6.2-17.2
MultiRacial/Non-Hisp.	58	21,228	42	83.2	73.8-92.6	16	16.8	7.4-26.2
Hispanic	169	153,276	151	94.3	91.4-97.2	18	5.7	2.8- 8.6
Less Than H.S.	298	330,467	202	79.4	74.9-83.9	96	20.6	16.1-25.1
H.S. or G.E.D.	1273	879,810	838	81.0	79.0-83.0	435	19.0	17.0-21.0
Some Post-H.S.	965	713,582	653	82.3	80.1-84.5	312	17.7	15.5-19.9
College Graduate	1347	536,075	838	78.2	76.0-80.4	509	21.8	19.6-24.0
Less than \$15,000	242	160,168	170	79.2	73.3-85.1	72	20.8	14.9-26.7
\$15,000- 24,999	484	309,477	301	77.6	73.7-81.5	183	22.4	18.5-26.3
\$25,000- 34,999	301	192,260	160	72.2	66.7-77.7	141	27.8	22.3-33.3
\$35,000- 49,999	495	312,110	283	74.6	70.5-78.7	212	25.4	21.3-29.5
\$50,000- 74,999	543	360,517	365	83.3	80.4-86.2	178	16.7	13.8-19.6
\$75,000+	1158	718,144	872	87.6	85.8-89.4	286	12.4	10.6-14.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4789	2,598,788	2747	76.9	75.7-78.1	2042	23.1	21.9-24.3
White/Non-Hisp	3981	2,069,320	2156	74.0	72.6-75.4	1825	26.0	24.6-27.4
Black or Afr. Am./Non-Hisp	361	238,021	251	85.3	81.8-88.8	110	14.7	11.2-18.2
Oth. Race/Non-Hisp.	99	65,339	64	88.9	83.4-94.4	35	11.1	5.6-16.6
MultiRacial/Non-Hisp.	69	25,460	53	91.6	85.9-97.3	16	8.4	2.7-14.1
Hispanic	211	159,254	192	96.5	94.7-98.3	19	3.5	1.7- 5.3
Less Than H.S.	344	293,268	190	75.1	70.4-79.8	154	24.9	20.2-29.6
H.S. or G.E.D.	1513	805,194	733	71.1	68.7-73.5	780	28.9	26.5-31.3
Some Post-H.S.	1291	838,089	764	79.0	76.8-81.2	527	21.0	18.8-23.2
College Graduate	1621	652,366	1051	82.2	80.4-84.0	570	17.8	16.0-19.6
Less than \$15,000	396	249,423	256	83.2	79.7-86.7	140	16.8	13.3-20.3
\$15,000- 24,999	724	382,219	368	74.2	70.9-77.5	356	25.8	22.5-29.1
\$25,000- 34,999	454	238,714	219	72.4	67.9-76.9	235	27.6	23.1-32.1
\$35,000- 49,999	510	274,795	267	72.0	67.9-76.1	243	28.0	23.9-32.1
\$50,000- 74,999	565	326,293	365	80.2	76.9-83.5	200	19.8	16.5-23.1
\$75,000+	951	571,951	774	91.0	89.4-92.6	177	9.0	7.4-10.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	8431	4,873,114	5	0.2	0.0- 0.4	476	4.5	3.9- 5.1	3585	39.9	38.5-41.3	3541	44.4	43.0-45.8	824	11.0	10.0-12.0	
Male	3802	2,380,145	3	0.1	0.0- 0.3	11	0.4	0.0- 0.8	381	10.2	9.0-11.4	2600	67.3	65.3-69.3	807	22.0	20.2-23.8	
Female	4629	2,492,968	2	0.2	0.0- 0.6	465	8.5	7.5- 9.5	3204	68.3	66.5-70.1	941	22.6	21.0-24.2	17	0.5	0.1- 0.9	
White/Non-Hisp	7085	3,952,490	3	0.0	0.0- 0.0	362	3.8	3.2- 4.4	3018	40.0	38.6-41.4	3000	44.9	43.3-46.5	702	11.3	10.3-12.3	
Black or Afr. Am./Non-Hisp	566	421,744				41	5.5	3.3- 7.7	247	39.7	34.6-44.8	222	43.2	37.9-48.5	56	11.5	8.0-15.0	
Oth. Race/Non-Hisp.	214	143,942	1	3.2	0.0- 9.3	13	5.0	1.3- 8.7	89	36.2	27.8-44.6	94	47.7	38.5-56.9	17	8.0	2.7-13.3	
MultiRacial/Non-Hisp.	124	44,945				11	7.9	0.6-15.2	49	40.6	29.4-51.8	55	43.0	31.8-54.2	9	8.4	1.9-14.9	
Hispanic	291	228,805	1	0.5	0.0- 1.5	37	11.7	7.6-15.8	128	41.9	35.2-48.6	105	38.3	31.6-45.0	20	7.7	3.8-11.6	
18-24	433	639,431	1	0.7	0.0- 2.1	11	2.9	0.9- 4.9	163	39.5	34.4-44.6	209	45.4	40.3-50.5	49	11.5	8.2-14.8	
25-34	748	807,403	1	0.1	0.0- 0.3	23	3.6	2.0- 5.2	296	37.9	34.2-41.6	336	46.0	42.1-49.9	92	12.5	9.8-15.2	
35-44	909	759,745	1	0.1	0.0- 0.3	39	4.0	2.6- 5.4	342	34.9	31.6-38.2	412	46.8	43.1-50.5	115	14.1	11.4-16.8	
45-54	1252	773,212	1	0.1	0.0- 0.3	47	3.7	2.5- 4.9	496	37.6	34.7-40.5	546	46.1	43.0-49.2	162	12.5	10.5-14.5	
55-64	1759	834,790				70	4.5	3.3- 5.7	743	42.1	39.6-44.6	769	43.5	41.0-46.0	177	9.9	8.3-11.5	
65+	3330	1,058,532	1	0.0	0.0- 0.0	286	7.2	6.2- 8.2	1545	45.2	43.2-47.2	1269	40.5	38.5-42.5	229	7.1	6.1- 8.1	
Less Than H.S.	574	547,990	2	1.0	0.0- 2.8	58	8.6	5.9-11.3	265	39.4	34.5-44.3	215	43.8	38.7-48.9	34	7.2	4.5- 9.9	
H.S. or G.E.D.	2704	1,621,632	1	0.0	0.0- 0.0	200	4.9	3.9- 5.9	1162	39.4	37.0-41.8	1111	45.0	42.6-47.4	230	10.7	9.1-12.3	
Some Post-H.S.	2213	1,524,518	1	0.0	0.0- 0.0	119	4.1	3.1- 5.1	970	40.2	37.7-42.7	907	44.0	41.5-46.5	216	11.6	9.8-13.4	
College Graduate	2899	1,158,336	1	0.1	0.0- 0.3	97	2.7	2.1- 3.3	1169	40.0	37.8-42.2	1292	44.8	42.6-47.0	340	12.5	11.1-13.9	
Less than \$15,000	606	385,388	2	1.5	0.0- 3.9	66	9.4	6.7-12.1	280	44.8	39.7-49.9	224	38.7	33.8-43.6	34	5.7	3.3- 8.1	
\$15,000- 24,999	1162	651,675				96	5.9	4.1- 7.7	525	43.4	39.7-47.1	463	43.7	40.0-47.4	78	6.9	4.9- 8.9	
\$25,000- 34,999	749	419,490				57	5.8	3.8- 7.8	352	42.8	38.1-47.5	284	42.3	37.6-47.0	56	9.1	6.2-12.0	
\$35,000- 49,999	999	580,107	1	0.1	0.0- 0.3	48	3.8	2.4- 5.2	414	40.2	36.3-44.1	450	47.2	43.3-51.1	86	8.7	6.5-10.9	
\$50,000- 74,999	1104	685,803	1	0.1	0.0- 0.3	37	3.2	2.0- 4.4	436	35.4	31.9-38.9	503	46.6	42.9-50.3	127	14.7	11.8-17.6	
\$75,000+	2119	1,299,918				49	1.7	1.1- 2.3	709	32.8	30.4-35.2	1052	50.0	47.5-52.5	309	15.6	13.6-17.6	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	3802	2,380,145	3	0.1	0.0- 0.3	11	0.4	0.0- 0.8	381	10.2	9.0-11.4	2600	67.3	65.3-69.3	807	22.0	20.2-23.8	
White/Non-Hisp	3193	1,922,535	2	0.1	0.0- 0.3	6	0.2	0.0- 0.4	291	8.8	7.6-10.0	2204	68.2	66.2-70.2	690	22.8	21.0-24.6	
Black or Afr. Am./Non-Hisp	225	200,798				1	1.4	0.0- 3.9	31	14.8	9.1-20.5	139	60.1	52.1-68.1	54	23.7	16.8-30.6	
Oth. Race/Non-Hisp.	114	80,718							21	18.3	9.3-27.3	77	70.8	60.2-81.4	16	10.9	3.8-18.0	
MultiRacial/Non-Hisp.	57	20,685				1	1.7	0.0- 5.0	6	12.4	1.4-23.4	42	71.0	55.9-86.1	8	14.9	2.7-27.1	
Hispanic	130	113,878	1	1.0	0.0- 3.0	3	3.2	0.0- 7.1	23	17.7	10.3-25.1	84	63.9	54.1-73.7	19	14.2	6.8-21.6	
18-24	243	328,574							28	10.2	6.3-14.1	169	69.5	63.0-76.0	46	20.3	14.6-26.0	
25-34	365	410,256	1	0.2	0.0- 0.6	1	0.7	0.0- 2.1	40	11.4	7.7-15.1	231	63.2	57.7-68.7	92	24.6	19.7-29.5	
35-44	414	375,345	1	0.3	0.0- 0.9	3	0.4	0.0- 0.8	35	8.2	5.3-11.1	262	62.8	57.5-68.1	113	28.2	23.3-33.1	
45-54	590	387,236	1	0.2	0.0- 0.6	3	0.8	0.0- 1.8	50	8.7	6.2-11.2	376	65.7	61.4-70.0	160	24.8	21.1-28.5	
55-64	846	405,914							85	10.3	7.9-12.7	585	69.4	65.9-72.9	176	20.3	17.4-23.2	
65+	1344	472,821				4	0.5	0.0- 1.1	143	11.7	9.5-13.9	977	72.6	69.7-75.5	220	15.2	13.0-17.4	
Less Than H.S.	268	295,315	1	0.4	0.0- 1.2	4	2.1	0.0- 4.5	48	15.4	10.7-20.1	182	68.9	62.4-75.4	33	13.3	8.4-18.2	
H.S. or G.E.D.	1237	843,635				5	0.3	0.1- 0.5	140	10.3	8.3-12.3	870	69.8	66.7-72.9	222	19.6	16.9-22.3	
Some Post-H.S.	948	705,072	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	86	8.8	6.6-11.0	649	66.5	62.8-70.2	211	24.6	21.1-28.1	
College Graduate	1329	525,531	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	102	8.3	6.3-10.3	888	64.1	61.0-67.2	337	27.4	24.5-30.3	
Less than \$15,000	232	149,816	1	0.7	0.0- 2.1	3	1.3	0.0- 3.1	37	16.2	10.1-22.3	160	68.0	60.4-75.6	31	13.7	7.8-19.6	
\$15,000- 24,999	466	287,903				3	1.0	0.0- 2.4	61	12.2	8.5-15.9	325	71.3	66.2-76.4	77	15.4	11.3-19.5	
\$25,000- 34,999	300	190,326							37	11.6	7.1-16.1	209	69.9	63.2-76.6	54	18.5	12.8-24.2	
\$35,000- 49,999	491	308,063	1	0.2	0.0- 0.6				57	13.5	9.6-17.4	351	71.1	66.2-76.0	82	15.1	11.4-18.8	
\$50,000- 74,999	543	361,835	1	0.2	0.0- 0.6	3	0.4	0.0- 0.8	46	7.3	4.8- 9.8	367	64.3	59.0-69.6	126	27.8	22.7-32.9	
\$75,000+	1168	724,956				1	0.4	0.0- 1.2	70	5.6	4.0- 7.2	790	66.3	63.0-69.6	307	27.7	24.6-30.8	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	4629	2,492,968	2	0.2	0.0- 0.6	465	8.5	7.5- 9.5	3204	68.3	66.5-70.1	941	22.6	21.0-24.2	17	0.5	0.1- 0.9	
White/Non-Hisp	3892	2,029,955	1	0.0	0.0- 0.0	356	7.2	6.2- 8.2	2727	69.6	67.6-71.6	796	22.9	21.1-24.7	12	0.3	0.0- 0.7	
Black or Afr. Am./Non-Hisp	341	220,945				40	9.3	6.0-12.6	216	62.4	55.7-69.1	83	27.8	21.5-34.1	2	0.5	0.0- 1.3	
Oth. Race/Non-Hisp.	100	63,223	1	7.3	0.0-20.6	13	11.3	3.1-19.5	68	58.9	43.6-74.2	17	18.2	6.8-29.6	1	4.3	0.0-12.3	
MultiRacial/Non-Hisp.	67	24,261				10	13.2	0.5-25.9	43	64.8	49.7-79.9	13	19.2	8.2-30.2	1	2.9	0.0- 8.4	
Hispanic	161	114,927				34	20.1	13.2-27.0	105	66.0	57.6-74.4	21	12.8	6.5-19.1	1	1.2	0.0- 3.4	
18-24	190	310,857	1	1.5	0.0- 4.4	11	6.0	2.1- 9.9	135	70.4	63.0-77.8	40	19.9	13.6-26.2	3	2.2	0.0- 4.7	
25-34	383	397,147				22	6.6	3.7- 9.5	256	65.2	59.9-70.5	105	28.2	23.3-33.1				
35-44	495	384,400				36	7.4	4.7-10.1	307	61.0	56.1-65.9	150	31.2	26.5-35.9	2	0.3	0.0- 0.7	
45-54	662	385,976				44	6.8	4.6- 9.0	446	66.6	62.5-70.7	170	26.5	22.8-30.2	2	0.2	0.0- 0.4	
55-64	913	428,876				70	8.7	6.5-10.9	658	72.2	68.9-75.5	184	19.0	16.3-21.7	1	0.0	0.0- 0.0	
65+	1986	585,712	1	0.0	0.0- 0.0	282	12.6	10.8-14.4	1402	72.2	69.8-74.6	292	14.6	12.8-16.4	9	0.6	0.2- 1.0	
Less Than H.S.	306	252,675	1	1.8	0.0- 5.3	54	16.1	11.0-21.2	217	67.4	60.1-74.7	33	14.6	8.9-20.3	1	0.1	0.0- 0.3	
H.S. or G.E.D.	1467	777,998	1	0.0	0.0- 0.0	195	9.9	7.9-11.9	1022	71.0	67.9-74.1	241	18.0	15.5-20.5	8	1.1	0.1- 2.1	
Some Post-H.S.	1265	819,446				118	7.6	5.8- 9.4	884	67.3	64.0-70.6	258	24.7	21.6-27.8	5	0.4	0.0- 0.8	
College Graduate	1570	632,805				96	4.8	3.6- 6.0	1067	66.4	63.5-69.3	404	28.7	26.0-31.4	3	0.1	0.0- 0.3	
Less than \$15,000	374	235,572	1	2.0	0.0- 5.7	63	14.5	10.2-18.8	243	63.0	56.3-69.7	64	20.0	14.7-25.3	3	0.5	0.0- 1.1	
\$15,000- 24,999	696	363,772				93	9.8	7.1-12.5	464	68.1	63.6-72.6	138	21.9	17.8-26.0	1	0.2	0.0- 0.6	
\$25,000- 34,999	449	229,165				57	10.5	7.2-13.8	315	68.7	62.8-74.6	75	19.3	14.2-24.4	2	1.4	0.0- 3.9	
\$35,000- 49,999	508	272,043				48	8.2	5.3-11.1	357	70.4	65.1-75.7	99	20.1	15.4-24.8	4	1.4	0.0- 3.4	
\$50,000- 74,999	561	323,968				34	6.4	4.0- 8.8	390	66.7	61.6-71.8	136	26.8	22.1-31.5	1	0.2	0.0- 0.6	
\$75,000+	951	574,962				48	3.3	2.1- 4.5	639	67.0	63.5-70.5	262	29.3	25.8-32.8	2	0.3	0.0- 0.7	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 25: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8487	4,924,143	8	0.2	0.0- 0.4	485	4.6	4.0- 5.2	3611	40.0	38.6-41.4	3558	44.2	42.8-45.6	825	10.9	9.9-11.9
Male	3832	2,407,760	6	0.2	0.0- 0.4	12	0.4	0.0- 0.8	391	10.4	9.2-11.6	2615	67.1	65.1-69.1	808	21.8	20.0-23.6
Female	4655	2,516,384	2	0.2	0.0- 0.6	473	8.6	7.6- 9.6	3220	68.3	66.5-70.1	943	22.4	20.8-24.0	17	0.5	0.1- 0.9
White/Non-Hisp	7088	3,953,762	3	0.0	0.0- 0.0	362	3.8	3.2- 4.4	3020	40.0	38.6-41.4	3001	44.9	43.3-46.5	702	11.3	10.3-12.3
Black or Afr. Am./Non-Hisp	566	421,744				41	5.5	3.3- 7.7	247	39.7	34.6-44.8	222	43.2	37.9-48.5	56	11.5	8.0-15.0
Oth. Race/Non-Hisp.	222	152,610	1	3.0	0.0- 8.7	14	5.3	1.6- 9.0	91	36.6	28.4-44.8	99	47.6	38.8-56.4	17	7.5	2.4-12.6
MultiRacial/Non-Hisp.	124	44,945				11	7.9	0.6-15.2	49	40.6	29.4-51.8	55	43.0	31.8-54.2	9	8.4	1.9-14.9
Hispanic	335	268,467	4	1.6	0.0- 3.2	45	12.1	8.4-15.8	150	43.5	37.2-49.8	115	35.5	29.4-41.6	21	7.3	3.6-11.0
18-24	441	653,177	1	0.7	0.0- 2.1	11	2.8	0.8- 4.8	168	40.1	35.0-45.2	211	44.8	39.7-49.9	50	11.6	8.3-14.9
25-34	763	819,134	3	0.3	0.0- 0.7	25	3.8	2.2- 5.4	304	38.0	34.3-41.7	339	45.7	41.8-49.6	92	12.3	9.6-15.0
35-44	925	775,302	2	0.3	0.0- 0.7	42	4.2	2.8- 5.6	350	35.3	32.0-38.6	416	46.3	42.8-49.8	115	13.8	11.3-16.3
45-54	1262	780,440	1	0.1	0.0- 0.3	51	4.0	2.8- 5.2	498	37.5	34.6-40.4	550	46.1	43.0-49.2	162	12.4	10.4-14.4
55-64	1765	837,125				70	4.5	3.3- 5.7	745	42.1	39.6-44.6	773	43.6	41.1-46.1	177	9.9	8.3-11.5
65+	3331	1,058,965	1	0.0	0.0- 0.0	286	7.2	6.2- 8.2	1546	45.2	43.2-47.2	1269	40.5	38.5-42.5	229	7.1	6.1- 8.1
Less Than H.S.	597	573,502	4	1.4	0.0- 3.2	63	9.0	6.3-11.7	277	40.2	35.3-45.1	219	42.5	37.4-47.6	34	6.9	4.4- 9.4
H.S. or G.E.D.	2717	1,633,908	2	0.1	0.1- 0.1	202	4.9	3.9- 5.9	1169	39.6	37.2-42.0	1113	44.7	42.3-47.1	231	10.7	9.1-12.3
Some Post-H.S.	2218	1,528,036	1	0.0	0.0- 0.0	119	4.1	3.1- 5.1	971	40.2	37.7-42.7	911	44.1	41.6-46.6	216	11.5	9.7-13.3
College Graduate	2913	1,167,625	1	0.1	0.0- 0.3	99	2.7	2.1- 3.3	1174	40.0	37.8-42.2	1299	44.8	42.6-47.0	340	12.4	11.0-13.8
Less than \$15,000	621	398,304	2	1.4	0.0- 3.8	70	9.8	7.1-12.5	286	44.8	39.7-49.9	229	38.5	33.6-43.4	34	5.5	3.1- 7.9
\$15,000- 24,999	1179	667,677	3	0.5	0.0- 1.1	97	5.9	4.1- 7.7	533	43.2	39.5-46.9	467	43.4	39.7-47.1	79	7.1	5.1- 9.1
\$25,000- 34,999	754	427,482				58	5.9	3.9- 7.9	356	43.6	38.9-48.3	284	41.5	36.8-46.2	56	9.0	6.1-11.9
\$35,000- 49,999	1004	584,267	1	0.1	0.0- 0.3	49	3.9	2.5- 5.3	415	40.3	36.4-44.2	453	47.1	43.2-51.0	86	8.6	6.4-10.8
\$50,000- 74,999	1105	686,157	1	0.1	0.0- 0.3	37	3.2	2.0- 4.4	437	35.4	31.9-38.9	503	46.5	42.8-50.2	127	14.7	11.8-17.6
\$75,000+	2122	1,301,673				49	1.7	1.1- 2.3	709	32.7	30.3-35.1	1055	50.0	47.5-52.5	309	15.5	13.5-17.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3832	2,407,760	6	0.2	0.0- 0.4	12	0.4	0.0- 0.8	391	10.4	9.2-11.6	2615	67.1	65.1-69.1	808	21.8	20.0-23.6
White/Non-Hisp	3195	1,923,617	2	0.1	0.0- 0.3	6	0.2	0.0- 0.4	293	8.8	7.6-10.0	2204	68.1	66.1-70.1	690	22.8	21.0-24.6
Black or Afr. Am./Non-Hisp	225	200,798				1	1.4	0.0- 3.9	31	14.8	9.1-20.5	139	60.1	52.1-68.1	54	23.7	16.8-30.6
Oth. Race/Non-Hisp.	120	86,905							22	19.5	10.1-28.9	82	70.3	59.7-80.9	16	10.1	3.4-16.8
MultiRacial/Non-Hisp.	57	20,685				1	1.7	0.0- 5.0	6	12.4	1.4-23.4	42	71.0	55.9-86.1	8	14.9	2.7-27.1
Hispanic	151	132,796	4	3.3	0.0- 6.6	4	3.0	0.0- 6.3	30	19.7	12.6-26.8	93	60.2	51.2-69.2	20	13.7	6.8-20.6
18-24	247	335,109							29	10.7	6.8-14.6	171	68.9	62.4-75.4	47	20.5	14.8-26.2
25-34	372	416,018	3	0.6	0.0- 1.4	1	0.7	0.0- 2.1	42	11.5	7.8-15.2	234	63.0	57.5-68.5	92	24.2	19.3-29.1
35-44	424	385,075	2	0.7	0.0- 1.7	3	0.4	0.0- 0.8	40	9.2	6.1-12.3	266	62.2	57.1-67.3	113	27.5	22.8-32.2
45-54	595	391,106	1	0.2	0.0- 0.6	4	0.9	0.0- 1.9	51	8.8	6.3-11.3	379	65.7	61.4-70.0	160	24.5	20.8-28.2
55-64	850	407,631							86	10.3	7.9-12.7	588	69.4	65.9-72.9	176	20.2	17.3-23.1
65+	1344	472,821				4	0.5	0.0- 1.1	143	11.7	9.5-13.9	977	72.6	69.7-75.5	220	15.2	13.0-17.4
Less Than H.S.	279	306,329	3	1.2	0.0- 2.6	4	2.1	0.0- 4.5	53	16.4	11.7-21.1	186	67.6	61.1-74.1	33	12.8	8.1-17.5
H.S. or G.E.D.	1244	851,900	1	0.1	0.0- 0.3	5	0.3	0.1- 0.5	144	10.7	8.7-12.7	871	69.3	66.2-72.4	223	19.6	16.9-22.3
Some Post-H.S.	952	707,956	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	86	8.7	6.5-10.9	653	66.7	63.0-70.4	211	24.5	21.0-28.0
College Graduate	1337	530,982	1	0.1	0.0- 0.3	2	0.2	0.0- 0.4	103	8.3	6.5-10.1	894	64.3	61.2-67.4	337	27.1	24.2-30.0
Less than \$15,000	240	157,435	1	0.7	0.0- 2.1	3	1.3	0.0- 2.9	41	17.7	11.6-23.8	164	67.2	59.6-74.8	31	13.1	7.4-18.8
\$15,000- 24,999	477	299,768	3	1.1	0.0- 2.5	3	1.0	0.0- 2.4	64	12.5	8.8-16.2	329	70.0	64.9-75.1	78	15.5	11.4-19.6
\$25,000- 34,999	300	190,326							37	11.6	7.1-16.1	209	69.9	63.2-76.6	54	18.5	12.8-24.2
\$35,000- 49,999	496	312,224	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	58	14.1	10.2-18.0	354	70.6	65.5-75.7	82	14.9	11.2-18.6
\$50,000- 74,999	544	362,189	1	0.2	0.0- 0.6	3	0.4	0.0- 0.8	47	7.4	4.9- 9.9	367	64.2	58.9-69.5	126	27.8	22.7-32.9
\$75,000+	1170	726,522				1	0.4	0.0- 1.2	70	5.6	4.0- 7.2	792	66.4	63.1-69.7	307	27.6	24.5-30.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4655	2,516,384	2	0.2	0.0- 0.6	473	8.6	7.6- 9.6	3220	68.3	66.5-70.1	943	22.4	20.8-24.0	17	0.5	0.1- 0.9
White/Non-Hisp	3893	2,030,145	1	0.0	0.0- 0.0	356	7.2	6.2- 8.2	2727	69.6	67.6-71.6	797	22.9	21.1-24.7	12	0.3	0.0- 0.7
Black or Afr. Am./Non-Hisp	341	220,945				40	9.3	6.0-12.6	216	62.4	55.7-69.1	83	27.8	21.5-34.1	2	0.5	0.0- 1.3
Oth. Race/Non-Hisp.	102	65,705	1	7.0	0.0-19.9	14	12.3	4.1-20.5	69	59.1	44.2-74.0	17	17.5	6.5-28.5	1	4.1	0.0-11.9
MultiRacial/Non-Hisp.	67	24,261				10	13.2	0.5-25.9	43	64.8	49.7-79.9	13	19.2	8.2-30.2	1	2.9	0.0- 8.4
Hispanic	184	135,671				41	21.0	14.5-27.5	120	66.8	59.0-74.6	22	11.2	5.9-16.5	1	1.0	0.0- 3.0
18-24	194	318,068	1	1.4	0.0- 4.1	11	5.8	1.9- 9.7	139	71.1	63.8-78.4	40	19.4	13.3-25.5	3	2.2	0.0- 4.7
25-34	391	403,116				24	7.0	4.1- 9.9	262	65.2	59.9-70.5	105	27.8	22.9-32.7			
35-44	501	390,227				39	8.0	5.3-10.7	310	61.0	56.1-65.9	150	30.7	26.2-35.2	2	0.3	0.0- 0.7
45-54	667	389,334				47	7.2	5.0- 9.4	447	66.3	62.2-70.4	171	26.4	22.7-30.1	2	0.2	0.0- 0.4
55-64	915	429,493				70	8.7	6.5-10.9	659	72.2	68.9-75.5	185	19.0	16.3-21.7	1	0.0	0.0- 0.0
65+	1987	586,144	1	0.0	0.0- 0.0	282	12.6	10.8-14.4	1403	72.3	69.9-74.7	292	14.5	12.7-16.3	9	0.6	0.2- 1.0
Less Than H.S.	318	267,173	1	1.7	0.0- 5.0	59	16.9	11.8-22.0	224	67.5	60.4-74.6	33	13.8	8.3-19.3	1	0.1	0.0- 0.3
H.S. or G.E.D.	1473	782,008	1	0.0	0.0- 0.0	197	9.9	7.9-11.9	1025	71.0	67.9-74.1	242	18.0	15.5-20.5	8	1.1	0.1- 2.1
Some Post-H.S.	1266	820,080				118	7.6	5.8- 9.4	885	67.3	64.0-70.6	258	24.7	21.6-27.8	5	0.4	0.0- 0.8
College Graduate	1576	636,643				97	4.9	3.7- 6.1	1071	66.4	63.5-69.3	405	28.6	25.9-31.3	3	0.1	0.0- 0.3
Less than \$15,000	381	240,869	1	1.9	0.0- 5.6	67	15.3	11.0-19.6	245	62.5	56.0-69.0	65	19.8	14.5-25.1	3	0.5	0.0- 1.1
\$15,000- 24,999	702	367,908				94	9.9	7.2-12.6	469	68.2	63.7-72.7	138	21.7	17.6-25.8	1	0.2	0.0- 0.6
\$25,000- 34,999	454	237,157				58	10.7	7.4-14.0	319	69.3	63.4-75.2	75	18.7	13.6-23.8	2	1.4	0.0- 3.8
\$35,000- 49,999	508	272,043				48	8.2	5.3-11.1	357	70.4	65.1-75.7	99	20.1	15.4-24.8	4	1.4	0.0- 3.4
\$50,000- 74,999	561	323,968				34	6.4	4.0- 8.8	390	66.7	61.6-71.8	136	26.8	22.1-31.5	1	0.2	0.0- 0.6
\$75,000+	952	575,152				48	3.3	2.1- 4.5	639	67.0	63.5-70.5	263	29.3	25.8-32.8	2	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8133	4,755,587	87	0.9	0.5- 1.3	2202	26.3	25.1-27.5	3484	42.4	41.0-43.8	1712	21.8	20.6-23.0	494	6.4	5.6- 7.2	154	2.2	1.8- 2.6
Male	3794	2,394,672	5	0.1	0.0- 0.3	371	11.5	10.1-12.9	1771	45.6	43.6-47.6	1185	30.1	28.3-31.9	339	9.0	7.8-10.2	123	3.6	2.8- 4.4
Female	4339	2,360,915	82	1.7	1.1- 2.3	1831	41.2	39.2-43.2	1713	39.1	37.1-41.1	527	13.4	12.0-14.8	155	3.7	2.9- 4.5	31	0.8	0.4- 1.2
White/Non-Hisp	6761	3,792,965	70	0.7	0.5- 0.9	1815	25.5	24.1-26.9	2900	42.9	41.3-44.5	1442	22.3	20.9-23.7	420	6.7	5.9- 7.5	114	2.0	1.6- 2.4
Black or Afr. Am./Non-Hisp	549	410,916	4	0.4	0.0- 1.0	132	26.0	21.3-30.7	238	40.4	35.1-45.7	125	23.3	18.8-27.8	30	5.0	2.6- 7.4	20	5.0	2.3- 7.7
Oth. Race/Non-Hisp.	213	140,848	4	2.2	0.0- 5.7	65	36.1	27.5-44.7	103	43.0	34.4-51.6	29	14.1	8.2-20.0	9	3.3	0.4- 6.2	3	1.3	0.0- 3.1
MultiRacial/Non-Hisp.	119	43,216	2	5.1	0.0-12.5	28	29.7	18.7-40.7	47	36.2	25.4-47.0	27	19.6	11.4-27.8	9	5.1	0.8- 9.4	6	4.4	0.1- 8.7
Hispanic	352	291,900	4	0.8	0.0- 1.6	117	31.9	26.2-37.6	148	41.7	35.6-47.8	63	18.5	13.6-23.4	14	5.3	2.0- 8.6	6	1.8	0.2- 3.4
18-24	432	638,350	7	2.1	0.3- 3.9	157	36.2	31.1-41.3	171	38.1	33.0-43.2	73	18.1	14.0-22.2	21	5.0	2.6- 7.4	3	0.6	0.0- 1.2
25-34	754	806,742	5	0.7	0.1- 1.3	220	26.8	23.5-30.1	318	42.1	38.2-46.0	146	20.4	17.1-23.7	39	5.8	3.8- 7.8	26	4.3	2.5- 6.1
35-44	904	761,351	6	0.5	0.1- 0.9	204	22.1	19.2-25.0	404	44.4	40.9-47.9	208	23.7	20.6-26.8	62	7.3	5.3- 9.3	20	2.0	1.0- 3.0
45-54	1191	740,033	7	0.5	0.1- 0.9	284	22.6	20.1-25.1	493	42.0	38.9-45.1	289	24.9	22.2-27.6	85	6.8	5.2- 8.4	33	3.2	2.0- 4.4
55-64	1684	799,075	14	0.7	0.3- 1.1	353	21.0	18.8-23.2	739	44.5	41.8-47.2	410	23.6	21.2-26.0	133	8.2	6.6- 9.8	35	2.1	1.3- 2.9
65+	3168	1,010,035	48	1.0	0.6- 1.4	984	29.6	27.6-31.6	1359	42.4	40.2-44.6	586	20.3	18.5-22.1	154	5.3	4.3- 6.3	37	1.3	0.7- 1.9
Less Than H.S.	592	569,828	2	0.2	0.0- 0.6	188	29.6	25.1-34.1	241	38.8	34.1-43.5	107	20.6	16.5-24.7	38	6.9	4.4- 9.4	16	3.9	1.7- 6.1
H.S. or G.E.D.	2591	1,573,677	44	1.5	0.7- 2.3	738	25.5	23.3-27.7	1094	43.2	40.8-45.6	512	21.5	19.5-23.5	155	6.3	5.1- 7.5	48	2.0	1.4- 2.6
Some Post-H.S.	2124	1,470,270	25	0.9	0.5- 1.3	522	23.3	21.1-25.5	929	43.9	41.4-46.4	461	22.6	20.4-24.8	144	7.1	5.7- 8.5	43	2.3	1.5- 3.1
College Graduate	2786	1,122,689	15	0.4	0.2- 0.6	744	29.5	27.3-31.7	1202	41.1	38.9-43.3	623	22.0	20.2-23.8	156	5.2	4.2- 6.2	46	1.7	1.1- 2.3
Less than \$15,000	606	383,108	16	1.5	0.5- 2.5	185	32.9	28.0-37.8	235	38.3	33.4-43.2	112	18.6	14.5-22.7	40	5.7	3.5- 7.9	18	3.0	1.4- 4.6
\$15,000- 24,999	1148	655,718	15	0.9	0.3- 1.5	326	27.6	24.1-31.1	470	41.9	38.2-45.6	225	20.3	17.2-23.4	82	7.1	5.1- 9.1	30	2.3	1.3- 3.3
\$25,000- 34,999	736	416,581	8	0.5	0.1- 0.9	203	26.1	22.0-30.2	329	45.7	41.0-50.4	150	21.2	17.3-25.1	32	3.9	2.3- 5.5	14	2.5	0.9- 4.1
\$35,000- 49,999	970	563,950	13	1.2	0.4- 2.0	219	22.6	19.3-25.9	416	41.3	37.4-45.2	243	26.2	22.7-29.7	60	5.8	3.8- 7.8	19	2.9	1.3- 4.5
\$50,000- 74,999	1074	668,919	4	0.2	0.0- 0.6	255	22.3	19.4-25.2	475	43.8	40.1-47.5	249	24.2	20.9-27.5	66	7.1	4.9- 9.3	25	2.5	1.3- 3.7
\$75,000+	2066	1,269,417	6	0.3	0.1- 0.5	470	23.5	21.1-25.9	908	42.7	40.2-45.2	517	24.8	22.6-27.0	136	7.0	5.6- 8.4	29	1.6	0.8- 2.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3794	2,394,672	5	0.1	0.0- 0.3	371	11.5	10.1-12.9	1771	45.6	43.6-47.6	1185	30.1	28.3-31.9	339	9.0	7.8-10.2	123	3.6	2.8- 4.4
White/Non-Hisp	3158	1,904,686	5	0.2	0.0- 0.4	267	9.8	8.4-11.2	1479	46.1	43.9-48.3	1019	31.5	29.5-33.5	291	9.3	8.1-10.5	97	3.3	2.5- 4.1
Black or Afr. Am./Non-Hisp	222	196,657				29	17.1	10.6-23.6	102	40.4	32.6-48.2	64	26.4	19.3-33.5	15	7.5	3.2-11.8	12	8.5	3.2-13.8
Oth. Race/Non-Hisp.	123	88,853				25	23.2	13.8-32.6	67	52.1	40.9-63.3	22	19.5	10.7-28.3	6	3.1	0.0- 6.6	3	2.1	0.0- 4.8
MultiRacial/Non-Hisp.	56	20,569				11	28.5	12.8-44.2	18	31.3	15.6-47.0	19	29.2	14.9-43.5	6	8.7	0.3-17.1	2	2.3	0.0- 5.4
Hispanic	158	143,819				28	16.8	10.3-23.3	75	46.4	37.4-55.4	42	25.6	18.0-33.2	9	8.1	2.0-14.2	4	3.0	0.1- 5.9
18-24	247	336,271	1	0.3	0.0- 0.9	65	25.7	19.6-31.8	112	44.7	37.8-51.6	51	21.7	15.8-27.6	15	6.5	3.0-10.0	3	1.1	0.0- 2.3
25-34	370	414,909	1	0.3	0.0- 0.9	57	14.3	10.4-18.2	176	45.7	40.0-51.4	92	26.5	21.4-31.6	25	7.1	4.0-10.2	19	6.1	3.2- 9.0
35-44	421	382,610				29	6.9	4.2- 9.6	205	47.4	42.1-52.7	133	32.1	27.2-37.0	41	10.4	7.1-13.7	13	3.2	1.4- 5.0
45-54	586	387,418	2	0.2	0.0- 0.6	43	7.7	5.3-10.1	264	44.9	40.4-49.4	190	32.3	28.0-36.6	60	9.9	7.2-12.6	27	5.0	2.8- 7.2
55-64	845	406,194	1	0.0	0.0- 0.0	60	7.3	5.3- 9.3	360	43.2	39.5-46.9	306	34.9	31.4-38.4	88	10.9	8.4-13.4	30	3.6	2.2- 5.0
65+	1325	467,269				117	9.6	7.6-11.6	654	47.2	43.9-50.5	413	31.9	28.8-35.0	110	8.7	6.7-10.7	31	2.6	1.4- 3.8
Less Than H.S.	283	313,902				60	21.2	15.3-27.1	112	36.4	29.9-42.9	76	27.1	21.0-33.2	21	8.5	4.6-12.4	14	6.7	2.8-10.6
H.S. or G.E.D.	1233	842,338	2	0.1	0.0- 0.3	130	11.5	9.3-13.7	586	47.8	44.5-51.1	365	29.1	26.0-32.2	110	8.4	6.6-10.2	40	3.1	1.9- 4.3
Some Post-H.S.	945	704,810	2	0.2	0.0- 0.6	70	8.3	6.1-10.5	439	46.2	42.5-49.9	302	31.1	27.6-34.6	101	10.8	8.4-13.2	31	3.4	2.0- 4.8
College Graduate	1312	522,168	1	0.1	0.0- 0.3	107	9.7	7.5-11.9	623	46.8	43.7-49.9	438	32.6	29.7-35.5	106	7.8	6.0- 9.6	37	3.0	1.8- 4.2
Less than \$15,000	238	153,789	2	0.3	0.0- 0.7	37	20.3	13.4-27.2	99	40.5	32.9-48.1	66	26.8	19.7-33.9	23	7.6	4.3-10.9	11	4.5	1.8- 7.2
\$15,000- 24,999	478	303,628				72	17.3	12.8-21.8	219	45.8	40.3-51.3	125	24.5	19.6-29.4	38	8.7	5.4-12.0	24	3.7	1.9- 5.5
\$25,000- 34,999	297	186,877				24	10.1	5.6-14.6	148	50.8	43.5-58.1	93	28.2	21.7-34.7	22	6.2	3.1- 9.3	10	4.6	1.5- 7.7
\$35,000- 49,999	492	306,422	1	0.3	0.0- 0.9	46	10.8	7.1-14.5	210	41.4	35.9-46.9	174	34.7	29.4-40.0	46	8.0	5.1-10.9	15	4.7	2.0- 7.4
\$50,000- 74,999	538	357,587	1	0.3	0.0- 0.9	39	7.0	4.6- 9.4	258	46.9	41.6-52.2	173	32.4	27.3-37.5	46	9.8	6.5-13.1	21	3.6	1.8- 5.4
\$75,000+	1164	722,381				71	6.9	4.7- 9.1	540	45.1	41.6-48.6	409	35.0	31.7-38.3	116	10.4	8.2-12.6	28	2.7	1.5- 3.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4339	2,360,915	82	1.7	1.1- 2.3	1831	41.2	39.2-43.2	1713	39.1	37.1-41.1	527	13.4	12.0-14.8	155	3.7	2.9- 4.5	31	0.8	0.4- 1.2
White/Non-Hisp	3603	1,888,278	65	1.3	0.9- 1.7	1548	41.3	39.1-43.5	1421	39.6	37.4-41.8	423	13.0	11.4-14.6	129	4.0	3.2- 4.8	17	0.7	0.3- 1.1
Black or Afr. Am./Non-Hisp	327	214,259	4	0.7	0.0- 1.7	103	34.1	27.4-40.8	136	40.3	33.4-47.2	61	20.4	14.5-26.3	15	2.7	1.1- 4.3	8	1.8	0.2- 3.4
Oth. Race/Non-Hisp.	90	51,995	4	5.9	0.0-14.9	40	57.9	44.2-71.6	36	27.6	16.0-39.2	7	4.8	0.7- 8.9	3	3.7	0.0- 8.8			
MultiRacial/Non-Hisp.	63	22,647	2	9.7	0.0-23.4	17	30.8	15.5-46.1	29	40.6	25.5-55.7	8	10.8	2.6-19.0	3	1.8	0.0- 4.7	4	6.3	0.0-13.7
Hispanic	194	148,081	4	1.5	0.0- 3.3	89	46.5	38.1-54.9	73	37.1	29.1-45.1	21	11.6	5.9-17.3	5	2.6	0.1- 5.1	2	0.7	0.0- 1.9
18-24	185	302,079	6	4.1	0.4- 7.8	92	47.9	39.9-55.9	59	30.7	23.4-38.0	22	14.1	8.2-20.0	6	3.3	0.6- 6.0			
25-34	384	391,833	4	1.1	0.0- 2.3	163	40.0	34.7-45.3	142	38.2	32.9-43.5	54	13.9	10.2-17.6	14	4.4	2.0- 6.8	7	2.3	0.3- 4.3
35-44	483	378,741	6	1.0	0.0- 2.0	175	37.4	32.5-42.3	199	41.3	36.4-46.2	75	15.2	11.5-18.9	21	4.1	2.1- 6.1	7	0.9	0.1- 1.7
45-54	605	352,615	5	0.9	0.1- 1.7	241	39.0	34.7-43.3	229	38.8	34.5-43.1	99	16.9	13.6-20.2	25	3.3	1.7- 4.9	6	1.1	0.1- 2.1
55-64	839	392,881	13	1.3	0.5- 2.1	293	35.1	31.4-38.8	379	45.9	42.0-49.8	104	11.9	9.4-14.4	45	5.3	3.5- 7.1	5	0.5	0.1- 0.9
65+	1843	542,767	48	1.9	1.3- 2.5	867	46.9	44.2-49.6	705	38.3	35.6-41.0	173	10.2	8.6-11.8	44	2.4	1.6- 3.2	6	0.3	0.1- 0.5
Less Than H.S.	309	255,925	2	0.5	0.0- 1.3	128	39.8	32.7-46.9	129	41.8	34.7-48.9	31	12.5	7.0-18.0	17	4.9	2.2- 7.6	2	0.5	0.0- 1.3
H.S. or G.E.D.	1358	731,339	42	3.0	1.4- 4.6	608	41.5	38.0-45.0	508	38.0	34.7-41.3	147	12.7	10.3-15.1	45	4.0	2.4- 5.6	8	0.7	0.1- 1.3
Some Post-H.S.	1179	765,460	23	1.5	0.7- 2.3	452	37.1	33.6-40.6	490	41.7	38.2-45.2	159	14.7	12.2-17.2	43	3.7	2.3- 5.1	12	1.2	0.2- 2.2
College Graduate	1474	600,521	14	0.7	0.3- 1.1	637	46.7	43.6-49.8	579	36.2	33.3-39.1	185	12.8	10.6-15.0	50	3.0	2.0- 4.0	9	0.6	0.2- 1.0
Less than \$15,000	368	229,319	14	2.4	0.6- 4.2	148	41.3	34.8-47.8	136	36.7	30.4-43.0	46	13.2	8.1-18.3	17	4.4	1.7- 7.1	7	2.0	0.4- 3.6
\$15,000- 24,999	670	352,089	15	1.6	0.4- 2.8	254	36.4	31.3-41.5	251	38.5	33.6-43.4	100	16.7	12.6-20.8	44	5.7	3.5- 7.9	6	1.1	0.1- 2.1
\$25,000- 34,999	439	229,704	8	0.9	0.1- 1.7	179	39.2	33.1-45.3	181	41.5	35.2-47.8	57	15.5	10.8-20.2	10	2.0	0.6- 3.4	4	0.8	0.0- 1.8
\$35,000- 49,999	478	257,528	12	2.2	0.6- 3.8	173	36.6	31.1-42.1	206	41.2	35.5-46.9	69	16.1	12.0-20.2	14	3.1	0.7- 5.5	4	0.7	0.0- 1.5
\$50,000- 74,999	536	311,333	3	0.2	0.0- 0.4	216	39.9	34.6-45.2	217	40.2	34.9-45.5	76	14.8	11.1-18.5	20	3.9	1.7- 6.1	4	1.2	0.0- 2.8
\$75,000+	902	547,037	6	0.7	0.1- 1.3	399	45.4	41.5-49.3	368	39.7	35.8-43.6	108	11.5	9.1-13.9	20	2.6	1.2- 4.0	1	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8017	4,649,123	122	1.5	1.1- 1.9	2285	29.6	28.2-31.0	2836	33.7	32.3-35.1	1573	19.5	18.3-20.7	1201	15.7	14.7-16.7
Male	3767	2,367,802	37	1.1	0.7- 1.5	896	25.8	24.0-27.6	1517	38.4	36.4-40.4	790	20.1	18.5-21.7	527	14.6	13.2-16.0
Female	4250	2,281,321	85	2.0	1.4- 2.6	1389	33.5	31.5-35.5	1319	28.8	27.0-30.6	783	18.8	17.2-20.4	674	16.8	15.2-18.4
White/Non-Hisp	6705	3,744,546	99	1.5	1.1- 1.9	1914	29.2	27.8-30.6	2406	34.6	33.2-36.0	1317	19.6	18.4-20.8	969	15.1	13.9-16.3
Black or Afr. Am./Non-Hisp	541	401,422	8	1.2	0.0- 2.4	136	29.3	24.2-34.4	185	32.8	27.7-37.9	101	16.4	12.7-20.1	111	20.2	15.9-24.5
Oth. Race/Non-Hisp.	208	135,543	3	3.2	0.0- 7.7	82	44.7	35.9-53.5	73	29.6	21.6-37.6	27	13.0	7.3-18.7	23	9.5	4.8-14.2
MultiRacial/Non-Hisp.	117	42,287	5	9.2	0.6-17.8	24	28.3	17.3-39.3	38	28.2	18.0-38.4	25	16.3	8.5-24.1	25	18.0	10.0-26.0
Hispanic	313	253,047	5	1.3	0.1- 2.5	78	24.8	19.1-30.5	97	27.8	22.3-33.3	79	26.2	20.3-32.1	54	20.0	14.5-25.5
18-24	417	610,077	16	4.2	2.0- 6.4	192	44.5	39.2-49.8	115	26.2	21.5-30.9	51	13.1	9.4-16.8	43	12.0	8.5-15.5
25-34	719	770,392	10	1.1	0.3- 1.9	265	34.4	30.7-38.1	209	29.3	25.6-33.0	129	19.2	15.9-22.5	106	16.0	12.9-19.1
35-44	880	739,985	11	1.1	0.3- 1.9	233	26.6	23.5-29.7	313	35.2	31.7-38.7	171	20.0	17.1-22.9	152	17.0	14.3-19.7
45-54	1176	728,073	14	1.1	0.5- 1.7	295	24.5	21.8-27.2	411	35.3	32.2-38.4	244	21.0	18.5-23.5	212	18.2	15.7-20.7
55-64	1679	796,256	24	1.2	0.6- 1.8	378	22.1	19.9-24.3	616	37.0	34.5-39.5	391	23.4	21.0-25.8	270	16.2	14.2-18.2
65+	3146	1,004,341	47	1.2	0.8- 1.6	922	28.5	26.5-30.5	1172	36.8	34.8-38.8	587	19.0	17.2-20.8	418	14.5	12.9-16.1
Less Than H.S.	562	532,405	10	1.7	0.5- 2.9	153	26.8	22.1-31.5	171	26.5	22.2-30.8	110	22.5	18.2-26.8	118	22.6	18.3-26.9
H.S. or G.E.D.	2564	1,550,638	53	2.0	1.2- 2.8	723	29.1	26.7-31.5	896	34.1	31.7-36.5	524	20.2	18.2-22.2	368	14.7	12.9-16.5
Some Post-H.S.	2100	1,444,820	32	1.4	0.8- 2.0	546	27.3	24.9-29.7	743	35.0	32.5-37.5	429	19.5	17.5-21.5	350	16.8	14.8-18.8
College Graduate	2753	1,103,123	24	0.9	0.5- 1.3	853	34.4	32.2-36.6	1012	35.3	33.1-37.5	506	17.0	15.4-18.6	358	12.3	10.9-13.7
Less than \$15,000	593	369,988	20	2.6	1.0- 4.2	163	30.6	25.9-35.3	168	27.0	22.7-31.3	118	18.6	14.7-22.5	124	21.3	17.2-25.4
\$15,000- 24,999	1129	640,549	26	2.3	1.1- 3.5	297	29.3	25.6-33.0	369	29.8	26.5-33.1	208	18.2	15.3-21.1	229	20.4	17.3-23.5
\$25,000- 34,999	729	408,974	10	1.6	0.0- 3.2	193	27.8	23.5-32.1	256	33.1	28.6-37.6	160	21.3	17.6-25.0	110	16.2	12.7-19.7
\$35,000- 49,999	965	558,301	8	1.3	0.1- 2.5	253	26.3	22.8-29.8	327	33.6	29.9-37.3	219	21.4	18.3-24.5	158	17.5	14.4-20.6
\$50,000- 74,999	1061	655,616	8	0.6	0.0- 1.2	277	25.9	22.6-29.2	400	38.1	34.4-41.8	222	19.9	16.8-23.0	154	15.4	12.7-18.1
\$75,000+	2048	1,253,204	16	0.9	0.5- 1.3	596	30.0	27.5-32.5	788	37.4	34.9-39.9	406	20.0	17.8-22.2	242	11.7	10.1-13.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18						> 18, <= 25			> 25, <= 30			> 30, <= 35			>35				
	TOTAL	WEIGHTED	N	%	C.I. (95%)		N	%	C.I. (95%)		N	%	C.I. (95%)		N	%	C.I. (95%)		N	%	C.I. (95%)	
Male	3767	2,367,802	37	1.1	0.7-	1.5	896	25.8	24.0-	27.6	1517	38.4	36.4-	40.4	790	20.1	18.5-	21.7	527	14.6	13.2-	16.0
White/Non-Hisp	3147	1,896,994	31	1.1	0.7-	1.5	713	24.4	22.4-	26.4	1303	40.2	38.0-	42.4	672	20.5	18.7-	22.3	428	13.7	12.1-	15.3
Black or Afr. Am./Non-Hisp	221	195,312	1	0.5	0.0-	1.5	65	32.9	25.1-	40.7	87	34.8	27.2-	42.4	35	13.5	8.0-	19.0	33	18.3	11.6-	25.0
Oth. Race/Non-Hisp.	119	84,705					50	43.9	32.7-	55.1	42	31.9	21.1-	42.7	15	14.3	6.3-	22.3	12	9.8	3.5-	16.1
MultiRacial/Non-Hisp.	56	20,569	2	5.5	0.0-	13.1	12	28.3	12.8-	43.8	19	30.3	14.6-	46.0	11	16.3	4.3-	28.3	12	19.6	7.8-	31.4
Hispanic	148	130,866	2	1.2	0.0-	3.0	35	21.6	14.2-	29.0	44	27.5	19.5-	35.5	37	24.6	16.4-	32.8	30	25.1	16.7-	33.5
18-24	244	329,883	7	2.6	0.4-	4.8	115	45.5	38.6-	52.4	73	28.9	22.6-	35.2	26	12.3	7.4-	17.2	23	10.6	6.1-	15.1
25-34	365	406,513	5	0.9	0.1-	1.7	127	31.3	26.2-	36.4	122	33.9	28.4-	39.4	67	20.4	15.5-	25.3	44	13.4	9.3-	17.5
35-44	418	380,013	3	0.8	0.0-	1.6	98	22.9	18.6-	27.2	177	41.2	35.9-	46.5	81	20.6	16.1-	25.1	59	14.6	10.9-	18.3
45-54	579	381,649	4	0.6	0.0-	1.2	109	19.5	16.0-	23.0	240	41.1	36.6-	45.6	129	21.5	17.8-	25.2	97	17.3	13.8-	20.8
55-64	841	403,874	7	0.9	0.1-	1.7	156	18.4	15.5-	21.3	345	41.7	38.0-	45.4	207	23.7	20.6-	26.8	126	15.3	12.6-	18.0
65+	1320	465,870	11	0.8	0.2-	1.4	291	21.1	18.4-	23.8	560	41.8	38.7-	44.9	280	20.5	18.0-	23.0	178	15.8	13.3-	18.3
Less Than H.S.	275	300,747	8	2.5	0.3-	4.7	75	26.6	20.3-	32.9	82	26.4	20.3-	32.5	53	21.4	15.5-	27.3	57	23.1	17.2-	29.0
H.S. or G.E.D.	1224	834,392	10	0.9	0.3-	1.5	304	27.5	24.4-	30.6	468	37.1	34.0-	40.2	278	21.5	18.8-	24.2	164	13.0	10.6-	15.4
Some Post-H.S.	941	701,245	11	1.1	0.3-	1.9	198	22.8	19.5-	26.1	391	42.0	38.3-	45.7	190	18.6	15.7-	21.5	151	15.6	12.9-	18.3
College Graduate	1307	520,825	7	0.5	0.1-	0.9	314	26.3	23.4-	29.2	566	43.0	39.9-	46.1	267	19.0	16.6-	21.4	153	11.2	9.2-	13.2
Less than \$15,000	237	152,125	5	2.4	0.0-	5.5	59	28.1	20.8-	35.4	71	28.4	21.5-	35.3	56	20.2	14.1-	26.3	46	20.9	14.6-	27.2
\$15,000- 24,999	473	298,200	6	1.6	0.2-	3.0	124	29.5	24.2-	34.8	175	33.9	28.8-	39.0	86	16.7	12.6-	20.8	82	18.4	13.9-	22.9
\$25,000- 34,999	297	186,877	2	0.6	0.0-	1.4	68	28.5	21.8-	35.2	123	38.1	31.2-	45.0	65	19.2	13.7-	24.7	39	13.6	8.3-	18.9
\$35,000- 49,999	492	306,422	1	0.3	0.0-	0.9	115	23.7	18.8-	28.6	187	38.4	32.9-	43.9	110	20.6	16.3-	24.9	79	17.0	12.7-	21.3
\$50,000- 74,999	536	356,721	4	0.6	0.0-	1.4	124	23.5	19.2-	27.8	213	40.5	35.2-	45.8	121	21.6	17.1-	26.1	74	13.8	10.3-	17.3
\$75,000+	1163	722,090	6	0.6	0.0-	1.2	247	21.6	18.7-	24.5	518	43.5	40.0-	47.0	250	22.0	19.1-	24.9	142	12.2	9.8-	14.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4250	2,281,321	85	2.0	1.4- 2.6	1389	33.5	31.5-35.5	1319	28.8	27.0-30.6	783	18.8	17.2-20.4	674	16.8	15.2-18.4
White/Non-Hisp	3558	1,847,552	68	1.8	1.2- 2.4	1201	34.0	32.0-36.0	1103	28.8	26.8-30.8	645	18.7	17.1-20.3	541	16.6	15.0-18.2
Black or Afr. Am./Non-Hisp	320	206,111	7	2.0	0.0- 4.0	71	26.0	19.5-32.5	98	31.0	24.1-37.9	66	19.1	14.0-24.2	78	22.0	16.3-27.7
Oth. Race/Non-Hisp.	89	50,837	3	8.5	0.0-19.9	32	46.1	31.6-60.6	31	25.7	13.9-37.5	12	10.8	3.7-17.9	11	8.9	2.2-15.6
MultiRacial/Non-Hisp.	61	21,718	3	12.6	0.0-27.3	12	28.4	12.5-44.3	19	26.2	13.1-39.3	14	16.4	6.0-26.8	13	16.5	5.9-27.1
Hispanic	165	122,181	3	1.3	0.0- 3.1	43	28.1	19.5-36.7	53	28.1	20.3-35.9	42	27.9	19.5-36.3	24	14.6	7.9-21.3
18-24	173	280,193	9	6.0	2.1- 9.9	77	43.4	35.2-51.6	42	23.0	16.1-29.9	25	13.9	8.2-19.6	20	13.7	7.8-19.6
25-34	354	363,878	5	1.2	0.0- 2.4	138	37.9	32.4-43.4	87	24.2	19.3-29.1	62	17.7	13.4-22.0	62	18.9	14.4-23.4
35-44	462	359,972	8	1.5	0.3- 2.7	135	30.6	25.9-35.3	136	28.9	24.2-33.6	90	19.4	15.5-23.3	93	19.7	15.4-24.0
45-54	597	346,424	10	1.6	0.6- 2.6	186	30.0	25.9-34.1	171	28.9	24.8-33.0	115	20.4	16.7-24.1	115	19.1	15.6-22.6
55-64	838	392,382	17	1.6	0.8- 2.4	222	26.0	22.7-29.3	271	32.2	28.5-35.9	184	23.2	19.9-26.5	144	17.1	14.2-20.0
65+	1826	538,471	36	1.6	1.0- 2.2	631	35.0	32.5-37.5	612	32.4	29.9-34.9	307	17.7	15.5-19.9	240	13.4	11.6-15.2
Less Than H.S.	287	231,658	2	0.6	0.0- 1.4	78	27.0	20.1-33.9	89	26.6	20.5-32.7	57	23.9	17.2-30.6	61	21.9	15.6-28.2
H.S. or G.E.D.	1340	716,246	43	3.2	1.8- 4.6	419	31.1	27.8-34.4	428	30.5	27.2-33.8	246	18.6	16.1-21.1	204	16.6	13.9-19.3
Some Post-H.S.	1159	743,575	21	1.6	0.8- 2.4	348	31.6	28.1-35.1	352	28.5	25.4-31.6	239	20.3	17.6-23.0	199	18.0	15.3-20.7
College Graduate	1446	582,298	17	1.3	0.5- 2.1	539	41.7	38.6-44.8	446	28.4	25.7-31.1	239	15.3	13.1-17.5	205	13.3	11.1-15.5
Less than \$15,000	356	217,863	15	2.7	0.9- 4.5	104	32.3	25.8-38.8	97	26.0	20.3-31.7	62	17.5	12.4-22.6	78	21.5	15.8-27.2
\$15,000- 24,999	656	342,349	20	2.9	1.3- 4.5	173	29.2	24.3-34.1	194	26.1	21.8-30.4	122	19.5	15.6-23.4	147	22.2	17.9-26.5
\$25,000- 34,999	432	222,097	8	2.5	0.0- 5.2	125	27.2	21.5-32.9	133	28.8	22.7-34.9	95	23.1	18.0-28.2	71	18.3	13.4-23.2
\$35,000- 49,999	473	251,879	7	2.4	0.0- 4.8	138	29.4	24.1-34.7	140	27.7	22.8-32.6	109	22.5	17.8-27.2	79	18.1	13.6-22.6
\$50,000- 74,999	525	298,895	4	0.7	0.0- 1.5	153	28.7	23.8-33.6	187	35.4	30.3-40.5	101	18.0	14.1-21.9	80	17.3	13.0-21.6
\$75,000+	885	531,115	10	1.2	0.4- 2.0	349	41.5	37.6-45.4	270	29.1	25.4-32.8	156	17.3	14.4-20.2	100	10.9	8.5-13.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8017	4,649,123	160	2.1	1.7- 2.5	2233	28.8	27.4-30.2	2838	33.8	32.4-35.2	2786	35.3	33.9-36.7
Male	3767	2,367,802	45	1.3	0.9- 1.7	877	25.2	23.4-27.0	1519	38.6	36.6-40.6	1326	34.9	32.9-36.9
Female	4250	2,281,321	115	2.9	2.1- 3.7	1356	32.6	30.8-34.4	1319	28.8	27.0-30.6	1460	35.7	33.7-37.7
White/Non-Hisp	6705	3,744,546	130	1.9	1.5- 2.3	1872	28.5	27.1-29.9	2407	34.7	33.3-36.1	2296	34.9	33.5-36.3
Black or Afr. Am./Non-Hisp	541	401,422	9	1.5	0.3- 2.7	135	29.1	24.2-34.0	184	32.7	27.6-37.8	213	36.7	31.6-41.8
Oth. Race/Non-Hisp.	208	135,543	7	7.4	1.1-13.7	77	39.8	31.2-48.4	74	30.3	22.3-38.3	50	22.5	15.4-29.6
MultiRacial/Non-Hisp.	117	42,287	5	9.2	0.6-17.8	24	28.3	17.3-39.3	37	27.7	17.5-37.9	51	34.8	24.4-45.2
Hispanic	313	253,047	6	1.5	0.1- 2.9	76	24.1	18.4-29.8	98	28.2	22.5-33.9	133	46.2	39.5-52.9
18-24	417	610,077	19	5.0	2.6- 7.4	187	43.0	37.7-48.3	117	26.9	22.2-31.6	94	25.1	20.4-29.8
25-34	719	770,392	15	1.8	0.8- 2.8	255	33.2	29.5-36.9	214	29.9	26.2-33.6	235	35.2	31.3-39.1
35-44	880	739,985	16	1.8	0.8- 2.8	228	26.0	22.9-29.1	310	34.9	31.4-38.4	326	37.4	33.9-40.9
45-54	1176	728,073	16	1.3	0.5- 2.1	290	24.0	21.3-26.7	411	35.2	32.1-38.3	459	39.4	36.3-42.5
55-64	1679	796,256	29	1.7	0.9- 2.5	372	21.6	19.4-23.8	615	37.0	34.5-39.5	663	39.7	37.0-42.4
65+	3146	1,004,341	65	1.6	1.0- 2.2	901	28.1	26.1-30.1	1171	36.7	34.7-38.7	1009	33.6	31.6-35.6
Less Than H.S.	562	532,405	15	2.9	1.1- 4.7	148	25.6	21.1-30.1	169	26.0	21.7-30.3	230	45.6	40.5-50.7
H.S. or G.E.D.	2564	1,550,638	68	2.5	1.7- 3.3	703	28.4	26.2-30.6	898	34.2	31.8-36.6	895	34.9	32.5-37.3
Some Post-H.S.	2100	1,444,820	37	1.7	1.1- 2.3	539	26.7	24.3-29.1	741	35.2	32.7-37.7	783	36.4	33.9-38.9
College Graduate	2753	1,103,123	37	1.4	0.8- 2.0	833	33.6	31.4-35.8	1016	35.5	33.3-37.7	867	29.5	27.5-31.5
Less than \$15,000	593	369,988	25	4.7	2.2- 7.2	158	28.5	23.8-33.2	167	26.9	22.6-31.2	243	39.9	35.0-44.8
\$15,000- 24,999	1129	640,549	30	2.7	1.5- 3.9	291	28.8	25.3-32.3	370	29.9	26.6-33.2	438	38.6	34.9-42.3
\$25,000- 34,999	729	408,974	11	1.7	0.1- 3.3	192	27.8	23.5-32.1	255	33.0	28.5-37.5	271	37.5	32.8-42.2
\$35,000- 49,999	965	558,301	13	1.5	0.3- 2.7	247	25.9	22.4-29.4	328	33.7	30.0-37.4	377	38.9	35.0-42.8
\$50,000- 74,999	1061	655,616	10	0.7	0.1- 1.3	274	25.7	22.4-29.0	398	37.8	34.1-41.5	379	35.8	32.1-39.5
\$75,000+	2048	1,253,204	23	1.2	0.6- 1.8	584	29.5	27.0-32.0	788	37.4	34.9-39.9	653	31.9	29.5-34.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recommended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3767	2,367,802	45	1.3	0.9- 1.7	877	25.2	23.4-27.0	1519	38.6	36.6-40.6	1326	34.9	32.9-36.9
White/Non-Hisp	3147	1,896,994	37	1.3	0.7- 1.9	698	23.9	21.9-25.9	1304	40.4	38.2-42.6	1108	34.4	32.2-36.6
Black or Afr. Am./Non-Hisp	221	195,312	2	1.0	0.0- 2.4	64	32.3	24.7-39.9	87	34.8	27.2-42.4	68	31.9	24.1-39.7
Oth. Race/Non-Hisp.	119	84,705	1	0.7	0.0- 2.1	48	42.1	30.9-53.3	43	33.0	22.2-43.8	27	24.1	14.5-33.7
MultiRacial/Non-Hisp.	56	20,569	2	5.5	0.0-13.1	12	28.3	12.8-43.8	18	29.3	13.8-44.8	24	36.8	21.5-52.1
Hispanic	148	130,866	2	1.2	0.0- 3.0	34	20.9	13.6-28.2	45	28.3	20.3-36.3	67	49.7	40.5-58.9
18-24	244	329,883	8	2.9	0.7- 5.1	112	43.9	37.0-50.8	75	30.2	23.9-36.5	49	22.9	16.8-29.0
25-34	365	406,513	6	1.1	0.1- 2.1	121	30.1	25.0-35.2	127	34.9	29.4-40.4	111	33.8	28.1-39.5
35-44	418	380,013	4	0.9	0.0- 1.9	97	22.7	18.4-27.0	174	40.5	35.2-45.8	143	35.8	30.7-40.9
45-54	579	381,649	4	0.6	0.0- 1.2	106	19.1	15.6-22.6	241	41.1	36.6-45.6	228	39.2	34.7-43.7
55-64	841	403,874	9	1.4	0.4- 2.4	153	17.8	14.9-20.7	345	41.7	38.0-45.4	334	39.0	35.3-42.7
65+	1320	465,870	14	1.0	0.4- 1.6	288	21.0	18.3-23.7	557	41.6	38.5-44.7	461	36.5	33.4-39.6
Less Than H.S.	275	300,747	9	2.9	0.7- 5.1	74	26.2	19.9-32.5	81	25.8	19.9-31.7	111	45.1	38.0-52.2
H.S. or G.E.D.	1224	834,392	11	0.9	0.3- 1.5	300	27.1	24.0-30.2	470	37.3	34.2-40.4	443	34.6	31.3-37.9
Some Post-H.S.	941	701,245	13	1.3	0.5- 2.1	194	22.0	18.9-25.1	389	42.3	38.6-46.0	345	34.4	30.9-37.9
College Graduate	1307	520,825	11	0.8	0.2- 1.4	304	25.4	22.5-28.3	569	43.4	40.3-46.5	423	30.4	27.5-33.3
Less than \$15,000	237	152,125	6	3.1	0.0- 6.4	58	27.3	20.0-34.6	71	28.4	21.5-35.3	102	41.1	33.5-48.7
\$15,000- 24,999	473	298,200	8	2.0	0.4- 3.6	121	28.9	23.6-34.2	175	34.1	29.0-39.2	169	35.1	29.6-40.6
\$25,000- 34,999	297	186,877	2	0.6	0.0- 1.4	68	28.5	21.8-35.2	122	38.0	31.1-44.9	105	32.9	26.0-39.8
\$35,000- 49,999	492	306,422	2	0.5	0.0- 1.3	113	23.4	18.5-28.3	188	38.6	33.1-44.1	189	37.6	32.1-43.1
\$50,000- 74,999	536	356,721	4	0.6	0.0- 1.4	123	23.3	19.0-27.6	213	40.3	35.0-45.6	196	35.9	30.8-41.0
\$75,000+	1163	722,090	8	0.7	0.1- 1.3	240	21.2	18.3-24.1	518	43.5	40.0-47.0	397	34.7	31.4-38.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recommended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4250	2,281,321	115	2.9	2.1- 3.7	1356	32.6	30.8-34.4	1319	28.8	27.0-30.6	1460	35.7	33.7-37.7
White/Non-Hisp	3558	1,847,552	93	2.6	1.8- 3.4	1174	33.3	31.3-35.3	1103	28.8	26.8-30.8	1188	35.4	33.4-37.4
Black or Afr. Am./Non-Hisp	320	206,111	7	2.0	0.0- 4.0	71	26.0	19.5-32.5	97	30.8	23.9-37.7	145	41.3	34.4-48.2
Oth. Race/Non-Hisp.	89	50,837	6	18.6	3.7-33.5	29	36.0	22.7-49.3	31	25.7	13.9-37.5	23	19.7	10.1-29.3
MultiRacial/Non-Hisp.	61	21,718	3	12.6	0.0-27.3	12	28.4	12.5-44.3	19	26.2	13.1-39.3	27	32.9	18.8-47.0
Hispanic	165	122,181	4	1.8	0.0- 4.0	42	27.6	19.0-36.2	53	28.1	20.3-35.9	66	42.5	33.3-51.7
18-24	173	280,193	11	7.5	3.0-12.0	75	41.9	33.7-50.1	42	23.0	16.1-29.9	45	27.6	20.2-35.0
25-34	354	363,878	9	2.5	0.7- 4.3	134	36.6	31.1-42.1	87	24.2	19.3-29.1	124	36.7	31.2-42.2
35-44	462	359,972	12	2.6	0.8- 4.4	131	29.4	24.9-33.9	136	28.9	24.2-33.6	183	39.0	33.9-44.1
45-54	597	346,424	12	2.1	0.9- 3.3	184	29.5	25.6-33.4	170	28.7	24.6-32.8	231	39.7	35.2-44.2
55-64	838	392,382	20	2.0	1.0- 3.0	219	25.5	22.2-28.8	270	32.1	28.4-35.8	329	40.4	36.7-44.1
65+	1826	538,471	51	2.2	1.4- 3.0	613	34.3	31.8-36.8	614	32.5	30.0-35.0	548	31.1	28.6-33.6
Less Than H.S.	287	231,658	6	2.8	0.3- 5.3	74	24.7	18.0-31.4	88	26.2	20.1-32.3	119	46.2	38.8-53.6
H.S. or G.E.D.	1340	716,246	57	4.4	2.8- 6.0	403	29.8	26.5-33.1	428	30.4	27.1-33.7	452	35.3	32.0-38.6
Some Post-H.S.	1159	743,575	24	2.0	1.0- 3.0	345	31.2	27.9-34.5	352	28.5	25.4-31.6	438	38.3	34.8-41.8
College Graduate	1446	582,298	26	1.9	0.9- 2.9	529	41.0	37.9-44.1	447	28.4	25.7-31.1	444	28.6	25.9-31.3
Less than \$15,000	356	217,863	19	5.7	2.2- 9.2	100	29.3	23.2-35.4	96	25.9	20.2-31.6	141	39.1	32.6-45.6
\$15,000- 24,999	656	342,349	22	3.4	1.6- 5.2	170	28.6	23.7-33.5	195	26.2	21.9-30.5	269	41.7	36.6-46.8
\$25,000- 34,999	432	222,097	9	2.6	0.0- 5.3	124	27.2	21.5-32.9	133	28.8	22.7-34.9	166	41.4	35.1-47.7
\$35,000- 49,999	473	251,879	11	2.8	0.3- 5.3	134	28.9	23.6-34.2	140	27.7	22.8-32.6	188	40.6	34.9-46.3
\$50,000- 74,999	525	298,895	6	0.8	0.0- 1.6	151	28.5	23.6-33.4	185	34.9	29.8-40.0	183	35.8	30.7-40.9
\$75,000+	885	531,115	15	1.9	0.9- 2.9	344	40.8	36.9-44.7	270	29.1	25.4-32.8	256	28.3	24.8-31.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8017	4,649,123	2393	30.9	29.5-32.3	5624	69.1	67.7-70.5
Male	3767	2,367,802	922	26.5	24.7-28.3	2845	73.5	71.7-75.3
Female	4250	2,281,321	1471	35.5	33.5-37.5	2779	64.5	62.5-66.5
White/Non-Hisp	6705	3,744,546	2002	30.4	29.0-31.8	4703	69.6	68.2-71.0
Black or Afr. Am./Non-Hisp	541	401,422	144	30.6	25.5-35.7	397	69.4	64.3-74.5
Oth. Race/Non-Hisp.	208	135,543	84	47.3	38.3-56.3	124	52.7	43.7-61.7
MultiRacial/Non-Hisp.	117	42,287	29	37.5	25.5-49.5	88	62.5	50.5-74.5
Hispanic	313	253,047	82	25.6	19.9-31.3	231	74.4	68.7-80.1
18-24	417	610,077	206	48.0	42.7-53.3	211	52.0	46.7-57.3
25-34	719	770,392	270	35.0	31.3-38.7	449	65.0	61.3-68.7
35-44	880	739,985	244	27.7	24.4-31.0	636	72.3	69.0-75.6
45-54	1176	728,073	306	25.4	22.7-28.1	870	74.6	71.9-77.3
55-64	1679	796,256	401	23.3	20.9-25.7	1278	76.7	74.3-79.1
65+	3146	1,004,341	966	29.7	27.7-31.7	2180	70.3	68.3-72.3
Less Than H.S.	562	532,405	163	28.4	23.7-33.1	399	71.6	66.9-76.3
H.S. or G.E.D.	2564	1,550,638	771	30.9	28.5-33.3	1793	69.1	66.7-71.5
Some Post-H.S.	2100	1,444,820	576	28.4	26.0-30.8	1524	71.6	69.2-74.0
College Graduate	2753	1,103,123	870	35.0	32.8-37.2	1883	65.0	62.8-67.2
Less than \$15,000	593	369,988	183	33.1	28.2-38.0	410	66.9	62.0-71.8
\$15,000- 24,999	1129	640,549	321	31.5	27.8-35.2	808	68.5	64.8-72.2
\$25,000- 34,999	729	408,974	203	29.5	25.0-34.0	526	70.5	66.0-75.0
\$35,000- 49,999	965	558,301	260	27.4	23.7-31.1	705	72.6	68.9-76.3
\$50,000- 74,999	1061	655,616	284	26.3	23.0-29.6	777	73.7	70.4-77.0
\$75,000+	2048	1,253,204	607	30.7	28.2-33.2	1441	69.3	66.8-71.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3767	2,367,802	922	26.5	24.7-28.3	2845	73.5	71.7-75.3
White/Non-Hisp	3147	1,896,994	735	25.1	23.1-27.1	2412	74.9	72.9-76.9
Black or Afr. Am./Non-Hisp	221	195,312	66	33.4	25.6-41.2	155	66.6	58.8-74.4
Oth. Race/Non-Hisp.	119	84,705	49	42.8	31.6-54.0	70	57.2	46.0-68.4
MultiRacial/Non-Hisp.	56	20,569	14	33.8	17.7-49.9	42	66.2	50.1-82.3
Hispanic	148	130,866	36	22.1	14.7-29.5	112	77.9	70.5-85.3
18-24	244	329,883	120	46.8	39.9-53.7	124	53.2	46.3-60.1
25-34	365	406,513	127	31.2	26.1-36.3	238	68.8	63.7-73.9
35-44	418	380,013	101	23.6	19.1-28.1	317	76.4	71.9-80.9
45-54	579	381,649	110	19.7	16.2-23.2	469	80.3	76.8-83.8
55-64	841	403,874	162	19.3	16.2-22.4	679	80.7	77.6-83.8
65+	1320	465,870	302	21.9	19.2-24.6	1018	78.1	75.4-80.8
Less Than H.S.	275	300,747	83	29.1	22.6-35.6	192	70.9	64.4-77.4
H.S. or G.E.D.	1224	834,392	311	28.1	25.0-31.2	913	71.9	68.8-75.0
Some Post-H.S.	941	701,245	207	23.3	20.2-26.4	734	76.7	73.6-79.8
College Graduate	1307	520,825	315	26.2	23.3-29.1	992	73.8	70.9-76.7
Less than \$15,000	237	152,125	64	30.5	23.1-37.9	173	69.5	62.1-76.9
\$15,000- 24,999	473	298,200	129	30.9	25.4-36.4	344	69.1	63.6-74.6
\$25,000- 34,999	297	186,877	70	29.1	22.4-35.8	227	70.9	64.2-77.6
\$35,000- 49,999	492	306,422	115	23.9	19.0-28.8	377	76.1	71.2-81.0
\$50,000- 74,999	536	356,721	127	23.8	19.5-28.1	409	76.2	71.9-80.5
\$75,000+	1163	722,090	248	21.8	18.9-24.7	915	78.2	75.3-81.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4250	2,281,321	1471	35.5	33.5-37.5	2779	64.5	62.5-66.5
White/Non-Hisp	3558	1,847,552	1267	35.8	33.8-37.8	2291	64.2	62.2-66.2
Black or Afr. Am./Non-Hisp	320	206,111	78	27.9	21.4-34.4	242	72.1	65.6-78.6
Oth. Race/Non-Hisp.	89	50,837	35	54.6	40.5-68.7	54	45.4	31.3-59.5
MultiRacial/Non-Hisp.	61	21,718	15	41.0	23.8-58.2	46	59.0	41.8-76.2
Hispanic	165	122,181	46	29.4	20.6-38.2	119	70.6	61.8-79.4
18-24	173	280,193	86	49.4	41.2-57.6	87	50.6	42.4-58.8
25-34	354	363,878	143	39.1	33.6-44.6	211	60.9	55.4-66.4
35-44	462	359,972	143	32.1	27.4-36.8	319	67.9	63.2-72.6
45-54	597	346,424	196	31.6	27.5-35.7	401	68.4	64.3-72.5
55-64	838	392,382	239	27.5	24.2-30.8	599	72.5	69.2-75.8
65+	1826	538,471	664	36.4	33.9-38.9	1162	63.6	61.1-66.1
Less Than H.S.	287	231,658	80	27.5	20.6-34.4	207	72.5	65.6-79.4
H.S. or G.E.D.	1340	716,246	460	34.2	30.9-37.5	880	65.8	62.5-69.1
Some Post-H.S.	1159	743,575	369	33.2	29.7-36.7	790	66.8	63.3-70.3
College Graduate	1446	582,298	555	42.9	39.8-46.0	891	57.1	54.0-60.2
Less than \$15,000	356	217,863	119	35.0	28.5-41.5	237	65.0	58.5-71.5
\$15,000- 24,999	656	342,349	192	32.1	27.0-37.2	464	67.9	62.8-73.0
\$25,000- 34,999	432	222,097	133	29.8	23.9-35.7	299	70.2	64.3-76.1
\$35,000- 49,999	473	251,879	145	31.8	26.3-37.3	328	68.2	62.7-73.7
\$50,000- 74,999	525	298,895	157	29.3	24.4-34.2	368	70.7	65.8-75.6
\$75,000+	885	531,115	359	42.6	38.7-46.5	526	57.4	53.5-61.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8731	5,076,401	6567	63.0	61.6-64.4	861	14.2	13.2-15.2	730	12.5	11.5-13.5	348	6.1	5.3- 6.9	140	2.6	2.2- 3.0	85	1.6	1.2- 2.0
Male	3921	2,475,233	2956	64.7	62.7-66.7	378	13.1	11.7-14.5	321	12.1	10.7-13.5	171	6.3	5.3- 7.3	58	2.3	1.7- 2.9	37	1.5	0.9- 2.1
Female	4810	2,601,167	3611	61.4	59.4-63.4	483	15.3	13.7-16.9	409	12.9	11.5-14.3	177	5.8	4.8- 6.8	82	2.8	2.2- 3.4	48	1.8	1.2- 2.4
White/Non-Hisp	7243	4,025,022	5623	65.9	64.3-67.5	663	13.3	12.1-14.5	538	11.4	10.4-12.4	258	5.7	4.9- 6.5	98	2.2	1.6- 2.8	63	1.5	1.1- 1.9
Black or Afr. Am./Non-Hisp	586	439,418	400	57.8	52.5-63.1	79	18.5	14.2-22.8	62	14.3	10.4-18.2	27	4.7	2.7- 6.7	11	2.8	1.0- 4.6	7	1.9	0.1- 3.7
Oth. Race/Non-Hisp.	230	159,534	164	59.8	51.0-68.6	26	16.3	8.7-23.9	27	15.8	9.1-22.5	8	4.4	1.1- 7.7	4	3.5	0.0- 7.4	1	0.3	0.0- 0.9
MultiRacial/Non-Hisp.	125	46,029	79	52.6	41.2-64.0	16	15.4	7.4-23.4	16	16.0	7.4-24.6	7	5.2	1.1- 9.3	4	5.1	0.2-10.0	3	5.6	0.0-11.9
Hispanic	380	314,189	167	37.1	31.6-42.6	63	18.1	13.6-22.6	79	22.6	17.5-27.7	43	13.8	9.5-18.1	18	5.0	2.5- 7.5	10	3.4	0.9- 5.9
18-24	455	674,724	281	56.7	51.6-61.8	94	22.7	18.2-27.2	56	14.9	11.0-18.8	11	2.4	0.8- 4.0	6	1.5	0.1- 2.9	7	1.7	0.3- 3.1
25-34	791	852,086	342	38.5	34.8-42.2	131	18.5	15.4-21.6	161	21.9	18.6-25.2	85	11.5	9.0-14.0	43	5.4	3.6- 7.2	29	4.2	2.6- 5.8
35-44	953	802,430	252	25.9	22.8-29.0	184	19.8	17.1-22.5	261	26.3	23.2-29.4	163	17.6	14.9-20.3	58	6.8	5.0- 8.6	35	3.6	2.2- 5.0
45-54	1305	809,222	774	60.3	57.4-63.2	274	20.7	18.3-23.1	169	12.1	10.1-14.1	57	4.5	3.1- 5.9	23	1.8	1.0- 2.6	8	0.6	0.2- 1.0
55-64	1799	852,307	1586	87.4	85.6-89.2	126	7.6	6.2- 9.0	54	3.1	2.1- 4.1	22	1.3	0.7- 1.9	7	0.4	0.0- 0.8	4	0.2	0.0- 0.4
65+	3428	1,085,632	3332	96.5	95.7-97.3	52	1.9	1.3- 2.5	29	1.0	0.6- 1.4	10	0.4	0.2- 0.6	3	0.1	0.0- 0.3	2	0.1	0.1- 0.1
Less Than H.S.	639	618,818	436	53.0	48.1-57.9	68	14.5	10.8-18.2	64	15.5	11.6-19.4	39	9.1	6.2-12.0	20	4.7	2.5- 6.9	12	3.3	1.3- 5.3
H.S. or G.E.D.	2803	1,686,911	2203	65.6	63.2-68.0	246	14.1	12.1-16.1	176	10.2	8.6-11.8	111	6.3	5.1- 7.5	41	2.3	1.5- 3.1	26	1.4	0.8- 2.0
Some Post-H.S.	2265	1,554,247	1710	64.7	62.2-67.2	243	14.6	12.6-16.6	180	12.3	10.5-14.1	79	4.8	3.6- 6.0	32	2.2	1.4- 3.0	21	1.4	0.8- 2.0
College Graduate	2974	1,190,689	2174	62.3	60.1-64.5	303	13.9	12.3-15.5	309	14.6	13.0-16.2	117	5.7	4.7- 6.7	47	2.4	1.6- 3.2	24	1.1	0.7- 1.5
Less than \$15,000	642	411,120	507	68.4	63.5-73.3	62	14.2	10.1-18.3	34	8.5	5.6-11.4	27	5.7	3.3- 8.1	6	1.7	0.1- 3.3	6	1.5	0.1- 2.9
\$15,000- 24,999	1212	693,544	957	66.5	62.8-70.2	104	13.0	10.3-15.7	79	10.4	7.9-12.9	32	4.7	2.9- 6.5	27	3.3	1.9- 4.7	13	2.0	0.8- 3.2
\$25,000- 34,999	762	436,994	606	65.5	60.6-70.4	54	11.5	8.0-15.0	49	10.3	7.0-13.6	33	7.4	4.7-10.1	14	3.6	1.6- 5.6	6	1.6	0.2- 3.0
\$35,000- 49,999	1014	591,961	781	61.8	57.7-65.9	82	12.3	9.6-15.0	75	14.1	10.8-17.4	47	7.1	4.7- 9.5	16	2.5	1.1- 3.9	13	2.3	0.7- 3.9
\$50,000- 74,999	1117	690,295	810	61.8	58.1-65.5	123	14.4	11.7-17.1	104	13.0	10.3-15.7	55	7.2	5.0- 9.4	13	2.2	0.8- 3.6	12	1.4	0.6- 2.2
\$75,000+	2128	1,303,177	1358	54.4	51.9-56.9	295	16.9	14.9-18.9	289	16.7	14.7-18.7	118	7.6	6.2- 9.0	45	2.9	1.9- 3.9	23	1.6	0.8- 2.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3921	2,475,233	2956	64.7	62.7-66.7	378	13.1	11.7-14.5	321	12.1	10.7-13.5	171	6.3	5.3- 7.3	58	2.3	1.7- 2.9	37	1.5	0.9- 2.1
White/Non-Hisp	3246	1,952,094	2513	66.9	64.7-69.1	294	12.6	11.0-14.2	235	10.9	9.3-12.5	132	6.0	4.8- 7.2	44	2.2	1.4- 3.0	28	1.3	0.7- 1.9
Black or Afr. Am./Non-Hisp	233	207,571	166	62.2	54.2-70.2	27	14.2	8.3-20.1	26	16.3	9.8-22.8	9	3.1	0.9- 5.3	2	1.4	0.0- 3.4	3	2.8	0.0- 6.1
Oth. Race/Non-Hisp.	127	92,193	93	66.6	56.0-77.2	12	12.0	4.0-20.0	16	14.6	7.0-22.2	3	3.3	0.0- 7.2	2	3.0	0.0- 7.1	1	0.5	0.0- 1.5
MultiRacial/Non-Hisp.	57	20,685	37	58.4	42.1-74.7	9	18.1	5.0-31.2	4	7.0	0.0-14.6	3	3.9	0.0- 8.6	3	8.1	0.0-17.1	1	4.5	0.0-13.1
Hispanic	170	154,963	77	39.3	30.9-47.7	29	18.9	12.0-25.8	36	21.3	14.0-28.6	20	15.6	8.5-22.7	4	2.8	0.0- 5.7	4	2.1	0.0- 4.3
18-24	256	347,215	164	61.2	54.5-67.9	53	20.4	15.1-25.7	30	14.8	9.5-20.1	2	0.8	0.0- 2.0	4	2.0	0.0- 4.2	3	0.8	0.0- 1.8
25-34	381	429,790	206	47.7	42.0-53.4	53	16.1	11.8-20.4	59	17.8	13.3-22.3	38	11.1	7.4-14.8	11	2.9	0.9- 4.9	14	4.5	2.0- 7.0
35-44	441	401,161	131	28.6	24.1-33.1	72	16.8	12.9-20.7	117	25.7	21.2-30.2	83	19.6	15.5-23.7	25	6.7	4.0- 9.4	13	2.6	1.0- 4.2
45-54	611	402,722	368	60.9	56.6-65.2	114	18.7	15.2-22.2	79	12.5	9.6-15.4	33	5.1	3.1- 7.1	13	2.2	1.0- 3.4	4	0.7	0.1- 1.3
55-64	864	414,874	758	87.4	84.9-89.9	63	7.9	5.9- 9.9	26	2.9	1.5- 4.3	11	1.2	0.4- 2.0	4	0.3	0.1- 0.5	2	0.3	0.0- 0.7
65+	1368	479,471	1329	96.3	94.9-97.7	23	2.0	1.0- 3.0	10	1.1	0.3- 1.9	4	0.3	0.0- 0.7	1	0.2	0.0- 0.6	1	0.0	0.0- 0.0
Less Than H.S.	296	328,244	198	53.7	46.8-60.6	35	13.2	8.7-17.7	27	15.6	9.7-21.5	20	9.4	5.1-13.7	10	4.7	1.6- 7.8	6	3.3	0.6- 6.0
H.S. or G.E.D.	1278	879,069	990	67.0	63.7-70.3	122	13.7	11.2-16.2	82	9.4	7.2-11.6	62	7.3	5.3- 9.3	13	1.5	0.7- 2.3	9	1.1	0.3- 1.9
Some Post-H.S.	967	714,440	733	66.3	62.6-70.0	102	13.6	10.9-16.3	81	12.9	10.0-15.8	30	3.9	2.3- 5.5	13	2.2	0.8- 3.6	8	1.1	0.3- 1.9
College Graduate	1356	539,845	1014	65.1	62.0-68.2	118	11.7	9.5-13.9	131	13.5	11.1-15.9	58	6.0	4.4- 7.6	22	2.4	1.4- 3.4	13	1.3	0.5- 2.1
Less than \$15,000	242	159,619	211	81.4	74.9-87.9	17	10.5	5.2-15.8	8	4.9	1.4- 8.4	5	2.6	0.2- 5.0				1	0.6	0.0- 1.8
\$15,000- 24,999	488	311,058	401	72.9	67.4-78.4	38	11.5	7.4-15.6	21	6.5	3.4- 9.6	11	3.9	1.4- 6.4	11	2.8	1.0- 4.6	6	2.4	0.4- 4.4
\$25,000- 34,999	306	196,795	251	70.2	63.1-77.3	20	8.3	4.4-12.2	14	9.1	4.2-14.0	12	6.6	2.7-10.5	7	4.4	1.1- 7.7	2	1.4	0.0- 3.4
\$35,000- 49,999	500	315,655	374	60.8	55.1-66.5	40	11.2	7.5-14.9	41	14.7	10.0-19.4	33	9.3	5.8-12.8	5	1.7	0.1- 3.3	7	2.2	0.2- 4.2
\$50,000- 74,999	547	363,426	397	60.4	55.1-65.7	60	15.0	11.1-18.9	41	10.6	7.1-14.1	35	9.8	6.3-13.3	7	2.5	0.5- 4.5	7	1.7	0.3- 3.1
\$75,000+	1173	727,662	767	55.4	51.9-58.9	155	16.7	14.0-19.4	157	17.0	14.1-19.9	62	7.1	5.1- 9.1	20	2.3	1.1- 3.5	12	1.4	0.4- 2.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4810	2,601,167	3611	61.4	59.4-63.4	483	15.3	13.7-16.9	409	12.9	11.5-14.3	177	5.8	4.8- 6.8	82	2.8	2.2- 3.4	48	1.8	1.2- 2.4
White/Non-Hisp	3997	2,072,928	3110	64.9	62.9-66.9	369	13.9	12.3-15.5	303	11.9	10.5-13.3	126	5.4	4.4- 6.4	54	2.3	1.7- 2.9	35	1.6	1.0- 2.2
Black or Afr. Am./Non-Hisp	353	231,847	234	53.9	47.0-60.8	52	22.3	16.2-28.4	36	12.5	7.6-17.4	18	6.0	2.9- 9.1	9	4.1	1.4- 6.8	4	1.1	0.0- 2.3
Oth. Race/Non-Hisp.	103	67,341	71	50.4	36.3-64.5	14	22.1	8.4-35.8	11	17.4	5.8-29.0	5	6.0	0.1-11.9	2	4.1	0.0-11.2			
MultiRacial/Non-Hisp.	68	25,344	42	48.0	32.7-63.3	7	13.2	3.4-23.0	12	23.2	9.3-37.1	4	6.4	0.0-12.9	1	2.6	0.0- 7.7	2	6.6	0.0-15.6
Hispanic	210	159,226	90	34.9	27.6-42.2	34	17.3	11.2-23.4	43	23.9	16.6-31.2	23	12.0	6.7-17.3	14	7.2	3.3-11.1	6	4.7	0.4- 9.0
18-24	199	327,510	117	52.1	44.3-59.9	41	25.2	17.9-32.5	26	15.0	9.3-20.7	9	4.1	1.4- 6.8	2	1.0	0.0- 2.4	4	2.6	0.1- 5.1
25-34	410	422,296	136	29.2	24.5-33.9	78	21.0	16.5-25.5	102	26.1	21.4-30.8	47	11.8	8.3-15.3	32	7.9	5.2-10.6	15	4.0	1.8- 6.2
35-44	512	401,269	121	23.3	19.0-27.6	112	22.7	18.6-26.8	144	26.9	22.6-31.2	80	15.7	12.2-19.2	33	6.9	4.4- 9.4	22	4.5	2.3- 6.7
45-54	694	406,500	406	59.7	55.6-63.8	160	22.7	19.2-26.2	90	11.7	9.2-14.2	24	3.9	2.1- 5.7	10	1.5	0.5- 2.5	4	0.6	0.0- 1.2
55-64	935	437,433	828	87.4	84.9-89.9	63	7.4	5.4- 9.4	28	3.2	1.8- 4.6	11	1.5	0.5- 2.5	3	0.5	0.0- 1.1	2	0.1	0.0- 0.3
65+	2060	606,160	2003	96.6	95.6-97.6	29	1.8	1.0- 2.6	19	1.0	0.4- 1.6	6	0.5	0.1- 0.9	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3
Less Than H.S.	343	290,575	238	52.1	45.0-59.2	33	16.0	9.9-22.1	37	15.2	9.9-20.5	19	8.7	4.6-12.8	10	4.7	1.6- 7.8	6	3.2	0.5- 5.9
H.S. or G.E.D.	1525	807,842	1213	64.1	60.6-67.6	124	14.6	11.7-17.5	94	11.1	8.7-13.5	49	5.2	3.6- 6.8	28	3.1	1.9- 4.3	17	1.8	0.8- 2.8
Some Post-H.S.	1298	839,807	977	63.2	59.9-66.5	141	15.5	13.0-18.0	99	11.7	9.3-14.1	49	5.6	4.0- 7.2	19	2.2	1.2- 3.2	13	1.7	0.7- 2.7
College Graduate	1618	650,844	1160	60.0	57.1-62.9	185	15.7	13.3-18.1	178	15.6	13.2-18.0	59	5.4	4.0- 6.8	25	2.4	1.4- 3.4	11	0.9	0.3- 1.5
Less than \$15,000	400	251,501	296	60.1	53.4-66.8	45	16.5	10.8-22.2	26	10.7	6.4-15.0	22	7.7	4.2-11.2	6	2.9	0.4- 5.4	5	2.1	0.1- 4.1
\$15,000- 24,999	724	382,486	556	61.3	56.2-66.4	66	14.3	10.6-18.0	58	13.6	9.9-17.3	21	5.4	2.9- 7.9	16	3.7	1.7- 5.7	7	1.7	0.1- 3.3
\$25,000- 34,999	456	240,199	355	61.7	55.2-68.2	34	14.1	8.8-19.4	35	11.4	6.9-15.9	21	8.1	4.4-11.8	7	3.0	0.6- 5.4	4	1.8	0.0- 3.6
\$35,000- 49,999	514	276,306	407	62.9	57.0-68.8	42	13.5	9.2-17.8	34	13.4	8.7-18.1	14	4.6	1.7- 7.5	11	3.4	1.2- 5.6	6	2.3	0.1- 4.5
\$50,000- 74,999	570	326,869	413	63.4	58.3-68.5	63	13.7	10.0-17.4	63	15.6	11.3-19.9	20	4.3	2.1- 6.5	6	1.9	0.1- 3.7	5	1.0	0.0- 2.0
\$75,000+	955	575,515	591	53.1	49.2-57.0	140	17.2	14.3-20.1	132	16.3	13.4-19.2	56	8.2	6.0-10.4	25	3.5	1.9- 5.1	11	1.7	0.5- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8830	5,136,202	648	12.2	11.2-13.2	2850	33.4	32.2-34.6	2295	30.7	29.5-31.9	3037	23.7	22.7-24.7
Male	3966	2,503,524	301	13.3	11.7-14.9	1298	35.7	33.7-37.7	981	28.9	27.1-30.7	1386	22.1	20.7-23.5
Female	4864	2,632,678	347	11.2	9.8-12.6	1552	31.2	29.4-33.0	1314	32.4	30.6-34.2	1651	25.2	23.8-26.6
White/Non-Hisp	7336	4,083,220	444	10.0	8.8-11.2	2378	33.9	32.5-35.3	1911	31.4	30.0-32.8	2603	24.6	23.6-25.6
Black or Afr. Am./Non-Hisp	596	449,453	50	13.3	9.0-17.6	204	32.9	28.2-37.6	174	34.2	29.3-39.1	168	19.6	16.3-22.9
Oth. Race/Non-Hisp.	227	154,686	30	19.4	11.4-27.4	54	24.8	16.8-32.8	54	24.3	17.0-31.6	89	31.4	24.0-38.8
MultiRacial/Non-Hisp.	128	46,813	9	10.1	2.3-17.9	40	32.0	21.8-42.2	41	39.2	28.0-50.4	38	18.7	11.4-26.0
Hispanic	376	311,758	103	37.2	31.1-43.3	122	31.8	26.3-37.3	72	17.8	13.5-22.1	79	13.2	10.1-16.3
18-24	458	676,662	43	15.0	10.7-19.3	188	42.1	37.0-47.2	149	33.1	28.4-37.8	78	9.8	7.4-12.2
25-34	799	857,081	63	12.4	9.5-15.3	221	30.2	26.7-33.7	195	29.0	25.5-32.5	320	28.4	25.3-31.5
35-44	970	819,625	81	13.0	10.3-15.7	249	27.4	24.3-30.5	265	31.4	28.1-34.7	375	28.3	25.6-31.0
45-54	1324	819,654	73	8.8	6.6-11.0	358	29.2	26.5-31.9	348	32.7	29.8-35.6	545	29.4	26.9-31.9
55-64	1818	865,896	137	11.7	9.7-13.7	586	34.6	32.1-37.1	483	31.2	28.7-33.7	612	22.5	20.5-24.5
65+	3461	1,097,284	251	12.9	11.1-14.7	1248	37.3	35.3-39.3	855	28.1	26.3-29.9	1107	21.8	20.4-23.2
Less Than H.S.	648	628,525	648	100.0	100.0- 100									
H.S. or G.E.D.	2850	1,716,288				2850	100.0	100.0- 100						
Some Post-H.S.	2295	1,576,150							2295	100.0	100.0- 100			
College Graduate	3037	1,215,239										3037	100.0	100.0- 100
Less than \$15,000	638	409,447	158	34.4	29.3-39.5	273	36.2	31.5-40.9	143	24.7	20.4-29.0	64	4.7	3.1- 6.3
\$15,000- 24,999	1203	688,619	160	20.9	17.4-24.4	548	41.6	38.1-45.1	327	29.4	26.1-32.7	168	8.1	6.5- 9.7
\$25,000- 34,999	761	435,599	67	15.9	11.8-20.0	293	39.1	34.6-43.6	241	33.3	28.8-37.8	160	11.7	9.3-14.1
\$35,000- 49,999	1014	592,855	43	8.7	5.8-11.6	371	39.6	35.7-43.5	296	32.5	28.8-36.2	304	19.2	16.7-21.7
\$50,000- 74,999	1120	692,906	28	5.7	3.3- 8.1	283	28.9	25.6-32.2	321	36.4	32.7-40.1	488	29.0	26.1-31.9
\$75,000+	2133	1,306,228	21	2.7	1.5- 3.9	340	20.8	18.4-23.2	492	31.7	29.2-34.2	1280	44.8	42.3-47.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3966	2,503,524	301	13.3	11.7-14.9	1298	35.7	33.7-37.7	981	28.9	27.1-30.7	1386	22.1	20.7-23.5
White/Non-Hisp	3296	1,985,726	204	11.0	9.4-12.6	1080	36.1	34.1-38.1	825	30.0	28.0-32.0	1187	22.9	21.3-24.5
Black or Afr. Am./Non-Hisp	235	210,859	26	17.6	10.7-24.5	88	37.2	29.6-44.8	62	29.6	22.3-36.9	59	15.6	11.1-20.1
Oth. Race/Non-Hisp.	124	88,604	17	17.6	9.2-26.0	28	25.3	14.5-36.1	28	25.3	15.5-35.1	51	31.8	22.0-41.6
MultiRacial/Non-Hisp.	58	21,012	4	9.0	0.0-18.8	26	49.7	33.4-66.0	13	28.1	12.6-43.6	15	13.2	4.8-21.6
Hispanic	166	152,463	45	37.0	28.0-46.0	55	33.4	25.2-41.6	31	17.2	11.1-23.3	35	12.4	7.9-16.9
18-24	257	347,700	27	16.0	10.3-21.7	114	45.4	38.7-52.1	81	31.6	25.3-37.9	35	7.0	4.5- 9.5
25-34	384	431,660	32	14.0	9.3-18.7	119	34.8	29.3-40.3	84	25.6	20.5-30.7	149	25.6	21.5-29.7
35-44	449	409,175	41	13.6	9.5-17.7	134	32.4	27.7-37.1	111	28.1	23.4-32.8	163	25.9	22.0-29.8
45-54	619	406,924	42	11.2	7.7-14.7	191	31.6	27.5-35.7	154	31.6	27.3-35.9	232	25.6	22.3-28.9
55-64	873	421,724	63	11.4	8.7-14.1	294	36.6	32.9-40.3	234	31.4	27.9-34.9	282	20.5	18.0-23.0
65+	1384	486,341	96	14.0	11.1-16.9	446	35.0	32.1-37.9	317	26.2	23.5-28.9	525	24.8	22.4-27.2
Less Than H.S.	301	333,593	301	100.0	100.0- 100									
H.S. or G.E.D.	1298	893,989				1298	100.0	100.0- 100						
Some Post-H.S.	981	723,683							981	100.0	100.0- 100			
College Graduate	1386	552,259										1386	100.0	100.0- 100
Less than \$15,000	241	159,589	57	34.2	26.4-42.0	112	42.5	34.9-50.1	42	18.0	12.1-23.9	30	5.2	2.7- 7.7
\$15,000- 24,999	483	308,829	74	22.1	17.0-27.2	219	43.6	38.1-49.1	123	27.7	22.6-32.8	67	6.6	4.6- 8.6
\$25,000- 34,999	305	195,729	34	20.1	13.6-26.6	119	37.8	30.9-44.7	92	31.9	25.2-38.6	60	10.2	7.1-13.3
\$35,000- 49,999	500	316,549	30	11.6	7.1-16.1	203	43.4	37.9-48.9	137	29.5	24.4-34.6	130	15.5	12.4-18.6
\$50,000- 74,999	549	364,156	20	8.4	4.5-12.3	167	33.9	29.0-38.8	161	34.8	29.7-39.9	201	22.9	19.2-26.6
\$75,000+	1175	728,812	19	4.4	2.2- 6.6	224	24.7	21.6-27.8	263	31.0	27.7-34.3	669	40.0	36.9-43.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4864	2,632,678	347	11.2	9.8-12.6	1552	31.2	29.4-33.0	1314	32.4	30.6-34.2	1651	25.2	23.8-26.6
White/Non-Hisp	4040	2,097,493	240	9.1	7.7-10.5	1298	31.8	30.0-33.6	1086	32.8	30.8-34.8	1416	26.3	24.7-27.9
Black or Afr. Am./Non-Hisp	361	238,594	24	9.5	4.2-14.8	116	29.1	23.2-35.0	112	38.3	31.6-45.0	109	23.1	18.2-28.0
Oth. Race/Non-Hisp.	103	66,082	13	21.9	7.2-36.6	26	24.2	12.0-36.4	26	23.0	12.4-33.6	38	30.8	19.0-42.6
MultiRacial/Non-Hisp.	70	25,801	5	10.9	0.0-22.7	14	17.6	7.0-28.2	28	48.3	33.0-63.6	23	23.2	12.2-34.2
Hispanic	210	159,295	58	37.3	29.1-45.5	67	30.3	23.0-37.6	41	18.4	12.5-24.3	44	13.9	9.4-18.4
18-24	201	328,963	16	13.9	7.4-20.4	74	38.7	31.3-46.1	68	34.7	27.4-42.0	43	12.6	8.5-16.7
25-34	415	425,421	31	10.7	7.0-14.4	102	25.6	20.9-30.3	111	32.5	27.4-37.6	171	31.2	26.7-35.7
35-44	521	410,450	40	12.4	8.5-16.3	115	22.3	18.4-26.2	154	34.6	29.9-39.3	212	30.7	26.6-34.8
45-54	705	412,730	31	6.4	4.0- 8.8	167	26.7	23.0-30.4	194	33.7	29.6-37.8	313	33.1	29.6-36.6
55-64	945	444,172	74	12.0	9.3-14.7	292	32.7	29.4-36.0	249	31.0	27.5-34.5	330	24.3	21.6-27.0
65+	2077	610,943	155	12.0	10.0-14.0	802	39.1	36.6-41.6	538	29.6	27.2-32.0	582	19.3	17.5-21.1
Less Than H.S.	347	294,932	347	100.0	100.0- 100									
H.S. or G.E.D.	1552	822,300				1552	100.0	100.0- 100						
Some Post-H.S.	1314	852,466							1314	100.0	100.0- 100			
College Graduate	1651	662,980										1651	100.0	100.0- 100
Less than \$15,000	397	249,858	101	34.6	27.9-41.3	161	32.1	26.4-37.8	101	28.9	23.0-34.8	34	4.4	2.4- 6.4
\$15,000- 24,999	720	379,790	86	19.9	15.2-24.6	329	39.9	35.2-44.6	204	30.8	26.3-35.3	101	9.4	7.0-11.8
\$25,000- 34,999	456	239,870	33	12.5	7.4-17.6	174	40.2	34.1-46.3	149	34.4	28.5-40.3	100	12.9	9.6-16.2
\$35,000- 49,999	514	276,306	13	5.5	2.2- 8.8	168	35.2	29.9-40.5	159	35.9	30.4-41.4	174	23.3	19.0-27.6
\$50,000- 74,999	571	328,750	8	2.7	0.5- 4.9	116	23.4	18.9-27.9	160	38.2	32.9-43.5	287	35.7	31.2-40.2
\$75,000+	958	577,416	2	0.5	0.0- 1.3	116	16.0	12.9-19.1	229	32.7	28.8-36.6	611	50.8	46.9-54.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6891	4,137,020	643	10.0	9.0-11.0	1213	16.8	15.6-18.0	765	10.6	9.6-11.6	1016	14.3	13.3-15.3	3254	48.3	46.7-49.9
Male	3264	2,078,873	243	7.7	6.5- 8.9	488	15.0	13.4-16.6	307	9.5	8.1-10.9	502	15.3	13.7-16.9	1724	52.6	50.4-54.8
Female	3627	2,058,146	400	12.2	10.8-13.6	725	18.6	17.0-20.2	458	11.7	10.3-13.1	514	13.4	12.0-14.8	1530	44.1	41.9-46.3
White/Non-Hisp	5746	3,311,056	425	7.6	6.6- 8.6	943	15.1	13.9-16.3	613	9.9	8.9-10.9	852	14.4	13.2-15.6	2913	53.0	51.4-54.6
Black or Afr. Am./Non-Hisp	477	361,661	91	18.5	14.0-23.0	111	20.8	16.3-25.3	69	14.7	10.6-18.8	72	16.3	12.0-20.6	134	29.7	24.6-34.8
Oth. Race/Non-Hisp.	175	124,579	28	19.3	10.1-28.5	33	20.3	12.3-28.3	22	11.1	5.4-16.8	20	9.8	3.5-16.1	72	39.5	29.9-49.1
MultiRacial/Non-Hisp.	96	32,787	19	21.3	10.3-32.3	18	22.3	10.9-33.7	16	18.4	8.6-28.2	19	16.3	8.3-24.3	24	21.7	12.3-31.1
Hispanic	308	258,462	63	20.1	15.0-25.2	91	29.2	23.1-35.3	36	13.1	8.2-18.0	40	13.1	8.8-17.4	78	24.4	18.9-29.9
18-24	333	486,818	45	13.8	9.7-17.9	62	18.9	14.2-23.6	47	14.8	10.5-19.1	57	15.1	11.2-19.0	122	37.3	31.4-43.2
25-34	703	760,100	76	11.4	8.9-13.9	111	16.9	13.8-20.0	69	9.8	7.4-12.2	100	14.3	11.4-17.2	347	47.6	43.5-51.7
35-44	842	719,211	60	7.5	5.5- 9.5	123	14.2	11.7-16.7	65	7.9	5.7-10.1	98	12.4	9.9-14.9	496	58.1	54.4-61.8
45-54	1096	680,426	86	7.5	5.7- 9.3	143	12.5	10.3-14.7	78	8.0	6.0-10.0	125	11.3	9.1-13.5	664	60.6	57.3-63.9
55-64	1474	701,560	162	11.0	9.0-13.0	233	16.9	14.5-19.3	127	8.6	6.8-10.4	177	12.5	10.5-14.5	775	51.1	48.2-54.0
65+	2443	788,904	214	9.6	8.0-11.2	541	21.3	19.3-23.3	379	15.2	13.4-17.0	459	19.9	17.9-21.9	850	33.9	31.7-36.1
Less Than H.S.	477	480,441	158	29.3	24.4-34.2	160	29.9	25.0-34.8	67	14.4	10.7-18.1	43	10.8	7.3-14.3	49	15.5	11.0-20.0
H.S. or G.E.D.	2108	1,312,689	273	11.3	9.7-12.9	548	21.8	19.6-24.0	293	13.0	11.2-14.8	371	17.9	15.9-19.9	623	36.0	33.5-38.5
Some Post-H.S.	1820	1,307,462	143	7.7	6.3- 9.1	327	15.5	13.5-17.5	241	11.1	9.3-12.9	296	14.7	12.7-16.7	813	51.0	48.3-53.7
College Graduate	2464	1,025,061	64	1.9	1.3- 2.5	168	5.5	4.5- 6.5	160	5.0	4.0- 6.0	304	11.1	9.5-12.7	1768	76.6	74.6-78.6
Less than \$15,000	643	412,087	643	100.0	100.0- 100												
\$15,000- 24,999	1213	694,014				1213	100.0	100.0- 100									
\$25,000- 34,999	765	437,509							765	100.0	100.0- 100						
\$35,000- 49,999	1016	593,633										1016	100.0	100.0- 100			
\$50,000- 74,999	1120	692,906													1120	100.0	100.0- 100
\$75,000+	2134	1,306,871													2134	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3264	2,078,873	243	7.7	6.5- 8.9	488	15.0	13.4-16.6	307	9.5	8.1-10.9	502	15.3	13.7-16.9	1724	52.6	50.4-54.8
White/Non-Hisp	2737	1,664,579	155	5.9	4.7- 7.1	366	12.6	11.0-14.2	257	9.5	8.1-10.9	420	15.0	13.4-16.6	1539	57.0	54.6-59.4
Black or Afr. Am./Non-Hisp	186	163,710	32	15.8	9.3-22.3	44	20.6	13.7-27.5	22	12.3	6.6-18.0	29	17.8	10.5-25.1	59	33.6	25.4-41.8
Oth. Race/Non-Hisp.	102	76,717	14	11.7	4.4-19.0	15	18.9	8.7-29.1	10	10.1	3.0-17.2	10	7.4	0.9-13.9	53	51.8	39.5-64.1
Hispanic	139	128,255	21	12.8	6.9-18.7	45	34.8	25.4-44.2	7	5.0	0.9- 9.1	28	20.6	13.0-28.2	38	26.8	18.2-35.4
18-24	188	249,150	18	8.8	4.7-12.9	29	16.1	10.2-22.0	21	11.3	6.2-16.4	39	18.1	12.4-23.8	81	45.7	37.9-53.5
25-34	336	380,182	24	8.1	4.6-11.6	48	16.1	11.6-20.6	37	11.0	7.3-14.7	53	15.6	11.1-20.1	174	49.2	43.1-55.3
35-44	401	366,891	22	5.2	2.8- 7.6	43	10.2	7.1-13.3	23	6.6	3.9- 9.3	51	13.5	9.6-17.4	262	64.4	59.3-69.5
45-54	520	340,457	28	5.2	3.0- 7.4	67	12.5	9.4-15.6	30	6.5	4.0- 9.0	60	12.0	8.9-15.1	335	63.8	59.1-68.5
55-64	735	354,448	78	10.5	8.0-13.0	116	17.0	13.9-20.1	53	7.5	5.1- 9.9	86	12.0	9.3-14.7	402	53.0	48.9-57.1
65+	1084	387,746	73	8.7	6.2-11.2	185	18.0	15.1-20.9	143	13.8	11.3-16.3	213	20.5	17.6-23.4	470	39.0	35.7-42.3
Less Than H.S.	234	261,423	57	20.9	15.2-26.6	74	26.1	19.8-32.4	34	15.0	9.9-20.1	30	14.0	8.7-19.3	39	23.9	16.8-31.0
H.S. or G.E.D.	1044	717,735	112	9.5	7.3-11.7	219	18.8	16.1-21.5	119	10.3	8.1-12.5	203	19.2	16.3-22.1	391	42.3	38.6-46.0
Some Post-H.S.	818	622,090	42	4.6	3.0- 6.2	123	13.7	11.0-16.4	92	10.0	7.6-12.4	137	15.0	12.1-17.9	424	56.6	52.7-60.5
College Graduate	1157	472,416	30	1.8	1.0- 2.6	67	4.3	3.1- 5.5	60	4.2	3.0- 5.4	130	10.4	8.4-12.4	870	79.3	76.6-82.0
Less than \$15,000	243	160,586	243	100.0	100.0- 100												
\$15,000- 24,999	488	311,058				488	100.0	100.0- 100									
\$25,000- 34,999	307	196,934							307	100.0	100.0- 100						
\$35,000- 49,999	502	317,327										502	100.0	100.0- 100			
\$50,000- 74,999	549	364,156													549	100.0	100.0- 100
\$75,000+	1175	728,812													1175	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3627	2,058,146	400	12.2	10.8-13.6	725	18.6	17.0-20.2	458	11.7	10.3-13.1	514	13.4	12.0-14.8	1530	44.1	41.9-46.3
White/Non-Hisp	3009	1,646,477	270	9.4	8.0-10.8	577	17.7	15.9-19.5	356	10.2	8.8-11.6	432	13.8	12.2-15.4	1374	48.9	46.5-51.3
Black or Afr. Am./Non-Hisp	291	197,951	59	20.7	14.4-27.0	67	20.9	15.0-26.8	47	16.8	10.7-22.9	43	15.1	10.0-20.2	75	26.5	20.2-32.8
Oth. Race/Non-Hisp.	73	47,862	14	31.4	13.0-49.8	18	22.7	9.6-35.8	12	12.7	3.5-21.9	10	13.6	1.1-26.1	19	19.6	9.0-30.2
MultiRacial/Non-Hisp.	50	16,438	7	14.3	2.3-26.3	10	20.6	6.9-34.3	11	25.3	10.8-39.8	11	17.3	6.1-28.5	11	22.6	8.9-36.3
Hispanic	169	130,207	42	27.3	19.5-35.1	46	23.8	16.4-31.2	29	21.1	12.9-29.3	12	5.7	2.0- 9.4	40	22.0	15.1-28.9
18-24	145	237,668	27	19.1	11.8-26.4	33	21.8	14.4-29.2	26	18.5	11.4-25.6	18	12.0	6.3-17.7	41	28.6	20.4-36.8
25-34	367	379,918	52	14.8	10.9-18.7	63	17.7	13.4-22.0	32	8.6	5.5-11.7	47	13.0	9.3-16.7	173	45.9	40.4-51.4
35-44	441	352,321	38	9.8	6.5-13.1	80	18.3	14.2-22.4	42	9.2	6.3-12.1	47	11.2	7.9-14.5	234	51.6	46.3-56.9
45-54	576	339,970	58	9.9	7.2-12.6	76	12.6	9.7-15.5	48	9.4	6.7-12.1	65	10.7	8.0-13.4	329	57.5	53.0-62.0
55-64	739	347,112	84	11.4	8.7-14.1	117	16.8	13.5-20.1	74	9.7	7.3-12.1	91	13.0	10.3-15.7	373	49.1	45.0-53.2
65+	1359	401,157	141	10.5	8.5-12.5	356	24.6	21.9-27.3	236	16.5	14.1-18.9	246	19.4	16.9-21.9	380	29.1	26.2-32.0
Less Than H.S.	243	219,019	101	39.4	31.6-47.2	86	34.5	26.9-42.1	33	13.7	8.0-19.4	13	6.9	2.8-11.0	10	5.4	1.9- 8.9
H.S. or G.E.D.	1064	594,953	161	13.5	11.0-16.0	329	25.5	22.2-28.8	174	16.2	13.3-19.1	168	16.4	13.7-19.1	232	28.5	24.8-32.2
Some Post-H.S.	1002	685,372	101	10.5	8.1-12.9	204	17.1	14.4-19.8	149	12.0	9.6-14.4	159	14.5	12.0-17.0	389	45.9	42.0-49.8
College Graduate	1307	552,645	34	2.0	1.2- 2.8	101	6.5	4.9- 8.1	100	5.6	4.2- 7.0	174	11.7	9.5-13.9	898	74.3	71.6-77.0
Less than \$15,000	400	251,501	400	100.0	100.0- 100												
\$15,000- 24,999	725	382,956				725	100.0	100.0- 100									
\$25,000- 34,999	458	240,576							458	100.0	100.0- 100						
\$35,000- 49,999	514	276,306										514	100.0	100.0- 100			
\$50,000- 74,999	571	328,750													571	100.0	100.0- 100
\$75,000+	959	578,059													959	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 8: DEMOGRAPHICS**

TABLE 49: Sex (_SEX).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8894	5,168,827	3997	48.8	47.4-50.2	4897	51.2	49.8-52.6
Male	3997	2,520,706	3997	100.0	100.0- 100			
Female	4897	2,648,121				4897	100.0	100.0- 100
White/Non-Hisp	7366	4,095,764	3305	48.5	47.1-49.9	4061	51.5	50.1-52.9
Black or Afr. Am./Non-Hisp	598	449,728	236	46.9	41.8-52.0	362	53.1	48.0-58.2
Oth. Race/Non-Hisp.	234	160,747	129	57.8	49.2-66.4	105	42.2	33.6-50.8
MultiRacial/Non-Hisp.	129	47,146	59	45.3	34.3-56.3	70	54.7	43.7-65.7
Hispanic	384	315,984	171	49.2	43.3-55.1	213	50.8	44.9-56.7
18-24	462	683,503	260	51.5	46.4-56.6	202	48.5	43.4-53.6
25-34	802	861,216	386	50.4	46.5-54.3	416	49.6	45.7-53.5
35-44	976	823,256	451	49.9	46.4-53.4	525	50.1	46.6-53.6
45-54	1339	828,419	627	49.7	46.8-52.6	712	50.3	47.4-53.2
55-64	1827	867,987	879	48.8	46.3-51.3	948	51.2	48.7-53.7
65+	3488	1,104,446	1394	44.3	42.3-46.3	2094	55.7	53.7-57.7
Less Than H.S.	648	628,525	301	53.1	48.4-57.8	347	46.9	42.2-51.6
H.S. or G.E.D.	2850	1,716,288	1298	52.1	49.7-54.5	1552	47.9	45.5-50.3
Some Post-H.S.	2295	1,576,150	981	45.9	43.4-48.4	1314	54.1	51.6-56.6
College Graduate	3037	1,215,239	1386	45.4	43.2-47.6	1651	54.6	52.4-56.8
Less than \$15,000	643	412,087	243	39.0	34.1-43.9	400	61.0	56.1-65.9
\$15,000- 24,999	1213	694,014	488	44.8	41.1-48.5	725	55.2	51.5-58.9
\$25,000- 34,999	765	437,509	307	45.0	40.3-49.7	458	55.0	50.3-59.7
\$35,000- 49,999	1016	593,633	502	53.5	49.6-57.4	514	46.5	42.6-50.4
\$50,000- 74,999	1120	692,906	549	52.6	48.9-56.3	571	47.4	43.7-51.1
\$75,000+	2134	1,306,871	1175	55.8	53.3-58.3	959	44.2	41.7-46.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.
* * * * *

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	112
2	MALES ONLY	113
3	FEMALES ONLY	114
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	115
5	MALES ONLY	116
6	FEMALES ONLY	117

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 9: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8427	4,895,959	1004	14.1	13.1-15.1	362	5.1	4.5- 5.7	2400	24.9	23.7-26.1	4661	55.9	54.5-57.3
Male	3783	2,380,506	479	15.0	13.4-16.6	189	6.2	5.2- 7.2	1262	28.4	26.6-30.2	1853	50.4	48.4-52.4
Female	4644	2,515,453	525	13.2	11.8-14.6	173	4.0	3.2- 4.8	1138	21.6	20.2-23.0	2808	61.1	59.3-62.9
White/Non-Hisp	7005	3,896,111	839	14.8	13.6-16.0	272	4.6	4.0- 5.2	2093	27.0	25.8-28.2	3801	53.5	51.9-55.1
Black or Afr. Am./Non-Hisp	559	418,173	69	13.3	9.6-17.0	42	6.3	3.9- 8.7	112	16.5	13.0-20.0	336	63.9	59.0-68.8
Oth. Race/Non-Hisp.	224	153,064	28	13.9	8.0-19.8	8	5.2	1.3- 9.1	59	17.5	11.8-23.2	129	63.4	55.2-71.6
MultiRacial/Non-Hisp.	124	45,396	31	27.1	17.5-36.7	11	14.0	5.4-22.6	28	17.4	10.0-24.8	54	41.4	30.0-52.8
Hispanic	360	299,896	24	5.7	3.2- 8.2	24	8.1	4.2-12.0	57	13.6	9.9-17.3	255	72.6	67.3-77.9
18-24	442	655,149	36	8.7	5.8-11.6	21	4.6	2.4- 6.8	34	7.3	4.8- 9.8	351	79.4	75.3-83.5
25-34	751	807,334	112	18.0	14.7-21.3	42	5.8	3.8- 7.8	129	18.2	15.1-21.3	468	58.0	54.1-61.9
35-44	915	769,409	166	18.5	15.8-21.2	56	7.3	5.1- 9.5	215	23.6	20.5-26.7	478	50.7	47.2-54.2
45-54	1266	784,542	194	16.9	14.5-19.3	58	5.0	3.6- 6.4	266	22.1	19.6-24.6	748	56.0	52.9-59.1
55-64	1758	833,535	267	15.6	13.6-17.6	94	5.8	4.4- 7.2	536	32.2	29.7-34.7	861	46.4	43.7-49.1
65+	3295	1,045,990	229	7.8	6.6- 9.0	91	2.6	2.0- 3.2	1220	38.6	36.6-40.6	1755	50.9	48.7-53.1
Less Than H.S.	611	595,062	141	25.3	21.0-29.6	45	8.1	5.4-10.8	186	24.7	20.8-28.6	239	41.9	37.0-46.8
H.S. or G.E.D.	2673	1,602,190	442	17.7	15.9-19.5	146	5.7	4.5- 6.9	792	25.6	23.6-27.6	1293	51.0	48.6-53.4
Some Post-H.S.	2194	1,513,228	282	13.3	11.5-15.1	108	5.5	4.3- 6.7	677	26.8	24.6-29.0	1127	54.3	51.8-56.8
College Graduate	2897	1,160,537	132	4.3	3.3- 5.3	61	2.1	1.5- 2.7	733	21.8	20.0-23.6	1971	71.8	69.8-73.8
Less than \$15,000	624	401,699	149	24.7	20.4-29.0	60	9.6	6.9-12.3	163	21.8	18.1-25.5	252	44.0	38.9-49.1
\$15,000- 24,999	1169	669,029	209	20.6	17.5-23.7	75	7.7	5.5- 9.9	315	22.2	19.3-25.1	570	49.5	45.8-53.2
\$25,000- 34,999	733	419,640	110	17.9	14.2-21.6	32	4.9	2.7- 7.1	246	29.2	25.1-33.3	345	47.9	43.0-52.8
\$35,000- 49,999	985	569,746	133	16.6	13.5-19.7	55	6.7	4.7- 8.7	315	28.4	24.9-31.9	482	48.3	44.4-52.2
\$50,000- 74,999	1077	662,075	110	12.6	9.9-15.3	33	3.9	2.3- 5.5	316	26.0	22.9-29.1	618	57.5	53.8-61.2
\$75,000+	2101	1,285,859	137	8.3	6.7- 9.9	42	2.4	1.6- 3.2	589	26.7	24.5-28.9	1333	62.6	60.1-65.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 9: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3783	2,380,506	479	15.0	13.4-16.6	189	6.2	5.2- 7.2	1262	28.4	26.6-30.2	1853	50.4	48.4-52.4
White/Non-Hisp	3136	1,880,546	391	15.5	13.7-17.3	136	5.3	4.3- 6.3	1091	30.5	28.5-32.5	1518	48.7	46.5-50.9
Black or Afr. Am./Non-Hisp	225	201,076	32	14.2	8.3-20.1	22	8.5	4.6-12.4	50	17.9	12.2-23.6	121	59.4	51.6-67.2
Oth. Race/Non-Hisp.	123	87,800	20	17.9	9.5-26.3	6	7.1	1.2-13.0	35	21.6	13.4-29.8	62	53.3	42.1-64.5
MultiRacial/Non-Hisp.	58	21,017	16	28.7	14.4-43.0	7	21.3	5.8-36.8	14	19.6	8.6-30.6	21	30.4	15.5-45.3
Hispanic	159	148,130	13	7.7	3.4-12.0	15	12.0	5.1-18.9	39	19.1	12.8-25.4	92	61.2	52.6-69.8
18-24	249	338,247	25	10.5	6.2-14.8	15	5.7	2.6- 8.8	22	8.3	4.6-12.0	187	75.5	69.6-81.4
25-34	357	401,976	55	19.4	14.3-24.5	24	6.8	3.9- 9.7	71	20.5	15.8-25.2	207	53.3	47.4-59.2
35-44	417	379,745	70	17.1	13.2-21.0	34	9.7	6.2-13.2	120	28.1	23.4-32.8	193	45.1	39.8-50.4
45-54	594	391,599	103	19.7	16.0-23.4	27	5.4	3.2- 7.6	140	23.0	19.3-26.7	324	51.9	47.4-56.4
55-64	843	405,002	129	15.4	12.7-18.1	49	6.8	4.8- 8.8	283	34.8	31.1-38.5	382	43.0	39.3-46.7
65+	1323	463,938	97	8.2	6.4-10.0	40	3.2	2.0- 4.4	626	49.4	46.1-52.7	560	39.2	36.1-42.3
Less Than H.S.	284	317,299	70	26.2	19.9-32.5	26	10.0	5.7-14.3	100	27.7	22.0-33.4	88	36.2	29.5-42.9
H.S. or G.E.D.	1213	827,974	213	18.3	15.8-20.8	79	7.2	5.4- 9.0	431	29.0	26.1-31.9	490	45.5	42.0-49.0
Some Post-H.S.	937	697,738	125	13.3	10.8-15.8	52	6.3	4.3- 8.3	339	30.2	26.9-33.5	421	50.2	46.5-53.9
College Graduate	1323	523,982	68	5.1	3.5- 6.7	31	2.4	1.4- 3.4	383	25.5	22.8-28.2	841	67.1	64.2-70.0
Less than \$15,000	235	156,502	55	22.8	16.1-29.5	25	14.1	8.2-20.0	74	26.0	19.5-32.5	81	37.1	29.3-44.9
\$15,000- 24,999	478	303,800	87	19.4	14.9-23.9	40	9.6	6.3-12.9	157	27.5	22.8-32.2	194	43.5	37.8-49.2
\$25,000- 34,999	294	186,793	53	20.5	14.6-26.4	12	4.1	1.2- 7.0	116	34.3	27.6-41.0	113	41.1	33.8-48.4
\$35,000- 49,999	480	300,749	71	18.5	13.6-23.4	33	7.9	5.0-10.8	172	30.6	25.5-35.7	204	43.0	37.3-48.7
\$50,000- 74,999	525	344,217	59	13.8	9.9-17.7	23	5.3	2.6- 8.0	181	28.1	23.6-32.6	262	52.8	47.5-58.1
\$75,000+	1152	711,315	89	10.5	8.1-12.9	23	2.5	1.3- 3.7	373	30.2	27.1-33.3	667	56.8	53.3-60.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 9: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4644	2,515,453	525	13.2	11.8-14.6	173	4.0	3.2- 4.8	1138	21.6	20.2-23.0	2808	61.1	59.3-62.9
White/Non-Hisp	3869	2,015,565	448	14.2	12.6-15.8	136	4.0	3.2- 4.8	1002	23.8	22.0-25.6	2283	58.0	56.0-60.0
Black or Afr. Am./Non-Hisp	334	217,097	37	12.4	7.7-17.1	20	4.2	1.7- 6.7	62	15.3	11.0-19.6	215	68.0	61.7-74.3
Oth. Race/Non-Hisp.	101	65,264	8	8.5	0.7-16.3	2	2.6	0.0- 6.5	24	12.0	5.3-18.7	67	76.9	66.3-87.5
MultiRacial/Non-Hisp.	66	24,379	15	25.7	12.8-38.6	4	7.8	0.0-16.0	14	15.6	5.6-25.6	33	50.9	35.2-66.6
Hispanic	201	151,766	11	3.7	1.2- 6.2	9	4.3	0.6- 8.0	18	8.2	3.9-12.5	163	83.8	77.9-89.7
18-24	193	316,903	11	6.8	2.9-10.7	6	3.5	0.6- 6.4	12	6.1	2.6- 9.6	164	83.6	77.9-89.3
25-34	394	405,358	57	16.5	12.4-20.6	18	4.8	2.4- 7.2	58	16.0	11.9-20.1	261	62.7	57.4-68.0
35-44	498	389,664	96	19.9	16.0-23.8	22	4.9	2.7- 7.1	95	19.2	15.3-23.1	285	56.1	51.2-61.0
45-54	672	392,943	91	14.0	11.1-16.9	31	4.7	2.9- 6.5	126	21.2	17.7-24.7	424	60.1	56.0-64.2
55-64	915	428,533	138	15.8	13.1-18.5	45	4.8	3.2- 6.4	253	29.8	26.5-33.1	479	49.6	45.9-53.3
65+	1972	582,052	132	7.5	6.1- 8.9	51	2.2	1.4- 3.0	594	30.0	27.6-32.4	1195	60.2	57.7-62.7
Less Than H.S.	327	277,764	71	24.2	18.3-30.1	19	6.1	2.6- 9.6	86	21.3	16.0-26.6	151	48.4	41.3-55.5
H.S. or G.E.D.	1460	774,217	229	17.0	14.5-19.5	67	4.2	2.8- 5.6	361	22.0	19.5-24.5	803	56.8	53.5-60.1
Some Post-H.S.	1257	815,490	157	13.4	11.0-15.8	56	4.8	3.4- 6.2	338	23.9	21.2-26.6	706	57.9	54.6-61.2
College Graduate	1574	636,555	64	3.7	2.5- 4.9	30	1.9	1.1- 2.7	350	18.8	16.6-21.0	1130	75.6	73.2-78.0
Less than \$15,000	389	245,198	94	25.8	20.1-31.5	35	6.6	4.1- 9.1	89	19.2	14.5-23.9	171	48.4	41.7-55.1
\$15,000- 24,999	691	365,230	122	21.6	17.5-25.7	35	6.2	3.3- 9.1	158	17.8	14.3-21.3	376	54.4	49.3-59.5
\$25,000- 34,999	439	232,847	57	15.8	11.1-20.5	20	5.6	2.7- 8.5	130	25.1	20.0-30.2	232	53.4	47.1-59.7
\$35,000- 49,999	505	268,997	62	14.5	10.6-18.4	22	5.2	2.7- 7.7	143	25.9	21.2-30.6	278	54.3	48.8-59.8
\$50,000- 74,999	552	317,858	51	11.2	7.7-14.7	10	2.4	0.8- 4.0	135	23.8	19.3-28.3	356	62.6	57.5-67.7
\$75,000+	949	574,544	48	5.7	3.9- 7.5	19	2.2	1.0- 3.4	216	22.4	19.3-25.5	666	69.7	66.2-73.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8427	4,895,959	7061	80.8	79.6-82.0	1366	19.2	18.0-20.4
Male	3783	2,380,506	3115	78.8	77.0-80.6	668	21.2	19.4-23.0
Female	4644	2,515,453	3946	82.7	81.3-84.1	698	17.3	15.9-18.7
White/Non-Hisp	7005	3,896,111	5894	80.5	79.3-81.7	1111	19.5	18.3-20.7
Black or Afr. Am./Non-Hisp	559	418,173	448	80.4	76.3-84.5	111	19.6	15.5-23.7
Oth. Race/Non-Hisp.	224	153,064	188	80.9	74.0-87.8	36	19.1	12.2-26.0
MultiRacial/Non-Hisp.	124	45,396	82	58.9	47.7-70.1	42	41.1	29.9-52.3
Hispanic	360	299,896	312	86.2	81.7-90.7	48	13.8	9.3-18.3
18-24	442	655,149	385	86.7	83.2-90.2	57	13.3	9.8-16.8
25-34	751	807,334	597	76.2	72.7-79.7	154	23.8	20.3-27.3
35-44	915	769,409	693	74.2	71.1-77.3	222	25.8	22.7-28.9
45-54	1266	784,542	1014	78.1	75.6-80.6	252	21.9	19.4-24.4
55-64	1758	833,535	1397	78.6	76.4-80.8	361	21.4	19.2-23.6
65+	3295	1,045,990	2975	89.5	88.1-90.9	320	10.5	9.1-11.9
Less Than H.S.	611	595,062	425	66.6	61.9-71.3	186	33.4	28.7-38.1
H.S. or G.E.D.	2673	1,602,190	2085	76.6	74.6-78.6	588	23.4	21.4-25.4
Some Post-H.S.	2194	1,513,228	1804	81.2	79.2-83.2	390	18.8	16.8-20.8
College Graduate	2897	1,160,537	2704	93.6	92.6-94.6	193	6.4	5.4- 7.4
Less than \$15,000	624	401,699	415	65.8	61.1-70.5	209	34.2	29.5-38.9
\$15,000- 24,999	1169	669,029	885	71.7	68.2-75.2	284	28.3	24.8-31.8
\$25,000- 34,999	733	419,640	591	77.1	73.0-81.2	142	22.9	18.8-27.0
\$35,000- 49,999	985	569,746	797	76.7	73.2-80.2	188	23.3	19.8-26.8
\$50,000- 74,999	1077	662,075	934	83.5	80.6-86.4	143	16.5	13.6-19.4
\$75,000+	2101	1,285,859	1922	89.3	87.5-91.1	179	10.7	8.9-12.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3783	2,380,506	3115	78.8	77.0-80.6	668	21.2	19.4-23.0
White/Non-Hisp	3136	1,880,546	2609	79.2	77.2-81.2	527	20.8	18.8-22.8
Black or Afr. Am./Non-Hisp	225	201,076	171	77.3	70.6-84.0	54	22.7	16.0-29.4
Oth. Race/Non-Hisp.	123	87,800	97	75.0	65.4-84.6	26	25.0	15.4-34.6
MultiRacial/Non-Hisp.	58	21,017	35	50.0	33.7-66.3	23	50.0	33.7-66.3
Hispanic	159	148,130	131	80.3	72.7-87.9	28	19.7	12.1-27.3
18-24	249	338,247	209	83.8	78.7-88.9	40	16.2	11.1-21.3
25-34	357	401,976	278	73.8	68.3-79.3	79	26.2	20.7-31.7
35-44	417	379,745	313	73.1	68.2-78.0	104	26.9	22.0-31.8
45-54	594	391,599	464	74.9	70.8-79.0	130	25.1	21.0-29.2
55-64	843	405,002	665	77.8	74.7-80.9	178	22.2	19.1-25.3
65+	1323	463,938	1186	88.6	86.4-90.8	137	11.4	9.2-13.6
Less Than H.S.	284	317,299	188	63.9	57.2-70.6	96	36.1	29.4-42.8
H.S. or G.E.D.	1213	827,974	921	74.5	71.6-77.4	292	25.5	22.6-28.4
Some Post-H.S.	937	697,738	760	80.4	77.3-83.5	177	19.6	16.5-22.7
College Graduate	1323	523,982	1224	92.5	90.7-94.3	99	7.5	5.7- 9.3
Less than \$15,000	235	156,502	155	63.0	55.4-70.6	80	37.0	29.4-44.6
\$15,000- 24,999	478	303,800	351	71.0	65.7-76.3	127	29.0	23.7-34.3
\$25,000- 34,999	294	186,793	229	75.4	69.1-81.7	65	24.6	18.3-30.9
\$35,000- 49,999	480	300,749	376	73.6	68.3-78.9	104	26.4	21.1-31.7
\$50,000- 74,999	525	344,217	443	80.9	76.4-85.4	82	19.1	14.6-23.6
\$75,000+	1152	711,315	1040	87.0	84.5-89.5	112	13.0	10.5-15.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 9: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4644	2,515,453	3946	82.7	81.3-84.1	698	17.3	15.9-18.7
White/Non-Hisp	3869	2,015,565	3285	81.8	80.2-83.4	584	18.2	16.6-19.8
Black or Afr. Am./Non-Hisp	334	217,097	277	83.3	78.2-88.4	57	16.7	11.6-21.8
Oth. Race/Non-Hisp.	101	65,264	91	88.9	80.3-97.5	10	11.1	2.5-19.7
MultiRacial/Non-Hisp.	66	24,379	47	66.5	52.2-80.8	19	33.5	19.2-47.8
Hispanic	201	151,766	181	91.9	87.4-96.4	20	8.1	3.6-12.6
18-24	193	316,903	176	89.8	84.9-94.7	17	10.2	5.3-15.1
25-34	394	405,358	319	78.7	74.2-83.2	75	21.3	16.8-25.8
35-44	498	389,664	380	75.2	70.9-79.5	118	24.8	20.5-29.1
45-54	672	392,943	550	81.3	78.0-84.6	122	18.7	15.4-22.0
55-64	915	428,533	732	79.3	76.2-82.4	183	20.7	17.6-23.8
65+	1972	582,052	1789	90.3	88.7-91.9	183	9.7	8.1-11.3
Less Than H.S.	327	277,764	237	69.7	63.2-76.2	90	30.3	23.8-36.8
H.S. or G.E.D.	1460	774,217	1164	78.8	76.1-81.5	296	21.2	18.5-23.9
Some Post-H.S.	1257	815,490	1044	81.8	79.3-84.3	213	18.2	15.7-20.7
College Graduate	1574	636,555	1480	94.4	93.0-95.8	94	5.6	4.2- 7.0
Less than \$15,000	389	245,198	260	67.5	61.4-73.6	129	32.5	26.4-38.6
\$15,000- 24,999	691	365,230	534	72.2	67.5-76.9	157	27.8	23.1-32.5
\$25,000- 34,999	439	232,847	362	78.5	73.2-83.8	77	21.5	16.2-26.8
\$35,000- 49,999	505	268,997	421	80.2	75.7-84.7	84	19.8	15.3-24.3
\$50,000- 74,999	552	317,858	491	86.4	82.7-90.1	61	13.6	9.9-17.3
\$75,000+	949	574,544	882	92.1	89.9-94.3	67	7.9	5.7-10.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019**

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* **NOTE** * * * * *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.
* * * * *

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	119
2 MALES ONLY	120
3 FEMALES ONLY	121
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	122
5 MALES ONLY	123
6 FEMALES ONLY	124
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	125
8 MALES ONLY	126
9 FEMALES ONLY	127
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)	
10 MALES AND FEMALES	128
11 MALES ONLY	129
12 FEMALES ONLY	130
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)	
13 MALES AND FEMALES	131
14 MALES ONLY	132
15 FEMALES ONLY	133

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8356	4,839,039	3870	48.9	47.5-50.3	4486	51.1	49.7-52.5
Male	3733	2,346,609	2045	56.3	54.3-58.3	1688	43.7	41.7-45.7
Female	4623	2,492,430	1825	41.9	40.1-43.7	2798	58.1	56.3-59.9
White/Non-Hisp	6954	3,855,339	3270	49.5	47.9-51.1	3684	50.5	48.9-52.1
Black or Afr. Am./Non-Hisp	550	410,990	255	52.6	47.3-57.9	295	47.4	42.1-52.7
Oth. Race/Non-Hisp.	222	152,675	86	33.6	25.6-41.6	136	66.4	58.4-74.4
MultiRacial/Non-Hisp.	125	45,900	50	45.4	34.2-56.6	75	54.6	43.4-65.8
Hispanic	353	292,872	156	47.6	41.5-53.7	197	52.4	46.3-58.5
18-24	432	638,713	216	46.0	40.7-51.3	216	54.0	48.7-59.3
25-34	746	800,128	464	59.7	55.8-63.6	282	40.3	36.4-44.2
35-44	906	761,030	521	57.1	53.6-60.6	385	42.9	39.4-46.4
45-54	1247	771,411	656	53.7	50.6-56.8	591	46.3	43.2-49.4
55-64	1745	825,903	825	45.9	43.2-48.6	920	54.1	51.4-56.8
65+	3280	1,041,855	1188	35.3	33.3-37.3	2092	64.7	62.7-66.7
Less Than H.S.	604	585,599	159	31.8	27.1-36.5	445	68.2	63.5-72.9
H.S. or G.E.D.	2647	1,576,750	942	41.0	38.6-43.4	1705	59.0	56.6-61.4
Some Post-H.S.	2177	1,500,718	1023	52.3	49.8-54.8	1154	47.7	45.2-50.2
College Graduate	2879	1,151,483	1727	64.4	62.2-66.6	1152	35.6	33.4-37.8
Less than \$15,000	618	398,463	160	30.9	26.0-35.8	458	69.1	64.2-74.0
\$15,000- 24,999	1158	659,379	355	35.9	32.2-39.6	803	64.1	60.4-67.8
\$25,000- 34,999	740	422,523	289	40.6	35.9-45.3	451	59.4	54.7-64.1
\$35,000- 49,999	972	557,822	474	52.3	48.4-56.2	498	47.7	43.8-51.6
\$50,000- 74,999	1074	659,011	577	54.6	50.9-58.3	497	45.4	41.7-49.1
\$75,000+	2085	1,273,077	1395	67.9	65.4-70.4	690	32.1	29.6-34.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3733	2,346,609	2045	56.3	54.3-58.3	1688	43.7	41.7-45.7
White/Non-Hisp	3104	1,858,670	1713	56.2	54.0-58.4	1391	43.8	41.6-46.0
Black or Afr. Am./Non-Hisp	219	197,055	121	59.3	51.3-67.3	98	40.7	32.7-48.7
Oth. Race/Non-Hisp.	122	87,856	59	45.6	34.2-57.0	63	54.4	43.0-65.8
MultiRacial/Non-Hisp.	57	20,904	29	61.6	46.7-76.5	28	38.4	23.5-53.3
Hispanic	153	142,318	87	60.4	51.6-69.2	66	39.6	30.8-48.4
18-24	245	332,073	135	52.6	45.7-59.5	110	47.4	40.5-54.3
25-34	356	399,479	251	67.0	61.3-72.7	105	33.0	27.3-38.7
35-44	408	371,790	264	64.2	59.1-69.3	144	35.8	30.7-40.9
45-54	581	382,687	339	59.8	55.3-64.3	242	40.2	35.7-44.7
55-64	837	400,686	452	51.8	47.9-55.7	385	48.2	44.3-52.1
65+	1306	459,894	604	44.5	41.2-47.8	702	55.5	52.2-58.8
Less Than H.S.	279	310,289	108	42.8	35.7-49.9	171	57.2	50.1-64.3
H.S. or G.E.D.	1192	809,304	547	49.0	45.5-52.5	645	51.0	47.5-54.5
Some Post-H.S.	928	695,372	528	61.4	57.7-65.1	400	38.6	34.9-42.3
College Graduate	1310	518,441	849	69.2	66.3-72.1	461	30.8	27.9-33.7
Less than \$15,000	233	155,939	83	38.7	30.9-46.5	150	61.3	53.5-69.1
\$15,000- 24,999	468	296,971	176	42.4	36.7-48.1	292	57.6	51.9-63.3
\$25,000- 34,999	296	188,487	134	46.1	38.8-53.4	162	53.9	46.6-61.2
\$35,000- 49,999	473	295,776	264	59.2	53.7-64.7	209	40.8	35.3-46.3
\$50,000- 74,999	523	342,982	313	62.5	57.4-67.6	210	37.5	32.4-42.6
\$75,000+	1140	703,252	798	71.0	67.7-74.3	342	29.0	25.7-32.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4623	2,492,430	1825	41.9	40.1-43.7	2798	58.1	56.3-59.9
White/Non-Hisp	3850	1,996,669	1557	43.3	41.3-45.3	2293	56.7	54.7-58.7
Black or Afr. Am./Non-Hisp	331	213,936	134	46.4	39.3-53.5	197	53.6	46.5-60.7
Oth. Race/Non-Hisp.	100	64,820	27	17.2	8.8-25.6	73	82.8	74.4-91.2
MultiRacial/Non-Hisp.	68	24,996	21	31.8	18.3-45.3	47	68.2	54.7-81.7
Hispanic	200	150,554	69	35.5	27.5-43.5	131	64.5	56.5-72.5
18-24	187	306,640	81	39.0	31.4-46.6	106	61.0	53.4-68.6
25-34	390	400,649	213	52.5	47.0-58.0	177	47.5	42.0-53.0
35-44	498	389,240	257	50.3	45.4-55.2	241	49.7	44.8-54.6
45-54	666	388,723	317	47.7	43.4-52.0	349	52.3	48.0-56.6
55-64	908	425,217	373	40.4	36.7-44.1	535	59.6	55.9-63.3
65+	1974	581,961	584	28.0	25.6-30.4	1390	72.0	69.6-74.4
Less Than H.S.	325	275,309	51	19.3	13.4-25.2	274	80.7	74.8-86.6
H.S. or G.E.D.	1455	767,446	395	32.5	29.4-35.6	1060	67.5	64.4-70.6
Some Post-H.S.	1249	805,346	495	44.5	41.0-48.0	754	55.5	52.0-59.0
College Graduate	1569	633,042	878	60.5	57.6-63.4	691	39.5	36.6-42.4
Less than \$15,000	385	242,524	77	25.9	19.8-32.0	308	74.1	68.0-80.2
\$15,000- 24,999	690	362,408	179	30.7	25.8-35.6	511	69.3	64.4-74.2
\$25,000- 34,999	444	234,036	155	36.2	30.1-42.3	289	63.8	57.7-69.9
\$35,000- 49,999	499	262,045	210	44.6	38.9-50.3	289	55.4	49.7-61.1
\$50,000- 74,999	551	316,028	264	46.1	40.8-51.4	287	53.9	48.6-59.2
\$75,000+	945	569,826	597	64.0	60.3-67.7	348	36.0	32.3-39.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8356	4,839,039	2310	29.7	28.5-30.9	815	11.1	10.1-12.1	303	3.4	3.0- 3.8	442	4.8	4.2- 5.4	4486	51.1	49.7-52.5
Male	3733	2,346,609	1119	31.4	29.4-33.4	457	13.6	12.2-15.0	178	4.2	3.4- 5.0	291	7.1	6.1- 8.1	1688	43.7	41.7-45.7
Female	4623	2,492,430	1191	28.0	26.2-29.8	358	8.8	7.6-10.0	125	2.6	2.0- 3.2	151	2.6	2.0- 3.2	2798	58.1	56.3-59.9
White/Non-Hisp	6954	3,855,339	1929	29.6	28.2-31.0	689	11.4	10.4-12.4	268	3.6	3.0- 4.2	384	4.9	4.3- 5.5	3684	50.5	48.9-52.1
Black or Afr. Am./Non-Hisp	550	410,990	166	34.8	29.7-39.9	53	11.0	7.9-14.1	19	3.2	1.6- 4.8	17	3.6	1.4- 5.8	295	47.4	42.1-52.7
Oth. Race/Non-Hisp.	222	152,675	46	17.9	11.4-24.4	21	8.6	3.9-13.3	7	2.4	0.2- 4.6	12	4.7	1.6- 7.8	136	66.4	58.4-74.4
MultiRacial/Non-Hisp.	125	45,900	34	29.2	19.0-39.4	9	7.4	2.1-12.7	2	2.9	0.0- 7.6	5	5.9	0.6-11.2	75	54.6	43.4-65.8
Hispanic	353	292,872	105	31.5	25.8-37.2	32	10.8	6.5-15.1	4	1.2	0.0- 2.6	15	4.1	1.7- 6.5	197	52.4	46.3-58.5
18-24	432	638,713	139	29.4	24.7-34.1	54	11.9	8.6-15.2	10	2.1	0.7- 3.5	13	2.7	1.1- 4.3	216	54.0	48.7-59.3
25-34	746	800,128	287	37.6	33.7-41.5	110	13.2	10.7-15.7	28	3.5	2.1- 4.9	39	5.5	3.5- 7.5	282	40.3	36.4-44.2
35-44	906	761,030	313	33.9	30.6-37.2	129	14.8	12.1-17.5	33	3.2	2.0- 4.4	46	5.3	3.7- 6.9	385	42.9	39.4-46.4
45-54	1247	771,411	406	33.4	30.5-36.3	141	11.6	9.6-13.6	53	4.5	3.1- 5.9	56	4.2	3.0- 5.4	591	46.3	43.2-49.4
55-64	1745	825,903	483	26.9	24.5-29.3	173	10.2	8.6-11.8	79	4.0	3.0- 5.0	90	4.9	3.7- 6.1	920	54.1	51.4-56.8
65+	3280	1,041,855	682	20.1	18.5-21.7	208	6.8	5.8- 7.8	100	2.9	2.3- 3.5	198	5.5	4.5- 6.5	2092	64.7	62.7-66.7
Less Than H.S.	604	585,599	95	18.0	14.1-21.9	42	8.5	5.6-11.4	4	1.0	0.0- 2.2	18	4.3	1.9- 6.7	445	68.2	63.5-72.9
H.S. or G.E.D.	2647	1,576,750	592	26.4	24.2-28.6	174	7.8	6.4- 9.2	63	2.4	1.6- 3.2	113	4.3	3.3- 5.3	1705	59.0	56.6-61.4
Some Post-H.S.	2177	1,500,718	617	32.0	29.6-34.4	225	12.5	10.7-14.3	74	3.4	2.6- 4.2	107	4.5	3.3- 5.7	1154	47.7	45.2-50.2
College Graduate	2879	1,151,483	993	37.1	34.9-39.3	371	15.2	13.6-16.8	161	6.0	5.0- 7.0	202	6.2	5.2- 7.2	1152	35.6	33.4-37.8
Less than \$15,000	618	398,463	115	22.6	18.1-27.1	19	3.4	1.6- 5.2	9	2.2	0.4- 4.0	17	2.7	1.1- 4.3	458	69.1	64.2-74.0
\$15,000- 24,999	1158	659,379	234	24.4	21.1-27.7	76	8.1	5.7-10.5	16	1.0	0.4- 1.6	29	2.4	1.2- 3.6	803	64.1	60.4-67.8
\$25,000- 34,999	740	422,523	179	24.2	20.1-28.3	56	10.2	7.1-13.3	21	2.6	1.2- 4.0	33	3.6	2.0- 5.2	451	59.4	54.7-64.1
\$35,000- 49,999	972	557,822	280	31.7	27.8-35.6	99	10.3	7.9-12.7	32	3.6	2.2- 5.0	63	6.7	4.5- 8.9	498	47.7	43.8-51.6
\$50,000- 74,999	1074	659,011	342	31.5	28.2-34.8	117	13.6	10.7-16.5	47	3.0	2.0- 4.0	71	6.6	4.6- 8.6	497	45.4	41.7-49.1
\$75,000+	2085	1,273,077	749	37.0	34.5-39.5	347	18.0	16.0-20.0	139	6.2	5.0- 7.4	160	6.6	5.4- 7.8	690	32.1	29.6-34.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION
TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3733	2,346,609	1119	31.4	29.4-33.4	457	13.6	12.2-15.0	178	4.2	3.4- 5.0	291	7.1	6.1- 8.1	1688	43.7	41.7-45.7
White/Non-Hisp	3104	1,858,670	924	30.5	28.5-32.5	381	13.9	12.3-15.5	159	4.5	3.7- 5.3	249	7.3	6.1- 8.5	1391	43.8	41.6-46.0
Black or Afr. Am./Non-Hisp	219	197,055	73	38.3	30.3-46.3	25	10.6	6.1-15.1	10	4.3	1.6- 7.0	13	6.2	1.9-10.5	98	40.7	32.7-48.7
Oth. Race/Non-Hisp.	122	87,856	31	24.3	14.5-34.1	17	13.6	6.0-21.2	2	1.5	0.0- 3.9	9	6.3	1.4-11.2	63	54.4	43.0-65.8
MultiRacial/Non-Hisp.	57	20,904	18	35.2	18.7-51.7	5	9.4	1.0-17.8	2	6.3	0.0-16.5	4	10.6	0.0-21.2	28	38.4	23.5-53.3
Hispanic	153	142,318	54	37.9	28.9-46.9	21	15.5	8.2-22.8	3	2.0	0.0- 4.5	9	5.0	1.7- 8.3	66	39.6	30.8-48.4
18-24	245	332,073	85	32.6	26.3-38.9	35	14.3	9.4-19.2	5	1.9	0.1- 3.7	10	3.8	1.1- 6.5	110	47.4	40.5-54.3
25-34	356	399,479	133	36.4	30.9-41.9	67	16.1	12.2-20.0	20	5.0	2.5- 7.5	31	9.5	5.8-13.2	105	33.0	27.3-38.7
35-44	408	371,790	143	35.3	30.2-40.4	73	17.4	13.3-21.5	19	4.3	2.3- 6.3	29	7.2	4.5- 9.9	144	35.8	30.7-40.9
45-54	581	382,687	191	33.8	29.5-38.1	78	14.2	10.9-17.5	32	5.7	3.5- 7.9	38	6.2	4.0- 8.4	242	40.2	35.7-44.7
55-64	837	400,686	234	27.0	23.7-30.3	103	12.4	9.9-14.9	45	4.6	3.0- 6.2	70	7.8	5.8- 9.8	385	48.2	44.3-52.1
65+	1306	459,894	333	24.9	22.2-27.6	101	8.3	6.5-10.1	57	3.7	2.5- 4.9	113	7.6	6.0- 9.2	702	55.5	52.2-58.8
Less Than H.S.	279	310,289	58	21.8	16.1-27.5	32	12.6	7.7-17.5	4	1.9	0.0- 4.1	14	6.5	2.6-10.4	171	57.2	50.1-64.3
H.S. or G.E.D.	1192	809,304	311	28.7	25.6-31.8	108	10.1	7.9-12.3	45	3.6	2.4- 4.8	83	6.5	4.9- 8.1	645	51.0	47.5-54.5
Some Post-H.S.	928	695,372	289	35.1	31.4-38.8	124	15.1	12.4-17.8	44	4.2	2.8- 5.6	71	6.9	4.7- 9.1	400	38.6	34.9-42.3
College Graduate	1310	518,441	452	36.1	33.0-39.2	191	17.5	15.0-20.0	84	6.7	5.1- 8.3	122	8.8	7.0-10.6	461	30.8	27.9-33.7
Less than \$15,000	233	155,939	53	23.8	16.9-30.7	14	6.6	2.9-10.3	6	3.8	0.5- 7.1	10	4.5	1.0- 8.0	150	61.3	53.5-69.1
\$15,000- 24,999	468	296,971	108	26.1	20.8-31.4	40	11.0	6.9-15.1	12	2.0	0.6- 3.4	16	3.3	1.3- 5.3	292	57.6	51.9-63.3
\$25,000- 34,999	296	188,487	72	24.5	18.2-30.8	32	12.5	7.6-17.4	10	3.4	1.0- 5.8	20	5.7	2.8- 8.6	162	53.9	46.6-61.2
\$35,000- 49,999	473	295,776	144	34.1	28.6-39.6	54	11.0	7.7-14.3	18	4.2	2.0- 6.4	48	9.9	6.0-13.8	209	40.8	35.3-46.3
\$50,000- 74,999	523	342,982	172	34.8	29.7-39.9	67	15.3	11.2-19.4	28	3.1	1.5- 4.7	46	9.3	6.0-12.6	210	37.5	32.4-42.6
\$75,000+	1140	703,252	403	35.8	32.5-39.1	202	19.6	16.7-22.5	83	6.8	5.2- 8.4	110	8.8	6.8-10.8	342	29.0	25.7-32.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4623	2,492,430	1191	28.0	26.2-29.8	358	8.8	7.6-10.0	125	2.6	2.0- 3.2	151	2.6	2.0- 3.2	2798	58.1	56.3-59.9
White/Non-Hisp	3850	1,996,669	1005	28.8	26.8-30.8	308	9.1	7.9-10.3	109	2.8	2.2- 3.4	135	2.6	2.0- 3.2	2293	56.7	54.7-58.7
Black or Afr. Am./Non-Hisp	331	213,936	93	31.7	25.0-38.4	28	11.2	6.7-15.7	9	2.3	0.5- 4.1	4	1.2	0.0- 2.6	197	53.6	46.5-60.7
Oth. Race/Non-Hisp.	100	64,820	15	9.1	3.2-15.0	4	1.9	0.0- 4.6	5	3.6	0.0- 7.7	3	2.6	0.0- 5.9	73	82.8	74.4-91.2
MultiRacial/Non-Hisp.	68	24,996	16	24.1	11.9-36.3	4	5.8	0.0-12.5				1	1.9	0.0- 5.6	47	68.2	54.7-81.7
Hispanic	200	150,554	51	25.4	18.3-32.5	11	6.4	2.1-10.7	1	0.4	0.0- 1.2	6	3.3	0.0- 6.8	131	64.5	56.5-72.5
18-24	187	306,640	54	26.0	19.3-32.7	19	9.2	4.7-13.7	5	2.2	0.0- 4.4	3	1.5	0.0- 3.5	106	61.0	53.4-68.6
25-34	390	400,649	154	38.8	33.5-44.1	43	10.3	7.2-13.4	8	2.0	0.6- 3.4	8	1.4	0.4- 2.4	177	47.5	42.0-53.0
35-44	498	389,240	170	32.5	28.0-37.0	56	12.2	8.9-15.5	14	2.1	0.9- 3.3	17	3.5	1.7- 5.3	241	49.7	44.8-54.6
45-54	666	388,723	215	33.0	29.1-36.9	63	9.2	6.7-11.7	21	3.3	1.7- 4.9	18	2.2	1.0- 3.4	349	52.3	48.0-56.6
55-64	908	425,217	249	26.7	23.4-30.0	70	8.0	6.0-10.0	34	3.4	2.2- 4.6	20	2.2	1.2- 3.2	535	59.6	55.9-63.3
65+	1974	581,961	349	16.3	14.5-18.1	107	5.6	4.4- 6.8	43	2.3	1.5- 3.1	85	3.8	2.8- 4.8	1390	72.0	69.6-74.4
Less Than H.S.	325	275,309	37	13.6	8.5-18.7	10	4.0	0.9- 7.1				4	1.7	0.0- 3.7	274	80.7	74.8-86.6
H.S. or G.E.D.	1455	767,446	281	24.0	21.1-26.9	66	5.4	3.8- 7.0	18	1.2	0.4- 2.0	30	1.9	1.1- 2.7	1060	67.5	64.4-70.6
Some Post-H.S.	1249	805,346	328	29.2	26.1-32.3	101	10.3	7.9-12.7	30	2.6	1.4- 3.8	36	2.4	1.4- 3.4	754	55.5	52.0-59.0
College Graduate	1569	633,042	541	37.9	35.0-40.8	180	13.2	11.0-15.4	77	5.4	4.0- 6.8	80	4.0	3.0- 5.0	691	39.5	36.6-42.4
Less than \$15,000	385	242,524	62	21.8	16.1-27.5	5	1.3	0.0- 2.7	3	1.2	0.0- 3.0	7	1.6	0.2- 3.0	308	74.1	68.0-80.2
\$15,000- 24,999	690	362,408	126	23.1	18.6-27.6	36	5.7	3.2- 8.2	4	0.3	0.1- 0.5	13	1.7	0.1- 3.3	511	69.3	64.4-74.2
\$25,000- 34,999	444	234,036	107	23.9	18.6-29.2	24	8.4	4.5-12.3	11	2.0	0.6- 3.4	13	1.9	0.5- 3.3	289	63.8	57.7-69.9
\$35,000- 49,999	499	262,045	136	29.1	24.0-34.2	45	9.5	6.2-12.8	14	2.9	1.1- 4.7	15	3.1	1.1- 5.1	289	55.4	49.7-61.1
\$50,000- 74,999	551	316,028	170	27.8	23.5-32.1	50	11.8	7.9-15.7	19	2.8	1.4- 4.2	25	3.6	1.8- 5.4	287	53.9	48.6-59.2
\$75,000+	945	569,826	346	38.5	34.8-42.2	145	16.1	13.4-18.8	56	5.5	3.9- 7.1	50	3.9	2.7- 5.1	348	36.0	32.3-39.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8258	4,770,161	7282	84.5	83.5-85.5	976	15.5	14.5-16.5
Male	3669	2,299,651	3063	79.5	77.7-81.3	606	20.5	18.7-22.3
Female	4589	2,470,510	4219	89.0	87.8-90.2	370	11.0	9.8-12.2
White/Non-Hisp	6879	3,803,265	6085	84.8	83.6-86.0	794	15.2	14.0-16.4
Black or Afr. Am./Non-Hisp	543	406,388	472	83.1	79.0-87.2	71	16.9	12.8-21.0
Oth. Race/Non-Hisp.	218	150,521	195	88.3	83.0-93.6	23	11.7	6.4-17.0
MultiRacial/Non-Hisp.	125	45,900	112	82.4	73.0-91.8	13	17.6	8.2-27.0
Hispanic	345	285,131	283	79.5	74.2-84.8	62	20.5	15.2-25.8
18-24	429	633,911	328	78.8	74.7-82.9	101	21.2	17.1-25.3
25-34	731	782,463	550	75.9	72.4-79.4	181	24.1	20.6-27.6
35-44	890	747,818	710	80.0	77.1-82.9	180	20.0	17.1-22.9
45-54	1232	760,915	1043	83.3	80.9-85.7	189	16.7	14.3-19.1
55-64	1722	814,596	1528	88.3	86.5-90.1	194	11.7	9.9-13.5
65+	3254	1,030,458	3123	95.5	94.5-96.5	131	4.5	3.5- 5.5
Less Than H.S.	590	566,468	531	86.4	82.7-90.1	59	13.6	9.9-17.3
H.S. or G.E.D.	2617	1,556,996	2364	86.8	85.0-88.6	253	13.2	11.4-15.0
Some Post-H.S.	2157	1,488,233	1869	82.5	80.3-84.7	288	17.5	15.3-19.7
College Graduate	2847	1,134,885	2474	82.9	81.1-84.7	373	17.1	15.3-18.9
Less than \$15,000	607	388,633	554	87.9	84.4-91.4	53	12.1	8.6-15.6
\$15,000- 24,999	1146	650,287	1051	88.4	85.9-90.9	95	11.6	9.1-14.1
\$25,000- 34,999	735	418,120	658	85.4	81.9-88.9	77	14.6	11.1-18.1
\$35,000- 49,999	961	548,381	853	85.3	82.2-88.4	108	14.7	11.6-17.8
\$50,000- 74,999	1062	653,129	904	81.7	78.6-84.8	158	18.3	15.2-21.4
\$75,000+	2061	1,257,932	1683	78.2	76.0-80.4	378	21.8	19.6-24.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3669	2,299,651	3063	79.5	77.7-81.3	606	20.5	18.7-22.3
White/Non-Hisp	3059	1,826,017	2566	80.1	78.3-81.9	493	19.9	18.1-21.7
Black or Afr. Am./Non-Hisp	213	193,605	174	77.9	70.8-85.0	39	22.1	15.0-29.2
Oth. Race/Non-Hisp.	121	87,046	102	82.8	74.6-91.0	19	17.2	9.0-25.4
MultiRacial/Non-Hisp.	57	20,904	49	74.8	58.5-91.1	8	25.2	8.9-41.5
Hispanic	145	134,577	108	73.0	64.4-81.6	37	27.0	18.4-35.6
18-24	244	329,009	179	76.0	70.3-81.7	65	24.0	18.3-29.7
25-34	346	386,982	227	67.0	61.5-72.5	119	33.0	27.5-38.5
35-44	400	365,396	298	74.6	69.9-79.3	102	25.4	20.7-30.1
45-54	571	375,614	464	79.3	75.4-83.2	107	20.7	16.8-24.6
55-64	820	391,995	694	84.3	81.6-87.0	126	15.7	13.0-18.4
65+	1288	450,655	1201	92.8	91.0-94.6	87	7.2	5.4- 9.0
Less Than H.S.	267	293,280	225	80.1	74.0-86.2	42	19.9	13.8-26.0
H.S. or G.E.D.	1169	794,020	998	82.2	79.5-84.9	171	17.8	15.1-20.5
Some Post-H.S.	917	689,625	734	76.5	73.2-79.8	183	23.5	20.2-26.8
College Graduate	1293	510,332	1086	79.3	76.6-82.0	207	20.7	18.0-23.4
Less than \$15,000	227	150,072	200	83.9	77.6-90.2	27	16.1	9.8-22.4
\$15,000- 24,999	460	290,159	408	84.6	80.1-89.1	52	15.4	10.9-19.9
\$25,000- 34,999	293	186,388	248	80.9	75.0-86.8	45	19.1	13.2-25.0
\$35,000- 49,999	463	287,833	389	80.9	76.2-85.6	74	19.1	14.4-23.8
\$50,000- 74,999	516	339,500	409	74.4	69.3-79.5	107	25.6	20.5-30.7
\$75,000+	1128	695,884	889	74.5	71.4-77.6	239	25.5	22.4-28.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4589	2,470,510	4219	89.0	87.8-90.2	370	11.0	9.8-12.2
White/Non-Hisp	3820	1,977,248	3519	89.1	87.7-90.5	301	10.9	9.5-12.3
Black or Afr. Am./Non-Hisp	330	212,782	298	87.8	83.1-92.5	32	12.2	7.5-16.9
Oth. Race/Non-Hisp.	97	63,475	93	95.7	91.0- 100	4	4.3	0.0- 9.0
MultiRacial/Non-Hisp.	68	24,996	63	88.8	79.4-98.2	5	11.2	1.8-20.6
Hispanic	200	150,554	175	85.2	78.7-91.7	25	14.8	8.3-21.3
18-24	185	304,902	149	81.9	76.0-87.8	36	18.1	12.2-24.0
25-34	385	395,481	323	84.5	80.6-88.4	62	15.5	11.6-19.4
35-44	490	382,423	412	85.1	81.8-88.4	78	14.9	11.6-18.2
45-54	661	385,301	579	87.1	84.2-90.0	82	12.9	10.0-15.8
55-64	902	422,601	834	92.0	89.8-94.2	68	8.0	5.8-10.2
65+	1966	579,803	1922	97.7	96.9-98.5	44	2.3	1.5- 3.1
Less Than H.S.	323	273,187	306	93.1	89.4-96.8	17	6.9	3.2-10.6
H.S. or G.E.D.	1448	762,976	1366	91.5	89.3-93.7	82	8.5	6.3-10.7
Some Post-H.S.	1240	798,607	1135	87.6	85.1-90.1	105	12.4	9.9-14.9
College Graduate	1554	624,553	1388	85.9	83.7-88.1	166	14.1	11.9-16.3
Less than \$15,000	380	238,561	354	90.5	86.4-94.6	26	9.5	5.4-13.6
\$15,000- 24,999	686	360,128	643	91.4	88.5-94.3	43	8.6	5.7-11.5
\$25,000- 34,999	442	231,732	410	89.1	84.8-93.4	32	10.9	6.6-15.2
\$35,000- 49,999	498	260,548	464	90.2	86.5-93.9	34	9.8	6.1-13.5
\$50,000- 74,999	546	313,630	495	89.6	86.3-92.9	51	10.4	7.1-13.7
\$75,000+	933	562,048	794	82.8	79.9-85.7	139	17.2	14.3-20.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8231	4,762,157	1360	16.2	15.2-17.2	524	7.1	6.3- 7.9	834	11.5	10.5-12.5	518	6.7	6.1- 7.3	509	6.6	5.8- 7.4	4486	51.9	50.5-53.3
Male	3667	2,304,532	595	15.6	14.2-17.0	239	6.8	5.8- 7.8	443	13.0	11.6-14.4	311	8.8	7.6-10.0	391	11.2	9.8-12.6	1688	44.4	42.4-46.4
Female	4564	2,457,625	765	16.7	15.3-18.1	285	7.4	6.4- 8.4	391	10.1	8.9-11.3	207	4.7	3.9- 5.5	118	2.3	1.7- 2.9	2798	58.9	57.1-60.7
White/Non-Hisp	6853	3,794,350	1149	16.3	15.1-17.5	430	7.1	6.3- 7.9	710	11.6	10.6-12.6	441	6.8	6.0- 7.6	439	6.8	6.0- 7.6	3684	51.3	49.7-52.9
Black or Afr. Am./Non-Hisp	542	405,878	95	19.6	15.3-23.9	41	8.6	5.5-11.7	57	12.6	9.1-16.1	34	6.3	3.9- 8.7	20	4.9	2.4- 7.4	295	48.0	42.5-53.5
Oth. Race/Non-Hisp.	218	150,534	27	9.9	5.0-14.8	13	5.2	1.3- 9.1	15	6.4	2.5-10.3	13	6.1	1.8-10.4	14	5.1	1.8- 8.4	136	67.4	59.4-75.4
MultiRacial/Non-Hisp.	123	45,180	19	13.4	6.3-20.5	10	7.6	2.3-12.9	12	15.4	6.6-24.2	1	1.1	0.0- 3.1	6	6.9	0.4-13.4	75	55.5	44.1-66.9
Hispanic	348	289,221	53	15.3	11.0-19.6	21	5.9	3.2- 8.6	33	11.3	7.0-15.6	22	6.6	3.5- 9.7	22	7.9	4.0-11.8	197	53.1	46.8-59.4
18-24	424	631,610	55	12.3	9.0-15.6	28	6.0	3.6- 8.4	60	13.5	10.0-17.0	35	7.3	4.8- 9.8	30	6.4	4.0- 8.8	216	54.6	49.3-59.9
25-34	729	783,115	142	19.0	15.9-22.1	68	9.4	7.0-11.8	119	14.5	12.0-17.0	52	7.0	5.0- 9.0	66	9.0	6.6-11.4	282	41.1	37.0-45.2
35-44	894	750,676	166	18.2	15.5-20.9	75	8.1	6.1-10.1	123	13.9	11.4-16.4	85	8.7	6.7-10.7	60	7.6	5.4- 9.8	385	43.5	39.8-47.2
45-54	1229	757,568	228	18.7	16.2-21.2	101	8.2	6.4-10.0	140	11.5	9.5-13.5	81	7.1	5.5- 8.7	88	7.3	5.7- 8.9	591	47.2	44.1-50.3
55-64	1713	809,960	274	14.7	12.9-16.5	125	7.7	6.1- 9.3	174	10.4	8.8-12.0	112	6.5	5.1- 7.9	108	5.7	4.5- 6.9	920	55.1	52.4-57.8
65+	3242	1,029,228	495	14.2	12.8-15.6	127	4.2	3.4- 5.0	218	7.0	6.0- 8.0	153	4.5	3.7- 5.3	157	4.6	3.8- 5.4	2092	65.5	63.5-67.5
Less Than H.S.	591	576,369	51	10.1	7.0-13.2	18	2.8	1.2- 4.4	30	6.8	4.1- 9.5	21	4.1	2.1- 6.1	26	6.8	3.9- 9.7	445	69.3	64.4-74.2
H.S. or G.E.D.	2604	1,544,099	345	14.1	12.3-15.9	114	5.9	4.7- 7.1	199	9.4	7.8-11.0	102	4.6	3.6- 5.6	139	5.8	4.6- 7.0	1705	60.3	57.9-62.7
Some Post-H.S.	2149	1,483,526	346	16.8	14.8-18.8	142	8.1	6.5- 9.7	225	12.4	10.6-14.2	142	7.4	6.0- 8.8	140	7.2	5.8- 8.6	1154	48.2	45.7-50.7
College Graduate	2839	1,133,776	611	21.4	19.6-23.2	248	9.9	8.5-11.3	376	15.5	13.7-17.3	251	9.9	8.5-11.3	201	7.1	5.9- 8.3	1152	36.2	34.0-38.4
Less than \$15,000	611	394,353	59	9.4	6.5-12.3	23	5.8	3.1- 8.5	30	7.4	4.7-10.1	20	3.1	1.3- 4.9	21	4.5	2.3- 6.7	458	69.8	64.9-74.7
\$15,000- 24,999	1140	647,870	138	14.1	11.2-17.0	48	5.3	3.7- 6.9	73	7.9	5.5-10.3	38	3.5	1.9- 5.1	40	4.0	2.4- 5.6	803	65.2	61.5-68.9
\$25,000- 34,999	730	415,467	102	13.7	10.4-17.0	33	3.4	2.0- 4.8	68	10.6	7.7-13.5	33	5.5	3.3- 7.7	43	6.5	4.0- 9.0	451	60.4	55.7-65.1
\$35,000- 49,999	955	546,224	181	18.5	15.4-21.6	49	6.1	3.9- 8.3	92	11.4	8.7-14.1	70	8.0	5.8-10.2	65	7.3	4.9- 9.7	498	48.7	44.6-52.8
\$50,000- 74,999	1057	647,992	194	16.3	13.8-18.8	79	8.0	5.8-10.2	139	14.2	11.5-16.9	58	5.2	3.6- 6.8	90	10.1	7.6-12.6	497	46.1	42.4-49.8
\$75,000+	2058	1,257,196	411	19.1	17.1-21.1	210	11.2	9.4-13.0	334	16.9	14.9-18.9	220	11.0	9.4-12.6	193	9.3	7.7-10.9	690	32.6	30.1-35.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3667	2,304,532	595	15.6	14.2-17.0	239	6.8	5.8- 7.8	443	13.0	11.6-14.4	311	8.8	7.6-10.0	391	11.2	9.8-12.6	1688	44.4	42.4-46.4
White/Non-Hisp	3054	1,827,964	502	15.6	14.0-17.2	192	6.6	5.4- 7.8	374	12.9	11.3-14.5	261	8.9	7.7-10.1	334	11.5	10.1-12.9	1391	44.5	42.3-46.7
Black or Afr. Am./Non-Hisp	215	192,974	36	18.3	11.8-24.8	17	9.0	4.3-13.7	28	14.0	8.3-19.7	20	8.0	4.3-11.7	16	9.1	3.8-14.4	98	41.5	33.3-49.7
Oth. Race/Non-Hisp.	120	86,748	16	11.6	4.2-19.0	10	8.3	1.8-14.8	11	9.6	3.3-15.9	8	7.8	1.1-14.5	12	7.6	2.5-12.7	63	55.1	43.7-66.5
MultiRacial/Non-Hisp.	55	20,184	11	16.8	4.6-29.0	6	11.8	1.6-22.0	5	16.8	1.7-31.9	5	14.9	1.2-28.6	5	14.9	1.2-28.6	28	39.8	24.3-55.3
Hispanic	149	139,709	23	16.3	9.6-23.0	9	5.7	1.8- 9.6	19	14.9	7.8-22.0	15	9.5	4.4-14.6	17	13.3	6.2-20.4	66	40.3	31.3-49.3
18-24	242	329,714	35	13.7	9.0-18.4	12	5.0	2.1- 7.9	35	14.1	9.2-19.0	23	8.6	4.9-12.3	27	10.8	6.5-15.1	110	47.7	40.6-54.8
25-34	346	389,401	59	16.4	12.1-20.7	30	8.8	5.3-12.3	64	16.2	12.3-20.1	31	8.7	5.4-12.0	57	16.1	11.6-20.6	105	33.8	28.1-39.5
35-44	405	369,241	65	17.1	13.0-21.2	33	7.6	4.9-10.3	65	16.2	12.1-20.3	53	11.3	8.2-14.4	45	11.8	8.1-15.5	144	36.0	30.7-41.3
45-54	568	372,523	100	17.6	13.9-21.3	37	6.8	4.4- 9.2	72	12.3	9.4-15.2	51	9.9	7.2-12.6	66	12.0	8.9-15.1	242	41.3	36.8-45.8
55-64	818	390,233	116	12.2	9.8-14.6	63	8.3	6.1-10.5	94	11.8	9.3-14.3	72	8.5	6.3-10.7	88	9.8	7.6-12.0	385	49.4	45.5-53.3
65+	1288	453,419	220	16.6	14.2-19.0	64	4.7	3.3- 6.1	113	8.4	6.6-10.2	81	6.5	4.9- 8.1	108	7.5	5.9- 9.1	702	56.3	53.0-59.6
Less Than H.S.	272	304,810	26	10.9	6.4-15.4	11	3.4	1.0- 5.8	24	9.8	5.5-14.1	18	6.6	3.3- 9.9	22	11.1	6.0-16.2	171	58.2	51.1-65.3
H.S. or G.E.D.	1168	789,540	163	13.8	11.4-16.2	59	6.3	4.5- 8.1	115	11.3	9.1-13.5	73	6.7	4.9- 8.5	113	9.6	7.6-11.6	645	52.2	48.7-55.7
Some Post-H.S.	914	686,113	147	17.4	14.5-20.3	62	7.8	5.6-10.0	113	13.3	10.6-16.0	83	9.4	7.2-11.6	109	12.9	10.2-15.6	400	39.2	35.5-42.9
College Graduate	1290	510,969	256	19.0	16.5-21.5	105	8.4	6.6-10.2	188	17.1	14.6-19.6	135	12.4	10.2-14.6	145	11.8	9.6-14.0	461	31.3	28.4-34.2
Less than \$15,000	229	153,111	29	11.5	6.0-17.0	5	2.6	0.2- 5.0	16	9.1	4.4-13.8	13	4.8	1.9- 7.7	16	9.5	4.4-14.6	150	62.5	54.7-70.3
\$15,000- 24,999	458	290,765	59	14.5	10.2-18.8	21	5.7	3.0- 8.4	35	8.7	5.0-12.4	22	4.6	2.1- 7.1	29	7.8	4.5-11.1	292	58.8	53.1-64.5
\$25,000- 34,999	291	184,889	36	12.0	7.1-16.9	10	2.8	0.8- 4.8	34	12.3	7.6-17.0	20	8.3	4.2-12.4	29	9.6	5.5-13.7	162	54.9	47.6-62.2
\$35,000- 49,999	462	288,881	84	18.2	13.9-22.5	27	6.6	3.5- 9.7	49	12.3	8.4-16.2	38	9.2	5.9-12.5	55	12.0	7.9-16.1	209	41.8	36.1-47.5
\$50,000- 74,999	513	336,688	86	16.0	12.3-19.7	39	8.3	5.2-11.4	70	14.0	10.1-17.9	38	7.3	4.6-10.0	70	16.3	11.8-20.8	210	38.2	32.9-43.5
\$75,000+	1124	693,953	199	16.5	14.0-19.0	103	9.5	7.3-11.7	194	18.5	15.8-21.2	135	12.4	10.2-14.6	151	13.7	11.2-16.2	342	29.4	26.1-32.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4564	2,457,625	765	16.7	15.3-18.1	285	7.4	6.4- 8.4	391	10.1	8.9-11.3	207	4.7	3.9- 5.5	118	2.3	1.7- 2.9	2798	58.9	57.1-60.7
White/Non-Hisp	3799	1,966,385	647	16.9	15.3-18.5	238	7.6	6.4- 8.8	336	10.5	9.1-11.9	180	4.9	3.9- 5.9	105	2.5	1.9- 3.1	2293	57.6	55.6-59.6
Black or Afr. Am./Non-Hisp	327	212,904	59	20.8	14.9-26.7	24	8.3	4.4-12.2	29	11.3	7.0-15.6	14	4.7	2.0- 7.4	4	1.1	0.0- 2.3	197	53.9	46.8-61.0
Oth. Race/Non-Hisp.	98	63,786	11	7.6	2.1-13.1	3	1.0	0.0- 2.4	4	1.9	0.0- 4.6	5	3.8	0.0- 7.9	2	1.6	0.0- 4.5	73	84.1	75.9-92.3
MultiRacial/Non-Hisp.	68	24,996	8	10.7	2.5-18.9	4	4.3	0.0- 9.4	7	14.3	3.7-24.9	1	1.9	0.0- 5.6	1	0.5	0.0- 1.5	47	68.2	54.7-81.7
Hispanic	199	149,512	30	14.3	8.8-19.8	12	6.1	2.4- 9.8	14	8.0	3.3-12.7	7	3.8	0.3- 7.3	5	2.9	0.0- 6.0	131	65.0	57.0-73.0
18-24	182	301,896	20	10.7	5.8-15.6	16	7.1	3.4-10.8	25	12.9	7.8-18.0	12	5.9	2.2- 9.6	3	1.5	0.0- 3.3	106	62.0	54.4-69.6
25-34	383	393,715	83	21.7	17.2-26.2	38	9.9	6.6-13.2	55	12.8	9.5-16.1	21	5.4	3.0- 7.8	9	2.0	0.6- 3.4	177	48.3	42.8-53.8
35-44	489	381,434	101	19.3	15.6-23.0	42	8.6	5.7-11.5	58	11.7	8.6-14.8	32	6.2	3.8- 8.6	15	3.5	1.5- 5.5	241	50.7	45.8-55.6
45-54	661	385,045	128	19.8	16.5-23.1	64	9.5	7.0-12.0	68	10.8	8.1-13.5	30	4.3	2.5- 6.1	22	2.7	1.5- 3.9	349	52.8	48.5-57.1
55-64	895	419,726	158	17.1	14.4-19.8	62	7.1	5.1- 9.1	80	9.0	6.8-11.2	40	4.6	3.0- 6.2	20	1.8	0.8- 2.8	535	60.4	56.7-64.1
65+	1954	575,809	275	12.3	10.7-13.9	63	3.8	2.6- 5.0	105	5.9	4.5- 7.3	72	2.9	2.1- 3.7	49	2.4	1.6- 3.2	1390	72.8	70.4-75.2
Less Than H.S.	319	271,559	25	9.3	4.8-13.8	7	2.0	0.2- 3.8	6	3.5	0.6- 6.4	3	1.4	0.0- 3.4	4	2.1	0.0- 4.3	274	81.8	75.9-87.7
H.S. or G.E.D.	1436	754,559	182	14.3	11.9-16.7	55	5.4	3.8- 7.0	84	7.5	5.5- 9.5	29	2.3	1.3- 3.3	26	1.7	0.9- 2.5	1060	68.7	65.6-71.8
Some Post-H.S.	1235	797,414	199	16.3	13.8-18.8	80	8.2	6.2-10.2	112	11.6	9.2-14.0	59	5.6	3.8- 7.4	31	2.3	1.3- 3.3	754	56.0	52.5-59.5
College Graduate	1549	622,807	355	23.4	20.9-25.9	143	11.1	9.1-13.1	188	14.1	11.9-16.3	116	7.9	6.3- 9.5	56	3.2	2.2- 4.2	691	40.2	37.3-43.1
Less than \$15,000	382	241,242	30	8.1	4.8-11.4	18	7.8	3.7-11.9	14	6.3	2.8- 9.8	7	2.1	0.0- 4.3	5	1.2	0.0- 2.4	308	74.5	68.4-80.6
\$15,000- 24,999	682	357,105	79	13.7	9.8-17.6	27	5.1	2.9- 7.3	38	7.2	4.3-10.1	16	2.7	0.9- 4.5	11	0.9	0.3- 1.5	511	70.4	65.5-75.3
\$25,000- 34,999	439	230,578	66	15.0	10.5-19.5	23	3.9	2.1- 5.7	34	9.2	5.7-12.7	13	3.2	1.0- 5.4	14	4.0	1.1- 6.9	289	64.8	58.7-70.9
\$35,000- 49,999	493	257,343	97	18.8	14.5-23.1	22	5.5	2.8- 8.2	43	10.3	6.8-13.8	32	6.8	3.9- 9.7	10	2.1	0.5- 3.7	289	56.5	50.8-62.2
\$50,000- 74,999	544	311,303	108	16.7	13.2-20.2	40	7.7	5.0-10.4	69	14.4	10.5-18.3	20	3.0	1.4- 4.6	20	3.5	1.7- 5.3	287	54.7	49.4-60.0
\$75,000+	934	563,242	212	22.4	19.3-25.5	107	13.3	10.6-16.0	140	14.8	12.3-17.3	85	9.3	6.9-11.7	42	3.8	2.4- 5.2	348	36.4	32.7-40.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8231	4,762,157	7822	94.6	94.0-95.2	409	5.4	4.8- 6.0
Male	3667	2,304,532	3446	93.1	91.9-94.3	221	6.9	5.7- 8.1
Female	4564	2,457,625	4376	95.9	95.1-96.7	188	4.1	3.3- 4.9
White/Non-Hisp	6853	3,794,350	6505	94.5	93.7-95.3	348	5.5	4.7- 6.3
Black or Afr. Am./Non-Hisp	542	405,878	520	94.8	92.3-97.3	22	5.2	2.7- 7.7
Oth. Race/Non-Hisp.	218	150,534	208	96.7	94.0-99.4	10	3.3	0.6- 6.0
MultiRacial/Non-Hisp.	123	45,180	119	94.1	87.6- 100	4	5.9	0.0-12.4
Hispanic	348	289,221	328	93.6	90.3-96.9	20	6.4	3.1- 9.7
18-24	424	631,610	399	94.7	92.5-96.9	25	5.3	3.1- 7.5
25-34	729	783,115	678	92.8	90.6-95.0	51	7.2	5.0- 9.4
35-44	894	750,676	839	93.4	91.4-95.4	55	6.6	4.6- 8.6
45-54	1229	757,568	1163	94.4	92.8-96.0	66	5.6	4.0- 7.2
55-64	1713	809,960	1623	94.9	93.7-96.1	90	5.1	3.9- 6.3
65+	3242	1,029,228	3120	96.5	95.7-97.3	122	3.5	2.7- 4.3
Less Than H.S.	591	576,369	569	94.2	91.5-96.9	22	5.8	3.1- 8.5
H.S. or G.E.D.	2604	1,544,099	2493	95.4	94.4-96.4	111	4.6	3.6- 5.6
Some Post-H.S.	2149	1,483,526	2025	94.0	92.8-95.2	124	6.0	4.8- 7.2
College Graduate	2839	1,133,776	2690	94.4	93.4-95.4	149	5.6	4.6- 6.6
Less than \$15,000	611	394,353	595	96.6	94.6-98.6	16	3.4	1.4- 5.4
\$15,000- 24,999	1140	647,870	1104	96.9	95.7-98.1	36	3.1	1.9- 4.3
\$25,000- 34,999	730	415,467	693	94.2	91.8-96.6	37	5.8	3.4- 8.2
\$35,000- 49,999	955	546,224	903	93.2	90.8-95.6	52	6.8	4.4- 9.2
\$50,000- 74,999	1057	647,992	990	93.2	91.0-95.4	67	6.8	4.6- 9.0
\$75,000+	2058	1,257,196	1911	92.1	90.7-93.5	147	7.9	6.5- 9.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3667	2,304,532	3446	93.1	91.9-94.3	221	6.9	5.7- 8.1
White/Non-Hisp	3054	1,827,964	2867	93.3	92.1-94.5	187	6.7	5.5- 7.9
Black or Afr. Am./Non-Hisp	215	192,974	205	93.0	88.1-97.9	10	7.0	2.1-11.9
Oth. Race/Non-Hisp.	120	86,748	116	97.1	93.8- 100	4	2.9	0.0- 6.2
MultiRacial/Non-Hisp.	55	20,184	52	87.4	73.9- 100	3	12.6	0.0-26.1
Hispanic	149	139,709	136	90.3	84.2-96.4	13	9.7	3.6-15.8
18-24	242	329,714	225	93.4	90.1-96.7	17	6.6	3.3- 9.9
25-34	346	389,401	312	90.0	86.3-93.7	34	10.0	6.3-13.7
35-44	405	369,241	379	92.6	89.5-95.7	26	7.4	4.3-10.5
45-54	568	372,523	532	92.8	90.3-95.3	36	7.2	4.7- 9.7
55-64	818	390,233	766	93.6	91.6-95.6	52	6.4	4.4- 8.4
65+	1288	453,419	1232	95.9	94.7-97.1	56	4.1	2.9- 5.3
Less Than H.S.	272	304,810	254	90.9	86.2-95.6	18	9.1	4.4-13.8
H.S. or G.E.D.	1168	789,540	1094	93.6	92.0-95.2	74	6.4	4.8- 8.0
Some Post-H.S.	914	686,113	847	92.3	90.1-94.5	67	7.7	5.5- 9.9
College Graduate	1290	510,969	1230	95.0	93.6-96.4	60	5.0	3.6- 6.4
Less than \$15,000	229	153,111	221	95.0	91.3-98.7	8	5.0	1.3- 8.7
\$15,000- 24,999	458	290,765	437	94.8	92.3-97.3	21	5.2	2.7- 7.7
\$25,000- 34,999	291	184,889	273	93.1	89.4-96.8	18	6.9	3.2-10.6
\$35,000- 49,999	462	288,881	430	91.6	87.7-95.5	32	8.4	4.5-12.3
\$50,000- 74,999	513	336,688	474	91.5	88.0-95.0	39	8.5	5.0-12.0
\$75,000+	1124	693,953	1049	91.8	89.6-94.0	75	8.2	6.0-10.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4564	2,457,625	4376	95.9	95.1-96.7	188	4.1	3.3- 4.9
White/Non-Hisp	3799	1,966,385	3638	95.7	94.9-96.5	161	4.3	3.5- 5.1
Black or Afr. Am./Non-Hisp	327	212,904	315	96.4	94.2-98.6	12	3.6	1.4- 5.8
Oth. Race/Non-Hisp.	98	63,786	92	96.0	91.7- 100	6	4.0	0.0- 8.3
MultiRacial/Non-Hisp.	68	24,996	67	99.5	98.5- 100	1	0.5	0.0- 1.5
Hispanic	199	149,512	192	96.6	93.3-99.9	7	3.4	0.1- 6.7
18-24	182	301,896	174	96.2	93.5-98.9	8	3.8	1.1- 6.5
25-34	383	393,715	366	95.6	93.4-97.8	17	4.4	2.2- 6.6
35-44	489	381,434	460	94.2	91.8-96.6	29	5.8	3.4- 8.2
45-54	661	385,045	631	95.9	94.3-97.5	30	4.1	2.5- 5.7
55-64	895	419,726	857	96.1	94.7-97.5	38	3.9	2.5- 5.3
65+	1954	575,809	1888	96.9	95.9-97.9	66	3.1	2.1- 4.1
Less Than H.S.	319	271,559	315	97.9	95.7- 100	4	2.1	0.0- 4.3
H.S. or G.E.D.	1436	754,559	1399	97.3	96.3-98.3	37	2.7	1.7- 3.7
Some Post-H.S.	1235	797,414	1178	95.4	94.0-96.8	57	4.6	3.2- 6.0
College Graduate	1549	622,807	1460	93.9	92.5-95.3	89	6.1	4.7- 7.5
Less than \$15,000	382	241,242	374	97.6	95.4-99.8	8	2.4	0.2- 4.6
\$15,000- 24,999	682	357,105	667	98.5	97.5-99.5	15	1.5	0.5- 2.5
\$25,000- 34,999	439	230,578	420	95.1	92.0-98.2	19	4.9	1.8- 8.0
\$35,000- 49,999	493	257,343	473	95.0	92.5-97.5	20	5.0	2.5- 7.5
\$50,000- 74,999	544	311,303	516	95.0	92.8-97.2	28	5.0	2.8- 7.2
\$75,000+	934	563,242	862	92.6	90.6-94.6	72	7.4	5.4- 9.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019**

SECTION 13: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1 MALES AND FEMALES	135
2 MALES ONLY	136
3 FEMALES ONLY	137
PHYSICAL ACTIVITY CATEGORIES (_PACAT2)	
4 MALES AND FEMALES	138
5 MALES ONLY	139
6 FEMALES ONLY	140
PHYSICAL ACTIVITY INDEX (_PAINDX2)	
7 MALES AND FEMALES	141
8 MALES ONLY	142
9 FEMALES ONLY	143
MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)	
10 MALES AND FEMALES	144
11 MALES ONLY	145
12 FEMALES ONLY	146
AEROBIC AND STRENGTHENING GUIDELINE (_PAREC2)	
13 MALES AND FEMALES	147
14 MALES ONLY	148
15 FEMALES ONLY	149
AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE2)	
16 MALES AND FEMALES	150
17 MALES ONLY	151
18 FEMALES ONLY	152

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8356	4,838,468	5706	69.1	67.9-70.3	2650	30.9	29.7-32.1
Male	3739	2,350,087	2658	70.2	68.2-72.2	1081	29.8	27.8-31.8
Female	4617	2,488,381	3048	68.0	66.2-69.8	1569	32.0	30.2-33.8
White/Non-Hisp	6948	3,852,544	4788	69.7	68.3-71.1	2160	30.3	28.9-31.7
Black or Afr. Am./Non-Hisp	556	411,548	357	66.1	61.0-71.2	199	33.9	28.8-39.0
Oth. Race/Non-Hisp.	222	153,423	153	72.7	65.3-80.1	69	27.3	19.9-34.7
MultiRacial/Non-Hisp.	123	45,276	92	77.5	68.9-86.1	31	22.5	13.9-31.1
Hispanic	354	294,398	214	62.0	56.1-67.9	140	38.0	32.1-43.9
18-24	434	644,512	331	75.7	71.2-80.2	103	24.3	19.8-28.8
25-34	740	793,006	542	70.2	66.5-73.9	198	29.8	26.1-33.5
35-44	905	760,533	643	71.0	67.7-74.3	262	29.0	25.7-32.3
45-54	1251	774,274	888	70.3	67.4-73.2	363	29.7	26.8-32.6
55-64	1742	823,140	1160	65.0	62.5-67.5	582	35.0	32.5-37.5
65+	3284	1,043,003	2142	64.9	62.9-66.9	1142	35.1	33.1-37.1
Less Than H.S.	603	582,288	290	52.4	47.5-57.3	313	47.6	42.7-52.5
H.S. or G.E.D.	2650	1,579,672	1545	61.4	59.0-63.8	1105	38.6	36.2-41.0
Some Post-H.S.	2184	1,505,014	1514	72.4	70.2-74.6	670	27.6	25.4-29.8
College Graduate	2868	1,146,728	2332	83.8	82.2-85.4	536	16.2	14.6-17.8
Less than \$15,000	620	397,491	325	53.8	48.7-58.9	295	46.2	41.1-51.3
\$15,000- 24,999	1153	660,217	611	55.6	51.9-59.3	542	44.4	40.7-48.1
\$25,000- 34,999	733	415,461	476	64.9	60.4-69.4	257	35.1	30.6-39.6
\$35,000- 49,999	976	558,285	667	68.4	64.7-72.1	309	31.6	27.9-35.3
\$50,000- 74,999	1073	662,013	818	75.0	71.7-78.3	255	25.0	21.7-28.3
\$75,000+	2072	1,264,113	1676	80.6	78.4-82.8	396	19.4	17.2-21.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3739	2,350,087	2658	70.2	68.2-72.2	1081	29.8	27.8-31.8
White/Non-Hisp	3105	1,858,520	2239	71.3	69.3-73.3	866	28.7	26.7-30.7
Black or Afr. Am./Non-Hisp	224	198,063	146	64.6	56.8-72.4	78	35.4	27.6-43.2
Oth. Race/Non-Hisp.	122	88,964	83	69.5	59.1-79.9	39	30.5	20.1-40.9
MultiRacial/Non-Hisp.	55	20,280	39	77.8	65.1-90.5	16	22.2	9.5-34.9
Hispanic	155	144,740	99	65.1	56.5-73.7	56	34.9	26.3-43.5
18-24	247	335,897	185	72.9	66.6-79.2	62	27.1	20.8-33.4
25-34	352	394,819	270	71.5	65.8-77.2	82	28.5	22.8-34.2
35-44	412	376,468	295	71.2	66.3-76.1	117	28.8	23.9-33.7
45-54	583	382,885	415	70.4	66.3-74.5	168	29.6	25.5-33.7
55-64	835	399,800	577	67.7	64.0-71.4	258	32.3	28.6-36.0
65+	1310	460,218	916	68.3	65.2-71.4	394	31.7	28.6-34.8
Less Than H.S.	279	309,422	139	51.7	44.8-58.6	140	48.3	41.4-55.2
H.S. or G.E.D.	1194	811,284	732	63.4	60.1-66.7	462	36.6	33.3-39.9
Some Post-H.S.	933	698,328	683	75.0	71.7-78.3	250	25.0	21.7-28.3
College Graduate	1308	517,714	1090	85.6	83.4-87.8	218	14.4	12.2-16.6
Less than \$15,000	234	155,596	135	54.7	46.7-62.7	99	45.3	37.3-53.3
\$15,000- 24,999	468	298,473	262	59.4	53.7-65.1	206	40.6	34.9-46.3
\$25,000- 34,999	291	183,907	192	61.8	54.5-69.1	99	38.2	30.9-45.5
\$35,000- 49,999	475	295,348	322	66.8	61.3-72.3	153	33.2	27.7-38.7
\$50,000- 74,999	522	345,690	397	74.9	70.2-79.6	125	25.1	20.4-29.8
\$75,000+	1137	699,337	921	80.5	77.8-83.2	216	19.5	16.8-22.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4617	2,488,381	3048	68.0	66.2-69.8	1569	32.0	30.2-33.8
White/Non-Hisp	3843	1,994,024	2549	68.3	66.3-70.3	1294	31.7	29.7-33.7
Black or Afr. Am./Non-Hisp	332	213,485	211	67.4	61.1-73.7	121	32.6	26.3-38.9
Oth. Race/Non-Hisp.	100	64,459	70	77.2	67.0-87.4	30	22.8	12.6-33.0
MultiRacial/Non-Hisp.	68	24,996	53	77.3	65.3-89.3	15	22.7	10.7-34.7
Hispanic	199	149,658	115	58.9	50.9-66.9	84	41.1	33.1-49.1
18-24	187	308,615	146	78.8	72.3-85.3	41	21.2	14.7-27.7
25-34	388	398,187	272	68.9	63.8-74.0	116	31.1	26.0-36.2
35-44	493	384,064	348	70.9	66.4-75.4	145	29.1	24.6-33.6
45-54	668	391,390	473	70.2	66.3-74.1	195	29.8	25.9-33.7
55-64	907	423,339	583	62.4	58.7-66.1	324	37.6	33.9-41.3
65+	1974	582,785	1226	62.3	59.8-64.8	748	37.7	35.2-40.2
Less Than H.S.	324	272,865	151	53.1	46.0-60.2	173	46.9	39.8-54.0
H.S. or G.E.D.	1456	768,388	813	59.3	56.0-62.6	643	40.7	37.4-44.0
Some Post-H.S.	1251	806,686	831	70.1	67.0-73.2	420	29.9	26.8-33.0
College Graduate	1560	629,014	1242	82.4	80.2-84.6	318	17.6	15.4-19.8
Less than \$15,000	386	241,895	190	53.2	46.7-59.7	196	46.8	40.3-53.3
\$15,000- 24,999	685	361,744	349	52.5	47.4-57.6	336	47.5	42.4-52.6
\$25,000- 34,999	442	231,555	284	67.4	61.7-73.1	158	32.6	26.9-38.3
\$35,000- 49,999	501	262,936	345	70.1	65.2-75.0	156	29.9	25.0-34.8
\$50,000- 74,999	551	316,322	421	75.2	70.5-79.9	130	24.8	20.1-29.5
\$75,000+	935	564,776	755	80.8	77.7-83.9	180	19.2	16.1-22.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 4: PHYSICAL ACTIVITY CATEGORIES (_PACAT2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7693	4,496,090	2382	29.1	27.7-30.5	1241	16.5	15.5-17.5	1333	19.7	18.5-20.9	2737	34.7	33.3-36.1
Male	3458	2,194,339	1183	31.2	29.2-33.2	576	16.4	14.8-18.0	565	18.6	17.0-20.2	1134	33.8	31.8-35.8
Female	4235	2,301,751	1199	27.1	25.3-28.9	665	16.7	15.3-18.1	768	20.6	19.0-22.2	1603	35.6	33.8-37.4
White/Non-Hisp	6436	3,596,616	2036	29.6	28.2-31.0	1052	16.7	15.5-17.9	1126	20.1	18.7-21.5	2222	33.6	32.0-35.2
Black or Afr. Am./Non-Hisp	508	383,975	133	25.4	20.5-30.3	80	18.4	13.9-22.9	88	17.8	13.7-21.9	207	38.3	33.0-43.6
Oth. Race/Non-Hisp.	196	135,330	74	40.8	31.6-50.0	21	9.9	4.8-15.0	30	18.1	11.0-25.2	71	31.2	23.0-39.4
MultiRacial/Non-Hisp.	109	40,247	31	29.4	18.4-40.4	20	25.0	13.8-36.2	22	15.2	7.8-22.6	36	30.4	20.2-40.6
Hispanic	327	273,471	69	20.3	15.4-25.2	54	15.6	11.1-20.1	57	20.5	14.8-26.2	147	43.6	37.3-49.9
18-24	413	611,997	118	29.1	24.2-34.0	76	18.2	14.1-22.3	114	26.6	21.9-31.3	105	26.0	21.3-30.7
25-34	702	751,984	173	25.5	22.0-29.0	132	16.0	13.3-18.7	178	24.0	20.5-27.5	219	34.6	30.5-38.7
35-44	847	711,277	207	24.7	21.6-27.8	165	19.8	16.7-22.9	203	23.2	20.1-26.3	272	32.2	28.7-35.7
45-54	1121	691,801	312	28.2	25.3-31.1	215	18.3	15.8-20.8	212	18.5	16.0-21.0	382	35.0	31.9-38.1
55-64	1641	777,130	478	27.4	25.0-29.8	265	15.6	13.6-17.6	298	18.8	16.6-21.0	600	38.2	35.5-40.9
65+	2969	951,902	1094	37.4	35.2-39.6	388	12.9	11.5-14.3	328	10.7	9.3-12.1	1159	39.0	36.8-41.2
Less Than H.S.	548	534,342	113	20.6	16.3-24.9	48	11.2	7.7-14.7	66	14.9	11.0-18.8	321	53.3	48.0-58.6
H.S. or G.E.D.	2437	1,462,473	695	28.5	26.1-30.9	280	12.7	10.9-14.5	330	15.9	13.9-17.9	1132	43.0	40.5-45.5
Some Post-H.S.	2012	1,407,622	635	30.9	28.4-33.4	322	17.2	15.0-19.4	362	20.9	18.7-23.1	693	30.9	28.5-33.3
College Graduate	2659	1,072,569	934	32.3	30.1-34.5	587	23.5	21.5-25.5	573	25.6	23.4-27.8	565	18.7	16.9-20.5
Less than \$15,000	560	361,674	114	19.5	15.2-23.8	70	13.3	9.8-16.8	75	15.3	11.4-19.2	301	51.9	46.6-57.2
\$15,000- 24,999	1070	622,219	251	23.7	20.4-27.0	120	12.7	10.0-15.4	150	15.8	12.9-18.7	549	47.9	44.0-51.8
\$25,000- 34,999	693	394,245	225	29.5	25.0-34.0	100	15.6	12.1-19.1	102	16.3	12.4-20.2	266	38.6	33.9-43.3
\$35,000- 49,999	905	521,017	305	30.5	26.8-34.2	124	14.4	11.5-17.3	157	20.0	16.5-23.5	319	35.1	31.2-39.0
\$50,000- 74,999	1014	624,124	353	33.6	29.9-37.3	190	16.8	13.9-19.7	204	21.2	17.9-24.5	267	28.3	24.8-31.8
\$75,000+	1965	1,195,163	690	32.2	29.7-34.7	440	22.4	20.2-24.6	416	23.7	21.3-26.1	419	21.7	19.5-23.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
TABLE 5: PHYSICAL ACTIVITY CATEGORIES (_PACAT2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3458	2,194,339	1183	31.2	29.2-33.2	576	16.4	14.8-18.0	565	18.6	17.0-20.2	1134	33.8	31.8-35.8
White/Non-Hisp	2893	1,744,853	1009	31.6	29.4-33.8	492	16.4	14.6-18.2	490	19.6	17.8-21.4	902	32.3	30.1-34.5
Black or Afr. Am./Non-Hisp	204	183,582	59	27.0	19.7-34.3	35	19.2	12.3-26.1	29	15.0	9.1-20.9	81	38.8	30.6-47.0
Oth. Race/Non-Hisp.	106	79,973	39	40.4	28.4-52.4	10	9.8	2.5-17.1	16	15.4	7.2-23.6	41	34.4	23.0-45.8
Hispanic	146	135,709	40	26.7	18.7-34.7	24	16.4	9.5-23.3	21	15.5	8.2-22.8	61	41.3	32.1-50.5
18-24	234	319,675	67	28.6	22.1-35.1	39	16.5	11.2-21.8	64	25.6	19.5-31.7	64	29.4	22.9-35.9
25-34	334	373,072	89	27.5	22.2-32.8	63	15.4	11.5-19.3	84	22.3	17.6-27.0	98	34.9	28.8-41.0
35-44	391	358,874	104	25.6	20.9-30.3	77	20.4	15.9-24.9	87	22.2	17.5-26.9	123	31.8	26.7-36.9
45-54	527	345,535	168	32.0	27.5-36.5	93	16.4	12.9-19.9	88	17.0	13.5-20.5	178	34.5	30.0-39.0
55-64	788	376,757	249	30.0	26.5-33.5	144	17.0	14.1-19.9	126	17.2	14.1-20.3	269	35.7	31.8-39.6
65+	1184	420,425	506	41.7	38.4-45.0	160	13.0	10.6-15.4	116	9.8	7.8-11.8	402	35.5	32.2-38.8
Less Than H.S.	258	287,254	52	19.4	13.7-25.1	27	11.7	6.8-16.6	33	14.7	9.2-20.2	146	54.2	46.9-61.5
H.S. or G.E.D.	1110	761,082	358	31.7	28.4-35.0	125	12.2	9.8-14.6	145	15.2	12.7-17.7	482	40.9	37.4-44.4
Some Post-H.S.	863	654,168	304	32.4	28.7-36.1	139	17.7	14.6-20.8	156	21.1	17.8-24.4	264	28.8	25.3-32.3
College Graduate	1209	481,256	464	36.3	33.2-39.4	284	23.9	21.0-26.8	230	23.1	20.2-26.0	231	16.7	14.3-19.1
Less than \$15,000	215	142,226	51	21.5	15.0-28.0	35	15.1	9.4-20.8	26	11.8	6.7-16.9	103	51.5	43.3-59.7
\$15,000- 24,999	437	283,331	113	24.8	19.7-29.9	48	12.6	8.7-16.5	66	18.8	14.1-23.5	210	43.9	38.0-49.8
\$25,000- 34,999	273	174,871	95	32.0	24.9-39.1	36	11.7	7.4-16.0	39	15.2	9.7-20.7	103	41.1	33.7-48.5
\$35,000- 49,999	444	282,249	155	31.4	26.1-36.7	61	14.6	10.5-18.7	69	17.6	13.1-22.1	159	36.4	30.7-42.1
\$50,000- 74,999	490	322,993	188	36.8	31.5-42.1	87	14.0	10.3-17.7	82	19.5	14.8-24.2	133	29.7	24.4-35.0
\$75,000+	1074	660,231	407	35.0	31.5-38.5	242	23.2	20.1-26.3	197	20.1	17.2-23.0	228	21.7	18.8-24.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
TABLE 6: PHYSICAL ACTIVITY CATEGORIES (_PACAT2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4235	2,301,751	1199	27.1	25.3-28.9	665	16.7	15.3-18.1	768	20.6	19.0-22.2	1603	35.6	33.8-37.4
White/Non-Hisp	3543	1,851,763	1027	27.7	25.7-29.7	560	16.9	15.3-18.5	636	20.4	18.6-22.2	1320	34.9	32.9-36.9
Black or Afr. Am./Non-Hisp	304	200,393	74	24.0	17.5-30.5	45	17.6	11.7-23.5	59	20.5	14.6-26.4	126	37.9	31.0-44.8
Oth. Race/Non-Hisp.	90	55,358	35	41.4	26.9-55.9	11	10.0	2.9-17.1	14	22.0	9.5-34.5	30	26.5	15.3-37.7
MultiRacial/Non-Hisp.	61	21,581	18	25.8	13.1-38.5	12	31.5	15.2-47.8	15	15.8	6.0-25.6	16	26.9	13.6-40.2
Hispanic	181	137,762	29	13.9	8.4-19.4	30	14.7	8.8-20.6	36	25.5	17.3-33.7	86	45.9	37.5-54.3
18-24	179	292,321	51	29.7	22.1-37.3	37	20.1	13.8-26.4	50	27.8	20.5-35.1	41	22.4	15.7-29.1
25-34	368	378,912	84	23.4	18.5-28.3	69	16.5	12.6-20.4	94	25.7	20.8-30.6	121	34.3	29.0-39.6
35-44	456	352,403	103	23.8	19.3-28.3	88	19.2	15.1-23.3	116	24.2	19.9-28.5	149	32.7	27.8-37.6
45-54	594	346,266	144	24.3	20.4-28.2	122	20.2	16.7-23.7	124	19.9	16.4-23.4	204	35.6	31.3-39.9
55-64	853	400,372	229	24.9	21.6-28.2	121	14.2	11.5-16.9	172	20.3	17.2-23.4	331	40.6	36.9-44.3
65+	1785	531,477	588	34.0	31.5-36.5	228	12.8	11.0-14.6	212	11.4	9.6-13.2	757	41.7	39.0-44.4
Less Than H.S.	290	247,088	61	22.0	15.5-28.5	21	10.7	5.6-15.8	33	15.0	9.1-20.9	175	52.3	44.9-59.7
H.S. or G.E.D.	1327	701,391	337	25.0	21.9-28.1	155	13.3	10.8-15.8	185	16.6	13.9-19.3	650	45.2	41.7-48.7
Some Post-H.S.	1149	753,453	331	29.7	26.4-33.0	183	16.8	14.1-19.5	206	20.7	17.8-23.6	429	32.8	29.5-36.1
College Graduate	1450	591,313	470	29.0	26.3-31.7	303	23.1	20.4-25.8	343	27.6	24.7-30.5	334	20.3	17.9-22.7
Less than \$15,000	345	219,448	63	18.2	12.5-23.9	35	12.1	7.6-16.6	49	17.6	11.9-23.3	198	52.2	45.3-59.1
\$15,000- 24,999	633	338,888	138	22.8	18.5-27.1	72	12.7	9.0-16.4	84	13.2	9.5-16.9	339	51.2	45.9-56.5
\$25,000- 34,999	420	219,374	130	27.5	21.8-33.2	64	18.7	13.4-24.0	63	17.2	11.7-22.7	163	36.6	30.5-42.7
\$35,000- 49,999	461	238,768	150	29.5	24.2-34.8	63	14.0	9.9-18.1	88	22.8	17.5-28.1	160	33.6	28.1-39.1
\$50,000- 74,999	524	301,131	165	30.2	25.3-35.1	103	19.8	15.5-24.1	122	23.1	18.6-27.6	134	26.9	22.0-31.8
\$75,000+	891	534,932	283	28.6	25.1-32.1	198	21.4	18.3-24.5	219	28.3	24.6-32.0	191	21.7	18.4-25.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
TABLE 7: PHYSICAL ACTIVITY INDEX (_PAIDX2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7783	4,548,924	3713	46.3	44.9-47.7	4070	53.7	52.3-55.1
Male	3495	2,217,955	1796	48.1	45.9-50.3	1699	51.9	49.7-54.1
Female	4288	2,330,969	1917	44.5	42.5-46.5	2371	55.5	53.5-57.5
White/Non-Hisp	6509	3,638,985	3161	46.9	45.3-48.5	3348	53.1	51.5-54.7
Black or Afr. Am./Non-Hisp	514	387,343	219	44.3	38.8-49.8	295	55.7	50.2-61.2
Oth. Race/Non-Hisp.	198	136,562	97	51.1	42.1-60.1	101	48.9	39.9-57.9
MultiRacial/Non-Hisp.	110	40,284	52	54.5	42.9-66.1	58	45.5	33.9-57.1
Hispanic	332	278,252	128	36.9	30.8-43.0	204	63.1	57.0-69.2
18-24	415	615,678	196	47.6	42.3-52.9	219	52.4	47.1-57.7
25-34	708	759,439	311	42.0	37.9-46.1	397	58.0	53.9-62.1
35-44	858	722,524	383	45.4	41.7-49.1	475	54.6	50.9-58.3
45-54	1136	701,440	542	47.2	43.9-50.5	594	52.8	49.5-56.1
55-64	1660	787,793	762	43.7	41.0-46.4	898	56.3	53.6-59.0
65+	3006	962,050	1519	50.9	48.7-53.1	1487	49.1	46.9-51.3
Less Than H.S.	554	541,253	167	32.7	27.8-37.6	387	67.3	62.4-72.2
H.S. or G.E.D.	2467	1,480,732	1005	41.9	39.4-44.4	1462	58.1	55.6-60.6
Some Post-H.S.	2041	1,426,055	986	48.8	46.1-51.5	1055	51.2	48.5-53.9
College Graduate	2684	1,081,800	1546	56.1	53.7-58.5	1138	43.9	41.5-46.3
Less than \$15,000	566	365,288	190	33.4	28.5-38.3	376	66.6	61.7-71.5
\$15,000- 24,999	1084	631,545	385	37.3	33.6-41.0	699	62.7	59.0-66.4
\$25,000- 34,999	697	395,476	329	45.3	40.4-50.2	368	54.7	49.8-59.6
\$35,000- 49,999	919	531,230	443	46.0	41.9-50.1	476	54.0	49.9-58.1
\$50,000- 74,999	1024	631,407	553	51.0	47.1-54.9	471	49.0	45.1-52.9
\$75,000+	1983	1,206,408	1148	55.0	52.3-57.7	835	45.0	42.3-47.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
TABLE 8: PHYSICAL ACTIVITY INDEX (_PAIDX2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3495	2,217,955	1796	48.1	45.9-50.3	1699	51.9	49.7-54.1
White/Non-Hisp	2922	1,763,701	1530	48.6	46.2-51.0	1392	51.4	49.0-53.8
Black or Afr. Am./Non-Hisp	205	184,277	95	46.4	38.0-54.8	110	53.6	45.2-62.0
Oth. Race/Non-Hisp.	108	81,204	51	51.0	39.2-62.8	57	49.0	37.2-60.8
Hispanic	148	137,952	66	44.1	34.9-53.3	82	55.9	46.7-65.1
18-24	235	321,675	107	45.4	38.3-52.5	128	54.6	47.5-61.7
25-34	336	376,006	154	43.3	37.4-49.2	182	56.7	50.8-62.6
35-44	393	360,837	183	46.3	40.8-51.8	210	53.7	48.2-59.2
45-54	534	350,755	268	49.3	44.6-54.0	266	50.7	46.0-55.4
55-64	801	384,756	406	48.2	44.3-52.1	395	51.8	47.9-55.7
65+	1196	423,926	678	55.1	51.8-58.4	518	44.9	41.6-48.2
Less Than H.S.	260	290,670	81	31.9	25.2-38.6	179	68.1	61.4-74.8
H.S. or G.E.D.	1122	768,168	495	44.4	40.9-47.9	627	55.6	52.1-59.1
Some Post-H.S.	875	663,191	455	50.8	46.9-54.7	420	49.2	45.3-53.1
College Graduate	1220	485,347	759	60.5	57.2-63.8	461	39.5	36.2-42.8
Less than \$15,000	217	144,338	88	37.6	29.8-45.4	129	62.4	54.6-70.2
\$15,000- 24,999	441	286,678	165	38.1	32.4-43.8	276	61.9	56.2-67.6
\$25,000- 34,999	275	175,493	133	43.9	36.5-51.3	142	56.1	48.7-63.5
\$35,000- 49,999	450	284,334	222	46.4	40.5-52.3	228	53.6	47.7-59.5
\$50,000- 74,999	497	328,700	282	51.7	46.2-57.2	215	48.3	42.8-53.8
\$75,000+	1083	666,028	658	58.6	55.1-62.1	425	41.4	37.9-44.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)
TABLE 9: PHYSICAL ACTIVITY INDEX (_PAIDX2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4288	2,330,969	1917	44.5	42.5-46.5	2371	55.5	53.5-57.5
White/Non-Hisp	3587	1,875,284	1631	45.4	43.2-47.6	1956	54.6	52.4-56.8
Black or Afr. Am./Non-Hisp	309	203,066	124	42.4	35.1-49.7	185	57.6	50.3-64.9
Oth. Race/Non-Hisp.	90	55,358	46	51.4	37.3-65.5	44	48.6	34.5-62.7
MultiRacial/Non-Hisp.	61	21,581	30	57.3	42.2-72.4	31	42.7	27.6-57.8
Hispanic	184	140,300	62	29.9	22.3-37.5	122	70.1	62.5-77.7
18-24	180	294,003	89	50.1	42.1-58.1	91	49.9	41.9-57.9
25-34	372	383,433	157	40.7	35.2-46.2	215	59.3	53.8-64.8
35-44	465	361,687	200	44.5	39.4-49.6	265	55.5	50.4-60.6
45-54	602	350,686	274	45.2	40.7-49.7	328	54.8	50.3-59.3
55-64	859	403,036	356	39.4	35.7-43.1	503	60.6	56.9-64.3
65+	1810	538,124	841	47.5	44.8-50.2	969	52.5	49.8-55.2
Less Than H.S.	294	250,582	86	33.6	26.3-40.9	208	66.4	59.1-73.7
H.S. or G.E.D.	1345	712,563	510	39.2	35.7-42.7	835	60.8	57.3-64.3
Some Post-H.S.	1166	762,865	531	47.1	43.6-50.6	635	52.9	49.4-56.4
College Graduate	1464	596,452	787	52.5	49.4-55.6	677	47.5	44.4-50.6
Less than \$15,000	349	220,950	102	30.7	24.2-37.2	247	69.3	62.8-75.8
\$15,000- 24,999	643	344,867	220	36.7	31.6-41.8	423	63.3	58.2-68.4
\$25,000- 34,999	422	219,983	196	46.3	39.8-52.8	226	53.7	47.2-60.2
\$35,000- 49,999	469	246,897	221	45.4	39.5-51.3	248	54.6	48.7-60.5
\$50,000- 74,999	527	302,707	271	50.3	44.8-55.8	256	49.7	44.2-55.2
\$75,000+	900	540,380	490	50.5	46.6-54.4	410	49.5	45.6-53.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 10: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7908	4,603,486	2725	35.3	33.9-36.7	5183	64.7	63.3-66.1
Male	3560	2,248,811	1353	38.9	36.9-40.9	2207	61.1	59.1-63.1
Female	4348	2,354,675	1372	31.7	29.9-33.5	2976	68.3	66.5-70.1
White/Non-Hisp	6586	3,666,245	2239	34.6	33.0-36.2	4347	65.4	63.8-67.0
Black or Afr. Am./Non-Hisp	517	387,849	191	38.8	33.3-44.3	326	61.2	55.7-66.7
Oth. Race/Non-Hisp.	209	147,294	75	34.6	26.2-43.0	134	65.4	57.0-73.8
MultiRacial/Non-Hisp.	114	42,487	36	33.4	22.0-44.8	78	66.6	55.2-78.0
Hispanic	341	283,472	122	36.0	29.9-42.1	219	64.0	57.9-70.1
18-24	413	611,134	184	43.9	38.6-49.2	229	56.1	50.8-61.4
25-34	715	766,785	274	36.9	33.0-40.8	441	63.1	59.2-67.0
35-44	861	722,250	309	37.2	33.5-40.9	552	62.8	59.1-66.5
45-54	1193	736,981	389	32.0	29.1-34.9	804	68.0	65.1-70.9
55-64	1660	786,344	509	30.3	27.8-32.8	1151	69.7	67.2-72.2
65+	3066	979,992	1060	33.6	31.6-35.6	2006	66.4	64.4-68.4
Less Than H.S.	569	552,199	150	27.3	22.6-32.0	419	72.7	68.0-77.4
H.S. or G.E.D.	2472	1,482,986	783	33.7	31.3-36.1	1689	66.3	63.9-68.7
Some Post-H.S.	2065	1,435,127	719	37.2	34.7-39.7	1346	62.8	60.3-65.3
College Graduate	2758	1,109,852	1057	38.9	36.7-41.1	1701	61.1	58.9-63.3
Less than \$15,000	573	373,586	184	31.0	26.3-35.7	389	69.0	64.3-73.7
\$15,000- 24,999	1088	623,941	332	31.4	27.9-34.9	756	68.6	65.1-72.1
\$25,000- 34,999	698	398,582	235	31.8	27.3-36.3	463	68.2	63.7-72.7
\$35,000- 49,999	936	537,001	311	33.7	29.8-37.6	625	66.3	62.4-70.2
\$50,000- 74,999	1035	638,540	370	35.3	31.6-39.0	665	64.7	61.0-68.4
\$75,000+	2004	1,222,875	753	39.2	36.7-41.7	1251	60.8	58.3-63.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 11: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3560	2,248,811	1353	38.9	36.9-40.9	2207	61.1	59.1-63.1
White/Non-Hisp	2961	1,779,085	1118	38.5	36.3-40.7	1843	61.5	59.3-63.7
Black or Afr. Am./Non-Hisp	207	186,998	83	41.4	33.0-49.8	124	58.6	50.2-67.0
Oth. Race/Non-Hisp.	116	86,167	41	32.6	22.6-42.6	75	67.4	57.4-77.4
MultiRacial/Non-Hisp.	50	18,857	17	40.8	23.0-58.6	33	59.2	41.4-77.0
Hispanic	150	139,028	59	41.9	32.7-51.1	91	58.1	48.9-67.3
18-24	233	316,651	115	48.4	41.3-55.5	118	51.6	44.5-58.7
25-34	339	381,970	145	40.4	34.5-46.3	194	59.6	53.7-65.5
35-44	397	362,796	159	41.7	36.4-47.0	238	58.3	53.0-63.6
45-54	559	367,704	194	33.8	29.5-38.1	365	66.2	61.9-70.5
55-64	806	386,499	268	33.3	29.6-37.0	538	66.7	63.0-70.4
65+	1226	433,190	472	37.7	34.4-41.0	754	62.3	59.0-65.6
Less Than H.S.	266	297,504	73	27.5	21.2-33.8	193	72.5	66.2-78.8
H.S. or G.E.D.	1120	764,900	407	37.4	33.9-40.9	713	62.6	59.1-66.1
Some Post-H.S.	891	673,467	349	43.0	39.1-46.9	542	57.0	53.1-60.9
College Graduate	1262	500,518	516	42.8	39.5-46.1	746	57.2	53.9-60.5
Less than \$15,000	223	150,493	82	38.7	30.7-46.7	141	61.3	53.3-69.3
\$15,000- 24,999	445	284,886	153	35.0	29.5-40.5	292	65.0	59.5-70.5
\$25,000- 34,999	272	174,487	100	34.7	27.8-41.6	172	65.3	58.4-72.2
\$35,000- 49,999	457	285,964	170	36.2	30.7-41.7	287	63.8	58.3-69.3
\$50,000- 74,999	503	330,516	192	39.9	34.4-45.4	311	60.1	54.6-65.6
\$75,000+	1096	674,117	436	41.2	37.7-44.7	660	58.8	55.3-62.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 12: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4348	2,354,675	1372	31.7	29.9-33.5	2976	68.3	66.5-70.1
White/Non-Hisp	3625	1,887,160	1121	30.9	28.9-32.9	2504	69.1	67.1-71.1
Black or Afr. Am./Non-Hisp	310	200,851	108	36.4	29.5-43.3	202	63.6	56.7-70.5
Oth. Race/Non-Hisp.	93	61,127	34	37.4	23.3-51.5	59	62.6	48.5-76.7
MultiRacial/Non-Hisp.	64	23,630	19	27.5	14.0-41.0	45	72.5	59.0-86.0
Hispanic	191	144,445	63	30.3	22.5-38.1	128	69.7	61.9-77.5
18-24	180	294,483	69	39.0	31.0-47.0	111	61.0	53.0-69.0
25-34	376	384,815	129	33.4	28.1-38.7	247	66.6	61.3-71.9
35-44	464	359,454	150	32.6	27.7-37.5	314	67.4	62.5-72.3
45-54	634	369,277	195	30.3	26.4-34.2	439	69.7	65.8-73.6
55-64	854	399,845	241	27.3	24.0-30.6	613	72.7	69.4-76.0
65+	1840	546,801	588	30.3	27.8-32.8	1252	69.7	67.2-72.2
Less Than H.S.	303	254,696	77	27.2	20.3-34.1	226	72.8	65.9-79.7
H.S. or G.E.D.	1352	718,086	376	29.8	26.5-33.1	976	70.2	66.9-73.5
Some Post-H.S.	1174	761,660	370	32.1	28.8-35.4	804	67.9	64.6-71.2
College Graduate	1496	609,334	541	35.7	32.8-38.6	955	64.3	61.4-67.2
Less than \$15,000	350	223,093	102	25.9	20.2-31.6	248	74.1	68.4-79.8
\$15,000- 24,999	643	339,055	179	28.4	23.7-33.1	464	71.6	66.9-76.3
\$25,000- 34,999	426	224,095	135	29.6	23.5-35.7	291	70.4	64.3-76.5
\$35,000- 49,999	479	251,037	141	30.8	25.3-36.3	338	69.2	63.7-74.7
\$50,000- 74,999	532	308,025	178	30.4	25.5-35.3	354	69.6	64.7-74.5
\$75,000+	908	548,758	317	36.8	32.9-40.7	591	63.2	59.3-67.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 13: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7459	4,368,962	1612	21.1	19.9-22.3	1928	24.9	23.7-26.1	936	14.0	13.0-15.0	2983	40.0	38.6-41.4
Male	3358	2,138,667	807	22.9	21.1-24.7	908	24.8	23.0-26.6	459	15.9	14.3-17.5	1184	36.4	34.2-38.6
Female	4101	2,230,295	805	19.3	17.7-20.9	1020	25.0	23.2-26.8	477	12.2	10.8-13.6	1799	43.4	41.4-45.4
White/Non-Hisp	6238	3,491,458	1346	21.1	19.7-22.5	1667	25.6	24.2-27.0	756	13.3	12.1-14.5	2469	40.0	38.4-41.6
Black or Afr. Am./Non-Hisp	489	370,798	110	21.7	17.0-26.4	97	22.3	17.4-27.2	70	16.8	12.5-21.1	212	39.2	33.7-44.7
Oth. Race/Non-Hisp.	190	131,268	43	22.7	15.1-30.3	50	27.9	19.3-36.5	25	13.6	7.3-19.9	72	35.8	27.0-44.6
MultiRacial/Non-Hisp.	103	38,755	19	23.0	11.8-34.2	29	31.9	20.3-43.5	13	11.8	4.7-18.9	42	33.2	22.4-44.0
Hispanic	326	272,696	63	16.7	12.2-21.2	61	19.7	14.6-24.8	54	19.4	13.9-24.9	148	44.3	38.0-50.6
18-24	398	586,271	105	25.7	21.0-30.4	82	21.9	17.4-26.4	75	18.7	14.4-23.0	136	33.7	28.6-38.8
25-34	689	738,700	148	19.9	16.8-23.0	154	21.9	18.6-25.2	114	16.7	13.6-19.8	273	41.5	37.4-45.6
35-44	835	700,715	173	22.2	19.1-25.3	198	22.9	19.8-26.0	124	14.7	12.0-17.4	340	40.2	36.5-43.9
45-54	1095	673,863	224	19.7	17.2-22.2	300	27.6	24.7-30.5	130	12.0	9.8-14.2	441	40.7	37.4-44.0
55-64	1595	756,106	304	18.0	15.8-20.2	427	25.8	23.4-28.2	185	12.4	10.4-14.4	679	43.9	41.2-46.6
65+	2847	913,307	658	21.8	20.0-23.6	767	28.2	26.2-30.2	308	11.2	9.8-12.6	1114	38.7	36.5-40.9
Less Than H.S.	524	513,430	55	11.2	7.7-14.7	102	21.5	17.0-26.0	79	16.0	12.1-19.9	288	51.3	46.0-56.6
H.S. or G.E.D.	2334	1,405,090	408	17.8	15.8-19.8	535	23.7	21.5-25.9	325	15.7	13.7-17.7	1066	42.9	40.4-45.4
Some Post-H.S.	1959	1,376,042	435	23.9	21.5-26.3	501	24.5	22.1-26.9	243	13.3	11.3-15.3	780	38.3	35.8-40.8
College Graduate	2609	1,056,144	707	26.7	24.7-28.7	788	29.1	26.9-31.3	284	12.0	10.4-13.6	830	32.2	30.0-34.4
Less than \$15,000	528	344,932	80	13.7	10.2-17.2	97	19.5	15.0-24.0	91	18.3	14.0-22.6	260	48.6	43.1-54.1
\$15,000- 24,999	1038	602,085	175	18.8	15.7-21.9	193	18.5	15.6-21.4	137	12.4	9.9-14.9	533	50.2	46.3-54.1
\$25,000- 34,999	673	383,799	142	18.2	14.7-21.7	173	26.6	22.1-31.1	86	13.6	9.9-17.3	272	41.6	36.7-46.5
\$35,000- 49,999	891	516,622	189	18.9	15.8-22.0	234	26.4	22.7-30.1	102	14.3	11.2-17.4	366	40.4	36.3-44.5
\$50,000- 74,999	993	612,052	247	23.4	20.1-26.7	285	26.9	23.6-30.2	106	11.9	9.2-14.6	355	37.8	33.9-41.7
\$75,000+	1935	1,177,379	506	25.7	23.3-28.1	610	29.0	26.6-31.4	218	13.2	11.2-15.2	601	32.0	29.5-34.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 14: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3358	2,138,667	807	22.9	21.1-24.7	908	24.8	23.0-26.6	459	15.9	14.3-17.5	1184	36.4	34.2-38.6
White/Non-Hisp	2809	1,700,899	683	23.1	21.1-25.1	778	25.1	23.1-27.1	370	15.3	13.5-17.1	978	36.5	34.3-38.7
Black or Afr. Am./Non-Hisp	195	176,155	42	20.7	13.6-27.8	47	25.0	17.6-32.4	34	19.9	13.0-26.8	72	34.4	26.2-42.6
Oth. Race/Non-Hisp.	104	78,720	22	22.4	13.2-31.6	28	28.6	17.2-40.0	14	10.2	3.9-16.5	40	38.8	27.0-50.6
Hispanic	145	134,990	35	22.3	14.7-29.9	28	20.6	13.2-28.0	21	19.1	10.9-27.3	61	38.0	29.0-47.0
18-24	225	306,400	66	28.4	21.9-34.9	35	16.4	10.9-21.9	47	20.9	15.0-26.8	77	34.4	27.5-41.3
25-34	327	367,412	74	20.0	15.5-24.5	74	22.5	17.4-27.6	66	20.2	15.3-25.1	113	37.3	31.2-43.4
35-44	385	353,058	84	23.2	18.5-27.9	95	23.1	18.6-27.6	67	17.9	13.6-22.2	139	35.9	30.6-41.2
45-54	516	337,824	113	21.1	17.2-25.0	145	27.9	23.4-32.4	66	12.8	9.7-15.9	192	38.3	33.6-43.0
55-64	775	371,649	167	20.3	17.2-23.4	228	28.3	24.8-31.8	89	13.0	10.3-15.7	291	38.3	34.4-42.2
65+	1130	402,325	303	25.2	22.3-28.1	331	28.9	25.8-32.0	124	11.8	9.4-14.2	372	34.1	30.8-37.4
Less Than H.S.	248	279,512	27	10.1	6.2-14.0	49	21.5	15.2-27.8	37	16.6	10.9-22.3	135	51.8	44.5-59.1
H.S. or G.E.D.	1063	731,829	212	19.7	16.8-22.6	253	24.2	21.1-27.3	172	17.7	14.8-20.6	426	38.4	34.9-41.9
Some Post-H.S.	846	644,786	213	27.1	23.4-30.8	220	23.0	19.9-26.1	115	15.8	12.9-18.7	298	34.1	30.4-37.8
College Graduate	1186	472,667	350	29.6	26.5-32.7	385	30.6	27.5-33.7	134	13.2	10.8-15.6	317	26.7	23.8-29.6
Less than \$15,000	209	140,666	42	19.0	12.7-25.3	42	17.5	11.4-23.6	35	21.2	13.8-28.6	90	42.3	34.1-50.5
\$15,000- 24,999	423	275,108	83	21.4	16.5-26.3	76	16.7	12.4-21.0	64	13.7	9.8-17.6	200	48.2	42.1-54.3
\$25,000- 34,999	264	170,144	57	18.7	13.2-24.2	69	25.0	18.3-31.7	41	16.0	10.5-21.5	97	40.2	32.6-47.8
\$35,000- 49,999	436	276,767	104	20.2	15.7-24.7	108	25.7	20.4-31.0	56	15.8	11.3-20.3	168	38.3	32.4-44.2
\$50,000- 74,999	480	316,211	121	23.4	18.7-28.1	148	27.2	22.5-31.9	60	16.1	11.4-20.8	151	33.3	28.0-38.6
\$75,000+	1054	647,800	295	28.1	24.8-31.4	343	30.2	26.9-33.5	121	12.8	10.3-15.3	295	29.0	25.7-32.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 15: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4101	2,230,295	805	19.3	17.7-20.9	1020	25.0	23.2-26.8	477	12.2	10.8-13.6	1799	43.4	41.4-45.4
White/Non-Hisp	3429	1,790,559	663	19.1	17.3-20.9	889	26.1	24.1-28.1	386	11.4	10.0-12.8	1491	43.4	41.2-45.6
Black or Afr. Am./Non-Hisp	294	194,643	68	22.7	16.6-28.8	50	19.8	13.1-26.5	36	14.0	8.9-19.1	140	43.5	36.2-50.8
Oth. Race/Non-Hisp.	86	52,548	21	23.3	10.6-36.0	22	26.7	13.2-40.2	11	18.7	6.5-30.9	32	31.4	18.7-44.1
MultiRacial/Non-Hisp.	59	21,336	12	22.3	9.0-35.6	16	34.5	18.4-50.6	6	7.6	0.3-14.9	25	35.6	21.1-50.1
Hispanic	181	137,706	28	11.1	6.4-15.8	33	18.8	11.9-25.7	33	19.6	12.3-26.9	87	50.4	41.8-59.0
18-24	173	279,871	39	22.8	15.7-29.9	47	27.9	20.5-35.3	28	16.3	10.2-22.4	59	32.9	25.3-40.5
25-34	362	371,288	74	19.8	15.3-24.3	80	21.2	16.7-25.7	48	13.2	9.3-17.1	160	45.8	40.1-51.5
35-44	450	347,658	89	21.2	16.9-25.5	103	22.7	18.4-27.0	57	11.5	8.4-14.6	201	44.6	39.5-49.7
45-54	579	336,039	111	18.4	14.9-21.9	155	27.3	23.2-31.4	64	11.2	8.3-14.1	249	43.2	38.7-47.7
55-64	820	384,457	137	15.7	13.0-18.4	199	23.3	20.0-26.6	96	11.8	9.3-14.3	388	49.2	45.3-53.1
65+	1717	510,982	355	19.2	17.0-21.4	436	27.7	25.2-30.2	184	10.7	8.9-12.5	742	42.4	39.7-45.1
Less Than H.S.	276	233,918	28	12.6	6.7-18.5	53	21.5	15.2-27.8	42	15.3	9.8-20.8	153	50.6	43.0-58.2
H.S. or G.E.D.	1271	673,260	196	15.6	12.9-18.3	282	23.2	20.1-26.3	153	13.4	10.9-15.9	640	47.8	44.3-51.3
Some Post-H.S.	1113	731,256	222	21.0	17.9-24.1	281	25.8	22.7-28.9	128	11.1	8.7-13.5	482	42.0	38.5-45.5
College Graduate	1423	583,477	357	24.3	21.6-27.0	403	27.9	25.2-30.6	150	11.0	8.8-13.2	513	36.8	33.7-39.9
Less than \$15,000	319	204,266	38	10.0	5.9-14.1	55	20.9	14.6-27.2	56	16.3	11.4-21.2	170	52.9	45.8-60.0
\$15,000- 24,999	615	326,978	92	16.7	12.6-20.8	117	20.1	15.8-24.4	73	11.2	7.9-14.5	333	52.0	46.7-57.3
\$25,000- 34,999	409	213,654	85	17.8	13.1-22.5	104	27.8	21.7-33.9	45	11.7	6.6-16.8	175	42.7	36.2-49.2
\$35,000- 49,999	455	239,856	85	17.5	13.0-22.0	126	27.1	22.0-32.2	46	12.6	8.1-17.1	198	42.8	36.9-48.7
\$50,000- 74,999	513	295,841	126	23.5	18.8-28.2	137	26.5	21.8-31.2	46	7.4	5.0- 9.8	204	42.7	37.2-48.2
\$75,000+	881	529,579	211	22.8	19.5-26.1	267	27.7	24.4-31.0	97	13.8	10.7-16.9	306	35.7	32.0-39.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 16: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Both Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7459	4,368,962	1612	21.1	19.9-22.3	5847	78.9	77.7-80.1
Male	3358	2,138,667	807	22.9	21.1-24.7	2551	77.1	75.3-78.9
Female	4101	2,230,295	805	19.3	17.7-20.9	3296	80.7	79.1-82.3
White/Non-Hisp	6238	3,491,458	1346	21.1	19.7-22.5	4892	78.9	77.5-80.3
Black or Afr. Am./Non-Hisp	489	370,798	110	21.7	17.0-26.4	379	78.3	73.6-83.0
Oth. Race/Non-Hisp.	190	131,268	43	22.7	15.1-30.3	147	77.3	69.7-84.9
MultiRacial/Non-Hisp.	103	38,755	19	23.0	11.8-34.2	84	77.0	65.8-88.2
Hispanic	326	272,696	63	16.7	12.2-21.2	263	83.3	78.8-87.8
18-24	398	586,271	105	25.7	21.0-30.4	293	74.3	69.6-79.0
25-34	689	738,700	148	19.9	16.8-23.0	541	80.1	77.0-83.2
35-44	835	700,715	173	22.2	19.1-25.3	662	77.8	74.7-80.9
45-54	1095	673,863	224	19.7	17.2-22.2	871	80.3	77.8-82.8
55-64	1595	756,106	304	18.0	15.8-20.2	1291	82.0	79.8-84.2
65+	2847	913,307	658	21.8	20.0-23.6	2189	78.2	76.4-80.0
Less Than H.S.	524	513,430	55	11.2	7.7-14.7	469	88.8	85.3-92.3
H.S. or G.E.D.	2334	1,405,090	408	17.8	15.8-19.8	1926	82.2	80.2-84.2
Some Post-H.S.	1959	1,376,042	435	23.9	21.5-26.3	1524	76.1	73.7-78.5
College Graduate	2609	1,056,144	707	26.7	24.7-28.7	1902	73.3	71.3-75.3
Less than \$15,000	528	344,932	80	13.7	10.2-17.2	448	86.3	82.8-89.8
\$15,000- 24,999	1038	602,085	175	18.8	15.7-21.9	863	81.2	78.1-84.3
\$25,000- 34,999	673	383,799	142	18.2	14.7-21.7	531	81.8	78.3-85.3
\$35,000- 49,999	891	516,622	189	18.9	15.8-22.0	702	81.1	78.0-84.2
\$50,000- 74,999	993	612,052	247	23.4	20.1-26.7	746	76.6	73.3-79.9
\$75,000+	1935	1,177,379	506	25.7	23.3-28.1	1429	74.3	71.9-76.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 17: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Both Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3358	2,138,667	807	22.9	21.1-24.7	2551	77.1	75.3-78.9
White/Non-Hisp	2809	1,700,899	683	23.1	21.1-25.1	2126	76.9	74.9-78.9
Black or Afr. Am./Non-Hisp	195	176,155	42	20.7	13.6-27.8	153	79.3	72.2-86.4
Oth. Race/Non-Hisp.	104	78,720	22	22.4	13.2-31.6	82	77.6	68.4-86.8
Hispanic	145	134,990	35	22.3	14.7-29.9	110	77.7	70.1-85.3
18-24	225	306,400	66	28.4	21.9-34.9	159	71.6	65.1-78.1
25-34	327	367,412	74	20.0	15.5-24.5	253	80.0	75.5-84.5
35-44	385	353,058	84	23.2	18.5-27.9	301	76.8	72.1-81.5
45-54	516	337,824	113	21.1	17.2-25.0	403	78.9	75.0-82.8
55-64	775	371,649	167	20.3	17.2-23.4	608	79.7	76.6-82.8
65+	1130	402,325	303	25.2	22.3-28.1	827	74.8	71.9-77.7
Less Than H.S.	248	279,512	27	10.1	6.2-14.0	221	89.9	86.0-93.8
H.S. or G.E.D.	1063	731,829	212	19.7	16.8-22.6	851	80.3	77.4-83.2
Some Post-H.S.	846	644,786	213	27.1	23.4-30.8	633	72.9	69.2-76.6
College Graduate	1186	472,667	350	29.6	26.5-32.7	836	70.4	67.3-73.5
Less than \$15,000	209	140,666	42	19.0	12.7-25.3	167	81.0	74.7-87.3
\$15,000- 24,999	423	275,108	83	21.4	16.5-26.3	340	78.6	73.7-83.5
\$25,000- 34,999	264	170,144	57	18.7	13.2-24.2	207	81.3	75.8-86.8
\$35,000- 49,999	436	276,767	104	20.2	15.7-24.7	332	79.8	75.3-84.3
\$50,000- 74,999	480	316,211	121	23.4	18.7-28.1	359	76.6	71.9-81.3
\$75,000+	1054	647,800	295	28.1	24.8-31.4	759	71.9	68.6-75.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019**

SECTION 12: FRUITS AND VEGETABLES CONTENTS

* **NOTE** * * * * *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.
* * * * *

TABLE	PAGE
FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)	
1 MALES AND FEMALES	154
2 MALES ONLY	155
3 FEMALES ONLY	156
FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)	
4 MALES AND FEMALES	157
5 MALES ONLY	158
6 FEMALES ONLY	159
DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GREEDA1_)	
7 MALES AND FEMALES	160
8 MALES ONLY	161
9 FEMALES ONLY	162
FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)	
10 MALES AND FEMALES	163
11 MALES ONLY	164
12 FEMALES ONLY	165
POTATO SERVINGS PER DAY (POTADA1_)	
13 MALES AND FEMALES	166
14 MALES ONLY	167
15 FEMALES ONLY	168
OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)	
16 MALES AND FEMALES	169
17 MALES ONLY	170
18 FEMALES ONLY	171

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 1: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7956	4,616,463	2900	40.6	39.2-42.0	1102	12.3	11.3-13.3	54	0.7	0.5- 0.9	96	1.2	0.8- 1.6	48	0.7	0.5- 0.9	3756	44.6	43.2-46.0
Male	3550	2,237,474	1415	44.0	41.8-46.2	547	13.5	12.1-14.9	32	0.8	0.4- 1.2	58	1.7	1.1- 2.3	20	0.5	0.3- 0.7	1478	39.6	37.6-41.6
Female	4406	2,378,989	1485	37.5	35.5-39.5	555	11.1	9.9-12.3	22	0.6	0.2- 1.0	38	0.7	0.5- 0.9	28	0.9	0.5- 1.3	2278	49.2	47.2-51.2
White/Non-Hisp	6635	3,681,807	2328	38.8	37.2-40.4	882	11.4	10.4-12.4	31	0.4	0.2- 0.6	85	1.3	0.9- 1.7	37	0.8	0.4- 1.2	3272	47.3	45.7-48.9
Black or Afr. Am./Non-Hisp	514	385,760	248	50.0	44.5-55.5	94	17.0	12.9-21.1	9	1.8	0.4- 3.2	6	1.0	0.2- 1.8	5	0.5	0.1- 0.9	152	29.7	24.6-34.8
Oth. Race/Non-Hisp.	207	146,148	77	40.7	31.7-49.7	37	16.5	8.7-24.3	1	1.4	0.0- 4.1	1	0.9	0.0- 2.7	2	0.4	0.0- 1.2	89	40.1	31.3-48.9
MultiRacial/Non-Hisp.	114	41,860	47	49.0	37.2-60.8	16	13.1	5.7-20.5	2	2.8	0.0- 6.5	1	0.1	0.0- 0.3				48	35.0	23.4-46.6
Hispanic	340	284,332	146	48.2	41.9-54.5	46	14.0	9.9-18.1	8	1.4	0.4- 2.4	3	0.9	0.0- 1.9	1	0.0	0.0- 0.0	136	35.5	29.6-41.4
18-24	417	619,611	228	54.5	49.2-59.8	54	13.3	9.6-17.0	2	0.4	0.0- 1.0	5	1.2	0.0- 2.4	3	1.1	0.0- 2.5	125	29.6	24.7-34.5
25-34	706	759,068	333	46.8	42.7-50.9	68	9.6	7.1-12.1	9	1.1	0.3- 1.9	11	1.2	0.4- 2.0	4	0.3	0.0- 0.7	281	40.9	36.8-45.0
35-44	857	722,147	396	46.8	43.1-50.5	68	7.8	5.8- 9.8	8	0.9	0.3- 1.5	8	1.0	0.2- 1.8	5	0.9	0.0- 1.9	372	42.6	38.9-46.3
45-54	1200	742,485	471	39.6	36.5-42.7	135	11.2	9.2-13.2	10	0.6	0.2- 1.0	19	1.3	0.7- 1.9	5	0.6	0.0- 1.2	560	46.6	43.5-49.7
55-64	1659	785,878	576	33.8	31.3-36.3	199	12.0	10.2-13.8	8	0.5	0.1- 0.9	13	0.9	0.3- 1.5	12	0.7	0.3- 1.1	851	52.0	49.3-54.7
65+	3117	987,275	896	28.9	26.9-30.9	578	18.0	16.4-19.6	17	0.5	0.3- 0.7	40	1.3	0.9- 1.7	19	0.6	0.2- 1.0	1567	50.7	48.5-52.9
Less Than H.S.	570	553,940	191	39.8	34.7-44.9	76	13.1	9.6-16.6	6	0.8	0.0- 1.6	11	2.0	0.6- 3.4	4	0.9	0.0- 2.1	282	43.5	38.4-48.6
H.S. or G.E.D.	2489	1,496,857	856	40.3	37.8-42.8	367	12.7	11.1-14.3	20	0.8	0.4- 1.2	27	1.0	0.6- 1.4	13	0.8	0.2- 1.4	1206	44.5	42.1-46.9
Some Post-H.S.	2079	1,436,831	789	41.5	39.0-44.0	296	13.0	11.2-14.8	11	0.6	0.2- 1.0	27	1.1	0.7- 1.5	16	0.7	0.3- 1.1	940	43.1	40.6-45.6
College Graduate	2770	1,106,293	1053	40.4	38.2-42.6	353	10.6	9.2-12.0	15	0.6	0.2- 1.0	31	1.1	0.5- 1.7	14	0.4	0.2- 0.6	1304	46.9	44.7-49.1
Less than \$15,000	587	378,486	233	45.0	39.7-50.3	78	14.3	10.2-18.4	6	1.0	0.2- 1.8	4	0.8	0.0- 1.8	6	1.0	0.0- 2.0	260	38.0	33.1-42.9
\$15,000- 24,999	1088	626,799	360	38.8	34.9-42.7	190	16.0	13.3-18.7	11	1.1	0.3- 1.9	18	1.5	0.5- 2.5	7	1.1	0.0- 2.3	502	41.5	37.8-45.2
\$25,000- 34,999	704	403,806	269	42.9	38.0-47.8	96	12.4	9.5-15.3	4	0.9	0.0- 2.1	6	0.8	0.0- 1.6	5	1.2	0.0- 2.8	324	41.6	36.9-46.3
\$35,000- 49,999	938	538,427	352	40.2	36.1-44.3	132	10.2	8.0-12.4	7	0.7	0.1- 1.3	15	1.2	0.4- 2.0	5	0.4	0.0- 0.8	427	47.3	43.2-51.4
\$50,000- 74,999	1037	635,432	402	42.4	38.5-46.3	117	10.7	8.3-13.1	6	0.3	0.1- 0.5	19	1.7	0.7- 2.7	8	0.5	0.1- 0.9	485	44.4	40.7-48.1
\$75,000+	2008	1,219,414	774	41.0	38.3-43.7	224	10.4	8.6-12.2	11	0.6	0.2- 1.0	15	0.8	0.4- 1.2	5	0.3	0.0- 0.7	979	46.9	44.2-49.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 2: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3550	2,237,474	1415	44.0	41.8-46.2	547	13.5	12.1-14.9	32	0.8	0.4- 1.2	58	1.7	1.1- 2.3	20	0.5	0.3- 0.7	1478	39.6	37.6-41.6
White/Non-Hisp	2956	1,770,397	1145	42.5	40.3-44.7	451	13.0	11.6-14.4	22	0.6	0.2- 1.0	51	1.8	1.2- 2.4	16	0.5	0.3- 0.7	1271	41.5	39.3-43.7
Black or Afr. Am./Non-Hisp	206	185,451	106	52.4	44.0-60.8	32	14.7	8.6-20.8	4	1.8	0.0- 3.6	3	0.8	0.0- 1.8	2	0.5	0.0- 1.3	59	29.8	22.0-37.6
Oth. Race/Non-Hisp.	113	85,347	38	39.0	27.6-50.4	21	17.8	9.0-26.6				1	1.5	0.0- 4.4				53	41.7	30.3-53.1
MultiRacial/Non-Hisp.	51	18,977	20	49.0	31.6-66.4	10	19.4	5.9-32.9	1	3.2	0.0- 9.3	1	0.2	0.0- 0.6				19	28.2	13.7-42.7
Hispanic	149	140,186	73	53.5	44.3-62.7	24	15.6	9.3-21.9	3	0.9	0.0- 2.1	2	1.3	0.0- 3.1				47	28.7	20.3-37.1
18-24	237	320,560	132	55.4	48.3-62.5	30	12.2	7.7-16.7	2	0.7	0.0- 1.7	5	2.4	0.0- 4.8				68	29.4	22.9-35.9
25-34	334	377,915	165	48.2	42.1-54.3	35	11.0	7.1-14.9	4	0.8	0.0- 1.6	8	1.9	0.5- 3.3	2	0.4	0.0- 1.0	120	37.7	31.8-43.6
35-44	387	356,968	196	52.1	46.6-57.6	32	8.6	5.5-11.7	2	0.5	0.0- 1.3	6	1.6	0.2- 3.0	3	0.6	0.0- 1.2	148	36.7	31.4-42.0
45-54	559	366,079	231	42.7	38.0-47.4	78	13.6	10.3-16.9	8	1.1	0.3- 1.9	12	1.8	0.8- 2.8	2	0.4	0.0- 1.0	228	40.4	35.9-44.9
55-64	796	382,759	285	36.4	32.5-40.3	115	14.2	11.5-16.9	4	0.5	0.0- 1.1	11	1.5	0.5- 2.5	5	0.7	0.1- 1.3	376	46.8	42.9-50.7
65+	1237	433,192	406	33.0	29.9-36.1	257	20.1	17.4-22.8	12	1.0	0.4- 1.6	16	1.1	0.5- 1.7	8	0.8	0.0- 1.6	538	44.0	40.7-47.3
Less Than H.S.	263	294,782	101	42.1	35.0-49.2	39	13.5	8.6-18.4	2	0.8	0.0- 2.0	6	2.3	0.0- 4.7	1	0.4	0.0- 1.2	114	40.9	33.8-48.0
H.S. or G.E.D.	1122	767,370	426	44.0	40.5-47.5	167	13.4	11.0-15.8	13	0.9	0.3- 1.5	16	1.4	0.6- 2.2	5	0.3	0.1- 0.5	495	40.1	36.8-43.4
Some Post-H.S.	884	666,262	376	45.9	42.0-49.8	136	14.1	11.4-16.8	3	0.3	0.0- 0.7	17	1.7	0.7- 2.7	9	0.8	0.2- 1.4	343	37.3	33.6-41.0
College Graduate	1258	496,329	506	43.0	39.7-46.3	202	13.1	10.9-15.3	12	1.1	0.3- 1.9	19	1.7	0.7- 2.7	4	0.5	0.0- 1.1	515	40.6	37.3-43.9
Less than \$15,000	224	149,294	91	44.9	36.7-53.1	30	14.9	8.8-21.0	4	1.5	0.0- 3.3	3	1.2	0.0- 2.8	4	2.1	0.0- 4.3	92	35.4	27.8-43.0
\$15,000- 24,999	437	281,621	172	44.6	38.7-50.5	78	15.8	11.7-19.9	4	0.5	0.0- 1.1	9	1.9	0.3- 3.5	4	1.2	0.0- 2.4	170	36.0	30.3-41.7
\$25,000- 34,999	278	177,149	118	46.9	39.5-54.3	44	14.0	9.3-18.7	1	0.3	0.0- 0.9	1	0.6	0.0- 1.8	2	0.3	0.0- 0.7	112	37.8	30.5-45.1
\$35,000- 49,999	454	286,218	181	43.2	37.3-49.1	72	11.0	7.9-14.1	6	1.1	0.1- 2.1	12	1.7	0.5- 2.9	2	0.2	0.0- 0.6	181	42.7	36.8-48.6
\$50,000- 74,999	503	329,993	200	44.1	38.6-49.6	71	13.0	9.5-16.5	4	0.5	0.1- 0.9	15	2.8	1.0- 4.6	5	0.8	0.0- 1.6	208	38.9	33.6-44.2
\$75,000+	1098	671,785	446	44.7	41.0-48.4	157	12.4	10.0-14.8	8	0.9	0.3- 1.5	12	1.3	0.5- 2.1	1	0.1	0.0- 0.3	474	40.6	37.1-44.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 3: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA2_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4406	2,378,989	1485	37.5	35.5-39.5	555	11.1	9.9-12.3	22	0.6	0.2- 1.0	38	0.7	0.5- 0.9	28	0.9	0.5- 1.3	2278	49.2	47.2-51.2
White/Non-Hisp	3679	1,911,409	1183	35.5	33.5-37.5	431	9.9	8.7-11.1	9	0.3	0.1- 0.5	34	0.7	0.5- 0.9	21	1.0	0.4- 1.6	2001	52.7	50.5-54.9
Black or Afr. Am./Non-Hisp	308	200,309	142	47.8	40.5-55.1	62	19.2	13.7-24.7	5	1.8	0.0- 3.8	3	1.2	0.0- 2.6	3	0.4	0.0- 1.0	93	29.6	23.1-36.1
Oth. Race/Non-Hisp.	94	60,801	39	43.2	28.7-57.7	16	14.6	0.7-28.5	1	3.3	0.0- 9.6	2	1.1	0.0- 2.9	36	37.8	23.9-51.7			
MultiRacial/Non-Hisp.	63	22,883	27	49.1	33.0-65.2	6	8.0	0.7-15.3	1	2.4	0.0- 7.1				29	40.6	24.1-57.1			
Hispanic	191	144,146	73	43.0	34.6-51.4	22	12.5	7.0-18.0	5	1.8	0.0- 3.6	1	0.6	0.0- 1.8	1	0.1	0.0- 0.3	89	42.0	33.8-50.2
18-24	180	299,051	96	53.5	45.5-61.5	24	14.5	8.6-20.4							3	2.3	0.0- 4.8	57	29.8	22.5-37.1
25-34	372	381,152	168	45.4	39.9-50.9	33	8.3	5.4-11.2	5	1.5	0.0- 3.1	3	0.6	0.0- 1.4	2	0.3	0.0- 0.7	161	44.0	38.5-49.5
35-44	470	365,179	200	41.6	36.7-46.5	36	7.1	4.6- 9.6	6	1.3	0.1- 2.5	2	0.5	0.0- 1.1	2	1.2	0.0- 3.0	224	48.4	43.3-53.5
45-54	641	376,406	240	36.6	32.5-40.7	57	8.9	6.5-11.3	2	0.2	0.0- 0.4	7	0.9	0.1- 1.7	3	0.8	0.0- 1.8	332	52.6	48.3-56.9
55-64	863	403,119	291	31.5	28.0-35.0	84	10.0	7.6-12.4	4	0.5	0.0- 1.1	2	0.4	0.0- 1.0	7	0.8	0.0- 1.6	475	56.9	53.2-60.6
65+	1880	554,083	490	25.6	23.2-28.0	321	16.3	14.3-18.3	5	0.2	0.0- 0.4	24	1.4	0.8- 2.0	11	0.4	0.2- 0.6	1029	56.0	53.3-58.7
Less Than H.S.	307	259,158	90	37.3	29.9-44.7	37	12.6	7.3-17.9	4	0.7	0.0- 1.7	5	1.6	0.0- 3.2	3	1.4	0.0- 3.8	168	46.4	39.1-53.7
H.S. or G.E.D.	1367	729,487	430	36.5	33.0-40.0	200	11.9	9.7-14.1	7	0.7	0.1- 1.3	11	0.6	0.2- 1.0	8	1.2	0.0- 2.4	711	49.1	45.6-52.6
Some Post-H.S.	1195	770,569	413	37.7	34.2-41.2	160	12.0	9.6-14.4	8	0.8	0.0- 1.6	10	0.6	0.2- 1.0	7	0.7	0.1- 1.3	597	48.2	44.7-51.7
College Graduate	1512	609,965	547	38.3	35.4-41.2	151	8.5	6.9-10.1	3	0.2	0.0- 0.4	12	0.7	0.3- 1.1	10	0.4	0.2- 0.6	789	51.9	48.8-55.0
Less than \$15,000	363	229,193	142	45.0	38.1-51.9	48	13.9	8.4-19.4	2	0.6	0.0- 1.4	1	0.6	0.0- 1.8	2	0.3	0.0- 0.7	168	39.7	33.2-46.2
\$15,000- 24,999	651	345,178	188	34.2	28.9-39.5	112	16.1	12.4-19.8	7	1.6	0.2- 3.0	9	1.2	0.2- 2.2	3	1.0	0.0- 2.8	332	45.9	40.8-51.0
\$25,000- 34,999	426	226,657	151	39.8	33.3-46.3	52	11.2	7.5-14.9	3	1.5	0.0- 3.5	5	1.0	0.0- 2.0	3	2.0	0.0- 4.7	212	44.6	38.3-50.9
\$35,000- 49,999	484	252,209	171	36.9	31.4-42.4	60	9.2	6.3-12.1	1	0.3	0.0- 0.9	3	0.6	0.0- 1.4	3	0.6	0.0- 1.4	246	52.5	46.8-58.2
\$50,000- 74,999	534	305,439	202	40.7	35.4-46.0	46	8.1	5.2-11.0	2	0.1	0.0- 0.3	4	0.6	0.0- 1.2	3	0.2	0.0- 0.4	277	50.3	45.0-55.6
\$75,000+	910	547,629	328	36.3	32.6-40.0	67	7.8	5.6-10.0	3	0.4	0.0- 0.8	3	0.2	0.0- 0.4	4	0.6	0.0- 1.2	505	54.7	50.8-58.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 4: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	7923	4,608,500	3317	43.9	42.5-45.3	3420	41.0	39.6-42.4	497	6.1	5.5- 6.7	290	3.8	3.2- 4.4	71	0.7	0.5- 0.9	328	4.6	4.0- 5.2			
Male	3556	2,246,808	1625	48.1	45.9-50.3	1427	37.9	35.9-39.9	194	5.3	4.3- 6.3	110	3.2	2.4- 4.0	31	0.6	0.4- 0.8	169	4.8	4.0- 5.6			
Female	4367	2,361,692	1692	39.9	37.9-41.9	1993	43.8	41.8-45.8	303	6.9	5.9- 7.9	180	4.4	3.4- 5.4	40	0.7	0.5- 0.9	159	4.4	3.6- 5.2			
White/Non-Hisp	6600	3,671,527	2755	44.2	42.6-45.8	2873	41.2	39.6-42.8	414	5.9	5.1- 6.7	230	3.5	2.9- 4.1	56	0.7	0.5- 0.9	272	4.6	4.0- 5.2			
Black or Afr. Am./Non-Hisp	521	388,746	248	49.2	43.7-54.7	178	32.8	27.5-38.1	31	5.8	3.3- 8.3	29	5.7	3.3- 8.1	9	1.0	0.2- 1.8	26	5.4	2.9- 7.9			
Oth. Race/Non-Hisp.	206	146,403	78	38.0	29.2-46.8	107	51.3	42.1-60.5	8	4.9	1.2- 8.6	4	1.3	0.0- 2.7	2	0.5	0.0- 1.3	7	3.9	0.6- 7.2			
MultiRacial/Non-Hisp.	113	42,459	52	44.5	32.7-56.3	41	38.0	26.6-49.4	6	4.4	0.5- 8.3	7	5.2	0.7- 9.7	1	0.4	0.0- 1.2	6	7.4	0.0-15.6			
Hispanic	342	285,008	126	36.4	30.5-42.3	156	44.5	38.4-50.6	31	10.6	6.5-14.7	16	4.9	2.2- 7.6	2	0.4	0.0- 1.0	11	3.3	0.6- 6.0			
18-24	416	619,478	198	46.7	41.4-52.0	163	39.3	34.0-44.6	20	5.1	2.7- 7.5	23	5.8	3.1- 8.5	1	0.1	0.0- 0.3	11	3.0	1.0- 5.0			
25-34	709	759,975	325	47.3	43.2-51.4	273	36.2	32.3-40.1	48	7.2	5.0- 9.4	23	3.3	1.9- 4.7	4	0.4	0.0- 1.0	36	5.6	3.6- 7.6			
35-44	858	723,862	364	43.8	40.1-47.5	361	41.0	37.3-44.7	49	6.0	4.0- 8.0	38	4.5	2.9- 6.1	7	0.7	0.1- 1.3	39	4.1	2.7- 5.5			
45-54	1197	741,051	498	42.9	39.8-46.0	502	41.5	38.4-44.6	77	6.2	4.6- 7.8	43	3.3	2.1- 4.5	13	0.8	0.4- 1.2	64	5.2	3.8- 6.6			
55-64	1662	786,254	719	43.1	40.4-45.8	703	41.8	39.1-44.5	81	5.0	3.8- 6.2	52	3.0	2.0- 4.0	22	1.2	0.6- 1.8	85	5.9	4.5- 7.3			
65+	3081	977,880	1213	40.9	38.7-43.1	1418	44.6	42.4-46.8	222	6.9	5.9- 7.9	111	3.5	2.7- 4.3	24	0.7	0.3- 1.1	93	3.5	2.7- 4.3			
Less Than H.S.	560	550,615	240	42.6	37.5-47.7	199	36.0	31.1-40.9	43	8.6	5.7-11.5	23	4.3	2.3- 6.3	1	0.1	0.0- 0.3	54	8.5	5.8-11.2			
H.S. or G.E.D.	2466	1,488,079	1172	49.3	46.8-51.8	953	36.2	33.8-38.6	133	5.3	4.1- 6.5	76	3.9	2.7- 5.1	15	0.4	0.0- 0.8	117	4.9	3.9- 5.9			
Some Post-H.S.	2080	1,441,141	925	45.2	42.7-47.7	872	41.7	39.2-44.2	109	4.7	3.5- 5.9	72	3.4	2.4- 4.4	19	0.7	0.3- 1.1	83	4.3	3.3- 5.3			
College Graduate	2772	1,105,358	964	35.6	33.4-37.8	1379	48.9	46.7-51.1	208	7.7	6.5- 8.9	117	4.1	3.3- 4.9	35	1.2	0.8- 1.6	69	2.6	1.8- 3.4			
Less than \$15,000	577	370,190	279	46.4	41.1-51.7	190	33.9	28.8-39.0	30	5.1	2.9- 7.3	25	5.5	3.1- 7.9	5	0.6	0.0- 1.2	48	8.7	6.0-11.4			
\$15,000- 24,999	1079	625,829	487	46.3	42.4-50.2	429	37.5	33.8-41.2	61	5.3	3.5- 7.1	36	4.0	2.4- 5.6	10	0.9	0.1- 1.7	56	6.0	3.8- 8.2			
\$25,000- 34,999	701	399,580	311	48.1	43.2-53.0	288	36.7	32.0-41.4	40	5.8	3.6- 8.0	25	3.4	1.4- 5.4	3	0.2	0.0- 0.4	34	5.9	3.4- 8.4			
\$35,000- 49,999	937	534,638	424	50.7	46.6-54.8	385	36.9	33.0-40.8	52	4.6	3.0- 6.2	38	3.7	2.1- 5.3	6	0.4	0.0- 0.8	32	3.7	2.1- 5.3			
\$50,000- 74,999	1042	639,988	439	43.7	40.0-47.4	458	42.8	39.1-46.5	66	5.9	3.9- 7.9	37	3.4	2.0- 4.8	8	0.5	0.1- 0.9	34	3.7	2.3- 5.1			
\$75,000+	2013	1,224,468	742	37.9	35.4-40.4	972	47.1	44.4-49.8	132	6.7	5.3- 8.1	78	4.1	2.9- 5.3	23	0.9	0.5- 1.3	66	3.3	2.5- 4.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES
TABLE 5: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3556	2,246,808	1625	48.1	45.9-50.3	1427	37.9	35.9-39.9	194	5.3	4.3- 6.3	110	3.2	2.4- 4.0	31	0.6	0.4- 0.8	169	4.8	4.0- 5.6
White/Non-Hisp	2960	1,776,228	1352	48.3	45.9-50.7	1196	38.1	35.9-40.3	160	5.0	4.0- 6.0	88	3.1	2.3- 3.9	26	0.7	0.3- 1.1	138	4.8	3.8- 5.8
Black or Afr. Am./Non-Hisp	207	185,533	110	56.2	47.8-64.6	55	25.7	17.9-33.5	11	4.3	1.4- 7.2	11	5.5	2.0- 9.0	3	0.7	0.0- 1.5	17	7.7	3.4-12.0
Oth. Race/Non-Hisp.	114	86,793	48	43.2	31.6-54.8	56	47.9	36.3-59.5	5	4.5	0.2- 8.8	1	0.7	0.0- 2.1				4	3.7	0.0- 7.8
MultiRacial/Non-Hisp.	51	18,854	24	49.7	32.3-67.1	17	33.6	16.9-50.3	3	5.3	0.0-11.4	3	4.4	0.0-10.9	1	0.9	0.0- 2.7	3	6.1	0.0-15.5
Hispanic	151	142,717	61	38.8	30.0-47.6	67	45.2	36.0-54.4	12	10.4	3.9-16.9	6	3.8	0.7- 6.9	1	0.4	0.0- 1.2	4	1.3	0.0- 2.7
18-24	236	321,649	121	51.6	44.5-58.7	81	34.8	27.9-41.7	12	5.3	2.2- 8.4	16	5.8	2.9- 8.7				6	2.5	0.3- 4.7
25-34	339	382,495	176	53.2	47.1-59.3	121	34.5	28.8-40.2	17	5.1	2.4- 7.8	6	1.8	0.2- 3.4	2	0.2	0.0- 0.6	17	5.1	2.4- 7.8
35-44	389	358,981	189	49.3	43.8-54.8	147	36.9	31.6-42.2	15	4.5	1.8- 7.2	15	4.2	1.8- 6.6	5	0.9	0.1- 1.7	18	4.1	1.9- 6.3
45-54	554	363,965	235	44.6	39.9-49.3	233	40.2	35.7-44.7	26	4.8	2.8- 6.8	16	3.0	1.2- 4.8	6	0.7	0.1- 1.3	38	6.6	4.2- 9.0
55-64	802	385,906	356	45.2	41.3-49.1	333	40.1	36.2-44.0	39	5.1	3.3- 6.9	20	2.2	1.0- 3.4	11	1.5	0.5- 2.5	43	5.8	4.0- 7.6
65+	1236	433,811	548	45.6	42.3-48.9	512	40.3	37.0-43.6	85	6.7	4.9- 8.5	37	2.8	1.6- 4.0	7	0.4	0.0- 0.8	47	4.3	2.9- 5.7
Less Than H.S.	265	298,023	122	43.4	36.3-50.5	83	34.7	27.8-41.6	25	10.8	6.3-15.3	8	3.1	0.7- 5.5	1	0.2	0.0- 0.6	26	7.7	4.2-11.2
H.S. or G.E.D.	1116	766,104	574	53.5	50.0-57.0	386	33.2	29.9-36.5	62	5.2	3.6- 6.8	30	3.0	1.8- 4.2	6	0.4	0.0- 0.8	58	4.7	3.3- 6.1
Some Post-H.S.	893	675,025	433	49.8	45.9-53.7	345	38.2	34.5-41.9	37	3.5	2.1- 4.9	24	3.1	1.7- 4.5	11	0.8	0.2- 1.4	43	4.6	3.0- 6.2
College Graduate	1262	495,412	486	40.0	36.7-43.3	607	47.2	43.9-50.5	68	4.5	3.1- 5.9	48	3.9	2.5- 5.3	13	1.0	0.4- 1.6	40	3.3	2.1- 4.5
Less than \$15,000	224	149,969	121	50.4	42.4-58.4	59	27.1	19.7-34.5	12	5.7	2.2- 9.2	9	5.5	1.4- 9.6	3	1.3	0.0- 2.9	20	10.1	5.0-15.2
\$15,000- 24,999	437	283,822	194	46.3	40.4-52.2	170	38.4	32.7-44.1	32	7.0	4.1- 9.9	10	2.3	0.5- 4.1	7	1.2	0.2- 2.2	24	4.7	2.2- 7.2
\$25,000- 34,999	274	174,676	136	50.5	43.1-57.9	96	32.9	25.6-40.2	15	6.9	2.8-11.0	9	3.0	0.6- 5.4	1	0.1	0.0- 0.3	17	6.5	2.8-10.2
\$35,000- 49,999	455	284,649	226	56.0	50.3-61.7	166	31.7	26.6-36.8	25	4.9	2.5- 7.3	16	2.8	1.0- 4.6	3	0.4	0.0- 0.8	19	4.2	1.8- 6.6
\$50,000- 74,999	508	333,241	224	46.9	41.4-52.4	211	38.3	33.0-43.6	27	4.7	2.2- 7.2	17	4.0	1.6- 6.4	4	0.6	0.0- 1.2	25	5.5	3.1- 7.9
\$75,000+	1104	677,212	458	43.6	39.9-47.3	512	44.5	40.8-48.2	46	3.8	2.4- 5.2	36	3.8	2.4- 5.2	11	0.7	0.1- 1.3	41	3.6	2.4- 4.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 6: FRUIT INTAKE IN TIMES PER DAY (FRUTDA2_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4367	2,361,692	1692	39.9	37.9-41.9	1993	43.8	41.8-45.8	303	6.9	5.9- 7.9	180	4.4	3.4- 5.4	40	0.7	0.5- 0.9	159	4.4	3.6- 5.2
White/Non-Hisp	3640	1,895,299	1403	40.3	38.1-42.5	1677	44.1	41.9-46.3	254	6.6	5.6- 7.6	142	4.0	3.2- 4.8	30	0.6	0.2- 1.0	134	4.4	3.6- 5.2
Black or Afr. Am./Non-Hisp	314	203,213	138	42.7	35.4-50.0	123	39.3	32.2-46.4	20	7.3	3.4-11.2	18	6.0	2.9- 9.1	6	1.4	0.2- 2.6	9	3.3	0.6- 6.0
Oth. Race/Non-Hisp.	92	59,610	30	30.5	17.8-43.2	51	56.3	41.8-70.8	3	5.6	0.0-12.1	3	2.1	0.0- 4.8	2	1.3	0.0- 3.5	3	4.3	0.0-10.0
MultiRacial/Non-Hisp.	62	23,605	28	40.4	24.7-56.1	24	41.5	26.0-57.0	3	3.6	0.0- 8.5	4	5.9	0.0-12.2				3	8.5	0.0-21.2
Hispanic	191	142,290	65	34.0	26.0-42.0	89	43.7	35.5-51.9	19	10.7	5.6-15.8	10	6.1	1.6-10.6	1	0.4	0.0- 1.2	7	5.2	0.0-10.5
18-24	180	297,829	77	41.5	33.5-49.5	82	44.1	36.1-52.1	8	4.8	1.3- 8.3	7	5.8	1.3-10.3	1	0.2	0.0- 0.6	5	3.6	0.3- 6.9
25-34	370	377,480	149	41.3	35.8-46.8	152	37.9	32.6-43.2	31	9.3	6.0-12.6	17	4.7	2.3- 7.1	2	0.6	0.0- 1.6	19	6.2	3.3- 9.1
35-44	469	364,881	175	38.3	33.4-43.2	214	45.1	40.0-50.2	34	7.4	4.7-10.1	23	4.8	2.6- 7.0	2	0.4	0.0- 1.0	21	4.1	2.1- 6.1
45-54	643	377,086	263	41.3	37.0-45.6	269	42.8	38.5-47.1	51	7.5	5.3- 9.7	27	3.6	2.0- 5.2	7	0.9	0.3- 1.5	26	3.8	2.2- 5.4
55-64	860	400,347	363	41.0	37.3-44.7	370	43.3	39.6-47.0	42	4.9	3.3- 6.5	32	3.8	2.2- 5.4	11	1.0	0.2- 1.8	42	6.0	4.0- 8.0
65+	1845	544,069	665	37.2	34.7-39.7	906	48.0	45.3-50.7	137	7.0	5.6- 8.4	74	4.1	3.1- 5.1	17	0.9	0.5- 1.3	46	2.8	1.8- 3.8
Less Than H.S.	295	252,593	118	41.6	34.2-49.0	116	37.6	30.3-44.9	18	5.9	2.4- 9.4	15	5.6	2.3- 8.9				28	9.3	5.2-13.4
H.S. or G.E.D.	1350	721,975	598	44.9	41.4-48.4	567	39.4	36.1-42.7	71	5.4	3.8- 7.0	46	4.8	2.8- 6.8	9	0.5	0.0- 1.1	59	5.0	3.4- 6.6
Some Post-H.S.	1187	766,117	492	41.1	37.6-44.6	527	44.7	41.2-48.2	72	5.8	4.0- 7.6	48	3.7	2.3- 5.1	8	0.6	0.2- 1.0	40	4.0	2.6- 5.4
College Graduate	1510	609,945	478	32.0	29.1-34.9	772	50.3	47.2-53.4	140	10.2	8.2-12.2	69	4.2	3.0- 5.4	22	1.3	0.7- 1.9	29	2.0	1.2- 2.8
Less than \$15,000	353	220,220	158	43.7	36.8-50.6	131	38.5	31.4-45.6	18	4.6	2.1- 7.1	16	5.5	2.6- 8.4	2	0.1	0.0- 0.3	28	7.7	4.6-10.8
\$15,000- 24,999	642	342,007	293	46.2	40.9-51.5	259	36.6	31.7-41.5	29	3.9	2.1- 5.7	26	5.4	2.9- 7.9	3	0.7	0.0- 1.9	32	7.1	4.0-10.2
\$25,000- 34,999	427	224,904	175	46.2	39.7-52.7	192	39.6	33.5-45.7	25	4.9	2.5- 7.3	16	3.7	0.8- 6.6	2	0.3	0.0- 0.7	17	5.3	1.6- 9.0
\$35,000- 49,999	482	249,989	198	44.6	38.9-50.3	219	42.8	37.1-48.5	27	4.2	2.0- 6.4	22	4.7	2.0- 7.4	3	0.5	0.0- 1.1	13	3.2	1.2- 5.2
\$50,000- 74,999	534	306,748	215	40.2	34.9-45.5	247	47.7	42.4-53.0	39	7.3	4.4-10.2	20	2.8	1.2- 4.4	4	0.4	0.0- 0.8	9	1.6	0.2- 3.0
\$75,000+	909	547,256	284	30.9	27.4-34.4	460	50.2	46.3-54.1	86	10.3	7.9-12.7	42	4.5	2.7- 6.3	12	1.1	0.3- 1.9	25	3.0	1.8- 4.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 7: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDA1_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7939	4,615,505	5530	68.9	67.5-70.3	1386	16.7	15.7-17.7	80	0.9	0.7- 1.1	150	1.9	1.5- 2.3	56	0.7	0.5- 0.9	737	10.9	9.9-11.9
Male	3555	2,241,894	2461	68.9	66.9-70.9	591	15.3	13.9-16.7	31	0.7	0.5- 0.9	62	1.6	1.2- 2.0	20	0.5	0.3- 0.7	390	13.1	11.5-14.7
Female	4384	2,373,611	3069	69.0	67.2-70.8	795	18.0	16.4-19.6	49	1.1	0.7- 1.5	88	2.1	1.5- 2.7	36	0.9	0.5- 1.3	347	8.9	7.7-10.1
White/Non-Hisp	6620	3,683,912	4697	70.6	69.2-72.0	1102	15.6	14.4-16.8	60	0.9	0.7- 1.1	120	1.9	1.5- 2.3	50	0.8	0.4- 1.2	591	10.3	9.3-11.3
Black or Afr. Am./Non-Hisp	525	385,741	355	66.1	61.0-71.2	92	17.5	13.6-21.4	6	1.0	0.2- 1.8	11	1.7	0.5- 2.9	2	0.1	0.0- 0.3	59	13.5	9.4-17.6
Oth. Race/Non-Hisp.	203	145,204	110	54.4	45.2-63.6	60	26.9	19.3-34.5	5	1.9	0.0- 4.1	7	2.7	0.5- 4.9	1	0.5	0.0- 1.5	20	13.6	6.2-21.0
MultiRacial/Non-Hisp.	112	41,296	70	60.1	48.1-72.1	21	18.2	9.4-27.0	2	2.0	0.0- 4.7	6	6.9	0.4-13.4				13	12.8	3.6-22.0
Hispanic	338	285,248	212	62.9	56.8-69.0	74	20.7	15.8-25.6	5	1.2	0.0- 2.4	4	0.6	0.0- 1.2	1	0.0	0.0- 0.0	42	14.5	9.8-19.2
18-24	416	615,106	268	63.8	58.7-68.9	58	14.6	10.7-18.5	4	0.7	0.0- 1.5	4	1.0	0.0- 2.0				82	19.8	15.5-24.1
25-34	710	762,729	483	67.7	63.8-71.6	115	14.9	12.2-17.6	8	0.9	0.3- 1.5	15	1.8	0.8- 2.8	6	1.4	0.2- 2.6	83	13.4	10.5-16.3
35-44	857	721,371	574	66.2	62.7-69.7	162	19.5	16.6-22.4	12	1.4	0.6- 2.2	25	2.9	1.7- 4.1	8	1.0	0.2- 1.8	76	9.0	6.8-11.2
45-54	1195	738,483	847	71.2	68.3-74.1	205	16.7	14.3-19.1	10	0.8	0.2- 1.4	22	1.7	0.9- 2.5	9	0.7	0.1- 1.3	102	9.0	7.0-11.0
55-64	1666	789,385	1182	71.3	68.8-73.8	274	16.3	14.3-18.3	14	0.7	0.3- 1.1	37	2.2	1.4- 3.0	12	0.5	0.1- 0.9	147	8.9	7.3-10.5
65+	3095	988,431	2176	71.5	69.5-73.5	572	17.5	15.9-19.1	32	1.1	0.7- 1.5	47	1.5	0.9- 2.1	21	0.6	0.4- 0.8	247	7.9	6.7- 9.1
Less Than H.S.	567	558,584	364	65.6	60.7-70.5	84	12.6	9.5-15.7	5	0.8	0.0- 1.6	3	0.4	0.0- 0.8	4	1.4	0.0- 3.0	107	19.2	15.1-23.3
H.S. or G.E.D.	2494	1,503,478	1734	68.8	66.4-71.2	389	15.4	13.6-17.2	21	0.8	0.4- 1.2	37	1.3	0.9- 1.7	11	0.4	0.2- 0.6	302	13.3	11.5-15.1
Some Post-H.S.	2075	1,425,807	1460	68.4	65.9-70.9	365	17.9	15.7-20.1	19	0.8	0.4- 1.2	40	2.3	1.5- 3.1	15	0.8	0.4- 1.2	176	9.8	8.0-11.6
College Graduate	2759	1,104,170	1946	71.5	69.5-73.5	537	18.8	17.0-20.6	34	1.4	0.8- 2.0	70	2.9	2.1- 3.7	26	0.7	0.3- 1.1	146	4.9	3.9- 5.9
Less than \$15,000	574	372,317	355	60.0	54.7-65.3	95	15.5	12.0-19.0	6	1.3	0.1- 2.5	9	1.6	0.2- 3.0	2	0.7	0.0- 1.7	107	20.9	16.2-25.6
\$15,000- 24,999	1091	628,373	741	66.4	62.7-70.1	186	17.4	14.5-20.3	7	0.7	0.1- 1.3	15	1.6	0.6- 2.6	5	0.5	0.0- 1.1	137	13.4	10.7-16.1
\$25,000- 34,999	706	401,987	511	73.7	69.6-77.8	98	12.5	9.6-15.4	10	0.8	0.2- 1.4	8	0.8	0.2- 1.4	6	0.6	0.0- 1.4	73	11.6	8.5-14.7
\$35,000- 49,999	934	536,211	672	70.0	66.3-73.7	142	14.1	11.4-16.8	4	0.4	0.0- 0.8	19	2.1	1.1- 3.1	11	1.4	0.2- 2.6	86	12.1	9.2-15.0
\$50,000- 74,999	1036	636,919	739	70.4	66.7-74.1	188	18.1	15.2-21.0	10	0.7	0.1- 1.3	16	1.4	0.6- 2.2	9	0.8	0.2- 1.4	74	8.6	6.1-11.1
\$75,000+	2006	1,216,296	1438	71.8	69.4-74.2	380	17.8	15.8-19.8	27	1.3	0.7- 1.9	52	2.7	1.9- 3.5	9	0.3	0.1- 0.5	100	6.1	4.7- 7.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 8: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDA1_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3555	2,241,894	2461	68.9	66.9-70.9	591	15.3	13.9-16.7	31	0.7	0.5- 0.9	62	1.6	1.2- 2.0	20	0.5	0.3- 0.7	390	13.1	11.5-14.7
White/Non-Hisp	2963	1,772,755	2099	70.6	68.4-72.8	464	14.1	12.5-15.7	22	0.7	0.3- 1.1	53	1.7	1.1- 2.3	18	0.6	0.2- 1.0	307	12.4	10.8-14.0
Black or Afr. Am./Non-Hisp	208	187,150	138	66.8	59.0-74.6	33	13.6	8.1-19.1	5	1.7	0.1- 3.3	2	0.9	0.0- 2.3	1	0.1	0.0- 0.3	29	16.9	10.4-23.4
Oth. Race/Non-Hisp.	113	85,626	60	56.0	44.6-67.4	33	27.5	17.3-37.7	1	0.3	0.0- 0.9	3	2.4	0.0- 5.3				16	13.9	6.3-21.5
Hispanic	147	140,261	89	60.7	51.5-69.9	33	21.4	13.8-29.0	1	0.4	0.0- 1.2							24	17.5	10.1-24.9
18-24	235	316,940	149	63.2	56.3-70.1	30	13.9	8.8-19.0	1	0.2	0.0- 0.6	1	0.4	0.0- 1.2				54	22.3	16.4-28.2
25-34	341	384,314	236	68.9	63.4-74.4	42	11.9	8.2-15.6	3	0.6	0.0- 1.4	9	2.2	0.6- 3.8	2	0.4	0.0- 1.0	49	16.0	11.3-20.7
35-44	386	355,288	263	67.2	61.9-72.5	62	16.9	12.6-21.2	4	1.0	0.0- 2.0	7	1.6	0.4- 2.8	3	0.9	0.0- 2.1	47	12.4	8.7-16.1
45-54	553	362,191	388	71.6	67.5-75.7	84	13.4	10.3-16.5	4	0.6	0.0- 1.2	11	1.8	0.6- 3.0	4	0.4	0.0- 1.0	62	12.1	9.0-15.2
55-64	801	384,599	561	70.2	66.5-73.9	139	16.9	14.0-19.8	5	0.6	0.0- 1.2	15	1.8	0.8- 2.8	4	0.5	0.0- 1.1	77	9.9	7.5-12.3
65+	1239	438,563	864	70.9	67.8-74.0	234	17.8	15.3-20.3	14	1.3	0.5- 2.1	19	1.4	0.6- 2.2	7	0.5	0.1- 0.9	101	8.1	6.1-10.1
Less Than H.S.	261	299,495	174	68.8	62.3-75.3	33	10.7	6.8-14.6	2	0.3	0.0- 0.7				1	0.5	0.0- 1.5	51	19.6	13.7-25.5
H.S. or G.E.D.	1129	770,301	758	67.1	63.8-70.4	171	14.4	11.9-16.9	7	0.7	0.1- 1.3	19	1.4	0.6- 2.2	5	0.4	0.0- 0.8	169	16.1	13.4-18.8
Some Post-H.S.	890	664,150	623	67.9	64.2-71.6	147	17.0	13.9-20.1	4	0.3	0.0- 0.7	11	1.4	0.4- 2.4	6	0.5	0.1- 0.9	99	12.9	10.0-15.8
College Graduate	1255	495,531	894	72.8	69.9-75.7	236	17.0	14.6-19.4	17	1.6	0.6- 2.6	32	3.1	1.9- 4.3	8	0.5	0.1- 0.9	68	5.0	3.6- 6.4
Less than \$15,000	214	146,068	133	62.0	54.0-70.0	35	17.0	10.9-23.1				4	1.3	0.0- 2.9	2	1.7	0.0- 4.1	40	18.1	11.6-24.6
\$15,000- 24,999	443	285,832	298	68.6	63.1-74.1	73	17.4	12.7-22.1	3	0.6	0.0- 1.4	5	0.9	0.0- 1.9	1	0.0	0.0- 0.0	63	12.5	8.8-16.2
\$25,000- 34,999	279	179,006	201	73.8	67.5-80.1	40	12.7	8.0-17.4	2	0.4	0.0- 1.0	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3	34	12.7	7.8-17.6
\$35,000- 49,999	453	285,959	311	66.4	60.9-71.9	64	12.5	9.0-16.0	2	0.4	0.0- 1.0	11	2.2	0.8- 3.6	3	0.4	0.0- 1.0	62	18.2	13.5-22.9
\$50,000- 74,999	505	330,508	360	67.6	62.1-73.1	87	16.9	13.0-20.8	3	0.5	0.0- 1.1	8	1.3	0.1- 2.5	4	0.9	0.0- 1.9	43	12.7	8.0-17.4
\$75,000+	1098	668,043	782	71.5	68.2-74.8	196	15.8	13.3-18.3	17	1.5	0.7- 2.3	26	2.5	1.5- 3.5	5	0.4	0.0- 0.8	72	8.4	6.2-10.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 9: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDA1_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4384	2,373,611	3069	69.0	67.2-70.8	795	18.0	16.4-19.6	49	1.1	0.7- 1.5	88	2.1	1.5- 2.7	36	0.9	0.5- 1.3	347	8.9	7.7-10.1
White/Non-Hisp	3657	1,911,156	2598	70.5	68.5-72.5	638	17.0	15.4-18.6	38	1.0	0.6- 1.4	67	2.1	1.5- 2.7	32	1.1	0.5- 1.7	284	8.3	7.1- 9.5
Black or Afr. Am./Non-Hisp	317	198,591	217	65.5	58.6-72.4	59	21.2	15.5-26.9	1	0.4	0.0- 1.2	9	2.5	0.7- 4.3	1	0.1	0.0- 0.3	30	10.3	5.4-15.2
Oth. Race/Non-Hisp.	90	59,578	50	52.1	37.0-67.2	27	26.1	14.5-37.7	4	4.1	0.0- 9.4	4	3.2	0.0- 6.7	1	1.3	0.0- 3.8	4	13.1	0.0-27.8
MultiRacial/Non-Hisp.	63	22,701	39	55.8	39.3-72.3	14	22.0	9.7-34.3	1	1.7	0.0- 5.0	3	9.3	0.0-19.9				6	11.1	0.0-24.6
Hispanic	191	144,987	123	65.0	57.0-73.0	41	20.0	13.5-26.5	4	2.0	0.0- 4.4	4	1.2	0.0- 2.4	1	0.1	0.0- 0.3	18	11.7	6.0-17.4
18-24	181	298,166	119	64.4	56.6-72.2	28	15.4	9.3-21.5	3	1.2	0.0- 2.6	3	1.7	0.0- 3.7				28	17.2	10.9-23.5
25-34	369	378,416	247	66.5	61.2-71.8	73	18.0	13.9-22.1	5	1.2	0.0- 2.4	6	1.3	0.1- 2.5	4	2.4	0.0- 4.8	34	10.7	7.0-14.4
35-44	471	366,083	311	65.2	60.5-69.9	100	22.0	17.9-26.1	8	1.8	0.4- 3.2	18	4.2	2.0- 6.4	5	1.0	0.0- 2.0	29	5.7	3.5- 7.9
45-54	642	376,292	459	70.8	66.9-74.7	121	19.8	16.3-23.3	6	0.9	0.1- 1.7	11	1.6	0.4- 2.8	5	0.9	0.1- 1.7	40	6.0	4.0- 8.0
55-64	865	404,786	621	72.4	69.1-75.7	135	15.6	12.9-18.3	9	0.9	0.3- 1.5	22	2.6	1.4- 3.8	8	0.5	0.1- 0.9	70	8.0	5.8-10.2
65+	1856	549,868	1312	71.9	69.5-74.3	338	17.2	15.2-19.2	18	0.9	0.5- 1.3	28	1.6	1.0- 2.2	14	0.7	0.3- 1.1	146	7.8	6.2- 9.4
Less Than H.S.	306	259,089	190	61.8	54.7-68.9	51	14.8	9.9-19.7	3	1.5	0.0- 3.3	3	0.8	0.0- 1.8	3	2.5	0.0- 5.4	56	18.7	12.8-24.6
H.S. or G.E.D.	1365	733,177	976	70.5	67.2-73.8	218	16.4	13.7-19.1	14	1.0	0.4- 1.6	18	1.2	0.6- 1.8	6	0.4	0.0- 0.8	133	10.4	8.2-12.6
Some Post-H.S.	1185	761,657	837	68.9	65.6-72.2	218	18.7	16.0-21.4	15	1.2	0.4- 2.0	29	3.1	1.7- 4.5	9	1.0	0.2- 1.8	77	7.2	5.2- 9.2
College Graduate	1504	608,639	1052	70.3	67.6-73.0	301	20.2	17.7-22.7	17	1.1	0.5- 1.7	38	2.7	1.7- 3.7	18	0.8	0.4- 1.2	78	4.8	3.2- 6.4
Less than \$15,000	360	226,250	222	58.7	51.8-65.6	60	14.6	10.3-18.9	6	2.1	0.3- 3.9	5	1.9	0.0- 4.1				67	22.8	16.3-29.3
\$15,000- 24,999	648	342,541	443	64.5	59.4-69.6	113	17.5	13.8-21.2	4	0.9	0.0- 1.9	10	2.1	0.5- 3.7	4	0.9	0.0- 2.1	74	14.2	10.1-18.3
\$25,000- 34,999	427	222,981	310	73.7	68.2-79.2	58	12.3	8.6-16.0	8	1.2	0.2- 2.2	7	1.1	0.1- 2.1	5	1.0	0.0- 2.2	39	10.7	6.4-15.0
\$35,000- 49,999	481	250,252	361	74.0	68.9-79.1	78	15.9	12.0-19.8	2	0.4	0.0- 1.2	8	2.0	0.4- 3.6	8	2.6	0.1- 5.1	24	5.1	2.6- 7.6
\$50,000- 74,999	531	306,411	379	73.4	68.7-78.1	101	19.3	15.0-23.6	7	0.9	0.1- 1.7	8	1.4	0.2- 2.6	5	0.7	0.0- 1.5	31	4.2	2.4- 6.0
\$75,000+	908	548,253	656	72.2	68.7-75.7	184	20.2	17.1-23.3	10	1.1	0.3- 1.9	26	2.9	1.5- 4.3	4	0.3	0.1- 0.5	28	3.2	1.8- 4.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES
TABLE 10: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7922	4,602,887	6153	79.1	77.9-80.3	344	5.1	4.5- 5.7	34	0.5	0.3- 0.7	39	0.6	0.4- 0.8	15	0.2	0.0- 0.4	1337	14.5	13.5-15.5
Male	3553	2,239,497	2854	80.4	78.6-82.2	197	6.2	5.2- 7.2	19	0.5	0.3- 0.7	23	0.8	0.4- 1.2	9	0.2	0.0- 0.4	451	11.9	10.5-13.3
Female	4369	2,363,390	3299	77.9	76.3-79.5	147	4.1	3.3- 4.9	15	0.5	0.3- 0.7	16	0.4	0.2- 0.6	6	0.1	0.0- 0.3	886	17.0	15.6-18.4
White/Non-Hisp	6606	3,670,691	5171	80.3	79.1-81.5	273	4.9	4.1- 5.7	24	0.4	0.2- 0.6	33	0.6	0.4- 0.8	13	0.2	0.0- 0.4	1092	13.6	12.6-14.6
Black or Afr. Am./Non-Hisp	515	387,553	393	75.1	70.2-80.0	27	6.6	3.7- 9.5	2	0.3	0.0- 0.9	4	0.6	0.0- 1.2	1	0.0	0.0- 0.0	88	17.3	13.0-21.6
Oth. Race/Non-Hisp.	203	144,549	143	69.2	60.8-77.6	10	6.3	1.8-10.8	2	0.7	0.0- 1.7	1	1.5	0.0- 4.4	1	0.4	0.0- 1.2	46	21.8	14.5-29.1
MultiRacial/Non-Hisp.	113	41,794	87	78.3	68.5-88.1	7	5.8	0.7-10.9	3	2.7	0.0- 5.8							16	13.1	4.5-21.7
Hispanic	340	283,159	255	76.8	71.7-81.9	16	5.3	2.2- 8.4	3	1.0	0.0- 2.2	1	0.5	0.0- 1.5				65	16.5	12.2-20.8
18-24	412	614,649	339	81.5	77.4-85.6	25	6.6	3.9- 9.3	2	0.4	0.0- 1.0	3	0.8	0.0- 1.8				43	10.6	7.3-13.9
25-34	706	761,259	575	80.0	76.7-83.3	45	7.3	5.1- 9.5	4	0.6	0.0- 1.2	7	0.8	0.2- 1.4				75	11.3	8.6-14.0
35-44	849	717,372	700	81.4	78.5-84.3	37	4.6	3.0- 6.2	7	0.8	0.2- 1.4	2	0.3	0.0- 0.9	3	0.4	0.0- 0.8	100	12.4	9.9-14.9
45-54	1187	733,510	959	80.8	78.3-83.3	43	3.4	2.2- 4.6	4	0.4	0.0- 0.8	8	0.8	0.2- 1.4	3	0.3	0.0- 0.7	170	14.3	11.9-16.7
55-64	1659	784,437	1300	77.9	75.5-80.3	61	4.4	3.2- 5.6	5	0.3	0.1- 0.5	11	0.7	0.3- 1.1	2	0.1	0.0- 0.3	280	16.6	14.4-18.8
65+	3109	991,659	2280	74.9	73.1-76.7	133	4.8	3.8- 5.8	12	0.3	0.1- 0.5	8	0.3	0.1- 0.5	7	0.2	0.0- 0.4	669	19.4	17.8-21.0
Less Than H.S.	568	555,674	419	76.3	72.2-80.4	28	5.5	3.1- 7.9	5	0.6	0.0- 1.2	5	1.2	0.0- 2.4				111	16.4	12.9-19.9
H.S. or G.E.D.	2478	1,494,013	1922	78.6	76.4-80.8	136	6.4	5.0- 7.8	10	0.6	0.2- 1.0	18	0.9	0.5- 1.3	5	0.2	0.0- 0.4	387	13.3	11.7-14.9
Some Post-H.S.	2068	1,428,077	1604	79.6	77.4-81.8	96	5.2	4.0- 6.4	7	0.3	0.1- 0.5	4	0.1	0.0- 0.3	5	0.2	0.0- 0.4	352	14.6	12.8-16.4
College Graduate	2761	1,101,090	2174	81.0	79.2-82.8	82	3.2	2.4- 4.0	12	0.5	0.1- 0.9	12	0.6	0.2- 1.0	5	0.1	0.0- 0.3	476	14.6	13.0-16.2
Less than \$15,000	581	375,829	405	71.0	66.1-75.9	34	6.2	3.7- 8.7	2	0.4	0.0- 1.0	4	0.5	0.0- 1.1	1	0.0	0.0- 0.0	135	21.9	17.4-26.4
\$15,000- 24,999	1083	625,404	831	78.3	75.2-81.4	53	5.5	3.5- 7.5	4	0.5	0.0- 1.1	5	0.6	0.0- 1.2	4	0.2	0.0- 0.4	186	14.9	12.4-17.4
\$25,000- 34,999	702	401,835	552	81.1	77.4-84.8	25	4.8	2.4- 7.2	1	0.1	0.0- 0.3	2	0.3	0.0- 0.9	1	0.1	0.0- 0.3	121	13.6	10.5-16.7
\$35,000- 49,999	933	535,189	748	79.6	76.1-83.1	50	6.9	4.4- 9.4	3	0.2	0.0- 0.6	6	1.0	0.0- 2.0	1	0.1	0.0- 0.3	125	12.1	9.6-14.6
\$50,000- 74,999	1040	636,606	841	81.3	78.4-84.2	43	5.5	3.5- 7.5	5	0.3	0.0- 0.7	7	0.5	0.1- 0.9				144	12.3	9.8-14.8
\$75,000+	2001	1,211,431	1599	81.0	78.8-83.2	76	4.4	3.2- 5.6	7	0.4	0.0- 0.8	9	0.4	0.0- 0.8	4	0.3	0.1- 0.5	306	13.5	11.7-15.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 11: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3553	2,239,497	2854	80.4	78.6-82.2	197	6.2	5.2- 7.2	19	0.5	0.3- 0.7	23	0.8	0.4- 1.2	9	0.2	0.0- 0.4	451	11.9	10.5-13.3
White/Non-Hisp	2961	1,772,038	2407	81.9	80.1-83.7	161	6.3	5.1- 7.5	15	0.5	0.1- 0.9	20	0.8	0.4- 1.2	9	0.2	0.0- 0.4	349	10.2	8.8-11.6
Black or Afr. Am./Non-Hisp	203	186,672	156	74.6	66.8-82.4	12	6.1	1.4-10.8	1	0.1	0.0- 0.3	1	0.5	0.0- 1.5				33	18.7	11.6-25.8
Oth. Race/Non-Hisp.	113	84,351	75	63.4	51.8-75.0	9	9.1	2.0-16.2	1	0.4	0.0- 1.2	1	2.6	0.0- 7.7				27	24.5	14.3-34.7
MultiRacial/Non-Hisp.	52	19,189	43	84.3	73.1-95.5	2	3.5	0.0-10.0	2	4.0	0.0- 9.5							5	8.2	0.4-16.0
Hispanic	149	140,718	115	79.0	71.7-86.3	7	3.2	0.5- 5.9				1	1.0	0.0- 3.0				26	16.8	10.1-23.5
18-24	234	318,135	195	82.1	76.6-87.6	16	7.5	3.8-11.2				2	1.2	0.0- 3.0				21	9.2	5.1-13.3
25-34	338	382,110	275	79.3	74.4-84.2	27	8.3	5.0-11.6	2	0.7	0.0- 1.7	3	1.0	0.0- 2.2				31	10.7	6.8-14.6
35-44	386	356,697	329	83.5	79.2-87.8	15	4.5	2.0- 7.0	2	0.5	0.0- 1.3	1	0.5	0.0- 1.5	2	0.5	0.0- 1.3	37	10.4	6.9-13.9
45-54	548	358,285	445	82.0	78.5-85.5	19	3.5	1.7- 5.3	4	0.7	0.0- 1.5	4	0.8	0.0- 1.6	1	0.1	0.0- 0.3	75	12.9	9.8-16.0
55-64	798	383,861	628	77.5	74.2-80.8	47	6.7	4.5- 8.9	3	0.2	0.0- 0.4	8	1.2	0.4- 2.0	1	0.1	0.0- 0.3	111	14.3	11.4-17.2
65+	1249	440,408	982	78.7	76.0-81.4	73	6.6	4.6- 8.6	8	0.6	0.2- 1.0	5	0.4	0.0- 0.8	5	0.3	0.0- 0.7	176	13.3	10.9-15.7
Less Than H.S.	265	300,620	195	75.5	69.6-81.4	17	6.6	3.3- 9.9	2	0.4	0.0- 1.0	5	2.3	0.3- 4.3				46	15.3	10.6-20.0
H.S. or G.E.D.	1124	767,867	901	79.9	77.0-82.8	80	7.3	5.3- 9.3	6	0.6	0.0- 1.2	11	1.1	0.3- 1.9	3	0.2	0.0- 0.4	123	10.9	8.5-13.3
Some Post-H.S.	884	663,509	720	81.8	78.7-84.9	57	6.9	4.7- 9.1	2	0.1	0.0- 0.3	2	0.1	0.0- 0.3	3	0.3	0.0- 0.7	100	10.7	8.3-13.1
College Graduate	1257	494,692	1024	83.2	80.7-85.7	42	3.5	2.3- 4.7	9	0.7	0.1- 1.3	5	0.5	0.0- 1.1	3	0.2	0.0- 0.4	174	11.9	9.7-14.1
Less than \$15,000	222	150,583	158	67.8	59.8-75.8	16	8.0	3.3-12.7	1	0.5	0.0- 1.5	2	1.0	0.0- 2.4				45	22.7	15.3-30.1
\$15,000- 24,999	441	284,780	345	80.0	75.5-84.5	23	4.2	2.0- 6.4	1	0.1	0.0- 0.3	4	1.0	0.0- 2.2	2	0.3	0.0- 0.9	66	14.4	10.5-18.3
\$25,000- 34,999	277	176,739	229	83.2	77.3-89.1	17	7.6	3.3-11.9				1	0.3	0.0- 0.9	1	0.2	0.0- 0.6	29	8.8	4.5-13.1
\$35,000- 49,999	451	284,785	379	81.3	76.4-86.2	29	7.8	4.1-11.5	3	0.5	0.0- 1.1	3	1.4	0.0- 3.2	1	0.2	0.0- 0.6	36	8.8	5.7-11.9
\$50,000- 74,999	504	329,446	411	80.4	75.9-84.9	29	7.7	4.4-11.0	4	0.6	0.0- 1.4	3	0.3	0.0- 0.7				57	11.0	7.7-14.3
\$75,000+	1094	665,587	889	81.7	78.8-84.6	52	5.6	3.8- 7.4	5	0.4	0.0- 0.8	5	0.5	0.1- 0.9	2	0.2	0.0- 0.6	141	11.5	9.1-13.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 12: FRENCH FRY INTAKE IN TIMES PER DAY (FRNCHDA_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4369	2,363,390	3299	77.9	76.3-79.5	147	4.1	3.3- 4.9	15	0.5	0.3- 0.7	16	0.4	0.2- 0.6	6	0.1	0.0- 0.3	886	17.0	15.6-18.4
White/Non-Hisp	3645	1,898,653	2764	78.8	77.0-80.6	112	3.5	2.7- 4.3	9	0.3	0.1- 0.5	13	0.4	0.2- 0.6	4	0.1	0.0- 0.3	743	16.8	15.2-18.4
Black or Afr. Am./Non-Hisp	312	200,881	237	75.7	69.4-82.0	15	7.1	3.2-11.0	1	0.5	0.0- 1.5	3	0.6	0.0- 1.4	1	0.1	0.0- 0.3	55	16.1	10.8-21.4
Oth. Race/Non-Hisp.	90	60,197	68	77.4	66.4-88.4	1	2.3	0.0- 6.8	1	1.1	0.0- 3.3	1	1.0	0.0- 3.0	1	1.0	0.0- 3.0	19	18.1	8.1-28.1
MultiRacial/Non-Hisp.	61	22,606	44	73.3	58.2-88.4	5	7.7	0.1-15.3	1	1.7	0.0- 5.0	1	1.7	0.0- 5.0	1	1.7	0.0- 5.0	11	17.3	3.2-31.4
Hispanic	191	142,441	140	74.5	67.1-81.9	9	7.4	2.1-12.7	3	2.0	0.0- 4.4	3	2.0	0.0- 4.4	3	2.0	0.0- 4.4	39	16.1	10.6-21.6
18-24	178	296,514	144	81.0	74.7-87.3	9	5.6	1.9- 9.3	2	0.9	0.0- 2.1	1	0.4	0.0- 1.2	1	0.4	0.0- 1.2	22	12.2	7.1-17.3
25-34	368	379,149	300	80.7	76.2-85.2	18	6.2	3.3- 9.1	2	0.5	0.0- 1.3	4	0.7	0.0- 1.5	4	0.7	0.0- 1.5	44	11.9	8.4-15.4
35-44	463	360,675	371	79.3	75.2-83.4	22	4.7	2.5- 6.9	5	1.1	0.1- 2.1	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9	63	14.4	10.7-18.1
45-54	639	375,224	514	79.8	76.3-83.3	24	3.4	2.0- 4.8	24	3.4	2.0- 4.8	4	0.8	0.0- 1.6	2	0.5	0.0- 1.3	95	15.6	12.3-18.9
55-64	861	400,576	672	78.4	75.3-81.5	14	2.2	0.8- 3.6	2	0.4	0.0- 1.0	3	0.2	0.0- 0.4	1	0.0	0.0- 0.0	169	18.8	15.9-21.7
65+	1860	551,252	1298	71.9	69.5-74.3	60	3.5	2.5- 4.5	4	0.1	0.0- 0.3	3	0.2	0.0- 0.4	2	0.0	0.0- 0.0	493	24.3	21.9-26.7
Less Than H.S.	303	255,054	224	77.2	71.3-83.1	11	4.3	1.4- 7.2	3	0.9	0.0- 2.1	3	0.9	0.0- 2.1	3	0.9	0.0- 2.1	65	17.6	12.3-22.9
H.S. or G.E.D.	1354	726,146	1021	77.3	74.4-80.2	56	5.5	3.5- 7.5	4	0.5	0.0- 1.1	7	0.7	0.1- 1.3	2	0.2	0.0- 0.6	264	15.9	13.5-18.3
Some Post-H.S.	1184	764,568	884	77.7	74.8-80.6	39	3.7	2.3- 5.1	5	0.4	0.0- 0.8	2	0.1	0.0- 0.3	2	0.2	0.0- 0.6	252	17.9	15.4-20.4
College Graduate	1504	606,398	1150	79.2	76.8-81.6	40	3.0	2.0- 4.0	3	0.2	0.0- 0.6	7	0.6	0.2- 1.0	2	0.1	0.0- 0.3	302	16.9	14.7-19.1
Less than \$15,000	359	225,246	247	73.1	67.2-79.0	18	4.9	2.0- 7.8	1	0.4	0.0- 1.2	2	0.2	0.0- 0.6	1	0.1	0.0- 0.3	90	21.3	15.8-26.8
\$15,000- 24,999	642	340,623	486	76.9	72.4-81.4	30	6.6	3.5- 9.7	3	0.8	0.0- 2.0	1	0.3	0.0- 0.9	2	0.1	0.0- 0.3	120	15.3	11.8-18.8
\$25,000- 34,999	425	225,097	323	79.5	74.6-84.4	8	2.5	0.0- 5.0	1	0.2	0.0- 0.6	1	0.4	0.0- 1.2	1	0.4	0.0- 1.2	92	17.4	12.9-21.9
\$35,000- 49,999	482	250,403	369	77.7	72.8-82.6	21	5.9	2.8- 9.0	21	5.9	2.8- 9.0	3	0.6	0.0- 1.6	3	0.6	0.0- 1.6	89	15.8	11.7-19.9
\$50,000- 74,999	536	307,160	430	82.3	78.2-86.4	14	3.1	1.1- 5.1	1	0.1	0.0- 0.3	4	0.8	0.0- 1.6	4	0.8	0.0- 1.6	87	13.7	10.0-17.4
\$75,000+	907	545,843	710	80.2	77.3-83.1	24	3.0	1.6- 4.4	2	0.3	0.0- 0.7	4	0.4	0.0- 0.8	2	0.3	0.0- 0.9	165	15.8	13.1-18.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES
TABLE 13: POTATO SERVINGS PER DAY (POTADA1_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7843	4,555,056	6162	77.2	76.0-78.4	380	4.7	4.1- 5.3	28	0.4	0.2- 0.6	39	0.6	0.4- 0.8	23	0.3	0.1- 0.5	1211	16.9	15.7-18.1
Male	3514	2,216,790	2743	76.2	74.4-78.0	172	4.8	4.0- 5.6	14	0.5	0.1- 0.9	14	0.4	0.2- 0.6	11	0.3	0.1- 0.5	560	17.8	16.2-19.4
Female	4329	2,338,266	3419	78.1	76.5-79.7	208	4.5	3.7- 5.3	14	0.3	0.1- 0.5	25	0.8	0.4- 1.2	12	0.3	0.1- 0.5	651	16.1	14.7-17.5
White/Non-Hisp	6546	3,634,080	5201	78.2	76.8-79.6	319	4.9	4.3- 5.5	23	0.4	0.2- 0.6	38	0.7	0.5- 0.9	20	0.3	0.1- 0.5	945	15.5	14.3-16.7
Black or Afr. Am./Non-Hisp	503	382,187	386	75.2	70.3-80.1	21	2.1	1.1- 3.1	2	0.5	0.0- 1.3				3	0.7	0.0- 1.7	91	21.5	16.8-26.2
Oth. Race/Non-Hisp.	200	140,419	152	74.2	65.2-83.2	5	1.4	0.0- 3.0	1	0.0	0.0- 0.0							42	24.3	15.3-33.3
MultiRacial/Non-Hisp.	113	41,720	79	72.5	61.7-83.3	5	3.1	0.0- 6.6	1	0.4	0.0- 1.2	1	1.1	0.0- 3.3				27	23.0	12.6-33.4
Hispanic	337	281,487	241	69.9	64.2-75.6	16	5.2	2.3- 8.1										80	24.9	19.4-30.4
18-24	413	615,355	302	73.1	68.4-77.8	20	5.1	2.7- 7.5	1	0.2	0.0- 0.6	4	1.2	0.0- 2.4				86	20.4	16.1-24.7
25-34	696	747,054	527	74.9	71.4-78.4	34	4.9	3.1- 6.7	4	0.8	0.0- 1.6	3	0.3	0.0- 0.7	1	0.1	0.0- 0.3	127	19.1	15.8-22.4
35-44	846	713,147	648	75.8	72.5-79.1	29	3.7	2.3- 5.1	4	0.6	0.0- 1.2	3	0.5	0.0- 1.1	4	0.6	0.0- 1.2	158	18.9	16.0-21.8
45-54	1182	730,827	893	75.5	72.8-78.2	41	3.4	2.2- 4.6	4	0.4	0.0- 0.8	7	0.7	0.1- 1.3	5	0.7	0.1- 1.3	232	19.3	16.8-21.8
55-64	1647	774,579	1319	79.7	77.5-81.9	61	3.7	2.7- 4.7	3	0.1	0.0- 0.3	9	0.7	0.1- 1.3	2	0.1	0.0- 0.3	253	15.6	13.6-17.6
65+	3059	974,094	2473	81.7	80.1-83.3	195	6.5	5.5- 7.5	12	0.3	0.1- 0.5	13	0.5	0.3- 0.7	11	0.3	0.1- 0.5	355	10.8	9.4-12.2
Less Than H.S.	553	542,338	403	74.2	69.7-78.7	34	4.4	2.6- 6.2	4	0.7	0.0- 1.5	3	0.6	0.0- 1.4	1	0.2	0.0- 0.6	108	20.0	15.7-24.3
H.S. or G.E.D.	2446	1,478,747	1907	77.2	75.0-79.4	149	5.6	4.4- 6.8	9	0.4	0.0- 0.8	14	0.7	0.3- 1.1	8	0.3	0.1- 0.5	359	15.8	13.8-17.8
Some Post-H.S.	2053	1,418,409	1613	76.9	74.5-79.3	101	4.9	3.7- 6.1	8	0.4	0.0- 0.8	8	0.5	0.1- 0.9	8	0.4	0.0- 0.8	315	16.9	14.9-18.9
College Graduate	2745	1,092,098	2207	79.1	77.1-81.1	93	3.0	2.2- 3.8	7	0.2	0.0- 0.4	13	0.6	0.2- 1.0	6	0.1	0.0- 0.3	419	16.9	15.1-18.7
Less than \$15,000	572	372,301	401	69.8	64.9-74.7	40	5.4	3.4- 7.4	3	0.5	0.0- 1.3	6	1.5	0.0- 3.1	2	0.3	0.0- 0.7	120	22.4	17.9-26.9
\$15,000- 24,999	1072	617,687	829	77.1	73.8-80.4	71	6.1	4.3- 7.9	3	0.4	0.0- 0.8	2	0.2	0.0- 0.6	3	0.1	0.1- 0.1	164	16.2	13.3-19.1
\$25,000- 34,999	695	396,157	570	80.2	76.1-84.3	36	5.6	3.2- 8.0	2	0.3	0.0- 0.7	5	0.8	0.0- 1.6	2	0.3	0.0- 0.7	80	12.8	9.3-16.3
\$35,000- 49,999	928	528,572	748	77.8	74.3-81.3	44	5.7	3.5- 7.9	3	0.2	0.0- 0.4	4	0.5	0.0- 1.1	2	0.1	0.0- 0.3	127	15.7	12.6-18.8
\$50,000- 74,999	1028	631,627	830	79.9	76.8-83.0	38	3.5	1.9- 5.1	4	0.6	0.0- 1.2	5	0.3	0.0- 0.7	3	0.4	0.0- 1.0	148	15.3	12.6-18.0
\$75,000+	1991	1,205,840	1574	77.3	74.9-79.7	71	3.6	2.6- 4.6	6	0.4	0.0- 0.8	8	0.5	0.1- 0.9	6	0.3	0.0- 0.7	326	17.9	15.7-20.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES
TABLE 14: POTATO SERVINGS PER DAY (POTADA1_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	3514	2,216,790	2743	76.2	74.4-78.0	172	4.8	4.0- 5.6	14	0.5	0.1- 0.9	14	0.4	0.2- 0.6	11	0.3	0.1- 0.5	560	17.8	16.2-19.4	
White/Non-Hisp	2926	1,749,704	2308	77.3	75.3-79.3	145	5.1	4.1- 6.1	13	0.6	0.2- 1.0	14	0.5	0.1- 0.9	10	0.3	0.1- 0.5	436	16.2	14.4-18.0	
Black or Afr. Am./Non-Hisp	201	185,185	157	74.4	66.8-82.0	7	1.4	0.2- 2.6	1	0.1	0.0- 0.3		1	0.9	0.0- 2.7	35	23.3	15.7-30.9			
Oth. Race/Non-Hisp.	113	85,236	88	77.3	66.9-87.7	3	1.8	0.0- 4.3										22	20.8	10.6-31.0	
MultiRacial/Non-Hisp.	51	19,174	36	74.9	61.0-88.8	2	3.3	0.0- 9.4										13	21.8	8.9-34.7	
Hispanic	147	140,151	97	66.5	57.9-75.1	7	5.2	1.3- 9.1										43	28.3	20.1-36.5	
18-24	236	319,754	168	70.5	64.0-77.0	12	5.3	2.2- 8.4				1	0.3	0.0- 0.9				55	23.8	17.7-29.9	
25-34	334	377,089	252	75.1	69.8-80.4	16	4.8	2.3- 7.3	2	0.9	0.0- 2.1	1	0.3	0.0- 0.9				63	19.0	14.3-23.7	
35-44	384	353,926	301	76.6	71.9-81.3	10	3.1	1.1- 5.1	2	0.8	0.0- 2.0	2	0.7	0.0- 1.7	1	0.3	0.0- 0.9	68	18.6	14.3-22.9	
45-54	544	355,465	398	73.6	69.5-77.7	23	4.2	2.4- 6.0	3	0.7	0.0- 1.5	1	0.2	0.0- 0.6	4	1.1	0.0- 2.3	115	20.3	16.6-24.0	
55-64	792	379,964	623	78.0	74.7-81.3	32	4.4	2.8- 6.0	3	0.2	0.0- 0.4	5	0.7	0.1- 1.3	1	0.2	0.0- 0.6	128	16.5	13.6-19.4	
65+	1224	430,593	1001	81.6	79.1-84.1	79	6.8	5.0- 8.6	4	0.2	0.0- 0.4	4	0.4	0.0- 0.8	5	0.3	0.0- 0.7	131	10.7	8.5-12.9	
Less Than H.S.	259	293,013	181	70.8	64.3-77.3	16	4.3	1.9- 6.7	2	0.9	0.0- 2.1	1	0.2	0.0- 0.6				59	23.7	17.4-30.0	
H.S. or G.E.D.	1108	760,746	848	75.2	72.1-78.3	70	5.8	4.2- 7.4	4	0.2	0.0- 0.4	4	0.3	0.0- 0.7	6	0.4	0.0- 0.8	176	18.0	15.1-20.9	
Some Post-H.S.	875	659,595	683	76.7	73.4-80.0	43	5.1	3.3- 6.9	5	0.8	0.0- 1.6	4	0.5	0.0- 1.1	3	0.5	0.0- 1.1	137	16.4	13.5-19.3	
College Graduate	1249	490,501	1012	80.3	77.6-83.0	42	3.1	1.9- 4.3	3	0.2	0.0- 0.4	5	0.6	0.0- 1.2	2	0.1	0.0- 0.3	185	15.7	13.2-18.2	
Less than \$15,000	219	149,069	151	67.9	60.3-75.5	12	5.0	1.7- 8.3	1	0.1	0.0- 0.3	1	0.4	0.0- 1.2	1	0.6	0.0- 1.8	53	26.0	18.7-33.3	
\$15,000- 24,999	434	281,728	338	78.9	74.2-83.6	31	5.9	3.4- 8.4				1	0.1	0.0- 0.3	2	0.1	0.0- 0.3	62	15.0	10.7-19.3	
\$25,000- 34,999	273	174,429	227	80.9	74.6-87.2	18	7.6	3.5-11.7	1	0.2	0.0- 0.6	1	0.4	0.0- 1.2				26	11.0	5.9-16.1	
\$35,000- 49,999	451	281,483	363	77.0	71.9-82.1	20	4.8	2.1- 7.5	1	0.2	0.0- 0.6	1	0.3	0.0- 0.9	2	0.2	0.0- 0.6	64	17.5	12.8-22.2	
\$50,000- 74,999	497	326,991	394	78.9	74.4-83.4	20	3.7	1.5- 5.9	4	1.1	0.0- 2.5	2	0.1	0.0- 0.3	2	0.7	0.0- 1.7	75	15.5	11.6-19.4	
\$75,000+	1088	663,783	854	76.4	73.1-79.7	43	4.0	2.6- 5.4	4	0.6	0.0- 1.2	6	0.8	0.2- 1.4	3	0.3	0.0- 0.7	178	17.9	15.0-20.8	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES
TABLE 15: POTATO SERVINGS PER DAY (POTADA1_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4329	2,338,266	3419	78.1	76.5-79.7	208	4.5	3.7- 5.3	14	0.3	0.1- 0.5	25	0.8	0.4- 1.2	12	0.3	0.1- 0.5	651	16.1	14.7-17.5
White/Non-Hisp	3620	1,884,375	2893	79.1	77.3-80.9	174	4.6	3.6- 5.6	10	0.3	0.1- 0.5	24	0.9	0.5- 1.3	10	0.3	0.1- 0.5	509	14.8	13.2-16.4
Black or Afr. Am./Non-Hisp	302	197,001	229	76.0	69.7-82.3	14	2.8	1.2- 4.4	1	0.8	0.0- 2.4		2	0.6	0.0- 1.6	56	19.8	13.9-25.7		
Oth. Race/Non-Hisp.	87	55,183	64	69.5	53.4-85.6	2	0.7	0.0- 1.7	1	0.1	0.0- 0.3				20	29.6	13.5-45.7			
MultiRacial/Non-Hisp.	62	22,545	43	70.5	54.8-86.2	3	2.9	0.0- 6.6	1	0.7	0.0- 2.1	1	2.0	0.0- 5.9	14	23.9	8.4-39.4			
Hispanic	190	141,337	144	73.3	65.7-80.9	9	5.2	1.1- 9.3							37	21.5	14.4-28.6			
18-24	177	295,601	134	75.8	68.9-82.7	8	5.0	1.5- 8.5	1	0.4	0.0- 1.2	3	2.0	0.0- 4.4				31	16.8	10.7-22.9
25-34	362	369,965	275	74.7	69.8-79.6	18	5.0	2.5- 7.5	2	0.7	0.0- 1.7	2	0.3	0.0- 0.7	1	0.2	0.0- 0.6	64	19.2	14.7-23.7
35-44	462	359,221	347	75.0	70.7-79.3	19	4.3	2.1- 6.5	2	0.5	0.0- 1.1	1	0.2	0.0- 0.6	3	0.8	0.0- 1.8	90	19.2	15.3-23.1
45-54	638	375,362	495	77.4	73.7-81.1	18	2.6	1.2- 4.0	1	0.1	0.0- 0.3	6	1.2	0.2- 2.2	1	0.3	0.0- 0.9	117	18.3	15.0-21.6
55-64	855	394,615	696	81.3	78.4-84.2	29	3.1	1.9- 4.3				4	0.8	0.0- 1.6	1	0.0	0.0- 0.0	125	14.8	12.1-17.5
65+	1835	543,501	1472	81.8	79.8-83.8	116	6.4	5.0- 7.8	8	0.3	0.1- 0.5	9	0.5	0.1- 0.9	6	0.3	0.1- 0.5	224	10.8	9.2-12.4
Less Than H.S.	294	249,325	222	78.1	72.0-84.2	18	4.4	1.7- 7.1	2	0.5	0.0- 1.3	2	1.0	0.0- 2.8	1	0.4	0.0- 1.2	49	15.6	10.1-21.1
H.S. or G.E.D.	1338	718,001	1059	79.3	76.4-82.2	79	5.5	3.9- 7.1	5	0.6	0.0- 1.2	10	1.1	0.3- 1.9	2	0.3	0.0- 0.7	183	13.3	10.9-15.7
Some Post-H.S.	1178	758,814	930	77.0	73.9-80.1	58	4.8	3.2- 6.4	3	0.0	0.0- 0.0	4	0.5	0.0- 1.1	5	0.4	0.0- 0.8	178	17.2	14.5-19.9
College Graduate	1496	601,597	1195	78.2	75.7-80.7	51	2.9	1.9- 3.9	4	0.3	0.0- 0.7	8	0.6	0.2- 1.0	4	0.1	0.0- 0.3	234	17.9	15.4-20.4
Less than \$15,000	353	223,232	250	71.1	64.6-77.6	28	5.7	3.2- 8.2	2	0.8	0.0- 2.2	5	2.2	0.0- 4.6	1	0.1	0.0- 0.3	67	20.1	14.2-26.0
\$15,000- 24,999	638	335,959	491	75.6	71.1-80.1	40	6.3	3.6- 9.0	3	0.6	0.0- 1.4	1	0.3	0.0- 0.9	1	0.0	0.0- 0.0	102	17.1	13.2-21.0
\$25,000- 34,999	422	221,728	343	79.7	74.4-85.0	18	4.1	1.4- 6.8	1	0.4	0.0- 1.2	4	1.1	0.0- 2.5	2	0.5	0.0- 1.3	54	14.2	9.5-18.9
\$35,000- 49,999	477	247,089	385	78.8	73.9-83.7	24	6.6	3.3- 9.9	2	0.2	0.0- 0.6	3	0.9	0.0- 1.9				63	13.5	9.6-17.4
\$50,000- 74,999	531	304,637	436	81.0	76.5-85.5	18	3.3	1.3- 5.3				3	0.5	0.0- 1.1	1	0.0	0.0- 0.0	73	15.1	11.0-19.2
\$75,000+	903	542,057	720	78.3	75.0-81.6	28	3.0	1.8- 4.2	2	0.2	0.0- 0.6	2	0.1	0.0- 0.3	3	0.3	0.0- 0.7	148	18.0	14.9-21.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 16: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7755	4,490,682	3788	49.9	48.5-51.3	3185	39.3	37.9-40.7	156	2.0	1.6- 2.4	263	3.6	3.0- 4.2	92	1.1	0.9- 1.3	271	4.1	3.5- 4.7
Male	3464	2,175,796	1942	57.7	55.5-59.9	1185	31.9	29.9-33.9	44	1.4	1.0- 1.8	97	3.0	2.2- 3.8	35	0.8	0.4- 1.2	161	5.2	4.2- 6.2
Female	4291	2,314,886	1846	42.6	40.6-44.6	2000	46.2	44.2-48.2	112	2.6	2.0- 3.2	166	4.1	3.3- 4.9	57	1.4	1.0- 1.8	110	3.0	2.2- 3.8
White/Non-Hisp	6479	3,593,604	3128	49.0	47.4-50.6	2724	40.7	39.1-42.3	126	1.9	1.5- 2.3	224	3.7	3.1- 4.3	78	1.2	0.8- 1.6	199	3.6	3.0- 4.2
Black or Afr. Am./Non-Hisp	502	368,271	277	58.5	53.0-64.0	168	31.3	26.4-36.2	11	2.1	0.3- 3.9	17	2.1	0.9- 3.3	9	1.4	0.2- 2.6	20	4.7	2.2- 7.2
Oth. Race/Non-Hisp.	198	139,200	88	37.5	28.9-46.1	88	47.2	37.8-56.6	5	2.0	0.0- 4.2	6	5.6	0.1-11.1	1	0.4	0.0- 1.2	10	7.3	0.4-14.2
MultiRacial/Non-Hisp.	111	41,729	47	48.5	36.5-60.5	48	38.8	27.4-50.2	4	3.2	0.0- 6.5	6	5.9	0.0-12.0				6	3.6	0.0- 7.5
Hispanic	333	278,424	184	59.3	53.2-65.4	103	27.9	22.4-33.4	8	2.4	0.6- 4.2	6	1.5	0.1- 2.9	2	0.6	0.0- 1.6	30	8.3	5.0-11.6
18-24	400	591,720	232	54.9	49.4-60.4	126	32.8	27.7-37.9	9	2.2	0.6- 3.8	12	4.3	1.8- 6.8	2	0.3	0.0- 0.7	19	5.6	2.7- 8.5
25-34	693	741,893	347	51.0	46.9-55.1	260	36.3	32.4-40.2	15	1.9	0.9- 2.9	36	4.6	2.8- 6.4	5	0.9	0.1- 1.7	30	5.3	3.1- 7.5
35-44	829	697,846	374	47.2	43.5-50.9	368	42.6	38.9-46.3	22	2.7	1.5- 3.9	28	3.3	2.1- 4.5	12	1.5	0.7- 2.3	25	2.7	1.5- 3.9
45-54	1177	726,791	561	47.8	44.7-50.9	485	41.0	37.9-44.1	32	2.4	1.4- 3.4	35	3.1	1.9- 4.3	14	1.1	0.3- 1.9	50	4.6	3.2- 6.0
55-64	1634	770,783	813	50.1	47.4-52.8	656	39.5	36.8-42.2	28	1.6	0.8- 2.4	47	2.8	1.8- 3.8	21	1.2	0.6- 1.8	69	4.7	3.3- 6.1
65+	3022	961,648	1461	49.6	47.4-51.8	1290	41.8	39.6-44.0	50	1.5	0.9- 2.1	105	3.5	2.7- 4.3	38	1.3	0.7- 1.9	78	2.2	1.6- 2.8
Less Than H.S.	539	525,962	282	51.2	45.9-56.5	172	31.9	27.0-36.8	12	2.3	0.9- 3.7	20	3.5	1.7- 5.3	5	1.2	0.0- 2.4	48	9.9	6.6-13.2
H.S. or G.E.D.	2425	1,463,429	1305	54.7	52.2-57.2	870	34.7	32.3-37.1	35	1.4	0.8- 2.0	75	3.2	2.2- 4.2	21	0.7	0.3- 1.1	119	5.3	4.1- 6.5
Some Post-H.S.	2027	1,395,612	999	49.7	47.0-52.4	840	40.9	38.4-43.4	39	2.0	1.2- 2.8	73	3.7	2.7- 4.7	27	1.3	0.7- 1.9	49	2.4	1.4- 3.4
College Graduate	2719	1,084,173	1178	43.2	41.0-45.4	1286	47.0	44.6-49.4	70	2.8	2.0- 3.6	94	3.9	2.9- 4.9	39	1.4	0.8- 2.0	52	1.7	1.1- 2.3
Less than \$15,000	562	362,032	314	54.3	49.0-59.6	165	28.4	23.7-33.1	10	1.8	0.4- 3.2	23	4.1	1.9- 6.3	6	1.0	0.0- 2.0	44	10.4	6.3-14.5
\$15,000- 24,999	1047	600,752	545	52.7	48.8-56.6	394	37.6	33.7-41.5	16	1.5	0.7- 2.3	25	2.2	1.2- 3.2	9	0.8	0.0- 1.6	58	5.2	3.4- 7.0
\$25,000- 34,999	683	385,169	342	54.7	49.8-59.6	262	35.0	30.5-39.5	15	1.8	0.8- 2.8	20	2.6	1.2- 4.0	11	1.4	0.4- 2.4	33	4.5	2.7- 6.3
\$35,000- 49,999	924	526,488	483	52.8	48.7-56.9	351	35.9	32.0-39.8	14	1.8	0.8- 2.8	34	4.0	2.2- 5.8	14	1.4	0.2- 2.6	28	4.1	2.1- 6.1
\$50,000- 74,999	1021	627,305	491	49.6	45.7-53.5	446	41.6	37.9-45.3	25	2.7	1.3- 4.1	31	2.4	1.4- 3.4	7	0.7	0.1- 1.3	21	3.0	1.2- 4.8
\$75,000+	1971	1,191,346	868	44.3	41.6-47.0	928	45.9	43.2-48.6	45	2.4	1.4- 3.4	70	4.2	3.0- 5.4	27	1.2	0.6- 1.8	33	1.9	1.1- 2.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 17: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3464	2,175,796	1942	57.7	55.5-59.9	1185	31.9	29.9-33.9	44	1.4	1.0- 1.8	97	3.0	2.2- 3.8	35	0.8	0.4- 1.2	161	5.2	4.2- 6.2
White/Non-Hisp	2896	1,731,882	1615	56.7	54.3-59.1	1012	33.1	30.9-35.3	35	1.3	0.7- 1.9	81	3.1	2.3- 3.9	33	0.9	0.5- 1.3	120	4.9	3.7- 6.1
Black or Afr. Am./Non-Hisp	197	174,247	126	69.7	61.9-77.5	48	22.6	15.3-29.9	3	0.7	0.0- 1.7	7	1.5	0.1- 2.9	2	1.1	0.0- 2.9	11	4.3	1.4- 7.2
Oth. Race/Non-Hisp.	111	82,489	55	47.1	35.3-58.9	46	39.3	27.9-50.7	1	1.2	0.0- 3.6	5	9.4	0.2-18.6				4	3.0	0.0- 6.7
Hispanic	146	137,262	88	63.2	54.4-72.0	37	23.9	15.9-31.9	3	1.9	0.0- 4.3							18	11.0	5.5-16.5
18-24	227	306,494	150	64.5	57.4-71.6	56	25.3	19.0-31.6	4	1.4	0.0- 2.8	7	4.4	0.9- 7.9				10	4.4	1.3- 7.5
25-34	332	373,562	192	56.7	50.6-62.8	99	30.0	24.3-35.7	7	2.0	0.4- 3.6	12	3.1	0.9- 5.3	1	0.2	0.0- 0.6	21	8.0	4.3-11.7
35-44	375	344,533	208	57.9	52.4-63.4	133	33.6	28.3-38.9	5	1.4	0.0- 2.8	11	2.7	0.9- 4.5	2	0.5	0.0- 1.1	16	3.9	1.7- 6.1
45-54	542	352,082	295	56.1	51.4-60.8	185	32.7	28.4-37.0	13	2.0	0.8- 3.2	9	1.9	0.5- 3.3	7	1.3	0.1- 2.5	33	6.1	3.9- 8.3
55-64	786	377,526	439	56.7	52.8-60.6	269	32.6	28.9-36.3	3	0.5	0.0- 1.1	26	3.3	1.7- 4.9	10	1.3	0.5- 2.1	39	5.5	3.5- 7.5
65+	1202	421,599	658	55.7	52.4-59.0	443	36.0	32.7-39.3	12	1.1	0.3- 1.9	32	2.8	1.6- 4.0	15	1.2	0.4- 2.0	42	3.3	2.1- 4.5
Less Than H.S.	252	286,058	146	57.5	50.2-64.8	61	26.3	19.8-32.8	7	2.6	0.4- 4.8	6	2.4	0.4- 4.4	2	0.6	0.0- 1.6	30	10.6	6.3-14.9
H.S. or G.E.D.	1091	743,793	642	59.2	55.7-62.7	326	29.2	25.9-32.5	12	1.0	0.4- 1.6	34	3.4	1.8- 5.0	9	0.6	0.2- 1.0	68	6.7	4.7- 8.7
Some Post-H.S.	865	649,188	491	58.3	54.4-62.2	300	33.4	29.7-37.1	8	1.1	0.3- 1.9	23	3.0	1.4- 4.6	9	0.9	0.1- 1.7	34	3.3	1.7- 4.9
College Graduate	1232	483,687	649	54.7	51.4-58.0	490	37.4	34.3-40.5	17	1.8	0.8- 2.8	34	2.9	1.7- 4.1	15	1.1	0.5- 1.7	27	2.2	1.2- 3.2
Less than \$15,000	213	143,408	133	64.8	57.0-72.6	47	20.3	14.0-26.6	3	1.6	0.0- 3.8	3	1.7	0.0- 3.7	4	2.0	0.0- 4.2	23	9.6	4.5-14.7
\$15,000- 24,999	426	275,584	251	57.9	52.0-63.8	129	32.1	26.4-37.8	6	1.5	0.1- 2.9	11	2.0	0.4- 3.6	1	0.0	0.0- 0.0	28	6.4	3.7- 9.1
\$25,000- 34,999	266	169,971	153	61.6	54.3-68.9	80	28.2	21.3-35.1	4	1.3	0.0- 2.7	5	1.7	0.0- 3.5	4	0.5	0.0- 1.1	20	6.7	3.2-10.2
\$35,000- 49,999	450	281,529	264	60.5	54.8-66.2	139	27.5	22.6-32.4	4	1.2	0.0- 2.4	19	4.5	2.0- 7.0	5	0.6	0.0- 1.2	19	5.8	2.5- 9.1
\$50,000- 74,999	493	323,842	274	57.5	52.0-63.0	179	32.7	27.6-37.8	7	2.0	0.4- 3.6	13	1.8	0.6- 3.0	4	1.0	0.0- 2.2	16	4.9	1.8- 8.0
\$75,000+	1074	649,812	549	51.4	47.7-55.1	443	40.1	36.6-43.6	14	1.4	0.4- 2.4	30	3.7	2.1- 5.3	13	1.1	0.5- 1.7	25	2.4	1.4- 3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 12: FRUITS AND VEGETABLES**

TABLE 18: OTHER VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA2_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 per day			1-2 per day			2-3 per day			3-7 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4291	2,314,886	1846	42.6	40.6-44.6	2000	46.2	44.2-48.2	112	2.6	2.0- 3.2	166	4.1	3.3- 4.9	57	1.4	1.0- 1.8	110	3.0	2.2- 3.8
White/Non-Hisp	3583	1,861,722	1513	41.8	39.6-44.0	1712	47.7	45.5-49.9	91	2.5	1.9- 3.1	143	4.2	3.4- 5.0	45	1.4	0.8- 2.0	79	2.3	1.7- 2.9
Black or Afr. Am./Non-Hisp	305	194,024	151	48.5	41.2-55.8	120	39.2	32.3-46.1	8	3.3	0.4- 6.2	10	2.6	0.6- 4.6	7	1.6	0.0- 3.2	9	4.9	0.8- 9.0
Oth. Race/Non-Hisp.	87	56,711	33	23.4	13.0-33.8	42	58.7	43.4-74.0	4	3.2	0.0- 7.3	1	0.1	0.0- 0.3	1	1.1	0.0- 3.3	6	13.6	0.0-28.7
MultiRacial/Non-Hisp.	62	23,026	22	38.4	22.5-54.3	33	50.6	34.5-66.7	3	3.9	0.0- 8.8	3	7.0	0.0-16.4				1	0.2	0.0- 0.6
Hispanic	187	141,162	96	55.4	47.0-63.8	66	31.7	24.1-39.3	5	2.9	0.2- 5.6	6	2.9	0.4- 5.4	2	1.2	0.0- 3.0	12	5.8	2.1- 9.5
18-24	173	285,226	82	44.5	36.5-52.5	70	40.9	32.9-48.9	5	3.0	0.1- 5.9	5	4.1	0.2- 8.0	2	0.6	0.0- 1.4	9	6.8	1.9-11.7
25-34	361	368,331	155	45.2	39.5-50.9	161	42.7	37.2-48.2	8	1.8	0.6- 3.0	24	6.2	3.7- 8.7	4	1.6	0.0- 3.4	9	2.6	0.8- 4.4
35-44	454	353,313	166	36.7	31.6-41.8	235	51.5	46.4-56.6	17	4.0	2.0- 6.0	17	3.8	1.8- 5.8	10	2.5	0.9- 4.1	9	1.5	0.5- 2.5
45-54	635	374,709	266	40.1	35.8-44.4	300	48.8	44.5-53.1	19	2.9	1.5- 4.3	26	4.2	2.4- 6.0	7	1.0	0.0- 2.0	17	3.1	1.5- 4.7
55-64	848	393,257	374	43.6	39.9-47.3	387	46.2	42.5-49.9	25	2.7	1.5- 3.9	21	2.4	1.2- 3.6	11	1.1	0.3- 1.9	30	4.0	2.2- 5.8
65+	1820	540,049	803	44.9	42.2-47.6	847	46.3	43.6-49.0	38	1.8	1.0- 2.6	73	4.1	3.1- 5.1	23	1.5	0.7- 2.3	36	1.4	0.8- 2.0
Less Than H.S.	287	239,904	136	43.7	36.3-51.1	111	38.5	31.2-45.8	5	2.1	0.1- 4.1	14	4.7	1.6- 7.8	3	1.9	0.0- 4.3	18	9.1	3.8-14.4
H.S. or G.E.D.	1334	719,636	663	50.0	46.5-53.5	544	40.3	36.8-43.8	23	1.9	0.7- 3.1	41	3.1	1.5- 4.7	12	0.9	0.3- 1.5	51	3.8	2.4- 5.2
Some Post-H.S.	1162	746,424	508	42.2	38.7-45.7	540	47.5	44.0-51.0	31	2.8	1.6- 4.0	50	4.4	3.0- 5.8	18	1.6	0.8- 2.4	15	1.5	0.5- 2.5
College Graduate	1487	600,486	529	34.0	31.1-36.9	796	54.7	51.6-57.8	53	3.6	2.4- 4.8	60	4.7	3.3- 6.1	24	1.6	0.8- 2.4	25	1.4	0.6- 2.2
Less than \$15,000	349	218,624	181	47.4	40.5-54.3	118	33.6	27.1-40.1	7	2.0	0.4- 3.6	20	5.7	2.4- 9.0	2	0.3	0.0- 0.7	21	11.0	5.1-16.9
\$15,000- 24,999	621	325,168	294	48.3	43.0-53.6	265	42.2	36.9-47.5	10	1.5	0.3- 2.7	14	2.3	0.9- 3.7	8	1.5	0.1- 2.9	30	4.2	2.0- 6.4
\$25,000- 34,999	417	215,198	189	49.2	42.7-55.7	182	40.4	34.3-46.5	11	2.1	0.5- 3.7	15	3.4	1.2- 5.6	7	2.0	0.2- 3.8	13	2.8	1.0- 4.6
\$35,000- 49,999	474	244,959	219	43.9	38.2-49.6	212	45.5	39.8-51.2	10	2.5	0.7- 4.3	15	3.5	1.5- 5.5	9	2.4	0.2- 4.6	9	2.2	0.4- 4.0
\$50,000- 74,999	528	303,463	217	41.1	35.8-46.4	267	51.2	45.7-56.7	18	3.5	1.1- 5.9	18	2.9	1.3- 4.5	3	0.4	0.0- 0.8	5	0.9	0.0- 1.9
\$75,000+	897	541,533	319	35.7	32.0-39.4	485	52.9	49.0-56.8	31	3.7	2.1- 5.3	40	5.0	3.2- 6.8	14	1.5	0.7- 2.3	8	1.3	0.3- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019

SECTION 13: IMMUNIZATION CONTENTS

* NOTE *
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)	
1 MALES AND FEMALES	173
2 MALES ONLY	174
3 FEMALES ONLY	175
ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)	
4 MALES AND FEMALES	176
5 MALES ONLY	177
6 FEMALES ONLY	178

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3085	984,205	2002	63.5	61.3-65.7	1083	36.5	34.3-38.7
Male	1230	435,400	801	62.7	59.4-66.0	429	37.3	34.0-40.6
Female	1855	548,805	1201	64.1	61.6-66.6	654	35.9	33.4-38.4
White/Non-Hisp	2748	867,473	1824	65.2	63.0-67.4	924	34.8	32.6-37.0
Black or Afr. Am./Non-Hisp	155	61,622	76	47.7	37.1-58.3	79	52.3	41.7-62.9
Oth. Race/Non-Hisp.	60	16,778	32	50.0	32.4-67.6	28	50.0	32.4-67.6
65+	3085	984,205	2002	63.5	61.3-65.7	1083	36.5	34.3-38.7
Less Than H.S.	228	129,064	140	60.2	52.6-67.8	88	39.8	32.2-47.4
H.S. or G.E.D.	1072	355,274	661	61.6	58.3-64.9	411	38.4	35.1-41.7
Some Post-H.S.	770	278,353	504	64.8	60.9-68.7	266	35.2	31.3-39.1
College Graduate	998	216,557	689	67.3	64.0-70.6	309	32.7	29.4-36.0
Less than \$15,000	194	68,170	108	54.8	45.8-63.8	86	45.2	36.2-54.2
\$15,000- 24,999	485	150,966	302	62.1	56.8-67.4	183	37.9	32.6-43.2
\$25,000- 34,999	348	112,509	216	59.5	53.2-65.8	132	40.5	34.2-46.8
\$35,000- 49,999	435	149,599	276	63.8	58.3-69.3	159	36.2	30.7-41.7
\$50,000- 74,999	362	118,111	237	64.9	59.2-70.6	125	35.1	29.4-40.8
\$75,000+	444	134,930	311	66.6	61.3-71.9	133	33.4	28.1-38.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1230	435,400	801	62.7	59.4-66.0	429	37.3	34.0-40.6
White/Non-Hisp	1093	377,428	730	64.9	61.6-68.2	363	35.1	31.8-38.4
Black or Afr. Am./Non-Hisp	56	29,402	33	51.4	33.6-69.2	23	48.6	30.8-66.4
65+	1230	435,400	801	62.7	59.4-66.0	429	37.3	34.0-40.6
Less Than H.S.	88	63,241	48	52.8	40.6-65.0	40	47.2	35.0-59.4
H.S. or G.E.D.	386	149,022	242	62.6	57.1-68.1	144	37.4	31.9-42.9
Some Post-H.S.	277	113,763	183	65.6	59.1-72.1	94	34.4	27.9-40.9
College Graduate	473	107,537	325	66.2	61.3-71.1	148	33.8	28.9-38.7
Less than \$15,000	62	29,001	28	46.2	29.7-62.7	34	53.8	37.3-70.3
\$15,000- 24,999	163	62,647	102	61.4	52.2-70.6	61	38.6	29.4-47.8
\$25,000- 34,999	131	50,409	87	60.8	50.4-71.2	44	39.2	28.8-49.6
\$35,000- 49,999	198	74,544	127	66.6	58.6-74.6	71	33.4	25.4-41.4
\$50,000- 74,999	169	56,880	108	61.2	52.8-69.6	61	38.8	30.4-47.2
\$75,000+	276	85,976	198	67.5	60.6-74.4	78	32.5	25.6-39.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1855	548,805	1201	64.1	61.6-66.6	654	35.9	33.4-38.4
White/Non-Hisp	1655	490,045	1094	65.4	62.7-68.1	561	34.6	31.9-37.3
Black or Afr. Am./Non-Hisp	99	32,220	43	44.3	32.1-56.5	56	55.7	43.5-67.9
65+	1855	548,805	1201	64.1	61.6-66.6	654	35.9	33.4-38.4
Less Than H.S.	140	65,824	92	67.3	58.5-76.1	48	32.7	23.9-41.5
H.S. or G.E.D.	686	206,252	419	60.9	56.6-65.2	267	39.1	34.8-43.4
Some Post-H.S.	493	164,590	321	64.3	59.4-69.2	172	35.7	30.8-40.6
College Graduate	525	109,020	364	68.5	64.0-73.0	161	31.5	27.0-36.0
Less than \$15,000	132	39,168	80	61.3	51.7-70.9	52	38.7	29.1-48.3
\$15,000- 24,999	322	88,319	200	62.7	56.4-69.0	122	37.3	31.0-43.6
\$25,000- 34,999	217	62,100	129	58.5	50.7-66.3	88	41.5	33.7-49.3
\$35,000- 49,999	237	75,054	149	60.9	53.6-68.2	88	39.1	31.8-46.4
\$50,000- 74,999	193	61,231	129	68.4	60.8-76.0	64	31.6	24.0-39.2
\$75,000+	168	48,954	113	65.1	56.7-73.5	55	34.9	26.5-43.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2977	950,294	2204	72.2	70.2-74.2	773	27.8	25.8-29.8
Male	1177	418,141	831	68.2	64.9-71.5	346	31.8	28.5-35.1
Female	1800	532,154	1373	75.4	73.0-77.8	427	24.6	22.2-27.0
White/Non-Hisp	2656	839,111	2003	73.9	71.9-75.9	653	26.1	24.1-28.1
Black or Afr. Am./Non-Hisp	153	60,601	91	60.4	50.0-70.8	62	39.6	29.2-50.0
Oth. Race/Non-Hisp.	56	14,987	38	56.4	37.6-75.2	18	43.6	24.8-62.4
65+	2977	950,294	2204	72.2	70.2-74.2	773	27.8	25.8-29.8
Less Than H.S.	211	121,291	146	67.7	60.1-75.3	65	32.3	24.7-39.9
H.S. or G.E.D.	1044	347,125	750	71.8	68.7-74.9	294	28.2	25.1-31.3
Some Post-H.S.	740	268,361	545	71.9	68.2-75.6	195	28.1	24.4-31.8
College Graduate	964	208,460	749	75.9	72.8-79.0	215	24.1	21.0-27.2
Less than \$15,000	183	65,924	131	70.3	61.9-78.7	52	29.7	21.3-38.1
\$15,000- 24,999	470	145,200	339	68.6	63.3-73.9	131	31.4	26.1-36.7
\$25,000- 34,999	340	108,681	251	70.6	64.5-76.7	89	29.4	23.3-35.5
\$35,000- 49,999	425	145,771	321	73.9	68.8-79.0	104	26.1	21.0-31.2
\$50,000- 74,999	351	115,148	257	73.6	68.3-78.9	94	26.4	21.1-31.7
\$75,000+	429	130,794	324	72.4	67.3-77.5	105	27.6	22.5-32.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1177	418,141	831	68.2	64.9-71.5	346	31.8	28.5-35.1
White/Non-Hisp	1048	363,296	751	70.1	66.8-73.4	297	29.9	26.6-33.2
Black or Afr. Am./Non-Hisp	56	29,259	33	57.0	39.4-74.6	23	43.0	25.4-60.6
65+	1177	418,141	831	68.2	64.9-71.5	346	31.8	28.5-35.1
Less Than H.S.	84	61,200	51	58.4	46.2-70.6	33	41.6	29.4-53.8
H.S. or G.E.D.	375	144,855	256	68.9	63.6-74.2	119	31.1	25.8-36.4
Some Post-H.S.	259	107,687	181	68.3	61.8-74.8	78	31.7	25.2-38.2
College Graduate	452	102,461	339	73.6	68.9-78.3	113	26.4	21.7-31.1
Less than \$15,000	59	28,491	36	59.8	43.7-75.9	23	40.2	24.1-56.3
\$15,000- 24,999	159	60,446	106	63.8	54.4-73.2	53	36.2	26.8-45.6
\$25,000- 34,999	124	47,556	87	67.7	57.3-78.1	37	32.3	21.9-42.7
\$35,000- 49,999	189	71,059	136	68.7	60.3-77.1	53	31.3	22.9-39.7
\$50,000- 74,999	161	54,932	114	70.9	62.9-78.9	47	29.1	21.1-37.1
\$75,000+	265	82,526	193	69.9	63.2-76.6	72	30.1	23.4-36.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 13: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1800	532,154	1373	75.4	73.0-77.8	427	24.6	22.2-27.0
White/Non-Hisp	1608	475,815	1252	76.9	74.5-79.3	356	23.1	20.7-25.5
Black or Afr. Am./Non-Hisp	97	31,342	58	63.5	52.1-74.9	39	36.5	25.1-47.9
65+	1800	532,154	1373	75.4	73.0-77.8	427	24.6	22.2-27.0
Less Than H.S.	127	60,091	95	77.2	69.0-85.4	32	22.8	14.6-31.0
H.S. or G.E.D.	669	202,269	494	73.9	70.0-77.8	175	26.1	22.2-30.0
Some Post-H.S.	481	160,675	364	74.3	69.8-78.8	117	25.7	21.2-30.2
College Graduate	512	105,999	410	78.2	74.1-82.3	102	21.8	17.7-25.9
Less than \$15,000	124	37,433	95	78.4	70.4-86.4	29	21.6	13.6-29.6
\$15,000- 24,999	311	84,754	233	72.0	65.7-78.3	78	28.0	21.7-34.3
\$25,000- 34,999	216	61,125	164	72.9	65.6-80.2	52	27.1	19.8-34.4
\$35,000- 49,999	236	74,712	185	78.9	72.8-85.0	51	21.1	15.0-27.2
\$50,000- 74,999	190	60,216	143	76.0	68.9-83.1	47	24.0	16.9-31.1
\$75,000+	164	48,268	131	76.6	68.8-84.4	33	23.4	15.6-31.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019

SECTION 14: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)	
1	MALES AND FEMALES	180
2	MALES ONLY	181
3	FEMALES ONLY	182

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 14: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7547	4,395,867	2352	36.9	35.5-38.3	5195	63.1	61.7-64.5
Male	3390	2,145,099	1019	33.5	31.5-35.5	2371	66.5	64.5-68.5
Female	4157	2,250,768	1333	40.2	38.2-42.2	2824	59.8	57.8-61.8
White/Non-Hisp	6273	3,493,720	1778	33.9	32.3-35.5	4495	66.1	64.5-67.7
Black or Afr. Am./Non-Hisp	504	378,157	265	57.3	51.6-63.0	239	42.7	37.0-48.4
Oth. Race/Non-Hisp.	197	137,744	69	40.3	30.7-49.9	128	59.7	50.1-69.3
MultiRacial/Non-Hisp.	114	41,692	53	55.1	43.1-67.1	61	44.9	32.9-56.9
Hispanic	324	273,611	144	44.4	38.1-50.7	180	55.6	49.3-61.9
18-24	406	604,125	112	26.9	22.2-31.6	294	73.1	68.4-77.8
25-34	676	724,690	362	52.6	48.5-56.7	314	47.4	43.3-51.5
35-44	817	689,608	473	57.0	53.3-60.7	344	43.0	39.3-46.7
45-54	1133	701,143	490	44.1	40.8-47.4	643	55.9	52.6-59.2
55-64	1573	743,748	501	32.2	29.5-34.9	1072	67.8	65.1-70.5
65+	2942	932,552	414	14.9	13.3-16.5	2528	85.1	83.5-86.7
Less Than H.S.	553	539,832	190	38.8	33.7-43.9	363	61.2	56.1-66.3
H.S. or G.E.D.	2371	1,431,550	649	32.4	30.0-34.8	1722	67.6	65.2-70.0
Some Post-H.S.	1954	1,357,132	675	41.0	38.3-43.7	1279	59.0	56.3-61.7
College Graduate	2623	1,045,379	826	37.2	34.8-39.6	1797	62.8	60.4-65.2
Less than \$15,000	556	361,850	231	47.2	41.7-52.7	325	52.8	47.3-58.3
\$15,000- 24,999	1044	598,344	351	40.3	36.4-44.2	693	59.7	55.8-63.6
\$25,000- 34,999	674	388,134	233	42.8	37.7-47.9	441	57.2	52.1-62.3
\$35,000- 49,999	897	513,690	258	33.3	29.2-37.4	639	66.7	62.6-70.8
\$50,000- 74,999	981	606,432	304	36.8	32.9-40.7	677	63.2	59.3-67.1
\$75,000+	1881	1,140,499	629	37.3	34.6-40.0	1252	62.7	60.0-65.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 14: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3390	2,145,099	1019	33.5	31.5-35.5	2371	66.5	64.5-68.5
White/Non-Hisp	2818	1,696,887	781	30.6	28.4-32.8	2037	69.4	67.2-71.6
Black or Afr. Am./Non-Hisp	201	180,807	103	55.6	47.0-64.2	98	44.4	35.8-53.0
Oth. Race/Non-Hisp.	106	79,348	39	38.9	27.1-50.7	67	61.1	49.3-72.9
MultiRacial/Non-Hisp.	50	18,501	19	45.7	27.9-63.5	31	54.3	36.5-72.1
Hispanic	144	135,656	53	35.8	26.8-44.8	91	64.2	55.2-73.2
18-24	231	312,370	53	21.8	16.1-27.5	178	78.2	72.5-83.9
25-34	327	367,400	142	42.6	36.5-48.7	185	57.4	51.3-63.5
35-44	367	337,422	169	46.4	40.7-52.1	198	53.6	47.9-59.3
45-54	531	346,549	220	42.3	37.6-47.0	311	57.7	53.0-62.4
55-64	758	365,393	236	32.7	28.8-36.6	522	67.3	63.4-71.2
65+	1176	415,965	199	17.2	14.7-19.7	977	82.8	80.3-85.3
Less Than H.S.	257	291,787	86	34.6	27.7-41.5	171	65.4	58.5-72.3
H.S. or G.E.D.	1078	738,752	308	30.5	27.2-33.8	770	69.5	66.2-72.8
Some Post-H.S.	835	629,769	279	38.0	34.1-41.9	556	62.0	58.1-65.9
College Graduate	1196	471,743	337	31.8	28.5-35.1	859	68.2	64.9-71.5
Less than \$15,000	215	145,445	79	35.5	27.9-43.1	136	64.5	56.9-72.1
\$15,000- 24,999	420	271,946	150	38.3	32.4-44.2	270	61.7	55.8-67.6
\$25,000- 34,999	263	170,511	94	42.4	34.8-50.0	169	57.6	50.0-65.2
\$35,000- 49,999	435	272,396	119	29.3	23.6-35.0	316	70.7	65.0-76.4
\$50,000- 74,999	483	317,797	139	33.6	28.1-39.1	344	66.4	60.9-71.9
\$75,000+	1029	626,873	308	32.8	29.3-36.3	721	67.2	63.7-70.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019
SECTION 14: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4157	2,250,768	1333	40.2	38.2-42.2	2824	59.8	57.8-61.8
White/Non-Hisp	3455	1,796,834	997	37.0	34.8-39.2	2458	63.0	60.8-65.2
Black or Afr. Am./Non-Hisp	303	197,351	162	58.9	51.6-66.2	141	41.1	33.8-48.4
Oth. Race/Non-Hisp.	91	58,396	30	42.2	26.5-57.9	61	57.8	42.1-73.5
MultiRacial/Non-Hisp.	64	23,191	34	62.6	46.3-78.9	30	37.4	21.1-53.7
Hispanic	180	137,955	91	52.7	44.1-61.3	89	47.3	38.7-55.9
18-24	175	291,755	59	32.4	24.8-40.0	116	67.6	60.0-75.2
25-34	349	357,290	220	62.9	57.4-68.4	129	37.1	31.6-42.6
35-44	450	352,186	304	67.2	62.3-72.1	146	32.8	27.9-37.7
45-54	602	354,594	270	45.8	41.3-50.3	332	54.2	49.7-58.7
55-64	815	378,355	265	31.7	28.0-35.4	550	68.3	64.6-72.0
65+	1766	516,587	215	13.0	11.0-15.0	1551	87.0	85.0-89.0
Less Than H.S.	296	248,045	104	43.9	36.5-51.3	192	56.1	48.7-63.5
H.S. or G.E.D.	1293	692,799	341	34.5	31.0-38.0	952	65.5	62.0-69.0
Some Post-H.S.	1119	727,363	396	43.6	39.9-47.3	723	56.4	52.7-60.1
College Graduate	1427	573,636	489	41.6	38.5-44.7	938	58.4	55.3-61.5
Less than \$15,000	341	216,406	152	55.1	48.2-62.0	189	44.9	38.0-51.8
\$15,000- 24,999	624	326,398	201	41.9	36.6-47.2	423	58.1	52.8-63.4
\$25,000- 34,999	411	217,623	139	43.1	36.4-49.8	272	56.9	50.2-63.6
\$35,000- 49,999	462	241,294	139	37.8	32.1-43.5	323	62.2	56.5-67.9
\$50,000- 74,999	498	288,635	165	40.4	34.9-45.9	333	59.6	54.1-65.1
\$75,000+	852	513,627	321	42.7	38.6-46.8	531	57.3	53.2-61.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
INDIANA CALCULATED VARIABLE DATA REPORT, 2019**

End of Calculated Variable Data Report