



INDIANA

2019 Core Variables Report

Behavioral Risk Factor Surveillance System

June 24, 2020



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019

SECTION 1: HEALTH STATUS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8866	5,153,772	1213	15.0	14.0-16.0	2832	32.3	31.1-33.5	2887	32.8	31.6-34.0	1358	14.4	13.4-15.4	576	5.5	4.9- 6.1
Male	3981	2,509,832	568	15.8	14.2-17.4	1226	31.0	29.2-32.8	1333	33.6	31.8-35.4	621	14.6	13.2-16.0	233	4.9	4.1- 5.7
Female	4885	2,643,940	645	14.1	12.7-15.5	1606	33.6	31.8-35.4	1554	32.1	30.3-33.9	737	14.2	13.0-15.4	343	6.0	5.2- 6.8
White/Non-Hisp	7346	4,084,159	1006	14.9	13.9-15.9	2453	34.2	32.8-35.6	2367	32.1	30.7-33.5	1054	13.4	12.4-14.4	466	5.4	4.8- 6.0
Black or Afr. Am./Non-Hisp	598	449,728	65	14.0	10.3-17.7	152	26.4	21.9-30.9	208	34.6	29.7-39.5	134	19.5	15.8-23.2	39	5.5	3.3- 7.7
Oth. Race/Non-Hisp.	233	159,294	42	18.8	12.3-25.3	53	24.3	16.9-31.7	82	34.6	26.6-42.6	29	12.7	5.4-20.0	27	9.5	4.8-14.2
MultiRacial/Non-Hisp.	127	46,832	13	11.6	4.2-19.0	33	21.2	13.2-29.2	36	36.8	25.4-48.2	33	25.8	16.6-35.0	12	4.7	1.2- 8.2
Hispanic	381	315,363	60	16.1	12.0-20.2	81	19.4	14.9-23.9	150	41.6	35.7-47.5	71	18.6	13.9-23.3	19	4.3	2.1- 6.5
18-24	461	680,222	88	18.7	14.8-22.6	179	39.4	34.5-44.3	150	32.9	28.2-37.6	37	7.9	5.2-10.6	7	1.1	0.1- 2.1
25-34	800	858,291	150	18.4	15.5-21.3	278	34.3	30.6-38.0	270	34.3	30.6-38.0	85	10.8	8.4-13.2	17	2.1	0.9- 3.3
35-44	974	820,973	172	17.7	15.0-20.4	325	32.2	29.1-35.3	314	33.1	29.8-36.4	118	12.1	9.7-14.5	45	4.9	3.3- 6.5
45-54	1335	826,416	207	15.8	13.6-18.0	455	32.8	30.1-35.5	399	30.3	27.6-33.0	204	16.1	13.9-18.3	70	5.1	3.7- 6.5
55-64	1821	866,135	218	11.2	9.6-12.8	566	29.6	27.2-32.0	563	31.2	28.8-33.6	310	18.1	15.9-20.3	164	9.9	8.3-11.5
65+	3475	1,101,736	378	10.3	9.1-11.5	1029	28.4	26.6-30.2	1191	34.7	32.7-36.7	604	18.7	17.1-20.3	273	8.1	6.9- 9.3
Less Than H.S.	644	624,794	52	9.5	6.6-12.4	108	17.9	14.0-21.8	212	34.6	30.1-39.1	175	26.3	22.2-30.4	97	11.8	9.1-14.5
H.S. or G.E.D.	2840	1,711,785	282	11.7	10.1-13.3	726	28.6	26.4-30.8	1037	37.3	34.9-39.7	552	16.4	14.8-18.0	243	6.0	5.0- 7.0
Some Post-H.S.	2288	1,571,044	300	16.1	14.1-18.1	722	33.3	30.9-35.7	747	31.8	29.4-34.2	359	13.3	11.7-14.9	160	5.5	4.5- 6.5
College Graduate	3033	1,214,230	569	20.9	19.1-22.7	1254	43.4	41.2-45.6	874	27.2	25.2-29.2	263	7.0	6.0- 8.0	73	1.6	1.2- 2.0
Less than \$15,000	638	409,249	37	6.2	3.8- 8.6	108	18.6	14.7-22.5	191	33.1	28.2-38.0	188	28.0	23.5-32.5	114	14.1	11.0-17.2
\$15,000- 24,999	1211	693,727	100	9.3	7.1-11.5	225	18.9	16.0-21.8	407	36.4	32.9-39.9	324	24.3	21.4-27.2	155	11.1	8.9-13.3
\$25,000- 34,999	762	435,757	84	13.2	9.7-16.7	212	27.0	22.9-31.1	283	37.7	33.2-42.2	125	15.7	12.4-19.0	58	6.3	4.3- 8.3
\$35,000- 49,999	1014	592,502	107	11.7	9.0-14.4	323	32.1	28.4-35.8	392	38.6	34.7-42.5	147	14.3	11.6-17.0	45	3.3	2.1- 4.5
\$50,000- 74,999	1120	692,906	169	17.1	14.2-20.0	439	38.0	34.5-41.5	345	30.3	27.0-33.6	126	11.6	9.2-14.0	41	3.0	1.8- 4.2
\$75,000+	2133	1,306,643	441	21.1	18.9-23.3	911	42.8	40.3-45.3	598	27.7	25.3-30.1	148	6.8	5.4- 8.2	35	1.6	0.8- 2.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 1: HEALTH STATUS**

**TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3981	2,509,832	568	15.8	14.2-17.4	1226	31.0	29.2-32.8	1333	33.6	31.8-35.4	621	14.6	13.2-16.0	233	4.9	4.1- 5.7
White/Non-Hisp	3294	1,979,687	465	15.7	14.1-17.3	1060	32.7	30.7-34.7	1097	32.9	30.9-34.9	485	13.8	12.4-15.2	187	5.0	4.2- 5.8
Black or Afr. Am./Non-Hisp	236	210,993	28	15.5	9.4-21.6	61	28.0	20.7-35.3	83	31.8	24.5-39.1	54	20.3	14.4-26.2	10	4.5	1.2- 7.8
Oth. Race/Non-Hisp.	128	91,496	26	21.1	12.1-30.1	27	24.1	14.7-33.5	49	39.8	29.0-50.6	12	9.2	1.8-16.6	14	5.7	1.8- 9.6
MultiRacial/Non-Hisp.	58	21,236	8	13.5	2.1-24.9	10	15.4	5.4-25.4	14	33.8	17.3-50.3	18	29.5	15.2-43.8	8	7.8	0.7-14.9
Hispanic	169	155,171	28	16.2	10.1-22.3	36	19.6	12.7-26.5	67	43.2	34.6-51.8	31	17.0	10.3-23.7	7	4.0	0.9- 7.1
18-24	259	348,662	59	22.8	17.1-28.5	96	38.6	31.9-45.3	78	29.4	23.3-35.5	25	8.9	5.2-12.6	1	0.3	0.0- 0.9
25-34	384	431,254	74	19.6	15.3-23.9	128	32.4	27.3-37.5	138	35.8	30.3-41.3	36	10.0	6.5-13.5	8	2.3	0.5- 4.1
35-44	450	409,021	86	18.4	14.5-22.3	145	30.7	26.2-35.2	156	35.7	30.8-40.6	48	11.3	8.0-14.6	15	3.8	1.8- 5.8
45-54	624	410,650	94	15.7	12.4-19.0	224	34.4	30.3-38.5	194	32.0	27.9-36.1	88	14.5	11.4-17.6	24	3.5	1.9- 5.1
55-64	876	422,831	99	10.9	8.7-13.1	247	26.1	23.0-29.2	281	32.1	28.6-35.6	174	21.6	18.5-24.7	75	9.3	6.9-11.7
65+	1388	487,414	156	9.8	8.0-11.6	386	26.2	23.5-28.9	486	35.5	32.6-38.4	250	19.6	17.1-22.1	110	9.0	7.0-11.0
Less Than H.S.	298	330,192	32	13.1	8.4-17.8	46	17.2	11.9-22.5	103	34.1	27.8-40.4	76	24.5	18.8-30.2	41	11.1	7.4-14.8
H.S. or G.E.D.	1293	891,300	140	13.0	10.6-15.4	318	27.1	24.2-30.0	485	38.5	35.2-41.8	254	16.4	14.2-18.6	96	5.1	3.9- 6.3
Some Post-H.S.	978	720,067	136	16.8	13.7-19.9	301	33.8	30.3-37.3	324	31.4	28.1-34.7	153	13.3	10.9-15.7	64	4.6	3.2- 6.0
College Graduate	1384	551,798	257	20.8	18.1-23.5	547	41.3	38.2-44.4	413	28.6	25.9-31.3	136	7.8	6.2- 9.4	31	1.5	0.9- 2.1
Less than \$15,000	239	158,214	17	5.9	2.6- 9.2	32	16.3	10.0-22.6	74	35.8	28.0-43.6	64	23.9	17.6-30.2	52	18.0	12.5-23.5
\$15,000- 24,999	487	310,976	48	10.9	7.6-14.2	87	19.2	14.5-23.9	154	34.2	28.9-39.5	141	26.3	21.6-31.0	57	9.5	6.6-12.4
\$25,000- 34,999	306	195,480	34	14.7	9.2-20.2	86	27.8	21.3-34.3	111	33.9	27.2-40.6	49	15.7	10.6-20.8	26	7.9	4.2-11.6
\$35,000- 49,999	501	317,101	56	13.5	9.4-17.6	138	25.8	21.1-30.5	205	41.0	35.5-46.5	80	16.5	12.4-20.6	22	3.1	1.5- 4.7
\$50,000- 74,999	549	364,156	88	19.2	14.7-23.7	193	34.3	29.4-39.2	172	31.1	26.2-36.0	74	12.7	9.2-16.2	22	2.7	1.3- 4.1
\$75,000+	1174	728,584	218	18.6	15.9-21.3	490	42.3	38.8-45.8	352	30.0	26.9-33.1	98	7.9	5.9- 9.9	16	1.3	0.3- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 1: HEALTH STATUS**

**TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4885	2,643,940	645	14.1	12.7-15.5	1606	33.6	31.8-35.4	1554	32.1	30.3-33.9	737	14.2	13.0-15.4	343	6.0	5.2- 6.8
White/Non-Hisp	4052	2,104,472	541	14.1	12.7-15.5	1393	35.7	33.7-37.7	1270	31.4	29.4-33.4	569	13.0	11.8-14.2	279	5.8	5.0- 6.6
Black or Afr. Am./Non-Hisp	362	238,735	37	12.7	8.2-17.2	91	25.1	19.4-30.8	125	37.0	30.3-43.7	80	18.9	14.0-23.8	29	6.3	3.6- 9.0
Oth. Race/Non-Hisp.	105	67,797	16	15.7	6.3-25.1	26	24.7	12.5-36.9	33	27.5	16.5-38.5	17	17.3	3.8-30.8	13	14.7	5.3-24.1
MultiRacial/Non-Hisp.	69	25,597	5	9.9	0.1-19.7	23	26.0	13.7-38.3	22	39.3	23.6-55.0	15	22.7	10.9-34.5	4	2.0	0.0- 4.4
Hispanic	212	160,193	32	16.0	10.3-21.7	45	19.3	13.2-25.4	83	39.9	32.1-47.7	40	20.1	13.4-26.8	12	4.7	1.8- 7.6
18-24	202	331,560	29	14.3	9.0-19.6	83	40.3	32.9-47.7	72	36.5	29.1-43.9	12	6.9	2.6-11.2	6	2.0	0.2- 3.8
25-34	416	427,037	76	17.3	13.4-21.2	150	36.3	31.2-41.4	132	32.9	28.0-37.8	49	11.6	8.3-14.9	9	2.0	0.6- 3.4
35-44	524	411,951	86	17.0	13.5-20.5	180	33.6	29.1-38.1	158	30.6	26.1-35.1	70	12.9	9.6-16.2	30	5.9	3.5- 8.3
45-54	711	415,766	113	15.9	13.0-18.8	231	31.2	27.5-34.9	205	28.5	24.8-32.2	116	17.7	14.6-20.8	46	6.7	4.5- 8.9
55-64	945	443,304	119	11.5	9.3-13.7	319	32.9	29.6-36.2	282	30.4	27.1-33.7	136	14.8	12.3-17.3	89	10.4	8.0-12.8
65+	2087	614,322	222	10.6	9.0-12.2	643	30.1	27.7-32.5	705	34.0	31.6-36.4	354	17.9	15.9-19.9	163	7.3	5.9- 8.7
Less Than H.S.	346	294,602	20	5.4	2.3- 8.5	62	18.6	13.1-24.1	109	35.0	28.3-41.7	99	28.4	22.3-34.5	56	12.5	8.6-16.4
H.S. or G.E.D.	1547	820,485	142	10.2	8.0-12.4	408	30.3	27.2-33.4	552	36.1	33.0-39.2	298	16.4	14.2-18.6	147	6.9	5.5- 8.3
Some Post-H.S.	1310	850,977	164	15.5	13.0-18.0	421	32.9	29.8-36.0	423	32.2	29.1-35.3	206	13.2	11.0-15.4	96	6.2	4.8- 7.6
College Graduate	1649	662,432	312	20.9	18.5-23.3	707	45.1	42.2-48.0	461	26.0	23.5-28.5	127	6.2	4.8- 7.6	42	1.7	1.1- 2.3
Less than \$15,000	399	251,034	20	6.3	3.0- 9.6	76	20.1	14.8-25.4	117	31.4	25.3-37.5	124	30.5	24.4-36.6	62	11.6	8.1-15.1
\$15,000- 24,999	724	382,751	52	8.1	5.2-11.0	138	18.6	14.7-22.5	253	38.3	33.4-43.2	183	22.7	18.8-26.6	98	12.3	9.4-15.2
\$25,000- 34,999	456	240,277	50	12.0	7.7-16.3	126	26.4	20.9-31.9	172	40.7	34.4-47.0	76	15.8	11.3-20.3	32	5.1	2.9- 7.3
\$35,000- 49,999	513	275,401	51	9.6	6.5-12.7	185	39.4	33.9-44.9	187	35.8	30.5-41.1	67	11.7	8.6-14.8	23	3.6	1.8- 5.4
\$50,000- 74,999	571	328,750	81	14.8	11.1-18.5	246	42.1	37.0-47.2	173	29.3	24.8-33.8	52	10.4	7.1-13.7	19	3.3	1.5- 5.1
\$75,000+	959	578,059	223	24.3	21.0-27.6	421	43.6	39.9-47.3	246	24.7	21.4-28.0	50	5.4	3.6- 7.2	19	1.9	0.9- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

\* NOTE \* \* \* \* \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\* \* \* \* \*

TABLE		PAGE
	NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12
	DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7	MALES AND FEMALES	13
8	MALES ONLY	14
9	FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8608	5,025,159	5223	61.3	59.9-62.7	886	11.7	10.7-12.7	875	10.0	9.2-10.8	868	9.7	8.9-10.5	756	7.3	6.7- 7.9
Male	3888	2,460,038	2509	65.1	63.3-66.9	406	11.8	10.4-13.2	363	9.0	7.8-10.2	309	7.6	6.6- 8.6	301	6.4	5.6- 7.2
Female	4720	2,565,120	2714	57.7	55.9-59.5	480	11.6	10.4-12.8	512	10.9	9.7-12.1	559	11.7	10.5-12.9	455	8.1	7.1- 9.1
White/Non-Hisp	7152	4,002,524	4352	61.2	59.8-62.6	754	12.2	11.2-13.2	726	9.8	9.0-10.6	703	9.5	8.7-10.3	617	7.3	6.5- 8.1
Black or Afr. Am./Non-Hisp	570	430,255	332	61.2	56.3-66.1	60	11.3	8.2-14.4	56	9.7	6.6-12.8	70	10.7	7.8-13.6	52	7.1	4.6- 9.6
Oth. Race/Non-Hisp.	229	154,576	131	56.8	48.4-65.2	25	14.6	7.9-21.3	27	12.8	6.9-18.7	19	8.0	3.9-12.1	27	7.7	3.4-12.0
MultiRacial/Non-Hisp.	125	45,847	62	53.6	42.4-64.8	9	7.3	2.2-12.4	14	12.7	5.3-20.1	25	17.3	9.1-25.5	15	9.1	3.8-14.4
Hispanic	361	298,623	232	64.8	59.1-70.5	27	7.1	4.2-10.0	40	12.0	8.1-15.9	35	10.9	7.0-14.8	27	5.3	2.9- 7.7
18-24	454	666,557	282	63.1	58.2-68.0	78	17.1	13.2-21.0	52	11.2	8.1-14.3	32	6.9	4.4- 9.4	10	1.8	0.6- 3.0
25-34	784	837,164	490	63.3	59.6-67.0	127	15.8	13.1-18.5	76	8.9	6.7-11.1	67	9.1	6.9-11.3	24	2.9	1.5- 4.3
35-44	959	811,887	588	62.5	59.2-65.8	119	11.8	9.6-14.0	109	11.0	8.8-13.2	87	8.8	6.8-10.8	56	5.9	4.1- 7.7
45-54	1319	817,600	830	62.6	59.7-65.5	139	10.5	8.7-12.3	125	9.3	7.5-11.1	132	10.6	8.6-12.6	93	7.0	5.4- 8.6
55-64	1766	839,425	1032	57.0	54.5-59.5	160	9.0	7.4-10.6	171	9.5	7.9-11.1	179	11.1	9.3-12.9	224	13.4	11.6-15.2
65+	3326	1,052,525	2001	60.2	58.2-62.2	263	8.1	6.9- 9.3	342	10.3	9.1-11.5	371	10.8	9.6-12.0	349	10.7	9.3-12.1
Less Than H.S.	605	595,161	316	54.7	49.8-59.6	48	8.4	5.7-11.1	63	10.9	7.8-14.0	91	13.7	10.6-16.8	87	12.3	9.4-15.2
H.S. or G.E.D.	2722	1,656,226	1580	60.5	58.1-62.9	244	11.4	9.6-13.2	277	10.0	8.6-11.4	323	10.1	8.7-11.5	298	8.0	7.0- 9.0
Some Post-H.S.	2235	1,541,186	1299	60.0	57.6-62.4	223	11.8	10.0-13.6	232	9.9	8.5-11.3	255	10.6	9.0-12.2	226	7.7	6.5- 8.9
College Graduate	2988	1,202,135	1989	67.2	65.2-69.2	365	13.6	12.0-15.2	300	9.8	8.4-11.2	195	6.0	5.0- 7.0	139	3.4	2.8- 4.0
Less than \$15,000	596	386,084	249	43.8	38.7-48.9	52	11.3	7.8-14.8	71	12.3	9.0-15.6	110	17.6	13.9-21.3	114	15.1	11.8-18.4
\$15,000- 24,999	1160	667,301	553	48.4	44.7-52.1	107	9.8	7.6-12.0	119	11.7	9.2-14.2	207	16.9	14.2-19.6	174	13.1	10.7-15.5
\$25,000- 34,999	752	432,682	438	60.2	55.7-64.7	70	12.0	8.7-15.3	91	10.5	7.8-13.2	91	11.1	8.4-13.8	62	6.2	4.2- 8.2
\$35,000- 49,999	994	583,532	609	62.5	58.8-66.2	102	11.0	8.5-13.5	124	11.6	9.2-14.0	92	9.2	7.0-11.4	67	5.7	4.1- 7.3
\$50,000- 74,999	1105	684,947	731	67.0	63.5-70.5	114	10.6	8.2-13.0	101	9.0	6.8-11.2	87	8.0	6.0-10.0	72	5.4	3.8- 7.0
\$75,000+	2117	1,297,125	1473	68.5	66.1-70.9	270	14.7	12.7-16.7	198	8.8	7.4-10.2	96	4.7	3.5- 5.9	80	3.4	2.4- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3888	2,460,038	2509	65.1	63.3-66.9	406	11.8	10.4-13.2	363	9.0	7.8-10.2	309	7.6	6.6- 8.6	301	6.4	5.6- 7.2
White/Non-Hisp	3225	1,949,446	2092	65.2	63.2-67.2	348	12.4	10.8-14.0	298	8.7	7.5- 9.9	244	7.3	6.3- 8.3	243	6.4	5.4- 7.4
Black or Afr. Am./Non-Hisp	227	203,255	138	63.8	56.4-71.2	21	10.0	5.5-14.5	21	9.0	4.1-13.9	28	10.7	6.4-15.0	19	6.6	2.9-10.3
Oth. Race/Non-Hisp.	127	91,961	79	60.9	49.9-71.9	12	14.4	5.6-23.2	14	12.4	5.1-19.7	8	6.4	1.3-11.5	14	5.9	1.6-10.2
MultiRacial/Non-Hisp.	57	21,222	28	49.0	32.7-65.3	6	11.5	1.9-21.1	5	9.7	0.0-20.7	12	22.0	7.7-36.3	6	7.9	0.8-15.0
Hispanic	161	145,905	111	70.4	62.4-78.4	12	5.7	2.4- 9.0	17	11.4	5.7-17.1	11	6.8	2.1-11.5	10	5.6	1.9- 9.3
18-24	255	343,185	170	68.2	61.9-74.5	42	15.2	10.5-19.9	26	9.9	6.0-13.8	11	4.5	1.8- 7.2	6	2.2	0.4- 4.0
25-34	378	424,229	260	68.9	63.6-74.2	62	15.9	11.8-20.0	26	7.1	4.2-10.0	20	5.4	2.9- 7.9	10	2.7	0.7- 4.7
35-44	448	408,845	299	66.7	61.8-71.6	60	13.4	9.9-16.9	45	9.2	6.5-11.9	27	6.3	3.8- 8.8	17	4.4	2.2- 6.6
45-54	617	406,306	425	68.8	64.7-72.9	65	10.6	7.9-13.3	43	7.3	4.9- 9.7	50	7.9	5.5-10.3	34	5.3	3.3- 7.3
55-64	853	411,702	520	58.6	54.9-62.3	65	7.9	5.7-10.1	87	9.8	7.6-12.0	75	10.6	8.1-13.1	106	13.1	10.6-15.6
65+	1337	465,771	835	60.5	57.4-63.6	112	8.7	6.7-10.7	136	10.8	8.8-12.8	126	10.2	8.2-12.2	128	9.9	7.9-11.9
Less Than H.S.	284	320,676	158	58.4	51.7-65.1	23	8.7	4.6-12.8	27	10.0	5.9-14.1	41	12.3	8.2-16.4	35	10.6	6.9-14.3
H.S. or G.E.D.	1245	862,222	754	63.1	60.0-66.2	124	12.1	9.7-14.5	124	9.5	7.5-11.5	115	8.2	6.4-10.0	128	7.1	5.7- 8.5
Some Post-H.S.	960	713,601	601	64.5	61.0-68.0	106	12.6	10.1-15.1	90	9.3	7.3-11.3	81	7.1	5.3- 8.9	82	6.5	4.9- 8.1
College Graduate	1372	548,316	976	72.6	69.9-75.3	150	12.2	10.0-14.4	120	7.5	5.9- 9.1	70	4.7	3.3- 6.1	56	2.9	1.9- 3.9
Less than \$15,000	227	152,425	101	48.0	40.0-56.0	19	9.3	4.6-14.0	25	12.9	6.8-19.0	33	14.6	9.3-19.9	49	15.3	10.2-20.4
\$15,000- 24,999	466	298,657	232	52.4	46.7-58.1	50	11.6	7.9-15.3	39	8.5	5.4-11.6	77	14.8	11.1-18.5	68	12.7	9.4-16.0
\$25,000- 34,999	304	195,479	186	62.3	55.4-69.2	31	11.3	6.8-15.8	34	10.8	6.5-15.1	32	9.8	5.9-13.7	21	5.8	2.7- 8.9
\$35,000- 49,999	490	311,763	304	62.7	57.2-68.2	51	13.0	8.9-17.1	64	11.8	8.5-15.1	36	6.9	4.2- 9.6	35	5.6	3.4- 7.8
\$50,000- 74,999	543	361,409	365	68.5	63.6-73.4	53	10.7	7.4-14.0	40	7.9	4.8-11.0	45	7.2	4.7- 9.7	40	5.8	3.6- 8.0
\$75,000+	1169	725,853	860	72.6	69.5-75.7	137	13.5	11.0-16.0	99	7.9	6.1- 9.7	38	3.3	1.9- 4.7	35	2.6	1.4- 3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4720	2,565,120	2714	57.7	55.9-59.5	480	11.6	10.4-12.8	512	10.9	9.7-12.1	559	11.7	10.5-12.9	455	8.1	7.1- 9.1
White/Non-Hisp	3927	2,053,078	2260	57.3	55.3-59.3	406	11.9	10.5-13.3	428	10.9	9.7-12.1	459	11.6	10.2-13.0	374	8.2	7.2- 9.2
Black or Afr. Am./Non-Hisp	343	227,000	194	58.9	52.2-65.6	39	12.4	7.9-16.9	35	10.3	6.4-14.2	42	10.7	7.0-14.4	33	7.6	4.5-10.7
Oth. Race/Non-Hisp.	102	62,615	52	50.8	37.5-64.1	13	15.1	5.1-25.1	13	13.5	3.9-23.1	11	10.4	3.3-17.5	13	10.3	2.1-18.5
MultiRacial/Non-Hisp.	68	24,625	34	57.6	42.9-72.3	3	3.7	0.0- 8.4	9	15.3	5.1-25.5	13	13.3	4.7-21.9	9	10.1	2.3-17.9
Hispanic	200	152,718	121	59.3	51.3-67.3	15	8.3	3.4-13.2	23	12.5	7.0-18.0	24	14.7	8.6-20.8	17	5.1	2.4- 7.8
18-24	199	323,372	112	57.6	50.0-65.2	36	19.1	13.0-25.2	26	12.5	7.6-17.4	21	9.4	5.3-13.5	4	1.3	0.0- 2.7
25-34	406	412,935	230	57.6	52.3-62.9	65	15.7	11.8-19.6	50	10.7	7.6-13.8	47	12.8	9.3-16.3	14	3.2	1.2- 5.2
35-44	511	403,042	289	58.2	53.5-62.9	59	10.2	7.5-12.9	64	12.8	9.5-16.1	60	11.3	8.2-14.4	39	7.5	5.0-10.0
45-54	702	411,294	405	56.4	52.3-60.5	74	10.3	7.8-12.8	82	11.3	8.8-13.8	82	13.2	10.3-16.1	59	8.8	6.4-11.2
55-64	913	427,724	512	55.5	51.8-59.2	95	10.2	8.0-12.4	84	9.2	7.0-11.4	104	11.5	9.1-13.9	118	13.6	11.1-16.1
65+	1989	586,754	1166	59.9	57.4-62.4	151	7.6	6.2- 9.0	206	9.8	8.2-11.4	245	11.3	9.7-12.9	221	11.3	9.5-13.1
Less Than H.S.	321	274,486	158	50.4	43.3-57.5	25	7.9	4.2-11.6	36	12.0	7.5-16.5	50	15.4	10.5-20.3	52	14.3	10.0-18.6
H.S. or G.E.D.	1477	794,003	826	57.8	54.5-61.1	120	10.7	8.3-13.1	153	10.5	8.3-12.7	208	12.2	10.2-14.2	170	8.9	7.3-10.5
Some Post-H.S.	1275	827,585	698	56.1	52.8-59.4	117	11.1	8.7-13.5	142	10.5	8.5-12.5	174	13.6	11.2-16.0	144	8.7	7.1-10.3
College Graduate	1616	653,819	1013	62.7	59.8-65.6	215	14.8	12.6-17.0	180	11.6	9.6-13.6	125	7.1	5.5- 8.7	83	3.7	2.7- 4.7
Less than \$15,000	369	233,659	148	41.0	34.5-47.5	33	12.6	7.7-17.5	46	11.9	8.0-15.8	77	19.6	14.5-24.7	65	14.9	10.6-19.2
\$15,000- 24,999	694	368,643	321	45.2	40.1-50.3	57	8.4	5.7-11.1	80	14.4	10.7-18.1	130	18.6	14.7-22.5	106	13.4	10.3-16.5
\$25,000- 34,999	448	237,203	252	58.5	52.4-64.6	39	12.6	7.7-17.5	57	10.3	7.0-13.6	59	12.1	8.4-15.8	41	6.5	4.1- 8.9
\$35,000- 49,999	504	271,769	305	62.2	56.9-67.5	51	8.6	5.7-11.5	60	11.4	8.1-14.7	56	12.0	8.3-15.7	32	5.7	3.3- 8.1
\$50,000- 74,999	562	323,538	366	65.5	60.6-70.4	61	10.6	7.3-13.9	61	10.1	7.0-13.2	42	8.9	5.8-12.0	32	5.0	3.0- 7.0
\$75,000+	948	571,272	613	63.3	59.6-67.0	133	16.1	13.2-19.0	99	9.9	7.7-12.1	58	6.4	4.4- 8.4	45	4.2	2.8- 5.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2019

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None		1-2 days		3-7 days		8-29 days		30 days	
	TOTAL	WEIGHTED	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)
TOTAL	8650	5,050,919	5580	59.9 58.5-61.3	726	8.6 7.8- 9.4	947	12.8 11.8-13.8	837	11.6 10.6-12.6	560	7.2 6.4- 8.0
Male	3894	2,465,767	2749	67.1 65.1-69.1	288	7.4 6.4- 8.4	342	10.3 9.1-11.5	333	10.1 8.9-11.3	182	5.1 4.1- 6.1
Female	4756	2,585,152	2831	53.0 51.0-55.0	438	9.8 8.6-11.0	605	15.2 13.8-16.6	504	12.9 11.5-14.3	378	9.2 8.0-10.4
White/Non-Hisp	7187	4,015,874	4615	58.8 57.2-60.4	634	9.2 8.4-10.0	797	13.0 12.0-14.0	683	11.7 10.7-12.7	458	7.4 6.6- 8.2
Black or Afr. Am./Non-Hisp	573	432,851	380	62.2 56.9-67.5	35	6.2 3.5- 8.9	63	13.5 9.6-17.4	58	12.6 8.9-16.3	37	5.6 3.4- 7.8
Oth. Race/Non-Hisp.	226	157,946	141	59.7 50.9-68.5	20	8.1 3.6-12.6	21	9.4 4.5-14.3	27	12.2 6.5-17.9	17	10.5 3.4-17.6
MultiRacial/Non-Hisp.	125	46,186	66	46.5 35.3-57.7	9	12.6 2.8-22.4	11	9.2 3.1-15.3	24	16.7 8.9-24.5	15	14.9 6.9-22.9
Hispanic	370	303,536	259	70.1 64.6-75.6	19	5.2 2.7- 7.7	43	12.4 8.5-16.3	34	9.3 5.8-12.8	15	2.9 1.1- 4.7
18-24	454	671,358	188	40.9 35.8-46.0	44	9.7 6.8-12.6	88	19.7 15.6-23.8	102	21.1 17.0-25.2	32	8.7 5.6-11.8
25-34	790	848,682	400	52.3 48.4-56.2	87	9.7 7.5-11.9	125	15.2 12.5-17.9	118	14.7 12.0-17.4	60	8.1 5.9-10.3
35-44	964	814,399	511	55.0 51.5-58.5	122	11.3 9.1-13.5	129	13.4 11.0-15.8	119	11.6 9.4-13.8	83	8.6 6.6-10.6
45-54	1318	815,958	784	61.0 58.1-63.9	119	8.6 7.0-10.2	174	12.7 10.7-14.7	150	11.3 9.3-13.3	91	6.3 4.9- 7.7
55-64	1776	839,969	1183	66.8 64.3-69.3	132	6.9 5.5- 8.3	180	10.6 8.8-12.4	150	8.3 6.7- 9.9	131	7.4 6.0- 8.8
65+	3348	1,060,553	2514	75.4 73.6-77.2	222	6.3 5.3- 7.3	251	7.8 6.6- 9.0	198	5.7 4.7- 6.7	163	4.8 4.0- 5.6
Less Than H.S.	604	595,404	372	58.9 54.0-63.8	40	6.4 4.2- 8.6	55	10.3 7.0-13.6	68	11.6 8.5-14.7	69	12.9 9.4-16.4
H.S. or G.E.D.	2746	1,672,278	1798	61.8 59.4-64.2	189	7.2 6.0- 8.4	279	11.0 9.4-12.6	258	11.5 9.9-13.1	222	8.4 7.0- 9.8
Some Post-H.S.	2251	1,552,335	1392	57.1 54.6-59.6	175	8.5 7.1- 9.9	275	14.8 12.8-16.8	248	12.8 11.0-14.6	161	6.8 5.6- 8.0
College Graduate	2994	1,202,290	1979	61.1 58.9-63.3	319	11.8 10.4-13.2	335	14.1 12.5-15.7	256	10.0 8.6-11.4	105	3.1 2.5- 3.7
Less than \$15,000	609	393,150	311	49.0 43.9-54.1	45	6.3 4.1- 8.5	66	11.4 8.1-14.7	75	13.1 9.6-16.6	112	20.2 15.9-24.5
\$15,000- 24,999	1176	678,021	669	52.6 48.9-56.3	77	6.7 4.7- 8.7	138	13.8 11.1-16.5	170	15.4 12.9-17.9	122	11.6 9.1-14.1
\$25,000- 34,999	749	427,769	468	57.1 52.4-61.8	59	8.8 5.9-11.7	83	12.3 9.2-15.4	92	14.6 10.9-18.3	47	7.1 4.6- 9.6
\$35,000- 49,999	996	582,301	633	59.4 55.5-63.3	103	9.8 7.4-12.2	115	12.6 10.1-15.1	99	12.5 9.8-15.2	46	5.6 3.6- 7.6
\$50,000- 74,999	1108	686,364	692	57.5 53.8-61.2	113	10.1 7.9-12.3	149	16.0 13.1-18.9	93	10.4 7.9-12.9	61	6.0 4.2- 7.8
\$75,000+	2116	1,298,739	1468	64.0 61.5-66.5	202	9.8 8.2-11.4	243	13.8 11.8-15.8	151	9.2 7.4-11.0	52	3.2 2.0- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None		1-2 days		3-7 days		8-29 days		30 days	
	TOTAL	WEIGHTED	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)
Male	3894	2,465,767	2749	67.1 65.1-69.1	288	7.4 6.4- 8.4	342	10.3 9.1-11.5	333	10.1 8.9-11.3	182	5.1 4.1- 6.1
White/Non-Hisp	3231	1,952,028	2284	66.6 64.4-68.8	255	8.1 6.9- 9.3	284	10.3 8.9-11.7	270	10.2 8.8-11.6	138	4.8 3.8- 5.8
Black or Afr. Am./Non-Hisp	223	200,197	159	68.0 60.4-75.6	9	3.5 0.8- 6.2	19	11.2 5.7-16.7	20	11.1 5.8-16.4	16	6.3 2.4-10.2
Oth. Race/Non-Hisp.	126	90,867	86	65.9 55.3-76.5	10	6.5 2.8-10.2	8	7.6 1.9-13.3	11	8.6 1.9-15.3	11	11.4 3.4-19.4
MultiRacial/Non-Hisp.	56	20,540	32	49.4 32.9-65.9	1	2.9 0.0- 8.6	6	11.2 1.4-21.0	12	21.6 7.9-35.3	5	14.8 1.3-28.3
Hispanic	167	153,095	119	72.5 64.9-80.1	9	5.0 1.7- 8.3	20	11.9 6.0-17.8	14	8.8 4.1-13.5	5	1.9 0.1- 3.7
18-24	256	348,119	129	53.2 46.5-59.9	25	8.7 5.2-12.2	41	15.9 11.0-20.8	50	17.5 12.6-22.4	11	4.7 1.6- 7.8
25-34	380	428,114	216	59.7 54.2-65.2	39	8.6 5.7-11.5	50	11.7 8.2-15.2	51	13.6 9.7-17.5	24	6.4 3.7- 9.1
35-44	444	404,840	268	62.0 57.1-66.9	51	10.3 7.4-13.2	48	10.9 7.6-14.2	46	9.7 6.8-12.6	31	7.0 4.5- 9.5
45-54	615	404,364	420	69.3 65.4-73.2	47	6.9 4.7- 9.1	64	11.1 8.4-13.8	57	9.0 6.6-11.4	27	3.7 2.1- 5.3
55-64	855	411,010	629	73.6 70.3-76.9	48	4.7 3.1- 6.3	70	9.2 6.8-11.6	64	7.2 5.2- 9.2	44	5.3 3.5- 7.1
65+	1344	469,320	1087	81.1 78.6-83.6	78	5.5 4.1- 6.9	69	4.8 3.6- 6.0	65	5.2 3.6- 6.8	45	3.4 2.2- 4.6
Less Than H.S.	283	321,009	191	65.7 59.2-72.2	14	5.3 2.4- 8.2	18	7.0 3.5-10.5	33	12.6 7.9-17.3	27	9.5 5.6-13.4
H.S. or G.E.D.	1259	873,618	883	67.5 64.4-70.6	81	6.7 5.1- 8.3	103	9.4 7.2-11.6	120	10.9 8.7-13.1	72	5.4 3.8- 7.0
Some Post-H.S.	960	711,167	664	65.9 62.2-69.6	62	7.0 5.0- 9.0	99	12.6 9.9-15.3	88	9.7 7.5-11.9	47	4.8 3.0- 6.6
College Graduate	1367	545,799	991	68.7 65.8-71.6	130	10.3 8.3-12.3	122	11.1 8.9-13.3	89	7.7 5.9- 9.5	35	2.3 1.5- 3.1
Less than \$15,000	229	152,636	128	55.3 47.5-63.1	15	7.4 3.3-11.5	19	8.2 4.3-12.1	28	12.3 7.2-17.4	39	16.9 11.0-22.8
\$15,000- 24,999	473	302,162	300	60.8 55.3-66.3	28	6.4 3.9- 8.9	47	11.1 7.4-14.8	63	14.2 10.3-18.1	35	7.5 4.6-10.4
\$25,000- 34,999	300	193,946	203	64.2 57.1-71.3	14	4.8 1.7- 7.9	31	12.5 7.6-17.4	33	12.2 7.3-17.1	19	6.4 3.1- 9.7
\$35,000- 49,999	493	311,262	330	63.2 57.7-68.7	49	9.7 6.4-13.0	49	11.9 8.2-15.6	48	11.3 7.8-14.8	17	3.9 1.5- 6.3
\$50,000- 74,999	540	359,045	370	64.9 59.8-70.0	51	9.3 6.4-12.2	55	13.0 9.1-16.9	37	7.6 4.7-10.5	27	5.2 2.7- 7.7
\$75,000+	1166	723,044	894	73.1 69.8-76.4	90	7.2 5.4- 9.0	98	9.7 7.5-11.9	64	7.5 5.3- 9.7	20	2.4 1.0- 3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None		1-2 days		3-7 days		8-29 days		30 days	
	TOTAL	WEIGHTED	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)
Female	4756	2,585,152	2831	53.0 51.2-54.8	438	9.8 8.6-11.0	605	15.2 13.8-16.6	504	12.9 11.5-14.3	378	9.2 8.0-10.4
White/Non-Hisp	3956	2,063,846	2331	51.4 49.4-53.4	379	10.1 8.9-11.3	513	15.5 13.9-17.1	413	13.1 11.5-14.7	320	9.9 8.5-11.3
Black or Afr. Am./Non-Hisp	350	232,654	221	57.2 50.3-64.1	26	8.6 4.3-12.9	44	15.5 10.0-21.0	38	13.9 8.8-19.0	21	4.9 2.5- 7.3
Oth. Race/Non-Hisp.	100	67,080	55	51.3 37.2-65.4	10	10.2 2.0-18.4	13	12.0 3.8-20.2	16	17.1 7.1-27.1	6	9.4 0.0-21.9
MultiRacial/Non-Hisp.	69	25,645	34	44.3 29.4-59.2	8	20.4 4.7-36.1	5	7.7 0.3-15.1	12	12.8 4.8-20.8	10	14.9 5.1-24.7
Hispanic	203	150,442	140	67.7 60.1-75.3	10	5.4 1.7- 9.1	23	13.0 7.5-18.5	20	9.8 4.7-14.9	10	4.1 1.2- 7.0
18-24	198	323,239	59	27.6 20.7-34.5	19	10.7 5.8-15.6	47	23.8 17.1-30.5	52	24.9 18.4-31.4	21	13.0 7.3-18.7
25-34	410	420,568	184	44.7 39.4-50.0	48	10.8 7.7-13.9	75	18.8 14.7-22.9	67	15.9 12.2-19.6	36	9.8 6.5-13.1
35-44	520	409,560	243	48.1 43.2-53.0	71	12.3 9.4-15.2	81	15.9 12.4-19.4	73	13.5 10.2-16.8	52	10.2 7.3-13.1
45-54	703	411,594	364	52.9 48.8-57.0	72	10.4 7.9-12.9	110	14.2 11.5-16.9	93	13.7 10.8-16.6	64	8.8 6.4-11.2
55-64	921	428,958	554	60.3 56.6-64.0	84	8.9 6.7-11.1	110	12.1 9.6-14.6	86	9.3 7.1-11.5	87	9.4 7.2-11.6
65+	2004	591,234	1427	70.9 68.5-73.3	144	6.9 5.5- 8.3	182	10.2 8.6-11.8	133	6.1 4.9- 7.3	118	6.0 4.8- 7.2
Less Than H.S.	321	274,395	181	50.9 43.8-58.0	26	7.7 4.4-11.0	37	14.1 8.4-19.8	35	10.4 6.3-14.5	42	16.8 10.9-22.7
H.S. or G.E.D.	1487	798,660	915	55.6 52.3-58.9	108	7.7 5.7- 9.7	176	12.8 10.6-15.0	138	12.2 9.7-14.7	150	11.7 9.3-14.1
Some Post-H.S.	1291	841,168	728	49.6 46.3-52.9	113	9.7 7.5-11.9	176	16.7 14.0-19.4	160	15.4 12.9-17.9	114	8.6 6.8-10.4
College Graduate	1627	656,491	988	54.9 52.0-57.8	189	12.9 10.7-15.1	213	16.6 14.2-19.0	167	11.9 9.9-13.9	70	3.7 2.7- 4.7
Less than \$15,000	380	240,514	183	45.1 38.6-51.6	30	5.6 3.1- 8.1	47	13.4 8.5-18.3	47	13.6 8.9-18.3	73	22.3 16.4-28.2
\$15,000- 24,999	703	375,859	369	46.1 41.2-51.0	49	6.9 4.4- 9.4	91	15.9 11.8-20.0	107	16.3 12.8-19.8	87	14.8 10.9-18.7
\$25,000- 34,999	449	233,823	265	51.3 45.0-57.6	45	12.2 7.7-16.7	52	12.2 8.3-16.1	59	16.6 11.3-21.9	28	7.8 4.1-11.5
\$35,000- 49,999	503	271,039	303	55.1 49.4-60.8	54	9.8 6.7-12.9	66	13.5 9.8-17.2	51	14.0 9.7-18.3	29	7.6 4.3-10.9
\$50,000- 74,999	568	327,319	322	49.4 44.3-54.5	62	11.0 7.7-14.3	94	19.3 15.0-23.6	56	13.5 9.6-17.4	34	6.8 4.3- 9.3
\$75,000+	950	575,695	574	52.7 48.8-56.6	112	13.0 10.3-15.7	145	19.0 15.7-22.3	87	11.2 8.5-13.9	32	4.1 2.1- 6.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4851	2,946,740	2666	55.4	53.6-57.2	473	10.1	8.9-11.3	597	12.5	11.3-13.7	676	13.9	12.7-15.1	439	8.0	7.0- 9.0
Male	1973	1,280,815	1141	59.1	56.4-61.8	209	10.5	8.7-12.3	231	11.5	9.7-13.3	230	11.8	10.0-13.6	162	7.1	5.7- 8.5
Female	2878	1,665,925	1525	52.7	50.3-55.1	264	9.8	8.4-11.2	366	13.3	11.7-14.9	446	15.5	13.7-17.3	277	8.6	7.2-10.0
White/Non-Hisp	4043	2,379,618	2236	55.4	53.4-57.4	406	10.3	9.1-11.5	488	12.2	10.8-13.6	556	13.9	12.5-15.3	357	8.1	7.1- 9.1
Black or Afr. Am./Non-Hisp	324	248,773	177	56.2	49.3-63.1	24	7.4	3.7-11.1	48	15.1	10.0-20.2	45	13.7	9.0-18.4	30	7.6	4.5-10.7
Oth. Race/Non-Hisp.	128	88,937	67	52.5	40.3-64.7	10	8.4	2.5-14.3	16	13.8	5.4-22.2	18	16.1	4.7-27.5	17	9.2	2.9-15.5
MultiRacial/Non-Hisp.	83	32,693	43	55.6	42.1-69.1	8	11.0	3.0-19.0	10	17.4	6.2-28.6	13	7.6	2.9-12.3	9	8.4	1.0-15.8
Hispanic	187	151,895	104	59.4	51.2-67.6	22	14.0	7.7-20.3	21	10.3	5.6-15.0	28	13.0	8.1-17.9	12	3.3	1.1- 5.5
18-24	321	477,387	174	54.6	48.5-60.7	38	10.8	7.3-14.3	60	17.7	13.2-22.2	42	14.3	9.8-18.8	7	2.5	0.5- 4.5
25-34	505	527,346	282	56.5	51.8-61.2	70	12.2	9.3-15.1	61	11.8	8.7-14.9	71	14.7	11.4-18.0	21	4.9	2.7- 7.1
35-44	595	487,797	345	57.5	53.0-62.0	74	12.8	9.7-15.9	73	11.7	8.8-14.6	67	10.8	8.1-13.5	36	7.2	4.7- 9.7
45-54	721	435,133	386	54.0	49.9-58.1	81	11.5	9.0-14.0	76	10.2	7.8-12.6	109	14.8	12.1-17.5	69	9.6	7.2-12.0
55-64	983	476,590	489	50.2	46.7-53.7	85	7.3	5.5- 9.1	119	12.3	9.9-14.7	158	16.3	13.6-19.0	132	13.8	11.3-16.3
65+	1726	542,488	990	59.2	56.5-61.9	125	6.4	5.0- 7.8	208	11.5	9.7-13.3	229	12.8	10.8-14.8	174	10.1	8.3-11.9
Less Than H.S.	379	365,252	193	51.7	45.4-58.0	21	6.3	3.0- 9.6	42	11.6	7.7-15.5	57	15.4	10.7-20.1	66	15.1	10.8-19.4
H.S. or G.E.D.	1572	964,400	862	54.8	51.7-57.9	113	8.4	6.6-10.2	193	12.5	10.3-14.7	244	15.6	13.2-18.0	160	8.7	7.1-10.3
Some Post-H.S.	1324	950,531	697	54.0	50.7-57.3	119	10.0	7.8-12.2	160	13.0	10.6-15.4	218	15.1	12.9-17.3	130	7.9	6.3- 9.5
College Graduate	1546	650,961	897	60.3	57.4-63.2	219	15.2	13.0-17.4	198	12.5	10.5-14.5	152	8.9	7.3-10.5	80	3.1	2.3- 3.9
Less than \$15,000	430	279,382	162	39.8	33.7-45.9	24	5.4	2.9- 7.9	56	11.8	8.3-15.3	97	24.6	18.9-30.3	91	18.5	14.2-22.8
\$15,000- 24,999	785	459,906	341	43.7	39.2-48.2	42	5.5	3.5- 7.5	108	14.7	11.4-18.0	175	21.7	18.2-25.2	119	14.4	11.3-17.5
\$25,000- 34,999	434	257,542	238	55.2	48.9-61.5	35	7.0	4.1- 9.9	58	11.9	8.2-15.6	69	17.6	12.5-22.7	34	8.3	4.6-12.0
\$35,000- 49,999	592	356,636	358	57.2	52.1-62.3	60	11.0	7.5-14.5	75	14.9	10.8-19.0	74	13.6	10.3-16.9	25	3.3	1.3- 5.3
\$50,000- 74,999	598	386,017	357	62.5	57.6-67.4	72	11.2	8.1-14.3	82	13.6	10.1-17.1	52	7.8	5.4-10.2	35	4.9	2.9- 6.9
\$75,000+	1005	670,727	623	62.5	58.8-66.2	155	15.7	13.0-18.4	125	12.0	9.6-14.4	67	7.5	5.3- 9.7	35	2.3	1.5- 3.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1973	1,280,815	1141	59.1	56.4-61.8	209	10.5	8.7-12.3	231	11.5	9.7-13.3	230	11.8	10.0-13.6	162	7.1	5.7- 8.5
White/Non-Hisp	1641	1,030,871	963	59.7	56.8-62.6	181	10.9	8.9-12.9	185	10.7	8.9-12.5	188	11.8	9.8-13.8	124	6.9	5.5- 8.3
Black or Afr. Am./Non-Hisp	113	99,603	62	53.7	42.3-65.1	7	7.9	1.2-14.6	19	16.8	8.0-25.6	13	12.0	5.1-18.9	12	9.6	3.7-15.5
Oth. Race/Non-Hisp.	64	47,548	35	58.0	42.9-73.1	6	12.3	2.5-22.1	6	10.3	1.3-19.3	10	13.3	1.1-25.5	7	6.1	0.4-11.8
Hispanic	76	65,479	43	64.7	53.3-76.1	11	10.8	4.3-17.3	8	10.3	3.0-17.6	9	10.3	3.4-17.2	5	4.0	0.3- 7.7
18-24	164	213,448	97	61.7	53.7-69.7	18	9.7	5.2-14.2	28	16.0	9.7-22.3	20	12.1	6.8-17.4	1	0.6	0.0- 1.8
25-34	214	224,162	121	57.0	49.6-64.4	35	13.4	8.5-18.3	20	10.6	5.7-15.5	29	13.9	8.8-19.0	9	5.1	1.6- 8.6
35-44	240	214,217	153	63.2	56.3-70.1	31	13.4	8.3-18.5	28	10.6	6.7-14.5	17	7.4	3.7-11.1	11	5.5	2.2- 8.8
45-54	295	189,819	176	60.4	54.3-66.5	35	11.7	7.6-15.8	26	8.9	5.4-12.4	32	10.5	6.8-14.2	26	8.4	5.1-11.7
55-64	428	210,005	206	49.1	43.6-54.6	39	7.4	4.9- 9.9	54	12.3	8.8-15.8	68	16.6	12.5-20.7	61	14.7	10.8-18.6
65+	632	229,165	388	62.9	58.4-67.4	51	7.7	5.3-10.1	75	10.3	7.6-13.0	64	10.3	7.4-13.2	54	8.8	5.9-11.7
Less Than H.S.	167	174,739	96	55.8	47.0-64.6	10	7.8	2.3-13.3	17	12.6	6.1-19.1	22	12.4	6.9-17.9	22	11.3	6.2-16.4
H.S. or G.E.D.	671	464,572	380	59.1	54.6-63.6	52	8.3	5.8-10.8	90	12.5	9.4-15.6	86	12.7	9.6-15.8	63	7.4	5.4- 9.4
Some Post-H.S.	505	380,987	281	57.9	52.8-63.0	51	10.2	7.1-13.3	55	10.6	7.7-13.5	73	13.6	10.3-16.9	45	7.8	5.3-10.3
College Graduate	617	253,456	374	62.2	57.7-66.7	96	17.2	13.7-20.7	68	10.4	7.7-13.1	48	7.2	4.8- 9.6	31	3.0	1.8- 4.2
Less than \$15,000	156	103,140	57	38.0	28.2-47.8	9	6.7	2.0-11.4	25	13.9	8.0-19.8	32	22.3	14.3-30.3	33	19.1	12.2-26.0
\$15,000- 24,999	298	187,028	138	46.1	39.2-53.0	23	7.4	3.9-10.9	38	12.9	8.2-17.6	61	20.3	14.8-25.8	38	13.3	8.6-18.0
\$25,000- 34,999	153	99,267	82	52.1	42.1-62.1	14	8.1	3.4-12.8	19	12.7	5.8-19.6	21	16.2	8.8-23.6	17	10.8	4.7-16.9
\$35,000- 49,999	288	181,876	178	60.4	53.1-67.7	33	12.9	7.2-18.6	31	11.4	6.3-16.5	32	12.4	7.7-17.1	14	2.9	0.9- 4.9
\$50,000- 74,999	267	178,711	166	67.3	60.6-74.0	30	9.6	5.7-13.5	32	11.0	6.7-15.3	26	8.4	4.7-12.1	13	3.6	1.4- 5.8
\$75,000+	473	316,134	311	65.4	60.1-70.7	73	15.5	11.4-19.6	50	10.6	7.1-14.1	25	6.7	3.6- 9.8	14	1.8	0.8- 2.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2878	1,665,925	1525	52.7	50.3-55.1	264	9.8	8.4-11.2	366	13.3	11.7-14.9	446	15.5	13.7-17.3	277	8.6	7.2-10.0
White/Non-Hisp	2402	1,348,747	1273	52.0	49.5-54.5	225	9.9	8.3-11.5	303	13.4	11.6-15.2	368	15.5	13.5-17.5	233	9.1	7.5-10.7
Black or Afr. Am./Non-Hisp	211	149,170	115	57.9	49.3-66.5	17	7.1	2.8-11.4	29	13.9	7.6-20.2	32	14.8	8.5-21.1	18	6.4	2.9- 9.9
Oth. Race/Non-Hisp.	64	41,389	32	46.1	27.5-64.7	4	3.9	0.0- 9.0	10	17.7	4.4-31.0	8	19.4	0.0-39.0	10	12.9	1.1-24.7
Hispanic	111	86,416	61	55.3	44.1-66.5	11	16.4	6.8-26.0	13	10.4	4.3-16.5	19	15.0	7.9-22.1	7	2.9	0.5- 5.3
18-24	157	263,939	77	48.9	40.3-57.5	20	11.8	6.5-17.1	32	19.1	12.6-25.6	22	16.1	9.2-23.0	6	4.1	0.6- 7.6
25-34	291	303,184	161	56.1	49.8-62.4	35	11.3	7.4-15.2	41	12.6	8.7-16.5	42	15.3	10.8-19.8	12	4.7	1.8- 7.6
35-44	355	273,579	192	53.0	47.1-58.9	43	12.4	8.5-16.3	45	12.6	8.7-16.5	50	13.4	9.7-17.1	25	8.6	4.7-12.5
45-54	426	245,315	210	48.9	43.6-54.2	46	11.4	7.9-14.9	50	11.2	7.9-14.5	77	18.0	13.9-22.1	43	10.4	7.1-13.7
55-64	555	266,585	283	51.0	46.3-55.7	46	7.3	4.9- 9.7	65	12.3	9.2-15.4	90	16.2	12.7-19.7	71	13.1	9.8-16.4
65+	1094	313,323	602	56.5	53.0-60.0	74	5.5	4.1- 6.9	133	12.4	10.0-14.8	165	14.6	12.1-17.1	120	11.0	8.8-13.2
Less Than H.S.	212	190,513	97	47.8	39.0-56.6	11	4.9	1.2- 8.6	25	10.6	6.1-15.1	35	18.1	10.8-25.4	44	18.6	11.9-25.3
H.S. or G.E.D.	901	499,828	482	50.8	46.5-55.1	61	8.4	5.9-10.9	103	12.5	9.6-15.4	158	18.4	14.9-21.9	97	9.9	7.4-12.4
Some Post-H.S.	819	569,545	416	51.5	47.2-55.8	68	9.9	7.2-12.6	105	14.6	11.5-17.7	145	16.0	13.1-18.9	85	8.0	6.0-10.0
College Graduate	929	397,505	523	59.1	55.4-62.8	123	14.0	11.3-16.7	130	13.8	11.1-16.5	104	9.9	7.7-12.1	49	3.1	2.1- 4.1
Less than \$15,000	274	176,242	105	40.8	33.0-48.6	15	4.6	1.7- 7.5	31	10.6	6.1-15.1	65	25.9	18.5-33.3	58	18.1	12.8-23.4
\$15,000- 24,999	487	272,878	203	42.0	36.1-47.9	19	4.2	1.8- 6.6	70	15.9	11.4-20.4	114	22.7	17.8-27.6	81	15.3	11.0-19.6
\$25,000- 34,999	281	158,275	156	57.1	49.1-65.1	21	6.4	2.7-10.1	39	11.4	7.1-15.7	48	18.5	11.8-25.2	17	6.7	2.0-11.4
\$35,000- 49,999	304	174,759	180	53.8	46.5-61.1	27	9.0	4.7-13.3	44	18.6	12.5-24.7	42	14.9	10.0-19.8	11	3.7	0.4- 7.0
\$50,000- 74,999	331	207,306	191	58.3	51.4-65.2	42	12.6	7.9-17.3	50	15.8	10.5-21.1	26	7.3	4.2-10.4	22	6.1	2.8- 9.4
\$75,000+	532	354,592	312	60.0	54.9-65.1	82	15.9	12.0-19.8	75	13.2	9.9-16.5	42	8.1	5.0-11.2	21	2.8	1.4- 4.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019**

**SECTION 3: HEALTH CARE ACCESS CONTENTS**

\* **NOTE** \* \* \* \* \*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
 \* \* \* \* \*

TABLE		PAGE
	DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1	MALES AND FEMALES	17
2	MALES ONLY	18
3	FEMALES ONLY	19
	DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4	MALES AND FEMALES	20
5	MALES ONLY	21
6	FEMALES ONLY	22
	WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7	MALES AND FEMALES	23
8	MALES ONLY	24
9	FEMALES ONLY	25
	ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10	MALES AND FEMALES	26
11	MALES ONLY	27
12	FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8813	5,113,690	8150	89.1	88.1-90.1	663	10.9	9.9-11.9
Male	3957	2,489,386	3606	87.2	85.8-88.6	351	12.8	11.4-14.2
Female	4856	2,624,304	4544	91.0	89.8-92.2	312	9.0	7.8-10.2
White/Non-Hisp	7310	4,059,777	6875	91.1	90.1-92.1	435	8.9	7.9- 9.9
Black or Afr. Am./Non-Hisp	587	438,980	538	89.2	85.9-92.5	49	10.8	7.5-14.1
Oth. Race/Non-Hisp.	230	158,185	205	85.6	79.3-91.9	25	14.4	8.1-20.7
MultiRacial/Non-Hisp.	128	47,012	107	78.4	69.0-87.8	21	21.6	12.2-31.0
Hispanic	381	312,880	265	66.9	61.2-72.6	116	33.1	27.4-38.8
18-24	446	660,259	373	83.2	79.3-87.1	73	16.8	12.9-20.7
25-34	799	856,390	676	82.8	79.7-85.9	123	17.2	14.1-20.3
35-44	969	817,635	832	84.7	82.2-87.2	137	15.3	12.8-17.8
45-54	1333	823,841	1202	90.1	88.3-91.9	131	9.9	8.1-11.7
55-64	1815	862,421	1685	92.3	90.9-93.7	130	7.7	6.3- 9.1
65+	3451	1,093,144	3382	97.8	97.2-98.4	69	2.2	1.6- 2.8
Less Than H.S.	635	615,507	521	77.2	72.9-81.5	114	22.8	18.5-27.1
H.S. or G.E.D.	2817	1,694,281	2541	86.8	85.0-88.6	276	13.2	11.4-15.0
Some Post-H.S.	2278	1,561,574	2116	91.3	89.7-92.9	162	8.7	7.1-10.3
College Graduate	3024	1,211,898	2924	96.1	95.3-96.9	100	3.9	3.1- 4.7
Less than \$15,000	636	409,232	545	81.0	76.9-85.1	91	19.0	14.9-23.1
\$15,000- 24,999	1204	688,588	1050	81.9	78.8-85.0	154	18.1	15.0-21.2
\$25,000- 34,999	763	433,472	693	86.4	82.9-89.9	70	13.6	10.1-17.1
\$35,000- 49,999	1012	589,163	936	88.9	86.2-91.6	76	11.1	8.4-13.8
\$50,000- 74,999	1114	689,572	1050	92.0	89.6-94.4	64	8.0	5.6-10.4
\$75,000+	2127	1,303,013	2061	95.5	94.3-96.7	66	4.5	3.3- 5.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3957	2,489,386	3606	87.2	85.8-88.6	351	12.8	11.4-14.2
White/Non-Hisp	3279	1,970,650	3042	89.2	87.6-90.8	237	10.8	9.2-12.4
Black or Afr. Am./Non-Hisp	230	203,811	202	85.7	80.2-91.2	28	14.3	8.8-19.8
Oth. Race/Non-Hisp.	126	90,763	113	86.6	78.8-94.4	13	13.4	5.6-21.2
MultiRacial/Non-Hisp.	59	21,344	47	68.3	52.2-84.4	12	31.7	15.6-47.8
Hispanic	169	153,385	118	67.1	58.9-75.3	51	32.9	24.7-41.1
18-24	249	337,039	198	78.4	72.7-84.1	51	21.6	15.9-27.3
25-34	384	431,234	316	80.3	75.6-85.0	68	19.7	15.0-24.4
35-44	448	407,451	380	83.7	80.0-87.4	68	16.3	12.6-20.0
45-54	626	411,332	558	89.2	86.5-91.9	68	10.8	8.1-13.5
55-64	872	419,237	804	90.9	88.5-93.3	68	9.1	6.7-11.5
65+	1378	483,093	1350	97.5	96.3-98.7	28	2.5	1.3- 3.7
Less Than H.S.	292	324,161	224	74.3	68.2-80.4	68	25.7	19.6-31.8
H.S. or G.E.D.	1284	882,102	1127	84.1	81.6-86.6	157	15.9	13.4-18.4
Some Post-H.S.	973	716,432	901	90.5	88.1-92.9	72	9.5	7.1-11.9
College Graduate	1380	551,169	1335	96.1	94.9-97.3	45	3.9	2.7- 5.1
Less than \$15,000	242	159,805	199	76.5	69.4-83.6	43	23.5	16.4-30.6
\$15,000- 24,999	482	307,998	397	77.6	72.7-82.5	85	22.4	17.5-27.3
\$25,000- 34,999	306	195,928	269	83.4	77.7-89.1	37	16.6	10.9-22.3
\$35,000- 49,999	501	316,333	454	85.6	81.3-89.9	47	14.4	10.1-18.7
\$50,000- 74,999	545	361,749	507	89.5	85.6-93.4	38	10.5	6.6-14.4
\$75,000+	1170	727,420	1135	95.2	93.4-97.0	35	4.8	3.0- 6.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4856	2,624,304	4544	91.0	89.8-92.2	312	9.0	7.8-10.2
White/Non-Hisp	4031	2,089,127	3833	93.0	91.8-94.2	198	7.0	5.8- 8.2
Black or Afr. Am./Non-Hisp	357	235,170	336	92.2	88.1-96.3	21	7.8	3.7-11.9
Oth. Race/Non-Hisp.	104	67,422	92	84.4	74.2-94.6	12	15.6	5.4-25.8
MultiRacial/Non-Hisp.	69	25,668	60	86.8	77.2-96.4	9	13.2	3.6-22.8
Hispanic	212	159,496	147	66.7	58.9-74.5	65	33.3	25.5-41.1
18-24	197	323,220	175	88.3	83.2-93.4	22	11.7	6.6-16.8
25-34	415	425,156	360	85.3	81.4-89.2	55	14.7	10.8-18.6
35-44	521	410,184	452	85.6	82.1-89.1	69	14.4	10.9-17.9
45-54	707	412,509	644	91.0	88.6-93.4	63	9.0	6.6-11.4
55-64	943	443,184	881	93.5	91.7-95.3	62	6.5	4.7- 8.3
65+	2073	610,051	2032	98.1	97.5-98.7	41	1.9	1.3- 2.5
Less Than H.S.	343	291,346	297	80.6	74.5-86.7	46	19.4	13.3-25.5
H.S. or G.E.D.	1533	812,179	1414	89.8	87.6-92.0	119	10.2	8.0-12.4
Some Post-H.S.	1305	845,142	1215	91.9	90.1-93.7	90	8.1	6.3- 9.9
College Graduate	1644	660,728	1589	96.0	94.8-97.2	55	4.0	2.8- 5.2
Less than \$15,000	394	249,427	346	83.9	79.0-88.8	48	16.1	11.2-21.0
\$15,000- 24,999	722	380,590	653	85.4	81.5-89.3	69	14.6	10.7-18.5
\$25,000- 34,999	457	237,544	424	88.9	84.4-93.4	33	11.1	6.6-15.6
\$35,000- 49,999	511	272,830	482	92.8	89.9-95.7	29	7.2	4.3-10.1
\$50,000- 74,999	569	327,823	543	94.7	92.3-97.1	26	5.3	2.9- 7.7
\$75,000+	957	575,593	926	95.9	94.3-97.5	31	4.1	2.5- 5.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8821	5,121,940	6775	71.1	69.9-72.3	657	6.7	6.1- 7.3	1389	22.1	20.9-23.3
Male	3958	2,492,602	2848	65.0	63.0-67.0	285	6.3	5.5- 7.1	825	28.7	26.7-30.7
Female	4863	2,629,338	3927	77.0	75.4-78.6	372	7.1	6.1- 8.1	564	15.9	14.3-17.5
White/Non-Hisp	7317	4,063,933	5763	73.5	72.1-74.9	534	6.5	5.9- 7.1	1020	20.0	18.6-21.4
Black or Afr. Am./Non-Hisp	590	442,086	437	70.2	65.3-75.1	56	8.2	5.7-10.7	97	21.6	17.1-26.1
Oth. Race/Non-Hisp.	231	158,720	149	59.3	50.7-67.9	23	8.8	3.7-13.9	59	31.8	23.8-39.8
MultiRacial/Non-Hisp.	125	45,231	94	66.1	54.9-77.3	7	5.0	0.9- 9.1	24	29.0	17.8-40.2
Hispanic	382	315,741	199	48.7	42.8-54.6	23	5.6	3.1- 8.1	160	45.7	39.8-51.6
18-24	455	674,154	252	57.5	52.4-62.6	25	5.2	3.0- 7.4	178	37.3	32.4-42.2
25-34	797	855,420	432	54.3	50.4-58.2	42	4.8	3.2- 6.4	323	41.0	37.1-44.9
35-44	968	816,798	664	66.6	63.3-69.9	63	6.5	4.7- 8.3	241	26.9	23.8-30.0
45-54	1334	824,875	1042	77.9	75.4-80.4	83	6.3	4.9- 7.7	209	15.8	13.6-18.0
55-64	1814	859,802	1447	78.8	76.6-81.0	151	8.9	7.3-10.5	216	12.3	10.5-14.1
65+	3453	1,090,891	2938	85.0	83.6-86.4	293	8.0	7.0- 9.0	222	7.0	6.0- 8.0
Less Than H.S.	633	616,980	432	63.8	59.1-68.5	56	6.4	4.4- 8.4	145	29.9	25.4-34.4
H.S. or G.E.D.	2828	1,700,278	2102	68.0	65.6-70.4	217	6.8	5.6- 8.0	509	25.1	22.9-27.3
Some Post-H.S.	2273	1,561,834	1736	72.6	70.2-75.0	188	7.2	6.0- 8.4	349	20.2	18.0-22.4
College Graduate	3025	1,210,907	2465	78.0	76.0-80.0	194	6.2	5.2- 7.2	366	15.8	14.0-17.6
Less than \$15,000	636	407,003	425	59.5	54.6-64.4	66	9.7	7.0-12.4	145	30.8	25.9-35.7
\$15,000- 24,999	1203	687,647	892	68.5	65.0-72.0	96	6.6	5.0- 8.2	215	24.9	21.4-28.4
\$25,000- 34,999	760	433,765	569	66.4	61.7-71.1	51	5.8	3.8- 7.8	140	27.8	23.1-32.5
\$35,000- 49,999	1008	588,503	754	67.6	63.7-71.5	64	6.4	4.6- 8.2	190	26.1	22.4-29.8
\$50,000- 74,999	1117	691,827	883	73.4	70.1-76.7	80	7.2	5.2- 9.2	154	19.4	16.3-22.5
\$75,000+	2129	1,304,779	1716	77.8	75.6-80.0	136	5.8	4.6- 7.0	277	16.4	14.4-18.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3958	2,492,602	2848	65.0	63.0-67.0	285	6.3	5.5- 7.1	825	28.7	26.7-30.7
White/Non-Hisp	3280	1,969,542	2418	67.2	65.0-69.4	239	6.4	5.4- 7.4	623	26.4	24.4-28.4
Black or Afr. Am./Non-Hisp	231	206,176	159	63.1	55.3-70.9	18	5.8	2.9- 8.7	54	31.2	23.4-39.0
Oth. Race/Non-Hisp.	126	90,923	82	56.2	45.0-67.4	7	7.5	0.0-15.1	37	36.3	25.5-47.1
MultiRacial/Non-Hisp.	58	20,897	44	64.1	47.4-80.8	2	2.1	0.0- 5.0	12	33.8	16.9-50.7
Hispanic	170	155,349	80	45.7	36.9-54.5	11	6.4	2.1-10.7	79	47.8	39.2-56.4
18-24	255	346,550	124	49.6	42.7-56.5	14	5.2	2.3- 8.1	117	45.2	38.5-51.9
25-34	383	430,854	168	43.0	37.5-48.5	16	3.7	1.7- 5.7	199	53.3	47.6-59.0
35-44	448	407,694	278	60.9	55.8-66.0	25	6.0	3.5- 8.5	145	33.1	28.2-38.0
45-54	624	409,192	464	74.4	70.7-78.1	34	5.1	3.3- 6.9	126	20.5	17.0-24.0
55-64	870	417,633	671	74.8	71.5-78.1	71	9.3	6.9-11.7	128	15.8	12.9-18.7
65+	1378	480,679	1143	82.6	80.2-85.0	125	8.3	6.7- 9.9	110	9.1	7.1-11.1
Less Than H.S.	290	323,903	179	58.6	51.9-65.3	25	6.6	3.7- 9.5	86	34.8	28.1-41.5
H.S. or G.E.D.	1291	888,753	869	60.2	56.9-63.5	107	7.0	5.4- 8.6	315	32.8	29.5-36.1
Some Post-H.S.	968	713,989	689	67.0	63.3-70.7	76	6.3	4.7- 7.9	203	26.7	23.2-30.2
College Graduate	1379	548,886	1094	74.6	71.7-77.5	77	5.4	3.8- 7.0	208	20.0	17.3-22.7
Less than \$15,000	238	156,180	143	50.7	42.9-58.5	27	11.1	6.4-15.8	68	38.2	30.2-46.2
\$15,000- 24,999	482	306,012	312	58.1	52.4-63.8	46	7.8	5.3-10.3	124	34.1	28.6-39.6
\$25,000- 34,999	305	195,090	205	60.6	53.3-67.9	26	7.4	3.9-10.9	74	32.0	24.9-39.1
\$35,000- 49,999	497	314,731	340	59.3	53.6-65.0	28	5.1	2.9- 7.3	129	35.7	30.0-41.4
\$50,000- 74,999	548	364,087	405	66.8	61.7-71.9	33	5.6	3.4- 7.8	110	27.6	22.7-32.5
\$75,000+	1172	727,314	918	74.2	71.1-77.3	70	5.3	3.7- 6.9	184	20.5	17.6-23.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4863	2,629,338	3927	77.0	75.4-78.6	372	7.1	6.1- 8.1	564	15.9	14.5-17.3
White/Non-Hisp	4037	2,094,391	3345	79.5	77.7-81.3	295	6.6	5.6- 7.6	397	13.9	12.3-15.5
Black or Afr. Am./Non-Hisp	359	235,909	278	76.4	70.7-82.1	38	10.4	6.5-14.3	43	13.2	8.5-17.9
Oth. Race/Non-Hisp.	105	67,797	67	63.5	50.8-76.2	16	10.7	4.0-17.4	22	25.8	14.2-37.4
MultiRacial/Non-Hisp.	67	24,335	50	67.7	52.6-82.8	5	7.4	0.3-14.5	12	24.8	10.1-39.5
Hispanic	212	160,392	119	51.6	43.6-59.6	12	4.7	1.8- 7.6	81	43.7	35.7-51.7
18-24	200	327,604	128	65.9	58.6-73.2	11	5.1	2.0- 8.2	61	28.9	22.0-35.8
25-34	414	424,566	264	65.7	60.8-70.6	26	5.9	3.5- 8.3	124	28.4	23.7-33.1
35-44	520	409,105	386	72.3	68.0-76.6	38	7.0	4.6- 9.4	96	20.7	16.6-24.8
45-54	710	415,682	578	81.3	78.2-84.4	49	7.5	5.3- 9.7	83	11.1	8.6-13.6
55-64	944	442,169	776	82.6	79.9-85.3	80	8.5	6.5-10.5	88	9.0	7.0-11.0
65+	2075	610,212	1795	86.9	85.1-88.7	168	7.7	6.3- 9.1	112	5.3	4.1- 6.5
Less Than H.S.	343	293,076	253	69.4	62.9-75.9	31	6.1	3.6- 8.6	59	24.5	18.2-30.8
H.S. or G.E.D.	1537	811,525	1233	76.6	73.7-79.5	110	6.6	5.0- 8.2	194	16.7	14.0-19.4
Some Post-H.S.	1305	847,846	1047	77.4	74.5-80.3	112	8.0	6.2- 9.8	146	14.6	12.1-17.1
College Graduate	1646	662,021	1371	80.8	78.4-83.2	117	6.8	5.4- 8.2	158	12.3	10.1-14.5
Less than \$15,000	398	250,822	282	65.0	58.7-71.3	39	8.8	5.3-12.3	77	26.2	20.3-32.1
\$15,000- 24,999	721	381,634	580	76.9	72.6-81.2	50	5.6	3.6- 7.6	91	17.5	13.4-21.6
\$25,000- 34,999	455	238,675	364	71.2	64.9-77.5	25	4.5	2.1- 6.9	66	24.3	18.0-30.6
\$35,000- 49,999	511	273,772	414	77.1	72.2-82.0	36	7.9	5.0-10.8	61	15.0	10.7-19.3
\$50,000- 74,999	569	327,740	478	80.7	76.4-85.0	47	9.1	6.0-12.2	44	10.2	6.9-13.5
\$75,000+	957	577,465	798	82.4	79.5-85.3	66	6.4	4.6- 8.2	93	11.2	8.8-13.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8871	5,154,892	892	12.6	11.6-13.6	7979	87.4	86.4-88.4
Male	3985	2,511,647	377	11.4	10.2-12.6	3608	88.6	87.4-89.8
Female	4886	2,643,244	515	13.7	12.3-15.1	4371	86.3	84.9-87.7
White/Non-Hisp	7351	4,089,890	650	11.2	10.2-12.2	6701	88.8	87.8-89.8
Black or Afr. Am./Non-Hisp	595	445,094	66	13.3	9.6-17.0	529	86.7	83.0-90.4
Oth. Race/Non-Hisp.	233	158,429	28	17.3	9.9-24.7	205	82.7	75.3-90.1
MultiRacial/Non-Hisp.	129	47,146	28	25.6	16.0-35.2	101	74.4	64.8-84.0
Hispanic	382	315,254	92	23.7	18.8-28.6	290	76.3	71.4-81.2
18-24	462	683,503	71	15.6	11.9-19.3	391	84.4	80.7-88.1
25-34	802	861,216	150	18.6	15.7-21.5	652	81.4	78.5-84.3
35-44	974	820,038	158	14.8	12.4-17.2	816	85.2	82.8-87.6
45-54	1335	823,660	180	14.1	11.9-16.3	1155	85.9	83.7-88.1
55-64	1822	865,439	190	10.8	9.2-12.4	1632	89.2	87.6-90.8
65+	3476	1,101,036	143	4.7	3.7- 5.7	3333	95.3	94.3-96.3
Less Than H.S.	644	623,429	108	19.6	15.7-23.5	536	80.4	76.5-84.3
H.S. or G.E.D.	2844	1,713,706	317	14.1	12.3-15.9	2527	85.9	84.1-87.7
Some Post-H.S.	2290	1,571,734	245	11.4	9.8-13.0	2045	88.6	87.0-90.2
College Graduate	3031	1,213,588	216	8.5	7.3- 9.7	2815	91.5	90.3-92.7
Less than \$15,000	642	411,468	121	21.3	17.0-25.6	521	78.7	74.4-83.0
\$15,000- 24,999	1211	693,051	221	22.9	19.8-26.0	990	77.1	74.0-80.2
\$25,000- 34,999	762	436,216	101	17.2	13.5-20.9	661	82.8	79.1-86.5
\$35,000- 49,999	1012	591,658	95	12.6	9.7-15.5	917	87.4	84.5-90.3
\$50,000- 74,999	1119	690,588	110	11.5	9.1-13.9	1009	88.5	86.1-90.9
\$75,000+	2133	1,306,642	90	5.2	4.0- 6.4	2043	94.8	93.6-96.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3985	2,511,647	377	11.4	10.2-12.6	3608	88.6	87.4-89.8
White/Non-Hisp	3299	1,985,307	278	10.3	8.9-11.7	3021	89.7	88.3-91.1
Black or Afr. Am./Non-Hisp	235	208,348	24	11.2	6.3-16.1	211	88.8	83.9-93.7
Oth. Race/Non-Hisp.	128	90,631	14	14.2	6.4-22.0	114	85.8	78.0-93.6
MultiRacial/Non-Hisp.	59	21,344	10	27.1	11.4-42.8	49	72.9	57.2-88.6
Hispanic	169	154,732	38	21.8	14.9-28.7	131	78.2	71.3-85.1
18-24	260	351,943	33	10.6	6.9-14.3	227	89.4	85.7-93.1
25-34	386	434,179	70	18.1	13.8-22.4	316	81.9	77.6-86.2
35-44	450	408,339	69	14.0	10.7-17.3	381	86.0	82.7-89.3
45-54	625	408,478	70	12.4	9.3-15.5	555	87.6	84.5-90.7
55-64	876	421,294	80	9.9	7.5-12.3	796	90.1	87.7-92.5
65+	1388	487,415	55	4.6	3.2- 6.0	1333	95.4	94.0-96.8
Less Than H.S.	299	330,331	53	18.9	13.8-24.0	246	81.1	76.0-86.2
H.S. or G.E.D.	1294	891,879	158	13.8	11.4-16.2	1136	86.2	83.8-88.6
Some Post-H.S.	978	720,594	88	9.1	7.1-11.1	890	90.9	88.9-92.9
College Graduate	1384	551,773	74	6.3	4.7- 7.9	1310	93.7	92.1-95.3
Less than \$15,000	242	159,967	41	14.9	9.8-20.0	201	85.1	80.0-90.2
\$15,000- 24,999	487	310,432	96	23.5	18.8-28.2	391	76.5	71.8-81.2
\$25,000- 34,999	306	196,677	38	14.8	9.7-19.9	268	85.2	80.1-90.3
\$35,000- 49,999	499	315,450	48	13.7	9.4-18.0	451	86.3	82.0-90.6
\$50,000- 74,999	548	361,838	45	9.5	6.6-12.4	503	90.5	87.6-93.4
\$75,000+	1174	728,583	38	4.4	2.8- 6.0	1136	95.6	94.0-97.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4886	2,643,244	515	13.7	12.3-15.1	4371	86.3	84.9-87.7
White/Non-Hisp	4052	2,104,584	372	12.2	10.8-13.6	3680	87.8	86.4-89.2
Black or Afr. Am./Non-Hisp	360	236,747	42	15.2	9.9-20.5	318	84.8	79.5-90.1
Oth. Race/Non-Hisp.	105	67,797	14	21.4	8.1-34.7	91	78.6	65.3-91.9
MultiRacial/Non-Hisp.	70	25,801	18	24.4	12.6-36.2	52	75.6	63.8-87.4
Hispanic	213	160,522	54	25.5	18.4-32.6	159	74.5	67.4-81.6
18-24	202	331,560	38	21.0	14.3-27.7	164	79.0	72.3-85.7
25-34	416	427,037	80	19.0	14.9-23.1	336	81.0	76.9-85.1
35-44	524	411,699	89	15.6	12.3-18.9	435	84.4	81.1-87.7
45-54	710	415,182	110	15.7	12.8-18.6	600	84.3	81.4-87.2
55-64	946	444,145	110	11.6	9.2-14.0	836	88.4	86.0-90.8
65+	2088	613,621	88	4.9	3.7- 6.1	2000	95.1	93.9-96.3
Less Than H.S.	345	293,098	55	20.3	14.0-26.6	290	79.7	73.4-86.0
H.S. or G.E.D.	1550	821,827	159	14.5	12.0-17.0	1391	85.5	83.0-88.0
Some Post-H.S.	1312	851,140	157	13.4	11.0-15.8	1155	86.6	84.2-89.0
College Graduate	1647	661,815	142	10.2	8.4-12.0	1505	89.8	88.0-91.6
Less than \$15,000	400	251,501	80	25.4	19.3-31.5	320	74.6	68.5-80.7
\$15,000- 24,999	724	382,619	125	22.5	18.4-26.6	599	77.5	73.4-81.6
\$25,000- 34,999	456	239,539	63	19.2	13.7-24.7	393	80.8	75.3-86.3
\$35,000- 49,999	513	276,207	47	11.2	7.5-14.9	466	88.8	85.1-92.5
\$50,000- 74,999	571	328,750	65	13.6	9.9-17.3	506	86.4	82.7-90.1
\$75,000+	959	578,059	52	6.2	4.2- 8.2	907	93.8	91.8-95.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8793	5,096,226	7247	76.9	75.7-78.1	714	10.2	9.4-11.0	378	6.2	5.4- 7.0	404	5.9	5.3- 6.5	50	0.8	0.6- 1.0
Male	3937	2,467,831	3048	70.7	68.7-72.7	357	11.3	9.9-12.7	228	7.8	6.6- 9.0	273	9.0	7.8-10.2	31	1.2	0.6- 1.8
Female	4856	2,628,395	4199	82.8	81.4-84.2	357	9.1	7.9-10.3	150	4.7	3.9- 5.5	131	3.1	2.5- 3.7	19	0.4	0.2- 0.6
White/Non-Hisp	7292	4,043,411	6032	76.9	75.5-78.3	572	9.8	8.8-10.8	309	6.2	5.4- 7.0	342	6.3	5.5- 7.1	37	0.7	0.5- 0.9
Black or Afr. Am./Non-Hisp	590	441,908	523	85.2	81.5-88.9	36	7.4	4.9- 9.9	19	4.8	2.4- 7.2	10	2.1	0.5- 3.7	2	0.4	0.0- 1.0
Oth. Race/Non-Hisp.	230	159,365	181	72.2	64.4-80.0	24	14.3	8.0-20.6	12	6.8	2.5-11.1	11	4.7	1.4- 8.0	2	2.0	0.0- 4.9
MultiRacial/Non-Hisp.	126	45,587	99	70.3	59.7-80.9	11	11.5	4.2-18.8	8	8.3	2.0-14.6	7	8.7	1.8-15.6	1	1.3	0.0- 3.8
Hispanic	379	310,186	260	66.1	60.4-71.8	60	16.6	12.1-21.1	25	8.2	4.7-11.7	27	7.4	4.5-10.3	7	1.7	0.3- 3.1
18-24	448	661,795	292	67.9	63.2-72.6	75	15.5	12.0-19.0	54	11.1	8.0-14.2	22	4.3	2.3- 6.3	5	1.2	0.0- 2.4
25-34	789	845,546	493	61.2	57.3-65.1	99	13.2	10.5-15.9	79	10.5	8.0-13.0	108	13.8	11.1-16.5	10	1.4	0.4- 2.4
35-44	963	812,046	692	70.6	67.3-73.9	116	12.1	9.7-14.5	69	7.9	5.9- 9.9	77	8.5	6.5-10.5	9	0.9	0.3- 1.5
45-54	1325	818,045	1054	78.8	76.3-81.3	145	11.8	9.8-13.8	57	4.6	3.2- 6.0	63	4.4	3.2- 5.6	6	0.5	0.1- 0.9
55-64	1818	864,823	1536	84.6	82.6-86.6	130	7.0	5.6- 8.4	67	3.8	2.8- 4.8	78	4.1	3.1- 5.1	7	0.5	0.1- 0.9
65+	3450	1,093,972	3180	91.7	90.5-92.9	149	4.6	3.8- 5.4	52	1.6	1.0- 2.2	56	1.6	1.0- 2.2	13	0.4	0.2- 0.6
Less Than H.S.	637	615,012	505	73.0	68.5-77.5	48	9.6	6.7-12.5	32	7.7	4.8-10.6	42	7.8	5.1-10.5	10	2.0	0.6- 3.4
H.S. or G.E.D.	2809	1,685,207	2312	76.1	73.9-78.3	213	10.1	8.5-11.7	113	5.9	4.7- 7.1	149	6.8	5.6- 8.0	22	1.1	0.5- 1.7
Some Post-H.S.	2271	1,557,505	1856	76.4	74.2-78.6	196	11.2	9.4-13.0	108	6.9	5.5- 8.3	99	5.1	3.9- 6.3	12	0.5	0.3- 0.7
College Graduate	3018	1,209,570	2527	80.7	78.9-82.5	253	9.5	8.1-10.9	123	5.0	4.0- 6.0	109	4.6	3.6- 5.6	6	0.2	0.0- 0.4
Less than \$15,000	633	402,406	509	74.2	69.7-78.7	50	11.7	8.2-15.2	34	7.9	5.0-10.8	33	4.9	2.9- 6.9	7	1.3	0.1- 2.5
\$15,000- 24,999	1204	689,938	1002	78.6	75.5-81.7	87	8.4	6.2-10.6	44	5.5	3.7- 7.3	66	7.0	5.0- 9.0	5	0.5	0.0- 1.1
\$25,000- 34,999	757	430,153	608	72.4	67.9-76.9	67	11.6	8.3-14.9	29	7.8	4.7-10.9	47	7.4	4.9- 9.9	6	0.8	0.0- 1.6
\$35,000- 49,999	1007	589,024	807	71.2	67.3-75.1	82	11.0	8.3-13.7	59	8.8	6.3-11.3	54	8.1	5.6-10.6	5	0.9	0.0- 1.9
\$50,000- 74,999	1112	687,517	896	74.5	71.2-77.8	95	11.5	9.0-14.0	59	6.6	4.6- 8.6	57	6.9	4.9- 8.9	5	0.4	0.0- 0.8
\$75,000+	2125	1,298,570	1733	78.6	76.4-80.8	201	10.2	8.6-11.8	96	5.5	4.3- 6.7	87	4.9	3.7- 6.1	8	0.8	0.2- 1.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3937	2,467,831	3048	70.7	68.7-72.7	357	11.3	9.9-12.7	228	7.8	6.6- 9.0	273	9.0	7.8-10.2	31	1.2	0.6- 1.8
White/Non-Hisp	3263	1,951,313	2536	70.3	68.1-72.5	290	11.2	9.6-12.8	187	7.9	6.5- 9.3	228	9.5	8.1-10.9	22	1.1	0.5- 1.7
Black or Afr. Am./Non-Hisp	231	204,037	200	82.0	75.7-88.3	11	6.4	2.5-10.3	9	6.4	1.9-10.9	9	4.2	1.1- 7.3	2	1.0	0.0- 2.4
Oth. Race/Non-Hisp.	126	91,683	93	69.9	59.7-80.1	13	12.0	5.1-18.9	8	7.5	1.8-13.2	10	7.1	1.6-12.6	2	3.5	0.0- 8.6
MultiRacial/Non-Hisp.	58	20,163	42	58.6	42.1-75.1	6	14.4	1.7-27.1	6	15.2	2.5-27.9	4	11.8	0.0-23.6			
Hispanic	168	152,439	102	60.0	51.6-68.4	30	18.3	11.6-25.0	14	8.6	3.9-13.3	17	10.8	5.5-16.1	5	2.3	0.1- 4.5
18-24	247	332,608	139	58.5	51.8-65.2	47	18.4	13.3-23.5	39	14.4	9.9-18.9	18	6.6	3.3- 9.9	4	2.1	0.1- 4.1
25-34	377	423,108	187	48.0	42.3-53.7	54	15.4	11.1-19.7	44	12.6	8.7-16.5	84	21.6	17.1-26.1	8	2.3	0.5- 4.1
35-44	441	400,626	293	65.6	60.7-70.5	50	11.0	7.9-14.1	36	8.6	5.7-11.5	56	13.6	10.1-17.1	6	1.2	0.2- 2.2
45-54	619	405,961	464	74.1	70.2-78.0	67	11.8	8.9-14.7	40	6.7	4.3- 9.1	43	6.5	4.5- 8.5	5	0.9	0.0- 1.9
55-64	874	421,527	716	82.0	79.1-84.9	71	8.4	6.2-10.6	40	4.6	3.0- 6.2	44	4.6	3.0- 6.2	3	0.5	0.0- 1.1
65+	1379	484,001	1249	90.4	88.4-92.4	68	5.2	3.8- 6.6	29	2.1	1.3- 2.9	28	1.8	1.0- 2.6	5	0.6	0.0- 1.2
Less Than H.S.	296	325,230	220	68.0	61.5-74.5	24	10.3	6.0-14.6	16	7.7	3.8-11.6	30	11.2	6.9-15.5	6	2.8	0.4- 5.2
H.S. or G.E.D.	1277	872,104	977	69.5	66.4-72.6	119	11.8	9.4-14.2	66	7.0	5.2- 8.8	100	10.0	7.8-12.2	15	1.7	0.7- 2.7
Some Post-H.S.	961	708,338	731	68.9	65.2-72.6	94	12.7	10.0-15.4	68	9.9	7.4-12.4	61	7.9	5.7-10.1	7	0.6	0.0- 1.2
College Graduate	1377	548,593	1103	76.4	73.7-79.1	116	9.5	7.5-11.5	77	6.4	4.8- 8.0	78	7.4	5.6- 9.2	3	0.3	0.0- 0.7
Less than \$15,000	238	153,922	181	67.4	59.6-75.2	24	15.5	8.8-22.2	14	8.2	3.5-12.9	15	6.4	2.9- 9.9	4	2.6	0.1- 5.1
\$15,000- 24,999	481	307,419	372	72.8	67.7-77.9	34	7.9	4.8-11.0	24	6.0	3.3- 8.7	48	12.4	8.7-16.1	3	0.9	0.0- 2.1
\$25,000- 34,999	302	191,907	228	67.8	60.7-74.9	28	9.9	5.6-14.2	18	11.1	5.8-16.4	25	10.1	5.6-14.6	3	1.1	0.0- 2.5
\$35,000- 49,999	497	313,811	376	64.8	59.1-70.5	37	9.8	6.3-13.3	39	11.1	7.0-15.2	41	12.8	8.5-17.1	4	1.5	0.0- 3.1
\$50,000- 74,999	543	359,747	413	67.1	61.8-72.4	48	13.2	9.1-17.3	37	8.6	5.5-11.7	43	10.8	7.3-14.3	2	0.3	0.0- 0.7
\$75,000+	1169	723,184	916	73.7	70.6-76.8	117	11.2	9.0-13.4	63	6.7	4.7- 8.7	66	7.1	5.3- 8.9	7	1.3	0.1- 2.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4856	2,628,395	4199	82.8	81.4-84.2	357	9.1	7.9-10.3	150	4.7	3.9- 5.5	131	3.1	2.5- 3.7	19	0.4	0.2- 0.6
White/Non-Hisp	4029	2,092,097	3496	83.1	81.5-84.7	282	8.6	7.4- 9.8	122	4.6	3.6- 5.6	114	3.3	2.5- 4.1	15	0.4	0.2- 0.6
Black or Afr. Am./Non-Hisp	359	237,872	323	88.0	83.9-92.1	25	8.2	4.7-11.7	10	3.4	1.0- 5.8	1	0.3	0.0- 0.9			
Oth. Race/Non-Hisp.	104	67,682	88	75.3	62.8-87.8	11	17.5	6.1-28.9	4	5.8	0.0-12.7	1	1.4	0.0- 4.1			
MultiRacial/Non-Hisp.	68	25,424	57	79.6	67.6-91.6	5	9.1	0.9-17.3	2	2.8	0.0- 7.1	3	6.2	0.0-14.0	1	2.3	0.0- 6.8
Hispanic	211	157,746	158	72.1	64.5-79.7	30	14.9	9.0-20.8	11	7.8	2.3-13.3	10	4.1	1.4- 6.8	2	1.1	0.0- 2.7
18-24	201	329,187	153	77.4	71.1-83.7	28	12.5	7.8-17.2	15	7.8	3.7-11.9	4	2.0	0.0- 4.2	1	0.4	0.0- 1.2
25-34	412	422,438	306	74.3	69.6-79.0	45	10.9	7.6-14.2	35	8.4	5.5-11.3	24	6.0	3.3- 8.7	2	0.5	0.0- 1.1
35-44	522	411,420	399	75.5	71.4-79.6	66	13.2	9.9-16.5	33	7.1	4.6- 9.6	21	3.6	2.0- 5.2	3	0.5	0.0- 1.1
45-54	706	412,083	590	83.4	80.3-86.5	78	11.7	9.0-14.4	17	2.6	1.2- 4.0	20	2.3	1.3- 3.3	1	0.0	0.0- 0.0
55-64	944	443,296	820	87.1	84.7-89.5	59	5.7	4.1- 7.3	27	3.1	1.7- 4.5	34	3.6	2.2- 5.0	4	0.5	0.0- 1.1
65+	2071	609,971	1931	92.8	91.4-94.2	81	4.1	3.1- 5.1	23	1.3	0.7- 1.9	28	1.5	0.9- 2.1	8	0.3	0.1- 0.5
Less Than H.S.	341	289,782	285	78.6	72.5-84.7	24	8.8	4.7-12.9	16	7.6	3.3-11.9	12	3.9	1.0- 6.8	4	1.0	0.0- 2.2
H.S. or G.E.D.	1532	813,103	1335	83.1	80.4-85.8	94	8.4	6.4-10.4	47	4.7	3.1- 6.3	49	3.4	2.2- 4.6	7	0.4	0.0- 0.8
Some Post-H.S.	1310	849,168	1125	82.6	80.1-85.1	102	9.9	7.9-11.9	40	4.4	3.0- 5.8	38	2.8	1.8- 3.8	5	0.3	0.0- 0.7
College Graduate	1641	660,978	1424	84.3	82.1-86.5	137	9.4	7.6-11.2	46	3.7	2.5- 4.9	31	2.3	1.3- 3.3	3	0.2	0.0- 0.4
Less than \$15,000	395	248,484	328	78.4	72.9-83.9	26	9.3	5.2-13.4	20	7.7	4.0-11.4	18	4.0	1.8- 6.2	3	0.6	0.0- 1.6
\$15,000- 24,999	723	382,519	630	83.3	79.4-87.2	53	8.8	6.1-11.5	20	5.1	2.6- 7.6	18	2.6	1.0- 4.2	2	0.2	0.0- 0.4
\$25,000- 34,999	455	238,246	380	76.1	70.2-82.0	39	13.0	8.3-17.7	11	5.1	1.4- 8.8	22	5.2	2.8- 7.6	3	0.6	0.0- 1.4
\$35,000- 49,999	510	275,213	431	78.5	73.4-83.6	45	12.3	8.2-16.4	20	6.2	3.1- 9.3	13	2.8	0.6- 5.0	1	0.2	0.0- 0.6
\$50,000- 74,999	569	327,769	483	82.7	78.8-86.6	47	9.5	6.4-12.6	22	4.4	2.4- 6.4	14	2.7	1.1- 4.3	3	0.6	0.0- 1.4
\$75,000+	956	575,387	817	84.7	82.0-87.4	84	8.9	6.7-11.1	33	4.0	2.4- 5.6	21	2.2	1.2- 3.2	1	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019

SECTION 4: HYPERTENSION AWARENESS CONTENTS

\* NOTE \* \* \* \* \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\* \* \* \* \*

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32
	ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)	
4	MALES AND FEMALES	33
5	MALES ONLY	34
6	FEMALES ONLY	35

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8852	5,152,009	3905	34.8	33.6-36.0	67	1.1	0.7- 1.5	4818	63.5	62.3-64.7	62	0.6	0.4- 0.8
Male	3980	2,512,062	1796	37.1	35.3-38.9				2148	62.1	60.3-63.9	36	0.8	0.4- 1.2
Female	4872	2,639,947	2109	32.5	30.9-34.1	67	2.1	1.5- 2.7	2670	64.9	63.3-66.5	26	0.4	0.2- 0.6
White/Non-Hisp	7335	4,082,935	3258	35.1	33.7-36.5	52	1.1	0.7- 1.5	3972	63.2	61.8-64.6	53	0.6	0.4- 0.8
Black or Afr. Am./Non-Hisp	596	448,634	339	44.5	39.4-49.6	7	1.2	0.2- 2.2	249	54.2	49.1-59.3	1	0.1	0.0- 0.3
Oth. Race/Non-Hisp.	233	160,441	89	29.6	21.6-37.6				144	70.4	62.4-78.4			
MultiRacial/Non-Hisp.	129	47,146	54	28.5	19.7-37.3	2	1.5	0.0- 3.7	71	68.4	59.2-77.6	2	1.6	0.0- 4.3
Hispanic	383	315,657	87	20.5	15.6-25.4	5	0.8	0.0- 1.6	288	77.7	72.6-82.8	3	1.0	0.0- 2.2
18-24	462	683,503	36	9.0	5.9-12.1	4	0.9	0.0- 1.9	421	89.8	86.5-93.1	1	0.2	0.0- 0.6
25-34	801	859,789	109	13.7	11.0-16.4	23	2.8	1.6- 4.0	667	83.3	80.4-86.2	2	0.2	0.0- 0.6
35-44	974	821,985	228	23.3	20.4-26.2	19	1.8	0.8- 2.8	724	74.5	71.4-77.6	3	0.4	0.0- 0.8
45-54	1330	823,560	470	35.6	32.7-38.5	9	0.4	0.0- 0.8	838	62.9	60.0-65.8	13	1.1	0.3- 1.9
55-64	1819	864,773	895	50.5	48.0-53.0	7	0.4	0.0- 0.8	897	48.0	45.5-50.5	20	1.1	0.5- 1.7
65+	3466	1,098,399	2167	62.9	60.9-64.9	5	0.2	0.0- 0.4	1271	36.3	34.3-38.3	23	0.6	0.4- 0.8
Less Than H.S.	644	625,715	337	42.6	37.9-47.3	3	0.9	0.0- 1.9	300	56.1	51.4-60.8	4	0.4	0.0- 1.0
H.S. or G.E.D.	2836	1,710,513	1352	36.2	34.0-38.4	23	1.3	0.7- 1.9	1439	61.8	59.6-64.0	22	0.8	0.4- 1.2
Some Post-H.S.	2289	1,573,594	1029	34.5	32.3-36.7	16	0.8	0.4- 1.2	1230	64.2	61.8-66.6	14	0.5	0.1- 0.9
College Graduate	3024	1,211,529	1168	29.6	27.8-31.4	25	1.2	0.6- 1.8	1809	68.5	66.5-70.5	22	0.6	0.2- 1.0
Less than \$15,000	642	411,619	330	41.5	36.6-46.4	7	1.7	0.3- 3.1	300	55.9	51.0-60.8	5	0.8	0.0- 1.8
\$15,000- 24,999	1211	693,371	626	39.3	36.0-42.6	8	0.9	0.1- 1.7	571	59.5	56.0-63.0	6	0.3	0.1- 0.5
\$25,000- 34,999	762	435,462	385	38.3	34.0-42.6	5	0.8	0.0- 1.6	366	60.5	56.2-64.8	6	0.4	0.0- 0.8
\$35,000- 49,999	1014	592,750	459	35.9	32.4-39.4	5	0.7	0.0- 1.5	544	62.8	59.1-66.5	6	0.7	0.0- 1.5
\$50,000- 74,999	1118	691,944	449	33.1	29.8-36.4	9	1.1	0.3- 1.9	647	64.7	61.4-68.0	13	1.1	0.5- 1.7
\$75,000+	2128	1,303,850	715	27.5	25.3-29.7	25	1.3	0.7- 1.9	1372	70.4	68.0-72.8	16	0.8	0.4- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2019

SECTION 4: HYPERTENSION AWARENESS

TABLE 2. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE ? (BPHIGH4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3980	2,512,062	1796	37.1	35.3-38.9	2148	62.1	60.3-63.9	36	0.8	0.4- 1.2
White/Non-Hisp	3294	1,982,284	1497	37.3	35.3-39.3	1767	62.0	60.0-64.0	30	0.8	0.4- 1.2
Black or Afr. Am./Non-Hisp	235	210,101	136	47.8	40.0-55.6	99	52.2	44.4-60.0			
Oth. Race/Non-Hisp.	129	92,950	47	30.4	20.6-40.2	82	69.6	59.8-79.4			
MultiRacial/Non-Hisp.	59	21,344	28	31.5	18.4-44.6	30	65.6	51.9-79.3	1	2.9	0.0- 8.6
Hispanic	170	155,135	44	23.9	16.5-31.3	124	74.4	66.8-82.0	2	1.7	0.0- 4.1
18-24	260	351,943	27	11.5	7.0-16.0	232	88.0	83.5-92.5	1	0.5	0.0- 1.5
25-34	385	432,752	67	17.7	13.4-22.0	317	82.1	77.8-86.4	1	0.1	0.0- 0.3
35-44	449	409,386	126	29.2	24.5-33.9	321	70.3	65.6-75.0	2	0.5	0.0- 1.3
45-54	623	409,624	227	35.8	31.5-40.1	385	62.2	57.9-66.5	11	2.0	0.6- 3.4
55-64	874	420,961	470	55.4	51.7-59.1	393	43.3	39.6-47.0	11	1.3	0.5- 2.1
65+	1389	487,396	879	64.8	61.9-67.7	500	34.7	31.8-37.6	10	0.5	0.1- 0.9
Less Than H.S.	300	332,167	143	41.5	35.0-48.0	153	57.8	51.3-64.3	4	0.8	0.0- 1.8
H.S. or G.E.D.	1294	891,598	618	37.3	34.4-40.2	665	61.7	58.6-64.8	11	1.0	0.4- 1.6
Some Post-H.S.	978	721,654	445	37.0	33.5-40.5	525	62.4	58.9-65.9	8	0.6	0.2- 1.0
College Graduate	1379	550,062	582	34.9	32.0-37.8	784	64.3	61.4-67.2	13	0.8	0.4- 1.2
Less than \$15,000	242	160,118	127	46.2	38.6-53.8	112	52.3	44.5-60.1	3	1.5	0.0- 3.7
\$15,000- 24,999	488	311,058	242	38.0	32.9-43.1	242	61.4	56.3-66.5	4	0.6	0.0- 1.2
\$25,000- 34,999	305	195,299	147	38.4	31.7-45.1	154	61.0	54.3-67.7	4	0.5	0.0- 1.1
\$35,000- 49,999	500	316,444	241	39.1	33.8-44.4	256	60.3	55.0-65.6	3	0.6	0.0- 1.6
\$50,000- 74,999	548	363,264	241	37.2	32.3-42.1	302	61.8	56.9-66.7	5	1.0	0.0- 2.0
\$75,000+	1171	726,923	455	33.1	29.8-36.4	704	65.9	62.6-69.2	12	1.0	0.4- 1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 3. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4872	2,639,947	2109	32.5	30.9-34.1	67	2.1	1.5- 2.7	2670	64.9	63.3-66.5	26	0.4	0.2- 0.6
White/Non-Hisp	4041	2,100,651	1761	33.0	31.2-34.8	52	2.2	1.6- 2.8	2205	64.4	62.6-66.2	23	0.5	0.3- 0.7
Black or Afr. Am./Non-Hisp	361	238,533	203	41.5	35.2-47.8	7	2.2	0.4- 4.0	150	56.0	49.5-62.5	1	0.2	0.0- 0.6
Oth. Race/Non-Hisp.	104	67,491	42	28.4	15.1-41.7				62	71.6	58.3-84.9			
MultiRacial/Non-Hisp.	70	25,801	26	26.1	14.1-38.1	2	2.7	0.0- 6.8	41	70.7	58.2-83.2	1	0.5	0.0- 1.5
Hispanic	213	160,522	43	17.2	10.7-23.7	5	1.6	0.2- 3.0	164	80.9	74.4-87.4	1	0.3	0.0- 0.9
18-24	202	331,560	9	6.3	1.8-10.8	4	1.9	0.0- 3.9	189	91.8	87.1-96.5			
25-34	416	427,037	42	9.6	6.5-12.7	23	5.7	3.2- 8.2	350	84.4	80.5-88.3	1	0.3	0.0- 0.9
35-44	525	412,599	102	17.5	14.2-20.8	19	3.5	1.7- 5.3	403	78.7	75.0-82.4	1	0.3	0.0- 0.9
45-54	707	413,936	243	35.4	31.5-39.3	9	0.8	0.2- 1.4	453	63.5	59.6-67.4	2	0.3	0.0- 0.7
55-64	945	443,811	425	45.9	42.2-49.6	7	0.8	0.2- 1.4	504	52.4	48.7-56.1	9	0.8	0.2- 1.4
65+	2077	611,003	1288	61.4	58.9-63.9	5	0.4	0.0- 0.8	771	37.5	35.0-40.0	13	0.7	0.3- 1.1
Less Than H.S.	344	293,548	194	43.9	37.2-50.6	3	1.9	0.0- 4.1	147	54.2	47.3-61.1			
H.S. or G.E.D.	1542	818,915	734	34.9	32.2-37.6	23	2.6	1.4- 3.8	774	61.9	59.0-64.8	11	0.6	0.2- 1.0
Some Post-H.S.	1311	851,940	584	32.3	29.4-35.2	16	1.4	0.6- 2.2	705	65.8	62.9-68.7	6	0.4	0.0- 0.8
College Graduate	1645	661,467	586	25.2	22.8-27.6	25	2.3	1.3- 3.3	1025	72.0	69.6-74.4	9	0.6	0.2- 1.0
Less than \$15,000	400	251,501	203	38.6	32.5-44.7	7	2.9	0.5- 5.3	188	58.2	51.9-64.5	2	0.4	0.0- 1.0
\$15,000- 24,999	723	382,313	384	40.4	35.9-44.9	8	1.6	0.2- 3.0	329	57.8	53.1-62.5	2	0.1	0.0- 0.3
\$25,000- 34,999	457	240,163	238	38.1	32.4-43.8	5	1.5	0.0- 3.1	212	60.1	54.2-66.0	2	0.2	0.0- 0.6
\$35,000- 49,999	514	276,306	218	32.2	27.5-36.9	5	1.4	0.0- 3.0	288	65.6	60.7-70.5	3	0.8	0.0- 1.8
\$50,000- 74,999	570	328,680	208	28.6	24.3-32.9	9	2.3	0.5- 4.1	345	67.9	63.4-72.4	8	1.2	0.2- 2.2
\$75,000+	957	576,926	260	20.4	17.7-23.1	25	3.0	1.6- 4.4	668	76.1	73.2-79.0	4	0.5	0.1- 0.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**

**INDIANA CORE QUESTIONS DATA REPORT, 2019**

**SECTION 4: HYPERTENSION AWARENESS**

**TABLE 4. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)**

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3896	1,789,314	3344	78.7	76.7-80.7	552	21.3	19.3-23.3
Male	1792	930,880	1484	74.5	71.6-77.4	308	25.5	22.6-28.4
Female	2104	858,434	1860	83.2	80.8-85.6	244	16.8	14.4-19.2
White/Non-Hisp	3249	1,428,616	2813	79.6	77.6-81.6	436	20.4	18.4-22.4
Black or Afr. Am./Non-Hisp	339	199,483	291	78.5	71.6-85.4	48	21.5	14.6-28.4
Oth. Race/Non-Hisp.	89	47,446	72	82.7	69.8-95.6	17	17.3	4.4-30.2
MultiRacial/Non-Hisp.	54	13,460	44	68.5	51.8-85.2	10	31.5	14.8-48.2
Hispanic	87	64,669	62	60.5	46.4-74.6	25	39.5	25.4-53.6
25-34	109	117,756	39	39.3	28.7-49.9	70	60.7	50.1-71.3
35-44	228	191,638	136	56.1	48.7-63.5	92	43.9	36.5-51.3
45-54	470	293,214	356	74.0	69.5-78.5	114	26.0	21.5-30.5
55-64	894	436,904	781	87.7	85.2-90.2	113	12.3	9.8-14.8
65+	2159	688,414	2024	92.7	91.3-94.1	135	7.3	5.9- 8.7
Less Than H.S.	337	266,549	294	78.2	71.5-84.9	43	21.8	15.1-28.5
H.S. or G.E.D.	1347	617,164	1155	78.9	75.8-82.0	192	21.1	18.0-24.2
Some Post-H.S.	1028	541,928	876	78.5	75.2-81.8	152	21.5	18.2-24.8
College Graduate	1165	358,046	1001	78.6	75.5-81.7	164	21.4	18.3-24.5
Less than \$15,000	330	170,957	273	77.1	70.6-83.6	57	22.9	16.4-29.4
\$15,000- 24,999	624	272,156	544	80.5	76.0-85.0	80	19.5	15.0-24.0
\$25,000- 34,999	384	166,463	329	76.7	70.0-83.4	55	23.3	16.6-30.0
\$35,000- 49,999	459	212,529	385	76.5	71.0-82.0	74	23.5	18.0-29.0
\$50,000- 74,999	446	228,048	379	74.6	68.7-80.5	67	25.4	19.5-31.3
\$75,000+	715	358,123	594	74.5	70.0-79.0	121	25.5	21.0-30.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**

**INDIANA CORE QUESTIONS DATA REPORT, 2019**

**SECTION 4: HYPERTENSION AWARENESS**

**TABLE 5. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)**

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1792	930,880	1484	74.5	71.8-77.2	308	25.5	22.8-28.2
White/Non-Hisp	1493	737,215	1247	75.3	72.4-78.2	246	24.7	21.8-27.6
Black or Afr. Am./Non-Hisp	136	100,524	109	72.9	62.3-83.5	27	27.1	16.5-37.7
25-34	67	76,728	21	37.3	23.8-50.8	46	62.7	49.2-76.2
35-44	126	119,612	64	49.6	39.8-59.4	62	50.4	40.6-60.2
45-54	227	146,845	168	71.1	64.2-78.0	59	28.9	22.0-35.8
55-64	470	233,202	405	86.7	83.2-90.2	65	13.3	9.8-16.8
65+	875	313,966	821	92.6	90.4-94.8	54	7.4	5.2- 9.6
Less Than H.S.	143	137,708	121	76.2	66.4-86.0	22	23.8	14.0-33.6
H.S. or G.E.D.	617	332,258	506	74.0	69.5-78.5	111	26.0	21.5-30.5
Some Post-H.S.	444	266,632	364	74.0	68.5-79.5	80	26.0	20.5-31.5
College Graduate	580	191,496	486	75.0	70.3-79.7	94	25.0	20.3-29.7
Less than \$15,000	127	73,920	104	74.9	64.7-85.1	23	25.1	14.9-35.3
\$15,000- 24,999	241	117,685	208	81.3	74.8-87.8	33	18.7	12.2-25.2
\$25,000- 34,999	147	75,053	124	77.1	67.9-86.3	23	22.9	13.7-32.1
\$35,000- 49,999	241	123,614	192	70.8	63.2-78.4	49	29.2	21.6-36.8
\$50,000- 74,999	239	134,173	196	67.7	59.3-76.1	43	32.3	23.9-40.7
\$75,000+	455	240,413	370	72.2	66.3-78.1	85	27.8	21.9-33.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2019

SECTION 4: HYPERTENSION AWARENESS

TABLE 6. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2104	858,434	1860	83.2	80.8-85.6	244	16.8	14.4-19.2
White/Non-Hisp	1756	691,401	1566	84.1	81.7-86.5	190	15.9	13.5-18.3
Black or Afr. Am./Non-Hisp	203	98,959	182	84.2	76.0-92.4	21	15.8	7.6-24.0
35-44	102	72,027	72	66.8	56.4-77.2	30	33.2	22.8-43.6
45-54	243	146,369	188	77.0	70.9-83.1	55	23.0	16.9-29.1
55-64	424	203,702	376	89.0	85.5-92.5	48	11.0	7.5-14.5
65+	1284	374,448	1203	92.7	90.9-94.5	81	7.3	5.5-9.1
Less Than H.S.	194	128,841	173	80.4	71.4-89.4	21	19.6	10.6-28.6
H.S. or G.E.D.	730	284,905	649	84.7	81.0-88.4	81	15.3	11.6-19.0
Some Post-H.S.	584	275,296	512	83.0	79.1-86.9	72	17.0	13.1-20.9
College Graduate	585	166,550	515	82.7	78.6-86.8	70	17.3	13.2-21.4
Less than \$15,000	203	97,037	169	78.7	70.3-87.1	34	21.3	12.9-29.7
\$15,000- 24,999	383	154,471	336	79.8	73.5-86.1	47	20.2	13.9-26.5
\$25,000- 34,999	237	91,410	205	76.5	67.1-85.9	32	23.5	14.1-32.9
\$35,000- 49,999	218	88,915	193	84.4	77.3-91.5	25	15.6	8.5-22.7
\$50,000- 74,999	207	93,875	183	84.6	78.1-91.1	24	15.4	8.9-21.9
\$75,000+	260	117,711	224	79.4	72.9-85.9	36	20.6	14.1-27.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

\* NOTE \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK2)	
1 MALES AND FEMALES	37
2 MALES ONLY	38
3 FEMALES ONLY	39
HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)	
4 MALES AND FEMALES	40
5 MALES ONLY	41
6 FEMALES ONLY	42
ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR BLOOD CHOLESTEROL? (CHOLMED2)	
7 MALES AND FEMALES	43
8 MALES ONLY	44
9 FEMALES ONLY	45

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 1: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED?  
(CHOLCHK2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8368	4,737,204	502	10.7	9.7-11.7	6383	68.2	66.8-69.6	1019	14.4	13.4-15.4	195	2.9	2.5- 3.3	269	3.9	3.3- 4.5
Male	3734	2,294,559	283	12.9	11.3-14.5	2773	66.0	64.0-68.0	426	12.9	11.5-14.3	92	3.0	2.2- 3.8	160	5.1	4.1- 6.1
Female	4634	2,442,645	219	8.5	7.1- 9.9	3610	70.3	68.5-72.1	593	15.7	14.3-17.1	103	2.8	2.2- 3.4	109	2.7	2.1- 3.3
White/Non-Hisp	6976	3,779,782	389	10.2	9.0-11.4	5359	68.9	67.5-70.3	844	14.0	13.0-15.0	169	3.0	2.4- 3.6	215	3.8	3.2- 4.4
Black or Afr. Am./Non-Hisp	549	402,021	25	8.8	5.1-12.5	452	73.9	68.8-79.0	52	13.0	9.1-16.9	6	1.4	0.2- 2.6	14	2.9	1.1- 4.7
Oth. Race/Non-Hisp.	223	149,245	21	14.2	7.3-21.1	160	62.1	53.3-70.9	31	15.5	9.4-21.6	3	2.9	0.0- 6.6	8	5.4	0.9- 9.9
MultiRacial/Non-Hisp.	119	42,334	11	18.0	7.0-29.0	82	57.8	46.0-69.6	17	13.9	6.6-21.2	2	3.0	0.0- 7.9	7	7.2	1.1-13.3
Hispanic	350	280,833	45	15.0	10.3-19.7	213	55.2	48.9-61.5	62	21.3	15.8-26.8	14	4.1	1.7- 6.5	16	4.4	2.0- 6.8
18-24	368	531,817	123	33.8	28.3-39.3	159	41.9	36.4-47.4	60	18.0	13.5-22.5	13	3.4	1.4- 5.4	13	2.8	1.2- 4.4
25-34	701	744,692	134	22.0	18.5-25.5	358	49.6	45.5-53.7	121	16.5	13.6-19.4	29	3.7	2.1- 5.3	59	8.2	6.0-10.4
35-44	905	761,983	91	11.3	8.9-13.7	564	60.7	57.2-64.2	172	18.9	16.0-21.8	42	4.9	3.3- 6.5	36	4.2	2.8- 5.6
45-54	1287	794,089	64	4.9	3.5- 6.3	919	71.2	68.5-73.9	224	17.5	15.1-19.9	35	2.8	1.8- 3.8	45	3.6	2.4- 4.8
55-64	1779	850,434	45	2.8	1.8- 3.8	1421	79.4	77.2-81.6	208	12.0	10.2-13.8	43	2.3	1.5- 3.1	62	3.6	2.6- 4.6
65+	3328	1,054,189	45	1.2	0.8- 1.6	2962	88.8	87.4-90.2	234	7.3	6.1- 8.5	33	1.1	0.7- 1.5	54	1.7	1.1- 2.3
Less Than H.S.	584	549,586	77	19.7	15.2-24.2	414	59.8	54.7-64.9	63	14.6	10.9-18.3	7	1.4	0.2- 2.6	23	4.5	2.5- 6.5
H.S. or G.E.D.	2642	1,550,652	182	12.0	10.2-13.8	2029	68.2	65.8-70.6	277	12.7	10.9-14.5	52	2.5	1.7- 3.3	102	4.6	3.6- 5.6
Some Post-H.S.	2165	1,447,543	142	10.6	8.8-12.4	1611	67.0	64.5-69.5	276	14.9	12.9-16.9	68	3.9	2.9- 4.9	68	3.6	2.6- 4.6
College Graduate	2925	1,163,270	96	4.4	3.4- 5.4	2290	73.8	71.8-75.8	398	15.9	14.3-17.5	65	2.9	2.1- 3.7	76	3.0	2.2- 3.8
Less than \$15,000	584	363,901	50	13.2	9.3-17.1	426	62.3	57.0-67.6	64	15.1	11.0-19.2	14	2.8	0.8- 4.8	30	6.6	3.9- 9.3
\$15,000- 24,999	1149	649,873	78	12.2	9.3-15.1	866	65.7	61.8-69.6	144	15.8	12.9-18.7	23	2.4	1.4- 3.4	38	3.9	2.3- 5.5
\$25,000- 34,999	720	405,059	62	14.1	10.2-18.0	530	63.1	58.2-68.0	82	14.9	11.2-18.6	14	2.3	0.9- 3.7	32	5.6	3.2- 8.0
\$35,000- 49,999	960	544,100	66	12.2	9.1-15.3	723	64.9	60.8-69.0	108	14.7	11.6-17.8	26	3.3	1.7- 4.9	37	4.8	3.0- 6.6
\$50,000- 74,999	1070	645,486	58	10.6	7.7-13.5	812	68.9	65.2-72.6	126	12.4	9.9-14.9	44	4.8	3.2- 6.4	30	3.4	2.0- 4.8
\$75,000+	2061	1,235,471	87	6.5	4.9- 8.1	1563	71.9	69.5-74.3	312	15.9	13.9-17.9	43	2.7	1.7- 3.7	56	3.1	2.3- 3.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 2: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED?  
(CHOLCHK2)**

Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3734	2,294,559	283	12.9	11.3-14.5	2773	66.0	64.0-68.0	426	12.9	11.5-14.3	92	3.0	2.2- 3.8	160	5.1	4.1- 6.1
White/Non-Hisp	3108	1,821,751	222	12.9	11.1-14.7	2323	66.3	64.1-68.5	348	12.2	10.8-13.6	81	3.3	2.5- 4.1	134	5.3	4.3- 6.3
Black or Afr. Am./Non-Hisp	217	187,921	10	8.4	2.9-13.9	178	73.3	65.5-81.1	19	12.5	6.4-18.6	3	1.6	0.0- 3.6	7	4.2	0.9- 7.5
Oth. Race/Non-Hisp.	122	85,017	14	14.5	5.9-23.1	85	63.0	52.0-74.0	18	17.5	9.1-25.9				5	5.0	0.0-10.7
MultiRacial/Non-Hisp.	53	17,562	6	18.7	4.4-33.0	35	53.7	36.8-70.6	9	18.8	5.9-31.7	1	6.0	0.0-17.4	2	2.8	0.0- 6.7
Hispanic	154	139,664	24	17.5	10.4-24.6	92	55.9	46.7-65.1	24	18.2	10.9-25.5	7	3.9	0.8- 7.0	7	4.5	1.0- 8.0
18-24	209	277,596	75	35.8	28.7-42.9	81	38.7	31.4-46.0	34	17.7	11.8-23.6	9	4.0	1.3- 6.7	10	3.7	1.2- 6.2
25-34	330	367,706	80	28.1	22.4-33.8	146	43.6	37.7-49.5	49	12.8	9.1-16.5	15	3.8	1.6- 6.0	40	11.7	8.0-15.4
35-44	420	379,272	55	14.5	10.8-18.2	253	59.8	54.5-65.1	75	16.3	12.4-20.2	15	4.3	2.1- 6.5	22	5.1	2.7- 7.5
45-54	594	387,530	31	5.5	3.3- 7.7	420	69.4	65.3-73.5	94	16.6	13.3-19.9	20	3.5	1.9- 5.1	29	5.0	3.0- 7.0
55-64	853	414,169	24	3.0	1.6- 4.4	685	80.0	76.9-83.1	85	10.0	7.6-12.4	21	2.4	1.2- 3.6	38	4.6	3.0- 6.2
65+	1328	468,287	18	1.2	0.4- 2.0	1188	89.5	87.3-91.7	89	7.0	5.2- 8.8	12	0.8	0.2- 1.4	21	1.4	0.6- 2.2
Less Than H.S.	271	293,268	49	25.4	18.7-32.1	182	57.7	50.6-64.8	27	11.8	7.1-16.5	2	0.6	0.0- 1.6	11	4.5	1.6- 7.4
H.S. or G.E.D.	1202	804,119	108	13.9	11.4-16.4	878	65.2	61.9-68.5	125	11.8	9.4-14.2	27	3.0	1.8- 4.2	64	6.2	4.4- 8.0
Some Post-H.S.	920	660,441	77	12.5	9.6-15.4	666	64.8	61.1-68.5	107	13.5	10.8-16.2	34	4.3	2.7- 5.9	36	4.9	3.1- 6.7
College Graduate	1319	522,714	46	4.5	3.1- 5.9	1032	73.8	70.9-76.7	165	14.6	12.2-17.0	27	2.8	1.6- 4.0	49	4.3	2.9- 5.7
Less than \$15,000	218	141,431	21	14.1	8.0-20.2	158	63.1	54.9-71.3	27	17.1	10.2-24.0	4	1.0	0.0- 2.0	8	4.8	0.9- 8.7
\$15,000- 24,999	461	291,777	38	13.7	9.2-18.2	337	62.9	57.0-68.8	47	13.6	9.1-18.1	12	3.1	1.1- 5.1	27	6.6	3.7- 9.5
\$25,000- 34,999	284	177,591	33	15.6	9.9-21.3	196	61.8	54.5-69.1	31	11.6	6.9-16.3	7	3.0	0.5- 5.5	17	8.0	3.5-12.5
\$35,000- 49,999	470	287,259	42	16.0	10.9-21.1	339	61.9	56.0-67.8	47	11.8	7.9-15.7	11	2.5	0.9- 4.1	31	7.8	4.7-10.9
\$50,000- 74,999	520	339,393	38	13.3	8.8-17.8	380	64.9	59.6-70.2	57	11.6	8.1-15.1	21	4.8	2.6- 7.0	24	5.3	2.9- 7.7
\$75,000+	1126	682,023	58	8.4	6.0-10.8	865	72.0	68.7-75.3	149	13.6	11.2-16.0	23	2.6	1.4- 3.8	31	3.4	2.0- 4.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 3: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED?  
(CHOLCHK2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4634	2,442,645	219	8.5	7.1- 9.9	3610	70.3	68.5-72.1	593	15.7	14.3-17.1	103	2.8	2.2- 3.4	109	2.7	2.1- 3.3
White/Non-Hisp	3868	1,958,031	167	7.7	6.3- 9.1	3036	71.4	69.4-73.4	496	15.7	14.1-17.3	88	2.8	2.0- 3.6	81	2.4	1.8- 3.0
Black or Afr. Am./Non-Hisp	332	214,100	15	9.2	4.1-14.3	274	74.5	67.8-81.2	33	13.5	8.2-18.8	3	1.1	0.0- 2.5	7	1.7	0.3- 3.1
Oth. Race/Non-Hisp.	101	64,228	7	13.7	2.7-24.7	75	60.8	46.5-75.1	13	12.7	4.1-21.3	3	6.8	0.0-15.4	3	5.9	0.0-13.2
MultiRacial/Non-Hisp.	66	24,772	5	17.6	1.5-33.7	47	60.7	44.4-77.0	8	10.5	2.3-18.7	1	0.9	0.0- 2.7	5	10.4	0.6-20.2
Hispanic	196	141,169	21	12.6	6.7-18.5	121	54.6	46.2-63.0	38	24.4	16.4-32.4	7	4.2	0.9- 7.5	9	4.3	1.4- 7.2
18-24	159	254,221	48	31.6	23.4-39.8	78	45.4	36.8-54.0	26	18.3	11.2-25.4	4	2.8	0.0- 5.7	3	1.8	0.0- 3.8
25-34	371	376,986	54	16.1	11.8-20.4	212	55.4	49.7-61.1	72	20.0	15.5-24.5	14	3.6	1.4- 5.8	19	4.9	2.5- 7.3
35-44	485	382,711	36	8.3	5.4-11.2	311	61.6	56.7-66.5	97	21.5	17.2-25.8	27	5.4	3.2- 7.6	14	3.2	1.2- 5.2
45-54	693	406,559	33	4.4	2.6- 6.2	499	72.8	69.1-76.5	130	18.4	15.3-21.5	15	2.2	1.0- 3.4	16	2.2	1.0- 3.4
55-64	926	436,266	21	2.6	1.4- 3.8	736	78.7	75.8-81.6	123	13.9	11.4-16.4	22	2.2	1.2- 3.2	24	2.5	1.3- 3.7
65+	2000	585,903	27	1.1	0.5- 1.7	1774	88.2	86.4-90.0	145	7.5	6.1- 8.9	21	1.3	0.7- 1.9	33	1.9	1.1- 2.7
Less Than H.S.	313	256,318	28	13.2	7.5-18.9	232	62.2	54.9-69.5	36	17.7	11.6-23.8	5	2.3	0.1- 4.5	12	4.6	1.7- 7.5
H.S. or G.E.D.	1440	746,533	74	10.0	7.3-12.7	1151	71.4	67.9-74.9	152	13.7	11.2-16.2	25	2.0	1.0- 3.0	38	3.0	1.8- 4.2
Some Post-H.S.	1245	787,102	65	9.0	6.6-11.4	945	68.9	65.6-72.2	169	16.1	13.6-18.6	34	3.5	2.1- 4.9	32	2.5	1.5- 3.5
College Graduate	1606	640,556	50	4.3	2.9- 5.7	1258	73.9	71.2-76.6	233	16.9	14.5-19.3	38	2.9	1.9- 3.9	27	2.0	1.2- 2.8
Less than \$15,000	366	222,469	29	12.6	7.5-17.7	268	61.8	54.9-68.7	37	13.9	9.0-18.8	10	4.0	1.1- 6.9	22	7.8	4.1-11.5
\$15,000- 24,999	688	358,096	40	11.1	7.2-15.0	529	67.9	62.8-73.0	97	17.5	13.4-21.6	11	1.8	0.6- 3.0	11	1.7	0.3- 3.1
\$25,000- 34,999	436	227,468	29	12.9	7.6-18.2	334	64.0	57.3-70.7	51	17.5	12.0-23.0	7	1.8	0.2- 3.4	15	3.8	1.6- 6.0
\$35,000- 49,999	490	256,841	24	7.9	4.4-11.4	384	68.4	62.5-74.3	61	18.1	13.0-23.2	15	4.3	1.6- 7.0	6	1.4	0.0- 2.8
\$50,000- 74,999	550	306,093	20	7.7	4.2-11.2	432	73.2	68.3-78.1	69	13.2	9.7-16.7	23	4.8	2.6- 7.0	6	1.2	0.0- 2.4
\$75,000+	935	553,448	29	4.0	2.2- 5.8	698	71.8	68.1-75.5	163	18.7	15.6-21.8	20	2.8	1.4- 4.2	25	2.7	1.5- 3.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)**

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8244	4,587,783	3190	31.3	30.1-32.5	5054	68.7	67.5-69.9
Male	3639	2,182,429	1464	32.8	31.0-34.6	2175	67.2	65.4-69.0
Female	4605	2,405,354	1726	29.9	28.3-31.5	2879	70.1	68.5-71.7
White/Non-Hisp	6871	3,662,355	2754	32.5	31.1-33.9	4117	67.5	66.1-68.9
Black or Afr. Am./Non-Hisp	560	405,009	191	27.9	23.4-32.4	369	72.1	67.6-76.6
Oth. Race/Non-Hisp.	208	135,138	72	28.4	20.8-36.0	136	71.6	64.0-79.2
MultiRacial/Non-Hisp.	116	38,860	39	22.5	14.3-30.7	77	77.5	69.3-85.7
Hispanic	333	267,568	87	23.2	17.9-28.5	246	76.8	71.5-82.1
18-24	334	495,424	17	4.7	2.3- 7.1	317	95.3	92.9-97.7
25-34	663	690,952	73	11.3	8.6-14.0	590	88.7	86.0-91.4
35-44	880	731,368	174	20.2	17.1-23.3	706	79.8	76.7-82.9
45-54	1252	773,488	416	33.5	30.6-36.4	836	66.5	63.6-69.4
55-64	1759	833,978	775	44.5	41.8-47.2	984	55.5	52.8-58.2
65+	3356	1,062,573	1735	52.4	50.4-54.4	1621	47.6	45.6-49.6
Less Than H.S.	560	513,181	251	37.2	32.5-41.9	309	62.8	58.1-67.5
H.S. or G.E.D.	2616	1,501,316	1046	30.8	28.8-32.8	1570	69.2	67.2-71.2
Some Post-H.S.	2116	1,403,176	822	31.5	29.1-33.9	1294	68.5	66.1-70.9
College Graduate	2901	1,148,051	1053	29.3	27.3-31.3	1848	70.7	68.7-72.7
Less than \$15,000	579	355,839	246	32.5	28.0-37.0	333	67.5	63.0-72.0
\$15,000- 24,999	1120	607,978	475	35.7	32.2-39.2	645	64.3	60.8-67.8
\$25,000- 34,999	690	372,842	300	33.0	28.7-37.3	390	67.0	62.7-71.3
\$35,000- 49,999	941	522,671	353	29.6	26.3-32.9	588	70.4	67.1-73.7
\$50,000- 74,999	1049	618,505	412	31.9	28.6-35.2	637	68.1	64.8-71.4
\$75,000+	2031	1,216,024	706	29.1	26.7-31.5	1325	70.9	68.5-73.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)**

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3639	2,182,429	1464	32.8	31.0-34.6	2175	67.2	65.4-69.0
White/Non-Hisp	3032	1,729,521	1251	33.5	31.5-35.5	1781	66.5	64.5-68.5
Black or Afr. Am./Non-Hisp	223	192,659	82	30.6	23.5-37.7	141	69.4	62.3-76.5
Oth. Race/Non-Hisp.	112	76,961	40	33.7	23.1-44.3	72	66.3	55.7-76.9
MultiRacial/Non-Hisp.	52	17,748	23	31.5	16.8-46.2	29	68.5	53.8-83.2
Hispanic	141	124,832	42	26.8	18.2-35.4	99	73.2	64.6-81.8
18-24	182	247,479	9	4.4	1.5- 7.3	173	95.6	92.7-98.5
25-34	304	328,256	35	11.6	7.7-15.5	269	88.4	84.5-92.3
35-44	393	351,477	90	22.0	17.5-26.5	303	78.0	73.5-82.5
45-54	584	382,066	217	36.5	32.2-40.8	367	63.5	59.2-67.8
55-64	841	404,769	398	47.7	43.8-51.6	443	52.3	48.4-56.2
65+	1335	468,382	715	55.0	51.9-58.1	620	45.0	41.9-48.1
Less Than H.S.	245	254,463	98	36.4	29.5-43.3	147	63.6	56.7-70.5
H.S. or G.E.D.	1170	766,002	463	30.6	27.7-33.5	707	69.4	66.5-72.3
Some Post-H.S.	886	632,064	367	33.6	30.1-37.1	519	66.4	62.9-69.9
College Graduate	1316	520,076	530	33.9	31.0-36.8	786	66.1	63.2-69.0
Less than \$15,000	212	133,940	92	37.1	29.3-44.9	120	62.9	55.1-70.7
\$15,000- 24,999	444	267,784	189	37.0	31.7-42.3	255	63.0	57.7-68.3
\$25,000- 34,999	265	164,779	108	29.8	23.3-36.3	157	70.2	63.7-76.7
\$35,000- 49,999	455	269,183	177	31.3	26.2-36.4	278	68.7	63.6-73.8
\$50,000- 74,999	505	316,584	199	32.3	27.4-37.2	306	67.7	62.8-72.6
\$75,000+	1110	665,265	450	33.6	30.3-36.9	660	66.4	63.1-69.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)**

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4605	2,405,354	1726	29.9	28.3-31.5	2879	70.1	68.5-71.7
White/Non-Hisp	3839	1,932,834	1503	31.6	29.8-33.4	2336	68.4	66.6-70.2
Black or Afr. Am./Non-Hisp	337	212,349	109	25.5	19.8-31.2	228	74.5	68.8-80.2
Oth. Race/Non-Hisp.	96	58,177	32	21.4	11.4-31.4	64	78.6	68.6-88.6
MultiRacial/Non-Hisp.	64	21,112	16	15.0	6.2-23.8	48	85.0	76.2-93.8
Hispanic	192	142,736	45	20.1	13.8-26.4	147	79.9	73.6-86.2
18-24	152	247,945	8	4.9	1.2- 8.6	144	95.1	91.4-98.8
25-34	359	362,696	38	11.0	7.5-14.5	321	89.0	85.5-92.5
35-44	487	379,891	84	18.4	14.3-22.5	403	81.6	77.5-85.7
45-54	668	391,422	199	30.6	26.7-34.5	469	69.4	65.5-73.3
55-64	918	429,209	377	41.4	37.7-45.1	541	58.6	54.9-62.3
65+	2021	594,191	1020	50.4	47.9-52.9	1001	49.6	47.1-52.1
Less Than H.S.	315	258,718	153	37.9	31.4-44.4	162	62.1	55.6-68.6
H.S. or G.E.D.	1446	735,313	583	31.1	28.4-33.8	863	68.9	66.2-71.6
Some Post-H.S.	1230	771,112	455	29.7	26.8-32.6	775	70.3	67.4-73.2
College Graduate	1585	627,976	523	25.4	23.0-27.8	1062	74.6	72.2-77.0
Less than \$15,000	367	221,899	154	29.8	24.3-35.3	213	70.2	64.7-75.7
\$15,000- 24,999	676	340,194	286	34.7	30.0-39.4	390	65.3	60.6-70.0
\$25,000- 34,999	425	208,063	192	35.5	29.8-41.2	233	64.5	58.8-70.2
\$35,000- 49,999	486	253,488	176	27.7	23.2-32.2	310	72.3	67.8-76.8
\$50,000- 74,999	544	301,921	213	31.5	27.0-36.0	331	68.5	64.0-73.0
\$75,000+	921	550,759	256	23.8	20.7-26.9	665	76.2	73.1-79.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 7: ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR BLOOD CHOLESTEROL? (CHOLMED2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3175	1,429,781	2222	63.6	61.4-65.8	953	36.4	34.2-38.6
Male	1459	714,122	1071	66.9	63.8-70.0	388	33.1	30.0-36.2
Female	1716	715,659	1151	60.3	57.4-63.2	565	39.7	36.8-42.6
White/Non-Hisp	2742	1,186,318	1939	64.8	62.4-67.2	803	35.2	32.8-37.6
Black or Afr. Am./Non-Hisp	190	112,936	143	69.4	60.6-78.2	47	30.6	21.8-39.4
Oth. Race/Non-Hisp.	71	37,104	50	67.3	53.4-81.2	21	32.7	18.8-46.6
Hispanic	87	62,143	38	33.4	22.0-44.8	49	66.6	55.2-78.0
25-34	73	78,075	13	17.8	8.2-27.4	60	82.2	72.6-91.8
35-44	172	145,729	59	35.4	27.0-43.8	113	64.6	56.2-73.0
45-54	415	258,857	220	51.3	45.8-56.8	195	48.7	43.2-54.2
55-64	775	370,745	555	72.1	68.6-75.6	220	27.9	24.4-31.4
65+	1723	553,170	1374	80.0	77.8-82.2	349	20.0	17.8-22.2
Less Than H.S.	249	189,725	192	70.8	63.4-78.2	57	29.2	21.8-36.6
H.S. or G.E.D.	1041	461,179	772	67.8	64.3-71.3	269	32.2	28.7-35.7
Some Post-H.S.	818	439,045	549	60.0	55.9-64.1	269	40.0	35.9-44.1
College Graduate	1049	335,091	697	58.6	54.9-62.3	352	41.4	37.7-45.1
Less than \$15,000	246	115,812	188	68.4	60.8-76.0	58	31.6	24.0-39.2
\$15,000- 24,999	473	216,099	354	66.2	60.3-72.1	119	33.8	27.9-39.7
\$25,000- 34,999	297	121,284	218	68.8	61.7-75.9	79	31.2	24.1-38.3
\$35,000- 49,999	352	154,123	239	63.4	57.1-69.7	113	36.6	30.3-42.9
\$50,000- 74,999	411	197,194	283	61.5	55.4-67.6	128	38.5	32.4-44.6
\$75,000+	706	354,253	431	53.8	49.3-58.3	275	46.2	41.7-50.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 8: ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR BLOOD CHOLESTEROL? (CHOLMED2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1459	714,122	1071	66.9	63.8-70.0	388	33.1	30.0-36.2
White/Non-Hisp	1247	578,291	932	68.8	65.5-72.1	315	31.2	27.9-34.5
Black or Afr. Am./Non-Hisp	82	58,962	63	71.9	59.2-84.6	19	28.1	15.4-40.8
35-44	89	76,071	35	38.2	26.8-49.6	54	61.8	50.4-73.2
45-54	217	139,632	126	54.9	47.3-62.5	91	45.1	37.5-52.7
55-64	398	193,064	291	72.8	67.9-77.7	107	27.2	22.3-32.1
65+	711	256,192	611	86.7	84.0-89.4	100	13.3	10.6-16.0
Less Than H.S.	98	92,709	80	71.0	59.0-83.0	18	29.0	17.0-41.0
H.S. or G.E.D.	462	233,837	347	67.7	62.4-73.0	115	32.3	27.0-37.6
Some Post-H.S.	365	210,378	260	65.4	59.5-71.3	105	34.6	28.7-40.5
College Graduate	528	176,121	380	65.2	60.1-70.3	148	34.8	29.7-39.9
Less than \$15,000	92	49,642	68	65.4	52.7-78.1	24	34.6	21.9-47.3
\$15,000- 24,999	188	98,416	146	70.6	62.4-78.8	42	29.4	21.2-37.6
\$25,000- 34,999	107	47,773	86	76.4	65.6-87.2	21	23.6	12.8-34.4
\$35,000- 49,999	177	84,287	127	66.8	58.0-75.6	50	33.2	24.4-42.0
\$50,000- 74,999	198	102,064	146	63.1	53.9-72.3	52	36.9	27.7-46.1
\$75,000+	450	223,216	308	60.5	54.8-66.2	142	39.5	33.8-45.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 5: CHOLESTEROL AWARENESS**

**TABLE 9: ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR BLOOD CHOLESTEROL? (CHOLMED2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1716	715,659	1151	60.3	57.4-63.2	565	39.7	36.8-42.6
White/Non-Hisp	1495	608,027	1007	60.9	57.8-64.0	488	39.1	36.0-42.2
Black or Afr. Am./Non-Hisp	108	53,974	80	66.7	54.7-78.7	28	33.3	21.3-45.3
35-44	83	69,658	24	32.4	19.9-44.9	59	67.6	55.1-80.1
45-54	198	119,225	94	47.0	39.4-54.6	104	53.0	45.4-60.6
55-64	377	177,680	264	71.3	66.0-76.6	113	28.7	23.4-34.0
65+	1012	296,978	763	74.2	70.9-77.5	249	25.8	22.5-29.1
Less Than H.S.	151	97,016	112	70.6	61.4-79.8	39	29.4	20.2-38.6
H.S. or G.E.D.	579	227,342	425	67.9	63.0-72.8	154	32.1	27.2-37.0
Some Post-H.S.	453	228,668	289	55.0	49.3-60.7	164	45.0	39.3-50.7
College Graduate	521	158,970	317	51.3	46.0-56.6	204	48.7	43.4-54.0
Less than \$15,000	154	66,170	120	70.6	61.4-79.8	34	29.4	20.2-38.6
\$15,000- 24,999	285	117,683	208	62.6	54.4-70.8	77	37.4	29.2-45.6
\$25,000- 34,999	190	73,511	132	63.9	54.7-73.1	58	36.1	26.9-45.3
\$35,000- 49,999	175	69,837	112	59.3	50.5-68.1	63	40.7	31.9-49.5
\$50,000- 74,999	213	95,130	137	59.8	51.8-67.8	76	40.2	32.2-48.2
\$75,000+	256	131,036	123	42.5	35.2-49.8	133	57.5	50.2-64.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019**

**SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS**

\* **NOTE** \* \* \* \* \*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
\* \* \* \* \*

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	48
2 MALES ONLY	49
3 FEMALES ONLY	50
(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	51
5 MALES ONLY	52
6 FEMALES ONLY	53
(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	54
8 MALES ONLY	55
9 FEMALES ONLY	56
(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	57
11 MALES ONLY	58
12 FEMALES ONLY	59
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	60
14 MALES ONLY	61
15 FEMALES ONLY	62
(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16 MALES AND FEMALES	63
17 MALES ONLY	64
18 FEMALES ONLY	65
(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19 MALES AND FEMALES	66
20 MALES ONLY	67
21 FEMALES ONLY	68
(EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019**

**SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS**

\* **NOTE** \* \* \* \* \*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
\* \* \* \* \*

TABLE	PAGE
22 MALES AND FEMALES	69
23 MALES ONLY	70
24 FEMALES ONLY	71
(EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)	
25 MALES AND FEMALES	72
26 MALES ONLY	73
27 FEMALES ONLY	74
NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)	
28 MALES AND FEMALES	75
29 MALES ONLY	76
30 FEMALES ONLY	77
(EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)	
31 MALES AND FEMALES	78
32 MALES ONLY	79
33 FEMALES ONLY	80
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)	
34 MALES AND FEMALES	81
35 MALES ONLY	82
36 FEMALES ONLY	83

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8823	5,124,820	575	4.8	4.4- 5.2	8248	95.2	94.8-95.6
Male	3961	2,493,625	314	5.9	5.1- 6.7	3647	94.1	93.3-94.9
Female	4862	2,631,196	261	3.9	3.3- 4.5	4601	96.1	95.5-96.7
White/Non-Hisp	7314	4,068,686	492	5.1	4.5- 5.7	6822	94.9	94.3-95.5
Black or Afr. Am./Non-Hisp	592	439,973	38	3.9	2.3- 5.5	554	96.1	94.5-97.7
Oth. Race/Non-Hisp.	233	159,467	16	6.4	2.3-10.5	217	93.6	89.5-97.7
MultiRacial/Non-Hisp.	127	46,516	6	2.6	0.1- 5.1	121	97.4	94.9-99.9
Hispanic	382	314,220	10	1.8	0.6- 3.0	372	98.2	97.0-99.4
18-24	461	682,169	2	0.5	0.0- 1.1	459	99.5	98.9- 100
25-34	797	851,985	8	0.7	0.1- 1.3	789	99.3	98.7-99.9
35-44	972	819,580	16	1.8	0.8- 2.8	956	98.2	97.2-99.2
45-54	1333	825,181	42	3.2	2.2- 4.2	1291	96.8	95.8-97.8
55-64	1806	853,958	131	7.8	6.4- 9.2	1675	92.2	90.8-93.6
65+	3454	1,091,948	376	12.0	10.6-13.4	3078	88.0	86.6-89.4
Less Than H.S.	633	614,782	77	9.4	7.0-11.8	556	90.6	88.2-93.0
H.S. or G.E.D.	2827	1,700,049	231	5.5	4.7- 6.3	2596	94.5	93.7-95.3
Some Post-H.S.	2275	1,567,355	136	3.9	3.1- 4.7	2139	96.1	95.3-96.9
College Graduate	3030	1,212,775	126	2.8	2.2- 3.4	2904	97.2	96.6-97.8
Less than \$15,000	633	404,025	60	7.9	5.5-10.3	573	92.1	89.7-94.5
\$15,000- 24,999	1201	684,885	128	8.7	6.9-10.5	1073	91.3	89.5-93.1
\$25,000- 34,999	758	433,142	71	6.6	4.8- 8.4	687	93.4	91.6-95.2
\$35,000- 49,999	1009	587,805	61	4.6	3.2- 6.0	948	95.4	94.0-96.8
\$50,000- 74,999	1114	689,054	48	3.3	2.1- 4.5	1066	96.7	95.5-97.9
\$75,000+	2130	1,305,263	66	2.2	1.6- 2.8	2064	97.8	97.2-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3961	2,493,625	314	5.9	5.1- 6.7	3647	94.1	93.3-94.9
White/Non-Hisp	3282	1,975,322	270	6.2	5.4- 7.0	3012	93.8	93.0-94.6
Black or Afr. Am./Non-Hisp	232	202,512	16	4.8	2.1- 7.5	216	95.2	92.5-97.9
Oth. Race/Non-Hisp.	128	91,669	9	7.2	1.7-12.7	119	92.8	87.3-98.3
MultiRacial/Non-Hisp.	57	20,715	5	5.2	0.0-10.7	52	94.8	89.3- 100
Hispanic	169	153,698	7	2.7	0.5- 4.9	162	97.3	95.1-99.5
18-24	260	351,943	2	0.9	0.0- 2.1	258	99.1	97.9- 100
25-34	381	424,948	3	0.5	0.0- 1.1	378	99.5	98.9- 100
35-44	448	407,602	7	1.9	0.3- 3.5	441	98.1	96.5-99.7
45-54	625	410,350	21	3.2	1.6- 4.8	604	96.8	95.2-98.4
55-64	866	414,213	80	10.2	7.8-12.6	786	89.8	87.4-92.2
65+	1381	484,569	201	16.1	13.7-18.5	1180	83.9	81.5-86.3
Less Than H.S.	293	324,258	42	10.3	7.0-13.6	251	89.7	86.4-93.0
H.S. or G.E.D.	1287	883,820	118	6.4	5.0- 7.8	1169	93.6	92.2-95.0
Some Post-H.S.	973	719,427	74	5.0	3.6- 6.4	899	95.0	93.6-96.4
College Graduate	1380	550,469	77	3.7	2.7- 4.7	1303	96.3	95.3-97.3
Less than \$15,000	235	153,216	26	10.0	5.5-14.5	209	90.0	85.5-94.5
\$15,000- 24,999	480	304,872	65	10.9	8.0-13.8	415	89.1	86.2-92.0
\$25,000- 34,999	303	193,597	38	8.6	5.5-11.7	265	91.4	88.3-94.5
\$35,000- 49,999	497	312,316	39	5.6	3.6- 7.6	458	94.4	92.4-96.4
\$50,000- 74,999	546	362,550	36	4.9	3.1- 6.7	510	95.1	93.3-96.9
\$75,000+	1174	728,153	52	3.2	2.0- 4.4	1122	96.8	95.6-98.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4862	2,631,196	261	3.9	3.3- 4.5	4601	96.1	95.5-96.7
White/Non-Hisp	4032	2,093,364	222	4.2	3.6- 4.8	3810	95.8	95.2-96.4
Black or Afr. Am./Non-Hisp	360	237,461	22	3.0	1.4- 4.6	338	97.0	95.4-98.6
Oth. Race/Non-Hisp.	105	67,797	7	5.3	0.0-11.6	98	94.7	88.4- 100
MultiRacial/Non-Hisp.	70	25,801	1	0.5	0.0- 1.5	69	99.5	98.5- 100
Hispanic	213	160,522	3	0.9	0.0- 1.9	210	99.1	98.1- 100
18-24	201	330,226				201	100.0	100.0- 100
25-34	416	427,037	5	0.8	0.0- 1.6	411	99.2	98.4- 100
35-44	524	411,977	9	1.8	0.4- 3.2	515	98.2	96.8-99.6
45-54	708	414,831	21	3.1	1.7- 4.5	687	96.9	95.5-98.3
55-64	940	439,745	51	5.5	3.7- 7.3	889	94.5	92.7-96.3
65+	2073	607,380	175	8.8	7.2-10.4	1898	91.2	89.6-92.8
Less Than H.S.	340	290,524	35	8.4	5.3-11.5	305	91.6	88.5-94.7
H.S. or G.E.D.	1540	816,229	113	4.5	3.5- 5.5	1427	95.5	94.5-96.5
Some Post-H.S.	1302	847,928	62	3.1	2.1- 4.1	1240	96.9	95.9-97.9
College Graduate	1650	662,306	49	2.0	1.4- 2.6	1601	98.0	97.4-98.6
Less than \$15,000	398	250,808	34	6.6	3.9- 9.3	364	93.4	90.7-96.1
\$15,000- 24,999	721	380,013	63	6.9	4.7- 9.1	658	93.1	90.9-95.3
\$25,000- 34,999	455	239,545	33	5.0	3.0- 7.0	422	95.0	93.0-97.0
\$35,000- 49,999	512	275,489	22	3.5	1.9- 5.1	490	96.5	94.9-98.1
\$50,000- 74,999	568	326,504	12	1.5	0.5- 2.5	556	98.5	97.5-99.5
\$75,000+	956	577,110	14	1.0	0.4- 1.6	942	99.0	98.4-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8792	5,121,774	600	4.6	4.2- 5.0	8192	95.4	95.0-95.8
Male	3947	2,493,669	318	5.4	4.6- 6.2	3629	94.6	93.8-95.4
Female	4845	2,628,105	282	3.8	3.2- 4.4	4563	96.2	95.6-96.8
White/Non-Hisp	7287	4,061,347	523	4.9	4.3- 5.5	6764	95.1	94.5-95.7
Black or Afr. Am./Non-Hisp	594	447,406	34	3.8	2.0- 5.6	560	96.2	94.4-98.0
Oth. Race/Non-Hisp.	231	159,526	17	4.9	1.8- 8.0	214	95.1	92.0-98.2
MultiRacial/Non-Hisp.	127	46,639	6	1.5	0.0- 3.1	121	98.5	96.9- 100
Hispanic	380	311,169	9	1.6	0.4- 2.8	371	98.4	97.2-99.6
18-24	461	682,584	1	0.2	0.0- 0.6	460	99.8	99.4- 100
25-34	798	856,598	7	1.1	0.1- 2.1	791	98.9	97.9-99.9
35-44	975	822,336	10	0.8	0.2- 1.4	965	99.2	98.6-99.8
45-54	1328	821,497	42	3.0	2.0- 4.0	1286	97.0	96.0-98.0
55-64	1806	857,871	120	6.3	5.1- 7.5	1686	93.7	92.5-94.9
65+	3424	1,080,888	420	12.8	11.4-14.2	3004	87.2	85.8-88.6
Less Than H.S.	631	617,124	65	7.1	5.1- 9.1	566	92.9	90.9-94.9
H.S. or G.E.D.	2810	1,700,129	224	5.4	4.6- 6.2	2586	94.6	93.8-95.4
Some Post-H.S.	2273	1,565,221	149	3.8	3.0- 4.6	2124	96.2	95.4-97.0
College Graduate	3021	1,210,300	159	3.2	2.6- 3.8	2862	96.8	96.2-97.4
Less than \$15,000	629	404,456	58	6.0	4.2- 7.8	571	94.0	92.2-95.8
\$15,000- 24,999	1188	679,320	126	7.1	5.5- 8.7	1062	92.9	91.3-94.5
\$25,000- 34,999	762	435,666	79	6.5	4.7- 8.3	683	93.5	91.7-95.3
\$35,000- 49,999	1011	590,743	55	4.7	3.1- 6.3	956	95.3	93.7-96.9
\$50,000- 74,999	1112	690,220	66	3.7	2.7- 4.7	1046	96.3	95.3-97.3
\$75,000+	2127	1,304,226	82	2.3	1.7- 2.9	2045	97.7	97.1-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3947	2,493,669	318	5.4	4.6- 6.2	3629	94.6	93.8-95.4
White/Non-Hisp	3267	1,967,854	271	5.6	4.8- 6.4	2996	94.4	93.6-95.2
Black or Afr. Am./Non-Hisp	236	210,993	17	5.3	2.2- 8.4	219	94.7	91.6-97.8
Oth. Race/Non-Hisp.	128	92,802	10	5.7	1.4-10.0	118	94.3	90.0-98.6
MultiRacial/Non-Hisp.	57	20,838	4	2.2	0.0- 5.3	53	97.8	94.7- 100
Hispanic	168	152,076	6	2.2	0.2- 4.2	162	97.8	95.8-99.8
18-24	259	351,024				259	100.0	100.0- 100
25-34	383	430,082	5	1.7	0.0- 3.5	378	98.3	96.5- 100
35-44	450	409,737	4	0.8	0.0- 2.0	446	99.2	98.0- 100
45-54	621	407,683	24	3.6	2.0- 5.2	597	96.4	94.8-98.0
55-64	870	418,563	72	7.9	5.9- 9.9	798	92.1	90.1-94.1
65+	1364	476,579	213	16.1	13.7-18.5	1151	83.9	81.5-86.3
Less Than H.S.	295	328,712	28	6.8	3.9- 9.7	267	93.2	90.3-96.1
H.S. or G.E.D.	1285	885,085	111	5.9	4.7- 7.1	1174	94.1	92.9-95.3
Some Post-H.S.	968	717,330	77	4.8	3.6- 6.0	891	95.2	94.0-96.4
College Graduate	1372	547,753	99	4.6	3.6- 5.6	1273	95.4	94.4-96.4
Less than \$15,000	238	157,370	26	7.1	3.8-10.4	212	92.9	89.6-96.2
\$15,000- 24,999	473	300,426	59	8.4	5.9-10.9	414	91.6	89.1-94.1
\$25,000- 34,999	305	195,742	38	8.4	5.3-11.5	267	91.6	88.5-94.7
\$35,000- 49,999	497	314,437	35	6.2	3.5- 8.9	462	93.8	91.1-96.5
\$50,000- 74,999	544	362,188	40	4.1	2.7- 5.5	504	95.9	94.5-97.3
\$75,000+	1169	726,683	61	3.3	2.3- 4.3	1108	96.7	95.7-97.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4845	2,628,105	282	3.8	3.2- 4.4	4563	96.2	95.6-96.8
White/Non-Hisp	4020	2,093,493	252	4.3	3.7- 4.9	3768	95.7	95.1-96.3
Black or Afr. Am./Non-Hisp	358	236,413	17	2.4	0.8- 4.0	341	97.6	96.0-99.2
Oth. Race/Non-Hisp.	103	66,724	7	3.8	0.0- 7.9	96	96.2	92.1- 100
MultiRacial/Non-Hisp.	70	25,801	2	0.9	0.0- 2.3	68	99.1	97.7- 100
Hispanic	212	159,092	3	1.0	0.0- 2.2	209	99.0	97.8- 100
18-24	202	331,560	1	0.4	0.0- 1.2	201	99.6	98.8- 100
25-34	415	426,515	2	0.5	0.0- 1.3	413	99.5	98.7- 100
35-44	525	412,599	6	0.8	0.0- 1.6	519	99.2	98.4- 100
45-54	707	413,813	18	2.4	1.2- 3.6	689	97.6	96.4-98.8
55-64	936	439,308	48	4.8	3.2- 6.4	888	95.2	93.6-96.8
65+	2060	604,309	207	10.3	8.7-11.9	1853	89.7	88.1-91.3
Less Than H.S.	336	288,412	37	7.5	4.8-10.2	299	92.5	89.8-95.2
H.S. or G.E.D.	1525	815,044	113	4.8	3.8- 5.8	1412	95.2	94.2-96.2
Some Post-H.S.	1305	847,892	72	2.9	2.1- 3.7	1233	97.1	96.3-97.9
College Graduate	1649	662,548	60	2.1	1.5- 2.7	1589	97.9	97.3-98.5
Less than \$15,000	391	247,086	32	5.2	3.2- 7.2	359	94.8	92.8-96.8
\$15,000- 24,999	715	378,894	67	6.1	4.1- 8.1	648	93.9	91.9-95.9
\$25,000- 34,999	457	239,924	41	5.0	3.2- 6.8	416	95.0	93.2-96.8
\$35,000- 49,999	514	276,306	20	3.0	1.4- 4.6	494	97.0	95.4-98.6
\$50,000- 74,999	568	328,032	26	3.4	2.0- 4.8	542	96.6	95.2-98.0
\$75,000+	958	577,543	21	1.2	0.6- 1.8	937	98.8	98.2-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8857	5,150,962	483	3.8	3.4- 4.2	8374	96.2	95.8-96.6
Male	3984	2,512,172	215	3.9	3.3- 4.5	3769	96.1	95.5-96.7
Female	4873	2,638,791	268	3.8	3.2- 4.4	4605	96.2	95.6-96.8
White/Non-Hisp	7336	4,082,617	382	3.7	3.3- 4.1	6954	96.3	95.9-96.7
Black or Afr. Am./Non-Hisp	596	448,358	51	5.2	3.4- 7.0	545	94.8	93.0-96.6
Oth. Race/Non-Hisp.	234	160,747	20	6.8	2.3-11.3	214	93.2	88.7-97.7
MultiRacial/Non-Hisp.	128	46,966	9	4.6	1.1- 8.1	119	95.4	91.9-98.9
Hispanic	383	314,636	10	1.4	0.4- 2.4	373	98.6	97.6-99.6
18-24	462	683,503	1	0.2	0.0- 0.6	461	99.8	99.4- 100
25-34	800	858,249	6	1.0	0.0- 2.0	794	99.0	98.0- 100
35-44	973	820,747	24	2.4	1.2- 3.6	949	97.6	96.4-98.8
45-54	1333	824,700	36	2.5	1.5- 3.5	1297	97.5	96.5-98.5
55-64	1821	864,442	107	6.0	4.8- 7.2	1714	94.0	92.8-95.2
65+	3468	1,099,321	309	8.7	7.5- 9.9	3159	91.3	90.1-92.5
Less Than H.S.	646	626,710	54	5.7	3.9- 7.5	592	94.3	92.5-96.1
H.S. or G.E.D.	2830	1,706,828	196	4.6	3.8- 5.4	2634	95.4	94.6-96.2
Some Post-H.S.	2288	1,572,823	129	3.5	2.7- 4.3	2159	96.5	95.7-97.3
College Graduate	3033	1,214,328	98	2.2	1.6- 2.8	2935	97.8	97.2-98.4
Less than \$15,000	637	408,691	58	7.0	4.8- 9.2	579	93.0	90.8-95.2
\$15,000- 24,999	1206	689,642	102	6.2	4.6- 7.8	1104	93.8	92.2-95.4
\$25,000- 34,999	763	436,361	53	4.7	3.1- 6.3	710	95.3	93.7-96.9
\$35,000- 49,999	1011	592,142	56	4.3	2.9- 5.7	955	95.7	94.3-97.1
\$50,000- 74,999	1120	692,906	42	2.8	1.8- 3.8	1078	97.2	96.2-98.2
\$75,000+	2131	1,304,917	51	1.6	1.0- 2.2	2080	98.4	97.8-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3984	2,512,172	215	3.9	3.3- 4.5	3769	96.1	95.5-96.7
White/Non-Hisp	3296	1,982,683	170	3.8	3.2- 4.4	3126	96.2	95.6-96.8
Black or Afr. Am./Non-Hisp	236	210,993	21	5.2	2.7- 7.7	215	94.8	92.3-97.3
Oth. Race/Non-Hisp.	129	92,950	10	7.3	1.4-13.2	119	92.7	86.8-98.6
MultiRacial/Non-Hisp.	58	21,165	1	1.5	0.0- 4.4	57	98.5	95.6- 100
Hispanic	170	154,114	4	0.9	0.0- 1.9	166	99.1	98.1- 100
18-24	260	351,943				260	100.0	100.0- 100
25-34	384	431,212	4	1.6	0.0- 3.4	380	98.4	96.6- 100
35-44	450	409,021	7	1.2	0.0- 2.4	443	98.8	97.6- 100
45-54	624	409,917	17	2.0	0.8- 3.2	607	98.0	96.8-99.2
55-64	878	422,601	56	6.9	4.9- 8.9	822	93.1	91.1-95.1
65+	1388	487,478	131	9.8	7.8-11.8	1257	90.2	88.2-92.2
Less Than H.S.	299	331,778	24	5.3	2.9- 7.7	275	94.7	92.3-97.1
H.S. or G.E.D.	1292	889,481	85	4.4	3.2- 5.6	1207	95.6	94.4-96.8
Some Post-H.S.	980	723,423	48	3.1	2.1- 4.1	932	96.9	95.9-97.9
College Graduate	1384	551,705	54	3.1	1.9- 4.3	1330	96.9	95.7-98.1
Less than \$15,000	240	158,560	17	4.5	2.0- 7.0	223	95.5	93.0-98.0
\$15,000- 24,999	484	307,810	49	7.9	5.4-10.4	435	92.1	89.6-94.6
\$25,000- 34,999	307	196,934	21	5.3	2.6- 8.0	286	94.7	92.0-97.4
\$35,000- 49,999	501	316,894	34	5.3	2.9- 7.7	467	94.7	92.3-97.1
\$50,000- 74,999	549	364,156	23	2.7	1.5- 3.9	526	97.3	96.1-98.5
\$75,000+	1174	727,986	33	1.8	1.0- 2.6	1141	98.2	97.4-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4873	2,638,791	268	3.8	3.2- 4.4	4605	96.2	95.6-96.8
White/Non-Hisp	4040	2,099,934	212	3.6	3.0- 4.2	3828	96.4	95.8-97.0
Black or Afr. Am./Non-Hisp	360	237,365	30	5.3	2.8- 7.8	330	94.7	92.2-97.2
Oth. Race/Non-Hisp.	105	67,797	10	6.0	0.0-12.7	95	94.0	87.3- 100
MultiRacial/Non-Hisp.	70	25,801	8	7.0	0.9-13.1	62	93.0	86.9-99.1
Hispanic	213	160,522	6	1.8	0.2- 3.4	207	98.2	96.6-99.8
18-24	202	331,560	1	0.4	0.0- 1.2	201	99.6	98.8- 100
25-34	416	427,037	2	0.4	0.0- 1.0	414	99.6	99.0- 100
35-44	523	411,726	17	3.5	1.5- 5.5	506	96.5	94.5-98.5
45-54	709	414,784	19	3.0	1.6- 4.4	690	97.0	95.6-98.4
55-64	943	441,841	51	5.1	3.5- 6.7	892	94.9	93.3-96.5
65+	2080	611,843	178	7.7	6.3- 9.1	1902	92.3	90.9-93.7
Less Than H.S.	347	294,932	30	6.0	3.5- 8.5	317	94.0	91.5-96.5
H.S. or G.E.D.	1538	817,346	111	4.7	3.7- 5.7	1427	95.3	94.3-96.3
Some Post-H.S.	1308	849,401	81	3.8	2.6- 5.0	1227	96.2	95.0-97.4
College Graduate	1649	662,623	44	1.5	0.9- 2.1	1605	98.5	97.9-99.1
Less than \$15,000	397	250,131	41	8.5	5.2-11.8	356	91.5	88.2-94.8
\$15,000- 24,999	722	381,832	53	4.9	3.3- 6.5	669	95.1	93.5-96.7
\$25,000- 34,999	456	239,427	32	4.2	2.4- 6.0	424	95.8	94.0-97.6
\$35,000- 49,999	510	275,248	22	3.1	1.5- 4.7	488	96.9	95.3-98.5
\$50,000- 74,999	571	328,750	19	2.9	1.3- 4.5	552	97.1	95.5-98.7
\$75,000+	957	576,931	18	1.3	0.7- 1.9	939	98.7	98.1-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8858	5,149,393	1209	14.5	13.5-15.5	7649	85.5	84.5-86.5
Male	3977	2,508,904	426	11.5	10.3-12.7	3551	88.5	87.3-89.7
Female	4881	2,640,488	783	17.4	16.0-18.8	4098	82.6	81.2-84.0
White/Non-Hisp	7343	4,085,138	991	14.6	13.6-15.6	6352	85.4	84.4-86.4
Black or Afr. Am./Non-Hisp	597	449,414	99	17.6	13.7-21.5	498	82.4	78.5-86.3
Oth. Race/Non-Hisp.	232	159,072	30	12.9	7.0-18.8	202	87.1	81.2-93.0
MultiRacial/Non-Hisp.	127	46,566	24	17.2	9.6-24.8	103	82.8	75.2-90.4
Hispanic	380	312,295	39	8.9	6.0-11.8	341	91.1	88.2-94.0
18-24	460	681,835	79	18.1	14.0-22.2	381	81.9	77.8-86.0
25-34	800	858,808	132	15.1	12.6-17.6	668	84.9	82.4-87.4
35-44	973	821,230	158	14.8	12.4-17.2	815	85.2	82.8-87.6
45-54	1332	823,869	184	14.2	12.0-16.4	1148	85.8	83.6-88.0
55-64	1820	863,753	249	13.9	12.1-15.7	1571	86.1	84.3-87.9
65+	3473	1,099,897	407	12.3	10.9-13.7	3066	87.7	86.3-89.1
Less Than H.S.	641	624,989	113	16.8	13.3-20.3	528	83.2	79.7-86.7
H.S. or G.E.D.	2838	1,710,477	387	15.3	13.5-17.1	2451	84.7	82.9-86.5
Some Post-H.S.	2288	1,572,486	329	14.3	12.5-16.1	1959	85.7	83.9-87.5
College Graduate	3031	1,211,168	376	12.7	11.3-14.1	2655	87.3	85.9-88.7
Less than \$15,000	640	411,209	147	19.8	16.1-23.5	493	80.2	76.5-83.9
\$15,000- 24,999	1202	686,856	201	18.3	15.4-21.2	1001	81.7	78.8-84.6
\$25,000- 34,999	763	436,731	115	16.9	13.2-20.6	648	83.1	79.4-86.8
\$35,000- 49,999	1015	593,018	137	14.4	11.7-17.1	878	85.6	82.9-88.3
\$50,000- 74,999	1118	691,766	145	14.6	11.9-17.3	973	85.4	82.7-88.1
\$75,000+	2132	1,305,460	232	11.7	9.9-13.5	1900	88.3	86.5-90.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3977	2,508,904	426	11.5	10.3-12.7	3551	88.5	87.3-89.7
White/Non-Hisp	3295	1,983,621	343	11.3	9.9-12.7	2952	88.7	87.3-90.1
Black or Afr. Am./Non-Hisp	236	210,993	31	14.2	8.7-19.7	205	85.8	80.3-91.3
Oth. Race/Non-Hisp.	127	91,274	17	14.4	6.0-22.8	110	85.6	77.2-94.0
MultiRacial/Non-Hisp.	57	20,764	4	3.9	0.0- 8.2	53	96.1	91.8- 100
Hispanic	168	152,715	17	8.2	4.1-12.3	151	91.8	87.7-95.9
18-24	259	351,217	48	17.9	12.8-23.0	211	82.1	77.0-87.2
25-34	384	431,771	63	14.6	10.9-18.3	321	85.4	81.7-89.1
35-44	448	408,631	53	10.0	7.3-12.7	395	90.0	87.3-92.7
45-54	622	408,183	52	8.3	5.8-10.8	570	91.7	89.2-94.2
55-64	877	422,296	88	10.5	8.1-12.9	789	89.5	87.1-91.9
65+	1387	486,806	122	8.8	7.0-10.6	1265	91.2	89.4-93.0
Less Than H.S.	299	333,171	39	12.3	8.0-16.6	260	87.7	83.4-92.0
H.S. or G.E.D.	1290	889,170	144	13.0	10.6-15.4	1146	87.0	84.6-89.4
Some Post-H.S.	978	722,030	101	9.8	7.6-12.0	877	90.2	88.0-92.4
College Graduate	1381	548,750	140	10.8	8.8-12.8	1241	89.2	87.2-91.2
Less than \$15,000	242	160,186	33	11.6	6.9-16.3	209	88.4	83.7-93.1
\$15,000- 24,999	481	305,514	60	12.8	9.1-16.5	421	87.2	83.5-90.9
\$25,000- 34,999	306	196,745	41	14.8	9.7-19.9	265	85.2	80.1-90.3
\$35,000- 49,999	501	316,712	55	12.9	9.2-16.6	446	87.1	83.4-90.8
\$50,000- 74,999	548	363,959	66	13.2	9.7-16.7	482	86.8	83.3-90.3
\$75,000+	1173	727,401	107	9.4	7.2-11.6	1066	90.6	88.4-92.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4881	2,640,488	783	17.4	16.0-18.8	4098	82.6	81.2-84.0
White/Non-Hisp	4048	2,101,517	648	17.8	16.2-19.4	3400	82.2	80.6-83.8
Black or Afr. Am./Non-Hisp	361	238,422	68	20.7	15.2-26.2	293	79.3	73.8-84.8
Oth. Race/Non-Hisp.	105	67,797	13	10.8	3.0-18.6	92	89.2	81.4-97.0
MultiRacial/Non-Hisp.	70	25,801	20	27.9	15.2-40.6	50	72.1	59.4-84.8
Hispanic	212	159,580	22	9.5	5.4-13.6	190	90.5	86.4-94.6
18-24	201	330,618	31	18.4	12.1-24.7	170	81.6	75.3-87.9
25-34	416	427,037	69	15.7	12.0-19.4	347	84.3	80.6-88.0
35-44	525	412,599	105	19.6	15.7-23.5	420	80.4	76.5-84.3
45-54	710	415,686	132	20.0	16.7-23.3	578	80.0	76.7-83.3
55-64	943	441,458	161	17.1	14.4-19.8	782	82.9	80.2-85.6
65+	2086	613,091	285	15.0	13.0-17.0	1801	85.0	83.0-87.0
Less Than H.S.	342	291,818	74	21.9	16.2-27.6	268	78.1	72.4-83.8
H.S. or G.E.D.	1548	821,307	243	17.8	15.3-20.3	1305	82.2	79.7-84.7
Some Post-H.S.	1310	850,457	228	18.1	15.6-20.6	1082	81.9	79.4-84.4
College Graduate	1650	662,418	236	14.3	12.3-16.3	1414	85.7	83.7-87.7
Less than \$15,000	398	251,023	114	25.0	19.9-30.1	284	75.0	69.9-80.1
\$15,000- 24,999	721	381,343	141	22.7	18.4-27.0	580	77.3	73.0-81.6
\$25,000- 34,999	457	239,986	74	18.7	13.6-23.8	383	81.3	76.2-86.4
\$35,000- 49,999	514	276,306	82	16.2	12.1-20.3	432	83.8	79.7-87.9
\$50,000- 74,999	570	327,807	79	16.2	12.1-20.3	491	83.8	79.7-87.9
\$75,000+	959	578,059	125	14.6	11.7-17.5	834	85.4	82.5-88.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1152	714,642	840	69.9	66.4-73.4	312	30.1	26.6-33.6
Male	403	272,684	262	63.2	57.5-68.9	141	36.8	31.1-42.5
Female	749	441,958	578	74.1	69.8-78.4	171	25.9	21.6-30.2
White/Non-Hisp	941	568,285	688	69.9	66.0-73.8	253	30.1	26.2-34.0
Black or Afr. Am./Non-Hisp	98	78,148	76	72.7	61.1-84.3	22	27.3	15.7-38.9
18-24	74	115,893	35	49.6	36.9-62.3	39	50.4	37.7-63.1
25-34	129	127,816	83	63.2	54.0-72.4	46	36.8	27.6-46.0
35-44	155	119,067	106	70.8	63.0-78.6	49	29.2	21.4-37.0
45-54	175	112,719	145	83.0	76.9-89.1	30	17.0	10.9-23.1
55-64	240	115,693	194	80.5	75.0-86.0	46	19.5	14.0-25.0
65+	379	123,453	277	73.4	68.1-78.7	102	26.6	21.3-31.9
Less Than H.S.	103	97,145	84	77.0	65.6-88.4	19	23.0	11.6-34.4
H.S. or G.E.D.	374	252,060	272	68.1	62.0-74.2	102	31.9	25.8-38.0
Some Post-H.S.	307	214,709	223	69.9	63.4-76.4	84	30.1	23.6-36.6
College Graduate	365	149,581	258	68.4	62.7-74.1	107	31.6	25.9-37.3
Less than \$15,000	140	78,652	118	85.3	78.2-92.4	22	14.7	7.6-21.8
\$15,000- 24,999	191	118,533	148	74.6	66.6-82.6	43	25.4	17.4-33.4
\$25,000- 34,999	111	72,592	76	65.4	53.4-77.4	35	34.6	22.6-46.6
\$35,000- 49,999	133	80,806	92	67.8	58.0-77.6	41	32.2	22.4-42.0
\$50,000- 74,999	138	96,262	97	64.8	54.4-75.2	41	35.2	24.8-45.6
\$75,000+	225	149,099	154	65.9	58.3-73.5	71	34.1	26.5-41.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	403	272,684	262	63.2	57.3-69.1	141	36.8	30.9-42.7
White/Non-Hisp	323	210,355	209	62.2	55.7-68.7	114	37.8	31.3-44.3
25-34	62	62,070	39	64.2	51.1-77.3	23	35.8	22.7-48.9
35-44	52	39,228	27	54.3	39.6-69.0	25	45.7	31.0-60.4
55-64	83	42,715	62	76.8	67.0-86.6	21	23.2	13.4-33.0
65+	113	38,844	80	72.4	63.2-81.6	33	27.6	18.4-36.8
H.S. or G.E.D.	138	110,874	91	59.7	49.9-69.5	47	40.3	30.5-50.1
Some Post-H.S.	93	66,873	64	66.5	55.1-77.9	29	33.5	22.1-44.9
College Graduate	135	57,373	80	58.5	48.7-68.3	55	41.5	31.7-51.3
\$15,000- 24,999	56	33,858	43	74.9	61.2-88.6	13	25.1	11.4-38.8
\$35,000- 49,999	53	39,263	34	64.6	49.3-79.9	19	35.4	20.1-50.7
\$50,000- 74,999	64	46,270	39	53.8	38.9-68.7	25	46.2	31.3-61.1
\$75,000+	102	65,576	61	61.6	50.4-72.8	41	38.4	27.2-49.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	749	441,958	578	74.1	69.8-78.4	171	25.9	21.6-30.2
White/Non-Hisp	618	357,930	479	74.4	69.5-79.3	139	25.6	20.7-30.5
Black or Afr. Am./Non-Hisp	67	48,201	52	69.1	54.0-84.2	15	30.9	15.8-46.0
25-34	67	65,746	44	62.3	49.4-75.2	23	37.7	24.8-50.6
35-44	103	79,840	79	78.9	70.3-87.5	24	21.1	12.5-29.7
45-54	126	80,492	109	86.0	79.3-92.7	17	14.0	7.3-20.7
55-64	157	72,977	132	82.6	75.9-89.3	25	17.4	10.7-24.1
65+	266	84,609	197	73.9	67.6-80.2	69	26.1	19.8-32.4
Less Than H.S.	67	59,715	58	78.3	62.2-94.4	9	21.7	5.6-37.8
H.S. or G.E.D.	236	141,186	181	74.6	67.2-82.0	55	25.4	18.0-32.8
Some Post-H.S.	214	147,836	159	71.4	63.8-79.0	55	28.6	21.0-36.2
College Graduate	230	92,208	178	74.6	67.7-81.5	52	25.4	18.5-32.3
Less than \$15,000	112	61,600	97	87.9	80.8-95.0	15	12.1	5.0-19.2
\$15,000- 24,999	135	84,675	105	74.5	64.7-84.3	30	25.5	15.7-35.3
\$25,000- 34,999	71	43,727	49	63.6	47.5-79.7	22	36.4	20.3-52.5
\$35,000- 49,999	80	41,543	58	70.9	58.4-83.4	22	29.1	16.6-41.6
\$50,000- 74,999	74	49,992	58	75.0	61.5-88.5	16	25.0	11.5-38.5
\$75,000+	123	83,523	93	69.4	58.8-80.0	30	30.6	20.0-41.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8868	5,155,474	871	6.1	5.7- 6.5	7997	93.9	93.5-94.3
Male	3983	2,513,320	399	5.8	5.2- 6.4	3584	94.2	93.6-94.8
Female	4885	2,642,154	472	6.2	5.6- 6.8	4413	93.8	93.2-94.4
White/Non-Hisp	7347	4,087,346	837	7.3	6.7- 7.9	6510	92.7	92.1-93.3
Black or Afr. Am./Non-Hisp	597	448,639	1	0.0	0.0- 0.0	596	100.0	100.0- 100
Oth. Race/Non-Hisp.	234	160,747	12	1.8	0.6- 3.0	222	98.2	97.0-99.4
MultiRacial/Non-Hisp.	128	46,598	7	6.9	0.8-13.0	121	93.1	87.0-99.2
Hispanic	383	314,636	2	0.4	0.0- 1.0	381	99.6	99.0- 100
18-24	462	683,503				462	100.0	100.0- 100
25-34	801	859,868	3	0.4	0.0- 0.8	798	99.6	99.2- 100
35-44	975	822,709	16	1.4	0.6- 2.2	959	98.6	97.8-99.4
45-54	1334	824,933	51	3.4	2.4- 4.4	1283	96.6	95.6-97.6
55-64	1826	867,738	149	7.7	6.3- 9.1	1677	92.3	90.9-93.7
65+	3470	1,096,724	652	18.4	16.8-20.0	2818	81.6	80.0-83.2
Less Than H.S.	646	627,025	50	4.8	3.2- 6.4	596	95.2	93.6-96.8
H.S. or G.E.D.	2840	1,710,904	250	5.4	4.6- 6.2	2590	94.6	93.8-95.4
Some Post-H.S.	2292	1,573,936	222	6.1	5.1- 7.1	2070	93.9	92.9-94.9
College Graduate	3030	1,213,337	343	7.6	6.6- 8.6	2687	92.4	91.4-93.4
Less than \$15,000	641	411,344	46	4.7	3.1- 6.3	595	95.3	93.7-96.9
\$15,000- 24,999	1211	692,118	86	4.6	3.4- 5.8	1125	95.4	94.2-96.6
\$25,000- 34,999	764	436,923	83	6.1	4.5- 7.7	681	93.9	92.3-95.5
\$35,000- 49,999	1014	593,024	104	6.6	5.2- 8.0	910	93.4	92.0-94.8
\$50,000- 74,999	1118	692,412	110	5.5	4.3- 6.7	1008	94.5	93.3-95.7
\$75,000+	2131	1,305,493	200	5.9	4.9- 6.9	1931	94.1	93.1-95.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3983	2,513,320	399	5.8	5.2- 6.4	3584	94.2	93.6-94.8
White/Non-Hisp	3295	1,983,784	378	7.0	6.2- 7.8	2917	93.0	92.2-93.8
Black or Afr. Am./Non-Hisp	236	210,993	1	0.1	0.0- 0.3	235	99.9	99.7- 100
Oth. Race/Non-Hisp.	129	92,950	7	2.2	0.2- 4.2	122	97.8	95.8-99.8
MultiRacial/Non-Hisp.	59	21,344	5	11.4	0.0-23.0	54	88.6	77.0- 100
Hispanic	170	154,114	1	0.4	0.0- 1.2	169	99.6	98.8- 100
18-24	260	351,943				260	100.0	100.0- 100
25-34	385	432,831	1	0.1	0.0- 0.3	384	99.9	99.7- 100
35-44	451	410,657	5	1.1	0.1- 2.1	446	98.9	97.9-99.9
45-54	623	408,684	23	2.8	1.6- 4.0	600	97.2	96.0-98.4
55-64	879	423,427	63	6.5	4.7- 8.3	816	93.5	91.7-95.3
65+	1385	485,779	307	21.2	18.7-23.7	1078	78.8	76.3-81.3
Less Than H.S.	301	333,593	21	4.2	2.2- 6.2	280	95.8	93.8-97.8
H.S. or G.E.D.	1293	890,888	106	4.6	3.6- 5.6	1187	95.4	94.4-96.4
Some Post-H.S.	979	722,017	103	6.6	5.2- 8.0	876	93.4	92.0-94.8
College Graduate	1381	551,038	165	7.9	6.5- 9.3	1216	92.1	90.7-93.5
Less than \$15,000	242	159,948	20	6.0	3.1- 8.9	222	94.0	91.1-96.9
\$15,000- 24,999	487	309,710	34	3.9	2.3- 5.5	453	96.1	94.5-97.7
\$25,000- 34,999	306	196,348	34	5.7	3.3- 8.1	272	94.3	91.9-96.7
\$35,000- 49,999	501	317,060	64	7.8	5.6-10.0	437	92.2	90.0-94.4
\$50,000- 74,999	547	363,663	60	6.3	4.5- 8.1	487	93.7	91.9-95.5
\$75,000+	1173	727,774	111	5.4	4.2- 6.6	1062	94.6	93.4-95.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4885	2,642,154	472	6.2	5.6- 6.8	4413	93.8	93.2-94.4
White/Non-Hisp	4052	2,103,563	459	7.6	6.8- 8.4	3593	92.4	91.6-93.2
Black or Afr. Am./Non-Hisp	361	237,647				361	100.0	100.0- 100
Oth. Race/Non-Hisp.	105	67,797	5	1.2	0.0- 2.6	100	98.8	97.4- 100
MultiRacial/Non-Hisp.	69	25,254	2	3.0	0.0- 7.7	67	97.0	92.3- 100
Hispanic	213	160,522	1	0.5	0.0- 1.5	212	99.5	98.5- 100
18-24	202	331,560				202	100.0	100.0- 100
25-34	416	427,037	2	0.6	0.0- 1.4	414	99.4	98.6- 100
35-44	524	412,052	11	1.6	0.6- 2.6	513	98.4	97.4-99.4
45-54	711	416,249	28	4.1	2.3- 5.9	683	95.9	94.1-97.7
55-64	947	444,311	86	8.9	6.9-10.9	861	91.1	89.1-93.1
65+	2085	610,946	345	16.2	14.4-18.0	1740	83.8	82.0-85.6
Less Than H.S.	345	293,431	29	5.4	3.0- 7.8	316	94.6	92.2-97.0
H.S. or G.E.D.	1547	820,016	144	6.2	5.0- 7.4	1403	93.8	92.6-95.0
Some Post-H.S.	1313	851,919	119	5.8	4.6- 7.0	1194	94.2	93.0-95.4
College Graduate	1649	662,299	178	7.4	6.2- 8.6	1471	92.6	91.4-93.8
Less than \$15,000	399	251,397	26	3.8	1.8- 5.8	373	96.2	94.2-98.2
\$15,000- 24,999	724	382,408	52	5.1	3.3- 6.9	672	94.9	93.1-96.7
\$25,000- 34,999	458	240,576	49	6.4	4.2- 8.6	409	93.6	91.4-95.8
\$35,000- 49,999	513	275,964	40	5.3	3.3- 7.3	473	94.7	92.7-96.7
\$50,000- 74,999	571	328,750	50	4.6	3.0- 6.2	521	95.4	93.8-97.0
\$75,000+	958	577,719	89	6.4	4.8- 8.0	869	93.6	92.0-95.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**

**INDIANA CORE QUESTIONS DATA REPORT, 2019**

**SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8857	5,147,755	941	7.2	6.6- 7.8	7916	92.8	92.2-93.4
Male	3978	2,507,071	350	5.7	4.9- 6.5	3628	94.3	93.5-95.1
Female	4879	2,640,684	591	8.6	7.8- 9.4	4288	91.4	90.6-92.2
White/Non-Hisp	7338	4,080,839	842	7.9	7.3- 8.5	6496	92.1	91.5-92.7
Black or Afr. Am./Non-Hisp	597	448,639	38	3.6	2.0- 5.2	559	96.4	94.8-98.0
Oth. Race/Non-Hisp.	234	160,747	25	7.7	3.6-11.8	209	92.3	88.2-96.4
MultiRacial/Non-Hisp.	127	46,667	12	4.7	1.4- 8.0	115	95.3	92.0-98.6
Hispanic	382	313,776	12	3.5	0.8- 6.2	370	96.5	93.8-99.2
18-24	462	683,503	4	0.8	0.0- 1.6	458	99.2	98.4- 100
25-34	800	858,693	13	1.8	0.8- 2.8	787	98.2	97.2-99.2
35-44	974	821,619	29	3.1	1.7- 4.5	945	96.9	95.5-98.3
45-54	1330	821,284	81	6.1	4.7- 7.5	1249	93.9	92.5-95.3
55-64	1820	864,800	160	8.3	6.9- 9.7	1660	91.7	90.3-93.1
65+	3471	1,097,857	654	18.6	17.0-20.2	2817	81.4	79.8-83.0
Less Than H.S.	642	623,598	75	9.1	6.6-11.6	567	90.9	88.4-93.4
H.S. or G.E.D.	2840	1,710,332	320	7.4	6.4- 8.4	2520	92.6	91.6-93.6
Some Post-H.S.	2287	1,572,220	245	7.1	6.1- 8.1	2042	92.9	91.9-93.9
College Graduate	3029	1,212,191	297	6.1	5.3- 6.9	2732	93.9	93.1-94.7
Less than \$15,000	640	410,199	73	8.0	5.6-10.4	567	92.0	89.6-94.4
\$15,000- 24,999	1210	692,080	134	7.3	5.7- 8.9	1076	92.7	91.1-94.3
\$25,000- 34,999	764	436,904	94	7.9	5.9- 9.9	670	92.1	90.1-94.1
\$35,000- 49,999	1014	591,758	122	8.6	6.6-10.6	892	91.4	89.4-93.4
\$50,000- 74,999	1116	691,241	112	6.9	5.1- 8.7	1004	93.1	91.3-94.9
\$75,000+	2131	1,304,265	160	5.2	4.2- 6.2	1971	94.8	93.8-95.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3978	2,507,071	350	5.7	4.9- 6.5	3628	94.3	93.5-95.1
White/Non-Hisp	3292	1,979,126	309	6.2	5.4- 7.0	2983	93.8	93.0-94.6
Black or Afr. Am./Non-Hisp	236	210,993	14	3.3	0.6- 6.0	222	96.7	94.0-99.4
Oth. Race/Non-Hisp.	129	92,950	12	5.0	1.5- 8.5	117	95.0	91.5-98.5
MultiRacial/Non-Hisp.	58	21,033	5	3.3	0.0- 6.6	53	96.7	93.4- 100
Hispanic	169	153,253	5	3.9	0.0- 8.4	164	96.1	91.6- 100
18-24	260	351,943	2	0.4	0.0- 1.0	258	99.6	99.0- 100
25-34	385	432,831	3	1.1	0.0- 2.5	382	98.9	97.5- 100
35-44	450	409,737	7	2.1	0.1- 4.1	443	97.9	95.9-99.9
45-54	619	405,035	19	3.2	1.6- 4.8	600	96.8	95.2-98.4
55-64	876	421,418	56	6.0	4.2- 7.8	820	94.0	92.2-95.8
65+	1388	486,107	263	18.7	16.3-21.1	1125	81.3	78.9-83.7
Less Than H.S.	297	330,167	22	6.2	3.1- 9.3	275	93.8	90.7-96.9
H.S. or G.E.D.	1292	889,288	110	5.2	4.0- 6.4	1182	94.8	93.6-96.0
Some Post-H.S.	978	721,362	91	6.2	4.8- 7.6	887	93.8	92.4-95.2
College Graduate	1383	551,331	125	5.8	4.6- 7.0	1258	94.2	93.0-95.4
Less than \$15,000	242	159,606	16	3.5	1.3- 5.7	226	96.5	94.3-98.7
\$15,000- 24,999	486	309,171	42	5.8	3.6- 8.0	444	94.2	92.0-96.4
\$25,000- 34,999	306	196,328	33	7.5	4.6-10.4	273	92.5	89.6-95.4
\$35,000- 49,999	500	315,453	58	8.3	5.6-11.0	442	91.7	89.0-94.4
\$50,000- 74,999	548	363,604	45	5.3	3.1- 7.5	503	94.7	92.5-96.9
\$75,000+	1173	727,381	82	4.4	3.2- 5.6	1091	95.6	94.4-96.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4879	2,640,684	591	8.6	7.8- 9.4	4288	91.4	90.6-92.2
White/Non-Hisp	4046	2,101,712	533	9.6	8.6-10.6	3513	90.4	89.4-91.4
Black or Afr. Am./Non-Hisp	361	237,647	24	3.8	1.8- 5.8	337	96.2	94.2-98.2
Oth. Race/Non-Hisp.	105	67,797	13	11.4	3.4-19.4	92	88.6	80.6-96.6
MultiRacial/Non-Hisp.	69	25,634	7	5.8	0.5-11.1	62	94.2	88.9-99.5
Hispanic	213	160,522	7	3.1	0.0- 6.2	206	96.9	93.8- 100
18-24	202	331,560	2	1.2	0.0- 3.0	200	98.8	97.0- 100
25-34	415	425,862	10	2.4	0.8- 4.0	405	97.6	96.0-99.2
35-44	524	411,882	22	4.0	2.0- 6.0	502	96.0	94.0-98.0
45-54	711	416,249	62	8.9	6.5-11.3	649	91.1	88.7-93.5
55-64	944	443,382	104	10.5	8.3-12.7	840	89.5	87.3-91.7
65+	2083	611,750	391	18.6	16.6-20.6	1692	81.4	79.4-83.4
Less Than H.S.	345	293,431	53	12.5	8.6-16.4	292	87.5	83.6-91.4
H.S. or G.E.D.	1548	821,045	210	9.9	8.3-11.5	1338	90.1	88.5-91.7
Some Post-H.S.	1309	850,858	154	7.9	6.3- 9.5	1155	92.1	90.5-93.7
College Graduate	1646	660,861	172	6.4	5.2- 7.6	1474	93.6	92.4-94.8
Less than \$15,000	398	250,593	57	10.9	7.4-14.4	341	89.1	85.6-92.6
\$15,000- 24,999	724	382,910	92	8.4	6.0-10.8	632	91.6	89.2-94.0
\$25,000- 34,999	458	240,576	61	8.2	5.7-10.7	397	91.8	89.3-94.3
\$35,000- 49,999	514	276,306	64	8.9	6.4-11.4	450	91.1	88.6-93.6
\$50,000- 74,999	568	327,636	67	8.6	6.1-11.1	501	91.4	88.9-93.9
\$75,000+	958	576,884	78	6.1	4.5- 7.7	880	93.9	92.3-95.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8836	5,139,701	937	8.7	8.1- 9.3	7899	91.3	90.7-91.9
Male	3972	2,506,228	345	7.3	6.3- 8.3	3627	92.7	91.7-93.7
Female	4864	2,633,474	592	10.1	9.1-11.1	4272	89.9	88.9-90.9
White/Non-Hisp	7327	4,078,679	814	9.5	8.7-10.3	6513	90.5	89.7-91.3
Black or Afr. Am./Non-Hisp	594	447,907	52	6.5	4.1- 8.9	542	93.5	91.1-95.9
Oth. Race/Non-Hisp.	232	159,322	27	8.8	4.9-12.7	205	91.2	87.3-95.1
MultiRacial/Non-Hisp.	125	45,991	11	6.4	2.1-10.7	114	93.6	89.3-97.9
Hispanic	380	311,319	13	2.4	0.8- 4.0	367	97.6	96.0-99.2
18-24	461	682,476	11	2.3	0.9- 3.7	450	97.7	96.3-99.1
25-34	799	858,316	18	1.9	0.9- 2.9	781	98.1	97.1-99.1
35-44	973	821,153	72	7.8	5.8- 9.8	901	92.2	90.2-94.2
45-54	1329	819,974	103	7.4	5.8- 9.0	1226	92.6	91.0-94.2
55-64	1813	861,468	264	16.1	14.1-18.1	1549	83.9	81.9-85.9
65+	3461	1,096,315	469	13.8	12.4-15.2	2992	86.2	84.8-87.6
Less Than H.S.	638	622,631	141	17.4	14.3-20.5	497	82.6	79.5-85.7
H.S. or G.E.D.	2832	1,708,334	410	10.6	9.4-11.8	2422	89.4	88.2-90.6
Some Post-H.S.	2278	1,567,183	237	7.4	6.2- 8.6	2041	92.6	91.4-93.8
College Graduate	3030	1,212,950	146	3.4	2.8- 4.0	2884	96.6	96.0-97.2
Less than \$15,000	636	407,843	148	17.1	14.0-20.2	488	82.9	79.8-86.0
\$15,000- 24,999	1208	691,070	220	16.0	13.5-18.5	988	84.0	81.5-86.5
\$25,000- 34,999	760	435,300	112	10.9	8.4-13.4	648	89.1	86.6-91.6
\$35,000- 49,999	1013	592,373	97	8.6	6.4-10.8	916	91.4	89.2-93.6
\$50,000- 74,999	1112	689,200	86	6.3	4.7- 7.9	1026	93.7	92.1-95.3
\$75,000+	2132	1,305,470	72	3.1	2.3- 3.9	2060	96.9	96.1-97.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 23: (EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3972	2,506,228	345	7.3	6.3- 8.3	3627	92.7	91.7-93.7
White/Non-Hisp	3291	1,981,065	295	7.7	6.7- 8.7	2996	92.3	91.3-93.3
Black or Afr. Am./Non-Hisp	235	210,508	21	7.4	3.5-11.3	214	92.6	88.7-96.5
Oth. Race/Non-Hisp.	127	91,525	11	6.2	1.9-10.5	116	93.8	89.5-98.1
MultiRacial/Non-Hisp.	57	20,764	4	6.5	0.0-13.0	53	93.5	87.0- 100
Hispanic	169	153,253	7	3.3	0.6- 6.0	162	96.7	94.0-99.4
18-24	260	351,943	9	3.7	1.2- 6.2	251	96.3	93.8-98.8
25-34	384	432,019	6	1.4	0.2- 2.6	378	98.6	97.4-99.8
35-44	449	409,187	27	6.0	3.5- 8.5	422	94.0	91.5-96.5
45-54	621	406,862	35	5.2	3.2- 7.2	586	94.8	92.8-96.8
55-64	870	419,436	114	14.4	11.7-17.1	756	85.6	82.9-88.3
65+	1388	486,781	154	11.7	9.7-13.7	1234	88.3	86.3-90.3
Less Than H.S.	298	331,907	50	12.7	8.8-16.6	248	87.3	83.4-91.2
H.S. or G.E.D.	1290	889,219	145	8.7	7.1-10.3	1145	91.3	89.7-92.9
Some Post-H.S.	975	720,212	87	6.1	4.5- 7.7	888	93.9	92.3-95.5
College Graduate	1382	550,774	61	3.4	2.4- 4.4	1321	96.6	95.6-97.6
Less than \$15,000	239	158,952	46	15.9	10.6-21.2	193	84.1	78.8-89.4
\$15,000- 24,999	487	309,710	80	13.2	9.9-16.5	407	86.8	83.5-90.1
\$25,000- 34,999	305	195,773	43	11.8	7.5-16.1	262	88.2	83.9-92.5
\$35,000- 49,999	500	316,256	43	8.3	5.2-11.4	457	91.7	88.6-94.8
\$50,000- 74,999	545	361,737	40	5.3	3.5- 7.1	505	94.7	92.9-96.5
\$75,000+	1174	728,210	42	3.5	2.3- 4.7	1132	96.5	95.3-97.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 24: (EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4864	2,633,474	592	10.1	9.1-11.1	4272	89.9	88.9-90.9
White/Non-Hisp	4036	2,097,614	519	11.2	10.0-12.4	3517	88.8	87.6-90.0
Black or Afr. Am./Non-Hisp	359	237,399	31	5.8	3.3- 8.3	328	94.2	91.7-96.7
Oth. Race/Non-Hisp.	105	67,797	16	12.3	4.9-19.7	89	87.7	80.3-95.1
MultiRacial/Non-Hisp.	68	25,227	7	6.4	0.7-12.1	61	93.6	87.9-99.3
Hispanic	211	158,066	6	1.5	0.1- 2.9	205	98.5	97.1-99.9
18-24	201	330,533	2	0.9	0.0- 2.1	199	99.1	97.9- 100
25-34	415	426,297	12	2.5	0.9- 4.1	403	97.5	95.9-99.1
35-44	524	411,965	45	9.6	6.5-12.7	479	90.4	87.3-93.5
45-54	708	413,111	68	9.6	7.2-12.0	640	90.4	88.0-92.8
55-64	943	442,032	150	17.7	14.8-20.6	793	82.3	79.4-85.2
65+	2073	609,534	315	15.5	13.5-17.5	1758	84.5	82.5-86.5
Less Than H.S.	340	290,725	91	22.8	17.5-28.1	249	77.2	71.9-82.5
H.S. or G.E.D.	1542	819,115	265	12.7	10.9-14.5	1277	87.3	85.5-89.1
Some Post-H.S.	1303	846,970	150	8.6	7.0-10.2	1153	91.4	89.8-93.0
College Graduate	1648	662,175	85	3.3	2.5- 4.1	1563	96.7	95.9-97.5
Less than \$15,000	397	248,890	102	18.0	13.9-22.1	295	82.0	77.9-86.1
\$15,000- 24,999	721	381,360	140	18.2	14.5-21.9	581	81.8	78.1-85.5
\$25,000- 34,999	455	239,527	69	10.2	7.3-13.1	386	89.8	86.9-92.7
\$35,000- 49,999	513	276,117	54	8.8	6.1-11.5	459	91.2	88.5-93.9
\$50,000- 74,999	567	327,463	46	7.4	4.9- 9.9	521	92.6	90.1-95.1
\$75,000+	958	577,261	30	2.8	1.6- 4.0	928	97.2	96.0-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8846	5,144,054	1743	21.0	19.8-22.2	7103	79.0	77.8-80.2
Male	3974	2,507,669	561	14.9	13.5-16.3	3413	85.1	83.7-86.5
Female	4872	2,636,385	1182	26.7	25.1-28.3	3690	73.3	71.7-74.9
White/Non-Hisp	7332	4,079,053	1510	22.8	21.6-24.0	5822	77.2	76.0-78.4
Black or Afr. Am./Non-Hisp	596	449,067	92	14.6	10.9-18.3	504	85.4	81.7-89.1
Oth. Race/Non-Hisp.	232	158,580	37	15.4	9.3-21.5	195	84.6	78.5-90.7
MultiRacial/Non-Hisp.	127	46,527	31	19.2	11.4-27.0	96	80.8	73.0-88.6
Hispanic	381	313,757	47	11.1	7.4-14.8	334	88.9	85.2-92.6
18-24	460	681,019	103	23.6	19.3-27.9	357	76.4	72.1-80.7
25-34	799	857,691	197	24.8	21.5-28.1	602	75.2	71.9-78.5
35-44	974	820,589	203	19.9	17.2-22.6	771	80.1	77.4-82.8
45-54	1330	823,286	302	22.1	19.6-24.6	1028	77.9	75.4-80.4
55-64	1816	863,912	404	22.1	19.9-24.3	1412	77.9	75.7-80.1
65+	3467	1,097,557	534	15.4	14.0-16.8	2933	84.6	83.2-86.0
Less Than H.S.	638	620,899	159	25.1	21.0-29.2	479	74.9	70.8-79.0
H.S. or G.E.D.	2835	1,710,074	540	20.2	18.2-22.2	2295	79.8	77.8-81.8
Some Post-H.S.	2283	1,569,413	499	23.2	21.0-25.4	1784	76.8	74.6-79.0
College Graduate	3030	1,213,396	536	17.3	15.7-18.9	2494	82.7	81.1-84.3
Less than \$15,000	633	406,546	214	32.9	28.4-37.4	419	67.1	62.6-71.6
\$15,000- 24,999	1206	690,952	343	29.4	26.1-32.7	863	70.6	67.3-73.9
\$25,000- 34,999	763	437,288	186	25.8	21.7-29.9	577	74.2	70.1-78.3
\$35,000- 49,999	1013	592,020	175	19.5	16.4-22.6	838	80.5	77.4-83.6
\$50,000- 74,999	1119	691,526	224	20.6	17.5-23.7	895	79.4	76.3-82.5
\$75,000+	2130	1,304,288	291	14.7	12.7-16.7	1839	85.3	83.3-87.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 26: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3974	2,507,669	561	14.9	13.5-16.3	3413	85.1	83.7-86.5
White/Non-Hisp	3290	1,979,994	475	15.5	13.9-17.1	2815	84.5	82.9-86.1
Black or Afr. Am./Non-Hisp	235	210,390	28	10.9	6.2-15.6	207	89.1	84.4-93.8
Oth. Race/Non-Hisp.	129	92,950	17	16.7	7.9-25.5	112	83.3	74.5-92.1
MultiRacial/Non-Hisp.	57	20,725	9	13.9	3.3-24.5	48	86.1	75.5-96.7
Hispanic	169	153,768	20	12.3	6.2-18.4	149	87.7	81.6-93.8
18-24	258	349,459	45	17.5	12.4-22.6	213	82.5	77.4-87.6
25-34	385	432,831	71	18.6	14.1-23.1	314	81.4	76.9-85.9
35-44	451	410,657	63	13.3	9.8-16.8	388	86.7	83.2-90.2
45-54	622	408,509	90	13.7	10.8-16.6	532	86.3	83.4-89.2
55-64	871	419,963	139	15.9	13.2-18.6	732	84.1	81.4-86.8
65+	1387	486,251	153	11.2	9.2-13.2	1234	88.8	86.8-90.8
Less Than H.S.	296	330,090	63	23.2	17.3-29.1	233	76.8	70.9-82.7
H.S. or G.E.D.	1292	890,140	186	14.3	11.9-16.7	1106	85.7	83.3-88.1
Some Post-H.S.	974	720,239	141	14.5	11.8-17.2	833	85.5	82.8-88.2
College Graduate	1383	551,416	168	11.5	9.5-13.5	1215	88.5	86.5-90.5
Less than \$15,000	239	158,946	78	34.9	27.5-42.3	161	65.1	57.7-72.5
\$15,000- 24,999	483	308,586	103	22.2	17.5-26.9	380	77.8	73.1-82.5
\$25,000- 34,999	306	196,860	55	17.5	12.4-22.6	251	82.5	77.4-87.6
\$35,000- 49,999	501	316,653	65	14.3	10.2-18.4	436	85.7	81.6-89.8
\$50,000- 74,999	548	362,776	74	13.5	9.8-17.2	474	86.5	82.8-90.2
\$75,000+	1174	728,210	100	9.1	6.9-11.3	1074	90.9	88.7-93.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 27: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4872	2,636,385	1182	26.7	25.1-28.3	3690	73.3	71.7-74.9
White/Non-Hisp	4042	2,099,059	1035	29.7	27.7-31.7	3007	70.3	68.3-72.3
Black or Afr. Am./Non-Hisp	361	238,677	64	17.8	12.5-23.1	297	82.2	76.9-87.5
Oth. Race/Non-Hisp.	103	65,631	20	13.5	6.1-20.9	83	86.5	79.1-93.9
MultiRacial/Non-Hisp.	70	25,801	22	23.5	12.1-34.9	48	76.5	65.1-87.9
Hispanic	212	159,989	27	10.0	5.9-14.1	185	90.0	85.9-94.1
18-24	202	331,560	58	30.0	22.9-37.1	144	70.0	62.9-77.1
25-34	414	424,860	126	31.0	26.1-35.9	288	69.0	64.1-73.9
35-44	523	409,932	140	26.5	22.2-30.8	383	73.5	69.2-77.8
45-54	708	414,777	212	30.4	26.7-34.1	496	69.6	65.9-73.3
55-64	945	443,949	265	28.0	24.7-31.3	680	72.0	68.7-75.3
65+	2080	611,306	381	18.8	16.8-20.8	1699	81.2	79.2-83.2
Less Than H.S.	342	290,809	96	27.2	21.1-33.3	246	72.8	66.7-78.9
H.S. or G.E.D.	1543	819,934	354	26.6	23.7-29.5	1189	73.4	70.5-76.3
Some Post-H.S.	1309	849,173	358	30.6	27.5-33.7	951	69.4	66.3-72.5
College Graduate	1647	661,980	368	22.1	19.7-24.5	1279	77.9	75.5-80.3
Less than \$15,000	394	247,600	136	31.7	25.8-37.6	258	68.3	62.4-74.2
\$15,000- 24,999	723	382,366	240	35.2	30.5-39.9	483	64.8	60.1-69.5
\$25,000- 34,999	457	240,428	131	32.5	26.4-38.6	326	67.5	61.4-73.6
\$35,000- 49,999	512	275,367	110	25.5	20.6-30.4	402	74.5	69.6-79.4
\$50,000- 74,999	571	328,750	150	28.5	23.6-33.4	421	71.5	66.6-76.4
\$75,000+	956	576,078	191	21.8	18.7-24.9	765	78.2	75.1-81.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 28: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY 2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8848	5,147,237	427	3.4	3.0- 3.8	8421	96.6	96.2-97.0
Male	3981	2,511,967	178	3.1	2.5- 3.7	3803	96.9	96.3-97.5
Female	4867	2,635,271	249	3.8	3.2- 4.4	4618	96.2	95.6-96.8
White/Non-Hisp	7334	4,083,656	343	3.3	2.9- 3.7	6991	96.7	96.3-97.1
Black or Afr. Am./Non-Hisp	594	446,500	39	4.1	2.5- 5.7	555	95.9	94.3-97.5
Oth. Race/Non-Hisp.	233	160,430	12	3.7	1.2- 6.2	221	96.3	93.8-98.8
MultiRacial/Non-Hisp.	129	47,146	6	2.9	0.0- 5.8	123	97.1	94.2- 100
Hispanic	379	312,293	15	3.5	1.1- 5.9	364	96.5	94.1-98.9
18-24	461	683,046	3	0.5	0.0- 1.1	458	99.5	98.9- 100
25-34	801	859,868	11	1.2	0.4- 2.0	790	98.8	98.0-99.6
35-44	976	823,256	16	1.4	0.4- 2.4	960	98.6	97.6-99.6
45-54	1333	823,880	44	3.5	2.3- 4.7	1289	96.5	95.3-97.7
55-64	1814	862,594	76	3.8	2.8- 4.8	1738	96.2	95.2-97.2
65+	3463	1,094,593	277	8.1	6.9- 9.3	3186	91.9	90.7-93.1
Less Than H.S.	637	622,108	32	3.4	1.8- 5.0	605	96.6	95.0-98.2
H.S. or G.E.D.	2837	1,710,419	152	3.7	2.9- 4.5	2685	96.3	95.5-97.1
Some Post-H.S.	2284	1,571,686	119	3.7	2.9- 4.5	2165	96.3	95.5-97.1
College Graduate	3031	1,213,612	121	2.7	2.1- 3.3	2910	97.3	96.7-97.9
Less than \$15,000	637	409,616	43	5.0	3.2- 6.8	594	95.0	93.2-96.8
\$15,000- 24,999	1207	691,260	99	5.8	4.4- 7.2	1108	94.2	92.8-95.6
\$25,000- 34,999	764	437,383	35	3.3	1.9- 4.7	729	96.7	95.3-98.1
\$35,000- 49,999	1015	593,000	46	2.8	1.8- 3.8	969	97.2	96.2-98.2
\$50,000- 74,999	1118	692,484	46	3.3	1.9- 4.7	1072	96.7	95.3-98.1
\$75,000+	2129	1,304,376	59	2.0	1.4- 2.6	2070	98.0	97.4-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 29: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY 2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3981	2,511,967	178	3.1	2.5- 3.7	3803	96.9	96.3-97.5
White/Non-Hisp	3297	1,985,028	140	2.9	2.3- 3.5	3157	97.1	96.5-97.7
Black or Afr. Am./Non-Hisp	235	210,459	18	4.5	2.1- 6.9	217	95.5	93.1-97.9
Oth. Race/Non-Hisp.	128	92,632	4	1.7	0.0- 3.9	124	98.3	96.1- 100
MultiRacial/Non-Hisp.	59	21,344	4	3.9	0.0- 8.8	55	96.1	91.2- 100
Hispanic	168	152,660	7	4.9	0.4- 9.4	161	95.1	90.6-99.6
18-24	260	351,943	1	0.3	0.0- 0.9	259	99.7	99.1- 100
25-34	385	432,831	6	1.4	0.2- 2.6	379	98.6	97.4-99.8
35-44	451	410,657	5	1.1	0.0- 2.7	446	98.9	97.3- 100
45-54	623	408,518	12	1.8	0.6- 3.0	611	98.2	97.0-99.4
55-64	874	421,211	36	3.6	2.2- 5.0	838	96.4	95.0-97.8
65+	1388	486,807	118	8.9	7.1-10.7	1270	91.1	89.3-92.9
Less Than H.S.	300	333,077	14	3.7	1.2- 6.2	286	96.3	93.8-98.8
H.S. or G.E.D.	1294	891,540	52	2.7	1.9- 3.5	1242	97.3	96.5-98.1
Some Post-H.S.	975	720,908	50	3.3	2.3- 4.3	925	96.7	95.7-97.7
College Graduate	1384	551,518	61	3.1	2.1- 4.1	1323	96.9	95.9-97.9
Less than \$15,000	242	160,269	13	3.4	1.0- 5.8	229	96.6	94.2-99.0
\$15,000- 24,999	486	309,585	34	5.5	3.1- 7.9	452	94.5	92.1-96.9
\$25,000- 34,999	306	196,807	10	2.6	0.6- 4.6	296	97.4	95.4-99.4
\$35,000- 49,999	501	316,694	26	3.0	1.6- 4.4	475	97.0	95.6-98.4
\$50,000- 74,999	549	364,156	24	3.4	1.4- 5.4	525	96.6	94.6-98.6
\$75,000+	1173	727,246	37	1.7	1.1- 2.3	1136	98.3	97.7-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 30: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY 2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4867	2,635,271	249	3.8	3.2- 4.4	4618	96.2	95.6-96.8
White/Non-Hisp	4037	2,098,628	203	3.8	3.2- 4.4	3834	96.2	95.6-96.8
Black or Afr. Am./Non-Hisp	359	236,040	21	3.9	1.9- 5.9	338	96.1	94.1-98.1
Oth. Race/Non-Hisp.	105	67,797	8	6.3	1.0-11.6	97	93.7	88.4-99.0
MultiRacial/Non-Hisp.	70	25,801	2	2.1	0.0- 5.6	68	97.9	94.4- 100
Hispanic	211	159,633	8	2.1	0.3- 3.9	203	97.9	96.1-99.7
18-24	201	331,103	2	0.8	0.0- 2.0	199	99.2	98.0- 100
25-34	416	427,037	5	1.1	0.0- 2.3	411	98.9	97.7- 100
35-44	525	412,599	11	1.7	0.5- 2.9	514	98.3	97.1-99.5
45-54	710	415,362	32	5.1	3.1- 7.1	678	94.9	92.9-96.9
55-64	940	441,383	40	4.1	2.7- 5.5	900	95.9	94.5-97.3
65+	2075	607,786	159	7.5	6.1- 8.9	1916	92.5	91.1-93.9
Less Than H.S.	337	289,031	18	3.0	1.2- 4.8	319	97.0	95.2-98.8
H.S. or G.E.D.	1543	818,879	100	4.9	3.7- 6.1	1443	95.1	93.9-96.3
Some Post-H.S.	1309	850,779	69	4.1	2.9- 5.3	1240	95.9	94.7-97.1
College Graduate	1647	662,093	60	2.3	1.5- 3.1	1587	97.7	96.9-98.5
Less than \$15,000	395	249,347	30	6.0	3.5- 8.5	365	94.0	91.5-96.5
\$15,000- 24,999	721	381,675	65	6.0	4.2- 7.8	656	94.0	92.2-95.8
\$25,000- 34,999	458	240,576	25	3.9	2.1- 5.7	433	96.1	94.3-97.9
\$35,000- 49,999	514	276,306	20	2.5	1.1- 3.9	494	97.5	96.1-98.9
\$50,000- 74,999	569	328,327	22	3.1	1.3- 4.9	547	96.9	95.1-98.7
\$75,000+	956	577,129	22	2.4	1.2- 3.6	934	97.6	96.4-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8869	5,155,197	1434	12.4	11.6-13.2	81	1.2	0.8- 1.6	7214	85.0	84.2-85.8	140	1.4	1.2- 1.6
Male	3984	2,513,241	706	13.6	12.4-14.8				3217	85.2	84.0-86.4	61	1.2	0.8- 1.6
Female	4885	2,641,957	728	11.3	10.3-12.3	81	2.3	1.7- 2.9	3997	84.9	83.7-86.1	79	1.5	1.1- 1.9
White/Non-Hisp	7353	4,089,764	1147	12.1	11.3-12.9	58	1.0	0.6- 1.4	6040	85.6	84.6-86.6	108	1.3	0.9- 1.7
Black or Afr. Am./Non-Hisp	596	448,309	139	17.9	14.2-21.6	6	1.6	0.0- 3.2	438	79.2	75.3-83.1	13	1.3	0.5- 2.1
Oth. Race/Non-Hisp.	232	159,291	36	11.7	6.6-16.8	6	2.2	0.0- 4.6	185	83.7	77.8-89.6	5	2.4	0.2- 4.6
MultiRacial/Non-Hisp.	129	47,146	30	16.3	9.4-23.2	2	1.9	0.0- 4.8	95	80.5	72.9-88.1	2	1.3	0.0- 3.3
Hispanic	382	313,910	48	9.0	6.1-11.9	7	1.6	0.4- 2.8	320	87.7	84.4-91.0	7	1.7	0.3- 3.1
18-24	461	682,777	3	0.9	0.0- 2.1	4	1.0	0.0- 2.2	453	97.9	96.3-99.5	1	0.2	0.0- 0.6
25-34	800	858,808	22	3.0	1.6- 4.4	15	2.0	0.8- 3.2	755	94.3	92.5-96.1	8	0.8	0.2- 1.4
35-44	975	822,860	67	7.1	5.1- 9.1	19	1.9	0.9- 2.9	878	89.8	87.6-92.0	11	1.1	0.3- 1.9
45-54	1334	825,150	160	12.1	10.1-14.1	12	0.9	0.3- 1.5	1136	84.9	82.7-87.1	26	2.0	1.2- 2.8
55-64	1823	866,512	346	19.3	17.3-21.3	14	0.9	0.3- 1.5	1427	77.7	75.5-79.9	36	2.2	1.4- 3.0
65+	3476	1,099,089	836	25.8	24.0-27.6	17	0.5	0.3- 0.7	2565	72.1	70.3-73.9	58	1.6	1.2- 2.0
Less Than H.S.	646	626,814	137	16.1	13.0-19.2	7	1.2	0.0- 2.4	483	80.5	77.0-84.0	19	2.1	0.9- 3.3
H.S. or G.E.D.	2843	1,712,277	553	14.0	12.6-15.4	25	1.1	0.5- 1.7	2219	83.5	81.9-85.1	46	1.4	1.0- 1.8
Some Post-H.S.	2289	1,572,952	395	12.7	11.3-14.1	24	1.3	0.7- 1.9	1835	84.7	83.1-86.3	35	1.4	0.8- 2.0
College Graduate	3031	1,212,881	339	8.1	7.1- 9.1	25	1.2	0.6- 1.8	2628	89.8	88.6-91.0	39	1.0	0.6- 1.4
Less than \$15,000	641	411,277	163	18.7	15.2-22.2	10	1.8	0.4- 3.2	447	76.8	72.9-80.7	21	2.7	1.3- 4.1
\$15,000- 24,999	1208	690,229	306	20.0	17.3-22.7	15	1.8	0.6- 3.0	868	76.8	73.9-79.7	19	1.4	0.6- 2.2
\$25,000- 34,999	764	437,346	137	13.4	10.7-16.1	5	0.7	0.1- 1.3	612	84.8	81.9-87.7	10	1.1	0.3- 1.9
\$35,000- 49,999	1016	593,633	140	11.1	8.9-13.3	9	0.8	0.0- 1.6	845	86.3	83.8-88.8	22	1.8	1.0- 2.6
\$50,000- 74,999	1118	691,645	153	10.3	8.3-12.3	8	0.8	0.2- 1.4	937	87.0	84.8-89.2	20	1.9	0.9- 2.9
\$75,000+	2134	1,306,871	202	7.8	6.6- 9.0	21	1.3	0.7- 1.9	1893	90.4	89.0-91.8	18	0.6	0.2- 1.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 32: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3984	2,513,241	706	13.6	12.4-14.8	3217	85.2	84.0-86.4	61	1.2	0.8- 1.6
White/Non-Hisp	3299	1,986,180	564	13.3	12.1-14.5	2690	85.6	84.2-87.0	45	1.1	0.7- 1.5
Black or Afr. Am./Non-Hisp	236	210,993	56	17.7	12.4-23.0	175	81.2	75.7-86.7	5	1.1	0.0- 2.3
Oth. Race/Non-Hisp.	127	91,494	22	12.7	6.2-19.2	102	84.7	77.6-91.8	3	2.7	0.0- 5.8
MultiRacial/Non-Hisp.	59	21,344	20	22.6	11.4-33.8	39	77.4	66.2-88.6			
Hispanic	169	153,388	23	9.8	5.3-14.3	143	88.9	84.2-93.6	3	1.3	0.0- 3.3
18-24	259	351,217	1	0.2	0.0- 0.6	258	99.8	99.4- 100			
25-34	384	431,771	8	2.9	0.7- 5.1	374	96.6	94.2-99.0	2	0.4	0.0- 1.0
35-44	450	410,261	34	7.3	4.8- 9.8	411	91.7	89.0-94.4	5	1.0	0.0- 2.0
45-54	624	409,811	87	13.3	10.4-16.2	528	85.2	82.3-88.1	9	1.5	0.5- 2.5
55-64	877	422,322	182	21.1	18.0-24.2	674	76.4	73.3-79.5	21	2.5	1.3- 3.7
65+	1390	487,859	394	31.6	28.5-34.7	972	66.8	63.7-69.9	24	1.6	0.8- 2.4
Less Than H.S.	301	333,593	59	15.0	10.9-19.1	234	83.6	79.3-87.9	8	1.4	0.2- 2.6
H.S. or G.E.D.	1294	891,310	266	14.4	12.4-16.4	1010	84.6	82.6-86.6	18	1.1	0.5- 1.7
Some Post-H.S.	979	722,532	189	14.1	11.7-16.5	775	84.6	82.2-87.0	15	1.4	0.6- 2.2
College Graduate	1381	550,021	187	10.9	9.1-12.7	1174	87.9	85.9-89.9	20	1.1	0.5- 1.7
Less than \$15,000	241	159,776	76	23.7	17.6-29.8	157	74.7	68.6-80.8	8	1.6	0.4- 2.8
\$15,000- 24,999	483	307,274	132	21.0	16.9-25.1	342	77.3	73.2-81.4	9	1.6	0.4- 2.8
\$25,000- 34,999	307	196,934	64	15.3	10.8-19.8	241	83.9	79.4-88.4	2	0.8	0.0- 2.0
\$35,000- 49,999	502	317,327	83	13.3	9.8-16.8	412	85.6	82.1-89.1	7	1.1	0.3- 1.9
\$50,000- 74,999	548	363,760	86	12.2	9.3-15.1	451	85.7	82.4-89.0	11	2.1	0.7- 3.5
\$75,000+	1175	728,812	139	9.5	7.7-11.3	1026	90.1	88.3-91.9	10	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 33: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4885	2,641,957	728	11.3	10.3-12.3	81	2.3	1.7- 2.9	3997	84.9	83.7-86.1	79	1.5	1.1- 1.9
White/Non-Hisp	4054	2,103,584	583	10.9	9.9-11.9	58	2.0	1.4- 2.6	3350	85.6	84.4-86.8	63	1.5	1.1- 1.9
Black or Afr. Am./Non-Hisp	360	237,316	83	18.1	13.0-23.2	6	3.0	0.1- 5.9	263	77.5	71.8-83.2	8	1.4	0.2- 2.6
Oth. Race/Non-Hisp.	105	67,797	14	10.4	2.6-18.2	6	5.2	0.0-10.7	83	82.3	72.7-91.9	2	2.1	0.0- 5.2
MultiRacial/Non-Hisp.	70	25,801	10	11.0	2.4-19.6	2	3.5	0.0- 9.0	56	83.0	72.6-93.4	2	2.4	0.0- 6.1
Hispanic	213	160,522	25	8.2	4.5-11.9	7	3.2	0.8- 5.6	177	86.5	81.6-91.4	4	2.1	0.0- 4.3
18-24	202	331,560	2	1.7	0.0- 4.1	4	2.0	0.0- 4.4	195	95.9	92.6-99.2	1	0.4	0.0- 1.2
25-34	416	427,037	14	3.0	1.2- 4.8	15	4.0	1.8- 6.2	381	91.9	89.0-94.8	6	1.1	0.1- 2.1
35-44	525	412,599	33	6.9	4.2- 9.6	19	3.9	2.1- 5.7	467	88.0	84.7-91.3	6	1.3	0.1- 2.5
45-54	710	415,339	73	10.8	8.3-13.3	12	1.9	0.7- 3.1	608	84.7	81.6-87.8	17	2.6	1.2- 4.0
55-64	946	444,191	164	17.5	14.8-20.2	14	1.7	0.7- 2.7	753	78.8	75.9-81.7	15	2.0	0.8- 3.2
65+	2086	611,230	442	21.2	19.0-23.4	17	0.9	0.5- 1.3	1593	76.4	74.2-78.6	34	1.6	1.0- 2.2
Less Than H.S.	345	293,221	78	17.3	12.6-22.0	7	2.7	0.2- 5.2	249	77.1	71.8-82.4	11	3.0	0.8- 5.2
H.S. or G.E.D.	1549	820,967	287	13.6	11.6-15.6	25	2.3	1.1- 3.5	1209	82.4	80.2-84.6	28	1.7	0.9- 2.5
Some Post-H.S.	1310	850,420	206	11.5	9.7-13.3	24	2.3	1.3- 3.3	1060	84.8	82.6-87.0	20	1.4	0.6- 2.2
College Graduate	1650	662,860	152	5.7	4.7- 6.7	25	2.1	1.1- 3.1	1454	91.3	89.9-92.7	19	0.8	0.4- 1.2
Less than \$15,000	400	251,501	87	15.6	11.3-19.9	10	2.9	0.7- 5.1	290	78.2	73.3-83.1	13	3.3	1.1- 5.5
\$15,000- 24,999	725	382,956	174	19.1	15.6-22.6	15	3.3	1.3- 5.3	526	76.4	72.5-80.3	10	1.2	0.2- 2.2
\$25,000- 34,999	457	240,412	73	11.9	8.6-15.2	5	1.3	0.1- 2.5	371	85.5	82.0-89.0	8	1.4	0.2- 2.6
\$35,000- 49,999	514	276,306	57	8.5	6.0-11.0	9	1.7	0.1- 3.3	433	87.1	83.8-90.4	15	2.7	1.1- 4.3
\$50,000- 74,999	570	327,885	67	8.3	5.9-10.7	8	1.6	0.2- 3.0	486	88.5	85.8-91.2	9	1.6	0.4- 2.8
\$75,000+	959	578,059	63	5.6	3.8- 7.4	21	3.0	1.6- 4.4	867	90.8	88.6-93.0	8	0.7	0.1- 1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2019

SECTION 6: CHRONIC HEALTH CONDITIONS

TABLE 34: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1340	605,710	26	3.5	1.7- 5.3	122	12.5	10.0-15.0	306	28.5	25.4-31.6	581	39.1	36.0-42.2	305	16.4	14.2-18.6
Male	669	328,943	14	3.5	1.0- 6.0	53	10.5	7.6-13.4	157	29.0	24.7-33.3	300	40.8	36.5-45.1	145	16.2	13.3-19.1
Female	671	276,767	12	3.5	1.0- 6.0	69	14.9	10.8-19.0	149	28.0	23.3-32.7	281	37.0	32.5-41.5	160	16.7	13.8-19.6
White/Non-Hisp	1083	467,694	20	3.0	1.2- 4.8	86	10.3	7.9-12.7	223	26.7	23.2-30.2	491	42.1	38.6-45.6	263	17.9	15.5-20.3
Black or Afr. Am./Non-Hisp	128	77,075	4	7.5	0.0-15.7	20	22.6	11.8-33.4	40	30.7	20.3-41.1	43	27.7	18.1-37.3	21	11.5	6.0-17.0
35-44	66	58,320	2	1.8	0.0- 4.3	24	33.3	20.6-46.0	40	64.9	52.0-77.8						
45-54	152	94,479	7	3.3	0.8- 5.8	31	19.2	12.3-26.1	73	51.1	42.3-59.9	41	26.5	18.9-34.1			
55-64	326	156,920	4	0.8	0.0- 1.6	19	6.4	3.3- 9.5	96	30.5	24.8-36.2	188	57.9	51.8-64.0	19	4.4	2.2- 6.6
65+	771	263,983	5	0.6	0.0- 1.2	33	4.8	2.8- 6.8	95	13.8	10.7-16.9	352	45.7	41.4-50.0	286	35.0	30.9-39.1
Less Than H.S.	125	94,099	1	2.5	0.0- 7.4	13	14.4	5.8-23.0	29	30.5	20.1-40.9	53	36.1	26.3-45.9	29	16.5	9.6-23.4
H.S. or G.E.D.	503	223,227	6	2.3	0.3- 4.3	41	11.6	7.7-15.5	127	29.4	24.5-34.3	211	39.4	34.5-44.3	118	17.4	14.1-20.7
Some Post-H.S.	377	191,549	11	5.8	1.5-10.1	38	12.0	7.9-16.1	86	28.3	22.6-34.0	162	38.6	32.9-44.3	80	15.2	11.5-18.9
College Graduate	328	95,119	8	2.7	0.7- 4.7	30	13.8	8.5-19.1	63	25.2	18.9-31.5	153	42.5	36.2-48.8	74	15.8	11.9-19.7
Less than \$15,000	149	72,318	3	2.4	0.0- 5.3	18	20.2	9.6-30.8	44	33.0	23.0-43.0	64	33.8	24.8-42.8	20	10.5	5.2-15.8
\$15,000- 24,999	290	132,836	8	6.2	0.9-11.5	35	14.8	9.3-20.3	56	22.6	15.9-29.3	117	35.7	29.0-42.4	74	20.7	15.2-26.2
\$25,000- 34,999	130	56,383	2	1.5	0.0- 3.7	7	8.9	2.4-15.4	30	32.9	22.1-43.7	53	35.4	25.6-45.2	38	21.4	13.8-29.0
\$35,000- 49,999	134	63,203	3	5.0	0.0-12.3	12	10.1	3.8-16.4	28	27.9	17.7-38.1	66	45.2	34.6-55.8	25	11.8	6.3-17.3
\$50,000- 74,999	150	70,567	2	2.1	0.0- 5.2	14	15.1	7.1-23.1	34	27.8	18.8-36.8	69	43.4	34.0-52.8	31	11.6	7.1-16.1
\$75,000+	195	97,804	8	5.8	0.3-11.3	16	10.3	5.0-15.6	56	36.4	27.8-45.0	85	38.0	30.2-45.8	30	9.6	5.9-13.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 35: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	669	328,943	14	3.5	1.0- 6.0	53	10.5	7.6-13.4	157	29.0	24.7-33.3	300	40.8	36.5-45.1	145	16.2	13.3-19.1
White/Non-Hisp	540	255,605	13	3.6	1.1- 6.1	36	9.0	5.9-12.1	120	27.6	22.9-32.3	245	42.0	37.1-46.9	126	17.9	14.4-21.4
Black or Afr. Am./Non-Hisp	53	36,863	1	6.5	0.0-18.7	7	15.5	3.5-27.5	15	30.9	16.0-45.8	23	38.5	22.8-54.2	7	8.6	1.5-15.7
45-54	82	51,424	4	3.7	0.0- 7.6	16	20.7	10.9-30.5	38	47.6	36.0-59.2	24	28.1	17.7-38.5			
55-64	176	86,287	2	0.5	0.0- 1.3	5	4.1	0.4- 7.8	47	28.4	20.6-36.2	114	63.1	54.9-71.3	8	3.9	1.0- 6.8
65+	368	147,581	4	1.0	0.0- 2.0	16	4.7	2.2- 7.2	49	16.2	11.3-21.1	162	44.4	38.1-50.7	137	33.8	27.9-39.7
Less Than H.S.	57	49,398	1	4.9	0.0-14.1	5	8.8	1.2-16.4	12	29.5	15.4-43.6	25	37.8	23.7-51.9	14	19.0	8.2-29.8
H.S. or G.E.D.	248	122,419	4	2.7	0.0- 5.6	18	9.4	4.9-13.9	68	32.4	25.3-39.5	110	40.2	33.3-47.1	48	15.4	10.7-20.1
Some Post-H.S.	183	99,032	3	4.0	0.0- 9.5	15	10.1	4.6-15.6	42	26.6	18.8-34.4	85	44.3	35.9-52.7	38	15.0	9.9-20.1
College Graduate	179	57,719	6	3.2	0.7- 5.7	15	15.1	7.5-22.7	35	25.8	17.2-34.4	79	38.9	30.7-47.1	44	16.9	11.4-22.4
Less than \$15,000	72	37,012	2	3.3	0.0- 8.2	7	10.7	2.3-19.1	16	33.9	19.8-48.0	34	37.7	25.2-50.2	13	14.4	5.8-23.0
\$15,000- 24,999	124	62,052	2	5.3	0.0-13.7	9	8.8	2.5-15.1	27	20.8	12.8-28.8	53	40.2	30.2-50.2	33	25.0	16.0-34.0
\$25,000- 34,999	60	29,069				3	8.2	0.0-17.2	15	35.4	19.3-51.5	24	34.9	20.8-49.0	18	21.6	10.2-33.0
\$35,000- 49,999	80	41,098	2	6.4	0.0-17.4	6	9.2	1.4-17.0	14	26.3	13.0-39.6	44	47.5	33.4-61.6	14	10.6	4.3-16.9
\$50,000- 74,999	84	43,692	1	2.4	0.0- 6.9	9	18.7	7.1-30.3	17	23.7	12.1-35.3	44	46.6	33.9-59.3	13	8.6	3.5-13.7
\$75,000+	136	67,510	7	4.8	0.1- 9.5	10	11.1	4.4-17.8	42	37.7	27.9-47.5	54	35.2	26.4-44.0	23	11.1	6.0-16.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 36: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	671	276,767	12	3.5	1.0- 6.0	69	14.9	10.8-19.0	149	28.0	23.3-32.7	281	37.0	32.5-41.5	160	16.7	13.8-19.6
White/Non-Hisp	543	212,089	7	2.3	0.1- 4.5	50	11.8	8.3-15.3	103	25.7	20.6-30.8	246	42.2	37.1-47.3	137	18.0	14.7-21.3
Black or Afr. Am./Non-Hisp	75	40,212	3	8.5	0.0-19.9	13	29.1	12.2-46.0	25	30.5	15.8-45.2	20	17.8	8.4-27.2	14	14.2	5.6-22.8
45-54	70	43,055	3	2.7	0.0- 5.8	15	17.5	8.3-26.7	35	55.2	42.3-68.1	17	24.6	13.6-35.6			
55-64	150	70,633	2	1.1	0.0- 2.7	14	9.3	3.8-14.8	49	32.9	24.5-41.3	74	51.6	42.6-60.6	11	5.0	1.7- 8.3
65+	403	116,402	1	0.2	0.0- 0.6	17	5.0	2.3- 7.7	46	10.8	7.3-14.3	190	47.5	41.6-53.4	149	36.6	31.1-42.1
Less Than H.S.	68	44,700				8	20.6	5.1-36.1	17	31.5	16.0-47.0	28	34.1	20.8-47.4	15	13.7	5.7-21.7
H.S. or G.E.D.	255	100,808	2	1.7	0.0- 4.2	23	14.3	7.8-20.8	59	25.8	18.9-32.7	101	38.4	31.3-45.5	70	19.7	14.6-24.8
Some Post-H.S.	194	92,516	8	7.7	1.0-14.4	23	14.2	8.1-20.3	44	30.1	21.5-38.7	77	32.6	25.2-40.0	42	15.5	10.2-20.8
College Graduate	149	37,400	2	2.0	0.0- 4.9	15	11.8	5.3-18.3	28	24.1	15.3-32.9	74	47.9	38.5-57.3	30	14.2	8.5-19.9
Less than \$15,000	77	35,306	1	1.5	0.0- 4.4	11	30.2	12.6-47.8	28	32.0	18.7-45.3	30	29.7	17.5-41.9	7	6.5	1.0-12.0
\$15,000- 24,999	166	70,785	6	7.0	0.3-13.7	26	20.1	11.5-28.7	29	24.2	14.0-34.4	64	31.8	23.0-40.6	41	17.0	10.7-23.3
\$25,000- 34,999	70	27,314	2	3.2	0.0- 7.7	4	9.6	0.2-19.0	15	30.1	16.2-44.0	29	35.9	22.6-49.2	20	21.1	10.9-31.3
\$35,000- 49,999	54	22,105	1	2.2	0.0- 6.5	6	11.7	3.1-20.3	14	30.9	16.0-45.8	22	41.1	25.2-57.0	11	14.0	3.6-24.4
\$50,000- 74,999	66	26,876	1	1.6	0.0- 4.7	5	9.2	0.6-17.8	17	34.3	20.0-48.6	25	38.3	24.6-52.0	18	16.5	8.3-24.7
\$75,000+	59	30,294	1	7.8	0.0-22.1	6	8.8	1.2-16.4	14	33.3	15.9-50.7	31	44.0	27.7-60.3	7	6.1	1.2-11.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019**

**SECTION 7: ARTHRITIS CONTENTS**

\* **NOTE** \* \* \* \* \*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
 \* \* \* \* \*

TABLE	PAGE
(EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)	
1 MALES AND FEMALES	85
2 MALES ONLY	86
3 FEMALES ONLY	87
HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER)	
4 MALES AND FEMALES	88
5 MALES ONLY	89
6 FEMALES ONLY	90
HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU)	
7 MALES AND FEMALES	91
8 MALES ONLY	92
9 FEMALES ONLY	93
ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)	
10 MALES AND FEMALES	94
11 MALES ONLY	95
12 FEMALES ONLY	96
IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)	
13 MALES AND FEMALES	97
14 MALES ONLY	98
15 FEMALES ONLY	99
IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)	
16 MALES AND FEMALES	100
17 MALES ONLY	101
18 FEMALES ONLY	102

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 7: ARTHRITIS**

**TABLE 1: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8832	5,135,440	3079	27.0	25.8-28.2	5753	73.0	71.8-74.2
Male	3965	2,498,227	1160	23.1	21.5-24.7	2805	76.9	75.3-78.5
Female	4867	2,637,213	1919	30.6	29.0-32.2	2948	69.4	67.8-71.0
White/Non-Hisp	7322	4,078,782	2658	28.9	27.7-30.1	4664	71.1	69.9-72.3
Black or Afr. Am./Non-Hisp	592	442,947	181	22.0	18.3-25.7	411	78.0	74.3-81.7
Oth. Race/Non-Hisp.	231	157,450	71	24.5	17.4-31.6	160	75.5	68.4-82.6
MultiRacial/Non-Hisp.	128	46,936	50	27.7	18.7-36.7	78	72.3	63.3-81.3
Hispanic	381	313,170	55	8.8	6.1-11.5	326	91.2	88.5-93.9
18-24	461	681,374	14	3.0	1.4- 4.6	447	97.0	95.4-98.6
25-34	793	850,389	67	10.1	7.6-12.6	726	89.9	87.4-92.4
35-44	974	821,411	181	18.7	16.0-21.4	793	81.3	78.6-84.0
45-54	1331	823,220	341	25.3	22.8-27.8	990	74.7	72.2-77.2
55-64	1819	865,250	748	42.0	39.5-44.5	1071	58.0	55.5-60.5
65+	3454	1,093,796	1728	50.7	48.7-52.7	1726	49.3	47.3-51.3
Less Than H.S.	643	624,023	252	31.1	27.0-35.2	391	68.9	64.8-73.0
H.S. or G.E.D.	2825	1,701,448	1105	29.3	27.3-31.3	1720	70.7	68.7-72.7
Some Post-H.S.	2284	1,571,097	845	28.1	26.1-30.1	1439	71.9	69.9-73.9
College Graduate	3021	1,209,460	857	20.3	18.7-21.9	2164	79.7	78.1-81.3
Less than \$15,000	637	407,626	292	35.4	30.9-39.9	345	64.6	60.1-69.1
\$15,000- 24,999	1207	690,953	512	32.9	29.6-36.2	695	67.1	63.8-70.4
\$25,000- 34,999	760	435,632	307	30.4	26.5-34.3	453	69.6	65.7-73.5
\$35,000- 49,999	1010	588,771	367	28.6	25.3-31.9	643	71.4	68.1-74.7
\$50,000- 74,999	1113	689,486	344	23.1	20.4-25.8	769	76.9	74.2-79.6
\$75,000+	2131	1,305,603	527	20.3	18.3-22.3	1604	79.7	77.7-81.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 7: ARTHRITIS**

**TABLE 2: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3965	2,498,227	1160	23.1	21.5-24.7	2805	76.9	75.3-78.5
White/Non-Hisp	3286	1,978,874	1004	24.7	22.9-26.5	2282	75.3	73.5-77.1
Black or Afr. Am./Non-Hisp	232	205,775	57	19.9	14.2-25.6	175	80.1	74.4-85.8
Oth. Race/Non-Hisp.	126	89,653	33	22.7	13.7-31.7	93	77.3	68.3-86.3
MultiRacial/Non-Hisp.	58	21,135	20	25.5	12.0-39.0	38	74.5	61.0-88.0
Hispanic	169	153,253	15	5.6	2.5- 8.7	154	94.4	91.3-97.5
18-24	259	349,814	4	1.5	0.0- 3.1	255	98.5	96.9- 100
25-34	378	423,958	23	7.3	4.0-10.6	355	92.7	89.4-96.0
35-44	450	410,042	63	14.7	11.0-18.4	387	85.3	81.6-89.0
45-54	622	407,841	143	22.9	19.2-26.6	479	77.1	73.4-80.8
55-64	874	421,252	335	40.6	36.9-44.3	539	59.4	55.7-63.1
65+	1382	485,321	592	44.5	41.4-47.6	790	55.5	52.4-58.6
Less Than H.S.	298	329,836	96	26.8	21.3-32.3	202	73.2	67.7-78.7
H.S. or G.E.D.	1288	885,011	421	24.1	21.6-26.6	867	75.9	73.4-78.4
Some Post-H.S.	975	720,355	314	25.1	22.2-28.0	661	74.9	72.0-77.8
College Graduate	1376	548,100	323	17.1	14.9-19.3	1053	82.9	80.7-85.1
Less than \$15,000	241	158,121	100	33.3	26.2-40.4	141	66.7	59.6-73.8
\$15,000- 24,999	484	308,414	176	28.4	23.7-33.1	308	71.6	66.9-76.3
\$25,000- 34,999	307	196,934	105	26.2	20.5-31.9	202	73.8	68.1-79.5
\$35,000- 49,999	498	313,549	161	24.9	20.4-29.4	337	75.1	70.6-79.6
\$50,000- 74,999	545	361,842	145	19.9	16.2-23.6	400	80.1	76.4-83.8
\$75,000+	1172	727,544	271	18.7	16.2-21.2	901	81.3	78.8-83.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 7: ARTHRITIS**

**TABLE 3: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4867	2,637,213	1919	30.6	29.0-32.2	2948	69.4	67.8-71.0
White/Non-Hisp	4036	2,099,908	1654	33.0	31.2-34.8	2382	67.0	65.2-68.8
Black or Afr. Am./Non-Hisp	360	237,172	124	23.8	18.9-28.7	236	76.2	71.3-81.1
Oth. Race/Non-Hisp.	105	67,797	38	26.8	15.2-38.4	67	73.2	61.6-84.8
MultiRacial/Non-Hisp.	70	25,801	30	29.5	17.3-41.7	40	70.5	58.3-82.7
Hispanic	212	159,917	40	11.9	7.6-16.2	172	88.1	83.8-92.4
18-24	202	331,560	10	4.5	1.8- 7.2	192	95.5	92.8-98.2
25-34	415	426,432	44	12.8	8.9-16.7	371	87.2	83.3-91.1
35-44	524	411,370	118	22.6	18.5-26.7	406	77.4	73.3-81.5
45-54	709	415,379	198	27.6	23.9-31.3	511	72.4	68.7-76.1
55-64	945	443,999	413	43.3	39.8-46.8	532	56.7	53.2-60.2
65+	2072	608,475	1136	55.5	53.0-58.0	936	44.5	42.0-47.0
Less Than H.S.	345	294,186	156	35.9	29.6-42.2	189	64.1	57.8-70.4
H.S. or G.E.D.	1537	816,437	684	34.9	32.0-37.8	853	65.1	62.2-68.0
Some Post-H.S.	1309	850,742	531	30.7	27.8-33.6	778	69.3	66.4-72.2
College Graduate	1645	661,360	534	22.9	20.7-25.1	1111	77.1	74.9-79.3
Less than \$15,000	396	249,506	192	36.8	30.9-42.7	204	63.2	57.3-69.1
\$15,000- 24,999	723	382,539	336	36.6	32.1-41.1	387	63.4	58.9-67.9
\$25,000- 34,999	453	238,698	202	33.8	28.5-39.1	251	66.2	60.9-71.5
\$35,000- 49,999	512	275,222	206	32.7	27.8-37.6	306	67.3	62.4-72.2
\$50,000- 74,999	568	327,644	199	26.6	22.5-30.7	369	73.4	69.3-77.5
\$75,000+	959	578,059	256	22.2	19.3-25.1	703	77.8	74.9-80.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 7: ARTHRITIS**

**TABLE 4: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3028	1,365,101	2119	69.0	66.8-71.2	909	31.0	28.8-33.2
Male	1139	567,605	731	64.4	61.1-67.7	408	35.6	32.3-38.9
Female	1889	797,497	1388	72.2	69.7-74.7	501	27.8	25.3-30.3
White/Non-Hisp	2619	1,165,175	1805	67.9	65.5-70.3	814	32.1	29.7-34.5
Black or Afr. Am./Non-Hisp	177	96,638	147	79.5	72.1-86.9	30	20.5	13.1-27.9
Oth. Race/Non-Hisp.	69	37,753	46	64.7	48.6-80.8	23	35.3	19.2-51.4
Hispanic	53	26,224	37	75.1	62.6-87.6	16	24.9	12.4-37.4
25-34	67	85,528	39	62.2	49.1-75.3	28	37.8	24.7-50.9
35-44	177	150,794	127	70.5	62.9-78.1	50	29.5	21.9-37.1
45-54	336	204,375	238	70.4	64.9-75.9	98	29.6	24.1-35.1
55-64	739	359,945	514	69.3	65.6-73.0	225	30.7	27.0-34.4
65+	1696	545,224	1193	69.0	66.3-71.7	503	31.0	28.3-33.7
Less Than H.S.	247	191,609	162	67.7	60.6-74.8	85	32.3	25.2-39.4
H.S. or G.E.D.	1088	491,246	760	69.5	66.2-72.8	328	30.5	27.2-33.8
Some Post-H.S.	831	435,194	575	68.2	64.3-72.1	256	31.8	27.9-35.7
College Graduate	845	241,989	612	71.0	67.3-74.7	233	29.0	25.3-32.7
Less than \$15,000	286	140,944	203	68.5	61.4-75.6	83	31.5	24.4-38.6
\$15,000- 24,999	505	225,451	362	70.3	65.2-75.4	143	29.7	24.6-34.8
\$25,000- 34,999	302	130,833	230	72.9	66.4-79.4	72	27.1	20.6-33.6
\$35,000- 49,999	366	167,971	240	63.9	57.4-70.4	126	36.1	29.6-42.6
\$50,000- 74,999	336	155,930	236	68.9	63.0-74.8	100	31.1	25.2-37.0
\$75,000+	519	261,247	342	66.4	61.5-71.3	177	33.6	28.7-38.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 7: ARTHRITIS**

**TABLE 5: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1139	567,605	731	64.4	60.9-67.9	408	35.6	32.1-39.1
White/Non-Hisp	988	480,425	627	62.9	59.2-66.6	361	37.1	33.4-40.8
Black or Afr. Am./Non-Hisp	56	40,709	44	79.1	67.5-90.7	12	20.9	9.3-32.5
35-44	62	59,156	37	60.4	47.5-73.3	25	39.6	26.7-52.5
45-54	141	91,443	86	62.0	53.0-71.0	55	38.0	29.0-47.0
55-64	330	168,617	218	66.5	60.8-72.2	112	33.5	27.8-39.2
65+	579	212,229	376	65.7	61.0-70.4	203	34.3	29.6-39.0
Less Than H.S.	93	86,927	54	61.5	50.1-72.9	39	38.5	27.1-49.9
H.S. or G.E.D.	417	210,568	271	65.2	59.9-70.5	146	34.8	29.5-40.1
Some Post-H.S.	307	177,249	195	65.3	59.2-71.4	112	34.7	28.6-40.8
College Graduate	316	91,773	208	64.1	57.6-70.6	108	35.9	29.4-42.4
Less than \$15,000	98	51,360	63	63.0	51.0-75.0	35	37.0	25.0-49.0
\$15,000- 24,999	173	86,540	118	66.6	58.2-75.0	55	33.4	25.0-41.8
\$25,000- 34,999	102	50,704	73	68.2	56.8-79.6	29	31.8	20.4-43.2
\$35,000- 49,999	160	78,062	98	58.9	49.1-68.7	62	41.1	31.3-50.9
\$50,000- 74,999	141	69,925	87	59.5	49.9-69.1	54	40.5	30.9-50.1
\$75,000+	269	135,393	165	64.5	57.6-71.4	104	35.5	28.6-42.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 7: ARTHRITIS**

**TABLE 6: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1889	797,497	1388	72.2	69.7-74.7	501	27.8	25.3-30.3
White/Non-Hisp	1631	684,750	1178	71.4	68.7-74.1	453	28.6	25.9-31.3
Black or Afr. Am./Non-Hisp	121	55,929	103	79.8	70.2-89.4	18	20.2	10.6-29.8
35-44	115	91,638	90	77.0	68.2-85.8	25	23.0	14.2-31.8
45-54	195	112,933	152	77.2	70.5-83.9	43	22.8	16.1-29.5
55-64	409	191,328	296	71.8	66.7-76.9	113	28.2	23.1-33.3
65+	1117	332,995	817	71.2	67.9-74.5	300	28.8	25.5-32.1
Less Than H.S.	154	104,683	108	72.8	64.4-81.2	46	27.2	18.8-35.6
H.S. or G.E.D.	671	280,678	489	72.7	68.4-77.0	182	27.3	23.0-31.6
Some Post-H.S.	524	257,946	380	70.1	65.2-75.0	144	29.9	25.0-34.8
College Graduate	529	150,216	404	75.3	70.8-79.8	125	24.7	20.2-29.2
Less than \$15,000	188	89,584	140	71.7	63.1-80.3	48	28.3	19.7-36.9
\$15,000- 24,999	332	138,912	244	72.7	66.4-79.0	88	27.3	21.0-33.6
\$25,000- 34,999	200	80,129	157	75.9	68.1-83.7	43	24.1	16.3-31.9
\$35,000- 49,999	206	89,909	142	68.3	59.9-76.7	64	31.7	23.3-40.1
\$50,000- 74,999	195	86,006	149	76.5	69.6-83.4	46	23.5	16.6-30.4
\$75,000+	250	125,854	177	68.4	61.1-75.7	73	31.6	24.3-38.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 7: ARTHRITIS**

**TABLE 7. HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3059	1,377,261	483	16.0	14.2-17.8	2576	84.0	82.2-85.8
Male	1148	572,410	152	14.3	11.8-16.8	996	85.7	83.2-88.2
Female	1911	804,851	331	17.2	15.0-19.4	1580	82.8	80.6-85.0
White/Non-Hisp	2641	1,174,647	398	15.6	13.8-17.4	2243	84.4	82.6-86.2
Black or Afr. Am./Non-Hisp	181	97,506	39	21.3	14.2-28.4	142	78.7	71.6-85.8
Oth. Race/Non-Hisp.	70	38,070	8	7.8	1.3-14.3	62	92.2	85.7-98.7
MultiRacial/Non-Hisp.	50	13,012	14	33.0	14.6-51.4	36	67.0	48.6-85.4
Hispanic	55	27,576	10	13.2	4.0-22.4	45	86.8	77.6-96.0
25-34	67	85,528	12	20.0	9.0-31.0	55	80.0	69.0-91.0
35-44	179	151,769	25	14.3	8.2-20.4	154	85.7	79.6-91.8
45-54	338	206,030	55	16.6	12.3-20.9	283	83.4	79.1-87.7
55-64	746	362,510	129	17.1	14.0-20.2	617	82.9	79.8-86.0
65+	1715	551,129	260	14.9	12.7-17.1	1455	85.1	82.9-87.3
Less Than H.S.	250	193,456	31	14.1	8.6-19.6	219	85.9	80.4-91.4
H.S. or G.E.D.	1101	496,663	153	14.3	11.8-16.8	948	85.7	83.2-88.2
Some Post-H.S.	838	437,840	142	17.3	14.2-20.4	696	82.7	79.6-85.8
College Graduate	851	243,593	154	18.4	15.3-21.5	697	81.6	78.5-84.7
Less than \$15,000	292	144,491	50	16.7	11.6-21.8	242	83.3	78.2-88.4
\$15,000- 24,999	511	227,228	90	19.8	14.7-24.9	421	80.2	75.1-85.3
\$25,000- 34,999	302	130,676	48	16.0	10.9-21.1	254	84.0	78.9-89.1
\$35,000- 49,999	366	168,022	64	18.0	12.9-23.1	302	82.0	76.9-87.1
\$50,000- 74,999	340	156,228	53	15.4	10.9-19.9	287	84.6	80.1-89.1
\$75,000+	524	263,636	76	14.3	10.6-18.0	448	85.7	82.0-89.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 7: ARTHRITIS**

**TABLE 8: HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1148	572,410	152	14.3	11.8-16.8	996	85.7	83.2-88.2
White/Non-Hisp	994	484,980	129	13.9	11.2-16.6	865	86.1	83.4-88.8
Black or Afr. Am./Non-Hisp	57	40,985	9	18.2	6.8-29.6	48	81.8	70.4-93.2
35-44	63	60,102	7	11.5	2.7-20.3	56	88.5	79.7-97.3
45-54	141	91,632	22	16.6	9.7-23.5	119	83.4	76.5-90.3
55-64	333	170,238	50	16.3	11.6-21.0	283	83.7	79.0-88.4
65+	584	214,279	70	12.6	9.3-15.9	514	87.4	84.1-90.7
Less Than H.S.	96	88,397	10	12.8	5.0-20.6	86	87.2	79.4-95.0
H.S. or G.E.D.	419	212,632	53	12.8	9.3-16.3	366	87.2	83.7-90.7
Some Post-H.S.	308	177,506	42	17.0	11.5-22.5	266	83.0	77.5-88.5
College Graduate	319	92,786	47	13.9	9.6-18.2	272	86.1	81.8-90.4
Less than \$15,000	100	52,623	16	18.3	8.9-27.7	84	81.7	72.3-91.1
\$15,000- 24,999	176	87,618	29	20.8	12.6-29.0	147	79.2	71.0-87.4
\$25,000- 34,999	100	50,007	13	14.3	5.5-23.1	87	85.7	76.9-94.5
\$35,000- 49,999	160	78,113	22	16.2	8.9-23.5	138	83.8	76.5-91.1
\$50,000- 74,999	142	70,028	20	13.9	7.4-20.4	122	86.1	79.6-92.6
\$75,000+	270	136,029	29	10.7	6.2-15.2	241	89.3	84.8-93.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 7: ARTHRITIS**

**TABLE 9: HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1911	804,851	331	17.2	15.0-19.4	1580	82.8	80.6-85.0
White/Non-Hisp	1647	689,667	269	16.8	14.4-19.2	1378	83.2	80.8-85.6
Black or Afr. Am./Non-Hisp	124	56,521	30	23.6	14.6-32.6	94	76.4	67.4-85.4
35-44	116	91,667	18	16.2	7.8-24.6	98	83.8	75.4-92.2
45-54	197	114,399	33	16.6	10.9-22.3	164	83.4	77.7-89.1
55-64	413	192,272	79	17.8	13.7-21.9	334	82.2	78.1-86.3
65+	1131	336,851	190	16.4	13.9-18.9	941	83.6	81.1-86.1
Less Than H.S.	154	105,059	21	15.2	7.6-22.8	133	84.8	77.2-92.4
H.S. or G.E.D.	682	284,031	100	15.5	12.0-19.0	582	84.5	81.0-88.0
Some Post-H.S.	530	260,335	100	17.6	13.9-21.3	430	82.4	78.7-86.1
College Graduate	532	150,807	107	21.2	16.7-25.7	425	78.8	74.3-83.3
Less than \$15,000	192	91,868	34	15.8	9.9-21.7	158	84.2	78.3-90.1
\$15,000- 24,999	335	139,610	61	19.1	12.8-25.4	274	80.9	74.6-87.2
\$25,000- 34,999	202	80,669	35	17.0	10.7-23.3	167	83.0	76.7-89.3
\$35,000- 49,999	206	89,909	42	19.6	12.5-26.7	164	80.4	73.3-87.5
\$50,000- 74,999	198	86,200	33	16.7	10.2-23.2	165	83.3	76.8-89.8
\$75,000+	254	127,608	47	18.3	12.2-24.4	207	81.7	75.6-87.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 7: ARTHRITIS**

**TABLE 10: ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3040	1,369,735	1265	43.8	41.6-46.0	1775	56.2	54.0-58.4
Male	1150	571,424	430	39.3	35.8-42.8	720	60.7	57.2-64.2
Female	1890	798,311	835	47.0	44.1-49.9	1055	53.0	50.1-55.9
White/Non-Hisp	2626	1,167,982	1079	43.5	41.1-45.9	1547	56.5	54.1-58.9
Black or Afr. Am./Non-Hisp	178	96,318	80	47.9	38.9-56.9	98	52.1	43.1-61.1
Oth. Race/Non-Hisp.	70	38,198	28	31.9	17.6-46.2	42	68.1	53.8-82.4
MultiRacial/Non-Hisp.	50	13,012	22	53.5	36.1-70.9	28	46.5	29.1-63.9
Hispanic	54	27,283	24	52.4	36.9-67.9	30	47.6	32.1-63.1
25-34	67	85,528	32	51.1	37.6-64.6	35	48.9	35.4-62.4
35-44	178	151,333	86	47.1	38.7-55.5	92	52.9	44.5-61.3
45-54	339	206,810	169	53.1	47.2-59.0	170	46.9	41.0-52.8
55-64	741	360,366	350	47.5	43.4-51.6	391	52.5	48.4-56.6
65+	1701	545,404	623	36.2	33.5-38.9	1078	63.8	61.1-66.5
Less Than H.S.	250	192,780	127	56.3	49.0-63.6	123	43.7	36.4-51.0
H.S. or G.E.D.	1091	493,562	431	40.9	37.4-44.4	660	59.1	55.6-62.6
Some Post-H.S.	833	435,773	355	44.5	40.4-48.6	478	55.5	51.4-59.6
College Graduate	847	242,113	345	38.7	34.8-42.6	502	61.3	57.4-65.2
Less than \$15,000	290	143,136	167	61.6	54.5-68.7	123	38.4	31.3-45.5
\$15,000- 24,999	503	223,358	256	56.3	50.8-61.8	247	43.7	38.2-49.2
\$25,000- 34,999	303	131,226	121	41.1	34.2-48.0	182	58.9	52.0-65.8
\$35,000- 49,999	364	167,280	134	38.4	31.7-45.1	230	61.6	54.9-68.3
\$50,000- 74,999	342	158,404	129	39.3	33.0-45.6	213	60.7	54.4-67.0
\$75,000+	525	264,079	187	34.5	29.4-39.6	338	65.5	60.4-70.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 7: ARTHRITIS**

**TABLE 11: ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1150	571,424	430	39.3	35.8-42.8	720	60.7	57.2-64.2
White/Non-Hisp	995	482,950	361	38.8	35.1-42.5	634	61.2	57.5-64.9
Black or Afr. Am./Non-Hisp	57	40,985	24	43.4	28.5-58.3	33	56.6	41.7-71.5
35-44	62	59,135	24	38.8	25.7-51.9	38	61.2	48.1-74.3
45-54	143	93,376	66	48.3	39.1-57.5	77	51.7	42.5-60.9
55-64	333	169,788	136	42.2	36.1-48.3	197	57.8	51.7-63.9
65+	585	212,965	192	32.0	27.5-36.5	393	68.0	63.5-72.5
Less Than H.S.	95	87,352	49	57.0	45.6-68.4	46	43.0	31.6-54.4
H.S. or G.E.D.	416	210,810	145	35.0	29.7-40.3	271	65.0	59.7-70.3
Some Post-H.S.	310	178,427	118	38.4	32.1-44.7	192	61.6	55.3-67.9
College Graduate	323	93,747	115	33.8	27.7-39.9	208	66.2	60.1-72.3
Less than \$15,000	99	51,656	54	65.7	54.9-76.5	45	34.3	23.5-45.1
\$15,000- 24,999	173	85,908	86	53.9	45.1-62.7	87	46.1	37.3-54.9
\$25,000- 34,999	105	51,680	37	35.5	24.3-46.7	68	64.5	53.3-75.7
\$35,000- 49,999	159	77,455	51	34.5	24.7-44.3	108	65.5	55.7-75.3
\$50,000- 74,999	145	71,907	48	31.3	22.7-39.9	97	68.7	60.1-77.3
\$75,000+	271	136,308	89	29.8	23.1-36.5	182	70.2	63.5-76.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 7: ARTHRITIS**

**TABLE 12: ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1890	798,311	835	47.0	44.1-49.9	1055	53.0	50.1-55.9
White/Non-Hisp	1631	685,032	718	46.8	43.7-49.9	913	53.2	50.1-56.3
Black or Afr. Am./Non-Hisp	121	55,333	56	51.2	40.2-62.2	65	48.8	37.8-59.8
35-44	116	92,198	62	52.5	41.9-63.1	54	47.5	36.9-58.1
45-54	196	113,435	103	57.0	49.4-64.6	93	43.0	35.4-50.6
55-64	408	190,577	214	52.1	46.6-57.6	194	47.9	42.4-53.4
65+	1116	332,438	431	38.9	35.4-42.4	685	61.1	57.6-64.6
Less Than H.S.	155	105,428	78	55.7	46.1-65.3	77	44.3	34.7-53.9
H.S. or G.E.D.	675	282,752	286	45.3	40.6-50.0	389	54.7	50.0-59.4
Some Post-H.S.	523	257,347	237	48.8	43.5-54.1	286	51.2	45.9-56.5
College Graduate	524	148,366	230	41.8	36.7-46.9	294	58.2	53.1-63.3
Less than \$15,000	191	91,480	113	59.3	50.3-68.3	78	40.7	31.7-49.7
\$15,000- 24,999	330	137,451	170	57.9	51.0-64.8	160	42.1	35.2-49.0
\$25,000- 34,999	198	79,546	84	44.8	36.2-53.4	114	55.2	46.6-63.8
\$35,000- 49,999	205	89,825	83	41.7	32.9-50.5	122	58.3	49.5-67.1
\$50,000- 74,999	197	86,497	81	46.1	37.3-54.9	116	53.9	45.1-62.7
\$75,000+	254	127,771	98	39.6	32.2-47.0	156	60.4	53.0-67.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 7: ARTHRITIS**

**TABLE 13: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis  
Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2972	1,345,570	953	36.8	34.6-39.0	2019	63.2	61.0-65.4
Male	1122	561,126	355	36.5	33.0-40.0	767	63.5	60.0-67.0
Female	1850	784,444	598	37.0	34.1-39.9	1252	63.0	60.1-65.9
White/Non-Hisp	2567	1,148,631	781	35.1	32.7-37.5	1786	64.9	62.5-67.3
Black or Afr. Am./Non-Hisp	173	93,391	79	49.2	40.0-58.4	94	50.8	41.6-60.0
Oth. Race/Non-Hisp.	69	38,046	30	43.2	26.7-59.7	39	56.8	40.3-73.3
Hispanic	55	27,576	20	43.1	27.4-58.8	35	56.9	41.2-72.6
25-34	67	85,528	33	52.1	38.6-65.6	34	47.9	34.4-61.4
35-44	180	152,269	87	47.8	39.6-56.0	93	52.2	44.0-60.4
45-54	337	206,242	152	47.8	41.9-53.7	185	52.2	46.3-58.1
55-64	724	349,598	287	40.5	36.4-44.6	437	59.5	55.4-63.6
65+	1650	531,639	387	24.0	21.5-26.5	1263	76.0	73.5-78.5
Less Than H.S.	241	188,025	102	49.0	41.4-56.6	139	51.0	43.4-58.6
H.S. or G.E.D.	1063	484,680	376	38.3	34.8-41.8	687	61.7	58.2-65.2
Some Post-H.S.	813	427,130	271	37.3	33.2-41.4	542	62.7	58.6-66.8
College Graduate	836	240,337	199	23.4	20.1-26.7	637	76.6	73.3-79.9
Less than \$15,000	278	139,061	149	58.1	51.0-65.2	129	41.9	34.8-49.0
\$15,000- 24,999	488	218,591	224	54.4	48.7-60.1	264	45.6	39.9-51.3
\$25,000- 34,999	297	127,259	95	34.6	27.9-41.3	202	65.4	58.7-72.1
\$35,000- 49,999	356	164,374	99	35.4	28.5-42.3	257	64.6	57.7-71.5
\$50,000- 74,999	337	156,506	88	30.0	23.7-36.3	249	70.0	63.7-76.3
\$75,000+	521	262,697	111	23.2	18.5-27.9	410	76.8	72.1-81.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 7: ARTHRITIS**

**TABLE 14: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis**

**Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1122	561,126	355	36.5	33.0-40.0	767	63.5	60.0-67.0
White/Non-Hisp	973	476,166	293	35.5	31.6-39.4	680	64.5	60.6-68.4
Black or Afr. Am./Non-Hisp	54	38,792	24	45.7	30.2-61.2	30	54.3	38.8-69.8
35-44	62	59,156	25	41.0	27.7-54.3	37	59.0	45.7-72.3
45-54	141	92,413	61	46.5	37.3-55.7	80	53.5	44.3-62.7
55-64	326	164,846	124	41.5	35.4-47.6	202	58.5	52.4-64.6
65+	566	208,552	129	23.3	19.0-27.6	437	76.7	72.4-81.0
Less Than H.S.	94	86,406	43	51.3	39.5-63.1	51	48.7	36.9-60.5
H.S. or G.E.D.	408	208,443	142	37.7	32.2-43.2	266	62.3	56.8-67.8
Some Post-H.S.	303	174,098	99	34.9	28.6-41.2	204	65.1	58.8-71.4
College Graduate	311	91,090	69	23.0	17.3-28.7	242	77.0	71.3-82.7
Less than \$15,000	97	51,016	56	67.7	56.9-78.5	41	32.3	21.5-43.1
\$15,000- 24,999	169	84,484	77	49.7	40.7-58.7	92	50.3	41.3-59.3
\$25,000- 34,999	101	49,004	29	32.6	21.2-44.0	72	67.4	56.0-78.8
\$35,000- 49,999	155	77,022	44	36.5	26.3-46.7	111	63.5	53.3-73.7
\$50,000- 74,999	142	70,695	41	29.3	20.5-38.1	101	70.7	61.9-79.5
\$75,000+	266	134,636	55	23.8	17.1-30.5	211	76.2	69.5-82.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 7: ARTHRITIS**

**TABLE 15: IN THIS NEXT QUESTION WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents who have not had joint pain in the past 30 days or were not told they had arthritis**

**Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1850	784,444	598	37.0	34.1-39.9	1252	63.0	60.1-65.9
White/Non-Hisp	1594	672,465	488	34.9	31.8-38.0	1106	65.1	62.0-68.2
Black or Afr. Am./Non-Hisp	119	54,599	55	51.7	40.5-62.9	64	48.3	37.1-59.5
35-44	118	93,113	62	52.1	41.7-62.5	56	47.9	37.5-58.3
45-54	196	113,829	91	48.8	41.2-56.4	105	51.2	43.6-58.8
55-64	398	184,752	163	39.5	34.0-45.0	235	60.5	55.0-66.0
65+	1084	323,087	258	24.5	21.4-27.6	826	75.5	72.4-78.6
Less Than H.S.	147	101,619	59	47.0	36.8-57.2	88	53.0	42.8-63.2
H.S. or G.E.D.	655	276,237	234	38.8	34.1-43.5	421	61.2	56.5-65.9
Some Post-H.S.	510	253,033	172	38.9	33.6-44.2	338	61.1	55.8-66.4
College Graduate	525	149,247	130	23.7	19.4-28.0	395	76.3	72.0-80.6
Less than \$15,000	181	88,045	93	52.5	43.3-61.7	88	47.5	38.3-56.7
\$15,000- 24,999	319	134,107	147	57.3	50.2-64.4	172	42.7	35.6-49.8
\$25,000- 34,999	196	78,255	66	35.9	27.7-44.1	130	64.1	55.9-72.3
\$35,000- 49,999	201	87,352	55	34.5	25.3-43.7	146	65.5	56.3-74.7
\$50,000- 74,999	195	85,811	47	30.5	21.7-39.3	148	69.5	60.7-78.3
\$75,000+	255	128,061	56	22.7	16.2-29.2	199	77.3	70.8-83.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 7: ARTHRITIS**

**TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3015	1,362,888	218	6.9	5.7- 8.1	816	25.1	23.1-27.1
Male	1142	571,083	102	7.8	6.0- 9.6	361	29.2	26.1-32.3
Female	1873	791,805	116	6.2	4.8- 7.6	455	22.1	19.7-24.5
White/Non-Hisp	2605	1,163,374	184	6.5	5.3- 7.7	743	26.3	24.1-28.5
Black or Afr. Am./Non-Hisp	178	96,216	12	6.3	1.8-10.8	22	13.3	6.8-19.8
Oth. Race/Non-Hisp.	66	36,652	9	17.9	4.2-31.6	18	31.3	15.4-47.2
Hispanic	54	27,249	5	9.1	1.1-17.1	6	8.7	1.1-16.3
25-34	67	85,528	6	7.8	1.1-14.5	9	16.8	6.0-27.6
35-44	179	152,341	12	6.5	2.4-10.6	45	26.9	19.5-34.3
45-54	337	205,407	16	4.6	2.1- 7.1	79	21.5	16.8-26.2
55-64	740	359,241	39	5.1	3.3- 6.9	183	23.0	19.7-26.3
65+	1678	540,077	143	8.5	6.7-10.3	496	28.4	25.9-30.9
Less Than H.S.	242	188,751	20	6.7	3.4-10.0	26	12.8	7.1-18.5
H.S. or G.E.D.	1079	490,382	66	5.6	4.0- 7.2	260	24.2	21.1-27.3
Some Post-H.S.	833	436,421	52	6.4	4.4- 8.4	210	25.1	21.6-28.6
College Graduate	843	241,977	78	10.4	7.5-13.3	312	35.7	31.8-39.6
Less than \$15,000	284	141,617	11	2.9	0.9- 4.9	36	11.3	6.4-16.2
\$15,000- 24,999	502	224,091	25	3.5	1.7- 5.3	92	15.3	11.6-19.0
\$25,000- 34,999	304	130,724	24	9.3	4.6-14.0	79	22.6	17.1-28.1
\$35,000- 49,999	361	165,967	19	5.3	2.6- 8.0	110	30.0	23.9-36.1
\$50,000- 74,999	339	157,546	18	5.6	2.3- 8.9	117	31.8	25.9-37.7
\$75,000+	525	263,940	55	10.6	7.3-13.9	192	34.7	29.8-39.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 7: ARTHRITIS**

**TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

N	4-6 Pain Scale		N	7-8 Pain Scale		N	9-10 Pain Scale	
	%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
1089	35.4	33.2-37.6	602	21.7	19.7-23.7	290	10.9	9.3-12.5
407	35.5	32.2-38.8	202	20.3	17.4-23.2	70	7.3	5.3- 9.3
682	35.4	32.7-38.1	400	22.8	20.3-25.3	220	13.6	11.4-15.8
963	36.9	34.5-39.3	494	20.6	18.6-22.6	221	9.8	8.2-11.4
56	27.5	19.7-35.3	54	31.8	23.2-40.4	34	21.1	13.8-28.4
18	20.3	8.5-32.1	11	21.3	6.6-36.0	10	9.2	1.9-16.5
17	24.1	11.8-36.4	15	31.4	16.1-46.7	11	26.7	12.2-41.2
26	39.3	26.0-52.6	19	27.1	15.3-38.9	7	9.0	1.7-16.3
47	24.8	17.7-31.9	46	24.5	17.4-31.6	29	17.3	10.4-24.2
113	33.7	28.2-39.2	91	28.5	23.0-34.0	38	11.6	7.9-15.3
259	35.9	32.0-39.8	168	23.5	20.0-27.0	91	12.5	9.8-15.2
639	38.2	35.5-40.9	277	16.8	14.6-19.0	123	8.0	6.4- 9.6
72	27.3	20.6-34.0	65	26.5	20.0-33.0	59	26.8	19.9-33.7
384	35.4	31.9-38.9	254	25.0	21.9-28.1	115	9.8	7.6-12.0
321	37.7	33.8-41.6	172	21.5	18.0-25.0	78	9.3	7.1-11.5
308	37.9	33.8-42.0	109	12.0	9.5-14.5	36	4.0	2.4- 5.6
85	27.3	21.2-33.4	86	32.7	25.6-39.8	66	25.8	19.3-32.3
180	34.8	29.5-40.1	142	29.6	24.3-34.9	63	16.8	12.1-21.5
109	32.6	26.1-39.1	68	28.0	21.3-34.7	24	7.5	4.2-10.8
143	39.7	33.0-46.4	67	19.7	14.6-24.8	22	5.2	2.7- 7.7
139	40.6	34.1-47.1	50	16.4	11.5-21.3	15	5.7	2.0- 9.4
190	36.8	31.7-41.9	70	15.1	11.2-19.0	18	2.9	1.3- 4.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 7: ARTHRITIS**

**TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1142	571,083	102	7.8	6.0- 9.6	361	29.2	26.1-32.3
White/Non-Hisp	990	483,083	86	7.2	5.4- 9.0	330	30.9	27.4-34.4
Black or Afr. Am./Non-Hisp	57	40,985	5	5.2	0.0-10.9	8	15.4	3.1-27.7
35-44	62	59,775	6	7.3	0.8-13.8	23	38.6	25.7-51.5
45-54	142	92,759	12	7.0	2.5-11.5	37	25.6	17.8-33.4
55-64	335	171,078	19	4.8	2.4- 7.2	92	24.6	19.5-29.7
65+	576	211,311	64	11.0	7.9-14.1	203	32.5	28.0-37.0
Less Than H.S.	92	86,987	5	4.7	0.4- 9.0	17	18.7	9.1-28.3
H.S. or G.E.D.	415	211,041	30	6.3	3.8- 8.8	113	26.2	21.3-31.1
Some Post-H.S.	311	179,332	25	7.9	4.6-11.2	99	31.9	25.8-38.0
College Graduate	318	92,634	41	13.6	8.1-19.1	130	40.2	33.7-46.7
Less than \$15,000	97	51,735	5	4.5	0.0- 9.0	16	11.2	4.9-17.5
\$15,000- 24,999	174	86,875	10	4.4	1.1- 7.7	44	22.5	15.6-29.4
\$25,000- 34,999	104	51,012	11	9.1	2.6-15.6	30	26.7	16.5-36.9
\$35,000- 49,999	159	77,721	7	3.9	0.8- 7.0	55	34.0	24.6-43.4
\$50,000- 74,999	144	71,710	9	6.0	1.7-10.3	51	32.1	23.5-40.7
\$75,000+	270	135,898	34	12.2	7.3-17.1	109	37.4	30.1-44.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 7: ARTHRITIS**

**TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
407	35.5	32.2-38.8	202	20.3	17.4-23.2	70	7.3	5.3- 9.3
356	35.8	32.1-39.5	166	19.8	16.7-22.9	52	6.4	4.4- 8.4
20	36.3	22.0-50.6	15	25.6	12.7-38.5	9	17.5	5.9-29.1
11	17.9	7.1-28.7	14	20.9	10.5-31.3	8	15.2	5.0-25.4
49	35.7	27.1-44.3	36	26.3	18.1-34.5	8	5.4	1.5- 9.3
129	40.1	34.2-46.0	67	22.4	17.3-27.5	28	8.1	4.6-11.6
209	36.7	32.0-41.4	78	15.6	11.7-19.5	22	4.1	1.9- 6.3
31	30.8	19.8-41.8	26	28.7	18.3-39.1	13	17.0	8.0-26.0
153	37.3	31.8-42.8	92	23.3	18.6-28.0	27	6.9	4.0- 9.8
117	37.1	31.0-43.2	50	17.5	12.2-22.8	20	5.5	2.8- 8.2
104	32.5	26.2-38.8	34	11.1	7.0-15.2	9	2.6	0.8- 4.4
33	31.0	20.4-41.6	28	31.7	20.1-43.3	15	21.7	10.9-32.5
61	34.5	26.1-42.9	45	28.1	19.5-36.7	14	10.4	4.5-16.3
39	34.8	23.8-45.8	19	24.4	13.2-35.6	5	5.1	0.0-10.2
60	39.4	29.6-49.2	31	20.9	13.1-28.7	6	1.8	0.2- 3.4
59	42.9	33.3-52.5	21	16.7	9.4-24.0	4	2.2	0.0- 4.6
90	33.7	26.6-40.8	30	14.5	9.2-19.8	7	2.2	0.0- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 7: ARTHRITIS**

**TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Pain			1-3 Pain Scale		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1873	791,805	116	6.2	4.8- 7.6	455	22.1	19.7-24.5
White/Non-Hisp	1615	680,292	98	6.0	4.4- 7.6	413	23.0	20.5-25.5
Black or Afr. Am./Non-Hisp	121	55,230	7	7.1	0.6-13.6	14	11.8	5.1-18.5
35-44	117	92,566	6	6.0	0.7-11.3	22	19.3	11.3-27.3
45-54	195	112,648	4	2.7	0.0- 5.4	42	18.2	12.5-23.9
55-64	405	188,163	20	5.3	2.6- 8.0	91	21.5	17.0-26.0
65+	1102	328,765	79	6.9	5.1- 8.7	293	25.8	22.9-28.7
Less Than H.S.	150	101,764	15	8.4	3.3-13.5	9	7.7	1.0-14.4
H.S. or G.E.D.	664	279,341	36	5.0	3.0- 7.0	147	22.6	18.7-26.5
Some Post-H.S.	522	257,089	27	5.3	2.8- 7.8	111	20.5	16.4-24.6
College Graduate	525	149,344	37	8.5	5.2-11.8	182	32.9	28.0-37.8
Less than \$15,000	187	89,883	6	2.0	0.2- 3.8	20	11.4	4.7-18.1
\$15,000- 24,999	328	137,216	15	2.9	0.9- 4.9	48	10.8	7.3-14.3
\$25,000- 34,999	200	79,712	13	9.4	3.1-15.7	49	20.0	13.9-26.1
\$35,000- 49,999	202	88,247	12	6.6	2.3-10.9	55	26.5	18.7-34.3
\$50,000- 74,999	195	85,836	9	5.2	0.5- 9.9	66	31.5	23.7-39.3
\$75,000+	255	128,042	21	8.8	4.5-13.1	83	31.9	25.0-38.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 7: ARTHRITIS**

**TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

4-6 Pain Scale			7-8 Pain Scale			9-10 Pain Scale		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
682	35.4	32.7-38.1	400	22.8	20.3-25.3	220	13.6	11.4-15.8
607	37.7	34.8-40.6	328	21.1	18.6-23.6	169	12.2	10.0-14.4
36	20.9	12.9-28.9	39	36.4	25.4-47.4	25	23.7	14.3-33.1
36	29.3	20.1-38.5	32	26.8	17.6-36.0	21	18.6	9.6-27.6
64	32.1	24.8-39.4	55	30.3	23.0-37.6	30	16.7	10.8-22.6
130	32.0	26.7-37.3	101	24.6	19.7-29.5	63	16.5	12.4-20.6
430	39.2	35.7-42.7	199	17.6	14.9-20.3	101	10.5	8.1-12.9
41	24.2	16.2-32.2	39	24.6	16.4-32.8	46	35.1	25.3-44.9
231	34.0	29.5-38.5	162	26.3	22.0-30.6	88	12.1	9.2-15.0
204	38.1	33.0-43.2	122	24.3	19.8-28.8	58	11.9	8.8-15.0
204	41.2	36.1-46.3	75	12.5	9.4-15.6	27	4.9	2.7- 7.1
52	25.1	17.7-32.5	58	33.4	24.8-42.0	51	28.1	20.1-36.1
119	34.9	28.2-41.6	97	30.5	23.8-37.2	49	20.9	14.2-27.6
70	31.2	23.4-39.0	49	30.3	22.1-38.5	19	9.0	4.5-13.5
83	40.0	31.0-49.0	36	18.7	12.0-25.4	16	8.3	3.6-13.0
80	38.6	30.2-47.0	29	16.1	9.6-22.6	11	8.7	2.4-15.0
100	40.1	32.7-47.5	40	15.6	9.9-21.3	11	3.6	1.1- 6.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* **NOTE** \* \* \* \* \*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
\* \* \* \* \*

TABLE	PAGE
1	107
4	110
5	111
6	112
7	113
8	114
9	115
10	116
11	117
12	118
13	119
14	120
15	121
16	122
17	123
18	124
19	125
20	126
21	127

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* **NOTE** \* \* \* \* \*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
\* \* \* \* \*

TABLE	PAGE
IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)	
22 MALES AND FEMALES	128
23 MALES ONLY	129
24 FEMALES ONLY	130
WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)	
25 MALES AND FEMALES	131
26 MALES ONLY	132
27 FEMALES ONLY	133
NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)	
28 MALES AND FEMALES	134
29 MALES ONLY	135
30 FEMALES ONLY	136
HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)	
31 MALES AND FEMALES	137
32 MALES ONLY	138
33 FEMALES ONLY	139
HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)	
34 MALES AND FEMALES	140
35 MALES ONLY	141
36 FEMALES ONLY	142
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
37 MALES AND FEMALES	143
38 MALES ONLY	144
39 FEMALES ONLY	145
ARE YOU CURRENTLY...? (EMPLOY1)	
40 MALES AND FEMALES	146
41 MALES ONLY	147
42 FEMALES ONLY	148

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019**

**SECTION 8: DEMOGRAPHICS CONTENTS**

**\* NOTE \* \* \* \* \***  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
**\* \* \* \* \***

TABLE	PAGE
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
43 MALES AND FEMALES	149
44 MALES ONLY	150
45 FEMALES ONLY	151
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
46 MALES AND FEMALES	152
47 MALES ONLY	153
48 FEMALES ONLY	154
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
49 MALES AND FEMALES	155
50 MALES ONLY	156
51 FEMALES ONLY	157
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
52 MALES AND FEMALES	158
53 MALES ONLY	159
54 FEMALES ONLY	160
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
55 MALES AND FEMALES	161
56 MALES ONLY	162
57 FEMALES ONLY	163
ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)	
58 MALES AND FEMALES	164
59 MALES ONLY	165
60 FEMALES ONLY	166
ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	
64 MALES AND FEMALES	170
65 MALES ONLY	171
66 FEMALES ONLY	172
DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	
67 MALES AND FEMALES	173

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019

SECTION 8: DEMOGRAPHICS CONTENTS

\* NOTE \* \* \* \* \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\* \* \* \* \*

TABLE		PAGE
68	MALES ONLY	174
69	FEMALES ONLY	175
	DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	
70	MALES AND FEMALES	176
71	MALES ONLY	177
72	FEMALES ONLY	178
	BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	
73	MALES AND FEMALES	179
74	MALES ONLY	180
75	FEMALES ONLY	181

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 1: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
TOTAL	8894	5,168,827	462	13.2	12.0-14.4	802	16.7	15.5-17.9	976	15.9	14.9-16.9	1339	16.0	15.0-17.0	1827	16.8	16.0-17.6	3488	21.4	20.6-22.2
Male	3997	2,520,706	260	14.0	12.2-15.8	386	17.2	15.4-19.0	451	16.3	14.7-17.9	627	16.3	14.9-17.7	879	16.8	15.6-18.0	1394	19.4	18.2-20.6
Female	4897	2,648,121	202	12.5	10.7-14.3	416	16.1	14.5-17.7	525	15.6	14.2-17.0	712	15.7	14.5-16.9	948	16.8	15.6-18.0	2094	23.3	22.1-24.5
White/Non-Hisp	7366	4,095,764	327	11.7	10.5-12.9	588	15.7	14.5-16.9	724	15.0	13.8-16.2	1083	15.9	14.9-16.9	1556	18.0	17.0-19.0	3088	23.7	22.7-24.7
Black or Afr. Am./Non-Hisp	598	449,728	42	17.4	12.5-22.3	69	19.0	14.7-23.3	85	16.5	12.8-20.2	95	15.5	12.2-18.8	133	16.8	13.7-19.9	174	14.8	11.9-17.7
Oth. Race/Non-Hisp.	234	160,747	18	18.4	9.8-27.0	33	22.1	14.7-29.5	39	20.7	14.0-27.4	40	17.3	11.4-23.2	34	10.4	6.3-14.5	70	11.1	7.4-14.8
MultiRacial/Non-Hisp.	129	47,146	8	17.0	6.0-28.0	16	17.5	9.3-25.7	25	25.3	15.9-34.7	19	15.3	7.7-22.9	29	12.8	7.3-18.3	32	12.1	6.8-17.4
Hispanic	384	315,984	60	24.2	18.5-29.9	89	25.8	20.7-30.9	85	23.6	18.7-28.5	65	15.3	11.4-19.2	47	6.5	4.3- 8.7	38	4.6	2.8- 6.4
Less Than H.S.	648	628,525	43	16.2	11.7-20.7	63	16.9	13.0-20.8	81	16.9	13.2-20.6	73	11.4	8.7-14.1	137	16.1	13.2-19.0	251	22.5	19.2-25.8
H.S. or G.E.D.	2850	1,716,288	188	16.6	14.4-18.8	221	15.1	13.1-17.1	249	13.1	11.5-14.7	358	13.9	12.3-15.5	586	17.5	15.9-19.1	1248	23.8	22.2-25.4
Some Post-H.S.	2295	1,576,150	149	14.2	12.0-16.4	195	15.8	13.6-18.0	265	16.3	14.3-18.3	348	17.0	15.2-18.8	483	17.2	15.6-18.8	855	19.6	18.0-21.2
College Graduate	3037	1,215,239	78	5.4	4.2- 6.6	320	20.0	18.0-22.0	375	19.1	17.3-20.9	545	19.8	18.2-21.4	612	16.0	14.6-17.4	1107	19.6	18.2-21.0
Less than \$15,000	643	412,087	45	16.3	11.6-21.0	76	21.1	16.6-25.6	60	13.0	9.5-16.5	86	12.4	9.7-15.1	162	18.7	15.4-22.0	214	18.4	15.3-21.5
\$15,000- 24,999	1213	694,014	62	13.2	9.9-16.5	111	18.5	15.2-21.8	123	14.7	12.0-17.4	143	12.3	10.1-14.5	233	17.1	14.7-19.5	541	24.2	21.7-26.7
\$25,000- 34,999	765	437,509	47	16.5	12.0-21.0	69	17.1	13.2-21.0	65	12.9	9.6-16.2	78	12.4	9.5-15.3	127	13.7	11.0-16.4	379	27.4	24.1-30.7
\$35,000- 49,999	1016	593,633	57	12.4	9.3-15.5	100	18.3	14.8-21.8	98	15.0	12.1-17.9	125	13.0	10.5-15.5	177	14.8	12.4-17.2	459	26.5	23.6-29.4
\$50,000- 74,999	1120	692,906	48	10.8	7.7-13.9	136	21.0	17.7-24.3	139	17.3	14.4-20.2	154	14.9	12.5-17.3	260	17.8	15.4-20.2	383	18.1	15.9-20.3
\$75,000+	2134	1,306,871	74	8.2	6.2-10.2	211	16.5	14.3-18.7	357	22.8	20.6-25.0	510	23.7	21.5-25.9	515	18.0	16.2-19.8	467	10.9	9.7-12.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 2: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Male	3997	2,520,706	260	14.0	12.2-15.8	386	17.2	15.4-19.0	451	16.3	14.7-17.9	627	16.3	14.9-17.7	879	16.8	15.6-18.0	1394	19.4	18.2-20.6
White/Non-Hisp	3305	1,988,292	192	12.8	11.0-14.6	298	16.8	14.8-18.8	343	15.4	13.8-17.0	513	16.3	14.9-17.7	737	17.4	16.0-18.8	1222	21.2	19.8-22.6
Black or Afr. Am./Non-Hisp	236	210,993	19	16.6	9.5-23.7	22	16.4	9.7-23.1	31	16.0	10.3-21.7	38	15.3	10.0-20.6	62	20.6	15.1-26.1	64	15.1	10.4-19.8
Oth. Race/Non-Hisp.	129	92,950	8	13.3	3.9-22.7	20	24.1	14.3-33.9	21	20.9	11.7-30.1	21	17.7	9.9-25.5	25	12.7	6.8-18.6	34	11.4	6.1-16.7
MultiRacial/Non-Hisp.	59	21,344	6	22.9	6.8-39.0	7	15.8	3.8-27.8	6	11.1	1.9-20.3	9	19.1	5.8-32.4	15	14.5	5.9-23.1	16	16.7	7.3-26.1
Hispanic	171	155,461	31	25.3	17.3-33.3	36	23.1	15.7-30.5	40	25.7	17.9-33.5	25	13.9	8.2-19.6	20	6.3	3.2-9.4	19	5.7	2.8-8.6
Less Than H.S.	301	333,593	27	16.7	10.8-22.6	32	18.2	12.3-24.1	41	16.7	11.6-21.8	42	13.6	9.3-17.9	63	14.4	10.7-18.1	96	20.4	15.9-24.9
H.S. or G.E.D.	1298	893,989	114	17.6	14.7-20.5	119	16.8	13.9-19.7	134	14.8	12.4-17.2	191	14.4	12.2-16.6	294	17.3	15.1-19.5	446	19.0	17.0-21.0
Some Post-H.S.	981	723,683	81	15.2	12.1-18.3	84	15.3	12.2-18.4	111	15.9	13.0-18.8	154	17.7	15.0-20.4	234	18.3	15.8-20.8	317	17.6	15.4-19.8
College Graduate	1386	552,259	35	4.4	2.8-6.0	149	20.0	17.1-22.9	163	19.2	16.5-21.9	232	18.9	16.5-21.3	282	15.7	13.7-17.7	525	21.9	19.7-24.1
Less than \$15,000	243	160,586	18	13.6	7.5-19.7	24	19.2	11.9-26.5	22	11.9	6.8-17.0	28	11.0	6.5-15.5	78	23.2	17.5-28.9	73	21.0	15.1-26.9
\$15,000- 24,999	488	311,058	29	12.9	8.2-17.6	48	19.6	14.3-24.9	43	12.0	8.3-15.7	67	13.7	10.2-17.2	116	19.4	15.5-23.3	185	22.4	18.5-26.3
\$25,000- 34,999	307	196,934	21	14.3	8.0-20.6	37	21.3	14.8-27.8	23	12.4	7.3-17.5	30	11.3	7.0-15.6	53	13.5	9.4-17.6	143	27.3	22.0-32.6
\$35,000- 49,999	502	317,327	39	14.2	9.9-18.5	53	18.7	13.6-23.8	51	15.7	11.4-20.0	60	12.9	9.4-16.4	86	13.4	10.3-16.5	213	25.1	21.2-29.0
\$50,000- 74,999	549	364,156	31	11.8	7.5-16.1	74	23.5	18.4-28.6	69	17.6	13.5-21.7	67	13.5	10.2-16.8	128	17.0	13.9-20.1	180	16.6	13.9-19.3
\$75,000+	1175	728,812	50	9.7	7.0-12.4	100	13.9	11.2-16.6	193	23.6	20.5-26.7	268	23.0	20.3-25.7	274	17.3	15.1-19.5	290	12.4	10.6-14.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Female	4897	2,648,121	202	12.5	10.7-14.3	416	16.1	14.5-17.7	525	15.6	14.2-17.0	712	15.7	14.5-16.9	948	16.8	15.6-18.0	2094	23.3	22.1-24.5
White/Non-Hisp	4061	2,107,472	135	10.5	8.7-12.3	290	14.6	13.0-16.2	381	14.6	13.0-16.2	570	15.6	14.2-17.0	819	18.5	17.1-19.9	1866	26.1	24.7-27.5
Black or Afr. Am./Non-Hisp	362	238,735	23	18.1	11.0-25.2	47	21.2	15.7-26.7	54	16.8	12.1-21.5	57	15.8	11.5-20.1	71	13.4	9.9-16.9	110	14.7	11.4-18.0
Oth. Race/Non-Hisp.	105	67,797	10	25.5	10.4-40.6	13	19.3	7.9-30.7	18	20.4	10.4-30.4	19	16.7	7.9-25.5	9	7.4	1.7-13.1	36	10.7	5.4-16.0
MultiRacial/Non-Hisp.	70	25,801	2	12.1	0.0-27.2	9	18.9	7.3-30.5	19	37.0	22.5-51.5	10	12.1	3.9-20.3	14	11.5	4.2-18.8	16	8.3	2.6-14.0
Hispanic	213	160,522	29	23.2	15.4-31.0	53	28.5	21.2-35.8	45	21.4	15.1-27.7	40	16.6	11.3-21.9	27	6.8	3.9- 9.7	19	3.5	1.7- 5.3
Less Than H.S.	347	294,932	16	15.5	8.4-22.6	31	15.4	10.1-20.7	40	17.2	11.9-22.5	31	8.9	5.6-12.2	74	18.0	13.5-22.5	155	24.8	20.1-29.5
H.S. or G.E.D.	1552	822,300	74	15.5	12.2-18.8	102	13.2	10.7-15.7	115	11.1	8.9-13.3	167	13.4	11.2-15.6	292	17.7	15.5-19.9	802	29.1	26.7-31.5
Some Post-H.S.	1314	852,466	68	13.4	10.5-16.3	111	16.2	13.3-19.1	154	16.7	14.2-19.2	194	16.3	13.9-18.7	249	16.2	14.0-18.4	538	21.2	19.0-23.4
College Graduate	1651	662,980	43	6.3	4.3- 8.3	171	20.0	17.3-22.7	212	19.0	16.6-21.4	313	20.6	18.2-23.0	330	16.3	14.5-18.1	582	17.8	16.0-19.6
Less than \$15,000	400	251,501	27	18.1	11.4-24.8	52	22.3	16.6-28.0	38	13.8	9.3-18.3	58	13.4	9.7-17.1	84	15.8	11.9-19.7	141	16.8	13.5-20.1
\$15,000- 24,999	725	382,956	33	13.5	9.0-18.0	63	17.6	13.5-21.7	80	16.8	12.9-20.7	76	11.1	8.4-13.8	117	15.2	12.1-18.3	356	25.7	22.4-29.0
\$25,000- 34,999	458	240,576	26	18.3	11.6-25.0	32	13.6	8.9-18.3	42	13.4	9.1-17.7	48	13.3	9.4-17.2	74	13.9	10.4-17.4	236	27.5	23.0-32.0
\$35,000- 49,999	514	276,306	18	10.3	5.6-15.0	47	17.8	12.9-22.7	47	14.2	9.9-18.5	65	13.1	9.6-16.6	91	16.4	12.9-19.9	246	28.1	24.0-32.2
\$50,000- 74,999	571	328,750	17	9.6	5.1-14.1	62	18.4	13.9-22.9	70	17.0	12.9-21.1	87	16.4	12.9-19.9	132	18.8	15.5-22.1	203	19.8	16.5-23.1
\$75,000+	959	578,059	24	6.3	3.6- 9.0	111	19.8	16.3-23.3	164	21.7	18.6-24.8	242	24.5	21.4-27.6	241	18.8	16.3-21.3	177	8.9	7.3-10.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 4: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8804	5,117,735	264	4.4	3.8- 5.0	27	0.4	0.2- 0.6	6	0.1	0.1- 0.1	85	1.3	0.9- 1.7	2	0.0	0.0- 0.0	8420	93.8	93.0-94.6
Male	3953	2,495,513	122	4.5	3.5- 5.5	9	0.3	0.1- 0.5	4	0.1	0.0- 0.3	36	1.4	0.8- 2.0				3782	93.8	92.8-94.8
Female	4851	2,622,222	142	4.3	3.5- 5.1	18	0.5	0.3- 0.7	2	0.0	0.0- 0.0	49	1.3	0.9- 1.7	2	0.1	0.1- 0.1	4638	93.9	92.9-94.9
18-24	458	674,809	46	8.5	6.0-11.0	5	0.9	0.1- 1.7				9	1.9	0.5- 3.3				398	88.7	85.8-91.6
25-34	797	855,777	62	6.7	4.9- 8.5	3	0.3	0.0- 0.7	1	0.1	0.0- 0.3	23	2.4	1.2- 3.6				708	90.5	88.3-92.7
35-44	967	815,077	60	6.8	4.8- 8.8	3	0.3	0.0- 0.7	1	0.0	0.0- 0.0	19	1.8	1.0- 2.6	2	0.2	0.0- 0.4	882	90.9	88.7-93.1
45-54	1321	817,944	43	3.7	2.5- 4.9	4	0.4	0.0- 0.8	2	0.2	0.0- 0.4	16	1.6	0.8- 2.4				1256	94.1	92.5-95.7
55-64	1810	860,585	31	1.8	1.0- 2.6	5	0.2	0.0- 0.4	1	0.1	0.0- 0.3	10	0.4	0.2- 0.6				1763	97.6	96.8-98.4
65+	3451	1,093,543	22	0.8	0.4- 1.2	7	0.3	0.1- 0.5	1	0.0	0.0- 0.0	8	0.2	0.0- 0.4				3413	98.7	98.3-99.1
Less Than H.S.	641	622,303	76	14.4	11.1-17.7	4	0.4	0.0- 0.8				22	3.6	2.0- 5.2	1	0.1	0.0- 0.3	538	81.4	77.7-85.1
H.S. or G.E.D.	2824	1,700,141	89	4.1	3.1- 5.1	10	0.4	0.0- 0.8	1	0.1	0.0- 0.3	21	1.2	0.6- 1.8	1	0.0	0.0- 0.0	2702	94.2	93.0-95.4
Some Post-H.S.	2276	1,564,496	49	2.4	1.6- 3.2	7	0.4	0.0- 0.8	2	0.1	0.1- 0.1	14	0.7	0.3- 1.1				2204	96.4	95.4-97.4
College Graduate	3009	1,204,185	44	1.9	1.3- 2.5	6	0.2	0.0- 0.4	3	0.1	0.0- 0.3	26	1.2	0.6- 1.8				2930	96.6	95.8-97.4
Less than \$15,000	634	407,618	44	8.8	6.1-11.5	7	1.3	0.1- 2.5	1	0.1	0.0- 0.3	10	2.4	0.8- 4.0	1	0.2	0.0- 0.6	571	87.2	83.9-90.5
\$15,000- 24,999	1208	691,371	60	7.4	5.2- 9.6	3	0.3	0.0- 0.7				28	3.2	1.8- 4.6				1117	89.1	86.6-91.6
\$25,000- 34,999	762	436,697	26	6.4	3.5- 9.3	3	0.5	0.0- 1.1				7	0.8	0.0- 1.6				726	92.2	89.3-95.1
\$35,000- 49,999	1011	589,923	32	5.0	3.0- 7.0							8	0.8	0.2- 1.4				971	94.3	92.3-96.3
\$50,000- 74,999	1114	689,076	20	2.9	1.3- 4.5	2	0.2	0.0- 0.6				4	0.4	0.0- 0.8				1088	96.5	94.9-98.1
\$75,000+	2127	1,302,905	36	2.0	1.2- 2.8	3	0.2	0.0- 0.4	3	0.2	0.0- 0.4	10	0.6	0.2- 1.0				2075	97.0	96.2-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3953	2,495,513	122	4.5	3.5- 5.5	9	0.3	0.1- 0.5	4	0.1	0.0- 0.3	36	1.4	0.8- 2.0	3782	93.8	92.8-94.8
18-24	257	347,885	24	8.3	4.8-11.8	2	0.6	0.0- 1.4				5	2.4	0.2- 4.6	226	88.7	84.6-92.8
25-34	383	430,513	26	5.9	3.4- 8.4	1	0.2	0.0- 0.6	1	0.3	0.0- 0.9	8	1.9	0.3- 3.5	347	91.7	88.8-94.6
35-44	447	406,989	27	7.2	4.3-10.1	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3	11	2.3	0.7- 3.9	407	90.2	86.9-93.5
45-54	618	406,274	17	3.4	1.6- 5.2	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6	6	1.6	0.2- 3.0	593	94.7	92.5-96.9
55-64	867	418,109	15	1.9	0.9- 2.9				1	0.1	0.0- 0.3	4	0.3	0.1- 0.5	847	97.7	96.5-98.9
65+	1381	485,742	13	1.3	0.5- 2.1	4	0.3	0.0- 0.7				2	0.2	0.0- 0.4	1362	98.2	97.2-99.2
Less Than H.S.	299	330,678	34	13.2	8.7-17.7	1	0.2	0.0- 0.6				10	3.7	1.3- 6.1	254	83.0	77.9-88.1
H.S. or G.E.D.	1287	886,339	42	4.1	2.7- 5.5	4	0.3	0.0- 0.7	1	0.1	0.0- 0.3	8	1.2	0.2- 2.2	1232	94.3	92.5-96.1
Some Post-H.S.	973	720,550	20	2.4	1.2- 3.6	3	0.4	0.0- 0.8	2	0.1	0.0- 0.3	6	0.7	0.1- 1.3	942	96.4	95.0-97.8
College Graduate	1367	544,400	21	2.1	1.1- 3.1	1	0.0	0.0- 0.0	1	0.2	0.0- 0.6	12	1.2	0.4- 2.0	1332	96.5	95.3-97.7
Less than \$15,000	239	157,260	14	7.0	3.1-10.9	3	1.0	0.0- 2.4				4	2.4	0.0- 4.9	218	89.6	84.9-94.3
\$15,000- 24,999	485	310,016	33	10.1	6.4-13.8							12	4.3	1.6- 7.0	440	85.6	81.1-90.1
\$25,000- 34,999	305	196,458	5	2.8	0.1- 5.5							2	0.5	0.0- 1.3	298	96.7	94.0-99.4
\$35,000- 49,999	498	314,439	24	7.5	4.4-10.6							4	0.9	0.0- 1.9	470	91.6	88.3-94.9
\$50,000- 74,999	547	362,629	14	4.4	1.7- 7.1	1	0.3	0.0- 0.9				2	0.5	0.0- 1.3	530	94.8	91.9-97.7
\$75,000+	1169	725,752	13	1.3	0.5- 2.1	2	0.2	0.0- 0.4	2	0.2	0.0- 0.4	4	0.5	0.1- 0.9	1148	97.9	96.9-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4851	2,622,222	142	4.3	3.5- 5.1	18	0.5	0.3- 0.7	2	0.0	0.0- 0.0	49	1.3	0.9- 1.7	2	0.1	0.1- 0.1	4638	93.9	92.9-94.9
18-24	201	326,924	22	8.7	4.8-12.6	3	1.3	0.0- 2.9				4	1.4	0.0- 3.0				172	88.6	84.1-93.1
25-34	414	425,264	36	7.4	4.9- 9.9	2	0.4	0.0- 1.0				15	2.9	1.3- 4.5				361	89.2	86.1-92.3
35-44	520	408,088	33	6.5	4.1- 8.9	2	0.3	0.0- 0.7				8	1.3	0.3- 2.3	2	0.3	0.0- 0.7	475	91.6	89.1-94.1
45-54	703	411,670	26	4.1	2.3- 5.9	3	0.6	0.0- 1.4	1	0.2	0.0- 0.6	10	1.6	0.4- 2.8				663	93.5	91.3-95.7
55-64	943	442,476	16	1.6	0.6- 2.6	5	0.3	0.0- 0.7				6	0.5	0.1- 0.9				916	97.5	96.5-98.5
65+	2070	607,800	9	0.4	0.2- 0.6	3	0.2	0.0- 0.6	1	0.0	0.0- 0.0	6	0.3	0.1- 0.5				2051	99.1	98.7-99.5
Less Than H.S.	342	291,625	42	15.8	10.7-20.9	3	0.7	0.0- 1.5				12	3.6	1.4- 5.8	1	0.2	0.0- 0.6	284	79.6	74.1-85.1
H.S. or G.E.D.	1537	813,802	47	4.2	2.8- 5.6	6	0.5	0.0- 1.1				13	1.1	0.3- 1.9	1	0.1	0.0- 0.3	1470	94.1	92.5-95.7
Some Post-H.S.	1303	843,947	29	2.5	1.5- 3.5	4	0.4	0.0- 0.8				8	0.6	0.0- 1.2				1262	96.5	95.3-97.7
College Graduate	1642	659,785	23	1.8	1.0- 2.6	5	0.3	0.0- 0.7	2	0.1	0.0- 0.3	14	1.1	0.5- 1.7				1598	96.6	95.4-97.8
Less than \$15,000	395	250,358	30	9.9	6.2-13.6	4	1.5	0.0- 3.3	1	0.1	0.0- 0.3	6	2.4	0.4- 4.4	1	0.3	0.0- 0.9	353	85.8	81.5-90.1
\$15,000- 24,999	723	381,354	27	5.2	2.8- 7.6	3	0.5	0.0- 1.3				16	2.4	1.0- 3.8				677	91.9	89.2-94.6
\$25,000- 34,999	457	240,239	21	9.4	4.7-14.1	3	0.9	0.0- 2.1				5	1.1	0.0- 2.3				428	88.6	83.9-93.3
\$35,000- 49,999	513	275,484	8	2.2	0.4- 4.0							4	0.6	0.0- 1.2				501	97.3	95.5-99.1
\$50,000- 74,999	567	326,447	6	1.3	0.1- 2.5	1	0.2	0.0- 0.6				2	0.3	0.0- 0.7				558	98.3	97.1-99.5
\$75,000+	958	577,154	23	3.0	1.6- 4.4	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3	6	0.7	0.1- 1.3				927	96.0	94.4-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 7: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8689	5,033,775	179	2.6	2.2- 3.0	19	0.3	0.1- 0.5	2	0.0	0.0- 0.0	3	0.1	0.1- 0.1	1	0.0	0.0- 0.0	8485	97.0	96.6-97.4
Male	3886	2,453,661	90	2.6	2.0- 3.2	5	0.2	0.0- 0.4	1	0.0	0.0- 0.0	2	0.1	0.1- 0.1				3788	97.1	96.5-97.7
Female	4803	2,580,113	89	2.5	1.9- 3.1	14	0.5	0.1- 0.9	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	4697	96.9	96.1-97.7
18-24	447	660,645	25	4.7	2.7- 6.7	3	0.8	0.0- 1.8				1	0.2	0.0- 0.6				418	94.3	92.1-96.5
25-34	783	841,633	43	4.4	3.0- 5.8	5	0.8	0.2- 1.4										735	94.8	93.2-96.4
35-44	944	795,464	27	2.8	1.6- 4.0	2	0.2	0.0- 0.4	1	0.1	0.0- 0.3	2	0.2	0.0- 0.4				912	96.7	95.3-98.1
45-54	1295	798,571	24	1.6	0.8- 2.4	2	0.2	0.0- 0.4							1	0.0	0.0- 0.0	1268	98.2	97.4-99.0
55-64	1802	856,263	21	1.2	0.6- 1.8	2	0.2	0.0- 0.4										1779	98.6	98.0-99.2
65+	3418	1,081,198	39	1.4	1.0- 1.8	5	0.2	0.0- 0.4	1	0.1	0.0- 0.3							3373	98.4	97.8-99.0
Less Than H.S.	613	593,712	4	1.1	0.0- 2.3	2	0.6	0.0- 1.4	1	0.1	0.0- 0.3							606	98.2	96.8-99.6
H.S. or G.E.D.	2794	1,674,254	33	1.9	1.1- 2.7	7	0.5	0.1- 0.9										2754	97.7	96.9-98.5
Some Post-H.S.	2257	1,552,684	50	2.8	2.0- 3.6	5	0.2	0.0- 0.4	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	2199	96.8	95.8-97.8
College Graduate	2979	1,191,060	91	4.0	3.0- 5.0	5	0.2	0.0- 0.4				2	0.2	0.0- 0.4				2881	95.6	94.6-96.6
Less than \$15,000	620	392,300	12	3.6	1.2- 6.0	2	0.6	0.0- 1.6				1	0.3	0.0- 0.9				605	95.5	93.0-98.0
\$15,000- 24,999	1183	674,310	14	1.2	0.6- 1.8	4	0.6	0.0- 1.4	1	0.1	0.0- 0.3							1164	98.0	97.0-99.0
\$25,000- 34,999	752	426,821	12	1.5	0.5- 2.5	4	0.7	0.0- 1.5										736	97.8	96.6-99.0
\$35,000- 49,999	997	580,827	18	1.8	0.8- 2.8	1	0.1	0.0- 0.3				1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	976	97.9	96.9-98.9
\$50,000- 74,999	1106	685,198	22	2.4	1.2- 3.6	1	0.1	0.0- 0.3										1083	97.5	96.3-98.7
\$75,000+	2115	1,295,813	75	4.2	3.2- 5.2	4	0.2	0.0- 0.4	1	0.1	0.0- 0.3							2035	95.5	94.3-96.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 8: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3886	2,453,661	90	2.6	2.0- 3.2	5	0.2	0.0- 0.4	1	0.0	0.0- 0.0	2	0.1	0.1- 0.1	3788	97.1	96.5-97.7
18-24	255	346,188	14	4.2	1.8- 6.6	1	0.5	0.0- 1.5							240	95.4	93.0-97.8
25-34	379	427,385	26	5.0	2.8- 7.2	1	0.3	0.0- 0.9							352	94.7	92.5-96.9
35-44	433	394,560	14	2.9	1.1- 4.7	1	0.2	0.0- 0.6	1	0.3	0.0- 0.9	2	0.4	0.0- 1.0	415	96.2	94.2-98.2
45-54	601	394,157	11	1.4	0.4- 2.4										590	98.6	97.6-99.6
55-64	863	416,151	13	1.5	0.5- 2.5	2	0.4	0.0- 1.0							848	98.1	97.1-99.1
65+	1355	475,221	12	1.1	0.3- 1.9										1343	98.9	98.1-99.7
Less Than H.S.	288	320,983	3	1.2	0.0- 2.8	1	0.3	0.0- 0.9							284	98.5	96.9- 100
H.S. or G.E.D.	1271	873,984	15	1.7	0.7- 2.7	3	0.4	0.0- 0.8							1253	97.9	96.9-98.9
Some Post-H.S.	957	711,508	25	3.0	1.8- 4.2				1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	930	96.7	95.3-98.1
College Graduate	1351	537,849	47	4.5	3.1- 5.9	1	0.1	0.0- 0.3				1	0.1	0.0- 0.3	1302	95.2	93.8-96.6
Less than \$15,000	234	155,402	4	2.2	0.0- 4.6	2	1.6	0.0- 4.0							228	96.2	93.1-99.3
\$15,000- 24,999	472	301,192	5	0.7	0.1- 1.3	1	0.2	0.0- 0.6							466	99.1	98.3-99.9
\$25,000- 34,999	301	192,283	4	1.3	0.1- 2.5	1	0.7	0.0- 2.1							296	98.1	96.3-99.9
\$35,000- 49,999	488	306,411	8	1.4	0.4- 2.4							1	0.3	0.0- 0.9	479	98.3	97.1-99.5
\$50,000- 74,999	540	358,698	9	1.8	0.4- 3.2										531	98.2	96.8-99.6
\$75,000+	1161	721,645	49	5.1	3.5- 6.7	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6				1110	94.7	93.1-96.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 9: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4803	2,580,113	89	2.5	1.9- 3.1	14	0.5	0.1- 0.9	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	4697	96.9	96.1-97.7
18-24	192	314,457	11	5.2	2.1- 8.3	2	1.3	0.0- 3.1				1	0.4	0.0- 1.2				178	93.1	89.4-96.8
25-34	404	414,248	17	3.9	1.9- 5.9	4	1.2	0.0- 2.4										383	94.9	92.5-97.3
35-44	511	400,904	13	2.7	0.9- 4.5	1	0.2	0.0- 0.6										497	97.1	95.3-98.9
45-54	694	404,415	13	1.8	0.8- 2.8	2	0.3	0.0- 0.7							1	0.1	0.0- 0.3	678	97.8	96.6-99.0
55-64	939	440,113	8	1.0	0.2- 1.8													931	99.0	98.2-99.8
65+	2063	605,977	27	1.6	1.0- 2.2	5	0.3	0.1- 0.5	1	0.1	0.0- 0.3							2030	98.0	97.2-98.8
Less Than H.S.	325	272,729	1	0.9	0.0- 2.7	1	0.9	0.0- 2.7	1	0.3	0.0- 0.9							322	97.9	95.4- 100
H.S. or G.E.D.	1523	800,270	18	2.1	1.1- 3.1	4	0.5	0.0- 1.1										1501	97.4	96.2-98.6
Some Post-H.S.	1300	841,176	25	2.6	1.4- 3.8	5	0.5	0.1- 0.9							1	0.0	0.0- 0.0	1269	96.9	95.5-98.3
College Graduate	1628	653,211	44	3.6	2.4- 4.8	4	0.4	0.0- 0.8				1	0.2	0.0- 0.6				1579	95.9	94.5-97.3
Less than \$15,000	386	236,898	8	4.6	1.1- 8.1							1	0.5	0.0- 1.5				377	95.0	91.3-98.7
\$15,000- 24,999	711	373,118	9	1.6	0.4- 2.8	3	1.0	0.0- 2.4	1	0.2	0.0- 0.6							698	97.2	95.4-99.0
\$25,000- 34,999	451	234,538	8	1.7	0.3- 3.1	3	0.8	0.0- 1.8										440	97.6	95.8-99.4
\$35,000- 49,999	509	274,416	10	2.2	0.6- 3.8	1	0.2	0.0- 0.6							1	0.1	0.0- 0.3	497	97.4	95.6-99.2
\$50,000- 74,999	566	326,500	13	3.0	1.0- 5.0	1	0.3	0.0- 0.9										552	96.6	94.4-98.8
\$75,000+	954	574,168	26	3.0	1.6- 4.4	3	0.4	0.0- 1.0										925	96.6	95.2-98.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)**

**Denominator Excludes: Respondents reporting only one race**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		Black or African American			Am. Indian or Alaskan Native			Asian		Pacific Islanders			Other			
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	113	41,382	62	45.1	33.9-56.3	25	35.6	23.3-47.9	14	10.4	3.7-17.1	3	1.8	0.0- 4.0	1	0.2	0.0- 0.6	8	7.0	1.5-12.5
Male	54	19,177	33	47.4	31.9-62.9	9	27.8	11.7-43.9	8	15.9	3.6-28.2	1	1.4	0.0- 4.1				3	7.5	0.0-15.9
Female	59	22,205	29	43.1	26.8-59.4	16	42.2	24.4-60.0	6	5.7	0.0-11.6	2	2.1	0.0- 5.0	1	0.3	0.0- 0.9	5	6.5	0.0-13.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2019

SECTION 8: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		Black or African American			Am. Indian or Alaskan Native			Asian			Other		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	54	19,177	33	47.4	33.1-61.7	9	27.8	11.3-44.3	8	15.9	3.7-28.1	1	1.4	0.0- 4.1	3	7.5	0.0-16.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

INDIANA CORE QUESTIONS DATA REPORT, 2019

SECTION 8: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Am. Indian or Alaskan Native			Asian			Pacific Islanders			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	59	22,205	29	43.1	26.4-59.8	16	42.2	24.0-60.4	6	5.7	0.0-11.6	2	2.1	0.0- 5.0	1	0.3	0.0- 0.9	5	6.5	0.0-13.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 13: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									Never married			Unmarried couple					
	TOTAL	WEIGHTED	Married			Divorced			Widowed			N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	8808	5,121,904	4586	51.5	50.1-52.9	1299	12.1	11.3-12.9	1239	7.0	6.4- 7.6	152	2.0	1.6- 2.4	1291	23.0	21.6-24.4	241	4.4	3.8- 5.0
Male	3957	2,498,485	2214	51.5	49.5-53.5	548	11.7	10.5-12.9	317	4.3	3.7- 4.9	62	1.7	1.1- 2.3	696	26.1	24.1-28.1	120	4.6	3.6- 5.6
Female	4851	2,623,419	2372	51.5	49.7-53.3	751	12.4	11.4-13.4	922	9.6	8.8-10.4	90	2.3	1.7- 2.9	595	20.0	18.2-21.8	121	4.3	3.3- 5.3
White/Non-Hisp	7319	4,075,845	3964	54.7	53.3-56.1	1076	12.3	11.5-13.1	1090	7.6	7.0- 8.2	97	1.7	1.3- 2.1	913	19.8	18.4-21.2	179	4.0	3.4- 4.6
Black or Afr. Am./Non-Hisp	591	440,666	189	29.6	25.3-33.9	102	12.4	9.5-15.3	68	7.1	4.7- 9.5	26	3.8	2.0- 5.6	189	43.4	38.1-48.7	17	3.8	1.4- 6.2
Oth. Race/Non-Hisp.	233	160,044	121	49.1	40.5-57.7	29	10.6	5.5-15.7	29	3.8	1.8- 5.8	3	1.1	0.0- 2.3	45	29.4	20.8-38.0	6	6.0	0.0-12.1
MultiRacial/Non-Hisp.	125	45,531	51	36.5	25.9-47.1	22	16.2	8.8-23.6	14	5.8	1.7- 9.9	7	7.1	0.8-13.4	29	32.2	21.0-43.4	2	2.1	0.0- 5.2
Hispanic	381	314,109	181	44.8	38.9-50.7	46	9.3	6.4-12.2	13	1.3	0.5- 2.1	15	3.5	1.5- 5.5	92	29.8	24.3-35.3	34	11.3	7.0-15.6
18-24	458	678,597	50	11.5	8.2-14.8	4	0.6	0.0- 1.2				4	0.6	0.0- 1.4	369	79.1	74.8-83.4	31	8.2	5.1-11.3
25-34	795	854,221	364	45.5	41.6-49.4	48	5.6	3.8- 7.4	3	0.4	0.0- 1.0	22	2.7	1.5- 3.9	288	37.2	33.5-40.9	70	8.6	6.4-10.8
35-44	971	817,909	582	60.3	56.8-63.8	140	13.2	10.8-15.6	11	1.2	0.4- 2.0	31	3.0	1.8- 4.2	154	16.2	13.7-18.7	53	6.1	4.3- 7.9
45-54	1316	816,089	837	64.5	61.6-67.4	237	17.4	15.0-19.8	30	2.2	1.4- 3.0	37	3.0	1.8- 4.2	143	10.0	8.2-11.8	32	2.8	1.6- 4.0
55-64	1813	859,131	1074	63.4	60.9-65.9	377	19.0	17.0-21.0	130	6.2	5.0- 7.4	33	1.9	1.1- 2.7	162	7.4	6.0- 8.8	37	2.2	1.4- 3.0
65+	3455	1,095,957	1679	55.3	53.3-57.3	493	13.9	12.5-15.3	1065	25.1	23.3-26.9	25	0.9	0.5- 1.3	175	4.2	3.4- 5.0	18	0.5	0.3- 0.7
Less Than H.S.	644	621,899	228	40.6	35.9-45.3	116	13.1	10.4-15.8	145	12.2	9.8-14.6	30	4.4	2.6- 6.2	98	22.9	18.4-27.4	27	6.7	3.8- 9.6
H.S. or G.E.D.	2831	1,707,091	1248	44.8	42.4-47.2	456	12.1	10.7-13.5	526	8.5	7.5- 9.5	59	2.2	1.6- 2.8	473	28.4	26.0-30.8	69	4.0	2.8- 5.2
Some Post-H.S.	2274	1,563,204	1134	50.4	47.9-52.9	375	13.7	12.1-15.3	316	6.3	5.5- 7.1	40	1.8	1.2- 2.4	337	23.1	20.7-25.5	72	4.7	3.5- 5.9
College Graduate	3012	1,205,605	1955	68.1	66.1-70.1	347	9.5	8.3-10.7	245	3.2	2.6- 3.8	23	0.8	0.4- 1.2	370	14.9	13.1-16.7	72	3.6	2.6- 4.6
Less than \$15,000	639	409,466	98	16.9	13.4-20.4	200	23.4	19.7-27.1	96	9.0	6.6-11.4	38	5.9	3.7- 8.1	191	40.1	35.0-45.2	16	4.7	2.0- 7.4
\$15,000- 24,999	1210	692,588	336	31.8	28.3-35.3	278	18.0	15.6-20.4	288	11.7	9.9-13.5	41	4.6	3.0- 6.2	232	29.8	26.1-33.5	35	4.1	2.3- 5.9
\$25,000- 34,999	759	434,541	286	40.2	35.7-44.7	148	13.7	11.2-16.2	158	9.9	7.9-11.9	10	1.6	0.4- 2.8	125	26.3	21.8-30.8	32	8.4	5.1-11.7
\$35,000- 49,999	1012	591,151	493	48.7	44.8-52.6	165	14.6	12.1-17.1	139	7.1	5.5- 8.7	18	1.8	0.8- 2.8	166	22.5	18.8-26.2	31	5.3	3.1- 7.5
\$50,000- 74,999	1116	690,678	709	59.8	56.1-63.5	132	10.3	8.1-12.5	91	4.0	3.0- 5.0	12	1.1	0.5- 1.7	134	19.0	15.7-22.3	38	5.8	3.6- 8.0
\$75,000+	2127	1,301,103	1693	76.1	73.7-78.5	143	6.3	5.1- 7.5	68	1.3	0.9- 1.7	14	0.9	0.3- 1.5	152	12.0	9.8-14.2	57	3.4	2.4- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 14: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									Unmarried couple								
	TOTAL	WEIGHTED	Married			Divorced			Widowed			Separated			Never married			N	%	C.I. (95%)
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3957	2,498,485	2214	51.5	49.5-53.5	548	11.7	10.5-12.9	317	4.3	3.7- 4.9	62	1.7	1.1- 2.3	696	26.1	24.1-28.1	120	4.6	3.6- 5.6
White/Non-Hisp	3290	1,982,416	1906	54.4	52.2-56.6	457	12.0	10.8-13.2	272	4.4	3.8- 5.0	36	1.3	0.7- 1.9	522	23.5	21.3-25.7	97	4.4	3.4- 5.4
Black or Afr. Am./Non-Hisp	232	205,190	82	31.7	24.8-38.6	40	13.7	8.6-18.8	22	6.8	3.1-10.5	11	3.9	1.4- 6.4	71	40.7	32.5-48.9	6	3.2	0.1- 6.3
Oth. Race/Non-Hisp.	128	92,246	75	49.9	38.9-60.9	10	8.0	1.5-14.5	8	1.9	0.1- 3.7	3	1.9	0.0- 4.1	29	34.2	23.0-45.4	3	4.2	0.0- 9.1
MultiRacial/Non-Hisp.	57	20,685	21	27.0	14.5-39.5	11	15.0	0.0-25.0	3	1.8	0.0- 4.0	4	10.6	0.0-22.6	16	41.0	23.9-58.1	2	4.7	0.0-11.6
Hispanic	169	154,722	86	45.5	36.9-54.1	18	8.2	4.1-12.3	3	1.1	0.0- 2.5	8	4.0	1.1- 6.9	45	33.1	24.5-41.7	9	8.2	2.5-13.9
18-24	258	350,456	23	8.3	4.8-11.8	1	0.3	0.0- 0.9				3	1.0	0.0- 2.4	214	83.7	78.8-88.6	17	6.7	3.2-10.2
25-34	383	429,545	159	41.3	35.8-46.8	23	5.2	3.0- 7.4	1	0.6	0.0- 1.8	7	1.6	0.2- 3.0	161	42.7	37.0-48.4	32	8.7	5.4-12.0
35-44	449	408,802	282	60.5	55.4-65.6	59	13.0	9.5-16.5	2	0.5	0.0- 1.1	10	2.1	0.7- 3.5	69	16.6	12.7-20.5	27	7.3	4.4-10.2
45-54	615	404,766	389	64.3	60.0-68.6	111	17.6	14.3-20.9	11	1.7	0.7- 2.7	10	1.9	0.5- 3.3	76	11.5	8.8-14.2	18	3.0	1.4- 4.6
55-64	872	419,321	521	62.7	59.0-66.4	177	19.5	16.6-22.4	40	4.1	2.7- 5.5	22	2.8	1.4- 4.2	92	8.6	6.6-10.6	20	2.3	1.1- 3.5
65+	1380	485,595	840	64.0	60.9-67.1	177	13.2	11.0-15.4	263	16.3	13.9-18.7	10	0.9	0.3- 1.5	84	5.2	3.8- 6.6	6	0.5	0.1- 0.9
Less Than H.S.	299	329,313	125	44.9	38.2-51.6	52	11.3	7.8-14.8	41	8.7	5.6-11.8	15	4.8	2.3- 7.3	56	25.9	19.4-32.4	10	4.4	1.3- 7.5
H.S. or G.E.D.	1291	889,833	620	44.7	41.6-47.8	210	12.5	10.5-14.5	129	4.6	3.6- 5.6	22	1.5	0.7- 2.3	270	31.7	28.4-35.0	40	5.0	3.2- 6.8
Some Post-H.S.	972	719,249	514	49.7	46.0-53.4	157	13.9	11.5-16.3	76	3.7	2.7- 4.7	18	1.6	0.8- 2.4	170	26.0	22.3-29.7	37	5.1	3.3- 6.9
College Graduate	1373	547,780	944	69.1	66.2-72.0	126	8.0	6.4- 9.6	69	2.1	1.5- 2.7	7	0.4	0.0- 0.8	195	17.0	14.5-19.5	32	3.4	2.0- 4.8
Less than \$15,000	242	159,694	42	17.5	11.8-23.2	69	20.7	15.0-26.4	19	6.8	2.9-10.7	13	5.8	2.1- 9.5	96	48.1	40.3-55.9	3	1.0	0.0- 2.2
\$15,000- 24,999	487	310,428	167	33.3	28.2-38.4	120	18.9	15.2-22.6	60	6.6	4.4- 8.8	14	3.6	1.4- 5.8	111	33.8	28.1-39.5	15	3.7	1.5- 5.9
\$25,000- 34,999	304	195,966	133	44.9	37.8-52.0	57	13.9	9.8-18.0	42	6.6	4.1- 9.1	6	1.8	0.2- 3.4	54	25.7	19.0-32.4	12	7.1	2.6-11.6
\$35,000- 49,999	500	316,355	248	48.3	42.8-53.8	79	12.2	9.1-15.3	47	5.1	2.9- 7.3	8	1.6	0.4- 2.8	98	25.7	20.4-31.0	20	7.2	3.7-10.7
\$50,000- 74,999	547	362,968	340	55.2	49.9-60.5	64	10.8	7.7-13.9	35	3.0	1.8- 4.2	6	1.2	0.2- 2.2	77	22.9	17.8-28.0	25	6.9	3.8-10.0
\$75,000+	1170	723,959	905	72.4	69.1-75.7	83	7.3	5.5- 9.1	41	1.6	1.0- 2.2	5	0.4	0.0- 0.8	107	15.0	11.9-18.1	29	3.3	1.9- 4.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 15: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4851	2,623,419	2372	51.5	49.7-53.3	751	12.4	11.4-13.4	922	9.6	8.8-10.4	90	2.3	1.7- 2.9	595	20.0	18.2-21.8	121	4.3	3.3- 5.3
White/Non-Hisp	4029	2,093,429	2058	55.0	53.0-57.0	619	12.5	11.3-13.7	818	10.6	9.6-11.6	61	2.0	1.4- 2.6	391	16.3	14.5-18.1	82	3.5	2.5- 4.5
Black or Afr. Am./Non-Hisp	359	235,476	107	27.8	22.3-33.3	62	11.2	7.7-14.7	46	7.3	4.6-10.0	15	3.7	1.3- 6.1	118	45.7	38.8-52.6	11	4.3	1.2- 7.4
Oth. Race/Non-Hisp.	105	67,797	46	48.0	34.1-61.9	19	14.0	5.8-22.2	21	6.4	2.7-10.1				16	23.0	10.3-35.7	3	8.6	0.0-21.1
MultiRacial/Non-Hisp.	68	24,846	30	44.5	29.0-60.0	11	17.3	6.7-27.9	11	9.1	1.8-16.4	3	4.2	0.0- 9.3	13	24.9	10.4-39.4			
Hispanic	212	159,387	95	44.2	36.4-52.0	28	10.4	6.1-14.7	10	1.4	0.2- 2.6	7	3.1	0.6- 5.6	47	26.6	19.5-33.7	25	14.3	8.0-20.6
18-24	200	328,142	27	14.9	9.2-20.6	3	0.9	0.0- 1.9				1	0.2	0.0- 0.6	155	74.2	67.1-81.3	14	9.8	4.5-15.1
25-34	412	424,677	205	49.8	44.5-55.1	25	6.1	3.6- 8.6	2	0.3	0.0- 0.7	15	3.7	1.5- 5.9	127	31.6	26.7-36.5	38	8.5	5.6-11.4
35-44	522	409,107	300	60.2	55.5-64.9	81	13.5	10.4-16.6	9	1.9	0.5- 3.3	21	3.8	2.0- 5.6	85	15.7	12.2-19.2	26	4.9	2.7- 7.1
45-54	701	411,322	448	64.7	60.8-68.6	126	17.2	14.1-20.3	19	2.8	1.4- 4.2	27	4.2	2.4- 6.0	67	8.5	6.1-10.9	14	2.7	1.1- 4.3
55-64	941	439,810	553	64.0	60.5-67.5	200	18.5	15.8-21.2	90	8.2	6.2-10.2	11	1.1	0.3- 1.9	70	6.2	4.4- 8.0	17	2.1	1.1- 3.1
65+	2075	610,362	839	48.5	46.0-51.0	316	14.6	12.8-16.4	802	32.1	29.7-34.5	15	0.8	0.2- 1.4	91	3.4	2.6- 4.2	12	0.6	0.2- 1.0
Less Than H.S.	345	292,586	103	35.8	29.1-42.5	64	15.1	10.8-19.4	104	16.2	12.5-19.9	15	3.9	1.5- 6.3	42	19.6	13.3-25.9	17	9.3	4.2-14.4
H.S. or G.E.D.	1540	817,258	628	44.9	41.8-48.0	246	11.7	9.9-13.5	397	12.7	11.1-14.3	37	2.9	1.7- 4.1	203	24.8	21.5-28.1	29	2.9	1.7- 4.1
Some Post-H.S.	1302	843,954	620	51.1	47.8-54.4	218	13.4	11.4-15.4	240	8.6	7.2-10.0	22	1.9	1.1- 2.7	167	20.6	17.5-23.7	35	4.4	2.6- 6.2
College Graduate	1639	657,824	1011	67.2	64.5-69.9	221	10.7	9.1-12.3	176	4.1	3.3- 4.9	16	1.1	0.5- 1.7	175	13.1	10.9-15.3	40	3.7	2.5- 4.9
Less than \$15,000	397	249,772	56	16.5	11.8-21.2	131	25.2	20.3-30.1	77	10.4	7.7-13.1	25	6.0	3.3- 8.7	95	34.9	28.2-41.6	13	7.0	2.5-11.5
\$15,000- 24,999	723	382,160	169	30.5	25.8-35.2	158	17.3	14.2-20.4	228	15.9	13.2-18.6	27	5.4	3.2- 7.6	121	26.5	21.8-31.2	20	4.4	1.9- 6.9
\$25,000- 34,999	455	238,575	153	36.3	30.4-42.2	91	13.5	10.2-16.8	116	12.7	9.8-15.6	4	1.4	0.0- 3.2	71	26.7	20.4-33.0	20	9.4	4.5-14.3
\$35,000- 49,999	512	274,796	245	49.3	43.8-54.8	86	17.4	13.1-21.7	92	9.5	7.0-12.0	10	2.0	0.6- 3.4	68	18.8	13.9-23.7	11	3.0	0.8- 5.2
\$50,000- 74,999	569	327,710	369	65.0	59.9-70.1	68	9.7	7.0-12.4	56	5.1	3.3- 6.9	6	0.9	0.0- 1.9	57	14.6	10.3-18.9	13	4.7	1.8- 7.6
\$75,000+	957	577,143	788	80.8	77.5-84.1	60	5.1	3.5- 6.7	27	0.9	0.5- 1.3	9	1.6	0.4- 2.8	45	8.2	5.3-11.1	28	3.5	1.9- 5.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 16: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8830	5,136,202	4	0.1	0.1- 0.1	171	3.0	2.4- 3.6	473	9.2	8.2-10.2	2850	33.4	32.2-34.6	2295	30.7	29.5-31.9	3037	23.7	22.7-24.7
Male	3966	2,503,524	2	0.1	0.0- 0.3	80	3.2	2.4- 4.0	219	10.1	8.7-11.5	1298	35.7	33.7-37.7	981	28.9	27.1-30.7	1386	22.1	20.7-23.5
Female	4864	2,632,678	2	0.0	0.0- 0.0	91	2.9	2.1- 3.7	254	8.3	7.1- 9.5	1552	31.2	29.4-33.0	1314	32.4	30.6-34.2	1651	25.2	23.8-26.6
White/Non-Hisp	7336	4,083,220				100	2.1	1.5- 2.7	344	7.9	6.9- 8.9	2378	33.9	32.5-35.3	1911	31.4	30.0-32.8	2603	24.6	23.6-25.6
Black or Afr. Am./Non-Hisp	596	449,453				9	2.0	0.2- 3.8	41	11.2	7.1-15.3	204	32.9	28.2-37.6	174	34.2	29.3-39.1	168	19.6	16.3-22.9
Oth. Race/Non-Hisp.	227	154,686				7	3.0	0.5- 5.5	23	16.4	8.6-24.2	54	24.8	16.8-32.8	54	24.3	17.0-31.6	89	31.4	24.0-38.8
MultiRacial/Non-Hisp.	128	46,813				1	1.0	0.0- 3.0	8	9.1	1.5-16.7	40	32.0	21.8-42.2	41	39.2	28.0-50.4	38	18.7	11.4-26.0
Hispanic	376	311,758	4	0.9	0.0- 1.9	50	16.1	11.6-20.6	49	20.1	14.6-25.6	122	31.8	26.3-37.3	72	17.8	13.5-22.1	79	13.2	10.1-16.3
18-24	458	676,662				7	2.2	0.4- 4.0	36	12.9	8.8-17.0	188	42.1	37.0-47.2	149	33.1	28.4-37.8	78	9.8	7.4-12.2
25-34	799	857,081	1	0.1	0.0- 0.3	17	3.3	1.7- 4.9	45	8.9	6.4-11.4	221	30.2	26.7-33.7	195	29.0	25.5-32.5	320	28.4	25.3-31.5
35-44	970	819,625	1	0.1	0.0- 0.3	26	3.7	2.1- 5.3	54	9.2	6.7-11.7	249	27.4	24.3-30.5	265	31.4	28.1-34.7	375	28.3	25.6-31.0
45-54	1324	819,654				23	2.7	1.5- 3.9	50	6.0	4.2- 7.8	358	29.2	26.5-31.9	348	32.7	29.8-35.6	545	29.4	26.9-31.9
55-64	1818	865,896	1	0.1	0.0- 0.3	33	2.9	1.7- 4.1	103	8.8	7.0-10.6	586	34.6	32.1-37.1	483	31.2	28.7-33.7	612	22.5	20.5-24.5
65+	3461	1,097,284	1	0.0	0.0- 0.0	65	3.1	2.1- 4.1	185	9.7	8.1-11.3	1248	37.3	35.3-39.3	855	28.1	26.3-29.9	1107	21.8	20.4-23.2
Less than \$15,000	638	409,447	1	0.1	0.0- 0.3	46	8.1	5.6-10.6	111	26.2	21.3-31.1	273	36.2	31.5-40.9	143	24.7	20.4-29.0	64	4.7	3.1- 6.3
\$15,000- 24,999	1203	688,619	1	0.1	0.0- 0.3	45	5.3	3.5- 7.1	114	15.5	12.4-18.6	548	41.6	38.1-45.1	327	29.4	26.1-32.7	168	8.1	6.5- 9.7
\$25,000- 34,999	761	435,599				13	3.4	1.0- 5.8	54	12.5	9.0-16.0	293	39.1	34.6-43.6	241	33.3	28.8-37.8	160	11.7	9.3-14.1
\$35,000- 49,999	1014	592,855				12	2.9	1.1- 4.7	31	5.8	3.4- 8.2	371	39.6	35.7-43.5	296	32.5	28.8-36.2	304	19.2	16.7-21.7
\$50,000- 74,999	1120	692,906				6	1.4	0.2- 2.6	22	4.3	2.3- 6.3	283	28.9	25.6-32.2	321	36.4	32.7-40.1	488	29.0	26.1-31.9
\$75,000+	2133	1,306,228				4	0.5	0.0- 1.1	17	2.2	1.0- 3.4	340	20.8	18.4-23.2	492	31.7	29.2-34.2	1280	44.8	42.3-47.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 17: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3966	2,503,524	2	0.1	0.0- 0.3	80	3.2	2.4- 4.0	219	10.1	8.7-11.5	1298	35.7	33.7-37.7	981	28.9	27.1-30.7	1386	22.1	20.7-23.5
White/Non-Hisp	3296	1,985,726				52	2.4	1.6- 3.2	152	8.5	6.9-10.1	1080	36.1	34.1-38.1	825	30.0	28.0-32.0	1187	22.9	21.3-24.5
Black or Afr. Am./Non-Hisp	235	210,859				4	3.6	0.0- 7.3	22	14.0	7.9-20.1	88	37.2	29.6-44.8	62	29.6	22.3-36.9	59	15.6	11.1-20.1
Oth. Race/Non-Hisp.	124	88,604				3	2.5	0.0- 5.4	14	15.1	7.1-23.1	28	25.3	14.5-36.1	28	25.3	15.5-35.1	51	31.8	22.0-41.6
MultiRacial/Non-Hisp.	58	21,012				1	2.1	0.0- 6.2	3	6.9	0.0-15.9	26	49.7	33.4-66.0	13	28.1	12.6-43.6	15	13.2	4.8-21.6
Hispanic	166	152,463	2	1.3	0.0- 3.1	18	12.3	6.4-18.2	25	23.4	15.0-31.8	55	33.4	25.2-41.6	31	17.2	11.1-23.3	35	12.4	7.9-16.9
18-24	257	347,700				5	2.5	0.1- 4.9	22	13.5	8.0-19.0	114	45.4	38.7-52.1	81	31.6	25.3-37.9	35	7.0	4.5- 9.5
25-34	384	431,660	1	0.2	0.0- 0.6	8	3.6	1.1- 6.1	23	10.2	6.1-14.3	119	34.8	29.3-40.3	84	25.6	20.5-30.7	149	25.6	21.5-29.7
35-44	449	409,175	1	0.2	0.0- 0.6	11	3.1	1.1- 5.1	29	10.2	6.5-13.9	134	32.4	27.7-37.1	111	28.1	23.4-32.8	163	25.9	22.0-29.8
45-54	619	406,924				9	2.6	0.8- 4.4	33	8.6	5.7-11.5	191	31.6	27.5-35.7	154	31.6	27.3-35.9	232	25.6	22.3-28.9
55-64	873	421,724				14	2.4	1.0- 3.8	49	9.0	6.5-11.5	294	36.6	32.9-40.3	234	31.4	27.9-34.9	282	20.5	18.0-23.0
65+	1384	486,341				33	4.4	2.6- 6.2	63	9.5	7.0-12.0	446	35.0	32.1-37.9	317	26.2	23.5-28.9	525	24.8	22.4-27.2
Less than \$15,000	241	159,589				18	9.5	4.8-14.2	39	24.7	17.4-32.0	112	42.5	34.9-50.1	42	18.0	12.1-23.9	30	5.2	2.7- 7.7
\$15,000- 24,999	483	308,829	1	0.3	0.0- 0.9	23	5.7	3.0- 8.4	50	16.1	11.4-20.8	219	43.6	38.1-49.1	123	27.7	22.6-32.8	67	6.6	4.6- 8.6
\$25,000- 34,999	305	195,729				4	2.2	0.0- 4.6	30	17.9	11.6-24.2	119	37.8	30.9-44.7	92	31.9	25.2-38.6	60	10.2	7.1-13.3
\$35,000- 49,999	500	316,549				9	3.8	1.3- 6.3	21	7.8	4.1-11.5	203	43.4	37.9-48.9	137	29.5	24.4-34.6	130	15.5	12.4-18.6
\$50,000- 74,999	549	364,156				4	2.0	0.0- 4.0	16	6.4	3.1- 9.7	167	33.9	29.0-38.8	161	34.8	29.7-39.9	201	22.9	19.2-26.6
\$75,000+	1175	728,812				4	0.8	0.0- 1.8	15	3.5	1.5- 5.5	224	24.7	21.6-27.8	263	31.0	27.7-34.3	669	40.0	36.9-43.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 18: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4864	2,632,678	2	0.0	0.0- 0.0	91	2.9	2.1- 3.7	254	8.3	7.1- 9.5	1552	31.2	29.4-33.0	1314	32.4	30.6-34.2	1651	25.2	23.8-26.6
White/Non-Hisp	4040	2,097,493				48	1.8	1.2- 2.4	192	7.3	6.1- 8.5	1298	31.8	30.0-33.6	1086	32.8	30.8-34.8	1416	26.3	24.7-27.9
Black or Afr. Am./Non-Hisp	361	238,594				5	0.6	0.0- 1.4	19	8.8	3.5-14.1	116	29.1	23.2-35.0	112	38.3	31.6-45.0	109	23.1	18.2-28.0
Oth. Race/Non-Hisp.	103	66,082				4	3.7	0.0- 8.2	9	18.2	3.5-32.9	26	24.2	12.0-36.4	26	23.0	12.4-33.6	38	30.8	19.0-42.6
MultiRacial/Non-Hisp.	70	25,801							5	10.9	0.0-22.7	14	17.6	7.0-28.2	28	48.3	33.0-63.6	23	23.2	12.2-34.2
Hispanic	210	159,295	2	0.6	0.0- 1.4	32	19.8	12.9-26.7	24	16.9	10.2-23.6	67	30.3	23.0-37.6	41	18.4	12.5-24.3	44	13.9	9.4-18.4
18-24	201	328,963				2	1.8	0.0- 4.3	14	12.2	6.1-18.3	74	38.7	31.3-46.1	68	34.7	27.4-42.0	43	12.6	8.5-16.7
25-34	415	425,421				9	3.0	0.8- 5.2	22	7.7	4.4-11.0	102	25.6	20.9-30.3	111	32.5	27.4-37.6	171	31.2	26.7-35.7
35-44	521	410,450				15	4.2	1.8- 6.6	25	8.2	4.9-11.5	115	22.3	18.4-26.2	154	34.6	29.9-39.3	212	30.7	26.6-34.8
45-54	705	412,730				14	2.9	1.3- 4.5	17	3.5	1.7- 5.3	167	26.7	23.0-30.4	194	33.7	29.6-37.8	313	33.1	29.6-36.6
55-64	945	444,172	1	0.1	0.0- 0.3	19	3.3	1.7- 4.9	54	8.5	6.1-10.9	292	32.7	29.4-36.0	249	31.0	27.5-34.5	330	24.3	21.6-27.0
65+	2077	610,943	1	0.1	0.0- 0.3	32	2.1	1.3- 2.9	122	9.8	7.8-11.8	802	39.1	36.6-41.6	538	29.6	27.2-32.0	582	19.3	17.5-21.1
Less than \$15,000	397	249,858	1	0.2	0.0- 0.6	28	7.2	4.1-10.3	72	27.2	20.5-33.9	161	32.1	26.4-37.8	101	28.9	23.0-34.8	34	4.4	2.4- 6.4
\$15,000- 24,999	720	379,790				22	4.9	2.5- 7.3	64	15.0	10.7-19.3	329	39.9	35.2-44.6	204	30.8	26.3-35.3	101	9.4	7.0-11.8
\$25,000- 34,999	456	239,870				9	4.4	0.9- 7.9	24	8.1	4.2-12.0	174	40.2	34.1-46.3	149	34.4	28.5-40.3	100	12.9	9.6-16.2
\$35,000- 49,999	514	276,306				3	1.9	0.0- 4.3	10	3.5	1.0- 6.0	168	35.2	29.9-40.5	159	35.9	30.4-41.4	174	23.3	19.0-27.6
\$50,000- 74,999	571	328,750				2	0.6	0.0- 1.6	6	2.1	0.1- 4.1	116	23.4	18.9-27.9	160	38.2	32.9-43.5	287	35.7	31.2-40.2
\$75,000+	958	577,416							2	0.5	0.0- 1.3	116	16.0	12.9-19.1	229	32.7	28.8-36.6	611	50.8	46.9-54.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 19: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8778	5,090,096	6496	71.7	70.5-72.9	1894	22.7	21.5-23.9	388	5.6	5.0- 6.2
Male	3948	2,481,013	2958	72.5	70.7-74.3	813	21.9	20.3-23.5	177	5.7	4.7- 6.7
Female	4830	2,609,083	3538	70.9	69.1-72.7	1081	23.5	21.9-25.1	211	5.6	4.6- 6.6
White/Non-Hisp	7291	4,045,230	5702	76.8	75.6-78.0	1293	18.0	16.8-19.2	296	5.2	4.4- 6.0
Black or Afr. Am./Non-Hisp	594	446,101	287	46.5	41.4-51.6	268	45.2	40.1-50.3	39	8.3	5.2-11.4
Oth. Race/Non-Hisp.	226	153,668	141	53.5	44.7-62.3	75	42.1	33.1-51.1	10	4.5	1.2- 7.8
MultiRacial/Non-Hisp.	126	46,067	71	50.8	39.6-62.0	46	37.5	26.9-48.1	9	11.7	2.9-20.5
Hispanic	380	312,644	177	52.3	46.4-58.2	180	41.0	35.3-46.7	23	6.8	3.7- 9.9
18-24	450	657,389	98	31.6	26.3-36.9	235	45.2	40.1-50.3	117	23.2	19.1-27.3
25-34	796	853,776	388	58.0	54.3-61.7	361	36.9	33.4-40.4	47	5.1	3.5- 6.7
35-44	965	816,124	649	73.8	70.9-76.7	278	23.2	20.5-25.9	38	3.1	2.1- 4.1
45-54	1317	814,518	1029	82.6	80.4-84.8	248	15.1	13.1-17.1	40	2.3	1.5- 3.1
55-64	1811	858,559	1449	83.7	81.9-85.5	311	13.9	12.1-15.7	51	2.4	1.6- 3.2
65+	3439	1,089,730	2883	87.4	86.2-88.6	461	10.3	9.1-11.5	95	2.2	1.6- 2.8
Less Than H.S.	642	623,542	311	52.7	48.0-57.4	281	38.6	34.1-43.1	50	8.7	6.0-11.4
H.S. or G.E.D.	2809	1,686,238	1916	68.3	66.1-70.5	735	25.2	23.2-27.2	158	6.5	5.3- 7.7
Some Post-H.S.	2269	1,552,860	1675	72.6	70.4-74.8	479	21.2	19.2-23.2	115	6.2	4.8- 7.6
College Graduate	3012	1,204,372	2568	85.3	83.7-86.9	384	12.7	11.3-14.1	60	2.0	1.4- 2.6
Less than \$15,000	638	408,014	221	35.2	30.5-39.9	357	55.1	50.2-60.0	60	9.7	6.8-12.6
\$15,000- 24,999	1204	690,713	672	56.0	52.3-59.7	472	39.2	35.7-42.7	60	4.9	3.3- 6.5
\$25,000- 34,999	763	436,742	517	65.1	60.6-69.6	225	31.3	27.0-35.6	21	3.6	1.6- 5.6
\$35,000- 49,999	1012	589,353	775	74.1	70.6-77.6	206	22.5	19.2-25.8	31	3.4	1.8- 5.0
\$50,000- 74,999	1119	692,272	953	83.2	80.5-85.9	131	12.1	9.7-14.5	35	4.7	2.9- 6.5
\$75,000+	2127	1,298,158	1947	90.8	89.2-92.4	137	6.2	5.0- 7.4	43	3.0	2.0- 4.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 20: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3948	2,481,013	2958	72.5	70.7-74.3	813	21.9	20.3-23.5	177	5.7	4.7- 6.7
White/Non-Hisp	3276	1,963,526	2579	77.2	75.4-79.0	562	17.6	16.0-19.2	135	5.2	4.2- 6.2
Black or Afr. Am./Non-Hisp	233	207,467	118	51.1	43.1-59.1	97	40.0	32.4-47.6	18	8.9	4.4-13.4
Oth. Race/Non-Hisp.	126	91,150	82	55.7	44.7-66.7	39	39.4	28.4-50.4	5	4.9	0.4- 9.4
MultiRacial/Non-Hisp.	57	20,608	30	49.7	33.2-66.2	23	38.1	22.4-53.8	4	12.2	0.0-25.1
Hispanic	169	153,261	84	54.7	46.1-63.3	74	38.9	30.7-47.1	11	6.4	1.9-10.9
18-24	254	338,513	54	31.5	24.6-38.4	130	44.0	37.3-50.7	70	24.5	19.0-30.0
25-34	381	427,101	178	57.2	51.7-62.7	182	38.0	32.7-43.3	21	4.9	2.5- 7.3
35-44	448	408,527	323	77.5	73.6-81.4	111	20.3	16.4-24.2	14	2.1	0.9- 3.3
45-54	617	404,981	492	84.3	81.4-87.2	106	13.3	10.6-16.0	19	2.4	1.2- 3.6
55-64	871	418,121	702	83.9	81.4-86.4	147	14.0	11.5-16.5	22	2.1	1.1- 3.1
65+	1377	483,771	1209	90.7	88.9-92.5	137	7.4	5.8- 9.0	31	2.0	1.2- 2.8
Less Than H.S.	298	330,743	155	56.3	49.8-62.8	117	34.3	28.2-40.4	26	9.4	5.5-13.3
H.S. or G.E.D.	1283	877,630	899	69.7	66.8-72.6	311	23.9	21.2-26.6	73	6.5	4.7- 8.3
Some Post-H.S.	969	712,103	731	74.6	71.5-77.7	192	19.7	16.8-22.6	46	5.6	3.8- 7.4
College Graduate	1375	548,827	1161	84.5	82.1-86.9	185	13.5	11.3-15.7	29	2.0	1.2- 2.8
Less than \$15,000	240	159,667	85	39.4	31.6-47.2	127	47.2	39.4-55.0	28	13.4	7.9-18.9
\$15,000- 24,999	483	309,399	271	57.2	51.7-62.7	188	37.3	32.0-42.6	24	5.5	3.0- 8.0
\$25,000- 34,999	306	196,528	210	65.5	58.6-72.4	86	30.9	24.4-37.4	10	3.6	0.7- 6.5
\$35,000- 49,999	500	316,092	371	72.7	67.8-77.6	112	23.7	19.2-28.2	17	3.6	1.4- 5.8
\$50,000- 74,999	549	364,156	461	82.5	78.8-86.2	71	13.7	10.4-17.0	17	3.8	1.8- 5.8
\$75,000+	1168	720,099	1062	89.5	87.3-91.7	80	7.5	5.7- 9.3	26	2.9	1.7- 4.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 21: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4830	2,609,083	3538	70.9	69.1-72.7	1081	23.5	21.9-25.1	211	5.6	4.6- 6.6
White/Non-Hisp	4015	2,081,704	3123	76.5	74.7-78.3	731	18.4	16.8-20.0	161	5.1	4.1- 6.1
Black or Afr. Am./Non-Hisp	361	238,633	169	42.5	36.0-49.0	171	49.7	43.0-56.4	21	7.8	3.3-12.3
Oth. Race/Non-Hisp.	100	62,518	59	50.2	35.7-64.7	36	45.9	31.2-60.6	5	3.8	0.0- 8.5
MultiRacial/Non-Hisp.	69	25,460	41	51.8	36.5-67.1	23	37.0	22.7-51.3	5	11.2	0.0-23.2
Hispanic	211	159,383	93	50.0	42.0-58.0	106	42.9	35.3-50.5	12	7.1	3.0-11.2
18-24	196	318,877	44	31.7	23.9-39.5	105	46.5	38.9-54.1	47	21.8	15.7-27.9
25-34	415	426,676	210	58.7	53.6-63.8	179	35.8	30.9-40.7	26	5.4	3.2- 7.6
35-44	517	407,597	326	70.0	65.9-74.1	167	26.0	22.1-29.9	24	4.0	2.2- 5.8
45-54	700	409,537	537	80.9	78.0-83.8	142	16.8	14.1-19.5	21	2.3	1.3- 3.3
55-64	940	440,438	747	83.5	81.0-86.0	164	13.8	11.4-16.2	29	2.7	1.5- 3.9
65+	2062	605,959	1674	84.9	83.1-86.7	324	12.7	11.1-14.3	64	2.5	1.9- 3.1
Less Than H.S.	344	292,799	156	48.5	41.6-55.4	164	43.5	36.6-50.4	24	8.0	4.1-11.9
H.S. or G.E.D.	1526	808,608	1017	66.8	63.7-69.9	424	26.7	24.0-29.4	85	6.5	4.7- 8.3
Some Post-H.S.	1300	840,757	944	70.8	67.7-73.9	287	22.5	19.8-25.2	69	6.7	4.9- 8.5
College Graduate	1637	655,545	1407	86.1	84.1-88.1	199	12.0	10.0-14.0	31	2.0	1.2- 2.8
Less than \$15,000	398	248,347	136	32.4	26.5-38.3	230	60.2	53.9-66.5	32	7.4	4.1-10.7
\$15,000- 24,999	721	381,314	401	54.9	50.0-59.8	284	40.7	36.0-45.4	36	4.4	2.6- 6.2
\$25,000- 34,999	457	240,214	307	64.7	58.6-70.8	139	31.7	25.8-37.6	11	3.6	1.1- 6.1
\$35,000- 49,999	512	273,261	404	75.7	70.8-80.6	94	21.0	16.5-25.5	14	3.3	1.1- 5.5
\$50,000- 74,999	570	328,116	492	84.0	79.9-88.1	60	10.4	7.5-13.3	18	5.6	2.7- 8.5
\$75,000+	959	578,059	885	92.4	90.4-94.4	57	4.5	3.1- 5.9	17	3.1	1.3- 4.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 22: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8631	4,970,279	8231	94.6	94.0-95.2	188	2.6	2.2- 3.0	212	2.8	2.4- 3.2
Male	3865	2,422,601	3661	93.8	92.8-94.8	94	2.9	2.1- 3.7	110	3.3	2.5- 4.1
Female	4766	2,547,678	4570	95.4	94.6-96.2	94	2.3	1.7- 2.9	102	2.3	1.7- 2.9
White/Non-Hisp	7165	3,950,290	6911	96.2	95.6-96.8	101	1.3	0.9- 1.7	153	2.4	2.0- 2.8
Black or Afr. Am./Non-Hisp	576	431,133	546	94.4	91.9-96.9	23	3.8	1.6- 6.0	7	1.8	0.2- 3.4
Oth. Race/Non-Hisp.	223	150,880	201	83.3	75.1-91.5	13	11.7	3.9-19.5	9	5.0	1.3- 8.7
MultiRacial/Non-Hisp.	126	45,870	120	94.4	89.7-99.1	1	1.6	0.0- 4.7	5	4.0	0.3- 7.7
Hispanic	360	293,617	308	83.6	79.1-88.1	44	13.6	9.5-17.7	8	2.8	0.6- 5.0
18-24	419	629,964	382	90.8	87.7-93.9	20	5.0	2.5- 7.5	17	4.1	1.9- 6.3
25-34	739	804,111	702	94.8	93.0-96.6	15	2.1	0.9- 3.3	22	3.1	1.7- 4.5
35-44	936	789,261	891	95.2	93.6-96.8	24	2.9	1.5- 4.3	21	2.0	1.0- 3.0
45-54	1309	812,766	1229	93.4	91.8-95.0	28	2.4	1.4- 3.4	52	4.1	2.9- 5.3
55-64	1793	851,792	1732	96.5	95.5-97.5	33	1.8	1.0- 2.6	28	1.6	1.0- 2.2
65+	3435	1,082,384	3295	95.7	94.9-96.5	68	2.1	1.5- 2.7	72	2.2	1.6- 2.8
Less Than H.S.	637	613,541	578	90.6	87.7-93.5	40	6.5	4.0- 9.0	19	2.9	1.3- 4.5
H.S. or G.E.D.	2804	1,671,605	2663	94.3	93.1-95.5	63	2.7	1.9- 3.5	78	3.0	2.2- 3.8
Some Post-H.S.	2223	1,512,951	2143	96.3	95.3-97.3	41	1.8	1.2- 2.4	39	1.9	1.1- 2.7
College Graduate	2904	1,139,851	2811	96.4	95.6-97.2	36	1.2	0.8- 1.6	57	2.4	1.6- 3.2
Less than \$15,000	626	392,012	585	92.3	89.2-95.4	27	5.2	2.5- 7.9	14	2.5	1.1- 3.9
\$15,000- 24,999	1185	671,863	1130	94.0	92.0-96.0	39	4.4	2.8- 6.0	16	1.6	0.6- 2.6
\$25,000- 34,999	747	426,698	718	95.7	93.7-97.7	19	2.6	1.0- 4.2	10	1.6	0.2- 3.0
\$35,000- 49,999	988	576,705	960	96.2	94.4-98.0	13	2.1	0.5- 3.7	15	1.7	0.7- 2.7
\$50,000- 74,999	1086	667,127	1059	97.0	95.4-98.6	14	1.0	0.4- 1.6	13	2.0	0.6- 3.4
\$75,000+	2032	1,233,931	1994	97.9	97.1-98.7	13	0.7	0.3- 1.1	25	1.5	0.9- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 23: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3865	2,422,601	3661	93.8	92.8-94.8	94	2.9	2.1- 3.7	110	3.3	2.5- 4.1
White/Non-Hisp	3201	1,914,191	3072	95.5	94.5-96.5	49	1.5	0.9- 2.1	80	3.0	2.2- 3.8
Black or Afr. Am./Non-Hisp	229	203,825	215	92.3	87.6-97.0	11	6.2	1.9-10.5	3	1.5	0.0- 3.3
Oth. Race/Non-Hisp.	123	86,857	110	86.9	78.3-95.5	7	6.9	0.0-14.0	6	6.2	0.5-11.9
MultiRacial/Non-Hisp.	57	20,556	54	93.4	86.0- 100				3	6.6	0.0-14.0
Hispanic	160	146,477	134	82.4	75.3-89.5	22	14.8	8.3-21.3	4	2.8	0.0- 5.9
18-24	239	329,930	215	90.0	85.7-94.3	12	5.1	2.0- 8.2	12	4.8	1.9- 7.7
25-34	351	404,145	328	93.3	90.4-96.2	9	2.5	0.7- 4.3	14	4.1	1.7- 6.5
35-44	427	389,293	400	93.4	90.7-96.1	15	4.0	1.6- 6.4	12	2.5	0.9- 4.1
45-54	613	404,915	570	93.0	90.8-95.2	12	1.9	0.7- 3.1	31	5.1	3.3- 6.9
55-64	858	413,766	823	95.8	94.2-97.4	18	2.1	0.9- 3.3	17	2.1	0.9- 3.3
65+	1377	480,552	1325	96.1	94.7-97.5	28	2.2	1.0- 3.4	24	1.7	0.9- 2.5
Less Than H.S.	293	324,410	261	89.1	84.8-93.4	20	6.4	3.1- 9.7	12	4.5	1.6- 7.4
H.S. or G.E.D.	1277	873,800	1207	93.4	91.6-95.2	31	3.0	1.6- 4.4	39	3.5	2.3- 4.7
Some Post-H.S.	948	694,670	910	96.2	94.8-97.6	20	2.0	0.8- 3.2	18	1.7	0.9- 2.5
College Graduate	1316	512,538	1265	95.5	93.9-97.1	20	1.4	0.6- 2.2	31	3.1	1.7- 4.5
Less than \$15,000	236	153,347	221	92.9	89.0-96.8	10	4.9	1.6- 8.2	5	2.2	0.0- 4.6
\$15,000- 24,999	478	304,337	448	92.2	88.9-95.5	22	6.0	3.1- 8.9	8	1.8	0.2- 3.4
\$25,000- 34,999	302	193,203	290	94.2	90.3-98.1	7	3.1	0.4- 5.8	5	2.7	0.0- 5.6
\$35,000- 49,999	489	309,651	468	94.5	91.6-97.4	10	2.9	0.4- 5.4	11	2.6	1.0- 4.2
\$50,000- 74,999	534	353,359	517	96.3	93.9-98.7	9	1.0	0.2- 1.8	8	2.6	0.2- 5.0
\$75,000+	1109	679,614	1087	97.6	96.4-98.8	6	0.5	0.1- 0.9	16	1.9	0.9- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 24: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4766	2,547,678	4570	95.4	94.6-96.2	94	2.3	1.7- 2.9	102	2.3	1.7- 2.9
White/Non-Hisp	3964	2,036,099	3839	96.9	96.3-97.5	52	1.2	0.8- 1.6	73	1.9	1.3- 2.5
Black or Afr. Am./Non-Hisp	347	227,309	331	96.2	93.5-98.9	12	1.7	0.5- 2.9	4	2.2	0.0- 4.6
Oth. Race/Non-Hisp.	100	64,023	91	78.4	63.3-93.5	6	18.2	3.1-33.3	3	3.4	0.0- 7.3
MultiRacial/Non-Hisp.	69	25,314	66	95.2	88.9- 100	1	2.9	0.0- 8.6	2	1.9	0.0- 4.8
Hispanic	200	147,140	174	84.8	78.9-90.7	22	12.4	7.1-17.7	4	2.8	0.0- 5.7
18-24	180	300,035	167	91.7	86.8-96.6	8	4.9	1.0- 8.8	5	3.4	0.3- 6.5
25-34	388	399,966	374	96.3	94.3-98.3	6	1.6	0.2- 3.0	8	2.1	0.5- 3.7
35-44	509	399,968	491	96.8	95.2-98.4	9	1.7	0.5- 2.9	9	1.5	0.5- 2.5
45-54	696	407,851	659	93.8	91.6-96.0	16	3.0	1.4- 4.6	21	3.2	1.8- 4.6
55-64	935	438,026	909	97.2	96.0-98.4	15	1.6	0.6- 2.6	11	1.2	0.4- 2.0
65+	2058	601,832	1970	95.4	94.4-96.4	40	2.1	1.3- 2.9	48	2.5	1.7- 3.3
Less Than H.S.	344	289,130	317	92.3	88.4-96.2	20	6.6	2.7-10.5	7	1.1	0.1- 2.1
H.S. or G.E.D.	1527	797,805	1456	95.3	93.9-96.7	32	2.3	1.3- 3.3	39	2.4	1.6- 3.2
Some Post-H.S.	1275	818,281	1233	96.4	95.0-97.8	21	1.5	0.7- 2.3	21	2.1	0.9- 3.3
College Graduate	1588	627,312	1546	97.1	96.1-98.1	16	1.1	0.5- 1.7	26	1.7	0.9- 2.5
Less than \$15,000	390	238,665	364	91.9	87.4-96.4	17	5.4	1.3- 9.5	9	2.6	0.6- 4.6
\$15,000- 24,999	707	367,526	682	95.5	93.3-97.7	17	3.1	1.3- 4.9	8	1.4	0.2- 2.6
\$25,000- 34,999	445	233,495	428	97.0	95.2-98.8	12	2.2	0.6- 3.8	5	0.8	0.0- 1.6
\$35,000- 49,999	499	267,054	492	98.1	95.9- 100	3	1.2	0.0- 3.2	4	0.7	0.0- 1.5
\$50,000- 74,999	552	313,767	542	97.7	95.9-99.5	5	1.0	0.0- 2.0	5	1.2	0.0- 2.8
\$75,000+	923	554,316	907	98.2	97.2-99.2	7	0.9	0.1- 1.7	9	1.0	0.2- 1.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 25: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-7776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8894	5,168,827	8268	92.3	91.5-93.1	130	1.8	1.4- 2.2	496	5.9	5.3- 6.5
Male	3997	2,520,706	3702	91.8	90.6-93.0	64	2.2	1.6- 2.8	231	6.1	5.1- 7.1
Female	4897	2,648,121	4566	92.9	91.9-93.9	66	1.4	1.0- 1.8	265	5.7	4.9- 6.5
White/Non-Hisp	7366	4,095,764	6917	93.5	92.7-94.3	76	1.0	0.6- 1.4	373	5.5	4.7- 6.3
Black or Afr. Am./Non-Hisp	598	449,728	561	92.5	89.6-95.4	11	2.6	0.6- 4.6	26	4.9	2.7- 7.1
Oth. Race/Non-Hisp.	234	160,747	205	87.0	80.9-93.1	12	7.2	2.1-12.3	17	5.8	2.1- 9.5
MultiRacial/Non-Hisp.	129	47,146	118	90.9	85.0-96.8	1	1.6	0.0- 4.5	10	7.5	2.4-12.6
Hispanic	384	315,984	333	85.0	80.7-89.3	25	7.7	4.4-11.0	26	7.3	4.2-10.4
18-24	462	683,503	412	89.3	86.2-92.4	18	4.0	2.0- 6.0	32	6.7	4.2- 9.2
25-34	802	861,216	737	91.4	89.2-93.6	14	1.8	0.8- 2.8	51	6.8	4.8- 8.8
35-44	976	823,256	920	93.9	92.1-95.7	13	1.8	0.8- 2.8	43	4.3	2.9- 5.7
45-54	1339	828,419	1224	91.4	89.8-93.0	14	1.2	0.4- 2.0	101	7.4	5.8- 9.0
55-64	1827	867,987	1729	94.3	93.1-95.5	15	0.8	0.4- 1.2	83	4.9	3.7- 6.1
65+	3488	1,104,446	3246	92.9	91.9-93.9	56	1.6	1.0- 2.2	186	5.5	4.5- 6.5
Less Than H.S.	648	628,525	584	89.1	86.0-92.2	28	4.6	2.4- 6.8	36	6.3	3.9- 8.7
H.S. or G.E.D.	2850	1,716,288	2643	92.3	90.9-93.7	48	2.0	1.2- 2.8	159	5.7	4.5- 6.9
Some Post-H.S.	2295	1,576,150	2156	93.7	92.5-94.9	31	1.3	0.7- 1.9	108	5.0	3.8- 6.2
College Graduate	3037	1,215,239	2851	93.4	92.2-94.6	19	0.6	0.2- 1.0	167	6.1	5.1- 7.1
Less than \$15,000	643	412,087	599	92.5	90.0-95.0	16	2.6	1.0- 4.2	28	4.9	2.9- 6.9
\$15,000- 24,999	1213	694,014	1151	94.4	92.6-96.2	17	2.0	0.6- 3.4	45	3.6	2.2- 5.0
\$25,000- 34,999	765	437,509	732	95.0	92.8-97.2	7	1.1	0.0- 2.3	26	3.9	1.9- 5.9
\$35,000- 49,999	1016	593,633	977	95.7	94.1-97.3	10	1.3	0.3- 2.3	29	3.0	1.8- 4.2
\$50,000- 74,999	1120	692,906	1077	95.3	93.5-97.1	6	0.6	0.0- 1.2	37	4.1	2.5- 5.7
\$75,000+	2134	1,306,871	2051	95.4	94.2-96.6	7	0.4	0.0- 0.8	76	4.2	3.0- 5.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 26: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-7776			Dintn Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3997	2,520,706	3702	91.8	90.6-93.0	64	2.2	1.6- 2.8	231	6.1	5.1- 7.1
White/Non-Hisp	3305	1,988,292	3097	93.2	92.0-94.4	37	1.1	0.5- 1.7	171	5.6	4.6- 6.6
Black or Afr. Am./Non-Hisp	236	210,993	220	91.1	86.2-96.0	6	4.5	0.4- 8.6	10	4.4	1.5- 7.3
Oth. Race/Non-Hisp.	129	92,950	110	83.4	74.6-92.2	6	9.2	1.8-16.6	13	7.4	1.9-12.9
MultiRacial/Non-Hisp.	59	21,344	56	91.9	82.9- 100				3	8.1	0.0-17.1
Hispanic	171	155,461	148	84.1	77.6-90.6	12	8.3	3.4-13.2	11	7.6	2.7-12.5
18-24	260	351,943	230	88.4	83.9-92.9	10	4.8	1.7- 7.9	20	6.8	3.5-10.1
25-34	386	434,179	350	89.6	86.1-93.1	7	2.2	0.4- 4.0	29	8.2	5.1-11.3
35-44	451	410,657	426	94.0	91.5-96.5	8	2.4	0.6- 4.2	17	3.6	1.6- 5.6
45-54	627	411,748	571	91.3	88.9-93.7	7	1.2	0.0- 2.4	49	7.4	5.2- 9.6
55-64	879	423,427	827	93.9	92.1-95.7	9	1.1	0.3- 1.9	43	5.0	3.4- 6.6
65+	1394	488,752	1298	92.7	90.9-94.5	23	1.8	0.8- 2.8	73	5.5	3.9- 7.1
Less Than H.S.	301	333,593	264	87.1	82.4-91.8	18	6.3	2.8- 9.8	19	6.6	3.3- 9.9
H.S. or G.E.D.	1298	893,989	1204	91.9	89.9-93.9	22	2.3	1.1- 3.5	72	5.9	4.3- 7.5
Some Post-H.S.	981	723,683	923	93.8	91.8-95.8	11	1.3	0.5- 2.1	47	4.9	3.1- 6.7
College Graduate	1386	552,259	1294	92.9	91.1-94.7	11	0.5	0.1- 0.9	81	6.6	4.8- 8.4
Less than \$15,000	243	160,586	223	91.2	86.9-95.5	6	2.6	0.1- 5.1	14	6.2	2.5- 9.9
\$15,000- 24,999	488	311,058	458	93.4	90.3-96.5	8	2.3	0.1- 4.5	22	4.3	1.9- 6.7
\$25,000- 34,999	307	196,934	287	92.7	88.6-96.8	5	2.2	0.0- 4.6	15	5.0	1.7- 8.3
\$35,000- 49,999	502	317,327	476	94.3	91.8-96.8	6	1.8	0.0- 3.6	20	3.9	1.9- 5.9
\$50,000- 74,999	549	364,156	534	96.8	95.0-98.6	1	0.2	0.0- 0.6	14	3.0	1.2- 4.8
\$75,000+	1175	728,812	1128	95.0	93.2-96.8	6	0.6	0.0- 1.2	41	4.4	2.8- 6.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 27: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-7776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4897	2,648,121	4566	92.9	91.9-93.9	66	1.4	1.0- 1.8	265	5.7	4.9- 6.5
White/Non-Hisp	4061	2,107,472	3820	93.7	92.7-94.7	39	0.9	0.5- 1.3	202	5.4	4.4- 6.4
Black or Afr. Am./Non-Hisp	362	238,735	341	93.8	90.5-97.1	5	0.8	0.0- 1.8	16	5.4	2.3- 8.5
Oth. Race/Non-Hisp.	105	67,797	95	92.1	84.8-99.4	6	4.3	0.0-10.4	4	3.6	0.0- 7.5
MultiRacial/Non-Hisp.	70	25,801	62	90.2	82.6-97.8	1	2.8	0.0- 8.3	7	7.0	1.3-12.7
Hispanic	213	160,522	185	85.9	80.4-91.4	13	7.2	2.9-11.5	15	6.9	3.0-10.8
18-24	202	331,560	182	90.4	85.9-94.9	8	3.0	0.6- 5.4	12	6.6	2.7-10.5
25-34	416	427,037	387	93.2	90.5-95.9	7	1.4	0.2- 2.6	22	5.4	2.9- 7.9
35-44	525	412,599	494	93.8	91.4-96.2	5	1.2	0.0- 2.4	26	5.0	2.8- 7.2
45-54	712	416,671	653	91.4	89.2-93.6	7	1.2	0.2- 2.2	52	7.4	5.2- 9.6
55-64	948	444,560	902	94.7	92.9-96.5	6	0.5	0.1- 0.9	40	4.8	3.0- 6.6
65+	2094	615,694	1948	93.1	91.9-94.3	33	1.4	0.8- 2.0	113	5.5	4.3- 6.7
Less Than H.S.	347	294,932	320	91.3	87.4-95.2	10	2.8	0.4- 5.2	17	5.9	2.6- 9.2
H.S. or G.E.D.	1552	822,300	1439	92.8	91.0-94.6	26	1.6	0.8- 2.4	87	5.6	4.0- 7.2
Some Post-H.S.	1314	852,466	1233	93.7	91.9-95.5	20	1.3	0.5- 2.1	61	5.0	3.4- 6.6
College Graduate	1651	662,980	1557	93.8	92.4-95.2	8	0.6	0.2- 1.0	86	5.6	4.2- 7.0
Less than \$15,000	400	251,501	376	93.4	90.3-96.5	10	2.6	0.4- 4.8	14	4.0	1.6- 6.4
\$15,000- 24,999	725	382,956	693	95.2	93.0-97.4	9	1.7	0.1- 3.3	23	3.1	1.5- 4.7
\$25,000- 34,999	458	240,576	445	96.9	94.7-99.1	2	0.2	0.0- 0.6	11	2.9	0.7- 5.1
\$35,000- 49,999	514	276,306	501	97.3	95.5-99.1	4	0.8	0.0- 1.6	9	1.9	0.5- 3.3
\$50,000- 74,999	571	328,750	543	93.6	90.7-96.5	5	1.1	0.1- 2.1	23	5.3	2.6- 8.0
\$75,000+	959	578,059	923	95.9	94.1-97.7	1	0.1	0.0- 0.3	35	4.0	2.2- 5.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 28: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3502	1,055,704	1057	27.3	25.3-29.3	2445	72.7	70.7-74.7
Male	1313	405,409	457	29.5	26.4-32.6	856	70.5	67.4-73.6
Female	2189	650,295	600	25.9	23.4-28.4	1589	74.1	71.6-76.6
White/Non-Hisp	3061	915,294	923	27.4	25.4-29.4	2138	72.6	70.6-74.6
Black or Afr. Am./Non-Hisp	227	75,226	69	29.5	22.1-36.9	158	70.5	63.1-77.9
Oth. Race/Non-Hisp.	67	21,180	24	32.3	14.7-49.9	43	67.7	50.1-85.3
25-34	50	43,018	16	29.3	15.0-43.6	34	70.7	56.4-85.0
35-44	137	83,758	37	29.3	19.7-38.9	100	70.7	61.1-80.3
45-54	337	147,831	100	25.8	20.5-31.1	237	74.2	68.9-79.5
55-64	733	242,945	222	27.5	23.8-31.2	511	72.5	68.8-76.2
65+	2222	513,566	672	26.4	24.2-28.6	1550	73.6	71.4-75.8
Less Than H.S.	235	121,099	55	21.7	14.8-28.6	180	78.3	71.4-85.2
H.S. or G.E.D.	1204	378,925	324	25.9	22.8-29.0	880	74.1	71.0-77.2
Some Post-H.S.	878	312,436	279	27.1	23.6-30.6	599	72.9	69.4-76.4
College Graduate	1156	233,160	388	31.3	28.0-34.6	768	68.7	65.4-72.0
Less than \$15,000	218	58,740	35	16.1	10.0-22.2	183	83.9	77.8-90.0
\$15,000- 24,999	504	140,163	135	24.2	19.3-29.1	369	75.8	70.9-80.7
\$25,000- 34,999	340	95,028	96	22.4	17.3-27.5	244	77.6	72.5-82.7
\$35,000- 49,999	402	122,488	132	29.7	24.0-35.4	270	70.3	64.6-76.0
\$50,000- 74,999	389	128,679	123	26.6	20.5-32.7	266	73.4	67.3-79.5
\$75,000+	663	223,748	252	32.5	28.0-37.0	411	67.5	63.0-72.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 29: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1313	405,409	457	29.5	26.6-32.4	856	70.5	67.6-73.4
White/Non-Hisp	1139	347,941	394	29.9	26.6-33.2	745	70.1	66.8-73.4
Black or Afr. Am./Non-Hisp	73	23,903	24	27.8	16.2-39.4	49	72.2	60.6-83.8
35-44	54	33,125	16	23.8	10.9-36.7	38	76.2	63.3-89.1
45-54	143	66,884	48	28.5	19.9-37.1	95	71.5	62.9-80.1
55-64	291	88,040	94	29.9	23.6-36.2	197	70.1	63.8-76.4
65+	797	192,376	290	31.6	27.9-35.3	507	68.4	64.7-72.1
Less Than H.S.	81	49,418	22	22.3	11.3-33.3	59	77.7	66.7-88.7
H.S. or G.E.D.	422	145,771	137	29.1	24.2-34.0	285	70.9	66.0-75.8
Some Post-H.S.	309	112,102	108	29.6	23.5-35.7	201	70.4	64.3-76.5
College Graduate	488	95,826	183	33.2	28.3-38.1	305	66.8	61.9-71.7
Less than \$15,000	75	22,794	15	19.3	8.1-30.5	60	80.7	69.5-91.9
\$15,000- 24,999	157	43,680	51	26.0	18.4-33.6	106	74.0	66.4-81.6
\$25,000- 34,999	119	36,060	30	18.9	11.3-26.5	89	81.1	73.5-88.7
\$35,000- 49,999	169	49,675	57	30.6	21.6-39.6	112	69.4	60.4-78.4
\$50,000- 74,999	176	62,534	60	26.5	18.5-34.5	116	73.5	65.5-81.5
\$75,000+	339	107,197	145	35.6	29.1-42.1	194	64.4	57.9-70.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 30: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2189	650,295	600	25.9	23.4-28.4	1589	74.1	71.6-76.6
White/Non-Hisp	1922	567,353	529	25.9	23.4-28.4	1393	74.1	71.6-76.6
Black or Afr. Am./Non-Hisp	154	51,324	45	30.3	20.7-39.9	109	69.7	60.1-79.3
35-44	83	50,633	21	32.9	19.8-46.0	62	67.1	54.0-80.2
45-54	194	80,947	52	23.5	16.6-30.4	142	76.5	69.6-83.4
55-64	442	154,904	128	26.2	21.5-30.9	314	73.8	69.1-78.5
65+	1425	321,189	382	23.4	20.9-25.9	1043	76.6	74.1-79.1
Less Than H.S.	154	71,681	33	21.4	12.6-30.2	121	78.6	69.8-87.4
H.S. or G.E.D.	782	233,153	187	23.9	19.8-28.0	595	76.1	72.0-80.2
Some Post-H.S.	569	200,334	171	25.7	21.4-30.0	398	74.3	70.0-78.6
College Graduate	668	137,334	205	30.0	25.7-34.3	463	70.0	65.7-74.3
Less than \$15,000	143	35,946	20	14.0	7.1-20.9	123	86.0	79.1-92.9
\$15,000- 24,999	347	96,483	84	23.4	17.1-29.7	263	76.6	70.3-82.9
\$25,000- 34,999	221	58,969	66	24.5	17.8-31.2	155	75.5	68.8-82.2
\$35,000- 49,999	233	72,813	75	29.1	21.7-36.5	158	70.9	63.5-78.3
\$50,000- 74,999	213	66,144	63	26.8	17.8-35.8	150	73.2	64.2-82.2
\$75,000+	324	116,551	107	29.6	23.3-35.9	217	70.4	64.1-76.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 31: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)**  
Denominator excludes: Respondents reporting only one phone number in the household  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1011	271,961	710	86.8	84.8-88.8	229	10.3	8.5-12.1	63	2.3	1.7- 2.9	4	0.1	0.0- 0.3	3	0.3	0.0- 0.7	2	0.2	0.0- 0.0
Male	434	112,312	289	83.4	80.1-86.7	104	12.8	9.9-15.7	36	3.1	1.9- 4.3	2	0.1	0.0- 0.3	3	0.6	0.0- 1.4			
Female	577	159,649	421	89.2	87.0-91.4	125	8.6	6.8-10.4	27	1.8	1.0- 2.6	2	0.1	0.0- 0.3				2	0.3	0.0- 0.0
White/Non-Hisp	886	240,350	618	86.6	84.6-88.6	198	10.2	8.4-12.0	62	2.6	1.8- 3.4	4	0.1	0.0- 0.3	2	0.2	0.0- 0.6	2	0.2	0.0- 0.0
Black or Afr. Am./Non-Hisp	64	19,830	47	89.6	83.9-95.3	16	9.5	4.2-14.8						1	0.9	0.0- 2.7				
45-54	94	35,555	79	93.5	89.6-97.4	9	4.0	1.1- 6.9	4	1.0	0.0- 2.0			2	1.5	0.0- 3.7				
55-64	218	65,745	172	89.2	85.5-92.9	36	9.2	5.7-12.7	9	1.5	0.3- 2.7	1	0.2	0.0- 0.6						
65+	639	126,974	410	81.5	78.8-84.2	174	14.0	11.6-16.4	49	3.8	2.6- 5.0	3	0.2	0.0- 0.4	1	0.1	0.0- 0.3	2	0.3	0.0- 0.0
Less Than H.S.	53	25,681	40	88.7	81.3-96.1	8	6.8	1.1-12.5	4	3.1	0.0- 6.4			1	1.4	0.0- 4.1				
H.S. or G.E.D.	305	91,411	217	87.3	84.0-90.6	78	11.2	8.1-14.3	6	0.7	0.1- 1.3			2	0.4	0.0- 1.0	2	0.5	0.0- 1.0	
Some Post-H.S.	268	80,996	190	87.6	84.3-90.9	54	9.0	6.1-11.9	23	3.3	1.9- 4.7	1	0.1	0.0- 0.3						
College Graduate	376	69,881	259	85.0	81.7-88.3	85	11.6	8.5-14.7	29	3.0	1.8- 4.2	3	0.4	0.0- 0.8						
\$15,000- 24,999	132	31,733	93	84.4	78.3-90.5	36	13.8	8.1-19.5	3	1.9	0.0- 4.3									
\$25,000- 34,999	93	20,514	62	83.2	76.3-90.1	27	14.0	7.9-20.1	2	1.3	0.0- 3.3	1	0.3	0.0- 0.9				1	1.2	0.0- 3.0
\$35,000- 49,999	129	35,780	92	87.6	82.9-92.3	22	7.7	4.2-11.2	11	2.6	0.8- 4.4	1	0.2	0.0- 0.6	3	2.0	0.0- 4.4			
\$50,000- 74,999	118	32,259	81	87.8	82.5-93.1	23	7.7	3.4-12.0	13	4.0	1.5- 6.5							1	0.5	0.0- 1.0
\$75,000+	244	70,359	177	87.0	83.1-90.9	47	10.3	6.8-13.8	18	2.4	1.2- 3.6	2	0.3	0.0- 0.7						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 32: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)**

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	434	112,312	289	83.4	80.1-86.7	104	12.8	9.9-15.7	36	3.1	1.9- 4.3	2	0.1	0.0- 0.3	3	0.6	0.0- 1.4
White/Non-Hisp	377	99,153	249	83.3	79.6-87.0	89	12.6	9.3-15.9	35	3.4	2.2- 4.6	2	0.2	0.0- 0.4	2	0.5	0.0- 1.3
55-64	91	25,618	68	85.7	78.3-93.1	19	12.1	5.0-19.2	4	2.2	0.0- 4.6						
65+	274	55,966	166	79.3	74.6-84.0	73	15.0	10.9-19.1	32	5.1	3.1- 7.1	2	0.3	0.0- 0.7	1	0.3	0.0- 0.9
H.S. or G.E.D.	127	38,035	88	84.4	78.7-90.1	35	14.4	8.7-20.1	2	0.4	0.0- 1.0				2	0.9	0.0- 2.1
Some Post-H.S.	103	31,720	65	84.4	78.5-90.3	23	10.3	5.2-15.4	14	5.1	2.2- 8.0	1	0.2	0.0- 0.6			
College Graduate	176	30,429	120	82.6	77.1-88.1	38	13.3	8.2-18.4	17	3.8	1.8- 5.8	1	0.3	0.0- 0.9			
\$15,000- 24,999	50	11,083	29	72.1	58.8-85.4	19	25.5	12.6-38.4	2	2.4	0.0- 6.1						
\$35,000- 49,999	55	14,820	35	81.1	72.1-90.1	11	10.7	4.6-16.8	5	3.1	0.2- 6.0	1	0.4	0.0- 1.2	3	4.7	0.0-10.4
\$50,000- 74,999	57	14,956	38	84.2	75.4-93.0	13	12.0	4.0-20.0	6	3.8	0.5- 7.1						
\$75,000+	140	36,923	98	84.9	79.2-90.6	28	11.9	6.6-17.2	13	3.0	1.2- 4.8	1	0.2	0.0- 0.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 33: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)**

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	577	159,649	421	89.2	87.0-91.4	125	8.6	6.8-10.4	27	1.8	1.0- 2.6	2	0.1	0.0- 0.3	2	0.3	0.0- 0.7
White/Non-Hisp	509	141,197	369	88.9	86.5-91.3	109	8.6	6.6-10.6	27	2.1	1.1- 3.1	2	0.1	0.0- 0.3	2	0.3	0.0- 0.7
55-64	127	40,127	104	91.4	87.3-95.5	17	7.3	3.4-11.2	5	1.0	0.0- 2.0	1	0.3	0.0- 0.9			
65+	365	71,009	244	83.2	79.7-86.7	101	13.3	10.2-16.4	17	2.8	1.2- 4.4	1	0.1	0.0- 0.3	2	0.6	0.0- 1.4
H.S. or G.E.D.	178	53,376	129	89.4	85.7-93.1	43	9.0	5.7-12.3	4	0.9	0.1- 1.7				2	0.8	0.0- 2.0
Some Post-H.S.	165	49,276	125	89.7	86.0-93.4	31	8.2	4.9-11.5	9	2.1	0.7- 3.5						
College Graduate	200	39,452	139	86.8	82.7-90.9	47	10.3	6.6-14.0	12	2.4	0.8- 4.0	2	0.5	0.0- 1.3			
\$15,000- 24,999	82	20,651	64	91.0	85.9-96.1	17	7.5	3.4-11.6	1	1.5	0.0- 4.4						
\$25,000- 34,999	63	13,702	40	81.2	72.4-90.0	20	15.1	7.5-22.7	1	1.4	0.0- 4.1	1	0.5	0.0- 1.5	1	1.8	0.0- 5.3
\$35,000- 49,999	74	20,960	57	92.2	87.3-97.1	11	5.6	1.3- 9.9	6	2.2	0.2- 4.2						
\$50,000- 74,999	61	17,303	43	90.9	85.0-96.8	10	3.9	0.6- 7.2	7	4.3	0.6- 8.0				1	0.9	0.0- 2.9
\$75,000+	104	33,436	79	89.3	84.2-94.4	19	8.6	4.1-13.1	5	1.7	0.0- 3.5	1	0.4	0.0- 1.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS  
TABLE 34: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8708	5,083,033	6913	83.5	82.5-84.5	969	10.0	9.2-10.8	134	1.7	1.3- 2.1	53	0.7	0.5- 0.9	26	0.3	0.1- 0.5	7	0.1	0.0- 0.3	606	3.8	3.4- 4.2
Male	3908	2,476,676	3097	83.1	81.7-84.5	482	10.8	9.6-12.0	67	1.7	1.1- 2.3	27	0.7	0.3- 1.1	12	0.3	0.1- 0.5	4	0.2	0.0- 0.4	219	3.2	2.6- 3.8
Female	4800	2,606,357	3816	83.8	82.6-85.0	487	9.2	8.2-10.2	67	1.6	1.2- 2.0	26	0.6	0.4- 0.8	14	0.4	0.2- 0.6	3	0.1	0.1- 0.1	387	4.3	3.7- 4.9
White/Non-Hisp	7232	4,038,082	5746	83.4	82.4-84.4	818	10.3	9.5-11.1	105	1.5	1.1- 1.9	45	0.7	0.5- 0.9	17	0.2	0.0- 0.4	5	0.1	0.1- 0.1	496	3.8	3.4- 4.2
Black or Afr. Am./Non-Hisp	584	438,585	462	83.4	79.7-87.1	58	10.1	7.0-13.2	9	1.4	0.4- 2.4	3	0.7	0.0- 1.7	4	0.6	0.0- 1.2	2	0.7	0.0- 1.9	46	3.1	2.1- 4.1
Other Race/Non-Hisp.	225	157,451	174	82.8	76.7-88.9	25	7.8	4.1-11.5	6	3.2	0.5- 5.9	1	0.8	0.0- 2.4							19	5.5	1.6- 9.4
MultiRacial/Non-Hisp.	125	46,075	93	84.2	77.5-90.9	20	11.2	5.3-17.1	4	2.3	0.0- 4.7										8	2.3	0.5- 4.1
Hispanic	383	315,165	327	86.1	81.8-90.4	29	7.2	4.1-10.3	7	2.8	0.6- 5.0	3	0.7	0.0- 1.5	5	1.7	0.0- 3.5				12	1.6	0.4- 2.8
18-24	456	673,655	414	90.4	87.5-93.3	29	6.9	4.2- 9.6	7	1.3	0.3- 2.3	1	0.2	0.0- 0.6	1	0.4	0.0- 1.2				4	0.8	0.0- 1.6
25-34	797	857,921	717	89.5	87.1-91.9	64	8.2	6.0-10.4	7	0.9	0.1- 1.7	1	0.2	0.0- 0.6				1	0.3	0.0- 0.9	7	0.9	0.1- 1.7
35-44	963	812,856	816	84.8	82.3-87.3	77	8.1	6.1-10.1	29	3.1	1.7- 4.5	16	1.7	0.7- 2.7	9	0.8	0.2- 1.4	1	0.1	0.0- 0.3	15	1.4	0.6- 2.2
45-54	1313	813,388	1084	84.4	82.2-86.6	136	9.6	7.8-11.4	29	1.9	1.1- 2.7	20	1.2	0.6- 1.8	8	0.5	0.1- 0.9	2	0.2	0.0- 0.4	34	2.2	1.4- 3.0
55-64	1790	849,918	1419	81.3	79.3-83.3	217	11.5	9.9-13.1	32	1.8	1.0- 2.6	13	0.8	0.2- 1.4	5	0.2	0.0- 0.4	3	0.2	0.0- 0.4	101	4.2	3.2- 5.2
65+	3389	1,075,294	2463	74.3	72.5-76.1	446	13.8	12.4-15.2	30	1.1	0.7- 1.5	2	0.1	0.0- 0.3	3	0.2	0.0- 0.4				445	10.5	9.3- 11.7
Less Than H.S.	640	621,924	478	80.3	76.8-83.8	62	10.1	7.2-13.0	12	2.0	0.6- 3.4				1	0.2	0.0- 0.6	1	0.4	0.0- 1.2	86	7.2	5.4- 9.0
H.S. or G.E.D.	2803	1,692,610	2141	81.5	79.7-83.3	284	9.7	8.3-11.1	41	1.8	1.2- 2.4	20	1.0	0.6- 1.4	9	0.5	0.1- 0.9	2	0.1	0.0- 0.3	306	5.4	4.6- 6.2
Some Post-H.S.	2255	1,556,526	1823	84.9	83.3-86.5	269	10.4	9.0-11.8	36	1.6	1.0- 2.2	8	0.5	0.1- 0.9	4	0.1	0.0- 0.3	2	0.1	0.0- 0.3	113	2.3	1.7- 2.9
College Graduate	2963	1,191,253	2443	86.3	84.9-87.7	349	9.7	8.5-10.9	45	1.3	0.9- 1.7	25	0.8	0.4- 1.2	12	0.4	0.2- 0.6	2	0.1	0.0- 0.3	87	1.3	0.9- 1.7
Less than \$15,000	637	408,537	496	86.1	83.2-89.0	41	6.5	4.1- 8.9	3	0.4	0.0- 1.0				1	0.2	0.0- 0.6				96	6.7	4.9- 8.5
\$15,000- 24,999	1209	692,954	954	83.0	80.5-85.5	98	9.4	7.2-11.6	6	0.9	0.1- 1.7	4	0.5	0.0- 1.1	2	0.2	0.0- 0.4				145	6.1	4.7- 7.5
\$25,000- 34,999	759	434,014	595	82.7	79.4-86.0	72	8.9	6.2-11.6	17	2.2	1.0- 3.4	3	0.5	0.0- 1.1	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	70	5.3	3.7- 6.9
\$35,000- 49,999	1014	593,274	819	83.8	81.1-86.5	125	9.9	7.7-12.1	16	1.7	0.7- 2.7	8	1.1	0.3- 1.9	1	0.2	0.0- 0.6	1	0.4	0.0- 1.2	44	2.8	1.6- 4.0
\$50,000- 74,999	1115	690,788	921	84.9	82.4-87.4	146	11.4	9.2-13.6	17	1.5	0.7- 2.3	3	0.4	0.0- 0.8	5	0.3	0.0- 0.7				23	1.6	0.8- 2.4
\$75,000+	2122	1,299,616	1729	84.4	82.6-86.2	277	11.0	9.4-12.6	51	2.2	1.4- 3.0	29	1.2	0.6- 1.8	9	0.3	0.1- 0.5	5	0.2	0.0- 0.4	22	0.6	0.2- 1.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 35: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3908	2,476,676	3097	83.1	81.7-84.5	482	10.8	9.6-12.0	67	1.7	1.1- 2.3	27	0.7	0.3- 1.1	12	0.3	0.1- 0.5	4	0.2	0.0- 0.4	219	3.2	2.6- 3.8
White/Non-Hisp	3246	1,962,230	2580	83.0	81.4-84.6	401	11.1	9.7-12.5	55	1.7	1.1- 2.3	22	0.7	0.3- 1.1	8	0.2	0.0- 0.4	3	0.1	0.0- 0.3	177	3.2	2.6- 3.8
Black or Afr. Am./Non-Hisp	229	204,564	181	81.0	74.7-87.3	27	13.2	7.5-18.9	2	0.8	0.0- 2.0	1	0.7	0.0- 2.1	3	0.9	0.0- 2.1	1	1.2	0.0- 3.6	14	2.2	0.8- 3.6
Other Race/Non-Hisp.	124	91,578	94	80.0	71.4-88.6	17	8.5	3.4-13.6	4	4.1	0.0- 8.4	1	1.4	0.0- 3.9							8	6.0	0.1-11.1
MultiRacial/Non-Hisp.	59	21,344	43	83.7	74.3-93.1	11	11.4	3.2-19.6	2	2.2	0.0- 5.3										3	2.7	0.0- 6.6
Hispanic	170	154,643	147	90.9	86.8-95.0	13	5.2	2.3- 8.1	1	0.8	0.0- 2.4	2	1.2	0.0- 3.0	1	0.4	0.0- 1.2				6	1.5	0.0- 3.3
18-24	255	344,693	230	89.4	85.1-93.7	19	8.3	4.4-12.2	4	1.2	0.0- 2.4	1	0.4	0.0- 1.2							1	0.6	0.0- 1.1
25-34	385	433,303	345	88.5	84.8-92.2	32	8.7	5.4-12.0	2	0.6	0.0- 1.6	1	0.4	0.0- 1.2				1	0.6	0.0- 1.8	4	1.2	0.0- 2.4
35-44	446	406,434	374	83.1	79.0-87.2	39	9.2	6.1-12.3	12	3.2	1.2- 5.2	7	1.7	0.3- 3.1	4	0.8	0.0- 1.6				10	2.1	0.5- 3.6
45-54	614	402,568	500	83.8	80.7-86.9	68	10.8	8.1-13.5	13	1.3	0.5- 2.1	9	0.8	0.2- 1.4	4	0.5	0.0- 1.1	1	0.2	0.0- 0.6	19	2.5	1.3- 3.7
55-64	860	414,344	684	81.6	78.7-84.5	98	11.1	8.7-13.5	15	2.0	0.8- 3.2	7	0.9	0.1- 1.7	4	0.4	0.0- 0.8	2	0.3	0.0- 0.7	50	3.8	2.6- 5.0
65+	1348	475,334	964	74.5	71.8-77.2	226	15.8	13.4-18.2	21	1.8	1.0- 2.6	2	0.2	0.0- 0.6							135	7.8	6.2- 9.4
Less Than H.S.	297	329,144	231	81.6	76.5-86.7	28	9.9	5.8-14.0	6	2.0	0.2- 3.8							1	0.7	0.0- 2.1	31	5.8	3.3- 8.3
H.S. or G.E.D.	1279	881,630	1005	82.4	80.0-84.8	144	10.5	8.5-12.5	18	1.4	0.6- 2.2	14	1.4	0.6- 2.2	3	0.3	0.0- 0.7	1	0.1	0.0- 0.3	94	4.0	3.0- 5.0
Some Post-H.S.	964	715,108	769	83.6	80.9-86.3	126	11.7	9.3-14.1	20	2.0	1.0- 3.0	2	0.3	0.0- 0.7	3	0.2	0.0- 0.4	1	0.1	0.0- 0.3	43	2.2	1.4- 3.0
College Graduate	1345	539,219	1079	84.8	82.6-87.0	180	10.8	9.0-12.6	23	1.7	0.9- 2.5	11	0.7	0.3- 1.1	6	0.6	0.0- 1.2	1	0.1	0.0- 0.3	45	1.4	1.0- 1.8
Less than \$15,000	241	158,477	187	84.9	79.8-90.0	16	6.9	2.8-11.0	2	0.7	0.0- 1.7										36	7.6	4.5-10.7
\$15,000- 24,999	488	311,058	382	81.9	77.8-86.0	51	11.3	7.8-14.8	2	0.4	0.0- 1.0	3	0.8	0.0- 1.8	1	0.2	0.0- 0.6				49	5.5	3.7- 7.3
\$25,000- 34,999	304	195,445	231	83.8	79.3-88.3	34	8.5	5.0-12.0	8	2.1	0.3- 3.9							1	0.5	0.0- 1.5	30	5.1	2.9- 7.3
\$35,000- 49,999	502	317,327	406	83.3	79.2-87.4	60	9.6	6.5-12.7	6	1.3	0.1- 2.5	6	1.5	0.1- 2.9	1	0.3	0.0- 0.9	1	0.8	0.0- 2.4	22	3.2	1.0- 5.4
\$50,000- 74,999	548	363,804	447	83.6	79.7-87.5	77	12.4	8.9-15.9	7	1.4	0.2- 2.6	3	0.7	0.0- 1.5	2	0.3	0.0- 0.7				12	1.6	0.2- 3.0
\$75,000+	1166	722,710	932	82.7	80.2-85.2	166	12.5	10.1-14.9	30	2.5	1.3- 3.7	13	0.9	0.3- 1.5	6	0.4	0.0- 0.8	2	0.1	0.0- 0.3	17	0.9	0.3- 1.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 36: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4800	2,606,357	3816	83.8	82.6-85.0	487	9.2	8.2-10.2	67	1.6	1.2- 2.0	26	0.6	0.4- 0.8	14	0.4	0.2- 0.6	3	0.1	0.1- 0.1	387	4.3	3.7- 4.9
White/Non-Hisp	3986	2,075,852	3166	83.7	82.3-85.1	417	9.4	8.2-10.6	50	1.4	1.0- 1.8	23	0.7	0.3- 1.1	9	0.2	0.0- 0.4	2	0.1	0.1- 0.1	319	4.5	3.9- 5.1
Black or Afr. Am./Non-Hisp	355	234,021	281	85.5	81.4-89.6	31	7.4	4.3-10.5	7	2.0	0.4- 3.6	2	0.7	0.0- 1.9	1	0.3	0.0- 0.9	1	0.3	0.0- 0.9	32	3.8	2.2- 5.5
Other Race/Non-Hisp.	101	65,873	80	86.6	79.2-94.0	8	6.7	1.2-12.2	2	2.0	0.0- 4.7										11	4.7	0.4- 9.0
MultiRacial/Non-Hisp.	66	24,730	50	84.6	75.4-93.8	9	11.0	2.8-19.2	2	2.4	0.0- 5.9										5	2.0	0.0- 4.0
Hispanic	213	160,522	180	81.4	74.3-88.5	16	9.0	3.5-14.5	6	4.7	0.6- 8.8	1	0.3	0.0- 0.9	4	2.9	0.0- 6.2				6	1.6	0.0- 3.3
18-24	201	328,963	184	91.3	87.0-95.6	10	5.5	2.0- 9.0	3	1.5	0.0- 3.3				1	0.7	0.0- 2.1				3	1.0	0.0- 2.0
25-34	412	424,618	372	90.5	87.6-93.4	32	7.7	5.0-10.4	5	1.1	0.1- 2.1										3	0.7	0.0- 1.4
35-44	517	406,422	442	86.6	83.5-89.7	38	7.0	4.6- 9.4	17	3.1	1.5- 4.7	9	1.7	0.5- 2.9	5	0.8	0.0- 1.6	1	0.2	0.0- 0.6	5	0.6	0.0- 1.1
45-54	699	410,820	584	84.9	82.0-87.8	68	8.6	6.4-10.8	16	2.5	1.1- 3.9	11	1.6	0.6- 2.6	4	0.4	0.0- 0.8	1	0.1	0.0- 0.3	15	1.9	0.7- 3.1
55-64	930	435,574	735	80.9	78.2-83.6	119	11.8	9.4-14.2	17	1.7	0.7- 2.7	6	0.8	0.2- 1.4	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	51	4.6	3.2- 6.0
65+	2041	599,960	1499	74.2	72.0-76.4	220	12.2	10.4-14.0	9	0.5	0.1- 0.9				3	0.3	0.0- 0.7				310	12.7	11.1-14.3
Less Than H.S.	343	292,780	247	78.7	73.6-83.8	34	10.2	6.1-14.3	6	2.0	0.0- 4.0				1	0.3	0.0- 0.9				55	8.7	6.0-11.4
H.S. or G.E.D.	1524	810,979	1136	80.5	78.1-82.9	140	8.9	7.1-10.7	23	2.3	1.3- 3.3	6	0.6	0.0- 1.2	6	0.7	0.1- 1.3	1	0.1	0.0- 0.3	212	7.0	5.8- 8.2
Some Post-H.S.	1291	841,417	1054	85.9	83.7-88.1	143	9.4	7.6-11.2	16	1.3	0.5- 2.1	6	0.7	0.1- 1.3	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	70	2.4	1.6- 3.3
College Graduate	1618	652,034	1364	87.6	85.8-89.4	169	8.8	7.2-10.4	22	1.1	0.5- 1.7	14	0.9	0.3- 1.5	6	0.3	0.0- 0.7	1	0.1	0.0- 0.3	42	1.2	0.8- 1.6
Less than \$15,000	396	250,061	309	86.9	83.2-90.6	25	6.3	3.4- 9.2	1	0.2	0.0- 0.6				1	0.4	0.0- 1.2				60	6.2	4.2- 8.2
\$15,000- 24,999	721	381,896	572	83.8	80.5-87.1	47	7.9	5.4-10.4	4	1.3	0.0- 2.7	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3				96	6.5	4.7- 8.3
\$25,000- 34,999	455	238,569	364	81.8	76.9-86.7	38	9.3	5.0-13.6	9	2.3	0.5- 4.1	3	1.0	0.0- 2.2	1	0.2	0.0- 0.6				40	5.5	3.3- 7.7
\$35,000- 49,999	512	275,947	413	84.5	81.0-88.0	65	10.3	7.4-13.2	10	2.2	0.6- 3.8	2	0.5	0.0- 1.3							22	2.5	1.1- 3.9
\$50,000- 74,999	567	326,984	474	86.4	83.3-89.5	69	10.2	7.5-12.9	10	1.6	0.4- 2.8				3	0.3	0.0- 0.7				11	1.5	0.5- 2.5
\$75,000+	956	576,907	797	86.6	84.2-89.0	111	9.1	7.1-11.1	21	1.9	0.9- 2.9	16	1.5	0.7- 2.3	3	0.3	0.0- 0.7	3	0.4	0.0- 0.8	5	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 37: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8837	5,138,397	1066	9.8	9.0-10.6	7771	90.2	89.4-91.0
Male	3967	2,505,176	958	17.7	16.3-19.1	3009	82.3	80.9-83.7
Female	4870	2,633,221	108	2.2	1.6- 2.8	4762	97.8	97.2-98.4
White/Non-Hisp	7328	4,078,222	893	10.1	9.3-10.9	6435	89.9	89.1-90.7
Black or Afr. Am./Non-Hisp	593	446,155	75	12.1	8.8-15.4	518	87.9	84.6-91.2
Oth. Race/Non-Hisp.	231	158,918	36	10.1	6.0-14.2	195	89.9	85.8-94.0
MultiRacial/Non-Hisp.	128	46,819	19	9.0	4.1-13.9	109	91.0	86.1-95.9
Hispanic	383	314,217	16	2.3	1.1- 3.5	367	97.7	96.5-98.9
18-24	457	677,378	15	2.8	1.4- 4.2	442	97.2	95.8-98.6
25-34	798	857,810	45	5.9	3.9- 7.9	753	94.1	92.1-96.1
35-44	974	821,744	45	5.1	3.5- 6.7	929	94.9	93.3-96.5
45-54	1330	822,903	115	8.9	7.1-10.7	1215	91.1	89.3-92.9
55-64	1813	860,508	189	10.5	8.9-12.1	1624	89.5	87.9-91.1
65+	3465	1,098,054	657	20.6	18.8-22.4	2808	79.4	77.6-81.2
Less Than H.S.	641	621,893	54	6.5	4.5- 8.5	587	93.5	91.5-95.5
H.S. or G.E.D.	2836	1,708,230	344	9.3	8.1-10.5	2492	90.7	89.5-91.9
Some Post-H.S.	2289	1,571,926	333	12.4	10.8-14.0	1956	87.6	86.0-89.2
College Graduate	3016	1,208,833	327	8.8	7.6-10.0	2689	91.2	90.0-92.4
Less than \$15,000	641	410,625	64	7.1	4.9- 9.3	577	92.9	90.7-95.1
\$15,000- 24,999	1213	694,014	144	9.1	7.3-10.9	1069	90.9	89.1-92.7
\$25,000- 34,999	764	437,346	115	12.6	9.9-15.3	649	87.4	84.7-90.1
\$35,000- 49,999	1015	592,930	152	11.6	9.2-14.0	863	88.4	86.0-90.8
\$50,000- 74,999	1120	692,906	151	11.7	9.5-13.9	969	88.3	86.1-90.5
\$75,000+	2132	1,306,455	253	10.0	8.4-11.6	1879	90.0	88.4-91.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 38: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3967	2,505,176	958	17.7	16.3-19.1	3009	82.3	80.9-83.7
White/Non-Hisp	3285	1,978,802	812	18.5	17.1-19.9	2473	81.5	80.1-82.9
Black or Afr. Am./Non-Hisp	236	210,993	63	22.3	16.0-28.6	173	77.7	71.4-84.0
Oth. Race/Non-Hisp.	127	91,252	32	15.5	8.8-22.2	95	84.5	77.8-91.2
MultiRacial/Non-Hisp.	58	21,017	14	14.1	5.5-22.7	44	85.9	77.3-94.5
Hispanic	171	155,461	11	3.3	1.1- 5.5	160	96.7	94.5-98.9
18-24	257	348,748	13	4.8	2.1- 7.5	244	95.2	92.5-97.9
25-34	383	431,717	31	8.6	5.3-11.9	352	91.4	88.1-94.7
35-44	451	410,657	34	8.3	5.4-11.2	417	91.7	88.8-94.6
45-54	621	408,360	93	14.6	11.7-17.5	528	85.4	82.5-88.3
55-64	869	419,523	166	18.7	15.8-21.6	703	81.3	78.4-84.2
65+	1386	486,171	621	44.7	41.6-47.8	765	55.3	52.2-58.4
Less Than H.S.	297	330,225	53	12.1	8.4-15.8	244	87.9	84.2-91.6
H.S. or G.E.D.	1293	890,340	323	16.6	14.4-18.8	970	83.4	81.2-85.6
Some Post-H.S.	978	721,563	294	23.3	20.4-26.2	684	76.7	73.8-79.6
College Graduate	1373	548,469	281	15.5	13.3-17.7	1092	84.5	82.3-86.7
Less than \$15,000	242	159,295	58	16.9	11.6-22.2	184	83.1	77.8-88.4
\$15,000- 24,999	488	311,058	133	18.2	14.7-21.7	355	81.8	78.3-85.3
\$25,000- 34,999	307	196,934	105	25.7	20.2-31.2	202	74.3	68.8-79.8
\$35,000- 49,999	501	316,624	143	20.8	16.7-24.9	358	79.2	75.1-83.3
\$50,000- 74,999	549	364,156	128	18.0	14.3-21.7	421	82.0	78.3-85.7
\$75,000+	1173	728,396	226	15.6	13.2-18.0	947	84.4	82.0-86.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 39: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4870	2,633,221	108	2.2	1.6- 2.8	4762	97.8	97.2-98.4
White/Non-Hisp	4043	2,099,420	81	2.1	1.5- 2.7	3962	97.9	97.3-98.5
Black or Afr. Am./Non-Hisp	357	235,162	12	3.1	1.1- 5.1	345	96.9	94.9-98.9
Oth. Race/Non-Hisp.	104	67,667	4	2.7	0.0- 6.0	100	97.3	94.0- 100
MultiRacial/Non-Hisp.	70	25,801	5	4.9	0.0-10.4	65	95.1	89.6- 100
Hispanic	212	158,756	5	1.3	0.1- 2.5	207	98.7	97.5-99.9
18-24	200	328,631	2	0.6	0.0- 1.4	198	99.4	98.6- 100
25-34	415	426,093	14	3.1	1.3- 4.9	401	96.9	95.1-98.7
35-44	523	411,087	11	2.0	0.8- 3.2	512	98.0	96.8-99.2
45-54	709	414,543	22	3.3	1.9- 4.7	687	96.7	95.3-98.1
55-64	944	440,984	23	2.7	1.5- 3.9	921	97.3	96.1-98.5
65+	2079	611,883	36	1.5	0.9- 2.1	2043	98.5	97.9-99.1
Less Than H.S.	344	291,668	1	0.2	0.0- 0.6	343	99.8	99.4- 100
H.S. or G.E.D.	1543	817,890	21	1.3	0.5- 2.1	1522	98.7	97.9-99.5
Some Post-H.S.	1311	850,363	39	3.0	1.8- 4.2	1272	97.0	95.8-98.2
College Graduate	1643	660,364	46	3.1	2.1- 4.1	1597	96.9	95.9-97.9
Less than \$15,000	399	251,329	6	1.0	0.0- 2.0	393	99.0	98.0- 100
\$15,000- 24,999	725	382,956	11	1.7	0.5- 2.9	714	98.3	97.1-99.5
\$25,000- 34,999	457	240,412	10	1.9	0.5- 3.3	447	98.1	96.7-99.5
\$35,000- 49,999	514	276,306	9	1.2	0.2- 2.2	505	98.8	97.8-99.8
\$50,000- 74,999	571	328,750	23	4.8	2.6- 7.0	548	95.2	93.0-97.4
\$75,000+	959	578,059	27	2.9	1.5- 4.3	932	97.1	95.7-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 40: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8713	5,065,752	4168	57.3	55.9-58.7	298	4.8	4.2- 5.4	475	5.6	5.0- 6.2	219	5.7	4.9- 6.5	2849	18.8	18.0-19.6	704	7.9	7.3- 8.5
Male	3924	2,476,340	2188	64.6	62.8-66.4	142	4.5	3.5- 5.5	19	0.6	0.2- 1.0	105	5.7	4.5- 6.9	1197	17.9	16.7-19.1	273	6.7	5.7- 7.7
Female	4789	2,589,412	1980	50.3	48.5-52.1	156	5.0	4.0- 6.0	456	10.3	9.1-11.5	114	5.7	4.5- 6.9	1652	19.6	18.4-20.8	431	9.1	8.1-10.1
White/Non-Hisp	7235	4,019,649	3441	57.6	56.2-59.0	218	4.1	3.5- 4.7	395	5.6	4.8- 6.4	145	4.6	3.8- 5.4	2505	20.5	19.5-21.5	531	7.6	6.8- 8.4
Black or Afr. Am./Non-Hisp	583	438,717	273	54.7	49.6-59.8	34	8.5	5.0-12.0	12	1.7	0.7- 2.7	21	7.6	4.3-10.9	148	14.4	11.3-17.5	95	13.1	10.0-16.2
Oth. Race/Non-Hisp.	231	158,324	101	48.2	39.6-56.8	11	9.8	2.9-16.7	7	2.7	0.2- 5.2	21	17.8	10.4-25.2	68	13.1	8.8-17.4	23	8.3	4.4-12.2
MultiRacial/Non-Hisp.	125	45,925	60	51.2	39.8-62.6	7	6.0	0.9-11.1	9	11.8	3.0-20.6	5	8.6	0.6-16.6	28	11.0	5.7-16.3	16	11.4	4.7-18.1
Hispanic	378	311,875	226	66.1	60.6-71.6	24	5.4	2.9- 7.9	47	11.4	7.9-14.9	21	8.2	4.5-11.9	34	4.1	2.5- 5.7	26	4.8	2.6- 7.0
18-24	450	666,916	254	53.6	48.5-58.7	31	8.9	5.6-12.2	8	2.1	0.5- 3.7	148	33.5	28.6-38.4	1	0.2	0.0- 0.6	8	1.7	0.5- 2.9
25-34	790	852,391	593	73.9	70.4-77.4	54	7.4	5.2- 9.6	61	8.2	6.0-10.4	47	5.8	4.0- 7.6	1	0.0	0.0- 0.0	34	4.7	2.9- 6.5
35-44	954	804,770	759	79.6	76.7-82.5	39	4.6	3.0- 6.2	69	7.5	5.5- 9.5	14	1.2	0.4- 2.0	7	0.6	0.0- 1.2	66	6.5	4.7- 8.3
45-54	1301	806,491	1001	77.4	74.9-79.9	53	3.7	2.5- 4.9	65	4.6	3.4- 5.8	7	0.7	0.1- 1.3	37	3.0	1.8- 4.2	138	10.7	8.7-12.7
55-64	1800	850,828	1033	55.8	53.3-58.3	84	4.6	3.4- 5.8	88	5.3	4.1- 6.5	3	0.1	0.0- 0.3	285	15.8	13.8-17.8	307	18.4	16.2-20.6
65+	3418	1,084,356	528	16.2	14.6-17.8	37	1.2	0.8- 1.6	184	5.1	4.3- 5.9				2518	72.5	70.7-74.3	151	5.0	4.0- 6.0
Less Than H.S.	632	614,431	185	40.0	35.1-44.9	41	9.7	6.4-13.0	59	9.6	6.9-12.3	9	3.0	0.8- 5.2	195	18.9	15.8-22.0	143	18.9	15.6-22.2
H.S. or G.E.D.	2781	1,673,967	1110	53.3	50.9-55.7	119	5.7	4.5- 6.9	183	5.8	4.8- 6.8	59	5.2	3.8- 6.6	1008	21.0	19.4-22.6	302	9.0	7.8-10.2
Some Post-H.S.	2266	1,557,957	1070	57.9	55.5-60.3	81	4.0	3.0- 5.0	110	4.8	3.8- 5.8	93	8.5	6.7-10.3	728	17.6	16.0-19.2	184	7.1	5.9- 8.3
College Graduate	2985	1,193,606	1786	71.2	69.4-73.0	53	1.8	1.2- 2.4	119	4.2	3.4- 5.0	54	3.8	2.6- 5.0	901	17.2	15.8-18.6	72	1.8	1.2- 2.4
Less than \$15,000	634	404,526	130	28.4	23.7-33.1	68	14.2	10.1-18.3	38	6.6	4.2- 9.0	23	7.4	4.3-10.5	173	16.4	13.3-19.5	202	27.1	23.0-31.2
\$15,000- 24,999	1199	685,894	373	42.4	38.7-46.1	65	7.1	5.1- 9.1	55	4.8	3.2- 6.4	33	5.6	3.6- 7.6	471	22.9	20.4-25.4	202	17.2	14.5-19.9
\$25,000- 34,999	760	436,351	284	50.5	45.8-55.2	29	5.8	3.1- 8.5	41	5.6	3.4- 7.8	24	6.8	3.9- 9.7	333	24.4	21.3-27.5	49	6.8	4.6- 9.0
\$35,000- 49,999	1010	589,711	500	60.9	57.2-64.6	20	2.3	1.1- 3.5	52	6.3	4.1- 8.5	18	3.9	1.9- 5.9	381	22.4	19.7-25.1	39	4.2	2.6- 5.8
\$50,000- 74,999	1118	691,401	667	70.7	67.6-73.8	23	2.7	1.3- 4.1	52	4.6	3.2- 6.0	20	3.1	1.5- 4.7	327	16.5	14.3-18.7	29	2.3	1.3- 3.3
\$75,000+	2122	1,298,548	1568	77.9	75.7-80.1	26	1.6	0.8- 2.4	89	4.2	3.2- 5.2	49	5.6	3.8- 7.4	364	9.2	8.0-10.4	26	1.5	0.7- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS  
TABLE 41: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3924	2,476,340	2188	64.6	62.8-66.4	142	4.5	3.5- 5.5	19	0.6	0.2- 1.0	105	5.7	4.5- 6.9	1197	17.9	16.7-19.1	273	6.7	5.7- 7.7
White/Non-Hisp	3248	1,952,588	1824	65.3	63.3-67.3	99	3.8	3.0- 4.6	13	0.6	0.2- 1.0	76	5.1	3.9- 6.3	1036	19.2	17.8-20.6	200	6.0	5.0- 7.0
Black or Afr. Am./Non-Hisp	232	206,981	104	52.6	44.6-60.6	20	11.2	5.3-17.1	2	0.9	0.0- 2.1	6	5.2	0.9- 9.5	60	15.6	10.3-20.9	40	14.6	9.3-19.9
Oth. Race/Non-Hisp.	129	92,950	64	57.9	47.1-68.7	4	4.9	0.0- 9.8	1	0.1	0.0- 0.3	12	16.4	7.0-25.8	36	13.3	7.6-19.0	12	7.5	2.6-12.4
MultiRacial/Non-Hisp.	57	20,685	29	59.5	43.6-75.4	5	8.5	0.1-16.9				2	6.9	0.0-17.3	15	15.6	6.4-24.8	6	9.5	0.0-19.1
Hispanic	170	154,679	125	78.6	71.7-85.5	11	4.5	1.4- 7.6	2	1.4	0.0- 3.4	7	6.8	1.7-11.9	17	5.1	2.4- 7.8	8	3.6	0.9- 6.3
18-24	255	344,829	161	60.7	54.0-67.4	12	5.6	2.1- 9.1	1	0.4	0.0- 1.2	80	33.1	26.6-39.6				1	0.3	0.0- 0.9
25-34	380	429,463	319	81.3	76.6-86.0	31	8.8	5.5-12.1	3	1.2	0.0- 2.8	17	5.0	2.5- 7.5				10	3.7	1.2- 6.2
35-44	441	402,690	391	89.2	86.1-92.3	17	4.1	2.1- 6.1	2	0.5	0.0- 1.3	4	0.7	0.0- 1.5	4	0.6	0.0- 1.2	23	5.0	2.8- 7.2
45-54	613	404,268	507	82.7	79.4-86.0	24	3.3	1.9- 4.7	5	0.8	0.0- 1.6	2	0.4	0.0- 1.0	22	4.3	2.1- 6.5	53	8.4	6.0-10.8
55-64	866	415,165	532	60.1	56.4-63.8	42	4.9	3.3- 6.5	5	0.6	0.0- 1.2	2	0.2	0.0- 0.4	142	15.8	13.1-18.5	143	18.4	15.3-21.5
65+	1369	479,925	278	20.4	17.9-22.9	16	1.2	0.4- 2.0	3	0.2	0.0- 0.6				1029	74.4	71.7-77.1	43	3.8	2.4- 5.2
Less Than H.S.	294	325,943	119	49.8	43.1-56.5	22	8.6	4.7-12.5	5	2.5	0.1- 4.9	7	4.5	1.0- 8.0	82	18.6	14.1-23.1	59	15.9	11.6-20.2
H.S. or G.E.D.	1277	878,875	653	63.2	60.1-66.3	60	5.5	3.9- 7.1	4	0.3	0.0- 0.7	34	5.6	3.6- 7.6	404	18.1	16.1-20.1	122	7.2	5.8- 8.6
Some Post-H.S.	967	714,582	528	64.6	61.1-68.1	31	3.5	2.1- 4.9	2	0.3	0.0- 0.7	43	8.1	5.6-10.6	296	17.6	15.2-20.0	67	5.9	4.1- 7.7
College Graduate	1360	541,981	878	76.0	73.6-78.4	27	2.0	1.2- 2.8	8	0.5	0.1- 0.9	18	2.6	1.2- 4.0	405	17.5	15.5-19.5	24	1.5	0.7- 2.3
Less than \$15,000	239	155,843	55	31.2	23.8-38.6	27	12.1	7.0-17.2	3	1.7	0.0- 3.7	9	7.4	2.1-12.7	66	19.2	13.5-24.9	79	28.4	21.7-35.1
\$15,000- 24,999	484	309,417	165	43.9	38.2-49.6	37	9.9	6.4-13.4	1	0.2	0.0- 0.6	13	5.7	2.6- 8.8	184	24.0	19.9-28.1	84	16.3	12.4-20.2
\$25,000- 34,999	306	196,758	122	53.5	46.4-60.6	14	5.5	2.0- 9.0				12	7.6	3.1-12.1	136	25.2	20.1-30.3	22	8.2	4.5-11.9
\$35,000- 49,999	500	316,370	270	67.4	62.5-72.3	10	2.5	0.7- 4.3	3	0.6	0.0- 1.6	9	3.1	0.9- 5.3	186	21.9	18.2-25.6	22	4.4	2.0- 6.8
\$50,000- 74,999	548	363,414	354	77.5	73.8-81.2	12	2.2	0.6- 3.8	2	0.2	0.0- 0.4	7	2.1	0.5- 3.7	161	16.2	13.3-19.1	12	1.9	0.7- 3.1
\$75,000+	1168	723,749	901	81.7	78.8-84.6	11	1.3	0.3- 2.3	3	0.2	0.0- 0.6	29	5.9	3.5- 8.3	214	9.8	8.2-11.4	10	1.1	0.1- 2.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS  
TABLE 42: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4789	2,589,412	1980	50.3	48.5-52.1	156	5.0	4.0- 6.0	456	10.3	9.1-11.5	114	5.7	4.5- 6.9	1652	19.6	18.4-20.8	431	9.1	8.1-10.1
White/Non-Hisp	3987	2,067,061	1617	50.3	48.3-52.3	119	4.4	3.4- 5.4	382	10.4	9.0-11.8	69	4.1	3.1- 5.1	1469	21.8	20.4-23.2	331	9.0	7.8-10.2
Black or Afr. Am./Non-Hisp	351	231,737	169	56.5	49.8-63.2	14	6.0	2.1- 9.9	10	2.5	0.9- 4.1	15	9.7	4.6-14.8	88	13.4	9.9-16.9	55	11.8	8.1-15.5
Oth. Race/Non-Hisp.	102	65,375	37	34.6	21.9-47.3	7	16.8	2.5-31.1	6	6.5	0.4-12.6	9	19.8	7.3-32.3	32	12.9	6.4-19.4	11	9.4	2.7-16.1
MultiRacial/Non-Hisp.	68	25,240	31	44.4	29.5-59.3	2	3.9	0.0-10.0	9	21.5	6.8-36.2	3	10.0	0.0-22.0	13	7.3	1.8-12.8	10	12.8	3.4-22.2
Hispanic	208	157,196	101	53.7	45.7-61.7	13	6.4	2.5-10.3	45	21.4	14.9-27.9	14	9.5	4.2-14.8	17	3.2	1.4- 5.0	18	5.9	2.8- 9.0
18-24	195	322,087	93	45.9	38.1-53.7	19	12.5	6.8-18.2	7	4.0	1.1- 6.9	68	33.9	26.6-41.2	1	0.4	0.0- 1.2	7	3.2	0.8- 5.6
25-34	410	422,927	274	66.3	61.2-71.4	23	6.1	3.6- 8.6	58	15.2	11.3-19.1	30	6.6	4.1- 9.1	1	0.0	0.0- 0.0	24	5.7	3.3- 8.1
35-44	513	402,080	368	70.0	65.3-74.7	22	5.2	2.7- 7.7	67	14.4	10.7-18.1	10	1.7	0.5- 2.9	3	0.7	0.0- 1.5	43	8.0	5.3-10.7
45-54	688	402,224	494	72.0	68.3-75.7	29	4.1	2.5- 5.7	60	8.4	6.0-10.8	5	0.9	0.0- 1.9	15	1.6	0.8- 2.4	85	12.9	10.2-15.6
55-64	934	435,663	501	51.8	48.1-55.5	42	4.2	2.8- 5.6	83	9.8	7.6-12.0	1	0.1	0.0- 0.3	143	15.8	13.1-18.5	164	18.4	15.5-21.3
65+	2049	604,432	250	12.8	11.0-14.6	21	1.2	0.6- 1.8	181	9.0	7.6-10.4				1489	71.1	68.7-73.5	108	6.0	4.6- 7.4
Less Than H.S.	338	288,489	66	28.9	22.2-35.6	19	10.9	5.2-16.6	54	17.5	12.4-22.6	2	1.3	0.0- 3.1	113	19.2	15.1-23.3	84	22.1	16.8-27.4
H.S. or G.E.D.	1504	795,092	457	42.3	39.0-45.6	59	6.0	4.0- 8.0	179	11.8	9.6-14.0	25	4.8	2.6- 7.0	604	24.1	21.9-26.3	180	11.0	9.0-13.0
Some Post-H.S.	1299	843,375	542	52.3	49.0-55.6	50	4.5	3.1- 5.9	108	8.5	6.5-10.5	50	8.9	6.4-11.4	432	17.7	15.7-19.7	117	8.1	6.5- 9.7
College Graduate	1625	651,625	908	67.1	64.4-69.8	26	1.7	0.9- 2.5	111	7.3	5.7- 8.9	36	4.7	3.1- 6.3	496	17.0	15.2-18.8	48	2.1	1.3- 2.9
Less than \$15,000	395	248,684	75	26.7	20.6-32.8	41	15.5	9.8-21.2	35	9.6	5.9-13.3	14	7.3	3.4-11.2	107	14.6	11.3-17.9	123	26.3	21.2-31.4
\$15,000- 24,999	715	376,477	208	41.1	36.0-46.2	28	4.7	2.5- 6.9	54	8.6	5.7-11.5	20	5.5	3.0- 8.0	287	22.0	18.9-25.1	118	18.0	14.3-21.7
\$25,000- 34,999	454	239,593	162	48.1	41.8-54.4	15	6.1	2.2-10.0	41	10.3	6.6-14.0	12	6.1	2.4- 9.8	197	23.7	19.6-27.8	27	5.6	3.2- 8.0
\$35,000- 49,999	510	273,341	230	53.4	47.7-59.1	10	2.1	0.5- 3.7	49	12.8	8.5-17.1	9	4.8	1.3- 8.3	195	22.9	19.2-26.6	17	4.0	1.8- 6.2
\$50,000- 74,999	570	327,987	313	63.2	58.3-68.1	11	3.2	1.0- 5.4	50	9.5	6.6-12.4	13	4.3	1.8- 6.8	166	17.0	14.1-19.9	17	2.8	1.4- 4.2
\$75,000+	954	574,798	667	73.1	69.6-76.6	15	2.0	0.8- 3.2	86	9.2	7.0-11.4	20	5.1	2.7- 7.5	150	8.6	7.0-10.2	16	2.0	0.8- 3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 43: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8731	5,076,401	861	14.2	13.2-15.2	730	12.5	11.5-13.5	348	6.1	5.3- 6.9	140	2.6	2.2- 3.0	85	1.6	1.2- 2.0	6567	63.0	61.6-64.4
Male	3921	2,475,233	378	13.1	11.7-14.5	321	12.1	10.7-13.5	171	6.3	5.3- 7.3	58	2.3	1.7- 2.9	37	1.5	0.9- 2.1	2956	64.7	62.7-66.7
Female	4810	2,601,167	483	15.3	13.7-16.9	409	12.9	11.5-14.3	177	5.8	4.8- 6.8	82	2.8	2.2- 3.4	48	1.8	1.2- 2.4	3611	61.4	59.4-63.4
White/Non-Hisp	7243	4,025,022	663	13.3	12.1-14.5	538	11.4	10.4-12.4	258	5.7	4.9- 6.5	98	2.2	1.6- 2.8	63	1.5	1.1- 1.9	5623	65.9	64.3-67.5
Black or Afr. Am./Non-Hisp	586	439,418	79	18.5	14.2-22.8	62	14.3	10.4-18.2	27	4.7	2.7- 6.7	11	2.8	1.0- 4.6	7	1.9	0.1- 3.7	400	57.8	52.5-63.1
Oth. Race/Non-Hisp.	230	159,534	26	16.3	8.7-23.9	27	15.8	9.1-22.5	8	4.4	1.1- 7.7	4	3.5	0.0- 7.4	1	0.3	0.0- 0.9	164	59.8	51.0-68.6
MultiRacial/Non-Hisp.	125	46,029	16	15.4	7.4-23.4	16	16.0	7.4-24.6	7	5.2	1.1- 9.3	4	5.1	0.2-10.0	3	5.6	0.0-11.9	79	52.6	41.2-64.0
Hispanic	380	314,189	63	18.1	13.6-22.6	79	22.6	17.5-27.7	43	13.8	9.5-18.1	18	5.0	2.5- 7.5	10	3.4	0.9- 5.9	167	37.1	31.6-42.6
18-24	455	674,724	94	22.7	18.2-27.2	56	14.9	11.0-18.8	11	2.4	0.8- 4.0	6	1.5	0.1- 2.9	7	1.7	0.3- 3.1	281	56.7	51.6-61.8
25-34	791	852,086	131	18.5	15.4-21.6	161	21.9	18.6-25.2	85	11.5	9.0-14.0	43	5.4	3.6- 7.2	29	4.2	2.6- 5.8	342	38.5	34.8-42.2
35-44	953	802,430	184	19.8	17.1-22.5	261	26.3	23.2-29.4	163	17.6	14.9-20.3	58	6.8	5.0- 8.6	35	3.6	2.2- 5.0	252	25.9	22.8-29.0
45-54	1305	809,222	274	20.7	18.3-23.1	169	12.1	10.1-14.1	57	4.5	3.1- 5.9	23	1.8	1.0- 2.6	8	0.6	0.2- 1.0	774	60.3	57.4-63.2
55-64	1799	852,307	126	7.6	6.2- 9.0	54	3.1	2.1- 4.1	22	1.3	0.7- 1.9	7	0.4	0.0- 0.8	4	0.2	0.0- 0.4	1586	87.4	85.6-89.2
65+	3428	1,085,632	52	1.9	1.3- 2.5	29	1.0	0.6- 1.4	10	0.4	0.2- 0.6	3	0.1	0.0- 0.3	2	0.1	0.1- 0.1	3332	96.5	95.7-97.3
Less Than H.S.	639	618,818	68	14.5	10.8-18.2	64	15.5	11.6-19.4	39	9.1	6.2-12.0	20	4.7	2.5- 6.9	12	3.3	1.3- 5.3	436	53.0	48.1-57.9
H.S. or G.E.D.	2803	1,686,911	246	14.1	12.1-16.1	176	10.2	8.6-11.8	111	6.3	5.1- 7.5	41	2.3	1.5- 3.1	26	1.4	0.8- 2.0	2203	65.6	63.2-68.0
Some Post-H.S.	2265	1,554,247	243	14.6	12.6-16.6	180	12.3	10.5-14.1	79	4.8	3.6- 6.0	32	2.2	1.4- 3.0	21	1.4	0.8- 2.0	1710	64.7	62.2-67.2
College Graduate	2974	1,190,689	303	13.9	12.3-15.5	309	14.6	13.0-16.2	117	5.7	4.7- 6.7	47	2.4	1.6- 3.2	24	1.1	0.7- 1.5	2174	62.3	60.1-64.5
Less than \$15,000	642	411,120	62	14.2	10.1-18.3	34	8.5	5.6-11.4	27	5.7	3.3- 8.1	6	1.7	0.1- 3.3	6	1.5	0.1- 2.9	507	68.4	63.5-73.3
\$15,000- 24,999	1212	693,544	104	13.0	10.3-15.7	79	10.4	7.9-12.9	32	4.7	2.9- 6.5	27	3.3	1.9- 4.7	13	2.0	0.8- 3.2	957	66.5	62.8-70.2
\$25,000- 34,999	762	436,994	54	11.5	8.0-15.0	49	10.3	7.0-13.6	33	7.4	4.7-10.1	14	3.6	1.6- 5.6	6	1.6	0.2- 3.0	606	65.5	60.6-70.4
\$35,000- 49,999	1014	591,961	82	12.3	9.6-15.0	75	14.1	10.8-17.4	47	7.1	4.7- 9.5	16	2.5	1.1- 3.9	13	2.3	0.7- 3.9	781	61.8	57.7-65.9
\$50,000- 74,999	1117	690,295	123	14.4	11.7-17.1	104	13.0	10.3-15.7	55	7.2	5.0- 9.4	13	2.2	0.8- 3.6	12	1.4	0.6- 2.2	810	61.8	58.1-65.5
\$75,000+	2128	1,303,177	295	16.9	14.9-18.9	289	16.7	14.7-18.7	118	7.6	6.2- 9.0	45	2.9	1.9- 3.9	23	1.6	0.8- 2.4	1358	54.4	51.9-56.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 44: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3921	2,475,233	378	13.1	11.7-14.5	321	12.1	10.7-13.5	171	6.3	5.3- 7.3	58	2.3	1.7- 2.9	37	1.5	0.9- 2.1	2956	64.7	62.7-66.7
White/Non-Hisp	3246	1,952,094	294	12.6	11.0-14.2	235	10.9	9.3-12.5	132	6.0	4.8- 7.2	44	2.2	1.4- 3.0	28	1.3	0.7- 1.9	2513	66.9	64.7-69.1
Black or Afr. Am./Non-Hisp	233	207,571	27	14.2	8.3-20.1	26	16.3	9.8-22.8	9	3.1	0.9- 5.3	2	1.4	0.0- 3.4	3	2.8	0.0- 6.1	166	62.2	54.2-70.2
Oth. Race/Non-Hisp.	127	92,193	12	12.0	4.0-20.0	16	14.6	7.0-22.2	3	3.3	0.0- 7.2	2	3.0	0.0- 7.1	1	0.5	0.0- 1.5	93	66.6	56.0-77.2
MultiRacial/Non-Hisp.	57	20,685	9	18.1	5.0-31.2	4	7.0	0.0-14.6	3	3.9	0.0- 8.6	3	8.1	0.0-17.1	1	4.5	0.0-13.1	37	58.4	42.1-74.7
Hispanic	170	154,963	29	18.9	12.0-25.8	36	21.3	14.0-28.6	20	15.6	8.5-22.7	4	2.8	0.0- 5.7	4	2.1	0.0- 4.3	77	39.3	30.9-47.7
18-24	256	347,215	53	20.4	15.1-25.7	30	14.8	9.5-20.1	2	0.8	0.0- 2.0	4	2.0	0.0- 4.2	3	0.8	0.0- 1.8	164	61.2	54.5-67.9
25-34	381	429,790	53	16.1	11.8-20.4	59	17.8	13.3-22.3	38	11.1	7.4-14.8	11	2.9	0.9- 4.9	14	4.5	2.0- 7.0	206	47.7	42.0-53.4
35-44	441	401,161	72	16.8	12.9-20.7	117	25.7	21.2-30.2	83	19.6	15.5-23.7	25	6.7	4.0- 9.4	13	2.6	1.0- 4.2	131	28.6	24.1-33.1
45-54	611	402,722	114	18.7	15.2-22.2	79	12.5	9.6-15.4	33	5.1	3.1- 7.1	13	2.2	1.0- 3.4	4	0.7	0.1- 1.3	368	60.9	56.6-65.2
55-64	864	414,874	63	7.9	5.9- 9.9	26	2.9	1.5- 4.3	11	1.2	0.4- 2.0	4	0.3	0.1- 0.5	2	0.3	0.0- 0.7	758	87.4	84.9-89.9
65+	1368	479,471	23	2.0	1.0- 3.0	10	1.1	0.3- 1.9	4	0.3	0.0- 0.7	1	0.2	0.0- 0.6	1	0.0	0.0- 0.0	1329	96.3	94.9-97.7
Less Than H.S.	296	328,244	35	13.2	8.7-17.7	27	15.6	9.7-21.5	20	9.4	5.1-13.7	10	4.7	1.6- 7.8	6	3.3	0.6- 6.0	198	53.7	46.8-60.6
H.S. or G.E.D.	1278	879,069	122	13.7	11.2-16.2	82	9.4	7.2-11.6	62	7.3	5.3- 9.3	13	1.5	0.7- 2.3	9	1.1	0.3- 1.9	990	67.0	63.7-70.3
Some Post-H.S.	967	714,440	102	13.6	10.9-16.3	81	12.9	10.0-15.8	30	3.9	2.3- 5.5	13	2.2	0.8- 3.6	8	1.1	0.3- 1.9	733	66.3	62.6-70.0
College Graduate	1356	539,845	118	11.7	9.5-13.9	131	13.5	11.1-15.9	58	6.0	4.4- 7.6	22	2.4	1.4- 3.4	13	1.3	0.5- 2.1	1014	65.1	62.0-68.2
Less than \$15,000	242	159,619	17	10.5	5.2-15.8	8	4.9	1.4- 8.4	5	2.6	0.2- 5.0				1	0.6	0.0- 1.8	211	81.4	74.9-87.9
\$15,000- 24,999	488	311,058	38	11.5	7.4-15.6	21	6.5	3.4- 9.6	11	3.9	1.4- 6.4	11	2.8	1.0- 4.6	6	2.4	0.4- 4.4	401	72.9	67.4-78.4
\$25,000- 34,999	306	196,795	20	8.3	4.4-12.2	14	9.1	4.2-14.0	12	6.6	2.7-10.5	7	4.4	1.1- 7.7	2	1.4	0.0- 3.4	251	70.2	63.1-77.3
\$35,000- 49,999	500	315,655	40	11.2	7.5-14.9	41	14.7	10.0-19.4	33	9.3	5.8-12.8	5	1.7	0.1- 3.3	7	2.2	0.2- 4.2	374	60.8	55.1-66.5
\$50,000- 74,999	547	363,426	60	15.0	11.1-18.9	41	10.6	7.1-14.1	35	9.8	6.3-13.3	7	2.5	0.5- 4.5	7	1.7	0.3- 3.1	397	60.4	55.1-65.7
\$75,000+	1173	727,662	155	16.7	14.0-19.4	157	17.0	14.1-19.9	62	7.1	5.1- 9.1	20	2.3	1.1- 3.5	12	1.4	0.4- 2.4	767	55.4	51.9-58.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 45: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4810	2,601,167	483	15.3	13.7-16.9	409	12.9	11.5-14.3	177	5.8	4.8- 6.8	82	2.8	2.2- 3.4	48	1.8	1.2- 2.4	3611	61.4	59.4-63.4
White/Non-Hisp	3997	2,072,928	369	13.9	12.3-15.5	303	11.9	10.5-13.3	126	5.4	4.4- 6.4	54	2.3	1.7- 2.9	35	1.6	1.0- 2.2	3110	64.9	62.9-66.9
Black or Afr. Am./Non-Hisp	353	231,847	52	22.3	16.2-28.4	36	12.5	7.6-17.4	18	6.0	2.9- 9.1	9	4.1	1.4- 6.8	4	1.1	0.0- 2.3	234	53.9	47.0-60.8
Oth. Race/Non-Hisp.	103	67,341	14	22.1	8.4-35.8	11	17.4	5.8-29.0	5	6.0	0.1-11.9	2	4.1	0.0-11.2				71	50.4	36.3-64.5
MultiRacial/Non-Hisp.	68	25,344	7	13.2	3.4-23.0	12	23.2	9.3-37.1	4	6.4	0.0-12.9	1	2.6	0.0- 7.7	2	6.6	0.0-15.6	42	48.0	32.7-63.3
Hispanic	210	159,226	34	17.3	11.2-23.4	43	23.9	16.6-31.2	23	12.0	6.7-17.3	14	7.2	3.3-11.1	6	4.7	0.4- 9.0	90	34.9	27.6-42.2
18-24	199	327,510	41	25.2	17.9-32.5	26	15.0	9.3-20.7	9	4.1	1.4- 6.8	2	1.0	0.0- 2.4	4	2.6	0.1- 5.1	117	52.1	44.3-59.9
25-34	410	422,296	78	21.0	16.5-25.5	102	26.1	21.4-30.8	47	11.8	8.3-15.3	32	7.9	5.2-10.6	15	4.0	1.8- 6.2	136	29.2	24.5-33.9
35-44	512	401,269	112	22.7	18.6-26.8	144	26.9	22.6-31.2	80	15.7	12.2-19.2	33	6.9	4.4- 9.4	22	4.5	2.3- 6.7	121	23.3	19.0-27.6
45-54	694	406,500	160	22.7	19.2-26.2	90	11.7	9.2-14.2	24	3.9	2.1- 5.7	10	1.5	0.5- 2.5	4	0.6	0.0- 1.2	406	59.7	55.6-63.8
55-64	935	437,433	63	7.4	5.4- 9.4	28	3.2	1.8- 4.6	11	1.5	0.5- 2.5	3	0.5	0.0- 1.1	2	0.1	0.0- 0.3	828	87.4	84.9-89.9
65+	2060	606,160	29	1.8	1.0- 2.6	19	1.0	0.4- 1.6	6	0.5	0.1- 0.9	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3	2003	96.6	95.6-97.6
Less Than H.S.	343	290,575	33	16.0	9.9-22.1	37	15.2	9.9-20.5	19	8.7	4.6-12.8	10	4.7	1.6- 7.8	6	3.2	0.5- 5.9	238	52.1	45.0-59.2
H.S. or G.E.D.	1525	807,842	124	14.6	11.7-17.5	94	11.1	8.7-13.5	49	5.2	3.6- 6.8	28	3.1	1.9- 4.3	17	1.8	0.8- 2.8	1213	64.1	60.6-67.6
Some Post-H.S.	1298	839,807	141	15.5	13.0-18.0	99	11.7	9.3-14.1	49	5.6	4.0- 7.2	19	2.2	1.2- 3.2	13	1.7	0.7- 2.7	977	63.2	59.9-66.5
College Graduate	1618	650,844	185	15.7	13.3-18.1	178	15.6	13.2-18.0	59	5.4	4.0- 6.8	25	2.4	1.4- 3.4	11	0.9	0.3- 1.5	1160	60.0	57.1-62.9
Less than \$15,000	400	251,501	45	16.5	10.8-22.2	26	10.7	6.4-15.0	22	7.7	4.2-11.2	6	2.9	0.4- 5.4	5	2.1	0.1- 4.1	296	60.1	53.4-66.8
\$15,000- 24,999	724	382,486	66	14.3	10.6-18.0	58	13.6	9.9-17.3	21	5.4	2.9- 7.9	16	3.7	1.7- 5.7	7	1.7	0.1- 3.3	556	61.3	56.2-66.4
\$25,000- 34,999	456	240,199	34	14.1	8.8-19.4	35	11.4	6.9-15.9	21	8.1	4.4-11.8	7	3.0	0.6- 5.4	4	1.8	0.0- 3.6	355	61.7	55.2-68.2
\$35,000- 49,999	514	276,306	42	13.5	9.2-17.8	34	13.4	8.7-18.1	14	4.6	1.7- 7.5	11	3.4	1.2- 5.6	6	2.3	0.1- 4.5	407	62.9	57.0-68.8
\$50,000- 74,999	570	326,869	63	13.7	10.0-17.4	63	15.6	11.3-19.9	20	4.3	2.1- 6.5	6	1.9	0.1- 3.7	5	1.0	0.0- 2.0	413	63.4	58.3-68.5
\$75,000+	955	575,515	140	17.2	14.3-20.1	132	16.3	13.4-19.2	56	8.2	6.0-10.4	25	3.5	1.9- 5.1	11	1.7	0.5- 2.9	591	53.1	49.2-57.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 46: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6891	4,137,020	304	5.1	4.3- 5.9	339	4.8	4.2- 5.4	509	7.1	6.3- 7.9	704	9.7	8.7-10.7	765	10.6	9.6-11.6	4270	62.7	61.3-64.1
Male	3264	2,078,873	113	3.9	3.1- 4.7	130	3.8	3.0- 4.6	202	6.4	5.4- 7.4	286	8.6	7.4- 9.8	307	9.5	8.1-10.9	2226	67.8	65.8-69.8
Female	3627	2,058,146	191	6.4	5.2- 7.6	209	5.8	4.8- 6.8	307	7.8	6.6- 9.0	418	10.9	9.5-12.3	458	11.7	10.3-13.1	2044	57.5	55.3-59.7
White/Non-Hisp	5746	3,311,056	189	3.6	3.0- 4.2	236	4.0	3.4- 4.6	378	6.1	5.3- 6.9	565	9.1	8.1-10.1	613	9.9	8.9-10.9	3765	67.4	65.8-69.0
Black or Afr. Am./Non-Hisp	477	361,661	48	11.2	7.3-15.1	43	7.2	4.5- 9.9	50	8.9	6.0-11.8	61	11.8	8.1-15.5	69	14.7	10.6-18.8	206	46.0	40.3-51.7
Oth. Race/Non-Hisp.	175	124,579	15	12.5	3.9-21.1	13	6.8	2.3-11.3	15	8.7	3.0-14.4	18	11.7	5.2-18.2	22	11.1	5.4-16.8	92	49.3	39.3-59.3
MultiRacial/Non-Hisp.	96	32,787	9	13.4	4.0-22.8	10	8.0	0.9-15.1	9	11.6	3.0-20.2	9	10.7	1.9-19.5	16	18.4	8.6-28.2	43	38.0	26.4-49.6
Hispanic	308	258,462	33	10.2	6.5-13.9	30	9.9	6.2-13.6	48	15.3	10.4-20.2	43	13.9	9.4-18.4	36	13.1	8.2-18.0	118	37.5	31.2-43.8
18-24	333	486,818	25	8.4	4.9-11.9	20	5.4	2.9- 7.9	27	7.7	4.8-10.6	35	11.2	7.3-15.1	47	14.8	10.5-19.1	179	52.5	46.4-58.6
25-34	703	760,100	40	6.4	4.2- 8.6	36	5.0	3.2- 6.8	46	7.1	4.9- 9.3	65	9.8	7.3-12.3	69	9.8	7.4-12.2	447	61.9	58.0-65.8
35-44	842	719,211	39	4.8	3.2- 6.4	21	2.7	1.3- 4.1	52	6.3	4.5- 8.1	71	7.9	5.9- 9.9	65	7.9	5.7-10.1	594	70.5	67.0-74.0
45-54	1096	680,426	47	4.1	2.7- 5.5	39	3.5	2.3- 4.7	71	6.1	4.5- 7.7	72	6.5	4.9- 8.1	78	8.0	6.0-10.0	789	72.0	69.1-74.9
55-64	1474	701,560	77	4.9	3.7- 6.1	85	6.1	4.5- 7.7	102	7.2	5.6- 8.8	131	9.6	7.8-11.4	127	8.6	6.8-10.4	952	63.6	60.7-66.5
65+	2443	788,904	76	3.4	2.4- 4.4	138	6.2	4.8- 7.6	211	8.1	6.7- 9.5	330	13.2	11.6-14.8	379	15.2	13.4-17.0	1309	53.9	51.5-56.3
Less Than H.S.	477	480,441	87	16.0	12.1-19.9	71	13.4	9.9-16.9	81	15.1	11.4-18.8	79	14.9	11.0-18.8	67	14.4	10.7-18.1	92	26.3	21.2-31.4
H.S. or G.E.D.	2108	1,312,689	129	6.3	4.9- 7.7	144	5.0	4.0- 6.0	239	9.2	7.8-10.6	309	12.6	10.8-14.4	293	13.0	11.2-14.8	994	53.9	51.2-56.6
Some Post-H.S.	1820	1,307,462	58	3.3	2.3- 4.3	85	4.4	3.4- 5.4	123	5.9	4.5- 7.3	204	9.6	8.0-11.2	241	11.1	9.3-12.9	1109	65.7	63.2-68.2
College Graduate	2464	1,025,061	28	0.9	0.5- 1.3	36	1.0	0.6- 1.4	63	2.2	1.6- 2.8	105	3.3	2.5- 4.1	160	5.0	4.0- 6.0	2072	87.7	86.3-89.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 47: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3264	2,078,873	113	3.9	3.1- 4.7	130	3.8	3.0- 4.6	202	6.4	5.4- 7.4	286	8.6	7.4- 9.8	307	9.5	8.1-10.9	2226	67.8	65.8-69.8
White/Non-Hisp	2737	1,664,579	73	3.1	2.3- 3.9	82	2.9	2.1- 3.7	145	5.3	4.3- 6.3	221	7.3	6.1- 8.5	257	9.5	8.1-10.9	1959	72.0	69.8-74.2
Black or Afr. Am./Non-Hisp	186	163,710	13	8.0	2.7-13.3	19	7.9	3.4-12.4	19	8.0	3.7-12.3	25	12.6	6.7-18.5	22	12.3	6.6-18.0	88	51.3	42.5-60.1
Oth. Race/Non-Hisp.	102	76,717	6	3.9	0.0- 7.8	8	7.8	1.3-14.3	7	10.2	2.0-18.4	8	8.8	1.7-15.9	10	10.1	3.0-17.2	63	59.3	47.1-71.5
Hispanic	139	128,255	10	6.1	2.2-10.0	11	6.7	2.2-11.2	22	15.0	7.9-22.1	23	19.8	11.8-27.8	7	5.0	0.9- 9.1	66	47.4	37.8-57.0
18-24	188	249,150	9	4.3	1.6- 7.0	9	4.5	1.4- 7.6	14	8.1	3.8-12.4	15	8.0	3.7-12.3	21	11.3	6.2-16.4	120	63.8	56.2-71.4
25-34	336	380,182	14	5.1	2.2- 8.0	10	3.0	1.0- 5.0	19	6.5	3.4- 9.6	29	9.6	5.9-13.3	37	11.0	7.3-14.7	227	64.8	58.9-70.7
35-44	401	366,891	13	3.2	1.4- 5.0	9	2.0	0.4- 3.6	22	5.6	3.1- 8.1	21	4.6	2.6- 6.6	23	6.6	3.9- 9.3	313	77.9	73.4-82.4
45-54	520	340,457	16	3.3	1.5- 5.1	12	1.9	0.7- 3.1	32	5.3	3.3- 7.3	35	7.2	4.7- 9.7	30	6.5	4.0- 9.0	395	75.8	71.7-79.9
55-64	735	354,448	34	4.3	2.7- 5.9	44	6.2	4.0- 8.4	46	6.7	4.5- 8.9	70	10.3	7.8-12.8	53	7.5	5.1- 9.9	488	65.0	61.1-68.9
65+	1084	387,746	27	3.3	1.7- 4.9	46	5.4	3.4- 7.4	69	6.7	4.7- 8.7	116	11.3	8.9-13.7	143	13.8	11.3-16.3	683	59.5	55.8-63.2
Less Than H.S.	234	261,423	29	9.4	5.7-13.1	28	11.5	7.0-16.0	37	13.9	9.0-18.8	37	12.3	7.8-16.8	34	15.0	9.9-20.1	69	37.9	30.3-45.5
H.S. or G.E.D.	1044	717,735	51	5.1	3.3- 6.9	61	4.3	2.9- 5.7	87	6.9	5.1- 8.7	132	11.8	9.4-14.2	119	10.3	8.1-12.5	594	61.5	58.0-65.0
Some Post-H.S.	818	622,090	21	2.6	1.2- 4.0	21	2.0	1.0- 3.0	43	5.7	3.7- 7.7	80	8.0	6.0-10.0	92	10.0	7.6-12.4	561	71.6	68.1-75.1
College Graduate	1157	472,416	12	0.7	0.1- 1.3	18	1.0	0.4- 1.6	32	2.3	1.3- 3.3	35	2.0	1.2- 2.8	60	4.2	3.0- 5.4	1000	89.7	87.7-91.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 48: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3627	2,058,146	191	6.4	5.2- 7.6	209	5.8	4.8- 6.8	307	7.8	6.6- 9.0	418	10.9	9.5-12.3	458	11.7	10.3-13.1	2044	57.5	55.3-59.7
White/Non-Hisp	3009	1,646,477	116	4.2	3.2- 5.2	154	5.1	4.1- 6.1	233	6.9	5.7- 8.1	344	10.9	9.3-12.5	356	10.2	8.8-11.6	1806	62.7	60.5-64.9
Black or Afr. Am./Non-Hisp	291	197,951	35	14.0	8.3-19.7	24	6.7	3.6- 9.8	31	9.7	5.6-13.8	36	11.2	6.5-15.9	47	16.8	10.7-22.9	118	41.6	34.3-48.9
Oth. Race/Non-Hisp.	73	47,862	9	26.2	7.4-45.0	5	5.3	0.0-11.0	8	6.3	0.2-12.4	10	16.4	4.2-28.6	12	12.7	3.5-21.9	29	33.2	17.9-48.5
MultiRacial/Non-Hisp.	50	16,438	4	11.9	0.1-23.7	3	2.3	0.0- 5.2	6	11.2	0.8-21.6	4	9.4	0.0-20.0	11	25.3	10.8-39.8	22	39.9	24.0-55.8
Hispanic	169	130,207	23	14.2	8.1-20.3	19	13.2	7.3-19.1	26	15.6	8.7-22.5	20	8.2	4.3-12.1	29	21.1	12.9-29.3	52	27.8	20.4-35.2
18-24	145	237,668	16	12.8	6.1-19.5	11	6.3	2.4-10.2	13	7.2	3.1-11.3	20	14.6	8.1-21.1	26	18.5	11.4-25.6	59	40.6	31.8-49.4
25-34	367	379,918	26	7.7	4.6-10.8	26	7.0	4.3- 9.7	27	7.8	4.7-10.9	36	10.0	6.7-13.3	32	8.6	5.5-11.7	220	58.9	53.4-64.4
35-44	441	352,321	26	6.5	3.8- 9.2	12	3.3	1.1- 5.5	30	7.0	4.3- 9.7	50	11.3	7.8-14.8	42	9.2	6.3-12.1	281	62.7	57.6-67.8
45-54	576	339,970	31	4.8	3.0- 6.6	27	5.1	3.1- 7.1	39	6.8	4.6- 9.0	37	5.7	3.7- 7.7	48	9.4	6.7-12.1	394	68.2	63.9-72.5
55-64	739	347,112	43	5.5	3.5- 7.5	41	6.0	4.0- 8.0	56	7.8	5.4-10.2	61	9.0	6.5-11.5	74	9.7	7.3-12.1	464	62.2	58.1-66.3
65+	1359	401,157	49	3.5	2.3- 4.7	92	7.1	5.5- 8.7	142	9.5	7.5-11.5	214	15.0	12.8-17.2	236	16.5	14.1-18.9	626	48.5	45.4-51.6
Less Than H.S.	243	219,019	58	23.7	16.4-31.0	43	15.7	10.4-21.0	44	16.5	11.0-22.0	42	18.0	11.3-24.7	33	13.7	8.0-19.4	23	12.4	7.1-17.7
H.S. or G.E.D.	1064	594,953	78	7.6	5.4- 9.8	83	5.9	4.3- 7.5	152	11.9	9.5-14.3	177	13.6	11.1-16.1	174	16.2	13.3-19.1	400	44.8	40.9-48.7
Some Post-H.S.	1002	685,372	37	4.0	2.4- 5.6	64	6.5	4.7- 8.3	80	6.0	4.4- 7.6	124	11.0	8.6-13.4	149	12.0	9.6-14.4	548	60.4	56.7-64.1
College Graduate	1307	552,645	16	1.1	0.5- 1.7	18	0.9	0.3- 1.5	31	2.1	1.3- 2.9	70	4.4	3.0- 5.8	100	5.6	4.2- 7.0	1072	86.0	83.8-88.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 49: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8133	4,755,587	80	0.7	0.5- 0.9	2148	25.6	24.4-26.8	3519	42.6	41.2-44.0	1709	21.8	20.6-23.0	644	8.6	7.8- 9.4	33	0.6	0.4- 0.8
Male	3794	2,394,672	5	0.1	0.0- 0.3	351	10.9	9.5-12.3	1775	45.5	43.5-47.5	1183	30.1	28.3-31.9	461	12.6	11.2-14.0	19	0.7	0.3- 1.1
Female	4339	2,360,915	75	1.3	0.9- 1.7	1797	40.5	38.5-42.5	1744	39.7	37.7-41.7	526	13.4	12.0-14.8	183	4.5	3.7- 5.3	14	0.6	0.2- 1.0
White/Non-Hisp	6761	3,792,965	65	0.7	0.5- 0.9	1781	25.1	23.7-26.5	2933	43.2	41.6-44.8	1441	22.3	20.9-23.7	533	8.7	7.9- 9.5	8	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	549	410,916	4	0.4	0.0- 1.0	130	25.5	20.8-30.2	239	40.5	35.2-45.8	124	23.2	18.7-27.7	49	9.8	6.5-13.1	3	0.6	0.0- 1.4
Oth. Race/Non-Hisp.	213	140,848	4	2.2	0.0- 5.7	58	30.6	22.4-38.8	102	42.4	33.8-51.0	29	14.1	8.2-20.0	12	4.6	1.3- 7.9	8	6.2	1.9-10.5
MultiRacial/Non-Hisp.	119	43,216	2	5.1	0.0-12.5	27	29.4	18.4-40.4	48	36.5	25.7-47.3	26	19.4	11.2-27.6	15	9.5	3.6-15.4	1	0.2	0.0- 0.6
Hispanic	352	291,900	4	0.8	0.0- 1.6	107	29.2	23.7-34.7	148	41.7	35.6-47.8	63	18.5	13.6-23.4	19	6.8	3.3-10.3	11	2.9	1.1- 4.7
18-24	432	638,350	6	1.3	0.1- 2.5	154	35.6	30.5-40.7	172	38.3	33.2-43.4	73	18.1	14.0-22.2	24	5.5	3.1- 7.9	3	1.1	0.0- 2.7
25-34	754	806,742	5	0.7	0.1- 1.3	212	26.0	22.7-29.3	318	42.1	38.2-46.0	146	20.4	17.1-23.7	65	10.1	7.6-12.6	8	0.9	0.3- 1.5
35-44	904	761,351	5	0.5	0.1- 0.9	196	21.2	18.3-24.1	406	44.4	40.9-47.9	207	23.7	20.6-26.8	81	9.2	7.0-11.4	9	1.1	0.3- 1.9
45-54	1191	740,033	6	0.5	0.1- 0.9	275	21.9	19.4-24.4	500	42.5	39.4-45.6	288	24.9	22.2-27.6	117	9.8	7.8-11.8	5	0.4	0.0- 0.8
55-64	1684	799,075	13	0.6	0.2- 1.0	345	20.5	18.3-22.7	746	45.0	42.3-47.7	409	23.6	21.2-26.0	168	10.2	8.6-11.8	3	0.2	0.0- 0.4
65+	3168	1,010,035	45	0.9	0.5- 1.3	966	29.0	27.0-31.0	1377	42.8	40.6-45.0	586	20.3	18.5-22.1	189	6.6	5.4- 7.8	5	0.3	0.0- 0.7
Less Than H.S.	592	569,828	1	0.1	0.0- 0.3	180	28.6	24.1-33.1	245	39.2	34.5-43.9	107	20.6	16.5-24.7	53	10.7	7.6-13.8	6	0.9	0.1- 1.7
H.S. or G.E.D.	2591	1,573,677	42	1.2	0.6- 1.8	725	25.0	22.8-27.2	1105	43.5	41.1-45.9	511	21.5	19.5-23.5	202	8.3	6.9- 9.7	6	0.5	0.0- 1.1
Some Post-H.S.	2124	1,470,270	22	0.8	0.4- 1.2	513	22.9	20.7-25.1	937	44.0	41.5-46.5	461	22.6	20.4-24.8	186	9.4	7.8-11.0	5	0.4	0.0- 0.8
College Graduate	2786	1,122,689	14	0.4	0.2- 0.6	721	28.3	26.1-30.5	1214	41.5	39.3-43.7	621	22.0	20.2-23.8	201	6.9	5.7- 8.1	15	0.9	0.3- 1.5
Less than \$15,000	606	383,108	16	1.5	0.5- 2.5	182	32.2	27.5-36.9	234	38.0	33.1-42.9	111	18.6	14.5-22.7	57	8.5	6.0-11.0	6	1.2	0.2- 2.2
\$15,000- 24,999	1148	655,718	13	0.7	0.1- 1.3	320	26.9	23.4-30.4	471	41.7	38.0-45.4	225	20.3	17.2-23.4	112	9.4	7.2-11.6	7	1.0	0.2- 1.8
\$25,000- 34,999	736	416,581	8	0.5	0.1- 0.9	193	24.5	20.4-28.6	337	46.9	42.2-51.6	150	21.2	17.3-25.1	46	6.4	4.2- 8.6	2	0.4	0.0- 1.0
\$35,000- 49,999	970	563,950	12	1.1	0.3- 1.9	215	22.1	18.8-25.4	420	41.8	37.9-45.7	243	26.2	22.7-29.7	79	8.7	6.3-11.1	1	0.1	0.0- 0.3
\$50,000- 74,999	1074	668,919	3	0.2	0.0- 0.6	249	21.9	19.0-24.8	482	44.2	40.5-47.9	249	24.2	20.9-27.5	91	9.5	7.1-11.9			
\$75,000+	2066	1,269,417	5	0.2	0.0- 0.4	459	23.0	20.6-25.4	916	42.9	40.4-45.4	516	24.8	22.6-27.0	164	8.7	7.1-10.3	6	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 50: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3794	2,394,672	5	0.1	0.0- 0.3	351	10.9	9.5-12.3	1775	45.5	43.5-47.5	1183	30.1	28.3-31.9	461	12.6	11.2-14.0	19	0.7	0.3- 1.1
White/Non-Hisp	3158	1,904,686	5	0.2	0.0- 0.4	257	9.5	8.1-10.9	1485	46.1	43.9-48.3	1018	31.4	29.4-33.4	388	12.5	11.1-13.9	5	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	222	196,657				28	16.5	10.0-23.0	102	40.4	32.6-48.2	64	26.4	19.3-33.5	27	16.0	9.5-22.5	1	0.7	0.0- 1.9
Oth. Race/Non-Hisp.	123	88,853				20	17.6	9.2-26.0	66	51.0	39.8-62.2	22	19.5	10.7-28.3	9	5.2	0.9- 9.5	6	6.7	1.2-12.2
MultiRacial/Non-Hisp.	56	20,569				11	28.5	12.8-44.2	18	31.3	15.6-47.0	18	28.7	14.4-43.0	8	11.0	2.0-20.0	1	0.4	0.0- 1.4
Hispanic	158	143,819				24	14.7	8.6-20.8	74	45.2	36.2-54.2	42	25.6	18.0-33.2	13	11.1	4.6-17.6	5	3.3	0.4- 6.2
18-24	247	336,271	1	0.3	0.0- 0.9	63	25.1	19.2-31.0	113	45.1	38.2-52.0	51	21.7	15.8-27.6	18	7.6	3.9-11.3	1	0.3	0.0- 0.9
25-34	370	414,909	1	0.3	0.0- 0.9	51	13.0	9.3-16.7	178	45.9	40.2-51.6	92	26.5	21.4-31.6	44	13.2	9.1-17.3	4	1.1	0.0- 2.3
35-44	421	382,610				27	6.5	4.0- 9.0	202	46.4	41.1-51.7	132	32.1	27.2-37.0	54	13.6	9.9-17.3	6	1.5	0.1- 2.9
45-54	586	387,418	2	0.2	0.0- 0.6	40	7.3	4.9- 9.7	264	44.9	40.4-49.4	190	32.3	28.0-36.6	87	14.9	11.6-18.2	3	0.4	0.0- 1.0
55-64	845	406,194	1	0.0	0.0- 0.0	59	7.2	5.2- 9.2	360	43.2	39.5-46.9	305	34.9	31.4-38.4	118	14.4	11.7-17.1	2	0.3	0.0- 0.7
65+	1325	467,269				111	9.0	7.0-11.0	658	47.3	44.0-50.6	413	31.9	28.8-35.0	140	11.3	9.1-13.5	3	0.6	0.0- 1.4
Less Than H.S.	283	313,902				57	20.5	14.6-26.4	111	35.9	29.4-42.4	76	27.1	21.0-33.2	35	15.2	9.9-20.5	4	1.2	0.0- 2.4
H.S. or G.E.D.	1233	842,338	2	0.1	0.0- 0.3	129	11.4	9.2-13.6	586	47.8	44.5-51.1	364	29.1	26.0-32.2	150	11.5	9.3-13.7	2	0.1	0.0- 0.3
Some Post-H.S.	945	704,810	2	0.2	0.0- 0.6	66	7.8	5.6-10.0	440	46.2	42.5-49.9	302	31.1	27.6-34.6	131	14.2	11.7-16.7	4	0.7	0.1- 1.3
College Graduate	1312	522,168	1	0.1	0.0- 0.3	96	8.6	6.6-10.6	627	46.9	43.8-50.0	437	32.6	29.7-35.5	143	10.8	8.8-12.8	8	1.1	0.3- 1.9
Less than \$15,000	238	153,789	2	0.3	0.0- 0.7	35	19.0	12.3-25.7	98	39.8	32.4-47.2	65	26.7	19.6-33.8	34	12.0	7.7-16.3	4	2.1	0.0- 4.5
\$15,000- 24,999	478	303,628				68	16.0	11.7-20.3	219	45.7	40.2-51.2	125	24.5	19.6-29.4	62	12.4	8.7-16.1	4	1.4	0.0- 2.8
\$25,000- 34,999	297	186,877				22	9.0	4.9-13.1	149	51.2	43.9-58.5	93	28.2	21.7-34.7	32	10.9	6.6-15.2	1	0.7	0.0- 2.1
\$35,000- 49,999	492	306,422	1	0.3	0.0- 0.9	44	10.4	6.7-14.1	211	41.6	36.1-47.1	174	34.7	29.4-40.0	61	12.8	8.9-16.7	1	0.2	0.0- 0.6
\$50,000- 74,999	538	357,587	1	0.3	0.0- 0.9	38	6.9	4.5- 9.3	259	47.0	41.7-52.3	173	32.4	27.3-37.5	67	13.4	9.7-17.1			
\$75,000+	1164	722,381				66	6.5	4.5- 8.5	542	44.8	41.3-48.3	408	34.9	31.6-38.2	144	13.1	10.7-15.5	4	0.5	0.0- 1.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 51: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4339	2,360,915	75	1.3	0.9- 1.7	1797	40.5	38.5-42.5	1744	39.7	37.7-41.7	526	13.4	12.0-14.8	183	4.5	3.7- 5.3	14	0.6	0.2- 1.0
White/Non-Hisp	3603	1,888,278	60	1.2	0.8- 1.6	1524	40.8	38.6-43.0	1448	40.2	38.0-42.4	423	13.0	11.4-14.6	145	4.7	3.7- 5.7	3	0.1	0.1- 0.1
Black or Afr. Am./Non-Hisp	327	214,259	4	0.7	0.0- 1.7	102	33.9	27.2-40.6	137	40.5	33.6-47.4	60	20.2	14.3-26.1	22	4.2	2.2- 6.2	2	0.5	0.0- 1.3
Oth. Race/Non-Hisp.	90	51,995	4	5.9	0.0-14.9	38	52.7	38.6-66.8	36	27.6	16.0-39.2	7	4.8	0.7- 8.9	3	3.7	0.0- 8.8	2	5.3	0.0-12.6
MultiRacial/Non-Hisp.	63	22,647	2	9.7	0.0-23.4	16	30.1	14.8-45.4	30	41.3	26.0-56.6	8	10.8	2.6-19.0	7	8.1	0.3-15.9			
Hispanic	194	148,081	4	1.5	0.0- 3.3	83	43.3	35.1-51.5	74	38.3	30.3-46.3	21	11.6	5.9-17.3	6	2.7	0.2- 5.2	6	2.6	0.4- 4.8
18-24	185	302,079	5	2.5	0.1- 4.9	91	47.3	39.3-55.3	59	30.7	23.4-38.0	22	14.1	8.2-20.0	6	3.3	0.6- 6.0	2	2.1	0.0- 5.2
25-34	384	391,833	4	1.1	0.0- 2.3	161	39.7	34.4-45.0	140	37.9	32.6-43.2	54	13.9	10.2-17.6	21	6.7	3.8- 9.6	4	0.6	0.0- 1.2
35-44	483	378,741	5	1.0	0.0- 2.0	169	36.1	31.2-41.0	204	42.3	37.4-47.2	75	15.2	11.5-18.9	27	4.8	2.6- 7.0	3	0.7	0.0- 1.5
45-54	605	352,615	4	0.7	0.0- 1.5	235	38.0	33.7-42.3	236	40.0	35.7-44.3	98	16.7	13.4-20.0	30	4.2	2.4- 6.0	2	0.3	0.0- 0.9
55-64	839	392,881	12	1.1	0.3- 1.9	286	34.3	30.6-38.0	386	46.8	42.9-50.7	104	11.9	9.4-14.4	50	5.8	4.0- 7.6	1	0.1	0.0- 0.3
65+	1843	542,767	45	1.7	1.1- 2.3	855	46.3	43.6-49.0	719	39.0	36.3-41.7	173	10.2	8.6-11.8	49	2.7	1.9- 3.5	2	0.1	0.0- 0.3
Less Than H.S.	309	255,925	1	0.1	0.0- 0.3	123	38.5	31.4-45.6	134	43.3	36.2-50.4	31	12.5	7.0-18.0	18	5.1	2.4- 7.8	2	0.5	0.0- 1.3
H.S. or G.E.D.	1358	731,339	40	2.3	1.1- 3.5	596	40.8	37.5-44.1	519	38.6	35.3-41.9	147	12.7	10.3-15.1	52	4.6	3.0- 6.2	4	1.0	0.0- 2.4
Some Post-H.S.	1179	765,460	20	1.3	0.5- 2.1	447	36.8	33.3-40.3	497	42.1	38.6-45.6	159	14.7	12.2-17.2	55	5.0	3.4- 6.6	1	0.1	0.0- 0.3
College Graduate	1474	600,521	13	0.6	0.2- 1.0	625	45.5	42.4-48.6	587	36.8	33.9-39.7	184	12.8	10.6-15.0	58	3.6	2.4- 4.8	7	0.8	0.0- 1.6
Less than \$15,000	368	229,319	14	2.4	0.6- 4.2	147	41.0	34.5-47.5	136	36.8	30.5-43.1	46	13.2	8.1-18.3	23	6.1	3.2- 9.0	2	0.6	0.0- 1.4
\$15,000- 24,999	670	352,089	13	1.4	0.2- 2.6	252	36.3	31.2-41.4	252	38.3	33.4-43.2	100	16.7	12.6-20.8	50	6.8	4.4- 9.2	3	0.6	0.0- 1.4
\$25,000- 34,999	439	229,704	8	0.9	0.1- 1.7	171	37.2	31.1-43.3	188	43.4	37.1-49.7	57	15.5	10.8-20.2	14	2.8	1.0- 4.6	1	0.2	0.0- 0.6
\$35,000- 49,999	478	257,528	11	2.1	0.5- 3.7	171	36.0	30.5-41.5	209	42.0	36.3-47.7	69	16.1	12.0-20.2	18	3.8	1.3- 6.3			
\$50,000- 74,999	536	311,333	2	0.1	0.0- 0.3	211	39.2	33.9-44.5	223	40.9	35.6-46.2	76	14.8	11.1-18.5	24	5.0	2.5- 7.5			
\$75,000+	902	547,037	5	0.6	0.0- 1.2	393	44.6	40.7-48.5	374	40.3	36.4-44.2	108	11.5	9.1-13.9	20	2.7	1.3- 4.1	2	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 52: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8487	4,924,143	481	4.6	4.0- 5.2	3585	39.5	38.1-40.9	3541	44.0	42.6-45.4	809	10.7	9.9-11.5	15	0.2	0.0- 0.4	56	1.0	0.6- 1.4
Male	3832	2,407,760	14	0.5	0.1- 0.9	381	10.0	8.8-11.2	2600	66.6	64.6-68.6	792	21.3	19.7-22.9	15	0.4	0.2- 0.6	30	1.1	0.7- 1.5
Female	4655	2,516,384	467	8.6	7.6- 9.6	3204	67.7	65.9-69.5	941	22.4	20.8-24.0	17	0.5	0.1- 0.9				26	0.9	0.5- 1.3
White/Non-Hisp	7088	3,953,762	365	3.8	3.2- 4.4	3018	40.0	38.6-41.4	3000	44.9	43.3-46.5	688	11.0	10.0-12.0	14	0.2	0.0- 0.4	3	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	566	421,744	41	5.5	3.3- 7.7	247	39.7	34.6-44.8	222	43.2	37.9-48.5	56	11.5	8.0-15.0						
Oth. Race/Non-Hisp.	222	152,610	14	7.7	1.2-14.2	89	34.1	26.1-42.1	94	45.0	36.2-53.8	17	7.5	2.4-12.6				8	5.7	1.4-10.0
MultiRacial/Non-Hisp.	124	44,945	11	7.9	0.6-15.2	49	40.6	29.4-51.8	55	43.0	31.8-54.2	9	8.4	1.9-14.9						
Hispanic	335	268,467	38	10.3	6.8-13.8	128	35.7	29.8-41.6	105	32.6	26.7-38.5	19	6.4	2.9- 9.9	1	0.2	0.0- 0.6	44	14.8	10.1-19.5
18-24	441	653,177	12	3.5	1.1- 5.9	163	38.7	33.6-43.8	209	44.4	39.3-49.5	48	11.2	7.9-14.5	1	0.1	0.0- 0.3	8	2.1	0.5- 3.7
25-34	763	819,134	24	3.6	2.0- 5.2	296	37.3	33.6-41.0	336	45.3	41.4-49.2	89	11.8	9.3-14.3	3	0.5	0.0- 1.1	15	1.4	0.6- 2.2
35-44	925	775,302	40	4.0	2.6- 5.4	342	34.2	30.9-37.5	412	45.9	42.4-49.4	111	13.5	11.0-16.0	4	0.4	0.0- 0.8	16	2.0	0.8- 3.2
45-54	1262	780,440	48	3.8	2.6- 5.0	496	37.2	34.3-40.1	546	45.7	42.6-48.8	159	12.2	10.2-14.2	3	0.1	0.0- 0.3	10	0.9	0.3- 1.5
55-64	1765	837,125	70	4.5	3.3- 5.7	743	42.0	39.5-44.5	769	43.4	40.9-45.9	175	9.8	8.2-11.4	2	0.1	0.0- 0.3	6	0.3	0.1- 0.5
65+	3331	1,058,965	287	7.2	6.2- 8.2	1545	45.2	43.2-47.2	1269	40.5	38.5-42.5	227	7.0	6.0- 8.0	2	0.1	0.1- 0.1	1	0.0	0.0- 0.0
Less Than H.S.	597	573,502	60	9.2	6.3-12.1	265	37.6	32.9-42.3	215	41.9	37.0-46.8	34	6.9	4.4- 9.4				23	4.4	2.2- 6.6
H.S. or G.E.D.	2717	1,633,908	201	4.9	3.9- 5.9	1162	39.1	36.7-41.5	1111	44.6	42.2-47.0	226	10.3	8.7-11.9	4	0.3	0.0- 0.7	13	0.8	0.4- 1.2
Some Post-H.S.	2218	1,528,036	120	4.2	3.2- 5.2	970	40.1	37.6-42.6	907	43.9	41.4-46.4	216	11.5	9.7-13.3				5	0.2	0.0- 0.4
College Graduate	2913	1,167,625	98	2.7	2.1- 3.3	1169	39.7	37.5-41.9	1292	44.4	42.2-46.6	329	12.0	10.6-13.4	11	0.4	0.0- 0.8	14	0.8	0.4- 1.2
Less than \$15,000	621	398,304	68	10.5	7.2-13.8	280	43.4	38.3-48.5	224	37.4	32.5-42.3	34	5.5	3.1- 7.9				15	3.2	1.4- 5.0
\$15,000- 24,999	1179	667,677	96	5.8	4.2- 7.4	525	42.4	38.7-46.1	463	42.7	39.0-46.4	76	6.5	4.7- 8.3	2	0.2	0.0- 0.6	17	2.4	1.2- 3.6
\$25,000- 34,999	754	427,482	57	5.6	3.8- 7.4	352	42.0	37.3-46.7	284	41.5	36.8-46.2	54	8.5	5.6-11.4	2	0.5	0.0- 1.3	5	1.9	0.0- 3.9
\$35,000- 49,999	1004	584,267	49	3.9	2.5- 5.3	414	39.9	36.0-43.8	450	46.8	42.9-50.7	86	8.6	6.4-10.8				5	0.7	0.0- 1.5
\$50,000- 74,999	1105	686,157	38	3.3	2.1- 4.5	436	35.3	31.8-38.8	503	46.5	42.8-50.2	125	14.3	11.4-17.2	2	0.4	0.0- 1.0	1	0.1	0.0- 0.3
\$75,000+	2122	1,301,673	49	1.7	1.1- 2.3	709	32.7	30.3-35.1	1052	49.9	47.4-52.4	304	15.4	13.4-17.4	5	0.2	0.0- 0.4	3	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 53: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3832	2,407,760	14	0.5	0.1- 0.9	381	10.0	8.8-11.2	2600	66.6	64.6-68.6	792	21.3	19.7-22.9	15	0.4	0.2- 0.6	30	1.1	0.7- 1.5
White/Non-Hisp	3195	1,923,617	8	0.2	0.0- 0.4	291	8.8	7.6-10.0	2204	68.1	66.1-70.1	676	22.3	20.5-24.1	14	0.5	0.1- 0.9	2	0.1	0.1- 0.1
Black or Afr. Am./Non-Hisp	225	200,798	1	1.4	0.0- 3.9	31	14.8	9.1-20.5	139	60.1	52.1-68.1	54	23.7	16.8-30.6						
Oth. Race/Non-Hisp.	120	86,905				21	17.0	8.6-25.4	77	65.8	55.0-76.6	16	10.1	3.4-16.8				6	7.1	0.8-13.4
MultiRacial/Non-Hisp.	57	20,685	1	1.7	0.0- 5.0	6	12.4	1.4-23.4	42	71.0	55.9-86.1	8	14.9	2.7-27.1						
Hispanic	151	132,796	4	3.5	0.0- 7.2	23	15.2	8.7-21.7	84	54.8	45.6-64.0	18	11.9	5.4-18.4	1	0.3	0.0- 0.9	21	14.2	7.9-20.5
18-24	247	335,109				28	10.0	6.3-13.7	169	68.2	61.7-74.7	45	19.7	14.0-25.4	1	0.1	0.0- 0.3	4	2.0	0.0- 4.0
25-34	372	416,018	2	0.8	0.0- 2.2	40	11.2	7.7-14.7	231	62.3	56.8-67.8	89	23.2	18.3-28.1	3	1.1	0.0- 2.3	7	1.4	0.4- 2.4
35-44	424	385,075	4	0.7	0.0- 1.5	35	8.0	5.1-10.9	262	61.3	56.2-66.4	109	26.8	22.1-31.5	4	0.7	0.0- 1.5	10	2.5	0.7- 4.3
45-54	595	391,106	4	0.9	0.0- 2.1	50	8.6	6.1-11.1	376	65.0	60.7-69.3	157	24.2	20.5-27.9	3	0.3	0.0- 0.7	5	1.0	0.0- 2.0
55-64	850	407,631				85	10.2	7.8-12.6	585	69.1	65.6-72.6	174	20.1	17.2-23.0	2	0.2	0.0- 0.4	4	0.4	0.0- 0.8
65+	1344	472,821	4	0.5	0.0- 1.1	143	11.7	9.5-13.9	977	72.6	69.7-75.5	218	15.1	12.9-17.3	2	0.1	0.0- 0.3			
Less Than H.S.	279	306,329	5	2.4	0.0- 4.8	48	14.8	10.3-19.3	182	66.4	59.9-72.9	33	12.8	8.1-17.5				11	3.6	1.4- 5.8
H.S. or G.E.D.	1244	851,900	5	0.3	0.1- 0.5	140	10.2	8.2-12.2	870	69.2	66.1-72.3	218	18.8	16.1-21.5	4	0.6	0.0- 1.2	7	1.0	0.2- 1.8
Some Post-H.S.	952	707,956	2	0.2	0.0- 0.4	86	8.7	6.5-10.9	649	66.3	62.6-70.0	211	24.5	21.0-28.0				4	0.4	0.0- 0.8
College Graduate	1337	530,982	2	0.2	0.0- 0.6	102	8.2	6.4-10.0	888	63.4	60.3-66.5	326	26.2	23.5-28.9	11	1.0	0.4- 1.6	8	1.0	0.2- 1.8
Less than \$15,000	240	157,435	4	2.0	0.0- 4.2	37	15.4	9.5-21.3	160	64.7	57.1-72.3	31	13.1	7.4-18.8				8	4.8	1.3- 8.3
\$15,000- 24,999	477	299,768	3	1.0	0.0- 2.4	61	11.8	8.3-15.3	325	68.5	63.2-73.8	75	14.4	10.5-18.3	2	0.5	0.0- 1.3	11	4.0	1.6- 6.4
\$25,000- 34,999	300	190,326				37	11.6	7.1-16.1	209	69.9	63.2-76.6	52	17.4	11.9-22.9	2	1.1	0.0- 2.9			
\$35,000- 49,999	496	312,224	1	0.2	0.0- 0.6	57	13.4	9.7-17.1	351	70.1	65.0-75.2	82	14.9	11.2-18.6				5	1.3	0.0- 2.9
\$50,000- 74,999	544	362,189	4	0.6	0.0- 1.2	46	7.3	4.8- 9.8	367	64.2	58.9-69.5	124	27.0	21.9-32.1	2	0.7	0.0- 1.7	1	0.1	0.0- 0.3
\$75,000+	1170	726,522	1	0.4	0.0- 1.2	70	5.6	4.0- 7.2	790	66.2	62.9-69.5	302	27.2	24.1-30.3	5	0.4	0.0- 0.8	2	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 54: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4655	2,516,384	467	8.6	7.6- 9.6	3204	67.7	65.9-69.5	941	22.4	20.8-24.0	17	0.5	0.1- 0.9	26	0.9	0.5- 1.3
White/Non-Hisp	3893	2,030,145	357	7.2	6.2- 8.2	2727	69.6	67.6-71.6	796	22.9	21.1-24.7	12	0.3	0.0- 0.7	1	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	341	220,945	40	9.3	6.0-12.6	216	62.4	55.7-69.1	83	27.8	21.5-34.1	2	0.5	0.0- 1.3			
Oth. Race/Non-Hisp.	102	65,705	14	17.9	4.2-31.6	68	56.7	42.0-71.4	17	17.5	6.5-28.5	1	4.1	0.0-11.9	2	3.8	0.0- 9.1
MultiRacial/Non-Hisp.	67	24,261	10	13.2	0.5-25.9	43	64.8	49.7-79.9	13	19.2	8.2-30.2	1	2.9	0.0- 8.4			
Hispanic	184	135,671	34	17.0	10.9-23.1	105	55.9	47.3-64.5	21	10.9	5.6-16.2	1	1.0	0.0- 3.0	23	15.3	8.0-22.6
18-24	194	318,068	12	7.3	2.6-12.0	135	68.8	61.4-76.2	40	19.4	13.3-25.5	3	2.2	0.0- 4.7	4	2.3	0.0- 4.8
25-34	391	403,116	22	6.5	3.6- 9.4	256	64.2	58.9-69.5	105	27.8	22.9-32.7				8	1.5	0.3- 2.7
35-44	501	390,227	36	7.3	4.8- 9.8	307	60.1	55.2-65.0	150	30.7	26.2-35.2	2	0.3	0.0- 0.7	6	1.5	0.1- 2.9
45-54	667	389,334	44	6.7	4.5- 8.9	446	66.0	61.9-70.1	170	26.2	22.5-29.9	2	0.2	0.0- 0.4	5	0.9	0.1- 1.7
55-64	915	429,493	70	8.7	6.5-10.9	658	72.1	68.8-75.4	184	19.0	16.3-21.7	1	0.0	0.0- 0.0	2	0.1	0.0- 0.3
65+	1987	586,144	283	12.6	10.8-14.4	1402	72.2	69.8-74.6	292	14.5	12.7-16.3	9	0.6	0.2- 1.0	1	0.1	0.0- 0.3
Less Than H.S.	318	267,173	55	16.9	11.4-22.4	217	63.8	56.5-71.1	33	13.8	8.3-19.3	1	0.1	0.0- 0.3	12	5.4	1.7- 9.1
H.S. or G.E.D.	1473	782,008	196	9.9	7.9-11.9	1022	70.7	67.6-73.8	241	17.9	15.4-20.4	8	1.1	0.1- 2.1	6	0.5	0.1- 0.9
Some Post-H.S.	1266	820,080	118	7.6	5.8- 9.4	884	67.3	64.0-70.6	258	24.7	21.6-27.8	5	0.4	0.0- 0.8	1	0.1	0.0- 0.3
College Graduate	1576	636,643	96	4.7	3.5- 5.9	1067	66.0	63.1-68.9	404	28.6	25.9-31.3	3	0.1	0.0- 0.3	6	0.6	0.0- 1.2
Less than \$15,000	381	240,869	64	16.1	10.8-21.4	243	61.6	55.1-68.1	64	19.6	14.3-24.9	3	0.5	0.0- 1.1	7	2.2	0.4- 4.0
\$15,000- 24,999	702	367,908	93	9.7	7.0-12.4	464	67.3	62.8-71.8	138	21.7	17.6-25.8	1	0.2	0.0- 0.6	6	1.1	0.1- 2.1
\$25,000- 34,999	454	237,157	57	10.2	6.9-13.5	315	66.4	60.1-72.7	75	18.7	13.6-23.8	2	1.4	0.0- 3.8	5	3.4	0.0- 6.9
\$35,000- 49,999	508	272,043	48	8.2	5.3-11.1	357	70.4	65.1-75.7	99	20.1	15.4-24.8	4	1.4	0.0- 3.4			
\$50,000- 74,999	561	323,968	34	6.4	4.0- 8.8	390	66.7	61.6-71.8	136	26.8	22.1-31.5	1	0.2	0.0- 0.6			
\$75,000+	952	575,152	48	3.3	2.1- 4.5	639	67.0	63.5-70.5	262	29.3	25.8-32.8	2	0.3	0.0- 0.7	1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 55: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Female respondents aged 49 years and older

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1401	1,304,672	51	4.3	2.9- 5.7	1350	95.7	94.3-97.1
White/Non-Hisp	1023	954,021	32	3.9	2.3- 5.5	991	96.1	94.5-97.7
Black or Afr. Am./Non-Hisp	145	141,724	4	4.4	0.0- 9.3	141	95.6	90.7- 100
Hispanic	141	125,744	11	7.4	2.9-11.9	130	92.6	88.1-97.1
18-24	195	320,526	12	7.1	3.0-11.2	183	92.9	88.8-97.0
25-34	400	412,023	24	5.3	3.1- 7.5	376	94.7	92.5-96.9
35-44	505	396,591	14	2.9	1.1- 4.7	491	97.1	95.3-98.9
45-54	301	175,532	1	0.4	0.0- 1.2	300	99.6	98.8- 100
Less Than H.S.	93	143,053	6	7.6	0.9-14.3	87	92.4	85.7-99.1
H.S. or G.E.D.	344	357,685	9	2.7	0.7- 4.7	335	97.3	95.3-99.3
Some Post-H.S.	412	447,502	14	4.2	1.8- 6.6	398	95.8	93.4-98.2
College Graduate	547	350,643	22	4.9	2.7- 7.1	525	95.1	92.9-97.3
Less than \$15,000	144	151,320	5	4.2	0.0- 8.7	139	95.8	91.3- 100
\$15,000- 24,999	204	196,544	4	2.4	0.0- 4.8	200	97.6	95.2- 100
\$25,000- 34,999	122	125,688	4	5.1	0.0-10.2	118	94.9	89.8- 100
\$35,000- 49,999	135	128,745	5	4.4	0.0- 8.9	130	95.6	91.1- 100
\$50,000- 74,999	194	177,114	11	7.0	2.5-11.5	183	93.0	88.5-97.5
\$75,000+	403	335,107	15	4.4	2.0- 6.8	388	95.6	93.2-98.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 56: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8596	4,996,801	765	6.8	6.2- 7.4	7831	93.2	92.6-93.8
Male	3857	2,435,010	422	8.4	7.4- 9.4	3435	91.6	90.6-92.6
Female	4739	2,561,791	343	5.3	4.5- 6.1	4396	94.7	93.9-95.5
White/Non-Hisp	7143	3,974,374	660	7.2	6.6- 7.8	6483	92.8	92.2-93.4
Black or Afr. Am./Non-Hisp	571	426,890	23	2.9	1.1- 4.7	548	97.1	95.3-98.9
Oth. Race/Non-Hisp.	226	155,794	32	11.1	4.6-17.6	194	88.9	82.4-95.4
MultiRacial/Non-Hisp.	126	46,436	17	8.0	3.5-12.5	109	92.0	87.5-96.5
Hispanic	366	304,847	15	3.9	1.7- 6.1	351	96.1	93.9-98.3
18-24	449	666,362	14	3.2	1.2- 5.2	435	96.8	94.8-98.8
25-34	775	833,611	14	2.0	0.8- 3.2	761	98.0	96.8-99.2
35-44	940	791,430	24	2.9	1.5- 4.3	916	97.1	95.7-98.5
45-54	1292	798,718	50	4.0	2.8- 5.2	1242	96.0	94.8-97.2
55-64	1777	841,855	136	8.3	6.7- 9.9	1641	91.7	90.1-93.3
65+	3363	1,064,824	527	16.7	15.1-18.3	2836	83.3	81.7-84.9
Less Than H.S.	618	601,931	95	12.5	9.6-15.4	523	87.5	84.6-90.4
H.S. or G.E.D.	2739	1,647,610	301	7.4	6.4- 8.4	2438	92.6	91.6-93.6
Some Post-H.S.	2237	1,543,457	196	6.2	5.2- 7.2	2041	93.8	92.8-94.8
College Graduate	2950	1,180,314	163	3.6	3.0- 4.2	2787	96.4	95.8-97.0
Less than \$15,000	633	406,410	72	9.7	6.6-12.8	561	90.3	87.2-93.4
\$15,000- 24,999	1186	676,628	139	8.4	6.4-10.4	1047	91.6	89.6-93.6
\$25,000- 34,999	757	433,872	94	9.4	7.0-11.8	663	90.6	88.2-93.0
\$35,000- 49,999	998	578,448	96	7.9	5.9- 9.9	902	92.1	90.1-94.1
\$50,000- 74,999	1107	686,681	82	5.9	4.3- 7.5	1025	94.1	92.5-95.7
\$75,000+	2120	1,297,442	102	3.6	2.8- 4.4	2018	96.4	95.6-97.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 57: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3857	2,435,010	422	8.4	7.4- 9.4	3435	91.6	90.6-92.6
White/Non-Hisp	3197	1,922,600	370	9.1	7.9-10.3	2827	90.9	89.7-92.1
Black or Afr. Am./Non-Hisp	228	203,689	12	4.4	1.3- 7.5	216	95.6	92.5-98.7
Oth. Race/Non-Hisp.	125	91,706	15	9.6	3.7-15.5	110	90.4	84.5-96.3
MultiRacial/Non-Hisp.	57	20,838	7	6.9	1.4-12.4	50	93.1	87.6-98.6
Hispanic	162	150,827	8	4.7	1.2- 8.2	154	95.3	91.8-98.8
18-24	254	345,836	10	3.2	1.2- 5.2	244	96.8	94.8-98.8
25-34	374	421,336	6	2.1	0.3- 3.9	368	97.9	96.1-99.7
35-44	429	391,328	13	3.3	1.3- 5.3	416	96.7	94.7-98.7
45-54	605	397,877	30	5.0	3.0- 7.0	575	95.0	93.0-97.0
55-64	850	407,469	90	11.7	9.2-14.2	760	88.3	85.8-90.8
65+	1345	471,164	273	22.3	19.6-25.0	1072	77.7	75.0-80.4
Less Than H.S.	284	320,256	47	11.7	8.0-15.4	237	88.3	84.6-92.0
H.S. or G.E.D.	1245	856,134	161	8.8	7.2-10.4	1084	91.2	89.6-92.8
Some Post-H.S.	955	710,149	112	8.7	6.9-10.5	843	91.3	89.5-93.1
College Graduate	1347	534,956	96	5.2	4.0- 6.4	1251	94.8	93.6-96.0
Less than \$15,000	238	157,559	26	9.8	5.5-14.1	212	90.2	85.9-94.5
\$15,000- 24,999	479	305,859	72	10.8	7.9-13.7	407	89.2	86.3-92.1
\$25,000- 34,999	303	194,297	49	12.9	8.8-17.0	254	87.1	83.0-91.2
\$35,000- 49,999	489	305,815	63	10.9	7.6-14.2	426	89.1	85.8-92.4
\$50,000- 74,999	544	361,788	57	8.0	5.5-10.5	487	92.0	89.5-94.5
\$75,000+	1165	720,277	82	5.3	3.9- 6.7	1083	94.7	93.3-96.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 58: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4739	2,561,791	343	5.3	4.5- 6.1	4396	94.7	93.9-95.5
White/Non-Hisp	3946	2,051,774	290	5.4	4.6- 6.2	3656	94.6	93.8-95.4
Black or Afr. Am./Non-Hisp	343	223,201	11	1.6	0.4- 2.8	332	98.4	97.2-99.6
Oth. Race/Non-Hisp.	101	64,089	17	13.3	0.2-26.4	84	86.7	73.6-99.8
MultiRacial/Non-Hisp.	69	25,598	10	8.9	2.0-15.8	59	91.1	84.2-98.0
Hispanic	204	154,020	7	3.2	0.5- 5.9	197	96.8	94.1-99.5
18-24	195	320,526	4	3.3	0.0- 6.8	191	96.7	93.2- 100
25-34	401	412,275	8	1.9	0.5- 3.3	393	98.1	96.7-99.5
35-44	511	400,101	11	2.5	0.5- 4.5	500	97.5	95.5-99.5
45-54	687	400,841	20	3.0	1.6- 4.4	667	97.0	95.6-98.4
55-64	927	434,386	46	5.1	3.3- 6.9	881	94.9	93.1-96.7
65+	2018	593,660	254	12.2	10.4-14.0	1764	87.8	86.0-89.6
Less Than H.S.	334	281,675	48	13.5	8.6-18.4	286	86.5	81.6-91.4
H.S. or G.E.D.	1494	791,476	140	5.9	4.7- 7.1	1354	94.1	92.9-95.3
Some Post-H.S.	1282	833,308	84	4.1	2.9- 5.3	1198	95.9	94.7-97.1
College Graduate	1603	645,358	67	2.2	1.6- 2.8	1536	97.8	97.2-98.4
Less than \$15,000	395	248,852	46	9.6	5.3-13.9	349	90.4	86.1-94.7
\$15,000- 24,999	707	370,769	67	6.4	4.0- 8.8	640	93.6	91.2-96.0
\$25,000- 34,999	454	239,574	45	6.7	4.3- 9.1	409	93.3	90.9-95.7
\$35,000- 49,999	509	272,633	33	4.4	2.6- 6.2	476	95.6	93.8-97.4
\$50,000- 74,999	563	324,894	25	3.6	1.4- 5.8	538	96.4	94.2-98.6
\$75,000+	955	577,165	20	1.4	0.6- 2.2	935	98.6	97.8-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 59: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8570	4,984,756	455	4.8	4.2- 5.4	8115	95.2	94.6-95.8
Male	3849	2,429,610	174	4.3	3.5- 5.1	3675	95.7	94.9-96.5
Female	4721	2,555,147	281	5.3	4.5- 6.1	4440	94.7	93.9-95.5
White/Non-Hisp	7127	3,965,842	342	4.1	3.5- 4.7	6785	95.9	95.3-96.5
Black or Afr. Am./Non-Hisp	568	425,068	43	6.8	4.3- 9.3	525	93.2	90.7-95.7
Oth. Race/Non-Hisp.	227	156,708	19	8.3	3.4-13.2	208	91.7	86.8-96.6
MultiRacial/Non-Hisp.	123	45,357	10	8.0	1.9-14.1	113	92.0	85.9-98.1
Hispanic	364	304,784	25	7.0	4.1- 9.9	339	93.0	90.1-95.9
18-24	448	665,197	14	3.3	1.3- 5.3	434	96.7	94.7-98.7
25-34	771	830,221	22	3.2	1.8- 4.6	749	96.8	95.4-98.2
35-44	938	789,311	33	3.1	1.9- 4.3	905	96.9	95.7-98.1
45-54	1289	797,080	66	5.9	4.3- 7.5	1223	94.1	92.5-95.7
55-64	1770	839,335	108	6.8	5.4- 8.2	1662	93.2	91.8-94.6
65+	3354	1,063,613	212	5.9	4.9- 6.9	3142	94.1	93.1-95.1
Less Than H.S.	615	599,139	72	11.1	8.2-14.0	543	88.9	86.0-91.8
H.S. or G.E.D.	2730	1,641,438	162	4.6	3.6- 5.6	2568	95.4	94.4-96.4
Some Post-H.S.	2232	1,541,763	133	4.7	3.7- 5.7	2099	95.3	94.3-96.3
College Graduate	2941	1,177,943	85	2.0	1.4- 2.6	2856	98.0	97.4-98.6
Less than \$15,000	630	406,200	78	11.5	8.6-14.4	552	88.5	85.6-91.4
\$15,000- 24,999	1186	677,442	102	6.3	4.7- 7.9	1084	93.7	92.1-95.3
\$25,000- 34,999	750	430,205	60	8.3	5.6-11.0	690	91.7	89.0-94.4
\$35,000- 49,999	995	576,756	46	5.2	3.2- 7.2	949	94.8	92.8-96.8
\$50,000- 74,999	1101	683,266	31	2.5	1.3- 3.7	1070	97.5	96.3-98.7
\$75,000+	2118	1,296,085	35	1.7	0.9- 2.5	2083	98.3	97.5-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 60: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3849	2,429,610	174	4.3	3.5- 5.1	3675	95.7	94.9-96.5
White/Non-Hisp	3194	1,919,399	126	3.4	2.6- 4.2	3068	96.6	95.8-97.4
Black or Afr. Am./Non-Hisp	227	203,156	18	7.8	3.5-12.1	209	92.2	87.9-96.5
Oth. Race/Non-Hisp.	125	91,003	9	10.2	2.9-17.5	116	89.8	82.5-97.1
MultiRacial/Non-Hisp.	56	20,591	4	9.6	0.0-20.2	52	90.4	79.8- 100
Hispanic	162	151,457	10	6.2	2.1-10.3	152	93.8	89.7-97.9
18-24	254	345,836	9	3.6	0.9- 6.3	245	96.4	93.7-99.1
25-34	370	416,798	10	2.9	0.7- 5.1	360	97.1	94.9-99.3
35-44	427	389,215	6	1.6	0.2- 3.0	421	98.4	97.0-99.8
45-54	606	398,039	27	4.5	2.5- 6.5	579	95.5	93.5-97.5
55-64	851	408,536	49	7.3	5.1- 9.5	802	92.7	90.5-94.9
65+	1341	471,187	73	5.5	3.9- 7.1	1268	94.5	92.9-96.1
Less Than H.S.	286	319,981	35	12.3	8.0-16.6	251	87.7	83.4-92.0
H.S. or G.E.D.	1245	854,297	62	3.9	2.7- 5.1	1183	96.1	94.9-97.3
Some Post-H.S.	950	708,622	41	3.1	1.9- 4.3	909	96.9	95.7-98.1
College Graduate	1342	533,195	33	1.6	1.0- 2.2	1309	98.4	97.8-99.0
Less than \$15,000	237	158,234	30	12.2	7.3-17.1	207	87.8	82.9-92.7
\$15,000- 24,999	480	305,865	38	6.1	3.7- 8.5	442	93.9	91.5-96.3
\$25,000- 34,999	301	192,614	17	5.1	2.0- 8.2	284	94.9	91.8-98.0
\$35,000- 49,999	487	305,236	25	6.5	3.6- 9.4	462	93.5	90.6-96.4
\$50,000- 74,999	539	359,181	17	2.7	0.7- 4.7	522	97.3	95.3-99.3
\$75,000+	1164	719,017	18	1.7	0.7- 2.7	1146	98.3	97.3-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 61: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4721	2,555,147	281	5.3	4.5- 6.1	4440	94.7	93.9-95.5
White/Non-Hisp	3933	2,046,444	216	4.8	4.0- 5.6	3717	95.2	94.4-96.0
Black or Afr. Am./Non-Hisp	341	221,912	25	5.9	3.0- 8.8	316	94.1	91.2-97.0
Oth. Race/Non-Hisp.	102	65,705	10	5.8	0.3-11.3	92	94.2	88.7-99.7
MultiRacial/Non-Hisp.	67	24,767	6	6.6	0.0-13.5	61	93.4	86.5- 100
Hispanic	202	153,327	15	7.7	3.2-12.2	187	92.3	87.8-96.8
18-24	194	319,361	5	2.9	0.4- 5.4	189	97.1	94.6-99.6
25-34	401	413,422	12	3.5	1.5- 5.5	389	96.5	94.5-98.5
35-44	511	400,096	27	4.6	2.6- 6.6	484	95.4	93.4-97.4
45-54	683	399,041	39	7.2	4.8- 9.6	644	92.8	90.4-95.2
55-64	919	430,799	59	6.3	4.5- 8.1	860	93.7	91.9-95.5
65+	2013	592,427	139	6.2	5.0- 7.4	1874	93.8	92.6-95.0
Less Than H.S.	329	279,158	37	9.7	6.2-13.2	292	90.3	86.8-93.8
H.S. or G.E.D.	1485	787,141	100	5.3	3.9- 6.7	1385	94.7	93.3-96.1
Some Post-H.S.	1282	833,141	92	6.1	4.5- 7.7	1190	93.9	92.3-95.5
College Graduate	1599	644,747	52	2.3	1.5- 3.1	1547	97.7	96.9-98.5
Less than \$15,000	393	247,966	48	11.0	7.3-14.7	345	89.0	85.3-92.7
\$15,000- 24,999	706	371,577	64	6.4	4.2- 8.6	642	93.6	91.4-95.8
\$25,000- 34,999	449	237,591	43	10.9	6.6-15.2	406	89.1	84.8-93.4
\$35,000- 49,999	508	271,520	21	3.8	1.6- 6.0	487	96.2	94.0-98.4
\$50,000- 74,999	562	324,085	14	2.2	0.8- 3.6	548	97.8	96.4-99.2
\$75,000+	954	577,068	17	1.7	0.7- 2.7	937	98.3	97.3-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 62: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8530	4,965,816	941	12.6	11.6-13.6	7589	87.4	86.4-88.4
Male	3829	2,419,290	374	11.2	9.8-12.6	3455	88.8	87.4-90.2
Female	4701	2,546,526	567	14.0	12.6-15.4	4134	86.0	84.6-87.4
White/Non-Hisp	7090	3,948,763	734	12.1	11.1-13.1	6356	87.9	86.9-88.9
Black or Afr. Am./Non-Hisp	568	424,418	75	14.1	10.2-18.0	493	85.9	82.0-89.8
Oth. Race/Non-Hisp.	222	155,050	38	18.9	12.0-25.8	184	81.1	74.2-88.0
MultiRacial/Non-Hisp.	124	45,379	25	23.9	13.5-34.3	99	76.1	65.7-86.5
Hispanic	363	304,344	45	12.2	8.1-16.3	318	87.8	83.7-91.9
18-24	446	663,223	81	18.8	14.7-22.9	365	81.2	77.1-85.3
25-34	768	826,379	99	13.5	10.8-16.2	669	86.5	83.8-89.2
35-44	931	784,625	110	12.6	10.1-15.1	821	87.4	84.9-89.9
45-54	1283	794,153	133	10.5	8.5-12.5	1150	89.5	87.5-91.5
55-64	1766	839,737	218	13.2	11.4-15.0	1548	86.8	85.0-88.6
65+	3336	1,057,700	300	9.2	8.0-10.4	3036	90.8	89.6-92.0
Less Than H.S.	614	597,718	150	24.0	19.9-28.1	464	76.0	71.9-80.1
H.S. or G.E.D.	2712	1,633,811	379	14.9	13.1-16.7	2333	85.1	83.3-86.9
Some Post-H.S.	2222	1,536,257	255	11.8	10.2-13.4	1967	88.2	86.6-89.8
College Graduate	2931	1,173,469	148	4.7	3.7- 5.7	2783	95.3	94.3-96.3
Less than \$15,000	622	403,842	176	30.6	25.9-35.3	446	69.4	64.7-74.1
\$15,000- 24,999	1177	673,393	215	18.7	15.8-21.6	962	81.3	78.4-84.2
\$25,000- 34,999	749	430,144	95	17.0	13.1-20.9	654	83.0	79.1-86.9
\$35,000- 49,999	994	573,275	85	11.2	8.5-13.9	909	88.8	86.1-91.5
\$50,000- 74,999	1103	683,214	77	8.1	5.9-10.3	1026	91.9	89.7-94.1
\$75,000+	2111	1,292,389	79	4.6	3.2- 6.0	2032	95.4	94.0-96.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 63: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3829	2,419,290	374	11.2	9.8-12.6	3455	88.8	87.4-90.2
White/Non-Hisp	3175	1,909,469	283	10.3	8.9-11.7	2892	89.7	88.3-91.1
Black or Afr. Am./Non-Hisp	226	202,950	30	14.3	8.6-20.0	196	85.7	80.0-91.4
Oth. Race/Non-Hisp.	123	90,044	24	21.1	11.7-30.5	99	78.9	69.5-88.3
MultiRacial/Non-Hisp.	57	20,725	10	22.8	7.9-37.7	47	77.2	62.3-92.1
Hispanic	161	151,279	16	10.6	4.7-16.5	145	89.4	83.5-95.3
18-24	252	343,861	40	15.7	10.8-20.6	212	84.3	79.4-89.2
25-34	367	413,698	48	13.1	9.2-17.0	319	86.9	83.0-90.8
35-44	425	387,767	42	11.5	8.0-15.0	383	88.5	85.0-92.0
45-54	603	397,048	41	6.8	4.6- 9.0	562	93.2	91.0-95.4
55-64	848	408,537	98	12.6	10.1-15.1	750	87.4	84.9-89.9
65+	1334	468,379	105	8.2	6.4-10.0	1229	91.8	90.0-93.6
Less Than H.S.	286	319,986	69	23.2	17.3-29.1	217	76.8	70.9-82.7
H.S. or G.E.D.	1235	849,444	150	12.8	10.4-15.2	1085	87.2	84.8-89.6
Some Post-H.S.	947	707,018	93	8.9	6.7-11.1	854	91.1	88.9-93.3
College Graduate	1336	529,507	56	4.0	2.8- 5.2	1280	96.0	94.8-97.2
Less than \$15,000	232	156,530	70	31.6	24.3-38.9	162	68.4	61.1-75.7
\$15,000- 24,999	476	303,961	89	19.0	14.7-23.3	387	81.0	76.7-85.3
\$25,000- 34,999	300	192,079	42	15.8	10.5-21.1	258	84.2	78.9-89.5
\$35,000- 49,999	486	303,231	42	11.7	7.6-15.8	444	88.3	84.2-92.4
\$50,000- 74,999	541	359,733	42	8.2	5.3-11.1	499	91.8	88.9-94.7
\$75,000+	1161	716,211	32	3.9	2.1- 5.7	1129	96.1	94.3-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 64: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4701	2,546,526	567	14.0	12.6-15.4	4134	86.0	84.6-87.4
White/Non-Hisp	3915	2,039,294	451	13.8	12.2-15.4	3464	86.2	84.6-87.8
Black or Afr. Am./Non-Hisp	342	221,468	45	13.8	8.3-19.3	297	86.2	80.7-91.7
Oth. Race/Non-Hisp.	99	65,006	14	15.7	5.9-25.5	85	84.3	74.5-94.1
MultiRacial/Non-Hisp.	67	24,654	15	24.9	10.6-39.2	52	75.1	60.8-89.4
Hispanic	202	153,066	29	13.7	8.2-19.2	173	86.3	80.8-91.8
18-24	194	319,361	41	22.2	15.5-28.9	153	77.8	71.1-84.5
25-34	401	412,681	51	13.9	10.0-17.8	350	86.1	82.2-90.0
35-44	506	396,858	68	13.6	10.1-17.1	438	86.4	82.9-89.9
45-54	680	397,104	92	14.1	11.2-17.0	588	85.9	83.0-88.8
55-64	918	431,201	120	13.8	11.3-16.3	798	86.2	83.7-88.7
65+	2002	589,321	195	9.9	8.3-11.5	1807	90.1	88.5-91.7
Less Than H.S.	328	277,732	81	24.9	18.8-31.0	247	75.1	69.0-81.2
H.S. or G.E.D.	1477	784,367	229	17.0	14.3-19.7	1248	83.0	80.3-85.7
Some Post-H.S.	1275	829,240	162	14.2	11.7-16.7	1113	85.8	83.3-88.3
College Graduate	1595	643,962	92	5.2	4.0- 6.4	1503	94.8	93.6-96.0
Less than \$15,000	390	247,312	106	29.9	23.8-36.0	284	70.1	64.0-76.2
\$15,000- 24,999	701	369,433	126	18.5	14.8-22.2	575	81.5	77.8-85.2
\$25,000- 34,999	449	238,065	53	18.0	12.1-23.9	396	82.0	76.1-87.9
\$35,000- 49,999	508	270,044	43	10.7	7.2-14.2	465	89.3	85.8-92.8
\$50,000- 74,999	562	323,480	35	8.0	4.9-11.1	527	92.0	88.9-95.1
\$75,000+	950	576,178	47	5.5	3.5- 7.5	903	94.5	92.5-96.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 65: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8518	4,952,648	1656	15.1	14.3-15.9	6862	84.9	84.1-85.7
Male	3825	2,410,698	595	12.8	11.6-14.0	3230	87.2	86.0-88.4
Female	4693	2,541,950	1061	17.4	16.2-18.6	3632	82.6	81.4-83.8
White/Non-Hisp	7074	3,940,194	1371	15.4	14.4-16.4	5703	84.6	83.6-85.6
Black or Afr. Am./Non-Hisp	568	422,438	123	16.0	12.5-19.5	445	84.0	80.5-87.5
Oth. Race/Non-Hisp.	225	155,206	45	15.7	9.8-21.6	180	84.3	78.4-90.2
MultiRacial/Non-Hisp.	126	46,013	34	17.1	10.4-23.8	92	82.9	76.2-89.6
Hispanic	360	301,382	48	9.6	6.5-12.7	312	90.4	87.3-93.5
18-24	445	661,213	13	3.1	1.3- 4.9	432	96.9	95.1-98.7
25-34	763	820,125	35	5.4	3.4- 7.4	728	94.6	92.6-96.6
35-44	931	784,319	90	9.2	7.0-11.4	841	90.8	88.6-93.0
45-54	1285	794,771	194	15.6	13.2-18.0	1091	84.4	82.0-86.8
55-64	1763	836,171	405	24.2	21.8-26.6	1358	75.8	73.4-78.2
65+	3331	1,056,049	919	27.2	25.4-29.0	2412	72.8	71.0-74.6
Less Than H.S.	611	595,875	221	29.2	25.1-33.3	390	70.8	66.7-74.9
H.S. or G.E.D.	2709	1,624,854	676	17.4	15.8-19.0	2033	82.6	81.0-84.2
Some Post-H.S.	2225	1,536,496	432	14.0	12.4-15.6	1793	86.0	84.4-87.6
College Graduate	2921	1,170,431	320	6.6	5.8- 7.4	2601	93.4	92.6-94.2
Less than \$15,000	625	403,997	260	32.8	28.3-37.3	365	67.2	62.7-71.7
\$15,000- 24,999	1181	673,492	415	28.6	25.5-31.7	766	71.4	68.3-74.5
\$25,000- 34,999	751	431,223	176	17.7	14.6-20.8	575	82.3	79.2-85.4
\$35,000- 49,999	990	572,256	158	12.4	10.0-14.8	832	87.6	85.2-90.0
\$50,000- 74,999	1095	677,509	136	9.2	7.4-11.0	959	90.8	89.0-92.6
\$75,000+	2112	1,292,205	135	5.2	4.0- 6.4	1977	94.8	93.6-96.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 66: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3825	2,410,698	595	12.8	11.6-14.0	3230	87.2	86.0-88.4
White/Non-Hisp	3170	1,905,018	484	13.0	11.6-14.4	2686	87.0	85.6-88.4
Black or Afr. Am./Non-Hisp	227	202,082	45	15.0	9.7-20.3	182	85.0	79.7-90.3
Oth. Race/Non-Hisp.	124	90,118	22	12.8	6.1-19.5	102	87.2	80.5-93.9
MultiRacial/Non-Hisp.	58	21,017	12	13.8	5.0-22.6	46	86.2	77.4-95.0
Hispanic	158	148,391	16	6.6	3.1-10.1	142	93.4	89.9-96.9
18-24	251	341,852	7	3.1	0.6- 5.6	244	96.9	94.4-99.4
25-34	363	409,025	14	5.1	2.2- 8.0	349	94.9	92.0-97.8
35-44	423	386,042	26	6.1	3.6- 8.6	397	93.9	91.4-96.4
45-54	605	397,661	78	12.7	9.8-15.6	527	87.3	84.4-90.2
55-64	847	407,268	171	22.2	18.9-25.5	676	77.8	74.5-81.1
65+	1336	468,852	299	24.0	21.1-26.9	1037	76.0	73.1-78.9
Less Than H.S.	285	318,321	88	25.3	19.8-30.8	197	74.7	69.2-80.2
H.S. or G.E.D.	1230	841,877	228	13.0	11.0-15.0	1002	87.0	85.0-89.0
Some Post-H.S.	953	708,886	153	12.1	9.9-14.3	800	87.9	85.7-90.1
College Graduate	1332	528,212	123	6.1	4.9- 7.3	1209	93.9	92.7-95.1
Less than \$15,000	236	156,756	89	31.6	24.5-38.7	147	68.4	61.3-75.5
\$15,000- 24,999	476	302,952	143	24.4	19.7-29.1	333	75.6	70.9-80.3
\$25,000- 34,999	302	192,871	66	19.9	14.6-25.2	236	80.1	74.8-85.4
\$35,000- 49,999	486	304,005	63	10.9	7.8-14.0	423	89.1	86.0-92.2
\$50,000- 74,999	536	355,649	64	8.2	6.0-10.4	472	91.8	89.6-94.0
\$75,000+	1161	716,111	70	5.2	3.6- 6.8	1091	94.8	93.2-96.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 67: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4693	2,541,950	1061	17.4	16.2-18.6	3632	82.6	81.4-83.8
White/Non-Hisp	3904	2,035,176	887	17.6	16.2-19.0	3017	82.4	81.0-83.8
Black or Afr. Am./Non-Hisp	341	220,356	78	17.0	12.5-21.5	263	83.0	78.5-87.5
Oth. Race/Non-Hisp.	101	65,088	23	19.7	9.1-30.3	78	80.3	69.7-90.9
MultiRacial/Non-Hisp.	68	24,996	22	19.8	9.8-29.8	46	80.2	70.2-90.2
Hispanic	202	152,991	32	12.6	7.3-17.9	170	87.4	82.1-92.7
18-24	194	319,361	6	3.1	0.6- 5.6	188	96.9	94.4-99.4
25-34	400	411,101	21	5.8	3.3- 8.3	379	94.2	91.7-96.7
35-44	508	398,277	64	12.1	8.8-15.4	444	87.9	84.6-91.2
45-54	680	397,110	116	18.6	15.3-21.9	564	81.4	78.1-84.7
55-64	916	428,904	234	26.1	22.8-29.4	682	73.9	70.6-77.2
65+	1995	587,197	620	29.7	27.3-32.1	1375	70.3	67.9-72.7
Less Than H.S.	326	277,554	133	33.6	27.3-39.9	193	66.4	60.1-72.7
H.S. or G.E.D.	1479	782,977	448	22.2	19.8-24.6	1031	77.8	75.4-80.2
Some Post-H.S.	1272	827,610	279	15.6	13.4-17.8	993	84.4	82.2-86.6
College Graduate	1589	642,219	197	6.9	5.7- 8.1	1392	93.1	91.9-94.3
Less than \$15,000	389	247,241	171	33.5	27.8-39.2	218	66.5	60.8-72.2
\$15,000- 24,999	705	370,540	272	32.1	27.6-36.6	433	67.9	63.4-72.4
\$25,000- 34,999	449	238,352	110	15.9	12.4-19.4	339	84.1	80.6-87.6
\$35,000- 49,999	504	268,251	95	14.1	10.8-17.4	409	85.9	82.6-89.2
\$50,000- 74,999	559	321,860	72	10.4	7.5-13.3	487	89.6	86.7-92.5
\$75,000+	951	576,095	65	5.3	3.7- 6.9	886	94.7	93.1-96.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 68: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8534	4,954,618	423	4.2	3.6- 4.8	8111	95.8	95.2-96.4
Male	3830	2,409,581	182	4.1	3.3- 4.9	3648	95.9	95.1-96.7
Female	4704	2,545,038	241	4.3	3.7- 4.9	4463	95.7	95.1-96.3
White/Non-Hisp	7087	3,941,093	341	4.1	3.5- 4.7	6746	95.9	95.3-96.5
Black or Afr. Am./Non-Hisp	568	422,183	31	4.3	2.3- 6.3	537	95.7	93.7-97.7
Oth. Race/Non-Hisp.	226	155,823	16	6.1	2.0-10.2	210	93.9	89.8-98.0
MultiRacial/Non-Hisp.	125	45,572	8	3.4	0.3- 6.5	117	96.6	93.5-99.7
Hispanic	363	302,373	13	2.4	0.8- 4.0	350	97.6	96.0-99.2
18-24	445	659,842				445	100.0	100.0- 100
25-34	764	820,991	15	2.3	0.9- 3.7	749	97.7	96.3-99.1
35-44	929	782,390	36	3.6	2.2- 5.0	893	96.4	95.0-97.8
45-54	1280	791,894	62	4.9	3.5- 6.3	1218	95.1	93.7-96.5
55-64	1768	837,246	121	7.6	6.0- 9.2	1647	92.4	90.8-94.0
65+	3348	1,062,256	189	5.4	4.4- 6.4	3159	94.6	93.6-95.6
Less Than H.S.	616	596,527	61	8.9	6.4-11.4	555	91.1	88.6-93.6
H.S. or G.E.D.	2717	1,626,621	164	4.2	3.4- 5.0	2553	95.8	95.0-96.6
Some Post-H.S.	2224	1,536,888	126	4.2	3.2- 5.2	2098	95.8	94.8-96.8
College Graduate	2924	1,169,477	70	1.7	1.3- 2.1	2854	98.3	97.9-98.7
Less than \$15,000	627	403,926	82	10.1	7.4-12.8	545	89.9	87.2-92.6
\$15,000- 24,999	1180	671,341	120	8.7	6.7-10.7	1060	91.3	89.3-93.3
\$25,000- 34,999	751	431,129	38	4.3	2.5- 6.1	713	95.7	93.9-97.5
\$35,000- 49,999	992	573,425	27	2.3	1.3- 3.3	965	97.7	96.7-98.7
\$50,000- 74,999	1092	673,564	25	1.5	0.9- 2.1	1067	98.5	97.9-99.1
\$75,000+	2113	1,291,710	37	1.8	1.0- 2.6	2076	98.2	97.4-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 69: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3830	2,409,581	182	4.1	3.3- 4.9	3648	95.9	95.1-96.7
White/Non-Hisp	3173	1,903,213	144	3.9	3.1- 4.7	3029	96.1	95.3-96.9
Black or Afr. Am./Non-Hisp	227	202,082	14	5.5	1.8- 9.2	213	94.5	90.8-98.2
Oth. Race/Non-Hisp.	124	90,118	6	3.6	0.1- 7.1	118	96.4	92.9-99.9
MultiRacial/Non-Hisp.	58	21,017	5	6.4	0.0-13.1	53	93.6	86.9- 100
Hispanic	160	148,918	6	2.8	0.3- 5.3	154	97.2	94.7-99.7
18-24	251	340,481				251	100.0	100.0- 100
25-34	364	409,890	9	3.3	0.9- 5.7	355	96.7	94.3-99.1
35-44	422	385,498	9	2.1	0.5- 3.7	413	97.9	96.3-99.5
45-54	603	396,299	28	4.3	2.7- 5.9	575	95.7	94.1-97.3
55-64	850	406,848	63	8.1	5.9-10.3	787	91.9	89.7-94.1
65+	1340	470,565	73	5.6	4.0- 7.2	1267	94.4	92.8-96.0
Less Than H.S.	286	317,815	24	7.5	4.2-10.8	262	92.5	89.2-95.8
H.S. or G.E.D.	1235	842,505	75	4.0	3.0- 5.0	1160	96.0	95.0-97.0
Some Post-H.S.	951	708,566	52	4.5	2.9- 6.1	899	95.5	93.9-97.1
College Graduate	1332	527,180	30	1.6	1.0- 2.2	1302	98.4	97.8-99.0
Less than \$15,000	237	157,068	34	12.4	7.5-17.3	203	87.6	82.7-92.5
\$15,000- 24,999	478	302,925	50	9.0	5.9-12.1	428	91.0	87.9-94.1
\$25,000- 34,999	301	192,614	23	6.9	3.6-10.2	278	93.1	89.8-96.4
\$35,000- 49,999	486	303,971	12	1.9	0.7- 3.1	474	98.1	96.9-99.3
\$50,000- 74,999	533	351,947	16	1.9	0.9- 2.9	517	98.1	97.1-99.1
\$75,000+	1161	715,546	18	1.6	0.6- 2.6	1143	98.4	97.4-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 70: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4704	2,545,038	241	4.3	3.7- 4.9	4463	95.7	95.1-96.3
White/Non-Hisp	3914	2,037,880	197	4.3	3.5- 5.1	3717	95.7	94.9-96.5
Black or Afr. Am./Non-Hisp	341	220,101	17	3.3	1.3- 5.3	324	96.7	94.7-98.7
Oth. Race/Non-Hisp.	102	65,705	10	9.5	1.5-17.5	92	90.5	82.5-98.5
MultiRacial/Non-Hisp.	67	24,554	3	0.9	0.0- 2.1	64	99.1	97.9- 100
Hispanic	203	153,455	7	2.0	0.2- 3.8	196	98.0	96.2-99.8
18-24	194	319,361				194	100.0	100.0- 100
25-34	400	411,101	6	1.4	0.2- 2.6	394	98.6	97.4-99.8
35-44	507	396,892	27	5.0	2.8- 7.2	480	95.0	92.8-97.2
45-54	677	395,595	34	5.5	3.3- 7.7	643	94.5	92.3-96.7
55-64	918	430,398	58	7.1	4.9- 9.3	860	92.9	90.7-95.1
65+	2008	591,691	116	5.3	4.1- 6.5	1892	94.7	93.5-95.9
Less Than H.S.	330	278,713	37	10.6	6.7-14.5	293	89.4	85.5-93.3
H.S. or G.E.D.	1482	784,116	89	4.4	3.2- 5.6	1393	95.6	94.4-96.8
Some Post-H.S.	1273	828,322	74	4.0	3.0- 5.0	1199	96.0	95.0-97.0
College Graduate	1592	642,296	40	1.8	1.2- 2.4	1552	98.2	97.6-98.8
Less than \$15,000	390	246,858	48	8.7	5.6-11.8	342	91.3	88.2-94.4
\$15,000- 24,999	702	368,415	70	8.5	6.0-11.0	632	91.5	89.0-94.0
\$25,000- 34,999	450	238,515	15	2.3	0.9- 3.7	435	97.7	96.3-99.1
\$35,000- 49,999	506	269,454	15	2.7	1.1- 4.3	491	97.3	95.7-98.9
\$50,000- 74,999	559	321,617	9	1.0	0.2- 1.8	550	99.0	98.2-99.8
\$75,000+	952	576,164	19	2.0	0.8- 3.2	933	98.0	96.8-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 71: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8483	4,928,617	750	8.2	7.4- 9.0	7733	91.8	91.0-92.6
Male	3818	2,402,764	239	5.8	4.8- 6.8	3579	94.2	93.2-95.2
Female	4665	2,525,854	511	10.5	9.3-11.7	4154	89.5	88.3-90.7
White/Non-Hisp	7045	3,918,529	606	8.3	7.5- 9.1	6439	91.7	90.9-92.5
Black or Afr. Am./Non-Hisp	565	420,807	59	8.4	5.7-11.1	506	91.6	88.9-94.3
Oth. Race/Non-Hisp.	226	155,823	28	8.8	4.3-13.3	198	91.2	86.7-95.7
MultiRacial/Non-Hisp.	125	45,947	19	15.1	6.5-23.7	106	84.9	76.3-93.5
Hispanic	361	301,381	23	5.7	2.6- 8.8	338	94.3	91.2-97.4
18-24	443	656,340	35	8.7	5.8-11.6	408	91.3	88.4-94.2
25-34	758	814,657	44	6.1	4.1- 8.1	714	93.9	91.9-95.9
35-44	924	778,555	69	7.2	5.2- 9.2	855	92.8	90.8-94.8
45-54	1275	788,622	109	8.4	6.6-10.2	1166	91.6	89.8-93.4
55-64	1761	835,183	161	9.7	8.1-11.3	1600	90.3	88.7-91.9
65+	3322	1,055,261	332	9.0	7.8-10.2	2990	91.0	89.8-92.2
Less Than H.S.	615	596,911	105	14.1	11.0-17.2	510	85.9	82.8-89.0
H.S. or G.E.D.	2693	1,613,714	296	9.4	8.0-10.8	2397	90.6	89.2-92.0
Some Post-H.S.	2211	1,527,272	221	8.6	7.2-10.0	1990	91.4	90.0-92.8
College Graduate	2912	1,165,693	124	3.1	2.5- 3.7	2788	96.9	96.3-97.5
Less than \$15,000	621	400,519	150	20.6	16.9-24.3	471	79.4	75.7-83.1
\$15,000- 24,999	1174	671,107	197	15.4	12.9-17.9	977	84.6	82.1-87.1
\$25,000- 34,999	745	426,019	68	10.5	7.0-14.0	677	89.5	86.0-93.0
\$35,000- 49,999	990	572,020	58	6.4	4.2- 8.6	932	93.6	91.4-95.8
\$50,000- 74,999	1086	670,671	44	3.6	2.2- 5.0	1042	96.4	95.0-97.8
\$75,000+	2108	1,288,964	54	2.4	1.6- 3.2	2054	97.6	96.8-98.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 72: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3818	2,402,764	239	5.8	4.8- 6.8	3579	94.2	93.2-95.2
White/Non-Hisp	3167	1,898,431	187	5.9	4.9- 6.9	2980	94.1	93.1-95.1
Black or Afr. Am./Non-Hisp	225	201,344	18	6.5	2.8-10.2	207	93.5	89.8-97.2
Oth. Race/Non-Hisp.	124	90,118	12	5.6	1.5- 9.7	112	94.4	90.3-98.5
MultiRacial/Non-Hisp.	57	20,951	7	8.7	1.3-16.1	50	91.3	83.9-98.7
Hispanic	160	148,918	8	3.1	0.7- 5.5	152	96.9	94.5-99.3
18-24	250	339,437	11	4.2	1.7- 6.7	239	95.8	93.3-98.3
25-34	362	407,695	18	5.6	2.9- 8.3	344	94.4	91.7-97.1
35-44	421	383,862	16	3.5	1.5- 5.5	405	96.5	94.5-98.5
45-54	601	395,830	34	5.1	3.3- 6.9	567	94.9	93.1-96.7
55-64	847	406,283	75	9.7	7.3-12.1	772	90.3	87.9-92.7
65+	1337	469,657	85	6.0	4.4- 7.6	1252	94.0	92.4-95.6
Less Than H.S.	286	317,600	30	9.0	5.5-12.5	256	91.0	87.5-94.5
H.S. or G.E.D.	1228	837,680	106	7.2	5.6- 8.8	1122	92.8	91.2-94.4
Some Post-H.S.	948	707,008	62	5.5	3.9- 7.1	886	94.5	92.9-96.1
College Graduate	1330	526,961	40	2.1	1.3- 2.9	1290	97.9	97.1-98.7
Less than \$15,000	234	155,027	50	19.3	13.4-25.2	184	80.7	74.8-86.6
\$15,000- 24,999	477	303,235	63	12.6	9.1-16.1	414	87.4	83.9-90.9
\$25,000- 34,999	300	190,497	23	6.9	3.4-10.4	277	93.1	89.6-96.6
\$35,000- 49,999	486	303,971	28	6.2	3.5- 8.9	458	93.8	91.1-96.5
\$50,000- 74,999	531	351,269	18	2.2	1.0- 3.4	513	97.8	96.6-99.0
\$75,000+	1160	715,353	21	1.6	0.8- 2.4	1139	98.4	97.6-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 8: DEMOGRAPHICS**

**TABLE 73: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4665	2,525,854	511	10.5	9.3-11.7	4154	89.5	88.3-90.7
White/Non-Hisp	3878	2,020,098	419	10.6	9.2-12.0	3459	89.4	88.0-90.8
Black or Afr. Am./Non-Hisp	340	219,463	41	10.2	6.1-14.3	299	89.8	85.7-93.9
Oth. Race/Non-Hisp.	102	65,705	16	13.2	4.4-22.0	86	86.8	78.0-95.6
MultiRacial/Non-Hisp.	68	24,996	12	20.5	6.6-34.4	56	79.5	65.6-93.4
Hispanic	201	152,462	15	8.3	2.4-14.2	186	91.7	85.8-97.6
18-24	193	316,903	24	13.6	8.1-19.1	169	86.4	80.9-91.9
25-34	396	406,962	26	6.5	3.8- 9.2	370	93.5	90.8-96.2
35-44	503	394,693	53	10.8	7.7-13.9	450	89.2	86.1-92.3
45-54	674	392,792	75	11.8	9.1-14.5	599	88.2	85.5-90.9
55-64	914	428,900	86	9.7	7.3-12.1	828	90.3	87.9-92.7
65+	1985	585,603	247	11.4	9.8-13.0	1738	88.6	87.0-90.2
Less Than H.S.	329	279,311	75	19.8	14.5-25.1	254	80.2	74.9-85.5
H.S. or G.E.D.	1465	776,034	190	11.9	9.5-14.3	1275	88.1	85.7-90.5
Some Post-H.S.	1263	820,264	159	11.3	9.1-13.5	1104	88.7	86.5-90.9
College Graduate	1582	638,732	84	3.8	2.8- 4.8	1498	96.2	95.2-97.2
Less than \$15,000	387	245,493	100	21.3	16.4-26.2	287	78.7	73.8-83.6
\$15,000- 24,999	697	367,872	134	17.8	14.1-21.5	563	82.2	78.5-85.9
\$25,000- 34,999	445	235,522	45	13.5	8.2-18.8	400	86.5	81.2-91.8
\$35,000- 49,999	504	268,049	30	6.7	3.8- 9.6	474	93.3	90.4-96.2
\$50,000- 74,999	555	319,402	26	5.1	2.6- 7.6	529	94.9	92.4-97.4
\$75,000+	948	573,612	33	3.4	2.0- 4.8	915	96.6	95.2-98.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019**

**SECTION 9: TOBACCO USE CONTENTS**

\* **NOTE** \* \* \* \* \*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
\* \* \* \* \*

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	179
2 MALES ONLY	180
3 FEMALES ONLY	181
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	182
5 MALES ONLY	183
6 FEMALES ONLY	184
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7 MALES AND FEMALES	185
8 MALES ONLY	186
9 FEMALES ONLY	187
HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10 MALES AND FEMALES	188
11 MALES ONLY	189
12 FEMALES ONLY	190
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13 MALES AND FEMALES	191
14 MALES ONLY	192
15 FEMALES ONLY	193

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 9: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8441	4,902,314	3780	44.2	42.8-45.6	4661	55.8	54.4-57.2
Male	3791	2,384,745	1938	49.7	47.7-51.7	1853	50.3	48.3-52.3
Female	4650	2,517,569	1842	39.0	37.2-40.8	2808	61.0	59.2-62.8
White/Non-Hisp	7015	3,901,206	3214	46.6	45.0-48.2	3801	53.4	51.8-55.0
Black or Afr. Am./Non-Hisp	559	418,173	223	36.1	31.2-41.0	336	63.9	59.0-68.8
Oth. Race/Non-Hisp.	224	153,064	95	36.6	28.4-44.8	129	63.4	55.2-71.6
MultiRacial/Non-Hisp.	124	45,396	70	58.6	47.2-70.0	54	41.4	30.0-52.8
Hispanic	361	300,684	106	27.6	22.3-32.9	255	72.4	67.1-77.7
18-24	443	655,938	92	20.7	16.6-24.8	351	79.3	75.2-83.4
25-34	753	808,374	285	42.1	38.2-46.0	468	57.9	54.0-61.8
35-44	916	770,685	438	49.4	45.9-52.9	478	50.6	47.1-54.1
45-54	1267	785,461	519	44.0	40.9-47.1	748	56.0	52.9-59.1
55-64	1760	834,040	899	53.6	50.9-56.3	861	46.4	43.7-49.1
65+	3302	1,047,817	1547	49.2	47.2-51.2	1755	50.8	48.8-52.8
Less Than H.S.	611	595,062	372	58.1	53.2-63.0	239	41.9	37.0-46.8
H.S. or G.E.D.	2678	1,604,901	1385	49.1	46.7-51.5	1293	50.9	48.5-53.3
Some Post-H.S.	2197	1,515,609	1070	45.8	43.3-48.3	1127	54.2	51.7-56.7
College Graduate	2903	1,161,799	932	28.3	26.3-30.3	1971	71.7	69.7-73.7
Less than \$15,000	624	401,699	372	56.0	50.9-61.1	252	44.0	38.9-49.1
\$15,000- 24,999	1169	669,029	599	50.5	46.8-54.2	570	49.5	45.8-53.2
\$25,000- 34,999	734	420,559	389	52.2	47.3-57.1	345	47.8	42.9-52.7
\$35,000- 49,999	989	572,099	507	51.9	48.0-55.8	482	48.1	44.2-52.0
\$50,000- 74,999	1079	663,537	461	42.6	38.9-46.3	618	57.4	53.7-61.1
\$75,000+	2101	1,285,859	768	37.4	34.9-39.9	1333	62.6	60.1-65.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 9: TOBACCO USE**

**TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3791	2,384,745	1938	49.7	47.7-51.7	1853	50.3	48.3-52.3
White/Non-Hisp	3141	1,883,625	1623	51.3	49.1-53.5	1518	48.7	46.5-50.9
Black or Afr. Am./Non-Hisp	225	201,076	104	40.6	32.8-48.4	121	59.4	51.6-67.2
Oth. Race/Non-Hisp.	123	87,800	61	46.7	35.5-57.9	62	53.3	42.1-64.5
MultiRacial/Non-Hisp.	58	21,017	37	69.6	54.7-84.5	21	30.4	15.5-45.3
Hispanic	160	148,918	68	39.1	30.5-47.7	92	60.9	52.3-69.5
18-24	250	339,035	63	24.7	18.8-30.6	187	75.3	69.4-81.2
25-34	359	403,016	152	46.8	40.9-52.7	207	53.2	47.3-59.1
35-44	418	381,021	225	55.1	49.8-60.4	193	44.9	39.6-50.2
45-54	594	391,599	270	48.1	43.6-52.6	324	51.9	47.4-56.4
55-64	844	405,271	462	57.0	53.3-60.7	382	43.0	39.3-46.7
65+	1326	464,803	766	60.9	57.8-64.0	560	39.1	36.0-42.2
Less Than H.S.	284	317,299	196	63.8	57.1-70.5	88	36.2	29.5-42.9
H.S. or G.E.D.	1215	829,822	725	54.6	51.1-58.1	490	45.4	41.9-48.9
Some Post-H.S.	939	699,199	518	49.9	46.2-53.6	421	50.1	46.4-53.8
College Graduate	1327	524,910	486	33.1	30.2-36.0	841	66.9	64.0-69.8
Less than \$15,000	235	156,502	154	62.9	55.1-70.7	81	37.1	29.3-44.9
\$15,000- 24,999	478	303,800	284	56.5	50.8-62.2	194	43.5	37.8-49.2
\$25,000- 34,999	294	186,793	181	58.9	51.6-66.2	113	41.1	33.8-48.4
\$35,000- 49,999	483	302,867	279	57.3	51.8-62.8	204	42.7	37.2-48.2
\$50,000- 74,999	527	345,679	265	47.5	42.2-52.8	262	52.5	47.2-57.8
\$75,000+	1152	711,315	485	43.2	39.7-46.7	667	56.8	53.3-60.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 9: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4650	2,517,569	1842	39.0	37.2-40.8	2808	61.0	59.2-62.8
White/Non-Hisp	3874	2,017,582	1591	42.1	40.1-44.1	2283	57.9	55.9-59.9
Black or Afr. Am./Non-Hisp	334	217,097	119	32.0	25.7-38.3	215	68.0	61.7-74.3
Oth. Race/Non-Hisp.	101	65,264	34	23.1	12.5-33.7	67	76.9	66.3-87.5
MultiRacial/Non-Hisp.	66	24,379	33	49.1	33.4-64.8	33	50.9	35.2-66.6
Hispanic	201	151,766	38	16.2	10.3-22.1	163	83.8	77.9-89.7
18-24	193	316,903	29	16.4	10.7-22.1	164	83.6	77.9-89.3
25-34	394	405,358	133	37.3	32.0-42.6	261	62.7	57.4-68.0
35-44	498	389,664	213	43.9	39.0-48.8	285	56.1	51.2-61.0
45-54	673	393,862	249	40.0	35.9-44.1	424	60.0	55.9-64.1
55-64	916	428,768	437	50.5	46.8-54.2	479	49.5	45.8-53.2
65+	1976	583,014	781	39.9	37.4-42.4	1195	60.1	57.6-62.6
Less Than H.S.	327	277,764	176	51.6	44.5-58.7	151	48.4	41.3-55.5
H.S. or G.E.D.	1463	775,079	660	43.3	40.0-46.6	803	56.7	53.4-60.0
Some Post-H.S.	1258	816,409	552	42.2	38.9-45.5	706	57.8	54.5-61.1
College Graduate	1576	636,889	446	24.4	22.0-26.8	1130	75.6	73.2-78.0
Less than \$15,000	389	245,198	218	51.6	44.9-58.3	171	48.4	41.7-55.1
\$15,000- 24,999	691	365,230	315	45.6	40.5-50.7	376	54.4	49.3-59.5
\$25,000- 34,999	440	233,767	208	46.8	40.5-53.1	232	53.2	46.9-59.5
\$35,000- 49,999	506	269,232	228	45.8	40.3-51.3	278	54.2	48.7-59.7
\$50,000- 74,999	552	317,858	196	37.4	32.3-42.5	356	62.6	57.5-67.7
\$75,000+	949	574,544	283	30.3	26.8-33.8	666	69.7	66.2-73.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 9: TOBACCO USE**

**TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3766	2,159,147	1004	31.9	29.9-33.9	362	11.5	10.1-12.9	2400	56.6	54.6-58.6
Male	1930	1,180,555	479	30.2	27.5-32.9	189	12.5	10.5-14.5	1262	57.3	54.6-60.0
Female	1836	978,592	525	34.0	31.3-36.7	173	10.3	8.3-12.3	1138	55.6	52.7-58.5
White/Non-Hisp	3204	1,810,945	839	31.9	29.7-34.1	272	10.0	8.6-11.4	2093	58.1	55.9-60.3
Black or Afr. Am./Non-Hisp	223	151,108	69	36.8	28.6-45.0	42	17.4	11.3-23.5	112	45.8	37.6-54.0
Oth. Race/Non-Hisp.	95	56,075	28	37.9	24.8-51.0	8	14.2	4.4-24.0	59	47.9	35.0-60.8
MultiRacial/Non-Hisp.	70	26,593	31	46.2	32.3-60.1	11	24.0	10.5-37.5	28	29.8	17.8-41.8
Hispanic	105	82,134	24	20.7	12.1-29.3	24	29.7	17.9-41.5	57	49.6	38.0-61.2
18-24	91	134,860	36	42.1	30.9-53.3	21	22.6	13.2-32.0	34	35.3	24.7-45.9
25-34	283	339,089	112	42.7	36.2-49.2	42	13.8	9.5-18.1	129	43.4	37.1-49.7
35-44	437	379,700	166	37.6	32.5-42.7	56	14.7	10.8-18.6	215	47.7	42.4-53.0
45-54	518	344,948	194	38.4	33.7-43.1	58	11.4	8.3-14.5	266	50.2	45.5-54.9
55-64	897	446,949	267	29.1	25.8-32.4	94	10.8	8.4-13.2	536	60.0	56.3-63.7
65+	1540	513,600	229	16.0	13.8-18.2	91	5.4	4.0- 6.8	1220	78.6	76.1-81.1
Less Than H.S.	372	345,627	141	43.5	37.2-49.8	45	14.0	9.3-18.7	186	42.5	36.4-48.6
H.S. or G.E.D.	1380	785,583	442	36.0	32.9-39.1	146	11.7	9.5-13.9	792	52.2	49.1-55.3
Some Post-H.S.	1067	691,127	282	29.2	25.9-32.5	108	12.0	9.5-14.5	677	58.7	55.2-62.2
College Graduate	926	327,813	132	15.3	12.4-18.2	61	7.5	5.3- 9.7	733	77.2	73.9-80.5
Less than \$15,000	372	225,012	149	44.0	37.5-50.5	60	17.1	12.4-21.8	163	38.9	32.8-45.0
\$15,000- 24,999	599	338,167	209	40.8	35.7-45.9	75	15.3	11.2-19.4	315	43.9	38.8-49.0
\$25,000- 34,999	388	218,470	110	34.4	28.1-40.7	32	9.5	5.6-13.4	246	56.1	49.6-62.6
\$35,000- 49,999	503	294,523	133	32.2	26.7-37.7	55	12.9	9.2-16.6	315	55.0	49.5-60.5
\$50,000- 74,999	459	281,317	110	29.6	24.1-35.1	33	9.2	5.5-12.9	316	61.2	55.5-66.9
\$75,000+	768	481,026	137	22.2	18.5-25.9	42	6.4	4.2- 8.6	589	71.4	67.3-75.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 9: TOBACCO USE**

**TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1930	1,180,555	479	30.2	27.5-32.9	189	12.5	10.5-14.5	1262	57.3	54.6-60.0
White/Non-Hisp	1618	963,955	391	30.2	27.3-33.1	136	10.4	8.4-12.4	1091	59.4	56.3-62.5
Black or Afr. Am./Non-Hisp	104	81,681	32	35.0	23.0-47.0	22	20.9	11.7-30.1	50	44.0	32.2-55.8
Oth. Race/Non-Hisp.	61	40,982	20	38.4	23.3-53.5	6	15.2	3.2-27.2	35	46.4	31.3-61.5
Hispanic	67	57,482	13	19.8	9.4-30.2	15	31.0	16.3-45.7	39	49.3	35.4-63.2
18-24	62	82,956	25	42.7	29.0-56.4	15	23.4	12.0-34.8	22	33.9	21.0-46.8
25-34	150	187,746	55	41.5	32.5-50.5	24	14.6	8.5-20.7	71	43.8	35.0-52.6
35-44	224	208,550	70	31.2	24.5-37.9	34	17.7	11.6-23.8	120	51.1	43.8-58.4
45-54	270	188,323	103	41.0	34.3-47.7	27	11.2	6.9-15.5	140	47.8	41.1-54.5
55-64	461	230,800	129	27.0	22.5-31.5	49	11.9	8.4-15.4	283	61.0	55.9-66.1
65+	763	282,179	97	13.5	10.6-16.4	40	5.3	3.3- 7.3	626	81.2	77.9-84.5
Less Than H.S.	196	202,382	70	41.0	32.6-49.4	26	15.6	9.1-22.1	100	43.4	35.4-51.4
H.S. or G.E.D.	723	451,118	213	33.6	29.5-37.7	79	13.1	10.0-16.2	431	53.3	49.0-57.6
Some Post-H.S.	516	347,701	125	26.7	22.0-31.4	52	12.6	8.9-16.3	339	60.6	55.5-65.7
College Graduate	482	172,618	68	15.5	11.4-19.6	31	7.2	4.5- 9.9	383	77.3	72.6-82.0
Less than \$15,000	154	98,448	55	36.3	26.9-45.7	25	22.5	13.9-31.1	74	41.3	32.1-50.5
\$15,000- 24,999	284	171,714	87	34.4	27.3-41.5	40	17.0	11.3-22.7	157	48.7	41.4-56.0
\$25,000- 34,999	181	110,046	53	34.8	26.0-43.6	12	7.0	2.1-11.9	116	58.2	49.2-67.2
\$35,000- 49,999	276	171,521	71	32.4	24.8-40.0	33	13.9	8.8-19.0	172	53.7	46.1-61.3
\$50,000- 74,999	263	162,582	59	29.3	21.9-36.7	23	11.3	5.8-16.8	181	59.5	51.7-67.3
\$75,000+	485	307,052	89	24.2	19.1-29.3	23	5.8	3.1- 8.5	373	69.9	64.6-75.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 9: TOBACCO USE**

**TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1836	978,592	525	34.0	31.3-36.7	173	10.3	8.3-12.3	1138	55.6	52.7-58.5
White/Non-Hisp	1586	846,991	448	33.8	30.9-36.7	136	9.5	7.5-11.5	1002	56.7	53.6-59.8
Black or Afr. Am./Non-Hisp	119	69,428	37	38.9	27.5-50.3	20	13.2	5.8-20.6	62	47.9	36.7-59.1
25-34	133	151,343	57	44.3	35.1-53.5	18	12.8	6.7-18.9	58	42.9	33.9-51.9
35-44	213	171,150	96	45.3	37.9-52.7	22	11.1	6.2-16.0	95	43.6	36.0-51.2
45-54	248	156,625	91	35.2	28.7-41.7	31	11.7	7.4-16.0	126	53.1	46.2-60.0
55-64	436	216,149	138	31.4	26.3-36.5	45	9.6	6.5-12.7	253	59.0	53.7-64.3
65+	777	231,421	132	19.0	15.7-22.3	51	5.5	3.7- 7.3	594	75.5	71.8-79.2
Less Than H.S.	176	143,245	71	47.0	37.8-56.2	19	11.8	5.3-18.3	86	41.3	32.3-50.3
H.S. or G.E.D.	657	334,465	229	39.3	34.6-44.0	67	9.8	6.9-12.7	361	50.9	46.2-55.6
Some Post-H.S.	551	343,426	157	31.7	27.0-36.4	56	11.5	8.2-14.8	338	56.8	51.7-61.9
College Graduate	444	155,195	64	15.1	11.0-19.2	30	7.8	4.7-10.9	350	77.0	72.1-81.9
Less than \$15,000	218	126,565	94	50.0	41.6-58.4	35	12.8	7.9-17.7	89	37.1	29.3-44.9
\$15,000- 24,999	315	166,453	122	47.4	40.0-54.8	35	13.5	7.4-19.6	158	39.1	32.2-46.0
\$25,000- 34,999	207	108,424	57	34.0	25.4-42.6	20	12.1	6.0-18.2	130	53.9	45.1-62.7
\$35,000- 49,999	227	123,003	62	31.8	24.2-39.4	22	11.5	6.2-16.8	143	56.7	48.7-64.7
\$50,000- 74,999	196	118,735	51	29.9	21.9-37.9	10	6.5	2.2-10.8	135	63.6	55.2-72.0
\$75,000+	283	173,974	48	18.7	13.2-24.2	19	7.3	3.6-11.0	216	74.0	67.9-80.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 9: TOBACCO USE**

**TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime  
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1363	935,805	676	52.9	49.6-56.2	687	47.1	43.8-50.4
Male	665	501,732	340	55.0	50.5-59.5	325	45.0	40.5-49.5
Female	698	434,074	336	50.4	45.7-55.1	362	49.6	44.9-54.3
White/Non-Hisp	1110	757,857	527	50.6	46.9-54.3	583	49.4	45.7-53.1
Black or Afr. Am./Non-Hisp	110	81,385	69	61.2	49.6-72.8	41	38.8	27.2-50.4
18-24	57	87,253	27	50.8	36.7-64.9	30	49.2	35.1-63.3
25-34	154	191,815	100	65.6	57.2-74.0	54	34.4	26.0-42.8
35-44	222	198,478	120	52.3	45.0-59.6	102	47.7	40.4-55.0
45-54	252	171,846	117	47.9	41.0-54.8	135	52.1	45.2-59.0
55-64	358	176,756	171	49.1	43.0-55.2	187	50.9	44.8-57.0
65+	320	109,657	141	47.1	40.6-53.6	179	52.9	46.4-59.4
Less Than H.S.	186	198,762	104	58.2	49.8-66.6	82	41.8	33.4-50.2
H.S. or G.E.D.	586	373,852	280	50.9	46.0-55.8	306	49.1	44.2-54.0
Some Post-H.S.	389	284,582	194	52.7	46.8-58.6	195	47.3	41.4-53.2
College Graduate	193	74,778	95	50.7	42.1-59.3	98	49.3	40.7-57.9
Less than \$15,000	209	137,415	117	52.0	43.6-60.4	92	48.0	39.6-56.4
\$15,000- 24,999	284	189,545	150	59.6	52.5-66.7	134	40.4	33.3-47.5
\$25,000- 34,999	142	95,954	62	46.9	36.7-57.1	80	53.1	42.9-63.3
\$35,000- 49,999	187	131,804	101	60.1	51.7-68.5	86	39.9	31.5-48.3
\$50,000- 74,999	143	109,140	72	55.0	45.2-64.8	71	45.0	35.2-54.8
\$75,000+	179	137,515	77	44.6	36.0-53.2	102	55.4	46.8-64.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 9: TOBACCO USE**

**TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	665	501,732	340	55.0	50.5-59.5	325	45.0	40.5-49.5
White/Non-Hisp	526	390,805	252	52.1	46.8-57.4	274	47.9	42.6-53.2
Black or Afr. Am./Non-Hisp	53	45,180	36	63.4	46.9-79.9	17	36.6	20.1-53.1
25-34	79	105,421	54	69.7	58.1-81.3	25	30.3	18.7-41.9
35-44	104	101,988	59	54.5	43.9-65.1	45	45.5	34.9-56.1
45-54	130	98,347	63	51.0	41.4-60.6	67	49.0	39.4-58.6
55-64	175	88,127	79	45.2	36.8-53.6	96	54.8	46.4-63.2
65+	137	53,053	65	53.5	43.9-63.1	72	46.5	36.9-56.1
Less Than H.S.	96	114,615	57	62.1	50.7-73.5	39	37.9	26.5-49.3
H.S. or G.E.D.	290	209,572	149	55.6	48.9-62.3	141	44.4	37.7-51.1
Some Post-H.S.	176	136,299	84	50.7	41.9-59.5	92	49.3	40.5-58.1
College Graduate	99	39,151	50	49.2	37.2-61.2	49	50.8	38.8-62.8
Less than \$15,000	80	57,833	48	61.1	48.2-74.0	32	38.9	26.0-51.8
\$15,000- 24,999	127	88,139	76	67.7	57.9-77.5	51	32.3	22.5-42.1
\$25,000- 34,999	65	46,002	29	43.8	29.3-58.3	36	56.2	41.7-70.7
\$35,000- 49,999	103	78,589	54	58.1	46.3-69.9	49	41.9	30.1-53.7
\$50,000- 74,999	82	65,906	38	53.2	39.9-66.5	44	46.8	33.5-60.1
\$75,000+	112	92,315	48	44.3	33.1-55.5	64	55.7	44.5-66.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 9: TOBACCO USE**

**TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	698	434,074	336	50.4	45.9-54.9	362	49.6	45.1-54.1
White/Non-Hisp	584	367,052	275	49.0	43.9-54.1	309	51.0	45.9-56.1
Black or Afr. Am./Non-Hisp	57	36,205	33	58.5	42.6-74.4	24	41.5	25.6-57.4
25-34	75	86,394	46	60.5	48.5-72.5	29	39.5	27.5-51.5
35-44	118	96,490	61	50.0	40.0-60.0	57	50.0	40.0-60.0
45-54	122	73,499	54	43.7	34.1-53.3	68	56.3	46.7-65.9
55-64	183	88,629	92	53.0	44.6-61.4	91	47.0	38.6-55.4
65+	183	56,604	76	41.2	33.2-49.2	107	58.8	50.8-66.8
Less Than H.S.	90	84,147	47	52.9	40.6-65.2	43	47.1	34.8-59.4
H.S. or G.E.D.	296	164,280	131	44.9	37.8-52.0	165	55.1	48.0-62.2
Some Post-H.S.	213	148,283	110	54.6	47.0-62.2	103	45.4	37.8-53.0
College Graduate	94	35,627	45	52.4	40.2-64.6	49	47.6	35.4-59.8
Less than \$15,000	129	79,582	69	45.4	34.6-56.2	60	54.6	43.8-65.4
\$15,000- 24,999	157	101,406	74	52.6	42.8-62.4	83	47.4	37.6-57.2
\$25,000- 34,999	77	49,952	33	49.7	35.8-63.6	44	50.3	36.4-64.2
\$35,000- 49,999	84	53,215	47	63.0	51.0-75.0	37	37.0	25.0-49.0
\$50,000- 74,999	61	43,234	34	57.7	43.2-72.2	27	42.3	27.8-56.8
\$75,000+	67	45,200	29	45.1	31.4-58.8	38	54.9	41.2-68.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 9: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2372	1,209,267	235	14.9	12.9-16.9	320	18.5	16.3-20.7	246	12.4	10.6-14.2	1567	54.0	51.5-56.5	4	0.2	0.0- 0.4
Male	1252	672,126	128	15.3	12.6-18.0	175	18.8	15.9-21.7	128	12.3	9.9-14.7	820	53.4	49.9-56.9	1	0.2	0.0- 0.6
Female	1120	537,141	107	14.3	11.4-17.2	145	18.1	15.0-21.2	118	12.6	10.1-15.1	747	54.9	51.2-58.6	3	0.2	0.0- 0.4
White/Non-Hisp	2072	1,042,135	191	14.4	12.2-16.6	279	18.3	15.9-20.7	216	12.5	10.5-14.5	1383	54.6	51.9-57.3	3	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	110	68,572	18	17.1	8.7-25.5	12	16.0	6.0-26.0	12	12.1	4.7-19.5	68	54.8	43.0-66.6			
Oth. Race/Non-Hisp.	58	26,554	9	22.4	7.7-37.1	5	14.5	1.4-27.6	5	8.6	0.6-16.6	38	53.7	36.8-70.6	1	0.7	0.0- 2.1
Hispanic	57	40,761	11	20.8	9.0-32.6	13	26.5	13.0-40.0	6	15.2	3.4-27.0	27	37.5	24.0-51.0			
25-34	126	142,785	40	26.6	18.8-34.4	54	48.7	39.1-58.3	23	19.0	11.4-26.6	9	5.7	1.8- 9.6			
35-44	215	181,222	43	21.5	15.0-28.0	65	30.9	24.0-37.8	42	20.1	14.2-26.0	65	27.5	21.0-34.0			
45-54	266	173,102	41	14.8	10.1-19.5	52	18.5	13.4-23.6	45	15.9	11.2-20.6	126	50.0	43.3-56.7	2	0.9	0.0- 2.5
55-64	528	264,726	43	9.4	6.5-12.3	73	13.3	10.2-16.4	63	11.6	8.7-14.5	349	65.7	61.2-70.2			
65+	1203	399,825	43	4.2	2.6- 5.8	70	5.8	4.2- 7.4	71	6.3	4.5- 8.1	1017	83.6	81.1-86.1	2	0.1	0.0- 0.3
Less Than H.S.	183	145,720	22	19.9	11.7-28.1	27	17.0	10.1-23.9	21	10.6	5.7-15.5	113	52.4	43.6-61.2			
H.S. or G.E.D.	782	405,709	79	14.8	11.5-18.1	99	17.8	14.1-21.5	76	11.7	8.8-14.6	528	55.7	51.4-60.0			
Some Post-H.S.	667	400,336	72	15.1	11.6-18.6	104	20.7	16.6-24.8	66	12.6	9.3-15.9	423	51.2	46.5-55.9	2	0.4	0.0- 1.0
College Graduate	729	252,427	62	12.0	8.9-15.1	88	16.1	12.6-19.6	82	14.7	11.4-18.0	495	56.9	52.4-61.4	2	0.3	0.0- 0.7
Less than \$15,000	160	86,666	27	21.9	13.7-30.1	29	24.2	15.6-32.8	19	11.4	5.5-17.3	84	42.1	32.9-51.3	1	0.4	0.0- 1.2
\$15,000- 24,999	308	145,351	23	13.5	7.4-19.6	40	18.2	11.9-24.5	34	12.1	7.4-16.8	211	56.2	48.8-63.6			
\$25,000- 34,999	243	121,527	23	17.4	10.1-24.7	29	17.4	10.5-24.3	24	11.1	5.8-16.4	166	54.0	45.8-62.2	1	0.2	0.0- 0.6
\$35,000- 49,999	312	160,077	31	12.2	7.5-16.9	38	18.5	12.2-24.8	36	14.0	9.1-18.9	206	54.5	47.4-61.6	1	0.8	0.0- 2.4
\$50,000- 74,999	314	169,910	29	12.5	7.8-17.2	46	21.6	15.3-27.9	37	15.3	9.8-20.8	202	50.6	43.7-57.5			
\$75,000+	588	343,303	70	15.4	11.7-19.1	92	19.9	15.6-24.2	63	13.5	10.0-17.0	362	51.1	46.2-56.0	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 9: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1252	672,126	128	15.3	12.6-18.0	175	18.8	15.9-21.7	128	12.3	9.9-14.7	820	53.4	49.9-56.9	1	0.2	0.0- 0.6
White/Non-Hisp	1083	568,379	105	15.0	12.1-17.9	146	17.8	14.7-20.9	110	12.4	9.9-14.9	721	54.6	50.9-58.3	1	0.2	0.0- 0.6
Black or Afr. Am./Non-Hisp	50	35,967	7	15.9	3.6-28.2	8	22.8	6.3-39.3	5	8.7	0.3-17.1	30	52.6	35.2-70.0			
25-34	70	80,784	24	27.0	16.6-37.4	34	52.9	40.2-65.6	9	15.2	5.4-25.0	3	5.0	0.0-10.5			
35-44	120	106,562	26	24.0	15.6-32.4	40	32.1	23.1-41.1	28	24.0	15.6-32.4	26	19.8	12.2-27.4			
45-54	140	89,976	21	14.4	8.1-20.7	20	14.2	7.9-20.5	26	18.6	11.5-25.7	72	51.5	42.5-60.5	1	1.4	0.0- 4.1
55-64	279	139,425	22	9.7	5.4-14.0	39	13.4	9.1-17.7	32	10.5	6.6-14.4	186	66.4	60.1-72.7			
65+	621	227,218	19	3.8	1.8- 5.8	37	5.0	3.2- 6.8	32	5.5	3.1- 7.9	533	85.7	82.4-89.0			
Less Than H.S.	100	87,767	16	22.6	12.0-33.2	15	15.4	7.0-23.8	11	11.9	4.8-19.0	58	50.1	38.7-61.5			
H.S. or G.E.D.	427	238,316	44	14.8	10.3-19.3	51	16.3	11.6-21.0	43	12.7	8.4-17.0	289	56.3	50.4-62.2			
Some Post-H.S.	334	208,164	37	15.3	10.4-20.2	56	21.8	15.9-27.7	34	11.8	7.5-16.1	206	50.6	44.3-56.9	1	0.6	0.0- 1.8
College Graduate	382	133,238	31	12.2	7.9-16.5	51	19.3	14.0-24.6	39	13.3	8.8-17.8	261	55.2	49.1-61.3			
Less than \$15,000	74	40,615	12	21.3	9.5-33.1	14	20.7	8.9-32.5	9	14.2	3.8-24.6	39	43.8	30.3-57.3			
\$15,000- 24,999	153	81,219	8	8.1	2.4-13.8	22	18.5	9.5-27.5	19	13.6	6.5-20.7	104	59.8	49.6-70.0			
\$25,000- 34,999	115	63,530	11	16.7	7.1-26.3	19	22.9	12.1-33.7	9	5.4	1.3- 9.5	76	54.9	43.3-66.5			
\$35,000- 49,999	171	91,803	18	13.6	6.7-20.5	19	18.6	9.8-27.4	23	15.3	8.6-22.0	110	51.2	41.6-60.8	1	1.4	0.0- 4.1
\$50,000- 74,999	180	96,097	17	13.3	6.8-19.8	23	17.8	10.4-25.2	18	12.4	5.5-19.3	122	56.6	47.6-65.6			
\$75,000+	373	214,737	48	17.7	12.6-22.8	59	20.2	15.1-25.3	39	14.1	9.6-18.6	227	48.0	41.9-54.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 9: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1120	537,141	107	14.3	11.4-17.2	145	18.1	15.0-21.2	118	12.6	10.1-15.1	747	54.9	51.2-58.6	3	0.2	0.0- 0.4
White/Non-Hisp	989	473,756	86	13.6	10.5-16.7	133	19.0	15.7-22.3	106	12.7	10.0-15.4	662	54.6	50.7-58.5	2	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	60	32,604	11	18.5	6.9-30.1	4	8.6	0.0-18.0	7	15.8	3.3-28.3	38	57.1	41.4-72.8			
25-34	56	62,001	16	26.1	14.3-37.9	20	43.2	29.5-56.9	14	24.0	12.2-35.8	6	6.7	1.0-12.4			
35-44	95	74,660	17	17.9	8.1-27.7	25	29.1	18.3-39.9	14	14.5	6.9-22.1	39	38.5	27.3-49.7			
45-54	126	83,126	20	15.2	8.7-21.7	32	23.1	14.9-31.3	19	12.9	6.6-19.2	54	48.4	38.6-58.2	1	0.4	0.0- 1.2
55-64	249	125,301	21	9.0	4.9-13.1	34	13.3	8.6-18.0	31	12.9	8.2-17.6	163	64.8	58.1-71.5			
65+	582	172,607	24	4.7	2.3- 7.1	33	6.8	4.1- 9.5	39	7.3	4.8- 9.8	484	80.8	76.7-84.9	2	0.3	0.0- 0.7
Less Than H.S.	83	57,953	6	15.8	2.7-28.9	12	19.4	8.0-30.8	10	8.8	2.9-14.7	55	56.0	41.9-70.1			
H.S. or G.E.D.	355	167,393	35	14.7	9.6-19.8	48	20.1	14.2-26.0	33	10.3	6.6-14.0	239	54.9	48.4-61.4			
Some Post-H.S.	333	192,173	35	15.0	9.9-20.1	48	19.5	14.0-25.0	32	13.4	8.3-18.5	217	51.9	45.2-58.6	1	0.1	0.0- 0.3
College Graduate	347	119,189	31	11.7	7.4-16.0	37	12.5	8.4-16.6	43	16.3	11.2-21.4	234	58.9	52.6-65.2	2	0.6	0.0- 1.4
Less than \$15,000	86	46,052	15	22.3	10.5-34.1	15	27.3	14.8-39.8	10	9.0	2.9-15.1	45	40.6	28.1-53.1	1	0.8	0.0- 2.4
\$15,000- 24,999	155	64,132	15	20.4	9.2-31.6	18	17.7	8.9-26.5	15	10.3	4.2-16.4	107	51.6	40.8-62.4			
\$25,000- 34,999	128	57,997	12	18.1	7.1-29.1	10	11.4	3.4-19.4	15	17.3	7.9-26.7	90	52.9	41.1-64.7	1	0.3	0.0- 0.9
\$35,000- 49,999	141	68,274	13	10.3	4.0-16.6	19	18.5	9.7-27.3	13	12.4	5.3-19.5	96	58.9	48.5-69.3			
\$50,000- 74,999	134	73,813	12	11.6	4.3-18.9	23	26.7	16.5-36.9	19	19.0	9.8-28.2	80	42.8	32.8-52.8			
\$75,000+	215	128,566	22	11.5	6.6-16.4	33	19.4	12.7-26.1	24	12.5	7.2-17.8	135	56.3	48.5-64.1	1	0.3	0.0- 0.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 9: TOBACCO USE**

**TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUF EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUF (RHYMES WITH 'GOOSE') (USENOW3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8469	4,911,863	159	2.6	2.2- 3.0	116	2.0	1.6- 2.4	8194	95.4	94.8-96.0
Male	3795	2,388,953	141	4.9	3.9- 5.9	92	3.5	2.7- 4.3	3562	91.5	90.3-92.7
Female	4674	2,522,910	18	0.4	0.2- 0.6	24	0.6	0.2- 1.0	4632	99.0	98.6-99.4
White/Non-Hisp	7038	3,907,748	135	2.7	2.1- 3.3	97	2.0	1.6- 2.4	6806	95.3	94.5-96.1
Black or Afr. Am./Non-Hisp	563	419,373	8	2.1	0.3- 3.9	4	0.6	0.0- 1.2	551	97.3	95.3-99.3
Oth. Race/Non-Hisp.	225	154,743	6	3.0	0.3- 5.7	7	7.5	1.8-13.2	212	89.5	83.4-95.6
MultiRacial/Non-Hisp.	125	45,900							125	100.0	100.0- 100
Hispanic	360	300,066	4	1.1	0.0- 2.3	6	1.7	0.0- 3.5	350	97.2	95.0-99.4
18-24	441	653,306	12	2.5	1.1- 3.9	18	4.2	2.0- 6.4	411	93.3	90.8-95.8
25-34	753	807,867	26	4.5	2.5- 6.5	16	2.5	1.1- 3.9	711	93.0	90.6-95.4
35-44	922	775,950	25	2.7	1.5- 3.9	22	3.0	1.6- 4.4	875	94.3	92.5-96.1
45-54	1271	787,049	31	3.1	1.9- 4.3	19	1.5	0.7- 2.3	1221	95.4	94.0-96.8
55-64	1762	833,969	30	2.0	1.2- 2.8	18	1.1	0.5- 1.7	1714	96.9	95.9-97.9
65+	3320	1,053,721	35	1.4	0.8- 2.0	23	0.6	0.2- 1.0	3262	98.0	97.4-98.6
Less Than H.S.	614	596,037	20	3.5	1.5- 5.5	9	2.0	0.6- 3.4	585	94.5	92.1-96.9
H.S. or G.E.D.	2688	1,606,883	72	3.7	2.7- 4.7	52	2.5	1.7- 3.3	2564	93.7	92.3-95.1
Some Post-H.S.	2208	1,520,342	37	2.1	1.3- 2.9	37	2.3	1.5- 3.1	2134	95.5	94.3-96.7
College Graduate	2907	1,163,658	29	1.2	0.6- 1.8	15	0.6	0.2- 1.0	2863	98.1	97.5-98.7
Less than \$15,000	626	402,712	12	2.4	0.8- 4.0	14	2.5	0.9- 4.1	600	95.1	92.9-97.3
\$15,000- 24,999	1171	669,833	14	1.5	0.5- 2.5	20	2.7	1.3- 4.1	1137	95.8	94.0-97.6
\$25,000- 34,999	740	423,581	11	2.0	0.6- 3.4	11	1.7	0.5- 2.9	718	96.2	94.4-98.0
\$35,000- 49,999	988	568,858	28	4.2	2.2- 6.2	16	2.2	0.8- 3.6	944	93.6	91.2-96.0
\$50,000- 74,999	1083	666,626	21	3.3	1.7- 4.9	13	1.9	0.7- 3.1	1049	94.8	92.8-96.8
\$75,000+	2102	1,283,610	48	3.1	2.1- 4.1	25	2.0	1.0- 3.0	2029	94.9	93.5-96.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 9: TOBACCO USE**

**TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUF EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUF (RHYMES WITH 'GOOSE') (USENOW3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3795	2,388,953	141	4.9	3.9- 5.9	92	3.5	2.7- 4.3	3562	91.5	90.3-92.7
White/Non-Hisp	3150	1,889,440	123	5.3	4.1- 6.5	78	3.6	2.6- 4.6	2949	91.1	89.7-92.5
Black or Afr. Am./Non-Hisp	224	200,156	5	3.3	0.0- 6.8	4	1.3	0.1- 2.5	215	95.5	91.8-99.2
Oth. Race/Non-Hisp.	123	89,038	5	4.1	0.0- 8.2	5	10.8	1.8-19.8	113	85.0	75.4-94.6
MultiRacial/Non-Hisp.	57	20,904							57	100.0	100.0- 100
Hispanic	158	147,140	3	2.1	0.0- 4.5	3	1.3	0.0- 2.9	152	96.7	93.8-99.6
18-24	249	338,702	12	4.8	2.1- 7.5	15	7.1	3.4-10.8	222	88.1	83.6-92.6
25-34	359	403,937	23	8.0	4.5-11.5	13	4.1	1.7- 6.5	323	87.9	83.8-92.0
35-44	418	381,926	22	5.0	2.6- 7.4	20	5.8	3.3- 8.3	376	89.2	85.9-92.5
45-54	595	392,066	26	5.5	3.1- 7.9	14	2.4	1.0- 3.8	555	92.1	89.6-94.6
55-64	847	406,122	29	4.0	2.4- 5.6	15	1.9	0.9- 2.9	803	94.2	92.4-96.0
65+	1327	466,200	29	2.7	1.7- 3.7	15	1.0	0.4- 1.6	1283	96.3	95.1-97.5
Less Than H.S.	285	317,814	18	6.2	2.7- 9.7	8	3.0	0.6- 5.4	259	90.8	86.7-94.9
H.S. or G.E.D.	1219	829,905	61	6.3	4.5- 8.1	40	4.3	2.7- 5.9	1118	89.4	87.0-91.8
Some Post-H.S.	942	703,508	36	4.5	2.9- 6.1	31	4.5	2.7- 6.3	875	91.0	88.6-93.4
College Graduate	1323	524,211	25	2.5	1.3- 3.7	12	1.2	0.4- 2.0	1286	96.3	94.9-97.7
Less than \$15,000	236	156,797	9	4.8	1.1- 8.5	9	4.7	1.0- 8.4	218	90.4	85.3-95.5
\$15,000- 24,999	476	303,082	11	2.9	0.9- 4.9	14	4.4	1.9- 6.9	451	92.7	89.6-95.8
\$25,000- 34,999	294	187,482	8	3.5	0.8- 6.2	9	3.1	0.6- 5.6	277	93.4	89.7-97.1
\$35,000- 49,999	484	302,426	26	7.7	4.2-11.2	16	4.2	1.8- 6.6	442	88.1	84.0-92.2
\$50,000- 74,999	528	347,986	21	6.4	3.5- 9.3	12	3.5	1.3- 5.7	495	90.1	86.6-93.6
\$75,000+	1153	711,147	47	5.3	3.5- 7.1	23	3.5	1.9- 5.1	1083	91.2	89.0-93.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 9: TOBACCO USE**

**TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4674	2,522,910	18	0.4	0.2- 0.6	24	0.6	0.2- 1.0	4632	99.0	98.6-99.4
White/Non-Hisp	3888	2,018,307	12	0.4	0.2- 0.6	19	0.4	0.2- 0.6	3857	99.2	98.8-99.6
Black or Afr. Am./Non-Hisp	339	219,217	3	1.0	0.0- 2.2				336	99.0	97.8- 100
Oth. Race/Non-Hisp.	102	65,705	1	1.6	0.0- 4.5	2	3.0	0.0- 7.9	99	95.4	89.7- 100
MultiRacial/Non-Hisp.	68	24,996							68	100.0	100.0- 100
Hispanic	202	152,926	1	0.2	0.0- 0.6	3	2.1	0.0- 5.2	198	97.7	94.6- 100
18-24	192	314,604				3	1.0	0.0- 2.6	189	99.0	97.4- 100
25-34	394	403,930	3	1.0	0.0- 2.4	3	1.0	0.0- 2.2	388	98.0	96.2-99.8
35-44	504	394,024	3	0.5	0.0- 1.1	2	0.4	0.0- 1.0	499	99.2	98.4- 100
45-54	676	394,983	5	0.7	0.0- 1.5	5	0.7	0.1- 1.3	666	98.6	97.6-99.6
55-64	915	427,847	1	0.1	0.0- 0.3	3	0.3	0.0- 0.7	911	99.6	99.2- 100
65+	1993	587,521	6	0.3	0.0- 0.7	8	0.3	0.1- 0.5	1979	99.4	99.0-99.8
Less Than H.S.	329	278,223	2	0.5	0.0- 1.3	1	0.9	0.0- 2.7	326	98.6	96.8- 100
H.S. or G.E.D.	1469	776,977	11	1.0	0.2- 1.8	12	0.6	0.2- 1.0	1446	98.4	97.4-99.4
Some Post-H.S.	1266	816,834	1	0.1	0.0- 0.3	6	0.4	0.0- 0.8	1259	99.5	99.1-99.9
College Graduate	1584	639,447	4	0.2	0.0- 0.4	3	0.2	0.0- 0.4	1577	99.6	99.4-99.8
Less than \$15,000	390	245,915	3	0.9	0.0- 2.1	5	1.0	0.0- 2.0	382	98.1	96.5-99.7
\$15,000- 24,999	695	366,751	3	0.4	0.0- 0.8	6	1.3	0.0- 2.9	686	98.4	96.8- 100
\$25,000- 34,999	446	236,098	3	0.8	0.0- 1.8	2	0.7	0.0- 1.7	441	98.5	97.1-99.9
\$35,000- 49,999	504	266,432	2	0.2	0.0- 0.4				502	99.8	99.6- 100
\$50,000- 74,999	555	318,639				1	0.1	0.0- 0.3	554	99.9	99.7- 100
\$75,000+	949	572,463	1	0.4	0.0- 1.2	2	0.1	0.0- 0.3	946	99.4	98.6- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019**

**SECTION 10: ALCOHOL CONSUMPTION CONTENTS**

\* **NOTE** \* \* \* \* \*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
 \* \* \* \* \*

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1	MALES AND FEMALES	195
2	MALES ONLY	196
3	FEMALES ONLY	197
	ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK3)	
4	MALES AND FEMALES	198
5	MALES ONLY	199
6	FEMALES ONLY	200
	CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7	MALES AND FEMALES	201
8	MALES ONLY	202
9	FEMALES ONLY	203
	DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK5)	
10	MALES AND FEMALES	204
11	MALES ONLY	205
12	FEMALES ONLY	206

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8356	4,839,039	928	11.3	10.5-12.1	162	1.7	1.3- 2.1	2196	29.0	27.8-30.2	584	7.0	6.2- 7.8	4486	51.1	49.7-52.5
Male	3733	2,346,609	510	13.1	11.7-14.5	103	2.5	1.9- 3.1	1064	31.0	29.0-33.0	368	9.7	8.5-10.9	1688	43.7	41.7-45.7
Female	4623	2,492,430	418	9.5	8.3-10.7	59	1.0	0.6- 1.4	1132	27.1	25.3-28.9	216	4.4	3.6- 5.2	2798	58.1	56.3-59.9
White/Non-Hisp	6954	3,855,339	776	11.3	10.3-12.3	140	1.7	1.3- 2.1	1842	29.1	27.7-30.5	512	7.4	6.6- 8.2	3684	50.5	48.9-52.1
Black or Afr. Am./Non-Hisp	550	410,990	70	13.1	9.8-16.4	6	1.7	0.1- 3.3	151	32.7	27.6-37.8	28	5.1	2.7- 7.5	295	47.4	42.1-52.7
Oth. Race/Non-Hisp.	222	152,675	22	8.5	4.2-12.8	7	3.8	0.9- 6.7	45	17.8	11.1-24.5	12	3.6	1.1- 6.1	136	66.4	58.4-74.4
MultiRacial/Non-Hisp.	125	45,900	14	13.9	5.5-22.3	1	0.6	0.0- 1.8	28	23.3	14.1-32.5	7	7.6	1.5-13.7	75	54.6	43.4-65.8
Hispanic	353	292,872	36	10.5	6.8-14.2	5	1.2	0.2- 2.2	99	30.1	24.4-35.8	16	5.9	2.4- 9.4	197	52.4	46.3-58.5
18-24	432	638,713	51	9.9	7.0-12.8	2	0.3	0.0- 0.7	139	31.3	26.6-36.0	24	4.6	2.6- 6.6	216	54.0	48.7-59.3
25-34	746	800,128	107	12.9	10.4-15.4	14	1.9	0.7- 3.1	281	36.7	33.0-40.4	62	8.2	5.8-10.6	282	40.3	36.4-44.2
35-44	906	761,030	107	11.3	8.9-13.7	17	2.2	1.0- 3.4	314	34.4	30.9-37.9	83	9.2	7.0-11.4	385	42.9	39.4-46.4
45-54	1247	771,411	160	13.6	11.4-15.8	21	1.7	0.9- 2.5	390	31.6	28.7-34.5	85	6.8	5.2- 8.4	591	46.3	43.2-49.4
55-64	1745	825,903	226	12.1	10.3-13.9	31	1.7	1.1- 2.3	442	25.2	22.8-27.6	126	7.0	5.6- 8.4	920	54.1	51.4-56.8
65+	3280	1,041,855	277	8.5	7.3- 9.7	77	2.1	1.5- 2.7	630	18.7	17.1-20.3	204	6.0	5.0- 7.0	2092	64.7	62.7-66.7
Less Than H.S.	604	585,599	40	6.9	4.4- 9.4	5	1.2	0.0- 2.6	92	18.1	14.2-22.0	22	5.5	2.8- 8.2	445	68.2	63.5-72.9
H.S. or G.E.D.	2647	1,576,750	225	9.2	7.8-10.6	39	1.5	0.9- 2.1	547	24.9	22.7-27.1	131	5.4	4.4- 6.4	1705	59.0	56.6-61.4
Some Post-H.S.	2177	1,500,718	245	12.1	10.3-13.9	47	1.9	1.3- 2.5	587	31.5	29.0-34.0	144	6.8	5.4- 8.2	1154	47.7	45.2-50.2
College Graduate	2879	1,151,483	413	15.2	13.6-16.8	71	2.1	1.5- 2.7	958	36.9	34.7-39.1	285	10.3	8.9-11.7	1152	35.6	33.4-37.8
Less than \$15,000	618	398,463	35	7.0	4.5- 9.5	5	0.7	0.1- 1.3	100	19.5	15.4-23.6	20	3.7	1.7- 5.7	458	69.1	64.2-74.0
\$15,000- 24,999	1158	659,379	78	7.5	5.5- 9.5	12	1.2	0.4- 2.0	225	23.9	20.6-27.2	40	3.4	2.0- 4.8	803	64.1	60.4-67.8
\$25,000- 34,999	740	422,523	66	10.7	7.6-13.8	10	0.8	0.2- 1.4	168	23.0	19.1-26.9	45	6.1	3.9- 8.3	451	59.4	54.7-64.1
\$35,000- 49,999	972	557,822	124	12.9	10.4-15.4	29	3.3	1.5- 5.1	255	29.6	25.9-33.3	66	6.5	4.5- 8.5	498	47.7	43.8-51.6
\$50,000- 74,999	1074	659,011	131	11.6	9.2-14.0	24	1.7	0.9- 2.5	330	32.0	28.5-35.5	92	9.3	6.9-11.7	497	45.4	41.7-49.1
\$75,000+	2085	1,273,077	347	16.3	14.3-18.3	52	2.3	1.5- 3.1	750	38.1	35.6-40.6	246	11.2	9.6-12.8	690	32.1	29.6-34.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3733	2,346,609	510	13.1	11.7-14.5	103	2.5	1.9- 3.1	1064	31.0	29.0-33.0	368	9.7	8.5-10.9	1688	43.7	41.7-45.7
White/Non-Hisp	3104	1,858,670	423	13.0	11.6-14.4	85	2.3	1.7- 2.9	887	30.7	28.7-32.7	318	10.3	8.9-11.7	1391	43.8	41.6-46.0
Black or Afr. Am./Non-Hisp	219	197,055	32	12.8	8.1-17.5	5	3.2	0.0- 6.5	66	35.7	27.9-43.5	18	7.6	3.3-11.9	98	40.7	32.7-48.7
Oth. Race/Non-Hisp.	122	87,856	14	11.7	4.8-18.6	5	4.7	0.4- 9.0	30	24.2	14.0-34.4	10	5.0	1.1- 8.9	63	54.4	43.0-65.8
MultiRacial/Non-Hisp.	57	20,904	9	23.4	7.9-38.9	1	1.3	0.0- 3.8	14	25.6	10.7-40.5	5	11.2	0.6-21.8	28	38.4	23.5-53.3
Hispanic	153	142,318	27	17.3	10.6-24.0	5	2.4	0.2- 4.6	46	32.6	24.0-41.2	9	8.1	2.0-14.2	66	39.6	30.8-48.4
18-24	245	332,073	29	9.9	6.2-13.6	2	0.6	0.0- 1.6	88	36.3	29.6-43.0	16	5.7	2.6- 8.8	110	47.4	40.5-54.3
25-34	356	399,479	60	14.8	10.9-18.7	12	3.5	1.1- 5.9	132	35.5	30.0-41.0	47	13.1	9.0-17.2	105	33.0	27.3-38.7
35-44	408	371,790	56	12.5	9.2-15.8	10	2.9	0.9- 4.9	147	37.0	31.7-42.3	51	11.7	8.4-15.0	144	35.8	30.7-40.9
45-54	581	382,687	91	16.5	13.0-20.0	15	2.4	1.0- 3.8	181	31.5	27.2-35.8	52	9.4	6.7-12.1	242	40.2	35.7-44.7
55-64	837	400,686	128	14.4	11.7-17.1	21	2.5	1.3- 3.7	215	25.2	21.9-28.5	88	9.7	7.5-11.9	385	48.2	44.3-52.1
65+	1306	459,894	146	10.6	8.6-12.6	43	2.7	1.7- 3.7	301	22.8	20.1-25.5	114	8.4	6.6-10.2	702	55.5	52.2-58.8
Less Than H.S.	279	310,289	28	9.3	5.6-13.0	3	1.9	0.0- 4.3	58	22.5	16.6-28.4	19	9.1	4.6-13.6	171	57.2	50.1-64.3
H.S. or G.E.D.	1192	809,304	126	10.2	8.2-12.2	27	2.1	1.1- 3.1	295	28.4	25.3-31.5	99	8.4	6.6-10.2	645	51.0	47.5-54.5
Some Post-H.S.	928	695,372	144	15.7	13.0-18.4	30	2.8	1.6- 4.0	271	33.8	30.1-37.5	83	9.0	6.6-11.4	400	38.6	34.9-42.3
College Graduate	1310	518,441	209	16.6	14.2-19.0	43	3.2	2.0- 4.4	431	36.0	32.9-39.1	166	13.4	11.2-15.6	461	30.8	27.9-33.7
Less than \$15,000	233	155,939	20	10.0	5.3-14.7	2	0.3	0.0- 0.7	47	20.5	14.0-27.0	14	7.8	3.1-12.5	150	61.3	53.5-69.1
\$15,000- 24,999	468	296,971	49	10.2	6.9-13.5	10	2.1	0.5- 3.7	101	25.9	20.6-31.2	16	4.1	1.6- 6.6	292	57.6	51.9-63.3
\$25,000- 34,999	296	188,487	31	11.6	6.9-16.3	4	1.2	0.0- 2.4	68	24.1	17.8-30.4	31	9.2	5.5-12.9	162	53.9	46.6-61.2
\$35,000- 49,999	473	295,776	72	14.6	10.9-18.3	20	4.3	1.6- 7.0	128	30.9	25.4-36.4	44	9.4	6.1-12.7	209	40.8	35.3-46.3
\$50,000- 74,999	523	342,982	69	12.6	9.1-16.1	16	2.5	1.1- 3.9	168	35.0	29.9-40.1	60	12.5	8.4-16.6	210	37.5	32.4-42.6
\$75,000+	1140	703,252	195	16.8	14.3-19.3	36	3.3	1.9- 4.7	409	37.9	34.4-41.4	158	13.1	10.7-15.5	342	29.0	25.7-32.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4623	2,492,430	418	9.5	8.3-10.7	59	1.0	0.6- 1.4	1132	27.1	25.3-28.9	216	4.4	3.6- 5.2	2798	58.1	56.3-59.9
White/Non-Hisp	3850	1,996,669	353	9.8	8.6-11.0	55	1.1	0.7- 1.5	955	27.7	25.9-29.5	194	4.7	3.9- 5.5	2293	56.7	54.7-58.7
Black or Afr. Am./Non-Hisp	331	213,936	38	13.3	8.6-18.0	1	0.4	0.0- 1.2	85	30.0	23.3-36.7	10	2.7	0.9- 4.5	197	53.6	46.5-60.7
Oth. Race/Non-Hisp.	100	64,820	8	4.1	0.0- 8.2	2	2.4	0.0- 5.7	15	9.1	3.2-15.0	2	1.6	0.0- 4.5	73	82.8	74.4-91.2
MultiRacial/Non-Hisp.	68	24,996	5	5.9	0.0-12.2				14	21.3	9.7-32.9	2	4.7	0.0-11.2	47	68.2	54.7-81.7
Hispanic	200	150,554	9	4.0	0.5- 7.5				53	27.7	20.3-35.1	7	3.7	0.2- 7.2	131	64.5	56.5-72.5
18-24	187	306,640	22	9.8	5.5-14.1				51	25.9	19.0-32.8	8	3.3	0.8- 5.8	106	61.0	53.4-68.6
25-34	390	400,649	47	10.9	7.8-14.0	2	0.4	0.0- 1.0	149	37.9	32.6-43.2	15	3.3	1.5- 5.1	177	47.5	42.0-53.0
35-44	498	389,240	51	10.1	7.0-13.2	7	1.5	0.3- 2.7	167	31.9	27.4-36.4	32	6.8	4.3- 9.3	241	49.7	44.8-54.6
45-54	666	388,723	69	10.7	8.0-13.4	6	0.9	0.1- 1.7	209	31.8	27.9-35.7	33	4.3	2.7- 5.9	349	52.3	48.0-56.6
55-64	908	425,217	98	9.9	7.7-12.1	10	1.0	0.4- 1.6	227	25.2	22.1-28.3	38	4.4	2.8- 6.0	535	59.6	55.9-63.3
65+	1974	581,961	131	6.8	5.4- 8.2	34	1.6	1.0- 2.2	329	15.5	13.7-17.3	90	4.1	3.1- 5.1	1390	72.0	69.6-74.4
Less Than H.S.	325	275,309	12	4.1	1.0- 7.2	2	0.5	0.0- 1.3	34	13.1	8.2-18.0	3	1.6	0.0- 3.6	274	80.7	74.8-86.6
H.S. or G.E.D.	1455	767,446	99	8.2	6.2-10.2	12	0.8	0.4- 1.2	252	21.3	18.6-24.0	32	2.2	1.2- 3.2	1060	67.5	64.4-70.6
Some Post-H.S.	1249	805,346	101	9.1	7.1-11.1	17	1.1	0.5- 1.7	316	29.5	26.2-32.8	61	4.9	3.5- 6.3	754	55.5	52.0-59.0
College Graduate	1569	633,042	204	13.9	11.7-16.1	28	1.2	0.6- 1.8	527	37.6	34.7-40.5	119	7.7	6.1- 9.3	691	39.5	36.6-42.4
Less than \$15,000	385	242,524	15	5.1	2.2- 8.0	3	0.9	0.0- 1.9	53	18.8	13.3-24.3	6	1.1	0.0- 2.3	308	74.1	68.0-80.2
\$15,000- 24,999	690	362,408	29	5.2	2.8- 7.6	2	0.4	0.0- 1.0	124	22.2	17.9-26.5	24	2.8	1.2- 4.4	511	69.3	64.4-74.2
\$25,000- 34,999	444	234,036	35	9.9	5.8-14.0	6	0.5	0.0- 1.1	100	22.2	17.1-27.3	14	3.6	1.2- 6.0	289	63.8	57.7-69.9
\$35,000- 49,999	499	262,045	52	11.0	7.7-14.3	9	2.2	0.4- 4.0	127	28.2	23.1-33.3	22	3.2	1.2- 5.2	289	55.4	49.7-61.1
\$50,000- 74,999	551	316,028	62	10.6	7.7-13.5	8	0.9	0.1- 1.7	162	28.8	24.1-33.5	32	5.8	3.6- 8.0	287	53.9	48.6-59.2
\$75,000+	945	569,826	152	15.6	12.9-18.3	16	1.1	0.5- 1.7	341	38.4	34.7-42.1	88	8.8	6.8-10.8	348	36.0	32.3-39.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Five or More Drinks %	C.I. (95%)
	TOTAL	WEIGHTED			
TOTAL	322	272,377	322	100.0	100.0- 100
Male	260	221,949	260	100.0	100.0- 100
Female	62	50,428	62	100.0	100.0- 100
White/Non-Hisp	258	204,726	258	100.0	100.0- 100
25-34	63	72,461	63	100.0	100.0- 100
35-44	52	52,030	52	100.0	100.0- 100
45-54	54	42,233	54	100.0	100.0- 100
55-64	56	28,226	56	100.0	100.0- 100
65+	55	19,774	55	100.0	100.0- 100
H.S. or G.E.D.	120	99,157	120	100.0	100.0- 100
Some Post-H.S.	102	94,643	102	100.0	100.0- 100
College Graduate	65	31,391	65	100.0	100.0- 100
\$50,000- 74,999	51	43,950	51	100.0	100.0- 100
\$75,000+	103	86,650	103	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Five or More Drinks %	C.I. (95%)
	TOTAL	WEIGHTED			
Male	260	221,949	260	100.0	100.0- 100
White/Non-Hisp	207	165,199	207	100.0	100.0- 100
25-34	52	59,922	52	100.0	100.0- 100
H.S. or G.E.D.	100	82,289	100	100.0	100.0- 100
Some Post-H.S.	82	77,382	82	100.0	100.0- 100
\$75,000+	87	76,179	87	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Five or More Drinks %	C.I. (95%)
	TOTAL	WEIGHTED			
Female	62	50,428	62	100.0	100.0- 100
White/Non-Hisp	51	39,528	51	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days  
Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3772	2,298,839	320	10.4	9.2-11.6	208	6.9	5.9- 7.9	94	3.3	2.5- 4.1	94	2.7	2.1- 3.3	260	9.0	7.6-10.4	2796	67.7	65.7-69.7
Male	1981	1,275,331	167	10.0	8.2-11.8	122	7.3	5.9- 8.7	60	3.9	2.7- 5.1	63	3.3	2.3- 4.3	194	12.4	10.4-14.4	1375	63.1	60.4-65.8
Female	1791	1,023,508	153	10.8	8.8-12.8	86	6.4	4.8- 8.0	34	2.5	1.5- 3.5	31	1.9	1.1- 2.7	66	4.8	3.4- 6.2	1421	73.5	70.8-76.2
White/Non-Hisp	3195	1,857,116	257	10.0	8.6-11.4	168	6.6	5.4- 7.8	75	3.1	2.3- 3.9	79	2.7	2.1- 3.3	215	8.8	7.4-10.2	2401	68.8	66.6-71.0
Black or Afr. Am./Non-Hisp	248	211,585	22	9.1	4.8-13.4	21	9.3	4.8-13.8	10	4.7	1.8- 7.6	4	1.6	0.0- 3.6	14	7.9	3.2-12.6	177	67.5	60.2-74.8
Oth. Race/Non-Hisp.	82	49,122	7	12.5	2.9-22.1	3	4.5	0.0-10.2	2	4.0	0.0-10.7	3	4.0	0.0- 8.9	8	11.0	2.8-19.2	59	64.0	50.3-77.7
MultiRacial/Non-Hisp.	50	20,818	4	12.1	0.0-24.6	2	5.9	0.0-13.9	1	2.3	0.0- 6.6	1	2.9	0.0- 8.4	5	15.7	2.0-29.4	37	61.2	44.1-78.3
Hispanic	148	131,657	26	16.6	9.9-23.3	10	8.5	2.8-14.2	6	3.8	0.3- 7.3	6	3.9	0.8- 7.0	14	11.7	4.4-19.0	86	55.5	46.1-64.9
18-24	213	289,316	33	13.6	8.7-18.5	26	12.2	7.3-17.1	8	4.9	1.6- 8.2	7	2.7	0.7- 4.7	27	13.1	8.2-18.0	112	53.6	46.2-61.0
25-34	449	460,395	54	12.7	9.2-16.2	40	8.2	5.7-10.7	25	5.4	3.2- 7.6	18	3.3	1.5- 5.1	44	11.4	7.7-15.1	268	59.0	53.9-64.1
35-44	505	421,383	66	12.7	9.6-15.8	37	6.3	4.1- 8.5	16	3.1	1.5- 4.7	13	2.6	1.0- 4.2	48	10.8	7.5-14.1	325	64.4	59.7-69.1
45-54	641	403,534	69	11.4	8.5-14.3	37	6.4	4.2- 8.6	17	2.8	1.2- 4.4	23	4.0	2.2- 5.8	43	7.0	4.8- 9.2	452	68.4	64.3-72.5
55-64	802	368,105	55	7.0	5.0- 9.0	43	6.7	4.5- 8.9	15	1.8	0.8- 2.8	23	2.7	1.3- 4.1	58	7.8	5.6-10.0	608	74.1	70.6-77.6
65+	1162	356,106	43	4.3	2.7- 5.9	25	2.5	1.3- 3.7	13	1.4	0.4- 2.4	10	0.6	0.2- 1.0	40	4.0	2.4- 5.6	1031	87.1	84.6-89.6
Less Than H.S.	145	166,889	20	15.1	8.0-22.2	9	6.5	2.2-10.8	4	2.9	0.0- 6.0	3	1.6	0.0- 3.8	23	20.2	11.6-28.8	86	53.7	43.9-63.5
H.S. or G.E.D.	912	626,405	64	9.0	6.6-11.4	56	7.6	5.4- 9.8	26	3.8	2.0- 5.6	24	2.6	1.4- 3.8	83	10.0	7.6-12.4	659	67.1	63.4-70.8
Some Post-H.S.	1003	772,730	95	10.9	8.5-13.3	53	6.8	4.8- 8.8	24	3.2	1.8- 4.6	34	3.4	2.0- 4.8	82	9.4	7.0-11.8	715	66.2	62.7-69.7
College Graduate	1695	724,873	141	9.9	8.1-11.7	90	6.6	5.0- 8.2	40	3.0	2.0- 4.0	31	2.2	1.4- 3.0	71	5.0	3.8- 6.2	1322	73.3	70.8-75.8
Less than \$15,000	149	113,183	12	8.9	3.2-14.6	14	11.4	4.7-18.1	6	6.5	1.2-11.8	4	1.6	0.0- 3.8	17	13.1	6.4-19.8	96	58.5	48.7-68.3
\$15,000- 24,999	343	227,930	33	11.7	7.2-16.2	17	7.1	3.4-10.8	7	2.3	0.3- 4.3	11	3.1	0.9- 5.3	27	8.9	4.8-13.0	248	66.9	60.4-73.4
\$25,000- 34,999	284	167,167	23	10.4	5.7-15.1	16	7.1	2.8-11.4	6	3.8	0.3- 7.3	11	4.8	1.5- 8.1	21	10.2	5.3-15.1	207	63.6	56.2-71.0
\$35,000- 49,999	463	282,392	33	7.9	4.8-11.0	23	5.8	3.3- 8.3	11	3.5	1.0- 6.0	7	1.5	0.3- 2.7	34	9.8	5.9-13.7	355	71.4	65.9-76.9
\$50,000- 74,999	565	354,213	52	10.2	7.1-13.3	29	7.4	4.1-10.7	17	3.5	1.5- 5.5	17	2.8	1.0- 4.6	43	9.7	6.2-13.2	407	66.2	61.1-71.3
\$75,000+	1371	848,650	128	10.6	8.6-12.6	89	7.3	5.7- 8.9	37	2.9	1.9- 3.9	35	2.9	1.9- 3.9	89	8.6	6.6-10.6	993	67.7	64.8-70.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1981	1,275,331	167	10.0	8.2-11.8	122	7.3	5.9- 8.7	60	3.9	2.7- 5.1	63	3.3	2.3- 4.3	194	12.4	10.4-14.4	1375	63.1	60.4-65.8
White/Non-Hisp	1668	1,012,334	133	9.6	7.6-11.6	98	7.1	5.5- 8.7	48	3.6	2.4- 4.8	54	3.5	2.5- 4.5	160	12.2	10.0-14.4	1175	64.1	61.2-67.0
Black or Afr. Am./Non-Hisp	115	113,464	11	9.8	3.3-16.3	10	7.9	2.4-13.4	6	6.3	1.2-11.4	1	1.1	0.0- 3.3	11	12.4	4.4-20.4	76	62.4	51.8-73.0
Oth. Race/Non-Hisp.	58	39,287	5	12.8	1.6-24.0	3	5.6	0.0-12.7	2	5.0	0.0-13.2	3	5.0	0.0-11.3	6	9.6	1.0-18.2	39	62.0	46.1-77.9
Hispanic	79	78,247	13	14.1	6.1-22.1	8	11.6	3.0-20.2	4	5.2	0.0-10.9	4	3.8	0.1- 7.5	8	11.7	2.5-20.9	42	53.6	41.1-66.1
18-24	134	171,596	18	11.4	5.7-17.1	16	10.6	4.7-16.5	4	4.2	0.1- 8.3	6	3.8	0.7- 6.9	21	16.0	9.1-22.9	69	54.0	44.8-63.2
25-34	241	255,179	26	12.3	7.4-17.2	29	10.1	6.2-14.0	17	6.5	3.2- 9.8	13	4.2	1.7- 6.7	34	16.8	10.9-22.7	122	50.0	42.9-57.1
35-44	256	232,365	33	12.6	8.1-17.1	16	5.5	2.6- 8.4	12	4.5	1.8- 7.2	8	3.1	0.7- 5.5	33	14.2	9.1-19.3	154	60.1	53.4-66.8
45-54	329	221,674	31	10.4	6.5-14.3	24	8.2	4.9-11.5	11	3.5	1.1- 5.9	11	3.7	1.3- 6.1	30	9.3	5.8-12.8	222	64.9	59.0-70.8
55-64	435	199,054	29	6.3	3.8- 8.8	24	7.2	4.1-10.3	9	2.0	0.6- 3.4	18	3.9	1.7- 6.1	46	11.5	8.2-14.8	309	69.1	64.2-74.0
65+	586	195,462	30	6.1	3.6- 8.6	13	2.0	0.6- 3.4	7	1.8	0.2- 3.4	7	1.0	0.2- 1.8	30	5.6	3.2- 8.0	499	83.4	79.5-87.3
Less Than H.S.	96	115,818	14	16.7	7.7-25.7	6	6.0	1.3-10.7	2	2.5	0.0- 6.0	2	2.1	0.0- 5.0	18	23.2	12.2-34.2	54	49.5	37.7-61.3
H.S. or G.E.D.	524	381,530	39	9.0	6.1-11.9	32	7.5	4.8-10.2	16	3.9	1.7- 6.1	14	2.8	1.2- 4.4	70	13.7	10.4-17.0	353	63.0	58.1-67.9
Some Post-H.S.	517	420,991	50	10.3	7.2-13.4	31	6.8	4.1- 9.5	16	4.0	1.8- 6.2	26	4.4	2.4- 6.4	60	13.0	9.5-16.5	334	61.5	56.4-66.6
College Graduate	832	350,487	64	8.7	6.3-11.1	53	8.3	5.9-10.7	26	4.2	2.4- 6.0	19	2.8	1.4- 4.2	45	6.1	4.1- 8.1	625	69.9	66.2-73.6
Less than \$15,000	77	54,404	3	5.7	0.0-13.1	7	10.5	1.7-19.3	4	9.5	0.5-18.5				13	18.8	8.4-29.2	50	55.5	41.8-69.2
\$15,000- 24,999	168	119,092	14	11.1	4.4-17.8	10	8.5	2.8-14.2	3	1.5	0.0- 3.5	6	4.4	0.7- 8.1	19	11.9	5.8-18.0	116	62.6	53.2-72.0
\$25,000- 34,999	131	84,796	12	12.4	5.0-19.8	7	4.4	0.5- 8.3	3	5.3	0.0-11.6	9	6.6	1.5-11.7	14	13.2	6.1-20.3	86	58.0	47.4-68.6
\$35,000- 49,999	254	167,144	21	8.3	3.8-12.8	17	7.6	3.7-11.5	7	3.5	0.6- 6.4	3	0.9	0.0- 2.1	26	12.6	6.9-18.3	180	67.1	59.7-74.5
\$50,000- 74,999	306	210,987	31	11.2	6.9-15.5	19	8.2	3.9-12.5	13	4.8	1.9- 7.7	11	3.5	1.0- 6.0	33	13.5	8.0-19.0	199	58.8	51.7-65.9
\$75,000+	786	491,880	68	9.6	7.1-12.1	51	7.8	5.6-10.0	26	3.7	2.1- 5.3	27	3.5	2.1- 4.9	67	11.5	8.6-14.4	547	63.9	59.8-68.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1791	1,023,508	153	10.8	8.8-12.8	86	6.4	4.8- 8.0	34	2.5	1.5- 3.5	31	1.9	1.1- 2.7	66	4.8	3.4- 6.2	1421	73.5	70.8-76.2
White/Non-Hisp	1527	844,781	124	10.5	8.3-12.7	70	6.1	4.5- 7.7	27	2.5	1.3- 3.7	25	1.8	1.0- 2.6	55	4.6	3.2- 6.0	1226	74.5	71.6-77.4
Black or Afr. Am./Non-Hisp	133	98,121	11	8.3	3.2-13.4	11	10.8	3.5-18.1	4	2.9	0.0- 5.8	3	2.1	0.0- 5.6	3	2.6	0.0- 5.5	101	73.4	64.2-82.6
Hispanic	69	53,410	13	20.3	8.7-31.9	2	4.0	0.0-10.1	2	1.7	0.0- 4.1	2	4.2	0.0- 9.9	6	11.6	0.2-23.0	44	58.3	44.0-72.6
18-24	79	117,720	15	16.8	8.0-25.6	10	14.6	5.8-23.4	4	5.8	0.1-11.5	1	1.0	0.0- 3.0	6	8.8	1.9-15.7	43	53.1	40.9-65.3
25-34	208	205,215	28	13.1	8.2-18.0	11	5.7	2.2- 9.2	8	4.1	1.2- 7.0	5	2.1	0.0- 4.3	10	4.8	1.7- 7.9	146	70.1	63.4-76.8
35-44	249	189,018	33	12.9	8.4-17.4	21	7.3	4.2-10.4	4	1.4	0.0- 2.8	5	2.0	0.2- 3.8	15	6.7	3.0-10.4	171	69.8	63.5-76.1
45-54	312	181,860	38	12.6	8.3-16.9	13	4.3	1.9- 6.7	6	1.9	0.3- 3.5	12	4.4	1.5- 7.3	13	4.1	1.7- 6.5	230	72.7	67.0-78.4
55-64	367	169,051	26	7.8	4.5-11.1	19	6.1	3.2- 9.0	6	1.6	0.2- 3.0	5	1.3	0.1- 2.5	12	3.4	1.2- 5.6	299	79.9	75.2-84.6
65+	576	160,644	13	2.2	1.0- 3.4	12	3.1	1.1- 5.1	6	1.1	0.1- 2.1	3	0.2	0.0- 0.4	10	2.0	0.4- 3.6	532	91.5	88.6-94.4
H.S. or G.E.D.	388	244,875	25	9.1	5.2-13.0	24	7.6	4.3-10.9	10	3.5	0.8- 6.2	10	2.2	0.6- 3.8	13	4.1	1.6- 6.6	306	73.4	67.7-79.1
Some Post-H.S.	486	351,739	45	11.7	8.0-15.4	22	6.8	3.7- 9.9	8	2.3	0.5- 4.1	8	2.2	0.4- 4.0	22	5.1	2.6- 7.6	381	71.9	66.8-77.0
College Graduate	863	374,386	77	11.1	8.4-13.8	37	5.1	3.3- 6.9	14	1.9	0.7- 3.1	12	1.7	0.7- 2.7	26	3.9	2.3- 5.5	697	76.4	72.9-79.9
Less than \$15,000	72	58,778	9	11.8	3.4-20.2	7	12.2	2.4-22.0	2	3.8	0.0- 9.3	4	3.1	0.0- 7.2	4	7.8	0.0-16.2	46	61.3	47.4-75.2
\$15,000- 24,999	175	108,838	19	12.3	6.4-18.2	7	5.5	1.2- 9.8	4	3.2	0.0- 6.9	5	1.7	0.0- 3.5	8	5.6	0.1-11.1	132	71.6	62.8-80.4
\$25,000- 34,999	153	82,371	11	8.4	2.9-13.9	9	10.0	2.4-17.6	3	2.3	0.0- 5.0	2	2.9	0.0- 7.2	7	7.0	0.3-13.7	121	69.3	58.9-79.7
\$35,000- 49,999	209	115,247	12	7.2	2.9-11.5	6	3.3	0.4- 6.2	4	3.6	0.0- 7.9	4	2.3	0.0- 4.7	8	5.8	1.3-10.3	175	77.7	70.1-85.3
\$50,000- 74,999	259	143,226	21	8.8	4.5-13.1	10	6.4	1.3-11.5	4	1.7	0.0- 3.7	6	1.9	0.1- 3.7	10	4.1	1.4- 6.8	208	77.1	70.2-84.0
\$75,000+	585	356,770	60	12.0	8.7-15.3	38	6.7	4.3- 9.1	11	1.9	0.7- 3.1	8	2.0	0.4- 3.6	22	4.5	2.5- 6.5	446	72.9	68.6-77.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3669	2,224,659	1075	23.9	22.3-25.5	954	24.3	22.5-26.1	588	16.2	14.6-17.8	305	9.5	8.3-10.7	747	26.1	24.1-28.1
Male	1921	1,229,195	422	17.5	15.5-19.5	421	20.2	18.0-22.4	351	17.7	15.5-19.9	154	9.2	7.6-10.8	573	35.5	32.8-38.2
Female	1748	995,464	653	31.8	29.1-34.5	533	29.3	26.6-32.0	237	14.3	12.1-16.5	151	10.0	8.2-11.8	174	14.5	12.1-16.9
White/Non-Hisp	3114	1,802,209	926	24.3	22.5-26.1	800	23.8	22.0-25.6	515	16.9	15.3-18.5	251	9.2	7.8-10.6	622	25.8	23.8-27.8
Black or Afr. Am./Non-Hisp	240	205,625	72	26.7	20.0-33.4	78	30.8	23.7-37.9	28	12.7	7.6-17.8	25	11.1	6.4-15.8	37	18.7	12.2-25.2
Oth. Race/Non-Hisp.	76	45,322	23	17.2	8.6-25.8	19	26.7	12.2-41.2	10	16.3	4.0-28.6	5	9.0	0.6-17.4	19	30.8	17.5-44.1
Hispanic	143	124,561	28	16.7	10.4-23.0	25	17.2	9.9-24.5	20	12.1	6.2-18.0	17	13.2	6.5-19.9	53	40.8	31.2-50.4
18-24	208	283,527	16	7.1	3.4-10.8	41	20.2	14.1-26.3	36	18.6	12.5-24.7	25	11.1	6.8-15.4	90	42.9	35.5-50.3
25-34	429	436,884	88	21.1	16.8-25.4	81	18.7	14.6-22.8	70	15.0	11.3-18.7	46	11.3	8.0-14.6	144	33.9	28.8-39.0
35-44	491	406,842	106	20.9	17.0-24.8	113	24.6	20.1-29.1	80	15.7	12.2-19.2	60	11.4	8.3-14.5	132	27.4	23.1-31.7
45-54	623	387,838	149	24.1	20.2-28.0	180	26.9	23.0-30.8	99	16.1	13.0-19.2	61	9.1	6.6-11.6	134	23.8	19.9-27.7
55-64	788	362,657	202	25.1	21.8-28.4	228	28.6	25.1-32.1	150	18.2	15.3-21.1	60	8.6	6.2-11.0	148	19.6	16.5-22.7
65+	1130	346,911	514	43.2	39.9-46.5	311	27.0	24.1-29.9	153	14.2	11.7-16.7	53	5.3	3.7- 6.9	99	10.3	7.9-12.7
Less Than H.S.	139	154,831	35	19.6	12.2-27.0	29	18.3	11.0-25.6	20	15.3	7.7-22.9	12	9.9	3.8-16.0	43	36.9	27.1-46.7
H.S. or G.E.D.	874	599,470	250	24.0	20.7-27.3	215	23.3	20.0-26.6	128	14.8	12.1-17.5	78	10.3	7.8-12.8	203	27.6	23.9-31.3
Some Post-H.S.	979	754,182	272	22.8	19.9-25.7	242	24.1	21.0-27.2	155	16.3	13.6-19.0	87	9.1	6.9-11.3	223	27.6	24.1-31.1
College Graduate	1663	709,321	516	26.1	23.7-28.5	462	26.6	24.1-29.1	283	17.4	15.2-19.6	128	9.3	7.5-11.1	274	20.6	18.2-23.0
Less than \$15,000	146	113,140	41	19.9	12.6-27.2	31	21.1	12.9-29.3	22	17.4	9.2-25.6	13	7.9	3.0-12.8	39	33.7	24.1-43.3
\$15,000- 24,999	329	216,217	91	22.7	17.0-28.4	74	20.7	15.4-26.0	57	18.5	12.6-24.4	34	12.1	7.8-16.4	73	26.0	19.7-32.3
\$25,000- 34,999	277	161,920	78	20.7	15.0-26.4	77	28.1	21.0-35.2	44	15.1	10.0-20.2	20	7.6	3.9-11.3	58	28.6	21.3-35.9
\$35,000- 49,999	454	276,203	144	27.9	22.8-33.0	122	23.3	18.6-28.0	68	13.7	10.2-17.2	32	10.1	6.2-14.0	88	25.0	19.7-30.3
\$50,000- 74,999	548	340,033	153	21.8	17.9-25.7	147	23.5	19.4-27.6	88	17.9	13.6-22.2	46	8.8	5.9-11.7	114	28.0	22.9-33.1
\$75,000+	1340	824,825	329	21.3	18.8-23.8	352	25.6	22.7-28.5	238	17.1	14.7-19.5	130	10.5	8.5-12.5	291	25.6	22.7-28.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1921	1,229,195	422	17.5	15.5-19.5	421	20.2	18.0-22.4	351	17.7	15.5-19.9	154	9.2	7.6-10.8	573	35.5	32.8-38.2
White/Non-Hisp	1619	977,429	358	17.5	15.5-19.5	352	19.6	17.2-22.0	310	19.1	16.7-21.5	122	8.2	6.4-10.0	477	35.5	32.6-38.4
Black or Afr. Am./Non-Hisp	112	110,661	28	24.4	15.0-33.8	31	26.6	17.2-36.0	15	12.2	5.7-18.7	12	11.6	4.5-18.7	26	25.1	15.3-34.9
Oth. Race/Non-Hisp.	54	36,209	15	12.9	5.1-20.7	10	26.7	9.3-44.1	7	15.9	1.2-30.6	5	11.3	0.7-21.9	17	33.3	17.6-49.0
Hispanic	77	73,901	8	9.5	2.8-16.2	10	13.0	4.4-21.6	9	8.9	2.6-15.2	11	17.3	7.1-27.5	39	51.4	38.7-64.1
18-24	131	168,512	10	7.2	2.5-11.9	22	18.0	10.7-25.3	22	18.0	10.6-25.4	13	10.0	4.5-15.5	64	46.9	37.5-56.3
25-34	226	236,332	29	12.1	7.4-16.8	33	14.9	9.8-20.0	33	14.1	9.0-19.2	25	11.9	7.2-16.6	106	47.0	39.7-54.3
35-44	254	228,066	39	14.8	10.1-19.5	44	19.1	13.4-24.8	46	17.7	12.6-22.8	29	10.9	6.6-15.2	96	37.4	30.7-44.1
45-54	318	211,229	55	18.1	13.2-23.0	73	21.6	16.5-26.7	63	19.0	14.3-23.7	25	7.0	3.9-10.1	102	34.3	28.4-40.2
55-64	427	196,243	77	16.6	12.7-20.5	97	22.5	18.0-27.0	102	23.2	18.7-27.7	31	8.6	5.3-11.9	120	29.1	24.2-34.0
65+	565	188,814	212	36.8	32.1-41.5	152	26.5	22.2-30.8	85	14.5	11.2-17.8	31	5.9	3.4- 8.4	85	16.3	12.6-20.0
Less Than H.S.	93	107,275	16	13.8	6.2-21.4	18	17.5	8.9-26.1	14	12.7	5.3-20.1	8	10.4	2.8-18.0	37	45.5	33.5-57.5
H.S. or G.E.D.	500	364,297	102	17.3	13.8-20.8	109	20.6	16.5-24.7	74	14.6	10.9-18.3	49	10.8	7.5-14.1	166	36.7	31.8-41.6
Some Post-H.S.	500	406,688	98	16.4	12.9-19.9	105	19.8	15.7-23.9	91	19.4	15.3-23.5	38	7.9	5.2-10.6	168	36.5	31.4-41.6
College Graduate	818	345,350	205	20.3	17.4-23.2	185	21.1	17.8-24.4	171	20.5	17.2-23.8	59	8.7	6.3-11.1	198	29.4	25.7-33.1
Less than \$15,000	74	54,960	15	11.8	4.5-19.1	11	15.4	4.6-26.2	17	24.9	12.4-37.4	8	9.5	2.1-16.9	23	38.3	24.8-51.8
\$15,000- 24,999	157	110,240	34	17.8	10.4-25.2	32	20.5	12.7-28.3	28	16.2	8.9-23.5	13	8.4	3.5-13.3	50	37.2	27.4-47.0
\$25,000- 34,999	127	80,949	23	13.5	6.4-20.6	34	25.4	15.8-35.0	21	14.7	7.6-21.8	10	8.2	2.7-13.7	39	38.2	27.4-49.0
\$35,000- 49,999	248	162,379	60	22.1	15.8-28.4	59	19.7	13.8-25.6	39	13.4	8.5-18.3	18	11.7	5.8-17.6	72	33.1	25.5-40.7
\$50,000- 74,999	297	203,811	61	15.2	10.9-19.5	62	17.3	12.2-22.4	51	18.0	12.3-23.7	25	10.1	5.6-14.6	98	39.4	32.1-46.7
\$75,000+	762	472,670	148	15.4	12.7-18.1	167	21.2	17.7-24.7	159	20.2	16.9-23.5	67	9.7	7.2-12.2	221	33.6	29.5-37.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1748	995,464	653	31.8	29.1-34.5	533	29.3	26.6-32.0	237	14.3	12.1-16.5	151	10.0	8.2-11.8	174	14.5	12.1-16.9
White/Non-Hisp	1495	824,780	568	32.4	29.5-35.3	448	28.8	25.9-31.7	205	14.3	11.9-16.7	129	10.3	8.3-12.3	145	14.3	11.8-16.8
Black or Afr. Am./Non-Hisp	128	94,965	44	29.4	20.0-38.8	47	35.6	25.4-45.8	13	13.2	5.0-21.4	13	10.5	4.6-16.4	11	11.2	3.8-18.6
Hispanic	66	50,660	20	27.1	15.3-38.9	15	23.4	11.1-35.7	11	16.7	5.5-27.9	6	7.3	0.8-13.8	14	25.5	11.6-39.4
18-24	77	115,016	6	6.9	1.0-12.8	19	23.6	13.2-34.0	14	19.5	9.1-29.9	12	12.8	5.5-20.1	26	37.2	25.2-49.2
25-34	203	200,552	59	31.7	24.4-39.0	48	23.1	16.8-29.4	37	16.1	10.8-21.4	21	10.6	6.1-15.1	38	18.4	12.7-24.1
35-44	237	178,776	67	28.7	22.0-35.4	69	31.5	24.4-38.6	34	13.1	8.6-17.6	31	12.1	7.8-16.4	36	14.7	10.0-19.4
45-54	305	176,609	94	31.2	25.3-37.1	107	33.4	27.5-39.3	36	12.6	8.3-16.9	36	11.6	7.7-15.5	32	11.2	7.1-15.3
55-64	361	166,414	125	35.1	29.4-40.8	131	35.8	30.1-41.5	48	12.3	8.6-16.0	29	8.5	5.2-11.8	28	8.3	5.0-11.6
65+	565	158,098	302	51.0	46.1-55.9	159	27.6	23.3-31.9	68	13.9	10.4-17.4	22	4.5	2.3- 6.7	14	3.1	1.1- 5.1
H.S. or G.E.D.	374	235,173	148	34.4	28.5-40.3	106	27.4	22.1-32.7	54	15.0	10.5-19.5	29	9.6	5.7-13.5	37	13.5	8.8-18.2
Some Post-H.S.	479	347,495	174	30.3	25.6-35.0	137	29.2	24.1-34.3	64	12.7	9.2-16.2	49	10.6	7.5-13.7	55	17.3	12.6-22.0
College Graduate	845	363,971	311	31.6	28.1-35.1	277	31.8	28.1-35.5	112	14.5	11.6-17.4	69	9.9	7.4-12.4	76	12.2	9.3-15.1
Less than \$15,000	72	58,180	26	27.6	15.6-39.6	20	26.4	14.1-38.7	5	10.3	0.3-20.3	5	6.3	0.0-12.8	16	29.4	15.9-42.9
\$15,000- 24,999	172	105,977	57	27.9	19.1-36.7	42	20.9	13.8-28.0	29	20.9	11.5-30.3	21	15.9	8.6-23.2	23	14.5	7.4-21.6
\$25,000- 34,999	150	80,971	55	28.0	19.0-37.0	43	30.8	20.6-41.0	23	15.5	8.2-22.8	10	6.9	2.2-11.6	19	18.9	9.9-27.9
\$35,000- 49,999	206	113,824	84	36.3	28.1-44.5	63	28.5	20.7-36.3	29	14.1	8.6-19.6	14	7.7	3.6-11.8	16	13.3	6.4-20.2
\$50,000- 74,999	251	136,222	92	31.6	24.7-38.5	85	32.8	25.7-39.9	37	17.9	11.4-24.4	21	6.8	3.7- 9.9	16	10.8	4.7-16.9
\$75,000+	578	352,155	181	29.2	24.9-33.5	185	31.5	26.8-36.2	79	12.9	9.8-16.0	63	11.6	8.5-14.7	70	14.9	11.2-18.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019**

**SECTION 11: EXERCISE (PHYSICAL ACTIVITY) CONTENTS**

\* **NOTE** \* \* \* \* \*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
\* \* \* \* \*

TABLE	PAGE
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1 MALES AND FEMALES	209
2 MALES ONLY	210
3 FEMALES ONLY	211
WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)	
4 MALES AND FEMALES	212
5 MALES ONLY	213
6 FEMALES ONLY	214
HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)	
7 MALES AND FEMALES	215
8 MALES ONLY	216
9 FEMALES ONLY	217
AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)	
10 MALES AND FEMALES	218
11 MALES ONLY	219
12 FEMALES ONLY	220
WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)	
13 MALES AND FEMALES	221
14 MALES ONLY	222
15 FEMALES ONLY	223
HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)	
16 MALES AND FEMALES	224
17 MALES ONLY	225
18 FEMALES ONLY	226

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019

SECTION 11: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

\* NOTE \* \* \* \* \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)	
19	MALES AND FEMALES	227
20	MALES ONLY	228
21	FEMALES ONLY	229
	DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)	
22	MALES AND FEMALES	230
23	MALES ONLY	231
24	FEMALES ONLY	232

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8356	4,838,468	5706	69.1	67.9-70.3	2650	30.9	29.7-32.1
Male	3739	2,350,087	2658	70.2	68.2-72.2	1081	29.8	27.8-31.8
Female	4617	2,488,381	3048	68.0	66.2-69.8	1569	32.0	30.2-33.8
White/Non-Hisp	6948	3,852,544	4788	69.7	68.3-71.1	2160	30.3	28.9-31.7
Black or Afr. Am./Non-Hisp	556	411,548	357	66.1	61.0-71.2	199	33.9	28.8-39.0
Oth. Race/Non-Hisp.	222	153,423	153	72.7	65.3-80.1	69	27.3	19.9-34.7
MultiRacial/Non-Hisp.	123	45,276	92	77.5	68.9-86.1	31	22.5	13.9-31.1
Hispanic	354	294,398	214	62.0	56.1-67.9	140	38.0	32.1-43.9
18-24	434	644,512	331	75.7	71.2-80.2	103	24.3	19.8-28.8
25-34	740	793,006	542	70.2	66.5-73.9	198	29.8	26.1-33.5
35-44	905	760,533	643	71.0	67.7-74.3	262	29.0	25.7-32.3
45-54	1251	774,274	888	70.3	67.4-73.2	363	29.7	26.8-32.6
55-64	1742	823,140	1160	65.0	62.5-67.5	582	35.0	32.5-37.5
65+	3284	1,043,003	2142	64.9	62.9-66.9	1142	35.1	33.1-37.1
Less Than H.S.	603	582,288	290	52.4	47.5-57.3	313	47.6	42.7-52.5
H.S. or G.E.D.	2650	1,579,672	1545	61.4	59.0-63.8	1105	38.6	36.2-41.0
Some Post-H.S.	2184	1,505,014	1514	72.4	70.2-74.6	670	27.6	25.4-29.8
College Graduate	2868	1,146,728	2332	83.8	82.2-85.4	536	16.2	14.6-17.8
Less than \$15,000	620	397,491	325	53.8	48.7-58.9	295	46.2	41.1-51.3
\$15,000- 24,999	1153	660,217	611	55.6	51.9-59.3	542	44.4	40.7-48.1
\$25,000- 34,999	733	415,461	476	64.9	60.4-69.4	257	35.1	30.6-39.6
\$35,000- 49,999	976	558,285	667	68.4	64.7-72.1	309	31.6	27.9-35.3
\$50,000- 74,999	1073	662,013	818	75.0	71.7-78.3	255	25.0	21.7-28.3
\$75,000+	2072	1,264,113	1676	80.6	78.4-82.8	396	19.4	17.2-21.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3739	2,350,087	2658	70.2	68.2-72.2	1081	29.8	27.8-31.8
White/Non-Hisp	3105	1,858,520	2239	71.3	69.3-73.3	866	28.7	26.7-30.7
Black or Afr. Am./Non-Hisp	224	198,063	146	64.6	56.8-72.4	78	35.4	27.6-43.2
Oth. Race/Non-Hisp.	122	88,964	83	69.5	59.1-79.9	39	30.5	20.1-40.9
MultiRacial/Non-Hisp.	55	20,280	39	77.8	65.1-90.5	16	22.2	9.5-34.9
Hispanic	155	144,740	99	65.1	56.5-73.7	56	34.9	26.3-43.5
18-24	247	335,897	185	72.9	66.6-79.2	62	27.1	20.8-33.4
25-34	352	394,819	270	71.5	65.8-77.2	82	28.5	22.8-34.2
35-44	412	376,468	295	71.2	66.3-76.1	117	28.8	23.9-33.7
45-54	583	382,885	415	70.4	66.3-74.5	168	29.6	25.5-33.7
55-64	835	399,800	577	67.7	64.0-71.4	258	32.3	28.6-36.0
65+	1310	460,218	916	68.3	65.2-71.4	394	31.7	28.6-34.8
Less Than H.S.	279	309,422	139	51.7	44.8-58.6	140	48.3	41.4-55.2
H.S. or G.E.D.	1194	811,284	732	63.4	60.1-66.7	462	36.6	33.3-39.9
Some Post-H.S.	933	698,328	683	75.0	71.7-78.3	250	25.0	21.7-28.3
College Graduate	1308	517,714	1090	85.6	83.4-87.8	218	14.4	12.2-16.6
Less than \$15,000	234	155,596	135	54.7	46.7-62.7	99	45.3	37.3-53.3
\$15,000- 24,999	468	298,473	262	59.4	53.7-65.1	206	40.6	34.9-46.3
\$25,000- 34,999	291	183,907	192	61.8	54.5-69.1	99	38.2	30.9-45.5
\$35,000- 49,999	475	295,348	322	66.8	61.3-72.3	153	33.2	27.7-38.7
\$50,000- 74,999	522	345,690	397	74.9	70.2-79.6	125	25.1	20.4-29.8
\$75,000+	1137	699,337	921	80.5	77.8-83.2	216	19.5	16.8-22.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

**Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4617	2,488,381	3048	68.0	66.2-69.8	1569	32.0	30.2-33.8
White/Non-Hisp	3843	1,994,024	2549	68.3	66.3-70.3	1294	31.7	29.7-33.7
Black or Afr. Am./Non-Hisp	332	213,485	211	67.4	61.1-73.7	121	32.6	26.3-38.9
Oth. Race/Non-Hisp.	100	64,459	70	77.2	67.0-87.4	30	22.8	12.6-33.0
MultiRacial/Non-Hisp.	68	24,996	53	77.3	65.3-89.3	15	22.7	10.7-34.7
Hispanic	199	149,658	115	58.9	50.9-66.9	84	41.1	33.1-49.1
18-24	187	308,615	146	78.8	72.3-85.3	41	21.2	14.7-27.7
25-34	388	398,187	272	68.9	63.8-74.0	116	31.1	26.0-36.2
35-44	493	384,064	348	70.9	66.4-75.4	145	29.1	24.6-33.6
45-54	668	391,390	473	70.2	66.3-74.1	195	29.8	25.9-33.7
55-64	907	423,339	583	62.4	58.7-66.1	324	37.6	33.9-41.3
65+	1974	582,785	1226	62.3	59.8-64.8	748	37.7	35.2-40.2
Less Than H.S.	324	272,865	151	53.1	46.0-60.2	173	46.9	39.8-54.0
H.S. or G.E.D.	1456	768,388	813	59.3	56.0-62.6	643	40.7	37.4-44.0
Some Post-H.S.	1251	806,686	831	70.1	67.0-73.2	420	29.9	26.8-33.0
College Graduate	1560	629,014	1242	82.4	80.2-84.6	318	17.6	15.4-19.8
Less than \$15,000	386	241,895	190	53.2	46.7-59.7	196	46.8	40.3-53.3
\$15,000- 24,999	685	361,744	349	52.5	47.4-57.6	336	47.5	42.4-52.6
\$25,000- 34,999	442	231,555	284	67.4	61.7-73.1	158	32.6	26.9-38.3
\$35,000- 49,999	501	262,936	345	70.1	65.2-75.0	156	29.9	25.0-34.8
\$50,000- 74,999	551	316,322	421	75.2	70.5-79.9	130	24.8	20.1-29.5
\$75,000+	935	564,776	755	80.8	77.7-83.9	180	19.2	16.1-22.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5008	2,933,740	964	22.5	20.9-24.1	3147	58.6	56.8-60.4	179	4.3	3.5- 5.1	56	1.0	0.6- 1.4	12	0.2	0.0- 0.4	650	13.5	12.3-14.7
Male	2315	1,439,108	524	26.2	23.8-28.6	1280	49.4	46.9-51.9	147	7.4	6.0- 8.8	18	0.8	0.4- 1.2	7	0.4	0.0- 0.8	339	15.8	13.8-17.8
Female	2693	1,494,631	440	18.9	16.9-20.9	1867	67.4	65.0-69.8	32	1.3	0.7- 1.9	38	1.1	0.7- 1.5	5	0.1	0.1- 0.1	311	11.2	9.6-12.8
White/Non-Hisp	4209	2,346,219	783	21.8	20.2-23.4	2650	59.0	57.0-61.0	143	3.7	2.9- 4.5	47	0.9	0.5- 1.3	9	0.2	0.0- 0.4	577	14.4	13.0-15.8
Black or Afr. Am./Non-Hisp	304	239,377	56	22.6	16.3-28.9	208	59.8	52.5-67.1	17	9.1	4.2-14.0	1	0.2	0.0- 0.6	1	0.7	0.0- 2.1	21	7.6	3.5-11.7
Oth. Race/Non-Hisp.	136	97,107	32	26.3	16.5-36.1	84	57.2	46.2-68.2	5	5.7	0.0-12.0	3	4.0	0.0- 8.7				12	6.9	2.2-11.6
MultiRacial/Non-Hisp.	84	32,004	15	19.6	9.2-30.0	54	63.5	50.8-76.2	4	4.3	0.0- 9.0	1	1.2	0.0- 3.6	2	1.0	0.0- 2.6	8	10.4	2.8-18.0
Hispanic	197	174,356	60	28.3	21.2-35.4	105	53.4	45.2-61.6	6	4.7	1.0- 8.4	4	1.0	0.0- 2.2				22	12.5	6.6-18.4
18-24	298	429,169	115	36.7	30.6-42.8	116	41.8	35.5-48.1	24	7.6	4.5-10.7	4	1.2	0.0- 2.4	1	0.4	0.0- 1.2	38	12.2	8.1-16.3
25-34	485	490,750	153	29.2	24.9-33.5	225	46.1	41.2-51.0	22	4.9	2.7- 7.1	4	0.8	0.0- 1.6				81	19.0	14.9-23.1
35-44	563	467,704	134	23.7	19.8-27.6	320	56.6	52.1-61.1	22	4.7	2.5- 6.9	6	0.8	0.2- 1.4	2	0.2	0.0- 0.6	79	14.0	10.9-17.1
45-54	815	498,976	190	22.6	19.5-25.7	481	60.2	56.5-63.9	28	3.6	2.2- 5.0	7	0.9	0.1- 1.7	4	0.5	0.0- 1.1	105	12.2	9.8-14.6
55-64	1019	471,497	153	14.6	12.1-17.1	716	71.2	68.1-74.3	31	2.7	1.7- 3.7	7	0.7	0.1- 1.3	1	0.0	0.0- 0.0	111	10.7	8.5-12.9
65+	1828	575,644	219	11.4	9.6-13.2	1289	71.5	69.1-73.9	52	2.9	2.1- 3.7	28	1.4	0.8- 2.0	4	0.2	0.0- 0.4	236	12.6	10.8-14.4
Less Than H.S.	250	256,116	37	16.5	10.6-22.4	185	70.2	62.8-77.6	9	4.0	1.1- 6.9	1	0.3	0.0- 0.9				18	9.1	4.0-14.2
H.S. or G.E.D.	1326	843,914	202	19.0	16.3-21.7	891	60.4	57.1-63.7	53	6.0	4.2- 7.8	10	0.6	0.0- 1.2	1	0.0	0.0- 0.0	169	14.0	11.6-16.4
Some Post-H.S.	1320	950,950	222	22.0	19.1-24.9	856	59.3	56.0-62.6	42	3.4	2.0- 4.8	16	1.0	0.4- 1.6	4	0.4	0.0- 1.0	180	13.9	11.5-16.3
College Graduate	2090	868,833	498	27.9	25.5-30.3	1202	53.0	50.5-55.5	75	3.8	2.8- 4.8	28	1.4	0.8- 2.0	7	0.3	0.1- 0.5	280	13.7	11.9-15.5
Less than \$15,000	285	188,471	40	17.1	11.4-22.8	218	72.7	66.0-79.4	4	2.3	0.0- 4.8	2	0.4	0.0- 1.0				21	7.6	3.9-11.3
\$15,000- 24,999	529	320,281	68	16.9	12.6-21.2	389	70.0	64.9-75.1	12	3.0	0.8- 5.2	5	1.1	0.0- 2.3				55	9.0	6.1-11.9
\$25,000- 34,999	417	241,572	64	19.8	14.3-25.3	277	62.4	55.9-68.9	14	3.6	1.4- 5.8	5	0.7	0.0- 1.5	1	0.0	0.0- 0.0	56	13.4	8.5-18.3
\$35,000- 49,999	588	344,192	91	20.0	15.5-24.5	389	61.9	56.6-67.2	22	4.8	2.1- 7.5	10	1.0	0.2- 1.8	2	0.2	0.0- 0.6	74	12.1	8.6-15.6
\$50,000- 74,999	727	440,236	140	19.5	16.0-23.0	439	57.8	53.3-62.3	27	3.7	2.1- 5.3	10	1.2	0.4- 2.0	3	0.5	0.0- 1.3	108	17.2	13.5-20.9
\$75,000+	1493	889,233	390	29.3	26.4-32.2	799	48.5	45.4-51.6	68	5.4	3.8- 7.0	16	0.9	0.3- 1.5	4	0.2	0.0- 0.4	216	15.6	13.2-18.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 5: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2315	1,439,108	524	26.2	23.8-28.6	1280	49.4	46.9-51.9	147	7.4	6.0- 8.8	18	0.8	0.4- 1.2	7	0.4	0.0- 0.8	339	15.8	13.8-17.8
White/Non-Hisp	1944	1,141,070	424	25.7	23.2-28.2	1087	49.9	47.2-52.6	117	6.3	4.9- 7.7	15	0.8	0.4- 1.2	5	0.3	0.0- 0.7	296	17.0	14.8-19.2
Black or Afr. Am./Non-Hisp	132	116,931	32	29.7	19.9-39.5	74	44.7	34.5-54.9	15	17.1	7.9-26.3				1	1.4	0.0- 4.1	10	7.1	1.2-13.0
Oth. Race/Non-Hisp.	75	57,566	20	25.1	13.5-36.7	41	54.0	40.1-67.9	4	9.4	0.0-19.6	2	3.9	0.0- 9.8				8	7.6	1.5-13.7
Hispanic	93	90,921	36	34.5	23.9-45.1	36	42.2	30.4-54.0	5	6.9	0.8-13.0	1	0.8	0.0- 2.4				15	15.7	7.5-23.9
18-24	164	214,042	64	40.0	31.6-48.4	48	29.1	21.5-36.7	21	13.0	7.3-18.7	2	1.0	0.0- 2.4	1	0.9	0.0- 2.7	28	16.1	10.0-22.2
25-34	244	251,827	89	34.6	28.1-41.1	80	32.3	25.8-38.8	17	7.1	3.4-10.8	2	1.0	0.0- 2.4				56	25.1	18.8-31.4
35-44	251	226,577	67	26.6	20.5-32.7	115	45.9	39.0-52.8	20	9.2	4.7-13.7	1	0.4	0.0- 1.2	1	0.2	0.0- 0.6	47	17.7	12.6-22.8
45-54	374	244,731	113	29.7	24.4-35.0	182	49.7	44.0-55.4	25	6.6	3.9- 9.3	2	0.8	0.0- 1.8	2	0.8	0.0- 2.2	50	12.5	9.0-16.0
55-64	504	237,136	86	16.2	12.5-19.9	336	67.3	62.6-72.0	22	4.2	2.2- 6.2	3	0.8	0.0- 1.8				57	11.6	8.5-14.7
65+	778	264,794	105	12.7	10.0-15.4	519	68.8	65.1-72.5	42	5.2	3.4- 7.0	8	1.0	0.2- 1.8	3	0.3	0.0- 0.7	101	12.1	9.6-14.6
Less Than H.S.	122	137,965	22	22.9	13.3-32.5	82	59.0	48.2-69.8	8	7.3	1.8-12.8	1	0.5	0.0- 1.5				9	10.3	2.7-17.9
H.S. or G.E.D.	617	443,049	122	23.8	19.7-27.9	357	49.5	44.8-54.2	45	9.8	6.7-12.9	2	0.3	0.0- 0.7				91	16.6	13.1-20.1
Some Post-H.S.	593	452,773	123	26.1	21.6-30.6	333	49.5	44.8-54.2	34	5.8	3.4- 8.2	7	1.0	0.2- 1.8	4	0.9	0.0- 1.9	92	16.6	13.1-20.1
College Graduate	972	398,129	255	30.2	26.7-33.7	502	46.3	42.6-50.0	60	6.7	4.7- 8.7	7	0.9	0.1- 1.7	3	0.3	0.0- 0.7	145	15.6	12.9-18.3
Less than \$15,000	117	73,775	24	26.6	16.4-36.8	82	64.8	54.2-75.4	3	3.2	0.0- 6.9							8	5.4	1.1- 9.7
\$15,000- 24,999	225	151,550	34	16.9	10.8-23.0	148	63.8	56.0-71.6	10	5.6	1.5- 9.7	3	1.6	0.0- 3.8				30	12.1	7.0-17.2
\$25,000- 34,999	165	99,445	27	22.6	13.8-31.4	102	56.3	46.5-66.1	11	7.3	2.6-12.0	3	1.2	0.0- 2.8				22	12.6	6.1-19.1
\$35,000- 49,999	286	178,303	53	22.6	16.3-28.9	167	52.9	45.6-60.2	18	7.9	2.8-13.0	1	0.1	0.0- 0.3				47	16.6	10.9-22.3
\$50,000- 74,999	348	227,140	73	21.4	15.9-26.9	189	49.4	42.7-56.1	24	6.4	3.3- 9.5	3	1.0	0.0- 2.4	3	1.0	0.0- 2.4	56	20.8	14.9-26.7
\$75,000+	810	490,259	230	32.4	28.3-36.5	385	39.8	35.9-43.7	57	9.2	6.5-11.9	8	1.1	0.3- 1.9	3	0.2	0.0- 0.4	127	17.2	13.9-20.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 6: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT11)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2693	1,494,631	440	18.9	16.9-20.9	1867	67.4	65.0-69.8	32	1.3	0.7- 1.9	38	1.1	0.7- 1.5	5	0.1	0.1- 0.1	311	11.2	9.6-12.8
White/Non-Hisp	2265	1,205,150	359	18.1	15.9-20.3	1563	67.6	65.1-70.1	26	1.1	0.5- 1.7	32	1.1	0.7- 1.5	4	0.1	0.0- 0.3	281	12.0	10.2-13.8
Black or Afr. Am./Non-Hisp	172	122,446	24	15.9	8.3-23.5	134	74.2	65.2-83.2	2	1.4	0.0- 3.8	1	0.4	0.0- 1.2				11	8.1	2.4-13.8
Oth. Race/Non-Hisp.	61	39,541	12	28.0	11.1-44.9	43	61.8	44.2-79.4	1	0.3	0.0- 0.9	1	4.0	0.0-11.6				4	5.9	0.0-13.7
MultiRacial/Non-Hisp.	52	19,189	11	27.9	12.0-43.8	35	63.6	46.7-80.5	1	1.4	0.0- 4.1	1	2.0	0.0- 5.9	1	0.5	0.0- 1.5	3	4.7	0.0-11.2
Hispanic	104	83,435	24	21.6	12.8-30.4	69	65.6	54.4-76.8	1	2.4	0.0- 6.9	3	1.4	0.0- 3.0				7	9.0	0.4-17.6
18-24	134	215,127	51	33.4	24.8-42.0	68	54.5	45.3-63.7	3	2.2	0.0- 4.7	2	1.5	0.0- 3.7				10	8.4	2.7-14.1
25-34	241	238,922	64	23.6	17.9-29.3	145	60.7	54.0-67.4	5	2.5	0.1- 4.9	2	0.5	0.0- 1.3				25	12.5	7.6-17.4
35-44	312	241,127	67	21.1	16.2-26.0	205	66.6	60.9-72.3	2	0.5	0.0- 1.3	5	1.1	0.1- 2.1	1	0.2	0.0- 0.6	32	10.5	6.8-14.2
45-54	441	254,245	77	15.9	12.2-19.6	299	70.2	65.5-74.9	3	0.7	0.0- 1.7	5	1.0	0.0- 2.0	2	0.2	0.0- 0.6	55	12.0	8.7-15.3
55-64	515	234,360	67	13.0	9.7-16.3	380	75.2	70.9-79.5	9	1.2	0.4- 2.0	4	0.7	0.0- 1.5	1	0.0	0.0- 0.0	54	9.8	6.9-12.7
65+	1050	310,850	114	10.4	8.2-12.6	770	73.8	70.7-76.9	10	0.9	0.3- 1.5	20	1.7	0.9- 2.5	1	0.0	0.0- 0.0	135	13.1	10.7-15.5
Less Than H.S.	128	118,151	15	9.0	3.1-14.9	103	83.2	74.8-91.6	1	0.2	0.0- 0.6							9	7.6	0.9-14.3
H.S. or G.E.D.	709	400,865	80	13.6	9.9-17.3	534	72.6	68.1-77.1	8	1.7	0.3- 3.1	8	1.0	0.0- 2.0	1	0.0	0.0- 0.0	78	11.1	8.0-14.2
Some Post-H.S.	727	498,177	99	18.3	14.6-22.0	523	68.2	63.9-72.5	8	1.2	0.2- 2.2	9	0.9	0.3- 1.5				88	11.4	8.7-14.1
College Graduate	1118	470,704	243	25.9	22.8-29.0	700	58.7	55.2-62.2	15	1.4	0.4- 2.4	21	1.7	0.7- 2.7	4	0.2	0.0- 0.4	135	12.1	9.7-14.5
Less than \$15,000	168	114,696	16	11.1	4.6-17.6	136	77.7	69.3-86.1	1	1.7	0.0- 5.0	2	0.6	0.0- 1.6				13	8.9	3.4-14.4
\$15,000- 24,999	304	168,730	34	17.0	10.9-23.1	241	75.6	69.1-82.1	2	0.7	0.0- 1.9	2	0.5	0.0- 1.3				25	6.2	3.5- 8.9
\$25,000- 34,999	252	142,127	37	17.9	10.8-25.0	175	66.7	58.1-75.3	3	1.1	0.0- 2.7	2	0.4	0.0- 1.0	1	0.1	0.0- 0.3	34	13.9	7.0-20.8
\$35,000- 49,999	302	165,889	38	17.3	11.0-23.6	222	71.5	64.6-78.4	4	1.6	0.0- 3.6	9	1.8	0.4- 3.2	2	0.4	0.0- 1.0	27	7.4	3.9-10.9
\$50,000- 74,999	379	213,097	67	17.5	13.0-22.0	250	66.8	60.9-72.7	3	0.8	0.0- 1.8	7	1.5	0.3- 2.7				52	13.4	9.1-17.7
\$75,000+	683	398,974	160	25.5	21.6-29.4	414	59.2	54.9-63.5	11	0.8	0.2- 1.4	8	0.7	0.1- 1.3	1	0.1	0.0- 0.3	89	13.7	10.6-16.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 7: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)**

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5473	3,221,088	2308	41.9	40.1-43.7	1128	19.9	18.5-21.3	868	16.3	15.1-17.5	249	4.7	3.9- 5.5	920	17.2	15.8-18.6
Male	2561	1,593,899	987	38.4	36.0-40.8	557	20.7	18.7-22.7	439	17.6	15.8-19.4	120	4.3	3.3- 5.3	458	19.0	17.0-21.0
Female	2912	1,627,189	1321	45.4	43.0-47.8	571	19.1	17.1-21.1	429	15.0	13.2-16.8	129	5.0	3.8- 6.2	462	15.4	13.6-17.2
White/Non-Hisp	4607	2,596,632	1935	41.4	39.6-43.2	944	19.8	18.4-21.2	732	16.1	14.7-17.5	215	4.7	3.9- 5.5	781	18.0	16.6-19.4
Black or Afr. Am./Non-Hisp	340	265,391	150	42.2	35.5-48.9	74	22.7	16.8-28.6	57	19.1	13.4-24.8	11	3.2	0.5- 5.9	48	12.7	8.4-17.0
Oth. Race/Non-Hisp.	142	101,228	59	49.4	38.6-60.2	34	21.4	13.2-29.6	13	7.1	2.4-11.8	6	4.0	0.3- 7.7	30	18.0	9.4-26.6
MultiRacial/Non-Hisp.	89	34,743	35	38.1	25.4-50.8	20	17.3	7.3-27.3	20	25.4	13.1-37.7	2	2.4	0.0- 5.9	12	16.9	6.5-27.3
Hispanic	201	171,551	90	44.0	36.0-52.0	32	16.0	10.1-21.9	35	19.1	12.4-25.8	12	7.4	2.7-12.1	32	13.4	7.9-18.9
18-24	317	464,293	149	45.7	39.6-51.8	54	17.3	12.6-22.0	47	15.7	11.2-20.2	15	4.8	2.1- 7.5	52	16.5	12.0-21.0
25-34	528	544,944	232	41.9	37.4-46.4	108	21.0	17.1-24.9	87	16.2	12.7-19.7	21	4.2	2.2- 6.2	80	16.6	12.9-20.3
35-44	622	523,432	268	41.3	37.0-45.6	114	18.4	15.1-21.7	102	17.3	14.0-20.6	39	5.7	3.5- 7.9	99	17.3	13.8-20.8
45-54	859	527,417	363	41.4	37.7-45.1	154	18.2	15.3-21.1	162	18.7	15.8-21.6	42	4.8	3.2- 6.4	138	16.9	14.0-19.8
55-64	1119	517,442	460	40.4	37.1-43.7	245	22.6	19.7-25.5	174	15.9	13.5-18.3	55	5.0	3.6- 6.4	185	16.1	13.7-18.5
65+	2028	643,560	836	41.5	39.0-44.0	453	21.5	19.3-23.7	296	14.2	12.4-16.0	77	3.7	2.7- 4.7	366	19.2	17.0-21.4
Less Than H.S.	267	283,358	92	31.0	24.3-37.7	64	22.8	16.7-28.9	47	20.5	14.2-26.8	9	4.5	1.2- 7.8	55	21.2	15.1-27.3
H.S. or G.E.D.	1461	924,342	573	39.4	36.3-42.5	304	19.6	17.1-22.1	259	18.5	16.0-21.0	51	4.0	2.6- 5.4	274	18.6	16.1-21.1
Some Post-H.S.	1455	1,059,065	606	42.4	39.3-45.5	281	19.6	17.1-22.1	232	15.2	13.0-17.4	78	5.2	3.8- 6.6	258	17.7	15.3-20.1
College Graduate	2270	942,238	1028	46.8	44.3-49.3	474	20.0	18.0-22.0	329	14.2	12.4-16.0	111	4.8	3.8- 5.8	328	14.3	12.5-16.1
Less than \$15,000	302	199,263	111	37.4	30.3-44.5	66	20.5	14.6-26.4	43	15.3	10.0-20.6	15	6.0	2.7- 9.3	67	20.7	15.0-26.4
\$15,000- 24,999	573	349,673	226	39.4	34.3-44.5	123	21.2	17.1-25.3	92	15.4	11.5-19.3	25	5.8	2.9- 8.7	107	18.2	14.3-22.1
\$25,000- 34,999	460	259,447	188	40.5	34.6-46.4	96	20.3	15.4-25.2	78	17.2	12.3-22.1	26	6.2	2.9- 9.5	72	15.8	11.3-20.3
\$35,000- 49,999	648	373,190	269	42.2	37.3-47.1	122	18.5	14.6-22.4	117	18.5	14.6-22.4	22	3.0	1.4- 4.6	118	17.8	14.1-21.5
\$50,000- 74,999	799	485,530	332	40.7	36.4-45.0	169	21.0	17.5-24.5	147	18.2	14.9-21.5	36	4.6	2.8- 6.4	115	15.6	12.3-18.9
\$75,000+	1640	999,627	752	45.0	42.1-47.9	309	17.3	15.1-19.5	227	15.5	13.3-17.7	83	5.0	3.8- 6.2	269	17.2	14.8-19.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 8: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)**

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2561	1,593,899	987	38.4	36.0-40.8	557	20.7	18.7-22.7	439	17.6	15.6-19.6	120	4.3	3.3- 5.3	458	19.0	17.0-21.0
White/Non-Hisp	2166	1,283,961	820	37.3	34.8-39.8	472	21.0	18.8-23.2	375	17.6	15.6-19.6	109	4.6	3.6- 5.6	390	19.5	17.3-21.7
Black or Afr. Am./Non-Hisp	142	127,010	65	41.1	31.3-50.9	29	19.2	11.4-27.0	24	21.6	12.8-30.4	3	1.7	0.0- 4.1	21	16.3	8.9-23.7
Oth. Race/Non-Hisp.	77	58,274	30	42.8	28.9-56.7	21	25.9	14.7-37.1	10	11.1	3.3-18.9	2	2.6	0.0- 6.7	14	17.5	5.9-29.1
Hispanic	91	85,730	38	45.4	33.6-57.2	15	15.2	7.0-23.4	18	17.6	9.2-26.0	4	5.1	0.0-10.8	16	16.7	7.3-26.1
18-24	174	230,811	79	45.0	36.8-53.2	27	14.6	9.1-20.1	27	16.0	9.9-22.1	6	3.7	0.6- 6.8	35	20.7	14.0-27.4
25-34	264	276,409	108	39.0	32.5-45.5	57	22.7	16.8-28.6	42	14.8	10.1-19.5	11	3.8	1.3- 6.3	46	19.7	14.2-25.2
35-44	286	259,646	104	34.8	28.7-40.9	55	19.3	14.4-24.2	64	22.7	17.2-28.2	13	4.0	1.6- 6.4	50	19.2	13.9-24.5
45-54	406	263,989	157	37.8	32.5-43.1	77	18.8	14.5-23.1	87	21.7	17.2-26.2	20	4.8	2.4- 7.2	65	16.9	12.8-21.0
55-64	563	264,661	217	36.8	32.3-41.3	130	24.6	20.5-28.7	87	16.4	12.9-19.9	31	5.3	3.1- 7.5	98	16.8	13.3-20.3
65+	868	298,383	322	37.5	33.6-41.4	211	23.3	20.0-26.6	132	14.4	11.5-17.3	39	4.1	2.7- 5.5	164	20.7	17.4-24.0
Less Than H.S.	127	147,317	38	28.3	18.9-37.7	27	21.4	13.2-29.6	24	21.7	12.9-30.5	5	3.6	0.3- 6.9	33	25.0	16.2-33.8
H.S. or G.E.D.	696	491,300	235	33.6	29.5-37.7	152	20.4	16.9-23.9	140	21.1	17.4-24.8	25	3.8	2.0- 5.6	144	21.0	17.3-24.7
Some Post-H.S.	660	511,799	249	39.8	35.3-44.3	133	20.4	16.7-24.1	118	15.6	12.5-18.7	36	4.9	3.1- 6.7	124	19.3	15.6-23.0
College Graduate	1066	436,337	459	44.7	41.2-48.2	244	21.6	18.7-24.5	156	14.7	12.2-17.2	54	4.5	3.1- 5.9	153	14.5	12.0-17.0
Less than \$15,000	129	81,640	40	25.4	16.8-34.0	28	21.3	13.1-29.5	20	17.9	9.5-26.3	9	8.5	2.4-14.6	32	26.9	17.5-36.3
\$15,000- 24,999	246	169,612	93	37.4	30.0-44.8	48	16.9	11.8-22.0	46	18.7	12.6-24.8	8	4.4	0.9- 7.9	51	22.6	16.3-28.9
\$25,000- 34,999	182	107,482	73	43.5	34.3-52.7	44	23.7	15.9-31.5	28	12.2	7.1-17.3	9	3.6	0.9- 6.3	28	16.9	9.3-24.5
\$35,000- 49,999	316	194,213	117	37.1	30.4-43.8	63	20.0	14.3-25.7	69	22.9	16.8-29.0	13	3.4	1.0- 5.8	54	16.7	11.6-21.8
\$50,000- 74,999	385	251,400	141	36.5	30.4-42.6	86	22.5	17.2-27.8	73	19.0	14.1-23.9	16	3.3	1.3- 5.3	69	18.7	13.8-23.6
\$75,000+	903	555,801	377	41.0	37.1-44.9	188	19.0	15.9-22.1	130	15.9	13.0-18.8	50	4.8	3.2- 6.4	158	19.2	15.9-22.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 9: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)**

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2912	1,627,189	1321	45.4	43.0-47.8	571	19.1	17.1-21.1	429	15.0	13.2-16.8	129	5.0	3.8- 6.2	462	15.4	13.6-17.2
White/Non-Hisp	2441	1,312,671	1115	45.5	43.0-48.0	472	18.5	16.5-20.5	357	14.7	12.9-16.5	106	4.7	3.5- 5.9	391	16.5	14.5-18.5
Black or Afr. Am./Non-Hisp	198	138,380	85	43.2	34.2-52.2	45	26.0	17.6-34.4	33	16.8	9.7-23.9	8	4.6	0.0- 9.3	27	9.4	5.1-13.7
Oth. Race/Non-Hisp.	65	42,954	29	58.4	42.1-74.7	13	15.2	4.0-26.4	3	1.7	0.0- 4.1	4	5.9	0.0-12.6	16	18.7	5.8-31.6
MultiRacial/Non-Hisp.	53	19,322	22	43.8	26.2-61.4	12	19.4	4.1-34.7	12	22.1	5.6-38.6	1	3.1	0.0- 9.2	6	11.7	0.7-22.7
Hispanic	110	85,822	52	42.6	31.6-53.6	17	16.7	8.1-25.3	17	20.7	10.3-31.1	8	9.8	2.4-17.2	16	10.2	4.5-15.9
18-24	143	233,482	70	46.3	37.3-55.3	27	20.0	12.6-27.4	20	15.4	8.7-22.1	9	5.9	1.6-10.2	17	12.3	6.2-18.4
25-34	264	268,535	124	44.9	38.2-51.6	51	19.3	14.0-24.6	45	17.7	12.6-22.8	10	4.6	1.7- 7.5	34	13.5	8.8-18.2
35-44	336	263,787	164	47.6	41.5-53.7	59	17.5	13.0-22.0	38	11.9	8.0-15.8	26	7.5	4.2-10.8	49	15.5	11.2-19.8
45-54	453	263,429	206	45.0	39.9-50.1	77	17.6	13.7-21.5	75	15.7	12.0-19.4	22	4.7	2.5- 6.9	73	16.9	13.0-20.8
55-64	556	252,781	243	44.1	39.4-48.8	115	20.5	16.6-24.4	87	15.5	12.2-18.8	24	4.7	2.7- 6.7	87	15.3	12.0-18.6
65+	1160	345,177	514	44.9	41.6-48.2	242	19.8	17.1-22.5	164	14.0	11.6-16.4	38	3.3	1.9- 4.7	202	18.0	15.3-20.7
Less Than H.S.	140	136,041	54	34.0	24.2-43.8	37	24.2	15.2-33.2	23	19.2	10.4-28.0	4	5.5	0.0-11.4	22	17.1	8.7-25.5
H.S. or G.E.D.	765	433,042	338	45.9	41.2-50.6	152	18.6	14.9-22.3	119	15.5	12.2-18.8	26	4.2	2.0- 6.4	130	15.8	12.5-19.1
Some Post-H.S.	795	547,265	357	44.7	40.4-49.0	148	18.8	15.5-22.1	114	14.8	11.7-17.9	42	5.6	3.6- 7.6	134	16.1	13.0-19.2
College Graduate	1204	505,901	569	48.6	45.1-52.1	230	18.5	16.0-21.0	173	13.7	11.3-16.1	57	5.0	3.4- 6.6	175	14.1	11.7-16.5
Less than \$15,000	173	117,622	71	45.8	36.0-55.6	38	20.0	12.0-28.0	23	13.5	6.8-20.2	6	4.3	0.6- 8.0	35	16.5	9.6-23.4
\$15,000- 24,999	327	180,061	133	41.3	34.2-48.4	75	25.2	18.9-31.5	46	12.4	7.5-17.3	17	7.0	2.3-11.7	56	14.1	9.6-18.6
\$25,000- 34,999	278	151,964	115	38.3	30.7-45.9	52	17.9	11.6-24.2	50	20.7	13.4-28.0	17	8.0	2.7-13.3	44	15.1	9.8-20.4
\$35,000- 49,999	332	178,977	152	47.7	40.6-54.8	59	16.9	11.6-22.2	48	13.8	9.3-18.3	9	2.6	0.6- 4.6	64	19.0	13.3-24.7
\$50,000- 74,999	414	234,130	191	45.1	39.0-51.2	83	19.3	14.6-24.0	74	17.3	12.8-21.8	20	6.0	2.9- 9.1	46	12.3	8.0-16.6
\$75,000+	737	443,826	375	50.0	45.7-54.3	121	15.1	12.2-18.0	97	15.0	11.7-18.3	33	5.2	3.2- 7.2	111	14.7	11.8-17.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 10: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)  
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5397	3,188,649	2204	39.1	37.5-40.7	667	11.2	10.2-12.2	45	0.6	0.4- 0.8	1540	30.6	29.0-32.2	635	12.6	11.4-13.8	306	5.9	5.1- 6.7
Male	2535	1,576,043	898	34.0	31.6-36.4	296	9.8	8.4-11.2	16	0.6	0.2- 1.0	742	31.4	29.0-33.8	398	16.8	14.8-18.8	185	7.4	6.2- 8.6
Female	2862	1,612,606	1306	44.0	41.6-46.4	371	12.5	10.9-14.1	29	0.7	0.3- 1.1	798	29.8	27.6-32.0	237	8.5	7.1- 9.9	121	4.4	3.4- 5.4
White/Non-Hisp	4551	2,573,470	1874	39.4	37.6-41.2	572	11.2	10.0-12.4	40	0.7	0.5- 0.9	1271	30.2	28.4-32.0	526	12.3	10.9-13.7	268	6.2	5.2- 7.2
Black or Afr. Am./Non-Hisp	332	259,622	149	42.4	35.7-49.1	31	8.9	5.2-12.6				98	28.7	22.8-34.6	38	14.3	8.8-19.8	16	5.8	2.3- 9.3
Oth. Race/Non-Hisp.	142	102,462	48	30.8	20.8-40.8	19	13.9	6.8-21.0	1	1.5	0.0- 4.4	51	36.8	26.2-47.4	17	13.5	5.9-21.1	6	3.6	0.0- 7.3
MultiRacial/Non-Hisp.	83	31,989	35	40.2	26.1-54.3	9	8.1	2.0-14.2				17	22.2	11.0-33.4	16	22.9	10.6-35.2	6	6.6	0.7-12.5
Hispanic	200	171,114	69	35.6	27.6-43.6	24	10.7	6.0-15.4	4	1.0	0.0- 2.2	74	38.3	30.3-46.3	25	12.2	6.9-17.5	4	2.2	0.0- 4.4
18-24	320	471,057	99	31.1	25.4-36.8	25	7.8	4.5-11.1	2	0.6	0.0- 1.4	118	35.7	29.8-41.6	58	19.0	14.1-23.9	18	5.8	2.9- 8.7
25-34	529	543,940	187	33.3	29.0-37.6	54	9.7	7.0-12.4	2	0.2	0.0- 0.6	199	37.5	33.0-42.0	59	13.0	9.7-16.3	28	6.2	3.7- 8.7
35-44	619	519,006	248	40.6	36.3-44.9	83	12.3	9.6-15.0	7	1.1	0.3- 1.9	192	31.7	27.6-35.8	57	9.3	6.8-11.8	32	5.0	3.0- 7.0
45-54	846	520,142	339	40.5	36.8-44.2	110	12.2	9.8-14.6	8	0.7	0.1- 1.3	256	29.4	26.1-32.7	94	11.6	9.1-14.1	39	5.5	3.5- 7.5
55-64	1109	512,292	491	46.0	42.7-49.3	138	12.3	10.1-14.5	10	0.6	0.2- 1.0	268	24.2	21.3-27.1	132	11.0	9.0-13.0	70	5.9	4.3- 7.5
65+	1974	622,211	840	41.9	39.4-44.4	257	12.3	10.5-14.1	16	0.7	0.3- 1.1	507	26.2	23.8-28.6	235	12.4	10.6-14.2	119	6.6	5.2- 8.0
Less Than H.S.	262	274,611	128	46.8	39.4-54.2	15	4.2	1.7- 6.7				63	24.4	17.9-30.9	41	17.1	11.2-23.0	15	7.5	2.8-12.2
H.S. or G.E.D.	1433	918,391	607	38.0	34.9-41.1	125	9.1	7.1-11.1	4	0.4	0.0- 0.8	375	28.4	25.5-31.3	216	16.4	13.9-18.9	106	7.7	5.9- 9.5
Some Post-H.S.	1425	1,045,277	573	38.3	35.4-41.2	165	11.1	9.1-13.1	12	0.5	0.1- 0.9	415	32.7	29.8-35.6	165	11.4	9.2-13.6	95	5.9	4.5- 7.3
College Graduate	2259	937,621	890	38.9	36.5-41.3	362	15.4	13.6-17.2	29	1.2	0.8- 1.6	679	31.8	29.4-34.2	210	9.0	7.6-10.4	89	3.6	2.6- 4.6
Less than \$15,000	292	191,243	146	45.9	38.6-53.2	17	5.2	2.3- 8.1				84	34.0	26.9-41.1	37	12.1	7.0-17.2	8	2.8	0.6- 5.0
\$15,000- 24,999	563	347,267	249	41.1	36.0-46.2	56	8.5	5.8-11.2	2	0.5	0.0- 1.3	158	29.6	24.7-34.5	64	13.8	9.9-17.7	34	6.6	4.1- 9.1
\$25,000- 34,999	450	255,850	179	37.2	31.3-43.1	47	9.6	6.3-12.9	1	0.0	0.0- 0.0	125	31.0	25.1-36.9	66	14.4	10.1-18.7	32	7.7	4.4-11.0
\$35,000- 49,999	636	365,799	256	38.3	33.6-43.0	80	11.0	8.1-13.9	1	0.1	0.0- 0.3	171	30.4	25.7-35.1	90	14.4	10.7-18.1	38	5.8	3.6- 8.0
\$50,000- 74,999	794	481,680	342	41.3	37.0-45.6	92	9.7	7.3-12.1	7	0.8	0.2- 1.4	214	29.4	25.3-33.5	91	12.2	9.3-15.1	48	6.5	4.3- 8.7
\$75,000+	1635	998,055	599	36.6	33.9-39.3	265	15.2	13.0-17.4	25	1.1	0.7- 1.5	504	31.5	28.8-34.2	165	11.0	9.0-13.0	77	4.7	3.5- 5.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 11: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)  
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2535	1,576,043	898	34.0	31.6-36.4	296	9.8	8.4-11.2	16	0.6	0.2- 1.0	742	31.4	29.0-33.8	398	16.8	14.8-18.8	185	7.4	6.2- 8.6
White/Non-Hisp	2147	1,270,698	771	34.7	32.2-37.2	254	10.0	8.4-11.6	13	0.5	0.1- 0.9	613	30.7	28.2-33.2	330	16.1	13.9-18.3	166	8.0	6.6- 9.4
Black or Afr. Am./Non-Hisp	138	122,671	51	34.0	24.6-43.4	15	9.7	4.2-15.2				43	30.5	21.3-39.7	20	17.5	8.9-26.1	9	8.3	1.6-15.0
Oth. Race/Non-Hisp.	76	58,345	24	22.5	12.3-32.7	11	13.8	4.0-23.6	1	2.6	1.8- 3.4	25	39.1	25.2-53.0	10	17.3	5.9-28.7	5	4.6	0.0-10.1
Hispanic	92	86,955	25	32.8	20.8-44.8	7	4.9	1.2- 8.6	2	1.4	0.0- 3.4	36	37.7	26.7-48.7	21	22.1	12.7-31.5	1	1.1	0.0- 3.3
18-24	175	232,504	46	25.4	18.3-32.5	7	4.0	0.9- 7.1	2	1.1	0.0- 2.7	71	40.7	32.7-48.7	39	23.0	15.9-30.1	10	5.7	2.0- 9.4
25-34	262	272,106	74	25.7	20.2-31.2	26	9.4	5.5-13.3	2	0.4	0.0- 1.0	96	35.6	29.3-41.9	46	21.0	15.1-26.9	18	7.8	4.1-11.5
35-44	285	258,482	96	35.9	29.6-42.2	34	10.8	6.9-14.7	1	0.6	0.6- 0.6	97	33.6	27.5-39.7	35	11.8	7.5-16.1	22	7.2	3.9-10.5
45-54	397	258,862	144	36.9	31.6-42.2	38	8.8	5.7-11.9	4	0.6	0.0- 1.2	119	29.2	24.3-34.1	62	16.0	11.9-20.1	30	8.5	5.2-11.8
55-64	558	262,986	221	41.3	36.6-46.0	77	13.1	9.8-16.4	3	0.4	0.0- 1.0	131	23.7	19.8-27.6	86	14.2	11.1-17.3	40	7.2	4.8- 9.6
65+	858	291,103	317	37.8	33.9-41.7	114	11.8	9.4-14.2	4	0.3	0.0- 0.7	228	27.3	23.8-30.8	130	15.2	12.3-18.1	65	7.6	5.4- 9.8
Less Than H.S.	126	142,655	61	46.4	36.2-56.6	4	2.7	0.0- 5.4				32	26.6	17.4-35.8	21	17.4	9.2-25.6	8	6.9	1.4-12.4
H.S. or G.E.D.	693	490,674	253	32.8	28.9-36.7	55	8.3	5.8-10.8	2	0.5	0.0- 1.3	177	27.2	23.1-31.3	143	21.4	17.7-25.1	63	9.8	7.1-12.5
Some Post-H.S.	648	504,203	221	32.7	28.6-36.8	66	9.8	7.3-12.3	4	0.4	0.2- 0.6	196	33.1	28.8-37.4	105	16.6	12.9-20.3	56	7.3	5.1- 9.5
College Graduate	1059	431,789	359	32.9	29.6-36.2	171	14.0	11.6-16.4	10	0.9	0.3- 1.5	333	35.2	31.7-38.7	128	11.8	9.4-14.2	58	5.0	3.4- 6.6
Less than \$15,000	126	77,751	62	49.7	39.1-60.3	7	4.4	0.5- 8.3				32	27.9	18.3-37.5	22	14.8	7.2-22.4	3	3.3	0.0- 7.0
\$15,000- 24,999	245	167,819	102	39.0	31.6-46.4	18	5.7	2.8- 8.6	1	0.9	0.7- 1.1	66	28.7	21.6-35.8	38	17.5	11.2-23.8	20	8.1	4.0-12.2
\$25,000- 34,999	180	106,869	55	27.3	19.3-35.3	20	11.4	5.7-17.1				60	35.2	26.2-44.2	32	17.5	10.6-24.4	13	8.5	2.8-14.2
\$35,000- 49,999	306	187,502	99	29.3	23.2-35.4	35	9.7	6.0-13.4				87	31.3	24.8-37.8	56	20.5	14.2-26.8	29	9.2	5.3-13.1
\$50,000- 74,999	384	249,464	148	36.7	30.6-42.8	42	9.4	5.9-12.9	2	0.6	0.0- 1.6	97	28.1	22.2-34.0	67	17.2	12.3-22.1	28	8.0	4.7-11.3
\$75,000+	902	552,506	296	31.6	27.9-35.3	135	12.7	10.2-15.2	12	0.8	0.2- 1.4	287	33.8	29.9-37.7	117	14.6	11.7-17.5	55	6.5	4.5- 8.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 12: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)  
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2862	1,612,606	1306	44.0	41.6-46.4	371	12.5	10.9-14.1	29	0.7	0.3- 1.1	798	29.8	27.6-32.0	237	8.5	7.1- 9.9	121	4.4	3.4- 5.4
White/Non-Hisp	2404	1,302,772	1103	44.0	41.5-46.5	318	12.3	10.7-13.9	27	0.8	0.4- 1.2	658	29.7	27.3-32.1	196	8.6	7.0-10.2	102	4.5	3.3- 5.7
Black or Afr. Am./Non-Hisp	194	136,952	98	49.9	40.7-59.1	16	8.2	3.3-13.1				55	27.0	19.4-34.6	18	11.5	4.6-18.4	7	3.4	0.5- 6.3
Oth. Race/Non-Hisp.	66	44,117	24	41.7	24.6-58.8	8	14.0	3.8-24.2				26	33.7	18.0-49.4	7	8.5	0.1-16.9	1	2.1	0.0- 6.2
Hispanic	108	84,160	44	38.5	27.5-49.5	17	16.8	8.4-25.2	2	0.7	0.0- 1.7	38	38.9	27.5-50.3	4	2.0	0.0- 4.9	3	3.2	0.0- 7.1
18-24	145	238,553	53	36.7	28.1-45.3	18	11.4	5.7-17.1				47	30.9	22.7-39.1	19	15.2	8.5-21.9	8	5.8	1.3-10.3
25-34	267	271,834	113	41.0	34.5-47.5	28	10.0	6.1-13.9				103	39.4	32.9-45.9	13	4.9	2.0- 7.8	10	4.7	1.6- 7.8
35-44	334	260,523	152	45.2	39.1-51.3	49	13.7	9.6-17.8	6	1.5	0.1- 2.9	95	29.9	24.2-35.6	22	6.8	3.9- 9.7	10	2.9	1.1- 4.7
45-54	449	261,280	195	44.2	39.1-49.3	72	15.6	11.9-19.3	4	0.8	0.0- 1.6	137	29.6	24.9-34.3	32	7.2	4.7- 9.7	9	2.6	0.8- 4.4
55-64	551	249,306	270	51.0	46.3-55.7	61	11.5	8.6-14.4	7	0.8	0.2- 1.4	137	24.7	20.6-28.8	46	7.6	5.2-10.0	30	4.5	2.7- 6.3
65+	1116	331,108	523	45.5	42.0-49.0	143	12.7	10.3-15.1	12	1.1	0.5- 1.7	279	25.2	22.3-28.1	105	9.9	7.7-12.1	54	5.6	3.8- 7.4
Less Than H.S.	136	131,956	67	47.1	36.1-58.1	11	5.9	1.4-10.4				31	22.0	13.0-31.0	20	16.9	8.3-25.5	7	8.1	0.3-15.9
H.S. or G.E.D.	740	427,718	354	43.9	39.2-48.6	70	10.1	7.0-13.2	2	0.2	0.0- 0.6	198	29.8	25.3-34.3	73	10.6	7.5-13.7	43	5.4	3.4- 7.4
Some Post-H.S.	777	541,074	352	43.5	39.2-47.8	99	12.4	9.7-15.1	8	0.6	0.0- 1.2	219	32.3	28.2-36.4	60	6.6	4.6- 8.6	39	4.6	2.8- 6.4
College Graduate	1200	505,832	531	44.1	40.8-47.4	191	16.6	14.1-19.1	19	1.4	0.6- 2.2	346	28.9	25.8-32.0	82	6.7	4.9- 8.5	31	2.4	1.4- 3.4
Less than \$15,000	166	113,492	84	43.3	33.5-53.1	10	5.8	1.5-10.1				52	38.1	28.1-48.1	15	10.2	3.3-17.1	5	2.6	0.0- 5.3
\$15,000- 24,999	318	179,448	147	43.1	35.8-50.4	38	11.0	6.7-15.3	1	0.1	0.0- 0.3	92	30.4	23.7-37.1	26	10.3	5.2-15.4	14	5.1	1.8- 8.4
\$25,000- 34,999	270	148,981	124	44.3	36.1-52.5	27	8.3	4.4-12.2	1	0.1	0.0- 0.3	65	28.0	20.2-35.8	34	12.2	6.7-17.7	19	7.0	3.1-10.9
\$35,000- 49,999	330	178,298	157	47.8	40.7-54.9	45	12.3	8.0-16.6	1	0.2	0.0- 0.6	84	29.5	23.0-36.0	34	7.9	5.0-10.8	9	2.3	0.5- 4.1
\$50,000- 74,999	410	232,216	194	46.2	40.1-52.3	50	10.1	6.8-13.4	5	0.9	0.1- 1.7	117	30.9	25.0-36.8	24	6.9	3.8-10.0	20	5.0	2.5- 7.5
\$75,000+	733	445,548	303	42.8	38.5-47.1	130	18.2	14.9-21.5	13	1.4	0.6- 2.2	217	28.7	24.8-32.6	48	6.6	4.1- 9.1	22	2.5	1.3- 3.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2525	1,531,927	673	28.3	25.9-30.7	865	31.7	29.3-34.1	147	6.7	5.3- 8.1	96	4.2	3.2- 5.2	16	0.5	0.3- 0.7	728	28.7	26.3-31.1
Male	1193	770,847	322	28.9	25.6-32.2	397	30.7	27.4-34.0	111	10.2	8.0-12.4	40	3.0	2.0- 4.0	13	0.7	0.3- 1.1	310	26.5	23.4-29.6
Female	1332	761,081	351	27.7	24.6-30.8	468	32.7	29.4-36.0	36	3.1	1.9- 4.3	56	5.4	3.6- 7.2	3	0.2	0.0- 0.6	418	30.9	27.6-34.2
White/Non-Hisp	2142	1,232,052	565	28.2	25.7-30.7	739	32.2	29.7-34.7	116	6.0	4.6- 7.4	84	4.5	3.3- 5.7	15	0.6	0.2- 1.0	623	28.4	26.0-30.8
Black or Afr. Am./Non-Hisp	143	126,905	37	22.0	13.8-30.2	45	25.8	17.4-34.2	14	12.2	5.1-19.3	5	3.8	0.5- 7.1				42	36.2	25.6-46.8
Oth. Race/Non-Hisp.	64	47,786	16	30.9	15.6-46.2	22	35.9	19.8-52.0	5	8.0	0.6-15.4	3	1.9	0.0- 4.3	1	0.4	0.0- 1.2	17	22.9	9.8-36.0
Hispanic	96	83,379	31	35.5	24.3-46.7	24	21.9	12.9-30.9	5	5.5	0.6-10.4	3	2.7	0.0- 5.8				33	34.5	22.9-46.1
18-24	207	300,509	77	34.5	27.4-41.6	45	25.9	18.8-33.0	16	7.5	3.6-11.4	9	4.4	1.5- 7.3				60	27.6	20.9-34.3
25-34	260	263,911	74	28.5	22.4-34.6	79	30.9	24.8-37.0	26	10.2	6.1-14.3	7	3.4	0.5- 6.3				74	27.0	20.9-33.1
35-44	297	241,583	92	31.3	25.4-37.2	91	30.0	24.1-35.9	14	6.2	2.9- 9.5	15	5.1	2.4- 7.8	1	0.2	0.0- 0.6	84	27.2	21.3-33.1
45-54	441	260,775	113	26.3	21.6-31.0	144	30.8	26.1-35.5	21	5.7	3.2- 8.2	30	6.5	4.0- 9.0	3	0.9	0.0- 2.1	130	29.8	24.9-34.7
55-64	489	205,946	108	23.0	18.7-27.3	184	36.2	31.3-41.1	24	4.8	2.8- 6.8	14	3.1	1.3- 4.9	2	0.3	0.0- 0.7	157	32.6	27.9-37.3
65+	831	259,203	209	24.4	21.1-27.7	322	38.0	34.1-41.9	46	4.9	3.3- 6.5	21	2.5	1.3- 3.7	10	1.5	0.5- 2.5	223	28.6	24.9-32.3
Less Than H.S.	81	101,110	21	30.6	18.3-42.9	33	33.0	20.3-45.7	3	4.3	0.0- 9.8	6	8.2	0.9-15.5				18	23.8	12.4-35.2
H.S. or G.E.D.	567	388,200	131	25.0	20.5-29.5	216	33.5	28.6-38.4	28	6.2	3.5- 8.9	22	4.8	2.6- 7.0	4	0.8	0.0- 1.6	166	29.6	24.9-34.3
Some Post-H.S.	628	502,417	166	29.4	25.1-33.7	217	31.9	27.6-36.2	36	6.8	4.3- 9.3	21	3.4	1.6- 5.2	4	0.3	0.0- 0.7	184	28.2	23.9-32.5
College Graduate	1242	533,997	351	28.6	25.7-31.5	397	30.1	27.2-33.0	80	7.4	5.6- 9.2	47	3.8	2.6- 5.0	8	0.5	0.1- 0.9	359	29.6	26.5-32.7
Less than \$15,000	102	71,963	26	32.6	20.4-44.8	38	33.5	22.1-44.9	5	8.0	1.1-14.9	3	3.3	0.0- 7.2	1	0.2	0.0- 0.6	29	22.4	12.4-32.4
\$15,000- 24,999	201	135,785	55	30.2	22.0-38.4	68	28.5	20.9-36.1	11	8.1	3.2-13.0	10	6.0	1.5-10.5				57	27.2	19.6-34.8
\$25,000- 34,999	193	123,542	43	26.5	17.9-35.1	74	27.5	20.2-34.8	17	10.8	4.9-16.7	8	4.0	0.7- 7.3	2	1.4	0.0- 3.6	49	29.9	21.1-38.7
\$35,000- 49,999	279	162,794	83	33.7	26.3-41.1	90	26.3	19.8-32.8	17	4.7	2.0- 7.4	8	2.7	0.5- 4.9	2	0.6	0.0- 1.6	79	31.9	24.5-39.3
\$50,000- 74,999	404	238,103	102	26.4	20.7-32.1	136	31.9	26.0-37.8	20	7.0	3.3-10.7	18	5.0	2.3- 7.7	2	0.3	0.0- 0.7	126	29.3	23.4-35.2
\$75,000+	899	551,641	237	26.7	23.2-30.2	307	34.6	30.7-38.5	60	7.2	5.0- 9.4	34	3.9	2.3- 5.5	5	0.4	0.0- 0.8	256	27.3	23.8-30.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 14: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1193	770,847	322	28.9	25.6-32.2	397	30.7	27.4-34.0	111	10.2	8.0-12.4	40	3.0	2.0- 4.0	13	0.7	0.3- 1.1	310	26.5	23.4-29.6
White/Non-Hisp	1007	611,754	262	28.0	24.5-31.5	344	31.9	28.4-35.4	87	9.3	6.9-11.7	33	3.1	1.9- 4.3	12	0.9	0.3- 1.5	269	26.9	23.6-30.2
Black or Afr. Am./Non-Hisp	67	67,775	17	20.9	9.7-32.1	18	24.4	12.4-36.4	11	16.4	5.6-27.2	3	4.2	0.0- 9.1				18	34.2	19.7-48.7
Hispanic	54	50,328	21	41.1	26.0-56.2	11	20.2	7.9-32.5	4	8.0	0.0-16.0	2	2.5	0.0- 6.0				16	28.3	13.8-42.8
18-24	120	158,926	52	40.6	31.0-50.2	25	25.6	16.4-34.8	11	9.3	3.4-15.2	3	2.1	0.0- 4.5				29	22.5	14.3-30.7
25-34	129	131,699	36	25.0	17.0-33.0	36	28.6	20.0-37.2	21	17.4	10.0-24.8	2	1.7	0.0- 4.2				34	27.3	18.7-35.9
35-44	137	121,438	41	29.0	20.6-37.4	42	29.0	20.6-37.4	9	9.2	3.3-15.1	6	3.5	0.6- 6.4	1	0.4	0.0- 1.2	38	28.9	19.9-37.9
45-54	209	132,151	57	29.4	22.1-36.7	67	28.5	22.0-35.0	17	8.8	4.5-13.1	15	5.8	2.7- 8.9	2	0.7	0.0- 1.7	51	26.8	19.7-33.9
55-64	234	100,804	57	24.1	17.8-30.4	83	35.9	28.8-43.0	19	8.1	4.4-11.8	9	4.0	1.3- 6.7	1	0.2	0.0- 0.6	65	27.7	21.2-34.2
65+	364	125,829	79	21.6	16.7-26.5	144	38.9	33.0-44.8	34	8.0	5.1-10.9	5	1.6	0.0- 3.2	9	3.0	0.8- 5.2	93	26.9	21.4-32.4
H.S. or G.E.D.	282	215,404	72	28.7	22.4-35.0	96	30.2	23.9-36.5	25	9.9	5.4-14.4	13	4.5	2.0- 7.0	3	0.8	0.0- 1.8	73	25.8	19.7-31.9
Some Post-H.S.	296	246,279	76	28.3	22.2-34.4	99	31.1	25.0-37.2	23	8.5	4.4-12.6	4	0.8	0.0- 1.6	3	0.6	0.0- 1.2	91	30.7	24.4-37.0
College Graduate	573	248,556	165	29.8	25.3-34.3	185	29.3	25.0-33.6	60	12.9	9.4-16.4	22	4.2	2.2- 6.2	7	0.9	0.1- 1.7	134	22.9	19.0-26.8
\$15,000- 24,999	88	65,761	26	31.4	19.8-43.0	32	30.4	18.8-42.0	9	12.7	4.3-21.1	1	0.6	0.0- 1.8				20	24.9	14.1-35.7
\$25,000- 34,999	85	56,101	20	27.5	15.7-39.3	32	30.0	18.6-41.4	10	15.4	4.4-26.4	2	1.6	0.0- 4.0	1	0.7	0.0- 2.1	20	24.7	13.7-35.7
\$35,000- 49,999	138	89,638	47	35.9	25.5-46.3	41	23.1	15.1-31.1	12	6.5	2.0-11.0	4	3.1	0.0- 6.6	2	1.2	0.0- 2.8	32	30.2	19.6-40.8
\$50,000- 74,999	184	118,563	42	25.4	17.2-33.6	60	30.0	21.6-38.4	16	10.6	4.5-16.7	9	4.6	1.5- 7.7	2	0.7	0.0- 1.7	55	28.7	20.1-37.3
\$75,000+	484	304,646	126	25.9	21.2-30.6	171	34.9	29.6-40.2	47	10.7	7.0-14.4	18	3.5	1.9- 5.1	4	0.5	0.0- 1.1	118	24.4	19.7-29.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 15: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT21)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Aerobics or Running			Walking			Requires a ball and-or Racquet			Water Activities			Activities on Snow or Ice			Other Activities		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1332	761,081	351	27.7	24.6-30.8	468	32.7	29.4-36.0	36	3.1	1.9- 4.3	56	5.4	3.6- 7.2	3	0.2	0.0- 0.6	418	30.9	27.6-34.2
White/Non-Hisp	1135	620,299	303	28.4	24.9-31.9	395	32.6	29.1-36.1	29	2.8	1.6- 4.0	51	6.0	4.0- 8.0	3	0.3	0.0- 0.7	354	29.9	26.6-33.2
Black or Afr. Am./Non-Hisp	76	59,131	20	23.3	10.8-35.8	27	27.4	15.2-39.6	3	7.3	0.0-16.1	2	3.4	0.0- 8.1				24	38.5	23.4-53.6
18-24	87	141,583	25	27.7	17.5-37.9	20	26.3	15.3-37.3	5	5.5	0.4-10.6	6	7.0	1.5-12.5				31	33.4	22.6-44.2
25-34	131	132,212	38	32.0	22.8-41.2	43	33.2	24.4-42.0	5	3.0	0.3- 5.7	5	5.1	0.0-10.4				40	26.8	18.6-35.0
35-44	160	120,145	51	33.6	25.4-41.8	49	31.1	22.9-39.3	5	3.2	0.5- 5.9	9	6.7	2.0-11.4				46	25.5	18.2-32.8
45-54	232	128,624	56	23.1	17.2-29.0	77	33.2	26.5-39.9	4	2.6	0.1- 5.1	15	7.3	3.4-11.2	1	1.0	0.0- 3.0	79	32.8	26.1-39.5
55-64	255	105,143	51	21.9	16.0-27.8	101	36.4	29.7-43.1	5	1.7	0.1- 3.3	5	2.3	0.1- 4.5	1	0.4	0.0- 1.2	92	37.3	30.4-44.2
65+	467	133,375	130	27.0	22.3-31.7	178	37.2	32.1-42.3	12	2.0	0.6- 3.4	16	3.4	1.6- 5.2	1	0.1	0.0- 0.3	130	30.3	25.2-35.4
H.S. or G.E.D.	285	172,796	59	20.4	14.1-26.7	120	37.7	30.1-45.3	3	1.7	0.0- 3.7	9	5.2	1.3- 9.1	1	0.8	0.0- 2.4	93	34.3	26.9-41.7
Some Post-H.S.	332	256,138	90	30.5	24.2-36.8	118	32.6	26.5-38.7	13	5.1	2.0- 8.2	17	5.9	2.8- 9.0	1	0.0	0.0- 0.0	93	25.8	20.1-31.5
College Graduate	669	285,441	186	27.5	23.4-31.6	212	30.7	26.6-34.8	20	2.6	1.2- 4.0	25	3.5	1.9- 5.1	1	0.1	0.0- 0.3	225	35.5	31.0-40.0
Less than \$15,000	58	42,647	16	34.2	17.7-50.7	24	35.2	19.5-50.9	1	4.1	0.0-11.9	1	2.6	0.0- 7.5	1	0.3	0.0- 0.9	15	23.7	9.2-38.2
\$15,000- 24,999	113	70,024	29	29.1	17.5-40.7	36	26.7	16.5-36.9	2	3.7	0.0- 8.8	9	11.1	2.9-19.3				37	29.4	18.6-40.2
\$25,000- 34,999	108	67,440	23	25.7	13.5-37.9	42	25.3	16.1-34.5	7	6.9	1.4-12.4	6	5.9	0.2-11.6	1	2.0	0.0- 5.7	29	34.2	21.3-47.1
\$35,000- 49,999	141	73,156	36	30.9	19.7-42.1	49	30.4	20.0-40.8	5	2.5	0.0- 5.4	4	2.2	0.0- 4.6				47	34.1	23.7-44.5
\$50,000- 74,999	220	119,540	60	27.5	19.9-35.1	76	33.7	25.5-41.9	4	3.4	0.0- 7.7	9	5.4	1.1- 9.7				71	30.0	22.4-37.6
\$75,000+	415	246,995	111	27.6	22.5-32.7	136	34.2	28.7-39.7	13	2.8	1.0- 4.6	16	4.4	1.9- 6.9	1	0.2	0.0- 0.6	138	30.7	25.4-36.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 16: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)**

Denominator excludes: Respondents reporting no moderate physical activity  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3583	2,115,672	1605	44.2	42.0-46.4	532	15.0	13.4-16.6	837	23.4	21.6-25.2	151	4.1	3.3- 4.9	458	13.3	11.9-14.7
Male	1671	1,055,035	722	40.9	38.0-43.8	212	13.6	11.4-15.8	415	25.0	22.5-27.5	86	4.9	3.5- 6.3	236	15.6	13.2-18.0
Female	1912	1,060,637	883	47.5	44.6-50.4	320	16.5	14.3-18.7	422	21.8	19.4-24.2	65	3.2	2.2- 4.2	222	11.1	9.3-12.9
White/Non-Hisp	3061	1,717,332	1381	44.7	42.5-46.9	444	14.5	12.9-16.1	715	23.2	21.2-25.2	125	3.9	2.9- 4.9	396	13.7	12.1-15.3
Black or Afr. Am./Non-Hisp	200	167,759	96	47.6	38.8-56.4	29	16.9	10.2-23.6	46	25.0	17.6-32.4	12	3.8	1.1- 6.5	17	6.7	2.8-10.6
Oth. Race/Non-Hisp.	91	70,140	31	32.9	20.4-45.4	21	23.5	12.5-34.5	17	14.9	5.9-23.9	4	1.6	0.0- 3.4	18	27.2	14.5-39.9
MultiRacial/Non-Hisp.	53	21,656	17	34.7	17.1-52.3	9	7.9	1.4-14.4	16	41.7	24.3-59.1	2	3.3	0.0- 8.8	9	12.4	2.8-22.0
Hispanic	117	103,545	52	41.3	30.9-51.7	19	14.0	6.6-21.4	30	26.0	16.8-35.2	8	10.0	2.9-17.1	8	8.7	1.4-16.0
18-24	237	347,049	112	46.2	39.1-53.3	34	16.3	10.6-22.0	52	21.9	16.2-27.6	13	5.0	2.1- 7.9	26	10.7	6.4-15.0
25-34	344	353,980	165	46.5	40.6-52.4	49	13.9	10.0-17.8	81	23.2	18.3-28.1	5	1.5	0.1- 2.9	44	14.9	10.4-19.4
35-44	406	344,065	160	37.2	31.9-42.5	53	14.7	10.6-18.8	115	26.6	21.9-31.3	27	6.9	3.8-10.0	51	14.5	10.4-18.6
45-54	572	345,586	258	45.0	40.5-49.5	73	13.1	10.0-16.2	157	27.0	22.9-31.1	16	2.8	1.2- 4.4	68	12.1	9.2-15.0
55-64	691	302,757	322	48.0	43.7-52.3	101	14.3	11.4-17.2	156	22.4	18.9-25.9	28	3.9	2.3- 5.5	84	11.4	8.7-14.1
65+	1333	422,235	588	42.9	39.8-46.0	222	17.3	14.9-19.7	276	19.8	17.3-22.3	62	4.2	3.0- 5.4	185	15.7	13.2-18.2
Less Than H.S.	130	146,115	46	30.2	20.6-39.8	26	18.7	10.1-27.3	25	20.0	11.6-28.4	9	10.4	3.3-17.5	24	20.6	12.0-29.2
H.S. or G.E.D.	908	594,781	356	39.7	35.6-43.8	168	18.2	15.1-21.3	210	23.1	19.8-26.4	30	3.0	1.6- 4.4	144	16.0	13.1-18.9
Some Post-H.S.	928	697,810	415	46.9	43.0-50.8	138	14.3	11.6-17.0	192	20.8	17.7-23.9	42	4.1	2.7- 5.5	141	14.0	11.3-16.7
College Graduate	1605	667,465	785	48.8	45.9-51.7	197	12.3	10.3-14.3	404	26.2	23.7-28.7	70	3.7	2.7- 4.7	149	8.9	7.1-10.7
Less than \$15,000	159	105,478	56	35.6	26.4-44.8	34	17.7	10.4-25.0	34	22.6	14.2-31.0	9	6.6	1.3-11.9	26	17.5	9.7-25.3
\$15,000- 24,999	324	207,357	127	36.0	29.5-42.5	47	16.1	10.8-21.4	79	24.6	18.3-30.9	18	6.5	2.4-10.6	53	16.8	11.7-21.9
\$25,000- 34,999	280	163,843	121	41.7	34.1-49.3	40	16.3	10.4-22.2	64	23.9	17.6-30.2	14	5.3	2.2- 8.4	41	12.7	8.2-17.2
\$35,000- 49,999	425	242,255	183	43.2	36.9-49.5	55	13.2	9.1-17.3	103	26.3	20.6-32.0	19	2.8	1.2- 4.4	65	14.5	10.2-18.8
\$50,000- 74,999	555	327,357	250	41.9	36.8-47.0	88	17.3	13.2-21.4	121	22.2	17.7-26.7	22	3.2	1.2- 5.2	74	15.4	11.1-19.7
\$75,000+	1176	715,929	571	47.5	44.0-51.0	151	13.7	11.2-16.2	292	24.0	21.1-26.9	45	3.7	2.3- 5.1	117	11.1	8.7-13.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 17: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)**

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1671	1,055,035	722	40.9	38.0-43.8	212	13.6	11.4-15.8	415	25.0	22.5-27.5	86	4.9	3.5- 6.3	236	15.6	13.2-18.0
White/Non-Hisp	1415	839,402	616	41.7	38.6-44.8	176	13.2	10.8-15.6	352	24.6	21.9-27.3	68	4.4	3.0- 5.8	203	16.2	13.7-18.7
Black or Afr. Am./Non-Hisp	92	89,625	39	39.6	27.4-51.8	9	15.0	5.6-24.4	27	30.5	19.3-41.7	8	6.1	1.2-11.0	9	8.7	2.2-15.2
Oth. Race/Non-Hisp.	50	38,903	16	25.7	13.2-38.2	10	22.6	8.7-36.5	11	21.0	6.9-35.1	4	2.8	0.0- 5.9	9	27.9	11.2-44.6
Hispanic	62	61,645	28	43.6	29.3-57.9	11	13.0	3.8-22.2	13	19.6	8.8-30.4	6	14.2	3.2-25.2	4	9.6	0.0-20.4
18-24	137	186,130	57	37.6	28.8-46.4	19	15.9	8.6-23.2	29	22.0	14.4-29.6	9	6.6	2.1-11.1	23	17.9	10.5-25.3
25-34	168	175,687	76	43.8	35.6-52.0	22	11.6	6.5-16.7	43	26.3	18.9-33.7	3	2.2	0.0- 4.7	24	16.1	9.6-22.6
35-44	193	175,426	74	35.1	27.7-42.5	24	14.5	8.8-20.2	57	27.2	20.5-33.9	11	6.5	2.4-10.6	27	16.7	10.2-23.2
45-54	279	178,708	117	41.8	35.3-48.3	37	13.0	8.7-17.3	80	28.5	22.4-34.6	13	4.2	1.5- 6.9	32	12.4	8.1-16.7
55-64	333	147,363	146	45.3	39.2-51.4	45	14.2	10.1-18.3	84	24.8	19.7-29.9	11	3.1	0.7- 5.5	47	12.6	8.7-16.5
65+	561	191,721	252	42.2	37.5-46.9	65	12.6	9.3-15.9	122	21.5	17.6-25.4	39	6.4	4.0- 8.8	83	17.2	13.3-21.1
Less Than H.S.	54	76,324	17	22.9	11.1-34.7	10	22.7	8.6-36.8	8	13.9	3.3-24.5	7	15.5	4.5-26.5	12	24.9	11.2-38.6
H.S. or G.E.D.	437	323,741	159	36.7	31.2-42.2	70	15.0	11.3-18.7	113	27.0	21.9-32.1	14	3.1	0.9- 5.3	81	18.2	13.9-22.5
Some Post-H.S.	430	338,050	188	44.4	38.7-50.1	53	13.4	9.5-17.3	94	21.6	16.9-26.3	25	4.7	2.5- 6.9	70	15.8	11.5-20.1
College Graduate	742	310,514	356	46.2	41.9-50.5	77	10.3	7.8-12.8	196	28.2	24.3-32.1	40	4.5	2.7- 6.3	73	10.7	8.0-13.4
Less than \$15,000	62	39,070	20	24.8	12.5-37.1	11	14.8	5.2-24.4	16	29.9	16.2-43.6	5	13.7	0.8-26.6	10	16.7	4.5-28.9
\$15,000- 24,999	144	102,848	49	32.4	23.2-41.6	22	15.3	7.9-22.7	39	26.5	17.9-35.1	8	7.1	1.6-12.6	26	18.8	11.2-26.4
\$25,000- 34,999	107	66,820	48	41.9	30.7-53.1	11	15.6	5.6-25.6	23	20.7	11.7-29.7	6	6.2	0.7-11.7	19	15.5	7.3-23.7
\$35,000- 49,999	202	127,101	88	40.6	32.0-49.2	20	11.2	5.9-16.5	51	29.7	21.3-38.1	14	3.7	1.2- 6.2	29	14.9	8.2-21.6
\$50,000- 74,999	261	165,672	106	35.7	28.6-42.8	40	16.6	10.9-22.3	55	22.0	15.5-28.5	14	3.3	1.1- 5.5	46	22.3	15.2-29.4
\$75,000+	648	404,448	303	44.8	40.1-49.5	82	14.3	10.6-18.0	164	24.1	20.2-28.0	27	4.1	2.1- 6.1	72	12.7	9.4-16.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 18: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)**

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1912	1,060,637	883	47.5	44.6-50.4	320	16.5	14.3-18.7	422	21.8	19.4-24.2	65	3.2	2.2- 4.2	222	11.1	9.3-12.9
White/Non-Hisp	1646	877,930	765	47.6	44.5-50.7	268	15.7	13.5-17.9	363	21.8	19.3-24.3	57	3.5	2.3- 4.7	193	11.4	9.4-13.4
Black or Afr. Am./Non-Hisp	108	78,135	57	56.8	44.6-69.0	20	19.1	9.9-28.3	19	18.6	8.8-28.4	4	1.2	0.0- 2.6	8	4.3	0.6- 8.0
Hispanic	55	41,900	24	37.9	23.2-52.6	8	15.5	2.8-28.2	17	35.4	20.1-50.7	2	3.7	0.0- 9.0	4	7.5	0.1-14.9
18-24	100	160,919	55	56.0	45.2-66.8	15	16.8	8.2-25.4	23	21.8	13.2-30.4	4	3.1	0.0- 6.6	3	2.3	0.0- 4.8
25-34	176	178,293	89	49.2	41.0-57.4	27	16.2	10.1-22.3	38	20.1	13.6-26.6	2	0.7	0.0- 1.7	20	13.7	7.6-19.8
35-44	213	168,639	86	39.4	32.1-46.7	29	15.0	9.1-20.9	58	25.9	19.4-32.4	16	7.4	2.9-11.9	24	12.2	7.1-17.3
45-54	293	166,878	141	48.4	42.1-54.7	36	13.2	8.7-17.7	77	25.4	19.9-30.9	3	1.3	0.0- 3.1	36	11.7	7.8-15.6
55-64	358	155,394	176	50.5	44.6-56.4	56	14.4	10.5-18.3	72	20.1	15.2-25.0	17	4.7	2.3- 7.1	37	10.3	6.8-13.8
65+	772	230,514	336	43.4	39.3-47.5	157	21.3	18.0-24.6	154	18.4	15.3-21.5	23	2.4	1.2- 3.6	102	14.4	11.3-17.5
Less Than H.S.	76	69,791	29	38.2	23.7-52.7	16	14.4	5.6-23.2	17	26.7	13.6-39.8	2	4.8	0.0-13.2	12	15.9	5.9-25.9
H.S. or G.E.D.	471	271,040	197	43.4	37.3-49.5	98	22.1	16.8-27.4	97	18.5	14.2-22.8	16	2.8	1.2- 4.4	63	13.3	9.6-17.0
Some Post-H.S.	498	359,760	227	49.3	43.8-54.8	85	15.1	11.2-19.0	98	20.0	15.7-24.3	17	3.4	1.4- 5.4	71	12.2	8.9-15.5
College Graduate	863	356,952	429	51.0	46.9-55.1	120	14.1	11.4-16.8	208	24.5	21.0-28.0	30	3.0	1.8- 4.2	76	7.4	5.4- 9.4
Less than \$15,000	97	66,408	36	41.9	29.4-54.4	23	19.4	9.4-29.4	18	18.3	7.5-29.1	4	2.4	0.0- 5.3	16	18.0	7.6-28.4
\$15,000- 24,999	180	104,509	78	39.6	30.2-49.0	25	16.9	9.5-24.3	40	22.7	13.9-31.5	10	5.9	0.0-12.0	27	15.0	8.1-21.9
\$25,000- 34,999	173	97,023	73	41.6	31.2-52.0	29	16.8	9.5-24.1	41	26.0	17.6-34.4	8	4.7	1.0- 8.4	22	10.8	5.7-15.9
\$35,000- 49,999	223	115,153	95	46.1	37.3-54.9	35	15.5	9.2-21.8	52	22.5	14.9-30.1	5	1.8	0.0- 3.6	36	14.2	9.1-19.3
\$50,000- 74,999	294	161,685	144	48.3	41.0-55.6	48	18.1	12.4-23.8	66	22.3	16.2-28.4	8	3.0	0.0- 6.1	28	8.3	4.4-12.2
\$75,000+	528	311,481	268	51.1	46.0-56.2	69	13.0	9.5-16.5	128	23.8	19.5-28.1	18	3.2	1.4- 5.0	45	9.0	6.1-11.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 19: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)  
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3521	2,086,355	1471	42.7	40.5-44.9	305	8.1	6.9- 9.3	16	0.3	0.1- 0.5	845	23.9	22.1-25.7	545	15.7	14.1-17.3	339	9.4	8.2-10.6
Male	1658	1,047,500	646	40.1	37.2-43.0	143	8.0	6.4- 9.6	4	0.1	0.1- 0.1	393	23.8	21.3-26.3	283	17.5	15.1-19.9	189	10.6	8.6-12.6
Female	1863	1,038,855	825	45.3	42.4-48.2	162	8.2	6.6- 9.8	12	0.5	0.1- 0.9	452	24.0	21.5-26.5	262	13.9	11.7-16.1	150	8.1	6.5- 9.7
White/Non-Hisp	3013	1,695,052	1249	42.7	40.3-45.1	272	8.5	7.3- 9.7	14	0.3	0.1- 0.5	718	23.4	21.4-25.4	464	15.5	13.9-17.1	296	9.5	8.1-10.9
Black or Afr. Am./Non-Hisp	195	165,988	97	45.0	36.4-53.6	12	6.6	2.3-10.9	1	0.6	0.0- 1.8	47	27.1	18.9-35.3	23	13.6	6.7-20.5	15	7.1	3.0-11.2
Oth. Race/Non-Hisp.	90	69,794	31	36.3	23.4-49.2	6	9.2	1.2-17.2				21	21.4	10.4-32.4	21	21.2	10.0-32.4	11	11.9	3.5-20.3
MultiRacial/Non-Hisp.	51	19,707	20	40.5	23.3-57.7	4	4.3	0.0- 8.8				11	19.8	5.9-33.7	10	24.5	9.6-39.4	6	11.0	0.0-22.4
Hispanic	114	101,871	52	44.3	33.5-55.1	9	4.2	0.9- 7.5	1	0.3	0.0- 0.9	27	27.6	17.6-37.6	17	13.3	6.8-19.8	8	10.3	2.3-18.3
18-24	238	348,559	107	46.0	38.9-53.1	21	7.7	4.2-11.2				57	24.6	18.5-30.7	39	15.9	10.6-21.2	14	5.8	2.7- 8.9
25-34	342	350,182	156	44.1	38.2-50.0	37	9.1	6.0-12.2				81	24.6	19.5-29.7	45	14.5	10.2-18.8	23	7.7	4.2-11.2
35-44	397	336,910	192	46.1	40.6-51.6	28	6.9	4.0- 9.8	1	0.3	0.0- 0.9	93	23.7	19.0-28.4	56	14.8	10.9-18.7	27	8.2	4.9-11.5
45-54	563	339,147	231	40.7	36.2-45.2	55	8.9	6.4-11.4	5	0.7	0.0- 1.5	139	23.9	20.0-27.8	81	15.9	12.4-19.4	52	9.8	7.1-12.5
55-64	689	302,296	288	41.1	37.0-45.2	61	9.4	6.9-11.9	4	0.5	0.0- 1.1	158	23.1	19.4-26.8	96	13.2	10.5-15.9	82	12.8	9.9-15.7
65+	1292	409,261	497	38.6	35.5-41.7	103	6.9	5.3- 8.5	6	0.4	0.0- 0.8	317	23.3	20.6-26.0	228	18.8	16.3-21.3	141	11.9	9.7-14.1
Less Than H.S.	118	137,663	50	45.1	33.9-56.3	6	3.1	0.0- 6.4				23	17.8	10.0-25.6	20	17.2	9.0-25.4	19	16.9	8.1-25.7
H.S. or G.E.D.	887	584,512	314	35.9	32.0-39.8	66	6.7	4.9- 8.5	1	0.1	0.0- 0.3	190	21.9	18.4-25.4	198	22.8	19.3-26.3	118	12.7	10.2-15.2
Some Post-H.S.	906	687,193	374	42.4	38.5-46.3	69	7.9	5.7-10.1	2	0.2	0.0- 0.6	231	27.0	23.3-30.7	140	14.1	11.4-16.8	90	8.3	6.1-10.5
College Graduate	1598	667,486	728	48.2	45.3-51.1	163	10.6	8.6-12.6	13	0.7	0.3- 1.1	398	23.6	21.2-26.0	186	10.9	9.1-12.7	110	6.0	4.6- 7.4
Less than \$15,000	153	102,850	75	47.5	37.5-57.5	6	5.8	0.1-11.5				33	25.5	16.1-34.9	27	15.3	8.8-21.8	12	5.8	2.1- 9.5
\$15,000- 24,999	312	203,752	130	41.3	34.2-48.4	21	5.9	3.0- 8.8	1	0.2	0.0- 0.6	70	23.8	17.7-29.9	59	19.5	13.8-25.2	31	9.4	5.5-13.3
\$25,000- 34,999	275	161,674	108	42.8	35.2-50.4	19	6.2	3.1- 9.3	1	0.2	0.0- 0.6	62	20.7	14.4-27.0	55	21.4	14.9-27.9	30	8.7	5.2-12.2
\$35,000- 49,999	413	235,733	157	40.2	33.9-46.5	35	7.7	4.8-10.6	1	0.0	0.0- 0.0	102	24.3	18.4-30.2	65	13.8	9.9-17.7	53	13.9	9.4-18.4
\$50,000- 74,999	549	319,081	233	40.7	35.4-46.0	50	8.0	5.3-10.7	1	0.1	0.0- 0.3	138	24.6	20.1-29.1	75	14.6	10.9-18.3	52	12.1	8.0-16.2
\$75,000+	1182	717,989	521	45.9	42.4-49.4	111	8.5	6.7-10.3	8	0.5	0.1- 0.9	278	23.1	20.2-26.0	162	14.3	11.8-16.8	102	7.7	5.9- 9.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 20: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)  
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1658	1,047,500	646	40.1	37.2-43.0	143	8.0	6.4- 9.6	4	0.1	0.1- 0.1	393	23.8	21.3-26.3	283	17.5	15.1-19.9	189	10.6	8.6-12.6
White/Non-Hisp	1408	833,105	546	40.2	37.1-43.3	129	8.6	6.8-10.4	4	0.1	0.0- 0.3	332	23.2	20.5-25.9	236	17.4	14.9-19.9	161	10.6	8.6-12.6
Black or Afr. Am./Non-Hisp	89	89,309	40	43.4	31.2-55.6	5	7.3	0.6-14.0				23	25.1	13.9-36.3	12	15.5	5.9-25.1	9	8.7	2.4-15.0
Oth. Race/Non-Hisp.	50	39,237	19	36.8	20.7-52.9	3	8.9	0.0-18.9				8	17.5	4.4-30.6	13	25.9	11.2-40.6	7	10.9	1.3-20.5
Hispanic	62	61,998	25	35.6	22.3-48.9	4	3.2	0.0- 6.9				16	31.7	17.8-45.6	12	16.2	7.0-25.4	5	13.3	1.1-25.5
18-24	137	186,130	57	42.7	33.3-52.1	12	6.8	2.9-10.7				33	25.9	17.5-34.3	27	18.0	11.1-24.9	8	6.7	1.6-11.8
25-34	168	174,066	71	38.9	30.9-46.9	17	8.8	4.5-13.1				41	26.3	18.9-33.7	28	18.3	11.4-25.2	11	7.7	2.8-12.6
35-44	193	175,380	89	43.0	35.4-50.6	16	8.3	4.0-12.6				39	20.3	14.0-26.6	29	16.6	10.5-22.7	20	11.8	6.1-17.5
45-54	276	176,691	108	39.4	32.9-45.9	26	8.9	5.2-12.6				68	24.0	18.3-29.7	45	17.0	11.7-22.3	29	10.7	6.6-14.8
55-64	336	148,733	123	37.4	31.5-43.3	32	10.0	6.3-13.7	1	0.1	0.0- 0.3	75	22.7	17.6-27.8	54	15.2	11.1-19.3	51	14.6	10.5-18.7
65+	548	186,500	198	38.6	33.7-43.5	40	5.8	3.6- 8.0	3	0.3	0.0- 0.7	137	23.2	19.3-27.1	100	19.1	15.2-23.0	70	12.9	9.6-16.2
Less Than H.S.	54	75,139	25	46.5	30.8-62.2	2	1.5	0.0- 3.7				9	16.2	5.6-26.8	12	20.1	7.9-32.3	6	15.7	3.0-28.4
H.S. or G.E.D.	428	318,649	135	34.0	28.5-39.5	30	7.5	4.6-10.4				97	21.9	17.2-26.6	107	23.3	18.6-28.0	59	13.2	9.7-16.7
Some Post-H.S.	423	334,335	163	38.2	32.7-43.7	29	7.6	4.7-10.5				108	28.0	22.7-33.3	71	16.9	12.8-21.0	52	9.3	6.2-12.4
College Graduate	745	312,970	320	46.4	42.1-50.7	81	10.7	8.0-13.4	4	0.2	0.0- 0.4	177	22.9	19.4-26.4	92	11.8	9.1-14.5	71	8.1	5.9-10.3
Less than \$15,000	62	39,640	31	55.8	41.1-70.5	2	3.9	0.0-10.6				9	10.1	1.5-18.7	13	21.8	9.6-34.0	7	8.4	1.7-15.1
\$15,000- 24,999	138	101,122	61	45.8	35.8-55.8	9	5.6	1.5- 9.7				25	21.3	12.5-30.1	32	21.6	13.4-29.8	11	5.7	2.0- 9.4
\$25,000- 34,999	106	66,723	39	36.5	25.5-47.5	8	6.8	1.3-12.3				25	23.7	13.9-33.5	24	26.9	15.7-38.1	10	6.0	1.5-10.5
\$35,000- 49,999	197	125,162	68	35.4	27.2-43.6	17	8.2	3.7-12.7	1	0.1	0.0- 0.3	44	24.1	15.9-32.3	34	15.1	9.2-21.0	33	17.2	9.9-24.5
\$50,000- 74,999	257	160,406	97	33.9	26.6-41.2	22	8.4	4.5-12.3				63	23.9	17.4-30.4	40	15.6	10.1-21.1	35	18.3	11.2-25.4
\$75,000+	655	407,398	269	43.7	39.0-48.4	59	7.5	5.1- 9.9	2	0.1	0.0- 0.3	163	24.0	20.1-27.9	98	16.3	12.6-20.0	64	8.5	6.1-10.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 21: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)  
Denominator excludes: Respondents reporting no moderate physical activity**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		30 mins or less			31 to 45 mins			46 to 59 mins			1hr to 1hr 59 mins			2hrs to 3hrs			More than 3hrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1863	1,038,855	825	45.3	42.4-48.2	162	8.2	6.6- 9.8	12	0.5	0.1- 0.9	452	24.0	21.5-26.5	262	13.9	11.7-16.1	150	8.1	6.5- 9.7
White/Non-Hisp	1605	861,947	703	45.2	42.1-48.3	143	8.4	6.6-10.2	10	0.5	0.1- 0.9	386	23.6	20.9-26.3	228	13.7	11.7-15.7	135	8.5	6.7-10.3
Black or Afr. Am./Non-Hisp	106	76,679	57	46.8	34.5-59.1	7	5.8	0.5-11.1	1	1.3	0.0- 3.8	24	29.5	17.3-41.7	11	11.5	1.7-21.3	6	5.1	0.2-10.0
Hispanic	52	39,872	27	57.9	42.6-73.2	5	5.8	0.0-11.9	1	0.8	0.0- 2.4	11	21.0	8.7-33.3	5	8.8	0.4-17.2	3	5.6	0.0-12.1
18-24	101	162,429	50	49.8	39.0-60.6	9	8.7	2.8-14.6				24	23.2	14.2-32.2	12	13.5	5.3-21.7	6	4.8	1.1- 8.5
25-34	174	176,116	85	49.3	41.1-57.5	20	9.4	5.1-13.7				40	22.9	15.8-30.0	17	10.7	5.6-15.8	12	7.7	2.8-12.6
35-44	204	161,530	103	49.5	41.9-57.1	12	5.4	1.9- 8.9	1	0.6	0.0- 1.8	54	27.4	20.5-34.3	27	12.7	7.6-17.8	7	4.3	1.0- 7.6
45-54	287	162,456	123	42.1	35.8-48.4	29	8.9	5.4-12.4	5	1.5	0.0- 3.1	71	23.9	18.4-29.4	36	14.7	10.0-19.4	23	8.9	5.0-12.8
55-64	353	153,563	165	44.7	38.8-50.6	29	8.8	5.5-12.1	3	0.8	0.0- 1.8	83	23.4	18.3-28.5	42	11.3	7.8-14.8	31	11.0	7.1-14.9
65+	744	222,761	299	38.7	34.6-42.8	63	7.9	5.7-10.1	3	0.4	0.0- 1.0	180	23.4	19.9-26.9	128	18.6	15.1-22.1	71	11.0	8.1-13.9
Less Than H.S.	64	62,524	25	43.4	27.3-59.5	4	4.9	0.0-11.6				14	19.8	8.0-31.6	8	13.6	2.4-24.8	13	18.2	6.2-30.2
H.S. or G.E.D.	459	265,862	179	38.1	32.2-44.0	36	5.8	3.6- 8.0	1	0.1	0.0- 0.3	93	21.9	16.6-27.2	91	22.1	16.8-27.4	59	12.0	8.5-15.5
Some Post-H.S.	483	352,857	211	46.3	40.8-51.8	40	8.3	5.2-11.4	2	0.4	0.0- 1.0	123	26.2	21.3-31.1	69	11.5	8.2-14.8	38	7.3	4.6-10.0
College Graduate	853	354,516	408	49.8	45.7-53.9	82	10.5	7.8-13.2	9	1.1	0.3- 1.9	221	24.3	21.0-27.6	94	10.2	7.8-12.6	39	4.2	2.6- 5.8
Less than \$15,000	91	63,210	44	42.3	29.4-55.2	4	7.0	0.0-15.0				24	35.1	21.8-48.4	14	11.3	4.2-18.4	5	4.2	0.0- 8.5
\$15,000- 24,999	174	102,630	69	36.7	27.1-46.3	12	6.2	1.7-10.7	1	0.3	0.0- 0.9	45	26.2	17.6-34.8	27	17.5	9.5-25.5	20	13.1	6.2-20.0
\$25,000- 34,999	169	94,950	69	47.1	36.7-57.5	11	5.7	1.8- 9.6	1	0.4	0.0- 1.2	37	18.6	10.4-26.8	31	17.5	10.1-24.9	20	10.6	5.3-15.9
\$35,000- 49,999	216	110,571	89	45.6	36.6-54.6	18	7.2	3.5-10.9				58	24.7	16.5-32.9	31	12.3	7.4-17.2	20	10.2	5.5-14.9
\$50,000- 74,999	292	158,675	136	47.6	40.3-54.9	28	7.6	4.1-11.1	1	0.1	0.0- 0.3	75	25.3	19.0-31.6	35	13.6	8.5-18.7	17	5.8	2.5- 9.1
\$75,000+	527	310,591	252	48.8	43.7-53.9	52	9.7	6.8-12.6	6	1.1	0.1- 2.1	115	22.0	17.7-26.3	64	11.7	8.4-15.0	38	6.7	4.3- 9.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 22: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)**

Denominator excludes: Respondents reporting no moderate physical activity  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7908	4,603,486	1513	19.4	18.2-20.6	654	8.4	7.6- 9.2	784	10.4	9.6-11.2	183	2.4	2.0- 2.8	544	7.4	6.6- 8.2	4230	52.0	50.6-53.4
Male	3560	2,248,811	682	19.1	17.5-20.7	323	9.6	8.4-10.8	359	10.9	9.5-12.3	102	2.8	2.0- 3.6	294	8.9	7.7-10.1	1800	48.7	46.5-50.9
Female	4348	2,354,675	831	19.8	18.2-21.4	331	7.3	6.3- 8.3	425	10.0	8.8-11.2	81	2.1	1.5- 2.7	250	5.8	4.8- 6.8	2430	55.1	53.1-57.1
White/Non-Hisp	6586	3,666,245	1221	18.5	17.3-19.7	536	8.2	7.4- 9.0	630	9.8	8.8-10.8	152	2.4	2.0- 2.8	453	7.5	6.5- 8.5	3594	53.6	52.0-55.2
Black or Afr. Am./Non-Hisp	517	387,849	115	23.4	18.7-28.1	45	9.6	6.3-12.9	71	14.8	10.9-18.7	15	2.5	0.7- 4.3	34	6.7	3.8- 9.6	237	43.0	37.5-48.5
Oth. Race/Non-Hisp.	209	147,294	42	21.6	14.3-28.9	20	9.1	4.4-13.8	23	13.3	6.8-19.8	2	0.8	0.0- 2.2	19	7.8	2.9-12.7	103	47.4	38.2-56.6
MultiRacial/Non-Hisp.	114	42,487	18	17.2	8.4-26.0	10	9.5	2.6-16.4	17	13.7	5.7-21.7	1	0.3	0.0- 0.9	7	7.6	0.3-14.9	61	51.7	39.9-63.5
Hispanic	341	283,472	76	22.2	17.1-27.3	29	8.0	4.7-11.3	28	10.7	6.6-14.8	10	3.7	1.0- 6.4	19	5.8	2.5- 9.1	179	49.7	43.4-56.0
18-24	413	611,134	106	24.3	19.8-28.8	41	8.6	5.7-11.5	43	10.0	6.9-13.1	14	3.5	1.5- 5.5	39	10.3	7.0-13.6	170	43.3	38.0-48.6
25-34	715	766,785	169	21.4	18.1-24.7	71	10.8	8.3-13.3	83	11.2	8.7-13.7	15	2.0	1.0- 3.0	45	6.4	4.4- 8.4	332	48.2	44.1-52.3
35-44	861	722,250	156	17.5	14.8-20.2	70	8.5	6.3-10.7	113	12.8	10.3-15.3	26	2.7	1.5- 3.9	61	8.7	6.3-11.1	435	49.7	46.0-53.4
45-54	1193	736,981	227	18.7	16.2-21.2	85	7.4	5.6- 9.2	143	13.0	10.6-15.4	29	2.3	1.3- 3.3	76	6.4	4.8- 8.0	633	52.2	49.1-55.3
55-64	1660	786,344	298	17.8	15.6-20.0	118	7.1	5.7- 8.5	166	9.5	7.9-11.1	34	1.9	1.1- 2.7	101	5.9	4.5- 7.3	943	57.9	55.2-60.6
65+	3066	979,992	557	18.2	16.6-19.8	269	8.2	7.0- 9.4	236	7.1	6.1- 8.1	65	2.3	1.7- 2.9	222	7.1	5.9- 8.3	1717	57.2	55.0-59.4
Less Than H.S.	569	552,199	74	12.0	8.9-15.1	45	6.5	4.1- 8.9	35	7.3	4.6-10.0	12	3.1	1.1- 5.1	39	8.8	5.5-12.1	364	62.2	57.3-67.1
H.S. or G.E.D.	2472	1,482,986	395	17.1	15.1-19.1	219	9.1	7.5-10.7	208	9.9	8.3-11.5	52	2.5	1.7- 3.3	174	7.3	5.9- 8.7	1424	54.1	51.6-56.6
Some Post-H.S.	2065	1,435,127	402	21.2	19.0-23.4	163	8.3	6.7- 9.9	179	9.4	7.8-11.0	39	1.8	1.2- 2.4	148	7.8	6.2- 9.4	1134	51.4	48.9-53.9
College Graduate	2758	1,109,852	632	23.8	21.8-25.8	220	8.4	7.0- 9.8	361	14.1	12.5-15.7	79	2.7	1.9- 3.5	181	6.2	5.0- 7.4	1285	44.7	42.5-46.9
Less than \$15,000	573	373,586	86	15.1	11.4-18.8	58	8.7	6.0-11.4	52	8.4	5.7-11.1	12	2.4	0.8- 4.0	41	7.1	4.4- 9.8	324	58.4	53.3-63.5
\$15,000- 24,999	1088	623,941	177	15.4	12.9-17.9	86	8.7	6.5-10.9	93	10.0	7.5-12.5	21	2.5	0.9- 4.1	77	7.9	5.5-10.3	634	55.4	51.5-59.3
\$25,000- 34,999	698	398,582	124	17.6	13.7-21.5	63	7.7	5.3-10.1	68	8.5	6.1-10.9	14	2.1	0.9- 3.3	43	7.3	4.6-10.0	386	56.7	51.8-61.6
\$35,000- 49,999	936	537,001	171	20.6	17.3-23.9	76	7.0	5.0- 9.0	94	10.6	7.9-13.3	20	2.1	0.9- 3.3	66	6.8	4.6- 9.0	509	52.8	48.7-56.9
\$50,000- 74,999	1035	638,540	201	17.2	14.5-19.9	92	9.5	7.0-12.0	106	10.7	8.3-13.1	30	2.4	1.4- 3.4	69	8.1	5.7-10.5	537	52.2	48.3-56.1
\$75,000+	2004	1,222,875	472	24.3	21.9-26.7	146	8.0	6.6- 9.4	247	13.1	11.3-14.9	61	2.9	1.9- 3.9	124	6.4	5.0- 7.8	954	45.3	42.6-48.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 23: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)**

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3560	2,248,811	682	19.1	17.5-20.7	323	9.6	8.4-10.8	359	10.9	9.5-12.3	102	2.8	2.0- 3.6	294	8.9	7.7-10.1	1800	48.7	46.5-50.9
White/Non-Hisp	2961	1,779,085	552	18.4	16.6-20.2	260	9.3	7.9-10.7	284	9.8	8.4-11.2	90	2.8	2.0- 3.6	242	8.9	7.5-10.3	1533	50.7	48.3-53.1
Black or Afr. Am./Non-Hisp	207	186,998	41	18.8	12.5-25.1	21	10.4	5.3-15.5	32	18.7	11.6-25.8	7	3.5	0.0- 7.0	19	11.0	5.3-16.7	87	37.6	29.6-45.6
Oth. Race/Non-Hisp.	116	86,167	25	22.9	13.9-31.9	12	9.7	3.0-16.4	13	12.9	5.3-20.5	1	0.1	0.0- 0.3	9	5.1	1.4- 8.8	56	49.3	37.9-60.7
MultiRacial/Non-Hisp.	50	18,857	12	27.4	11.1-43.7	4	9.6	0.0-21.2	7	18.9	3.8-34.0				3	7.4	0.0-18.6	24	36.7	21.0-52.4
Hispanic	150	139,028	32	20.9	13.8-28.0	16	11.2	5.5-16.9	15	10.8	4.9-16.7	3	3.6	0.0- 7.9	13	9.4	3.1-15.7	71	44.1	35.1-53.1
18-24	233	316,651	55	21.4	15.7-27.1	31	11.6	7.5-15.7	27	11.6	7.1-16.1	8	4.3	1.2- 7.4	28	13.0	8.1-17.9	84	38.2	31.1-45.3
25-34	339	381,970	79	20.7	16.0-25.4	40	12.7	8.6-16.8	36	10.4	6.9-13.9	10	2.5	0.9- 4.1	27	7.9	4.6-11.2	147	45.8	39.7-51.9
35-44	397	362,796	79	19.3	15.2-23.4	32	9.0	5.9-12.1	57	14.4	10.5-18.3	8	2.0	0.6- 3.4	37	10.8	7.1-14.5	184	44.7	39.4-50.0
45-54	559	367,704	97	17.9	14.4-21.4	42	7.2	4.8- 9.6	75	14.8	11.3-18.3	16	2.3	1.1- 3.5	44	8.0	5.5-10.5	285	49.8	45.1-54.5
55-64	806	386,499	142	17.1	14.2-20.0	69	8.9	6.5-11.3	69	7.9	5.9- 9.9	22	2.4	1.2- 3.6	53	6.5	4.5- 8.5	451	57.1	53.2-61.0
65+	1226	433,190	230	18.6	16.1-21.1	109	8.8	6.8-10.8	95	7.1	5.3- 8.9	38	3.2	2.0- 4.4	105	8.4	6.4-10.4	649	54.1	50.8-57.4
Less Than H.S.	266	297,504	33	11.0	6.7-15.3	22	7.5	4.2-10.8	14	6.6	2.9-10.3	6	3.0	0.6- 5.4	23	9.8	5.5-14.1	168	62.1	55.2-69.0
H.S. or G.E.D.	1120	764,900	189	17.7	15.0-20.4	116	10.5	8.3-12.7	97	10.5	8.1-12.9	29	2.9	1.5- 4.3	93	8.4	6.4-10.4	596	50.0	46.5-53.5
Some Post-H.S.	891	673,467	176	20.7	17.6-23.8	76	10.0	7.5-12.5	79	10.2	7.7-12.7	25	2.3	1.3- 3.3	76	9.9	7.4-12.4	459	46.8	42.9-50.7
College Graduate	1262	500,518	278	23.4	20.5-26.3	107	8.9	6.9-10.9	168	15.0	12.6-17.4	42	3.1	1.9- 4.3	100	8.0	6.2- 9.8	567	41.6	38.5-44.7
Less than \$15,000	223	150,493	36	17.3	10.6-24.0	24	10.5	5.6-15.4	20	9.1	4.6-13.6	4	1.8	0.0- 3.8	18	9.2	4.5-13.9	121	52.2	44.0-60.4
\$15,000- 24,999	445	284,886	72	15.4	11.5-19.3	43	9.8	6.3-13.3	42	11.0	7.3-14.7	13	3.3	1.1- 5.5	39	10.1	6.4-13.8	236	50.4	44.5-56.3
\$25,000- 34,999	272	174,487	51	17.7	12.0-23.4	24	9.3	5.0-13.6	26	8.6	4.5-12.7	7	2.1	0.3- 3.9	21	8.2	4.1-12.3	143	54.0	46.6-61.4
\$35,000- 49,999	457	285,964	88	19.9	15.4-24.4	40	7.9	5.2-10.6	45	11.0	7.1-14.9	12	2.2	0.6- 3.8	34	7.7	4.4-11.0	238	51.4	45.5-57.3
\$50,000- 74,999	503	330,516	89	17.2	13.1-21.3	50	11.7	7.8-15.6	49	9.5	6.6-12.4	16	2.4	1.0- 3.8	44	10.1	6.4-13.8	255	49.1	43.6-54.6
\$75,000+	1096	674,117	246	22.5	19.6-25.4	87	8.6	6.6-10.6	127	12.6	10.1-15.1	35	3.0	1.6- 4.4	86	8.6	6.4-10.8	515	44.7	41.0-48.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 24: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)**

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			5 or more days per week			1-10 days per month			11 to 15 days per month			16 or more days per month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4348	2,354,675	831	19.8	18.2-21.4	331	7.3	6.3- 8.3	425	10.0	8.8-11.2	81	2.1	1.5- 2.7	250	5.8	4.8- 6.8	2430	55.1	53.1-57.1
White/Non-Hisp	3625	1,887,160	669	18.5	16.9-20.1	276	7.1	6.1- 8.1	346	9.7	8.5-10.9	62	2.0	1.4- 2.6	211	6.2	5.0- 7.4	2061	56.4	54.2-58.6
Black or Afr. Am./Non-Hisp	310	200,851	74	27.7	21.0-34.4	24	8.8	4.7-12.9	39	11.1	7.2-15.0	8	1.7	0.3- 3.1	15	2.7	1.1- 4.3	150	48.0	40.7-55.3
Oth. Race/Non-Hisp.	93	61,127	17	19.8	8.6-31.0	8	8.2	1.7-14.7	10	13.9	2.7-25.1	1	1.6	0.0- 4.7	10	11.6	1.2-22.0	47	44.7	29.6-59.8
MultiRacial/Non-Hisp.	64	23,630	6	9.1	1.5-16.7	6	9.5	1.5-17.5	10	9.5	1.9-17.1	1	0.5	0.0- 1.5	4	7.8	0.0-17.4	37	63.6	48.9-78.3
Hispanic	191	144,445	44	23.4	16.0-30.8	13	4.9	2.0- 7.8	13	10.5	4.4-16.6	7	3.8	0.5- 7.1	6	2.3	0.1- 4.5	108	55.1	46.7-63.5
18-24	180	294,483	51	27.4	20.3-34.5	10	5.4	1.5- 9.3	16	8.4	4.1-12.7	6	2.6	0.1- 5.1	11	7.4	2.7-12.1	86	48.8	40.8-56.8
25-34	376	384,815	90	22.0	17.5-26.5	31	9.0	5.7-12.3	47	11.9	8.4-15.4	5	1.5	0.1- 2.9	18	4.9	2.4- 7.4	185	50.6	45.1-56.1
35-44	464	359,454	77	15.7	12.0-19.4	38	8.1	5.4-10.8	56	11.3	8.2-14.4	18	3.5	1.7- 5.3	24	6.6	3.7- 9.5	251	54.7	49.6-59.8
45-54	634	369,277	130	19.5	16.2-22.8	43	7.6	5.2-10.0	68	11.3	8.6-14.0	13	2.3	0.9- 3.7	32	4.8	3.0- 6.6	348	54.6	50.3-58.9
55-64	854	399,845	156	18.4	15.5-21.3	49	5.3	3.5- 7.1	97	11.0	8.6-13.4	12	1.3	0.5- 2.1	48	5.4	3.6- 7.2	492	58.6	54.9-62.3
65+	1840	546,801	327	17.9	15.7-20.1	160	7.7	6.3- 9.1	141	7.0	5.6- 8.4	27	1.6	0.8- 2.4	117	6.1	4.7- 7.5	1068	59.7	57.2-62.2
Less Than H.S.	303	254,696	41	13.2	8.5-17.9	23	5.4	2.3- 8.5	21	8.2	4.1-12.3	6	3.3	0.4- 6.2	16	7.6	2.7-12.5	196	62.4	55.1-69.7
H.S. or G.E.D.	1352	718,086	206	16.4	13.7-19.1	103	7.6	5.6- 9.6	111	9.2	7.2-11.2	23	2.2	1.2- 3.2	81	6.1	4.3- 7.9	828	58.5	55.0-62.0
Some Post-H.S.	1174	761,660	226	21.7	18.6-24.8	87	6.9	5.1- 8.7	100	8.8	6.8-10.8	14	1.3	0.5- 2.1	72	5.9	4.1- 7.7	675	55.5	52.0-59.0
College Graduate	1496	609,334	354	24.2	21.5-26.9	113	8.1	6.3- 9.9	193	13.4	11.2-15.6	37	2.3	1.3- 3.3	81	4.8	3.4- 6.2	718	47.2	44.1-50.3
Less than \$15,000	350	223,093	50	13.6	9.3-17.9	34	7.6	4.7-10.5	32	7.9	4.6-11.2	8	2.7	0.5- 4.9	23	5.6	2.5- 8.7	203	62.6	56.1-69.1
\$15,000- 24,999	643	339,055	105	15.5	12.2-18.8	43	7.8	5.1-10.5	51	9.2	6.1-12.3	8	1.8	0.0- 3.8	38	6.0	3.3- 8.7	398	59.7	54.6-64.8
\$25,000- 34,999	426	224,095	73	17.5	12.0-23.0	39	6.6	4.1- 9.1	42	8.5	5.6-11.4	7	2.0	0.4- 3.6	22	6.6	2.9-10.3	243	58.9	52.4-65.4
\$35,000- 49,999	479	251,037	83	21.5	16.4-26.6	36	6.1	3.7- 8.5	49	10.1	6.6-13.6	8	2.0	0.4- 3.6	32	5.9	3.4- 8.4	271	54.5	48.8-60.2
\$50,000- 74,999	532	308,025	112	17.1	13.4-20.8	42	7.2	4.3-10.1	57	11.9	8.4-15.4	14	2.4	1.0- 3.8	25	5.9	3.0- 8.8	282	55.4	50.1-60.7
\$75,000+	908	548,758	226	26.4	22.7-30.1	59	7.2	5.0- 9.4	120	13.7	11.0-16.4	26	2.7	1.3- 4.1	38	3.8	2.4- 5.2	439	46.1	42.2-50.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019**

**SECTION 12: FRUITS AND VEGETABLES CONTENTS**

\* **NOTE** \* \* \* \* \*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
\* \* \* \* \*

TABLE	PAGE
NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)	
1 MALES AND FEMALES	230
2 MALES ONLY	231
3 FEMALES ONLY	232
NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)	
4 MALES AND FEMALES	233
5 MALES ONLY	234
6 FEMALES ONLY	235
HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)	
7 MALES AND FEMALES	236
8 MALES ONLY	237
9 FEMALES ONLY	238
HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)	
10 MALES AND FEMALES	239
11 MALES ONLY	240
12 FEMALES ONLY	241
HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)	
13 MALES AND FEMALES	242
14 MALES ONLY	243
15 FEMALES ONLY	244
NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES? (VEGETAB2)	
16 MALES AND FEMALES	245
17 MALES ONLY	246
18 FEMALES ONLY	247

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 1: NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7923	4,608,500	3999	48.1	46.7-49.5	2305	30.3	28.9-31.7	1214	16.0	15.0-17.0	77	1.1	0.7- 1.5	328	4.6	4.0- 5.2
Male	3556	2,246,808	1639	44.0	42.0-46.0	1130	32.7	30.7-34.7	584	17.5	15.9-19.1	34	1.0	0.6- 1.4	169	4.8	4.0- 5.6
Female	4367	2,361,692	2360	52.0	50.0-54.0	1175	27.9	26.1-29.7	630	14.5	13.1-15.9	43	1.2	0.6- 1.8	159	4.4	3.6- 5.2
White/Non-Hisp	6600	3,671,527	3349	47.9	46.3-49.5	1908	30.4	29.0-31.8	1010	16.0	14.8-17.2	61	1.0	0.6- 1.4	272	4.6	4.0- 5.2
Black or Afr. Am./Non-Hisp	521	388,746	229	41.5	36.0-47.0	163	30.7	25.6-35.8	97	21.2	16.5-25.9	6	1.2	0.0- 2.6	26	5.4	2.9- 7.9
Oth. Race/Non-Hisp.	206	146,403	111	53.5	44.3-62.7	58	31.6	23.2-40.0	28	10.7	5.2-16.2	2	0.2	0.0- 0.6	7	3.9	0.6- 7.2
MultiRacial/Non-Hisp.	113	42,459	50	41.7	30.3-53.1	36	29.3	18.5-40.1	19	19.3	10.1-28.5	2	2.2	0.0- 5.3	6	7.4	0.0-15.6
Hispanic	342	285,008	189	56.6	50.5-62.7	99	27.9	22.4-33.4	38	10.4	6.9-13.9	5	1.8	0.0- 3.8	11	3.3	0.6- 6.0
18-24	416	619,478	194	47.3	42.0-52.6	149	35.1	30.0-40.2	56	12.7	9.2-16.2	6	1.8	0.2- 3.4	11	3.0	1.0- 5.0
25-34	709	759,975	331	44.5	40.4-48.6	225	32.5	28.6-36.4	111	16.3	13.2-19.4	6	1.1	0.1- 2.1	36	5.6	3.6- 7.6
35-44	858	723,862	418	47.6	43.9-51.3	257	30.3	27.0-33.6	133	16.5	13.6-19.4	11	1.5	0.5- 2.5	39	4.1	2.7- 5.5
45-54	1197	741,051	594	48.7	45.6-51.8	328	27.1	24.4-29.8	202	18.2	15.7-20.7	9	0.8	0.2- 1.4	64	5.2	3.8- 6.6
55-64	1662	786,254	797	47.4	44.7-50.1	499	29.8	27.3-32.3	273	16.4	14.4-18.4	8	0.4	0.0- 0.8	85	5.9	4.5- 7.3
65+	3081	977,880	1665	51.9	49.7-54.1	847	28.2	26.2-30.2	439	15.4	13.8-17.0	37	1.1	0.7- 1.5	93	3.5	2.7- 4.3
Less Than H.S.	560	550,615	253	45.9	40.8-51.0	144	25.3	20.8-29.8	99	18.6	14.5-22.7	10	1.9	0.5- 3.3	54	8.5	5.8-11.2
H.S. or G.E.D.	2466	1,488,079	1090	42.3	39.8-44.8	788	33.0	30.6-35.4	437	18.5	16.5-20.5	34	1.3	0.7- 1.9	117	4.9	3.9- 5.9
Some Post-H.S.	2080	1,441,141	1001	47.1	44.6-49.6	633	31.9	29.4-34.4	341	15.6	13.8-17.4	22	1.1	0.5- 1.7	83	4.3	3.3- 5.3
College Graduate	2772	1,105,358	1632	58.2	56.0-60.4	731	27.2	25.2-29.2	329	11.6	10.2-13.0	11	0.4	0.0- 0.8	69	2.6	1.8- 3.4
Less than \$15,000	577	370,190	235	41.3	36.0-46.6	164	27.1	22.6-31.6	121	21.7	17.4-26.0	9	1.3	0.1- 2.5	48	8.7	6.0-11.4
\$15,000- 24,999	1079	625,829	499	43.8	39.9-47.7	306	30.5	26.8-34.2	203	18.5	15.6-21.4	15	1.2	0.2- 2.2	56	6.0	3.8- 8.2
\$25,000- 34,999	701	399,580	327	42.0	37.1-46.9	210	32.7	28.0-37.4	121	17.3	13.8-20.8	9	2.2	0.6- 3.8	34	5.9	3.4- 8.4
\$35,000- 49,999	937	534,638	445	42.1	38.2-46.0	294	33.1	29.2-37.0	157	19.9	16.4-23.4	9	1.1	0.1- 2.1	32	3.7	2.1- 5.3
\$50,000- 74,999	1042	639,988	535	50.0	46.1-53.9	315	30.8	27.3-34.3	152	15.0	12.3-17.7	6	0.6	0.0- 1.2	34	3.7	2.3- 5.1
\$75,000+	2013	1,224,468	1138	55.6	52.9-58.3	555	28.0	25.6-30.4	246	12.6	10.8-14.4	8	0.5	0.1- 0.9	66	3.3	2.5- 4.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 2: NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3556	2,246,808	1639	44.0	42.0-46.0	1130	32.7	30.7-34.7	584	17.5	15.9-19.1	34	1.0	0.6- 1.4	169	4.8	4.0- 5.6
White/Non-Hisp	2960	1,776,228	1372	44.0	41.8-46.2	939	33.1	30.9-35.3	485	17.3	15.5-19.1	26	0.8	0.4- 1.2	138	4.8	3.8- 5.8
Black or Afr. Am./Non-Hisp	207	185,533	73	31.9	24.1-39.7	67	31.7	23.9-39.5	47	26.3	18.7-33.9	3	2.4	0.0- 5.3	17	7.7	3.4-12.0
Oth. Race/Non-Hisp.	114	86,793	60	51.5	39.9-63.1	35	34.8	23.4-46.2	15	10.0	3.3-16.7				4	3.7	0.0- 7.8
MultiRacial/Non-Hisp.	51	18,854	22	39.3	22.2-56.4	19	33.9	17.4-50.4	5	15.8	3.1-28.5	2	4.9	0.0-11.8	3	6.1	0.0-15.5
Hispanic	151	142,717	77	55.1	46.1-64.1	50	30.8	22.6-39.0	18	11.7	5.8-17.6	2	1.0	0.0- 2.6	4	1.3	0.0- 2.7
18-24	236	321,649	104	43.9	36.8-51.0	85	36.7	29.8-43.6	39	16.0	10.9-21.1	2	0.9	0.0- 2.3	6	2.5	0.3- 4.7
25-34	339	382,495	138	39.6	33.7-45.5	118	34.7	29.0-40.4	63	19.5	14.6-24.4	3	1.1	0.0- 2.5	17	5.1	2.4- 7.8
35-44	389	358,981	168	42.7	37.2-48.2	129	32.7	27.6-37.8	65	18.2	13.9-22.5	9	2.2	0.6- 3.8	18	4.1	1.9- 6.3
45-54	554	363,965	261	45.3	40.6-50.0	163	29.6	25.3-33.9	91	18.4	14.7-22.1	1	0.2	0.0- 0.6	38	6.6	4.2- 9.0
55-64	802	385,906	368	45.0	41.1-48.9	258	32.2	28.5-35.9	130	16.7	13.8-19.6	3	0.4	0.0- 1.0	43	5.8	4.0- 7.6
65+	1236	433,811	600	47.0	43.7-50.3	377	31.3	28.2-34.4	196	16.4	13.9-18.9	16	1.1	0.5- 1.7	47	4.3	2.9- 5.7
Less Than H.S.	265	298,023	113	46.8	39.7-53.9	71	24.1	18.2-30.0	50	20.3	14.4-26.2	5	1.1	0.1- 2.1	26	7.7	4.2-11.2
H.S. or G.E.D.	1116	766,104	446	38.7	35.2-42.2	390	35.4	32.1-38.7	205	19.6	16.9-22.3	17	1.6	0.6- 2.6	58	4.7	3.3- 6.1
Some Post-H.S.	893	675,025	390	42.6	38.7-46.5	292	35.0	31.3-38.7	160	17.0	14.1-19.9	8	0.8	0.2- 1.4	43	4.6	3.0- 6.2
College Graduate	1262	495,412	683	52.7	49.4-56.0	372	30.9	27.8-34.0	163	12.8	10.6-15.0	4	0.2	0.0- 0.4	40	3.3	2.1- 4.5
Less than \$15,000	224	149,969	78	37.8	29.8-45.8	70	26.3	19.6-33.0	50	23.3	16.4-30.2	6	2.6	0.0- 5.5	20	10.1	5.0-15.2
\$15,000- 24,999	437	283,822	203	44.9	39.0-50.8	126	29.9	24.4-35.4	80	20.1	15.2-25.0	4	0.5	0.0- 1.1	24	4.7	2.2- 7.2
\$25,000- 34,999	274	174,676	111	39.7	32.3-47.1	94	34.5	27.4-41.6	49	17.2	11.9-22.5	3	2.0	0.0- 4.5	17	6.5	2.8-10.2
\$35,000- 49,999	455	284,649	196	37.3	31.8-42.8	149	33.9	28.4-39.4	86	23.6	18.1-29.1	5	0.9	0.0- 1.9	19	4.2	1.8- 6.6
\$50,000- 74,999	508	333,241	244	45.4	39.9-50.9	157	33.5	28.2-38.8	79	15.2	11.3-19.1	3	0.4	0.0- 1.0	25	5.5	3.1- 7.9
\$75,000+	1104	677,212	567	49.6	45.9-53.3	342	32.2	28.7-35.7	151	14.3	11.8-16.8	3	0.4	0.0- 0.8	41	3.6	2.4- 4.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 3: NOT INCLUDING JUICES, HOW OFTEN DID YOU EAT FRUIT? (FRUIT2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4367	2,361,692	2360	52.0	50.0-54.0	1175	27.9	26.1-29.7	630	14.5	13.1-15.9	43	1.2	0.6- 1.8	159	4.4	3.6- 5.2
White/Non-Hisp	3640	1,895,299	1977	51.6	49.4-53.8	969	27.9	25.9-29.9	525	14.9	13.3-16.5	35	1.2	0.6- 1.8	134	4.4	3.6- 5.2
Black or Afr. Am./Non-Hisp	314	203,213	156	50.2	42.9-57.5	96	29.8	22.9-36.7	50	16.5	11.2-21.8	3	0.2	0.0- 0.4	9	3.3	0.6- 6.0
Oth. Race/Non-Hisp.	92	59,610	51	56.4	41.7-71.1	23	27.0	14.5-39.5	13	11.8	2.6-21.0	2	0.6	0.0- 1.6	3	4.3	0.0-10.0
MultiRacial/Non-Hisp.	62	23,605	28	43.6	28.1-59.1	17	25.7	11.4-40.0	14	22.2	9.3-35.1				3	8.5	0.0-21.2
Hispanic	191	142,290	112	58.1	49.7-66.5	49	25.0	17.7-32.3	20	9.0	4.7-13.3	3	2.6	0.0- 6.1	7	5.2	0.0-10.5
18-24	180	297,829	90	51.0	43.0-59.0	64	33.4	25.8-41.0	17	9.1	4.6-13.6	4	2.9	0.0- 5.8	5	3.6	0.3- 6.9
25-34	370	377,480	193	49.4	43.7-55.1	107	30.3	25.2-35.4	48	13.1	9.4-16.8	3	1.1	0.0- 2.3	19	6.2	3.3- 9.1
35-44	469	364,881	250	52.5	47.4-57.6	128	28.0	23.5-32.5	68	14.8	11.1-18.5	2	0.7	0.0- 1.7	21	4.1	2.1- 6.1
45-54	643	377,086	333	51.9	47.6-56.2	165	24.8	21.1-28.5	111	18.0	14.5-21.5	8	1.4	0.4- 2.4	26	3.8	2.2- 5.4
55-64	860	400,347	429	49.8	45.9-53.7	241	27.6	24.3-30.9	143	16.2	13.5-18.9	5	0.4	0.0- 0.8	42	6.0	4.0- 8.0
65+	1845	544,069	1065	55.8	53.1-58.5	470	25.7	23.3-28.1	243	14.7	12.7-16.7	21	1.0	0.4- 1.6	46	2.8	1.8- 3.8
Less Than H.S.	295	252,593	140	44.8	37.4-52.2	73	26.6	19.7-33.5	49	16.6	11.1-22.1	5	2.8	0.0- 5.7	28	9.3	5.2-13.4
H.S. or G.E.D.	1350	721,975	644	46.3	42.8-49.8	398	30.5	27.4-33.6	232	17.3	14.8-19.8	17	0.9	0.1- 1.7	59	5.0	3.4- 6.6
Some Post-H.S.	1187	766,117	611	51.1	47.6-54.6	341	29.3	26.0-32.6	181	14.3	11.9-16.7	14	1.3	0.5- 2.1	40	4.0	2.6- 5.4
College Graduate	1510	609,945	949	62.6	59.7-65.5	359	24.1	21.4-26.8	166	10.7	8.9-12.5	7	0.6	0.0- 1.2	29	2.0	1.2- 2.8
Less than \$15,000	353	220,220	157	43.7	36.8-50.6	94	27.6	21.3-33.9	71	20.6	14.9-26.3	3	0.4	0.0- 1.0	28	7.7	4.6-10.8
\$15,000- 24,999	642	342,007	296	42.9	37.8-48.0	180	31.0	25.9-36.1	123	17.1	13.6-20.6	11	1.8	0.0- 3.8	32	7.1	4.0-10.2
\$25,000- 34,999	427	224,904	216	43.7	37.4-50.0	116	31.4	25.3-37.5	72	17.3	12.6-22.0	6	2.3	0.1- 4.5	17	5.3	1.6- 9.0
\$35,000- 49,999	482	249,989	249	47.5	41.8-53.2	145	32.2	26.7-37.7	71	15.7	11.6-19.8	4	1.4	0.0- 3.0	13	3.2	1.2- 5.2
\$50,000- 74,999	534	306,748	291	55.1	49.8-60.4	158	27.8	23.1-32.5	73	14.7	11.0-18.4	3	0.7	0.0- 1.7	9	1.6	0.2- 3.0
\$75,000+	909	547,256	571	62.9	59.2-66.6	213	22.9	19.6-26.2	95	10.6	8.1-13.1	5	0.7	0.0- 1.5	25	3.0	1.8- 4.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 4: NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7957	4,616,770	1153	13.0	12.0-14.0	1395	19.6	18.4-20.8	1422	19.9	18.7-21.1	231	2.9	2.5- 3.3	3756	44.6	43.2-46.0
Male	3551	2,237,780	585	14.5	13.1-15.9	717	22.4	20.6-24.2	667	20.7	18.9-22.5	104	2.8	2.2- 3.4	1478	39.6	37.6-41.6
Female	4406	2,378,989	568	11.6	10.4-12.8	678	17.0	15.4-18.6	755	19.2	17.6-20.8	127	3.0	2.4- 3.6	2278	49.2	47.2-51.2
White/Non-Hisp	6635	3,681,807	918	12.4	11.4-13.4	1086	17.8	16.6-19.0	1169	19.7	18.5-20.9	190	2.8	2.2- 3.4	3272	47.3	45.7-48.9
Black or Afr. Am./Non-Hisp	514	385,760	99	16.0	12.3-19.7	122	25.3	20.2-30.4	123	26.0	21.1-30.9	18	3.1	1.3- 4.9	152	29.7	24.6-34.8
Oth. Race/Non-Hisp.	208	146,455	36	14.4	8.3-20.5	44	24.9	16.3-33.5	33	18.0	10.9-25.1	6	2.7	0.3- 5.1	89	40.0	31.2-48.8
MultiRacial/Non-Hisp.	114	41,860	17	14.9	6.9-22.9	26	28.2	17.4-39.0	21	20.2	11.2-29.2	2	1.7	0.0- 4.4	48	35.0	23.4-46.6
Hispanic	340	284,332	54	15.1	10.8-19.4	87	30.1	24.2-36.0	54	16.2	11.5-20.9	9	3.1	0.7- 5.5	136	35.5	29.6-41.4
18-24	417	619,611	55	13.1	9.6-16.6	106	25.9	21.2-30.6	119	28.4	23.5-33.3	12	3.0	1.0- 5.0	125	29.6	24.7-34.5
25-34	706	759,068	83	11.0	8.5-13.5	162	23.5	20.0-27.0	160	22.2	18.9-25.5	20	2.4	1.2- 3.6	281	40.9	36.8-45.0
35-44	857	722,147	79	9.4	7.2-11.6	192	22.8	19.7-25.9	193	22.6	19.5-25.7	21	2.6	1.4- 3.8	372	42.6	38.9-46.3
45-54	1200	742,485	151	12.5	10.3-14.7	224	18.5	16.0-21.0	221	18.5	16.1-20.9	44	3.8	2.4- 5.2	560	46.6	43.5-49.7
55-64	1660	786,184	205	12.4	10.6-14.2	264	15.8	13.8-17.8	295	17.3	15.3-19.3	45	2.6	1.8- 3.4	851	52.0	49.3-54.7
65+	3117	987,275	580	18.1	16.5-19.7	447	14.1	12.7-15.5	434	14.2	12.8-15.6	89	2.9	2.1- 3.7	1567	50.7	48.5-52.9
Less Than H.S.	570	553,940	84	13.2	9.9-16.5	104	21.8	17.5-26.1	89	19.3	15.0-23.6	11	2.2	0.4- 4.0	282	43.5	38.4-48.6
H.S. or G.E.D.	2489	1,496,857	379	13.6	12.0-15.2	420	19.2	17.0-21.4	412	19.7	17.5-21.9	72	3.1	2.3- 3.9	1206	44.5	42.1-46.9
Some Post-H.S.	2080	1,437,137	309	13.8	12.0-15.6	363	19.7	17.5-21.9	403	20.5	18.3-22.7	65	2.9	2.1- 3.7	940	43.1	40.6-45.6
College Graduate	2770	1,106,293	369	11.1	9.7-12.5	503	19.2	17.4-21.0	511	19.8	18.0-21.6	83	3.0	2.2- 3.8	1304	46.9	44.7-49.1
Less than \$15,000	587	378,486	78	13.0	9.7-16.3	110	21.2	16.7-25.7	122	25.5	20.8-30.2	17	2.4	1.0- 3.8	260	38.0	33.1-42.9
\$15,000- 24,999	1088	626,799	203	18.1	15.2-21.0	200	20.6	17.3-23.9	155	16.9	14.0-19.8	28	3.0	1.4- 4.6	502	41.5	37.8-45.2
\$25,000- 34,999	704	403,806	100	14.2	10.9-17.5	123	20.5	16.4-24.6	133	20.6	16.5-24.7	24	3.1	1.5- 4.7	324	41.6	36.9-46.3
\$35,000- 49,999	938	538,427	142	11.2	9.0-13.4	162	18.3	15.0-21.6	181	20.1	16.8-23.4	26	3.1	1.7- 4.5	427	47.3	43.2-51.4
\$50,000- 74,999	1037	635,432	131	11.6	9.2-14.0	179	19.9	16.6-23.2	216	21.5	18.4-24.6	26	2.6	1.4- 3.8	485	44.4	40.7-48.1
\$75,000+	2008	1,219,414	226	10.5	8.9-12.1	377	20.3	18.1-22.5	359	19.3	17.1-21.5	67	3.0	2.2- 3.8	979	46.9	44.2-49.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 5: NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3551	2,237,780	585	14.5	13.1-15.9	717	22.4	20.6-24.2	667	20.7	18.9-22.5	104	2.8	2.2- 3.4	1478	39.6	37.6-41.6
White/Non-Hisp	2956	1,770,397	479	14.3	12.7-15.9	560	20.6	18.6-22.6	560	21.0	19.0-23.0	86	2.6	2.0- 3.2	1271	41.5	39.3-43.7
Black or Afr. Am./Non-Hisp	206	185,451	34	12.9	7.6-18.2	57	27.5	20.1-34.9	50	27.2	19.6-34.8	6	2.6	0.2- 5.0	59	29.8	22.0-37.6
Oth. Race/Non-Hisp.	114	85,653	21	17.0	8.4-25.6	24	23.5	13.3-33.7	12	14.4	6.2-22.6	4	3.5	0.0- 7.0	53	41.5	30.1-52.9
MultiRacial/Non-Hisp.	51	18,977	12	22.8	8.3-37.3	12	29.6	12.9-46.3	7	18.8	4.3-33.3	1	0.6	0.0- 1.8	19	28.2	13.7-42.7
Hispanic	149	140,186	27	16.4	9.9-22.9	47	36.7	27.5-45.9	24	14.6	8.5-20.7	4	3.6	0.0- 7.7	47	28.7	20.3-37.1
18-24	237	320,560	32	12.7	8.2-17.2	61	26.8	20.5-33.1	70	28.7	22.4-35.0	6	2.5	0.3- 4.7	68	29.4	22.9-35.9
25-34	334	377,915	44	12.4	8.5-16.3	90	27.1	21.8-32.4	74	21.5	16.4-26.6	6	1.4	0.2- 2.6	120	37.7	31.8-43.6
35-44	387	356,968	38	10.0	6.7-13.3	97	24.8	20.1-29.5	94	26.0	21.1-30.9	10	2.6	1.0- 4.2	148	36.7	31.4-42.0
45-54	559	366,079	92	15.8	12.3-19.3	124	22.1	18.2-26.0	93	17.2	13.7-20.7	22	4.5	2.3- 6.7	228	40.4	35.9-44.9
55-64	797	383,065	120	14.4	11.7-17.1	148	19.0	15.9-22.1	130	16.8	13.9-19.7	23	2.9	1.5- 4.3	376	46.8	42.9-50.7
65+	1237	433,192	259	20.4	17.7-23.1	197	16.3	13.8-18.8	206	16.4	14.0-18.8	37	2.9	1.7- 4.1	538	44.0	40.7-47.3
Less Than H.S.	263	294,782	41	13.8	8.9-18.7	57	23.5	17.4-29.6	45	19.3	13.6-25.0	6	2.4	0.2- 4.6	114	40.9	33.8-48.0
H.S. or G.E.D.	1122	767,370	181	14.3	11.9-16.7	211	21.2	18.1-24.3	199	21.0	18.1-23.9	36	3.3	2.1- 4.5	495	40.1	36.8-43.4
Some Post-H.S.	885	666,569	143	15.0	12.3-17.7	173	22.3	19.0-25.6	203	23.2	19.9-26.5	23	2.3	1.1- 3.5	343	37.2	33.5-40.9
College Graduate	1258	496,329	215	14.5	12.3-16.7	273	24.1	21.2-27.0	216	17.9	15.4-20.4	39	2.9	1.9- 3.9	515	40.6	37.3-43.9
Less than \$15,000	224	149,294	37	17.5	11.2-23.8	44	19.9	13.6-26.2	46	26.3	18.7-33.9	5	0.9	0.1- 1.7	92	35.4	27.8-43.0
\$15,000- 24,999	437	281,621	88	18.2	13.9-22.5	91	23.7	18.4-29.0	72	18.7	14.2-23.2	16	3.4	1.4- 5.4	170	36.0	30.3-41.7
\$25,000- 34,999	278	177,149	41	13.5	8.8-18.2	55	22.7	16.2-29.2	61	23.1	16.6-29.6	9	2.9	0.4- 5.4	112	37.8	30.5-45.1
\$35,000- 49,999	454	286,218	85	13.1	9.8-16.4	84	20.1	15.4-24.8	90	20.3	15.6-25.0	14	3.8	1.6- 6.0	181	42.7	36.8-48.6
\$50,000- 74,999	503	329,993	84	14.9	11.2-18.6	97	22.4	17.5-27.3	101	21.2	16.7-25.7	13	2.6	0.8- 4.4	208	38.9	33.6-44.2
\$75,000+	1098	671,785	157	12.6	10.2-15.0	242	24.5	21.2-27.8	190	19.1	16.2-22.0	35	3.3	1.9- 4.7	474	40.6	37.1-44.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 6: NOT INCLUDING FRUIT-FLAVORED DRINKS OR FRUIT JUICES WITH ADDED SUGAR, HOW OFTEN DID YOU DRINK 100% FRUIT JUICE SUCH AS APPLE OR ORANGE JUICE? (FRUITJU2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4406	2,378,989	568	11.6	10.4-12.8	678	17.0	15.4-18.6	755	19.2	17.6-20.8	127	3.0	2.4- 3.6	2278	49.2	47.2-51.2
White/Non-Hisp	3679	1,911,409	439	10.6	9.2-12.0	526	15.3	13.7-16.9	609	18.5	16.7-20.3	104	2.9	2.1- 3.7	2001	52.7	50.5-54.9
Black or Afr. Am./Non-Hisp	308	200,309	65	18.8	13.7-23.9	65	23.2	16.3-30.1	73	24.9	18.6-31.2	12	3.5	1.1- 5.9	93	29.6	23.1-36.1
Oth. Race/Non-Hisp.	94	60,801	15	10.6	2.4-18.8	20	26.8	11.9-41.7	21	23.1	10.8-35.4	2	1.6	0.0- 4.0	36	37.8	23.9-51.7
MultiRacial/Non-Hisp.	63	22,883	5	8.4	0.4-16.4	14	27.1	12.8-41.4	14	21.3	9.7-32.9	1	2.5	0.0- 7.4	29	40.6	24.1-57.1
Hispanic	191	144,146	27	13.8	8.1-19.5	40	23.7	16.3-31.1	30	17.8	10.7-24.9	5	2.7	0.2- 5.2	89	42.0	33.8-50.2
18-24	180	299,051	23	13.5	8.0-19.0	45	25.0	17.9-32.1	49	28.2	20.8-35.6	6	3.6	0.5- 6.7	57	29.8	22.5-37.1
25-34	372	381,152	39	9.7	6.4-13.0	72	20.0	15.5-24.5	86	22.8	18.1-27.5	14	3.4	1.4- 5.4	161	44.0	38.5-49.5
35-44	470	365,179	41	8.9	6.0-11.8	95	20.7	16.4-25.0	99	19.2	15.5-22.9	11	2.7	1.1- 4.3	224	48.4	43.3-53.5
45-54	641	376,406	59	9.3	6.8-11.8	100	15.0	11.9-18.1	128	19.8	16.5-23.1	22	3.2	1.6- 4.8	332	52.6	48.3-56.9
55-64	863	403,119	85	10.4	8.0-12.8	116	12.8	10.3-15.3	165	17.7	15.0-20.4	22	2.3	1.1- 3.5	475	56.9	53.2-60.6
65+	1880	554,083	321	16.3	14.3-18.3	250	12.5	10.7-14.3	228	12.4	10.6-14.2	52	2.9	2.1- 3.7	1029	56.0	53.3-58.7
Less Than H.S.	307	259,158	43	12.6	8.1-17.1	47	19.8	13.3-26.3	44	19.2	12.7-25.7	5	2.0	0.0- 4.5	168	46.4	39.1-53.7
H.S. or G.E.D.	1367	729,487	198	12.8	10.4-15.2	209	17.0	14.3-19.7	213	18.2	15.3-21.1	36	2.9	1.7- 4.1	711	49.1	45.6-52.6
Some Post-H.S.	1195	770,569	166	12.8	10.4-15.2	190	17.5	14.6-20.4	200	18.1	15.4-20.8	42	3.4	2.2- 4.6	597	48.2	44.7-51.7
College Graduate	1512	609,965	154	8.4	6.8-10.0	230	15.2	13.0-17.4	295	21.4	18.9-23.9	44	3.0	2.0- 4.0	789	51.9	48.8-55.0
Less than \$15,000	363	229,193	41	10.0	6.3-13.7	66	22.0	15.9-28.1	76	25.0	18.7-31.3	12	3.3	1.1- 5.5	168	39.7	33.2-46.2
\$15,000- 24,999	651	345,178	115	18.1	14.0-22.2	109	18.0	13.9-22.1	83	15.4	11.3-19.5	12	2.6	0.4- 4.8	332	45.9	40.8-51.0
\$25,000- 34,999	426	226,657	59	14.8	10.1-19.5	68	18.9	13.4-24.4	72	18.6	13.3-23.9	15	3.2	1.2- 5.2	212	44.6	38.3-50.9
\$35,000- 49,999	484	252,209	57	9.0	6.1-11.9	78	16.2	11.9-20.5	91	19.9	15.4-24.4	12	2.5	0.9- 4.1	246	52.5	46.8-58.2
\$50,000- 74,999	534	305,439	47	8.0	5.1-10.9	82	17.2	12.9-21.5	115	21.8	17.5-26.1	13	2.6	0.8- 4.4	277	50.3	45.0-55.6
\$75,000+	910	547,629	69	8.0	5.8-10.2	135	15.1	12.2-18.0	169	19.5	16.4-22.6	32	2.7	1.7- 3.7	505	54.7	50.8-58.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 7: HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7939	4,615,505	1455	17.0	16.0-18.0	3779	46.3	44.9-47.7	1886	24.7	23.5-25.9	82	1.1	0.7- 1.5	737	10.9	9.9-11.9
Male	3555	2,241,894	602	14.9	13.5-16.3	1670	45.4	43.4-47.4	851	25.3	23.5-27.1	42	1.3	0.7- 1.9	390	13.1	11.5-14.7
Female	4384	2,373,611	853	19.0	17.4-20.6	2109	47.1	45.1-49.1	1035	24.1	22.5-25.7	40	1.0	0.6- 1.4	347	8.9	7.7-10.1
White/Non-Hisp	6620	3,683,912	1164	16.3	15.1-17.5	3208	47.1	45.5-48.7	1589	25.2	23.8-26.6	68	1.1	0.7- 1.5	591	10.3	9.3-11.3
Black or Afr. Am./Non-Hisp	525	385,741	92	15.3	11.8-18.8	226	40.4	35.1-45.7	141	28.9	23.8-34.0	7	1.8	0.0- 3.8	59	13.5	9.4-17.6
Oth. Race/Non-Hisp.	203	145,204	62	28.0	20.2-35.8	85	43.7	34.5-52.9	33	14.1	8.0-20.2	3	0.6	0.0- 1.4	20	13.6	6.2-21.0
MultiRacial/Non-Hisp.	112	41,296	26	22.9	13.3-32.5	39	31.6	20.4-42.8	33	32.5	21.5-43.5	1	0.3	0.0- 0.9	13	12.8	3.6-22.0
Hispanic	338	285,248	71	18.0	13.5-22.5	159	48.4	42.1-54.7	63	18.3	13.6-23.0	3	0.8	0.0- 1.8	42	14.5	9.8-19.2
18-24	416	615,106	54	12.4	8.9-15.9	163	39.8	34.5-45.1	111	26.2	21.5-30.9	6	1.8	0.2- 3.4	82	19.8	15.5-24.1
25-34	710	762,729	122	16.0	13.1-18.9	316	43.7	39.6-47.8	182	26.2	22.5-29.9	7	0.7	0.1- 1.3	83	13.4	10.5-16.3
35-44	857	721,371	176	21.4	18.3-24.5	372	44.3	40.6-48.0	224	24.2	21.1-27.3	9	1.1	0.3- 1.9	76	9.0	6.8-11.2
45-54	1195	738,483	207	16.3	13.9-18.7	570	47.7	44.6-50.8	308	26.2	23.5-28.9	8	0.7	0.1- 1.3	102	9.0	7.0-11.0
55-64	1666	789,385	288	16.6	14.6-18.6	836	50.2	47.5-52.9	379	23.2	20.8-25.6	16	1.1	0.5- 1.7	147	8.9	7.3-10.5
65+	3095	988,431	608	18.4	16.8-20.0	1522	49.6	47.4-51.8	682	22.9	21.1-24.7	36	1.3	0.7- 1.9	247	7.9	6.7- 9.1
Less Than H.S.	567	558,584	82	12.6	9.5-15.7	228	40.8	35.7-45.9	137	25.5	21.0-30.0	13	1.8	0.4- 3.2	107	19.2	15.1-23.3
H.S. or G.E.D.	2494	1,503,478	392	15.0	13.2-16.8	1152	45.1	42.6-47.6	611	25.3	23.1-27.5	37	1.2	0.6- 1.8	302	13.3	11.5-15.1
Some Post-H.S.	2075	1,425,807	384	18.2	16.2-20.2	968	46.1	43.6-48.6	526	24.7	22.5-26.9	21	1.2	0.6- 1.8	176	9.8	8.0-11.6
College Graduate	2759	1,104,170	585	20.4	18.6-22.2	1410	50.6	48.2-53.0	607	23.5	21.5-25.5	11	0.6	0.2- 1.0	146	4.9	3.9- 5.9
Less than \$15,000	574	372,317	94	15.8	12.3-19.3	209	33.9	29.0-38.8	154	28.5	23.8-33.2	10	1.0	0.2- 1.8	107	20.9	16.2-25.6
\$15,000- 24,999	1091	628,373	190	17.3	14.4-20.2	451	41.4	37.5-45.3	297	26.7	23.2-30.2	16	1.2	0.4- 2.0	137	13.4	10.7-16.1
\$25,000- 34,999	706	401,987	107	12.7	9.8-15.6	324	44.4	39.5-49.3	192	29.8	25.3-34.3	10	1.5	0.5- 2.5	73	11.6	8.5-14.7
\$35,000- 49,999	934	536,211	157	16.3	13.4-19.2	443	44.9	40.8-49.0	243	26.1	22.4-29.8	5	0.7	0.0- 1.5	86	12.1	9.2-15.0
\$50,000- 74,999	1036	636,919	190	17.0	14.3-19.7	515	49.0	45.1-52.9	252	24.8	21.5-28.1	5	0.6	0.0- 1.2	74	8.6	6.1-11.1
\$75,000+	2006	1,216,296	399	18.6	16.6-20.6	1078	52.6	49.9-55.3	418	22.1	19.9-24.3	11	0.6	0.2- 1.0	100	6.1	4.7- 7.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 8: HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3555	2,241,894	602	14.9	13.5-16.3	1670	45.4	43.2-47.6	851	25.3	23.5-27.1	42	1.3	0.7- 1.9	390	13.1	11.5-14.7
White/Non-Hisp	2963	1,772,755	481	14.4	12.8-16.0	1416	46.1	43.9-48.3	722	25.8	23.8-27.8	37	1.2	0.8- 1.6	307	12.4	10.8-14.0
Black or Afr. Am./Non-Hisp	208	187,150	32	10.4	5.9-14.9	81	37.3	29.3-45.3	63	32.4	24.4-40.4	3	3.0	0.0- 6.9	29	16.9	10.4-23.4
Oth. Race/Non-Hisp.	113	85,626	31	26.2	16.2-36.2	52	48.5	36.9-60.1	14	11.4	4.1-18.7				16	13.9	6.3-21.5
Hispanic	147	140,261	28	16.9	10.2-23.6	71	49.8	40.6-59.0	23	14.9	8.4-21.4	1	0.8	0.0- 2.4	24	17.5	10.1-24.9
18-24	235	316,940	25	10.7	6.2-15.2	89	37.6	30.7-44.5	62	26.3	20.2-32.4	5	3.1	0.4- 5.8	54	22.3	16.4-28.2
25-34	341	384,314	48	13.0	9.1-16.9	149	42.5	36.6-48.4	92	27.9	22.4-33.4	3	0.6	0.0- 1.4	49	16.0	11.3-20.7
35-44	386	355,288	60	16.6	12.5-20.7	167	43.1	37.6-48.6	106	26.5	21.6-31.4	6	1.4	0.2- 2.6	47	12.4	8.7-16.1
45-54	553	362,191	89	13.7	10.6-16.8	265	49.6	44.9-54.3	134	24.1	20.2-28.0	3	0.4	0.0- 1.0	62	12.1	9.0-15.2
55-64	801	384,599	136	16.1	13.4-18.8	400	48.8	44.9-52.7	180	24.3	20.8-27.8	8	0.9	0.1- 1.7	77	9.9	7.5-12.3
65+	1239	438,563	244	18.3	15.8-20.8	600	49.2	45.9-52.5	277	23.1	20.2-26.0	17	1.4	0.6- 2.2	101	8.1	6.1-10.1
Less Than H.S.	261	299,495	31	10.1	6.2-14.0	106	41.4	34.3-48.5	68	27.2	20.9-33.5	5	1.7	0.0- 3.9	51	19.6	13.7-25.5
H.S. or G.E.D.	1129	770,301	174	14.0	11.6-16.4	511	44.1	40.6-47.6	255	24.3	21.2-27.4	20	1.5	0.5- 2.5	169	16.1	13.4-18.8
Some Post-H.S.	890	664,150	143	15.6	12.7-18.5	402	44.4	40.5-48.3	237	26.1	22.8-29.4	9	1.1	0.3- 1.9	99	12.9	10.0-15.8
College Graduate	1255	495,531	249	18.4	15.9-20.9	642	51.1	47.8-54.4	288	24.7	21.8-27.6	8	0.8	0.2- 1.4	68	5.0	3.6- 6.4
Less than \$15,000	214	146,068	34	16.7	10.6-22.8	75	30.0	22.7-37.3	61	34.5	26.3-42.7	4	0.8	0.0- 1.6	40	18.1	11.6-24.6
\$15,000- 24,999	443	285,832	72	15.5	11.2-19.8	181	41.4	35.7-47.1	119	29.4	23.9-34.9	8	1.2	0.0- 2.4	63	12.5	8.8-16.2
\$25,000- 34,999	279	179,006	40	12.3	7.8-16.8	127	47.8	40.4-55.2	72	25.3	18.6-32.0	6	1.9	0.3- 3.5	34	12.7	7.8-17.6
\$35,000- 49,999	453	285,959	70	14.1	10.4-17.8	195	38.3	32.8-43.8	123	29.0	23.3-34.7	3	0.4	0.0- 1.0	62	18.2	13.5-22.9
\$50,000- 74,999	505	330,508	89	16.9	13.0-20.8	237	43.9	38.4-49.4	132	25.7	21.2-30.2	4	0.8	0.0- 1.6	43	12.7	8.0-17.4
\$75,000+	1098	668,043	204	16.5	14.0-19.0	598	54.3	50.6-58.0	216	20.1	17.4-22.8	8	0.8	0.2- 1.4	72	8.4	6.2-10.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 9: HOW OFTEN DID YOU EAT A GREEN LEAFY OR LETTUCE SALAD, WITH OR WITHOUT OTHER VEGETABLES? (FVGREEN1)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4384	2,373,611	853	19.0	17.4-20.6	2109	47.1	45.1-49.1	1035	24.1	22.5-25.7	40	1.0	0.6- 1.4	347	8.9	7.7-10.1
White/Non-Hisp	3657	1,911,156	683	18.1	16.5-19.7	1792	48.0	45.8-50.2	867	24.5	22.7-26.3	31	1.0	0.6- 1.4	284	8.3	7.1- 9.5
Black or Afr. Am./Non-Hisp	317	198,591	60	20.0	14.5-25.5	145	43.4	36.5-50.3	78	25.6	19.1-32.1	4	0.7	0.0- 1.5	30	10.3	5.4-15.2
Oth. Race/Non-Hisp.	90	59,578	31	30.5	18.2-42.8	33	36.9	22.4-51.4	19	17.9	7.1-28.7	3	1.5	0.0- 3.3	4	13.1	0.0-27.8
MultiRacial/Non-Hisp.	63	22,701	17	32.1	17.2-47.0	20	26.8	12.3-41.3	20	30.0	16.3-43.7				6	11.1	0.0-24.6
Hispanic	191	144,987	43	19.1	12.8-25.4	88	46.9	38.5-55.3	40	21.5	14.8-28.2	2	0.7	0.0- 1.9	18	11.7	6.0-17.4
18-24	181	298,166	29	14.2	8.7-19.7	74	42.1	34.1-50.1	49	26.1	19.0-33.2	1	0.5	0.0- 1.5	28	17.2	10.9-23.5
25-34	369	378,416	74	19.1	14.8-23.4	167	45.0	39.5-50.5	90	24.4	19.7-29.1	4	0.8	0.0- 1.6	34	10.7	7.0-14.4
35-44	471	366,083	116	26.1	21.6-30.6	205	45.4	40.3-50.5	118	21.9	18.0-25.8	3	0.9	0.0- 1.9	29	5.7	3.5- 7.9
45-54	642	376,292	118	18.8	15.3-22.3	305	45.9	41.6-50.2	174	28.3	24.4-32.2	5	1.0	0.0- 2.0	40	6.0	4.0- 8.0
55-64	865	404,786	152	17.1	14.2-20.0	436	51.6	47.9-55.3	199	22.1	19.0-25.2	8	1.3	0.3- 2.3	70	8.0	5.8-10.2
65+	1856	549,868	364	18.4	16.4-20.4	922	49.8	47.1-52.5	405	22.8	20.4-25.2	19	1.2	0.6- 1.8	146	7.8	6.2- 9.4
Less Than H.S.	306	259,089	51	15.6	10.7-20.5	122	40.2	33.1-47.3	69	23.6	17.3-29.9	8	1.9	0.3- 3.5	56	18.7	12.8-24.6
H.S. or G.E.D.	1365	733,177	218	16.1	13.4-18.8	641	46.1	42.6-49.6	356	26.4	23.3-29.5	17	0.9	0.3- 1.5	133	10.4	8.2-12.6
Some Post-H.S.	1185	761,657	241	20.5	17.8-23.2	566	47.7	44.2-51.2	289	23.5	20.6-26.4	12	1.2	0.4- 2.0	77	7.2	5.2- 9.2
College Graduate	1504	608,639	336	22.0	19.5-24.5	768	50.2	47.1-53.3	319	22.6	20.1-25.1	3	0.4	0.0- 0.8	78	4.8	3.2- 6.4
Less than \$15,000	360	226,250	60	15.2	10.7-19.7	134	36.3	29.8-42.8	93	24.6	18.9-30.3	6	1.1	0.1- 2.1	67	22.8	16.3-29.3
\$15,000- 24,999	648	342,541	118	18.7	14.8-22.6	270	41.5	36.4-46.6	178	24.5	20.0-29.0	8	1.1	0.1- 2.1	74	14.2	10.1-18.3
\$25,000- 34,999	427	222,981	67	13.0	9.5-16.5	197	41.6	35.3-47.9	120	33.4	27.1-39.7	4	1.3	0.0- 2.7	39	10.7	6.4-15.0
\$35,000- 49,999	481	250,252	87	18.8	14.3-23.3	248	52.4	46.7-58.1	120	22.7	18.4-27.0	2	1.0	0.0- 2.4	24	5.1	2.6- 7.6
\$50,000- 74,999	531	306,411	101	17.1	13.2-21.0	278	54.6	49.3-59.9	120	23.8	19.3-28.3	1	0.3	0.0- 0.9	31	4.2	2.4- 6.0
\$75,000+	908	548,253	195	21.2	18.1-24.3	480	50.6	46.7-54.5	202	24.5	21.0-28.0	3	0.4	0.0- 0.8	28	3.2	1.8- 4.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 10: HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7922	4,602,887	389	5.8	5.0- 6.6	3062	40.2	38.8-41.6	2977	37.7	36.3-39.1	157	1.8	1.4- 2.2	1337	14.5	13.5-15.5
Male	3553	2,239,497	222	6.9	5.7- 8.1	1559	44.4	42.2-46.6	1261	35.3	33.3-37.3	60	1.4	1.0- 1.8	451	11.9	10.5-13.3
Female	4369	2,363,390	167	4.6	3.8- 5.4	1503	36.3	34.3-38.3	1716	39.9	37.9-41.9	97	2.2	1.6- 2.8	886	17.0	15.6-18.4
White/Non-Hisp	6606	3,670,691	312	5.5	4.7- 6.3	2567	40.7	39.1-42.3	2506	38.4	36.8-40.0	129	1.8	1.4- 2.2	1092	13.6	12.6-14.6
Black or Afr. Am./Non-Hisp	515	387,553	30	6.4	3.5- 9.3	190	36.7	31.4-42.0	199	38.7	33.2-44.2	8	0.9	0.1- 1.7	88	17.3	13.0-21.6
Oth. Race/Non-Hisp.	203	144,549	10	8.2	2.9-13.5	82	44.5	35.1-53.9	57	20.9	14.2-27.6	8	4.5	0.6- 8.4	46	21.8	14.5-29.1
MultiRacial/Non-Hisp.	113	41,794	9	7.0	1.9-12.1	38	31.8	21.0-42.6	49	47.7	35.7-59.7	1	0.3	0.0- 0.9	16	13.1	4.5-21.7
Hispanic	340	283,159	18	6.2	2.9- 9.5	134	39.1	33.0-45.2	116	36.2	30.1-42.3	7	2.2	0.0- 4.4	65	16.5	12.2-20.8
18-24	412	614,649	28	7.4	4.7-10.1	178	42.6	37.3-47.9	158	38.4	33.1-43.7	5	1.0	0.0- 2.0	43	10.6	7.3-13.9
25-34	706	761,259	51	8.1	5.7-10.5	307	43.2	39.1-47.3	269	36.8	32.9-40.7	4	0.6	0.0- 1.4	75	11.3	8.6-14.0
35-44	849	717,372	43	5.4	3.6- 7.2	349	41.7	38.0-45.4	338	37.5	34.0-41.0	19	2.9	1.5- 4.3	100	12.4	9.9-14.9
45-54	1187	733,510	53	4.4	3.2- 5.6	458	38.5	35.4-41.6	493	41.4	38.3-44.5	13	1.4	0.6- 2.2	170	14.3	11.9-16.7
55-64	1659	784,437	67	4.5	3.3- 5.7	634	38.4	35.7-41.1	648	39.0	36.3-41.7	30	1.5	0.9- 2.1	280	16.6	14.4-18.8
65+	3109	991,659	147	5.2	4.2- 6.2	1136	38.2	36.0-40.4	1071	34.2	32.2-36.2	86	2.9	2.1- 3.7	669	19.4	17.8-21.0
Less Than H.S.	568	555,674	36	7.0	4.5- 9.5	210	39.3	34.2-44.4	196	35.6	30.7-40.5	15	1.8	0.8- 2.8	111	16.4	12.9-19.9
H.S. or G.E.D.	2478	1,494,013	148	7.0	5.6- 8.4	1009	41.8	39.3-44.3	885	36.1	33.7-38.5	49	1.8	1.2- 2.4	387	13.3	11.7-14.9
Some Post-H.S.	2068	1,428,077	101	5.4	4.0- 6.8	788	39.8	37.3-42.3	787	38.2	35.7-40.7	40	2.0	1.2- 2.8	352	14.6	12.8-16.4
College Graduate	2761	1,101,090	102	4.0	3.0- 5.0	1040	39.5	37.3-41.7	1092	40.3	38.1-42.5	51	1.6	1.0- 2.2	476	14.6	13.0-16.2
Less than \$15,000	581	375,829	37	6.6	4.1- 9.1	179	33.5	28.4-38.6	213	36.2	31.1-41.3	17	1.9	0.7- 3.1	135	21.9	17.4-26.4
\$15,000- 24,999	1083	625,404	56	5.7	3.7- 7.7	409	38.0	34.3-41.7	409	39.0	35.1-42.9	23	2.4	1.0- 3.8	186	14.9	12.4-17.4
\$25,000- 34,999	702	401,835	28	5.1	2.6- 7.6	265	40.1	35.4-44.8	273	39.1	34.2-44.0	15	2.0	0.8- 3.2	121	13.6	10.5-16.7
\$35,000- 49,999	933	535,189	55	8.0	5.5-10.5	376	41.2	37.1-45.3	364	37.5	33.6-41.4	13	1.3	0.5- 2.1	125	12.1	9.6-14.6
\$50,000- 74,999	1040	636,606	48	5.5	3.5- 7.5	431	43.4	39.5-47.3	404	37.6	33.9-41.3	13	1.2	0.4- 2.0	144	12.3	9.8-14.8
\$75,000+	2001	1,211,431	86	4.7	3.5- 5.9	796	41.0	38.3-43.7	782	39.5	37.0-42.0	31	1.3	0.7- 1.9	306	13.5	11.7-15.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 11: HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3553	2,239,497	222	6.9	5.7- 8.1	1559	44.4	42.4-46.4	1261	35.3	33.3-37.3	60	1.4	1.0- 1.8	451	11.9	10.5-13.3
White/Non-Hisp	2961	1,772,038	187	7.1	5.9- 8.3	1327	45.9	43.7-48.1	1051	35.5	33.3-37.7	47	1.3	0.9- 1.7	349	10.2	8.8-11.6
Black or Afr. Am./Non-Hisp	203	186,672	12	5.8	1.3-10.3	70	32.1	24.5-39.7	87	43.2	34.8-51.6	1	0.2	0.0- 0.6	33	18.7	11.6-25.8
Oth. Race/Non-Hisp.	113	84,351	7	10.8	2.6-19.0	44	41.8	30.0-53.6	32	20.6	12.4-28.8	3	2.4	0.0- 5.5	27	24.5	14.3-34.7
MultiRacial/Non-Hisp.	52	19,189	3	4.1	0.0- 9.6	21	37.9	21.0-54.8	22	49.2	32.0-66.4	1	0.6	0.0- 1.8	5	8.2	0.4-16.0
Hispanic	149	140,718	7	3.7	0.6- 6.8	68	46.6	37.4-55.8	44	29.6	21.0-38.2	4	3.3	0.0- 7.2	26	16.8	10.1-23.5
18-24	234	318,135	18	8.8	4.7-12.9	108	45.9	38.8-53.0	84	34.9	28.2-41.6	3	1.3	0.0- 2.9	21	9.2	5.1-13.3
25-34	338	382,110	29	9.5	6.0-13.0	151	44.6	38.5-50.7	126	34.8	29.1-40.5	1	0.4	0.0- 1.2	31	10.7	6.8-14.6
35-44	386	356,697	16	5.2	2.5- 7.9	179	47.0	41.5-52.5	145	34.9	29.6-40.2	9	2.5	0.7- 4.3	37	10.4	6.9-13.9
45-54	548	358,285	25	4.3	2.5- 6.1	243	43.8	39.1-48.5	200	38.2	33.5-42.9	5	0.9	0.1- 1.7	75	12.9	9.8-16.0
55-64	798	383,861	48	6.3	4.3- 8.3	338	41.9	38.0-45.8	292	36.6	32.9-40.3	9	0.8	0.2- 1.4	111	14.3	11.4-17.2
65+	1249	440,408	86	7.5	5.5- 9.5	540	43.7	40.4-47.0	414	32.9	29.8-36.0	33	2.6	1.6- 3.6	176	13.3	10.9-15.7
Less Than H.S.	265	300,620	22	8.6	4.7-12.5	107	41.6	34.5-48.7	84	33.3	26.4-40.2	6	1.2	0.0- 2.4	46	15.3	10.6-20.0
H.S. or G.E.D.	1124	767,867	89	8.2	6.2-10.2	523	46.4	42.9-49.9	370	32.8	29.5-36.1	19	1.6	0.6- 2.6	123	10.9	8.5-13.3
Some Post-H.S.	884	663,509	55	6.6	4.4- 8.8	385	44.1	40.2-48.0	331	37.3	33.6-41.0	13	1.3	0.5- 2.1	100	10.7	8.3-13.1
College Graduate	1257	494,692	55	4.5	3.1- 5.9	537	43.8	40.5-47.1	469	38.3	35.2-41.4	22	1.5	0.7- 2.3	174	11.9	9.7-14.1
Less than \$15,000	222	150,583	19	9.5	4.6-14.4	70	30.6	23.2-38.0	83	35.7	28.1-43.3	5	1.5	0.0- 3.1	45	22.7	15.3-30.1
\$15,000- 24,999	441	284,780	25	4.7	2.3- 7.1	193	42.9	37.2-48.6	147	36.2	30.5-41.9	10	1.8	0.0- 3.6	66	14.4	10.5-18.3
\$25,000- 34,999	277	176,739	18	7.8	3.5-12.1	122	47.2	39.8-54.6	102	35.0	27.9-42.1	6	1.3	0.1- 2.5	29	8.8	4.5-13.1
\$35,000- 49,999	451	284,785	33	9.6	5.5-13.7	206	44.1	38.2-50.0	170	36.4	30.7-42.1	6	1.2	0.0- 2.4	36	8.8	5.7-11.9
\$50,000- 74,999	504	329,446	30	7.1	4.0-10.2	235	48.4	42.9-53.9	179	33.1	28.0-38.2	3	0.5	0.0- 1.1	57	11.0	7.7-14.3
\$75,000+	1094	665,587	56	5.6	3.8- 7.4	485	45.3	41.6-49.0	396	36.3	32.8-39.8	16	1.2	0.4- 2.0	141	11.5	9.1-13.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 12: HOW OFTEN DID YOU EAT ANY KIND OF FRIED POTATOES, INCLUDING FRENCH FRIES, HOME FRIES, OR HASH BROWNS? (FRENCHF1)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4369	2,363,390	167	4.6	3.8- 5.4	1503	36.3	34.3-38.3	1716	39.9	37.9-41.9	97	2.2	1.6- 2.8	886	17.0	15.6-18.4
White/Non-Hisp	3645	1,898,653	125	4.0	3.0- 5.0	1240	35.8	33.8-37.8	1455	41.1	38.9-43.3	82	2.2	1.6- 2.8	743	16.8	15.2-18.4
Black or Afr. Am./Non-Hisp	312	200,881	18	7.0	3.3-10.7	120	40.9	33.6-48.2	112	34.5	27.6-41.4	7	1.5	0.1- 2.9	55	16.1	10.8-21.4
Oth. Race/Non-Hisp.	90	60,197	3	4.5	0.0- 9.8	38	48.4	33.1-63.7	25	21.4	10.2-32.6	5	7.6	0.0-15.6	19	18.1	8.1-28.1
MultiRacial/Non-Hisp.	61	22,606	6	9.4	1.2-17.6	17	26.7	13.4-40.0	27	46.5	30.2-62.8				11	17.3	3.2-31.4
Hispanic	191	142,441	11	8.6	3.1-14.1	66	31.6	24.2-39.0	72	42.7	34.3-51.1	3	1.0	0.0- 2.8	39	16.1	10.6-21.6
18-24	178	296,514	10	5.9	2.2- 9.6	70	39.2	31.2-47.2	74	42.0	34.0-50.0	2	0.7	0.0- 1.7	22	12.2	7.1-17.3
25-34	368	379,149	22	6.7	3.8- 9.6	156	41.7	36.2-47.2	143	38.8	33.3-44.3	3	0.8	0.0- 2.0	44	11.9	8.4-15.4
35-44	463	360,675	27	5.7	3.5- 7.9	170	36.5	31.6-41.4	193	40.1	35.2-45.0	10	3.3	1.1- 5.5	63	14.4	10.7-18.1
45-54	639	375,224	28	4.4	2.6- 6.2	215	33.5	29.4-37.6	293	44.5	40.2-48.8	8	2.0	0.6- 3.4	95	15.6	12.3-18.9
55-64	861	400,576	19	2.8	1.4- 4.2	296	35.0	31.3-38.7	356	41.2	37.5-44.9	21	2.2	1.2- 3.2	169	18.8	15.9-21.7
65+	1860	551,252	61	3.4	2.4- 4.4	596	33.8	31.3-36.3	657	35.3	32.8-37.8	53	3.2	2.2- 4.2	493	24.3	21.9-26.7
Less Than H.S.	303	255,054	14	5.2	2.1- 8.3	103	36.5	29.2-43.8	112	38.3	31.0-45.6	9	2.4	0.4- 4.4	65	17.6	12.3-22.9
H.S. or G.E.D.	1354	726,146	59	5.7	3.7- 7.7	486	36.9	33.6-40.2	515	39.6	36.3-42.9	30	1.9	1.1- 2.7	264	15.9	13.5-18.3
Some Post-H.S.	1184	764,568	46	4.3	2.7- 5.9	403	36.1	32.8-39.4	456	39.1	35.6-42.6	27	2.6	1.4- 3.8	252	17.9	15.4-20.4
College Graduate	1504	606,398	47	3.6	2.4- 4.8	503	35.9	33.0-38.8	623	41.9	39.0-44.8	29	1.7	0.9- 2.5	302	16.9	14.7-19.1
Less than \$15,000	359	225,246	18	4.7	2.0- 7.4	109	35.4	28.7-42.1	130	36.5	29.8-43.2	12	2.2	0.6- 3.8	90	21.3	15.8-26.8
\$15,000- 24,999	642	340,623	31	6.6	3.5- 9.7	216	33.9	29.0-38.8	262	41.3	36.2-46.4	13	2.9	0.9- 4.9	120	15.3	11.8-18.8
\$25,000- 34,999	425	225,097	10	3.1	0.4- 5.8	143	34.6	28.5-40.7	171	42.4	35.9-48.9	9	2.6	0.6- 4.6	92	17.4	12.9-21.9
\$35,000- 49,999	482	250,403	22	6.2	3.1- 9.3	170	38.0	32.3-43.7	194	38.7	33.2-44.2	7	1.4	0.2- 2.6	89	15.8	11.7-19.9
\$50,000- 74,999	536	307,160	18	3.9	1.7- 6.1	196	38.0	32.7-43.3	225	42.5	37.2-47.8	10	1.9	0.5- 3.3	87	13.7	10.0-17.4
\$75,000+	907	545,843	30	3.5	2.1- 4.9	311	35.7	32.0-39.4	386	43.4	39.5-47.3	15	1.5	0.5- 2.5	165	15.8	13.1-18.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 13: HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7843	4,555,056	416	5.2	4.6- 5.8	3179	40.1	38.7-41.5	2892	36.1	34.7-37.5	145	1.7	1.3- 2.1	1211	16.9	15.7-18.1
Male	3514	2,216,790	183	5.3	4.3- 6.3	1452	40.1	38.1-42.1	1256	35.2	33.2-37.2	63	1.7	1.1- 2.3	560	17.8	16.2-19.4
Female	4329	2,338,266	233	5.2	4.4- 6.0	1727	40.0	38.0-42.0	1636	37.1	35.1-39.1	82	1.7	1.3- 2.1	651	16.1	14.7-17.5
White/Non-Hisp	6546	3,634,080	354	5.6	4.8- 6.4	2726	41.8	40.2-43.4	2408	35.7	34.3-37.1	113	1.5	1.1- 1.9	945	15.5	14.3-16.7
Black or Afr. Am./Non-Hisp	503	382,187	23	2.9	1.3- 4.5	154	28.8	23.9-33.7	214	42.7	37.2-48.2	21	4.1	1.7- 6.5	91	21.5	16.8-26.2
Oth. Race/Non-Hisp.	200	140,419	5	0.8	0.0- 1.6	80	37.7	28.9-46.5	70	36.3	27.5-45.1	3	1.0	0.0- 2.6	42	24.3	15.3-33.3
MultiRacial/Non-Hisp.	113	41,720	7	4.5	0.4- 8.6	37	36.2	24.8-47.6	42	36.3	24.7-47.9				27	23.0	12.6-33.4
Hispanic	337	281,487	14	4.5	1.8- 7.2	120	33.5	27.6-39.4	116	35.2	29.1-41.3	7	1.9	0.3- 3.5	80	24.9	19.4-30.4
18-24	413	615,355	22	5.7	3.3- 8.1	157	38.3	33.0-43.6	140	33.4	28.3-38.5	8	2.1	0.5- 3.7	86	20.4	16.1-24.7
25-34	696	747,054	38	5.5	3.5- 7.5	261	38.3	34.2-42.4	260	36.0	32.1-39.9	10	1.1	0.5- 1.7	127	19.1	15.8-22.4
35-44	846	713,147	36	4.6	3.0- 6.2	324	39.7	36.0-43.4	316	35.4	31.9-38.9	12	1.4	0.6- 2.2	158	18.9	16.0-21.8
45-54	1182	730,827	51	4.6	3.2- 6.0	429	36.7	33.6-39.8	453	37.8	34.7-40.9	17	1.6	0.8- 2.4	232	19.3	16.8-21.8
55-64	1647	774,579	63	3.9	2.9- 4.9	649	40.4	37.7-43.1	648	38.2	35.5-40.9	34	1.9	1.1- 2.7	253	15.6	13.6-17.6
65+	3059	974,094	206	6.6	5.6- 7.6	1359	45.0	42.8-47.2	1075	35.6	33.6-37.6	64	2.0	1.4- 2.6	355	10.8	9.4-12.2
Less Than H.S.	553	542,338	41	5.7	3.5- 7.9	200	37.8	32.7-42.9	193	35.2	30.3-40.1	11	1.3	0.3- 2.3	108	20.0	15.7-24.3
H.S. or G.E.D.	2446	1,478,747	150	5.8	4.6- 7.0	1019	40.8	38.3-43.3	871	35.7	33.3-38.1	47	1.9	1.1- 2.7	359	15.8	13.8-17.8
Some Post-H.S.	2053	1,418,409	108	5.4	4.2- 6.6	828	40.7	38.2-43.2	763	35.3	32.8-37.8	39	1.7	1.1- 2.3	315	16.9	14.9-18.9
College Graduate	2745	1,092,098	113	3.8	3.0- 4.6	1118	39.5	37.3-41.7	1048	38.3	36.1-40.5	47	1.5	0.9- 2.1	419	16.9	15.1-18.7
Less than \$15,000	572	372,301	47	7.4	4.9- 9.9	171	30.8	25.9-35.7	220	37.4	32.3-42.5	14	1.9	0.7- 3.1	120	22.4	17.9-26.9
\$15,000- 24,999	1072	617,687	68	5.3	3.5- 7.1	422	40.3	36.4-44.2	393	36.2	32.5-39.9	25	2.0	1.0- 3.0	164	16.2	13.3-19.1
\$25,000- 34,999	695	396,157	36	5.7	3.3- 8.1	278	36.7	32.0-41.4	290	43.1	38.2-48.0	11	1.8	0.6- 3.0	80	12.8	9.3-16.3
\$35,000- 49,999	928	528,572	46	5.7	3.5- 7.9	379	38.1	34.2-42.0	359	38.9	35.0-42.8	17	1.7	0.7- 2.7	127	15.7	12.6-18.8
\$50,000- 74,999	1028	631,627	43	4.4	2.6- 6.2	438	44.0	40.1-47.9	384	35.3	31.6-39.0	15	1.0	0.4- 1.6	148	15.3	12.6-18.0
\$75,000+	1991	1,205,840	84	4.3	3.3- 5.3	799	39.9	37.4-42.4	754	36.7	34.2-39.2	28	1.2	0.6- 1.8	326	17.9	15.7-20.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 14: HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3514	2,216,790	183	5.3	4.3- 6.3	1452	40.1	38.1-42.1	1256	35.2	33.2-37.2	63	1.7	1.1- 2.3	560	17.8	16.2-19.4
White/Non-Hisp	2926	1,749,704	158	5.8	4.6- 7.0	1241	42.0	39.8-44.2	1042	34.5	32.3-36.7	49	1.4	0.8- 2.0	436	16.2	14.4-18.0
Black or Afr. Am./Non-Hisp	201	185,185	9	2.3	0.1- 4.5	60	25.0	18.1-31.9	89	45.0	36.6-53.4	8	4.4	0.5- 8.3	35	23.3	15.7-30.9
Oth. Race/Non-Hisp.	113	85,236	2	0.7	0.0- 1.9	44	38.8	27.4-50.2	44	38.4	27.2-49.6	1	1.2	0.0- 3.6	22	20.8	10.6-31.0
MultiRacial/Non-Hisp.	51	19,174	2	3.3	0.0- 9.4	19	38.8	21.6-56.0	17	36.1	19.4-52.8				13	21.8	8.9-34.7
Hispanic	147	140,151	5	3.8	0.3- 7.3	56	37.7	28.7-46.7	39	27.7	19.1-36.3	4	2.5	0.0- 5.0	43	28.3	20.1-36.5
18-24	236	319,754	12	5.1	2.2- 8.0	86	35.5	28.8-42.2	77	32.3	25.8-38.8	6	3.3	0.6- 6.0	55	23.8	17.7-29.9
25-34	334	377,089	18	5.7	3.0- 8.4	130	40.0	34.1-45.9	120	34.6	28.9-40.3	3	0.7	0.0- 1.5	63	19.0	14.3-23.7
35-44	384	353,926	13	4.2	1.8- 6.6	146	39.2	33.7-44.7	152	36.6	31.3-41.9	5	1.4	0.0- 2.8	68	18.6	14.3-22.9
45-54	544	355,465	27	5.2	3.0- 7.4	210	38.9	34.4-43.4	186	34.5	30.0-39.0	6	1.2	0.2- 2.2	115	20.3	16.6-24.0
55-64	792	379,964	33	4.5	2.9- 6.1	325	41.1	37.2-45.0	291	36.3	32.4-40.2	15	1.7	0.7- 2.7	128	16.5	13.6-19.4
65+	1224	430,593	80	6.6	4.8- 8.4	555	44.4	41.1-47.7	430	36.1	32.8-39.4	28	2.2	1.2- 3.2	131	10.7	8.5-12.9
Less Than H.S.	259	293,013	18	5.2	2.7- 7.7	90	36.7	29.8-43.6	85	32.7	26.0-39.4	7	1.7	0.3- 3.1	59	23.7	17.4-30.0
H.S. or G.E.D.	1108	760,746	71	5.7	4.1- 7.3	471	41.0	37.5-44.5	371	33.4	30.1-36.7	19	1.8	0.6- 3.0	176	18.0	15.1-20.9
Some Post-H.S.	875	659,595	47	6.0	4.0- 8.0	355	40.5	36.6-44.4	319	35.3	31.6-39.0	17	1.8	0.8- 2.8	137	16.4	13.5-19.3
College Graduate	1249	490,501	46	3.6	2.4- 4.8	529	40.7	37.4-44.0	470	38.6	35.3-41.9	19	1.3	0.5- 2.1	185	15.7	13.2-18.2
Less than \$15,000	219	149,069	14	6.0	2.5- 9.5	60	26.1	19.2-33.0	84	39.9	31.7-48.1	8	2.1	0.1- 4.1	53	26.0	18.7-33.3
\$15,000- 24,999	434	281,728	29	4.6	2.4- 6.8	179	42.7	36.8-48.6	151	35.4	29.7-41.1	13	2.4	0.8- 4.0	62	15.0	10.7-19.3
\$25,000- 34,999	273	174,429	16	6.5	2.8-10.2	112	39.3	32.0-46.6	114	41.4	34.0-48.8	5	1.9	0.0- 3.9	26	11.0	5.9-16.1
\$35,000- 49,999	451	281,483	20	4.9	2.2- 7.6	194	37.2	31.7-42.7	167	39.2	33.5-44.9	6	1.2	0.0- 2.6	64	17.5	12.8-22.2
\$50,000- 74,999	497	326,991	22	5.0	2.5- 7.5	224	47.2	41.7-52.7	170	31.8	26.7-36.9	6	0.5	0.1- 0.9	75	15.5	11.6-19.4
\$75,000+	1088	663,783	53	5.4	3.6- 7.2	443	39.5	36.0-43.0	400	35.7	32.2-39.2	14	1.5	0.5- 2.5	178	17.9	15.0-20.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 15: HOW OFTEN DID YOU EAT ANY OTHER KIND OF POTATOES, OR SWEET POTATOES, SUCH AS BAKED, BOILED, MASHED POTATOES, OR POTATO SALAD? (POTATOE1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4329	2,338,266	233	5.2	4.4- 6.0	1727	40.0	38.0-42.0	1636	37.1	35.3-38.9	82	1.7	1.3- 2.1	651	16.1	14.7-17.5
White/Non-Hisp	3620	1,884,375	196	5.3	4.3- 6.3	1485	41.6	39.4-43.8	1366	36.8	34.8-38.8	64	1.5	1.1- 1.9	509	14.8	13.2-16.4
Black or Afr. Am./Non-Hisp	302	197,001	14	3.5	1.1- 5.9	94	32.3	25.4-39.2	125	40.5	33.2-47.8	13	3.8	1.6- 6.0	56	19.8	13.9-25.7
Oth. Race/Non-Hisp.	87	55,183	3	0.8	0.0- 2.0	36	35.9	22.0-49.8	26	33.0	18.7-47.3	2	0.6	0.0- 1.6	20	29.6	13.5-45.7
MultiRacial/Non-Hisp.	62	22,545	5	5.6	0.0-11.3	18	34.0	19.3-48.7	25	36.4	20.5-52.3				14	23.9	8.4-39.4
Hispanic	190	141,337	9	5.2	1.1- 9.3	64	29.4	22.1-36.7	77	42.6	34.2-51.0	3	1.3	0.0- 3.1	37	21.5	14.4-28.6
18-24	177	295,601	10	6.3	2.4-10.2	71	41.4	33.4-49.4	63	34.7	27.1-42.3	2	0.9	0.0- 2.1	31	16.8	10.7-22.9
25-34	362	369,965	20	5.3	2.8- 7.8	131	36.7	31.2-42.2	140	37.5	32.0-43.0	7	1.4	0.4- 2.4	64	19.2	14.7-23.7
35-44	462	359,221	23	5.0	2.8- 7.2	178	40.1	35.0-45.2	164	34.2	29.3-39.1	7	1.4	0.2- 2.6	90	19.2	15.3-23.1
45-54	638	375,362	24	4.0	2.2- 5.8	219	34.7	30.6-38.8	267	41.0	36.7-45.3	11	1.9	0.7- 3.1	117	18.3	15.0-21.6
55-64	855	394,615	30	3.3	1.9- 4.7	324	39.7	36.0-43.4	357	40.0	36.3-43.7	19	2.2	1.2- 3.2	125	14.8	12.1-17.5
65+	1835	543,501	126	6.7	5.3- 8.1	804	45.5	42.8-48.2	645	35.2	32.7-37.7	36	1.8	1.0- 2.6	224	10.8	9.2-12.4
Less Than H.S.	294	249,325	23	6.4	3.1- 9.7	110	39.2	31.9-46.5	108	38.2	30.8-45.6	4	0.7	0.0- 1.7	49	15.6	10.1-21.1
H.S. or G.E.D.	1338	718,001	79	6.0	4.2- 7.8	548	40.6	37.1-44.1	500	38.1	34.8-41.4	28	2.1	1.1- 3.1	183	13.3	10.9-15.7
Some Post-H.S.	1178	758,814	61	4.9	3.3- 6.5	473	40.9	37.4-44.4	444	35.4	32.1-38.7	22	1.6	0.8- 2.4	178	17.2	14.5-19.9
College Graduate	1496	601,597	67	3.9	2.7- 5.1	589	38.5	35.6-41.4	578	38.0	35.1-40.9	28	1.7	0.9- 2.5	234	17.9	15.4-20.4
Less than \$15,000	353	223,232	33	8.4	4.7-12.1	111	33.9	27.2-40.6	136	35.8	29.3-42.3	6	1.8	0.2- 3.4	67	20.1	14.2-26.0
\$15,000- 24,999	638	335,959	39	6.0	3.5- 8.5	243	38.2	33.1-43.3	242	36.9	31.8-42.0	12	1.8	0.6- 3.0	102	17.1	13.2-21.0
\$25,000- 34,999	422	221,728	20	5.0	1.9- 8.1	166	34.6	28.7-40.5	176	44.4	37.9-50.9	6	1.7	0.0- 3.5	54	14.2	9.5-18.9
\$35,000- 49,999	477	247,089	26	6.6	3.5- 9.7	185	39.0	33.3-44.7	192	38.5	33.0-44.0	11	2.3	0.7- 3.9	63	13.5	9.6-17.4
\$50,000- 74,999	531	304,637	21	3.7	1.5- 5.9	214	40.5	35.2-45.8	214	39.1	33.8-44.4	9	1.6	0.4- 2.8	73	15.1	11.0-19.2
\$75,000+	903	542,057	31	2.9	1.7- 4.1	356	40.4	36.5-44.3	354	37.8	34.1-41.5	14	0.9	0.3- 1.5	148	18.0	14.9-21.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 16: NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES? (VEGETAB2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7755	4,490,682	3068	37.8	36.4-39.2	2808	37.3	35.9-38.7	1562	20.1	18.9-21.3	46	0.8	0.4- 1.2	271	4.1	3.5- 4.7
Male	3464	2,175,796	1109	30.0	28.0-32.0	1387	41.0	39.0-43.0	783	22.9	21.1-24.7	24	0.9	0.5- 1.3	161	5.2	4.2- 6.2
Female	4291	2,314,886	1959	45.1	43.1-47.1	1421	33.8	32.0-35.6	779	17.4	16.0-18.8	22	0.7	0.3- 1.1	110	3.0	2.2- 3.8
White/Non-Hisp	6479	3,593,604	2617	39.0	37.4-40.6	2327	37.0	35.4-38.6	1305	19.9	18.7-21.1	31	0.5	0.3- 0.7	199	3.6	3.0- 4.2
Black or Afr. Am./Non-Hisp	502	368,271	165	28.5	23.8-33.2	187	38.7	33.2-44.2	124	26.0	21.1-30.9	6	2.2	0.0- 4.4	20	4.7	2.2- 7.2
Oth. Race/Non-Hisp.	198	139,200	87	49.3	39.9-58.7	65	27.7	20.1-35.3	35	15.3	8.8-21.8	1	0.4	0.0- 1.2	10	7.3	0.4-14.2
MultiRacial/Non-Hisp.	111	41,729	51	38.6	27.6-49.6	30	34.2	22.4-46.0	23	22.1	11.5-32.7	1	1.4	0.0- 4.1	6	3.6	0.0- 7.5
Hispanic	333	278,424	96	26.3	20.8-31.8	144	44.9	38.6-51.2	58	18.2	13.1-23.3	5	2.2	0.0- 4.4	30	8.3	5.0-11.6
18-24	400	591,720	124	32.3	27.2-37.4	166	39.9	34.6-45.2	82	19.5	15.4-23.6	9	2.7	0.7- 4.7	19	5.6	2.7- 8.5
25-34	693	741,893	267	36.1	32.2-40.0	268	39.4	35.3-43.5	124	18.7	15.4-22.0	4	0.5	0.0- 1.1	30	5.3	3.1- 7.5
35-44	829	697,846	350	40.8	37.1-44.5	290	37.0	33.3-40.7	161	19.0	16.1-21.9	3	0.5	0.0- 1.1	25	2.7	1.5- 3.9
45-54	1177	726,791	459	38.0	34.9-41.1	413	35.6	32.5-38.7	250	21.3	18.8-23.8	5	0.6	0.0- 1.2	50	4.6	3.2- 6.0
55-64	1634	770,783	613	37.0	34.3-39.7	582	35.9	33.2-38.6	361	21.9	19.5-24.3	9	0.4	0.0- 0.8	69	4.7	3.3- 6.1
65+	3022	961,648	1255	40.6	38.4-42.8	1089	36.8	34.6-39.0	584	19.8	18.0-21.6	16	0.6	0.2- 1.0	78	2.2	1.6- 2.8
Less Than H.S.	539	525,962	173	30.9	26.2-35.6	201	37.0	31.9-42.1	109	20.4	16.3-24.5	8	1.9	0.3- 3.5	48	9.9	6.6-13.2
H.S. or G.E.D.	2425	1,463,429	808	31.8	29.4-34.2	962	40.6	38.1-43.1	520	21.6	19.4-23.8	16	0.8	0.4- 1.2	119	5.3	4.1- 6.5
Some Post-H.S.	2027	1,395,612	811	39.2	36.7-41.7	718	36.4	33.9-38.9	436	21.0	18.8-23.2	13	0.9	0.3- 1.5	49	2.4	1.4- 3.4
College Graduate	2719	1,084,173	1259	47.1	44.7-49.5	911	34.3	32.1-36.5	489	16.7	15.1-18.3	8	0.2	0.0- 0.4	52	1.7	1.1- 2.3
Less than \$15,000	562	362,032	159	27.2	22.5-31.9	211	35.2	30.3-40.1	142	26.5	21.8-31.2	6	0.7	0.0- 1.5	44	10.4	6.3-14.5
\$15,000- 24,999	1047	600,752	368	33.4	29.7-37.1	376	38.2	34.3-42.1	239	22.3	19.0-25.6	6	0.8	0.0- 1.8	58	5.2	3.4- 7.0
\$25,000- 34,999	683	385,169	254	32.5	28.2-36.8	254	42.4	37.3-47.5	138	19.5	15.8-23.2	4	1.0	0.0- 2.0	33	4.5	2.7- 6.3
\$35,000- 49,999	924	526,488	340	35.5	31.6-39.4	351	38.2	34.3-42.1	204	22.0	18.5-25.5	1	0.2	0.0- 0.6	28	4.1	2.1- 6.1
\$50,000- 74,999	1021	627,305	411	38.8	35.1-42.5	375	38.0	34.3-41.7	212	20.1	17.0-23.2	2	0.1	0.0- 0.3	21	3.0	1.2- 4.8
\$75,000+	1971	1,191,346	898	44.8	42.1-47.5	671	34.8	32.3-37.3	363	18.1	15.9-20.3	6	0.4	0.0- 0.8	33	1.9	1.1- 2.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 17: NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES? (VEGETAB2)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3464	2,175,796	1109	30.0	28.0-32.0	1387	41.0	39.0-43.0	783	22.9	21.1-24.7	24	0.9	0.5- 1.3	161	5.2	4.2- 6.2
White/Non-Hisp	2896	1,731,882	943	31.0	28.8-33.2	1163	41.2	39.0-43.4	654	22.3	20.3-24.3	16	0.6	0.2- 1.0	120	4.9	3.7- 6.1
Black or Afr. Am./Non-Hisp	197	174,247	52	20.4	13.7-27.1	72	37.5	29.3-45.7	58	33.7	25.3-42.1	4	4.0	0.0- 8.3	11	4.3	1.4- 7.2
Oth. Race/Non-Hisp.	111	82,489	45	45.3	33.3-57.3	40	34.0	23.2-44.8	21	17.0	8.6-25.4	1	0.6	0.0- 1.8	4	3.0	0.0- 6.7
Hispanic	146	137,262	30	19.0	11.7-26.3	67	46.8	37.6-56.0	30	22.7	14.5-30.9	1	0.5	0.0- 1.5	18	11.0	5.5-16.5
18-24	227	306,494	53	24.0	17.7-30.3	100	42.7	35.6-49.8	57	25.2	18.9-31.5	7	3.7	0.8- 6.6	10	4.4	1.3- 7.5
25-34	332	373,562	98	29.0	23.5-34.5	140	41.1	35.2-47.0	71	21.4	16.3-26.5	2	0.4	0.0- 1.0	21	8.0	4.3-11.7
35-44	375	344,533	120	30.3	25.2-35.4	150	41.7	36.2-47.2	87	23.5	18.6-28.4	2	0.7	0.0- 1.7	16	3.9	1.7- 6.1
45-54	542	352,082	176	30.7	26.4-35.0	212	40.8	36.1-45.5	118	21.8	17.9-25.7	3	0.6	0.0- 1.4	33	6.1	3.9- 8.3
55-64	786	377,526	255	31.2	27.5-34.9	307	38.9	35.0-42.8	181	24.1	20.6-27.6	4	0.3	0.0- 0.7	39	5.5	3.5- 7.5
65+	1202	421,599	407	33.3	30.2-36.4	478	41.0	37.7-44.3	269	22.1	19.4-24.8	6	0.3	0.0- 0.7	42	3.3	2.1- 4.5
Less Than H.S.	252	286,058	63	25.3	19.0-31.6	99	38.9	31.8-46.0	57	23.8	17.5-30.1	3	1.5	0.0- 3.7	30	10.6	6.3-14.9
H.S. or G.E.D.	1091	743,793	302	27.0	23.9-30.1	455	41.0	37.5-44.5	255	24.1	21.0-27.2	11	1.2	0.4- 2.0	68	6.7	4.7- 8.7
Some Post-H.S.	865	649,188	278	30.9	27.2-34.6	339	41.0	37.1-44.9	209	23.9	20.6-27.2	5	0.8	0.0- 1.6	34	3.3	1.7- 4.9
College Graduate	1232	483,687	459	36.0	32.9-39.1	484	42.3	39.0-45.6	258	19.4	16.9-21.9	4	0.2	0.0- 0.4	27	2.2	1.2- 3.2
Less than \$15,000	213	143,408	43	18.4	12.3-24.5	76	34.9	27.1-42.7	65	35.4	27.2-43.6	6	1.8	0.0- 3.8	23	9.6	4.5-14.7
\$15,000- 24,999	426	275,584	119	27.9	22.4-33.4	173	39.9	34.0-45.8	104	25.3	20.0-30.6	2	0.5	0.0- 1.1	28	6.4	3.7- 9.1
\$25,000- 34,999	266	169,971	78	25.0	18.5-31.5	104	45.5	37.9-53.1	62	21.9	15.6-28.2	2	1.0	0.0- 2.4	20	6.7	3.2-10.2
\$35,000- 49,999	450	281,529	140	28.5	23.4-33.6	180	38.6	32.9-44.3	110	26.8	21.5-32.1	1	0.3	0.0- 0.9	19	5.8	2.5- 9.1
\$50,000- 74,999	493	323,842	163	30.8	25.7-35.9	209	44.2	38.7-49.7	104	20.0	15.5-24.5	1	0.2	0.0- 0.6	16	4.9	1.8- 8.0
\$75,000+	1074	649,812	407	37.6	34.1-41.1	416	39.7	36.2-43.2	224	20.0	17.1-22.9	2	0.2	0.0- 0.6	25	2.4	1.4- 3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 12: FRUITS AND VEGETABLES**

**TABLE 18: NOT INCLUDING LETTUCE SALADS AND POTATOES, HOW OFTEN DID YOU EAT OTHER VEGETABLES? (VEGETAB2)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4291	2,314,886	1959	45.1	43.1-47.1	1421	33.8	31.8-35.8	779	17.4	16.0-18.8	22	0.7	0.3- 1.1	110	3.0	2.2- 3.8
White/Non-Hisp	3583	1,861,722	1674	46.3	44.1-48.5	1164	33.2	31.2-35.2	651	17.7	16.1-19.3	15	0.5	0.1- 0.9	79	2.3	1.7- 2.9
Black or Afr. Am./Non-Hisp	305	194,024	113	35.8	29.1-42.5	115	39.8	32.5-47.1	66	19.0	13.7-24.3	2	0.5	0.0- 1.3	9	4.9	0.8- 9.0
Oth. Race/Non-Hisp.	87	56,711	42	55.2	39.7-70.7	25	18.6	9.2-28.0	14	12.7	2.9-22.5				6	13.6	0.0-28.7
MultiRacial/Non-Hisp.	62	23,026	35	53.1	36.8-69.4	13	25.9	11.0-40.8	13	20.9	6.4-35.4				1	0.2	0.0- 0.6
Hispanic	187	141,162	66	33.4	25.6-41.2	77	43.1	34.7-51.5	28	13.8	8.1-19.5	4	3.9	0.0- 8.0	12	5.8	2.1- 9.5
18-24	173	285,226	71	41.3	33.3-49.3	66	36.9	29.1-44.7	25	13.3	8.2-18.4	2	1.6	0.0- 3.8	9	6.8	1.9-11.7
25-34	361	368,331	169	43.3	37.8-48.8	128	37.6	32.1-43.1	53	15.9	11.6-20.2	2	0.6	0.0- 1.6	9	2.6	0.8- 4.4
35-44	454	353,313	230	51.0	45.9-56.1	140	32.4	27.5-37.3	74	14.7	11.2-18.2	1	0.3	0.0- 0.9	9	1.5	0.5- 2.5
45-54	635	374,709	283	44.8	40.5-49.1	201	30.7	26.8-34.6	132	20.9	17.4-24.4	2	0.6	0.0- 1.4	17	3.1	1.5- 4.7
55-64	848	393,257	358	42.6	38.9-46.3	275	33.0	29.3-36.7	180	19.9	17.0-22.8	5	0.5	0.0- 1.1	30	4.0	2.2- 5.8
65+	1820	540,049	848	46.4	43.7-49.1	611	33.4	30.9-35.9	315	17.9	15.7-20.1	10	0.8	0.2- 1.4	36	1.4	0.8- 2.0
Less Than H.S.	287	239,904	110	37.6	30.5-44.7	102	34.7	27.4-42.0	52	16.3	11.2-21.4	5	2.3	0.0- 4.7	18	9.1	3.8-14.4
H.S. or G.E.D.	1334	719,636	506	36.7	33.4-40.0	507	40.2	36.7-43.7	265	18.9	16.2-21.6	5	0.3	0.0- 0.7	51	3.8	2.4- 5.2
Some Post-H.S.	1162	746,424	533	46.4	42.9-49.9	379	32.5	29.2-35.8	227	18.5	15.8-21.2	8	1.1	0.3- 1.9	15	1.5	0.5- 2.5
College Graduate	1487	600,486	800	56.1	53.0-59.2	427	27.9	25.2-30.6	231	14.5	12.3-16.7	4	0.1	0.0- 0.3	25	1.4	0.6- 2.2
Less than \$15,000	349	218,624	116	33.0	26.5-39.5	135	35.3	29.0-41.6	77	20.7	15.2-26.2				21	11.0	5.1-16.9
\$15,000- 24,999	621	325,168	249	38.1	33.0-43.2	203	36.8	31.7-41.9	135	19.7	15.8-23.6	4	1.1	0.0- 2.7	30	4.2	2.0- 6.4
\$25,000- 34,999	417	215,198	176	38.4	32.3-44.5	150	40.1	33.4-46.8	76	17.6	12.9-22.3	2	1.1	0.0- 2.7	13	2.8	1.0- 4.6
\$35,000- 49,999	474	244,959	200	43.5	37.8-49.2	171	37.7	32.0-43.4	94	16.5	12.4-20.6				9	2.2	0.4- 4.0
\$50,000- 74,999	528	303,463	248	47.4	41.9-52.9	166	31.3	26.2-36.4	108	20.3	16.0-24.6	1	0.1	0.0- 0.3	5	0.9	0.0- 1.9
\$75,000+	897	541,533	491	53.4	49.5-57.3	255	29.0	25.3-32.7	139	15.8	12.9-18.7	4	0.6	0.0- 1.4	8	1.3	0.3- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019**

**SECTION 13: IMMUNIZATION CONTENTS**

\* **NOTE** \* \* \* \* \*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
\* \* \* \* \*

TABLE	PAGE
DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)	
1 MALES AND FEMALES	249
2 MALES ONLY	250
3 FEMALES ONLY	251
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)	
4 MALES AND FEMALES	252
5 MALES ONLY	253
6 FEMALES ONLY	254
HAVE YOU RECEIVED A TETANUS SHOT IN THE PAST 10 YEARS? (TETANUS1)	
7 MALES AND FEMALES	255
8 MALES ONLY	256
9 FEMALES ONLY	257
HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)	
10 MALES AND FEMALES	258
11 MALES ONLY	259
12 FEMALES ONLY	260

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 13: IMMUNIZATION**

**TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7960	4,599,024	3997	42.1	40.7-43.5	3963	57.9	56.5-59.3
Male	3556	2,225,352	1655	37.8	35.8-39.8	1901	62.2	60.2-64.2
Female	4404	2,373,672	2342	46.2	44.2-48.2	2062	53.8	51.8-55.8
White/Non-Hisp	6640	3,670,636	3488	44.0	42.4-45.6	3152	56.0	54.4-57.6
Black or Afr. Am./Non-Hisp	517	386,566	197	33.3	28.2-38.4	320	66.7	61.6-71.8
Oth. Race/Non-Hisp.	206	143,952	75	31.4	23.0-39.8	131	68.6	60.2-77.0
MultiRacial/Non-Hisp.	119	42,961	43	28.3	18.7-37.9	76	71.7	62.1-81.3
Hispanic	332	279,301	119	35.7	29.6-41.8	213	64.3	58.2-70.4
18-24	412	613,386	134	33.5	28.4-38.6	278	66.5	61.4-71.6
25-34	701	752,453	222	29.6	25.9-33.3	479	70.4	66.7-74.1
35-44	845	710,546	297	32.4	28.9-35.9	548	67.6	64.1-71.1
45-54	1185	734,351	450	35.7	32.8-38.6	735	64.3	61.4-67.2
55-64	1666	786,552	852	48.6	45.9-51.3	814	51.4	48.7-54.1
65+	3151	1,001,735	2042	63.4	61.4-65.4	1109	36.6	34.6-38.6
Less Than H.S.	578	560,539	244	34.0	29.3-38.7	334	66.0	61.3-70.7
H.S. or G.E.D.	2502	1,497,429	1149	38.8	36.4-41.2	1353	61.2	58.8-63.6
Some Post-H.S.	2075	1,423,688	1008	41.0	38.5-43.5	1067	59.0	56.5-61.5
College Graduate	2759	1,095,366	1580	52.7	50.5-54.9	1179	47.3	45.1-49.5
Less than \$15,000	581	373,868	243	35.0	30.3-39.7	338	65.0	60.3-69.7
\$15,000- 24,999	1093	626,160	536	41.0	37.3-44.7	557	59.0	55.3-62.7
\$25,000- 34,999	706	402,249	338	40.3	35.6-45.0	368	59.7	55.0-64.4
\$35,000- 49,999	936	533,639	456	41.8	37.9-45.7	480	58.2	54.3-62.1
\$50,000- 74,999	1036	635,006	514	41.7	38.0-45.4	522	58.3	54.6-62.0
\$75,000+	1989	1,199,212	1033	44.9	42.4-47.4	956	55.1	52.6-57.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 13: IMMUNIZATION**

**TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3556	2,225,352	1655	37.8	35.8-39.8	1901	62.2	60.2-64.2
White/Non-Hisp	2966	1,764,313	1441	39.3	37.1-41.5	1525	60.7	58.5-62.9
Black or Afr. Am./Non-Hisp	203	183,541	77	28.8	21.5-36.1	126	71.2	63.9-78.5
Oth. Race/Non-Hisp.	113	84,421	36	30.0	19.0-41.0	77	70.0	59.0-81.0
MultiRacial/Non-Hisp.	53	19,481	16	23.8	9.7-37.9	37	76.2	62.1-90.3
Hispanic	146	137,223	52	37.5	28.1-46.9	94	62.5	53.1-71.9
18-24	232	312,521	61	26.6	20.1-33.1	171	73.4	66.9-79.9
25-34	335	376,533	87	25.2	20.1-30.3	248	74.8	69.7-79.9
35-44	382	350,267	121	29.3	24.2-34.4	261	70.7	65.6-75.8
45-54	549	359,339	190	31.2	27.1-35.3	359	68.8	64.7-72.9
55-64	802	384,688	383	44.7	40.8-48.6	419	55.3	51.4-59.2
65+	1256	442,005	813	62.5	59.2-65.8	443	37.5	34.2-40.8
Less Than H.S.	269	301,069	101	32.1	25.6-38.6	168	67.9	61.4-74.4
H.S. or G.E.D.	1128	765,160	463	34.9	31.6-38.2	665	65.1	61.8-68.4
Some Post-H.S.	877	654,268	388	35.7	32.2-39.2	489	64.3	60.8-67.8
College Graduate	1259	491,909	697	49.0	45.7-52.3	562	51.0	47.7-54.3
Less than \$15,000	219	147,711	83	34.8	27.2-42.4	136	65.2	57.6-72.8
\$15,000- 24,999	445	286,186	207	39.8	34.3-45.3	238	60.2	54.7-65.7
\$25,000- 34,999	278	177,299	131	35.7	29.0-42.4	147	64.3	57.6-71.0
\$35,000- 49,999	454	282,246	204	39.0	33.5-44.5	250	61.0	55.5-66.5
\$50,000- 74,999	503	329,226	217	33.7	28.6-38.8	286	66.3	61.2-71.4
\$75,000+	1085	655,043	541	40.7	37.2-44.2	544	59.3	55.8-62.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 13: IMMUNIZATION**

**TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4404	2,373,672	2342	46.2	44.2-48.2	2062	53.8	51.8-55.8
White/Non-Hisp	3674	1,906,323	2047	48.4	46.2-50.6	1627	51.6	49.4-53.8
Black or Afr. Am./Non-Hisp	314	203,025	120	37.4	30.3-44.5	194	62.6	55.5-69.7
Oth. Race/Non-Hisp.	93	59,531	39	33.3	19.8-46.8	54	66.7	53.2-80.2
MultiRacial/Non-Hisp.	66	23,480	27	32.0	18.7-45.3	39	68.0	54.7-81.3
Hispanic	186	142,078	67	33.9	26.1-41.7	119	66.1	58.3-73.9
18-24	180	300,866	73	40.7	32.7-48.7	107	59.3	51.3-67.3
25-34	366	375,921	135	33.9	28.8-39.0	231	66.1	61.0-71.2
35-44	463	360,279	176	35.5	30.6-40.4	287	64.5	59.6-69.4
45-54	636	375,012	260	40.0	35.7-44.3	376	60.0	55.7-64.3
55-64	864	401,864	469	52.3	48.6-56.0	395	47.7	44.0-51.4
65+	1895	559,731	1229	64.2	61.7-66.7	666	35.8	33.3-38.3
Less Than H.S.	309	259,471	143	36.3	29.6-43.0	166	63.7	57.0-70.4
H.S. or G.E.D.	1374	732,269	686	42.8	39.5-46.1	688	57.2	53.9-60.5
Some Post-H.S.	1198	769,421	620	45.6	42.1-49.1	578	54.4	50.9-57.9
College Graduate	1500	603,457	883	55.6	52.5-58.7	617	44.4	41.3-47.5
Less than \$15,000	362	226,157	160	35.1	28.8-41.4	202	64.9	58.6-71.2
\$15,000- 24,999	648	339,974	329	41.9	36.8-47.0	319	58.1	53.0-63.2
\$25,000- 34,999	428	224,950	207	43.9	37.4-50.4	221	56.1	49.6-62.6
\$35,000- 49,999	482	251,393	252	45.1	39.4-50.8	230	54.9	49.2-60.6
\$50,000- 74,999	533	305,781	297	50.3	45.0-55.6	236	49.7	44.4-55.0
\$75,000+	904	544,169	492	50.0	46.1-53.9	412	50.0	46.1-53.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 13: IMMUNIZATION**

**TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2018			May-Aug 2018			Sep-Dec 2018			Jan-Apr 2019			May-Aug 2019			Sep-Dec 2019		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3682	1,757,028	30	1.6	0.8- 2.4	73	2.2	1.6- 2.8	2468	65.7	63.7-67.7	273	9.1	7.7-10.5	68	2.3	1.5- 3.1	770	19.0	17.4-20.6
Male	1521	752,622	15	1.6	0.8- 2.4	33	2.7	1.5- 3.9	1016	65.4	62.3-68.5	123	9.6	7.4-11.8	40	3.3	1.9- 4.7	294	17.3	14.9-19.7
Female	2161	1,004,406	15	1.6	0.6- 2.6	40	1.9	1.1- 2.7	1452	65.9	63.4-68.4	150	8.7	6.9-10.5	28	1.5	0.7- 2.3	476	20.3	18.1-22.5
White/Non-Hisp	3255	1,496,509	26	1.6	0.8- 2.4	59	1.9	1.3- 2.5	2219	67.7	65.5-69.9	221	7.9	6.7- 9.1	49	1.6	1.0- 2.2	681	19.3	17.5-21.1
Black or Afr. Am./Non-Hisp	163	105,598	1	0.6	0.0- 1.8	4	3.3	0.0- 6.6	86	50.3	40.1-60.5	21	18.4	9.2-27.6	7	6.3	0.8-11.8	44	21.2	13.6-28.8
Oth. Race/Non-Hisp.	69	39,333				4	10.4	0.0-22.7	42	58.1	41.4-74.8	9	12.4	3.2-21.6	1	0.4	0.0- 1.2	13	18.6	5.7-31.5
Hispanic	97	77,457	3	5.3	0.0-11.2	2	2.9	0.0- 7.8	59	52.1	40.3-63.9	14	16.5	6.5-26.5	7	8.8	2.1-15.5	12	14.3	5.9-22.7
18-24	115	170,327	7	7.4	1.5-13.3	9	6.7	2.2-11.2	58	48.7	38.5-58.9	18	16.1	8.7-23.5	5	5.3	0.4-10.2	18	16.0	8.6-23.4
25-34	195	190,999				9	4.3	1.4- 7.2	122	65.0	57.7-72.3	21	9.7	5.4-14.0	5	3.2	0.3- 6.1	38	17.9	12.2-23.6
35-44	266	204,557	1	0.5	0.0- 1.5	3	1.3	0.0- 2.9	175	62.8	56.1-69.5	27	12.1	7.2-17.0	3	1.4	0.0- 3.0	57	21.9	16.2-27.6
45-54	425	246,873	3	1.5	0.0- 3.3	6	1.1	0.1- 2.1	293	68.6	63.7-73.5	32	9.5	6.0-13.0	7	1.5	0.3- 2.7	84	17.7	13.8-21.6
55-64	801	358,140	7	1.2	0.2- 2.2	10	1.3	0.3- 2.3	559	71.8	68.3-75.3	62	7.3	5.3- 9.3	13	1.5	0.5- 2.5	150	16.9	14.0-19.8
65+	1880	586,131	12	1.2	0.4- 2.0	36	1.7	1.1- 2.3	1261	66.9	64.4-69.4	113	6.7	5.3- 8.1	35	2.3	1.3- 3.3	423	21.2	19.0-23.4
Less Than H.S.	194	147,575	5	3.6	0.3- 6.9	5	1.2	0.0- 2.6	113	57.9	49.1-66.7	20	12.0	5.3-18.7	13	7.8	2.5-13.1	38	17.4	11.1-23.7
H.S. or G.E.D.	1034	514,655	17	3.6	1.4- 5.8	25	3.4	1.6- 5.2	673	62.7	58.8-66.6	97	11.9	9.2-14.6	22	3.0	1.4- 4.6	200	15.4	12.9-17.9
Some Post-H.S.	946	543,762	6	0.7	0.1- 1.3	10	1.2	0.2- 2.2	625	66.2	62.5-69.9	74	8.7	6.3-11.1	14	1.7	0.5- 2.9	217	21.5	18.2-24.8
College Graduate	1496	546,742	2	0.2	0.0- 0.4	33	2.5	1.5- 3.5	1048	70.0	67.1-72.9	81	6.0	4.4- 7.6	19	0.8	0.4- 1.2	313	20.6	18.1-23.1
Less than \$15,000	208	106,978	5	3.8	0.3- 7.3	4	2.4	0.0- 4.9	134	61.8	53.6-70.0	18	9.3	4.6-14.0	10	5.0	1.7- 8.3	37	17.8	11.1-24.5
\$15,000- 24,999	469	222,562	3	0.8	0.0- 1.8	11	3.1	0.6- 5.6	290	63.2	57.7-68.7	47	10.0	6.5-13.5	16	4.5	2.0- 7.0	102	18.4	14.3-22.5
\$25,000- 34,999	315	146,796	4	4.4	0.0- 9.1	9	2.6	0.4- 4.8	208	63.0	55.4-70.6	27	13.7	7.4-20.0	4	1.0	0.0- 2.2	63	15.4	10.5-20.3
\$35,000- 49,999	439	214,161	5	2.3	0.1- 4.5	7	2.6	0.2- 5.0	301	68.2	62.5-73.9	28	7.6	4.5-10.7	6	1.4	0.0- 2.8	92	18.0	13.5-22.5
\$50,000- 74,999	491	251,748	5	1.2	0.0- 2.4	5	1.5	0.0- 3.1	332	62.5	56.6-68.4	37	10.3	6.2-14.4	10	2.3	0.0- 4.8	102	22.2	17.1-27.3
\$75,000+	995	516,270	2	0.8	0.0- 2.2	20	2.0	1.0- 3.0	699	70.4	66.9-73.9	60	7.0	5.0- 9.0	9	1.0	0.2- 1.8	205	18.8	15.9-21.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 13: IMMUNIZATION**

**TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2018			May-Aug 2018			Sep-Dec 2018			Jan-Apr 2019			May-Aug 2019			Sep-Dec 2019		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1521	752,622	15	1.6	0.8- 2.4	33	2.7	1.5- 3.9	1016	65.4	62.3-68.5	123	9.6	7.4-11.8	40	3.3	1.9- 4.7	294	17.3	14.9-19.7
White/Non-Hisp	1339	630,678	12	1.4	0.6- 2.2	27	2.0	1.0- 3.0	907	68.1	65.0-71.2	105	8.5	6.5-10.5	28	2.3	1.1- 3.5	260	17.6	15.2-20.0
Black or Afr. Am./Non-Hisp	64	44,389	1	1.4	0.0- 4.1	2	3.0	0.0- 7.1	31	43.6	28.1-59.1	8	18.8	4.1-33.5	4	11.7	0.0-23.5	18	21.5	9.7-33.3
18-24	50	68,154	4	6.4	0.1-12.7	7	12.9	3.1-22.7	22	47.0	31.1-62.9	9	17.0	5.4-28.6	4	11.7	0.3-23.1	4	5.1	0.0-10.2
25-34	73	78,133				4	4.0	0.1- 7.9	43	62.0	50.0-74.0	7	9.5	2.2-16.8	2	2.9	0.0- 7.2	17	21.5	11.5-31.5
35-44	107	87,181	1	1.3	0.0- 3.8	3	2.9	0.0- 6.6	67	56.7	45.9-67.5	15	18.7	9.1-28.3	3	3.3	0.0- 7.0	18	17.1	9.1-25.1
45-54	182	107,887	2	2.1	0.0- 5.2	3	1.6	0.0- 3.4	124	67.3	59.7-74.9	13	9.0	4.3-13.7	5	2.7	0.2- 5.2	35	17.4	11.7-23.1
55-64	353	157,377	2	0.7	0.0- 1.7	4	0.8	0.0- 1.6	247	73.1	68.0-78.2	29	7.0	4.1- 9.9	8	2.3	0.5- 4.1	63	16.0	11.7-20.3
65+	756	253,890	6	1.3	0.3- 2.3	12	1.1	0.3- 1.9	513	68.8	64.9-72.7	50	6.4	4.4- 8.4	18	2.1	0.9- 3.3	157	20.2	16.7-23.7
Less Than H.S.	81	76,340	1	2.1	0.0- 6.2	1	0.4	0.0- 1.2	46	54.1	40.6-67.6	9	14.1	2.7-25.5	7	9.2	0.4-18.0	17	20.2	10.0-30.4
H.S. or G.E.D.	418	235,495	9	3.3	1.1- 5.5	12	3.9	1.2- 6.6	259	60.3	54.4-66.2	47	12.7	8.8-16.6	15	5.4	2.3- 8.5	76	14.4	10.7-18.1
Some Post-H.S.	363	214,245	4	1.0	0.0- 2.0	5	2.4	0.2- 4.6	247	70.4	64.9-75.9	28	8.4	4.9-11.9	5	1.1	0.0- 2.3	74	16.7	12.6-20.8
College Graduate	655	224,237	1	0.3	0.0- 0.9	15	2.5	0.9- 4.1	460	69.5	65.2-73.8	39	6.1	3.9- 8.3	13	1.3	0.5- 2.1	127	20.3	16.4-24.2
Less than \$15,000	73	41,617	2	4.0	0.0- 9.7	3	4.0	0.0- 9.1	40	53.7	40.0-67.4	5	4.9	0.2- 9.6	3	3.2	0.0- 6.9	20	30.2	17.1-43.3
\$15,000- 24,999	178	94,070	1	0.4	0.0- 1.2	6	5.6	0.1-11.1	99	56.1	47.1-65.1	22	11.7	5.8-17.6	8	5.7	1.2-10.2	42	20.5	13.4-27.6
\$25,000- 34,999	121	57,534	1	2.0	0.0- 5.9	4	2.1	0.0- 4.5	83	70.4	60.2-80.6	11	11.1	4.0-18.2	1	0.8	0.0- 2.4	21	13.6	5.8-21.4
\$35,000- 49,999	194	103,979	3	3.1	0.0- 6.8	4	4.2	0.0- 8.9	140	71.5	63.5-79.5	10	5.1	1.6- 8.6	5	2.4	0.0- 4.8	32	13.6	8.3-18.9
\$50,000- 74,999	204	102,918	4	2.7	0.0- 5.4	2	1.0	0.0- 2.6	134	59.4	49.8-69.0	18	13.2	5.8-20.6	8	5.0	0.0-11.1	38	18.7	11.8-25.6
\$75,000+	516	249,638	1	0.3	0.0- 0.9	11	2.0	0.4- 3.6	366	72.1	67.4-76.8	35	8.3	5.2-11.4	6	0.9	0.0- 1.9	97	16.4	12.7-20.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 13: IMMUNIZATION**

**TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2018			May-Aug 2018			Sep-Dec 2018			Jan-Apr 2019			May-Aug 2019			Sep-Dec 2019		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2161	1,004,406	15	1.6	0.6- 2.6	40	1.9	1.1- 2.7	1452	65.9	63.4-68.4	150	8.7	6.9-10.5	28	1.5	0.7- 2.3	476	20.3	18.1-22.5
White/Non-Hisp	1916	865,831	14	1.7	0.5- 2.9	32	1.8	1.0- 2.6	1312	67.5	64.8-70.2	116	7.4	5.8- 9.0	21	1.2	0.6- 1.8	421	20.5	18.1-22.9
Black or Afr. Am./Non-Hisp	99	61,210				2	3.6	0.0- 8.7	55	55.1	42.0-68.2	13	18.1	6.1-30.1	3	2.3	0.0- 5.2	26	20.9	10.9-30.9
Hispanic	55	38,698	1	3.7	0.0-10.8	1	0.8	0.0- 2.4	36	58.5	43.2-73.8	8	14.3	3.5-25.1	2	5.1	0.0-12.0	7	17.6	4.9-30.3
18-24	65	102,173	3	8.0	0.0-17.0	2	2.5	0.0- 6.0	36	49.7	36.4-63.0	9	15.5	5.7-25.3	1	1.0	0.0- 3.0	14	23.2	11.8-34.6
25-34	122	112,867				5	4.5	0.4- 8.6	79	67.0	58.2-75.8	14	9.8	4.5-15.1	3	3.4	0.0- 7.5	21	15.3	8.8-21.8
35-44	159	117,376							108	67.4	59.2-75.6	12	7.2	2.9-11.5				39	25.4	17.6-33.2
45-54	243	138,986	1	1.0	0.0- 3.0	3	0.8	0.0- 1.8	169	69.6	62.9-76.3	19	10.0	5.1-14.9	2	0.6	0.0- 1.4	49	17.9	12.8-23.0
55-64	448	200,763	5	1.5	0.1- 2.9	6	1.7	0.1- 3.3	312	70.8	66.1-75.5	33	7.5	4.8-10.2	5	0.9	0.0- 1.9	87	17.6	13.7-21.5
65+	1124	332,241	6	1.1	0.1- 2.1	24	2.1	1.1- 3.1	748	65.4	62.1-68.7	63	7.0	5.2- 8.8	17	2.4	1.0- 3.8	266	22.0	19.1-24.9
Less Than H.S.	113	71,235	4	5.3	0.0-10.6	4	2.0	0.0- 4.5	67	62.1	51.7-72.5	11	9.7	3.4-16.0	6	6.4	1.1-11.7	21	14.5	7.4-21.6
H.S. or G.E.D.	616	279,160	8	4.0	0.5- 7.5	13	3.0	1.0- 5.0	414	64.7	59.6-69.8	50	11.3	7.6-15.0	7	0.9	0.1- 1.7	124	16.2	12.9-19.5
Some Post-H.S.	583	329,517	2	0.4	0.0- 1.0	5	0.5	0.1- 0.9	378	63.4	58.3-68.5	46	9.0	6.1-11.9	9	2.1	0.3- 3.9	143	24.7	20.0-29.4
College Graduate	841	322,506	1	0.1	0.0- 0.3	18	2.5	1.1- 3.9	588	70.3	66.4-74.2	42	5.9	3.9- 7.9	6	0.5	0.1- 0.9	186	20.8	17.3-24.3
Less than \$15,000	135	65,361	3	3.6	0.0- 8.3	1	1.3	0.0- 3.8	94	67.0	56.8-77.2	13	12.1	5.0-19.2	7	6.1	1.2-11.0	17	9.9	3.8-16.0
\$15,000- 24,999	291	128,491	2	1.1	0.0- 2.7	5	1.4	0.0- 3.0	191	68.4	61.7-75.1	25	8.8	4.7-12.9	8	3.5	0.6- 6.4	60	16.8	11.7-21.9
\$25,000- 34,999	194	89,262	3	5.9	0.0-13.2	5	2.8	0.0- 6.1	125	58.3	48.1-68.5	16	15.3	6.1-24.5	3	1.1	0.0- 2.5	42	16.5	10.4-22.6
\$35,000- 49,999	245	110,183	2	1.4	0.0- 3.4	3	1.1	0.0- 2.3	161	65.0	57.2-72.8	18	10.0	5.1-14.9	1	0.5	0.0- 1.5	60	22.1	15.2-29.0
\$50,000- 74,999	287	148,830	1	0.2	0.0- 0.6	3	1.9	0.0- 4.4	198	64.6	57.0-72.2	19	8.4	3.7-13.1	2	0.4	0.0- 1.0	64	24.6	17.5-31.7
\$75,000+	479	266,632	1	1.3	0.0- 3.8	9	1.9	0.3- 3.5	333	68.9	63.6-74.2	25	5.8	3.3- 8.3	3	1.1	0.0- 2.5	108	21.0	16.5-25.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 13: IMMUNIZATION**

**TABLE 7. HAVE YOU RECEIVED A TETANUS SHOT IN THE PAST 10 YEARS? (TETANUS1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus in the past 10 years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7249	4,163,319	1825	27.0	25.6-28.4	736	9.4	8.6-10.2	2318	32.3	30.9-33.7	2370	31.3	29.9-32.7
Male	3277	2,044,028	729	23.0	21.2-24.8	360	9.8	8.6-11.0	1151	36.8	34.6-39.0	1037	30.4	28.4-32.4
Female	3972	2,119,291	1096	30.8	28.8-32.8	376	9.0	7.8-10.2	1167	28.0	26.2-29.8	1333	32.3	30.3-34.3
White/Non-Hisp	6046	3,325,768	1557	27.9	26.5-29.3	633	9.9	8.9-10.9	1965	32.9	31.3-34.5	1891	29.4	28.0-30.8
Black or Afr. Am./Non-Hisp	471	346,966	102	23.8	18.9-28.7	32	6.3	3.6- 9.0	135	27.7	22.6-32.8	202	42.2	36.5-47.9
Oth. Race/Non-Hisp.	187	122,673	34	20.6	12.2-29.0	17	6.7	2.8-10.6	63	30.7	21.9-39.5	73	41.9	31.9-51.9
MultiRacial/Non-Hisp.	107	38,637	26	26.1	15.3-36.9	8	5.2	0.7- 9.7	30	27.4	16.8-38.0	43	41.4	29.2-53.6
Hispanic	310	260,723	75	23.7	18.4-29.0	32	8.9	5.4-12.4	96	34.1	27.6-40.6	107	33.2	27.1-39.3
18-24	370	542,891	115	31.0	25.9-36.1	21	5.3	2.8- 7.8	123	34.4	28.9-39.9	111	29.2	24.1-34.3
25-34	631	669,064	217	33.1	29.2-37.0	50	8.1	5.7-10.5	185	30.2	26.3-34.1	179	28.6	24.7-32.5
35-44	764	643,353	261	32.6	28.9-36.3	60	8.7	6.3-11.1	221	30.6	26.9-34.3	222	28.1	24.6-31.6
45-54	1090	677,577	304	26.2	23.3-29.1	102	10.4	8.2-12.6	354	33.9	30.8-37.0	330	29.5	26.6-32.4
55-64	1530	722,200	351	23.0	20.6-25.4	173	10.9	9.1-12.7	517	33.1	30.4-35.8	489	33.1	30.4-35.8
65+	2864	908,233	577	19.8	18.0-21.6	330	11.1	9.7-12.5	918	32.2	30.0-34.4	1039	36.9	34.7-39.1
Less Than H.S.	518	489,754	88	17.6	13.7-21.5	47	8.7	6.0-11.4	177	36.1	31.0-41.2	206	37.6	32.3-42.9
H.S. or G.E.D.	2272	1,354,860	416	21.1	18.9-23.3	228	9.4	7.8-11.0	760	33.8	31.3-36.3	868	35.6	33.1-38.1
Some Post-H.S.	1900	1,299,462	484	29.1	26.6-31.6	214	10.3	8.7-11.9	614	32.4	29.9-34.9	588	28.2	25.8-30.6
College Graduate	2515	998,308	828	36.5	34.1-38.9	242	8.5	7.3- 9.7	753	28.5	26.3-30.7	692	26.5	24.5-28.5
Less than \$15,000	523	330,798	116	25.9	21.0-30.8	45	6.6	4.4- 8.8	159	29.3	24.4-34.2	203	38.2	32.7-43.7
\$15,000- 24,999	1008	568,395	204	22.7	19.2-26.2	110	9.6	7.4-11.8	310	30.2	26.5-33.9	384	37.5	33.6-41.4
\$25,000- 34,999	658	376,166	143	24.4	19.9-28.9	76	10.6	7.5-13.7	212	32.7	27.8-37.6	227	32.4	27.7-37.1
\$35,000- 49,999	858	488,070	205	26.1	22.2-30.0	104	11.4	8.7-14.1	284	33.4	29.3-37.5	265	29.1	25.4-32.8
\$50,000- 74,999	935	573,297	226	25.5	22.0-29.0	103	10.8	8.3-13.3	314	34.5	30.6-38.4	292	29.2	25.7-32.7
\$75,000+	1832	1,106,089	622	34.7	32.2-37.2	175	9.1	7.5-10.7	549	30.3	27.8-32.8	486	25.8	23.4-28.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 13: IMMUNIZATION**

**TABLE 8: HAVE YOU RECEIVED A TETANUS SHOT IN THE PAST 10 YEARS? (TETANUS1)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus in the past 10 years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3277	2,044,028	729	23.0	21.2-24.8	360	9.8	8.6-11.0	1151	36.8	34.6-39.0	1037	30.4	28.4-32.4
White/Non-Hisp	2739	1,628,089	611	22.8	20.8-24.8	309	10.3	8.9-11.7	991	38.1	35.7-40.5	828	28.8	26.6-31.0
Black or Afr. Am./Non-Hisp	189	162,191	36	22.5	15.1-29.9	14	6.6	2.5-10.7	59	30.7	22.7-38.7	80	40.2	31.8-48.6
Oth. Race/Non-Hisp.	102	73,732	20	24.4	12.4-36.4	9	5.5	1.2- 9.8	36	34.9	22.7-47.1	37	35.1	23.5-46.7
Hispanic	140	131,788	35	25.0	17.0-33.0	14	9.7	4.0-15.4	42	34.1	24.7-43.5	49	31.3	22.5-40.1
18-24	209	281,243	55	27.4	20.7-34.1	11	4.5	1.6- 7.4	79	40.0	32.6-47.4	64	28.1	21.4-34.8
25-34	304	333,228	76	23.4	18.1-28.7	30	10.0	6.3-13.7	108	37.2	31.1-43.3	90	29.4	23.5-35.3
35-44	362	331,787	111	29.7	24.6-34.8	29	8.7	5.4-12.0	123	36.5	30.8-42.2	99	25.2	20.3-30.1
45-54	512	337,962	125	21.7	17.8-25.6	48	10.7	7.6-13.8	178	36.8	32.1-41.5	161	30.8	26.3-35.3
55-64	738	357,324	149	20.3	17.0-23.6	82	10.4	8.0-12.8	271	36.6	32.7-40.5	236	32.7	28.8-36.6
65+	1152	402,483	213	17.8	15.1-20.5	160	12.8	10.6-15.0	392	34.7	31.4-38.0	387	34.7	31.4-38.0
Less Than H.S.	250	275,163	50	20.2	14.3-26.1	22	8.3	4.6-12.0	86	38.3	31.2-45.4	92	33.2	26.1-40.3
H.S. or G.E.D.	1035	700,021	176	18.8	15.9-21.7	121	9.9	7.9-11.9	393	39.1	35.6-42.6	345	32.1	28.8-35.4
Some Post-H.S.	819	605,034	177	24.2	20.7-27.7	95	10.4	7.9-12.9	297	37.5	33.4-41.6	250	27.9	24.4-31.4
College Graduate	1151	451,756	323	29.8	26.7-32.9	117	9.4	7.4-11.4	370	31.6	28.5-34.7	341	29.2	26.1-32.3
Less than \$15,000	198	129,428	50	29.6	21.6-37.6	19	6.4	2.9- 9.9	54	29.7	21.7-37.7	75	34.3	26.3-42.3
\$15,000- 24,999	420	267,119	81	21.5	16.4-26.6	52	10.3	7.0-13.6	132	32.6	26.9-38.3	155	35.6	30.1-41.1
\$25,000- 34,999	259	165,966	47	21.7	15.0-28.4	36	10.7	6.4-15.0	94	39.4	31.8-47.0	82	28.2	21.5-34.9
\$35,000- 49,999	419	260,653	77	19.9	15.0-24.8	48	9.4	6.1-12.7	161	39.3	33.4-45.2	133	31.5	26.0-37.0
\$50,000- 74,999	462	300,362	81	17.8	13.5-22.1	59	13.3	9.4-17.2	182	41.2	35.5-46.9	140	27.7	22.8-32.6
\$75,000+	1006	611,470	296	28.4	25.1-31.7	95	9.2	7.0-11.4	336	34.5	31.0-38.0	279	27.9	24.4-31.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 13: IMMUNIZATION**

**TABLE 9: HAVE YOU RECEIVED A TETANUS SHOT IN THE PAST 10 YEARS? (TETANUS1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus in the past 10 years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3972	2,119,291	1096	30.8	28.8-32.8	376	9.0	7.8-10.2	1167	28.0	26.2-29.8	1333	32.3	30.3-34.3
White/Non-Hisp	3307	1,697,679	946	32.8	30.6-35.0	324	9.5	8.1-10.9	974	27.9	25.9-29.9	1063	29.9	27.9-31.9
Black or Afr. Am./Non-Hisp	282	184,775	66	24.9	18.4-31.4	18	6.0	2.1- 9.9	76	25.2	18.5-31.9	122	43.9	36.3-51.5
Oth. Race/Non-Hisp.	85	48,942	14	14.9	4.5-25.3	8	8.4	1.1-15.7	27	24.5	13.1-35.9	36	52.2	36.1-68.3
MultiRacial/Non-Hisp.	64	22,869	15	22.7	10.5-34.9	4	6.2	0.0-13.1	21	34.2	18.9-49.5	24	36.9	21.0-52.8
Hispanic	170	128,934	40	22.4	15.3-29.5	18	8.1	3.8-12.4	54	34.2	25.4-43.0	58	35.3	26.9-43.7
18-24	161	261,648	60	34.9	26.9-42.9	10	6.2	2.1-10.3	44	28.4	20.6-36.2	47	30.4	22.4-38.4
25-34	327	335,836	141	42.6	36.7-48.5	20	6.3	3.4- 9.2	77	23.2	18.3-28.1	89	27.9	22.4-33.4
35-44	402	311,567	150	35.7	30.6-40.8	31	8.7	5.4-12.0	98	24.3	19.6-29.0	123	31.3	26.2-36.4
45-54	578	339,615	179	30.7	26.6-34.8	54	10.1	7.4-12.8	176	31.1	26.8-35.4	169	28.1	24.0-32.2
55-64	792	364,875	202	25.6	22.1-29.1	91	11.4	8.9-13.9	246	29.7	26.2-33.2	253	33.4	29.7-37.1
65+	1712	505,750	364	21.5	19.1-23.9	170	9.8	8.0-11.6	526	30.1	27.6-32.6	652	38.6	35.9-41.3
Less Than H.S.	268	214,591	38	14.3	9.2-19.4	25	9.1	5.0-13.2	91	33.3	26.0-40.6	114	43.3	35.5-51.1
H.S. or G.E.D.	1237	654,839	240	23.6	20.5-26.7	107	8.8	6.6-11.0	367	28.2	24.9-31.5	523	39.4	35.9-42.9
Some Post-H.S.	1081	694,428	307	33.3	29.6-37.0	119	10.2	8.0-12.4	317	27.9	24.6-31.2	338	28.5	25.4-31.6
College Graduate	1364	546,553	505	42.1	38.8-45.4	125	7.7	6.1- 9.3	383	25.9	23.2-28.6	351	24.3	21.6-27.0
Less than \$15,000	325	201,370	66	23.6	17.3-29.9	26	6.7	4.0- 9.4	105	29.1	22.8-35.4	128	40.6	33.3-47.9
\$15,000- 24,999	588	301,275	123	23.8	19.1-28.5	58	9.0	6.3-11.7	178	28.0	23.3-32.7	229	39.2	33.9-44.5
\$25,000- 34,999	399	210,200	96	26.4	20.5-32.3	40	10.5	6.2-14.8	118	27.4	21.5-33.3	145	35.7	29.2-42.2
\$35,000- 49,999	439	227,417	128	33.2	27.3-39.1	56	13.8	9.5-18.1	123	26.7	21.6-31.8	132	26.4	21.3-31.5
\$50,000- 74,999	473	272,935	145	34.0	28.3-39.7	44	8.1	5.4-10.8	132	27.1	21.8-32.4	152	30.8	25.7-35.9
\$75,000+	826	494,620	326	42.5	38.4-46.6	80	9.1	6.6-11.6	213	25.2	21.5-28.9	207	23.2	19.9-26.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 13: IMMUNIZATION**

**TABLE 10: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7288	4,050,778	3332	36.2	34.8-37.6	3956	63.8	62.4-65.2
Male	3186	1,931,520	1316	32.6	30.6-34.6	1870	67.4	65.4-69.4
Female	4102	2,119,259	2016	39.4	37.4-41.4	2086	60.6	58.6-62.6
White/Non-Hisp	6096	3,229,669	2901	37.8	36.2-39.4	3195	62.2	60.6-63.8
Black or Afr. Am./Non-Hisp	487	358,622	187	35.2	29.7-40.7	300	64.8	59.3-70.3
Oth. Race/Non-Hisp.	179	115,494	66	26.7	18.3-35.1	113	73.3	64.9-81.7
MultiRacial/Non-Hisp.	102	35,831	47	45.4	32.9-57.9	55	54.6	42.1-67.1
Hispanic	295	246,915	69	20.4	15.1-25.7	226	79.6	74.3-84.9
18-24	307	450,763	105	35.1	29.2-41.0	202	64.9	59.0-70.8
25-34	538	590,382	107	18.9	15.2-22.6	431	81.1	77.4-84.8
35-44	718	612,755	144	20.1	16.8-23.4	574	79.9	76.6-83.2
45-54	1103	682,890	233	20.9	18.2-23.6	870	79.1	76.4-81.8
55-64	1582	747,097	506	31.4	28.9-33.9	1076	68.6	66.1-71.1
65+	3040	966,891	2237	71.9	69.9-73.9	803	28.1	26.1-30.1
Less Than H.S.	522	493,647	226	35.5	30.6-40.4	296	64.5	59.6-69.4
H.S. or G.E.D.	2315	1,331,616	1097	37.7	35.3-40.1	1218	62.3	59.9-64.7
Some Post-H.S.	1901	1,251,589	872	36.0	33.5-38.5	1029	64.0	61.5-66.5
College Graduate	2506	956,613	1118	34.8	32.6-37.0	1388	65.2	63.0-67.4
Less than \$15,000	528	326,412	252	38.2	32.9-43.5	276	61.8	56.5-67.1
\$15,000- 24,999	1029	569,195	540	41.5	37.6-45.4	489	58.5	54.6-62.4
\$25,000- 34,999	653	354,129	336	40.2	35.3-45.1	317	59.8	54.9-64.7
\$35,000- 49,999	873	484,580	427	37.1	33.2-41.0	446	62.9	59.0-66.8
\$50,000- 74,999	936	551,421	390	32.0	28.5-35.5	546	68.0	64.5-71.5
\$75,000+	1803	1,051,825	612	28.1	25.6-30.6	1191	71.9	69.4-74.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 13: IMMUNIZATION**

**TABLE 11: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3186	1,931,520	1316	32.6	30.6-34.6	1870	67.4	65.4-69.4
White/Non-Hisp	2660	1,520,517	1143	34.1	31.9-36.3	1517	65.9	63.7-68.1
Black or Afr. Am./Non-Hisp	195	173,347	70	32.3	24.1-40.5	125	67.7	59.5-75.9
Oth. Race/Non-Hisp.	97	71,318	33	29.2	17.4-41.0	64	70.8	59.0-82.6
Hispanic	127	122,522	27	17.3	10.0-24.6	100	82.7	75.4-90.0
18-24	170	225,833	58	33.6	25.8-41.4	112	66.4	58.6-74.2
25-34	253	299,067	43	16.8	11.7-21.9	210	83.2	78.1-88.3
35-44	305	290,103	52	17.7	12.8-22.6	253	82.3	77.4-87.2
45-54	505	329,975	106	19.4	15.7-23.1	399	80.6	76.9-84.3
55-64	752	362,323	216	27.8	24.3-31.3	536	72.2	68.7-75.7
65+	1201	424,218	841	67.8	64.5-71.1	360	32.2	28.9-35.5
Less Than H.S.	246	273,107	86	29.0	22.5-35.5	160	71.0	64.5-77.5
H.S. or G.E.D.	1026	675,492	409	32.3	29.0-35.6	617	67.7	64.4-71.0
Some Post-H.S.	772	552,554	313	32.3	28.6-36.0	459	67.7	64.0-71.4
College Graduate	1121	419,854	504	36.6	33.3-39.9	617	63.4	60.1-66.7
Less than \$15,000	197	128,945	85	37.4	29.2-45.6	112	62.6	54.4-70.8
\$15,000- 24,999	416	261,490	196	37.2	31.7-42.7	220	62.8	57.3-68.3
\$25,000- 34,999	249	156,869	116	36.0	28.7-43.3	133	64.0	56.7-71.3
\$35,000- 49,999	406	246,383	187	35.6	29.9-41.3	219	64.4	58.7-70.1
\$50,000- 74,999	443	279,502	166	26.3	21.8-30.8	277	73.7	69.2-78.2
\$75,000+	971	569,401	340	28.3	24.8-31.8	631	71.7	68.2-75.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 13: IMMUNIZATION**

**TABLE 12: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4102	2,119,259	2016	39.4	37.4-41.4	2086	60.6	58.6-62.6
White/Non-Hisp	3436	1,709,152	1758	41.0	39.0-43.0	1678	59.0	57.0-61.0
Black or Afr. Am./Non-Hisp	292	185,275	117	37.9	30.5-45.3	175	62.1	54.7-69.5
Oth. Race/Non-Hisp.	82	44,177	33	22.7	11.9-33.5	49	77.3	66.5-88.1
MultiRacial/Non-Hisp.	59	21,693	30	54.3	37.4-71.2	29	45.7	28.8-62.6
Hispanic	168	124,393	42	23.5	15.7-31.3	126	76.5	68.7-84.3
18-24	137	224,930	47	36.6	27.6-45.6	90	63.4	54.4-72.4
25-34	285	291,315	64	21.1	16.0-26.2	221	78.9	73.8-84.0
35-44	413	322,653	92	22.2	17.5-26.9	321	77.8	73.1-82.5
45-54	598	352,914	127	22.2	18.5-25.9	471	77.8	74.1-81.5
55-64	830	384,774	290	34.9	31.2-38.6	540	65.1	61.4-68.8
65+	1839	542,673	1396	75.0	72.6-77.4	443	25.0	22.6-27.4
Less Than H.S.	276	220,540	140	43.5	36.1-50.9	136	56.5	49.1-63.9
H.S. or G.E.D.	1289	656,123	688	43.2	39.7-46.7	601	56.8	53.3-60.3
Some Post-H.S.	1129	699,035	559	38.9	35.4-42.4	570	61.1	57.6-64.6
College Graduate	1385	536,758	614	33.4	30.5-36.3	771	66.6	63.7-69.5
Less than \$15,000	331	197,467	167	38.8	32.1-45.5	164	61.2	54.5-67.9
\$15,000- 24,999	613	307,705	344	45.1	39.8-50.4	269	54.9	49.6-60.2
\$25,000- 34,999	404	197,260	220	43.6	37.1-50.1	184	56.4	49.9-62.9
\$35,000- 49,999	467	238,197	240	38.5	33.2-43.8	227	61.5	56.2-66.8
\$50,000- 74,999	493	271,919	224	37.9	32.6-43.2	269	62.1	56.8-67.4
\$75,000+	832	482,423	272	27.9	24.4-31.4	560	72.1	68.6-75.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019**

**SECTION 14: HIV/AIDS CONTENTS**

\* **NOTE** \* \* \* \* \*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
 \* \* \* \* \*

TABLE	PAGE
INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)	
1 MALES AND FEMALES	262
2 MALES ONLY	263
3 FEMALES ONLY	264
NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVTSTD3)	
4 MALES AND FEMALES	265
5 MALES ONLY	266
6 FEMALES ONLY	267
I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)	
7 MALES AND FEMALES	268
8 MALES ONLY	269
9 FEMALES ONLY	270

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 14: HIV/AIDS**

**TABLE 1: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7547	4,395,867	2352	36.9	35.5-38.3	5195	63.1	61.7-64.5
Male	3390	2,145,099	1019	33.5	31.5-35.5	2371	66.5	64.5-68.5
Female	4157	2,250,768	1333	40.2	38.2-42.2	2824	59.8	57.8-61.8
White/Non-Hisp	6273	3,493,720	1778	33.9	32.3-35.5	4495	66.1	64.5-67.7
Black or Afr. Am./Non-Hisp	504	378,157	265	57.3	51.6-63.0	239	42.7	37.0-48.4
Oth. Race/Non-Hisp.	197	137,744	69	40.3	30.7-49.9	128	59.7	50.1-69.3
MultiRacial/Non-Hisp.	114	41,692	53	55.1	43.1-67.1	61	44.9	32.9-56.9
Hispanic	324	273,611	144	44.4	38.1-50.7	180	55.6	49.3-61.9
18-24	406	604,125	112	26.9	22.2-31.6	294	73.1	68.4-77.8
25-34	676	724,690	362	52.6	48.5-56.7	314	47.4	43.3-51.5
35-44	817	689,608	473	57.0	53.3-60.7	344	43.0	39.3-46.7
45-54	1133	701,143	490	44.1	40.8-47.4	643	55.9	52.6-59.2
55-64	1573	743,748	501	32.2	29.5-34.9	1072	67.8	65.1-70.5
65+	2942	932,552	414	14.9	13.3-16.5	2528	85.1	83.5-86.7
Less Than H.S.	553	539,832	190	38.8	33.7-43.9	363	61.2	56.1-66.3
H.S. or G.E.D.	2371	1,431,550	649	32.4	30.0-34.8	1722	67.6	65.2-70.0
Some Post-H.S.	1954	1,357,132	675	41.0	38.3-43.7	1279	59.0	56.3-61.7
College Graduate	2623	1,045,379	826	37.2	34.8-39.6	1797	62.8	60.4-65.2
Less than \$15,000	556	361,850	231	47.2	41.7-52.7	325	52.8	47.3-58.3
\$15,000- 24,999	1044	598,344	351	40.3	36.4-44.2	693	59.7	55.8-63.6
\$25,000- 34,999	674	388,134	233	42.8	37.7-47.9	441	57.2	52.1-62.3
\$35,000- 49,999	897	513,690	258	33.3	29.2-37.4	639	66.7	62.6-70.8
\$50,000- 74,999	981	606,432	304	36.8	32.9-40.7	677	63.2	59.3-67.1
\$75,000+	1881	1,140,499	629	37.3	34.6-40.0	1252	62.7	60.0-65.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 14: HIV/AIDS**

**TABLE 2: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3390	2,145,099	1019	33.5	31.5-35.5	2371	66.5	64.5-68.5
White/Non-Hisp	2818	1,696,887	781	30.6	28.4-32.8	2037	69.4	67.2-71.6
Black or Afr. Am./Non-Hisp	201	180,807	103	55.6	47.0-64.2	98	44.4	35.8-53.0
Oth. Race/Non-Hisp.	106	79,348	39	38.9	27.1-50.7	67	61.1	49.3-72.9
MultiRacial/Non-Hisp.	50	18,501	19	45.7	27.9-63.5	31	54.3	36.5-72.1
Hispanic	144	135,656	53	35.8	26.8-44.8	91	64.2	55.2-73.2
18-24	231	312,370	53	21.8	16.1-27.5	178	78.2	72.5-83.9
25-34	327	367,400	142	42.6	36.5-48.7	185	57.4	51.3-63.5
35-44	367	337,422	169	46.4	40.7-52.1	198	53.6	47.9-59.3
45-54	531	346,549	220	42.3	37.6-47.0	311	57.7	53.0-62.4
55-64	758	365,393	236	32.7	28.8-36.6	522	67.3	63.4-71.2
65+	1176	415,965	199	17.2	14.7-19.7	977	82.8	80.3-85.3
Less Than H.S.	257	291,787	86	34.6	27.7-41.5	171	65.4	58.5-72.3
H.S. or G.E.D.	1078	738,752	308	30.5	27.2-33.8	770	69.5	66.2-72.8
Some Post-H.S.	835	629,769	279	38.0	34.1-41.9	556	62.0	58.1-65.9
College Graduate	1196	471,743	337	31.8	28.5-35.1	859	68.2	64.9-71.5
Less than \$15,000	215	145,445	79	35.5	27.9-43.1	136	64.5	56.9-72.1
\$15,000- 24,999	420	271,946	150	38.3	32.4-44.2	270	61.7	55.8-67.6
\$25,000- 34,999	263	170,511	94	42.4	34.8-50.0	169	57.6	50.0-65.2
\$35,000- 49,999	435	272,396	119	29.3	23.6-35.0	316	70.7	65.0-76.4
\$50,000- 74,999	483	317,797	139	33.6	28.1-39.1	344	66.4	60.9-71.9
\$75,000+	1029	626,873	308	32.8	29.3-36.3	721	67.2	63.7-70.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 14: HIV/AIDS**

**TABLE 3: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4157	2,250,768	1333	40.2	38.2-42.2	2824	59.8	57.8-61.8
White/Non-Hisp	3455	1,796,834	997	37.0	34.8-39.2	2458	63.0	60.8-65.2
Black or Afr. Am./Non-Hisp	303	197,351	162	58.9	51.6-66.2	141	41.1	33.8-48.4
Oth. Race/Non-Hisp.	91	58,396	30	42.2	26.5-57.9	61	57.8	42.1-73.5
MultiRacial/Non-Hisp.	64	23,191	34	62.6	46.3-78.9	30	37.4	21.1-53.7
Hispanic	180	137,955	91	52.7	44.1-61.3	89	47.3	38.7-55.9
18-24	175	291,755	59	32.4	24.8-40.0	116	67.6	60.0-75.2
25-34	349	357,290	220	62.9	57.4-68.4	129	37.1	31.6-42.6
35-44	450	352,186	304	67.2	62.3-72.1	146	32.8	27.9-37.7
45-54	602	354,594	270	45.8	41.3-50.3	332	54.2	49.7-58.7
55-64	815	378,355	265	31.7	28.0-35.4	550	68.3	64.6-72.0
65+	1766	516,587	215	13.0	11.0-15.0	1551	87.0	85.0-89.0
Less Than H.S.	296	248,045	104	43.9	36.5-51.3	192	56.1	48.7-63.5
H.S. or G.E.D.	1293	692,799	341	34.5	31.0-38.0	952	65.5	62.0-69.0
Some Post-H.S.	1119	727,363	396	43.6	39.9-47.3	723	56.4	52.7-60.1
College Graduate	1427	573,636	489	41.6	38.5-44.7	938	58.4	55.3-61.5
Less than \$15,000	341	216,406	152	55.1	48.2-62.0	189	44.9	38.0-51.8
\$15,000- 24,999	624	326,398	201	41.9	36.6-47.2	423	58.1	52.8-63.4
\$25,000- 34,999	411	217,623	139	43.1	36.4-49.8	272	56.9	50.2-63.6
\$35,000- 49,999	462	241,294	139	37.8	32.1-43.5	323	62.2	56.5-67.9
\$50,000- 74,999	498	288,635	165	40.4	34.9-45.9	333	59.6	54.1-65.1
\$75,000+	852	513,627	321	42.7	38.6-46.8	531	57.3	53.2-61.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 14: HIV/AIDS**

**TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1998			1999-2008			2009-2010			2011-2018			2019		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1902	1,355,458	85	2.9	2.1- 3.7	163	5.5	4.5- 6.5	293	13.4	11.6-15.2	109	5.7	4.5- 6.9	985	57.1	54.4-59.8	267	15.4	13.2-17.6
Male	819	591,818	36	3.0	1.8- 4.2	54	4.5	3.1- 5.9	117	13.0	10.3-15.7	48	5.5	3.9- 7.1	434	57.3	53.2-61.4	130	16.7	13.6-19.8
Female	1083	763,640	49	2.9	1.9- 3.9	109	6.3	4.9- 7.7	176	13.7	11.5-15.9	61	5.8	4.0- 7.6	551	56.9	53.4-60.4	137	14.5	11.8-17.2
White/Non-Hisp	1438	987,305	79	3.8	2.8- 4.8	135	6.1	4.9- 7.3	236	14.9	12.7-17.1	97	6.9	5.3- 8.5	715	54.4	51.3-57.5	176	13.8	11.4-16.2
Black or Afr. Am./Non-Hisp	213	184,039	1	0.2	0.0- 0.6	11	3.4	1.2- 5.6	21	8.5	4.4-12.6	6	2.4	0.2- 4.6	125	61.8	54.0-69.6	49	23.8	16.7-30.9
Oth. Race/Non-Hisp.	56	44,124				5	7.2	0.0-14.8	9	8.5	0.9-16.1	1	1.4	0.0- 4.1	33	69.1	53.6-84.6	8	13.8	2.2-25.4
Hispanic	115	100,217				3	2.1	0.0- 4.6	11	7.8	2.5-13.1	3	1.4	0.0- 3.2	78	72.7	63.9-81.5	20	16.0	8.7-23.3
18-24	98	147,177							13	3.9	1.7- 6.1	13	4.5	2.0- 7.0	72	71.8	61.8-81.8	26	28.2	18.2-38.2
25-34	326	343,548	1	0.3	0.0- 0.9										237	72.3	67.0-77.6	62	19.1	14.4-23.8
35-44	399	329,870				12	3.0	1.2- 4.8	86	22.3	17.6-27.0	32	9.0	5.9-12.1	228	56.1	50.6-61.6	41	9.6	6.5-12.7
45-54	406	251,323	14	4.0	1.8- 6.2	71	14.9	11.2-18.6	80	19.3	15.0-23.6	23	6.1	3.4- 8.8	166	43.2	37.7-48.7	52	12.5	9.0-16.0
55-64	398	187,208	36	9.3	6.2-12.4	46	8.8	6.1-11.5	66	15.8	11.7-19.9	24	6.4	3.7- 9.1	180	47.0	41.3-52.7	46	12.8	8.7-16.9
65+	275	96,332	34	11.9	7.4-16.4	34	11.1	7.0-15.2	48	16.7	11.4-22.0	17	5.0	2.1- 7.9	102	39.4	32.3-46.5	40	15.9	10.4-21.4
Less Than H.S.	141	170,732	5	1.8	0.0- 3.6	5	1.8	0.0- 3.6	12	7.5	2.6-12.4	6	3.3	0.4- 6.2	90	68.6	60.0-77.2	23	17.1	9.8-24.4
H.S. or G.E.D.	520	386,299	24	3.4	2.0- 4.8	39	5.2	3.4- 7.0	68	12.8	9.5-16.1	30	5.6	3.4- 7.8	280	58.2	53.3-63.1	79	14.9	11.2-18.6
Some Post-H.S.	545	467,157	25	2.8	1.6- 4.0	54	6.7	4.7- 8.7	81	12.7	9.8-15.6	31	6.6	4.2- 9.0	280	55.0	50.3-59.7	74	16.2	12.3-20.1
College Graduate	689	328,807	31	3.2	1.8- 4.6	65	6.2	4.4- 8.0	132	18.2	14.9-21.5	42	5.8	3.8- 7.8	329	52.4	48.1-56.7	90	14.1	11.0-17.2
Less than \$15,000	185	145,145	5	1.8	0.0- 3.6	12	3.6	1.2- 6.0	14	7.4	2.7-12.1	9	4.2	0.9- 7.5	113	68.7	60.9-76.5	32	14.3	8.6-20.0
\$15,000- 24,999	298	211,891	10	2.9	0.9- 4.9	16	3.6	1.6- 5.6	34	9.3	5.8-12.8	18	5.7	2.8- 8.6	160	53.8	47.1-60.5	60	24.8	18.7-30.9
\$25,000- 34,999	191	143,109	8	1.8	0.2- 3.4	22	7.1	3.6-10.6	27	14.1	8.4-19.8	8	4.0	0.9- 7.1	106	61.8	53.6-70.0	20	11.2	5.7-16.7
\$35,000- 49,999	211	139,642	13	3.9	1.4- 6.4	16	5.1	2.2- 8.0	36	13.6	8.3-18.9	14	5.2	2.1- 8.3	109	61.5	53.7-69.3	23	10.8	5.9-15.7
\$50,000- 74,999	244	185,689	7	2.2	0.4- 4.0	19	5.1	2.4- 7.8	38	11.8	7.5-16.1	17	7.5	3.6-11.4	130	57.7	50.3-65.1	33	15.7	9.4-22.0
\$75,000+	532	364,448	23	2.8	1.4- 4.2	58	7.9	5.5-10.3	114	20.5	16.6-24.4	32	7.3	4.6-10.0	247	49.4	44.5-54.3	58	12.1	8.6-15.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 14: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVTSD3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1998			1999-2008			2009-2010			2011-2018			2019		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	819	591,818	36	3.0	1.8- 4.2	54	4.5	3.1- 5.9	117	13.0	10.3-15.7	48	5.5	3.9- 7.1	434	57.3	53.2-61.4	130	16.7	13.6-19.8
White/Non-Hisp	626	421,405	33	4.0	2.4- 5.6	43	4.6	3.0- 6.2	90	13.7	10.6-16.8	43	6.7	4.5- 8.9	330	56.1	51.4-60.8	87	14.8	11.3-18.3
Black or Afr. Am./Non-Hisp	84	87,905	1	0.3	0.0- 0.9	3	2.9	0.0- 6.2	11	11.7	4.4-19.0	2	2.4	0.0- 5.7	43	57.0	44.8-69.2	24	25.8	15.0-36.6
25-34	123	135,597	1	0.6	0.0- 1.8				4	3.2	0.0- 6.5	3	2.3	0.0- 5.0	86	70.0	61.0-79.0	29	23.8	15.4-32.2
35-44	140	130,710				4	2.9	0.0- 5.8	39	28.5	20.3-36.7	14	9.1	4.4-13.8	74	51.8	42.6-61.0	9	7.8	2.7-12.9
45-54	186	122,362	8	4.8	1.7- 7.9	26	12.9	7.6-18.2	25	13.1	7.6-18.6	10	5.4	1.9- 8.9	87	47.7	39.5-55.9	30	16.0	9.9-22.1
55-64	192	95,483	13	7.0	3.1-10.9	13	3.8	1.3- 6.3	29	12.5	7.4-17.6	15	8.6	3.9-13.3	97	54.1	45.9-62.3	25	14.0	8.1-19.9
65+	136	51,384	14	8.8	3.1-14.5	11	6.7	2.2-11.2	20	14.2	6.8-21.6	6	5.0	0.5- 9.5	57	44.2	34.4-54.0	28	21.0	12.6-29.4
Less Than H.S.	66	81,976	4	3.6	0.5- 6.7	1	0.9	0.0- 2.7	5	7.7	0.4-15.0	2	1.6	0.0- 4.1	45	73.1	61.3-84.9	9	13.1	3.7-22.5
H.S. or G.E.D.	249	183,579	10	3.0	1.0- 5.0	18	5.2	2.5- 7.9	33	14.2	9.1-19.3	14	6.0	2.9- 9.1	134	55.5	48.4-62.6	40	16.2	10.9-21.5
Some Post-H.S.	217	195,673	10	2.6	0.6- 4.6	14	5.3	2.4- 8.2	27	11.0	6.5-15.5	14	6.4	3.1- 9.7	116	56.6	49.2-64.0	36	18.1	12.0-24.2
College Graduate	281	128,406	12	3.6	1.2- 6.0	21	4.8	2.4- 7.2	52	17.8	12.5-23.1	18	5.9	2.8- 9.0	134	50.3	43.4-57.2	44	17.7	12.0-23.4
Less than \$15,000	61	39,137	4	5.9	0.0-11.8	4	5.6	0.0-11.7	5	11.4	1.6-21.2	1	1.7	0.0- 5.0	35	57.8	43.7-71.9	12	17.5	6.7-28.3
\$15,000- 24,999	125	89,620	4	4.0	0.5- 7.5	4	1.8	0.0- 3.8	10	7.4	2.3-12.5	8	6.7	2.0-11.4	72	57.6	47.6-67.6	27	22.4	14.0-30.8
\$25,000- 34,999	75	58,664	3	1.5	0.0- 3.7	6	5.5	0.6-10.4	9	12.0	4.0-20.0	3	2.4	0.0- 5.7	42	62.8	50.5-75.1	12	15.9	6.5-25.3
\$35,000- 49,999	96	68,178	2	0.7	0.0- 1.7	8	5.4	0.7-10.1	20	14.4	6.4-22.4	5	4.6	0.3- 8.9	50	64.0	52.2-75.8	11	10.9	3.3-18.5
\$50,000- 74,999	111	88,584	5	3.7	0.4- 7.0	5	4.5	0.2- 8.8	15	9.9	4.2-15.6	9	7.3	2.2-12.4	60	58.4	47.6-69.2	17	16.3	7.3-25.3
\$75,000+	259	176,282	12	3.0	1.0- 5.0	23	5.9	3.0- 8.8	51	19.8	13.9-25.7	17	6.5	3.2- 9.8	124	50.1	42.8-57.4	32	14.6	8.9-20.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 14: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVTSTD3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1998			1999-2008			2009-2010			2011-2018			2019		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1083	763,640	49	2.9	1.9- 3.9	109	6.3	4.9- 7.7	176	13.7	11.5-15.9	61	5.8	4.0- 7.6	551	56.9	53.4-60.4	137	14.5	11.8-17.2
White/Non-Hisp	812	565,900	46	3.7	2.5- 4.9	92	7.3	5.5- 9.1	146	15.8	13.1-18.5	54	7.1	4.9- 9.3	385	53.1	49.0-57.2	89	13.1	10.2-16.0
Black or Afr. Am./Non-Hisp	129	96,135				8	3.8	0.9- 6.7	10	5.6	1.1-10.1	4	2.5	0.0- 5.2	82	66.2	56.2-76.2	25	22.0	12.6-31.4
Hispanic	72	59,898				1	0.5	0.0- 1.5	7	6.8	0.7-12.9	1	0.4	0.0- 1.2	51	76.0	65.2-86.8	12	16.4	7.0-25.8
18-24	56	90,896													39	68.2	54.7-81.7	17	31.8	18.3-45.3
25-34	203	207,951							9	4.4	1.5- 7.3	10	5.8	2.1- 9.5	151	73.7	67.2-80.2	33	16.0	10.7-21.3
35-44	259	199,160				8	3.2	0.8- 5.6	47	18.2	12.9-23.5	18	8.9	4.8-13.0	154	59.0	52.3-65.7	32	10.8	6.7-14.9
45-54	220	128,961	6	3.2	0.7- 5.7	45	16.7	11.6-21.8	55	25.3	18.8-31.8	13	6.8	2.9-10.7	79	38.9	31.6-46.2	22	9.1	5.4-12.8
55-64	206	91,725	23	11.7	6.6-16.8	33	13.9	8.8-19.0	37	19.2	12.9-25.5	9	4.1	1.0- 7.2	83	39.6	32.0-47.2	21	11.5	5.6-17.4
65+	139	44,948	20	15.5	8.1-22.9	23	16.2	9.3-23.1	28	19.6	12.2-27.0	11	4.9	1.4- 8.4	45	33.8	24.2-43.4	12	10.0	3.5-16.5
Less Than H.S.	75	88,756	1	0.2	0.0- 0.6	4	2.6	0.0- 5.3	7	7.2	0.5-13.9	4	4.8	0.0- 9.9	45	64.5	51.8-77.2	14	20.7	9.9-31.5
H.S. or G.E.D.	271	202,720	14	3.7	1.5- 5.9	21	5.2	2.7- 7.7	35	11.5	7.4-15.6	16	5.2	2.5- 7.9	146	60.6	53.9-67.3	39	13.8	8.9-18.7
Some Post-H.S.	328	271,484	15	3.0	1.4- 4.6	40	7.6	4.9-10.3	54	13.9	10.0-17.8	17	6.8	3.5-10.1	164	53.8	47.7-59.9	38	14.9	10.0-19.8
College Graduate	408	200,401	19	3.0	1.4- 4.6	44	7.2	4.8- 9.6	80	18.5	14.2-22.8	24	5.7	3.0- 8.4	195	53.8	48.1-59.5	46	11.8	8.1-15.5
Less than \$15,000	124	106,008	1	0.3	0.0- 0.9	8	2.8	0.6- 5.0	9	5.9	0.6-11.2	8	5.2	0.7- 9.7	78	72.8	63.6-82.0	20	13.1	6.4-19.8
\$15,000- 24,999	173	122,271	6	2.1	0.1- 4.1	12	4.8	1.7- 7.9	24	10.6	5.9-15.3	10	5.0	1.5- 8.5	88	51.0	42.0-60.0	33	26.5	17.9-35.1
\$25,000- 34,999	116	84,445	5	2.1	0.0- 4.3	16	8.2	3.3-13.1	18	15.5	7.7-23.3	5	5.1	0.6- 9.6	64	61.1	50.1-72.1	8	8.0	1.3-14.7
\$35,000- 49,999	115	71,464	11	7.0	2.3-11.7	8	4.8	1.1- 8.5	16	12.8	5.9-19.7	9	5.7	1.2-10.2	59	59.0	48.6-69.4	12	10.7	4.6-16.8
\$50,000- 74,999	133	97,105	2	1.0	0.0- 2.6	14	5.7	2.4- 9.0	23	13.5	7.4-19.6	8	7.7	2.0-13.4	70	57.1	46.9-67.3	16	15.1	6.5-23.7
\$75,000+	273	188,166	11	2.6	0.8- 4.4	35	9.7	6.2-13.2	63	21.1	15.8-26.4	15	8.1	3.8-12.4	123	48.7	41.8-55.6	26	9.8	5.3-14.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 14: HIV/AIDS**

**TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	7826	4,518,120	303	6.5	5.7- 7.3	7523	93.5	92.7-94.3
Male	3489	2,186,970	175	7.9	6.5- 9.3	3314	92.1	90.7-93.5
Female	4337	2,331,149	128	5.2	4.2- 6.2	4209	94.8	93.8-95.8
White/Non-Hisp	6523	3,602,979	223	5.8	5.0- 6.6	6300	94.2	93.4-95.0
Black or Afr. Am./Non-Hisp	511	380,215	31	10.6	6.5-14.7	480	89.4	85.3-93.5
Oth. Race/Non-Hisp.	202	140,573	8	5.4	1.1- 9.7	194	94.6	90.3-98.9
MultiRacial/Non-Hisp.	119	43,233	9	10.8	3.9-17.7	110	89.2	82.3-96.1
Hispanic	331	278,295	28	10.5	6.2-14.8	303	89.5	85.2-93.8
18-24	409	611,070	72	17.3	13.4-21.2	337	82.7	78.8-86.6
25-34	688	733,922	85	12.5	9.8-15.2	603	87.5	84.8-90.2
35-44	826	693,899	55	7.2	5.0- 9.4	771	92.8	90.6-95.0
45-54	1165	722,261	41	3.3	2.1- 4.5	1124	96.7	95.5-97.9
55-64	1635	770,876	27	1.7	0.9- 2.5	1608	98.3	97.5-99.1
65+	3103	986,091	23	1.0	0.6- 1.4	3080	99.0	98.6-99.4
Less Than H.S.	568	548,699	26	7.8	4.7-10.9	542	92.2	89.1-95.3
H.S. or G.E.D.	2455	1,468,812	91	6.1	4.7- 7.5	2364	93.9	92.5-95.3
Some Post-H.S.	2038	1,399,536	106	8.0	6.4- 9.6	1932	92.0	90.4-93.6
College Graduate	2718	1,079,481	79	4.4	3.4- 5.4	2639	95.6	94.6-96.6
Less than \$15,000	571	366,660	35	10.8	6.9-14.7	536	89.2	85.3-93.1
\$15,000- 24,999	1067	606,751	53	7.7	5.3-10.1	1014	92.3	89.9-94.7
\$25,000- 34,999	697	395,368	31	8.2	4.9-11.5	666	91.8	88.5-95.1
\$35,000- 49,999	928	529,272	39	6.3	3.9- 8.7	889	93.7	91.3-96.1
\$50,000- 74,999	1019	625,127	34	5.2	3.2- 7.2	985	94.8	92.8-96.8
\$75,000+	1957	1,183,226	73	5.7	4.1- 7.3	1884	94.3	92.7-95.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 14: HIV/AIDS**

**TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	3489	2,186,970	175	7.9	6.5- 9.3	3314	92.1	90.7-93.5
White/Non-Hisp	2908	1,732,410	129	7.1	5.7- 8.5	2779	92.9	91.5-94.3
Black or Afr. Am./Non-Hisp	201	181,055	20	14.9	7.8-22.0	181	85.1	78.0-92.2
Oth. Race/Non-Hisp.	109	81,042	5	6.0	0.5-11.5	104	94.0	88.5-99.5
MultiRacial/Non-Hisp.	52	19,018	4	9.1	0.1-18.1	48	90.9	81.9-99.9
Hispanic	147	138,623	13	8.1	3.6-12.6	134	91.9	87.4-96.4
18-24	233	315,096	44	19.4	13.9-24.9	189	80.6	75.1-86.1
25-34	330	368,629	46	13.4	9.3-17.5	284	86.6	82.5-90.7
35-44	371	338,442	30	9.1	5.6-12.6	341	90.9	87.4-94.4
45-54	539	354,082	20	4.1	2.1- 6.1	519	95.9	93.9-97.9
55-64	779	373,696	18	2.3	1.1- 3.5	761	97.7	96.5-98.9
65+	1237	437,025	17	1.6	0.8- 2.4	1220	98.4	97.6-99.2
Less Than H.S.	262	294,073	16	8.1	4.0-12.2	246	91.9	87.8-96.0
H.S. or G.E.D.	1101	748,984	57	7.7	5.5- 9.9	1044	92.3	90.1-94.5
Some Post-H.S.	864	646,672	61	10.2	7.5-12.9	803	89.8	87.1-92.5
College Graduate	1238	484,870	40	4.7	3.1- 6.3	1198	95.3	93.7-96.9
Less than \$15,000	215	145,415	15	10.0	4.5-15.5	200	90.0	84.5-95.5
\$15,000- 24,999	429	274,292	28	8.3	4.8-11.8	401	91.7	88.2-95.2
\$25,000- 34,999	273	174,146	14	7.6	3.1-12.1	259	92.4	87.9-96.9
\$35,000- 49,999	452	281,238	23	7.5	4.0-11.0	429	92.5	89.0-96.0
\$50,000- 74,999	496	323,363	23	7.7	4.2-11.2	473	92.3	88.8-95.8
\$75,000+	1062	644,130	48	7.5	5.1- 9.9	1014	92.5	90.1-94.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019  
SECTION 14: HIV/AIDS**

**TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4337	2,331,149	128	5.2	4.2- 6.2	4209	94.8	93.8-95.8
White/Non-Hisp	3615	1,870,569	94	4.6	3.6- 5.6	3521	95.4	94.4-96.4
Black or Afr. Am./Non-Hisp	310	199,160	11	6.6	2.1-11.1	299	93.4	88.9-97.9
Oth. Race/Non-Hisp.	93	59,531	3	4.6	0.0-11.7	90	95.4	88.3- 100
MultiRacial/Non-Hisp.	67	24,215	5	12.2	2.0-22.4	62	87.8	77.6-98.0
Hispanic	184	139,671	15	12.9	5.8-20.0	169	87.1	80.0-94.2
18-24	176	295,974	28	15.1	9.4-20.8	148	84.9	79.2-90.6
25-34	358	365,293	39	11.6	7.9-15.3	319	88.4	84.7-92.1
35-44	455	355,458	25	5.4	3.0- 7.8	430	94.6	92.2-97.0
45-54	626	368,180	21	2.5	1.3- 3.7	605	97.5	96.3-98.7
55-64	856	397,180	9	1.1	0.3- 1.9	847	98.9	98.1-99.7
65+	1866	549,066	6	0.5	0.1- 0.9	1860	99.5	99.1-99.9
Less Than H.S.	306	254,626	10	7.6	2.7-12.5	296	92.4	87.5-97.3
H.S. or G.E.D.	1354	719,829	34	4.6	3.0- 6.2	1320	95.4	93.8-97.0
Some Post-H.S.	1174	752,864	45	6.1	4.1- 8.1	1129	93.9	91.9-95.9
College Graduate	1480	594,611	39	4.1	2.7- 5.5	1441	95.9	94.5-97.3
Less than \$15,000	356	221,245	20	11.3	6.0-16.6	336	88.7	83.4-94.0
\$15,000- 24,999	638	332,458	25	7.1	4.0-10.2	613	92.9	89.8-96.0
\$25,000- 34,999	424	221,222	17	8.8	3.9-13.7	407	91.2	86.3-96.1
\$35,000- 49,999	476	248,034	16	4.9	2.2- 7.6	460	95.1	92.4-97.8
\$50,000- 74,999	523	301,764	11	2.6	1.0- 4.2	512	97.4	95.8-99.0
\$75,000+	895	539,095	25	3.6	2.0- 5.2	870	96.4	94.8-98.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
INDIANA CORE QUESTIONS DATA REPORT, 2019**

End of Core Data Report