

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 06/26/2017
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 155001	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED C 06/19/2017
NAME OF PROVIDER OR SUPPLIER HOOVERWOOD			STREET ADDRESS, CITY, STATE, ZIP CODE 7001 HOOVER RD INDIANAPOLIS, IN 46260		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
F 000	<p>INITIAL COMMENTS</p> <p>This visit was for the Investigation of Complaint IN00231583.</p> <p>Complaint IN00231583 - Substantiated. No deficiencies related to the allegations were cited.</p> <p>Survey date: June 15 and 19, 2017</p> <p>Facility number: 000001 Provider number: 155001 AIM number: 100275310</p> <p>Census bed type: SNF/NF: 123 Total: 123</p> <p>Census payor type: Medicare: 11 Medicaid: 83 Other: 29 Total: 123</p> <p>Hooverwood was found to be in compliance with 42 CFR 483, Subpart B and 410 IAC 16.2-3.1 in regard to the Investigation of Complaint IN00231583.</p> <p>Quality Review was completed on June 22, 2017.</p>	F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.