

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING	(X3) DATE SURVEY COMPLETED 02/01/2023
NAME OF PROVIDER OR SUPPLIER CEDAR CREEK OF MUNCIE		STREET ADDRESS, CITY, STATE, ZIP CODE 2410 E MCGALLIARD RD, MUNCIE, , 47303			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES...	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION...	(X5) COMPLETION DATE	
R 0000	INITIAL COMMENTS This visit was for the Investigation of Complaint IN00400072. Complaint IN00400072 - Substantiated. No State Residential Findings related to the allegations were cited. Survey date: February 1, 2023 Facility number: 004428 Residential Census: 53 Lynd Place was found to be in compliance with 410 IAC 16.2-5 in regard to the Investigation of Complaint IN00400072. Quality review completed February 3, 2023.	R 0000			
Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting provided it is determined that other safeguards provide sufficient protection to the patients. (See instructions.)					
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE	(X6) DATE	