

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING	(X3) DATE SURVEY COMPLETED 03/09/2023
NAME OF PROVIDER OR SUPPLIER CEDAR CREEK OF FORT WAYNE		STREET ADDRESS, CITY, STATE, ZIP CODE 2116 BUTLER RD, FORT WAYNE, , 46815			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES...	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION...	(X5) COMPLETION DATE	
R 0000	INITIAL COMMENTS This visit was for a State Residential Licensure Survey. Survey dates: March 8 and 9, 2023. Facility number: 004686 Residential Census: 25 Hamilton Place was found to be in compliance with 410 IAC 16.2-5 in regard to the State Residential Licensure Survey. Quality review completed March 13, 2023	R 0000			
Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting provided it is determined that other safeguards provide sufficient protection to the patients. (See instructions.)					
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE	(X6) DATE	