

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING		(X3) DATE SURVEY COMPLETED 02/28/2023	
NAME OF PROVIDER OR SUPPLIER BICKFORD OF GREENWOOD		STREET ADDRESS, CITY, STATE, ZIP CODE 3021 STELLA DRIVE, GREENWOOD, , 46143					
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES...	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION...			(X5) COMPLETION DATE	
R 0000	INITIAL COMMENTS This visit was for a Post Survey Revisit (PSR) to Investigation of Complaint IN00398786 completed on January 10, 2023. Complaint IN00398786 - Corrected. Survey date: February 28, 2023 Facility number: 012938 Residential Census: 38 Bickford of Greenwood was found to be in compliance with 410 IAC 16.2-5 in regard to the PSR to Investigation of Complaint IN00398786. Quality review completed March 1, 2023.	R 0000					
Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting provided it is determined that other safeguards provide sufficient protection to the patients. (See instructions.)							
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE			(X6) DATE	