

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING	(X3) DATE SURVEY COMPLETED 08/06/2025
NAME OF PROVIDER OR SUPPLIER GENTRY PARK		STREET ADDRESS, CITY, STATE, ZIP CODE 901 S HASTINGS DR, BLOOMINGTON, , 47401			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES...	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION...	(X5) COMPLETION DATE	
R 0000	INITIAL COMMENTS This visit was for the Investigation of Complaint IN00462330. Complaint IN00462330 - No deficiencies related to the allegations are cited. Survey date: August 6, 2025 Facility number: 013766 Residential Census: 89 Gentry Park was found to be in compliance with 410 IAC 16.2-5 in regard to the Investigation of Complaint IN00462330. Quality review completed August 8, 2025.	R 0000			
Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting provided it is determined that other safeguards provide sufficient protection to the patients. (See instructions.)					
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE	(X6) DATE	