

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING		(X3) DATE SURVEY COMPLETED 01/13/2023	
NAME OF PROVIDER OR SUPPLIER WOODLAND TERRACE OF DANVILLE		STREET ADDRESS, CITY, STATE, ZIP CODE 200 S ARBOR LANE, DANVILLE, , 46122					
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES...	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION...			(X5) COMPLETION DATE	
R 0000	INITIAL COMMENTS This visit was for the Investigation of Complaint IN00398524. Complaint IN00398524 - Unsubstantiated due to lack of evidence. Survey date: January 13, 2023. Facility number: 014518 Residential Census: 36 Woodland Terrace of Danville was found to be in compliance with 410 IAC 16.2-5 in regard to the Investigation of Complaint IN00398524. Quality review completed on January 19, 2023.	R 0000					
Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting provided it is determined that other safeguards provide sufficient protection to the patients. (See instructions.)							
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE			(X6) DATE	