

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING		(X3) DATE SURVEY COMPLETED 10/02/2025	
NAME OF PROVIDER OR SUPPLIER CEDARHURST OF FORT WAYNE		STREET ADDRESS, CITY, STATE, ZIP CODE 9210 MAYSVILLE ROAD, FORT WAYNE, , 46815					
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES...	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION...			(X5) COMPLETION DATE	
R 0000	INITIAL COMMENTS This visit was for a Post Survey Revisit (PSR) to Investigation of Intake IN00464267 completed on August 28, 2025. Complaint IN00464267 - Corrected Survey date: October 2, 2025 Facility number: 014576 Residential Census: 85 Cedarhurst of Fort Wayne was found to be in compliance with 410 IAC 16.2-5 in regard to the PSR to Investigation of Intake IN00464267. Quality review completed October 3, 2025	R 0000					
Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting provided it is determined that other safeguards provide sufficient protection to the patients. (See instructions.)							
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE			(X6) DATE	