

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 15C0001033		(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING		(X3) DATE SURVEY COMPLETED 03/20/2025	
NAME OF PROVIDER OR SUPPLIER COMMUNITY SURGERY CENTER NORTH				STREET ADDRESS, CITY, STATE, ZIP CODE 8040 CLEARVISTA PKWY STE 150 , INDIANAPOLIS, Indiana, 46256			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
Q0000	INITIAL COMMENTS This visit was for a Post Survey Revisit (PSR) to the Recertification Survey conducted on 1/21/2025, 1/22/2025, and 2/4/2025 by the Indiana Department of Health. Survey Date: 3/20/2025 Facility Number: 005973 Community Surgery Center North was found in compliance with 42 CFR 416.44 Physical Environment, Medicare Conditions of Participation. QA: 3/31/2025			Q0000			

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------